

# Computer algebra independent integration tests

6-Hyperbolic-functions/6.3-Hyperbolic-tangent/6.3.7-d-hyper- $\hat{m}$ -a+b-c-tanh- $\hat{n}$ - $\hat{p}$

Nasser M. Abbasi

May 24, 2020

Compiled on May 24, 2020 at 2:01pm

## Contents

<b>1</b>	<b>Introduction</b>	<b>13</b>
1.1	Listing of CAS systems tested . . . . .	13
1.2	Results . . . . .	14
1.3	Performance . . . . .	17
1.4	list of integrals that has no closed form antiderivative . . . . .	18
1.5	list of integrals solved by CAS but has no known antiderivative . . . . .	18
1.6	list of integrals solved by CAS but failed verification . . . . .	18
1.7	Timing . . . . .	19
1.8	Verification . . . . .	19
1.9	Important notes about some of the results . . . . .	19
1.10	Design of the test system . . . . .	21
<b>2</b>	<b>detailed summary tables of results</b>	<b>23</b>
2.1	List of integrals sorted by grade for each CAS . . . . .	23
2.2	Detailed conclusion table per each integral for all CAS systems . . . . .	26
2.3	Detailed conclusion table specific for Rubi results . . . . .	79
<b>3</b>	<b>Listing of integrals</b>	<b>89</b>
3.1	$\int \sinh^4(c + dx) (a + b \tanh^2(c + dx)) dx$ . . . . .	89
3.2	$\int \sinh^3(c + dx) (a + b \tanh^2(c + dx)) dx$ . . . . .	94
3.3	$\int \sinh^2(c + dx) (a + b \tanh^2(c + dx)) dx$ . . . . .	98

3.4	$\int \sinh(c + dx) (a + b \tanh^2(c + dx)) dx$	102
3.5	$\int \operatorname{csch}(c + dx) (a + b \tanh^2(c + dx)) dx$	106
3.6	$\int \operatorname{csch}^2(c + dx) (a + b \tanh^2(c + dx)) dx$	110
3.7	$\int \operatorname{csch}^3(c + dx) (a + b \tanh^2(c + dx)) dx$	114
3.8	$\int \operatorname{csch}^4(c + dx) (a + b \tanh^2(c + dx)) dx$	119
3.9	$\int \sinh^4(c + dx) (a + b \tanh^2(c + dx))^2 dx$	123
3.10	$\int \sinh^3(c + dx) (a + b \tanh^2(c + dx))^2 dx$	128
3.11	$\int \sinh^2(c + dx) (a + b \tanh^2(c + dx))^2 dx$	132
3.12	$\int \sinh(c + dx) (a + b \tanh^2(c + dx))^2 dx$	137
3.13	$\int \operatorname{csch}(c + dx) (a + b \tanh^2(c + dx))^2 dx$	141
3.14	$\int \operatorname{csch}^2(c + dx) (a + b \tanh^2(c + dx))^2 dx$	145
3.15	$\int \operatorname{csch}^3(c + dx) (a + b \tanh^2(c + dx))^2 dx$	149
3.16	$\int \operatorname{csch}^4(c + dx) (a + b \tanh^2(c + dx))^2 dx$	155
3.17	$\int \sinh^4(c + dx) (a + b \tanh^2(c + dx))^3 dx$	159
3.18	$\int \sinh^3(c + dx) (a + b \tanh^2(c + dx))^3 dx$	165
3.19	$\int \sinh^2(c + dx) (a + b \tanh^2(c + dx))^3 dx$	169
3.20	$\int \sinh(c + dx) (a + b \tanh^2(c + dx))^3 dx$	175
3.21	$\int \operatorname{csch}(c + dx) (a + b \tanh^2(c + dx))^3 dx$	179
3.22	$\int \operatorname{csch}^2(c + dx) (a + b \tanh^2(c + dx))^3 dx$	184
3.23	$\int \operatorname{csch}^3(c + dx) (a + b \tanh^2(c + dx))^3 dx$	188
3.24	$\int \operatorname{csch}^4(c + dx) (a + b \tanh^2(c + dx))^3 dx$	196
3.25	$\int \frac{\sinh^4(c+dx)}{a+b \tanh^2(c+dx)} dx$	201
3.26	$\int \frac{\sinh^3(c+dx)}{a+b \tanh^2(c+dx)} dx$	207
3.27	$\int \frac{\sinh^2(c+dx)}{a+b \tanh^2(c+dx)} dx$	215
3.28	$\int \frac{\sinh(c+dx)}{a+b \tanh^2(c+dx)} dx$	220
3.29	$\int \frac{\operatorname{csch}(c+dx)}{a+b \tanh^2(c+dx)} dx$	227
3.30	$\int \frac{\operatorname{csch}^2(c+dx)}{a+b \tanh^2(c+dx)} dx$	234
3.31	$\int \frac{\operatorname{csch}^3(c+dx)}{a+b \tanh^2(c+dx)} dx$	238
3.32	$\int \frac{\operatorname{csch}^4(c+dx)}{a+b \tanh^2(c+dx)} dx$	247
3.33	$\int \frac{\sinh^4(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$	252

3.34	$\int \frac{\sinh^3(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$	262
3.35	$\int \frac{\sinh^2(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$	273
3.36	$\int \frac{\sinh(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$	281
3.37	$\int \frac{\operatorname{csch}(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$	290
3.38	$\int \frac{\operatorname{csch}^2(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$	299
3.39	$\int \frac{\operatorname{csch}^3(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$	305
3.40	$\int \frac{\operatorname{csch}^4(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$	316
3.41	$\int \frac{\sinh^4(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$	324
3.42	$\int \frac{\sinh^3(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$	331
3.43	$\int \frac{\sinh^2(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$	340
3.44	$\int \frac{\sinh(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$	353
3.45	$\int \frac{\operatorname{csch}(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$	365
3.46	$\int \frac{\operatorname{csch}^2(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$	380
3.47	$\int \frac{\operatorname{csch}^3(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$	389
3.48	$\int \frac{\operatorname{csch}^4(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$	399
3.49	$\int \sinh^4(c+dx) (a+b \tanh^3(c+dx)) dx$	405
3.50	$\int \sinh^3(c+dx) (a+b \tanh^3(c+dx)) dx$	411
3.51	$\int \sinh^2(c+dx) (a+b \tanh^3(c+dx)) dx$	417
3.52	$\int \sinh(c+dx) (a+b \tanh^3(c+dx)) dx$	422
3.53	$\int \operatorname{csch}(c+dx) (a+b \tanh^3(c+dx)) dx$	427
3.54	$\int \operatorname{csch}^2(c+dx) (a+b \tanh^3(c+dx)) dx$	431
3.55	$\int \operatorname{csch}^3(c+dx) (a+b \tanh^3(c+dx)) dx$	435
3.56	$\int \operatorname{csch}^4(c+dx) (a+b \tanh^3(c+dx)) dx$	439
3.57	$\int \sinh^4(c+dx) (a+b \tanh^3(c+dx))^2 dx$	444
3.58	$\int \sinh^3(c+dx) (a+b \tanh^3(c+dx))^2 dx$	452
3.59	$\int \sinh^2(c+dx) (a+b \tanh^3(c+dx))^2 dx$	459

3.60	$\int \sinh(c + dx) (a + b \tanh^3(c + dx))^2 dx$	466
3.61	$\int \operatorname{csch}(c + dx) (a + b \tanh^3(c + dx))^2 dx$	472
3.62	$\int \operatorname{csch}^2(c + dx) (a + b \tanh^3(c + dx))^2 dx$	478
3.63	$\int \operatorname{csch}^3(c + dx) (a + b \tanh^3(c + dx))^2 dx$	482
3.64	$\int \operatorname{csch}^4(c + dx) (a + b \tanh^3(c + dx))^2 dx$	489
3.65	$\int \sinh^4(c + dx) (a + b \tanh^3(c + dx))^3 dx$	496
3.66	$\int \sinh^3(c + dx) (a + b \tanh^3(c + dx))^3 dx$	502
3.67	$\int \sinh^2(c + dx) (a + b \tanh^3(c + dx))^3 dx$	513
3.68	$\int \sinh(c + dx) (a + b \tanh^3(c + dx))^3 dx$	524
3.69	$\int \operatorname{csch}(c + dx) (a + b \tanh^3(c + dx))^3 dx$	534
3.70	$\int \operatorname{csch}^2(c + dx) (a + b \tanh^3(c + dx))^3 dx$	543
3.71	$\int \operatorname{csch}^3(c + dx) (a + b \tanh^3(c + dx))^3 dx$	548
3.72	$\int \operatorname{csch}^4(c + dx) (a + b \tanh^3(c + dx))^3 dx$	560
3.73	$\int \frac{\sinh^4(c+dx)}{a+b \tanh^3(c+dx)} dx$	570
3.74	$\int \frac{\sinh^3(c+dx)}{a+b \tanh^3(c+dx)} dx$	577
3.75	$\int \frac{\sinh^2(c+dx)}{a+b \tanh^3(c+dx)} dx$	581
3.76	$\int \frac{\sinh(c+dx)}{a+b \tanh^3(c+dx)} dx$	593
3.77	$\int \frac{\operatorname{csch}(c+dx)}{a+b \tanh^3(c+dx)} dx$	596
3.78	$\int \frac{\operatorname{csch}^2(c+dx)}{a+b \tanh^3(c+dx)} dx$	599
3.79	$\int \frac{\operatorname{csch}^3(c+dx)}{a+b \tanh^3(c+dx)} dx$	604
3.80	$\int \frac{\operatorname{csch}^4(c+dx)}{a+b \tanh^3(c+dx)} dx$	607
3.81	$\int \cosh^4(c + dx) (a + b \tanh^2(c + dx)) dx$	615
3.82	$\int \cosh^3(c + dx) (a + b \tanh^2(c + dx)) dx$	619
3.83	$\int \cosh^2(c + dx) (a + b \tanh^2(c + dx)) dx$	622
3.84	$\int \cosh(c + dx) (a + b \tanh^2(c + dx)) dx$	626
3.85	$\int \operatorname{sech}(c + dx) (a + b \tanh^2(c + dx)) dx$	630
3.86	$\int \operatorname{sech}^2(c + dx) (a + b \tanh^2(c + dx)) dx$	634
3.87	$\int \operatorname{sech}^3(c + dx) (a + b \tanh^2(c + dx)) dx$	637
3.88	$\int \operatorname{sech}^4(c + dx) (a + b \tanh^2(c + dx)) dx$	642
3.89	$\int \cosh^4(c + dx) (a + b \tanh^2(c + dx))^2 dx$	646
3.90	$\int \cosh^3(c + dx) (a + b \tanh^2(c + dx))^2 dx$	650

3.91	$\int \cosh^2(c + dx) (a + b \tanh^2(c + dx))^2 dx$	654
3.92	$\int \cosh(c + dx) (a + b \tanh^2(c + dx))^2 dx$	658
3.93	$\int \operatorname{sech}(c + dx) (a + b \tanh^2(c + dx))^2 dx$	663
3.94	$\int \operatorname{sech}^2(c + dx) (a + b \tanh^2(c + dx))^2 dx$	668
3.95	$\int \operatorname{sech}^3(c + dx) (a + b \tanh^2(c + dx))^2 dx$	672
3.96	$\int \operatorname{sech}^4(c + dx) (a + b \tanh^2(c + dx))^2 dx$	679
3.97	$\int \cosh^4(c + dx) (a + b \tanh^2(c + dx))^3 dx$	684
3.98	$\int \cosh^3(c + dx) (a + b \tanh^2(c + dx))^3 dx$	689
3.99	$\int \cosh^2(c + dx) (a + b \tanh^2(c + dx))^3 dx$	695
3.100	$\int \cosh(c + dx) (a + b \tanh^2(c + dx))^3 dx$	699
3.101	$\int \operatorname{sech}(c + dx) (a + b \tanh^2(c + dx))^3 dx$	705
3.102	$\int \operatorname{sech}^2(c + dx) (a + b \tanh^2(c + dx))^3 dx$	713
3.103	$\int \operatorname{sech}^3(c + dx) (a + b \tanh^2(c + dx))^3 dx$	717
3.104	$\int \operatorname{sech}^4(c + dx) (a + b \tanh^2(c + dx))^3 dx$	726
3.105	$\int \frac{\cosh^4(c+dx)}{a+b \tanh^2(c+dx)} dx$	732
3.106	$\int \frac{\cosh^3(c+dx)}{a+b \tanh^2(c+dx)} dx$	738
3.107	$\int \frac{\cosh^2(c+dx)}{a+b \tanh^2(c+dx)} dx$	746
3.108	$\int \frac{\cosh(c+dx)}{a+b \tanh^2(c+dx)} dx$	751
3.109	$\int \frac{\operatorname{sech}(c+dx)}{a+b \tanh^2(c+dx)} dx$	758
3.110	$\int \frac{\operatorname{sech}^2(c+dx)}{a+b \tanh^2(c+dx)} dx$	765
3.111	$\int \frac{\operatorname{sech}^3(c+dx)}{a+b \tanh^2(c+dx)} dx$	769
3.112	$\int \frac{\operatorname{sech}^4(c+dx)}{a+b \tanh^2(c+dx)} dx$	776
3.113	$\int \frac{\operatorname{sech}^5(c+dx)}{a+b \tanh^2(c+dx)} dx$	780
3.114	$\int \frac{\operatorname{sech}^6(c+dx)}{a+b \tanh^2(c+dx)} dx$	788
3.115	$\int \frac{\cosh^3(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$	794
3.116	$\int \frac{\cosh^2(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$	807
3.117	$\int \frac{\cosh(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$	815

3.118	$\int \frac{\operatorname{sech}(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$	825
3.119	$\int \frac{\operatorname{sech}^2(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$	833
3.120	$\int \frac{\operatorname{sech}^3(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$	838
3.121	$\int \frac{\operatorname{sech}^4(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$	845
3.122	$\int \frac{\operatorname{sech}^5(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$	850
3.123	$\int \frac{\operatorname{sech}^6(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$	859
3.124	$\int \frac{\operatorname{sech}^7(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$	865
3.125	$\int \frac{\cosh^2(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$	877
3.126	$\int \frac{\cosh(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$	890
3.127	$\int \frac{\operatorname{sech}(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$	906
3.128	$\int \frac{\operatorname{sech}^2(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$	918
3.129	$\int \frac{\operatorname{sech}^3(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$	925
3.130	$\int \frac{\operatorname{sech}^4(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$	937
3.131	$\int \frac{\operatorname{sech}^5(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$	945
3.132	$\int \frac{\operatorname{sech}^6(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$	955
3.133	$\int \frac{\operatorname{sech}^7(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$	963
3.134	$\int \tanh^4(c+dx) (a+b \tanh^2(c+dx)) dx$	976
3.135	$\int \tanh^3(c+dx) (a+b \tanh^2(c+dx)) dx$	980
3.136	$\int \tanh^2(c+dx) (a+b \tanh^2(c+dx)) dx$	984
3.137	$\int \tanh(c+dx) (a+b \tanh^2(c+dx)) dx$	988
3.138	$\int (a+b \tanh^2(c+dx)) dx$	992
3.139	$\int \coth(c+dx) (a+b \tanh^2(c+dx)) dx$	995
3.140	$\int \coth^2(c+dx) (a+b \tanh^2(c+dx)) dx$	998
3.141	$\int \coth^3(c+dx) (a+b \tanh^2(c+dx)) dx$	1001
3.142	$\int \coth^4(c+dx) (a+b \tanh^2(c+dx)) dx$	1005

3.143	$\int \coth^5(c+dx)(a+b \tanh^2(c+dx)) dx$	.1009
3.144	$\int \tanh^4(c+dx)(a+b \tanh^2(c+dx))^2 dx$	.1014
3.145	$\int \tanh^3(c+dx)(a+b \tanh^2(c+dx))^2 dx$	.1019
3.146	$\int \tanh^2(c+dx)(a+b \tanh^2(c+dx))^2 dx$	.1025
3.147	$\int \tanh(c+dx)(a+b \tanh^2(c+dx))^2 dx$	.1029
3.148	$\int (a+b \tanh^2(c+dx))^2 dx$	.1034
3.149	$\int \coth(c+dx)(a+b \tanh^2(c+dx))^2 dx$	.1038
3.150	$\int \coth^2(c+dx)(a+b \tanh^2(c+dx))^2 dx$	.1042
3.151	$\int \coth^3(c+dx)(a+b \tanh^2(c+dx))^2 dx$	.1046
3.152	$\int \coth^4(c+dx)(a+b \tanh^2(c+dx))^2 dx$	.1050
3.153	$\int \coth^5(c+dx)(a+b \tanh^2(c+dx))^2 dx$	.1054
3.154	$\int \coth^6(c+dx)(a+b \tanh^2(c+dx))^2 dx$	.1059
3.155	$\int \coth^7(c+dx)(a+b \tanh^2(c+dx))^2 dx$	.1063
3.156	$\int \tanh^4(c+dx)(a+b \tanh^2(c+dx))^3 dx$	.1069
3.157	$\int \tanh^3(c+dx)(a+b \tanh^2(c+dx))^3 dx$	.1075
3.158	$\int \tanh^2(c+dx)(a+b \tanh^2(c+dx))^3 dx$	.1084
3.159	$\int \tanh(c+dx)(a+b \tanh^2(c+dx))^3 dx$	.1089
3.160	$\int (a+b \tanh^2(c+dx))^3 dx$	.1096
3.161	$\int \coth(c+dx)(a+b \tanh^2(c+dx))^3 dx$	.1101
3.162	$\int \coth^2(c+dx)(a+b \tanh^2(c+dx))^3 dx$	.1106
3.163	$\int \coth^3(c+dx)(a+b \tanh^2(c+dx))^3 dx$	.1110
3.164	$\int \coth^4(c+dx)(a+b \tanh^2(c+dx))^3 dx$	.1115
3.165	$\int \coth^5(c+dx)(a+b \tanh^2(c+dx))^3 dx$	.1119
3.166	$\int \coth^6(c+dx)(a+b \tanh^2(c+dx))^3 dx$	.1124
3.167	$\int \coth^7(c+dx)(a+b \tanh^2(c+dx))^3 dx$	.1128
3.168	$\int (a+b \tanh^2(c+dx))^4 dx$	.1134
3.169	$\int (a+b \tanh^2(c+dx))^5 dx$	.1139
3.170	$\int \frac{\tanh^5(c+dx)}{a+b \tanh^2(c+dx)} dx$	.1145
3.171	$\int \frac{\tanh^4(c+dx)}{a+b \tanh^2(c+dx)} dx$	.1150
3.172	$\int \frac{\tanh^3(c+dx)}{a+b \tanh^2(c+dx)} dx$	.1155

3.173	$\int \frac{\tanh^2(c+dx)}{a+b \tanh^2(c+dx)} dx$	. . . . .	.1159
3.174	$\int \frac{\tanh(c+dx)}{a+b \tanh^2(c+dx)} dx$	. . . . .	.1164
3.175	$\int \frac{1}{a+b \tanh^2(c+dx)} dx$	. . . . .	.1168
3.176	$\int \frac{\coth(c+dx)}{a+b \tanh^2(c+dx)} dx$	. . . . .	.1172
3.177	$\int \frac{\coth^2(c+dx)}{a+b \tanh^2(c+dx)} dx$	. . . . .	.1176
3.178	$\int \frac{\coth^3(c+dx)}{a+b \tanh^2(c+dx)} dx$	. . . . .	.1181
3.179	$\int \frac{\coth^4(c+dx)}{a+b \tanh^2(c+dx)} dx$	. . . . .	.1185
3.180	$\int \frac{\tanh^5(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$	. . . . .	.1191
3.181	$\int \frac{\tanh^4(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$	. . . . .	.1196
3.182	$\int \frac{\tanh^3(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$	. . . . .	.1203
3.183	$\int \frac{\tanh^2(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$	. . . . .	.1207
3.184	$\int \frac{\tanh(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$	. . . . .	.1214
3.185	$\int \frac{1}{(a+b \tanh^2(c+dx))^2} dx$	. . . . .	.1218
3.186	$\int \frac{\coth(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$	. . . . .	.1225
3.187	$\int \frac{\coth^2(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$	. . . . .	.1230
3.188	$\int \frac{\coth^3(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$	. . . . .	.1237
3.189	$\int \frac{\coth^4(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$	. . . . .	.1243
3.190	$\int \frac{\tanh^6(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$	. . . . .	.1253
3.191	$\int \frac{\tanh^5(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$	. . . . .	.1262
3.192	$\int \frac{\tanh^4(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$	. . . . .	.1268
3.193	$\int \frac{\tanh^3(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$	. . . . .	.1277
3.194	$\int \frac{\tanh^2(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$	. . . . .	.1283
3.195	$\int \frac{\tanh(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$	. . . . .	.1292



3.196	$\int \frac{1}{(a+b \tanh^2(c+dx))^3} dx$	1298
3.197	$\int \frac{\coth(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$	1307
3.198	$\int \frac{\coth^2(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$	1314
3.199	$\int \frac{\coth^3(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$	1326
3.200	$\int \frac{\coth^4(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$	1336
3.201	$\int \frac{1}{(a+b \tanh^2(c+dx))^4} dx$	1343
3.202	$\int \sqrt{1 - \tanh^2(x)} dx$	1349
3.203	$\int \sqrt{-1 + \tanh^2(x)} dx$	1352
3.204	$\int (1 - \tanh^2(x))^{3/2} dx$	1356
3.205	$\int (-1 + \tanh^2(x))^{3/2} dx$	1360
3.206	$\int \frac{1}{\sqrt{1-\tanh^2(x)}} dx$	1364
3.207	$\int \frac{1}{\sqrt{-1+\tanh^2(x)}} dx$	1367
3.208	$\int \tanh^5(x) \sqrt{a + b \tanh^2(x)} dx$	1370
3.209	$\int \tanh^4(x) \sqrt{a + b \tanh^2(x)} dx$	1378
3.210	$\int \tanh^3(x) \sqrt{a + b \tanh^2(x)} dx$	1389
3.211	$\int \tanh^2(x) \sqrt{a + b \tanh^2(x)} dx$	1395
3.212	$\int \tanh(x) \sqrt{a + b \tanh^2(x)} dx$	1403
3.213	$\int \sqrt{a + b \tanh^2(x)} dx$	1408
3.214	$\int \coth(x) \sqrt{a + b \tanh^2(x)} dx$	1414
3.215	$\int \coth^2(x) \sqrt{a + b \tanh^2(x)} dx$	1420
3.216	$\int \coth^3(x) \sqrt{a + b \tanh^2(x)} dx$	1425
3.217	$\int \coth^4(x) \sqrt{a + b \tanh^2(x)} dx$	1433
3.218	$\int \coth^5(x) \sqrt{a + b \tanh^2(x)} dx$	1439
3.219	$\int \tanh^3(x) (a + b \tanh^2(x))^{3/2} dx$	1450
3.220	$\int \tanh^2(x) (a + b \tanh^2(x))^{3/2} dx$	1458
3.221	$\int \tanh(x) (a + b \tanh^2(x))^{3/2} dx$	1464
3.222	$\int (a + b \tanh^2(x))^{3/2} dx$	1471

3.223	$\int \coth(x) (a + b \tanh^2(x))^{3/2} dx$	.1479
3.224	$\int \coth^2(x) (a + b \tanh^2(x))^{3/2} dx$	.1486
3.225	$\int \sqrt{1 + \tanh^2(x)} dx$	.1493
3.226	$\int \sqrt{-1 - \tanh^2(x)} dx$	.1498
3.227	$\int (1 + \tanh^2(x))^{3/2} dx$	.1502
3.228	$\int (-1 - \tanh^2(x))^{3/2} dx$	.1508
3.229	$\int \frac{\tanh^5(x)}{\sqrt{a+b \tanh^2(x)}} dx$	.1513
3.230	$\int \frac{\tanh^4(x)}{\sqrt{a+b \tanh^2(x)}} dx$	.1520
3.231	$\int \frac{\tanh^3(x)}{\sqrt{a+b \tanh^2(x)}} dx$	.1528
3.232	$\int \frac{\tanh^2(x)}{\sqrt{a+b \tanh^2(x)}} dx$	.1533
3.233	$\int \frac{\tanh(x)}{\sqrt{a+b \tanh^2(x)}} dx$	.1540
3.234	$\int \frac{1}{\sqrt{a+b \tanh^2(x)}} dx$	.1545
3.235	$\int \frac{\coth(x)}{\sqrt{a+b \tanh^2(x)}} dx$	.1550
3.236	$\int \frac{\coth^2(x)}{\sqrt{a+b \tanh^2(x)}} dx$	.1557
3.237	$\int \frac{\coth^3(x)}{\sqrt{a+b \tanh^2(x)}} dx$	.1562
3.238	$\int \frac{\tanh^5(x)}{(a+b \tanh^2(x))^{3/2}} dx$	.1570
3.239	$\int \frac{\tanh^4(x)}{(a+b \tanh^2(x))^{3/2}} dx$	.1577
3.240	$\int \frac{\tanh^3(x)}{(a+b \tanh^2(x))^{3/2}} dx$	.1586
3.241	$\int \frac{\tanh^2(x)}{(a+b \tanh^2(x))^{3/2}} dx$	.1592
3.242	$\int \frac{\tanh(x)}{(a+b \tanh^2(x))^{3/2}} dx$	.1598
3.243	$\int \frac{1}{(a+b \tanh^2(x))^{3/2}} dx$	.1604
3.244	$\int \frac{\coth(x)}{(a+b \tanh^2(x))^{3/2}} dx$	.1610
3.245	$\int \frac{\coth^2(x)}{(a+b \tanh^2(x))^{3/2}} dx$	.1619

3.246	$\int \frac{\tanh^6(x)}{(a+b \tanh^2(x))^{5/2}} dx$	.1626
3.247	$\int \frac{\tanh^5(x)}{(a+b \tanh^2(x))^{5/2}} dx$	.1631
3.248	$\int \frac{\tanh^4(x)}{(a+b \tanh^2(x))^{5/2}} dx$	.1640
3.249	$\int \frac{\tanh^3(x)}{(a+b \tanh^2(x))^{5/2}} dx$	.1648
3.250	$\int \frac{\tanh^2(x)}{(a+b \tanh^2(x))^{5/2}} dx$	.1657
3.251	$\int \frac{\tanh(x)}{(a+b \tanh^2(x))^{5/2}} dx$	.1666
3.252	$\int \frac{1}{(a+b \tanh^2(x))^{5/2}} dx$	.1674
3.253	$\int \frac{\coth(x)}{(a+b \tanh^2(x))^{5/2}} dx$	.1683
3.254	$\int \frac{\coth^2(x)}{(a+b \tanh^2(x))^{5/2}} dx$	.1688
3.255	$\int \frac{1}{\sqrt{1+\tanh^2(x)}} dx$	.1699
3.256	$\int \frac{1}{\sqrt{-1-\tanh^2(x)}} dx$	.1703
3.257	$\int (a + b \tanh^3(c + dx))^2 dx$	.1707
3.258	$\int \frac{1}{1+\tanh^3(x)} dx$	.1712
3.259	$\int \tanh(x) (a + b \tanh^4(x))^{3/2} dx$	.1716
3.260	$\int \tanh(x) \sqrt{a + b \tanh^4(x)} dx$	.1721
3.261	$\int \frac{\tanh(x)}{\sqrt{a+b \tanh^4(x)}} dx$	.1729
3.262	$\int \frac{\tanh(x)}{(a+b \tanh^4(x))^{3/2}} dx$	.1734
3.263	$\int \frac{\tanh(x)}{(a+b \tanh^4(x))^{5/2}} dx$	.1741

#### 4 Listing of Grading functions

1747



# Chapter 1

## Introduction

This report gives the result of running the computer algebra independent integration problems. The listing of the problems are maintained by and can be downloaded from <https://rulebasedintegration.org>

The number of integrals in this report is [ 263 ]. This is test number [ 173 ].

### 1.1 Listing of CAS systems tested

The following systems were tested at this time.

1. Mathematica 12.1 (64 bit) on windows 10.
2. Rubi 4.16.1 in Mathematica 12 on windows 10.
3. Maple 2020 (64 bit) on windows 10.
4. Maxima 5.43 on Linux. (via sagemath 8.9)
5. Fricas 1.3.6 on Linux (via sagemath 9.0)
6. Sympy 1.5 under Python 3.7.3 using Anaconda distribution.
7. Giac/Xcas 1.5 on Linux. (via sagemath 8.9)

Maxima, Fricas and Giac/Xcas were called from inside SageMath. This was done using SageMath integrate command by changing the name of the algorithm to use the different CAS systems.

Sympy was called directly using Python.

## 1.2 Results

Important note: A number of problems in this test suite have no antiderivative in closed form. This means the antiderivative of these integrals can not be expressed in terms of elementary, special functions or Hypergeometric2F1 functions. RootSum and RootOf are not allowed.

If a CAS returns the above integral unevaluated within the time limit, then the result is counted as passed and assigned an A grade.

However, if CAS times out, then it is assigned an F grade even if the integral is not integrable, as this implies CAS could not determine that the integral is not integrable in the time limit.

If a CAS returns an antiderivative to such an integral, it is assigned an A grade automatically and this special result is listed in the introduction section of each individual test report to make it easy to identify as this can be important result to investigate.

The results given in in the table below reflects the above.

System	solved	Failed
Rubi	% 100. ( 263 )	% 0. ( 0 )
Mathematica	% 100. ( 263 )	% 0. ( 0 )
Maple	% 94.68 ( 249 )	% 5.32 ( 14 )
Maxima	% 51.33 ( 135 )	% 48.67 ( 128 )
Fricas	% 93.54 ( 246 )	% 6.46 ( 17 )
Sympy	% 15.21 ( 40 )	% 84.79 ( 223 )
Giac	% 81.75 ( 215 )	% 18.25 ( 48 )


The table below gives additional break down of the grading of quality of the antiderivatives generated by each CAS. The grading is given using the letters A,B,C and F with A being the best quality. The grading is accomplished by comparing the antiderivative generated with the optimal antiderivatives included in the test suite. The following table describes the meaning of these grades.

grade	description
A	Integral was solved and antiderivative is optimal in quality and leaf size.
B	Integral was solved and antiderivative is optimal in quality but leaf size is larger than twice the optimal antiderivatives leaf size.
C	Integral was solved and antiderivative is non-optimal in quality. This can be due to one or more of the following reasons <ol style="list-style-type: none"> <li>1. antiderivative contains a hypergeometric function and the optimal antiderivative does not.</li> <li>2. antiderivative contains a special function and the optimal antiderivative does not.</li> <li>3. antiderivative contains the imaginary unit and the optimal antiderivative does not.</li> </ol>
F	Integral was not solved. Either the integral was returned unevaluated within the time limit, or it timed out, or CAS hanged or crashed or an exception was raised.

Grading is implemented for all CAS systems. Based on the above, the following table summarizes the grading for this test suite.


System	% A grade	% B grade	% C grade	% F grade
Rubi	100.	0.	0.	0.
Mathematica	79.47	2.28	18.25	0.
Maple	34.22	57.79	2.66	5.32
Maxima	11.03	39.54	0.76	48.67
Fricas	4.56	87.07	1.9	6.46
Sympy	13.69	1.52	0.	84.79
Giac	17.49	51.33	12.93	18.25

The following is a Bar chart illustration of the data in the above table.





The figure below compares the CAS systems for each grade level.



### 1.3 Performance

The table below summarizes the performance of each CAS system in terms of CPU time and leaf size of results.

System	Mean time (sec)	Mean size	Normalized mean	Median size	Normalized median
Rubi	0.12	91.19	0.99	78.	1.
Mathematica	1.2	125.37	1.54	86.	1.
Maple	0.06	367.34	3.73	196.	2.34
Maxima	1.29	349.2	4.07	265.	3.58
Fricas	3.07	6970.59	70.04	4360.5	56.52
Sympy	15.74	296.15	4.05	124.	1.96
Giac	1.63	1176.31	12.5	294.	3.44

## 1.4 list of integrals that has no closed form antiderivative

{74, 76, 77, 79}

## 1.5 list of integrals solved by CAS but has no known antiderivative

**Rubi** {}

**Mathematica** {74, 76, 77, 79}

**Maple** {74, 76, 77, 79}

**Maxima** {}

**Fricas** {}

**Sympy** {}

**Giac** {74, 76, 77}

## 1.6 list of integrals solved by CAS but failed verification

The following are integrals solved by CAS but the verification phase failed to verify the anti-derivative produced is correct. This does not mean necessarily that the anti-derivative is wrong, as additional methods of verification might be needed, or more time is needed (3 minutes time limit was used). These integrals are listed here to make it easier to do further investigation to determine why it was not possible to verify the result produced.

**Rubi** {}

**Mathematica** {93, 95, 98, 101, 236, 243, 250, 252}

**Maple** Verification phase not implemented yet.

**Maxima** Verification phase not implemented yet.

**Fricas** Verification phase not implemented yet.

**Sympy** Verification phase not implemented yet.

**Giac** Verification phase not implemented yet.

## 1.7 Timing

The command `AboluteTiming[]` was used in Mathematica to obtain the elapsed time for each integrate call. In Maple, the command `Usage` was used as in the following example

```
cpu_time := Usage(assign ('result_of _int',int(expr,x)),output='realtime')
```

For all other CAS systems, the elapsed time to complete each integral was found by taking the difference between the time after the call has completed from the time before the call was made. This was done using Python's `time.time()` call.

All elapsed times shown are in seconds. A time limit of 3 minutes was used for each integral. If the integrate command did not complete within this time limit, the integral was aborted and considered to have failed and assigned an F grade. The time used by failed integrals due to time out is not counted in the final statistics.

## 1.8 Verification

A verification phase was applied on the result of integration for Rubi and Mathematica. Future version of this report will implement verification for the other CAS systems. For the integrals whose result was not run through a verification phase, it is assumed that the antiderivative produced was correct.

Verification phase has 3 minutes time out. An integral whose result was not verified could still be correct. Further investigation is needed on those integrals which failed verifications. Such integrals are marked in the summary table below and also in each integral separate section so they are easy to identify and locate.

## 1.9 Important notes about some of the results

### 1.9.1 Important note about Maxima results

Since these integrals are run in a batch mode, using an automated script, and by using `sagemath` (SageMath uses Maxima), then any integral where Maxima needs an interactive response from the user to answer a question during evaluation of the integral in order to complete the integration, will fail and is counted as failed.

The exception raised is `ValueError`. Therefore Maxima result below is lower than what could result if Maxima was run directly and each question Maxima asks was answered correctly.

The percentage of such failures were not counted for each test file, but for an example, for the Timofeev test file, there were about 30 such integrals out of total 705, or about 4 percent. This percentage can be higher or lower depending on the specific input test file.

Such integrals can be indentified by looking at the output of the integration in each section for Maxima. If the output was an exception `ValueError` then this is most likely due to this reason.

Maxima integrate was run using SageMath with the following settings set by default

```
'besselexpand : true'
'display2d : false'
'domain : complex'
'keepfloat : true'
'load(to_poly_solve)'
'load(simplify_sum)'
'load(abs_integrate)' 'load(diag)'
```

SageMath loading of Maxima `abs_integrate` was found to cause some problem. So the following code was added to disable this effect.

```
from sage.interfaces.maxima_lib import maxima_lib
maxima_lib.set('extra_definite_integration_methods', '[]')
maxima_lib.set('extra_integration_methods', '[]')
```

See <https://ask.sagemath.org/question/43088/integrate-results-that-are-different-from-using-maxima/> for reference.

## 1.9.2 Important note about FriCAS and Giac/X-CAS results

There are Few integrals which failed due to SageMath not able to translate the result back to SageMath syntax and not because these CAS system were not able to do the integrations.

These will fail With error `Exception raised: NotImplementedError`

The number of such cases seems to be very small. About 1 or 2 percent of all integrals.

Hopefully the next version of SageMath will have complete translation of FriCAS and XCAS syntax and I will re-run all the tests again when this happens.

## 1.9.3 Important note about finding leaf size of antiderivative

For Mathematica, Rubi and Maple, the buildin system function `LeafSize` is used to find the leaf size of each antiderivative.

The other CAS systems (SageMath and Sympy) do not have special buildin function for this purpose at this time. Therefore the leaf size is determined as follows.

For Fricas, Giac and Maxima (all called via `sagemath`) the following code is used

#see <https://stackoverflow.com/questions/25202346/how-to-obtain-leaf-count-expression-size-in>

```
def tree(expr):
    if expr.operator() is None:
        return expr
    else:
        return [expr.operator()+map(tree, expr.operands())

try:
    # 1.35 is a fudge factor since this estimate of leaf count is bit lower than
    #what it should be compared to Mathematica's
    leafCount = round(1.35*len(flatten(tree(anti))))
except Exception as ee:
    leafCount =1
```

For Sympy, called directly from Python, the following code is used

```
try:
    # 1.7 is a fudge factor since it is low side from actual leaf count
    leafCount = round(1.7*count_ops(anti))

except Exception as ee:
    leafCount =1
```

When these cas systems have a builtin function to find the leaf size of expressions, it will be used instead, and these tests run again.

## 1.10 Design of the test system

The following diagram gives a high level view of the current test build system.



One record (line) per one integral result. The line is CSV comma separated. It contains 13 fields. This is description of each record (line)

1. integer, the problem number.
2. integer. 0 or 1 for failed or passed. (this is not the grade field)
3. integer. Leaf size of result.
4. integer. Leaf size of the optimal antiderivative.
5. number. CPU time used to solve this integral. 0 if failed.
6. string. The integral in Latex format
7. string. The input used in CAS own syntax.
8. string. The result (antiderivative) produced by CAS in Latex format
9. string. The optimal antiderivative in Latex format.
10. integer. 0 or 1. Indicates if problem has known antiderivative or not
11. String. The result (antiderivative) in CAS own syntax.
12. String. The grade of the antiderivative. Can be "A", "B", "C", or "F"
13. String. The optimal antiderivative in CAS own syntax.

### High level overview of the CAS independent integration test build system

# Chapter 2

## detailed summary tables of results

### 2.1 List of integrals sorted by grade for each CAS

#### 2.1.1 Rubi

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263 }

B grade: { }

C grade: { }

F grade: { }

#### 2.1.2 Mathematica

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 27, 30, 32, 33, 35, 38, 40, 41, 43, 46, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 74, 76, 77, 79, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 94, 96, 97, 99, 100, 102,

103, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 134, 135, 136, 137, 138, 139, 141, 143, 145, 147, 148, 149, 151, 152, 153, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 203, 204, 205, 206, 207, 208, 210, 212, 214, 216, 218, 219, 221, 222, 223, 225, 226, 227, 228, 229, 231, 233, 234, 235, 237, 240, 248, 255, 256, 257, 258, 259, 260, 261, 262, 263 }

B grade: { 104, 144, 146, 202, 213, 241 }

C grade: { 26, 28, 29, 31, 34, 36, 37, 39, 42, 44, 45, 47, 73, 75, 78, 80, 93, 95, 98, 101, 133, 140, 142, 150, 154, 209, 211, 215, 217, 220, 224, 230, 232, 236, 238, 239, 242, 243, 244, 245, 246, 247, 249, 250, 251, 252, 253, 254 }

F grade: { }

## 2.1.3 Maple

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 11, 13, 14, 15, 16, 17, 19, 23, 24, 29, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 63, 64, 65, 66, 67, 68, 69, 71, 74, 76, 77, 79, 81, 82, 83, 84, 85, 86, 87, 88, 89, 139, 140, 141, 142, 143, 149, 150, 151, 152, 153, 154, 155, 161, 162, 163, 164, 165, 166, 167, 170, 171, 172, 173, 174, 180, 182, 184, 202, 203, 204, 205, 206, 207, 257, 258, 260, 261 }

B grade: { 10, 12, 18, 20, 21, 22, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 62, 70, 72, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 144, 145, 146, 147, 148, 156, 157, 158, 159, 160, 168, 169, 175, 176, 177, 178, 179, 181, 183, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 208, 209, 210, 211, 212, 213, 219, 220, 221, 222, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 238, 239, 240, 241, 242, 243, 246, 247, 248, 249, 250, 251, 252, 255, 256 }

C grade: { 73, 75, 78, 80, 259, 262, 263 }

F grade: { 214, 215, 216, 217, 218, 223, 224, 235, 236, 237, 244, 245, 253, 254 }

## 2.1.4 Maxima

A grade: { 5, 6, 49, 50, 51, 52, 53, 54, 66, 68, 74, 76, 77, 79, 81, 86, 94, 102, 138, 139, 140, 150, 172, 174, 176, 178, 202, 204, 206 }

B grade: { 1, 2, 3, 4, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 67, 69, 70, 71, 72, 82, 83, 84, 85, 87, 88, 89, 90, 91, 92, 93, 95, 96, 97, 98, 99, 100, 101, 103, 104, 134, 135, 136, 137, 141, 142, 143, 144, 145, 146, 147, 148, 149, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 180, 182, 184, 186, 188, 191, 193, 195, 197, 199, 207, 257, 258 }

C grade: { 203, 205 }



F grade: { 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 73, 75, 78, 80, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 171, 173, 175, 177, 179, 181, 183, 185, 187, 189, 190, 192, 194, 196, 198, 200, 201, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 259, 260, 261, 262, 263 }

## 2.1.5 FriCAS

A grade: { 1, 3, 4, 81, 82, 83, 89, 138, 203, 205, 206, 207 }

B grade: { 2, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 43, 44, 45, 46, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 66, 67, 68, 69, 70, 71, 72, 78, 84, 85, 86, 87, 88, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 202, 204, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 221, 222, 223, 224, 225, 227, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 247, 248, 249, 250, 251, 252, 254, 255, 257, 258, 260, 261, 262 }

C grade: { 75, 80, 226, 228, 256 }

F grade: { 41, 42, 47, 48, 65, 73, 74, 76, 77, 79, 200, 201, 220, 246, 253, 259, 263 }

## 2.1.6 Sympy

A grade: { 77, 79, 134, 135, 136, 137, 138, 144, 145, 146, 147, 148, 156, 157, 158, 159, 160, 168, 169, 170, 171, 172, 173, 174, 175, 181, 183, 185, 206, 208, 210, 212, 233, 242, 251, 257 }

B grade: { 140, 219, 221, 258 }

C grade: { }

F grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 78, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 139, 141, 142, 143, 149, 150, 151, 152, 153, 154, 155, 161, 162, 163, 164, 165, 166, 167, 176, 177, 178, 179, 180, 182, 184, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 207, 209, 211, 213, 214, 215, 216, 217, 218, 220, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 234, 235, 236, 237, 238, 239, 240, 241, 243, 244, 245, 246, 247, 248, 249, 250, 252, 253, 254, 255, 256, 259, 260, 261, 262, 263 }

## 2.1.7 Giac

A grade: { 5, 6, 8, 14, 23, 30, 49, 50, 51, 52, 53, 54, 58, 60, 61, 63, 66, 68, 73, 74, 75, 76, 77, 78, 79, 80, 81, 85, 93, 110, 112, 138, 139, 140, 153, 171, 173, 174, 175, 176, 177, 178, 202, 206, 257, 258 }

B grade: { 1, 2, 3, 4, 7, 9, 10, 11, 12, 13, 15, 16, 17, 18, 19, 20, 21, 22, 24, 25, 27, 32, 33, 35, 38, 40, 41, 43, 46, 48, 55, 56, 57, 59, 62, 64, 65, 67, 69, 70, 71, 72, 82, 83, 84, 86, 87, 88, 89, 90, 91, 92, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 107, 114, 116, 119, 121, 123, 125, 128, 130, 132, 134, 135, 136, 137, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 172, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 204, 225, 227, 255 }

C grade: { 26, 28, 29, 31, 34, 36, 37, 39, 42, 44, 45, 47, 106, 108, 109, 111, 113, 115, 117, 118, 120, 122, 124, 126, 127, 129, 131, 133, 203, 205, 207, 226, 228, 256 }

F grade: { 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 259, 260, 261, 262, 263 }

## 2.2 Detailed conclusion table per each integral for all CAS systems

Detailed conclusion table per each integral is given by table below. The elapsed time is in seconds. For failed result it is given as F(-1) if the failure was due to timeout. It is given as F(-2) if the failure was due to an exception being raised, which could indicate a bug in the system. If the failure was due to integral not being evaluated within the time limit, then it is given just an F.

In this table, the column **normalized size** is defined as  $\frac{\text{antiderivative leaf size}}{\text{optimal antiderivative leaf size}}$

Problem 1	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	73	73	56	96	208	327	0	196
normalized size	1	1.	0.77	1.32	2.85	4.48	0.	2.68
time (sec)	N/A	0.076	0.341	0.041	1.202	1.85	0.	1.323

Problem 2	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	47	47	73	73	184	246	0	162
normalized size	1	1.	1.55	1.55	3.91	5.23	0.	3.45
time (sec)	N/A	0.055	0.05	0.034	1.152	1.999	0.	1.302

Problem 3	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	44	44	41	66	136	193	0	147
normalized size	1	1.	0.93	1.5	3.09	4.39	0.	3.34
time (sec)	N/A	0.051	0.189	0.033	1.126	1.959	0.	1.27

Problem 4	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	25	25	45	43	90	115	0	107
normalized size	1	1.	1.8	1.72	3.6	4.6	0.	4.28
time (sec)	N/A	0.032	0.045	0.033	1.108	1.905	0.	1.206

Problem 5	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	26	26	52	44	54	483	0	70
normalized size	1	1.	2.	1.69	2.08	18.58	0.	2.69
time (sec)	N/A	0.033	0.027	0.037	1.08	2.084	0.	1.33

Problem 6	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	24	24	24	23	53	238	0	61
normalized size	1	1.	1.	0.96	2.21	9.92	0.	2.54
time (sec)	N/A	0.033	0.02	0.036	1.141	1.886	0.	1.264

Problem 7	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	51	51	87	50	205	2480	0	153
normalized size	1	1.	1.71	0.98	4.02	48.63	0.	3.
time (sec)	N/A	0.059	0.046	0.044	1.101	2.219	0.	1.208

Problem 8	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	44	44	61	55	153	657	0	108
normalized size	1	1.	1.39	1.25	3.48	14.93	0.	2.45
time (sec)	N/A	0.043	0.068	0.046	1.164	2.04	0.	1.215

Problem 9	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	118	118	94	166	398	1021	0	398
normalized size	1	1.	0.8	1.41	3.37	8.65	0.	3.37
time (sec)	N/A	0.133	1.374	0.049	1.118	2.068	0.	1.726

Problem 10	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	77	77	71	162	358	664	0	392
normalized size	1	1.	0.92	2.1	4.65	8.62	0.	5.09
time (sec)	N/A	0.098	0.517	0.052	1.192	2.055	0.	1.646

Problem 11	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	79	79	70	118	293	747	0	290
normalized size	1	1.	0.89	1.49	3.71	9.46	0.	3.67
time (sec)	N/A	0.111	0.85	0.05	1.243	2.059	0.	1.465

Problem 12	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	49	49	46	113	231	424	0	219
normalized size	1	1.	0.94	2.31	4.71	8.65	0.	4.47
time (sec)	N/A	0.053	0.308	0.046	1.137	2.058	0.	1.371

Problem 13	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	51	51	50	97	265	2331	0	170
normalized size	1	1.	0.98	1.9	5.2	45.71	0.	3.33
time (sec)	N/A	0.065	0.155	0.05	1.042	2.003	0.	1.335

Problem 14	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	46	46	43	68	184	683	0	116
normalized size	1	1.	0.93	1.48	4.	14.85	0.	2.52
time (sec)	N/A	0.057	0.449	0.048	1.054	1.859	0.	1.35

Problem 15	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	82	82	96	103	244	6384	0	227
normalized size	1	1.	1.17	1.26	2.98	77.85	0.	2.77
time (sec)	N/A	0.119	1.54	0.062	1.057	2.32	0.	1.373

Problem 16	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	72	72	59	81	284	1011	0	193
normalized size	1	1.	0.82	1.12	3.94	14.04	0.	2.68
time (sec)	N/A	0.079	0.48	0.059	1.051	1.932	0.	1.417

Problem 17	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	182	182	125	246	648	2273	0	684
normalized size	1	1.	0.69	1.35	3.56	12.49	0.	3.76
time (sec)	N/A	0.222	3.978	0.053	1.077	2.075	0.	2.748

Problem 18	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	105	105	91	287	593	1388	0	597
normalized size	1	1.	0.87	2.73	5.65	13.22	0.	5.69
time (sec)	N/A	0.123	0.291	0.052	1.101	1.967	0.	2.437

Problem 19	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	122	139	95	180	509	1854	0	533
normalized size	1	1.14	0.78	1.48	4.17	15.2	0.	4.37
time (sec)	N/A	0.185	2.159	0.053	1.1	2.102	0.	2.176

Problem 20	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	70	70	63	219	433	959	0	435
normalized size	1	1.	0.9	3.13	6.19	13.7	0.	6.21
time (sec)	N/A	0.068	0.829	0.049	1.092	1.984	0.	1.774

Problem 21	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	84	84	79	186	756	5895	0	354
normalized size	1	1.	0.94	2.21	9.	70.18	0.	4.21
time (sec)	N/A	0.084	0.302	0.052	1.05	2.251	0.	1.643

Problem 22	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	64	64	70	141	470	1449	0	273
normalized size	1	1.	1.09	2.2	7.34	22.64	0.	4.27
time (sec)	N/A	0.064	0.679	0.053	1.113	1.875	0.	1.713

Problem 23	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	152	152	127	174	544	12984	0	379
normalized size	1	1.	0.84	1.14	3.58	85.42	0.	2.49
time (sec)	N/A	0.225	6.175	0.063	1.093	2.476	0.	1.77

Problem 24	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	98	98	87	136	666	2385	0	347
normalized size	1	1.	0.89	1.39	6.8	24.34	0.	3.54
time (sec)	N/A	0.097	1.218	0.058	1.158	2.14	0.	1.783

Problem 25	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	118	118	93	865	0	5158	0	406
normalized size	1	1.	0.79	7.33	0.	43.71	0.	3.44
time (sec)	N/A	0.172	0.254	0.108	0.	2.314	0.	2.395

Problem 26	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	B	F	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	75	75	135	202	0	3729	0	5603
normalized size	1	1.	1.8	2.69	0.	49.72	0.	74.71
time (sec)	N/A	0.128	0.539	0.069	0.	2.451	0.	1.888

Problem 27	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	78	78	67	605	0	2475	0	238
normalized size	1	1.	0.86	7.76	0.	31.73	0.	3.05
time (sec)	N/A	0.104	0.142	0.076	0.	2.441	0.	1.658

Problem 28	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	B	F	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	53	53	107	104	0	1906	0	6017
normalized size	1	1.	2.02	1.96	0.	35.96	0.	113.53
time (sec)	N/A	0.063	0.242	0.055	0.	2.201	0.	1.559

Problem 29	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F	B	F	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	55	55	123	69	0	1673	0	5242
normalized size	1	1.	2.24	1.25	0.	30.42	0.	95.31
time (sec)	N/A	0.078	0.199	0.063	0.	2.395	0.	1.526

Problem 30	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	48	48	48	413	0	1636	0	93
normalized size	1	1.	1.	8.6	0.	34.08	0.	1.94
time (sec)	N/A	0.063	0.115	0.076	0.	2.204	0.	1.42

Problem 31	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	B	F	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	85	85	170	181	0	4872	0	7173
normalized size	1	1.	2.	2.13	0.	57.32	0.	84.39
time (sec)	N/A	0.119	0.638	0.077	0.	2.651	0.	1.822



Problem 32	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	70	70	71	750	0	4307	0	178
normalized size	1	1.	1.01	10.71	0.	61.53	0.	2.54
time (sec)	N/A	0.088	0.289	0.089	0.	2.386	0.	1.419

Problem 33	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	192	192	132	1246	0	17565	0	709
normalized size	1	1.	0.69	6.49	0.	91.48	0.	3.69
time (sec)	N/A	0.252	0.933	0.119	0.	3.304	0.	3.392

Problem 34	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	B	F(-1)	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	124	124	160	267	0	12417	0	8694
normalized size	1	1.	1.29	2.15	0.	100.14	0.	70.11
time (sec)	N/A	0.218	1.22	0.095	0.	3.063	0.	2.472

Problem 35	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	132	132	105	1128	0	9441	0	540
normalized size	1	1.	0.8	8.55	0.	71.52	0.	4.09
time (sec)	N/A	0.165	0.65	0.099	0.	2.677	0.	2.253

Problem 36	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	B	F(-1)	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	92	92	133	167	0	5933	0	6742
normalized size	1	1.	1.45	1.82	0.	64.49	0.	73.28
time (sec)	N/A	0.075	0.684	0.079	0.	2.585	0.	1.698

Problem 37	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	B	F	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	103	103	175	331	0	6604	0	7329
normalized size	1	1.	1.7	3.21	0.	64.12	0.	71.16
time (sec)	N/A	0.144	0.663	0.092	0.	3.284	0.	1.704

Problem 38	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	82	82	86	552	0	6218	0	306
normalized size	1	1.	1.05	6.73	0.	75.83	0.	3.73
time (sec)	N/A	0.076	0.42	0.102	0.	2.409	0.	1.653

Problem 39	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	B	F	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	141	141	203	367	0	15776	0	5650
normalized size	1	1.	1.44	2.6	0.	111.89	0.	40.07
time (sec)	N/A	0.209	4.089	0.108	0.	3.304	0.	1.973

Problem 40	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	113	113	114	1012	0	12585	0	298
normalized size	1	1.	1.01	8.96	0.	111.37	0.	2.64
time (sec)	N/A	0.154	0.775	0.119	0.	2.786	0.	1.61

Problem 41	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	F(-1)	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	240	240	184	2366	0	0	0	1246
normalized size	1	1.	0.77	9.86	0.	0.	0.	5.19
time (sec)	N/A	0.345	0.763	0.128	0.	0.	0.	4.662

Problem 42	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-2)	F(-1)	F(-1)	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	166	166	227	341	0	0	0	8107
normalized size	1	1.	1.37	2.05	0.	0.	0.	48.84
time (sec)	N/A	0.286	1.812	0.109	0.	0.	0.	3.143

Problem 43	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	185	185	158	2110	0	29831	0	788
normalized size	1	1.	0.85	11.41	0.	161.25	0.	4.26
time (sec)	N/A	0.251	1.209	0.115	0.	3.844	0.	3.103

Problem 44	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	B	F(-1)	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	126	126	157	252	0	17194	0	8412
normalized size	1	1.	1.25	2.	0.	136.46	0.	66.76
time (sec)	N/A	0.097	1.737	0.089	0.	3.084	0.	2.003

Problem 45	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	B	F	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	156	156	236	1132	0	25141	0	9281
normalized size	1	1.	1.51	7.26	0.	161.16	0.	59.49
time (sec)	N/A	0.254	1.288	0.104	0.	4.358	0.	1.981

Problem 46	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	112	112	109	816	0	19301	0	474
normalized size	1	1.	0.97	7.29	0.	172.33	0.	4.23
time (sec)	N/A	0.087	0.882	0.116	0.	3.142	0.	1.916

Problem 47	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F(-1)	F	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	196	196	269	1083	0	0	0	8479
normalized size	1	1.	1.37	5.53	0.	0.	0.	43.26
time (sec)	N/A	0.334	4.095	0.118	0.	0.	0.	2.445

Problem 48	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	F(-1)	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	151	151	149	1416	0	0	0	549
normalized size	1	1.	0.99	9.38	0.	0.	0.	3.64
time (sec)	N/A	0.201	1.244	0.135	0.	0.	0.	1.918

Problem 49	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	B	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	132	132	92	122	262	4209	0	278
normalized size	1	1.	0.7	0.92	1.98	31.89	0.	2.11
time (sec)	N/A	0.172	0.19	0.047	1.608	2.49	0.	1.374

Problem 50	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	B	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	98	98	104	129	235	2942	0	192
normalized size	1	1.	1.06	1.32	2.4	30.02	0.	1.96
time (sec)	N/A	0.12	0.257	0.043	1.541	2.334	0.	1.3

Problem 51	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	100	100	69	79	190	2453	0	192
normalized size	1	1.	0.69	0.79	1.9	24.53	0.	1.92
time (sec)	N/A	0.117	0.107	0.041	1.584	2.351	0.	1.266

Problem 52	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	63	63	72	85	142	1473	0	128
normalized size	1	1.	1.14	1.35	2.25	23.38	0.	2.03
time (sec)	N/A	0.076	0.121	0.04	1.611	2.361	0.	1.217

Problem 53	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	49	49	75	65	112	1453	0	100
normalized size	1	1.	1.53	1.33	2.29	29.65	0.	2.04
time (sec)	N/A	0.074	0.031	0.049	1.516	2.634	0.	1.217

Problem 54	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	29	29	29	34	59	375	0	61
normalized size	1	1.	1.	1.17	2.03	12.93	0.	2.1
time (sec)	N/A	0.034	0.025	0.05	1.043	2.445	0.	1.212

Problem 55	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	71	71	95	62	211	3216	0	193
normalized size	1	1.	1.34	0.87	2.97	45.3	0.	2.72
time (sec)	N/A	0.09	0.026	0.059	1.531	2.795	0.	1.222

Problem 56	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	56	56	74	60	248	4702	0	201
normalized size	1	1.	1.32	1.07	4.43	83.96	0.	3.59
time (sec)	N/A	0.058	0.197	0.061	1.577	2.454	0.	1.236

Problem 57	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	170	206	156	243	512	13666	0	508
normalized size	1	1.21	0.92	1.43	3.01	80.39	0.	2.99
time (sec)	N/A	0.297	2.809	0.058	1.586	2.942	0.	2.273

Problem 58	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	B	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	182	182	121	296	470	9211	0	405
normalized size	1	1.	0.66	1.63	2.58	50.61	0.	2.23
time (sec)	N/A	0.225	0.72	0.058	1.555	2.777	0.	2.041

Problem 59	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	129	159	137	173	406	9671	0	402
normalized size	1	1.23	1.06	1.34	3.15	74.97	0.	3.12
time (sec)	N/A	0.205	1.55	0.056	1.578	2.871	0.	1.836

Problem 60	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	B	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	123	123	90	225	342	5998	0	289
normalized size	1	1.	0.73	1.83	2.78	48.76	0.	2.35
time (sec)	N/A	0.147	0.393	0.054	1.584	2.512	0.	1.617

Problem 61	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	98	98	106	180	603	6643	0	240
normalized size	1	1.	1.08	1.84	6.15	67.79	0.	2.45
time (sec)	N/A	0.136	0.157	0.072	1.535	2.673	0.	1.511

Problem 62	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	47	47	94	105	346	1334	0	165
normalized size	1	1.	2.	2.23	7.36	28.38	0.	3.51
time (sec)	N/A	0.058	0.221	0.067	1.055	2.178	0.	1.613

Problem 63	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	107	107	138	154	510	12523	0	259
normalized size	1	1.	1.29	1.44	4.77	117.04	0.	2.42
time (sec)	N/A	0.16	0.151	0.085	1.561	2.992	0.	1.593

Problem 64	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	97	97	147	146	632	11420	0	336
normalized size	1	1.	1.52	1.51	6.52	117.73	0.	3.46
time (sec)	N/A	0.098	0.186	0.083	1.582	2.815	0.	1.693

Problem 65	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	F(-1)	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	275	306	294	385	873	0	0	956
normalized size	1	1.11	1.07	1.4	3.17	0.	0.	3.48
time (sec)	N/A	0.494	6.239	0.076	1.807	0.	0.	4.874

Problem 66	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	B	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	351	351	291	554	815	23883	0	811
normalized size	1	1.	0.83	1.58	2.32	68.04	0.	2.31
time (sec)	N/A	0.35	6.545	0.13	1.787	3.607	0.	3.952

Problem 67	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	220	241	244	289	734	25608	0	799
normalized size	1	1.1	1.11	1.31	3.34	116.4	0.	3.63
time (sec)	N/A	0.315	6.22	0.073	1.751	4.052	0.	3.473

Problem 68	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	B	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	269	269	233	458	653	17484	0	655
normalized size	1	1.	0.87	1.7	2.43	65.	0.	2.43
time (sec)	N/A	0.249	6.289	0.067	1.747	3.985	0.	2.633

Problem 69	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	219	219	154	387	883	19499	0	570
normalized size	1	1.	0.7	1.77	4.03	89.04	0.	2.6
time (sec)	N/A	0.264	2.886	0.096	1.72	3.6	0.	2.286

Problem 70	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	71	71	113	223	917	3071	0	420
normalized size	1	1.	1.59	3.14	12.92	43.25	0.	5.92
time (sec)	N/A	0.065	0.687	0.086	1.195	2.234	0.	2.492

Problem 71	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	232	232	243	334	791	30318	0	586
normalized size	1	1.	1.05	1.44	3.41	130.68	0.	2.53
time (sec)	N/A	0.316	6.316	0.099	1.778	3.905	0.	2.564



Problem 72	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	138	138	213	275	1346	25978	0	590
normalized size	1	1.	1.54	1.99	9.75	188.25	0.	4.28
time (sec)	N/A	0.115	0.169	0.106	1.81	3.63	0.	2.877

Problem 73	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F	F(-1)	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	491	491	645	603	0	0	0	489
normalized size	1	1.	1.31	1.23	0.	0.	0.	1.
time (sec)	N/A	0.892	4.377	0.128	0.	0.	0.	2.33

Problem 74	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	F(-1)	F(-1)	A
verified	N/A	N/A	Yes	TBD	TBD	TBD	TBD	TBD
size	32	0	826	346	0	0	0	473
normalized size	1	0.	25.81	10.81	0.	0.	0.	14.78
time (sec)	N/A	0.046	0.484	0.11	0.	0.	0.	2.058

Problem 75	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F	C	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	384	384	423	356	0	22579	0	301
normalized size	1	1.	1.1	0.93	0.	58.8	0.	0.78
time (sec)	N/A	0.629	3.391	0.109	0.	16.062	0.	1.784

Problem 76	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	F(-1)	F(-1)	A
verified	N/A	N/A	Yes	TBD	TBD	TBD	TBD	TBD
size	30	0	409	164	0	0	0	263
normalized size	1	0.	13.63	5.47	0.	0.	0.	8.77
time (sec)	N/A	0.028	0.226	0.108	0.	0.	0.	1.621

Problem 77	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	F(-1)	A	A
verified	N/A	N/A	Yes	TBD	TBD	TBD	TBD	TBD
size	30	0	319	98	0	0	0	207
normalized size	1	0.	10.63	3.27	0.	0.	0.	6.9
time (sec)	N/A	0.041	0.158	0.105	0.	0.	0.	1.453

Problem 78	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	157	157	190	121	0	1801	0	28
normalized size	1	1.	1.21	0.77	0.	11.47	0.	0.18
time (sec)	N/A	0.14	0.135	0.112	0.	2.665	0.	1.33

Problem 79	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	F(-1)	A	A
verified	N/A	N/A	Yes	TBD	TBD	TBD	TBD	TBD
size	32	0	201	144	0	0	0	0
normalized size	1	0.	6.28	4.5	0.	0.	0.	0.
time (sec)	N/A	0.047	0.362	0.125	0.	0.	0.	0.

Problem 80	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F	C	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	215	215	322	187	0	4415	0	243
normalized size	1	1.	1.5	0.87	0.	20.53	0.	1.13
time (sec)	N/A	0.239	3.157	0.131	0.	17.102	0.	1.423

Problem 81	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	63	63	44	82	140	169	0	144
normalized size	1	1.	0.7	1.3	2.22	2.68	0.	2.29
time (sec)	N/A	0.05	0.163	0.039	1.144	1.825	0.	1.279

Problem 82	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	30	30	44	53	112	119	0	127
normalized size	1	1.	1.47	1.77	3.73	3.97	0.	4.23
time (sec)	N/A	0.036	0.016	0.036	1.097	1.813	0.	1.246

Problem 83	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	33	33	32	54	93	80	0	109
normalized size	1	1.	0.97	1.64	2.82	2.42	0.	3.3
time (sec)	N/A	0.039	0.057	0.033	1.11	1.861	0.	1.219

Problem 84	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	27	27	47	37	74	296	0	76
normalized size	1	1.	1.74	1.37	2.74	10.96	0.	2.81
time (sec)	N/A	0.032	0.029	0.034	1.61	1.865	0.	1.265

Problem 85	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	40	40	48	65	108	883	0	85
normalized size	1	1.	1.2	1.62	2.7	22.08	0.	2.12
time (sec)	N/A	0.031	0.023	0.026	1.65	1.96	0.	1.211

Problem 86	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	28	28	28	53	46	424	0	80
normalized size	1	1.	1.	1.89	1.64	15.14	0.	2.86
time (sec)	N/A	0.029	0.011	0.036	1.133	1.818	0.	1.189

Problem 87	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	66	66	93	103	244	2826	0	178
normalized size	1	1.	1.41	1.56	3.7	42.82	0.	2.7
time (sec)	N/A	0.046	0.029	0.044	1.616	2.012	0.	1.226

Problem 88	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	48	48	86	75	501	934	0	128
normalized size	1	1.	1.79	1.56	10.44	19.46	0.	2.67
time (sec)	N/A	0.04	0.048	0.044	1.108	1.92	0.	1.343

Problem 89	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	85	85	63	124	231	234	0	255
normalized size	1	1.	0.74	1.46	2.72	2.75	0.	3.
time (sec)	N/A	0.087	0.293	0.04	1.035	1.96	0.	1.933

Problem 90	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	54	54	71	117	217	1314	0	221
normalized size	1	1.	1.31	2.17	4.02	24.33	0.	4.09
time (sec)	N/A	0.06	0.443	0.043	1.674	1.926	0.	1.791

Problem 91	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	51	51	54	96	189	261	0	230
normalized size	1	1.	1.06	1.88	3.71	5.12	0.	4.51
time (sec)	N/A	0.076	0.371	0.04	1.205	2.008	0.	1.689

Problem 92	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	60	60	54	122	205	1967	0	185
normalized size	1	1.	0.9	2.03	3.42	32.78	0.	3.08
time (sec)	N/A	0.082	0.179	0.043	1.749	1.993	0.	1.666

Problem 93	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	B	B	F	A
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	91	91	427	173	269	3433	0	212
normalized size	1	1.	4.69	1.9	2.96	37.73	0.	2.33
time (sec)	N/A	0.085	7.22	0.036	1.615	2.191	0.	1.396

Problem 94	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	A	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	49	49	49	126	72	1023	0	228
normalized size	1	1.	1.	2.57	1.47	20.88	0.	4.65
time (sec)	N/A	0.053	0.18	0.052	1.165	1.862	0.	1.411

Problem 95	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	B	B	F	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	125	125	792	236	466	7337	0	393
normalized size	1	1.	6.34	1.89	3.73	58.7	0.	3.14
time (sec)	N/A	0.152	8.641	0.056	1.72	2.294	0.	1.489

Problem 96	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	76	76	83	158	1253	1829	0	321
normalized size	1	1.	1.09	2.08	16.49	24.07	0.	4.22
time (sec)	N/A	0.07	0.515	0.057	1.211	1.904	0.	1.456

Problem 97	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	91	91	81	184	360	539	0	385
normalized size	1	1.	0.89	2.02	3.96	5.92	0.	4.23
time (sec)	N/A	0.13	0.668	0.042	1.167	2.04	0.	2.677

Problem 98	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	B	B	F(-1)	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	87	87	494	227	383	4523	0	377
normalized size	1	1.	5.68	2.61	4.4	51.99	0.	4.33
time (sec)	N/A	0.105	6.901	0.044	1.665	2.207	0.	2.42

Problem 99	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	78	78	69	148	346	903	0	360
normalized size	1	1.	0.88	1.9	4.44	11.58	0.	4.62
time (sec)	N/A	0.09	0.85	0.047	1.155	2.042	0.	2.061

Problem 100	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	99	99	89	257	398	5933	0	347
normalized size	1	1.	0.9	2.6	4.02	59.93	0.	3.51
time (sec)	N/A	0.116	0.363	0.048	1.701	2.189	0.	1.832

Problem 101	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	B	B	F	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	149	149	1341	334	489	8768	0	433
normalized size	1	1.	9.	2.24	3.28	58.85	0.	2.91
time (sec)	N/A	0.154	17.289	0.041	1.687	2.322	0.	1.589

Problem 102	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	A	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	67	67	67	227	96	2034	0	468
normalized size	1	1.	1.	3.39	1.43	30.36	0.	6.99
time (sec)	N/A	0.061	0.167	0.065	1.054	1.99	0.	1.705

Problem 103	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	198	198	158	421	747	16058	0	698
normalized size	1	1.	0.8	2.13	3.77	81.1	0.	3.53
time (sec)	N/A	0.239	11.677	0.071	1.668	2.568	0.	1.704

Problem 104	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	102	102	218	269	2493	3218	0	603
normalized size	1	1.	2.14	2.64	24.44	31.55	0.	5.91
time (sec)	N/A	0.089	0.826	0.124	1.172	2.014	0.	1.827

Problem 105	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	120	120	115	857	0	5515	0	440
normalized size	1	1.	0.96	7.14	0.	45.96	0.	3.67
time (sec)	N/A	0.168	0.275	0.088	0.	2.574	0.	2.795

Problem 106	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	B	F	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	80	80	79	468	0	4604	0	6807
normalized size	1	1.	0.99	5.85	0.	57.55	0.	85.09
time (sec)	N/A	0.109	0.396	0.087	0.	2.374	0.	2.115

Problem 107	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	77	77	77	608	0	2520	0	232
normalized size	1	1.	1.	7.9	0.	32.73	0.	3.01
time (sec)	N/A	0.103	0.148	0.083	0.	2.285	0.	1.853

Problem 108	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	B	F	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	53	53	53	315	0	2040	0	6017
normalized size	1	1.	1.	5.94	0.	38.49	0.	113.53
time (sec)	N/A	0.07	0.092	0.071	0.	2.462	0.	1.584

Problem 109	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	B	F	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	36	36	36	235	0	1385	0	6607
normalized size	1	1.	1.	6.53	0.	38.47	0.	183.53
time (sec)	N/A	0.044	0.037	0.059	0.	2.398	0.	1.57

Problem 110	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	32	32	32	363	0	1199	0	59
normalized size	1	1.	1.	11.34	0.	37.47	0.	1.84
time (sec)	N/A	0.056	0.053	0.07	0.	2.396	0.	1.401

Problem 111	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	B	F	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	55	55	55	494	0	1494	0	4938
normalized size	1	1.	1.	8.98	0.	27.16	0.	89.78
time (sec)	N/A	0.073	0.195	0.073	0.	2.584	0.	1.793



Problem 112	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	50	50	50	648	0	1750	0	113
normalized size	1	1.	1.	12.96	0.	35.	0.	2.26
time (sec)	N/A	0.07	0.133	0.068	0.	2.422	0.	1.38

Problem 113	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	B	F	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	86	86	79	836	0	4316	0	5747
normalized size	1	1.	0.92	9.72	0.	50.19	0.	66.83
time (sec)	N/A	0.12	0.557	0.076	0.	2.825	0.	1.844

Problem 114	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	75	75	71	1077	0	5189	0	207
normalized size	1	1.	0.95	14.36	0.	69.19	0.	2.76
time (sec)	N/A	0.092	0.341	0.078	0.	2.65	0.	1.449

Problem 115	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	B	F(-1)	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	128	128	111	875	0	16069	0	9686
normalized size	1	1.	0.87	6.84	0.	125.54	0.	75.67
time (sec)	N/A	0.182	1.053	0.105	0.	3.215	0.	2.513

Problem 116	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	140	140	110	1146	0	10118	0	606
normalized size	1	1.	0.79	8.19	0.	72.27	0.	4.33
time (sec)	N/A	0.194	0.748	0.107	0.	2.861	0.	2.307

Problem 117	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	B	F(-1)	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	101	101	84	729	0	8197	0	8317
normalized size	1	1.	0.83	7.22	0.	81.16	0.	82.35
time (sec)	N/A	0.139	0.697	0.096	0.	2.532	0.	1.88

Problem 118	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	B	F	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	83	83	78	666	0	4917	0	6892
normalized size	1	1.	0.94	8.02	0.	59.24	0.	83.04
time (sec)	N/A	0.071	0.275	0.082	0.	2.302	0.	1.681

Problem 119	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	66	66	63	498	0	3663	0	186
normalized size	1	1.	0.95	7.55	0.	55.5	0.	2.82
time (sec)	N/A	0.066	0.239	0.096	0.	2.308	0.	1.618

Problem 120	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	B	F	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	72	72	69	375	0	4026	0	4585
normalized size	1	1.	0.96	5.21	0.	55.92	0.	63.68
time (sec)	N/A	0.077	0.138	0.101	0.	2.274	0.	1.938

Problem 121	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	77	77	83	746	0	3452	0	211
normalized size	1	1.	1.08	9.69	0.	44.83	0.	2.74
time (sec)	N/A	0.079	0.279	0.095	0.	2.221	0.	1.668

Problem 122	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	B	F	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	102	102	203	1007	0	5292	0	5392
normalized size	1	1.	1.99	9.87	0.	51.88	0.	52.86
time (sec)	N/A	0.127	0.483	0.099	0.	2.587	0.	2.16

Problem 123	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	97	97	102	1283	0	6589	0	335
normalized size	1	1.	1.05	13.23	0.	67.93	0.	3.45
time (sec)	N/A	0.129	0.585	0.092	0.	2.597	0.	1.665

Problem 124	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	B	F(-1)	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	155	155	265	1477	0	15050	0	6431
normalized size	1	1.	1.71	9.53	0.	97.1	0.	41.49
time (sec)	N/A	0.249	1.303	0.102	0.	3.933	0.	2.158

Problem 125	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	198	198	164	2132	0	31513	0	803
normalized size	1	1.	0.83	10.77	0.	159.16	0.	4.06
time (sec)	N/A	0.31	1.279	0.121	0.	4.53	0.	3.207

Problem 126	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	B	F(-1)	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	154	154	136	1570	0	25858	0	10338
normalized size	1	1.	0.88	10.19	0.	167.91	0.	67.13
time (sec)	N/A	0.223	1.857	0.111	0.	3.783	0.	2.144

Problem 127	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	B	F(-1)	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	144	144	134	1676	0	18148	0	7417
normalized size	1	1.	0.93	11.64	0.	126.03	0.	51.51
time (sec)	N/A	0.141	0.943	0.086	0.	3.184	0.	1.896

Problem 128	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	96	96	77	764	0	13154	0	432
normalized size	1	1.	0.8	7.96	0.	137.02	0.	4.5
time (sec)	N/A	0.075	0.748	0.108	0.	3.048	0.	1.917

Problem 129	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	B	F(-1)	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	129	129	123	1226	0	15408	0	7308
normalized size	1	1.	0.95	9.5	0.	119.44	0.	56.65
time (sec)	N/A	0.12	0.742	0.12	0.	2.877	0.	2.428

Problem 130	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	115	115	115	1270	0	12604	0	448
normalized size	1	1.	1.	11.04	0.	109.6	0.	3.9
time (sec)	N/A	0.097	0.963	0.111	0.	2.974	0.	1.916

Problem 131	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	B	F(-1)	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	104	104	88	634	0	12057	0	5954
normalized size	1	1.	0.85	6.1	0.	115.93	0.	57.25
time (sec)	N/A	0.091	0.295	0.116	0.	2.782	0.	2.297

Problem 132	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	131	131	128	1776	0	11889	0	456
normalized size	1	1.	0.98	13.56	0.	90.76	0.	3.48
time (sec)	N/A	0.124	0.894	0.114	0.	2.869	0.	1.938

Problem 133	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	B	F(-1)	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	156	156	317	1907	0	18573	0	6677
normalized size	1	1.	2.03	12.22	0.	119.06	0.	42.8
time (sec)	N/A	0.228	3.171	0.112	0.	3.353	0.	2.466

Problem 134	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	54	54	97	128	269	938	82	181
normalized size	1	1.	1.8	2.37	4.98	17.37	1.52	3.35
time (sec)	N/A	0.052	0.034	0.006	1.036	1.953	0.933	1.194

Problem 135	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	49	49	43	104	227	3336	88	130
normalized size	1	1.	0.88	2.12	4.63	68.08	1.8	2.65
time (sec)	N/A	0.059	0.236	0.004	1.665	2.154	0.64	1.214

Problem 136	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	36	36	65	100	142	428	54	116
normalized size	1	1.	1.81	2.78	3.94	11.89	1.5	3.22
time (sec)	N/A	0.04	0.025	0.005	1.138	1.83	0.381	1.166

Problem 137	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	31	31	41	76	103	1114	60	82
normalized size	1	1.	1.32	2.45	3.32	35.94	1.94	2.65
time (sec)	N/A	0.032	0.023	0.004	1.698	1.9	0.32	1.165

Problem 138	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	19	19	28	47	42	96	20	46
normalized size	1	1.	1.47	2.47	2.21	5.05	1.05	2.42
time (sec)	N/A	0.013	0.007	0.002	1.092	2.054	0.191	1.166

Problem 139	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	25	25	33	26	47	178	0	66
normalized size	1	1.	1.32	1.04	1.88	7.12	0.	2.64
time (sec)	N/A	0.041	0.04	0.041	1.103	2.029	0.	1.176

Problem 140	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	A	B	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	18	18	32	28	42	97	49	43
normalized size	1	1.	1.78	1.56	2.33	5.39	2.72	2.39
time (sec)	N/A	0.029	0.026	0.033	1.041	1.934	60.368	1.217

Problem 141	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	31	31	39	40	143	1114	0	84
normalized size	1	1.	1.26	1.29	4.61	35.94	0.	2.71
time (sec)	N/A	0.042	0.104	0.046	1.079	2.106	0.	1.184

Problem 142	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	B	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	36	36	61	46	142	408	0	116
normalized size	1	1.	1.69	1.28	3.94	11.33	0.	3.22
time (sec)	N/A	0.039	0.036	0.042	1.172	1.915	0.	1.198

Problem 143	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	49	49	51	68	278	3336	0	131
normalized size	1	1.	1.04	1.39	5.67	68.08	0.	2.67
time (sec)	N/A	0.062	0.313	0.046	1.165	2.172	0.	1.201

Problem 144	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	83	83	190	236	498	2140	165	405
normalized size	1	1.	2.29	2.84	6.	25.78	1.99	4.88
time (sec)	N/A	0.079	0.077	0.006	1.161	1.975	1.518	1.314

Problem 145	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	76	76	66	196	450	8982	170	262
normalized size	1	1.	0.87	2.58	5.92	118.18	2.24	3.45
time (sec)	N/A	0.11	0.408	0.004	1.79	2.342	1.217	1.308

Problem 146	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	63	63	137	189	312	1245	117	294
normalized size	1	1.	2.17	3.	4.95	19.76	1.86	4.67
time (sec)	N/A	0.076	0.048	0.005	1.163	2.092	0.92	1.248

Problem 147	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	57	57	50	149	251	4165	122	162
normalized size	1	1.	0.88	2.61	4.4	73.07	2.14	2.84
time (sec)	N/A	0.073	0.307	0.004	1.723	2.166	0.704	1.268

Problem 148	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	43	43	65	144	154	509	68	139
normalized size	1	1.	1.51	3.35	3.58	11.84	1.58	3.23
time (sec)	N/A	0.031	0.707	0.006	1.058	1.849	0.42	1.191

Problem 149	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	49	49	48	60	140	1715	0	198
normalized size	1	1.	0.98	1.22	2.86	35.	0.	4.04
time (sec)	N/A	0.077	0.125	0.053	1.529	2.093	0.	1.265

Problem 150	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	A	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	36	36	64	49	86	243	0	99
normalized size	1	1.	1.78	1.36	2.39	6.75	0.	2.75
time (sec)	N/A	0.067	0.096	0.043	1.074	1.901	0.	1.308

Problem 151	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	52	52	50	60	181	1715	0	198
normalized size	1	1.	0.96	1.15	3.48	32.98	0.	3.81
time (sec)	N/A	0.095	0.153	0.058	1.018	2.036	0.	1.295



Problem 152	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	43	43	65	59	154	489	0	139
normalized size	1	1.	1.51	1.37	3.58	11.37	0.	3.23
time (sec)	N/A	0.071	0.571	0.05	1.067	2.067	0.	1.274

Problem 153	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	B	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	72	72	58	91	319	4165	0	165
normalized size	1	1.	0.81	1.26	4.43	57.85	0.	2.29
time (sec)	N/A	0.099	0.391	0.054	1.036	2.184	0.	1.315

Problem 154	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	B	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	63	63	98	87	312	1206	0	294
normalized size	1	1.	1.56	1.38	4.95	19.14	0.	4.67
time (sec)	N/A	0.077	0.079	0.056	1.069	2.043	0.	1.289

Problem 155	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	92	92	74	138	527	8982	0	263
normalized size	1	1.	0.8	1.5	5.73	97.63	0.	2.86
time (sec)	N/A	0.113	0.484	0.059	1.072	2.455	0.	1.307

Problem 156	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	114	114	123	365	787	4166	260	721
normalized size	1	1.	1.08	3.2	6.9	36.54	2.28	6.32
time (sec)	N/A	0.101	1.432	0.007	1.151	2.19	2.827	1.453

Problem 157	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	107	107	98	307	729	19047	279	421
normalized size	1	1.	0.92	2.87	6.81	178.01	2.61	3.93
time (sec)	N/A	0.152	0.289	0.007	1.592	3.118	2.4	1.464

Problem 158	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	94	94	108	299	540	2693	192	564
normalized size	1	1.	1.15	3.18	5.74	28.65	2.04	6.
time (sec)	N/A	0.093	1.613	0.005	1.069	1.977	1.698	1.461

Problem 159	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	83	83	76	241	474	10689	211	296
normalized size	1	1.	0.92	2.9	5.71	128.78	2.54	3.57
time (sec)	N/A	0.101	0.214	0.006	1.6	2.623	1.404	1.386

Problem 160	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	74	74	95	235	323	1412	126	325
normalized size	1	1.	1.28	3.18	4.36	19.08	1.7	4.39
time (sec)	N/A	0.046	0.57	0.004	1.107	2.044	0.904	1.187

Problem 161	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	72	72	67	111	289	5854	0	366
normalized size	1	1.	0.93	1.54	4.01	81.31	0.	5.08
time (sec)	N/A	0.098	0.518	0.055	1.706	2.221	0.	1.413

Problem 162	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	59	59	81	80	198	811	0	186
normalized size	1	1.	1.37	1.36	3.36	13.75	0.	3.15
time (sec)	N/A	0.08	2.181	0.049	1.158	1.951	0.	1.428

Problem 163	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	72	72	63	94	274	4113	0	375
normalized size	1	1.	0.88	1.31	3.81	57.12	0.	5.21
time (sec)	N/A	0.108	0.437	0.06	1.573	2.173	0.	1.421

Problem 164	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	59	59	82	80	198	811	0	186
normalized size	1	1.	1.39	1.36	3.36	13.75	0.	3.15
time (sec)	N/A	0.081	1.187	0.05	1.074	2.006	0.	1.428

Problem 165	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	83	83	67	111	356	5854	0	366
normalized size	1	1.	0.81	1.34	4.29	70.53	0.	4.41
time (sec)	N/A	0.117	0.555	0.062	1.076	2.37	0.	1.502

Problem 166	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	74	74	100	100	323	1372	0	325
normalized size	1	1.	1.35	1.35	4.36	18.54	0.	4.39
time (sec)	N/A	0.089	1.672	0.065	1.07	2.101	0.	1.511

Problem 167	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	103	103	76	161	567	10689	0	297
normalized size	1	1.	0.74	1.56	5.5	103.78	0.	2.88
time (sec)	N/A	0.129	0.238	0.062	1.074	2.878	0.	1.53

Problem 168	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	110	110	128	344	554	2954	209	603
normalized size	1	1.	1.16	3.13	5.04	26.85	1.9	5.48
time (sec)	N/A	0.07	1.673	0.006	1.118	2.525	1.608	1.194

Problem 169	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	160	160	170	472	842	5516	308	973
normalized size	1	1.	1.06	2.95	5.26	34.48	1.92	6.08
time (sec)	N/A	0.094	2.148	0.006	1.205	2.671	2.828	1.227

Problem 170	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	66	66	60	93	180	1817	425	190
normalized size	1	1.	0.91	1.41	2.73	27.53	6.44	2.88
time (sec)	N/A	0.115	0.161	0.018	1.576	3.057	39.448	1.267

Problem 171	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	59	59	66	95	0	2043	495	126
normalized size	1	1.	1.12	1.61	0.	34.63	8.39	2.14
time (sec)	N/A	0.108	0.172	0.02	0.	2.239	21.121	1.208

Problem 172	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	46	46	42	75	111	319	316	136
normalized size	1	1.	0.91	1.63	2.41	6.93	6.87	2.96
time (sec)	N/A	0.104	0.034	0.017	1.548	2.435	18.753	1.212

Problem 173	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	46	46	47	77	0	1249	294	92
normalized size	1	1.	1.02	1.67	0.	27.15	6.39	2.
time (sec)	N/A	0.083	0.029	0.016	0.	1.913	11.628	1.176

Problem 174	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	B	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	42	42	35	71	78	220	156	84
normalized size	1	1.	0.83	1.69	1.86	5.24	3.71	2.
time (sec)	N/A	0.061	0.024	0.018	1.08	1.75	11.396	1.19

Problem 175	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	45	45	65	76	0	1249	280	90
normalized size	1	1.	1.44	1.69	0.	27.76	6.22	2.
time (sec)	N/A	0.074	0.077	0.017	0.	1.959	11.581	1.161

Problem 176	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	A	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	60	60	54	121	136	319	0	138
normalized size	1	1.	0.9	2.02	2.27	5.32	0.	2.3
time (sec)	N/A	0.101	0.054	0.076	1.091	2.057	0.	1.215

Problem 177	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	60	60	67	494	0	2043	0	127
normalized size	1	1.	1.12	8.23	0.	34.05	0.	2.12
time (sec)	N/A	0.106	0.17	0.084	0.	1.88	0.	1.249

Problem 178	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	A	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	85	85	60	180	215	1817	0	190
normalized size	1	1.	0.71	2.12	2.53	21.38	0.	2.24
time (sec)	N/A	0.137	0.164	0.086	1.081	2.487	0.	1.199

Problem 179	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	82	82	91	580	0	5846	0	203
normalized size	1	1.	1.11	7.07	0.	71.29	0.	2.48
time (sec)	N/A	0.177	0.605	0.096	0.	2.219	0.	1.2

Problem 180	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	83	83	69	156	293	2678	0	275
normalized size	1	1.	0.83	1.88	3.53	32.27	0.	3.31
time (sec)	N/A	0.15	0.474	0.027	1.638	2.616	0.	1.267

Problem 181	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	89	89	90	172	0	4703	2179	274
normalized size	1	1.	1.01	1.93	0.	52.84	24.48	3.08
time (sec)	N/A	0.117	0.484	0.026	0.	2.101	101.773	1.213

Problem 182	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	72	72	57	118	230	1611	0	208
normalized size	1	1.	0.79	1.64	3.19	22.38	0.	2.89
time (sec)	N/A	0.118	0.439	0.024	1.089	1.797	0.	1.233

Problem 183	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	85	85	86	162	0	4747	2144	251
normalized size	1	1.	1.01	1.91	0.	55.85	25.22	2.95
time (sec)	N/A	0.108	0.376	0.023	0.	2.147	83.268	1.221

Problem 184	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	68	68	55	113	230	1611	0	208
normalized size	1	1.	0.81	1.66	3.38	23.69	0.	3.06
time (sec)	N/A	0.086	0.371	0.027	1.092	1.956	0.	1.223

Problem 185	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	89	89	97	172	0	4703	2086	274
normalized size	1	1.	1.09	1.93	0.	52.84	23.44	3.08
time (sec)	N/A	0.088	0.495	0.024	0.	2.092	151.002	1.19

Problem 186	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	95	95	83	325	317	2678	0	279
normalized size	1	1.	0.87	3.42	3.34	28.19	0.	2.94
time (sec)	N/A	0.149	1.858	0.102	1.128	3.142	0.	1.218

Problem 187	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	119	119	111	1061	0	8676	0	464
normalized size	1	1.	0.93	8.92	0.	72.91	0.	3.9
time (sec)	N/A	0.194	1.559	0.108	0.	2.731	0.	1.252

Problem 188	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	124	124	93	383	543	7919	0	450
normalized size	1	1.	0.75	3.09	4.38	63.86	0.	3.63
time (sec)	N/A	0.189	0.8	0.113	1.165	4.111	0.	1.283

Problem 189	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	159	159	139	1137	0	19919	0	393
normalized size	1	1.	0.87	7.15	0.	125.28	0.	2.47
time (sec)	N/A	0.283	1.327	0.122	0.	3.247	0.	1.269

Problem 190	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	144	144	144	352	0	17204	0	566
normalized size	1	1.	1.	2.44	0.	119.47	0.	3.93
time (sec)	N/A	0.208	1.182	0.027	0.	3.475	0.	1.266

Problem 191	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	109	109	91	234	508	6044	0	339
normalized size	1	1.	0.83	2.15	4.66	55.45	0.	3.11
time (sec)	N/A	0.17	0.984	0.027	1.241	2.45	0.	1.265



Problem 192	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	137	137	135	340	0	17383	0	533
normalized size	1	1.	0.99	2.48	0.	126.88	0.	3.89
time (sec)	N/A	0.195	1.06	0.029	0.	3.193	0.	1.257

Problem 193	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	98	98	80	196	518	6130	0	339
normalized size	1	1.	0.82	2.	5.29	62.55	0.	3.46
time (sec)	N/A	0.138	0.453	0.027	1.313	2.437	0.	1.268

Problem 194	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	137	137	137	340	0	17383	0	539
normalized size	1	1.	1.	2.48	0.	126.88	0.	3.93
time (sec)	N/A	0.157	1.069	0.026	0.	3.33	0.	1.264

Problem 195	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	94	94	77	193	510	6044	0	339
normalized size	1	1.	0.82	2.05	5.43	64.3	0.	3.61
time (sec)	N/A	0.105	0.514	0.029	1.37	2.547	0.	1.24

Problem 196	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	142	142	147	352	0	17204	0	567
normalized size	1	1.	1.04	2.48	0.	121.15	0.	3.99
time (sec)	N/A	0.163	0.277	0.031	0.	3.367	0.	1.221

Problem 197	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	138	138	117	952	672	10714	0	417
normalized size	1	1.	0.85	6.9	4.87	77.64	0.	3.02
time (sec)	N/A	0.205	1.569	0.117	1.308	5.282	0.	1.289

Problem 198	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	178	178	166	2045	0	27774	0	609
normalized size	1	1.	0.93	11.49	0.	156.03	0.	3.42
time (sec)	N/A	0.291	5.76	0.125	0.	3.825	0.	1.334

Problem 199	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	171	171	138	1020	1040	24520	0	656
normalized size	1	1.	0.81	5.96	6.08	143.39	0.	3.84
time (sec)	N/A	0.262	1.719	0.128	1.401	7.58	0.	1.412

Problem 200	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	F(-1)	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	228	228	194	2139	0	0	0	683
normalized size	1	1.	0.85	9.38	0.	0.	0.	3.
time (sec)	N/A	0.368	3.418	0.14	0.	0.	0.	1.458

Problem 201	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	F(-1)	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	201	201	203	608	0	0	0	1030
normalized size	1	1.	1.01	3.02	0.	0.	0.	5.12
time (sec)	N/A	0.277	0.547	0.034	0.	0.	0.	1.315

Problem 202	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	3	3	19	4	7	39	0	7
normalized size	1	1.	6.33	1.33	2.33	13.	0.	2.33
time (sec)	N/A	0.017	0.008	0.033	1.687	2.161	0.	1.169

Problem 203	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	C	A	F	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	16	16	21	15	7	4	0	23
normalized size	1	1.	1.31	0.94	0.44	0.25	0.	1.44
time (sec)	N/A	0.021	0.007	0.036	1.678	2.234	0.	1.203

Problem 204	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	22	22	29	21	38	504	0	61
normalized size	1	1.	1.32	0.95	1.73	22.91	0.	2.77
time (sec)	N/A	0.02	0.018	0.03	1.682	2.147	0.	1.297

Problem 205	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	C	A	F	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	35	35	28	28	43	4	0	84
normalized size	1	1.	0.8	0.8	1.23	0.11	0.	2.4
time (sec)	N/A	0.024	0.019	0.035	1.724	2.355	0.	1.207

Problem 206	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	11	11	11	14	15	12	12	15
normalized size	1	1.	1.	1.27	1.36	1.09	1.09	1.36
time (sec)	N/A	0.021	0.007	0.01	1.54	2.222	0.593	1.139

Problem 207	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	13	13	13	12	34	4	0	15
normalized size	1	1.	1.	0.92	2.62	0.31	0.	1.15
time (sec)	N/A	0.021	0.007	0.014	1.56	2.29	0.	1.185

Problem 208	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	B	A	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	87	87	85	288	0	12513	97	0
normalized size	1	1.	0.98	3.31	0.	143.83	1.11	0.
time (sec)	N/A	0.161	0.466	0.071	0.	6.511	7.927	0.

Problem 209	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	B	F	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	121	121	580	337	0	25867	0	0
normalized size	1	1.	4.79	2.79	0.	213.78	0.	0.
time (sec)	N/A	0.2	6.167	0.049	0.	7.357	0.	0.

Problem 210	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	B	A	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	63	63	60	253	0	6839	71	0
normalized size	1	1.	0.95	4.02	0.	108.56	1.13	0.
time (sec)	N/A	0.119	0.161	0.045	0.	3.917	4.425	0.

Problem 211	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	B	F	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	85	85	193	276	0	14340	0	0
normalized size	1	1.	2.27	3.25	0.	168.71	0.	0.
time (sec)	N/A	0.125	3.262	0.042	0.	4.622	0.	0.

Problem 212	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	B	A	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	44	44	44	238	0	4456	51	0
normalized size	1	1.	1.	5.41	0.	101.27	1.16	0.
time (sec)	N/A	0.077	0.027	0.049	0.	2.857	2.281	0.

Problem 213	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F	B	F	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	60	60	137	238	0	9993	0	0
normalized size	1	1.	2.28	3.97	0.	166.55	0.	0.
time (sec)	N/A	0.047	0.213	0.046	0.	3.689	0.	0.

Problem 214	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	B	F	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	56	56	56	0	0	9991	0	0
normalized size	1	1.	1.	0.	0.	178.41	0.	0.
time (sec)	N/A	0.112	0.028	0.168	0.	3.595	0.	0.

Problem 215	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F	B	F	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	48	48	42	0	0	4456	0	0
normalized size	1	1.	0.88	0.	0.	92.83	0.	0.
time (sec)	N/A	0.093	0.105	0.153	0.	2.885	0.	0.

Problem 216	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	B	F	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	83	83	83	0	0	14338	0	0
normalized size	1	1.	1.	0.	0.	172.75	0.	0.
time (sec)	N/A	0.155	0.206	0.155	0.	4.447	0.	0.

Problem 217	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F	B	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	78	78	235	0	0	6839	0	0
normalized size	1	1.	3.01	0.	0.	87.68	0.	0.
time (sec)	N/A	0.146	8.836	0.152	0.	3.914	0.	0.

Problem 218	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	B	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	121	121	111	0	0	25865	0	0
normalized size	1	1.	0.92	0.	0.	213.76	0.	0.
time (sec)	N/A	0.213	0.578	0.153	0.	8.328	0.	0.

Problem 219	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	B	B	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	82	82	86	593	0	13874	175	0
normalized size	1	1.	1.05	7.23	0.	169.2	2.13	0.
time (sec)	N/A	0.152	0.412	0.027	0.	7.374	31.263	0.

Problem 220	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F(-1)	F	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	123	123	584	633	0	0	0	0
normalized size	1	1.	4.75	5.15	0.	0.	0.	0.
time (sec)	N/A	0.244	6.202	0.022	0.	0.	0.	0.

Problem 221	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	B	B	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	63	63	59	578	0	7218	128	0
normalized size	1	1.	0.94	9.17	0.	114.57	2.03	0.
time (sec)	N/A	0.101	0.16	0.023	0.	3.241	16.326	0.

Problem 222	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	B	F	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	88	88	161	578	0	14453	0	0
normalized size	1	1.	1.83	6.57	0.	164.24	0.	0.
time (sec)	N/A	0.085	0.338	0.023	0.	4.087	0.	0.

Problem 223	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	B	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	71	71	71	0	0	11954	0	0
normalized size	1	1.	1.	0.	0.	168.37	0.	0.
time (sec)	N/A	0.136	0.06	0.116	0.	3.569	0.	0.

Problem 224	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F	B	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	77	77	197	0	0	11507	0	0
normalized size	1	1.	2.56	0.	0.	149.44	0.	0.
time (sec)	N/A	0.127	2.763	0.115	0.	3.639	0.	0.

Problem 225	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	31	31	51	97	0	2319	0	140
normalized size	1	1.	1.65	3.13	0.	74.81	0.	4.52
time (sec)	N/A	0.027	0.058	0.059	0.	1.91	0.	1.216

Problem 226	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	C	F	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	45	45	53	142	0	710	0	136
normalized size	1	1.	1.18	3.16	0.	15.78	0.	3.02
time (sec)	N/A	0.035	0.033	0.056	0.	1.878	0.	1.27

Problem 227	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	50	50	74	158	0	3526	0	273
normalized size	1	1.	1.48	3.16	0.	70.52	0.	5.46
time (sec)	N/A	0.039	0.134	0.025	0.	2.044	0.	1.256

Problem 228	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	C	F	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	67	67	76	211	0	1103	0	273
normalized size	1	1.	1.13	3.15	0.	16.46	0.	4.07
time (sec)	N/A	0.047	0.067	0.027	0.	1.841	0.	1.216

Problem 229	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	B	F	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	70	70	68	164	0	7692	0	0
normalized size	1	1.	0.97	2.34	0.	109.89	0.	0.
time (sec)	N/A	0.136	0.482	0.053	0.	4.371	0.	0.

Problem 230	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	B	F	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	88	88	208	178	0	15340	0	0
normalized size	1	1.	2.36	2.02	0.	174.32	0.	0.
time (sec)	N/A	0.123	4.434	0.048	0.	4.58	0.	0.

Problem 231	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	B	F	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	47	47	47	129	0	4629	0	0
normalized size	1	1.	1.	2.74	0.	98.49	0.	0.
time (sec)	N/A	0.106	0.092	0.045	0.	2.686	0.	0.



Problem 232	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	B	F	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	60	60	101	137	0	9661	0	0
normalized size	1	1.	1.68	2.28	0.	161.02	0.	0.
time (sec)	N/A	0.093	0.376	0.044	0.	3.38	0.	0.

Problem 233	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	B	A	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	29	29	29	114	0	3792	31	0
normalized size	1	1.	1.	3.93	0.	130.76	1.07	0.
time (sec)	N/A	0.064	0.014	0.05	0.	2.146	1.035	0.

Problem 234	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	B	F	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	31	31	31	114	0	3568	0	0
normalized size	1	1.	1.	3.68	0.	115.1	0.	0.
time (sec)	N/A	0.027	0.021	0.046	0.	2.23	0.	0.

Problem 235	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	B	F	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	56	56	56	0	0	10107	0	0
normalized size	1	1.	1.	0.	0.	180.48	0.	0.
time (sec)	N/A	0.113	0.039	0.15	0.	3.477	0.	0.

Problem 236	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F	B	F	F(-2)
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	51	51	123	0	0	4405	0	0
normalized size	1	1.	2.41	0.	0.	86.37	0.	0.
time (sec)	N/A	0.095	5.579	0.151	0.	2.519	0.	0.

Problem 237	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	B	F	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	88	88	107	0	0	15786	0	0
normalized size	1	1.	1.22	0.	0.	179.39	0.	0.
time (sec)	N/A	0.166	0.423	0.154	0.	4.626	0.	0.

Problem 238	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	B	F	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	72	72	67	322	0	9975	0	0
normalized size	1	1.	0.93	4.47	0.	138.54	0.	0.
time (sec)	N/A	0.163	0.102	0.029	0.	5.041	0.	0.

Problem 239	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	B	F	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	84	84	188	328	0	18425	0	0
normalized size	1	1.	2.24	3.9	0.	219.35	0.	0.
time (sec)	N/A	0.13	2.253	0.027	0.	5.325	0.	0.

Problem 240	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	B	F	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	52	52	52	287	0	6730	0	0
normalized size	1	1.	1.	5.52	0.	129.42	0.	0.
time (sec)	N/A	0.123	0.119	0.023	0.	3.074	0.	0.

Problem 241	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F	B	F	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	53	53	112	289	0	6395	0	0
normalized size	1	1.	2.11	5.45	0.	120.66	0.	0.
time (sec)	N/A	0.099	1.456	0.021	0.	3.099	0.	0.

Problem 242	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	B	A	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	49	49	41	273	0	6395	51	0
normalized size	1	1.	0.84	5.57	0.	130.51	1.04	0.
time (sec)	N/A	0.086	0.035	0.02	0.	2.989	12.259	0.

Problem 243	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	B	F	F(-2)
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	56	56	223	272	0	6730	0	0
normalized size	1	1.	3.98	4.86	0.	120.18	0.	0.
time (sec)	N/A	0.043	4.215	0.026	0.	3.097	0.	0.

Problem 244	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F	B	F	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	78	78	70	0	0	18423	0	0
normalized size	1	1.	0.9	0.	0.	236.19	0.	0.
time (sec)	N/A	0.146	0.077	0.115	0.	5.605	0.	0.

Problem 245	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F	B	F	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	85	85	230	0	0	9975	0	0
normalized size	1	1.	2.71	0.	0.	117.35	0.	0.
time (sec)	N/A	0.161	7.811	0.121	0.	4.994	0.	0.

Problem 246	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F(-1)	F	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	118	118	231	549	0	0	0	0
normalized size	1	1.	1.96	4.65	0.	0.	0.	0.
time (sec)	N/A	0.22	1.862	0.032	0.	0.	0.	0.

Problem 247	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	B	F	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	84	84	68	469	0	16629	0	0
normalized size	1	1.	0.81	5.58	0.	197.96	0.	0.
time (sec)	N/A	0.181	0.111	0.027	0.	9.055	0.	0.

Problem 248	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	B	F	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	90	90	132	491	0	14436	0	0
normalized size	1	1.	1.47	5.46	0.	160.4	0.	0.
time (sec)	N/A	0.138	2.556	0.025	0.	8.557	0.	0.

Problem 249	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	B	F	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	74	74	63	435	0	15965	0	0
normalized size	1	1.	0.85	5.88	0.	215.74	0.	0.
time (sec)	N/A	0.144	0.087	0.021	0.	8.759	0.	0.

Problem 250	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	B	F	F(-2)
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	88	88	193	454	0	15741	0	0
normalized size	1	1.	2.19	5.16	0.	178.88	0.	0.
time (sec)	N/A	0.132	7.519	0.02	0.	8.763	0.	0.

Problem 251	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	B	A	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	70	70	43	420	0	14660	73	0
normalized size	1	1.	0.61	6.	0.	209.43	1.04	0.
time (sec)	N/A	0.103	0.041	0.02	0.	8.4	20.681	0.

Problem 252	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	B	F	F(-2)
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	93	93	976	420	0	16405	0	0
normalized size	1	1.	10.49	4.52	0.	176.4	0.	0.
time (sec)	N/A	0.085	7.488	0.024	0.	8.35	0.	0.

Problem 253	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F	F(-1)	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	108	108	73	0	0	0	0	0
normalized size	1	1.	0.68	0.	0.	0.	0.	0.
time (sec)	N/A	0.208	0.072	0.122	0.	0.	0.	0.

Problem 254	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F	B	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	131	131	246	0	0	25307	0	0
normalized size	1	1.	1.88	0.	0.	193.18	0.	0.
time (sec)	N/A	0.242	7.456	0.119	0.	18.786	0.	0.

Problem 255	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	25	25	35	62	0	1831	0	78
normalized size	1	1.	1.4	2.48	0.	73.24	0.	3.12
time (sec)	N/A	0.019	0.025	0.047	0.	2.546	0.	1.308

Problem 256	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	C	F	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	27	27	37	66	0	551	0	96
normalized size	1	1.	1.37	2.44	0.	20.41	0.	3.56
time (sec)	N/A	0.02	0.021	0.049	0.	2.325	0.	1.33

Problem 257	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	B	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	89	112	95	163	262	5516	100	196
normalized size	1	1.26	1.07	1.83	2.94	61.98	1.12	2.2
time (sec)	N/A	0.075	0.673	0.006	1.522	2.676	0.773	1.348

Problem 258	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	B	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	38	38	40	41	99	340	102	34
normalized size	1	1.	1.05	1.08	2.61	8.95	2.68	0.89
time (sec)	N/A	0.066	0.065	0.024	1.507	2.461	0.822	1.298

Problem 259	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	124	124	166	620	0	0	0	0
normalized size	1	1.	1.34	5.	0.	0.	0.	0.
time (sec)	N/A	0.242	4.395	0.082	0.	0.	0.	0.

Problem 260	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F	B	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	89	89	86	116	0	15323	0	0
normalized size	1	1.	0.97	1.3	0.	172.17	0.	0.
time (sec)	N/A	0.128	0.057	0.052	0.	4.128	0.	0.

Problem 261	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F	B	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	40	40	40	37	0	3553	0	0
normalized size	1	1.	1.	0.92	0.	88.82	0.	0.
time (sec)	N/A	0.078	0.016	0.054	0.	4.294	0.	0.

Problem 262	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	B	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	74	74	73	431	0	10031	0	0
normalized size	1	1.	0.99	5.82	0.	135.55	0.	0.
time (sec)	N/A	0.123	0.524	0.041	0.	5.86	0.	0.

Problem 263	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	118	118	113	637	0	0	0	0
normalized size	1	1.	0.96	5.4	0.	0.	0.	0.
time (sec)	N/A	0.199	0.786	0.053	0.	0.	0.	0.

## 2.3 Detailed conclusion table specific for Rubi results

The following table is specific to Rubi. It gives additional statistics for each integral. the column **steps** is the number of steps used by Rubi to obtain the antiderivative. The **rules** column is the number of unique rules used. The **integrand size** column is the leaf size of the integrand. Finally the ratio  $\frac{\text{number of rules}}{\text{integrand size}}$  is given. The larger this ratio is, the harder the integral was to solve. In this test, problem number [258] had the largest ratio of [ 0.625 ]

Table 2.1: Rubi specific breakdown of results for each integral

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
1	A	5	5	1.	21	0.238
2	A	3	2	1.	21	0.095
3	A	4	4	1.	21	0.19
4	A	3	2	1.	19	0.105
5	A	3	3	1.	19	0.158
6	A	3	2	1.	21	0.095
7	A	4	4	1.	21	0.19
8	A	3	2	1.	21	0.095

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
9	A	6	5	1.	23	0.217
10	A	3	2	1.	23	0.087
11	A	5	5	1.	23	0.217
12	A	3	2	1.	21	0.095
13	A	4	3	1.	21	0.143
14	A	3	2	1.	23	0.087
15	A	5	5	1.	23	0.217
16	A	3	2	1.	23	0.087
17	A	6	5	1.	23	0.217
18	A	3	2	1.	23	0.087
19	A	6	5	1.14	23	0.217
20	A	3	2	1.	21	0.095
21	A	4	3	1.	21	0.143
22	A	3	2	1.	23	0.087
23	A	6	5	1.	23	0.217
24	A	3	2	1.	23	0.087
25	A	6	6	1.	23	0.261
26	A	4	4	1.	23	0.174
27	A	5	5	1.	23	0.217
28	A	3	3	1.	21	0.143
29	A	4	4	1.	21	0.19
30	A	3	3	1.	23	0.13
31	A	5	5	1.	23	0.217
32	A	4	4	1.	23	0.174
33	A	7	6	1.	23	0.261
34	A	5	4	1.	23	0.174
35	A	6	6	1.	23	0.261
36	A	4	4	1.	21	0.19
37	A	5	5	1.	21	0.238
38	A	4	4	1.	23	0.174
39	A	6	6	1.	23	0.261
40	A	5	4	1.	23	0.174

Continued on next page



Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
41	A	8	6	1.	23	0.261
42	A	6	5	1.	23	0.217
43	A	7	6	1.	23	0.261
44	A	5	4	1.	21	0.19
45	A	6	6	1.	21	0.286
46	A	5	4	1.	23	0.174
47	A	7	6	1.	23	0.261
48	A	6	5	1.	23	0.217
49	A	8	5	1.	21	0.238
50	A	9	6	1.	21	0.286
51	A	7	5	1.	21	0.238
52	A	7	6	1.	19	0.316
53	A	5	3	1.	19	0.158
54	A	3	2	1.	21	0.095
55	A	6	3	1.	21	0.143
56	A	3	2	1.	21	0.095
57	A	8	5	1.21	23	0.217
58	A	12	8	1.	23	0.348
59	A	7	5	1.23	23	0.217
60	A	10	8	1.	21	0.381
61	A	8	5	1.	21	0.238
62	A	3	2	1.	23	0.087
63	A	9	5	1.	23	0.217
64	A	3	2	1.	23	0.087
65	A	8	5	1.11	23	0.217
66	A	20	8	1.	23	0.348
67	A	7	5	1.1	23	0.217
68	A	17	8	1.	21	0.381
69	A	13	5	1.	21	0.238
70	A	3	2	1.	23	0.087
71	A	14	6	1.	23	0.261
72	A	3	2	1.	23	0.087

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
73	A	11	10	1.	23	0.435
74	A	0	0	0.	0	0.
75	A	11	10	1.	23	0.435
76	A	0	0	0.	0	0.
77	A	0	0	0.	0	0.
78	A	8	8	1.	23	0.348
79	A	0	0	0.	0	0.
80	A	12	11	1.	23	0.478
81	A	4	4	1.	21	0.19
82	A	2	1	1.	21	0.048
83	A	3	3	1.	21	0.143
84	A	3	3	1.	19	0.158
85	A	3	3	1.	19	0.158
86	A	2	1	1.	21	0.048
87	A	4	4	1.	21	0.19
88	A	3	2	1.	21	0.095
89	A	4	4	1.	23	0.174
90	A	4	3	1.	23	0.13
91	A	5	4	1.	23	0.174
92	A	5	4	1.	21	0.19
93	A	4	4	1.	21	0.19
94	A	3	2	1.	23	0.087
95	A	5	5	1.	23	0.217
96	A	3	2	1.	23	0.087
97	A	6	5	1.	23	0.217
98	A	5	4	1.	23	0.174
99	A	5	4	1.	23	0.174
100	A	6	5	1.	21	0.238
101	A	5	5	1.	21	0.238
102	A	3	2	1.	23	0.087
103	A	6	6	1.	23	0.261
104	A	3	2	1.	23	0.087

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
105	A	6	6	1.	23	0.261
106	A	4	3	1.	23	0.13
107	A	5	5	1.	23	0.217
108	A	3	3	1.	21	0.143
109	A	2	2	1.	21	0.095
110	A	2	2	1.	23	0.087
111	A	4	4	1.	23	0.174
112	A	3	3	1.	23	0.13
113	A	5	5	1.	23	0.217
114	A	4	3	1.	23	0.13
115	A	5	4	1.	23	0.174
116	A	6	6	1.	23	0.261
117	A	5	4	1.	21	0.19
118	A	3	3	1.	21	0.143
119	A	3	3	1.	23	0.13
120	A	3	3	1.	23	0.13
121	A	3	3	1.	23	0.13
122	A	5	5	1.	23	0.217
123	A	5	4	1.	23	0.174
124	A	6	6	1.	23	0.261
125	A	7	6	1.	23	0.261
126	A	6	5	1.	21	0.238
127	A	4	4	1.	21	0.19
128	A	4	3	1.	23	0.13
129	A	4	4	1.	23	0.174
130	A	4	4	1.	23	0.174
131	A	4	3	1.	23	0.13
132	A	4	4	1.	23	0.174
133	A	6	6	1.	23	0.261
134	A	4	3	1.	21	0.143
135	A	3	3	1.	21	0.143
136	A	3	3	1.	21	0.143

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
137	A	2	2	1.	19	0.105
138	A	3	2	1.	12	0.167
139	A	3	2	1.	19	0.105
140	A	2	2	1.	21	0.095
141	A	3	3	1.	21	0.143
142	A	4	4	1.	21	0.19
143	A	4	4	1.	21	0.19
144	A	4	3	1.	23	0.13
145	A	4	3	1.	23	0.13
146	A	4	3	1.	23	0.13
147	A	4	3	1.	21	0.143
148	A	4	3	1.	14	0.214
149	A	4	3	1.	21	0.143
150	A	4	3	1.	23	0.13
151	A	4	3	1.	23	0.13
152	A	4	3	1.	23	0.13
153	A	4	3	1.	23	0.13
154	A	4	3	1.	23	0.13
155	A	4	3	1.	23	0.13
156	A	4	3	1.	23	0.13
157	A	4	3	1.	23	0.13
158	A	4	3	1.	23	0.13
159	A	4	3	1.	21	0.143
160	A	4	3	1.	14	0.214
161	A	4	3	1.	21	0.143
162	A	4	3	1.	23	0.13
163	A	4	3	1.	23	0.13
164	A	4	3	1.	23	0.13
165	A	4	3	1.	23	0.13
166	A	4	3	1.	23	0.13
167	A	4	3	1.	23	0.13
168	A	4	3	1.	14	0.214

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
169	A	4	3	1.	14	0.214
170	A	4	3	1.	23	0.13
171	A	5	5	1.	23	0.217
172	A	4	3	1.	23	0.13
173	A	4	4	1.	23	0.174
174	A	5	4	1.	21	0.19
175	A	3	3	1.	14	0.214
176	A	4	3	1.	21	0.143
177	A	5	5	1.	23	0.217
178	A	4	3	1.	23	0.13
179	A	6	6	1.	23	0.261
180	A	4	3	1.	23	0.13
181	A	5	5	1.	23	0.217
182	A	4	3	1.	23	0.13
183	A	5	5	1.	23	0.217
184	A	4	3	1.	21	0.143
185	A	5	5	1.	14	0.357
186	A	4	3	1.	21	0.143
187	A	6	6	1.	23	0.261
188	A	4	3	1.	23	0.13
189	A	7	6	1.	23	0.261
190	A	6	6	1.	23	0.261
191	A	4	3	1.	23	0.13
192	A	6	6	1.	23	0.261
193	A	4	3	1.	23	0.13
194	A	6	6	1.	23	0.261
195	A	4	3	1.	21	0.143
196	A	6	6	1.	14	0.429
197	A	4	3	1.	21	0.143
198	A	7	7	1.	23	0.304
199	A	4	3	1.	23	0.13
200	A	8	7	1.	23	0.304

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
201	A	7	6	1.	14	0.429
202	A	3	3	1.	12	0.25
203	A	4	4	1.	10	0.4
204	A	4	4	1.	12	0.333
205	A	5	5	1.	10	0.5
206	A	3	3	1.	12	0.25
207	A	3	3	1.	10	0.3
208	A	7	6	1.	17	0.353
209	A	8	7	1.	17	0.412
210	A	6	6	1.	17	0.353
211	A	7	6	1.	17	0.353
212	A	5	5	1.	15	0.333
213	A	6	5	1.	12	0.417
214	A	7	5	1.	15	0.333
215	A	5	5	1.	17	0.294
216	A	8	6	1.	17	0.353
217	A	6	6	1.	17	0.353
218	A	9	7	1.	17	0.412
219	A	7	6	1.	17	0.353
220	A	8	7	1.	17	0.412
221	A	6	5	1.	15	0.333
222	A	7	6	1.	12	0.5
223	A	8	6	1.	15	0.4
224	A	7	6	1.	17	0.353
225	A	5	5	1.	10	0.5
226	A	6	5	1.	12	0.417
227	A	6	6	1.	10	0.6
228	A	7	6	1.	12	0.5
229	A	6	5	1.	17	0.294
230	A	7	6	1.	17	0.353
231	A	5	5	1.	17	0.294
232	A	6	5	1.	17	0.294

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
233	A	4	4	1.	15	0.267
234	A	3	3	1.	12	0.25
235	A	7	5	1.	15	0.333
236	A	5	5	1.	17	0.294
237	A	8	6	1.	17	0.353
238	A	6	5	1.	17	0.294
239	A	7	6	1.	17	0.353
240	A	5	5	1.	17	0.294
241	A	4	4	1.	17	0.235
242	A	5	5	1.	15	0.333
243	A	4	4	1.	12	0.333
244	A	8	6	1.	15	0.4
245	A	6	6	1.	17	0.353
246	A	8	7	1.	17	0.412
247	A	6	5	1.	17	0.294
248	A	6	6	1.	17	0.353
249	A	6	6	1.	17	0.353
250	A	6	6	1.	17	0.353
251	A	6	5	1.	15	0.333
252	A	6	6	1.	12	0.5
253	A	9	7	1.	15	0.467
254	A	7	7	1.	17	0.412
255	A	3	3	1.	10	0.3
256	A	3	3	1.	12	0.25
257	A	6	4	1.26	14	0.286
258	A	6	5	1.	8	0.625
259	A	9	8	1.	15	0.533
260	A	8	7	1.	15	0.467
261	A	4	4	1.	15	0.267
262	A	6	6	1.	15	0.4
263	A	7	7	1.	15	0.467





# Chapter 3

## Listing of integrals

### 3.1 $\int \sinh^4(c + dx) (a + b \tanh^2(c + dx)) dx$

Optimal. Leaf size=73

$$\frac{(a + b) \sinh(c + dx) \cosh^3(c + dx)}{4d} - \frac{(5a + 9b) \sinh(c + dx) \cosh(c + dx)}{8d} + \frac{3}{8}x(a + 5b) - \frac{b \tanh(c + dx)}{d}$$

[Out] (3\*(a + 5\*b)\*x)/8 - ((5\*a + 9\*b)\*Cosh[c + d\*x]\*Sinh[c + d\*x])/(8\*d) + ((a + b)\*Cosh[c + d\*x]^3\*Sinh[c + d\*x])/(4\*d) - (b\*Tanh[c + d\*x])/d

---

**Rubi [A]** time = 0.0757167, antiderivative size = 73, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {3663, 455, 1157, 388, 206}

$$\frac{(a + b) \sinh(c + dx) \cosh^3(c + dx)}{4d} - \frac{(5a + 9b) \sinh(c + dx) \cosh(c + dx)}{8d} + \frac{3}{8}x(a + 5b) - \frac{b \tanh(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[Sinh[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^2),x]

[Out] (3\*(a + 5\*b)\*x)/8 - ((5\*a + 9\*b)\*Cosh[c + d\*x]\*Sinh[c + d\*x])/(8\*d) + ((a + b)\*Cosh[c + d\*x]^3\*Sinh[c + d\*x])/(4\*d) - (b\*Tanh[c + d\*x])/d

Rule 3663

```
Int[sin[(e_.) + (f_.)*(x_)]^(m_)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)]))^(n_)]^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff^(m + 1))/f, Subst[Int[(x^m*(a + b*(ff*x)^n)^p]/(c^2 + ff^2*x^2)^(m/2 + 1), x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2]
```

### Rule 455

```
Int[(x_)^(m_)*((a_) + (b_.)*(x_)^2)^(p_)*((c_) + (d_.)*(x_)^2), x_Symbol] :> Simp[((-a)^(m/2 - 1)*(b*c - a*d)*x*(a + b*x^2)^(p + 1))/(2*b^(m/2 + 1)*(p + 1)), x] + Dist[1/(2*b^(m/2 + 1)*(p + 1)), Int[(a + b*x^2)^(p + 1)*ExpandToSum[2*b*(p + 1)*x^2*Together[(b^(m/2)*x^(m - 2)*(c + d*x^2) - (-a)^(m/2 - 1)*(b*c - a*d)]/(a + b*x^2)] - (-a)^(m/2 - 1)*(b*c - a*d), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1] && IGtQ[m/2, 0] && (IntegerQ[p] || EqQ[m + 2*p + 1, 0])
```

### Rule 1157

```
Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := With[{Qx = PolynomialQuotient[(a + b*x^2 + c*x^4)^p, d + e*x^2, x], R = Coeff[PolynomialRemainder[(a + b*x^2 + c*x^4)^p, d + e*x^2, x], x, 0]}, -Simp[(R*x*(d + e*x^2)^(q + 1))/(2*d*(q + 1)), x] + Dist[1/(2*d*(q + 1)), Int[(d + e*x^2)^(q + 1)*ExpandToSum[2*d*(q + 1)*Qx + R*(2*q + 3), x], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[p, 0] && LtQ[q, -1]
```

### Rule 388

```
Int[((a_) + (b_.)*(x_)^(n_)]^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[(d*x*(a + b*x^n)^(p + 1))/(b*(n*(p + 1) + 1)), x] - Dist[(a*d - b*c*(n*(p + 1) + 1))/(b*(n*(p + 1) + 1)), Int[(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && NeQ[n*(p + 1) + 1, 0]
```

### Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

### Rubi steps

$$\begin{aligned}
\int \sinh^4(c+dx) (a+b \tanh^2(c+dx)) dx &= \frac{\text{Subst}\left(\int \frac{x^4(a+bx^2)}{(1-x^2)^3} dx, x, \tanh(c+dx)\right)}{d} \\
&= \frac{(a+b) \cosh^3(c+dx) \sinh(c+dx)}{4d} + \frac{\text{Subst}\left(\int \frac{-a-b-4(a+b)x^2-4bx^4}{(1-x^2)^2} dx, x, \tanh(c+dx)\right)}{4d} \\
&= -\frac{(5a+9b) \cosh(c+dx) \sinh(c+dx)}{8d} + \frac{(a+b) \cosh^3(c+dx) \sinh(c+dx)}{4d} \\
&= -\frac{(5a+9b) \cosh(c+dx) \sinh(c+dx)}{8d} + \frac{(a+b) \cosh^3(c+dx) \sinh(c+dx)}{4d} \\
&= \frac{3}{8}(a+5b)x - \frac{(5a+9b) \cosh(c+dx) \sinh(c+dx)}{8d} + \frac{(a+b) \cosh^3(c+dx)}{4d}
\end{aligned}$$

**Mathematica [A]** time = 0.340941, size = 56, normalized size = 0.77

$$\frac{12(a+5b)(c+dx) - 8(a+2b) \sinh(2(c+dx)) + (a+b) \sinh(4(c+dx)) - 32b \tanh(c+dx)}{32d}$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^2), x]

[Out] (12\*(a + 5\*b)\*(c + d\*x) - 8\*(a + 2\*b)\*Sinh[2\*(c + d\*x)] + (a + b)\*Sinh[4\*(c + d\*x)] - 32\*b\*Tanh[c + d\*x])/(32\*d)

**Maple [A]** time = 0.041, size = 96, normalized size = 1.3

$$\frac{1}{d} \left( a \left( \left( \frac{(\sinh(dx+c))^3}{4} - \frac{3 \sinh(dx+c)}{8} \right) \cosh(dx+c) + \frac{3dx}{8} + \frac{3c}{8} \right) + b \left( \frac{(\sinh(dx+c))^5}{4 \cosh(dx+c)} - \frac{5(\sinh(dx+c))^3}{8 \cosh(dx+c)} + \frac{15}{8} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2), x)

[Out] 1/d\*(a\*((1/4\*sinh(d\*x+c)^3-3/8\*sinh(d\*x+c))\*cosh(d\*x+c)+3/8\*d\*x+3/8\*c)+b\*(1/4\*sinh(d\*x+c)^5/cosh(d\*x+c)-5/8\*sinh(d\*x+c)^3/cosh(d\*x+c)+15/8\*d\*x+15/8\*c-

$15/8*\tanh(d*x+c))$

**Maxima [B]** time = 1.20197, size = 208, normalized size = 2.85

$$\frac{1}{64} a \left( 24x + \frac{e^{(4dx+4c)}}{d} - \frac{8e^{(2dx+2c)}}{d} + \frac{8e^{(-2dx-2c)}}{d} - \frac{e^{(-4dx-4c)}}{d} \right) + \frac{1}{64} b \left( \frac{120(dx+c)}{d} + \frac{16e^{(-2dx-2c)} - e^{(-4dx-4c)}}{d} - \frac{15e^{(-2dx-2c)}}{d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2),x, algorithm="maxima")

[Out] 1/64\*a\*(24\*x + e^(4\*d\*x + 4\*c)/d - 8\*e^(2\*d\*x + 2\*c)/d + 8\*e^(-2\*d\*x - 2\*c)/d - e^(-4\*d\*x - 4\*c)/d) + 1/64\*b\*(120\*(d\*x + c)/d + (16\*e^(-2\*d\*x - 2\*c) - e^(-4\*d\*x - 4\*c))/d - (15\*e^(-2\*d\*x - 2\*c) + 144\*e^(-4\*d\*x - 4\*c) - 1)/(d\*(e^(-4\*d\*x - 4\*c) + e^(-6\*d\*x - 6\*c))))

**Fricas [A]** time = 1.84961, size = 327, normalized size = 4.48

$$\frac{(a+b)\sinh(dx+c)^5 + (10(a+b)\cosh(dx+c)^2 - 7a - 15b)\sinh(dx+c)^3 + 8(3(a+5b)dx + 8b)\cosh(dx+c) + (5(a+b)\cosh(dx+c)^4 - 3(7a+15b)\cosh(dx+c)^2 - 8a - 80b)\sinh(dx+c)}{64d\cosh(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2),x, algorithm="fricas")

[Out] 1/64\*((a+b)\*sinh(d\*x+c)^5 + (10\*(a+b)\*cosh(d\*x+c)^2 - 7\*a - 15\*b)\*sinh(d\*x+c)^3 + 8\*(3\*(a+5\*b)\*d\*x + 8\*b)\*cosh(d\*x+c) + (5\*(a+b)\*cosh(d\*x+c)^4 - 3\*(7\*a + 15\*b)\*cosh(d\*x+c)^2 - 8\*a - 80\*b)\*sinh(d\*x+c))/(d\*cosh(d\*x+c))

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (a + b \tanh^2(c + dx)) \sinh^4(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)\*\*4\*(a+b\*tanh(d\*x+c)\*\*2),x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*2)\*sinh(c + d\*x)\*\*4, x)

**Giac [B]** time = 1.32276, size = 196, normalized size = 2.68

$$\frac{24(a + 5b)dx - \left(18ae^{(4dx+4c)} + 90be^{(4dx+4c)} - 8ae^{(2dx+2c)} - 16be^{(2dx+2c)} + a + b\right)e^{(-4dx-4c)} + \left(ae^{(4dx+20c)} + be^{(4dx+20c)}\right)}{64d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2),x, algorithm="giac")

[Out] 1/64\*(24\*(a + 5\*b)\*d\*x - (18\*a\*e^(4\*d\*x + 4\*c) + 90\*b\*e^(4\*d\*x + 4\*c) - 8\*a\*e^(2\*d\*x + 2\*c) - 16\*b\*e^(2\*d\*x + 2\*c) + a + b)\*e^(-4\*d\*x - 4\*c) + (a\*e^(4\*d\*x + 20\*c) + b\*e^(4\*d\*x + 20\*c) - 8\*a\*e^(2\*d\*x + 18\*c) - 16\*b\*e^(2\*d\*x + 18\*c))\*e^(-16\*c) + 128\*b/(e^(2\*d\*x + 2\*c) + 1))/d

## 3.2 $\int \sinh^3(c + dx) (a + b \tanh^2(c + dx)) dx$

**Optimal.** Leaf size=47

$$\frac{(a + b) \cosh^3(c + dx)}{3d} - \frac{(a + 2b) \cosh(c + dx)}{d} - \frac{b \operatorname{sech}(c + dx)}{d}$$

[Out] -(((a + 2\*b)\*Cosh[c + d\*x])/d) + ((a + b)\*Cosh[c + d\*x]^3)/(3\*d) - (b\*Sech[c + d\*x])/d

**Rubi [A]** time = 0.0546025, antiderivative size = 47, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$ , Rules used = {3664, 448}

$$\frac{(a + b) \cosh^3(c + dx)}{3d} - \frac{(a + 2b) \cosh(c + dx)}{d} - \frac{b \operatorname{sech}(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[Sinh[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^2),x]

[Out] -(((a + 2\*b)\*Cosh[c + d\*x])/d) + ((a + b)\*Cosh[c + d\*x]^3)/(3\*d) - (b\*Sech[c + d\*x])/d

### Rule 3664

```
Int[sin[(e_.) + (f_.)*(x_.)]^(m_.)*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)]^2)^(p_.), x_Symbol] :> With[{ff = FreeFactors[Sec[e + f*x], x]}, Dist[1/(f*ff^m), Subst[Int[((-1 + ff^2*x^2)^((m - 1)/2)*(a - b + b*ff^2*x^2)^p)/x^(m + 1), x], x, Sec[e + f*x]/ff], x] /; FreeQ[{a, b, e, f, p}, x] && IntegerQ[(m - 1)/2]
```

### Rule 448

```
Int[((e_.)*(x_.))^(m_.)*((a_.) + (b_.)*(x_.)^(n_.))^(p_.)*((c_.) + (d_.)*(x_.)^(n_.))^(q_.), x_Symbol] :> Int[ExpandIntegrand[(e*x)^m*(a + b*x^n)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, e, m, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[p, 0] && IGtQ[q, 0]
```

### Rubi steps

$$\int \sinh^3(c + dx) (a + b \tanh^2(c + dx)) dx = \frac{\text{Subst}\left(\int \frac{(-1+x^2)(a+b-x^2)}{x^4} dx, x, \text{sech}(c + dx)\right)}{d}$$

$$= \frac{\text{Subst}\left(\int \left(-b + \frac{-a-b}{x^4} + \frac{a+2b}{x^2}\right) dx, x, \text{sech}(c + dx)\right)}{d}$$

$$= -\frac{(a+2b) \cosh(c + dx)}{d} + \frac{(a+b) \cosh^3(c + dx)}{3d} - \frac{b \text{sech}(c + dx)}{d}$$

**Mathematica [A]** time = 0.0503273, size = 73, normalized size = 1.55

$$-\frac{3a \cosh(c + dx)}{4d} + \frac{a \cosh(3(c + dx))}{12d} - \frac{7b \cosh(c + dx)}{4d} + \frac{b \cosh(3(c + dx))}{12d} - \frac{b \text{sech}(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^2), x]

[Out] (-3\*a\*Cosh[c + d\*x])/(4\*d) - (7\*b\*Cosh[c + d\*x])/(4\*d) + (a\*Cosh[3\*(c + d\*x)])/((12\*d) + (b\*Cosh[3\*(c + d\*x)])/((12\*d) - (b\*Sech[c + d\*x])/d

**Maple [A]** time = 0.034, size = 73, normalized size = 1.6

$$\frac{1}{d} \left( a \left( -\frac{2}{3} + \frac{(\sinh(dx+c))^2}{3} \right) \cosh(dx+c) + b \left( \frac{(\sinh(dx+c))^4}{3 \cosh(dx+c)} + \frac{4(\sinh(dx+c))^2}{3 \cosh(dx+c)} - \frac{8 \cosh(dx+c)}{3} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2), x)

[Out] 1/d\*(a\*(-2/3+1/3\*sinh(d\*x+c)^2)\*cosh(d\*x+c)+b\*(1/3\*sinh(d\*x+c)^4/cosh(d\*x+c)+4/3\*sinh(d\*x+c)^2/cosh(d\*x+c)-8/3\*cosh(d\*x+c)))

**Maxima [B]** time = 1.15218, size = 184, normalized size = 3.91

$$-\frac{1}{24} b \left( \frac{21 e^{(-dx-c)} - e^{(-3dx-3c)}}{d} + \frac{20 e^{(-2dx-2c)} + 69 e^{(-4dx-4c)} - 1}{d(e^{(-3dx-3c)} + e^{(-5dx-5c)})} \right) + \frac{1}{24} a \left( \frac{e^{(3dx+3c)}}{d} - \frac{9 e^{(dx+c)}}{d} - \frac{9 e^{(-dx-c)}}{d} + \frac{e^{(-3dx-3c)}}{d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2),x, algorithm="maxima")

[Out] 
$$-1/24*b*((21*e^{(-d*x - c)} - e^{(-3*d*x - 3*c)})/d + (20*e^{(-2*d*x - 2*c)} + 69*e^{(-4*d*x - 4*c)} - 1)/(d*(e^{(-3*d*x - 3*c)} + e^{(-5*d*x - 5*c)}))) + 1/24*a*(e^{(3*d*x + 3*c)}/d - 9*e^{(d*x + c)}/d - 9*e^{(-d*x - c)}/d + e^{(-3*d*x - 3*c)}/d)$$

**Fricas [B]** time = 1.99928, size = 246, normalized size = 5.23

$$\frac{(a + b) \cosh(dx + c)^4 + (a + b) \sinh(dx + c)^4 - 4(2a + 5b) \cosh(dx + c)^2 + 2(3(a + b) \cosh(dx + c)^2 - 4a - 10b) \sinh(dx + c)^2 - 9a - 45b}{24d \cosh(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2),x, algorithm="fricas")

[Out] 
$$1/24*((a + b)*\cosh(d*x + c)^4 + (a + b)*\sinh(d*x + c)^4 - 4*(2*a + 5*b)*\cosh(d*x + c)^2 + 2*(3*(a + b)*\cosh(d*x + c)^2 - 4*a - 10*b)*\sinh(d*x + c)^2 - 9*a - 45*b)/(d*\cosh(d*x + c))$$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (a + b \tanh^2(c + dx)) \sinh^3(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)\*\*3\*(a+b\*tanh(d\*x+c)\*\*2),x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*2)\*sinh(c + d\*x)\*\*3, x)

**Giac [B]** time = 1.30233, size = 162, normalized size = 3.45

$$\frac{(9ae^{(2dx+2c)} + 21be^{(2dx+2c)} - a - b)e^{(-3dx-3c)} - (ae^{(3dx+24c)} + be^{(3dx+24c)} - 9ae^{(dx+22c)} - 21be^{(dx+22c)})e^{(-21c)} + \frac{48be^{(dx+2c)}}{e^{(2dx+2c)}}}{24d}$$



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sinh(d*x+c)^3*(a+b*tanh(d*x+c)^2),x, algorithm="giac")
```

```
[Out] -1/24*((9*a*e^(2*d*x + 2*c) + 21*b*e^(2*d*x + 2*c) - a - b)*e^(-3*d*x - 3*c) - (a*e^(3*d*x + 24*c) + b*e^(3*d*x + 24*c) - 9*a*e^(d*x + 22*c) - 21*b*e^(d*x + 22*c))*e^(-21*c) + 48*b*e^(d*x + c)/(e^(2*d*x + 2*c) + 1))/d
```

### 3.3 $\int \sinh^2(c + dx) (a + b \tanh^2(c + dx)) dx$

**Optimal.** Leaf size=44

$$\frac{(a + b) \sinh(c + dx) \cosh(c + dx)}{2d} - \frac{1}{2}x(a + 3b) + \frac{b \tanh(c + dx)}{d}$$

[Out]  $-\frac{(a + 3b)x}{2} + \frac{(a + b)\cosh[c + dx]\sinh[c + dx]}{2d} + \frac{b\tanh[c + dx]}{d}$

**Rubi [A]** time = 0.0507793, antiderivative size = 44, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.19$ , Rules used = {3663, 455, 388, 206}

$$\frac{(a + b) \sinh(c + dx) \cosh(c + dx)}{2d} - \frac{1}{2}x(a + 3b) + \frac{b \tanh(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] `Int[Sinh[c + d*x]^2*(a + b*Tanh[c + d*x]^2), x]`

[Out]  $-\frac{(a + 3b)x}{2} + \frac{(a + b)\cosh[c + dx]\sinh[c + dx]}{2d} + \frac{b\tanh[c + dx]}{d}$

#### Rule 3663

```
Int[sin[(e_.) + (f_.)*(x_)]^(m_)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)]^(n_))^(p_.), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff^(m + 1))/f, Subst[Int[(x^m*(a + b*(ff*x)^n)^p]/(c^2 + ff^2*x^2)^(m/2 + 1), x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2]
```

#### Rule 455

```
Int[(x_)^(m_)*((a_) + (b_.)*(x_)^2)^(p_)*((c_) + (d_.)*(x_)^2), x_Symbol] :> Simp[(-a)^(m/2 - 1)*(b*c - a*d)*x*(a + b*x^2)^(p + 1)/(2*b^(m/2 + 1)*(p + 1)), x] + Dist[1/(2*b^(m/2 + 1)*(p + 1)), Int[(a + b*x^2)^(p + 1)*ExpandToSum[2*b*(p + 1)*x^2*Together[(b^(m/2)*x^(m - 2)*(c + d*x^2) - (-a)^(m/2 - 1)*(b*c - a*d)]/(a + b*x^2)] - (-a)^(m/2 - 1)*(b*c - a*d), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1] && IGtQ[m/2, 0] && (IntegerQ[p] || EqQ[m + 2*p + 1, 0])
```

Rule 388

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] :> Simp[(d*x*(a + b*x^n)^(p + 1))/(b*(n*(p + 1) + 1)), x] - Dist[(a*d - b*c*(n*(p + 1) + 1))/(b*(n*(p + 1) + 1)), Int[(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && NeQ[n*(p + 1) + 1, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned} \int \sinh^2(c + dx) (a + b \tanh^2(c + dx)) dx &= \frac{\text{Subst}\left(\int \frac{x^2(a+bx^2)}{(1-x^2)^2} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{(a + b) \cosh(c + dx) \sinh(c + dx)}{2d} - \frac{\text{Subst}\left(\int \frac{a+b+2bx^2}{1-x^2} dx, x, \tanh(c + dx)\right)}{2d} \\ &= \frac{(a + b) \cosh(c + dx) \sinh(c + dx)}{2d} + \frac{b \tanh(c + dx)}{d} - \frac{(a + 3b) \text{Subst}\left(\int \frac{1}{1-x^2} dx, x, \tanh(c + dx)\right)}{2d} \\ &= -\frac{1}{2}(a + 3b)x + \frac{(a + b) \cosh(c + dx) \sinh(c + dx)}{2d} + \frac{b \tanh(c + dx)}{d} \end{aligned}$$

**Mathematica [A]** time = 0.189214, size = 41, normalized size = 0.93

$$\frac{-2(a + 3b)(c + dx) + (a + b) \sinh(2(c + dx)) + 4b \tanh(c + dx)}{4d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sinh[c + d*x]^2*(a + b*Tanh[c + d*x]^2), x]
```

```
[Out] (-2*(a + 3*b)*(c + d*x) + (a + b)*Sinh[2*(c + d*x)] + 4*b*Tanh[c + d*x])/(4*d)
```

**Maple [A]** time = 0.033, size = 66, normalized size = 1.5

$$\frac{1}{d} \left( a \left( \frac{\cosh(dx+c) \sinh(dx+c)}{2} - \frac{dx}{2} - \frac{c}{2} \right) + b \left( \frac{(\sinh(dx+c))^3}{2 \cosh(dx+c)} - \frac{3dx}{2} - \frac{3c}{2} + \frac{3 \tanh(dx+c)}{2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sinh(d*x+c)^2*(a+b*tanh(d*x+c)^2),x)`

[Out] `1/d*(a*(1/2*cosh(d*x+c)*sinh(d*x+c)-1/2*d*x-1/2*c)+b*(1/2*sinh(d*x+c)^3/cosh(d*x+c)-3/2*d*x-3/2*c+3/2*tanh(d*x+c)))`

**Maxima [B]** time = 1.12602, size = 136, normalized size = 3.09

$$-\frac{1}{8} a \left( 4x - \frac{e^{(2dx+2c)}}{d} + \frac{e^{(-2dx-2c)}}{d} \right) - \frac{1}{8} b \left( \frac{12(dx+c)}{d} + \frac{e^{(-2dx-2c)}}{d} - \frac{17e^{(-2dx-2c)} + 1}{d(e^{(-2dx-2c)} + e^{(-4dx-4c)})} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sinh(d*x+c)^2*(a+b*tanh(d*x+c)^2),x, algorithm="maxima")`

[Out] `-1/8*a*(4*x - e^(2*d*x + 2*c)/d + e^(-2*d*x - 2*c)/d) - 1/8*b*(12*(d*x + c)/d + e^(-2*d*x - 2*c)/d - (17*e^(-2*d*x - 2*c) + 1)/(d*(e^(-2*d*x - 2*c) + e^(-4*d*x - 4*c))))`

**Fricas [A]** time = 1.95945, size = 193, normalized size = 4.39

$$\frac{(a+b) \sinh(dx+c)^3 - 4((a+3b)dx+2b) \cosh(dx+c) + (3(a+b) \cosh(dx+c)^2 + a+9b) \sinh(dx+c)}{8d \cosh(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sinh(d*x+c)^2*(a+b*tanh(d*x+c)^2),x, algorithm="fricas")`

[Out] `1/8*((a+b)*sinh(d*x+c)^3 - 4*((a+3*b)*d*x+2*b)*cosh(d*x+c) + (3*(a+b)*cosh(d*x+c)^2 + a+9*b)*sinh(d*x+c))/(d*cosh(d*x+c))`

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (a + b \tanh^2(c + dx)) \sinh^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)\*\*2\*(a+b\*tanh(d\*x+c)\*\*2), x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*2)\*sinh(c + d\*x)\*\*2, x)

**Giac [B]** time = 1.2702, size = 147, normalized size = 3.34

$$\frac{4(a + 3b)dx - \left( ae^{(2dx+8c)} + be^{(2dx+8c)} \right) e^{(-6c)} - \frac{(ae^{(4dx+4c)} + 3be^{(4dx+4c)} - 14be^{(2dx+2c)} - a - b)e^{(-2c)}}{e^{(2dx)} + e^{(4dx+2c)}}}{8d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2), x, algorithm="giac")

[Out]  $-1/8*(4*(a + 3*b)*d*x - (a*e^{(2*d*x + 8*c)} + b*e^{(2*d*x + 8*c)})*e^{(-6*c)} - (a*e^{(4*d*x + 4*c)} + 3*b*e^{(4*d*x + 4*c)} - 14*b*e^{(2*d*x + 2*c)} - a - b)*e^{(-2*c)})/(e^{(2*d*x)} + e^{(4*d*x + 2*c)})/d$

### 3.4 $\int \sinh(c + dx) (a + b \tanh^2(c + dx)) dx$

**Optimal.** Leaf size=25

$$\frac{(a + b) \cosh(c + dx)}{d} + \frac{b \operatorname{sech}(c + dx)}{d}$$

[Out] ((a + b)\*Cosh[c + d\*x])/d + (b\*Sech[c + d\*x])/d

**Rubi [A]** time = 0.0320672, antiderivative size = 25, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$ , Rules used = {3664, 14}

$$\frac{(a + b) \cosh(c + dx)}{d} + \frac{b \operatorname{sech}(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[Sinh[c + d\*x]\*(a + b\*Tanh[c + d\*x]^2),x]

[Out] ((a + b)\*Cosh[c + d\*x])/d + (b\*Sech[c + d\*x])/d

#### Rule 3664

```
Int[sin[(e_.) + (f_.)*(x_)]^(m_.)*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]^2)^(p_.), x_Symbol] :> With[{ff = FreeFactors[Sec[e + f*x], x]}, Dist[1/(f*ff^m), Subst[Int[((-1 + ff^2*x^2)^((m - 1)/2)*(a - b + b*ff^2*x^2)^p)/x^(m + 1), x], x, Sec[e + f*x]/ff], x] /; FreeQ[{a, b, e, f, p}, x] && IntegerQ[(m - 1)/2]
```

#### Rule 14

```
Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_.)*(v_)] /; FreeQ[{a, b}, x] && InverseFunctionQ[v]
```

#### Rubi steps

$$\begin{aligned} \int \sinh(c + dx) (a + b \tanh^2(c + dx)) dx &= -\frac{\text{Subst}\left(\int \frac{a+b-bx^2}{x^2} dx, x, \text{sech}(c + dx)\right)}{d} \\ &= -\frac{\text{Subst}\left(\int \left(-b + \frac{a+b}{x^2}\right) dx, x, \text{sech}(c + dx)\right)}{d} \\ &= \frac{(a + b) \cosh(c + dx)}{d} + \frac{b \text{sech}(c + dx)}{d} \end{aligned}$$

**Mathematica [A]** time = 0.04502, size = 45, normalized size = 1.8

$$\frac{a \sinh(c) \sinh(dx)}{d} + \frac{a \cosh(c) \cosh(dx)}{d} + \frac{b \cosh(c + dx)}{d} + \frac{b \text{sech}(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]\*(a + b\*Tanh[c + d\*x]^2), x]

[Out] (a\*Cosh[c]\*Cosh[d\*x])/d + (b\*Cosh[c + d\*x])/d + (b\*Sech[c + d\*x])/d + (a\*Sinh[c]\*Sinh[d\*x])/d

**Maple [A]** time = 0.033, size = 43, normalized size = 1.7

$$\frac{1}{d} \left( a \cosh(dx + c) + b \left( -\frac{(\sinh(dx + c))^2}{\cosh(dx + c)} + 2 \cosh(dx + c) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(d\*x+c)\*(a+b\*tanh(d\*x+c)^2), x)

[Out] 1/d\*(a\*cosh(d\*x+c)+b\*(-sinh(d\*x+c)^2/cosh(d\*x+c)+2\*cosh(d\*x+c)))

**Maxima [B]** time = 1.1077, size = 90, normalized size = 3.6

$$\frac{1}{2} b \left( \frac{e^{-dx-c}}{d} + \frac{5e^{-2dx-2c} + 1}{d(e^{-dx-c} + e^{-3dx-3c})} \right) + \frac{a \cosh(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sinh(d*x+c)*(a+b*tanh(d*x+c)^2),x, algorithm="maxima")`

[Out]  $\frac{1}{2} * b * (e^{(-d*x - c)}/d + (5 * e^{(-2*d*x - 2*c)} + 1) / (d * (e^{(-d*x - c)} + e^{(-3*d*x - 3*c)}))) + a * \cosh(d*x + c) / d$

**Fricas [A]** time = 1.90525, size = 115, normalized size = 4.6

$$\frac{(a + b) \cosh(dx + c)^2 + (a + b) \sinh(dx + c)^2 + a + 3b}{2d \cosh(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sinh(d*x+c)*(a+b*tanh(d*x+c)^2),x, algorithm="fricas")`

[Out]  $\frac{1}{2} * ((a + b) * \cosh(d*x + c)^2 + (a + b) * \sinh(d*x + c)^2 + a + 3*b) / (d * \cosh(d*x + c))$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (a + b \tanh^2(c + dx)) \sinh(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sinh(d*x+c)*(a+b*tanh(d*x+c)**2),x)`

[Out] `Integral((a + b*tanh(c + d*x)**2)*sinh(c + d*x), x)`

**Giac [B]** time = 1.20609, size = 107, normalized size = 4.28

$$\frac{(ae^{(dx+6c)} + be^{(dx+6c)})e^{(-5c)} + \frac{(ae^{(2dx+2c)+5}be^{(2dx+2c)+a+b})e^{(-c)}}{e^{(3dx+2c)+e^{(dx)}}}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.



```
[In] integrate(sinh(d*x+c)*(a+b*tanh(d*x+c)^2),x, algorithm="giac")
```

```
[Out] 1/2*((a*e^(d*x + 6*c) + b*e^(d*x + 6*c))*e^(-5*c) + (a*e^(2*d*x + 2*c) + 5*  
b*e^(2*d*x + 2*c) + a + b)*e^(-c)/(e^(3*d*x + 2*c) + e^(d*x)))/d
```

### 3.5 $\int \operatorname{csch}(c + dx) (a + b \tanh^2(c + dx)) dx$

**Optimal.** Leaf size=26

$$-\frac{a \tanh^{-1}(\cosh(c + dx))}{d} - \frac{b \operatorname{sech}(c + dx)}{d}$$

[Out]  $-\left(\frac{a \operatorname{ArcTanh}[\operatorname{Cosh}[c + d*x]]}{d}\right) - \frac{b \operatorname{Sech}[c + d*x]}{d}$

**Rubi [A]** time = 0.0332959, antiderivative size = 26, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$ , Rules used = {3664, 388, 207}

$$-\frac{a \tanh^{-1}(\cosh(c + dx))}{d} - \frac{b \operatorname{sech}(c + dx)}{d}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[\operatorname{Csch}[c + d*x]*(a + b*\operatorname{Tanh}[c + d*x]^2), x]$

[Out]  $-\left(\frac{a \operatorname{ArcTanh}[\operatorname{Cosh}[c + d*x]]}{d}\right) - \frac{b \operatorname{Sech}[c + d*x]}{d}$

#### Rule 3664

```
Int[sin[(e_.) + (f_.)*(x_)]^(m_.)*((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)]^2)^(p_.), x_Symbol] :> With[{ff = FreeFactors[Sec[e + f*x], x]}, Dist[1/(f*ff^m), Subst[Int[((-1 + ff^2*x^2)^((m - 1)/2)*(a - b + b*ff^2*x^2)^p]/x^(m + 1), x], x, Sec[e + f*x]/ff, x] /; FreeQ[{a, b, e, f, p}, x] && IntegerQ[(m - 1)/2]
```

#### Rule 388

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] :> Simp[(d*x*(a + b*x^n)^(p + 1))/(b*(n*(p + 1) + 1)), x] - Dist[(a*d - b*c*(n*(p + 1) + 1))/(b*(n*(p + 1) + 1)), Int[(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && NeQ[n*(p + 1) + 1, 0]
```

#### Rule 207

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a
```

, 0] || GtQ[b, 0])

### Rubi steps

$$\begin{aligned} \int \operatorname{csch}(c+dx) (a+b \tanh^2(c+dx)) dx &= \frac{\operatorname{Subst}\left(\int \frac{a+b-x^2}{-1+x^2} dx, x, \operatorname{sech}(c+dx)\right)}{d} \\ &= -\frac{b \operatorname{sech}(c+dx)}{d} + \frac{a \operatorname{Subst}\left(\int \frac{1}{-1+x^2} dx, x, \operatorname{sech}(c+dx)\right)}{d} \\ &= -\frac{a \tanh^{-1}(\cosh(c+dx))}{d} - \frac{b \operatorname{sech}(c+dx)}{d} \end{aligned}$$

**Mathematica [A]** time = 0.0267322, size = 52, normalized size = 2.

$$\frac{a \log\left(\sinh\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{d} - \frac{a \log\left(\cosh\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{d} - \frac{b \operatorname{sech}(c+dx)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]\*(a + b\*Tanh[c + d\*x]^2), x]

[Out] -((a\*Log[Cosh[c/2 + (d\*x)/2]])/d) + (a\*Log[Sinh[c/2 + (d\*x)/2]])/d - (b\*Sech[c + d\*x])/d

**Maple [A]** time = 0.037, size = 44, normalized size = 1.7

$$\frac{1}{d} \left( -2a \operatorname{Arctanh}(e^{dx+c}) + b \left( \frac{(\sinh(dx+c))^2}{\cosh(dx+c)} - \cosh(dx+c) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csch(d\*x+c)\*(a+b\*tanh(d\*x+c)^2), x)

[Out] 1/d\*(-2\*a\*arctanh(exp(d\*x+c))+b\*(sinh(d\*x+c)^2/cosh(d\*x+c)-cosh(d\*x+c)))

**Maxima [A]** time = 1.08009, size = 54, normalized size = 2.08

$$\frac{a \log\left(\tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{d} - \frac{2b}{d(e^{dx+c} + e^{-dx-c})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*(a+b\*tanh(d\*x+c)^2),x, algorithm="maxima")

[Out] a\*log(tanh(1/2\*d\*x + 1/2\*c))/d - 2\*b/(d\*(e^(d\*x + c) + e^(-d\*x - c)))

**Fricas [B]** time = 2.0839, size = 483, normalized size = 18.58

$$\frac{2b \cosh(dx + c) + (a \cosh(dx + c)^2 + 2a \cosh(dx + c) \sinh(dx + c) + a \sinh(dx + c)^2 + a) \log(\cosh(dx + c) + \sinh(dx + c))}{d \cosh(dx + c)^2 + 2d \cosh(dx + c) \sinh(dx + c) + d \sinh(dx + c)^2 + d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*(a+b\*tanh(d\*x+c)^2),x, algorithm="fricas")

[Out] -(2\*b\*cosh(d\*x + c) + (a\*cosh(d\*x + c)^2 + 2\*a\*cosh(d\*x + c)\*sinh(d\*x + c) + a\*sinh(d\*x + c)^2 + a)\*log(cosh(d\*x + c) + sinh(d\*x + c) + 1) - (a\*cosh(d\*x + c)^2 + 2\*a\*cosh(d\*x + c)\*sinh(d\*x + c) + a\*sinh(d\*x + c)^2 + a)\*log(cosh(d\*x + c) + sinh(d\*x + c) - 1) + 2\*b\*sinh(d\*x + c))/(d\*cosh(d\*x + c)^2 + 2\*d\*cosh(d\*x + c)\*sinh(d\*x + c) + d\*sinh(d\*x + c)^2 + d)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (a + b \tanh^2(c + dx)) \operatorname{csch}(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*(a+b\*tanh(d\*x+c)\*\*2),x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*2)\*csch(c + d\*x), x)

**Giac [A]** time = 1.32969, size = 70, normalized size = 2.69

$$\frac{a \log(e^{dx+c} + 1) - a \log(|e^{dx+c} - 1|) + \frac{2be^{dx+c}}{e^{2dx+2c} + 1}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*(a+b\*tanh(d\*x+c)^2),x, algorithm="giac")

[Out]  $-(a \log(e^{d*x + c} + 1) - a \log(\text{abs}(e^{d*x + c} - 1)) + 2*b*e^{d*x + c}/(e^{2*d*x + 2*c} + 1))/d$

### 3.6 $\int \operatorname{csch}^2(c + dx) (a + b \tanh^2(c + dx)) dx$

**Optimal.** Leaf size=24

$$\frac{b \tanh(c + dx)}{d} - \frac{a \operatorname{coth}(c + dx)}{d}$$

[Out]  $-(a \operatorname{Coth}[c + d*x])/d + (b \operatorname{Tanh}[c + d*x])/d$

**Rubi [A]** time = 0.0327757, antiderivative size = 24, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$ , Rules used = {3663, 14}

$$\frac{b \tanh(c + dx)}{d} - \frac{a \operatorname{coth}(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] `Int[Csch[c + d*x]^2*(a + b*Tanh[c + d*x]^2), x]`

[Out]  $-(a \operatorname{Coth}[c + d*x])/d + (b \operatorname{Tanh}[c + d*x])/d$

#### Rule 3663

```
Int[sin[(e_.) + (f_.)*(x_.)]^(m_.)*((a_.) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff^(m + 1))/f, Subst[Int[(x^m*(a + b*(ff*x)^n)^p]/(c^2 + ff^2*x^2)^(m/2 + 1), x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2]
```

#### Rule 14

```
Int[(u_)*((c_.)*(x_.))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_.)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]
```

#### Rubi steps

$$\begin{aligned} \int \operatorname{csch}^2(c+dx) (a+b \tanh^2(c+dx)) dx &= \frac{\operatorname{Subst}\left(\int \frac{a+bx^2}{x^2} dx, x, \tanh(c+dx)\right)}{d} \\ &= \frac{\operatorname{Subst}\left(\int \left(b + \frac{a}{x^2}\right) dx, x, \tanh(c+dx)\right)}{d} \\ &= -\frac{a \operatorname{coth}(c+dx)}{d} + \frac{b \tanh(c+dx)}{d} \end{aligned}$$

**Mathematica [A]** time = 0.0197248, size = 24, normalized size = 1.

$$\frac{b \tanh(c+dx)}{d} - \frac{a \operatorname{coth}(c+dx)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]^2\*(a + b\*Tanh[c + d\*x]^2), x]

[Out] -((a\*Coth[c + d\*x])/d) + (b\*Tanh[c + d\*x])/d

**Maple [A]** time = 0.036, size = 23, normalized size = 1.

$$\frac{-\operatorname{coth}(dx+c)a + b \tanh(dx+c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csch(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2), x)

[Out] 1/d\*(-coth(d\*x+c)\*a+b\*tanh(d\*x+c))

**Maxima [A]** time = 1.14149, size = 53, normalized size = 2.21

$$\frac{2b}{d(e^{-2dx-2c} + 1)} + \frac{2a}{d(e^{-2dx-2c} - 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2),x, algorithm="maxima")

[Out] 2\*b/(d\*(e^(-2\*d\*x - 2\*c) + 1)) + 2\*a/(d\*(e^(-2\*d\*x - 2\*c) - 1))

**Fricas [B]** time = 1.8861, size = 238, normalized size = 9.92

$$\frac{4(a \cosh(dx + c) + b \sinh(dx + c))}{d \cosh(dx + c)^3 + 3d \cosh(dx + c) \sinh(dx + c)^2 + d \sinh(dx + c)^3 - d \cosh(dx + c) + (3d \cosh(dx + c)^2 + d) \sinh(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2),x, algorithm="fricas")

[Out] -4\*(a\*cosh(d\*x + c) + b\*sinh(d\*x + c))/(d\*cosh(d\*x + c)^3 + 3\*d\*cosh(d\*x + c)\*sinh(d\*x + c)^2 + d\*sinh(d\*x + c)^3 - d\*cosh(d\*x + c) + (3\*d\*cosh(d\*x + c)^2 + d)\*sinh(d\*x + c))

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (a + b \tanh^2(c + dx)) \operatorname{csch}^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*\*2\*(a+b\*tanh(d\*x+c)\*\*2),x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*2)\*csch(c + d\*x)\*\*2, x)

**Giac [A]** time = 1.26439, size = 61, normalized size = 2.54

$$\frac{2(ae^{2dx+2c} + be^{2dx+2c} + a - b)}{d(e^{4dx+4c} - 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2),x, algorithm="giac")



[Out]  $-2*(a*e^{(2*d*x + 2*c)} + b*e^{(2*d*x + 2*c)} + a - b)/(d*(e^{(4*d*x + 4*c)} - 1))$

### 3.7 $\int \operatorname{csch}^3(c + dx) (a + b \tanh^2(c + dx)) dx$

**Optimal.** Leaf size=51

$$\frac{(a - 2b) \tanh^{-1}(\cosh(c + dx))}{2d} - \frac{a \coth(c + dx) \operatorname{csch}(c + dx)}{2d} + \frac{b \operatorname{sech}(c + dx)}{d}$$

[Out] ((a - 2\*b)\*ArcTanh[Cosh[c + d\*x]])/(2\*d) - (a\*Coth[c + d\*x]\*Csch[c + d\*x])/(2\*d) + (b\*Sech[c + d\*x])/d

**Rubi [A]** time = 0.0588961, antiderivative size = 51, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.19$ , Rules used = {3664, 455, 388, 207}

$$\frac{(a - 2b) \tanh^{-1}(\cosh(c + dx))}{2d} - \frac{a \coth(c + dx) \operatorname{csch}(c + dx)}{2d} + \frac{b \operatorname{sech}(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[Csch[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^2), x]

[Out] ((a - 2\*b)\*ArcTanh[Cosh[c + d\*x]])/(2\*d) - (a\*Coth[c + d\*x]\*Csch[c + d\*x])/(2\*d) + (b\*Sech[c + d\*x])/d

#### Rule 3664

```
Int[sin[(e_.) + (f_.)*(x_.)]^(m_.)*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)]^2)^(p_.), x_Symbol] :> With[{ff = FreeFactors[Sec[e + f*x], x]}, Dist[1/(f*ff^m), Subst[Int[((-1 + ff^2*x^2)^((m - 1)/2)*(a - b + b*ff^2*x^2)^p)/x^(m + 1), x], x, Sec[e + f*x]/ff], x] /; FreeQ[{a, b, e, f, p}, x] && IntegerQ[(m - 1)/2]
```

#### Rule 455

```
Int[(x_)^(m_)*((a_) + (b_.)*(x_)^2)^(p_)*((c_) + (d_.)*(x_)^2), x_Symbol] :> Simp[((-a)^(m/2 - 1)*(b*c - a*d)*x*(a + b*x^2)^(p + 1))/(2*b^(m/2 + 1)*(p + 1)), x] + Dist[1/(2*b^(m/2 + 1)*(p + 1)), Int[(a + b*x^2)^(p + 1)*ExpandToSum[2*b*(p + 1)*x^2*Together[(b^(m/2)*x^(m - 2)*(c + d*x^2) - (-a)^(m/2 - 1)*(b*c - a*d)]/(a + b*x^2)] - (-a)^(m/2 - 1)*(b*c - a*d), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1] && IGtQ[m/2, 0] && (IntegerQ[p] || EqQ[m + 2*p + 1, 0])
```

Rule 388

Int[((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_)\*(x\_)^(n\_)), x\_Symbol] :> Simp[(d\*x\*(a + b\*x^n)^(p + 1))/(b\*(n\*(p + 1) + 1)), x] - Dist[(a\*d - b\*c\*(n\*(p + 1) + 1))/(b\*(n\*(p + 1) + 1)), Int[(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[n\*(p + 1) + 1, 0]

Rule 207

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] :> -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned} \int \operatorname{csch}^3(c + dx) (a + b \tanh^2(c + dx)) dx &= -\frac{\operatorname{Subst}\left(\int \frac{x^2(a+bx^2)}{(-1+x^2)^2} dx, x, \operatorname{sech}(c + dx)\right)}{d} \\ &= -\frac{a \coth(c + dx) \operatorname{csch}(c + dx)}{2d} + \frac{\operatorname{Subst}\left(\int \frac{-a+2bx^2}{-1+x^2} dx, x, \operatorname{sech}(c + dx)\right)}{2d} \\ &= -\frac{a \coth(c + dx) \operatorname{csch}(c + dx)}{2d} + \frac{b \operatorname{sech}(c + dx)}{d} - \frac{(a - 2b) \operatorname{Subst}\left(\int \frac{1}{-1+x^2} dx\right)}{2d} \\ &= \frac{(a - 2b) \tanh^{-1}(\cosh(c + dx))}{2d} - \frac{a \coth(c + dx) \operatorname{csch}(c + dx)}{2d} + \frac{b \operatorname{sech}(c + dx)}{d} \end{aligned}$$

**Mathematica [A]** time = 0.0457941, size = 87, normalized size = 1.71

$$-\frac{a \operatorname{csch}^2\left(\frac{1}{2}(c + dx)\right)}{8d} - \frac{a \operatorname{sech}^2\left(\frac{1}{2}(c + dx)\right)}{8d} - \frac{a \log\left(\tanh\left(\frac{1}{2}(c + dx)\right)\right)}{2d} + \frac{b \operatorname{sech}(c + dx)}{d} + \frac{b \log\left(\tanh\left(\frac{1}{2}(c + dx)\right)\right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^2), x]

[Out] -(a\*Csch[(c + d\*x)/2]^2)/(8\*d) - (a\*Log[Tanh[(c + d\*x)/2]])/(2\*d) + (b\*Log[Tanh[(c + d\*x)/2]])/d - (a\*Sech[(c + d\*x)/2]^2)/(8\*d) + (b\*Sech[c + d\*x])/d

**Maple [A]** time = 0.044, size = 50, normalized size = 1.

$$\frac{1}{d} \left( a \left( -\frac{\operatorname{csch}(dx+c) \operatorname{coth}(dx+c)}{2} + \operatorname{Artanh}(e^{dx+c}) \right) + b \left( (\cosh(dx+c))^{-1} - 2 \operatorname{Artanh}(e^{dx+c}) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csch(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2),x)

[Out] 1/d\*(a\*(-1/2\*csch(d\*x+c)\*coth(d\*x+c)+arctanh(exp(d\*x+c)))+b\*(1/cosh(d\*x+c)-2\*arctanh(exp(d\*x+c))))

**Maxima [B]** time = 1.1012, size = 205, normalized size = 4.02

$$\frac{1}{2} a \left( \frac{\log(e^{-dx-c} + 1)}{d} - \frac{\log(e^{-dx-c} - 1)}{d} + \frac{2(e^{-dx-c} + e^{-3dx-3c})}{d(2e^{-2dx-2c} - e^{-4dx-4c} - 1)} \right) - b \left( \frac{\log(e^{-dx-c} + 1)}{d} - \frac{\log(e^{-dx-c} - 1)}{d} - \frac{2e^{-dx-c}}{d(2e^{-2dx-2c} + 1)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2),x, algorithm="maxima")

[Out] 1/2\*a\*(log(e^(-d\*x - c) + 1)/d - log(e^(-d\*x - c) - 1)/d + 2\*(e^(-d\*x - c) + e^(-3\*d\*x - 3\*c))/(d\*(2\*e^(-2\*d\*x - 2\*c) - e^(-4\*d\*x - 4\*c) - 1))) - b\*(log(e^(-d\*x - c) + 1)/d - log(e^(-d\*x - c) - 1)/d - 2\*e^(-d\*x - c)/(d\*(e^(-2\*d\*x - 2\*c) + 1)))

**Fricas [B]** time = 2.21944, size = 2480, normalized size = 48.63

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2),x, algorithm="fricas")

[Out] -1/2\*(2\*(a - 2\*b)\*cosh(d\*x + c)^5 + 10\*(a - 2\*b)\*cosh(d\*x + c)\*sinh(d\*x + c)^4 + 2\*(a - 2\*b)\*sinh(d\*x + c)^5 + 4\*(a + 2\*b)\*cosh(d\*x + c)^3 + 4\*(5\*(a - 2\*b)\*cosh(d\*x + c)^2 + a + 2\*b)\*sinh(d\*x + c)^3 + 4\*(5\*(a - 2\*b)\*cosh(d\*x + c)^3 + 3\*(a + 2\*b)\*cosh(d\*x + c))\*sinh(d\*x + c)^2 + 2\*(a - 2\*b)\*cosh(d\*x

+ c) - ((a - 2\*b)\*cosh(d\*x + c)^6 + 6\*(a - 2\*b)\*cosh(d\*x + c)\*sinh(d\*x + c)^5 + (a - 2\*b)\*sinh(d\*x + c)^6 - (a - 2\*b)\*cosh(d\*x + c)^4 + (15\*(a - 2\*b)\*cosh(d\*x + c)^2 - a + 2\*b)\*sinh(d\*x + c)^4 + 4\*(5\*(a - 2\*b)\*cosh(d\*x + c)^3 - (a - 2\*b)\*cosh(d\*x + c))\*sinh(d\*x + c)^3 - (a - 2\*b)\*cosh(d\*x + c)^2 + (15\*(a - 2\*b)\*cosh(d\*x + c)^4 - 6\*(a - 2\*b)\*cosh(d\*x + c)^2 - a + 2\*b)\*sinh(d\*x + c)^2 + 2\*(3\*(a - 2\*b)\*cosh(d\*x + c)^5 - 2\*(a - 2\*b)\*cosh(d\*x + c)^3 - (a - 2\*b)\*cosh(d\*x + c))\*sinh(d\*x + c) + a - 2\*b)\*log(cosh(d\*x + c) + sinh(d\*x + c) + 1) + ((a - 2\*b)\*cosh(d\*x + c)^6 + 6\*(a - 2\*b)\*cosh(d\*x + c)\*sinh(d\*x + c)^5 + (a - 2\*b)\*sinh(d\*x + c)^6 - (a - 2\*b)\*cosh(d\*x + c)^4 + (15\*(a - 2\*b)\*cosh(d\*x + c)^2 - a + 2\*b)\*sinh(d\*x + c)^4 + 4\*(5\*(a - 2\*b)\*cosh(d\*x + c)^3 - (a - 2\*b)\*cosh(d\*x + c))\*sinh(d\*x + c)^3 - (a - 2\*b)\*cosh(d\*x + c)^2 + (15\*(a - 2\*b)\*cosh(d\*x + c)^4 - 6\*(a - 2\*b)\*cosh(d\*x + c)^2 - a + 2\*b)\*sinh(d\*x + c)^2 + 2\*(3\*(a - 2\*b)\*cosh(d\*x + c)^5 - 2\*(a - 2\*b)\*cosh(d\*x + c)^3 - (a - 2\*b)\*cosh(d\*x + c))\*sinh(d\*x + c) + a - 2\*b)\*log(cosh(d\*x + c) + sinh(d\*x + c) - 1) + 2\*(5\*(a - 2\*b)\*cosh(d\*x + c)^4 + 6\*(a + 2\*b)\*cosh(d\*x + c)^2 + a - 2\*b)\*sinh(d\*x + c))/(d\*cosh(d\*x + c)^6 + 6\*d\*cosh(d\*x + c)\*sinh(d\*x + c)^5 + d\*sinh(d\*x + c)^6 - d\*cosh(d\*x + c)^4 + (15\*d\*cosh(d\*x + c)^2 - d)\*sinh(d\*x + c)^4 + 4\*(5\*d\*cosh(d\*x + c)^3 - d\*cosh(d\*x + c))\*sinh(d\*x + c)^3 - d\*cosh(d\*x + c)^2 + (15\*d\*cosh(d\*x + c)^4 - 6\*d\*cosh(d\*x + c)^2 - d)\*sinh(d\*x + c)^2 + 2\*(3\*d\*cosh(d\*x + c)^5 - 2\*d\*cosh(d\*x + c)^3 - d\*cosh(d\*x + c))\*sinh(d\*x + c) + d)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (a + b \tanh^2(c + dx)) \operatorname{csch}^3(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*\*3\*(a+b\*tanh(d\*x+c)\*\*2), x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*2)\*csch(c + d\*x)\*\*3, x)

**Giac [B]** time = 1.20788, size = 153, normalized size = 3.

$$\frac{(ae^c - 2be^c)e^{(-c)} \log(e^{(dx+c)} + 1) - (ae^c - 2be^c)e^{(-c)} \log(|e^{(dx+c)} - 1|) + \frac{4be^{(dx+c)}}{e^{(2dx+2c)+1}} - \frac{2(ae^{(3dx+3c)} + ae^{(dx+c)})}{(e^{(2dx+2c)} - 1)^2}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(csch(d*x+c)^3*(a+b*tanh(d*x+c)^2),x, algorithm="giac")
```

```
[Out] 1/2*((a*e^c - 2*b*e^c)*e^(-c)*log(e^(d*x + c) + 1) - (a*e^c - 2*b*e^c)*e^(-c)*log(abs(e^(d*x + c) - 1)) + 4*b*e^(d*x + c)/(e^(2*d*x + 2*c) + 1) - 2*(a*e^(3*d*x + 3*c) + a*e^(d*x + c))/(e^(2*d*x + 2*c) - 1)^2)/d
```

### 3.8 $\int \operatorname{csch}^4(c + dx) (a + b \tanh^2(c + dx)) dx$

**Optimal.** Leaf size=44

$$\frac{(a - b) \operatorname{coth}(c + dx)}{d} - \frac{a \operatorname{coth}^3(c + dx)}{3d} - \frac{b \tanh(c + dx)}{d}$$

[Out]  $((a - b) \operatorname{Coth}[c + d*x])/d - (a \operatorname{Coth}[c + d*x]^3)/(3*d) - (b \operatorname{Tanh}[c + d*x])/d$

**Rubi [A]** time = 0.0431187, antiderivative size = 44, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$ , Rules used = {3663, 448}

$$\frac{(a - b) \operatorname{coth}(c + dx)}{d} - \frac{a \operatorname{coth}^3(c + dx)}{3d} - \frac{b \tanh(c + dx)}{d}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[\operatorname{Csch}[c + d*x]^4*(a + b*\operatorname{Tanh}[c + d*x]^2), x]$

[Out]  $((a - b) \operatorname{Coth}[c + d*x])/d - (a \operatorname{Coth}[c + d*x]^3)/(3*d) - (b \operatorname{Tanh}[c + d*x])/d$

#### Rule 3663

```
Int[sin[(e_.) + (f_.)*(x_)]^(m_.)*((a_.) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)]^(n_.))^(p_.), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff^(m + 1))/f, Subst[Int[(x^m*(a + b*(ff*x)^n)^p]/(c^2 + ff^2*x^2)^(m/2 + 1), x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2]
```

#### Rule 448

```
Int[((e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_)^(n_.))^(p_.)*((c_.) + (d_.)*(x_)^(n_.))^(q_.), x_Symbol] :> Int[ExpandIntegrand[(e*x)^m*(a + b*x^n)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, e, m, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[p, 0] && IGtQ[q, 0]
```

#### Rubi steps

$$\begin{aligned} \int \operatorname{csch}^4(c+dx)(a+b \tanh^2(c+dx)) dx &= \frac{\operatorname{Subst}\left(\int \frac{(1-x^2)(a+bx^2)}{x^4} dx, x, \tanh(c+dx)\right)}{d} \\ &= \frac{\operatorname{Subst}\left(\int \left(-b + \frac{a}{x^4} + \frac{-a+b}{x^2}\right) dx, x, \tanh(c+dx)\right)}{d} \\ &= \frac{(a-b) \operatorname{coth}(c+dx)}{d} - \frac{a \operatorname{coth}^3(c+dx)}{3d} - \frac{b \tanh(c+dx)}{d} \end{aligned}$$

**Mathematica [A]** time = 0.0678965, size = 61, normalized size = 1.39

$$\frac{2a \operatorname{coth}(c+dx)}{3d} - \frac{a \operatorname{coth}(c+dx) \operatorname{csch}^2(c+dx)}{3d} - \frac{b \tanh(c+dx)}{d} - \frac{b \operatorname{coth}(c+dx)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^2), x]

[Out] (2\*a\*Coth[c + d\*x])/(3\*d) - (b\*Coth[c + d\*x])/d - (a\*Coth[c + d\*x]\*Csch[c + d\*x]^2)/(3\*d) - (b\*Tanh[c + d\*x])/d

**Maple [A]** time = 0.046, size = 55, normalized size = 1.3

$$\frac{1}{d} \left( a \left( \frac{2}{3} - \frac{(\operatorname{csch}(dx+c))^2}{3} \right) \operatorname{coth}(dx+c) + b \left( -\frac{1}{\cosh(dx+c) \sinh(dx+c)} - 2 \tanh(dx+c) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csch(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2), x)

[Out] 1/d\*(a\*(2/3-1/3\*csch(d\*x+c)^2)\*coth(d\*x+c)+b\*(-1/sinh(d\*x+c)/cosh(d\*x+c)-2\*tanh(d\*x+c)))

**Maxima [B]** time = 1.16375, size = 153, normalized size = 3.48

$$\frac{4}{3} a \left( \frac{3e^{(-2dx-2c)}}{d(3e^{(-2dx-2c)} - 3e^{(-4dx-4c)} + e^{(-6dx-6c)} - 1)} - \frac{1}{d(3e^{(-2dx-2c)} - 3e^{(-4dx-4c)} + e^{(-6dx-6c)} - 1)} \right) + \frac{4b}{d(e^{(-4dx-4c)} - 1)}$$



Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csch(d*x+c)^4*(a+b*tanh(d*x+c)^2),x, algorithm="maxima")`

[Out]  $4/3*a*(3*e^{(-2*d*x - 2*c)}/(d*(3*e^{(-2*d*x - 2*c)} - 3*e^{(-4*d*x - 4*c)} + e^{(-6*d*x - 6*c)} - 1)) - 1/(d*(3*e^{(-2*d*x - 2*c)} - 3*e^{(-4*d*x - 4*c)} + e^{(-6*d*x - 6*c)} - 1))) + 4*b/(d*(e^{(-4*d*x - 4*c)} - 1))$

**Fricas [B]** time = 2.04028, size = 657, normalized size = 14.93

$$3 \left( d \cosh(dx + c)^6 + 6 d \cosh(dx + c) \sinh(dx + c)^5 + d \sinh(dx + c)^6 - 2 d \cosh(dx + c)^4 + (15 d \cosh(dx + c)^2 - 2 \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csch(d*x+c)^4*(a+b*tanh(d*x+c)^2),x, algorithm="fricas")`

[Out]  $-8/3*((a + 3*b)*\cosh(d*x + c)^2 + 4*a*\cosh(d*x + c)*\sinh(d*x + c) + (a + 3*b)*\sinh(d*x + c)^2 + a - 3*b)/(d*\cosh(d*x + c)^6 + 6*d*\cosh(d*x + c)*\sinh(d*x + c)^5 + d*\sinh(d*x + c)^6 - 2*d*\cosh(d*x + c)^4 + (15*d*\cosh(d*x + c)^2 - 2*d)*\sinh(d*x + c)^4 + 4*(5*d*\cosh(d*x + c)^3 - 2*d*\cosh(d*x + c))*\sinh(d*x + c)^3 - d*\cosh(d*x + c)^2 + (15*d*\cosh(d*x + c)^4 - 12*d*\cosh(d*x + c)^2 - d)*\sinh(d*x + c)^2 + 2*(3*d*\cosh(d*x + c)^5 - 4*d*\cosh(d*x + c)^3 + d*\cosh(d*x + c))*\sinh(d*x + c) + 2*d)$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (a + b \tanh^2(c + dx)) \operatorname{csch}^4(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csch(d*x+c)**4*(a+b*tanh(d*x+c)**2),x)`

[Out] `Integral((a + b*tanh(c + d*x)**2)*csch(c + d*x)**4, x)`

**Giac [A]** time = 1.2148, size = 108, normalized size = 2.45

$$\frac{2 \left( \frac{3b}{e^{2dx+2c}+1} - \frac{3be^{4dx+4c}+6ae^{2dx+2c}-6be^{2dx+2c}-2a+3b}{(e^{2dx+2c}-1)^3} \right)}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2),x, algorithm="giac")

[Out] 2/3\*(3\*b/(e^(2\*d\*x + 2\*c) + 1) - (3\*b\*e^(4\*d\*x + 4\*c) + 6\*a\*e^(2\*d\*x + 2\*c) - 6\*b\*e^(2\*d\*x + 2\*c) - 2\*a + 3\*b)/(e^(2\*d\*x + 2\*c) - 1)^3)/d

### 3.9 $\int \sinh^4(c + dx) (a + b \tanh^2(c + dx))^2 dx$

**Optimal.** Leaf size=118

$$-\frac{(a^2 + 10ab + 13b^2) \tanh(c + dx)}{4d} + \frac{1}{8}x(3a^2 + 30ab + 35b^2) + \frac{(a + b)^2 \sinh^4(c + dx) \tanh(c + dx)}{4d} - \frac{(a + b)(a + 9b)}{8d}$$

[Out]  $((3*a^2 + 30*a*b + 35*b^2)*x)/8 - ((a + b)*(a + 9*b)*Cosh[c + d*x]*Sinh[c + d*x])/(8*d) - ((a^2 + 10*a*b + 13*b^2)*Tanh[c + d*x])/(4*d) + ((a + b)^2*Sinh[c + d*x]^4*Tanh[c + d*x])/(4*d) - (b^2*Tanh[c + d*x]^3)/(3*d)$

**Rubi [A]** time = 0.132579, antiderivative size = 118, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {3663, 463, 455, 1153, 206}

$$-\frac{(a^2 + 10ab + 13b^2) \tanh(c + dx)}{4d} + \frac{1}{8}x(3a^2 + 30ab + 35b^2) + \frac{(a + b)^2 \sinh^4(c + dx) \tanh(c + dx)}{4d} - \frac{(a + b)(a + 9b)}{8d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Sinh}[c + d*x]^4*(a + b*\text{Tanh}[c + d*x]^2)^2, x]$

[Out]  $((3*a^2 + 30*a*b + 35*b^2)*x)/8 - ((a + b)*(a + 9*b)*Cosh[c + d*x]*Sinh[c + d*x])/(8*d) - ((a^2 + 10*a*b + 13*b^2)*Tanh[c + d*x])/(4*d) + ((a + b)^2*Sinh[c + d*x]^4*Tanh[c + d*x])/(4*d) - (b^2*Tanh[c + d*x]^3)/(3*d)$

#### Rule 3663

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]^{(m_.)}*((a_.) + (b_.)*((c_.)*\tan[(e_.) + (f_.)*(x_.)])^{(n_.)})^{(p_.)}, x\_Symbol] \text{ :> With}[\{ff = \text{FreeFactors}[\text{Tan}[e + f*x], x]\}, \text{Dist}[(c*ff^{(m + 1)})/f, \text{Subst}[\text{Int}[(x^m*(a + b*(ff*x)^n)^p]/(c^2 + ff^2*x^2)^{(m/2 + 1)}, x], x, (c*\text{Tan}[e + f*x])/ff], x]] \text{ /; FreeQ}\{a, b, c, e, f, n, p\}, x] \&\& \text{IntegerQ}[m/2]$

#### Rule 463

$\text{Int}[(e_.)*(x_.)^{(m_.)}*((a_.) + (b_.)*(x_.)^{(n_.)})^{(p_.)}*((c_.) + (d_.)*(x_.)^{(n_.)})^2, x\_Symbol] \text{ :> -Simp}[(b*c - a*d)^2*(e*x)^{(m + 1)}*(a + b*x^n)^{(p + 1)}/(a*b^2*e*n*(p + 1)), x] + \text{Dist}[1/(a*b^2*n*(p + 1)), \text{Int}[(e*x)^m*(a + b*x^n)^{(p + 1)}*\text{Simp}[(b*c - a*d)^2*(m + 1) + b^2*c^2*n*(p + 1) + a*b*d^2*n*(p + 1)*x^n, x], x], x] \text{ /; FreeQ}\{a, b, c, d, e, m, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\&$

IGtQ[n, 0] && LtQ[p, -1]

### Rule 455

```
Int[(x_)^(m_)*((a_) + (b_.)*(x_)^2)^(p_)*((c_) + (d_.)*(x_)^2), x_Symbol] :
> Simp[((-a)^(m/2 - 1)*(b*c - a*d)*x*(a + b*x^2)^(p + 1))/(2*b^(m/2 + 1)*(p
+ 1)), x] + Dist[1/(2*b^(m/2 + 1)*(p + 1)), Int[(a + b*x^2)^(p + 1)*Expand
ToSum[2*b*(p + 1)*x^2*Together[(b^(m/2)*x^(m - 2)*(c + d*x^2) - (-a)^(m/2 -
1)*(b*c - a*d))/(a + b*x^2)] - (-a)^(m/2 - 1)*(b*c - a*d), x], x] /; F
reeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1] && IGtQ[m/2, 0] &&
(IntegerQ[p] || EqQ[m + 2*p + 1, 0])
```

### Rule 1153

```
Int[((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.),
x_Symbol] :=> Int[ExpandIntegrand[(d + e*x^2)^q*(a + b*x^2 + c*x^4)^p, x],
x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e
+ a*e^2, 0] && IGtQ[p, 0] && IGtQ[q, -2]
```

### Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :=> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

### Rubi steps

$$\begin{aligned}
\int \sinh^4(c+dx) (a+b \tanh^2(c+dx))^2 dx &= \frac{\text{Subst} \left( \int \frac{x^4(a+bx^2)^2}{(1-x^2)^3} dx, x, \tanh(c+dx) \right)}{d} \\
&= \frac{(a+b)^2 \sinh^4(c+dx) \tanh(c+dx)}{4d} - \frac{\text{Subst} \left( \int \frac{x^4(a^2+10ab+5b^2+4b^2x^2)}{(1-x^2)^2} dx, x \right)}{4d} \\
&= -\frac{(a+b)(a+9b) \cosh(c+dx) \sinh(c+dx)}{8d} + \frac{(a+b)^2 \sinh^4(c+dx) \tanh(c+dx)}{4d} \\
&= -\frac{(a+b)(a+9b) \cosh(c+dx) \sinh(c+dx)}{8d} + \frac{(a+b)^2 \sinh^4(c+dx) \tanh(c+dx)}{4d} \\
&= -\frac{(a+b)(a+9b) \cosh(c+dx) \sinh(c+dx)}{8d} - \frac{(a^2+10ab+13b^2) \tanh(c+dx)}{4d} \\
&= \frac{1}{8} (3a^2+30ab+35b^2)x - \frac{(a+b)(a+9b) \cosh(c+dx) \sinh(c+dx)}{8d} - \frac{(a^2+10ab+13b^2) \tanh(c+dx)}{4d}
\end{aligned}$$

**Mathematica [A]** time = 1.37418, size = 94, normalized size = 0.8

$$\frac{12(3a^2+30ab+35b^2)(c+dx) - 24(a^2+4ab+3b^2)\sinh(2(c+dx)) + 3(a+b)^2\sinh(4(c+dx)) + 32b\tanh(c+dx)}{96d}$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] (12\*(3\*a^2 + 30\*a\*b + 35\*b^2)\*(c + d\*x) - 24\*(a^2 + 4\*a\*b + 3\*b^2)\*Sinh[2\*(c + d\*x)] + 3\*(a + b)^2\*Sinh[4\*(c + d\*x)] + 32\*b\*(-6\*a - 10\*b + b\*Sech[c + d\*x]^2)\*Tanh[c + d\*x])/(96\*d)

**Maple [A]** time = 0.049, size = 166, normalized size = 1.4

$$\frac{1}{d} \left( a^2 \left( \left( \frac{(\sinh(dx+c))^3}{4} - \frac{3 \sinh(dx+c)}{8} \right) \cosh(dx+c) + \frac{3dx}{8} + \frac{3c}{8} \right) + 2ab \left( \frac{1}{4} \frac{(\sinh(dx+c))^5}{\cosh(dx+c)} - \frac{5}{8} \frac{\sinh(dx+c)}{\cosh(dx+c)} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2)^2,x)

[Out]  $\frac{1}{d} \cdot (a^2 \cdot ((\frac{1}{4} \sinh(dx+c)^3 - \frac{3}{8} \sinh(dx+c)) \cdot \cosh(dx+c) + \frac{3}{8} dx + \frac{3}{8} c) + 2 \cdot a \cdot b \cdot (\frac{1}{4} \sinh(dx+c)^5 / \cosh(dx+c) - \frac{5}{8} \sinh(dx+c)^3 / \cosh(dx+c) + \frac{15}{8} dx + \frac{5}{8} c - \frac{15}{8} \tanh(dx+c)) + b^2 \cdot (\frac{1}{4} \sinh(dx+c)^7 / \cosh(dx+c)^3 - \frac{7}{8} \sinh(dx+c)^5 / \cosh(dx+c)^3 + \frac{35}{8} dx + \frac{35}{8} c - \frac{35}{8} \tanh(dx+c) - \frac{35}{24} \tanh(dx+c)^3))$

**Maxima [B]** time = 1.11824, size = 398, normalized size = 3.37

$$\frac{1}{64} a^2 \left( 24x + \frac{e^{4dx+4c}}{d} - \frac{8e^{2dx+2c}}{d} + \frac{8e^{-2dx-2c}}{d} - \frac{e^{-4dx-4c}}{d} \right) + \frac{1}{192} b^2 \left( \frac{840(dx+c)}{d} + \frac{3(24e^{-2dx-2c} - e^{-4dx-4c})}{d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(dx+c)^4\*(a+b\*tanh(dx+c)^2)^2,x, algorithm="maxima")

[Out]  $\frac{1}{64} a^2 \cdot (24 \cdot x + \frac{e^{4 \cdot dx + 4 \cdot c}}{d} - \frac{8 \cdot e^{2 \cdot dx + 2 \cdot c}}{d} + \frac{8 \cdot e^{-2 \cdot dx - 2 \cdot c}}{d} - \frac{e^{-4 \cdot dx - 4 \cdot c}}{d}) + \frac{1}{192} b^2 \cdot (\frac{840 \cdot (dx + c)}{d} + \frac{3 \cdot (24 \cdot e^{-2 \cdot dx - 2 \cdot c} - e^{-4 \cdot dx - 4 \cdot c})}{d} - \frac{63 \cdot e^{-2 \cdot dx - 2 \cdot c} + 1487 \cdot e^{-4 \cdot dx - 4 \cdot c} + 2517 \cdot e^{-6 \cdot dx - 6 \cdot c} + 1608 \cdot e^{-8 \cdot dx - 8 \cdot c} - 3}{d \cdot (e^{-4 \cdot dx - 4 \cdot c} + 3 \cdot e^{-6 \cdot dx - 6 \cdot c} + 3 \cdot e^{-8 \cdot dx - 8 \cdot c} + e^{-10 \cdot dx - 10 \cdot c})}) + \frac{1}{32} a \cdot b \cdot (\frac{120 \cdot (dx + c)}{d} + \frac{16 \cdot e^{-2 \cdot dx - 2 \cdot c} - e^{-4 \cdot dx - 4 \cdot c}}{d} - \frac{15 \cdot e^{-2 \cdot dx - 2 \cdot c} + 144 \cdot e^{-4 \cdot dx - 4 \cdot c} - 1}{d \cdot (e^{-4 \cdot dx - 4 \cdot c} + e^{-6 \cdot dx - 6 \cdot c})})$

**Fricas [B]** time = 2.06828, size = 1021, normalized size = 8.65

$$3(a^2 + 2ab + b^2) \sinh(dx+c)^7 + 3(21(a^2 + 2ab + b^2) \cosh(dx+c)^2 - 5a^2 - 26ab - 21b^2) \sinh(dx+c)^5 + 8(3(3a^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(dx+c)^4\*(a+b\*tanh(dx+c)^2)^2,x, algorithm="fricas")

[Out]  $\frac{1}{192} \cdot (3 \cdot (a^2 + 2 \cdot a \cdot b + b^2) \cdot \sinh(dx+c)^7 + 3 \cdot (21 \cdot (a^2 + 2 \cdot a \cdot b + b^2) \cdot \cosh(dx+c)^2 - 5 \cdot a^2 - 26 \cdot a \cdot b - 21 \cdot b^2) \cdot \sinh(dx+c)^5 + 8 \cdot (3 \cdot (3 \cdot a^2 + 30 \cdot a \cdot b + 35 \cdot b^2) \cdot dx + 48 \cdot a \cdot b + 80 \cdot b^2) \cdot \cosh(dx+c)^3 + 24 \cdot (3 \cdot (3 \cdot a^2 + 30 \cdot a \cdot b + 35 \cdot b^2) \cdot dx + 48 \cdot a \cdot b + 80 \cdot b^2) \cdot \cosh(dx+c) \cdot \sinh(dx+c)^2 + (105 \cdot (a^2 + 2 \cdot a \cdot b + b^2) \cdot \cosh(dx+c)^4 - 30 \cdot (5 \cdot a^2 + 26 \cdot a \cdot b + 21 \cdot b^2) \cdot \cosh(dx+c)^2 - 63 \cdot a^2 - 654 \cdot a \cdot b - 847 \cdot b^2) \cdot \sinh(dx+c)^3 + 24 \cdot (3 \cdot (3 \cdot a^2 + 30 \cdot a \cdot b + 35 \cdot b^2) \cdot dx + 48 \cdot a \cdot b + 80 \cdot b^2) \cdot \cosh(dx+c) + 3 \cdot (7 \cdot (a^2 + 2 \cdot a \cdot b + b^2) \cdot$

$$\frac{\cosh(dx + c)^6 - 5(5a^2 + 26ab + 21b^2)\cosh(dx + c)^4 - (63a^2 + 654ab + 847b^2)\cosh(dx + c)^2 - 15a^2 - 190ab - 175b^2)\sinh(dx + c)}{(d\cosh(dx + c)^3 + 3d\cosh(dx + c)\sinh(dx + c)^2 + 3d\cosh(dx + c))}$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(dx+c)\*\*4\*(a+b\*tanh(dx+c)\*\*2)\*\*2,x)

[Out] Timed out

**Giac [B]** time = 1.72564, size = 398, normalized size = 3.37

$$24(3a^2 + 30ab + 35b^2)dx - 3(18a^2e^{4dx+4c} + 180abe^{4dx+4c} + 210b^2e^{4dx+4c} - 8a^2e^{2dx+2c} - 32abe^{2dx+2c} - 24b^2e^{2dx+2c})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(dx+c)^4\*(a+b\*tanh(dx+c)^2)^2,x, algorithm="giac")

[Out]  $\frac{1}{192}(24(3a^2 + 30ab + 35b^2)d^2x - 3(18a^2e^{4dx+4c} + 180ab^2e^{4dx+4c} + 210b^2e^{4dx+4c} - 8a^2e^{2dx+2c} - 32ab^2e^{2dx+2c} - 24b^2e^{2dx+2c}) + a^2 + 2ab + b^2)e^{-4dx-4c} + 3(a^2e^{4dx+28c} + 2ab^2e^{4dx+28c} + b^2e^{4dx+28c}) - 8a^2e^{2dx+26c} - 32ab^2e^{2dx+26c} - 24b^2e^{2dx+26c})e^{-24c} + 256(3ab^2e^{4dx+4c} + 6b^2e^{4dx+4c} + 6ab^2e^{2dx+2c} + 9b^2e^{2dx+2c}) + 3ab + 5b^2)/(e^{2dx+2c} + 1)^3/d$

### 3.10 $\int \sinh^3(c + dx) (a + b \tanh^2(c + dx))^2 dx$

**Optimal.** Leaf size=77

$$\frac{(a+b)^2 \cosh^3(c+dx)}{3d} - \frac{(a+b)(a+3b) \cosh(c+dx)}{d} - \frac{b(2a+3b) \operatorname{sech}(c+dx)}{d} + \frac{b^2 \operatorname{sech}^3(c+dx)}{3d}$$

[Out] -(((a + b)\*(a + 3\*b)\*Cosh[c + d\*x])/d) + ((a + b)^2\*Cosh[c + d\*x]^3)/(3\*d) - (b\*(2\*a + 3\*b)\*Sech[c + d\*x])/d + (b^2\*Sech[c + d\*x]^3)/(3\*d)

**Rubi [A]** time = 0.0978984, antiderivative size = 77, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {3664, 448}

$$\frac{(a+b)^2 \cosh^3(c+dx)}{3d} - \frac{(a+b)(a+3b) \cosh(c+dx)}{d} - \frac{b(2a+3b) \operatorname{sech}(c+dx)}{d} + \frac{b^2 \operatorname{sech}^3(c+dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[Sinh[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] -(((a + b)\*(a + 3\*b)\*Cosh[c + d\*x])/d) + ((a + b)^2\*Cosh[c + d\*x]^3)/(3\*d) - (b\*(2\*a + 3\*b)\*Sech[c + d\*x])/d + (b^2\*Sech[c + d\*x]^3)/(3\*d)

#### Rule 3664

```
Int[sin[(e_.) + (f_.)*(x_)]^(m_.)*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]^2)^(p_.), x_Symbol] := With[{ff = FreeFactors[Sec[e + f*x], x]}, Dist[1/(f*ff^m), Subst[Int[((-1 + ff^2*x^2)^((m - 1)/2)*(a - b + b*ff^2*x^2)^p)/x^(m + 1), x], x, Sec[e + f*x]/ff, x] /; FreeQ[{a, b, e, f, p}, x] && IntegerQ[(m - 1)/2]
```

#### Rule 448

```
Int[((e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_)^(n_))^(p_.)*((c_.) + (d_.)*(x_)^(n_))^(q_.), x_Symbol] := Int[ExpandIntegrand[(e*x)^m*(a + b*x^n)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, e, m, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[q, 0]
```

#### Rubi steps



$$\begin{aligned}
\int \sinh^3(c+dx) (a+b \tanh^2(c+dx))^2 dx &= \frac{\text{Subst}\left(\int \frac{(-1+x^2)(a+b-bx^2)^2}{x^4} dx, x, \text{sech}(c+dx)\right)}{d} \\
&= \frac{\text{Subst}\left(\int \left(-b(2a+3b) - \frac{(a+b)^2}{x^4} + \frac{(a+b)(a+3b)}{x^2} + b^2x^2\right) dx, x, \text{sech}(c+dx)\right)}{d} \\
&= -\frac{(a+b)(a+3b) \cosh(c+dx)}{d} + \frac{(a+b)^2 \cosh^3(c+dx)}{3d} - \frac{b(2a+3b) \text{sech}(c+dx)}{d}
\end{aligned}$$

**Mathematica [A]** time = 0.516529, size = 71, normalized size = 0.92

$$\frac{-3(3a^2 + 14ab + 11b^2) \cosh(c+dx) + (a+b)^2 \cosh(3(c+dx)) + 4b \text{sech}(c+dx) (-6a + b \text{sech}^2(c+dx) - 9b)}{12d}$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] (-3\*(3\*a^2 + 14\*a\*b + 11\*b^2)\*Cosh[c + d\*x] + (a + b)^2\*Cosh[3\*(c + d\*x)] + 4\*b\*Sech[c + d\*x]\*(-6\*a - 9\*b + b\*Sech[c + d\*x]^2))/(12\*d)

**Maple [B]** time = 0.052, size = 162, normalized size = 2.1

$$\frac{1}{d} \left( a^2 \left( -\frac{2}{3} + \frac{(\sinh(dx+c))^2}{3} \right) \cosh(dx+c) + 2ab \left( \frac{1}{3} \frac{(\sinh(dx+c))^4}{\cosh(dx+c)} + \frac{4}{3} \frac{(\sinh(dx+c))^2}{\cosh(dx+c)} - \frac{8}{3} \cosh(dx+c) \right) + b^2 \left( \frac{1}{3} \frac{(\sinh(dx+c))^6}{\cosh(dx+c)^3} - \frac{2}{3} \frac{(\sinh(dx+c))^4}{\cosh(dx+c)} - \frac{8}{3} \frac{(\sinh(dx+c))^2}{\cosh(dx+c)} - \frac{16}{3} \cosh(dx+c) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2)^2,x)

[Out] 1/d\*(a^2\*(-2/3+1/3\*sinh(d\*x+c)^2)\*cosh(d\*x+c)+2\*a\*b\*(1/3\*sinh(d\*x+c)^4/cosh(d\*x+c)+4/3\*sinh(d\*x+c)^2/cosh(d\*x+c)-8/3\*cosh(d\*x+c))+b^2\*(1/3\*sinh(d\*x+c)^6/cosh(d\*x+c)^3-2\*sinh(d\*x+c)^4/cosh(d\*x+c)^3-8/3\*sinh(d\*x+c)^2/cosh(d\*x+c)^3+16/3\*sinh(d\*x+c)^2/cosh(d\*x+c)-16/3\*cosh(d\*x+c)))

**Maxima [B]** time = 1.19186, size = 358, normalized size = 4.65

$$-\frac{1}{24} b^2 \left( \frac{33 e^{(-dx-c)} - e^{(-3dx-3c)}}{d} + \frac{30 e^{(-2dx-2c)} + 240 e^{(-4dx-4c)} + 322 e^{(-6dx-6c)} + 177 e^{(-8dx-8c)} - 1}{d(e^{(-3dx-3c)} + 3 e^{(-5dx-5c)} + 3 e^{(-7dx-7c)} + e^{(-9dx-9c)})} \right) - \frac{1}{12} ab \left( \frac{21 e^{(-dx-c)}}{d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="maxima")

[Out] -1/24\*b^2\*((33\*e^(-d\*x - c) - e^(-3\*d\*x - 3\*c))/d + (30\*e^(-2\*d\*x - 2\*c) + 240\*e^(-4\*d\*x - 4\*c) + 322\*e^(-6\*d\*x - 6\*c) + 177\*e^(-8\*d\*x - 8\*c) - 1)/(d\*(e^(-3\*d\*x - 3\*c) + 3\*e^(-5\*d\*x - 5\*c) + 3\*e^(-7\*d\*x - 7\*c) + e^(-9\*d\*x - 9\*c)))) - 1/12\*a\*b\*((21\*e^(-d\*x - c) - e^(-3\*d\*x - 3\*c))/d + (20\*e^(-2\*d\*x - 2\*c) + 69\*e^(-4\*d\*x - 4\*c) - 1)/(d\*(e^(-3\*d\*x - 3\*c) + e^(-5\*d\*x - 5\*c)))) + 1/24\*a^2\*(e^(3\*d\*x + 3\*c)/d - 9\*e^(d\*x + c)/d - 9\*e^(-d\*x - c)/d + e^(-3\*d\*x - 3\*c)/d)

**Fricas [B]** time = 2.05485, size = 664, normalized size = 8.62

$$\frac{(a^2 + 2ab + b^2) \cosh(dx + c)^6 + (a^2 + 2ab + b^2) \sinh(dx + c)^6 - 6(a^2 + 6ab + 5b^2) \cosh(dx + c)^4 + 3(5(a^2 + 2ab + b^2) \cosh(dx + c)^2 - 2a^2 - 12ab - 10b^2) \sinh(dx + c)^4 - 3(11a^2 + 86ab + 91b^2) \cosh(dx + c)^2 + 3(5(a^2 + 2ab + b^2) \cosh(dx + c)^2 - 12(a^2 + 6ab + 5b^2) \cosh(dx + c) - 11a^2 - 86ab - 91b^2) \sinh(dx + c)^2 - 26a^2 - 220ab - 210b^2}{(d \cosh(dx + c)^3 + 3d \cosh(dx + c) \sinh(dx + c))^2 + 3d \cosh(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out] 1/24\*((a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^6 + (a^2 + 2\*a\*b + b^2)\*sinh(d\*x + c)^6 - 6\*(a^2 + 6\*a\*b + 5\*b^2)\*cosh(d\*x + c)^4 + 3\*(5\*(a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^2 - 2\*a^2 - 12\*a\*b - 10\*b^2)\*sinh(d\*x + c)^4 - 3\*(11\*a^2 + 86\*a\*b + 91\*b^2)\*cosh(d\*x + c)^2 + 3\*(5\*(a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^2 - 12\*(a^2 + 6\*a\*b + 5\*b^2)\*cosh(d\*x + c) - 11\*a^2 - 86\*a\*b - 91\*b^2)\*sinh(d\*x + c)^2 - 26\*a^2 - 220\*a\*b - 210\*b^2)/(d\*cosh(d\*x + c)^3 + 3\*d\*cosh(d\*x + c)\*sinh(d\*x + c)^2 + 3\*d\*cosh(d\*x + c))

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)\*\*3\*(a+b\*tanh(d\*x+c)\*\*2)\*\*2,x)

[Out] Timed out

**Giac [B]** time = 1.64637, size = 392, normalized size = 5.09

$$\left(a^2 e^{(3dx+36c)} + 2abe^{(3dx+36c)} + b^2 e^{(3dx+36c)} - 9a^2 e^{(dx+34c)} - 42abe^{(dx+34c)} - 33b^2 e^{(dx+34c)}\right) e^{(-33c)} - \frac{(9a^2 e^{(8dx+8c)} + 138abe^{(8a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

$$\begin{aligned} & [Out] \frac{1}{24} \left( (a^2 e^{(3dx+36c)} + 2ab e^{(3dx+36c)} + b^2 e^{(3dx+36c)} - 9a^2 e^{(dx+34c)} - 42ab e^{(dx+34c)} - 33b^2 e^{(dx+34c)}) e^{(-33c)} \right. \\ & - (9a^2 e^{(8dx+8c)} + 138ab e^{(8dx+8c)} + 177b^2 e^{(8dx+8c)} + 26a^2 e^{(6dx+6c)} + 316ab e^{(6dx+6c)} + 322b^2 e^{(6dx+6c)} \\ & + 24a^2 e^{(4dx+4c)} + 216ab e^{(4dx+4c)} + 240b^2 e^{(4dx+4c)} + 6a^2 e^{(2dx+2c)} + 36ab e^{(2dx+2c)} + 30b^2 e^{(2dx+2c)} \\ & \left. - a^2 - 2ab - b^2) e^{(-3c)} / (e^{(3dx+2c)} + e^{(dx)})^3 \right) / d \end{aligned}$$

### 3.11 $\int \sinh^2(c + dx) (a + b \tanh^2(c + dx))^2 dx$

**Optimal.** Leaf size=79

$$\frac{(a+b)(a+5b)\tanh(c+dx)}{2d} + \frac{(a+b)^2\sinh^2(c+dx)\tanh(c+dx)}{2d} - \frac{1}{2}x(a+b)(a+5b) + \frac{b^2\tanh^3(c+dx)}{3d}$$

[Out]  $-\frac{(a+b)(a+5b)x}{2} + \frac{(a+b)(a+5b)\operatorname{Tanh}[c+dx]}{2d} + \frac{(a+b)^2\operatorname{Sinh}[c+dx]^2\operatorname{Tanh}[c+dx]}{2d} + \frac{b^2\operatorname{Tanh}[c+dx]^3}{3d}$

**Rubi [A]** time = 0.110672, antiderivative size = 79, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {3663, 463, 459, 321, 206}

$$\frac{(a+b)(a+5b)\tanh(c+dx)}{2d} + \frac{(a+b)^2\sinh^2(c+dx)\tanh(c+dx)}{2d} - \frac{1}{2}x(a+b)(a+5b) + \frac{b^2\tanh^3(c+dx)}{3d}$$

Antiderivative was successfully verified.

[In] `Int[Sinh[c + d*x]^2*(a + b*Tanh[c + d*x]^2)^2,x]`

[Out]  $-\frac{(a+b)(a+5b)x}{2} + \frac{(a+b)(a+5b)\operatorname{Tanh}[c+dx]}{2d} + \frac{(a+b)^2\operatorname{Sinh}[c+dx]^2\operatorname{Tanh}[c+dx]}{2d} + \frac{b^2\operatorname{Tanh}[c+dx]^3}{3d}$

#### Rule 3663

```
Int[sin[(e_.) + (f_.)*(x_)]^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)]))^(n_.)]^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff^(m + 1))/f, Subst[Int[(x^m*(a + b*(ff*x)^n)^p]/(c^2 + ff^2*x^2)^(m/2 + 1), x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2]
```

#### Rule 463

```
Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_.)*((c_) + (d_.)*(x_)^(n_.))^(2), x_Symbol] := -Simp[((b*c - a*d)^2*(e*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*b^2*e*n*(p + 1)), x] + Dist[1/(a*b^2*n*(p + 1)), Int[(e*x)^m*(a + b*x^n)^(p + 1)*Simp[(b*c - a*d)^2*(m + 1) + b^2*c^2*n*(p + 1) + a*b*d^2*n*(p + 1)*x^n, x], x] /; FreeQ[{a, b, c, d, e, m, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 459

Int[((e\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_)\*(x\_)^(n\_)), x\_Symbol] := Simp[(d\*(e\*x)^(m + 1)\*(a + b\*x^n)^(p + 1))/(b\*e\*(m + n\*(p + 1) + 1)), x] - Dist[(a\*d\*(m + 1) - b\*c\*(m + n\*(p + 1) + 1))/(b\*(m + n\*(p + 1) + 1)), Int[(e\*x)^m\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, m, n, p}, x] && NeQ[b\*c - a\*d, 0] && NeQ[m + n\*(p + 1) + 1, 0]

Rule 321

Int[((c\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(c^(n - 1)\*(c\*x)^(m - n + 1)\*(a + b\*x^n)^(p + 1))/(b\*(m + n\*p + 1)), x] - Dist[(a\*c^n\*(m - n + 1))/(b\*(m + n\*p + 1)), Int[(c\*x)^(m - n)\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n\*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[Rt[-b, 2]\*x]/Rt[a, 2])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned} \int \sinh^2(c + dx) (a + b \tanh^2(c + dx))^2 dx &= \frac{\text{Subst}\left(\int \frac{x^2(a+bx^2)^2}{(1-x^2)^2} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{(a + b)^2 \sinh^2(c + dx) \tanh(c + dx)}{2d} - \frac{\text{Subst}\left(\int \frac{x^2(a^2+6ab+3b^2+2b^2x^2)}{1-x^2} dx, x, \tanh(c + dx)\right)}{2d} \\ &= \frac{(a + b)^2 \sinh^2(c + dx) \tanh(c + dx)}{2d} + \frac{b^2 \tanh^3(c + dx)}{3d} - \frac{((a + b)(a + 5b) \tanh(c + dx))}{2d} \\ &= \frac{(a + b)(a + 5b) \tanh(c + dx)}{2d} + \frac{(a + b)^2 \sinh^2(c + dx) \tanh(c + dx)}{2d} + \frac{b^2 \tanh^3(c + dx)}{3d} \\ &= -\frac{1}{2}(a + b)(a + 5b)x + \frac{(a + b)(a + 5b) \tanh(c + dx)}{2d} + \frac{(a + b)^2 \sinh^2(c + dx) \tanh(c + dx)}{2d} \end{aligned}$$

**Mathematica [A]** time = 0.849773, size = 70, normalized size = 0.89

$$\frac{-6(a^2 + 6ab + 5b^2)(c + dx) + 3(a + b)^2 \sinh(2(c + dx)) + 4b \tanh(c + dx) (6a - b \operatorname{sech}^2(c + dx) + 7b)}{12d}$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]^2\*(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out]  $(-6*(a^2 + 6*a*b + 5*b^2)*(c + d*x) + 3*(a + b)^2*\text{Sinh}[2*(c + d*x)] + 4*b*(6*a + 7*b - b*\text{Sech}[c + d*x]^2)*\text{Tanh}[c + d*x])/(12*d)$

**Maple [A]** time = 0.05, size = 118, normalized size = 1.5

$$\frac{1}{d} \left( a^2 \left( \frac{\cosh(dx+c) \sinh(dx+c)}{2} - \frac{dx}{2} - \frac{c}{2} \right) + 2ab \left( \frac{1}{2} \frac{(\sinh(dx+c))^3}{\cosh(dx+c)} - \frac{3}{2} dx - \frac{3}{2} c + \frac{3}{2} \tanh(dx+c) \right) + b^2 \left( \frac{\sinh(dx+c)}{2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2)^2,x)

[Out]  $1/d*(a^2*(1/2*\cosh(d*x+c)*\sinh(d*x+c)-1/2*d*x-1/2*c)+2*a*b*(1/2*\sinh(d*x+c)^3/\cosh(d*x+c)-3/2*d*x-3/2*c+3/2*\tanh(d*x+c))+b^2*(1/2*\sinh(d*x+c)^5/\cosh(d*x+c)^3-5/2*d*x-5/2*c+5/2*\tanh(d*x+c)+5/6*\tanh(d*x+c)^3))$

**Maxima [B]** time = 1.24277, size = 293, normalized size = 3.71

$$-\frac{1}{8} a^2 \left( 4x - \frac{e^{(2dx+2c)}}{d} + \frac{e^{(-2dx-2c)}}{d} \right) - \frac{1}{24} b^2 \left( \frac{60(dx+c)}{d} + \frac{3e^{(-2dx-2c)}}{d} - \frac{121e^{(-2dx-2c)} + 201e^{(-4dx-4c)} + 147e^{(-6dx-6c)}}{d(e^{(-2dx-2c)} + 3e^{(-4dx-4c)} + 3e^{(-6dx-6c)} + e^{(-8dx-8c)})} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="maxima")

[Out]  $-1/8*a^2*(4*x - e^{(2*d*x + 2*c)}/d + e^{(-2*d*x - 2*c)}/d) - 1/24*b^2*(60*(d*x + c)/d + 3*e^{(-2*d*x - 2*c)}/d - (121*e^{(-2*d*x - 2*c)} + 201*e^{(-4*d*x - 4*c)} + 147*e^{(-6*d*x - 6*c)} + 3)/(d*(e^{(-2*d*x - 2*c)} + 3*e^{(-4*d*x - 4*c)} + 3*e^{(-6*d*x - 6*c)} + e^{(-8*d*x - 8*c)})) - 1/4*a*b*(12*(d*x + c)/d + e^{(-2*d*x - 2*c)}/d - (17*e^{(-2*d*x - 2*c)} + 1)/(d*(e^{(-2*d*x - 2*c)} + e^{(-4*d*x - 4*c)})))$

**Fricas [B]** time = 2.05911, size = 747, normalized size = 9.46

$$\frac{3(a^2 + 2ab + b^2)\sinh(dx + c)^5 - 4(3(a^2 + 6ab + 5b^2)dx + 12ab + 14b^2)\cosh(dx + c)^3 - 12(3(a^2 + 6ab + 5b^2)dx + 12ab + 14b^2)\cosh(dx + c)\sinh(dx + c)^2 + (30(a^2 + 2ab + b^2)\cosh(dx + c)^2 + 9a^2 + 66ab + 65b^2)\sinh(dx + c)^3 - 12(3(a^2 + 6ab + 5b^2)dx + 12ab + 14b^2)\cosh(dx + c) + 3(5(a^2 + 2ab + b^2)\cosh(dx + c)^4 + (9a^2 + 66ab + 65b^2)\cosh(dx + c)^2 + 2a^2 + 20ab + 10b^2)\sinh(dx + c))/(d\cosh(dx + c)^3 + 3d\cosh(dx + c)\sinh(dx + c)^2 + 3d\cosh(dx + c))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out] 1/24\*(3\*(a^2 + 2\*a\*b + b^2)\*sinh(d\*x + c)^5 - 4\*(3\*(a^2 + 6\*a\*b + 5\*b^2)\*d\*x + 12\*a\*b + 14\*b^2)\*cosh(d\*x + c)^3 - 12\*(3\*(a^2 + 6\*a\*b + 5\*b^2)\*d\*x + 12\*a\*b + 14\*b^2)\*cosh(d\*x + c)\*sinh(d\*x + c)^2 + (30\*(a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^2 + 9\*a^2 + 66\*a\*b + 65\*b^2)\*sinh(d\*x + c)^3 - 12\*(3\*(a^2 + 6\*a\*b + 5\*b^2)\*d\*x + 12\*a\*b + 14\*b^2)\*cosh(d\*x + c) + 3\*(5\*(a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^4 + (9\*a^2 + 66\*a\*b + 65\*b^2)\*cosh(d\*x + c)^2 + 2\*a^2 + 20\*a\*b + 10\*b^2)\*sinh(d\*x + c))/(d\*cosh(d\*x + c)^3 + 3\*d\*cosh(d\*x + c)\*sinh(d\*x + c)^2 + 3\*d\*cosh(d\*x + c))

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (a + b \tanh^2(c + dx))^2 \sinh^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)\*\*2\*(a+b\*tanh(d\*x+c)\*\*2)\*\*2,x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*2)\*\*2\*sinh(c + d\*x)\*\*2, x)

**Giac [B]** time = 1.4646, size = 290, normalized size = 3.67

$$12(a^2 + 6ab + 5b^2)dx - 3(2a^2e^{(2dx+2c)} + 12abe^{(2dx+2c)} + 10b^2e^{(2dx+2c)} - a^2 - 2ab - b^2)e^{(-2dx-2c)} - 3(a^2e^{(2dx+12c)} - 24d)$$

24d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

```
[Out] -1/24*(12*(a^2 + 6*a*b + 5*b^2)*d*x - 3*(2*a^2*e^(2*d*x + 2*c) + 12*a*b*e^(
2*d*x + 2*c) + 10*b^2*e^(2*d*x + 2*c) - a^2 - 2*a*b - b^2)*e^(-2*d*x - 2*c)
- 3*(a^2*e^(2*d*x + 12*c) + 2*a*b*e^(2*d*x + 12*c) + b^2*e^(2*d*x + 12*c))
*e^(-10*c) + 16*(6*a*b*e^(4*d*x + 4*c) + 9*b^2*e^(4*d*x + 4*c) + 12*a*b*e^(
2*d*x + 2*c) + 12*b^2*e^(2*d*x + 2*c) + 6*a*b + 7*b^2)/(e^(2*d*x + 2*c) + 1
)^3)/d
```



### 3.12 $\int \sinh(c + dx) (a + b \tanh^2(c + dx))^2 dx$

**Optimal.** Leaf size=49

$$\frac{(a+b)^2 \cosh(c+dx)}{d} + \frac{2b(a+b)\operatorname{sech}(c+dx)}{d} - \frac{b^2 \operatorname{sech}^3(c+dx)}{3d}$$

[Out]  $((a + b)^2 \operatorname{Cosh}[c + d*x])/d + (2*b*(a + b)*\operatorname{Sech}[c + d*x])/d - (b^2*\operatorname{Sech}[c + d*x]^3)/(3*d)$

**Rubi [A]** time = 0.0532368, antiderivative size = 49, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$ , Rules used = {3664, 270}

$$\frac{(a+b)^2 \cosh(c+dx)}{d} + \frac{2b(a+b)\operatorname{sech}(c+dx)}{d} - \frac{b^2 \operatorname{sech}^3(c+dx)}{3d}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[\operatorname{Sinh}[c + d*x]*(a + b*\operatorname{Tanh}[c + d*x]^2)^2, x]$

[Out]  $((a + b)^2 \operatorname{Cosh}[c + d*x])/d + (2*b*(a + b)*\operatorname{Sech}[c + d*x])/d - (b^2*\operatorname{Sech}[c + d*x]^3)/(3*d)$

#### Rule 3664

```
Int[sin[(e_.) + (f_.)*(x_.)]^(m_.)*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)]^2)^(p_.), x_Symbol] :> With[{ff = FreeFactors[Sec[e + f*x], x]}, Dist[1/(f*ff^m), Subst[Int[(-1 + ff^2*x^2)^((m - 1)/2)*(a - b + b*ff^2*x^2)^p]/x^(m + 1), x], x, Sec[e + f*x]/ff, x]] /; FreeQ[{a, b, e, f, p}, x] && IntegerQ[(m - 1)/2]
```

#### Rule 270

```
Int[((c_.)*(x_.))^(m_.)*((a_.) + (b_.)*(x_.)^n)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]
```

#### Rubi steps

$$\begin{aligned}
\int \sinh(c + dx) (a + b \tanh^2(c + dx))^2 dx &= -\frac{\text{Subst}\left(\int \frac{(a+b-bx^2)^2}{x^2} dx, x, \text{sech}(c + dx)\right)}{d} \\
&= -\frac{\text{Subst}\left(\int \left(-2b(a+b) + \frac{(a+b)^2}{x^2} + b^2x^2\right) dx, x, \text{sech}(c + dx)\right)}{d} \\
&= \frac{(a+b)^2 \cosh(c + dx)}{d} + \frac{2b(a+b)\text{sech}(c + dx)}{d} - \frac{b^2\text{sech}^3(c + dx)}{3d}
\end{aligned}$$

**Mathematica [A]** time = 0.308327, size = 46, normalized size = 0.94

$$\frac{3(a+b)^2 \cosh(c + dx) + b\text{sech}(c + dx) (6(a+b) - b\text{sech}^2(c + dx))}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]\*(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] (3\*(a + b)^2\*Cosh[c + d\*x] + b\*Sech[c + d\*x]\*(6\*(a + b) - b\*Sech[c + d\*x]^2))/ (3\*d)

**Maple [B]** time = 0.046, size = 113, normalized size = 2.3

$$\frac{1}{d} \left( a^2 \cosh(dx + c) + 2ab \left( -\frac{(\sinh(dx + c))^2}{\cosh(dx + c)} + 2 \cosh(dx + c) \right) + b^2 \left( \frac{(\sinh(dx + c))^4}{(\cosh(dx + c))^3} + \frac{4(\sinh(dx + c))^2}{3(\cosh(dx + c))^3} - \frac{8(\sinh(dx + c))}{3 \cosh(dx + c)} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(d\*x+c)\*(a+b\*tanh(d\*x+c)^2)^2,x)

[Out] 1/d\*(a^2\*cosh(d\*x+c)+2\*a\*b\*(-sinh(d\*x+c)^2/cosh(d\*x+c)+2\*cosh(d\*x+c))+b^2\*(sinh(d\*x+c)^4/cosh(d\*x+c)^3+4/3\*sinh(d\*x+c)^2/cosh(d\*x+c)^3-8/3\*sinh(d\*x+c)^2/cosh(d\*x+c)+8/3\*cosh(d\*x+c)))

**Maxima [B]** time = 1.13728, size = 231, normalized size = 4.71

$$\frac{1}{6} b^2 \left( \frac{3e^{-dx-c}}{d} + \frac{33e^{-2dx-2c} + 41e^{-4dx-4c} + 27e^{-6dx-6c} + 3}{d(e^{-dx-c} + 3e^{-3dx-3c} + 3e^{-5dx-5c} + e^{-7dx-7c})} \right) + ab \left( \frac{e^{-dx-c}}{d} + \frac{5e^{-2dx-2c} + 1}{d(e^{-dx-c} + e^{-3dx-3c})} \right) + \frac{a^2 \cosh(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sinh(d*x+c)*(a+b*tanh(d*x+c)^2)^2,x, algorithm="maxima")`

[Out]  $\frac{1}{6}b^2\left(\frac{3e^{-d*x-c}}{d} + \frac{(33e^{-2*d*x-2*c} + 41e^{-4*d*x-4*c} + 27e^{-6*d*x-6*c} + 3)}{d(e^{-d*x-c} + 3e^{-3*d*x-3*c} + 3e^{-5*d*x-5*c} + e^{-7*d*x-7*c})}\right) + a*b\left(\frac{e^{-d*x-c}}{d} + \frac{(5e^{-2*d*x-2*c} + 1)}{d(e^{-d*x-c} + e^{-3*d*x-3*c})}\right) + a^2\cosh(d*x+c)/d$

**Fricas [B]** time = 2.05838, size = 424, normalized size = 8.65

$$\frac{3(a^2 + 2ab + b^2)\cosh(dx+c)^4 + 3(a^2 + 2ab + b^2)\sinh(dx+c)^4 + 12(a^2 + 4ab + 3b^2)\cosh(dx+c)^2 + 6(3(a^2 + 2ab + b^2)\cosh(dx+c)^3 + 3d\cosh(dx+c)\sinh(dx+c)^2 + 3d\sinh(dx+c)^3)}{6(d\cosh(dx+c)^3 + 3d\cosh(dx+c)\sinh(dx+c)^2 + 3d\sinh(dx+c)^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sinh(d*x+c)*(a+b*tanh(d*x+c)^2)^2,x, algorithm="fricas")`

[Out]  $\frac{1}{6}(3(a^2 + 2ab + b^2)\cosh(d*x+c)^4 + 3(a^2 + 2ab + b^2)\sinh(d*x+c)^4 + 12(a^2 + 4ab + 3b^2)\cosh(d*x+c)^2 + 6(3(a^2 + 2ab + b^2)\cosh(d*x+c)^3 + 2a^2 + 8ab + 6b^2)\sinh(d*x+c)^2 + 9a^2 + 42ab + 25b^2)/(d\cosh(d*x+c)^3 + 3d\cosh(d*x+c)\sinh(d*x+c)^2 + 3d\sinh(d*x+c)^3)$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (a + b \tanh^2(c + dx))^2 \sinh(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sinh(d*x+c)*(a+b*tanh(d*x+c)**2)**2,x)`

[Out] `Integral((a + b*tanh(c + d*x)**2)**2*sinh(c + d*x), x)`

**Giac [B]** time = 1.37067, size = 219, normalized size = 4.47

$$\frac{3(a^2 + 2ab + b^2)e^{(-dx-c)} + 3(a^2e^{(dx+10c)} + 2abe^{(dx+10c)} + b^2e^{(dx+10c)})e^{(-9c)} + \frac{8(3abe^{(5dx+5c)} + 3b^2e^{(5dx+5c)} + 6abe^{(3dx+3c)} + 4b^2e^{(3dx+3c)})}{(e^{(2dx+2c)} + 1)^3}}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)\*(a+b\*tanh(d\*x+c))^2,x, algorithm="giac")

[Out] 1/6\*(3\*(a^2 + 2\*a\*b + b^2)\*e^(-d\*x - c) + 3\*(a^2\*e^(d\*x + 10\*c) + 2\*a\*b\*e^(d\*x + 10\*c) + b^2\*e^(d\*x + 10\*c))\*e^(-9\*c) + 8\*(3\*a\*b\*e^(5\*d\*x + 5\*c) + 3\*b^2\*e^(5\*d\*x + 5\*c) + 6\*a\*b\*e^(3\*d\*x + 3\*c) + 4\*b^2\*e^(3\*d\*x + 3\*c) + 3\*a\*b\*e^(d\*x + c) + 3\*b^2\*e^(d\*x + c))/(e^(2\*d\*x + 2\*c) + 1)^3/d

### 3.13 $\int \operatorname{csch}(c + dx) \left( a + b \tanh^2(c + dx) \right)^2 dx$

**Optimal.** Leaf size=51

$$-\frac{a^2 \tanh^{-1}(\cosh(c + dx))}{d} - \frac{b(2a + b)\operatorname{sech}(c + dx)}{d} + \frac{b^2 \operatorname{sech}^3(c + dx)}{3d}$$

[Out]  $-\left(\frac{a^2 \operatorname{ArcTanh}[\operatorname{Cosh}[c + d*x]]}{d}\right) - \frac{b(2a + b) \operatorname{Sech}[c + d*x]}{d} + \frac{b^2 \operatorname{Sech}[c + d*x]^3}{3d}$

**Rubi [A]** time = 0.0645143, antiderivative size = 51, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3664, 390, 207}

$$-\frac{a^2 \tanh^{-1}(\cosh(c + dx))}{d} - \frac{b(2a + b)\operatorname{sech}(c + dx)}{d} + \frac{b^2 \operatorname{sech}^3(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[\operatorname{Csch}[c + d*x] * (a + b * \operatorname{Tanh}[c + d*x]^2)^2, x]$

[Out]  $-\left(\frac{a^2 \operatorname{ArcTanh}[\operatorname{Cosh}[c + d*x]]}{d}\right) - \frac{b(2a + b) \operatorname{Sech}[c + d*x]}{d} + \frac{b^2 \operatorname{Sech}[c + d*x]^3}{3d}$

#### Rule 3664

$\operatorname{Int}[\sin[(e_.) + (f_.)*(x_.)]^{(m_.)} * ((a_.) + (b_.)*\tan[(e_.) + (f_.)*(x_.)]^2)^{(p_.)}, x\_Symbol] \rightarrow \operatorname{With}[\{ff = \operatorname{FreeFactors}[\operatorname{Sec}[e + f*x], x]\}, \operatorname{Dist}[1/(f*ff^m), \operatorname{Subst}[\operatorname{Int}[((-1 + ff^2*x^2)^{(m-1)/2} * (a - b + b*ff^2*x^2)^p) / x^{(m+1)}, x], x, \operatorname{Sec}[e + f*x]/ff], x]] /;$   $\operatorname{FreeQ}\{a, b, e, f, p, x\}$  &&  $\operatorname{IntegerQ}[(m-1)/2]$

#### Rule 390

$\operatorname{Int}[((a_.) + (b_.)*(x_.)^{(n_.)})^{(p_.)} * ((c_.) + (d_.)*(x_.)^{(n_.)})^{(q_.)}, x\_Symbol] \rightarrow \operatorname{Int}[\operatorname{PolynomialDivide}[(a + b*x^n)^p, (c + d*x^n)^{-q}], x] /;$   $\operatorname{FreeQ}\{a, b, c, d, x\}$  &&  $\operatorname{NeQ}[b*c - a*d, 0]$  &&  $\operatorname{IGtQ}[n, 0]$  &&  $\operatorname{IGtQ}[p, 0]$  &&  $\operatorname{ILtQ}[q, 0]$  &&  $\operatorname{GeQ}[p, -q]$

#### Rule 207

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])
```

### Rubi steps

$$\begin{aligned} \int \operatorname{csch}(c+dx) (a+b \tanh^2(c+dx))^2 dx &= \frac{\operatorname{Subst}\left(\int \frac{(a+b-x^2)^2}{-1+x^2} dx, x, \operatorname{sech}(c+dx)\right)}{d} \\ &= \frac{\operatorname{Subst}\left(\int \left(-b(2a+b) + b^2x^2 + \frac{a^2}{-1+x^2}\right) dx, x, \operatorname{sech}(c+dx)\right)}{d} \\ &= -\frac{b(2a+b)\operatorname{sech}(c+dx)}{d} + \frac{b^2\operatorname{sech}^3(c+dx)}{3d} + \frac{a^2 \operatorname{Subst}\left(\int \frac{1}{-1+x^2} dx, x, \operatorname{sech}(c+dx)\right)}{d} \\ &= -\frac{a^2 \tanh^{-1}(\cosh(c+dx))}{d} - \frac{b(2a+b)\operatorname{sech}(c+dx)}{d} + \frac{b^2\operatorname{sech}^3(c+dx)}{3d} \end{aligned}$$

**Mathematica [A]** time = 0.155003, size = 50, normalized size = 0.98

$$\frac{3a^2 \log\left(\tanh\left(\frac{1}{2}(c+dx)\right)\right) - 3b(2a+b)\operatorname{sech}(c+dx) + b^2\operatorname{sech}^3(c+dx)}{3d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Csch[c + d*x]*(a + b*Tanh[c + d*x]^2)^2, x]
```

```
[Out] (3*a^2*Log[Tanh[(c + d*x)/2]] - 3*b*(2*a + b)*Sech[c + d*x] + b^2*Sech[c + d*x]^3)/(3*d)
```

**Maple [A]** time = 0.05, size = 97, normalized size = 1.9

$$\frac{1}{d} \left( -2a^2 \operatorname{Artanh}(e^{dx+c}) + 2ab \left( \frac{(\sinh(dx+c))^2}{\cosh(dx+c)} - \cosh(dx+c) \right) + b^2 \left( -\frac{(\sinh(dx+c))^2}{3(\cosh(dx+c))^3} + \frac{2(\sinh(dx+c))^2}{3\cosh(dx+c)} - \frac{2\cosh(dx+c)}{3} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(csch(d*x+c)*(a+b*tanh(d*x+c)^2)^2, x)
```

[Out]  $1/d*(-2*a^2*\operatorname{arctanh}(\exp(d*x+c))+2*a*b*(\sinh(d*x+c)^2/\cosh(d*x+c)-\cosh(d*x+c)))+b^2*(-1/3*\sinh(d*x+c)^2/\cosh(d*x+c)^3+2/3*\sinh(d*x+c)^2/\cosh(d*x+c)-2/3*\cosh(d*x+c))$

**Maxima [B]** time = 1.04153, size = 265, normalized size = 5.2

$$-\frac{2}{3}b^2\left(\frac{3e^{(-dx-c)}}{d(3e^{(-2dx-2c)}+3e^{(-4dx-4c)}+e^{(-6dx-6c)}+1)}+\frac{2e^{(-3dx-3c)}}{d(3e^{(-2dx-2c)}+3e^{(-4dx-4c)}+e^{(-6dx-6c)}+1)}+\frac{e^{(-6dx-6c)}}{d(3e^{(-2dx-2c)}+3e^{(-4dx-4c)}+e^{(-6dx-6c)}+1)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csch(d*x+c)*(a+b*tanh(d*x+c)^2)^2,x, algorithm="maxima")`

[Out]  $-2/3*b^2*(3*e^{(-d*x-c)}/(d*(3*e^{(-2*d*x-2*c)}+3*e^{(-4*d*x-4*c)}+e^{(-6*d*x-6*c)}+1))+2*e^{(-3*d*x-3*c)}/(d*(3*e^{(-2*d*x-2*c)}+3*e^{(-4*d*x-4*c)}+e^{(-6*d*x-6*c)}+1))+3*e^{(-5*d*x-5*c)}/(d*(3*e^{(-2*d*x-2*c)}+3*e^{(-4*d*x-4*c)}+e^{(-6*d*x-6*c)}+1)))+a^2*\log(\tanh(1/2*d*x+1/2*c))/d-4*a*b/(d*(e^{(d*x+c)}+e^{(-d*x-c)}))$

**Fricas [B]** time = 2.00274, size = 2331, normalized size = 45.71

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csch(d*x+c)*(a+b*tanh(d*x+c)^2)^2,x, algorithm="fricas")`

[Out]  $-1/3*(6*(2*a*b+b^2)*\cosh(d*x+c)^5+30*(2*a*b+b^2)*\cosh(d*x+c)*\sinh(d*x+c)^4+6*(2*a*b+b^2)*\sinh(d*x+c)^5+4*(6*a*b+b^2)*\cosh(d*x+c)^3+4*(15*(2*a*b+b^2)*\cosh(d*x+c)^2+6*a*b+b^2)*\sinh(d*x+c)^3+12*(5*(2*a*b+b^2)*\cosh(d*x+c)^3+(6*a*b+b^2)*\cosh(d*x+c))*\sinh(d*x+c)^2+6*(2*a*b+b^2)*\cosh(d*x+c)+3*(a^2*\cosh(d*x+c)^6+6*a^2*\cosh(d*x+c)*\sinh(d*x+c)^5+a^2*\sinh(d*x+c)^6+3*a^2*\cosh(d*x+c)^4+3*(5*a^2*\cosh(d*x+c)^2+a^2)*\sinh(d*x+c)^4+3*a^2*\cosh(d*x+c)^2+4*(5*a^2*\cosh(d*x+c)^3+3*a^2*\cosh(d*x+c))*\sinh(d*x+c)^3+3*(5*a^2*\cosh(d*x+c)^4+6*a^2*\cosh(d*x+c)^2+a^2)*\sinh(d*x+c)^2+a^2+6*(a^2*\cosh(d*x+c)^5+2*a^2*\cosh(d*x+c)^3+a^2*\cosh(d*x+c))*\sinh(d*x+c)*\log(\cosh(d*x+c)+\sinh(d*x+c)+1)-3*(a^2*\cosh(d*x+c)^6+6*a^2*\cosh(d*x+c)*\sinh(d*x+c)^5+a^2*\sinh(d*x+c)^6+3*a^2*\cosh(d*x+c)$

$$\begin{aligned} &^4 + 3*(5*a^2*\cosh(d*x + c)^2 + a^2)*\sinh(d*x + c)^4 + 3*a^2*\cosh(d*x + c)^2 \\ &+ 4*(5*a^2*\cosh(d*x + c)^3 + 3*a^2*\cosh(d*x + c))*\sinh(d*x + c)^3 + 3*(5* \\ &a^2*\cosh(d*x + c)^4 + 6*a^2*\cosh(d*x + c)^2 + a^2)*\sinh(d*x + c)^2 + a^2 + \\ &6*(a^2*\cosh(d*x + c)^5 + 2*a^2*\cosh(d*x + c)^3 + a^2*\cosh(d*x + c))*\sinh(d* \\ &x + c))*\log(\cosh(d*x + c) + \sinh(d*x + c) - 1) + 6*(5*(2*a*b + b^2)*\cosh(d* \\ &x + c)^4 + 2*(6*a*b + b^2)*\cosh(d*x + c)^2 + 2*a*b + b^2)*\sinh(d*x + c))/(d \\ &*\cosh(d*x + c)^6 + 6*d*\cosh(d*x + c)*\sinh(d*x + c)^5 + d*\sinh(d*x + c)^6 + \\ &3*d*\cosh(d*x + c)^4 + 3*(5*d*\cosh(d*x + c)^2 + d)*\sinh(d*x + c)^4 + 4*(5*d* \\ &\cosh(d*x + c)^3 + 3*d*\cosh(d*x + c))*\sinh(d*x + c)^3 + 3*d*\cosh(d*x + c)^2 \\ &+ 3*(5*d*\cosh(d*x + c)^4 + 6*d*\cosh(d*x + c)^2 + d)*\sinh(d*x + c)^2 + 6*(d* \\ &\cosh(d*x + c)^5 + 2*d*\cosh(d*x + c)^3 + d*\cosh(d*x + c))*\sinh(d*x + c) + d) \end{aligned}$$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (a + b \tanh^2(c + dx))^2 \operatorname{csch}(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*(a+b\*tanh(d\*x+c)\*\*2)\*\*2,x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*2)\*\*2\*csch(c + d\*x), x)

**Giac [B]** time = 1.33456, size = 170, normalized size = 3.33

$$\frac{3a^2 \log(e^{(dx+c)} + 1) - 3a^2 \log(|e^{(dx+c)} - 1|) + \frac{2(6abe^{(5dx+5c)} + 3b^2e^{(5dx+5c)} + 12abe^{(3dx+3c)} + 2b^2e^{(3dx+3c)} + 6abe^{(dx+c)} + 3b^2e^{(dx+c)})}{(e^{(2dx+2c)} + 1)^3}}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out] 
$$\frac{-1/3*(3*a^2*\log(e^{(d*x + c)} + 1) - 3*a^2*\log(\operatorname{abs}(e^{(d*x + c)} - 1))) + 2*(6*a*b*e^{(5*d*x + 5*c)} + 3*b^2*e^{(5*d*x + 5*c)} + 12*a*b*e^{(3*d*x + 3*c)} + 2*b^2*e^{(3*d*x + 3*c)} + 6*a*b*e^{(d*x + c)} + 3*b^2*e^{(d*x + c)})/(e^{(2*d*x + 2*c)} + 1)^3)/d}$$



### 3.14 $\int \operatorname{csch}^2(c + dx) (a + b \tanh^2(c + dx))^2 dx$

**Optimal.** Leaf size=46

$$-\frac{a^2 \operatorname{coth}(c + dx)}{d} + \frac{2ab \tanh(c + dx)}{d} + \frac{b^2 \tanh^3(c + dx)}{3d}$$

[Out]  $-\frac{(a^2 \operatorname{Coth}[c + d*x])}{d} + \frac{(2*a*b*\operatorname{Tanh}[c + d*x])}{d} + \frac{(b^2*\operatorname{Tanh}[c + d*x]^3)}{(3*d)}$

**Rubi [A]** time = 0.0567826, antiderivative size = 46, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {3663, 270}

$$-\frac{a^2 \operatorname{coth}(c + dx)}{d} + \frac{2ab \tanh(c + dx)}{d} + \frac{b^2 \tanh^3(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[\operatorname{Csch}[c + d*x]^2*(a + b*\operatorname{Tanh}[c + d*x]^2)^2, x]$

[Out]  $-\frac{(a^2*\operatorname{Coth}[c + d*x])}{d} + \frac{(2*a*b*\operatorname{Tanh}[c + d*x])}{d} + \frac{(b^2*\operatorname{Tanh}[c + d*x]^3)}{(3*d)}$

#### Rule 3663

```
Int[sin[(e_.) + (f_.)*(x_)]^(m_.)*((a_.) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)]))^(n_.)]^(p_.), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff^(m + 1))/f, Subst[Int[(x^m*(a + b*(ff*x)^n)^p]/(c^2 + ff^2*x^2)^(m/2 + 1), x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2]
```

#### Rule 270

```
Int[((c_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]
```

#### Rubi steps

$$\int \operatorname{csch}^2(c+dx) (a+b \tanh^2(c+dx))^2 dx = \frac{\operatorname{Subst}\left(\int \frac{(a+bx^2)^2}{x^2} dx, x, \tanh(c+dx)\right)}{d}$$

$$= \frac{\operatorname{Subst}\left(\int \left(2ab + \frac{a^2}{x^2} + b^2x^2\right) dx, x, \tanh(c+dx)\right)}{d}$$

$$= -\frac{a^2 \operatorname{coth}(c+dx)}{d} + \frac{2ab \tanh(c+dx)}{d} + \frac{b^2 \tanh^3(c+dx)}{3d}$$

**Mathematica [A]** time = 0.448521, size = 43, normalized size = 0.93

$$\frac{b \tanh(c+dx) (6a - b \operatorname{sech}^2(c+dx) + b) - 3a^2 \operatorname{coth}(c+dx)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]^2\*(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] (-3\*a^2\*Coth[c + d\*x] + b\*(6\*a + b - b\*Sech[c + d\*x]^2)\*Tanh[c + d\*x])/(3\*d)

**Maple [A]** time = 0.048, size = 68, normalized size = 1.5

$$\frac{1}{d} \left( -a^2 \operatorname{coth}(dx+c) + 2ab \tanh(dx+c) + b^2 \left( -\frac{\sinh(dx+c)}{2(\cosh(dx+c))^3} + \frac{\tanh(dx+c)}{2} \left( \frac{2}{3} + \frac{(\operatorname{sech}(dx+c))^2}{3} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csch(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2)^2,x)

[Out] 1/d\*(-a^2\*coth(d\*x+c)+2\*a\*b\*tanh(d\*x+c)+b^2\*(-1/2\*sinh(d\*x+c)/cosh(d\*x+c)^3+1/2\*(2/3+1/3\*sech(d\*x+c)^2)\*tanh(d\*x+c)))

**Maxima [B]** time = 1.05402, size = 184, normalized size = 4.

$$\frac{2}{3} b^2 \left( \frac{3e^{-4dx-4c}}{d(3e^{(-2dx-2c)} + 3e^{(-4dx-4c)} + e^{(-6dx-6c)} + 1)} + \frac{1}{d(3e^{(-2dx-2c)} + 3e^{(-4dx-4c)} + e^{(-6dx-6c)} + 1)} \right) + \frac{4ab}{d(e^{(-2dx-2c)} + 1)} +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csch(d*x+c)^2*(a+b*tanh(d*x+c)^2)^2,x, algorithm="maxima")`

[Out]  $\frac{2}{3}b^2(3e^{-4dx-4c}/(d(3e^{-2dx-2c}) + 3e^{-4dx-4c}) + e^{-6dx-6c} + 1) + 1/(d(3e^{-2dx-2c}) + 3e^{-4dx-4c} + e^{-6dx-6c} + 1)) + 4ab/(d(e^{-2dx-2c} + 1)) + 2a^2/(d(e^{-2dx-2c} - 1))$

**Fricas [B]** time = 1.85856, size = 683, normalized size = 14.85

$$\frac{4((3a^2 + b^2) \cosh(dx + c)^3 + 3(3a^2 + b^2) \cosh(dx + c) \sinh(dx + c)^2 + 2(3d \cosh(dx + c)^5 + 5d \cosh(dx + c) \sinh(dx + c)^4 + d \sinh(dx + c)^5 + d \cosh(dx + c)^3 + (10d \cosh(dx + c)^2 + 3a^2 + b^2) \sinh(dx + c))}{3(3a^2 + b^2) \cosh(dx + c)^3 + 3(3a^2 + b^2) \cosh(dx + c) \sinh(dx + c)^2 + 2(3d \cosh(dx + c)^5 + 5d \cosh(dx + c) \sinh(dx + c)^4 + d \sinh(dx + c)^5 + d \cosh(dx + c)^3 + (10d \cosh(dx + c)^2 + 3a^2 + b^2) \sinh(dx + c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csch(d*x+c)^2*(a+b*tanh(d*x+c)^2)^2,x, algorithm="fricas")`

[Out]  $-\frac{4}{3}((3a^2 + b^2) \cosh(dx + c)^3 + 3(3a^2 + b^2) \cosh(dx + c) \sinh(dx + c)^2 + 2(3(3ab + b^2) \cosh(dx + c)^2 + 3ab - b^2) \sinh(dx + c)) / (d \cosh(dx + c)^5 + 5d \cosh(dx + c) \sinh(dx + c)^4 + d \sinh(dx + c)^5 + d \cosh(dx + c)^3 + (10d \cosh(dx + c)^2 + 3d) \sinh(dx + c)^3 + (10d \cosh(dx + c)^3 + 3d \cosh(dx + c)) \sinh(dx + c)^2 - 2d \cosh(dx + c) + (5d \cosh(dx + c)^4 + 9d \cosh(dx + c)^2 + 2d) \sinh(dx + c))$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (a + b \tanh^2(c + dx))^2 \operatorname{csch}^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csch(d*x+c)**2*(a+b*tanh(d*x+c)**2)**2,x)`

[Out] `Integral((a + b*tanh(c + d*x)**2)**2*csch(c + d*x)**2, x)`

**Giac [A]** time = 1.34978, size = 116, normalized size = 2.52

$$-\frac{2\left(\frac{3a^2}{e^{2dx+2c}-1} + \frac{6abe^{(4dx+4c)}+3b^2e^{(4dx+4c)}+12abe^{(2dx+2c)}+6ab+b^2}{(e^{(2dx+2c)}+1)^3}\right)}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out] -2/3\*(3\*a^2/(e^(2\*d\*x + 2\*c) - 1) + (6\*a\*b\*e^(4\*d\*x + 4\*c) + 3\*b^2\*e^(4\*d\*x + 4\*c) + 12\*a\*b\*e^(2\*d\*x + 2\*c) + 6\*a\*b + b^2)/(e^(2\*d\*x + 2\*c) + 1)^3)/d

### 3.15 $\int \operatorname{csch}^3(c + dx) (a + b \tanh^2(c + dx))^2 dx$

**Optimal.** Leaf size=82

$$\frac{a^2 \operatorname{csch}^2(c + dx) \operatorname{sech}(c + dx)}{2d} - \frac{a(a - 4b) \operatorname{sech}(c + dx)}{2d} + \frac{a(a - 4b) \tanh^{-1}(\cosh(c + dx))}{2d} - \frac{b^2 \operatorname{sech}^3(c + dx)}{3d}$$

[Out] (a\*(a - 4\*b)\*ArcTanh[Cosh[c + d\*x]])/(2\*d) - (a\*(a - 4\*b)\*Sech[c + d\*x])/(2\*d) - (a^2\*Csch[c + d\*x]^2\*Sech[c + d\*x])/(2\*d) - (b^2\*Sech[c + d\*x]^3)/(3\*d)

**Rubi [A]** time = 0.11943, antiderivative size = 82, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {3664, 463, 459, 321, 207}

$$\frac{a^2 \operatorname{csch}^2(c + dx) \operatorname{sech}(c + dx)}{2d} - \frac{a(a - 4b) \operatorname{sech}(c + dx)}{2d} + \frac{a(a - 4b) \tanh^{-1}(\cosh(c + dx))}{2d} - \frac{b^2 \operatorname{sech}^3(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[Csch[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] (a\*(a - 4\*b)\*ArcTanh[Cosh[c + d\*x]])/(2\*d) - (a\*(a - 4\*b)\*Sech[c + d\*x])/(2\*d) - (a^2\*Csch[c + d\*x]^2\*Sech[c + d\*x])/(2\*d) - (b^2\*Sech[c + d\*x]^3)/(3\*d)

#### Rule 3664

Int[sin[(e\_.) + (f\_.)\*(x\_.)]^(m\_.)\*((a\_.) + (b\_.)\*tan[(e\_.) + (f\_.)\*(x\_.)]^2)^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Sec[e + f\*x], x]}, Dist[1/(f\*ff^m), Subst[Int[(-1 + ff^2\*x^2)^((m - 1)/2)\*(a - b + b\*ff^2\*x^2)^p]/x^(m + 1), x], x, Sec[e + f\*x]/ff, x] /; FreeQ[{a, b, e, f, p}, x] && IntegerQ[(m - 1)/2]

#### Rule 463

Int[((e\_.)\*(x\_.))^(m\_.)\*((a\_.) + (b\_.)\*(x\_.)^(n\_.))^(p\_.)\*((c\_.) + (d\_.)\*(x\_.)^(n\_.))^2, x\_Symbol] :> -Simp[((b\*c - a\*d)^2\*(e\*x)^(m + 1)\*(a + b\*x^n)^(p + 1))/(a\*b^2\*e\*n\*(p + 1)), x] + Dist[1/(a\*b^2\*n\*(p + 1)), Int[(e\*x)^m\*(a + b\*x^n)^(p + 1)\*Simp[(b\*c - a\*d)^2\*(m + 1) + b^2\*c^2\*n\*(p + 1) + a\*b\*d^2\*n\*(p + 1)\*x^n, x], x] /; FreeQ[{a, b, c, d, e, m, n}, x] && NeQ[b\*c - a\*d, 0] &&

IGtQ[n, 0] && LtQ[p, -1]

### Rule 459

Int[((e\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_)\*(x\_)^(n\_)), x\_Symbol] :> Simp[(d\*(e\*x)^(m + 1)\*(a + b\*x^n)^(p + 1))/(b\*e\*(m + n\*(p + 1) + 1)), x] - Dist[(a\*d\*(m + 1) - b\*c\*(m + n\*(p + 1) + 1))/(b\*(m + n\*(p + 1) + 1)), Int[(e\*x)^m\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, m, n, p}, x] && NeQ[b\*c - a\*d, 0] && NeQ[m + n\*(p + 1) + 1, 0]

### Rule 321

Int[((c\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Simp[(c^(n - 1)\*(c\*x)^(m - n + 1)\*(a + b\*x^n)^(p + 1))/(b\*(m + n\*p + 1)), x] - Dist[(a\*c^n\*(m - n + 1))/(b\*(m + n\*p + 1)), Int[(c\*x)^(m - n)\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n\*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

### Rule 207

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] :> -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

### Rubi steps

$$\begin{aligned}
 \int \operatorname{csch}^3(c + dx) (a + b \tanh^2(c + dx))^2 dx &= -\frac{\operatorname{Subst}\left(\int \frac{x^{2(a+b-bx^2)^2}}{(-1+x^2)^2} dx, x, \operatorname{sech}(c + dx)\right)}{d} \\
 &= -\frac{a^2 \operatorname{csch}^2(c + dx) \operatorname{sech}(c + dx)}{2d} - \frac{\operatorname{Subst}\left(\int \frac{x^2(3a^2 - 2(a+b)^2 + 2b^2x^2)}{-1+x^2} dx, x, \operatorname{sech}(c + dx)\right)}{2d} \\
 &= -\frac{a^2 \operatorname{csch}^2(c + dx) \operatorname{sech}(c + dx)}{2d} - \frac{b^2 \operatorname{sech}^3(c + dx)}{3d} - \frac{(a(a - 4b)) \operatorname{Subst}\left(\int \frac{x^2}{-1+x^2} dx, x, \operatorname{sech}(c + dx)\right)}{2d} \\
 &= -\frac{a(a - 4b) \operatorname{sech}(c + dx)}{2d} - \frac{a^2 \operatorname{csch}^2(c + dx) \operatorname{sech}(c + dx)}{2d} - \frac{b^2 \operatorname{sech}^3(c + dx)}{3d} \\
 &= \frac{a(a - 4b) \tanh^{-1}(\cosh(c + dx))}{2d} - \frac{a(a - 4b) \operatorname{sech}(c + dx)}{2d} - \frac{a^2 \operatorname{csch}^2(c + dx)}{2d} - \frac{b^2 \operatorname{sech}^3(c + dx)}{3d}
 \end{aligned}$$

**Mathematica [A]** time = 1.54012, size = 96, normalized size = 1.17

$$\frac{3a^2 \operatorname{csch}^2\left(\frac{1}{2}(c+dx)\right) + 3a^2 \operatorname{sech}^2\left(\frac{1}{2}(c+dx)\right) + 12a^2 \log\left(\tanh\left(\frac{1}{2}(c+dx)\right)\right) - 48ab \operatorname{sech}(c+dx) - 48ab \log\left(\tanh\left(\frac{1}{2}(c+dx)\right)\right)}{24d}$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out]  $-(3a^2 \operatorname{Csch}[(c+dx)/2]^2 + 12a^2 \operatorname{Log}[\operatorname{Tanh}[(c+dx)/2]] - 48ab \operatorname{Log}[\operatorname{Tanh}[(c+dx)/2]] + 3a^2 \operatorname{Sech}[(c+dx)/2]^2 - 48ab \operatorname{Sech}[c+dx] + 8b^2 \operatorname{Sech}[c+dx]^3)/(24d)$

**Maple [A]** time = 0.062, size = 103, normalized size = 1.3

$$\frac{1}{d} \left( a^2 \left( -\frac{\operatorname{csch}(dx+c) \operatorname{coth}(dx+c)}{2} + \operatorname{Artanh}(e^{dx+c}) \right) + 2ab \left( (\cosh(dx+c))^{-1} - 2 \operatorname{Artanh}(e^{dx+c}) \right) + b^2 \left( \frac{\sinh(dx+c)}{3 \cosh(dx+c)} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csch(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2)^2,x)

[Out]  $1/d*(a^2*(-1/2*\operatorname{csch}(d*x+c)*\operatorname{coth}(d*x+c)+\operatorname{arctanh}(\exp(d*x+c)))+2*a*b*(1/\cosh(d*x+c)-2*\operatorname{arctanh}(\exp(d*x+c)))+b^2*(1/3*\sinh(d*x+c)^2/\cosh(d*x+c)^3+1/3*\sinh(d*x+c)^2/\cosh(d*x+c)-1/3*\cosh(d*x+c)))$

**Maxima [B]** time = 1.05745, size = 244, normalized size = 2.98

$$\frac{1}{2} a^2 \left( \frac{\log(e^{-dx-c} + 1)}{d} - \frac{\log(e^{-dx-c} - 1)}{d} + \frac{2(e^{-dx-c} + e^{-3dx-3c})}{d(2e^{-2dx-2c} - e^{-4dx-4c} - 1)} \right) - 2ab \left( \frac{\log(e^{-dx-c} + 1)}{d} - \frac{\log(e^{-dx-c} - 1)}{d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="maxima")

[Out]  $1/2*a^2*(\log(e^{-d*x-c} + 1)/d - \log(e^{-d*x-c} - 1)/d + 2*(e^{-d*x-c} + e^{-3*d*x-3*c})/(d*(2*e^{-2*d*x-2*c} - e^{-4*d*x-4*c} - 1))) - 2*a*b*(\log(e^{-d*x-c} + 1)/d - \log(e^{-d*x-c} - 1)/d - 2*e^{-d*x-c}/(d*(e^{-d*x-c} + 1) - e^{-d*x-c} - 1)))$

$$(e^{(-2*d*x - 2*c)} + 1))) - 8/3*b^2/(d*(e^{(d*x + c)} + e^{(-d*x - c)})^3)$$

**Fricas [B]** time = 2.31955, size = 6384, normalized size = 77.85

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out] 
$$\begin{aligned} & -1/6*(6*(a^2 - 4*a*b)*\cosh(d*x + c)^9 + 54*(a^2 - 4*a*b)*\cosh(d*x + c)*\sinh \\ & (d*x + c)^8 + 6*(a^2 - 4*a*b)*\sinh(d*x + c)^9 + 8*(3*a^2 + 2*b^2)*\cosh(d*x \\ & + c)^7 + 8*(27*(a^2 - 4*a*b)*\cosh(d*x + c)^2 + 3*a^2 + 2*b^2)*\sinh(d*x + c) \\ & ^7 + 56*(9*(a^2 - 4*a*b)*\cosh(d*x + c)^3 + (3*a^2 + 2*b^2)*\cosh(d*x + c))*s \\ & \sinh(d*x + c)^6 + 4*(9*a^2 + 12*a*b - 8*b^2)*\cosh(d*x + c)^5 + 4*(189*(a^2 - \\ & 4*a*b)*\cosh(d*x + c)^4 + 42*(3*a^2 + 2*b^2)*\cosh(d*x + c)^2 + 9*a^2 + 12*a \\ & *b - 8*b^2)*\sinh(d*x + c)^5 + 4*(189*(a^2 - 4*a*b)*\cosh(d*x + c)^5 + 70*(3* \\ & a^2 + 2*b^2)*\cosh(d*x + c)^3 + 5*(9*a^2 + 12*a*b - 8*b^2)*\cosh(d*x + c))*si \\ & nh(d*x + c)^4 + 8*(3*a^2 + 2*b^2)*\cosh(d*x + c)^3 + 8*(63*(a^2 - 4*a*b)*cos \\ & h(d*x + c)^6 + 35*(3*a^2 + 2*b^2)*\cosh(d*x + c)^4 + 5*(9*a^2 + 12*a*b - 8*b \\ & ^2)*\cosh(d*x + c)^2 + 3*a^2 + 2*b^2)*\sinh(d*x + c)^3 + 8*(27*(a^2 - 4*a*b)* \\ & \cosh(d*x + c)^7 + 21*(3*a^2 + 2*b^2)*\cosh(d*x + c)^5 + 5*(9*a^2 + 12*a*b - \\ & 8*b^2)*\cosh(d*x + c)^3 + 3*(3*a^2 + 2*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^2 + \\ & 6*(a^2 - 4*a*b)*\cosh(d*x + c) - 3*((a^2 - 4*a*b)*\cosh(d*x + c)^10 + 10*(a^ \\ & 2 - 4*a*b)*\cosh(d*x + c)*\sinh(d*x + c)^9 + (a^2 - 4*a*b)*\sinh(d*x + c)^10 + \\ & (a^2 - 4*a*b)*\cosh(d*x + c)^8 + (45*(a^2 - 4*a*b)*\cosh(d*x + c)^2 + a^2 - \\ & 4*a*b)*\sinh(d*x + c)^8 + 8*(15*(a^2 - 4*a*b)*\cosh(d*x + c)^3 + (a^2 - 4*a*b) \\ & )*\cosh(d*x + c))*\sinh(d*x + c)^7 - 2*(a^2 - 4*a*b)*\cosh(d*x + c)^6 + 2*(105 \\ & *(a^2 - 4*a*b)*\cosh(d*x + c)^4 + 14*(a^2 - 4*a*b)*\cosh(d*x + c)^2 - a^2 + 4 \\ & *a*b)*\sinh(d*x + c)^6 + 4*(63*(a^2 - 4*a*b)*\cosh(d*x + c)^5 + 14*(a^2 - 4*a \\ & *b)*\cosh(d*x + c)^3 - 3*(a^2 - 4*a*b)*\cosh(d*x + c))*\sinh(d*x + c)^5 - 2*(a \\ & ^2 - 4*a*b)*\cosh(d*x + c)^4 + 2*(105*(a^2 - 4*a*b)*\cosh(d*x + c)^6 + 35*(a^ \\ & 2 - 4*a*b)*\cosh(d*x + c)^4 - 15*(a^2 - 4*a*b)*\cosh(d*x + c)^2 - a^2 + 4*a*b) \\ & )*\sinh(d*x + c)^4 + 8*(15*(a^2 - 4*a*b)*\cosh(d*x + c)^7 + 7*(a^2 - 4*a*b)*c \\ & osh(d*x + c)^5 - 5*(a^2 - 4*a*b)*\cosh(d*x + c)^3 - (a^2 - 4*a*b)*\cosh(d*x + \\ & c))*\sinh(d*x + c)^3 + (a^2 - 4*a*b)*\cosh(d*x + c)^2 + (45*(a^2 - 4*a*b)*co \\ & sh(d*x + c)^8 + 28*(a^2 - 4*a*b)*\cosh(d*x + c)^6 - 30*(a^2 - 4*a*b)*\cosh(d* \\ & x + c)^4 - 12*(a^2 - 4*a*b)*\cosh(d*x + c)^2 + a^2 - 4*a*b)*\sinh(d*x + c)^2 \\ & + a^2 - 4*a*b + 2*(5*(a^2 - 4*a*b)*\cosh(d*x + c)^9 + 4*(a^2 - 4*a*b)*\cosh(d \\ & *x + c)^7 - 6*(a^2 - 4*a*b)*\cosh(d*x + c)^5 - 4*(a^2 - 4*a*b)*\cosh(d*x + c) \\ & ^3 + (a^2 - 4*a*b)*\cosh(d*x + c))*\sinh(d*x + c))*\log(\cosh(d*x + c) + \sinh(d \\ & *x + c) + 1) + 3*((a^2 - 4*a*b)*\cosh(d*x + c)^10 + 10*(a^2 - 4*a*b)*\cosh(d* \end{aligned}$$



```

x + c)*sinh(d*x + c)^9 + (a^2 - 4*a*b)*sinh(d*x + c)^10 + (a^2 - 4*a*b)*cos
h(d*x + c)^8 + (45*(a^2 - 4*a*b)*cosh(d*x + c)^2 + a^2 - 4*a*b)*sinh(d*x +
c)^8 + 8*(15*(a^2 - 4*a*b)*cosh(d*x + c)^3 + (a^2 - 4*a*b)*cosh(d*x + c))*s
inh(d*x + c)^7 - 2*(a^2 - 4*a*b)*cosh(d*x + c)^6 + 2*(105*(a^2 - 4*a*b)*cos
h(d*x + c)^4 + 14*(a^2 - 4*a*b)*cosh(d*x + c)^2 - a^2 + 4*a*b)*sinh(d*x + c
)^6 + 4*(63*(a^2 - 4*a*b)*cosh(d*x + c)^5 + 14*(a^2 - 4*a*b)*cosh(d*x + c)^
3 - 3*(a^2 - 4*a*b)*cosh(d*x + c))*sinh(d*x + c)^5 - 2*(a^2 - 4*a*b)*cosh(d
*x + c)^4 + 2*(105*(a^2 - 4*a*b)*cosh(d*x + c)^6 + 35*(a^2 - 4*a*b)*cosh(d*
x + c)^4 - 15*(a^2 - 4*a*b)*cosh(d*x + c)^2 - a^2 + 4*a*b)*sinh(d*x + c)^4
+ 8*(15*(a^2 - 4*a*b)*cosh(d*x + c)^7 + 7*(a^2 - 4*a*b)*cosh(d*x + c)^5 - 5
*(a^2 - 4*a*b)*cosh(d*x + c)^3 - (a^2 - 4*a*b)*cosh(d*x + c))*sinh(d*x + c)
^3 + (a^2 - 4*a*b)*cosh(d*x + c)^2 + (45*(a^2 - 4*a*b)*cosh(d*x + c)^8 + 28
*(a^2 - 4*a*b)*cosh(d*x + c)^6 - 30*(a^2 - 4*a*b)*cosh(d*x + c)^4 - 12*(a^2
- 4*a*b)*cosh(d*x + c)^2 + a^2 - 4*a*b)*sinh(d*x + c)^2 + a^2 - 4*a*b + 2*
(5*(a^2 - 4*a*b)*cosh(d*x + c)^9 + 4*(a^2 - 4*a*b)*cosh(d*x + c)^7 - 6*(a^2
- 4*a*b)*cosh(d*x + c)^5 - 4*(a^2 - 4*a*b)*cosh(d*x + c)^3 + (a^2 - 4*a*b)
*cosh(d*x + c))*sinh(d*x + c))*log(cosh(d*x + c) + sinh(d*x + c) - 1) + 2*(
27*(a^2 - 4*a*b)*cosh(d*x + c)^8 + 28*(3*a^2 + 2*b^2)*cosh(d*x + c)^6 + 10*
(9*a^2 + 12*a*b - 8*b^2)*cosh(d*x + c)^4 + 12*(3*a^2 + 2*b^2)*cosh(d*x + c)
^2 + 3*a^2 - 12*a*b)*sinh(d*x + c))/(d*cosh(d*x + c)^10 + 10*d*cosh(d*x + c
)*sinh(d*x + c)^9 + d*sinh(d*x + c)^10 + d*cosh(d*x + c)^8 + (45*d*cosh(d*x
+ c)^2 + d)*sinh(d*x + c)^8 + 8*(15*d*cosh(d*x + c)^3 + d*cosh(d*x + c))*s
inh(d*x + c)^7 - 2*d*cosh(d*x + c)^6 + 2*(105*d*cosh(d*x + c)^4 + 14*d*cosh
(d*x + c)^2 - d)*sinh(d*x + c)^6 + 4*(63*d*cosh(d*x + c)^5 + 14*d*cosh(d*x
+ c)^3 - 3*d*cosh(d*x + c))*sinh(d*x + c)^5 - 2*d*cosh(d*x + c)^4 + 2*(105*
d*cosh(d*x + c)^6 + 35*d*cosh(d*x + c)^4 - 15*d*cosh(d*x + c)^2 - d)*sinh(d
*x + c)^4 + 8*(15*d*cosh(d*x + c)^7 + 7*d*cosh(d*x + c)^5 - 5*d*cosh(d*x +
c)^3 - d*cosh(d*x + c))*sinh(d*x + c)^3 + d*cosh(d*x + c)^2 + (45*d*cosh(d*
x + c)^8 + 28*d*cosh(d*x + c)^6 - 30*d*cosh(d*x + c)^4 - 12*d*cosh(d*x + c)
^2 + d)*sinh(d*x + c)^2 + 2*(5*d*cosh(d*x + c)^9 + 4*d*cosh(d*x + c)^7 - 6*
d*cosh(d*x + c)^5 - 4*d*cosh(d*x + c)^3 + d*cosh(d*x + c))*sinh(d*x + c) +
d)

```

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (a + b \tanh^2(c + dx))^2 \operatorname{csch}^3(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*\*3\*(a+b\*tanh(d\*x+c)\*\*2)\*\*2,x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*2)\*\*2\*csch(c + d\*x)\*\*3, x)

---

**Giac [B]** time = 1.373, size = 227, normalized size = 2.77

$$\frac{3(a^2e^c - 4abe^c)e^{(-c)} \log(e^{(dx+c)} + 1) - 3(a^2e^c - 4abe^c)e^{(-c)} \log(|e^{(dx+c)} - 1|) - \frac{6(a^2e^{(3dx+3c)} + a^2e^{(dx+c)})}{(e^{(2dx+2c)} - 1)^2} + \frac{8(3abe^{(5dx+5c)} + 6abe^{(3dx+3c)})}{(e^{(2dx+2c)} - 1)^2}}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out] 1/6\*(3\*(a^2\*e^c - 4\*a\*b\*e^c)\*e^(-c)\*log(e^(d\*x + c) + 1) - 3\*(a^2\*e^c - 4\*a\*b\*e^c)\*e^(-c)\*log(abs(e^(d\*x + c) - 1)) - 6\*(a^2\*e^(3\*d\*x + 3\*c) + a^2\*e^(d\*x + c))/(e^(2\*d\*x + 2\*c) - 1)^2 + 8\*(3\*a\*b\*e^(5\*d\*x + 5\*c) + 6\*a\*b\*e^(3\*d\*x + 3\*c) - 2\*b^2\*e^(3\*d\*x + 3\*c) + 3\*a\*b\*e^(d\*x + c))/(e^(2\*d\*x + 2\*c) + 1)^3)/d

### 3.16 $\int \operatorname{csch}^4(c + dx) (a + b \tanh^2(c + dx))^2 dx$

**Optimal.** Leaf size=72

$$-\frac{a^2 \operatorname{coth}^3(c + dx)}{3d} - \frac{b(2a - b) \tanh(c + dx)}{d} + \frac{a(a - 2b) \operatorname{coth}(c + dx)}{d} - \frac{b^2 \tanh^3(c + dx)}{3d}$$

[Out] (a\*(a - 2\*b)\*Coth[c + d\*x])/d - (a^2\*Coth[c + d\*x]^3)/(3\*d) - ((2\*a - b)\*b\*Tanh[c + d\*x])/d - (b^2\*Tanh[c + d\*x]^3)/(3\*d)

**Rubi [A]** time = 0.0789086, antiderivative size = 72, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {3663, 448}

$$-\frac{a^2 \operatorname{coth}^3(c + dx)}{3d} - \frac{b(2a - b) \tanh(c + dx)}{d} + \frac{a(a - 2b) \operatorname{coth}(c + dx)}{d} - \frac{b^2 \tanh^3(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[Csch[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] (a\*(a - 2\*b)\*Coth[c + d\*x])/d - (a^2\*Coth[c + d\*x]^3)/(3\*d) - ((2\*a - b)\*b\*Tanh[c + d\*x])/d - (b^2\*Tanh[c + d\*x]^3)/(3\*d)

#### Rule 3663

```
Int[sin[(e_.) + (f_.)*(x_.)]^(m_.)*((a_.) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_.)]^(n_.))^(p_.), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff^(m + 1))/f, Subst[Int[(x^m*(a + b*(ff*x)^n)^p]/(c^2 + ff^2*x^2)^(m/2 + 1), x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2]
```

#### Rule 448

```
Int[((e_.)*(x_.))^(m_.)*((a_.) + (b_.)*(x_.)^(n_.))^(p_.)*((c_.) + (d_.)*(x_.)^(n_.))^(q_.), x_Symbol] :> Int[ExpandIntegrand[(e*x)^m*(a + b*x^n)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, e, m, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[p, 0] && IGtQ[q, 0]
```

#### Rubi steps

$$\int \operatorname{csch}^4(c+dx) (a+b \tanh^2(c+dx))^2 dx = \frac{\operatorname{Subst}\left(\int \frac{(1-x^2)(a+bx^2)^2}{x^4} dx, x, \tanh(c+dx)\right)}{d}$$

$$= \frac{\operatorname{Subst}\left(\int \left(b(-2a+b) + \frac{a^2}{x^4} - \frac{a(a-2b)}{x^2} - b^2x^2\right) dx, x, \tanh(c+dx)\right)}{d}$$

$$= \frac{a(a-2b) \operatorname{coth}(c+dx)}{d} - \frac{a^2 \operatorname{coth}^3(c+dx)}{3d} - \frac{(2a-b)b \tanh(c+dx)}{d} - \frac{b^2 \tanh^3(c+dx)}{3d}$$

**Mathematica [A]** time = 0.48016, size = 59, normalized size = 0.82

$$\frac{b \tanh(c+dx) (-6a + b \operatorname{sech}^2(c+dx) + 2b) - a \operatorname{coth}(c+dx) (\operatorname{acsch}^2(c+dx) - 2a + 6b)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out]  $(-(a \operatorname{Coth}[c + d*x] * (-2*a + 6*b + a \operatorname{Csch}[c + d*x]^2)) + b * (-6*a + 2*b + b \operatorname{Sech}[c + d*x]^2) * \operatorname{Tanh}[c + d*x]) / (3*d)$

**Maple [A]** time = 0.059, size = 81, normalized size = 1.1

$$\frac{1}{d} \left( a^2 \left( \frac{2}{3} - \frac{(\operatorname{csch}(dx+c))^2}{3} \right) \operatorname{coth}(dx+c) + 2ab \left( -\frac{1}{\cosh(dx+c) \sinh(dx+c)} - 2 \tanh(dx+c) \right) + b^2 \left( \frac{2}{3} + \frac{\operatorname{sech}(dx+c)}{3} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csch(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2)^2,x)

[Out]  $1/d * (a^2 * (2/3 - 1/3 * \operatorname{csch}(d*x+c)^2) * \operatorname{coth}(d*x+c) + 2*a*b * (-1/\sinh(d*x+c)/\cosh(d*x+c) - 2*\tanh(d*x+c)) + b^2 * (2/3 + 1/3 * \operatorname{sech}(d*x+c)^2) * \tanh(d*x+c))$

**Maxima [B]** time = 1.05125, size = 284, normalized size = 3.94

$$\frac{4}{3} b^2 \left( \frac{3 e^{(-2dx-2c)}}{d(3 e^{(-2dx-2c)} + 3 e^{(-4dx-4c)} + e^{(-6dx-6c)} + 1)} + \frac{1}{d(3 e^{(-2dx-2c)} + 3 e^{(-4dx-4c)} + e^{(-6dx-6c)} + 1)} \right) + \frac{4}{3} a^2 \left( \frac{1}{d(3 e^{(-2dx-2c)} + 3 e^{(-4dx-4c)} + e^{(-6dx-6c)} + 1)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csch(d*x+c)^4*(a+b*tanh(d*x+c)^2)^2,x, algorithm="maxima")`

[Out] 
$$\frac{4}{3}b^2 \frac{(3e^{-2dx-2c})}{(d(3e^{-2dx-2c}) + 3e^{-4dx-4c}) + e^{-6dx-6c} + 1)} + \frac{1}{(d(3e^{-2dx-2c}) + 3e^{-4dx-4c}) + e^{-6dx-6c} + 1)} + \frac{4}{3}a^2 \frac{(3e^{-2dx-2c})}{(d(3e^{-2dx-2c}) - 3e^{-4dx-4c}) + e^{-6dx-6c} - 1)} - \frac{1}{(d(3e^{-2dx-2c}) - 3e^{-4dx-4c}) + e^{-6dx-6c} - 1)} + \frac{8ab}{(d(e^{-4dx-4c}) - 1)}$$

**Fricas [B]** time = 1.93208, size = 1011, normalized size = 14.04

$$\frac{8((a^2 + 6ab + b^2) \cosh(dx + c)^4 + 8(a^2 + b^2) \cosh(dx + c) \sinh(dx + c))}{3(d \cosh(dx + c)^8 + 56d \cosh(dx + c)^3 \sinh(dx + c)^5 + 28d \cosh(dx + c)^2 \sinh(dx + c)^6 + 8d \cosh(dx + c) \sinh(dx + c)^7 + 3d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csch(d*x+c)^4*(a+b*tanh(d*x+c)^2)^2,x, algorithm="fricas")`

[Out] 
$$\frac{-8/3((a^2 + 6ab + b^2) \cosh(dx + c)^4 + 8(a^2 + b^2) \cosh(dx + c) \sinh(dx + c)^3 + (a^2 + 6ab + b^2) \sinh(dx + c)^4 + 4(a^2 - b^2) \cosh(dx + c)^2 + 2(3(a^2 + 6ab + b^2) \cosh(dx + c)^2 + 2a^2 - 2b^2) \sinh(dx + c)^2 + 3a^2 - 6ab + 3b^2 + 8((a^2 + b^2) \cosh(dx + c)^3 + (a^2 - b^2) \cosh(dx + c) \sinh(dx + c)))/((d \cosh(dx + c)^8 + 56d \cosh(dx + c)^3 \sinh(dx + c)^5 + 28d \cosh(dx + c)^2 \sinh(dx + c)^6 + 8d \cosh(dx + c) \sinh(dx + c)^7 + d \sinh(dx + c)^8 - 4d \cosh(dx + c)^4 + 2(35d \cosh(dx + c)^4 - 2d) \sinh(dx + c)^4 + 8(7d \cosh(dx + c)^5 - d \cosh(dx + c) \sinh(dx + c)^3 + 4(7d \cosh(dx + c)^6 - 6d \cosh(dx + c)^2) \sinh(dx + c)^2 + 8(d \cosh(dx + c)^7 - d \cosh(dx + c)^3) \sinh(dx + c) + 3d)}$$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (a + b \tanh^2(c + dx))^2 \operatorname{csch}^4(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csch(d*x+c)**4*(a+b*tanh(d*x+c)**2)**2,x)`

[Out] Integral((a + b\*tanh(c + d\*x)\*\*2)\*\*2\*csch(c + d\*x)\*\*4, x)

**Giac [B]** time = 1.41702, size = 193, normalized size = 2.68

$$\frac{4 \left( 3 a^2 e^{(8 dx+8 c)} + 6 a b e^{(8 dx+8 c)} + 3 b^2 e^{(8 dx+8 c)} + 8 a^2 e^{(6 dx+6 c)} - 8 b^2 e^{(6 dx+6 c)} + 6 a^2 e^{(4 dx+4 c)} - 12 a b e^{(4 dx+4 c)} + 6 b^2 e^{(4 dx+4 c)} \right)}{3 d \left( e^{(4 dx+4 c)} - 1 \right)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out] 
$$\frac{-4/3 * (3 * a^2 * e^{(8 * d * x + 8 * c)} + 6 * a * b * e^{(8 * d * x + 8 * c)} + 3 * b^2 * e^{(8 * d * x + 8 * c)} + 8 * a^2 * e^{(6 * d * x + 6 * c)} - 8 * b^2 * e^{(6 * d * x + 6 * c)} + 6 * a^2 * e^{(4 * d * x + 4 * c)} - 12 * a * b * e^{(4 * d * x + 4 * c)} + 6 * b^2 * e^{(4 * d * x + 4 * c)} - a^2 + 6 * a * b - b^2) / (d * (e^{(4 * d * x + 4 * c)} - 1)^3)}$$

### 3.17 $\int \sinh^4(c + dx) (a + b \tanh^2(c + dx))^3 dx$

**Optimal.** Leaf size=182

$$\frac{b(6a^2 + 35ab + 21b^2) \tanh^3(c + dx)}{8d} - \frac{3(a + b)(a^2 + 14ab + 21b^2) \tanh(c + dx)}{8d} + \frac{3}{8}x(a + b)(a^2 + 14ab + 21b^2) - \frac{3}{8}x^2(a + b)(a^2 + 14ab + 21b^2) + \frac{3}{8}x^3(a + b)(a^2 + 14ab + 21b^2)$$

```
[Out] (3*(a + b)*(a^2 + 14*a*b + 21*b^2)*x)/8 - (3*(a + b)*(a^2 + 14*a*b + 21*b^2)
)*Tanh[c + d*x])/(8*d) - (b*(6*a^2 + 35*a*b + 21*b^2)*Tanh[c + d*x]^3)/(8*d
) - (3*b^2*(5*a + 21*b)*Tanh[c + d*x]^5)/(40*d) - (3*(a + 3*b)*Sinh[c + d*x
]^2*Tanh[c + d*x]*(a + b*Tanh[c + d*x]^2)^2)/(8*d) + (Cosh[c + d*x]*Sinh[c
+ d*x]^3*(a + b*Tanh[c + d*x]^2)^3)/(4*d)
```

**Rubi [A]** time = 0.22168, antiderivative size = 182, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {3663, 467, 577, 570, 206}

$$\frac{b(6a^2 + 35ab + 21b^2) \tanh^3(c + dx)}{8d} - \frac{3(a + b)(a^2 + 14ab + 21b^2) \tanh(c + dx)}{8d} + \frac{3}{8}x(a + b)(a^2 + 14ab + 21b^2) - \frac{3}{8}x^2(a + b)(a^2 + 14ab + 21b^2) + \frac{3}{8}x^3(a + b)(a^2 + 14ab + 21b^2)$$

Antiderivative was successfully verified.

```
[In] Int[Sinh[c + d*x]^4*(a + b*Tanh[c + d*x]^2)^3,x]
```

```
[Out] (3*(a + b)*(a^2 + 14*a*b + 21*b^2)*x)/8 - (3*(a + b)*(a^2 + 14*a*b + 21*b^2)
)*Tanh[c + d*x])/(8*d) - (b*(6*a^2 + 35*a*b + 21*b^2)*Tanh[c + d*x]^3)/(8*d
) - (3*b^2*(5*a + 21*b)*Tanh[c + d*x]^5)/(40*d) - (3*(a + 3*b)*Sinh[c + d*x
]^2*Tanh[c + d*x]*(a + b*Tanh[c + d*x]^2)^2)/(8*d) + (Cosh[c + d*x]*Sinh[c
+ d*x]^3*(a + b*Tanh[c + d*x]^2)^3)/(4*d)
```

#### Rule 3663

```
Int[sin[(e_.) + (f_.)*(x_)]^(m_)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_
)])^(n_))^(p_.), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x], x]}, Dis
t[(c*ff^(m + 1))/f, Subst[Int[(x^m*(a + b*(ff*x)^n)^p]/(c^2 + ff^2*x^2)^(m/
2 + 1), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, e, f, n, p}, x]
&& IntegerQ[m/2]
```

#### Rule 467

```
Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Simp[(e^(n - 1)*(e*x)^(m - n + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^q)/(b*n*(p + 1)), x] - Dist[e^n/(b*n*(p + 1)), Int[(e*x)^(m - n)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 1)*Simp[c*(m - n + 1) + d*(m + n*(q - 1) + 1)*x^n, x], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LtQ[p, -1] && GtQ[q, 0] && GtQ[m - n + 1, 0] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]
```

### Rule 577

```
Int[((g_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.)*((e_) + (f_.)*(x_)^(n_)), x_Symbol] := -Simp[((b*e - a*f)*(g*x)^(m + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^q)/(a*b*g*n*(p + 1)), x] + Dist[1/(a*b*n*(p + 1)), Int[(g*x)^m*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 1)*Simp[c*(b*e*n*(p + 1) + (b*e - a*f)*(m + 1)) + d*(b*e*n*(p + 1) + (b*e - a*f)*(m + n*q + 1))*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, f, g, m}, x] && IGtQ[n, 0] && LtQ[p, -1] && GtQ[q, 0] && !(EqQ[q, 1] && SimplerQ[b*c - a*d, b*e - a*f])
```

### Rule 570

```
Int[((g_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.)*((e_) + (f_.)*(x_)^(n_))^(r_.), x_Symbol] := Int[ExpandIntegrand[(g*x)^m*(a + b*x^n)^p*(c + d*x^n)^q*(e + f*x^n)^r, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n}, x] && IGtQ[p, -2] && IGtQ[q, 0] && IGtQ[r, 0]
```

### Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

### Rubi steps



$$\begin{aligned}
\int \sinh^4(c+dx) (a+b \tanh^2(c+dx))^3 dx &= \frac{\text{Subst}\left(\int \frac{x^4(a+bx^2)^3}{(1-x^2)^3} dx, x, \tanh(c+dx)\right)}{d} \\
&= \frac{\cosh(c+dx) \sinh^3(c+dx) (a+b \tanh^2(c+dx))^3}{4d} - \frac{\text{Subst}\left(\int \frac{x^2(a+bx^2)^2}{(1-x^2)^2} dx, x, \tanh(c+dx)\right)}{d} \\
&= -\frac{3(a+3b) \sinh^2(c+dx) \tanh(c+dx) (a+b \tanh^2(c+dx))^2}{8d} + \frac{\cosh(c+dx) \sinh^2(c+dx) (a+b \tanh^2(c+dx))^2}{8d} \\
&= -\frac{3(a+3b) \sinh^2(c+dx) \tanh(c+dx) (a+b \tanh^2(c+dx))^2}{8d} + \frac{\cosh(c+dx) \sinh^2(c+dx) (a+b \tanh^2(c+dx))^2}{8d} \\
&= -\frac{3(a+b)(a^2+14ab+21b^2) \tanh(c+dx)}{8d} - \frac{b(6a^2+35ab+21b^2) \tanh(c+dx)}{8d} \\
&= \frac{3}{8}(a+b)(a^2+14ab+21b^2)x - \frac{3(a+b)(a^2+14ab+21b^2) \tanh(c+dx)}{8d}
\end{aligned}$$

**Mathematica [A]** time = 3.97828, size = 125, normalized size = 0.69

$$\frac{60(15a^2b + a^3 + 35ab^2 + 21b^3)(c+dx) - 32b \tanh(c+dx)(15a^2 - b(5a+7b)\text{sech}^2(c+dx) + 50ab + b^2\text{sech}^4(c+dx))}{160d}$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] (60\*(a^3 + 15\*a^2\*b + 35\*a\*b^2 + 21\*b^3)\*(c + d\*x) - 40\*(a + b)^2\*(a + 4\*b)\*Sinh[2\*(c + d\*x)] + 5\*(a + b)^3\*Sinh[4\*(c + d\*x)] - 32\*b\*(15\*a^2 + 50\*a\*b + 36\*b^2 - b\*(5\*a + 7\*b)\*Sech[c + d\*x]^2 + b^2\*Sech[c + d\*x]^4)\*Tanh[c + d\*x])/(160\*d)

**Maple [A]** time = 0.053, size = 246, normalized size = 1.4

$$\frac{1}{d} \left( a^3 \left( \frac{(\sinh(dx+c))^3}{4} - \frac{3 \sinh(dx+c)}{8} \right) \cosh(dx+c) + \frac{3dx}{8} + \frac{3c}{8} \right) + 3a^2b \left( \frac{1}{4} \frac{(\sinh(dx+c))^5}{\cosh(dx+c)} - \frac{5}{8} \frac{\sinh(dx+c)}{\cosh(dx+c)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sinh(d*x+c)^4*(a+b*tanh(d*x+c)^2)^3,x)`

[Out]  $1/d*(a^3*((1/4*\sinh(d*x+c)^3-3/8*\sinh(d*x+c))*\cosh(d*x+c)+3/8*d*x+3/8*c)+3*a^2*b*(1/4*\sinh(d*x+c)^5/\cosh(d*x+c)-5/8*\sinh(d*x+c)^3/\cosh(d*x+c)+15/8*d*x+15/8*c-15/8*\tanh(d*x+c))+3*a*b^2*(1/4*\sinh(d*x+c)^7/\cosh(d*x+c)^3-7/8*\sinh(d*x+c)^5/\cosh(d*x+c)^3+35/8*d*x+35/8*c-35/8*\tanh(d*x+c)-35/24*\tanh(d*x+c)^3)+b^3*(1/4*\sinh(d*x+c)^9/\cosh(d*x+c)^5-9/8*\sinh(d*x+c)^7/\cosh(d*x+c)^5+63/8*d*x+63/8*c-63/8*\tanh(d*x+c)-21/8*\tanh(d*x+c)^3-63/40*\tanh(d*x+c)^5))$

**Maxima [B]** time = 1.07719, size = 648, normalized size = 3.56

$$\frac{1}{64} a^3 \left( 24x + \frac{e^{(4dx+4c)}}{d} - \frac{8e^{(2dx+2c)}}{d} + \frac{8e^{(-2dx-2c)}}{d} - \frac{e^{(-4dx-4c)}}{d} \right) + \frac{1}{320} b^3 \left( \frac{2520(dx+c)}{d} + \frac{5(32e^{(-2dx-2c)} - e^{(-4dx-4c)})}{d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sinh(d*x+c)^4*(a+b*tanh(d*x+c)^2)^3,x, algorithm="maxima")`

[Out]  $1/64*a^3*(24*x + e^{(4*d*x + 4*c)}/d - 8*e^{(2*d*x + 2*c)}/d + 8*e^{(-2*d*x - 2*c)}/d - e^{(-4*d*x - 4*c)}/d) + 1/320*b^3*(2520*(d*x + c)/d + 5*(32*e^{(-2*d*x - 2*c)} - e^{(-4*d*x - 4*c)})/d - (135*e^{(-2*d*x - 2*c)} + 5358*e^{(-4*d*x - 4*c)} + 18190*e^{(-6*d*x - 6*c)} + 28455*e^{(-8*d*x - 8*c)} + 19995*e^{(-10*d*x - 10*c)} + 6560*e^{(-12*d*x - 12*c)} - 5)/(d*(e^{(-4*d*x - 4*c)} + 5*e^{(-6*d*x - 6*c)} + 10*e^{(-8*d*x - 8*c)} + 10*e^{(-10*d*x - 10*c)} + 5*e^{(-12*d*x - 12*c)} + e^{(-14*d*x - 14*c)}))) + 1/64*a*b^2*(840*(d*x + c)/d + 3*(24*e^{(-2*d*x - 2*c)} - e^{(-4*d*x - 4*c)})/d - (63*e^{(-2*d*x - 2*c)} + 1487*e^{(-4*d*x - 4*c)} + 2517*e^{(-6*d*x - 6*c)} + 1608*e^{(-8*d*x - 8*c)} - 3)/(d*(e^{(-4*d*x - 4*c)} + 3*e^{(-6*d*x - 6*c)} + 3*e^{(-8*d*x - 8*c)} + e^{(-10*d*x - 10*c)}))) + 3/64*a^2*b*(120*(d*x + c)/d + (16*e^{(-2*d*x - 2*c)} - e^{(-4*d*x - 4*c)})/d - (15*e^{(-2*d*x - 2*c)} + 144*e^{(-4*d*x - 4*c)} - 1)/(d*(e^{(-4*d*x - 4*c)} + e^{(-6*d*x - 6*c)})))$

**Fricas [B]** time = 2.07457, size = 2273, normalized size = 12.49

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sinh(d*x+c)^4*(a+b*tanh(d*x+c)^2)^3,x, algorithm="fricas")`

```
[Out] 1/320*(5*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*sinh(d*x + c)^9 - 15*(a^3 + 11*a^2
*b + 19*a*b^2 + 9*b^3 - 12*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)^2)
*sinh(d*x + c)^7 + 8*(120*a^2*b + 400*a*b^2 + 288*b^3 + 15*(a^3 + 15*a^2*b
+ 35*a*b^2 + 21*b^3)*d*x)*cosh(d*x + c)^5 + 40*(120*a^2*b + 400*a*b^2 + 288
*b^3 + 15*(a^3 + 15*a^2*b + 35*a*b^2 + 21*b^3)*d*x)*cosh(d*x + c)*sinh(d*x
+ c)^4 + (630*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)^4 - 150*a^3 - 2
010*a^2*b - 4850*a*b^2 - 3054*b^3 - 315*(a^3 + 11*a^2*b + 19*a*b^2 + 9*b^3)
*cosh(d*x + c)^2)*sinh(d*x + c)^5 + 40*(120*a^2*b + 400*a*b^2 + 288*b^3 + 1
5*(a^3 + 15*a^2*b + 35*a*b^2 + 21*b^3)*d*x)*cosh(d*x + c)^3 + 5*(84*(a^3 +
3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)^6 - 105*(a^3 + 11*a^2*b + 19*a*b^2 +
9*b^3)*cosh(d*x + c)^4 - 62*a^3 - 978*a^2*b - 2282*a*b^2 - 1302*b^3 - 4*(7
5*a^3 + 1005*a^2*b + 2425*a*b^2 + 1527*b^3)*cosh(d*x + c)^2)*sinh(d*x + c)^
3 + 40*(2*(120*a^2*b + 400*a*b^2 + 288*b^3 + 15*(a^3 + 15*a^2*b + 35*a*b^2
+ 21*b^3)*d*x)*cosh(d*x + c)^3 + 3*(120*a^2*b + 400*a*b^2 + 288*b^3 + 15*(a
^3 + 15*a^2*b + 35*a*b^2 + 21*b^3)*d*x)*cosh(d*x + c))*sinh(d*x + c)^2 + 80
*(120*a^2*b + 400*a*b^2 + 288*b^3 + 15*(a^3 + 15*a^2*b + 35*a*b^2 + 21*b^3)
*d*x)*cosh(d*x + c) + 5*(9*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)^8
- 21*(a^3 + 11*a^2*b + 19*a*b^2 + 9*b^3)*cosh(d*x + c)^6 - 2*(75*a^3 + 1005
*a^2*b + 2425*a*b^2 + 1527*b^3)*cosh(d*x + c)^4 - 36*a^3 - 612*a^2*b - 1372
*a*b^2 - 924*b^3 - 6*(31*a^3 + 489*a^2*b + 1141*a*b^2 + 651*b^3)*cosh(d*x +
c)^2)*sinh(d*x + c))/(d*cosh(d*x + c)^5 + 5*d*cosh(d*x + c)*sinh(d*x + c)^
4 + 5*d*cosh(d*x + c)^3 + 5*(2*d*cosh(d*x + c)^3 + 3*d*cosh(d*x + c))*sinh(
d*x + c)^2 + 10*d*cosh(d*x + c))
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sinh(d*x+c)**4*(a+b*tanh(d*x+c)**2)**3,x)
```

```
[Out] Timed out
```

**Giac [B]** time = 2.74754, size = 684, normalized size = 3.76

$$120(a^3 + 15a^2b + 35ab^2 + 21b^3)dx - 5(18a^3e^{4dx+4c} + 270a^2be^{4dx+4c} + 630ab^2e^{4dx+4c} + 378b^3e^{4dx+4c} - 8a^3e^{2dx+2c})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out]  $\frac{1}{320} \cdot (120 \cdot (a^3 + 15 \cdot a^2 \cdot b + 35 \cdot a \cdot b^2 + 21 \cdot b^3) \cdot d \cdot x - 5 \cdot (18 \cdot a^3 \cdot e^{(4 \cdot d \cdot x + 4 \cdot c)} + 270 \cdot a^2 \cdot b \cdot e^{(4 \cdot d \cdot x + 4 \cdot c)} + 630 \cdot a \cdot b^2 \cdot e^{(4 \cdot d \cdot x + 4 \cdot c)} + 378 \cdot b^3 \cdot e^{(4 \cdot d \cdot x + 4 \cdot c)} - 8 \cdot a^3 \cdot e^{(2 \cdot d \cdot x + 2 \cdot c)} - 48 \cdot a^2 \cdot b \cdot e^{(2 \cdot d \cdot x + 2 \cdot c)} - 72 \cdot a \cdot b^2 \cdot e^{(2 \cdot d \cdot x + 2 \cdot c)} - 32 \cdot b^3 \cdot e^{(2 \cdot d \cdot x + 2 \cdot c)} + a^3 + 3 \cdot a^2 \cdot b + 3 \cdot a \cdot b^2 + b^3) \cdot e^{(-4 \cdot d \cdot x - 4 \cdot c)} + 5 \cdot (a^3 \cdot e^{(4 \cdot d \cdot x + 36 \cdot c)} + 3 \cdot a^2 \cdot b \cdot e^{(4 \cdot d \cdot x + 36 \cdot c)} + 3 \cdot a \cdot b^2 \cdot e^{(4 \cdot d \cdot x + 36 \cdot c)} + b^3 \cdot e^{(4 \cdot d \cdot x + 36 \cdot c)} - 8 \cdot a^3 \cdot e^{(2 \cdot d \cdot x + 34 \cdot c)} - 48 \cdot a^2 \cdot b \cdot e^{(2 \cdot d \cdot x + 34 \cdot c)} - 72 \cdot a \cdot b^2 \cdot e^{(2 \cdot d \cdot x + 34 \cdot c)} - 32 \cdot b^3 \cdot e^{(2 \cdot d \cdot x + 34 \cdot c)}) \cdot e^{(-32 \cdot c)} + 128 \cdot (15 \cdot a^2 \cdot b \cdot e^{(8 \cdot d \cdot x + 8 \cdot c)} + 60 \cdot a \cdot b^2 \cdot e^{(8 \cdot d \cdot x + 8 \cdot c)} + 50 \cdot b^3 \cdot e^{(8 \cdot d \cdot x + 8 \cdot c)} + 60 \cdot a^2 \cdot b \cdot e^{(6 \cdot d \cdot x + 6 \cdot c)} + 210 \cdot a \cdot b^2 \cdot e^{(6 \cdot d \cdot x + 6 \cdot c)} + 150 \cdot b^3 \cdot e^{(6 \cdot d \cdot x + 6 \cdot c)} + 90 \cdot a^2 \cdot b \cdot e^{(4 \cdot d \cdot x + 4 \cdot c)} + 290 \cdot a \cdot b^2 \cdot e^{(4 \cdot d \cdot x + 4 \cdot c)} + 210 \cdot b^3 \cdot e^{(4 \cdot d \cdot x + 4 \cdot c)} + 60 \cdot a^2 \cdot b \cdot e^{(2 \cdot d \cdot x + 2 \cdot c)} + 190 \cdot a \cdot b^2 \cdot e^{(2 \cdot d \cdot x + 2 \cdot c)} + 130 \cdot b^3 \cdot e^{(2 \cdot d \cdot x + 2 \cdot c)} + 15 \cdot a^2 \cdot b + 50 \cdot a \cdot b^2 + 36 \cdot b^3) / (e^{(2 \cdot d \cdot x + 2 \cdot c)} + 1)^5) / d$

### 3.18 $\int \sinh^3(c + dx) (a + b \tanh^2(c + dx))^3 dx$

**Optimal.** Leaf size=105

$$\frac{b^2(3a + 4b)\operatorname{sech}^3(c + dx)}{3d} + \frac{(a + b)^3 \cosh^3(c + dx)}{3d} - \frac{(a + b)^2(a + 4b) \cosh(c + dx)}{d} - \frac{3b(a + b)(a + 2b)\operatorname{sech}(c + dx)}{d}$$

[Out] -(((a + b)^2\*(a + 4\*b)\*Cosh[c + d\*x])/d) + ((a + b)^3\*Cosh[c + d\*x]^3)/(3\*d) - (3\*b\*(a + b)\*(a + 2\*b)\*Sech[c + d\*x])/d + (b^2\*(3\*a + 4\*b)\*Sech[c + d\*x]^3)/(3\*d) - (b^3\*Sech[c + d\*x]^5)/(5\*d)

**Rubi [A]** time = 0.12258, antiderivative size = 105, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {3664, 448}

$$\frac{b^2(3a + 4b)\operatorname{sech}^3(c + dx)}{3d} + \frac{(a + b)^3 \cosh^3(c + dx)}{3d} - \frac{(a + b)^2(a + 4b) \cosh(c + dx)}{d} - \frac{3b(a + b)(a + 2b)\operatorname{sech}(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[Sinh[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] -(((a + b)^2\*(a + 4\*b)\*Cosh[c + d\*x])/d) + ((a + b)^3\*Cosh[c + d\*x]^3)/(3\*d) - (3\*b\*(a + b)\*(a + 2\*b)\*Sech[c + d\*x])/d + (b^2\*(3\*a + 4\*b)\*Sech[c + d\*x]^3)/(3\*d) - (b^3\*Sech[c + d\*x]^5)/(5\*d)

#### Rule 3664

Int[sin[(e\_.) + (f\_.)\*(x\_.)]^(m\_.)\*((a\_.) + (b\_.)\*tan[(e\_.) + (f\_.)\*(x\_.)]^2)^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Sec[e + f\*x], x]}, Dist[1/(f\*ff^m), Subst[Int[(-1 + ff^2\*x^2)^((m - 1)/2)\*(a - b + b\*ff^2\*x^2)^p]/x^(m + 1), x], x, Sec[e + f\*x]/ff, x] /; FreeQ[{a, b, e, f, p}, x] && IntegerQ[(m - 1)/2]

#### Rule 448

Int[((e\_.)\*(x\_.))^(m\_.)\*((a\_.) + (b\_.)\*(x\_.)^(n\_.))^(p\_.)\*((c\_.) + (d\_.)\*(x\_.)^(n\_.))^(q\_.), x\_Symbol] :> Int[ExpandIntegrand[(e\*x)^m\*(a + b\*x^n)^p\*(c + d\*x^n)^q, x], x] /; FreeQ[{a, b, c, d, e, m, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[p, 0] && IGtQ[q, 0]

Rubi steps

$$\int \sinh^3(c + dx) (a + b \tanh^2(c + dx))^3 dx = \frac{\text{Subst} \left( \int \frac{(-1+x^2)(a+b-bx^2)^3}{x^4} dx, x, \text{sech}(c + dx) \right)}{d}$$

$$= \frac{\text{Subst} \left( \int \left( 3(-a - 2b)b(a + b) - \frac{(a+b)^3}{x^4} + \frac{(a+b)^2(a+4b)}{x^2} + b^2(3a + 4b)x^2 - b^3x^4 \right) dx, x, \text{sech}(c + dx) \right)}{d}$$

$$= -\frac{(a + b)^2(a + 4b) \cosh(c + dx)}{d} + \frac{(a + b)^3 \cosh^3(c + dx)}{3d} - \frac{3b(a + b)(a + 2b) \text{sech}(c + dx)}{d}$$

**Mathematica [A]** time = 0.290715, size = 91, normalized size = 0.87

$$\frac{20b^2(3a + 4b)\text{sech}^3(c + dx) - 45(a + b)^2(a + 5b) \cosh(c + dx) + 5(a + b)^3 \cosh(3(c + dx)) - 180b(a + b)(a + 2b)\text{sech}(c + dx)}{60d}$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] (-45\*(a + b)^2\*(a + 5\*b)\*Cosh[c + d\*x] + 5\*(a + b)^3\*Cosh[3\*(c + d\*x)] - 180\*b\*(a + b)\*(a + 2\*b)\*Sech[c + d\*x] + 20\*b^2\*(3\*a + 4\*b)\*Sech[c + d\*x]^3 - 12\*b^3\*Sech[c + d\*x]^5)/(60\*d)

**Maple [B]** time = 0.052, size = 287, normalized size = 2.7

$$\frac{1}{d} \left( a^3 \left( -\frac{2}{3} + \frac{(\sinh(dx + c))^2}{3} \right) \cosh(dx + c) + 3a^2b \left( \frac{1}{3} \frac{(\sinh(dx + c))^4}{\cosh(dx + c)} + \frac{4}{3} \frac{(\sinh(dx + c))^2}{\cosh(dx + c)} - \frac{8}{3} \cosh(dx + c) \right) + 3ab^2 \left( \frac{1}{3} \frac{(\sinh(dx + c))^6}{\cosh(dx + c)^3} + \frac{4}{3} \frac{(\sinh(dx + c))^4}{\cosh(dx + c)^3} - \frac{8}{3} \frac{(\sinh(dx + c))^2}{\cosh(dx + c)^3} + \frac{16}{3} \frac{\sinh(dx + c)^2}{\cosh(dx + c)} - \frac{16}{3} \cosh(dx + c) \right) + b^3 \left( \frac{1}{3} \frac{(\sinh(dx + c))^8}{\cosh(dx + c)^5} - \frac{8}{3} \frac{(\sinh(dx + c))^6}{\cosh(dx + c)^5} + \frac{16}{3} \frac{(\sinh(dx + c))^4}{\cosh(dx + c)^5} - \frac{64}{5} \frac{(\sinh(dx + c))^2}{\cosh(dx + c)^5} + \frac{128}{15} \frac{\sinh(dx + c)^2}{\cosh(dx + c)^5} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2)^3,x)

[Out] 1/d\*(a^3\*(-2/3+1/3\*sinh(d\*x+c)^2)\*cosh(d\*x+c)+3\*a^2\*b\*(1/3\*sinh(d\*x+c)^4/cosh(d\*x+c)+4/3\*sinh(d\*x+c)^2/cosh(d\*x+c)-8/3\*cosh(d\*x+c))+3\*a\*b^2\*(1/3\*sinh(d\*x+c)^6/cosh(d\*x+c)^3-2\*sinh(d\*x+c)^4/cosh(d\*x+c)^3-8/3\*sinh(d\*x+c)^2/cosh(d\*x+c)^3+16/3\*sinh(d\*x+c)^2/cosh(d\*x+c)-16/3\*cosh(d\*x+c))+b^3\*(1/3\*sinh(d\*x+c)^8/cosh(d\*x+c)^5-8/3\*sinh(d\*x+c)^6/cosh(d\*x+c)^5-16\*sinh(d\*x+c)^4/cosh(d\*x+c)^5-64/5\*sinh(d\*x+c)^2/cosh(d\*x+c)^5+128/15\*sinh(d\*x+c)^2/cosh(d\*x+c)^5)

$$3+128/15*\sinh(d*x+c)^2/\cosh(d*x+c)-128/15*\cosh(d*x+c))$$

**Maxima [B]** time = 1.10065, size = 593, normalized size = 5.65

$$-\frac{1}{120} b^3 \left( \frac{5 \left( 45 e^{(-dx-c)} - e^{(-3dx-3c)} \right)}{d} + \frac{200 e^{(-2dx-2c)} + 2515 e^{(-4dx-4c)} + 6680 e^{(-6dx-6c)} + 9073 e^{(-8dx-8c)} + 5600 e^{(-10dx-10c)}}{d \left( e^{(-3dx-3c)} + 5 e^{(-5dx-5c)} + 10 e^{(-7dx-7c)} + 10 e^{(-9dx-9c)} + 5 e^{(-11dx-11c)} \right)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="maxima")

[Out] 
$$-1/120*b^3*(5*(45*e^{(-d*x - c)} - e^{(-3*d*x - 3*c)})/d + (200*e^{(-2*d*x - 2*c)} + 2515*e^{(-4*d*x - 4*c)} + 6680*e^{(-6*d*x - 6*c)} + 9073*e^{(-8*d*x - 8*c)} + 5600*e^{(-10*d*x - 10*c)} + 1665*e^{(-12*d*x - 12*c)} - 5)/(d*(e^{(-3*d*x - 3*c)} + 5*e^{(-5*d*x - 5*c)} + 10*e^{(-7*d*x - 7*c)} + 10*e^{(-9*d*x - 9*c)} + 5*e^{(-11*d*x - 11*c)} + e^{(-13*d*x - 13*c)})) - 1/8*a*b^2*((33*e^{(-d*x - c)} - e^{(-3*d*x - 3*c)})/d + (30*e^{(-2*d*x - 2*c)} + 240*e^{(-4*d*x - 4*c)} + 322*e^{(-6*d*x - 6*c)} + 177*e^{(-8*d*x - 8*c)} - 1)/(d*(e^{(-3*d*x - 3*c)} + 3*e^{(-5*d*x - 5*c)} + 3*e^{(-7*d*x - 7*c)} + e^{(-9*d*x - 9*c)}))) - 1/8*a^2*b*((21*e^{(-d*x - c)} - e^{(-3*d*x - 3*c)})/d + (20*e^{(-2*d*x - 2*c)} + 69*e^{(-4*d*x - 4*c)} - 1)/(d*(e^{(-3*d*x - 3*c)} + e^{(-5*d*x - 5*c)}))) + 1/24*a^3*(e^{(3*d*x + 3*c)}/d - 9*e^{(d*x + c)}/d - 9*e^{(-d*x - c)}/d + e^{(-3*d*x - 3*c)}/d)$$

**Fricas [B]** time = 1.96694, size = 1388, normalized size = 13.22

$$5(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^8 + 5(a^3 + 3a^2b + 3ab^2 + b^3) \sinh(dx + c)^8 - 20(a^3 + 12a^2b + 21ab^2 + 10b^3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out] 
$$1/120*(5*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^8 + 5*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\sinh(d*x + c)^8 - 20*(a^3 + 12*a^2*b + 21*a*b^2 + 10*b^3)*\cosh(d*x + c)^6 - 20*(a^3 + 12*a^2*b + 21*a*b^2 + 10*b^3 - 7*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^6 - 20*(11*a^3 + 123*a^2*b + 249*a*b^2 + 137*b^3)*\cosh(d*x + c)^4 + 10*(35*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^4 - 22*a^3 - 246*a^2*b - 498*a*b^2 - 274*b^3 - 30*(a^3 + 12*a^2*b + 21*a*b^2 + 10*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 - 425*a^3$$

$$\begin{aligned}
& - 5235a^2b - 10395ab^2 - 5649b^3 - 20(31a^3 + 372a^2b + 747ab^2 \\
& + 390b^3)\cosh(dx + c)^2 + 20(7(a^3 + 3a^2b + 3ab^2 + b^3)\cosh(dx \\
& + c)^6 - 15(a^3 + 12a^2b + 21ab^2 + 10b^3)\cosh(dx + c)^4 - 31a^3 \\
& - 372a^2b - 747ab^2 - 390b^3 - 6(11a^3 + 123a^2b + 249ab^2 + 13 \\
& 7b^3)\cosh(dx + c)^2)\sinh(dx + c)^2)/(d\cosh(dx + c)^5 + 5d\cosh(dx \\
& + c)\sinh(dx + c)^4 + 5d\cosh(dx + c)^3 + 5(2d\cosh(dx + c)^3 + 3d\c \\
& osh(dx + c))\sinh(dx + c)^2 + 10d\cosh(dx + c))
\end{aligned}$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(dx+c)\*\*3\*(a+b\*tanh(dx+c)\*\*2)\*\*3,x)

[Out] Timed out

**Giac [B]** time = 2.43728, size = 597, normalized size = 5.69

$$5\left(9a^3e^{(2dx+2c)} + 63a^2be^{(2dx+2c)} + 99ab^2e^{(2dx+2c)} + 45b^3e^{(2dx+2c)} - a^3 - 3a^2b - 3ab^2 - b^3\right)e^{(-3dx-3c)} - 5\left(a^3e^{(3dx+48c)}
\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(dx+c)^3\*(a+b\*tanh(dx+c)^2)^3,x, algorithm="giac")

[Out] 
$$\begin{aligned}
& -1/120*(5*(9a^3e^{(2dx + 2c)} + 63a^2b*e^{(2dx + 2c)} + 99ab^2e^{(2 \\
& *dx + 2c)} + 45b^3e^{(2dx + 2c)} - a^3 - 3a^2b - 3ab^2 - b^3)*e^{(-3 \\
& *dx - 3c)} - 5*(a^3e^{(3dx + 48c)} + 3a^2b*e^{(3dx + 48c)} + 3ab^2* \\
& e^{(3dx + 48c)} + b^3e^{(3dx + 48c)} - 9a^3e^{(dx + 46c)} - 63a^2b*e \\
& ^{(dx + 46c)} - 99ab^2e^{(dx + 46c)} - 45b^3e^{(dx + 46c)})*e^{(-45c)} \\
& + 16*(45a^2b*e^{(9dx + 9c)} + 135ab^2e^{(9dx + 9c)} + 90b^3e^{(9dx \\
& x + 9c)} + 180a^2b*e^{(7dx + 7c)} + 480ab^2e^{(7dx + 7c)} + 280b^3* \\
& e^{(7dx + 7c)} + 270a^2b*e^{(5dx + 5c)} + 690ab^2e^{(5dx + 5c)} + 4 \\
& 28b^3e^{(5dx + 5c)} + 180a^2b*e^{(3dx + 3c)} + 480ab^2e^{(3dx + 3 \\
& *c)} + 280b^3e^{(3dx + 3c)} + 45a^2b*e^{(dx + c)} + 135ab^2e^{(dx + c \\
& )} + 90b^3e^{(dx + c)})/(e^{(2dx + 2c)} + 1)^5)/d
\end{aligned}$$



### 3.19 $\int \sinh^2(c + dx) (a + b \tanh^2(c + dx))^3 dx$

**Optimal.** Leaf size=122

$$\frac{b^2(3a + 2b) \tanh^3(c + dx)}{3d} + \frac{3b(a + b)^2 \tanh(c + dx)}{d} + \frac{(a + b)^3}{4d(1 - \tanh(c + dx))} - \frac{(a + b)^3}{4d(\tanh(c + dx) + 1)} - \frac{1}{2}x(a + b)^2(a + b \tanh^2(c + dx))$$

[Out]  $-\left((a + b)^2(a + 7b)x/2 + (a + b)^3/(4d(1 - \text{Tanh}[c + dx])) + (3b(a + b)^2 \text{Tanh}[c + dx])/d + (b^2(3a + 2b) \text{Tanh}[c + dx]^3)/(3d) + (b^3 \text{Tanh}[c + dx]^5)/(5d) - (a + b)^3/(4d(1 + \text{Tanh}[c + dx]))\right)$

**Rubi [A]** time = 0.185146, antiderivative size = 139, normalized size of antiderivative = 1.14, number of steps used = 6, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {3663, 467, 528, 388, 206}

$$\frac{b(81a^2 + 190ab + 105b^2) \tanh(c + dx)}{30d} + \frac{7b \tanh(c + dx) (a + b \tanh^2(c + dx))^2}{10d} + \frac{b(33a + 35b) \tanh(c + dx) (a + b \tanh^2(c + dx))}{30d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Sinh}[c + dx]^2(a + b \text{Tanh}[c + dx]^2)^3, x]$

[Out]  $-\left((a + b)^2(a + 7b)x/2 + (b(81a^2 + 190ab + 105b^2) \text{Tanh}[c + dx])/(30d) + (b(33a + 35b) \text{Tanh}[c + dx] (a + b \text{Tanh}[c + dx]^2))/(30d) + (7b \text{Tanh}[c + dx] (a + b \text{Tanh}[c + dx]^2)^2)/(10d) + (\text{Cosh}[c + dx] \text{Sinh}[c + dx] (a + b \text{Tanh}[c + dx]^2)^3)/(2d)\right)$

#### Rule 3663

$\text{Int}[\sin[(e_.) + (f_.)(x_.)]^{(m_.)}((a_.) + (b_.)((c_.) \tan[(e_.) + (f_.)(x_.)])^{(n_.)})^{(p_.)}, x\_Symbol] \rightarrow \text{With}[\{ff = \text{FreeFactors}[\text{Tan}[e + f x], x]\}, \text{Dist}[(c \text{ff}^{(m + 1)})/f, \text{Subst}[\text{Int}[(x^m (a + b(\text{ff} x)^n)^p]/(c^2 + \text{ff}^2 x^2)^{(m/2 + 1)}, x], x, (c \text{Tan}[e + f x])/ff], x]] /; \text{FreeQ}\{a, b, c, e, f, n, p\}, x] \&\& \text{IntegerQ}[m/2]$

#### Rule 467

$\text{Int}[(e_.)(x_.)^{(m_.)}((a_.) + (b_.)(x_.)^{(n_.)})^{(p_.)}((c_.) + (d_.)(x_.)^{(n_.)})^{(q_.)}, x\_Symbol] \rightarrow \text{Simp}[(e^{(n - 1)}(e x)^{(m - n + 1)}(a + b x^n)^{(p + 1)}(c + d x^n)^q)/(b n (p + 1)), x] - \text{Dist}[e^n/(b n (p + 1)), \text{Int}[(e x)^{(m - n)}(a + b x^n)^{(p + 1)}(c + d x^n)^{(q - 1)} \text{Simp}[c(m - n + 1) + d(m + n)(q$

```
- 1) + 1)*x^n, x], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b*c - a*d, 0]
] && IGtQ[n, 0] && LtQ[p, -1] && GtQ[q, 0] && GtQ[m - n + 1, 0] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]
```

### Rule 528

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.)*((e_) + (f_.)*(x_)^(n_)), x_Symbol] := Simp[(f*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^q)/(b*(n*(p + q + 1) + 1)), x] + Dist[1/(b*(n*(p + q + 1) + 1)), Int[(a + b*x^n)^p*(c + d*x^n)^(q - 1)*Simp[c*(b*e - a*f + b*e*n*(p + q + 1)) + (d*(b*e - a*f) + f*n*q*(b*c - a*d) + b*d*e*n*(p + q + 1))*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && GtQ[q, 0] && NeQ[n*(p + q + 1) + 1, 0]
```

### Rule 388

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[(d*x*(a + b*x^n)^(p + 1))/(b*(n*(p + 1) + 1)), x] - Dist[(a*d - b*c*(n*(p + 1) + 1))/(b*(n*(p + 1) + 1)), Int[(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && NeQ[n*(p + 1) + 1, 0]
```

### Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

### Rubi steps

$$\begin{aligned}
\int \sinh^2(c + dx) (a + b \tanh^2(c + dx))^3 dx &= \frac{\text{Subst}\left(\int \frac{x^2(a+bx^2)^3}{(1-x^2)^2} dx, x, \tanh(c + dx)\right)}{d} \\
&= \frac{\cosh(c + dx) \sinh(c + dx) (a + b \tanh^2(c + dx))^3}{2d} - \frac{\text{Subst}\left(\int \frac{(a+bx^2)^2(a+7x^2)}{1-x^2} dx, x, \tanh(c + dx)\right)}{2d} \\
&= \frac{7b \tanh(c + dx) (a + b \tanh^2(c + dx))^2}{10d} + \frac{\cosh(c + dx) \sinh(c + dx) (a + b \tanh^2(c + dx))^3}{2d} \\
&= \frac{b(33a + 35b) \tanh(c + dx) (a + b \tanh^2(c + dx))}{30d} + \frac{7b \tanh(c + dx) (a + b \tanh^2(c + dx))^2}{10d} \\
&= \frac{b(81a^2 + 190ab + 105b^2) \tanh(c + dx)}{30d} + \frac{b(33a + 35b) \tanh(c + dx) (a + b \tanh^2(c + dx))}{30d} \\
&= -\frac{1}{2}(a + b)^2(a + 7b)x + \frac{b(81a^2 + 190ab + 105b^2) \tanh(c + dx)}{30d} + \frac{b(33a + 35b) \tanh(c + dx) (a + b \tanh^2(c + dx))}{30d}
\end{aligned}$$

**Mathematica [A]** time = 2.15865, size = 95, normalized size = 0.78

$$\frac{4b \tanh(c + dx) (45a^2 - b(15a + 16b) \text{sech}^2(c + dx) + 105ab + 3b^2 \text{sech}^4(c + dx) + 58b^2) - 30(a + 7b)(a + b)^2(c + dx) + 15b^2 \text{sech}^2(c + dx)}{60d}$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]^2\*(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] (-30\*(a + b)^2\*(a + 7\*b)\*(c + d\*x) + 15\*(a + b)^3\*Sinh[2\*(c + d\*x)] + 4\*b\*(45\*a^2 + 105\*a\*b + 58\*b^2 - b\*(15\*a + 16\*b)\*Sech[c + d\*x]^2 + 3\*b^2\*Sech[c + d\*x]^4)\*Tanh[c + d\*x])/(60\*d)

**Maple [A]** time = 0.053, size = 180, normalized size = 1.5

$$\frac{1}{d} \left( a^3 \left( \frac{\cosh(dx + c) \sinh(dx + c)}{2} - \frac{dx}{2} - \frac{c}{2} \right) + 3a^2b \left( \frac{1}{2} \frac{(\sinh(dx + c))^3}{\cosh(dx + c)} - \frac{3}{2} dx - \frac{3}{2} c + \frac{3}{2} \tanh(dx + c) \right) + 3ab^2 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sinh(d*x+c)^2*(a+b*tanh(d*x+c)^2)^3,x)`

[Out]  $\frac{1}{d}*(a^3*(\frac{1}{2}*\cosh(d*x+c)*\sinh(d*x+c)-\frac{1}{2}*d*x-\frac{1}{2}*c)+3*a^2*b*(\frac{1}{2}*\sinh(d*x+c)^3/\cosh(d*x+c)-\frac{3}{2}*d*x-\frac{3}{2}*c+\frac{3}{2}*tanh(d*x+c))+3*a*b^2*(\frac{1}{2}*\sinh(d*x+c)^5/\cosh(d*x+c)^3-\frac{5}{2}*d*x-\frac{5}{2}*c+\frac{5}{2}*tanh(d*x+c)+\frac{5}{6}*tanh(d*x+c)^3)+b^3*(\frac{1}{2}*\sinh(d*x+c)^7/\cosh(d*x+c)^5-\frac{7}{2}*d*x-\frac{7}{2}*c+\frac{7}{2}*tanh(d*x+c)+\frac{7}{6}*tanh(d*x+c)^3+\frac{7}{10}*tanh(d*x+c)^5))$

**Maxima [B]** time = 1.1, size = 509, normalized size = 4.17

$$-\frac{1}{8}a^3\left(4x - \frac{e^{(2dx+2c)}}{d} + \frac{e^{(-2dx-2c)}}{d}\right) - \frac{1}{120}b^3\left(\frac{420(dx+c)}{d} + \frac{15e^{(-2dx-2c)}}{d} - \frac{1003e^{(-2dx-2c)} + 3350e^{(-4dx-4c)} + 5590e^{(-6dx-6c)}}{d(e^{(-2dx-2c)} + 5e^{(-4dx-4c)} + 10e^{(-6dx-6c)})}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sinh(d*x+c)^2*(a+b*tanh(d*x+c)^2)^3,x, algorithm="maxima")`

[Out]  $-\frac{1}{8}a^3*(4*x - e^{(2*d*x + 2*c)}/d + e^{(-2*d*x - 2*c)}/d - \frac{1}{120}b^3*(420*(d*x + c)/d + 15*e^{(-2*d*x - 2*c)}/d - (1003*e^{(-2*d*x - 2*c)} + 3350*e^{(-4*d*x - 4*c)} + 5590*e^{(-6*d*x - 6*c)} + 3915*e^{(-8*d*x - 8*c)} + 1455*e^{(-10*d*x - 10*c)} + 15)/(d*(e^{(-2*d*x - 2*c)} + 5*e^{(-4*d*x - 4*c)} + 10*e^{(-6*d*x - 6*c)} + 10*e^{(-8*d*x - 8*c)} + 5*e^{(-10*d*x - 10*c)} + e^{(-12*d*x - 12*c)}))) - \frac{1}{8}a*b^2*(60*(d*x + c)/d + 3*e^{(-2*d*x - 2*c)}/d - (121*e^{(-2*d*x - 2*c)} + 201*e^{(-4*d*x - 4*c)} + 147*e^{(-6*d*x - 6*c)} + 3)/(d*(e^{(-2*d*x - 2*c)} + 3*e^{(-4*d*x - 4*c)} + 3*e^{(-6*d*x - 6*c)} + e^{(-8*d*x - 8*c)}))) - \frac{3}{8}a^2*b*(12*(d*x + c)/d + e^{(-2*d*x - 2*c)}/d - (17*e^{(-2*d*x - 2*c)} + 1)/(d*(e^{(-2*d*x - 2*c)} + e^{(-4*d*x - 4*c)})))$

**Fricas [B]** time = 2.10247, size = 1854, normalized size = 15.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sinh(d*x+c)^2*(a+b*tanh(d*x+c)^2)^3,x, algorithm="fricas")`

[Out]  $\frac{1}{120}*(15*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\sinh(d*x + c)^7 - 4*(90*a^2*b + 210*a*b^2 + 116*b^3 + 15*(a^3 + 9*a^2*b + 15*a*b^2 + 7*b^3)*d*x)*\cosh(d*x + c)^5 - 20*(90*a^2*b + 210*a*b^2 + 116*b^3 + 15*(a^3 + 9*a^2*b + 15*a*b^2 +$

$$7*b^3*d*x)*\cosh(d*x + c)*\sinh(d*x + c)^4 + (75*a^3 + 585*a^2*b + 1065*a*b^2 + 539*b^3 + 315*(a^3 + 3*a^2*b + 3*a*b^2 + b^3))*\cosh(d*x + c)^2*\sinh(d*x + c)^5 - 20*(90*a^2*b + 210*a*b^2 + 116*b^3 + 15*(a^3 + 9*a^2*b + 15*a*b^2 + 7*b^3))*d*x)*\cosh(d*x + c)^3 + 5*(105*(a^3 + 3*a^2*b + 3*a*b^2 + b^3))*\cosh(d*x + c)^4 + 27*a^3 + 297*a^2*b + 489*a*b^2 + 203*b^3 + 2*(75*a^3 + 585*a^2*b + 1065*a*b^2 + 539*b^3))*\cosh(d*x + c)^2*\sinh(d*x + c)^3 - 20*(2*(90*a^2*b + 210*a*b^2 + 116*b^3 + 15*(a^3 + 9*a^2*b + 15*a*b^2 + 7*b^3))*d*x)*\cosh(d*x + c)^3 + 3*(90*a^2*b + 210*a*b^2 + 116*b^3 + 15*(a^3 + 9*a^2*b + 15*a*b^2 + 7*b^3))*d*x)*\cosh(d*x + c))*\sinh(d*x + c)^2 - 40*(90*a^2*b + 210*a*b^2 + 116*b^3 + 15*(a^3 + 9*a^2*b + 15*a*b^2 + 7*b^3))*d*x)*\cosh(d*x + c) + 5*(21*(a^3 + 3*a^2*b + 3*a*b^2 + b^3))*\cosh(d*x + c)^6 + (75*a^3 + 585*a^2*b + 1065*a*b^2 + 539*b^3))*\cosh(d*x + c)^4 + 15*a^3 + 189*a^2*b + 285*a*b^2 + 175*b^3 + 3*(27*a^3 + 297*a^2*b + 489*a*b^2 + 203*b^3))*\cosh(d*x + c)^2*\sinh(d*x + c))/((d*\cosh(d*x + c))^5 + 5*d*\cosh(d*x + c)*\sinh(d*x + c)^4 + 5*d*\cosh(d*x + c)^3 + 5*(2*d*\cosh(d*x + c)^3 + 3*d*\cosh(d*x + c))*\sinh(d*x + c)^2 + 10*d*\cosh(d*x + c))$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)\*\*2\*(a+b\*tanh(d\*x+c)\*\*2)\*\*3,x)

[Out] Timed out

**Giac [B]** time = 2.1757, size = 533, normalized size = 4.37

$$60(a^3 + 9a^2b + 15ab^2 + 7b^3)dx - 15(2a^3e^{(2dx+2c)} + 18a^2be^{(2dx+2c)} + 30ab^2e^{(2dx+2c)} + 14b^3e^{(2dx+2c)} - a^3 - 3a^2b -$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out]  $-1/120*(60*(a^3 + 9*a^2*b + 15*a*b^2 + 7*b^3)*d*x - 15*(2*a^3*e^{(2*d*x + 2*c)} + 18*a^2*b*e^{(2*d*x + 2*c)} + 30*a*b^2*e^{(2*d*x + 2*c)} + 14*b^3*e^{(2*d*x + 2*c)} - a^3 - 3*a^2*b - 3*a*b^2 - b^3)*e^{(-2*d*x - 2*c)} - 15*(a^3*e^{(2*d*x$

$$\begin{aligned}
& + 16*c) + 3*a^2*b*e^{(2*d*x + 16*c)} + 3*a*b^2*e^{(2*d*x + 16*c)} + b^3*e^{(2*d \\
& *x + 16*c))*e^{(-14*c)} + 16*(45*a^2*b*e^{(8*d*x + 8*c)} + 135*a*b^2*e^{(8*d*x + \\
& 8*c)} + 90*b^3*e^{(8*d*x + 8*c)} + 180*a^2*b*e^{(6*d*x + 6*c)} + 450*a*b^2*e^{(6 \\
& *d*x + 6*c)} + 240*b^3*e^{(6*d*x + 6*c)} + 270*a^2*b*e^{(4*d*x + 4*c)} + 600*a*b \\
& ^2*e^{(4*d*x + 4*c)} + 340*b^3*e^{(4*d*x + 4*c)} + 180*a^2*b*e^{(2*d*x + 2*c)} + \\
& 390*a*b^2*e^{(2*d*x + 2*c)} + 200*b^3*e^{(2*d*x + 2*c)} + 45*a^2*b + 105*a*b^2 \\
& + 58*b^3)/(e^{(2*d*x + 2*c)} + 1)^5)/d
\end{aligned}$$

### 3.20 $\int \sinh(c + dx) (a + b \tanh^2(c + dx))^3 dx$

**Optimal.** Leaf size=70

$$-\frac{b^2(a+b)\operatorname{sech}^3(c+dx)}{d} + \frac{(a+b)^3 \cosh(c+dx)}{d} + \frac{3b(a+b)^2 \operatorname{sech}(c+dx)}{d} + \frac{b^3 \operatorname{sech}^5(c+dx)}{5d}$$

[Out]  $((a + b)^3 \operatorname{Cosh}[c + d*x])/d + (3*b*(a + b)^2 \operatorname{Sech}[c + d*x])/d - (b^2*(a + b) * \operatorname{Sech}[c + d*x]^3)/d + (b^3 * \operatorname{Sech}[c + d*x]^5)/(5*d)$

**Rubi [A]** time = 0.0684337, antiderivative size = 70, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$ , Rules used = {3664, 270}

$$-\frac{b^2(a+b)\operatorname{sech}^3(c+dx)}{d} + \frac{(a+b)^3 \cosh(c+dx)}{d} + \frac{3b(a+b)^2 \operatorname{sech}(c+dx)}{d} + \frac{b^3 \operatorname{sech}^5(c+dx)}{5d}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[\operatorname{Sinh}[c + d*x]*(a + b*\operatorname{Tanh}[c + d*x]^2)^3, x]$

[Out]  $((a + b)^3 \operatorname{Cosh}[c + d*x])/d + (3*b*(a + b)^2 \operatorname{Sech}[c + d*x])/d - (b^2*(a + b) * \operatorname{Sech}[c + d*x]^3)/d + (b^3 * \operatorname{Sech}[c + d*x]^5)/(5*d)$

#### Rule 3664

$\operatorname{Int}[\sin[(e_.) + (f_.)*(x_.)]^{(m_.)}*((a_.) + (b_.)*\tan[(e_.) + (f_.)*(x_.)]^2)^{(p_.)}, x\_Symbol] \rightarrow \operatorname{With}[\{ff = \operatorname{FreeFactors}[\operatorname{Sec}[e + f*x], x]\}, \operatorname{Dist}[1/(f*ff^m), \operatorname{Subst}[\operatorname{Int}[((-1 + ff^2*x^2)^{(m-1)/2}*(a - b + b*ff^2*x^2)^p)/x^{(m+1)}], x], x, \operatorname{Sec}[e + f*x]/ff], x] \;/; \operatorname{FreeQ}[\{a, b, e, f, p\}, x] \&\& \operatorname{IntegerQ}[(m - 1)/2]$

#### Rule 270

$\operatorname{Int}[((c_.)*(x_.))^{(m_.)}*((a_.) + (b_.)*(x_.)^{(n_.)})^{(p_.)}, x\_Symbol] \rightarrow \operatorname{Int}[\operatorname{ExpandIntegrand}[(c*x)^m*(a + b*x^n)^p, x], x] \;/; \operatorname{FreeQ}[\{a, b, c, m, n\}, x] \&\& \operatorname{IGtQ}[p, 0]$

#### Rubi steps

$$\begin{aligned}
\int \sinh(c + dx) (a + b \tanh^2(c + dx))^3 dx &= -\frac{\text{Subst}\left(\int \frac{(a+b-x^2)^3}{x^2} dx, x, \text{sech}(c + dx)\right)}{d} \\
&= -\frac{\text{Subst}\left(\int \left(-3b(a+b)^2 + \frac{(a+b)^3}{x^2} + 3b^2(a+b)x^2 - b^3x^4\right) dx, x, \text{sech}(c + dx)\right)}{d} \\
&= \frac{(a+b)^3 \cosh(c + dx)}{d} + \frac{3b(a+b)^2 \text{sech}(c + dx)}{d} - \frac{b^2(a+b) \text{sech}^3(c + dx)}{d} + \dots
\end{aligned}$$

**Mathematica [A]** time = 0.828759, size = 63, normalized size = 0.9

$$\frac{b \text{sech}(c + dx) (-5b(a + b) \text{sech}^2(c + dx) + 15(a + b)^2 + b^2 \text{sech}^4(c + dx)) + 5(a + b)^3 \cosh(c + dx)}{5d}$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]\*(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] (5\*(a + b)^3\*Cosh[c + d\*x] + b\*Sech[c + d\*x]\*(15\*(a + b)^2 - 5\*b\*(a + b)\*Sech[c + d\*x]^2 + b^2\*Sech[c + d\*x]^4))/(5\*d)

**Maple [B]** time = 0.049, size = 219, normalized size = 3.1

$$\frac{1}{d} \left( a^3 \cosh(dx + c) + 3a^2b \left( -\frac{(\sinh(dx + c))^2}{\cosh(dx + c)} + 2 \cosh(dx + c) \right) + 3ab^2 \left( \frac{(\sinh(dx + c))^4}{(\cosh(dx + c))^3} + \frac{4}{3} \frac{(\sinh(dx + c))^2}{(\cosh(dx + c))^3} - \frac{8}{3} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(d\*x+c)\*(a+b\*tanh(d\*x+c)^2)^3,x)

[Out] 1/d\*(a^3\*cosh(d\*x+c)+3\*a^2\*b\*(-sinh(d\*x+c)^2/cosh(d\*x+c)+2\*cosh(d\*x+c))+3\*a\*b^2\*(sinh(d\*x+c)^4/cosh(d\*x+c)^3+4/3\*sinh(d\*x+c)^2/cosh(d\*x+c)^3-8/3\*sinh(d\*x+c)^2/cosh(d\*x+c)+8/3\*cosh(d\*x+c))+b^3\*(sinh(d\*x+c)^6/cosh(d\*x+c)^5+6\*sinh(d\*x+c)^4/cosh(d\*x+c)^5+24/5\*sinh(d\*x+c)^2/cosh(d\*x+c)^5-16/5\*sinh(d\*x+c)^2/cosh(d\*x+c)^3-16/5\*sinh(d\*x+c)^2/cosh(d\*x+c)+16/5\*cosh(d\*x+c)))



**Maxima [B]** time = 1.09181, size = 433, normalized size = 6.19

$$\frac{1}{10} b^3 \left( \frac{5 e^{(-dx-c)}}{d} + \frac{85 e^{(-2dx-2c)} + 210 e^{(-4dx-4c)} + 314 e^{(-6dx-6c)} + 185 e^{(-8dx-8c)} + 65 e^{(-10dx-10c)} + 5}{d(e^{(-dx-c)} + 5 e^{(-3dx-3c)} + 10 e^{(-5dx-5c)} + 10 e^{(-7dx-7c)} + 5 e^{(-9dx-9c)} + e^{(-11dx-11c)})} \right) + \frac{1}{2} ab^2 \left( \frac{3 e^{(-dx-c)}}{d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="maxima")

[Out] 1/10\*b^3\*(5\*e^(-d\*x - c)/d + (85\*e^(-2\*d\*x - 2\*c) + 210\*e^(-4\*d\*x - 4\*c) + 314\*e^(-6\*d\*x - 6\*c) + 185\*e^(-8\*d\*x - 8\*c) + 65\*e^(-10\*d\*x - 10\*c) + 5)/(d\*(e^(-d\*x - c) + 5\*e^(-3\*d\*x - 3\*c) + 10\*e^(-5\*d\*x - 5\*c) + 10\*e^(-7\*d\*x - 7\*c) + 5\*e^(-9\*d\*x - 9\*c) + e^(-11\*d\*x - 11\*c)))) + 1/2\*a\*b^2\*(3\*e^(-d\*x - c)/d + (33\*e^(-2\*d\*x - 2\*c) + 41\*e^(-4\*d\*x - 4\*c) + 27\*e^(-6\*d\*x - 6\*c) + 3)/(d\*(e^(-d\*x - c) + 3\*e^(-3\*d\*x - 3\*c) + 3\*e^(-5\*d\*x - 5\*c) + e^(-7\*d\*x - 7\*c)))) + 3/2\*a^2\*b\*(e^(-d\*x - c)/d + (5\*e^(-2\*d\*x - 2\*c) + 1)/(d\*(e^(-d\*x - c) + e^(-3\*d\*x - 3\*c)))) + a^3\*cosh(d\*x + c)/d

**Fricas [B]** time = 1.98396, size = 959, normalized size = 13.7

$$5(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^6 + 5(a^3 + 3a^2b + 3ab^2 + b^3) \sinh(dx + c)^6 + 30(a^3 + 5a^2b + 7ab^2 + 3b^3) \cosh(dx + c)^5 \sinh(dx + c)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out] 1/10\*(5\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*cosh(d\*x + c)^6 + 5\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*sinh(d\*x + c)^6 + 30\*(a^3 + 5\*a^2\*b + 7\*a\*b^2 + 3\*b^3)\*cosh(d\*x + c)^5 + 15\*(2\*a^3 + 10\*a^2\*b + 14\*a\*b^2 + 6\*b^3 + 5\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^4 + 50\*a^3 + 330\*a^2\*b + 430\*a\*b^2 + 182\*b^3 + 5\*(15\*a^3 + 93\*a^2\*b + 125\*a\*b^2 + 47\*b^3)\*cosh(d\*x + c)^2 + 5\*(15\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*cosh(d\*x + c)^4 + 15\*a^3 + 93\*a^2\*b + 125\*a\*b^2 + 47\*b^3 + 36\*(a^3 + 5\*a^2\*b + 7\*a\*b^2 + 3\*b^3)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^2)/(d\*cosh(d\*x + c)^5 + 5\*d\*cosh(d\*x + c)\*sinh(d\*x + c)^4 + 5\*d\*cosh(d\*x + c)^3 + 5\*(2\*d\*cosh(d\*x + c)^3 + 3\*d\*cosh(d\*x + c))\*sinh(d\*x + c)^2 + 10\*d\*cosh(d\*x + c))

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)\*(a+b\*tanh(d\*x+c)\*\*2)\*\*3,x)

[Out] Timed out

**Giac [B]** time = 1.77435, size = 435, normalized size = 6.21

$$5(a^3 + 3a^2b + 3ab^2 + b^3)e^{(-dx-c)} + 5(a^3e^{(dx+14c)} + 3a^2be^{(dx+14c)} + 3ab^2e^{(dx+14c)} + b^3e^{(dx+14c)})e^{(-13c)} + \frac{4(15a^2be^{(9dx+9c)} + 30a^2be^{(9dx+9c)} + 30ab^2e^{(9dx+9c)} + 15b^3e^{(9dx+9c)})e^{(-13c)}}{e^{(2dx+2c)} + 1} / d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out] 
$$\frac{1}{10} * (5 * (a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3) * e^{(-d * x - c)} + 5 * (a^3 * e^{(d * x + 14 * c)} + 3 * a^2 * b * e^{(d * x + 14 * c)} + 3 * a * b^2 * e^{(d * x + 14 * c)} + b^3 * e^{(d * x + 14 * c)}) * e^{(-13 * c)} + 4 * (15 * a^2 * b * e^{(9 * d * x + 9 * c)} + 30 * a * b^2 * e^{(9 * d * x + 9 * c)} + 15 * b^3 * e^{(9 * d * x + 9 * c)} + 60 * a^2 * b * e^{(7 * d * x + 7 * c)} + 100 * a * b^2 * e^{(7 * d * x + 7 * c)} + 40 * b^3 * e^{(7 * d * x + 7 * c)} + 90 * a^2 * b * e^{(5 * d * x + 5 * c)} + 140 * a * b^2 * e^{(5 * d * x + 5 * c)} + 66 * b^3 * e^{(5 * d * x + 5 * c)} + 60 * a^2 * b * e^{(3 * d * x + 3 * c)} + 100 * a * b^2 * e^{(3 * d * x + 3 * c)} + 40 * b^3 * e^{(3 * d * x + 3 * c)} + 15 * a^2 * b * e^{(d * x + c)} + 30 * a * b^2 * e^{(d * x + c)} + 15 * b^3 * e^{(d * x + c)}) / (e^{(2 * d * x + 2 * c)} + 1)^5 / d$$

### 3.21 $\int \operatorname{csch}(c + dx) \left(a + b \tanh^2(c + dx)\right)^3 dx$

**Optimal.** Leaf size=84

$$\frac{b(3a^2 + 3ab + b^2) \operatorname{sech}(c + dx)}{d} - \frac{a^3 \tanh^{-1}(\cosh(c + dx))}{d} + \frac{b^2(3a + 2b) \operatorname{sech}^3(c + dx)}{3d} - \frac{b^3 \operatorname{sech}^5(c + dx)}{5d}$$

[Out] -((a^3\*ArcTanh[Cosh[c + d\*x]])/d) - (b\*(3\*a^2 + 3\*a\*b + b^2)\*Sech[c + d\*x])/d + (b^2\*(3\*a + 2\*b)\*Sech[c + d\*x]^3)/(3\*d) - (b^3\*Sech[c + d\*x]^5)/(5\*d)

**Rubi [A]** time = 0.0839635, antiderivative size = 84, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3664, 390, 207}

$$\frac{b(3a^2 + 3ab + b^2) \operatorname{sech}(c + dx)}{d} - \frac{a^3 \tanh^{-1}(\cosh(c + dx))}{d} + \frac{b^2(3a + 2b) \operatorname{sech}^3(c + dx)}{3d} - \frac{b^3 \operatorname{sech}^5(c + dx)}{5d}$$

Antiderivative was successfully verified.

[In] Int[Csch[c + d\*x]\*(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] -((a^3\*ArcTanh[Cosh[c + d\*x]])/d) - (b\*(3\*a^2 + 3\*a\*b + b^2)\*Sech[c + d\*x])/d + (b^2\*(3\*a + 2\*b)\*Sech[c + d\*x]^3)/(3\*d) - (b^3\*Sech[c + d\*x]^5)/(5\*d)

#### Rule 3664

Int[sin[(e\_.) + (f\_.)\*(x\_.)]^(m\_.)\*((a\_.) + (b\_.)\*tan[(e\_.) + (f\_.)\*(x\_.)]^2)^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Sec[e + f\*x], x]}, Dist[1/(f\*ff^m), Subst[Int[((-1 + ff^2\*x^2)^((m - 1)/2)\*(a - b + b\*ff^2\*x^2)^p)/x^(m + 1), x], x, Sec[e + f\*x]/ff], x] /; FreeQ[{a, b, e, f, p}, x] && IntegerQ[(m - 1)/2]

#### Rule 390

Int[((a\_.) + (b\_.)\*(x\_.)^(n\_.))^(p\_.)\*((c\_.) + (d\_.)\*(x\_.)^(n\_.))^(q\_.), x\_Symbol] :> Int[PolynomialDivide[(a + b\*x^n)^p, (c + d\*x^n)^(-q), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q, 0] && GeQ[p, -q]

#### Rule 207

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])
```

### Rubi steps

$$\begin{aligned} \int \operatorname{csch}(c+dx) (a+b \tanh^2(c+dx))^3 dx &= \frac{\operatorname{Subst}\left(\int \frac{(a+b-x^2)^3}{-1+x^2} dx, x, \operatorname{sech}(c+dx)\right)}{d} \\ &= \frac{\operatorname{Subst}\left(\int \left(-b(3a^2+3ab+b^2) + b^2(3a+2b)x^2 - b^3x^4 + \frac{a^3}{-1+x^2}\right) dx, x, \operatorname{sech}(c+dx)\right)}{d} \\ &= -\frac{b(3a^2+3ab+b^2) \operatorname{sech}(c+dx)}{d} + \frac{b^2(3a+2b) \operatorname{sech}^3(c+dx)}{3d} - \frac{b^3 \operatorname{sech}^5(c+dx)}{5d} \\ &= -\frac{a^3 \tanh^{-1}(\cosh(c+dx))}{d} - \frac{b(3a^2+3ab+b^2) \operatorname{sech}(c+dx)}{d} + \frac{b^2(3a+2b) \operatorname{sech}^3(c+dx)}{3d} - \frac{b^3 \operatorname{sech}^5(c+dx)}{5d} \end{aligned}$$

**Mathematica [A]** time = 0.302332, size = 79, normalized size = 0.94

$$\frac{-15b(3a^2+3ab+b^2) \operatorname{sech}(c+dx) + 15a^3 \log\left(\tanh\left(\frac{1}{2}(c+dx)\right)\right) + 5b^2(3a+2b) \operatorname{sech}^3(c+dx) - 3b^3 \operatorname{sech}^5(c+dx)}{15d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Csch[c + d*x]*(a + b*Tanh[c + d*x]^2)^3, x]
```

```
[Out] (15*a^3*Log[Tanh[(c + d*x)/2]] - 15*b*(3*a^2 + 3*a*b + b^2)*Sech[c + d*x] + 5*b^2*(3*a + 2*b)*Sech[c + d*x]^3 - 3*b^3*Sech[c + d*x]^5)/(15*d)
```

**Maple [B]** time = 0.052, size = 186, normalized size = 2.2

$$\frac{1}{d} \left( -2a^3 \operatorname{Artanh}(e^{dx+c}) + 3a^2b \left( \frac{(\sinh(dx+c))^2}{\cosh(dx+c)} - \cosh(dx+c) \right) + 3ab^2 \left( -\frac{1}{3} \frac{(\sinh(dx+c))^2}{(\cosh(dx+c))^3} + \frac{2}{3} \frac{(\sinh(dx+c))^2}{\cosh(dx+c)} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(csch(d*x+c)*(a+b*tanh(d*x+c)^2)^3, x)
```

```
[Out] 1/d*(-2*a^3*arctanh(exp(d*x+c))+3*a^2*b*(sinh(d*x+c)^2/cosh(d*x+c)-cosh(d*x+c))
+3*a*b^2*(-1/3*sinh(d*x+c)^2/cosh(d*x+c)^3+2/3*sinh(d*x+c)^2/cosh(d*x+c)-2/3*cosh(d*x+c))
+b^3*(-sinh(d*x+c)^4/cosh(d*x+c)^5-4/5*sinh(d*x+c)^2/cosh(d*x+c)^5+8/15*sinh(d*x+c)^2/cosh(d*x+c)^3
+8/15*sinh(d*x+c)^2/cosh(d*x+c)-8/15*cosh(d*x+c)))
```

**Maxima [B]** time = 1.05016, size = 756, normalized size = 9.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(csch(d*x+c)*(a+b*tanh(d*x+c)^2)^3,x, algorithm="maxima")
```

```
[Out] -2/15*b^3*(15*e^(-d*x - c)/(d*(5*e^(-2*d*x - 2*c) + 10*e^(-4*d*x - 4*c) + 10*e^(-6*d*x - 6*c) + 5*e^(-8*d*x - 8*c) + e^(-10*d*x - 10*c) + 1)) + 20*e^(-3*d*x - 3*c)/(d*(5*e^(-2*d*x - 2*c) + 10*e^(-4*d*x - 4*c) + 10*e^(-6*d*x - 6*c) + 5*e^(-8*d*x - 8*c) + e^(-10*d*x - 10*c) + 1)) + 58*e^(-5*d*x - 5*c)/(d*(5*e^(-2*d*x - 2*c) + 10*e^(-4*d*x - 4*c) + 10*e^(-6*d*x - 6*c) + 5*e^(-8*d*x - 8*c) + e^(-10*d*x - 10*c) + 1)) + 20*e^(-7*d*x - 7*c)/(d*(5*e^(-2*d*x - 2*c) + 10*e^(-4*d*x - 4*c) + 10*e^(-6*d*x - 6*c) + 5*e^(-8*d*x - 8*c) + e^(-10*d*x - 10*c) + 1)) + 15*e^(-9*d*x - 9*c)/(d*(5*e^(-2*d*x - 2*c) + 10*e^(-4*d*x - 4*c) + 10*e^(-6*d*x - 6*c) + 5*e^(-8*d*x - 8*c) + e^(-10*d*x - 10*c) + 1))) - 2*a*b^2*(3*e^(-d*x - c)/(d*(3*e^(-2*d*x - 2*c) + 3*e^(-4*d*x - 4*c) + e^(-6*d*x - 6*c) + 1)) + 2*e^(-3*d*x - 3*c)/(d*(3*e^(-2*d*x - 2*c) + 3*e^(-4*d*x - 4*c) + e^(-6*d*x - 6*c) + 1)) + 3*e^(-5*d*x - 5*c)/(d*(3*e^(-2*d*x - 2*c) + 3*e^(-4*d*x - 4*c) + e^(-6*d*x - 6*c) + 1))) + a^3*log(tanh(1/2*d*x + 1/2*c))/d - 6*a^2*b/(d*(e^(d*x + c) + e^(-d*x - c)))
```

**Fricas [B]** time = 2.25076, size = 5895, normalized size = 70.18

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(csch(d*x+c)*(a+b*tanh(d*x+c)^2)^3,x, algorithm="fricas")
```

```
[Out] -1/15*(30*(3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)^9 + 270*(3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)*sinh(d*x + c)^8 + 30*(3*a^2*b + 3*a*b^2 + b^3)*sinh(d*x + c)^9 + 40*(9*a^2*b + 6*a*b^2 + b^3)*cosh(d*x + c)^7 + 40*(9*a^2*b + 6
```

$$\begin{aligned}
& *a*b^2 + b^3 + 27*(3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^2*\sinh(d*x + c)^7 \\
& + 280*(9*(3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^3 + (9*a^2*b + 6*a*b^2 + b^3)*\cosh(d*x + c))*\sinh(d*x + c)^6 \\
& + 4*(135*a^2*b + 75*a*b^2 + 29*b^3)*\cosh(d*x + c)^5 + 4*(945*(3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^4 + 135*a^2*b \\
& + 75*a*b^2 + 29*b^3 + 210*(9*a^2*b + 6*a*b^2 + b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^5 \\
& + 20*(189*(3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^5 + 70*(9*a^2*b + 6*a*b^2 + b^3)*\cosh(d*x + c)^3 \\
& + (135*a^2*b + 75*a*b^2 + 29*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^4 + 40*(9*a^2*b + 6*a*b^2 + b^3)*\cosh(d*x + c)^3 \\
& + 40*(63*(3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^6 + 35*(9*a^2*b + 6*a*b^2 + b^3)*\cosh(d*x + c)^4 \\
& + 9*a^2*b + 6*a*b^2 + b^3 + (135*a^2*b + 75*a*b^2 + 29*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^3 \\
& + 40*(27*(3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^7 + 21*(9*a^2*b + 6*a*b^2 + b^3)*\cosh(d*x + c)^5 \\
& + (135*a^2*b + 75*a*b^2 + 29*b^3)*\cosh(d*x + c)^3 + 3*(9*a^2*b + 6*a*b^2 + b^3)*\cosh(d*x + c))*\sinh(d*x + c)^2 \\
& + 30*(3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c) + 15*(a^3*\cosh(d*x + c)^10 + 10*a^3*\cosh(d*x + c)*\sinh(d*x + c)^9 \\
& + a^3*\sinh(d*x + c)^10 + 5*a^3*\cosh(d*x + c)^8 + 10*a^3*\cosh(d*x + c)^6 + 5*(9*a^3*\cosh(d*x + c)^2 + a^3)*\sinh(d*x + c)^8 \\
& + 40*(3*a^3*\cosh(d*x + c)^3 + a^3*\cosh(d*x + c))*\sinh(d*x + c)^7 + 10*a^3*\cosh(d*x + c)^4 \\
& + 10*(21*a^3*\cosh(d*x + c)^4 + 14*a^3*\cosh(d*x + c)^2 + a^3)*\sinh(d*x + c)^6 + 4*(63*a^3*\cosh(d*x + c)^5 \\
& + 70*a^3*\cosh(d*x + c)^3 + 15*a^3*\cosh(d*x + c))*\sinh(d*x + c)^5 + 5*a^3*\cosh(d*x + c)^2 \\
& + 10*(21*a^3*\cosh(d*x + c)^6 + 35*a^3*\cosh(d*x + c)^4 + 15*a^3*\cosh(d*x + c)^2 + a^3)*\sinh(d*x + c)^4 \\
& + 40*(3*a^3*\cosh(d*x + c)^7 + 7*a^3*\cosh(d*x + c)^5 + 5*a^3*\cosh(d*x + c)^3 + a^3*\cosh(d*x + c))*\sinh(d*x + c)^3 \\
& + a^3 + 5*(9*a^3*\cosh(d*x + c)^8 + 28*a^3*\cosh(d*x + c)^6 + 30*a^3*\cosh(d*x + c)^4 + 12*a^3*\cosh(d*x + c)^2 \\
& + a^3)*\sinh(d*x + c)^2 + 10*(a^3*\cosh(d*x + c)^9 + 4*a^3*\cosh(d*x + c)^7 + 6*a^3*\cosh(d*x + c)^5 + 4*a^3*\cosh(d*x + c)^3 \\
& + a^3*\cosh(d*x + c))*\sinh(d*x + c))*\log(\cosh(d*x + c) + \sinh(d*x + c) + 1) - 15*(a^3*\cosh(d*x + c)^10 + 10*a^3*\cosh(d*x + c)*\sinh(d*x + c)^9 \\
& + a^3*\sinh(d*x + c)^10 + 5*a^3*\cosh(d*x + c)^8 + 10*a^3*\cosh(d*x + c)^6 + 5*(9*a^3*\cosh(d*x + c)^2 + a^3)*\sinh(d*x + c)^8 \\
& + 40*(3*a^3*\cosh(d*x + c)^3 + a^3*\cosh(d*x + c))*\sinh(d*x + c)^7 + 10*a^3*\cosh(d*x + c)^4 + 10*(21*a^3*\cosh(d*x + c)^4 \\
& + 14*a^3*\cosh(d*x + c)^2 + a^3)*\sinh(d*x + c)^6 + 4*(63*a^3*\cosh(d*x + c)^5 + 70*a^3*\cosh(d*x + c)^3 + 15*a^3*\cosh(d*x + c))*\sinh(d*x + c)^5 \\
& + 5*a^3*\cosh(d*x + c)^2 + 10*(21*a^3*\cosh(d*x + c)^6 + 35*a^3*\cosh(d*x + c)^4 + 15*a^3*\cosh(d*x + c)^2 + a^3)*\sinh(d*x + c)^4 \\
& + 40*(3*a^3*\cosh(d*x + c)^7 + 7*a^3*\cosh(d*x + c)^5 + 5*a^3*\cosh(d*x + c)^3 + a^3*\cosh(d*x + c))*\sinh(d*x + c)^3 \\
& + a^3 + 5*(9*a^3*\cosh(d*x + c)^8 + 28*a^3*\cosh(d*x + c)^6 + 30*a^3*\cosh(d*x + c)^4 + 12*a^3*\cosh(d*x + c)^2 + a^3)*\sinh(d*x + c)^2 \\
& + 10*(a^3*\cosh(d*x + c)^9 + 4*a^3*\cosh(d*x + c)^7 + 6*a^3*\cosh(d*x + c)^5 + 4*a^3*\cosh(d*x + c)^3 + a^3*\cosh(d*x + c))*\sinh(d*x + c))*\log(\cosh(d*x + c) + \sinh(d*x + c) - 1) \\
& + 10*(27*(3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^8 + 28*(9*a^2*b + 6*a*b^2 + b^3)*\cosh(d*x + c)^6 + 2*(135*a^2*b + 75*a*b^2 + 29*b^3)*\cosh(d*x + c)^4 \\
& + 9*a^2*b + 9*a*b^2 + 3*b^3 + 12*(9*a^2*b + 6*a*b^2 + b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c))/(d*\cosh(d*x + c)^10 + 10*d*\cosh(d*x + c)*\sinh(d*x + c)^9 \\
& + d*\sinh(d*x + c)^10 + 5*d*\cosh(d*x + c)^8 + 5*(9*d*
\end{aligned}$$

$\cosh(dx + c)^2 + d) \sinh(dx + c)^8 + 40(3d \cosh(dx + c)^3 + d \cosh(dx + c)) \sinh(dx + c)^7 + 10d \cosh(dx + c)^6 + 10(21d \cosh(dx + c)^4 + 14d \cosh(dx + c)^2 + d) \sinh(dx + c)^6 + 4(63d \cosh(dx + c)^5 + 70d \cosh(dx + c)^3 + 15d \cosh(dx + c)) \sinh(dx + c)^5 + 10d \cosh(dx + c)^4 + 10(21d \cosh(dx + c)^6 + 35d \cosh(dx + c)^4 + 15d \cosh(dx + c)^2 + d) \sinh(dx + c)^4 + 40(3d \cosh(dx + c)^7 + 7d \cosh(dx + c)^5 + 5d \cosh(dx + c)^3 + d \cosh(dx + c)) \sinh(dx + c)^3 + 5d \cosh(dx + c)^2 + 5(9d \cosh(dx + c)^8 + 28d \cosh(dx + c)^6 + 30d \cosh(dx + c)^4 + 12d \cosh(dx + c)^2 + d) \sinh(dx + c)^2 + 10(d \cosh(dx + c)^9 + 4d \cosh(dx + c)^7 + 6d \cosh(dx + c)^5 + 4d \cosh(dx + c)^3 + d \cosh(dx + c)) \sinh(dx + c) + d$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (a + b \tanh^2(c + dx))^3 \operatorname{csch}(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(dx+c)\*(a+b\*tanh(dx+c)\*\*2)\*\*3,x)

[Out] Integral((a + b\*tanh(c + dx)\*\*2)\*\*3\*csch(c + dx), x)

**Giac [B]** time = 1.64338, size = 354, normalized size = 4.21

$$15a^3 \log(e^{dx+c} + 1) - 15a^3 \log(|e^{dx+c} - 1|) + \frac{2(45a^2be^{9dx+9c} + 45ab^2e^{9dx+9c} + 15b^3e^{9dx+9c} + 180a^2be^{7dx+7c} + 120ab^2e^{7dx+7c} + 20b^3e^{7dx+7c})}{(e^{2dx+2c} + 1)^5} / d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(dx+c)\*(a+b\*tanh(dx+c)^2)^3,x, algorithm="giac")

[Out]  $-1/15(15a^3 \log(e^{dx+c} + 1) - 15a^3 \log(\operatorname{abs}(e^{dx+c} - 1))) + 2(45a^2b^2e^{9dx+9c} + 45a^2b^2e^{9dx+9c} + 15b^3e^{9dx+9c} + 180a^2b^2e^{7dx+7c} + 120a^2b^2e^{7dx+7c} + 20b^3e^{7dx+7c} + 270a^2b^2e^{5dx+5c} + 150a^2b^2e^{5dx+5c} + 58b^3e^{5dx+5c} + 180a^2b^2e^{3dx+3c} + 120a^2b^2e^{3dx+3c} + 20b^3e^{3dx+3c} + 45a^2b^2e^{dx+c} + 45a^2b^2e^{dx+c} + 15b^3e^{dx+c}) / (e^{2dx+2c} + 1)^5 / d$

## 3.22 $\int \operatorname{csch}^2(c + dx) (a + b \tanh^2(c + dx))^3 dx$

**Optimal.** Leaf size=64

$$\frac{3a^2b \tanh(c + dx)}{d} - \frac{a^3 \operatorname{coth}(c + dx)}{d} + \frac{ab^2 \tanh^3(c + dx)}{d} + \frac{b^3 \tanh^5(c + dx)}{5d}$$

[Out]  $-\left(\frac{a^3 \operatorname{Coth}[c + d*x]}{d}\right) + \left(\frac{3*a^2*b*\operatorname{Tanh}[c + d*x]}{d}\right) + \left(\frac{a*b^2*\operatorname{Tanh}[c + d*x]^3}{d}\right) + \left(\frac{b^3*\operatorname{Tanh}[c + d*x]^5}{5*d}\right)$

**Rubi [A]** time = 0.0639957, antiderivative size = 64, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {3663, 270}

$$\frac{3a^2b \tanh(c + dx)}{d} - \frac{a^3 \operatorname{coth}(c + dx)}{d} + \frac{ab^2 \tanh^3(c + dx)}{d} + \frac{b^3 \tanh^5(c + dx)}{5d}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[\operatorname{Csch}[c + d*x]^2*(a + b*\operatorname{Tanh}[c + d*x]^2)^3, x]$

[Out]  $-\left(\frac{a^3 \operatorname{Coth}[c + d*x]}{d}\right) + \left(\frac{3*a^2*b*\operatorname{Tanh}[c + d*x]}{d}\right) + \left(\frac{a*b^2*\operatorname{Tanh}[c + d*x]^3}{d}\right) + \left(\frac{b^3*\operatorname{Tanh}[c + d*x]^5}{5*d}\right)$

### Rule 3663

```
Int[sin[(e_.) + (f_.)*(x_)]^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)]))^(n_.)]^(p_.), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff^(m + 1))/f, Subst[Int[(x^m*(a + b*(ff*x)^n)^p]/(c^2 + ff^2*x^2)^(m/2 + 1), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2]
```

### Rule 270

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]
```

### Rubi steps



$$\begin{aligned}
\int \operatorname{csch}^2(c+dx) (a+b \tanh^2(c+dx))^3 dx &= \frac{\operatorname{Subst}\left(\int \frac{(a+bx^2)^3}{x^2} dx, x, \tanh(c+dx)\right)}{d} \\
&= \frac{\operatorname{Subst}\left(\int \left(3a^2b + \frac{a^3}{x^2} + 3ab^2x^2 + b^3x^4\right) dx, x, \tanh(c+dx)\right)}{d} \\
&= -\frac{a^3 \operatorname{coth}(c+dx)}{d} + \frac{3a^2b \tanh(c+dx)}{d} + \frac{ab^2 \tanh^3(c+dx)}{d} + \frac{b^3 \tanh^5(c+dx)}{5d}
\end{aligned}$$

**Mathematica [A]** time = 0.678704, size = 70, normalized size = 1.09

$$\frac{b \tanh(c+dx) (15a^2 - b(5a+2b)\operatorname{sech}^2(c+dx) + 5ab + b^2\operatorname{sech}^4(c+dx) + b^2) - 5a^3 \operatorname{coth}(c+dx)}{5d}$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]^2\*(a + b\*Tanh[c + d\*x]^2)^3, x]

[Out] (-5\*a^3\*Coth[c + d\*x] + b\*(15\*a^2 + 5\*a\*b + b^2 - b\*(5\*a + 2\*b)\*Sech[c + d\*x]^2 + b^2\*Sech[c + d\*x]^4)\*Tanh[c + d\*x])/(5\*d)

**Maple [B]** time = 0.053, size = 141, normalized size = 2.2

$$\frac{1}{d} \left( -a^3 \operatorname{coth}(dx+c) + 3a^2b \tanh(dx+c) + 3ab^2 \left( -\frac{1}{2} \frac{\sinh(dx+c)}{(\cosh(dx+c))^3} + \frac{1}{2} \left( \frac{2}{3} + \frac{1}{3} (\operatorname{sech}(dx+c))^2 \right) \tanh(dx+c) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csch(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2)^3, x)

[Out] 1/d\*(-a^3\*coth(d\*x+c)+3\*a^2\*b\*tanh(d\*x+c)+3\*a\*b^2\*(-1/2\*sinh(d\*x+c)/cosh(d\*x+c)^3+1/2\*(2/3+1/3\*sech(d\*x+c)^2)\*tanh(d\*x+c))+b^3\*(-1/2\*sinh(d\*x+c)^3/cosh(d\*x+c)^5-3/8\*sinh(d\*x+c)/cosh(d\*x+c)^5+3/8\*(8/15+1/5\*sech(d\*x+c)^4+4/15\*sech(d\*x+c)^2)\*tanh(d\*x+c))

**Maxima [B]** time = 1.11298, size = 470, normalized size = 7.34

$$\frac{2}{5} b^3 \left( \frac{10 e^{(-4dx-4c)}}{d(5e^{(-2dx-2c)} + 10e^{(-4dx-4c)} + 10e^{(-6dx-6c)} + 5e^{(-8dx-8c)} + e^{(-10dx-10c)} + 1)} + \frac{5e^{(-8dx-8c)}}{d(5e^{(-2dx-2c)} + 10e^{(-4dx-4c)} + 10e^{(-6dx-6c)} + 5e^{(-8dx-8c)} + e^{(-10dx-10c)} + 1)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="maxima")

[Out] 2/5\*b^3\*(10\*e^(-4\*d\*x - 4\*c)/(d\*(5\*e^(-2\*d\*x - 2\*c) + 10\*e^(-4\*d\*x - 4\*c) + 10\*e^(-6\*d\*x - 6\*c) + 5\*e^(-8\*d\*x - 8\*c) + e^(-10\*d\*x - 10\*c) + 1)) + 5\*e^(-8\*d\*x - 8\*c)/(d\*(5\*e^(-2\*d\*x - 2\*c) + 10\*e^(-4\*d\*x - 4\*c) + 10\*e^(-6\*d\*x - 6\*c) + 5\*e^(-8\*d\*x - 8\*c) + e^(-10\*d\*x - 10\*c) + 1)) + 1/(d\*(5\*e^(-2\*d\*x - 2\*c) + 10\*e^(-4\*d\*x - 4\*c) + 10\*e^(-6\*d\*x - 6\*c) + 5\*e^(-8\*d\*x - 8\*c) + e^(-10\*d\*x - 10\*c) + 1))) + 2\*a\*b^2\*(3\*e^(-4\*d\*x - 4\*c)/(d\*(3\*e^(-2\*d\*x - 2\*c) + 3\*e^(-4\*d\*x - 4\*c) + e^(-6\*d\*x - 6\*c) + 1)) + 1/(d\*(3\*e^(-2\*d\*x - 2\*c) + 3\*e^(-4\*d\*x - 4\*c) + e^(-6\*d\*x - 6\*c) + 1))) + 6\*a^2\*b/(d\*(e^(-2\*d\*x - 2\*c) + 1)) + 2\*a^3/(d\*(e^(-2\*d\*x - 2\*c) - 1))

**Fricas [B]** time = 1.87471, size = 1449, normalized size = 22.64

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out] -4/5\*((5\*a^3 + 5\*a\*b^2 + 2\*b^3)\*cosh(d\*x + c)^5 + 5\*(5\*a^3 + 5\*a\*b^2 + 2\*b^3)\*cosh(d\*x + c)\*sinh(d\*x + c)^4 + (15\*a^2\*b + 10\*a\*b^2 + 3\*b^3)\*sinh(d\*x + c)^5 + (25\*a^3 + 5\*a\*b^2 - 2\*b^3)\*cosh(d\*x + c)^3 + (45\*a^2\*b + 10\*a\*b^2 - 3\*b^3 + 10\*(15\*a^2\*b + 10\*a\*b^2 + 3\*b^3)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^3 + (10\*(5\*a^3 + 5\*a\*b^2 + 2\*b^3)\*cosh(d\*x + c)^3 + 3\*(25\*a^3 + 5\*a\*b^2 - 2\*b^3)\*cosh(d\*x + c))\*sinh(d\*x + c)^2 + 10\*(5\*a^3 - a\*b^2)\*cosh(d\*x + c) + (5\*(15\*a^2\*b + 10\*a\*b^2 + 3\*b^3)\*cosh(d\*x + c)^4 + 30\*a^2\*b + 10\*b^3 + 3\*(45\*a^2\*b + 10\*a\*b^2 - 3\*b^3)\*cosh(d\*x + c)^2)\*sinh(d\*x + c))/(d\*cosh(d\*x + c)^7 + 7\*d\*cosh(d\*x + c)\*sinh(d\*x + c)^6 + d\*sinh(d\*x + c)^7 + 3\*d\*cosh(d\*x + c)^5 + (21\*d\*cosh(d\*x + c)^2 + 5\*d)\*sinh(d\*x + c)^5 + 5\*(7\*d\*cosh(d\*x + c)^3 + 3\*d\*cosh(d\*x + c))\*sinh(d\*x + c)^4 + d\*cosh(d\*x + c)^3 + (35\*d\*cosh(d\*x + c)^4 + 50\*d\*cosh(d\*x + c)^2 + 9\*d)\*sinh(d\*x + c)^3 + 3\*(7\*d\*cosh(d\*x + c)^5 + 10\*d\*cosh(d\*x + c)^3 + d\*cosh(d\*x + c))\*sinh(d\*x + c)^2 - 5\*d\*cosh(d\*x + c) + (7\*d\*cosh(d\*x + c)^6 + 25\*d\*cosh(d\*x + c)^4 + 27\*d\*cosh(d\*x + c)^2

+ 5\*d)\*sinh(d\*x + c))

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (a + b \tanh^2(c + dx))^3 \operatorname{csch}^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*\*2\*(a+b\*tanh(d\*x+c)\*\*2)\*\*3,x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*2)\*\*3\*csch(c + d\*x)\*\*2, x)

**Giac [B]** time = 1.71288, size = 273, normalized size = 4.27

$$\frac{2 \left( \frac{5a^3}{e^{2dx+2c}-1} + \frac{15a^2be^{8dx+8c} + 15ab^2e^{8dx+8c} + 5b^3e^{8dx+8c} + 60a^2be^{6dx+6c} + 30ab^2e^{6dx+6c} + 90a^2be^{4dx+4c} + 20ab^2e^{4dx+4c} + 10b^3e^{4dx+4c} + 60a^2be^{2dx+2c} + 30ab^2e^{2dx+2c} + 10b^3e^{2dx+2c}}{(e^{2dx+2c}+1)^5} \right)}{5d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out] 
$$\frac{-2/5*(5*a^3/(e^{2*d*x + 2*c}) - 1) + (15*a^2*b*e^{(8*d*x + 8*c)} + 15*a*b^2*e^{(8*d*x + 8*c)} + 5*b^3*e^{(8*d*x + 8*c)} + 60*a^2*b*e^{(6*d*x + 6*c)} + 30*a*b^2*e^{(6*d*x + 6*c)} + 90*a^2*b*e^{(4*d*x + 4*c)} + 20*a*b^2*e^{(4*d*x + 4*c)} + 10*b^3*e^{(4*d*x + 4*c)} + 60*a^2*b*e^{(2*d*x + 2*c)} + 10*a*b^2*e^{(2*d*x + 2*c)} + 15*a^2*b + 5*a*b^2 + b^3)/(e^{(2*d*x + 2*c)} + 1)^5}{d}$$

### 3.23 $\int \operatorname{csch}^3(c + dx) (a + b \tanh^2(c + dx))^3 dx$

**Optimal.** Leaf size=152

$$\frac{b(81a^2 - 28ab - 4b^2) \operatorname{sech}(c + dx)}{30d} + \frac{a^2(a - 6b) \tanh^{-1}(\cosh(c + dx))}{2d} + \frac{7b \operatorname{sech}(c + dx) (a - b \operatorname{sech}^2(c + dx) + b)^2}{10d} + \dots$$

[Out]  $(a^2(a - 6b) \operatorname{ArcTanh}[\operatorname{Cosh}[c + d*x]])/(2*d) + (b*(81*a^2 - 28*a*b - 4*b^2) * \operatorname{Sech}[c + d*x])/(30*d) + ((33*a - 2*b)*b * \operatorname{Sech}[c + d*x]*(a + b - b * \operatorname{Sech}[c + d*x]^2))/(30*d) + (7*b * \operatorname{Sech}[c + d*x]*(a + b - b * \operatorname{Sech}[c + d*x]^2)^2)/(10*d) - (\operatorname{Coth}[c + d*x] * \operatorname{Csch}[c + d*x]*(a + b - b * \operatorname{Sech}[c + d*x]^2)^3)/(2*d)$

**Rubi [A]** time = 0.225033, antiderivative size = 152, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {3664, 467, 528, 388, 207}

$$\frac{b(81a^2 - 28ab - 4b^2) \operatorname{sech}(c + dx)}{30d} + \frac{a^2(a - 6b) \tanh^{-1}(\cosh(c + dx))}{2d} + \frac{7b \operatorname{sech}(c + dx) (a - b \operatorname{sech}^2(c + dx) + b)^2}{10d} + \dots$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[\operatorname{Csch}[c + d*x]^3*(a + b*\operatorname{Tanh}[c + d*x]^2)^3, x]$

[Out]  $(a^2(a - 6b) \operatorname{ArcTanh}[\operatorname{Cosh}[c + d*x]])/(2*d) + (b*(81*a^2 - 28*a*b - 4*b^2) * \operatorname{Sech}[c + d*x])/(30*d) + ((33*a - 2*b)*b * \operatorname{Sech}[c + d*x]*(a + b - b * \operatorname{Sech}[c + d*x]^2))/(30*d) + (7*b * \operatorname{Sech}[c + d*x]*(a + b - b * \operatorname{Sech}[c + d*x]^2)^2)/(10*d) - (\operatorname{Coth}[c + d*x] * \operatorname{Csch}[c + d*x]*(a + b - b * \operatorname{Sech}[c + d*x]^2)^3)/(2*d)$

#### Rule 3664

$\operatorname{Int}[\sin[(e_.) + (f_.)*(x_.)]^{(m_.)}*((a_.) + (b_.)*\tan[(e_.) + (f_.)*(x_.)]^2)^{(p_.)}, x\_Symbol] \rightarrow \operatorname{With}[\{ff = \operatorname{FreeFactors}[\operatorname{Sec}[e + f*x], x]\}, \operatorname{Dist}[1/(f*ff^m), \operatorname{Subst}[\operatorname{Int}[((-1 + ff^2*x^2)^{((m - 1)/2)}*(a - b + b*ff^2*x^2)^p)/x^{(m + 1)}, x], x, \operatorname{Sec}[e + f*x]/ff], x]] /; \operatorname{FreeQ}[\{a, b, e, f, p\}, x] \ \&\& \operatorname{IntegerQ}[(m - 1)/2]$

#### Rule 467

$\operatorname{Int}[(e_.)*(x_.)^{(m_.)}*((a_.) + (b_.)*(x_.)^{(n_.)})^{(p_.)}*((c_.) + (d_.)*(x_.)^{(n_.)})^{(q_.)}, x\_Symbol] \rightarrow \operatorname{Simp}[(e^{(n - 1)}*(e*x)^{(m - n + 1)}*(a + b*x^n)^{(p + 1)}*(c + d*x^n)^q)/(b*n*(p + 1)), x] - \operatorname{Dist}[e^n/(b*n*(p + 1)), \operatorname{Int}[(e*x)^{(m -$

```
n)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 1)*Simp[c*(m - n + 1) + d*(m + n*(q
- 1) + 1)*x^n, x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b*c - a*d, 0
] && IGtQ[n, 0] && LtQ[p, -1] && GtQ[q, 0] && GtQ[m - n + 1, 0] && IntBinom
ialQ[a, b, c, d, e, m, n, p, q, x]
```

### Rule 528

```
Int[((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_)*((e_) + (
f_)*(x_)^(n_)), x_Symbol] :> Simp[(f*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^q)/
(b*(n*(p + q + 1) + 1)), x] + Dist[1/(b*(n*(p + q + 1) + 1)), Int[(a + b*x^
n)^p*(c + d*x^n)^(q - 1)*Simp[c*(b*e - a*f + b*e*n*(p + q + 1)) + (d*(b*e -
a*f) + f*n*q*(b*c - a*d) + b*d*e*n*(p + q + 1))*x^n, x], x] /; FreeQ[{
a, b, c, d, e, f, n, p}, x] && GtQ[q, 0] && NeQ[n*(p + q + 1) + 1, 0]
```

### Rule 388

```
Int[((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_)), x_Symbol] :> Si
mp[(d*x*(a + b*x^n)^(p + 1))/(b*(n*(p + 1) + 1)), x] - Dist[(a*d - b*c*(n*(
p + 1) + 1))/(b*(n*(p + 1) + 1)), Int[(a + b*x^n)^p, x], x] /; FreeQ[{a, b,
c, d, n}, x] && NeQ[b*c - a*d, 0] && NeQ[n*(p + 1) + 1, 0]
```

### Rule 207

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a
, 0] || GtQ[b, 0])
```

### Rubi steps

$$\begin{aligned}
\int \operatorname{csch}^3(c+dx) (a+b \tanh^2(c+dx))^3 dx &= -\frac{\operatorname{Subst}\left(\int \frac{x^{2(a+b-bx^2)^3}}{(-1+x^2)^2} dx, x, \operatorname{sech}(c+dx)\right)}{d} \\
&= -\frac{\operatorname{coth}(c+dx) \operatorname{csch}(c+dx) (a+b-b \operatorname{sech}^2(c+dx))^3}{2d} - \frac{\operatorname{Subst}\left(\int \frac{(a+b-7bx)}{-1+x^2} dx, x, \operatorname{sech}(c+dx)\right)}{d} \\
&= \frac{7b \operatorname{sech}(c+dx) (a+b-b \operatorname{sech}^2(c+dx))^2}{10d} - \frac{\operatorname{coth}(c+dx) \operatorname{csch}(c+dx) (a+b-b \operatorname{sech}^2(c+dx))^3}{2d} \\
&= \frac{(33a-2b)b \operatorname{sech}(c+dx) (a+b-b \operatorname{sech}^2(c+dx))}{30d} + \frac{7b \operatorname{sech}(c+dx) (a+b-b \operatorname{sech}^2(c+dx))^2}{10d} \\
&= \frac{b(81a^2-28ab-4b^2) \operatorname{sech}(c+dx)}{30d} + \frac{(33a-2b)b \operatorname{sech}(c+dx) (a+b-b \operatorname{sech}^2(c+dx))}{30d} \\
&= \frac{a^2(a-6b) \tanh^{-1}(\cosh(c+dx))}{2d} + \frac{b(81a^2-28ab-4b^2) \operatorname{sech}(c+dx)}{30d} + \dots
\end{aligned}$$

**Mathematica [A]** time = 6.17533, size = 127, normalized size = 0.84

$$\frac{3a^2b \operatorname{sech}(c+dx)}{d} - \frac{a^2(a-6b) \log\left(\tanh\left(\frac{1}{2}(c+dx)\right)\right)}{2d} - \frac{a^3 \operatorname{csch}^2\left(\frac{1}{2}(c+dx)\right)}{8d} - \frac{a^3 \operatorname{sech}^2\left(\frac{1}{2}(c+dx)\right)}{8d} - \frac{b^2(3a+b) \operatorname{sech}^3(c+dx)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out]  $-(a^3 \operatorname{Csch}[(c+d*x)/2]^2)/(8*d) - (a^2*(a-6*b)*\operatorname{Log}[\operatorname{Tanh}[(c+d*x)/2]])/(2*d) - (a^3 \operatorname{Sech}[(c+d*x)/2]^2)/(8*d) + (3*a^2*b*\operatorname{Sech}[c+d*x])/d - (b^2*(3*a+b)*\operatorname{Sech}[c+d*x]^3)/(3*d) + (b^3*\operatorname{Sech}[c+d*x]^5)/(5*d)$

**Maple [A]** time = 0.063, size = 174, normalized size = 1.1

$$\frac{1}{d} \left( a^3 \left( -\frac{\operatorname{csch}(dx+c) \operatorname{coth}(dx+c)}{2} + \operatorname{Artanh}(e^{dx+c}) \right) + 3a^2b \left( (\cosh(dx+c))^{-1} - 2 \operatorname{Artanh}(e^{dx+c}) \right) + 3ab^2 \left( \frac{1}{3} \frac{(\sinh(dx+c))^3}{(\cosh(dx+c))^3} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(csch(d*x+c)^3*(a+b*tanh(d*x+c)^2)^3,x)`

[Out]  $1/d*(a^3*(-1/2*csch(d*x+c)*coth(d*x+c)+arctanh(\exp(d*x+c)))+3*a^2*b*(1/\cosh(d*x+c)-2*arctanh(\exp(d*x+c)))+3*a*b^2*(1/3*\sinh(d*x+c)^2/\cosh(d*x+c)^3+1/3*\sinh(d*x+c)^2/\cosh(d*x+c)-1/3*\cosh(d*x+c))+b^3*(-1/5*\sinh(d*x+c)^2/\cosh(d*x+c)^5+2/15*\sinh(d*x+c)^2/\cosh(d*x+c)^3+2/15*\sinh(d*x+c)^2/\cosh(d*x+c)-2/15*\cosh(d*x+c))$

**Maxima [B]** time = 1.0929, size = 544, normalized size = 3.58

$$\frac{1}{2} a^3 \left( \frac{\log(e^{-dx-c} + 1)}{d} - \frac{\log(e^{-dx-c} - 1)}{d} + \frac{2(e^{-dx-c} + e^{-3dx-3c})}{d(2e^{-2dx-2c} - e^{-4dx-4c} - 1)} \right) - 3 a^2 b \left( \frac{\log(e^{-dx-c} + 1)}{d} - \frac{\log(e^{-dx-c} - 1)}{d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csch(d*x+c)^3*(a+b*tanh(d*x+c)^2)^3,x, algorithm="maxima")`

[Out]  $1/2*a^3*(\log(e^{-d*x - c} + 1)/d - \log(e^{-d*x - c} - 1)/d + 2*(e^{-d*x - c} + e^{-3*d*x - 3*c})/(d*(2*e^{-2*d*x - 2*c} - e^{-4*d*x - 4*c} - 1))) - 3*a^2*b*(\log(e^{-d*x - c} + 1)/d - \log(e^{-d*x - c} - 1)/d - 2*e^{-d*x - c}/(d*(e^{-2*d*x - 2*c} + 1))) - 8/15*b^3*(5*e^{-3*d*x - 3*c}/(d*(5*e^{-2*d*x - 2*c} + 10*e^{-4*d*x - 4*c} + 10*e^{-6*d*x - 6*c} + 5*e^{-8*d*x - 8*c} + e^{-10*d*x - 10*c} + 1)) - 2*e^{-5*d*x - 5*c}/(d*(5*e^{-2*d*x - 2*c} + 10*e^{-4*d*x - 4*c} + 10*e^{-6*d*x - 6*c} + 5*e^{-8*d*x - 8*c} + e^{-10*d*x - 10*c} + 1)) + 5*e^{-7*d*x - 7*c}/(d*(5*e^{-2*d*x - 2*c} + 10*e^{-4*d*x - 4*c} + 10*e^{-6*d*x - 6*c} + 5*e^{-8*d*x - 8*c} + e^{-10*d*x - 10*c} + 1))) - 8*a*b^2/(d*(e^{d*x + c} + e^{-d*x - c}))^3$

**Fricas [B]** time = 2.47568, size = 12984, normalized size = 85.42

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csch(d*x+c)^3*(a+b*tanh(d*x+c)^2)^3,x, algorithm="fricas")`

[Out]  $-1/30*(30*(a^3 - 6*a^2*b)*\cosh(d*x + c)^{13} + 390*(a^3 - 6*a^2*b)*\cosh(d*x + c)*\sinh(d*x + c)^{12} + 30*(a^3 - 6*a^2*b)*\sinh(d*x + c)^{13} + 20*(9*a^3 - 18*a^2*b + 12*a*b^2 + 4*b^3)*\cosh(d*x + c)^{11} + 20*(9*a^3 - 18*a^2*b + 12*a*b$

$$\begin{aligned}
&^2 + 4*b^3 + 117*(a^3 - 6*a^2*b)*\cosh(d*x + c)^2*\sinh(d*x + c)^{11} + 220*(3 \\
&9*(a^3 - 6*a^2*b)*\cosh(d*x + c)^3 + (9*a^3 - 18*a^2*b + 12*a*b^2 + 4*b^3)*\cosh(d*x + c) \\
&*\sinh(d*x + c)^{10} + 6*(75*a^3 + 30*a^2*b - 32*b^3)*\cosh(d*x + c)^9 + 2*(10725*(a^3 - 6*a^2*b)*\cosh(d*x + c)^4 + 225*a^3 + 90*a^2*b - 96*b^3 \\
&^3 + 550*(9*a^3 - 18*a^2*b + 12*a*b^2 + 4*b^3)*\cosh(d*x + c)^2*\sinh(d*x + c)^9 + 6*(6435*(a^3 - 6*a^2*b)*\cosh(d*x + c)^5 + 550*(9*a^3 - 18*a^2*b + 12 \\
&a*b^2 + 4*b^3)*\cosh(d*x + c)^3 + 9*(75*a^3 + 30*a^2*b - 32*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^8 + 8*(75*a^3 + 90*a^2*b - 60*a*b^2 + 28*b^3)*\cosh(d*x + c)^7 + 8*(6435*(a^3 - 6*a^2*b)*\cosh(d*x + c)^6 + 825*(9*a^3 - 18*a^2*b + 1 \\
&2*a*b^2 + 4*b^3)*\cosh(d*x + c)^4 + 75*a^3 + 90*a^2*b - 60*a*b^2 + 28*b^3 + 27*(75*a^3 + 30*a^2*b - 32*b^3)*\cosh(d*x + c)^2*\sinh(d*x + c)^7 + 8*(6435*(a^3 - 6*a^2*b)*\cosh(d*x + c)^7 + 1155*(9*a^3 - 18*a^2*b + 12*a*b^2 + 4*b^3) \\
&)*\cosh(d*x + c)^5 + 63*(75*a^3 + 30*a^2*b - 32*b^3)*\cosh(d*x + c)^3 + 7*(75*a^3 + 90*a^2*b - 60*a*b^2 + 28*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^6 + 6*(75*a^3 + 30*a^2*b - 32*b^3)*\cosh(d*x + c)^5 + 6*(6435*(a^3 - 6*a^2*b)*\cosh(d*x + c)^8 + 1540*(9*a^3 - 18*a^2*b + 12*a*b^2 + 4*b^3)*\cosh(d*x + c)^6 + 126 \\
&*(75*a^3 + 30*a^2*b - 32*b^3)*\cosh(d*x + c)^4 + 75*a^3 + 30*a^2*b - 32*b^3 + 28*(75*a^3 + 90*a^2*b - 60*a*b^2 + 28*b^3)*\cosh(d*x + c)^2*\sinh(d*x + c)^5 + 2*(10725*(a^3 - 6*a^2*b)*\cosh(d*x + c)^9 + 3300*(9*a^3 - 18*a^2*b + 12 \\
&a*b^2 + 4*b^3)*\cosh(d*x + c)^7 + 378*(75*a^3 + 30*a^2*b - 32*b^3)*\cosh(d*x + c)^5 + 140*(75*a^3 + 90*a^2*b - 60*a*b^2 + 28*b^3)*\cosh(d*x + c)^3 + 15*(75*a^3 + 30*a^2*b - 32*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^4 + 20*(9*a^3 - 1 \\
&8*a^2*b + 12*a*b^2 + 4*b^3)*\cosh(d*x + c)^3 + 4*(2145*(a^3 - 6*a^2*b)*\cosh(d*x + c)^10 + 825*(9*a^3 - 18*a^2*b + 12*a*b^2 + 4*b^3)*\cosh(d*x + c)^8 + 126*(75*a^3 + 30*a^2*b - 32*b^3)*\cosh(d*x + c)^6 + 70*(75*a^3 + 90*a^2*b - 6 \\
&0*a*b^2 + 28*b^3)*\cosh(d*x + c)^4 + 45*a^3 - 90*a^2*b + 60*a*b^2 + 20*b^3 + 15*(75*a^3 + 30*a^2*b - 32*b^3)*\cosh(d*x + c)^2*\sinh(d*x + c)^3 + 4*(585*(a^3 - 6*a^2*b)*\cosh(d*x + c)^11 + 275*(9*a^3 - 18*a^2*b + 12*a*b^2 + 4*b^3) \\
&)*\cosh(d*x + c)^9 + 54*(75*a^3 + 30*a^2*b - 32*b^3)*\cosh(d*x + c)^7 + 42*(75*a^3 + 90*a^2*b - 60*a*b^2 + 28*b^3)*\cosh(d*x + c)^5 + 15*(75*a^3 + 30*a^2*b - 32*b^3)*\cosh(d*x + c)^3 + 15*(9*a^3 - 18*a^2*b + 12*a*b^2 + 4*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^2 + 30*(a^3 - 6*a^2*b)*\cosh(d*x + c) - 15*((a^3 - 6*a^2*b)*\cosh(d*x + c)^14 + 14*(a^3 - 6*a^2*b)*\cosh(d*x + c)*\sinh(d*x + c)^13 + (a^3 - 6*a^2*b)*\sinh(d*x + c)^14 + 3*(a^3 - 6*a^2*b)*\cosh(d*x + c)^12 + (3*a^3 - 18*a^2*b + 91*(a^3 - 6*a^2*b)*\cosh(d*x + c)^2)*\sinh(d*x + c)^12 + 4*(91*(a^3 - 6*a^2*b)*\cosh(d*x + c)^3 + 9*(a^3 - 6*a^2*b)*\cosh(d*x + c))*\sinh(d*x + c)^11 + (a^3 - 6*a^2*b)*\cosh(d*x + c)^10 + (1001*(a^3 - 6*a^2*b) \\
&)*\cosh(d*x + c)^4 + a^3 - 6*a^2*b + 198*(a^3 - 6*a^2*b)*\cosh(d*x + c)^2)*\sinh(d*x + c)^10 + 2*(1001*(a^3 - 6*a^2*b)*\cosh(d*x + c)^5 + 330*(a^3 - 6*a^2*b)*\cosh(d*x + c)^3 + 5*(a^3 - 6*a^2*b)*\cosh(d*x + c))*\sinh(d*x + c)^9 - 5*(a^3 - 6*a^2*b)*\cosh(d*x + c)^8 + (3003*(a^3 - 6*a^2*b)*\cosh(d*x + c)^6 + 1485*(a^3 - 6*a^2*b)*\cosh(d*x + c)^4 - 5*a^3 + 30*a^2*b + 45*(a^3 - 6*a^2*b) \\
&)*\cosh(d*x + c)^2)*\sinh(d*x + c)^8 + 8*(429*(a^3 - 6*a^2*b)*\cosh(d*x + c)^7 + 297*(a^3 - 6*a^2*b)*\cosh(d*x + c)^5 + 15*(a^3 - 6*a^2*b)*\cosh(d*x + c)^3 - 5*(a^3 - 6*a^2*b)*\cosh(d*x + c))*\sinh(d*x + c)^7 - 5*(a^3 - 6*a^2*b)*\cosh
\end{aligned}$$



$$\begin{aligned}
& (d*x + c)^6 + (3003*(a^3 - 6*a^2*b)*\cosh(d*x + c)^8 + 2772*(a^3 - 6*a^2*b)* \\
& \cosh(d*x + c)^6 + 210*(a^3 - 6*a^2*b)*\cosh(d*x + c)^4 - 5*a^3 + 30*a^2*b - \\
& 140*(a^3 - 6*a^2*b)*\cosh(d*x + c)^2)*\sinh(d*x + c)^6 + 2*(1001*(a^3 - 6*a^2 \\
& *b)*\cosh(d*x + c)^9 + 1188*(a^3 - 6*a^2*b)*\cosh(d*x + c)^7 + 126*(a^3 - 6*a \\
& ^2*b)*\cosh(d*x + c)^5 - 140*(a^3 - 6*a^2*b)*\cosh(d*x + c)^3 - 15*(a^3 - 6*a \\
& ^2*b)*\cosh(d*x + c))*\sinh(d*x + c)^5 + (a^3 - 6*a^2*b)*\cosh(d*x + c)^4 + (1 \\
& 001*(a^3 - 6*a^2*b)*\cosh(d*x + c)^10 + 1485*(a^3 - 6*a^2*b)*\cosh(d*x + c)^8 \\
& + 210*(a^3 - 6*a^2*b)*\cosh(d*x + c)^6 - 350*(a^3 - 6*a^2*b)*\cosh(d*x + c)^ \\
& 4 + a^3 - 6*a^2*b - 75*(a^3 - 6*a^2*b)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + 4 \\
& *(91*(a^3 - 6*a^2*b)*\cosh(d*x + c)^11 + 165*(a^3 - 6*a^2*b)*\cosh(d*x + c)^9 \\
& + 30*(a^3 - 6*a^2*b)*\cosh(d*x + c)^7 - 70*(a^3 - 6*a^2*b)*\cosh(d*x + c)^5 \\
& - 25*(a^3 - 6*a^2*b)*\cosh(d*x + c)^3 + (a^3 - 6*a^2*b)*\cosh(d*x + c))*\sinh( \\
& d*x + c)^3 + a^3 - 6*a^2*b + 3*(a^3 - 6*a^2*b)*\cosh(d*x + c)^2 + (91*(a^3 - \\
& 6*a^2*b)*\cosh(d*x + c)^12 + 198*(a^3 - 6*a^2*b)*\cosh(d*x + c)^10 + 45*(a^3 \\
& - 6*a^2*b)*\cosh(d*x + c)^8 - 140*(a^3 - 6*a^2*b)*\cosh(d*x + c)^6 - 75*(a^3 \\
& - 6*a^2*b)*\cosh(d*x + c)^4 + 3*a^3 - 18*a^2*b + 6*(a^3 - 6*a^2*b)*\cosh(d*x \\
& + c)^2)*\sinh(d*x + c)^2 + 2*(7*(a^3 - 6*a^2*b)*\cosh(d*x + c)^13 + 18*(a^3 \\
& - 6*a^2*b)*\cosh(d*x + c)^11 + 5*(a^3 - 6*a^2*b)*\cosh(d*x + c)^9 - 20*(a^3 - \\
& 6*a^2*b)*\cosh(d*x + c)^7 - 15*(a^3 - 6*a^2*b)*\cosh(d*x + c)^5 + 2*(a^3 - 6 \\
& *a^2*b)*\cosh(d*x + c)^3 + 3*(a^3 - 6*a^2*b)*\cosh(d*x + c))*\sinh(d*x + c))*l \\
& og(\cosh(d*x + c) + \sinh(d*x + c) + 1) + 15*((a^3 - 6*a^2*b)*\cosh(d*x + c)^1 \\
& 4 + 14*(a^3 - 6*a^2*b)*\cosh(d*x + c))*\sinh(d*x + c)^13 + (a^3 - 6*a^2*b)*\sin \\
& h(d*x + c)^14 + 3*(a^3 - 6*a^2*b)*\cosh(d*x + c)^12 + (3*a^3 - 18*a^2*b + 91 \\
& *(a^3 - 6*a^2*b)*\cosh(d*x + c)^2)*\sinh(d*x + c)^12 + 4*(91*(a^3 - 6*a^2*b)* \\
& \cosh(d*x + c)^3 + 9*(a^3 - 6*a^2*b)*\cosh(d*x + c))*\sinh(d*x + c)^11 + (a^3 \\
& - 6*a^2*b)*\cosh(d*x + c)^10 + (1001*(a^3 - 6*a^2*b)*\cosh(d*x + c)^4 + a^3 - \\
& 6*a^2*b + 198*(a^3 - 6*a^2*b)*\cosh(d*x + c)^2)*\sinh(d*x + c)^10 + 2*(1001* \\
& (a^3 - 6*a^2*b)*\cosh(d*x + c)^5 + 330*(a^3 - 6*a^2*b)*\cosh(d*x + c)^3 + 5*( \\
& a^3 - 6*a^2*b)*\cosh(d*x + c))*\sinh(d*x + c)^9 - 5*(a^3 - 6*a^2*b)*\cosh(d*x \\
& + c)^8 + (3003*(a^3 - 6*a^2*b)*\cosh(d*x + c)^6 + 1485*(a^3 - 6*a^2*b)*\cosh( \\
& d*x + c)^4 - 5*a^3 + 30*a^2*b + 45*(a^3 - 6*a^2*b)*\cosh(d*x + c)^2)*\sinh(d* \\
& x + c)^8 + 8*(429*(a^3 - 6*a^2*b)*\cosh(d*x + c)^7 + 297*(a^3 - 6*a^2*b)*\cos \\
& h(d*x + c)^5 + 15*(a^3 - 6*a^2*b)*\cosh(d*x + c)^3 - 5*(a^3 - 6*a^2*b)*\cosh( \\
& d*x + c))*\sinh(d*x + c)^7 - 5*(a^3 - 6*a^2*b)*\cosh(d*x + c)^6 + (3003*(a^3 \\
& - 6*a^2*b)*\cosh(d*x + c)^8 + 2772*(a^3 - 6*a^2*b)*\cosh(d*x + c)^6 + 210*(a^ \\
& 3 - 6*a^2*b)*\cosh(d*x + c)^4 - 5*a^3 + 30*a^2*b - 140*(a^3 - 6*a^2*b)*\cosh( \\
& d*x + c)^2)*\sinh(d*x + c)^6 + 2*(1001*(a^3 - 6*a^2*b)*\cosh(d*x + c)^9 + 118 \\
& 8*(a^3 - 6*a^2*b)*\cosh(d*x + c)^7 + 126*(a^3 - 6*a^2*b)*\cosh(d*x + c)^5 - 1 \\
& 40*(a^3 - 6*a^2*b)*\cosh(d*x + c)^3 - 15*(a^3 - 6*a^2*b)*\cosh(d*x + c))*\sinh \\
& (d*x + c)^5 + (a^3 - 6*a^2*b)*\cosh(d*x + c)^4 + (1001*(a^3 - 6*a^2*b)*\cosh( \\
& d*x + c)^10 + 1485*(a^3 - 6*a^2*b)*\cosh(d*x + c)^8 + 210*(a^3 - 6*a^2*b)*\co \\
& sh(d*x + c)^6 - 350*(a^3 - 6*a^2*b)*\cosh(d*x + c)^4 + a^3 - 6*a^2*b - 75*(a \\
& ^3 - 6*a^2*b)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + 4*(91*(a^3 - 6*a^2*b)*\cosh \\
& (d*x + c)^11 + 165*(a^3 - 6*a^2*b)*\cosh(d*x + c)^9 + 30*(a^3 - 6*a^2*b)*\cos \\
& h(d*x + c)^7 - 70*(a^3 - 6*a^2*b)*\cosh(d*x + c)^5 - 25*(a^3 - 6*a^2*b)*\cosh
\end{aligned}$$

```

(d*x + c)^3 + (a^3 - 6*a^2*b)*cosh(d*x + c))*sinh(d*x + c)^3 + a^3 - 6*a^2*
b + 3*(a^3 - 6*a^2*b)*cosh(d*x + c)^2 + (91*(a^3 - 6*a^2*b)*cosh(d*x + c)^1
2 + 198*(a^3 - 6*a^2*b)*cosh(d*x + c)^10 + 45*(a^3 - 6*a^2*b)*cosh(d*x + c)
^8 - 140*(a^3 - 6*a^2*b)*cosh(d*x + c)^6 - 75*(a^3 - 6*a^2*b)*cosh(d*x + c)
^4 + 3*a^3 - 18*a^2*b + 6*(a^3 - 6*a^2*b)*cosh(d*x + c)^2)*sinh(d*x + c)^2
+ 2*(7*(a^3 - 6*a^2*b)*cosh(d*x + c)^13 + 18*(a^3 - 6*a^2*b)*cosh(d*x + c)^
11 + 5*(a^3 - 6*a^2*b)*cosh(d*x + c)^9 - 20*(a^3 - 6*a^2*b)*cosh(d*x + c)^7
- 15*(a^3 - 6*a^2*b)*cosh(d*x + c)^5 + 2*(a^3 - 6*a^2*b)*cosh(d*x + c)^3 +
3*(a^3 - 6*a^2*b)*cosh(d*x + c))*sinh(d*x + c))*log(cosh(d*x + c) + sinh(d
*x + c) - 1) + 2*(195*(a^3 - 6*a^2*b)*cosh(d*x + c)^12 + 110*(9*a^3 - 18*a^
2*b + 12*a*b^2 + 4*b^3)*cosh(d*x + c)^10 + 27*(75*a^3 + 30*a^2*b - 32*b^3)*
cosh(d*x + c)^8 + 28*(75*a^3 + 90*a^2*b - 60*a*b^2 + 28*b^3)*cosh(d*x + c)^
6 + 15*(75*a^3 + 30*a^2*b - 32*b^3)*cosh(d*x + c)^4 + 15*a^3 - 90*a^2*b + 3
0*(9*a^3 - 18*a^2*b + 12*a*b^2 + 4*b^3)*cosh(d*x + c)^2)*sinh(d*x + c))/(d*
cosh(d*x + c)^14 + 14*d*cosh(d*x + c)*sinh(d*x + c)^13 + d*sinh(d*x + c)^14
+ 3*d*cosh(d*x + c)^12 + (91*d*cosh(d*x + c)^2 + 3*d)*sinh(d*x + c)^12 + 4
*(91*d*cosh(d*x + c)^3 + 9*d*cosh(d*x + c))*sinh(d*x + c)^11 + d*cosh(d*x +
c)^10 + (1001*d*cosh(d*x + c)^4 + 198*d*cosh(d*x + c)^2 + d)*sinh(d*x + c)
^10 + 2*(1001*d*cosh(d*x + c)^5 + 330*d*cosh(d*x + c)^3 + 5*d*cosh(d*x + c)
)*sinh(d*x + c)^9 - 5*d*cosh(d*x + c)^8 + (3003*d*cosh(d*x + c)^6 + 1485*d*
cosh(d*x + c)^4 + 45*d*cosh(d*x + c)^2 - 5*d)*sinh(d*x + c)^8 + 8*(429*d*co
sh(d*x + c)^7 + 297*d*cosh(d*x + c)^5 + 15*d*cosh(d*x + c)^3 - 5*d*cosh(d*x
+ c))*sinh(d*x + c)^7 - 5*d*cosh(d*x + c)^6 + (3003*d*cosh(d*x + c)^8 + 27
72*d*cosh(d*x + c)^6 + 210*d*cosh(d*x + c)^4 - 140*d*cosh(d*x + c)^2 - 5*d)
*sinh(d*x + c)^6 + 2*(1001*d*cosh(d*x + c)^9 + 1188*d*cosh(d*x + c)^7 + 126
*d*cosh(d*x + c)^5 - 140*d*cosh(d*x + c)^3 - 15*d*cosh(d*x + c))*sinh(d*x +
c)^5 + d*cosh(d*x + c)^4 + (1001*d*cosh(d*x + c)^10 + 1485*d*cosh(d*x + c)
^8 + 210*d*cosh(d*x + c)^6 - 350*d*cosh(d*x + c)^4 - 75*d*cosh(d*x + c)^2 +
d)*sinh(d*x + c)^4 + 4*(91*d*cosh(d*x + c)^11 + 165*d*cosh(d*x + c)^9 + 30
*d*cosh(d*x + c)^7 - 70*d*cosh(d*x + c)^5 - 25*d*cosh(d*x + c)^3 + d*cosh(d
*x + c))*sinh(d*x + c)^3 + 3*d*cosh(d*x + c)^2 + (91*d*cosh(d*x + c)^12 + 1
98*d*cosh(d*x + c)^10 + 45*d*cosh(d*x + c)^8 - 140*d*cosh(d*x + c)^6 - 75*d
*cosh(d*x + c)^4 + 6*d*cosh(d*x + c)^2 + 3*d)*sinh(d*x + c)^2 + 2*(7*d*cosh
(d*x + c)^13 + 18*d*cosh(d*x + c)^11 + 5*d*cosh(d*x + c)^9 - 20*d*cosh(d*x
+ c)^7 - 15*d*cosh(d*x + c)^5 + 2*d*cosh(d*x + c)^3 + 3*d*cosh(d*x + c))*si
nh(d*x + c) + d)

```

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (a + b \tanh^2(c + dx))^3 \operatorname{csch}^3(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*\*3\*(a+b\*tanh(d\*x+c)\*\*2)\*\*3,x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*2)\*\*3\*csch(c + d\*x)\*\*3, x)

**Giac [A]** time = 1.76989, size = 379, normalized size = 2.49

$$15 \left( a^3 e^c - 6 a^2 b e^c \right) e^{(-c)} \log \left( e^{(dx+c)} + 1 \right) - 15 \left( a^3 e^c - 6 a^2 b e^c \right) e^{(-c)} \log \left( \left| e^{(dx+c)} - 1 \right| \right) - \frac{30 \left( a^3 e^{(3dx+3c)} + a^3 e^{(dx+c)} \right)}{\left( e^{(2dx+2c)} - 1 \right)^2} + \frac{4 \left( 45 a^2 b e^{(9dx+9c)} \right)}{\left( e^{(2dx+2c)} - 1 \right)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out]  $\frac{1}{30} \left( 15 \left( a^3 e^c - 6 a^2 b e^c \right) e^{(-c)} \log \left( e^{(dx+c)} + 1 \right) - 15 \left( a^3 e^c - 6 a^2 b e^c \right) e^{(-c)} \log \left( \text{abs} \left( e^{(dx+c)} - 1 \right) \right) - 30 \left( a^3 e^{(3dx+3c)} + a^3 e^{(dx+c)} \right) / \left( e^{(2dx+2c)} - 1 \right)^2 + 4 \left( 45 a^2 b e^{(9dx+9c)} \right) / \left( e^{(2dx+2c)} - 1 \right)^2 + 180 a^2 b e^{(7dx+7c)} - 60 a^2 b e^{(5dx+5c)} - 120 a^2 b e^{(3dx+3c)} - 20 b^3 e^{(7dx+7c)} + 270 a^2 b e^{(5dx+5c)} - 120 a^2 b e^{(3dx+3c)} - 20 b^3 e^{(5dx+5c)} + 180 a^2 b e^{(3dx+3c)} - 60 a^2 b e^{(dx+c)} - 20 b^3 e^{(3dx+3c)} + 45 a^2 b e^{(dx+c)} \right) / \left( e^{(2dx+2c)} + 1 \right)^5 / d$

### 3.24 $\int \operatorname{csch}^4(c + dx) \left(a + b \tanh^2(c + dx)\right)^3 dx$

**Optimal.** Leaf size=98

$$\frac{a^2(a-3b)\operatorname{coth}(c+dx)}{d} - \frac{a^3\operatorname{coth}^3(c+dx)}{3d} - \frac{b^2(3a-b)\operatorname{tanh}^3(c+dx)}{3d} - \frac{3ab(a-b)\operatorname{tanh}(c+dx)}{d} - \frac{b^3\operatorname{tanh}^5(c+dx)}{5d}$$

[Out] (a^2\*(a - 3\*b)\*Coth[c + d\*x])/d - (a^3\*Coth[c + d\*x]^3)/(3\*d) - (3\*a\*(a - b)\*b\*Tanh[c + d\*x])/d - ((3\*a - b)\*b^2\*Tanh[c + d\*x]^3)/(3\*d) - (b^3\*Tanh[c + d\*x]^5)/(5\*d)

**Rubi [A]** time = 0.0965718, antiderivative size = 98, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {3663, 448}

$$\frac{a^2(a-3b)\operatorname{coth}(c+dx)}{d} - \frac{a^3\operatorname{coth}^3(c+dx)}{3d} - \frac{b^2(3a-b)\operatorname{tanh}^3(c+dx)}{3d} - \frac{3ab(a-b)\operatorname{tanh}(c+dx)}{d} - \frac{b^3\operatorname{tanh}^5(c+dx)}{5d}$$

Antiderivative was successfully verified.

[In] Int[Csch[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] (a^2\*(a - 3\*b)\*Coth[c + d\*x])/d - (a^3\*Coth[c + d\*x]^3)/(3\*d) - (3\*a\*(a - b)\*b\*Tanh[c + d\*x])/d - ((3\*a - b)\*b^2\*Tanh[c + d\*x]^3)/(3\*d) - (b^3\*Tanh[c + d\*x]^5)/(5\*d)

#### Rule 3663

```
Int[sin[(e_.) + (f_.)*(x_)]^(m_)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)]))^(n_)]^(p_.), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff^(m + 1))/f, Subst[Int[(x^m*(a + b*(ff*x)^n)^p]/(c^2 + ff^2*x^2)^(m/2 + 1), x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2]
```

#### Rule 448

```
Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_)]^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol] :> Int[ExpandIntegrand[(e*x)^m*(a + b*x^n)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, e, m, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[p, 0] && IGtQ[q, 0]
```

Rubi steps

$$\int \operatorname{csch}^4(c+dx) (a+b \tanh^2(c+dx))^3 dx = \frac{\operatorname{Subst}\left(\int \frac{(1-x^2)(a+bx^2)^3}{x^4} dx, x, \tanh(c+dx)\right)}{d}$$

$$= \frac{\operatorname{Subst}\left(\int \left(-3a(a-b)b + \frac{a^3}{x^4} - \frac{a^2(a-3b)}{x^2} - (3a-b)b^2x^2 - b^3x^4\right) dx, x, \tanh(c+dx)\right)}{d}$$

$$= \frac{a^2(a-3b) \operatorname{coth}(c+dx)}{d} - \frac{a^3 \operatorname{coth}^3(c+dx)}{3d} - \frac{3a(a-b)b \tanh(c+dx)}{d}$$

**Mathematica [A]** time = 1.21802, size = 87, normalized size = 0.89

$$\frac{b \tanh(c+dx) (-45a^2 + b(15a+b) \operatorname{sech}^2(c+dx) + 30ab - 3b^2 \operatorname{sech}^4(c+dx) + 2b^2) - 5a^2 \operatorname{coth}(c+dx) (\operatorname{acsch}^2(c+dx) - 1)}{15d}$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] (-5\*a^2\*Coth[c + d\*x]\*(-2\*a + 9\*b + a\*Csch[c + d\*x]^2) + b\*(-45\*a^2 + 30\*a\*b + 2\*b^2 + b\*(15\*a + b)\*Sech[c + d\*x]^2 - 3\*b^2\*Sech[c + d\*x]^4)\*Tanh[c + d\*x])/(15\*d)

**Maple [A]** time = 0.058, size = 136, normalized size = 1.4

$$\frac{1}{d} \left( a^3 \left( \frac{2}{3} - \frac{(\operatorname{csch}(dx+c))^2}{3} \right) \operatorname{coth}(dx+c) + 3a^2b \left( -\frac{1}{\cosh(dx+c) \sinh(dx+c)} - 2 \tanh(dx+c) \right) + 3ab^2 \left( \frac{2}{3} + \frac{1}{3} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csch(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2)^3,x)

[Out] 1/d\*(a^3\*(2/3-1/3\*csch(d\*x+c)^2)\*coth(d\*x+c)+3\*a^2\*b\*(-1/sinh(d\*x+c)/cosh(d\*x+c)-2\*tanh(d\*x+c))+3\*a\*b^2\*(2/3+1/3\*sech(d\*x+c)^2)\*tanh(d\*x+c)+b^3\*(-1/4\*sinh(d\*x+c)/cosh(d\*x+c)^5+1/4\*(8/15+1/5\*sech(d\*x+c)^4+4/15\*sech(d\*x+c)^2)\*tanh(d\*x+c))

---

**Maxima [B]** time = 1.15839, size = 666, normalized size = 6.8

$$\frac{4}{15} b^3 \left( \frac{5e^{(-2dx-2c)}}{d(5e^{(-2dx-2c)} + 10e^{(-4dx-4c)} + 10e^{(-6dx-6c)} + 5e^{(-8dx-8c)} + e^{(-10dx-10c)} + 1)} - \frac{5e^{(-4dx-4c)}}{d(5e^{(-2dx-2c)} + 10e^{(-4dx-4c)} + 10e^{(-6dx-6c)} + 5e^{(-8dx-8c)} + e^{(-10dx-10c)} + 1)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="maxima")

[Out] 
$$\frac{4}{15} b^3 \left( \frac{5e^{(-2dx-2c)}}{d(5e^{(-2dx-2c)} + 10e^{(-4dx-4c)} + 10e^{(-6dx-6c)} + 5e^{(-8dx-8c)} + e^{(-10dx-10c)} + 1)} - \frac{5e^{(-4dx-4c)}}{d(5e^{(-2dx-2c)} + 10e^{(-4dx-4c)} + 10e^{(-6dx-6c)} + 5e^{(-8dx-8c)} + e^{(-10dx-10c)} + 1)} + \frac{10e^{(-6dx-6c)}}{d(5e^{(-2dx-2c)} + 10e^{(-4dx-4c)} + 10e^{(-6dx-6c)} + 5e^{(-8dx-8c)} + e^{(-10dx-10c)} + 1)} + \frac{5e^{(-8dx-8c)}}{d(5e^{(-2dx-2c)} + 10e^{(-4dx-4c)} + 10e^{(-6dx-6c)} + 5e^{(-8dx-8c)} + e^{(-10dx-10c)} + 1)} + \frac{e^{(-10dx-10c)}}{d(5e^{(-2dx-2c)} + 10e^{(-4dx-4c)} + 10e^{(-6dx-6c)} + 5e^{(-8dx-8c)} + e^{(-10dx-10c)} + 1)} \right) + 4a^2b^2 \left( \frac{3e^{(-2dx-2c)}}{d(3e^{(-2dx-2c)} + 3e^{(-4dx-4c)} + e^{(-6dx-6c)} + 1)} + \frac{1}{d(3e^{(-2dx-2c)} + 3e^{(-4dx-4c)} + e^{(-6dx-6c)} + 1)} \right) + \frac{4}{3} a^3 \left( \frac{3e^{(-2dx-2c)}}{d(3e^{(-2dx-2c)} - 3e^{(-4dx-4c)} + e^{(-6dx-6c)} - 1)} - \frac{1}{d(3e^{(-2dx-2c)} - 3e^{(-4dx-4c)} + e^{(-6dx-6c)} - 1)} \right) + \frac{12a^2b}{d(e^{(-4dx-4c)} - 1)}$$

---

**Fricas [B]** time = 2.1397, size = 2385, normalized size = 24.34

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out] 
$$-\frac{8}{15} \left( (5a^3 + 45a^2b + 15ab^2 + 7b^3) \cosh(dx+c)^6 + 12(5a^3 + 15a^2b + 4b^3) \cosh(dx+c) \sinh(dx+c)^5 + (5a^3 + 45a^2b + 15a^2b + 7b^3) \sinh(dx+c)^6 + 2(15a^3 + 45a^2b - 15ab^2 - 13b^3) \cosh(dx+c)^4 + (30a^3 + 90a^2b - 30ab^2 - 26b^3 + 15(5a^3 + 45a^2b + 15ab^2 + 7b^3) \cosh(dx+c)^2) \sinh(dx+c)^4 + 8(5(5a^3 + 15a^2b + 4b^3) \cosh(dx+c)^3 + 4(5a^3 - 3b^3) \cosh(dx+c)) \sinh(dx+c)^3 + 50a^3 - 90a^2b + 30ab^2 - 22b^3 + (75a^3 - 45a^2b - 15ab^2 + 41b^3) \cosh(dx+c)^2 + (15(5a^3 + 45a^2b + 15ab^2 + 7b^3) \cosh(dx+c)^4 + 75a^3 - 45a^2b - 15ab^2 + 41b^3 + 12(15a^3 + 45a^2b + 15ab^2 + 7b^3) \sinh(dx+c)^5) \right)$$

$$2*b - 15*a*b^2 - 13*b^3)*\cosh(d*x + c)^2*\sinh(d*x + c)^2 + 4*(3*(5*a^3 + 15*a*b^2 + 4*b^3)*\cosh(d*x + c)^5 + 8*(5*a^3 - 3*b^3)*\cosh(d*x + c)^3 + (25*a^3 - 45*a*b^2 + 12*b^3)*\cosh(d*x + c))*\sinh(d*x + c))/(d*\cosh(d*x + c)^10 + 10*d*\cosh(d*x + c)*\sinh(d*x + c)^9 + d*\sinh(d*x + c)^10 + 2*d*\cosh(d*x + c)^8 + (45*d*\cosh(d*x + c)^2 + 2*d)*\sinh(d*x + c)^8 + 8*(15*d*\cosh(d*x + c)^3 + 2*d*\cosh(d*x + c))*\sinh(d*x + c)^7 - 3*d*\cosh(d*x + c)^6 + (210*d*\cosh(d*x + c)^4 + 56*d*\cosh(d*x + c)^2 - 3*d)*\sinh(d*x + c)^6 + 2*(126*d*\cosh(d*x + c)^5 + 56*d*\cosh(d*x + c)^3 - 3*d*\cosh(d*x + c))*\sinh(d*x + c)^5 - 8*d*\cosh(d*x + c)^4 + (210*d*\cosh(d*x + c)^6 + 140*d*\cosh(d*x + c)^4 - 45*d*\cosh(d*x + c)^2 - 8*d)*\sinh(d*x + c)^4 + 4*(30*d*\cosh(d*x + c)^7 + 28*d*\cosh(d*x + c)^5 - 5*d*\cosh(d*x + c)^3 - 4*d*\cosh(d*x + c))*\sinh(d*x + c)^3 + 2*d*\cosh(d*x + c)^2 + (45*d*\cosh(d*x + c)^8 + 56*d*\cosh(d*x + c)^6 - 45*d*\cosh(d*x + c)^4 - 48*d*\cosh(d*x + c)^2 + 2*d)*\sinh(d*x + c)^2 + 2*(5*d*\cosh(d*x + c)^9 + 8*d*\cosh(d*x + c)^7 - 3*d*\cosh(d*x + c)^5 - 8*d*\cosh(d*x + c)^3 - 2*d*\cosh(d*x + c))*\sinh(d*x + c) + 6*d)$$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (a + b \tanh^2(c + dx))^3 \operatorname{csch}^4(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*\*4\*(a+b\*tanh(d\*x+c)\*\*2)\*\*3,x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*2)\*\*3\*csch(c + d\*x)\*\*4, x)

**Giac [B]** time = 1.78319, size = 347, normalized size = 3.54

$$2 \left( \frac{5(9a^2be^{(4dx+4c)} + 6a^3e^{(2dx+2c)} - 18a^2be^{(2dx+2c)} - 2a^3 + 9a^2b)}{(e^{(2dx+2c)} - 1)^3} - \frac{45a^2be^{(8dx+8c)} + 180a^2be^{(6dx+6c)} - 90ab^2e^{(6dx+6c)} - 30b^3e^{(6dx+6c)} + 270a^2be^{(4dx+4c)} - 2}{15d} \right)$$

15d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out] -2/15\*(5\*(9\*a^2\*b\*e^(4\*d\*x + 4\*c) + 6\*a^3\*e^(2\*d\*x + 2\*c) - 18\*a^2\*b\*e^(2\*d\*x + 2\*c) - 2\*a^3 + 9\*a^2\*b)/(e^(2\*d\*x + 2\*c) - 1)^3 - (45\*a^2\*b\*e^(8\*d\*x + 8\*c) + 180\*a^2\*b\*e^(6\*d\*x + 6\*c) - 90\*a\*b^2\*e^(6\*d\*x + 6\*c) - 30\*b^3\*e^(6\*

$$\begin{aligned} & d*x + 6*c) + 270*a^2*b*e^{(4*d*x + 4*c)} - 210*a*b^2*e^{(4*d*x + 4*c)} + 10*b^3 \\ & *e^{(4*d*x + 4*c)} + 180*a^2*b*e^{(2*d*x + 2*c)} - 150*a*b^2*e^{(2*d*x + 2*c)} - \\ & 10*b^3*e^{(2*d*x + 2*c)} + 45*a^2*b - 30*a*b^2 - 2*b^3)/(e^{(2*d*x + 2*c)} + 1) \\ & ^5)/d \end{aligned}$$



$$3.25 \quad \int \frac{\sinh^4(c+dx)}{a+b \tanh^2(c+dx)} dx$$

**Optimal.** Leaf size=118

$$\frac{x(3a^2 - 6ab - b^2)}{8(a+b)^3} + \frac{a^{3/2}\sqrt{b} \tan^{-1}\left(\frac{\sqrt{b}\tanh(c+dx)}{\sqrt{a}}\right)}{d(a+b)^3} + \frac{\sinh(c+dx) \cosh^3(c+dx)}{4d(a+b)} - \frac{(5a+b) \sinh(c+dx) \cosh(c+dx)}{8d(a+b)^2}$$

[Out]  $((3*a^2 - 6*a*b - b^2)*x)/(8*(a + b)^3) + (a^{(3/2)}*\text{Sqrt}[b]*\text{ArcTan}[(\text{Sqrt}[b]*\text{Tanh}[c + d*x])/\text{Sqrt}[a]])/((a + b)^3*d) - ((5*a + b)*\text{Cosh}[c + d*x]*\text{Sinh}[c + d*x])/(8*(a + b)^2*d) + (\text{Cosh}[c + d*x]^3*\text{Sinh}[c + d*x])/(4*(a + b)*d)$

**Rubi [A]** time = 0.171706, antiderivative size = 118, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {3663, 470, 527, 522, 206, 205}

$$\frac{x(3a^2 - 6ab - b^2)}{8(a+b)^3} + \frac{a^{3/2}\sqrt{b} \tan^{-1}\left(\frac{\sqrt{b}\tanh(c+dx)}{\sqrt{a}}\right)}{d(a+b)^3} + \frac{\sinh(c+dx) \cosh^3(c+dx)}{4d(a+b)} - \frac{(5a+b) \sinh(c+dx) \cosh(c+dx)}{8d(a+b)^2}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Sinh}[c + d*x]^4/(a + b*\text{Tanh}[c + d*x]^2), x]$

[Out]  $((3*a^2 - 6*a*b - b^2)*x)/(8*(a + b)^3) + (a^{(3/2)}*\text{Sqrt}[b]*\text{ArcTan}[(\text{Sqrt}[b]*\text{Tanh}[c + d*x])/\text{Sqrt}[a]])/((a + b)^3*d) - ((5*a + b)*\text{Cosh}[c + d*x]*\text{Sinh}[c + d*x])/(8*(a + b)^2*d) + (\text{Cosh}[c + d*x]^3*\text{Sinh}[c + d*x])/(4*(a + b)*d)$

### Rule 3663

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]^{(m_.)}*((a_.) + (b_.)*((c_.)*\tan[(e_.) + (f_.)*(x_.)])^{(n_.)})^{(p_.)}, x\_Symbol] \rightarrow \text{With}[\{\text{ff} = \text{FreeFactors}[\text{Tan}[e + f*x], x]\}, \text{Dist}[(c*\text{ff}^{(m+1)})/f, \text{Subst}[\text{Int}[(x^m*(a + b*(\text{ff}*x)^n)^p]/(c^2 + \text{ff}^2*x^2)^{(m/2+1)}, x], x, (c*\text{Tan}[e + f*x])/ff], x]] /; \text{FreeQ}[\{a, b, c, e, f, n, p\}, x] \&\& \text{IntegerQ}[m/2]$

### Rule 470

$\text{Int}[(e_.)*(x_.)]^{(m_.)}*((a_.) + (b_.)*(x_.)^{(n_.)})^{(p_.)}*((c_.) + (d_.)*(x_.)^{(n_.)})^{(q_.)}, x\_Symbol] \rightarrow -\text{Simp}[(a*e^{(2*n-1)}*(e*x)^{(m-2*n+1)}*(a + b*x^n)^{(p+1)}*(c + d*x^n)^{(q+1)})/(b*n*(b*c - a*d)*(p+1)], x] + \text{Dist}[e^{(2*n)}/($

```
b*n*(b*c - a*d)*(p + 1)), Int[(e*x)^(m - 2*n)*(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[a*c*(m - 2*n + 1) + (a*d*(m - n + n*q + 1) + b*c*n*(p + 1))*x^n, x], x] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LtQ[p, -1] && GtQ[m - n + 1, n] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]
```

### Rule 527

```
Int[((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_)*((e_) + (f_)*(x_)^(n_)), x_Symbol] :> -Simp[((b*e - a*f)*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(b*c - a*d)*(p + 1)), x] + Dist[1/(a*n*(b*c - a*d)*(p + 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(b*e - a*f) + e*n*(b*c - a*d)*(p + 1) + d*(b*e - a*f)*(n*(p + q + 2) + 1)*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, f, n, q}, x] && LtQ[p, -1]
```

### Rule 522

```
Int[((e_) + (f_)*(x_)^(n_))/((a_) + (b_)*(x_)^(n_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] :> Dist[(b*e - a*f)/(b*c - a*d), Int[1/(a + b*x^n), x], x] - Dist[(d*e - c*f)/(b*c - a*d), Int[1/(c + d*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x]
```

### Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

### Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\sinh^4(c+dx)}{a+b \tanh^2(c+dx)} dx &= \frac{\text{Subst}\left(\int \frac{x^4}{(1-x^2)^3(a+bx^2)} dx, x, \tanh(c+dx)\right)}{d} \\
&= \frac{\cosh^3(c+dx) \sinh(c+dx)}{4(a+b)d} - \frac{\text{Subst}\left(\int \frac{a+(4a+b)x^2}{(1-x^2)^2(a+bx^2)} dx, x, \tanh(c+dx)\right)}{4(a+b)d} \\
&= -\frac{(5a+b) \cosh(c+dx) \sinh(c+dx)}{8(a+b)^2d} + \frac{\cosh^3(c+dx) \sinh(c+dx)}{4(a+b)d} - \frac{\text{Subst}\left(\int \frac{-a(3a-b)+b(5a+bx^2)}{(1-x^2)(a+bx^2)} dx, x, \tanh(c+dx)\right)}{8(a+b)d} \\
&= -\frac{(5a+b) \cosh(c+dx) \sinh(c+dx)}{8(a+b)^2d} + \frac{\cosh^3(c+dx) \sinh(c+dx)}{4(a+b)d} + \frac{(a^2b) \text{Subst}\left(\int \frac{1}{a+bx^2} dx, x, \tanh(c+dx)\right)}{(a+b)d} \\
&= \frac{(3a^2 - 6ab - b^2)x}{8(a+b)^3} + \frac{a^{3/2}\sqrt{b} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{(a+b)^3d} - \frac{(5a+b) \cosh(c+dx) \sinh(c+dx)}{8(a+b)^2d} + \dots
\end{aligned}$$

**Mathematica [A]** time = 0.253554, size = 93, normalized size = 0.79

$$\frac{4(3a^2 - 6ab - b^2)(c + dx) + 32a^{3/2}\sqrt{b} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right) + (a+b)^2 \sinh(4(c+dx)) - 8a(a+b) \sinh(2(c+dx))}{32d(a+b)^3}$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]^4/(a + b\*Tanh[c + d\*x]^2), x]

[Out] (4\*(3\*a^2 - 6\*a\*b - b^2)\*(c + d\*x) + 32\*a^(3/2)\*Sqrt[b]\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]] - 8\*a\*(a + b)\*Sinh[2\*(c + d\*x)] + (a + b)^2\*Sinh[4\*(c + d\*x)])/(32\*(a + b)^3\*d)

**Maple [B]** time = 0.108, size = 865, normalized size = 7.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2), x)

```
[Out] -8/d/(32*a+32*b)/(tanh(1/2*d*x+1/2*c)+1)^4+32/d/(64*a+64*b)/(tanh(1/2*d*x+1/2*c)+1)^3+1/8/d/(a+b)^2/(tanh(1/2*d*x+1/2*c)+1)^2*a-3/8/d/(a+b)^2/(tanh(1/2*d*x+1/2*c)+1)^2*b-3/8/d/(a+b)^2/(tanh(1/2*d*x+1/2*c)+1)*a+1/8/d/(a+b)^2/(tanh(1/2*d*x+1/2*c)+1)*b+3/8/d/(a+b)^3*ln(tanh(1/2*d*x+1/2*c)+1)*a^2-3/4/d/(a+b)^3*ln(tanh(1/2*d*x+1/2*c)+1)*a*b-1/8/d/(a+b)^3*ln(tanh(1/2*d*x+1/2*c)+1)*b^2-1/d*a^3*b/(a+b)^3/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*arctanh(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))+1/d*a^2*b/(a+b)^3/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*arctanh(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))-1/d*a^2*b^2/(a+b)^3/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*arctanh(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))-1/d*a^3*b/(a+b)^3/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*arctan(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))-1/d*a^2*b/(a+b)^3/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*arctan(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))-1/d*a^2*b^2/(a+b)^3/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*arctan(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))+8/d/(32*a+32*b)/(tanh(1/2*d*x+1/2*c)-1)^4+32/d/(64*a+64*b)/(tanh(1/2*d*x+1/2*c)-1)^3-1/8/d/(a+b)^2/(tanh(1/2*d*x+1/2*c)-1)^2*a+3/8/d/(a+b)^2/(tanh(1/2*d*x+1/2*c)-1)^2*b-3/8/d/(a+b)^2/(tanh(1/2*d*x+1/2*c)-1)*a+1/8/d/(a+b)^2/(tanh(1/2*d*x+1/2*c)-1)*b-3/8/d/(a+b)^3*ln(tanh(1/2*d*x+1/2*c)-1)*a^2+3/4/d/(a+b)^3*ln(tanh(1/2*d*x+1/2*c)-1)*a*b+1/8/d/(a+b)^3*ln(tanh(1/2*d*x+1/2*c)-1)*b^2
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sinh(d*x+c)^4/(a+b*tanh(d*x+c)^2),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [B]** time = 2.31437, size = 5158, normalized size = 43.71

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sinh(d*x+c)^4/(a+b*tanh(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] [1/64*((a^2 + 2*a*b + b^2)*cosh(d*x + c)^8 + 8*(a^2 + 2*a*b + b^2)*cosh(d*x
+ c)*sinh(d*x + c)^7 + (a^2 + 2*a*b + b^2)*sinh(d*x + c)^8 + 8*(3*a^2 - 6*
a*b - b^2)*d*x*cosh(d*x + c)^4 - 8*(a^2 + a*b)*cosh(d*x + c)^6 + 4*(7*(a^2
+ 2*a*b + b^2)*cosh(d*x + c)^2 - 2*a^2 - 2*a*b)*sinh(d*x + c)^6 + 8*(7*(a^2
+ 2*a*b + b^2)*cosh(d*x + c)^3 - 6*(a^2 + a*b)*cosh(d*x + c))*sinh(d*x + c
)^5 + 2*(35*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^4 + 4*(3*a^2 - 6*a*b - b^2)*d
*x - 60*(a^2 + a*b)*cosh(d*x + c)^2)*sinh(d*x + c)^4 + 8*(7*(a^2 + 2*a*b +
b^2)*cosh(d*x + c)^5 + 4*(3*a^2 - 6*a*b - b^2)*d*x*cosh(d*x + c) - 20*(a^2
+ a*b)*cosh(d*x + c)^3)*sinh(d*x + c)^3 + 8*(a^2 + a*b)*cosh(d*x + c)^2 + 4
*(7*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^6 + 12*(3*a^2 - 6*a*b - b^2)*d*x*cosh
(d*x + c)^2 - 30*(a^2 + a*b)*cosh(d*x + c)^4 + 2*a^2 + 2*a*b)*sinh(d*x + c)
^2 + 32*(a*cosh(d*x + c)^4 + 4*a*cosh(d*x + c)^3*sinh(d*x + c) + 6*a*cosh(d
*x + c)^2*sinh(d*x + c)^2 + 4*a*cosh(d*x + c)*sinh(d*x + c)^3 + a*sinh(d*x
+ c)^4)*sqrt(-a*b)*log(((a^2 + 2*a*b + b^2)*cosh(d*x + c)^4 + 4*(a^2 + 2*a*
b + b^2)*cosh(d*x + c)*sinh(d*x + c)^3 + (a^2 + 2*a*b + b^2)*sinh(d*x + c)^
4 + 2*(a^2 - b^2)*cosh(d*x + c)^2 + 2*(3*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^
2 + a^2 - b^2)*sinh(d*x + c)^2 + a^2 - 6*a*b + b^2 + 4*((a^2 + 2*a*b + b^2)
*cosh(d*x + c)^3 + (a^2 - b^2)*cosh(d*x + c))*sinh(d*x + c) + 4*((a + b)*co
sh(d*x + c)^2 + 2*(a + b)*cosh(d*x + c)*sinh(d*x + c) + (a + b)*sinh(d*x +
c)^2 + a - b)*sqrt(-a*b))/((a + b)*cosh(d*x + c)^4 + 4*(a + b)*cosh(d*x + c
)*sinh(d*x + c)^3 + (a + b)*sinh(d*x + c)^4 + 2*(a - b)*cosh(d*x + c)^2 + 2
*(3*(a + b)*cosh(d*x + c)^2 + a - b)*sinh(d*x + c)^2 + 4*((a + b)*cosh(d*x
+ c)^3 + (a - b)*cosh(d*x + c))*sinh(d*x + c) + a + b)) - a^2 - 2*a*b - b^2
+ 8*((a^2 + 2*a*b + b^2)*cosh(d*x + c)^7 + 4*(3*a^2 - 6*a*b - b^2)*d*x*cos
h(d*x + c)^3 - 6*(a^2 + a*b)*cosh(d*x + c)^5 + 2*(a^2 + a*b)*cosh(d*x + c))
*sinh(d*x + c))/((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*cosh(d*x + c)^4 + 4*(a^3
+ 3*a^2*b + 3*a*b^2 + b^3)*d*cosh(d*x + c)^3*sinh(d*x + c) + 6*(a^3 + 3*a^
2*b + 3*a*b^2 + b^3)*d*cosh(d*x + c)^2*sinh(d*x + c)^2 + 4*(a^3 + 3*a^2*b +
3*a*b^2 + b^3)*d*cosh(d*x + c)*sinh(d*x + c)^3 + (a^3 + 3*a^2*b + 3*a*b^2
+ b^3)*d*sinh(d*x + c)^4), 1/64*((a^2 + 2*a*b + b^2)*cosh(d*x + c)^8 + 8*(a
^2 + 2*a*b + b^2)*cosh(d*x + c)*sinh(d*x + c)^7 + (a^2 + 2*a*b + b^2)*sinh(
d*x + c)^8 + 8*(3*a^2 - 6*a*b - b^2)*d*x*cosh(d*x + c)^4 - 8*(a^2 + a*b)*co
sh(d*x + c)^6 + 4*(7*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^2 - 2*a^2 - 2*a*b)*s
inh(d*x + c)^6 + 8*(7*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^3 - 6*(a^2 + a*b)*c
osh(d*x + c))*sinh(d*x + c)^5 + 2*(35*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^4 +
4*(3*a^2 - 6*a*b - b^2)*d*x - 60*(a^2 + a*b)*cosh(d*x + c)^2)*sinh(d*x + c
)^4 + 8*(7*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^5 + 4*(3*a^2 - 6*a*b - b^2)*d*
x*cosh(d*x + c) - 20*(a^2 + a*b)*cosh(d*x + c)^3)*sinh(d*x + c)^3 + 8*(a^2
+ a*b)*cosh(d*x + c)^2 + 4*(7*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^6 + 12*(3*a
^2 - 6*a*b - b^2)*d*x*cosh(d*x + c)^2 - 30*(a^2 + a*b)*cosh(d*x + c)^4 + 2*
a^2 + 2*a*b)*sinh(d*x + c)^2 + 64*(a*cosh(d*x + c)^4 + 4*a*cosh(d*x + c)^3*
sinh(d*x + c) + 6*a*cosh(d*x + c)^2*sinh(d*x + c)^2 + 4*a*cosh(d*x + c)*sin
h(d*x + c)^3 + a*sinh(d*x + c)^4)*sqrt(a*b)*arctan(1/2*((a + b)*cosh(d*x +
c)^2 + 2*(a + b)*cosh(d*x + c)*sinh(d*x + c) + (a + b)*sinh(d*x + c)^2 + a
- b)*sqrt(a*b)/(a*b)) - a^2 - 2*a*b - b^2 + 8*((a^2 + 2*a*b + b^2)*cosh(d*x
```

$$+ c)^7 + 4*(3*a^2 - 6*a*b - b^2)*d*x*cosh(d*x + c)^3 - 6*(a^2 + a*b)*cosh(d*x + c)^5 + 2*(a^2 + a*b)*cosh(d*x + c))*sinh(d*x + c))/((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*cosh(d*x + c)^4 + 4*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*cosh(d*x + c)^3*sinh(d*x + c) + 6*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*cosh(d*x + c)^2*sinh(d*x + c)^2 + 4*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*cosh(d*x + c)*sinh(d*x + c)^3 + (a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*sinh(d*x + c)^4]$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)\*\*4/(a+b\*tanh(d\*x+c)\*\*2), x)

[Out] Timed out

**Giac [B]** time = 2.39497, size = 406, normalized size = 3.44

$$\frac{64 a^2 b \arctan\left(\frac{a e^{(2 d x+2 c)+b e^{(2 d x+2 c)+a-b}}}{2 \sqrt{a b}}\right)}{\left(a^3+3 a^2 b+3 a b^2+b^3\right) \sqrt{a b}}+\frac{8\left(3 a^2-6 a b-b^2\right) d x}{a^3+3 a^2 b+3 a b^2+b^3}-\frac{\left(18 a^2 e^{(4 d x+4 c)}-36 a b e^{(4 d x+4 c)}-6 b^2 e^{(4 d x+4 c)}-8 a^2 e^{(2 d x+2 c)}-8 a b e^{(2 d x+2 c)+a^2+2 a b+b^2}\right) e^{(4 c)}}{a^3 e^{(4 c)}+3 a^2 b e^{(4 c)}+3 a b^2 e^{(4 c)}+b^3 e^{(4 c)}}$$

64 d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2), x, algorithm="giac")

[Out] 1/64\*(64\*a^2\*b\*arctan(1/2\*(a\*e^(2\*d\*x + 2\*c) + b\*e^(2\*d\*x + 2\*c) + a - b)/sqrt(a\*b))/((a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*sqrt(a\*b)) + 8\*(3\*a^2 - 6\*a\*b - b^2)\*d\*x/(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3) - (18\*a^2\*e^(4\*d\*x + 4\*c) - 36\*a\*b\*e^(4\*d\*x + 4\*c) - 6\*b^2\*e^(4\*d\*x + 4\*c) - 8\*a^2\*e^(2\*d\*x + 2\*c) - 8\*a\*b\*e^(2\*d\*x + 2\*c) + a^2 + 2\*a\*b + b^2)\*e^(-4\*d\*x)/(a^3\*e^(4\*c) + 3\*a^2\*b\*e^(4\*c) + 3\*a\*b^2\*e^(4\*c) + b^3\*e^(4\*c)) + (a\*e^(4\*d\*x + 20\*c) + b\*e^(4\*d\*x + 20\*c) - 8\*a\*e^(2\*d\*x + 18\*c))/(a^2\*e^(16\*c) + 2\*a\*b\*e^(16\*c) + b^2\*e^(16\*c)))/d

$$3.26 \quad \int \frac{\sinh^3(c+dx)}{a+b \tanh^2(c+dx)} dx$$

**Optimal.** Leaf size=75

$$\frac{\cosh^3(c+dx)}{3d(a+b)} - \frac{a \cosh(c+dx)}{d(a+b)^2} + \frac{a\sqrt{b} \tanh^{-1}\left(\frac{\sqrt{b}\operatorname{sech}(c+dx)}{\sqrt{a+b}}\right)}{d(a+b)^{5/2}}$$

[Out] (a\*Sqrt[b]\*ArcTanh[(Sqrt[b]\*Sech[c + d\*x])/Sqrt[a + b]])/((a + b)^(5/2)\*d) - (a\*Cosh[c + d\*x])/((a + b)^2\*d) + Cosh[c + d\*x]^3/(3\*(a + b)\*d)

**Rubi [A]** time = 0.128102, antiderivative size = 75, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {3664, 453, 325, 208}

$$\frac{\cosh^3(c+dx)}{3d(a+b)} - \frac{a \cosh(c+dx)}{d(a+b)^2} + \frac{a\sqrt{b} \tanh^{-1}\left(\frac{\sqrt{b}\operatorname{sech}(c+dx)}{\sqrt{a+b}}\right)}{d(a+b)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[Sinh[c + d\*x]^3/(a + b\*Tanh[c + d\*x]^2), x]

[Out] (a\*Sqrt[b]\*ArcTanh[(Sqrt[b]\*Sech[c + d\*x])/Sqrt[a + b]])/((a + b)^(5/2)\*d) - (a\*Cosh[c + d\*x])/((a + b)^2\*d) + Cosh[c + d\*x]^3/(3\*(a + b)\*d)

### Rule 3664

Int[sin[(e\_.) + (f\_.)\*(x\_.)]^(m\_.)\*((a\_.) + (b\_.)\*tan[(e\_.) + (f\_.)\*(x\_.)]^2)^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Sec[e + f\*x], x]}, Dist[1/(f\*ff^m), Subst[Int[(-1 + ff^2\*x^2)^((m - 1)/2)\*(a - b + b\*ff^2\*x^2)^p]/x^(m + 1), x], x, Sec[e + f\*x]/ff, x]] /; FreeQ[{a, b, e, f, p}, x] && IntegerQ[(m - 1)/2]

### Rule 453

Int[((e\_.)\*(x\_.))^(m\_.)\*((a\_.) + (b\_.)\*(x\_.)^(n\_.))^(p\_.)\*((c\_.) + (d\_.)\*(x\_.)^(n\_.)), x\_Symbol] :> Simp[(c\*(e\*x)^(m + 1)\*(a + b\*x^n)^(p + 1))/(a\*e\*(m + 1), x] + Dist[(a\*d\*(m + 1) - b\*c\*(m + n\*(p + 1) + 1))/(a\*e^n\*(m + 1)], Int[(e\*x)^(m + n)\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b\*c - a\*d, 0] && (IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (

LtQ[n, 0] && GtQ[m + n, -1])) && !ILtQ[p, -1]

### Rule 325

Int[((c\_.)\*(x\_)^(m\_))\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[((c\*x)^(m + 1)\*(a + b\*x^n)^(p + 1))/(a\*c\*(m + 1)), x] - Dist[(b\*(m + n\*(p + 1) + 1))/(a\*c^n\*(m + 1)), Int[(c\*x)^(m + n)\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && LtQ[m, -1] && IntBinomialQ[a, b, c, n, m, p, x]

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rubi steps

$$\begin{aligned} \int \frac{\sinh^3(c + dx)}{a + b \tanh^2(c + dx)} dx &= \frac{\text{Subst}\left(\int \frac{-1+x^2}{x^4(a+b-bx^2)} dx, x, \text{sech}(c + dx)\right)}{d} \\ &= \frac{\cosh^3(c + dx)}{3(a + b)d} + \frac{a \text{Subst}\left(\int \frac{1}{x^2(a+b-bx^2)} dx, x, \text{sech}(c + dx)\right)}{(a + b)d} \\ &= -\frac{a \cosh(c + dx)}{(a + b)^2 d} + \frac{\cosh^3(c + dx)}{3(a + b)d} + \frac{(ab) \text{Subst}\left(\int \frac{1}{a+b-bx^2} dx, x, \text{sech}(c + dx)\right)}{(a + b)^2 d} \\ &= \frac{a\sqrt{b} \tanh^{-1}\left(\frac{\sqrt{b}\text{sech}(c+dx)}{\sqrt{a+b}}\right)}{(a + b)^{5/2}d} - \frac{a \cosh(c + dx)}{(a + b)^2 d} + \frac{\cosh^3(c + dx)}{3(a + b)d} \end{aligned}$$

**Mathematica [C]** time = 0.538918, size = 135, normalized size = 1.8

$$\frac{(a + b)^{3/2} \cosh(3(c + dx)) - 3(3a - b)\sqrt{a + b} \cosh(c + dx) + 12ia\sqrt{b} \left( \tan^{-1}\left(\frac{-\sqrt{a} \tanh\left(\frac{1}{2}(c+dx)\right) - i\sqrt{a+b}}{\sqrt{b}}\right) + \tan^{-1}\left(\frac{\sqrt{a} \tanh\left(\frac{1}{2}(c+dx)\right)}{\sqrt{b}}\right) \right)}{12d(a + b)^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]^3/(a + b\*Tanh[c + d\*x]^2), x]



[Out]  $((12I) * a * \sqrt{b} * (\text{ArcTan}[(-I) * \sqrt{a + b} - \sqrt{a} * \text{Tanh}[(c + d * x) / 2]] / \sqrt{b}] + \text{ArcTan}[(-I) * \sqrt{a + b} + \sqrt{a} * \text{Tanh}[(c + d * x) / 2]] / \sqrt{b})) - 3 * (3 * a - b) * \sqrt{a + b} * \text{Cosh}[c + d * x] + (a + b)^{(3/2)} * \text{Cosh}[3 * (c + d * x)] / (12 * (a + b)^{(5/2)} * d)$

**Maple [B]** time = 0.069, size = 202, normalized size = 2.7

$$\frac{1}{d} \left( -8 \frac{1}{(16a + 16b) (\tanh(1/2 dx + c/2) + 1)^2} + \frac{16}{48a + 48b} \left( \tanh\left(\frac{dx}{2} + \frac{c}{2}\right) + 1 \right)^{-3} - \frac{a - b}{2(a + b)^2} \left( \tanh\left(\frac{dx}{2} + \frac{c}{2}\right) + 1 \right)^{-1} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sinh(d*x+c)^3/(a+b*tanh(d*x+c)^2), x)`

[Out]  $1/d * (-8 / (16 * a + 16 * b) / (\tanh(1/2 * d * x + 1/2 * c) + 1)^2 + 16 / 3 / (\tanh(1/2 * d * x + 1/2 * c) + 1)^3 / (16 * a + 16 * b) - 1/2 * (a - b) / (a + b)^2 / (\tanh(1/2 * d * x + 1/2 * c) + 1) + a * b / (a + b)^2 / (a * b + b^2)^{(1/2)} * \text{arctanh}(1/4 * (2 * \tanh(1/2 * d * x + 1/2 * c)^2 * a + 2 * a + 4 * b) / (a * b + b^2)^{(1/2)}) - 16 / 3 / (\tanh(1/2 * d * x + 1/2 * c) - 1)^3 / (16 * a + 16 * b) - 8 / (16 * a + 16 * b) / (\tanh(1/2 * d * x + 1/2 * c) - 1)^2 - 1/2 / (a + b)^2 * (-a + b) / (\tanh(1/2 * d * x + 1/2 * c) - 1))$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{((ae^{6c} + be^{6c})e^{6dx} - 3(3ae^{4c} - be^{4c})e^{4dx} - 3(3ae^{2c} - be^{2c})e^{2dx} + a + b)e^{-3dx}}{24(a^2de^{3c} + 2abde^{3c} + b^2de^{3c})} - \frac{1}{8} \int \frac{1}{a^3 + 3a^2b + 3ab^2 + b^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sinh(d*x+c)^3/(a+b*tanh(d*x+c)^2), x, algorithm="maxima")`

[Out]  $1/24 * ((a * e^{6 * c} + b * e^{6 * c}) * e^{6 * d * x} - 3 * (3 * a * e^{4 * c} - b * e^{4 * c}) * e^{4 * d * x} - 3 * (3 * a * e^{2 * c} - b * e^{2 * c}) * e^{2 * d * x} + a + b) * e^{-3 * d * x} / (a^2 * d * e^{3 * c} + 2 * a * b * d * e^{3 * c} + b^2 * d * e^{3 * c}) - 1/8 * \text{integrate}(16 * (a * b * e^{3 * d * x} + 3 * c) - a * b * e^{(d * x + c)}) / (a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3 + (a^3 * e^{4 * c} + 3 * a^2 * b * e^{4 * c} + 3 * a * b^2 * e^{4 * c} + b^3 * e^{4 * c})) * e^{4 * d * x} + 2 * (a^3 * e^{2 * c} + a^2 * b * e^{2 * c} - a * b^2 * e^{2 * c} - b^3 * e^{2 * c})) * e^{2 * d * x}), x)$

**Fricas [B]** time = 2.45116, size = 3729, normalized size = 49.72

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2),x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [1/24*((a + b)*\cosh(d*x + c)^6 + 6*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^5 + \\ & (a + b)*\sinh(d*x + c)^6 - 3*(3*a - b)*\cosh(d*x + c)^4 + 3*(5*(a + b)*\cosh(d \\ & *x + c)^2 - 3*a + b)*\sinh(d*x + c)^4 + 4*(5*(a + b)*\cosh(d*x + c)^3 - 3*(3* \\ & a - b)*\cosh(d*x + c))*\sinh(d*x + c)^3 - 3*(3*a - b)*\cosh(d*x + c)^2 + 3*(5* \\ & (a + b)*\cosh(d*x + c)^4 - 6*(3*a - b)*\cosh(d*x + c)^2 - 3*a + b)*\sinh(d*x + \\ & c)^2 + 12*(a*\cosh(d*x + c)^3 + 3*a*\cosh(d*x + c)^2*\sinh(d*x + c) + 3*a*\cos \\ & h(d*x + c)*\sinh(d*x + c)^2 + a*\sinh(d*x + c)^3)*\sqrt{b/(a + b)}*\log(((a + b \\ & )*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a + b)*\sinh( \\ & d*x + c)^4 + 2*(a + 3*b)*\cosh(d*x + c)^2 + 2*(3*(a + b)*\cosh(d*x + c)^2 + a \\ & + 3*b)*\sinh(d*x + c)^2 + 4*((a + b)*\cosh(d*x + c)^3 + (a + 3*b)*\cosh(d*x + \\ & c))*\sinh(d*x + c) + 4*((a + b)*\cosh(d*x + c)^3 + 3*(a + b)*\cosh(d*x + c)* \\ & \sinh(d*x + c)^2 + (a + b)*\sinh(d*x + c)^3 + (a + b)*\cosh(d*x + c) + (3*(a + \\ & b)*\cosh(d*x + c)^2 + a + b)*\sinh(d*x + c))*\sqrt{b/(a + b)} + a + b)/((a + b \\ & )*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a + b)*\sinh( \\ & d*x + c)^4 + 2*(a - b)*\cosh(d*x + c)^2 + 2*(3*(a + b)*\cosh(d*x + c)^2 + a - \\ & b)*\sinh(d*x + c)^2 + 4*((a + b)*\cosh(d*x + c)^3 + (a - b)*\cosh(d*x + c))* \\ & \sinh(d*x + c) + a + b)) + 6*((a + b)*\cosh(d*x + c)^5 - 2*(3*a - b)*\cosh(d*x \\ & + c)^3 - (3*a - b)*\cosh(d*x + c))*\sinh(d*x + c) + a + b)/((a^2 + 2*a*b + b^ \\ & 2)*d*\cosh(d*x + c)^3 + 3*(a^2 + 2*a*b + b^2)*d*\cosh(d*x + c)^2*\sinh(d*x + c \\ & ) + 3*(a^2 + 2*a*b + b^2)*d*\cosh(d*x + c)*\sinh(d*x + c)^2 + (a^2 + 2*a*b + \\ & b^2)*d*\sinh(d*x + c)^3), 1/24*((a + b)*\cosh(d*x + c)^6 + 6*(a + b)*\cosh(d*x \\ & + c)*\sinh(d*x + c)^5 + (a + b)*\sinh(d*x + c)^6 - 3*(3*a - b)*\cosh(d*x + c) \\ & ^4 + 3*(5*(a + b)*\cosh(d*x + c)^2 - 3*a + b)*\sinh(d*x + c)^4 + 4*(5*(a + b) \\ & *\cosh(d*x + c)^3 - 3*(3*a - b)*\cosh(d*x + c))*\sinh(d*x + c)^3 - 3*(3*a - b) \\ & *\cosh(d*x + c)^2 + 3*(5*(a + b)*\cosh(d*x + c)^4 - 6*(3*a - b)*\cosh(d*x + c) \\ & ^2 - 3*a + b)*\sinh(d*x + c)^2 + 24*(a*\cosh(d*x + c)^3 + 3*a*\cosh(d*x + c)^2 \\ & *\sinh(d*x + c) + 3*a*\cosh(d*x + c)*\sinh(d*x + c)^2 + a*\sinh(d*x + c)^3)*\sqrt{ \\ & (-b/(a + b))*\arctan(1/2*((a + b)*\cosh(d*x + c)^3 + 3*(a + b)*\cosh(d*x + c) \\ & *\sinh(d*x + c)^2 + (a + b)*\sinh(d*x + c)^3 + (a - 3*b)*\cosh(d*x + c) + (3*( \\ & a + b)*\cosh(d*x + c)^2 + a - 3*b)*\sinh(d*x + c))*\sqrt{-b/(a + b)})/b} - 24*( \\ & a*\cosh(d*x + c)^3 + 3*a*\cosh(d*x + c)^2*\sinh(d*x + c) + 3*a*\cosh(d*x + c)* \\ & \sinh(d*x + c)^2 + a*\sinh(d*x + c)^3)*\sqrt{-b/(a + b))*\arctan(1/2*((a + b)*\cos \\ & h(d*x + c) + (a + b)*\sinh(d*x + c))*\sqrt{-b/(a + b)})/b} + 6*((a + b)*\cosh( \\ & d*x + c)^5 - 2*(3*a - b)*\cosh(d*x + c)^3 - (3*a - b)*\cosh(d*x + c))*\sinh(d* \\ & x + c) + a + b)/((a^2 + 2*a*b + b^2)*d*\cosh(d*x + c)^3 + 3*(a^2 + 2*a*b + b \\ & ^2)*d*\cosh(d*x + c)^2*\sinh(d*x + c) + 3*(a^2 + 2*a*b + b^2)*d*\cosh(d*x + c) \end{aligned}$$

`*sinh(d*x + c)^2 + (a^2 + 2*a*b + b^2)*d*sinh(d*x + c)^3]`

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sinh^3(c + dx)}{a + b \tanh^2(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sinh(d*x+c)**3/(a+b*tanh(d*x+c)**2), x)`

[Out] `Integral(sinh(c + d*x)**3/(a + b*tanh(c + d*x)**2), x)`

**Giac [C]** time = 1.88798, size = 5603, normalized size = 74.71

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sinh(d*x+c)^3/(a+b*tanh(d*x+c)^2), x, algorithm="giac")`

[Out] `-1/24*(12*(3*(2*a*b + sqrt(-a*b)*(a - b))*cos(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))^2*cosh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b))))^3*sin(1/2*real_part(arccos(-a/(a + b) + b/(a + b)))) - (2*a*b + sqrt(-a*b)*(a - b))*cosh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b))))^3*sin(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))^3 - 9*(2*a*b + sqrt(-a*b)*(a - b))*cos(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))^2*cosh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b))))^2*sin(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))*sinh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b)))) + 3*(2*a*b + sqrt(-a*b)*(a - b))*cosh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b))))^2*sin(1/2*real_part(arccos(-a/(a + b) + b/(a + b)))) + 9*(2*a*b + sqrt(-a*b)*(a - b))*cos(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))^2*cosh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b))))*sin(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))^2 - 3*(2*a*b + sqrt(-a*b)*(a - b))*cosh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b))))*sin(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))^3*sinh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b))))^2 - 3*(2*a*b + sqrt(-a*b)*(a - b))*cos(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))^2*sin(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))*sinh(`

$$\begin{aligned}
& 1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))^3 + (2*a*b + \text{sqrt}(-a*b)*(a - \\
& b))*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\sinh(1/2*\text{imag\_par} \\
& \text{t}(\arccos(-a/(a + b) + b/(a + b))))^3 - (2*a*b + \text{sqrt}(-a*b)*(a - b))*\cosh(1/ \\
& 2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sin(1/2*\text{real\_part}(\arcco \\
& s(-a/(a + b) + b/(a + b)))) + (2*a*b + \text{sqrt}(-a*b)*(a - b))*\sin(1/2*\text{real\_part}(\arcco \\
& s(-a/(a + b) + b/(a + b))))*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b) \\
& )))))*\arctan((((a^3 + 3*a^2*b + 3*a*b^2 + b^3)/(a^3*e^(4*c) + 3*a^2*b*e^(4* \\
& c) + 3*a*b^2*e^(4*c) + b^3*e^(4*c)))^(1/4)*\cos(1/2*\arccos(-(a - b)/(a + b)) \\
& ) + e^(d*x))/(((a^3 + 3*a^2*b + 3*a*b^2 + b^3)/(a^3*e^(4*c) + 3*a^2*b*e^(4* \\
& c) + 3*a*b^2*e^(4*c) + b^3*e^(4*c)))^(1/4)*\sin(1/2*\arccos(-(a - b)/(a + b)) \\
& )))/(a^3 + 3*a^2*b + 3*a*b^2 + b^3) + 12*(3*(2*a*b + \text{sqrt}(-a*b)*(a - b))*\co \\
& s(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\cosh(1/2*\text{imag\_part}(\arcco \\
& s(-a/(a + b) + b/(a + b))))^3*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + \\
& b)))) - (2*a*b + \text{sqrt}(-a*b)*(a - b))*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + \\
& b/(a + b))))^3*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 - 9*(2 \\
& *a*b + \text{sqrt}(-a*b)*(a - b))*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b)) \\
& ))^2*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\sin(1/2*\text{real\_par} \\
& \text{t}(\arccos(-a/(a + b) + b/(a + b))))*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b \\
& /(a + b)))) + 3*(2*a*b + \text{sqrt}(-a*b)*(a - b))*\cosh(1/2*\text{imag\_part}(\arccos(-a/( \\
& a + b) + b/(a + b))))^2*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^ \\
& 3*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) + 9*(2*a*b + \text{sqrt}(-a* \\
& b)*(a - b))*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\cosh(1/2*i \\
& \text{mag\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sin(1/2*\text{real\_part}(\arccos(-a/(a + \\
& b) + b/(a + b))))*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 - 3 \\
& *(2*a*b + \text{sqrt}(-a*b)*(a - b))*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + \\
& b))))*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\sinh(1/2*\text{imag\_p} \\
& \text{art}(\arccos(-a/(a + b) + b/(a + b))))^2 - 3*(2*a*b + \text{sqrt}(-a*b)*(a - b))*\cos \\
& (1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\sin(1/2*\text{real\_part}(\arccos( \\
& -a/(a + b) + b/(a + b))))*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b)) \\
& ))^3 + (2*a*b + \text{sqrt}(-a*b)*(a - b))*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b \\
& /(a + b))))^3*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 - (2*a* \\
& b + \text{sqrt}(-a*b)*(a - b))*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) \\
& *\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b)))) + (2*a*b + \text{sqrt}(-a*b)*( \\
& a - b))*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sinh(1/2*\text{imag\_pa} \\
& \text{rt}(\arccos(-a/(a + b) + b/(a + b))))*\arctan(-(((a^3 + 3*a^2*b + 3*a*b^2 + b \\
& ^3)/(a^3*e^(4*c) + 3*a^2*b*e^(4*c) + 3*a*b^2*e^(4*c) + b^3*e^(4*c)))^(1/4)* \\
& \cos(1/2*\arccos(-(a - b)/(a + b))) - e^(d*x))/(((a^3 + 3*a^2*b + 3*a*b^2 + b \\
& ^3)/(a^3*e^(4*c) + 3*a^2*b*e^(4*c) + 3*a*b^2*e^(4*c) + b^3*e^(4*c)))^(1/4)* \\
& \sin(1/2*\arccos(-(a - b)/(a + b)))))/(a^3 + 3*a^2*b + 3*a*b^2 + b^3) + (9*a* \\
& e^(2*d*x + 2*c) - 3*b*e^(2*d*x + 2*c) - a - b)*e^(-3*d*x)/(a^2*e^(3*c) + 2* \\
& a*b*e^(3*c) + b^2*e^(3*c)) + 6*((2*a*b + \text{sqrt}(-a*b)*(a - b))*\cos(1/2*\text{real\_p} \\
& \text{art}(\arccos(-a/(a + b) + b/(a + b))))^3*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) \\
& + b/(a + b))))^3 - 3*(2*a*b + \text{sqrt}(-a*b)*(a - b))*\cos(1/2*\text{real\_part}(\arccos \\
& (-a/(a + b) + b/(a + b))))*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b) \\
& )))^3*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 - 3*(2*a*b + \text{sqr}
\end{aligned}$$

$$\begin{aligned}
& t(-a*b)*(a - b)*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\cosh( \\
& 1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\sinh(1/2*\text{imag\_part}(\arccos( \\
& -a/(a + b) + b/(a + b)))) + 9*(2*a*b + \sqrt{-a*b})*(a - b)*\cos(1/2*\text{real\_par} \\
& t(\arccos(-a/(a + b) + b/(a + b))))*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b \\
& /(a + b))))^2*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\sinh(1/2 \\
& *\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) + 3*(2*a*b + \sqrt{-a*b})*(a - b) \\
& )*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\cosh(1/2*\text{imag\_part}(a \\
& rccos(-a/(a + b) + b/(a + b))))*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a \\
& + b))))^2 - 9*(2*a*b + \sqrt{-a*b})*(a - b)*\cos(1/2*\text{real\_part}(\arccos(-a/(a \\
& + b) + b/(a + b))))*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sin \\
& (1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\sinh(1/2*\text{imag\_part}(\arccos \\
& (-a/(a + b) + b/(a + b))))^2 - (2*a*b + \sqrt{-a*b})*(a - b)*\cos(1/2*\text{real\_pa} \\
& rt(\arccos(-a/(a + b) + b/(a + b))))^3*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) \\
& + b/(a + b))))^3 + 3*(2*a*b + \sqrt{-a*b})*(a - b)*\cos(1/2*\text{real\_part}(\arccos( \\
& -a/(a + b) + b/(a + b))))*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))) \\
& )^2*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 - (2*a*b + \sqrt{- \\
& a*b})*(a - b)*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\cosh(1/2*i \\
& mag\_part(\arccos(-a/(a + b) + b/(a + b)))) + (2*a*b + \sqrt{-a*b})*(a - b)*co \\
& s(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sinh(1/2*\text{imag\_part}(\arccos( \\
& -a/(a + b) + b/(a + b))))*\log(2*((a^3 + 3*a^2*b + 3*a*b^2 + b^3)/(a^3*e^(4 \\
& *c) + 3*a^2*b*e^(4*c) + 3*a*b^2*e^(4*c) + b^3*e^(4*c)))^(1/4)*\cos(1/2*\arcco \\
& s(-a - b)/(a + b))) * e^(d*x) + \sqrt{(a^3 + 3*a^2*b + 3*a*b^2 + b^3)/(a^3*e^( \\
& 4*c) + 3*a^2*b*e^(4*c) + 3*a*b^2*e^(4*c) + b^3*e^(4*c))} + e^(2*d*x))/(a^3 \\
& + 3*a^2*b + 3*a*b^2 + b^3) - 6*((2*a*b + \sqrt{-a*b})*(a - b))*\cos(1/2*\text{real\_} \\
& part(\arccos(-a/(a + b) + b/(a + b))))^3*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) \\
& ) + b/(a + b))))^3 - 3*(2*a*b + \sqrt{-a*b})*(a - b)*\cos(1/2*\text{real\_part}(\arcco \\
& s(-a/(a + b) + b/(a + b))))*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b \\
& ))))^3*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 - 3*(2*a*b + sq \\
& rt(-a*b)*(a - b))*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\cosh \\
& (1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\sinh(1/2*\text{imag\_part}(\arccos \\
& (-a/(a + b) + b/(a + b)))) + 9*(2*a*b + \sqrt{-a*b})*(a - b))*\cos(1/2*\text{real\_pa} \\
& rt(\arccos(-a/(a + b) + b/(a + b))))*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + \\
& b/(a + b))))^2*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\sinh(1/ \\
& 2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) + 3*(2*a*b + \sqrt{-a*b})*(a - b \\
& ))*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\cosh(1/2*\text{imag\_part}( \\
& arccos(-a/(a + b) + b/(a + b))))*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/( \\
& a + b))))^2 - 9*(2*a*b + \sqrt{-a*b})*(a - b))*\cos(1/2*\text{real\_part}(\arccos(-a/(a \\
& + b) + b/(a + b))))*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))*si \\
& n(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\sinh(1/2*\text{imag\_part}(\arcco \\
& s(-a/(a + b) + b/(a + b))))^2 - (2*a*b + \sqrt{-a*b})*(a - b))*\cos(1/2*\text{real\_p} \\
& art(\arccos(-a/(a + b) + b/(a + b))))^3*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) \\
& + b/(a + b))))^3 + 3*(2*a*b + \sqrt{-a*b})*(a - b))*\cos(1/2*\text{real\_part}(\arccos \\
& (-a/(a + b) + b/(a + b))))*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b)) \\
& ))^2*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 - (2*a*b + \sqrt{ \\
& -a*b})*(a - b))*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\cosh(1/2*
\end{aligned}$$

```

imag_part(arccos(-a/(a + b) + b/(a + b))) + (2*a*b + sqrt(-a*b)*(a - b))*c
os(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))*sinh(1/2*imag_part(arccos
(-a/(a + b) + b/(a + b))))*log(-2*((a^3 + 3*a^2*b + 3*a*b^2 + b^3)/(a^3*e^
(4*c) + 3*a^2*b*e^(4*c) + 3*a*b^2*e^(4*c) + b^3*e^(4*c)))^(1/4)*cos(1/2*arc
cos(-(a - b)/(a + b)))*e^(d*x) + sqrt((a^3 + 3*a^2*b + 3*a*b^2 + b^3)/(a^3*
e^(4*c) + 3*a^2*b*e^(4*c) + 3*a*b^2*e^(4*c) + b^3*e^(4*c))) + e^(2*d*x))/(a
^3 + 3*a^2*b + 3*a*b^2 + b^3) - (a^2*e^(3*d*x + 24*c) + 2*a*b*e^(3*d*x + 24
*c) + b^2*e^(3*d*x + 24*c) - 9*a^2*e^(d*x + 22*c) - 6*a*b*e^(d*x + 22*c) +
3*b^2*e^(d*x + 22*c))/(a^3*e^(21*c) + 3*a^2*b*e^(21*c) + 3*a*b^2*e^(21*c) +
b^3*e^(21*c))/d

```

$$3.27 \quad \int \frac{\sinh^2(c+dx)}{a+b \tanh^2(c+dx)} dx$$

**Optimal.** Leaf size=78

$$-\frac{\sqrt{a}\sqrt{b} \tan^{-1}\left(\frac{\sqrt{b}\tanh(c+dx)}{\sqrt{a}}\right)}{d(a+b)^2} + \frac{\sinh(c+dx) \cosh(c+dx)}{2d(a+b)} - \frac{x(a-b)}{2(a+b)^2}$$

[Out]  $-\frac{((a-b)*x)/(2*(a+b)^2) - (\text{Sqrt}[a]*\text{Sqrt}[b]*\text{ArcTan}[(\text{Sqrt}[b]*\text{Tanh}[c+d*x])/\text{Sqrt}[a]])/((a+b)^2*d) + (\text{Cosh}[c+d*x]*\text{Sinh}[c+d*x])/(2*(a+b)*d)}$

**Rubi [A]** time = 0.104404, antiderivative size = 78, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {3663, 471, 522, 206, 205}

$$-\frac{\sqrt{a}\sqrt{b} \tan^{-1}\left(\frac{\sqrt{b}\tanh(c+dx)}{\sqrt{a}}\right)}{d(a+b)^2} + \frac{\sinh(c+dx) \cosh(c+dx)}{2d(a+b)} - \frac{x(a-b)}{2(a+b)^2}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Sinh}[c+d*x]^2/(a+b*\text{Tanh}[c+d*x]^2), x]$

[Out]  $-\frac{((a-b)*x)/(2*(a+b)^2) - (\text{Sqrt}[a]*\text{Sqrt}[b]*\text{ArcTan}[(\text{Sqrt}[b]*\text{Tanh}[c+d*x])/\text{Sqrt}[a]])/((a+b)^2*d) + (\text{Cosh}[c+d*x]*\text{Sinh}[c+d*x])/(2*(a+b)*d)}$

### Rule 3663

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]^{(m_.)*((a_.) + (b_.)*((c_.)*\tan[(e_.) + (f_.)*(x_.)])^{(n_.)}]^{(p_.)}, x\_Symbol] \rightarrow \text{With}[\{\text{ff} = \text{FreeFactors}[\text{Tan}[e + f*x], x]\}, \text{Dist}[(c*\text{ff}^{(m+1)})/f, \text{Subst}[\text{Int}[(x^m*(a + b*(\text{ff}*x)^n)^p]/(c^2 + \text{ff}^2*x^2)^{(m/2+1)}, x], x, (c*\text{Tan}[e + f*x])/ff], x] /; \text{FreeQ}[\{a, b, c, e, f, n, p\}, x] \&\& \text{IntegerQ}[m/2]$

### Rule 471

$\text{Int}[(e_.*(x_.))^{(m_.)*((a_.) + (b_.)*(x_.)^{(n_.)})^{(p_.)*((c_.) + (d_.)*(x_.)^{(n_.)})^{(q_.)}, x\_Symbol] \rightarrow \text{Simp}[(e^{(n-1)}*(e*x)^{(m-n+1)}*(a + b*x^n)^{(p+1)}*(c + d*x^n)^{(q+1)})/(n*(b*c - a*d)*(p+1)), x] - \text{Dist}[e^n/(n*(b*c - a*d)*(p+1)), \text{Int}[(e*x)^{(m-n)}*(a + b*x^n)^{(p+1)}*(c + d*x^n)^q*\text{Simp}[c*(m-n+1) + d*(m+n*(p+q+1)+1]*x^n, x], x] /; \text{FreeQ}[\{a, b, c, d, e,$

q}], x] && NeQ[b\*c - a\*d, 0] && IGtQ[n, 0] && LtQ[p, -1] && GeQ[n, m - n + 1] && GtQ[m - n + 1, 0] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]

### Rule 522

Int[((e\_) + (f\_)\*(x\_)^(n\_))/(((a\_) + (b\_)\*(x\_)^(n\_))\*((c\_) + (d\_)\*(x\_)^(n\_))), x\_Symbol] := Dist[(b\*e - a\*f)/(b\*c - a\*d), Int[1/(a + b\*x^n), x], x] - Dist[(d\*e - c\*f)/(b\*c - a\*d), Int[1/(c + d\*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x]

### Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rubi steps

$$\begin{aligned} \int \frac{\sinh^2(c+dx)}{a+b \tanh^2(c+dx)} dx &= \frac{\text{Subst}\left(\int \frac{x^2}{(1-x^2)^2(a+bx^2)} dx, x, \tanh(c+dx)\right)}{d} \\ &= \frac{\cosh(c+dx) \sinh(c+dx)}{2(a+b)d} - \frac{\text{Subst}\left(\int \frac{a-bx^2}{(1-x^2)(a+bx^2)} dx, x, \tanh(c+dx)\right)}{2(a+b)d} \\ &= \frac{\cosh(c+dx) \sinh(c+dx)}{2(a+b)d} - \frac{(a-b) \text{Subst}\left(\int \frac{1}{1-x^2} dx, x, \tanh(c+dx)\right)}{2(a+b)^2d} - \frac{(ab) \text{Subst}\left(\int \frac{1}{a+bx^2} dx, x, \tanh(c+dx)\right)}{(a+b)d} \\ &= -\frac{(a-b)x}{2(a+b)^2} - \frac{\sqrt{a}\sqrt{b} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{(a+b)^2d} + \frac{\cosh(c+dx) \sinh(c+dx)}{2(a+b)d} \end{aligned}$$

**Mathematica [A]** time = 0.142357, size = 67, normalized size = 0.86

$$\frac{-2(a-b)(c+dx) + (a+b) \sinh(2(c+dx)) - 4\sqrt{a}\sqrt{b} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{4d(a+b)^2}$$



Antiderivative was successfully verified.

```
[In] Integrate[Sinh[c + d*x]^2/(a + b*Tanh[c + d*x]^2), x]
```

```
[Out] (-2*(a - b)*(c + d*x) - 4*Sqrt[a]*Sqrt[b]*ArcTan[(Sqrt[b]*Tanh[c + d*x])/Sqrt[a]] + (a + b)*Sinh[2*(c + d*x)])/(4*(a + b)^2*d)
```

**Maple [B]** time = 0.076, size = 605, normalized size = 7.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sinh(d*x+c)^2/(a+b*tanh(d*x+c)^2), x)
```

```
[Out] -4/d/(8*a+8*b)/(tanh(1/2*d*x+1/2*c)+1)^2+8/d/(16*a+16*b)/(tanh(1/2*d*x+1/2*c)+1)-1/2/d/(a+b)^2*ln(tanh(1/2*d*x+1/2*c)+1)*a+1/2/d/(a+b)^2*ln(tanh(1/2*d*x+1/2*c)+1)*b+1/d*a^2*b/(a+b)^2/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*arctanh(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))-1/d*a*b/(a+b)^2/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*arctanh(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))+1/d*a*b^2/(a+b)^2/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*arctanh(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))+1/d*a^2*b/(a+b)^2/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*arctan(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))+1/d*a*b/(a+b)^2/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*arctan(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))+1/d*a*b^2/(a+b)^2/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*arctan(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))+4/d/(8*a+8*b)/(tanh(1/2*d*x+1/2*c)-1)^2+8/d/(16*a+16*b)/(tanh(1/2*d*x+1/2*c)-1)+1/2/d/(a+b)^2*ln(tanh(1/2*d*x+1/2*c)-1)*a-1/2/d/(a+b)^2*ln(tanh(1/2*d*x+1/2*c)-1)*b
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sinh(d*x+c)^2/(a+b*tanh(d*x+c)^2), x, algorithm="maxima")
```

[Out] Exception raised: ValueError

**Fricas [B]** time = 2.44108, size = 2475, normalized size = 31.73

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2),x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [-1/8*(4*(a - b)*d*x*cosh(d*x + c)^2 - (a + b)*cosh(d*x + c)^4 - 4*(a + b)* \\ & cosh(d*x + c)*sinh(d*x + c)^3 - (a + b)*sinh(d*x + c)^4 + 2*(2*(a - b)*d*x \\ & - 3*(a + b)*cosh(d*x + c)^2)*sinh(d*x + c)^2 - 4*sqrt(-a*b)*(cosh(d*x + c)^2 \\ & + 2*cosh(d*x + c)*sinh(d*x + c) + sinh(d*x + c)^2)*log(((a^2 + 2*a*b + b^2) \\ & *cosh(d*x + c)^4 + 4*(a^2 + 2*a*b + b^2)*cosh(d*x + c)*sinh(d*x + c)^3 + \\ & (a^2 + 2*a*b + b^2)*sinh(d*x + c)^4 + 2*(a^2 - b^2)*cosh(d*x + c)^2 + 2*(3* \\ & (a^2 + 2*a*b + b^2)*cosh(d*x + c)^2 + a^2 - b^2)*sinh(d*x + c)^2 + a^2 - 6* \\ & a*b + b^2 + 4*((a^2 + 2*a*b + b^2)*cosh(d*x + c)^3 + (a^2 - b^2)*cosh(d*x + \\ & c))*sinh(d*x + c) - 4*((a + b)*cosh(d*x + c)^2 + 2*(a + b)*cosh(d*x + c)*s \\ & inh(d*x + c) + (a + b)*sinh(d*x + c)^2 + a - b)*sqrt(-a*b))/((a + b)*cosh(d \\ & *x + c)^4 + 4*(a + b)*cosh(d*x + c)*sinh(d*x + c)^3 + (a + b)*sinh(d*x + c) \\ & ^4 + 2*(a - b)*cosh(d*x + c)^2 + 2*(3*(a + b)*cosh(d*x + c)^2 + a - b)*sinh \\ & (d*x + c)^2 + 4*((a + b)*cosh(d*x + c)^3 + (a - b)*cosh(d*x + c))*sinh(d*x \\ & + c) + a + b)) + 4*(2*(a - b)*d*x*cosh(d*x + c) - (a + b)*cosh(d*x + c)^3)* \\ & sinh(d*x + c) + a + b)/((a^2 + 2*a*b + b^2)*d*cosh(d*x + c)^2 + 2*(a^2 + 2* \\ & a*b + b^2)*d*cosh(d*x + c)*sinh(d*x + c) + (a^2 + 2*a*b + b^2)*d*sinh(d*x + \\ & c)^2), -1/8*(4*(a - b)*d*x*cosh(d*x + c)^2 - (a + b)*cosh(d*x + c)^4 - 4*( \\ & a + b)*cosh(d*x + c)*sinh(d*x + c)^3 - (a + b)*sinh(d*x + c)^4 + 2*(2*(a - \\ & b)*d*x - 3*(a + b)*cosh(d*x + c)^2)*sinh(d*x + c)^2 + 8*sqrt(a*b)*(cosh(d*x \\ & + c)^2 + 2*cosh(d*x + c)*sinh(d*x + c) + sinh(d*x + c)^2)*arctan(1/2*((a + \\ & b)*cosh(d*x + c)^2 + 2*(a + b)*cosh(d*x + c)*sinh(d*x + c) + (a + b)*sinh \\ & (d*x + c)^2 + a - b)*sqrt(a*b)/(a*b)) + 4*(2*(a - b)*d*x*cosh(d*x + c) - (a \\ & + b)*cosh(d*x + c)^3)*sinh(d*x + c) + a + b)/((a^2 + 2*a*b + b^2)*d*cosh(d* \\ & x + c)^2 + 2*(a^2 + 2*a*b + b^2)*d*cosh(d*x + c)*sinh(d*x + c) + (a^2 + 2*a \\ & *b + b^2)*d*sinh(d*x + c)^2)] \end{aligned}$$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sinh^2(c + dx)}{a + b \tanh^2(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)\*\*2/(a+b\*tanh(d\*x+c)\*\*2), x)

[Out] Integral(sinh(c + d\*x)\*\*2/(a + b\*tanh(c + d\*x)\*\*2), x)

**Giac [B]** time = 1.65799, size = 238, normalized size = 3.05

$$\frac{\frac{4(a-b)dx}{a^2+2ab+b^2} + \frac{8ab \arctan\left(\frac{ae^{(2dx+2c)+be^{(2dx+2c)+a-b}}}{2\sqrt{ab}}\right)}{(a^2+2ab+b^2)\sqrt{ab}} - \frac{(2ae^{(2dx+2c)}-2be^{(2dx+2c)-a-b})e^{(-2dx)}}{a^2e^{(2c)}+2abe^{(2c)}+b^2e^{(2c)}} - \frac{e^{(2dx+8c)}}{ae^{(6c)}+be^{(6c)}}}{8d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2), x, algorithm="giac")

[Out] 
$$\frac{-1/8*(4*(a - b)*d*x/(a^2 + 2*a*b + b^2) + 8*a*b*\arctan(1/2*(a*e^{(2*d*x + 2*c)} + b*e^{(2*d*x + 2*c)} + a - b)/\sqrt{a*b}))/((a^2 + 2*a*b + b^2)*\sqrt{a*b}) - (2*a*e^{(2*d*x + 2*c)} - 2*b*e^{(2*d*x + 2*c)} - a - b)*e^{(-2*d*x)/(a^2*e^{(2*c)} + 2*a*b*e^{(2*c)} + b^2*e^{(2*c)})} - e^{(2*d*x + 8*c)/(a*e^{(6*c)} + b*e^{(6*c)})}}{d}$$

$$3.28 \quad \int \frac{\sinh(c+dx)}{a+b \tanh^2(c+dx)} dx$$

**Optimal.** Leaf size=53

$$\frac{\cosh(c+dx)}{d(a+b)} - \frac{\sqrt{b} \tanh^{-1}\left(\frac{\sqrt{b} \operatorname{sech}(c+dx)}{\sqrt{a+b}}\right)}{d(a+b)^{3/2}}$$

[Out] -((Sqrt[b]\*ArcTanh[(Sqrt[b]\*Sech[c + d\*x])/Sqrt[a + b]])/((a + b)^(3/2)\*d)) + Cosh[c + d\*x]/((a + b)\*d)

**Rubi [A]** time = 0.0626703, antiderivative size = 53, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3664, 325, 208}

$$\frac{\cosh(c+dx)}{d(a+b)} - \frac{\sqrt{b} \tanh^{-1}\left(\frac{\sqrt{b} \operatorname{sech}(c+dx)}{\sqrt{a+b}}\right)}{d(a+b)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[Sinh[c + d\*x]/(a + b\*Tanh[c + d\*x]^2), x]

[Out] -((Sqrt[b]\*ArcTanh[(Sqrt[b]\*Sech[c + d\*x])/Sqrt[a + b]])/((a + b)^(3/2)\*d)) + Cosh[c + d\*x]/((a + b)\*d)

### Rule 3664

Int[sin[(e\_.) + (f\_.)\*(x\_)]^(m\_.)\*((a\_.) + (b\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]^2)^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Sec[e + f\*x], x]}, Dist[1/(f\*ff^m), Subst[Int[((-1 + ff^2\*x^2)^((m - 1)/2)\*(a - b + b\*ff^2\*x^2)^p)/x^(m + 1), x], x, Sec[e + f\*x]/ff, x] /; FreeQ[{a, b, e, f, p}, x] && IntegerQ[(m - 1)/2]

### Rule 325

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_.) + (b\_.)\*(x\_)^(n\_.))^p, x\_Symbol] :> Simp[((c\*x)^(m + 1)\*(a + b\*x^n)^(p + 1))/(a\*c\*(m + 1)), x] - Dist[(b\*(m + n\*(p + 1) + 1))/(a\*c^n\*(m + 1)), Int[(c\*x)^(m + n)\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && LtQ[m, -1] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 208

$\text{Int}[\frac{((a_) + (b_)*(x_)^2)^{-1}}{a}, x\_Symbol] \rightarrow \text{Simp}[\text{Rt}[-(a/b), 2] * \text{ArcTanh}[x/\text{Rt}[-(a/b), 2]]/a, x] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{NegQ}[a/b]$

Rubi steps

$$\begin{aligned} \int \frac{\sinh(c + dx)}{a + b \tanh^2(c + dx)} dx &= -\frac{\text{Subst}\left(\int \frac{1}{x^2(a+b-bx^2)} dx, x, \text{sech}(c + dx)\right)}{d} \\ &= \frac{\cosh(c + dx)}{(a + b)d} - \frac{b \text{Subst}\left(\int \frac{1}{a+b-bx^2} dx, x, \text{sech}(c + dx)\right)}{(a + b)d} \\ &= -\frac{\sqrt{b} \tanh^{-1}\left(\frac{\sqrt{b} \text{sech}(c+dx)}{\sqrt{a+b}}\right)}{(a + b)^{3/2}d} + \frac{\cosh(c + dx)}{(a + b)d} \end{aligned}$$

**Mathematica [C]** time = 0.242032, size = 107, normalized size = 2.02

$$\frac{\sqrt{a+b} \cosh(c + dx) - i\sqrt{b} \left( \tan^{-1}\left(\frac{-\sqrt{a} \tanh\left(\frac{1}{2}(c+dx)\right) - i\sqrt{a+b}}{\sqrt{b}}\right) + \tan^{-1}\left(\frac{\sqrt{a} \tanh\left(\frac{1}{2}(c+dx)\right) - i\sqrt{a+b}}{\sqrt{b}}\right) \right)}{d(a+b)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]/(a + b\*Tanh[c + d\*x]^2), x]

[Out] ((-I)\*Sqrt[b]\*(ArcTan[(-I)\*Sqrt[a + b] - Sqrt[a]\*Tanh[(c + d\*x)/2]]/Sqrt[b] + ArcTan[(-I)\*Sqrt[a + b] + Sqrt[a]\*Tanh[(c + d\*x)/2]]/Sqrt[b]) + Sqrt[a + b]\*Cosh[c + d\*x]/((a + b)^(3/2)\*d)

**Maple [B]** time = 0.055, size = 104, normalized size = 2.

$$\frac{1}{d} \left( -\frac{b}{a+b} \text{Artanh}\left(\frac{1}{4} \left(2 \left(\tanh\left(\frac{1}{2} dx + c/2\right)\right)^2 a + 2a + 4b\right) \frac{1}{\sqrt{ab + b^2}}\right) \frac{1}{\sqrt{ab + b^2}} - 4 \frac{1}{(4a + 4b) \left(\tanh\left(\frac{1}{2} dx + c/2\right) - \right)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(d\*x+c)/(a+b\*tanh(d\*x+c)^2), x)

[Out]  $1/d*(-b/(a+b)/(a*b+b^2)^{(1/2)}*\operatorname{arctanh}(1/4*(2*\tanh(1/2*d*x+1/2*c))^2*a+2*a+4*b)/(a*b+b^2)^{(1/2)})-4/(4*a+4*b)/(\tanh(1/2*d*x+1/2*c)-1)+4/(4*a+4*b)/(\tanh(1/2*d*x+1/2*c)+1))$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{(e^{(2dx+2c)} + 1)e^{(-dx)}}{2(ade^c + bde^c)} + \frac{1}{2} \int \frac{4(b e^{(3dx+3c)} - b e^{(dx+c)})}{a^2 + 2ab + b^2 + (a^2 e^{(4c)} + 2abe^{(4c)} + b^2 e^{(4c)})e^{(4dx)} + 2(a^2 e^{(2c)} - b^2 e^{(2c)})e^{(2dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sinh(d*x+c)/(a+b*tanh(d*x+c)^2),x, algorithm="maxima")`

[Out]  $1/2*(e^{(2*d*x + 2*c)} + 1)*e^{(-d*x)}/(a*d*e^c + b*d*e^c) + 1/2*\operatorname{integrate}(4*(b*e^{(3*d*x + 3*c)} - b*e^{(d*x + c)})/(a^2 + 2*a*b + b^2 + (a^2*e^{(4*c)} + 2*a*b*e^{(4*c)} + b^2*e^{(4*c)})*e^{(4*d*x)} + 2*(a^2*e^{(2*c)} - b^2*e^{(2*c)})*e^{(2*d*x)}), x)$

**Fricas [B]** time = 2.20077, size = 1906, normalized size = 35.96

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sinh(d*x+c)/(a+b*tanh(d*x+c)^2),x, algorithm="fricas")`

[Out]  $[1/2*(\operatorname{sqrt}(b/(a + b))*(\cosh(d*x + c) + \sinh(d*x + c))*\log(((a + b)*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a + b)*\sinh(d*x + c)^4 + 2*(a + 3*b)*\cosh(d*x + c)^2 + 2*(3*(a + b)*\cosh(d*x + c)^2 + a + 3*b)*\sinh(d*x + c)^2 + 4*((a + b)*\cosh(d*x + c)^3 + (a + 3*b)*\cosh(d*x + c))*\sinh(d*x + c) - 4*((a + b)*\cosh(d*x + c)^3 + 3*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^2 + (a + b)*\sinh(d*x + c)^3 + (a + b)*\cosh(d*x + c) + (3*(a + b)*\cosh(d*x + c)^2 + a + b)*\sinh(d*x + c))*\operatorname{sqrt}(b/(a + b)) + a + b)/((a + b)*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a + b)*\sinh(d*x + c)^4 + 2*(a - b)*\cosh(d*x + c)^2 + 2*(3*(a + b)*\cosh(d*x + c)^2 + a - b)*\sinh(d*x + c)^2 + 4*((a + b)*\cosh(d*x + c)^3 + (a - b)*\cosh(d*x + c))*\sinh(d*x + c) + a + b) + \cosh(d*x + c)^2 + 2*\cosh(d*x + c)*\sinh(d*x + c) + \sinh(d*x + c)^2 + 1)/((a + b)*d*\cosh(d*x + c) + (a + b)*d*\sinh(d*x + c)), -1/2*(2*\operatorname{sqrt}(-b/(a + b))*(\cosh(d*x + c) + \sinh(d*x + c))*\operatorname{arctan}(1/2*((a + b)*\cosh(d*x$

$$+ c)^3 + 3*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^2 + (a + b)*\sinh(d*x + c)^3 + (a - 3*b)*\cosh(d*x + c) + (3*(a + b)*\cosh(d*x + c)^2 + a - 3*b)*\sinh(d*x + c))*\sqrt{-b/(a + b)}/b - 2*\sqrt{-b/(a + b)}*(\cosh(d*x + c) + \sinh(d*x + c))*\arctan(1/2*((a + b)*\cosh(d*x + c) + (a + b)*\sinh(d*x + c))*\sqrt{-b/(a + b)}/b - \cosh(d*x + c)^2 - 2*\cosh(d*x + c)*\sinh(d*x + c) - \sinh(d*x + c)^2 - 1)/((a + b)*d*\cosh(d*x + c) + (a + b)*d*\sinh(d*x + c))]$$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sinh(c + dx)}{a + b \tanh^2(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)/(a+b\*tanh(d\*x+c)\*\*2), x)

[Out] Integral(sinh(c + d\*x)/(a + b\*tanh(c + d\*x)\*\*2), x)

**Giac [C]** time = 1.55928, size = 6017, normalized size = 113.53

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)/(a+b\*tanh(d\*x+c)^2), x, algorithm="giac")

[Out]  $1/4*(2*(3*(a^2*b*e^{4*c}) + 2*a*b^2*e^{4*c}) + b^3*e^{4*c})*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b)))) - (a^2*b*e^{4*c} + 2*a*b^2*e^{4*c} + b^3*e^{4*c})*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 - 9*(a^2*b*e^{4*c} + 2*a*b^2*e^{4*c} + b^3*e^{4*c})*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) + 3*(a^2*b*e^{4*c} + 2*a*b^2*e^{4*c} + b^3*e^{4*c})*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) + 9*(a^2*b*e^{4*c} + 2*a*b^2*e^{4*c} + b^3*e^{4*c})*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))$

$$\begin{aligned}
& )) * \sinh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - 3 * (a^2 * b * e^{4*c} \\
& ) + 2 * a * b^2 * e^{4*c} + b^3 * e^{4*c}) * \cosh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b \\
& / (a+b)))) * \sin(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \sinh(1/2 * i \\
& \text{mag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - 3 * (a^2 * b * e^{4*c} + 2 * a * b^2 * e^{ \\
& 4*c} + b^3 * e^{4*c}) * \cos(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 * s \\
& \text{in}(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sinh(1/2 * \text{imag\_part}(\arccos \\
& (-a/(a+b) + b/(a+b))))^3 + (a^2 * b * e^{4*c} + 2 * a * b^2 * e^{4*c} + b^3 * e^{4* \\
& c}) * \sin(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \sinh(1/2 * \text{imag\_part} \\
& (\arccos(-a/(a+b) + b/(a+b))))^3 - (a^2 * b * e^{4*c} + 2 * a * b^2 * e^{4*c} + b^ \\
& 3 * e^{4*c}) * \cosh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sin(1/2 * \text{real} \\
& \_ \text{part}(\arccos(-a/(a+b) + b/(a+b)))) + (a^2 * b * e^{4*c} + 2 * a * b^2 * e^{4*c} + \\
& b^3 * e^{4*c}) * \sin(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sinh(1/2 * i \\
& \text{mag\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \arctan((((a^2 + 2 * a * b + b^2)/(a^ \\
& 2 * e^{4*c} + 2 * a * b * e^{4*c} + b^2 * e^{4*c}))^{1/4} * \cos(1/2 * \arccos(-(a-b)/(a \\
& + b))) + e^{d*x}) / (((a^2 + 2 * a * b + b^2)/(a^2 * e^{4*c} + 2 * a * b * e^{4*c} + b^2 * \\
& e^{4*c}))^{1/4} * \sin(1/2 * \arccos(-(a-b)/(a+b)))) / (2 * (a * e^{2*c} + b * e^{2* \\
& c})^2 * a * b + (a^2 * e^{2*c} - b^2 * e^{2*c}) * \sqrt{-a * b} * \text{abs}(-a * e^{2*c} - b * e^{2* \\
& c})) + 2 * (3 * (a^2 * b * e^{4*c} + 2 * a * b^2 * e^{4*c} + b^3 * e^{4*c}) * \cos(1/2 * \text{real\_pa} \\
& \text{rt}(\arccos(-a/(a+b) + b/(a+b))))^2 * \cosh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) \\
& + b/(a+b))))^3 * \sin(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) - (a^2 * \\
& b * e^{4*c} + 2 * a * b^2 * e^{4*c} + b^3 * e^{4*c}) * \cosh(1/2 * \text{imag\_part}(\arccos(-a/(a \\
& + b) + b/(a+b))))^3 * \sin(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 \\
& - 9 * (a^2 * b * e^{4*c} + 2 * a * b^2 * e^{4*c} + b^3 * e^{4*c}) * \cos(1/2 * \text{real\_part}(\arcco \\
& \text{s}(-a/(a+b) + b/(a+b))))^2 * \cosh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b) \\
& ))^2 * \sin(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sinh(1/2 * \text{imag\_p} \\
& \text{art}(\arccos(-a/(a+b) + b/(a+b)))) + 3 * (a^2 * b * e^{4*c} + 2 * a * b^2 * e^{4*c} + \\
& b^3 * e^{4*c}) * \cosh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 * \sin(1/2 \\
& * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \sinh(1/2 * \text{imag\_part}(\arccos(-a/ \\
& (a+b) + b/(a+b)))) + 9 * (a^2 * b * e^{4*c} + 2 * a * b^2 * e^{4*c} + b^3 * e^{4*c}) * \\
& \cos(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 * \cosh(1/2 * \text{imag\_part}(\arcc \\
& \text{os}(-a/(a+b) + b/(a+b)))) * \sin(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b) \\
& )) * \sinh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - 3 * (a^2 * b * e^{4 \\
& * c} + 2 * a * b^2 * e^{4*c} + b^3 * e^{4*c}) * \cosh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + \\
& b/(a+b)))) * \sin(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \sinh(1/2 \\
& * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - 3 * (a^2 * b * e^{4*c} + 2 * a * b^2 * \\
& e^{4*c} + b^3 * e^{4*c}) * \cos(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 \\
& * \sin(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sinh(1/2 * \text{imag\_part}(\arcc \\
& \text{os}(-a/(a+b) + b/(a+b))))^3 + (a^2 * b * e^{4*c} + 2 * a * b^2 * e^{4*c} + b^3 * e^{( \\
& 4*c}) * \sin(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \sinh(1/2 * \text{imag\_pa} \\
& \text{rt}(\arccos(-a/(a+b) + b/(a+b))))^3 - (a^2 * b * e^{4*c} + 2 * a * b^2 * e^{4*c} + \\
& b^3 * e^{4*c}) * \cosh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sin(1/2 * \text{re} \\
& \text{al\_part}(\arccos(-a/(a+b) + b/(a+b)))) + (a^2 * b * e^{4*c} + 2 * a * b^2 * e^{4*c} \\
& + b^3 * e^{4*c}) * \sin(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sinh(1/2 \\
& * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \arctan(-(((a^2 + 2 * a * b + b^2)/ \\
& (a^2 * e^{4*c} + 2 * a * b * e^{4*c} + b^2 * e^{4*c}))^{1/4} * \cos(1/2 * \arccos(-(a-b)/
\end{aligned}$$



$$\begin{aligned}
& (a + b)) - e^{(d*x)} / (((a^2 + 2*a*b + b^2) / (a^2*e^{(4*c)} + 2*a*b*e^{(4*c)} + b^2*e^{(4*c)}))^{(1/4)} * \sin(1/2*\arccos(-(a - b)/(a + b)))) / (2*(a*e^{(2*c)} + b*e^{(2*c)})^2*a*b + (a^2*e^{(2*c)} - b^2*e^{(2*c)}) * \sqrt{-a*b} * \text{abs}(-a*e^{(2*c)} - b*e^{(2*c)})) + ((a^2*b*e^{(4*c)} + 2*a*b^2*e^{(4*c)} + b^3*e^{(4*c)}) * \cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 * \cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 - 3*(a^2*b*e^{(4*c)} + 2*a*b^2*e^{(4*c)} + b^3*e^{(4*c)}) * \cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b)))) * \cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 * \sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 - 3*(a^2*b*e^{(4*c)} + 2*a*b^2*e^{(4*c)} + b^3*e^{(4*c)}) * \cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 * \cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 * \sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) + 9*(a^2*b*e^{(4*c)} + 2*a*b^2*e^{(4*c)} + b^3*e^{(4*c)}) * \cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b)))) * \cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 * \sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 * \sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) + 3*(a^2*b*e^{(4*c)} + 2*a*b^2*e^{(4*c)} + b^3*e^{(4*c)}) * \cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 * \cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) * \sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 - 9*(a^2*b*e^{(4*c)} + 2*a*b^2*e^{(4*c)} + b^3*e^{(4*c)}) * \cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b)))) * \cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) * \sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 * \sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 - (a^2*b*e^{(4*c)} + 2*a*b^2*e^{(4*c)} + b^3*e^{(4*c)}) * \cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 * \sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 + 3*(a^2*b*e^{(4*c)} + 2*a*b^2*e^{(4*c)} + b^3*e^{(4*c)}) * \cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b)))) * \sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 * \sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 - (a^2*b*e^{(4*c)} + 2*a*b^2*e^{(4*c)} + b^3*e^{(4*c)}) * \cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b)))) * \cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) + (a^2*b*e^{(4*c)} + 2*a*b^2*e^{(4*c)} + b^3*e^{(4*c)}) * \cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b)))) * \sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) * \log(2*((a^2 + 2*a*b + b^2) / (a^2*e^{(4*c)} + 2*a*b*e^{(4*c)} + b^2*e^{(4*c)}))^{(1/4)} * \cos(1/2*\arccos(-(a - b)/(a + b))) * e^{(d*x)} + \sqrt{(a^2 + 2*a*b + b^2) / (a^2*e^{(4*c)} + 2*a*b*e^{(4*c)} + b^2*e^{(4*c)})} + e^{(2*d*x)} / (2*(a*e^{(2*c)} + b*e^{(2*c)})^2*a*b + (a^2*e^{(2*c)} - b^2*e^{(2*c)}) * \sqrt{-a*b} * \text{abs}(-a*e^{(2*c)} - b*e^{(2*c)})) - ((a^2*b*e^{(4*c)} + 2*a*b^2*e^{(4*c)} + b^3*e^{(4*c)}) * \cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 * \cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 - 3*(a^2*b*e^{(4*c)} + 2*a*b^2*e^{(4*c)} + b^3*e^{(4*c)}) * \cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b)))) * \cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 * \sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 - 3*(a^2*b*e^{(4*c)} + 2*a*b^2*e^{(4*c)} + b^3*e^{(4*c)}) * \cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 * \cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 * \sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) + 9*(a^2*b*e^{(4*c)} + 2*a*b^2*e^{(4*c)} + b^3*e^{(4*c)}) * \cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b)))) * \cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 * \sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 * \sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) + 3*(
\end{aligned}$$

$$\begin{aligned}
& a^2 b e^{4c} + 2 a b^2 e^{4c} + b^3 e^{4c} \Big) \cos\left(\frac{1}{2} \operatorname{real\_part}\left(\arccos\left(-\frac{a}{a+b} + \frac{b}{a+b}\right)\right)\right)^3 \cosh\left(\frac{1}{2} \operatorname{imag\_part}\left(\arccos\left(-\frac{a}{a+b} + \frac{b}{a+b}\right)\right)\right) \\
& \Big) \sinh\left(\frac{1}{2} \operatorname{imag\_part}\left(\arccos\left(-\frac{a}{a+b} + \frac{b}{a+b}\right)\right)\right)^2 - 9 \left( a^2 b e^{4c} + 2 a b^2 e^{4c} + b^3 e^{4c} \right) \cos\left(\frac{1}{2} \operatorname{real\_part}\left(\arccos\left(-\frac{a}{a+b} + \frac{b}{a+b}\right)\right)\right) \\
& \cosh\left(\frac{1}{2} \operatorname{imag\_part}\left(\arccos\left(-\frac{a}{a+b} + \frac{b}{a+b}\right)\right)\right) \sin\left(\frac{1}{2} \operatorname{real\_part}\left(\arccos\left(-\frac{a}{a+b} + \frac{b}{a+b}\right)\right)\right)^2 \sinh\left(\frac{1}{2} \operatorname{imag\_part}\left(\arccos\left(-\frac{a}{a+b} + \frac{b}{a+b}\right)\right)\right)^2 \\
& - \left( a^2 b e^{4c} + 2 a b^2 e^{4c} + b^3 e^{4c} \right) \cos\left(\frac{1}{2} \operatorname{real\_part}\left(\arccos\left(-\frac{a}{a+b} + \frac{b}{a+b}\right)\right)\right)^3 \sinh\left(\frac{1}{2} \operatorname{imag\_part}\left(\arccos\left(-\frac{a}{a+b} + \frac{b}{a+b}\right)\right)\right)^3 \\
& + 3 \left( a^2 b e^{4c} + 2 a b^2 e^{4c} + b^3 e^{4c} \right) \cos\left(\frac{1}{2} \operatorname{real\_part}\left(\arccos\left(-\frac{a}{a+b} + \frac{b}{a+b}\right)\right)\right) \sin\left(\frac{1}{2} \operatorname{real\_part}\left(\arccos\left(-\frac{a}{a+b} + \frac{b}{a+b}\right)\right)\right)^2 \\
& \sinh\left(\frac{1}{2} \operatorname{imag\_part}\left(\arccos\left(-\frac{a}{a+b} + \frac{b}{a+b}\right)\right)\right)^3 - \left( a^2 b e^{4c} + 2 a b^2 e^{4c} + b^3 e^{4c} \right) \cos\left(\frac{1}{2} \operatorname{real\_part}\left(\arccos\left(-\frac{a}{a+b} + \frac{b}{a+b}\right)\right)\right) \\
& \cosh\left(\frac{1}{2} \operatorname{imag\_part}\left(\arccos\left(-\frac{a}{a+b} + \frac{b}{a+b}\right)\right)\right) + \left( a^2 b e^{4c} + 2 a b^2 e^{4c} + b^3 e^{4c} \right) \cos\left(\frac{1}{2} \operatorname{real\_part}\left(\arccos\left(-\frac{a}{a+b} + \frac{b}{a+b}\right)\right)\right) \\
& \sinh\left(\frac{1}{2} \operatorname{imag\_part}\left(\arccos\left(-\frac{a}{a+b} + \frac{b}{a+b}\right)\right)\right) \log\left(-2 \left( \frac{a^2 + 2 a b + b^2}{a^2 e^{4c} + 2 a b e^{4c} + b^2 e^{4c}} \right)^{\frac{1}{4}} \cos\left(\frac{1}{2} \arccos\left(-\frac{a-b}{a+b}\right)\right) e^{dx} + \sqrt{\frac{a^2 + 2 a b + b^2}{a^2 e^{4c} + 2 a b e^{4c} + b^2 e^{4c}}} + e^{2dx}\right) \\
& \Big) / \left( 2 \left( a e^{2c} + b e^{2c} \right)^2 a b + \left( a^2 e^{2c} - b^2 e^{2c} \right) \sqrt{-a b} \operatorname{abs}\left(-a e^{2c} - b e^{2c}\right) \right) + 2 e^{dx + 6c} / \left( a e^{5c} + b e^{5c} \right) + 2 e^{-dx} / \left( a e^c + b e^c \right) / d
\end{aligned}$$

$$3.29 \quad \int \frac{\operatorname{csch}(c+dx)}{a+b \tanh^2(c+dx)} dx$$

Optimal. Leaf size=55

$$\frac{\sqrt{b} \tanh^{-1}\left(\frac{\sqrt{b} \operatorname{sech}(c+dx)}{\sqrt{a+b}}\right)}{ad\sqrt{a+b}} - \frac{\tanh^{-1}(\cosh(c+dx))}{ad}$$

[Out]  $-(\operatorname{ArcTanh}[\operatorname{Cosh}[c + d*x]]/(a*d)) + (\operatorname{Sqrt}[b]*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*\operatorname{Sech}[c + d*x])/ \operatorname{Sqrt}[a + b]])/(a*\operatorname{Sqrt}[a + b]*d)$

**Rubi [A]** time = 0.078118, antiderivative size = 55, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.19$ , Rules used = {3664, 391, 207, 208}

$$\frac{\sqrt{b} \tanh^{-1}\left(\frac{\sqrt{b} \operatorname{sech}(c+dx)}{\sqrt{a+b}}\right)}{ad\sqrt{a+b}} - \frac{\tanh^{-1}(\cosh(c+dx))}{ad}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[\operatorname{Csch}[c + d*x]/(a + b*\operatorname{Tanh}[c + d*x]^2), x]$

[Out]  $-(\operatorname{ArcTanh}[\operatorname{Cosh}[c + d*x]]/(a*d)) + (\operatorname{Sqrt}[b]*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*\operatorname{Sech}[c + d*x])/ \operatorname{Sqrt}[a + b]])/(a*\operatorname{Sqrt}[a + b]*d)$

#### Rule 3664

$\operatorname{Int}[\sin[(e_.) + (f_.)*(x_.)]^{(m_.)*((a_.) + (b_.)*\tan[(e_.) + (f_.)*(x_.)]^2)^{(p_.)}, x\_Symbol] \rightarrow \operatorname{With}\{\{ff = \operatorname{FreeFactors}[\operatorname{Sec}[e + f*x], x]\}, \operatorname{Dist}[1/(f*ff^m), \operatorname{Subst}[\operatorname{Int}[((-1 + ff^2*x^2)^{(m-1)/2}*(a - b + b*ff^2*x^2)^p)/x^{(m+1)}], x], x, \operatorname{Sec}[e + f*x]/ff], x]\} /; \operatorname{FreeQ}\{a, b, e, f, p\}, x\} \&\& \operatorname{IntegerQ}[(m-1)/2]$

#### Rule 391

$\operatorname{Int}[1/(((a_.) + (b_.)*(x_.)^{(n_.)})*((c_.) + (d_.)*(x_.)^{(n_.)})), x\_Symbol] \rightarrow \operatorname{Dist}[b/(b*c - a*d), \operatorname{Int}[1/(a + b*x^n), x], x] - \operatorname{Dist}[d/(b*c - a*d), \operatorname{Int}[1/(c + d*x^n), x], x] /; \operatorname{FreeQ}\{a, b, c, d, n\}, x\} \&\& \operatorname{NeQ}[b*c - a*d, 0]$

#### Rule 207

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])
```

### Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

### Rubi steps

$$\begin{aligned} \int \frac{\operatorname{csch}(c+dx)}{a+b \tanh^2(c+dx)} dx &= \frac{\operatorname{Subst}\left(\int \frac{1}{(-1+x^2)(a+b-x^2)} dx, x, \operatorname{sech}(c+dx)\right)}{d} \\ &= \frac{\operatorname{Subst}\left(\int \frac{1}{-1+x^2} dx, x, \operatorname{sech}(c+dx)\right)}{ad} + \frac{b \operatorname{Subst}\left(\int \frac{1}{a+b-x^2} dx, x, \operatorname{sech}(c+dx)\right)}{ad} \\ &= -\frac{\tanh^{-1}(\cosh(c+dx))}{ad} + \frac{\sqrt{b} \tanh^{-1}\left(\frac{\sqrt{b} \operatorname{sech}(c+dx)}{\sqrt{a+b}}\right)}{a\sqrt{a+bd}} \end{aligned}$$

**Mathematica [C]** time = 0.199405, size = 123, normalized size = 2.24

$$\frac{\sqrt{a+b} \log\left(\tanh\left(\frac{1}{2}(c+dx)\right)\right) + i\sqrt{b} \tan^{-1}\left(\frac{-\sqrt{a} \tanh\left(\frac{1}{2}(c+dx)\right) - i\sqrt{a+b}}{\sqrt{b}}\right) + i\sqrt{b} \tan^{-1}\left(\frac{\sqrt{a} \tanh\left(\frac{1}{2}(c+dx)\right) - i\sqrt{a+b}}{\sqrt{b}}\right)}{ad\sqrt{a+b}}$$

Antiderivative was successfully verified.

```
[In] Integrate[Csch[c + d*x]/(a + b*Tanh[c + d*x]^2), x]
```

```
[Out] (I*Sqrt[b]*ArcTan[(-I)*Sqrt[a + b] - Sqrt[a]*Tanh[(c + d*x)/2]]/Sqrt[b]] + I*Sqrt[b]*ArcTan[(-I)*Sqrt[a + b] + Sqrt[a]*Tanh[(c + d*x)/2]]/Sqrt[b]] + Sqrt[a + b]*Log[Tanh[(c + d*x)/2]]/(a*Sqrt[a + b]*d)
```

**Maple [A]** time = 0.063, size = 69, normalized size = 1.3

$$\frac{b}{da} \operatorname{Arctanh}\left(\frac{1}{4} \left(2 \left(\tanh\left(\frac{1}{2} dx + c/2\right)\right)^2 a + 2a + 4b\right) \frac{1}{\sqrt{ab + b^2}}\right) \frac{1}{\sqrt{ab + b^2}} + \frac{1}{da} \ln\left(\tanh\left(\frac{dx}{2} + \frac{c}{2}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(csch(d*x+c)/(a+b*tanh(d*x+c)^2),x)`

[Out]  $1/d/a*b/(a*b+b^2)^{(1/2)}*\operatorname{arctanh}(1/4*(2*\tanh(1/2*d*x+1/2*c)^2*a+2*a+4*b)/(a*b+b^2)^{(1/2}))+1/d/a*\ln(\tanh(1/2*d*x+1/2*c))$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\frac{\log\left(\left(e^{(dx+c)}+1\right)e^{(-c)}\right)}{ad} + \frac{\log\left(\left(e^{(dx+c)}-1\right)e^{(-c)}\right)}{ad} - 2 \int \frac{be^{(3dx+3c)} - be^{(dx+c)}}{a^2 + ab + (a^2e^{(4c)} + abe^{(4c)})e^{(4dx)} + 2(a^2e^{(2c)} - abe^{(2c)})e^{(2dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csch(d*x+c)/(a+b*tanh(d*x+c)^2),x, algorithm="maxima")`

[Out]  $-\log\left(\left(e^{(d*x+c)}+1\right)*e^{(-c)}\right)/(a*d) + \log\left(\left(e^{(d*x+c)}-1\right)*e^{(-c)}\right)/(a*d) - 2*\operatorname{integrate}\left(\left(b*e^{(3*d*x+3*c)} - b*e^{(d*x+c)}\right)/(a^2+a*b+(a^2*e^{(4*c)}+a*b*e^{(4*c)})*e^{(4*d*x)} + 2*(a^2*e^{(2*c)}-a*b*e^{(2*c)})*e^{(2*d*x)}\right), x)$

**Fricas [B]** time = 2.39541, size = 1673, normalized size = 30.42

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csch(d*x+c)/(a+b*tanh(d*x+c)^2),x, algorithm="fricas")`

[Out]  $[1/2*(\sqrt{b/(a+b)})*\log\left(\left((a+b)*\cosh(d*x+c)^4 + 4*(a+b)*\cosh(d*x+c)*\sinh(d*x+c)^3 + (a+b)*\sinh(d*x+c)^4 + 2*(a+3*b)*\cosh(d*x+c)^2 + 2*(3*(a+b)*\cosh(d*x+c)^2 + a+3*b)*\sinh(d*x+c)^2 + 4*((a+b)*\cosh(d*x+c)^3 + (a+3*b)*\cosh(d*x+c))*\sinh(d*x+c) + 4*((a+b)*\cosh(d*x+c)^3 + 3*(a+b)*\cosh(d*x+c)*\sinh(d*x+c)^2 + (a+b)*\sinh(d*x+c)^3 + (a+b)*\cosh(d*x+c) + (3*(a+b)*\cosh(d*x+c)^2 + a+b)*\sinh(d*x+c)\right)*\sqrt{b/(a+b)} + a+b)/\left((a+b)*\cosh(d*x+c)^4 + 4*(a+b)*\cosh(d*x+c)*\sinh(d*x+c)^3 + (a+b)*\sinh(d*x+c)^4 + 2*(a-b)*\cosh(d*x+c)^2 + 2*(3*(a+b)*\cosh(d*x+c)^2 + a-b)*\sinh(d*x+c)^2 + 4*((a+b)*\cosh(d*x+c)^3 + (a-b)*\cosh(d*x+c))*\sinh(d*x+c) + a+b\right) - 2*\log(\cosh(d*x+c) + \sinh(d*x+c) + 1) + 2*\log(\cosh(d*x+c) + \sinh(d*x+c) - 1))/(a*d),$

```
(sqrt(-b/(a + b))*arctan(1/2*((a + b)*cosh(d*x + c)^3 + 3*(a + b)*cosh(d*x + c)*sinh(d*x + c)^2 + (a + b)*sinh(d*x + c)^3 + (a - 3*b)*cosh(d*x + c) + (3*(a + b)*cosh(d*x + c)^2 + a - 3*b)*sinh(d*x + c))*sqrt(-b/(a + b))/b) - sqrt(-b/(a + b))*arctan(1/2*((a + b)*cosh(d*x + c) + (a + b)*sinh(d*x + c))*sqrt(-b/(a + b))/b) - log(cosh(d*x + c) + sinh(d*x + c) + 1) + log(cosh(d*x + c) + sinh(d*x + c) - 1))/(a*d]
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{csch}(c + dx)}{a + b \tanh^2(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)/(a+b\*tanh(d\*x+c)\*\*2),x)

[Out] Integral(csch(c + d\*x)/(a + b\*tanh(c + d\*x)\*\*2), x)

**Giac [C]** time = 1.52559, size = 5242, normalized size = 95.31

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)/(a+b\*tanh(d\*x+c)^2),x, algorithm="giac")

[Out]  $-1/4*(2*(3*(a^2*b*e^{(2*c)} + a*b^2*e^{(2*c)})*\cos(1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\cosh(1/2*\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\sin(1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))) - (a^2*b*e^{(2*c)} + a*b^2*e^{(2*c)})*\cosh(1/2*\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\sin(1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 - 9*(a^2*b*e^{(2*c)} + a*b^2*e^{(2*c)})*\cos(1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\cosh(1/2*\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\sin(1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\sinh(1/2*\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) + 3*(a^2*b*e^{(2*c)} + a*b^2*e^{(2*c)})*\cosh(1/2*\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\sin(1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\sinh(1/2*\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) + 9*(a^2*b*e^{(2*c)} + a*b^2*e^{(2*c)})*\cos(1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\cosh(1/2*\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sin(1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sinh(1/2*\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 - 3*(a^2*b*e^{(2*c)} +$

$$\begin{aligned}
& a*b^2*e^{(2*c)}*\cosh(1/2*imag\_part(\arccos(-a/(a + b) + b/(a + b))))*\sin(1/2* \\
& real\_part(\arccos(-a/(a + b) + b/(a + b))))^3*\sinh(1/2*imag\_part(\arccos(-a/( \\
& a + b) + b/(a + b))))^2 - 3*(a^2*b*e^{(2*c)} + a*b^2*e^{(2*c)})*\cos(1/2*real\_pa \\
& rt(\arccos(-a/(a + b) + b/(a + b))))^2*\sin(1/2*real\_part(\arccos(-a/(a + b) + \\
& b/(a + b))))*\sinh(1/2*imag\_part(\arccos(-a/(a + b) + b/(a + b))))^3 + (a^2* \\
& b*e^{(2*c)} + a*b^2*e^{(2*c)})*\sin(1/2*real\_part(\arccos(-a/(a + b) + b/(a + b)) \\
& ))^3*\sinh(1/2*imag\_part(\arccos(-a/(a + b) + b/(a + b))))^3 - (a^2*b*e^{(2*c)} \\
& + a*b^2*e^{(2*c)})*\cosh(1/2*imag\_part(\arccos(-a/(a + b) + b/(a + b))))*\sin(1 \\
& /2*real\_part(\arccos(-a/(a + b) + b/(a + b)))) + (a^2*b*e^{(2*c)} + a*b^2*e^{(2 \\
& *c)})*\sin(1/2*real\_part(\arccos(-a/(a + b) + b/(a + b))))*\sinh(1/2*imag\_part( \\
& arccos(-a/(a + b) + b/(a + b))))*\arctan((((a^2 + a*b)/(a^2*e^{(4*c)} + a*b*e \\
& ^{(4*c)}))^{(1/4)}*\cos(1/2*\arccos(-(a - b)/(a + b))) + e^{(d*x)})/(((a^2 + a*b)/( \\
& a^2*e^{(4*c)} + a*b*e^{(4*c)}))^{(1/4)}*\sin(1/2*\arccos(-(a - b)/(a + b)))))/(2*a^ \\
& 3*b*e^{(2*c)} + (a^2*e^{(2*c)} - a*b*e^{(2*c)})*sqrt(-a*b)*abs(a)) + 2*(3*(a^2*b* \\
& e^{(2*c)} + a*b^2*e^{(2*c)})*\cos(1/2*real\_part(\arccos(-a/(a + b) + b/(a + b)))) \\
& ^2*\cosh(1/2*imag\_part(\arccos(-a/(a + b) + b/(a + b))))^3*\sin(1/2*real\_part( \\
& arccos(-a/(a + b) + b/(a + b)))) - (a^2*b*e^{(2*c)} + a*b^2*e^{(2*c)})*\cosh(1/2 \\
& *imag\_part(\arccos(-a/(a + b) + b/(a + b))))^3*\sin(1/2*real\_part(\arccos(-a/( \\
& a + b) + b/(a + b))))^3 - 9*(a^2*b*e^{(2*c)} + a*b^2*e^{(2*c)})*\cos(1/2*real\_pa \\
& rt(\arccos(-a/(a + b) + b/(a + b))))^2*\cosh(1/2*imag\_part(\arccos(-a/(a + b) \\
& + b/(a + b))))^2*\sin(1/2*real\_part(\arccos(-a/(a + b) + b/(a + b))))*\sinh(1/ \\
& 2*imag\_part(\arccos(-a/(a + b) + b/(a + b)))) + 3*(a^2*b*e^{(2*c)} + a*b^2*e^{( \\
& 2*c)})*\cosh(1/2*imag\_part(\arccos(-a/(a + b) + b/(a + b))))^2*\sin(1/2*real\_pa \\
& rt(\arccos(-a/(a + b) + b/(a + b))))^3*\sinh(1/2*imag\_part(\arccos(-a/(a + b) \\
& + b/(a + b)))) + 9*(a^2*b*e^{(2*c)} + a*b^2*e^{(2*c)})*\cos(1/2*real\_part(\arccos \\
& (-a/(a + b) + b/(a + b))))^2*\cosh(1/2*imag\_part(\arccos(-a/(a + b) + b/(a + \\
& b))))*\sin(1/2*real\_part(\arccos(-a/(a + b) + b/(a + b))))*\sinh(1/2*imag\_part \\
& (\arccos(-a/(a + b) + b/(a + b))))^2 - 3*(a^2*b*e^{(2*c)} + a*b^2*e^{(2*c)})*\cos \\
& h(1/2*imag\_part(\arccos(-a/(a + b) + b/(a + b))))*\sin(1/2*real\_part(\arccos(- \\
& a/(a + b) + b/(a + b))))^3*\sinh(1/2*imag\_part(\arccos(-a/(a + b) + b/(a + b) \\
& )))^2 - 3*(a^2*b*e^{(2*c)} + a*b^2*e^{(2*c)})*\cos(1/2*real\_part(\arccos(-a/(a + \\
& b) + b/(a + b))))^2*\sin(1/2*real\_part(\arccos(-a/(a + b) + b/(a + b))))*\sinh \\
& (1/2*imag\_part(\arccos(-a/(a + b) + b/(a + b))))^3 + (a^2*b*e^{(2*c)} + a*b^2* \\
& e^{(2*c)})*\sin(1/2*real\_part(\arccos(-a/(a + b) + b/(a + b))))^3*\sinh(1/2*imag \\
& _part(\arccos(-a/(a + b) + b/(a + b))))^3 - (a^2*b*e^{(2*c)} + a*b^2*e^{(2*c)})* \\
& \cosh(1/2*imag\_part(\arccos(-a/(a + b) + b/(a + b))))*\sin(1/2*real\_part(\arcco \\
& s(-a/(a + b) + b/(a + b)))) + (a^2*b*e^{(2*c)} + a*b^2*e^{(2*c)})*\sin(1/2*real\_ \\
& part(\arccos(-a/(a + b) + b/(a + b))))*\sinh(1/2*imag\_part(\arccos(-a/(a + b) \\
& + b/(a + b))))*\arctan(-(((a^2 + a*b)/(a^2*e^{(4*c)} + a*b*e^{(4*c)}))^{(1/4)}*co \\
& s(1/2*\arccos(-(a - b)/(a + b))) - e^{(d*x)})/(((a^2 + a*b)/(a^2*e^{(4*c)} + a*b \\
& *e^{(4*c)}))^{(1/4)}*\sin(1/2*\arccos(-(a - b)/(a + b)))))/(2*a^3*b*e^{(2*c)} + (a^ \\
& 2*e^{(2*c)} - a*b*e^{(2*c)})*sqrt(-a*b)*abs(a)) + ((a^2*b*e^{(2*c)} + a*b^2*e^{(2* \\
& c)})*\cos(1/2*real\_part(\arccos(-a/(a + b) + b/(a + b))))^3*\cosh(1/2*imag\_part \\
& (\arccos(-a/(a + b) + b/(a + b))))^3 - 3*(a^2*b*e^{(2*c)} + a*b^2*e^{(2*c)})*\cos \\
& (1/2*real\_part(\arccos(-a/(a + b) + b/(a + b))))*\cosh(1/2*imag\_part(\arccos(-
\end{aligned}$$

$$\begin{aligned}
& a/(a + b) + b/(a + b))\big)^3 \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))) \\
& )\big)^2 - 3(a^2 b e^{2c} + a b^2 e^{2c}) \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) \\
& ) + b/(a + b)))\big)^3 \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))\big)^2 \operatorname{sinh} \\
& (1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) + 9(a^2 b e^{2c} + a b^2 \\
& e^{2c}) \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))\big) \cosh(1/2 \operatorname{imag} \\
& \_part(\arccos(-a/(a + b) + b/(a + b)))\big)^2 \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) \\
& ) + b/(a + b)))\big)^2 \operatorname{sinh}(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))\big) + 3 \\
& (a^2 b e^{2c} + a b^2 e^{2c}) \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a \\
& + b)))\big)^3 \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))\big) \operatorname{sinh}(1/2 \operatorname{imag} \\
& \_part(\arccos(-a/(a + b) + b/(a + b)))\big)^2 - 9(a^2 b e^{2c} + a b^2 e^{2c}) \\
& ) \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))\big) \cosh(1/2 \operatorname{imag\_part}(\arccos \\
& (-a/(a + b) + b/(a + b)))\big) \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + \\
& b)))\big)^2 \operatorname{sinh}(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))\big)^2 - (a^2 b e^{2c} + \\
& a b^2 e^{2c}) \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))\big)^3 \operatorname{sinh} \\
& (1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))\big)^3 + 3(a^2 b e^{2c} + a \\
& b^2 e^{2c}) \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))\big) \sin(1/2 \operatorname{real} \\
& \_part(\arccos(-a/(a + b) + b/(a + b)))\big)^2 \operatorname{sinh}(1/2 \operatorname{imag\_part}(\arccos(-a/(a \\
& + b) + b/(a + b)))\big)^3 - (a^2 b e^{2c} + a b^2 e^{2c}) \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))\big) \\
& ) \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))\big) + (a^2 b e^{2c} + a b^2 e^{2c}) \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))\big) \operatorname{sinh}(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))\big) \log \\
& (2((a^2 + a b)/(a^2 e^{4c} + a b e^{4c}))^{1/4} \cos(1/2 \arccos(-(a - b)/ \\
& (a + b))) e^{dx} + \sqrt{(a^2 + a b)/(a^2 e^{4c} + a b e^{4c})} + e^{2dx}) / (2 a^3 b e^{2c} + (a^2 e^{2c} - a b e^{2c}) \sqrt{-a b} \operatorname{abs}(a)) - ((a \\
& ^2 b e^{2c} + a b^2 e^{2c}) \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + \\
& b)))\big)^3 \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))\big)^3 - 3(a^2 b e^{2c} + \\
& a b^2 e^{2c}) \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))\big) \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))\big)^3 \sin(1/2 \operatorname{real\_part}(\arccos \\
& (-a/(a + b) + b/(a + b)))\big)^2 - 3(a^2 b e^{2c} + a b^2 e^{2c}) \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))\big)^3 \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))\big)^2 \operatorname{sinh}(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))\big) \\
& + 9(a^2 b e^{2c} + a b^2 e^{2c}) \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))\big) \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))\big)^2 \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))\big)^2 \operatorname{sinh}(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))\big) + 3(a^2 b e^{2c} + a b^2 e^{2c}) \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))\big)^3 \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))\big) \operatorname{sinh}(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))\big)^2 - 9(a^2 b e^{2c} + a b^2 e^{2c}) \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))\big) \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))\big) \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))\big)^2 \operatorname{sinh}(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))\big)^2 - (a^2 b e^{2c} + a b^2 e^{2c}) \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))\big)^3 \operatorname{sinh}(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))\big)^3 + 3(a^2 b e^{2c} + a b^2 e^{2c}) \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))\big) \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))\big)^2 \operatorname{sinh}(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))\big)^3 - (a^2 b e^{2c} + a b^2 e^{2c})
\end{aligned}$$



$$\begin{aligned}
& (2*c)) * \cos(1/2 * \text{real\_part}(\arccos(-a/(a + b) + b/(a + b)))) * \cosh(1/2 * \text{imag\_part} \\
& \text{t}(\arccos(-a/(a + b) + b/(a + b)))) + (a^2 * b * e^{(2*c)} + a * b^2 * e^{(2*c)}) * \cos(1/ \\
& 2 * \text{real\_part}(\arccos(-a/(a + b) + b/(a + b)))) * \sinh(1/2 * \text{imag\_part}(\arccos(-a/( \\
& a + b) + b/(a + b)))) * \log(-2 * ((a^2 + a * b)/(a^2 * e^{(4*c)} + a * b * e^{(4*c)}))^{(1/ \\
& 4)} * \cos(1/2 * \arccos(-(a - b)/(a + b))) * e^{(d*x)} + \sqrt{(a^2 + a * b)/(a^2 * e^{(4*c)} \\
& ) + a * b * e^{(4*c)})} + e^{(2*d*x)}) / (2 * a^3 * b * e^{(2*c)} + (a^2 * e^{(2*c)} - a * b * e^{(2*c)} \\
& )) * \sqrt{-a * b} * \text{abs}(a) + 4 * \log(e^{(d*x + c)} + 1) / a - 4 * \log(\text{abs}(e^{(d*x + c)} - \\
& 1)) / a) / d
\end{aligned}$$

$$3.30 \quad \int \frac{\operatorname{csch}^2(c+dx)}{a+b \tanh^2(c+dx)} dx$$

**Optimal.** Leaf size=48

$$-\frac{\sqrt{b} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{a^{3/2}d} - \frac{\operatorname{coth}(c+dx)}{ad}$$

[Out]  $-\left(\frac{\sqrt{b} \operatorname{ArcTan}\left[\frac{\sqrt{b} \operatorname{Tanh}[c+d*x]}{\sqrt{a}}\right]}{a^{3/2}d}\right) - \operatorname{Coth}[c+d*x]/(a*d)$

**Rubi [A]** time = 0.062818, antiderivative size = 48, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$ , Rules used = {3663, 325, 205}

$$-\frac{\sqrt{b} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{a^{3/2}d} - \frac{\operatorname{coth}(c+dx)}{ad}$$

Antiderivative was successfully verified.

[In] `Int[Csch[c + d*x]^2/(a + b*Tanh[c + d*x]^2), x]`

[Out]  $-\left(\frac{\sqrt{b} \operatorname{ArcTan}\left[\frac{\sqrt{b} \operatorname{Tanh}[c+d*x]}{\sqrt{a}}\right]}{a^{3/2}d}\right) - \operatorname{Coth}[c+d*x]/(a*d)$

### Rule 3663

```
Int[sin[(e_.) + (f_.)*(x_)]^(m_)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)]))^(n_)]^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff^(m + 1))/f, Subst[Int[(x^m*(a + b*(ff*x)^n)^p]/(c^2 + ff^2*x^2)^(m/2 + 1), x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2]
```

### Rule 325

```
Int[((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[((c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] - Dist[(b*(m + n*(p + 1) + 1))/(a*c^n*(m + 1)), Int[(c*x)^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && LtQ[m, -1] && IntBinomialQ[a, b, c, n, m, p, x]
```

Rule 205

$\text{Int}[\frac{(a_+ + (b_+)(x_+)^2)^{-1}}{a, x}] /; \text{FreeQ}\{a, b\}, x\} \ \&\& \ \text{PosQ}[a/b]$

Rubi steps

$$\begin{aligned} \int \frac{\text{csch}^2(c + dx)}{a + b \tanh^2(c + dx)} dx &= \frac{\text{Subst}\left(\int \frac{1}{x^2(a+bx^2)} dx, x, \tanh(c + dx)\right)}{d} \\ &= -\frac{\text{coth}(c + dx)}{ad} - \frac{b \text{Subst}\left(\int \frac{1}{a+bx^2} dx, x, \tanh(c + dx)\right)}{ad} \\ &= -\frac{\sqrt{b} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{a^{3/2}d} - \frac{\text{coth}(c + dx)}{ad} \end{aligned}$$

**Mathematica [A]** time = 0.115079, size = 48, normalized size = 1.

$$-\frac{\sqrt{b} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{a^{3/2}d} - \frac{\text{coth}(c + dx)}{ad}$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]^2/(a + b\*Tanh[c + d\*x]^2), x]

[Out] -((Sqrt[b]\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(a^(3/2)\*d)) - Coth[c + d\*x]/(a\*d)

**Maple [B]** time = 0.076, size = 413, normalized size = 8.6

$$-\frac{1}{2da} \tanh\left(\frac{dx}{2} + \frac{c}{2}\right) + \frac{b}{d} \text{Artanh}\left(a \tanh\left(\frac{dx}{2} + \frac{c}{2}\right) \frac{1}{\sqrt{(2\sqrt{b}(a+b) - a - 2b)a}}\right) \frac{1}{\sqrt{b(a+b)}} \frac{1}{\sqrt{(2\sqrt{b}(a+b) - a - 2b)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csch(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2), x)

```
[Out] -1/2/d/a*tanh(1/2*d*x+1/2*c)+1/d*b/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*arctanh(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))-1/d*b/a/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*arctanh(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))+1/d/(b*(a+b))^(1/2)/a/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*arctanh(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))*b^2+1/d*b/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*arctan(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))+1/d*b/a/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*arctan(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))+1/d/(b*(a+b))^(1/2)/a/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*arctan(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))*b^2-1/2/d/a/tanh(1/2*d*x+1/2*c)
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(csch(d*x+c)^2/(a+b*tanh(d*x+c)^2),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [B]** time = 2.20358, size = 1636, normalized size = 34.08

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(csch(d*x+c)^2/(a+b*tanh(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] [1/2*((cosh(d*x + c)^2 + 2*cosh(d*x + c)*sinh(d*x + c) + sinh(d*x + c)^2 - 1)*sqrt(-b/a)*log(((a^2 + 2*a*b + b^2)*cosh(d*x + c)^4 + 4*(a^2 + 2*a*b + b^2)*cosh(d*x + c)*sinh(d*x + c)^3 + (a^2 + 2*a*b + b^2)*sinh(d*x + c)^4 + 2*(a^2 - b^2)*cosh(d*x + c)^2 + 2*(3*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^2 + a^2 - b^2)*sinh(d*x + c)^2 + a^2 - 6*a*b + b^2 + 4*((a^2 + 2*a*b + b^2)*cosh(d*x + c)^3 + (a^2 - b^2)*cosh(d*x + c))*sinh(d*x + c) - 4*((a^2 + a*b)*cosh(d*x + c)^2 + 2*(a^2 + a*b)*cosh(d*x + c)*sinh(d*x + c) + (a^2 + a*b)*sinh(d*x + c)^2 + a^2 - a*b)*sqrt(-b/a))/((a + b)*cosh(d*x + c)^4 + 4*(a + b)*cosh(d*x + c)*sinh(d*x + c)^3 + (a + b)*sinh(d*x + c)^4 + 2*(a - b)*cosh(d*x + c)^2 + 2*(3*(a + b)*cosh(d*x + c)^2 + a - b)*sinh(d*x + c)^2 + 4*((a + b
```

)\*cosh(d\*x + c)^3 + (a - b)\*cosh(d\*x + c))\*sinh(d\*x + c) + a + b)) - 4)/(a\*d\*cosh(d\*x + c)^2 + 2\*a\*d\*cosh(d\*x + c)\*sinh(d\*x + c) + a\*d\*sinh(d\*x + c)^2 - a\*d), -((cosh(d\*x + c)^2 + 2\*cosh(d\*x + c)\*sinh(d\*x + c) + sinh(d\*x + c)^2 - 1)\*sqrt(b/a)\*arctan(1/2\*((a + b)\*cosh(d\*x + c)^2 + 2\*(a + b)\*cosh(d\*x + c)\*sinh(d\*x + c) + (a + b)\*sinh(d\*x + c)^2 + a - b)\*sqrt(b/a)/b) + 2)/(a\*d\*cosh(d\*x + c)^2 + 2\*a\*d\*cosh(d\*x + c)\*sinh(d\*x + c) + a\*d\*sinh(d\*x + c)^2 - a\*d)]

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{csch}^2(c + dx)}{a + b \tanh^2(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*\*2/(a+b\*tanh(d\*x+c)\*\*2), x)

[Out] Integral(csch(c + d\*x)\*\*2/(a + b\*tanh(c + d\*x)\*\*2), x)

**Giac [A]** time = 1.42002, size = 93, normalized size = 1.94

$$-\frac{b \arctan\left(\frac{ae^{(2dx+2c)} + be^{(2dx+2c)} + a - b}{2\sqrt{ab}}\right)}{\sqrt{aba}} + \frac{2}{a(e^{(2dx+2c)} - 1)}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2), x, algorithm="giac")

[Out] -(b\*arctan(1/2\*(a\*e^(2\*d\*x + 2\*c) + b\*e^(2\*d\*x + 2\*c) + a - b)/sqrt(a\*b)))/(sqrt(a\*b)\*a) + 2/(a\*(e^(2\*d\*x + 2\*c) - 1))/d

$$3.31 \quad \int \frac{\operatorname{csch}^3(c+dx)}{a+b \tanh^2(c+dx)} dx$$

**Optimal.** Leaf size=85

$$\frac{(a+2b) \tanh^{-1}(\cosh(c+dx))}{2a^2d} - \frac{\sqrt{b}\sqrt{a+b} \tanh^{-1}\left(\frac{\sqrt{b}\operatorname{sech}(c+dx)}{\sqrt{a+b}}\right)}{a^2d} - \frac{\coth(c+dx)\operatorname{csch}(c+dx)}{2ad}$$

[Out] ((a + 2\*b)\*ArcTanh[Cosh[c + d\*x]])/(2\*a^2\*d) - (Sqrt[b]\*Sqrt[a + b]\*ArcTanh[(Sqrt[b]\*Sech[c + d\*x])/Sqrt[a + b]])/(a^2\*d) - (Coth[c + d\*x]\*Csch[c + d\*x])/(2\*a\*d)

**Rubi [A]** time = 0.118728, antiderivative size = 85, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {3664, 471, 522, 207, 208}

$$\frac{(a+2b) \tanh^{-1}(\cosh(c+dx))}{2a^2d} - \frac{\sqrt{b}\sqrt{a+b} \tanh^{-1}\left(\frac{\sqrt{b}\operatorname{sech}(c+dx)}{\sqrt{a+b}}\right)}{a^2d} - \frac{\coth(c+dx)\operatorname{csch}(c+dx)}{2ad}$$

Antiderivative was successfully verified.

[In] Int[Csch[c + d\*x]^3/(a + b\*Tanh[c + d\*x]^2), x]

[Out] ((a + 2\*b)\*ArcTanh[Cosh[c + d\*x]])/(2\*a^2\*d) - (Sqrt[b]\*Sqrt[a + b]\*ArcTanh[(Sqrt[b]\*Sech[c + d\*x])/Sqrt[a + b]])/(a^2\*d) - (Coth[c + d\*x]\*Csch[c + d\*x])/(2\*a\*d)

### Rule 3664

Int[sin[(e\_.) + (f\_.)\*(x\_)]^(m\_.)\*((a\_.) + (b\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]^2)^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Sec[e + f\*x], x]}, Dist[1/(f\*ff^m), Subst[Int[((-1 + ff^2\*x^2)^((m - 1)/2)\*(a - b + b\*ff^2\*x^2)^p]/x^(m + 1), x], x, Sec[e + f\*x]/ff], x] /; FreeQ[{a, b, e, f, p}, x] && IntegerQ[(m - 1)/2]

### Rule 471

Int[((e\_.)\*(x\_))^(m\_.)\*((a\_.) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_.) + (d\_.)\*(x\_)^(n\_))^(q\_), x\_Symbol] :> Simp[(e^(n - 1)\*(e\*x)^(m - n + 1)\*(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^(q + 1))/(n\*(b\*c - a\*d)\*(p + 1)), x] - Dist[e^n/(n\*(b\*c - a\*d)\*(p + 1)), Int[(e\*x)^(m - n)\*(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^q\*Simp[c\*(m -

```
n + 1) + d*(m + n*(p + q + 1) + 1)*x^n, x], x] /; FreeQ[{a, b, c, d, e,
q}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LtQ[p, -1] && GeQ[n, m - n +
1] && GtQ[m - n + 1, 0] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]
```

### Rule 522

```
Int[((e_) + (f_)*(x_)^(n_))/(((a_) + (b_)*(x_)^(n_))*((c_) + (d_)*(x_)^(
n_))), x_Symbol] := Dist[(b*e - a*f)/(b*c - a*d), Int[1/(a + b*x^n), x], x]
- Dist[(d*e - c*f)/(b*c - a*d), Int[1/(c + d*x^n), x], x] /; FreeQ[{a, b,
c, d, e, f, n}, x]
```

### Rule 207

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a
, 0] || GtQ[b, 0])
```

### Rule 208

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

### Rubi steps

$$\begin{aligned} \int \frac{\operatorname{csch}^3(c+dx)}{a+b \tanh^2(c+dx)} dx &= -\frac{\operatorname{Subst}\left(\int \frac{x^2}{(-1+x^2)^2(a+b-bx^2)} dx, x, \operatorname{sech}(c+dx)\right)}{d} \\ &= -\frac{\operatorname{coth}(c+dx)\operatorname{csch}(c+dx)}{2ad} - \frac{\operatorname{Subst}\left(\int \frac{a+b+bx^2}{(-1+x^2)(a+b-bx^2)} dx, x, \operatorname{sech}(c+dx)\right)}{2ad} \\ &= -\frac{\operatorname{coth}(c+dx)\operatorname{csch}(c+dx)}{2ad} - \frac{(b(a+b)) \operatorname{Subst}\left(\int \frac{1}{a+b-bx^2} dx, x, \operatorname{sech}(c+dx)\right)}{a^2d} - \frac{(a+2b)}{2ad} \\ &= \frac{(a+2b) \tanh^{-1}(\cosh(c+dx))}{2a^2d} - \frac{\sqrt{b}\sqrt{a+b} \tanh^{-1}\left(\frac{\sqrt{b}\operatorname{sech}(c+dx)}{\sqrt{a+b}}\right)}{a^2d} - \frac{\operatorname{coth}(c+dx)\operatorname{csch}(c+dx)}{2ad} \end{aligned}$$

**Mathematica [C]** time = 0.638159, size = 170, normalized size = 2.

$$\frac{8i\sqrt{b}\sqrt{a+b} \tan^{-1}\left(\frac{-\sqrt{a} \tanh\left(\frac{1}{2}(c+dx)\right) - i\sqrt{a+b}}{\sqrt{b}}\right) + 8i\sqrt{b}\sqrt{a+b} \tan^{-1}\left(\frac{\sqrt{a} \tanh\left(\frac{1}{2}(c+dx)\right) - i\sqrt{a+b}}{\sqrt{b}}\right) + a\operatorname{csch}^2\left(\frac{1}{2}(c+dx)\right) + a\operatorname{sech}^2\left(\frac{1}{2}(c+dx)\right)}{8a^2d}$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]^3/(a + b\*Tanh[c + d\*x]^2), x]

[Out]  $-\frac{((8*I)*\sqrt{b}*\sqrt{a+b}*\text{ArcTan}[((-I)*\sqrt{a+b} - \sqrt{a}*\text{Tanh}[(c+d*x)/2])/\sqrt{b}]}{\sqrt{b}} + \frac{(8*I)*\sqrt{b}*\sqrt{a+b}*\text{ArcTan}[((-I)*\sqrt{a+b} + \sqrt{a}*\text{Tanh}[(c+d*x)/2])/\sqrt{b}}{\sqrt{b}} + a*\text{Csch}[(c+d*x)/2]^2 + 4*a*\text{Log}[\text{Tanh}[(c+d*x)/2]] + 8*b*\text{Log}[\text{Tanh}[(c+d*x)/2]] + a*\text{Sech}[(c+d*x)/2]^2/(8*a^2*d)$

**Maple [B]** time = 0.077, size = 181, normalized size = 2.1

$$\frac{1}{8da} \left( \tanh\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^2 - \frac{b}{da} \text{Artanh}\left(\frac{1}{4} \left( 2 \left( \tanh\left(\frac{1}{2} dx + \frac{c}{2}\right) \right)^2 a + 2a + 4b \right) \frac{1}{\sqrt{ab+b^2}} \right) \frac{1}{\sqrt{ab+b^2}} - \frac{b^2}{da^2} \text{Artanh}\left(\frac{1}{4} \left( \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csch(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2), x)

[Out]  $\frac{1}{8} \frac{d}{a} \tanh\left(\frac{1}{2} d*x + \frac{1}{2} c\right)^2 - \frac{1}{d} \frac{a*b}{(a*b+b^2)^{(1/2)}} \text{arctanh}\left(\frac{1}{4} * (2 * \tanh\left(\frac{1}{2} d*x + \frac{1}{2} c\right)^2 * a + 2*a + 4*b) / (a*b+b^2)^{(1/2)}\right) - \frac{1}{d} \frac{b^2}{a^2} \frac{1}{(a*b+b^2)^{(1/2)}} \text{arctanh}\left(\frac{1}{4} * (2 * \tanh\left(\frac{1}{2} d*x + \frac{1}{2} c\right)^2 * a + 2*a + 4*b) / (a*b+b^2)^{(1/2)}\right) - \frac{1}{8} \frac{d}{a} \frac{1}{\tanh\left(\frac{1}{2} d*x + \frac{1}{2} c\right)^2} - \frac{1}{2} \frac{d}{a} \ln\left(\tanh\left(\frac{1}{2} d*x + \frac{1}{2} c\right)\right) - \frac{1}{d} \frac{a^2 * b}{a^2} \ln\left(\tanh\left(\frac{1}{2} d*x + \frac{1}{2} c\right)\right)$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\frac{e^{(3dx+3c)} + e^{(dx+c)}}{ade^{(4dx+4c)} - 2ade^{(2dx+2c)} + ad} + \frac{(a+2b) \log\left(\left(\frac{e^{(dx+c)} + 1}{e^{(-c)}}\right)\right)}{2a^2d} - \frac{(a+2b) \log\left(\left(\frac{e^{(dx+c)} - 1}{e^{(-c)}}\right)\right)}{2a^2d} + 8 \int \frac{1}{4(a^3 + a^2b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2), x, algorithm="maxima")

[Out]  $-\frac{(e^{(3d*x + 3*c)} + e^{(d*x + c)})}{(a*d*e^{(4*d*x + 4*c)} - 2*a*d*e^{(2*d*x + 2*c)} + a*d)} + \frac{1}{2} * (a + 2*b) * \log\left(\frac{e^{(d*x + c)} + 1}{e^{(-c)}}\right) / (a^2*d) - \frac{1}{2} * (a + 2*b) * \log\left(\frac{e^{(d*x + c)} - 1}{e^{(-c)}}\right) / (a^2*d) + 8 * \text{integrate}\left(\frac{1}{4} * ((a*b*e^{(3*c)} + b^2*e^{(3*c)}) * e^{(3*d*x)} - (a*b*e^{(c)} + b^2*e^{(c)}) * e^{(d*x)}) / (a^3 + a^2*b + (a^3 * e^{(4*c)} + a^2*b * e^{(4*c)}) * e^{(4*d*x)} + 2 * (a^3 * e^{(2*c)} - a^2*b * e^{(2*c)}) * e^{(2*d*x)}\right)$



d\*x)), x)

---

**Fricas [B]** time = 2.6513, size = 4872, normalized size = 57.32

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2),x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [-1/2*(2*a*cosh(d*x + c)^3 + 6*a*cosh(d*x + c)*sinh(d*x + c)^2 + 2*a*sinh(d \\ & *x + c)^3 - (cosh(d*x + c)^4 + 4*cosh(d*x + c)*sinh(d*x + c)^3 + sinh(d*x + \\ & c)^4 + 2*(3*cosh(d*x + c)^2 - 1)*sinh(d*x + c)^2 - 2*cosh(d*x + c)^2 + 4*( \\ & cosh(d*x + c)^3 - cosh(d*x + c))*sinh(d*x + c) + 1)*sqrt(a*b + b^2)*log(((a \\ & + b)*cosh(d*x + c)^4 + 4*(a + b)*cosh(d*x + c)*sinh(d*x + c)^3 + (a + b)*s \\ & inh(d*x + c)^4 + 2*(a + 3*b)*cosh(d*x + c)^2 + 2*(3*(a + b)*cosh(d*x + c)^2 \\ & + a + 3*b)*sinh(d*x + c)^2 + 4*((a + b)*cosh(d*x + c)^3 + (a + 3*b)*cosh(d \\ & *x + c))*sinh(d*x + c) - 4*(cosh(d*x + c)^3 + 3*cosh(d*x + c)*sinh(d*x + c) \\ & ^2 + sinh(d*x + c)^3 + (3*cosh(d*x + c)^2 + 1)*sinh(d*x + c) + cosh(d*x + c \\ & ))*sqrt(a*b + b^2) + a + b)/((a + b)*cosh(d*x + c)^4 + 4*(a + b)*cosh(d*x + \\ & c)*sinh(d*x + c)^3 + (a + b)*sinh(d*x + c)^4 + 2*(a - b)*cosh(d*x + c)^2 + \\ & 2*(3*(a + b)*cosh(d*x + c)^2 + a - b)*sinh(d*x + c)^2 + 4*((a + b)*cosh(d* \\ & x + c)^3 + (a - b)*cosh(d*x + c))*sinh(d*x + c) + a + b)) + 2*a*cosh(d*x + \\ & c) - ((a + 2*b)*cosh(d*x + c)^4 + 4*(a + 2*b)*cosh(d*x + c)*sinh(d*x + c)^3 \\ & + (a + 2*b)*sinh(d*x + c)^4 - 2*(a + 2*b)*cosh(d*x + c)^2 + 2*(3*(a + 2*b) \\ & *cosh(d*x + c)^2 - a - 2*b)*sinh(d*x + c)^2 + 4*((a + 2*b)*cosh(d*x + c)^3 \\ & - (a + 2*b)*cosh(d*x + c))*sinh(d*x + c) + a + 2*b)*log(cosh(d*x + c) + sin \\ & h(d*x + c) + 1) + ((a + 2*b)*cosh(d*x + c)^4 + 4*(a + 2*b)*cosh(d*x + c)*si \\ & nh(d*x + c)^3 + (a + 2*b)*sinh(d*x + c)^4 - 2*(a + 2*b)*cosh(d*x + c)^2 + 2 \\ & *(3*(a + 2*b)*cosh(d*x + c)^2 - a - 2*b)*sinh(d*x + c)^2 + 4*((a + 2*b)*cos \\ & h(d*x + c)^3 - (a + 2*b)*cosh(d*x + c))*sinh(d*x + c) + a + 2*b)*log(cosh(d \\ & *x + c) + sinh(d*x + c) - 1) + 2*(3*a*cosh(d*x + c)^2 + a)*sinh(d*x + c))/( \\ & a^2*d*cosh(d*x + c)^4 + 4*a^2*d*cosh(d*x + c)*sinh(d*x + c)^3 + a^2*d*sinh( \\ & d*x + c)^4 - 2*a^2*d*cosh(d*x + c)^2 + a^2*d + 2*(3*a^2*d*cosh(d*x + c)^2 - \\ & a^2*d)*sinh(d*x + c)^2 + 4*(a^2*d*cosh(d*x + c)^3 - a^2*d*cosh(d*x + c))*s \\ & inh(d*x + c)), -1/2*(2*a*cosh(d*x + c)^3 + 6*a*cosh(d*x + c)*sinh(d*x + c)^2 \\ & + 2*a*sinh(d*x + c)^3 + 2*(cosh(d*x + c)^4 + 4*cosh(d*x + c)*sinh(d*x + c \\ & )^3 + sinh(d*x + c)^4 + 2*(3*cosh(d*x + c)^2 - 1)*sinh(d*x + c)^2 - 2*cosh( \\ & d*x + c)^2 + 4*(cosh(d*x + c)^3 - cosh(d*x + c))*sinh(d*x + c) + 1)*sqrt(-a \\ & *b - b^2)*arctan(1/2*((a + b)*cosh(d*x + c)^3 + 3*(a + b)*cosh(d*x + c)*sin \\ & h(d*x + c)^2 + (a + b)*sinh(d*x + c)^3 + (a - 3*b)*cosh(d*x + c) + (3*(a + \\ & b)*cosh(d*x + c)^2 + a - 3*b)*sinh(d*x + c))*sqrt(-a*b - b^2)/(a*b + b^2)) \end{aligned}$$

```

- 2*(cosh(d*x + c)^4 + 4*cosh(d*x + c)*sinh(d*x + c)^3 + sinh(d*x + c)^4 +
2*(3*cosh(d*x + c)^2 - 1)*sinh(d*x + c)^2 - 2*cosh(d*x + c)^2 + 4*(cosh(d*x
+ c)^3 - cosh(d*x + c))*sinh(d*x + c) + 1)*sqrt(-a*b - b^2)*arctan(1/2*sqrt
(-a*b - b^2)*(cosh(d*x + c) + sinh(d*x + c))/b) + 2*a*cosh(d*x + c) - ((a
+ 2*b)*cosh(d*x + c)^4 + 4*(a + 2*b)*cosh(d*x + c)*sinh(d*x + c)^3 + (a + 2
*b)*sinh(d*x + c)^4 - 2*(a + 2*b)*cosh(d*x + c)^2 + 2*(3*(a + 2*b)*cosh(d*x
+ c)^2 - a - 2*b)*sinh(d*x + c)^2 + 4*((a + 2*b)*cosh(d*x + c)^3 - (a + 2*
b)*cosh(d*x + c))*sinh(d*x + c) + a + 2*b)*log(cosh(d*x + c) + sinh(d*x + c
) + 1) + ((a + 2*b)*cosh(d*x + c)^4 + 4*(a + 2*b)*cosh(d*x + c)*sinh(d*x +
c)^3 + (a + 2*b)*sinh(d*x + c)^4 - 2*(a + 2*b)*cosh(d*x + c)^2 + 2*(3*(a +
2*b)*cosh(d*x + c)^2 - a - 2*b)*sinh(d*x + c)^2 + 4*((a + 2*b)*cosh(d*x + c
)^3 - (a + 2*b)*cosh(d*x + c))*sinh(d*x + c) + a + 2*b)*log(cosh(d*x + c) +
sinh(d*x + c) - 1) + 2*(3*a*cosh(d*x + c)^2 + a)*sinh(d*x + c))/(a^2*d*cos
h(d*x + c)^4 + 4*a^2*d*cosh(d*x + c)*sinh(d*x + c)^3 + a^2*d*sinh(d*x + c)^
4 - 2*a^2*d*cosh(d*x + c)^2 + a^2*d + 2*(3*a^2*d*cosh(d*x + c)^2 - a^2*d)*s
inh(d*x + c)^2 + 4*(a^2*d*cosh(d*x + c)^3 - a^2*d*cosh(d*x + c))*sinh(d*x +
c))]

```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{csch}^3(c + dx)}{a + b \tanh^2(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(csch(d*x+c)**3/(a+b*tanh(d*x+c)**2), x)
```

```
[Out] Integral(csch(c + d*x)**3/(a + b*tanh(c + d*x)**2), x)
```

**Giac [C]** time = 1.82166, size = 7173, normalized size = 84.39

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(csch(d*x+c)^3/(a+b*tanh(d*x+c)^2), x, algorithm="giac")
```

```
[Out] 1/4*(2*(3*(2*a^3*b^2 + 4*a^2*b^3 + 2*a*b^4 + (a^3*b + a^2*b^2 - a*b^3 - b^4
)*sqrt(-a*b))*cos(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))^2*cosh(1/2
```

```

*imag_part(arccos(-a/(a + b) + b/(a + b))))^3*sin(1/2*real_part(arccos(-a/(
a + b) + b/(a + b)))) - (2*a^3*b^2 + 4*a^2*b^3 + 2*a*b^4 + (a^3*b + a^2*b^2
- a*b^3 - b^4)*sqrt(-a*b))*cosh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b
))))^3*sin(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))^3 - 9*(2*a^3*b^2
+ 4*a^2*b^3 + 2*a*b^4 + (a^3*b + a^2*b^2 - a*b^3 - b^4)*sqrt(-a*b))*cos(1/2
*real_part(arccos(-a/(a + b) + b/(a + b))))^2*cosh(1/2*imag_part(arccos(-a/
(a + b) + b/(a + b))))^2*sin(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))
*sinh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b)))) + 3*(2*a^3*b^2 + 4*a^2
*b^3 + 2*a*b^4 + (a^3*b + a^2*b^2 - a*b^3 - b^4)*sqrt(-a*b))*cosh(1/2*imag_
part(arccos(-a/(a + b) + b/(a + b))))^2*sin(1/2*real_part(arccos(-a/(a + b)
+ b/(a + b))))^3*sinh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b)))) + 9*(
2*a^3*b^2 + 4*a^2*b^3 + 2*a*b^4 + (a^3*b + a^2*b^2 - a*b^3 - b^4)*sqrt(-a*b
))*cos(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))^2*cosh(1/2*imag_part(
arccos(-a/(a + b) + b/(a + b))))*sin(1/2*real_part(arccos(-a/(a + b) + b/(a
+ b))))*sinh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b))))^2 - 3*(2*a^3*b
^2 + 4*a^2*b^3 + 2*a*b^4 + (a^3*b + a^2*b^2 - a*b^3 - b^4)*sqrt(-a*b))*cosh
(1/2*imag_part(arccos(-a/(a + b) + b/(a + b))))*sin(1/2*real_part(arccos(-a
/(a + b) + b/(a + b))))^3*sinh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b)
)))^2 - 3*(2*a^3*b^2 + 4*a^2*b^3 + 2*a*b^4 + (a^3*b + a^2*b^2 - a*b^3 - b^4)
)*sqrt(-a*b))*cos(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))^2*sin(1/2*r
eal_part(arccos(-a/(a + b) + b/(a + b))))*sinh(1/2*imag_part(arccos(-a/(a +
b) + b/(a + b))))^3 + (2*a^3*b^2 + 4*a^2*b^3 + 2*a*b^4 + (a^3*b + a^2*b^2
- a*b^3 - b^4)*sqrt(-a*b))*sin(1/2*real_part(arccos(-a/(a + b) + b/(a + b)
)))^3*sinh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b))))^3 - (2*a^3*b^2 + 4
*a^2*b^3 + 2*a*b^4 + (a^3*b + a^2*b^2 - a*b^3 - b^4)*sqrt(-a*b))*cosh(1/2*i
mag_part(arccos(-a/(a + b) + b/(a + b))))*sin(1/2*real_part(arccos(-a/(a +
b) + b/(a + b)))) + (2*a^3*b^2 + 4*a^2*b^3 + 2*a*b^4 + (a^3*b + a^2*b^2 - a
*b^3 - b^4)*sqrt(-a*b))*sin(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))*
sinh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b))))*arctan((((a^3 + a^2*b)
/(a^3*e^(4*c) + a^2*b*e^(4*c)))^(1/4)*cos(1/2*arccos(-(a - b)/(a + b))) + e
^(d*x))/((((a^3 + a^2*b)/(a^3*e^(4*c) + a^2*b*e^(4*c)))^(1/4)*sin(1/2*arccos
(-(a - b)/(a + b)))))/(a^5*b + 2*a^4*b^2 + a^3*b^3) + 2*(3*(2*a^3*b^2 + 4*a
^2*b^3 + 2*a*b^4 + (a^3*b + a^2*b^2 - a*b^3 - b^4)*sqrt(-a*b))*cos(1/2*real
_part(arccos(-a/(a + b) + b/(a + b))))^2*cosh(1/2*imag_part(arccos(-a/(a +
b) + b/(a + b))))^3*sin(1/2*real_part(arccos(-a/(a + b) + b/(a + b)))) - (2
*a^3*b^2 + 4*a^2*b^3 + 2*a*b^4 + (a^3*b + a^2*b^2 - a*b^3 - b^4)*sqrt(-a*b)
)*cosh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b))))^3*sin(1/2*real_part(a
rccos(-a/(a + b) + b/(a + b))))^3 - 9*(2*a^3*b^2 + 4*a^2*b^3 + 2*a*b^4 + (a
^3*b + a^2*b^2 - a*b^3 - b^4)*sqrt(-a*b))*cos(1/2*real_part(arccos(-a/(a +
b) + b/(a + b))))^2*cosh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b))))^2*s
in(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))*sinh(1/2*imag_part(arccos
(-a/(a + b) + b/(a + b)))) + 3*(2*a^3*b^2 + 4*a^2*b^3 + 2*a*b^4 + (a^3*b +
a^2*b^2 - a*b^3 - b^4)*sqrt(-a*b))*cosh(1/2*imag_part(arccos(-a/(a + b) + b
/(a + b))))^2*sin(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))^3*sinh(1/2
*imag_part(arccos(-a/(a + b) + b/(a + b)))) + 9*(2*a^3*b^2 + 4*a^2*b^3 + 2*

```

$$\begin{aligned}
& a^3b^4 + (a^3b + a^2b^2 - ab^3 - b^4)\sqrt{-ab})\cos(1/2\operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2\cosh(1/2\operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))\sin(1/2\operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))\sinh(1/2\operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - 3(2a^3b^2 + 4a^2b^3 + 2ab^4 + (a^3b + a^2b^2 - ab^3 - b^4)\sqrt{-ab})\cosh(1/2\operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))\sin(1/2\operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3\sinh(1/2\operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - 3(2a^3b^2 + 4a^2b^3 + 2ab^4 + (a^3b + a^2b^2 - ab^3 - b^4)\sqrt{-ab})\cos(1/2\operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2\sin(1/2\operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))\sinh(1/2\operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 + (2a^3b^2 + 4a^2b^3 + 2ab^4 + (a^3b + a^2b^2 - ab^3 - b^4)\sqrt{-ab})\sin(1/2\operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3\sinh(1/2\operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 - (2a^3b^2 + 4a^2b^3 + 2ab^4 + (a^3b + a^2b^2 - ab^3 - b^4)\sqrt{-ab})\cosh(1/2\operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))\sin(1/2\operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) + (2a^3b^2 + 4a^2b^3 + 2ab^4 + (a^3b + a^2b^2 - ab^3 - b^4)\sqrt{-ab})\sin(1/2\operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))\sinh(1/2\operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))\arctan(-((a^3 + a^2b)/(a^3e^{4c} + a^2be^{4c}))^{1/4}\cos(1/2\arccos(-(a-b)/(a+b))) - e^{dx})/(((a^3 + a^2b)/(a^3e^{4c} + a^2be^{4c}))^{1/4}\sin(1/2\arccos(-(a-b)/(a+b)))))/(a^5b + 2a^4b^2 + a^3b^3) + ((2a^3b^2 + 4a^2b^3 + 2ab^4 + (a^3b + a^2b^2 - ab^3 - b^4)\sqrt{-ab})\cos(1/2\operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3\cosh(1/2\operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 - 3(2a^3b^2 + 4a^2b^3 + 2ab^4 + (a^3b + a^2b^2 - ab^3 - b^4)\sqrt{-ab})\cos(1/2\operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))\cosh(1/2\operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3\sin(1/2\operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - 3(2a^3b^2 + 4a^2b^3 + 2ab^4 + (a^3b + a^2b^2 - ab^3 - b^4)\sqrt{-ab})\cos(1/2\operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3\cosh(1/2\operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2\sinh(1/2\operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) + 9(2a^3b^2 + 4a^2b^3 + 2ab^4 + (a^3b + a^2b^2 - ab^3 - b^4)\sqrt{-ab})\cos(1/2\operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))\cosh(1/2\operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2\sin(1/2\operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2\sinh(1/2\operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) + 3(2a^3b^2 + 4a^2b^3 + 2ab^4 + (a^3b + a^2b^2 - ab^3 - b^4)\sqrt{-ab})\cos(1/2\operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3\cosh(1/2\operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))\sinh(1/2\operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - 9(2a^3b^2 + 4a^2b^3 + 2ab^4 + (a^3b + a^2b^2 - ab^3 - b^4)\sqrt{-ab})\cos(1/2\operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))\cosh(1/2\operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))\sin(1/2\operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2\sinh(1/2\operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - (2a^3b^2 + 4a^2b^3 + 2ab^4 + (a^3b + a^2b^2 - ab^3 - b^4)\sqrt{-ab})\cos(1/2\operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3\sinh(1/2\operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 + 3(2a^3b^2 + 4a^2b^3 + 2ab^4 + (a^3b + a^2b^2 - ab^3 - b^4)\sqrt{-ab})\cos(1/2\operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))\sin(1/2\operatorname{real\_part}(\arccos(-
\end{aligned}$$

$$\begin{aligned}
& a/(a + b) + b/(a + b))\big)^2 \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))\big)^3 - (2a^3b^2 + 4a^2b^3 + 2ab^4 + (a^3b + a^2b^2 - ab^3 - b^4) \sqrt{-ab}) \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))\big) \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))\big) + (2a^3b^2 + 4a^2b^3 + 2ab^4 + (a^3b + a^2b^2 - ab^3 - b^4) \sqrt{-ab}) \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))\big) \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))\big) \log(2((a^3 + a^2b)/(a^3e^{4c} + a^2be^{4c}))^{1/4} \cos(1/2 \arccos(-(a - b)/(a + b)))e^{dx} + \sqrt{(a^3 + a^2b)/(a^3e^{4c} + a^2be^{4c})}) + e^{(2dx)})/(a^5b + 2a^4b^2 + a^3b^3) - ((2a^3b^2 + 4a^2b^3 + 2ab^4 + (a^3b + a^2b^2 - ab^3 - b^4) \sqrt{-ab}) \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))\big)^3 \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))\big)^3 - 3(2a^3b^2 + 4a^2b^3 + 2ab^4 + (a^3b + a^2b^2 - ab^3 - b^4) \sqrt{-ab}) \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))\big) \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))\big)^3 \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))\big)^2 - 3(2a^3b^2 + 4a^2b^3 + 2ab^4 + (a^3b + a^2b^2 - ab^3 - b^4) \sqrt{-ab}) \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))\big)^3 \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))\big)^2 \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))\big) + 9(2a^3b^2 + 4a^2b^3 + 2ab^4 + (a^3b + a^2b^2 - ab^3 - b^4) \sqrt{-ab}) \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))\big) \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))\big)^2 \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))\big)^2 \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))\big) + 3(2a^3b^2 + 4a^2b^3 + 2ab^4 + (a^3b + a^2b^2 - ab^3 - b^4) \sqrt{-ab}) \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))\big)^3 \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))\big) \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))\big)^2 - 9(2a^3b^2 + 4a^2b^3 + 2ab^4 + (a^3b + a^2b^2 - ab^3 - b^4) \sqrt{-ab}) \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))\big) \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))\big) \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))\big)^2 \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))\big)^2 - (2a^3b^2 + 4a^2b^3 + 2ab^4 + (a^3b + a^2b^2 - ab^3 - b^4) \sqrt{-ab}) \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))\big)^3 \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))\big)^3 + 3(2a^3b^2 + 4a^2b^3 + 2ab^4 + (a^3b + a^2b^2 - ab^3 - b^4) \sqrt{-ab}) \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))\big) \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))\big)^2 \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))\big)^3 - (2a^3b^2 + 4a^2b^3 + 2ab^4 + (a^3b + a^2b^2 - ab^3 - b^4) \sqrt{-ab}) \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))\big) \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))\big) + (2a^3b^2 + 4a^2b^3 + 2ab^4 + (a^3b + a^2b^2 - ab^3 - b^4) \sqrt{-ab}) \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))\big) \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))\big) \log(-2((a^3 + a^2b)/(a^3e^{4c} + a^2be^{4c}))^{1/4} \cos(1/2 \arccos(-(a - b)/(a + b)))e^{dx} + \sqrt{(a^3 + a^2b)/(a^3e^{4c} + a^2be^{4c})}) + e^{(2dx)})/(a^5b + 2a^4b^2 + a^3b^3) + 2(ae^c + 2be^c)e^{-c} \log(e^{(dx + c)} + 1)/a^2 - 2(ae^c + 2be^c)e^{-c} \log(\operatorname{abs}(e^{(dx + c)} - 1))/a^2 - 4(e^{(3dx + 3c)} + e^{(dx + c)})/(a(e^{(2dx + 2c)} - 1)^2))/d
\end{aligned}$$



$$3.32 \quad \int \frac{\operatorname{csch}^4(c+dx)}{a+b \tanh^2(c+dx)} dx$$

**Optimal.** Leaf size=70

$$\frac{(a+b) \operatorname{coth}(c+dx)}{a^2 d} + \frac{\sqrt{b}(a+b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{a^{5/2} d} - \frac{\operatorname{coth}^3(c+dx)}{3ad}$$

[Out] (Sqrt[b]\*(a + b)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(a^(5/2)\*d) + ((a + b)\*Coth[c + d\*x])/(a^2\*d) - Coth[c + d\*x]^3/(3\*a\*d)

**Rubi [A]** time = 0.0875878, antiderivative size = 70, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {3663, 453, 325, 205}

$$\frac{(a+b) \operatorname{coth}(c+dx)}{a^2 d} + \frac{\sqrt{b}(a+b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{a^{5/2} d} - \frac{\operatorname{coth}^3(c+dx)}{3ad}$$

Antiderivative was successfully verified.

[In] Int[Csch[c + d\*x]^4/(a + b\*Tanh[c + d\*x]^2), x]

[Out] (Sqrt[b]\*(a + b)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(a^(5/2)\*d) + ((a + b)\*Coth[c + d\*x])/(a^2\*d) - Coth[c + d\*x]^3/(3\*a\*d)

### Rule 3663

```
Int[sin[(e_.) + (f_.)*(x_)]^(m_.)*((a_.) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)]))^(n_.)]^(p_.), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff^(m + 1))/f, Subst[Int[(x^m*(a + b*(ff*x)^n)^p]/(c^2 + ff^2*x^2)^(m/2 + 1), x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2]
```

### Rule 453

```
Int[((e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_)^(n_.))^(p_.)*((c_.) + (d_.)*(x_)^(n_.)), x_Symbol] :> Simp[(c*(e*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*e*(m + 1)), x] + Dist[(a*d*(m + 1) - b*c*(m + n*(p + 1) + 1))/(a*e^n*(m + 1)), Int[(e*x)^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b*c - a*d, 0] && (IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (
```

LtQ[n, 0] && GtQ[m + n, -1])) && !ILtQ[p, -1]

### Rule 325

```
Int[((c_.)*(x_)^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[((c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] - Dist[(b*(m + n*(p + 1) + 1))/(a*c^n*(m + 1)), Int[(c*x)^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && LtQ[m, -1] && IntBinomialQ[a, b, c, n, m, p, x]
```

### Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

### Rubi steps

$$\begin{aligned} \int \frac{\operatorname{csch}^4(c + dx)}{a + b \tanh^2(c + dx)} dx &= \frac{\operatorname{Subst}\left(\int \frac{1-x^2}{x^4(a+bx^2)} dx, x, \tanh(c + dx)\right)}{d} \\ &= -\frac{\operatorname{coth}^3(c + dx)}{3ad} - \frac{(a + b) \operatorname{Subst}\left(\int \frac{1}{x^2(a+bx^2)} dx, x, \tanh(c + dx)\right)}{ad} \\ &= \frac{(a + b) \operatorname{coth}(c + dx)}{a^2d} - \frac{\operatorname{coth}^3(c + dx)}{3ad} + \frac{(b(a + b)) \operatorname{Subst}\left(\int \frac{1}{a+bx^2} dx, x, \tanh(c + dx)\right)}{a^2d} \\ &= \frac{\sqrt{b}(a + b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{a^{5/2}d} + \frac{(a + b) \operatorname{coth}(c + dx)}{a^2d} - \frac{\operatorname{coth}^3(c + dx)}{3ad} \end{aligned}$$

**Mathematica [A]** time = 0.289309, size = 71, normalized size = 1.01

$$\frac{3\sqrt{b}(a + b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right) + \sqrt{a} \operatorname{coth}(c + dx) (-\operatorname{acsch}^2(c + dx) + 2a + 3b)}{3a^{5/2}d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Csch[c + d*x]^4/(a + b*Tanh[c + d*x]^2), x]
```

```
[Out] (3*Sqrt[b]*(a + b)*ArcTan[(Sqrt[b]*Tanh[c + d*x])/Sqrt[a]] + Sqrt[a]*Coth[c + d*x]*(2*a + 3*b - a*Csch[c + d*x]^2))/(3*a^(5/2)*d)
```



---

**Maple [B]** time = 0.089, size = 750, normalized size = 10.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(\text{csch}(d*x+c)^4/(a+b*\tanh(d*x+c)^2), x)$

[Out] 
$$-1/24/d/a*\tanh(1/2*d*x+1/2*c)^3+3/8/d/a*\tanh(1/2*d*x+1/2*c)+1/2/d/a^2*\tanh(1/2*d*x+1/2*c)*b-1/d*b/(b*(a+b))^{1/2}/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2}*\arctanh(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2})+1/d*b/a/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2}*\arctanh(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2})-2/d/(b*(a+b))^{1/2}/a/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2}*\arctanh(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2})*b^2-1/d*b/(b*(a+b))^{1/2}/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2}*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2})-1/d*b/a/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2}*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2})-2/d/(b*(a+b))^{1/2}/a/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2}*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2})*b^2+1/d/a^2*b^2/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2}*\arctanh(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2})-1/d/a^2*b^3/(b*(a+b))^{1/2}/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2}*\arctanh(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2})-1/d/a^2*b^2/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2}*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2})-1/d/a^2*b^3/(b*(a+b))^{1/2}/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2}*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2})-1/24/d/a/\tanh(1/2*d*x+1/2*c)^3+3/8/d/a/\tanh(1/2*d*x+1/2*c)+1/2/d/a^2/\tanh(1/2*d*x+1/2*c)*b$$

---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\text{csch}(d*x+c)^4/(a+b*\tanh(d*x+c)^2), x, \text{algorithm}="maxima")$

[Out] Exception raised: ValueError

---

**Fricas [B]** time = 2.38569, size = 4307, normalized size = 61.53

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2),x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [1/6*(12*b*cosh(d*x + c)^4 + 48*b*cosh(d*x + c)*sinh(d*x + c)^3 + 12*b*sinh \\ & (d*x + c)^4 - 24*(a + b)*cosh(d*x + c)^2 + 24*(3*b*cosh(d*x + c)^2 - a - b) \\ & *sinh(d*x + c)^2 + 3*((a + b)*cosh(d*x + c)^6 + 6*(a + b)*cosh(d*x + c)*sin \\ & h(d*x + c)^5 + (a + b)*sinh(d*x + c)^6 - 3*(a + b)*cosh(d*x + c)^4 + 3*(5*( \\ & a + b)*cosh(d*x + c)^2 - a - b)*sinh(d*x + c)^4 + 4*(5*(a + b)*cosh(d*x + c \\ & )^3 - 3*(a + b)*cosh(d*x + c))*sinh(d*x + c)^3 + 3*(a + b)*cosh(d*x + c)^2 \\ & + 3*(5*(a + b)*cosh(d*x + c)^4 - 6*(a + b)*cosh(d*x + c)^2 + a + b)*sinh(d* \\ & x + c)^2 + 6*((a + b)*cosh(d*x + c)^5 - 2*(a + b)*cosh(d*x + c)^3 + (a + b) \\ & *cosh(d*x + c))*sinh(d*x + c) - a - b)*sqrt(-b/a)*log(((a^2 + 2*a*b + b^2)* \\ & cosh(d*x + c)^4 + 4*(a^2 + 2*a*b + b^2)*cosh(d*x + c)*sinh(d*x + c)^3 + (a^ \\ & 2 + 2*a*b + b^2)*sinh(d*x + c)^4 + 2*(a^2 - b^2)*cosh(d*x + c)^2 + 2*(3*(a^ \\ & 2 + 2*a*b + b^2)*cosh(d*x + c)^2 + a^2 - b^2)*sinh(d*x + c)^2 + a^2 - 6*a*b \\ & + b^2 + 4*((a^2 + 2*a*b + b^2)*cosh(d*x + c)^3 + (a^2 - b^2)*cosh(d*x + c) \\ & )*sinh(d*x + c) + 4*((a^2 + a*b)*cosh(d*x + c)^2 + 2*(a^2 + a*b)*cosh(d*x + \\ & c)*sinh(d*x + c) + (a^2 + a*b)*sinh(d*x + c)^2 + a^2 - a*b)*sqrt(-b/a))/(( \\ & a + b)*cosh(d*x + c)^4 + 4*(a + b)*cosh(d*x + c)*sinh(d*x + c)^3 + (a + b)* \\ & sinh(d*x + c)^4 + 2*(a - b)*cosh(d*x + c)^2 + 2*(3*(a + b)*cosh(d*x + c)^2 \\ & + a - b)*sinh(d*x + c)^2 + 4*((a + b)*cosh(d*x + c)^3 + (a - b)*cosh(d*x + \\ & c))*sinh(d*x + c) + a + b)) + 48*(b*cosh(d*x + c)^3 - (a + b)*cosh(d*x + c) \\ & )*sinh(d*x + c) + 8*a + 12*b)/(a^2*d*cosh(d*x + c)^6 + 6*a^2*d*cosh(d*x + c \\ & )*sinh(d*x + c)^5 + a^2*d*sinh(d*x + c)^6 - 3*a^2*d*cosh(d*x + c)^4 + 3*a^2 \\ & *d*cosh(d*x + c)^2 + 3*(5*a^2*d*cosh(d*x + c)^2 - a^2*d)*sinh(d*x + c)^4 + \\ & 4*(5*a^2*d*cosh(d*x + c)^3 - 3*a^2*d*cosh(d*x + c))*sinh(d*x + c)^3 - a^2*d \\ & + 3*(5*a^2*d*cosh(d*x + c)^4 - 6*a^2*d*cosh(d*x + c)^2 + a^2*d)*sinh(d*x + \\ & c)^2 + 6*(a^2*d*cosh(d*x + c)^5 - 2*a^2*d*cosh(d*x + c)^3 + a^2*d*cosh(d*x \\ & + c))*sinh(d*x + c)), 1/3*(6*b*cosh(d*x + c)^4 + 24*b*cosh(d*x + c)*sinh(d \\ & *x + c)^3 + 6*b*sinh(d*x + c)^4 - 12*(a + b)*cosh(d*x + c)^2 + 12*(3*b*cosh \\ & (d*x + c)^2 - a - b)*sinh(d*x + c)^2 + 3*((a + b)*cosh(d*x + c)^6 + 6*(a + \\ & b)*cosh(d*x + c)*sinh(d*x + c)^5 + (a + b)*sinh(d*x + c)^6 - 3*(a + b)*cosh \\ & (d*x + c)^4 + 3*(5*(a + b)*cosh(d*x + c)^2 - a - b)*sinh(d*x + c)^4 + 4*(5* \\ & (a + b)*cosh(d*x + c)^3 - 3*(a + b)*cosh(d*x + c))*sinh(d*x + c)^3 + 3*(a + \\ & b)*cosh(d*x + c)^2 + 3*(5*(a + b)*cosh(d*x + c)^4 - 6*(a + b)*cosh(d*x + c \\ & )^2 + a + b)*sinh(d*x + c)^2 + 6*((a + b)*cosh(d*x + c)^5 - 2*(a + b)*cosh( \\ & d*x + c)^3 + (a + b)*cosh(d*x + c))*sinh(d*x + c) - a - b)*sqrt(b/a)*arctan \\ & (1/2*((a + b)*cosh(d*x + c)^2 + 2*(a + b)*cosh(d*x + c)*sinh(d*x + c) + (a \\ & + b)*sinh(d*x + c)^2 + a - b)*sqrt(b/a)/b) + 24*(b*cosh(d*x + c)^3 - (a + b) \end{aligned}$$

) $\cosh(dx + c)$ ) $\sinh(dx + c) + 4a + 6b)/(a^2d\cosh(dx + c)^6 + 6a^2d\cosh(dx + c)\sinh(dx + c)^5 + a^2d\sinh(dx + c)^6 - 3a^2d\cosh(dx + c)^4 + 3a^2d\cosh(dx + c)^2 + 3(5a^2d\cosh(dx + c)^2 - a^2d)\sinh(dx + c)^4 + 4(5a^2d\cosh(dx + c)^3 - 3a^2d\cosh(dx + c))\sinh(dx + c)^3 - a^2d + 3(5a^2d\cosh(dx + c)^4 - 6a^2d\cosh(dx + c)^2 + a^2d)\sinh(dx + c)^2 + 6(a^2d\cosh(dx + c)^5 - 2a^2d\cosh(dx + c)^3 + a^2d\cosh(dx + c))\sinh(dx + c))]$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{csch}^4(c + dx)}{a + b \tanh^2(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*\*4/(a+b\*tanh(d\*x+c)\*\*2), x)

[Out] Integral(csch(c + d\*x)\*\*4/(a + b\*tanh(c + d\*x)\*\*2), x)

**Giac [B]** time = 1.4188, size = 178, normalized size = 2.54

$$\frac{3(abe^{2c} + b^2e^{2c}) \arctan\left(\frac{ae^{2dx+2c} + be^{2dx+2c} + a - b}{2\sqrt{ab}}\right) e^{-2c}}{\sqrt{aba^2}} + \frac{2(3be^{4dx+4c} - 6ae^{2dx+2c} - 6be^{2dx+2c} + 2a + 3b)}{a^2(e^{2dx+2c} - 1)^3}$$

$3d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2), x, algorithm="giac")

[Out]  $\frac{1}{3} * (3 * (a * b * e^{(2 * c)} + b^2 * e^{(2 * c)}) * \arctan(1/2 * (a * e^{(2 * d * x + 2 * c)} + b * e^{(2 * d * x + 2 * c)} + a - b) / \sqrt{a * b}) * e^{(-2 * c)} / (\sqrt{a * b} * a^2) + 2 * (3 * b * e^{(4 * d * x + 4 * c)} - 6 * a * e^{(2 * d * x + 2 * c)} - 6 * b * e^{(2 * d * x + 2 * c)} + 2 * a + 3 * b) / (a^2 * (e^{(2 * d * x + 2 * c)} - 1)^3)) / d$

$$3.33 \quad \int \frac{\sinh^4(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$$

**Optimal.** Leaf size=192

$$\frac{3x(a^2 - 6ab + b^2)}{8(a+b)^4} + \frac{3b(3a-b) \tanh(c+dx)}{8d(a+b)^3(a+b \tanh^2(c+dx))} + \frac{3\sqrt{a}\sqrt{b}(a-b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2d(a+b)^4} + \frac{\sinh(c+dx) \cosh^3(c+dx)}{4d(a+b)(a+b \tanh^2(c+dx))}$$

[Out] (3\*(a^2 - 6\*a\*b + b^2)\*x)/(8\*(a + b)^4) + (3\*Sqrt[a]\*(a - b)\*Sqrt[b]\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(2\*(a + b)^4\*d) - ((5\*a - b)\*Cosh[c + d\*x]\*Sinh[c + d\*x])/(8\*(a + b)^2\*d\*(a + b\*Tanh[c + d\*x]^2)) + (Cosh[c + d\*x]^3\*Sinh[c + d\*x])/(4\*(a + b)\*d\*(a + b\*Tanh[c + d\*x]^2)) + (3\*(3\*a - b)\*b\*Tanh[c + d\*x])/(8\*(a + b)^3\*d\*(a + b\*Tanh[c + d\*x]^2))

**Rubi [A]** time = 0.252353, antiderivative size = 192, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {3663, 470, 527, 522, 206, 205}

$$\frac{3x(a^2 - 6ab + b^2)}{8(a+b)^4} + \frac{3b(3a-b) \tanh(c+dx)}{8d(a+b)^3(a+b \tanh^2(c+dx))} + \frac{3\sqrt{a}\sqrt{b}(a-b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2d(a+b)^4} + \frac{\sinh(c+dx) \cosh^3(c+dx)}{4d(a+b)(a+b \tanh^2(c+dx))}$$

Antiderivative was successfully verified.

[In] Int[Sinh[c + d\*x]^4/(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] (3\*(a^2 - 6\*a\*b + b^2)\*x)/(8\*(a + b)^4) + (3\*Sqrt[a]\*(a - b)\*Sqrt[b]\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(2\*(a + b)^4\*d) - ((5\*a - b)\*Cosh[c + d\*x]\*Sinh[c + d\*x])/(8\*(a + b)^2\*d\*(a + b\*Tanh[c + d\*x]^2)) + (Cosh[c + d\*x]^3\*Sinh[c + d\*x])/(4\*(a + b)\*d\*(a + b\*Tanh[c + d\*x]^2)) + (3\*(3\*a - b)\*b\*Tanh[c + d\*x])/(8\*(a + b)^3\*d\*(a + b\*Tanh[c + d\*x]^2))

**Rule 3663**

Int[sin[(e\_.) + (f\_.)\*(x\_)]^(m\_)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]))^(n\_)]^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff^(m + 1))/f, Subst[Int[(x^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + ff^2\*x^2)^(m/2 + 1), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2]

Rule 470

Int[((e\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_), x\_Symbol] := -Simp[(a\*e^(2\*n - 1)\*(e\*x)^(m - 2\*n + 1)\*(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^(q + 1))/(b\*n\*(b\*c - a\*d)\*(p + 1)), x] + Dist[e^(2\*n)/(b\*n\*(b\*c - a\*d)\*(p + 1)), Int[(e\*x)^(m - 2\*n)\*(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^q\*Simp[a\*c\*(m - 2\*n + 1) + (a\*d\*(m - n + n\*q + 1) + b\*c\*n\*(p + 1))\*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[n, 0] && LtQ[p, -1] && GtQ[m - n + 1, n] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]

Rule 527

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_)\*((e\_) + (f\_.)\*(x\_)^(n\_)), x\_Symbol] := -Simp[((b\*e - a\*f)\*x\*(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^(q + 1))/(a\*n\*(b\*c - a\*d)\*(p + 1)), x] + Dist[1/(a\*n\*(b\*c - a\*d)\*(p + 1)), Int[(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^q\*Simp[c\*(b\*e - a\*f) + e\*n\*(b\*c - a\*d)\*(p + 1) + d\*(b\*e - a\*f)\*(n\*(p + q + 2) + 1)\*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, f, n, q}, x] && LtQ[p, -1]

Rule 522

Int[((e\_) + (f\_.)\*(x\_)^(n\_))/(((a\_) + (b\_.)\*(x\_)^(n\_))\*((c\_) + (d\_.)\*(x\_)^(n\_))), x\_Symbol] := Dist[(b\*e - a\*f)/(b\*c - a\*d), Int[1/(a + b\*x^n), x], x] - Dist[(d\*e - c\*f)/(b\*c - a\*d), Int[1/(c + d\*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x]

Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned}
\int \frac{\sinh^4(c+dx)}{(a+b \tanh^2(c+dx))^2} dx &= \frac{\text{Subst}\left(\int \frac{x^4}{(1-x^2)^3(a+bx^2)^2} dx, x, \tanh(c+dx)\right)}{d} \\
&= \frac{\cosh^3(c+dx) \sinh(c+dx)}{4(a+b)d(a+b \tanh^2(c+dx))} - \frac{\text{Subst}\left(\int \frac{a+(4a-b)x^2}{(1-x^2)^2(a+bx^2)^2} dx, x, \tanh(c+dx)\right)}{4(a+b)d} \\
&= -\frac{(5a-b) \cosh(c+dx) \sinh(c+dx)}{8(a+b)^2 d(a+b \tanh^2(c+dx))} + \frac{\cosh^3(c+dx) \sinh(c+dx)}{4(a+b)d(a+b \tanh^2(c+dx))} - \frac{\text{Subst}\left(\int \frac{-3a(a-b)x}{(1-x^2)^2(a+bx^2)^2} dx, x, \tanh(c+dx)\right)}{4(a+b)d} \\
&= -\frac{(5a-b) \cosh(c+dx) \sinh(c+dx)}{8(a+b)^2 d(a+b \tanh^2(c+dx))} + \frac{\cosh^3(c+dx) \sinh(c+dx)}{4(a+b)d(a+b \tanh^2(c+dx))} + \frac{3(3a-b)b}{8(a+b)^3 d(a+b \tanh^2(c+dx))} \\
&= -\frac{(5a-b) \cosh(c+dx) \sinh(c+dx)}{8(a+b)^2 d(a+b \tanh^2(c+dx))} + \frac{\cosh^3(c+dx) \sinh(c+dx)}{4(a+b)d(a+b \tanh^2(c+dx))} + \frac{3(3a-b)b}{8(a+b)^3 d(a+b \tanh^2(c+dx))} \\
&= \frac{3(a^2 - 6ab + b^2)x}{8(a+b)^4} + \frac{3\sqrt{a}(a-b)\sqrt{b} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2(a+b)^4 d} - \frac{(5a-b) \cosh(c+dx) \sinh(c+dx)}{8(a+b)^2 d(a+b \tanh^2(c+dx))}
\end{aligned}$$

**Mathematica [A]** time = 0.933154, size = 132, normalized size = 0.69

$$\frac{12(a^2 - 6ab + b^2)(c+dx) + (a+b)^2 \sinh(4(c+dx)) - 8(a-b)(a+b) \sinh(2(c+dx)) + 48\sqrt{a}\sqrt{b}(a-b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{32d(a+b)^4}$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]^4/(a + b\*Tanh[c + d\*x]^2),x]

[Out] (12\*(a^2 - 6\*a\*b + b^2)\*(c + d\*x) + 48\*sqrt[a]\*(a - b)\*sqrt[b]\*ArcTan[(sqrt[b]\*Tanh[c + d\*x])/sqrt[a]] - 8\*(a - b)\*(a + b)\*Sinh[2\*(c + d\*x)] + (16\*a\*b\*(a + b)\*Sinh[2\*(c + d\*x)]/(a - b + (a + b)\*Cosh[2\*(c + d\*x)]) + (a + b)^2\*Sinh[4\*(c + d\*x)]/(32\*(a + b)^4\*d)

**Maple [B]** time = 0.119, size = 1246, normalized size = 6.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(\sinh(dx+c)^4/(a+b*\tanh(dx+c)^2)^2,x)$

[Out]  $\frac{1}{d} \frac{a^{2b}}{(a+b)^4} \frac{\tanh(1/2 dx+1/2 c)^{4a+2} \tanh(1/2 dx+1/2 c)^{2a+4} \tanh(1/2 dx+1/2 c)^{2b+a} \tanh(1/2 dx+1/2 c)^3 + 1/d a^2 b^2 / (a+b)^4 \tanh(1/2 dx+1/2 c)^{4a+2} \tanh(1/2 dx+1/2 c)^{2a+4} \tanh(1/2 dx+1/2 c)^{2b+a} \tanh(1/2 dx+1/2 c)^3 + 1/d a^2 b^2 / (a+b)^4 \tanh(1/2 dx+1/2 c)^{4a+2} \tanh(1/2 dx+1/2 c)^{2a+4} \tanh(1/2 dx+1/2 c)^{2b+a} \tanh(1/2 dx+1/2 c)^3 + 1/d a^2 b^2 / (a+b)^4 \tanh(1/2 dx+1/2 c)^{4a+2} \tanh(1/2 dx+1/2 c)^{2a+4} \tanh(1/2 dx+1/2 c)^{2b+a} \tanh(1/2 dx+1/2 c)^3 + 3/2 d a^2 b^2 / (a+b)^4 ((2*(b*(a+b))^{1/2} - a - 2*b) * a)^{1/2} * \arctanh(a * \tanh(1/2 dx+1/2 c) / ((2*(b*(a+b))^{1/2} - a - 2*b) * a)^{1/2}) - 3/2 d a^2 b^2 / (a+b)^4 ((2*(b*(a+b))^{1/2} + a + 2*b) * a)^{1/2} * \arctan(a * \tanh(1/2 dx+1/2 c) / ((2*(b*(a+b))^{1/2} + a + 2*b) * a)^{1/2}) - 3/2 d a^2 b^2 / (a+b)^4 ((2*(b*(a+b))^{1/2} - a - 2*b) * a)^{1/2} * \arctanh(a * \tanh(1/2 dx+1/2 c) / ((2*(b*(a+b))^{1/2} - a - 2*b) * a)^{1/2}) + 3/2 d a^2 b^2 / (a+b)^4 ((2*(b*(a+b))^{1/2} + a + 2*b) * a)^{1/2} * \arctan(a * \tanh(1/2 dx+1/2 c) / ((2*(b*(a+b))^{1/2} + a + 2*b) * a)^{1/2}) - 3/2 d a^3 b / (a+b)^4 (b*(a+b))^{1/2} / ((2*(b*(a+b))^{1/2} + a + 2*b) * a)^{1/2} * \arctan(a * \tanh(1/2 dx+1/2 c) / ((2*(b*(a+b))^{1/2} + a + 2*b) * a)^{1/2}) + 3/2 d a^3 b^3 / (a+b)^4 (b*(a+b))^{1/2} / ((2*(b*(a+b))^{1/2} - a - 2*b) * a)^{1/2} * \arctanh(a * \tanh(1/2 dx+1/2 c) / ((2*(b*(a+b))^{1/2} - a - 2*b) * a)^{1/2}) + 3/2 d a^3 b^3 / (a+b)^4 (b*(a+b))^{1/2} / ((2*(b*(a+b))^{1/2} + a + 2*b) * a)^{1/2} * \arctan(a * \tanh(1/2 dx+1/2 c) / ((2*(b*(a+b))^{1/2} + a + 2*b) * a)^{1/2}) - 3/2 d a^3 b / (a+b)^4 (b*(a+b))^{1/2} / ((2*(b*(a+b))^{1/2} - a - 2*b) * a)^{1/2} * \arctanh(a * \tanh(1/2 dx+1/2 c) / ((2*(b*(a+b))^{1/2} - a - 2*b) * a)^{1/2}) - 9/4 d / (a+b)^4 \ln(\tanh(1/2 dx+1/2 c) + 1) * a * b + 1/2 d / (a+b)^2 / (\tanh(1/2 dx+1/2 c) - 1)^3 + 1/2 d / (a+b)^2 / (\tanh(1/2 dx+1/2 c) + 1)^3 - 1/4 d / (a+b)^2 / (\tanh(1/2 dx+1/2 c) + 1)^4 + 1/4 d / (a+b)^2 / (\tanh(1/2 dx+1/2 c) - 1)^4 - 7/8 d / (a+b)^3 / (\tanh(1/2 dx+1/2 c) + 1)^2 * b - 3/8 d / (a+b)^3 / (\tanh(1/2 dx+1/2 c) + 1) * a + 5/8 d / (a+b)^3 / (\tanh(1/2 dx+1/2 c) + 1) * b + 3/8 d / (a+b)^4 \ln(\tanh(1/2 dx+1/2 c) + 1) * a^2 + 3/8 d / (a+b)^4 \ln(\tanh(1/2 dx+1/2 c) + 1) * b^2 - 3/8 d / (a+b)^4 \ln(\tanh(1/2 dx+1/2 c) - 1) * a^2 - 3/8 d / (a+b)^4 \ln(\tanh(1/2 dx+1/2 c) - 1) * b^2 - 1/8 d / (a+b)^3 / (\tanh(1/2 dx+1/2 c) - 1)^2 * a + 7/8 d / (a+b)^3 / (\tanh(1/2 dx+1/2 c) - 1)^2 * b - 3/8 d / (a+b)^3 / (\tanh(1/2 dx+1/2 c) - 1) * a + 5/8 d / (a+b)^3 / (\tanh(1/2 dx+1/2 c) - 1) * b + 1/8 d / (a+b)^3 / (\tanh(1/2 dx+1/2 c) + 1)^2 * a + 9/4 d / (a+b)^4 \ln(\tanh(1/2 dx+1/2 c) - 1) * a * b$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sinh(d*x+c)^4/(a+b*tanh(d*x+c)^2)^2,x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [B]** time = 3.30391, size = 17565, normalized size = 91.48

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sinh(d*x+c)^4/(a+b*tanh(d*x+c)^2)^2,x, algorithm="fricas")
```

```
[Out] [1/64*((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)^12 + 12*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)*sinh(d*x + c)^11 + (a^3 + 3*a^2*b + 3*a*b^2 + b^3)*sinh(d*x + c)^12 - 6*(a^3 + a^2*b - a*b^2 - b^3)*cosh(d*x + c)^10 - 6*(a^3 + a^2*b - a*b^2 - b^3 - 11*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)^2)*sinh(d*x + c)^10 + 20*(11*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)^3 - 3*(a^3 + a^2*b - a*b^2 - b^3)*cosh(d*x + c))*sinh(d*x + c)^9 - (15*a^3 - 19*a^2*b - 19*a*b^2 + 15*b^3 - 24*(a^3 - 5*a^2*b - 5*a*b^2 + b^3)*d*x)*cosh(d*x + c)^8 + (495*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)^4 - 15*a^3 + 19*a^2*b + 19*a*b^2 - 15*b^3 + 24*(a^3 - 5*a^2*b - 5*a*b^2 + b^3)*d*x - 270*(a^3 + a^2*b - a*b^2 - b^3)*cosh(d*x + c)^2)*sinh(d*x + c)^8 + 8*(99*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)^5 - 90*(a^3 + a^2*b - a*b^2 - b^3)*cosh(d*x + c)^3 - (15*a^3 - 19*a^2*b - 19*a*b^2 + 15*b^3 - 24*(a^3 - 5*a^2*b - 5*a*b^2 + b^3)*d*x)*cosh(d*x + c))*sinh(d*x + c)^7 - 16*(4*a^2*b - 4*a*b^2 - 3*(a^3 - 7*a^2*b + 7*a*b^2 - b^3)*d*x)*cosh(d*x + c)^6 + 4*(231*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)^6 - 315*(a^3 + a^2*b - a*b^2 - b^3)*cosh(d*x + c)^4 - 16*a^2*b + 16*a*b^2 + 12*(a^3 - 7*a^2*b + 7*a*b^2 - b^3)*d*x - 7*(15*a^3 - 19*a^2*b - 19*a*b^2 + 15*b^3 - 24*(a^3 - 5*a^2*b - 5*a*b^2 + b^3)*d*x)*cosh(d*x + c)^2)*sinh(d*x + c)^6 + 8*(99*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)^7 - 189*(a^3 + a^2*b - a*b^2 - b^3)*cosh(d*x + c)^5 - 7*(15*a^3 - 19*a^2*b - 19*a*b^2 + 15*b^3 - 24*(a^3 - 5*a^2*b - 5*a*b^2 + b^3)*d*x)*cosh(d*x + c)^3 - 12*(4*a^2*b - 4*a*b^2 - 3*(a^3 - 7*a^2*b + 7*a*b^2 - b^3)*d*x)*cosh(d*x + c))*sinh(d*x + c)^5 + (15*a^3 - 83*a^2*b - 83*a*b^2 + 15*b^3 + 24*(a^3 - 5*a^2*b - 5*a*b^2 + b^3)*d*x)*cosh(d*x + c)^4 + (495*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)^8 - 1260*(a^3 + a^2*b - a*b^2 - b^3)*cosh(d*x + c)^6 - 70*(15*a^3 - 19*a^2*b - 19*a*b^2 + 15*b^3 - 24*(a^3 - 5*a^2*b - 5*a*b^2 + b^3)*d*x)*cosh(d*x + c)^4 + 15*a^3 - 83*a^2*b - 83*a*b^2 + 15*b^3 + 24*(a^3 - 5*a^2*b - 5*a*b^2 + b^3)*d*x - 240*(4*a^2*b - 4*a*b^2 - 3*(a^3 - 7*a^2*b + 7*a*b^2 - b^3)*d*x)*cosh(d*x + c)^2)*sinh(d*x + c)^4 + 4*(55*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)^9 - 180*(a^3 + a^2*b - a*b^2 - b^3)*cosh(d*x + c)^7 - 14*(15*a^3 - 19*
```



$$\begin{aligned}
& a^2*b - 19*a*b^2 + 15*b^3 - 24*(a^3 - 5*a^2*b - 5*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^5 - 80*(4*a^2*b - 4*a*b^2 - 3*(a^3 - 7*a^2*b + 7*a*b^2 - b^3)*d*x)*\cosh(d*x + c)^3 + (15*a^3 - 83*a^2*b - 83*a*b^2 + 15*b^3 + 24*(a^3 - 5*a^2*b - 5*a*b^2 + b^3)*d*x)*\cosh(d*x + c))*\sinh(d*x + c)^3 - a^3 - 3*a^2*b - 3*a*b^2 - b^3 + 6*(a^3 + a^2*b - a*b^2 - b^3)*\cosh(d*x + c)^2 + 2*(33*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^10 - 135*(a^3 + a^2*b - a*b^2 - b^3)*\cosh(d*x + c)^8 - 14*(15*a^3 - 19*a^2*b - 19*a*b^2 + 15*b^3 - 24*(a^3 - 5*a^2*b - 5*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^6 - 120*(4*a^2*b - 4*a*b^2 - 3*(a^3 - 7*a^2*b + 7*a*b^2 - b^3)*d*x)*\cosh(d*x + c)^4 + 3*a^3 + 3*a^2*b - 3*a*b^2 - 3*b^3 + 3*(15*a^3 - 83*a^2*b - 83*a*b^2 + 15*b^3 + 24*(a^3 - 5*a^2*b - 5*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 - 48*((a^2 - b^2)*\cosh(d*x + c)^8 + 8*(a^2 - b^2)*\cosh(d*x + c)*\sinh(d*x + c)^7 + (a^2 - b^2)*\sinh(d*x + c)^8 + 2*(a^2 - 2*a*b + b^2)*\cosh(d*x + c)^6 + 2*(14*(a^2 - b^2)*\cosh(d*x + c)^2 + a^2 - 2*a*b + b^2)*\sinh(d*x + c)^6 + 4*(14*(a^2 - b^2)*\cosh(d*x + c)^3 + 3*(a^2 - 2*a*b + b^2)*\cosh(d*x + c))*\sinh(d*x + c)^5 + (a^2 - b^2)*\cosh(d*x + c)^4 + (70*(a^2 - b^2)*\cosh(d*x + c)^4 + 30*(a^2 - 2*a*b + b^2)*\cosh(d*x + c)^2 + a^2 - b^2)*\sinh(d*x + c)^4 + 4*(14*(a^2 - b^2)*\cosh(d*x + c)^5 + 10*(a^2 - 2*a*b + b^2)*\cosh(d*x + c)^3 + (a^2 - b^2)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 2*(14*(a^2 - b^2)*\cosh(d*x + c)^6 + 15*(a^2 - 2*a*b + b^2)*\cosh(d*x + c)^4 + 3*(a^2 - b^2)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 + 4*(2*(a^2 - b^2)*\cosh(d*x + c)^7 + 3*(a^2 - 2*a*b + b^2)*\cosh(d*x + c)^5 + (a^2 - b^2)*\cosh(d*x + c)^3)*\sinh(d*x + c))*\sqrt{-a*b}*\log(((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^4 + 4*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a^2 + 2*a*b + b^2)*\sinh(d*x + c)^4 + 2*(a^2 - b^2)*\cosh(d*x + c)^2 + 2*(3*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^2 + a^2 - b^2)*\sinh(d*x + c)^2 + a^2 - 6*a*b + b^2 + 4*((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^3 + (a^2 - b^2)*\cosh(d*x + c))*\sinh(d*x + c) - 4*((a + b)*\cosh(d*x + c)^2 + 2*(a + b)*\cosh(d*x + c)*\sinh(d*x + c) + (a + b)*\sinh(d*x + c)^2 + a - b)*\sqrt{-a*b}))/((a + b)*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a + b)*\sinh(d*x + c)^4 + 2*(a - b)*\cosh(d*x + c)^2 + 2*(3*(a + b)*\cosh(d*x + c)^2 + a - b)*\sinh(d*x + c)^2 + 4*((a + b)*\cosh(d*x + c)^3 + (a - b)*\cosh(d*x + c))*\sinh(d*x + c) + a + b)) + 4*(3*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^11 - 15*(a^3 + a^2*b - a*b^2 - b^3)*\cosh(d*x + c)^9 - 2*(15*a^3 - 19*a^2*b - 19*a*b^2 + 15*b^3 - 24*(a^3 - 5*a^2*b - 5*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^7 - 24*(4*a^2*b - 4*a*b^2 - 3*(a^3 - 7*a^2*b + 7*a*b^2 - b^3)*d*x)*\cosh(d*x + c)^5 + (15*a^3 - 83*a^2*b - 83*a*b^2 + 15*b^3 + 24*(a^3 - 5*a^2*b - 5*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^3 + 3*(a^3 + a^2*b - a*b^2 - b^3)*\cosh(d*x + c))*\sinh(d*x + c))/((a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*\cosh(d*x + c)^8 + 8*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*\cosh(d*x + c)*\sinh(d*x + c)^7 + (a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*\sinh(d*x + c)^8 + 2*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d*\cosh(d*x + c)^6 + 2*(14*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*\cosh(d*x + c)^2 + (a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d)*\sinh(d*x + c)^6 + (a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*\cosh(d*x + c)^4 + 4*(14*(a^5 + 5*
\end{aligned}$$

$$\begin{aligned}
& a^4b + 10a^3b^2 + 10a^2b^3 + 5ab^4 + b^5) * d * \cosh(dx + c)^3 + 3(a^5 \\
& + 3a^4b + 2a^3b^2 - 2a^2b^3 - 3ab^4 - b^5) * d * \cosh(dx + c) * \sinh(dx \\
& + c)^5 + (70(a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5ab^4 + b^5) * d \\
& * \cosh(dx + c)^4 + 30(a^5 + 3a^4b + 2a^3b^2 - 2a^2b^3 - 3ab^4 - b^5) * d * \cosh(dx + c)^2 + (a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5ab^4 + \\
& b^5) * d) * \sinh(dx + c)^4 + 4(14(a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + \\
& 5ab^4 + b^5) * d * \cosh(dx + c)^5 + 10(a^5 + 3a^4b + 2a^3b^2 - 2a^2b^3 \\
& - 3ab^4 - b^5) * d * \cosh(dx + c)^3 + (a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5ab^4 + b^5) * d * \cosh(dx + c) * \sinh(dx + c)^3 + 2(14(a^5 + 5a^4 \\
& b + 10a^3b^2 + 10a^2b^3 + 5ab^4 + b^5) * d * \cosh(dx + c)^6 + 15(a^5 \\
& + 3a^4b + 2a^3b^2 - 2a^2b^3 - 3ab^4 - b^5) * d * \cosh(dx + c)^4 + 3(a^5 \\
& + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5ab^4 + b^5) * d * \cosh(dx + c)^2) * \\
& \sinh(dx + c)^2 + 4(2(a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5ab^4 + \\
& b^5) * d * \cosh(dx + c)^7 + 3(a^5 + 3a^4b + 2a^3b^2 - 2a^2b^3 - 3ab^4 \\
& - b^5) * d * \cosh(dx + c)^5 + (a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5a \\
& b^4 + b^5) * d * \cosh(dx + c)^3) * \sinh(dx + c)), 1/64((a^3 + 3a^2b + 3ab^2 \\
& + b^3) * \cosh(dx + c)^12 + 12(a^3 + 3a^2b + 3ab^2 + b^3) * \cosh(dx + \\
& c) * \sinh(dx + c)^11 + (a^3 + 3a^2b + 3ab^2 + b^3) * \sinh(dx + c)^12 - 6 * \\
& (a^3 + a^2b - ab^2 - b^3) * \cosh(dx + c)^10 - 6(a^3 + a^2b - ab^2 - b^3 \\
& - 11(a^3 + 3a^2b + 3ab^2 + b^3) * \cosh(dx + c)^2) * \sinh(dx + c)^10 + 2 \\
& 0(11(a^3 + 3a^2b + 3ab^2 + b^3) * \cosh(dx + c)^3 - 3(a^3 + a^2b - a * \\
& b^2 - b^3) * \cosh(dx + c)) * \sinh(dx + c)^9 - (15a^3 - 19a^2b - 19ab^2 + \\
& 15b^3 - 24(a^3 - 5a^2b - 5ab^2 + b^3) * dx) * \cosh(dx + c)^8 + (495(a \\
& ^3 + 3a^2b + 3ab^2 + b^3) * \cosh(dx + c)^4 - 15a^3 + 19a^2b + 19ab^2 \\
& - 15b^3 + 24(a^3 - 5a^2b - 5ab^2 + b^3) * dx - 270(a^3 + a^2b - a * \\
& b^2 - b^3) * \cosh(dx + c)^2) * \sinh(dx + c)^8 + 8(99(a^3 + 3a^2b + 3ab^2 \\
& + b^3) * \cosh(dx + c)^5 - 90(a^3 + a^2b - ab^2 - b^3) * \cosh(dx + c)^3 - \\
& (15a^3 - 19a^2b - 19ab^2 + 15b^3 - 24(a^3 - 5a^2b - 5ab^2 + b^3) \\
& ) * dx) * \cosh(dx + c) * \sinh(dx + c)^7 - 16(4a^2b - 4ab^2 - 3(a^3 - 7 * \\
& a^2b + 7ab^2 - b^3) * dx) * \cosh(dx + c)^6 + 4(231(a^3 + 3a^2b + 3ab^2 \\
& + b^3) * \cosh(dx + c)^6 - 315(a^3 + a^2b - ab^2 - b^3) * \cosh(dx + c)^4 \\
& - 16a^2b + 16ab^2 + 12(a^3 - 7a^2b + 7ab^2 - b^3) * dx - 7(15a^3 \\
& - 19a^2b - 19ab^2 + 15b^3 - 24(a^3 - 5a^2b - 5ab^2 + b^3) * dx) * c \\
& osh(dx + c)^2) * \sinh(dx + c)^6 + 8(99(a^3 + 3a^2b + 3ab^2 + b^3) * cos \\
& h(dx + c)^7 - 189(a^3 + a^2b - ab^2 - b^3) * \cosh(dx + c)^5 - 7(15a^3 \\
& - 19a^2b - 19ab^2 + 15b^3 - 24(a^3 - 5a^2b - 5ab^2 + b^3) * dx) * co \\
& sh(dx + c)^3 - 12(4a^2b - 4ab^2 - 3(a^3 - 7a^2b + 7ab^2 - b^3) * d \\
& x) * \cosh(dx + c) * \sinh(dx + c)^5 + (15a^3 - 83a^2b - 83ab^2 + 15b^3 \\
& + 24(a^3 - 5a^2b - 5ab^2 + b^3) * dx) * \cosh(dx + c)^4 + (495(a^3 + 3 * \\
& a^2b + 3ab^2 + b^3) * \cosh(dx + c)^8 - 1260(a^3 + a^2b - ab^2 - b^3) * c \\
& osh(dx + c)^6 - 70(15a^3 - 19a^2b - 19ab^2 + 15b^3 - 24(a^3 - 5a^2 \\
& b - 5ab^2 + b^3) * dx) * \cosh(dx + c)^4 + 15a^3 - 83a^2b - 83ab^2 + \\
& 15b^3 + 24(a^3 - 5a^2b - 5ab^2 + b^3) * dx - 240(4a^2b - 4ab^2 - \\
& 3(a^3 - 7a^2b + 7ab^2 - b^3) * dx) * \cosh(dx + c)^2) * \sinh(dx + c)^4 + 4 \\
& *(55(a^3 + 3a^2b + 3ab^2 + b^3) * \cosh(dx + c)^9 - 180(a^3 + a^2b - a
\end{aligned}$$

$$\begin{aligned}
& *b^2 - b^3) * \cosh(dx + c)^7 - 14*(15*a^3 - 19*a^2*b - 19*a*b^2 + 15*b^3 - 2 \\
& 4*(a^3 - 5*a^2*b - 5*a*b^2 + b^3)*dx) * \cosh(dx + c)^5 - 80*(4*a^2*b - 4*a* \\
& b^2 - 3*(a^3 - 7*a^2*b + 7*a*b^2 - b^3)*dx) * \cosh(dx + c)^3 + (15*a^3 - 83 \\
& *a^2*b - 83*a*b^2 + 15*b^3 + 24*(a^3 - 5*a^2*b - 5*a*b^2 + b^3)*dx) * \cosh(d \\
& *x + c) * \sinh(dx + c)^3 - a^3 - 3*a^2*b - 3*a*b^2 - b^3 + 6*(a^3 + a^2*b - \\
& a*b^2 - b^3) * \cosh(dx + c)^2 + 2*(33*(a^3 + 3*a^2*b + 3*a*b^2 + b^3) * \cosh( \\
& dx + c)^10 - 135*(a^3 + a^2*b - a*b^2 - b^3) * \cosh(dx + c)^8 - 14*(15*a^3 \\
& - 19*a^2*b - 19*a*b^2 + 15*b^3 - 24*(a^3 - 5*a^2*b - 5*a*b^2 + b^3)*dx) * \cosh(dx + c)^6 - 120*(4*a^2*b - 4*a*b^2 - 3*(a^3 - 7*a^2*b + 7*a*b^2 - b^3)* \\
& dx) * \cosh(dx + c)^4 + 3*a^3 + 3*a^2*b - 3*a*b^2 - 3*b^3 + 3*(15*a^3 - 83*a \\
& ^2*b - 83*a*b^2 + 15*b^3 + 24*(a^3 - 5*a^2*b - 5*a*b^2 + b^3)*dx) * \cosh(dx + \\
& c)^2) * \sinh(dx + c)^2 + 96*((a^2 - b^2) * \cosh(dx + c)^8 + 8*(a^2 - b^2) * \\
& \cosh(dx + c) * \sinh(dx + c)^7 + (a^2 - b^2) * \sinh(dx + c)^8 + 2*(a^2 - 2*a* \\
& b + b^2) * \cosh(dx + c)^6 + 2*(14*(a^2 - b^2) * \cosh(dx + c)^2 + a^2 - 2*a*b \\
& + b^2) * \sinh(dx + c)^6 + 4*(14*(a^2 - b^2) * \cosh(dx + c)^3 + 3*(a^2 - 2*a*b \\
& + b^2) * \cosh(dx + c)) * \sinh(dx + c)^5 + (a^2 - b^2) * \cosh(dx + c)^4 + (70* \\
& (a^2 - b^2) * \cosh(dx + c)^4 + 30*(a^2 - 2*a*b + b^2) * \cosh(dx + c)^2 + a^2 \\
& - b^2) * \sinh(dx + c)^4 + 4*(14*(a^2 - b^2) * \cosh(dx + c)^5 + 10*(a^2 - 2*a* \\
& b + b^2) * \cosh(dx + c)^3 + (a^2 - b^2) * \cosh(dx + c)) * \sinh(dx + c)^3 + 2*( \\
& 14*(a^2 - b^2) * \cosh(dx + c)^6 + 15*(a^2 - 2*a*b + b^2) * \cosh(dx + c)^4 + 3 \\
& *(a^2 - b^2) * \cosh(dx + c)^2) * \sinh(dx + c)^2 + 4*(2*(a^2 - b^2) * \cosh(dx + \\
& c)^7 + 3*(a^2 - 2*a*b + b^2) * \cosh(dx + c)^5 + (a^2 - b^2) * \cosh(dx + c)^3 \\
& ) * \sinh(dx + c)) * \sqrt{a*b} * \arctan(1/2*((a + b) * \cosh(dx + c)^2 + 2*(a + b) * \\
& \cosh(dx + c) * \sinh(dx + c) + (a + b) * \sinh(dx + c)^2 + a - b) * \sqrt{a*b}) / (a \\
& *b)) + 4*(3*(a^3 + 3*a^2*b + 3*a*b^2 + b^3) * \cosh(dx + c)^11 - 15*(a^3 + a^ \\
& 2*b - a*b^2 - b^3) * \cosh(dx + c)^9 - 2*(15*a^3 - 19*a^2*b - 19*a*b^2 + 15*b \\
& ^3 - 24*(a^3 - 5*a^2*b - 5*a*b^2 + b^3)*dx) * \cosh(dx + c)^7 - 24*(4*a^2*b \\
& - 4*a*b^2 - 3*(a^3 - 7*a^2*b + 7*a*b^2 - b^3)*dx) * \cosh(dx + c)^5 + (15*a^ \\
& 3 - 83*a^2*b - 83*a*b^2 + 15*b^3 + 24*(a^3 - 5*a^2*b - 5*a*b^2 + b^3)*dx) * \\
& \cosh(dx + c)^3 + 3*(a^3 + a^2*b - a*b^2 - b^3) * \cosh(dx + c) * \sinh(dx + c \\
& )) / ((a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5) * d * \cosh(dx + \\
& c)^8 + 8*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5) * d * \cosh(d \\
& *x + c) * \sinh(dx + c)^7 + (a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^ \\
& 4 + b^5) * d * \sinh(dx + c)^8 + 2*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a \\
& *b^4 - b^5) * d * \cosh(dx + c)^6 + 2*(14*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2* \\
& b^3 + 5*a*b^4 + b^5) * d * \cosh(dx + c)^2 + (a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2 \\
& *b^3 - 3*a*b^4 - b^5) * d) * \sinh(dx + c)^6 + (a^5 + 5*a^4*b + 10*a^3*b^2 + 10 \\
& *a^2*b^3 + 5*a*b^4 + b^5) * d * \cosh(dx + c)^4 + 4*(14*(a^5 + 5*a^4*b + 10*a^3 \\
& *b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5) * d * \cosh(dx + c)^3 + 3*(a^5 + 3*a^4*b + 2 \\
& *a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5) * d * \cosh(dx + c)) * \sinh(dx + c)^5 + (7 \\
& 0*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5) * d * \cosh(dx + c) \\
& ^4 + 30*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5) * d * \cosh(dx \\
& + c)^2 + (a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5) * d) * \sinh( \\
& dx + c)^4 + 4*(14*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5 \\
& ) * d * \cosh(dx + c)^5 + 10*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 -
\end{aligned}$$

$$b^5)*d*\cosh(d*x + c)^3 + (a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*\cosh(d*x + c))*\sinh(d*x + c)^3 + 2*(14*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*\cosh(d*x + c)^6 + 15*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d*\cosh(d*x + c)^4 + 3*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 + 4*(2*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*\cosh(d*x + c)^7 + 3*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d*\cosh(d*x + c)^5 + (a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*\cosh(d*x + c)^3)*\sinh(d*x + c))]$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)\*\*4/(a+b\*tanh(d\*x+c)\*\*2)\*\*2,x)

[Out] Timed out

**Giac [B]** time = 3.3925, size = 709, normalized size = 3.69

$$\frac{24(a^2 - 6ab + b^2)dx}{a^4 + 4a^3b + 6a^2b^2 + 4ab^3 + b^4} + \frac{96(a^2be^{2c} - ab^2e^{2c}) \arctan\left(\frac{ae^{2dx+2c} + be^{2dx+2c} + a - b}{2\sqrt{ab}}\right)e^{-2c}}{(a^4 + 4a^3b + 6a^2b^2 + 4ab^3 + b^4)\sqrt{ab}} - \frac{(18a^2e^{4dx+4c} - 108abe^{4dx+4c} + 18b^2e^{4dx+4c} - 8a^2e^{2dx+2c})}{a^4e^{4c} + 4a^3be^{4c} + 6a^2b^2e^{4c} + 4ab^3e^{4c}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out]  $\frac{1}{64}*(24*(a^2 - 6*a*b + b^2)*d*x/(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4) + 96*(a^2*b*e^{(2*c)} - a*b^2*e^{(2*c)})*\arctan(1/2*(a*e^{(2*d*x + 2*c)} + b*e^{(2*d*x + 2*c)} + a - b)/\sqrt{a*b})*e^{(-2*c)}/((a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\sqrt{a*b}) - (18*a^2*e^{(4*d*x + 4*c)} - 108*a*b*e^{(4*d*x + 4*c)} + 18*b^2*e^{(4*d*x + 4*c)} - 8*a^2*e^{(2*d*x + 2*c)} + 8*b^2*e^{(2*d*x + 2*c)} + a^2 + 2*a*b + b^2)*e^{(-4*d*x)}/(a^4*e^{(4*c)} + 4*a^3*b*e^{(4*c)} + 6*a^2*b^2*e^{(4*c)} + 4*a*b^3*e^{(4*c)} + b^4*e^{(4*c)}) + (a^2*e^{(4*d*x + 28*c)} + 2*a*b*e^{(4*d*x + 28*c)} + b^2*e^{(4*d*x + 28*c)} - 8*a^2*e^{(2*d*x + 26*c)} + 8*b^2*e^{(2*d*x + 26*c)})/(a^4*e^{(24*c)} + 4*a^3*b*e^{(24*c)} + 6*a^2*b^2*e^{(24*c)} + 4*a*b^3$

$$\frac{3e^{(24*c)} + b^4e^{(24*c)} - 64*(a^2*b*e^{(2*d*x + 2*c)} - a*b^2*e^{(2*d*x + 2*c)} + a^2*b + a*b^2)/((a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*(a*e^{(4*d*x + 4*c)} + b*e^{(4*d*x + 4*c)} + 2*a*e^{(2*d*x + 2*c)} - 2*b*e^{(2*d*x + 2*c)} + a + b))}{d}$$

$$3.34 \quad \int \frac{\sinh^3(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$$

**Optimal.** Leaf size=124

$$\frac{\cosh^3(c+dx)}{3d(a+b)^2} - \frac{(a-b)\cosh(c+dx)}{d(a+b)^3} + \frac{ab\operatorname{sech}(c+dx)}{2d(a+b)^3(a-b\operatorname{sech}^2(c+dx)+b)} + \frac{\sqrt{b}(3a-2b)\tanh^{-1}\left(\frac{\sqrt{b}\operatorname{sech}(c+dx)}{\sqrt{a+b}}\right)}{2d(a+b)^{7/2}}$$

[Out] ((3\*a - 2\*b)\*Sqrt[b]\*ArcTanh[(Sqrt[b]\*Sech[c + d\*x])/Sqrt[a + b]])/(2\*(a + b)^(7/2)\*d) - ((a - b)\*Cosh[c + d\*x])/((a + b)^3\*d) + Cosh[c + d\*x]^3/(3\*(a + b)^2\*d) + (a\*b\*Sech[c + d\*x])/(2\*(a + b)^3\*d\*(a + b - b\*Sech[c + d\*x]^2))

**Rubi [A]** time = 0.218372, antiderivative size = 124, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {3664, 456, 1261, 208}

$$\frac{\cosh^3(c+dx)}{3d(a+b)^2} - \frac{(a-b)\cosh(c+dx)}{d(a+b)^3} + \frac{ab\operatorname{sech}(c+dx)}{2d(a+b)^3(a-b\operatorname{sech}^2(c+dx)+b)} + \frac{\sqrt{b}(3a-2b)\tanh^{-1}\left(\frac{\sqrt{b}\operatorname{sech}(c+dx)}{\sqrt{a+b}}\right)}{2d(a+b)^{7/2}}$$

Antiderivative was successfully verified.

[In] Int[Sinh[c + d\*x]^3/(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] ((3\*a - 2\*b)\*Sqrt[b]\*ArcTanh[(Sqrt[b]\*Sech[c + d\*x])/Sqrt[a + b]])/(2\*(a + b)^(7/2)\*d) - ((a - b)\*Cosh[c + d\*x])/((a + b)^3\*d) + Cosh[c + d\*x]^3/(3\*(a + b)^2\*d) + (a\*b\*Sech[c + d\*x])/(2\*(a + b)^3\*d\*(a + b - b\*Sech[c + d\*x]^2))

#### Rule 3664

Int[sin[(e\_.) + (f\_.)\*(x\_.)]^(m\_.)\*((a\_.) + (b\_.)\*tan[(e\_.) + (f\_.)\*(x\_.)]^2)^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Sec[e + f\*x], x]}, Dist[1/(f\*ff^m), Subst[Int[((-1 + ff^2\*x^2)^((m - 1)/2)\*(a - b + b\*ff^2\*x^2)^p]/x^(m + 1), x], x, Sec[e + f\*x]/ff, x]] /; FreeQ[{a, b, e, f, p}, x] && IntegerQ[(m - 1)/2]

#### Rule 456

```

Int[(x_)^(m_)*((a_) + (b_.)*(x_)^2)^(p_)*((c_) + (d_.)*(x_)^2), x_Symbol] :
> Simp[((-a)^(m/2 - 1)*(b*c - a*d)*x*(a + b*x^2)^(p + 1))/(2*b^(m/2 + 1)*(p
+ 1)), x] + Dist[1/(2*b^(m/2 + 1)*(p + 1)), Int[x^m*(a + b*x^2)^(p + 1)*Ex
pandToSum[2*b*(p + 1)*Together[(b^(m/2)*(c + d*x^2) - (-a)^(m/2 - 1)*(b*c -
a*d)*x^(-m + 2))/(a + b*x^2)] - ((-a)^(m/2 - 1)*(b*c - a*d))/x^m, x], x],
x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1] && ILtQ[m/2
, 0] && (IntegerQ[p] || EqQ[m + 2*p + 1, 0])

```

### Rule 1261

```

Int[((f_.)*(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (
c_.)*(x_)^4)^(p_.), x_Symbol] := Int[ExpandIntegrand[(f*x)^m*(d + e*x^2)^q*
(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && NeQ[
b^2 - 4*a*c, 0] && IGtQ[p, 0] && IGtQ[q, -2]

```

### Rule 208

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

```

### Rubi steps

$$\begin{aligned}
\int \frac{\sinh^3(c + dx)}{(a + b \tanh^2(c + dx))^2} dx &= \frac{\text{Subst}\left(\int \frac{-1+x^2}{x^4(a+b-bx^2)^2} dx, x, \text{sech}(c + dx)\right)}{d} \\
&= \frac{ab \text{sech}(c + dx)}{2(a + b)^3 d (a + b - b \text{sech}^2(c + dx))} + \frac{b \text{Subst}\left(\int \frac{-\frac{2}{b(a+b)} + \frac{2ax^2}{b(a+b)^2} + \frac{ax^4}{(a+b)^3}}{x^4(a+b-bx^2)} dx, x, \text{sech}(c + dx)\right)}{2d} \\
&= \frac{ab \text{sech}(c + dx)}{2(a + b)^3 d (a + b - b \text{sech}^2(c + dx))} + \frac{b \text{Subst}\left(\int \left(-\frac{2}{b(a+b)^2 x^4} + \frac{2(a-b)}{b(a+b)^3 x^2} + \frac{3a-2b}{(a+b)^3(a+b-bx^2)}\right) dx, x, \text{sech}(c + dx)\right)}{2d} \\
&= -\frac{(a-b) \cosh(c + dx)}{(a + b)^3 d} + \frac{\cosh^3(c + dx)}{3(a + b)^2 d} + \frac{ab \text{sech}(c + dx)}{2(a + b)^3 d (a + b - b \text{sech}^2(c + dx))} + \frac{(3a - 2b) \sqrt{b} \tanh^{-1}\left(\frac{\sqrt{b} \text{sech}(c + dx)}{\sqrt{a+b}}\right)}{2(a + b)^{7/2} d} - \frac{(a-b) \cosh(c + dx)}{(a + b)^3 d} + \frac{\cosh^3(c + dx)}{3(a + b)^2 d} + \frac{(3a - 2b) \sqrt{b} \tanh^{-1}\left(\frac{\sqrt{b} \text{sech}(c + dx)}{\sqrt{a+b}}\right)}{2(a + b)^{7/2} d}
\end{aligned}$$

**Mathematica [C]** time = 1.22047, size = 160, normalized size = 1.29

$$\frac{3 \cosh(c+dx) \left( a \left( \frac{4b}{(a+b) \cosh(2(c+dx))+a-b} - 3 \right) + 5b \right)}{(a+b)^3} + \frac{\cosh(3(c+dx))}{(a+b)^2} + \frac{6i\sqrt{b}(3a-2b) \left( \tan^{-1} \left( \frac{-\sqrt{a} \tanh\left(\frac{1}{2}(c+dx)\right) - i\sqrt{a+b}}{\sqrt{b}} \right) + \tan^{-1} \left( \frac{\sqrt{a} \tanh\left(\frac{1}{2}(c+dx)\right) - i\sqrt{a+b}}{\sqrt{b}} \right) \right)}{(a+b)^{7/2}}$$


---


$$12d$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]^3/(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] (((6\*I)\*(3\*a - 2\*b)\*Sqrt[b]\*(ArcTan[(-I)\*Sqrt[a + b] - Sqrt[a]\*Tanh[(c + d\*x)/2])/Sqrt[b]] + ArcTan[(-I)\*Sqrt[a + b] + Sqrt[a]\*Tanh[(c + d\*x)/2])/Sqrt[b]))/(a + b)^(7/2) + (3\*Cosh[c + d\*x]\*(5\*b + a\*(-3 + (4\*b)/(a - b + (a + b)\*Cosh[2\*(c + d\*x)])))/(a + b)^3 + Cosh[3\*(c + d\*x)]/(a + b)^2)/(12\*d)

**Maple [B]** time = 0.095, size = 267, normalized size = 2.2

$$\frac{1}{d} \left( \frac{1}{3(a+b)^2} \left( \tanh\left(\frac{dx}{2} + \frac{c}{2}\right) + 1 \right)^{-3} - \frac{1}{2(a+b)^2} \left( \tanh\left(\frac{dx}{2} + \frac{c}{2}\right) + 1 \right)^{-2} - \frac{a-3b}{2(a+b)^3} \left( \tanh\left(\frac{dx}{2} + \frac{c}{2}\right) + 1 \right)^{-1} - 4 \frac{b}{(a+b)^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2)^2,x)

[Out] 1/d\*(1/3/(a+b)^2/(tanh(1/2\*d\*x+1/2\*c)+1)^3-1/2/(a+b)^2/(tanh(1/2\*d\*x+1/2\*c)+1)^2-1/2\*(a-3\*b)/(a+b)^3/(tanh(1/2\*d\*x+1/2\*c)+1)-4\*b/(a+b)^3\*(((1/4\*a-1/2\*b)\*tanh(1/2\*d\*x+1/2\*c)^2-1/4\*a)/(tanh(1/2\*d\*x+1/2\*c)^4\*a+2\*tanh(1/2\*d\*x+1/2\*c)^2\*a+4\*tanh(1/2\*d\*x+1/2\*c)^2\*b+a)-1/8\*(3\*a-2\*b)/(a\*b+b^2)^(1/2)\*arctanh(1/4\*(2\*tanh(1/2\*d\*x+1/2\*c)^2\*a+2\*a+4\*b)/(a\*b+b^2)^(1/2)))-1/3/(a+b)^2/(tanh(1/2\*d\*x+1/2\*c)-1)^3-1/2/(a+b)^2/(tanh(1/2\*d\*x+1/2\*c)-1)^2-1/2/(a+b)^3\*(-a+3\*b)/(tanh(1/2\*d\*x+1/2\*c)-1))

**Maxima [F]** time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate(sinh(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="maxima")

[Out]  $\frac{1}{24}(a^2 + 2ab + b^2 + (a^2e^{10c} + 2ab e^{10c} + b^2e^{10c}))e^{10dx} - (7a^2e^{8c} - 6ab e^{8c} - 13b^2e^{8c})e^{8dx} - 2(13a^2e^{6c} - 40ab e^{6c} + 7b^2e^{6c})e^{6dx} - 2(13a^2e^{4c} - 40ab e^{4c} + 7b^2e^{4c})e^{4dx} - (7a^2e^{2c} - 6ab e^{2c} - 13b^2e^{2c})e^{2dx} / ((a^4d e^{7c} + 4a^3b d e^{7c} + 6a^2b^2 d e^{7c} + 4ab^3 d e^{7c} + b^4d e^{7c})e^{7dx} + 2(a^4d e^{5c} + 2a^3b d e^{5c} - 2ab^3 d e^{5c} - b^4d e^{5c})e^{5dx} + (a^4d e^{3c} + 4a^3b d e^{3c} + 6a^2b^2 d e^{3c} + 4ab^3 d e^{3c} + b^4d e^{3c})e^{3dx} - \frac{1}{8} \int (8((3ab e^{3c} - 2b^2e^{3c})e^{3dx} - (3ab e^c - 2b^2e^c)e^{dx}) / (a^4 + 4a^3b + 6a^2b^2 + 4ab^3 + b^4 + (a^4e^{4c} + 4a^3b e^{4c} + 6a^2b^2e^{4c} + 4ab^3e^{4c} + b^4e^{4c})e^{4dx} + 2(a^4e^{2c} + 2a^3b e^{2c} - 2ab^3e^{2c} - b^4e^{2c})e^{2dx}), x)$

**Fricas [B]** time = 3.06339, size = 12417, normalized size = 100.14

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out]  $\frac{1}{24}((a^2 + 2ab + b^2)\cosh(dx + c)^{10} + 10(a^2 + 2ab + b^2)\cosh(dx + c)\sinh(dx + c)^9 + (a^2 + 2ab + b^2)\sinh(dx + c)^{10} - (7a^2 - 6ab - 13b^2)\cosh(dx + c)^8 + (45(a^2 + 2ab + b^2)\cosh(dx + c)^2 - 7a^2 + 6ab + 13b^2)\sinh(dx + c)^8 + 8(15(a^2 + 2ab + b^2)\cosh(dx + c)^3 - (7a^2 - 6ab - 13b^2)\cosh(dx + c))\sinh(dx + c)^7 - 2(13a^2 - 40ab + 7b^2)\cosh(dx + c)^6 + 2(105(a^2 + 2ab + b^2)\cosh(dx + c)^4 - 14(7a^2 - 6ab - 13b^2)\cosh(dx + c)^2 - 13a^2 + 40ab - 7b^2)\sinh(dx + c)^6 + 4(63(a^2 + 2ab + b^2)\cosh(dx + c)^5 - 14(7a^2 - 6ab - 13b^2)\cosh(dx + c)^3 - 3(13a^2 - 40ab + 7b^2)\cosh(dx + c))\sinh(dx + c)^5 - 2(13a^2 - 40ab + 7b^2)\cosh(dx + c)^4 + 2(105(a^2 + 2ab + b^2)\cosh(dx + c)^6 - 35(7a^2 - 6ab - 13b^2)\cosh(dx + c)^4 - 15(13a^2 - 40ab + 7b^2)\cosh(dx + c)^2 - 13a^2 + 40ab - 7b^2)\sinh(dx + c)^4 + 8(15(a^2 + 2ab + b^2)\cosh(dx + c)^7 - 7(7a^2 - 6ab - 13b^2)\cosh(dx + c)^5 - 5(13a^2 - 40ab + 7b^2)\cosh(dx + c)^3 - (13a^2 - 40ab + 7b^2)\cosh(dx + c))\sinh(dx + c)^3 - (7a^2 - 6ab - 13b^2)\cosh(dx + c)^2 + (45(a^2 + 2ab + b^2)\cosh(dx + c)^8 - 28(7a^2 - 6ab - 13b^2)\cosh(dx + c)^6 - 30(13a^2 - 40ab + 7b^2)\cosh(dx + c)^4 - 12(13a^2 - 40ab + 7b^2)\cosh(dx + c)^2 - 7a^2$

$$\begin{aligned}
& 2 + 6*a*b + 13*b^2)*\sinh(d*x + c)^2 - 6*((3*a^2 + a*b - 2*b^2)*\cosh(d*x + c) \\
& )^7 + 7*(3*a^2 + a*b - 2*b^2)*\cosh(d*x + c)*\sinh(d*x + c)^6 + (3*a^2 + a*b \\
& - 2*b^2)*\sinh(d*x + c)^7 + 2*(3*a^2 - 5*a*b + 2*b^2)*\cosh(d*x + c)^5 + (21* \\
& (3*a^2 + a*b - 2*b^2)*\cosh(d*x + c)^2 + 6*a^2 - 10*a*b + 4*b^2)*\sinh(d*x + \\
& c)^5 + 5*(7*(3*a^2 + a*b - 2*b^2)*\cosh(d*x + c)^3 + 2*(3*a^2 - 5*a*b + 2*b^ \\
& 2)*\cosh(d*x + c))*\sinh(d*x + c)^4 + (3*a^2 + a*b - 2*b^2)*\cosh(d*x + c)^3 + \\
& (35*(3*a^2 + a*b - 2*b^2)*\cosh(d*x + c)^4 + 20*(3*a^2 - 5*a*b + 2*b^2)*\cos \\
& h(d*x + c)^2 + 3*a^2 + a*b - 2*b^2)*\sinh(d*x + c)^3 + (21*(3*a^2 + a*b - 2* \\
& b^2)*\cosh(d*x + c)^5 + 20*(3*a^2 - 5*a*b + 2*b^2)*\cosh(d*x + c)^3 + 3*(3*a^ \\
& 2 + a*b - 2*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^2 + (7*(3*a^2 + a*b - 2*b^2)* \\
& \cosh(d*x + c)^6 + 10*(3*a^2 - 5*a*b + 2*b^2)*\cosh(d*x + c)^4 + 3*(3*a^2 + a \\
& *b - 2*b^2)*\cosh(d*x + c)^2)*\sinh(d*x + c))*\sqrt{b/(a + b)}*\log(((a + b)*\co \\
& sh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a + b)*\sinh(d*x \\
& + c)^4 + 2*(a + 3*b)*\cosh(d*x + c)^2 + 2*(3*(a + b)*\cosh(d*x + c)^2 + a + 3 \\
& *b)*\sinh(d*x + c)^2 + 4*((a + b)*\cosh(d*x + c)^3 + (a + 3*b)*\cosh(d*x + c)) \\
& *\sinh(d*x + c) - 4*((a + b)*\cosh(d*x + c)^3 + 3*(a + b)*\cosh(d*x + c)*\sinh( \\
& d*x + c)^2 + (a + b)*\sinh(d*x + c)^3 + (a + b)*\cosh(d*x + c) + (3*(a + b)*\c \\
& osh(d*x + c)^2 + a + b)*\sinh(d*x + c))*\sqrt{b/(a + b)} + a + b)/((a + b)*\co \\
& sh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a + b)*\sinh(d*x \\
& + c)^4 + 2*(a - b)*\cosh(d*x + c)^2 + 2*(3*(a + b)*\cosh(d*x + c)^2 + a - b)* \\
& \sinh(d*x + c)^2 + 4*((a + b)*\cosh(d*x + c)^3 + (a - b)*\cosh(d*x + c))*\sinh( \\
& d*x + c) + a + b)) + a^2 + 2*a*b + b^2 + 2*(5*(a^2 + 2*a*b + b^2)*\cosh(d*x \\
& + c)^9 - 4*(7*a^2 - 6*a*b - 13*b^2)*\cosh(d*x + c)^7 - 6*(13*a^2 - 40*a*b + \\
& 7*b^2)*\cosh(d*x + c)^5 - 4*(13*a^2 - 40*a*b + 7*b^2)*\cosh(d*x + c)^3 - (7*a \\
& ^2 - 6*a*b - 13*b^2)*\cosh(d*x + c))*\sinh(d*x + c))/((a^4 + 4*a^3*b + 6*a^2*b^ \\
& 2 + 4*a*b^3 + b^4)*d*\cosh(d*x + c)^7 + 7*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a \\
& *b^3 + b^4)*d*\cosh(d*x + c)*\sinh(d*x + c)^6 + (a^4 + 4*a^3*b + 6*a^2*b^2 + \\
& 4*a*b^3 + b^4)*d*\sinh(d*x + c)^7 + 2*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*d*\cosh \\
& (d*x + c)^5 + (21*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*d*\cosh(d*x + \\
& c)^2 + 2*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*d)*\sinh(d*x + c)^5 + (a^4 + 4*a^3*b \\
& + 6*a^2*b^2 + 4*a*b^3 + b^4)*d*\cosh(d*x + c)^3 + 5*(7*(a^4 + 4*a^3*b + 6* \\
& a^2*b^2 + 4*a*b^3 + b^4)*d*\cosh(d*x + c)^3 + 2*(a^4 + 2*a^3*b - 2*a*b^3 - b \\
& ^4)*d*\cosh(d*x + c))*\sinh(d*x + c)^4 + (35*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a \\
& *b^3 + b^4)*d*\cosh(d*x + c)^4 + 20*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*d*\cosh(d \\
& *x + c)^2 + (a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*d)*\sinh(d*x + c)^3 \\
& + (21*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*d*\cosh(d*x + c)^5 + 20*(a \\
& ^4 + 2*a^3*b - 2*a*b^3 - b^4)*d*\cosh(d*x + c)^3 + 3*(a^4 + 4*a^3*b + 6*a^2* \\
& b^2 + 4*a*b^3 + b^4)*d*\cosh(d*x + c))*\sinh(d*x + c)^2 + (7*(a^4 + 4*a^3*b + \\
& 6*a^2*b^2 + 4*a*b^3 + b^4)*d*\cosh(d*x + c)^6 + 10*(a^4 + 2*a^3*b - 2*a*b^3 \\
& - b^4)*d*\cosh(d*x + c)^4 + 3*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*d \\
& *\cosh(d*x + c)^2)*\sinh(d*x + c)), 1/24*((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^1 \\
& 0 + 10*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)*\sinh(d*x + c)^9 + (a^2 + 2*a*b + b \\
& ^2)*\sinh(d*x + c)^10 - (7*a^2 - 6*a*b - 13*b^2)*\cosh(d*x + c)^8 + (45*(a^2 \\
& + 2*a*b + b^2)*\cosh(d*x + c)^2 - 7*a^2 + 6*a*b + 13*b^2)*\sinh(d*x + c)^8 + \\
& 8*(15*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^3 - (7*a^2 - 6*a*b - 13*b^2)*\cosh(d
\end{aligned}$$

$$\begin{aligned}
& *x + c)) * \sinh(dx + c)^7 - 2*(13a^2 - 40ab + 7b^2) * \cosh(dx + c)^6 + 2* \\
& (105*(a^2 + 2ab + b^2) * \cosh(dx + c)^4 - 14*(7a^2 - 6ab - 13b^2) * \cosh \\
& (dx + c)^2 - 13a^2 + 40ab - 7b^2) * \sinh(dx + c)^6 + 4*(63*(a^2 + 2ab \\
& + b^2) * \cosh(dx + c)^5 - 14*(7a^2 - 6ab - 13b^2) * \cosh(dx + c)^3 - 3*( \\
& 13a^2 - 40ab + 7b^2) * \cosh(dx + c)) * \sinh(dx + c)^5 - 2*(13a^2 - 40a* \\
& b + 7b^2) * \cosh(dx + c)^4 + 2*(105*(a^2 + 2ab + b^2) * \cosh(dx + c)^6 - 3 \\
& 5*(7a^2 - 6ab - 13b^2) * \cosh(dx + c)^4 - 15*(13a^2 - 40ab + 7b^2) * \c \\
& osh(dx + c)^2 - 13a^2 + 40ab - 7b^2) * \sinh(dx + c)^4 + 8*(15*(a^2 + 2* \\
& a*b + b^2) * \cosh(dx + c)^7 - 7*(7a^2 - 6ab - 13b^2) * \cosh(dx + c)^5 - 5 \\
& *(13a^2 - 40ab + 7b^2) * \cosh(dx + c)^3 - (13a^2 - 40ab + 7b^2) * \cosh \\
& (dx + c)) * \sinh(dx + c)^3 - (7a^2 - 6ab - 13b^2) * \cosh(dx + c)^2 + (45 \\
& *(a^2 + 2ab + b^2) * \cosh(dx + c)^8 - 28*(7a^2 - 6ab - 13b^2) * \cosh(dx \\
& + c)^6 - 30*(13a^2 - 40ab + 7b^2) * \cosh(dx + c)^4 - 12*(13a^2 - 40a* \\
& b + 7b^2) * \cosh(dx + c)^2 - 7a^2 + 6ab + 13b^2) * \sinh(dx + c)^2 + 12*( \\
& (3a^2 + ab - 2b^2) * \cosh(dx + c)^7 + 7*(3a^2 + ab - 2b^2) * \cosh(dx + \\
& c) * \sinh(dx + c)^6 + (3a^2 + ab - 2b^2) * \sinh(dx + c)^7 + 2*(3a^2 - 5a \\
& *b + 2b^2) * \cosh(dx + c)^5 + (21*(3a^2 + ab - 2b^2) * \cosh(dx + c)^2 + 6 \\
& *a^2 - 10ab + 4b^2) * \sinh(dx + c)^5 + 5*(7*(3a^2 + ab - 2b^2) * \cosh(dx \\
& + c)^3 + 2*(3a^2 - 5ab + 2b^2) * \cosh(dx + c)) * \sinh(dx + c)^4 + (3a^ \\
& 2 + ab - 2b^2) * \cosh(dx + c)^3 + (35*(3a^2 + ab - 2b^2) * \cosh(dx + c)^ \\
& 4 + 20*(3a^2 - 5ab + 2b^2) * \cosh(dx + c)^2 + 3a^2 + ab - 2b^2) * \sinh( \\
& dx + c)^3 + (21*(3a^2 + ab - 2b^2) * \cosh(dx + c)^5 + 20*(3a^2 - 5ab \\
& + 2b^2) * \cosh(dx + c)^3 + 3*(3a^2 + ab - 2b^2) * \cosh(dx + c)) * \sinh(dx \\
& + c)^2 + (7*(3a^2 + ab - 2b^2) * \cosh(dx + c)^6 + 10*(3a^2 - 5ab + 2b \\
& ^2) * \cosh(dx + c)^4 + 3*(3a^2 + ab - 2b^2) * \cosh(dx + c)^2) * \sinh(dx + c \\
& )) * \sqrt{-b/(a + b)} * \arctan(1/2*((a + b) * \cosh(dx + c)^3 + 3*(a + b) * \cosh(dx \\
& + c) * \sinh(dx + c)^2 + (a + b) * \sinh(dx + c)^3 + (a - 3b) * \cosh(dx + c) \\
& + (3*(a + b) * \cosh(dx + c)^2 + a - 3b) * \sinh(dx + c)) * \sqrt{-b/(a + b)})/b \\
& - 12*((3a^2 + ab - 2b^2) * \cosh(dx + c)^7 + 7*(3a^2 + ab - 2b^2) * \cosh( \\
& dx + c) * \sinh(dx + c)^6 + (3a^2 + ab - 2b^2) * \sinh(dx + c)^7 + 2*(3a^2 \\
& - 5ab + 2b^2) * \cosh(dx + c)^5 + (21*(3a^2 + ab - 2b^2) * \cosh(dx + c) \\
& ^2 + 6a^2 - 10ab + 4b^2) * \sinh(dx + c)^5 + 5*(7*(3a^2 + ab - 2b^2) * \c \\
& osh(dx + c)^3 + 2*(3a^2 - 5ab + 2b^2) * \cosh(dx + c)) * \sinh(dx + c)^4 + \\
& (3a^2 + ab - 2b^2) * \cosh(dx + c)^3 + (35*(3a^2 + ab - 2b^2) * \cosh(dx \\
& + c)^4 + 20*(3a^2 - 5ab + 2b^2) * \cosh(dx + c)^2 + 3a^2 + ab - 2b^2) \\
& * \sinh(dx + c)^3 + (21*(3a^2 + ab - 2b^2) * \cosh(dx + c)^5 + 20*(3a^2 - \\
& 5ab + 2b^2) * \cosh(dx + c)^3 + 3*(3a^2 + ab - 2b^2) * \cosh(dx + c)) * \sin \\
& h(dx + c)^2 + (7*(3a^2 + ab - 2b^2) * \cosh(dx + c)^6 + 10*(3a^2 - 5ab \\
& + 2b^2) * \cosh(dx + c)^4 + 3*(3a^2 + ab - 2b^2) * \cosh(dx + c)^2) * \sinh(d \\
& *x + c)) * \sqrt{-b/(a + b)} * \arctan(1/2*((a + b) * \cosh(dx + c) + (a + b) * \sinh( \\
& dx + c)) * \sqrt{-b/(a + b)})/b + a^2 + 2ab + b^2 + 2*(5*(a^2 + 2ab + b^2) \\
& ) * \cosh(dx + c)^9 - 4*(7a^2 - 6ab - 13b^2) * \cosh(dx + c)^7 - 6*(13a^2 \\
& - 40ab + 7b^2) * \cosh(dx + c)^5 - 4*(13a^2 - 40ab + 7b^2) * \cosh(dx + \\
& c)^3 - (7a^2 - 6ab - 13b^2) * \cosh(dx + c)) * \sinh(dx + c))/((a^4 + 4a^3 \\
& *b + 6a^2*b^2 + 4a*b^3 + b^4) * d * \cosh(dx + c)^7 + 7*(a^4 + 4a^3*b + 6a^2
\end{aligned}$$

$$2*b^2 + 4*a*b^3 + b^4)*d*cosh(d*x + c)*sinh(d*x + c)^6 + (a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*d*sinh(d*x + c)^7 + 2*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*d*cosh(d*x + c)^5 + (21*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*d*cosh(d*x + c)^2 + 2*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*d)*sinh(d*x + c)^5 + (a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*d*cosh(d*x + c)^3 + 5*(7*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*d*cosh(d*x + c)^3 + 2*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*d*cosh(d*x + c))*sinh(d*x + c)^4 + (35*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*d*cosh(d*x + c)^4 + 20*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*d*cosh(d*x + c)^2 + (a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*d)*sinh(d*x + c)^3 + (21*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*d*cosh(d*x + c))^5 + 20*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*d*cosh(d*x + c)^3 + 3*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*d*cosh(d*x + c))*sinh(d*x + c)^2 + (7*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*d*cosh(d*x + c)^6 + 10*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*d*cosh(d*x + c)^4 + 3*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*d*cosh(d*x + c)^2)*sinh(d*x + c))]$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)\*\*3/(a+b\*tanh(d\*x+c)\*\*2)\*\*2,x)

[Out] Timed out

**Giac [C]** time = 2.47194, size = 8694, normalized size = 70.11

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out]  $-1/24*(6*(3*(3*a^5*b*e^{(4*c)} + 10*a^4*b^2*e^{(4*c)} + 10*a^3*b^3*e^{(4*c)} - 5*a*b^5*e^{(4*c)} - 2*b^6*e^{(4*c)}))*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b)))) - (3*a^5*b*e^{(4*c)} + 10*a^4*b^2*e^{(4*c)} + 10*a^3*b^3*e^{(4*c)} - 5*a*b^5*e^{(4*c)} - 2*b^6*e^{(4*c)}))*\cosh(1/2*\text{imag\_p}$

$$\begin{aligned}
& \text{art}(\arccos(-a/(a+b) + b/(a+b)))^3 \sin(1/2 \text{real\_part}(\arccos(-a/(a+b) \\
& + b/(a+b))))^3 - 9*(3*a^5*b*e^{(4*c)} + 10*a^4*b^2*e^{(4*c)} + 10*a^3*b^3*e^{(4*c)} \\
& - 5*a*b^5*e^{(4*c)} - 2*b^6*e^{(4*c)})*\cos(1/2 \text{real\_part}(\arccos(-a/(a+b) \\
& + b/(a+b))))^2 \cosh(1/2 \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 \sin \\
& (1/2 \text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))*\sinh(1/2 \text{imag\_part}(\arccos(- \\
& a/(a+b) + b/(a+b)))) + 3*(3*a^5*b*e^{(4*c)} + 10*a^4*b^2*e^{(4*c)} + 10*a^3 \\
& *b^3*e^{(4*c)} - 5*a*b^5*e^{(4*c)} - 2*b^6*e^{(4*c)})*\cosh(1/2 \text{imag\_part}(\arccos(- \\
& a/(a+b) + b/(a+b))))^2 \sin(1/2 \text{real\_part}(\arccos(-a/(a+b) + b/(a+b) \\
& ))^3 \sinh(1/2 \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) + 9*(3*a^5*b*e^{(4* \\
& c)} + 10*a^4*b^2*e^{(4*c)} + 10*a^3*b^3*e^{(4*c)} - 5*a*b^5*e^{(4*c)} - 2*b^6*e^{(4 \\
& *c)})*\cos(1/2 \text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 \cosh(1/2 \text{imag\_par} \\
& t(\arccos(-a/(a+b) + b/(a+b))))*\sin(1/2 \text{real\_part}(\arccos(-a/(a+b) + b/ \\
& (a+b))))*\sinh(1/2 \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - 3*(3*a^5 \\
& *b*e^{(4*c)} + 10*a^4*b^2*e^{(4*c)} + 10*a^3*b^3*e^{(4*c)} - 5*a*b^5*e^{(4*c)} - 2* \\
& b^6*e^{(4*c)})*\cosh(1/2 \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))*\sin(1/2 \text{re} \\
& al\_part(\arccos(-a/(a+b) + b/(a+b))))^3 \sinh(1/2 \text{imag\_part}(\arccos(-a/(a \\
& + b) + b/(a+b))))^2 - 3*(3*a^5*b*e^{(4*c)} + 10*a^4*b^2*e^{(4*c)} + 10*a^3*b^ \\
& 3*e^{(4*c)} - 5*a*b^5*e^{(4*c)} - 2*b^6*e^{(4*c)})*\cos(1/2 \text{real\_part}(\arccos(-a/(a \\
& + b) + b/(a+b))))^2 \sin(1/2 \text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))*s \\
& inh(1/2 \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 + (3*a^5*b*e^{(4*c)} + 1 \\
& 0*a^4*b^2*e^{(4*c)} + 10*a^3*b^3*e^{(4*c)} - 5*a*b^5*e^{(4*c)} - 2*b^6*e^{(4*c)})*s \\
& in(1/2 \text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 \sinh(1/2 \text{imag\_part}(\arcc \\
& os(-a/(a+b) + b/(a+b))))^3 - (3*a^5*b*e^{(4*c)} + 10*a^4*b^2*e^{(4*c)} + 10 \\
& *a^3*b^3*e^{(4*c)} - 5*a*b^5*e^{(4*c)} - 2*b^6*e^{(4*c)})*\cosh(1/2 \text{imag\_part}(\arcc \\
& os(-a/(a+b) + b/(a+b))))*\sin(1/2 \text{real\_part}(\arccos(-a/(a+b) + b/(a+b) \\
& )))) + (3*a^5*b*e^{(4*c)} + 10*a^4*b^2*e^{(4*c)} + 10*a^3*b^3*e^{(4*c)} - 5*a*b^5 \\
& *e^{(4*c)} - 2*b^6*e^{(4*c)})*\sin(1/2 \text{real\_part}(\arccos(-a/(a+b) + b/(a+b) \\
& ))*\sinh(1/2 \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))*\arctan((((a^4 + 4*a^ \\
& 3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)/(a^4*e^{(4*c)} + 4*a^3*b*e^{(4*c)} + 6*a^2*b^2 \\
& *e^{(4*c)} + 4*a*b^3*e^{(4*c)} + b^4*e^{(4*c)}))^{(1/4)}*\cos(1/2 \text{arccos}(-(a-b)/(a \\
& + b))) + e^{(d*x)})/(((a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)/(a^4*e^{(4* \\
& c)} + 4*a^3*b*e^{(4*c)} + 6*a^2*b^2*e^{(4*c)} + 4*a*b^3*e^{(4*c)} + b^4*e^{(4*c)}))^{( \\
& 1/4)}*\sin(1/2 \text{arccos}(-(a-b)/(a+b))))/(2*(a^3*e^{(2*c)} + 3*a^2*b*e^{(2*c)} \\
& + 3*a*b^2*e^{(2*c)} + b^3*e^{(2*c)})^2*a*b + (a^4*e^{(2*c)} + 2*a^3*b*e^{(2*c)} - \\
& 2*a*b^3*e^{(2*c)} - b^4*e^{(2*c)})*\sqrt{-a*b}*abs(-a^3*e^{(2*c)} - 3*a^2*b*e^{(2*c)} \\
& ) - 3*a*b^2*e^{(2*c)} - b^3*e^{(2*c)})) + 6*(3*(3*a^5*b*e^{(4*c)} + 10*a^4*b^2*e^{(4*c)} \\
& + 10*a^3*b^3*e^{(4*c)} - 5*a*b^5*e^{(4*c)} - 2*b^6*e^{(4*c)})*\cos(1/2 \text{real\_} \\
& part(\arccos(-a/(a+b) + b/(a+b))))^2 \cosh(1/2 \text{imag\_part}(\arccos(-a/(a+b) \\
& ) + b/(a+b))))^3 \sin(1/2 \text{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) - (3* \\
& a^5*b*e^{(4*c)} + 10*a^4*b^2*e^{(4*c)} + 10*a^3*b^3*e^{(4*c)} - 5*a*b^5*e^{(4*c)} - \\
& 2*b^6*e^{(4*c)})*\cosh(1/2 \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 \sin(1 \\
& /2 \text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 - 9*(3*a^5*b*e^{(4*c)} + 10*a \\
& ^4*b^2*e^{(4*c)} + 10*a^3*b^3*e^{(4*c)} - 5*a*b^5*e^{(4*c)} - 2*b^6*e^{(4*c)})*\cos( \\
& 1/2 \text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 \cosh(1/2 \text{imag\_part}(\arccos( \\
& -a/(a+b) + b/(a+b))))^2 \sin(1/2 \text{real\_part}(\arccos(-a/(a+b) + b/(a+b)
\end{aligned}$$

$$\begin{aligned}
& )) * \sinh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) + 3 * (3 * a^5 * b * e^{4*c} \\
& + 10 * a^4 * b^2 * e^{4*c} + 10 * a^3 * b^3 * e^{4*c} - 5 * a * b^5 * e^{4*c} - 2 * b^6 * e^{4*c} \\
& c) * \cosh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 * \sin(1/2 * \text{real\_part} \\
& (\arccos(-a/(a+b) + b/(a+b))))^3 * \sinh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + \\
& b/(a+b)))) + 9 * (3 * a^5 * b * e^{4*c} + 10 * a^4 * b^2 * e^{4*c} + 10 * a^3 * b^3 * e^{4*c} \\
& - 5 * a * b^5 * e^{4*c} - 2 * b^6 * e^{4*c}) * \cos(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b \\
& /(a+b))))^2 * \cosh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sin(1/2 * \text{r} \\
& eal\_part(\arccos(-a/(a+b) + b/(a+b)))) * \sinh(1/2 * \text{imag\_part}(\arccos(-a/(a + \\
& b) + b/(a+b))))^2 - 3 * (3 * a^5 * b * e^{4*c} + 10 * a^4 * b^2 * e^{4*c} + 10 * a^3 * b^3 \\
& * e^{4*c} - 5 * a * b^5 * e^{4*c} - 2 * b^6 * e^{4*c}) * \cosh(1/2 * \text{imag\_part}(\arccos(-a/(a \\
& + b) + b/(a+b)))) * \sin(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \text{sinh} \\
& (1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - 3 * (3 * a^5 * b * e^{4*c} + \\
& 10 * a^4 * b^2 * e^{4*c} + 10 * a^3 * b^3 * e^{4*c} - 5 * a * b^5 * e^{4*c} - 2 * b^6 * e^{4*c}) \\
& * \cos(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 * \sin(1/2 * \text{real\_part}(\arccos \\
& (-a/(a+b) + b/(a+b)))) * \sinh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a + \\
& b))))^3 + (3 * a^5 * b * e^{4*c} + 10 * a^4 * b^2 * e^{4*c} + 10 * a^3 * b^3 * e^{4*c} - 5 * a \\
& * b^5 * e^{4*c} - 2 * b^6 * e^{4*c}) * \sin(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a + \\
& b))))^3 * \sinh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 - (3 * a^5 * b * e^{4*c} \\
& + 10 * a^4 * b^2 * e^{4*c} + 10 * a^3 * b^3 * e^{4*c} - 5 * a * b^5 * e^{4*c} - 2 * b^6 * e^{4*c}) \\
& * \cosh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sin(1/2 * \text{real\_part} \\
& (\arccos(-a/(a+b) + b/(a+b)))) + (3 * a^5 * b * e^{4*c} + 10 * a^4 * b^2 * e^{4*c} \\
& + 10 * a^3 * b^3 * e^{4*c} - 5 * a * b^5 * e^{4*c} - 2 * b^6 * e^{4*c}) * \sin(1/2 * \text{real\_part} \\
& (\arccos(-a/(a+b) + b/(a+b)))) * \sinh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/( \\
& a+b)))) * \arctan(-(((a^4 + 4 * a^3 * b + 6 * a^2 * b^2 + 4 * a * b^3 + b^4)/(a^4 * e^{4*c} \\
& + 4 * a^3 * b * e^{4*c} + 6 * a^2 * b^2 * e^{4*c} + 4 * a * b^3 * e^{4*c} + b^4 * e^{4*c})))^{1/4} * \cos(1/2 * \arccos(-(a-b)/(a+b))) - e^{(d*x)}) / (((a^4 + 4 * a^3 * b + 6 * a^2 * \\
& b^2 + 4 * a * b^3 + b^4)/(a^4 * e^{4*c} + 4 * a^3 * b * e^{4*c} + 6 * a^2 * b^2 * e^{4*c} + \\
& 4 * a * b^3 * e^{4*c} + b^4 * e^{4*c}))^{1/4} * \sin(1/2 * \arccos(-(a-b)/(a+b)))) / ( \\
& 2 * (a^3 * e^{2*c} + 3 * a^2 * b * e^{2*c} + 3 * a * b^2 * e^{2*c} + b^3 * e^{2*c}))^2 * a * b + ( \\
& a^4 * e^{2*c} + 2 * a^3 * b * e^{2*c} - 2 * a * b^3 * e^{2*c} - b^4 * e^{2*c}) * \sqrt{-a * b} * a \\
& b * (-a^3 * e^{2*c} - 3 * a^2 * b * e^{2*c} - 3 * a * b^2 * e^{2*c} - b^3 * e^{2*c})) + (9 * a * \\
& e^{(2*d*x + 2*c)} - 15 * b * e^{(2*d*x + 2*c)} - a - b) * e^{(-3*d*x)} / (a^3 * e^{3*c} + 3 \\
& * a^2 * b * e^{3*c} + 3 * a * b^2 * e^{3*c} + b^3 * e^{3*c}) + 3 * ((3 * a^5 * b * e^{4*c} + 10 * \\
& a^4 * b^2 * e^{4*c} + 10 * a^3 * b^3 * e^{4*c} - 5 * a * b^5 * e^{4*c} - 2 * b^6 * e^{4*c}) * \cos \\
& (1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \cosh(1/2 * \text{imag\_part}(\arccos \\
& (-a/(a+b) + b/(a+b))))^3 - 3 * (3 * a^5 * b * e^{4*c} + 10 * a^4 * b^2 * e^{4*c} + 10 \\
& * a^3 * b^3 * e^{4*c} - 5 * a * b^5 * e^{4*c} - 2 * b^6 * e^{4*c}) * \cos(1/2 * \text{real\_part}(\arcco \\
& s(-a/(a+b) + b/(a+b)))) * \cosh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b) \\
& ))))^3 * \sin(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - 3 * (3 * a^5 * b * e^{4*c} \\
& + 10 * a^4 * b^2 * e^{4*c} + 10 * a^3 * b^3 * e^{4*c} - 5 * a * b^5 * e^{4*c} - 2 * b^6 * e^{4*c}) \\
& * \cos(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \cosh(1/2 * \text{imag\_} \\
& part(\arccos(-a/(a+b) + b/(a+b))))^2 * \sinh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) \\
& ) + b/(a+b)))) + 9 * (3 * a^5 * b * e^{4*c} + 10 * a^4 * b^2 * e^{4*c} + 10 * a^3 * b^3 * e^{4*c} \\
& - 5 * a * b^5 * e^{4*c} - 2 * b^6 * e^{4*c}) * \cos(1/2 * \text{real\_part}(\arccos(-a/(a+b) \\
& + b/(a+b)))) * \cosh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 * \sin(1
\end{aligned}$$

$$\begin{aligned} & /2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b)))^2*\sinh(1/2*\text{imag\_part}(\arccos(- \\ & a/(a+b) + b/(a+b)))) + 3*(3*a^5*b*e^{(4*c)} + 10*a^4*b^2*e^{(4*c)} + 10*a^3 \\ & *b^3*e^{(4*c)} - 5*a*b^5*e^{(4*c)} - 2*b^6*e^{(4*c)})*\cos(1/2*\text{real\_part}(\arccos(-a \\ & / (a+b) + b/(a+b)))^3*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b)) \\ & ))*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - 9*(3*a^5*b*e^{(4* \\ & c)} + 10*a^4*b^2*e^{(4*c)} + 10*a^3*b^3*e^{(4*c)} - 5*a*b^5*e^{(4*c)} - 2*b^6*e^{(4 \\ & *c)})*\cos(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))*\cosh(1/2*\text{imag\_part}( \\ & \arccos(-a/(a+b) + b/(a+b))))*\sin(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a \\ & + b))))^2*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - (3*a^5*b \\ & *e^{(4*c)} + 10*a^4*b^2*e^{(4*c)} + 10*a^3*b^3*e^{(4*c)} - 5*a*b^5*e^{(4*c)} - 2*b^ \\ & 6*e^{(4*c)})*\cos(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3*\sinh(1/2*im \\ & ag\_part(\arccos(-a/(a+b) + b/(a+b))))^3 + 3*(3*a^5*b*e^{(4*c)} + 10*a^4*b^ \\ & 2*e^{(4*c)} + 10*a^3*b^3*e^{(4*c)} - 5*a*b^5*e^{(4*c)} - 2*b^6*e^{(4*c)})*\cos(1/2*r \\ & eal\_part(\arccos(-a/(a+b) + b/(a+b))))*\sin(1/2*\text{real\_part}(\arccos(-a/(a + \\ & b) + b/(a+b))))^2*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 - \\ & (3*a^5*b*e^{(4*c)} + 10*a^4*b^2*e^{(4*c)} + 10*a^3*b^3*e^{(4*c)} - 5*a*b^5*e^{(4* \\ & c)} - 2*b^6*e^{(4*c)})*\cos(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))*\cosh \\ & (1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) + (3*a^5*b*e^{(4*c)} + 10*a^4 \\ & *b^2*e^{(4*c)} + 10*a^3*b^3*e^{(4*c)} - 5*a*b^5*e^{(4*c)} - 2*b^6*e^{(4*c)})*\cos(1/ \\ & 2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))*\sinh(1/2*\text{imag\_part}(\arccos(-a/( \\ & a+b) + b/(a+b))))*\log(2*((a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)/( \\ & a^4*e^{(4*c)} + 4*a^3*b*e^{(4*c)} + 6*a^2*b^2*e^{(4*c)} + 4*a*b^3*e^{(4*c)} + b^4*e \\ & ^{(4*c)}))^{(1/4)}*\cos(1/2*\arccos(-(a-b)/(a+b)))*e^{(d*x)} + \text{sqrt}((a^4 + 4*a^ \\ & 3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)/(a^4*e^{(4*c)} + 4*a^3*b*e^{(4*c)} + 6*a^2*b^2 \\ & *e^{(4*c)} + 4*a*b^3*e^{(4*c)} + b^4*e^{(4*c)})) + e^{(2*d*x)})/(2*(a^3*e^{(2*c)} + 3 \\ & *a^2*b*e^{(2*c)} + 3*a*b^2*e^{(2*c)} + b^3*e^{(2*c)})^2*a*b + (a^4*e^{(2*c)} + 2*a^ \\ & 3*b*e^{(2*c)} - 2*a*b^3*e^{(2*c)} - b^4*e^{(2*c)})*\text{sqrt}(-a*b)*\text{abs}(-a^3*e^{(2*c)} - \\ & 3*a^2*b*e^{(2*c)} - 3*a*b^2*e^{(2*c)} - b^3*e^{(2*c)})) - 3*((3*a^5*b*e^{(4*c)} + 1 \\ & 0*a^4*b^2*e^{(4*c)} + 10*a^3*b^3*e^{(4*c)} - 5*a*b^5*e^{(4*c)} - 2*b^6*e^{(4*c)})*c \\ & \cos(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3*\cosh(1/2*\text{imag\_part}(\arcc \\ & os(-a/(a+b) + b/(a+b))))^3 - 3*(3*a^5*b*e^{(4*c)} + 10*a^4*b^2*e^{(4*c)} + \\ & 10*a^3*b^3*e^{(4*c)} - 5*a*b^5*e^{(4*c)} - 2*b^6*e^{(4*c)})*\cos(1/2*\text{real\_part}(\arcc \\ & os(-a/(a+b) + b/(a+b))))*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a + \\ & b))))^3*\sin(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - 3*(3*a^5*b* \\ & e^{(4*c)} + 10*a^4*b^2*e^{(4*c)} + 10*a^3*b^3*e^{(4*c)} - 5*a*b^5*e^{(4*c)} - 2*b^6 \\ & *e^{(4*c)})*\cos(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3*\cosh(1/2*ima \\ & g\_part(\arccos(-a/(a+b) + b/(a+b))))^2*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + \\ & b) + b/(a+b)))) + 9*(3*a^5*b*e^{(4*c)} + 10*a^4*b^2*e^{(4*c)} + 10*a^3*b^3*e \\ & ^{(4*c)} - 5*a*b^5*e^{(4*c)} - 2*b^6*e^{(4*c)})*\cos(1/2*\text{real\_part}(\arccos(-a/(a + \\ & b) + b/(a+b))))*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2*\sin \\ & (1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2*\sinh(1/2*\text{imag\_part}(\arccos \\ & (-a/(a+b) + b/(a+b)))) + 3*(3*a^5*b*e^{(4*c)} + 10*a^4*b^2*e^{(4*c)} + 10*a \\ & ^3*b^3*e^{(4*c)} - 5*a*b^5*e^{(4*c)} - 2*b^6*e^{(4*c)})*\cos(1/2*\text{real\_part}(\arccos( \\ & -a/(a+b) + b/(a+b))))^3*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b) \\ & ))))*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - 9*(3*a^5*b*e^{($$

$$\begin{aligned}
& 4*c) + 10*a^4*b^2*e^{(4*c)} + 10*a^3*b^3*e^{(4*c)} - 5*a*b^5*e^{(4*c)} - 2*b^6*e^{(4*c)} \\
& (4*c))*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\cosh(1/2*\text{imag\_part} \\
& (\arccos(-a/(a + b) + b/(a + b))))*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/ \\
& (a + b))))^2*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 - (3*a^5 \\
& *b*e^{(4*c)} + 10*a^4*b^2*e^{(4*c)} + 10*a^3*b^3*e^{(4*c)} - 5*a*b^5*e^{(4*c)} - 2* \\
& b^6*e^{(4*c)})*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\sinh(1/2* \\
& \text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 + 3*(3*a^5*b*e^{(4*c)} + 10*a^4* \\
& b^2*e^{(4*c)} + 10*a^3*b^3*e^{(4*c)} - 5*a*b^5*e^{(4*c)} - 2*b^6*e^{(4*c)})*\cos(1/2 \\
& *\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sin(1/2*\text{real\_part}(\arccos(-a/(a \\
& + b) + b/(a + b))))^2*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 \\
& - (3*a^5*b*e^{(4*c)} + 10*a^4*b^2*e^{(4*c)} + 10*a^3*b^3*e^{(4*c)} - 5*a*b^5*e^{(4*c)} - \\
& 2*b^6*e^{(4*c)})*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\co \\
& sh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) + (3*a^5*b*e^{(4*c)} + 10*a \\
& ^4*b^2*e^{(4*c)} + 10*a^3*b^3*e^{(4*c)} - 5*a*b^5*e^{(4*c)} - 2*b^6*e^{(4*c)})*\cos( \\
& 1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sinh(1/2*\text{imag\_part}(\arccos(-a \\
& /(a + b) + b/(a + b))))*\log(-2*((a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4 \\
& )/(a^4*e^{(4*c)} + 4*a^3*b*e^{(4*c)} + 6*a^2*b^2*e^{(4*c)} + 4*a*b^3*e^{(4*c)} + b^4 \\
& *e^{(4*c)}))^{(1/4)}*\cos(1/2*\arccos(-(a - b)/(a + b)))*e^{(d*x)} + \text{sqrt}((a^4 + 4 \\
& *a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)/(a^4*e^{(4*c)} + 4*a^3*b*e^{(4*c)} + 6*a^2* \\
& b^2*e^{(4*c)} + 4*a*b^3*e^{(4*c)} + b^4*e^{(4*c)})) + e^{(2*d*x)})/(2*(a^3*e^{(2*c)} \\
& + 3*a^2*b*e^{(2*c)} + 3*a*b^2*e^{(2*c)} + b^3*e^{(2*c)})^2*a*b + (a^4*e^{(2*c)} + 2 \\
& *a^3*b*e^{(2*c)} - 2*a*b^3*e^{(2*c)} - b^4*e^{(2*c)})*\text{sqrt}(-a*b)*\text{abs}(-a^3*e^{(2*c)} \\
& - 3*a^2*b*e^{(2*c)} - 3*a*b^2*e^{(2*c)} - b^3*e^{(2*c)})) - (a^4*e^{(3*d*x + 36*c)} \\
& ) + 4*a^3*b*e^{(3*d*x + 36*c)} + 6*a^2*b^2*e^{(3*d*x + 36*c)} + 4*a*b^3*e^{(3*d* \\
& x + 36*c)} + b^4*e^{(3*d*x + 36*c)} - 9*a^4*e^{(d*x + 34*c)} - 12*a^3*b*e^{(d*x + \\
& 34*c)} + 18*a^2*b^2*e^{(d*x + 34*c)} + 36*a*b^3*e^{(d*x + 34*c)} + 15*b^4*e^{(d* \\
& x + 34*c)})/(a^6*e^{(33*c)} + 6*a^5*b*e^{(33*c)} + 15*a^4*b^2*e^{(33*c)} + 20*a^3* \\
& b^3*e^{(33*c)} + 15*a^2*b^4*e^{(33*c)} + 6*a*b^5*e^{(33*c)} + b^6*e^{(33*c)}) - 24* \\
& (a*b*e^{(3*d*x + 3*c)} + a*b*e^{(d*x + c)})/((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*(a \\
& *e^{(4*d*x + 4*c)} + b*e^{(4*d*x + 4*c)} + 2*a*e^{(2*d*x + 2*c)} - 2*b*e^{(2*d*x + \\
& 2*c)} + a + b))/d
\end{aligned}$$



$$3.35 \quad \int \frac{\sinh^2(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$$

**Optimal.** Leaf size=132

$$-\frac{b \tanh(c+dx)}{d(a+b)^2(a+b \tanh^2(c+dx))} - \frac{\sqrt{b}(3a-b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2\sqrt{ad}(a+b)^3} + \frac{\sinh(c+dx) \cosh(c+dx)}{2d(a+b)(a+b \tanh^2(c+dx))} - \frac{x(a-3b)}{2(a+b)^3}$$

[Out]  $-\frac{(a-3b)x}{2(a+b)^3} - \frac{((3a-b)\sqrt{b}\text{ArcTan}[\sqrt{b}\text{Tanh}[c+dx)]/\sqrt{a}]}{2\sqrt{a}(a+b)^3d} + \frac{\text{Cosh}[c+dx]\text{Sinh}[c+dx]}{2d(a+b)(a+b \text{Tanh}[c+dx]^2)} - \frac{b \text{Tanh}[c+dx]}{d(a+b)^2(a+b \text{Tanh}[c+dx]^2)}$

**Rubi [A]** time = 0.165343, antiderivative size = 132, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {3663, 471, 527, 522, 206, 205}

$$-\frac{b \tanh(c+dx)}{d(a+b)^2(a+b \tanh^2(c+dx))} - \frac{\sqrt{b}(3a-b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2\sqrt{ad}(a+b)^3} + \frac{\sinh(c+dx) \cosh(c+dx)}{2d(a+b)(a+b \tanh^2(c+dx))} - \frac{x(a-3b)}{2(a+b)^3}$$

Antiderivative was successfully verified.

[In] Int[Sinh[c + d\*x]^2/(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out]  $-\frac{(a-3b)x}{2(a+b)^3} - \frac{((3a-b)\sqrt{b}\text{ArcTan}[\sqrt{b}\text{Tanh}[c+dx)]/\sqrt{a}]}{2\sqrt{a}(a+b)^3d} + \frac{\text{Cosh}[c+dx]\text{Sinh}[c+dx]}{2d(a+b)(a+b \text{Tanh}[c+dx]^2)} - \frac{b \text{Tanh}[c+dx]}{d(a+b)^2(a+b \text{Tanh}[c+dx]^2)}$

### Rule 3663

Int[sin[(e\_.) + (f\_.)\*(x\_)]^(m\_)\*((a\_.) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]))^(n\_)]^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff^(m+1))/f, Subst[Int[(x^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + ff^2\*x^2)^(m/2 + 1), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2]

### Rule 471

```
Int[((e_.)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Simp[(e^(n - 1)*(e*x)^(m - n + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(n*(b*c - a*d)*(p + 1)), x] - Dist[e^n/(n*(b*c - a*d)*(p + 1)), Int[(e*x)^(m - n)*(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(m - n + 1) + d*(m + n*(p + q + 1) + 1)*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LtQ[p, -1] && GeQ[n, m - n + 1] && GtQ[m - n + 1, 0] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]
```

### Rule 527

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_)*((e_) + (f_.)*(x_)^(n_)), x_Symbol] := -Simp[((b*e - a*f)*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(b*c - a*d)*(p + 1)), x] + Dist[1/(a*n*(b*c - a*d)*(p + 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(b*e - a*f) + e*n*(b*c - a*d)*(p + 1) + d*(b*e - a*f)*(n*(p + q + 2) + 1)*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, f, n, q}, x] && LtQ[p, -1]
```

### Rule 522

```
Int[((e_) + (f_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_))*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Dist[(b*e - a*f)/(b*c - a*d), Int[1/(a + b*x^n), x], x] - Dist[(d*e - c*f)/(b*c - a*d), Int[1/(c + d*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x]
```

### Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

### Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\sinh^2(c+dx)}{(a+b \tanh^2(c+dx))^2} dx &= \frac{\text{Subst}\left(\int \frac{x^2}{(1-x^2)^2(a+bx^2)^2} dx, x, \tanh(c+dx)\right)}{d} \\
&= \frac{\cosh(c+dx) \sinh(c+dx)}{2(a+b)d(a+b \tanh^2(c+dx))} - \frac{\text{Subst}\left(\int \frac{a-3bx^2}{(1-x^2)(a+bx^2)^2} dx, x, \tanh(c+dx)\right)}{2(a+b)d} \\
&= \frac{\cosh(c+dx) \sinh(c+dx)}{2(a+b)d(a+b \tanh^2(c+dx))} - \frac{b \tanh(c+dx)}{(a+b)^2 d(a+b \tanh^2(c+dx))} + \frac{\text{Subst}\left(\int \frac{-2a(a-b)}{(1-x^2)(a+bx^2)} dx, x, \tanh(c+dx)\right)}{4(a+b)^2 d} \\
&= \frac{\cosh(c+dx) \sinh(c+dx)}{2(a+b)d(a+b \tanh^2(c+dx))} - \frac{b \tanh(c+dx)}{(a+b)^2 d(a+b \tanh^2(c+dx))} - \frac{(a-3b) \text{Subst}\left(\int \frac{1}{1-x^2} dx, x, \tanh(c+dx)\right)}{2(a+b)^2 d} \\
&= \frac{(a-3b)x}{2(a+b)^3} - \frac{(3a-b)\sqrt{b} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2\sqrt{a}(a+b)^3 d} + \frac{\cosh(c+dx) \sinh(c+dx)}{2(a+b)d(a+b \tanh^2(c+dx))} - \frac{1}{(a+b)^2 d}
\end{aligned}$$

**Mathematica [A]** time = 0.649926, size = 105, normalized size = 0.8

$$\frac{-2(a-3b)(c+dx) + (a+b) \sinh(2(c+dx)) + \frac{2\sqrt{b}(b-3a) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{\sqrt{a}} - \frac{2b(a+b) \sinh(2(c+dx))}{(a+b) \cosh(2(c+dx))+a-b}}{4d(a+b)^3}$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]^2/(a + b\*Tanh[c + d\*x]^2)^2, x]

[Out] (-2\*(a - 3\*b)\*(c + d\*x) + (2\*sqrt[b]\*(-3\*a + b)\*ArcTan[(sqrt[b]\*Tanh[c + d\*x])/sqrt[a]])/sqrt[a] + (a + b)\*Sinh[2\*(c + d\*x)] - (2\*b\*(a + b)\*Sinh[2\*(c + d\*x)]/(a - b + (a + b)\*Cosh[2\*(c + d\*x)]))/(4\*(a + b)^3\*d)

**Maple [B]** time = 0.099, size = 1128, normalized size = 8.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sinh(d*x+c)^2/(a+b*tanh(d*x+c)^2)^2,x)
```

```
[Out] -1/2/d/(a+b)^2/(tanh(1/2*d*x+1/2*c)+1)^2+1/2/d/(a+b)^2/(tanh(1/2*d*x+1/2*c)
+1)-1/2/d/(a+b)^3*ln(tanh(1/2*d*x+1/2*c)+1)*a+3/2/d/(a+b)^3*ln(tanh(1/2*d*x
+1/2*c)+1)*b-1/d*b/(a+b)^3/(tanh(1/2*d*x+1/2*c)^4*a+2*tanh(1/2*d*x+1/2*c)^2
*a+4*tanh(1/2*d*x+1/2*c)^2*b+a)*tanh(1/2*d*x+1/2*c)^3*a-1/d*b^2/(a+b)^3/(ta
nh(1/2*d*x+1/2*c)^4*a+2*tanh(1/2*d*x+1/2*c)^2*a+4*tanh(1/2*d*x+1/2*c)^2*b+a
)*tanh(1/2*d*x+1/2*c)^3-1/d*b/(a+b)^3/(tanh(1/2*d*x+1/2*c)^4*a+2*tanh(1/2*d
*x+1/2*c)^2*a+4*tanh(1/2*d*x+1/2*c)^2*b+a)*tanh(1/2*d*x+1/2*c)*a-1/d*b^2/(a
+b)^3/(tanh(1/2*d*x+1/2*c)^4*a+2*tanh(1/2*d*x+1/2*c)^2*a+4*tanh(1/2*d*x+1/2
*c)^2*b+a)*tanh(1/2*d*x+1/2*c)+3/2/d*b/(a+b)^3*a^2/(b*(a+b))^(1/2)/((2*(b*(
a+b))^(1/2)-a-2*b)*a)^(1/2)*arctanh(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2
)-a-2*b)*a)^(1/2))-3/2/d*b/(a+b)^3*a/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*a
rctanh(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))+1/d*b^2/(
a+b)^3*a/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*arctanh(a*tanh
(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))+3/2/d*b/(a+b)^3*a^2/(b
*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*arctan(a*tanh(1/2*d*x+1/2
*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))+3/2/d*b/(a+b)^3*a/((2*(b*(a+b))^(1
/2)+a+2*b)*a)^(1/2)*arctan(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)
*a)^(1/2))+1/d*b^2/(a+b)^3*a/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(
1/2)*arctan(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))+1/2
/d*b^2/(a+b)^3/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*arctanh(a*tanh(1/2*d*x+1
/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))-1/2/d*b^3/(a+b)^3/(b*(a+b))^(1/2
)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*arctanh(a*tanh(1/2*d*x+1/2*c)/((2*(b*
(a+b))^(1/2)-a-2*b)*a)^(1/2))-1/2/d*b^2/(a+b)^3/((2*(b*(a+b))^(1/2)+a+2*b)*
a)^(1/2)*arctan(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))-
1/2/d*b^3/(a+b)^3/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*arcta
n(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))+1/2/d/(a+b)^2/
(tanh(1/2*d*x+1/2*c)-1)^2+1/2/d/(a+b)^2/(tanh(1/2*d*x+1/2*c)-1)+1/2/d/(a+b)
^3*ln(tanh(1/2*d*x+1/2*c)-1)*a-3/2/d/(a+b)^3*ln(tanh(1/2*d*x+1/2*c)-1)*b
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sinh(d*x+c)^2/(a+b*tanh(d*x+c)^2)^2,x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [B]** time = 2.67746, size = 9441, normalized size = 71.52

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [1/8*((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^8 + 8*(a^2 + 2*a*b + b^2)*\cosh(d*x \\ & + c)*\sinh(d*x + c)^7 + (a^2 + 2*a*b + b^2)*\sinh(d*x + c)^8 - 2*(2*(a^2 - 2* \\ & a*b - 3*b^2)*d*x - a^2 + b^2)*\cosh(d*x + c)^6 - 2*(2*(a^2 - 2*a*b - 3*b^2)* \\ & d*x - 14*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^2 - a^2 + b^2)*\sinh(d*x + c)^6 + \\ & 4*(14*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^3 - 3*(2*(a^2 - 2*a*b - 3*b^2)*d*x \\ & - a^2 + b^2)*\cosh(d*x + c))*\sinh(d*x + c)^5 - 8*((a^2 - 4*a*b + 3*b^2)*d*x \\ & - a*b + b^2)*\cosh(d*x + c)^4 + 2*(35*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^4 - \\ & 4*(a^2 - 4*a*b + 3*b^2)*d*x - 15*(2*(a^2 - 2*a*b - 3*b^2)*d*x - a^2 + b^2) \\ & *\cosh(d*x + c)^2 + 4*a*b - 4*b^2)*\sinh(d*x + c)^4 + 8*(7*(a^2 + 2*a*b + b^2) \\ & )*\cosh(d*x + c)^5 - 5*(2*(a^2 - 2*a*b - 3*b^2)*d*x - a^2 + b^2)*\cosh(d*x + \\ & c)^3 - 4*((a^2 - 4*a*b + 3*b^2)*d*x - a*b + b^2)*\cosh(d*x + c))*\sinh(d*x + \\ & c)^3 - 2*(2*(a^2 - 2*a*b - 3*b^2)*d*x + a^2 - 4*a*b - 5*b^2)*\cosh(d*x + c)^ \\ & 2 + 2*(14*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^6 - 15*(2*(a^2 - 2*a*b - 3*b^2) \\ & )*d*x - a^2 + b^2)*\cosh(d*x + c)^4 - 2*(a^2 - 2*a*b - 3*b^2)*d*x - 24*((a^2 \\ & - 4*a*b + 3*b^2)*d*x - a*b + b^2)*\cosh(d*x + c)^2 - a^2 + 4*a*b + 5*b^2)*\si \\ & nh(d*x + c)^2 - 2*((3*a^2 + 2*a*b - b^2)*\cosh(d*x + c)^6 + 6*(3*a^2 + 2*a*b \\ & - b^2)*\cosh(d*x + c)*\sinh(d*x + c)^5 + (3*a^2 + 2*a*b - b^2)*\sinh(d*x + c) \\ & ^6 + 2*(3*a^2 - 4*a*b + b^2)*\cosh(d*x + c)^4 + (15*(3*a^2 + 2*a*b - b^2)*co \\ & sh(d*x + c)^2 + 6*a^2 - 8*a*b + 2*b^2)*\sinh(d*x + c)^4 + 4*(5*(3*a^2 + 2*a* \\ & b - b^2)*\cosh(d*x + c)^3 + 2*(3*a^2 - 4*a*b + b^2)*\cosh(d*x + c))*\sinh(d*x \\ & + c)^3 + (3*a^2 + 2*a*b - b^2)*\cosh(d*x + c)^2 + (15*(3*a^2 + 2*a*b - b^2)* \\ & cosh(d*x + c)^4 + 12*(3*a^2 - 4*a*b + b^2)*\cosh(d*x + c)^2 + 3*a^2 + 2*a*b \\ & - b^2)*\sinh(d*x + c)^2 + 2*(3*(3*a^2 + 2*a*b - b^2)*\cosh(d*x + c)^5 + 4*(3* \\ & a^2 - 4*a*b + b^2)*\cosh(d*x + c)^3 + (3*a^2 + 2*a*b - b^2)*\cosh(d*x + c))*s \\ & inh(d*x + c))*\sqrt{-b/a}*\log(((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^4 + 4*(a^2 \\ & + 2*a*b + b^2)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a^2 + 2*a*b + b^2)*\sinh(d*x \\ & + c)^4 + 2*(a^2 - b^2)*\cosh(d*x + c)^2 + 2*(3*(a^2 + 2*a*b + b^2)*\cosh(d*x \\ & + c)^2 + a^2 - b^2)*\sinh(d*x + c)^2 + a^2 - 6*a*b + b^2 + 4*((a^2 + 2*a*b \\ & + b^2)*\cosh(d*x + c)^3 + (a^2 - b^2)*\cosh(d*x + c))*\sinh(d*x + c) + 4*((a^2 \\ & + a*b)*\cosh(d*x + c)^2 + 2*(a^2 + a*b)*\cosh(d*x + c)*\sinh(d*x + c) + (a^2 \\ & + a*b)*\sinh(d*x + c)^2 + a^2 - a*b)*\sqrt{-b/a})/((a + b)*\cosh(d*x + c)^4 + \\ & 4*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a + b)*\sinh(d*x + c)^4 + 2*(a - \\ & b)*\cosh(d*x + c)^2 + 2*(3*(a + b)*\cosh(d*x + c)^2 + a - b)*\sinh(d*x + c)^2 \\ & + 4*((a + b)*\cosh(d*x + c)^3 + (a - b)*\cosh(d*x + c))*\sinh(d*x + c) + a + b \\ & )) - a^2 - 2*a*b - b^2 + 4*(2*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^7 - 3*(2*(a \\ & ^2 - 2*a*b - 3*b^2)*d*x - a^2 + b^2)*\cosh(d*x + c)^5 - 8*((a^2 - 4*a*b + 3* \end{aligned}$$

$$\begin{aligned}
& b^2 * d * x - a * b + b^2) * \cosh(d * x + c)^3 - (2 * (a^2 - 2 * a * b - 3 * b^2) * d * x + a^2 \\
& - 4 * a * b - 5 * b^2) * \cosh(d * x + c) * \sinh(d * x + c) / ((a^4 + 4 * a^3 * b + 6 * a^2 * b^2 \\
& + 4 * a * b^3 + b^4) * d * \cosh(d * x + c)^6 + 6 * (a^4 + 4 * a^3 * b + 6 * a^2 * b^2 + 4 * a * b^3 \\
& + b^4) * d * \cosh(d * x + c) * \sinh(d * x + c)^5 + (a^4 + 4 * a^3 * b + 6 * a^2 * b^2 + 4 * a * \\
& b^3 + b^4) * d * \sinh(d * x + c)^6 + 2 * (a^4 + 2 * a^3 * b - 2 * a * b^3 - b^4) * d * \cosh(d * x \\
& + c)^4 + (15 * (a^4 + 4 * a^3 * b + 6 * a^2 * b^2 + 4 * a * b^3 + b^4) * d * \cosh(d * x + c)^2 \\
& + 2 * (a^4 + 2 * a^3 * b - 2 * a * b^3 - b^4) * d) * \sinh(d * x + c)^4 + (a^4 + 4 * a^3 * b + \\
& 6 * a^2 * b^2 + 4 * a * b^3 + b^4) * d * \cosh(d * x + c)^2 + 4 * (5 * (a^4 + 4 * a^3 * b + 6 * a^2 * \\
& b^2 + 4 * a * b^3 + b^4) * d * \cosh(d * x + c)^3 + 2 * (a^4 + 2 * a^3 * b - 2 * a * b^3 - b^4) * \\
& d * \cosh(d * x + c)) * \sinh(d * x + c)^3 + (15 * (a^4 + 4 * a^3 * b + 6 * a^2 * b^2 + 4 * a * b^3 \\
& + b^4) * d * \cosh(d * x + c)^4 + 12 * (a^4 + 2 * a^3 * b - 2 * a * b^3 - b^4) * d * \cosh(d * x + \\
& c)^2 + (a^4 + 4 * a^3 * b + 6 * a^2 * b^2 + 4 * a * b^3 + b^4) * d) * \sinh(d * x + c)^2 + 2 * \\
& (3 * (a^4 + 4 * a^3 * b + 6 * a^2 * b^2 + 4 * a * b^3 + b^4) * d * \cosh(d * x + c)^5 + 4 * (a^4 + \\
& 2 * a^3 * b - 2 * a * b^3 - b^4) * d * \cosh(d * x + c)^3 + (a^4 + 4 * a^3 * b + 6 * a^2 * b^2 + \\
& 4 * a * b^3 + b^4) * d * \cosh(d * x + c)) * \sinh(d * x + c)), 1/8 * ((a^2 + 2 * a * b + b^2) * \cosh(d * x + c)^8 + 8 * (a^2 + 2 * a * b + b^2) * \cosh(d * x + c) * \sinh(d * x + c)^7 + (a^2 + 2 * a * b + b^2) * \sinh(d * x + c)^8 - 2 * (2 * (a^2 - 2 * a * b - 3 * b^2) * d * x - a^2 + b^2) * \cosh(d * x + c)^6 - 2 * (2 * (a^2 - 2 * a * b - 3 * b^2) * d * x - 14 * (a^2 + 2 * a * b + b^2) * \cosh(d * x + c)^2 - a^2 + b^2) * \sinh(d * x + c)^6 + 4 * (14 * (a^2 + 2 * a * b + b^2) * \cosh(d * x + c)^3 - 3 * (2 * (a^2 - 2 * a * b - 3 * b^2) * d * x - a^2 + b^2) * \cosh(d * x + c)) * \sinh(d * x + c)^5 - 8 * ((a^2 - 4 * a * b + 3 * b^2) * d * x - a * b + b^2) * \cosh(d * x + c)^4 + 2 * (35 * (a^2 + 2 * a * b + b^2) * \cosh(d * x + c)^4 - 4 * (a^2 - 4 * a * b + 3 * b^2) * d * x - 15 * (2 * (a^2 - 2 * a * b - 3 * b^2) * d * x - a^2 + b^2) * \cosh(d * x + c)^2 + 4 * a * b - 4 * b^2) * \sinh(d * x + c)^4 + 8 * (7 * (a^2 + 2 * a * b + b^2) * \cosh(d * x + c)^5 - 5 * (2 * (a^2 - 2 * a * b - 3 * b^2) * d * x - a^2 + b^2) * \cosh(d * x + c)^3 - 4 * ((a^2 - 4 * a * b + 3 * b^2) * d * x - a * b + b^2) * \cosh(d * x + c)) * \sinh(d * x + c)^3 - 2 * (2 * (a^2 - 2 * a * b - 3 * b^2) * d * x + a^2 - 4 * a * b - 5 * b^2) * \cosh(d * x + c)^2 + 2 * (14 * (a^2 + 2 * a * b + b^2) * \cosh(d * x + c)^6 - 15 * (2 * (a^2 - 2 * a * b - 3 * b^2) * d * x - a^2 + b^2) * \cosh(d * x + c)^4 - 2 * (a^2 - 2 * a * b - 3 * b^2) * d * x - 24 * ((a^2 - 4 * a * b + 3 * b^2) * d * x - a * b + b^2) * \cosh(d * x + c)^2 - a^2 + 4 * a * b + 5 * b^2) * \sinh(d * x + c)^2 - 4 * ((3 * a^2 + 2 * a * b - b^2) * \cosh(d * x + c)^6 + 6 * (3 * a^2 + 2 * a * b - b^2) * \cosh(d * x + c) * \sinh(d * x + c)^5 + (3 * a^2 + 2 * a * b - b^2) * \sinh(d * x + c)^6 + 2 * (3 * a^2 - 4 * a * b + b^2) * \cosh(d * x + c)^4 + (15 * (3 * a^2 + 2 * a * b - b^2) * \cosh(d * x + c)^2 + 6 * a^2 - 8 * a * b + 2 * b^2) * \sinh(d * x + c)^4 + 4 * (5 * (3 * a^2 + 2 * a * b - b^2) * \cosh(d * x + c)^3 + 2 * (3 * a^2 - 4 * a * b + b^2) * \cosh(d * x + c)) * \sinh(d * x + c)^3 + (3 * a^2 + 2 * a * b - b^2) * \cosh(d * x + c)^2 + (15 * (3 * a^2 + 2 * a * b - b^2) * \cosh(d * x + c)^4 + 12 * (3 * a^2 - 4 * a * b + b^2) * \cosh(d * x + c)^2 + 3 * a^2 + 2 * a * b - b^2) * \sinh(d * x + c)^2 + 2 * (3 * (3 * a^2 + 2 * a * b - b^2) * \cosh(d * x + c)^5 + 4 * (3 * a^2 - 4 * a * b + b^2) * \cosh(d * x + c)^3 + (3 * a^2 + 2 * a * b - b^2) * \cosh(d * x + c)) * \sinh(d * x + c)) * \sqrt{b/a} * \arctan(1/2 * ((a + b) * \cosh(d * x + c)^2 + 2 * (a + b) * \cosh(d * x + c) * \sinh(d * x + c) + (a + b) * \sinh(d * x + c)^2 + a - b) * \sqrt{b/a}/b) - a^2 - 2 * a * b - b^2 + 4 * (2 * (a^2 + 2 * a * b + b^2) * \cosh(d * x + c)^7 - 3 * (2 * (a^2 - 2 * a * b - 3 * b^2) * d * x - a^2 + b^2) * \cosh(d * x + c)^5 - 8 * ((a^2 - 4 * a * b + 3 * b^2) * d * x - a * b + b^2) * \cosh(d * x + c)^3 - (2 * (a^2 - 2 * a * b - 3 * b^2) * d * x + a^2 - 4 * a * b - 5 * b^2) * \cosh(d * x + c)) * \sinh(d * x + c) / ((a^4 + 4 * a^3 * b + 6 * a^2 * b^2 + 4 * a * b^3 + b^4) * d * \cosh(d * x + c)^
\end{aligned}$$

```

6 + 6*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*d*cosh(d*x + c)*sinh(d*x
+ c)^5 + (a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*d*sinh(d*x + c)^6 + 2*
(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*d*cosh(d*x + c)^4 + (15*(a^4 + 4*a^3*b + 6*
a^2*b^2 + 4*a*b^3 + b^4)*d*cosh(d*x + c)^2 + 2*(a^4 + 2*a^3*b - 2*a*b^3 - b
^4)*d)*sinh(d*x + c)^4 + (a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*d*cosh
(d*x + c)^2 + 4*(5*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*d*cosh(d*x +
c)^3 + 2*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*d*cosh(d*x + c))*sinh(d*x + c)^3
+ (15*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*d*cosh(d*x + c)^4 + 12*(a
^4 + 2*a^3*b - 2*a*b^3 - b^4)*d*cosh(d*x + c)^2 + (a^4 + 4*a^3*b + 6*a^2*b^
2 + 4*a*b^3 + b^4)*d)*sinh(d*x + c)^2 + 2*(3*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4
*a*b^3 + b^4)*d*cosh(d*x + c)^5 + 4*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*d*cosh(
d*x + c)^3 + (a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*d*cosh(d*x + c))*s
inh(d*x + c))]

```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)\*\*2/(a+b\*tanh(d\*x+c)\*\*2)\*\*2,x)

[Out] Timed out

**Giac [B]** time = 2.25285, size = 540, normalized size = 4.09

$$\frac{12(a-3b)dx}{a^3+3a^2b+3ab^2+b^3} + \frac{12(3abe^{2c}-b^2e^{2c})\arctan\left(\frac{ae^{2dx+2c}+be^{2dx+2c}+a-b}{2\sqrt{ab}}\right)e^{(-2c)}}{(a^3+3a^2b+3ab^2+b^3)\sqrt{ab}} - \frac{3e^{2dx+12c}}{a^2e^{10c}+2abe^{10c}+b^2e^{10c}} - \frac{2a^2e^{6dx+6c}-4abe^{6dx+6c}-6b^2e^{6dx+6c}}{(a^3e^{2c}+3a^2be^{2c}+3ab^2e^{2c}+b^3e^{2c})}$$

24d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out] 
$$-1/24*(12*(a - 3*b)*d*x/(a^3 + 3*a^2*b + 3*a*b^2 + b^3) + 12*(3*a*b*e^{(2*c)} - b^2*e^{(2*c)})*\arctan(1/2*(a*e^{(2*d*x + 2*c)} + b*e^{(2*d*x + 2*c)} + a - b)/\sqrt{a*b})*e^{(-2*c)}/((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\sqrt{a*b}) - 3*e^{(2*d*x + 12*c)}/(a^2*e^{(10*c)} + 2*a*b*e^{(10*c)} + b^2*e^{(10*c)}) - (2*a^2*e^{(6*d*x + 6*c)} - 4*a*b*e^{(6*d*x + 6*c)} - 6*b^2*e^{(6*d*x + 6*c)} + a^2*e^{(4*d*x + 4*c)}$$

$$\begin{aligned}
& ) + 2*a*b*e^{(4*d*x + 4*c)} - 15*b^2*e^{(4*d*x + 4*c)} - 4*a^2*e^{(2*d*x + 2*c)} \\
& + 20*a*b*e^{(2*d*x + 2*c)} + 24*b^2*e^{(2*d*x + 2*c)} - 3*a^2 - 6*a*b - 3*b^2)/ \\
& ((a^3*e^{(2*c)} + 3*a^2*b*e^{(2*c)} + 3*a*b^2*e^{(2*c)} + b^3*e^{(2*c)})*(a*e^{(2*d* \\
& x)} + b*e^{(2*d*x)} + a*e^{(6*d*x + 4*c)} + b*e^{(6*d*x + 4*c)} + 2*a*e^{(4*d*x + 2 \\
& *c)} - 2*b*e^{(4*d*x + 2*c)})))/d
\end{aligned}$$



$$3.36 \quad \int \frac{\sinh(c+dx)}{\left(a+b \tanh^2(c+dx)\right)^2} dx$$

**Optimal.** Leaf size=92

$$\frac{3 \cosh(c+dx)}{2d(a+b)^2} - \frac{\cosh(c+dx)}{2d(a+b)(a-b \operatorname{sech}^2(c+dx)+b)} - \frac{3\sqrt{b} \tanh^{-1}\left(\frac{\sqrt{b} \operatorname{sech}(c+dx)}{\sqrt{a+b}}\right)}{2d(a+b)^{5/2}}$$

[Out]  $(-3*\text{Sqrt}[b]*\text{ArcTanh}[(\text{Sqrt}[b]*\text{Sech}[c+d*x])/ \text{Sqrt}[a+b]])/(2*(a+b)^{(5/2)*d}) + (3*\text{Cosh}[c+d*x])/(2*(a+b)^{2*d}) - \text{Cosh}[c+d*x]/(2*(a+b)*d*(a+b - b*\text{Sech}[c+d*x]^2))$

**Rubi [A]** time = 0.0746356, antiderivative size = 92, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.19$ , Rules used = {3664, 290, 325, 208}

$$\frac{3 \cosh(c+dx)}{2d(a+b)^2} - \frac{\cosh(c+dx)}{2d(a+b)(a-b \operatorname{sech}^2(c+dx)+b)} - \frac{3\sqrt{b} \tanh^{-1}\left(\frac{\sqrt{b} \operatorname{sech}(c+dx)}{\sqrt{a+b}}\right)}{2d(a+b)^{5/2}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Sinh}[c+d*x]/(a+b*\text{Tanh}[c+d*x]^2), x]$

[Out]  $(-3*\text{Sqrt}[b]*\text{ArcTanh}[(\text{Sqrt}[b]*\text{Sech}[c+d*x])/ \text{Sqrt}[a+b]])/(2*(a+b)^{(5/2)*d}) + (3*\text{Cosh}[c+d*x])/(2*(a+b)^{2*d}) - \text{Cosh}[c+d*x]/(2*(a+b)*d*(a+b - b*\text{Sech}[c+d*x]^2))$

### Rule 3664

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]^{(m_.)*((a_.) + (b_.)*\tan[(e_.) + (f_.)*(x_.)]^2)^{(p_.)}, x\_Symbol] :> \text{With}[\{ff = \text{FreeFactors}[\text{Sec}[e + f*x], x]\}, \text{Dist}[1/(f*ff^m), \text{Subst}[\text{Int}[((-1 + ff^2*x^2)^{((m-1)/2)*(a-b+b*ff^2*x^2)^p})/x^{(m+1)}], x], x, \text{Sec}[e + f*x]/ff, x]] /; \text{FreeQ}[\{a, b, e, f, p\}, x] \&\& \text{IntegerQ}[(m-1)/2]$

### Rule 290

$\text{Int}[((c_.)*(x_.))^{(m_.)*((a_.) + (b_.)*(x_.)^n)^{(p_.)}, x\_Symbol] :> -\text{Simp}[(c*x)^{(m+1)*(a+b*x^n)^{(p+1)}}/(a*c*n*(p+1)), x] + \text{Dist}[(m+n*(p+1))$

+ 1)/(a\*n\*(p + 1)), Int[(c\*x)^m\*(a + b\*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c, m}, x] && IGtQ[n, 0] && LtQ[p, -1] && IntBinomialQ[a, b, c, n, m, p, x]

### Rule 325

Int[((c\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[((c\*x)^(m + 1)\*(a + b\*x^n)^(p + 1))/(a\*c\*(m + 1)), x] - Dist[(b\*(m + n\*(p + 1) + 1))/(a\*c^n\*(m + 1)), Int[(c\*x)^(m + n)\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && LtQ[m, -1] && IntBinomialQ[a, b, c, n, m, p, x]

### Rule 208

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rubi steps

$$\begin{aligned} \int \frac{\sinh(c + dx)}{(a + b \tanh^2(c + dx))^2} dx &= -\frac{\text{Subst}\left(\int \frac{1}{x^2(a+b-bx^2)^2} dx, x, \text{sech}(c + dx)\right)}{d} \\ &= -\frac{\cosh(c + dx)}{2(a + b)d(a + b - b\text{sech}^2(c + dx))} - \frac{3\text{Subst}\left(\int \frac{1}{x^2(a+b-bx^2)} dx, x, \text{sech}(c + dx)\right)}{2(a + b)d} \\ &= \frac{3\cosh(c + dx)}{2(a + b)^2d} - \frac{\cosh(c + dx)}{2(a + b)d(a + b - b\text{sech}^2(c + dx))} - \frac{(3b)\text{Subst}\left(\int \frac{1}{a+b-bx^2} dx, x, \text{sech}(c + dx)\right)}{2(a + b)^2d} \\ &= -\frac{3\sqrt{b}\tanh^{-1}\left(\frac{\sqrt{b}\text{sech}(c+dx)}{\sqrt{a+b}}\right)}{2(a + b)^{5/2}d} + \frac{3\cosh(c + dx)}{2(a + b)^2d} - \frac{\cosh(c + dx)}{2(a + b)d(a + b - b\text{sech}^2(c + dx))} \end{aligned}$$

**Mathematica [C]** time = 0.683644, size = 133, normalized size = 1.45

$$\frac{2\cosh(c+dx)\left(1-\frac{b}{(a+b)\cosh(2(c+dx)+a-b)}\right)}{(a+b)^2} - \frac{3i\sqrt{b}\left(\tan^{-1}\left(\frac{-\sqrt{a}\tanh\left(\frac{1}{2}(c+dx)\right)-i\sqrt{a+b}}{\sqrt{b}}\right)+\tan^{-1}\left(\frac{\sqrt{a}\tanh\left(\frac{1}{2}(c+dx)\right)-i\sqrt{a+b}}{\sqrt{b}}\right)\right)}{(a+b)^{5/2}}}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]/(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] (((-3\*I)\*Sqrt[b]\*(ArcTan[(-I)\*Sqrt[a + b] - Sqrt[a]\*Tanh[(c + d\*x)/2]])/Sqrt[b] + ArcTan[(-I)\*Sqrt[a + b] + Sqrt[a]\*Tanh[(c + d\*x)/2]]/Sqrt[b]))/(a + b)^(5/2) + (2\*Cosh[c + d\*x]\*(1 - b/(a - b + (a + b)\*Cosh[2\*(c + d\*x)])))/(a + b)^2/(2\*d)

**Maple [B]** time = 0.079, size = 167, normalized size = 1.8

$$\frac{1}{d} \left( \frac{1}{(a+b)^2} \left( \tanh\left(\frac{dx}{2} + \frac{c}{2}\right) + 1 \right)^{-1} + 2 \frac{b}{(a+b)^2} \left( \frac{1}{(\tanh(1/2 dx + c/2))^4 a + 2 (\tanh(1/2 dx + c/2))^2 a + 4 (\tanh(1/2 dx + c/2))^2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(d\*x+c)/(a+b\*tanh(d\*x+c)^2)^2,x)

[Out] 1/d\*(1/(a+b)^2/(tanh(1/2\*d\*x+1/2\*c)+1)+2\*b/(a+b)^2\*((-1/2\*(a+2\*b)/a\*tanh(1/2\*d\*x+1/2\*c)^2-1/2)/(tanh(1/2\*d\*x+1/2\*c)^4\*a+2\*tanh(1/2\*d\*x+1/2\*c)^2\*a+4\*tanh(1/2\*d\*x+1/2\*c)^2\*b+a)-3/4/(a\*b+b^2)^(1/2)\*arctanh(1/4\*(2\*tanh(1/2\*d\*x+1/2\*c)^2\*a+2\*a+4\*b)/(a\*b+b^2)^(1/2)))-1/(a+b)^2/(tanh(1/2\*d\*x+1/2\*c)-1))

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{(ae^{6c} + be^{6c})e^{6dx} + 3(ae^{4c} - be^{4c})e^{4dx} + 3(ae^{2c} - be^{2c})e^{2dx} + a + b}{2((a^3de^{5c} + 3a^2bde^{5c} + 3ab^2de^{5c} + b^3de^{5c})e^{5dx} + 2(a^3de^{3c} + a^2bde^{3c} - ab^2de^{3c} - b^3de^{3c})e^{3dx} + (a^3de^c + a^2bde^c + ab^2de^c + b^3de^c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="maxima")

[Out] 1/2\*((a\*e^(6\*c) + b\*e^(6\*c))\*e^(6\*d\*x) + 3\*(a\*e^(4\*c) - b\*e^(4\*c))\*e^(4\*d\*x) + 3\*(a\*e^(2\*c) - b\*e^(2\*c))\*e^(2\*d\*x) + a + b)/((a^3\*d\*e^(5\*c) + 3\*a^2\*b\*d\*e^(5\*c) + 3\*a\*b^2\*d\*e^(5\*c) + b^3\*d\*e^(5\*c))\*e^(5\*d\*x) + 2\*(a^3\*d\*e^(3\*c) + a^2\*b\*d\*e^(3\*c) - a\*b^2\*d\*e^(3\*c) - b^3\*d\*e^(3\*c))\*e^(3\*d\*x) + (a^3\*d\*e^(c) + 3\*a^2\*b\*d\*e^(c) + 3\*a\*b^2\*d\*e^(c) + b^3\*d\*e^(c))\*e^(d\*x)) + 1/2\*integrate(6\*(b\*e^(3\*d\*x + 3\*c) - b\*e^(d\*x + c))/(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3 + (a^3\*e^(4\*c) + 3\*a^2\*b\*e^(4\*c) + 3\*a\*b^2\*e^(4\*c) + b^3\*e^(4\*c))\*e^(4\*d\*x) + 2\*(a^3\*e^(2\*c) + a^2\*b\*e^(2\*c) - a\*b^2\*e^(2\*c) - b^3\*e^(2\*c))\*e^(2\*d\*x)), x)

**Fricas [B]** time = 2.58527, size = 5933, normalized size = 64.49

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [1/4*(2*(a + b)*\cosh(d*x + c)^6 + 12*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^5 \\ & + 2*(a + b)*\sinh(d*x + c)^6 + 6*(a - b)*\cosh(d*x + c)^4 + 6*(5*(a + b)*\cosh \\ & (d*x + c)^2 + a - b)*\sinh(d*x + c)^4 + 8*(5*(a + b)*\cosh(d*x + c)^3 + 3*(a \\ & - b)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 6*(a - b)*\cosh(d*x + c)^2 + 6*(5*(a + \\ & b)*\cosh(d*x + c)^4 + 6*(a - b)*\cosh(d*x + c)^2 + a - b)*\sinh(d*x + c)^2 + \\ & 3*((a + b)*\cosh(d*x + c)^5 + 5*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^4 + (a + \\ & b)*\sinh(d*x + c)^5 + 2*(a - b)*\cosh(d*x + c)^3 + 2*(5*(a + b)*\cosh(d*x + c \\ & )^2 + a - b)*\sinh(d*x + c)^3 + 2*(5*(a + b)*\cosh(d*x + c)^3 + 3*(a - b)*\cos \\ & h(d*x + c))*\sinh(d*x + c)^2 + (a + b)*\cosh(d*x + c) + (5*(a + b)*\cosh(d*x + \\ & c)^4 + 6*(a - b)*\cosh(d*x + c)^2 + a + b)*\sinh(d*x + c))*\sqrt{b/(a + b)}*l \\ & og(((a + b)*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a \\ & + b)*\sinh(d*x + c)^4 + 2*(a + 3*b)*\cosh(d*x + c)^2 + 2*(3*(a + b)*\cosh(d*x \\ & + c)^2 + a + 3*b)*\sinh(d*x + c)^2 + 4*((a + b)*\cosh(d*x + c)^3 + (a + 3*b)* \\ & \cosh(d*x + c))*\sinh(d*x + c) - 4*((a + b)*\cosh(d*x + c)^3 + 3*(a + b)*\cosh \\ & (d*x + c)*\sinh(d*x + c)^2 + (a + b)*\sinh(d*x + c)^3 + (a + b)*\cosh(d*x + c) \\ & + (3*(a + b)*\cosh(d*x + c)^2 + a + b)*\sinh(d*x + c))*\sqrt{b/(a + b)} + a + \\ & b)/((a + b)*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a \\ & + b)*\sinh(d*x + c)^4 + 2*(a - b)*\cosh(d*x + c)^2 + 2*(3*(a + b)*\cosh(d*x + \\ & c)^2 + a - b)*\sinh(d*x + c)^2 + 4*((a + b)*\cosh(d*x + c)^3 + (a - b)*\cosh \\ & (d*x + c))*\sinh(d*x + c) + a + b)) + 12*((a + b)*\cosh(d*x + c)^5 + 2*(a - b)* \\ & \cosh(d*x + c)^3 + (a - b)*\cosh(d*x + c))*\sinh(d*x + c) + 2*a + 2*b)/((a^3 + \\ & 3*a^2*b + 3*a*b^2 + b^3)*d*\cosh(d*x + c)^5 + 5*(a^3 + 3*a^2*b + 3*a*b^2 + \\ & b^3)*d*\cosh(d*x + c)*\sinh(d*x + c)^4 + (a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*si \\ & nh(d*x + c)^5 + 2*(a^3 + a^2*b - a*b^2 - b^3)*d*\cosh(d*x + c)^3 + 2*(5*(a^3 \\ & + 3*a^2*b + 3*a*b^2 + b^3)*d*\cosh(d*x + c)^2 + (a^3 + a^2*b - a*b^2 - b^3) \\ & *d)*\sinh(d*x + c)^3 + (a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*\cosh(d*x + c) + 2*( \\ & 5*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*\cosh(d*x + c)^3 + 3*(a^3 + a^2*b - a*b^2 \\ & - b^3)*d*\cosh(d*x + c))*\sinh(d*x + c)^2 + (5*(a^3 + 3*a^2*b + 3*a*b^2 + b \\ & ^3)*d*\cosh(d*x + c)^4 + 6*(a^3 + a^2*b - a*b^2 - b^3)*d*\cosh(d*x + c)^2 + ( \\ & a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d)*\sinh(d*x + c)), 1/2*((a + b)*\cosh(d*x + c \\ & )^6 + 6*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^5 + (a + b)*\sinh(d*x + c)^6 + 3 \\ & *(a - b)*\cosh(d*x + c)^4 + 3*(5*(a + b)*\cosh(d*x + c)^2 + a - b)*\sinh(d*x + \\ & c)^4 + 4*(5*(a + b)*\cosh(d*x + c)^3 + 3*(a - b)*\cosh(d*x + c))*\sinh(d*x + \\ & c)^3 + 3*(a - b)*\cosh(d*x + c)^2 + 3*(5*(a + b)*\cosh(d*x + c)^4 + 6*(a - b) \\ & *\cosh(d*x + c)^2 + a - b)*\sinh(d*x + c)^2 - 3*((a + b)*\cosh(d*x + c)^5 + 5* \end{aligned}$$

$$\begin{aligned}
& (a + b) \cosh(dx + c) \sinh(dx + c)^4 + (a + b) \sinh(dx + c)^5 + 2(a - b) \\
& \cosh(dx + c)^3 + 2(5(a + b) \cosh(dx + c)^2 + a - b) \sinh(dx + c)^3 + \\
& 2(5(a + b) \cosh(dx + c)^3 + 3(a - b) \cosh(dx + c)) \sinh(dx + c)^2 + ( \\
& a + b) \cosh(dx + c) + (5(a + b) \cosh(dx + c)^4 + 6(a - b) \cosh(dx + c) \\
& ^2 + a + b) \sinh(dx + c) \sqrt{-b/(a + b)} \arctan(1/2((a + b) \cosh(dx + \\
& c)^3 + 3(a + b) \cosh(dx + c) \sinh(dx + c)^2 + (a + b) \sinh(dx + c)^3 + \\
& (a - 3b) \cosh(dx + c) + (3(a + b) \cosh(dx + c)^2 + a - 3b) \sinh(dx + \\
& c)) \sqrt{-b/(a + b)})/b) + 3((a + b) \cosh(dx + c)^5 + 5(a + b) \cosh(dx + \\
& c) \sinh(dx + c)^4 + (a + b) \sinh(dx + c)^5 + 2(a - b) \cosh(dx + c)^3 + \\
& 2(5(a + b) \cosh(dx + c)^2 + a - b) \sinh(dx + c)^3 + 2(5(a + b) \cosh( \\
& dx + c)^3 + 3(a - b) \cosh(dx + c)) \sinh(dx + c)^2 + (a + b) \cosh(dx + \\
& c) + (5(a + b) \cosh(dx + c)^4 + 6(a - b) \cosh(dx + c)^2 + a + b) \sinh(dx \\
& + c) \sqrt{-b/(a + b)} \arctan(1/2((a + b) \cosh(dx + c) + (a + b) \sinh( \\
& dx + c) \sqrt{-b/(a + b)})/b) + 6((a + b) \cosh(dx + c)^5 + 2(a - b) \cosh \\
& (dx + c)^3 + (a - b) \cosh(dx + c)) \sinh(dx + c) + a + b) / ((a^3 + 3a^2b \\
& + 3ab^2 + b^3) d \cosh(dx + c)^5 + 5(a^3 + 3a^2b + 3ab^2 + b^3) d \c \\
& osh(dx + c) \sinh(dx + c)^4 + (a^3 + 3a^2b + 3ab^2 + b^3) d \sinh(dx + \\
& c)^5 + 2(a^3 + a^2b - ab^2 - b^3) d \cosh(dx + c)^3 + 2(5(a^3 + 3a^2 \\
& *b + 3ab^2 + b^3) d \cosh(dx + c)^2 + (a^3 + a^2b - ab^2 - b^3) d) \sinh \\
& (dx + c)^3 + (a^3 + 3a^2b + 3ab^2 + b^3) d \cosh(dx + c) + 2(5(a^3 + \\
& 3a^2b + 3ab^2 + b^3) d \cosh(dx + c)^3 + 3(a^3 + a^2b - ab^2 - b^3) \\
& *d \cosh(dx + c)) \sinh(dx + c)^2 + (5(a^3 + 3a^2b + 3ab^2 + b^3) d \c \\
& osh(dx + c)^4 + 6(a^3 + a^2b - ab^2 - b^3) d \cosh(dx + c)^2 + (a^3 + 3 \\
& a^2b + 3ab^2 + b^3) d) \sinh(dx + c)) ]
\end{aligned}$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(dx+c)/(a+b\*tanh(dx+c)\*\*2)\*\*2,x)

[Out] Timed out

**Giac [C]** time = 1.69834, size = 6742, normalized size = 73.28

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sinh(d*x+c)/(a+b*tanh(d*x+c)^2)^2,x, algorithm="giac")
```

```
[Out] 1/8*(6*(3*(2*a*b^2*e^(2*c) - (a*b*e^(2*c) - b^2*e^(2*c))*sqrt(-a*b))*cos(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))^2*cosh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b))))^3*sin(1/2*real_part(arccos(-a/(a + b) + b/(a + b)))) - (2*a*b^2*e^(2*c) - (a*b*e^(2*c) - b^2*e^(2*c))*sqrt(-a*b))*cosh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b))))^3*sin(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))^3 - 9*(2*a*b^2*e^(2*c) - (a*b*e^(2*c) - b^2*e^(2*c))*sqrt(-a*b))*cos(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))^2*cosh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b))))^2*sin(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))*sinh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b)))) + 3*(2*a*b^2*e^(2*c) - (a*b*e^(2*c) - b^2*e^(2*c))*sqrt(-a*b))*cosh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b))))^2*sin(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))^3*sinh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b)))) + 9*(2*a*b^2*e^(2*c) - (a*b*e^(2*c) - b^2*e^(2*c))*sqrt(-a*b))*cos(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))^2*cosh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b))))*sin(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))*sinh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b))))^2 - 3*(2*a*b^2*e^(2*c) - (a*b*e^(2*c) - b^2*e^(2*c))*sqrt(-a*b))*cosh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b))))*sin(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))^3*sinh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b))))^2 - 3*(2*a*b^2*e^(2*c) - (a*b*e^(2*c) - b^2*e^(2*c))*sqrt(-a*b))*cos(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))^2*sin(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))*sinh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b))))^3 + (2*a*b^2*e^(2*c) - (a*b*e^(2*c) - b^2*e^(2*c))*sqrt(-a*b))*sin(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))^3*sinh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b))))^3 - (2*a*b^2*e^(2*c) - (a*b*e^(2*c) - b^2*e^(2*c))*sqrt(-a*b))*cosh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b))))*sin(1/2*real_part(arccos(-a/(a + b) + b/(a + b)))) + (2*a*b^2*e^(2*c) - (a*b*e^(2*c) - b^2*e^(2*c))*sqrt(-a*b))*sin(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))*sinh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b))))*arctan((((a^3 + 3*a^2*b + 3*a*b^2 + b^3)/(a^3*e^(4*c) + 3*a^2*b*e^(4*c) + 3*a*b^2*e^(4*c) + b^3*e^(4*c)))^(1/4))*cos(1/2*arccos(-(a - b)/(a + b))) + e^(d*x))/((((a^3 + 3*a^2*b + 3*a*b^2 + b^3)/(a^3*e^(4*c) + 3*a^2*b*e^(4*c) + 3*a*b^2*e^(4*c) + b^3*e^(4*c)))^(1/4))*sin(1/2*arccos(-(a - b)/(a + b))))/(a^4*b*e^(2*c) + 3*a^3*b^2*e^(2*c) + 3*a^2*b^3*e^(2*c) + a*b^4*e^(2*c)) + 6*(3*(2*a*b^2*e^(2*c) - (a*b*e^(2*c) - b^2*e^(2*c))*sqrt(-a*b))*cos(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))^2*cosh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b))))^3*sin(1/2*real_part(arccos(-a/(a + b) + b/(a + b)))) - (2*a*b^2*e^(2*c) - (a*b*e^(2*c) - b^2*e^(2*c))*sqrt(-a*b))*cosh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b))))^3*sin(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))^3 - 9*(2*a*b^2*e^(2*c) - (a*b*e^(2*c) - b^2*e^(2*c))*sqrt(-a*b))*cos(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))^2*cosh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b))))^2*sin(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))*sinh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b)))) + 3*(2*a*b^2
```



$$\begin{aligned}
& 2*c) - b^2*e^{(2*c)})*\sqrt{-a*b})*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 - (2*a*b^2*e^{(2*c)} - (a*b*e^{(2*c)} - b^2*e^{(2*c)})*\sqrt{-a*b})*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) + (2*a*b^2*e^{(2*c)} - (a*b*e^{(2*c)} - b^2*e^{(2*c)})*\sqrt{-a*b})*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))*\log(2*((a^3 + 3*a^2*b + 3*a*b^2 + b^3)/(a^3*e^{(4*c)} + 3*a^2*b*e^{(4*c)} + 3*a*b^2*e^{(4*c)} + b^3*e^{(4*c)}))^{(1/4)}*\cos(1/2*\arccos(-(a - b)/(a + b)))*e^{(d*x)} + \sqrt{(a^3 + 3*a^2*b + 3*a*b^2 + b^3)/(a^3*e^{(4*c)} + 3*a^2*b*e^{(4*c)} + 3*a*b^2*e^{(4*c)} + b^3*e^{(4*c)})} + e^{(2*d*x)})/(a^4*b*e^{(2*c)} + 3*a^3*b^2*e^{(2*c)} + 3*a^2*b^3*e^{(2*c)} + a*b^4*e^{(2*c)}) - 3*((2*a*b^2*e^{(2*c)} - (a*b*e^{(2*c)} - b^2*e^{(2*c)})*\sqrt{-a*b})*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 - 3*(2*a*b^2*e^{(2*c)} - (a*b*e^{(2*c)} - b^2*e^{(2*c)})*\sqrt{-a*b})*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 - 3*(2*a*b^2*e^{(2*c)} - (a*b*e^{(2*c)} - b^2*e^{(2*c)})*\sqrt{-a*b})*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) + 9*(2*a*b^2*e^{(2*c)} - (a*b*e^{(2*c)} - b^2*e^{(2*c)})*\sqrt{-a*b})*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) + 3*(2*a*b^2*e^{(2*c)} - (a*b*e^{(2*c)} - b^2*e^{(2*c)})*\sqrt{-a*b})*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 - 9*(2*a*b^2*e^{(2*c)} - (a*b*e^{(2*c)} - b^2*e^{(2*c)})*\sqrt{-a*b})*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 - (2*a*b^2*e^{(2*c)} - (a*b*e^{(2*c)} - b^2*e^{(2*c)})*\sqrt{-a*b})*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 + 3*(2*a*b^2*e^{(2*c)} - (a*b*e^{(2*c)} - b^2*e^{(2*c)})*\sqrt{-a*b})*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 - (2*a*b^2*e^{(2*c)} - (a*b*e^{(2*c)} - b^2*e^{(2*c)})*\sqrt{-a*b})*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) + (2*a*b^2*e^{(2*c)} - (a*b*e^{(2*c)} - b^2*e^{(2*c)})*\sqrt{-a*b})*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))*\log(-2*((a^3 + 3*a^2*b + 3*a*b^2 + b^3)/(a^3*e^{(4*c)} + 3*a^2*b*e^{(4*c)} + 3*a*b^2*e^{(4*c)} + b^3*e^{(4*c)}))^{(1/4)}*\cos(1/2*\arccos(-(a - b)/(a + b)))*e^{(d*x)} + \sqrt{(a^3 + 3*a^2*b + 3*a*b^2 + b^3)/(a^3*e^{(4*c)} + 3*a^2*b*e^{(4*c)} + 3*a*b^2*e^{(4*c)} + b^3*e^{(4*c)})} + e^{(2*d*x)})/(a^4*b*e^{(2*c)} + 3*a^3*b^2*e^{(2*c)} + 3*a^2*b^3*e^{(2*c)} + a*b^4*e^{(2*c)}) + 4*e^{(d*x + 10*c)}/(a^2*e^{(9*c)} + 2*a*b*e^{(9*c)} + b^2*e^{(9*c)}) + 4*(a*e^{(
\end{aligned}$$



$$\frac{4dx + 4c - b e^{4dx + 4c} + 2a e^{2dx + 2c} - 4b e^{2dx + 2c} + a + b}{((a^2 e^c + 2ab e^c + b^2 e^c)(a e^{5dx + 4c} + b e^{5dx + 4c}) + 2a e^{3dx + 2c} - 2b e^{3dx + 2c} + a e^{dx} + b e^{dx})} dx$$

$$3.37 \quad \int \frac{\operatorname{csch}(c+dx)}{\left(a+b \tanh^2(c+dx)\right)^2} dx$$

**Optimal.** Leaf size=103

$$\frac{\sqrt{b}(3a+2b) \tanh^{-1}\left(\frac{\sqrt{b} \operatorname{sech}(c+dx)}{\sqrt{a+b}}\right)}{2a^2d(a+b)^{3/2}} - \frac{\tanh^{-1}(\cosh(c+dx))}{a^2d} + \frac{b \operatorname{sech}(c+dx)}{2ad(a+b)(a-b \operatorname{sech}^2(c+dx)+b)}$$

[Out] -(ArcTanh[Cosh[c + d\*x]]/(a^2\*d)) + (Sqrt[b]\*(3\*a + 2\*b)\*ArcTanh[(Sqrt[b]\*S  
ech[c + d\*x])/Sqrt[a + b]])/(2\*a^2\*(a + b)^(3/2)\*d) + (b\*Sech[c + d\*x])/(2\*  
a\*(a + b)\*d\*(a + b - b\*Sech[c + d\*x]^2))

**Rubi [A]** time = 0.143505, antiderivative size = 103, normalized size of antiderivative =  
1., number of steps used = 5, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} =$   
0.238, Rules used = {3664, 414, 522, 207, 208}

$$\frac{\sqrt{b}(3a+2b) \tanh^{-1}\left(\frac{\sqrt{b} \operatorname{sech}(c+dx)}{\sqrt{a+b}}\right)}{2a^2d(a+b)^{3/2}} - \frac{\tanh^{-1}(\cosh(c+dx))}{a^2d} + \frac{b \operatorname{sech}(c+dx)}{2ad(a+b)(a-b \operatorname{sech}^2(c+dx)+b)}$$

Antiderivative was successfully verified.

[In] Int[Csch[c + d\*x]/(a + b\*Tanh[c + d\*x]^2), x]

[Out] -(ArcTanh[Cosh[c + d\*x]]/(a^2\*d)) + (Sqrt[b]\*(3\*a + 2\*b)\*ArcTanh[(Sqrt[b]\*S  
ech[c + d\*x])/Sqrt[a + b]])/(2\*a^2\*(a + b)^(3/2)\*d) + (b\*Sech[c + d\*x])/(2\*  
a\*(a + b)\*d\*(a + b - b\*Sech[c + d\*x]^2))

#### Rule 3664

Int[sin[(e\_.) + (f\_.)\*(x\_.)]^(m\_.)\*((a\_.) + (b\_.)\*tan[(e\_.) + (f\_.)\*(x\_.)]^2)^(  
(p\_.), x\_Symbol] := With[{ff = FreeFactors[Sec[e + f\*x], x]}, Dist[1/(f\*ff^  
m), Subst[Int[((-1 + ff^2\*x^2)^((m - 1)/2)\*(a - b + b\*ff^2\*x^2)^p)/x^(m + 1  
) , x], x, Sec[e + f\*x]/ff], x] /; FreeQ[{a, b, e, f, p}, x] && IntegerQ[(m  
- 1)/2]

#### Rule 414

Int[((a\_.) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_.) + (d\_.)\*(x\_)^(n\_))^(q\_), x\_Symbol]  
:= -Simp[(b\*x\*(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^(q + 1))/(a\*n\*(p + 1)\*(b\*c -

$a*d)), x] + \text{Dist}[1/(a*n*(p + 1)*(b*c - a*d)), \text{Int}[(a + b*x^n)^(p + 1)*(c + d*x^n)^q*\text{Simp}[b*c + n*(p + 1)*(b*c - a*d) + d*b*(n*(p + q + 2) + 1)*x^n, x], x] /; \text{FreeQ}\{a, b, c, d, n, q\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{LtQ}[p, -1] \&\& !( !\text{IntegerQ}[p] \&\& \text{IntegerQ}[q] \&\& \text{LtQ}[q, -1]) \&\& \text{IntBinomialQ}[a, b, c, d, n, p, q, x]$

### Rule 522

$\text{Int}[(e_ + (f_)*(x_)^(n_))/((a_ + (b_)*(x_)^(n_))*((c_ + (d_)*(x_)^(n_))), x\_Symbol] :> \text{Dist}[(b*e - a*f)/(b*c - a*d), \text{Int}[1/(a + b*x^n), x], x] - \text{Dist}[(d*e - c*f)/(b*c - a*d), \text{Int}[1/(c + d*x^n), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, n\}, x]$

### Rule 207

$\text{Int}[(a_ + (b_)*(x_)^2)^(-1), x\_Symbol] :> -\text{Simp}[\text{ArcTanh}[(\text{Rt}[b, 2]*x)/\text{Rt}[-a, 2]]/(\text{Rt}[-a, 2]*\text{Rt}[b, 2]), x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{NegQ}[a/b] \&\& (\text{LtQ}[a, 0] \parallel \text{GtQ}[b, 0])$

### Rule 208

$\text{Int}[(a_ + (b_)*(x_)^2)^(-1), x\_Symbol] :> \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{NegQ}[a/b]$

### Rubi steps

$$\begin{aligned} \int \frac{\text{csch}(c + dx)}{(a + b \tanh^2(c + dx))^2} dx &= \frac{\text{Subst}\left(\int \frac{1}{(-1+x^2)(a+b-bx^2)^2} dx, x, \text{sech}(c + dx)\right)}{d} \\ &= \frac{b \text{sech}(c + dx)}{2a(a + b)d(a + b - b \text{sech}^2(c + dx))} + \frac{\text{Subst}\left(\int \frac{2a+b+bx^2}{(-1+x^2)(a+b-bx^2)} dx, x, \text{sech}(c + dx)\right)}{2a(a + b)d} \\ &= \frac{b \text{sech}(c + dx)}{2a(a + b)d(a + b - b \text{sech}^2(c + dx))} + \frac{\text{Subst}\left(\int \frac{1}{-1+x^2} dx, x, \text{sech}(c + dx)\right)}{a^2 d} + \frac{b(3a + 2b)}{2a^2(a + b)^{3/2}d} \\ &= -\frac{\tanh^{-1}(\cosh(c + dx))}{a^2 d} + \frac{\sqrt{b}(3a + 2b) \tanh^{-1}\left(\frac{\sqrt{b} \text{sech}(c + dx)}{\sqrt{a+b}}\right)}{2a^2(a + b)^{3/2}d} + \frac{b \text{sech}(c + dx)}{2a(a + b)d(a + b - b \text{sech}^2(c + dx))} \end{aligned}$$

**Mathematica [C]** time = 0.663079, size = 175, normalized size = 1.7

$$\frac{2ab \cosh(c+dx)}{(a+b)((a+b) \cosh(2(c+dx))+a-b)} + \frac{i\sqrt{b}(3a+2b) \tan^{-1}\left(\frac{-\sqrt{a} \tanh\left(\frac{1}{2}(c+dx)\right) - i\sqrt{a+b}}{\sqrt{b}}\right)}{(a+b)^{3/2}} + \frac{i\sqrt{b}(3a+2b) \tan^{-1}\left(\frac{\sqrt{a} \tanh\left(\frac{1}{2}(c+dx)\right) - i\sqrt{a+b}}{\sqrt{b}}\right)}{(a+b)^{3/2}} + 2 \log\left(\tanh\left(\frac{1}{2}(c+dx)\right)\right)$$


---


$$2a^2d$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]/(a + b\*Tanh[c + d\*x]^2)^2, x]

[Out] ((I\*Sqrt[b]\*(3\*a + 2\*b)\*ArcTan[(-I)\*Sqrt[a + b] - Sqrt[a]\*Tanh[(c + d\*x)/2]]/Sqrt[b])/(a + b)^(3/2) + (I\*Sqrt[b]\*(3\*a + 2\*b)\*ArcTan[(-I)\*Sqrt[a + b] + Sqrt[a]\*Tanh[(c + d\*x)/2]]/Sqrt[b])/(a + b)^(3/2) + (2\*a\*b\*Cosh[c + d\*x])/((a + b)\*(a - b + (a + b)\*Cosh[2\*(c + d\*x)])) + 2\*Log[Tanh[(c + d\*x)/2]]/(2\*a^2\*d)

**Maple [B]** time = 0.092, size = 331, normalized size = 3.2

$$\frac{b}{da(a+b)} \left( \tanh\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^2 \left( \left( \tanh\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^4 a + 2 (\tanh(1/2 dx + c/2))^2 a + 4 (\tanh(1/2 dx + c/2))^2 b + a \right)^{-1} + 2 \frac{1}{da}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csch(d\*x+c)/(a+b\*tanh(d\*x+c)^2)^2, x)

[Out] 1/d\*b/a/(tanh(1/2\*d\*x+1/2\*c)^4\*a+2\*tanh(1/2\*d\*x+1/2\*c)^2\*a+4\*tanh(1/2\*d\*x+1/2\*c)^2\*b+a)/(a+b)\*tanh(1/2\*d\*x+1/2\*c)^2+2/d\*b^2/a^2/(tanh(1/2\*d\*x+1/2\*c)^4\*a+2\*tanh(1/2\*d\*x+1/2\*c)^2\*a+4\*tanh(1/2\*d\*x+1/2\*c)^2\*b+a)/(a+b)\*tanh(1/2\*d\*x+1/2\*c)^2+1/d\*b/a/(tanh(1/2\*d\*x+1/2\*c)^4\*a+2\*tanh(1/2\*d\*x+1/2\*c)^2\*a+4\*tanh(1/2\*d\*x+1/2\*c)^2\*b+a)/(a+b)+3/2/d\*b/a/(a+b)/(a\*b+b^2)^(1/2)\*arctanh(1/4\*(2\*tanh(1/2\*d\*x+1/2\*c)^2\*a+2\*a+4\*b)/(a\*b+b^2)^(1/2))+1/d\*b^2/a^2/(a+b)/(a\*b+b^2)^(1/2)\*arctanh(1/4\*(2\*tanh(1/2\*d\*x+1/2\*c)^2\*a+2\*a+4\*b)/(a\*b+b^2)^(1/2))+1/d/a^2\*ln(tanh(1/2\*d\*x+1/2\*c))

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{be^{3dx+3c} + be^{(dx+c)}}{a^3d + 2a^2bd + ab^2d + (a^3de^{4c} + 2a^2bde^{4c} + ab^2de^{4c})e^{4dx} + 2(a^3de^{2c} - ab^2de^{2c})e^{2dx}} - \frac{\log\left(\left(e^{(dx+c)} + 1\right)e^{(-c)}\right)}{a^2d} +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="maxima")

[Out]  $(b*e^{(3*d*x + 3*c)} + b*e^{(d*x + c)})/(a^3*d + 2*a^2*b*d + a*b^2*d + (a^3*d*e^{(4*c)} + 2*a^2*b*d*e^{(4*c)} + a*b^2*d*e^{(4*c)})*e^{(4*d*x)} + 2*(a^3*d*e^{(2*c)} - a*b^2*d*e^{(2*c)})*e^{(2*d*x)}) - \log((e^{(d*x + c)} + 1)*e^{(-c)})/(a^2*d) + \log((e^{(d*x + c)} - 1)*e^{(-c)})/(a^2*d) - 2*\integrate(1/2*((3*a*b*e^{(3*c)} + 2*b^2*e^{(3*c)})*e^{(3*d*x)} - (3*a*b*e^c + 2*b^2*e^c)*e^{(d*x)})/(a^4 + 2*a^3*b + a^2*b^2 + (a^4*e^{(4*c)} + 2*a^3*b*e^{(4*c)} + a^2*b^2*e^{(4*c)})*e^{(4*d*x)} + 2*(a^4*e^{(2*c)} - a^2*b^2*e^{(2*c)})*e^{(2*d*x)}), x)$

**Fricas [B]** time = 3.28411, size = 6604, normalized size = 64.12

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out]  $[1/4*(4*a*b*cosh(d*x + c)^3 + 12*a*b*cosh(d*x + c)*sinh(d*x + c)^2 + 4*a*b*sinh(d*x + c)^3 + 4*a*b*cosh(d*x + c) + ((3*a^2 + 5*a*b + 2*b^2)*cosh(d*x + c)^4 + 4*(3*a^2 + 5*a*b + 2*b^2)*cosh(d*x + c)*sinh(d*x + c)^3 + (3*a^2 + 5*a*b + 2*b^2)*sinh(d*x + c)^4 + 2*(3*a^2 - a*b - 2*b^2)*cosh(d*x + c)^2 + 2*(3*(3*a^2 + 5*a*b + 2*b^2)*cosh(d*x + c)^2 + 3*a^2 - a*b - 2*b^2)*sinh(d*x + c)^2 + 3*a^2 + 5*a*b + 2*b^2 + 4*((3*a^2 + 5*a*b + 2*b^2)*cosh(d*x + c)^3 + (3*a^2 - a*b - 2*b^2)*cosh(d*x + c))*sinh(d*x + c))*sqrt(b/(a + b))*\log(((a + b)*cosh(d*x + c)^4 + 4*(a + b)*cosh(d*x + c)*sinh(d*x + c)^3 + (a + b)*sinh(d*x + c)^4 + 2*(a + 3*b)*cosh(d*x + c)^2 + 2*(3*(a + b)*cosh(d*x + c)^2 + a + 3*b)*sinh(d*x + c)^2 + 4*((a + b)*cosh(d*x + c)^3 + (a + 3*b)*cosh(d*x + c))*sinh(d*x + c) + 4*((a + b)*cosh(d*x + c)^3 + 3*(a + b)*cosh(d*x + c)*sinh(d*x + c)^2 + (a + b)*sinh(d*x + c)^3 + (a + b)*cosh(d*x + c) + (3*(a + b)*cosh(d*x + c)^2 + a + b)*sinh(d*x + c))*sqrt(b/(a + b)) + a + b)/((a + b)*cosh(d*x + c)^4 + 4*(a + b)*cosh(d*x + c)*sinh(d*x + c)^3 + (a + b)*sinh(d*x + c)^4 + 2*(a - b)*cosh(d*x + c)^2 + 2*(3*(a + b)*cosh(d*x + c)^2 + a - b)*sinh(d*x + c)^2 + 4*((a + b)*cosh(d*x + c)^3 + (a - b)*cosh(d*x + c))*sinh(d*x + c) + a + b) - 4*((a^2 + 2*a*b + b^2)*cosh(d*x + c)^4 + 4*(a^2 + 2*a*b + b^2)*cosh(d*x + c)*sinh(d*x + c)^3 + (a^2 + 2*a*b + b^2)*sinh(d*x + c)^4 + 2*(a^2 - b^2)*cosh(d*x + c)^2 + 2*(3*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^2 + a^2 - b^2)*sinh(d*x + c)^2 + a^2 + 2*a*b + b^2 + 4*((a^2 + 2*a*b + b^2)*cosh(d*x + c)^3 + (a^2 - b^2)*cosh(d*x + c))*sinh(d*x + c))*\log(cosh(d*x + c) + sinh(d*x + c) + 1) + 4*((a^2 + 2*a*b + b^2)*cosh(d*x + c)$

$$\begin{aligned}
&)^4 + 4*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a^2 + 2*a*b + \\
&b^2)*\sinh(d*x + c)^4 + 2*(a^2 - b^2)*\cosh(d*x + c)^2 + 2*(3*(a^2 + 2*a*b + \\
&b^2)*\cosh(d*x + c)^2 + a^2 - b^2)*\sinh(d*x + c)^2 + a^2 + 2*a*b + b^2 + 4*( \\
&(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^3 + (a^2 - b^2)*\cosh(d*x + c))*\sinh(d*x + \\
&c))*\log(\cosh(d*x + c) + \sinh(d*x + c) - 1) + 4*(3*a*b*\cosh(d*x + c)^2 + a* \\
&b)*\sinh(d*x + c))/((a^4 + 2*a^3*b + a^2*b^2)*d*\cosh(d*x + c)^4 + 4*(a^4 + 2 \\
&*a^3*b + a^2*b^2)*d*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a^4 + 2*a^3*b + a^2*b^ \\
&2)*d*\sinh(d*x + c)^4 + 2*(a^4 - a^2*b^2)*d*\cosh(d*x + c)^2 + 2*(3*(a^4 + 2* \\
&a^3*b + a^2*b^2)*d*\cosh(d*x + c)^2 + (a^4 - a^2*b^2)*d)*\sinh(d*x + c)^2 + ( \\
&a^4 + 2*a^3*b + a^2*b^2)*d + 4*((a^4 + 2*a^3*b + a^2*b^2)*d*\cosh(d*x + c)^3 \\
&+ (a^4 - a^2*b^2)*d*\cosh(d*x + c))*\sinh(d*x + c)), 1/2*(2*a*b*\cosh(d*x + c \\
&)^3 + 6*a*b*\cosh(d*x + c)*\sinh(d*x + c)^2 + 2*a*b*\sinh(d*x + c)^3 + 2*a*b*c \\
&osh(d*x + c) + ((3*a^2 + 5*a*b + 2*b^2)*\cosh(d*x + c)^4 + 4*(3*a^2 + 5*a*b \\
&+ 2*b^2)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (3*a^2 + 5*a*b + 2*b^2)*\sinh(d*x + \\
&c)^4 + 2*(3*a^2 - a*b - 2*b^2)*\cosh(d*x + c)^2 + 2*(3*(3*a^2 + 5*a*b + 2*b \\
&^2)*\cosh(d*x + c)^2 + 3*a^2 - a*b - 2*b^2)*\sinh(d*x + c)^2 + 3*a^2 + 5*a*b \\
&+ 2*b^2 + 4*((3*a^2 + 5*a*b + 2*b^2)*\cosh(d*x + c)^3 + (3*a^2 - a*b - 2*b^2 \\
&)*\cosh(d*x + c))*\sinh(d*x + c))*\sqrt{-b/(a + b))*\arctan(1/2*((a + b)*\cosh(d \\
&x + c)^3 + 3*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^2 + (a + b)*\sinh(d*x + c) \\
&^3 + (a - 3*b)*\cosh(d*x + c) + (3*(a + b)*\cosh(d*x + c)^2 + a - 3*b)*\sinh(d \\
&x + c))*\sqrt{-b/(a + b)})/b - ((3*a^2 + 5*a*b + 2*b^2)*\cosh(d*x + c)^4 + 4 \\
&*(3*a^2 + 5*a*b + 2*b^2)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (3*a^2 + 5*a*b + 2 \\
&*b^2)*\sinh(d*x + c)^4 + 2*(3*a^2 - a*b - 2*b^2)*\cosh(d*x + c)^2 + 2*(3*(3*a \\
&^2 + 5*a*b + 2*b^2)*\cosh(d*x + c)^2 + 3*a^2 - a*b - 2*b^2)*\sinh(d*x + c)^2 \\
&+ 3*a^2 + 5*a*b + 2*b^2 + 4*((3*a^2 + 5*a*b + 2*b^2)*\cosh(d*x + c)^3 + (3*a \\
&^2 - a*b - 2*b^2)*\cosh(d*x + c))*\sinh(d*x + c))*\sqrt{-b/(a + b))*\arctan(1/2 \\
&*((a + b)*\cosh(d*x + c) + (a + b)*\sinh(d*x + c))*\sqrt{-b/(a + b)})/b - 2*(( \\
&a^2 + 2*a*b + b^2)*\cosh(d*x + c)^4 + 4*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)*\si \\
&>nh(d*x + c)^3 + (a^2 + 2*a*b + b^2)*\sinh(d*x + c)^4 + 2*(a^2 - b^2)*\cosh(d* \\
&>x + c)^2 + 2*(3*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^2 + a^2 - b^2)*\sinh(d*x + \\
&c)^2 + a^2 + 2*a*b + b^2 + 4*((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^3 + (a^2 - \\
&b^2)*\cosh(d*x + c))*\sinh(d*x + c))*\log(\cosh(d*x + c) + \sinh(d*x + c) + 1) \\
&+ 2*((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^4 + 4*(a^2 + 2*a*b + b^2)*\cosh(d*x + c) \\
&)*\sinh(d*x + c)^3 + (a^2 + 2*a*b + b^2)*\sinh(d*x + c)^4 + 2*(a^2 - b^2)*c \\
&osh(d*x + c)^2 + 2*(3*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^2 + a^2 - b^2)*\sinh \\
&(d*x + c)^2 + a^2 + 2*a*b + b^2 + 4*((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^3 + \\
&(a^2 - b^2)*\cosh(d*x + c))*\sinh(d*x + c))*\log(\cosh(d*x + c) + \sinh(d*x + c) \\
&- 1) + 2*(3*a*b*\cosh(d*x + c)^2 + a*b)*\sinh(d*x + c))/((a^4 + 2*a^3*b + a^ \\
&2*b^2)*d*\cosh(d*x + c)^4 + 4*(a^4 + 2*a^3*b + a^2*b^2)*d*\cosh(d*x + c)*\sinh \\
&(d*x + c)^3 + (a^4 + 2*a^3*b + a^2*b^2)*d*\sinh(d*x + c)^4 + 2*(a^4 - a^2*b^ \\
&2)*d*\cosh(d*x + c)^2 + 2*(3*(a^4 + 2*a^3*b + a^2*b^2)*d*\cosh(d*x + c)^2 + ( \\
&a^4 - a^2*b^2)*d)*\sinh(d*x + c)^2 + (a^4 + 2*a^3*b + a^2*b^2)*d + 4*((a^4 + \\
&2*a^3*b + a^2*b^2)*d*\cosh(d*x + c)^3 + (a^4 - a^2*b^2)*d*\cosh(d*x + c))*\si \\
&nh(d*x + c))]
\end{aligned}$$

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{csch}(c + dx)}{(a + b \tanh^2(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)/(a+b\*tanh(d\*x+c)\*\*2)\*\*2,x)

[Out] Integral(csch(c + d\*x)/(a + b\*tanh(c + d\*x)\*\*2)\*\*2, x)

---

**Giac [C]** time = 1.70439, size = 7329, normalized size = 71.16

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out] 
$$\begin{aligned} & -1/8*(2*(3*(3*a^5*b*e^{(4*c)} + 8*a^4*b^2*e^{(4*c)} + 7*a^3*b^3*e^{(4*c)} + 2*a^2*b^4*e^{(4*c)}) \\ & * \cos(1/2*\operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 * \cosh(1/2* \\ & *\operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \sin(1/2*\operatorname{real\_part}(\arccos(-a/( \\ & a+b) + b/(a+b)))) - (3*a^5*b*e^{(4*c)} + 8*a^4*b^2*e^{(4*c)} + 7*a^3*b^3*e^{(4*c)} \\ & + 2*a^2*b^4*e^{(4*c)}) * \cosh(1/2*\operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b) \\ & )))^3 * \sin(1/2*\operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 - 9*(3*a^5*b*e^{(4*c)} \\ & + 8*a^4*b^2*e^{(4*c)} + 7*a^3*b^3*e^{(4*c)} + 2*a^2*b^4*e^{(4*c)}) * \cos(1/2*r \\ & \operatorname{eal\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 * \cosh(1/2*\operatorname{imag\_part}(\arccos(-a/(a \\ & + b) + b/(a+b))))^2 * \sin(1/2*\operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) * s \\ & \operatorname{inh}(1/2*\operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) + 3*(3*a^5*b*e^{(4*c)} + 8 \\ & *a^4*b^2*e^{(4*c)} + 7*a^3*b^3*e^{(4*c)} + 2*a^2*b^4*e^{(4*c)}) * \cosh(1/2*\operatorname{imag\_par} \\ & \operatorname{t}(\arccos(-a/(a+b) + b/(a+b))))^2 * \sin(1/2*\operatorname{real\_part}(\arccos(-a/(a+b) + \\ & b/(a+b))))^3 * \sinh(1/2*\operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) + 9*(3*a \\ & ^5*b*e^{(4*c)} + 8*a^4*b^2*e^{(4*c)} + 7*a^3*b^3*e^{(4*c)} + 2*a^2*b^4*e^{(4*c)}) * c \\ & \operatorname{os}(1/2*\operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 * \cosh(1/2*\operatorname{imag\_part}(\arcc \\ & \operatorname{os}(-a/(a+b) + b/(a+b)))) * \sin(1/2*\operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b) \\ & )))) * \sinh(1/2*\operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - 3*(3*a^5*b*e^{(4*c)} \\ & + 8*a^4*b^2*e^{(4*c)} + 7*a^3*b^3*e^{(4*c)} + 2*a^2*b^4*e^{(4*c)}) * \cosh(1/2* \\ & \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sin(1/2*\operatorname{real\_part}(\arccos(-a/(a + \\ & b) + b/(a+b))))^3 * \sinh(1/2*\operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 \\ & - 3*(3*a^5*b*e^{(4*c)} + 8*a^4*b^2*e^{(4*c)} + 7*a^3*b^3*e^{(4*c)} + 2*a^2*b^4*e^{(4*c)} \end{aligned}$$

$$\begin{aligned}
& (4*c)) * \cos(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 * \sin(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sinh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 + (3*a^5*b*e^{(4*c)} + 8*a^4*b^2*e^{(4*c)} + 7*a^3*b^3*e^{(4*c)} + 2*a^2*b^4*e^{(4*c)}) * \sin(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \sinh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 - (3*a^5*b*e^{(4*c)} + 8*a^4*b^2*e^{(4*c)} + 7*a^3*b^3*e^{(4*c)} + 2*a^2*b^4*e^{(4*c)}) * \cosh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sin(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) + (3*a^5*b*e^{(4*c)} + 8*a^4*b^2*e^{(4*c)} + 7*a^3*b^3*e^{(4*c)} + 2*a^2*b^4*e^{(4*c)}) * \sin(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sinh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \arctan(\frac{((a^4 + 2*a^3*b + a^2*b^2)/(a^4*e^{(4*c)} + 2*a^3*b*e^{(4*c)} + a^2*b^2*e^{(4*c)}))^{1/4} * \cos(1/2 * \arccos(-a/(a+b) + b/(a+b))) + e^{(d*x)}}{((a^4 + 2*a^3*b + a^2*b^2)/(a^4*e^{(4*c)} + 2*a^3*b*e^{(4*c)} + a^2*b^2*e^{(4*c)}))^{1/4} * \sin(1/2 * \arccos(-a/(a+b) + b/(a+b)))}) / (2*(a^3*e^{(2*c)} + a^2*b*e^{(2*c)})^2 * a * b - (a^4*e^{(2*c)} - a^2*b^2*e^{(2*c)}) * \sqrt{-a*b} * \text{abs}(-a^3*e^{(2*c)} - a^2*b*e^{(2*c)})) + 2*(3*(3*a^5*b*e^{(4*c)} + 8*a^4*b^2*e^{(4*c)} + 7*a^3*b^3*e^{(4*c)} + 2*a^2*b^4*e^{(4*c)}) * \cos(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 * \cosh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \sin(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) - (3*a^5*b*e^{(4*c)} + 8*a^4*b^2*e^{(4*c)} + 7*a^3*b^3*e^{(4*c)} + 2*a^2*b^4*e^{(4*c)}) * \cosh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \sin(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 - 9*(3*a^5*b*e^{(4*c)} + 8*a^4*b^2*e^{(4*c)} + 7*a^3*b^3*e^{(4*c)} + 2*a^2*b^4*e^{(4*c)}) * \cos(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 * \cosh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 * \sin(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sinh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) + 3*(3*a^5*b*e^{(4*c)} + 8*a^4*b^2*e^{(4*c)} + 7*a^3*b^3*e^{(4*c)} + 2*a^2*b^4*e^{(4*c)}) * \cosh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 * \sin(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \sinh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) + 9*(3*a^5*b*e^{(4*c)} + 8*a^4*b^2*e^{(4*c)} + 7*a^3*b^3*e^{(4*c)} + 2*a^2*b^4*e^{(4*c)}) * \cos(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 * \cosh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sin(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sinh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - 3*(3*a^5*b*e^{(4*c)} + 8*a^4*b^2*e^{(4*c)} + 7*a^3*b^3*e^{(4*c)} + 2*a^2*b^4*e^{(4*c)}) * \cosh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sin(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \sinh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - 3*(3*a^5*b*e^{(4*c)} + 8*a^4*b^2*e^{(4*c)} + 7*a^3*b^3*e^{(4*c)} + 2*a^2*b^4*e^{(4*c)}) * \cos(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 * \sin(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sinh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 + (3*a^5*b*e^{(4*c)} + 8*a^4*b^2*e^{(4*c)} + 7*a^3*b^3*e^{(4*c)} + 2*a^2*b^4*e^{(4*c)}) * \sin(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \sinh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 - (3*a^5*b*e^{(4*c)} + 8*a^4*b^2*e^{(4*c)} + 7*a^3*b^3*e^{(4*c)} + 2*a^2*b^4*e^{(4*c)}) * \cosh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sin(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) + (3*a^5*b*e^{(4*c)} + 8*a^4*b^2*e^{(4*c)} + 7*a^3*b^3*e^{(4*c)} + 2*a^2*b^4*e^{(4*c)}) * \sin(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sinh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))
\end{aligned}$$





$$\begin{aligned}
& ((a + b) + b/(a + b))^{3 \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))} \\
& ^2 - 3(3a^5 b e^{4c} + 8a^4 b^2 e^{4c} + 7a^3 b^3 e^{4c} + 2a^2 b^4 e^{4c}) \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))) \\
& ^3 \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))^2 \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))) \\
& + 9(3a^5 b e^{4c} + 8a^4 b^2 e^{4c} + 7a^3 b^3 e^{4c} + 2a^2 b^4 e^{4c}) \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))) \\
& ) \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))^2 \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))) \\
& ^2 \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))) + 3(3a^5 b e^{4c} + 8a^4 b^2 e^{4c} + 7a^3 b^3 e^{4c} + 2 \\
& a^2 b^4 e^{4c}) \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))^3 \cosh \\
& (1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))) \sinh(1/2 \operatorname{imag\_part}(\arccos(- \\
& a/(a + b) + b/(a + b)))^2 - 9(3a^5 b e^{4c} + 8a^4 b^2 e^{4c} + 7a^3 b^3 e^{4c} + 2a^2 b^4 e^{4c}) \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))) \\
& ) \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))) \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))) \\
& ^2 \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))^2 - (3a^5 b e^{4c} + 8a^4 b^2 e^{4c} + 7a^3 b^3 e^{4c} + 2a^2 b^4 e^{4c}) \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))) \\
& )^3 \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))^3 + 3(3a^5 b e^{4c} + 8a^4 b^2 e^{4c} + 7a^3 b^3 e^{4c} + 2a^2 b^4 e^{4c}) \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))) \\
& ) \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))^2 \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))^3 - (3 \\
& a^5 b e^{4c} + 8a^4 b^2 e^{4c} + 7a^3 b^3 e^{4c} + 2a^2 b^4 e^{4c}) \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))) \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))) \\
& + (3a^5 b e^{4c} + 8a^4 b^2 e^{4c} + 7a^3 b^3 e^{4c} + 2a^2 b^4 e^{4c}) \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))) \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))) \\
& ) \log(-2((a^4 + 2a^3 b + a^2 b^2)/(a^4 e^{4c} + 2a^3 b e^{4c} + a^2 b^2 e^{4c}))^{1/4} \cos(1/2 \arccos(-(a - b)/(a + b))) e^{dx} + \sqrt{(a^4 + 2a^3 b + a^2 b^2)/(a^4 e^{4c} + 2a^3 b e^{4c} + a^2 b^2 e^{4c})} + e^{(2dx)})/(2(a^3 e^{2c} + a^2 b e^{2c}))^2 a b - (a^4 e^{2c} - a^2 b^2 e^{2c}) \sqrt{-a b} \\
& ) \operatorname{abs}(-a^3 e^{2c} - a^2 b e^{2c})) - 8(b e^{(3dx + 3c)} + b e^{(dx + c)})/((a^2 + a b)(a e^{(4dx + 4c)} + b e^{(4dx + 4c)} + 2a e^{(2dx + 2c)} - 2b e^{(2dx + 2c)} + a + b)) + 8 \log(e^{(dx + c)} + 1)/a^2 - 8 \log(\operatorname{abs}(e^{(dx + c)} - 1))/a^2)/d
\end{aligned}$$

$$3.38 \quad \int \frac{\operatorname{csch}^2(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$$

**Optimal.** Leaf size=82

$$-\frac{3\sqrt{b} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2a^{5/2}d} - \frac{3 \operatorname{coth}(c+dx)}{2a^2d} + \frac{\operatorname{coth}(c+dx)}{2ad(a+b \tanh^2(c+dx))}$$

[Out]  $(-3*\operatorname{Sqrt}[b]*\operatorname{ArcTan}[(\operatorname{Sqrt}[b]*\operatorname{Tanh}[c+d*x])/ \operatorname{Sqrt}[a]])/(2*a^{(5/2)*d}) - (3*\operatorname{Cot}h[c+d*x])/(2*a^2*d) + \operatorname{Coth}[c+d*x]/(2*a*d*(a+b*\operatorname{Tanh}[c+d*x]^2))$

**Rubi [A]** time = 0.0764964, antiderivative size = 82, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {3663, 290, 325, 205}

$$-\frac{3\sqrt{b} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2a^{5/2}d} - \frac{3 \operatorname{coth}(c+dx)}{2a^2d} + \frac{\operatorname{coth}(c+dx)}{2ad(a+b \tanh^2(c+dx))}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[\operatorname{Csch}[c+d*x]^2/(a+b*\operatorname{Tanh}[c+d*x]^2), x]$

[Out]  $(-3*\operatorname{Sqrt}[b]*\operatorname{ArcTan}[(\operatorname{Sqrt}[b]*\operatorname{Tanh}[c+d*x])/ \operatorname{Sqrt}[a]])/(2*a^{(5/2)*d}) - (3*\operatorname{Cot}h[c+d*x])/(2*a^2*d) + \operatorname{Coth}[c+d*x]/(2*a*d*(a+b*\operatorname{Tanh}[c+d*x]^2))$

### Rule 3663

$\operatorname{Int}[\sin[(e_.) + (f_.)*(x_.)]^{(m_.)*((a_.) + (b_.)*((c_.)*\tan[(e_.) + (f_.)*(x_.)])^{(n_.)}]^{(p_.)}, x\_Symbol] := \operatorname{With}[\{ff = \operatorname{FreeFactors}[\operatorname{Tan}[e + f*x], x]\}, \operatorname{Dist}[(c*ff^{(m+1)})/f, \operatorname{Subst}[\operatorname{Int}[(x^m*(a + b*(ff*x)^n)^p]/(c^2 + ff^2*x^2)^{(m/2+1)}, x], x, (c*\operatorname{Tan}[e + f*x])/ff], x]] /; \operatorname{FreeQ}\{a, b, c, e, f, n, p\}, x] \&\& \operatorname{IntegerQ}[m/2]$

### Rule 290

$\operatorname{Int}[(c*(x_.))^{(m_.)*((a_.) + (b_.)*(x_.)^{(n_.)})^{(p_.)}, x\_Symbol] := -\operatorname{Simp}[(c*x)^{(m+1)*(a+b*x^n)^{(p+1)}}/(a*c*n*(p+1)), x] + \operatorname{Dist}[(m+n*(p+1)+1)/(a*n*(p+1)), \operatorname{Int}[(c*x)^m*(a+b*x^n)^{(p+1)}, x], x] /; \operatorname{FreeQ}\{a, b, c, m\}, x] \&\& \operatorname{IGtQ}[n, 0] \&\& \operatorname{LtQ}[p, -1] \&\& \operatorname{IntBinomialQ}[a, b, c, n, m, p, x]$

]

Rule 325

```
Int[((c_.)*(x_)^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[((c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] - Dist[(b*(m + n*(p + 1) + 1))/(a*c^n*(m + 1)), Int[(c*x)^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && LtQ[m, -1] && IntBinomialQ[a, b, c, n, m, p, x]
```

Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned} \int \frac{\operatorname{csch}^2(c + dx)}{(a + b \tanh^2(c + dx))^2} dx &= \frac{\operatorname{Subst}\left(\int \frac{1}{x^2(a+bx^2)^2} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{\operatorname{coth}(c + dx)}{2ad(a + b \tanh^2(c + dx))} + \frac{3 \operatorname{Subst}\left(\int \frac{1}{x^2(a+bx^2)} dx, x, \tanh(c + dx)\right)}{2ad} \\ &= -\frac{3 \operatorname{coth}(c + dx)}{2a^2d} + \frac{\operatorname{coth}(c + dx)}{2ad(a + b \tanh^2(c + dx))} - \frac{(3b) \operatorname{Subst}\left(\int \frac{1}{a+bx^2} dx, x, \tanh(c + dx)\right)}{2a^2d} \\ &= -\frac{3\sqrt{b} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2a^{5/2}d} - \frac{3 \operatorname{coth}(c + dx)}{2a^2d} + \frac{\operatorname{coth}(c + dx)}{2ad(a + b \tanh^2(c + dx))} \end{aligned}$$

**Mathematica [A]** time = 0.419541, size = 86, normalized size = 1.05

$$\frac{-3\sqrt{b} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right) - \frac{\sqrt{ab} \sinh(2(c+dx))}{(a+b) \cosh(2(c+dx))+a-b} - 2\sqrt{a} \operatorname{coth}(c + dx)}{2a^{5/2}d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Csch[c + d*x]^2/(a + b*Tanh[c + d*x]^2)^2, x]
```

[Out]  $(-3\sqrt{b}\operatorname{ArcTan}[\frac{\sqrt{b}\operatorname{Tanh}[c + d*x]}{\sqrt{a}}] - 2\sqrt{a}\operatorname{Coth}[c + d*x] - (\sqrt{a}*b*\operatorname{Sinh}[2*(c + d*x)])/(a - b + (a + b)*\operatorname{Cosh}[2*(c + d*x)]))/(2*a^{(5/2)*d})$

**Maple [B]** time = 0.102, size = 552, normalized size = 6.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\operatorname{int}(\operatorname{csch}(d*x+c)^2/(a+b*\operatorname{tanh}(d*x+c))^2, x)$

[Out] 
$$\begin{aligned} & -1/2/d/a^2*\operatorname{tanh}(1/2*d*x+1/2*c)-1/d*b/a^2/(\operatorname{tanh}(1/2*d*x+1/2*c)^4*a+2*\operatorname{tanh}(1/2*d*x+1/2*c)^2*a+4*\operatorname{tanh}(1/2*d*x+1/2*c)^2*b+a)*\operatorname{tanh}(1/2*d*x+1/2*c)^3-1/d*b/a^2/(\operatorname{tanh}(1/2*d*x+1/2*c)^4*a+2*\operatorname{tanh}(1/2*d*x+1/2*c)^2*a+4*\operatorname{tanh}(1/2*d*x+1/2*c)^2*b+a)*\operatorname{tanh}(1/2*d*x+1/2*c)+3/2/d/(b*(a+b))^{(1/2)}/a/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)}*\operatorname{arctanh}(a*\operatorname{tanh}(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)})*b-3/2/d*b/a^2/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)}*\operatorname{arctanh}(a*\operatorname{tanh}(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)})+3/2/d*b^2/a^2/(b*(a+b))^{(1/2)}/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)}*\operatorname{arctanh}(a*\operatorname{tanh}(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)})+3/2/d/(b*(a+b))^{(1/2)}/a/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)}*\operatorname{arctan}(a*\operatorname{tanh}(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)})*b+3/2/d*b/a^2/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)}*\operatorname{arctan}(a*\operatorname{tanh}(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)})+3/2/d*b^2/a^2/(b*(a+b))^{(1/2)}/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)}*\operatorname{arctan}(a*\operatorname{tanh}(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)})-1/2/d/a^2/\operatorname{tanh}(1/2*d*x+1/2*c) \end{aligned}$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\operatorname{integrate}(\operatorname{csch}(d*x+c)^2/(a+b*\operatorname{tanh}(d*x+c))^2, x, \operatorname{algorithm}="maxima")$

[Out] Exception raised: ValueError

**Fricas [B]** time = 2.40928, size = 6218, normalized size = 75.83

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [-1/4*(4*(2*a^2 + 3*a*b + 3*b^2)*\cosh(d*x + c)^4 + 16*(2*a^2 + 3*a*b + 3*b^2) \\ & *\cosh(d*x + c)*\sinh(d*x + c)^3 + 4*(2*a^2 + 3*a*b + 3*b^2)*\sinh(d*x + c)^4 \\ & + 8*(2*a^2 - 3*b^2)*\cosh(d*x + c)^2 + 8*(3*(2*a^2 + 3*a*b + 3*b^2)*\cosh(d*x + c)^2 \\ & + 2*a^2 - 3*b^2)*\sinh(d*x + c)^2 - 3*((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^6 + 6*(a^2 + 2*a*b \\ & + b^2)*\cosh(d*x + c)*\sinh(d*x + c)^5 + (a^2 + 2*a*b + b^2)*\sinh(d*x + c)^6 + (a^2 - 2*a*b - 3*b^2) \\ & *\cosh(d*x + c)^4 + (15*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^2 + a^2 - 2*a*b - 3*b^2)*\sinh(d*x + c)^4 + 4 \\ & *(5*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^3 + (a^2 - 2*a*b - 3*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^3 - (a^2 - 2*a*b - 3*b^2) \\ & *\cosh(d*x + c)^2 + (15*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^4 + 6*(a^2 - 2*a*b - 3*b^2)*\cosh(d*x + c)^2 - a^2 \\ & + 2*a*b + 3*b^2)*\sinh(d*x + c)^2 - a^2 - 2*a*b - b^2 + 2*(3*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^5 + 2*(a^2 - 2*a*b - 3*b^2) \\ & *\cosh(d*x + c)^3 - (a^2 - 2*a*b - 3*b^2)*\cosh(d*x + c))*\sinh(d*x + c))*\sqrt{-b/a}*\log(((a^2 + 2*a*b + b^2) \\ & *\cosh(d*x + c)^4 + 4*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a^2 + 2*a*b + b^2)*\sinh(d*x + c)^4 \\ & + 2*(a^2 - b^2)*\cosh(d*x + c)^2 + 2*(3*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^2 + a^2 - b^2)*\sinh(d*x + c)^2 + a^2 - 6*a*b \\ & + b^2 + 4*((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^3 + (a^2 - b^2)*\cosh(d*x + c))*\sinh(d*x + c) - 4*((a^2 + a*b)*\cosh(d*x + c)^2 \\ & + 2*(a^2 + a*b)*\cosh(d*x + c)*\sinh(d*x + c) + (a^2 + a*b)*\sinh(d*x + c)^2 + a^2 - a*b)*\sqrt{-b/a}) \\ & /((a + b)*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a + b)*\sinh(d*x + c)^4 + 2*(a - b)*\cosh(d*x + c)^2 \\ & + 2*(3*(a + b)*\cosh(d*x + c)^2 + a - b)*\sinh(d*x + c)^2 + 4*((a + b)*\cosh(d*x + c)^3 + (a - b)*\cosh(d*x + c))*\sinh(d*x + c) \\ & + a + b) + 8*a^2 + 20*a*b + 12*b^2 + 16*((2*a^2 + 3*a*b + 3*b^2)*\cosh(d*x + c)^3 + (2*a^2 - 3*b^2)*\cosh(d*x + c))*\sinh(d*x + c) \\ & /((a^4 + 2*a^3*b + a^2*b^2)*d*\cosh(d*x + c)^6 + 6*(a^4 + 2*a^3*b + a^2*b^2)*d*\cosh(d*x + c)*\sinh(d*x + c)^5 \\ & + (a^4 + 2*a^3*b + a^2*b^2)*d*\sinh(d*x + c)^6 + (a^4 - 2*a^3*b - 3*a^2*b^2)*d*\cosh(d*x + c)^4 + (15*(a^4 + 2*a^3*b + a^2*b^2) \\ & *d*\cosh(d*x + c)^2 + (a^4 - 2*a^3*b - 3*a^2*b^2)*d)*\sinh(d*x + c)^4 - (a^4 - 2*a^3*b - 3*a^2*b^2)*d*\cosh(d*x + c)^2 \\ & + 4*(5*(a^4 + 2*a^3*b + a^2*b^2)*d*\cosh(d*x + c)^3 + (a^4 - 2*a^3*b - 3*a^2*b^2)*d*\cosh(d*x + c))*\sinh(d*x + c)^3 \\ & + (15*(a^4 + 2*a^3*b + a^2*b^2)*d*\cosh(d*x + c)^4 + 6*(a^4 - 2*a^3*b - 3*a^2*b^2)*d*\cosh(d*x + c)^2 - (a^4 - 2*a^3*b - 3*a^2*b^2) \\ & *d)*\sinh(d*x + c)^2 - (a^4 + 2*a^3*b + a^2*b^2)*d + 2*(3*(a^4 + 2*a^3*b + a^2*b^2)*d*\cosh(d*x + c)^5 + 2*(a^4 - 2*a^3*b - 3*a^2*b^2) \\ & *d*\cosh(d*x + c)^3 - (a^4 - 2*a^3*b - 3*a^2*b^2)*d*\cosh(d*x + c))*\sinh(d*x + c)), -1/2*(2*(2*a^2 + 3*a*b + 3*b^2)*\cosh(d*x + c)^4 \\ & + 8*(2*a^2 + 3*a*b + 3*b^2)*\cosh(d*x + c)*\sinh \end{aligned}$$

```
(d*x + c)^3 + 2*(2*a^2 + 3*a*b + 3*b^2)*sinh(d*x + c)^4 + 4*(2*a^2 - 3*b^2)
*cosh(d*x + c)^2 + 4*(3*(2*a^2 + 3*a*b + 3*b^2)*cosh(d*x + c)^2 + 2*a^2 - 3
*b^2)*sinh(d*x + c)^2 + 3*((a^2 + 2*a*b + b^2)*cosh(d*x + c)^6 + 6*(a^2 + 2
*a*b + b^2)*cosh(d*x + c)*sinh(d*x + c)^5 + (a^2 + 2*a*b + b^2)*sinh(d*x +
c)^6 + (a^2 - 2*a*b - 3*b^2)*cosh(d*x + c)^4 + (15*(a^2 + 2*a*b + b^2)*cosh
(d*x + c)^2 + a^2 - 2*a*b - 3*b^2)*sinh(d*x + c)^4 + 4*(5*(a^2 + 2*a*b + b^
2)*cosh(d*x + c)^3 + (a^2 - 2*a*b - 3*b^2)*cosh(d*x + c))*sinh(d*x + c)^3 -
(a^2 - 2*a*b - 3*b^2)*cosh(d*x + c)^2 + (15*(a^2 + 2*a*b + b^2)*cosh(d*x +
c)^4 + 6*(a^2 - 2*a*b - 3*b^2)*cosh(d*x + c)^2 - a^2 + 2*a*b + 3*b^2)*sinh
(d*x + c)^2 - a^2 - 2*a*b - b^2 + 2*(3*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^5
+ 2*(a^2 - 2*a*b - 3*b^2)*cosh(d*x + c)^3 - (a^2 - 2*a*b - 3*b^2)*cosh(d*x
+ c))*sinh(d*x + c))*sqrt(b/a)*arctan(1/2*((a + b)*cosh(d*x + c)^2 + 2*(a +
b)*cosh(d*x + c)*sinh(d*x + c) + (a + b)*sinh(d*x + c)^2 + a - b)*sqrt(b/a
)/b) + 4*a^2 + 10*a*b + 6*b^2 + 8*((2*a^2 + 3*a*b + 3*b^2)*cosh(d*x + c)^3
+ (2*a^2 - 3*b^2)*cosh(d*x + c))*sinh(d*x + c))/((a^4 + 2*a^3*b + a^2*b^2)*
d*cosh(d*x + c)^6 + 6*(a^4 + 2*a^3*b + a^2*b^2)*d*cosh(d*x + c)*sinh(d*x +
c)^5 + (a^4 + 2*a^3*b + a^2*b^2)*d*sinh(d*x + c)^6 + (a^4 - 2*a^3*b - 3*a^2
*b^2)*d*cosh(d*x + c)^4 + (15*(a^4 + 2*a^3*b + a^2*b^2)*d*cosh(d*x + c)^2 +
(a^4 - 2*a^3*b - 3*a^2*b^2)*d)*sinh(d*x + c)^4 - (a^4 - 2*a^3*b - 3*a^2*b^
2)*d*cosh(d*x + c)^2 + 4*(5*(a^4 + 2*a^3*b + a^2*b^2)*d*cosh(d*x + c)^3 + (
a^4 - 2*a^3*b - 3*a^2*b^2)*d*cosh(d*x + c))*sinh(d*x + c)^3 + (15*(a^4 + 2*
a^3*b + a^2*b^2)*d*cosh(d*x + c)^4 + 6*(a^4 - 2*a^3*b - 3*a^2*b^2)*d*cosh(d
*x + c)^2 - (a^4 - 2*a^3*b - 3*a^2*b^2)*d)*sinh(d*x + c)^2 - (a^4 + 2*a^3*b
+ a^2*b^2)*d + 2*(3*(a^4 + 2*a^3*b + a^2*b^2)*d*cosh(d*x + c)^5 + 2*(a^4 -
2*a^3*b - 3*a^2*b^2)*d*cosh(d*x + c)^3 - (a^4 - 2*a^3*b - 3*a^2*b^2)*d*cos
h(d*x + c))*sinh(d*x + c)]
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{csch}^2(c + dx)}{(a + b \tanh^2(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*\*2/(a+b\*tanh(d\*x+c)\*\*2)\*\*2,x)

[Out] Integral(csch(c + d\*x)\*\*2/(a + b\*tanh(c + d\*x)\*\*2)\*\*2, x)

**Giac [B]** time = 1.65343, size = 306, normalized size = 3.73

$$\frac{3b \arctan\left(\frac{ae^{(2dx+2c)+be^{(2dx+2c)+a-b}}}{2\sqrt{ab}}\right)}{\sqrt{ab}a^2} + \frac{2(2a^2e^{(4dx+4c)}+3abe^{(4dx+4c)}+3b^2e^{(4dx+4c)}+4a^2e^{(2dx+2c)}-6b^2e^{(2dx+2c)}+2a^2+5ab+3b^2)}{(a^3+a^2b)(ae^{(6dx+6c)}+be^{(6dx+6c)}+ae^{(4dx+4c)}-3be^{(4dx+4c)}-ae^{(2dx+2c)}+3be^{(2dx+2c)}-a-b)}$$


---


$$2d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out]  $-1/2*(3*b*\arctan(1/2*(a*e^{(2*d*x + 2*c)} + b*e^{(2*d*x + 2*c)} + a - b)/\sqrt{a*b}))/(\sqrt{a*b}*a^2) + 2*(2*a^2*e^{(4*d*x + 4*c)} + 3*a*b*e^{(4*d*x + 4*c)} + 3*b^2*e^{(4*d*x + 4*c)} + 4*a^2*e^{(2*d*x + 2*c)} - 6*b^2*e^{(2*d*x + 2*c)} + 2*a^2 + 5*a*b + 3*b^2)/((a^3 + a^2*b)*(a*e^{(6*d*x + 6*c)} + b*e^{(6*d*x + 6*c)} + a*e^{(4*d*x + 4*c)} - 3*b*e^{(4*d*x + 4*c)} - a*e^{(2*d*x + 2*c)} + 3*b*e^{(2*d*x + 2*c)} - a - b))/d$



$$3.39 \quad \int \frac{\operatorname{csch}^3(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$$

**Optimal.** Leaf size=141

$$\frac{b \operatorname{sech}(c+dx)}{a^2 d (a - b \operatorname{sech}^2(c+dx) + b)} + \frac{(a+4b) \tanh^{-1}(\cosh(c+dx))}{2a^3 d} - \frac{\sqrt{b}(3a+4b) \tanh^{-1}\left(\frac{\sqrt{b} \operatorname{sech}(c+dx)}{\sqrt{a+b}}\right)}{2a^3 d \sqrt{a+b}} - \frac{\operatorname{coth}(c+dx)}{2ad (a - b \operatorname{sech}^2(c+dx) + b)}$$

[Out] ((a + 4\*b)\*ArcTanh[Cosh[c + d\*x]])/(2\*a^3\*d) - (Sqrt[b]\*(3\*a + 4\*b)\*ArcTanh[(Sqrt[b]\*Sech[c + d\*x])/Sqrt[a + b]])/(2\*a^3\*Sqrt[a + b]\*d) - (Coth[c + d\*x]\*Csch[c + d\*x])/(2\*a\*d\*(a + b - b\*Sech[c + d\*x]^2)) - (b\*Sech[c + d\*x])/(a^2\*d\*(a + b - b\*Sech[c + d\*x]^2))

**Rubi [A]** time = 0.209026, antiderivative size = 141, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {3664, 471, 527, 522, 207, 208}

$$\frac{b \operatorname{sech}(c+dx)}{a^2 d (a - b \operatorname{sech}^2(c+dx) + b)} + \frac{(a+4b) \tanh^{-1}(\cosh(c+dx))}{2a^3 d} - \frac{\sqrt{b}(3a+4b) \tanh^{-1}\left(\frac{\sqrt{b} \operatorname{sech}(c+dx)}{\sqrt{a+b}}\right)}{2a^3 d \sqrt{a+b}} - \frac{\operatorname{coth}(c+dx)}{2ad (a - b \operatorname{sech}^2(c+dx) + b)}$$

Antiderivative was successfully verified.

[In] Int[Csch[c + d\*x]^3/(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] ((a + 4\*b)\*ArcTanh[Cosh[c + d\*x]])/(2\*a^3\*d) - (Sqrt[b]\*(3\*a + 4\*b)\*ArcTanh[(Sqrt[b]\*Sech[c + d\*x])/Sqrt[a + b]])/(2\*a^3\*Sqrt[a + b]\*d) - (Coth[c + d\*x]\*Csch[c + d\*x])/(2\*a\*d\*(a + b - b\*Sech[c + d\*x]^2)) - (b\*Sech[c + d\*x])/(a^2\*d\*(a + b - b\*Sech[c + d\*x]^2))

#### Rule 3664

Int[sin[(e\_.) + (f\_.)\*(x\_.)]^(m\_.)\*((a\_.) + (b\_.)\*tan[(e\_.) + (f\_.)\*(x\_.)]^2)^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Sec[e + f\*x], x]}, Dist[1/(f\*ff^m), Subst[Int[((-1 + ff^2\*x^2)^(m-1)/2)\*(a - b + b\*ff^2\*x^2)^p]/x^(m+1), x], x, Sec[e + f\*x]/ff, x] /; FreeQ[{a, b, e, f, p}, x] && IntegerQ[(m-1)/2]

#### Rule 471

```

Int[((e_.)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Simp[(e^(n - 1)*(e*x)^(m - n + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(n*(b*c - a*d)*(p + 1)), x] - Dist[e^n/(n*(b*c - a*d)*(p + 1)), Int[(e*x)^(m - n)*(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(m - n + 1) + d*(m + n*(p + q + 1) + 1)*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LtQ[p, -1] && GeQ[n, m - n + 1] && GtQ[m - n + 1, 0] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]

```

### Rule 527

```

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_)*((e_) + (f_.)*(x_)^(n_)), x_Symbol] := -Simp[((b*e - a*f)*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(b*c - a*d)*(p + 1)), x] + Dist[1/(a*n*(b*c - a*d)*(p + 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(b*e - a*f) + e*n*(b*c - a*d)*(p + 1) + d*(b*e - a*f)*(n*(p + q + 2) + 1)*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, f, n, q}, x] && LtQ[p, -1]

```

### Rule 522

```

Int[((e_) + (f_.)*(x_)^(n_))/(((a_) + (b_.)*(x_)^(n_))*((c_) + (d_.)*(x_)^(n_))), x_Symbol] := Dist[(b*e - a*f)/(b*c - a*d), Int[1/(a + b*x^n), x], x] - Dist[(d*e - c*f)/(b*c - a*d), Int[1/(c + d*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x]

```

### Rule 207

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

```

### Rule 208

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

```

### Rubi steps

$$\begin{aligned}
\int \frac{\operatorname{csch}^3(c+dx)}{(a+b \tanh^2(c+dx))^2} dx &= -\frac{\operatorname{Subst}\left(\int \frac{x^2}{(-1+x^2)^2(a+b-x^2)^2} dx, x, \operatorname{sech}(c+dx)\right)}{d} \\
&= -\frac{\operatorname{coth}(c+dx)\operatorname{csch}(c+dx)}{2ad(a+b-b\operatorname{sech}^2(c+dx))} - \frac{\operatorname{Subst}\left(\int \frac{a+b+3bx^2}{(-1+x^2)(a+b-x^2)^2} dx, x, \operatorname{sech}(c+dx)\right)}{2ad} \\
&= -\frac{\operatorname{coth}(c+dx)\operatorname{csch}(c+dx)}{2ad(a+b-b\operatorname{sech}^2(c+dx))} - \frac{b\operatorname{sech}(c+dx)}{a^2d(a+b-b\operatorname{sech}^2(c+dx))} - \frac{\operatorname{Subst}\left(\int \frac{2(a+b)(a+2b)+}{(-1+x^2)(a+b-x^2)^2} dx, x, \operatorname{sech}(c+dx)\right)}{4ad} \\
&= -\frac{\operatorname{coth}(c+dx)\operatorname{csch}(c+dx)}{2ad(a+b-b\operatorname{sech}^2(c+dx))} - \frac{b\operatorname{sech}(c+dx)}{a^2d(a+b-b\operatorname{sech}^2(c+dx))} - \frac{(a+4b)\operatorname{Subst}\left(\int \frac{1}{(-1+x^2)(a+b-x^2)^2} dx, x, \operatorname{sech}(c+dx)\right)}{2ad} \\
&= \frac{(a+4b)\tanh^{-1}(\operatorname{cosh}(c+dx))}{2a^3d} - \frac{\sqrt{b}(3a+4b)\tanh^{-1}\left(\frac{\sqrt{b}\operatorname{sech}(c+dx)}{\sqrt{a+b}}\right)}{2a^3\sqrt{a+b}d} - \frac{\operatorname{coth}(c+dx)\operatorname{csch}(c+dx)}{2ad(a+b-b\operatorname{sech}^2(c+dx))}
\end{aligned}$$

**Mathematica [C]** time = 4.08918, size = 203, normalized size = 1.44

$$\frac{\frac{8ab \cosh(c+dx)}{(a+b) \cosh(2(c+dx))+a-b} + 4(a+4b) \log\left(\tanh\left(\frac{1}{2}(c+dx)\right)\right) + \frac{4i\sqrt{b}(3a+4b) \tan^{-1}\left(\frac{-\sqrt{a} \tanh\left(\frac{1}{2}(c+dx)\right) - i\sqrt{a+b}}{\sqrt{b}}\right)}{\sqrt{a+b}} + \frac{4i\sqrt{b}(3a+4b) \tan^{-1}\left(\frac{\sqrt{a} \tanh\left(\frac{1}{2}(c+dx)\right) + i\sqrt{a+b}}{\sqrt{b}}\right)}{\sqrt{a+b}}}{8a^3d}$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]^3/(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] -(((4\*I)\*Sqrt[b]\*(3\*a + 4\*b)\*ArcTan[((-I)\*Sqrt[a + b] - Sqrt[a]\*Tanh[(c + d\*x)/2])/Sqrt[b]])/Sqrt[a + b] + ((4\*I)\*Sqrt[b]\*(3\*a + 4\*b)\*ArcTan[((-I)\*Sqrt[a + b] + Sqrt[a]\*Tanh[(c + d\*x)/2])/Sqrt[b]])/Sqrt[a + b] + (8\*a\*b\*Cosh[c + d\*x])/(a - b + (a + b)\*Cosh[2\*(c + d\*x)]) + a\*Csch[(c + d\*x)/2]^2 + 4\*(a + 4\*b)\*Log[Tanh[(c + d\*x)/2]] + a\*Sech[(c + d\*x)/2]^2/(8\*a^3\*d)

**Maple [B]** time = 0.108, size = 367, normalized size = 2.6

$$\frac{1}{8da^2} \left( \tanh\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^2 - \frac{b}{da^2} \left( \tanh\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^2 \left( \left( \tanh\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^4 a + 2 \left( \tanh\left(\frac{1}{2}dx + \frac{c}{2}\right) \right)^2 a + 4 \left( \tanh\left(\frac{1}{2}dx + \frac{c}{2}\right) \right)^2 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(csch(d*x+c)^3/(a+b*tanh(d*x+c)^2)^2,x)`

[Out]  $\frac{1}{8} \frac{d \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^2}{a^2} - \frac{1}{d} \frac{d \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^2}{a^2} \frac{b}{\tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^4 a + 2 \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^2 a + 4 \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^2 b + a} \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^2 - \frac{2}{d} \frac{d \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^2}{a^2} \frac{3 b^2}{\tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^4 a + 2 \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^2 a + 4 \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^2 b + a} \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^2 - \frac{1}{d} \frac{d \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^2}{a^2} \frac{b}{\tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^4 a + 2 \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^2 a + 4 \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^2 b + a} \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^2 - \frac{3}{2} \frac{d \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^2}{a^2} \frac{b}{(a b + b^2)^{\frac{1}{2}}} \operatorname{arctanh}\left(\frac{1}{4} (2 \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^2 a + 2 a + 4 b) / (a b + b^2)^{\frac{1}{2}}\right) - \frac{2}{d} \frac{d \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^2}{a^2} \frac{3 b^2}{(a b + b^2)^{\frac{1}{2}}} \operatorname{arctanh}\left(\frac{1}{4} (2 \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^2 a + 2 a + 4 b) / (a b + b^2)^{\frac{1}{2}}\right) - \frac{1}{8} \frac{d \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^2}{a^2} \frac{1}{\tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^2} - \frac{1}{2} \frac{d \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^2}{a^2} \ln\left(\tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)\right) - \frac{2}{d} \frac{d \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^2}{a^2} \ln\left(\tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)\right) b$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{(a e^{7c} + 2 b e^{7c}) e^{7dx} + (3 a e^{5c} - 2 b e^{5c}) e^{5dx} + (3 a e^{3c} - 2 b e^{3c}) e^{3dx} + (a e^c + 2 b e^c) e^{dx}}{4 a^2 b d e^{6dx+6c} + 4 a^2 b d e^{2dx+2c} - a^3 d - a^2 b d - (a^3 d e^{8c} + a^2 b d e^{8c}) e^{8dx} + 2 (a^3 d e^{4c} - 3 a^2 b d e^{4c}) e^{4dx}} + \frac{(a + 4 b) \ln\left(\frac{e^{d(x+c)} + 1}{e^{d(x+c)} - 1}\right)}{a^3 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csch(d*x+c)^3/(a+b*tanh(d*x+c)^2)^2,x, algorithm="maxima")`

[Out]  $((a e^{7c} + 2 b e^{7c}) e^{7dx} + (3 a e^{5c} - 2 b e^{5c}) e^{5dx} + (3 a e^{3c} - 2 b e^{3c}) e^{3dx} + (a e^c + 2 b e^c) e^{dx}) / (4 a^2 b d e^{6dx+6c} + 4 a^2 b d e^{2dx+2c} - a^3 d - a^2 b d - (a^3 d e^{8c} + a^2 b d e^{8c}) e^{8dx} + 2 (a^3 d e^{4c} - 3 a^2 b d e^{4c}) e^{4dx}) + \frac{1}{2} (a + 4 b) \log\left(\frac{e^{d(x+c)} + 1}{e^{d(x+c)} - 1}\right) / (a^3 d) - \frac{1}{2} (a + 4 b) \log\left(\frac{e^{d(x+c)} - 1}{e^{d(x+c)} + 1}\right) / (a^3 d) + 8 \operatorname{integrate}\left(\frac{1}{8} ((3 a b e^{3c} + 4 b^2 e^{3c}) e^{3dx} - (3 a b e^c + 4 b^2 e^c) e^{dx}) / (a^4 + a^3 b + (a^4 e^{4c} + a^3 b e^{4c}) e^{4dx} + 2 (a^4 e^{2c} - a^3 b e^{2c}) e^{2dx})\right), x$

**Fricas [B]** time = 3.30417, size = 15776, normalized size = 111.89

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [1/4*(4*(a^2 + 2*a*b)*\cosh(d*x + c)^7 + 28*(a^2 + 2*a*b)*\cosh(d*x + c)*\sinh \\ & (d*x + c)^6 + 4*(a^2 + 2*a*b)*\sinh(d*x + c)^7 + 4*(3*a^2 - 2*a*b)*\cosh(d*x \\ & + c)^5 + 4*(21*(a^2 + 2*a*b)*\cosh(d*x + c)^2 + 3*a^2 - 2*a*b)*\sinh(d*x + c) \\ & ^5 + 20*(7*(a^2 + 2*a*b)*\cosh(d*x + c)^3 + (3*a^2 - 2*a*b)*\cosh(d*x + c))*\sinh \\ & (d*x + c)^4 + 4*(3*a^2 - 2*a*b)*\cosh(d*x + c)^3 + 4*(35*(a^2 + 2*a*b)*\cosh \\ & (d*x + c)^4 + 10*(3*a^2 - 2*a*b)*\cosh(d*x + c)^2 + 3*a^2 - 2*a*b)*\sinh(d*x \\ & + c)^3 + 4*(21*(a^2 + 2*a*b)*\cosh(d*x + c)^5 + 10*(3*a^2 - 2*a*b)*\cosh(d*x \\ & + c)^3 + 3*(3*a^2 - 2*a*b)*\cosh(d*x + c))*\sinh(d*x + c)^2 - ((3*a^2 + 7*a \\ & *b + 4*b^2)*\cosh(d*x + c)^8 + 8*(3*a^2 + 7*a*b + 4*b^2)*\cosh(d*x + c)*\sinh \\ & (d*x + c)^7 + (3*a^2 + 7*a*b + 4*b^2)*\sinh(d*x + c)^8 - 4*(3*a*b + 4*b^2)*\cosh \\ & (d*x + c)^6 + 4*(7*(3*a^2 + 7*a*b + 4*b^2)*\cosh(d*x + c)^2 - 3*a*b - 4*b^2) \\ & *\sinh(d*x + c)^6 + 8*(7*(3*a^2 + 7*a*b + 4*b^2)*\cosh(d*x + c)^3 - 3*(3*a*b \\ & + 4*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^5 - 2*(3*a^2 - 5*a*b - 12*b^2)*\cosh \\ & (d*x + c)^4 + 2*(35*(3*a^2 + 7*a*b + 4*b^2)*\cosh(d*x + c)^4 - 30*(3*a*b + 4 \\ & *b^2)*\cosh(d*x + c)^2 - 3*a^2 + 5*a*b + 12*b^2)*\sinh(d*x + c)^4 + 8*(7*(3*a \\ & ^2 + 7*a*b + 4*b^2)*\cosh(d*x + c)^5 - 10*(3*a*b + 4*b^2)*\cosh(d*x + c)^3 - \\ & (3*a^2 - 5*a*b - 12*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^3 - 4*(3*a*b + 4*b^2) \\ & *\cosh(d*x + c)^2 + 4*(7*(3*a^2 + 7*a*b + 4*b^2)*\cosh(d*x + c)^6 - 15*(3*a*b \\ & + 4*b^2)*\cosh(d*x + c)^4 - 3*(3*a^2 - 5*a*b - 12*b^2)*\cosh(d*x + c)^2 - 3*a \\ & *b - 4*b^2)*\sinh(d*x + c)^2 + 3*a^2 + 7*a*b + 4*b^2 + 8*((3*a^2 + 7*a*b + \\ & 4*b^2)*\cosh(d*x + c)^7 - 3*(3*a*b + 4*b^2)*\cosh(d*x + c)^5 - (3*a^2 - 5*a*b \\ & - 12*b^2)*\cosh(d*x + c)^3 - (3*a*b + 4*b^2)*\cosh(d*x + c))*\sinh(d*x + c))* \\ & \sqrt{b/(a + b)}*\log(((a + b)*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh \\ & (d*x + c)^3 + (a + b)*\sinh(d*x + c)^4 + 2*(a + 3*b)*\cosh(d*x + c)^2 + 2*(3* \\ & (a + b)*\cosh(d*x + c)^2 + a + 3*b)*\sinh(d*x + c)^2 + 4*((a + b)*\cosh(d*x + \\ & c)^3 + (a + 3*b)*\cosh(d*x + c))*\sinh(d*x + c) - 4*((a + b)*\cosh(d*x + c)^3 \\ & + 3*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^2 + (a + b)*\sinh(d*x + c)^3 + (a + \\ & b)*\cosh(d*x + c) + (3*(a + b)*\cosh(d*x + c)^2 + a + b)*\sinh(d*x + c))*\sqrt{ \\ & b/(a + b)} + a + b)/((a + b)*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh \\ & (d*x + c)^3 + (a + b)*\sinh(d*x + c)^4 + 2*(a - b)*\cosh(d*x + c)^2 + 2*(3*(a \\ & + b)*\cosh(d*x + c)^2 + a - b)*\sinh(d*x + c)^2 + 4*((a + b)*\cosh(d*x + c)^3 \\ & + (a - b)*\cosh(d*x + c))*\sinh(d*x + c) + a + b)) + 4*(a^2 + 2*a*b)*\cosh(d* \\ & x + c) - 2*((a^2 + 5*a*b + 4*b^2)*\cosh(d*x + c)^8 + 8*(a^2 + 5*a*b + 4*b^2) \\ & *\cosh(d*x + c)*\sinh(d*x + c)^7 + (a^2 + 5*a*b + 4*b^2)*\sinh(d*x + c)^8 - 4* \\ & (a*b + 4*b^2)*\cosh(d*x + c)^6 + 4*(7*(a^2 + 5*a*b + 4*b^2)*\cosh(d*x + c)^2 \\ & - a*b - 4*b^2)*\sinh(d*x + c)^6 + 8*(7*(a^2 + 5*a*b + 4*b^2)*\cosh(d*x + c)^3 \\ & - 3*(a*b + 4*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^5 - 2*(a^2 + a*b - 12*b^2)* \\ & \cosh(d*x + c)^4 + 2*(35*(a^2 + 5*a*b + 4*b^2)*\cosh(d*x + c)^4 - 30*(a*b + 4 \\ & *b^2)*\cosh(d*x + c)^2 - a^2 - a*b + 12*b^2)*\sinh(d*x + c)^4 + 8*(7*(a^2 + 5 \\ & *a*b + 4*b^2)*\cosh(d*x + c)^5 - 10*(a*b + 4*b^2)*\cosh(d*x + c)^3 - (a^2 + a \\ & *b - 12*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^3 - 4*(a*b + 4*b^2)*\cosh(d*x + c) \\ & ^2 + 4*(7*(a^2 + 5*a*b + 4*b^2)*\cosh(d*x + c)^6 - 15*(a*b + 4*b^2)*\cosh(d*x \end{aligned}$$

$$\begin{aligned}
& + c)^4 - 3*(a^2 + a*b - 12*b^2)*\cosh(d*x + c)^2 - a*b - 4*b^2)*\sinh(d*x + \\
& c)^2 + a^2 + 5*a*b + 4*b^2 + 8*((a^2 + 5*a*b + 4*b^2)*\cosh(d*x + c)^7 - 3*( \\
& a*b + 4*b^2)*\cosh(d*x + c)^5 - (a^2 + a*b - 12*b^2)*\cosh(d*x + c)^3 - (a*b \\
& + 4*b^2)*\cosh(d*x + c))*\sinh(d*x + c))*\log(\cosh(d*x + c) + \sinh(d*x + c) + \\
& 1) + 2*((a^2 + 5*a*b + 4*b^2)*\cosh(d*x + c)^8 + 8*(a^2 + 5*a*b + 4*b^2)*\cos \\
& h(d*x + c)*\sinh(d*x + c)^7 + (a^2 + 5*a*b + 4*b^2)*\sinh(d*x + c)^8 - 4*(a*b \\
& + 4*b^2)*\cosh(d*x + c)^6 + 4*(7*(a^2 + 5*a*b + 4*b^2)*\cosh(d*x + c)^2 - a* \\
& b - 4*b^2)*\sinh(d*x + c)^6 + 8*(7*(a^2 + 5*a*b + 4*b^2)*\cosh(d*x + c)^3 - 3 \\
& *(a*b + 4*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^5 - 2*(a^2 + a*b - 12*b^2)*\cosh \\
& (d*x + c)^4 + 2*(35*(a^2 + 5*a*b + 4*b^2)*\cosh(d*x + c)^4 - 30*(a*b + 4*b^2 \\
& )*\cosh(d*x + c)^2 - a^2 - a*b + 12*b^2)*\sinh(d*x + c)^4 + 8*(7*(a^2 + 5*a*b \\
& + 4*b^2)*\cosh(d*x + c)^5 - 10*(a*b + 4*b^2)*\cosh(d*x + c)^3 - (a^2 + a*b - \\
& 12*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^3 - 4*(a*b + 4*b^2)*\cosh(d*x + c)^2 + \\
& 4*(7*(a^2 + 5*a*b + 4*b^2)*\cosh(d*x + c)^6 - 15*(a*b + 4*b^2)*\cosh(d*x + c \\
& )^4 - 3*(a^2 + a*b - 12*b^2)*\cosh(d*x + c)^2 - a*b - 4*b^2)*\sinh(d*x + c)^2 \\
& + a^2 + 5*a*b + 4*b^2 + 8*((a^2 + 5*a*b + 4*b^2)*\cosh(d*x + c)^7 - 3*(a*b \\
& + 4*b^2)*\cosh(d*x + c)^5 - (a^2 + a*b - 12*b^2)*\cosh(d*x + c)^3 - (a*b + 4* \\
& b^2)*\cosh(d*x + c))*\sinh(d*x + c))*\log(\cosh(d*x + c) + \sinh(d*x + c) - 1) + \\
& 4*(7*(a^2 + 2*a*b)*\cosh(d*x + c)^6 + 5*(3*a^2 - 2*a*b)*\cosh(d*x + c)^4 + 3 \\
& *(3*a^2 - 2*a*b)*\cosh(d*x + c)^2 + a^2 + 2*a*b)*\sinh(d*x + c))/(4*a^3*b*d*c \\
& osh(d*x + c)^6 - (a^4 + a^3*b)*d*\cosh(d*x + c)^8 - 8*(a^4 + a^3*b)*d*\cosh(d \\
& *x + c)*\sinh(d*x + c)^7 - (a^4 + a^3*b)*d*\sinh(d*x + c)^8 + 4*a^3*b*d*\cosh( \\
& d*x + c)^2 + 4*(a^3*b*d - 7*(a^4 + a^3*b)*d*\cosh(d*x + c)^2)*\sinh(d*x + c)^ \\
& 6 + 2*(a^4 - 3*a^3*b)*d*\cosh(d*x + c)^4 + 8*(3*a^3*b*d*\cosh(d*x + c) - 7*(a \\
& ^4 + a^3*b)*d*\cosh(d*x + c)^3)*\sinh(d*x + c)^5 + 2*(30*a^3*b*d*\cosh(d*x + c \\
& )^2 - 35*(a^4 + a^3*b)*d*\cosh(d*x + c)^4 + (a^4 - 3*a^3*b)*d)*\sinh(d*x + c) \\
& ^4 + 8*(10*a^3*b*d*\cosh(d*x + c)^3 - 7*(a^4 + a^3*b)*d*\cosh(d*x + c)^5 + (a \\
& ^4 - 3*a^3*b)*d*\cosh(d*x + c))*\sinh(d*x + c)^3 + 4*(15*a^3*b*d*\cosh(d*x + c \\
& )^4 - 7*(a^4 + a^3*b)*d*\cosh(d*x + c)^6 + a^3*b*d + 3*(a^4 - 3*a^3*b)*d*\cos \\
& h(d*x + c)^2)*\sinh(d*x + c)^2 - (a^4 + a^3*b)*d + 8*(3*a^3*b*d*\cosh(d*x + c \\
& )^5 - (a^4 + a^3*b)*d*\cosh(d*x + c)^7 + a^3*b*d*\cosh(d*x + c) + (a^4 - 3*a^ \\
& 3*b)*d*\cosh(d*x + c)^3)*\sinh(d*x + c)), 1/2*(2*(a^2 + 2*a*b)*\cosh(d*x + c)^ \\
& 7 + 14*(a^2 + 2*a*b)*\cosh(d*x + c)*\sinh(d*x + c)^6 + 2*(a^2 + 2*a*b)*\sinh(d \\
& *x + c)^7 + 2*(3*a^2 - 2*a*b)*\cosh(d*x + c)^5 + 2*(21*(a^2 + 2*a*b)*\cosh(d* \\
& x + c)^2 + 3*a^2 - 2*a*b)*\sinh(d*x + c)^5 + 10*(7*(a^2 + 2*a*b)*\cosh(d*x + \\
& c)^3 + (3*a^2 - 2*a*b)*\cosh(d*x + c))*\sinh(d*x + c)^4 + 2*(3*a^2 - 2*a*b)*c \\
& osh(d*x + c)^3 + 2*(35*(a^2 + 2*a*b)*\cosh(d*x + c)^4 + 10*(3*a^2 - 2*a*b)*c \\
& osh(d*x + c)^2 + 3*a^2 - 2*a*b)*\sinh(d*x + c)^3 + 2*(21*(a^2 + 2*a*b)*\cosh( \\
& d*x + c)^5 + 10*(3*a^2 - 2*a*b)*\cosh(d*x + c)^3 + 3*(3*a^2 - 2*a*b)*\cosh(d* \\
& x + c))*\sinh(d*x + c)^2 + ((3*a^2 + 7*a*b + 4*b^2)*\cosh(d*x + c)^8 + 8*(3*a \\
& ^2 + 7*a*b + 4*b^2)*\cosh(d*x + c)*\sinh(d*x + c)^7 + (3*a^2 + 7*a*b + 4*b^2) \\
& *\sinh(d*x + c)^8 - 4*(3*a*b + 4*b^2)*\cosh(d*x + c)^6 + 4*(7*(3*a^2 + 7*a*b \\
& + 4*b^2)*\cosh(d*x + c)^2 - 3*a*b - 4*b^2)*\sinh(d*x + c)^6 + 8*(7*(3*a^2 + 7 \\
& *a*b + 4*b^2)*\cosh(d*x + c)^3 - 3*(3*a*b + 4*b^2)*\cosh(d*x + c))*\sinh(d*x + \\
& c)^5 - 2*(3*a^2 - 5*a*b - 12*b^2)*\cosh(d*x + c)^4 + 2*(35*(3*a^2 + 7*a*b +
\end{aligned}$$

$$\begin{aligned}
& 4*b^2)*\cosh(d*x + c)^4 - 30*(3*a*b + 4*b^2)*\cosh(d*x + c)^2 - 3*a^2 + 5*a* \\
& b + 12*b^2)*\sinh(d*x + c)^4 + 8*(7*(3*a^2 + 7*a*b + 4*b^2)*\cosh(d*x + c)^5 \\
& - 10*(3*a*b + 4*b^2)*\cosh(d*x + c)^3 - (3*a^2 - 5*a*b - 12*b^2)*\cosh(d*x + \\
& c))*\sinh(d*x + c)^3 - 4*(3*a*b + 4*b^2)*\cosh(d*x + c)^2 + 4*(7*(3*a^2 + 7*a \\
& *b + 4*b^2)*\cosh(d*x + c)^6 - 15*(3*a*b + 4*b^2)*\cosh(d*x + c)^4 - 3*(3*a^2 \\
& - 5*a*b - 12*b^2)*\cosh(d*x + c)^2 - 3*a*b - 4*b^2)*\sinh(d*x + c)^2 + 3*a^2 \\
& + 7*a*b + 4*b^2 + 8*((3*a^2 + 7*a*b + 4*b^2)*\cosh(d*x + c)^7 - 3*(3*a*b + \\
& 4*b^2)*\cosh(d*x + c)^5 - (3*a^2 - 5*a*b - 12*b^2)*\cosh(d*x + c)^3 - (3*a*b \\
& + 4*b^2)*\cosh(d*x + c))*\sinh(d*x + c))*\sqrt{-b/(a + b)}*\arctan(1/2*((a + b) \\
& *\cosh(d*x + c)^3 + 3*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^2 + (a + b)*\sinh(d \\
& *x + c)^3 + (a - 3*b)*\cosh(d*x + c) + (3*(a + b)*\cosh(d*x + c)^2 + a - 3*b) \\
& *\sinh(d*x + c))*\sqrt{-b/(a + b)})/b) - ((3*a^2 + 7*a*b + 4*b^2)*\cosh(d*x + c \\
& )^8 + 8*(3*a^2 + 7*a*b + 4*b^2)*\cosh(d*x + c)*\sinh(d*x + c)^7 + (3*a^2 + 7* \\
& a*b + 4*b^2)*\sinh(d*x + c)^8 - 4*(3*a*b + 4*b^2)*\cosh(d*x + c)^6 + 4*(7*(3* \\
& a^2 + 7*a*b + 4*b^2)*\cosh(d*x + c)^2 - 3*a*b - 4*b^2)*\sinh(d*x + c)^6 + 8*( \\
& 7*(3*a^2 + 7*a*b + 4*b^2)*\cosh(d*x + c)^3 - 3*(3*a*b + 4*b^2)*\cosh(d*x + c) \\
& )*\sinh(d*x + c)^5 - 2*(3*a^2 - 5*a*b - 12*b^2)*\cosh(d*x + c)^4 + 2*(35*(3*a \\
& ^2 + 7*a*b + 4*b^2)*\cosh(d*x + c)^4 - 30*(3*a*b + 4*b^2)*\cosh(d*x + c)^2 - \\
& 3*a^2 + 5*a*b + 12*b^2)*\sinh(d*x + c)^4 + 8*(7*(3*a^2 + 7*a*b + 4*b^2)*\cosh \\
& (d*x + c)^5 - 10*(3*a*b + 4*b^2)*\cosh(d*x + c)^3 - (3*a^2 - 5*a*b - 12*b^2) \\
& *\cosh(d*x + c))*\sinh(d*x + c)^3 - 4*(3*a*b + 4*b^2)*\cosh(d*x + c)^2 + 4*(7* \\
& (3*a^2 + 7*a*b + 4*b^2)*\cosh(d*x + c)^6 - 15*(3*a*b + 4*b^2)*\cosh(d*x + c)^ \\
& 4 - 3*(3*a^2 - 5*a*b - 12*b^2)*\cosh(d*x + c)^2 - 3*a*b - 4*b^2)*\sinh(d*x + \\
& c)^2 + 3*a^2 + 7*a*b + 4*b^2 + 8*((3*a^2 + 7*a*b + 4*b^2)*\cosh(d*x + c)^7 - \\
& 3*(3*a*b + 4*b^2)*\cosh(d*x + c)^5 - (3*a^2 - 5*a*b - 12*b^2)*\cosh(d*x + c) \\
& ^3 - (3*a*b + 4*b^2)*\cosh(d*x + c))*\sinh(d*x + c))*\sqrt{-b/(a + b)}*\arctan( \\
& 1/2*((a + b)*\cosh(d*x + c) + (a + b)*\sinh(d*x + c))*\sqrt{-b/(a + b)})/b) + 2 \\
& *(a^2 + 2*a*b)*\cosh(d*x + c) - ((a^2 + 5*a*b + 4*b^2)*\cosh(d*x + c)^8 + 8*( \\
& a^2 + 5*a*b + 4*b^2)*\cosh(d*x + c)*\sinh(d*x + c)^7 + (a^2 + 5*a*b + 4*b^2)* \\
& \sinh(d*x + c)^8 - 4*(a*b + 4*b^2)*\cosh(d*x + c)^6 + 4*(7*(a^2 + 5*a*b + 4*b \\
& ^2)*\cosh(d*x + c)^2 - a*b - 4*b^2)*\sinh(d*x + c)^6 + 8*(7*(a^2 + 5*a*b + 4* \\
& b^2)*\cosh(d*x + c)^3 - 3*(a*b + 4*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^5 - 2*( \\
& a^2 + a*b - 12*b^2)*\cosh(d*x + c)^4 + 2*(35*(a^2 + 5*a*b + 4*b^2)*\cosh(d*x \\
& + c)^4 - 30*(a*b + 4*b^2)*\cosh(d*x + c)^2 - a^2 - a*b + 12*b^2)*\sinh(d*x + \\
& c)^4 + 8*(7*(a^2 + 5*a*b + 4*b^2)*\cosh(d*x + c)^5 - 10*(a*b + 4*b^2)*\cosh(d \\
& *x + c)^3 - (a^2 + a*b - 12*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^3 - 4*(a*b + \\
& 4*b^2)*\cosh(d*x + c)^2 + 4*(7*(a^2 + 5*a*b + 4*b^2)*\cosh(d*x + c)^6 - 15*(a \\
& *b + 4*b^2)*\cosh(d*x + c)^4 - 3*(a^2 + a*b - 12*b^2)*\cosh(d*x + c)^2 - a*b \\
& - 4*b^2)*\sinh(d*x + c)^2 + a^2 + 5*a*b + 4*b^2 + 8*((a^2 + 5*a*b + 4*b^2)*c \\
& osh(d*x + c)^7 - 3*(a*b + 4*b^2)*\cosh(d*x + c)^5 - (a^2 + a*b - 12*b^2)*cos \\
& h(d*x + c)^3 - (a*b + 4*b^2)*\cosh(d*x + c))*\sinh(d*x + c))*\log(\cosh(d*x + c \\
& ) + \sinh(d*x + c) + 1) + ((a^2 + 5*a*b + 4*b^2)*\cosh(d*x + c)^8 + 8*(a^2 + \\
& 5*a*b + 4*b^2)*\cosh(d*x + c)*\sinh(d*x + c)^7 + (a^2 + 5*a*b + 4*b^2)*\sinh(d \\
& *x + c)^8 - 4*(a*b + 4*b^2)*\cosh(d*x + c)^6 + 4*(7*(a^2 + 5*a*b + 4*b^2)*co \\
& sh(d*x + c)^2 - a*b - 4*b^2)*\sinh(d*x + c)^6 + 8*(7*(a^2 + 5*a*b + 4*b^2)*c
\end{aligned}$$

```

osh(d*x + c)^3 - 3*(a*b + 4*b^2)*cosh(d*x + c))*sinh(d*x + c)^5 - 2*(a^2 +
a*b - 12*b^2)*cosh(d*x + c)^4 + 2*(35*(a^2 + 5*a*b + 4*b^2)*cosh(d*x + c)^4
- 30*(a*b + 4*b^2)*cosh(d*x + c)^2 - a^2 - a*b + 12*b^2)*sinh(d*x + c)^4 +
8*(7*(a^2 + 5*a*b + 4*b^2)*cosh(d*x + c)^5 - 10*(a*b + 4*b^2)*cosh(d*x + c
)^3 - (a^2 + a*b - 12*b^2)*cosh(d*x + c))*sinh(d*x + c)^3 - 4*(a*b + 4*b^2)
*cosh(d*x + c)^2 + 4*(7*(a^2 + 5*a*b + 4*b^2)*cosh(d*x + c)^6 - 15*(a*b + 4
*b^2)*cosh(d*x + c)^4 - 3*(a^2 + a*b - 12*b^2)*cosh(d*x + c)^2 - a*b - 4*b^
2)*sinh(d*x + c)^2 + a^2 + 5*a*b + 4*b^2 + 8*((a^2 + 5*a*b + 4*b^2)*cosh(d*
x + c)^7 - 3*(a*b + 4*b^2)*cosh(d*x + c)^5 - (a^2 + a*b - 12*b^2)*cosh(d*x
+ c)^3 - (a*b + 4*b^2)*cosh(d*x + c))*sinh(d*x + c))*log(cosh(d*x + c) + si
nh(d*x + c) - 1) + 2*(7*(a^2 + 2*a*b)*cosh(d*x + c)^6 + 5*(3*a^2 - 2*a*b)*c
osh(d*x + c)^4 + 3*(3*a^2 - 2*a*b)*cosh(d*x + c)^2 + a^2 + 2*a*b)*sinh(d*x
+ c))/(4*a^3*b*d*cosh(d*x + c)^6 - (a^4 + a^3*b)*d*cosh(d*x + c)^8 - 8*(a^4
+ a^3*b)*d*cosh(d*x + c)*sinh(d*x + c)^7 - (a^4 + a^3*b)*d*sinh(d*x + c)^8
+ 4*a^3*b*d*cosh(d*x + c)^2 + 4*(a^3*b*d - 7*(a^4 + a^3*b)*d*cosh(d*x + c)
^2)*sinh(d*x + c)^6 + 2*(a^4 - 3*a^3*b)*d*cosh(d*x + c)^4 + 8*(3*a^3*b*d*co
sh(d*x + c) - 7*(a^4 + a^3*b)*d*cosh(d*x + c)^3)*sinh(d*x + c)^5 + 2*(30*a^
3*b*d*cosh(d*x + c)^2 - 35*(a^4 + a^3*b)*d*cosh(d*x + c)^4 + (a^4 - 3*a^3*b
)*d)*sinh(d*x + c)^4 + 8*(10*a^3*b*d*cosh(d*x + c)^3 - 7*(a^4 + a^3*b)*d*co
sh(d*x + c)^5 + (a^4 - 3*a^3*b)*d*cosh(d*x + c))*sinh(d*x + c)^3 + 4*(15*a^
3*b*d*cosh(d*x + c)^4 - 7*(a^4 + a^3*b)*d*cosh(d*x + c)^6 + a^3*b*d + 3*(a^
4 - 3*a^3*b)*d*cosh(d*x + c)^2)*sinh(d*x + c)^2 - (a^4 + a^3*b)*d + 8*(3*a^
3*b*d*cosh(d*x + c)^5 - (a^4 + a^3*b)*d*cosh(d*x + c)^7 + a^3*b*d*cosh(d*x
+ c) + (a^4 - 3*a^3*b)*d*cosh(d*x + c)^3)*sinh(d*x + c))]

```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{csch}^3(c + dx)}{(a + b \tanh^2(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*\*3/(a+b\*tanh(d\*x+c)\*\*2)\*\*2,x)

[Out] Integral(csch(c + d\*x)\*\*3/(a + b\*tanh(c + d\*x)\*\*2)\*\*2, x)

**Giac [C]** time = 1.97318, size = 5650, normalized size = 40.07

result too large to display



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out] 
$$\frac{1}{8} \cdot (2 \cdot (3 \cdot (3a^5b + 7a^4b^2 + 4a^3b^3) \cdot \cos(\frac{1}{2} \operatorname{real\_part}(\arccos(-\frac{a}{a+b} + \frac{b}{a+b}))))^2 \cdot \cosh(\frac{1}{2} \operatorname{imag\_part}(\arccos(-\frac{a}{a+b} + \frac{b}{a+b}))))^3 \cdot \sin(\frac{1}{2} \operatorname{real\_part}(\arccos(-\frac{a}{a+b} + \frac{b}{a+b})))) - (3a^5b + 7a^4b^2 + 4a^3b^3) \cdot \cosh(\frac{1}{2} \operatorname{imag\_part}(\arccos(-\frac{a}{a+b} + \frac{b}{a+b}))))^3 \cdot \sin(\frac{1}{2} \operatorname{real\_part}(\arccos(-\frac{a}{a+b} + \frac{b}{a+b}))))^3 - 9 \cdot (3a^5b + 7a^4b^2 + 4a^3b^3) \cdot \cos(\frac{1}{2} \operatorname{real\_part}(\arccos(-\frac{a}{a+b} + \frac{b}{a+b}))))^2 \cdot \cosh(\frac{1}{2} \operatorname{imag\_part}(\arccos(-\frac{a}{a+b} + \frac{b}{a+b}))))^2 \cdot \sin(\frac{1}{2} \operatorname{real\_part}(\arccos(-\frac{a}{a+b} + \frac{b}{a+b})))) \cdot \sinh(\frac{1}{2} \operatorname{imag\_part}(\arccos(-\frac{a}{a+b} + \frac{b}{a+b})))) + 3 \cdot (3a^5b + 7a^4b^2 + 4a^3b^3) \cdot \cosh(\frac{1}{2} \operatorname{imag\_part}(\arccos(-\frac{a}{a+b} + \frac{b}{a+b}))))^2 \cdot \sin(\frac{1}{2} \operatorname{real\_part}(\arccos(-\frac{a}{a+b} + \frac{b}{a+b}))))^3 \cdot \sinh(\frac{1}{2} \operatorname{imag\_part}(\arccos(-\frac{a}{a+b} + \frac{b}{a+b})))) + 9 \cdot (3a^5b + 7a^4b^2 + 4a^3b^3) \cdot \cos(\frac{1}{2} \operatorname{real\_part}(\arccos(-\frac{a}{a+b} + \frac{b}{a+b}))))^2 \cdot \cosh(\frac{1}{2} \operatorname{imag\_part}(\arccos(-\frac{a}{a+b} + \frac{b}{a+b})))) \cdot \sin(\frac{1}{2} \operatorname{real\_part}(\arccos(-\frac{a}{a+b} + \frac{b}{a+b})))) \cdot \sinh(\frac{1}{2} \operatorname{imag\_part}(\arccos(-\frac{a}{a+b} + \frac{b}{a+b}))))^2 - 3 \cdot (3a^5b + 7a^4b^2 + 4a^3b^3) \cdot \cosh(\frac{1}{2} \operatorname{imag\_part}(\arccos(-\frac{a}{a+b} + \frac{b}{a+b})))) \cdot \sin(\frac{1}{2} \operatorname{real\_part}(\arccos(-\frac{a}{a+b} + \frac{b}{a+b}))))^3 \cdot \sinh(\frac{1}{2} \operatorname{imag\_part}(\arccos(-\frac{a}{a+b} + \frac{b}{a+b}))))^2 - 3 \cdot (3a^5b + 7a^4b^2 + 4a^3b^3) \cdot \cos(\frac{1}{2} \operatorname{real\_part}(\arccos(-\frac{a}{a+b} + \frac{b}{a+b}))))^2 \cdot \sin(\frac{1}{2} \operatorname{real\_part}(\arccos(-\frac{a}{a+b} + \frac{b}{a+b})))) \cdot \sinh(\frac{1}{2} \operatorname{imag\_part}(\arccos(-\frac{a}{a+b} + \frac{b}{a+b}))))^3 + (3a^5b + 7a^4b^2 + 4a^3b^3) \cdot \sin(\frac{1}{2} \operatorname{real\_part}(\arccos(-\frac{a}{a+b} + \frac{b}{a+b}))))^3 \cdot \sinh(\frac{1}{2} \operatorname{imag\_part}(\arccos(-\frac{a}{a+b} + \frac{b}{a+b}))))^3 - (3a^5b + 7a^4b^2 + 4a^3b^3) \cdot \cosh(\frac{1}{2} \operatorname{imag\_part}(\arccos(-\frac{a}{a+b} + \frac{b}{a+b})))) \cdot \sin(\frac{1}{2} \operatorname{real\_part}(\arccos(-\frac{a}{a+b} + \frac{b}{a+b})))) + (3a^5b + 7a^4b^2 + 4a^3b^3) \cdot \sin(\frac{1}{2} \operatorname{real\_part}(\arccos(-\frac{a}{a+b} + \frac{b}{a+b})))) \cdot \sinh(\frac{1}{2} \operatorname{imag\_part}(\arccos(-\frac{a}{a+b} + \frac{b}{a+b})))) \cdot \arctan(\frac{(a^4 + a^3b)}{(a^4e^{4c} + a^3be^{4c})})^{1/4} \cdot \cos(\frac{1}{2} \arccos(-\frac{a-b}{a+b})) + e^{(dx)} / \frac{(a^4 + a^3b)}{(a^4e^{4c} + a^3be^{4c})})^{1/4} \cdot \sin(\frac{1}{2} \arccos(-\frac{a-b}{a+b})) / (2a^7b - (a^4 - a^3b) \cdot \sqrt{-ab} \cdot a^2 \cdot \operatorname{abs}(a)) + 2 \cdot (3 \cdot (3a^5b + 7a^4b^2 + 4a^3b^3) \cdot \cos(\frac{1}{2} \operatorname{real\_part}(\arccos(-\frac{a}{a+b} + \frac{b}{a+b}))))^2 \cdot \cosh(\frac{1}{2} \operatorname{imag\_part}(\arccos(-\frac{a}{a+b} + \frac{b}{a+b}))))^3 \cdot \sin(\frac{1}{2} \operatorname{real\_part}(\arccos(-\frac{a}{a+b} + \frac{b}{a+b})))) - (3a^5b + 7a^4b^2 + 4a^3b^3) \cdot \cosh(\frac{1}{2} \operatorname{imag\_part}(\arccos(-\frac{a}{a+b} + \frac{b}{a+b}))))^3 \cdot \sin(\frac{1}{2} \operatorname{real\_part}(\arccos(-\frac{a}{a+b} + \frac{b}{a+b}))))^3 - 9 \cdot (3a^5b + 7a^4b^2 + 4a^3b^3) \cdot \cos(\frac{1}{2} \operatorname{real\_part}(\arccos(-\frac{a}{a+b} + \frac{b}{a+b}))))^2 \cdot \cosh(\frac{1}{2} \operatorname{imag\_part}(\arccos(-\frac{a}{a+b} + \frac{b}{a+b}))))^2 \cdot \sin(\frac{1}{2} \operatorname{real\_part}(\arccos(-\frac{a}{a+b} + \frac{b}{a+b})))) \cdot \sinh(\frac{1}{2} \operatorname{imag\_part}(\arccos(-\frac{a}{a+b} + \frac{b}{a+b})))) + 3 \cdot (3a^5b + 7a^4b^2 + 4a^3b^3) \cdot \cosh(\frac{1}{2} \operatorname{imag\_part}(\arccos(-\frac{a}{a+b} + \frac{b}{a+b}))))^2 \cdot \sin(\frac{1}{2} \operatorname{real\_part}(\arccos(-\frac{a}{a+b} + \frac{b}{a+b}))))^3 \cdot \sinh(\frac{1}{2} \operatorname{imag\_part}(\arccos(-\frac{a}{a+b} + \frac{b}{a+b})))) + 9 \cdot (3a^5b + 7a^4b^2 + 4a^3b^3) \cdot \cos(\frac{1}{2} \operatorname{real\_part}(\arccos(-\frac{a}{a+b} + \frac{b}{a+b}))))^2 \cdot \cosh(\frac{1}{2} \operatorname{imag\_part}(\arccos(-\frac{a}{a+b} + \frac{b}{a+b}))))$$

$$\begin{aligned}
& a/(a + b) + b/(a + b)) \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))) \\
& * \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 - 3*(3*a^5*b + 7*a^4 \\
& * b^2 + 4*a^3*b^3) * \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) * \sin(1 \\
& /2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 * \sinh(1/2 \operatorname{imag\_part}(\arccos(- \\
& a/(a + b) + b/(a + b))))^2 - 3*(3*a^5*b + 7*a^4*b^2 + 4*a^3*b^3) * \cos(1/2 \operatorname{re} \\
& \operatorname{al\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 * \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a + \\
& b) + b/(a + b)))) * \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 + \\
& (3*a^5*b + 7*a^4*b^2 + 4*a^3*b^3) * \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/( \\
& a + b))))^3 * \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 - (3*a^5* \\
& b + 7*a^4*b^2 + 4*a^3*b^3) * \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b) \\
& ))) * \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))) + (3*a^5*b + 7*a^4*b \\
& ^2 + 4*a^3*b^3) * \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))) * \sinh(1/2 \\
& * \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) * \arctan(-(((a^4 + a^3*b)/(a^4*e \\
& ^{(4*c)} + a^3*b*e^{(4*c)}))^{(1/4)} * \cos(1/2 \operatorname{arccos}(-(a - b)/(a + b))) - e^{(d*x)}) \\
& /(((a^4 + a^3*b)/(a^4*e^{(4*c)} + a^3*b*e^{(4*c)}))^{(1/4)} * \sin(1/2 \operatorname{arccos}(-(a - \\
& b)/(a + b)))))/(2*a^7*b - (a^4 - a^3*b)*\sqrt{-a*b}*a^2*\operatorname{abs}(a)) + ((3*a^5*b \\
& + 7*a^4*b^2 + 4*a^3*b^3) * \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))) \\
& ^3 * \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 - 3*(3*a^5*b + 7*a \\
& ^4*b^2 + 4*a^3*b^3) * \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))) * \cosh \\
& (1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 * \sin(1/2 \operatorname{real\_part}(\arccos( \\
& -a/(a + b) + b/(a + b))))^2 - 3*(3*a^5*b + 7*a^4*b^2 + 4*a^3*b^3) * \cos(1/2 \operatorname{r} \\
& \operatorname{eal\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 * \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a \\
& + b) + b/(a + b))))^2 * \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) \\
& + 9*(3*a^5*b + 7*a^4*b^2 + 4*a^3*b^3) * \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + \\
& b/(a + b)))) * \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 * \sin(1/2 \\
& * \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 * \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/ \\
& (a + b) + b/(a + b)))) + 3*(3*a^5*b + 7*a^4*b^2 + 4*a^3*b^3) * \cos(1/2 \operatorname{real\_p} \\
& \operatorname{art}(\arccos(-a/(a + b) + b/(a + b))))^3 * \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) \\
& + b/(a + b)))) * \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 - 9*( \\
& 3*a^5*b + 7*a^4*b^2 + 4*a^3*b^3) * \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a \\
& + b)))) * \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) * \sin(1/2 \operatorname{real\_p} \\
& \operatorname{art}(\arccos(-a/(a + b) + b/(a + b))))^2 * \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) \\
& + b/(a + b))))^2 - (3*a^5*b + 7*a^4*b^2 + 4*a^3*b^3) * \cos(1/2 \operatorname{real\_part}(\operatorname{arc} \\
& \operatorname{cos}(-a/(a + b) + b/(a + b))))^3 * \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a \\
& + b))))^3 + 3*(3*a^5*b + 7*a^4*b^2 + 4*a^3*b^3) * \cos(1/2 \operatorname{real\_part}(\arccos(- \\
& a/(a + b) + b/(a + b)))) * \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))) \\
& ^2 * \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 - (3*a^5*b + 7*a^4 \\
& * b^2 + 4*a^3*b^3) * \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))) * \cosh(1 \\
& /2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) + (3*a^5*b + 7*a^4*b^2 + 4*a^ \\
& 3*b^3) * \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))) * \sinh(1/2 \operatorname{imag\_par} \\
& \operatorname{t}(\arccos(-a/(a + b) + b/(a + b)))) * \log(2*((a^4 + a^3*b)/(a^4*e^{(4*c)} + a^3 \\
& * b*e^{(4*c)}))^{(1/4)} * \cos(1/2 \operatorname{arccos}(-(a - b)/(a + b))) * e^{(d*x)} + \sqrt{(a^4 + \\
& a^3*b)/(a^4*e^{(4*c)} + a^3*b*e^{(4*c)})} + e^{(2*d*x)})/(2*a^7*b - (a^4 - a^3*b) \\
& * \sqrt{-a*b}*a^2*\operatorname{abs}(a)) - ((3*a^5*b + 7*a^4*b^2 + 4*a^3*b^3) * \cos(1/2 \operatorname{real\_p} \\
& \operatorname{art}(\arccos(-a/(a + b) + b/(a + b))))^3 * \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b)
\end{aligned}$$

$$\begin{aligned}
& + b/(a + b)))^3 - 3*(3*a^5*b + 7*a^4*b^2 + 4*a^3*b^3)*\cos(1/2*\text{real\_part}(a \\
& \text{rccos}(-a/(a + b) + b/(a + b))) * \cosh(1/2*\text{imag\_part}(\text{arccos}(-a/(a + b) + b/(a \\
& + b))))^3 * \sin(1/2*\text{real\_part}(\text{arccos}(-a/(a + b) + b/(a + b))))^2 - 3*(3*a^5* \\
& b + 7*a^4*b^2 + 4*a^3*b^3)*\cos(1/2*\text{real\_part}(\text{arccos}(-a/(a + b) + b/(a + b)) \\
& ))^3 * \cosh(1/2*\text{imag\_part}(\text{arccos}(-a/(a + b) + b/(a + b))))^2 * \sinh(1/2*\text{imag\_pa} \\
& \text{rt}(\text{arccos}(-a/(a + b) + b/(a + b)))) + 9*(3*a^5*b + 7*a^4*b^2 + 4*a^3*b^3)*c \\
& \text{os}(1/2*\text{real\_part}(\text{arccos}(-a/(a + b) + b/(a + b)))) * \cosh(1/2*\text{imag\_part}(\text{arccos} \\
& (-a/(a + b) + b/(a + b))))^2 * \sin(1/2*\text{real\_part}(\text{arccos}(-a/(a + b) + b/(a + b \\
& )))) ^2 * \sinh(1/2*\text{imag\_part}(\text{arccos}(-a/(a + b) + b/(a + b)))) + 3*(3*a^5*b + 7 \\
& *a^4*b^2 + 4*a^3*b^3)*\cos(1/2*\text{real\_part}(\text{arccos}(-a/(a + b) + b/(a + b))))^3 * \\
& \cosh(1/2*\text{imag\_part}(\text{arccos}(-a/(a + b) + b/(a + b)))) * \sinh(1/2*\text{imag\_part}(\text{arcc} \\
& \text{os}(-a/(a + b) + b/(a + b))))^2 - 9*(3*a^5*b + 7*a^4*b^2 + 4*a^3*b^3)*\cos(1/ \\
& 2*\text{real\_part}(\text{arccos}(-a/(a + b) + b/(a + b)))) * \cosh(1/2*\text{imag\_part}(\text{arccos}(-a/( \\
& a + b) + b/(a + b)))) * \sin(1/2*\text{real\_part}(\text{arccos}(-a/(a + b) + b/(a + b))))^2 * \\
& \sinh(1/2*\text{imag\_part}(\text{arccos}(-a/(a + b) + b/(a + b))))^2 - (3*a^5*b + 7*a^4*b^ \\
& 2 + 4*a^3*b^3)*\cos(1/2*\text{real\_part}(\text{arccos}(-a/(a + b) + b/(a + b))))^3 * \sinh(1/ \\
& 2*\text{imag\_part}(\text{arccos}(-a/(a + b) + b/(a + b))))^3 + 3*(3*a^5*b + 7*a^4*b^2 + 4 \\
& *a^3*b^3)*\cos(1/2*\text{real\_part}(\text{arccos}(-a/(a + b) + b/(a + b)))) * \sin(1/2*\text{real\_p} \\
& \text{art}(\text{arccos}(-a/(a + b) + b/(a + b))))^2 * \sinh(1/2*\text{imag\_part}(\text{arccos}(-a/(a + b) \\
& + b/(a + b))))^3 - (3*a^5*b + 7*a^4*b^2 + 4*a^3*b^3)*\cos(1/2*\text{real\_part}(\text{arcc} \\
& \text{os}(-a/(a + b) + b/(a + b)))) * \cosh(1/2*\text{imag\_part}(\text{arccos}(-a/(a + b) + b/(a + \\
& b)))) + (3*a^5*b + 7*a^4*b^2 + 4*a^3*b^3)*\cos(1/2*\text{real\_part}(\text{arccos}(-a/(a + \\
& b) + b/(a + b)))) * \sinh(1/2*\text{imag\_part}(\text{arccos}(-a/(a + b) + b/(a + b)))) * \log \\
& (-2*((a^4 + a^3*b)/(a^4*e^(4*c) + a^3*b*e^(4*c)))^(1/4)*\cos(1/2*\text{arccos}(-(a \\
& - b)/(a + b))) * e^(d*x) + \text{sqrt}((a^4 + a^3*b)/(a^4*e^(4*c) + a^3*b*e^(4*c))) \\
& + e^(2*d*x))/(2*a^7*b - (a^4 - a^3*b)*\text{sqrt}(-a*b)*a^2*\text{abs}(a) + 4*(a*e^c + 4 \\
& *b*e^c)*e^(-c)*\log(e^(d*x + c) + 1)/a^3 - 4*(a*e^c + 4*b*e^c)*e^(-c)*\log(\text{ab} \\
& \text{s}(e^(d*x + c) - 1))/a^3 - 8*(b*e^(3*d*x + 3*c) + b*e^(d*x + c))/((a*e^(4*d* \\
& x + 4*c) + b*e^(4*d*x + 4*c) + 2*a*e^(2*d*x + 2*c) - 2*b*e^(2*d*x + 2*c) + \\
& a + b)*a^2) - 8*(e^(3*d*x + 3*c) + e^(d*x + c))/(a^2*(e^(2*d*x + 2*c) - 1)^ \\
& 2))/d
\end{aligned}$$

$$3.40 \quad \int \frac{\operatorname{csch}^4(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$$

**Optimal.** Leaf size=113

$$\frac{b(a+b) \tanh(c+dx)}{2a^3d(a+b \tanh^2(c+dx))} + \frac{(a+2b) \operatorname{coth}(c+dx)}{a^3d} + \frac{\sqrt{b}(3a+5b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2a^{7/2}d} - \frac{\operatorname{coth}^3(c+dx)}{3a^2d}$$

[Out] (Sqrt[b]\*(3\*a + 5\*b)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(2\*a^(7/2)\*d) + ((a + 2\*b)\*Coth[c + d\*x])/(a^3\*d) - Coth[c + d\*x]^3/(3\*a^2\*d) + (b\*(a + b)\*Tanh[c + d\*x])/(2\*a^3\*d\*(a + b\*Tanh[c + d\*x]^2))

**Rubi [A]** time = 0.153873, antiderivative size = 113, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {3663, 456, 1261, 205}

$$\frac{b(a+b) \tanh(c+dx)}{2a^3d(a+b \tanh^2(c+dx))} + \frac{(a+2b) \operatorname{coth}(c+dx)}{a^3d} + \frac{\sqrt{b}(3a+5b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2a^{7/2}d} - \frac{\operatorname{coth}^3(c+dx)}{3a^2d}$$

Antiderivative was successfully verified.

[In] Int[Csch[c + d\*x]^4/(a + b\*Tanh[c + d\*x]^2),x]

[Out] (Sqrt[b]\*(3\*a + 5\*b)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(2\*a^(7/2)\*d) + ((a + 2\*b)\*Coth[c + d\*x])/(a^3\*d) - Coth[c + d\*x]^3/(3\*a^2\*d) + (b\*(a + b)\*Tanh[c + d\*x])/(2\*a^3\*d\*(a + b\*Tanh[c + d\*x]^2))

### Rule 3663

Int[sin[(e\_.) + (f\_.)\*(x\_.)]^(m\_.)\*((a\_.) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_.)])^(n\_.))^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff^(m + 1))/f, Subst[Int[(x^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + ff^2\*x^2)^(m/2 + 1), x], x, (c\*Tan[e + f\*x])/ff, x]] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2]

### Rule 456

Int[(x\_.)^(m\_.)\*((a\_.) + (b\_.)\*(x\_)^2)^(p\_.)\*((c\_.) + (d\_.)\*(x\_)^2), x\_Symbol] :> Simp[(-a)^(m/2 - 1)\*(b\*c - a\*d)\*x\*(a + b\*x^2)^(p + 1)/(2\*b^(m/2 + 1)\*(p

+ 1)), x] + Dist[1/(2\*b^(m/2 + 1)\*(p + 1)), Int[x^m\*(a + b\*x^2)^(p + 1)\*ExpandToSum[2\*b\*(p + 1)\*Together[(b^(m/2)\*(c + d\*x^2) - (-a)^(m/2 - 1)\*(b\*c - a\*d)\*x^(-m + 2))/(a + b\*x^2)] - ((-a)^(m/2 - 1)\*(b\*c - a\*d))/x^m, x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[p, -1] && ILtQ[m/2, 0] && (IntegerQ[p] || EqQ[m + 2\*p + 1, 0])

### Rule 1261

Int[((f\_)\*(x\_))^(m\_)\*((d\_) + (e\_)\*(x\_)^2)^(q\_)\*((a\_) + (b\_)\*(x\_)^2 + (c\_)\*(x\_)^4)^(p\_), x\_Symbol] := Int[ExpandIntegrand[(f\*x)^m\*(d + e\*x^2)^q\*(a + b\*x^2 + c\*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && NeQ[b^2 - 4\*a\*c, 0] && IGtQ[p, 0] && IGtQ[q, -2]

### Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rubi steps

$$\begin{aligned}
 \int \frac{\operatorname{csch}^4(c + dx)}{(a + b \tanh^2(c + dx))^2} dx &= \frac{\operatorname{Subst}\left(\int \frac{1-x^2}{x^4(a+bx^2)^2} dx, x, \tanh(c + dx)\right)}{d} \\
 &= \frac{b(a + b) \tanh(c + dx)}{2a^3d(a + b \tanh^2(c + dx))} - \frac{b \operatorname{Subst}\left(\int \frac{\frac{2}{ab} + \frac{2(a+b)x^2}{a^2b} - \frac{(a+b)x^4}{a^3}}{x^4(a+bx^2)} dx, x, \tanh(c + dx)\right)}{2d} \\
 &= \frac{b(a + b) \tanh(c + dx)}{2a^3d(a + b \tanh^2(c + dx))} - \frac{b \operatorname{Subst}\left(\int \left(-\frac{2}{a^2bx^4} + \frac{2(a+2b)}{a^3bx^2} + \frac{-3a-5b}{a^3(a+bx^2)}\right) dx, x, \tanh(c + dx)\right)}{2d} \\
 &= \frac{(a + 2b) \operatorname{coth}(c + dx)}{a^3d} - \frac{\operatorname{coth}^3(c + dx)}{3a^2d} + \frac{b(a + b) \tanh(c + dx)}{2a^3d(a + b \tanh^2(c + dx))} + \frac{(b(3a + 5b)) \operatorname{Subst}\left(\int \frac{1}{\sqrt{a}} dx, x, \tanh(c + dx)\right)}{2a^{7/2}d} \\
 &= \frac{\sqrt{b}(3a + 5b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2a^{7/2}d} + \frac{(a + 2b) \operatorname{coth}(c + dx)}{a^3d} - \frac{\operatorname{coth}^3(c + dx)}{3a^2d} + \frac{b(a + b) \tanh(c + dx)}{2a^3d(a + b \tanh^2(c + dx))}
 \end{aligned}$$

**Mathematica [A]** time = 0.774897, size = 114, normalized size = 1.01

$$\frac{3\sqrt{b}(3a+5b)\tan^{-1}\left(\frac{\sqrt{b}\tanh(c+dx)}{\sqrt{a}}\right)+\frac{3\sqrt{ab}(a+b)\sinh(2(c+dx))}{(a+b)\cosh(2(c+dx))+a-b}+2\sqrt{a}\coth(c+dx)\left(-\operatorname{acsch}^2(c+dx)+2a+6b\right)}{6a^{7/2}d}$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]^4/(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] (3\*Sqrt[b]\*(3\*a + 5\*b)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]] + 2\*Sqrt[a]\*Coth[c + d\*x]\*(2\*a + 6\*b - a\*Csch[c + d\*x]^2) + (3\*Sqrt[a]\*b\*(a + b)\*Sinh[2\*(c + d\*x)])/(a - b + (a + b)\*Cosh[2\*(c + d\*x)]))/(6\*a^(7/2)\*d)

**Maple [B]** time = 0.119, size = 1012, normalized size = 9.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csch(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2)^2,x)

[Out] 
$$\begin{aligned} & -1/24/d/a^2*\tanh(1/2*d*x+1/2*c)^3+3/8/d/a^2*\tanh(1/2*d*x+1/2*c)+1/d/a^3*\tanh(1/2*d*x+1/2*c) \\ & *b+1/d*b/a^2/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a) \\ & *\tanh(1/2*d*x+1/2*c)^3+1/d/a^3*b^2/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a) \\ & *\tanh(1/2*d*x+1/2*c)^3+1/d*b/a^2/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a) \\ & *\tanh(1/2*d*x+1/2*c)+1/d/a^3*b^2/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a) \\ & *\tanh(1/2*d*x+1/2*c)-3/2/d/(b*(a+b))^(1/2)/a/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2) \\ & )*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))*b+3/2/d*b/a^2/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2) \\ & *\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))-4/d*b^2/a^2/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2) \\ & *\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))-3/2/d/(b*(a+b))^(1/2)/a/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2) \\ & )*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))*b-3/2/d*b/a^2/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2) \\ & *\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))-4/d*b^2/a^2/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2) \\ & *\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))+5/2/d/a^3*b^2/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2) \\ & *\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))-5/2/d/a^3*b^3/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2) \\ & *\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c) \end{aligned}$$

$$\frac{1}{((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2}}-5/2/d/a^3*b^2/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2}*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2})-5/2/d/a^3*b^3/(b*(a+b))^{1/2}/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2}*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2})-1/24/d/a^2/\tanh(1/2*d*x+1/2*c)^3+3/8/d/a^2/\tanh(1/2*d*x+1/2*c)+1/d/a^3/\tanh(1/2*d*x+1/2*c)*b$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [B]** time = 2.78602, size = 12585, normalized size = 111.37

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [1/12*(12*(3*a*b + 5*b^2)*\cosh(d*x + c)^8 + 96*(3*a*b + 5*b^2)*\cosh(d*x + c) \\ & )*\sinh(d*x + c)^7 + 12*(3*a*b + 5*b^2)*\sinh(d*x + c)^8 - 24*(2*a^2 + a*b + \\ & 10*b^2)*\cosh(d*x + c)^6 + 24*(14*(3*a*b + 5*b^2)*\cosh(d*x + c)^2 - 2*a^2 - \\ & a*b - 10*b^2)*\sinh(d*x + c)^6 + 48*(14*(3*a*b + 5*b^2)*\cosh(d*x + c)^3 - 3* \\ & (2*a^2 + a*b + 10*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^5 - 8*(10*a^2 - 2*a*b - \\ & 45*b^2)*\cosh(d*x + c)^4 + 8*(105*(3*a*b + 5*b^2)*\cosh(d*x + c)^4 - 45*(2*a \\ & ^2 + a*b + 10*b^2)*\cosh(d*x + c)^2 - 10*a^2 + 2*a*b + 45*b^2)*\sinh(d*x + c) \\ & ^4 + 32*(21*(3*a*b + 5*b^2)*\cosh(d*x + c)^5 - 15*(2*a^2 + a*b + 10*b^2)*\cos \\ & h(d*x + c)^3 - (10*a^2 - 2*a*b - 45*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^3 - 8 \\ & *(2*a^2 + 13*a*b + 30*b^2)*\cosh(d*x + c)^2 + 8*(42*(3*a*b + 5*b^2)*\cosh(d*x \\ & + c)^6 - 45*(2*a^2 + a*b + 10*b^2)*\cosh(d*x + c)^4 - 6*(10*a^2 - 2*a*b - 4 \\ & 5*b^2)*\cosh(d*x + c)^2 - 2*a^2 - 13*a*b - 30*b^2)*\sinh(d*x + c)^2 + 3*((3*a \\ & ^2 + 8*a*b + 5*b^2)*\cosh(d*x + c)^10 + 10*(3*a^2 + 8*a*b + 5*b^2)*\cosh(d*x \\ & + c)*\sinh(d*x + c)^9 + (3*a^2 + 8*a*b + 5*b^2)*\sinh(d*x + c)^10 - (3*a^2 + \\ & 20*a*b + 25*b^2)*\cosh(d*x + c)^8 + (45*(3*a^2 + 8*a*b + 5*b^2)*\cosh(d*x + c \end{aligned}$$

$$\begin{aligned}
&)^2 - 3a^2 - 20ab - 25b^2) \sinh(dx + c)^8 + 8(15(3a^2 + 8ab + 5b^2) \cosh(dx + c)^3 - (3a^2 + 20ab + 25b^2) \cosh(dx + c)) \sinh(dx + c) \\
&)^7 - 2(3a^2 - 10ab - 25b^2) \cosh(dx + c)^6 + 2(105(3a^2 + 8ab + 5b^2) \cosh(dx + c)^4 - 14(3a^2 + 20ab + 25b^2) \cosh(dx + c)^2 - 3a^2 \\
&+ 10ab + 25b^2) \sinh(dx + c)^6 + 4(63(3a^2 + 8ab + 5b^2) \cosh(dx + c)^5 - 14(3a^2 + 20ab + 25b^2) \cosh(dx + c)^3 - 3(3a^2 - 10ab - 25b^2) \cosh(dx + c)) \sinh(dx + c)^5 + 2(3a^2 - 10ab - 25b^2) \cosh(dx + c)^4 + 2(105(3a^2 + 8ab + 5b^2) \cosh(dx + c)^6 - 35(3a^2 + 20ab + 25b^2) \cosh(dx + c)^4 - 15(3a^2 - 10ab - 25b^2) \cosh(dx + c)^2 + 3a^2 - 10ab - 25b^2) \sinh(dx + c)^4 + 8(15(3a^2 + 8ab + 5b^2) \cosh(dx + c)^7 - 7(3a^2 + 20ab + 25b^2) \cosh(dx + c)^5 - 5(3a^2 - 10ab - 25b^2) \cosh(dx + c)^3 + (3a^2 - 10ab - 25b^2) \cosh(dx + c)) \sinh(dx + c)^3 + (3a^2 + 20ab + 25b^2) \cosh(dx + c)^2 + (45(3a^2 + 8ab + 5b^2) \cosh(dx + c)^8 - 28(3a^2 + 20ab + 25b^2) \cosh(dx + c)^6 - 30(3a^2 - 10ab - 25b^2) \cosh(dx + c)^4 + 12(3a^2 - 10ab - 25b^2) \cosh(dx + c)^2 + 3a^2 + 20ab + 25b^2) \sinh(dx + c)^2 - 3a^2 - 8ab - 5b^2 + 2(5(3a^2 + 8ab + 5b^2) \cosh(dx + c)^9 - 4(3a^2 + 20ab + 25b^2) \cosh(dx + c)^7 - 6(3a^2 - 10ab - 25b^2) \cosh(dx + c)^5 + 4(3a^2 - 10ab - 25b^2) \cosh(dx + c)^3 + (3a^2 + 20ab + 25b^2) \cosh(dx + c)) \sinh(dx + c)) \sqrt{-b/a} \log(((a^2 + 2ab + b^2) \cosh(dx + c)^4 + 4(a^2 + 2ab + b^2) \cosh(dx + c) \sinh(dx + c)^3 + (a^2 + 2ab + b^2) \sinh(dx + c)^4 + 2(a^2 - b^2) \cosh(dx + c)^2 + 2(3(a^2 + 2ab + b^2) \cosh(dx + c)^2 + a^2 - b^2) \sinh(dx + c)^2 + a^2 - 6ab + b^2 + 4((a^2 + 2ab + b^2) \cosh(dx + c)^3 + (a^2 - b^2) \cosh(dx + c)) \sinh(dx + c) + 4((a^2 + ab) \cosh(dx + c)^2 + 2(a^2 + ab) \cosh(dx + c) \sinh(dx + c) + (a^2 + ab) \sinh(dx + c)^2 + a^2 - ab) \sqrt{-b/a})) / ((a + b) \cosh(dx + c)^4 + 4(a + b) \cosh(dx + c) \sinh(dx + c)^3 + (a + b) \sinh(dx + c)^4 + 2(a - b) \cosh(dx + c)^2 + 2(3(a + b) \cosh(dx + c)^2 + a - b) \sinh(dx + c)^2 + 4((a + b) \cosh(dx + c)^3 + (a - b) \cosh(dx + c)) \sinh(dx + c) + a + b)) + 16a^2 + 76ab + 60b^2 + 16(6(3ab + 5b^2) \cosh(dx + c)^7 - 9(2a^2 + ab + 10b^2) \cosh(dx + c)^5 - 2(10a^2 - 2ab - 45b^2) \cosh(dx + c)^3 - (2a^2 + 13ab + 30b^2) \cosh(dx + c)) \sinh(dx + c)) / ((a^4 + a^3b) d \cosh(dx + c)^10 + 10(a^4 + a^3b) d \cosh(dx + c) \sinh(dx + c)^9 + (a^4 + a^3b) d \sinh(dx + c)^10 - (a^4 + 5a^3b) d \cosh(dx + c)^8 + (45(a^4 + a^3b) d \cosh(dx + c)^2 - (a^4 + 5a^3b) d) \sinh(dx + c)^8 - 2(a^4 - 5a^3b) d \cosh(dx + c)^6 + 8(15(a^4 + a^3b) d \cosh(dx + c)^3 - (a^4 + 5a^3b) d \cosh(dx + c)) \sinh(dx + c)^7 + 2(105(a^4 + a^3b) d \cosh(dx + c)^4 - 14(a^4 + 5a^3b) d \cosh(dx + c)^2 - (a^4 - 5a^3b) d) \sinh(dx + c)^6 + 2(a^4 - 5a^3b) d \cosh(dx + c)^4 + 4(63(a^4 + a^3b) d \cosh(dx + c)^5 - 14(a^4 + 5a^3b) d \cosh(dx + c)^3 - 3(a^4 - 5a^3b) d \cosh(dx + c)) \sinh(dx + c)^5 + 2(105(a^4 + a^3b) d \cosh(dx + c)^6 - 35(a^4 + 5a^3b) d \cosh(dx + c)^4 - 15(a^4 - 5a^3b) d \cosh(dx + c)^2 + (a^4 - 5a^3b) d) \sinh(dx + c)^4 + (a^4 + 5a^3b) d \cosh(dx + c)^2 + 8(15(a^4 + a^3b) d \cosh(dx + c)^7 - 7(a^4 + 5a^3b) d \cosh(dx + c)^5 - 5(a^4 - 5a^3b) d \cosh(dx + c)^3
\end{aligned}$$



$$\begin{aligned}
& + (a^4 - 5a^3b) * d * \cosh(dx + c) * \sinh(dx + c)^3 + (45(a^4 + a^3b) * d * \cosh(dx + c)^8 - 28(a^4 + 5a^3b) * d * \cosh(dx + c)^6 - 30(a^4 - 5a^3b) * d * \cosh(dx + c)^4 + 12(a^4 - 5a^3b) * d * \cosh(dx + c)^2 + (a^4 + 5a^3b) * d) * \sinh(dx + c)^2 - (a^4 + a^3b) * d + 2 * (5(a^4 + a^3b) * d * \cosh(dx + c)^9 - 4(a^4 + 5a^3b) * d * \cosh(dx + c)^7 - 6(a^4 - 5a^3b) * d * \cosh(dx + c)^5 + 4(a^4 - 5a^3b) * d * \cosh(dx + c)^3 + (a^4 + 5a^3b) * d * \cosh(dx + c)) * \sinh(dx + c), \\
& 1/6 * (6 * (3 * a * b + 5 * b^2) * \cosh(dx + c)^8 + 48 * (3 * a * b + 5 * b^2) * \cosh(dx + c) * \sinh(dx + c)^7 + 6 * (3 * a * b + 5 * b^2) * \sinh(dx + c)^8 - 12 * (2 * a^2 + a * b + 10 * b^2) * \cosh(dx + c)^6 + 12 * (14 * (3 * a * b + 5 * b^2) * \cosh(dx + c)^2 - 2 * a^2 - a * b - 10 * b^2) * \sinh(dx + c)^6 + 24 * (14 * (3 * a * b + 5 * b^2) * \cosh(dx + c)^3 - 3 * (2 * a^2 + a * b + 10 * b^2) * \cosh(dx + c)) * \sinh(dx + c)^5 - 4 * (10 * a^2 - 2 * a * b - 45 * b^2) * \cosh(dx + c)^4 + 4 * (105 * (3 * a * b + 5 * b^2) * \cosh(dx + c)^4 - 45 * (2 * a^2 + a * b + 10 * b^2) * \cosh(dx + c)^2 - 10 * a^2 + 2 * a * b + 45 * b^2) * \sinh(dx + c)^4 + 16 * (21 * (3 * a * b + 5 * b^2) * \cosh(dx + c)^5 - 15 * (2 * a^2 + a * b + 10 * b^2) * \cosh(dx + c)^3 - (10 * a^2 - 2 * a * b - 45 * b^2) * \cosh(dx + c)) * \sinh(dx + c)^3 - 4 * (2 * a^2 + 13 * a * b + 30 * b^2) * \cosh(dx + c)^2 + 4 * (42 * (3 * a * b + 5 * b^2) * \cosh(dx + c)^6 - 45 * (2 * a^2 + a * b + 10 * b^2) * \cosh(dx + c)^4 - 6 * (10 * a^2 - 2 * a * b - 45 * b^2) * \cosh(dx + c)^2 - 2 * a^2 - 13 * a * b - 30 * b^2) * \sinh(dx + c)^2 + 3 * ((3 * a^2 + 8 * a * b + 5 * b^2) * \cosh(dx + c)^10 + 10 * (3 * a^2 + 8 * a * b + 5 * b^2) * \cosh(dx + c) * \sinh(dx + c)^9 + (3 * a^2 + 8 * a * b + 5 * b^2) * \sinh(dx + c)^10 - (3 * a^2 + 20 * a * b + 25 * b^2) * \cosh(dx + c)^8 + (45 * (3 * a^2 + 8 * a * b + 5 * b^2) * \cosh(dx + c)^2 - 3 * a^2 - 20 * a * b - 25 * b^2) * \sinh(dx + c)^8 + 8 * (15 * (3 * a^2 + 8 * a * b + 5 * b^2) * \cosh(dx + c)^3 - (3 * a^2 + 20 * a * b + 25 * b^2) * \cosh(dx + c)) * \sinh(dx + c)^7 - 2 * (3 * a^2 - 10 * a * b - 25 * b^2) * \cosh(dx + c)^6 + 2 * (105 * (3 * a^2 + 8 * a * b + 5 * b^2) * \cosh(dx + c)^4 - 14 * (3 * a^2 + 20 * a * b + 25 * b^2) * \cosh(dx + c)^2 - 3 * a^2 + 10 * a * b + 25 * b^2) * \sinh(dx + c)^6 + 4 * (63 * (3 * a^2 + 8 * a * b + 5 * b^2) * \cosh(dx + c)^5 - 14 * (3 * a^2 + 20 * a * b + 25 * b^2) * \cosh(dx + c)^3 - 3 * (3 * a^2 - 10 * a * b - 25 * b^2) * \cosh(dx + c)) * \sinh(dx + c)^5 + 2 * (3 * a^2 - 10 * a * b - 25 * b^2) * \cosh(dx + c)^4 + 2 * (105 * (3 * a^2 + 8 * a * b + 5 * b^2) * \cosh(dx + c)^6 - 35 * (3 * a^2 + 20 * a * b + 25 * b^2) * \cosh(dx + c)^4 - 15 * (3 * a^2 - 10 * a * b - 25 * b^2) * \cosh(dx + c)^2 + 3 * a^2 - 10 * a * b - 25 * b^2) * \sinh(dx + c)^4 + 8 * (15 * (3 * a^2 + 8 * a * b + 5 * b^2) * \cosh(dx + c)^7 - 7 * (3 * a^2 + 20 * a * b + 25 * b^2) * \cosh(dx + c)^5 - 5 * (3 * a^2 - 10 * a * b - 25 * b^2) * \cosh(dx + c)^3 + (3 * a^2 - 10 * a * b - 25 * b^2) * \cosh(dx + c)) * \sinh(dx + c)^3 + (3 * a^2 + 20 * a * b + 25 * b^2) * \cosh(dx + c)^2 + (45 * (3 * a^2 + 8 * a * b + 5 * b^2) * \cosh(dx + c)^8 - 28 * (3 * a^2 + 20 * a * b + 25 * b^2) * \cosh(dx + c)^6 - 30 * (3 * a^2 - 10 * a * b - 25 * b^2) * \cosh(dx + c)^4 + 12 * (3 * a^2 - 10 * a * b - 25 * b^2) * \cosh(dx + c)^2 + 3 * a^2 + 20 * a * b + 25 * b^2) * \sinh(dx + c)^2 - 3 * a^2 - 8 * a * b - 5 * b^2 + 2 * (5 * (3 * a^2 + 8 * a * b + 5 * b^2) * \cosh(dx + c)^9 - 4 * (3 * a^2 + 20 * a * b + 25 * b^2) * \cosh(dx + c)^7 - 6 * (3 * a^2 - 10 * a * b - 25 * b^2) * \cosh(dx + c)^5 + 4 * (3 * a^2 - 10 * a * b - 25 * b^2) * \cosh(dx + c)^3 + (3 * a^2 + 20 * a * b + 25 * b^2) * \cosh(dx + c)) * \sinh(dx + c)) * \sqrt{b/a} * \arctan(1/2 * ((a + b) * \cosh(dx + c)^2 + 2 * (a + b) * \cosh(dx + c) * \sinh(dx + c) + (a + b) * \sinh(dx + c)^2 + a - b) * \sqrt{b/a}) / b + 8 * a^2 + 38 * a * b + 30 * b^2 + 8 * (6 * (3 * a * b + 5 * b^2) * \cosh(dx + c)^7 - 9 * (2 * a^2 + a * b + 10 * b^2) * \cosh(dx + c)^5 - 2 * (10 * a^2 - 2 * a * b - 45 * b^2) * \cosh(dx + c)^3 - (2 * a^2 + 13 * a * b + 30 * b^2) * \cosh(dx + c)
\end{aligned}$$

```

*x + c))*sinh(d*x + c))/((a^4 + a^3*b)*d*cosh(d*x + c)^10 + 10*(a^4 + a^3*b)
)*d*cosh(d*x + c)*sinh(d*x + c)^9 + (a^4 + a^3*b)*d*sinh(d*x + c)^10 - (a^4
+ 5*a^3*b)*d*cosh(d*x + c)^8 + (45*(a^4 + a^3*b)*d*cosh(d*x + c)^2 - (a^4
+ 5*a^3*b)*d)*sinh(d*x + c)^8 - 2*(a^4 - 5*a^3*b)*d*cosh(d*x + c)^6 + 8*(15
*(a^4 + a^3*b)*d*cosh(d*x + c)^3 - (a^4 + 5*a^3*b)*d*cosh(d*x + c))*sinh(d*
x + c)^7 + 2*(105*(a^4 + a^3*b)*d*cosh(d*x + c)^4 - 14*(a^4 + 5*a^3*b)*d*co
sh(d*x + c)^2 - (a^4 - 5*a^3*b)*d)*sinh(d*x + c)^6 + 2*(a^4 - 5*a^3*b)*d*co
sh(d*x + c)^4 + 4*(63*(a^4 + a^3*b)*d*cosh(d*x + c)^5 - 14*(a^4 + 5*a^3*b)*
d*cosh(d*x + c)^3 - 3*(a^4 - 5*a^3*b)*d*cosh(d*x + c))*sinh(d*x + c)^5 + 2*
(105*(a^4 + a^3*b)*d*cosh(d*x + c)^6 - 35*(a^4 + 5*a^3*b)*d*cosh(d*x + c)^4
- 15*(a^4 - 5*a^3*b)*d*cosh(d*x + c)^2 + (a^4 - 5*a^3*b)*d)*sinh(d*x + c)^
4 + (a^4 + 5*a^3*b)*d*cosh(d*x + c)^2 + 8*(15*(a^4 + a^3*b)*d*cosh(d*x + c)
^7 - 7*(a^4 + 5*a^3*b)*d*cosh(d*x + c)^5 - 5*(a^4 - 5*a^3*b)*d*cosh(d*x + c)
)^3 + (a^4 - 5*a^3*b)*d*cosh(d*x + c))*sinh(d*x + c)^3 + (45*(a^4 + a^3*b)*
d*cosh(d*x + c)^8 - 28*(a^4 + 5*a^3*b)*d*cosh(d*x + c)^6 - 30*(a^4 - 5*a^3*
b)*d*cosh(d*x + c)^4 + 12*(a^4 - 5*a^3*b)*d*cosh(d*x + c)^2 + (a^4 + 5*a^3*
b)*d)*sinh(d*x + c)^2 - (a^4 + a^3*b)*d + 2*(5*(a^4 + a^3*b)*d*cosh(d*x + c)
)^9 - 4*(a^4 + 5*a^3*b)*d*cosh(d*x + c)^7 - 6*(a^4 - 5*a^3*b)*d*cosh(d*x +
c)^5 + 4*(a^4 - 5*a^3*b)*d*cosh(d*x + c)^3 + (a^4 + 5*a^3*b)*d*cosh(d*x + c)
))*sinh(d*x + c))]

```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{csch}^4(c + dx)}{(a + b \tanh^2(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*\*4/(a+b\*tanh(d\*x+c)\*\*2)\*\*2,x)

[Out] Integral(csch(c + d\*x)\*\*4/(a + b\*tanh(c + d\*x)\*\*2)\*\*2, x)

**Giac [B]** time = 1.61048, size = 298, normalized size = 2.64

$$\frac{3(3abe^{2c} + 5b^2e^{2c}) \arctan\left(\frac{ae^{2dx+2c} + be^{2dx+2c} + a - b}{2\sqrt{ab}}\right) e^{-2c}}{\sqrt{aba^3}} - \frac{6(abe^{2dx+2c} - b^2e^{2dx+2c} + ab + b^2)}{(ae^{4dx+4c} + be^{4dx+4c} + 2ae^{2dx+2c} - 2be^{2dx+2c} + a + b)a^3} + \frac{8(3be^{4dx+4c} - 3ae^{2dx+2c} - a^3e^{2dx+2c})}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out]  $\frac{1}{6} \cdot \frac{(3 \cdot (3 \cdot a \cdot b \cdot e^{2c}) + 5 \cdot b^2 \cdot e^{2c}) \cdot \arctan\left(\frac{1}{2} \cdot \frac{a \cdot e^{2dx+2c} + b \cdot e^{2dx+2c} + a - b}{\sqrt{a \cdot b}}\right) \cdot e^{-2c}}{\sqrt{a \cdot b} \cdot a^3} - \frac{6 \cdot (a \cdot b \cdot e^{2dx+2c} - b^2 \cdot e^{2dx+2c} + a \cdot b + b^2)}{(a \cdot e^{4dx+4c} + b \cdot e^{4dx+4c} + 2 \cdot a \cdot e^{2dx+2c} - 2 \cdot b \cdot e^{2dx+2c} + a + b) \cdot a^3} + \frac{8 \cdot (3 \cdot b \cdot e^{4dx+4c} - 3 \cdot a \cdot e^{2dx+2c} - 6 \cdot b \cdot e^{2dx+2c} + a + 3 \cdot b)}{a^3 \cdot (e^{2dx+2c} - 1)^3} \cdot d$

$$3.41 \quad \int \frac{\sinh^4(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$$

**Optimal.** Leaf size=240

$$\frac{3\sqrt{b}(5a^2 - 10ab + b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8\sqrt{ad}(a+b)^5} + \frac{3x(a^2 - 10ab + 5b^2)}{8(a+b)^5} + \frac{3b(a-b) \tanh(c+dx)}{2d(a+b)^4(a+b \tanh^2(c+dx))} + \frac{b(7a-5b)}{8d(a+b)^3(a+b \tanh^2(c+dx))}$$

[Out] (3\*(a^2 - 10\*a\*b + 5\*b^2)\*x)/(8\*(a + b)^5) + (3\*Sqrt[b]\*(5\*a^2 - 10\*a\*b + b^2)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(8\*Sqrt[a]\*(a + b)^5\*d) - ((5\*a - 3\*b)\*Cosh[c + d\*x]\*Sinh[c + d\*x])/(8\*(a + b)^2\*d\*(a + b\*Tanh[c + d\*x]^2)^2) + (Cosh[c + d\*x]^3\*Sinh[c + d\*x])/(4\*(a + b)\*d\*(a + b\*Tanh[c + d\*x]^2)^2) + ((7\*a - 5\*b)\*b\*Tanh[c + d\*x])/(8\*(a + b)^3\*d\*(a + b\*Tanh[c + d\*x]^2)^2) + (3\*(a - b)\*b\*Tanh[c + d\*x])/(2\*(a + b)^4\*d\*(a + b\*Tanh[c + d\*x]^2))

**Rubi [A]** time = 0.345065, antiderivative size = 240, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {3663, 470, 527, 522, 206, 205}

$$\frac{3\sqrt{b}(5a^2 - 10ab + b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8\sqrt{ad}(a+b)^5} + \frac{3x(a^2 - 10ab + 5b^2)}{8(a+b)^5} + \frac{3b(a-b) \tanh(c+dx)}{2d(a+b)^4(a+b \tanh^2(c+dx))} + \frac{b(7a-5b)}{8d(a+b)^3(a+b \tanh^2(c+dx))}$$

Antiderivative was successfully verified.

[In] Int[Sinh[c + d\*x]^4/(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] (3\*(a^2 - 10\*a\*b + 5\*b^2)\*x)/(8\*(a + b)^5) + (3\*Sqrt[b]\*(5\*a^2 - 10\*a\*b + b^2)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(8\*Sqrt[a]\*(a + b)^5\*d) - ((5\*a - 3\*b)\*Cosh[c + d\*x]\*Sinh[c + d\*x])/(8\*(a + b)^2\*d\*(a + b\*Tanh[c + d\*x]^2)^2) + (Cosh[c + d\*x]^3\*Sinh[c + d\*x])/(4\*(a + b)\*d\*(a + b\*Tanh[c + d\*x]^2)^2) + ((7\*a - 5\*b)\*b\*Tanh[c + d\*x])/(8\*(a + b)^3\*d\*(a + b\*Tanh[c + d\*x]^2)^2) + (3\*(a - b)\*b\*Tanh[c + d\*x])/(2\*(a + b)^4\*d\*(a + b\*Tanh[c + d\*x]^2))

**Rule 3663**

Int[sin[(e\_.) + (f\_.)\*(x\_)]^(m\_)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]))^(n\_)]^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff^(m + 1))/f, Subst[Int[(x^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + ff^2\*x^2)^(m/

$2 + 1), x], x, (c*\text{Tan}[e + f*x])/ff], x]] /; \text{FreeQ}[\{a, b, c, e, f, n, p\}, x]$   
 $\&\& \text{IntegerQ}[m/2]$

### Rule 470

$\text{Int}[(e_.*x_)^{(m_*)}*((a_*) + (b_.*x_)^{(n_*)})^{(p_*)}*((c_*) + (d_.*x_)^{(n_*)})^{(q_*)}, x\_Symbol] := -\text{Simp}[(a*e^{(2*n - 1)}*(e*x)^{(m - 2*n + 1)}*(a + b*x^n)^{(p + 1)}*(c + d*x^n)^{(q + 1)})/(b*n*(b*c - a*d)*(p + 1)), x] + \text{Dist}[e^{(2*n)}/(b*n*(b*c - a*d)*(p + 1)), \text{Int}[(e*x)^{(m - 2*n)}*(a + b*x^n)^{(p + 1)}*(c + d*x^n)^q*\text{Simp}[a*c*(m - 2*n + 1) + (a*d*(m - n + n*q + 1) + b*c*n*(p + 1))*x^n, x], x], x] /; \text{FreeQ}[\{a, b, c, d, e, q\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{IGtQ}[n, 0] \&\& \text{LtQ}[p, -1] \&\& \text{GtQ}[m - n + 1, n] \&\& \text{IntBinomialQ}[a, b, c, d, e, m, n, p, q, x]$

### Rule 527

$\text{Int}[(a_*) + (b_.*x_)^{(n_*)})^{(p_*)}*((c_*) + (d_.*x_)^{(n_*)})^{(q_*)}*((e_*) + (f_.*x_)^{(n_*)}), x\_Symbol] := -\text{Simp}[(b*e - a*f)*x*(a + b*x^n)^{(p + 1)}*(c + d*x^n)^{(q + 1)})/(a*n*(b*c - a*d)*(p + 1)), x] + \text{Dist}[1/(a*n*(b*c - a*d)*(p + 1)), \text{Int}[(a + b*x^n)^{(p + 1)}*(c + d*x^n)^q*\text{Simp}[c*(b*e - a*f) + e*n*(b*c - a*d)*(p + 1) + d*(b*e - a*f)*(n*(p + q + 2) + 1))*x^n, x], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, n, q\}, x] \&\& \text{LtQ}[p, -1]$

### Rule 522

$\text{Int}[(e_*) + (f_.*x_)^{(n_*)})/((a_*) + (b_.*x_)^{(n_*)}*((c_*) + (d_.*x_)^{(n_*)})), x\_Symbol] := \text{Dist}[(b*e - a*f)/(b*c - a*d), \text{Int}[1/(a + b*x^n), x], x] - \text{Dist}[(d*e - c*f)/(b*c - a*d), \text{Int}[1/(c + d*x^n), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, n\}, x]$

### Rule 206

$\text{Int}[(a_*) + (b_.*x_)^2)^{-1}, x\_Symbol] := \text{Simp}[(1*\text{ArcTanh}[\text{Rt}[-b, 2]*x]/\text{Rt}[a, 2])]/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{NegQ}[a/b] \&\& (\text{GtQ}[a, 0] \parallel \text{LtQ}[b, 0])$

### Rule 205

$\text{Int}[(a_*) + (b_.*x_)^2)^{-1}, x\_Symbol] := \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PosQ}[a/b]$

### Rubi steps

$$\begin{aligned}
\int \frac{\sinh^4(c+dx)}{(a+b \tanh^2(c+dx))^3} dx &= \frac{\text{Subst}\left(\int \frac{x^4}{(1-x^2)^3(a+bx^2)^3} dx, x, \tanh(c+dx)\right)}{d} \\
&= \frac{\cosh^3(c+dx) \sinh(c+dx)}{4(a+b)d(a+b \tanh^2(c+dx))^2} - \frac{\text{Subst}\left(\int \frac{a+(4a-3b)x^2}{(1-x^2)^2(a+bx^2)^3} dx, x, \tanh(c+dx)\right)}{4(a+b)d} \\
&= -\frac{(5a-3b) \cosh(c+dx) \sinh(c+dx)}{8(a+b)^2 d(a+b \tanh^2(c+dx))^2} + \frac{\cosh^3(c+dx) \sinh(c+dx)}{4(a+b)d(a+b \tanh^2(c+dx))^2} - \frac{\text{Subst}\left(\int \frac{-ax}{(1-x^2)^2(a+bx^2)^3} dx, x, \tanh(c+dx)\right)}{4(a+b)d} \\
&= -\frac{(5a-3b) \cosh(c+dx) \sinh(c+dx)}{8(a+b)^2 d(a+b \tanh^2(c+dx))^2} + \frac{\cosh^3(c+dx) \sinh(c+dx)}{4(a+b)d(a+b \tanh^2(c+dx))^2} + \frac{(7a-5b) \cosh(c+dx) \sinh(c+dx)}{8(a+b)^3 d(a+b \tanh^2(c+dx))^2} \\
&= -\frac{(5a-3b) \cosh(c+dx) \sinh(c+dx)}{8(a+b)^2 d(a+b \tanh^2(c+dx))^2} + \frac{\cosh^3(c+dx) \sinh(c+dx)}{4(a+b)d(a+b \tanh^2(c+dx))^2} + \frac{(7a-5b) \cosh(c+dx) \sinh(c+dx)}{8(a+b)^3 d(a+b \tanh^2(c+dx))^2} \\
&= -\frac{(5a-3b) \cosh(c+dx) \sinh(c+dx)}{8(a+b)^2 d(a+b \tanh^2(c+dx))^2} + \frac{\cosh^3(c+dx) \sinh(c+dx)}{4(a+b)d(a+b \tanh^2(c+dx))^2} + \frac{(7a-5b) \cosh(c+dx) \sinh(c+dx)}{8(a+b)^3 d(a+b \tanh^2(c+dx))^2} \\
&= \frac{3(a^2-10ab+5b^2)x}{8(a+b)^5} + \frac{3\sqrt{b}(5a^2-10ab+b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8\sqrt{a}(a+b)^5 d} - \frac{(5a-3b) \cosh(c+dx) \sinh(c+dx)}{8(a+b)^2 d(a+b \tanh^2(c+dx))^2}
\end{aligned}$$

**Mathematica [A]** time = 0.7631, size = 184, normalized size = 0.77

$$\frac{12(a^2-10ab+5b^2)(c+dx) + \frac{12\sqrt{b}(5a^2-10ab+b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{\sqrt{a}} + \frac{16ab^2(a+b) \sinh(2(c+dx))}{((a+b) \cosh(2(c+dx))+a-b)^2} - 8(a-2b)(a+b) \sinh(2(c+dx))}{32d(a+b)^5}$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]^4/(a + b\*Tanh[c + d\*x]^2)^3, x]

[Out] (12\*(a^2 - 10\*a\*b + 5\*b^2)\*(c + d\*x) + (12\*Sqrt[b]\*(5\*a^2 - 10\*a\*b + b^2)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/Sqrt[a] - 8\*(a - 2\*b)\*(a + b)\*Sinh[2\*(c + d\*x)] + (16\*a\*b^2\*(a + b)\*Sinh[2\*(c + d\*x)]/(a - b + (a + b)\*Cosh[2\*(c + d\*x)]))

$$*(c + d*x)]^2 + (4*(9*a - 5*b)*b*(a + b)*\text{Sinh}[2*(c + d*x)]/(a - b + (a + b)*\text{Cosh}[2*(c + d*x)]) + (a + b)^2*\text{Sinh}[4*(c + d*x)]/(32*(a + b)^5*d)$$

**Maple [B]** time = 0.128, size = 2366, normalized size = 9.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sinh(d*x+c)^4/(a+b*tanh(d*x+c)^2)^3,x)`

[Out] 
$$\begin{aligned} & 15/8/d*b^2/(a+b)^5/(b*(a+b))^{(1/2)/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)}*\arctan} \\ & \text{anh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)}*a^2+27/8/d*b \\ & ^3/(a+b)^5*a/(b*(a+b))^{(1/2)/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)}*\arctanh(a*} \\ & \tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)}+15/8/d*b^2/(a+b)^5 \\ & / (b*(a+b))^{(1/2)/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)}*\arctan(a*\tanh(1/2*d*x+} \\ & 1/2*c)/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)}*a^2+27/8/d*b^3/(a+b)^5*a/(b*(a+} \\ & b))^{(1/2)/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)}*\arctan(a*\tanh(1/2*d*x+1/2*c)/} \\ & ((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)}-15/8/d*b/(a+b)^5/(b*(a+b))^{(1/2)/((2*(} \\ & b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)}*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(} \\ & 1/2)+a+2*b)*a)^{(1/2)}*a^3-15/8/d*b/(a+b)^5/(b*(a+b))^{(1/2)/((2*(b*(a+b))^{(} \\ & 1/2)-a-2*b)*a)^{(1/2)}*\arctanh(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}-a-2*b} \\ & )*a)^{(1/2)}*a^3+15/4/d/(a+b)^5*\ln(\tanh(1/2*d*x+1/2*c)-1)*a*b-3/8/d*b^3/(a+b) \\ & )^5/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)}*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b} \\ & *(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)}-5/d*b^4/(a+b)^5/(\tanh(1/2*d*x+1/2*c)^4*a+2*t} \\ & \text{anh}(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^5 \\ & -5/d*b^4/(a+b)^5/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(} \\ & 1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^3+23/2/d*b^2/(a+b)^5/(\tanh(1/2*} \\ & d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tan} \\ & \text{h}(1/2*d*x+1/2*c)^5*a^2-3/4/d*b^3/(a+b)^5/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/} \\ & 2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)*a-3/8/d} \\ & *b^4/(a+b)^5/(b*(a+b))^{(1/2)/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)}*\arctanh(a*} \\ & \tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)}-3/8/d*b^4/(a+b)^5/} \\ & (b*(a+b))^{(1/2)/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)}*\arctan(a*\tanh(1/2*d*x+1} \\ & /2*c)/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)}+15/4/d*b^2/(a+b)^5*a/((2*(b*(a+b} \\ & ))^{(1/2)}+a+2*b)*a)^{(1/2)}*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}+a} \\ & +2*b)*a)^{(1/2)}+3/2/d*b^2/(a+b)^5/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1} \\ & /2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^7*a^2-3/4/d*b^} \\ & 3/(a+b)^5/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x} \\ & +1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^7*a-15/4/d*b^2/(a+b)^5*a/((2*(b*(a+b))} \\ & ^{(1/2)}-a-2*b)*a)^{(1/2)}*\arctanh(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}-a-} \\ & 2*b)*a)^{(1/2)}+9/4/d*b/(a+b)^5/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*} \end{aligned}$$

$$\begin{aligned}
& c)^2 * a + 4 * \tanh(1/2 * d * x + 1/2 * c)^2 * b + a)^2 * \tanh(1/2 * d * x + 1/2 * c)^7 * a^3 + 27/4 * d * b / (a \\
& + b)^5 / (\tanh(1/2 * d * x + 1/2 * c)^4 * a + 2 * \tanh(1/2 * d * x + 1/2 * c)^2 * a + 4 * \tanh(1/2 * d * x + 1/2 \\
& * c)^2 * b + a)^2 * \tanh(1/2 * d * x + 1/2 * c)^5 * a^3 + 27/4 * d * b / (a + b)^5 / (\tanh(1/2 * d * x + 1/2 * c \\
& )^4 * a + 2 * \tanh(1/2 * d * x + 1/2 * c)^2 * a + 4 * \tanh(1/2 * d * x + 1/2 * c)^2 * b + a)^2 * \tanh(1/2 * d * x \\
& + 1/2 * c)^3 * a^3 + 9/4 * d * b / (a + b)^5 / (\tanh(1/2 * d * x + 1/2 * c)^4 * a + 2 * \tanh(1/2 * d * x + 1/2 * c \\
& )^2 * a + 4 * \tanh(1/2 * d * x + 1/2 * c)^2 * b + a)^2 * \tanh(1/2 * d * x + 1/2 * c) * a^3 + 15/8 * d * b / (a + b) \\
& ^5 * a^2 / ((2 * (b * (a + b))^{(1/2)} - a - 2 * b) * a)^{(1/2)} * \operatorname{arctanh}(a * \tanh(1/2 * d * x + 1/2 * c)) / (( \\
& 2 * (b * (a + b))^{(1/2)} - a - 2 * b) * a)^{(1/2)} - 15/8 * d * b / (a + b)^5 * a^2 / ((2 * (b * (a + b))^{(1/2)} \\
& + a + 2 * b) * a)^{(1/2)} * \operatorname{arctan}(a * \tanh(1/2 * d * x + 1/2 * c)) / ((2 * (b * (a + b))^{(1/2)} + a + 2 * b) * a) \\
& ^{(1/2)} - 1/4 * d * b^3 / (a + b)^5 / (\tanh(1/2 * d * x + 1/2 * c)^4 * a + 2 * \tanh(1/2 * d * x + 1/2 * c)^2 * \\
& a + 4 * \tanh(1/2 * d * x + 1/2 * c)^2 * b + a)^2 * \tanh(1/2 * d * x + 1/2 * c)^5 * a + 23/2 * d * b^2 / (a + b)^5 \\
& / (\tanh(1/2 * d * x + 1/2 * c)^4 * a + 2 * \tanh(1/2 * d * x + 1/2 * c)^2 * a + 4 * \tanh(1/2 * d * x + 1/2 * c)^2 \\
& * b + a)^2 * \tanh(1/2 * d * x + 1/2 * c)^3 * a^2 - 1/4 * d * b^3 / (a + b)^5 / (\tanh(1/2 * d * x + 1/2 * c)^4 * \\
& a + 2 * \tanh(1/2 * d * x + 1/2 * c)^2 * a + 4 * \tanh(1/2 * d * x + 1/2 * c)^2 * b + a)^2 * \tanh(1/2 * d * x + 1/2 \\
& * c)^3 * a + 3/2 * d * b^2 / (a + b)^5 / (\tanh(1/2 * d * x + 1/2 * c)^4 * a + 2 * \tanh(1/2 * d * x + 1/2 * c)^2 * \\
& a + 4 * \tanh(1/2 * d * x + 1/2 * c)^2 * b + a)^2 * \tanh(1/2 * d * x + 1/2 * c) * a^2 + 3/8 * d * b^3 / (a + b)^5 / \\
& ((2 * (b * (a + b))^{(1/2)} - a - 2 * b) * a)^{(1/2)} * \operatorname{arctanh}(a * \tanh(1/2 * d * x + 1/2 * c)) / ((2 * (b * (a \\
& + b))^{(1/2)} - a - 2 * b) * a)^{(1/2)} + 1/2 * d / (a + b)^3 / (\tanh(1/2 * d * x + 1/2 * c) - 1)^3 - 1/4 * d / ( \\
& a + b)^3 / (\tanh(1/2 * d * x + 1/2 * c) + 1)^4 + 1/2 * d / (a + b)^3 / (\tanh(1/2 * d * x + 1/2 * c) + 1)^3 + 1/ \\
& 4 * d / (a + b)^3 / (\tanh(1/2 * d * x + 1/2 * c) - 1)^4 - 1/8 * d / (a + b)^4 / (\tanh(1/2 * d * x + 1/2 * c) - 1) \\
& ^2 * a + 11/8 * d / (a + b)^4 / (\tanh(1/2 * d * x + 1/2 * c) - 1)^2 * b - 3/8 * d / (a + b)^4 / (\tanh(1/2 * d * x \\
& + 1/2 * c) - 1) * a + 9/8 * d / (a + b)^4 / (\tanh(1/2 * d * x + 1/2 * c) - 1) * b - 3/8 * d / (a + b)^5 * \ln(\tanh( \\
& 1/2 * d * x + 1/2 * c) - 1) * a^2 - 15/8 * d / (a + b)^5 * \ln(\tanh(1/2 * d * x + 1/2 * c) - 1) * b^2 + 1/8 * d / (a \\
& + b)^4 / (\tanh(1/2 * d * x + 1/2 * c) + 1)^2 * a - 11/8 * d / (a + b)^4 / (\tanh(1/2 * d * x + 1/2 * c) + 1)^2 * \\
& b - 3/8 * d / (a + b)^4 / (\tanh(1/2 * d * x + 1/2 * c) + 1) * a + 9/8 * d / (a + b)^4 / (\tanh(1/2 * d * x + 1/2 * c \\
& ) + 1) * b + 3/8 * d / (a + b)^5 * \ln(\tanh(1/2 * d * x + 1/2 * c) + 1) * a^2 + 15/8 * d / (a + b)^5 * \ln(\tanh(1 \\
& /2 * d * x + 1/2 * c) + 1) * b^2 - 15/4 * d / (a + b)^5 * \ln(\tanh(1/2 * d * x + 1/2 * c) + 1) * a * b
\end{aligned}$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sinh(d*x+c)^4/(a+b*tanh(d*x+c)^2)^3,x, algorithm="fricas")
```

```
[Out] Timed out
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sinh(d*x+c)**4/(a+b*tanh(d*x+c)**2)**3,x)
```

```
[Out] Timed out
```

**Giac [B]** time = 4.6622, size = 1246, normalized size = 5.19

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sinh(d*x+c)^4/(a+b*tanh(d*x+c)^2)^3,x, algorithm="giac")
```

```
[Out] 1/64*(24*(a^2 - 10*a*b + 5*b^2)*d*x/(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5) + 24*(5*a^2*b*e^(2*c) - 10*a*b^2*e^(2*c) + b^3*e^(2*c))*arctan(1/2*(a*e^(2*d*x + 2*c) + b*e^(2*d*x + 2*c) + a - b)/sqrt(a*b))*e^(-2*c)/((a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*sqrt(a*b)) + (a^3*e^(4*d*x + 36*c) + 3*a^2*b*e^(4*d*x + 36*c) + 3*a*b^2*e^(4*d*x + 36*c) + b^3*e^(4*d*x + 36*c) - 8*a^3*e^(2*d*x + 34*c) + 24*a*b^2*e^(2*d*x + 34*c) + 16*b^3*e^(2*d*x + 34*c))/(a^6*e^(32*c) + 6*a^5*b*e^(32*c) + 15*a^4*b^2*e^(32*c) + 20*a^3*b^3*e^(32*c) + 15*a^2*b^4*e^(32*c) + 6*a*b^5*e^(32*c) + b^6*e^(32*c)) - (6*a^4*e^(12*d*x + 12*c) - 48*a^3*b*e^(12*d*x + 12*c) - 84*a^2*b^2*e^(12*d*x + 12*c) + 30*b^4*e^(12*d*x + 12*c) + 16*a^4*e^(10*d*x + 10*c) - 104*a^3*b*e^(10*d*x + 10*c) - 24*a^2*b^2*e^(10*d*x + 10*c) + 72*a*b^3*e^(10*d*x + 10*c) - 24*b^4*e^(10*d*x + 10*c) + 5*a^4*e^(8*d*x + 8*c) + 84*a^3*b*e^(8*d*x + 8*c) + 30*a^2*b^2*e^(8*d*x + 8*c) + 84*a*b^3*e^(8*d*x + 8*c) - 123*b^4*e^(8*d*x + 8*c) - 20*a^4*e^(6*d*x + 6*c) + 280*a^3*b*e^(6*d*x + 6*c) - 64*a^2*b^2*e^(6*d*x + 6*c) - 152*a*b^3*e^(6*d*x + 6*c) + 212*b^4*
```

$$\begin{aligned}
& e^{(6dx + 6c)} - 20a^4e^{(4dx + 4c)} + 136a^3be^{(4dx + 4c)} + 224a^2b^2e^{(4dx + 4c)} - 40ab^3e^{(4dx + 4c)} - 108b^4e^{(4dx + 4c)} \\
& - 4a^4e^{(2dx + 2c)} + 24a^2b^2e^{(2dx + 2c)} + 32ab^3e^{(2dx + 2c)} + 12b^4e^{(2dx + 2c)} + a^4 + 4a^3b + 6a^2b^2 + 4ab^3 + b^4 \\
& ) / ((a^5e^{(4c)} + 5a^4be^{(4c)} + 10a^3b^2e^{(4c)} + 10a^2b^3e^{(4c)} + 5ab^4e^{(4c)} + b^5e^{(4c)}) * (ae^{(2dx)} + be^{(2dx)} + ae^{(6dx + 4c)} + be^{(6dx + 4c)} + 2ae^{(4dx + 2c)} - 2be^{(4dx + 2c)})^2) / \\
& d
\end{aligned}$$

$$3.42 \quad \int \frac{\sinh^3(c+dx)}{\left(a+b \tanh^2(c+dx)\right)^3} dx$$

**Optimal.** Leaf size=166

$$\frac{\cosh^3(c+dx)}{3d(a+b)^3} - \frac{(a-2b)\cosh(c+dx)}{d(a+b)^4} + \frac{b(7a-4b)\operatorname{sech}(c+dx)}{8d(a+b)^4(a-b\operatorname{sech}^2(c+dx)+b)} + \frac{ab\operatorname{sech}(c+dx)}{4d(a+b)^3(a-b\operatorname{sech}^2(c+dx)+b)^2} +$$

[Out] (5\*(3\*a - 4\*b)\*Sqrt[b]\*ArcTanh[(Sqrt[b]\*Sech[c + d\*x])/Sqrt[a + b]])/(8\*(a + b)^(9/2)\*d) - ((a - 2\*b)\*Cosh[c + d\*x])/((a + b)^4\*d) + Cosh[c + d\*x]^3/(3\*(a + b)^3\*d) + (a\*b\*Sech[c + d\*x])/(4\*(a + b)^3\*d\*(a + b - b\*Sech[c + d\*x]^2)^2) + ((7\*a - 4\*b)\*b\*Sech[c + d\*x])/(8\*(a + b)^4\*d\*(a + b - b\*Sech[c + d\*x]^2))

**Rubi [A]** time = 0.286174, antiderivative size = 166, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {3664, 456, 1259, 1261, 208}

$$\frac{\cosh^3(c+dx)}{3d(a+b)^3} - \frac{(a-2b)\cosh(c+dx)}{d(a+b)^4} + \frac{b(7a-4b)\operatorname{sech}(c+dx)}{8d(a+b)^4(a-b\operatorname{sech}^2(c+dx)+b)} + \frac{ab\operatorname{sech}(c+dx)}{4d(a+b)^3(a-b\operatorname{sech}^2(c+dx)+b)^2} +$$

Antiderivative was successfully verified.

[In] Int[Sinh[c + d\*x]^3/(a + b\*Tanh[c + d\*x]^2)^3, x]

[Out] (5\*(3\*a - 4\*b)\*Sqrt[b]\*ArcTanh[(Sqrt[b]\*Sech[c + d\*x])/Sqrt[a + b]])/(8\*(a + b)^(9/2)\*d) - ((a - 2\*b)\*Cosh[c + d\*x])/((a + b)^4\*d) + Cosh[c + d\*x]^3/(3\*(a + b)^3\*d) + (a\*b\*Sech[c + d\*x])/(4\*(a + b)^3\*d\*(a + b - b\*Sech[c + d\*x]^2)^2) + ((7\*a - 4\*b)\*b\*Sech[c + d\*x])/(8\*(a + b)^4\*d\*(a + b - b\*Sech[c + d\*x]^2))

### Rule 3664

Int[sin[(e\_.) + (f\_.)\*(x\_)]^(m\_.)\*((a\_.) + (b\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]^2)^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Sec[e + f\*x], x]}, Dist[1/(f\*ff^m), Subst[Int[(-1 + ff^2\*x^2)^((m - 1)/2)\*(a - b + b\*ff^2\*x^2)^p]/x^(m + 1), x], x, Sec[e + f\*x]/ff, x]] /; FreeQ[{a, b, e, f, p}, x] && IntegerQ[(m - 1)/2]

Rule 456

```
Int[(x_)^(m_)*((a_) + (b_.)*(x_)^2)^(p_)*((c_) + (d_.)*(x_)^2), x_Symbol] :
> Simp[((-a)^(m/2 - 1)*(b*c - a*d)*x*(a + b*x^2)^(p + 1))/(2*b^(m/2 + 1)*(p
+ 1)), x] + Dist[1/(2*b^(m/2 + 1)*(p + 1)), Int[x^m*(a + b*x^2)^(p + 1)*Ex
pandToSum[2*b*(p + 1)*Together[(b^(m/2)*(c + d*x^2) - (-a)^(m/2 - 1)*(b*c -
a*d)*x^(-m + 2))/(a + b*x^2)] - ((-a)^(m/2 - 1)*(b*c - a*d))/x^m, x], x],
x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1] && ILtQ[m/2
, 0] && (IntegerQ[p] || EqQ[m + 2*p + 1, 0])
```

Rule 1259

```
Int[(x_)^(m_)*((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^
4)^(p_), x_Symbol] := Simp[((-d)^(m/2 - 1)*(c*d^2 - b*d*e + a*e^2)^p*x*(d
+ e*x^2)^(q + 1))/(2*e^(2*p + m/2)*(q + 1)), x] + Dist[(-d)^(m/2 - 1)/(2*e^
(2*p)*(q + 1)), Int[x^m*(d + e*x^2)^(q + 1)*ExpandToSum[Together[(1*(2*(-d)
^(-(m/2) + 1)*e^(2*p)*(q + 1)*(a + b*x^2 + c*x^4)^p - ((c*d^2 - b*d*e + a*e
^2)^p/(e^(m/2)*x^m))*(d + e*(2*q + 3)*x^2))]/(d + e*x^2)], x], x], x] /; Fr
eeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[p, 0] && ILtQ[q, -1]
&& ILtQ[m/2, 0]
```

Rule 1261

```
Int[((f_.)*(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (
c_.)*(x_)^4)^(p_.), x_Symbol] := Int[ExpandIntegrand[(f*x)^m*(d + e*x^2)^q*
(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && NeQ[
b^2 - 4*a*c, 0] && IGtQ[p, 0] && IGtQ[q, -2]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sinh^3(c+dx)}{(a+b \tanh^2(c+dx))^3} dx &= \frac{\text{Subst}\left(\int \frac{-1+x^2}{x^4(a+b-bx^2)^3} dx, x, \text{sech}(c+dx)\right)}{d} \\
&= \frac{ab \text{sech}(c+dx)}{4(a+b)^3 d (a+b-b \text{sech}^2(c+dx))^2} + \frac{b \text{Subst}\left(\int \frac{-\frac{4}{b(a+b)} + \frac{4ax^2}{b(a+b)^2} + \frac{3ax^4}{(a+b)^3}}{x^4(a+b-bx^2)^2} dx, x, \text{sech}(c+dx)\right)}{4d} \\
&= \frac{ab \text{sech}(c+dx)}{4(a+b)^3 d (a+b-b \text{sech}^2(c+dx))^2} + \frac{(7a-4b)b \text{sech}(c+dx)}{8(a+b)^4 d (a+b-b \text{sech}^2(c+dx))} + \frac{\text{Subst}\left(\int \frac{1}{x^4(a+b-bx^2)^2} dx, x, \text{sech}(c+dx)\right)}{4d} \\
&= \frac{ab \text{sech}(c+dx)}{4(a+b)^3 d (a+b-b \text{sech}^2(c+dx))^2} + \frac{(7a-4b)b \text{sech}(c+dx)}{8(a+b)^4 d (a+b-b \text{sech}^2(c+dx))} + \frac{\text{Subst}\left(\int \frac{1}{x^4(a+b-bx^2)^2} dx, x, \text{sech}(c+dx)\right)}{4d} \\
&= -\frac{(a-2b) \cosh(c+dx)}{(a+b)^4 d} + \frac{\cosh^3(c+dx)}{3(a+b)^3 d} + \frac{ab \text{sech}(c+dx)}{4(a+b)^3 d (a+b-b \text{sech}^2(c+dx))^2} + \frac{1}{8(a+b)^4 d} \\
&= \frac{5(3a-4b)\sqrt{b} \tanh^{-1}\left(\frac{\sqrt{b} \text{sech}(c+dx)}{\sqrt{a+b}}\right)}{8(a+b)^{9/2} d} - \frac{(a-2b) \cosh(c+dx)}{(a+b)^4 d} + \frac{\cosh^3(c+dx)}{3(a+b)^3 d} + \frac{1}{4(a+b)^4 d}
\end{aligned}$$

**Mathematica [C]** time = 1.81168, size = 227, normalized size = 1.37

$$\frac{6 \cosh(c+dx) \left( (-27a^2b+6a^3-11ab^2+22b^3) \cosh(2(c+dx)) - 24a^2b+3a^3+30ab^2+3(a-3b)(a+b)^2 \cosh^2(2(c+dx)) - 13b^3 \right)}{(a+b)^4 (a+b) \cosh(2(c+dx)) + a-b^2} + \frac{2 \cosh(3(c+dx))}{(a+b)^3} + \frac{15i\sqrt{b}(3a-4b)}{24d}$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]^3/(a + b\*Tanh[c + d\*x]^2)^3, x]

[Out] (((15\*I)\*(3\*a - 4\*b)\*Sqrt[b]\*(ArcTan[(-I)\*Sqrt[a + b] - Sqrt[a]\*Tanh[(c + d\*x)/2]]/Sqrt[b]] + ArcTan[(-I)\*Sqrt[a + b] + Sqrt[a]\*Tanh[(c + d\*x)/2]]/Sqrt[b]))/(a + b)^(9/2) - (6\*Cosh[c + d\*x]\*(3\*a^3 - 24\*a^2\*b + 30\*a\*b^2 - 13\*b^3) + (6\*a^3 - 27\*a^2\*b - 11\*a\*b^2 + 22\*b^3)\*Cosh[2\*(c + d\*x)] + 3\*(a - 3\*b)\*(a + b)^2\*Cosh[2\*(c + d\*x)]^2)/((a + b)^4\*(a - b + (a + b)\*Cosh[2\*(c + d\*x)]^2) + (2\*Cosh[3\*(c + d\*x)])/(a + b)^3)/(24\*d)

---

**Maple [B]** time = 0.109, size = 341, normalized size = 2.1

$$\frac{1}{d} \left( \frac{1}{3(a+b)^3} \left( \tanh\left(\frac{dx}{2} + \frac{c}{2}\right) + 1 \right)^{-3} - \frac{1}{2(a+b)^3} \left( \tanh\left(\frac{dx}{2} + \frac{c}{2}\right) + 1 \right)^{-2} - \frac{a-5b}{2(a+b)^4} \left( \tanh\left(\frac{dx}{2} + \frac{c}{2}\right) + 1 \right)^{-1} - 2 \frac{b}{(a+b)^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2)^3,x)

[Out] 1/d\*(1/3/(a+b)^3/(tanh(1/2\*d\*x+1/2\*c)+1)^3-1/2/(a+b)^3/(tanh(1/2\*d\*x+1/2\*c)+1)^2-1/2\*(a-5\*b)/(a+b)^4/(tanh(1/2\*d\*x+1/2\*c)+1)-2\*b/(a+b)^4\*((-1/8\*(9\*a+20\*b)\*a\*tanh(1/2\*d\*x+1/2\*c)^6-1/8\*(27\*a^3+66\*a^2\*b+56\*a\*b^2-16\*b^3)/a\*tanh(1/2\*d\*x+1/2\*c)^4+(-27/8\*a^2-11/2\*a\*b+2\*b^2)\*tanh(1/2\*d\*x+1/2\*c)^2-9/8\*a^2+1/4\*a\*b)/(tanh(1/2\*d\*x+1/2\*c)^4\*a+2\*tanh(1/2\*d\*x+1/2\*c)^2\*a+4\*tanh(1/2\*d\*x+1/2\*c)^2\*b+a)^2-5/16\*(3\*a-4\*b)/(a\*b+b^2)^(1/2)\*arctanh(1/4\*(2\*tanh(1/2\*d\*x+1/2\*c)^2\*a+2\*a+4\*b)/(a\*b+b^2)^(1/2)))-1/3/(a+b)^3/(tanh(1/2\*d\*x+1/2\*c)-1)^3-1/2/(a+b)^3/(tanh(1/2\*d\*x+1/2\*c)-1)^2-1/2/(a+b)^4\*(-a+5\*b)/(tanh(1/2\*d\*x+1/2\*c)-1))

---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

---

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")



$$\begin{aligned}
& 2 - 8*a*b^3 - (3*a^2*b - 7*a*b^2 + 4*b^3)*\sqrt{-a*b})*\cos(1/2*\text{real\_part}(\text{arccos}(-a/(a+b) + b/(a+b))))^2*\sin(1/2*\text{real\_part}(\text{arccos}(-a/(a+b) + b/(a+b))))*\sinh(1/2*\text{imag\_part}(\text{arccos}(-a/(a+b) + b/(a+b))))^3 + (6*a^2*b^2 - 8*a*b^3 - (3*a^2*b - 7*a*b^2 + 4*b^3)*\sqrt{-a*b})*\sin(1/2*\text{real\_part}(\text{arccos}(-a/(a+b) + b/(a+b))))^3*\sinh(1/2*\text{imag\_part}(\text{arccos}(-a/(a+b) + b/(a+b))))^3 - (6*a^2*b^2 - 8*a*b^3 - (3*a^2*b - 7*a*b^2 + 4*b^3)*\sqrt{-a*b})*\cosh(1/2*\text{imag\_part}(\text{arccos}(-a/(a+b) + b/(a+b))))*\sin(1/2*\text{real\_part}(\text{arccos}(-a/(a+b) + b/(a+b)))) + (6*a^2*b^2 - 8*a*b^3 - (3*a^2*b - 7*a*b^2 + 4*b^3)*\sqrt{-a*b})*\sin(1/2*\text{real\_part}(\text{arccos}(-a/(a+b) + b/(a+b))))*\sinh(1/2*\text{imag\_part}(\text{arccos}(-a/(a+b) + b/(a+b))))*\arctan(\frac{((a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)/(a^5*e^{(4*c)} + 5*a^4*b*e^{(4*c)} + 10*a^3*b^2*e^{(4*c)} + 10*a^2*b^3*e^{(4*c)} + 5*a*b^4*e^{(4*c)} + b^5*e^{(4*c)}))^{1/4}}{((a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)/(a^5*e^{(4*c)} + 5*a^4*b*e^{(4*c)} + 10*a^3*b^2*e^{(4*c)} + 10*a^2*b^3*e^{(4*c)} + 5*a*b^4*e^{(4*c)} + b^5*e^{(4*c)}))^{1/4}}*\sin(1/2*\text{arccos}(-a/(a+b)/(a+b))))/(a^6*b + 5*a^5*b^2 + 10*a^4*b^3 + 10*a^3*b^4 + 5*a^2*b^5 + a*b^6) + 30*(3*(6*a^2*b^2 - 8*a*b^3 - (3*a^2*b - 7*a*b^2 + 4*b^3)*\sqrt{-a*b}))*\cos(1/2*\text{real\_part}(\text{arccos}(-a/(a+b) + b/(a+b))))^2*\cosh(1/2*\text{imag\_part}(\text{arccos}(-a/(a+b) + b/(a+b))))^3*\sin(1/2*\text{real\_part}(\text{arccos}(-a/(a+b) + b/(a+b)))) - (6*a^2*b^2 - 8*a*b^3 - (3*a^2*b - 7*a*b^2 + 4*b^3)*\sqrt{-a*b}))*\cosh(1/2*\text{imag\_part}(\text{arccos}(-a/(a+b) + b/(a+b))))^3*\sin(1/2*\text{real\_part}(\text{arccos}(-a/(a+b) + b/(a+b))))^3 - 9*(6*a^2*b^2 - 8*a*b^3 - (3*a^2*b - 7*a*b^2 + 4*b^3)*\sqrt{-a*b}))*\cos(1/2*\text{real\_part}(\text{arccos}(-a/(a+b) + b/(a+b))))^2*\cosh(1/2*\text{imag\_part}(\text{arccos}(-a/(a+b) + b/(a+b))))^2*\sin(1/2*\text{real\_part}(\text{arccos}(-a/(a+b) + b/(a+b))))*\sinh(1/2*\text{imag\_part}(\text{arccos}(-a/(a+b) + b/(a+b)))) + 3*(6*a^2*b^2 - 8*a*b^3 - (3*a^2*b - 7*a*b^2 + 4*b^3)*\sqrt{-a*b}))*\cosh(1/2*\text{imag\_part}(\text{arccos}(-a/(a+b) + b/(a+b))))^2*\sin(1/2*\text{real\_part}(\text{arccos}(-a/(a+b) + b/(a+b))))^3*\sinh(1/2*\text{imag\_part}(\text{arccos}(-a/(a+b) + b/(a+b)))) + 9*(6*a^2*b^2 - 8*a*b^3 - (3*a^2*b - 7*a*b^2 + 4*b^3)*\sqrt{-a*b}))*\cos(1/2*\text{real\_part}(\text{arccos}(-a/(a+b) + b/(a+b))))^2*\cosh(1/2*\text{imag\_part}(\text{arccos}(-a/(a+b) + b/(a+b))))*\sin(1/2*\text{real\_part}(\text{arccos}(-a/(a+b) + b/(a+b))))*\sinh(1/2*\text{imag\_part}(\text{arccos}(-a/(a+b) + b/(a+b))))^2 - 3*(6*a^2*b^2 - 8*a*b^3 - (3*a^2*b - 7*a*b^2 + 4*b^3)*\sqrt{-a*b}))*\cosh(1/2*\text{imag\_part}(\text{arccos}(-a/(a+b) + b/(a+b))))*\sin(1/2*\text{real\_part}(\text{arccos}(-a/(a+b) + b/(a+b))))^3*\sinh(1/2*\text{imag\_part}(\text{arccos}(-a/(a+b) + b/(a+b))))^2 - 3*(6*a^2*b^2 - 8*a*b^3 - (3*a^2*b - 7*a*b^2 + 4*b^3)*\sqrt{-a*b}))*\cos(1/2*\text{real\_part}(\text{arccos}(-a/(a+b) + b/(a+b))))^2*\sin(1/2*\text{real\_part}(\text{arccos}(-a/(a+b) + b/(a+b))))*\sinh(1/2*\text{imag\_part}(\text{arccos}(-a/(a+b) + b/(a+b))))^3 + (6*a^2*b^2 - 8*a*b^3 - (3*a^2*b - 7*a*b^2 + 4*b^3)*\sqrt{-a*b}))*\sin(1/2*\text{real\_part}(\text{arccos}(-a/(a+b) + b/(a+b))))^3*\sinh(1/2*\text{imag\_part}(\text{arccos}(-a/(a+b) + b/(a+b))))^3 - (6*a^2*b^2 - 8*a*b^3 - (3*a^2*b - 7*a*b^2 + 4*b^3)*\sqrt{-a*b}))*\cosh(1/2*\text{imag\_part}(\text{arccos}(-a/(a+b) + b/(a+b))))*\sin(1/2*\text{real\_part}(\text{arccos}(-a/(a+b) + b/(a+b)))) + (6*a^2*b^2 - 8*a*b^3 - (3*a^2*b - 7*a*b^2 + 4*b^3)*\sqrt{-a*b}))*\sin(1/2*\text{real\_part}(\text{arccos}(-a/(a+b) + b/(a+b))))*\sinh(1/2*\text{imag\_part}(\text{arccos}(-a/(a+b) + b/(a+b))))*\arctan(-((a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)/(a^5*e^{(4*c)} + 5*a^4*b*e^{(4*c)} + 10*a^3*b^2*e^{(4*c)} + 10*a^2*b^3*e^{(4*c)} + 5*a*b^4*e^{(4*c)} + b^5*e^{(4*c)}))^{1/4})
\end{aligned}$$



$$\begin{aligned}
& 5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5ab^4 + b^5)/(a^5e^{(4c)} + 5a^4 \\
& *b^e^{(4c)} + 10a^3b^2e^{(4c)} + 10a^2b^3e^{(4c)} + 5ab^4e^{(4c)} + b^5 \\
& *e^{(4c)})^{(1/4)}*\cos(1/2*\arccos(-(a - b)/(a + b))) - e^{(dx)}/(((a^5 + 5a \\
& ^4b + 10a^3b^2 + 10a^2b^3 + 5ab^4 + b^5)/(a^5e^{(4c)} + 5a^4*b^e^{(4 \\
& *c)} + 10a^3*b^2*e^{(4*c)} + 10a^2*b^3*e^{(4*c)} + 5*a*b^4*e^{(4*c)} + b^5*e^{(4* \\
& c)))^{(1/4)}*\sin(1/2*\arccos(-(a - b)/(a + b))))/(a^6*b + 5a^5*b^2 + 10a^4* \\
& b^3 + 10a^3*b^4 + 5a^2*b^5 + a*b^6) + 4*(9*a*e^{(2*d*x + 2*c)} - 27*b*e^{(2* \\
& d*x + 2*c)} - a - b)*e^{(-3*d*x)}/(a^4*e^{(3*c)} + 4a^3*b*e^{(3*c)} + 6a^2*b^2*e \\
& ^{(3*c)} + 4a*b^3*e^{(3*c)} + b^4*e^{(3*c)}) + 15*((6a^2*b^2 - 8a*b^3 - (3a^2 \\
& *b - 7a*b^2 + 4b^3)*sqrt(-a*b))*cos(1/2*real_part(arccos(-a/(a + b) + b/( \\
& a + b))))^3*cosh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b))))^3 - 3*(6a^ \\
& 2*b^2 - 8a*b^3 - (3a^2*b - 7a*b^2 + 4b^3)*sqrt(-a*b))*cos(1/2*real_part \\
& (arccos(-a/(a + b) + b/(a + b))))*cosh(1/2*imag_part(arccos(-a/(a + b) + b/ \\
& (a + b))))^3*sin(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))^2 - 3*(6a^ \\
& 2*b^2 - 8a*b^3 - (3a^2*b - 7a*b^2 + 4b^3)*sqrt(-a*b))*cos(1/2*real_part \\
& (arccos(-a/(a + b) + b/(a + b))))^3*cosh(1/2*imag_part(arccos(-a/(a + b) + \\
& b/(a + b))))^2*sinh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b)))) + 9*(6a \\
& ^2*b^2 - 8a*b^3 - (3a^2*b - 7a*b^2 + 4b^3)*sqrt(-a*b))*cos(1/2*real_par \\
& t(arccos(-a/(a + b) + b/(a + b))))*cosh(1/2*imag_part(arccos(-a/(a + b) + b \\
& /(a + b))))^2*sin(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))^2*sinh(1/2 \\
& *imag_part(arccos(-a/(a + b) + b/(a + b)))) + 3*(6a^2*b^2 - 8a*b^3 - (3a \\
& ^2*b - 7a*b^2 + 4b^3)*sqrt(-a*b))*cos(1/2*real_part(arccos(-a/(a + b) + b \\
& /(a + b))))^3*cosh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b))))*sinh(1/2* \\
& imag_part(arccos(-a/(a + b) + b/(a + b))))^2 - 9*(6a^2*b^2 - 8a*b^3 - (3a \\
& ^2*b - 7a*b^2 + 4b^3)*sqrt(-a*b))*cos(1/2*real_part(arccos(-a/(a + b) + \\
& b/(a + b))))*cosh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b))))*sin(1/2*re \\
& al_part(arccos(-a/(a + b) + b/(a + b))))^2*sinh(1/2*imag_part(arccos(-a/(a \\
& + b) + b/(a + b))))^2 - (6a^2*b^2 - 8a*b^3 - (3a^2*b - 7a*b^2 + 4b^3)* \\
& sqrt(-a*b))*cos(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))^3*sinh(1/2*i \\
& mag_part(arccos(-a/(a + b) + b/(a + b))))^3 + 3*(6a^2*b^2 - 8a*b^3 - (3a \\
& ^2*b - 7a*b^2 + 4b^3)*sqrt(-a*b))*cos(1/2*real_part(arccos(-a/(a + b) + b \\
& /(a + b))))*sin(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))^2*sinh(1/2*i \\
& mag_part(arccos(-a/(a + b) + b/(a + b))))^3 - (6a^2*b^2 - 8a*b^3 - (3a^2 \\
& *b - 7a*b^2 + 4b^3)*sqrt(-a*b))*cos(1/2*real_part(arccos(-a/(a + b) + b/( \\
& a + b))))*cosh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b)))) + (6a^2*b^2 \\
& - 8a*b^3 - (3a^2*b - 7a*b^2 + 4b^3)*sqrt(-a*b))*cos(1/2*real_part(arcco \\
& s(-a/(a + b) + b/(a + b))))*sinh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b \\
& )))))*log(2*((a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5ab^4 + b^5)/(a^5 \\
& *e^{(4c)} + 5a^4*b^e^{(4c)} + 10a^3*b^2*e^{(4c)} + 10a^2*b^3*e^{(4c)} + 5a* \\
& b^4*e^{(4c)} + b^5*e^{(4c)})^{(1/4)}*\cos(1/2*\arccos(-(a - b)/(a + b)))e^{(dx)} \\
& + sqrt((a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5ab^4 + b^5)/(a^5e^{(4 \\
& *c)} + 5a^4*b^e^{(4c)} + 10a^3*b^2*e^{(4c)} + 10a^2*b^3*e^{(4c)} + 5a*b^4*e \\
& ^{(4*c)} + b^5*e^{(4*c)})) + e^{(2*d*x)}/(a^6*b + 5a^5*b^2 + 10a^4*b^3 + 10a^ \\
& 3*b^4 + 5a^2*b^5 + a*b^6) - 15*((6a^2*b^2 - 8a*b^3 - (3a^2*b - 7a*b^2 \\
& + 4b^3)*sqrt(-a*b))*cos(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))^3*c
\end{aligned}$$

$$\begin{aligned} & \text{osh}(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 - 3*(6*a^2*b^2 - 8*a*b^3 - (3*a^2*b - 7*a*b^2 + 4*b^3)*\text{sqrt}(-a*b))*\cos(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3* \\ & \sin(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - 3*(6*a^2*b^2 - 8*a*b^3 - (3*a^2*b - 7*a*b^2 + 4*b^3)*\text{sqrt}(-a*b))*\cos(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2* \\ & \sinh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) + 9*(6*a^2*b^2 - 8*a*b^3 - (3*a^2*b - 7*a*b^2 + 4*b^3)*\text{sqrt}(-a*b))*\cos(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2* \\ & \sin(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) + 3*(6*a^2*b^2 - 8*a*b^3 - (3*a^2*b - 7*a*b^2 + 4*b^3)*\text{sqrt}(-a*b))*\cos(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3* \\ & \cosh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - 9*(6*a^2*b^2 - 8*a*b^3 - (3*a^2*b - 7*a*b^2 + 4*b^3)*\text{sqrt}(-a*b))*\cos(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))* \\ & \cosh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))*\sin(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - (6*a^2*b^2 - 8*a*b^3 - (3*a^2*b - 7*a*b^2 + 4*b^3)*\text{sqrt}(-a*b))*\cos(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 + 3*(6*a^2*b^2 - 8*a*b^3 - (3*a^2*b - 7*a*b^2 + 4*b^3)*\text{sqrt}(-a*b))*\cos(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))*\sin(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 - (6*a^2*b^2 - 8*a*b^3 - (3*a^2*b - 7*a*b^2 + 4*b^3)*\text{sqrt}(-a*b))*\cos(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) + (6*a^2*b^2 - 8*a*b^3 - (3*a^2*b - 7*a*b^2 + 4*b^3)*\text{sqrt}(-a*b))*\cos(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))))*\log(-2*((a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)/(a^5*e^(4*c) + 5*a^4*b*e^(4*c) + 10*a^3*b^2*e^(4*c) + 10*a^2*b^3*e^(4*c) + 5*a*b^4*e^(4*c) + b^5*e^(4*c)))^(1/4)*\cos(1/2*\arccos(-(a-b)/(a+b)))*e^(d*x) + \text{sqrt}((a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)/(a^5*e^(4*c) + 5*a^4*b*e^(4*c) + 10*a^3*b^2*e^(4*c) + 10*a^2*b^3*e^(4*c) + 5*a*b^4*e^(4*c) + b^5*e^(4*c))) + e^(2*d*x))/(a^6*b + 5*a^5*b^2 + 10*a^4*b^3 + 10*a^3*b^4 + 5*a^2*b^5 + a*b^6) - 4*(a^6*e^(3*d*x + 48*c) + 6*a^5*b*e^(3*d*x + 48*c) + 15*a^4*b^2*e^(3*d*x + 48*c) + 20*a^3*b^3*e^(3*d*x + 48*c) + 15*a^2*b^4*e^(3*d*x + 48*c) + 6*a*b^5*e^(3*d*x + 48*c) + b^6*e^(3*d*x + 48*c) - 9*a^6*e^(d*x + 46*c) - 18*a^5*b*e^(d*x + 46*c) + 45*a^4*b^2*e^(d*x + 46*c) + 180*a^3*b^3*e^(d*x + 46*c) + 225*a^2*b^4*e^(d*x + 46*c) + 126*a*b^5*e^(d*x + 46*c) + 27*b^6*e^(d*x + 46*c))/(a^9*e^(45*c) + 9*a^8*b*e^(45*c) + 36*a^7*b^2*e^(45*c) + 84*a^6*b^3*e^(45*c) + 126*a^5*b^4*e^(45*c) + 126*a^4*b^5*e^(45*c) + 84*a^3*b^6*e^(45*c) + 36*a^2*b^7*e^(45*c) + 9*a*b^8*e^(45*c) + b^9*e^(45*c)) - 2*4*(9*a^2*b*e^(7*d*x + 7*c) + 5*a*b^2*e^(7*d*x + 7*c) - 4*b^3*e^(7*d*x + 7*c) + 27*a^2*b*e^(5*d*x + 5*c) - 13*a*b^2*e^(5*d*x + 5*c) + 4*b^3*e^(5*d*x + 5*c) + 27*a^2*b*e^(3*d*x + 3*c) - 13*a*b^2*e^(3*d*x + 3*c) + 4*b^3*e^(3*d*x + 3*c) + 9*a^2*b*e^(d*x + c) + 5*a*b^2*e^(d*x + c) - 4*b^3*e^(d*x + c))/(($$

$$\frac{a^4 + 4a^3b + 6a^2b^2 + 4ab^3 + b^4)(ae^{4dx+4c} + be^{4dx+4c}) + 2ae^{2dx+2c} - 2be^{2dx+2c} + (a+b)^2}{d}$$

$$3.43 \quad \int \frac{\sinh^2(c+dx)}{\left(a+b \tanh^2(c+dx)\right)^3} dx$$

**Optimal.** Leaf size=185

$$\frac{\sqrt{b}(15a^2 - 10ab - b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8a^{3/2}d(a+b)^4} - \frac{b(11a-b) \tanh(c+dx)}{8ad(a+b)^3(a+b \tanh^2(c+dx))} - \frac{3b \tanh(c+dx)}{4d(a+b)^2(a+b \tanh^2(c+dx))^2} +$$

[Out]  $-\left(\frac{(a-5b)x}{2(a+b)^4} - \frac{(\sqrt{b}(15a^2-10ab-b^2)\text{ArcTan}\left[\frac{\sqrt{b}\text{Tanh}[c+dx]}{\sqrt{a}}\right])}{8a^{3/2}(a+b)^4d} + \frac{\text{Cosh}[c+dx]\text{Sinh}[c+dx]}{2(a+b)d(a+b\text{Tanh}[c+dx]^2)^2} - \frac{3b\text{Tanh}[c+dx]}{4(a+b)^2d(a+b\text{Tanh}[c+dx]^2)^2} - \frac{(11a-b)b\text{Tanh}[c+dx]}{8a^3d(a+b\text{Tanh}[c+dx]^2)}\right)$

**Rubi [A]** time = 0.250835, antiderivative size = 185, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {3663, 471, 527, 522, 206, 205}

$$\frac{\sqrt{b}(15a^2 - 10ab - b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8a^{3/2}d(a+b)^4} - \frac{b(11a-b) \tanh(c+dx)}{8ad(a+b)^3(a+b \tanh^2(c+dx))} - \frac{3b \tanh(c+dx)}{4d(a+b)^2(a+b \tanh^2(c+dx))^2} +$$

Antiderivative was successfully verified.

[In] Int[Sinh[c + d\*x]^2/(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out]  $-\left(\frac{(a-5b)x}{2(a+b)^4} - \frac{(\sqrt{b}(15a^2-10ab-b^2)\text{ArcTan}\left[\frac{\sqrt{b}\text{Tanh}[c+dx]}{\sqrt{a}}\right])}{8a^{3/2}(a+b)^4d} + \frac{\text{Cosh}[c+dx]\text{Sinh}[c+dx]}{2(a+b)d(a+b\text{Tanh}[c+dx]^2)^2} - \frac{3b\text{Tanh}[c+dx]}{4(a+b)^2d(a+b\text{Tanh}[c+dx]^2)^2} - \frac{(11a-b)b\text{Tanh}[c+dx]}{8a^3d(a+b\text{Tanh}[c+dx]^2)}\right)$

### Rule 3663

Int[sin[(e\_.) + (f\_.)\*(x\_)]^(m\_)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]))^(n\_)]^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff^(m + 1))/f, Subst[Int[(x^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + ff^2\*x^2)^(m/2 + 1), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2]

Rule 471

```
Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Simp[(e^(n - 1)*(e*x)^(m - n + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(n*(b*c - a*d)*(p + 1)), x] - Dist[e^n/(n*(b*c - a*d)*(p + 1)), Int[(e*x)^(m - n)*(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(m - n + 1) + d*(m + n*(p + q + 1) + 1)*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LtQ[p, -1] && GeQ[n, m - n + 1] && GtQ[m - n + 1, 0] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]
```

Rule 527

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_)*((e_) + (f_.)*(x_)^(n_)), x_Symbol] := -Simp[((b*e - a*f)*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(b*c - a*d)*(p + 1)), x] + Dist[1/(a*n*(b*c - a*d)*(p + 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(b*e - a*f) + e*n*(b*c - a*d)*(p + 1) + d*(b*e - a*f)*(n*(p + q + 2) + 1)*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, f, n, q}, x] && LtQ[p, -1]
```

Rule 522

```
Int[((e_) + (f_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_))*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Dist[(b*e - a*f)/(b*c - a*d), Int[1/(a + b*x^n), x], x] - Dist[(d*e - c*f)/(b*c - a*d), Int[1/(c + d*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sinh^2(c+dx)}{(a+b \tanh^2(c+dx))^3} dx &= \frac{\text{Subst}\left(\int \frac{x^2}{(1-x^2)^2(a+bx^2)^3} dx, x, \tanh(c+dx)\right)}{d} \\
&= \frac{\cosh(c+dx) \sinh(c+dx)}{2(a+b)d(a+b \tanh^2(c+dx))^2} - \frac{\text{Subst}\left(\int \frac{a-5bx^2}{(1-x^2)(a+bx^2)^3} dx, x, \tanh(c+dx)\right)}{2(a+b)d} \\
&= \frac{\cosh(c+dx) \sinh(c+dx)}{2(a+b)d(a+b \tanh^2(c+dx))^2} - \frac{3b \tanh(c+dx)}{4(a+b)^2 d(a+b \tanh^2(c+dx))^2} + \frac{\text{Subst}\left(\int \frac{-2a(2a-)}{(1-x^2)}\right)}{8a(a+b)^3 d(a+b \tanh^2(c+dx))^2} \\
&= \frac{\cosh(c+dx) \sinh(c+dx)}{2(a+b)d(a+b \tanh^2(c+dx))^2} - \frac{3b \tanh(c+dx)}{4(a+b)^2 d(a+b \tanh^2(c+dx))^2} - \frac{(11a-b)b \tanh(c+dx)}{8a(a+b)^3 d(a+b \tanh^2(c+dx))^2} \\
&= \frac{\cosh(c+dx) \sinh(c+dx)}{2(a+b)d(a+b \tanh^2(c+dx))^2} - \frac{3b \tanh(c+dx)}{4(a+b)^2 d(a+b \tanh^2(c+dx))^2} - \frac{(11a-b)b \tanh(c+dx)}{8a(a+b)^3 d(a+b \tanh^2(c+dx))^2} \\
&= \frac{(a-5b)x}{2(a+b)^4} - \frac{\sqrt{b}(15a^2-10ab-b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8a^{3/2}(a+b)^4 d} + \frac{\cosh(c+dx) \sinh(c+dx)}{2(a+b)d(a+b \tanh^2(c+dx))^2}
\end{aligned}$$

**Mathematica [A]** time = 1.20868, size = 158, normalized size = 0.85

$$\frac{\sqrt{b}(-15a^2+10ab+b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{a^{3/2}} - \frac{4b^2(a+b) \sinh(2(c+dx))}{((a+b) \cosh(2(c+dx))+a-b)^2} - 4(a-5b)(c+dx) + 2(a+b) \sinh(2(c+dx)) - \frac{b(9a-b)(a+b) \sinh(2(c+dx))}{a((a+b) \cosh(2(c+dx))+a-b)^2}$$


---


$$8d(a+b)^4$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]^2/(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] (-4\*(a - 5\*b)\*(c + d\*x) + (Sqrt[b]\*(-15\*a^2 + 10\*a\*b + b^2)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/a^(3/2) + 2\*(a + b)\*Sinh[2\*(c + d\*x)] - (4\*b^2\*(a + b)\*Sinh[2\*(c + d\*x)]/(a - b + (a + b)\*Cosh[2\*(c + d\*x)]^2 - ((9\*a - b)\*b\*(a + b)\*Sinh[2\*(c + d\*x)]/(a\*(a - b + (a + b)\*Cosh[2\*(c + d\*x)])))/(8\*(a + b)^4\*d)

**Maple [B]** time = 0.115, size = 2110, normalized size = 11.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\int (\sinh(dx+c)^2/(a+b*\tanh(dx+c)^2)^3, x)$

[Out] 
$$\begin{aligned} & 5/8/d*b^2/(a+b)^4*a/(b*(a+b))^{1/2}/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2}*arc \\ & \tanh(a*\tanh(1/2*d*x+1/2*c))/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2})+5/8/d*b^2/( \\ & a+b)^4*a/(b*(a+b))^{1/2}/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2}*arctan(a*\tanh( \\ & 1/2*d*x+1/2*c))/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2})+15/8/d*b/(a+b)^4*a^2/(b \\ & *(a+b))^{1/2}/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2}*arctanh(a*\tanh(1/2*d*x+1/ \\ & 2*c))/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2})-1/8/d*b^4/(a+b)^4/(b*(a+b))^{1/2} \\ & /a/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2}*arctan(a*\tanh(1/2*d*x+1/2*c))/((2*(b \\ & (a+b))^{1/2}+a+2*b)*a)^{1/2})+15/8/d*b/(a+b)^4*a^2/(b*(a+b))^{1/2}/((2*(b*( \\ & a+b))^{1/2}+a+2*b)*a)^{1/2}*arctan(a*\tanh(1/2*d*x+1/2*c))/((2*(b*(a+b))^{1/2} \\ & )+a+2*b)*a)^{1/2})-1/8/d*b^4/(a+b)^4/(b*(a+b))^{1/2}/a/((2*(b*(a+b))^{1/2}- \\ & a-2*b)*a)^{1/2}*arctanh(a*\tanh(1/2*d*x+1/2*c))/((2*(b*(a+b))^{1/2}-a-2*b)*a \\ & ^{1/2})-9/4/d*b/(a+b)^4/(tanh(1/2*d*x+1/2*c)^4*a+2*tanh(1/2*d*x+1/2*c)^2*a+ \\ & 4*tanh(1/2*d*x+1/2*c)^2*b+a)^2*tanh(1/2*d*x+1/2*c)^7*a^2+1/d*b^4/(a+b)^4/(t \\ & anh(1/2*d*x+1/2*c)^4*a+2*tanh(1/2*d*x+1/2*c)^2*a+4*tanh(1/2*d*x+1/2*c)^2*b+ \\ & a)^2/a*tanh(1/2*d*x+1/2*c)^5-5/4/d*b^2/(a+b)^4/((2*(b*(a+b))^{1/2}+a+2*b)*a \\ & )^{1/2}*arctan(a*\tanh(1/2*d*x+1/2*c))/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2})-1 \\ & /4/d*b^3/(a+b)^4/(tanh(1/2*d*x+1/2*c)^4*a+2*tanh(1/2*d*x+1/2*c)^2*a+4*tanh( \\ & 1/2*d*x+1/2*c)^2*b+a)^2*tanh(1/2*d*x+1/2*c)^7-27/4/d*b^3/(a+b)^4/(tanh(1/2* \\ & d*x+1/2*c)^4*a+2*tanh(1/2*d*x+1/2*c)^2*a+4*tanh(1/2*d*x+1/2*c)^2*b+a)^2*tan \\ & h(1/2*d*x+1/2*c)^5-27/4/d*b^3/(a+b)^4/(tanh(1/2*d*x+1/2*c)^4*a+2*tanh(1/2*d \\ & *x+1/2*c)^2*a+4*tanh(1/2*d*x+1/2*c)^2*b+a)^2*tanh(1/2*d*x+1/2*c)^3-1/4/d*b^ \\ & 3/(a+b)^4/(tanh(1/2*d*x+1/2*c)^4*a+2*tanh(1/2*d*x+1/2*c)^2*a+4*tanh(1/2*d*x \\ & +1/2*c)^2*b+a)^2*tanh(1/2*d*x+1/2*c)-1/8/d*b^3/(a+b)^4/a/((2*(b*(a+b))^{1/2} \\ & )+a+2*b)*a)^{1/2}*arctan(a*\tanh(1/2*d*x+1/2*c))/((2*(b*(a+b))^{1/2}+a+2*b)*a \\ & )^{1/2})-29/2/d*b^2/(a+b)^4/(tanh(1/2*d*x+1/2*c)^4*a+2*tanh(1/2*d*x+1/2*c)^ \\ & 2*a+4*tanh(1/2*d*x+1/2*c)^2*b+a)^2*a*tanh(1/2*d*x+1/2*c)^3+1/d*b^4/(a+b)^4/ \\ & (tanh(1/2*d*x+1/2*c)^4*a+2*tanh(1/2*d*x+1/2*c)^2*a+4*tanh(1/2*d*x+1/2*c)^2* \\ & b+a)^2/a*tanh(1/2*d*x+1/2*c)^3-5/2/d*b^2/(a+b)^4/(tanh(1/2*d*x+1/2*c)^4*a+2 \\ & *tanh(1/2*d*x+1/2*c)^2*a+4*tanh(1/2*d*x+1/2*c)^2*b+a)^2*tanh(1/2*d*x+1/2*c) \\ & *a-27/4/d*b/(a+b)^4/(tanh(1/2*d*x+1/2*c)^4*a+2*tanh(1/2*d*x+1/2*c)^2*a+4*ta \\ & nh(1/2*d*x+1/2*c)^2*b+a)^2*a^2*tanh(1/2*d*x+1/2*c)^3-27/4/d*b/(a+b)^4/(tanh \\ & (1/2*d*x+1/2*c)^4*a+2*tanh(1/2*d*x+1/2*c)^2*a+4*tanh(1/2*d*x+1/2*c)^2*b+a)^ \\ & 2*a^2*tanh(1/2*d*x+1/2*c)^5-9/4/d*b/(a+b)^4/(tanh(1/2*d*x+1/2*c)^4*a+2*tanh \\ & (1/2*d*x+1/2*c)^2*a+4*tanh(1/2*d*x+1/2*c)^2*b+a)^2*tanh(1/2*d*x+1/2*c)*a^2- \\ & 1/2/d/(a+b)^4*\ln(\tanh(1/2*d*x+1/2*c)+1)*a+5/2/d/(a+b)^4*\ln(\tanh(1/2*d*x+1/2 \\ & *c)+1)*b+1/2/d/(a+b)^4*\ln(\tanh(1/2*d*x+1/2*c)-1)*a-5/2/d/(a+b)^4*\ln(\tanh(1/ \end{aligned}$$

$$\begin{aligned}
& 2*d*x+1/2*c)-1)*b^{-1/2}/d/(a+b)^3/(\tanh(1/2*d*x+1/2*c)+1)^2+1/2/d/(a+b)^3/(\tanh(1/2*d*x+1/2*c)+1)+1/2/d/(a+b)^3/(\tanh(1/2*d*x+1/2*c)-1)^2+1/2/d/(a+b)^3/(\tanh(1/2*d*x+1/2*c)-1)-15/8/d*b/(a+b)^4*a/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)}*arctanh(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)})-11/8/d*b^3/(a+b)^4/(b*(a+b))^{(1/2)}/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)}*arctanh(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)})-11/8/d*b^3/(a+b)^4/(b*(a+b))^{(1/2)}/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)}*arctan(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)})+1/8/d*b^3/(a+b)^4/a/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)}*arctanh(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)})+15/8/d*b/(a+b)^4*a/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)}*arctan(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)})+5/4/d*b^2/(a+b)^4/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)}*arctanh(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)})-5/2/d*b^2/(a+b)^4/(\tanh(1/2*d*x+1/2*c))^4*a+2*tanh(1/2*d*x+1/2*c)^2*a+4*tanh(1/2*d*x+1/2*c)^2*b+a)^2*tanh(1/2*d*x+1/2*c)^7*a-29/2/d*b^2/(a+b)^4/(\tanh(1/2*d*x+1/2*c))^4*a+2*tanh(1/2*d*x+1/2*c)^2*a+4*tanh(1/2*d*x+1/2*c)^2*b+a)^2*a*tanh(1/2*d*x+1/2*c)^5
\end{aligned}$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [B]** time = 3.84381, size = 29831, normalized size = 161.25

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out]  $[1/16*(2*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\cosh(d*x + c)^{12} + 24*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\cosh(d*x + c)*\sinh(d*x + c)^{11} + 2*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\sinh(d*x + c)^{12} + 8*(a^4 + a^3*b - a^2*b^2 - a*b^3 - (a^4 - 3*a^3*b - 9*a^2*b^2 - 5*a*b^3)*d*x)*\cosh(d*x + c)^{10} + 4*(2*a^4 + 2*a^3*b - 2*a^2*b^2 - 2*a*b^3 - 2*(a^4 - 3*a^3*b - 9*a^2*b^2 - 5*a*b^3)*d*$



$$\begin{aligned}
& x + 33*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\cosh(d*x + c)^2*\sinh(d*x + c)^1 \\
& 0 + 40*(11*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\cosh(d*x + c)^3 + 2*(a^4 + a \\
& ^3*b - a^2*b^2 - a*b^3 - (a^4 - 3*a^3*b - 9*a^2*b^2 - 5*a*b^3)*d*x)*\cosh(d* \\
& x + c))*\sinh(d*x + c)^9 + 2*(5*a^4 + 17*a^3*b - 11*a^2*b^2 - 21*a*b^3 + 2*b \\
& ^4 - 16*(a^4 - 5*a^3*b - a^2*b^2 + 5*a*b^3)*d*x)*\cosh(d*x + c)^8 + 2*(495*( \\
& a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\cosh(d*x + c)^4 + 5*a^4 + 17*a^3*b - 11* \\
& a^2*b^2 - 21*a*b^3 + 2*b^4 - 16*(a^4 - 5*a^3*b - a^2*b^2 + 5*a*b^3)*d*x + 1 \\
& 80*(a^4 + a^3*b - a^2*b^2 - a*b^3 - (a^4 - 3*a^3*b - 9*a^2*b^2 - 5*a*b^3)*d \\
& *x)*\cosh(d*x + c)^2*\sinh(d*x + c)^8 + 16*(99*(a^4 + 3*a^3*b + 3*a^2*b^2 + \\
& a*b^3)*\cosh(d*x + c)^5 + 60*(a^4 + a^3*b - a^2*b^2 - a*b^3 - (a^4 - 3*a^3*b \\
& - 9*a^2*b^2 - 5*a*b^3)*d*x)*\cosh(d*x + c)^3 + (5*a^4 + 17*a^3*b - 11*a^2*b \\
& ^2 - 21*a*b^3 + 2*b^4 - 16*(a^4 - 5*a^3*b - a^2*b^2 + 5*a*b^3)*d*x)*\cosh(d* \\
& x + c))*\sinh(d*x + c)^7 + 4*(27*a^3*b - 21*a^2*b^2 + 29*a*b^3 - 3*b^4 - 4*( \\
& 3*a^4 - 17*a^3*b + 13*a^2*b^2 - 15*a*b^3)*d*x)*\cosh(d*x + c)^6 + 4*(462*(a^ \\
& 4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\cosh(d*x + c)^6 + 420*(a^4 + a^3*b - a^2*b \\
& ^2 - a*b^3 - (a^4 - 3*a^3*b - 9*a^2*b^2 - 5*a*b^3)*d*x)*\cosh(d*x + c)^4 + 2 \\
& 7*a^3*b - 21*a^2*b^2 + 29*a*b^3 - 3*b^4 - 4*(3*a^4 - 17*a^3*b + 13*a^2*b^2 \\
& - 15*a*b^3)*d*x + 14*(5*a^4 + 17*a^3*b - 11*a^2*b^2 - 21*a*b^3 + 2*b^4 - 16 \\
& *(a^4 - 5*a^3*b - a^2*b^2 + 5*a*b^3)*d*x)*\cosh(d*x + c)^2*\sinh(d*x + c)^6 \\
& + 8*(198*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\cosh(d*x + c)^7 + 252*(a^4 + a \\
& ^3*b - a^2*b^2 - a*b^3 - (a^4 - 3*a^3*b - 9*a^2*b^2 - 5*a*b^3)*d*x)*\cosh(d* \\
& x + c)^5 + 14*(5*a^4 + 17*a^3*b - 11*a^2*b^2 - 21*a*b^3 + 2*b^4 - 16*(a^4 - \\
& 5*a^3*b - a^2*b^2 + 5*a*b^3)*d*x)*\cosh(d*x + c)^3 + 3*(27*a^3*b - 21*a^2*b \\
& ^2 + 29*a*b^3 - 3*b^4 - 4*(3*a^4 - 17*a^3*b + 13*a^2*b^2 - 15*a*b^3)*d*x)*c \\
& osh(d*x + c))*\sinh(d*x + c)^5 - 2*(5*a^4 - 55*a^3*b - 3*a^2*b^2 + 51*a*b^3 \\
& - 6*b^4 + 16*(a^4 - 5*a^3*b - a^2*b^2 + 5*a*b^3)*d*x)*\cosh(d*x + c)^4 + 2*( \\
& 495*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\cosh(d*x + c)^8 + 840*(a^4 + a^3*b \\
& - a^2*b^2 - a*b^3 - (a^4 - 3*a^3*b - 9*a^2*b^2 - 5*a*b^3)*d*x)*\cosh(d*x + c \\
& )^6 + 70*(5*a^4 + 17*a^3*b - 11*a^2*b^2 - 21*a*b^3 + 2*b^4 - 16*(a^4 - 5*a^ \\
& 3*b - a^2*b^2 + 5*a*b^3)*d*x)*\cosh(d*x + c)^4 - 5*a^4 + 55*a^3*b + 3*a^2*b^ \\
& 2 - 51*a*b^3 + 6*b^4 - 16*(a^4 - 5*a^3*b - a^2*b^2 + 5*a*b^3)*d*x + 30*(27* \\
& a^3*b - 21*a^2*b^2 + 29*a*b^3 - 3*b^4 - 4*(3*a^4 - 17*a^3*b + 13*a^2*b^2 - \\
& 15*a*b^3)*d*x)*\cosh(d*x + c)^2*\sinh(d*x + c)^4 - 2*a^4 - 6*a^3*b - 6*a^2*b \\
& ^2 - 2*a*b^3 + 8*(55*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\cosh(d*x + c)^9 + \\
& 120*(a^4 + a^3*b - a^2*b^2 - a*b^3 - (a^4 - 3*a^3*b - 9*a^2*b^2 - 5*a*b^3)* \\
& d*x)*\cosh(d*x + c)^7 + 14*(5*a^4 + 17*a^3*b - 11*a^2*b^2 - 21*a*b^3 + 2*b^4 \\
& - 16*(a^4 - 5*a^3*b - a^2*b^2 + 5*a*b^3)*d*x)*\cosh(d*x + c)^5 + 10*(27*a^3 \\
& *b - 21*a^2*b^2 + 29*a*b^3 - 3*b^4 - 4*(3*a^4 - 17*a^3*b + 13*a^2*b^2 - 15* \\
& a*b^3)*d*x)*\cosh(d*x + c)^3 - (5*a^4 - 55*a^3*b - 3*a^2*b^2 + 51*a*b^3 - 6* \\
& b^4 + 16*(a^4 - 5*a^3*b - a^2*b^2 + 5*a*b^3)*d*x)*\cosh(d*x + c))*\sinh(d*x + \\
& c)^3 - 4*(2*a^4 - 7*a^3*b - 19*a^2*b^2 - 9*a*b^3 + b^4 + 2*(a^4 - 3*a^3*b \\
& - 9*a^2*b^2 - 5*a*b^3)*d*x)*\cosh(d*x + c)^2 + 4*(33*(a^4 + 3*a^3*b + 3*a^2* \\
& b^2 + a*b^3)*\cosh(d*x + c)^10 + 90*(a^4 + a^3*b - a^2*b^2 - a*b^3 - (a^4 - \\
& 3*a^3*b - 9*a^2*b^2 - 5*a*b^3)*d*x)*\cosh(d*x + c)^8 + 14*(5*a^4 + 17*a^3*b \\
& - 11*a^2*b^2 - 21*a*b^3 + 2*b^4 - 16*(a^4 - 5*a^3*b - a^2*b^2 + 5*a*b^3)*d*
\end{aligned}$$

$$\begin{aligned}
& x) * \cosh(dx + c)^6 + 15 * (27 * a^3 * b - 21 * a^2 * b^2 + 29 * a * b^3 - 3 * b^4 - 4 * (3 * a^4 \\
& - 17 * a^3 * b + 13 * a^2 * b^2 - 15 * a * b^3) * dx) * \cosh(dx + c)^4 - 2 * a^4 + 7 * a^3 * b \\
& + 19 * a^2 * b^2 + 9 * a * b^3 - b^4 - 2 * (a^4 - 3 * a^3 * b - 9 * a^2 * b^2 - 5 * a * b^3) * dx \\
& - 3 * (5 * a^4 - 55 * a^3 * b - 3 * a^2 * b^2 + 51 * a * b^3 - 6 * b^4 + 16 * (a^4 - 5 * a^3 * b \\
& - a^2 * b^2 + 5 * a * b^3) * dx) * \cosh(dx + c)^2 * \sinh(dx + c)^2 - ((15 * a^4 + 20 * \\
& a^3 * b - 6 * a^2 * b^2 - 12 * a * b^3 - b^4) * \cosh(dx + c)^{10} + 10 * (15 * a^4 + 20 * a^3 * \\
& b - 6 * a^2 * b^2 - 12 * a * b^3 - b^4) * \cosh(dx + c) * \sinh(dx + c)^9 + (15 * a^4 + 2 \\
& 0 * a^3 * b - 6 * a^2 * b^2 - 12 * a * b^3 - b^4) * \sinh(dx + c)^{10} + 4 * (15 * a^4 - 10 * a^3 \\
& * b - 16 * a^2 * b^2 + 10 * a * b^3 + b^4) * \cosh(dx + c)^8 + (60 * a^4 - 40 * a^3 * b - 64 \\
& * a^2 * b^2 + 40 * a * b^3 + 4 * b^4 + 45 * (15 * a^4 + 20 * a^3 * b - 6 * a^2 * b^2 - 12 * a * b^3 \\
& - b^4) * \cosh(dx + c)^2) * \sinh(dx + c)^8 + 8 * (15 * (15 * a^4 + 20 * a^3 * b - 6 * a^2 * \\
& b^2 - 12 * a * b^3 - b^4) * \cosh(dx + c)^3 + 4 * (15 * a^4 - 10 * a^3 * b - 16 * a^2 * b^2 + \\
& 10 * a * b^3 + b^4) * \cosh(dx + c)) * \sinh(dx + c)^7 + 2 * (45 * a^4 - 60 * a^3 * b + 62 \\
& * a^2 * b^2 - 28 * a * b^3 - 3 * b^4) * \cosh(dx + c)^6 + 2 * (105 * (15 * a^4 + 20 * a^3 * b - \\
& 6 * a^2 * b^2 - 12 * a * b^3 - b^4) * \cosh(dx + c)^4 + 45 * a^4 - 60 * a^3 * b + 62 * a^2 * b^2 \\
& - 28 * a * b^3 - 3 * b^4 + 56 * (15 * a^4 - 10 * a^3 * b - 16 * a^2 * b^2 + 10 * a * b^3 + b^4) \\
& * \cosh(dx + c)^2) * \sinh(dx + c)^6 + 4 * (63 * (15 * a^4 + 20 * a^3 * b - 6 * a^2 * b^2 - \\
& 12 * a * b^3 - b^4) * \cosh(dx + c)^5 + 56 * (15 * a^4 - 10 * a^3 * b - 16 * a^2 * b^2 + 10 * a \\
& * b^3 + b^4) * \cosh(dx + c)^3 + 3 * (45 * a^4 - 60 * a^3 * b + 62 * a^2 * b^2 - 28 * a * b^3 \\
& - 3 * b^4) * \cosh(dx + c)) * \sinh(dx + c)^5 + 4 * (15 * a^4 - 10 * a^3 * b - 16 * a^2 * b^2 \\
& + 10 * a * b^3 + b^4) * \cosh(dx + c)^4 + 2 * (105 * (15 * a^4 + 20 * a^3 * b - 6 * a^2 * b^2 \\
& - 12 * a * b^3 - b^4) * \cosh(dx + c)^6 + 140 * (15 * a^4 - 10 * a^3 * b - 16 * a^2 * b^2 + 1 \\
& 0 * a * b^3 + b^4) * \cosh(dx + c)^4 + 30 * a^4 - 20 * a^3 * b - 32 * a^2 * b^2 + 20 * a * b^3 \\
& + 2 * b^4 + 15 * (45 * a^4 - 60 * a^3 * b + 62 * a^2 * b^2 - 28 * a * b^3 - 3 * b^4) * \cosh(dx + \\
& c)^2) * \sinh(dx + c)^4 + 8 * (15 * (15 * a^4 + 20 * a^3 * b - 6 * a^2 * b^2 - 12 * a * b^3 - \\
& b^4) * \cosh(dx + c)^7 + 28 * (15 * a^4 - 10 * a^3 * b - 16 * a^2 * b^2 + 10 * a * b^3 + b^4) \\
& * \cosh(dx + c)^5 + 5 * (45 * a^4 - 60 * a^3 * b + 62 * a^2 * b^2 - 28 * a * b^3 - 3 * b^4) * \co \\
& sh(dx + c)^3 + 2 * (15 * a^4 - 10 * a^3 * b - 16 * a^2 * b^2 + 10 * a * b^3 + b^4) * \cosh(dx \\
& x + c)) * \sinh(dx + c)^3 + (15 * a^4 + 20 * a^3 * b - 6 * a^2 * b^2 - 12 * a * b^3 - b^4) * \\
& \cosh(dx + c)^2 + (45 * (15 * a^4 + 20 * a^3 * b - 6 * a^2 * b^2 - 12 * a * b^3 - b^4) * \cosh \\
& (dx + c)^8 + 112 * (15 * a^4 - 10 * a^3 * b - 16 * a^2 * b^2 + 10 * a * b^3 + b^4) * \cosh(dx \\
& x + c)^6 + 30 * (45 * a^4 - 60 * a^3 * b + 62 * a^2 * b^2 - 28 * a * b^3 - 3 * b^4) * \cosh(dx \\
& + c)^4 + 15 * a^4 + 20 * a^3 * b - 6 * a^2 * b^2 - 12 * a * b^3 - b^4 + 24 * (15 * a^4 - 10 * a \\
& ^3 * b - 16 * a^2 * b^2 + 10 * a * b^3 + b^4) * \cosh(dx + c)^2) * \sinh(dx + c)^2 + 2 * (5 \\
& * (15 * a^4 + 20 * a^3 * b - 6 * a^2 * b^2 - 12 * a * b^3 - b^4) * \cosh(dx + c)^9 + 16 * (15 * \\
& a^4 - 10 * a^3 * b - 16 * a^2 * b^2 + 10 * a * b^3 + b^4) * \cosh(dx + c)^7 + 6 * (45 * a^4 - \\
& 60 * a^3 * b + 62 * a^2 * b^2 - 28 * a * b^3 - 3 * b^4) * \cosh(dx + c)^5 + 8 * (15 * a^4 - 10 \\
& * a^3 * b - 16 * a^2 * b^2 + 10 * a * b^3 + b^4) * \cosh(dx + c)^3 + (15 * a^4 + 20 * a^3 * b \\
& - 6 * a^2 * b^2 - 12 * a * b^3 - b^4) * \cosh(dx + c)) * \sinh(dx + c)) * \sqrt{-b/a} * \log( \\
& ((a^2 + 2 * a * b + b^2) * \cosh(dx + c)^4 + 4 * (a^2 + 2 * a * b + b^2) * \cosh(dx + c) * \\
& \sinh(dx + c)^3 + (a^2 + 2 * a * b + b^2) * \sinh(dx + c)^4 + 2 * (a^2 - b^2) * \cosh( \\
& dx + c)^2 + 2 * (3 * (a^2 + 2 * a * b + b^2) * \cosh(dx + c)^2 + a^2 - b^2) * \sinh(dx \\
& + c)^2 + a^2 - 6 * a * b + b^2 + 4 * ((a^2 + 2 * a * b + b^2) * \cosh(dx + c)^3 + (a^2 \\
& - b^2) * \cosh(dx + c)) * \sinh(dx + c) + 4 * ((a^2 + a * b) * \cosh(dx + c)^2 + 2 * ( \\
& a^2 + a * b) * \cosh(dx + c) * \sinh(dx + c) + (a^2 + a * b) * \sinh(dx + c)^2 + a^2
\end{aligned}$$

$$\begin{aligned}
& - a*b)*\text{sqrt}(-b/a))/((a + b)*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a + b)*\sinh(d*x + c)^4 + 2*(a - b)*\cosh(d*x + c)^2 + 2*(3*(a + b)*\cosh(d*x + c)^2 + a - b)*\sinh(d*x + c)^2 + 4*((a + b)*\cosh(d*x + c)^3 + (a - b)*\cosh(d*x + c))*\sinh(d*x + c) + a + b)) + 8*(3*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\cosh(d*x + c)^11 + 10*(a^4 + a^3*b - a^2*b^2 - a*b^3 - (a^4 - 3*a^3*b - 9*a^2*b^2 - 5*a*b^3)*d*x)*\cosh(d*x + c)^9 + 2*(5*a^4 + 17*a^3*b - 11*a^2*b^2 - 21*a*b^3 + 2*b^4 - 16*(a^4 - 5*a^3*b - a^2*b^2 + 5*a*b^3)*d*x)*\cosh(d*x + c)^7 + 3*(27*a^3*b - 21*a^2*b^2 + 29*a*b^3 - 3*b^4 - 4*(3*a^4 - 17*a^3*b + 13*a^2*b^2 - 15*a*b^3)*d*x)*\cosh(d*x + c)^5 - (5*a^4 - 55*a^3*b - 3*a^2*b^2 + 51*a*b^3 - 6*b^4 + 16*(a^4 - 5*a^3*b - a^2*b^2 + 5*a*b^3)*d*x)*\cosh(d*x + c)^3 - (2*a^4 - 7*a^3*b - 19*a^2*b^2 - 9*a*b^3 + b^4 + 2*(a^4 - 3*a^3*b - 9*a^2*b^2 - 5*a*b^3)*d*x)*\cosh(d*x + c))*\sinh(d*x + c))/((a^7 + 6*a^6*b + 15*a^5*b^2 + 20*a^4*b^3 + 15*a^3*b^4 + 6*a^2*b^5 + a*b^6)*d*\cosh(d*x + c)^10 + 10*(a^7 + 6*a^6*b + 15*a^5*b^2 + 20*a^4*b^3 + 15*a^3*b^4 + 6*a^2*b^5 + a*b^6)*d*\cosh(d*x + c)*\sinh(d*x + c)^9 + (a^7 + 6*a^6*b + 15*a^5*b^2 + 20*a^4*b^3 + 15*a^3*b^4 + 6*a^2*b^5 + a*b^6)*d*\sinh(d*x + c)^10 + 4*(a^7 + 4*a^6*b + 5*a^5*b^2 - 5*a^3*b^4 - 4*a^2*b^5 - a*b^6)*d*\cosh(d*x + c)^8 + (45*(a^7 + 6*a^6*b + 15*a^5*b^2 + 20*a^4*b^3 + 15*a^3*b^4 + 6*a^2*b^5 + a*b^6)*d*\cosh(d*x + c)^2 + 4*(a^7 + 4*a^6*b + 5*a^5*b^2 - 5*a^3*b^4 - 4*a^2*b^5 - a*b^6)*d)*\sinh(d*x + c)^8 + 2*(3*a^7 + 10*a^6*b + 13*a^5*b^2 + 12*a^4*b^3 + 13*a^3*b^4 + 10*a^2*b^5 + 3*a*b^6)*d*\cosh(d*x + c)^6 + 8*(15*(a^7 + 6*a^6*b + 15*a^5*b^2 + 20*a^4*b^3 + 15*a^3*b^4 + 6*a^2*b^5 + a*b^6)*d*\cosh(d*x + c)^3 + 4*(a^7 + 4*a^6*b + 5*a^5*b^2 - 5*a^3*b^4 - 4*a^2*b^5 - a*b^6)*d*\cosh(d*x + c))*\sinh(d*x + c)^7 + 2*(105*(a^7 + 6*a^6*b + 15*a^5*b^2 + 20*a^4*b^3 + 15*a^3*b^4 + 6*a^2*b^5 + a*b^6)*d*\cosh(d*x + c)^4 + 56*(a^7 + 4*a^6*b + 5*a^5*b^2 - 5*a^3*b^4 - 4*a^2*b^5 - a*b^6)*d*\cosh(d*x + c)^5 + 2*(3*a^7 + 10*a^6*b + 13*a^5*b^2 + 12*a^4*b^3 + 13*a^3*b^4 + 10*a^2*b^5 + 3*a*b^6)*d)*\sinh(d*x + c)^6 + 4*(a^7 + 4*a^6*b + 5*a^5*b^2 - 5*a^3*b^4 - 4*a^2*b^5 - a*b^6)*d*\cosh(d*x + c)^4 + 4*(63*(a^7 + 6*a^6*b + 15*a^5*b^2 + 20*a^4*b^3 + 15*a^3*b^4 + 6*a^2*b^5 + a*b^6)*d*\cosh(d*x + c)^5 + 56*(a^7 + 4*a^6*b + 5*a^5*b^2 - 5*a^3*b^4 - 4*a^2*b^5 - a*b^6)*d*\cosh(d*x + c)^3 + 3*(3*a^7 + 10*a^6*b + 13*a^5*b^2 + 12*a^4*b^3 + 13*a^3*b^4 + 10*a^2*b^5 + 3*a*b^6)*d*\cosh(d*x + c))*\sinh(d*x + c)^5 + 2*(105*(a^7 + 6*a^6*b + 15*a^5*b^2 + 20*a^4*b^3 + 15*a^3*b^4 + 6*a^2*b^5 + a*b^6)*d*\cosh(d*x + c)^6 + 140*(a^7 + 4*a^6*b + 5*a^5*b^2 - 5*a^3*b^4 - 4*a^2*b^5 - a*b^6)*d*\cosh(d*x + c)^4 + 15*(3*a^7 + 10*a^6*b + 13*a^5*b^2 + 12*a^4*b^3 + 13*a^3*b^4 + 10*a^2*b^5 + 3*a*b^6)*d*\cosh(d*x + c)^2 + 2*(a^7 + 4*a^6*b + 5*a^5*b^2 - 5*a^3*b^4 - 4*a^2*b^5 - a*b^6)*d)*\sinh(d*x + c)^4 + (a^7 + 6*a^6*b + 15*a^5*b^2 + 20*a^4*b^3 + 15*a^3*b^4 + 6*a^2*b^5 + a*b^6)*d*\cosh(d*x + c)^2 + 8*(15*(a^7 + 6*a^6*b + 15*a^5*b^2 + 20*a^4*b^3 + 15*a^3*b^4 + 6*a^2*b^5 + a*b^6)*d*\cosh(d*x + c)^7 + 28*(a^7 + 4*a^6*b + 5*a^5*b^2 - 5*a^3*b^4 - 4*a^2*b^5 - a*b^6)*d*\cosh(d*x + c)^5 + 5*(3*a^7 + 10*a^6*b + 13*a^5*b^2 + 12*a^4*b^3 + 13*a^3*b^4 + 10*a^2*b^5 + 3*a*b^6)*d*\cosh(d*x + c)^3 + 2*(a^7 + 4*a^6*b + 5*a^5*b^2 - 5*a^3*b^4 - 4*a^2*b^5 - a*b^6)*d*\cosh(d*x + c))*\sinh(d*x + c)^3 + (45*(a^7 + 6*a^6*b + 15*a^5*b^2 + 20*a^4*b^3 + 15*a^3*b^4 + 6*a^2*b^5 + a*b^6)*d*co
\end{aligned}$$

$$\begin{aligned}
& \text{sh}(d*x + c)^8 + 112*(a^7 + 4*a^6*b + 5*a^5*b^2 - 5*a^3*b^4 - 4*a^2*b^5 - a*b^6)*d*\cosh(d*x + c)^6 + 30*(3*a^7 + 10*a^6*b + 13*a^5*b^2 + 12*a^4*b^3 + 13*a^3*b^4 + 10*a^2*b^5 + 3*a*b^6)*d*\cosh(d*x + c)^4 + 24*(a^7 + 4*a^6*b + 5*a^5*b^2 - 5*a^3*b^4 - 4*a^2*b^5 - a*b^6)*d*\cosh(d*x + c)^2 + (a^7 + 6*a^6*b + 15*a^5*b^2 + 20*a^4*b^3 + 15*a^3*b^4 + 6*a^2*b^5 + a*b^6)*d*\sinh(d*x + c)^2 + 2*(5*(a^7 + 6*a^6*b + 15*a^5*b^2 + 20*a^4*b^3 + 15*a^3*b^4 + 6*a^2*b^5 + a*b^6)*d*\cosh(d*x + c)^9 + 16*(a^7 + 4*a^6*b + 5*a^5*b^2 - 5*a^3*b^4 - 4*a^2*b^5 - a*b^6)*d*\cosh(d*x + c)^7 + 6*(3*a^7 + 10*a^6*b + 13*a^5*b^2 + 12*a^4*b^3 + 13*a^3*b^4 + 10*a^2*b^5 + 3*a*b^6)*d*\cosh(d*x + c)^5 + 8*(a^7 + 4*a^6*b + 5*a^5*b^2 - 5*a^3*b^4 - 4*a^2*b^5 - a*b^6)*d*\cosh(d*x + c)^3 + (a^7 + 6*a^6*b + 15*a^5*b^2 + 20*a^4*b^3 + 15*a^3*b^4 + 6*a^2*b^5 + a*b^6)*d*\cosh(d*x + c))*\sinh(d*x + c)), 1/8*((a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\cosh(d*x + c)^12 + 12*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\cosh(d*x + c)*\sinh(d*x + c)^11 + (a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\sinh(d*x + c)^12 + 4*(a^4 + a^3*b - a^2*b^2 - a*b^3 - (a^4 - 3*a^3*b - 9*a^2*b^2 - 5*a*b^3)*d*x)*\cosh(d*x + c)^10 + 2*(2*a^4 + 2*a^3*b - 2*a^2*b^2 - 2*a*b^3 - 2*(a^4 - 3*a^3*b - 9*a^2*b^2 - 5*a*b^3)*d*x + 33*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^10 + 20*(11*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\cosh(d*x + c)^3 + 2*(a^4 + a^3*b - a^2*b^2 - a*b^3 - (a^4 - 3*a^3*b - 9*a^2*b^2 - 5*a*b^3)*d*x)*\cosh(d*x + c))*\sinh(d*x + c)^9 + (5*a^4 + 17*a^3*b - 11*a^2*b^2 - 21*a*b^3 + 2*b^4 - 16*(a^4 - 5*a^3*b - a^2*b^2 + 5*a*b^3)*d*x)*\cosh(d*x + c)^8 + (495*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\cosh(d*x + c)^4 + 5*a^4 + 17*a^3*b - 11*a^2*b^2 - 21*a*b^3 + 2*b^4 - 16*(a^4 - 5*a^3*b - a^2*b^2 + 5*a*b^3)*d*x + 180*(a^4 + a^3*b - a^2*b^2 - a*b^3 - (a^4 - 3*a^3*b - 9*a^2*b^2 - 5*a*b^3)*d*x)*\cosh(d*x + c)^2)*\sinh(d*x + c)^8 + 8*(99*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\cosh(d*x + c)^5 + 60*(a^4 + a^3*b - a^2*b^2 - a*b^3 - (a^4 - 3*a^3*b - 9*a^2*b^2 - 5*a*b^3)*d*x)*\cosh(d*x + c)^3 + (5*a^4 + 17*a^3*b - 11*a^2*b^2 - 21*a*b^3 + 2*b^4 - 16*(a^4 - 5*a^3*b - a^2*b^2 + 5*a*b^3)*d*x)*\cosh(d*x + c))*\sinh(d*x + c)^7 + 2*(27*a^3*b - 21*a^2*b^2 + 29*a*b^3 - 3*b^4 - 4*(3*a^4 - 17*a^3*b + 13*a^2*b^2 - 15*a*b^3)*d*x)*\cosh(d*x + c)^6 + 2*(462*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\cosh(d*x + c)^6 + 420*(a^4 + a^3*b - a^2*b^2 - a*b^3 - (a^4 - 3*a^3*b - 9*a^2*b^2 - 5*a*b^3)*d*x)*\cosh(d*x + c)^4 + 27*a^3*b - 21*a^2*b^2 + 29*a*b^3 - 3*b^4 - 4*(3*a^4 - 17*a^3*b + 13*a^2*b^2 - 15*a*b^3)*d*x + 14*(5*a^4 + 17*a^3*b - 11*a^2*b^2 - 21*a*b^3 + 2*b^4 - 16*(a^4 - 5*a^3*b - a^2*b^2 + 5*a*b^3)*d*x)*\cosh(d*x + c)^2)*\sinh(d*x + c)^6 + 4*(198*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\cosh(d*x + c)^7 + 252*(a^4 + a^3*b - a^2*b^2 - a*b^3 - (a^4 - 3*a^3*b - 9*a^2*b^2 - 5*a*b^3)*d*x)*\cosh(d*x + c)^5 + 14*(5*a^4 + 17*a^3*b - 11*a^2*b^2 - 21*a*b^3 + 2*b^4 - 16*(a^4 - 5*a^3*b - a^2*b^2 + 5*a*b^3)*d*x)*\cosh(d*x + c)^3 + 3*(27*a^3*b - 21*a^2*b^2 + 29*a*b^3 - 3*b^4 - 4*(3*a^4 - 17*a^3*b + 13*a^2*b^2 - 15*a*b^3)*d*x)*\cosh(d*x + c))*\sinh(d*x + c)^5 - (5*a^4 - 55*a^3*b - 3*a^2*b^2 + 51*a*b^3 - 6*b^4 + 16*(a^4 - 5*a^3*b - a^2*b^2 + 5*a*b^3)*d*x)*\cosh(d*x + c)^4 + (495*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\cosh(d*x + c)^8 + 840*(a^4 + a^3*b - a^2*b^2 - a*b^3 - (a^4 - 3*a^3*b - 9*a^2*b^2 - 5*a*b^3)*d*x)*\cosh(d*x + c)^6 + 70*(5*a^4 + 17*a^3*b - 11*a^2*b^2 - 21*a*b^3 + 2*b
\end{aligned}$$

$$\begin{aligned}
&^4 - 16*(a^4 - 5*a^3*b - a^2*b^2 + 5*a*b^3)*d*x)*\cosh(d*x + c)^4 - 5*a^4 + \\
&55*a^3*b + 3*a^2*b^2 - 51*a*b^3 + 6*b^4 - 16*(a^4 - 5*a^3*b - a^2*b^2 + 5*a \\
&*b^3)*d*x + 30*(27*a^3*b - 21*a^2*b^2 + 29*a*b^3 - 3*b^4 - 4*(3*a^4 - 17*a^ \\
&3*b + 13*a^2*b^2 - 15*a*b^3)*d*x)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 - a^4 - \\
&3*a^3*b - 3*a^2*b^2 - a*b^3 + 4*(55*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\cos \\
&h(d*x + c)^9 + 120*(a^4 + a^3*b - a^2*b^2 - a*b^3 - (a^4 - 3*a^3*b - 9*a^2* \\
&b^2 - 5*a*b^3)*d*x)*\cosh(d*x + c)^7 + 14*(5*a^4 + 17*a^3*b - 11*a^2*b^2 - 2 \\
&1*a*b^3 + 2*b^4 - 16*(a^4 - 5*a^3*b - a^2*b^2 + 5*a*b^3)*d*x)*\cosh(d*x + c) \\
&^5 + 10*(27*a^3*b - 21*a^2*b^2 + 29*a*b^3 - 3*b^4 - 4*(3*a^4 - 17*a^3*b + 1 \\
&3*a^2*b^2 - 15*a*b^3)*d*x)*\cosh(d*x + c)^3 - (5*a^4 - 55*a^3*b - 3*a^2*b^2 \\
&+ 51*a*b^3 - 6*b^4 + 16*(a^4 - 5*a^3*b - a^2*b^2 + 5*a*b^3)*d*x)*\cosh(d*x + \\
&c))*\sinh(d*x + c)^3 - 2*(2*a^4 - 7*a^3*b - 19*a^2*b^2 - 9*a*b^3 + b^4 + 2* \\
&(a^4 - 3*a^3*b - 9*a^2*b^2 - 5*a*b^3)*d*x)*\cosh(d*x + c)^2 + 2*(33*(a^4 + 3 \\
&*a^3*b + 3*a^2*b^2 + a*b^3)*\cosh(d*x + c)^10 + 90*(a^4 + a^3*b - a^2*b^2 - \\
&a*b^3 - (a^4 - 3*a^3*b - 9*a^2*b^2 - 5*a*b^3)*d*x)*\cosh(d*x + c)^8 + 14*(5* \\
&a^4 + 17*a^3*b - 11*a^2*b^2 - 21*a*b^3 + 2*b^4 - 16*(a^4 - 5*a^3*b - a^2*b^ \\
&2 + 5*a*b^3)*d*x)*\cosh(d*x + c)^6 + 15*(27*a^3*b - 21*a^2*b^2 + 29*a*b^3 - \\
&3*b^4 - 4*(3*a^4 - 17*a^3*b + 13*a^2*b^2 - 15*a*b^3)*d*x)*\cosh(d*x + c)^4 - \\
&2*a^4 + 7*a^3*b + 19*a^2*b^2 + 9*a*b^3 - b^4 - 2*(a^4 - 3*a^3*b - 9*a^2*b^ \\
&2 - 5*a*b^3)*d*x - 3*(5*a^4 - 55*a^3*b - 3*a^2*b^2 + 51*a*b^3 - 6*b^4 + 16* \\
&(a^4 - 5*a^3*b - a^2*b^2 + 5*a*b^3)*d*x)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 - \\
&((15*a^4 + 20*a^3*b - 6*a^2*b^2 - 12*a*b^3 - b^4)*\cosh(d*x + c)^10 + 10*(1 \\
&5*a^4 + 20*a^3*b - 6*a^2*b^2 - 12*a*b^3 - b^4)*\cosh(d*x + c)*\sinh(d*x + c)^ \\
&9 + (15*a^4 + 20*a^3*b - 6*a^2*b^2 - 12*a*b^3 - b^4)*\sinh(d*x + c)^10 + 4*( \\
&15*a^4 - 10*a^3*b - 16*a^2*b^2 + 10*a*b^3 + b^4)*\cosh(d*x + c)^8 + (60*a^4 \\
&- 40*a^3*b - 64*a^2*b^2 + 40*a*b^3 + 4*b^4 + 45*(15*a^4 + 20*a^3*b - 6*a^2* \\
&b^2 - 12*a*b^3 - b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^8 + 8*(15*(15*a^4 + 20 \\
&*a^3*b - 6*a^2*b^2 - 12*a*b^3 - b^4)*\cosh(d*x + c)^3 + 4*(15*a^4 - 10*a^3*b \\
&- 16*a^2*b^2 + 10*a*b^3 + b^4)*\cosh(d*x + c))*\sinh(d*x + c)^7 + 2*(45*a^4 \\
&- 60*a^3*b + 62*a^2*b^2 - 28*a*b^3 - 3*b^4)*\cosh(d*x + c)^6 + 2*(105*(15*a^ \\
&4 + 20*a^3*b - 6*a^2*b^2 - 12*a*b^3 - b^4)*\cosh(d*x + c)^4 + 45*a^4 - 60*a^ \\
&3*b + 62*a^2*b^2 - 28*a*b^3 - 3*b^4 + 56*(15*a^4 - 10*a^3*b - 16*a^2*b^2 + \\
&10*a*b^3 + b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^6 + 4*(63*(15*a^4 + 20*a^3*b \\
&- 6*a^2*b^2 - 12*a*b^3 - b^4)*\cosh(d*x + c)^5 + 56*(15*a^4 - 10*a^3*b - 16 \\
&*a^2*b^2 + 10*a*b^3 + b^4)*\cosh(d*x + c)^3 + 3*(45*a^4 - 60*a^3*b + 62*a^2* \\
&b^2 - 28*a*b^3 - 3*b^4)*\cosh(d*x + c))*\sinh(d*x + c)^5 + 4*(15*a^4 - 10*a^3 \\
&*b - 16*a^2*b^2 + 10*a*b^3 + b^4)*\cosh(d*x + c)^4 + 2*(105*(15*a^4 + 20*a^3 \\
&*b - 6*a^2*b^2 - 12*a*b^3 - b^4)*\cosh(d*x + c)^6 + 140*(15*a^4 - 10*a^3*b - \\
&16*a^2*b^2 + 10*a*b^3 + b^4)*\cosh(d*x + c)^4 + 30*a^4 - 20*a^3*b - 32*a^2* \\
&b^2 + 20*a*b^3 + 2*b^4 + 15*(45*a^4 - 60*a^3*b + 62*a^2*b^2 - 28*a*b^3 - 3* \\
&b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + 8*(15*(15*a^4 + 20*a^3*b - 6*a^2*b^ \\
&2 - 12*a*b^3 - b^4)*\cosh(d*x + c)^7 + 28*(15*a^4 - 10*a^3*b - 16*a^2*b^2 + \\
&10*a*b^3 + b^4)*\cosh(d*x + c)^5 + 5*(45*a^4 - 60*a^3*b + 62*a^2*b^2 - 28*a* \\
&b^3 - 3*b^4)*\cosh(d*x + c)^3 + 2*(15*a^4 - 10*a^3*b - 16*a^2*b^2 + 10*a*b^3 \\
&+ b^4)*\cosh(d*x + c))*\sinh(d*x + c)^3 + (15*a^4 + 20*a^3*b - 6*a^2*b^2 - 1
\end{aligned}$$

$$\begin{aligned}
& 2*a*b^3 - b^4)*\cosh(d*x + c)^2 + (45*(15*a^4 + 20*a^3*b - 6*a^2*b^2 - 12*a* \\
& b^3 - b^4)*\cosh(d*x + c)^8 + 112*(15*a^4 - 10*a^3*b - 16*a^2*b^2 + 10*a*b^3 \\
& + b^4)*\cosh(d*x + c)^6 + 30*(45*a^4 - 60*a^3*b + 62*a^2*b^2 - 28*a*b^3 - 3 \\
& *b^4)*\cosh(d*x + c)^4 + 15*a^4 + 20*a^3*b - 6*a^2*b^2 - 12*a*b^3 - b^4 + 24 \\
& *(15*a^4 - 10*a^3*b - 16*a^2*b^2 + 10*a*b^3 + b^4)*\cosh(d*x + c)^2)*\sinh(d* \\
& x + c)^2 + 2*(5*(15*a^4 + 20*a^3*b - 6*a^2*b^2 - 12*a*b^3 - b^4)*\cosh(d*x + \\
& c)^9 + 16*(15*a^4 - 10*a^3*b - 16*a^2*b^2 + 10*a*b^3 + b^4)*\cosh(d*x + c)^ \\
& 7 + 6*(45*a^4 - 60*a^3*b + 62*a^2*b^2 - 28*a*b^3 - 3*b^4)*\cosh(d*x + c)^5 + \\
& 8*(15*a^4 - 10*a^3*b - 16*a^2*b^2 + 10*a*b^3 + b^4)*\cosh(d*x + c)^3 + (15* \\
& a^4 + 20*a^3*b - 6*a^2*b^2 - 12*a*b^3 - b^4)*\cosh(d*x + c))*\sinh(d*x + c))* \\
& \sqrt{b/a}*\arctan(1/2*((a + b)*\cosh(d*x + c)^2 + 2*(a + b)*\cosh(d*x + c)*\sin \\
& h(d*x + c) + (a + b)*\sinh(d*x + c)^2 + a - b)*\sqrt{b/a}/b) + 4*(3*(a^4 + 3* \\
& a^3*b + 3*a^2*b^2 + a*b^3)*\cosh(d*x + c)^11 + 10*(a^4 + a^3*b - a^2*b^2 - a \\
& *b^3 - (a^4 - 3*a^3*b - 9*a^2*b^2 - 5*a*b^3)*d*x)*\cosh(d*x + c)^9 + 2*(5*a^ \\
& 4 + 17*a^3*b - 11*a^2*b^2 - 21*a*b^3 + 2*b^4 - 16*(a^4 - 5*a^3*b - a^2*b^2 \\
& + 5*a*b^3)*d*x)*\cosh(d*x + c)^7 + 3*(27*a^3*b - 21*a^2*b^2 + 29*a*b^3 - 3*b \\
& ^4 - 4*(3*a^4 - 17*a^3*b + 13*a^2*b^2 - 15*a*b^3)*d*x)*\cosh(d*x + c)^5 - (5 \\
& *a^4 - 55*a^3*b - 3*a^2*b^2 + 51*a*b^3 - 6*b^4 + 16*(a^4 - 5*a^3*b - a^2*b^2 \\
& + 5*a*b^3)*d*x)*\cosh(d*x + c)^3 - (2*a^4 - 7*a^3*b - 19*a^2*b^2 - 9*a*b^3 \\
& + b^4 + 2*(a^4 - 3*a^3*b - 9*a^2*b^2 - 5*a*b^3)*d*x)*\cosh(d*x + c))*\sinh(d \\
& *x + c))/((a^7 + 6*a^6*b + 15*a^5*b^2 + 20*a^4*b^3 + 15*a^3*b^4 + 6*a^2*b^5 \\
& + a*b^6)*d*\cosh(d*x + c)^10 + 10*(a^7 + 6*a^6*b + 15*a^5*b^2 + 20*a^4*b^3 \\
& + 15*a^3*b^4 + 6*a^2*b^5 + a*b^6)*d*\cosh(d*x + c)*\sinh(d*x + c)^9 + (a^7 + \\
& 6*a^6*b + 15*a^5*b^2 + 20*a^4*b^3 + 15*a^3*b^4 + 6*a^2*b^5 + a*b^6)*d*\sinh( \\
& d*x + c)^10 + 4*(a^7 + 4*a^6*b + 5*a^5*b^2 - 5*a^3*b^4 - 4*a^2*b^5 - a*b^6) \\
& *d*\cosh(d*x + c)^8 + (45*(a^7 + 6*a^6*b + 15*a^5*b^2 + 20*a^4*b^3 + 15*a^3* \\
& b^4 + 6*a^2*b^5 + a*b^6)*d*\cosh(d*x + c)^2 + 4*(a^7 + 4*a^6*b + 5*a^5*b^2 - \\
& 5*a^3*b^4 - 4*a^2*b^5 - a*b^6)*d)*\sinh(d*x + c)^8 + 2*(3*a^7 + 10*a^6*b + \\
& 13*a^5*b^2 + 12*a^4*b^3 + 13*a^3*b^4 + 10*a^2*b^5 + 3*a*b^6)*d*\cosh(d*x + c \\
& )^6 + 8*(15*(a^7 + 6*a^6*b + 15*a^5*b^2 + 20*a^4*b^3 + 15*a^3*b^4 + 6*a^2*b \\
& ^5 + a*b^6)*d*\cosh(d*x + c)^3 + 4*(a^7 + 4*a^6*b + 5*a^5*b^2 - 5*a^3*b^4 - \\
& 4*a^2*b^5 - a*b^6)*d*\cosh(d*x + c))*\sinh(d*x + c)^7 + 2*(105*(a^7 + 6*a^6*b \\
& + 15*a^5*b^2 + 20*a^4*b^3 + 15*a^3*b^4 + 6*a^2*b^5 + a*b^6)*d*\cosh(d*x + c \\
& )^4 + 56*(a^7 + 4*a^6*b + 5*a^5*b^2 - 5*a^3*b^4 - 4*a^2*b^5 - a*b^6)*d*\cosh \\
& (d*x + c)^2 + (3*a^7 + 10*a^6*b + 13*a^5*b^2 + 12*a^4*b^3 + 13*a^3*b^4 + 10 \\
& *a^2*b^5 + 3*a*b^6)*d)*\sinh(d*x + c)^6 + 4*(a^7 + 4*a^6*b + 5*a^5*b^2 - 5*a \\
& ^3*b^4 - 4*a^2*b^5 - a*b^6)*d*\cosh(d*x + c)^4 + 4*(63*(a^7 + 6*a^6*b + 15*a \\
& ^5*b^2 + 20*a^4*b^3 + 15*a^3*b^4 + 6*a^2*b^5 + a*b^6)*d*\cosh(d*x + c)^5 + 5 \\
& 6*(a^7 + 4*a^6*b + 5*a^5*b^2 - 5*a^3*b^4 - 4*a^2*b^5 - a*b^6)*d*\cosh(d*x + \\
& c)^3 + 3*(3*a^7 + 10*a^6*b + 13*a^5*b^2 + 12*a^4*b^3 + 13*a^3*b^4 + 10*a^2* \\
& b^5 + 3*a*b^6)*d*\cosh(d*x + c))*\sinh(d*x + c)^5 + 2*(105*(a^7 + 6*a^6*b + 1 \\
& 5*a^5*b^2 + 20*a^4*b^3 + 15*a^3*b^4 + 6*a^2*b^5 + a*b^6)*d*\cosh(d*x + c)^6 \\
& + 140*(a^7 + 4*a^6*b + 5*a^5*b^2 - 5*a^3*b^4 - 4*a^2*b^5 - a*b^6)*d*\cosh(d* \\
& x + c)^4 + 15*(3*a^7 + 10*a^6*b + 13*a^5*b^2 + 12*a^4*b^3 + 13*a^3*b^4 + 10 \\
& *a^2*b^5 + 3*a*b^6)*d*\cosh(d*x + c)^2 + 2*(a^7 + 4*a^6*b + 5*a^5*b^2 - 5*a^
\end{aligned}$$

```

3*b^4 - 4*a^2*b^5 - a*b^6)*d)*sinh(d*x + c)^4 + (a^7 + 6*a^6*b + 15*a^5*b^2
+ 20*a^4*b^3 + 15*a^3*b^4 + 6*a^2*b^5 + a*b^6)*d*cosh(d*x + c)^2 + 8*(15*(
a^7 + 6*a^6*b + 15*a^5*b^2 + 20*a^4*b^3 + 15*a^3*b^4 + 6*a^2*b^5 + a*b^6)*d
*cosh(d*x + c)^7 + 28*(a^7 + 4*a^6*b + 5*a^5*b^2 - 5*a^3*b^4 - 4*a^2*b^5 -
a*b^6)*d*cosh(d*x + c)^5 + 5*(3*a^7 + 10*a^6*b + 13*a^5*b^2 + 12*a^4*b^3 +
13*a^3*b^4 + 10*a^2*b^5 + 3*a*b^6)*d*cosh(d*x + c)^3 + 2*(a^7 + 4*a^6*b + 5
*a^5*b^2 - 5*a^3*b^4 - 4*a^2*b^5 - a*b^6)*d*cosh(d*x + c))*sinh(d*x + c)^3
+ (45*(a^7 + 6*a^6*b + 15*a^5*b^2 + 20*a^4*b^3 + 15*a^3*b^4 + 6*a^2*b^5 + a
*b^6)*d*cosh(d*x + c)^8 + 112*(a^7 + 4*a^6*b + 5*a^5*b^2 - 5*a^3*b^4 - 4*a^
2*b^5 - a*b^6)*d*cosh(d*x + c)^6 + 30*(3*a^7 + 10*a^6*b + 13*a^5*b^2 + 12*a
^4*b^3 + 13*a^3*b^4 + 10*a^2*b^5 + 3*a*b^6)*d*cosh(d*x + c)^4 + 24*(a^7 + 4
*a^6*b + 5*a^5*b^2 - 5*a^3*b^4 - 4*a^2*b^5 - a*b^6)*d*cosh(d*x + c)^2 + (a^
7 + 6*a^6*b + 15*a^5*b^2 + 20*a^4*b^3 + 15*a^3*b^4 + 6*a^2*b^5 + a*b^6)*d)*
sinh(d*x + c)^2 + 2*(5*(a^7 + 6*a^6*b + 15*a^5*b^2 + 20*a^4*b^3 + 15*a^3*b^
4 + 6*a^2*b^5 + a*b^6)*d*cosh(d*x + c)^9 + 16*(a^7 + 4*a^6*b + 5*a^5*b^2 -
5*a^3*b^4 - 4*a^2*b^5 - a*b^6)*d*cosh(d*x + c)^7 + 6*(3*a^7 + 10*a^6*b + 13
*a^5*b^2 + 12*a^4*b^3 + 13*a^3*b^4 + 10*a^2*b^5 + 3*a*b^6)*d*cosh(d*x + c)^
5 + 8*(a^7 + 4*a^6*b + 5*a^5*b^2 - 5*a^3*b^4 - 4*a^2*b^5 - a*b^6)*d*cosh(d*
x + c)^3 + (a^7 + 6*a^6*b + 15*a^5*b^2 + 20*a^4*b^3 + 15*a^3*b^4 + 6*a^2*b^
5 + a*b^6)*d*cosh(d*x + c))*sinh(d*x + c))]

```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)\*\*2/(a+b\*tanh(d\*x+c)\*\*2)\*\*3,x)

[Out] Timed out

**Giac [B]** time = 3.10308, size = 788, normalized size = 4.26

$$\frac{4(a-5b)dx}{a^4+4a^3b+6a^2b^2+4ab^3+b^4} + \frac{(15a^2be^{(2c)}-10ab^2e^{(2c)}-b^3e^{(2c)})\arctan\left(\frac{ae^{(2dx+2c)}+be^{(2dx+2c)}+a-b}{2\sqrt{ab}}\right)e^{(-2c)}}{(a^5+4a^4b+6a^3b^2+4a^2b^3+ab^4)\sqrt{ab}} - \frac{(2ae^{(2dx+2c)}-10be^{(2dx+2c)}-a-b)e^{(-2dx)}}{a^4e^{(2c)}+4a^3be^{(2c)}+6a^2b^2e^{(2c)}+4ab^3e^{(2c)}+b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out] 
$$\begin{aligned} & -1/8*(4*(a - 5*b)*d*x/(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4) + (15*a^2 \\ & *b*e^{(2*c)} - 10*a*b^2*e^{(2*c)} - b^3*e^{(2*c)})*\arctan(1/2*(a*e^{(2*d*x + 2*c)} \\ & + b*e^{(2*d*x + 2*c)} + a - b)/\sqrt{a*b})*e^{(-2*c)}/((a^5 + 4*a^4*b + 6*a^3*b^2 \\ & + 4*a^2*b^3 + a*b^4)*\sqrt{a*b}) - (2*a*e^{(2*d*x + 2*c)} - 10*b*e^{(2*d*x + \\ & 2*c)} - a - b)*e^{(-2*d*x)}/(a^4*e^{(2*c)} + 4*a^3*b*e^{(2*c)} + 6*a^2*b^2*e^{(2*c)} \\ & + 4*a*b^3*e^{(2*c)} + b^4*e^{(2*c)}) - e^{(2*d*x + 16*c)}/(a^3*e^{(14*c)} + 3*a^2* \\ & b*e^{(14*c)} + 3*a*b^2*e^{(14*c)} + b^3*e^{(14*c)}) - 2*(9*a^3*b*e^{(6*d*x + 6*c)} \\ & - 5*a^2*b^2*e^{(6*d*x + 6*c)} - 13*a*b^3*e^{(6*d*x + 6*c)} + b^4*e^{(6*d*x + 6*c)} \\ & ) + 27*a^3*b*e^{(4*d*x + 4*c)} - 21*a^2*b^2*e^{(4*d*x + 4*c)} + 29*a*b^3*e^{(4*d \\ & *x + 4*c)} - 3*b^4*e^{(4*d*x + 4*c)} + 27*a^3*b*e^{(2*d*x + 2*c)} + a^2*b^2*e^{(2 \\ & *d*x + 2*c)} - 23*a*b^3*e^{(2*d*x + 2*c)} + 3*b^4*e^{(2*d*x + 2*c)} + 9*a^3*b + \\ & 17*a^2*b^2 + 7*a*b^3 - b^4)/((a^5 + 4*a^4*b + 6*a^3*b^2 + 4*a^2*b^3 + a*b^4 \\ & )*(a*e^{(4*d*x + 4*c)} + b*e^{(4*d*x + 4*c)} + 2*a*e^{(2*d*x + 2*c)} - 2*b*e^{(2*d \\ & *x + 2*c)} + a + b)^2))/d \end{aligned}$$



$$3.44 \quad \int \frac{\sinh(c+dx)}{\left(a+b \tanh^2(c+dx)\right)^3} dx$$

**Optimal.** Leaf size=126

$$\frac{15 \cosh(c+dx)}{8d(a+b)^3} - \frac{5 \cosh(c+dx)}{8d(a+b)^2(a-b \operatorname{sech}^2(c+dx)+b)} - \frac{\cosh(c+dx)}{4d(a+b)(a-b \operatorname{sech}^2(c+dx)+b)^2} - \frac{15\sqrt{b} \tanh^{-1}\left(\frac{\sqrt{b} \operatorname{sech}(c+dx)}{\sqrt{a+b}}\right)}{8d(a+b)^{7/2}}$$

[Out] (-15\*sqrt[b]\*ArcTanh[(sqrt[b]\*Sech[c + d\*x])/sqrt[a + b]])/(8\*(a + b)^(7/2)\*d) + (15\*Cosh[c + d\*x])/(8\*(a + b)^3\*d) - Cosh[c + d\*x]/(4\*(a + b)\*d\*(a + b - b\*Sech[c + d\*x]^2)^2) - (5\*Cosh[c + d\*x])/(8\*(a + b)^2\*d\*(a + b - b\*Sech[c + d\*x]^2))

**Rubi [A]** time = 0.0966862, antiderivative size = 126, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.19$ , Rules used = {3664, 290, 325, 208}

$$\frac{15 \cosh(c+dx)}{8d(a+b)^3} - \frac{5 \cosh(c+dx)}{8d(a+b)^2(a-b \operatorname{sech}^2(c+dx)+b)} - \frac{\cosh(c+dx)}{4d(a+b)(a-b \operatorname{sech}^2(c+dx)+b)^2} - \frac{15\sqrt{b} \tanh^{-1}\left(\frac{\sqrt{b} \operatorname{sech}(c+dx)}{\sqrt{a+b}}\right)}{8d(a+b)^{7/2}}$$

Antiderivative was successfully verified.

[In] Int[Sinh[c + d\*x]/(a + b\*Tanh[c + d\*x]^2)^3, x]

[Out] (-15\*sqrt[b]\*ArcTanh[(sqrt[b]\*Sech[c + d\*x])/sqrt[a + b]])/(8\*(a + b)^(7/2)\*d) + (15\*Cosh[c + d\*x])/(8\*(a + b)^3\*d) - Cosh[c + d\*x]/(4\*(a + b)\*d\*(a + b - b\*Sech[c + d\*x]^2)^2) - (5\*Cosh[c + d\*x])/(8\*(a + b)^2\*d\*(a + b - b\*Sech[c + d\*x]^2))

#### Rule 3664

Int[sin[(e\_.) + (f\_.)\*(x\_.)]^(m\_.)\*((a\_.) + (b\_.)\*tan[(e\_.) + (f\_.)\*(x\_.)]^2)^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Sec[e + f\*x], x]}, Dist[1/(f\*ff^m), Subst[Int[(-1 + ff^2\*x^2)^((m - 1)/2)\*(a - b + b\*ff^2\*x^2)^p]/x^(m + 1), x], x, Sec[e + f\*x]/ff, x]] /; FreeQ[{a, b, e, f, p}, x] && IntegerQ[(m - 1)/2]

#### Rule 290

```
Int[((c_.)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Simp[((c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*n*(p + 1)), x] + Dist[(m + n*(p + 1) + 1)/(a*n*(p + 1)), Int[(c*x)^m*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c, m}, x] && IGtQ[n, 0] && LtQ[p, -1] && IntBinomialQ[a, b, c, n, m, p, x]
```

### Rule 325

```
Int[((c_.)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[((c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] - Dist[(b*(m + n*(p + 1) + 1))/(a*c^n*(m + 1)), Int[(c*x)^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && LtQ[m, -1] && IntBinomialQ[a, b, c, n, m, p, x]
```

### Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

### Rubi steps

$$\begin{aligned}
 \int \frac{\sinh(c + dx)}{(a + b \tanh^2(c + dx))^3} dx &= -\frac{\text{Subst}\left(\int \frac{1}{x^2(a+b-bx^2)^3} dx, x, \text{sech}(c + dx)\right)}{d} \\
 &= -\frac{\cosh(c + dx)}{4(a + b)d(a + b - b\text{sech}^2(c + dx))^2} - \frac{5 \text{Subst}\left(\int \frac{1}{x^2(a+b-bx^2)^2} dx, x, \text{sech}(c + dx)\right)}{4(a + b)d} \\
 &= -\frac{\cosh(c + dx)}{4(a + b)d(a + b - b\text{sech}^2(c + dx))^2} - \frac{5 \cosh(c + dx)}{8(a + b)^2d(a + b - b\text{sech}^2(c + dx))} - \frac{15 \text{Subst}\left(\int \frac{1}{x^2(a+b-bx^2)} dx, x, \text{sech}(c + dx)\right)}{4(a + b)d} \\
 &= \frac{15 \cosh(c + dx)}{8(a + b)^3d} - \frac{\cosh(c + dx)}{4(a + b)d(a + b - b\text{sech}^2(c + dx))^2} - \frac{5 \cosh(c + dx)}{8(a + b)^2d(a + b - b\text{sech}^2(c + dx))} \\
 &= -\frac{15\sqrt{b} \tanh^{-1}\left(\frac{\sqrt{b}\text{sech}(c+dx)}{\sqrt{a+b}}\right)}{8(a + b)^{7/2}d} + \frac{15 \cosh(c + dx)}{8(a + b)^3d} - \frac{\cosh(c + dx)}{4(a + b)d(a + b - b\text{sech}^2(c + dx))^2}
 \end{aligned}$$

**Mathematica [C]** time = 1.73717, size = 157, normalized size = 1.25

$$\frac{2 \cosh(c+dx) \left( -\frac{4b^2}{((a+b) \cosh(2(c+dx))+a-b)^2} - \frac{9b}{(a+b) \cosh(2(c+dx))+a-b} + 4 \right)}{(a+b)^3} - \frac{15i\sqrt{b} \left( \tan^{-1} \left( \frac{-\sqrt{a} \tanh\left(\frac{1}{2}(c+dx)\right) - i\sqrt{a+b}}{\sqrt{b}} \right) + \tan^{-1} \left( \frac{\sqrt{a} \tanh\left(\frac{1}{2}(c+dx)\right) - i\sqrt{a+b}}{\sqrt{b}} \right) \right)}{(a+b)^{7/2}}$$

$8d$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]/(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] (((-15\*I)\*Sqrt[b]\*(ArcTan[(-I)\*Sqrt[a + b] - Sqrt[a]\*Tanh[(c + d\*x)/2]]/Sqrt[b]) + ArcTan[(-I)\*Sqrt[a + b] + Sqrt[a]\*Tanh[(c + d\*x)/2]]/Sqrt[b]))/(a + b)^(7/2) + (2\*Cosh[c + d\*x]\*(4 - (4\*b^2)/(a - b + (a + b)\*Cosh[2\*(c + d\*x)]))^2 - (9\*b)/(a - b + (a + b)\*Cosh[2\*(c + d\*x)])))/(a + b)^3/(8\*d)

**Maple [B]** time = 0.089, size = 252, normalized size = 2.

$$\frac{1}{d} \left( \frac{1}{(a+b)^3} \left( \tanh\left(\frac{dx}{2} + \frac{c}{2}\right) + 1 \right)^{-1} + 2 \frac{b}{(a+b)^3} \left( \frac{1}{((\tanh(1/2 dx + c/2))^4 a + 2 (\tanh(1/2 dx + c/2))^2 a + 4 (\tanh(1/2 d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(d\*x+c)/(a+b\*tanh(d\*x+c)^2)^3,x)

[Out] 1/d\*(1/(a+b)^3/(tanh(1/2\*d\*x+1/2\*c)+1)+2\*b/(a+b)^3\*((-1/8\*(9\*a^2+24\*a\*b+8\*b^2)/a\*tanh(1/2\*d\*x+1/2\*c)^6-1/8/a^2\*(27\*a^3+78\*a^2\*b+88\*a\*b^2+16\*b^3)\*tanh(1/2\*d\*x+1/2\*c)^4-1/8\*(27\*a^2+56\*a\*b+8\*b^2)/a\*tanh(1/2\*d\*x+1/2\*c)^2-9/8\*a-1/4\*b)/(tanh(1/2\*d\*x+1/2\*c)^4\*a+2\*tanh(1/2\*d\*x+1/2\*c)^2\*a+4\*tanh(1/2\*d\*x+1/2\*c)^2\*b+a)^2-15/16/(a\*b+b^2)^(1/2)\*arctanh(1/4\*(2\*tanh(1/2\*d\*x+1/2\*c)^2\*a+2\*a+4\*b)/(a\*b+b^2)^(1/2)))-1/(a+b)^3/(tanh(1/2\*d\*x+1/2\*c)-1))

**Maxima [F]** time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="maxima")

```
[Out] 1/4*(2*a^2 + 4*a*b + 2*b^2 + 2*(a^2*e^(10*c) + 2*a*b*e^(10*c) + b^2*e^(10*c))
)*e^(10*d*x) + 5*(2*a^2*e^(8*c) - a*b*e^(8*c) - 3*b^2*e^(8*c))*e^(8*d*x) +
5*(4*a^2*e^(6*c) - 7*a*b*e^(6*c) + b^2*e^(6*c))*e^(6*d*x) + 5*(4*a^2*e^(4*
c) - 7*a*b*e^(4*c) + b^2*e^(4*c))*e^(4*d*x) + 5*(2*a^2*e^(2*c) - a*b*e^(2*c)
) - 3*b^2*e^(2*c))*e^(2*d*x))/((a^5*d*e^(9*c) + 5*a^4*b*d*e^(9*c) + 10*a^3*
b^2*d*e^(9*c) + 10*a^2*b^3*d*e^(9*c) + 5*a*b^4*d*e^(9*c) + b^5*d*e^(9*c))*e
^(9*d*x) + 4*(a^5*d*e^(7*c) + 3*a^4*b*d*e^(7*c) + 2*a^3*b^2*d*e^(7*c) - 2*a
^2*b^3*d*e^(7*c) - 3*a*b^4*d*e^(7*c) - b^5*d*e^(7*c))*e^(7*d*x) + 2*(3*a^5*
d*e^(5*c) + 7*a^4*b*d*e^(5*c) + 6*a^3*b^2*d*e^(5*c) + 6*a^2*b^3*d*e^(5*c) +
7*a*b^4*d*e^(5*c) + 3*b^5*d*e^(5*c))*e^(5*d*x) + 4*(a^5*d*e^(3*c) + 3*a^4*
b*d*e^(3*c) + 2*a^3*b^2*d*e^(3*c) - 2*a^2*b^3*d*e^(3*c) - 3*a*b^4*d*e^(3*c)
- b^5*d*e^(3*c))*e^(3*d*x) + (a^5*d*e^c + 5*a^4*b*d*e^c + 10*a^3*b^2*d*e^c
+ 10*a^2*b^3*d*e^c + 5*a*b^4*d*e^c + b^5*d*e^c)*e^(d*x)) + 1/2*integrate(1
5/2*(b*e^(3*d*x + 3*c) - b*e^(d*x + c))/(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^
3 + b^4 + (a^4*e^(4*c) + 4*a^3*b*e^(4*c) + 6*a^2*b^2*e^(4*c) + 4*a*b^3*e^(4
*c) + b^4*e^(4*c))*e^(4*d*x) + 2*(a^4*e^(2*c) + 2*a^3*b*e^(2*c) - 2*a*b^3*e
^(2*c) - b^4*e^(2*c))*e^(2*d*x)), x
```

**Fricas [B]** time = 3.08356, size = 17194, normalized size = 136.46

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sinh(d*x+c)/(a+b*tanh(d*x+c)^2)^3,x, algorithm="fricas")
```

```
[Out] [1/16*(8*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^10 + 80*(a^2 + 2*a*b + b^2)*cosh
(d*x + c)*sinh(d*x + c)^9 + 8*(a^2 + 2*a*b + b^2)*sinh(d*x + c)^10 + 20*(2*
a^2 - a*b - 3*b^2)*cosh(d*x + c)^8 + 20*(18*(a^2 + 2*a*b + b^2)*cosh(d*x +
c)^2 + 2*a^2 - a*b - 3*b^2)*sinh(d*x + c)^8 + 160*(6*(a^2 + 2*a*b + b^2)*co
sh(d*x + c)^3 + (2*a^2 - a*b - 3*b^2)*cosh(d*x + c))*sinh(d*x + c)^7 + 20*(
4*a^2 - 7*a*b + b^2)*cosh(d*x + c)^6 + 20*(84*(a^2 + 2*a*b + b^2)*cosh(d*x
+ c)^4 + 28*(2*a^2 - a*b - 3*b^2)*cosh(d*x + c)^2 + 4*a^2 - 7*a*b + b^2)*si
nh(d*x + c)^6 + 8*(252*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^5 + 140*(2*a^2 - a
*b - 3*b^2)*cosh(d*x + c)^3 + 15*(4*a^2 - 7*a*b + b^2)*cosh(d*x + c))*sinh(
d*x + c)^5 + 20*(4*a^2 - 7*a*b + b^2)*cosh(d*x + c)^4 + 20*(84*(a^2 + 2*a*b
+ b^2)*cosh(d*x + c)^6 + 70*(2*a^2 - a*b - 3*b^2)*cosh(d*x + c)^4 + 15*(4*
a^2 - 7*a*b + b^2)*cosh(d*x + c)^2 + 4*a^2 - 7*a*b + b^2)*sinh(d*x + c)^4 +
80*(12*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^7 + 14*(2*a^2 - a*b - 3*b^2)*cosh
(d*x + c)^5 + 5*(4*a^2 - 7*a*b + b^2)*cosh(d*x + c)^3 + (4*a^2 - 7*a*b + b^
2)*cosh(d*x + c))*sinh(d*x + c)^3 + 20*(2*a^2 - a*b - 3*b^2)*cosh(d*x + c)^
2 + 20*(18*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^8 + 28*(2*a^2 - a*b - 3*b^2)*c
```

$$\begin{aligned}
& \text{osh}(d*x + c)^6 + 15*(4*a^2 - 7*a*b + b^2)*\text{cosh}(d*x + c)^4 + 6*(4*a^2 - 7*a* \\
& b + b^2)*\text{cosh}(d*x + c)^2 + 2*a^2 - a*b - 3*b^2)*\text{sinh}(d*x + c)^2 + 15*((a^2 \\
& + 2*a*b + b^2)*\text{cosh}(d*x + c)^9 + 9*(a^2 + 2*a*b + b^2)*\text{cosh}(d*x + c)*\text{sinh}(d \\
& *x + c)^8 + (a^2 + 2*a*b + b^2)*\text{sinh}(d*x + c)^9 + 4*(a^2 - b^2)*\text{cosh}(d*x + \\
& c)^7 + 4*(9*(a^2 + 2*a*b + b^2)*\text{cosh}(d*x + c)^2 + a^2 - b^2)*\text{sinh}(d*x + c)^ \\
& 7 + 28*(3*(a^2 + 2*a*b + b^2)*\text{cosh}(d*x + c)^3 + (a^2 - b^2)*\text{cosh}(d*x + c))* \\
& \text{sinh}(d*x + c)^6 + 2*(3*a^2 - 2*a*b + 3*b^2)*\text{cosh}(d*x + c)^5 + 2*(63*(a^2 + \\
& 2*a*b + b^2)*\text{cosh}(d*x + c)^4 + 42*(a^2 - b^2)*\text{cosh}(d*x + c)^2 + 3*a^2 - 2*a \\
& *b + 3*b^2)*\text{sinh}(d*x + c)^5 + 2*(63*(a^2 + 2*a*b + b^2)*\text{cosh}(d*x + c)^5 + 7 \\
& 0*(a^2 - b^2)*\text{cosh}(d*x + c)^3 + 5*(3*a^2 - 2*a*b + 3*b^2)*\text{cosh}(d*x + c))*\text{si} \\
& \text{nh}(d*x + c)^4 + 4*(a^2 - b^2)*\text{cosh}(d*x + c)^3 + 4*(21*(a^2 + 2*a*b + b^2)*\text{c} \\
& \text{osh}(d*x + c)^6 + 35*(a^2 - b^2)*\text{cosh}(d*x + c)^4 + 5*(3*a^2 - 2*a*b + 3*b^2) \\
& *\text{cosh}(d*x + c)^2 + a^2 - b^2)*\text{sinh}(d*x + c)^3 + 4*(9*(a^2 + 2*a*b + b^2)*\text{co} \\
& \text{sh}(d*x + c)^7 + 21*(a^2 - b^2)*\text{cosh}(d*x + c)^5 + 5*(3*a^2 - 2*a*b + 3*b^2)* \\
& \text{cosh}(d*x + c)^3 + 3*(a^2 - b^2)*\text{cosh}(d*x + c))*\text{sinh}(d*x + c)^2 + (a^2 + 2*a \\
& *b + b^2)*\text{cosh}(d*x + c) + (9*(a^2 + 2*a*b + b^2)*\text{cosh}(d*x + c)^8 + 28*(a^2 \\
& - b^2)*\text{cosh}(d*x + c)^6 + 10*(3*a^2 - 2*a*b + 3*b^2)*\text{cosh}(d*x + c)^4 + 12*(a \\
& ^2 - b^2)*\text{cosh}(d*x + c)^2 + a^2 + 2*a*b + b^2)*\text{sinh}(d*x + c))*\text{sqrt}(b/(a + b \\
& ))*\text{log}(((a + b)*\text{cosh}(d*x + c)^4 + 4*(a + b)*\text{cosh}(d*x + c)*\text{sinh}(d*x + c)^3 + \\
& (a + b)*\text{sinh}(d*x + c)^4 + 2*(a + 3*b)*\text{cosh}(d*x + c)^2 + 2*(3*(a + b)*\text{cosh}( \\
& d*x + c)^2 + a + 3*b)*\text{sinh}(d*x + c)^2 + 4*((a + b)*\text{cosh}(d*x + c)^3 + (a + 3 \\
& *b)*\text{cosh}(d*x + c))*\text{sinh}(d*x + c) - 4*((a + b)*\text{cosh}(d*x + c)^3 + 3*(a + b)*\text{c} \\
& \text{osh}(d*x + c)*\text{sinh}(d*x + c)^2 + (a + b)*\text{sinh}(d*x + c)^3 + (a + b)*\text{cosh}(d*x + \\
& c) + (3*(a + b)*\text{cosh}(d*x + c)^2 + a + b)*\text{sinh}(d*x + c))*\text{sqrt}(b/(a + b)) + \\
& a + b)/((a + b)*\text{cosh}(d*x + c)^4 + 4*(a + b)*\text{cosh}(d*x + c)*\text{sinh}(d*x + c)^3 + \\
& (a + b)*\text{sinh}(d*x + c)^4 + 2*(a - b)*\text{cosh}(d*x + c)^2 + 2*(3*(a + b)*\text{cosh}(d* \\
& x + c)^2 + a - b)*\text{sinh}(d*x + c)^2 + 4*((a + b)*\text{cosh}(d*x + c)^3 + (a - b)*\text{co} \\
& \text{sh}(d*x + c))*\text{sinh}(d*x + c) + a + b)) + 8*a^2 + 16*a*b + 8*b^2 + 40*(2*(a^2 \\
& + 2*a*b + b^2)*\text{cosh}(d*x + c)^9 + 4*(2*a^2 - a*b - 3*b^2)*\text{cosh}(d*x + c)^7 + \\
& 3*(4*a^2 - 7*a*b + b^2)*\text{cosh}(d*x + c)^5 + 2*(4*a^2 - 7*a*b + b^2)*\text{cosh}(d*x \\
& + c)^3 + (2*a^2 - a*b - 3*b^2)*\text{cosh}(d*x + c))*\text{sinh}(d*x + c))/((a^5 + 5*a^4*b \\
& + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*\text{cosh}(d*x + c)^9 + 9*(a^5 + 5 \\
& *a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*\text{cosh}(d*x + c)*\text{sinh}(d*x \\
& + c)^8 + (a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*\text{sinh}(d \\
& *x + c)^9 + 4*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d*\text{cos} \\
& \text{h}(d*x + c)^7 + 4*(9*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^ \\
& 5)*d*\text{cosh}(d*x + c)^2 + (a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b \\
& ^5)*d)*\text{sinh}(d*x + c)^7 + 2*(3*a^5 + 7*a^4*b + 6*a^3*b^2 + 6*a^2*b^3 + 7*a*b \\
& ^4 + 3*b^5)*d*\text{cosh}(d*x + c)^5 + 28*(3*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2* \\
& b^3 + 5*a*b^4 + b^5)*d*\text{cosh}(d*x + c)^3 + (a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2 \\
& *b^3 - 3*a*b^4 - b^5)*d*\text{cosh}(d*x + c))*\text{sinh}(d*x + c)^6 + 2*(63*(a^5 + 5*a^4 \\
& *b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*\text{cosh}(d*x + c)^4 + 42*(a^5 + \\
& 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d*\text{cosh}(d*x + c)^2 + (3*a^ \\
& 5 + 7*a^4*b + 6*a^3*b^2 + 6*a^2*b^3 + 7*a*b^4 + 3*b^5)*d)*\text{sinh}(d*x + c)^5 + \\
& 4*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d*\text{cosh}(d*x + c)^
\end{aligned}$$

$$\begin{aligned}
& 3 + 2*(63*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*\cosh(d*x + c)^5 + 70*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d*\cosh(d*x + c)^3 + 5*(3*a^5 + 7*a^4*b + 6*a^3*b^2 + 6*a^2*b^3 + 7*a*b^4 + 3*b^5)*d*\cosh(d*x + c))*\sinh(d*x + c)^4 + 4*(21*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*\cosh(d*x + c)^6 + 35*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d*\cosh(d*x + c)^4 + 5*(3*a^5 + 7*a^4*b + 6*a^3*b^2 + 6*a^2*b^3 + 7*a*b^4 + 3*b^5)*d*\cosh(d*x + c)^2 + (a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d*\sinh(d*x + c)^3 + (a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*\cosh(d*x + c) + 4*(9*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*\cosh(d*x + c)^7 + 21*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d*\cosh(d*x + c)^5 + 5*(3*a^5 + 7*a^4*b + 6*a^3*b^2 + 6*a^2*b^3 + 7*a*b^4 + 3*b^5)*d*\cosh(d*x + c)^3 + 3*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d*\cosh(d*x + c))*\sinh(d*x + c)^2 + (9*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*\cosh(d*x + c)^8 + 28*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d*\cosh(d*x + c)^6 + 10*(3*a^5 + 7*a^4*b + 6*a^3*b^2 + 6*a^2*b^3 + 7*a*b^4 + 3*b^5)*d*\cosh(d*x + c)^4 + 12*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d*\cosh(d*x + c)^2 + (a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*\sinh(d*x + c)), 1/8*(4*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^10 + 40*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)*\sinh(d*x + c)^9 + 4*(a^2 + 2*a*b + b^2)*\sinh(d*x + c)^10 + 10*(2*a^2 - a*b - 3*b^2)*\cosh(d*x + c)^8 + 10*(18*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^2 + 2*a^2 - a*b - 3*b^2)*\sinh(d*x + c)^8 + 80*(6*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^3 + (2*a^2 - a*b - 3*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^7 + 10*(4*a^2 - 7*a*b + b^2)*\cosh(d*x + c)^6 + 10*(84*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^4 + 28*(2*a^2 - a*b - 3*b^2)*\cosh(d*x + c)^2 + 4*a^2 - 7*a*b + b^2)*\sinh(d*x + c)^6 + 4*(252*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^5 + 140*(2*a^2 - a*b - 3*b^2)*\cosh(d*x + c)^3 + 15*(4*a^2 - 7*a*b + b^2)*\cosh(d*x + c))*\sinh(d*x + c)^5 + 10*(4*a^2 - 7*a*b + b^2)*\cosh(d*x + c)^4 + 10*(84*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^6 + 70*(2*a^2 - a*b - 3*b^2)*\cosh(d*x + c)^4 + 15*(4*a^2 - 7*a*b + b^2)*\cosh(d*x + c)^2 + 4*a^2 - 7*a*b + b^2)*\sinh(d*x + c)^4 + 40*(12*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^7 + 14*(2*a^2 - a*b - 3*b^2)*\cosh(d*x + c)^5 + 5*(4*a^2 - 7*a*b + b^2)*\cosh(d*x + c)^3 + (4*a^2 - 7*a*b + b^2)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 10*(2*a^2 - a*b - 3*b^2)*\cosh(d*x + c)^2 + 10*(18*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^8 + 28*(2*a^2 - a*b - 3*b^2)*\cosh(d*x + c)^6 + 15*(4*a^2 - 7*a*b + b^2)*\cosh(d*x + c)^4 + 6*(4*a^2 - 7*a*b + b^2)*\cosh(d*x + c)^2 + 2*a^2 - a*b - 3*b^2)*\sinh(d*x + c)^2 - 15*((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^9 + 9*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)*\sinh(d*x + c)^8 + (a^2 + 2*a*b + b^2)*\sinh(d*x + c)^9 + 4*(a^2 - b^2)*\cosh(d*x + c)^7 + 4*(9*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^2 + a^2 - b^2)*\sinh(d*x + c)^7 + 28*(3*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^3 + (a^2 - b^2)*\cosh(d*x + c))*\sinh(d*x + c)^6 + 2*(3*a^2 - 2*a*b + 3*b^2)*\cosh(d*x + c)^5 + 2*(63*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^4 + 42*(a^2 - b^2)*\cosh(d*x + c)^2 + 3*a^2 - 2*a*b + 3*b^2)*\sinh(d*x + c)^5 + 2*(63*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^5 + 70*(a^2 - b^2)*\cosh(d*x + c)^3 + 5*(3*a^2 - 2*a*b + 3*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^4 + 4*(a^2 - b^2)*
\end{aligned}$$

$$\begin{aligned}
& \cosh(dx + c)^3 + 4*(21*(a^2 + 2*a*b + b^2)*\cosh(dx + c)^6 + 35*(a^2 - b^2) \\
& )*\cosh(dx + c)^4 + 5*(3*a^2 - 2*a*b + 3*b^2)*\cosh(dx + c)^2 + a^2 - b^2)* \\
& \sinh(dx + c)^3 + 4*(9*(a^2 + 2*a*b + b^2)*\cosh(dx + c)^7 + 21*(a^2 - b^2) \\
& )*\cosh(dx + c)^5 + 5*(3*a^2 - 2*a*b + 3*b^2)*\cosh(dx + c)^3 + 3*(a^2 - b^2) \\
& )*\cosh(dx + c))*\sinh(dx + c)^2 + (a^2 + 2*a*b + b^2)*\cosh(dx + c) + (9*( \\
& a^2 + 2*a*b + b^2)*\cosh(dx + c)^8 + 28*(a^2 - b^2)*\cosh(dx + c)^6 + 10*(3 \\
& *a^2 - 2*a*b + 3*b^2)*\cosh(dx + c)^4 + 12*(a^2 - b^2)*\cosh(dx + c)^2 + a^2 \\
& + 2*a*b + b^2)*\sinh(dx + c))*\sqrt{-b/(a + b)}*\arctan(1/2*((a + b)*\cosh(d \\
& *x + c)^3 + 3*(a + b)*\cosh(dx + c)*\sinh(dx + c)^2 + (a + b)*\sinh(dx + c) \\
& ^3 + (a - 3*b)*\cosh(dx + c) + (3*(a + b)*\cosh(dx + c)^2 + a - 3*b)*\sinh(d \\
& *x + c))*\sqrt{-b/(a + b)})/b + 15*((a^2 + 2*a*b + b^2)*\cosh(dx + c)^9 + 9* \\
& (a^2 + 2*a*b + b^2)*\cosh(dx + c)*\sinh(dx + c)^8 + (a^2 + 2*a*b + b^2)*\sin \\
& h(dx + c)^9 + 4*(a^2 - b^2)*\cosh(dx + c)^7 + 4*(9*(a^2 + 2*a*b + b^2)*\cos \\
& h(dx + c)^2 + a^2 - b^2)*\sinh(dx + c)^7 + 28*(3*(a^2 + 2*a*b + b^2)*\cosh( \\
& dx + c)^3 + (a^2 - b^2)*\cosh(dx + c))*\sinh(dx + c)^6 + 2*(3*a^2 - 2*a*b \\
& + 3*b^2)*\cosh(dx + c)^5 + 2*(63*(a^2 + 2*a*b + b^2)*\cosh(dx + c)^4 + 42*( \\
& a^2 - b^2)*\cosh(dx + c)^2 + 3*a^2 - 2*a*b + 3*b^2)*\sinh(dx + c)^5 + 2*(63 \\
& *(a^2 + 2*a*b + b^2)*\cosh(dx + c)^5 + 70*(a^2 - b^2)*\cosh(dx + c)^3 + 5*( \\
& 3*a^2 - 2*a*b + 3*b^2)*\cosh(dx + c))*\sinh(dx + c)^4 + 4*(a^2 - b^2)*\cosh( \\
& dx + c)^3 + 4*(21*(a^2 + 2*a*b + b^2)*\cosh(dx + c)^6 + 35*(a^2 - b^2)*\cos \\
& h(dx + c)^4 + 5*(3*a^2 - 2*a*b + 3*b^2)*\cosh(dx + c)^2 + a^2 - b^2)*\sinh( \\
& dx + c)^3 + 4*(9*(a^2 + 2*a*b + b^2)*\cosh(dx + c)^7 + 21*(a^2 - b^2)*\cosh \\
& (dx + c)^5 + 5*(3*a^2 - 2*a*b + 3*b^2)*\cosh(dx + c)^3 + 3*(a^2 - b^2)*\cos \\
& h(dx + c))*\sinh(dx + c)^2 + (a^2 + 2*a*b + b^2)*\cosh(dx + c) + (9*(a^2 + \\
& 2*a*b + b^2)*\cosh(dx + c)^8 + 28*(a^2 - b^2)*\cosh(dx + c)^6 + 10*(3*a^2 \\
& - 2*a*b + 3*b^2)*\cosh(dx + c)^4 + 12*(a^2 - b^2)*\cosh(dx + c)^2 + a^2 + 2 \\
& *a*b + b^2)*\sinh(dx + c))*\sqrt{-b/(a + b)}*\arctan(1/2*((a + b)*\cosh(dx + \\
& c) + (a + b)*\sinh(dx + c))*\sqrt{-b/(a + b)})/b + 4*a^2 + 8*a*b + 4*b^2 + 2 \\
& 0*(2*(a^2 + 2*a*b + b^2)*\cosh(dx + c)^9 + 4*(2*a^2 - a*b - 3*b^2)*\cosh(dx \\
& + c)^7 + 3*(4*a^2 - 7*a*b + b^2)*\cosh(dx + c)^5 + 2*(4*a^2 - 7*a*b + b^2) \\
& )*\cosh(dx + c)^3 + (2*a^2 - a*b - 3*b^2)*\cosh(dx + c))*\sinh(dx + c))/((a^ \\
& 5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*\cosh(dx + c)^9 + \\
& 9*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*\cosh(dx + c) \\
& )*\sinh(dx + c)^8 + (a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5 \\
& )*d*\sinh(dx + c)^9 + 4*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - \\
& b^5)*d*\cosh(dx + c)^7 + 4*(9*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5* \\
& a*b^4 + b^5)*d*\cosh(dx + c)^2 + (a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3 \\
& *a*b^4 - b^5)*d)*\sinh(dx + c)^7 + 2*(3*a^5 + 7*a^4*b + 6*a^3*b^2 + 6*a^2*b \\
& ^3 + 7*a*b^4 + 3*b^5)*d*\cosh(dx + c)^5 + 28*(3*(a^5 + 5*a^4*b + 10*a^3*b^2 \\
& + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*\cosh(dx + c)^3 + (a^5 + 3*a^4*b + 2*a^3*b \\
& ^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d*\cosh(dx + c))*\sinh(dx + c)^6 + 2*(63*(a \\
& ^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*\cosh(dx + c)^4 + \\
& 42*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d*\cosh(dx + c) \\
& ^2 + (3*a^5 + 7*a^4*b + 6*a^3*b^2 + 6*a^2*b^3 + 7*a*b^4 + 3*b^5)*d)*\sinh(dx \\
& + c)^5 + 4*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d*\cosh
\end{aligned}$$

$$\begin{aligned}
& (d*x + c)^3 + 2*(63*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*\cosh(d*x + c)^5 + 70*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 \\
& - b^5)*d*\cosh(d*x + c)^3 + 5*(3*a^5 + 7*a^4*b + 6*a^3*b^2 + 6*a^2*b^3 + 7*a*b^4 + 3*b^5)*d*\cosh(d*x + c))*\sinh(d*x + c)^4 + 4*(21*(a^5 + 5*a^4*b + 10* \\
& a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*\cosh(d*x + c)^6 + 35*(a^5 + 3*a^4*b \\
& + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d*\cosh(d*x + c)^4 + 5*(3*a^5 + 7* \\
& a^4*b + 6*a^3*b^2 + 6*a^2*b^3 + 7*a*b^4 + 3*b^5)*d*\cosh(d*x + c)^2 + (a^5 + \\
& 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d*\sinh(d*x + c)^3 + (a^5 + \\
& 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*\cosh(d*x + c) + 4*( \\
& 9*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*\cosh(d*x + c) \\
& ^7 + 21*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d*\cosh(d*x \\
& + c)^5 + 5*(3*a^5 + 7*a^4*b + 6*a^3*b^2 + 6*a^2*b^3 + 7*a*b^4 + 3*b^5)*d*\co \\
& sh(d*x + c)^3 + 3*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d \\
& *\cosh(d*x + c))*\sinh(d*x + c)^2 + (9*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b \\
& ^3 + 5*a*b^4 + b^5)*d*\cosh(d*x + c)^8 + 28*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a \\
& ^2*b^3 - 3*a*b^4 - b^5)*d*\cosh(d*x + c)^6 + 10*(3*a^5 + 7*a^4*b + 6*a^3*b^2 \\
& + 6*a^2*b^3 + 7*a*b^4 + 3*b^5)*d*\cosh(d*x + c)^4 + 12*(a^5 + 3*a^4*b + 2*a \\
& ^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d*\cosh(d*x + c)^2 + (a^5 + 5*a^4*b + 10 \\
& *a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*\sinh(d*x + c))]
\end{aligned}$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)/(a+b\*tanh(d\*x+c)\*\*2)\*\*3,x)

[Out] Timed out

**Giac [C]** time = 2.0028, size = 8412, normalized size = 66.76

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out]  $\frac{1}{32}*(30*(3*(a^4*b*e^{(4*c)} + 4*a^3*b^2*e^{(4*c)} + 6*a^2*b^3*e^{(4*c)} + 4*a*b^4*e^{(4*c)} + b^5*e^{(4*c)})*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))$



$$\begin{aligned} &^2 \cosh\left(\frac{1}{2} \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))\right)^3 \sin\left(\frac{1}{2} \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))\right) - (a^4 b^3 e^{4c} + 4a^3 b^2 e^{4c} + 6a^2 b^3 e^{4c} + 4a b^4 e^{4c} + b^5 e^{4c}) \\ &\cosh\left(\frac{1}{2} \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))\right)^3 \sin\left(\frac{1}{2} \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))\right)^3 - 9(a^4 b^3 e^{4c} + 4a^3 b^2 e^{4c} + 6a^2 b^3 e^{4c} + 4a b^4 e^{4c} + b^5 e^{4c}) \\ &\cos\left(\frac{1}{2} \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))\right)^2 \cosh\left(\frac{1}{2} \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))\right)^2 \sin\left(\frac{1}{2} \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))\right) \\ &\sinh\left(\frac{1}{2} \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))\right) + 3(a^4 b^3 e^{4c} + 4a^3 b^2 e^{4c} + 6a^2 b^3 e^{4c} + 4a b^4 e^{4c} + b^5 e^{4c}) \\ &\cosh\left(\frac{1}{2} \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))\right)^2 \sin\left(\frac{1}{2} \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))\right)^3 \sinh\left(\frac{1}{2} \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))\right) \\ &+ 9(a^4 b^3 e^{4c} + 4a^3 b^2 e^{4c} + 6a^2 b^3 e^{4c} + 4a b^4 e^{4c} + b^5 e^{4c}) \cos\left(\frac{1}{2} \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))\right)^2 \cosh\left(\frac{1}{2} \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))\right) \\ &\sin\left(\frac{1}{2} \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))\right) \sinh\left(\frac{1}{2} \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))\right)^2 - 3(a^4 b^3 e^{4c} + 4a^3 b^2 e^{4c} + 6a^2 b^3 e^{4c} + 4a b^4 e^{4c} + b^5 e^{4c}) \\ &\cosh\left(\frac{1}{2} \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))\right) \sin\left(\frac{1}{2} \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))\right)^3 \sinh\left(\frac{1}{2} \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))\right)^2 - 3(a^4 b^3 e^{4c} + 4a^3 b^2 e^{4c} + 6a^2 b^3 e^{4c} + 4a b^4 e^{4c} + b^5 e^{4c}) \\ &\cos\left(\frac{1}{2} \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))\right)^2 \sin\left(\frac{1}{2} \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))\right) \sinh\left(\frac{1}{2} \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))\right)^3 \\ &+ (a^4 b^3 e^{4c} + 4a^3 b^2 e^{4c} + 6a^2 b^3 e^{4c} + 4a b^4 e^{4c} + b^5 e^{4c}) \sin\left(\frac{1}{2} \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))\right)^3 \sinh\left(\frac{1}{2} \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))\right)^3 - (a^4 b^3 e^{4c} + 4a^3 b^2 e^{4c} + 6a^2 b^3 e^{4c} + 4a b^4 e^{4c} + b^5 e^{4c}) \\ &\cosh\left(\frac{1}{2} \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))\right) \sin\left(\frac{1}{2} \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))\right) + (a^4 b^3 e^{4c} + 4a^3 b^2 e^{4c} + 6a^2 b^3 e^{4c} + 4a b^4 e^{4c} + b^5 e^{4c}) \\ &\sin\left(\frac{1}{2} \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))\right) \sinh\left(\frac{1}{2} \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))\right) \operatorname{arctan}\left(\left(\frac{a^4 + 4a^3 b + 6a^2 b^2 + 4a b^3 + b^4}{a^4 e^{4c} + 4a^3 b^3 e^{4c} + 6a^2 b^2 e^{4c} + 4a b^3 e^{4c} + b^4 e^{4c}}\right)^{\frac{1}{4}} \cos\left(\frac{1}{2} \arccos\left(\frac{-a-b}{a+b}\right)\right) + e^{dx}\right) / \left(\left(\frac{a^4 + 4a^3 b + 6a^2 b^2 + 4a b^3 + b^4}{a^4 e^{4c} + 4a^3 b^3 e^{4c} + 6a^2 b^2 e^{4c} + 4a b^3 e^{4c} + b^4 e^{4c}}\right)^{\frac{1}{4}} \sin\left(\frac{1}{2} \arccos\left(\frac{-a-b}{a+b}\right)\right)\right) / \left(2(a^3 e^{2c} + 3a^2 b e^{2c} + 3a b^2 e^{2c} + b^3 e^{2c})^2 a b + (a^4 e^{2c} + 2a^3 b e^{2c} - 2a b^3 e^{2c} - b^4 e^{2c}) \sqrt{-ab} \operatorname{abs}(-a^3 e^{2c} - 3a^2 b e^{2c} - 3a b^2 e^{2c} - b^3 e^{2c})\right) + 30(3(a^4 b^3 e^{4c} + 4a^3 b^2 e^{4c} + 6a^2 b^3 e^{4c} + 4a b^4 e^{4c} + b^5 e^{4c}) \cos\left(\frac{1}{2} \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))\right)^2 \cosh\left(\frac{1}{2} \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))\right)^3 \sin\left(\frac{1}{2} \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))\right) - (a^4 b^3 e^{4c} + 4a^3 b^2 e^{4c} + 6a^2 b^3 e^{4c} + 4a b^4 e^{4c} + b^5 e^{4c}) \cosh\left(\frac{1}{2} \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))\right)^3 \sin\left(\frac{1}{2} \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))\right)^3 - 9(a^4 b^3 e^{4c} + 4a^3 b^2 e^{4c} + 6a^2 b^3 e^{4c} + 4a b^4 e^{4c} + b^5 e^{4c}) \cos\left(\frac{1}{2} \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))\right)^2 \cosh\left(\frac{1}{2} \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))\right)^2 \sin\left(\frac{1}{2} \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))\right) \sinh\left(\frac{1}{2} \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))\right) \right) \end{aligned}$$

$$\begin{aligned}
& 2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b)))^2*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) + 3*(a^4*b*e^{4*c} + 4*a^3*b^2*e^{4*c} + 6*a^2*b^3*e^{4*c} + 4*a*b^4*e^{4*c} + b^5*e^{4*c})*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) + 9*(a^4*b*e^{4*c} + 4*a^3*b^2*e^{4*c} + 6*a^2*b^3*e^{4*c} + 4*a*b^4*e^{4*c} + b^5*e^{4*c})*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 - 3*(a^4*b*e^{4*c} + 4*a^3*b^2*e^{4*c} + 6*a^2*b^3*e^{4*c} + 4*a*b^4*e^{4*c} + b^5*e^{4*c})*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 - 3*(a^4*b*e^{4*c} + 4*a^3*b^2*e^{4*c} + 6*a^2*b^3*e^{4*c} + 4*a*b^4*e^{4*c} + b^5*e^{4*c})*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 + (a^4*b*e^{4*c} + 4*a^3*b^2*e^{4*c} + 6*a^2*b^3*e^{4*c} + 4*a*b^4*e^{4*c} + b^5*e^{4*c})*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 - (a^4*b*e^{4*c} + 4*a^3*b^2*e^{4*c} + 6*a^2*b^3*e^{4*c} + 4*a*b^4*e^{4*c} + b^5*e^{4*c})*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b)))) + (a^4*b*e^{4*c} + 4*a^3*b^2*e^{4*c} + 6*a^2*b^3*e^{4*c} + 4*a*b^4*e^{4*c} + b^5*e^{4*c})*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))*\arctan(-(((a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)/(a^4*e^{4*c} + 4*a^3*b*e^{4*c} + 6*a^2*b^2*e^{4*c} + 4*a*b^3*e^{4*c} + b^4*e^{4*c}))^{1/4}*\cos(1/2*\arccos(-(a - b)/(a + b))) - e^{(d*x)})/(((a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)/(a^4*e^{4*c} + 4*a^3*b*e^{4*c} + 6*a^2*b^2*e^{4*c} + 4*a*b^3*e^{4*c} + b^4*e^{4*c}))^{1/4}*\sin(1/2*\arccos(-(a - b)/(a + b))))/(2*(a^3*e^{2*c} + 3*a^2*b*e^{2*c} + 3*a*b^2*e^{2*c} + b^3*e^{2*c}))^2*a*b + (a^4*e^{2*c} + 2*a^3*b*e^{2*c} - 2*a*b^3*e^{2*c} - b^4*e^{2*c})*\sqrt{-a*b}*abs(-a^3*e^{2*c} - 3*a^2*b*e^{2*c} - 3*a*b^2*e^{2*c} - b^3*e^{2*c})) + 15*((a^4*b*e^{4*c} + 4*a^3*b^2*e^{4*c} + 6*a^2*b^3*e^{4*c} + 4*a*b^4*e^{4*c} + b^5*e^{4*c})*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 - 3*(a^4*b*e^{4*c} + 4*a^3*b^2*e^{4*c} + 6*a^2*b^3*e^{4*c} + 4*a*b^4*e^{4*c} + b^5*e^{4*c})*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 - 3*(a^4*b*e^{4*c} + 4*a^3*b^2*e^{4*c} + 6*a^2*b^3*e^{4*c} + 4*a*b^4*e^{4*c} + b^5*e^{4*c})*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) + 9*(a^4*b*e^{4*c} + 4*a^3*b^2*e^{4*c} + 6*a^2*b^3*e^{4*c} + 4*a*b^4*e^{4*c} + b^5*e^{4*c})*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2
\end{aligned}$$

$$\begin{aligned}
& * \sinh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) + 3 * (a^4 * b * e^{(4*c)} + 4 * \\
& a^3 * b^2 * e^{(4*c)} + 6 * a^2 * b^3 * e^{(4*c)} + 4 * a * b^4 * e^{(4*c)} + b^5 * e^{(4*c)}) * \cos(1 \\
& /2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \cosh(1/2 * \operatorname{imag\_part}(\arccos(- \\
& a/(a+b) + b/(a+b)))) * \sinh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))) \\
& )^2 - 9 * (a^4 * b * e^{(4*c)} + 4 * a^3 * b^2 * e^{(4*c)} + 6 * a^2 * b^3 * e^{(4*c)} + 4 * a * b^4 * e^{(4*c)} \\
& + b^5 * e^{(4*c)}) * \cos(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \cosh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))) \\
& ) * \sin(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 * \sinh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))) \\
& )^2 - (a^4 * b * e^{(4*c)} + 4 * a^3 * b^2 * e^{(4*c)} + 6 * a^2 * b^3 * e^{(4*c)} + 4 * a * b^4 * e^{(4*c)} \\
& + b^5 * e^{(4*c)}) * \cos(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \sinh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))) \\
& )^3 + 3 * (a^4 * b * e^{(4*c)} + 4 * a^3 * b^2 * e^{(4*c)} + 6 * a^2 * b^3 * e^{(4*c)} + 4 * a * b^4 * e^{(4*c)} + b^5 * e^{(4*c)}) * \cos(1 \\
& /2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sin(1/2 * \operatorname{real\_part}(\arccos(-a/( \\
& a+b) + b/(a+b))))^2 * \sinh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) \\
& )^3 - (a^4 * b * e^{(4*c)} + 4 * a^3 * b^2 * e^{(4*c)} + 6 * a^2 * b^3 * e^{(4*c)} + 4 * a * b^4 * e^{(4*c)} \\
& + b^5 * e^{(4*c)}) * \cos(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \cosh(1 \\
& /2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) + (a^4 * b * e^{(4*c)} + 4 * a^3 * b^2 * \\
& e^{(4*c)} + 6 * a^2 * b^3 * e^{(4*c)} + 4 * a * b^4 * e^{(4*c)} + b^5 * e^{(4*c)}) * \cos(1/2 * \operatorname{real\_p} \\
& \operatorname{art}(\arccos(-a/(a+b) + b/(a+b)))) * \sinh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + \\
& b/(a+b)))) * \log(2 * ((a^4 + 4 * a^3 * b + 6 * a^2 * b^2 + 4 * a * b^3 + b^4)/(a^4 * e^{(4 \\
& *c)} + 4 * a^3 * b * e^{(4*c)} + 6 * a^2 * b^2 * e^{(4*c)} + 4 * a * b^3 * e^{(4*c)} + b^4 * e^{(4*c)})) \\
& )^{(1/4)} * \cos(1/2 * \arccos(-(a-b)/(a+b))) * e^{(d*x)} + \sqrt{(a^4 + 4 * a^3 * b + 6 * \\
& a^2 * b^2 + 4 * a * b^3 + b^4)/(a^4 * e^{(4*c)} + 4 * a^3 * b * e^{(4*c)} + 6 * a^2 * b^2 * e^{(4*c)} \\
& + 4 * a * b^3 * e^{(4*c)} + b^4 * e^{(4*c)})} + e^{(2*d*x)})/(2 * (a^3 * e^{(2*c)} + 3 * a^2 * b * e^{(2 \\
& *c)} + 3 * a * b^2 * e^{(2*c)} + b^3 * e^{(2*c)})^2 * a * b + (a^4 * e^{(2*c)} + 2 * a^3 * b * e^{(2 \\
& *c)} - 2 * a * b^3 * e^{(2*c)} - b^4 * e^{(2*c)}) * \sqrt{-a * b} * \operatorname{abs}(-a^3 * e^{(2*c)} - 3 * a^2 * b * \\
& e^{(2*c)} - 3 * a * b^2 * e^{(2*c)} - b^3 * e^{(2*c)})) - 15 * ((a^4 * b * e^{(4*c)} + 4 * a^3 * b^2 * \\
& e^{(4*c)} + 6 * a^2 * b^3 * e^{(4*c)} + 4 * a * b^4 * e^{(4*c)} + b^5 * e^{(4*c)}) * \cos(1/2 * \operatorname{real\_p} \\
& \operatorname{art}(\arccos(-a/(a+b) + b/(a+b))))^3 * \cosh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) \\
& + b/(a+b))))^3 - 3 * (a^4 * b * e^{(4*c)} + 4 * a^3 * b^2 * e^{(4*c)} + 6 * a^2 * b^3 * e^{(4*c)} \\
& + 4 * a * b^4 * e^{(4*c)} + b^5 * e^{(4*c)}) * \cos(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/ \\
& (a+b)))) * \cosh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \sin(1/2 * \operatorname{re} \\
& \operatorname{al\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - 3 * (a^4 * b * e^{(4*c)} + 4 * a^3 * b^2 * e^{(4*c)} \\
& + 6 * a^2 * b^3 * e^{(4*c)} + 4 * a * b^4 * e^{(4*c)} + b^5 * e^{(4*c)}) * \cos(1/2 * \operatorname{real\_pa} \\
& \operatorname{rt}(\arccos(-a/(a+b) + b/(a+b))))^3 * \cosh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) \\
& + b/(a+b))))^2 * \sinh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) + 9 * (a \\
& ^4 * b * e^{(4*c)} + 4 * a^3 * b^2 * e^{(4*c)} + 6 * a^2 * b^3 * e^{(4*c)} + 4 * a * b^4 * e^{(4*c)} + b^ \\
& ^5 * e^{(4*c)}) * \cos(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \cosh(1/2 * \operatorname{imag} \\
& \_part(\arccos(-a/(a+b) + b/(a+b))))^2 * \sin(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) \\
& ) + b/(a+b))))^2 * \sinh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) + 3 * \\
& (a^4 * b * e^{(4*c)} + 4 * a^3 * b^2 * e^{(4*c)} + 6 * a^2 * b^3 * e^{(4*c)} + 4 * a * b^4 * e^{(4*c)} + \\
& b^5 * e^{(4*c)}) * \cos(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \cosh(1/2 * \\
& \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sinh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a \\
& + b) + b/(a+b))))^2 - 9 * (a^4 * b * e^{(4*c)} + 4 * a^3 * b^2 * e^{(4*c)} + 6 * a^2 * b^3 * e^{(4*c)} \\
& + 4 * a * b^4 * e^{(4*c)} + b^5 * e^{(4*c)}) * \cos(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b)
\end{aligned}$$

$$\begin{aligned}
& + b/(a + b)))*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sin(1/2* \\
& \text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\sinh(1/2*\text{imag\_part}(\arccos(-a/( \\
& a + b) + b/(a + b))))^2 - (a^4*b*e^{(4*c)} + 4*a^3*b^2*e^{(4*c)} + 6*a^2*b^3*e^{(4*c)} \\
& + 4*a*b^4*e^{(4*c)} + b^5*e^{(4*c)})*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) \\
& + b/(a + b))))^3*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 + 3* \\
& (a^4*b*e^{(4*c)} + 4*a^3*b^2*e^{(4*c)} + 6*a^2*b^3*e^{(4*c)} + 4*a*b^4*e^{(4*c)} + \\
& b^5*e^{(4*c)})*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sin(1/2*\text{rea} \\
& \text{l\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + \\
& b) + b/(a + b))))^3 - (a^4*b*e^{(4*c)} + 4*a^3*b^2*e^{(4*c)} + 6*a^2*b^3*e^{(4* \\
& c)} + 4*a*b^4*e^{(4*c)} + b^5*e^{(4*c)})*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b \\
& /(a + b))))*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) + (a^4*b*e^{(4*c)} \\
& + 4*a^3*b^2*e^{(4*c)} + 6*a^2*b^3*e^{(4*c)} + 4*a*b^4*e^{(4*c)} + b^5*e^{(4* \\
& c)})*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sinh(1/2*\text{imag\_part}(a \\
& \text{rccos}(-a/(a + b) + b/(a + b))))*\log(-2*((a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b \\
& ^3 + b^4)/(a^4*e^{(4*c)} + 4*a^3*b*e^{(4*c)} + 6*a^2*b^2*e^{(4*c)} + 4*a*b^3*e^{(4 \\
& *c)} + b^4*e^{(4*c)}))^{(1/4)}*\cos(1/2*\arccos(-(a - b)/(a + b)))*e^{(d*x)} + \text{sqrt}( \\
& (a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)/(a^4*e^{(4*c)} + 4*a^3*b*e^{(4*c)} \\
& + 6*a^2*b^2*e^{(4*c)} + 4*a*b^3*e^{(4*c)} + b^4*e^{(4*c)})) + e^{(2*d*x)})/(2*(a^3* \\
& e^{(2*c)} + 3*a^2*b*e^{(2*c)} + 3*a*b^2*e^{(2*c)} + b^3*e^{(2*c)})^2*a*b + (a^4*e^{( \\
& 2*c)} + 2*a^3*b*e^{(2*c)} - 2*a*b^3*e^{(2*c)} - b^4*e^{(2*c)})*\text{sqrt}(-a*b)*\text{abs}(-a^3 \\
& *e^{(2*c)} - 3*a^2*b*e^{(2*c)} - 3*a*b^2*e^{(2*c)} - b^3*e^{(2*c)})) + 16*e^{(d*x + \\
& 14*c)}/(a^3*e^{(13*c)} + 3*a^2*b*e^{(13*c)} + 3*a*b^2*e^{(13*c)} + b^3*e^{(13*c)}) + \\
& 16*e^{(-d*x)}/(a^3*e^c + 3*a^2*b*e^c + 3*a*b^2*e^c + b^3*e^c) - 8*(9*a*b*e^{( \\
& 7*d*x + 7*c)} + 9*b^2*e^{(7*d*x + 7*c)} + 27*a*b*e^{(5*d*x + 5*c)} - b^2*e^{(5*d* \\
& x + 5*c)} + 27*a*b*e^{(3*d*x + 3*c)} - b^2*e^{(3*d*x + 3*c)} + 9*a*b*e^{(d*x + c)} \\
& + 9*b^2*e^{(d*x + c)})/((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*(a*e^{(4*d*x + 4*c)} + \\
& b*e^{(4*d*x + 4*c)} + 2*a*e^{(2*d*x + 2*c)} - 2*b*e^{(2*d*x + 2*c)} + a + b)^2) \\
& /d
\end{aligned}$$

$$3.45 \quad \int \frac{\operatorname{csch}(c+dx)}{\left(a+b \tanh^2(c+dx)\right)^3} dx$$

**Optimal.** Leaf size=156

$$\frac{\sqrt{b}(15a^2 + 20ab + 8b^2) \tanh^{-1}\left(\frac{\sqrt{b}\operatorname{sech}(c+dx)}{\sqrt{a+b}}\right)}{8a^3d(a+b)^{5/2}} + \frac{b(7a+4b)\operatorname{sech}(c+dx)}{8a^2d(a+b)^2(a-b\operatorname{sech}^2(c+dx)+b)} - \frac{\tanh^{-1}(\cosh(c+dx))}{a^3d} + \frac{1}{4ad}$$

[Out]  $-(\operatorname{ArcTanh}[\operatorname{Cosh}[c+d*x]]/(a^3*d)) + (\operatorname{Sqrt}[b]*(15*a^2 + 20*a*b + 8*b^2)*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*\operatorname{Sech}[c+d*x])/(\operatorname{Sqrt}[a+b])]/(8*a^3*(a+b)^{(5/2)*d}) + (b*\operatorname{Sech}[c+d*x])/(4*a*(a+b)*d*(a+b-b*\operatorname{Sech}[c+d*x]^2)^2) + (b*(7*a+4*b)*\operatorname{Sech}[c+d*x])/(8*a^2*(a+b)^2*d*(a+b-b*\operatorname{Sech}[c+d*x]^2))$

**Rubi [A]** time = 0.25385, antiderivative size = 156, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {3664, 414, 527, 522, 207, 208}

$$\frac{\sqrt{b}(15a^2 + 20ab + 8b^2) \tanh^{-1}\left(\frac{\sqrt{b}\operatorname{sech}(c+dx)}{\sqrt{a+b}}\right)}{8a^3d(a+b)^{5/2}} + \frac{b(7a+4b)\operatorname{sech}(c+dx)}{8a^2d(a+b)^2(a-b\operatorname{sech}^2(c+dx)+b)} - \frac{\tanh^{-1}(\cosh(c+dx))}{a^3d} + \frac{1}{4ad}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[\operatorname{Csch}[c+d*x]/(a+b*\operatorname{Tanh}[c+d*x]^2)^3, x]$

[Out]  $-(\operatorname{ArcTanh}[\operatorname{Cosh}[c+d*x]]/(a^3*d)) + (\operatorname{Sqrt}[b]*(15*a^2 + 20*a*b + 8*b^2)*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*\operatorname{Sech}[c+d*x])/(\operatorname{Sqrt}[a+b])]/(8*a^3*(a+b)^{(5/2)*d}) + (b*\operatorname{Sech}[c+d*x])/(4*a*(a+b)*d*(a+b-b*\operatorname{Sech}[c+d*x]^2)^2) + (b*(7*a+4*b)*\operatorname{Sech}[c+d*x])/(8*a^2*(a+b)^2*d*(a+b-b*\operatorname{Sech}[c+d*x]^2))$

#### Rule 3664

$\operatorname{Int}[\sin[(e_.) + (f_.)*(x_.)]^{(m_.)*((a_.) + (b_.)*\tan[(e_.) + (f_.)*(x_.)]^2)^{(p_.)}, x\_Symbol] :> \operatorname{With}[\{ff = \operatorname{FreeFactors}[\operatorname{Sec}[e + f*x], x]\}, \operatorname{Dist}[1/(f*ff^{(m)}, \operatorname{Subst}[\operatorname{Int}[((-1 + ff^2*x^2)^{((m-1)/2)*(a-b+b*ff^2*x^2)^p}]/x^{(m+1)}), x], x, \operatorname{Sec}[e + f*x]/ff], x]] /; \operatorname{FreeQ}[\{a, b, e, f, p\}, x] \&\& \operatorname{IntegerQ}[(m-1)/2]$

#### Rule 414

```

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> -Simp[(b*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(p + 1)*(b*c -
a*d)), x] + Dist[1/(a*n*(p + 1)*(b*c - a*d)), Int[(a + b*x^n)^(p + 1)*(c +
d*x^n)^q*Simp[b*c + n*(p + 1)*(b*c - a*d) + d*b*(n*(p + q + 2) + 1)*x^n, x]
, x], x] /; FreeQ[{a, b, c, d, n, q}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1]
&& !( !IntegerQ[p] && IntegerQ[q] && LtQ[q, -1]) && IntBinomialQ[a, b, c,
d, n, p, q, x]

```

### Rule 527

```

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_)*((e_) + (f
_.)*(x_)^(n_)), x_Symbol] :> -Simp[((b*e - a*f)*x*(a + b*x^n)^(p + 1)*(c +
d*x^n)^(q + 1))/(a*n*(b*c - a*d)*(p + 1)), x] + Dist[1/(a*n*(b*c - a*d)*(p
+ 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(b*e - a*f) + e*n*(b*c
- a*d)*(p + 1) + d*(b*e - a*f)*(n*(p + q + 2) + 1)*x^n, x], x], x] /; FreeQ
[{a, b, c, d, e, f, n, q}, x] && LtQ[p, -1]

```

### Rule 522

```

Int[((e_) + (f_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_))*((c_) + (d_.)*(x_)^(
n_)), x_Symbol] :> Dist[(b*e - a*f)/(b*c - a*d), Int[1/(a + b*x^n), x], x]
- Dist[(d*e - c*f)/(b*c - a*d), Int[1/(c + d*x^n), x], x] /; FreeQ[{a, b,
c, d, e, f, n}, x]

```

### Rule 207

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a
, 0] || GtQ[b, 0])

```

### Rule 208

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

```

### Rubi steps

$$\begin{aligned}
\int \frac{\operatorname{csch}(c+dx)}{(a+b \tanh^2(c+dx))^3} dx &= \frac{\operatorname{Subst}\left(\int \frac{1}{(-1+x^2)(a+b-x^2)^3} dx, x, \operatorname{sech}(c+dx)\right)}{d} \\
&= \frac{b \operatorname{sech}(c+dx)}{4a(a+b)d(a+b-b \operatorname{sech}^2(c+dx))^2} + \frac{\operatorname{Subst}\left(\int \frac{4a+b+3bx^2}{(-1+x^2)(a+b-x^2)^2} dx, x, \operatorname{sech}(c+dx)\right)}{4a(a+b)d} \\
&= \frac{b \operatorname{sech}(c+dx)}{4a(a+b)d(a+b-b \operatorname{sech}^2(c+dx))^2} + \frac{b(7a+4b) \operatorname{sech}(c+dx)}{8a^2(a+b)^2d(a+b-b \operatorname{sech}^2(c+dx))} + \frac{\operatorname{Subst}\left(\int \frac{1}{(-1+x^2)(a+b-x^2)} dx, x, \operatorname{sech}(c+dx)\right)}{4a(a+b)d} \\
&= \frac{b \operatorname{sech}(c+dx)}{4a(a+b)d(a+b-b \operatorname{sech}^2(c+dx))^2} + \frac{b(7a+4b) \operatorname{sech}(c+dx)}{8a^2(a+b)^2d(a+b-b \operatorname{sech}^2(c+dx))} + \frac{\operatorname{Subst}\left(\int \frac{1}{(-1+x^2)(a+b-x^2)} dx, x, \operatorname{sech}(c+dx)\right)}{4a(a+b)d} \\
&= -\frac{\tanh^{-1}(\cosh(c+dx))}{a^3d} + \frac{\sqrt{b}(15a^2+20ab+8b^2) \tanh^{-1}\left(\frac{\sqrt{b} \operatorname{sech}(c+dx)}{\sqrt{a+b}}\right)}{8a^3(a+b)^{5/2}d} + \frac{\operatorname{Subst}\left(\int \frac{1}{(-1+x^2)(a+b-x^2)} dx, x, \operatorname{sech}(c+dx)\right)}{4a(a+b)d}
\end{aligned}$$

**Mathematica [C]** time = 1.28795, size = 236, normalized size = 1.51

$$\frac{8a^2b^2 \cosh(c+dx)}{(a+b)^2((a+b) \cosh(2(c+dx))+a-b)^2} + \frac{i\sqrt{b}(15a^2+20ab+8b^2) \tan^{-1}\left(\frac{-\sqrt{a} \tanh\left(\frac{1}{2}(c+dx)\right)-i\sqrt{a+b}}{\sqrt{b}}\right)}{(a+b)^{5/2}} + \frac{i\sqrt{b}(15a^2+20ab+8b^2) \tan^{-1}\left(\frac{\sqrt{a} \tanh\left(\frac{1}{2}(c+dx)\right)-i\sqrt{a+b}}{\sqrt{b}}\right)}{(a+b)^{5/2}} + \frac{\operatorname{Subst}\left(\int \frac{1}{(-1+x^2)(a+b-x^2)} dx, x, \operatorname{sech}(c+dx)\right)}{4a(a+b)d}$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]/(a + b\*Tanh[c + d\*x]^2)^3, x]

[Out] ((I\*sqrt[b]\*(15\*a^2 + 20\*a\*b + 8\*b^2)\*ArcTan[((-I)\*sqrt[a + b] - sqrt[a]\*Tanh[(c + d\*x)/2])/sqrt[b]])/(a + b)^(5/2) + (I\*sqrt[b]\*(15\*a^2 + 20\*a\*b + 8\*b^2)\*ArcTan[((-I)\*sqrt[a + b] + sqrt[a]\*Tanh[(c + d\*x)/2])/sqrt[b]])/(a + b)^(5/2) + (8\*a^2\*b^2\*Cosh[c + d\*x])/((a + b)^2\*(a - b + (a + b)\*Cosh[2\*(c + d\*x)])^2) + (2\*a\*b\*(9\*a + 4\*b)\*Cosh[c + d\*x])/((a + b)^2\*(a - b + (a + b)\*Cosh[2\*(c + d\*x)])) + 8\*Log[Tanh[(c + d\*x)/2]]/(8\*a^3\*d)

**Maple [B]** time = 0.104, size = 1132, normalized size = 7.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(csch(d*x+c)/(a+b*tanh(d*x+c)^2)^3,x)`

[Out] 
$$\frac{9}{4} \frac{d \cdot b}{(\tanh(\frac{1}{2} d x + \frac{1}{2} c)^{4 a + 2} \tanh(\frac{1}{2} d x + \frac{1}{2} c)^{2 a + 4} \tanh(\frac{1}{2} d x + \frac{1}{2} c)^{2 b + a})^2} \frac{1}{(a^2 + 2 a b + b^2)} \tanh(\frac{1}{2} d x + \frac{1}{2} c)^6 + \frac{7}{d} \frac{a \cdot b^2}{(\tanh(\frac{1}{2} d x + \frac{1}{2} c)^{4 a + 2} \tanh(\frac{1}{2} d x + \frac{1}{2} c)^{2 a + 4} \tanh(\frac{1}{2} d x + \frac{1}{2} c)^{2 b + a})^2} \frac{1}{(a^2 + 2 a b + b^2)} \tanh(\frac{1}{2} d x + \frac{1}{2} c)^6 + \frac{4}{d} \frac{a^2 \cdot b^3}{(\tanh(\frac{1}{2} d x + \frac{1}{2} c)^{4 a + 2} \tanh(\frac{1}{2} d x + \frac{1}{2} c)^{2 a + 4} \tanh(\frac{1}{2} d x + \frac{1}{2} c)^{2 b + a})^2} \frac{1}{(a^2 + 2 a b + b^2)} \tanh(\frac{1}{2} d x + \frac{1}{2} c)^6 + \frac{27}{4} \frac{d \cdot b}{(\tanh(\frac{1}{2} d x + \frac{1}{2} c)^{4 a + 2} \tanh(\frac{1}{2} d x + \frac{1}{2} c)^{2 a + 4} \tanh(\frac{1}{2} d x + \frac{1}{2} c)^{2 b + a})^2} \frac{1}{(a^2 + 2 a b + b^2)} \tanh(\frac{1}{2} d x + \frac{1}{2} c)^4 + \frac{45}{2} \frac{d}{a \cdot b^2} \frac{1}{(\tanh(\frac{1}{2} d x + \frac{1}{2} c)^{4 a + 2} \tanh(\frac{1}{2} d x + \frac{1}{2} c)^{2 a + 4} \tanh(\frac{1}{2} d x + \frac{1}{2} c)^{2 b + a})^2} \frac{1}{(a^2 + 2 a b + b^2)} \tanh(\frac{1}{2} d x + \frac{1}{2} c)^4 + \frac{30}{d} \frac{a^2 \cdot b^3}{(\tanh(\frac{1}{2} d x + \frac{1}{2} c)^{4 a + 2} \tanh(\frac{1}{2} d x + \frac{1}{2} c)^{2 a + 4} \tanh(\frac{1}{2} d x + \frac{1}{2} c)^{2 b + a})^2} \frac{1}{(a^2 + 2 a b + b^2)} \tanh(\frac{1}{2} d x + \frac{1}{2} c)^4 + \frac{12}{d} \frac{a^3 \cdot b^4}{(\tanh(\frac{1}{2} d x + \frac{1}{2} c)^{4 a + 2} \tanh(\frac{1}{2} d x + \frac{1}{2} c)^{2 a + 4} \tanh(\frac{1}{2} d x + \frac{1}{2} c)^{2 b + a})^2} \frac{1}{(a^2 + 2 a b + b^2)} \tanh(\frac{1}{2} d x + \frac{1}{2} c)^4 + \frac{27}{4} \frac{d \cdot b}{(\tanh(\frac{1}{2} d x + \frac{1}{2} c)^{4 a + 2} \tanh(\frac{1}{2} d x + \frac{1}{2} c)^{2 a + 4} \tanh(\frac{1}{2} d x + \frac{1}{2} c)^{2 b + a})^2} \frac{1}{(a^2 + 2 a b + b^2)} \tanh(\frac{1}{2} d x + \frac{1}{2} c)^2 + \frac{17}{d} \frac{a \cdot b^2}{(\tanh(\frac{1}{2} d x + \frac{1}{2} c)^{4 a + 2} \tanh(\frac{1}{2} d x + \frac{1}{2} c)^{2 a + 4} \tanh(\frac{1}{2} d x + \frac{1}{2} c)^{2 b + a})^2} \frac{1}{(a^2 + 2 a b + b^2)} \tanh(\frac{1}{2} d x + \frac{1}{2} c)^2 + \frac{8}{d} \frac{a^2 \cdot b^3}{(\tanh(\frac{1}{2} d x + \frac{1}{2} c)^{4 a + 2} \tanh(\frac{1}{2} d x + \frac{1}{2} c)^{2 a + 4} \tanh(\frac{1}{2} d x + \frac{1}{2} c)^{2 b + a})^2} \frac{1}{(a^2 + 2 a b + b^2)} \tanh(\frac{1}{2} d x + \frac{1}{2} c)^2 + \frac{9}{4} \frac{d \cdot b}{(\tanh(\frac{1}{2} d x + \frac{1}{2} c)^{4 a + 2} \tanh(\frac{1}{2} d x + \frac{1}{2} c)^{2 a + 4} \tanh(\frac{1}{2} d x + \frac{1}{2} c)^{2 b + a})^2} \frac{1}{(a^2 + 2 a b + b^2)} \tanh(\frac{1}{2} d x + \frac{1}{2} c)^2 + \frac{3}{2} \frac{d}{a \cdot b^2} \frac{1}{(\tanh(\frac{1}{2} d x + \frac{1}{2} c)^{4 a + 2} \tanh(\frac{1}{2} d x + \frac{1}{2} c)^{2 a + 4} \tanh(\frac{1}{2} d x + \frac{1}{2} c)^{2 b + a})^2} \frac{1}{(a^2 + 2 a b + b^2)} + \frac{15}{8} \frac{d}{a \cdot b} \frac{1}{(a^2 + 2 a b + b^2)} \frac{1}{(a \cdot b + b^2)^{\frac{1}{2}}} \arctan\left(\frac{1}{4} \frac{(2 \tanh(\frac{1}{2} d x + \frac{1}{2} c)^{2 a + 2 a + 4 b})}{(a \cdot b + b^2)^{\frac{1}{2}}}\right) + \frac{5}{2} \frac{d}{a^2 \cdot b^2} \frac{1}{(a^2 + 2 a b + b^2)} \frac{1}{(a \cdot b + b^2)^{\frac{1}{2}}} \operatorname{arctanh}\left(\frac{1}{4} \frac{(2 \tanh(\frac{1}{2} d x + \frac{1}{2} c)^{2 a + 2 a + 4 b})}{(a \cdot b + b^2)^{\frac{1}{2}}}\right) + \frac{1}{d} \frac{a^3 \cdot b^3}{(a^2 + 2 a b + b^2)} \frac{1}{(a \cdot b + b^2)^{\frac{1}{2}}} \operatorname{arctanh}\left(\frac{1}{4} \frac{(2 \tanh(\frac{1}{2} d x + \frac{1}{2} c)^{2 a + 2 a + 4 b})}{(a \cdot b + b^2)^{\frac{1}{2}}}\right) + \frac{1}{d} \frac{a^3 \cdot \ln(\tanh(\frac{1}{2} d x + \frac{1}{2} c))}{(a \cdot b + b^2)^{\frac{1}{2}}}$$

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csch(d*x+c)/(a+b*tanh(d*x+c)^2)^3,x, algorithm="maxima")`

[Out] 
$$\frac{1}{4} \left( (9 a^2 b e^{(7 c)} + 13 a b^2 e^{(7 c)} + 4 b^3 e^{(7 c)}) e^{(7 d x)} + (27 a^2 b e^{(5 c)} + 11 a b^2 e^{(5 c)} - 4 b^3 e^{(5 c)}) e^{(5 d x)} + (27 a^2 b e^{(3 c)} + 11 a b^2 e^{(3 c)} - 4 b^3 e^{(3 c)}) e^{(3 d x)} + (9 a^2 b e^c + 13 a b^2 e^c - 4 b^3 e^c) e^c \right)$$



$$\begin{aligned} & *e^c + 4*b^3*e^c)*e^{(d*x)})/(a^6*d + 4*a^5*b*d + 6*a^4*b^2*d + 4*a^3*b^3*d + \\ & a^2*b^4*d + (a^6*d*e^{(8*c)} + 4*a^5*b*d*e^{(8*c)} + 6*a^4*b^2*d*e^{(8*c)} + 4*a \\ & ^3*b^3*d*e^{(8*c)} + a^2*b^4*d*e^{(8*c)}))*e^{(8*d*x)} + 4*(a^6*d*e^{(6*c)} + 2*a^5* \\ & b*d*e^{(6*c)} - 2*a^3*b^3*d*e^{(6*c)} - a^2*b^4*d*e^{(6*c)}))*e^{(6*d*x)} + 2*(3*a^6 \\ & *d*e^{(4*c)} + 4*a^5*b*d*e^{(4*c)} + 2*a^4*b^2*d*e^{(4*c)} + 4*a^3*b^3*d*e^{(4*c)} \\ & + 3*a^2*b^4*d*e^{(4*c)}))*e^{(4*d*x)} + 4*(a^6*d*e^{(2*c)} + 2*a^5*b*d*e^{(2*c)} - 2 \\ & *a^3*b^3*d*e^{(2*c)} - a^2*b^4*d*e^{(2*c)}))*e^{(2*d*x)}) - \log((e^{(d*x + c)} + 1)* \\ & e^{(-c)})/(a^3*d) + \log((e^{(d*x + c)} - 1)*e^{(-c)})/(a^3*d) - 2*\integrate(1/8*( \\ & (15*a^2*b*e^{(3*c)} + 20*a*b^2*e^{(3*c)} + 8*b^3*e^{(3*c)}))*e^{(3*d*x)} - (15*a^2*b \\ & *e^c + 20*a*b^2*e^c + 8*b^3*e^c))*e^{(d*x)})/(a^6 + 3*a^5*b + 3*a^4*b^2 + a^3* \\ & b^3 + (a^6*e^{(4*c)} + 3*a^5*b*e^{(4*c)} + 3*a^4*b^2*e^{(4*c)} + a^3*b^3*e^{(4*c)}) \\ & *e^{(4*d*x)} + 2*(a^6*e^{(2*c)} + a^5*b*e^{(2*c)} - a^4*b^2*e^{(2*c)} - a^3*b^3*e^{( \\ & 2*c)}))*e^{(2*d*x)}), x) \end{aligned}$$

**Fricas [B]** time = 4.35789, size = 25141, normalized size = 161.16

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csch(d*x+c)/(a+b*tanh(d*x+c))^2)^3,x, algorithm="fricas")`

[Out] `[1/16*(4*(9*a^3*b + 13*a^2*b^2 + 4*a*b^3)*cosh(d*x + c)^7 + 28*(9*a^3*b + 13*a^2*b^2 + 4*a*b^3)*cosh(d*x + c)*sinh(d*x + c)^6 + 4*(9*a^3*b + 13*a^2*b^2 + 4*a*b^3)*sinh(d*x + c)^7 + 4*(27*a^3*b + 11*a^2*b^2 - 4*a*b^3)*cosh(d*x + c)^5 + 4*(27*a^3*b + 11*a^2*b^2 - 4*a*b^3 + 21*(9*a^3*b + 13*a^2*b^2 + 4*a*b^3)*cosh(d*x + c)^2)*sinh(d*x + c)^5 + 20*(7*(9*a^3*b + 13*a^2*b^2 + 4*a*b^3)*cosh(d*x + c)^3 + (27*a^3*b + 11*a^2*b^2 - 4*a*b^3)*cosh(d*x + c))*sinh(d*x + c)^4 + 4*(27*a^3*b + 11*a^2*b^2 - 4*a*b^3)*cosh(d*x + c)^3 + 4*(35*(9*a^3*b + 13*a^2*b^2 + 4*a*b^3)*cosh(d*x + c)^4 + 27*a^3*b + 11*a^2*b^2 - 4*a*b^3 + 10*(27*a^3*b + 11*a^2*b^2 - 4*a*b^3)*cosh(d*x + c)^2)*sinh(d*x + c)^3 + 4*(21*(9*a^3*b + 13*a^2*b^2 + 4*a*b^3)*cosh(d*x + c)^5 + 10*(27*a^3*b + 11*a^2*b^2 - 4*a*b^3)*cosh(d*x + c)^3 + 3*(27*a^3*b + 11*a^2*b^2 - 4*a*b^3)*cosh(d*x + c))*sinh(d*x + c)^2 + ((15*a^4 + 50*a^3*b + 63*a^2*b^2 + 36*a*b^3 + 8*b^4)*cosh(d*x + c)^8 + 8*(15*a^4 + 50*a^3*b + 63*a^2*b^2 + 36*a*b^3 + 8*b^4)*cosh(d*x + c)*sinh(d*x + c)^7 + (15*a^4 + 50*a^3*b + 63*a^2*b^2 + 36*a*b^3 + 8*b^4)*sinh(d*x + c)^8 + 4*(15*a^4 + 20*a^3*b - 7*a^2*b^2 - 20*a*b^3 - 8*b^4)*cosh(d*x + c)^6 + 4*(15*a^4 + 20*a^3*b - 7*a^2*b^2 - 20*a*b^3 - 8*b^4 + 7*(15*a^4 + 50*a^3*b + 63*a^2*b^2 + 36*a*b^3 + 8*b^4)*cosh(d*x + c)^2)*sinh(d*x + c)^6 + 8*(7*(15*a^4 + 50*a^3*b + 63*a^2*b^2 + 36*a*b^3 + 8*b^4)*cosh(d*x + c)^3 + 3*(15*a^4 + 20*a^3*b - 7*a^2*b^2 - 20*a*b^3 - 8*b^4)*cosh(d*x + c))*sinh(d*x + c)^5 + 2*(45*a^4 + 30*a^3*b + 29*a^2*b^2`

$$\begin{aligned}
& + 44*a*b^3 + 24*b^4)*\cosh(d*x + c)^4 + 2*(35*(15*a^4 + 50*a^3*b + 63*a^2*b^2 + 36*a*b^3 + 8*b^4)*\cosh(d*x + c)^4 + 45*a^4 + 30*a^3*b + 29*a^2*b^2 + 44*a*b^3 + 24*b^4 + 30*(15*a^4 + 20*a^3*b - 7*a^2*b^2 - 20*a*b^3 - 8*b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + 15*a^4 + 50*a^3*b + 63*a^2*b^2 + 36*a*b^3 + 8*b^4 + 8*(7*(15*a^4 + 50*a^3*b + 63*a^2*b^2 + 36*a*b^3 + 8*b^4)*\cosh(d*x + c)^5 + 10*(15*a^4 + 20*a^3*b - 7*a^2*b^2 - 20*a*b^3 - 8*b^4)*\cosh(d*x + c)^3 + (45*a^4 + 30*a^3*b + 29*a^2*b^2 + 44*a*b^3 + 24*b^4)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 4*(15*a^4 + 20*a^3*b - 7*a^2*b^2 - 20*a*b^3 - 8*b^4)*\cosh(d*x + c)^2 + 4*(7*(15*a^4 + 50*a^3*b + 63*a^2*b^2 + 36*a*b^3 + 8*b^4)*\cosh(d*x + c)^6 + 15*(15*a^4 + 20*a^3*b - 7*a^2*b^2 - 20*a*b^3 - 8*b^4)*\cosh(d*x + c)^4 + 15*a^4 + 20*a^3*b - 7*a^2*b^2 - 20*a*b^3 - 8*b^4 + 3*(45*a^4 + 30*a^3*b + 29*a^2*b^2 + 44*a*b^3 + 24*b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 + 8*((15*a^4 + 50*a^3*b + 63*a^2*b^2 + 36*a*b^3 + 8*b^4)*\cosh(d*x + c)^7 + 3*(15*a^4 + 20*a^3*b - 7*a^2*b^2 - 20*a*b^3 - 8*b^4)*\cosh(d*x + c)^5 + (45*a^4 + 30*a^3*b + 29*a^2*b^2 + 44*a*b^3 + 24*b^4)*\cosh(d*x + c)^3 + (15*a^4 + 20*a^3*b - 7*a^2*b^2 - 20*a*b^3 - 8*b^4)*\cosh(d*x + c))*\sinh(d*x + c))*\sqrt{b/(a + b)}*\log(((a + b)*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a + b)*\sinh(d*x + c)^4 + 2*(a + 3*b)*\cosh(d*x + c)^2 + 2*(3*(a + b)*\cosh(d*x + c)^2 + a + 3*b)*\sinh(d*x + c)^2 + 4*((a + b)*\cosh(d*x + c)^3 + (a + 3*b)*\cosh(d*x + c))*\sinh(d*x + c) + 4*((a + b)*\cosh(d*x + c)^3 + 3*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^2 + (a + b)*\sinh(d*x + c)^3 + (a + b)*\cosh(d*x + c) + (3*(a + b)*\cosh(d*x + c)^2 + a + b)*\sinh(d*x + c)))*\sqrt{b/(a + b)} + a + b)/((a + b)*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a + b)*\sinh(d*x + c)^4 + 2*(a - b)*\cosh(d*x + c)^2 + 2*(3*(a + b)*\cosh(d*x + c)^2 + a - b)*\sinh(d*x + c)^2 + 4*((a + b)*\cosh(d*x + c)^3 + (a - b)*\cosh(d*x + c))*\sinh(d*x + c) + a + b)) + 4*(9*a^3*b + 13*a^2*b^2 + 4*a*b^3)*\cosh(d*x + c) - 16*((a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\cosh(d*x + c)^8 + 8*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\cosh(d*x + c)*\sinh(d*x + c)^7 + (a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\sinh(d*x + c)^8 + 4*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*\cosh(d*x + c)^6 + 4*(a^4 + 2*a^3*b - 2*a*b^3 - b^4 + 7*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^6 + 8*(7*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\cosh(d*x + c)^3 + 3*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*\cosh(d*x + c))*\sinh(d*x + c)^5 + 2*(3*a^4 + 4*a^3*b + 2*a^2*b^2 + 4*a*b^3 + 3*b^4)*\cosh(d*x + c)^4 + 2*(35*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\cosh(d*x + c)^4 + 3*a^4 + 4*a^3*b + 2*a^2*b^2 + 4*a*b^3 + 3*b^4 + 30*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4 + 8*(7*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\cosh(d*x + c)^5 + 10*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*\cosh(d*x + c)^3 + (3*a^4 + 4*a^3*b + 2*a^2*b^2 + 4*a*b^3 + 3*b^4)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 4*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*\cosh(d*x + c)^2 + 4*(7*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\cosh(d*x + c)^6 + 15*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*\cosh(d*x + c)^4 + a^4 + 2*a^3*b - 2*a*b^3 - b^4 + 3*(3*a^4 + 4*a^3*b + 2*a^2*b^2 + 4*a*b^3 + 3*b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 + 8*((a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\cosh(d*x + c)^7 + 3*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*\cosh
\end{aligned}$$

$$\begin{aligned}
& (d*x + c)^5 + (3*a^4 + 4*a^3*b + 2*a^2*b^2 + 4*a*b^3 + 3*b^4)*\cosh(d*x + c) \\
& ^3 + (a^4 + 2*a^3*b - 2*a*b^3 - b^4)*\cosh(d*x + c))*\sinh(d*x + c))*\log(\cosh \\
& (d*x + c) + \sinh(d*x + c) + 1) + 16*((a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + \\
& b^4)*\cosh(d*x + c)^8 + 8*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\cosh( \\
& d*x + c)*\sinh(d*x + c)^7 + (a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\sinh \\
& (d*x + c)^8 + 4*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*\cosh(d*x + c)^6 + 4*(a^4 + \\
& 2*a^3*b - 2*a*b^3 - b^4 + 7*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\cos \\
& h(d*x + c)^2)*\sinh(d*x + c)^6 + 8*(7*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + \\
& b^4)*\cosh(d*x + c)^3 + 3*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*\cosh(d*x + c))*\si \\
& nh(d*x + c)^5 + 2*(3*a^4 + 4*a^3*b + 2*a^2*b^2 + 4*a*b^3 + 3*b^4)*\cosh(d*x \\
& + c)^4 + 2*(35*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\cosh(d*x + c)^4 \\
& + 3*a^4 + 4*a^3*b + 2*a^2*b^2 + 4*a*b^3 + 3*b^4 + 30*(a^4 + 2*a^3*b - 2*a*b \\
& ^3 - b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + a^4 + 4*a^3*b + 6*a^2*b^2 + 4* \\
& a*b^3 + b^4 + 8*(7*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\cosh(d*x + c \\
& )^5 + 10*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*\cosh(d*x + c)^3 + (3*a^4 + 4*a^3*b \\
& + 2*a^2*b^2 + 4*a*b^3 + 3*b^4)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 4*(a^4 + 2 \\
& *a^3*b - 2*a*b^3 - b^4)*\cosh(d*x + c)^2 + 4*(7*(a^4 + 4*a^3*b + 6*a^2*b^2 + \\
& 4*a*b^3 + b^4)*\cosh(d*x + c)^6 + 15*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*\cosh(d \\
& *x + c)^4 + a^4 + 2*a^3*b - 2*a*b^3 - b^4 + 3*(3*a^4 + 4*a^3*b + 2*a^2*b^2 \\
& + 4*a*b^3 + 3*b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 + 8*((a^4 + 4*a^3*b + 6 \\
& *a^2*b^2 + 4*a*b^3 + b^4)*\cosh(d*x + c)^7 + 3*(a^4 + 2*a^3*b - 2*a*b^3 - b^ \\
& 4)*\cosh(d*x + c)^5 + (3*a^4 + 4*a^3*b + 2*a^2*b^2 + 4*a*b^3 + 3*b^4)*\cosh(d \\
& *x + c)^3 + (a^4 + 2*a^3*b - 2*a*b^3 - b^4)*\cosh(d*x + c))*\sinh(d*x + c))*l \\
& og(\cosh(d*x + c) + \sinh(d*x + c) - 1) + 4*(7*(9*a^3*b + 13*a^2*b^2 + 4*a*b^ \\
& 3)*\cosh(d*x + c)^6 + 5*(27*a^3*b + 11*a^2*b^2 - 4*a*b^3)*\cosh(d*x + c)^4 + \\
& 9*a^3*b + 13*a^2*b^2 + 4*a*b^3 + 3*(27*a^3*b + 11*a^2*b^2 - 4*a*b^3)*\cosh(d \\
& *x + c)^2)*\sinh(d*x + c))/((a^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 + a^3*b^4 \\
& )*d*\cosh(d*x + c)^8 + 8*(a^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 + a^3*b^4)*d \\
& *\cosh(d*x + c)*\sinh(d*x + c)^7 + (a^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 + a \\
& ^3*b^4)*d*\sinh(d*x + c)^8 + 4*(a^7 + 2*a^6*b - 2*a^4*b^3 - a^3*b^4)*d*\cosh( \\
& d*x + c)^6 + 4*(7*(a^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 + a^3*b^4)*d*\cosh( \\
& d*x + c)^2 + (a^7 + 2*a^6*b - 2*a^4*b^3 - a^3*b^4)*d)*\sinh(d*x + c)^6 + 2*( \\
& 3*a^7 + 4*a^6*b + 2*a^5*b^2 + 4*a^4*b^3 + 3*a^3*b^4)*d*\cosh(d*x + c)^4 + 8* \\
& (7*(a^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 + a^3*b^4)*d*\cosh(d*x + c)^3 + 3* \\
& (a^7 + 2*a^6*b - 2*a^4*b^3 - a^3*b^4)*d*\cosh(d*x + c))*\sinh(d*x + c)^5 + 2* \\
& (35*(a^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 + a^3*b^4)*d*\cosh(d*x + c)^4 + 3 \\
& 0*(a^7 + 2*a^6*b - 2*a^4*b^3 - a^3*b^4)*d*\cosh(d*x + c)^2 + (3*a^7 + 4*a^6* \\
& b + 2*a^5*b^2 + 4*a^4*b^3 + 3*a^3*b^4)*d)*\sinh(d*x + c)^4 + 4*(a^7 + 2*a^6* \\
& b - 2*a^4*b^3 - a^3*b^4)*d*\cosh(d*x + c)^2 + 8*(7*(a^7 + 4*a^6*b + 6*a^5*b^ \\
& 2 + 4*a^4*b^3 + a^3*b^4)*d*\cosh(d*x + c)^5 + 10*(a^7 + 2*a^6*b - 2*a^4*b^3 \\
& - a^3*b^4)*d*\cosh(d*x + c)^3 + (3*a^7 + 4*a^6*b + 2*a^5*b^2 + 4*a^4*b^3 + 3 \\
& *a^3*b^4)*d*\cosh(d*x + c))*\sinh(d*x + c)^3 + 4*(7*(a^7 + 4*a^6*b + 6*a^5*b^ \\
& 2 + 4*a^4*b^3 + a^3*b^4)*d*\cosh(d*x + c)^6 + 15*(a^7 + 2*a^6*b - 2*a^4*b^3 \\
& - a^3*b^4)*d*\cosh(d*x + c)^4 + 3*(3*a^7 + 4*a^6*b + 2*a^5*b^2 + 4*a^4*b^3 + \\
& 3*a^3*b^4)*d*\cosh(d*x + c)^2 + (a^7 + 2*a^6*b - 2*a^4*b^3 - a^3*b^4)*d)*\si
\end{aligned}$$

$$\begin{aligned}
& \text{nh}(d*x + c)^2 + (a^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 + a^3*b^4)*d + 8*((a \\
& ^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 + a^3*b^4)*d*\cosh(d*x + c)^7 + 3*(a^7 \\
& + 2*a^6*b - 2*a^4*b^3 - a^3*b^4)*d*\cosh(d*x + c)^5 + (3*a^7 + 4*a^6*b + 2*a \\
& ^5*b^2 + 4*a^4*b^3 + 3*a^3*b^4)*d*\cosh(d*x + c)^3 + (a^7 + 2*a^6*b - 2*a^4* \\
& b^3 - a^3*b^4)*d*\cosh(d*x + c))*\sinh(d*x + c)), 1/8*(2*(9*a^3*b + 13*a^2*b^ \\
& 2 + 4*a*b^3)*\cosh(d*x + c)^7 + 14*(9*a^3*b + 13*a^2*b^2 + 4*a*b^3)*\cosh(d*x \\
& + c)*\sinh(d*x + c)^6 + 2*(9*a^3*b + 13*a^2*b^2 + 4*a*b^3)*\sinh(d*x + c)^7 \\
& + 2*(27*a^3*b + 11*a^2*b^2 - 4*a*b^3)*\cosh(d*x + c)^5 + 2*(27*a^3*b + 11*a^ \\
& 2*b^2 - 4*a*b^3 + 21*(9*a^3*b + 13*a^2*b^2 + 4*a*b^3)*\cosh(d*x + c)^2)*\sinh \\
& (d*x + c)^5 + 10*(7*(9*a^3*b + 13*a^2*b^2 + 4*a*b^3)*\cosh(d*x + c)^3 + (27* \\
& a^3*b + 11*a^2*b^2 - 4*a*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^4 + 2*(27*a^3*b \\
& + 11*a^2*b^2 - 4*a*b^3)*\cosh(d*x + c)^3 + 2*(35*(9*a^3*b + 13*a^2*b^2 + 4*a \\
& *b^3)*\cosh(d*x + c)^4 + 27*a^3*b + 11*a^2*b^2 - 4*a*b^3 + 10*(27*a^3*b + 11 \\
& *a^2*b^2 - 4*a*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^3 + 2*(21*(9*a^3*b + 13* \\
& a^2*b^2 + 4*a*b^3)*\cosh(d*x + c)^5 + 10*(27*a^3*b + 11*a^2*b^2 - 4*a*b^3)*c \\
& osh(d*x + c)^3 + 3*(27*a^3*b + 11*a^2*b^2 - 4*a*b^3)*\cosh(d*x + c))*\sinh(d* \\
& x + c)^2 + ((15*a^4 + 50*a^3*b + 63*a^2*b^2 + 36*a*b^3 + 8*b^4)*\cosh(d*x + \\
& c)^8 + 8*(15*a^4 + 50*a^3*b + 63*a^2*b^2 + 36*a*b^3 + 8*b^4)*\cosh(d*x + c)* \\
& \sinh(d*x + c)^7 + (15*a^4 + 50*a^3*b + 63*a^2*b^2 + 36*a*b^3 + 8*b^4)*\sinh( \\
& d*x + c)^8 + 4*(15*a^4 + 20*a^3*b - 7*a^2*b^2 - 20*a*b^3 - 8*b^4)*\cosh(d*x \\
& + c)^6 + 4*(15*a^4 + 20*a^3*b - 7*a^2*b^2 - 20*a*b^3 - 8*b^4 + 7*(15*a^4 + \\
& 50*a^3*b + 63*a^2*b^2 + 36*a*b^3 + 8*b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^6 \\
& + 8*(7*(15*a^4 + 50*a^3*b + 63*a^2*b^2 + 36*a*b^3 + 8*b^4)*\cosh(d*x + c)^3 \\
& + 3*(15*a^4 + 20*a^3*b - 7*a^2*b^2 - 20*a*b^3 - 8*b^4)*\cosh(d*x + c))*\sinh( \\
& d*x + c)^5 + 2*(45*a^4 + 30*a^3*b + 29*a^2*b^2 + 44*a*b^3 + 24*b^4)*\cosh(d* \\
& x + c)^4 + 2*(35*(15*a^4 + 50*a^3*b + 63*a^2*b^2 + 36*a*b^3 + 8*b^4)*\cosh(d \\
& *x + c)^4 + 45*a^4 + 30*a^3*b + 29*a^2*b^2 + 44*a*b^3 + 24*b^4 + 30*(15*a^4 \\
& + 20*a^3*b - 7*a^2*b^2 - 20*a*b^3 - 8*b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^ \\
& 4 + 15*a^4 + 50*a^3*b + 63*a^2*b^2 + 36*a*b^3 + 8*b^4 + 8*(7*(15*a^4 + 50*a \\
& ^3*b + 63*a^2*b^2 + 36*a*b^3 + 8*b^4)*\cosh(d*x + c)^5 + 10*(15*a^4 + 20*a^3 \\
& *b - 7*a^2*b^2 - 20*a*b^3 - 8*b^4)*\cosh(d*x + c)^3 + (45*a^4 + 30*a^3*b + 2 \\
& 9*a^2*b^2 + 44*a*b^3 + 24*b^4)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 4*(15*a^4 + \\
& 20*a^3*b - 7*a^2*b^2 - 20*a*b^3 - 8*b^4)*\cosh(d*x + c)^2 + 4*(7*(15*a^4 + \\
& 50*a^3*b + 63*a^2*b^2 + 36*a*b^3 + 8*b^4)*\cosh(d*x + c)^6 + 15*(15*a^4 + 20 \\
& *a^3*b - 7*a^2*b^2 - 20*a*b^3 - 8*b^4)*\cosh(d*x + c)^4 + 15*a^4 + 20*a^3*b \\
& - 7*a^2*b^2 - 20*a*b^3 - 8*b^4 + 3*(45*a^4 + 30*a^3*b + 29*a^2*b^2 + 44*a*b \\
& ^3 + 24*b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 + 8*((15*a^4 + 50*a^3*b + 63* \\
& a^2*b^2 + 36*a*b^3 + 8*b^4)*\cosh(d*x + c)^7 + 3*(15*a^4 + 20*a^3*b - 7*a^2* \\
& b^2 - 20*a*b^3 - 8*b^4)*\cosh(d*x + c)^5 + (45*a^4 + 30*a^3*b + 29*a^2*b^2 + \\
& 44*a*b^3 + 24*b^4)*\cosh(d*x + c)^3 + (15*a^4 + 20*a^3*b - 7*a^2*b^2 - 20*a \\
& *b^3 - 8*b^4)*\cosh(d*x + c))*\sinh(d*x + c))*\sqrt{-b/(a + b)}*\arctan(1/2*((a \\
& + b)*\cosh(d*x + c)^3 + 3*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^2 + (a + b)*s \\
& inh(d*x + c)^3 + (a - 3*b)*\cosh(d*x + c) + (3*(a + b)*\cosh(d*x + c)^2 + a - \\
& 3*b)*\sinh(d*x + c))*\sqrt{-b/(a + b)})/b - ((15*a^4 + 50*a^3*b + 63*a^2*b^2 \\
& + 36*a*b^3 + 8*b^4)*\cosh(d*x + c)^8 + 8*(15*a^4 + 50*a^3*b + 63*a^2*b^2 +
\end{aligned}$$

$$\begin{aligned}
& 36*a*b^3 + 8*b^4)*\cosh(d*x + c)*\sinh(d*x + c)^7 + (15*a^4 + 50*a^3*b + 63*a^2*b^2 + 36*a*b^3 + 8*b^4)*\sinh(d*x + c)^8 + 4*(15*a^4 + 20*a^3*b - 7*a^2*b^2 - 20*a*b^3 - 8*b^4)*\cosh(d*x + c)^6 + 4*(15*a^4 + 20*a^3*b - 7*a^2*b^2 - 20*a*b^3 - 8*b^4 + 7*(15*a^4 + 50*a^3*b + 63*a^2*b^2 + 36*a*b^3 + 8*b^4))*\cosh(d*x + c)^2)*\sinh(d*x + c)^6 + 8*(7*(15*a^4 + 50*a^3*b + 63*a^2*b^2 + 36*a*b^3 + 8*b^4))*\cosh(d*x + c)^3 + 3*(15*a^4 + 20*a^3*b - 7*a^2*b^2 - 20*a*b^3 - 8*b^4)*\cosh(d*x + c))*\sinh(d*x + c)^5 + 2*(45*a^4 + 30*a^3*b + 29*a^2*b^2 + 44*a*b^3 + 24*b^4))*\cosh(d*x + c)^4 + 2*(35*(15*a^4 + 50*a^3*b + 63*a^2*b^2 + 36*a*b^3 + 8*b^4))*\cosh(d*x + c)^4 + 45*a^4 + 30*a^3*b + 29*a^2*b^2 + 44*a*b^3 + 24*b^4 + 30*(15*a^4 + 20*a^3*b - 7*a^2*b^2 - 20*a*b^3 - 8*b^4))*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + 15*a^4 + 50*a^3*b + 63*a^2*b^2 + 36*a*b^3 + 8*b^4 + 8*(7*(15*a^4 + 50*a^3*b + 63*a^2*b^2 + 36*a*b^3 + 8*b^4))*\cosh(d*x + c)^5 + 10*(15*a^4 + 20*a^3*b - 7*a^2*b^2 - 20*a*b^3 - 8*b^4))*\cosh(d*x + c)^3 + (45*a^4 + 30*a^3*b + 29*a^2*b^2 + 44*a*b^3 + 24*b^4))*\cosh(d*x + c))*\sinh(d*x + c)^3 + 4*(15*a^4 + 20*a^3*b - 7*a^2*b^2 - 20*a*b^3 - 8*b^4))*\cosh(d*x + c)^2 + 4*(7*(15*a^4 + 50*a^3*b + 63*a^2*b^2 + 36*a*b^3 + 8*b^4))*\cosh(d*x + c)^6 + 15*(15*a^4 + 20*a^3*b - 7*a^2*b^2 - 20*a*b^3 - 8*b^4))*\cosh(d*x + c)^4 + 15*a^4 + 20*a^3*b - 7*a^2*b^2 - 20*a*b^3 - 8*b^4 + 3*(45*a^4 + 30*a^3*b + 29*a^2*b^2 + 44*a*b^3 + 24*b^4))*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 + 8*((15*a^4 + 50*a^3*b + 63*a^2*b^2 + 36*a*b^3 + 8*b^4))*\cosh(d*x + c)^7 + 3*(15*a^4 + 20*a^3*b - 7*a^2*b^2 - 20*a*b^3 - 8*b^4))*\cosh(d*x + c)^5 + (45*a^4 + 30*a^3*b + 29*a^2*b^2 + 44*a*b^3 + 24*b^4))*\cosh(d*x + c)^3 + (15*a^4 + 20*a^3*b - 7*a^2*b^2 - 20*a*b^3 - 8*b^4))*\cosh(d*x + c))*\sinh(d*x + c))*\sqrt{-b/(a + b))*\arctan(1/2*((a + b)*\cosh(d*x + c) + (a + b)*\sinh(d*x + c))*\sqrt{-b/(a + b)})/b) + 2*(9*a^3*b + 13*a^2*b^2 + 4*a*b^3))*\cosh(d*x + c) - 8*((a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4))*\cosh(d*x + c)^8 + 8*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4))*\cosh(d*x + c))*\sinh(d*x + c)^7 + (a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4))*\sinh(d*x + c)^8 + 4*(a^4 + 2*a^3*b - 2*a*b^3 - b^4))*\cosh(d*x + c)^6 + 4*(a^4 + 2*a^3*b - 2*a*b^3 - b^4 + 7*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4))*\cosh(d*x + c)^2)*\sinh(d*x + c)^6 + 8*(7*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4))*\cosh(d*x + c)^3 + 3*(a^4 + 2*a^3*b - 2*a*b^3 - b^4))*\cosh(d*x + c))*\sinh(d*x + c)^5 + 2*(3*a^4 + 4*a^3*b + 2*a^2*b^2 + 4*a*b^3 + 3*b^4))*\cosh(d*x + c)^4 + 2*(35*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4))*\cosh(d*x + c)^4 + 3*a^4 + 4*a^3*b + 2*a^2*b^2 + 4*a*b^3 + 3*b^4 + 30*(a^4 + 2*a^3*b - 2*a*b^3 - b^4))*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4 + 8*(7*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4))*\cosh(d*x + c)^5 + 10*(a^4 + 2*a^3*b - 2*a*b^3 - b^4))*\cosh(d*x + c)^3 + (3*a^4 + 4*a^3*b + 2*a^2*b^2 + 4*a*b^3 + 3*b^4))*\cosh(d*x + c))*\sinh(d*x + c)^3 + 4*(a^4 + 2*a^3*b - 2*a*b^3 - b^4))*\cosh(d*x + c)^2 + 4*(7*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4))*\cosh(d*x + c)^6 + 15*(a^4 + 2*a^3*b - 2*a*b^3 - b^4))*\cosh(d*x + c)^4 + a^4 + 2*a^3*b - 2*a*b^3 - b^4 + 3*(3*a^4 + 4*a^3*b + 2*a^2*b^2 + 4*a*b^3 + 3*b^4))*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 + 8*((a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4))*\cosh(d*x + c)^7 + 3*(a^4 + 2*a^3*b - 2*a*b^3 - b^4))*\cosh(d*x + c)^5 + (3*a^4 + 4*a^3*b + 2*a^2*b^2 + 4*a*b^3 + 3*b^4))*\cosh(d*x + c)^3 + (a^4 + 2*a^3*b - 2*a*b^3 + 2*a^2*b^2 + 4*a*b^3 + 3*b^4))*\cosh(d*x + c)^3 + (a^4 + 2*a^3*b - 2*a*b^3
\end{aligned}$$

$$\begin{aligned}
&^3 - b^4) \cosh(dx + c) \sinh(dx + c) \log(\cosh(dx + c) + \sinh(dx + c) + \\
&1) + 8*((a^4 + 4a^3b + 6a^2b^2 + 4ab^3 + b^4) \cosh(dx + c)^8 + 8*(a^4 + 4a^3b + 6a^2b^2 + 4ab^3 + b^4) \cosh(dx + c) \sinh(dx + c)^7 + ( \\
&a^4 + 4a^3b + 6a^2b^2 + 4ab^3 + b^4) \sinh(dx + c)^8 + 4*(a^4 + 2a^3b \\
&*b - 2ab^3 - b^4) \cosh(dx + c)^6 + 4*(a^4 + 2a^3b - 2ab^3 - b^4 + 7* \\
&(a^4 + 4a^3b + 6a^2b^2 + 4ab^3 + b^4) \cosh(dx + c)^2) \sinh(dx + c)^6 + 8*(7*(a^4 + 4a^3b + 6a^2b^2 + 4ab^3 + b^4) \cosh(dx + c)^3 + 3*(a^4 + 2a^3b - 2ab^3 - b^4) \cosh(dx + c)) \sinh(dx + c)^5 + 2*(3a^4 + 4 \\
&*a^3b + 2a^2b^2 + 4ab^3 + 3b^4) \cosh(dx + c)^4 + 2*(35*(a^4 + 4a^3b \\
&b + 6a^2b^2 + 4ab^3 + b^4) \cosh(dx + c)^4 + 3a^4 + 4a^3b + 2a^2b^2 \\
&+ 4ab^3 + 3b^4 + 30*(a^4 + 2a^3b - 2ab^3 - b^4) \cosh(dx + c)^2) \sinh(dx + c)^4 + a^4 + 4a^3b + 6a^2b^2 + 4ab^3 + b^4 + 8*(7*(a^4 + 4 \\
&a^3b + 6a^2b^2 + 4ab^3 + b^4) \cosh(dx + c)^5 + 10*(a^4 + 2a^3b - 2 \\
&ab^3 - b^4) \cosh(dx + c)^3 + (3a^4 + 4a^3b + 2a^2b^2 + 4ab^3 + 3b \\
&^4) \cosh(dx + c)) \sinh(dx + c)^3 + 4*(a^4 + 2a^3b - 2ab^3 - b^4) \cosh \\
&(dx + c)^2 + 4*(7*(a^4 + 4a^3b + 6a^2b^2 + 4ab^3 + b^4) \cosh(dx + c \\
&)^6 + 15*(a^4 + 2a^3b - 2ab^3 - b^4) \cosh(dx + c)^4 + a^4 + 2a^3b - \\
&2ab^3 - b^4 + 3*(3a^4 + 4a^3b + 2a^2b^2 + 4ab^3 + 3b^4) \cosh(dx \\
&+ c)^2) \sinh(dx + c)^2 + 8*((a^4 + 4a^3b + 6a^2b^2 + 4ab^3 + b^4) \cosh(dx + c)^7 + 3*(a^4 + 2a^3b - 2ab^3 - b^4) \cosh(dx + c)^5 + (3a^4 + \\
&4a^3b + 2a^2b^2 + 4ab^3 + 3b^4) \cosh(dx + c)^3 + (a^4 + 2a^3b - \\
&2ab^3 - b^4) \cosh(dx + c)) \sinh(dx + c) \log(\cosh(dx + c) + \sinh(dx \\
&+ c) - 1) + 2*(7*(9a^3b + 13a^2b^2 + 4ab^3) \cosh(dx + c)^6 + 5*(27a^3b \\
&+ 11a^2b^2 - 4ab^3) \cosh(dx + c)^4 + 9a^3b + 13a^2b^2 + 4ab^3 \\
&+ 3*(27a^3b + 11a^2b^2 - 4ab^3) \cosh(dx + c)^2) \sinh(dx + c)) / (( \\
&a^7 + 4a^6b + 6a^5b^2 + 4a^4b^3 + a^3b^4) d \cosh(dx + c)^8 + 8*(a^7 \\
&+ 4a^6b + 6a^5b^2 + 4a^4b^3 + a^3b^4) d \cosh(dx + c) \sinh(dx + c) \\
&^7 + (a^7 + 4a^6b + 6a^5b^2 + 4a^4b^3 + a^3b^4) d \sinh(dx + c)^8 + \\
&4*(a^7 + 2a^6b - 2a^4b^3 - a^3b^4) d \cosh(dx + c)^6 + 4*(7*(a^7 + 4a^6b \\
&+ 6a^5b^2 + 4a^4b^3 + a^3b^4) d \cosh(dx + c)^2 + (a^7 + 2a^6b - \\
&2a^4b^3 - a^3b^4) d) \sinh(dx + c)^6 + 2*(3a^7 + 4a^6b + 2a^5b^2 \\
&+ 4a^4b^3 + 3a^3b^4) d \cosh(dx + c)^4 + 8*(7*(a^7 + 4a^6b + 6a^5b^2 \\
&+ 4a^4b^3 + a^3b^4) d \cosh(dx + c)^3 + 3*(a^7 + 2a^6b - 2a^4b^3 - \\
&a^3b^4) d \cosh(dx + c)) \sinh(dx + c)^5 + 2*(35*(a^7 + 4a^6b + 6a^5b^2 \\
&+ 4a^4b^3 + a^3b^4) d \cosh(dx + c)^4 + 30*(a^7 + 2a^6b - 2a^4b^3 \\
&- a^3b^4) d \cosh(dx + c)^2 + (3a^7 + 4a^6b + 2a^5b^2 + 4a^4b^3 + \\
&3a^3b^4) d) \sinh(dx + c)^4 + 4*(a^7 + 2a^6b - 2a^4b^3 - a^3b^4) d \cosh(dx + c)^2 + 8*(7*(a^7 + 4a^6b + 6a^5b^2 + 4a^4b^3 + a^3b^4) d \cosh(dx + c)^5 + 10*(a^7 + 2a^6b - 2a^4b^3 - a^3b^4) d \cosh(dx + c)^3 \\
&+ (3a^7 + 4a^6b + 2a^5b^2 + 4a^4b^3 + 3a^3b^4) d \cosh(dx + c)) \sinh(dx + c)^3 + 4*(7*(a^7 + 4a^6b + 6a^5b^2 + 4a^4b^3 + a^3b^4) d \cosh(dx + c)^6 + 15*(a^7 + 2a^6b - 2a^4b^3 - a^3b^4) d \cosh(dx + c)^4 \\
&+ 3*(3a^7 + 4a^6b + 2a^5b^2 + 4a^4b^3 + 3a^3b^4) d \cosh(dx + c)^2 + (a^7 + 2a^6b - 2a^4b^3 - a^3b^4) d) \sinh(dx + c)^2 + (a^7 + 4a^6b \\
&*b + 6a^5b^2 + 4a^4b^3 + a^3b^4) d + 8*((a^7 + 4a^6b + 6a^5b^2 + 4
\end{aligned}$$

```
*a^4*b^3 + a^3*b^4)*d*cosh(d*x + c)^7 + 3*(a^7 + 2*a^6*b - 2*a^4*b^3 - a^3*
b^4)*d*cosh(d*x + c)^5 + (3*a^7 + 4*a^6*b + 2*a^5*b^2 + 4*a^4*b^3 + 3*a^3*b
^4)*d*cosh(d*x + c)^3 + (a^7 + 2*a^6*b - 2*a^4*b^3 - a^3*b^4)*d*cosh(d*x +
c))*sinh(d*x + c))]
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{csch}(c + dx)}{(a + b \tanh^2(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(csch(d*x+c)/(a+b*tanh(d*x+c)**2)**3,x)
```

```
[Out] Integral(csch(c + d*x)/(a + b*tanh(c + d*x)**2)**3, x)
```

**Giac [C]** time = 1.98066, size = 9281, normalized size = 59.49

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(csch(d*x+c)/(a+b*tanh(d*x+c)^2)^3,x, algorithm="giac")
```

```
[Out] -1/32*(2*(3*(15*a^8*b*e^(4*c) + 65*a^7*b^2*e^(4*c) + 113*a^6*b^3*e^(4*c) +
99*a^5*b^4*e^(4*c) + 44*a^4*b^5*e^(4*c) + 8*a^3*b^6*e^(4*c))*cos(1/2*real_p
art(arccos(-a/(a + b) + b/(a + b))))^2*cosh(1/2*imag_part(arccos(-a/(a + b)
+ b/(a + b))))^3*sin(1/2*real_part(arccos(-a/(a + b) + b/(a + b)))) - (15*
a^8*b*e^(4*c) + 65*a^7*b^2*e^(4*c) + 113*a^6*b^3*e^(4*c) + 99*a^5*b^4*e^(4*
c) + 44*a^4*b^5*e^(4*c) + 8*a^3*b^6*e^(4*c))*cosh(1/2*imag_part(arccos(-a/(
a + b) + b/(a + b))))^3*sin(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))^
3 - 9*(15*a^8*b*e^(4*c) + 65*a^7*b^2*e^(4*c) + 113*a^6*b^3*e^(4*c) + 99*a^5
*b^4*e^(4*c) + 44*a^4*b^5*e^(4*c) + 8*a^3*b^6*e^(4*c))*cos(1/2*real_part(ar
ccos(-a/(a + b) + b/(a + b))))^2*cosh(1/2*imag_part(arccos(-a/(a + b) + b/(
a + b))))^2*sin(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))*sinh(1/2*ima
g_part(arccos(-a/(a + b) + b/(a + b)))) + 3*(15*a^8*b*e^(4*c) + 65*a^7*b^2*
e^(4*c) + 113*a^6*b^3*e^(4*c) + 99*a^5*b^4*e^(4*c) + 44*a^4*b^5*e^(4*c) + 8
*a^3*b^6*e^(4*c))*cosh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b))))^2*sin
(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))^3*sinh(1/2*imag_part(arccos
```

$$\begin{aligned}
& (-a/(a+b) + b/(a+b))) + 9*(15*a^8*b*e^(4*c) + 65*a^7*b^2*e^(4*c) + 113* \\
& a^6*b^3*e^(4*c) + 99*a^5*b^4*e^(4*c) + 44*a^4*b^5*e^(4*c) + 8*a^3*b^6*e^(4 \\
& *c))*\cos(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2*\cosh(1/2*\text{imag\_par} \\
& \text{t}(\arccos(-a/(a+b) + b/(a+b))))*\sin(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/ \\
& (a+b))))*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - 3*(15*a^ \\
& 8*b*e^(4*c) + 65*a^7*b^2*e^(4*c) + 113*a^6*b^3*e^(4*c) + 99*a^5*b^4*e^(4*c) \\
& + 44*a^4*b^5*e^(4*c) + 8*a^3*b^6*e^(4*c))*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a \\
& + b) + b/(a+b))))*\sin(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3*\text{si} \\
& \text{nh}(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - 3*(15*a^8*b*e^(4*c) + \\
& 65*a^7*b^2*e^(4*c) + 113*a^6*b^3*e^(4*c) + 99*a^5*b^4*e^(4*c) + 44*a^4*b^5 \\
& *e^(4*c) + 8*a^3*b^6*e^(4*c))*\cos(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a + \\
& b))))^2*\sin(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))*\sinh(1/2*\text{imag\_pa} \\
& \text{rt}(\arccos(-a/(a+b) + b/(a+b))))^3 + (15*a^8*b*e^(4*c) + 65*a^7*b^2*e^(4 \\
& *c) + 113*a^6*b^3*e^(4*c) + 99*a^5*b^4*e^(4*c) + 44*a^4*b^5*e^(4*c) + 8*a^3 \\
& *b^6*e^(4*c))*\sin(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3*\sinh(1/2 \\
& *\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 - (15*a^8*b*e^(4*c) + 65*a^7* \\
& b^2*e^(4*c) + 113*a^6*b^3*e^(4*c) + 99*a^5*b^4*e^(4*c) + 44*a^4*b^5*e^(4*c) \\
& + 8*a^3*b^6*e^(4*c))*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))*\text{s} \\
& \text{in}(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) + (15*a^8*b*e^(4*c) + 65* \\
& a^7*b^2*e^(4*c) + 113*a^6*b^3*e^(4*c) + 99*a^5*b^4*e^(4*c) + 44*a^4*b^5*e^( \\
& 4*c) + 8*a^3*b^6*e^(4*c))*\sin(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))) \\
& )*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))*\arctan((((a^6 + 3*a^ \\
& 5*b + 3*a^4*b^2 + a^3*b^3)/(a^6*e^(4*c) + 3*a^5*b*e^(4*c) + 3*a^4*b^2*e^(4* \\
& c) + a^3*b^3*e^(4*c)))^(1/4)*\cos(1/2*\arccos(-(a-b)/(a+b))) + e^(d*x))/ \\
& (((a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3)/(a^6*e^(4*c) + 3*a^5*b*e^(4*c) + 3*a \\
& ^4*b^2*e^(4*c) + a^3*b^3*e^(4*c)))^(1/4)*\sin(1/2*\arccos(-(a-b)/(a+b)))) \\
& )/(2*(a^5*e^(2*c) + 2*a^4*b*e^(2*c) + a^3*b^2*e^(2*c))^2*a*b + (a^6*e^(2*c) \\
& + a^5*b*e^(2*c) - a^4*b^2*e^(2*c) - a^3*b^3*e^(2*c))*\sqrt{-a*b}*abs(a^5*e^ \\
& (2*c) + 2*a^4*b*e^(2*c) + a^3*b^2*e^(2*c))) + 2*(3*(15*a^8*b*e^(4*c) + 65*a \\
& ^7*b^2*e^(4*c) + 113*a^6*b^3*e^(4*c) + 99*a^5*b^4*e^(4*c) + 44*a^4*b^5*e^(4 \\
& *c) + 8*a^3*b^6*e^(4*c))*\cos(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) \\
& ^2*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3*\sin(1/2*\text{real\_part} \\
& (\arccos(-a/(a+b) + b/(a+b)))) - (15*a^8*b*e^(4*c) + 65*a^7*b^2*e^(4*c) + \\
& 113*a^6*b^3*e^(4*c) + 99*a^5*b^4*e^(4*c) + 44*a^4*b^5*e^(4*c) + 8*a^3*b^6* \\
& e^(4*c))*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3*\sin(1/2*\text{real} \\
& \_part(\arccos(-a/(a+b) + b/(a+b))))^3 - 9*(15*a^8*b*e^(4*c) + 65*a^7*b^2 \\
& *e^(4*c) + 113*a^6*b^3*e^(4*c) + 99*a^5*b^4*e^(4*c) + 44*a^4*b^5*e^(4*c) + \\
& 8*a^3*b^6*e^(4*c))*\cos(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2*\cos \\
& h(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2*\sin(1/2*\text{real\_part}(\arccos \\
& (-a/(a+b) + b/(a+b))))*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b) \\
& ))) + 3*(15*a^8*b*e^(4*c) + 65*a^7*b^2*e^(4*c) + 113*a^6*b^3*e^(4*c) + 99*a \\
& ^5*b^4*e^(4*c) + 44*a^4*b^5*e^(4*c) + 8*a^3*b^6*e^(4*c))*\cosh(1/2*\text{imag\_part} \\
& (\arccos(-a/(a+b) + b/(a+b))))^2*\sin(1/2*\text{real\_part}(\arccos(-a/(a+b) + b \\
& /(a+b))))^3*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) + 9*(15*a \\
& ^8*b*e^(4*c) + 65*a^7*b^2*e^(4*c) + 113*a^6*b^3*e^(4*c) + 99*a^5*b^4*e^(4*c)
\end{aligned}$$



$$\begin{aligned}
& ) + 44a^4b^5e^{4c} + 8a^3b^6e^{4c}))\cos(1/2\operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2\cosh(1/2\operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))*s \\
& \operatorname{in}(1/2\operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))*\sinh(1/2\operatorname{imag\_part}(\arccos \\
& (-a/(a+b) + b/(a+b))))^2 - 3*(15a^8b^3e^{4c} + 65a^7b^2e^{4c} + 1 \\
& 13a^6b^3e^{4c} + 99a^5b^4e^{4c} + 44a^4b^5e^{4c} + 8a^3b^6e^{4c})*\cosh(1/2\operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))*\sin(1/2\operatorname{real\_par} \\
& \operatorname{t}(\arccos(-a/(a+b) + b/(a+b))))^3*\sinh(1/2\operatorname{imag\_part}(\arccos(-a/(a+b) + \\
& b/(a+b))))^2 - 3*(15a^8b^3e^{4c} + 65a^7b^2e^{4c} + 113a^6b^3e^{4c} + 99a^5b \\
& ^4e^{4c} + 44a^4b^5e^{4c} + 8a^3b^6e^{4c})*\cos(1/ \\
& 2\operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2*\sin(1/2\operatorname{real\_part}(\arccos(-a/ \\
& (a+b) + b/(a+b))))*\sinh(1/2\operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^ \\
& 3 + (15a^8b^3e^{4c} + 65a^7b^2e^{4c} + 113a^6b^3e^{4c} + 99a^5b \\
& ^4e^{4c} + 44a^4b^5e^{4c} + 8a^3b^6e^{4c})*\sin(1/2\operatorname{real\_part}(\arcc \\
& \operatorname{os}(-a/(a+b) + b/(a+b))))^3*\sinh(1/2\operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a \\
& + b))))^3 - (15a^8b^3e^{4c} + 65a^7b^2e^{4c} + 113a^6b^3e^{4c} + \\
& 99a^5b^4e^{4c} + 44a^4b^5e^{4c} + 8a^3b^6e^{4c})*\cosh(1/2\operatorname{imag\_ \\
& \operatorname{part}(\arccos(-a/(a+b) + b/(a+b))))*\sin(1/2\operatorname{real\_part}(\arccos(-a/(a+b) + \\
& b/(a+b)))) + (15a^8b^3e^{4c} + 65a^7b^2e^{4c} + 113a^6b^3e^{4c} \\
& ) + 99a^5b^4e^{4c} + 44a^4b^5e^{4c} + 8a^3b^6e^{4c})*\sin(1/2\operatorname{re} \\
& \operatorname{al\_part}(\arccos(-a/(a+b) + b/(a+b))))*\sinh(1/2\operatorname{imag\_part}(\arccos(-a/(a + \\
& b) + b/(a+b))))*\arctan(-(((a^6 + 3a^5b + 3a^4b^2 + a^3b^3)/(a^6e^{4c} + 3a^5b^3e^{4c} + 3a^4b^2e^{4c} + a^3b^3e^{4c})))^{1/4}*\cos(1/ \\
& 2*\arccos(-(a-b)/(a+b))) - e^{(d*x)})/(((a^6 + 3a^5b + 3a^4b^2 + a^3b^ \\
& ^3)/(a^6e^{4c} + 3a^5b^3e^{4c} + 3a^4b^2e^{4c} + a^3b^3e^{4c})))^{1/4}*\sin(1/2*\arccos(-(a-b)/(a+b))))/(2*(a^5e^{2c} + 2a^4b^2e^{2c} \\
& + a^3b^2e^{2c}))^2*a*b + (a^6e^{2c} + a^5b^2e^{2c} - a^4b^2e^{2c} \\
& - a^3b^3e^{2c})*\sqrt{-a*b}*abs(a^5e^{2c} + 2a^4b^2e^{2c} + a^3b^2e^{2c} \\
& ^2c)) + ((15a^8b^3e^{4c} + 65a^7b^2e^{4c} + 113a^6b^3e^{4c} + \\
& 99a^5b^4e^{4c} + 44a^4b^5e^{4c} + 8a^3b^6e^{4c})*\cos(1/2\operatorname{real\_p} \\
& \operatorname{art}(\arccos(-a/(a+b) + b/(a+b))))^3*\cosh(1/2\operatorname{imag\_part}(\arccos(-a/(a+b) \\
& + b/(a+b))))^3 - 3*(15a^8b^3e^{4c} + 65a^7b^2e^{4c} + 113a^6b^3e^{4c} + 99a^5b^4e^{4c} + 44a^4b^5e^{4c} + 8a^3b^6e^{4c})*\cos( \\
& 1/2\operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))*\cosh(1/2\operatorname{imag\_part}(\arccos(-a \\
& /(a+b) + b/(a+b))))^3*\sin(1/2\operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))) \\
& )^2 - 3*(15a^8b^3e^{4c} + 65a^7b^2e^{4c} + 113a^6b^3e^{4c} + 99a^5b^4e^{4c} + 44a^4b^5e^{4c} + 8a^3b^6e^{4c})*\cos(1/2\operatorname{real\_part} \\
& (\arccos(-a/(a+b) + b/(a+b))))^3*\cosh(1/2\operatorname{imag\_part}(\arccos(-a/(a+b) + b \\
& /(a+b))))^2*\sinh(1/2\operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) + 9*(15a^ \\
& ^8b^3e^{4c} + 65a^7b^2e^{4c} + 113a^6b^3e^{4c} + 99a^5b^4e^{4c} \\
& ) + 44a^4b^5e^{4c} + 8a^3b^6e^{4c})*\cos(1/2\operatorname{real\_part}(\arccos(-a/(a \\
& + b) + b/(a+b))))*\cosh(1/2\operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2*s \\
& \operatorname{in}(1/2\operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2*\sinh(1/2\operatorname{imag\_part}(\arcc \\
& \operatorname{os}(-a/(a+b) + b/(a+b)))) + 3*(15a^8b^3e^{4c} + 65a^7b^2e^{4c} + 1 \\
& 13a^6b^3e^{4c} + 99a^5b^4e^{4c} + 44a^4b^5e^{4c} + 8a^3b^6e^{4c})*\cos(1/2\operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3*\cosh(1/2\operatorname{imag\_p}
\end{aligned}$$

$$\begin{aligned} & \text{art}(\arccos(-a/(a+b) + b/(a+b))) * \sinh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + \\ & \quad b/(a+b))))^2 - 9 * (15 * a^8 * b * e^{(4*c)} + 65 * a^7 * b^2 * e^{(4*c)} + 113 * a^6 * b^3 * e^{(4*c)} + \\ & \quad 99 * a^5 * b^4 * e^{(4*c)} + 44 * a^4 * b^5 * e^{(4*c)} + 8 * a^3 * b^6 * e^{(4*c)}) * \cos(1/ \\ & \quad 2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \cosh(1/2 * \text{imag\_part}(\arccos(-a/( \\ & \quad a+b) + b/(a+b)))) * \sin(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 * \\ & \quad \sinh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - (15 * a^8 * b * e^{(4*c)} + \\ & \quad 65 * a^7 * b^2 * e^{(4*c)} + 113 * a^6 * b^3 * e^{(4*c)} + 99 * a^5 * b^4 * e^{(4*c)} + 44 * a^4 * b^5 \\ & \quad * e^{(4*c)} + 8 * a^3 * b^6 * e^{(4*c)}) * \cos(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a + \\ & \quad b))))^3 * \sinh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 + 3 * (15 * a^8 * b \\ & \quad * e^{(4*c)} + 65 * a^7 * b^2 * e^{(4*c)} + 113 * a^6 * b^3 * e^{(4*c)} + 99 * a^5 * b^4 * e^{(4*c)} + \\ & \quad 44 * a^4 * b^5 * e^{(4*c)} + 8 * a^3 * b^6 * e^{(4*c)}) * \cos(1/2 * \text{real\_part}(\arccos(-a/(a+b) \\ & \quad + b/(a+b)))) * \sin(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 * \sinh(1 \\ & \quad /2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 - (15 * a^8 * b * e^{(4*c)} + 65 * a^ \\ & \quad 7 * b^2 * e^{(4*c)} + 113 * a^6 * b^3 * e^{(4*c)} + 99 * a^5 * b^4 * e^{(4*c)} + 44 * a^4 * b^5 * e^{(4* \\ & \quad c)} + 8 * a^3 * b^6 * e^{(4*c)}) * \cos(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \\ & \quad \cosh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) + (15 * a^8 * b * e^{(4*c)} + 6 \\ & \quad 5 * a^7 * b^2 * e^{(4*c)} + 113 * a^6 * b^3 * e^{(4*c)} + 99 * a^5 * b^4 * e^{(4*c)} + 44 * a^4 * b^5 * e \\ & \quad ^{(4*c)} + 8 * a^3 * b^6 * e^{(4*c)}) * \cos(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b) \\ & \quad ))) * \sinh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \log(2 * ((a^6 + 3 * a^ \\ & \quad 5 * b + 3 * a^4 * b^2 + a^3 * b^3)/(a^6 * e^{(4*c)} + 3 * a^5 * b * e^{(4*c)} + 3 * a^4 * b^2 * e^{(4* \\ & \quad c)} + a^3 * b^3 * e^{(4*c)}))^{(1/4)} * \cos(1/2 * \arccos(-(a-b)/(a+b))) * e^{(d*x)} + \text{sq} \\ & \quad \text{rt}((a^6 + 3 * a^5 * b + 3 * a^4 * b^2 + a^3 * b^3)/(a^6 * e^{(4*c)} + 3 * a^5 * b * e^{(4*c)} + 3 \\ & \quad * a^4 * b^2 * e^{(4*c)} + a^3 * b^3 * e^{(4*c)})) + e^{(2*d*x)})/(2 * (a^5 * e^{(2*c)} + 2 * a^4 * b \\ & \quad * e^{(2*c)} + a^3 * b^2 * e^{(2*c)})^2 * a * b + (a^6 * e^{(2*c)} + a^5 * b * e^{(2*c)} - a^4 * b^2 * \\ & \quad e^{(2*c)} - a^3 * b^3 * e^{(2*c)}) * \text{sqrt}(-a * b) * \text{abs}(a^5 * e^{(2*c)} + 2 * a^4 * b * e^{(2*c)} + a \\ & \quad ^3 * b^2 * e^{(2*c)})) - ((15 * a^8 * b * e^{(4*c)} + 65 * a^7 * b^2 * e^{(4*c)} + 113 * a^6 * b^3 * e^{(4*c)} \\ & \quad + 99 * a^5 * b^4 * e^{(4*c)} + 44 * a^4 * b^5 * e^{(4*c)} + 8 * a^3 * b^6 * e^{(4*c)}) * \cos(1/ \\ & \quad 2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \cosh(1/2 * \text{imag\_part}(\arccos(-a \\ & \quad / (a+b) + b/(a+b))))^3 - 3 * (15 * a^8 * b * e^{(4*c)} + 65 * a^7 * b^2 * e^{(4*c)} + 113 * \\ & \quad a^6 * b^3 * e^{(4*c)} + 99 * a^5 * b^4 * e^{(4*c)} + 44 * a^4 * b^5 * e^{(4*c)} + 8 * a^3 * b^6 * e^{(4* \\ & \quad c)}) * \cos(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \cosh(1/2 * \text{imag\_part}(a \\ & \quad \text{rccos}(-a/(a+b) + b/(a+b))))^3 * \sin(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/( \\ & \quad a+b))))^2 - 3 * (15 * a^8 * b * e^{(4*c)} + 65 * a^7 * b^2 * e^{(4*c)} + 113 * a^6 * b^3 * e^{(4*c)} \\ & \quad + 99 * a^5 * b^4 * e^{(4*c)} + 44 * a^4 * b^5 * e^{(4*c)} + 8 * a^3 * b^6 * e^{(4*c)}) * \cos(1/2 * \text{re} \\ & \quad \text{al\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \cosh(1/2 * \text{imag\_part}(\arccos(-a/(a \\ & \quad + b) + b/(a+b))))^2 * \sinh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) + \\ & \quad 9 * (15 * a^8 * b * e^{(4*c)} + 65 * a^7 * b^2 * e^{(4*c)} + 113 * a^6 * b^3 * e^{(4*c)} + 99 * a^5 * b^ \\ & \quad 4 * e^{(4*c)} + 44 * a^4 * b^5 * e^{(4*c)} + 8 * a^3 * b^6 * e^{(4*c)}) * \cos(1/2 * \text{real\_part}(\arcco \\ & \quad \text{s}(-a/(a+b) + b/(a+b)))) * \cosh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b) \\ & \quad )))^2 * \sin(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 * \sinh(1/2 * \text{imag\_p} \\ & \quad \text{art}(\arccos(-a/(a+b) + b/(a+b)))) + 3 * (15 * a^8 * b * e^{(4*c)} + 65 * a^7 * b^2 * e^{(4* \\ & \quad c)} + 113 * a^6 * b^3 * e^{(4*c)} + 99 * a^5 * b^4 * e^{(4*c)} + 44 * a^4 * b^5 * e^{(4*c)} + 8 * a^ \\ & \quad 3 * b^6 * e^{(4*c)}) * \cos(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \cosh(1/ \\ & \quad 2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sinh(1/2 * \text{imag\_part}(\arccos(-a/( \\ & \quad a+b) + b/(a+b))))^2 - 9 * (15 * a^8 * b * e^{(4*c)} + 65 * a^7 * b^2 * e^{(4*c)} + 113 * a^ \end{aligned}$$

$$\begin{aligned}
& 6*b^3*e^{(4*c)} + 99*a^5*b^4*e^{(4*c)} + 44*a^4*b^5*e^{(4*c)} + 8*a^3*b^6*e^{(4*c)} \\
& )*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 - (15*a^8*b*e^{(4*c)} + 65*a^7*b^2*e^{(4*c)} + 113*a^6*b^3*e^{(4*c)} + 99*a^5*b^4*e^{(4*c)} + 44*a^4*b^5*e^{(4*c)} + 8*a^3*b^6*e^{(4*c)})*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 + 3*(15*a^8*b*e^{(4*c)} + 65*a^7*b^2*e^{(4*c)} + 113*a^6*b^3*e^{(4*c)} + 99*a^5*b^4*e^{(4*c)} + 44*a^4*b^5*e^{(4*c)} + 8*a^3*b^6*e^{(4*c)})*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 - (15*a^8*b*e^{(4*c)} + 65*a^7*b^2*e^{(4*c)} + 113*a^6*b^3*e^{(4*c)} + 99*a^5*b^4*e^{(4*c)} + 44*a^4*b^5*e^{(4*c)} + 8*a^3*b^6*e^{(4*c)})*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) + (15*a^8*b*e^{(4*c)} + 65*a^7*b^2*e^{(4*c)} + 113*a^6*b^3*e^{(4*c)} + 99*a^5*b^4*e^{(4*c)} + 44*a^4*b^5*e^{(4*c)} + 8*a^3*b^6*e^{(4*c)})*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))*\log(-2*((a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3)/(a^6*e^{(4*c)} + 3*a^5*b*e^{(4*c)} + 3*a^4*b^2*e^{(4*c)} + a^3*b^3*e^{(4*c)}))^{(1/4)}*\cos(1/2*\arccos(-(a - b)/(a + b)))*e^{(d*x)} + \sqrt{(a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3)/(a^6*e^{(4*c)} + 3*a^5*b*e^{(4*c)} + 3*a^4*b^2*e^{(4*c)} + a^3*b^3*e^{(4*c)})} + e^{(2*d*x)})/(2*(a^5*e^{(2*c)} + 2*a^4*b*e^{(2*c)} + a^3*b^2*e^{(2*c)})^2*a*b + (a^6*e^{(2*c)} + a^5*b*e^{(2*c)} - a^4*b^2*e^{(2*c)} - a^3*b^3*e^{(2*c)})*\sqrt{-a*b}*abs(a^5*e^{(2*c)} + 2*a^4*b*e^{(2*c)} + a^3*b^2*e^{(2*c)})) - 8*(9*a^2*b*e^{(7*d*x + 7*c)} + 13*a*b^2*e^{(7*d*x + 7*c)} + 4*b^3*e^{(7*d*x + 7*c)} + 27*a^2*b*e^{(5*d*x + 5*c)} + 11*a*b^2*e^{(5*d*x + 5*c)} - 4*b^3*e^{(5*d*x + 5*c)} + 27*a^2*b*e^{(3*d*x + 3*c)} + 11*a*b^2*e^{(3*d*x + 3*c)} - 4*b^3*e^{(3*d*x + 3*c)} + 9*a^2*b*e^{(d*x + c)} + 13*a*b^2*e^{(d*x + c)} + 4*b^3*e^{(d*x + c)})/((a^4 + 2*a^3*b + a^2*b^2)*(a*e^{(4*d*x + 4*c)} + b*e^{(4*d*x + 4*c)} + 2*a*e^{(2*d*x + 2*c)} - 2*b*e^{(2*d*x + 2*c)} + a + b)^2) + 32*\log(e^{(d*x + c)} + 1)/a^3 - 32*\log(abs(e^{(d*x + c)} - 1))/a^3)/d
\end{aligned}$$

$$3.46 \quad \int \frac{\operatorname{csch}^2(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$$

**Optimal.** Leaf size=112

$$-\frac{15\sqrt{b} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8a^{7/2}d} + \frac{5 \operatorname{coth}(c+dx)}{8a^2d(a+b \tanh^2(c+dx))} - \frac{15 \operatorname{coth}(c+dx)}{8a^3d} + \frac{\operatorname{coth}(c+dx)}{4ad(a+b \tanh^2(c+dx))^2}$$

[Out]  $(-15*\operatorname{Sqrt}[b]*\operatorname{ArcTan}[(\operatorname{Sqrt}[b]*\operatorname{Tanh}[c+d*x])/ \operatorname{Sqrt}[a]])/(8*a^{(7/2)*d}) - (15*\operatorname{Coth}[c+d*x])/(8*a^3*d) + \operatorname{Coth}[c+d*x]/(4*a*d*(a+b*\operatorname{Tanh}[c+d*x]^2)^2) + (5*\operatorname{Coth}[c+d*x])/(8*a^2*d*(a+b*\operatorname{Tanh}[c+d*x]^2))$

**Rubi [A]** time = 0.086946, antiderivative size = 112, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {3663, 290, 325, 205}

$$-\frac{15\sqrt{b} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8a^{7/2}d} + \frac{5 \operatorname{coth}(c+dx)}{8a^2d(a+b \tanh^2(c+dx))} - \frac{15 \operatorname{coth}(c+dx)}{8a^3d} + \frac{\operatorname{coth}(c+dx)}{4ad(a+b \tanh^2(c+dx))^2}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[\operatorname{Csch}[c+d*x]^2/(a+b*\operatorname{Tanh}[c+d*x]^2)^3, x]$

[Out]  $(-15*\operatorname{Sqrt}[b]*\operatorname{ArcTan}[(\operatorname{Sqrt}[b]*\operatorname{Tanh}[c+d*x])/ \operatorname{Sqrt}[a]])/(8*a^{(7/2)*d}) - (15*\operatorname{Coth}[c+d*x])/(8*a^3*d) + \operatorname{Coth}[c+d*x]/(4*a*d*(a+b*\operatorname{Tanh}[c+d*x]^2)^2) + (5*\operatorname{Coth}[c+d*x])/(8*a^2*d*(a+b*\operatorname{Tanh}[c+d*x]^2))$

### Rule 3663

$\operatorname{Int}[\sin[(e_.) + (f_.)*(x_)]^{(m_)}*((a_.) + (b_.)*((c_.)*\tan[(e_.) + (f_.)*(x_)]))^{(n_)}]^{(p_)}, x\_Symbol] \rightarrow \operatorname{With}[\{ff = \operatorname{FreeFactors}[\operatorname{Tan}[e + f*x], x]\}, \operatorname{Dist}[(c*ff^{(m+1)})/f, \operatorname{Subst}[\operatorname{Int}[(x^m*(a + b*(ff*x)^n)^p]/(c^2 + ff^2*x^2)^{(m/2+1)}, x], x, (c*\operatorname{Tan}[e + f*x])/ff, x]] /; \operatorname{FreeQ}[\{a, b, c, e, f, n, p\}, x] \&\& \operatorname{IntegerQ}[m/2]$

### Rule 290

$\operatorname{Int}[(c_.)*(x_)]^{(m_)}*((a_.) + (b_.)*(x_)]^{(n_)}]^{(p_)}, x\_Symbol] \rightarrow -\operatorname{Simp}[(c*x)^{(m+1)}*(a + b*x^n)^{(p+1)}/(a*c*n*(p+1)), x] + \operatorname{Dist}[(m + n*(p+1))$

+ 1)/(a\*n\*(p + 1)), Int[(c\*x)^m\*(a + b\*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c, m}, x] && IGtQ[n, 0] && LtQ[p, -1] && IntBinomialQ[a, b, c, n, m, p, x]

### Rule 325

Int[((c\_.)\*(x\_))^(m\_)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[((c\*x)^(m + 1)\*(a + b\*x^n)^(p + 1))/(a\*c\*(m + 1)), x] - Dist[(b\*(m + n\*(p + 1) + 1))/(a\*c^n\*(m + 1)), Int[(c\*x)^(m + n)\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && LtQ[m, -1] && IntBinomialQ[a, b, c, n, m, p, x]

### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rubi steps

$$\begin{aligned}
 \int \frac{\operatorname{csch}^2(c + dx)}{(a + b \tanh^2(c + dx))^3} dx &= \frac{\operatorname{Subst}\left(\int \frac{1}{x^2(a+bx^2)^3} dx, x, \tanh(c + dx)\right)}{d} \\
 &= \frac{\operatorname{coth}(c + dx)}{4ad(a + b \tanh^2(c + dx))^2} + \frac{5 \operatorname{Subst}\left(\int \frac{1}{x^2(a+bx^2)^2} dx, x, \tanh(c + dx)\right)}{4ad} \\
 &= \frac{\operatorname{coth}(c + dx)}{4ad(a + b \tanh^2(c + dx))^2} + \frac{5 \operatorname{coth}(c + dx)}{8a^2d(a + b \tanh^2(c + dx))} + \frac{15 \operatorname{Subst}\left(\int \frac{1}{x^2(a+bx^2)} dx, x, \tanh(c + dx)\right)}{8a^2d} \\
 &= -\frac{15 \operatorname{coth}(c + dx)}{8a^3d} + \frac{\operatorname{coth}(c + dx)}{4ad(a + b \tanh^2(c + dx))^2} + \frac{5 \operatorname{coth}(c + dx)}{8a^2d(a + b \tanh^2(c + dx))} - \frac{(15b) \operatorname{Subst}\left(\int \frac{1}{x} dx, x, \tanh(c + dx)\right)}{8a^2d} \\
 &= -\frac{15\sqrt{b} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8a^{7/2}d} - \frac{15 \operatorname{coth}(c + dx)}{8a^3d} + \frac{\operatorname{coth}(c + dx)}{4ad(a + b \tanh^2(c + dx))^2} + \frac{5 \operatorname{coth}(c + dx)}{8a^2d(a + b \tanh^2(c + dx))}
 \end{aligned}$$

**Mathematica [A]** time = 0.881923, size = 109, normalized size = 0.97

$$\frac{-15\sqrt{b} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right) - \frac{\sqrt{ab} \sinh(2(c+dx))((9a+7b) \cosh(2(c+dx))+9a-7b)}{((a+b) \cosh(2(c+dx))+a-b)^2} - 8\sqrt{a} \coth(c+dx)}{8a^{7/2}d}$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]^2/(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] (-15\*Sqrt[b]\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]] - 8\*Sqrt[a]\*Coth[c + d\*x] - (Sqrt[a]\*b\*(9\*a - 7\*b + (9\*a + 7\*b)\*Cosh[2\*(c + d\*x)])\*Sinh[2\*(c + d\*x)])/(a - b + (a + b)\*Cosh[2\*(c + d\*x)]^2)/(8\*a^(7/2)\*d)

**Maple [B]** time = 0.116, size = 816, normalized size = 7.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csch(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2)^3,x)

[Out] -1/2/d/a^3\*tanh(1/2\*d\*x+1/2\*c)-9/4/d/a^2\*b/(tanh(1/2\*d\*x+1/2\*c)^4\*a+2\*tanh(1/2\*d\*x+1/2\*c)^2\*a+4\*tanh(1/2\*d\*x+1/2\*c)^2\*b+a)^2\*tanh(1/2\*d\*x+1/2\*c)^7-27/4/d/a^2\*b/(tanh(1/2\*d\*x+1/2\*c)^4\*a+2\*tanh(1/2\*d\*x+1/2\*c)^2\*a+4\*tanh(1/2\*d\*x+1/2\*c)^2\*b+a)^2\*tanh(1/2\*d\*x+1/2\*c)^5-7/d/a^3\*b^2/(tanh(1/2\*d\*x+1/2\*c)^4\*a+2\*tanh(1/2\*d\*x+1/2\*c)^2\*a+4\*tanh(1/2\*d\*x+1/2\*c)^2\*b+a)^2\*tanh(1/2\*d\*x+1/2\*c)^5-27/4/d/a^2\*b/(tanh(1/2\*d\*x+1/2\*c)^4\*a+2\*tanh(1/2\*d\*x+1/2\*c)^2\*a+4\*tanh(1/2\*d\*x+1/2\*c)^2\*b+a)^2\*tanh(1/2\*d\*x+1/2\*c)^3-7/d/a^3\*b^2/(tanh(1/2\*d\*x+1/2\*c)^4\*a+2\*tanh(1/2\*d\*x+1/2\*c)^2\*a+4\*tanh(1/2\*d\*x+1/2\*c)^2\*b+a)^2\*tanh(1/2\*d\*x+1/2\*c)^3-9/4/d/a^2\*b/(tanh(1/2\*d\*x+1/2\*c)^4\*a+2\*tanh(1/2\*d\*x+1/2\*c)^2\*a+4\*tanh(1/2\*d\*x+1/2\*c)^2\*b+a)^2\*tanh(1/2\*d\*x+1/2\*c)+15/8/d/a^2\*b/(b\*(a+b))^(1/2)/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2)\*arctanh(a\*tanh(1/2\*d\*x+1/2\*c))/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2))-15/8/d/a^3\*b/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2)\*arctanh(a\*tanh(1/2\*d\*x+1/2\*c))/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2))+15/8/d/a^3\*b^2/(b\*(a+b))^(1/2)/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2)\*arctanh(a\*tanh(1/2\*d\*x+1/2\*c))/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2))+15/8/d/a^2\*b/(b\*(a+b))^(1/2)/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2)\*arctan(a\*tanh(1/2\*d\*x+1/2\*c))/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2))+15/8/d/a^3\*b/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2)\*arctan(a\*tanh(1/2\*d\*x+1/2\*c))/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2))-1/2/d/a^3/ta

$\text{nh}(1/2*d*x+1/2*c)$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csch(d*x+c)^2/(a+b*tanh(d*x+c)^2)^3,x, algorithm="maxima")`

[Out] Exception raised: ValueError

**Fricas [B]** time = 3.14165, size = 19301, normalized size = 172.33

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csch(d*x+c)^2/(a+b*tanh(d*x+c)^2)^3,x, algorithm="fricas")`

[Out] 
$$\begin{aligned} & [-1/16*(4*(8*a^4 + 23*a^3*b + 45*a^2*b^2 + 45*a*b^3 + 15*b^4)*\cosh(d*x + c) \\ & ^8 + 32*(8*a^4 + 23*a^3*b + 45*a^2*b^2 + 45*a*b^3 + 15*b^4)*\cosh(d*x + c)*\sinh(d*x + c)^7 \\ & + 4*(8*a^4 + 23*a^3*b + 45*a^2*b^2 + 45*a*b^3 + 15*b^4)*\sinh(d*x + c)^8 + 8*(16*a^4 + 23*a^3*b - 45*a*b^3 - 30*b^4)*\cosh(d*x + c)^6 + 8 \\ & *(16*a^4 + 23*a^3*b - 45*a*b^3 - 30*b^4 + 14*(8*a^4 + 23*a^3*b + 45*a^2*b^2 + 45*a*b^3 + 15*b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^6 + 16*(14*(8*a^4 + 23 \\ & *a^3*b + 45*a^2*b^2 + 45*a*b^3 + 15*b^4)*\cosh(d*x + c)^3 + 3*(16*a^4 + 23*a^3*b - 45*a*b^3 - 30*b^4)*\cosh(d*x + c))*\sinh(d*x + c)^5 + 8*(24*a^4 + 32*a^3*b \\ & + 5*a^2*b^2 + 50*a*b^3 + 45*b^4)*\cosh(d*x + c)^4 + 8*(35*(8*a^4 + 23*a^3*b + 45*a^2*b^2 + 45*a*b^3 + 15*b^4)*\cosh(d*x + c)^4 + 24*a^4 + 32*a^3*b \\ & + 5*a^2*b^2 + 50*a*b^3 + 45*b^4 + 15*(16*a^4 + 23*a^3*b - 45*a*b^3 - 30*b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + 32*a^4 + 164*a^3*b + 292*a^2*b^2 + 220 \\ & *a*b^3 + 60*b^4 + 32*(7*(8*a^4 + 23*a^3*b + 45*a^2*b^2 + 45*a*b^3 + 15*b^4)*\cosh(d*x + c)^5 + 5*(16*a^4 + 23*a^3*b - 45*a*b^3 - 30*b^4)*\cosh(d*x + c)^3 \\ & + (24*a^4 + 32*a^3*b + 5*a^2*b^2 + 50*a*b^3 + 45*b^4)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 8*(16*a^4 + 41*a^3*b - 55*a*b^3 - 30*b^4)*\cosh(d*x + c)^2 + 8 \\ & *(14*(8*a^4 + 23*a^3*b + 45*a^2*b^2 + 45*a*b^3 + 15*b^4)*\cosh(d*x + c)^6 + 15*(16*a^4 + 23*a^3*b - 45*a*b^3 - 30*b^4)*\cosh(d*x + c)^4 + 16*a^4 + 41*a^3*b \\ & - 55*a*b^3 - 30*b^4 + 6*(24*a^4 + 32*a^3*b + 5*a^2*b^2 + 50*a*b^3 + 45*b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 - 15*((a^4 + 4*a^3*b + 6*a^2*b^2 + 4* \end{aligned}$$

$$\begin{aligned}
& a^3b + b^4) \cosh(dx + c)^{10} + 10(a^4 + 4a^3b + 6a^2b^2 + 4ab^3 + b^4) \cosh(dx + c) \sinh(dx + c)^9 + (a^4 + 4a^3b + 6a^2b^2 + 4ab^3 + \\
& b^4) \sinh(dx + c)^{10} + (3a^4 + 4a^3b - 6a^2b^2 - 12ab^3 - 5b^4) \cosh(dx + c)^8 + (3a^4 + 4a^3b - 6a^2b^2 - 12ab^3 - 5b^4 + 45(a^4 + \\
& 4a^3b + 6a^2b^2 + 4ab^3 + b^4) \cosh(dx + c)^2) \sinh(dx + c)^8 + 8(15(a^4 + 4a^3b + 6a^2b^2 + 4ab^3 + b^4) \cosh(dx + c)^3 + (3a^4 + \\
& 4a^3b - 6a^2b^2 - 12ab^3 - 5b^4) \cosh(dx + c)) \sinh(dx + c)^7 + 2(a^4 + 2a^2b^2 + 8ab^3 + 5b^4) \cosh(dx + c)^6 + 2(105(a^4 + 4a^3b \\
& + 6a^2b^2 + 4ab^3 + b^4) \cosh(dx + c)^4 + a^4 + 2a^2b^2 + 8ab^3 + 5b^4 + 14(3a^4 + 4a^3b - 6a^2b^2 - 12ab^3 - 5b^4) \cosh(dx + c)^2) \sinh(dx + c)^6 + 4(63(a^4 + 4a^3b + 6a^2b^2 + 4ab^3 + b^4) \cosh(dx + c)^5 + 14(3a^4 + 4a^3b - 6a^2b^2 - 12ab^3 - 5b^4) \cosh(dx + c)^3 + 3(a^4 + 2a^2b^2 + 8ab^3 + 5b^4) \cosh(dx + c)) \sinh(dx + c)^5 - 2(a^4 + 2a^2b^2 + 8ab^3 + 5b^4) \cosh(dx + c)^4 + 2(105(a^4 + 4a^3b + 6a^2b^2 + 4ab^3 + b^4) \cosh(dx + c)^6 + 35(3a^4 + 4a^3b - 6a^2b^2 - 12ab^3 - 5b^4) \cosh(dx + c)^4 - a^4 - 2a^2b^2 - 8ab^3 - 5b^4 + 15(a^4 + 2a^2b^2 + 8ab^3 + 5b^4) \cosh(dx + c)^2) \sinh(dx + c)^4 - a^4 - 4a^3b - 6a^2b^2 - 4ab^3 - b^4 + 8(15(a^4 + 4a^3b + 6a^2b^2 + 4ab^3 + b^4) \cosh(dx + c)^7 + 7(3a^4 + 4a^3b - 6a^2b^2 - 12ab^3 - 5b^4) \cosh(dx + c)^5 + 5(a^4 + 2a^2b^2 + 8ab^3 + 5b^4) \cosh(dx + c)^3 - (a^4 + 2a^2b^2 + 8ab^3 + 5b^4) \cosh(dx + c)) \sinh(dx + c)^3 - (3a^4 + 4a^3b - 6a^2b^2 - 12ab^3 - 5b^4) \cosh(dx + c)^2 + (45(a^4 + 4a^3b + 6a^2b^2 + 4ab^3 + b^4) \cosh(dx + c)^8 + 28(3a^4 + 4a^3b - 6a^2b^2 - 12ab^3 - 5b^4) \cosh(dx + c)^6 + 30(a^4 + 2a^2b^2 + 8ab^3 + 5b^4) \cosh(dx + c)^4 - 3a^4 - 4a^3b + 6a^2b^2 + 12ab^3 + 5b^4 - 12(a^4 + 2a^2b^2 + 8ab^3 + 5b^4) \cosh(dx + c)^2) \sinh(dx + c)^2 + 2(5(a^4 + 4a^3b + 6a^2b^2 + 4ab^3 + b^4) \cosh(dx + c)^9 + 4(3a^4 + 4a^3b - 6a^2b^2 - 12ab^3 - 5b^4) \cosh(dx + c)^7 + 6(a^4 + 2a^2b^2 + 8ab^3 + 5b^4) \cosh(dx + c)^5 - 4(a^4 + 2a^2b^2 + 8ab^3 + 5b^4) \cosh(dx + c)^3 - (3a^4 + 4a^3b - 6a^2b^2 - 12ab^3 - 5b^4) \cosh(dx + c)) \sinh(dx + c)) \sqrt{-b/a} \log(((a^2 + 2ab + b^2) \cosh(dx + c)^4 + 4(a^2 + 2ab + b^2) \cosh(dx + c) \sinh(dx + c)^3 + (a^2 + 2ab + b^2) \sinh(dx + c)^4 + 2(a^2 - b^2) \cosh(dx + c)^2 + 2(3(a^2 + 2ab + b^2) \cosh(dx + c)^2 + a^2 - b^2) \sinh(dx + c)^2 + a^2 - 6ab + b^2 + 4((a^2 + 2ab + b^2) \cosh(dx + c)^3 + (a^2 - b^2) \cosh(dx + c)) \sinh(dx + c) - 4((a^2 + ab) \cosh(dx + c)^2 + 2(a^2 + ab) \cosh(dx + c) \sinh(dx + c) + (a^2 + ab) \sinh(dx + c)^2 + a^2 - ab) \sqrt{-b/a})) / ((a + b) \cosh(dx + c)^4 + 4(a + b) \cosh(dx + c) \sinh(dx + c)^3 + (a + b) \sinh(dx + c)^4 + 2(a - b) \cosh(dx + c)^2 + 2(3(a + b) \cosh(dx + c)^2 + a - b) \sinh(dx + c)^2 + 4((a + b) \cosh(dx + c)^3 + (a - b) \cosh(dx + c)) \sinh(dx + c) + a + b) + 16(2(8a^4 + 23a^3b + 45a^2b^2 + 45ab^3 + 15b^4) \cosh(dx + c)^7 + 3(16a^4 + 23a^3b - 45ab^3 - 30b^4) \cosh(dx + c)^5 + 2(24a^4 + 32a^3b + 5a^2b^2 + 50ab^3 + 45b^4) \cosh(dx + c)^3 + (16a^4 + 41a^3b - 55ab^3 - 30b^4) \cosh(dx + c)) \sinh(dx + c)) / ((a^7 + 4a^6b + 6a^5b^2 + 4a^4b^3 + a^3b^4) d \cosh(dx + c)
\end{aligned}$$



$$\begin{aligned}
& \text{sh}(d*x + c)^{10} + 10*(a^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 + a^3*b^4)*d*\cos \\
& h(d*x + c)*\sinh(d*x + c)^9 + (a^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 + a^3*b \\
& ^4)*d*\sinh(d*x + c)^{10} + (3*a^7 + 4*a^6*b - 6*a^5*b^2 - 12*a^4*b^3 - 5*a^3* \\
& b^4)*d*\cosh(d*x + c)^8 + (45*(a^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 + a^3*b \\
& ^4)*d*\cosh(d*x + c)^2 + (3*a^7 + 4*a^6*b - 6*a^5*b^2 - 12*a^4*b^3 - 5*a^3*b \\
& ^4)*d)*\sinh(d*x + c)^8 + 2*(a^7 + 2*a^5*b^2 + 8*a^4*b^3 + 5*a^3*b^4)*d*\cosh \\
& (d*x + c)^6 + 8*(15*(a^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 + a^3*b^4)*d*\cos \\
& h(d*x + c)^3 + (3*a^7 + 4*a^6*b - 6*a^5*b^2 - 12*a^4*b^3 - 5*a^3*b^4)*d*\cos \\
& h(d*x + c))*\sinh(d*x + c)^7 + 2*(105*(a^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 \\
& + a^3*b^4)*d*\cosh(d*x + c)^4 + 14*(3*a^7 + 4*a^6*b - 6*a^5*b^2 - 12*a^4*b^ \\
& 3 - 5*a^3*b^4)*d*\cosh(d*x + c)^2 + (a^7 + 2*a^5*b^2 + 8*a^4*b^3 + 5*a^3*b^4 \\
& )*d)*\sinh(d*x + c)^6 - 2*(a^7 + 2*a^5*b^2 + 8*a^4*b^3 + 5*a^3*b^4)*d*\cosh(d \\
& *x + c)^4 + 4*(63*(a^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 + a^3*b^4)*d*\cosh( \\
& d*x + c)^5 + 14*(3*a^7 + 4*a^6*b - 6*a^5*b^2 - 12*a^4*b^3 - 5*a^3*b^4)*d*co \\
& sh(d*x + c)^3 + 3*(a^7 + 2*a^5*b^2 + 8*a^4*b^3 + 5*a^3*b^4)*d*\cosh(d*x + c) \\
& )*\sinh(d*x + c)^5 + 2*(105*(a^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 + a^3*b^4 \\
& )*d*\cosh(d*x + c)^6 + 35*(3*a^7 + 4*a^6*b - 6*a^5*b^2 - 12*a^4*b^3 - 5*a^3* \\
& b^4)*d*\cosh(d*x + c)^4 + 15*(a^7 + 2*a^5*b^2 + 8*a^4*b^3 + 5*a^3*b^4)*d*\cos \\
& h(d*x + c)^2 - (a^7 + 2*a^5*b^2 + 8*a^4*b^3 + 5*a^3*b^4)*d)*\sinh(d*x + c)^4 \\
& - (3*a^7 + 4*a^6*b - 6*a^5*b^2 - 12*a^4*b^3 - 5*a^3*b^4)*d*\cosh(d*x + c)^2 \\
& + 8*(15*(a^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 + a^3*b^4)*d*\cosh(d*x + c)^ \\
& 7 + 7*(3*a^7 + 4*a^6*b - 6*a^5*b^2 - 12*a^4*b^3 - 5*a^3*b^4)*d*\cosh(d*x + c \\
& )^5 + 5*(a^7 + 2*a^5*b^2 + 8*a^4*b^3 + 5*a^3*b^4)*d*\cosh(d*x + c)^3 - (a^7 \\
& + 2*a^5*b^2 + 8*a^4*b^3 + 5*a^3*b^4)*d*\cosh(d*x + c))*\sinh(d*x + c)^3 + (45 \\
& *(a^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 + a^3*b^4)*d*\cosh(d*x + c)^8 + 28*( \\
& 3*a^7 + 4*a^6*b - 6*a^5*b^2 - 12*a^4*b^3 - 5*a^3*b^4)*d*\cosh(d*x + c)^6 + 3 \\
& 0*(a^7 + 2*a^5*b^2 + 8*a^4*b^3 + 5*a^3*b^4)*d*\cosh(d*x + c)^4 - 12*(a^7 + 2 \\
& *a^5*b^2 + 8*a^4*b^3 + 5*a^3*b^4)*d*\cosh(d*x + c)^2 - (3*a^7 + 4*a^6*b - 6* \\
& a^5*b^2 - 12*a^4*b^3 - 5*a^3*b^4)*d)*\sinh(d*x + c)^2 - (a^7 + 4*a^6*b + 6*a \\
& ^5*b^2 + 4*a^4*b^3 + a^3*b^4)*d + 2*(5*(a^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b \\
& ^3 + a^3*b^4)*d*\cosh(d*x + c)^9 + 4*(3*a^7 + 4*a^6*b - 6*a^5*b^2 - 12*a^4*b \\
& ^3 - 5*a^3*b^4)*d*\cosh(d*x + c)^7 + 6*(a^7 + 2*a^5*b^2 + 8*a^4*b^3 + 5*a^3* \\
& b^4)*d*\cosh(d*x + c)^5 - 4*(a^7 + 2*a^5*b^2 + 8*a^4*b^3 + 5*a^3*b^4)*d*\cosh \\
& (d*x + c)^3 - (3*a^7 + 4*a^6*b - 6*a^5*b^2 - 12*a^4*b^3 - 5*a^3*b^4)*d*\cosh \\
& (d*x + c))*\sinh(d*x + c)), -1/8*(2*(8*a^4 + 23*a^3*b + 45*a^2*b^2 + 45*a*b^ \\
& 3 + 15*b^4)*\cosh(d*x + c)^8 + 16*(8*a^4 + 23*a^3*b + 45*a^2*b^2 + 45*a*b^3 \\
& + 15*b^4)*\cosh(d*x + c)*\sinh(d*x + c)^7 + 2*(8*a^4 + 23*a^3*b + 45*a^2*b^2 \\
& + 45*a*b^3 + 15*b^4)*\sinh(d*x + c)^8 + 4*(16*a^4 + 23*a^3*b - 45*a*b^3 - 30 \\
& *b^4)*\cosh(d*x + c)^6 + 4*(16*a^4 + 23*a^3*b - 45*a*b^3 - 30*b^4 + 14*(8*a^ \\
& 4 + 23*a^3*b + 45*a^2*b^2 + 45*a*b^3 + 15*b^4)*\cosh(d*x + c)^2)*\sinh(d*x + \\
& c)^6 + 8*(14*(8*a^4 + 23*a^3*b + 45*a^2*b^2 + 45*a*b^3 + 15*b^4)*\cosh(d*x + \\
& c)^3 + 3*(16*a^4 + 23*a^3*b - 45*a*b^3 - 30*b^4)*\cosh(d*x + c))*\sinh(d*x + \\
& c)^5 + 4*(24*a^4 + 32*a^3*b + 5*a^2*b^2 + 50*a*b^3 + 45*b^4)*\cosh(d*x + c) \\
& ^4 + 4*(35*(8*a^4 + 23*a^3*b + 45*a^2*b^2 + 45*a*b^3 + 15*b^4)*\cosh(d*x + c \\
& )^4 + 24*a^4 + 32*a^3*b + 5*a^2*b^2 + 50*a*b^3 + 45*b^4 + 15*(16*a^4 + 23*a
\end{aligned}$$



```

0*b^4)*cosh(d*x + c))*sinh(d*x + c))/((a^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 + a^3*b^4)*d*cosh(d*x + c)^10 + 10*(a^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 + a^3*b^4)*d*cosh(d*x + c)*sinh(d*x + c)^9 + (a^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 + a^3*b^4)*d*sinh(d*x + c)^10 + (3*a^7 + 4*a^6*b - 6*a^5*b^2 - 12*a^4*b^3 - 5*a^3*b^4)*d*cosh(d*x + c)^8 + (45*(a^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 + a^3*b^4)*d*cosh(d*x + c)^2 + (3*a^7 + 4*a^6*b - 6*a^5*b^2 - 12*a^4*b^3 - 5*a^3*b^4)*d)*sinh(d*x + c)^8 + 2*(a^7 + 2*a^5*b^2 + 8*a^4*b^3 + 5*a^3*b^4)*d*cosh(d*x + c)^6 + 8*(15*(a^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 + a^3*b^4)*d*cosh(d*x + c)^3 + (3*a^7 + 4*a^6*b - 6*a^5*b^2 - 12*a^4*b^3 - 5*a^3*b^4)*d*cosh(d*x + c))*sinh(d*x + c)^7 + 2*(105*(a^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 + a^3*b^4)*d*cosh(d*x + c)^4 + 14*(3*a^7 + 4*a^6*b - 6*a^5*b^2 - 12*a^4*b^3 - 5*a^3*b^4)*d*cosh(d*x + c)^2 + (a^7 + 2*a^5*b^2 + 8*a^4*b^3 + 5*a^3*b^4)*d)*sinh(d*x + c)^6 - 2*(a^7 + 2*a^5*b^2 + 8*a^4*b^3 + 5*a^3*b^4)*d*cosh(d*x + c)^4 + 4*(63*(a^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 + a^3*b^4)*d*cosh(d*x + c)^5 + 14*(3*a^7 + 4*a^6*b - 6*a^5*b^2 - 12*a^4*b^3 - 5*a^3*b^4)*d*cosh(d*x + c)^3 + 3*(a^7 + 2*a^5*b^2 + 8*a^4*b^3 + 5*a^3*b^4)*d*cosh(d*x + c))*sinh(d*x + c)^5 + 2*(105*(a^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 + a^3*b^4)*d*cosh(d*x + c)^6 + 35*(3*a^7 + 4*a^6*b - 6*a^5*b^2 - 12*a^4*b^3 - 5*a^3*b^4)*d*cosh(d*x + c)^4 + 15*(a^7 + 2*a^5*b^2 + 8*a^4*b^3 + 5*a^3*b^4)*d*cosh(d*x + c)^2 - (a^7 + 2*a^5*b^2 + 8*a^4*b^3 + 5*a^3*b^4)*d)*sinh(d*x + c)^4 - (3*a^7 + 4*a^6*b - 6*a^5*b^2 - 12*a^4*b^3 - 5*a^3*b^4)*d*cosh(d*x + c)^2 + 8*(15*(a^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 + a^3*b^4)*d*cosh(d*x + c)^7 + 7*(3*a^7 + 4*a^6*b - 6*a^5*b^2 - 12*a^4*b^3 - 5*a^3*b^4)*d*cosh(d*x + c)^5 + 5*(a^7 + 2*a^5*b^2 + 8*a^4*b^3 + 5*a^3*b^4)*d*cosh(d*x + c)^3 - (a^7 + 2*a^5*b^2 + 8*a^4*b^3 + 5*a^3*b^4)*d*cosh(d*x + c))*sinh(d*x + c)^3 + (45*(a^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 + a^3*b^4)*d*cosh(d*x + c)^8 + 28*(3*a^7 + 4*a^6*b - 6*a^5*b^2 - 12*a^4*b^3 - 5*a^3*b^4)*d*cosh(d*x + c)^6 + 30*(a^7 + 2*a^5*b^2 + 8*a^4*b^3 + 5*a^3*b^4)*d*cosh(d*x + c)^4 - 12*(a^7 + 2*a^5*b^2 + 8*a^4*b^3 + 5*a^3*b^4)*d*cosh(d*x + c)^2 - (3*a^7 + 4*a^6*b - 6*a^5*b^2 - 12*a^4*b^3 - 5*a^3*b^4)*d)*sinh(d*x + c)^2 - (a^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 + a^3*b^4)*d + 2*(5*(a^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 + a^3*b^4)*d*cosh(d*x + c)^9 + 4*(3*a^7 + 4*a^6*b - 6*a^5*b^2 - 12*a^4*b^3 - 5*a^3*b^4)*d*cosh(d*x + c)^7 + 6*(a^7 + 2*a^5*b^2 + 8*a^4*b^3 + 5*a^3*b^4)*d*cosh(d*x + c)^5 - 4*(a^7 + 2*a^5*b^2 + 8*a^4*b^3 + 5*a^3*b^4)*d*cosh(d*x + c)^3 - (3*a^7 + 4*a^6*b - 6*a^5*b^2 - 12*a^4*b^3 - 5*a^3*b^4)*d*cosh(d*x + c))*sinh(d*x + c))]

```

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{csch}^2(c + dx)}{(a + b \tanh^2(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*\*2/(a+b\*tanh(d\*x+c)\*\*2)\*\*3,x)

[Out] Integral(csch(c + d\*x)\*\*2/(a + b\*tanh(c + d\*x)\*\*2)\*\*3, x)

**Giac [B]** time = 1.91584, size = 474, normalized size = 4.23

$$\frac{15b \arctan\left(\frac{ae^{(2dx+2c)+be(2dx+2c)+a-b}}{2\sqrt{ab}}\right)}{\sqrt{aba^3}} - \frac{2(9a^3be^{(6dx+6c)}+3a^2b^2e^{(6dx+6c)}-13ab^3e^{(6dx+6c)}-7b^4e^{(6dx+6c)}+27a^3be^{(4dx+4c)}+3a^2b^2e^{(4dx+4c)}+13ab^3e^{(4dx+4c)}+3a^2b^2e^{(4dx+4c)}+13ab^3e^{(4dx+4c)}+21b^4e^{(4dx+4c)}+27a^3be^{(2dx+2c)}+25a^2b^2e^{(2dx+2c)}-23a^2b^2e^{(2dx+2c)}-21b^4e^{(2dx+2c)}+9a^3b+25a^2b^2+23a^2b^2+7b^4)/((a^5+2a^4b+a^3b^2)(ae^{(4dx+4c)}+be^{(4dx+4c)}+2ae^{(2dx+2c)}-2be^{(2dx+2c)}+a+b)^2)+16/(a^3(e^{(2dx+2c)}-1)))}{8d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out] 
$$-1/8*(15*b*\arctan(1/2*(a*e^{(2*d*x + 2*c)} + b*e^{(2*d*x + 2*c)} + a - b)/\sqrt{a*b}))/(\sqrt{a*b}*a^3) - 2*(9*a^3*b*e^{(6*d*x + 6*c)} + 3*a^2*b^2*e^{(6*d*x + 6*c)} - 13*a*b^3*e^{(6*d*x + 6*c)} - 7*b^4*e^{(6*d*x + 6*c)} + 27*a^3*b*e^{(4*d*x + 4*c)} + 3*a^2*b^2*e^{(4*d*x + 4*c)} + 13*a*b^3*e^{(4*d*x + 4*c)} + 21*b^4*e^{(4*d*x + 4*c)} + 27*a^3*b*e^{(2*d*x + 2*c)} + 25*a^2*b^2*e^{(2*d*x + 2*c)} - 23*a^2*b^2*e^{(2*d*x + 2*c)} - 21*b^4*e^{(2*d*x + 2*c)} + 9*a^3*b + 25*a^2*b^2 + 23*a^2*b^2 + 7*b^4)/((a^5 + 2*a^4*b + a^3*b^2)*(a*e^{(4*d*x + 4*c)} + b*e^{(4*d*x + 4*c)} + 2*a*e^{(2*d*x + 2*c)} - 2*b*e^{(2*d*x + 2*c)} + a + b)^2) + 16/(a^3*(e^{(2*d*x + 2*c)} - 1)))/d$$

$$3.47 \quad \int \frac{\operatorname{csch}^3(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$$

**Optimal.** Leaf size=196

$$\frac{\sqrt{b}(15a^2 + 40ab + 24b^2) \tanh^{-1}\left(\frac{\sqrt{b}\operatorname{sech}(c+dx)}{\sqrt{a+b}}\right)}{8a^4d(a+b)^{3/2}} - \frac{b(11a + 12b)\operatorname{sech}(c+dx)}{8a^3d(a+b)(a - b\operatorname{sech}^2(c+dx) + b)} - \frac{3b\operatorname{sech}(c+dx)}{4a^2d(a - b\operatorname{sech}^2(c+dx) + b)}$$

[Out] ((a + 6\*b)\*ArcTanh[Cosh[c + d\*x]])/(2\*a^4\*d) - (Sqrt[b]\*(15\*a^2 + 40\*a\*b + 24\*b^2)\*ArcTanh[(Sqrt[b]\*Sech[c + d\*x])/Sqrt[a + b]])/(8\*a^4\*(a + b)^(3/2)\*d) - (Coth[c + d\*x]\*Csch[c + d\*x])/(2\*a\*d\*(a + b - b\*Sech[c + d\*x]^2)^2) - (3\*b\*Sech[c + d\*x])/(4\*a^2\*d\*(a + b - b\*Sech[c + d\*x]^2)^2) - (b\*(11\*a + 12\*b)\*Sech[c + d\*x])/(8\*a^3\*(a + b)\*d\*(a + b - b\*Sech[c + d\*x]^2))

**Rubi [A]** time = 0.334025, antiderivative size = 196, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {3664, 471, 527, 522, 207, 208}

$$\frac{\sqrt{b}(15a^2 + 40ab + 24b^2) \tanh^{-1}\left(\frac{\sqrt{b}\operatorname{sech}(c+dx)}{\sqrt{a+b}}\right)}{8a^4d(a+b)^{3/2}} - \frac{b(11a + 12b)\operatorname{sech}(c+dx)}{8a^3d(a+b)(a - b\operatorname{sech}^2(c+dx) + b)} - \frac{3b\operatorname{sech}(c+dx)}{4a^2d(a - b\operatorname{sech}^2(c+dx) + b)}$$

Antiderivative was successfully verified.

[In] Int[Csch[c + d\*x]^3/(a + b\*Tanh[c + d\*x]^2)^3, x]

[Out] ((a + 6\*b)\*ArcTanh[Cosh[c + d\*x]])/(2\*a^4\*d) - (Sqrt[b]\*(15\*a^2 + 40\*a\*b + 24\*b^2)\*ArcTanh[(Sqrt[b]\*Sech[c + d\*x])/Sqrt[a + b]])/(8\*a^4\*(a + b)^(3/2)\*d) - (Coth[c + d\*x]\*Csch[c + d\*x])/(2\*a\*d\*(a + b - b\*Sech[c + d\*x]^2)^2) - (3\*b\*Sech[c + d\*x])/(4\*a^2\*d\*(a + b - b\*Sech[c + d\*x]^2)^2) - (b\*(11\*a + 12\*b)\*Sech[c + d\*x])/(8\*a^3\*(a + b)\*d\*(a + b - b\*Sech[c + d\*x]^2))

### Rule 3664

Int[sin[(e\_.) + (f\_.)\*(x\_.)]^(m\_.)\*((a\_.) + (b\_.)\*tan[(e\_.) + (f\_.)\*(x\_.)]^2)^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Sec[e + f\*x], x]}, Dist[1/(f\*ff^m), Subst[Int[((-1 + ff^2\*x^2)^(m - 1)/2)\*(a - b + b\*ff^2\*x^2)^p]/x^(m + 1), x], x, Sec[e + f\*x]/ff, x] /; FreeQ[{a, b, e, f, p}, x] && IntegerQ[(m - 1)/2]

Rule 471

```
Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Simp[(e^(n - 1)*(e*x)^(m - n + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(n*(b*c - a*d)*(p + 1)), x] - Dist[e^n/(n*(b*c - a*d)*(p + 1)), Int[(e*x)^(m - n)*(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(m - n + 1) + d*(m + n*(p + q + 1) + 1)*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LtQ[p, -1] && GeQ[n, m - n + 1] && GtQ[m - n + 1, 0] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]
```

Rule 527

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_)*((e_) + (f_.)*(x_)^(n_)), x_Symbol] := -Simp[((b*e - a*f)*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(b*c - a*d)*(p + 1)), x] + Dist[1/(a*n*(b*c - a*d)*(p + 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(b*e - a*f) + e*n*(b*c - a*d)*(p + 1) + d*(b*e - a*f)*(n*(p + q + 2) + 1)*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, f, n, q}, x] && LtQ[p, -1]
```

Rule 522

```
Int[((e_) + (f_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_))*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Dist[(b*e - a*f)/(b*c - a*d), Int[1/(a + b*x^n), x], x] - Dist[(d*e - c*f)/(b*c - a*d), Int[1/(c + d*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x]
```

Rule 207

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\operatorname{csch}^3(c+dx)}{(a+b \tanh^2(c+dx))^3} dx &= \frac{\operatorname{Subst}\left(\int \frac{x^2}{(-1+x^2)^2(a+b-x^2)^3} dx, x, \operatorname{sech}(c+dx)\right)}{d} \\
&= -\frac{\operatorname{coth}(c+dx)\operatorname{csch}(c+dx)}{2ad(a+b-b\operatorname{sech}^2(c+dx))^2} - \frac{\operatorname{Subst}\left(\int \frac{a+b+5bx^2}{(-1+x^2)(a+b-x^2)^3} dx, x, \operatorname{sech}(c+dx)\right)}{2ad} \\
&= -\frac{\operatorname{coth}(c+dx)\operatorname{csch}(c+dx)}{2ad(a+b-b\operatorname{sech}^2(c+dx))^2} - \frac{3b\operatorname{sech}(c+dx)}{4a^2d(a+b-b\operatorname{sech}^2(c+dx))^2} - \frac{\operatorname{Subst}\left(\int \frac{2(a+b)(2a-bx^2)}{(-1+x^2)^2(a+b-x^2)^2} dx, x, \operatorname{sech}(c+dx)\right)}{2ad} \\
&= -\frac{\operatorname{coth}(c+dx)\operatorname{csch}(c+dx)}{2ad(a+b-b\operatorname{sech}^2(c+dx))^2} - \frac{3b\operatorname{sech}(c+dx)}{4a^2d(a+b-b\operatorname{sech}^2(c+dx))^2} - \frac{b(11a+12b)}{8a^3(a+b)d(a+b-b\operatorname{sech}^2(c+dx))} \\
&= -\frac{\operatorname{coth}(c+dx)\operatorname{csch}(c+dx)}{2ad(a+b-b\operatorname{sech}^2(c+dx))^2} - \frac{3b\operatorname{sech}(c+dx)}{4a^2d(a+b-b\operatorname{sech}^2(c+dx))^2} - \frac{b(11a+12b)}{8a^3(a+b)d(a+b-b\operatorname{sech}^2(c+dx))} \\
&= \frac{(a+6b)\tanh^{-1}(\operatorname{cosh}(c+dx))}{2a^4d} - \frac{\sqrt{b}(15a^2+40ab+24b^2)\tanh^{-1}\left(\frac{\sqrt{b}\operatorname{sech}(c+dx)}{\sqrt{a+b}}\right)}{8a^4(a+b)^{3/2}d} - \frac{c}{2ad}
\end{aligned}$$

**Mathematica [C]** time = 4.09531, size = 269, normalized size = 1.37

$$\frac{8a^2b^2 \cosh(c+dx)}{(a+b)((a+b) \cosh(2(c+dx))+a-b)^2} + \frac{i\sqrt{b}(15a^2+40ab+24b^2) \tan^{-1}\left(\frac{-\sqrt{a} \tanh\left(\frac{1}{2}(c+dx)\right) - i\sqrt{a+b}}{\sqrt{b}}\right)}{(a+b)^{3/2}} + \frac{i\sqrt{b}(15a^2+40ab+24b^2) \tan^{-1}\left(\frac{\sqrt{a} \tanh\left(\frac{1}{2}(c+dx)\right) - i\sqrt{a+b}}{\sqrt{b}}\right)}{(a+b)^{3/2}} - \frac{c}{8a^4d}$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]^3/(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] -((I\*Sqrt[b]\*(15\*a^2 + 40\*a\*b + 24\*b^2)\*ArcTan[(-I)\*Sqrt[a + b] - Sqrt[a]\*Tanh[(c + d\*x)/2])/Sqrt[b]])/(a + b)^(3/2) + (I\*Sqrt[b]\*(15\*a^2 + 40\*a\*b + 24\*b^2)\*ArcTan[(-I)\*Sqrt[a + b] + Sqrt[a]\*Tanh[(c + d\*x)/2])/Sqrt[b]])/(a + b)^(3/2) + (8\*a^2\*b^2\*Cosh[c + d\*x])/((a + b)\*(a - b + (a + b)\*Cosh[2\*(c + d\*x)])^2) + (2\*a\*b\*(9\*a + 8\*b)\*Cosh[c + d\*x])/((a + b)\*(a - b + (a + b)\*Cosh[2\*(c + d\*x)])) + a\*Csch[(c + d\*x)/2]^2 + 4\*(a + 6\*b)\*Log[Tanh[(c + d\*x)

/2]] + a\*Sech[(c + d\*x)/2]^2)/(8\*a^4\*d)

**Maple [B]** time = 0.118, size = 1083, normalized size = 5.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csch(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2)^3,x)

[Out]  $\frac{1}{8} \frac{d \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^2}{a^3 - 9/4 d b/a} \frac{1}{\left(\tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)\right)^{4 a + 2} \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^{2 a + 4} \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^{2 b + a} \frac{1}{(a+b) \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^{6 - 8/d b^2/a^2} \left(\tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)\right)^{4 a + 2} \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^{2 a + 4} \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^{2 b + a} \frac{1}{(a+b) \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^{6 - 6/d b^3/a^3} \left(\tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)\right)^{4 a + 2} \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^{2 a + 4} \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^{2 b + a} \frac{1}{(a+b) \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^{6 - 27/4 d b/a} \left(\tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)\right)^{4 a + 2} \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^{2 a + 4} \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^{2 b + a} \frac{1}{(a+b) \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^{4 - 51/2 d b^2/a^2} \left(\tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)\right)^{4 a + 2} \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^{2 a + 4} \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^{2 b + a} \frac{1}{(a+b) \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^{4 - 38/d b^3/a^3} \left(\tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)\right)^{4 a + 2} \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^{2 a + 4} \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^{2 b + a} \frac{1}{(a+b) \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^{4 - 20/d b^4/a^4} \left(\tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)\right)^{4 a + 2} \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^{2 a + 4} \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^{2 b + a} \frac{1}{(a+b) \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^{4 - 27/4 d b/a} \left(\tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)\right)^{4 a + 2} \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^{2 a + 4} \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^{2 b + a} \frac{1}{(a+b) \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^{2 - 20/d b^2/a^2} \left(\tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)\right)^{4 a + 2} \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^{2 a + 4} \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^{2 b + a} \frac{1}{(a+b) \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^{2 - 14/d b^3/a^3} \left(\tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)\right)^{4 a + 2} \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^{2 a + 4} \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^{2 b + a} \frac{1}{(a+b) \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^{2 - 9/4 d b/a} \left(\tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)\right)^{4 a + 2} \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^{2 a + 4} \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^{2 b + a} \frac{1}{(a+b) \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^{2 - 5/2 d b^2/a^2} \left(\tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)\right)^{4 a + 2} \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^{2 a + 4} \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^{2 b + a} \frac{1}{(a+b) \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^{2 - 15/8 d b/a^2} \left(\tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)\right)^{4 a + 2} \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^{2 a + 4} \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^{2 b + a} \frac{1}{(a+b) \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^{2 - 1/4 (2 \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^{2 a + 2 a + 4 b} / (a b + b^2)^{(1/2)}) - 5/d b^2/a^3} \left(\tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)\right)^{4 a + 2} \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^{2 a + 4} \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^{2 b + a} \frac{1}{(a+b) \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^{2 - 3/d b^3/a^4} \left(\tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)\right)^{4 a + 2} \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^{2 a + 4} \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^{2 b + a} \frac{1}{(a+b) \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^{2 - 1/8 d/a^3} \left(\tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)\right)^{4 a + 2} \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^{2 a + 4} \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^{2 b + a} \frac{1}{(a+b) \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^{2 - 1/2 d/a^3} \ln\left(\tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)\right) - 3/d/a^4 \ln\left(\tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)\right) * b}$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate(csch(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="maxima")

[Out] 
$$-1/4*((4*a^3*e^{(11*c)} + 21*a^2*b*e^{(11*c)} + 29*a*b^2*e^{(11*c)} + 12*b^3*e^{(11*c)})*e^{(11*d*x)} + (20*a^3*e^{(9*c)} + 37*a^2*b*e^{(9*c)} - 15*a*b^2*e^{(9*c)} - 36*b^3*e^{(9*c)})*e^{(9*d*x)} + 2*(20*a^3*e^{(7*c)} + 3*a^2*b*e^{(7*c)} - 7*a*b^2*e^{(7*c)} + 12*b^3*e^{(7*c)})*e^{(7*d*x)} + 2*(20*a^3*e^{(5*c)} + 3*a^2*b*e^{(5*c)} - 7*a*b^2*e^{(5*c)} + 12*b^3*e^{(5*c)})*e^{(5*d*x)} + (20*a^3*e^{(3*c)} + 37*a^2*b*e^{(3*c)} - 15*a*b^2*e^{(3*c)} - 36*b^3*e^{(3*c)})*e^{(3*d*x)} + (4*a^3*e^c + 21*a^2*b*e^c + 29*a*b^2*e^c + 12*b^3*e^c)*e^{(d*x)})/(a^6*d + 3*a^5*b*d + 3*a^4*b^2*d + a^3*b^3*d + (a^6*d*e^{(12*c)} + 3*a^5*b*d*e^{(12*c)} + 3*a^4*b^2*d*e^{(12*c)} + a^3*b^3*d*e^{(12*c)})*e^{(12*d*x)} + 2*(a^6*d*e^{(10*c)} - a^5*b*d*e^{(10*c)} - 5*a^4*b^2*d*e^{(10*c)} - 3*a^3*b^3*d*e^{(10*c)})*e^{(10*d*x)} - (a^6*d*e^{(8*c)} + 3*a^5*b*d*e^{(8*c)} - 13*a^4*b^2*d*e^{(8*c)} - 15*a^3*b^3*d*e^{(8*c)})*e^{(8*d*x)} - 4*(a^6*d*e^{(6*c)} - a^5*b*d*e^{(6*c)} + 3*a^4*b^2*d*e^{(6*c)} + 5*a^3*b^3*d*e^{(6*c)})*e^{(6*d*x)} - (a^6*d*e^{(4*c)} + 3*a^5*b*d*e^{(4*c)} - 13*a^4*b^2*d*e^{(4*c)} - 15*a^3*b^3*d*e^{(4*c)})*e^{(4*d*x)} + 2*(a^6*d*e^{(2*c)} - a^5*b*d*e^{(2*c)} - 5*a^4*b^2*d*e^{(2*c)} - 3*a^3*b^3*d*e^{(2*c)})*e^{(2*d*x)}) + 1/2*(a + 6*b)*log((e^{(d*x + c)} + 1)*e^{(-c)})/(a^4*d) - 1/2*(a + 6*b)*log((e^{(d*x + c)} - 1)*e^{(-c)})/(a^4*d) + 8*integrate(1/32*((15*a^2*b*e^{(3*c)} + 40*a*b^2*e^{(3*c)} + 24*b^3*e^{(3*c)})*e^{(3*d*x)} - (15*a^2*b*e^c + 40*a*b^2*e^c + 24*b^3*e^c)*e^{(d*x)})/(a^6 + 2*a^5*b + a^4*b^2 + (a^6*e^{(4*c)} + 2*a^5*b*e^{(4*c)} + a^4*b^2*e^{(4*c)})*e^{(4*d*x)} + 2*(a^6*e^{(2*c)} - a^4*b^2*e^{(2*c)})*e^{(2*d*x)}), x)$$

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out] Timed out

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{csch}^3(c + dx)}{(a + b \tanh^2(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*\*3/(a+b\*tanh(d\*x+c)\*\*2)\*\*3,x)

[Out] Integral(csch(c + d\*x)\*\*3/(a + b\*tanh(c + d\*x)\*\*2)\*\*3, x)

**Giac [C]** time = 2.44519, size = 8479, normalized size = 43.26

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out] 
$$\begin{aligned} & \frac{1}{32} * (2 * (3 * (15 * a^8 * b * e^{4*c} + 70 * a^7 * b^2 * e^{4*c} + 119 * a^6 * b^3 * e^{4*c} + 8 * a^5 * b^4 * e^{4*c} + 24 * a^4 * b^5 * e^{4*c})) * \cos\left(\frac{1}{2} * \operatorname{real\_part}\left(\arccos\left(-\frac{a}{a+b}\right) + \frac{b}{a+b}\right)\right) \right)^2 * \cosh\left(\frac{1}{2} * \operatorname{imag\_part}\left(\arccos\left(-\frac{a}{a+b}\right) + \frac{b}{a+b}\right)\right) \right)^3 * \sin\left(\frac{1}{2} * \operatorname{real\_part}\left(\arccos\left(-\frac{a}{a+b}\right) + \frac{b}{a+b}\right)\right) - (15 * a^8 * b * e^{4*c} + 70 * a^7 * b^2 * e^{4*c} + 119 * a^6 * b^3 * e^{4*c} + 88 * a^5 * b^4 * e^{4*c} + 24 * a^4 * b^5 * e^{4*c}) * \cosh\left(\frac{1}{2} * \operatorname{imag\_part}\left(\arccos\left(-\frac{a}{a+b}\right) + \frac{b}{a+b}\right)\right) \right)^3 * \sin\left(\frac{1}{2} * \operatorname{real\_part}\left(\arccos\left(-\frac{a}{a+b}\right) + \frac{b}{a+b}\right)\right) \right)^3 - 9 * (15 * a^8 * b * e^{4*c} + 70 * a^7 * b^2 * e^{4*c} + 119 * a^6 * b^3 * e^{4*c} + 88 * a^5 * b^4 * e^{4*c} + 24 * a^4 * b^5 * e^{4*c}) * \cos\left(\frac{1}{2} * \operatorname{real\_part}\left(\arccos\left(-\frac{a}{a+b}\right) + \frac{b}{a+b}\right)\right) \right)^2 * \cosh\left(\frac{1}{2} * \operatorname{imag\_part}\left(\arccos\left(-\frac{a}{a+b}\right) + \frac{b}{a+b}\right)\right) \right)^2 * \sin\left(\frac{1}{2} * \operatorname{real\_part}\left(\arccos\left(-\frac{a}{a+b}\right) + \frac{b}{a+b}\right)\right) \right) * \sinh\left(\frac{1}{2} * \operatorname{imag\_part}\left(\arccos\left(-\frac{a}{a+b}\right) + \frac{b}{a+b}\right)\right) \right) + 3 * (15 * a^8 * b * e^{4*c} + 70 * a^7 * b^2 * e^{4*c} + 119 * a^6 * b^3 * e^{4*c} + 88 * a^5 * b^4 * e^{4*c} + 24 * a^4 * b^5 * e^{4*c}) * \cosh\left(\frac{1}{2} * \operatorname{imag\_part}\left(\arccos\left(-\frac{a}{a+b}\right) + \frac{b}{a+b}\right)\right) \right)^2 * \sin\left(\frac{1}{2} * \operatorname{real\_part}\left(\arccos\left(-\frac{a}{a+b}\right) + \frac{b}{a+b}\right)\right) \right)^3 * \sinh\left(\frac{1}{2} * \operatorname{imag\_part}\left(\arccos\left(-\frac{a}{a+b}\right) + \frac{b}{a+b}\right)\right) \right) + 9 * (15 * a^8 * b * e^{4*c} + 70 * a^7 * b^2 * e^{4*c} + 119 * a^6 * b^3 * e^{4*c} + 88 * a^5 * b^4 * e^{4*c} + 24 * a^4 * b^5 * e^{4*c}) * \cos\left(\frac{1}{2} * \operatorname{real\_part}\left(\arccos\left(-\frac{a}{a+b}\right) + \frac{b}{a+b}\right)\right) \right)^2 * \cosh\left(\frac{1}{2} * \operatorname{imag\_part}\left(\arccos\left(-\frac{a}{a+b}\right) + \frac{b}{a+b}\right)\right) \right)^2 * \sin\left(\frac{1}{2} * \operatorname{real\_part}\left(\arccos\left(-\frac{a}{a+b}\right) + \frac{b}{a+b}\right)\right) \right) * \sinh\left(\frac{1}{2} * \operatorname{imag\_part}\left(\arccos\left(-\frac{a}{a+b}\right) + \frac{b}{a+b}\right)\right) \right)^2 - 3 * (15 * a^8 * b * e^{4*c} + 70 * a^7 * b^2 * e^{4*c} + 119 * a^6 * b^3 * e^{4*c} + 88 * a^5 * b^4 * e^{4*c} + 24 * a^4 * b^5 * e^{4*c}) * \cosh\left(\frac{1}{2} * \operatorname{imag\_part}\left(\arccos\left(-\frac{a}{a+b}\right) + \frac{b}{a+b}\right)\right) \right)^3 * \sinh\left(\frac{1}{2} * \operatorname{imag\_part}\left(\arccos\left(-\frac{a}{a+b}\right) + \frac{b}{a+b}\right)\right) \right)^2 - 3 * (15 * a^8 * b * e^{4*c} + 70 * a^7 * b^2 * e^{4*c} + 119 * a^6 * b^3 * e^{4*c} + 88 * a^5 * b^4 * e^{4*c} + 24 * a^4 * b^5 * e^{4*c}) * \cos\left(\frac{1}{2} * \operatorname{real\_part}\left(\arccos\left(-\frac{a}{a+b}\right) + \frac{b}{a+b}\right)\right) \right)^2 * \sin\left(\frac{1}{2} * \operatorname{real\_part}\left(\arccos\left(-\frac{a}{a+b}\right) + \frac{b}{a+b}\right)\right) \right) * \sinh\left(\frac{1}{2} * \operatorname{imag\_part}\left(\arccos\left(-\frac{a}{a+b}\right) + \frac{b}{a+b}\right)\right) \right)^3 + (15 * a^8 * b * e^{4*c} + 70 * a^7 * b^2 * e^{4*c} + 119 * a^6 * b^3 * e^{4*c} + 88 * a^5 * b^4 * e^{4*c} + 24 * a^4 * b^5 * e^{4*c}) * \sin\left(\frac{1}{2} * \operatorname{real\_part}\left(\arccos\left(-\frac{a}{a+b}\right) + \frac{b}{a+b}\right)\right) \right)^3 * \sinh\left(\frac{1}{2} * \operatorname{imag\_part}\left(\arccos\left(-\frac{a}{a+b}\right) + \frac{b}{a+b}\right)\right) \right)^3 - (15 * a^8 * b * e^{4*c} + 70 * a^7 * b^2 * e^{4*c} + 119 * a^6 * b^3 * e^{4*c} + 88 * a^5 * b^4 * e^{4*c} + 24 * a^4 * b^5 * e^{4*c}) * \cosh\left(\frac{1}{2} * \right. \end{aligned}$$

$$\begin{aligned} & \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))) * \sin(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) + (15a^8b^2e^{4c} + 70a^7b^2e^{4c} + 119a^6b^3e^{4c} \\ & + 88a^5b^4e^{4c} + 24a^4b^5e^{4c}) * \sin(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sinh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) \\ & )) * \arctan(\left(\frac{(a^6 + 2a^5b + a^4b^2)/(a^6e^{4c} + 2a^5b^2e^{4c} + a^4b^2e^{4c})}{(a^6 + 2a^5b + a^4b^2)/(a^6e^{4c} + 2a^5b^2e^{4c} + a^4b^2e^{4c})}\right)^{1/4} * \cos(1/2 * \arccos(-(a-b)/(a+b))) + e^{dx}) / \left(\frac{(a^6 + 2a^5b + a^4b^2)/(a^6e^{4c} + 2a^5b^2e^{4c} + a^4b^2e^{4c})}{(a^6 + 2a^5b + a^4b^2)/(a^6e^{4c} + 2a^5b^2e^{4c} + a^4b^2e^{4c})}\right)^{1/4} \\ & * \sin(1/2 * \arccos(-(a-b)/(a+b)))) / (2(a^5e^{2c} + a^4b^2e^{2c})^2 * a^2b + (a^6e^{2c} - a^4b^2e^{2c}) * \sqrt{-a^2b} * \operatorname{abs}(-a^5e^{2c} - a^4b^2e^{2c})) + 2 * (3(15a^8b^2e^{4c} + 70a^7b^2e^{4c} + 119a^6b^3e^{4c} + 88a^5b^4e^{4c} + 24a^4b^5e^{4c}) * \cos(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 * \cosh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \sin(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) - (15a^8b^2e^{4c} + 70a^7b^2e^{4c} + 119a^6b^3e^{4c} + 88a^5b^4e^{4c} + 24a^4b^5e^{4c}) * \cosh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \sin(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 - 9(15a^8b^2e^{4c} + 70a^7b^2e^{4c} + 119a^6b^3e^{4c} + 88a^5b^4e^{4c} + 24a^4b^5e^{4c}) * \cos(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 * \cosh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 * \sin(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sinh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) + 3(15a^8b^2e^{4c} + 70a^7b^2e^{4c} + 119a^6b^3e^{4c} + 88a^5b^4e^{4c} + 24a^4b^5e^{4c}) * \cosh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 * \sin(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \sinh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) + 9(15a^8b^2e^{4c} + 70a^7b^2e^{4c} + 119a^6b^3e^{4c} + 88a^5b^4e^{4c} + 24a^4b^5e^{4c}) * \cos(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 * \cosh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sin(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sinh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - 3(15a^8b^2e^{4c} + 70a^7b^2e^{4c} + 119a^6b^3e^{4c} + 88a^5b^4e^{4c} + 24a^4b^5e^{4c}) * \cosh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sin(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \sinh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - 3(15a^8b^2e^{4c} + 70a^7b^2e^{4c} + 119a^6b^3e^{4c} + 88a^5b^4e^{4c} + 24a^4b^5e^{4c}) * \cosh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sin(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 * \sin(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sinh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 + (15a^8b^2e^{4c} + 70a^7b^2e^{4c} + 119a^6b^3e^{4c} + 88a^5b^4e^{4c} + 24a^4b^5e^{4c}) * \sin(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \sinh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 - (15a^8b^2e^{4c} + 70a^7b^2e^{4c} + 119a^6b^3e^{4c} + 88a^5b^4e^{4c} + 24a^4b^5e^{4c}) * \cosh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sin(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) + (15a^8b^2e^{4c} + 70a^7b^2e^{4c} + 119a^6b^3e^{4c} + 88a^5b^4e^{4c} + 24a^4b^5e^{4c}) * \sin(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sinh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))))) * \arctan(-\left(\frac{(a^6 + 2a^5b + a^4b^2)/(a^6e^{4c} + 2a^5b^2e^{4c} + a^4b^2e^{4c})}{(a^6 + 2a^5b + a^4b^2)/(a^6e^{4c} + 2a^5b^2e^{4c} + a^4b^2e^{4c})}\right)^{1/4} * \cos(1/2 * \arccos(-(a-b)/(a+b))) - e^{dx}) / \left(\frac{(a^6 + 2a^5b + a^4b^2)/(a^6e^{4c} + 2a^5b^2e^{4c} + a^4b^2e^{4c})}{(a^6 + 2a^5b + a^4b^2)/(a^6e^{4c} + 2a^5b^2e^{4c} + a^4b^2e^{4c})}\right)^{1/4} * \cos(1/2 * \arccos(-(a-b)/(a+b))) - e^{dx}) / \left(\frac{(a^6 + 2a^5b + a^4b^2)/(a^6e^{4c} + 2a^5b^2e^{4c} + a^4b^2e^{4c})}{(a^6 + 2a^5b + a^4b^2)/(a^6e^{4c} + 2a^5b^2e^{4c} + a^4b^2e^{4c})}\right)^{1/4} \end{aligned}$$

$$\begin{aligned}
& + 2*a^5*b + a^4*b^2)/(a^6*e^{(4*c)} + 2*a^5*b*e^{(4*c)} + a^4*b^2*e^{(4*c)}))^{(1/4)} \\
& * \sin(1/2*\arccos(-(a - b)/(a + b))))/(2*(a^5*e^{(2*c)} + a^4*b*e^{(2*c)})^2*a*b \\
& + (a^6*e^{(2*c)} - a^4*b^2*e^{(2*c)})*\sqrt{-a*b}*abs(-a^5*e^{(2*c)} - a^4*b*e^{(2*c)})) \\
& + ((15*a^8*b*e^{(4*c)} + 70*a^7*b^2*e^{(4*c)} + 119*a^6*b^3*e^{(4*c)} + 88*a^5*b^4*e^{(4*c)} \\
& + 24*a^4*b^5*e^{(4*c)})*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 \\
& * \cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 - 3*(15*a^8*b*e^{(4*c)} \\
& + 70*a^7*b^2*e^{(4*c)} + 119*a^6*b^3*e^{(4*c)} + 88*a^5*b^4*e^{(4*c)} + 24*a^4*b^5*e^{(4*c)}) \\
& * \cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) \\
& + b/(a + b))))^3*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 \\
& - 3*(15*a^8*b*e^{(4*c)} + 70*a^7*b^2*e^{(4*c)} + 119*a^6*b^3*e^{(4*c)} + 88*a^5*b^4*e^{(4*c)} \\
& + 24*a^4*b^5*e^{(4*c)})*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 \\
& * \cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) \\
& + b/(a + b)))) + 9*(15*a^8*b*e^{(4*c)} + 70*a^7*b^2*e^{(4*c)} + 119*a^6*b^3*e^{(4*c)} + 88 \\
& *a^5*b^4*e^{(4*c)} + 24*a^4*b^5*e^{(4*c)})*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) \\
& + b/(a + b))))*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\sin(1/2 \\
& *\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) \\
& + b/(a + b)))) + 3*(15*a^8*b*e^{(4*c)} + 70*a^7*b^2*e^{(4*c)} + 119*a^6*b^3*e^{(4*c)} \\
& + 88*a^5*b^4*e^{(4*c)} + 24*a^4*b^5*e^{(4*c)})*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b) \\
& + b/(a + b))))^3*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sinh(1/2 \\
& *\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 - 9*(15*a^8*b*e^{(4*c)} + 70*a^7*b^2*e^{(4*c)} \\
& + 119*a^6*b^3*e^{(4*c)} + 88*a^5*b^4*e^{(4*c)} + 24*a^4*b^5*e^{(4*c)})*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) \\
& + b/(a + b))))*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sin(1/2*\text{real\_part}(\arccos \\
& (-a/(a + b) + b/(a + b))))^2*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b) \\
& + b/(a + b))))^2 - (15*a^8*b*e^{(4*c)} + 70*a^7*b^2*e^{(4*c)} + 119*a^6*b^3*e^{(4*c)} + 88 \\
& *a^5*b^4*e^{(4*c)} + 24*a^4*b^5*e^{(4*c)})*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b) \\
& + b/(a + b))))^3*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 + 3 \\
& *(15*a^8*b*e^{(4*c)} + 70*a^7*b^2*e^{(4*c)} + 119*a^6*b^3*e^{(4*c)} + 88*a^5*b^4*e^{(4*c)} \\
& + 24*a^4*b^5*e^{(4*c)})*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b) \\
& + b/(a + b))))*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\sinh(1/2*\text{imag\_pa} \\
& \text{rt}(\arccos(-a/(a + b) + b/(a + b))))^3 - (15*a^8*b*e^{(4*c)} + 70*a^7*b^2*e^{(4 \\
& *c)} + 119*a^6*b^3*e^{(4*c)} + 88*a^5*b^4*e^{(4*c)} + 24*a^4*b^5*e^{(4*c)})*\cos(1/2 \\
& *\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) \\
& + b/(a + b)))) + (15*a^8*b*e^{(4*c)} + 70*a^7*b^2*e^{(4*c)} + 119*a^6*b^3 \\
& *e^{(4*c)} + 88*a^5*b^4*e^{(4*c)} + 24*a^4*b^5*e^{(4*c)})*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) \\
& + b/(a + b))))*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))*\log(2*((a^6 + 2*a^5*b \\
& + a^4*b^2)/(a^6*e^{(4*c)} + 2*a^5*b*e^{(4*c)} + a^4*b^2*e^{(4*c)}))^{(1/4)}*\cos(1/2*\arccos(-(a - b)/(a + b))) \\
& *e^{(d*x)} + \sqrt{(a^6 + 2*a^5*b + a^4*b^2)/(a^6*e^{(4*c)} + 2*a^5*b*e^{(4*c)} + a^4*b^2*e^{(4*c)})} \\
& + e^{(2*d*x)})/(2*(a^5*e^{(2*c)} + a^4*b*e^{(2*c)})^2*a*b + (a^6*e^{(2*c)} - a^4*b^2 \\
& *e^{(2*c)})*\sqrt{-a*b}*abs(-a^5*e^{(2*c)} - a^4*b*e^{(2*c)})) - ((15*a^8*b*e^{(4*c)} \\
& + 70*a^7*b^2*e^{(4*c)} + 119*a^6*b^3*e^{(4*c)} + 88*a^5*b^4*e^{(4*c)} + 24*a^4*b^5 \\
& *e^{(4*c)})*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\cosh(1/2*i \\
& \text{mag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 - 3*(15*a^8*b*e^{(4*c)} + 70*a^7*
\end{aligned}$$

$$\begin{aligned}
& b^2 e^{(4c)} + 119 a^6 b^3 e^{(4c)} + 88 a^5 b^4 e^{(4c)} + 24 a^4 b^5 e^{(4c)} \\
& ) * \cos(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \cosh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \sin(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - 3 * (15 a^8 b e^{(4c)} + 70 a^7 b^2 e^{(4c)} + 119 a^6 b^3 e^{(4c)} + 88 a^5 b^4 e^{(4c)} + 24 a^4 b^5 e^{(4c)}) * \cos(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \cosh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 * \sinh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) + 9 * (15 a^8 b e^{(4c)} + 70 a^7 b^2 e^{(4c)} + 119 a^6 b^3 e^{(4c)} + 88 a^5 b^4 e^{(4c)} + 24 a^4 b^5 e^{(4c)}) * \cos(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \cosh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 * \sin(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 * \sinh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) + 3 * (15 a^8 b e^{(4c)} + 70 a^7 b^2 e^{(4c)} + 119 a^6 b^3 e^{(4c)} + 88 a^5 b^4 e^{(4c)} + 24 a^4 b^5 e^{(4c)}) * \cos(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \cosh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sinh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - 9 * (15 a^8 b e^{(4c)} + 70 a^7 b^2 e^{(4c)} + 119 a^6 b^3 e^{(4c)} + 88 a^5 b^4 e^{(4c)} + 24 a^4 b^5 e^{(4c)}) * \cos(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \cosh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sin(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 * \sinh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - (15 a^8 b e^{(4c)} + 70 a^7 b^2 e^{(4c)} + 119 a^6 b^3 e^{(4c)} + 88 a^5 b^4 e^{(4c)} + 24 a^4 b^5 e^{(4c)}) * \cos(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \sinh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 + 3 * (15 a^8 b e^{(4c)} + 70 a^7 b^2 e^{(4c)} + 119 a^6 b^3 e^{(4c)} + 88 a^5 b^4 e^{(4c)} + 24 a^4 b^5 e^{(4c)}) * \cos(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sin(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 * \sinh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 - (15 a^8 b e^{(4c)} + 70 a^7 b^2 e^{(4c)} + 119 a^6 b^3 e^{(4c)} + 88 a^5 b^4 e^{(4c)} + 24 a^4 b^5 e^{(4c)}) * \cos(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \cosh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) + (15 a^8 b e^{(4c)} + 70 a^7 b^2 e^{(4c)} + 119 a^6 b^3 e^{(4c)} + 88 a^5 b^4 e^{(4c)} + 24 a^4 b^5 e^{(4c)}) * \cos(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sinh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \log(-2 * ((a^6 + 2 a^5 b + a^4 b^2) / (a^6 e^{(4c)} + 2 a^5 b e^{(4c)} + a^4 b^2 e^{(4c)})))^{(1/4)} * \cos(1/2 * \arccos(-(a-b)/(a+b))) * e^{(d*x)} + \sqrt{(a^6 + 2 a^5 b + a^4 b^2) / (a^6 e^{(4c)} + 2 a^5 b e^{(4c)} + a^4 b^2 e^{(4c)})} + e^{(2*d*x)} / (2 * (a^5 e^{(2c)} + a^4 b e^{(2c)})^2 * a * b + (a^6 e^{(2c)} - a^4 b^2 e^{(2c)}) * \sqrt{-a*b} * \text{abs}(-a^5 e^{(2c)} - a^4 b e^{(2c)})) + 16 * (a * e^{(c)} + 6 * b * e^{(c)}) * e^{(-c)} * \log(e^{(d*x + c)} + 1) / a^4 - 16 * (a * e^{(c)} + 6 * b * e^{(c)}) * e^{(-c)} * \log(\text{abs}(-e^{(d*x + c)} + 1)) / a^4 - 8 * (4 * a^3 e^{(11*d*x + 11*c)} + 21 * a^2 b e^{(11*d*x + 11*c)} + 29 * a * b^2 e^{(11*d*x + 11*c)} + 12 * b^3 e^{(11*d*x + 11*c)} + 20 * a^3 e^{(9*d*x + 9*c)} + 37 * a^2 b e^{(9*d*x + 9*c)} - 15 * a * b^2 e^{(9*d*x + 9*c)} - 36 * b^3 e^{(9*d*x + 9*c)} + 40 * a^3 e^{(7*d*x + 7*c)} + 6 * a^2 b e^{(7*d*x + 7*c)} - 14 * a * b^2 e^{(7*d*x + 7*c)} + 24 * b^3 e^{(7*d*x + 7*c)} + 40 * a^3 e^{(5*d*x + 5*c)} + 6 * a^2 b e^{(5*d*x + 5*c)} - 14 * a * b^2 e^{(5*d*x + 5*c)} + 24 * b^3 e^{(5*d*x + 5*c)} + 20 * a^3 e^{(3*d*x + 3*c)} + 37 * a^2 * b * e^{(3*d*x + 3*c)} - 15 * a * b^2 e^{(3*d*x + 3*c)} - 36 * b^3 e^{(3*d*x + 3*c)} + 4 * a^3 e^{(d*x + c)} + 21 * a^2 * b * e^{(d*x + c)} + 29 * a * b^2 e^{(d*x + c)} + 12 * b^3 e^{(d
\end{aligned}$$

$$\frac{(dx + c)^2}{(a^4 + a^3b)(ae^{6dx+6c} + be^{6dx+6c} + ae^{4dx+4c} - 3be^{4dx+4c} - ae^{2dx+2c} + 3be^{2dx+2c} - a - b^2)} dx$$

$$3.48 \quad \int \frac{\operatorname{csch}^4(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$$

**Optimal.** Leaf size=151

$$\frac{b(7a+11b) \tanh(c+dx)}{8a^4d(a+b \tanh^2(c+dx))} + \frac{b(a+b) \tanh(c+dx)}{4a^3d(a+b \tanh^2(c+dx))^2} + \frac{(a+3b) \operatorname{coth}(c+dx)}{a^4d} + \frac{5\sqrt{b}(3a+7b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8a^{9/2}d}$$

[Out] (5\*Sqrt[b]\*(3\*a + 7\*b)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(8\*a^(9/2)\*d) + ((a + 3\*b)\*Coth[c + d\*x])/(a^4\*d) - Coth[c + d\*x]^3/(3\*a^3\*d) + (b\*(a + b)\*Tanh[c + d\*x])/(4\*a^3\*d\*(a + b\*Tanh[c + d\*x]^2)^2) + (b\*(7\*a + 11\*b)\*Tanh[c + d\*x])/(8\*a^4\*d\*(a + b\*Tanh[c + d\*x]^2))

**Rubi [A]** time = 0.200554, antiderivative size = 151, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {3663, 456, 1259, 1261, 205}

$$\frac{b(7a+11b) \tanh(c+dx)}{8a^4d(a+b \tanh^2(c+dx))} + \frac{b(a+b) \tanh(c+dx)}{4a^3d(a+b \tanh^2(c+dx))^2} + \frac{(a+3b) \operatorname{coth}(c+dx)}{a^4d} + \frac{5\sqrt{b}(3a+7b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8a^{9/2}d}$$

Antiderivative was successfully verified.

[In] Int[Csch[c + d\*x]^4/(a + b\*Tanh[c + d\*x]^2)^3, x]

[Out] (5\*Sqrt[b]\*(3\*a + 7\*b)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(8\*a^(9/2)\*d) + ((a + 3\*b)\*Coth[c + d\*x])/(a^4\*d) - Coth[c + d\*x]^3/(3\*a^3\*d) + (b\*(a + b)\*Tanh[c + d\*x])/(4\*a^3\*d\*(a + b\*Tanh[c + d\*x]^2)^2) + (b\*(7\*a + 11\*b)\*Tanh[c + d\*x])/(8\*a^4\*d\*(a + b\*Tanh[c + d\*x]^2))

### Rule 3663

Int[sin[(e\_.) + (f\_.)\*(x\_)]^(m\_)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]))^(n\_)]^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff^(m + 1))/f, Subst[Int[(x^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + ff^2\*x^2)^(m/2 + 1), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2]

### Rule 456

```

Int[(x_)^(m_)*((a_) + (b_.)*(x_)^2)^(p_)*((c_) + (d_.)*(x_)^2), x_Symbol] :
> Simp[((-a)^(m/2 - 1)*(b*c - a*d)*x*(a + b*x^2)^(p + 1))/(2*b^(m/2 + 1)*(p
+ 1)), x] + Dist[1/(2*b^(m/2 + 1)*(p + 1)), Int[x^m*(a + b*x^2)^(p + 1)*Ex
pandToSum[2*b*(p + 1)*Together[(b^(m/2)*(c + d*x^2) - (-a)^(m/2 - 1)*(b*c -
a*d)*x^(-m + 2))/(a + b*x^2)] - ((-a)^(m/2 - 1)*(b*c - a*d))/x^m, x], x],
x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1] && ILtQ[m/2
, 0] && (IntegerQ[p] || EqQ[m + 2*p + 1, 0])

```

### Rule 1259

```

Int[(x_)^(m_)*((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^
4)^(p_), x_Symbol] :> Simp[((-d)^(m/2 - 1)*(c*d^2 - b*d*e + a*e^2)^p*x*(d
+ e*x^2)^(q + 1))/(2*e^(2*p + m/2)*(q + 1)), x] + Dist[(-d)^(m/2 - 1)/(2*e^
(2*p)*(q + 1)), Int[x^m*(d + e*x^2)^(q + 1)*ExpandToSum[Together[(1*(2*(-d)
^(-(m/2) + 1)*e^(2*p)*(q + 1)*(a + b*x^2 + c*x^4))^p - ((c*d^2 - b*d*e + a*e
^2)^p/(e^(m/2)*x^m))*(d + e*(2*q + 3)*x^2)))/(d + e*x^2)], x], x] /; Fr
eeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[p, 0] && ILtQ[q, -1]
&& ILtQ[m/2, 0]

```

### Rule 1261

```

Int[((f_.)*(x_))^(m_)*((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (
c_.)*(x_)^4)^(p_), x_Symbol] :> Int[ExpandIntegrand[(f*x)^m*(d + e*x^2)^q*
(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && NeQ[
b^2 - 4*a*c, 0] && IGtQ[p, 0] && IGtQ[q, -2]

```

### Rule 205

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

```

### Rubi steps



$$\begin{aligned}
\int \frac{\operatorname{csch}^4(c+dx)}{(a+b \tanh^2(c+dx))^3} dx &= \frac{\operatorname{Subst}\left(\int \frac{1-x^2}{x^4(a+bx^2)^3} dx, x, \tanh(c+dx)\right)}{d} \\
&= \frac{b(a+b) \tanh(c+dx)}{4a^3d(a+b \tanh^2(c+dx))^2} - \frac{b \operatorname{Subst}\left(\int \frac{-\frac{4}{ab} + \frac{4(a+b)x^2}{a^2b} - \frac{3(a+b)x^4}{a^3}}{x^4(a+bx^2)^2} dx, x, \tanh(c+dx)\right)}{4d} \\
&= \frac{b(a+b) \tanh(c+dx)}{4a^3d(a+b \tanh^2(c+dx))^2} + \frac{b(7a+11b) \tanh(c+dx)}{8a^4d(a+b \tanh^2(c+dx))} - \frac{\operatorname{Subst}\left(\int \frac{-8ab+8b(a+2b)x^2-b}{x^4(a+bx^2)} dx, x, \tanh(c+dx)\right)}{8d} \\
&= \frac{b(a+b) \tanh(c+dx)}{4a^3d(a+b \tanh^2(c+dx))^2} + \frac{b(7a+11b) \tanh(c+dx)}{8a^4d(a+b \tanh^2(c+dx))} - \frac{\operatorname{Subst}\left(\int \left(-\frac{8b}{x^4} + \frac{8b(a+3b)}{ax^2}\right) dx, x, \tanh(c+dx)\right)}{8d} \\
&= \frac{(a+3b) \operatorname{coth}(c+dx)}{a^4d} - \frac{\operatorname{coth}^3(c+dx)}{3a^3d} + \frac{b(a+b) \tanh(c+dx)}{4a^3d(a+b \tanh^2(c+dx))^2} + \frac{b(7a+11b) \tanh(c+dx)}{8a^4d(a+b \tanh^2(c+dx))} \\
&= \frac{5\sqrt{b}(3a+7b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8a^{9/2}d} + \frac{(a+3b) \operatorname{coth}(c+dx)}{a^4d} - \frac{\operatorname{coth}^3(c+dx)}{3a^3d} + \frac{b(a+b) \tanh(c+dx)}{4a^3d(a+b \tanh^2(c+dx))^2}
\end{aligned}$$

**Mathematica [A]** time = 1.24437, size = 149, normalized size = 0.99

$$\frac{3\sqrt{ab} \sinh(2(c+dx))((9a^2+20ab+11b^2) \cosh(2(c+dx))+9a^2+6ab-11b^2)}{((a+b) \cosh(2(c+dx))+a-b)^2} + 15\sqrt{b}(3a+7b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right) - 8\sqrt{a} \operatorname{coth}(c+dx) (\operatorname{acsch}(c+dx))^2}{24a^{9/2}d}$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]^4/(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] (15\*sqrt[b]\*(3\*a + 7\*b)\*ArcTan[(sqrt[b]\*Tanh[c + d\*x])/sqrt[a]] - 8\*sqrt[a]\*Coth[c + d\*x]\*(-2\*a - 9\*b + a\*Csch[c + d\*x]^2) + (3\*sqrt[a]\*b\*(9\*a^2 + 6\*a\*b - 11\*b^2 + (9\*a^2 + 20\*a\*b + 11\*b^2)\*Cosh[2\*(c + d\*x)])\*Sinh[2\*(c + d\*x)])/((a - b + (a + b)\*Cosh[2\*(c + d\*x)])^2)/(24\*a^(9/2)\*d)

**Maple [B]** time = 0.135, size = 1416, normalized size = 9.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(\text{csch}(d*x+c)^4/(a+b*\tanh(d*x+c)^2)^3, x)$

[Out] 
$$\begin{aligned} & -15/8/d/a^2*b/(b*(a+b))^{1/2}/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2}*\text{arctanh}(a \\ & * \tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2})+3/2/d/a^4*\tanh(1/ \\ & 2*d*x+1/2*c)*b+3/2/d/a^4/\tanh(1/2*d*x+1/2*c)*b-35/8/d*b^3/a^4/(b*(a+b))^{1/ \\ & 2}/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2}*\text{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b \\ & *(a+b))^{1/2}-a-2*b)*a)^{1/2})-35/8/d*b^3/a^4/(b*(a+b))^{1/2}/((2*(b*(a+b)) \\ & ^{1/2}+a+2*b)*a)^{1/2}*\text{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{1/2}+a+2 \\ & *b)*a)^{1/2})+9/4/d/a^2*b/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2* \\ & a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^7-25/4/d/a^3*b^2/(b*(a \\ & +b))^{1/2}/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2}*\text{arctan}(a*\tanh(1/2*d*x+1/2*c) \\ & /((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2})+3/8/d/a^3*\tanh(1/2*d*x+1/2*c)+3/8/d/a \\ & ^3/\tanh(1/2*d*x+1/2*c)-25/4/d/a^3*b^2/(b*(a+b))^{1/2}/((2*(b*(a+b))^{1/2}-a \\ & -2*b)*a)^{1/2}*\text{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{ \\ & 1/2})-15/8/d/a^2*b/(b*(a+b))^{1/2}/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2}*\text{arc} \\ & \text{tan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2})+27/4/d/a^2*b \\ & /(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2 \\ & *b+a)^2*\tanh(1/2*d*x+1/2*c)^3+67/4/d/a^3*b^2/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh \\ & (1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^3+9 \\ & /4/d/a^2*b/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d* \\ & x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)+15/8/d/a^3*b/((2*(b*(a+b))^{1/2}-a-2* \\ & b)*a)^{1/2}*\text{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/ \\ & 2})-15/8/d/a^3*b/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2}*\text{arctan}(a*\tanh(1/2*d*x+ \\ & 1/2*c)/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2})-35/8/d*b^2/a^4/((2*(b*(a+b))^{1/ \\ & 2}+a+2*b)*a)^{1/2}*\text{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{1/2}+a+2*b) \\ & *a)^{1/2})+11/d*b^3/a^4/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+ \\ & 4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^5+11/d*b^3/a^4/(\tanh(1/2 \\ & *d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*ta \\ & nh(1/2*d*x+1/2*c)^3+13/4/d*b^2/a^3/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+ \\ & 1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)+13/4/d*b^2/a^ \\ & 3/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^ \\ & 2*b+a)^2*\tanh(1/2*d*x+1/2*c)^7+27/4/d/a^2*b/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh \\ & (1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^5+67 \\ & /4/d/a^3*b^2/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2* \\ & d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^5-1/24/d/a^3*\tanh(1/2*d*x+1/2*c)^3- \\ & 1/24/d/a^3/\tanh(1/2*d*x+1/2*c)^3+35/8/d*b^2/a^4/((2*(b*(a+b))^{1/2}-a-2*b)* \\ & a)^{1/2}*\text{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2}) \end{aligned}$$

---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="maxima")

[Out] Exception raised: ValueError

---

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out] Timed out

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{csch}^4(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*\*4/(a+b\*tanh(d\*x+c)\*\*2)\*\*3,x)

[Out] Integral(csch(c + d\*x)\*\*4/(a + b\*tanh(c + d\*x)\*\*2)\*\*3, x)

---

**Giac [B]** time = 1.91782, size = 549, normalized size = 3.64

$$\frac{15(3abe^{2c}+7b^2e^{2c})\arctan\left(\frac{ae^{2dx+2c}+be^{2dx+2c}+a-b}{2\sqrt{ab}}\right)e^{-2c}}{\sqrt{aba^4}} - \frac{6(9a^3be^{6dx+6c}+7a^2b^2e^{6dx+6c}-13ab^3e^{6dx+6c}-11b^4e^{6dx+6c}+27a^3be^{4dx+4c}+15a^4e^{4dx+4c})}{(a^5+a^4)}$$


---

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out]  $\frac{1}{24} \cdot (15 \cdot (3ab e^{2c} + 7b^2 e^{2c})) \cdot \arctan\left(\frac{1}{2} \cdot (a e^{2dx+2c} + b e^{2dx+2c} + a - b) / \sqrt{ab}\right) \cdot e^{-2c} / (\sqrt{ab} \cdot a^4) - 6 \cdot (9a^3 b e^{6dx+6c} + 7a^2 b^2 e^{6dx+6c} - 13ab^3 e^{6dx+6c} - 11b^4 e^{6dx+6c} + 27a^3 b e^{4dx+4c} + 15a^2 b^2 e^{4dx+4c} + 5ab^3 e^{4dx+4c} + 33b^4 e^{4dx+4c} + 27a^3 b e^{2dx+2c} + 37a^2 b^2 e^{2dx+2c} - 23ab^3 e^{2dx+2c} - 33b^4 e^{2dx+2c} + 9a^3 b + 29a^2 b^2 + 31ab^3 + 11b^4) / ((a^5 + a^4 b) \cdot (a e^{4dx+4c} + b e^{4dx+4c} + 2a e^{2dx+2c} - 2b e^{2dx+2c} + a + b)^2) + 16 \cdot (9b e^{4dx+4c} - 6a e^{2dx+2c} - 18b e^{2dx+2c} + 2a + 9b) / (a^4 \cdot (e^{2dx+2c} - 1)^3) / d$

### 3.49 $\int \sinh^4(c + dx) (a + b \tanh^3(c + dx)) dx$

**Optimal.** Leaf size=132

$$-\frac{3(a+8b)\log(1-\tanh(c+dx))}{16d} + \frac{3(a-8b)\log(\tanh(c+dx)+1)}{16d} + \frac{\sinh^4(c+dx)(a\tanh(c+dx)+b)}{4d} - \frac{\sinh^2(c+dx)}{2d}$$

[Out]  $(-3*(a + 8*b)*\text{Log}[1 - \text{Tanh}[c + d*x]])/(16*d) + (3*(a - 8*b)*\text{Log}[1 + \text{Tanh}[c + d*x]])/(16*d) - (3*a*\text{Tanh}[c + d*x])/(8*d) - (3*b*\text{Tanh}[c + d*x]^2)/(2*d) + (\text{Sinh}[c + d*x]^4*(b + a*\text{Tanh}[c + d*x]))/(4*d) - (\text{Sinh}[c + d*x]^2*\text{Tanh}[c + d*x]*(a + 8*b*\text{Tanh}[c + d*x]))/(8*d)$

**Rubi [A]** time = 0.172493, antiderivative size = 132, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {3663, 1804, 801, 633, 31}

$$-\frac{3(a+8b)\log(1-\tanh(c+dx))}{16d} + \frac{3(a-8b)\log(\tanh(c+dx)+1)}{16d} + \frac{\sinh^4(c+dx)(a\tanh(c+dx)+b)}{4d} - \frac{\sinh^2(c+dx)}{2d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Sinh}[c + d*x]^4*(a + b*\text{Tanh}[c + d*x]^3), x]$

[Out]  $(-3*(a + 8*b)*\text{Log}[1 - \text{Tanh}[c + d*x]])/(16*d) + (3*(a - 8*b)*\text{Log}[1 + \text{Tanh}[c + d*x]])/(16*d) - (3*a*\text{Tanh}[c + d*x])/(8*d) - (3*b*\text{Tanh}[c + d*x]^2)/(2*d) + (\text{Sinh}[c + d*x]^4*(b + a*\text{Tanh}[c + d*x]))/(4*d) - (\text{Sinh}[c + d*x]^2*\text{Tanh}[c + d*x]*(a + 8*b*\text{Tanh}[c + d*x]))/(8*d)$

#### Rule 3663

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]^{(m_.)*((a_.) + (b_.)*((c_.)*\tan[(e_.) + (f_.)*(x_.)])^{(n_.)]^{(p_.)}, x\_Symbol] :> \text{With}[\{ff = \text{FreeFactors}[\text{Tan}[e + f*x], x]\}, \text{Dist}[(c*ff^{(m+1)})/f, \text{Subst}[\text{Int}[(x^m*(a + b*(ff*x)^n)^p]/(c^2 + ff^2*x^2)^{(m/2 + 1)}, x], x, (c*\text{Tan}[e + f*x])/ff], x]] /; \text{FreeQ}\{a, b, c, e, f, n, p\}, x] \&\& \text{IntegerQ}[m/2]$

#### Rule 1804

$\text{Int}[(Pq_)*((c_.)*(x_.))^{(m_.)*((a_.) + (b_.)*(x_.)^2)^{(p_.)}, x\_Symbol] :> \text{With}[\{Q = \text{PolynomialQuotient}[Pq, a + b*x^2, x], f = \text{Coeff}[\text{PolynomialRemainder}[Pq, a + b*x^2, x], x, 0], g = \text{Coeff}[\text{PolynomialRemainder}[Pq, a + b*x^2, x], x, 1]\}, \text{Simp}[(c*x)^m*(a + b*x^2)^{(p+1)}*(a*g - b*f*x)/(2*a*b*(p+1)), x]$

```
+ Dist[c/(2*a*b*(p + 1)), Int[(c*x)^(m - 1)*(a + b*x^2)^(p + 1)*ExpandToSum
[2*a*b*(p + 1)*x*Q - a*g*m + b*f*(m + 2*p + 3)*x, x], x] /; FreeQ[{a,
b, c}, x] && PolyQ[Pq, x] && LtQ[p, -1] && GtQ[m, 0]
```

### Rule 801

```
Int[(((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_)))/((a_) + (c_.)*(x_)^2),
x_Symbol] := Int[ExpandIntegrand[((d + e*x)^m*(f + g*x))/(a + c*x^2), x],
x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[c*d^2 + a*e^2, 0] && IntegerQ[m]
```

### Rule 633

```
Int[((d_) + (e_.)*(x_))/((a_) + (c_.)*(x_)^2), x_Symbol] := With[{q = Rt[-(
a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x), x], x] + Dist[e/2 - (c
*d)/(2*q), Int[1/(q + c*x), x], x]] /; FreeQ[{a, c, d, e}, x] && NiceSqrtQ[
-(a*c)]
```

### Rule 31

```
Int[((a_) + (b_.)*(x_))^( -1), x_Symbol] := Simp[Log[RemoveContent[a + b*x,
x]]/b, x] /; FreeQ[{a, b}, x]
```

### Rubi steps

$$\begin{aligned}
\int \sinh^4(c+dx)(a+b \tanh^3(c+dx)) dx &= \frac{\text{Subst}\left(\int \frac{x^4(a+bx^3)}{(1-x^2)^3} dx, x, \tanh(c+dx)\right)}{d} \\
&= \frac{\sinh^4(c+dx)(b+a \tanh(c+dx))}{4d} + \frac{\text{Subst}\left(\int \frac{x^3(-4b-ax-4bx^2)}{(1-x^2)^2} dx, x, \tanh(c+dx)\right)}{4d} \\
&= \frac{\sinh^4(c+dx)(b+a \tanh(c+dx))}{4d} - \frac{\sinh^2(c+dx) \tanh(c+dx)(a+8b \tanh(c+dx))}{8d} \\
&= \frac{\sinh^4(c+dx)(b+a \tanh(c+dx))}{4d} - \frac{\sinh^2(c+dx) \tanh(c+dx)(a+8b \tanh(c+dx))}{8d} \\
&= -\frac{3a \tanh(c+dx)}{8d} - \frac{3b \tanh^2(c+dx)}{2d} + \frac{\sinh^4(c+dx)(b+a \tanh(c+dx))}{4d} \\
&= -\frac{3a \tanh(c+dx)}{8d} - \frac{3b \tanh^2(c+dx)}{2d} + \frac{\sinh^4(c+dx)(b+a \tanh(c+dx))}{4d} \\
&= -\frac{3(a+8b) \log(1-\tanh(c+dx))}{16d} + \frac{3(a-8b) \log(1+\tanh(c+dx))}{16d} - \frac{3a}{16d}
\end{aligned}$$

**Mathematica [A]** time = 0.190275, size = 92, normalized size = 0.7

$$\frac{3a(c+dx)}{8d} - \frac{a \sinh(2(c+dx))}{4d} + \frac{a \sinh(4(c+dx))}{32d} + \frac{b(\sinh^4(c+dx) - 4 \sinh^2(c+dx) + 2 \operatorname{sech}^2(c+dx) + 12 \log(\cosh(c+dx)))}{4d}$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^3), x]

[Out] (3\*a\*(c + d\*x))/(8\*d) + (b\*(12\*Log[Cosh[c + d\*x]] + 2\*Sech[c + d\*x]^2 - 4\*Sinh[c + d\*x]^2 + Sinh[c + d\*x]^4))/(4\*d) - (a\*Sinh[2\*(c + d\*x)])/(4\*d) + (a\*Sinh[4\*(c + d\*x)])/(32\*d)

**Maple [A]** time = 0.047, size = 122, normalized size = 0.9

$$\frac{a \cosh(dx+c)(\sinh(dx+c))^3}{4d} - \frac{3a \cosh(dx+c) \sinh(dx+c)}{8d} + \frac{3ax}{8} + \frac{3ac}{8d} + \frac{b(\sinh(dx+c))^6}{4d(\cosh(dx+c))^2} - \frac{3b(\sinh(dx+c))^3}{4d(\cosh(dx+c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sinh(d*x+c)^4*(a+b*tanh(d*x+c)^3),x)`

[Out]  $\frac{1}{4}d*a*\cosh(d*x+c)*\sinh(d*x+c)^3 - \frac{3}{8}d*a*\cosh(d*x+c)*\sinh(d*x+c) + \frac{3}{8}a*x + \frac{3}{8}d*a*c + \frac{1}{4}d*b*\sinh(d*x+c)^6/\cosh(d*x+c)^2 - \frac{3}{4}d*b*\sinh(d*x+c)^4/\cosh(d*x+c)^2 + 3*b*\ln(\cosh(d*x+c))/d - \frac{3}{2}b*tanh(d*x+c)^2/d$

**Maxima [A]** time = 1.60844, size = 262, normalized size = 1.98

$$\frac{1}{64}a\left(24x + \frac{e^{(4dx+4c)}}{d} - \frac{8e^{(2dx+2c)}}{d} + \frac{8e^{(-2dx-2c)}}{d} - \frac{e^{(-4dx-4c)}}{d}\right) + \frac{1}{64}b\left(\frac{192(dx+c)}{d} - \frac{20e^{(-2dx-2c)} - e^{(-4dx-4c)}}{d} + \frac{192 \log(\cosh(d*x+c))}{d}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sinh(d*x+c)^4*(a+b*tanh(d*x+c)^3),x, algorithm="maxima")`

[Out]  $\frac{1}{64}a*(24*x + e^{(4*d*x + 4*c)}/d - 8*e^{(2*d*x + 2*c)}/d + 8*e^{(-2*d*x - 2*c)}/d - e^{(-4*d*x - 4*c)}/d) + \frac{1}{64}b*(192*(d*x + c)/d - (20*e^{(-2*d*x - 2*c)} - e^{(-4*d*x - 4*c)})/d + 192*\log(e^{(-2*d*x - 2*c)} + 1)/d - (18*e^{(-2*d*x - 2*c)} + 39*e^{(-4*d*x - 4*c)} - 108*e^{(-6*d*x - 6*c)} - 1)/(d*(e^{(-4*d*x - 4*c)} + 2*e^{(-6*d*x - 6*c)} + e^{(-8*d*x - 8*c)})))$

**Fricas [B]** time = 2.49029, size = 4209, normalized size = 31.89

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sinh(d*x+c)^4*(a+b*tanh(d*x+c)^3),x, algorithm="fricas")`

[Out]  $\frac{1}{64}*((a + b)*\cosh(d*x + c)^{12} + 12*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^{11} + (a + b)*\sinh(d*x + c)^{12} - 6*(a + 3*b)*\cosh(d*x + c)^{10} + 6*(11*(a + b)*\cosh(d*x + c)^2 - a - 3*b)*\sinh(d*x + c)^{10} + 20*(11*(a + b)*\cosh(d*x + c)^3 - 3*(a + 3*b)*\cosh(d*x + c))*\sinh(d*x + c)^9 + 3*(8*(a - 8*b)*d*x - 5*a - 13*b)*\cosh(d*x + c)^8 + 3*(165*(a + b)*\cosh(d*x + c)^4 + 8*(a - 8*b)*d*x - 90*(a + 3*b)*\cosh(d*x + c)^2 - 5*a - 13*b)*\sinh(d*x + c)^8 + 24*(33*(a + b)*\cosh(d*x + c)^5 - 30*(a + 3*b)*\cosh(d*x + c)^3 + (8*(a - 8*b)*d*x - 5*a - 13*b)*\cosh(d*x + c))*\sinh(d*x + c)^7 + 8*(6*(a - 8*b)*d*x + 11*b)*\cosh(d*x + c)^6 + 4*(231*(a + b)*\cosh(d*x + c)^6 - 315*(a + 3*b)*\cosh(d*x + c)^4 + 12*(a - 8*b)*d*x + 21*(8*(a - 8*b)*d*x - 5*a - 13*b)*\cosh(d*x + c)^2 + 22*b)$



```

*sinh(d*x + c)^6 + 24*(33*(a + b)*cosh(d*x + c)^7 - 63*(a + 3*b)*cosh(d*x +
c)^5 + 7*(8*(a - 8*b)*d*x - 5*a - 13*b)*cosh(d*x + c)^3 + 2*(6*(a - 8*b)*d
*x + 11*b)*cosh(d*x + c))*sinh(d*x + c)^5 + 3*(8*(a - 8*b)*d*x + 5*a - 13*b
)*cosh(d*x + c)^4 + 3*(165*(a + b)*cosh(d*x + c)^8 - 420*(a + 3*b)*cosh(d*x
+ c)^6 + 70*(8*(a - 8*b)*d*x - 5*a - 13*b)*cosh(d*x + c)^4 + 8*(a - 8*b)*d
*x + 40*(6*(a - 8*b)*d*x + 11*b)*cosh(d*x + c)^2 + 5*a - 13*b)*sinh(d*x + c
)^4 + 4*(55*(a + b)*cosh(d*x + c)^9 - 180*(a + 3*b)*cosh(d*x + c)^7 + 42*(8
*(a - 8*b)*d*x - 5*a - 13*b)*cosh(d*x + c)^5 + 40*(6*(a - 8*b)*d*x + 11*b)*
cosh(d*x + c)^3 + 3*(8*(a - 8*b)*d*x + 5*a - 13*b)*cosh(d*x + c))*sinh(d*x
+ c)^3 + 6*(a - 3*b)*cosh(d*x + c)^2 + 6*(11*(a + b)*cosh(d*x + c)^10 - 45*
(a + 3*b)*cosh(d*x + c)^8 + 14*(8*(a - 8*b)*d*x - 5*a - 13*b)*cosh(d*x + c)
^6 + 20*(6*(a - 8*b)*d*x + 11*b)*cosh(d*x + c)^4 + 3*(8*(a - 8*b)*d*x + 5*a
- 13*b)*cosh(d*x + c)^2 + a - 3*b)*sinh(d*x + c)^2 + 192*(b*cosh(d*x + c)^
8 + 8*b*cosh(d*x + c)*sinh(d*x + c)^7 + b*sinh(d*x + c)^8 + 2*b*cosh(d*x +
c)^6 + 2*(14*b*cosh(d*x + c)^2 + b)*sinh(d*x + c)^6 + 4*(14*b*cosh(d*x + c)
^3 + 3*b*cosh(d*x + c))*sinh(d*x + c)^5 + b*cosh(d*x + c)^4 + (70*b*cosh(d*
x + c)^4 + 30*b*cosh(d*x + c)^2 + b)*sinh(d*x + c)^4 + 4*(14*b*cosh(d*x + c
)^5 + 10*b*cosh(d*x + c)^3 + b*cosh(d*x + c))*sinh(d*x + c)^3 + 2*(14*b*cos
h(d*x + c)^6 + 15*b*cosh(d*x + c)^4 + 3*b*cosh(d*x + c)^2)*sinh(d*x + c)^2
+ 4*(2*b*cosh(d*x + c)^7 + 3*b*cosh(d*x + c)^5 + b*cosh(d*x + c)^3)*sinh(d*
x + c))*log(2*cosh(d*x + c)/(cosh(d*x + c) - sinh(d*x + c))) + 12*((a + b)*
cosh(d*x + c)^11 - 5*(a + 3*b)*cosh(d*x + c)^9 + 2*(8*(a - 8*b)*d*x - 5*a -
13*b)*cosh(d*x + c)^7 + 4*(6*(a - 8*b)*d*x + 11*b)*cosh(d*x + c)^5 + (8*(a
- 8*b)*d*x + 5*a - 13*b)*cosh(d*x + c)^3 + (a - 3*b)*cosh(d*x + c))*sinh(d
*x + c) - a + b)/(d*cosh(d*x + c)^8 + 8*d*cosh(d*x + c)*sinh(d*x + c)^7 + d
*sinh(d*x + c)^8 + 2*d*cosh(d*x + c)^6 + 2*(14*d*cosh(d*x + c)^2 + d)*sinh(
d*x + c)^6 + 4*(14*d*cosh(d*x + c)^3 + 3*d*cosh(d*x + c))*sinh(d*x + c)^5 +
d*cosh(d*x + c)^4 + (70*d*cosh(d*x + c)^4 + 30*d*cosh(d*x + c)^2 + d)*sinh
(d*x + c)^4 + 4*(14*d*cosh(d*x + c)^5 + 10*d*cosh(d*x + c)^3 + d*cosh(d*x +
c))*sinh(d*x + c)^3 + 2*(14*d*cosh(d*x + c)^6 + 15*d*cosh(d*x + c)^4 + 3*d
*cosh(d*x + c)^2)*sinh(d*x + c)^2 + 4*(2*d*cosh(d*x + c)^7 + 3*d*cosh(d*x +
c)^5 + d*cosh(d*x + c)^3)*sinh(d*x + c))

```

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)\*\*4\*(a+b\*tanh(d\*x+c)\*\*3),x)

[Out] Timed out

---

**Giac [A]** time = 1.37402, size = 278, normalized size = 2.11

$$24(a - 8b)dx + \left( ae^{(4dx+24c)} + be^{(4dx+24c)} - 8ae^{(2dx+22c)} - 20be^{(2dx+22c)} \right) e^{(-20c)} + 192b \log\left( e^{(2dx+2c)} + 1 \right) - \frac{(9ae^{(8dx+8c)} + 7)}{64d}$$


---

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^3),x, algorithm="giac")

[Out] 1/64\*(24\*(a - 8\*b)\*d\*x + (a\*e^(4\*d\*x + 24\*c) + b\*e^(4\*d\*x + 24\*c) - 8\*a\*e^(2\*d\*x + 22\*c) - 20\*b\*e^(2\*d\*x + 22\*c))\*e^(-20\*c) + 192\*b\*log(e^(2\*d\*x + 2\*c) + 1) - (9\*a\*e^(8\*d\*x + 8\*c) + 72\*b\*e^(8\*d\*x + 8\*c) + 10\*a\*e^(6\*d\*x + 6\*c) + 36\*b\*e^(6\*d\*x + 6\*c) - 6\*a\*e^(4\*d\*x + 4\*c) + 111\*b\*e^(4\*d\*x + 4\*c) - 6\*a\*e^(2\*d\*x + 2\*c) + 18\*b\*e^(2\*d\*x + 2\*c) + a - b)\*e^(-4\*c)/(e^(2\*d\*x) + e^(4\*d\*x + 2\*c))^2/d

### 3.50 $\int \sinh^3(c + dx) (a + b \tanh^3(c + dx)) dx$

**Optimal.** Leaf size=98

$$\frac{a \cosh^3(c + dx)}{3d} - \frac{a \cosh(c + dx)}{d} + \frac{5b \sinh^3(c + dx)}{6d} - \frac{5b \sinh(c + dx)}{2d} - \frac{b \sinh^3(c + dx) \tanh^2(c + dx)}{2d} + \frac{5b \tan^{-1}(\sinh(c + dx))}{2d}$$

[Out] (5\*b\*ArcTan[Sinh[c + d\*x]])/(2\*d) - (a\*Cosh[c + d\*x])/d + (a\*Cosh[c + d\*x]^3)/(3\*d) - (5\*b\*Sinh[c + d\*x])/(2\*d) + (5\*b\*Sinh[c + d\*x]^3)/(6\*d) - (b\*Sinh[c + d\*x]^3\*Tanh[c + d\*x]^2)/(2\*d)

**Rubi [A]** time = 0.119697, antiderivative size = 98, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 6, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {3666, 2633, 2592, 288, 302, 203}

$$\frac{a \cosh^3(c + dx)}{3d} - \frac{a \cosh(c + dx)}{d} + \frac{5b \sinh^3(c + dx)}{6d} - \frac{5b \sinh(c + dx)}{2d} - \frac{b \sinh^3(c + dx) \tanh^2(c + dx)}{2d} + \frac{5b \tan^{-1}(\sinh(c + dx))}{2d}$$

Antiderivative was successfully verified.

[In] Int[Sinh[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^3),x]

[Out] (5\*b\*ArcTan[Sinh[c + d\*x]])/(2\*d) - (a\*Cosh[c + d\*x])/d + (a\*Cosh[c + d\*x]^3)/(3\*d) - (5\*b\*Sinh[c + d\*x])/(2\*d) + (5\*b\*Sinh[c + d\*x]^3)/(6\*d) - (b\*Sinh[c + d\*x]^3\*Tanh[c + d\*x]^2)/(2\*d)

#### Rule 3666

Int[((d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_))^(p\_.), x\_Symbol] := Int[ExpandTrig[(d\*sin[e + f\*x])^m\*(a + b\*(c\*tan[e + f\*x])^n)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p, 0]

#### Rule 2633

Int[sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

#### Rule 2592

```
Int[((a_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*tan[(e_.) + (f_.)*(x_)]^(n_.), x_
Symbol] := With[{ff = FreeFactors[Sin[e + f*x], x]}, Dist[ff/f, Subst[Int[(
ff*x)^(m + n)/(a^2 - ff^2*x^2)^((n + 1)/2), x], x, (a*Sin[e + f*x])/ff], x]
] /; FreeQ[{a, e, f, m}, x] && IntegerQ[(n + 1)/2]
```

### Rule 288

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c^
(n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] - Dist[(c^
n*(m - n + 1))/(b*n*(p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^(p + 1), x], x]
/; FreeQ[{a, b, c}, x] && IGtQ[n, 0] && LtQ[p, -1] && GtQ[m + 1, n] && !I
LtQ[(m + n*(p + 1) + 1)/n, 0] && IntBinomialQ[a, b, c, n, m, p, x]
```

### Rule 302

```
Int[(x_)^(m_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Int[PolynomialDivide[x
^m, a + b*x^n, x], x] /; FreeQ[{a, b}, x] && IGtQ[m, 0] && IGtQ[n, 0] && Gt
Q[m, 2*n - 1]
```

### Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

### Rubi steps

$$\begin{aligned}
\int \sinh^3(c+dx)(a+b \tanh^3(c+dx)) dx &= i \int (-ia \sinh^3(c+dx) - ib \sinh^3(c+dx) \tanh^3(c+dx)) dx \\
&= a \int \sinh^3(c+dx) dx + b \int \sinh^3(c+dx) \tanh^3(c+dx) dx \\
&= -\frac{a \operatorname{Subst}\left(\int (1-x^2) dx, x, \cosh(c+dx)\right)}{d} + \frac{b \operatorname{Subst}\left(\int \frac{x^6}{(1+x^2)^2} dx, x, \sinh(c+dx)\right)}{d} \\
&= -\frac{a \cosh(c+dx)}{d} + \frac{a \cosh^3(c+dx)}{3d} - \frac{b \sinh^3(c+dx) \tanh^2(c+dx)}{2d} + \frac{5b \sinh^5(c+dx)}{6d} \\
&= -\frac{a \cosh(c+dx)}{d} + \frac{a \cosh^3(c+dx)}{3d} - \frac{b \sinh^3(c+dx) \tanh^2(c+dx)}{2d} + \frac{5b \sinh^5(c+dx)}{6d} \\
&= -\frac{a \cosh(c+dx)}{d} + \frac{a \cosh^3(c+dx)}{3d} - \frac{5b \sinh(c+dx)}{2d} + \frac{5b \sinh^3(c+dx)}{6d} \\
&= \frac{5b \tan^{-1}(\sinh(c+dx))}{2d} - \frac{a \cosh(c+dx)}{d} + \frac{a \cosh^3(c+dx)}{3d} - \frac{5b \sinh(c+dx)}{2d}
\end{aligned}$$

**Mathematica [A]** time = 0.257416, size = 104, normalized size = 1.06

$$-\frac{3a \cosh(c+dx)}{4d} + \frac{a \cosh(3(c+dx))}{12d} + \frac{b \sinh^3(c+dx) \tanh^2(c+dx)}{3d} - \frac{5b(2 \sinh(c+dx) \tanh^2(c+dx) - 3(\tan^{-1}(\sinh(c+dx)))^2)}{6d}$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^3), x]

[Out] (-3\*a\*Cosh[c + d\*x])/(4\*d) + (a\*Cosh[3\*(c + d\*x)])/(12\*d) + (b\*Sinh[c + d\*x]^3\*Tanh[c + d\*x]^2)/(3\*d) - (5\*b\*(2\*Sinh[c + d\*x]\*Tanh[c + d\*x]^2 - 3\*(ArcTan[Sinh[c + d\*x]] - Sech[c + d\*x]\*Tanh[c + d\*x]))/(6\*d)

**Maple [A]** time = 0.043, size = 129, normalized size = 1.3

$$-\frac{2a \cosh(dx+c)}{3d} + \frac{a \cosh(dx+c) (\sinh(dx+c))^2}{3d} + \frac{b (\sinh(dx+c))^5}{3d (\cosh(dx+c))^2} - \frac{5b (\sinh(dx+c))^3}{3d (\cosh(dx+c))^2} - 5 \frac{b \sinh(dx+c)}{d (\cosh(dx+c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^3), x)

[Out]  $-2/3*a*\cosh(d*x+c)/d+1/3/d*a*\cosh(d*x+c)*\sinh(d*x+c)^2+1/3/d*b*\sinh(d*x+c)^5/\cosh(d*x+c)^2-5/3/d*b*\sinh(d*x+c)^3/\cosh(d*x+c)^2-5/d*b*\sinh(d*x+c)/\cosh(d*x+c)^2+5/2*b*\operatorname{sech}(d*x+c)*\tanh(d*x+c)/d+5/d*b*\arctan(\exp(d*x+c))$

**Maxima [A]** time = 1.5411, size = 235, normalized size = 2.4

$$\frac{1}{24} b \left( \frac{27 e^{(-dx-c)} - e^{(-3dx-3c)}}{d} - \frac{120 \arctan(e^{(-dx-c)})}{d} - \frac{25 e^{(-2dx-2c)} + 77 e^{(-4dx-4c)} + 3 e^{(-6dx-6c)} - 1}{d(e^{(-3dx-3c)} + 2 e^{(-5dx-5c)} + e^{(-7dx-7c)})} \right) + \frac{1}{24} a \left( \frac{e^{(3dx+3c)}}{d} - \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sinh(d*x+c)^3*(a+b*tanh(d*x+c)^3),x, algorithm="maxima")`

[Out]  $1/24*b*((27*e^{(-d*x - c)} - e^{(-3*d*x - 3*c)})/d - 120*\arctan(e^{(-d*x - c)})/d - (25*e^{(-2*d*x - 2*c)} + 77*e^{(-4*d*x - 4*c)} + 3*e^{(-6*d*x - 6*c)} - 1)/(d*(e^{(-3*d*x - 3*c)} + 2*e^{(-5*d*x - 5*c)} + e^{(-7*d*x - 7*c)}))) + 1/24*a*(e^{(3*d*x + 3*c)}/d - 9*e^{(d*x + c)}/d - 9*e^{(-d*x - c)}/d + e^{(-3*d*x - 3*c)}/d)$

**Fricas [B]** time = 2.33449, size = 2942, normalized size = 30.02

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sinh(d*x+c)^3*(a+b*tanh(d*x+c)^3),x, algorithm="fricas")`

[Out]  $1/24*((a + b)*\cosh(d*x + c)^{10} + 10*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^9 + (a + b)*\sinh(d*x + c)^{10} - (7*a + 25*b)*\cosh(d*x + c)^8 + (45*(a + b)*\cosh(d*x + c)^2 - 7*a - 25*b)*\sinh(d*x + c)^8 + 8*(15*(a + b)*\cosh(d*x + c)^3 - (7*a + 25*b)*\cosh(d*x + c))*\sinh(d*x + c)^7 - 2*(13*a + 25*b)*\cosh(d*x + c)^6 + 2*(105*(a + b)*\cosh(d*x + c)^4 - 14*(7*a + 25*b)*\cosh(d*x + c)^2 - 13*a - 25*b)*\sinh(d*x + c)^6 + 4*(63*(a + b)*\cosh(d*x + c)^5 - 14*(7*a + 25*b)*\cosh(d*x + c)^3 - 3*(13*a + 25*b)*\cosh(d*x + c))*\sinh(d*x + c)^5 - 2*(13*a - 25*b)*\cosh(d*x + c)^4 + 2*(105*(a + b)*\cosh(d*x + c)^6 - 35*(7*a + 25*b)*\cosh(d*x + c)^4 - 15*(13*a + 25*b)*\cosh(d*x + c)^2 - 13*a + 25*b)*\sinh(d*x + c)^4 + 8*(15*(a + b)*\cosh(d*x + c)^7 - 7*(7*a + 25*b)*\cosh(d*x + c)^5 - 5*(13*a + 25*b)*\cosh(d*x + c)^3 - (13*a - 25*b)*\cosh(d*x + c))*\sinh(d*x + c)^3 - (7*a - 25*b)*\cosh(d*x + c)^2 + (45*(a + b)*\cosh(d*x + c)^8 - 28*(7*a + 25*b)*\cosh(d*x + c)^6 - 30*(13*a + 25*b)*\cosh(d*x + c)^4 - 12*(13*a - 25*b)*\sinh(d*x + c)^2)$

```
*b)*cosh(d*x + c)^2 - 7*a + 25*b)*sinh(d*x + c)^2 + 120*(b*cosh(d*x + c)^7
+ 7*b*cosh(d*x + c)*sinh(d*x + c)^6 + b*sinh(d*x + c)^7 + 2*b*cosh(d*x + c)
^5 + (21*b*cosh(d*x + c)^2 + 2*b)*sinh(d*x + c)^5 + 5*(7*b*cosh(d*x + c)^3
+ 2*b*cosh(d*x + c))*sinh(d*x + c)^4 + b*cosh(d*x + c)^3 + (35*b*cosh(d*x +
c)^4 + 20*b*cosh(d*x + c)^2 + b)*sinh(d*x + c)^3 + (21*b*cosh(d*x + c)^5 +
20*b*cosh(d*x + c)^3 + 3*b*cosh(d*x + c))*sinh(d*x + c)^2 + (7*b*cosh(d*x
+ c)^6 + 10*b*cosh(d*x + c)^4 + 3*b*cosh(d*x + c)^2)*sinh(d*x + c))*arctan(
cosh(d*x + c) + sinh(d*x + c)) + 2*(5*(a + b)*cosh(d*x + c)^9 - 4*(7*a + 25
*b)*cosh(d*x + c)^7 - 6*(13*a + 25*b)*cosh(d*x + c)^5 - 4*(13*a - 25*b)*cos
h(d*x + c)^3 - (7*a - 25*b)*cosh(d*x + c))*sinh(d*x + c) + a - b)/(d*cosh(d
*x + c)^7 + 7*d*cosh(d*x + c)*sinh(d*x + c)^6 + d*sinh(d*x + c)^7 + 2*d*cos
h(d*x + c)^5 + (21*d*cosh(d*x + c)^2 + 2*d)*sinh(d*x + c)^5 + 5*(7*d*cosh(d
*x + c)^3 + 2*d*cosh(d*x + c))*sinh(d*x + c)^4 + d*cosh(d*x + c)^3 + (35*d*
cosh(d*x + c)^4 + 20*d*cosh(d*x + c)^2 + d)*sinh(d*x + c)^3 + (21*d*cosh(d*
x + c)^5 + 20*d*cosh(d*x + c)^3 + 3*d*cosh(d*x + c))*sinh(d*x + c)^2 + (7*d
*cosh(d*x + c)^6 + 10*d*cosh(d*x + c)^4 + 3*d*cosh(d*x + c)^2)*sinh(d*x + c
))
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sinh(d*x+c)**3*(a+b*tanh(d*x+c)**3),x)
```

```
[Out] Timed out
```

**Giac [A]** time = 1.29955, size = 192, normalized size = 1.96

$$120 b \arctan\left(e^{(dx+c)}\right) - \left(9 a e^{(2 dx+2 c)} - 27 b e^{(2 dx+2 c)} - a + b\right) e^{(-3 dx-3 c)} + \left(a e^{(3 dx+30 c)} + b e^{(3 dx+30 c)} - 9 a e^{(dx+28 c)} - 27 b e^{(dx+28 c)}\right)$$

$24 d$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sinh(d*x+c)^3*(a+b*tanh(d*x+c)^3),x, algorithm="giac")
```

```
[Out] 1/24*(120*b*arctan(e^(d*x + c)) - (9*a*e^(2*d*x + 2*c) - 27*b*e^(2*d*x + 2*
c) - a + b)*e^(-3*d*x - 3*c) + (a*e^(3*d*x + 30*c) + b*e^(3*d*x + 30*c) - 9
```

$$\frac{a e^{d x + 28 c} - 27 b e^{d x + 28 c} e^{-27 c} - 24 (b e^{3 d x + 3 c} - b e^{d x + c})}{(e^{2 d x + 2 c} + 1)^2} d$$



### 3.51 $\int \sinh^2(c + dx) (a + b \tanh^3(c + dx)) dx$

**Optimal.** Leaf size=100

$$\frac{(a + 4b) \log(1 - \tanh(c + dx))}{4d} - \frac{(a - 4b) \log(\tanh(c + dx) + 1)}{4d} + \frac{\sinh^2(c + dx)(a \tanh(c + dx) + b)}{2d} + \frac{a \tanh(c + dx)}{2d}$$

[Out] ((a + 4\*b)\*Log[1 - Tanh[c + d\*x]])/(4\*d) - ((a - 4\*b)\*Log[1 + Tanh[c + d\*x]])/(4\*d) + (a\*Tanh[c + d\*x])/(2\*d) + (b\*Tanh[c + d\*x]^2)/(2\*d) + (Sinh[c + d\*x]^2\*(b + a\*Tanh[c + d\*x]))/(2\*d)

**Rubi [A]** time = 0.117426, antiderivative size = 100, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {3663, 1804, 1802, 633, 31}

$$\frac{(a + 4b) \log(1 - \tanh(c + dx))}{4d} - \frac{(a - 4b) \log(\tanh(c + dx) + 1)}{4d} + \frac{\sinh^2(c + dx)(a \tanh(c + dx) + b)}{2d} + \frac{a \tanh(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] Int[Sinh[c + d\*x]^2\*(a + b\*Tanh[c + d\*x]^3), x]

[Out] ((a + 4\*b)\*Log[1 - Tanh[c + d\*x]])/(4\*d) - ((a - 4\*b)\*Log[1 + Tanh[c + d\*x]])/(4\*d) + (a\*Tanh[c + d\*x])/(2\*d) + (b\*Tanh[c + d\*x]^2)/(2\*d) + (Sinh[c + d\*x]^2\*(b + a\*Tanh[c + d\*x]))/(2\*d)

#### Rule 3663

```
Int[sin[(e_.) + (f_.)*(x_)]^(m_.)*((a_.) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)]))^(n_.)]^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff^(m + 1))/f, Subst[Int[(x^m*(a + b*(ff*x)^n)^p]/(c^2 + ff^2*x^2)^(m/2 + 1), x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2]
```

#### Rule 1804

```
Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[{Q = PolynomialQuotient[Pq, a + b*x^2, x], f = Coeff[PolynomialRemainder[Pq, a + b*x^2, x], x, 0], g = Coeff[PolynomialRemainder[Pq, a + b*x^2, x], x, 1]}, Simp[((c*x)^m*(a + b*x^2)^(p + 1)*(a*g - b*f*x))/(2*a*b*(p + 1)), x] + Dist[c/(2*a*b*(p + 1)), Int[(c*x)^(m - 1)*(a + b*x^2)^(p + 1)*ExpandToSum[2*a*b*(p + 1)*x*Q - a*g*m + b*f*(m + 2*p + 3)*x, x], x] /; FreeQ[{a,
```

b, c}, x] && PolyQ[Pq, x] && LtQ[p, -1] && GtQ[m, 0]

### Rule 1802

Int[(Pq\_)\*((c\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^2)^(p\_), x\_Symbol] := Int[ExpandIntegrand[(c\*x)^m\*Pq\*(a + b\*x^2)^p, x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

### Rule 633

Int[((d\_) + (e\_)\*(x\_))/((a\_) + (c\_)\*(x\_)^2), x\_Symbol] := With[{q = Rt[-(a\*c), 2]}, Dist[e/2 + (c\*d)/(2\*q), Int[1/(-q + c\*x), x], x] + Dist[e/2 - (c\*d)/(2\*q), Int[1/(q + c\*x), x], x]] /; FreeQ[{a, c, d, e}, x] && NiceSqrtQ[-(a\*c)]

### Rule 31

Int[((a\_) + (b\_)\*(x\_))^(n\_), x\_Symbol] := Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

### Rubi steps

$$\begin{aligned}
 \int \sinh^2(c + dx) (a + b \tanh^3(c + dx)) dx &= \frac{\text{Subst}\left(\int \frac{x^2(a+bx^3)}{(1-x^2)^2} dx, x, \tanh(c + dx)\right)}{d} \\
 &= \frac{\sinh^2(c + dx)(b + a \tanh(c + dx))}{2d} + \frac{\text{Subst}\left(\int \frac{x(-2b-ax-2bx^2)}{1-x^2} dx, x, \tanh(c + dx)\right)}{2d} \\
 &= \frac{\sinh^2(c + dx)(b + a \tanh(c + dx))}{2d} + \frac{\text{Subst}\left(\int \left(a + 2bx - \frac{a+4bx}{1-x^2}\right) dx, x, \tanh(c + dx)\right)}{2d} \\
 &= \frac{a \tanh(c + dx)}{2d} + \frac{b \tanh^2(c + dx)}{2d} + \frac{\sinh^2(c + dx)(b + a \tanh(c + dx))}{2d} - \frac{\text{Subst}\left(\int \frac{a+4bx}{1-x^2} dx, x, \tanh(c + dx)\right)}{2d} \\
 &= \frac{a \tanh(c + dx)}{2d} + \frac{b \tanh^2(c + dx)}{2d} + \frac{\sinh^2(c + dx)(b + a \tanh(c + dx))}{2d} + \frac{\text{Subst}\left(\int \frac{a-4bx}{1-x^2} dx, x, \tanh(c + dx)\right)}{2d} \\
 &= \frac{(a + 4b) \log(1 - \tanh(c + dx))}{4d} - \frac{(a - 4b) \log(1 + \tanh(c + dx))}{4d} + \frac{a \tanh(c + dx)}{2d} + \frac{b \tanh^2(c + dx)}{2d} + \frac{\sinh^2(c + dx)(b + a \tanh(c + dx))}{2d}
 \end{aligned}$$

**Mathematica [A]** time = 0.106663, size = 69, normalized size = 0.69

$$\frac{a(-c-dx)}{2d} + \frac{a \sinh(2(c+dx))}{4d} - \frac{b(-\sinh^2(c+dx) + \operatorname{sech}^2(c+dx) + 4 \log(\cosh(c+dx)))}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]^2\*(a + b\*Tanh[c + d\*x]^3), x]

[Out] (a\*(-c - d\*x))/(2\*d) - (b\*(4\*Log[Cosh[c + d\*x]] + Sech[c + d\*x]^2 - Sinh[c + d\*x]^2))/(2\*d) + (a\*Sinh[2\*(c + d\*x)])/(4\*d)

**Maple [A]** time = 0.041, size = 79, normalized size = 0.8

$$\frac{a \cosh(dx+c) \sinh(dx+c)}{2d} - \frac{ax}{2} - \frac{ac}{2d} + \frac{b(\sinh(dx+c))^4}{2d(\cosh(dx+c))^2} - 2 \frac{b \ln(\cosh(dx+c))}{d} + \frac{b(\tanh(dx+c))^2}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^3), x)

[Out] 1/2/d\*a\*cosh(d\*x+c)\*sinh(d\*x+c)-1/2\*a\*x-1/2/d\*a\*c+1/2/d\*b\*sinh(d\*x+c)^4/cosh(d\*x+c)^2-2\*b\*ln(cosh(d\*x+c))/d+b\*tanh(d\*x+c)^2/d

**Maxima [A]** time = 1.58441, size = 190, normalized size = 1.9

$$-\frac{1}{8} a \left( 4x - \frac{e^{(2dx+2c)}}{d} + \frac{e^{(-2dx-2c)}}{d} \right) - \frac{1}{8} b \left( \frac{16(dx+c)}{d} - \frac{e^{(-2dx-2c)}}{d} + \frac{16 \log(e^{(-2dx-2c)} + 1)}{d} - \frac{2e^{(-2dx-2c)} - 15e^{(-4dx-4c)}}{d(e^{(-2dx-2c)} + 2e^{(-4dx-4c)})} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^3), x, algorithm="maxima")

[Out] -1/8\*a\*(4\*x - e^(2\*d\*x + 2\*c)/d + e^(-2\*d\*x - 2\*c)/d) - 1/8\*b\*(16\*(d\*x + c)/d - e^(-2\*d\*x - 2\*c)/d + 16\*log(e^(-2\*d\*x - 2\*c) + 1)/d - (2\*e^(-2\*d\*x - 2\*c) - 15\*e^(-4\*d\*x - 4\*c) + 1)/(d\*(e^(-2\*d\*x - 2\*c) + 2\*e^(-4\*d\*x - 4\*c) + e^(-6\*d\*x - 6\*c))))

---

**Fricas [B]** time = 2.35088, size = 2453, normalized size = 24.53

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^3),x, algorithm="fricas")

[Out]  $\frac{1}{8}((a + b)\cosh(dx + c)^8 + 8(a + b)\cosh(dx + c)\sinh(dx + c)^7 + (a + b)\sinh(dx + c)^8 - 2(2(a - 4b)dx - a - b)\cosh(dx + c)^6 - 2(2(a - 4b)dx - 14(a + b)\cosh(dx + c)^2 - a - b)\sinh(dx + c)^6 + 4(14(a + b)\cosh(dx + c)^3 - 3(2(a - 4b)dx - a - b)\cosh(dx + c))\sinh(dx + c)^5 - 2(4(a - 4b)dx + 7b)\cosh(dx + c)^4 + 2(35(a + b)\cosh(dx + c)^4 - 4(a - 4b)dx - 15(2(a - 4b)dx - a - b)\cosh(dx + c)^2 - 7b)\sinh(dx + c)^4 + 8(7(a + b)\cosh(dx + c)^5 - 5(2(a - 4b)dx - a - b)\cosh(dx + c)^3 - (4(a - 4b)dx + 7b)\cosh(dx + c))\sinh(dx + c)^3 - 2(2(a - 4b)dx + a - b)\cosh(dx + c)^2 + 2(14(a + b)\cosh(dx + c)^6 - 15(2(a - 4b)dx - a - b)\cosh(dx + c)^4 - 2(a - 4b)dx - 6(4(a - 4b)dx + 7b)\cosh(dx + c)^2 - a + b)\sinh(dx + c)^2 - 16(b\cosh(dx + c)^6 + 6b\cosh(dx + c)\sinh(dx + c)^5 + b\sinh(dx + c)^6 + 2b\cosh(dx + c)^4 + (15b\cosh(dx + c)^2 + 2b)\sinh(dx + c)^4 + 4(5b\cosh(dx + c)^3 + 2b\cosh(dx + c))\sinh(dx + c)^3 + b\cosh(dx + c)^2 + (15b\cosh(dx + c)^4 + 12b\cosh(dx + c)^2 + b)\sinh(dx + c)^2 + 2(3b\cosh(dx + c)^5 + 4b\cosh(dx + c)^3 + b\cosh(dx + c))\sinh(dx + c))\log\left(\frac{2\cosh(dx + c)}{\cosh(dx + c) - \sinh(dx + c)}\right) + 4(2(a + b)\cosh(dx + c)^7 - 3(2(a - 4b)dx - a - b)\cosh(dx + c)^5 - 2(4(a - 4b)dx + 7b)\cosh(dx + c)^3 - (2(a - 4b)dx + a - b)\cosh(dx + c))\sinh(dx + c) - a + b)/(d\cosh(dx + c)^6 + 6d\cosh(dx + c)\sinh(dx + c)^5 + d\sinh(dx + c)^6 + 2d\cosh(dx + c)^4 + (15d\cosh(dx + c)^2 + 2d)\sinh(dx + c)^4 + 4(5d\cosh(dx + c)^3 + 2d\cosh(dx + c))\sinh(dx + c)^3 + d\cosh(dx + c)^2 + (15d\cosh(dx + c)^4 + 12d\cosh(dx + c)^2 + d)\sinh(dx + c)^2 + 2(3d\cosh(dx + c)^5 + 4d\cosh(dx + c)^3 + d\cosh(dx + c))\sinh(dx + c))$

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (a + b \tanh^3(c + dx)) \sinh^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)\*\*2\*(a+b\*tanh(d\*x+c)\*\*3),x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*3)\*sinh(c + d\*x)\*\*2, x)

**Giac [A]** time = 1.26631, size = 192, normalized size = 1.92

$$4(a - 4b)dx - \left(2ae^{(2dx+2c)} - 8be^{(2dx+2c)} - a + b\right)e^{(-2dx-2c)} - \left(ae^{(2dx+10c)} + be^{(2dx+10c)}\right)e^{(-8c)} + 16b \log\left(e^{(2dx+2c)} + 1\right)$$

$8d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^3),x, algorithm="giac")

[Out] 
$$\frac{-1/8*(4*(a - 4*b)*d*x - (2*a*e^{(2*d*x + 2*c)} - 8*b*e^{(2*d*x + 2*c)} - a + b)*e^{(-2*d*x - 2*c)} - (a*e^{(2*d*x + 10*c)} + b*e^{(2*d*x + 10*c)})*e^{(-8*c)} + 16*b*\log(e^{(2*d*x + 2*c)} + 1) - 8*(3*b*e^{(4*d*x + 4*c)} + 4*b*e^{(2*d*x + 2*c)} + 3*b)/(e^{(2*d*x + 2*c)} + 1)^2)/d}{8d}$$

### 3.52 $\int \sinh(c + dx) (a + b \tanh^3(c + dx)) dx$

**Optimal.** Leaf size=63

$$\frac{a \cosh(c + dx)}{d} + \frac{3b \sinh(c + dx)}{2d} - \frac{3b \tan^{-1}(\sinh(c + dx))}{2d} - \frac{b \sinh(c + dx) \tanh^2(c + dx)}{2d}$$

[Out]  $(-3*b*ArcTan[Sinh[c + d*x]])/(2*d) + (a*Cosh[c + d*x])/d + (3*b*Sinh[c + d*x])/(2*d) - (b*Sinh[c + d*x]*Tanh[c + d*x]^2)/(2*d)$

**Rubi [A]** time = 0.0761299, antiderivative size = 63, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.316$ , Rules used = {3666, 2638, 2592, 288, 321, 203}

$$\frac{a \cosh(c + dx)}{d} + \frac{3b \sinh(c + dx)}{2d} - \frac{3b \tan^{-1}(\sinh(c + dx))}{2d} - \frac{b \sinh(c + dx) \tanh^2(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Sinh}[c + d*x]*(a + b*\text{Tanh}[c + d*x]^3), x]$

[Out]  $(-3*b*ArcTan[Sinh[c + d*x]])/(2*d) + (a*Cosh[c + d*x])/d + (3*b*Sinh[c + d*x])/(2*d) - (b*Sinh[c + d*x]*Tanh[c + d*x]^2)/(2*d)$

#### Rule 3666

$\text{Int}[(d*\sin[e] + f*x)^m*((a) + (b)*(c*\tan[e] + f*x)^n)]^p, x\_Symbol] \rightarrow \text{Int}[\text{ExpandTrig}[(d*\sin[e + f*x])^m*(a + b*(c*\tan[e + f*x])^n)^p], x] /;$  FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p, 0]

#### Rule 2638

$\text{Int}[\sin[c + d*x], x\_Symbol] \rightarrow -\text{Simp}[\text{Cos}[c + d*x]/d, x] /;$  FreeQ[{c, d}, x]

#### Rule 2592

$\text{Int}[(a*\sin[e] + f*x)^m*\tan[e + f*x]^n, x\_Symbol] \rightarrow \text{With}[\{ff = \text{FreeFactors}[\text{Sin}[e + f*x], x]\}, \text{Dist}[ff/f, \text{Subst}[\text{Int}[(ff*x)^{m+n}/(a^2 - ff^2*x^2)^{(n+1)/2}, x], x, (a*\text{Sin}[e + f*x])/ff], x]$

] /; FreeQ[{a, e, f, m}, x] && IntegerQ[(n + 1)/2]

### Rule 288

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(c^(n - 1)\*(c\*x)^(m - n + 1)\*(a + b\*x^n)^(p + 1))/(b\*n\*(p + 1)), x] - Dist[(c^n\*(m - n + 1))/(b\*n\*(p + 1)), Int[(c\*x)^(m - n)\*(a + b\*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0] && LtQ[p, -1] && GtQ[m + 1, n] && ! LtQ[(m + n\*(p + 1) + 1)/n, 0] && IntBinomialQ[a, b, c, n, m, p, x]

### Rule 321

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(c^(n - 1)\*(c\*x)^(m - n + 1)\*(a + b\*x^n)^(p + 1))/(b\*(m + n\*p + 1)), x] - Dist[(a\*c^n\*(m - n + 1))/(b\*(m + n\*p + 1)), Int[(c\*x)^(m - n)\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n\*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[Rt[b, 2]\*x]/Rt[a, 2])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rubi steps

$$\begin{aligned}
 \int \sinh(c + dx) (a + b \tanh^3(c + dx)) dx &= - \left( i \int (ia \sinh(c + dx) + ib \sinh(c + dx) \tanh^3(c + dx)) dx \right) \\
 &= a \int \sinh(c + dx) dx + b \int \sinh(c + dx) \tanh^3(c + dx) dx \\
 &= \frac{a \cosh(c + dx)}{d} + \frac{b \operatorname{Subst} \left( \int \frac{x^4}{(1+x^2)^2} dx, x, \sinh(c + dx) \right)}{d} \\
 &= \frac{a \cosh(c + dx)}{d} - \frac{b \sinh(c + dx) \tanh^2(c + dx)}{2d} + \frac{(3b) \operatorname{Subst} \left( \int \frac{x^2}{1+x^2} dx, x, \sinh(c + dx) \right)}{2d} \\
 &= \frac{a \cosh(c + dx)}{d} + \frac{3b \sinh(c + dx)}{2d} - \frac{b \sinh(c + dx) \tanh^2(c + dx)}{2d} - \frac{(3b) \operatorname{Subst} \left( \int \frac{x^2}{1+x^2} dx, x, \sinh(c + dx) \right)}{2d} \\
 &= -\frac{3b \tan^{-1}(\sinh(c + dx))}{2d} + \frac{a \cosh(c + dx)}{d} + \frac{3b \sinh(c + dx)}{2d} - \frac{b \sinh(c + dx) \tanh^2(c + dx)}{2d}
 \end{aligned}$$

**Mathematica [A]** time = 0.120791, size = 72, normalized size = 1.14

$$\frac{a \sinh(c) \sinh(dx)}{d} + \frac{a \cosh(c) \cosh(dx)}{d} + \frac{b \sinh(c + dx) \tanh^2(c + dx)}{d} - \frac{3b \left( \tan^{-1}(\sinh(c + dx)) - \tanh(c + dx) \operatorname{sech}(c + dx) \right)}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]\*(a + b\*Tanh[c + d\*x]^3), x]

[Out] (a\*Cosh[c]\*Cosh[d\*x])/d + (a\*Sinh[c]\*Sinh[d\*x])/d + (b\*Sinh[c + d\*x]\*Tanh[c + d\*x]^2)/d - (3\*b\*(ArcTan[Sinh[c + d\*x]] - Sech[c + d\*x]\*Tanh[c + d\*x]))/(2\*d)

**Maple [A]** time = 0.04, size = 85, normalized size = 1.4

$$\frac{a \cosh(dx + c)}{d} + \frac{b (\sinh(dx + c))^3}{d (\cosh(dx + c))^2} + 3 \frac{b \sinh(dx + c)}{d (\cosh(dx + c))^2} - \frac{3 b \operatorname{sech}(dx + c) \tanh(dx + c)}{2d} - 3 \frac{b \arctan(e^{dx+c})}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(d\*x+c)\*(a+b\*tanh(d\*x+c)^3), x)

[Out] a\*cosh(d\*x+c)/d+1/d\*b\*sinh(d\*x+c)^3/cosh(d\*x+c)^2+3/d\*b\*sinh(d\*x+c)/cosh(d\*x+c)^2-3/2\*b\*sech(d\*x+c)\*tanh(d\*x+c)/d-3/d\*b\*arctan(exp(d\*x+c))

**Maxima [A]** time = 1.61063, size = 142, normalized size = 2.25

$$\frac{1}{2} b \left( \frac{6 \arctan(e^{-dx-c})}{d} - \frac{e^{-dx-c}}{d} + \frac{4e^{-2dx-2c} - e^{-4dx-4c} + 1}{d(e^{-dx-c} + 2e^{-3dx-3c} + e^{-5dx-5c})} \right) + \frac{a \cosh(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)\*(a+b\*tanh(d\*x+c)^3), x, algorithm="maxima")

[Out] 1/2\*b\*(6\*arctan(e^(-d\*x - c))/d - e^(-d\*x - c)/d + (4\*e^(-2\*d\*x - 2\*c) - e^(-4\*d\*x - 4\*c) + 1)/(d\*(e^(-d\*x - c) + 2\*e^(-3\*d\*x - 3\*c) + e^(-5\*d\*x - 5\*c)))) + a\*cosh(d\*x + c)/d



---

**Fricas [B]** time = 2.36054, size = 1473, normalized size = 23.38

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)\*(a+b\*tanh(d\*x+c)^3),x, algorithm="fricas")

[Out]  $\frac{1}{2} * ((a + b) * \cosh(d*x + c)^6 + 6 * (a + b) * \cosh(d*x + c) * \sinh(d*x + c)^5 + (a + b) * \sinh(d*x + c)^6 + 3 * (a + b) * \cosh(d*x + c)^4 + 3 * (5 * (a + b) * \cosh(d*x + c)^2 + a + b) * \sinh(d*x + c)^4 + 4 * (5 * (a + b) * \cosh(d*x + c)^3 + 3 * (a + b) * \cosh(d*x + c)) * \sinh(d*x + c)^3 + 3 * (a - b) * \cosh(d*x + c)^2 + 3 * (5 * (a + b) * \cosh(d*x + c)^4 + 6 * (a + b) * \cosh(d*x + c)^2 + a - b) * \sinh(d*x + c)^2 - 6 * (b * \cosh(d*x + c)^5 + 5 * b * \cosh(d*x + c) * \sinh(d*x + c)^4 + b * \sinh(d*x + c)^5 + 2 * b * \cosh(d*x + c)^3 + 2 * (5 * b * \cosh(d*x + c)^2 + b) * \sinh(d*x + c)^3 + 2 * (5 * b * \cosh(d*x + c)^3 + 3 * b * \cosh(d*x + c)) * \sinh(d*x + c)^2 + b * \cosh(d*x + c) + (5 * b * \cosh(d*x + c)^4 + 6 * b * \cosh(d*x + c)^2 + b) * \sinh(d*x + c)) * \arctan(\cosh(d*x + c) + \sinh(d*x + c)) + 6 * ((a + b) * \cosh(d*x + c)^5 + 2 * (a + b) * \cosh(d*x + c)^3 + (a - b) * \cosh(d*x + c)) * \sinh(d*x + c) + a - b) / (d * \cosh(d*x + c)^5 + 5 * d * \cosh(d*x + c) * \sinh(d*x + c)^4 + d * \sinh(d*x + c)^5 + 2 * d * \cosh(d*x + c)^3 + 2 * (5 * d * \cosh(d*x + c)^2 + d) * \sinh(d*x + c)^3 + 2 * (5 * d * \cosh(d*x + c)^3 + 3 * d * \cosh(d*x + c)) * \sinh(d*x + c)^2 + d * \cosh(d*x + c) + (5 * d * \cosh(d*x + c)^4 + 6 * d * \cosh(d*x + c)^2 + d) * \sinh(d*x + c))$

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (a + b \tanh^3(c + dx)) \sinh(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)\*(a+b\*tanh(d\*x+c)\*\*3),x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*3)\*sinh(c + d\*x), x)

---

**Giac [A]** time = 1.21657, size = 128, normalized size = 2.03

$$\frac{6 b \arctan\left(e^{(dx+c)}\right) - (a - b)e^{(-dx-c)} - \left(ae^{(dx+8c)} + be^{(dx+8c)}\right)e^{(-7c)} - \frac{2\left(be^{(3dx+3c)} - be^{(dx+c)}\right)}{\left(e^{(2dx+2c)} + 1\right)^2}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sinh(d*x+c)*(a+b*tanh(d*x+c)^3),x, algorithm="giac")
```

```
[Out] -1/2*(6*b*arctan(e^(d*x + c)) - (a - b)*e^(-d*x - c) - (a*e^(d*x + 8*c) + b
*e^(d*x + 8*c))*e^(-7*c) - 2*(b*e^(3*d*x + 3*c) - b*e^(d*x + c))/(e^(2*d*x
+ 2*c) + 1)^2)/d
```

### 3.53 $\int \operatorname{csch}(c + dx) (a + b \tanh^3(c + dx)) dx$

**Optimal.** Leaf size=49

$$-\frac{a \tanh^{-1}(\cosh(c + dx))}{d} + \frac{b \tan^{-1}(\sinh(c + dx))}{2d} - \frac{b \tanh(c + dx) \operatorname{sech}(c + dx)}{2d}$$

[Out] (b\*ArcTan[Sinh[c + d\*x]])/(2\*d) - (a\*ArcTanh[Cosh[c + d\*x]])/d - (b\*Sech[c + d\*x]\*Tanh[c + d\*x])/(2\*d)

**Rubi [A]** time = 0.0743924, antiderivative size = 49, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 3, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$ , Rules used = {3666, 3770, 2611}

$$-\frac{a \tanh^{-1}(\cosh(c + dx))}{d} + \frac{b \tan^{-1}(\sinh(c + dx))}{2d} - \frac{b \tanh(c + dx) \operatorname{sech}(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] Int[Csch[c + d\*x]\*(a + b\*Tanh[c + d\*x]^3), x]

[Out] (b\*ArcTan[Sinh[c + d\*x]])/(2\*d) - (a\*ArcTanh[Cosh[c + d\*x]])/d - (b\*Sech[c + d\*x]\*Tanh[c + d\*x])/(2\*d)

#### Rule 3666

Int[((d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((a\_.) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_.))^(p\_.), x\_Symbol] := Int[ExpandTrig[(d\*sin[e + f\*x])^m\*(a + b\*(c\*tan[e + f\*x])^n)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p, 0]

#### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

#### Rule 2611

Int[((a\_.)\*sec[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((b\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] := Simp[(b\*(a\*Sec[e + f\*x])^m\*(b\*Tan[e + f\*x])^(n - 1))/(f\*(m + n - 1)), x] - Dist[(b^2\*(n - 1))/(m + n - 1), Int[(a\*Sec[e + f\*x])^m\*(b\*Tan[e + f\*x])^(n - 2), x], x] /; FreeQ[{a, b, e, f, m}, x] && GtQ[n, 1] &&

NeQ[m + n - 1, 0] && IntegersQ[2\*m, 2\*n]

### Rubi steps

$$\begin{aligned} \int \operatorname{csch}(c+dx) (a+b \tanh^3(c+dx)) dx &= i \int (-i a \operatorname{csch}(c+dx) - i b \operatorname{sech}(c+dx) \tanh^2(c+dx)) dx \\ &= a \int \operatorname{csch}(c+dx) dx + b \int \operatorname{sech}(c+dx) \tanh^2(c+dx) dx \\ &= -\frac{a \tanh^{-1}(\cosh(c+dx))}{d} - \frac{b \operatorname{sech}(c+dx) \tanh(c+dx)}{2d} + \frac{1}{2} b \int \operatorname{sech}(c+dx) dx \\ &= \frac{b \tan^{-1}(\sinh(c+dx))}{2d} - \frac{a \tanh^{-1}(\cosh(c+dx))}{d} - \frac{b \operatorname{sech}(c+dx) \tanh(c+dx)}{2d} \end{aligned}$$

**Mathematica [A]** time = 0.0311553, size = 75, normalized size = 1.53

$$\frac{a \log\left(\sinh\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{d} - \frac{a \log\left(\cosh\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{d} + \frac{b \tan^{-1}(\sinh(c+dx))}{2d} - \frac{b \tanh(c+dx) \operatorname{sech}(c+dx)}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]\*(a + b\*Tanh[c + d\*x]^3), x]

[Out] (b\*ArcTan[Sinh[c + d\*x]])/(2\*d) - (a\*Log[Cosh[c/2 + (d\*x)/2]])/d + (a\*Log[Sinh[c/2 + (d\*x)/2]])/d - (b\*Sech[c + d\*x]\*Tanh[c + d\*x])/(2\*d)

**Maple [A]** time = 0.049, size = 65, normalized size = 1.3

$$-2 \frac{a \operatorname{Arctanh}(e^{dx+c})}{d} - \frac{b \sinh(dx+c)}{d (\cosh(dx+c))^2} + \frac{b \operatorname{sech}(dx+c) \tanh(dx+c)}{2d} + \frac{b \operatorname{arctan}(e^{dx+c})}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csch(d\*x+c)\*(a+b\*tanh(d\*x+c)^3), x)

[Out] -2/d\*a\*arctanh(exp(d\*x+c))-1/d\*b\*sinh(d\*x+c)/cosh(d\*x+c)^2+1/2\*b\*sech(d\*x+c)\*tanh(d\*x+c)/d+1/d\*b\*arctan(exp(d\*x+c))

**Maxima [A]** time = 1.51615, size = 112, normalized size = 2.29

$$-b \left( \frac{\arctan\left(e^{(-dx-c)}\right)}{d} + \frac{e^{(-dx-c)} - e^{(-3dx-3c)}}{d(2e^{(-2dx-2c)} + e^{(-4dx-4c)} + 1)} \right) + \frac{a \log\left(\tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*(a+b\*tanh(d\*x+c)^3),x, algorithm="maxima")

[Out] -b\*(arctan(e^(-d\*x - c))/d + (e^(-d\*x - c) - e^(-3\*d\*x - 3\*c))/(d\*(2\*e^(-2\*d\*x - 2\*c) + e^(-4\*d\*x - 4\*c) + 1))) + a\*log(tanh(1/2\*d\*x + 1/2\*c))/d

**Fricas [B]** time = 2.63424, size = 1453, normalized size = 29.65

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*(a+b\*tanh(d\*x+c)^3),x, algorithm="fricas")

[Out] -(b\*cosh(d\*x + c)^3 + 3\*b\*cosh(d\*x + c)\*sinh(d\*x + c)^2 + b\*sinh(d\*x + c)^3 - (b\*cosh(d\*x + c)^4 + 4\*b\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + b\*sinh(d\*x + c)^4 + 2\*b\*cosh(d\*x + c)^2 + 2\*(3\*b\*cosh(d\*x + c)^2 + b)\*sinh(d\*x + c)^2 + 4\*(b\*cosh(d\*x + c)^3 + b\*cosh(d\*x + c))\*sinh(d\*x + c) + b)\*arctan(cosh(d\*x + c) + sinh(d\*x + c)) - b\*cosh(d\*x + c) + (a\*cosh(d\*x + c)^4 + 4\*a\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + a\*sinh(d\*x + c)^4 + 2\*a\*cosh(d\*x + c)^2 + 2\*(3\*a\*cosh(d\*x + c)^2 + a)\*sinh(d\*x + c)^2 + 4\*(a\*cosh(d\*x + c)^3 + a\*cosh(d\*x + c))\*sinh(d\*x + c) + a)\*log(cosh(d\*x + c) + sinh(d\*x + c) + 1) - (a\*cosh(d\*x + c)^4 + 4\*a\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + a\*sinh(d\*x + c)^4 + 2\*a\*cosh(d\*x + c)^2 + 2\*(3\*a\*cosh(d\*x + c)^2 + a)\*sinh(d\*x + c)^2 + 4\*(a\*cosh(d\*x + c)^3 + a\*cosh(d\*x + c))\*sinh(d\*x + c) + a)\*log(cosh(d\*x + c) + sinh(d\*x + c) - 1) + (3\*b\*cosh(d\*x + c)^2 - b)\*sinh(d\*x + c))/(d\*cosh(d\*x + c)^4 + 4\*d\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + d\*sinh(d\*x + c)^4 + 2\*d\*cosh(d\*x + c)^2 + 2\*(3\*d\*cosh(d\*x + c)^2 + d)\*sinh(d\*x + c)^2 + 4\*(d\*cosh(d\*x + c)^3 + d\*cosh(d\*x + c))\*sinh(d\*x + c) + d)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (a + b \tanh^3(c + dx)) \operatorname{csch}(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*(a+b\*tanh(d\*x+c)\*\*3),x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*3)\*csch(c + d\*x), x)

**Giac [A]** time = 1.21699, size = 100, normalized size = 2.04

$$\frac{b \arctan(e^{(dx+c)}) - a \log(e^{(dx+c)} + 1) + a \log(|e^{(dx+c)} - 1|) - \frac{be^{(3dx+3c)} - be^{(dx+c)}}{(e^{(2dx+2c)} + 1)^2}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*(a+b\*tanh(d\*x+c)^3),x, algorithm="giac")

[Out] (b\*arctan(e^(d\*x + c)) - a\*log(e^(d\*x + c) + 1) + a\*log(abs(e^(d\*x + c) - 1)) - (b\*e^(3\*d\*x + 3\*c) - b\*e^(d\*x + c))/(e^(2\*d\*x + 2\*c) + 1)^2)/d

### 3.54 $\int \operatorname{csch}^2(c + dx) (a + b \tanh^3(c + dx)) dx$

**Optimal.** Leaf size=29

$$\frac{b \tanh^2(c + dx)}{2d} - \frac{a \operatorname{coth}(c + dx)}{d}$$

[Out]  $-\left(\frac{a \operatorname{Coth}[c + d*x]}{d}\right) + \frac{(b \operatorname{Tanh}[c + d*x]^2)}{(2*d)}$

**Rubi [A]** time = 0.0341582, antiderivative size = 29, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$ , Rules used = {3663, 14}

$$\frac{b \tanh^2(c + dx)}{2d} - \frac{a \operatorname{coth}(c + dx)}{d}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[\operatorname{Csch}[c + d*x]^2*(a + b*\operatorname{Tanh}[c + d*x]^3), x]$

[Out]  $-\left(\frac{a \operatorname{Coth}[c + d*x]}{d}\right) + \frac{(b \operatorname{Tanh}[c + d*x]^2)}{(2*d)}$

#### Rule 3663

```
Int[sin[(e_.) + (f_.)*(x_)]^(m_.)*((a_.) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)]))^(n_.)]^(p_.), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff^(m + 1))/f, Subst[Int[(x^m*(a + b*(ff*x)^n)^p]/(c^2 + ff^2*x^2)^(m/2 + 1), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2]
```

#### Rule 14

```
Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_.)*(v_)] /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]
```

#### Rubi steps

$$\begin{aligned} \int \operatorname{csch}^2(c+dx) (a+b \tanh^3(c+dx)) dx &= \frac{\operatorname{Subst}\left(\int \frac{a+bx^3}{x^2} dx, x, \tanh(c+dx)\right)}{d} \\ &= \frac{\operatorname{Subst}\left(\int \left(\frac{a}{x^2} + bx\right) dx, x, \tanh(c+dx)\right)}{d} \\ &= -\frac{a \operatorname{coth}(c+dx)}{d} + \frac{b \tanh^2(c+dx)}{2d} \end{aligned}$$

**Mathematica [A]** time = 0.0245542, size = 29, normalized size = 1.

$$-\frac{a \operatorname{coth}(c+dx)}{d} - \frac{b \operatorname{sech}^2(c+dx)}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]^2\*(a + b\*Tanh[c + d\*x]^3), x]

[Out] -((a\*Coth[c + d\*x])/d) - (b\*Sech[c + d\*x]^2)/(2\*d)

**Maple [A]** time = 0.05, size = 34, normalized size = 1.2

$$\frac{1}{d} \left( -\operatorname{coth}(dx+c) a + \frac{b (\sinh(dx+c))^2}{2 (\cosh(dx+c))^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csch(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^3), x)

[Out] 1/d\*(-coth(d\*x+c)\*a+1/2\*b\*sinh(d\*x+c)^2/cosh(d\*x+c)^2)

**Maxima [A]** time = 1.04275, size = 59, normalized size = 2.03

$$\frac{2a}{d(e^{(-2dx-2c)} - 1)} - \frac{2b}{d(e^{(dx+c)} + e^{(-dx-c)})^2}$$

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate(csch(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^3),x, algorithm="maxima")

[Out]  $2*a/(d*(e^{(-2*d*x - 2*c)} - 1)) - 2*b/(d*(e^{(d*x + c)} + e^{(-d*x - c)})^2)$

**Fricas [B]** time = 2.44496, size = 375, normalized size = 12.93

$$\frac{2 \left( (2a + b) \cosh(dx + c)^2 + 2b \cosh(dx + c) \sinh(dx + c) + (2a + b) \sinh(dx + c)^2 \right)}{d \cosh(dx + c)^4 + 6d \cosh(dx + c)^2 \sinh(dx + c)^2 + 4d \cosh(dx + c) \sinh(dx + c)^3 + d \sinh(dx + c)^4 + 4 \left( d \cosh(dx + c) \sinh(dx + c)^3 + d \cosh(dx + c) \right) \sinh(dx + c) - d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^3),x, algorithm="fricas")

[Out]  $-2*((2*a + b)*\cosh(d*x + c)^2 + 2*b*\cosh(d*x + c)*\sinh(d*x + c) + (2*a + b)*\sinh(d*x + c)^2 + 2*a - b)/(d*\cosh(d*x + c)^4 + 6*d*\cosh(d*x + c)^2*\sinh(d*x + c)^2 + 4*d*\cosh(d*x + c)*\sinh(d*x + c)^3 + d*\sinh(d*x + c)^4 + 4*(d*\cosh(d*x + c)*\sinh(d*x + c)^3 + d*\cosh(d*x + c))*\sinh(d*x + c) - d)$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (a + b \tanh^3(c + dx)) \operatorname{csch}^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*\*2\*(a+b\*tanh(d\*x+c)\*\*3),x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*3)\*csch(c + d\*x)\*\*2, x)

**Giac [A]** time = 1.2117, size = 61, normalized size = 2.1

$$\frac{2 \left( \frac{a}{e^{(2dx+2c)}-1} + \frac{be^{(2dx+2c)}}{(e^{(2dx+2c)}+1)^2} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(csch(d*x+c)^2*(a+b*tanh(d*x+c)^3),x, algorithm="giac")
```

```
[Out] -2*(a/(e^(2*d*x + 2*c) - 1) + b*e^(2*d*x + 2*c)/(e^(2*d*x + 2*c) + 1)^2)/d
```

### 3.55 $\int \operatorname{csch}^3(c + dx) (a + b \tanh^3(c + dx)) dx$

**Optimal.** Leaf size=71

$$\frac{a \tanh^{-1}(\cosh(c + dx))}{2d} - \frac{a \coth(c + dx) \operatorname{csch}(c + dx)}{2d} + \frac{b \tan^{-1}(\sinh(c + dx))}{2d} + \frac{b \tanh(c + dx) \operatorname{sech}(c + dx)}{2d}$$

[Out] (b\*ArcTan[Sinh[c + d\*x]])/(2\*d) + (a\*ArcTanh[Cosh[c + d\*x]])/(2\*d) - (a\*Cot h[c + d\*x]\*Csch[c + d\*x])/(2\*d) + (b\*Sech[c + d\*x]\*Tanh[c + d\*x])/(2\*d)

**Rubi [A]** time = 0.0904974, antiderivative size = 71, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3666, 3768, 3770}

$$\frac{a \tanh^{-1}(\cosh(c + dx))}{2d} - \frac{a \coth(c + dx) \operatorname{csch}(c + dx)}{2d} + \frac{b \tan^{-1}(\sinh(c + dx))}{2d} + \frac{b \tanh(c + dx) \operatorname{sech}(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] Int[Csch[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^3), x]

[Out] (b\*ArcTan[Sinh[c + d\*x]])/(2\*d) + (a\*ArcTanh[Cosh[c + d\*x]])/(2\*d) - (a\*Cot h[c + d\*x]\*Csch[c + d\*x])/(2\*d) + (b\*Sech[c + d\*x]\*Tanh[c + d\*x])/(2\*d)

#### Rule 3666

Int[((d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((a\_.) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_))^(p\_.), x\_Symbol] := Int[ExpandTrig[(d\*sin[e + f\*x])^m\*(a + b\*(c\*tan[e + f\*x])^n)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p, 0]

#### Rule 3768

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := -Simp[(b\*cos[c + d\*x])\*(b\*csc[c + d\*x])^(n - 1)/(d\*(n - 1)), x] + Dist[(b^2\*(n - 2))/(n - 1), Int[(b\*csc[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \operatorname{csch}^3(c+dx) (a+b \tanh^3(c+dx)) dx &= -\left(i \int (i a \operatorname{csch}^3(c+dx) + i b \operatorname{sech}^3(c+dx)) dx\right) \\
&= a \int \operatorname{csch}^3(c+dx) dx + b \int \operatorname{sech}^3(c+dx) dx \\
&= -\frac{a \operatorname{coth}(c+dx) \operatorname{csch}(c+dx)}{2d} + \frac{b \operatorname{sech}(c+dx) \tanh(c+dx)}{2d} - \frac{1}{2} a \int \operatorname{csch}(c+dx) dx \\
&= \frac{b \tan^{-1}(\sinh(c+dx))}{2d} + \frac{a \tanh^{-1}(\cosh(c+dx))}{2d} - \frac{a \operatorname{coth}(c+dx) \operatorname{csch}(c+dx)}{2d}
\end{aligned}$$

**Mathematica [A]** time = 0.0259812, size = 95, normalized size = 1.34

$$-\frac{a \operatorname{csch}^2\left(\frac{1}{2}(c+dx)\right)}{8d} - \frac{a \operatorname{sech}^2\left(\frac{1}{2}(c+dx)\right)}{8d} - \frac{a \log\left(\tanh\left(\frac{1}{2}(c+dx)\right)\right)}{2d} + \frac{b \tan^{-1}(\sinh(c+dx))}{2d} + \frac{b \tanh(c+dx) \operatorname{sech}(c+dx)}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^3), x]

[Out] (b\*ArcTan[Sinh[c + d\*x]])/(2\*d) - (a\*Csch[(c + d\*x)/2]^2)/(8\*d) - (a\*Log[Tanh[(c + d\*x)/2]])/(2\*d) - (a\*Sech[(c + d\*x)/2]^2)/(8\*d) + (b\*Sech[c + d\*x]\*Tanh[c + d\*x])/(2\*d)

**Maple [A]** time = 0.059, size = 62, normalized size = 0.9

$$-\frac{\operatorname{coth}(dx+c) \operatorname{acsch}(dx+c)}{2d} + \frac{a \operatorname{Arctanh}\left(e^{dx+c}\right)}{d} + \frac{b \operatorname{sech}(dx+c) \tanh(dx+c)}{2d} + \frac{b \operatorname{arctan}\left(e^{dx+c}\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csch(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^3), x)

[Out] -1/2\*a\*coth(d\*x+c)\*csch(d\*x+c)/d+1/d\*a\*arctanh(exp(d\*x+c))+1/2\*b\*sech(d\*x+c)\*tanh(d\*x+c)/d+1/d\*b\*arctan(exp(d\*x+c))

**Maxima [B]** time = 1.53103, size = 211, normalized size = 2.97

$$-b \left( \frac{\arctan(e^{(-dx-c)})}{d} - \frac{e^{(-dx-c)} - e^{(-3dx-3c)}}{d(2e^{(-2dx-2c)} + e^{(-4dx-4c)} + 1)} \right) + \frac{1}{2} a \left( \frac{\log(e^{(-dx-c)} + 1)}{d} - \frac{\log(e^{(-dx-c)} - 1)}{d} + \frac{2(e^{(-dx-c)} + e^{(-3dx-3c)})}{d(2e^{(-2dx-2c)} - e^{(-4dx-4c)} - 1)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^3),x, algorithm="maxima")

[Out] -b\*(arctan(e^(-d\*x - c))/d - (e^(-d\*x - c) - e^(-3\*d\*x - 3\*c))/(d\*(2\*e^(-2\*d\*x - 2\*c) + e^(-4\*d\*x - 4\*c) + 1))) + 1/2\*a\*(log(e^(-d\*x - c) + 1)/d - log(e^(-d\*x - c) - 1)/d + 2\*(e^(-d\*x - c) + e^(-3\*d\*x - 3\*c))/(d\*(2\*e^(-2\*d\*x - 2\*c) - e^(-4\*d\*x - 4\*c) - 1)))

**Fricas [B]** time = 2.79467, size = 3216, normalized size = 45.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^3),x, algorithm="fricas")

[Out] -1/2\*(2\*(a - b)\*cosh(d\*x + c)^7 + 14\*(a - b)\*cosh(d\*x + c)\*sinh(d\*x + c)^6 + 2\*(a - b)\*sinh(d\*x + c)^7 + 6\*(a + b)\*cosh(d\*x + c)^5 + 6\*(7\*(a - b)\*cosh(d\*x + c)^2 + a + b)\*sinh(d\*x + c)^5 + 10\*(7\*(a - b)\*cosh(d\*x + c)^3 + 3\*(a + b)\*cosh(d\*x + c))\*sinh(d\*x + c)^4 + 6\*(a - b)\*cosh(d\*x + c)^3 + 2\*(35\*(a - b)\*cosh(d\*x + c)^4 + 30\*(a + b)\*cosh(d\*x + c)^2 + 3\*a - 3\*b)\*sinh(d\*x + c)^3 + 6\*(7\*(a - b)\*cosh(d\*x + c)^5 + 10\*(a + b)\*cosh(d\*x + c)^3 + 3\*(a - b)\*cosh(d\*x + c))\*sinh(d\*x + c)^2 - 2\*(b\*cosh(d\*x + c)^8 + 56\*b\*cosh(d\*x + c)^3\*sinh(d\*x + c)^5 + 28\*b\*cosh(d\*x + c)^2\*sinh(d\*x + c)^6 + 8\*b\*cosh(d\*x + c)\*sinh(d\*x + c)^7 + b\*sinh(d\*x + c)^8 - 2\*b\*cosh(d\*x + c)^4 + 2\*(35\*b\*cosh(d\*x + c)^4 - b)\*sinh(d\*x + c)^4 + 8\*(7\*b\*cosh(d\*x + c)^5 - b\*cosh(d\*x + c))\*sinh(d\*x + c)^3 + 4\*(7\*b\*cosh(d\*x + c)^6 - 3\*b\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^2 + 8\*(b\*cosh(d\*x + c)^7 - b\*cosh(d\*x + c)^3)\*sinh(d\*x + c) + b)\*arctan(cosh(d\*x + c) + sinh(d\*x + c)) + 2\*(a + b)\*cosh(d\*x + c) - (a\*cosh(d\*x + c)^8 + 56\*a\*cosh(d\*x + c)^3\*sinh(d\*x + c)^5 + 28\*a\*cosh(d\*x + c)^2\*sinh(d\*x + c)^6 + 8\*a\*cosh(d\*x + c)\*sinh(d\*x + c)^7 + a\*sinh(d\*x + c)^8 - 2\*a\*cosh(d\*x + c)^4 + 2\*(35\*a\*cosh(d\*x + c)^4 - a)\*sinh(d\*x + c)^4 + 8\*(7\*a\*cosh(d\*x + c)^5 - a\*cosh(d\*x + c))\*sinh(d\*x + c)^3 + 4\*(7\*a\*cosh(d\*x + c)^6 - 3\*a\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^2 + 8\*(a\*cosh(d\*x + c)^7 - a\*cosh(d\*x + c)^3)\*sinh(d\*x + c) + a)\*log(cosh(d\*x + c) + sinh(d\*x + c) + 1) + (a\*cosh(d\*x + c) + b)\*sinh(d\*x + c)

$$c)^8 + 56*a*cosh(d*x + c)^3*sinh(d*x + c)^5 + 28*a*cosh(d*x + c)^2*sinh(d*x + c)^6 + 8*a*cosh(d*x + c)*sinh(d*x + c)^7 + a*sinh(d*x + c)^8 - 2*a*cosh(d*x + c)^4 + 2*(35*a*cosh(d*x + c)^4 - a)*sinh(d*x + c)^4 + 8*(7*a*cosh(d*x + c)^5 - a*cosh(d*x + c))*sinh(d*x + c)^3 + 4*(7*a*cosh(d*x + c)^6 - 3*a*cosh(d*x + c)^2)*sinh(d*x + c)^2 + 8*(a*cosh(d*x + c)^7 - a*cosh(d*x + c)^3)*sinh(d*x + c) + a*log(cosh(d*x + c) + sinh(d*x + c) - 1) + 2*(7*(a - b)*cosh(d*x + c)^6 + 15*(a + b)*cosh(d*x + c)^4 + 9*(a - b)*cosh(d*x + c)^2 + a + b)*sinh(d*x + c))/(d*cosh(d*x + c)^8 + 56*d*cosh(d*x + c)^3*sinh(d*x + c)^5 + 28*d*cosh(d*x + c)^2*sinh(d*x + c)^6 + 8*d*cosh(d*x + c)*sinh(d*x + c)^7 + d*sinh(d*x + c)^8 - 2*d*cosh(d*x + c)^4 + 2*(35*d*cosh(d*x + c)^4 - d)*sinh(d*x + c)^4 + 8*(7*d*cosh(d*x + c)^5 - d*cosh(d*x + c))*sinh(d*x + c)^3 + 4*(7*d*cosh(d*x + c)^6 - 3*d*cosh(d*x + c)^2)*sinh(d*x + c)^2 + 8*(d*cosh(d*x + c)^7 - d*cosh(d*x + c)^3)*sinh(d*x + c) + d)$$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (a + b \tanh^3(c + dx)) \operatorname{csch}^3(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*\*3\*(a+b\*tanh(d\*x+c)\*\*3), x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*3)\*csch(c + d\*x)\*\*3, x)

**Giac [B]** time = 1.22179, size = 193, normalized size = 2.72

$$2 b \arctan\left(e^{(dx+c)}\right) + a \log\left(e^{(dx+c)} + 1\right) - a \log\left(\left|e^{(dx+c)} - 1\right|\right) - \frac{2\left(ae^{(7dx+7c)} - be^{(7dx+7c)} + 3ae^{(5dx+5c)} + 3be^{(5dx+5c)} + 3ae^{(3dx+3c)} - 3be^{(3dx+3c)}\right)}{\left(e^{(4dx+4c)} - 1\right)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^3), x, algorithm="giac")

[Out] 1/2\*(2\*b\*arctan(e^(d\*x + c)) + a\*log(e^(d\*x + c) + 1) - a\*log(abs(e^(d\*x + c) - 1))) - 2\*(a\*e^(7\*d\*x + 7\*c) - b\*e^(7\*d\*x + 7\*c) + 3\*a\*e^(5\*d\*x + 5\*c) + 3\*b\*e^(5\*d\*x + 5\*c) + 3\*a\*e^(3\*d\*x + 3\*c) - 3\*b\*e^(3\*d\*x + 3\*c) + a\*e^(d\*x + c) + b\*e^(d\*x + c))/(e^(4\*d\*x + 4\*c) - 1)^2/d

### 3.56 $\int \operatorname{csch}^4(c + dx) (a + b \tanh^3(c + dx)) dx$

**Optimal.** Leaf size=56

$$-\frac{a \operatorname{coth}^3(c + dx)}{3d} + \frac{a \operatorname{coth}(c + dx)}{d} - \frac{b \tanh^2(c + dx)}{2d} + \frac{b \log(\tanh(c + dx))}{d}$$

[Out] (a\*Coth[c + d\*x])/d - (a\*Coth[c + d\*x]^3)/(3\*d) + (b\*Log[Tanh[c + d\*x]])/d - (b\*Tanh[c + d\*x]^2)/(2\*d)

**Rubi [A]** time = 0.0582295, antiderivative size = 56, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$ , Rules used = {3663, 1802}

$$-\frac{a \operatorname{coth}^3(c + dx)}{3d} + \frac{a \operatorname{coth}(c + dx)}{d} - \frac{b \tanh^2(c + dx)}{2d} + \frac{b \log(\tanh(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] Int[Csch[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^3), x]

[Out] (a\*Coth[c + d\*x])/d - (a\*Coth[c + d\*x]^3)/(3\*d) + (b\*Log[Tanh[c + d\*x]])/d - (b\*Tanh[c + d\*x]^2)/(2\*d)

#### Rule 3663

```
Int[sin[(e_.) + (f_.)*(x_.)]^(m_.)*((a_.) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_.)]^(n_.))^(p_.), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff^(m + 1))/f, Subst[Int[(x^m*(a + b*(ff*x)^n)^p]/(c^2 + ff^2*x^2)^(m/2 + 1), x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2]
```

#### Rule 1802

```
Int[(Pq_)*((c_.)*(x_.))^(m_.)*((a_.) + (b_.)*(x_)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^2)^p, x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]
```

#### Rubi steps

$$\begin{aligned} \int \operatorname{csch}^4(c+dx) (a+b \tanh^3(c+dx)) dx &= \frac{\operatorname{Subst}\left(\int \frac{(1-x^2)(a+bx^3)}{x^4} dx, x, \tanh(c+dx)\right)}{d} \\ &= \frac{\operatorname{Subst}\left(\int \left(\frac{a}{x^4} - \frac{a}{x^2} + \frac{b}{x} - bx\right) dx, x, \tanh(c+dx)\right)}{d} \\ &= \frac{a \operatorname{coth}(c+dx)}{d} - \frac{a \operatorname{coth}^3(c+dx)}{3d} + \frac{b \log(\tanh(c+dx))}{d} - \frac{b \tanh^2(c+dx)}{2d} \end{aligned}$$

**Mathematica [A]** time = 0.196557, size = 74, normalized size = 1.32

$$\frac{2a \operatorname{coth}(c+dx)}{3d} - \frac{a \operatorname{coth}(c+dx) \operatorname{csch}^2(c+dx)}{3d} - \frac{b(-\operatorname{sech}^2(c+dx) - 2 \log(\sinh(c+dx)) + 2 \log(\cosh(c+dx)))}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^3), x]

[Out] (2\*a\*Coth[c + d\*x])/(3\*d) - (a\*Coth[c + d\*x]\*Csch[c + d\*x]^2)/(3\*d) - (b\*(2\*Log[Cosh[c + d\*x]] - 2\*Log[Sinh[c + d\*x]] - Sech[c + d\*x]^2))/(2\*d)

**Maple [A]** time = 0.061, size = 60, normalized size = 1.1

$$\frac{2 \operatorname{coth}(dx+c) a}{3d} - \frac{\operatorname{coth}(dx+c) a (\operatorname{csch}(dx+c))^2}{3d} + \frac{b}{2d (\operatorname{cosh}(dx+c))^2} + \frac{b \ln(\tanh(dx+c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csch(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^3), x)

[Out] 2/3\*a\*coth(d\*x+c)/d-1/3/d\*a\*coth(d\*x+c)\*csch(d\*x+c)^2+1/2/d\*b/cosh(d\*x+c)^2+b\*ln(tanh(d\*x+c))/d

**Maxima [B]** time = 1.5771, size = 248, normalized size = 4.43

$$b \left( \frac{\log(e^{-dx-c} + 1)}{d} + \frac{\log(e^{-dx-c} - 1)}{d} - \frac{\log(e^{-2dx-2c} + 1)}{d} + \frac{2e^{-2dx-2c}}{d(2e^{-2dx-2c} + e^{-4dx-4c} + 1)} \right) + \frac{4}{3} a \left( \frac{3}{d(3e^{-2dx-2c} - 3} \right)$$



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(csch(d*x+c)^4*(a+b*tanh(d*x+c)^3),x, algorithm="maxima")
```

```
[Out] b*(log(e^(-d*x - c) + 1)/d + log(e^(-d*x - c) - 1)/d - log(e^(-2*d*x - 2*c)
+ 1)/d + 2*e^(-2*d*x - 2*c)/(d*(2*e^(-2*d*x - 2*c) + e^(-4*d*x - 4*c) + 1)
)) + 4/3*a*(3*e^(-2*d*x - 2*c)/(d*(3*e^(-2*d*x - 2*c) - 3*e^(-4*d*x - 4*c)
+ e^(-6*d*x - 6*c) - 1)) - 1/(d*(3*e^(-2*d*x - 2*c) - 3*e^(-4*d*x - 4*c) +
e^(-6*d*x - 6*c) - 1)))
```

**Fricas [B]** time = 2.45432, size = 4702, normalized size = 83.96

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(csch(d*x+c)^4*(a+b*tanh(d*x+c)^3),x, algorithm="fricas")
```

```
[Out] 1/3*(6*b*cosh(d*x + c)^8 + 48*b*cosh(d*x + c)*sinh(d*x + c)^7 + 6*b*sinh(d*
x + c)^8 - 6*(2*a + 3*b)*cosh(d*x + c)^6 + 6*(28*b*cosh(d*x + c)^2 - 2*a -
3*b)*sinh(d*x + c)^6 + 12*(28*b*cosh(d*x + c)^3 - 3*(2*a + 3*b)*cosh(d*x +
c))*sinh(d*x + c)^5 - 2*(10*a - 9*b)*cosh(d*x + c)^4 + 2*(210*b*cosh(d*x +
c)^4 - 45*(2*a + 3*b)*cosh(d*x + c)^2 - 10*a + 9*b)*sinh(d*x + c)^4 + 8*(42
*b*cosh(d*x + c)^5 - 15*(2*a + 3*b)*cosh(d*x + c)^3 - (10*a - 9*b)*cosh(d*x
+ c))*sinh(d*x + c)^3 - 2*(2*a + 3*b)*cosh(d*x + c)^2 + 2*(84*b*cosh(d*x +
c)^6 - 45*(2*a + 3*b)*cosh(d*x + c)^4 - 6*(10*a - 9*b)*cosh(d*x + c)^2 - 2
*a - 3*b)*sinh(d*x + c)^2 - 3*(b*cosh(d*x + c)^10 + 10*b*cosh(d*x + c)*sinh
(d*x + c)^9 + b*sinh(d*x + c)^10 - b*cosh(d*x + c)^8 + (45*b*cosh(d*x + c)^
2 - b)*sinh(d*x + c)^8 + 8*(15*b*cosh(d*x + c)^3 - b*cosh(d*x + c))*sinh(d*
x + c)^7 - 2*b*cosh(d*x + c)^6 + 2*(105*b*cosh(d*x + c)^4 - 14*b*cosh(d*x +
c)^2 - b)*sinh(d*x + c)^6 + 4*(63*b*cosh(d*x + c)^5 - 14*b*cosh(d*x + c)^3
- 3*b*cosh(d*x + c))*sinh(d*x + c)^5 + 2*b*cosh(d*x + c)^4 + 2*(105*b*cosh
(d*x + c)^6 - 35*b*cosh(d*x + c)^4 - 15*b*cosh(d*x + c)^2 + b)*sinh(d*x + c
)^4 + 8*(15*b*cosh(d*x + c)^7 - 7*b*cosh(d*x + c)^5 - 5*b*cosh(d*x + c)^3 +
b*cosh(d*x + c))*sinh(d*x + c)^3 + b*cosh(d*x + c)^2 + (45*b*cosh(d*x + c)
^8 - 28*b*cosh(d*x + c)^6 - 30*b*cosh(d*x + c)^4 + 12*b*cosh(d*x + c)^2 + b
)*sinh(d*x + c)^2 + 2*(5*b*cosh(d*x + c)^9 - 4*b*cosh(d*x + c)^7 - 6*b*cosh
(d*x + c)^5 + 4*b*cosh(d*x + c)^3 + b*cosh(d*x + c))*sinh(d*x + c) - b*log
(2*cosh(d*x + c)/(cosh(d*x + c) - sinh(d*x + c))) + 3*(b*cosh(d*x + c)^10 +
10*b*cosh(d*x + c)*sinh(d*x + c)^9 + b*sinh(d*x + c)^10 - b*cosh(d*x + c)^
8 + (45*b*cosh(d*x + c)^2 - b)*sinh(d*x + c)^8 + 8*(15*b*cosh(d*x + c)^3 -
b*cosh(d*x + c))*sinh(d*x + c)^7 - 2*b*cosh(d*x + c)^6 + 2*(105*b*cosh(d*x
```

```

+ c)^4 - 14*b*cosh(d*x + c)^2 - b)*sinh(d*x + c)^6 + 4*(63*b*cosh(d*x + c)^
5 - 14*b*cosh(d*x + c)^3 - 3*b*cosh(d*x + c))*sinh(d*x + c)^5 + 2*b*cosh(d*
x + c)^4 + 2*(105*b*cosh(d*x + c)^6 - 35*b*cosh(d*x + c)^4 - 15*b*cosh(d*x
+ c)^2 + b)*sinh(d*x + c)^4 + 8*(15*b*cosh(d*x + c)^7 - 7*b*cosh(d*x + c)^5
- 5*b*cosh(d*x + c)^3 + b*cosh(d*x + c))*sinh(d*x + c)^3 + b*cosh(d*x + c)
^2 + (45*b*cosh(d*x + c)^8 - 28*b*cosh(d*x + c)^6 - 30*b*cosh(d*x + c)^4 +
12*b*cosh(d*x + c)^2 + b)*sinh(d*x + c)^2 + 2*(5*b*cosh(d*x + c)^9 - 4*b*co
sh(d*x + c)^7 - 6*b*cosh(d*x + c)^5 + 4*b*cosh(d*x + c)^3 + b*cosh(d*x + c)
)*sinh(d*x + c) - b)*log(2*sinh(d*x + c)/(cosh(d*x + c) - sinh(d*x + c))) +
4*(12*b*cosh(d*x + c)^7 - 9*(2*a + 3*b)*cosh(d*x + c)^5 - 2*(10*a - 9*b)*c
osh(d*x + c)^3 - (2*a + 3*b)*cosh(d*x + c))*sinh(d*x + c) + 4*a)/(d*cosh(d*
x + c)^10 + 10*d*cosh(d*x + c)*sinh(d*x + c)^9 + d*sinh(d*x + c)^10 - d*cos
h(d*x + c)^8 + (45*d*cosh(d*x + c)^2 - d)*sinh(d*x + c)^8 + 8*(15*d*cosh(d*
x + c)^3 - d*cosh(d*x + c))*sinh(d*x + c)^7 - 2*d*cosh(d*x + c)^6 + 2*(105*
d*cosh(d*x + c)^4 - 14*d*cosh(d*x + c)^2 - d)*sinh(d*x + c)^6 + 4*(63*d*cos
h(d*x + c)^5 - 14*d*cosh(d*x + c)^3 - 3*d*cosh(d*x + c))*sinh(d*x + c)^5 +
2*d*cosh(d*x + c)^4 + 2*(105*d*cosh(d*x + c)^6 - 35*d*cosh(d*x + c)^4 - 15*
d*cosh(d*x + c)^2 + d)*sinh(d*x + c)^4 + 8*(15*d*cosh(d*x + c)^7 - 7*d*cosh
(d*x + c)^5 - 5*d*cosh(d*x + c)^3 + d*cosh(d*x + c))*sinh(d*x + c)^3 + d*co
sh(d*x + c)^2 + (45*d*cosh(d*x + c)^8 - 28*d*cosh(d*x + c)^6 - 30*d*cosh(d*
x + c)^4 + 12*d*cosh(d*x + c)^2 + d)*sinh(d*x + c)^2 + 2*(5*d*cosh(d*x + c)
^9 - 4*d*cosh(d*x + c)^7 - 6*d*cosh(d*x + c)^5 + 4*d*cosh(d*x + c)^3 + d*co
sh(d*x + c))*sinh(d*x + c) - d)

```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (a + b \tanh^3(c + dx)) \operatorname{csch}^4(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*\*4\*(a+b\*tanh(d\*x+c)\*\*3), x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*3)\*csch(c + d\*x)\*\*4, x)

**Giac [B]** time = 1.2359, size = 201, normalized size = 3.59

$$\frac{6b \log(e^{(2dx+2c)} + 1) - 6b \log(|e^{(2dx+2c)} - 1|) - \frac{3(3be^{(4dx+4c)} + 10be^{(2dx+2c)} + 3b)}{(e^{(2dx+2c)} + 1)^2} + \frac{11be^{(6dx+6c)} - 33be^{(4dx+4c)} + 24ae^{(2dx+2c)} + 33be^{(2dx+2c)}}{(e^{(2dx+2c)} - 1)^3}}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csch(d*x+c)^4*(a+b*tanh(d*x+c)^3),x, algorithm="giac")`

[Out] 
$$-1/6*(6*b*\log(e^{(2*d*x + 2*c)} + 1) - 6*b*\log(\text{abs}(e^{(2*d*x + 2*c)} - 1))) - 3*(3*b*e^{(4*d*x + 4*c)} + 10*b*e^{(2*d*x + 2*c)} + 3*b)/(e^{(2*d*x + 2*c)} + 1)^2 + (11*b*e^{(6*d*x + 6*c)} - 33*b*e^{(4*d*x + 4*c)} + 24*a*e^{(2*d*x + 2*c)} + 33*b*e^{(2*d*x + 2*c)} - 8*a - 11*b)/(e^{(2*d*x + 2*c)} - 1)^3/d$$

### 3.57 $\int \sinh^4(c + dx) (a + b \tanh^3(c + dx))^2 dx$

**Optimal.** Leaf size=170

$$\frac{\sinh(c + dx) \cosh^3(c + dx) (a^2 + 2ab \tanh(c + dx) + b^2)}{4d} - \frac{\sinh(c + dx) \cosh(c + dx) (5a^2 + 20ab \tanh(c + dx) + 17b^2)}{8d}$$

[Out] (3\*(a^2 + 21\*b^2)\*x)/8 + (6\*a\*b\*Log[Cosh[c + d\*x]])/d - (6\*b^2\*Tanh[c + d\*x])/d - (a\*b\*Tanh[c + d\*x]^2)/d - (b^2\*Tanh[c + d\*x]^3)/d - (b^2\*Tanh[c + d\*x]^5)/(5\*d) + (Cosh[c + d\*x]^3\*Sinh[c + d\*x]\*(a^2 + b^2 + 2\*a\*b\*Tanh[c + d\*x]))/(4\*d) - (Cosh[c + d\*x]\*Sinh[c + d\*x]\*(5\*a^2 + 17\*b^2 + 20\*a\*b\*Tanh[c + d\*x]))/(8\*d)

**Rubi [A]** time = 0.296606, antiderivative size = 206, normalized size of antiderivative = 1.21, number of steps used = 8, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {3663, 1804, 1802, 633, 31}

$$-\frac{3(a^2 + 21b^2) \tanh(c + dx)}{8d} - \frac{3(a^2 + 16ab + 21b^2) \log(1 - \tanh(c + dx))}{16d} + \frac{3(a^2 - 16ab + 21b^2) \log(\tanh(c + dx) + 1)}{16d}$$

Antiderivative was successfully verified.

[In] Int[Sinh[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^3)^2,x]

[Out] (-3\*(a^2 + 16\*a\*b + 21\*b^2)\*Log[1 - Tanh[c + d\*x]])/(16\*d) + (3\*(a^2 - 16\*a\*b + 21\*b^2)\*Log[1 + Tanh[c + d\*x]])/(16\*d) - (3\*(a^2 + 21\*b^2)\*Tanh[c + d\*x])/8\*d - (3\*a\*b\*Tanh[c + d\*x]^2)/d - (b^2\*Tanh[c + d\*x]^3)/d - (b^2\*Tanh[c + d\*x]^5)/(5\*d) - (Sinh[c + d\*x]^2\*Tanh[c + d\*x]\*(a^2 + 13\*b^2 + 16\*a\*b\*Tanh[c + d\*x]))/(8\*d) + (Sinh[c + d\*x]^4\*(2\*a\*b + (a^2 + b^2)\*Tanh[c + d\*x]))/(4\*d)

#### Rule 3663

Int[sin[(e\_.) + (f\_.)\*(x\_)]^(m\_)\*((a\_.) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]))^(n\_)]^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff^(m + 1))/f, Subst[Int[(x^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + ff^2\*x^2)^(m/2 + 1), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2]

#### Rule 1804

```

Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := With[
{Q = PolynomialQuotient[Pq, a + b*x^2, x], f = Coeff[PolynomialRemainder[Pq,
a + b*x^2, x], x, 0], g = Coeff[PolynomialRemainder[Pq, a + b*x^2, x], x,
1]}, Simp[((c*x)^m*(a + b*x^2)^(p + 1)*(a*g - b*f*x))/(2*a*b*(p + 1)), x]
+ Dist[c/(2*a*b*(p + 1)), Int[(c*x)^(m - 1)*(a + b*x^2)^(p + 1)*ExpandToSum
[2*a*b*(p + 1)*x*Q - a*g*m + b*f*(m + 2*p + 3)*x, x], x]] /; FreeQ[{a,
b, c}, x] && PolyQ[Pq, x] && LtQ[p, -1] && GtQ[m, 0]

```

### Rule 1802

```

Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := Int[
ExpandIntegrand[(c*x)^m*Pq*(a + b*x^2)^p, x], x] /; FreeQ[{a, b, c, m}, x]
&& PolyQ[Pq, x] && IGtQ[p, -2]

```

### Rule 633

```

Int[((d_) + (e_)*(x_))/((a_) + (c_)*(x_)^2), x_Symbol] := With[{q = Rt[-(
a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x), x], x] + Dist[e/2 - (c
*d)/(2*q), Int[1/(q + c*x), x], x]] /; FreeQ[{a, c, d, e}, x] && NiceSqrtQ[
-(a*c)]

```

### Rule 31

```

Int[((a_) + (b_)*(x_))^(p_), x_Symbol] := Simp[Log[RemoveContent[a + b*x,
x]]/b, x] /; FreeQ[{a, b}, x]

```

### Rubi steps

$$\begin{aligned}
\int \sinh^4(c+dx) (a+b \tanh^3(c+dx))^2 dx &= \frac{\text{Subst}\left(\int \frac{x^4(a+bx^3)^2}{(1-x^2)^3} dx, x, \tanh(c+dx)\right)}{d} \\
&= \frac{\sinh^4(c+dx) (2ab + (a^2 + b^2) \tanh(c+dx))}{4d} + \frac{\text{Subst}\left(\int \frac{x^3(-8ab-(a^2+5b^2)x-}{(1-x^2)^3} dx, x, \tanh(c+dx)\right)}{4d} \\
&= -\frac{\sinh^2(c+dx) \tanh(c+dx) (a^2 + 13b^2 + 16ab \tanh(c+dx))}{8d} + \frac{\sinh^4(c+dx)}{4d} \\
&= -\frac{\sinh^2(c+dx) \tanh(c+dx) (a^2 + 13b^2 + 16ab \tanh(c+dx))}{8d} + \frac{\sinh^4(c+dx)}{4d} \\
&= -\frac{3(a^2 + 21b^2) \tanh(c+dx)}{8d} - \frac{3ab \tanh^2(c+dx)}{d} - \frac{b^2 \tanh^3(c+dx)}{d} - \frac{b^2}{d} \\
&= -\frac{3(a^2 + 21b^2) \tanh(c+dx)}{8d} - \frac{3ab \tanh^2(c+dx)}{d} - \frac{b^2 \tanh^3(c+dx)}{d} - \frac{b^2}{d} \\
&= -\frac{3(a^2 + 16ab + 21b^2) \log(1 - \tanh(c+dx))}{16d} + \frac{3(a^2 - 16ab + 21b^2) \log(1 + \tanh(c+dx))}{16d}
\end{aligned}$$

**Mathematica [A]** time = 2.80884, size = 156, normalized size = 0.92

$$\frac{60(a^2 + 21b^2)(c+dx) - 40(a^2 + 4b^2)\sinh(2(c+dx)) + 5(a^2 + b^2)\sinh(4(c+dx)) - 200ab \cosh(2(c+dx)) + 10ab \cosh(4(c+dx))}{160d}$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^3)^2,x]

[Out] (60\*(a^2 + 21\*b^2)\*(c + d\*x) - 200\*a\*b\*Cosh[2\*(c + d\*x)] + 10\*a\*b\*Cosh[4\*(c + d\*x)] + 960\*a\*b\*Log[Cosh[c + d\*x]] + 160\*a\*b\*Sech[c + d\*x]^2 - 40\*(a^2 + 4\*b^2)\*Sinh[2\*(c + d\*x)] + 5\*(a^2 + b^2)\*Sinh[4\*(c + d\*x)] - 1152\*b^2\*Tanh[c + d\*x] + 224\*b^2\*Sech[c + d\*x]^2\*Tanh[c + d\*x] - 32\*b^2\*Sech[c + d\*x]^4\*Tanh[c + d\*x])/(160\*d)

**Maple [A]** time = 0.058, size = 243, normalized size = 1.4

$$\frac{a^2 \cosh(dx+c) (\sinh(dx+c))^3}{4d} - \frac{3a^2 \sinh(dx+c) \cosh(dx+c)}{8d} + \frac{3a^2x}{8} + \frac{3a^2c}{8d} + \frac{ab (\sinh(dx+c))^6}{2d (\cosh(dx+c))^2} - \frac{3ab (\sinh(dx+c))^3}{2d (\cosh(dx+c))^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(\sinh(dx+c)^4*(a+b*\tanh(dx+c))^3)^2,x$

[Out]  $\frac{1}{4}d^2a^2\cosh(dx+c)\sinh(dx+c)^3 - \frac{3}{8}d^2a^2\sinh(dx+c)\cosh(dx+c) + \frac{3}{8}a^2x + \frac{3}{8}d^2a^2c + \frac{1}{2}d^2ab\sinh(dx+c)^6/\cosh(dx+c)^2 - \frac{3}{2}d^2ab\sinh(dx+c)^4/\cosh(dx+c)^2 + 6ab\ln(\cosh(dx+c))/d - 3ab\tanh(dx+c)^2/d + \frac{1}{4}d^2b^2\sinh(dx+c)^9/\cosh(dx+c)^5 - \frac{9}{8}d^2b^2\sinh(dx+c)^7/\cosh(dx+c)^5 + \frac{63}{8}b^2x + \frac{63}{8}d^2c*b^2 - \frac{63}{8}b^2\tanh(dx+c)/d - \frac{21}{8}b^2\tanh(dx+c)^3/d - \frac{63}{40}b^2\tanh(dx+c)^5/d$

**Maxima [B]** time = 1.58581, size = 512, normalized size = 3.01

$$\frac{1}{64}a^2\left(24x + \frac{e^{(4dx+4c)}}{d} - \frac{8e^{(2dx+2c)}}{d} + \frac{8e^{(-2dx-2c)}}{d} - \frac{e^{(-4dx-4c)}}{d}\right) + \frac{1}{320}b^2\left(\frac{2520(dx+c)}{d} + \frac{5(32e^{(-2dx-2c)} - e^{(-4dx-4c)})}{d}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\sinh(dx+c)^4*(a+b*\tanh(dx+c))^3)^2,x, \text{algorithm}=\text{"maxima"}$

[Out]  $\frac{1}{64}a^2(24x + e^{(4dx+4c)}/d - 8e^{(2dx+2c)}/d + 8e^{(-2dx-2c)}/d - e^{(-4dx-4c)}/d) + \frac{1}{320}b^2(2520(dx+c)/d + 5(32e^{(-2dx-2c)} - e^{(-4dx-4c)})/d - (135e^{(-2dx-2c)} + 5358e^{(-4dx-4c)} + 18190e^{(-6dx-6c)} + 28455e^{(-8dx-8c)} + 19995e^{(-10dx-10c)} + 6560e^{(-12dx-12c)} - 5)/(d*(e^{(-4dx-4c)} + 5e^{(-6dx-6c)} + 10e^{(-8dx-8c)} + 10e^{(-10dx-10c)} + 5e^{(-12dx-12c)} + e^{(-14dx-14c)}))) + \frac{1}{32}ab(192(dx+c)/d - (20e^{(-2dx-2c)} - e^{(-4dx-4c)})/d + 192\log(e^{(-2dx-2c)} + 1)/d - (18e^{(-2dx-2c)} + 39e^{(-4dx-4c)} - 108e^{(-6dx-6c)} - 1)/(d*(e^{(-4dx-4c)} + 2e^{(-6dx-6c)} + e^{(-8dx-8c)})))$

**Fricas [B]** time = 2.9417, size = 13666, normalized size = 80.39

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\sinh(dx+c)^4*(a+b*\tanh(dx+c))^3)^2,x, \text{algorithm}=\text{"fricas"}$

```
[Out] 1/320*(5*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^18 + 90*(a^2 + 2*a*b + b^2)*cosh
(d*x + c)*sinh(d*x + c)^17 + 5*(a^2 + 2*a*b + b^2)*sinh(d*x + c)^18 - 15*(a
^2 + 10*a*b + 9*b^2)*cosh(d*x + c)^16 + 15*(51*(a^2 + 2*a*b + b^2)*cosh(d*x
+ c)^2 - a^2 - 10*a*b - 9*b^2)*sinh(d*x + c)^16 + 240*(17*(a^2 + 2*a*b + b
^2)*cosh(d*x + c)^3 - (a^2 + 10*a*b + 9*b^2)*cosh(d*x + c))*sinh(d*x + c)^1
5 + 30*(4*(a^2 - 16*a*b + 21*b^2)*d*x - 5*a^2 - 30*a*b - 25*b^2)*cosh(d*x +
c)^14 + 30*(510*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^4 + 4*(a^2 - 16*a*b + 21
*b^2)*d*x - 60*(a^2 + 10*a*b + 9*b^2)*cosh(d*x + c)^2 - 5*a^2 - 30*a*b - 25
*b^2)*sinh(d*x + c)^14 + 420*(102*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^5 - 20*
(a^2 + 10*a*b + 9*b^2)*cosh(d*x + c)^3 + (4*(a^2 - 16*a*b + 21*b^2)*d*x - 5
*a^2 - 30*a*b - 25*b^2)*cosh(d*x + c))*sinh(d*x + c)^13 + 10*(60*(a^2 - 16*
a*b + 21*b^2)*d*x - 31*a^2 - 82*a*b + 501*b^2)*cosh(d*x + c)^12 + 10*(9282*
(a^2 + 2*a*b + b^2)*cosh(d*x + c)^6 - 2730*(a^2 + 10*a*b + 9*b^2)*cosh(d*x
+ c)^4 + 60*(a^2 - 16*a*b + 21*b^2)*d*x + 273*(4*(a^2 - 16*a*b + 21*b^2)*d*
x - 5*a^2 - 30*a*b - 25*b^2)*cosh(d*x + c)^2 - 31*a^2 - 82*a*b + 501*b^2)*s
inh(d*x + c)^12 + 120*(1326*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^7 - 546*(a^2
+ 10*a*b + 9*b^2)*cosh(d*x + c)^5 + 91*(4*(a^2 - 16*a*b + 21*b^2)*d*x - 5*a
^2 - 30*a*b - 25*b^2)*cosh(d*x + c)^3 + (60*(a^2 - 16*a*b + 21*b^2)*d*x - 3
1*a^2 - 82*a*b + 501*b^2)*cosh(d*x + c))*sinh(d*x + c)^11 + 60*(20*(a^2 - 1
6*a*b + 21*b^2)*d*x - 3*a^2 + 15*a*b + 307*b^2)*cosh(d*x + c)^10 + 30*(7293
*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^8 - 4004*(a^2 + 10*a*b + 9*b^2)*cosh(d*x
+ c)^6 + 1001*(4*(a^2 - 16*a*b + 21*b^2)*d*x - 5*a^2 - 30*a*b - 25*b^2)*co
sh(d*x + c)^4 + 40*(a^2 - 16*a*b + 21*b^2)*d*x + 22*(60*(a^2 - 16*a*b + 21*
b^2)*d*x - 31*a^2 - 82*a*b + 501*b^2)*cosh(d*x + c)^2 - 6*a^2 + 30*a*b + 61
4*b^2)*sinh(d*x + c)^10 + 20*(12155*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^9 - 8
580*(a^2 + 10*a*b + 9*b^2)*cosh(d*x + c)^7 + 3003*(4*(a^2 - 16*a*b + 21*b^2
)*d*x - 5*a^2 - 30*a*b - 25*b^2)*cosh(d*x + c)^5 + 110*(60*(a^2 - 16*a*b +
21*b^2)*d*x - 31*a^2 - 82*a*b + 501*b^2)*cosh(d*x + c)^3 + 30*(20*(a^2 - 16
*a*b + 21*b^2)*d*x - 3*a^2 + 15*a*b + 307*b^2)*cosh(d*x + c))*sinh(d*x + c)
^9 + 60*(20*(a^2 - 16*a*b + 21*b^2)*d*x + 3*a^2 + 15*a*b + 461*b^2)*cosh(d*
x + c)^8 + 30*(7293*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^10 - 6435*(a^2 + 10*a
*b + 9*b^2)*cosh(d*x + c)^8 + 3003*(4*(a^2 - 16*a*b + 21*b^2)*d*x - 5*a^2 -
30*a*b - 25*b^2)*cosh(d*x + c)^6 + 165*(60*(a^2 - 16*a*b + 21*b^2)*d*x - 3
1*a^2 - 82*a*b + 501*b^2)*cosh(d*x + c)^4 + 40*(a^2 - 16*a*b + 21*b^2)*d*x
+ 90*(20*(a^2 - 16*a*b + 21*b^2)*d*x - 3*a^2 + 15*a*b + 307*b^2)*cosh(d*x +
c)^2 + 6*a^2 + 30*a*b + 922*b^2)*sinh(d*x + c)^8 + 240*(663*(a^2 + 2*a*b +
b^2)*cosh(d*x + c)^11 - 715*(a^2 + 10*a*b + 9*b^2)*cosh(d*x + c)^9 + 429*(
4*(a^2 - 16*a*b + 21*b^2)*d*x - 5*a^2 - 30*a*b - 25*b^2)*cosh(d*x + c)^7 +
33*(60*(a^2 - 16*a*b + 21*b^2)*d*x - 31*a^2 - 82*a*b + 501*b^2)*cosh(d*x +
c)^5 + 30*(20*(a^2 - 16*a*b + 21*b^2)*d*x - 3*a^2 + 15*a*b + 307*b^2)*cosh(
d*x + c)^3 + 2*(20*(a^2 - 16*a*b + 21*b^2)*d*x + 3*a^2 + 15*a*b + 461*b^2)*
cosh(d*x + c))*sinh(d*x + c)^7 + 10*(60*(a^2 - 16*a*b + 21*b^2)*d*x + 31*a^
2 - 82*a*b + 1803*b^2)*cosh(d*x + c)^6 + 10*(9282*(a^2 + 2*a*b + b^2)*cosh(
d*x + c)^12 - 12012*(a^2 + 10*a*b + 9*b^2)*cosh(d*x + c)^10 + 9009*(4*(a^2
- 16*a*b + 21*b^2)*d*x - 5*a^2 - 30*a*b - 25*b^2)*cosh(d*x + c)^8 + 924*(60
```



$$\begin{aligned}
&*(a^2 - 16*a*b + 21*b^2)*d*x - 31*a^2 - 82*a*b + 501*b^2)*\cosh(d*x + c)^6 + \\
&1260*(20*(a^2 - 16*a*b + 21*b^2)*d*x - 3*a^2 + 15*a*b + 307*b^2)*\cosh(d*x \\
&+ c)^4 + 60*(a^2 - 16*a*b + 21*b^2)*d*x + 168*(20*(a^2 - 16*a*b + 21*b^2)*d \\
&*x + 3*a^2 + 15*a*b + 461*b^2)*\cosh(d*x + c)^2 + 31*a^2 - 82*a*b + 1803*b^2 \\
&)*\sinh(d*x + c)^6 + 60*(714*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^13 - 1092*(a^ \\
&2 + 10*a*b + 9*b^2)*\cosh(d*x + c)^11 + 1001*(4*(a^2 - 16*a*b + 21*b^2)*d*x \\
&- 5*a^2 - 30*a*b - 25*b^2)*\cosh(d*x + c)^9 + 132*(60*(a^2 - 16*a*b + 21*b^2 \\
&)*d*x - 31*a^2 - 82*a*b + 501*b^2)*\cosh(d*x + c)^7 + 252*(20*(a^2 - 16*a*b \\
&+ 21*b^2)*d*x - 3*a^2 + 15*a*b + 307*b^2)*\cosh(d*x + c)^5 + 56*(20*(a^2 - 1 \\
&6*a*b + 21*b^2)*d*x + 3*a^2 + 15*a*b + 461*b^2)*\cosh(d*x + c)^3 + (60*(a^2 \\
&- 16*a*b + 21*b^2)*d*x + 31*a^2 - 82*a*b + 1803*b^2)*\cosh(d*x + c))*\sinh(d*x \\
&+ c)^5 + 6*(20*(a^2 - 16*a*b + 21*b^2)*d*x + 25*a^2 - 150*a*b + 893*b^2)* \\
&\cosh(d*x + c)^4 + 6*(2550*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^14 - 4550*(a^2 \\
&+ 10*a*b + 9*b^2)*\cosh(d*x + c)^12 + 5005*(4*(a^2 - 16*a*b + 21*b^2)*d*x - \\
&5*a^2 - 30*a*b - 25*b^2)*\cosh(d*x + c)^10 + 825*(60*(a^2 - 16*a*b + 21*b^2) \\
&)*d*x - 31*a^2 - 82*a*b + 501*b^2)*\cosh(d*x + c)^8 + 2100*(20*(a^2 - 16*a*b \\
&+ 21*b^2)*d*x - 3*a^2 + 15*a*b + 307*b^2)*\cosh(d*x + c)^6 + 700*(20*(a^2 - \\
&16*a*b + 21*b^2)*d*x + 3*a^2 + 15*a*b + 461*b^2)*\cosh(d*x + c)^4 + 20*(a^2 \\
&- 16*a*b + 21*b^2)*d*x + 25*(60*(a^2 - 16*a*b + 21*b^2)*d*x + 31*a^2 - 82*a \\
&*b + 1803*b^2)*\cosh(d*x + c)^2 + 25*a^2 - 150*a*b + 893*b^2)*\sinh(d*x + c)^ \\
&4 + 8*(510*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^15 - 1050*(a^2 + 10*a*b + 9*b^ \\
&2)*\cosh(d*x + c)^13 + 1365*(4*(a^2 - 16*a*b + 21*b^2)*d*x - 5*a^2 - 30*a*b \\
&- 25*b^2)*\cosh(d*x + c)^11 + 275*(60*(a^2 - 16*a*b + 21*b^2)*d*x - 31*a^2 - \\
&82*a*b + 501*b^2)*\cosh(d*x + c)^9 + 900*(20*(a^2 - 16*a*b + 21*b^2)*d*x - \\
&3*a^2 + 15*a*b + 307*b^2)*\cosh(d*x + c)^7 + 420*(20*(a^2 - 16*a*b + 21*b^2) \\
&)*d*x + 3*a^2 + 15*a*b + 461*b^2)*\cosh(d*x + c)^5 + 25*(60*(a^2 - 16*a*b + 2 \\
&1*b^2)*d*x + 31*a^2 - 82*a*b + 1803*b^2)*\cosh(d*x + c)^3 + 3*(20*(a^2 - 16* \\
&a*b + 21*b^2)*d*x + 25*a^2 - 150*a*b + 893*b^2)*\cosh(d*x + c))*\sinh(d*x + c \\
&)^3 + 15*(a^2 - 10*a*b + 9*b^2)*\cosh(d*x + c)^2 + 3*(255*(a^2 + 2*a*b + b^2 \\
&)*\cosh(d*x + c)^16 - 600*(a^2 + 10*a*b + 9*b^2)*\cosh(d*x + c)^14 + 910*(4*( \\
&a^2 - 16*a*b + 21*b^2)*d*x - 5*a^2 - 30*a*b - 25*b^2)*\cosh(d*x + c)^12 + 22 \\
&0*(60*(a^2 - 16*a*b + 21*b^2)*d*x - 31*a^2 - 82*a*b + 501*b^2)*\cosh(d*x + c \\
&)^10 + 900*(20*(a^2 - 16*a*b + 21*b^2)*d*x - 3*a^2 + 15*a*b + 307*b^2)*\cosh \\
&(d*x + c)^8 + 560*(20*(a^2 - 16*a*b + 21*b^2)*d*x + 3*a^2 + 15*a*b + 461*b^ \\
&2)*\cosh(d*x + c)^6 + 50*(60*(a^2 - 16*a*b + 21*b^2)*d*x + 31*a^2 - 82*a*b + \\
&1803*b^2)*\cosh(d*x + c)^4 + 12*(20*(a^2 - 16*a*b + 21*b^2)*d*x + 25*a^2 - \\
&150*a*b + 893*b^2)*\cosh(d*x + c)^2 + 5*a^2 - 50*a*b + 45*b^2)*\sinh(d*x + c) \\
&^2 - 5*a^2 + 10*a*b - 5*b^2 + 1920*(a*b*\cosh(d*x + c)^14 + 14*a*b*\cosh(d*x \\
&+ c))*\sinh(d*x + c)^13 + a*b*\sinh(d*x + c)^14 + 5*a*b*\cosh(d*x + c)^12 + (91 \\
&*a*b*\cosh(d*x + c)^2 + 5*a*b)*\sinh(d*x + c)^12 + 10*a*b*\cosh(d*x + c)^10 + \\
&4*(91*a*b*\cosh(d*x + c)^3 + 15*a*b*\cosh(d*x + c))*\sinh(d*x + c)^11 + (1001* \\
&a*b*\cosh(d*x + c)^4 + 330*a*b*\cosh(d*x + c)^2 + 10*a*b)*\sinh(d*x + c)^10 + \\
&10*a*b*\cosh(d*x + c)^8 + 2*(1001*a*b*\cosh(d*x + c)^5 + 550*a*b*\cosh(d*x + c \\
&)^3 + 50*a*b*\cosh(d*x + c))*\sinh(d*x + c)^9 + (3003*a*b*\cosh(d*x + c)^6 + 2 \\
&475*a*b*\cosh(d*x + c)^4 + 450*a*b*\cosh(d*x + c)^2 + 10*a*b)*\sinh(d*x + c)^8
\end{aligned}$$

$$\begin{aligned}
& + 5*a*b*cosh(d*x + c)^6 + 8*(429*a*b*cosh(d*x + c)^7 + 495*a*b*cosh(d*x + c)^5 + 150*a*b*cosh(d*x + c)^3 + 10*a*b*cosh(d*x + c))*sinh(d*x + c)^7 + (3003*a*b*cosh(d*x + c)^8 + 4620*a*b*cosh(d*x + c)^6 + 2100*a*b*cosh(d*x + c)^4 + 280*a*b*cosh(d*x + c)^2 + 5*a*b)*sinh(d*x + c)^6 + a*b*cosh(d*x + c)^4 \\
& + 2*(1001*a*b*cosh(d*x + c)^9 + 1980*a*b*cosh(d*x + c)^7 + 1260*a*b*cosh(d*x + c)^5 + 280*a*b*cosh(d*x + c)^3 + 15*a*b*cosh(d*x + c))*sinh(d*x + c)^5 + (1001*a*b*cosh(d*x + c)^10 + 2475*a*b*cosh(d*x + c)^8 + 2100*a*b*cosh(d*x + c)^6 + 700*a*b*cosh(d*x + c)^4 + 75*a*b*cosh(d*x + c)^2 + a*b)*sinh(d*x + c)^4 + 4*(91*a*b*cosh(d*x + c)^11 + 275*a*b*cosh(d*x + c)^9 + 300*a*b*cosh(d*x + c)^7 + 140*a*b*cosh(d*x + c)^5 + 25*a*b*cosh(d*x + c)^3 + a*b*cosh(d*x + c))*sinh(d*x + c)^3 + (91*a*b*cosh(d*x + c)^12 + 330*a*b*cosh(d*x + c)^10 + 450*a*b*cosh(d*x + c)^8 + 280*a*b*cosh(d*x + c)^6 + 75*a*b*cosh(d*x + c)^4 + 6*a*b*cosh(d*x + c)^2)*sinh(d*x + c)^2 + 2*(7*a*b*cosh(d*x + c)^13 + 30*a*b*cosh(d*x + c)^11 + 50*a*b*cosh(d*x + c)^9 + 40*a*b*cosh(d*x + c)^7 + 15*a*b*cosh(d*x + c)^5 + 2*a*b*cosh(d*x + c)^3)*sinh(d*x + c))*log(2*cosh(d*x + c)/(cosh(d*x + c) - sinh(d*x + c))) + 6*(15*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^17 - 40*(a^2 + 10*a*b + 9*b^2)*cosh(d*x + c)^15 + 70*(4*(a^2 - 16*a*b + 21*b^2)*d*x - 5*a^2 - 30*a*b - 25*b^2)*cosh(d*x + c)^13 + 20*(60*(a^2 - 16*a*b + 21*b^2)*d*x - 31*a^2 - 82*a*b + 501*b^2)*cosh(d*x + c)^11 + 100*(20*(a^2 - 16*a*b + 21*b^2)*d*x - 3*a^2 + 15*a*b + 307*b^2)*cosh(d*x + c)^9 + 80*(20*(a^2 - 16*a*b + 21*b^2)*d*x + 3*a^2 + 15*a*b + 461*b^2)*cosh(d*x + c)^7 + 10*(60*(a^2 - 16*a*b + 21*b^2)*d*x + 31*a^2 - 82*a*b + 1803*b^2)*cosh(d*x + c)^5 + 4*(20*(a^2 - 16*a*b + 21*b^2)*d*x + 25*a^2 - 150*a*b + 893*b^2)*cosh(d*x + c)^3 + 5*(a^2 - 10*a*b + 9*b^2)*cosh(d*x + c))*sinh(d*x + c))/(d*cosh(d*x + c)^14 + 14*d*cosh(d*x + c)*sinh(d*x + c)^13 + d*sinh(d*x + c)^14 + 5*d*cosh(d*x + c)^12 + (91*d*cosh(d*x + c)^2 + 5*d)*sinh(d*x + c)^12 + 4*(91*d*cosh(d*x + c)^3 + 15*d*cosh(d*x + c))*sinh(d*x + c)^11 + 10*d*cosh(d*x + c)^10 + (1001*d*cosh(d*x + c)^4 + 330*d*cosh(d*x + c)^2 + 10*d)*sinh(d*x + c)^10 + 2*(1001*d*cosh(d*x + c)^5 + 550*d*cosh(d*x + c)^3 + 50*d*cosh(d*x + c))*sinh(d*x + c)^9 + 10*d*cosh(d*x + c)^8 + (3003*d*cosh(d*x + c)^6 + 2475*d*cosh(d*x + c)^4 + 450*d*cosh(d*x + c)^2 + 10*d)*sinh(d*x + c)^8 + 8*(429*d*cosh(d*x + c)^7 + 495*d*cosh(d*x + c)^5 + 150*d*cosh(d*x + c)^3 + 10*d*cosh(d*x + c))*sinh(d*x + c)^7 + 5*d*cosh(d*x + c)^6 + (3003*d*cosh(d*x + c)^8 + 4620*d*cosh(d*x + c)^6 + 2100*d*cosh(d*x + c)^4 + 280*d*cosh(d*x + c)^2 + 5*d)*sinh(d*x + c)^6 + 2*(1001*d*cosh(d*x + c)^9 + 1980*d*cosh(d*x + c)^7 + 1260*d*cosh(d*x + c)^5 + 280*d*cosh(d*x + c)^3 + 15*d*cosh(d*x + c))*sinh(d*x + c)^5 + d*cosh(d*x + c)^4 + (1001*d*cosh(d*x + c)^10 + 2475*d*cosh(d*x + c)^8 + 2100*d*cosh(d*x + c)^6 + 700*d*cosh(d*x + c)^4 + 75*d*cosh(d*x + c)^2 + d)*sinh(d*x + c)^4 + 4*(91*d*cosh(d*x + c)^11 + 275*d*cosh(d*x + c)^9 + 300*d*cosh(d*x + c)^7 + 140*d*cosh(d*x + c)^5 + 25*d*cosh(d*x + c)^3 + d*cosh(d*x + c))*sinh(d*x + c)^3 + (91*d*cosh(d*x + c)^12 + 330*d*cosh(d*x + c)^10 + 450*d*cosh(d*x + c)^8 + 280*d*cosh(d*x + c)^6 + 75*d*cosh(d*x + c)^4 + 6*d*cosh(d*x + c)^2)*sinh(d*x + c)^2 + 2*(7*d*cosh(d*x + c)^13 + 30*d*cosh(d*x + c)^11 + 50*d*cosh(d*x + c)^9 + 40*d*cosh(d*x + c)^7 + 15*d*cosh(d*x + c)^5 + 2*d*cosh(d*x + c)^3)*sinh(d*x + c))
\end{aligned}$$

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sinh(d*x+c)**4*(a+b*tanh(d*x+c)**3)**2,x)`

[Out] Timed out

---

**Giac [B]** time = 2.27347, size = 508, normalized size = 2.99

$$120(a^2 - 16ab + 21b^2)dx + 1920ab \log(e^{2dx+2c} + 1) - 5(18a^2e^{4dx+4c} - 288abe^{4dx+4c} + 378b^2e^{4dx+4c} - 8a^2e^{2dx+2c} + 40ab^2e^{2dx+2c} - 32b^3e^{2dx+2c})e^{-4dx-4c} + 5(a^2e^{4dx+36c} + 2ab^2e^{4dx+36c} + b^3e^{4dx+36c} - 8a^2e^{2dx+34c} - 40ab^2e^{2dx+34c} - 32b^3e^{2dx+34c})e^{-32c} - 32(137ab^2e^{10dx+10c} + 645a^2b^2e^{8dx+8c} - 200b^3e^{8dx+8c} + 1250a^2b^2e^{6dx+6c} - 600b^3e^{6dx+6c} + 1250a^2b^2e^{4dx+4c} - 840ab^3e^{4dx+4c} + 645a^2b^2e^{2dx+2c} - 520b^3e^{2dx+2c} + 137ab^2 - 144b^3)/(e^{2dx+2c} + 1)^5/d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sinh(d*x+c)^4*(a+b*tanh(d*x+c)^3)^2,x, algorithm="giac")`

[Out] 
$$\frac{1}{320} \cdot (120(a^2 - 16ab + 21b^2)dx + 1920ab \log(e^{2dx+2c} + 1) - 5(18a^2e^{4dx+4c} - 288abe^{4dx+4c} + 378b^2e^{4dx+4c} - 8a^2e^{2dx+2c} + 40ab^2e^{2dx+2c} - 32b^3e^{2dx+2c})e^{-4dx-4c} + 5(a^2e^{4dx+36c} + 2ab^2e^{4dx+36c} + b^3e^{4dx+36c} - 8a^2e^{2dx+34c} - 40ab^2e^{2dx+34c} - 32b^3e^{2dx+34c})e^{-32c} - 32(137ab^2e^{10dx+10c} + 645a^2b^2e^{8dx+8c} - 200b^3e^{8dx+8c} + 1250a^2b^2e^{6dx+6c} - 600b^3e^{6dx+6c} + 1250a^2b^2e^{4dx+4c} - 840ab^3e^{4dx+4c} + 645a^2b^2e^{2dx+2c} - 520b^3e^{2dx+2c} + 137ab^2 - 144b^3)/(e^{2dx+2c} + 1)^5)/d$$

### 3.58 $\int \sinh^3(c + dx) (a + b \tanh^3(c + dx))^2 dx$

**Optimal.** Leaf size=182

$$\frac{a^2 \cosh^3(c + dx)}{3d} - \frac{a^2 \cosh(c + dx)}{d} + \frac{5ab \sinh^3(c + dx)}{3d} - \frac{5ab \sinh(c + dx)}{d} - \frac{ab \sinh^3(c + dx) \tanh^2(c + dx)}{d} + \frac{5ab \tanh^3(c + dx)}{d}$$

[Out] (5\*a\*b\*ArcTan[Sinh[c + d\*x]])/d - (a^2\*Cosh[c + d\*x])/d - (4\*b^2\*Cosh[c + d\*x])/d + (a^2\*Cosh[c + d\*x]^3)/(3\*d) + (b^2\*Cosh[c + d\*x]^3)/(3\*d) - (6\*b^2\*Sech[c + d\*x])/d + (4\*b^2\*Sech[c + d\*x]^3)/(3\*d) - (b^2\*Sech[c + d\*x]^5)/(5\*d) - (5\*a\*b\*Sinh[c + d\*x])/d + (5\*a\*b\*Sinh[c + d\*x]^3)/(3\*d) - (a\*b\*Sinh[c + d\*x]^3\*Tanh[c + d\*x]^2)/d

**Rubi [A]** time = 0.224828, antiderivative size = 182, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 8, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.348$ , Rules used = {3666, 2633, 2592, 288, 302, 203, 2590, 270}

$$\frac{a^2 \cosh^3(c + dx)}{3d} - \frac{a^2 \cosh(c + dx)}{d} + \frac{5ab \sinh^3(c + dx)}{3d} - \frac{5ab \sinh(c + dx)}{d} - \frac{ab \sinh^3(c + dx) \tanh^2(c + dx)}{d} + \frac{5ab \tanh^3(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[Sinh[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^3)^2,x]

[Out] (5\*a\*b\*ArcTan[Sinh[c + d\*x]])/d - (a^2\*Cosh[c + d\*x])/d - (4\*b^2\*Cosh[c + d\*x])/d + (a^2\*Cosh[c + d\*x]^3)/(3\*d) + (b^2\*Cosh[c + d\*x]^3)/(3\*d) - (6\*b^2\*Sech[c + d\*x])/d + (4\*b^2\*Sech[c + d\*x]^3)/(3\*d) - (b^2\*Sech[c + d\*x]^5)/(5\*d) - (5\*a\*b\*Sinh[c + d\*x])/d + (5\*a\*b\*Sinh[c + d\*x]^3)/(3\*d) - (a\*b\*Sinh[c + d\*x]^3\*Tanh[c + d\*x]^2)/d

#### Rule 3666

Int[((d\_)\*sin[(e\_.) + (f\_)\*(x\_)]^(m\_))\*((a\_) + (b\_)\*((c\_)\*tan[(e\_.) + (f\_)\*(x\_)]^(n\_))^(p\_)), x\_Symbol] :> Int[ExpandTrig[(d\*sin[e + f\*x])^m\*(a + b\*(c\*tan[e + f\*x])^n)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p, 0]

#### Rule 2633

Int[sin[(c\_.) + (d\_)\*(x\_)]^(n\_), x\_Symbol] :> -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d\*x]], x] /; FreeQ[{c, d}, x]

&& IGtQ[(n - 1)/2, 0]

### Rule 2592

Int[((a\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]^(n\_.), x\_Symbol] := With[{ff = FreeFactors[Sin[e + f\*x], x]}, Dist[ff/f, Subst[Int[(ff\*x)^(m + n)/(a^2 - ff^2\*x^2)^((n + 1)/2), x], x, (a\*Sin[e + f\*x])/ff], x] /; FreeQ[{a, e, f, m}, x] && IntegerQ[(n + 1)/2]

### Rule 288

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(c^(n - 1)\*(c\*x)^(m - n + 1)\*(a + b\*x^n)^(p + 1))/(b\*n\*(p + 1)), x] - Dist[(c^n\*(m - n + 1))/(b\*n\*(p + 1)), Int[(c\*x)^(m - n)\*(a + b\*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0] && LtQ[p, -1] && GtQ[m + 1, n] && !IntegerQ[(m + n\*(p + 1) + 1)/n, 0] && IntBinomialQ[a, b, c, n, m, p, x]

### Rule 302

Int[(x\_)^(m\_)/((a\_) + (b\_.)\*(x\_)^(n\_)), x\_Symbol] := Int[PolynomialDivide[x^m, a + b\*x^n, x], x] /; FreeQ[{a, b}, x] && IGtQ[m, 0] && IGtQ[n, 0] && GtQ[m, 2\*n - 1]

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[Rt[b, 2]\*x]/Rt[a, 2])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 2590

Int[sin[(e\_.) + (f\_.)\*(x\_)]^(m\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]^(n\_.), x\_Symbol] := -Dist[f^(-1), Subst[Int[(1 - x^2)^((m + n - 1)/2)/x^n, x], x, Cos[e + f\*x]], x] /; FreeQ[{e, f}, x] && IntegersQ[m, n, (m + n - 1)/2]

### Rule 270

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.), x\_Symbol] := Int[ExpandIntegrand[(c\*x)^m\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]

### Rubi steps

$$\begin{aligned}
\int \sinh^3(c+dx) (a+b \tanh^3(c+dx))^2 dx &= i \int (-ia^2 \sinh^3(c+dx) - 2iab \sinh^3(c+dx) \tanh^3(c+dx) - ib^2 \sinh^3(c+dx) \tanh^6(c+dx)) dx \\
&= a^2 \int \sinh^3(c+dx) dx + (2ab) \int \sinh^3(c+dx) \tanh^3(c+dx) dx + b^2 \int \sinh^3(c+dx) \tanh^6(c+dx) dx \\
&= -\frac{a^2 \operatorname{Subst}\left(\int (1-x^2) dx, x, \cosh(c+dx)\right)}{d} + \frac{(2ab) \operatorname{Subst}\left(\int \frac{x^6}{(1+x^2)^2} dx, x, \cosh(c+dx)\right)}{d} \\
&= -\frac{a^2 \cosh(c+dx)}{d} + \frac{a^2 \cosh^3(c+dx)}{3d} - \frac{ab \sinh^3(c+dx) \tanh^2(c+dx)}{d} + \frac{b^2 \sinh^3(c+dx) \tanh^5(c+dx)}{3d} \\
&= -\frac{a^2 \cosh(c+dx)}{d} - \frac{4b^2 \cosh(c+dx)}{d} + \frac{a^2 \cosh^3(c+dx)}{3d} + \frac{b^2 \cosh^3(c+dx)}{3d} \\
&= -\frac{a^2 \cosh(c+dx)}{d} - \frac{4b^2 \cosh(c+dx)}{d} + \frac{a^2 \cosh^3(c+dx)}{3d} + \frac{b^2 \cosh^3(c+dx)}{3d} \\
&= \frac{5ab \tan^{-1}(\sinh(c+dx))}{d} - \frac{a^2 \cosh(c+dx)}{d} - \frac{4b^2 \cosh(c+dx)}{d} + \frac{a^2 \cosh^3(c+dx)}{3d}
\end{aligned}$$

**Mathematica [A]** time = 0.720434, size = 121, normalized size = 0.66

$$\frac{-45(a^2 + 5b^2) \cosh(c+dx) + 5(a^2 + b^2) \cosh(3(c+dx)) - 2b(30 \operatorname{sech}(c+dx)(a \tanh(c+dx) + 6b) - 5a(-27 \sinh(c+dx) + \sinh(3(c+dx))))}{60d}$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^3)^2,x]

[Out] (-45\*(a^2 + 5\*b^2)\*Cosh[c + d\*x] + 5\*(a^2 + b^2)\*Cosh[3\*(c + d\*x)] - 2\*b\*(-40\*b\*Sech[c + d\*x]^3 + 6\*b\*Sech[c + d\*x]^5 - 5\*a\*(60\*ArcTan[Tanh[(c + d\*x)/2]] - 27\*Sinh[c + d\*x] + Sinh[3\*(c + d\*x)])) + 30\*Sech[c + d\*x]\*(6\*b + a\*Tanh[c + d\*x]))/(60\*d)

**Maple [A]** time = 0.058, size = 296, normalized size = 1.6

$$-\frac{2a^2 \cosh(dx+c)}{3d} + \frac{a^2 \cosh(dx+c) (\sinh(dx+c))^2}{3d} + \frac{2ab (\sinh(dx+c))^5}{3d (\cosh(dx+c))^2} - \frac{10ab (\sinh(dx+c))^3}{3d (\cosh(dx+c))^2} - 10 \frac{ab \sinh(dx+c)}{d (\cosh(dx+c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sinh(d*x+c)^3*(a+b*tanh(d*x+c)^3)^2,x)`

[Out] 
$$-2/3*a^2*cosh(d*x+c)/d+1/3/d*a^2*cosh(d*x+c)*sinh(d*x+c)^2+2/3/d*a*b*sinh(d*x+c)^5/cosh(d*x+c)^2-10/3/d*a*b*sinh(d*x+c)^3/cosh(d*x+c)^2-10/d*a*b*sinh(d*x+c)/cosh(d*x+c)^2+5/d*a*b*sech(d*x+c)*tanh(d*x+c)+10/d*a*b*arctan(exp(d*x+c))+1/3/d*b^2*sinh(d*x+c)^8/cosh(d*x+c)^5-8/3/d*b^2*sinh(d*x+c)^6/cosh(d*x+c)^5-16/d*b^2*sinh(d*x+c)^4/cosh(d*x+c)^5-64/5/d*b^2*sinh(d*x+c)^2/cosh(d*x+c)^5+128/15/d*b^2*sinh(d*x+c)^2/cosh(d*x+c)^3+128/15/d*b^2*sinh(d*x+c)^2/cosh(d*x+c)-128/15*b^2*cosh(d*x+c)/d$$

**Maxima [B]** time = 1.55516, size = 470, normalized size = 2.58

$$-\frac{1}{120} b^2 \left( \frac{5(45 e^{(-dx-c)} - e^{(-3dx-3c)})}{d} + \frac{200 e^{(-2dx-2c)} + 2515 e^{(-4dx-4c)} + 6680 e^{(-6dx-6c)} + 9073 e^{(-8dx-8c)} + 5600 e^{(-10dx-10c)}}{d(e^{(-3dx-3c)} + 5 e^{(-5dx-5c)} + 10 e^{(-7dx-7c)} + 10 e^{(-9dx-9c)} + 5 e^{(-11dx-11c)})} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sinh(d*x+c)^3*(a+b*tanh(d*x+c)^3)^2,x, algorithm="maxima")`

[Out] 
$$-1/120*b^2*(5*(45*e^{(-d*x - c)} - e^{(-3*d*x - 3*c)})/d + (200*e^{(-2*d*x - 2*c)} + 2515*e^{(-4*d*x - 4*c)} + 6680*e^{(-6*d*x - 6*c)} + 9073*e^{(-8*d*x - 8*c)} + 5600*e^{(-10*d*x - 10*c)} + 1665*e^{(-12*d*x - 12*c)} - 5)/(d*(e^{(-3*d*x - 3*c)} + 5*e^{(-5*d*x - 5*c)} + 10*e^{(-7*d*x - 7*c)} + 10*e^{(-9*d*x - 9*c)} + 5*e^{(-11*d*x - 11*c)} + e^{(-13*d*x - 13*c)}))) + 1/12*a*b*((27*e^{(-d*x - c)} - e^{(-3*d*x - 3*c)})/d - 120*arctan(e^{(-d*x - c)})/d - (25*e^{(-2*d*x - 2*c)} + 77*e^{(-4*d*x - 4*c)} + 3*e^{(-6*d*x - 6*c)} - 1)/(d*(e^{(-3*d*x - 3*c)} + 2*e^{(-5*d*x - 5*c)} + e^{(-7*d*x - 7*c)}))) + 1/24*a^2*(e^{(3*d*x + 3*c)}/d - 9*e^{(d*x + c)}/d - 9*e^{(-d*x - c)}/d + e^{(-3*d*x - 3*c)}/d)$$

**Fricas [B]** time = 2.77703, size = 9211, normalized size = 50.61

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sinh(d*x+c)^3*(a+b*tanh(d*x+c)^3)^2,x, algorithm="fricas")`

[Out] 
$$1/120*(5*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^16 + 80*(a^2 + 2*a*b + b^2)*cosh(d*x + c)*sinh(d*x + c)^15 + 5*(a^2 + 2*a*b + b^2)*sinh(d*x + c)^16 - 20*(a$$

$$\begin{aligned}
&^2 + 11*a*b + 10*b^2)*\cosh(d*x + c)^{14} + 20*(30*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^2 - a^2 - 11*a*b - 10*b^2)*\sinh(d*x + c)^{14} + 280*(10*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^3 - (a^2 + 11*a*b + 10*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^{13} - 20*(11*a^2 + 61*a*b + 137*b^2)*\cosh(d*x + c)^{12} + 20*(455*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^4 - 91*(a^2 + 11*a*b + 10*b^2)*\cosh(d*x + c)^2 - 11*a^2 - 61*a*b - 137*b^2)*\sinh(d*x + c)^{12} + 80*(273*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^5 - 91*(a^2 + 11*a*b + 10*b^2)*\cosh(d*x + c)^3 - 3*(11*a^2 + 61*a*b + 137*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^{11} - 20*(31*a^2 + 87*a*b + 390*b^2)*\cosh(d*x + c)^{10} + 20*(2002*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^6 - 1001*(a^2 + 11*a*b + 10*b^2)*\cosh(d*x + c)^4 - 66*(11*a^2 + 61*a*b + 137*b^2)*\cosh(d*x + c)^2 - 31*a^2 - 87*a*b - 390*b^2)*\sinh(d*x + c)^{10} + 40*(1430*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^7 - 1001*(a^2 + 11*a*b + 10*b^2)*\cosh(d*x + c)^5 - 110*(11*a^2 + 61*a*b + 137*b^2)*\cosh(d*x + c)^3 - 5*(31*a^2 + 87*a*b + 390*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^9 - 2*(425*a^2 + 5649*b^2)*\cosh(d*x + c)^8 + 2*(32175*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^8 - 30030*(a^2 + 11*a*b + 10*b^2)*\cosh(d*x + c)^6 - 4950*(11*a^2 + 61*a*b + 137*b^2)*\cosh(d*x + c)^4 - 450*(31*a^2 + 87*a*b + 390*b^2)*\cosh(d*x + c)^2 - 425*a^2 - 5649*b^2)*\sinh(d*x + c)^8 + 16*(3575*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^9 - 4290*(a^2 + 11*a*b + 10*b^2)*\cosh(d*x + c)^7 - 990*(11*a^2 + 61*a*b + 137*b^2)*\cosh(d*x + c)^5 - 150*(31*a^2 + 87*a*b + 390*b^2)*\cosh(d*x + c)^3 - (425*a^2 + 5649*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^7 - 20*(31*a^2 - 87*a*b + 390*b^2)*\cosh(d*x + c)^6 + 4*(10010*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^{10} - 15015*(a^2 + 11*a*b + 10*b^2)*\cosh(d*x + c)^8 - 4620*(11*a^2 + 61*a*b + 137*b^2)*\cosh(d*x + c)^6 - 1050*(31*a^2 + 87*a*b + 390*b^2)*\cosh(d*x + c)^4 - 14*(425*a^2 + 5649*b^2)*\cosh(d*x + c)^2 - 155*a^2 + 435*a*b - 1950*b^2)*\sinh(d*x + c)^6 + 8*(2730*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^{11} - 5005*(a^2 + 11*a*b + 10*b^2)*\cosh(d*x + c)^9 - 1980*(11*a^2 + 61*a*b + 137*b^2)*\cosh(d*x + c)^7 - 630*(31*a^2 + 87*a*b + 390*b^2)*\cosh(d*x + c)^5 - 14*(425*a^2 + 5649*b^2)*\cosh(d*x + c)^3 - 15*(31*a^2 - 87*a*b + 390*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^5 - 20*(11*a^2 - 61*a*b + 137*b^2)*\cosh(d*x + c)^4 + 20*(455*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^{12} - 1001*(a^2 + 11*a*b + 10*b^2)*\cosh(d*x + c)^{10} - 495*(11*a^2 + 61*a*b + 137*b^2)*\cosh(d*x + c)^8 - 210*(31*a^2 + 87*a*b + 390*b^2)*\cosh(d*x + c)^6 - 7*(425*a^2 + 5649*b^2)*\cosh(d*x + c)^4 - 15*(31*a^2 - 87*a*b + 390*b^2)*\cosh(d*x + c)^2 - 11*a^2 + 61*a*b - 137*b^2)*\sinh(d*x + c)^4 + 16*(175*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^{13} - 455*(a^2 + 11*a*b + 10*b^2)*\cosh(d*x + c)^{11} - 275*(11*a^2 + 61*a*b + 137*b^2)*\cosh(d*x + c)^9 - 150*(31*a^2 + 87*a*b + 390*b^2)*\cosh(d*x + c)^7 - 7*(425*a^2 + 5649*b^2)*\cosh(d*x + c)^5 - 25*(31*a^2 - 87*a*b + 390*b^2)*\cosh(d*x + c)^3 - 5*(11*a^2 - 61*a*b + 137*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^3 - 20*(a^2 - 11*a*b + 10*b^2)*\cosh(d*x + c)^2 + 4*(150*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^{14} - 455*(a^2 + 11*a*b + 10*b^2)*\cosh(d*x + c)^{12} - 330*(11*a^2 + 61*a*b + 137*b^2)*\cosh(d*x + c)^{10} - 225*(31*a^2 + 87*a*b + 390*b^2)*\cosh(d*x + c)^8 - 14*(425*a^2 + 5649*b^2)*\cosh(d*x + c)^6 - 75*(31*a^2 - 87*a*b + 390*b^2)*\cosh(d*x + c)^4 - 30*(11*a^2 - 61*a*b + 137*b^2)*\cosh(d*x + c)^2 - 5*a^2 + 55*a*b - 50*b^2)*\sinh(d*x + c)^2 + 5*a^2 - 10*a*b + 5*b^2 + 1200*(a*b*\cosh(d*x +
\end{aligned}$$



$$\begin{aligned}
& c)^{13} + 13*a*b*cosh(d*x + c)*sinh(d*x + c)^{12} + a*b*sinh(d*x + c)^{13} + 5*a* \\
& b*cosh(d*x + c)^{11} + (78*a*b*cosh(d*x + c)^2 + 5*a*b)*sinh(d*x + c)^{11} + 10 \\
& *a*b*cosh(d*x + c)^9 + 11*(26*a*b*cosh(d*x + c)^3 + 5*a*b*cosh(d*x + c))*si \\
& nh(d*x + c)^{10} + 5*(143*a*b*cosh(d*x + c)^4 + 55*a*b*cosh(d*x + c)^2 + 2*a* \\
& b)*sinh(d*x + c)^9 + 10*a*b*cosh(d*x + c)^7 + 3*(429*a*b*cosh(d*x + c)^5 + \\
& 275*a*b*cosh(d*x + c)^3 + 30*a*b*cosh(d*x + c))*sinh(d*x + c)^8 + 2*(858*a* \\
& b*cosh(d*x + c)^6 + 825*a*b*cosh(d*x + c)^4 + 180*a*b*cosh(d*x + c)^2 + 5*a \\
& *b)*sinh(d*x + c)^7 + 5*a*b*cosh(d*x + c)^5 + 2*(858*a*b*cosh(d*x + c)^7 + \\
& 1155*a*b*cosh(d*x + c)^5 + 420*a*b*cosh(d*x + c)^3 + 35*a*b*cosh(d*x + c))* \\
& sinh(d*x + c)^6 + (1287*a*b*cosh(d*x + c)^8 + 2310*a*b*cosh(d*x + c)^6 + 12 \\
& 60*a*b*cosh(d*x + c)^4 + 210*a*b*cosh(d*x + c)^2 + 5*a*b)*sinh(d*x + c)^5 + \\
& a*b*cosh(d*x + c)^3 + 5*(143*a*b*cosh(d*x + c)^9 + 330*a*b*cosh(d*x + c)^7 \\
& + 252*a*b*cosh(d*x + c)^5 + 70*a*b*cosh(d*x + c)^3 + 5*a*b*cosh(d*x + c))* \\
& sinh(d*x + c)^4 + (286*a*b*cosh(d*x + c)^{10} + 825*a*b*cosh(d*x + c)^8 + 840 \\
& *a*b*cosh(d*x + c)^6 + 350*a*b*cosh(d*x + c)^4 + 50*a*b*cosh(d*x + c)^2 + a \\
& *b)*sinh(d*x + c)^3 + (78*a*b*cosh(d*x + c)^{11} + 275*a*b*cosh(d*x + c)^9 + \\
& 360*a*b*cosh(d*x + c)^7 + 210*a*b*cosh(d*x + c)^5 + 50*a*b*cosh(d*x + c)^3 \\
& + 3*a*b*cosh(d*x + c))*sinh(d*x + c)^2 + (13*a*b*cosh(d*x + c)^{12} + 55*a*b* \\
& cosh(d*x + c)^{10} + 90*a*b*cosh(d*x + c)^8 + 70*a*b*cosh(d*x + c)^6 + 25*a*b \\
& *cosh(d*x + c)^4 + 3*a*b*cosh(d*x + c)^2)*sinh(d*x + c))*arctan(cosh(d*x + \\
& c) + sinh(d*x + c)) + 8*(10*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^{15} - 35*(a^2 \\
& + 11*a*b + 10*b^2)*cosh(d*x + c)^{13} - 30*(11*a^2 + 61*a*b + 137*b^2)*cosh(d \\
& *x + c)^{11} - 25*(31*a^2 + 87*a*b + 390*b^2)*cosh(d*x + c)^9 - 2*(425*a^2 + \\
& 5649*b^2)*cosh(d*x + c)^7 - 15*(31*a^2 - 87*a*b + 390*b^2)*cosh(d*x + c)^5 \\
& - 10*(11*a^2 - 61*a*b + 137*b^2)*cosh(d*x + c)^3 - 5*(a^2 - 11*a*b + 10*b^2 \\
& )*cosh(d*x + c))*sinh(d*x + c))/(d*cosh(d*x + c)^{13} + 13*d*cosh(d*x + c)*si \\
& nh(d*x + c)^{12} + d*sinh(d*x + c)^{13} + 5*d*cosh(d*x + c)^{11} + (78*d*cosh(d*x \\
& + c)^2 + 5*d)*sinh(d*x + c)^{11} + 11*(26*d*cosh(d*x + c)^3 + 5*d*cosh(d*x + \\
& c))*sinh(d*x + c)^{10} + 10*d*cosh(d*x + c)^9 + 5*(143*d*cosh(d*x + c)^4 + 5 \\
& 5*d*cosh(d*x + c)^2 + 2*d)*sinh(d*x + c)^9 + 3*(429*d*cosh(d*x + c)^5 + 275 \\
& *d*cosh(d*x + c)^3 + 30*d*cosh(d*x + c))*sinh(d*x + c)^8 + 10*d*cosh(d*x + \\
& c)^7 + 2*(858*d*cosh(d*x + c)^6 + 825*d*cosh(d*x + c)^4 + 180*d*cosh(d*x + \\
& c)^2 + 5*d)*sinh(d*x + c)^7 + 2*(858*d*cosh(d*x + c)^7 + 1155*d*cosh(d*x + \\
& c)^5 + 420*d*cosh(d*x + c)^3 + 35*d*cosh(d*x + c))*sinh(d*x + c)^6 + 5*d*co \\
& sh(d*x + c)^5 + (1287*d*cosh(d*x + c)^8 + 2310*d*cosh(d*x + c)^6 + 1260*d*c \\
& osh(d*x + c)^4 + 210*d*cosh(d*x + c)^2 + 5*d)*sinh(d*x + c)^5 + 5*(143*d*co \\
& sh(d*x + c)^9 + 330*d*cosh(d*x + c)^7 + 252*d*cosh(d*x + c)^5 + 70*d*cosh(d \\
& *x + c)^3 + 5*d*cosh(d*x + c))*sinh(d*x + c)^4 + d*cosh(d*x + c)^3 + (286*d \\
& *cosh(d*x + c)^{10} + 825*d*cosh(d*x + c)^8 + 840*d*cosh(d*x + c)^6 + 350*d*c \\
& osh(d*x + c)^4 + 50*d*cosh(d*x + c)^2 + d)*sinh(d*x + c)^3 + (78*d*cosh(d*x \\
& + c)^{11} + 275*d*cosh(d*x + c)^9 + 360*d*cosh(d*x + c)^7 + 210*d*cosh(d*x + \\
& c)^5 + 50*d*cosh(d*x + c)^3 + 3*d*cosh(d*x + c))*sinh(d*x + c)^2 + (13*d*c \\
& osh(d*x + c)^{12} + 55*d*cosh(d*x + c)^{10} + 90*d*cosh(d*x + c)^8 + 70*d*cosh( \\
& d*x + c)^6 + 25*d*cosh(d*x + c)^4 + 3*d*cosh(d*x + c)^2)*sinh(d*x + c))
\end{aligned}$$

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)\*\*3\*(a+b\*tanh(d\*x+c)\*\*3)\*\*2,x)

[Out] Timed out

---

**Giac [A]** time = 2.04108, size = 405, normalized size = 2.23

$1200 ab \arctan(e^{(dx+c)}) - 5(9a^2e^{(2dx+2c)} - 54abe^{(2dx+2c)} + 45b^2e^{(2dx+2c)} - a^2 + 2ab - b^2)e^{(-3dx-3c)} + 5(a^2e^{(3dx+48c)} +$

---

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^3)^2,x, algorithm="giac")

[Out]  $\frac{1}{120} * (1200 * a * b * \arctan(e^{(d * x + c)}) - 5 * (9 * a^2 * e^{(2 * d * x + 2 * c)} - 54 * a * b * e^{(2 * d * x + 2 * c)} + 45 * b^2 * e^{(2 * d * x + 2 * c)} - a^2 + 2 * a * b - b^2) * e^{(-3 * d * x - 3 * c)} + 5 * (a^2 * e^{(3 * d * x + 48 * c)} + 2 * a * b * e^{(3 * d * x + 48 * c)} + b^2 * e^{(3 * d * x + 48 * c)} - 9 * a^2 * e^{(d * x + 46 * c)} - 54 * a * b * e^{(d * x + 46 * c)} - 45 * b^2 * e^{(d * x + 46 * c)}) * e^{(-45 * c)} - 16 * (15 * a * b * e^{(9 * d * x + 9 * c)} + 90 * b^2 * e^{(9 * d * x + 9 * c)} + 30 * a * b * e^{(7 * d * x + 7 * c)} + 280 * b^2 * e^{(7 * d * x + 7 * c)} + 428 * b^2 * e^{(5 * d * x + 5 * c)} - 30 * a * b * e^{(3 * d * x + 3 * c)} + 280 * b^2 * e^{(3 * d * x + 3 * c)} - 15 * a * b * e^{(d * x + c)} + 90 * b^2 * e^{(d * x + c)}) / (e^{(2 * d * x + 2 * c)} + 1)^5 / d$

### 3.59 $\int \sinh^2(c + dx) (a + b \tanh^3(c + dx))^2 dx$

**Optimal.** Leaf size=129

$$\frac{\sinh(c + dx) \cosh(c + dx) (a^2 + 2ab \tanh(c + dx) + b^2)}{2d} - \frac{1}{2}x(a^2 + 7b^2) + \frac{ab \tanh^2(c + dx)}{d} - \frac{4ab \log(\cosh(c + dx))}{d} + \dots$$

```
[Out] -((a^2 + 7*b^2)*x)/2 - (4*a*b*Log[Cosh[c + d*x]])/d + (3*b^2*Tanh[c + d*x])/d + (a*b*Tanh[c + d*x]^2)/d + (2*b^2*Tanh[c + d*x]^3)/(3*d) + (b^2*Tanh[c + d*x]^5)/(5*d) + (Cosh[c + d*x]*Sinh[c + d*x]*(a^2 + b^2 + 2*a*b*Tanh[c + d*x]))/(2*d)
```

**Rubi [A]** time = 0.205109, antiderivative size = 159, normalized size of antiderivative = 1.23, number of steps used = 7, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {3663, 1804, 1802, 633, 31}

$$\frac{(a^2 + 7b^2) \tanh(c + dx)}{2d} + \frac{\sinh^2(c + dx) ((a^2 + b^2) \tanh(c + dx) + 2ab)}{2d} + \frac{ab \tanh^2(c + dx)}{d} + \frac{(a + b)(a + 7b) \log(1 - \dots)}{4d}$$

Antiderivative was successfully verified.

```
[In] Int[Sinh[c + d*x]^2*(a + b*Tanh[c + d*x]^3)^2, x]
```

```
[Out] ((a + b)*(a + 7*b)*Log[1 - Tanh[c + d*x]])/(4*d) - ((a - 7*b)*(a - b)*Log[1 + Tanh[c + d*x]])/(4*d) + ((a^2 + 7*b^2)*Tanh[c + d*x])/(2*d) + (a*b*Tanh[c + d*x]^2)/d + (2*b^2*Tanh[c + d*x]^3)/(3*d) + (b^2*Tanh[c + d*x]^5)/(5*d) + (Sinh[c + d*x]^2*(2*a*b + (a^2 + b^2)*Tanh[c + d*x]))/(2*d)
```

#### Rule 3663

```
Int[sin[(e_.) + (f_.)*(x_.)]^(m_.)*((a_.) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_.)]^(n_.))^(p_.), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff^(m + 1))/f, Subst[Int[(x^m*(a + b*(ff*x)^n)^p]/(c^2 + ff^2*x^2)^(m/2 + 1), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2]
```

#### Rule 1804

```
Int[(Pq_)*((c_.)*(x_.))^(m_.)*((a_.) + (b_.)*(x_)^2)^(p_), x_Symbol] :> With[{Q = PolynomialQuotient[Pq, a + b*x^2, x], f = Coeff[PolynomialRemainder[Pq, a + b*x^2, x], x, 0], g = Coeff[PolynomialRemainder[Pq, a + b*x^2, x], x,
```

```

1] }, Simp[((c*x)^m*(a + b*x^2)^(p + 1)*(a*g - b*f*x))/(2*a*b*(p + 1)), x]
+ Dist[c/(2*a*b*(p + 1)), Int[(c*x)^(m - 1)*(a + b*x^2)^(p + 1)*ExpandToSum
[2*a*b*(p + 1)*x*Q - a*g*m + b*f*(m + 2*p + 3)*x, x], x] /; FreeQ[{a,
b, c}, x] && PolyQ[Pq, x] && LtQ[p, -1] && GtQ[m, 0]

```

### Rule 1802

```

Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := Int[
ExpandIntegrand[(c*x)^m*Pq*(a + b*x^2)^p, x], x] /; FreeQ[{a, b, c, m}, x]
&& PolyQ[Pq, x] && IGtQ[p, -2]

```

### Rule 633

```

Int[((d_) + (e_)*(x_))/((a_) + (c_)*(x_)^2), x_Symbol] := With[{q = Rt[-(
a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x), x], x] + Dist[e/2 - (c
*d)/(2*q), Int[1/(q + c*x), x], x]] /; FreeQ[{a, c, d, e}, x] && NiceSqrtQ[
-(a*c)]

```

### Rule 31

```

Int[((a_) + (b_)*(x_))^( -1), x_Symbol] := Simp[Log[RemoveContent[a + b*x,
x]]/b, x] /; FreeQ[{a, b}, x]

```

### Rubi steps

$$\begin{aligned}
\int \sinh^2(c + dx) (a + b \tanh^3(c + dx))^2 dx &= \frac{\text{Subst}\left(\int \frac{x^2(a+bx^3)^2}{(1-x^2)^2} dx, x, \tanh(c + dx)\right)}{d} \\
&= \frac{\sinh^2(c + dx) (2ab + (a^2 + b^2) \tanh(c + dx))}{2d} + \frac{\text{Subst}\left(\int \frac{x(-4ab - (a^2 + 3b^2)x - a^3)}{1-x^2} dx, x, \tanh(c + dx)\right)}{d} \\
&= \frac{\sinh^2(c + dx) (2ab + (a^2 + b^2) \tanh(c + dx))}{2d} + \frac{\text{Subst}\left(\int (a^2 + 7b^2 + 4abx) dx, x, \tanh(c + dx)\right)}{d} \\
&= \frac{(a^2 + 7b^2) \tanh(c + dx)}{2d} + \frac{ab \tanh^2(c + dx)}{d} + \frac{2b^2 \tanh^3(c + dx)}{3d} + \frac{b^2 \tanh^4(c + dx)}{4d} \\
&= \frac{(a^2 + 7b^2) \tanh(c + dx)}{2d} + \frac{ab \tanh^2(c + dx)}{d} + \frac{2b^2 \tanh^3(c + dx)}{3d} + \frac{b^2 \tanh^4(c + dx)}{4d} \\
&= \frac{(a + b)(a + 7b) \log(1 - \tanh(c + dx))}{4d} - \frac{(a - 7b)(a - b) \log(1 + \tanh(c + dx))}{4d}
\end{aligned}$$

**Mathematica [A]** time = 1.54989, size = 137, normalized size = 1.06

$$\frac{15a^2 \sinh(2(c + dx)) - 30a^2c - 30a^2dx + 30ab \cosh(2(c + dx)) - 240ab \log(\cosh(c + dx)) - 4b \operatorname{sech}^2(c + dx)(15a + 16b)}{60d}$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]^2\*(a + b\*Tanh[c + d\*x]^3)^2,x]

[Out]  $(-30*a^2*c - 210*b^2*c - 30*a^2*d*x - 210*b^2*d*x + 30*a*b*\cosh[2*(c + d*x)] - 240*a*b*\log[\cosh[c + d*x]] + 15*a^2*\sinh[2*(c + d*x)] + 15*b^2*\sinh[2*(c + d*x)] + 232*b^2*\tanh[c + d*x] + 12*b^2*\operatorname{sech}[c + d*x]^4*\tanh[c + d*x] - 4*b*\operatorname{sech}[c + d*x]^2*(15*a + 16*b*\tanh[c + d*x]))/(60*d)$

**Maple [A]** time = 0.056, size = 173, normalized size = 1.3

$$\frac{a^2 \sinh(dx + c) \cosh(dx + c)}{2d} - \frac{a^2x}{2} - \frac{a^2c}{2d} + \frac{ab (\sinh(dx + c))^4}{d (\cosh(dx + c))^2} - 4 \frac{ab \ln(\cosh(dx + c))}{d} + 2 \frac{ab (\tanh(dx + c))^2}{d} + \frac{b^2}{2a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^3)^2,x)

[Out]  $1/2/d*a^2*\sinh(d*x+c)*\cosh(d*x+c)-1/2*a^2*x-1/2/d*a^2*c+1/d*a*b*\sinh(d*x+c)^4/\cosh(d*x+c)^2-4*a*b*\ln(\cosh(d*x+c))/d+2*a*b*\tanh(d*x+c)^2/d+1/2/d*b^2*\sinh(d*x+c)^7/\cosh(d*x+c)^5-7/2*b^2*x-7/2/d*c*b^2+7/2*b^2*\tanh(d*x+c)/d+7/6*b^2*\tanh(d*x+c)^3/d+7/10*b^2*\tanh(d*x+c)^5/d$

**Maxima [B]** time = 1.57803, size = 406, normalized size = 3.15

$$-\frac{1}{8}a^2\left(4x - \frac{e^{(2dx+2c)}}{d} + \frac{e^{(-2dx-2c)}}{d}\right) - \frac{1}{120}b^2\left(\frac{420(dx+c)}{d} + \frac{15e^{(-2dx-2c)}}{d} - \frac{1003e^{(-2dx-2c)} + 3350e^{(-4dx-4c)} + 5590e^{(-6dx-6c)}}{d(e^{(-2dx-2c)} + 5e^{(-4dx-4c)} + 10e^{(-6dx-6c)})}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^3)^2,x, algorithm="maxima")

[Out]  $-1/8*a^2*(4*x - e^{(2*d*x + 2*c)}/d + e^{(-2*d*x - 2*c)}/d) - 1/120*b^2*(420*(d*x + c)/d + 15*e^{(-2*d*x - 2*c)}/d - (1003*e^{(-2*d*x - 2*c)} + 3350*e^{(-4*d*x$

$$- 4*c) + 5590*e^{(-6*d*x - 6*c)} + 3915*e^{(-8*d*x - 8*c)} + 1455*e^{(-10*d*x - 10*c)} + 15)/(d*(e^{(-2*d*x - 2*c)} + 5*e^{(-4*d*x - 4*c)} + 10*e^{(-6*d*x - 6*c)} + 10*e^{(-8*d*x - 8*c)} + 5*e^{(-10*d*x - 10*c)} + e^{(-12*d*x - 12*c)})) - 1/4*a*b*(16*(d*x + c)/d - e^{(-2*d*x - 2*c)}/d + 16*\log(e^{(-2*d*x - 2*c)} + 1)/d - (2*e^{(-2*d*x - 2*c)} - 15*e^{(-4*d*x - 4*c)} + 1)/(d*(e^{(-2*d*x - 2*c)} + 2*e^{(-4*d*x - 4*c)} + e^{(-6*d*x - 6*c)})))$$

**Fricas [B]** time = 2.87053, size = 9671, normalized size = 74.97

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^3)^2,x, algorithm="fricas")

[Out] 1/120\*(15\*(a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^14 + 210\*(a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)\*sinh(d\*x + c)^13 + 15\*(a^2 + 2\*a\*b + b^2)\*sinh(d\*x + c)^14 - 15\*(4\*(a^2 - 8\*a\*b + 7\*b^2)\*d\*x - 5\*a^2 - 10\*a\*b - 5\*b^2)\*cosh(d\*x + c)^12 - 15\*(4\*(a^2 - 8\*a\*b + 7\*b^2)\*d\*x - 91\*(a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^2 - 5\*a^2 - 10\*a\*b - 5\*b^2)\*sinh(d\*x + c)^12 + 60\*(91\*(a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^3 - 3\*(4\*(a^2 - 8\*a\*b + 7\*b^2)\*d\*x - 5\*a^2 - 10\*a\*b - 5\*b^2)\*cosh(d\*x + c))\*sinh(d\*x + c)^11 - 15\*(20\*(a^2 - 8\*a\*b + 7\*b^2)\*d\*x - 9\*a^2 + 10\*a\*b + 87\*b^2)\*cosh(d\*x + c)^10 + 15\*(1001\*(a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^4 - 20\*(a^2 - 8\*a\*b + 7\*b^2)\*d\*x - 66\*(4\*(a^2 - 8\*a\*b + 7\*b^2)\*d\*x - 5\*a^2 - 10\*a\*b - 5\*b^2)\*cosh(d\*x + c)^2 + 9\*a^2 - 10\*a\*b - 87\*b^2)\*sinh(d\*x + c)^10 + 30\*(1001\*(a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^5 - 110\*(4\*(a^2 - 8\*a\*b + 7\*b^2)\*d\*x - 5\*a^2 - 10\*a\*b - 5\*b^2)\*cosh(d\*x + c)^3 - 5\*(20\*(a^2 - 8\*a\*b + 7\*b^2)\*d\*x - 9\*a^2 + 10\*a\*b + 87\*b^2)\*cosh(d\*x + c))\*sinh(d\*x + c)^9 - 15\*(40\*(a^2 - 8\*a\*b + 7\*b^2)\*d\*x - 5\*a^2 + 66\*a\*b + 251\*b^2)\*cosh(d\*x + c)^8 + 15\*(3003\*(a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^6 - 495\*(4\*(a^2 - 8\*a\*b + 7\*b^2)\*d\*x - 5\*a^2 - 10\*a\*b - 5\*b^2)\*cosh(d\*x + c)^4 - 40\*(a^2 - 8\*a\*b + 7\*b^2)\*d\*x - 45\*(20\*(a^2 - 8\*a\*b + 7\*b^2)\*d\*x - 9\*a^2 + 10\*a\*b + 87\*b^2)\*cosh(d\*x + c)^2 + 5\*a^2 - 66\*a\*b - 251\*b^2)\*sinh(d\*x + c)^8 + 120\*(429\*(a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^7 - 99\*(4\*(a^2 - 8\*a\*b + 7\*b^2)\*d\*x - 5\*a^2 - 10\*a\*b - 5\*b^2)\*cosh(d\*x + c)^5 - 15\*(20\*(a^2 - 8\*a\*b + 7\*b^2)\*d\*x - 9\*a^2 + 10\*a\*b + 87\*b^2)\*cosh(d\*x + c)^3 - (40\*(a^2 - 8\*a\*b + 7\*b^2)\*d\*x - 5\*a^2 + 66\*a\*b + 251\*b^2)\*cosh(d\*x + c))\*sinh(d\*x + c)^7 - 5\*(120\*(a^2 - 8\*a\*b + 7\*b^2)\*d\*x + 15\*a^2 + 198\*a\*b + 1103\*b^2)\*cosh(d\*x + c)^6 + 5\*(9009\*(a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^8 - 2772\*(4\*(a^2 - 8\*a\*b + 7\*b^2)\*d\*x - 5\*a^2 - 10\*a\*b - 5\*b^2)\*cosh(d\*x + c)^6 - 630\*(20\*(a^2 - 8\*a\*b + 7\*b^2)\*d\*x - 9\*a^2 + 10\*a\*b + 87\*b^2)\*cosh(d\*x + c)^4 - 120\*(a^2 - 8\*a\*b + 7\*b^2)\*d\*x - 84\*(40\*(a^2 - 8\*a\*b + 7\*b^2)\*d\*x - 5\*a^2 + 66\*a\*b + 251\*b^2)\*cosh(d\*x + c)^2 - 15\*a^2 -

$$\begin{aligned}
& 198ab - 1103b^2) \sinh(dx + c)^6 + 30(1001(a^2 + 2ab + b^2) \cosh(dx + c)^9 - 396(4(a^2 - 8ab + 7b^2)dx - 5a^2 - 10ab - 5b^2) \cosh(dx + c)^7 - 126(20(a^2 - 8ab + 7b^2)dx - 9a^2 + 10ab + 87b^2) \cosh(dx + c)^5 - 28(40(a^2 - 8ab + 7b^2)dx - 5a^2 + 66ab + 251b^2) \cosh(dx + c)^3 - (120(a^2 - 8ab + 7b^2)dx + 15a^2 + 198ab + 1103b^2) \cosh(dx + c) \sinh(dx + c)^5 - 5(60(a^2 - 8ab + 7b^2)dx + 27a^2 + 30ab + 667b^2) \cosh(dx + c)^4 + 5(3003(a^2 + 2ab + b^2) \cosh(dx + c)^{10} - 1485(4(a^2 - 8ab + 7b^2)dx - 5a^2 - 10ab - 5b^2) \cosh(dx + c)^8 - 630(20(a^2 - 8ab + 7b^2)dx - 9a^2 + 10ab + 87b^2) \cosh(dx + c)^6 - 210(40(a^2 - 8ab + 7b^2)dx - 5a^2 + 66ab + 251b^2) \cosh(dx + c)^4 - 60(a^2 - 8ab + 7b^2)dx - 15(120(a^2 - 8ab + 7b^2)dx + 15a^2 + 198ab + 1103b^2) \cosh(dx + c)^2 - 27a^2 - 30ab - 667b^2) \sinh(dx + c)^4 + 20(273(a^2 + 2ab + b^2) \cosh(dx + c)^{11} - 165(4(a^2 - 8ab + 7b^2)dx - 5a^2 - 10ab - 5b^2) \cosh(dx + c)^9 - 90(20(a^2 - 8ab + 7b^2)dx - 9a^2 + 10ab + 87b^2) \cosh(dx + c)^7 - 42(40(a^2 - 8ab + 7b^2)dx - 5a^2 + 66ab + 251b^2) \cosh(dx + c)^5 - 5(120(a^2 - 8ab + 7b^2)dx + 15a^2 + 198ab + 1103b^2) \cosh(dx + c)^3 - (60(a^2 - 8ab + 7b^2)dx + 27a^2 + 30ab + 667b^2) \cosh(dx + c) \sinh(dx + c)^3 - (60(a^2 - 8ab + 7b^2)dx + 75a^2 - 150ab + 1003b^2) \cosh(dx + c)^2 + (1365(a^2 + 2ab + b^2) \cosh(dx + c)^{12} - 990(4(a^2 - 8ab + 7b^2)dx - 5a^2 - 10ab - 5b^2) \cosh(dx + c)^{10} - 675(20(a^2 - 8ab + 7b^2)dx - 9a^2 + 10ab + 87b^2) \cosh(dx + c)^8 - 420(40(a^2 - 8ab + 7b^2)dx - 5a^2 + 66ab + 251b^2) \cosh(dx + c)^6 - 75(120(a^2 - 8ab + 7b^2)dx + 15a^2 + 198ab + 1103b^2) \cosh(dx + c)^4 - 60(a^2 - 8ab + 7b^2)dx - 30(60(a^2 - 8ab + 7b^2)dx + 27a^2 + 30ab + 667b^2) \cosh(dx + c)^2 - 75a^2 + 150ab - 1003b^2) \sinh(dx + c)^2 - 15a^2 + 30ab - 15b^2 - 480(ab \cosh(dx + c)^{12} + 12ab \cosh(dx + c) \sinh(dx + c)^{11} + ab \sinh(dx + c)^{12} + 5ab \cosh(dx + c)^{10} + (66ab \cosh(dx + c)^2 + 5ab) \sinh(dx + c)^{10} + 10ab \cosh(dx + c)^8 + 10(22ab \cosh(dx + c)^3 + 5ab \cosh(dx + c)) \sinh(dx + c)^9 + 5(99ab \cosh(dx + c)^4 + 45ab \cosh(dx + c)^2 + 2ab) \sinh(dx + c)^8 + 10ab \cosh(dx + c)^6 + 8(99ab \cosh(dx + c)^5 + 75ab \cosh(dx + c)^3 + 10ab \cosh(dx + c)) \sinh(dx + c)^7 + 2(462ab \cosh(dx + c)^6 + 525ab \cosh(dx + c)^4 + 140ab \cosh(dx + c)^2 + 5ab) \sinh(dx + c)^6 + 5ab \cosh(dx + c)^4 + 4(198ab \cosh(dx + c)^7 + 315ab \cosh(dx + c)^5 + 140ab \cosh(dx + c)^3 + 15ab \cosh(dx + c)) \sinh(dx + c)^5 + 5(99ab \cosh(dx + c)^8 + 210ab \cosh(dx + c)^6 + 140ab \cosh(dx + c)^4 + 30ab \cosh(dx + c)^2 + ab) \sinh(dx + c)^4 + ab \cosh(dx + c)^2 + 20(11ab \cosh(dx + c)^9 + 30ab \cosh(dx + c)^7 + 28ab \cosh(dx + c)^5 + 10ab \cosh(dx + c)^3 + ab \cosh(dx + c)) \sinh(dx + c)^3 + (66ab \cosh(dx + c)^{10} + 225ab \cosh(dx + c)^8 + 280ab \cosh(dx + c)^6 + 150ab \cosh(dx + c)^4 + 30ab \cosh(dx + c)^2 + ab) \sinh(dx + c)^2 + 2(6ab \cosh(dx + c)^{11} + 25ab \cosh(dx + c)^9 + 40ab \cosh(dx + c)^7 + 30ab \cosh(dx + c)^5 + 10ab \cosh(dx + c)^3 + ab \cosh(dx + c)) \sinh(dx + c) \log(2 \cosh(dx + c) / (\cosh(dx + c) - \sin
\end{aligned}$$

$$\begin{aligned} & h(dx + c)) + 2*(105*(a^2 + 2*a*b + b^2)*\cosh(dx + c)^{13} - 90*(4*(a^2 - 8 \\ & *a*b + 7*b^2)*dx - 5*a^2 - 10*a*b - 5*b^2)*\cosh(dx + c)^{11} - 75*(20*(a^2 \\ & - 8*a*b + 7*b^2)*dx - 9*a^2 + 10*a*b + 87*b^2)*\cosh(dx + c)^9 - 60*(40*(a \\ & ^2 - 8*a*b + 7*b^2)*dx - 5*a^2 + 66*a*b + 251*b^2)*\cosh(dx + c)^7 - 15*(1 \\ & 20*(a^2 - 8*a*b + 7*b^2)*dx + 15*a^2 + 198*a*b + 1103*b^2)*\cosh(dx + c)^5 \\ & - 10*(60*(a^2 - 8*a*b + 7*b^2)*dx + 27*a^2 + 30*a*b + 667*b^2)*\cosh(dx + \\ & c)^3 - (60*(a^2 - 8*a*b + 7*b^2)*dx + 75*a^2 - 150*a*b + 1003*b^2)*\cosh(dx \\ & *x + c))*\sinh(dx + c))/(d*\cosh(dx + c)^{12} + 12*d*\cosh(dx + c)*\sinh(dx + \\ & c)^{11} + d*\sinh(dx + c)^{12} + 5*d*\cosh(dx + c)^{10} + (66*d*\cosh(dx + c)^2 \\ & + 5*d)*\sinh(dx + c)^{10} + 10*(22*d*\cosh(dx + c)^3 + 5*d*\cosh(dx + c))*\sin \\ & h(dx + c)^9 + 10*d*\cosh(dx + c)^8 + 5*(99*d*\cosh(dx + c)^4 + 45*d*\cosh(dx \\ & *x + c)^2 + 2*d)*\sinh(dx + c)^8 + 8*(99*d*\cosh(dx + c)^5 + 75*d*\cosh(dx \\ & + c)^3 + 10*d*\cosh(dx + c))*\sinh(dx + c)^7 + 10*d*\cosh(dx + c)^6 + 2*(46 \\ & 2*d*\cosh(dx + c)^6 + 525*d*\cosh(dx + c)^4 + 140*d*\cosh(dx + c)^2 + 5*d)* \\ & \sinh(dx + c)^6 + 4*(198*d*\cosh(dx + c)^7 + 315*d*\cosh(dx + c)^5 + 140*d* \\ & \cosh(dx + c)^3 + 15*d*\cosh(dx + c))*\sinh(dx + c)^5 + 5*d*\cosh(dx + c)^4 \\ & + 5*(99*d*\cosh(dx + c)^8 + 210*d*\cosh(dx + c)^6 + 140*d*\cosh(dx + c)^4 \\ & + 30*d*\cosh(dx + c)^2 + d)*\sinh(dx + c)^4 + 20*(11*d*\cosh(dx + c)^9 + 30 \\ & *d*\cosh(dx + c)^7 + 28*d*\cosh(dx + c)^5 + 10*d*\cosh(dx + c)^3 + d*\cosh(dx \\ & *x + c))*\sinh(dx + c)^3 + d*\cosh(dx + c)^2 + (66*d*\cosh(dx + c)^{10} + 225 \\ & *d*\cosh(dx + c)^8 + 280*d*\cosh(dx + c)^6 + 150*d*\cosh(dx + c)^4 + 30*d*c \\ & osh(dx + c)^2 + d)*\sinh(dx + c)^2 + 2*(6*d*\cosh(dx + c)^{11} + 25*d*\cosh(dx \\ & *x + c)^9 + 40*d*\cosh(dx + c)^7 + 30*d*\cosh(dx + c)^5 + 10*d*\cosh(dx + c \\ & )^3 + d*\cosh(dx + c))*\sinh(dx + c) \end{aligned}$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(dx+c)\*\*2\*(a+b\*tanh(dx+c)\*\*3)\*\*2,x)

[Out] Timed out

**Giac [B]** time = 1.83589, size = 402, normalized size = 3.12

$$60(a^2 - 8ab + 7b^2)dx + 480ab \log(e^{2dx+2c} + 1) - 15(2a^2e^{2dx+2c} - 16abe^{2dx+2c} + 14b^2e^{2dx+2c} - a^2 + 2ab - b^2)$$



Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sinh(d*x+c)^2*(a+b*tanh(d*x+c)^3)^2,x, algorithm="giac")`

[Out] 
$$\begin{aligned} & -1/120*(60*(a^2 - 8*a*b + 7*b^2)*d*x + 480*a*b*\log(e^{(2*d*x + 2*c)} + 1) - 1 \\ & 5*(2*a^2*e^{(2*d*x + 2*c)} - 16*a*b*e^{(2*d*x + 2*c)} + 14*b^2*e^{(2*d*x + 2*c)} \\ & - a^2 + 2*a*b - b^2)*e^{(-2*d*x - 2*c)} - 15*(a^2*e^{(2*d*x + 16*c)} + 2*a*b*e^{(2*d*x + 16*c)} \\ & + b^2*e^{(2*d*x + 16*c)})*e^{(-14*c)} - 8*(137*a*b*e^{(10*d*x + 10*c)} + 625*a*b*e^{(8*d*x + 8*c)} \\ & - 180*b^2*e^{(8*d*x + 8*c)} + 1190*a*b*e^{(6*d*x + 6*c)} - 480*b^2*e^{(6*d*x + 6*c)} + 1190*a*b*e^{(4*d*x + 4*c)} \\ & - 680*b^2*e^{(4*d*x + 4*c)} + 625*a*b*e^{(2*d*x + 2*c)} - 400*b^2*e^{(2*d*x + 2*c)} + 137*a*b \\ & - 116*b^2)/(e^{(2*d*x + 2*c)} + 1)^5/d \end{aligned}$$

### 3.60 $\int \sinh(c + dx) (a + b \tanh^3(c + dx))^2 dx$

**Optimal.** Leaf size=123

$$\frac{a^2 \cosh(c + dx)}{d} + \frac{3ab \sinh(c + dx)}{d} - \frac{3ab \tan^{-1}(\sinh(c + dx))}{d} - \frac{ab \sinh(c + dx) \tanh^2(c + dx)}{d} + \frac{b^2 \cosh(c + dx)}{d} + \frac{b^2 \sinh(c + dx)}{d}$$

[Out] (-3\*a\*b\*ArcTan[Sinh[c + d\*x]])/d + (a^2\*Cosh[c + d\*x])/d + (b^2\*Cosh[c + d\*x])/d + (3\*b^2\*Sech[c + d\*x])/d - (b^2\*Sech[c + d\*x]^3)/d + (b^2\*Sech[c + d\*x]^5)/(5\*d) + (3\*a\*b\*Sinh[c + d\*x])/d - (a\*b\*Sinh[c + d\*x]\*Tanh[c + d\*x]^2)/d

**Rubi [A]** time = 0.146609, antiderivative size = 123, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 8, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.381$ , Rules used = {3666, 2638, 2592, 288, 321, 203, 2590, 270}

$$\frac{a^2 \cosh(c + dx)}{d} + \frac{3ab \sinh(c + dx)}{d} - \frac{3ab \tan^{-1}(\sinh(c + dx))}{d} - \frac{ab \sinh(c + dx) \tanh^2(c + dx)}{d} + \frac{b^2 \cosh(c + dx)}{d} + \frac{b^2 \sinh(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[Sinh[c + d\*x]\*(a + b\*Tanh[c + d\*x]^3)^2,x]

[Out] (-3\*a\*b\*ArcTan[Sinh[c + d\*x]])/d + (a^2\*Cosh[c + d\*x])/d + (b^2\*Cosh[c + d\*x])/d + (3\*b^2\*Sech[c + d\*x])/d - (b^2\*Sech[c + d\*x]^3)/d + (b^2\*Sech[c + d\*x]^5)/(5\*d) + (3\*a\*b\*Sinh[c + d\*x])/d - (a\*b\*Sinh[c + d\*x]\*Tanh[c + d\*x]^2)/d

#### Rule 3666

Int[((d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((a\_.) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_.))^p, x\_Symbol] := Int[ExpandTrig[(d\*sin[e + f\*x])^m\*(a + b\*(c\*tan[e + f\*x])^n)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p, 0]

#### Rule 2638

Int[sin[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[Cos[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rule 2592

```
Int[((a_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*tan[(e_.) + (f_.)*(x_)]^(n_.), x_
Symbol] := With[{ff = FreeFactors[Sin[e + f*x], x]}, Dist[ff/f, Subst[Int[(
ff*x)^(m + n)/(a^2 - ff^2*x^2)^((n + 1)/2), x], x, (a*Sin[e + f*x])/ff], x]
] /; FreeQ[{a, e, f, m}, x] && IntegerQ[(n + 1)/2]
```

### Rule 288

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c^
(n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] - Dist[(c^
n*(m - n + 1))/(b*n*(p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^(p + 1), x], x]
/; FreeQ[{a, b, c}, x] && IGtQ[n, 0] && LtQ[p, -1] && GtQ[m + 1, n] && !I
LtQ[(m + n*(p + 1) + 1)/n, 0] && IntBinomialQ[a, b, c, n, m, p, x]
```

### Rule 321

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c^
(n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[
(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x],
x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p
+ 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]
```

### Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[Rt[b, 2]*x]/Rt
[a, 2])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

### Rule 2590

```
Int[sin[(e_.) + (f_.)*(x_)]^(m_.)*tan[(e_.) + (f_.)*(x_)]^(n_.), x_Symbol]
:= -Dist[f^(-1), Subst[Int[(1 - x^2)^((m + n - 1)/2)/x^n, x], x, Cos[e + f*
x]], x] /; FreeQ[{e, f}, x] && IntegersQ[m, n, (m + n - 1)/2]
```

### Rule 270

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] := Int[Exp
andIntegrand[(c*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] &&
IGtQ[p, 0]
```

### Rubi steps

$$\begin{aligned}
\int \sinh(c+dx) (a+b \tanh^3(c+dx))^2 dx &= -\left(i \int (ia^2 \sinh(c+dx) + 2iab \sinh(c+dx) \tanh^3(c+dx) + ib^2 \sinh(c+dx) \right. \\
&= a^2 \int \sinh(c+dx) dx + (2ab) \int \sinh(c+dx) \tanh^3(c+dx) dx + b^2 \int \sinh(c+dx) \\
&= \frac{a^2 \cosh(c+dx)}{d} + \frac{(2ab) \operatorname{Subst}\left(\int \frac{x^4}{(1+x^2)^2} dx, x, \sinh(c+dx)\right)}{d} - \frac{b^2 \operatorname{Subst}\left(\int \frac{x^2}{1+x^2} dx, x, \sinh(c+dx)\right)}{d} \\
&= \frac{a^2 \cosh(c+dx)}{d} - \frac{ab \sinh(c+dx) \tanh^2(c+dx)}{d} + \frac{(3ab) \operatorname{Subst}\left(\int \frac{x^2}{1+x^2} dx, x, \sinh(c+dx)\right)}{d} \\
&= \frac{a^2 \cosh(c+dx)}{d} + \frac{b^2 \cosh(c+dx)}{d} + \frac{3b^2 \operatorname{sech}(c+dx)}{d} - \frac{b^2 \operatorname{sech}^3(c+dx)}{d} + \\
&= -\frac{3ab \tan^{-1}(\sinh(c+dx))}{d} + \frac{a^2 \cosh(c+dx)}{d} + \frac{b^2 \cosh(c+dx)}{d} + \frac{3b^2 \operatorname{sech}(c+dx)}{d}
\end{aligned}$$

**Mathematica [A]** time = 0.393281, size = 90, normalized size = 0.73

$$\frac{5(a^2 + b^2) \cosh(c+dx) + b \left( 5 \operatorname{sech}(c+dx) (a \tanh(c+dx) + 3b) + 10a \left( \sinh(c+dx) - 3 \tan^{-1} \left( \tanh \left( \frac{1}{2}(c+dx) \right) \right) \right) \right)}{5d} + b$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]\*(a + b\*Tanh[c + d\*x]^3)^2,x]

[Out] (5\*(a^2 + b^2)\*Cosh[c + d\*x] + b\*(-5\*b\*Sech[c + d\*x]^3 + b\*Sech[c + d\*x]^5 + 10\*a\*(-3\*ArcTan[Tanh[(c + d\*x)/2]] + Sinh[c + d\*x]) + 5\*Sech[c + d\*x]\*(3\*b + a\*Tanh[c + d\*x]))) / (5\*d)

**Maple [A]** time = 0.054, size = 225, normalized size = 1.8

$$\frac{a^2 \cosh(dx+c)}{d} + 2 \frac{ab (\sinh(dx+c))^3}{d (\cosh(dx+c))^2} + 6 \frac{ab \sinh(dx+c)}{d (\cosh(dx+c))^2} - 3 \frac{ab \operatorname{sech}(dx+c) \tanh(dx+c)}{d} - 6 \frac{ab \arctan(e^{dx+c})}{d} +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(d\*x+c)\*(a+b\*tanh(d\*x+c)^3)^2,x)

[Out]  $a^2 \cosh(dx+c)/d + 2/d * a * b * \sinh(dx+c)^3 / \cosh(dx+c)^2 + 6/d * a * b * \sinh(dx+c) / \cosh(dx+c)^2 - 3/d * a * b * \operatorname{sech}(dx+c) * \tanh(dx+c) - 6/d * a * b * \arctan(\exp(dx+c)) + 1/d * b^2 * \sinh(dx+c)^6 / \cosh(dx+c)^5 + 6/d * b^2 * \sinh(dx+c)^4 / \cosh(dx+c)^5 + 24/5/d * b^2 * \sinh(dx+c)^2 / \cosh(dx+c)^5 - 16/5/d * b^2 * \sinh(dx+c)^2 / \cosh(dx+c)^3 - 16/5/d * b^2 * \sinh(dx+c)^2 / \cosh(dx+c) + 16/5 * b^2 * \cosh(dx+c) / d$

**Maxima [B]** time = 1.5844, size = 342, normalized size = 2.78

$$ab \left( \frac{6 \arctan(e^{-dx-c})}{d} - \frac{e^{-dx-c}}{d} + \frac{4e^{-2dx-2c} - e^{-4dx-4c} + 1}{d(e^{-dx-c} + 2e^{-3dx-3c} + e^{-5dx-5c})} \right) + \frac{1}{10} b^2 \left( \frac{5e^{-dx-c}}{d} + \frac{85e^{-2dx-2c} + 210e^{-4dx-4c}}{d(e^{-dx-c} + 5e^{-3dx-3c})} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sinh(dx+c)*(a+b*tanh(dx+c)^3)^2,x, algorithm="maxima")`

[Out]  $a * b * (6 * \arctan(e^{-dx-c}) / d - e^{-dx-c} / d + (4 * e^{-2 * dx-2 * c} - e^{-4 * dx-4 * c} + 1) / (d * (e^{-dx-c} + 2 * e^{-3 * dx-3 * c} + e^{-5 * dx-5 * c}))) + 1/10 * b^2 * (5 * e^{-dx-c} / d + (85 * e^{-2 * dx-2 * c} + 210 * e^{-4 * dx-4 * c} + 314 * e^{-6 * dx-6 * c} + 185 * e^{-8 * dx-8 * c} + 65 * e^{-10 * dx-10 * c} + 5) / (d * (e^{-dx-c} + 5 * e^{-3 * dx-3 * c} + 10 * e^{-5 * dx-5 * c} + 10 * e^{-7 * dx-7 * c} + 5 * e^{-9 * dx-9 * c} + e^{-11 * dx-11 * c}))) + a^2 * \cosh(dx+c) / d$

**Fricas [B]** time = 2.51216, size = 5998, normalized size = 48.76

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sinh(dx+c)*(a+b*tanh(dx+c)^3)^2,x, algorithm="fricas")`

[Out]  $1/10 * (5 * (a^2 + 2 * a * b + b^2) * \cosh(dx+c)^{12} + 60 * (a^2 + 2 * a * b + b^2) * \cosh(dx+c) * \sinh(dx+c)^{11} + 5 * (a^2 + 2 * a * b + b^2) * \sinh(dx+c)^{12} + 30 * (a^2 + 2 * a * b + 3 * b^2) * \cosh(dx+c)^{10} + 30 * (11 * (a^2 + 2 * a * b + b^2) * \cosh(dx+c)^2 + a^2 + 2 * a * b + 3 * b^2) * \sinh(dx+c)^{10} + 100 * (11 * (a^2 + 2 * a * b + b^2) * \cosh(dx+c)^3 + 3 * (a^2 + 2 * a * b + 3 * b^2) * \cosh(dx+c)) * \sinh(dx+c)^9 + 5 * (15 * a^2 + 18 * a * b + 47 * b^2) * \cosh(dx+c)^8 + 5 * (495 * (a^2 + 2 * a * b + b^2) * \cosh(dx+c)^4 + 270 * (a^2 + 2 * a * b + 3 * b^2) * \cosh(dx+c)^2 + 15 * a^2 + 18 * a * b + 47 * b^2) * \sinh(dx+c)^8 + 40 * (99 * (a^2 + 2 * a * b + b^2) * \cosh(dx+c)^5 +$

$$\begin{aligned}
& 90*(a^2 + 2*a*b + 3*b^2)*\cosh(d*x + c)^3 + (15*a^2 + 18*a*b + 47*b^2)*\cosh \\
& (d*x + c))*\sinh(d*x + c)^7 + 4*(25*a^2 + 91*b^2)*\cosh(d*x + c)^6 + 4*(1155* \\
& (a^2 + 2*a*b + b^2)*\cosh(d*x + c)^6 + 1575*(a^2 + 2*a*b + 3*b^2)*\cosh(d*x + \\
& c)^4 + 35*(15*a^2 + 18*a*b + 47*b^2)*\cosh(d*x + c)^2 + 25*a^2 + 91*b^2)*\si \\
& nh(d*x + c)^6 + 8*(495*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^7 + 945*(a^2 + 2*a \\
& *b + 3*b^2)*\cosh(d*x + c)^5 + 35*(15*a^2 + 18*a*b + 47*b^2)*\cosh(d*x + c)^3 \\
& + 3*(25*a^2 + 91*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^5 + 5*(15*a^2 - 18*a*b \\
& + 47*b^2)*\cosh(d*x + c)^4 + 5*(495*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^8 + 12 \\
& 60*(a^2 + 2*a*b + 3*b^2)*\cosh(d*x + c)^6 + 70*(15*a^2 + 18*a*b + 47*b^2)*co \\
& sh(d*x + c)^4 + 12*(25*a^2 + 91*b^2)*\cosh(d*x + c)^2 + 15*a^2 - 18*a*b + 47 \\
& *b^2)*\sinh(d*x + c)^4 + 20*(55*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^9 + 180*(a \\
& ^2 + 2*a*b + 3*b^2)*\cosh(d*x + c)^7 + 14*(15*a^2 + 18*a*b + 47*b^2)*\cosh(d* \\
& x + c)^5 + 4*(25*a^2 + 91*b^2)*\cosh(d*x + c)^3 + (15*a^2 - 18*a*b + 47*b^2) \\
& *\cosh(d*x + c))*\sinh(d*x + c)^3 + 30*(a^2 - 2*a*b + 3*b^2)*\cosh(d*x + c)^2 \\
& + 10*(33*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^10 + 135*(a^2 + 2*a*b + 3*b^2)*c \\
& osh(d*x + c)^8 + 14*(15*a^2 + 18*a*b + 47*b^2)*\cosh(d*x + c)^6 + 6*(25*a^2 \\
& + 91*b^2)*\cosh(d*x + c)^4 + 3*(15*a^2 - 18*a*b + 47*b^2)*\cosh(d*x + c)^2 + \\
& 3*a^2 - 6*a*b + 9*b^2)*\sinh(d*x + c)^2 + 5*a^2 - 10*a*b + 5*b^2 - 60*(a*b*c \\
& osh(d*x + c)^11 + 11*a*b*cosh(d*x + c)*\sinh(d*x + c)^10 + a*b*\sinh(d*x + c) \\
& ^11 + 5*a*b*cosh(d*x + c)^9 + 5*(11*a*b*cosh(d*x + c)^2 + a*b)*\sinh(d*x + c \\
& )^9 + 10*a*b*cosh(d*x + c)^7 + 15*(11*a*b*cosh(d*x + c)^3 + 3*a*b*cosh(d*x \\
& + c))*\sinh(d*x + c)^8 + 10*(33*a*b*cosh(d*x + c)^4 + 18*a*b*cosh(d*x + c)^2 \\
& + a*b)*\sinh(d*x + c)^7 + 10*a*b*cosh(d*x + c)^5 + 14*(33*a*b*cosh(d*x + c) \\
& ^5 + 30*a*b*cosh(d*x + c)^3 + 5*a*b*cosh(d*x + c))*\sinh(d*x + c)^6 + 2*(231 \\
& *a*b*cosh(d*x + c)^6 + 315*a*b*cosh(d*x + c)^4 + 105*a*b*cosh(d*x + c)^2 + \\
& 5*a*b)*\sinh(d*x + c)^5 + 5*a*b*cosh(d*x + c)^3 + 10*(33*a*b*cosh(d*x + c)^7 \\
& + 63*a*b*cosh(d*x + c)^5 + 35*a*b*cosh(d*x + c)^3 + 5*a*b*cosh(d*x + c))*s \\
& inh(d*x + c)^4 + 5*(33*a*b*cosh(d*x + c)^8 + 84*a*b*cosh(d*x + c)^6 + 70*a* \\
& b*cosh(d*x + c)^4 + 20*a*b*cosh(d*x + c)^2 + a*b)*\sinh(d*x + c)^3 + a*b*cos \\
& h(d*x + c) + 5*(11*a*b*cosh(d*x + c)^9 + 36*a*b*cosh(d*x + c)^7 + 42*a*b*co \\
& sh(d*x + c)^5 + 20*a*b*cosh(d*x + c)^3 + 3*a*b*cosh(d*x + c))*\sinh(d*x + c) \\
& ^2 + (11*a*b*cosh(d*x + c)^10 + 45*a*b*cosh(d*x + c)^8 + 70*a*b*cosh(d*x + \\
& c)^6 + 50*a*b*cosh(d*x + c)^4 + 15*a*b*cosh(d*x + c)^2 + a*b)*\sinh(d*x + c) \\
& )*\arctan(\cosh(d*x + c) + \sinh(d*x + c)) + 4*(15*(a^2 + 2*a*b + b^2)*\cosh(d* \\
& x + c)^11 + 75*(a^2 + 2*a*b + 3*b^2)*\cosh(d*x + c)^9 + 10*(15*a^2 + 18*a*b \\
& + 47*b^2)*\cosh(d*x + c)^7 + 6*(25*a^2 + 91*b^2)*\cosh(d*x + c)^5 + 5*(15*a^2 \\
& - 18*a*b + 47*b^2)*\cosh(d*x + c)^3 + 15*(a^2 - 2*a*b + 3*b^2)*\cosh(d*x + c \\
& ))*\sinh(d*x + c))/(d*cosh(d*x + c)^11 + 11*d*cosh(d*x + c)*\sinh(d*x + c)^10 \\
& + d*\sinh(d*x + c)^11 + 5*d*cosh(d*x + c)^9 + 5*(11*d*cosh(d*x + c)^2 + d)* \\
& sinh(d*x + c)^9 + 15*(11*d*cosh(d*x + c)^3 + 3*d*cosh(d*x + c))*\sinh(d*x + \\
& c)^8 + 10*d*cosh(d*x + c)^7 + 10*(33*d*cosh(d*x + c)^4 + 18*d*cosh(d*x + c) \\
& ^2 + d)*\sinh(d*x + c)^7 + 14*(33*d*cosh(d*x + c)^5 + 30*d*cosh(d*x + c)^3 + \\
& 5*d*cosh(d*x + c))*\sinh(d*x + c)^6 + 10*d*cosh(d*x + c)^5 + 2*(231*d*cosh( \\
& d*x + c)^6 + 315*d*cosh(d*x + c)^4 + 105*d*cosh(d*x + c)^2 + 5*d)*\sinh(d*x \\
& + c)^5 + 10*(33*d*cosh(d*x + c)^7 + 63*d*cosh(d*x + c)^5 + 35*d*cosh(d*x +
\end{aligned}$$

$$c)^3 + 5*d*\cosh(d*x + c))*\sinh(d*x + c)^4 + 5*d*\cosh(d*x + c)^3 + 5*(33*d*\cosh(d*x + c)^8 + 84*d*\cosh(d*x + c)^6 + 70*d*\cosh(d*x + c)^4 + 20*d*\cosh(d*x + c)^2 + d)*\sinh(d*x + c)^3 + 5*(11*d*\cosh(d*x + c)^9 + 36*d*\cosh(d*x + c)^7 + 42*d*\cosh(d*x + c)^5 + 20*d*\cosh(d*x + c)^3 + 3*d*\cosh(d*x + c))*\sinh(d*x + c)^2 + d*\cosh(d*x + c) + (11*d*\cosh(d*x + c)^10 + 45*d*\cosh(d*x + c)^8 + 70*d*\cosh(d*x + c)^6 + 50*d*\cosh(d*x + c)^4 + 15*d*\cosh(d*x + c)^2 + d)*\sinh(d*x + c))$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)\*(a+b\*tanh(d\*x+c)\*\*3)\*\*2,x)

[Out] Timed out

**Giac [A]** time = 1.61689, size = 289, normalized size = 2.35

$$60 ab \arctan(e^{(dx+c)}) - 5(a^2 - 2ab + b^2)e^{(-dx-c)} - 5(a^2e^{(dx+14c)} + 2abe^{(dx+14c)} + b^2e^{(dx+14c)})e^{(-13c)} - \frac{4(5abe^{(9dx+9c)}+15$$

10 d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)\*(a+b\*tanh(d\*x+c)^3)^2,x, algorithm="giac")

[Out]  $-1/10*(60*a*b*\arctan(e^{(d*x + c)}) - 5*(a^2 - 2*a*b + b^2)*e^{(-d*x - c)} - 5*(a^2*e^{(d*x + 14*c)} + 2*a*b*e^{(d*x + 14*c)} + b^2*e^{(d*x + 14*c)})*e^{(-13*c)} - 4*(5*a*b*e^{(9*d*x + 9*c)} + 15*b^2*e^{(9*d*x + 9*c)} + 10*a*b*e^{(7*d*x + 7*c)} + 40*b^2*e^{(7*d*x + 7*c)} + 66*b^2*e^{(5*d*x + 5*c)} - 10*a*b*e^{(3*d*x + 3*c)} + 40*b^2*e^{(3*d*x + 3*c)} - 5*a*b*e^{(d*x + c)} + 15*b^2*e^{(d*x + c)})/(e^{(2*d*x + 2*c)} + 1)^5)/d$

### 3.61 $\int \operatorname{csch}(c + dx) \left( a + b \tanh^3(c + dx) \right)^2 dx$

**Optimal.** Leaf size=98

$$-\frac{a^2 \tanh^{-1}(\cosh(c + dx))}{d} + \frac{ab \tanh^{-1}(\sinh(c + dx))}{d} - \frac{ab \tanh(c + dx) \operatorname{sech}(c + dx)}{d} - \frac{b^2 \operatorname{sech}^5(c + dx)}{5d} + \frac{2b^2 \operatorname{sech}^3(c + dx)}{3d}$$

[Out] (a\*b\*ArcTan[Sinh[c + d\*x]])/d - (a^2\*ArcTanh[Cosh[c + d\*x]])/d - (b^2\*Sech[c + d\*x])/d + (2\*b^2\*Sech[c + d\*x]^3)/(3\*d) - (b^2\*Sech[c + d\*x]^5)/(5\*d) - (a\*b\*Sech[c + d\*x]\*Tanh[c + d\*x])/d

**Rubi [A]** time = 0.136202, antiderivative size = 98, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {3666, 3770, 2611, 2606, 194}

$$-\frac{a^2 \tanh^{-1}(\cosh(c + dx))}{d} + \frac{ab \tanh^{-1}(\sinh(c + dx))}{d} - \frac{ab \tanh(c + dx) \operatorname{sech}(c + dx)}{d} - \frac{b^2 \operatorname{sech}^5(c + dx)}{5d} + \frac{2b^2 \operatorname{sech}^3(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[Csch[c + d\*x]\*(a + b\*Tanh[c + d\*x]^3)^2,x]

[Out] (a\*b\*ArcTan[Sinh[c + d\*x]])/d - (a^2\*ArcTanh[Cosh[c + d\*x]])/d - (b^2\*Sech[c + d\*x])/d + (2\*b^2\*Sech[c + d\*x]^3)/(3\*d) - (b^2\*Sech[c + d\*x]^5)/(5\*d) - (a\*b\*Sech[c + d\*x]\*Tanh[c + d\*x])/d

#### Rule 3666

Int[((d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((a\_) + (b\_)\*((c\_)\*tan[(e\_) + (f\_)\*(x\_)])^(n\_))^(p\_), x\_Symbol] :> Int[ExpandTrig[(d\*sin[e + f\*x])^m\*(a + b\*(c\*tan[e + f\*x])^n)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p, 0]

#### Rule 3770

Int[csc[(c\_) + (d\_)\*(x\_)], x\_Symbol] :> -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

#### Rule 2611

Int[((a\_)\*sec[(e\_) + (f\_)\*(x\_)])^(m\_)\*((b\_)\*tan[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(b\*(a\*Sec[e + f\*x])^m\*(b\*Tan[e + f\*x])^(n - 1))/(f\*(



$m + n - 1$ ),  $x]$  - Dist $[(b^2*(n - 1))/(m + n - 1)$ , Int $[(a*Sec[e + f*x])^m*(b*Tan[e + f*x])^{n - 2}$ ,  $x]$ ,  $x]$  /; FreeQ $[\{a, b, e, f, m\}$ ,  $x]$  && GtQ $[n, 1]$  && NeQ $[m + n - 1, 0]$  && IntegersQ $[2*m, 2*n]$

### Rule 2606

Int $[(a_*)*sec[(e_*) + (f_*)*(x_*)]^{(m_*)}*((b_*)*tan[(e_*) + (f_*)*(x_*)])^{(n_*)}$ ,  $x\_Symbol]$  :> Dist $[a/f$ , Subst $[Int[(a*x)^{(m - 1)}*(-1 + x^2)^{((n - 1)/2)}$ ,  $x]$ ,  $x$ , Sec $[e + f*x]$ ],  $x]$  /; FreeQ $[\{a, e, f, m\}$ ,  $x]$  && IntegerQ $[(n - 1)/2]$  && !(IntegerQ $[m/2]$  && LtQ $[0, m, n + 1]$ )

### Rule 194

Int $[(a_*) + (b_*)*(x_*)^{(n_*)}]^{(p_*)}$ ,  $x\_Symbol]$  :> Int $[ExpandIntegrand[(a + b*x^n)^p]$ ,  $x]$  /; FreeQ $[\{a, b\}$ ,  $x]$  && IGtQ $[n, 0]$  && IGtQ $[p, 0]$

### Rubi steps

$$\begin{aligned} \int \operatorname{csch}(c + dx) (a + b \tanh^3(c + dx))^2 dx &= i \int (-ia^2 \operatorname{csch}(c + dx) - 2iab \operatorname{sech}(c + dx) \tanh^2(c + dx) - ib^2 \operatorname{sech}(c + dx) \tanh^4(c + dx)) dx \\ &= a^2 \int \operatorname{csch}(c + dx) dx + (2ab) \int \operatorname{sech}(c + dx) \tanh^2(c + dx) dx + b^2 \int \operatorname{sech}(c + dx) \tanh^4(c + dx) dx \\ &= -\frac{a^2 \tanh^{-1}(\cosh(c + dx))}{d} - \frac{ab \operatorname{sech}(c + dx) \tanh(c + dx)}{d} + (ab) \int \operatorname{sech}(c + dx) \tanh^2(c + dx) dx \\ &= \frac{ab \tan^{-1}(\sinh(c + dx))}{d} - \frac{a^2 \tanh^{-1}(\cosh(c + dx))}{d} - \frac{ab \operatorname{sech}(c + dx) \tanh(c + dx)}{d} \\ &= \frac{ab \tan^{-1}(\sinh(c + dx))}{d} - \frac{a^2 \tanh^{-1}(\cosh(c + dx))}{d} - \frac{b^2 \operatorname{sech}(c + dx)}{d} + \frac{2b^2 \operatorname{sech}(c + dx) \tanh^2(c + dx)}{d} \end{aligned}$$

**Mathematica [A]** time = 0.156975, size = 106, normalized size = 1.08

$$\frac{a^2 \log\left(\tanh\left(\frac{1}{2}(c + dx)\right)\right)}{d} + \frac{2ab \tan^{-1}\left(\tanh\left(\frac{1}{2}(c + dx)\right)\right)}{d} - \frac{ab \tanh(c + dx) \operatorname{sech}(c + dx)}{d} - \frac{b^2 \operatorname{sech}^5(c + dx)}{5d} + \frac{2b^2 \operatorname{sech}(c + dx) \tanh^2(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]\*(a + b\*Tanh[c + d\*x]^3)^2,x]

[Out] (2\*a\*b\*ArcTan[Tanh[(c + d\*x)/2]])/d + (a^2\*Log[Tanh[(c + d\*x)/2]])/d - (b^2\*Sech[c + d\*x])/d + (2\*b^2\*Sech[c + d\*x]^3)/(3\*d) - (b^2\*Sech[c + d\*x]^5)/(5\*d)

$$5*d) - (a*b*Sech[c + d*x]*Tanh[c + d*x])/d$$

**Maple [A]** time = 0.072, size = 180, normalized size = 1.8

$$-2 \frac{a^2 \operatorname{Arctanh}(e^{dx+c})}{d} - 2 \frac{ab \sinh(dx+c)}{d (\cosh(dx+c))^2} + \frac{ab \operatorname{sech}(dx+c) \tanh(dx+c)}{d} + 2 \frac{ab \arctan(e^{dx+c})}{d} - \frac{b^2 (\sinh(dx+c))^4}{d (\cosh(dx+c))^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(csch(d*x+c)*(a+b*tanh(d*x+c)^3)^2,x)`

[Out] `-2/d*a^2*arctanh(exp(d*x+c))-2/d*a*b*sinh(d*x+c)/cosh(d*x+c)^2+1/d*a*b*sech(d*x+c)*tanh(d*x+c)+2/d*a*b*arctan(exp(d*x+c))-1/d*b^2*sinh(d*x+c)^4/cosh(d*x+c)^5-4/5/d*b^2*sinh(d*x+c)^2/cosh(d*x+c)^5+8/15/d*b^2*sinh(d*x+c)^2/cosh(d*x+c)^3+8/15/d*b^2*sinh(d*x+c)^2/cosh(d*x+c)-8/15*b^2*cosh(d*x+c)/d`

**Maxima [B]** time = 1.53543, size = 603, normalized size = 6.15

$$-2ab \left( \frac{\arctan(e^{-dx-c})}{d} + \frac{e^{-dx-c} - e^{-3dx-3c}}{d(2e^{-2dx-2c} + e^{-4dx-4c} + 1)} \right) - \frac{2}{15} b^2 \left( \frac{15e^{-dx-c}}{d(5e^{-2dx-2c} + 10e^{-4dx-4c} + 10e^{-6dx-6c} + 5e^{-8dx-8c} + e^{-10dx-10c} + 1)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csch(d*x+c)*(a+b*tanh(d*x+c)^3)^2,x, algorithm="maxima")`

[Out] `-2*a*b*(arctan(e^(-d*x - c))/d + (e^(-d*x - c) - e^(-3*d*x - 3*c))/(d*(2*e^(-2*d*x - 2*c) + e^(-4*d*x - 4*c) + 1))) - 2/15*b^2*(15*e^(-d*x - c)/(d*(5*e^(-2*d*x - 2*c) + 10*e^(-4*d*x - 4*c) + 10*e^(-6*d*x - 6*c) + 5*e^(-8*d*x - 8*c) + e^(-10*d*x - 10*c) + 1)) + 20*e^(-3*d*x - 3*c)/(d*(5*e^(-2*d*x - 2*c) + 10*e^(-4*d*x - 4*c) + 10*e^(-6*d*x - 6*c) + 5*e^(-8*d*x - 8*c) + e^(-10*d*x - 10*c) + 1)) + 58*e^(-5*d*x - 5*c)/(d*(5*e^(-2*d*x - 2*c) + 10*e^(-4*d*x - 4*c) + 10*e^(-6*d*x - 6*c) + 5*e^(-8*d*x - 8*c) + e^(-10*d*x - 10*c) + 1)) + 20*e^(-7*d*x - 7*c)/(d*(5*e^(-2*d*x - 2*c) + 10*e^(-4*d*x - 4*c) + 10*e^(-6*d*x - 6*c) + 5*e^(-8*d*x - 8*c) + e^(-10*d*x - 10*c) + 1)) + 15*e^(-9*d*x - 9*c)/(d*(5*e^(-2*d*x - 2*c) + 10*e^(-4*d*x - 4*c) + 10*e^(-6*d*x - 6*c) + 5*e^(-8*d*x - 8*c) + e^(-10*d*x - 10*c) + 1))) + a^2*log(tanh(1/(2*d*x + 1/2*c)))/d`

---

**Fricas [B]** time = 2.67318, size = 6643, normalized size = 67.79

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*(a+b\*tanh(d\*x+c)^3)^2,x, algorithm="fricas")

[Out] 
$$\begin{aligned} & -1/15*(30*(a*b + b^2)*\cosh(d*x + c)^9 + 270*(a*b + b^2)*\cosh(d*x + c)*\sinh(d*x + c)^8 + 30*(a*b + b^2)*\sinh(d*x + c)^9 + 20*(3*a*b + 2*b^2)*\cosh(d*x + c)^7 + 20*(54*(a*b + b^2)*\cosh(d*x + c)^2 + 3*a*b + 2*b^2)*\sinh(d*x + c)^7 + 116*b^2*\cosh(d*x + c)^5 + 140*(18*(a*b + b^2)*\cosh(d*x + c)^3 + (3*a*b + 2*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^6 + 4*(945*(a*b + b^2)*\cosh(d*x + c)^4 + 105*(3*a*b + 2*b^2)*\cosh(d*x + c)^2 + 29*b^2)*\sinh(d*x + c)^5 + 20*(189*(a*b + b^2)*\cosh(d*x + c)^5 + 35*(3*a*b + 2*b^2)*\cosh(d*x + c)^3 + 29*b^2*\cosh(d*x + c))*\sinh(d*x + c)^4 - 20*(3*a*b - 2*b^2)*\cosh(d*x + c)^3 + 20*(12*6*(a*b + b^2)*\cosh(d*x + c)^6 + 35*(3*a*b + 2*b^2)*\cosh(d*x + c)^4 + 58*b^2*\cosh(d*x + c)^2 - 3*a*b + 2*b^2)*\sinh(d*x + c)^3 + 20*(54*(a*b + b^2)*\cosh(d*x + c)^7 + 21*(3*a*b + 2*b^2)*\cosh(d*x + c)^5 + 58*b^2*\cosh(d*x + c)^3 - 3*(3*a*b - 2*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^2 - 30*(a*b*\cosh(d*x + c)^10 + 10*a*b*\cosh(d*x + c)*\sinh(d*x + c)^9 + a*b*\sinh(d*x + c)^10 + 5*a*b*\cosh(d*x + c)^8 + 5*(9*a*b*\cosh(d*x + c)^2 + a*b)*\sinh(d*x + c)^8 + 10*a*b*\cosh(d*x + c)^6 + 40*(3*a*b*\cosh(d*x + c)^3 + a*b*\cosh(d*x + c))*\sinh(d*x + c)^7 + 10*(21*a*b*\cosh(d*x + c)^4 + 14*a*b*\cosh(d*x + c)^2 + a*b)*\sinh(d*x + c)^6 + 10*a*b*\cosh(d*x + c)^4 + 4*(63*a*b*\cosh(d*x + c)^5 + 70*a*b*\cosh(d*x + c)^3 + 15*a*b*\cosh(d*x + c))*\sinh(d*x + c)^5 + 10*(21*a*b*\cosh(d*x + c)^6 + 35*a*b*\cosh(d*x + c)^4 + 15*a*b*\cosh(d*x + c)^2 + a*b)*\sinh(d*x + c)^4 + 5*a*b*\cosh(d*x + c)^2 + 40*(3*a*b*\cosh(d*x + c)^7 + 7*a*b*\cosh(d*x + c)^5 + 5*a*b*\cosh(d*x + c)^3 + a*b*\cosh(d*x + c))*\sinh(d*x + c)^3 + 5*(9*a*b*\cosh(d*x + c)^8 + 28*a*b*\cosh(d*x + c)^6 + 30*a*b*\cosh(d*x + c)^4 + 12*a*b*\cosh(d*x + c)^2 + a*b)*\sinh(d*x + c)^2 + a*b + 10*(a*b*\cosh(d*x + c)^9 + 4*a*b*\cosh(d*x + c)^7 + 6*a*b*\cosh(d*x + c)^5 + 4*a*b*\cosh(d*x + c)^3 + a*b*\cosh(d*x + c))*\sinh(d*x + c))*\arctan(\cosh(d*x + c) + \sinh(d*x + c)) - 30*(a*b - b^2)*\cosh(d*x + c) + 15*(a^2*\cosh(d*x + c)^10 + 10*a^2*\cosh(d*x + c)*\sinh(d*x + c)^9 + a^2*\sinh(d*x + c)^10 + 5*a^2*\cosh(d*x + c)^8 + 5*(9*a^2*\cosh(d*x + c)^2 + a^2)*\sinh(d*x + c)^8 + 10*a^2*\cosh(d*x + c)^6 + 40*(3*a^2*\cosh(d*x + c)^3 + a^2*\cosh(d*x + c))*\sinh(d*x + c)^7 + 10*(21*a^2*\cosh(d*x + c)^4 + 14*a^2*\cosh(d*x + c)^2 + a^2)*\sinh(d*x + c)^6 + 10*a^2*\cosh(d*x + c)^4 + 4*(63*a^2*\cosh(d*x + c)^5 + 70*a^2*\cosh(d*x + c)^3 + 15*a^2*\cosh(d*x + c))*\sinh(d*x + c)^5 + 10*(21*a^2*\cosh(d*x + c)^6 + 35*a^2*\cosh(d*x + c)^4 + 15*a^2*\cosh(d*x + c)^2 + a^2)*\sinh(d*x + c)^4 + 5*a^2*\cosh(d*x + c)^2 + 40*(3*a^2*\cosh(d*x + c)^7 + 7*a^2*\cosh(d*x + c)^5 + 5*a^2*\cosh(d*x + c)^3 + a^2*\cosh(d*x + c))*\sinh(d*x + c)^3 + 5*(9*a^2*\cosh(d*x + c)^8 + 28*a^2*\cosh(d*x + c)^6 + 30*a^2*\cosh(d*x + c)^4 + 12*a^2*\cosh(d*x + c)^2 + a^2)*\sinh(d*x + c)^2 + a^2 + 10*(a^2*\cosh(d*x + c)^9 + 4*a^2*\cosh(d*x + c)^7 + 6*a^2*\cosh(d*x + c)^5 + 4*a^2*\cosh(d*x + c)^3 + a^2*\cosh(d*x + c))*\sinh(d*x + c) \end{aligned}$$

```

*x + c)^6 + 30*a^2*cosh(d*x + c)^4 + 12*a^2*cosh(d*x + c)^2 + a^2)*sinh(d*x
+ c)^2 + a^2 + 10*(a^2*cosh(d*x + c)^9 + 4*a^2*cosh(d*x + c)^7 + 6*a^2*cos
h(d*x + c)^5 + 4*a^2*cosh(d*x + c)^3 + a^2*cosh(d*x + c))*sinh(d*x + c))*lo
g(cosh(d*x + c) + sinh(d*x + c) + 1) - 15*(a^2*cosh(d*x + c)^10 + 10*a^2*cos
h(d*x + c)*sinh(d*x + c)^9 + a^2*sinh(d*x + c)^10 + 5*a^2*cosh(d*x + c)^8
+ 5*(9*a^2*cosh(d*x + c)^2 + a^2)*sinh(d*x + c)^8 + 10*a^2*cosh(d*x + c)^6
+ 40*(3*a^2*cosh(d*x + c)^3 + a^2*cosh(d*x + c))*sinh(d*x + c)^7 + 10*(21*a
^2*cosh(d*x + c)^4 + 14*a^2*cosh(d*x + c)^2 + a^2)*sinh(d*x + c)^6 + 10*a^2
*cosh(d*x + c)^4 + 4*(63*a^2*cosh(d*x + c)^5 + 70*a^2*cosh(d*x + c)^3 + 15*
a^2*cosh(d*x + c))*sinh(d*x + c)^5 + 10*(21*a^2*cosh(d*x + c)^6 + 35*a^2*cos
h(d*x + c)^4 + 15*a^2*cosh(d*x + c)^2 + a^2)*sinh(d*x + c)^4 + 5*a^2*cosh(
d*x + c)^2 + 40*(3*a^2*cosh(d*x + c)^7 + 7*a^2*cosh(d*x + c)^5 + 5*a^2*cosh
(d*x + c)^3 + a^2*cosh(d*x + c))*sinh(d*x + c)^3 + 5*(9*a^2*cosh(d*x + c)^8
+ 28*a^2*cosh(d*x + c)^6 + 30*a^2*cosh(d*x + c)^4 + 12*a^2*cosh(d*x + c)^2
+ a^2)*sinh(d*x + c)^2 + a^2 + 10*(a^2*cosh(d*x + c)^9 + 4*a^2*cosh(d*x +
c)^7 + 6*a^2*cosh(d*x + c)^5 + 4*a^2*cosh(d*x + c)^3 + a^2*cosh(d*x + c))*s
inh(d*x + c))*log(cosh(d*x + c) + sinh(d*x + c) - 1) + 10*(27*(a*b + b^2)*c
osh(d*x + c)^8 + 14*(3*a*b + 2*b^2)*cosh(d*x + c)^6 + 58*b^2*cosh(d*x + c)^
4 - 6*(3*a*b - 2*b^2)*cosh(d*x + c)^2 - 3*a*b + 3*b^2)*sinh(d*x + c))/(d*cos
h(d*x + c)^10 + 10*d*cosh(d*x + c)*sinh(d*x + c)^9 + d*sinh(d*x + c)^10 +
5*d*cosh(d*x + c)^8 + 5*(9*d*cosh(d*x + c)^2 + d)*sinh(d*x + c)^8 + 40*(3*d
*cosh(d*x + c)^3 + d*cosh(d*x + c))*sinh(d*x + c)^7 + 10*d*cosh(d*x + c)^6
+ 10*(21*d*cosh(d*x + c)^4 + 14*d*cosh(d*x + c)^2 + d)*sinh(d*x + c)^6 + 4*
(63*d*cosh(d*x + c)^5 + 70*d*cosh(d*x + c)^3 + 15*d*cosh(d*x + c))*sinh(d*x
+ c)^5 + 10*d*cosh(d*x + c)^4 + 10*(21*d*cosh(d*x + c)^6 + 35*d*cosh(d*x +
c)^4 + 15*d*cosh(d*x + c)^2 + d)*sinh(d*x + c)^4 + 40*(3*d*cosh(d*x + c)^7
+ 7*d*cosh(d*x + c)^5 + 5*d*cosh(d*x + c)^3 + d*cosh(d*x + c))*sinh(d*x +
c)^3 + 5*d*cosh(d*x + c)^2 + 5*(9*d*cosh(d*x + c)^8 + 28*d*cosh(d*x + c)^6
+ 30*d*cosh(d*x + c)^4 + 12*d*cosh(d*x + c)^2 + d)*sinh(d*x + c)^2 + 10*(d*
cosh(d*x + c)^9 + 4*d*cosh(d*x + c)^7 + 6*d*cosh(d*x + c)^5 + 4*d*cosh(d*x
+ c)^3 + d*cosh(d*x + c))*sinh(d*x + c) + d)

```

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (a + b \tanh^3(c + dx))^2 \operatorname{csch}(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*(a+b\*tanh(d\*x+c)\*\*3)\*\*2,x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*3)\*\*2\*csch(c + d\*x), x)

---

**Giac [A]** time = 1.51089, size = 240, normalized size = 2.45

$$30 ab \arctan(e^{(dx+c)}) - 15 a^2 \log(e^{(dx+c)} + 1) + 15 a^2 \log(|e^{(dx+c)} - 1|) - \frac{2(15 abe^{(9dx+9c)} + 15 b^2 e^{(9dx+9c)} + 30 abe^{(7dx+7c)} + 20 b^2 e^{(7dx+5c)})}{15 d}$$


---

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*(a+b\*tanh(d\*x+c)^3)^2,x, algorithm="giac")

[Out] 1/15\*(30\*a\*b\*arctan(e^(d\*x + c)) - 15\*a^2\*log(e^(d\*x + c) + 1) + 15\*a^2\*log(abs(e^(d\*x + c) - 1)) - 2\*(15\*a\*b\*e^(9\*d\*x + 9\*c) + 15\*b^2\*e^(9\*d\*x + 9\*c) + 30\*a\*b\*e^(7\*d\*x + 7\*c) + 20\*b^2\*e^(7\*d\*x + 7\*c) + 58\*b^2\*e^(5\*d\*x + 5\*c) - 30\*a\*b\*e^(3\*d\*x + 3\*c) + 20\*b^2\*e^(3\*d\*x + 3\*c) - 15\*a\*b\*e^(d\*x + c) + 15\*b^2\*e^(d\*x + c))/(e^(2\*d\*x + 2\*c) + 1)^5/d

### 3.62 $\int \operatorname{csch}^2(c + dx) \left( a + b \tanh^3(c + dx) \right)^2 dx$

**Optimal.** Leaf size=47

$$-\frac{a^2 \operatorname{coth}(c + dx)}{d} + \frac{ab \tanh^2(c + dx)}{d} + \frac{b^2 \tanh^5(c + dx)}{5d}$$

[Out]  $-\left(\frac{a^2 \operatorname{Coth}[c + d*x]}{d}\right) + \left(\frac{a*b*\operatorname{Tanh}[c + d*x]^2}{d}\right) + \left(\frac{b^2*\operatorname{Tanh}[c + d*x]^5}{5*d}\right)$

**Rubi [A]** time = 0.0581107, antiderivative size = 47, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {3663, 270}

$$-\frac{a^2 \operatorname{coth}(c + dx)}{d} + \frac{ab \tanh^2(c + dx)}{d} + \frac{b^2 \tanh^5(c + dx)}{5d}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[\operatorname{Csch}[c + d*x]^2*(a + b*\operatorname{Tanh}[c + d*x]^3)^2, x]$

[Out]  $-\left(\frac{a^2 \operatorname{Coth}[c + d*x]}{d}\right) + \left(\frac{a*b*\operatorname{Tanh}[c + d*x]^2}{d}\right) + \left(\frac{b^2*\operatorname{Tanh}[c + d*x]^5}{5*d}\right)$

#### Rule 3663

```
Int[sin[(e_.) + (f_.)*(x_)]^(m_.)*((a_.) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)]))^(n_.)]^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff^(m + 1))/f, Subst[Int[(x^m*(a + b*(ff*x)^n)^p]/(c^2 + ff^2*x^2)^(m/2 + 1), x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2]
```

#### Rule 270

```
Int[((c_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]
```

#### Rubi steps

$$\begin{aligned}
\int \operatorname{csch}^2(c+dx) (a+b \tanh^3(c+dx))^2 dx &= \frac{\operatorname{Subst}\left(\int \frac{(a+bx^3)^2}{x^2} dx, x, \tanh(c+dx)\right)}{d} \\
&= \frac{\operatorname{Subst}\left(\int \left(\frac{a^2}{x^2} + 2abx + b^2x^4\right) dx, x, \tanh(c+dx)\right)}{d} \\
&= -\frac{a^2 \operatorname{coth}(c+dx)}{d} + \frac{ab \tanh^2(c+dx)}{d} + \frac{b^2 \tanh^5(c+dx)}{5d}
\end{aligned}$$

**Mathematica [A]** time = 0.220764, size = 94, normalized size = 2.

$$-\frac{a^2 \operatorname{coth}(c+dx)}{d} - \frac{ab \operatorname{sech}^2(c+dx)}{d} + \frac{b^2 \tanh(c+dx)}{5d} + \frac{b^2 \tanh(c+dx) \operatorname{sech}^4(c+dx)}{5d} - \frac{2b^2 \tanh(c+dx) \operatorname{sech}^2(c+dx)}{5d}$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]^2\*(a + b\*Tanh[c + d\*x]^3)^2,x]

[Out] -((a^2\*Coth[c + d\*x])/d) - (a\*b\*Sech[c + d\*x]^2)/d + (b^2\*Tanh[c + d\*x])/(5\*d) - (2\*b^2\*Sech[c + d\*x]^2\*Tanh[c + d\*x])/(5\*d) + (b^2\*Sech[c + d\*x]^4\*Tanh[c + d\*x])/(5\*d)

**Maple [B]** time = 0.067, size = 105, normalized size = 2.2

$$\frac{1}{d} \left( -a^2 \operatorname{coth}(dx+c) + \frac{ab (\sinh(dx+c))^2}{(\cosh(dx+c))^2} + b^2 \left( -\frac{(\sinh(dx+c))^3}{2 (\cosh(dx+c))^5} - \frac{3 \sinh(dx+c)}{8 (\cosh(dx+c))^5} + \frac{3 \tanh(dx+c)}{8} \left( \frac{8}{15} + \frac{\operatorname{sech}(dx+c)}{15} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csch(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^3)^2,x)

[Out] 1/d\*(-a^2\*coth(d\*x+c)+a\*b\*sinh(d\*x+c)^2/cosh(d\*x+c)^2+b^2\*(-1/2\*sinh(d\*x+c)^3/cosh(d\*x+c)^5-3/8\*sinh(d\*x+c)/cosh(d\*x+c)^5+3/8\*(8/15+1/5\*sech(d\*x+c)^4+4/15\*sech(d\*x+c)^2)\*tanh(d\*x+c))

**Maxima [B]** time = 1.05468, size = 346, normalized size = 7.36

$$\frac{2}{5} b^2 \left( \frac{10 e^{(-4dx-4c)}}{d(5e^{(-2dx-2c)} + 10e^{(-4dx-4c)} + 10e^{(-6dx-6c)} + 5e^{(-8dx-8c)} + e^{(-10dx-10c)} + 1)} \right) + \frac{5e^{(-2dx-2c)}}{d(5e^{(-2dx-2c)} + 10e^{(-4dx-4c)} + 10e^{(-6dx-6c)} + 5e^{(-8dx-8c)} + e^{(-10dx-10c)} + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^3)^2,x, algorithm="maxima")

[Out]  $\frac{2}{5} b^2 \left( \frac{10 e^{(-4dx-4c)}}{d(5e^{(-2dx-2c)} + 10e^{(-4dx-4c)} + 10e^{(-6dx-6c)} + 5e^{(-8dx-8c)} + e^{(-10dx-10c)} + 1)} + \frac{5e^{(-2dx-2c)}}{d(5e^{(-2dx-2c)} + 10e^{(-4dx-4c)} + 10e^{(-6dx-6c)} + 5e^{(-8dx-8c)} + e^{(-10dx-10c)} + 1)} + \frac{5e^{(-6dx-6c)}}{d(5e^{(-2dx-2c)} + 10e^{(-4dx-4c)} + 10e^{(-6dx-6c)} + 5e^{(-8dx-8c)} + e^{(-10dx-10c)} + 1)} + \frac{5e^{(-8dx-8c)}}{d(5e^{(-2dx-2c)} + 10e^{(-4dx-4c)} + 10e^{(-6dx-6c)} + 5e^{(-8dx-8c)} + e^{(-10dx-10c)} + 1)} + \frac{1}{d(5e^{(-2dx-2c)} + 10e^{(-4dx-4c)} + 10e^{(-6dx-6c)} + 5e^{(-8dx-8c)} + e^{(-10dx-10c)} + 1)} + 2a^2/(d*(e^{(-2dx-2c)} - 1)) - 4ab/(d*(e^{(dx+c)} + e^{(-dx-c)})^2) \right)$

**Fricas [B]** time = 2.17751, size = 1334, normalized size = 28.38

$$\frac{4 \left( (5a^2 + 5ab + 2b^2) \cosh(dx+c)^5 + 5(5a^2 + 5ab + 2b^2) \cosh(dx+c) \sinh(dx+c)^4 + (5ab + 3b^2) \sinh(dx+c)^5 \right)}{5 \left( d \cosh(dx+c)^7 + 7d \cosh(dx+c) \sinh(dx+c)^6 + d \sinh(dx+c)^7 + 3d \cosh(dx+c)^5 + (21d \cosh(dx+c)^2 + 5d) \sinh(dx+c)^4 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^3)^2,x, algorithm="fricas")

[Out]  $-4/5 * ((5a^2 + 5ab + 2b^2) * \cosh(dx+c)^5 + 5 * (5a^2 + 5ab + 2b^2) * \cosh(dx+c) * \sinh(dx+c)^4 + (5ab + 3b^2) * \sinh(dx+c)^5 + (25a^2 + 5ab - 2b^2) * \cosh(dx+c)^3 + (10 * (5ab + 3b^2) * \cosh(dx+c)^2 + 15ab - 3b^2) * \sinh(dx+c)^3 + (10 * (5a^2 + 5ab + 2b^2) * \cosh(dx+c)^3 + 3 * (25a^2 + 5ab - 2b^2) * \cosh(dx+c)) * \sinh(dx+c)^2 + 10 * (5a^2 - ab) * \cosh(dx+c) + (5 * (5ab + 3b^2) * \cosh(dx+c)^4 + 9 * (5ab - b^2) * \cosh(dx+c)^2 + 10ab + 10b^2) * \sinh(dx+c)) / (d * \cosh(dx+c)^7 + 7 * d * \cosh(dx+c) * \sinh(dx+c)^6 + d * \sinh(dx+c)^7 + 3 * d * \cosh(dx+c)^5 + (21 * d * \cosh(dx+c)^2 + 5 * d) * \sinh(dx+c)^4 + 5 * (7 * d * \cosh(dx+c)^3 + 3 * d * \cosh(dx+c)) * \sinh(dx+c)^2 + d * \cosh(dx+c)^3 + (35 * d * \cosh(dx+c)^4 + 50 * d * \cosh(dx+c)^2 + 9 * d) * \sinh(dx+c)^3 + 3 * (7 * d * \cosh(dx+c)^5 + 10 * d * \cosh(dx+c)^3 + d * \cosh(dx+c)) * \sinh(dx+c)^2 - 5 * d * \cosh(dx+c) + (7 * d * \cosh(dx+c)^6 + 25 * d * \cosh(dx+c)^4 + 27 * d * \cosh(dx+c)^2 + 5 * d) * \sinh(dx+c))$



---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (a + b \tanh^3(c + dx))^2 \operatorname{csch}^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*\*2\*(a+b\*tanh(d\*x+c)\*\*3)\*\*2,x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*3)\*\*2\*csch(c + d\*x)\*\*2, x)

---

**Giac [B]** time = 1.61257, size = 165, normalized size = 3.51

$$\frac{2 \left( \frac{5a^2}{e^{(2dx+2c)-1}} + \frac{10abe^{(8dx+8c)} + 5b^2e^{(8dx+8c)} + 30abe^{(6dx+6c)} + 30abe^{(4dx+4c)} + 10b^2e^{(4dx+4c)} + 10abe^{(2dx+2c)} + b^2}{(e^{(2dx+2c)+1})^5} \right)}{5d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^3)^2,x, algorithm="giac")

[Out] 
$$-2/5*(5*a^2/(e^{(2*d*x + 2*c)} - 1) + (10*a*b*e^{(8*d*x + 8*c)} + 5*b^2*e^{(8*d*x + 8*c)} + 30*a*b*e^{(6*d*x + 6*c)} + 30*a*b*e^{(4*d*x + 4*c)} + 10*b^2*e^{(4*d*x + 4*c)} + 10*a*b*e^{(2*d*x + 2*c)} + b^2)/(e^{(2*d*x + 2*c)} + 1)^5)/d$$

### 3.63 $\int \operatorname{csch}^3(c + dx) \left( a + b \tanh^3(c + dx) \right)^2 dx$

**Optimal.** Leaf size=107

$$\frac{a^2 \tanh^{-1}(\cosh(c + dx))}{2d} - \frac{a^2 \coth(c + dx) \operatorname{csch}(c + dx)}{2d} + \frac{ab \tan^{-1}(\sinh(c + dx))}{d} + \frac{ab \tanh(c + dx) \operatorname{sech}(c + dx)}{d} + \frac{b^2 \operatorname{sech}^3(c + dx)}{3d} + \frac{b^2 \operatorname{sech}(c + dx) \tanh^3(c + dx)}{5d}$$

[Out] (a\*b\*ArcTan[Sinh[c + d\*x]])/d + (a^2\*ArcTanh[Cosh[c + d\*x]])/(2\*d) - (a^2\*Coth[c + d\*x]\*Csch[c + d\*x])/(2\*d) - (b^2\*Sech[c + d\*x]^3)/(3\*d) + (b^2\*Sech[c + d\*x]^5)/(5\*d) + (a\*b\*Sech[c + d\*x]\*Tanh[c + d\*x])/d

**Rubi [A]** time = 0.159902, antiderivative size = 107, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {3666, 3768, 3770, 2606, 14}

$$\frac{a^2 \tanh^{-1}(\cosh(c + dx))}{2d} - \frac{a^2 \coth(c + dx) \operatorname{csch}(c + dx)}{2d} + \frac{ab \tan^{-1}(\sinh(c + dx))}{d} + \frac{ab \tanh(c + dx) \operatorname{sech}(c + dx)}{d} + \frac{b^2 \operatorname{sech}^3(c + dx)}{3d} + \frac{b^2 \operatorname{sech}(c + dx) \tanh^3(c + dx)}{5d}$$

Antiderivative was successfully verified.

[In] Int[Csch[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^3)^2,x]

[Out] (a\*b\*ArcTan[Sinh[c + d\*x]])/d + (a^2\*ArcTanh[Cosh[c + d\*x]])/(2\*d) - (a^2\*Coth[c + d\*x]\*Csch[c + d\*x])/(2\*d) - (b^2\*Sech[c + d\*x]^3)/(3\*d) + (b^2\*Sech[c + d\*x]^5)/(5\*d) + (a\*b\*Sech[c + d\*x]\*Tanh[c + d\*x])/d

#### Rule 3666

Int[((d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((a\_.) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_))^(p\_.), x\_Symbol] :> Int[ExpandTrig[(d\*sin[e + f\*x])^m\*(a + b\*(c\*tan[e + f\*x])^n)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p, 0]

#### Rule 3768

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] :> -Simp[(b\*cos[c + d\*x]\*(b\*csc[c + d\*x])^(n - 1))/(d\*(n - 1)), x] + Dist[(b^2\*(n - 2))/(n - 1), Int[(b\*csc[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
  /; FreeQ[{c, d}, x]
```

### Rule 2606

```
Int[((a_.)*sec[(e_.) + (f_.)*(x_)])^(m_.)*((b_.)*tan[(e_.) + (f_.)*(x_)])^(
n_.), x_Symbol] := Dist[a/f, Subst[Int[(a*x)^(m - 1)*(-1 + x^2)^((n - 1)/2)
, x], x, Sec[e + f*x]], x] /; FreeQ[{a, e, f, m}, x] && IntegerQ[(n - 1)/2]
&& !(IntegerQ[m/2] && LtQ[0, m, n + 1])
```

### Rule 14

```
Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x]
, x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_
+ (b_.)*(v_)] /; FreeQ[{a, b}, x] && InverseFunctionQ[v]
```

### Rubi steps

$$\begin{aligned}
\int \operatorname{csch}^3(c + dx) (a + b \tanh^3(c + dx))^2 dx &= - \left( i \int (ia^2 \operatorname{csch}^3(c + dx) + 2iab \operatorname{sech}^3(c + dx) + ib^2 \operatorname{sech}^3(c + dx) \tanh^3(c + dx)) dx \right. \\
&= a^2 \int \operatorname{csch}^3(c + dx) dx + (2ab) \int \operatorname{sech}^3(c + dx) dx + b^2 \int \operatorname{sech}^3(c + dx) \tanh^3(c + dx) dx \\
&= -\frac{a^2 \coth(c + dx) \operatorname{csch}(c + dx)}{2d} + \frac{ab \operatorname{sech}(c + dx) \tanh(c + dx)}{d} - \frac{1}{2} a^2 \int \operatorname{csch}^3(c + dx) dx \\
&= \frac{ab \tan^{-1}(\sinh(c + dx))}{d} + \frac{a^2 \tanh^{-1}(\cosh(c + dx))}{2d} - \frac{a^2 \coth(c + dx) \operatorname{csch}(c + dx)}{2d} \\
&= \frac{ab \tan^{-1}(\sinh(c + dx))}{d} + \frac{a^2 \tanh^{-1}(\cosh(c + dx))}{2d} - \frac{a^2 \coth(c + dx) \operatorname{csch}(c + dx)}{2d}
\end{aligned}$$

**Mathematica [A]** time = 0.150823, size = 138, normalized size = 1.29

$$\frac{a^2 \operatorname{csch}^2\left(\frac{1}{2}(c + dx)\right)}{8d} - \frac{a^2 \operatorname{sech}^2\left(\frac{1}{2}(c + dx)\right)}{8d} - \frac{a^2 \log\left(\tanh\left(\frac{1}{2}(c + dx)\right)\right)}{2d} + \frac{2ab \tan^{-1}\left(\tanh\left(\frac{1}{2}(c + dx)\right)\right)}{d} + \frac{ab \tanh(c + dx)}{d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Csch[c + d*x]^3*(a + b*Tanh[c + d*x]^3)^2,x]
```

```
[Out] (2*a*b*ArcTan[Tanh[(c + d*x)/2]])/d - (a^2*Csch[(c + d*x)/2]^2)/(8*d) - (a^
2*Log[Tanh[(c + d*x)/2]])/(2*d) - (a^2*Sech[(c + d*x)/2]^2)/(8*d) - (b^2*Se
ch[c + d*x]^3)/(3*d) + (b^2*Sech[c + d*x]^5)/(5*d) + (a*b*Sech[c + d*x]*Tan
```

$h[c + d*x])/d$

**Maple [A]** time = 0.085, size = 154, normalized size = 1.4

$$-\frac{a^2 \coth(dx+c) \operatorname{csch}(dx+c)}{2d} + \frac{a^2 \operatorname{Arctanh}(e^{dx+c})}{d} + \frac{ab \operatorname{sech}(dx+c) \tanh(dx+c)}{d} + 2 \frac{ab \arctan(e^{dx+c})}{d} - \frac{b^2 (\sinh(dx+c))}{5d \cosh(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(csch(d*x+c)^3*(a+b*tanh(d*x+c)^3)^2,x)`

[Out]  $-1/2*a^2*\coth(d*x+c)*\operatorname{csch}(d*x+c)/d+1/d*a^2*\arctan(\exp(d*x+c))+1/d*a*b*\operatorname{sech}(d*x+c)*\tanh(d*x+c)+2/d*a*b*\arctan(\exp(d*x+c))-1/5/d*b^2*\sinh(d*x+c)^2/\cosh(d*x+c)^5+2/15/d*b^2*\sinh(d*x+c)^2/\cosh(d*x+c)^3+2/15/d*b^2*\sinh(d*x+c)^2/\cosh(d*x+c)-2/15*b^2*\cosh(d*x+c)/d$

**Maxima [B]** time = 1.5607, size = 510, normalized size = 4.77

$$-2ab \left( \frac{\arctan(e^{-dx-c})}{d} - \frac{e^{-dx-c} - e^{-3dx-3c}}{d(2e^{-2dx-2c} + e^{-4dx-4c} + 1)} \right) + \frac{1}{2} a^2 \left( \frac{\log(e^{-dx-c} + 1)}{d} - \frac{\log(e^{-dx-c} - 1)}{d} \right) + \frac{2(e^{-dx-c})}{d(2e^{-2dx-2c} + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csch(d*x+c)^3*(a+b*tanh(d*x+c)^3)^2,x, algorithm="maxima")`

[Out]  $-2*a*b*(\arctan(e^{(-d*x - c)})/d - (e^{(-d*x - c)} - e^{(-3*d*x - 3*c)})/(d*(2*e^{(-2*d*x - 2*c)} + e^{(-4*d*x - 4*c)} + 1))) + 1/2*a^2*(\log(e^{(-d*x - c)} + 1)/d - \log(e^{(-d*x - c)} - 1)/d + 2*(e^{(-d*x - c)} + e^{(-3*d*x - 3*c)})/(d*(2*e^{(-2*d*x - 2*c)} - e^{(-4*d*x - 4*c)} - 1))) - 8/15*b^2*(5*e^{(-3*d*x - 3*c)})/(d*(5*e^{(-2*d*x - 2*c)} + 10*e^{(-4*d*x - 4*c)} + 10*e^{(-6*d*x - 6*c)} + 5*e^{(-8*d*x - 8*c)} + e^{(-10*d*x - 10*c)} + 1)) - 2*e^{(-5*d*x - 5*c)}/(d*(5*e^{(-2*d*x - 2*c)} + 10*e^{(-4*d*x - 4*c)} + 10*e^{(-6*d*x - 6*c)} + 5*e^{(-8*d*x - 8*c)} + e^{(-10*d*x - 10*c)} + 1)) + 5*e^{(-7*d*x - 7*c)}/(d*(5*e^{(-2*d*x - 2*c)} + 10*e^{(-4*d*x - 4*c)} + 10*e^{(-6*d*x - 6*c)} + 5*e^{(-8*d*x - 8*c)} + e^{(-10*d*x - 10*c)} + 1)))$

**Fricas [B]** time = 2.99178, size = 12523, normalized size = 117.04

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^3)^2,x, algorithm="fricas")

[Out] 
$$\begin{aligned} & -1/30*(30*(a^2 - 2*a*b)*\cosh(d*x + c)^{13} + 390*(a^2 - 2*a*b)*\cosh(d*x + c)* \\ & \sinh(d*x + c)^{12} + 30*(a^2 - 2*a*b)*\sinh(d*x + c)^{13} + 20*(9*a^2 + 4*b^2)*\cosh(d*x + c)^{11} + 20*(117*(a^2 - 2*a*b)*\cosh(d*x + c)^2 + 9*a^2 + 4*b^2)*\sinh(d*x + c)^{11} + 220*(39*(a^2 - 2*a*b)*\cosh(d*x + c)^3 + (9*a^2 + 4*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^{10} + 6*(75*a^2 + 30*a*b - 32*b^2)*\cosh(d*x + c)^9 + 2*(10725*(a^2 - 2*a*b)*\cosh(d*x + c)^4 + 550*(9*a^2 + 4*b^2)*\cosh(d*x + c)^2 + 225*a^2 + 90*a*b - 96*b^2)*\sinh(d*x + c)^9 + 6*(6435*(a^2 - 2*a*b)*\cosh(d*x + c)^5 + 550*(9*a^2 + 4*b^2)*\cosh(d*x + c)^3 + 9*(75*a^2 + 30*a*b - 32*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^8 + 8*(75*a^2 + 28*b^2)*\cosh(d*x + c)^7 + 8*(6435*(a^2 - 2*a*b)*\cosh(d*x + c)^6 + 825*(9*a^2 + 4*b^2)*\cosh(d*x + c)^4 + 27*(75*a^2 + 30*a*b - 32*b^2)*\cosh(d*x + c)^2 + 75*a^2 + 28*b^2)*\sinh(d*x + c)^7 + 8*(6435*(a^2 - 2*a*b)*\cosh(d*x + c)^7 + 1155*(9*a^2 + 4*b^2)*\cosh(d*x + c)^5 + 63*(75*a^2 + 30*a*b - 32*b^2)*\cosh(d*x + c)^3 + 7*(75*a^2 + 28*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^6 + 6*(75*a^2 - 30*a*b - 32*b^2)*\cosh(d*x + c)^5 + 6*(6435*(a^2 - 2*a*b)*\cosh(d*x + c)^8 + 1540*(9*a^2 + 4*b^2)*\cosh(d*x + c)^6 + 126*(75*a^2 + 30*a*b - 32*b^2)*\cosh(d*x + c)^4 + 28*(75*a^2 + 28*b^2)*\cosh(d*x + c)^2 + 75*a^2 - 30*a*b - 32*b^2)*\sinh(d*x + c)^5 + 2*(10725*(a^2 - 2*a*b)*\cosh(d*x + c)^9 + 3300*(9*a^2 + 4*b^2)*\cosh(d*x + c)^7 + 378*(75*a^2 + 30*a*b - 32*b^2)*\cosh(d*x + c)^5 + 140*(75*a^2 + 28*b^2)*\cosh(d*x + c)^3 + 15*(75*a^2 - 30*a*b - 32*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^4 + 20*(9*a^2 + 4*b^2)*\cosh(d*x + c)^3 + 4*(2145*(a^2 - 2*a*b)*\cosh(d*x + c)^{10} + 825*(9*a^2 + 4*b^2)*\cosh(d*x + c)^8 + 126*(75*a^2 + 30*a*b - 32*b^2)*\cosh(d*x + c)^6 + 70*(75*a^2 + 28*b^2)*\cosh(d*x + c)^4 + 15*(75*a^2 - 30*a*b - 32*b^2)*\cosh(d*x + c)^2 + 45*a^2 + 20*b^2)*\sinh(d*x + c)^3 + 4*(585*(a^2 - 2*a*b)*\cosh(d*x + c)^{11} + 275*(9*a^2 + 4*b^2)*\cosh(d*x + c)^9 + 54*(75*a^2 + 30*a*b - 32*b^2)*\cosh(d*x + c)^7 + 42*(75*a^2 + 28*b^2)*\cosh(d*x + c)^5 + 15*(75*a^2 - 30*a*b - 32*b^2)*\cosh(d*x + c)^3 + 15*(9*a^2 + 4*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^2 - 60*(a*b*\cosh(d*x + c)^{14} + 14*a*b*\cosh(d*x + c)*\sinh(d*x + c)^{13} + a*b*\sinh(d*x + c)^{14} + 3*a*b*\cosh(d*x + c)^{12} + (91*a*b*\cosh(d*x + c)^2 + 3*a*b)*\sinh(d*x + c)^{12} + a*b*\cosh(d*x + c)^{10} + 4*(91*a*b*\cosh(d*x + c)^3 + 9*a*b*\cosh(d*x + c))*\sinh(d*x + c)^{11} + (1001*a*b*\cosh(d*x + c)^4 + 198*a*b*\cosh(d*x + c)^2 + a*b)*\sinh(d*x + c)^{10} - 5*a*b*\cosh(d*x + c)^8 + 2*(1001*a*b*\cosh(d*x + c)^5 + 330*a*b*\cosh(d*x + c)^3 + 5*a*b*\cosh(d*x + c))*\sinh(d*x + c)^9 + (3003*a*b*\cosh(d*x + c)^6 + 1485*a*b*\cosh(d*x + c)^4 + 45*a*b*\cosh(d*x + c)^2 - 5*a*b)*\sinh(d*x + c)^8 - 5*a*b*\cosh(d*x + c)^6 + 8*(429*a*b*\cosh(d*x + c)^7 + 297*a*b*\cosh(d*x + c)^5 \end{aligned}$$

$$\begin{aligned}
& + 15*a*b*cosh(d*x + c)^3 - 5*a*b*cosh(d*x + c))*sinh(d*x + c)^7 + (3003*a* \\
& b*cosh(d*x + c)^8 + 2772*a*b*cosh(d*x + c)^6 + 210*a*b*cosh(d*x + c)^4 - 14 \\
& 0*a*b*cosh(d*x + c)^2 - 5*a*b)*sinh(d*x + c)^6 + a*b*cosh(d*x + c)^4 + 2*(1 \\
& 001*a*b*cosh(d*x + c)^9 + 1188*a*b*cosh(d*x + c)^7 + 126*a*b*cosh(d*x + c)^ \\
& 5 - 140*a*b*cosh(d*x + c)^3 - 15*a*b*cosh(d*x + c))*sinh(d*x + c)^5 + (1001 \\
& *a*b*cosh(d*x + c)^10 + 1485*a*b*cosh(d*x + c)^8 + 210*a*b*cosh(d*x + c)^6 \\
& - 350*a*b*cosh(d*x + c)^4 - 75*a*b*cosh(d*x + c)^2 + a*b)*sinh(d*x + c)^4 + \\
& 3*a*b*cosh(d*x + c)^2 + 4*(91*a*b*cosh(d*x + c)^11 + 165*a*b*cosh(d*x + c) \\
& ^9 + 30*a*b*cosh(d*x + c)^7 - 70*a*b*cosh(d*x + c)^5 - 25*a*b*cosh(d*x + c) \\
& ^3 + a*b*cosh(d*x + c))*sinh(d*x + c)^3 + (91*a*b*cosh(d*x + c)^12 + 198*a* \\
& b*cosh(d*x + c)^10 + 45*a*b*cosh(d*x + c)^8 - 140*a*b*cosh(d*x + c)^6 - 75* \\
& a*b*cosh(d*x + c)^4 + 6*a*b*cosh(d*x + c)^2 + 3*a*b)*sinh(d*x + c)^2 + a*b \\
& + 2*(7*a*b*cosh(d*x + c)^13 + 18*a*b*cosh(d*x + c)^11 + 5*a*b*cosh(d*x + c) \\
& ^9 - 20*a*b*cosh(d*x + c)^7 - 15*a*b*cosh(d*x + c)^5 + 2*a*b*cosh(d*x + c)^ \\
& 3 + 3*a*b*cosh(d*x + c))*sinh(d*x + c))*arctan(cosh(d*x + c) + sinh(d*x + c) \\
& )) + 30*(a^2 + 2*a*b)*cosh(d*x + c) - 15*(a^2*cosh(d*x + c)^14 + 14*a^2*cos \\
& h(d*x + c)*sinh(d*x + c)^13 + a^2*sinh(d*x + c)^14 + 3*a^2*cosh(d*x + c)^12 \\
& + (91*a^2*cosh(d*x + c)^2 + 3*a^2)*sinh(d*x + c)^12 + a^2*cosh(d*x + c)^10 \\
& + 4*(91*a^2*cosh(d*x + c)^3 + 9*a^2*cosh(d*x + c))*sinh(d*x + c)^11 + (100 \\
& 1*a^2*cosh(d*x + c)^4 + 198*a^2*cosh(d*x + c)^2 + a^2)*sinh(d*x + c)^10 - 5 \\
& *a^2*cosh(d*x + c)^8 + 2*(1001*a^2*cosh(d*x + c)^5 + 330*a^2*cosh(d*x + c)^ \\
& 3 + 5*a^2*cosh(d*x + c))*sinh(d*x + c)^9 + (3003*a^2*cosh(d*x + c)^6 + 1485 \\
& *a^2*cosh(d*x + c)^4 + 45*a^2*cosh(d*x + c)^2 - 5*a^2)*sinh(d*x + c)^8 - 5* \\
& a^2*cosh(d*x + c)^6 + 8*(429*a^2*cosh(d*x + c)^7 + 297*a^2*cosh(d*x + c)^5 \\
& + 15*a^2*cosh(d*x + c)^3 - 5*a^2*cosh(d*x + c))*sinh(d*x + c)^7 + (3003*a^2 \\
& *cosh(d*x + c)^8 + 2772*a^2*cosh(d*x + c)^6 + 210*a^2*cosh(d*x + c)^4 - 140 \\
& *a^2*cosh(d*x + c)^2 - 5*a^2)*sinh(d*x + c)^6 + a^2*cosh(d*x + c)^4 + 2*(10 \\
& 01*a^2*cosh(d*x + c)^9 + 1188*a^2*cosh(d*x + c)^7 + 126*a^2*cosh(d*x + c)^5 \\
& - 140*a^2*cosh(d*x + c)^3 - 15*a^2*cosh(d*x + c))*sinh(d*x + c)^5 + (1001* \\
& a^2*cosh(d*x + c)^10 + 1485*a^2*cosh(d*x + c)^8 + 210*a^2*cosh(d*x + c)^6 - \\
& 350*a^2*cosh(d*x + c)^4 - 75*a^2*cosh(d*x + c)^2 + a^2)*sinh(d*x + c)^4 + \\
& 3*a^2*cosh(d*x + c)^2 + 4*(91*a^2*cosh(d*x + c)^11 + 165*a^2*cosh(d*x + c)^ \\
& 9 + 30*a^2*cosh(d*x + c)^7 - 70*a^2*cosh(d*x + c)^5 - 25*a^2*cosh(d*x + c)^ \\
& 3 + a^2*cosh(d*x + c))*sinh(d*x + c)^3 + (91*a^2*cosh(d*x + c)^12 + 198*a^2 \\
& *cosh(d*x + c)^10 + 45*a^2*cosh(d*x + c)^8 - 140*a^2*cosh(d*x + c)^6 - 75*a \\
& ^2*cosh(d*x + c)^4 + 6*a^2*cosh(d*x + c)^2 + 3*a^2)*sinh(d*x + c)^2 + a^2 + \\
& 2*(7*a^2*cosh(d*x + c)^13 + 18*a^2*cosh(d*x + c)^11 + 5*a^2*cosh(d*x + c)^ \\
& 9 - 20*a^2*cosh(d*x + c)^7 - 15*a^2*cosh(d*x + c)^5 + 2*a^2*cosh(d*x + c)^3 \\
& + 3*a^2*cosh(d*x + c))*sinh(d*x + c))*log(cosh(d*x + c) + sinh(d*x + c) + \\
& 1) + 15*(a^2*cosh(d*x + c)^14 + 14*a^2*cosh(d*x + c)*sinh(d*x + c)^13 + a^2 \\
& *sinh(d*x + c)^14 + 3*a^2*cosh(d*x + c)^12 + (91*a^2*cosh(d*x + c)^2 + 3*a^ \\
& 2)*sinh(d*x + c)^12 + a^2*cosh(d*x + c)^10 + 4*(91*a^2*cosh(d*x + c)^3 + 9* \\
& a^2*cosh(d*x + c))*sinh(d*x + c)^11 + (1001*a^2*cosh(d*x + c)^4 + 198*a^2*c \\
& osh(d*x + c)^2 + a^2)*sinh(d*x + c)^10 - 5*a^2*cosh(d*x + c)^8 + 2*(1001*a^ \\
& 2*cosh(d*x + c)^5 + 330*a^2*cosh(d*x + c)^3 + 5*a^2*cosh(d*x + c))*sinh(d*x
\end{aligned}$$

$$\begin{aligned}
& + c)^9 + (3003a^2\cosh(dx + c)^6 + 1485a^2\cosh(dx + c)^4 + 45a^2\cos \\
& h(dx + c)^2 - 5a^2)\sinh(dx + c)^8 - 5a^2\cosh(dx + c)^6 + 8*(429a^2* \\
& \cosh(dx + c)^7 + 297a^2\cosh(dx + c)^5 + 15a^2\cosh(dx + c)^3 - 5a^2* \\
& \cosh(dx + c))\sinh(dx + c)^7 + (3003a^2\cosh(dx + c)^8 + 2772a^2\cosh( \\
& dx + c)^6 + 210a^2\cosh(dx + c)^4 - 140a^2\cosh(dx + c)^2 - 5a^2)\sin \\
& h(dx + c)^6 + a^2\cosh(dx + c)^4 + 2*(1001a^2\cosh(dx + c)^9 + 1188a^2 \\
& *\cosh(dx + c)^7 + 126a^2\cosh(dx + c)^5 - 140a^2\cosh(dx + c)^3 - 15a \\
& ^2*\cosh(dx + c))\sinh(dx + c)^5 + (1001a^2\cosh(dx + c)^10 + 1485a^2*c \\
& osh(dx + c)^8 + 210a^2\cosh(dx + c)^6 - 350a^2\cosh(dx + c)^4 - 75a^2 \\
& *\cosh(dx + c)^2 + a^2)\sinh(dx + c)^4 + 3a^2\cosh(dx + c)^2 + 4*(91a^2 \\
& *\cosh(dx + c)^11 + 165a^2\cosh(dx + c)^9 + 30a^2\cosh(dx + c)^7 - 70a \\
& ^2*\cosh(dx + c)^5 - 25a^2\cosh(dx + c)^3 + a^2\cosh(dx + c))\sinh(dx + \\
& c)^3 + (91a^2\cosh(dx + c)^12 + 198a^2\cosh(dx + c)^10 + 45a^2\cosh(d \\
& *x + c)^8 - 140a^2\cosh(dx + c)^6 - 75a^2\cosh(dx + c)^4 + 6a^2\cosh(d \\
& *x + c)^2 + 3a^2)\sinh(dx + c)^2 + a^2 + 2*(7a^2\cosh(dx + c)^13 + 18a \\
& ^2*\cosh(dx + c)^11 + 5a^2\cosh(dx + c)^9 - 20a^2\cosh(dx + c)^7 - 15a \\
& ^2*\cosh(dx + c)^5 + 2a^2\cosh(dx + c)^3 + 3a^2\cosh(dx + c))\sinh(dx \\
& + c))*\log(\cosh(dx + c) + \sinh(dx + c) - 1) + 2*(195*(a^2 - 2a*b)*\cosh(dx \\
& + c)^12 + 110*(9a^2 + 4b^2)*\cosh(dx + c)^10 + 27*(75a^2 + 30a*b - 32 \\
& *b^2)*\cosh(dx + c)^8 + 28*(75a^2 + 28b^2)*\cosh(dx + c)^6 + 15*(75a^2 - \\
& 30a*b - 32b^2)*\cosh(dx + c)^4 + 30*(9a^2 + 4b^2)*\cosh(dx + c)^2 + 15 \\
& *a^2 + 30a*b)\sinh(dx + c))/(d*\cosh(dx + c)^14 + 14*d*\cosh(dx + c)*\sinh \\
& (dx + c)^13 + d*\sinh(dx + c)^14 + 3*d*\cosh(dx + c)^12 + (91*d*\cosh(dx + \\
& c)^2 + 3*d)*\sinh(dx + c)^12 + 4*(91*d*\cosh(dx + c)^3 + 9*d*\cosh(dx + c) \\
& )*\sinh(dx + c)^11 + d*\cosh(dx + c)^10 + (1001*d*\cosh(dx + c)^4 + 198*d*c \\
& osh(dx + c)^2 + d)*\sinh(dx + c)^10 + 2*(1001*d*\cosh(dx + c)^5 + 330*d*c \\
& osh(dx + c)^3 + 5*d*\cosh(dx + c))\sinh(dx + c)^9 - 5*d*\cosh(dx + c)^8 + \\
& (3003*d*\cosh(dx + c)^6 + 1485*d*\cosh(dx + c)^4 + 45*d*\cosh(dx + c)^2 - 5 \\
& *d)*\sinh(dx + c)^8 + 8*(429*d*\cosh(dx + c)^7 + 297*d*\cosh(dx + c)^5 + 15 \\
& *d*\cosh(dx + c)^3 - 5*d*\cosh(dx + c))\sinh(dx + c)^7 - 5*d*\cosh(dx + c) \\
& ^6 + (3003*d*\cosh(dx + c)^8 + 2772*d*\cosh(dx + c)^6 + 210*d*\cosh(dx + c) \\
& ^4 - 140*d*\cosh(dx + c)^2 - 5*d)*\sinh(dx + c)^6 + 2*(1001*d*\cosh(dx + c) \\
& ^9 + 1188*d*\cosh(dx + c)^7 + 126*d*\cosh(dx + c)^5 - 140*d*\cosh(dx + c)^3 \\
& - 15*d*\cosh(dx + c))\sinh(dx + c)^5 + d*\cosh(dx + c)^4 + (1001*d*\cosh(d \\
& *x + c)^10 + 1485*d*\cosh(dx + c)^8 + 210*d*\cosh(dx + c)^6 - 350*d*\cosh(dx \\
& + c)^4 - 75*d*\cosh(dx + c)^2 + d)*\sinh(dx + c)^4 + 4*(91*d*\cosh(dx + c) \\
& )^11 + 165*d*\cosh(dx + c)^9 + 30*d*\cosh(dx + c)^7 - 70*d*\cosh(dx + c)^5 \\
& - 25*d*\cosh(dx + c)^3 + d*\cosh(dx + c))\sinh(dx + c)^3 + 3*d*\cosh(dx + \\
& c)^2 + (91*d*\cosh(dx + c)^12 + 198*d*\cosh(dx + c)^10 + 45*d*\cosh(dx + c) \\
& ^8 - 140*d*\cosh(dx + c)^6 - 75*d*\cosh(dx + c)^4 + 6*d*\cosh(dx + c)^2 + 3 \\
& *d)*\sinh(dx + c)^2 + 2*(7*d*\cosh(dx + c)^13 + 18*d*\cosh(dx + c)^11 + 5*d \\
& *\cosh(dx + c)^9 - 20*d*\cosh(dx + c)^7 - 15*d*\cosh(dx + c)^5 + 2*d*\cosh(dx \\
& + c)^3 + 3*d*\cosh(dx + c))\sinh(dx + c) + d)
\end{aligned}$$

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (a + b \tanh^3(c + dx))^2 \operatorname{csch}^3(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*\*3\*(a+b\*tanh(d\*x+c)\*\*3)\*\*2,x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*3)\*\*2\*csch(c + d\*x)\*\*3, x)

---

**Giac [A]** time = 1.5929, size = 259, normalized size = 2.42

$$60 ab \arctan(e^{(dx+c)}) + 15 a^2 \log(e^{(dx+c)} + 1) - 15 a^2 \log(|e^{(dx+c)} - 1|) - \frac{30(a^2 e^{(3dx+3c)} + a^2 e^{(dx+c)})}{(e^{(2dx+2c)} - 1)^2} + \frac{4(15 ab e^{(9dx+9c)} + 30 ab e^{(7dx+7c)})}{30d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^3)^2,x, algorithm="giac")

[Out] 1/30\*(60\*a\*b\*arctan(e^(d\*x + c)) + 15\*a^2\*log(e^(d\*x + c) + 1) - 15\*a^2\*log(abs(e^(d\*x + c) - 1)) - 30\*(a^2\*e^(3\*d\*x + 3\*c) + a^2\*e^(d\*x + c))/(e^(2\*d\*x + 2\*c) - 1)^2 + 4\*(15\*a\*b\*e^(9\*d\*x + 9\*c) + 30\*a\*b\*e^(7\*d\*x + 7\*c) - 20\*b^2\*e^(7\*d\*x + 7\*c) + 8\*b^2\*e^(5\*d\*x + 5\*c) - 30\*a\*b\*e^(3\*d\*x + 3\*c) - 20\*b^2\*e^(3\*d\*x + 3\*c) - 15\*a\*b\*e^(d\*x + c))/(e^(2\*d\*x + 2\*c) + 1)^5/d



### 3.64 $\int \operatorname{csch}^4(c + dx) (a + b \tanh^3(c + dx))^2 dx$

**Optimal.** Leaf size=97

$$-\frac{a^2 \coth^3(c + dx)}{3d} + \frac{a^2 \coth(c + dx)}{d} - \frac{ab \tanh^2(c + dx)}{d} + \frac{2ab \log(\tanh(c + dx))}{d} - \frac{b^2 \tanh^5(c + dx)}{5d} + \frac{b^2 \tanh^3(c + dx)}{3d}$$

[Out] (a^2\*Coth[c + d\*x])/d - (a^2\*Coth[c + d\*x]^3)/(3\*d) + (2\*a\*b\*Log[Tanh[c + d\*x]])/d - (a\*b\*Tanh[c + d\*x]^2)/d + (b^2\*Tanh[c + d\*x]^3)/(3\*d) - (b^2\*Tanh[c + d\*x]^5)/(5\*d)

**Rubi [A]** time = 0.0980367, antiderivative size = 97, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {3663, 1802}

$$-\frac{a^2 \coth^3(c + dx)}{3d} + \frac{a^2 \coth(c + dx)}{d} - \frac{ab \tanh^2(c + dx)}{d} + \frac{2ab \log(\tanh(c + dx))}{d} - \frac{b^2 \tanh^5(c + dx)}{5d} + \frac{b^2 \tanh^3(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[Csch[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^3)^2,x]

[Out] (a^2\*Coth[c + d\*x])/d - (a^2\*Coth[c + d\*x]^3)/(3\*d) + (2\*a\*b\*Log[Tanh[c + d\*x]])/d - (a\*b\*Tanh[c + d\*x]^2)/d + (b^2\*Tanh[c + d\*x]^3)/(3\*d) - (b^2\*Tanh[c + d\*x]^5)/(5\*d)

#### Rule 3663

```
Int[sin[(e_.) + (f_.)*(x_)]^(m_.)*((a_.) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)]))^(n_.)]^(p_.), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff^(m + 1))/f, Subst[Int[(x^m*(a + b*(ff*x)^n)^p]/(c^2 + ff^2*x^2)^(m/2 + 1), x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2]
```

#### Rule 1802

```
Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^2)^p, x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]
```

#### Rubi steps

$$\int \operatorname{csch}^4(c+dx) (a+b \tanh^3(c+dx))^2 dx = \frac{\operatorname{Subst}\left(\int \frac{(1-x^2)(a+bx^3)^2}{x^4} dx, x, \tanh(c+dx)\right)}{d}$$

$$= \frac{\operatorname{Subst}\left(\int \left(\frac{a^2}{x^4} - \frac{a^2}{x^2} + \frac{2ab}{x} - 2abx + b^2x^2 - b^2x^4\right) dx, x, \tanh(c+dx)\right)}{d}$$

$$= \frac{a^2 \operatorname{coth}(c+dx)}{d} - \frac{a^2 \operatorname{coth}^3(c+dx)}{3d} + \frac{2ab \log(\tanh(c+dx))}{d} - \frac{ab \tanh^2(c+dx)}{d}$$

**Mathematica [A]** time = 0.185879, size = 147, normalized size = 1.52

$$\frac{2a^2 \operatorname{coth}(c+dx)}{3d} - \frac{a^2 \operatorname{coth}(c+dx) \operatorname{csch}^2(c+dx)}{3d} + \frac{ab \operatorname{sech}^2(c+dx)}{d} + \frac{2ab \log(\sinh(c+dx))}{d} - \frac{2ab \log(\cosh(c+dx))}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^3)^2,x]

[Out] (2\*a^2\*Coth[c + d\*x])/(3\*d) - (a^2\*Coth[c + d\*x]\*Csch[c + d\*x]^2)/(3\*d) - (2\*a\*b\*Log[Cosh[c + d\*x]])/d + (2\*a\*b\*Log[Sinh[c + d\*x]])/d + (a\*b\*Sech[c + d\*x]^2)/d + (2\*b^2\*Tanh[c + d\*x])/(15\*d) + (b^2\*Sech[c + d\*x]^2\*Tanh[c + d\*x])/(15\*d) - (b^2\*Sech[c + d\*x]^4\*Tanh[c + d\*x])/(5\*d)

**Maple [A]** time = 0.083, size = 146, normalized size = 1.5

$$\frac{2a^2 \operatorname{coth}(dx+c)}{3d} - \frac{a^2 \operatorname{coth}(dx+c) (\operatorname{csch}(dx+c))^2}{3d} + \frac{ab}{d (\cosh(dx+c))^2} + 2 \frac{ab \ln(\tanh(dx+c))}{d} - \frac{b^2 \sinh(dx+c)}{4d (\cosh(dx+c))^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csch(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^3)^2,x)

[Out] 2/3\*a^2\*coth(d\*x+c)/d-1/3/d\*a^2\*coth(d\*x+c)\*csch(d\*x+c)^2+1/d\*a\*b/cosh(d\*x+c)^2+2\*a\*b\*ln(tanh(d\*x+c))/d-1/4/d\*b^2\*sinh(d\*x+c)/cosh(d\*x+c)^5+2/15\*b^2\*tanh(d\*x+c)/d+1/20/d\*b^2\*tanh(d\*x+c)\*sech(d\*x+c)^4+1/15/d\*b^2\*tanh(d\*x+c)\*sech(d\*x+c)^2

**Maxima [B]** time = 1.58208, size = 632, normalized size = 6.52

$$2ab \left( \frac{\log(e^{(-dx-c)} + 1)}{d} + \frac{\log(e^{(-dx-c)} - 1)}{d} - \frac{\log(e^{(-2dx-2c)} + 1)}{d} + \frac{2e^{(-2dx-2c)}}{d(2e^{(-2dx-2c)} + e^{(-4dx-4c)} + 1)} \right) + \frac{4}{15} b^2 \left( \frac{1}{d(5e^{(-2dx-2c)} + 1)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^3)^2,x, algorithm="maxima")

[Out] 2\*a\*b\*(log(e^(-d\*x - c) + 1)/d + log(e^(-d\*x - c) - 1)/d - log(e^(-2\*d\*x - 2\*c) + 1)/d + 2\*e^(-2\*d\*x - 2\*c)/(d\*(2\*e^(-2\*d\*x - 2\*c) + e^(-4\*d\*x - 4\*c) + 1))) + 4/15\*b^2\*(5\*e^(-2\*d\*x - 2\*c)/(d\*(5\*e^(-2\*d\*x - 2\*c) + 10\*e^(-4\*d\*x - 4\*c) + 10\*e^(-6\*d\*x - 6\*c) + 5\*e^(-8\*d\*x - 8\*c) + e^(-10\*d\*x - 10\*c) + 1)) - 5\*e^(-4\*d\*x - 4\*c)/(d\*(5\*e^(-2\*d\*x - 2\*c) + 10\*e^(-4\*d\*x - 4\*c) + 10\*e^(-6\*d\*x - 6\*c) + 5\*e^(-8\*d\*x - 8\*c) + e^(-10\*d\*x - 10\*c) + 1)) + 15\*e^(-6\*d\*x - 6\*c)/(d\*(5\*e^(-2\*d\*x - 2\*c) + 10\*e^(-4\*d\*x - 4\*c) + 10\*e^(-6\*d\*x - 6\*c) + 5\*e^(-8\*d\*x - 8\*c) + e^(-10\*d\*x - 10\*c) + 1)) + 1/(d\*(5\*e^(-2\*d\*x - 2\*c) + 10\*e^(-4\*d\*x - 4\*c) + 10\*e^(-6\*d\*x - 6\*c) + 5\*e^(-8\*d\*x - 8\*c) + e^(-10\*d\*x - 10\*c) + 1))) + 4/3\*a^2\*(3\*e^(-2\*d\*x - 2\*c)/(d\*(3\*e^(-2\*d\*x - 2\*c) - 3\*e^(-4\*d\*x - 4\*c) + e^(-6\*d\*x - 6\*c) - 1)) - 1/(d\*(3\*e^(-2\*d\*x - 2\*c) - 3\*e^(-4\*d\*x - 4\*c) + e^(-6\*d\*x - 6\*c) - 1)))

**Fricas [B]** time = 2.81461, size = 11420, normalized size = 117.73

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^3)^2,x, algorithm="fricas")

[Out] 2/15\*(30\*a\*b\*cosh(d\*x + c)^14 + 420\*a\*b\*cosh(d\*x + c)\*sinh(d\*x + c)^13 + 30\*a\*b\*sinh(d\*x + c)^14 - 30\*(a^2 + b^2)\*cosh(d\*x + c)^12 + 30\*(91\*a\*b\*cosh(d\*x + c)^2 - a^2 - b^2)\*sinh(d\*x + c)^12 + 120\*(91\*a\*b\*cosh(d\*x + c)^3 - 3\*(a^2 + b^2)\*cosh(d\*x + c))\*sinh(d\*x + c)^11 - 10\*(14\*a^2 + 9\*a\*b - 10\*b^2)\*cosh(d\*x + c)^10 + 10\*(3003\*a\*b\*cosh(d\*x + c)^4 - 198\*(a^2 + b^2)\*cosh(d\*x + c)^2 - 14\*a^2 - 9\*a\*b + 10\*b^2)\*sinh(d\*x + c)^10 + 20\*(3003\*a\*b\*cosh(d\*x + c)^5 - 330\*(a^2 + b^2)\*cosh(d\*x + c)^3 - 5\*(14\*a^2 + 9\*a\*b - 10\*b^2)\*cosh(d\*x + c))\*sinh(d\*x + c)^9 - 10\*(25\*a^2 + 13\*b^2)\*cosh(d\*x + c)^8 + 10\*(9009\*a\*b\*cosh(d\*x + c)^6 - 1485\*(a^2 + b^2)\*cosh(d\*x + c)^4 - 45\*(14\*a^2 + 9\*a\*b - 10\*b^2)\*cosh(d\*x + c)^2 - 25\*a^2 - 13\*b^2)\*sinh(d\*x + c)^8 + 80\*(1287\*a\*b\*cosh(d\*x + c)^7 - 297\*(a^2 + b^2)\*cosh(d\*x + c)^5 - 15\*(14\*a^2 + 9\*a\*b -

$$\begin{aligned}
& 10*b^2)*\cosh(d*x + c)^3 - (25*a^2 + 13*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^7 \\
& - 2*(100*a^2 - 45*a*b - 44*b^2)*\cosh(d*x + c)^6 + 2*(45045*a*b*\cosh(d*x + \\
& c)^8 - 13860*(a^2 + b^2)*\cosh(d*x + c)^6 - 1050*(14*a^2 + 9*a*b - 10*b^2)*c \\
& osh(d*x + c)^4 - 140*(25*a^2 + 13*b^2)*\cosh(d*x + c)^2 - 100*a^2 + 45*a*b + \\
& 44*b^2)*\sinh(d*x + c)^6 + 4*(15015*a*b*\cosh(d*x + c)^9 - 5940*(a^2 + b^2)* \\
& cosh(d*x + c)^7 - 630*(14*a^2 + 9*a*b - 10*b^2)*\cosh(d*x + c)^5 - 140*(25*a \\
& ^2 + 13*b^2)*\cosh(d*x + c)^3 - 3*(100*a^2 - 45*a*b - 44*b^2)*\cosh(d*x + c)) \\
& *\sinh(d*x + c)^5 - 2*(25*a^2 + 17*b^2)*\cosh(d*x + c)^4 + 2*(15015*a*b*\cosh( \\
& d*x + c)^10 - 7425*(a^2 + b^2)*\cosh(d*x + c)^8 - 1050*(14*a^2 + 9*a*b - 10* \\
& b^2)*\cosh(d*x + c)^6 - 350*(25*a^2 + 13*b^2)*\cosh(d*x + c)^4 - 15*(100*a^2 \\
& - 45*a*b - 44*b^2)*\cosh(d*x + c)^2 - 25*a^2 - 17*b^2)*\sinh(d*x + c)^4 + 8*( \\
& 1365*a*b*\cosh(d*x + c)^11 - 825*(a^2 + b^2)*\cosh(d*x + c)^9 - 150*(14*a^2 + \\
& 9*a*b - 10*b^2)*\cosh(d*x + c)^7 - 70*(25*a^2 + 13*b^2)*\cosh(d*x + c)^5 - 5 \\
& *(100*a^2 - 45*a*b - 44*b^2)*\cosh(d*x + c)^3 - (25*a^2 + 17*b^2)*\cosh(d*x + \\
& c))*\sinh(d*x + c)^3 + 2*(10*a^2 - 15*a*b + 2*b^2)*\cosh(d*x + c)^2 + 2*(136 \\
& 5*a*b*\cosh(d*x + c)^12 - 990*(a^2 + b^2)*\cosh(d*x + c)^10 - 225*(14*a^2 + 9 \\
& *a*b - 10*b^2)*\cosh(d*x + c)^8 - 140*(25*a^2 + 13*b^2)*\cosh(d*x + c)^6 - 15 \\
& *(100*a^2 - 45*a*b - 44*b^2)*\cosh(d*x + c)^4 - 6*(25*a^2 + 17*b^2)*\cosh(d*x \\
& + c)^2 + 10*a^2 - 15*a*b + 2*b^2)*\sinh(d*x + c)^2 + 10*a^2 + 2*b^2 - 15*(a \\
& *b*\cosh(d*x + c)^16 + 16*a*b*\cosh(d*x + c)*\sinh(d*x + c)^15 + a*b*\sinh(d*x \\
& + c)^16 + 2*a*b*\cosh(d*x + c)^14 + 2*(60*a*b*\cosh(d*x + c)^2 + a*b)*\sinh(d* \\
& x + c)^14 - 2*a*b*\cosh(d*x + c)^12 + 28*(20*a*b*\cosh(d*x + c)^3 + a*b*\cosh( \\
& d*x + c))*\sinh(d*x + c)^13 + 2*(910*a*b*\cosh(d*x + c)^4 + 91*a*b*\cosh(d*x + \\
& c)^2 - a*b)*\sinh(d*x + c)^12 - 6*a*b*\cosh(d*x + c)^10 + 8*(546*a*b*\cosh(d* \\
& x + c)^5 + 91*a*b*\cosh(d*x + c)^3 - 3*a*b*\cosh(d*x + c))*\sinh(d*x + c)^11 + \\
& 2*(4004*a*b*\cosh(d*x + c)^6 + 1001*a*b*\cosh(d*x + c)^4 - 66*a*b*\cosh(d*x + \\
& c)^2 - 3*a*b)*\sinh(d*x + c)^10 + 4*(2860*a*b*\cosh(d*x + c)^7 + 1001*a*b*co \\
& sh(d*x + c)^5 - 110*a*b*\cosh(d*x + c)^3 - 15*a*b*\cosh(d*x + c))*\sinh(d*x + \\
& c)^9 + 6*(2145*a*b*\cosh(d*x + c)^8 + 1001*a*b*\cosh(d*x + c)^6 - 165*a*b*cos \\
& h(d*x + c)^4 - 45*a*b*\cosh(d*x + c)^2)*\sinh(d*x + c)^8 + 6*a*b*\cosh(d*x + c \\
& )^6 + 16*(715*a*b*\cosh(d*x + c)^9 + 429*a*b*\cosh(d*x + c)^7 - 99*a*b*\cosh(d \\
& *x + c)^5 - 45*a*b*\cosh(d*x + c)^3)*\sinh(d*x + c)^7 + 2*(4004*a*b*\cosh(d*x \\
& + c)^10 + 3003*a*b*\cosh(d*x + c)^8 - 924*a*b*\cosh(d*x + c)^6 - 630*a*b*\cosh \\
& (d*x + c)^4 + 3*a*b)*\sinh(d*x + c)^6 + 2*a*b*\cosh(d*x + c)^4 + 4*(1092*a*b* \\
& cosh(d*x + c)^11 + 1001*a*b*\cosh(d*x + c)^9 - 396*a*b*\cosh(d*x + c)^7 - 378 \\
& *a*b*\cosh(d*x + c)^5 + 9*a*b*\cosh(d*x + c))*\sinh(d*x + c)^5 + 2*(910*a*b*co \\
& sh(d*x + c)^12 + 1001*a*b*\cosh(d*x + c)^10 - 495*a*b*\cosh(d*x + c)^8 - 630* \\
& a*b*\cosh(d*x + c)^6 + 45*a*b*\cosh(d*x + c)^2 + a*b)*\sinh(d*x + c)^4 - 2*a*b \\
& *\cosh(d*x + c)^2 + 8*(70*a*b*\cosh(d*x + c)^13 + 91*a*b*\cosh(d*x + c)^11 - 5 \\
& 5*a*b*\cosh(d*x + c)^9 - 90*a*b*\cosh(d*x + c)^7 + 15*a*b*\cosh(d*x + c)^3 + a \\
& *b*\cosh(d*x + c))*\sinh(d*x + c)^3 + 2*(60*a*b*\cosh(d*x + c)^14 + 91*a*b*cos \\
& h(d*x + c)^12 - 66*a*b*\cosh(d*x + c)^10 - 135*a*b*\cosh(d*x + c)^8 + 45*a*b* \\
& cosh(d*x + c)^4 + 6*a*b*\cosh(d*x + c)^2 - a*b)*\sinh(d*x + c)^2 - a*b + 4*(4 \\
& *a*b*\cosh(d*x + c)^15 + 7*a*b*\cosh(d*x + c)^13 - 6*a*b*\cosh(d*x + c)^11 - 1 \\
& 5*a*b*\cosh(d*x + c)^9 + 9*a*b*\cosh(d*x + c)^5 + 2*a*b*\cosh(d*x + c)^3 - a*b
\end{aligned}$$

```

*cosh(d*x + c))*sinh(d*x + c))*log(2*cosh(d*x + c)/(cosh(d*x + c) - sinh(d*x + c))) + 15*(a*b*cosh(d*x + c)^16 + 16*a*b*cosh(d*x + c)*sinh(d*x + c)^15 + a*b*sinh(d*x + c)^16 + 2*a*b*cosh(d*x + c)^14 + 2*(60*a*b*cosh(d*x + c)^2 + a*b)*sinh(d*x + c)^14 - 2*a*b*cosh(d*x + c)^12 + 28*(20*a*b*cosh(d*x + c)^3 + a*b*cosh(d*x + c))*sinh(d*x + c)^13 + 2*(910*a*b*cosh(d*x + c)^4 + 911*a*b*cosh(d*x + c)^2 - a*b)*sinh(d*x + c)^12 - 6*a*b*cosh(d*x + c)^10 + 8*(546*a*b*cosh(d*x + c)^5 + 91*a*b*cosh(d*x + c)^3 - 3*a*b*cosh(d*x + c))*sinh(d*x + c)^11 + 2*(4004*a*b*cosh(d*x + c)^6 + 1001*a*b*cosh(d*x + c)^4 - 66*a*b*cosh(d*x + c)^2 - 3*a*b)*sinh(d*x + c)^10 + 4*(2860*a*b*cosh(d*x + c)^7 + 1001*a*b*cosh(d*x + c)^5 - 110*a*b*cosh(d*x + c)^3 - 15*a*b*cosh(d*x + c))*sinh(d*x + c)^9 + 6*(2145*a*b*cosh(d*x + c)^8 + 1001*a*b*cosh(d*x + c)^6 - 165*a*b*cosh(d*x + c)^4 - 45*a*b*cosh(d*x + c)^2)*sinh(d*x + c)^8 + 6*a*b*cosh(d*x + c)^6 + 16*(715*a*b*cosh(d*x + c)^9 + 429*a*b*cosh(d*x + c)^7 - 99*a*b*cosh(d*x + c)^5 - 45*a*b*cosh(d*x + c)^3)*sinh(d*x + c)^7 + 2*(4004*a*b*cosh(d*x + c)^10 + 3003*a*b*cosh(d*x + c)^8 - 924*a*b*cosh(d*x + c)^6 - 630*a*b*cosh(d*x + c)^4 + 3*a*b)*sinh(d*x + c)^6 + 2*a*b*cosh(d*x + c)^4 + 4*(1092*a*b*cosh(d*x + c)^11 + 1001*a*b*cosh(d*x + c)^9 - 396*a*b*cosh(d*x + c)^7 - 378*a*b*cosh(d*x + c)^5 + 9*a*b*cosh(d*x + c))*sinh(d*x + c)^5 + 2*(910*a*b*cosh(d*x + c)^12 + 1001*a*b*cosh(d*x + c)^10 - 495*a*b*cosh(d*x + c)^8 - 630*a*b*cosh(d*x + c)^6 + 45*a*b*cosh(d*x + c)^2 + a*b)*sinh(d*x + c)^4 - 2*a*b*cosh(d*x + c)^2 + 8*(70*a*b*cosh(d*x + c)^13 + 91*a*b*cosh(d*x + c)^11 - 55*a*b*cosh(d*x + c)^9 - 90*a*b*cosh(d*x + c)^7 + 15*a*b*cosh(d*x + c)^3 + a*b*cosh(d*x + c))*sinh(d*x + c)^3 + 2*(60*a*b*cosh(d*x + c)^14 + 91*a*b*cosh(d*x + c)^12 - 66*a*b*cosh(d*x + c)^10 - 135*a*b*cosh(d*x + c)^8 + 45*a*b*cosh(d*x + c)^4 + 6*a*b*cosh(d*x + c)^2 - a*b)*sinh(d*x + c)^2 - a*b + 4*(4*a*b*cosh(d*x + c)^15 + 7*a*b*cosh(d*x + c)^13 - 6*a*b*cosh(d*x + c)^11 - 15*a*b*cosh(d*x + c)^9 + 9*a*b*cosh(d*x + c)^5 + 2*a*b*cosh(d*x + c)^3 - a*b*cosh(d*x + c))*sinh(d*x + c))*log(2*sinh(d*x + c)/(cosh(d*x + c) - sinh(d*x + c))) + 4*(105*a*b*cosh(d*x + c)^13 - 90*(a^2 + b^2)*cosh(d*x + c)^11 - 25*(14*a^2 + 9*a*b - 10*b^2)*cosh(d*x + c)^9 - 20*(25*a^2 + 13*b^2)*cosh(d*x + c)^7 - 3*(100*a^2 - 45*a*b - 44*b^2)*cosh(d*x + c)^5 - 2*(25*a^2 + 17*b^2)*cosh(d*x + c)^3 + (10*a^2 - 15*a*b + 2*b^2)*cosh(d*x + c))*sinh(d*x + c))/(d*cosh(d*x + c)^16 + 16*d*cosh(d*x + c)*sinh(d*x + c)^15 + d*sinh(d*x + c)^16 + 2*d*cosh(d*x + c)^14 + 2*(60*d*cosh(d*x + c)^2 + d)*sinh(d*x + c)^14 + 28*(20*d*cosh(d*x + c)^3 + d*cosh(d*x + c))*sinh(d*x + c)^13 - 2*d*cosh(d*x + c)^12 + 2*(910*d*cosh(d*x + c)^4 + 91*d*cosh(d*x + c)^2 - d)*sinh(d*x + c)^12 + 8*(546*d*cosh(d*x + c)^5 + 91*d*cosh(d*x + c)^3 - 3*d*cosh(d*x + c))*sinh(d*x + c)^11 - 6*d*cosh(d*x + c)^10 + 2*(4004*d*cosh(d*x + c)^6 + 1001*d*cosh(d*x + c)^4 - 66*d*cosh(d*x + c)^2 - 3*d)*sinh(d*x + c)^10 + 4*(2860*d*cosh(d*x + c)^7 + 1001*d*cosh(d*x + c)^5 - 110*d*cosh(d*x + c)^3 - 15*d*cosh(d*x + c))*sinh(d*x + c)^9 + 6*(2145*d*cosh(d*x + c)^8 + 1001*d*cosh(d*x + c)^6 - 165*d*cosh(d*x + c)^4 - 45*d*cosh(d*x + c)^2)*sinh(d*x + c)^8 + 16*(715*d*cosh(d*x + c)^9 + 429*d*cosh(d*x + c)^7 - 99*d*cosh(d*x + c)^5 - 45*d*cosh(d*x + c)^3)*sinh(d*x + c)^7 + 6*d*cosh(d*x + c)^6 + 2*(4004*d*cosh(d*x + c)^10 + 3003*d*cosh(d*x + c)^8 - 924*d*cosh(d

```

$x + c)^6 - 630*d*\cosh(d*x + c)^4 + 3*d)*\sinh(d*x + c)^6 + 4*(1092*d*\cosh(d*x + c)^{11} + 1001*d*\cosh(d*x + c)^9 - 396*d*\cosh(d*x + c)^7 - 378*d*\cosh(d*x + c)^5 + 9*d*\cosh(d*x + c))*\sinh(d*x + c)^5 + 2*d*\cosh(d*x + c)^4 + 2*(910*d*\cosh(d*x + c)^{12} + 1001*d*\cosh(d*x + c)^{10} - 495*d*\cosh(d*x + c)^8 - 630*d*\cosh(d*x + c)^6 + 45*d*\cosh(d*x + c)^2 + d)*\sinh(d*x + c)^4 + 8*(70*d*\cosh(d*x + c)^{13} + 91*d*\cosh(d*x + c)^{11} - 55*d*\cosh(d*x + c)^9 - 90*d*\cosh(d*x + c)^7 + 15*d*\cosh(d*x + c)^3 + d*\cosh(d*x + c))*\sinh(d*x + c)^3 - 2*d*\cosh(d*x + c)^2 + 2*(60*d*\cosh(d*x + c)^{14} + 91*d*\cosh(d*x + c)^{12} - 66*d*\cosh(d*x + c)^{10} - 135*d*\cosh(d*x + c)^8 + 45*d*\cosh(d*x + c)^4 + 6*d*\cosh(d*x + c)^2 - d)*\sinh(d*x + c)^2 + 4*(4*d*\cosh(d*x + c)^{15} + 7*d*\cosh(d*x + c)^{13} - 6*d*\cosh(d*x + c)^{11} - 15*d*\cosh(d*x + c)^9 + 9*d*\cosh(d*x + c)^5 + 2*d*\cosh(d*x + c)^3 - d*\cosh(d*x + c))*\sinh(d*x + c) - d$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (a + b \tanh^3(c + dx))^2 \operatorname{csch}^4(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*\*4\*(a+b\*tanh(d\*x+c)\*\*3)\*\*2,x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*3)\*\*2\*csch(c + d\*x)\*\*4, x)

**Giac [B]** time = 1.69259, size = 336, normalized size = 3.46

$$60 ab \log(e^{(2dx+2c)} + 1) - 60 ab \log(|e^{(2dx+2c)} - 1|) + \frac{10(11abe^{(6dx+6c)} - 33abe^{(4dx+4c)} + 12a^2e^{(2dx+2c)} + 33abe^{(2dx+2c)} - 4a^2 - 11ab)}{(e^{(2dx+2c)} - 1)^3} - \frac{137}{30d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^3)^2,x, algorithm="giac")

[Out]  $-1/30*(60*a*b*\log(e^{(2*d*x + 2*c)} + 1) - 60*a*b*\log(\operatorname{abs}(e^{(2*d*x + 2*c)} - 1))) + 10*(11*a*b*e^{(6*d*x + 6*c)} - 33*a*b*e^{(4*d*x + 4*c)} + 12*a^2*e^{(2*d*x + 2*c)} + 33*a*b*e^{(2*d*x + 2*c)} - 4*a^2 - 11*a*b)/(e^{(2*d*x + 2*c)} - 1)^3 - (137*a*b*e^{(10*d*x + 10*c)} + 805*a*b*e^{(8*d*x + 8*c)} + 1730*a*b*e^{(6*d*x + 6*c)} - 120*b^2*e^{(6*d*x + 6*c)} + 1730*a*b*e^{(4*d*x + 4*c)} + 40*b^2*e^{(4*d*x + 4*c)} + 805*a*b*e^{(2*d*x + 2*c)} - 40*b^2*e^{(2*d*x + 2*c)} + 137*a*b - 8*b$

$$^2)/(e^{(2*d*x + 2*c) + 1})^5/d$$

### 3.65 $\int \sinh^4(c + dx) \left(a + b \tanh^3(c + dx)\right)^3 dx$

**Optimal.** Leaf size=275

$$\frac{b(3a^2 + 10b^2) \tanh^2(c + dx)}{2d} + \frac{3b(3a^2 + 5b^2) \log(\cosh(c + dx))}{d} + \frac{\sinh(c + dx) \cosh^3(c + dx) (b(3a^2 + b^2) \tanh(c + dx))}{4d}$$

[Out] (3\*a\*(a^2 + 63\*b^2)\*x)/8 + (3\*b\*(3\*a^2 + 5\*b^2)\*Log[Cosh[c + d\*x]])/d - (18\*a\*b^2\*Tanh[c + d\*x])/d - (b\*(3\*a^2 + 10\*b^2)\*Tanh[c + d\*x]^2)/(2\*d) - (3\*a\*b^2\*Tanh[c + d\*x]^3)/d - (3\*b^3\*Tanh[c + d\*x]^4)/(2\*d) - (3\*a\*b^2\*Tanh[c + d\*x]^5)/(5\*d) - (b^3\*Tanh[c + d\*x]^6)/(2\*d) - (b^3\*Tanh[c + d\*x]^8)/(8\*d) + (Cosh[c + d\*x]^3\*Sinh[c + d\*x]\*(a\*(a^2 + 3\*b^2) + b\*(3\*a^2 + b^2)\*Tanh[c + d\*x]))/(4\*d) - (Cosh[c + d\*x]\*Sinh[c + d\*x]\*(a\*(5\*a^2 + 51\*b^2) + 2\*b\*(15\*a^2 + 11\*b^2)\*Tanh[c + d\*x]))/(8\*d)

**Rubi [A]** time = 0.493673, antiderivative size = 306, normalized size of antiderivative = 1.11, number of steps used = 8, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {3663, 1804, 1802, 633, 31}

$$\frac{3b(3a^2 + 5b^2) \tanh^2(c + dx)}{2d} - \frac{3a(a^2 + 63b^2) \tanh(c + dx)}{8d} - \frac{3(a + b)(a^2 + 23ab + 40b^2) \log(1 - \tanh(c + dx))}{16d} + \dots$$

Antiderivative was successfully verified.

[In] Int[Sinh[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^3)^3,x]

[Out] (-3\*(a + b)\*(a^2 + 23\*a\*b + 40\*b^2)\*Log[1 - Tanh[c + d\*x]])/(16\*d) + (3\*(a - b)\*(a^2 - 23\*a\*b + 40\*b^2)\*Log[1 + Tanh[c + d\*x]])/(16\*d) - (3\*a\*(a^2 + 63\*b^2)\*Tanh[c + d\*x])/(8\*d) - (3\*b\*(3\*a^2 + 5\*b^2)\*Tanh[c + d\*x]^2)/(2\*d) - (3\*a\*b^2\*Tanh[c + d\*x]^3)/d - (3\*b^3\*Tanh[c + d\*x]^4)/(2\*d) - (3\*a\*b^2\*Tanh[c + d\*x]^5)/(5\*d) - (b^3\*Tanh[c + d\*x]^6)/(2\*d) - (b^3\*Tanh[c + d\*x]^8)/(8\*d) + (Sinh[c + d\*x]^4\*(b\*(3\*a^2 + b^2) + a\*(a^2 + 3\*b^2)\*Tanh[c + d\*x]))/(4\*d) - (Sinh[c + d\*x]^2\*Tanh[c + d\*x]\*(a\*(a^2 + 39\*b^2) + 4\*b\*(6\*a^2 + 5\*b^2)\*Tanh[c + d\*x]))/(8\*d)

**Rule 3663**

Int[sin[(e\_.) + (f\_.)\*(x\_.)]^(m\_.)\*((a\_.) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_.)])^(n\_.))^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff^(m + 1))/f, Subst[Int[(x^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + ff^2\*x^2)^(m/2 + 1), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x]



&& IntegerQ[m/2]

#### Rule 1804

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := With[
{Q = PolynomialQuotient[Pq, a + b*x^2, x], f = Coeff[PolynomialRemainder[Pq,
a + b*x^2, x], x, 0], g = Coeff[PolynomialRemainder[Pq, a + b*x^2, x], x,
1]}, Simp[((c*x)^m*(a + b*x^2)^(p + 1)*(a*g - b*f*x))/(2*a*b*(p + 1)), x]
+ Dist[c/(2*a*b*(p + 1)), Int[(c*x)^(m - 1)*(a + b*x^2)^(p + 1)*ExpandToSum
[2*a*b*(p + 1)*x*Q - a*g*m + b*f*(m + 2*p + 3)*x, x], x] /; FreeQ[{a,
b, c}, x] && PolyQ[Pq, x] && LtQ[p, -1] && GtQ[m, 0]
```

#### Rule 1802

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := Int[
ExpandIntegrand[(c*x)^m*Pq*(a + b*x^2)^p, x], x] /; FreeQ[{a, b, c, m}, x]
&& PolyQ[Pq, x] && IGtQ[p, -2]
```

#### Rule 633

```
Int[((d_) + (e_)*(x_))/((a_) + (c_)*(x_)^2), x_Symbol] := With[{q = Rt[-(
a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x), x], x] + Dist[e/2 - (c
*d)/(2*q), Int[1/(q + c*x), x], x]] /; FreeQ[{a, c, d, e}, x] && NiceSqrtQ[
-(a*c)]
```

#### Rule 31

```
Int[((a_) + (b_)*(x_))^(p_), x_Symbol] := Simp[Log[RemoveContent[a + b*x,
x]]/b, x] /; FreeQ[{a, b}, x]
```

#### Rubi steps

$$\begin{aligned}
\int \sinh^4(c + dx) (a + b \tanh^3(c + dx))^3 dx &= \frac{\text{Subst}\left(\int \frac{x^4(a+bx^3)^3}{(1-x^2)^3} dx, x, \tanh(c + dx)\right)}{d} \\
&= \frac{\sinh^4(c + dx) (b(3a^2 + b^2) + a(a^2 + 3b^2) \tanh(c + dx))}{4d} + \frac{\text{Subst}\left(\int \frac{x^3(-4}{(1-x^2)^3} dx, x, \tanh(c + dx)\right)}{d} \\
&= \frac{\sinh^4(c + dx) (b(3a^2 + b^2) + a(a^2 + 3b^2) \tanh(c + dx))}{4d} - \frac{\sinh^2(c + dx) \tanh(c + dx)}{2d} \\
&= \frac{\sinh^4(c + dx) (b(3a^2 + b^2) + a(a^2 + 3b^2) \tanh(c + dx))}{4d} - \frac{\sinh^2(c + dx) \tanh(c + dx)}{2d} \\
&= -\frac{3a(a^2 + 63b^2) \tanh(c + dx)}{8d} - \frac{3b(3a^2 + 5b^2) \tanh^2(c + dx)}{2d} - \frac{3ab^2 \tanh^3(c + dx)}{2d} \\
&= -\frac{3a(a^2 + 63b^2) \tanh(c + dx)}{8d} - \frac{3b(3a^2 + 5b^2) \tanh^2(c + dx)}{2d} - \frac{3ab^2 \tanh^3(c + dx)}{2d} \\
&= -\frac{3(a + b)(a^2 + 23ab + 40b^2) \log(1 - \tanh(c + dx))}{16d} + \frac{3(a - b)(a^2 - 23ab + 40b^2)}{16d}
\end{aligned}$$

**Mathematica [A]** time = 6.23935, size = 294, normalized size = 1.07

$$\frac{3a(a^2 + 63b^2)(c + dx)}{8d} - \frac{a(a^2 + 12b^2) \sinh(2(c + dx))}{4d} + \frac{a(a^2 + 3b^2) \sinh(4(c + dx))}{32d} - \frac{b(15a^2 + 11b^2) \cosh(2(c + dx))}{8d}$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^3)^3,x]

[Out] (3\*a\*(a^2 + 63\*b^2)\*(c + d\*x))/(8\*d) - (b\*(15\*a^2 + 11\*b^2)\*Cosh[2\*(c + d\*x)])/(8\*d) + (b\*(3\*a^2 + b^2)\*Cosh[4\*(c + d\*x)])/(32\*d) + (3\*(3\*a^2\*b + 5\*b^3)\*Log[Cosh[c + d\*x]])/d + (b\*(3\*a^2 + 20\*b^2)\*Sech[c + d\*x]^2)/(2\*d) - (15\*b^3\*Sech[c + d\*x]^4)/(4\*d) + (b^3\*Sech[c + d\*x]^6)/d - (b^3\*Sech[c + d\*x]^8)/(8\*d) - (a\*(a^2 + 12\*b^2)\*Sinh[2\*(c + d\*x)])/(4\*d) + (a\*(a^2 + 3\*b^2)\*Sinh[4\*(c + d\*x)])/(32\*d) - (108\*a\*b^2\*Tanh[c + d\*x])/(5\*d) + (21\*a\*b^2\*Sech[c + d\*x]^2\*Tanh[c + d\*x])/(5\*d) - (3\*a\*b^2\*Sech[c + d\*x]^4\*Tanh[c + d\*x])/(5\*d)

**Maple [A]** time = 0.076, size = 385, normalized size = 1.4

$$\frac{a^3 \cosh(dx+c) (\sinh(dx+c))^3}{4d} - \frac{3a^3 \cosh(dx+c) \sinh(dx+c)}{8d} + \frac{3a^3x}{8} + \frac{3a^3c}{8d} + \frac{3a^2b (\sinh(dx+c))^6}{4d (\cosh(dx+c))^2} - \frac{9a^2b (\sinh(dx+c))^3}{4d (\cosh(dx+c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sinh(d*x+c)^4*(a+b*tanh(d*x+c)^3)^3,x)`

[Out]  $\frac{1}{4}d^3a^3\cosh(d*x+c)*\sinh(d*x+c)^3 - \frac{3}{8}d^3a^3\cosh(d*x+c)*\sinh(d*x+c) + \frac{3}{8}a^3x^3 + \frac{3}{8}d^3a^3c + \frac{3}{4}d^2a^2b*\sinh(d*x+c)^6/\cosh(d*x+c)^2 - \frac{9}{4}d^2a^2b*\sinh(d*x+c)^4/\cosh(d*x+c)^2 + \frac{9}{2}d^2a^2b*\ln(\cosh(d*x+c)) - \frac{9}{2}d^2a^2b*tanh(d*x+c)^2/d + \frac{3}{4}d^2a*b^2*\sinh(d*x+c)^9/\cosh(d*x+c)^5 - \frac{27}{8}d^2a*b^2*\sinh(d*x+c)^7/\cosh(d*x+c)^5 + \frac{189}{8}d^2a*b^2*x + \frac{189}{8}d^2a*b^2*c - \frac{189}{8}d^2a*b^2*tanh(d*x+c)/d - \frac{63}{8}d^2a*b^2*tanh(d*x+c)^3/d - \frac{189}{40}d^2a*b^2*tanh(d*x+c)^5/d + \frac{1}{4}d*b^3*\sinh(d*x+c)^{12}/\cosh(d*x+c)^8 - \frac{3}{2}d*b^3*\sinh(d*x+c)^{10}/\cosh(d*x+c)^8 + \frac{15}{d*b^3*\ln(\cosh(d*x+c))} - \frac{15}{2}d*b^3*tanh(d*x+c)^2 - \frac{15}{4}d*b^3*tanh(d*x+c)^4/d - \frac{5}{2}d*b^3*tanh(d*x+c)^6/d - \frac{15}{8}d*b^3*tanh(d*x+c)^8/d$

**Maxima [B]** time = 1.80729, size = 873, normalized size = 3.17

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sinh(d*x+c)^4*(a+b*tanh(d*x+c)^3)^3,x, algorithm="maxima")`

[Out]  $\frac{1}{64}a^3*(24*x + e^{(4*d*x + 4*c)})/d - \frac{8e^{(2*d*x + 2*c)}}{d} + \frac{8e^{(-2*d*x - 2*c)}}{d} - \frac{e^{(-4*d*x - 4*c)}}{d} + \frac{3}{320}a*b^2*(2520*(d*x + c)/d + 5*(32*e^{(-2*d*x - 2*c)} - e^{(-4*d*x - 4*c)})/d - (135*e^{(-2*d*x - 2*c)} + 5358*e^{(-4*d*x - 4*c)} + 18190*e^{(-6*d*x - 6*c)} + 28455*e^{(-8*d*x - 8*c)} + 19995*e^{(-10*d*x - 10*c)} + 6560*e^{(-12*d*x - 12*c)} - 5)/(d*(e^{(-4*d*x - 4*c)} + 5*e^{(-6*d*x - 6*c)} + 10*e^{(-8*d*x - 8*c)} + 10*e^{(-10*d*x - 10*c)} + 5*e^{(-12*d*x - 12*c)} + e^{(-14*d*x - 14*c)})) + \frac{1}{64}b^3*(960*(d*x + c)/d - (44*e^{(-2*d*x - 2*c)} - e^{(-4*d*x - 4*c)})/d + 960*\log(e^{(-2*d*x - 2*c)} + 1)/d - (36*e^{(-2*d*x - 2*c)} + 324*e^{(-4*d*x - 4*c)} - 1384*e^{(-6*d*x - 6*c)} - 9126*e^{(-8*d*x - 8*c)} - 24112*e^{(-10*d*x - 10*c)} - 31868*e^{(-12*d*x - 12*c)} - 25912*e^{(-14*d*x - 14*c)} - 11169*e^{(-16*d*x - 16*c)} - 2516*e^{(-18*d*x - 18*c)} - 1)/(d*(e^{(-4*d*x - 4*c)} + 8*e^{(-6*d*x - 6*c)} + 28*e^{(-8*d*x - 8*c)} + 56*e^{(-10*d*x - 10*c)} + 70*e^{(-12*d*x - 12*c)} + 56*e^{(-14*d*x - 14*c)} + 28*e^{(-16*d*x - 16*c)} + 8*e^{(-18*d*x - 18*c)} + e^{(-20*d*x - 20*c)})) + \frac{3}{64}a^2*b*(192*(d*x + c)/d -$

$$\frac{(20e^{(-2dx - 2c)} - e^{(-4dx - 4c)})/d + 192\log(e^{(-2dx - 2c)} + 1)/d - (18e^{(-2dx - 2c)} + 39e^{(-4dx - 4c)} - 108e^{(-6dx - 6c)} - 1)/(d(e^{(-4dx - 4c)} + 2e^{(-6dx - 6c)} + e^{(-8dx - 8c)}))}{1}$$

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^3)^3,x, algorithm="fricas")

[Out] Timed out

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)\*\*4\*(a+b\*tanh(d\*x+c)\*\*3)\*\*3,x)

[Out] Timed out

**Giac [B]** time = 4.87444, size = 956, normalized size = 3.48

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^3)^3,x, algorithm="giac")

[Out]  $\frac{1}{2240}(840(a^3 - 24a^2b + 63ab^2 - 40b^3)dx + 6720(3a^2be^{2c} + 5b^3e^{2c}))e^{-2c}\log(e^{2dx+2c} + 1) - 35(18a^3e^{4dx+4c} - 432a^2be^{4dx+4c} + 1134ab^2e^{4dx+4c} - 720b^3e^{4dx+4c} - 8a^3e^{2dx+2c} + 60a^2be^{2dx+2c} - 96ab^2e^{2dx+2c} + 44b^3e^{2dx+2c} + a^3 - 3a^2b + 3ab^2 - b^3)$

$$\begin{aligned}
& *e^{(-4*d*x - 4*c)} + 35*(a^3*e^{(4*d*x + 48*c)} + 3*a^2*b*e^{(4*d*x + 48*c)} + 3 \\
& *a*b^2*e^{(4*d*x + 48*c)} + b^3*e^{(4*d*x + 48*c)} - 8*a^3*e^{(2*d*x + 46*c)} - 6 \\
& 0*a^2*b*e^{(2*d*x + 46*c)} - 96*a*b^2*e^{(2*d*x + 46*c)} - 44*b^3*e^{(2*d*x + 46 \\
& *c)})*e^{(-44*c)} - 8*(6849*a^2*b*e^{(16*d*x + 16*c)} + 11415*b^3*e^{(16*d*x + 16 \\
& *c)} + 53112*a^2*b*e^{(14*d*x + 14*c)} - 16800*a*b^2*e^{(14*d*x + 14*c)} + 80120 \\
& *b^3*e^{(14*d*x + 14*c)} + 181692*a^2*b*e^{(12*d*x + 12*c)} - 100800*a*b^2*e^{(12 \\
& *d*x + 12*c)} + 269220*b^3*e^{(12*d*x + 12*c)} + 358344*a^2*b*e^{(10*d*x + 10* \\
& c)} - 272160*a*b^2*e^{(10*d*x + 10*c)} + 520520*b^3*e^{(10*d*x + 10*c)} + 445830 \\
& *a^2*b*e^{(8*d*x + 8*c)} - 423360*a*b^2*e^{(8*d*x + 8*c)} + 648970*b^3*e^{(8*d*x \\
& + 8*c)} + 358344*a^2*b*e^{(6*d*x + 6*c)} - 405216*a*b^2*e^{(6*d*x + 6*c)} + 520 \\
& 520*b^3*e^{(6*d*x + 6*c)} + 181692*a^2*b*e^{(4*d*x + 4*c)} - 237888*a*b^2*e^{(4* \\
& d*x + 4*c)} + 269220*b^3*e^{(4*d*x + 4*c)} + 53112*a^2*b*e^{(2*d*x + 2*c)} - 799 \\
& 68*a*b^2*e^{(2*d*x + 2*c)} + 80120*b^3*e^{(2*d*x + 2*c)} + 6849*a^2*b - 12096*a \\
& *b^2 + 11415*b^3)/(e^{(2*d*x + 2*c)} + 1)^8/d
\end{aligned}$$

### 3.66 $\int \sinh^3(c + dx) \left(a + b \tanh^3(c + dx)\right)^3 dx$

**Optimal.** Leaf size=351

$$\frac{5a^2b \sinh^3(c + dx)}{2d} - \frac{15a^2b \sinh(c + dx)}{2d} - \frac{3a^2b \sinh^3(c + dx) \tanh^2(c + dx)}{2d} + \frac{15a^2b \tan^{-1}(\sinh(c + dx))}{2d} + \frac{a^3 \cosh^3(c)}{3d}$$

```
[Out] (15*a^2*b*ArcTan[Sinh[c + d*x]])/(2*d) + (1155*b^3*ArcTan[Sinh[c + d*x]])/(128*d) - (a^3*Cosh[c + d*x])/d - (12*a*b^2*Cosh[c + d*x])/d + (a^3*Cosh[c + d*x]^3)/(3*d) + (a*b^2*Cosh[c + d*x]^3)/d - (18*a*b^2*Sech[c + d*x])/d + (4*a*b^2*Sech[c + d*x]^3)/d - (3*a*b^2*Sech[c + d*x]^5)/(5*d) - (15*a^2*b*Sinh[c + d*x])/(2*d) - (1155*b^3*Sinh[c + d*x])/(128*d) + (5*a^2*b*Sinh[c + d*x]^3)/(2*d) + (385*b^3*Sinh[c + d*x]^3)/(128*d) - (3*a^2*b*Sinh[c + d*x]^3*Tanh[c + d*x]^2)/(2*d) - (231*b^3*Sinh[c + d*x]^3*Tanh[c + d*x]^2)/(128*d) - (33*b^3*Sinh[c + d*x]^3*Tanh[c + d*x]^4)/(64*d) - (11*b^3*Sinh[c + d*x]^3*Tanh[c + d*x]^6)/(48*d) - (b^3*Sinh[c + d*x]^3*Tanh[c + d*x]^8)/(8*d)
```

**Rubi [A]** time = 0.3499, antiderivative size = 351, normalized size of antiderivative = 1., number of steps used = 20, number of rules used = 8, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.348$ , Rules used = {3666, 2633, 2592, 288, 302, 203, 2590, 270}

$$\frac{5a^2b \sinh^3(c + dx)}{2d} - \frac{15a^2b \sinh(c + dx)}{2d} - \frac{3a^2b \sinh^3(c + dx) \tanh^2(c + dx)}{2d} + \frac{15a^2b \tan^{-1}(\sinh(c + dx))}{2d} + \frac{a^3 \cosh^3(c)}{3d}$$

Antiderivative was successfully verified.

```
[In] Int[Sinh[c + d*x]^3*(a + b*Tanh[c + d*x]^3)^3,x]
```

```
[Out] (15*a^2*b*ArcTan[Sinh[c + d*x]])/(2*d) + (1155*b^3*ArcTan[Sinh[c + d*x]])/(128*d) - (a^3*Cosh[c + d*x])/d - (12*a*b^2*Cosh[c + d*x])/d + (a^3*Cosh[c + d*x]^3)/(3*d) + (a*b^2*Cosh[c + d*x]^3)/d - (18*a*b^2*Sech[c + d*x])/d + (4*a*b^2*Sech[c + d*x]^3)/d - (3*a*b^2*Sech[c + d*x]^5)/(5*d) - (15*a^2*b*Sinh[c + d*x])/(2*d) - (1155*b^3*Sinh[c + d*x])/(128*d) + (5*a^2*b*Sinh[c + d*x]^3)/(2*d) + (385*b^3*Sinh[c + d*x]^3)/(128*d) - (3*a^2*b*Sinh[c + d*x]^3*Tanh[c + d*x]^2)/(2*d) - (231*b^3*Sinh[c + d*x]^3*Tanh[c + d*x]^2)/(128*d) - (33*b^3*Sinh[c + d*x]^3*Tanh[c + d*x]^4)/(64*d) - (11*b^3*Sinh[c + d*x]^3*Tanh[c + d*x]^6)/(48*d) - (b^3*Sinh[c + d*x]^3*Tanh[c + d*x]^8)/(8*d)
```

#### Rule 3666

```
Int[((d_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((a_.) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_.))^(p_.), x_Symbol] :> Int[ExpandTrig[(d*sin[e + f*x])^m*(a
```

+ b\*(c\*tan[e + f\*x])^n)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] &&  
IGtQ[p, 0]

### Rule 2633

Int[sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d\*x]], x] /; FreeQ[{c, d}, x]  
&& IGtQ[(n - 1)/2, 0]

### Rule 2592

Int[((a\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]^(n\_.), x\_  
Symbol] := With[{ff = FreeFactors[Sin[e + f\*x], x]}, Dist[ff/f, Subst[Int[(ff\*x)^(m + n)/(a^2 - ff^2\*x^2)^((n + 1)/2), x], x, (a\*Sin[e + f\*x])/ff], x]  
] /; FreeQ[{a, e, f, m}, x] && IntegerQ[(n + 1)/2]

### Rule 288

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(c^(  
n - 1)\*(c\*x)^(m - n + 1)\*(a + b\*x^n)^(p + 1))/(b\*n\*(p + 1)), x] - Dist[(c^(  
n\*(m - n + 1))/(b\*n\*(p + 1)), Int[(c\*x)^(m - n)\*(a + b\*x^n)^(p + 1), x], x]  
/; FreeQ[{a, b, c}, x] && IGtQ[n, 0] && LtQ[p, -1] && GtQ[m + 1, n] && !I  
LtQ[(m + n\*(p + 1) + 1)/n, 0] && IntBinomialQ[a, b, c, n, m, p, x]

### Rule 302

Int[(x\_)^(m\_)/((a\_) + (b\_.)\*(x\_)^(n\_)), x\_Symbol] := Int[PolynomialDivide[x  
^m, a + b\*x^n, x], x] /; FreeQ[{a, b}, x] && IGtQ[m, 0] && IGtQ[n, 0] && Gt  
Q[m, 2\*n - 1]

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[Rt[b, 2]\*x]/Rt  
[a, 2])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a  
, 0] || GtQ[b, 0])

### Rule 2590

Int[sin[(e\_.) + (f\_.)\*(x\_)]^(m\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]^(n\_.), x\_Symbol]  
:= -Dist[f^(-1), Subst[Int[(1 - x^2)^((m + n - 1)/2)/x^n, x], x, Cos[e + f\*  
x]], x] /; FreeQ[{e, f}, x] && IntegersQ[m, n, (m + n - 1)/2]

### Rule 270

Int[((c\_.)\*(x\_.))^(m\_.)\*((a\_.) + (b\_.)\*(x\_.)^(n\_.))^(p\_.), x\_Symbol] := Int[Exp  
andIntegrand[(c\*x)^(m\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] &&  
IGtQ[p, 0]

### Rubi steps

$$\begin{aligned}
 \int \sinh^3(c + dx) (a + b \tanh^3(c + dx))^3 dx &= i \int (-ia^3 \sinh^3(c + dx) - 3ia^2b \sinh^3(c + dx) \tanh^3(c + dx) - 3iab^2 \sinh^3(c + dx) \tanh^3(c + dx) - ib^3 \sinh^3(c + dx) \tanh^9(c + dx)) dx \\
 &= a^3 \int \sinh^3(c + dx) dx + (3a^2b) \int \sinh^3(c + dx) \tanh^3(c + dx) dx + (3ab^2) \int \sinh^3(c + dx) \tanh^5(c + dx) dx + b^3 \int \sinh^3(c + dx) \tanh^7(c + dx) dx \\
 &= -\frac{a^3 \operatorname{Subst}\left(\int (1 - x^2) dx, x, \cosh(c + dx)\right)}{d} + \frac{(3a^2b) \operatorname{Subst}\left(\int \frac{x^6}{(1+x^2)^2} dx, x, \cosh(c + dx)\right)}{d} \\
 &= -\frac{a^3 \cosh(c + dx)}{d} + \frac{a^3 \cosh^3(c + dx)}{3d} - \frac{3a^2b \sinh^3(c + dx) \tanh^2(c + dx)}{2d} \\
 &= -\frac{a^3 \cosh(c + dx)}{d} - \frac{12ab^2 \cosh(c + dx)}{d} + \frac{a^3 \cosh^3(c + dx)}{3d} + \frac{ab^2 \cosh^3(c + dx)}{d} \\
 &= -\frac{a^3 \cosh(c + dx)}{d} - \frac{12ab^2 \cosh(c + dx)}{d} + \frac{a^3 \cosh^3(c + dx)}{3d} + \frac{ab^2 \cosh^3(c + dx)}{d} \\
 &= \frac{15a^2b \tan^{-1}(\sinh(c + dx))}{2d} - \frac{a^3 \cosh(c + dx)}{d} - \frac{12ab^2 \cosh(c + dx)}{d} + \frac{a^3 \cosh^3(c + dx)}{3d} \\
 &= \frac{15a^2b \tan^{-1}(\sinh(c + dx))}{2d} - \frac{a^3 \cosh(c + dx)}{d} - \frac{12ab^2 \cosh(c + dx)}{d} + \frac{a^3 \cosh^3(c + dx)}{3d} \\
 &= \frac{15a^2b \tan^{-1}(\sinh(c + dx))}{2d} - \frac{a^3 \cosh(c + dx)}{d} - \frac{12ab^2 \cosh(c + dx)}{d} + \frac{a^3 \cosh^3(c + dx)}{3d} \\
 &= \frac{15a^2b \tan^{-1}(\sinh(c + dx))}{2d} + \frac{1155b^3 \tan^{-1}(\sinh(c + dx))}{128d} - \frac{a^3 \cosh(c + dx)}{d}
 \end{aligned}$$

**Mathematica [A]** time = 6.54458, size = 291, normalized size = 0.83

$$-\frac{3b(9a^2 + 7b^2) \sinh(c + dx)}{4d} + \frac{b(3a^2 + b^2) \sinh(3(c + dx))}{12d} - \frac{3a(a^2 + 15b^2) \cosh(c + dx)}{4d} + \frac{a(a^2 + 3b^2) \cosh(3(c + dx))}{12d}$$

Antiderivative was successfully verified.



[In] Integrate[Sinh[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^3)^3,x]

[Out]  $(15*b*(64*a^2 + 77*b^2)*\text{ArcTan}[\text{Tanh}[(c + d*x)/2]])/(64*d) - (3*a*(a^2 + 15*b^2)*\text{Cosh}[c + d*x])/(4*d) + (a*(a^2 + 3*b^2)*\text{Cosh}[3*(c + d*x)])/(12*d) - (18*a*b^2*\text{Sech}[c + d*x])/d + (4*a*b^2*\text{Sech}[c + d*x]^3)/d - (3*a*b^2*\text{Sech}[c + d*x]^5)/(5*d) - (3*b*(9*a^2 + 7*b^2)*\text{Sinh}[c + d*x])/(4*d) - (3*\text{Sech}[c + d*x]^2*(64*a^2*b*\text{Sinh}[c + d*x] + 255*b^3*\text{Sinh}[c + d*x]))/(128*d) + (b*(3*a^2 + b^2)*\text{Sinh}[3*(c + d*x)])/(12*d) + (515*b^3*\text{Sech}[c + d*x]^3*\text{Tanh}[c + d*x])/(192*d) - (41*b^3*\text{Sech}[c + d*x]^5*\text{Tanh}[c + d*x])/(48*d) + (b^3*\text{Sech}[c + d*x]^7*\text{Tanh}[c + d*x])/(8*d)$

**Maple [A]** time = 0.13, size = 554, normalized size = 1.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^3)^3,x)

[Out]  $77/16/d*b^3*\text{tanh}(d*x+c)*\text{sech}(d*x+c)^5+1/3/d*a^3*\text{cosh}(d*x+c)*\text{sinh}(d*x+c)^2+15/d*a^2*b*\text{arctan}(\exp(d*x+c))+1/3/d*b^3*\text{sinh}(d*x+c)^{11}/\text{cosh}(d*x+c)^8-11/3/d*b^3*\text{sinh}(d*x+c)^9/\text{cosh}(d*x+c)^8-33/d*b^3*\text{sinh}(d*x+c)^7/\text{cosh}(d*x+c)^8-77/d*b^3*\text{sinh}(d*x+c)^5/\text{cosh}(d*x+c)^8-77/d*b^3*\text{sinh}(d*x+c)^3/\text{cosh}(d*x+c)^8-33/d*b^3*\text{sinh}(d*x+c)/\text{cosh}(d*x+c)^8+33/8/d*b^3*\text{tanh}(d*x+c)*\text{sech}(d*x+c)^7-8/d*a*b^2*\text{sinh}(d*x+c)^6/\text{cosh}(d*x+c)^5+1155/128*b^3*\text{sech}(d*x+c)*\text{tanh}(d*x+c)/d+385/64*b^3*\text{sech}(d*x+c)^3*\text{tanh}(d*x+c)/d-128/5*a*b^2*\text{cosh}(d*x+c)/d-2/3*a^3*\text{cosh}(d*x+c)/d-48/d*a*b^2*\text{sinh}(d*x+c)^4/\text{cosh}(d*x+c)^5-192/5/d*a*b^2*\text{sinh}(d*x+c)^2/\text{cosh}(d*x+c)^5+128/5/d*a*b^2*\text{sinh}(d*x+c)^2/\text{cosh}(d*x+c)^3+128/5/d*a*b^2*\text{sinh}(d*x+c)^2/\text{cosh}(d*x+c)+1/d*a^2*b*\text{sinh}(d*x+c)^5/\text{cosh}(d*x+c)^2-5/d*a^2*b*\text{sinh}(d*x+c)^3/\text{cosh}(d*x+c)^2-15/d*a^2*b*\text{sinh}(d*x+c)/\text{cosh}(d*x+c)^2+1/d*a*b^2*\text{sinh}(d*x+c)^8/\text{cosh}(d*x+c)^5+15/2*a^2*b*\text{sech}(d*x+c)*\text{tanh}(d*x+c)/d+1155/64/d*b^3*\text{arctan}(\exp(d*x+c))$

**Maxima [A]** time = 1.78683, size = 815, normalized size = 2.32

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^3)^3,x, algorithm="maxima")

[Out]  $\frac{1}{192}b^3(8(63e^{-(d*x - c)} - e^{(-3*d*x - 3*c)})/d - 3465\arctan(e^{(-d*x - c)})/d - (440e^{(-2*d*x - 2*c)} + 6103e^{(-4*d*x - 4*c)} + 21019e^{(-6*d*x - 6*c)} + 41207e^{(-8*d*x - 8*c)} + 40243e^{(-10*d*x - 10*c)} + 22589e^{(-12*d*x - 12*c)} + 505e^{(-14*d*x - 14*c)} - 3331e^{(-16*d*x - 16*c)} - 1791e^{(-18*d*x - 18*c)} - 8)/(d(e^{(-3*d*x - 3*c)} + 8e^{(-5*d*x - 5*c)} + 28e^{(-7*d*x - 7*c)} + 56e^{(-9*d*x - 9*c)} + 70e^{(-11*d*x - 11*c)} + 56e^{(-13*d*x - 13*c)} + 28e^{(-15*d*x - 15*c)} + 8e^{(-17*d*x - 17*c)} + e^{(-19*d*x - 19*c)})) - 1/40*a*b^2(5(45e^{(-d*x - c)} - e^{(-3*d*x - 3*c)})/d + (200e^{(-2*d*x - 2*c)} + 2515e^{(-4*d*x - 4*c)} + 6680e^{(-6*d*x - 6*c)} + 9073e^{(-8*d*x - 8*c)} + 5600e^{(-10*d*x - 10*c)} + 1665e^{(-12*d*x - 12*c)} - 5)/(d(e^{(-3*d*x - 3*c)} + 5e^{(-5*d*x - 5*c)} + 10e^{(-7*d*x - 7*c)} + 10e^{(-9*d*x - 9*c)} + 5e^{(-11*d*x - 11*c)} + e^{(-13*d*x - 13*c)})) + 1/8*a^2*b((27e^{(-d*x - c)} - e^{(-3*d*x - 3*c)})/d - 120\arctan(e^{(-d*x - c)})/d - (25e^{(-2*d*x - 2*c)} + 77e^{(-4*d*x - 4*c)} + 3e^{(-6*d*x - 6*c)} - 1)/(d(e^{(-3*d*x - 3*c)} + 2e^{(-5*d*x - 5*c)} + e^{(-7*d*x - 7*c)}))) + 1/24*a^3(e^{(3*d*x + 3*c)}/d - 9e^{(d*x + c)}/d - 9e^{(-d*x - c)}/d + e^{(-3*d*x - 3*c)}/d)$

**Fricas [B]** time = 3.60726, size = 23883, normalized size = 68.04

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^3)^3,x, algorithm="fricas")

[Out]  $\frac{1}{960}(40(a^3 + 3a^2b + 3ab^2 + b^3)\cosh(d*x + c)^{22} + 880(a^3 + 3a^2b + 3ab^2 + b^3)\cosh(d*x + c)\sinh(d*x + c)^{21} + 40(a^3 + 3a^2b + 3ab^2 + b^3)\sinh(d*x + c)^{22} - 40(a^3 + 57a^2b + 111ab^2 + 55b^3)\cosh(d*x + c)^{20} - 40(a^3 + 57a^2b + 111ab^2 + 55b^3 - 231(a^3 + 3a^2b + 3ab^2 + b^3)\cosh(d*x + c)^2)\sinh(d*x + c)^{20} + 800(77(a^3 + 3a^2b + 3ab^2 + b^3)\cosh(d*x + c)^3 - (a^3 + 57a^2b + 111ab^2 + 55b^3)\cosh(d*x + c))\sinh(d*x + c)^{19} - 5(424a^3 + 4440a^2b + 15960ab^2 + 5599b^3)\cosh(d*x + c)^{18} + 5(58520(a^3 + 3a^2b + 3ab^2 + b^3)\cosh(d*x + c)^4 - 424a^3 - 4440a^2b - 15960ab^2 - 5599b^3 - 1520(a^3 + 57a^2b + 111ab^2 + 55b^3)\cosh(d*x + c)^2)\sinh(d*x + c)^{18} + 30(3512(a^3 + 3a^2b + 3ab^2 + b^3)\cosh(d*x + c)^5 - 1520(a^3 + 57a^2b + 111ab^2 + 55b^3)\cosh(d*x + c)^3 - 3(424a^3 + 4440a^2b + 15960ab^2 + 5599b^3)\cosh(d*x + c))\sinh(d*x + c)^{17} - 15(712a^3 + 4840a^2b + 26584ab^2 + 5665b^3)\cosh(d*x + c)^{16} + 15(198968(a^3 + 3a^2b + 3ab^2 + b^3)\cosh(d*x + c)^6 - 12920(a^3 + 57a^2b + 111ab^2 + 55b^3)\cosh(d*x + c)^4 - 12920(a^3 + 57a^2b + 111ab^2 + 55b^3)\sinh(d*x + c)^4)$

$$\begin{aligned}
& \text{sh}(d*x + c)^4 - 712*a^3 - 4840*a^2*b - 26584*a*b^2 - 5665*b^3 - 51*(424*a^3 \\
& + 4440*a^2*b + 15960*a*b^2 + 5599*b^3)*\cosh(d*x + c)^2*\sinh(d*x + c)^{16} + \\
& 240*(28424*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^7 - 2584*(a^3 + 5 \\
& 7*a^2*b + 111*a*b^2 + 55*b^3)*\cosh(d*x + c)^5 - 17*(424*a^3 + 4440*a^2*b + \\
& 15960*a*b^2 + 5599*b^3)*\cosh(d*x + c)^3 - (712*a^3 + 4840*a^2*b + 26584*a*b \\
& ^2 + 5665*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^{15} - 3*(9040*a^3 + 36400*a^2*b \\
& + 344944*a*b^2 + 45265*b^3)*\cosh(d*x + c)^{14} + 3*(4263600*(a^3 + 3*a^2*b + \\
& 3*a*b^2 + b^3)*\cosh(d*x + c)^8 - 516800*(a^3 + 57*a^2*b + 111*a*b^2 + 55*b^ \\
& 3)*\cosh(d*x + c)^6 - 5100*(424*a^3 + 4440*a^2*b + 15960*a*b^2 + 5599*b^3)*\c \\
& \text{osh}(d*x + c)^4 - 9040*a^3 - 36400*a^2*b - 344944*a*b^2 - 45265*b^3 - 600*(7 \\
& 12*a^3 + 4840*a^2*b + 26584*a*b^2 + 5665*b^3)*\cosh(d*x + c)^2*\sinh(d*x + c \\
& )^{14} + 2*(9948400*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^9 - 1550400 \\
& *(a^3 + 57*a^2*b + 111*a*b^2 + 55*b^3)*\cosh(d*x + c)^7 - 21420*(424*a^3 + 4 \\
& 440*a^2*b + 15960*a*b^2 + 5599*b^3)*\cosh(d*x + c)^5 - 4200*(712*a^3 + 4840* \\
& a^2*b + 26584*a*b^2 + 5665*b^3)*\cosh(d*x + c)^3 - 21*(9040*a^3 + 36400*a^2* \\
& b + 344944*a*b^2 + 45265*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^{13} - 3*(14000*a^ \\
& 3 + 18800*a^2*b + 542672*a*b^2 + 20405*b^3)*\cosh(d*x + c)^{12} + (25865840*(a \\
& ^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^{10} - 5038800*(a^3 + 57*a^2*b + \\
& 111*a*b^2 + 55*b^3)*\cosh(d*x + c)^8 - 92820*(424*a^3 + 4440*a^2*b + 15960*a \\
& *b^2 + 5599*b^3)*\cosh(d*x + c)^6 - 27300*(712*a^3 + 4840*a^2*b + 26584*a*b^ \\
& 2 + 5665*b^3)*\cosh(d*x + c)^4 - 42000*a^3 - 56400*a^2*b - 1628016*a*b^2 - 6 \\
& 1215*b^3 - 273*(9040*a^3 + 36400*a^2*b + 344944*a*b^2 + 45265*b^3)*\cosh(d*x \\
& + c)^2)*\sinh(d*x + c)^{12} + 4*(7054320*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh \\
& (d*x + c)^{11} - 1679600*(a^3 + 57*a^2*b + 111*a*b^2 + 55*b^3)*\cosh(d*x + c)^ \\
& 9 - 39780*(424*a^3 + 4440*a^2*b + 15960*a*b^2 + 5599*b^3)*\cosh(d*x + c)^7 - \\
& 16380*(712*a^3 + 4840*a^2*b + 26584*a*b^2 + 5665*b^3)*\cosh(d*x + c)^5 - 27 \\
& 3*(9040*a^3 + 36400*a^2*b + 344944*a*b^2 + 45265*b^3)*\cosh(d*x + c)^3 - 9*( \\
& 14000*a^3 + 18800*a^2*b + 542672*a*b^2 + 20405*b^3)*\cosh(d*x + c))*\sinh(d*x \\
& + c)^{11} - 3*(14000*a^3 - 18800*a^2*b + 542672*a*b^2 - 20405*b^3)*\cosh(d*x \\
& + c)^{10} + (25865840*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^{12} - 7390 \\
& 240*(a^3 + 57*a^2*b + 111*a*b^2 + 55*b^3)*\cosh(d*x + c)^{10} - 218790*(424*a^ \\
& 3 + 4440*a^2*b + 15960*a*b^2 + 5599*b^3)*\cosh(d*x + c)^8 - 120120*(712*a^3 \\
& + 4840*a^2*b + 26584*a*b^2 + 5665*b^3)*\cosh(d*x + c)^6 - 3003*(9040*a^3 + 3 \\
& 6400*a^2*b + 344944*a*b^2 + 45265*b^3)*\cosh(d*x + c)^4 - 42000*a^3 + 56400* \\
& a^2*b - 1628016*a*b^2 + 61215*b^3 - 198*(14000*a^3 + 18800*a^2*b + 542672*a \\
& *b^2 + 20405*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^{10} + 2*(9948400*(a^3 + 3*a \\
& ^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^{13} - 3359200*(a^3 + 57*a^2*b + 111*a*b^ \\
& 2 + 55*b^3)*\cosh(d*x + c)^{11} - 121550*(424*a^3 + 4440*a^2*b + 15960*a*b^2 + \\
& 5599*b^3)*\cosh(d*x + c)^9 - 85800*(712*a^3 + 4840*a^2*b + 26584*a*b^2 + 56 \\
& 65*b^3)*\cosh(d*x + c)^7 - 3003*(9040*a^3 + 36400*a^2*b + 344944*a*b^2 + 452 \\
& 65*b^3)*\cosh(d*x + c)^5 - 330*(14000*a^3 + 18800*a^2*b + 542672*a*b^2 + 204 \\
& 05*b^3)*\cosh(d*x + c)^3 - 15*(14000*a^3 - 18800*a^2*b + 542672*a*b^2 - 2040 \\
& 5*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^9 - 3*(9040*a^3 - 36400*a^2*b + 344944* \\
& a*b^2 - 45265*b^3)*\cosh(d*x + c)^8 + 3*(4263600*(a^3 + 3*a^2*b + 3*a*b^2 + \\
& b^3)*\cosh(d*x + c)^{14} - 1679600*(a^3 + 57*a^2*b + 111*a*b^2 + 55*b^3)*\cosh(
\end{aligned}$$

$$\begin{aligned}
& d*x + c)^{12} - 72930*(424*a^3 + 4440*a^2*b + 15960*a*b^2 + 5599*b^3)*\cosh(d*x \\
& x + c)^{10} - 64350*(712*a^3 + 4840*a^2*b + 26584*a*b^2 + 5665*b^3)*\cosh(d*x \\
& + c)^8 - 3003*(9040*a^3 + 36400*a^2*b + 344944*a*b^2 + 45265*b^3)*\cosh(d*x \\
& + c)^6 - 495*(14000*a^3 + 18800*a^2*b + 542672*a*b^2 + 20405*b^3)*\cosh(d*x \\
& + c)^4 - 9040*a^3 + 36400*a^2*b - 344944*a*b^2 + 45265*b^3 - 45*(14000*a^3 \\
& - 18800*a^2*b + 542672*a*b^2 - 20405*b^3)*\cosh(d*x + c)^2*\sinh(d*x + c)^8 \\
& + 24*(284240*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^{15} - 129200*(a^3 \\
& + 57*a^2*b + 111*a*b^2 + 55*b^3)*\cosh(d*x + c)^{13} - 6630*(424*a^3 + 4440*a \\
& ^2*b + 15960*a*b^2 + 5599*b^3)*\cosh(d*x + c)^{11} - 7150*(712*a^3 + 4840*a^2* \\
& b + 26584*a*b^2 + 5665*b^3)*\cosh(d*x + c)^9 - 429*(9040*a^3 + 36400*a^2*b + \\
& 344944*a*b^2 + 45265*b^3)*\cosh(d*x + c)^7 - 99*(14000*a^3 + 18800*a^2*b + \\
& 542672*a*b^2 + 20405*b^3)*\cosh(d*x + c)^5 - 15*(14000*a^3 - 18800*a^2*b + 5 \\
& 42672*a*b^2 - 20405*b^3)*\cosh(d*x + c)^3 - (9040*a^3 - 36400*a^2*b + 344944 \\
& *a*b^2 - 45265*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^7 - 15*(712*a^3 - 4840*a^2 \\
& *b + 26584*a*b^2 - 5665*b^3)*\cosh(d*x + c)^6 + 3*(994840*(a^3 + 3*a^2*b + 3 \\
& *a*b^2 + b^3)*\cosh(d*x + c)^{16} - 516800*(a^3 + 57*a^2*b + 111*a*b^2 + 55*b^ \\
& 3)*\cosh(d*x + c)^{14} - 30940*(424*a^3 + 4440*a^2*b + 15960*a*b^2 + 5599*b^3) \\
& *\cosh(d*x + c)^{12} - 40040*(712*a^3 + 4840*a^2*b + 26584*a*b^2 + 5665*b^3)*c \\
& osh(d*x + c)^{10} - 3003*(9040*a^3 + 36400*a^2*b + 344944*a*b^2 + 45265*b^3)* \\
& cosh(d*x + c)^8 - 924*(14000*a^3 + 18800*a^2*b + 542672*a*b^2 + 20405*b^3)* \\
& cosh(d*x + c)^6 - 210*(14000*a^3 - 18800*a^2*b + 542672*a*b^2 - 20405*b^3)* \\
& cosh(d*x + c)^4 - 3560*a^3 + 24200*a^2*b - 132920*a*b^2 + 28325*b^3 - 28*(9 \\
& 040*a^3 - 36400*a^2*b + 344944*a*b^2 - 45265*b^3)*\cosh(d*x + c)^2*\sinh(d*x \\
& + c)^6 + 6*(175560*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^{17} - 1033 \\
& 60*(a^3 + 57*a^2*b + 111*a*b^2 + 55*b^3)*\cosh(d*x + c)^{15} - 7140*(424*a^3 + \\
& 4440*a^2*b + 15960*a*b^2 + 5599*b^3)*\cosh(d*x + c)^{13} - 10920*(712*a^3 + 4 \\
& 840*a^2*b + 26584*a*b^2 + 5665*b^3)*\cosh(d*x + c)^{11} - 1001*(9040*a^3 + 364 \\
& 00*a^2*b + 344944*a*b^2 + 45265*b^3)*\cosh(d*x + c)^9 - 396*(14000*a^3 + 188 \\
& 00*a^2*b + 542672*a*b^2 + 20405*b^3)*\cosh(d*x + c)^7 - 126*(14000*a^3 - 188 \\
& 00*a^2*b + 542672*a*b^2 - 20405*b^3)*\cosh(d*x + c)^5 - 28*(9040*a^3 - 36400 \\
& *a^2*b + 344944*a*b^2 - 45265*b^3)*\cosh(d*x + c)^3 - 15*(712*a^3 - 4840*a^2 \\
& *b + 26584*a*b^2 - 5665*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^5 - 5*(424*a^3 - \\
& 4440*a^2*b + 15960*a*b^2 - 5599*b^3)*\cosh(d*x + c)^4 + (292600*(a^3 + 3*a^2 \\
& *b + 3*a*b^2 + b^3)*\cosh(d*x + c)^{18} - 193800*(a^3 + 57*a^2*b + 111*a*b^2 + \\
& 55*b^3)*\cosh(d*x + c)^{16} - 15300*(424*a^3 + 4440*a^2*b + 15960*a*b^2 + 559 \\
& 9*b^3)*\cosh(d*x + c)^{14} - 27300*(712*a^3 + 4840*a^2*b + 26584*a*b^2 + 5665* \\
& b^3)*\cosh(d*x + c)^{12} - 3003*(9040*a^3 + 36400*a^2*b + 344944*a*b^2 + 45265 \\
& *b^3)*\cosh(d*x + c)^{10} - 1485*(14000*a^3 + 18800*a^2*b + 542672*a*b^2 + 204 \\
& 05*b^3)*\cosh(d*x + c)^8 - 630*(14000*a^3 - 18800*a^2*b + 542672*a*b^2 - 204 \\
& 05*b^3)*\cosh(d*x + c)^6 - 210*(9040*a^3 - 36400*a^2*b + 344944*a*b^2 - 4526 \\
& 5*b^3)*\cosh(d*x + c)^4 - 2120*a^3 + 22200*a^2*b - 79800*a*b^2 + 27995*b^3 - \\
& 225*(712*a^3 - 4840*a^2*b + 26584*a*b^2 - 5665*b^3)*\cosh(d*x + c)^2*\sinh( \\
& d*x + c)^4 + 4*(15400*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^{19} - 11 \\
& 400*(a^3 + 57*a^2*b + 111*a*b^2 + 55*b^3)*\cosh(d*x + c)^{17} - 1020*(424*a^3 \\
& + 4440*a^2*b + 15960*a*b^2 + 5599*b^3)*\cosh(d*x + c)^{15} - 2100*(712*a^3 + 4
\end{aligned}$$

$$\begin{aligned}
& 840*a^2*b + 26584*a*b^2 + 5665*b^3)*\cosh(d*x + c)^{13} - 273*(9040*a^3 + 3640 \\
& 0*a^2*b + 344944*a*b^2 + 45265*b^3)*\cosh(d*x + c)^{11} - 165*(14000*a^3 + 188 \\
& 00*a^2*b + 542672*a*b^2 + 20405*b^3)*\cosh(d*x + c)^9 - 90*(14000*a^3 - 1880 \\
& 0*a^2*b + 542672*a*b^2 - 20405*b^3)*\cosh(d*x + c)^7 - 42*(9040*a^3 - 36400* \\
& a^2*b + 344944*a*b^2 - 45265*b^3)*\cosh(d*x + c)^5 - 75*(712*a^3 - 4840*a^2* \\
& b + 26584*a*b^2 - 5665*b^3)*\cosh(d*x + c)^3 - 5*(424*a^3 - 4440*a^2*b + 159 \\
& 60*a*b^2 - 5599*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 40*a^3 - 120*a^2*b + \\
& 120*a*b^2 - 40*b^3 - 40*(a^3 - 57*a^2*b + 111*a*b^2 - 55*b^3)*\cosh(d*x + c) \\
& ^2 + (9240*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^{20} - 7600*(a^3 + 5 \\
& 7*a^2*b + 111*a*b^2 + 55*b^3)*\cosh(d*x + c)^{18} - 765*(424*a^3 + 4440*a^2*b \\
& + 15960*a*b^2 + 5599*b^3)*\cosh(d*x + c)^{16} - 1800*(712*a^3 + 4840*a^2*b + 2 \\
& 6584*a*b^2 + 5665*b^3)*\cosh(d*x + c)^{14} - 273*(9040*a^3 + 36400*a^2*b + 344 \\
& 944*a*b^2 + 45265*b^3)*\cosh(d*x + c)^{12} - 198*(14000*a^3 + 18800*a^2*b + 54 \\
& 2672*a*b^2 + 20405*b^3)*\cosh(d*x + c)^{10} - 135*(14000*a^3 - 18800*a^2*b + 5 \\
& 42672*a*b^2 - 20405*b^3)*\cosh(d*x + c)^8 - 84*(9040*a^3 - 36400*a^2*b + 344 \\
& 944*a*b^2 - 45265*b^3)*\cosh(d*x + c)^6 - 225*(712*a^3 - 4840*a^2*b + 26584* \\
& a*b^2 - 5665*b^3)*\cosh(d*x + c)^4 - 40*a^3 + 2280*a^2*b - 4440*a*b^2 + 2200 \\
& *b^3 - 30*(424*a^3 - 4440*a^2*b + 15960*a*b^2 - 5599*b^3)*\cosh(d*x + c)^2)* \\
& \sinh(d*x + c)^2 + 225*((64*a^2*b + 77*b^3)*\cosh(d*x + c)^{19} + 19*(64*a^2*b \\
& + 77*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^{18} + (64*a^2*b + 77*b^3)*\sinh(d*x + c \\
& )^{19} + 8*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^{17} + (512*a^2*b + 616*b^3 + 171* \\
& (64*a^2*b + 77*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^{17} + 17*(57*(64*a^2*b + \\
& 77*b^3)*\cosh(d*x + c)^3 + 8*(64*a^2*b + 77*b^3)*\cosh(d*x + c))*\sinh(d*x + c \\
& )^{16} + 28*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^{15} + 4*(969*(64*a^2*b + 77*b^3) \\
& *\cosh(d*x + c)^4 + 448*a^2*b + 539*b^3 + 272*(64*a^2*b + 77*b^3)*\cosh(d*x + \\
& c)^2)*\sinh(d*x + c)^{15} + 4*(2907*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^5 + 136 \\
& 0*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^3 + 105*(64*a^2*b + 77*b^3)*\cosh(d*x + \\
& c))*\sinh(d*x + c)^{14} + 56*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^{13} + 28*(969*(6 \\
& 4*a^2*b + 77*b^3)*\cosh(d*x + c)^6 + 680*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^4 \\
& + 128*a^2*b + 154*b^3 + 105*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^2)*\sinh(d*x \\
& + c)^{13} + 52*(969*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^7 + 952*(64*a^2*b + 77* \\
& b^3)*\cosh(d*x + c)^5 + 245*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^3 + 14*(64*a^2 \\
& *b + 77*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^{12} + 70*(64*a^2*b + 77*b^3)*\cosh( \\
& d*x + c)^{11} + 2*(37791*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^8 + 49504*(64*a^2* \\
& b + 77*b^3)*\cosh(d*x + c)^6 + 19110*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^4 + 2 \\
& 240*a^2*b + 2695*b^3 + 2184*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + \\
& c)^{11} + 22*(4199*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^9 + 7072*(64*a^2*b + 77 \\
& *b^3)*\cosh(d*x + c)^7 + 3822*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^5 + 728*(64* \\
& a^2*b + 77*b^3)*\cosh(d*x + c)^3 + 35*(64*a^2*b + 77*b^3)*\cosh(d*x + c))*\sin \\
& h(d*x + c)^{10} + 56*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^9 + 2*(46189*(64*a^2*b \\
& + 77*b^3)*\cosh(d*x + c)^{10} + 97240*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^8 + 7 \\
& 0070*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^6 + 20020*(64*a^2*b + 77*b^3)*\cosh(d \\
& *x + c)^4 + 1792*a^2*b + 2156*b^3 + 1925*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^ \\
& 2)*\sinh(d*x + c)^9 + 2*(37791*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^{11} + 97240* \\
& (64*a^2*b + 77*b^3)*\cosh(d*x + c)^9 + 90090*(64*a^2*b + 77*b^3)*\cosh(d*x +
\end{aligned}$$

$$\begin{aligned}
& c)^7 + 36036*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^5 + 5775*(64*a^2*b + 77*b^3) \\
& *\cosh(d*x + c)^3 + 252*(64*a^2*b + 77*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^8 + \\
& 28*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^7 + 4*(12597*(64*a^2*b + 77*b^3)*\cosh \\
& (d*x + c)^12 + 38896*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^10 + 45045*(64*a^2*b \\
& + 77*b^3)*\cosh(d*x + c)^8 + 24024*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^6 + 57 \\
& 75*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^4 + 448*a^2*b + 539*b^3 + 504*(64*a^2*b \\
& + 77*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^7 + 28*(969*(64*a^2*b + 77*b^3)* \\
& \cosh(d*x + c)^13 + 3536*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^11 + 5005*(64*a^2 \\
& *b + 77*b^3)*\cosh(d*x + c)^9 + 3432*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^7 + 1 \\
& 155*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^5 + 168*(64*a^2*b + 77*b^3)*\cosh(d*x \\
& + c)^3 + 7*(64*a^2*b + 77*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^6 + 8*(64*a^2*b \\
& + 77*b^3)*\cosh(d*x + c)^5 + 4*(2907*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^14 + \\
& 12376*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^12 + 21021*(64*a^2*b + 77*b^3)*\cos \\
& h(d*x + c)^10 + 18018*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^8 + 8085*(64*a^2*b \\
& + 77*b^3)*\cosh(d*x + c)^6 + 1764*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^4 + 128* \\
& a^2*b + 154*b^3 + 147*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^5 \\
& + 4*(969*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^15 + 4760*(64*a^2*b + 77*b^3)*\co \\
& sh(d*x + c)^13 + 9555*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^11 + 10010*(64*a^2*b \\
& + 77*b^3)*\cosh(d*x + c)^9 + 5775*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^7 + 17 \\
& 64*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^5 + 245*(64*a^2*b + 77*b^3)*\cosh(d*x + \\
& c)^3 + 10*(64*a^2*b + 77*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^4 + (64*a^2*b + \\
& 77*b^3)*\cosh(d*x + c)^3 + (969*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^16 + 5440 \\
& *(64*a^2*b + 77*b^3)*\cosh(d*x + c)^14 + 12740*(64*a^2*b + 77*b^3)*\cosh(d*x \\
& + c)^12 + 16016*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^10 + 11550*(64*a^2*b + 77 \\
& *b^3)*\cosh(d*x + c)^8 + 4704*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^6 + 980*(64* \\
& a^2*b + 77*b^3)*\cosh(d*x + c)^4 + 64*a^2*b + 77*b^3 + 80*(64*a^2*b + 77*b^3 \\
& )*\cosh(d*x + c)^2)*\sinh(d*x + c)^3 + (171*(64*a^2*b + 77*b^3)*\cosh(d*x + c) \\
& ^17 + 1088*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^15 + 2940*(64*a^2*b + 77*b^3)* \\
& \cosh(d*x + c)^13 + 4368*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^11 + 3850*(64*a^2 \\
& *b + 77*b^3)*\cosh(d*x + c)^9 + 2016*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^7 + 5 \\
& 88*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^5 + 80*(64*a^2*b + 77*b^3)*\cosh(d*x + \\
& c)^3 + 3*(64*a^2*b + 77*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^2 + (19*(64*a^2*b \\
& + 77*b^3)*\cosh(d*x + c)^18 + 136*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^16 + 42 \\
& 0*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^14 + 728*(64*a^2*b + 77*b^3)*\cosh(d*x + \\
& c)^12 + 770*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^10 + 504*(64*a^2*b + 77*b^3) \\
& *\cosh(d*x + c)^8 + 196*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^6 + 40*(64*a^2*b + \\
& 77*b^3)*\cosh(d*x + c)^4 + 3*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^2)*\sinh(d*x \\
& + c))*\arctan(\cosh(d*x + c) + \sinh(d*x + c)) + 2*(440*(a^3 + 3*a^2*b + 3*a*b \\
& ^2 + b^3)*\cosh(d*x + c)^21 - 400*(a^3 + 57*a^2*b + 111*a*b^2 + 55*b^3)*\cosh \\
& (d*x + c)^19 - 45*(424*a^3 + 4440*a^2*b + 15960*a*b^2 + 5599*b^3)*\cosh(d*x \\
& + c)^17 - 120*(712*a^3 + 4840*a^2*b + 26584*a*b^2 + 5665*b^3)*\cosh(d*x + c) \\
& ^15 - 21*(9040*a^3 + 36400*a^2*b + 344944*a*b^2 + 45265*b^3)*\cosh(d*x + c)^ \\
& 13 - 18*(14000*a^3 + 18800*a^2*b + 542672*a*b^2 + 20405*b^3)*\cosh(d*x + c)^ \\
& 11 - 15*(14000*a^3 - 18800*a^2*b + 542672*a*b^2 - 20405*b^3)*\cosh(d*x + c)^ \\
& 9 - 12*(9040*a^3 - 36400*a^2*b + 344944*a*b^2 - 45265*b^3)*\cosh(d*x + c)^7
\end{aligned}$$

$$\begin{aligned}
& - 45*(712*a^3 - 4840*a^2*b + 26584*a*b^2 - 5665*b^3)*\cosh(d*x + c)^5 - 10*( \\
& 424*a^3 - 4440*a^2*b + 15960*a*b^2 - 5599*b^3)*\cosh(d*x + c)^3 - 40*(a^3 - \\
& 57*a^2*b + 111*a*b^2 - 55*b^3)*\cosh(d*x + c)*\sinh(d*x + c))/(d*\cosh(d*x + \\
& c)^19 + 19*d*\cosh(d*x + c)*\sinh(d*x + c)^18 + d*\sinh(d*x + c)^19 + 8*d*\cosh \\
& (d*x + c)^17 + (171*d*\cosh(d*x + c)^2 + 8*d)*\sinh(d*x + c)^17 + 17*(57*d*\co \\
& sh(d*x + c)^3 + 8*d*\cosh(d*x + c))*\sinh(d*x + c)^16 + 28*d*\cosh(d*x + c)^15 \\
& + 4*(969*d*\cosh(d*x + c)^4 + 272*d*\cosh(d*x + c)^2 + 7*d)*\sinh(d*x + c)^15 \\
& + 4*(2907*d*\cosh(d*x + c)^5 + 1360*d*\cosh(d*x + c)^3 + 105*d*\cosh(d*x + c) \\
& )*\sinh(d*x + c)^14 + 56*d*\cosh(d*x + c)^13 + 28*(969*d*\cosh(d*x + c)^6 + 68 \\
& 0*d*\cosh(d*x + c)^4 + 105*d*\cosh(d*x + c)^2 + 2*d)*\sinh(d*x + c)^13 + 52*(9 \\
& 69*d*\cosh(d*x + c)^7 + 952*d*\cosh(d*x + c)^5 + 245*d*\cosh(d*x + c)^3 + 14*d \\
& *\cosh(d*x + c))*\sinh(d*x + c)^12 + 70*d*\cosh(d*x + c)^11 + 2*(37791*d*\cosh( \\
& d*x + c)^8 + 49504*d*\cosh(d*x + c)^6 + 19110*d*\cosh(d*x + c)^4 + 2184*d*\cos \\
& h(d*x + c)^2 + 35*d)*\sinh(d*x + c)^11 + 22*(4199*d*\cosh(d*x + c)^9 + 7072*d \\
& *\cosh(d*x + c)^7 + 3822*d*\cosh(d*x + c)^5 + 728*d*\cosh(d*x + c)^3 + 35*d*\co \\
& sh(d*x + c))*\sinh(d*x + c)^10 + 56*d*\cosh(d*x + c)^9 + 2*(46189*d*\cosh(d*x \\
& + c)^10 + 97240*d*\cosh(d*x + c)^8 + 70070*d*\cosh(d*x + c)^6 + 20020*d*\cosh( \\
& d*x + c)^4 + 1925*d*\cosh(d*x + c)^2 + 28*d)*\sinh(d*x + c)^9 + 2*(37791*d*\co \\
& sh(d*x + c)^11 + 97240*d*\cosh(d*x + c)^9 + 90090*d*\cosh(d*x + c)^7 + 36036* \\
& d*\cosh(d*x + c)^5 + 5775*d*\cosh(d*x + c)^3 + 252*d*\cosh(d*x + c))*\sinh(d*x \\
& + c)^8 + 28*d*\cosh(d*x + c)^7 + 4*(12597*d*\cosh(d*x + c)^12 + 38896*d*\cosh( \\
& d*x + c)^10 + 45045*d*\cosh(d*x + c)^8 + 24024*d*\cosh(d*x + c)^6 + 5775*d*\co \\
& sh(d*x + c)^4 + 504*d*\cosh(d*x + c)^2 + 7*d)*\sinh(d*x + c)^7 + 28*(969*d*\co \\
& sh(d*x + c)^13 + 3536*d*\cosh(d*x + c)^11 + 5005*d*\cosh(d*x + c)^9 + 3432*d* \\
& cosh(d*x + c)^7 + 1155*d*\cosh(d*x + c)^5 + 168*d*\cosh(d*x + c)^3 + 7*d*\cosh \\
& (d*x + c))*\sinh(d*x + c)^6 + 8*d*\cosh(d*x + c)^5 + 4*(2907*d*\cosh(d*x + c)^ \\
& 14 + 12376*d*\cosh(d*x + c)^12 + 21021*d*\cosh(d*x + c)^10 + 18018*d*\cosh(d*x \\
& + c)^8 + 8085*d*\cosh(d*x + c)^6 + 1764*d*\cosh(d*x + c)^4 + 147*d*\cosh(d*x \\
& + c)^2 + 2*d)*\sinh(d*x + c)^5 + 4*(969*d*\cosh(d*x + c)^15 + 4760*d*\cosh(d*x \\
& + c)^13 + 9555*d*\cosh(d*x + c)^11 + 10010*d*\cosh(d*x + c)^9 + 5775*d*\cosh( \\
& d*x + c)^7 + 1764*d*\cosh(d*x + c)^5 + 245*d*\cosh(d*x + c)^3 + 10*d*\cosh(d*x \\
& + c))*\sinh(d*x + c)^4 + d*\cosh(d*x + c)^3 + (969*d*\cosh(d*x + c)^16 + 5440 \\
& *d*\cosh(d*x + c)^14 + 12740*d*\cosh(d*x + c)^12 + 16016*d*\cosh(d*x + c)^10 + \\
& 11550*d*\cosh(d*x + c)^8 + 4704*d*\cosh(d*x + c)^6 + 980*d*\cosh(d*x + c)^4 + \\
& 80*d*\cosh(d*x + c)^2 + d)*\sinh(d*x + c)^3 + (171*d*\cosh(d*x + c)^17 + 1088 \\
& *d*\cosh(d*x + c)^15 + 2940*d*\cosh(d*x + c)^13 + 4368*d*\cosh(d*x + c)^11 + 3 \\
& 850*d*\cosh(d*x + c)^9 + 2016*d*\cosh(d*x + c)^7 + 588*d*\cosh(d*x + c)^5 + 80 \\
& *d*\cosh(d*x + c)^3 + 3*d*\cosh(d*x + c))*\sinh(d*x + c)^2 + (19*d*\cosh(d*x + \\
& c)^18 + 136*d*\cosh(d*x + c)^16 + 420*d*\cosh(d*x + c)^14 + 728*d*\cosh(d*x + \\
& c)^12 + 770*d*\cosh(d*x + c)^10 + 504*d*\cosh(d*x + c)^8 + 196*d*\cosh(d*x + c \\
& )^6 + 40*d*\cosh(d*x + c)^4 + 3*d*\cosh(d*x + c)^2)*\sinh(d*x + c)
\end{aligned}$$


---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)\*\*3\*(a+b\*tanh(d\*x+c)\*\*3)\*\*3,x)

[Out] Timed out

**Giac [A]** time = 3.95178, size = 811, normalized size = 2.31

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^3)^3,x, algorithm="giac")

[Out] 
$$\frac{1}{960} \cdot (225 \cdot (64 \cdot a^2 \cdot b \cdot e^c + 77 \cdot b^3 \cdot e^c) \cdot \arctan(e^{(d \cdot x + c)}) \cdot e^{-c} - 40 \cdot (9 \cdot a^3 \cdot e^{(2 \cdot d \cdot x + 2 \cdot c)} - 81 \cdot a^2 \cdot b \cdot e^{(2 \cdot d \cdot x + 2 \cdot c)} + 135 \cdot a \cdot b^2 \cdot e^{(2 \cdot d \cdot x + 2 \cdot c)} - 63 \cdot b^3 \cdot e^{(2 \cdot d \cdot x + 2 \cdot c)} - a^3 + 3 \cdot a^2 \cdot b - 3 \cdot a \cdot b^2 + b^3) \cdot e^{(-3 \cdot d \cdot x - 3 \cdot c)} + 40 \cdot (a^3 \cdot e^{(3 \cdot d \cdot x + 66 \cdot c)} + 3 \cdot a^2 \cdot b \cdot e^{(3 \cdot d \cdot x + 66 \cdot c)} + 3 \cdot a \cdot b^2 \cdot e^{(3 \cdot d \cdot x + 66 \cdot c)} + b^3 \cdot e^{(3 \cdot d \cdot x + 66 \cdot c)} - 9 \cdot a^3 \cdot e^{(d \cdot x + 64 \cdot c)} - 81 \cdot a^2 \cdot b \cdot e^{(d \cdot x + 64 \cdot c)} - 135 \cdot a \cdot b^2 \cdot e^{(d \cdot x + 64 \cdot c)} - 63 \cdot b^3 \cdot e^{(d \cdot x + 64 \cdot c)}) \cdot e^{(-63 \cdot c)} - (2880 \cdot a^2 \cdot b \cdot e^{(15 \cdot d \cdot x + 15 \cdot c)} + 34560 \cdot a \cdot b^2 \cdot e^{(15 \cdot d \cdot x + 15 \cdot c)} + 11475 \cdot b^3 \cdot e^{(15 \cdot d \cdot x + 15 \cdot c)} + 14400 \cdot a^2 \cdot b \cdot e^{(13 \cdot d \cdot x + 13 \cdot c)} + 211200 \cdot a \cdot b^2 \cdot e^{(13 \cdot d \cdot x + 13 \cdot c)} + 36775 \cdot b^3 \cdot e^{(13 \cdot d \cdot x + 13 \cdot c)} + 25920 \cdot a^2 \cdot b \cdot e^{(11 \cdot d \cdot x + 11 \cdot c)} + 590592 \cdot a \cdot b^2 \cdot e^{(11 \cdot d \cdot x + 11 \cdot c)} + 67715 \cdot b^3 \cdot e^{(11 \cdot d \cdot x + 11 \cdot c)} + 14400 \cdot a^2 \cdot b \cdot e^{(9 \cdot d \cdot x + 9 \cdot c)} + 957696 \cdot a \cdot b^2 \cdot e^{(9 \cdot d \cdot x + 9 \cdot c)} + 27055 \cdot b^3 \cdot e^{(9 \cdot d \cdot x + 9 \cdot c)} - 14400 \cdot a^2 \cdot b \cdot e^{(7 \cdot d \cdot x + 7 \cdot c)} + 957696 \cdot a \cdot b^2 \cdot e^{(7 \cdot d \cdot x + 7 \cdot c)} - 27055 \cdot b^3 \cdot e^{(7 \cdot d \cdot x + 7 \cdot c)} - 25920 \cdot a^2 \cdot b \cdot e^{(5 \cdot d \cdot x + 5 \cdot c)} + 590592 \cdot a \cdot b^2 \cdot e^{(5 \cdot d \cdot x + 5 \cdot c)} - 67715 \cdot b^3 \cdot e^{(5 \cdot d \cdot x + 5 \cdot c)} - 14400 \cdot a^2 \cdot b \cdot e^{(3 \cdot d \cdot x + 3 \cdot c)} + 211200 \cdot a \cdot b^2 \cdot e^{(3 \cdot d \cdot x + 3 \cdot c)} - 36775 \cdot b^3 \cdot e^{(3 \cdot d \cdot x + 3 \cdot c)} - 2880 \cdot a^2 \cdot b \cdot e^{(d \cdot x + c)} + 34560 \cdot a \cdot b^2 \cdot e^{(d \cdot x + c)} - 11475 \cdot b^3 \cdot e^{(d \cdot x + c)}) / (e^{(2 \cdot d \cdot x + 2 \cdot c)} + 1)^8 / d$$



### 3.67 $\int \sinh^2(c + dx) (a + b \tanh^3(c + dx))^3 dx$

**Optimal.** Leaf size=220

$$\frac{b(3a^2 + 4b^2) \tanh^2(c + dx)}{2d} - \frac{b(6a^2 + 5b^2) \log(\cosh(c + dx))}{d} + \frac{\sinh(c + dx) \cosh(c + dx) (b(3a^2 + b^2) \tanh(c + dx))}{2d}$$

[Out]  $-(a*(a^2 + 21*b^2)*x)/2 - (b*(6*a^2 + 5*b^2)*\text{Log}[\text{Cosh}[c + d*x]])/d + (9*a*b^2*\text{Tanh}[c + d*x])/d + (b*(3*a^2 + 4*b^2)*\text{Tanh}[c + d*x]^2)/(2*d) + (2*a*b^2*\text{Tanh}[c + d*x]^3)/d + (3*b^3*\text{Tanh}[c + d*x]^4)/(4*d) + (3*a*b^2*\text{Tanh}[c + d*x]^5)/(5*d) + (b^3*\text{Tanh}[c + d*x]^6)/(3*d) + (b^3*\text{Tanh}[c + d*x]^8)/(8*d) + (\text{Cosh}[c + d*x]*\text{Sinh}[c + d*x]*(a*(a^2 + 3*b^2) + b*(3*a^2 + b^2)*\text{Tanh}[c + d*x]))/(2*d)$

**Rubi [A]** time = 0.314838, antiderivative size = 241, normalized size of antiderivative = 1.1, number of steps used = 7, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {3663, 1804, 1802, 633, 31}

$$\frac{b(3a^2 + 4b^2) \tanh^2(c + dx)}{2d} + \frac{a(a^2 + 21b^2) \tanh(c + dx)}{2d} + \frac{\sinh^2(c + dx) (a(a^2 + 3b^2) \tanh(c + dx) + b(3a^2 + b^2))}{2d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Sinh}[c + d*x]^2*(a + b*\text{Tanh}[c + d*x]^3)^3, x]$

[Out]  $((a + b)^2*(a + 10*b)*\text{Log}[1 - \text{Tanh}[c + d*x]])/(4*d) - ((a - 10*b)*(a - b)^2*\text{Log}[1 + \text{Tanh}[c + d*x]])/(4*d) + (a*(a^2 + 21*b^2)*\text{Tanh}[c + d*x])/(2*d) + (b*(3*a^2 + 4*b^2)*\text{Tanh}[c + d*x]^2)/(2*d) + (2*a*b^2*\text{Tanh}[c + d*x]^3)/d + (3*b^3*\text{Tanh}[c + d*x]^4)/(4*d) + (3*a*b^2*\text{Tanh}[c + d*x]^5)/(5*d) + (b^3*\text{Tanh}[c + d*x]^6)/(3*d) + (b^3*\text{Tanh}[c + d*x]^8)/(8*d) + (\text{Sinh}[c + d*x]^2*(b*(3*a^2 + b^2) + a*(a^2 + 3*b^2)*\text{Tanh}[c + d*x]))/(2*d)$

#### Rule 3663

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]^{(m_.)}*((a_.) + (b_.)*((c_.)*\tan[(e_.) + (f_.)*(x_.)])^{(n_.)})^{(p_.)}, x\_Symbol] \rightarrow \text{With}\{\{ff = \text{FreeFactors}[\text{Tan}[e + f*x], x]\}, \text{Dist}[(c*ff^{(m + 1)})/f, \text{Subst}[\text{Int}[(x^m*(a + b*(ff*x)^n)^p]/(c^2 + ff^2*x^2)^{(m/2 + 1)}, x], x, (c*\text{Tan}[e + f*x])/ff], x]\} /; \text{FreeQ}\{a, b, c, e, f, n, p\}, x\} \&\& \text{IntegerQ}[m/2]$

#### Rule 1804

```
Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[
{Q = PolynomialQuotient[Pq, a + b*x^2, x], f = Coeff[PolynomialRemainder[Pq,
a + b*x^2, x], x, 0], g = Coeff[PolynomialRemainder[Pq, a + b*x^2, x], x,
1]}, Simp[((c*x)^m*(a + b*x^2)^(p + 1)*(a*g - b*f*x))/(2*a*b*(p + 1)), x]
+ Dist[c/(2*a*b*(p + 1)), Int[(c*x)^(m - 1)*(a + b*x^2)^(p + 1)*ExpandToSum
[2*a*b*(p + 1)*x*Q - a*g*m + b*f*(m + 2*p + 3)*x, x], x]] /; FreeQ[{a,
b, c}, x] && PolyQ[Pq, x] && LtQ[p, -1] && GtQ[m, 0]
```

### Rule 1802

```
Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^2)^(p_.), x_Symbol] := Int[
ExpandIntegrand[(c*x)^m*Pq*(a + b*x^2)^p, x], x] /; FreeQ[{a, b, c, m}, x]
&& PolyQ[Pq, x] && IGtQ[p, -2]
```

### Rule 633

```
Int[((d_) + (e_.)*(x_))/((a_) + (c_.)*(x_)^2), x_Symbol] := With[{q = Rt[-(
a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x), x], x] + Dist[e/2 - (c
*d)/(2*q), Int[1/(q + c*x), x], x]] /; FreeQ[{a, c, d, e}, x] && NiceSqrtQ[
-(a*c)]
```

### Rule 31

```
Int[((a_) + (b_.)*(x_))^(p_), x_Symbol] := Simp[Log[RemoveContent[a + b*x,
x]]/b, x] /; FreeQ[{a, b}, x]
```

### Rubi steps

$$\begin{aligned}
\int \sinh^2(c + dx) (a + b \tanh^3(c + dx))^3 dx &= \frac{\text{Subst}\left(\int \frac{x^2(a+bx^3)^3}{(1-x^2)^2} dx, x, \tanh(c + dx)\right)}{d} \\
&= \frac{\sinh^2(c + dx) (b(3a^2 + b^2) + a(a^2 + 3b^2) \tanh(c + dx))}{2d} + \frac{\text{Subst}\left(\int \frac{x(-)}{d}\right)}{d} \\
&= \frac{\sinh^2(c + dx) (b(3a^2 + b^2) + a(a^2 + 3b^2) \tanh(c + dx))}{2d} + \frac{\text{Subst}\left(\int (a^3)\right)}{d} \\
&= \frac{a(a^2 + 21b^2) \tanh(c + dx)}{2d} + \frac{b(3a^2 + 4b^2) \tanh^2(c + dx)}{2d} + \frac{2ab^2 \tanh^3(c + dx)}{d} \\
&= \frac{a(a^2 + 21b^2) \tanh(c + dx)}{2d} + \frac{b(3a^2 + 4b^2) \tanh^2(c + dx)}{2d} + \frac{2ab^2 \tanh^3(c + dx)}{d} \\
&= \frac{(a + b)^2(a + 10b) \log(1 - \tanh(c + dx))}{4d} - \frac{(a - 10b)(a - b)^2 \log(1 + \tanh(c + dx))}{4d}
\end{aligned}$$

**Mathematica [A]** time = 6.2196, size = 244, normalized size = 1.11

$$-\frac{a(a^2 + 21b^2)(c + dx)}{2d} + \frac{a(a^2 + 3b^2) \sinh(2(c + dx))}{4d} + \frac{b(3a^2 + b^2) \cosh(2(c + dx))}{4d} - \frac{b(3a^2 + 10b^2) \text{sech}^2(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]^2\*(a + b\*Tanh[c + d\*x]^3)^3,x]

[Out]  $-(a*(a^2 + 21*b^2)*(c + d*x))/(2*d) + (b*(3*a^2 + b^2)*\text{Cosh}[2*(c + d*x)])/(4*d) + ((-6*a^2*b - 5*b^3)*\text{Log}[\text{Cosh}[c + d*x]])/d - (b*(3*a^2 + 10*b^2)*\text{Sech}[c + d*x]^2)/(2*d) + (5*b^3*\text{Sech}[c + d*x]^4)/(2*d) - (5*b^3*\text{Sech}[c + d*x]^6)/(6*d) + (b^3*\text{Sech}[c + d*x]^8)/(8*d) + (a*(a^2 + 3*b^2)*\text{Sinh}[2*(c + d*x)])/(4*d) + (58*a*b^2*\text{Tanh}[c + d*x])/(5*d) - (16*a*b^2*\text{Sech}[c + d*x]^2*\text{Tanh}[c + d*x])/(5*d) + (3*a*b^2*\text{Sech}[c + d*x]^4*\text{Tanh}[c + d*x])/(5*d)$

**Maple [A]** time = 0.073, size = 289, normalized size = 1.3

$$\frac{a^3 \cosh(dx + c) \sinh(dx + c)}{2d} - \frac{a^3 x}{2} - \frac{a^3 c}{2d} + \frac{3a^2 b (\sinh(dx + c))^4}{2d (\cosh(dx + c))^2} - 6 \frac{a^2 b \ln(\cosh(dx + c))}{d} + 3 \frac{a^2 b (\tanh(dx + c))^2}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(\sinh(dx+c)^2*(a+b*\tanh(dx+c))^3,x)$

[Out]  $\frac{1}{2}d^3a^3\cosh(dx+c)\sinh(dx+c) - \frac{1}{2}a^3x - \frac{1}{2}d^3c + \frac{3}{2}d^2b\sinh(dx+c)^4/\cosh(dx+c)^2 - \frac{6}{d}a^2b\ln(\cosh(dx+c)) + 3a^2b*\tanh(dx+c)^2/d + \frac{3}{2}d^2a^2b^2\sinh(dx+c)^7/\cosh(dx+c)^5 - \frac{21}{2}a^2b^2x - \frac{21}{2}d^2a^2b^2c + \frac{21}{2}a^2b^2*\tanh(dx+c)/d + \frac{7}{2}a^2b^2*\tanh(dx+c)^3/d + \frac{21}{10}a^2b^2*\tanh(dx+c)^5/d + \frac{1}{2}d^2b^3*\sinh(dx+c)^{10}/\cosh(dx+c)^8 - \frac{5}{d}b^3\ln(\cosh(dx+c)) + \frac{5}{2}d^2b^3*\tanh(dx+c)^2 + \frac{5}{4}b^3*\tanh(dx+c)^4/d + \frac{5}{6}b^3*\tanh(dx+c)^6/d + \frac{5}{8}b^3*\tanh(dx+c)^8/d$

**Maxima [B]** time = 1.75078, size = 734, normalized size = 3.34

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\sinh(dx+c)^2*(a+b*\tanh(dx+c))^3,x, \text{algorithm}="maxima")$

[Out]  $-\frac{1}{8}a^3(4x - e^{(2dx+2c)})/d + e^{(-2dx-2c)}/d - \frac{1}{40}a^2b^2(420*(dx+c)/d + 15e^{(-2dx-2c)}/d - (1003e^{(-2dx-2c)} + 3350e^{(-4dx-4c)} + 5590e^{(-6dx-6c)} + 3915e^{(-8dx-8c)} + 1455e^{(-10dx-10c)} + 15)/(d*(e^{(-2dx-2c)} + 5e^{(-4dx-4c)} + 10e^{(-6dx-6c)} + 10e^{(-8dx-8c)} + 5e^{(-10dx-10c)} + e^{(-12dx-12c)}))) - \frac{1}{24}b^3(120*(dx+c)/d - 3e^{(-2dx-2c)}/d + 120*\log(e^{(-2dx-2c)} + 1)/d - (24e^{(-2dx-2c)} - 396e^{(-4dx-4c)} - 1752e^{(-6dx-6c)} - 4430e^{(-8dx-8c)} - 5464e^{(-10dx-10c)} - 4556e^{(-12dx-12c)} - 1896e^{(-14dx-14c)} - 477e^{(-16dx-16c)} + 3)/(d*(e^{(-2dx-2c)} + 8e^{(-4dx-4c)} + 28e^{(-6dx-6c)} + 56e^{(-8dx-8c)} + 70e^{(-10dx-10c)} + 56e^{(-12dx-12c)} + 28e^{(-14dx-14c)} + 8e^{(-16dx-16c)} + e^{(-18dx-18c)}))) - \frac{3}{8}a^2b(16*(dx+c)/d - e^{(-2dx-2c)}/d + 16*\log(e^{(-2dx-2c)} + 1)/d - (2e^{(-2dx-2c)} - 15e^{(-4dx-4c)} + 1)/(d*(e^{(-2dx-2c)} + 2e^{(-4dx-4c)} + e^{(-6dx-6c)})))$

**Fricas [B]** time = 4.05151, size = 25608, normalized size = 116.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sinh(d*x+c)^2*(a+b*tanh(d*x+c)^3)^3,x, algorithm="fricas")
```

```
[Out] 1/120*(15*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)^20 + 300*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)*sinh(d*x + c)^19 + 15*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*sinh(d*x + c)^20 + 60*(2*a^3 + 6*a^2*b + 6*a*b^2 + 2*b^3 - (a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*cosh(d*x + c)^18 + 30*(4*a^3 + 12*a^2*b + 12*a*b^2 + 4*b^3 - 2*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x + 95*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)^2)*sinh(d*x + c)^18 + 180*(95*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)^3 + 6*(2*a^3 + 6*a^2*b + 6*a*b^2 + 2*b^3 - (a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*cosh(d*x + c))*sinh(d*x + c)^17 + 15*(27*a^3 + 39*a^2*b - 207*a*b^2 - 131*b^3 - 32*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*cosh(d*x + c)^16 + 15*(4845*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)^4 + 27*a^3 + 39*a^2*b - 207*a*b^2 - 131*b^3 - 32*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x + 612*(2*a^3 + 6*a^2*b + 6*a*b^2 + 2*b^3 - (a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*cosh(d*x + c)^2)*sinh(d*x + c)^16 + 240*(969*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)^5 + 204*(2*a^3 + 6*a^2*b + 6*a*b^2 + 2*b^3 - (a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*cosh(d*x + c)^3 + (27*a^3 + 39*a^2*b - 207*a*b^2 - 131*b^3 - 32*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*cosh(d*x + c))*sinh(d*x + c)^15 + 240*(3*a^3 - 6*a^2*b - 93*a*b^2 - 36*b^3 - 7*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*cosh(d*x + c)^14 + 120*(4845*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)^6 + 1530*(2*a^3 + 6*a^2*b + 6*a*b^2 + 2*b^3 - (a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*cosh(d*x + c)^4 + 6*a^3 - 12*a^2*b - 186*a*b^2 - 72*b^3 - 14*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x + 15*(27*a^3 + 39*a^2*b - 207*a*b^2 - 131*b^3 - 32*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*cosh(d*x + c)^2)*sinh(d*x + c)^14 + 240*(4845*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)^7 + 2142*(2*a^3 + 6*a^2*b + 6*a*b^2 + 2*b^3 - (a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*cosh(d*x + c)^5 + 35*(27*a^3 + 39*a^2*b - 207*a*b^2 - 131*b^3 - 32*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*cosh(d*x + c)^3 + 14*(3*a^3 - 6*a^2*b - 93*a*b^2 - 36*b^3 - 7*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*cosh(d*x + c))*sinh(d*x + c)^13 + 10*(63*a^3 - 639*a^2*b - 6195*a*b^2 - 2173*b^3 - 336*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*cosh(d*x + c)^12 + 10*(188955*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)^8 + 111384*(2*a^3 + 6*a^2*b + 6*a*b^2 + 2*b^3 - (a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*cosh(d*x + c)^6 + 2730*(27*a^3 + 39*a^2*b - 207*a*b^2 - 131*b^3 - 32*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*cosh(d*x + c)^4 + 63*a^3 - 639*a^2*b - 6195*a*b^2 - 2173*b^3 - 336*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x + 2184*(3*a^3 - 6*a^2*b - 93*a*b^2 - 36*b^3 - 7*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*cosh(d*x + c)^2)*sinh(d*x + c)^12 + 120*(20995*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)^9 + 15912*(2*a^3 + 6*a^2*b + 6*a*b^2 + 2*b^3 - (a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*cosh(d*x + c)^7 + 546*(27*a^3 + 39*a^2*b - 207*a*b^2 - 131*b^3 - 32*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)
```

$$\begin{aligned}
& 3)*d*x)*\cosh(d*x + c)^5 + 728*(3*a^3 - 6*a^2*b - 93*a*b^2 - 36*b^3 - 7*(a^3 \\
& - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*\cosh(d*x + c)^3 + (63*a^3 - 639*a^2*b \\
& - 6195*a*b^2 - 2173*b^3 - 336*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*\co \\
& sh(d*x + c))*\sinh(d*x + c)^{11} - 40*(234*a^2*b + 2436*a*b^2 + 662*b^3 + 105* \\
& (a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*\cosh(d*x + c)^{10} + 20*(138567*(a^ \\
& 3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^{10} + 131274*(2*a^3 + 6*a^2*b + 6 \\
& *a*b^2 + 2*b^3 - (a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*\cosh(d*x + c)^8 \\
& + 6006*(27*a^3 + 39*a^2*b - 207*a*b^2 - 131*b^3 - 32*(a^3 - 12*a^2*b + 21*a \\
& *b^2 - 10*b^3)*d*x)*\cosh(d*x + c)^6 + 12012*(3*a^3 - 6*a^2*b - 93*a*b^2 - 3 \\
& 6*b^3 - 7*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*\cosh(d*x + c)^4 - 468*a \\
& ^2*b - 4872*a*b^2 - 1324*b^3 - 210*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x \\
& + 33*(63*a^3 - 639*a^2*b - 6195*a*b^2 - 2173*b^3 - 336*(a^3 - 12*a^2*b + 2 \\
& 1*a*b^2 - 10*b^3)*d*x)*\cosh(d*x + c)^2)*\sinh(d*x + c)^{10} + 40*(62985*(a^3 + \\
& 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^{11} + 72930*(2*a^3 + 6*a^2*b + 6*a*b \\
& ^2 + 2*b^3 - (a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*\cosh(d*x + c)^9 + 42 \\
& 90*(27*a^3 + 39*a^2*b - 207*a*b^2 - 131*b^3 - 32*(a^3 - 12*a^2*b + 21*a*b^2 \\
& - 10*b^3)*d*x)*\cosh(d*x + c)^7 + 12012*(3*a^3 - 6*a^2*b - 93*a*b^2 - 36*b^ \\
& 3 - 7*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*\cosh(d*x + c)^5 + 55*(63*a^ \\
& 3 - 639*a^2*b - 6195*a*b^2 - 2173*b^3 - 336*(a^3 - 12*a^2*b + 21*a*b^2 - 10 \\
& *b^3)*d*x)*\cosh(d*x + c)^3 - 10*(234*a^2*b + 2436*a*b^2 + 662*b^3 + 105*(a^ \\
& 3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*\cosh(d*x + c))*\sinh(d*x + c)^9 - 2*( \\
& 315*a^3 + 3195*a^2*b + 46977*a*b^2 + 10865*b^3 + 1680*(a^3 - 12*a^2*b + 21* \\
& a*b^2 - 10*b^3)*d*x)*\cosh(d*x + c)^8 + 2*(944775*(a^3 + 3*a^2*b + 3*a*b^2 + \\
& b^3)*\cosh(d*x + c)^{12} + 1312740*(2*a^3 + 6*a^2*b + 6*a*b^2 + 2*b^3 - (a^3 \\
& - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*\cosh(d*x + c)^{10} + 96525*(27*a^3 + 39* \\
& a^2*b - 207*a*b^2 - 131*b^3 - 32*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)* \\
& \cosh(d*x + c)^8 + 360360*(3*a^3 - 6*a^2*b - 93*a*b^2 - 36*b^3 - 7*(a^3 - 12 \\
& *a^2*b + 21*a*b^2 - 10*b^3)*d*x)*\cosh(d*x + c)^6 + 2475*(63*a^3 - 639*a^2*b \\
& - 6195*a*b^2 - 2173*b^3 - 336*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*\co \\
& sh(d*x + c)^4 - 315*a^3 - 3195*a^2*b - 46977*a*b^2 - 10865*b^3 - 1680*(a^3 \\
& - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x - 900*(234*a^2*b + 2436*a*b^2 + 662*b^3 \\
& + 105*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*\cosh(d*x + c)^2)*\sinh(d*x \\
& + c)^8 + 16*(72675*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^{13} + 11934 \\
& 0*(2*a^3 + 6*a^2*b + 6*a*b^2 + 2*b^3 - (a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3) \\
& *d*x)*\cosh(d*x + c)^{11} + 10725*(27*a^3 + 39*a^2*b - 207*a*b^2 - 131*b^3 - 3 \\
& 2*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*\cosh(d*x + c)^9 + 51480*(3*a^3 \\
& - 6*a^2*b - 93*a*b^2 - 36*b^3 - 7*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x) \\
& *\cosh(d*x + c)^7 + 495*(63*a^3 - 639*a^2*b - 6195*a*b^2 - 2173*b^3 - 336*(a \\
& ^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*\cosh(d*x + c)^5 - 300*(234*a^2*b + \\
& 2436*a*b^2 + 662*b^3 + 105*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*\cosh(d \\
& *x + c)^3 - (315*a^3 + 3195*a^2*b + 46977*a*b^2 + 10865*b^3 + 1680*(a^3 - 1 \\
& 2*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*\cosh(d*x + c))*\sinh(d*x + c)^7 - 48*(15*a \\
& ^3 + 30*a^2*b + 1159*a*b^2 + 180*b^3 + 35*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b \\
& ^3)*d*x)*\cosh(d*x + c)^6 + 8*(72675*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d \\
& x + c)^{14} + 139230*(2*a^3 + 6*a^2*b + 6*a*b^2 + 2*b^3 - (a^3 - 12*a^2*b + 2
\end{aligned}$$

$$\begin{aligned}
& 1*a*b^2 - 10*b^3)*d*x)*\cosh(d*x + c)^{12} + 15015*(27*a^3 + 39*a^2*b - 207*a* \\
& b^2 - 131*b^3 - 32*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*\cosh(d*x + c)^{10} + 90090*(3*a^3 - 6*a^2*b - 93*a*b^2 - 36*b^3 - 7*(a^3 - 12*a^2*b + 21*a* \\
& b^2 - 10*b^3)*d*x)*\cosh(d*x + c)^8 + 1155*(63*a^3 - 639*a^2*b - 6195*a*b^2 - 2173*b^3 - 336*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*\cosh(d*x + c)^6 \\
& - 1050*(234*a^2*b + 2436*a*b^2 + 662*b^3 + 105*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*\cosh(d*x + c)^4 - 90*a^3 - 180*a^2*b - 6954*a*b^2 - 1080*b^3 \\
& - 210*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x - 7*(315*a^3 + 3195*a^2*b + 46977*a*b^2 + 10865*b^3 + 1680*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*\co \\
& sh(d*x + c)^2)*\sinh(d*x + c)^6 + 16*(14535*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)* \\
& \cosh(d*x + c)^{15} + 32130*(2*a^3 + 6*a^2*b + 6*a*b^2 + 2*b^3 - (a^3 - 12*a^2* \\
& *b + 21*a*b^2 - 10*b^3)*d*x)*\cosh(d*x + c)^{13} + 4095*(27*a^3 + 39*a^2*b - 2 \\
& 07*a*b^2 - 131*b^3 - 32*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*\cosh(d*x \\
& + c)^{11} + 30030*(3*a^3 - 6*a^2*b - 93*a*b^2 - 36*b^3 - 7*(a^3 - 12*a^2*b + \\
& 21*a*b^2 - 10*b^3)*d*x)*\cosh(d*x + c)^9 + 495*(63*a^3 - 639*a^2*b - 6195*a* \\
& b^2 - 2173*b^3 - 336*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*\cosh(d*x + c \\
& )^7 - 630*(234*a^2*b + 2436*a*b^2 + 662*b^3 + 105*(a^3 - 12*a^2*b + 21*a*b^ \\
& 2 - 10*b^3)*d*x)*\cosh(d*x + c)^5 - 7*(315*a^3 + 3195*a^2*b + 46977*a*b^2 + \\
& 10865*b^3 + 1680*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*\cosh(d*x + c)^3 \\
& - 18*(15*a^3 + 30*a^2*b + 1159*a*b^2 + 180*b^3 + 35*(a^3 - 12*a^2*b + 21*a* \\
& b^2 - 10*b^3)*d*x)*\cosh(d*x + c))*\sinh(d*x + c)^5 - 3*(135*a^3 - 195*a^2*b \\
& + 6389*a*b^2 + 655*b^3 + 160*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*\cosh \\
& (d*x + c)^4 + (72675*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^{16} + 183 \\
& 600*(2*a^3 + 6*a^2*b + 6*a*b^2 + 2*b^3 - (a^3 - 12*a^2*b + 21*a*b^2 - 10*b^ \\
& 3)*d*x)*\cosh(d*x + c)^{14} + 27300*(27*a^3 + 39*a^2*b - 207*a*b^2 - 131*b^3 - \\
& 32*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*\cosh(d*x + c)^{12} + 240240*(3* \\
& a^3 - 6*a^2*b - 93*a*b^2 - 36*b^3 - 7*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)* \\
& d*x)*\cosh(d*x + c)^{10} + 4950*(63*a^3 - 639*a^2*b - 6195*a*b^2 - 2173*b^3 - \\
& 336*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*\cosh(d*x + c)^8 - 8400*(234*a \\
& ^2*b + 2436*a*b^2 + 662*b^3 + 105*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x) \\
& *\cosh(d*x + c)^6 - 140*(315*a^3 + 3195*a^2*b + 46977*a*b^2 + 10865*b^3 + 16 \\
& 80*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*\cosh(d*x + c)^4 - 405*a^3 + 58 \\
& 5*a^2*b - 19167*a*b^2 - 1965*b^3 - 480*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3) \\
& *d*x - 720*(15*a^3 + 30*a^2*b + 1159*a*b^2 + 180*b^3 + 35*(a^3 - 12*a^2*b + \\
& 21*a*b^2 - 10*b^3)*d*x)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + 4*(4275*(a^3 + \\
& 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^{17} + 12240*(2*a^3 + 6*a^2*b + 6*a*b^ \\
& 2 + 2*b^3 - (a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*\cosh(d*x + c)^{15} + 21 \\
& 00*(27*a^3 + 39*a^2*b - 207*a*b^2 - 131*b^3 - 32*(a^3 - 12*a^2*b + 21*a*b^2 \\
& - 10*b^3)*d*x)*\cosh(d*x + c)^{13} + 21840*(3*a^3 - 6*a^2*b - 93*a*b^2 - 36*b \\
& ^3 - 7*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*\cosh(d*x + c)^{11} + 550*(63 \\
& *a^3 - 639*a^2*b - 6195*a*b^2 - 2173*b^3 - 336*(a^3 - 12*a^2*b + 21*a*b^2 - \\
& 10*b^3)*d*x)*\cosh(d*x + c)^9 - 1200*(234*a^2*b + 2436*a*b^2 + 662*b^3 + 10 \\
& 5*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*\cosh(d*x + c)^7 - 28*(315*a^3 + \\
& 3195*a^2*b + 46977*a*b^2 + 10865*b^3 + 1680*(a^3 - 12*a^2*b + 21*a*b^2 - 1 \\
& 0*b^3)*d*x)*\cosh(d*x + c)^5 - 240*(15*a^3 + 30*a^2*b + 1159*a*b^2 + 180*b^3
\end{aligned}$$

$$\begin{aligned}
& + 35*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*\cosh(d*x + c)^3 - 3*(135*a^3 - 195*a^2*b + 6389*a*b^2 + 655*b^3 + 160*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*\cosh(d*x + c))*\sinh(d*x + c)^3 - 15*a^3 + 45*a^2*b - 45*a*b^2 + 15*b^3 - 12*(10*a^3 - 30*a^2*b + 262*a*b^2 - 10*b^3 + 5*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*\cosh(d*x + c)^2 + 2*(1425*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^18 + 4590*(2*a^3 + 6*a^2*b + 6*a*b^2 + 2*b^3 - (a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*\cosh(d*x + c)^16 + 900*(27*a^3 + 39*a^2*b - 207*a*b^2 - 131*b^3 - 32*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*\cosh(d*x + c)^14 + 10920*(3*a^3 - 6*a^2*b - 93*a*b^2 - 36*b^3 - 7*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*\cosh(d*x + c)^12 + 330*(63*a^3 - 639*a^2*b - 6195*a*b^2 - 2173*b^3 - 336*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*\cosh(d*x + c)^10 - 900*(234*a^2*b + 2436*a*b^2 + 662*b^3 + 105*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*\cosh(d*x + c)^8 - 28*(315*a^3 + 3195*a^2*b + 46977*a*b^2 + 10865*b^3 + 1680*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*\cosh(d*x + c)^6 - 360*(15*a^3 + 30*a^2*b + 1159*a*b^2 + 180*b^3 + 35*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*\cosh(d*x + c)^4 - 60*a^3 + 180*a^2*b - 1572*a*b^2 + 60*b^3 - 30*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x - 9*(135*a^3 - 195*a^2*b + 6389*a*b^2 + 655*b^3 + 160*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 - 120*((6*a^2*b + 5*b^3)*\cosh(d*x + c)^18 + 18*(6*a^2*b + 5*b^3)*\cosh(d*x + c)*\sinh(d*x + c)^17 + (6*a^2*b + 5*b^3)*\sinh(d*x + c)^18 + 8*(6*a^2*b + 5*b^3)*\cosh(d*x + c)^16 + (48*a^2*b + 40*b^3 + 153*(6*a^2*b + 5*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^16 + 16*(51*(6*a^2*b + 5*b^3)*\cosh(d*x + c)^3 + 8*(6*a^2*b + 5*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^15 + 28*(6*a^2*b + 5*b^3)*\cosh(d*x + c)^14 + 4*(765*(6*a^2*b + 5*b^3)*\cosh(d*x + c)^4 + 42*a^2*b + 35*b^3 + 240*(6*a^2*b + 5*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^14 + 56*(153*(6*a^2*b + 5*b^3)*\cosh(d*x + c)^5 + 80*(6*a^2*b + 5*b^3)*\cosh(d*x + c)^3 + 7*(6*a^2*b + 5*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^13 + 56*(6*a^2*b + 5*b^3)*\cosh(d*x + c)^12 + 28*(663*(6*a^2*b + 5*b^3)*\cosh(d*x + c)^6 + 520*(6*a^2*b + 5*b^3)*\cosh(d*x + c)^4 + 12*a^2*b + 10*b^3 + 91*(6*a^2*b + 5*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^12 + 16*(1989*(6*a^2*b + 5*b^3)*\cosh(d*x + c)^7 + 2184*(6*a^2*b + 5*b^3)*\cosh(d*x + c)^5 + 637*(6*a^2*b + 5*b^3)*\cosh(d*x + c)^3 + 42*(6*a^2*b + 5*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^11 + 70*(6*a^2*b + 5*b^3)*\cosh(d*x + c)^10 + 2*(21879*(6*a^2*b + 5*b^3)*\cosh(d*x + c)^8 + 32032*(6*a^2*b + 5*b^3)*\cosh(d*x + c)^6 + 14014*(6*a^2*b + 5*b^3)*\cosh(d*x + c)^4 + 210*a^2*b + 175*b^3 + 1848*(6*a^2*b + 5*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^10 + 4*(12155*(6*a^2*b + 5*b^3)*\cosh(d*x + c)^9 + 22880*(6*a^2*b + 5*b^3)*\cosh(d*x + c)^7 + 14014*(6*a^2*b + 5*b^3)*\cosh(d*x + c)^5 + 3080*(6*a^2*b + 5*b^3)*\cosh(d*x + c)^3 + 175*(6*a^2*b + 5*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^9 + 56*(6*a^2*b + 5*b^3)*\cosh(d*x + c)^8 + 2*(21879*(6*a^2*b + 5*b^3)*\cosh(d*x + c)^10 + 51480*(6*a^2*b + 5*b^3)*\cosh(d*x + c)^8 + 42042*(6*a^2*b + 5*b^3)*\cosh(d*x + c)^6 + 13860*(6*a^2*b + 5*b^3)*\cosh(d*x + c)^4 + 168*a^2*b + 140*b^3 + 1575*(6*a^2*b + 5*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^8 + 16*(1989*(6*a^2*b + 5*b^3)*\cosh(d*x + c)^11 + 5720*(6*a^2*b + 5*b^3)*\cosh(d*x + c)^9 + 6006*(6*a^2*b + 5*b^3)*\cosh(d*x + c)^7 + 2772*(6*a^2*b + 5*b^3)*\cosh(d*x + c)^5 + 525*(6*a^2*b + 5*b^3)*\cos
\end{aligned}$$



$$\begin{aligned}
& h(dx + c)^3 + 28*(6*a^2*b + 5*b^3)*\cosh(dx + c)*\sinh(dx + c)^7 + 28*(6* \\
& a^2*b + 5*b^3)*\cosh(dx + c)^6 + 28*(663*(6*a^2*b + 5*b^3)*\cosh(dx + c)^{12} \\
& + 2288*(6*a^2*b + 5*b^3)*\cosh(dx + c)^{10} + 3003*(6*a^2*b + 5*b^3)*\cosh(dx \\
& x + c)^8 + 1848*(6*a^2*b + 5*b^3)*\cosh(dx + c)^6 + 525*(6*a^2*b + 5*b^3)*\c \\
& osh(dx + c)^4 + 6*a^2*b + 5*b^3 + 56*(6*a^2*b + 5*b^3)*\cosh(dx + c)^2)*\si \\
& nh(dx + c)^6 + 56*(153*(6*a^2*b + 5*b^3)*\cosh(dx + c)^{13} + 624*(6*a^2*b + \\
& 5*b^3)*\cosh(dx + c)^{11} + 1001*(6*a^2*b + 5*b^3)*\cosh(dx + c)^9 + 792*(6* \\
& a^2*b + 5*b^3)*\cosh(dx + c)^7 + 315*(6*a^2*b + 5*b^3)*\cosh(dx + c)^5 + 56 \\
& *(6*a^2*b + 5*b^3)*\cosh(dx + c)^3 + 3*(6*a^2*b + 5*b^3)*\cosh(dx + c))*\sin \\
& h(dx + c)^5 + 8*(6*a^2*b + 5*b^3)*\cosh(dx + c)^4 + 4*(765*(6*a^2*b + 5*b^ \\
& 3)*\cosh(dx + c)^{14} + 3640*(6*a^2*b + 5*b^3)*\cosh(dx + c)^{12} + 7007*(6*a^2 \\
& *b + 5*b^3)*\cosh(dx + c)^{10} + 6930*(6*a^2*b + 5*b^3)*\cosh(dx + c)^8 + 367 \\
& 5*(6*a^2*b + 5*b^3)*\cosh(dx + c)^6 + 980*(6*a^2*b + 5*b^3)*\cosh(dx + c)^4 \\
& + 12*a^2*b + 10*b^3 + 105*(6*a^2*b + 5*b^3)*\cosh(dx + c)^2)*\sinh(dx + c) \\
& ^4 + 16*(51*(6*a^2*b + 5*b^3)*\cosh(dx + c)^{15} + 280*(6*a^2*b + 5*b^3)*\cosh \\
& (dx + c)^{13} + 637*(6*a^2*b + 5*b^3)*\cosh(dx + c)^{11} + 770*(6*a^2*b + 5*b^ \\
& 3)*\cosh(dx + c)^9 + 525*(6*a^2*b + 5*b^3)*\cosh(dx + c)^7 + 196*(6*a^2*b + \\
& 5*b^3)*\cosh(dx + c)^5 + 35*(6*a^2*b + 5*b^3)*\cosh(dx + c)^3 + 2*(6*a^2*b \\
& + 5*b^3)*\cosh(dx + c))*\sinh(dx + c)^3 + (6*a^2*b + 5*b^3)*\cosh(dx + c)^ \\
& 2 + (153*(6*a^2*b + 5*b^3)*\cosh(dx + c)^{16} + 960*(6*a^2*b + 5*b^3)*\cosh(dx \\
& x + c)^{14} + 2548*(6*a^2*b + 5*b^3)*\cosh(dx + c)^{12} + 3696*(6*a^2*b + 5*b^3) \\
& )*\cosh(dx + c)^{10} + 3150*(6*a^2*b + 5*b^3)*\cosh(dx + c)^8 + 1568*(6*a^2*b \\
& + 5*b^3)*\cosh(dx + c)^6 + 420*(6*a^2*b + 5*b^3)*\cosh(dx + c)^4 + 6*a^2*b \\
& + 5*b^3 + 48*(6*a^2*b + 5*b^3)*\cosh(dx + c)^2)*\sinh(dx + c)^2 + 2*(9*(6* \\
& a^2*b + 5*b^3)*\cosh(dx + c)^{17} + 64*(6*a^2*b + 5*b^3)*\cosh(dx + c)^{15} + 1 \\
& 96*(6*a^2*b + 5*b^3)*\cosh(dx + c)^{13} + 336*(6*a^2*b + 5*b^3)*\cosh(dx + c) \\
& ^{11} + 350*(6*a^2*b + 5*b^3)*\cosh(dx + c)^9 + 224*(6*a^2*b + 5*b^3)*\cosh(dx \\
& x + c)^7 + 84*(6*a^2*b + 5*b^3)*\cosh(dx + c)^5 + 16*(6*a^2*b + 5*b^3)*\cosh \\
& (dx + c)^3 + (6*a^2*b + 5*b^3)*\cosh(dx + c))*\sinh(dx + c))*\log(2*\cosh(dx \\
& x + c)/(\cosh(dx + c) - \sinh(dx + c))) + 4*(75*(a^3 + 3*a^2*b + 3*a*b^2 + \\
& b^3)*\cosh(dx + c)^{19} + 270*(2*a^3 + 6*a^2*b + 6*a*b^2 + 2*b^3 - (a^3 - 12* \\
& a^2*b + 21*a*b^2 - 10*b^3)*d*x)*\cosh(dx + c)^{17} + 60*(27*a^3 + 39*a^2*b - \\
& 207*a*b^2 - 131*b^3 - 32*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*\cosh(dx \\
& + c)^{15} + 840*(3*a^3 - 6*a^2*b - 93*a*b^2 - 36*b^3 - 7*(a^3 - 12*a^2*b + 2 \\
& 1*a*b^2 - 10*b^3)*d*x)*\cosh(dx + c)^{13} + 30*(63*a^3 - 639*a^2*b - 6195*a*b \\
& ^2 - 2173*b^3 - 336*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*\cosh(dx + c) \\
& ^{11} - 100*(234*a^2*b + 2436*a*b^2 + 662*b^3 + 105*(a^3 - 12*a^2*b + 21*a*b^ \\
& 2 - 10*b^3)*d*x)*\cosh(dx + c)^9 - 4*(315*a^3 + 3195*a^2*b + 46977*a*b^2 + \\
& 10865*b^3 + 1680*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*\cosh(dx + c)^7 \\
& - 72*(15*a^3 + 30*a^2*b + 1159*a*b^2 + 180*b^3 + 35*(a^3 - 12*a^2*b + 21*a* \\
& b^2 - 10*b^3)*d*x)*\cosh(dx + c)^5 - 3*(135*a^3 - 195*a^2*b + 6389*a*b^2 + \\
& 655*b^3 + 160*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*\cosh(dx + c)^3 - 6 \\
& *(10*a^3 - 30*a^2*b + 262*a*b^2 - 10*b^3 + 5*(a^3 - 12*a^2*b + 21*a*b^2 - 1 \\
& 0*b^3)*d*x)*\cosh(dx + c))*\sinh(dx + c))/(d*\cosh(dx + c)^{18} + 18*d*\cosh(d \\
& *x + c)*\sinh(dx + c)^{17} + d*\sinh(dx + c)^{18} + 8*d*\cosh(dx + c)^{16} + (153
\end{aligned}$$

```

*d*cosh(d*x + c)^2 + 8*d)*sinh(d*x + c)^16 + 16*(51*d*cosh(d*x + c)^3 + 8*d
*cosh(d*x + c))*sinh(d*x + c)^15 + 28*d*cosh(d*x + c)^14 + 4*(765*d*cosh(d*
x + c)^4 + 240*d*cosh(d*x + c)^2 + 7*d)*sinh(d*x + c)^14 + 56*(153*d*cosh(d
*x + c)^5 + 80*d*cosh(d*x + c)^3 + 7*d*cosh(d*x + c))*sinh(d*x + c)^13 + 56
*d*cosh(d*x + c)^12 + 28*(663*d*cosh(d*x + c)^6 + 520*d*cosh(d*x + c)^4 + 9
1*d*cosh(d*x + c)^2 + 2*d)*sinh(d*x + c)^12 + 16*(1989*d*cosh(d*x + c)^7 +
2184*d*cosh(d*x + c)^5 + 637*d*cosh(d*x + c)^3 + 42*d*cosh(d*x + c))*sinh(d
*x + c)^11 + 70*d*cosh(d*x + c)^10 + 2*(21879*d*cosh(d*x + c)^8 + 32032*d*c
osh(d*x + c)^6 + 14014*d*cosh(d*x + c)^4 + 1848*d*cosh(d*x + c)^2 + 35*d)*s
inh(d*x + c)^10 + 4*(12155*d*cosh(d*x + c)^9 + 22880*d*cosh(d*x + c)^7 + 14
014*d*cosh(d*x + c)^5 + 3080*d*cosh(d*x + c)^3 + 175*d*cosh(d*x + c))*sinh(
d*x + c)^9 + 56*d*cosh(d*x + c)^8 + 2*(21879*d*cosh(d*x + c)^10 + 51480*d*c
osh(d*x + c)^8 + 42042*d*cosh(d*x + c)^6 + 13860*d*cosh(d*x + c)^4 + 1575*d
*cosh(d*x + c)^2 + 28*d)*sinh(d*x + c)^8 + 16*(1989*d*cosh(d*x + c)^11 + 57
20*d*cosh(d*x + c)^9 + 6006*d*cosh(d*x + c)^7 + 2772*d*cosh(d*x + c)^5 + 52
5*d*cosh(d*x + c)^3 + 28*d*cosh(d*x + c))*sinh(d*x + c)^7 + 28*d*cosh(d*x +
c)^6 + 28*(663*d*cosh(d*x + c)^12 + 2288*d*cosh(d*x + c)^10 + 3003*d*cosh(
d*x + c)^8 + 1848*d*cosh(d*x + c)^6 + 525*d*cosh(d*x + c)^4 + 56*d*cosh(d*x
+ c)^2 + d)*sinh(d*x + c)^6 + 56*(153*d*cosh(d*x + c)^13 + 624*d*cosh(d*x
+ c)^11 + 1001*d*cosh(d*x + c)^9 + 792*d*cosh(d*x + c)^7 + 315*d*cosh(d*x +
c)^5 + 56*d*cosh(d*x + c)^3 + 3*d*cosh(d*x + c))*sinh(d*x + c)^5 + 8*d*cos
h(d*x + c)^4 + 4*(765*d*cosh(d*x + c)^14 + 3640*d*cosh(d*x + c)^12 + 7007*d
*cosh(d*x + c)^10 + 6930*d*cosh(d*x + c)^8 + 3675*d*cosh(d*x + c)^6 + 980*d
*cosh(d*x + c)^4 + 105*d*cosh(d*x + c)^2 + 2*d)*sinh(d*x + c)^4 + 16*(51*d*
cosh(d*x + c)^15 + 280*d*cosh(d*x + c)^13 + 637*d*cosh(d*x + c)^11 + 770*d*
cosh(d*x + c)^9 + 525*d*cosh(d*x + c)^7 + 196*d*cosh(d*x + c)^5 + 35*d*cosh
(d*x + c)^3 + 2*d*cosh(d*x + c))*sinh(d*x + c)^3 + d*cosh(d*x + c)^2 + (153
*d*cosh(d*x + c)^16 + 960*d*cosh(d*x + c)^14 + 2548*d*cosh(d*x + c)^12 + 36
96*d*cosh(d*x + c)^10 + 3150*d*cosh(d*x + c)^8 + 1568*d*cosh(d*x + c)^6 + 4
20*d*cosh(d*x + c)^4 + 48*d*cosh(d*x + c)^2 + d)*sinh(d*x + c)^2 + 2*(9*d*c
osh(d*x + c)^17 + 64*d*cosh(d*x + c)^15 + 196*d*cosh(d*x + c)^13 + 336*d*co
sh(d*x + c)^11 + 350*d*cosh(d*x + c)^9 + 224*d*cosh(d*x + c)^7 + 84*d*cosh(
d*x + c)^5 + 16*d*cosh(d*x + c)^3 + d*cosh(d*x + c))*sinh(d*x + c))

```

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)\*\*2\*(a+b\*tanh(d\*x+c)\*\*3)\*\*3,x)

[Out] Timed out

**Giac [B]** time = 3.47288, size = 799, normalized size = 3.63

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sinh(d*x+c)^2*(a+b*tanh(d*x+c)^3)^3,x, algorithm="giac")`

[Out] 
$$\begin{aligned} & -1/840*(420*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x + 840*(6*a^2*b*e^{(2*c)} \\ & + 5*b^3*e^{(2*c)})*e^{(-2*c)}*\log(e^{(2*d*x + 2*c)} + 1) - 105*(2*a^3*e^{(2*d*x + 2*c)} \\ & - 24*a^2*b*e^{(2*d*x + 2*c)} + 42*a*b^2*e^{(2*d*x + 2*c)} - 20*b^3*e^{(2*d*x + 2*c)} \\ & - a^3 + 3*a^2*b - 3*a*b^2 + b^3)*e^{(-2*d*x - 2*c)} - 105*(a^3*e^{(2*d*x + 22*c)} \\ & + 3*a^2*b*e^{(2*d*x + 22*c)} + 3*a*b^2*e^{(2*d*x + 22*c)} + b^3*e^{(2*d*x + 22*c)}) \\ & *e^{(-20*c)} - (13698*a^2*b*e^{(16*d*x + 16*c)} + 11415*b^3*e^{(16*d*x + 16*c)} \\ & + 104544*a^2*b*e^{(14*d*x + 14*c)} - 30240*a*b^2*e^{(14*d*x + 14*c)} \\ & + 74520*b^3*e^{(14*d*x + 14*c)} + 353304*a^2*b*e^{(12*d*x + 12*c)} - 171360 \\ & *a*b^2*e^{(12*d*x + 12*c)} + 252420*b^3*e^{(12*d*x + 12*c)} + 691488*a^2*b*e^{(10*d*x + 10*c)} \\ & - 446880*a*b^2*e^{(10*d*x + 10*c)} + 476840*b^3*e^{(10*d*x + 10*c)} \\ & + 858060*a^2*b*e^{(8*d*x + 8*c)} - 682080*a*b^2*e^{(8*d*x + 8*c)} + 601930*b^3 \\ & *e^{(8*d*x + 8*c)} + 691488*a^2*b*e^{(6*d*x + 6*c)} - 644448*a*b^2*e^{(6*d*x + 6*c)} \\ & + 476840*b^3*e^{(6*d*x + 6*c)} + 353304*a^2*b*e^{(4*d*x + 4*c)} - 374304 \\ & *a*b^2*e^{(4*d*x + 4*c)} + 252420*b^3*e^{(4*d*x + 4*c)} + 104544*a^2*b*e^{(2*d*x + 2*c)} \\ & - 125664*a*b^2*e^{(2*d*x + 2*c)} + 74520*b^3*e^{(2*d*x + 2*c)} + 13698*a^2*b \\ & - 19488*a*b^2 + 11415*b^3)/(e^{(2*d*x + 2*c)} + 1)^8/d \end{aligned}$$

### 3.68 $\int \sinh(c + dx) \left( a + b \tanh^3(c + dx) \right)^3 dx$

**Optimal.** Leaf size=269

$$\frac{9a^2b \sinh(c + dx)}{2d} - \frac{9a^2b \tan^{-1}(\sinh(c + dx))}{2d} - \frac{3a^2b \sinh(c + dx) \tanh^2(c + dx)}{2d} + \frac{a^3 \cosh(c + dx)}{d} + \frac{3ab^2 \cosh(c + dx)}{d}$$

[Out]  $(-9a^2b \operatorname{ArcTan}[\operatorname{Sinh}[c + d*x]])/(2*d) - (315*b^3 \operatorname{ArcTan}[\operatorname{Sinh}[c + d*x]])/(128*d) + (a^3 \operatorname{Cosh}[c + d*x])/d + (3*a*b^2 \operatorname{Cosh}[c + d*x])/d + (9*a*b^2 \operatorname{Sech}[c + d*x])/d - (3*a*b^2 \operatorname{Sech}[c + d*x]^3)/d + (3*a*b^2 \operatorname{Sech}[c + d*x]^5)/(5*d) + (9*a^2*b \operatorname{Sinh}[c + d*x])/(2*d) + (315*b^3 \operatorname{Sinh}[c + d*x])/(128*d) - (3*a^2*b \operatorname{Sinh}[c + d*x] \operatorname{Tanh}[c + d*x]^2)/(2*d) - (105*b^3 \operatorname{Sinh}[c + d*x] \operatorname{Tanh}[c + d*x]^2)/(128*d) - (21*b^3 \operatorname{Sinh}[c + d*x] \operatorname{Tanh}[c + d*x]^4)/(64*d) - (3*b^3 \operatorname{Sinh}[c + d*x] \operatorname{Tanh}[c + d*x]^6)/(16*d) - (b^3 \operatorname{Sinh}[c + d*x] \operatorname{Tanh}[c + d*x]^8)/(8*d)$

**Rubi [A]** time = 0.24916, antiderivative size = 269, normalized size of antiderivative = 1., number of steps used = 17, number of rules used = 8, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.381$ , Rules used = {3666, 2638, 2592, 288, 321, 203, 2590, 270}

$$\frac{9a^2b \sinh(c + dx)}{2d} - \frac{9a^2b \tan^{-1}(\sinh(c + dx))}{2d} - \frac{3a^2b \sinh(c + dx) \tanh^2(c + dx)}{2d} + \frac{a^3 \cosh(c + dx)}{d} + \frac{3ab^2 \cosh(c + dx)}{d}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[\operatorname{Sinh}[c + d*x]*(a + b*\operatorname{Tanh}[c + d*x]^3)^3, x]$

[Out]  $(-9a^2b \operatorname{ArcTan}[\operatorname{Sinh}[c + d*x]])/(2*d) - (315*b^3 \operatorname{ArcTan}[\operatorname{Sinh}[c + d*x]])/(128*d) + (a^3 \operatorname{Cosh}[c + d*x])/d + (3*a*b^2 \operatorname{Cosh}[c + d*x])/d + (9*a*b^2 \operatorname{Sech}[c + d*x])/d - (3*a*b^2 \operatorname{Sech}[c + d*x]^3)/d + (3*a*b^2 \operatorname{Sech}[c + d*x]^5)/(5*d) + (9*a^2*b \operatorname{Sinh}[c + d*x])/(2*d) + (315*b^3 \operatorname{Sinh}[c + d*x])/(128*d) - (3*a^2*b \operatorname{Sinh}[c + d*x] \operatorname{Tanh}[c + d*x]^2)/(2*d) - (105*b^3 \operatorname{Sinh}[c + d*x] \operatorname{Tanh}[c + d*x]^2)/(128*d) - (21*b^3 \operatorname{Sinh}[c + d*x] \operatorname{Tanh}[c + d*x]^4)/(64*d) - (3*b^3 \operatorname{Sinh}[c + d*x] \operatorname{Tanh}[c + d*x]^6)/(16*d) - (b^3 \operatorname{Sinh}[c + d*x] \operatorname{Tanh}[c + d*x]^8)/(8*d)$

**Rule 3666**

$\operatorname{Int}[(d_* \sin[e_*] + (f_*) \cdot (x_*))^{(m_*)} \cdot ((a_*) + (b_*) \cdot ((c_*) \cdot \tan[e_*] + (f_*) \cdot (x_*))^{(n_*)})^{(p_*)}, x\_Symbol] \rightarrow \operatorname{Int}[\operatorname{ExpandTrig}[(d_* \sin[e_* + f_* x])^{m_*} \cdot (a_* + b_* (c_* \tan[e_* + f_* x])^n)^p, x], x] \text{ ; FreeQ}\{a, b, c, d, e, f, m, n\}, x] \&\&$

IGtQ[p, 0]

### Rule 2638

Int[sin[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[Cos[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

### Rule 2592

Int[((a\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]^(n\_.), x\_Symbol] := With[{ff = FreeFactors[Sin[e + f\*x], x]}, Dist[ff/f, Subst[Int[(ff\*x)^(m + n)/(a^2 - ff^2\*x^2)^((n + 1)/2), x], x, (a\*Sin[e + f\*x])/ff], x] /; FreeQ[{a, e, f, m}, x] && IntegerQ[(n + 1)/2]

### Rule 288

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(c^(n - 1)\*(c\*x)^(m - n + 1)\*(a + b\*x^n)^(p + 1))/(b\*n\*(p + 1)), x] - Dist[(c^n\*(m - n + 1))/(b\*n\*(p + 1)), Int[(c\*x)^(m - n)\*(a + b\*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0] && LtQ[p, -1] && GtQ[m + 1, n] && !LtQ[(m + n\*(p + 1) + 1)/n, 0] && IntBinomialQ[a, b, c, n, m, p, x]

### Rule 321

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(c^(n - 1)\*(c\*x)^(m - n + 1)\*(a + b\*x^n)^(p + 1))/(b\*(m + n\*p + 1)), x] - Dist[(a\*c^n\*(m - n + 1))/(b\*(m + n\*p + 1)), Int[(c\*x)^(m - n)\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n\*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[Rt[b, 2]\*x]/Rt[a, 2])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 2590

Int[sin[(e\_.) + (f\_.)\*(x\_)]^(m\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]^(n\_.), x\_Symbol] := -Dist[f^(-1), Subst[Int[(1 - x^2)^((m + n - 1)/2)/x^n, x], x, Cos[e + f\*x]], x] /; FreeQ[{e, f}, x] && IntegersQ[m, n, (m + n - 1)/2]

### Rule 270

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] := Int[Exp
andIntegrand[(c*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] &&
IGtQ[p, 0]
```

### Rubi steps

$$\begin{aligned}
\int \sinh(c + dx) (a + b \tanh^3(c + dx))^3 dx &= - \left( i \int (ia^3 \sinh(c + dx) + 3ia^2b \sinh(c + dx) \tanh^3(c + dx) + 3iab^2 \sinh(c + dx) \tanh^5(c + dx) + b^3 \sinh(c + dx) \tanh^7(c + dx)) dx \right) \\
&= a^3 \int \sinh(c + dx) dx + (3a^2b) \int \sinh(c + dx) \tanh^3(c + dx) dx + (3ab^2) \int \sinh(c + dx) \tanh^5(c + dx) dx + b^3 \int \sinh(c + dx) \tanh^7(c + dx) dx \\
&= \frac{a^3 \cosh(c + dx)}{d} + \frac{(3a^2b) \text{Subst}\left(\int \frac{x^4}{(1+x^2)^2} dx, x, \sinh(c + dx)\right)}{d} - \frac{(3ab^2) \text{Subst}\left(\int \frac{x^6}{(1+x^2)^2} dx, x, \sinh(c + dx)\right)}{d} - \frac{b^3 \text{Subst}\left(\int \frac{x^8}{(1+x^2)^2} dx, x, \sinh(c + dx)\right)}{d} \\
&= \frac{a^3 \cosh(c + dx)}{d} - \frac{3a^2b \sinh(c + dx) \tanh^2(c + dx)}{2d} - \frac{b^3 \sinh(c + dx) \tanh^8(c + dx)}{8d} \\
&= \frac{a^3 \cosh(c + dx)}{d} + \frac{3ab^2 \cosh(c + dx)}{d} + \frac{9ab^2 \text{sech}(c + dx)}{d} - \frac{3ab^2 \text{sech}^3(c + dx)}{d} \\
&= -\frac{9a^2b \tan^{-1}(\sinh(c + dx))}{2d} + \frac{a^3 \cosh(c + dx)}{d} + \frac{3ab^2 \cosh(c + dx)}{d} + \frac{9ab^2 \text{sech}(c + dx)}{d} \\
&= -\frac{9a^2b \tan^{-1}(\sinh(c + dx))}{2d} + \frac{a^3 \cosh(c + dx)}{d} + \frac{3ab^2 \cosh(c + dx)}{d} + \frac{9ab^2 \text{sech}(c + dx)}{d} \\
&= -\frac{9a^2b \tan^{-1}(\sinh(c + dx))}{2d} + \frac{a^3 \cosh(c + dx)}{d} + \frac{3ab^2 \cosh(c + dx)}{d} + \frac{9ab^2 \text{sech}(c + dx)}{d} \\
&= -\frac{9a^2b \tan^{-1}(\sinh(c + dx))}{2d} - \frac{315b^3 \tan^{-1}(\sinh(c + dx))}{128d} + \frac{a^3 \cosh(c + dx)}{d}
\end{aligned}$$

**Mathematica [A]** time = 6.28942, size = 233, normalized size = 0.87

$$\frac{b(3a^2 + b^2) \sinh(c + dx)}{d} + \frac{a(a^2 + 3b^2) \cosh(c + dx)}{d} - \frac{9b(64a^2 + 35b^2) \tan^{-1}\left(\tanh\left(\frac{1}{2}(c + dx)\right)\right)}{64d} + \frac{\text{sech}^2(c + dx)(19a^2 + 13b^2)}{64d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sinh[c + d*x]*(a + b*Tanh[c + d*x]^3)^3, x]
```

```
[Out] (-9*b*(64*a^2 + 35*b^2)*ArcTan[Tanh[(c + d*x)/2]])/(64*d) + (a*(a^2 + 3*b^2)
)*Cosh[c + d*x])/d + (9*a*b^2*Sech[c + d*x])/d - (3*a*b^2*Sech[c + d*x]^3)/
d + (3*a*b^2*Sech[c + d*x]^5)/(5*d) + (b*(3*a^2 + b^2)*Sinh[c + d*x])/d + (
Sech[c + d*x]^2*(192*a^2*b*Sinh[c + d*x] + 325*b^3*Sinh[c + d*x]))/(128*d)
- (105*b^3*Sech[c + d*x]^3*Tanh[c + d*x])/(64*d) + (11*b^3*Sech[c + d*x]^5*
Tanh[c + d*x])/(16*d) - (b^3*Sech[c + d*x]^7*Tanh[c + d*x])/(8*d)
```

**Maple [A]** time = 0.067, size = 458, normalized size = 1.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sinh(d*x+c)*(a+b*tanh(d*x+c)^3)^3,x)
```

```
[Out] a^3*cosh(d*x+c)/d+3/d*a^2*b*sinh(d*x+c)^3/cosh(d*x+c)^2+9/d*a^2*b*sinh(d*x+
c)/cosh(d*x+c)^2-9/2*a^2*b*sech(d*x+c)*tanh(d*x+c)/d-9/d*a^2*b*arctan(exp(d
*x+c))+3/d*a*b^2*sinh(d*x+c)^6/cosh(d*x+c)^5+18/d*a*b^2*sinh(d*x+c)^4/cosh(
d*x+c)^5+72/5/d*a*b^2*sinh(d*x+c)^2/cosh(d*x+c)^5-48/5/d*a*b^2*sinh(d*x+c)^
2/cosh(d*x+c)^3-48/5/d*a*b^2*sinh(d*x+c)^2/cosh(d*x+c)+48/5*a*b^2*cosh(d*x+
c)/d+1/d*b^3*sinh(d*x+c)^9/cosh(d*x+c)^8+9/d*b^3*sinh(d*x+c)^7/cosh(d*x+c)^
8+21/d*b^3*sinh(d*x+c)^5/cosh(d*x+c)^8+21/d*b^3*sinh(d*x+c)^3/cosh(d*x+c)^8
+9/d*b^3*sinh(d*x+c)/cosh(d*x+c)^8-9/8/d*b^3*tanh(d*x+c)*sech(d*x+c)^7-21/1
6/d*b^3*tanh(d*x+c)*sech(d*x+c)^5-105/64*b^3*sech(d*x+c)^3*tanh(d*x+c)/d-31
5/128*b^3*sech(d*x+c)*tanh(d*x+c)/d-315/64/d*b^3*arctan(exp(d*x+c))
```

**Maxima [A]** time = 1.74748, size = 653, normalized size = 2.43

$$\frac{1}{64} b^3 \left( \frac{315 \arctan(e^{(-dx-c)})}{d} - \frac{32 e^{(-dx-c)}}{d} + \frac{581 e^{(-2dx-2c)} + 1681 e^{(-4dx-4c)} + 3605 e^{(-6dx-6c)} + 2569 e^{(-8dx-8c)} + 1463 e^{(-10dx-10c)}}{d(e^{(-dx-c)} + 8 e^{(-3dx-3c)} + 28 e^{(-5dx-5c)} + 56 e^{(-7dx-7c)} + 70 e^{(-9dx-9c)})} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sinh(d*x+c)*(a+b*tanh(d*x+c)^3)^3,x, algorithm="maxima")
```

```
[Out] 1/64*b^3*(315*arctan(e^(-d*x - c))/d - 32*e^(-d*x - c)/d + (581*e^(-2*d*x -
2*c) + 1681*e^(-4*d*x - 4*c) + 3605*e^(-6*d*x - 6*c) + 2569*e^(-8*d*x - 8*
c) + 1463*e^(-10*d*x - 10*c) - 917*e^(-12*d*x - 12*c) - 529*e^(-14*d*x - 14
*c) - 293*e^(-16*d*x - 16*c) + 32)/(d*(e^(-d*x - c) + 8*e^(-3*d*x - 3*c) +
```

$$28e^{(-5dx - 5c)} + 56e^{(-7dx - 7c)} + 70e^{(-9dx - 9c)} + 56e^{(-11dx - 11c)} + 28e^{(-13dx - 13c)} + 8e^{(-15dx - 15c)} + e^{(-17dx - 17c)} + 3/2a^2b(6\arctan(e^{(-dx - c)})/d - e^{(-dx - c)}/d + (4e^{(-2dx - 2c)} - e^{(-4dx - 4c)} + 1)/(d(e^{(-dx - c)} + 2e^{(-3dx - 3c)} + e^{(-5dx - 5c)}))) + 3/10ab^2(5e^{(-dx - c)}/d + (85e^{(-2dx - 2c)} + 210e^{(-4dx - 4c)} + 314e^{(-6dx - 6c)} + 185e^{(-8dx - 8c)} + 65e^{(-10dx - 10c)} + 5)/(d(e^{(-dx - c)} + 5e^{(-3dx - 3c)} + 10e^{(-5dx - 5c)} + 10e^{(-7dx - 7c)} + 5e^{(-9dx - 9c)} + e^{(-11dx - 11c)}))) + a^3\cosh(dx + c)/d$$

**Fricas [B]** time = 3.98452, size = 17484, normalized size = 65.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(dx+c)\*(a+b\*tanh(dx+c))^3,x, algorithm="fricas")

[Out]  $1/320*(160*(a^3 + 3a^2b + 3ab^2 + b^3)*\cosh(dx + c)^{18} + 2880*(a^3 + 3a^2b + 3ab^2 + b^3)*\cosh(dx + c)*\sinh(dx + c)^{17} + 160*(a^3 + 3a^2b + 3ab^2 + b^3)*\sinh(dx + c)^{18} + 45*(32a^3 + 96a^2b + 224ab^2 + 61b^3)*\cosh(dx + c)^{16} + 45*(32a^3 + 96a^2b + 224ab^2 + 61b^3 + 544*(a^3 + 3a^2b + 3ab^2 + b^3)*\cosh(dx + c)^2)*\sinh(dx + c)^{16} + 240*(544*(a^3 + 3a^2b + 3ab^2 + b^3)*\cosh(dx + c)^3 + 3*(32a^3 + 96a^2b + 224ab^2 + 61b^3)*\cosh(dx + c))*\sinh(dx + c)^{15} + 15*(384a^3 + 960a^2b + 3328ab^2 + 475b^3)*\cosh(dx + c)^{14} + 15*(32640*(a^3 + 3a^2b + 3ab^2 + b^3)*\cosh(dx + c)^4 + 384a^3 + 960a^2b + 3328ab^2 + 475b^3 + 360*(32a^3 + 96a^2b + 224ab^2 + 61b^3)*\cosh(dx + c)^2)*\sinh(dx + c)^{14} + 210*(6528*(a^3 + 3a^2b + 3ab^2 + b^3)*\cosh(dx + c)^5 + 120*(32a^3 + 96a^2b + 224ab^2 + 61b^3)*\cosh(dx + c)^3 + (384a^3 + 960a^2b + 3328ab^2 + 475b^3)*\cosh(dx + c))*\sinh(dx + c)^{13} + 3*(4480a^3 + 7360a^2b + 43008ab^2 + 4515b^3)*\cosh(dx + c)^{12} + 3*(990080*(a^3 + 3a^2b + 3ab^2 + b^3)*\cosh(dx + c)^6 + 27300*(32a^3 + 96a^2b + 224ab^2 + 61b^3)*\cosh(dx + c)^4 + 4480a^3 + 7360a^2b + 43008ab^2 + 4515b^3 + 455*(384a^3 + 960a^2b + 3328ab^2 + 475b^3)*\cosh(dx + c)^2)*\sinh(dx + c)^{12} + 12*(424320*(a^3 + 3a^2b + 3ab^2 + b^3)*\cosh(dx + c)^7 + 16380*(32a^3 + 96a^2b + 224ab^2 + 61b^3)*\cosh(dx + c)^5 + 455*(384a^3 + 960a^2b + 3328ab^2 + 475b^3)*\cosh(dx + c)^3 + 3*(4480a^3 + 7360a^2b + 43008ab^2 + 4515b^3)*\cosh(dx + c))*\sinh(dx + c)^{11} + 3*(6720a^3 + 3840a^2b + 67904ab^2 + 1295b^3)*\cosh(dx + c)^{10} + 3*(2333760*(a^3 + 3a^2b + 3ab^2 + b^3)*\cosh(dx + c)^8 + 120120*(32a^3 + 96a^2b + 224ab^2 + 61b^3)*\cosh(dx + c)^6 + 5005*(384a^3 + 960a^2b + 3328ab^2$



$$\begin{aligned}
& + 475*b^3)*\cosh(d*x + c)^4 + 6720*a^3 + 3840*a^2*b + 67904*a*b^2 + 1295*b^3 \\
& + 66*(4480*a^3 + 7360*a^2*b + 43008*a*b^2 + 4515*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^{10} + 10*(777920*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^9 \\
& + 51480*(32*a^3 + 96*a^2*b + 224*a*b^2 + 61*b^3)*\cosh(d*x + c)^7 + 3003*(384*a^3 + 960*a^2*b + 3328*a*b^2 + 475*b^3)*\cosh(d*x + c)^5 + 66*(4480*a^3 + \\
& 7360*a^2*b + 43008*a*b^2 + 4515*b^3)*\cosh(d*x + c)^3 + 3*(6720*a^3 + 3840*a^2*b + 67904*a*b^2 + 1295*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^9 + 3*(6720*a^3 - 3840*a^2*b + 67904*a*b^2 - 1295*b^3)*\cosh(d*x + c)^8 + 3*(2333760*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^{10} + 193050*(32*a^3 + 96*a^2*b + 224*a*b^2 + 61*b^3)*\cosh(d*x + c)^8 + 15015*(384*a^3 + 960*a^2*b + 3328*a*b^2 + 475*b^3)*\cosh(d*x + c)^6 + 495*(4480*a^3 + 7360*a^2*b + 43008*a*b^2 + 4515*b^3)*\cosh(d*x + c)^4 + 6720*a^3 - 3840*a^2*b + 67904*a*b^2 - 1295*b^3 + 45*(6720*a^3 + 3840*a^2*b + 67904*a*b^2 + 1295*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^8 + 24*(212160*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^{11} + 21450*(32*a^3 + 96*a^2*b + 224*a*b^2 + 61*b^3)*\cosh(d*x + c)^9 + 2145*(384*a^3 + 960*a^2*b + 3328*a*b^2 + 475*b^3)*\cosh(d*x + c)^7 + 99*(4480*a^3 + 7360*a^2*b + 43008*a*b^2 + 4515*b^3)*\cosh(d*x + c)^5 + 15*(6720*a^3 + 3840*a^2*b + 67904*a*b^2 + 1295*b^3)*\cosh(d*x + c)^3 + (6720*a^3 - 3840*a^2*b + 67904*a*b^2 - 1295*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^7 + 3*(4480*a^3 - 7360*a^2*b + 43008*a*b^2 - 4515*b^3)*\cosh(d*x + c)^6 + 3*(990080*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^{12} + 120120*(32*a^3 + 96*a^2*b + 224*a*b^2 + 61*b^3)*\cosh(d*x + c)^{10} + 15015*(384*a^3 + 960*a^2*b + 3328*a*b^2 + 475*b^3)*\cosh(d*x + c)^8 + 924*(4480*a^3 + 7360*a^2*b + 43008*a*b^2 + 4515*b^3)*\cosh(d*x + c)^6 + 210*(6720*a^3 + 3840*a^2*b + 67904*a*b^2 + 1295*b^3)*\cosh(d*x + c)^4 + 4480*a^3 - 7360*a^2*b + 43008*a*b^2 - 4515*b^3 + 28*(6720*a^3 - 3840*a^2*b + 67904*a*b^2 - 1295*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^6 + 6*(228480*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^{13} + 32760*(32*a^3 + 96*a^2*b + 224*a*b^2 + 61*b^3)*\cosh(d*x + c)^{11} + 5005*(384*a^3 + 960*a^2*b + 3328*a*b^2 + 475*b^3)*\cosh(d*x + c)^9 + 396*(4480*a^3 + 7360*a^2*b + 43008*a*b^2 + 4515*b^3)*\cosh(d*x + c)^7 + 126*(6720*a^3 + 3840*a^2*b + 67904*a*b^2 + 1295*b^3)*\cosh(d*x + c)^5 + 28*(6720*a^3 - 3840*a^2*b + 67904*a*b^2 - 1295*b^3)*\cosh(d*x + c)^3 + 3*(4480*a^3 - 7360*a^2*b + 43008*a*b^2 - 4515*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^5 + 15*(384*a^3 - 960*a^2*b + 3328*a*b^2 - 475*b^3)*\cosh(d*x + c)^4 + 15*(32640*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^{14} + 5460*(32*a^3 + 96*a^2*b + 224*a*b^2 + 61*b^3)*\cosh(d*x + c)^{12} + 1001*(384*a^3 + 960*a^2*b + 3328*a*b^2 + 475*b^3)*\cosh(d*x + c)^{10} + 99*(4480*a^3 + 7360*a^2*b + 43008*a*b^2 + 4515*b^3)*\cosh(d*x + c)^8 + 42*(6720*a^3 + 3840*a^2*b + 67904*a*b^2 + 1295*b^3)*\cosh(d*x + c)^6 + 14*(6720*a^3 - 3840*a^2*b + 67904*a*b^2 - 1295*b^3)*\cosh(d*x + c)^4 + 384*a^3 - 960*a^2*b + 3328*a*b^2 - 475*b^3 + 3*(4480*a^3 - 7360*a^2*b + 43008*a*b^2 - 4515*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + 12*(10880*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^{15} + 2100*(32*a^3 + 96*a^2*b + 224*a*b^2 + 61*b^3)*\cosh(d*x + c)^{13} + 455*(384*a^3 + 960*a^2*b + 3328*a*b^2 + 475*b^3)*\cosh(d*x + c)^{11} + 55*(4480*a^3 + 7360*a^2*b + 43008*a*b^2 + 4515*b^3)*\cosh(d*x + c)^9 + 30*(6720*a^3 + 3840*a^2*b + 67904*a*b^2 + 1295*b^3)*\cosh(d*x + c)^7 +
\end{aligned}$$

$$\begin{aligned}
& 14*(6720*a^3 - 3840*a^2*b + 67904*a*b^2 - 1295*b^3)*\cosh(d*x + c)^5 + 5*(4 \\
& 480*a^3 - 7360*a^2*b + 43008*a*b^2 - 4515*b^3)*\cosh(d*x + c)^3 + 5*(384*a^3 \\
& - 960*a^2*b + 3328*a*b^2 - 475*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 160*a \\
& ^3 - 480*a^2*b + 480*a*b^2 - 160*b^3 + 45*(32*a^3 - 96*a^2*b + 224*a*b^2 - \\
& 61*b^3)*\cosh(d*x + c)^2 + 3*(8160*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x \\
& + c)^16 + 1800*(32*a^3 + 96*a^2*b + 224*a*b^2 + 61*b^3)*\cosh(d*x + c)^14 + \\
& 455*(384*a^3 + 960*a^2*b + 3328*a*b^2 + 475*b^3)*\cosh(d*x + c)^12 + 66*(448 \\
& 0*a^3 + 7360*a^2*b + 43008*a*b^2 + 4515*b^3)*\cosh(d*x + c)^10 + 45*(6720*a^3 \\
& + 3840*a^2*b + 67904*a*b^2 + 1295*b^3)*\cosh(d*x + c)^8 + 28*(6720*a^3 - 3 \\
& 840*a^2*b + 67904*a*b^2 - 1295*b^3)*\cosh(d*x + c)^6 + 15*(4480*a^3 - 7360*a \\
& ^2*b + 43008*a*b^2 - 4515*b^3)*\cosh(d*x + c)^4 + 480*a^3 - 1440*a^2*b + 336 \\
& 0*a*b^2 - 915*b^3 + 30*(384*a^3 - 960*a^2*b + 3328*a*b^2 - 475*b^3)*\cosh(d* \\
& x + c)^2)*\sinh(d*x + c)^2 - 45*((64*a^2*b + 35*b^3)*\cosh(d*x + c)^17 + 17*( \\
& 64*a^2*b + 35*b^3)*\cosh(d*x + c)*\sinh(d*x + c)^16 + (64*a^2*b + 35*b^3)*\sin \\
& h(d*x + c)^17 + 8*(64*a^2*b + 35*b^3)*\cosh(d*x + c)^15 + 8*(64*a^2*b + 35*b \\
& ^3 + 17*(64*a^2*b + 35*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^15 + 40*(17*(64* \\
& a^2*b + 35*b^3)*\cosh(d*x + c)^3 + 3*(64*a^2*b + 35*b^3)*\cosh(d*x + c))*\sinh \\
& (d*x + c)^14 + 28*(64*a^2*b + 35*b^3)*\cosh(d*x + c)^13 + 28*(85*(64*a^2*b + \\
& 35*b^3)*\cosh(d*x + c)^4 + 64*a^2*b + 35*b^3 + 30*(64*a^2*b + 35*b^3)*\cosh( \\
& d*x + c)^2)*\sinh(d*x + c)^13 + 364*(17*(64*a^2*b + 35*b^3)*\cosh(d*x + c)^5 \\
& + 10*(64*a^2*b + 35*b^3)*\cosh(d*x + c)^3 + (64*a^2*b + 35*b^3)*\cosh(d*x + c \\
& ))*\sinh(d*x + c)^12 + 56*(64*a^2*b + 35*b^3)*\cosh(d*x + c)^11 + 56*(221*(64 \\
& *a^2*b + 35*b^3)*\cosh(d*x + c)^6 + 195*(64*a^2*b + 35*b^3)*\cosh(d*x + c)^4 \\
& + 64*a^2*b + 35*b^3 + 39*(64*a^2*b + 35*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c) \\
& ^11 + 88*(221*(64*a^2*b + 35*b^3)*\cosh(d*x + c)^7 + 273*(64*a^2*b + 35*b^3) \\
& *\cosh(d*x + c)^5 + 91*(64*a^2*b + 35*b^3)*\cosh(d*x + c)^3 + 7*(64*a^2*b + 3 \\
& 5*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^10 + 70*(64*a^2*b + 35*b^3)*\cosh(d*x + \\
& c)^9 + 10*(2431*(64*a^2*b + 35*b^3)*\cosh(d*x + c)^8 + 4004*(64*a^2*b + 35*b \\
& ^3)*\cosh(d*x + c)^6 + 2002*(64*a^2*b + 35*b^3)*\cosh(d*x + c)^4 + 448*a^2*b \\
& + 245*b^3 + 308*(64*a^2*b + 35*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^9 + 2*(1 \\
& 2155*(64*a^2*b + 35*b^3)*\cosh(d*x + c)^9 + 25740*(64*a^2*b + 35*b^3)*\cosh(d \\
& *x + c)^7 + 18018*(64*a^2*b + 35*b^3)*\cosh(d*x + c)^5 + 4620*(64*a^2*b + 35 \\
& *b^3)*\cosh(d*x + c)^3 + 315*(64*a^2*b + 35*b^3)*\cosh(d*x + c))*\sinh(d*x + c \\
& )^8 + 56*(64*a^2*b + 35*b^3)*\cosh(d*x + c)^7 + 8*(2431*(64*a^2*b + 35*b^3)* \\
& \cosh(d*x + c)^10 + 6435*(64*a^2*b + 35*b^3)*\cosh(d*x + c)^8 + 6006*(64*a^2* \\
& b + 35*b^3)*\cosh(d*x + c)^6 + 2310*(64*a^2*b + 35*b^3)*\cosh(d*x + c)^4 + 44 \\
& 8*a^2*b + 245*b^3 + 315*(64*a^2*b + 35*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^ \\
& 7 + 56*(221*(64*a^2*b + 35*b^3)*\cosh(d*x + c)^11 + 715*(64*a^2*b + 35*b^3)* \\
& \cosh(d*x + c)^9 + 858*(64*a^2*b + 35*b^3)*\cosh(d*x + c)^7 + 462*(64*a^2*b + \\
& 35*b^3)*\cosh(d*x + c)^5 + 105*(64*a^2*b + 35*b^3)*\cosh(d*x + c)^3 + 7*(64* \\
& a^2*b + 35*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^6 + 28*(64*a^2*b + 35*b^3)*\cos \\
& h(d*x + c)^5 + 28*(221*(64*a^2*b + 35*b^3)*\cosh(d*x + c)^12 + 858*(64*a^2*b \\
& + 35*b^3)*\cosh(d*x + c)^10 + 1287*(64*a^2*b + 35*b^3)*\cosh(d*x + c)^8 + 92 \\
& 4*(64*a^2*b + 35*b^3)*\cosh(d*x + c)^6 + 315*(64*a^2*b + 35*b^3)*\cosh(d*x + \\
& c)^4 + 64*a^2*b + 35*b^3 + 42*(64*a^2*b + 35*b^3)*\cosh(d*x + c)^2)*\sinh(d*x
\end{aligned}$$

$$\begin{aligned}
& + c)^5 + 140*(17*(64*a^2*b + 35*b^3)*\cosh(d*x + c)^{13} + 78*(64*a^2*b + 35* \\
& b^3)*\cosh(d*x + c)^{11} + 143*(64*a^2*b + 35*b^3)*\cosh(d*x + c)^9 + 132*(64*a \\
& ^2*b + 35*b^3)*\cosh(d*x + c)^7 + 63*(64*a^2*b + 35*b^3)*\cosh(d*x + c)^5 + 1 \\
& 4*(64*a^2*b + 35*b^3)*\cosh(d*x + c)^3 + (64*a^2*b + 35*b^3)*\cosh(d*x + c))* \\
& \sinh(d*x + c)^4 + 8*(64*a^2*b + 35*b^3)*\cosh(d*x + c)^3 + 8*(85*(64*a^2*b + \\
& 35*b^3)*\cosh(d*x + c)^{14} + 455*(64*a^2*b + 35*b^3)*\cosh(d*x + c)^{12} + 1001 \\
& *(64*a^2*b + 35*b^3)*\cosh(d*x + c)^{10} + 1155*(64*a^2*b + 35*b^3)*\cosh(d*x + \\
& c)^8 + 735*(64*a^2*b + 35*b^3)*\cosh(d*x + c)^6 + 245*(64*a^2*b + 35*b^3)*\c \\
& osh(d*x + c)^4 + 64*a^2*b + 35*b^3 + 35*(64*a^2*b + 35*b^3)*\cosh(d*x + c)^2 \\
& )*\sinh(d*x + c)^3 + 8*(17*(64*a^2*b + 35*b^3)*\cosh(d*x + c)^{15} + 105*(64*a^ \\
& 2*b + 35*b^3)*\cosh(d*x + c)^{13} + 273*(64*a^2*b + 35*b^3)*\cosh(d*x + c)^{11} + \\
& 385*(64*a^2*b + 35*b^3)*\cosh(d*x + c)^9 + 315*(64*a^2*b + 35*b^3)*\cosh(d*x \\
& + c)^7 + 147*(64*a^2*b + 35*b^3)*\cosh(d*x + c)^5 + 35*(64*a^2*b + 35*b^3)* \\
& \cosh(d*x + c)^3 + 3*(64*a^2*b + 35*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^2 + (6 \\
& 4*a^2*b + 35*b^3)*\cosh(d*x + c) + (17*(64*a^2*b + 35*b^3)*\cosh(d*x + c)^{16} \\
& + 120*(64*a^2*b + 35*b^3)*\cosh(d*x + c)^{14} + 364*(64*a^2*b + 35*b^3)*\cosh(d \\
& *x + c)^{12} + 616*(64*a^2*b + 35*b^3)*\cosh(d*x + c)^{10} + 630*(64*a^2*b + 35* \\
& b^3)*\cosh(d*x + c)^8 + 392*(64*a^2*b + 35*b^3)*\cosh(d*x + c)^6 + 140*(64*a^ \\
& 2*b + 35*b^3)*\cosh(d*x + c)^4 + 64*a^2*b + 35*b^3 + 24*(64*a^2*b + 35*b^3)* \\
& \cosh(d*x + c)^2)*\sinh(d*x + c))*\arctan(\cosh(d*x + c) + \sinh(d*x + c)) + 6*( \\
& 480*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^{17} + 120*(32*a^3 + 96*a^2 \\
& *b + 224*a*b^2 + 61*b^3)*\cosh(d*x + c)^{15} + 35*(384*a^3 + 960*a^2*b + 3328* \\
& a*b^2 + 475*b^3)*\cosh(d*x + c)^{13} + 6*(4480*a^3 + 7360*a^2*b + 43008*a*b^2 \\
& + 4515*b^3)*\cosh(d*x + c)^{11} + 5*(6720*a^3 + 3840*a^2*b + 67904*a*b^2 + 129 \\
& 5*b^3)*\cosh(d*x + c)^9 + 4*(6720*a^3 - 3840*a^2*b + 67904*a*b^2 - 1295*b^3) \\
& *\cosh(d*x + c)^7 + 3*(4480*a^3 - 7360*a^2*b + 43008*a*b^2 - 4515*b^3)*\cosh( \\
& d*x + c)^5 + 10*(384*a^3 - 960*a^2*b + 3328*a*b^2 - 475*b^3)*\cosh(d*x + c)^ \\
& 3 + 15*(32*a^3 - 96*a^2*b + 224*a*b^2 - 61*b^3)*\cosh(d*x + c))*\sinh(d*x + c \\
& ))/(d*\cosh(d*x + c)^{17} + 17*d*\cosh(d*x + c)*\sinh(d*x + c)^{16} + d*\sinh(d*x + \\
& c)^{17} + 8*d*\cosh(d*x + c)^{15} + 8*(17*d*\cosh(d*x + c)^2 + d)*\sinh(d*x + c)^ \\
& 15 + 40*(17*d*\cosh(d*x + c)^3 + 3*d*\cosh(d*x + c))*\sinh(d*x + c)^{14} + 28*d* \\
& \cosh(d*x + c)^{13} + 28*(85*d*\cosh(d*x + c)^4 + 30*d*\cosh(d*x + c)^2 + d)*\sin \\
& h(d*x + c)^{13} + 364*(17*d*\cosh(d*x + c)^5 + 10*d*\cosh(d*x + c)^3 + d*\cosh(d \\
& *x + c))*\sinh(d*x + c)^{12} + 56*d*\cosh(d*x + c)^{11} + 56*(221*d*\cosh(d*x + c) \\
& ^6 + 195*d*\cosh(d*x + c)^4 + 39*d*\cosh(d*x + c)^2 + d)*\sinh(d*x + c)^{11} + 8 \\
& 8*(221*d*\cosh(d*x + c)^7 + 273*d*\cosh(d*x + c)^5 + 91*d*\cosh(d*x + c)^3 + 7 \\
& *d*\cosh(d*x + c))*\sinh(d*x + c)^{10} + 70*d*\cosh(d*x + c)^9 + 10*(2431*d*\cosh \\
& (d*x + c)^8 + 4004*d*\cosh(d*x + c)^6 + 2002*d*\cosh(d*x + c)^4 + 308*d*\cosh( \\
& d*x + c)^2 + 7*d)*\sinh(d*x + c)^9 + 2*(12155*d*\cosh(d*x + c)^9 + 25740*d*\co \\
& sh(d*x + c)^7 + 18018*d*\cosh(d*x + c)^5 + 4620*d*\cosh(d*x + c)^3 + 315*d*\co \\
& sh(d*x + c))*\sinh(d*x + c)^8 + 56*d*\cosh(d*x + c)^7 + 8*(2431*d*\cosh(d*x + \\
& c)^{10} + 6435*d*\cosh(d*x + c)^8 + 6006*d*\cosh(d*x + c)^6 + 2310*d*\cosh(d*x + \\
& c)^4 + 315*d*\cosh(d*x + c)^2 + 7*d)*\sinh(d*x + c)^7 + 56*(221*d*\cosh(d*x + \\
& c)^{11} + 715*d*\cosh(d*x + c)^9 + 858*d*\cosh(d*x + c)^7 + 462*d*\cosh(d*x + c \\
& )^5 + 105*d*\cosh(d*x + c)^3 + 7*d*\cosh(d*x + c))*\sinh(d*x + c)^6 + 28*d*\cos
\end{aligned}$$

$$\begin{aligned} & h(dx + c)^5 + 28*(221*d*cosh(dx + c)^{12} + 858*d*cosh(dx + c)^{10} + 1287*d \\ & *cosh(dx + c)^8 + 924*d*cosh(dx + c)^6 + 315*d*cosh(dx + c)^4 + 42*d*cos \\ & h(dx + c)^2 + d)*sinh(dx + c)^5 + 140*(17*d*cosh(dx + c)^{13} + 78*d*cosh( \\ & dx + c)^{11} + 143*d*cosh(dx + c)^9 + 132*d*cosh(dx + c)^7 + 63*d*cosh(dx \\ & + c)^5 + 14*d*cosh(dx + c)^3 + d*cosh(dx + c))*sinh(dx + c)^4 + 8*d*cos \\ & h(dx + c)^3 + 8*(85*d*cosh(dx + c)^{14} + 455*d*cosh(dx + c)^{12} + 1001*d*c \\ & osh(dx + c)^{10} + 1155*d*cosh(dx + c)^8 + 735*d*cosh(dx + c)^6 + 245*d*co \\ & sh(dx + c)^4 + 35*d*cosh(dx + c)^2 + d)*sinh(dx + c)^3 + 8*(17*d*cosh(dx \\ & x + c)^{15} + 105*d*cosh(dx + c)^{13} + 273*d*cosh(dx + c)^{11} + 385*d*cosh(dx \\ & x + c)^9 + 315*d*cosh(dx + c)^7 + 147*d*cosh(dx + c)^5 + 35*d*cosh(dx + \\ & c)^3 + 3*d*cosh(dx + c))*sinh(dx + c)^2 + d*cosh(dx + c) + (17*d*cosh(dx \\ & x + c)^{16} + 120*d*cosh(dx + c)^{14} + 364*d*cosh(dx + c)^{12} + 616*d*cosh(dx \\ & x + c)^{10} + 630*d*cosh(dx + c)^8 + 392*d*cosh(dx + c)^6 + 140*d*cosh(dx \\ & + c)^4 + 24*d*cosh(dx + c)^2 + d)*sinh(dx + c)) \end{aligned}$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(dx+c)\*(a+b\*tanh(dx+c)\*\*3)\*\*3,x)

[Out] Timed out

**Giac [A]** time = 2.63282, size = 655, normalized size = 2.43

$$45(64a^2be^c + 35b^3e^c) \arctan(e^{(dx+c)})e^{(-c)} - 160(a^3 - 3a^2b + 3ab^2 - b^3)e^{(-dx-c)} - 160(a^3e^{(dx+20c)} + 3a^2be^{(dx+20c)} + 3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(dx+c)\*(a+b\*tanh(dx+c)^3)^3,x, algorithm="giac")

[Out]  $-1/320*(45*(64*a^2*b*e^c + 35*b^3*e^c)*\arctan(e^{(dx + c)})*e^{(-c)} - 160*(a^3 - 3*a^2*b + 3*a*b^2 - b^3)*e^{(-dx - c)} - 160*(a^3*e^{(dx + 20*c)} + 3*a^2*b*e^{(dx + 20*c)} + 3*a*b^2*e^{(dx + 20*c)} + b^3*e^{(dx + 20*c)})*e^{(-19*c)} - (960*a^2*b*e^{(15*d*x + 15*c)} + 5760*a*b^2*e^{(15*d*x + 15*c)} + 1625*b^3*e^{(15*d*x + 15*c)} + 4800*a^2*b*e^{(13*d*x + 13*c)} + 32640*a*b^2*e^{(13*d*x + 13$

$$\begin{aligned}
& *c) + 3925*b^3*e^{(13*d*x + 13*c)} + 8640*a^2*b*e^{(11*d*x + 11*c)} + 88704*a*b \\
& ^2*e^{(11*d*x + 11*c)} + 9065*b^3*e^{(11*d*x + 11*c)} + 4800*a^2*b*e^{(9*d*x + 9 \\
& *c)} + 143232*a*b^2*e^{(9*d*x + 9*c)} + 1645*b^3*e^{(9*d*x + 9*c)} - 4800*a^2*b* \\
& e^{(7*d*x + 7*c)} + 143232*a*b^2*e^{(7*d*x + 7*c)} - 1645*b^3*e^{(7*d*x + 7*c)} - \\
& 8640*a^2*b*e^{(5*d*x + 5*c)} + 88704*a*b^2*e^{(5*d*x + 5*c)} - 9065*b^3*e^{(5*d \\
& *x + 5*c)} - 4800*a^2*b*e^{(3*d*x + 3*c)} + 32640*a*b^2*e^{(3*d*x + 3*c)} - 3925 \\
& *b^3*e^{(3*d*x + 3*c)} - 960*a^2*b*e^{(d*x + c)} + 5760*a*b^2*e^{(d*x + c)} - 162 \\
& 5*b^3*e^{(d*x + c)})/(e^{(2*d*x + 2*c)} + 1)^8)/d
\end{aligned}$$

### 3.69 $\int \operatorname{csch}(c + dx) \left( a + b \tanh^3(c + dx) \right)^3 dx$

**Optimal.** Leaf size=219

$$\frac{3a^2b \tan^{-1}(\sinh(c + dx))}{2d} - \frac{3a^2b \tanh(c + dx) \operatorname{sech}(c + dx)}{2d} - \frac{a^3 \tanh^{-1}(\cosh(c + dx))}{d} - \frac{3ab^2 \operatorname{sech}^5(c + dx)}{5d} + \frac{2ab^2 \operatorname{sech}^3(c + dx)}{3d}$$

[Out] (3\*a^2\*b\*ArcTan[Sinh[c + d\*x]])/(2\*d) + (35\*b^3\*ArcTan[Sinh[c + d\*x]])/(128\*d) - (a^3\*ArcTanh[Cosh[c + d\*x]])/d - (3\*a\*b^2\*Sech[c + d\*x])/d + (2\*a\*b^2\*Sech[c + d\*x]^3)/d - (3\*a\*b^2\*Sech[c + d\*x]^5)/(5\*d) - (3\*a^2\*b\*Sech[c + d\*x]\*Tanh[c + d\*x])/(2\*d) - (35\*b^3\*Sech[c + d\*x]\*Tanh[c + d\*x])/(128\*d) - (35\*b^3\*Sech[c + d\*x]\*Tanh[c + d\*x]^3)/(192\*d) - (7\*b^3\*Sech[c + d\*x]\*Tanh[c + d\*x]^5)/(48\*d) - (b^3\*Sech[c + d\*x]\*Tanh[c + d\*x]^7)/(8\*d)

**Rubi [A]** time = 0.2635, antiderivative size = 219, normalized size of antiderivative = 1, number of steps used = 13, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {3666, 3770, 2611, 2606, 194}

$$\frac{3a^2b \tan^{-1}(\sinh(c + dx))}{2d} - \frac{3a^2b \tanh(c + dx) \operatorname{sech}(c + dx)}{2d} - \frac{a^3 \tanh^{-1}(\cosh(c + dx))}{d} - \frac{3ab^2 \operatorname{sech}^5(c + dx)}{5d} + \frac{2ab^2 \operatorname{sech}^3(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[Csch[c + d\*x]\*(a + b\*Tanh[c + d\*x]^3)^3,x]

[Out] (3\*a^2\*b\*ArcTan[Sinh[c + d\*x]])/(2\*d) + (35\*b^3\*ArcTan[Sinh[c + d\*x]])/(128\*d) - (a^3\*ArcTanh[Cosh[c + d\*x]])/d - (3\*a\*b^2\*Sech[c + d\*x])/d + (2\*a\*b^2\*Sech[c + d\*x]^3)/d - (3\*a\*b^2\*Sech[c + d\*x]^5)/(5\*d) - (3\*a^2\*b\*Sech[c + d\*x]\*Tanh[c + d\*x])/(2\*d) - (35\*b^3\*Sech[c + d\*x]\*Tanh[c + d\*x])/(128\*d) - (35\*b^3\*Sech[c + d\*x]\*Tanh[c + d\*x]^3)/(192\*d) - (7\*b^3\*Sech[c + d\*x]\*Tanh[c + d\*x]^5)/(48\*d) - (b^3\*Sech[c + d\*x]\*Tanh[c + d\*x]^7)/(8\*d)

#### Rule 3666

Int[((d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((a\_.) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_.))^p, x\_Symbol] :> Int[ExpandTrig[(d\*sin[e + f\*x])^m\*(a + b\*(c\*tan[e + f\*x])^n)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p, 0]

#### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x]  
 /; FreeQ[{c, d}, x]

### Rule 2611

Int[((a\_.)\*sec[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((b\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] := Simp[(b\*(a\*Sec[e + f\*x])^m\*(b\*Tan[e + f\*x])^(n - 1))/(f\*(m + n - 1)), x] - Dist[(b^2\*(n - 1))/(m + n - 1), Int[(a\*Sec[e + f\*x])^m\*(b\*Tan[e + f\*x])^(n - 2), x], x] /; FreeQ[{a, b, e, f, m}, x] && GtQ[n, 1] && NeQ[m + n - 1, 0] && IntegersQ[2\*m, 2\*n]

### Rule 2606

Int[((a\_.)\*sec[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((b\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] := Dist[a/f, Subst[Int[(a\*x)^(m - 1)\*(-1 + x^2)^((n - 1)/2), x], x, Sec[e + f\*x]], x] /; FreeQ[{a, e, f, m}, x] && IntegerQ[(n - 1)/2] && !(IntegerQ[m/2] && LtQ[0, m, n + 1])

### Rule 194

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x^n)^p, x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && IGtQ[p, 0]

### Rubi steps

$$\begin{aligned}
 \int \operatorname{csch}(c + dx) (a + b \tanh^3(c + dx))^3 dx &= i \int (-ia^3 \operatorname{csch}(c + dx) - 3ia^2 b \operatorname{sech}(c + dx) \tanh^2(c + dx) - 3iab^2 \operatorname{sech}(c + dx) \tanh(c + dx) - b^3 \operatorname{sech}(c + dx)) dx \\
 &= a^3 \int \operatorname{csch}(c + dx) dx + (3a^2 b) \int \operatorname{sech}(c + dx) \tanh^2(c + dx) dx + (3ab^2) \int \operatorname{sech}(c + dx) \tanh(c + dx) dx - \frac{b^3}{3} \int \operatorname{sech}(c + dx) dx \\
 &= -\frac{a^3 \tanh^{-1}(\cosh(c + dx))}{d} - \frac{3a^2 b \operatorname{sech}(c + dx) \tanh(c + dx)}{2d} - \frac{b^3 \operatorname{sech}(c + dx)}{3d} \\
 &= \frac{3a^2 b \tan^{-1}(\sinh(c + dx))}{2d} - \frac{a^3 \tanh^{-1}(\cosh(c + dx))}{d} - \frac{3a^2 b \operatorname{sech}(c + dx)}{2d} \\
 &= \frac{3a^2 b \tan^{-1}(\sinh(c + dx))}{2d} - \frac{a^3 \tanh^{-1}(\cosh(c + dx))}{d} - \frac{3ab^2 \operatorname{sech}(c + dx)}{d} \\
 &= \frac{3a^2 b \tan^{-1}(\sinh(c + dx))}{2d} - \frac{a^3 \tanh^{-1}(\cosh(c + dx))}{d} - \frac{3ab^2 \operatorname{sech}(c + dx)}{d} \\
 &= \frac{3a^2 b \tan^{-1}(\sinh(c + dx))}{2d} + \frac{35b^3 \tan^{-1}(\sinh(c + dx))}{128d} - \frac{a^3 \tanh^{-1}(\cosh(c + dx))}{d}
 \end{aligned}$$

**Mathematica [A]** time = 2.88559, size = 154, normalized size = 0.7

$$-45b \operatorname{sech}(c + dx) \left( (64a^2 + 31b^2) \tanh(c + dx) + 128ab \right) + 30 \left( b (192a^2 + 35b^2) \tan^{-1} \left( \tanh \left( \frac{1}{2}(c + dx) \right) \right) \right) + 64a^3 \log \left( \tanh \left( \frac{1}{2}(c + dx) \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]\*(a + b\*Tanh[c + d\*x]^3)^3, x]

[Out] (30\*(b\*(192\*a^2 + 35\*b^2)\*ArcTan[Tanh[(c + d\*x)/2]] + 64\*a^3\*Log[Tanh[(c + d\*x)/2]]) + 240\*b^3\*Sech[c + d\*x]^7\*Tanh[c + d\*x] - 8\*b^2\*Sech[c + d\*x]^5\*(144\*a + 125\*b\*Tanh[c + d\*x]) + 10\*b^2\*Sech[c + d\*x]^3\*(384\*a + 163\*b\*Tanh[c + d\*x]) - 45\*b\*Sech[c + d\*x]\*(128\*a\*b + (64\*a^2 + 31\*b^2)\*Tanh[c + d\*x]))/(1920\*d)

**Maple [A]** time = 0.096, size = 387, normalized size = 1.8

$$-2 \frac{a^3 \operatorname{Artanh}(e^{dx+c})}{d} - 3 \frac{a^2 b \sinh(dx+c)}{d (\cosh(dx+c))^2} + \frac{3 a^2 b \operatorname{sech}(dx+c) \tanh(dx+c)}{2d} + 3 \frac{a^2 b \arctan(e^{dx+c})}{d} - 3 \frac{ab^2 (\sinh(dx+c))}{d (\cosh(dx+c))^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csch(d\*x+c)\*(a+b\*tanh(d\*x+c)^3)^3, x)

[Out] -2/d\*a^3\*arctanh(exp(d\*x+c))-3/d\*a^2\*b\*sinh(d\*x+c)/cosh(d\*x+c)^2+3/2\*a^2\*b\*sech(d\*x+c)\*tanh(d\*x+c)/d+3/d\*a^2\*b\*arctan(exp(d\*x+c))-3/d\*a\*b^2\*sinh(d\*x+c)^4/cosh(d\*x+c)^5-12/5/d\*a\*b^2\*sinh(d\*x+c)^2/cosh(d\*x+c)^5+8/5/d\*a\*b^2\*sinh(d\*x+c)^2/cosh(d\*x+c)^3+8/5/d\*a\*b^2\*sinh(d\*x+c)^2/cosh(d\*x+c)-8/5\*a\*b^2\*cosh(d\*x+c)/d-1/d\*b^3\*sinh(d\*x+c)^7/cosh(d\*x+c)^8-7/3/d\*b^3\*sinh(d\*x+c)^5/cosh(d\*x+c)^8-7/3/d\*b^3\*sinh(d\*x+c)^3/cosh(d\*x+c)^8-1/d\*b^3\*sinh(d\*x+c)/cosh(d\*x+c)^8+1/8/d\*b^3\*tanh(d\*x+c)\*sech(d\*x+c)^7+7/48/d\*b^3\*tanh(d\*x+c)\*sech(d\*x+c)^5+35/192\*b^3\*sech(d\*x+c)^3\*tanh(d\*x+c)/d+35/128\*b^3\*sech(d\*x+c)\*tanh(d\*x+c)/d+35/64/d\*b^3\*arctan(exp(d\*x+c))

**Maxima [B]** time = 1.72007, size = 883, normalized size = 4.03

result too large to display

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate(csch(d\*x+c)\*(a+b\*tanh(d\*x+c)^3)^3,x, algorithm="maxima")

[Out] 
$$\begin{aligned} & -1/192*b^3*(105*\arctan(e^{-(d*x - c)})/d + (279*e^{-(d*x - c)} + 91*e^{(-3*d*x - 3*c)} + 1799*e^{(-5*d*x - 5*c)} - 1085*e^{(-7*d*x - 7*c)} + 1085*e^{(-9*d*x - 9*c)} - 1799*e^{(-11*d*x - 11*c)} - 91*e^{(-13*d*x - 13*c)} - 279*e^{(-15*d*x - 15*c)})/(d*(8*e^{(-2*d*x - 2*c)} + 28*e^{(-4*d*x - 4*c)} + 56*e^{(-6*d*x - 6*c)} + 70*e^{(-8*d*x - 8*c)} + 56*e^{(-10*d*x - 10*c)} + 28*e^{(-12*d*x - 12*c)} + 8*e^{(-14*d*x - 14*c)} + e^{(-16*d*x - 16*c)} + 1))) - 3*a^2*b*(\arctan(e^{-(d*x - c)})/d + (e^{-(d*x - c)} - e^{(-3*d*x - 3*c)})/(d*(2*e^{(-2*d*x - 2*c)} + e^{(-4*d*x - 4*c)} + 1))) - 2/5*a*b^2*(15*e^{-(d*x - c)})/(d*(5*e^{(-2*d*x - 2*c)} + 10*e^{(-4*d*x - 4*c)} + 10*e^{(-6*d*x - 6*c)} + 5*e^{(-8*d*x - 8*c)} + e^{(-10*d*x - 10*c)} + 1)) + 20*e^{(-3*d*x - 3*c)})/(d*(5*e^{(-2*d*x - 2*c)} + 10*e^{(-4*d*x - 4*c)} + 10*e^{(-6*d*x - 6*c)} + 5*e^{(-8*d*x - 8*c)} + e^{(-10*d*x - 10*c)} + 1)) + 58*e^{(-5*d*x - 5*c)})/(d*(5*e^{(-2*d*x - 2*c)} + 10*e^{(-4*d*x - 4*c)} + 10*e^{(-6*d*x - 6*c)} + 5*e^{(-8*d*x - 8*c)} + e^{(-10*d*x - 10*c)} + 1)) + 20*e^{(-7*d*x - 7*c)})/(d*(5*e^{(-2*d*x - 2*c)} + 10*e^{(-4*d*x - 4*c)} + 10*e^{(-6*d*x - 6*c)} + 5*e^{(-8*d*x - 8*c)} + e^{(-10*d*x - 10*c)} + 1)) + 15*e^{(-9*d*x - 9*c)})/(d*(5*e^{(-2*d*x - 2*c)} + 10*e^{(-4*d*x - 4*c)} + 10*e^{(-6*d*x - 6*c)} + 5*e^{(-8*d*x - 8*c)} + e^{(-10*d*x - 10*c)} + 1))) + a^3*\log(\tanh(1/2*d*x + 1/2*c))/d \end{aligned}$$

**Fricas [B]** time = 3.60023, size = 19499, normalized size = 89.04

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*(a+b\*tanh(d\*x+c)^3)^3,x, algorithm="fricas")

[Out] 
$$\begin{aligned} & -1/960*(45*(64*a^2*b + 128*a*b^2 + 31*b^3)*\cosh(d*x + c)^{15} + 675*(64*a^2*b + 128*a*b^2 + 31*b^3)*\cosh(d*x + c)*\sinh(d*x + c)^{14} + 45*(64*a^2*b + 128*a*b^2 + 31*b^3)*\sinh(d*x + c)^{15} + 5*(2880*a^2*b + 4992*a*b^2 + 91*b^3)*\cosh(d*x + c)^{13} + 5*(2880*a^2*b + 4992*a*b^2 + 91*b^3 + 945*(64*a^2*b + 128*a*b^2 + 31*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^{13} + 65*(315*(64*a^2*b + 128*a*b^2 + 31*b^3)*\cosh(d*x + c)^3 + (2880*a^2*b + 4992*a*b^2 + 91*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^{12} + (25920*a^2*b + 62592*a*b^2 + 8995*b^3)*\cosh(d*x + c)^{11} + (61425*(64*a^2*b + 128*a*b^2 + 31*b^3)*\cosh(d*x + c)^4 + 25920*a^2*b + 62592*a*b^2 + 8995*b^3 + 390*(2880*a^2*b + 4992*a*b^2 + 91*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^{11} + 11*(12285*(64*a^2*b + 128*a*b^2 + 31*b^3)*\cosh(d*x + c)^5 + 130*(2880*a^2*b + 4992*a*b^2 + 91*b^3)*\cosh(d*x + c)^3 + (25920*a^2*b + 62592*a*b^2 + 8995*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^{10} + (14400*a^2*b + 103296*a*b^2 - 5425*b^3)*\cosh(d*x + c)^9 + (225225*(64*a^2*b + 128*a*b^2 + 31*b^3)*\cosh(d*x + c)^6 + 3575*(2880*a^2*b + 4992*a*b^2 + 91*b^3)*\cosh(d*x + c)^4 + 1125*(2880*a^2*b + 4992*a*b^2 + 91*b^3)*\cosh(d*x + c)^2 + 1125)*\sinh(d*x + c)^9 + 11*(12285*(64*a^2*b + 128*a*b^2 + 31*b^3)*\cosh(d*x + c)^5 + 130*(2880*a^2*b + 4992*a*b^2 + 91*b^3)*\cosh(d*x + c)^3 + (25920*a^2*b + 62592*a*b^2 + 8995*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^8 + 11*(12285*(64*a^2*b + 128*a*b^2 + 31*b^3)*\cosh(d*x + c)^5 + 130*(2880*a^2*b + 4992*a*b^2 + 91*b^3)*\cosh(d*x + c)^3 + (25920*a^2*b + 62592*a*b^2 + 8995*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^7 + 11*(12285*(64*a^2*b + 128*a*b^2 + 31*b^3)*\cosh(d*x + c)^5 + 130*(2880*a^2*b + 4992*a*b^2 + 91*b^3)*\cosh(d*x + c)^3 + (25920*a^2*b + 62592*a*b^2 + 8995*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^6 + 11*(12285*(64*a^2*b + 128*a*b^2 + 31*b^3)*\cosh(d*x + c)^5 + 130*(2880*a^2*b + 4992*a*b^2 + 91*b^3)*\cosh(d*x + c)^3 + (25920*a^2*b + 62592*a*b^2 + 8995*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^5 + 11*(12285*(64*a^2*b + 128*a*b^2 + 31*b^3)*\cosh(d*x + c)^5 + 130*(2880*a^2*b + 4992*a*b^2 + 91*b^3)*\cosh(d*x + c)^3 + (25920*a^2*b + 62592*a*b^2 + 8995*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^4 + 11*(12285*(64*a^2*b + 128*a*b^2 + 31*b^3)*\cosh(d*x + c)^5 + 130*(2880*a^2*b + 4992*a*b^2 + 91*b^3)*\cosh(d*x + c)^3 + (25920*a^2*b + 62592*a*b^2 + 8995*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 11*(12285*(64*a^2*b + 128*a*b^2 + 31*b^3)*\cosh(d*x + c)^5 + 130*(2880*a^2*b + 4992*a*b^2 + 91*b^3)*\cosh(d*x + c)^3 + (25920*a^2*b + 62592*a*b^2 + 8995*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^2 + 11*(12285*(64*a^2*b + 128*a*b^2 + 31*b^3)*\cosh(d*x + c)^5 + 130*(2880*a^2*b + 4992*a*b^2 + 91*b^3)*\cosh(d*x + c)^3 + (25920*a^2*b + 62592*a*b^2 + 8995*b^3)*\cosh(d*x + c))*\sinh(d*x + c) + 11*(12285*(64*a^2*b + 128*a*b^2 + 31*b^3)*\cosh(d*x + c)^5 + 130*(2880*a^2*b + 4992*a*b^2 + 91*b^3)*\cosh(d*x + c)^3 + (25920*a^2*b + 62592*a*b^2 + 8995*b^3)*\cosh(d*x + c))*\sinh(d*x + c) \end{aligned}$$

$$\begin{aligned}
& 3) * \cosh(dx + c)^4 + 14400 * a^2 * b + 103296 * a * b^2 - 5425 * b^3 + 55 * (25920 * a^2 * b \\
& + 62592 * a * b^2 + 8995 * b^3) * \cosh(dx + c)^2 * \sinh(dx + c)^9 + 3 * (96525 * (64 \\
& * a^2 * b + 128 * a * b^2 + 31 * b^3) * \cosh(dx + c)^7 + 2145 * (2880 * a^2 * b + 4992 * a * b^2 \\
& + 91 * b^3) * \cosh(dx + c)^5 + 55 * (25920 * a^2 * b + 62592 * a * b^2 + 8995 * b^3) * \cosh \\
& (dx + c)^3 + 3 * (14400 * a^2 * b + 103296 * a * b^2 - 5425 * b^3) * \cosh(dx + c) * \sinh \\
& (dx + c)^8 - (14400 * a^2 * b - 103296 * a * b^2 - 5425 * b^3) * \cosh(dx + c)^7 + (2 \\
& 89575 * (64 * a^2 * b + 128 * a * b^2 + 31 * b^3) * \cosh(dx + c)^8 + 8580 * (2880 * a^2 * b + \\
& 4992 * a * b^2 + 91 * b^3) * \cosh(dx + c)^6 + 330 * (25920 * a^2 * b + 62592 * a * b^2 + 899 \\
& 5 * b^3) * \cosh(dx + c)^4 - 14400 * a^2 * b + 103296 * a * b^2 + 5425 * b^3 + 36 * (14400 * \\
& a^2 * b + 103296 * a * b^2 - 5425 * b^3) * \cosh(dx + c)^2 * \sinh(dx + c)^7 + (225225 \\
& * (64 * a^2 * b + 128 * a * b^2 + 31 * b^3) * \cosh(dx + c)^9 + 8580 * (2880 * a^2 * b + 4992 * \\
& a * b^2 + 91 * b^3) * \cosh(dx + c)^7 + 462 * (25920 * a^2 * b + 62592 * a * b^2 + 8995 * b^3 \\
& ) * \cosh(dx + c)^5 + 84 * (14400 * a^2 * b + 103296 * a * b^2 - 5425 * b^3) * \cosh(dx + c \\
& )^3 - 7 * (14400 * a^2 * b - 103296 * a * b^2 - 5425 * b^3) * \cosh(dx + c) * \sinh(dx + c \\
& )^6 - (25920 * a^2 * b - 62592 * a * b^2 + 8995 * b^3) * \cosh(dx + c)^5 + (135135 * (64 * \\
& a^2 * b + 128 * a * b^2 + 31 * b^3) * \cosh(dx + c)^10 + 6435 * (2880 * a^2 * b + 4992 * a * b^2 \\
& + 91 * b^3) * \cosh(dx + c)^8 + 462 * (25920 * a^2 * b + 62592 * a * b^2 + 8995 * b^3) * \cosh \\
& (dx + c)^6 + 126 * (14400 * a^2 * b + 103296 * a * b^2 - 5425 * b^3) * \cosh(dx + c)^4 \\
& - 25920 * a^2 * b + 62592 * a * b^2 - 8995 * b^3 - 21 * (14400 * a^2 * b - 103296 * a * b^2 - \\
& 5425 * b^3) * \cosh(dx + c)^2 * \sinh(dx + c)^5 + (61425 * (64 * a^2 * b + 128 * a * b^2 + \\
& 31 * b^3) * \cosh(dx + c)^11 + 3575 * (2880 * a^2 * b + 4992 * a * b^2 + 91 * b^3) * \cosh(dx \\
& + c)^9 + 330 * (25920 * a^2 * b + 62592 * a * b^2 + 8995 * b^3) * \cosh(dx + c)^7 + 126 \\
& * (14400 * a^2 * b + 103296 * a * b^2 - 5425 * b^3) * \cosh(dx + c)^5 - 35 * (14400 * a^2 * b \\
& - 103296 * a * b^2 - 5425 * b^3) * \cosh(dx + c)^3 - 5 * (25920 * a^2 * b - 62592 * a * b^2 + \\
& 8995 * b^3) * \cosh(dx + c) * \sinh(dx + c)^4 - 5 * (2880 * a^2 * b - 4992 * a * b^2 + 91 \\
& * b^3) * \cosh(dx + c)^3 + (20475 * (64 * a^2 * b + 128 * a * b^2 + 31 * b^3) * \cosh(dx + c \\
& )^12 + 1430 * (2880 * a^2 * b + 4992 * a * b^2 + 91 * b^3) * \cosh(dx + c)^10 + 165 * (2592 \\
& 0 * a^2 * b + 62592 * a * b^2 + 8995 * b^3) * \cosh(dx + c)^8 + 84 * (14400 * a^2 * b + 10329 \\
& 6 * a * b^2 - 5425 * b^3) * \cosh(dx + c)^6 - 35 * (14400 * a^2 * b - 103296 * a * b^2 - 5425 \\
& * b^3) * \cosh(dx + c)^4 - 14400 * a^2 * b + 24960 * a * b^2 - 455 * b^3 - 10 * (25920 * a^2 \\
& * b - 62592 * a * b^2 + 8995 * b^3) * \cosh(dx + c)^2 * \sinh(dx + c)^3 + (4725 * (64 * a \\
& ^2 * b + 128 * a * b^2 + 31 * b^3) * \cosh(dx + c)^13 + 390 * (2880 * a^2 * b + 4992 * a * b^2 \\
& + 91 * b^3) * \cosh(dx + c)^11 + 55 * (25920 * a^2 * b + 62592 * a * b^2 + 8995 * b^3) * \cosh \\
& (dx + c)^9 + 36 * (14400 * a^2 * b + 103296 * a * b^2 - 5425 * b^3) * \cosh(dx + c)^7 - \\
& 21 * (14400 * a^2 * b - 103296 * a * b^2 - 5425 * b^3) * \cosh(dx + c)^5 - 10 * (25920 * a^2 * \\
& b - 62592 * a * b^2 + 8995 * b^3) * \cosh(dx + c)^3 - 15 * (2880 * a^2 * b - 4992 * a * b^2 + \\
& 91 * b^3) * \cosh(dx + c) * \sinh(dx + c)^2 - 15 * ((192 * a^2 * b + 35 * b^3) * \cosh(dx \\
& + c)^16 + 16 * (192 * a^2 * b + 35 * b^3) * \cosh(dx + c) * \sinh(dx + c)^15 + (192 * a^2 \\
& * b + 35 * b^3) * \sinh(dx + c)^16 + 8 * (192 * a^2 * b + 35 * b^3) * \cosh(dx + c)^14 + \\
& 8 * (192 * a^2 * b + 35 * b^3 + 15 * (192 * a^2 * b + 35 * b^3) * \cosh(dx + c)^2) * \sinh(dx + \\
& c)^14 + 112 * (5 * (192 * a^2 * b + 35 * b^3) * \cosh(dx + c)^3 + (192 * a^2 * b + 35 * b^3) \\
& * \cosh(dx + c)) * \sinh(dx + c)^13 + 28 * (192 * a^2 * b + 35 * b^3) * \cosh(dx + c)^12 \\
& + 28 * (65 * (192 * a^2 * b + 35 * b^3) * \cosh(dx + c)^4 + 192 * a^2 * b + 35 * b^3 + 26 * (1 \\
& 92 * a^2 * b + 35 * b^3) * \cosh(dx + c)^2) * \sinh(dx + c)^12 + 112 * (39 * (192 * a^2 * b + \\
& 35 * b^3) * \cosh(dx + c)^5 + 26 * (192 * a^2 * b + 35 * b^3) * \cosh(dx + c)^3 + 3 * (192
\end{aligned}$$

$$\begin{aligned}
& *a^2*b + 35*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^{11} + 56*(192*a^2*b + 35*b^3)* \\
& \cosh(d*x + c)^{10} + 56*(143*(192*a^2*b + 35*b^3)*\cosh(d*x + c)^6 + 143*(192* \\
& a^2*b + 35*b^3)*\cosh(d*x + c)^4 + 192*a^2*b + 35*b^3 + 33*(192*a^2*b + 35*b \\
& ^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^{10} + 16*(715*(192*a^2*b + 35*b^3)*\cosh(d \\
& *x + c)^7 + 1001*(192*a^2*b + 35*b^3)*\cosh(d*x + c)^5 + 385*(192*a^2*b + 35 \\
& *b^3)*\cosh(d*x + c)^3 + 35*(192*a^2*b + 35*b^3)*\cosh(d*x + c))*\sinh(d*x + c \\
& )^9 + 70*(192*a^2*b + 35*b^3)*\cosh(d*x + c)^8 + 2*(6435*(192*a^2*b + 35*b^3) \\
& )*\cosh(d*x + c)^8 + 12012*(192*a^2*b + 35*b^3)*\cosh(d*x + c)^6 + 6930*(192* \\
& a^2*b + 35*b^3)*\cosh(d*x + c)^4 + 6720*a^2*b + 1225*b^3 + 1260*(192*a^2*b + \\
& 35*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^8 + 16*(715*(192*a^2*b + 35*b^3)*co \\
& sh(d*x + c)^9 + 1716*(192*a^2*b + 35*b^3)*\cosh(d*x + c)^7 + 1386*(192*a^2*b \\
& + 35*b^3)*\cosh(d*x + c)^5 + 420*(192*a^2*b + 35*b^3)*\cosh(d*x + c)^3 + 35* \\
& (192*a^2*b + 35*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^7 + 56*(192*a^2*b + 35*b^ \\
& 3)*\cosh(d*x + c)^6 + 56*(143*(192*a^2*b + 35*b^3)*\cosh(d*x + c)^10 + 429*(1 \\
& 92*a^2*b + 35*b^3)*\cosh(d*x + c)^8 + 462*(192*a^2*b + 35*b^3)*\cosh(d*x + c) \\
& ^6 + 210*(192*a^2*b + 35*b^3)*\cosh(d*x + c)^4 + 192*a^2*b + 35*b^3 + 35*(19 \\
& 2*a^2*b + 35*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^6 + 112*(39*(192*a^2*b + 3 \\
& 5*b^3)*\cosh(d*x + c)^11 + 143*(192*a^2*b + 35*b^3)*\cosh(d*x + c)^9 + 198*(1 \\
& 92*a^2*b + 35*b^3)*\cosh(d*x + c)^7 + 126*(192*a^2*b + 35*b^3)*\cosh(d*x + c) \\
& ^5 + 35*(192*a^2*b + 35*b^3)*\cosh(d*x + c)^3 + 3*(192*a^2*b + 35*b^3)*\cosh( \\
& d*x + c))*\sinh(d*x + c)^5 + 28*(192*a^2*b + 35*b^3)*\cosh(d*x + c)^4 + 28*(6 \\
& 5*(192*a^2*b + 35*b^3)*\cosh(d*x + c)^12 + 286*(192*a^2*b + 35*b^3)*\cosh(d*x \\
& + c)^10 + 495*(192*a^2*b + 35*b^3)*\cosh(d*x + c)^8 + 420*(192*a^2*b + 35*b \\
& ^3)*\cosh(d*x + c)^6 + 175*(192*a^2*b + 35*b^3)*\cosh(d*x + c)^4 + 192*a^2*b \\
& + 35*b^3 + 30*(192*a^2*b + 35*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + 112*( \\
& 5*(192*a^2*b + 35*b^3)*\cosh(d*x + c)^13 + 26*(192*a^2*b + 35*b^3)*\cosh(d*x \\
& + c)^11 + 55*(192*a^2*b + 35*b^3)*\cosh(d*x + c)^9 + 60*(192*a^2*b + 35*b^3) \\
& *\cosh(d*x + c)^7 + 35*(192*a^2*b + 35*b^3)*\cosh(d*x + c)^5 + 10*(192*a^2*b \\
& + 35*b^3)*\cosh(d*x + c)^3 + (192*a^2*b + 35*b^3)*\cosh(d*x + c))*\sinh(d*x + \\
& c)^3 + 192*a^2*b + 35*b^3 + 8*(192*a^2*b + 35*b^3)*\cosh(d*x + c)^2 + 8*(15* \\
& (192*a^2*b + 35*b^3)*\cosh(d*x + c)^14 + 91*(192*a^2*b + 35*b^3)*\cosh(d*x + \\
& c)^12 + 231*(192*a^2*b + 35*b^3)*\cosh(d*x + c)^10 + 315*(192*a^2*b + 35*b^3) \\
& )*\cosh(d*x + c)^8 + 245*(192*a^2*b + 35*b^3)*\cosh(d*x + c)^6 + 105*(192*a^2 \\
& *b + 35*b^3)*\cosh(d*x + c)^4 + 192*a^2*b + 35*b^3 + 21*(192*a^2*b + 35*b^3) \\
& *\cosh(d*x + c)^2)*\sinh(d*x + c)^2 + 16*((192*a^2*b + 35*b^3)*\cosh(d*x + c)^ \\
& 15 + 7*(192*a^2*b + 35*b^3)*\cosh(d*x + c)^13 + 21*(192*a^2*b + 35*b^3)*\cosh \\
& (d*x + c)^11 + 35*(192*a^2*b + 35*b^3)*\cosh(d*x + c)^9 + 35*(192*a^2*b + 35 \\
& *b^3)*\cosh(d*x + c)^7 + 21*(192*a^2*b + 35*b^3)*\cosh(d*x + c)^5 + 7*(192*a^ \\
& 2*b + 35*b^3)*\cosh(d*x + c)^3 + (192*a^2*b + 35*b^3)*\cosh(d*x + c))*\sinh(d* \\
& x + c))*\arctan(\cosh(d*x + c) + \sinh(d*x + c)) - 45*(64*a^2*b - 128*a*b^2 + \\
& 31*b^3)*\cosh(d*x + c) + 960*(a^3*\cosh(d*x + c)^16 + 16*a^3*\cosh(d*x + c)*si \\
& nh(d*x + c)^15 + a^3*\sinh(d*x + c)^16 + 8*a^3*\cosh(d*x + c)^14 + 28*a^3*cos \\
& h(d*x + c)^12 + 8*(15*a^3*\cosh(d*x + c)^2 + a^3)*\sinh(d*x + c)^14 + 112*(5* \\
& a^3*\cosh(d*x + c)^3 + a^3*\cosh(d*x + c))*\sinh(d*x + c)^13 + 56*a^3*\cosh(d*x \\
& + c)^10 + 28*(65*a^3*\cosh(d*x + c)^4 + 26*a^3*\cosh(d*x + c)^2 + a^3)*\sinh(
\end{aligned}$$

$$\begin{aligned}
& d*x + c)^{12} + 112*(39*a^3*\cosh(d*x + c)^5 + 26*a^3*\cosh(d*x + c)^3 + 3*a^3* \\
& \cosh(d*x + c))*\sinh(d*x + c)^{11} + 70*a^3*\cosh(d*x + c)^8 + 56*(143*a^3*\cosh \\
& (d*x + c)^6 + 143*a^3*\cosh(d*x + c)^4 + 33*a^3*\cosh(d*x + c)^2 + a^3)*\sinh( \\
& d*x + c)^{10} + 16*(715*a^3*\cosh(d*x + c)^7 + 1001*a^3*\cosh(d*x + c)^5 + 385* \\
& a^3*\cosh(d*x + c)^3 + 35*a^3*\cosh(d*x + c))*\sinh(d*x + c)^9 + 56*a^3*\cosh(d \\
& *x + c)^6 + 2*(6435*a^3*\cosh(d*x + c)^8 + 12012*a^3*\cosh(d*x + c)^6 + 6930* \\
& a^3*\cosh(d*x + c)^4 + 1260*a^3*\cosh(d*x + c)^2 + 35*a^3)*\sinh(d*x + c)^8 + \\
& 16*(715*a^3*\cosh(d*x + c)^9 + 1716*a^3*\cosh(d*x + c)^7 + 1386*a^3*\cosh(d*x \\
& + c)^5 + 420*a^3*\cosh(d*x + c)^3 + 35*a^3*\cosh(d*x + c))*\sinh(d*x + c)^7 + \\
& 28*a^3*\cosh(d*x + c)^4 + 56*(143*a^3*\cosh(d*x + c)^10 + 429*a^3*\cosh(d*x + \\
& c)^8 + 462*a^3*\cosh(d*x + c)^6 + 210*a^3*\cosh(d*x + c)^4 + 35*a^3*\cosh(d*x \\
& + c)^2 + a^3)*\sinh(d*x + c)^6 + 112*(39*a^3*\cosh(d*x + c)^11 + 143*a^3*\cosh \\
& (d*x + c)^9 + 198*a^3*\cosh(d*x + c)^7 + 126*a^3*\cosh(d*x + c)^5 + 35*a^3*\cosh \\
& (d*x + c)^3 + 3*a^3*\cosh(d*x + c))*\sinh(d*x + c)^5 + 8*a^3*\cosh(d*x + c)^ \\
& 2 + 28*(65*a^3*\cosh(d*x + c)^12 + 286*a^3*\cosh(d*x + c)^10 + 495*a^3*\cosh(d \\
& *x + c)^8 + 420*a^3*\cosh(d*x + c)^6 + 175*a^3*\cosh(d*x + c)^4 + 30*a^3*\cosh \\
& (d*x + c)^2 + a^3)*\sinh(d*x + c)^4 + 112*(5*a^3*\cosh(d*x + c)^13 + 26*a^3*\cosh \\
& (d*x + c)^11 + 55*a^3*\cosh(d*x + c)^9 + 60*a^3*\cosh(d*x + c)^7 + 35*a^3*\cosh \\
& (d*x + c)^5 + 10*a^3*\cosh(d*x + c)^3 + a^3*\cosh(d*x + c))*\sinh(d*x + c) \\
& ^3 + a^3 + 8*(15*a^3*\cosh(d*x + c)^14 + 91*a^3*\cosh(d*x + c)^12 + 231*a^3*\cosh \\
& (d*x + c)^10 + 315*a^3*\cosh(d*x + c)^8 + 245*a^3*\cosh(d*x + c)^6 + 105*a^3*\cosh \\
& (d*x + c)^4 + 21*a^3*\cosh(d*x + c)^2 + a^3)*\sinh(d*x + c)^2 + 16*(a^3*\cosh(d*x + c)^15 \\
& + 7*a^3*\cosh(d*x + c)^13 + 21*a^3*\cosh(d*x + c)^11 + 35* \\
& a^3*\cosh(d*x + c)^9 + 35*a^3*\cosh(d*x + c)^7 + 21*a^3*\cosh(d*x + c)^5 + 7*a^3* \\
& \cosh(d*x + c)^3 + a^3*\cosh(d*x + c))*\sinh(d*x + c))*\log(\cosh(d*x + c) + \\
& \sinh(d*x + c) + 1) - 960*(a^3*\cosh(d*x + c)^16 + 16*a^3*\cosh(d*x + c)*\sinh( \\
& d*x + c)^15 + a^3*\sinh(d*x + c)^16 + 8*a^3*\cosh(d*x + c)^14 + 28*a^3*\cosh(d \\
& *x + c)^12 + 8*(15*a^3*\cosh(d*x + c)^2 + a^3)*\sinh(d*x + c)^14 + 112*(5*a^3* \\
& \cosh(d*x + c)^3 + a^3*\cosh(d*x + c))*\sinh(d*x + c)^13 + 56*a^3*\cosh(d*x + \\
& c)^10 + 28*(65*a^3*\cosh(d*x + c)^4 + 26*a^3*\cosh(d*x + c)^2 + a^3)*\sinh(d*x \\
& + c)^12 + 112*(39*a^3*\cosh(d*x + c)^5 + 26*a^3*\cosh(d*x + c)^3 + 3*a^3*\cosh \\
& (d*x + c))*\sinh(d*x + c)^11 + 70*a^3*\cosh(d*x + c)^8 + 56*(143*a^3*\cosh(d \\
& x + c)^6 + 143*a^3*\cosh(d*x + c)^4 + 33*a^3*\cosh(d*x + c)^2 + a^3)*\sinh(d*x \\
& + c)^10 + 16*(715*a^3*\cosh(d*x + c)^7 + 1001*a^3*\cosh(d*x + c)^5 + 385*a^3* \\
& \cosh(d*x + c)^3 + 35*a^3*\cosh(d*x + c))*\sinh(d*x + c)^9 + 56*a^3*\cosh(d*x \\
& + c)^6 + 2*(6435*a^3*\cosh(d*x + c)^8 + 12012*a^3*\cosh(d*x + c)^6 + 6930*a^3* \\
& \cosh(d*x + c)^4 + 1260*a^3*\cosh(d*x + c)^2 + 35*a^3)*\sinh(d*x + c)^8 + 16* \\
& (715*a^3*\cosh(d*x + c)^9 + 1716*a^3*\cosh(d*x + c)^7 + 1386*a^3*\cosh(d*x + c \\
& )^5 + 420*a^3*\cosh(d*x + c)^3 + 35*a^3*\cosh(d*x + c))*\sinh(d*x + c)^7 + 28* \\
& a^3*\cosh(d*x + c)^4 + 56*(143*a^3*\cosh(d*x + c)^10 + 429*a^3*\cosh(d*x + c)^ \\
& 8 + 462*a^3*\cosh(d*x + c)^6 + 210*a^3*\cosh(d*x + c)^4 + 35*a^3*\cosh(d*x + c \\
& )^2 + a^3)*\sinh(d*x + c)^6 + 112*(39*a^3*\cosh(d*x + c)^11 + 143*a^3*\cosh(d \\
& x + c)^9 + 198*a^3*\cosh(d*x + c)^7 + 126*a^3*\cosh(d*x + c)^5 + 35*a^3*\cosh( \\
& d*x + c)^3 + 3*a^3*\cosh(d*x + c))*\sinh(d*x + c)^5 + 8*a^3*\cosh(d*x + c)^2 + \\
& 28*(65*a^3*\cosh(d*x + c)^12 + 286*a^3*\cosh(d*x + c)^10 + 495*a^3*\cosh(d*x
\end{aligned}$$

$$\begin{aligned}
& + c)^8 + 420a^3 \cosh(dx + c)^6 + 175a^3 \cosh(dx + c)^4 + 30a^3 \cosh(dx + c)^2 + a^3) \sinh(dx + c)^4 + 112(5a^3 \cosh(dx + c)^{13} + 26a^3 \cosh(dx + c)^{11} + 55a^3 \cosh(dx + c)^9 + 60a^3 \cosh(dx + c)^7 + 35a^3 \cosh(dx + c)^5 + 10a^3 \cosh(dx + c)^3 + a^3 \cosh(dx + c)) \sinh(dx + c)^3 + a^3 + 8(15a^3 \cosh(dx + c)^{14} + 91a^3 \cosh(dx + c)^{12} + 231a^3 \cosh(dx + c)^{10} + 315a^3 \cosh(dx + c)^8 + 245a^3 \cosh(dx + c)^6 + 105a^3 \cosh(dx + c)^4 + 21a^3 \cosh(dx + c)^2 + a^3) \sinh(dx + c)^2 + 16(a^3 \cosh(dx + c)^{15} + 7a^3 \cosh(dx + c)^{13} + 21a^3 \cosh(dx + c)^{11} + 35a^3 \cosh(dx + c)^9 + 35a^3 \cosh(dx + c)^7 + 21a^3 \cosh(dx + c)^5 + 7a^3 \cosh(dx + c)^3 + a^3 \cosh(dx + c)) \sinh(dx + c)) \log(\cosh(dx + c) + \sinh(dx + c) - 1) + (675(64a^2b + 128a^2b^2 + 31b^3) \cosh(dx + c)^{14} + 65(2880a^2b + 4992a^2b^2 + 91b^3) \cosh(dx + c)^{12} + 11(25920a^2b + 62592a^2b^2 + 8995b^3) \cosh(dx + c)^{10} + 9(14400a^2b + 103296a^2b^2 - 5425b^3) \cosh(dx + c)^8 - 7(14400a^2b - 103296a^2b^2 - 5425b^3) \cosh(dx + c)^6 - 5(25920a^2b - 62592a^2b^2 + 8995b^3) \cosh(dx + c)^4 - 2880a^2b + 5760a^2b^2 - 1395b^3 - 15(2880a^2b - 4992a^2b^2 + 91b^3) \cosh(dx + c)^2) \sinh(dx + c)) / (d \cosh(dx + c)^{16} + 16d \cosh(dx + c) \sinh(dx + c)^{15} + d \sinh(dx + c)^{16} + 8d \cosh(dx + c)^{14} + 8(15d \cosh(dx + c)^2 + d) \sinh(dx + c)^{14} + 112(5d \cosh(dx + c)^3 + d \cosh(dx + c)) \sinh(dx + c)^{13} + 28d \cosh(dx + c)^{12} + 28(65d \cosh(dx + c)^4 + 26d \cosh(dx + c)^2 + d) \sinh(dx + c)^{12} + 112(39d \cosh(dx + c)^5 + 26d \cosh(dx + c)^3 + 3d \cosh(dx + c)) \sinh(dx + c)^{11} + 56d \cosh(dx + c)^{10} + 56(143d \cosh(dx + c)^6 + 143d \cosh(dx + c)^4 + 33d \cosh(dx + c)^2 + d) \sinh(dx + c)^{10} + 16(715d \cosh(dx + c)^7 + 1001d \cosh(dx + c)^5 + 385d \cosh(dx + c)^3 + 35d \cosh(dx + c)) \sinh(dx + c)^9 + 70d \cosh(dx + c)^8 + 2(6435d \cosh(dx + c)^8 + 12012d \cosh(dx + c)^6 + 6930d \cosh(dx + c)^4 + 1260d \cosh(dx + c)^2 + 35d) \sinh(dx + c)^8 + 16(715d \cosh(dx + c)^9 + 1716d \cosh(dx + c)^7 + 1386d \cosh(dx + c)^5 + 420d \cosh(dx + c)^3 + 35d \cosh(dx + c)) \sinh(dx + c)^7 + 56d \cosh(dx + c)^6 + 56(143d \cosh(dx + c)^{10} + 429d \cosh(dx + c)^8 + 462d \cosh(dx + c)^6 + 210d \cosh(dx + c)^4 + 35d \cosh(dx + c)^2 + d) \sinh(dx + c)^6 + 112(39d \cosh(dx + c)^{11} + 143d \cosh(dx + c)^9 + 198d \cosh(dx + c)^7 + 126d \cosh(dx + c)^5 + 35d \cosh(dx + c)^3 + 3d \cosh(dx + c)) \sinh(dx + c)^5 + 28d \cosh(dx + c)^4 + 28(65d \cosh(dx + c)^{12} + 286d \cosh(dx + c)^{10} + 495d \cosh(dx + c)^8 + 420d \cosh(dx + c)^6 + 175d \cosh(dx + c)^4 + 30d \cosh(dx + c)^2 + d) \sinh(dx + c)^4 + 112(5d \cosh(dx + c)^{13} + 26d \cosh(dx + c)^{11} + 55d \cosh(dx + c)^9 + 60d \cosh(dx + c)^7 + 35d \cosh(dx + c)^5 + 10d \cosh(dx + c)^3 + d \cosh(dx + c)) \sinh(dx + c)^3 + 8d \cosh(dx + c)^2 + 8(15d \cosh(dx + c)^{14} + 91d \cosh(dx + c)^{12} + 231d \cosh(dx + c)^{10} + 315d \cosh(dx + c)^8 + 245d \cosh(dx + c)^6 + 105d \cosh(dx + c)^4 + 21d \cosh(dx + c)^2 + d) \sinh(dx + c)^2 + 16(d \cosh(dx + c)^{15} + 7d \cosh(dx + c)^{13} + 21d \cosh(dx + c)^{11} + 35d \cosh(dx + c)^9 + 35d \cosh(dx + c)^7 + 21d \cosh(dx + c)^5 + 7d \cosh(dx + c)^3 + d \cosh(dx + c)) \sinh(dx + c) + d)
\end{aligned}$$

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (a + b \tanh^3(c + dx))^3 \operatorname{csch}(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*(a+b\*tanh(d\*x+c)\*\*3)\*\*3,x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*3)\*\*3\*csch(c + d\*x), x)

---

**Giac [B]** time = 2.28561, size = 570, normalized size = 2.6

$$960 a^3 \log(e^{(dx+c)} + 1) - 960 a^3 \log(|e^{(dx+c)} - 1|) - 15 (192 a^2 b e^c + 35 b^3 e^c) \arctan(e^{(dx+c)}) e^{(-c)} + \frac{2880 a^2 b e^{(15 dx+15c)} + 5760 a^3}{e^{(2 dx+2c)} + 1}$$


---

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*(a+b\*tanh(d\*x+c)^3)^3,x, algorithm="giac")

[Out] 
$$\frac{-1/960*(960*a^3*\log(e^{(d*x + c)} + 1) - 960*a^3*\log(\operatorname{abs}(e^{(d*x + c)} - 1)) - 15*(192*a^2*b*e^c + 35*b^3*e^c)*\arctan(e^{(d*x + c)})*e^{(-c)} + (2880*a^2*b*e^{(15*d*x + 15*c)} + 5760*a*b^2*e^{(15*d*x + 15*c)} + 1395*b^3*e^{(15*d*x + 15*c)} + 14400*a^2*b*e^{(13*d*x + 13*c)} + 24960*a*b^2*e^{(13*d*x + 13*c)} + 455*b^3*e^{(13*d*x + 13*c)} + 25920*a^2*b*e^{(11*d*x + 11*c)} + 62592*a*b^2*e^{(11*d*x + 11*c)} + 8995*b^3*e^{(11*d*x + 11*c)} + 14400*a^2*b*e^{(9*d*x + 9*c)} + 103296*a*b^2*e^{(9*d*x + 9*c)} - 5425*b^3*e^{(9*d*x + 9*c)} - 14400*a^2*b*e^{(7*d*x + 7*c)} + 103296*a*b^2*e^{(7*d*x + 7*c)} + 5425*b^3*e^{(7*d*x + 7*c)} - 25920*a^2*b*e^{(5*d*x + 5*c)} + 62592*a*b^2*e^{(5*d*x + 5*c)} - 8995*b^3*e^{(5*d*x + 5*c)} - 14400*a^2*b*e^{(3*d*x + 3*c)} + 24960*a*b^2*e^{(3*d*x + 3*c)} - 455*b^3*e^{(3*d*x + 3*c)} - 2880*a^2*b*e^{(d*x + c)} + 5760*a*b^2*e^{(d*x + c)} - 1395*b^3*e^{(d*x + c)})/(e^{(2*d*x + 2*c)} + 1)^8}{d}$$

### 3.70 $\int \operatorname{csch}^2(c + dx) (a + b \tanh^3(c + dx))^3 dx$

**Optimal.** Leaf size=71

$$\frac{3a^2b \tanh^2(c + dx)}{2d} - \frac{a^3 \operatorname{coth}(c + dx)}{d} + \frac{3ab^2 \tanh^5(c + dx)}{5d} + \frac{b^3 \tanh^8(c + dx)}{8d}$$

[Out]  $-\left(\frac{a^3 \operatorname{Coth}[c + d*x]}{d}\right) + \frac{(3*a^2*b*\operatorname{Tanh}[c + d*x]^2)}{(2*d)} + \frac{(3*a*b^2*\operatorname{Tanh}[c + d*x]^5)}{(5*d)} + \frac{(b^3*\operatorname{Tanh}[c + d*x]^8)}{(8*d)}$

**Rubi [A]** time = 0.0645756, antiderivative size = 71, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {3663, 270}

$$\frac{3a^2b \tanh^2(c + dx)}{2d} - \frac{a^3 \operatorname{coth}(c + dx)}{d} + \frac{3ab^2 \tanh^5(c + dx)}{5d} + \frac{b^3 \tanh^8(c + dx)}{8d}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[\operatorname{Csch}[c + d*x]^2*(a + b*\operatorname{Tanh}[c + d*x]^3)^3, x]$

[Out]  $-\left(\frac{a^3 \operatorname{Coth}[c + d*x]}{d}\right) + \frac{(3*a^2*b*\operatorname{Tanh}[c + d*x]^2)}{(2*d)} + \frac{(3*a*b^2*\operatorname{Tanh}[c + d*x]^5)}{(5*d)} + \frac{(b^3*\operatorname{Tanh}[c + d*x]^8)}{(8*d)}$

#### Rule 3663

$\operatorname{Int}[\sin[(e_.) + (f_.)*(x_.)]^{(m_.)}*((a_.) + (b_.)*((c_.)*\tan[(e_.) + (f_.)*(x_.)])^{(n_.)})^{(p_.)}, x\_Symbol] \rightarrow \operatorname{With}[\{ff = \operatorname{FreeFactors}[\operatorname{Tan}[e + f*x], x]\}, \operatorname{Dist}[(c*ff^{(m+1)})/f, \operatorname{Subst}[\operatorname{Int}[(x^m*(a + b*(ff*x)^n)^p]/(c^2 + ff^2*x^2)^{(m/2+1)}, x], x, (c*\operatorname{Tan}[e + f*x])/ff], x] /; \operatorname{FreeQ}\{a, b, c, e, f, n, p\}, x] \&\& \operatorname{IntegerQ}[m/2]$

#### Rule 270

$\operatorname{Int}[(c_.)*(x_.)]^{(m_.)}*((a_.) + (b_.)*(x_.)^{(n_.)})^{(p_.)}, x\_Symbol] \rightarrow \operatorname{Int}[\operatorname{ExpandIntegrand}[(c*x)^m*(a + b*x^n)^p, x], x] /; \operatorname{FreeQ}\{a, b, c, m, n\}, x] \&\& \operatorname{IGtQ}[p, 0]$

#### Rubi steps

$$\int \operatorname{csch}^2(c+dx) (a+b \tanh^3(c+dx))^3 dx = \frac{\operatorname{Subst}\left(\int \frac{(a+bx^3)^3}{x^2} dx, x, \tanh(c+dx)\right)}{d}$$

$$= \frac{\operatorname{Subst}\left(\int \left(\frac{a^3}{x^2} + 3a^2bx + 3ab^2x^4 + b^3x^7\right) dx, x, \tanh(c+dx)\right)}{d}$$

$$= -\frac{a^3 \operatorname{coth}(c+dx)}{d} + \frac{3a^2b \tanh^2(c+dx)}{2d} + \frac{3ab^2 \tanh^5(c+dx)}{5d} + \frac{b^3 \tanh^8(c+dx)}{8d}$$

**Mathematica [A]** time = 0.687407, size = 113, normalized size = 1.59

$$\frac{b(-4\operatorname{sech}^2(c+dx)(15a^2 + 12ab \tanh(c+dx) + 5b^2) + 24ab \tanh(c+dx) + 6b\operatorname{sech}^4(c+dx)(4a \tanh(c+dx) + 5b) + 5b^3 \operatorname{sech}^8(c+dx))}{40d}$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]^2\*(a + b\*Tanh[c + d\*x]^3)^3, x]

[Out] (-40\*a^3\*Coth[c + d\*x] + b\*(-20\*b^2\*Sech[c + d\*x]^6 + 5\*b^2\*Sech[c + d\*x]^8 + 24\*a\*b\*Tanh[c + d\*x] + 6\*b\*Sech[c + d\*x]^4\*(5\*b + 4\*a\*Tanh[c + d\*x]) - 4\*b\*Sech[c + d\*x]^2\*(15\*a^2 + 5\*b^2 + 12\*a\*b\*Tanh[c + d\*x]))) / (40\*d)

**Maple [B]** time = 0.086, size = 223, normalized size = 3.1

$$\frac{1}{d} \left( -a^3 \operatorname{coth}(dx+c) + \frac{3a^2b (\sinh(dx+c))^2}{2 (\cosh(dx+c))^2} + 3ab^2 \left( -\frac{1}{2} \frac{(\sinh(dx+c))^3}{(\cosh(dx+c))^5} - \frac{3}{8} \frac{\sinh(dx+c)}{(\cosh(dx+c))^5} + \frac{3}{8} \left( \frac{8}{15} + \frac{1}{5} (\operatorname{sech}(dx+c))^2 \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csch(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^3)^3, x)

[Out] 1/d\*(-a^3\*coth(d\*x+c)+3/2\*a^2\*b\*sinh(d\*x+c)^2/cosh(d\*x+c)^2+3\*a\*b^2\*(-1/2\*sinh(d\*x+c)^3/cosh(d\*x+c)^5-3/8\*sinh(d\*x+c)/cosh(d\*x+c)^5+3/8\*(8/15+1/5\*sech(d\*x+c)^4+4/15\*sech(d\*x+c)^2)\*tanh(d\*x+c))+b^3\*(-1/2\*sinh(d\*x+c)^6/cosh(d\*x+c)^8-3/4\*sinh(d\*x+c)^4/cosh(d\*x+c)^8-3/8\*sinh(d\*x+c)^2/cosh(d\*x+c)^8+1/8\*sinh(d\*x+c)^2/cosh(d\*x+c)^6+1/8\*sinh(d\*x+c)^2/cosh(d\*x+c)^4+1/8\*sinh(d\*x+c)^2/cosh(d\*x+c)^2))



---

**Maxima [B]** time = 1.19483, size = 917, normalized size = 12.92

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^3)^3,x, algorithm="maxima")

[Out] 
$$\begin{aligned} & -2*b^3*(e^{(-2*d*x - 2*c)}/(d*(8*e^{(-2*d*x - 2*c)} + 28*e^{(-4*d*x - 4*c)} + 56* \\ & e^{(-6*d*x - 6*c)} + 70*e^{(-8*d*x - 8*c)} + 56*e^{(-10*d*x - 10*c)} + 28*e^{(-12* \\ & d*x - 12*c)} + 8*e^{(-14*d*x - 14*c)} + e^{(-16*d*x - 16*c)} + 1)) + 7*e^{(-6*d*x \\ & - 6*c)}/(d*(8*e^{(-2*d*x - 2*c)} + 28*e^{(-4*d*x - 4*c)} + 56*e^{(-6*d*x - 6*c)} \\ & + 70*e^{(-8*d*x - 8*c)} + 56*e^{(-10*d*x - 10*c)} + 28*e^{(-12*d*x - 12*c)} + 8*e \\ & ^{(-14*d*x - 14*c)} + e^{(-16*d*x - 16*c)} + 1)) + 7*e^{(-10*d*x - 10*c)}/(d*(8*e \\ & ^{(-2*d*x - 2*c)} + 28*e^{(-4*d*x - 4*c)} + 56*e^{(-6*d*x - 6*c)} + 70*e^{(-8*d*x \\ & - 8*c)} + 56*e^{(-10*d*x - 10*c)} + 28*e^{(-12*d*x - 12*c)} + 8*e^{(-14*d*x - 14* \\ & c)} + e^{(-16*d*x - 16*c)} + 1)) + e^{(-14*d*x - 14*c)}/(d*(8*e^{(-2*d*x - 2*c)} + \\ & 28*e^{(-4*d*x - 4*c)} + 56*e^{(-6*d*x - 6*c)} + 70*e^{(-8*d*x - 8*c)} + 56*e^{(-1 \\ & 0*d*x - 10*c)} + 28*e^{(-12*d*x - 12*c)} + 8*e^{(-14*d*x - 14*c)} + e^{(-16*d*x - \\ & 16*c)} + 1))) + 6/5*a*b^2*(10*e^{(-4*d*x - 4*c)}/(d*(5*e^{(-2*d*x - 2*c)} + 10* \\ & e^{(-4*d*x - 4*c)} + 10*e^{(-6*d*x - 6*c)} + 5*e^{(-8*d*x - 8*c)} + e^{(-10*d*x - \\ & 10*c)} + 1)) + 5*e^{(-8*d*x - 8*c)}/(d*(5*e^{(-2*d*x - 2*c)} + 10*e^{(-4*d*x - 4* \\ & c)} + 10*e^{(-6*d*x - 6*c)} + 5*e^{(-8*d*x - 8*c)} + e^{(-10*d*x - 10*c)} + 1)) + \\ & 1/(d*(5*e^{(-2*d*x - 2*c)} + 10*e^{(-4*d*x - 4*c)} + 10*e^{(-6*d*x - 6*c)} + 5*e^{ \\ & (-8*d*x - 8*c)} + e^{(-10*d*x - 10*c)} + 1))) + 2*a^3/(d*(e^{(-2*d*x - 2*c)} - 1 \\ & )) - 6*a^2*b/(d*(e^{(d*x + c)} + e^{(-d*x - c)})^2) \end{aligned}$$

---

**Fricas [B]** time = 2.23443, size = 3071, normalized size = 43.25

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^3)^3,x, algorithm="fricas")

[Out] 
$$\begin{aligned} & -2/5*((10*a^3 + 15*a^2*b + 12*a*b^2 + 5*b^3)*\cosh(d*x + c)^8 + 8*(15*a^2*b \\ & + 18*a*b^2 + 5*b^3)*\cosh(d*x + c)*\sinh(d*x + c)^7 + (10*a^3 + 15*a^2*b + 12 \\ & *a*b^2 + 5*b^3)*\sinh(d*x + c)^8 + 2*(40*a^3 + 30*a^2*b + 12*a*b^2 - 5*b^3)* \\ & \cosh(d*x + c)^6 + 2*(40*a^3 + 30*a^2*b + 12*a*b^2 - 5*b^3 + 14*(10*a^3 + 15 \\ & *a^2*b + 12*a*b^2 + 5*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^6 + 4*(14*(15*a^2 \end{aligned}$$

```

*b + 18*a*b^2 + 5*b^3)*cosh(d*x + c)^3 + 27*(5*a^2*b + 2*a*b^2)*cosh(d*x +
c))*sinh(d*x + c)^5 + 20*(14*a^3 + 3*a^2*b + 2*b^3)*cosh(d*x + c)^4 + 10*(7
*(10*a^3 + 15*a^2*b + 12*a*b^2 + 5*b^3)*cosh(d*x + c)^4 + 28*a^3 + 6*a^2*b
+ 4*b^3 + 3*(40*a^3 + 30*a^2*b + 12*a*b^2 - 5*b^3)*cosh(d*x + c)^2)*sinh(d*
x + c)^4 + 8*(7*(15*a^2*b + 18*a*b^2 + 5*b^3)*cosh(d*x + c)^5 + 45*(5*a^2*b
+ 2*a*b^2)*cosh(d*x + c)^3 + 15*(7*a^2*b + 2*a*b^2 + b^3)*cosh(d*x + c))*s
inh(d*x + c)^3 + 350*a^3 - 75*a^2*b - 12*a*b^2 + 35*b^3 + 2*(280*a^3 - 30*a
^2*b - 12*a*b^2 - 35*b^3)*cosh(d*x + c)^2 + 2*(14*(10*a^3 + 15*a^2*b + 12*a
*b^2 + 5*b^3)*cosh(d*x + c)^6 + 15*(40*a^3 + 30*a^2*b + 12*a*b^2 - 5*b^3)*c
osh(d*x + c)^4 + 280*a^3 - 30*a^2*b - 12*a*b^2 - 35*b^3 + 60*(14*a^3 + 3*a^
2*b + 2*b^3)*cosh(d*x + c)^2)*sinh(d*x + c)^2 + 4*(2*(15*a^2*b + 18*a*b^2 +
5*b^3)*cosh(d*x + c)^7 + 27*(5*a^2*b + 2*a*b^2)*cosh(d*x + c)^5 + 30*(7*a^
2*b + 2*a*b^2 + b^3)*cosh(d*x + c)^3 + 21*(5*a^2*b + 2*a*b^2)*cosh(d*x + c)
)*sinh(d*x + c))/(d*cosh(d*x + c)^10 + 10*d*cosh(d*x + c)*sinh(d*x + c)^9 +
d*sinh(d*x + c)^10 + 6*d*cosh(d*x + c)^8 + 3*(15*d*cosh(d*x + c)^2 + 2*d)*
sinh(d*x + c)^8 + 8*(15*d*cosh(d*x + c)^3 + 8*d*cosh(d*x + c))*sinh(d*x + c
)^7 + 13*d*cosh(d*x + c)^6 + (210*d*cosh(d*x + c)^4 + 168*d*cosh(d*x + c)^2
+ 13*d)*sinh(d*x + c)^6 + 2*(126*d*cosh(d*x + c)^5 + 224*d*cosh(d*x + c)^3
+ 81*d*cosh(d*x + c))*sinh(d*x + c)^5 + 8*d*cosh(d*x + c)^4 + (210*d*cosh(
d*x + c)^6 + 420*d*cosh(d*x + c)^4 + 195*d*cosh(d*x + c)^2 + 8*d)*sinh(d*x
+ c)^4 + 4*(30*d*cosh(d*x + c)^7 + 112*d*cosh(d*x + c)^5 + 135*d*cosh(d*x +
c)^3 + 48*d*cosh(d*x + c))*sinh(d*x + c)^3 - 14*d*cosh(d*x + c)^2 + (45*d*
cosh(d*x + c)^8 + 168*d*cosh(d*x + c)^6 + 195*d*cosh(d*x + c)^4 + 48*d*cosh
(d*x + c)^2 - 14*d)*sinh(d*x + c)^2 + 2*(5*d*cosh(d*x + c)^9 + 32*d*cosh(d*
x + c)^7 + 81*d*cosh(d*x + c)^5 + 96*d*cosh(d*x + c)^3 + 42*d*cosh(d*x + c)
)*sinh(d*x + c) - 14*d)

```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (a + b \tanh^3(c + dx))^3 \operatorname{csch}^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(csch(d*x+c)**2*(a+b*tanh(d*x+c)**3)**3,x)
```

```
[Out] Integral((a + b*tanh(c + d*x)**3)**3*csch(c + d*x)**2, x)
```

**Giac [B]** time = 2.49159, size = 420, normalized size = 5.92

$$2 \left( \frac{5a^3}{e^{2dx+2c}-1} + \frac{15a^2be^{14dx+14c} + 15ab^2e^{14dx+14c} + 5b^3e^{14dx+14c} + 90a^2be^{12dx+12c} + 45ab^2e^{12dx+12c} + 225a^2be^{10dx+10c} + 75ab^2e^{10dx+10c} + 35b^3e^{10dx+10c}}{e^{2dx+2c}-1} \right)$$


---

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^3)^3,x, algorithm="giac")

[Out] 
$$-2/5*(5*a^3/(e^{2*d*x + 2*c} - 1) + (15*a^2*b*e^{14*d*x + 14*c} + 15*a*b^2*e^{14*d*x + 14*c} + 5*b^3*e^{14*d*x + 14*c} + 90*a^2*b*e^{12*d*x + 12*c} + 45*a*b^2*e^{12*d*x + 12*c} + 225*a^2*b*e^{10*d*x + 10*c} + 75*a*b^2*e^{10*d*x + 10*c} + 35*b^3*e^{10*d*x + 10*c} + 300*a^2*b*e^{8*d*x + 8*c} + 105*a*b^2*e^{8*d*x + 8*c} + 225*a^2*b*e^{6*d*x + 6*c} + 93*a*b^2*e^{6*d*x + 6*c} + 35*b^3*e^{6*d*x + 6*c} + 90*a^2*b*e^{4*d*x + 4*c} + 39*a*b^2*e^{4*d*x + 4*c} + 15*a^2*b*e^{2*d*x + 2*c} + 9*a*b^2*e^{2*d*x + 2*c} + 5*b^3*e^{2*d*x + 2*c} + 3*a*b^2)/(e^{2*d*x + 2*c} + 1)^8)/d$$

### 3.71 $\int \operatorname{csch}^3(c + dx) \left( a + b \tanh^3(c + dx) \right)^3 dx$

**Optimal.** Leaf size=232

$$\frac{3a^2b \tan^{-1}(\sinh(c + dx))}{2d} + \frac{3a^2b \tanh(c + dx) \operatorname{sech}(c + dx)}{2d} + \frac{a^3 \tanh^{-1}(\cosh(c + dx))}{2d} - \frac{a^3 \coth(c + dx) \operatorname{csch}(c + dx)}{2d}$$

[Out] (3\*a^2\*b\*ArcTan[Sinh[c + d\*x]])/(2\*d) + (5\*b^3\*ArcTan[Sinh[c + d\*x]])/(128\*d) + (a^3\*ArcTanh[Cosh[c + d\*x]])/(2\*d) - (a^3\*Coth[c + d\*x]\*Csch[c + d\*x])/(2\*d) - (a\*b^2\*Sech[c + d\*x]^3)/d + (3\*a\*b^2\*Sech[c + d\*x]^5)/(5\*d) + (3\*a^2\*b\*Sech[c + d\*x]\*Tanh[c + d\*x])/(2\*d) + (5\*b^3\*Sech[c + d\*x]\*Tanh[c + d\*x])/(128\*d) - (5\*b^3\*Sech[c + d\*x]^3\*Tanh[c + d\*x])/(64\*d) - (5\*b^3\*Sech[c + d\*x]^3\*Tanh[c + d\*x]^3)/(48\*d) - (b^3\*Sech[c + d\*x]^3\*Tanh[c + d\*x]^5)/(8\*d)

**Rubi [A]** time = 0.316071, antiderivative size = 232, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {3666, 3768, 3770, 2606, 14, 2611}

$$\frac{3a^2b \tan^{-1}(\sinh(c + dx))}{2d} + \frac{3a^2b \tanh(c + dx) \operatorname{sech}(c + dx)}{2d} + \frac{a^3 \tanh^{-1}(\cosh(c + dx))}{2d} - \frac{a^3 \coth(c + dx) \operatorname{csch}(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] Int[Csch[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^3)^3,x]

[Out] (3\*a^2\*b\*ArcTan[Sinh[c + d\*x]])/(2\*d) + (5\*b^3\*ArcTan[Sinh[c + d\*x]])/(128\*d) + (a^3\*ArcTanh[Cosh[c + d\*x]])/(2\*d) - (a^3\*Coth[c + d\*x]\*Csch[c + d\*x])/(2\*d) - (a\*b^2\*Sech[c + d\*x]^3)/d + (3\*a\*b^2\*Sech[c + d\*x]^5)/(5\*d) + (3\*a^2\*b\*Sech[c + d\*x]\*Tanh[c + d\*x])/(2\*d) + (5\*b^3\*Sech[c + d\*x]\*Tanh[c + d\*x])/(128\*d) - (5\*b^3\*Sech[c + d\*x]^3\*Tanh[c + d\*x])/(64\*d) - (5\*b^3\*Sech[c + d\*x]^3\*Tanh[c + d\*x]^3)/(48\*d) - (b^3\*Sech[c + d\*x]^3\*Tanh[c + d\*x]^5)/(8\*d)

#### Rule 3666

Int[((d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((a\_.) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_.))^(p\_.), x\_Symbol] :> Int[ExpandTrig[(d\*sin[e + f\*x])^m\*(a + b\*(c\*tan[e + f\*x])^n)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p, 0]

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]
)*(b*Csc[c + d*x])^(n - 1)/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rule 2606

```
Int[((a_.)*sec[(e_.) + (f_.)*(x_)])^(m_.)*((b_.)*tan[(e_.) + (f_.)*(x_)])^(
n_.), x_Symbol] := Dist[a/f, Subst[Int[(a*x)^(m - 1)*(-1 + x^2)^((n - 1)/2)
, x], x, Sec[e + f*x]], x] /; FreeQ[{a, e, f, m}, x] && IntegerQ[(n - 1)/2]
&& !(IntegerQ[m/2] && LtQ[0, m, n + 1])
```

Rule 14

```
Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x]
, x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_)
+ (b_.)*(v_)] /; FreeQ[{a, b}, x] && InverseFunctionQ[v]
```

Rule 2611

```
Int[((a_.)*sec[(e_.) + (f_.)*(x_)])^(m_.)*((b_.)*tan[(e_.) + (f_.)*(x_)])^(
n_), x_Symbol] := Simp[(b*(a*Sec[e + f*x])^m*(b*Tan[e + f*x])^(n - 1))/(f*(
m + n - 1)), x] - Dist[(b^2*(n - 1))/(m + n - 1), Int[(a*Sec[e + f*x])^m*(b
*Tan[e + f*x])^(n - 2), x], x] /; FreeQ[{a, b, e, f, m}, x] && GtQ[n, 1] &&
NeQ[m + n - 1, 0] && IntegersQ[2*m, 2*n]
```

Rubi steps

$$\begin{aligned}
\int \operatorname{csch}^3(c+dx) (a+b \tanh^3(c+dx))^3 dx &= -\left(i \int (ia^3 \operatorname{csch}^3(c+dx) + 3ia^2 b \operatorname{sech}^3(c+dx) + 3iab^2 \operatorname{sech}^3(c+dx) \tanh(c+dx) \right. \\
&= a^3 \int \operatorname{csch}^3(c+dx) dx + (3a^2 b) \int \operatorname{sech}^3(c+dx) dx + (3ab^2) \int \operatorname{sech}^3(c+dx) \tanh(c+dx) dx \\
&= -\frac{a^3 \operatorname{coth}(c+dx) \operatorname{csch}(c+dx)}{2d} + \frac{3a^2 b \operatorname{sech}(c+dx) \tanh(c+dx)}{2d} - \frac{b^3 \operatorname{sech}^3(c+dx)}{2d} \\
&= \frac{3a^2 b \tan^{-1}(\sinh(c+dx))}{2d} + \frac{a^3 \tanh^{-1}(\cosh(c+dx))}{2d} - \frac{a^3 \operatorname{coth}(c+dx) \operatorname{csch}(c+dx)}{2d} \\
&= \frac{3a^2 b \tan^{-1}(\sinh(c+dx))}{2d} + \frac{a^3 \tanh^{-1}(\cosh(c+dx))}{2d} - \frac{a^3 \operatorname{coth}(c+dx) \operatorname{csch}(c+dx)}{2d} \\
&= \frac{3a^2 b \tan^{-1}(\sinh(c+dx))}{2d} + \frac{a^3 \tanh^{-1}(\cosh(c+dx))}{2d} - \frac{a^3 \operatorname{coth}(c+dx) \operatorname{csch}(c+dx)}{2d} \\
&= \frac{3a^2 b \tan^{-1}(\sinh(c+dx))}{2d} + \frac{5b^3 \tan^{-1}(\sinh(c+dx))}{128d} + \frac{a^3 \tanh^{-1}(\cosh(c+dx))}{2d}
\end{aligned}$$

**Mathematica [A]** time = 6.31567, size = 243, normalized size = 1.05

$$\frac{b(192a^2 + 5b^2) \tan^{-1}\left(\tanh\left(\frac{1}{2}(c+dx)\right)\right)}{64d} + \frac{\operatorname{sech}^2(c+dx)(192a^2 b \sinh(c+dx) + 5b^3 \sinh(c+dx))}{128d} - \frac{a^3 \operatorname{csch}^2\left(\frac{1}{2}(c+dx)\right)}{8d}$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^3)^3,x]

[Out] (b\*(192\*a^2 + 5\*b^2)\*ArcTan[Tanh[(c + d\*x)/2]]/(64\*d) - (a^3\*Csch[(c + d\*x)/2]^2)/(8\*d) - (a^3\*Log[Tanh[(c + d\*x)/2]])/(2\*d) - (a^3\*Sech[(c + d\*x)/2]^2)/(8\*d) - (a\*b^2\*Sech[c + d\*x]^3)/d + (3\*a\*b^2\*Sech[c + d\*x]^5)/(5\*d) + (Sech[c + d\*x]^2\*(192\*a^2\*b\*Sinh[c + d\*x] + 5\*b^3\*Sinh[c + d\*x]))/(128\*d) - (59\*b^3\*Sech[c + d\*x]^3\*Tanh[c + d\*x])/(192\*d) + (17\*b^3\*Sech[c + d\*x]^5\*Tanh[c + d\*x])/(48\*d) - (b^3\*Sech[c + d\*x]^7\*Tanh[c + d\*x])/(8\*d)

**Maple [A]** time = 0.099, size = 334, normalized size = 1.4

$$-\frac{a^3 \operatorname{coth}(dx+c) \operatorname{csch}(dx+c)}{2d} + \frac{a^3 \operatorname{Arctanh}(e^{dx+c})}{d} + \frac{3a^2 b \operatorname{sech}(dx+c) \tanh(dx+c)}{2d} + 3 \frac{a^2 b \operatorname{arctan}(e^{dx+c})}{d} - \frac{3ab^2 \operatorname{sech}^3(dx+c)}{5d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(\text{csch}(d*x+c)^3*(a+b*\tanh(d*x+c))^3,x)$

[Out] 
$$-1/2*a^3*\coth(d*x+c)*\text{csch}(d*x+c)/d+1/d*a^3*\arctanh(\exp(d*x+c))+3/2*a^2*b*\text{sech}(d*x+c)*\tanh(d*x+c)/d+3/d*a^2*b*\arctan(\exp(d*x+c))-3/5/d*a*b^2*\sinh(d*x+c)^2/\cosh(d*x+c)^5+2/5/d*a*b^2*\sinh(d*x+c)^2/\cosh(d*x+c)^3+2/5/d*a*b^2*\sinh(d*x+c)^2/\cosh(d*x+c)-2/5*a*b^2*\cosh(d*x+c)/d-1/3/d*b^3*\sinh(d*x+c)^5/\cosh(d*x+c)^8-1/3/d*b^3*\sinh(d*x+c)^3/\cosh(d*x+c)^8-1/7/d*b^3*\sinh(d*x+c)/\cosh(d*x+c)^8+1/56/d*b^3*\tanh(d*x+c)*\text{sech}(d*x+c)^7+1/48/d*b^3*\tanh(d*x+c)*\text{sech}(d*x+c)^5+5/192*b^3*\text{sech}(d*x+c)^3*\tanh(d*x+c)/d+5/128*b^3*\text{sech}(d*x+c)*\tanh(d*x+c)/d+5/64/d*b^3*\arctan(\exp(d*x+c))$$

**Maxima [B]** time = 1.77763, size = 791, normalized size = 3.41

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\text{csch}(d*x+c)^3*(a+b*\tanh(d*x+c))^3,x, \text{algorithm}=\text{"maxima"})$

[Out] 
$$-1/192*b^3*(15*\arctan(e^{(-d*x - c)})/d - (15*e^{(-d*x - c)} - 397*e^{(-3*d*x - 3*c)} + 895*e^{(-5*d*x - 5*c)} - 1765*e^{(-7*d*x - 7*c)} + 1765*e^{(-9*d*x - 9*c)} - 895*e^{(-11*d*x - 11*c)} + 397*e^{(-13*d*x - 13*c)} - 15*e^{(-15*d*x - 15*c)})/(d*(8*e^{(-2*d*x - 2*c)} + 28*e^{(-4*d*x - 4*c)} + 56*e^{(-6*d*x - 6*c)} + 70*e^{(-8*d*x - 8*c)} + 56*e^{(-10*d*x - 10*c)} + 28*e^{(-12*d*x - 12*c)} + 8*e^{(-14*d*x - 14*c)} + e^{(-16*d*x - 16*c)} + 1))) - 3*a^2*b*(\arctan(e^{(-d*x - c)})/d - (e^{(-d*x - c)} - e^{(-3*d*x - 3*c)})/(d*(2*e^{(-2*d*x - 2*c)} + e^{(-4*d*x - 4*c)} + 1))) + 1/2*a^3*(\log(e^{(-d*x - c)} + 1)/d - \log(e^{(-d*x - c)} - 1)/d + 2*(e^{(-d*x - c)} + e^{(-3*d*x - 3*c)})/(d*(2*e^{(-2*d*x - 2*c)} - e^{(-4*d*x - 4*c)} - 1))) - 8/5*a*b^2*(5*e^{(-3*d*x - 3*c)})/(d*(5*e^{(-2*d*x - 2*c)} + 10*e^{(-4*d*x - 4*c)} + 10*e^{(-6*d*x - 6*c)} + 5*e^{(-8*d*x - 8*c)} + e^{(-10*d*x - 10*c)} + 1)) - 2*e^{(-5*d*x - 5*c)})/(d*(5*e^{(-2*d*x - 2*c)} + 10*e^{(-4*d*x - 4*c)} + 10*e^{(-6*d*x - 6*c)} + 5*e^{(-8*d*x - 8*c)} + e^{(-10*d*x - 10*c)} + 1)) + 5*e^{(-7*d*x - 7*c)})/(d*(5*e^{(-2*d*x - 2*c)} + 10*e^{(-4*d*x - 4*c)} + 10*e^{(-6*d*x - 6*c)} + 5*e^{(-8*d*x - 8*c)} + e^{(-10*d*x - 10*c)} + 1)))$$

**Fricas [B]** time = 3.9052, size = 30318, normalized size = 130.68

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^3)^3,x, algorithm="fricas")

[Out] 
$$-1/960*(15*(64*a^3 - 192*a^2*b - 5*b^3)*\cosh(d*x + c)^{19} + 285*(64*a^3 - 192*a^2*b - 5*b^3)*\cosh(d*x + c)*\sinh(d*x + c)^{18} + 15*(64*a^3 - 192*a^2*b - 5*b^3)*\sinh(d*x + c)^{19} + 5*(1728*a^3 - 1728*a^2*b + 1536*a*b^2 + 427*b^3)*\cosh(d*x + c)^{17} + 5*(1728*a^3 - 1728*a^2*b + 1536*a*b^2 + 427*b^3 + 513*(64*a^3 - 192*a^2*b - 5*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^{17} + 85*(171*(64*a^3 - 192*a^2*b - 5*b^3)*\cosh(d*x + c)^3 + (1728*a^3 - 1728*a^2*b + 1536*a*b^2 + 427*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^{16} + 24*(1440*a^3 + 192*a*b^2 - 355*b^3)*\cosh(d*x + c)^{15} + 4*(14535*(64*a^3 - 192*a^2*b - 5*b^3)*\cosh(d*x + c)^4 + 8640*a^3 + 1152*a*b^2 - 2130*b^3 + 170*(1728*a^3 - 1728*a^2*b + 1536*a*b^2 + 427*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^{15} + 20*(8721*(64*a^3 - 192*a^2*b - 5*b^3)*\cosh(d*x + c)^5 + 170*(1728*a^3 - 1728*a^2*b + 1536*a*b^2 + 427*b^3)*\cosh(d*x + c)^3 + 18*(1440*a^3 + 192*a*b^2 - 355*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^{14} + 16*(5040*a^3 + 1440*a^2*b - 672*a*b^2 + 1235*b^3)*\cosh(d*x + c)^{13} + 4*(101745*(64*a^3 - 192*a^2*b - 5*b^3)*\cosh(d*x + c)^6 + 2975*(1728*a^3 - 1728*a^2*b + 1536*a*b^2 + 427*b^3)*\cosh(d*x + c)^4 + 20160*a^3 + 5760*a^2*b - 2688*a*b^2 + 4940*b^3 + 630*(1440*a^3 + 192*a*b^2 - 355*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^{13} + 52*(14535*(64*a^3 - 192*a^2*b - 5*b^3)*\cosh(d*x + c)^7 + 595*(1728*a^3 - 1728*a^2*b + 1536*a*b^2 + 427*b^3)*\cosh(d*x + c)^5 + 210*(1440*a^3 + 192*a*b^2 - 355*b^3)*\cosh(d*x + c)^3 + 4*(5040*a^3 + 1440*a^2*b - 672*a*b^2 + 1235*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^{12} + 2*(60480*a^3 + 8640*a^2*b - 768*a*b^2 - 15475*b^3)*\cosh(d*x + c)^{11} + 2*(566865*(64*a^3 - 192*a^2*b - 5*b^3)*\cosh(d*x + c)^8 + 30940*(1728*a^3 - 1728*a^2*b + 1536*a*b^2 + 427*b^3)*\cosh(d*x + c)^6 + 16380*(1440*a^3 + 192*a*b^2 - 355*b^3)*\cosh(d*x + c)^4 + 60480*a^3 + 8640*a^2*b - 768*a*b^2 - 15475*b^3 + 624*(5040*a^3 + 1440*a^2*b - 672*a*b^2 + 1235*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^{11} + 22*(62985*(64*a^3 - 192*a^2*b - 5*b^3)*\cosh(d*x + c)^9 + 4420*(1728*a^3 - 1728*a^2*b + 1536*a*b^2 + 427*b^3)*\cosh(d*x + c)^7 + 3276*(1440*a^3 + 192*a*b^2 - 355*b^3)*\cosh(d*x + c)^5 + 208*(5040*a^3 + 1440*a^2*b - 672*a*b^2 + 1235*b^3)*\cosh(d*x + c)^3 + (60480*a^3 + 8640*a^2*b - 768*a*b^2 - 15475*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^{10} + 2*(60480*a^3 - 8640*a^2*b - 768*a*b^2 + 15475*b^3)*\cosh(d*x + c)^9 + 2*(692835*(64*a^3 - 192*a^2*b - 5*b^3)*\cosh(d*x + c)^{10} + 60775*(1728*a^3 - 1728*a^2*b + 1536*a*b^2 + 427*b^3)*\cosh(d*x + c)^8 + 60060*(1440*a^3 + 192*a*b^2 - 355*b^3)*\cosh(d*x + c)^6 + 5720*(5040*a^3 + 1440*a^2*b - 672*a*b^2 + 1235*b^3)*\cosh(d*x + c)^4 + 60480*a^3 - 8640*a^2*b - 768*a*b^2 + 15475*b^3 + 55*(60480*a^3 + 8640*a^2*b - 768*a*b^2 - 15475*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^9 + 2*(566865*(64*a^3 - 192*a^2*b - 5*b^3)*\cosh(d*x + c)^{11} + 60775*(1728*a^3 - 1728*a^2*b + 1536*a*b^2 + 427*b^3)*\cosh(d*x + c)^9 + 77220*(1440*a^3 + 192*a*b^2 - 355*b^3)*\cosh(d*x + c)^7 + 10296*(5040*a^3 + 1440*a^2*b - 672*a*b^2 + 1235*b^3)*\cosh(d*x + c)^5 + 165*(60480*a^3 + 8640*a^2*b - 768*a*b^2 - 15475*b^3)*\cosh(d*x + c)^3 + 9*(60480*a^3 - 8640*a^2*b - 768*a*b^2 + 15475*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^8 + 16*(5040*a^3 - 1440*a^2*b - 672*a*b^2 - 12$$



$$\begin{aligned}
& 35b^3 \cosh(dx + c)^7 + 4(188955(64a^3 - 192a^2b - 5b^3) \cosh(dx + c)^{12} + 24310(1728a^3 - 1728a^2b + 1536ab^2 + 427b^3) \cosh(dx + c)^{10} \\
& + 38610(1440a^3 + 192ab^2 - 355b^3) \cosh(dx + c)^8 + 6864(5040a^3 + 1440a^2b - 672ab^2 + 1235b^3) \cosh(dx + c)^6 + 165(60480a^3 + 8640a^2b - 768ab^2 - 15475b^3) \cosh(dx + c)^4 \\
& + 20160a^3 - 5760a^2b - 2688ab^2 - 4940b^3 + 18(60480a^3 - 8640a^2b - 768ab^2 + 15475b^3) \cosh(dx + c)^2) \sinh(dx + c)^7 + 4(101745(64a^3 - 192a^2b - 5b^3) \cosh(dx + c)^{13} \\
& + 15470(1728a^3 - 1728a^2b + 1536ab^2 + 427b^3) \cosh(dx + c)^{11} + 30030(1440a^3 + 192ab^2 - 355b^3) \cosh(dx + c)^9 + 6864(5040a^3 + 1440a^2b - 672ab^2 + 1235b^3) \cosh(dx + c)^7 \\
& + 231(60480a^3 + 8640a^2b - 768ab^2 - 15475b^3) \cosh(dx + c)^5 + 42(60480a^3 - 8640a^2b - 768ab^2 + 15475b^3) \cosh(dx + c)^3 + 28(5040a^3 - 1440a^2b - 672ab^2 - 1235b^3) \cosh(dx + c) \\
& ) \sinh(dx + c)^6 + 24(1440a^3 + 192ab^2 + 355b^3) \cosh(dx + c)^5 + 4(43605(64a^3 - 192a^2b - 5b^3) \cosh(dx + c)^{14} + 7735(1728a^3 - 1728a^2b + 1536ab^2 + 427b^3) \cosh(dx + c)^{12} \\
& + 18018(1440a^3 + 192ab^2 - 355b^3) \cosh(dx + c)^{10} + 5148(5040a^3 + 1440a^2b - 672ab^2 + 1235b^3) \cosh(dx + c)^8 + 231(60480a^3 + 8640a^2b - 768ab^2 - 15475b^3) \cosh(dx + c)^6 \\
& + 63(60480a^3 - 8640a^2b - 768ab^2 + 15475b^3) \cosh(dx + c)^4 + 8640a^3 + 1152ab^2 + 2130b^3 + 84(5040a^3 - 1440a^2b - 672ab^2 - 1235b^3) \cosh(dx + c)^2) \sinh(dx + c)^5 + 4(14535(64a^3 - 192a^2b - 5b^3) \cosh(dx + c)^{15} \\
& + 2975(1728a^3 - 1728a^2b + 1536ab^2 + 427b^3) \cosh(dx + c)^{13} + 8190(1440a^3 + 192ab^2 - 355b^3) \cosh(dx + c)^{11} + 2860(5040a^3 + 1440a^2b - 672ab^2 + 1235b^3) \cosh(dx + c)^9 \\
& + 165(60480a^3 + 8640a^2b - 768ab^2 - 15475b^3) \cosh(dx + c)^7 + 63(60480a^3 - 8640a^2b - 768ab^2 + 15475b^3) \cosh(dx + c)^5 + 140(5040a^3 - 1440a^2b - 672ab^2 - 1235b^3) \cosh(dx + c)^3 \\
& + 30(1440a^3 + 192ab^2 + 355b^3) \cosh(dx + c) ) \sinh(dx + c)^4 + 5(1728a^3 + 1728a^2b + 1536ab^2 - 427b^3) \cosh(dx + c)^3 + (14535(64a^3 - 192a^2b - 5b^3) \cosh(dx + c)^{16} \\
& + 3400(1728a^3 - 1728a^2b + 1536ab^2 + 427b^3) \cosh(dx + c)^{14} + 10920(1440a^3 + 192ab^2 - 355b^3) \cosh(dx + c)^{12} + 4576(5040a^3 + 1440a^2b - 672ab^2 + 1235b^3) \cosh(dx + c)^{10} \\
& + 330(60480a^3 + 8640a^2b - 768ab^2 - 15475b^3) \cosh(dx + c)^8 + 168(60480a^3 - 8640a^2b - 768ab^2 + 15475b^3) \cosh(dx + c)^6 + 560(5040a^3 - 1440a^2b - 672ab^2 - 1235b^3) \cosh(dx + c)^4 \\
& + 8640a^3 + 8640a^2b + 7680ab^2 - 2135b^3 + 240(1440a^3 + 192ab^2 + 355b^3) \cosh(dx + c)^2) \sinh(dx + c)^3 + (2565(64a^3 - 192a^2b - 5b^3) \cosh(dx + c)^{17} + 680(1728a^3 - 1728a^2b + 1536ab^2 + 427b^3) \cosh(dx + c)^{15} \\
& + 2520(1440a^3 + 192ab^2 - 355b^3) \cosh(dx + c)^{13} + 1248(5040a^3 + 1440a^2b - 672ab^2 + 1235b^3) \cosh(dx + c)^{11} + 110(60480a^3 + 8640a^2b - 768ab^2 - 15475b^3) \cosh(dx + c)^9 \\
& + 72(60480a^3 - 8640a^2b - 768ab^2 + 15475b^3) \cosh(dx + c)^7 + 336(5040a^3 - 1440a^2b - 672ab^2 - 1235b^3) \cosh(dx + c)^5 + 240(1440a^3 + 192ab^2 + 355b^3) \cosh(dx + c)^3 \\
& + 15(1728a^3 + 1728a^2b + 1536ab^2 - 427b^3) \cosh(dx + c) ) \sinh(dx + c)^2 - 15((192a^2b + 5b^3) \cosh(dx + c)^{20} + 20*
\end{aligned}$$

$$\begin{aligned}
& (192a^2b + 5b^3) \cosh(dx + c) \sinh(dx + c)^{19} + (192a^2b + 5b^3) \sinh(dx + c)^{20} + 6(192a^2b + 5b^3) \cosh(dx + c)^{18} + 2(576a^2b + 15b^3 + 95(192a^2b + 5b^3) \cosh(dx + c)^2) \sinh(dx + c)^{18} + 12(95(192a^2b + 5b^3) \cosh(dx + c)^3 + 9(192a^2b + 5b^3) \cosh(dx + c)) \sinh(dx + c)^{17} + 13(192a^2b + 5b^3) \cosh(dx + c)^{16} + (4845(192a^2b + 5b^3) \cosh(dx + c)^4 + 2496a^2b + 65b^3 + 918(192a^2b + 5b^3) \cosh(dx + c)^2) \sinh(dx + c)^{16} + 16(969(192a^2b + 5b^3) \cosh(dx + c)^5 + 306(192a^2b + 5b^3) \cosh(dx + c)^3 + 13(192a^2b + 5b^3) \cosh(dx + c)) \sinh(dx + c)^{15} + 8(192a^2b + 5b^3) \cosh(dx + c)^{14} + 8(4845(192a^2b + 5b^3) \cosh(dx + c)^6 + 2295(192a^2b + 5b^3) \cosh(dx + c)^4 + 192a^2b + 5b^3 + 195(192a^2b + 5b^3) \cosh(dx + c)^2) \sinh(dx + c)^{14} + 16(4845(192a^2b + 5b^3) \cosh(dx + c)^7 + 3213(192a^2b + 5b^3) \cosh(dx + c)^5 + 455(192a^2b + 5b^3) \cosh(dx + c)^3 + 7(192a^2b + 5b^3) \cosh(dx + c)) \sinh(dx + c)^{13} - 14(192a^2b + 5b^3) \cosh(dx + c)^{12} + 2(62985(192a^2b + 5b^3) \cosh(dx + c)^8 + 55692(192a^2b + 5b^3) \cosh(dx + c)^6 + 11830(192a^2b + 5b^3) \cosh(dx + c)^4 - 1344a^2b - 35b^3 + 364(192a^2b + 5b^3) \cosh(dx + c)^2) \sinh(dx + c)^{12} + 8(20995(192a^2b + 5b^3) \cosh(dx + c)^9 + 23868(192a^2b + 5b^3) \cosh(dx + c)^7 + 7098(192a^2b + 5b^3) \cosh(dx + c)^5 + 364(192a^2b + 5b^3) \cosh(dx + c)^3 - 21(192a^2b + 5b^3) \cosh(dx + c)) \sinh(dx + c)^{11} - 28(192a^2b + 5b^3) \cosh(dx + c)^{10} + 4(46189(192a^2b + 5b^3) \cosh(dx + c)^{10} + 65637(192a^2b + 5b^3) \cosh(dx + c)^8 + 26026(192a^2b + 5b^3) \cosh(dx + c)^6 + 2002(192a^2b + 5b^3) \cosh(dx + c)^4 - 1344a^2b - 35b^3 - 231(192a^2b + 5b^3) \cosh(dx + c)^2) \sinh(dx + c)^{10} + 8(20995(192a^2b + 5b^3) \cosh(dx + c)^{11} + 36465(192a^2b + 5b^3) \cosh(dx + c)^9 + 18590(192a^2b + 5b^3) \cosh(dx + c)^7 + 2002(192a^2b + 5b^3) \cosh(dx + c)^5 - 385(192a^2b + 5b^3) \cosh(dx + c)^3 - 35(192a^2b + 5b^3) \cosh(dx + c)) \sinh(dx + c)^9 - 14(192a^2b + 5b^3) \cosh(dx + c)^8 + 2(62985(192a^2b + 5b^3) \cosh(dx + c)^{12} + 131274(192a^2b + 5b^3) \cosh(dx + c)^{10} + 83655(192a^2b + 5b^3) \cosh(dx + c)^8 + 12012(192a^2b + 5b^3) \cosh(dx + c)^6 - 3465(192a^2b + 5b^3) \cosh(dx + c)^4 - 1344a^2b - 35b^3 - 630(192a^2b + 5b^3) \cosh(dx + c)^2) \sinh(dx + c)^8 + 16(4845(192a^2b + 5b^3) \cosh(dx + c)^{13} + 11934(192a^2b + 5b^3) \cosh(dx + c)^{11} + 9295(192a^2b + 5b^3) \cosh(dx + c)^9 + 1716(192a^2b + 5b^3) \cosh(dx + c)^7 - 693(192a^2b + 5b^3) \cosh(dx + c)^5 - 210(192a^2b + 5b^3) \cosh(dx + c)^3 - 7(192a^2b + 5b^3) \cosh(dx + c)) \sinh(dx + c)^7 + 8(192a^2b + 5b^3) \cosh(dx + c)^6 + 8(4845(192a^2b + 5b^3) \cosh(dx + c)^{14} + 13923(192a^2b + 5b^3) \cosh(dx + c)^{12} + 13013(192a^2b + 5b^3) \cosh(dx + c)^{10} + 3003(192a^2b + 5b^3) \cosh(dx + c)^8 - 1617(192a^2b + 5b^3) \cosh(dx + c)^6 - 735(192a^2b + 5b^3) \cosh(dx + c)^4 + 192a^2b + 5b^3 - 49(192a^2b + 5b^3) \cosh(dx + c)^2) \sinh(dx + c)^6 + 16(969(192a^2b + 5b^3) \cosh(dx + c)^{15} + 3213(192a^2b + 5b^3) \cosh(dx + c)^{13} + 3549(192a^2b + 5b^3) \cosh(dx + c)^{11} + 1001(192a^2b + 5b^3) \cosh(dx + c)^9 - 693(192a^2b + 5b^3) \cosh(dx + c)^7 - 441(19
\end{aligned}$$

$$\begin{aligned}
& 2a^2b + 5b^3) \cosh(dx + c)^5 - 49(192a^2b + 5b^3) \cosh(dx + c)^3 + \\
& 3(192a^2b + 5b^3) \cosh(dx + c) \sinh(dx + c)^5 + 13(192a^2b + 5b^3) \cosh(dx + c)^4 + (4845(192a^2b + 5b^3) \cosh(dx + c)^{16} + 18360(192a^2b + 5b^3) \cosh(dx + c)^{14} + 23660(192a^2b + 5b^3) \cosh(dx + c)^{12} + 8008(192a^2b + 5b^3) \cosh(dx + c)^{10} - 6930(192a^2b + 5b^3) \cosh(dx + c)^8 - 5880(192a^2b + 5b^3) \cosh(dx + c)^6 - 980(192a^2b + 5b^3) \cosh(dx + c)^4 + 2496a^2b + 65b^3 + 120(192a^2b + 5b^3) \cosh(dx + c)^2) \sinh(dx + c)^4 + 4(285(192a^2b + 5b^3) \cosh(dx + c)^{17} + 1224(192a^2b + 5b^3) \cosh(dx + c)^{15} + 1820(192a^2b + 5b^3) \cosh(dx + c)^{13} + 728(192a^2b + 5b^3) \cosh(dx + c)^{11} - 770(192a^2b + 5b^3) \cosh(dx + c)^9 - 840(192a^2b + 5b^3) \cosh(dx + c)^7 - 196(192a^2b + 5b^3) \cosh(dx + c)^5 + 40(192a^2b + 5b^3) \cosh(dx + c)^3 + 13(192a^2b + 5b^3) \cosh(dx + c) \sinh(dx + c)^3 + 192a^2b + 5b^3 + 6(192a^2b + 5b^3) \cosh(dx + c)^2 + 2(95(192a^2b + 5b^3) \cosh(dx + c)^{18} + 459(192a^2b + 5b^3) \cosh(dx + c)^{16} + 780(192a^2b + 5b^3) \cosh(dx + c)^{14} + 364(192a^2b + 5b^3) \cosh(dx + c)^{12} - 462(192a^2b + 5b^3) \cosh(dx + c)^{10} - 630(192a^2b + 5b^3) \cosh(dx + c)^8 - 196(192a^2b + 5b^3) \cosh(dx + c)^6 + 60(192a^2b + 5b^3) \cosh(dx + c)^4 + 576a^2b + 15b^3 + 39(192a^2b + 5b^3) \cosh(dx + c)^2) \sinh(dx + c)^2 + 4(5(192a^2b + 5b^3) \cosh(dx + c)^{19} + 27(192a^2b + 5b^3) \cosh(dx + c)^{17} + 52(192a^2b + 5b^3) \cosh(dx + c)^{15} + 28(192a^2b + 5b^3) \cosh(dx + c)^{13} - 42(192a^2b + 5b^3) \cosh(dx + c)^{11} - 70(192a^2b + 5b^3) \cosh(dx + c)^9 - 28(192a^2b + 5b^3) \cosh(dx + c)^7 + 12(192a^2b + 5b^3) \cosh(dx + c)^5 + 13(192a^2b + 5b^3) \cosh(dx + c)^3 + 3(192a^2b + 5b^3) \cosh(dx + c)) \sinh(dx + c) \arctan(\cosh(dx + c) + \sinh(dx + c)) + 15(64a^3 + 192a^2b + 5b^3) \cosh(dx + c) - 480(a^3 \cosh(dx + c)^{20} + 20a^3 \cosh(dx + c) \sinh(dx + c)^{19} + a^3 \sinh(dx + c)^{20} + 6a^3 \cosh(dx + c)^{18} + 13a^3 \cosh(dx + c)^{16} + 2(95a^3 \cosh(dx + c)^2 + 3a^3) \sinh(dx + c)^{18} + 12(95a^3 \cosh(dx + c)^3 + 9a^3 \cosh(dx + c)) \sinh(dx + c)^{17} + 8a^3 \cosh(dx + c)^{14} + (4845a^3 \cosh(dx + c)^4 + 918a^3 \cosh(dx + c)^2 + 13a^3) \sinh(dx + c)^{16} + 16(969a^3 \cosh(dx + c)^5 + 306a^3 \cosh(dx + c)^3 + 13a^3 \cosh(dx + c)) \sinh(dx + c)^{15} - 14a^3 \cosh(dx + c)^{12} + 8(4845a^3 \cosh(dx + c)^6 + 2295a^3 \cosh(dx + c)^4 + 195a^3 \cosh(dx + c)^2 + a^3) \sinh(dx + c)^{14} + 16(4845a^3 \cosh(dx + c)^7 + 3213a^3 \cosh(dx + c)^5 + 455a^3 \cosh(dx + c)^3 + 7a^3 \cosh(dx + c)) \sinh(dx + c)^{13} - 28a^3 \cosh(dx + c)^{10} + 2(62985a^3 \cosh(dx + c)^8 + 55692a^3 \cosh(dx + c)^6 + 11830a^3 \cosh(dx + c)^4 + 364a^3 \cosh(dx + c)^2 - 7a^3) \sinh(dx + c)^{12} + 8(20995a^3 \cosh(dx + c)^9 + 23868a^3 \cosh(dx + c)^7 + 7098a^3 \cosh(dx + c)^5 + 364a^3 \cosh(dx + c)^3 - 21a^3 \cosh(dx + c)) \sinh(dx + c)^{11} - 14a^3 \cosh(dx + c)^8 + 4(46189a^3 \cosh(dx + c)^{10} + 65637a^3 \cosh(dx + c)^8 + 26026a^3 \cosh(dx + c)^6 + 2002a^3 \cosh(dx + c)^4 - 231a^3 \cosh(dx + c)^2 - 7a^3) \sinh(dx + c)^{10} + 8(20995a^3 \cosh(dx + c)^{11} + 36465a^3 \cosh(dx + c)^9 + 18590a^3 \cosh(dx + c)^7 + 2002a^3 \cosh(dx + c)^5 - 385a^3 \cosh(dx + c)^3 - 35a^3 \cosh(dx + c)) \sinh(dx + c)^9 + 8*
\end{aligned}$$

$$\begin{aligned}
& a^3 \cosh(dx + c)^6 + 2(62985a^3 \cosh(dx + c)^{12} + 131274a^3 \cosh(dx + c)^{10} + 83655a^3 \cosh(dx + c)^8 + 12012a^3 \cosh(dx + c)^6 - 3465a^3 \cosh(dx + c)^4 - 630a^3 \cosh(dx + c)^2 - 7a^3) \sinh(dx + c)^8 + 16(4845a^3 \cosh(dx + c)^{13} + 11934a^3 \cosh(dx + c)^{11} + 9295a^3 \cosh(dx + c)^9 + 1716a^3 \cosh(dx + c)^7 - 693a^3 \cosh(dx + c)^5 - 210a^3 \cosh(dx + c)^3 - 7a^3 \cosh(dx + c)) \sinh(dx + c)^7 + 13a^3 \cosh(dx + c)^4 + 8(4845a^3 \cosh(dx + c)^{14} + 13923a^3 \cosh(dx + c)^{12} + 13013a^3 \cosh(dx + c)^{10} + 3003a^3 \cosh(dx + c)^8 - 1617a^3 \cosh(dx + c)^6 - 735a^3 \cosh(dx + c)^4 - 49a^3 \cosh(dx + c)^2 + a^3) \sinh(dx + c)^6 + 16(969a^3 \cosh(dx + c)^{15} + 3213a^3 \cosh(dx + c)^{13} + 3549a^3 \cosh(dx + c)^{11} + 1001a^3 \cosh(dx + c)^9 - 693a^3 \cosh(dx + c)^7 - 441a^3 \cosh(dx + c)^5 - 49a^3 \cosh(dx + c)^3 + 3a^3 \cosh(dx + c)) \sinh(dx + c)^5 + 6a^3 \cosh(dx + c)^2 + (4845a^3 \cosh(dx + c)^{16} + 18360a^3 \cosh(dx + c)^{14} + 23660a^3 \cosh(dx + c)^{12} + 8008a^3 \cosh(dx + c)^{10} - 6930a^3 \cosh(dx + c)^8 - 5880a^3 \cosh(dx + c)^6 - 980a^3 \cosh(dx + c)^4 + 120a^3 \cosh(dx + c)^2 + 13a^3) \sinh(dx + c)^4 + 4(285a^3 \cosh(dx + c)^{17} + 1224a^3 \cosh(dx + c)^{15} + 1820a^3 \cosh(dx + c)^{13} + 728a^3 \cosh(dx + c)^{11} - 770a^3 \cosh(dx + c)^9 - 840a^3 \cosh(dx + c)^7 - 196a^3 \cosh(dx + c)^5 + 40a^3 \cosh(dx + c)^3 + 13a^3 \cosh(dx + c)) \sinh(dx + c)^3 + a^3 + 2(95a^3 \cosh(dx + c)^{18} + 459a^3 \cosh(dx + c)^{16} + 780a^3 \cosh(dx + c)^{14} + 364a^3 \cosh(dx + c)^{12} - 462a^3 \cosh(dx + c)^{10} - 630a^3 \cosh(dx + c)^8 - 196a^3 \cosh(dx + c)^6 + 60a^3 \cosh(dx + c)^4 + 39a^3 \cosh(dx + c)^2 + 3a^3) \sinh(dx + c)^2 + 4(5a^3 \cosh(dx + c)^{19} + 27a^3 \cosh(dx + c)^{17} + 52a^3 \cosh(dx + c)^{15} + 28a^3 \cosh(dx + c)^{13} - 42a^3 \cosh(dx + c)^{11} - 70a^3 \cosh(dx + c)^9 - 28a^3 \cosh(dx + c)^7 + 12a^3 \cosh(dx + c)^5 + 13a^3 \cosh(dx + c)^3 + 3a^3 \cosh(dx + c)) \sinh(dx + c) \log(\cosh(dx + c) + \sinh(dx + c) + 1) + 480(a^3 \cosh(dx + c)^{20} + 20a^3 \cosh(dx + c) \sinh(dx + c)^{19} + a^3 \sinh(dx + c)^{20} + 6a^3 \cosh(dx + c)^{18} + 13a^3 \cosh(dx + c)^{16} + 2(95a^3 \cosh(dx + c)^2 + 3a^3) \sinh(dx + c)^{18} + 12(95a^3 \cosh(dx + c)^3 + 9a^3 \cosh(dx + c)) \sinh(dx + c)^{17} + 8a^3 \cosh(dx + c)^{14} + (4845a^3 \cosh(dx + c)^4 + 918a^3 \cosh(dx + c)^2 + 13a^3) \sinh(dx + c)^{16} + 16(969a^3 \cosh(dx + c)^5 + 306a^3 \cosh(dx + c)^3 + 13a^3 \cosh(dx + c)) \sinh(dx + c)^{15} - 14a^3 \cosh(dx + c)^{12} + 8(4845a^3 \cosh(dx + c)^6 + 2295a^3 \cosh(dx + c)^4 + 195a^3 \cosh(dx + c)^2 + a^3) \sinh(dx + c)^{14} + 16(4845a^3 \cosh(dx + c)^7 + 3213a^3 \cosh(dx + c)^5 + 455a^3 \cosh(dx + c)^3 + 7a^3 \cosh(dx + c)) \sinh(dx + c)^{13} - 28a^3 \cosh(dx + c)^{10} + 2(62985a^3 \cosh(dx + c)^8 + 55692a^3 \cosh(dx + c)^6 + 11830a^3 \cosh(dx + c)^4 + 364a^3 \cosh(dx + c)^2 - 7a^3) \sinh(dx + c)^{12} + 8(20995a^3 \cosh(dx + c)^9 + 23868a^3 \cosh(dx + c)^7 + 7098a^3 \cosh(dx + c)^5 + 364a^3 \cosh(dx + c)^3 - 21a^3 \cosh(dx + c)) \sinh(dx + c)^{11} - 14a^3 \cosh(dx + c)^8 + 4(46189a^3 \cosh(dx + c)^{10} + 65637a^3 \cosh(dx + c)^8 + 26026a^3 \cosh(dx + c)^6 + 2002a^3 \cosh(dx + c)^4 - 231a^3 \cosh(dx + c)^2 - 7a^3) \sinh(dx + c)^{10} + 8(20995a^3 \cosh(dx + c)^{11} + 36465a^3 \cosh(dx + c)^9 + 18590a^3 \cosh(dx + c)^7 + 2002a^3 \cosh(dx + c)^5 - 385a^3 \cosh(dx + c)^3
\end{aligned}$$

$$\begin{aligned}
& - 35a^3 \cosh(dx + c) \sinh(dx + c)^9 + 8a^3 \cosh(dx + c)^6 + 2(62985 \\
& a^3 \cosh(dx + c)^{12} + 131274a^3 \cosh(dx + c)^{10} + 83655a^3 \cosh(dx + \\
& c)^8 + 12012a^3 \cosh(dx + c)^6 - 3465a^3 \cosh(dx + c)^4 - 630a^3 \cosh( \\
& dx + c)^2 - 7a^3) \sinh(dx + c)^8 + 16(4845a^3 \cosh(dx + c)^{13} + 11934 \\
& a^3 \cosh(dx + c)^{11} + 9295a^3 \cosh(dx + c)^9 + 1716a^3 \cosh(dx + c)^7 \\
& - 693a^3 \cosh(dx + c)^5 - 210a^3 \cosh(dx + c)^3 - 7a^3 \cosh(dx + c)) \\
& \sinh(dx + c)^7 + 13a^3 \cosh(dx + c)^4 + 8(4845a^3 \cosh(dx + c)^{14} + \\
& 13923a^3 \cosh(dx + c)^{12} + 13013a^3 \cosh(dx + c)^{10} + 3003a^3 \cosh(dx \\
& + c)^8 - 1617a^3 \cosh(dx + c)^6 - 735a^3 \cosh(dx + c)^4 - 49a^3 \cosh( \\
& dx + c)^2 + a^3) \sinh(dx + c)^6 + 16(969a^3 \cosh(dx + c)^{15} + 3213a^3 \\
& \cosh(dx + c)^{13} + 3549a^3 \cosh(dx + c)^{11} + 1001a^3 \cosh(dx + c)^9 - \\
& 693a^3 \cosh(dx + c)^7 - 441a^3 \cosh(dx + c)^5 - 49a^3 \cosh(dx + c)^3 \\
& + 3a^3 \cosh(dx + c)) \sinh(dx + c)^5 + 6a^3 \cosh(dx + c)^2 + (4845a^3 \\
& \cosh(dx + c)^{16} + 18360a^3 \cosh(dx + c)^{14} + 23660a^3 \cosh(dx + c)^{12} \\
& + 8008a^3 \cosh(dx + c)^{10} - 6930a^3 \cosh(dx + c)^8 - 5880a^3 \cosh(dx \\
& + c)^6 - 980a^3 \cosh(dx + c)^4 + 120a^3 \cosh(dx + c)^2 + 13a^3) \sinh(dx \\
& + c)^4 + 4(285a^3 \cosh(dx + c)^{17} + 1224a^3 \cosh(dx + c)^{15} + 1820a \\
& a^3 \cosh(dx + c)^{13} + 728a^3 \cosh(dx + c)^{11} - 770a^3 \cosh(dx + c)^9 - \\
& 840a^3 \cosh(dx + c)^7 - 196a^3 \cosh(dx + c)^5 + 40a^3 \cosh(dx + c)^3 \\
& + 13a^3 \cosh(dx + c)) \sinh(dx + c)^3 + a^3 + 2(95a^3 \cosh(dx + c)^{18} \\
& + 459a^3 \cosh(dx + c)^{16} + 780a^3 \cosh(dx + c)^{14} + 364a^3 \cosh(dx + \\
& c)^{12} - 462a^3 \cosh(dx + c)^{10} - 630a^3 \cosh(dx + c)^8 - 196a^3 \cosh( \\
& dx + c)^6 + 60a^3 \cosh(dx + c)^4 + 39a^3 \cosh(dx + c)^2 + 3a^3) \sinh( \\
& dx + c)^2 + 4(5a^3 \cosh(dx + c)^{19} + 27a^3 \cosh(dx + c)^{17} + 52a^3 \c \\
& osh(dx + c)^{15} + 28a^3 \cosh(dx + c)^{13} - 42a^3 \cosh(dx + c)^{11} - 70a^ \\
& 3 \cosh(dx + c)^9 - 28a^3 \cosh(dx + c)^7 + 12a^3 \cosh(dx + c)^5 + 13a^ \\
& 3 \cosh(dx + c)^3 + 3a^3 \cosh(dx + c)) \sinh(dx + c)) \log(\cosh(dx + c) + \\
& \sinh(dx + c) - 1) + (285(64a^3 - 192a^2b - 5b^3) \cosh(dx + c)^{18} + \\
& 85(1728a^3 - 1728a^2b + 1536ab^2 + 427b^3) \cosh(dx + c)^{16} + 360(1 \\
& 440a^3 + 192ab^2 - 355b^3) \cosh(dx + c)^{14} + 208(5040a^3 + 1440a^2b \\
& b - 672ab^2 + 1235b^3) \cosh(dx + c)^{12} + 22(60480a^3 + 8640a^2b - 7 \\
& 68ab^2 - 15475b^3) \cosh(dx + c)^{10} + 18(60480a^3 - 8640a^2b - 768a \\
& ab^2 + 15475b^3) \cosh(dx + c)^8 + 112(5040a^3 - 1440a^2b - 672ab^2 \\
& - 1235b^3) \cosh(dx + c)^6 + 120(1440a^3 + 192ab^2 + 355b^3) \cosh(dx \\
& + c)^4 + 960a^3 + 2880a^2b + 75b^3 + 15(1728a^3 + 1728a^2b + 1536 \\
& ab^2 - 427b^3) \cosh(dx + c)^2) \sinh(dx + c)) / (d \cosh(dx + c)^{20} + 20d \\
& \cosh(dx + c) \sinh(dx + c)^{19} + d \sinh(dx + c)^{20} + 6d \cosh(dx + c)^{18} \\
& + 2(95d \cosh(dx + c)^2 + 3d) \sinh(dx + c)^{18} + 12(95d \cosh(dx + c) \\
& ^3 + 9d \cosh(dx + c)) \sinh(dx + c)^{17} + 13d \cosh(dx + c)^{16} + (4845d \\
& \cosh(dx + c)^4 + 918d \cosh(dx + c)^2 + 13d) \sinh(dx + c)^{16} + 16(969 \\
& d \cosh(dx + c)^5 + 306d \cosh(dx + c)^3 + 13d \cosh(dx + c)) \sinh(dx + \\
& c)^{15} + 8d \cosh(dx + c)^{14} + 8(4845d \cosh(dx + c)^6 + 2295d \cosh(dx \\
& + c)^4 + 195d \cosh(dx + c)^2 + d) \sinh(dx + c)^{14} + 16(4845d \cosh(dx \\
& + c)^7 + 3213d \cosh(dx + c)^5 + 455d \cosh(dx + c)^3 + 7d \cosh(dx + c) \\
& ) \sinh(dx + c)^{13} - 14d \cosh(dx + c)^{12} + 2(62985d \cosh(dx + c)^8 + 5
\end{aligned}$$

```

5692*d*cosh(d*x + c)^6 + 11830*d*cosh(d*x + c)^4 + 364*d*cosh(d*x + c)^2 -
7*d)*sinh(d*x + c)^12 + 8*(20995*d*cosh(d*x + c)^9 + 23868*d*cosh(d*x + c)^
7 + 7098*d*cosh(d*x + c)^5 + 364*d*cosh(d*x + c)^3 - 21*d*cosh(d*x + c))*si
nh(d*x + c)^11 - 28*d*cosh(d*x + c)^10 + 4*(46189*d*cosh(d*x + c)^10 + 6563
7*d*cosh(d*x + c)^8 + 26026*d*cosh(d*x + c)^6 + 2002*d*cosh(d*x + c)^4 - 23
1*d*cosh(d*x + c)^2 - 7*d)*sinh(d*x + c)^10 + 8*(20995*d*cosh(d*x + c)^11 +
36465*d*cosh(d*x + c)^9 + 18590*d*cosh(d*x + c)^7 + 2002*d*cosh(d*x + c)^5
- 385*d*cosh(d*x + c)^3 - 35*d*cosh(d*x + c))*sinh(d*x + c)^9 - 14*d*cosh(
d*x + c)^8 + 2*(62985*d*cosh(d*x + c)^12 + 131274*d*cosh(d*x + c)^10 + 8365
5*d*cosh(d*x + c)^8 + 12012*d*cosh(d*x + c)^6 - 3465*d*cosh(d*x + c)^4 - 63
0*d*cosh(d*x + c)^2 - 7*d)*sinh(d*x + c)^8 + 16*(4845*d*cosh(d*x + c)^13 +
11934*d*cosh(d*x + c)^11 + 9295*d*cosh(d*x + c)^9 + 1716*d*cosh(d*x + c)^7
- 693*d*cosh(d*x + c)^5 - 210*d*cosh(d*x + c)^3 - 7*d*cosh(d*x + c))*sinh(
d*x + c)^7 + 8*d*cosh(d*x + c)^6 + 8*(4845*d*cosh(d*x + c)^14 + 13923*d*cosh
(d*x + c)^12 + 13013*d*cosh(d*x + c)^10 + 3003*d*cosh(d*x + c)^8 - 1617*d*c
osh(d*x + c)^6 - 735*d*cosh(d*x + c)^4 - 49*d*cosh(d*x + c)^2 + d)*sinh(d*x
+ c)^6 + 16*(969*d*cosh(d*x + c)^15 + 3213*d*cosh(d*x + c)^13 + 3549*d*cos
h(d*x + c)^11 + 1001*d*cosh(d*x + c)^9 - 693*d*cosh(d*x + c)^7 - 441*d*cosh
(d*x + c)^5 - 49*d*cosh(d*x + c)^3 + 3*d*cosh(d*x + c))*sinh(d*x + c)^5 + 1
3*d*cosh(d*x + c)^4 + (4845*d*cosh(d*x + c)^16 + 18360*d*cosh(d*x + c)^14 +
23660*d*cosh(d*x + c)^12 + 8008*d*cosh(d*x + c)^10 - 6930*d*cosh(d*x + c)^
8 - 5880*d*cosh(d*x + c)^6 - 980*d*cosh(d*x + c)^4 + 120*d*cosh(d*x + c)^2
+ 13*d)*sinh(d*x + c)^4 + 4*(285*d*cosh(d*x + c)^17 + 1224*d*cosh(d*x + c)^
15 + 1820*d*cosh(d*x + c)^13 + 728*d*cosh(d*x + c)^11 - 770*d*cosh(d*x + c)
^9 - 840*d*cosh(d*x + c)^7 - 196*d*cosh(d*x + c)^5 + 40*d*cosh(d*x + c)^3 +
13*d*cosh(d*x + c))*sinh(d*x + c)^3 + 6*d*cosh(d*x + c)^2 + 2*(95*d*cosh(d
*x + c)^18 + 459*d*cosh(d*x + c)^16 + 780*d*cosh(d*x + c)^14 + 364*d*cosh(d
*x + c)^12 - 462*d*cosh(d*x + c)^10 - 630*d*cosh(d*x + c)^8 - 196*d*cosh(d*
x + c)^6 + 60*d*cosh(d*x + c)^4 + 39*d*cosh(d*x + c)^2 + 3*d)*sinh(d*x + c)
^2 + 4*(5*d*cosh(d*x + c)^19 + 27*d*cosh(d*x + c)^17 + 52*d*cosh(d*x + c)^1
5 + 28*d*cosh(d*x + c)^13 - 42*d*cosh(d*x + c)^11 - 70*d*cosh(d*x + c)^9 -
28*d*cosh(d*x + c)^7 + 12*d*cosh(d*x + c)^5 + 13*d*cosh(d*x + c)^3 + 3*d*cos
h(d*x + c))*sinh(d*x + c) + d)

```

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (a + b \tanh^3(c + dx))^3 \operatorname{csch}^3(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*\*3\*(a+b\*tanh(d\*x+c)\*\*3)\*\*3,x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*3)\*\*3\*cscch(c + d\*x)\*\*3, x)

**Giac [B]** time = 2.56392, size = 586, normalized size = 2.53

$$480 a^3 \log(e^{(dx+c)} + 1) - 480 a^3 \log(|e^{(dx+c)} - 1|) + 15 (192 a^2 b e^c + 5 b^3 e^c) \arctan(e^{(dx+c)}) e^{(-c)} - \frac{960 (a^3 e^{(3dx+3c)} + a^3 e^{(dx+c)})}{(e^{(2dx+2c)} - 1)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^3)^3,x, algorithm="giac")

[Out] 
$$\frac{1}{960} (480 a^3 \log(e^{(dx+c)} + 1) - 480 a^3 \log(\text{abs}(e^{(dx+c)} - 1)) + 15 (192 a^2 b e^c + 5 b^3 e^c) \arctan(e^{(dx+c)}) e^{(-c)} - 960 (a^3 e^{(3dx+3c)} + a^3 e^{(dx+c)}) / (e^{(2dx+2c)} - 1)^2 + (2880 a^2 b e^{(15dx+15c)} + 75 b^3 e^{(15dx+15c)} + 14400 a^2 b e^{(13dx+13c)} - 7680 a b^2 e^{(13dx+13c)} - 1985 b^3 e^{(13dx+13c)} + 25920 a^2 b e^{(11dx+11c)} - 19968 a b^2 e^{(11dx+11c)} + 4475 b^3 e^{(11dx+11c)} + 14400 a^2 b e^{(9dx+9c)} - 21504 a b^2 e^{(9dx+9c)} - 8825 b^3 e^{(9dx+9c)} - 14400 a^2 b e^{(7dx+7c)} - 21504 a b^2 e^{(7dx+7c)} + 8825 b^3 e^{(7dx+7c)} - 25920 a^2 b e^{(5dx+5c)} - 19968 a b^2 e^{(5dx+5c)} - 4475 b^3 e^{(5dx+5c)} - 14400 a^2 b e^{(3dx+3c)} - 7680 a b^2 e^{(3dx+3c)} + 1985 b^3 e^{(3dx+3c)} - 2880 a^2 b e^{(dx+c)} - 75 b^3 e^{(dx+c)}) / (e^{(2dx+2c)} + 1)^8 / d$$

### 3.72 $\int \operatorname{csch}^4(c + dx) (a + b \tanh^3(c + dx))^3 dx$

**Optimal.** Leaf size=138

$$-\frac{3a^2b \tanh^2(c + dx)}{2d} + \frac{3a^2b \log(\tanh(c + dx))}{d} - \frac{a^3 \coth^3(c + dx)}{3d} + \frac{a^3 \coth(c + dx)}{d} - \frac{3ab^2 \tanh^5(c + dx)}{5d} + \frac{ab^2 \tanh^7(c + dx)}{7d}$$

[Out] (a^3\*Coth[c + d\*x])/d - (a^3\*Coth[c + d\*x]^3)/(3\*d) + (3\*a^2\*b\*Log[Tanh[c + d\*x]])/d - (3\*a^2\*b\*Tanh[c + d\*x]^2)/(2\*d) + (a\*b^2\*Tanh[c + d\*x]^3)/d - (3\*a\*b^2\*Tanh[c + d\*x]^5)/(5\*d) + (b^3\*Tanh[c + d\*x]^6)/(6\*d) - (b^3\*Tanh[c + d\*x]^8)/(8\*d)

**Rubi [A]** time = 0.115098, antiderivative size = 138, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {3663, 1802}

$$-\frac{3a^2b \tanh^2(c + dx)}{2d} + \frac{3a^2b \log(\tanh(c + dx))}{d} - \frac{a^3 \coth^3(c + dx)}{3d} + \frac{a^3 \coth(c + dx)}{d} - \frac{3ab^2 \tanh^5(c + dx)}{5d} + \frac{ab^2 \tanh^7(c + dx)}{7d}$$

Antiderivative was successfully verified.

[In] Int[Csch[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^3)^3,x]

[Out] (a^3\*Coth[c + d\*x])/d - (a^3\*Coth[c + d\*x]^3)/(3\*d) + (3\*a^2\*b\*Log[Tanh[c + d\*x]])/d - (3\*a^2\*b\*Tanh[c + d\*x]^2)/(2\*d) + (a\*b^2\*Tanh[c + d\*x]^3)/d - (3\*a\*b^2\*Tanh[c + d\*x]^5)/(5\*d) + (b^3\*Tanh[c + d\*x]^6)/(6\*d) - (b^3\*Tanh[c + d\*x]^8)/(8\*d)

#### Rule 3663

```
Int[sin[(e_.) + (f_.)*(x_)]^(m_.)*((a_.) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)]))^(n_.)]^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff^(m + 1))/f, Subst[Int[(x^m*(a + b*(ff*x)^n)^p]/(c^2 + ff^2*x^2)^(m/2 + 1), x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2]
```

#### Rule 1802

```
Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^2)^p, x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]
```



Rubi steps

$$\int \operatorname{csch}^4(c+dx) (a+b \tanh^3(c+dx))^3 dx = \frac{\operatorname{Subst}\left(\int \frac{(1-x^2)(a+bx^3)^3}{x^4} dx, x, \tanh(c+dx)\right)}{d}$$

$$= \frac{\operatorname{Subst}\left(\int \left(\frac{a^3}{x^4} - \frac{a^3}{x^2} + \frac{3a^2b}{x} - 3a^2bx + 3ab^2x^2 - 3ab^2x^4 + b^3x^5 - b^3x^7\right) dx, x, \tanh(c+dx)\right)}{d}$$

$$= \frac{a^3 \operatorname{coth}(c+dx)}{d} - \frac{a^3 \operatorname{coth}^3(c+dx)}{3d} + \frac{3a^2b \log(\tanh(c+dx))}{d} - \frac{3a^2b \tanh(c+dx)}{d}$$

**Mathematica [A]** time = 0.168904, size = 213, normalized size = 1.54

$$\frac{3a^2b \operatorname{sech}^2(c+dx)}{2d} + \frac{3a^2b \log(\sinh(c+dx))}{d} - \frac{3a^2b \log(\cosh(c+dx))}{d} + \frac{2a^3 \operatorname{coth}(c+dx)}{3d} - \frac{a^3 \operatorname{coth}(c+dx) \operatorname{csch}^2(c+dx)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^3)^3, x]

[Out] (2\*a^3\*Coth[c + d\*x])/(3\*d) - (a^3\*Coth[c + d\*x]\*Csch[c + d\*x]^2)/(3\*d) - (3\*a^2\*b\*Log[Cosh[c + d\*x]])/d + (3\*a^2\*b\*Log[Sinh[c + d\*x]])/d + (3\*a^2\*b\*Sech[c + d\*x]^2)/(2\*d) - (b^3\*Sech[c + d\*x]^4)/(4\*d) + (b^3\*Sech[c + d\*x]^6)/(3\*d) - (b^3\*Sech[c + d\*x]^8)/(8\*d) + (2\*a\*b^2\*Tanh[c + d\*x])/(5\*d) + (a\*b^2\*Sech[c + d\*x]^2\*Tanh[c + d\*x])/(5\*d) - (3\*a\*b^2\*Sech[c + d\*x]^4\*Tanh[c + d\*x])/(5\*d)

**Maple [B]** time = 0.106, size = 275, normalized size = 2.

$$\frac{2a^3 \operatorname{coth}(dx+c)}{3d} - \frac{a^3 \operatorname{coth}(dx+c) (\operatorname{csch}(dx+c))^2}{3d} + \frac{3a^2b}{2d (\cosh(dx+c))^2} + 3 \frac{a^2b \ln(\tanh(dx+c))}{d} - \frac{3ab^2 \sinh(dx+c)}{4d (\cosh(dx+c))^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csch(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^3)^3, x)

[Out] 2/3\*a^3\*coth(d\*x+c)/d-1/3/d\*a^3\*coth(d\*x+c)\*csch(d\*x+c)^2+3/2/d\*a^2\*b/cosh(d\*x+c)^2+3\*a^2\*b\*ln(tanh(d\*x+c))/d-3/4/d\*a\*b^2\*sinh(d\*x+c)/cosh(d\*x+c)^5+2/5\*a\*b^2\*tanh(d\*x+c)/d+3/20/d\*a\*b^2\*tanh(d\*x+c)\*sech(d\*x+c)^4+1/5/d\*a\*b^2\*ta

$$\text{nh}(d*x+c)*\text{sech}(d*x+c)^2-1/4/d*b^3*\sinh(d*x+c)^4/\cosh(d*x+c)^8-1/8/d*b^3*\sinh(d*x+c)^2/\cosh(d*x+c)^8+1/24/d*b^3*\sinh(d*x+c)^2/\cosh(d*x+c)^6+1/24/d*b^3*\sinh(d*x+c)^2/\cosh(d*x+c)^4+1/24/d*b^3*\sinh(d*x+c)^2/\cosh(d*x+c)^2$$

**Maxima [B]** time = 1.80962, size = 1346, normalized size = 9.75

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^3)^3,x, algorithm="maxima")

[Out]  $3*a^2*b*(\log(e^{-d*x-c} + 1)/d + \log(e^{-d*x-c} - 1)/d - \log(e^{-2*d*x-2*c} + 1)/d + 2*e^{-2*d*x-2*c}/(d*(2*e^{-2*d*x-2*c} + e^{-4*d*x-4*c} + 1))) + 4/5*a*b^2*(5*e^{-2*d*x-2*c}/(d*(5*e^{-2*d*x-2*c} + 10*e^{-4*d*x-4*c} + 10*e^{-6*d*x-6*c} + 5*e^{-8*d*x-8*c} + e^{-10*d*x-10*c} + 1)) - 5*e^{-4*d*x-4*c}/(d*(5*e^{-2*d*x-2*c} + 10*e^{-4*d*x-4*c} + 10*e^{-6*d*x-6*c} + 5*e^{-8*d*x-8*c} + e^{-10*d*x-10*c} + 1)) + 15*e^{-6*d*x-6*c}/(d*(5*e^{-2*d*x-2*c} + 10*e^{-4*d*x-4*c} + 10*e^{-6*d*x-6*c} + 5*e^{-8*d*x-8*c} + e^{-10*d*x-10*c} + 1)) + 1/(d*(5*e^{-2*d*x-2*c} + 10*e^{-4*d*x-4*c} + 10*e^{-6*d*x-6*c} + 5*e^{-8*d*x-8*c} + e^{-10*d*x-10*c} + 1))) + 4/3*a^3*(3*e^{-2*d*x-2*c}/(d*(3*e^{-2*d*x-2*c} - 3*e^{-4*d*x-4*c} + e^{-6*d*x-6*c} - 1)) - 1/(d*(3*e^{-2*d*x-2*c} - 3*e^{-4*d*x-4*c} + e^{-6*d*x-6*c} - 1))) - 4/3*b^3*(3*e^{-4*d*x-4*c}/(d*(8*e^{-2*d*x-2*c} + 28*e^{-4*d*x-4*c} + 56*e^{-6*d*x-6*c} + 70*e^{-8*d*x-8*c} + 56*e^{-10*d*x-10*c} + 28*e^{-12*d*x-12*c} + 8*e^{-14*d*x-14*c} + e^{-16*d*x-16*c} + 1)) - 4*e^{-6*d*x-6*c}/(d*(8*e^{-2*d*x-2*c} + 28*e^{-4*d*x-4*c} + 56*e^{-6*d*x-6*c} + 70*e^{-8*d*x-8*c} + 56*e^{-10*d*x-10*c} + 28*e^{-12*d*x-12*c} + 8*e^{-14*d*x-14*c} + e^{-16*d*x-16*c} + 1)) + 10*e^{-8*d*x-8*c}/(d*(8*e^{-2*d*x-2*c} + 28*e^{-4*d*x-4*c} + 56*e^{-6*d*x-6*c} + 70*e^{-8*d*x-8*c} + 56*e^{-10*d*x-10*c} + 28*e^{-12*d*x-12*c} + 8*e^{-14*d*x-14*c} + e^{-16*d*x-16*c} + 1)) - 4*e^{-10*d*x-10*c}/(d*(8*e^{-2*d*x-2*c} + 28*e^{-4*d*x-4*c} + 56*e^{-6*d*x-6*c} + 70*e^{-8*d*x-8*c} + 56*e^{-10*d*x-10*c} + 28*e^{-12*d*x-12*c} + 8*e^{-14*d*x-14*c} + e^{-16*d*x-16*c} + 1)) + 3*e^{-12*d*x-12*c}/(d*(8*e^{-2*d*x-2*c} + 28*e^{-4*d*x-4*c} + 56*e^{-6*d*x-6*c} + 70*e^{-8*d*x-8*c} + 56*e^{-10*d*x-10*c} + 28*e^{-12*d*x-12*c} + 8*e^{-14*d*x-14*c} + e^{-16*d*x-16*c} + 1)))$

**Fricas [B]** time = 3.63018, size = 25978, normalized size = 188.25

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^3)^3,x, algorithm="fricas")

[Out] 
$$\begin{aligned} & 1/15*(90*a^2*b*cosh(d*x + c)^{20} + 1800*a^2*b*cosh(d*x + c)*sinh(d*x + c)^{19} \\ & + 90*a^2*b*sinh(d*x + c)^{20} - 30*(2*a^3 - 9*a^2*b + 6*a*b^2 + 2*b^3)*cosh( \\ & d*x + c)^{18} + 30*(570*a^2*b*cosh(d*x + c)^2 - 2*a^3 + 9*a^2*b - 6*a*b^2 - 2 \\ & *b^3)*sinh(d*x + c)^{18} + 540*(190*a^2*b*cosh(d*x + c)^3 - (2*a^3 - 9*a^2*b \\ & + 6*a*b^2 + 2*b^3)*cosh(d*x + c))*sinh(d*x + c)^{17} - 20*(23*a^3 - 3*a*b^2 - \\ & 13*b^3)*cosh(d*x + c)^{16} + 10*(43605*a^2*b*cosh(d*x + c)^4 - 46*a^3 + 6*a* \\ & b^2 + 26*b^3 - 459*(2*a^3 - 9*a^2*b + 6*a*b^2 + 2*b^3)*cosh(d*x + c)^2)*sin \\ & h(d*x + c)^{16} + 160*(8721*a^2*b*cosh(d*x + c)^5 - 153*(2*a^3 - 9*a^2*b + 6* \\ & a*b^2 + 2*b^3)*cosh(d*x + c)^3 - 2*(23*a^3 - 3*a*b^2 - 13*b^3)*cosh(d*x + c \\ & ))*sinh(d*x + c)^{15} - 20*(76*a^3 + 36*a^2*b - 24*a*b^2 + 31*b^3)*cosh(d*x + \\ & c)^{14} + 20*(174420*a^2*b*cosh(d*x + c)^6 - 4590*(2*a^3 - 9*a^2*b + 6*a*b^2 \\ & + 2*b^3)*cosh(d*x + c)^4 - 76*a^3 - 36*a^2*b + 24*a*b^2 - 31*b^3 - 120*(23 \\ & *a^3 - 3*a*b^2 - 13*b^3)*cosh(d*x + c)^2)*sinh(d*x + c)^{14} + 40*(174420*a^2 \\ & *b*cosh(d*x + c)^7 - 6426*(2*a^3 - 9*a^2*b + 6*a*b^2 + 2*b^3)*cosh(d*x + c) \\ & ^5 - 280*(23*a^3 - 3*a*b^2 - 13*b^3)*cosh(d*x + c)^3 - 7*(76*a^3 + 36*a^2*b \\ & - 24*a*b^2 + 31*b^3)*cosh(d*x + c))*sinh(d*x + c)^{13} - 4*(700*a^3 + 135*a^ \\ & 2*b + 48*a*b^2 - 245*b^3)*cosh(d*x + c)^{12} + 4*(2834325*a^2*b*cosh(d*x + c) \\ & ^8 - 139230*(2*a^3 - 9*a^2*b + 6*a*b^2 + 2*b^3)*cosh(d*x + c)^6 - 9100*(23* \\ & a^3 - 3*a*b^2 - 13*b^3)*cosh(d*x + c)^4 - 700*a^3 - 135*a^2*b - 48*a*b^2 + \\ & 245*b^3 - 455*(76*a^3 + 36*a^2*b - 24*a*b^2 + 31*b^3)*cosh(d*x + c)^2)*sinh \\ & (d*x + c)^{12} + 16*(944775*a^2*b*cosh(d*x + c)^9 - 59670*(2*a^3 - 9*a^2*b + \\ & 6*a*b^2 + 2*b^3)*cosh(d*x + c)^7 - 5460*(23*a^3 - 3*a*b^2 - 13*b^3)*cosh(d* \\ & x + c)^5 - 455*(76*a^3 + 36*a^2*b - 24*a*b^2 + 31*b^3)*cosh(d*x + c)^3 - 3* \\ & (700*a^3 + 135*a^2*b + 48*a*b^2 - 245*b^3)*cosh(d*x + c))*sinh(d*x + c)^{11} \\ & - 20*(154*a^3 - 27*a^2*b + 18*a*b^2 + 49*b^3)*cosh(d*x + c)^{10} + 4*(4157010 \\ & *a^2*b*cosh(d*x + c)^{10} - 328185*(2*a^3 - 9*a^2*b + 6*a*b^2 + 2*b^3)*cosh(d \\ & *x + c)^8 - 40040*(23*a^3 - 3*a*b^2 - 13*b^3)*cosh(d*x + c)^6 - 5005*(76*a^ \\ & 3 + 36*a^2*b - 24*a*b^2 + 31*b^3)*cosh(d*x + c)^4 - 770*a^3 + 135*a^2*b - 9 \\ & 0*a*b^2 - 245*b^3 - 66*(700*a^3 + 135*a^2*b + 48*a*b^2 - 245*b^3)*cosh(d*x \\ & + c)^2)*sinh(d*x + c)^{10} + 40*(377910*a^2*b*cosh(d*x + c)^{11} - 36465*(2*a^3 \\ & - 9*a^2*b + 6*a*b^2 + 2*b^3)*cosh(d*x + c)^9 - 5720*(23*a^3 - 3*a*b^2 - 13 \\ & *b^3)*cosh(d*x + c)^7 - 1001*(76*a^3 + 36*a^2*b - 24*a*b^2 + 31*b^3)*cosh(d \\ & *x + c)^5 - 22*(700*a^3 + 135*a^2*b + 48*a*b^2 - 245*b^3)*cosh(d*x + c)^3 - \\ & 5*(154*a^3 - 27*a^2*b + 18*a*b^2 + 49*b^3)*cosh(d*x + c))*sinh(d*x + c)^9 \\ & - 4*(490*a^3 - 180*a^2*b - 54*a*b^2 - 155*b^3)*cosh(d*x + c)^8 + 4*(2834325 \\ & *a^2*b*cosh(d*x + c)^{12} - 328185*(2*a^3 - 9*a^2*b + 6*a*b^2 + 2*b^3)*cosh(d \end{aligned}$$

$$\begin{aligned}
& *x + c)^{10} - 64350*(23*a^3 - 3*a*b^2 - 13*b^3)*\cosh(d*x + c)^8 - 15015*(76* \\
& a^3 + 36*a^2*b - 24*a*b^2 + 31*b^3)*\cosh(d*x + c)^6 - 495*(700*a^3 + 135*a^ \\
& 2*b + 48*a*b^2 - 245*b^3)*\cosh(d*x + c)^4 - 490*a^3 + 180*a^2*b + 54*a*b^2 \\
& + 155*b^3 - 225*(154*a^3 - 27*a^2*b + 18*a*b^2 + 49*b^3)*\cosh(d*x + c)^2)*s \\
& \sinh(d*x + c)^8 + 32*(218025*a^2*b*\cosh(d*x + c)^{13} - 29835*(2*a^3 - 9*a^2*b \\
& + 6*a*b^2 + 2*b^3)*\cosh(d*x + c)^{11} - 7150*(23*a^3 - 3*a*b^2 - 13*b^3)*\cos \\
& h(d*x + c)^9 - 2145*(76*a^3 + 36*a^2*b - 24*a*b^2 + 31*b^3)*\cosh(d*x + c)^7 \\
& - 99*(700*a^3 + 135*a^2*b + 48*a*b^2 - 245*b^3)*\cosh(d*x + c)^5 - 75*(154* \\
& a^3 - 27*a^2*b + 18*a*b^2 + 49*b^3)*\cosh(d*x + c)^3 - (490*a^3 - 180*a^2*b \\
& - 54*a*b^2 - 155*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^7 - 20*(28*a^3 + 13*b^3) \\
& *\cosh(d*x + c)^6 + 4*(872100*a^2*b*\cosh(d*x + c)^{14} - 139230*(2*a^3 - 9*a^2 \\
& *b + 6*a*b^2 + 2*b^3)*\cosh(d*x + c)^{12} - 40040*(23*a^3 - 3*a*b^2 - 13*b^3)* \\
& \cosh(d*x + c)^{10} - 15015*(76*a^3 + 36*a^2*b - 24*a*b^2 + 31*b^3)*\cosh(d*x + \\
& c)^8 - 924*(700*a^3 + 135*a^2*b + 48*a*b^2 - 245*b^3)*\cosh(d*x + c)^6 - 10 \\
& 50*(154*a^3 - 27*a^2*b + 18*a*b^2 + 49*b^3)*\cosh(d*x + c)^4 - 140*a^3 - 65* \\
& b^3 - 28*(490*a^3 - 180*a^2*b - 54*a*b^2 - 155*b^3)*\cosh(d*x + c)^2)*\sinh(d \\
& *x + c)^6 + 8*(174420*a^2*b*\cosh(d*x + c)^{15} - 32130*(2*a^3 - 9*a^2*b + 6*a \\
& *b^2 + 2*b^3)*\cosh(d*x + c)^{13} - 10920*(23*a^3 - 3*a*b^2 - 13*b^3)*\cosh(d*x \\
& + c)^{11} - 5005*(76*a^3 + 36*a^2*b - 24*a*b^2 + 31*b^3)*\cosh(d*x + c)^9 - 3 \\
& 96*(700*a^3 + 135*a^2*b + 48*a*b^2 - 245*b^3)*\cosh(d*x + c)^7 - 630*(154*a^ \\
& 3 - 27*a^2*b + 18*a*b^2 + 49*b^3)*\cosh(d*x + c)^5 - 28*(490*a^3 - 180*a^2*b \\
& - 54*a*b^2 - 155*b^3)*\cosh(d*x + c)^3 - 15*(28*a^3 + 13*b^3)*\cosh(d*x + c) \\
& )*\sinh(d*x + c)^5 + 2*(40*a^3 - 135*a^2*b - 48*a*b^2 + 30*b^3)*\cosh(d*x + c \\
& )^4 + 2*(218025*a^2*b*\cosh(d*x + c)^{16} - 45900*(2*a^3 - 9*a^2*b + 6*a*b^2 + \\
& 2*b^3)*\cosh(d*x + c)^{14} - 18200*(23*a^3 - 3*a*b^2 - 13*b^3)*\cosh(d*x + c)^{12} \\
& - 10010*(76*a^3 + 36*a^2*b - 24*a*b^2 + 31*b^3)*\cosh(d*x + c)^{10} - 990*( \\
& 700*a^3 + 135*a^2*b + 48*a*b^2 - 245*b^3)*\cosh(d*x + c)^8 - 2100*(154*a^3 - \\
& 27*a^2*b + 18*a*b^2 + 49*b^3)*\cosh(d*x + c)^6 - 140*(490*a^3 - 180*a^2*b - \\
& 54*a*b^2 - 155*b^3)*\cosh(d*x + c)^4 + 40*a^3 - 135*a^2*b - 48*a*b^2 + 30*b \\
& ^3 - 150*(28*a^3 + 13*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + 8*(12825*a^2* \\
& b*\cosh(d*x + c)^{17} - 3060*(2*a^3 - 9*a^2*b + 6*a*b^2 + 2*b^3)*\cosh(d*x + c) \\
& ^{15} - 1400*(23*a^3 - 3*a*b^2 - 13*b^3)*\cosh(d*x + c)^{13} - 910*(76*a^3 + 36* \\
& a^2*b - 24*a*b^2 + 31*b^3)*\cosh(d*x + c)^{11} - 110*(700*a^3 + 135*a^2*b + 48 \\
& *a*b^2 - 245*b^3)*\cosh(d*x + c)^9 - 300*(154*a^3 - 27*a^2*b + 18*a*b^2 + 49 \\
& *b^3)*\cosh(d*x + c)^7 - 28*(490*a^3 - 180*a^2*b - 54*a*b^2 - 155*b^3)*\cosh( \\
& d*x + c)^5 - 50*(28*a^3 + 13*b^3)*\cosh(d*x + c)^3 + (40*a^3 - 135*a^2*b - 4 \\
& 8*a*b^2 + 30*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 20*a^3 + 12*a*b^2 + 10*( \\
& 10*a^3 - 9*a^2*b + 6*a*b^2)*\cosh(d*x + c)^2 + 2*(8550*a^2*b*\cosh(d*x + c)^{1 \\
& 8} - 2295*(2*a^3 - 9*a^2*b + 6*a*b^2 + 2*b^3)*\cosh(d*x + c)^{16} - 1200*(23*a^ \\
& 3 - 3*a*b^2 - 13*b^3)*\cosh(d*x + c)^{14} - 910*(76*a^3 + 36*a^2*b - 24*a*b^2 \\
& + 31*b^3)*\cosh(d*x + c)^{12} - 132*(700*a^3 + 135*a^2*b + 48*a*b^2 - 245*b^3) \\
& *\cosh(d*x + c)^{10} - 450*(154*a^3 - 27*a^2*b + 18*a*b^2 + 49*b^3)*\cosh(d*x + \\
& c)^8 - 56*(490*a^3 - 180*a^2*b - 54*a*b^2 - 155*b^3)*\cosh(d*x + c)^6 - 150 \\
& *(28*a^3 + 13*b^3)*\cosh(d*x + c)^4 + 50*a^3 - 45*a^2*b + 30*a*b^2 + 6*(40*a \\
& ^3 - 135*a^2*b - 48*a*b^2 + 30*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 - 45*(
\end{aligned}$$

$$\begin{aligned}
& a^2 b \cosh(dx + c)^{22} + 22 a^2 b \cosh(dx + c) \sinh(dx + c)^{21} + a^2 b \sinh(dx + c)^{22} + 5 a^2 b \cosh(dx + c)^{20} + 7 a^2 b \cosh(dx + c)^{18} + (231 \\
& a^2 b \cosh(dx + c)^2 + 5 a^2 b) \sinh(dx + c)^{20} + 20 (77 a^2 b \cosh(dx + c)^3 + 5 a^2 b \cosh(dx + c)) \sinh(dx + c)^{19} - 5 a^2 b \cosh(dx + c)^{16} \\
& + (7315 a^2 b \cosh(dx + c)^4 + 950 a^2 b \cosh(dx + c)^2 + 7 a^2 b) \sinh(dx + c)^{18} + 6 (4389 a^2 b \cosh(dx + c)^5 + 950 a^2 b \cosh(dx + c)^3 + 2 \\
& 1 a^2 b \cosh(dx + c)) \sinh(dx + c)^{17} - 22 a^2 b \cosh(dx + c)^{14} + (74613 a^2 b \cosh(dx + c)^6 + 24225 a^2 b \cosh(dx + c)^4 + 1071 a^2 b \cosh(dx + c)^2 - 5 a^2 b) \sinh(dx + c)^{16} + 16 (10659 a^2 b \cosh(dx + c)^7 + 484 \\
& 5 a^2 b \cosh(dx + c)^5 + 357 a^2 b \cosh(dx + c)^3 - 5 a^2 b \cosh(dx + c)) \sinh(dx + c)^{15} - 14 a^2 b \cosh(dx + c)^{12} + 2 (159885 a^2 b \cosh(dx + c)^8 + 96900 a^2 b \cosh(dx + c)^6 + 10710 a^2 b \cosh(dx + c)^4 - 300 a^2 \\
& b \cosh(dx + c)^2 - 11 a^2 b) \sinh(dx + c)^{14} + 4 (124355 a^2 b \cosh(dx + c)^9 + 96900 a^2 b \cosh(dx + c)^7 + 14994 a^2 b \cosh(dx + c)^5 - 700 a^2 \\
& b \cosh(dx + c)^3 - 77 a^2 b \cosh(dx + c)) \sinh(dx + c)^{13} + 14 a^2 b \cosh(dx + c)^{10} + 2 (323323 a^2 b \cosh(dx + c)^{10} + 314925 a^2 b \cosh(dx + c)^8 + 64974 a^2 b \cosh(dx + c)^6 - 4550 a^2 b \cosh(dx + c)^4 - 1001 a^2 \\
& b \cosh(dx + c)^2 - 7 a^2 b) \sinh(dx + c)^{12} + 8 (88179 a^2 b \cosh(dx + c)^{11} + 104975 a^2 b \cosh(dx + c)^9 + 27846 a^2 b \cosh(dx + c)^7 - 2730 a^2 \\
& b \cosh(dx + c)^5 - 1001 a^2 b \cosh(dx + c)^3 - 21 a^2 b \cosh(dx + c)) \sinh(dx + c)^{11} + 22 a^2 b \cosh(dx + c)^8 + 2 (323323 a^2 b \cosh(dx + c)^{12} + 461890 a^2 b \cosh(dx + c)^{10} + 153153 a^2 b \cosh(dx + c)^8 - 2002 \\
& 0 a^2 b \cosh(dx + c)^6 - 11011 a^2 b \cosh(dx + c)^4 - 462 a^2 b \cosh(dx + c)^2 + 7 a^2 b) \sinh(dx + c)^{10} + 4 (124355 a^2 b \cosh(dx + c)^{13} + 209 \\
& 950 a^2 b \cosh(dx + c)^{11} + 85085 a^2 b \cosh(dx + c)^9 - 14300 a^2 b \cosh(dx + c)^7 - 11011 a^2 b \cosh(dx + c)^5 - 770 a^2 b \cosh(dx + c)^3 + 35 a^2 \\
& b \cosh(dx + c)) \sinh(dx + c)^9 + 5 a^2 b \cosh(dx + c)^6 + 2 (159885 a^2 b \cosh(dx + c)^{14} + 314925 a^2 b \cosh(dx + c)^{12} + 153153 a^2 b \cosh(dx + c)^{10} - 32175 a^2 b \cosh(dx + c)^8 - 33033 a^2 b \cosh(dx + c)^6 - 3 \\
& 465 a^2 b \cosh(dx + c)^4 + 315 a^2 b \cosh(dx + c)^2 + 11 a^2 b) \sinh(dx + c)^8 + 16 (10659 a^2 b \cosh(dx + c)^{15} + 24225 a^2 b \cosh(dx + c)^{13} + \\
& 13923 a^2 b \cosh(dx + c)^{11} - 3575 a^2 b \cosh(dx + c)^9 - 4719 a^2 b \cosh(dx + c)^7 - 693 a^2 b \cosh(dx + c)^5 + 105 a^2 b \cosh(dx + c)^3 + 11 a^2 \\
& b \cosh(dx + c)) \sinh(dx + c)^7 - 7 a^2 b \cosh(dx + c)^4 + (74613 a^2 b \\
& \cosh(dx + c)^{16} + 193800 a^2 b \cosh(dx + c)^{14} + 129948 a^2 b \cosh(dx + c)^{12} - 40040 a^2 b \cosh(dx + c)^{10} - 66066 a^2 b \cosh(dx + c)^8 - 12936 \\
& a^2 b \cosh(dx + c)^6 + 2940 a^2 b \cosh(dx + c)^4 + 616 a^2 b \cosh(dx + c)^2 + 5 a^2 b) \sinh(dx + c)^6 + 2 (13167 a^2 b \cosh(dx + c)^{17} + 38760 a^2 \\
& b \cosh(dx + c)^{15} + 29988 a^2 b \cosh(dx + c)^{13} - 10920 a^2 b \cosh(dx + c)^{11} - 22022 a^2 b \cosh(dx + c)^9 - 5544 a^2 b \cosh(dx + c)^7 + 1764 a^2 \\
& b \cosh(dx + c)^5 + 616 a^2 b \cosh(dx + c)^3 + 15 a^2 b \cosh(dx + c)) \\
& \sinh(dx + c)^5 - 5 a^2 b \cosh(dx + c)^2 + (7315 a^2 b \cosh(dx + c)^{18} + \\
& 24225 a^2 b \cosh(dx + c)^{16} + 21420 a^2 b \cosh(dx + c)^{14} - 9100 a^2 b \cosh(dx + c)^{12} - 22022 a^2 b \cosh(dx + c)^{10} - 6930 a^2 b \cosh(dx + c)^8 \\
& + 2940 a^2 b \cosh(dx + c)^6 + 1540 a^2 b \cosh(dx + c)^4 + 75 a^2 b \cosh(dx + c)^2 + 5 a^2 b) \sinh(dx + c)^4 + 5 a^2 b \cosh(dx + c)^2 + 5 a^2 b
\end{aligned}$$

$$\begin{aligned}
& d*x + c)^2 - 7*a^2*b)*\sinh(d*x + c)^4 + 4*(385*a^2*b*\cosh(d*x + c)^{19} + 142 \\
& 5*a^2*b*\cosh(d*x + c)^{17} + 1428*a^2*b*\cosh(d*x + c)^{15} - 700*a^2*b*\cosh(d*x \\
& + c)^{13} - 2002*a^2*b*\cosh(d*x + c)^{11} - 770*a^2*b*\cosh(d*x + c)^9 + 420*a^ \\
& 2*b*\cosh(d*x + c)^7 + 308*a^2*b*\cosh(d*x + c)^5 + 25*a^2*b*\cosh(d*x + c)^3 \\
& - 7*a^2*b*\cosh(d*x + c))*\sinh(d*x + c)^3 - a^2*b + (231*a^2*b*\cosh(d*x + c) \\
& ^{20} + 950*a^2*b*\cosh(d*x + c)^{18} + 1071*a^2*b*\cosh(d*x + c)^{16} - 600*a^2*b* \\
& \cosh(d*x + c)^{14} - 2002*a^2*b*\cosh(d*x + c)^{12} - 924*a^2*b*\cosh(d*x + c)^{10} \\
& + 630*a^2*b*\cosh(d*x + c)^8 + 616*a^2*b*\cosh(d*x + c)^6 + 75*a^2*b*\cosh(d* \\
& x + c)^4 - 42*a^2*b*\cosh(d*x + c)^2 - 5*a^2*b)*\sinh(d*x + c)^2 + 2*(11*a^2* \\
& b*\cosh(d*x + c)^{21} + 50*a^2*b*\cosh(d*x + c)^{19} + 63*a^2*b*\cosh(d*x + c)^{17} \\
& - 40*a^2*b*\cosh(d*x + c)^{15} - 154*a^2*b*\cosh(d*x + c)^{13} - 84*a^2*b*\cosh(d* \\
& x + c)^{11} + 70*a^2*b*\cosh(d*x + c)^9 + 88*a^2*b*\cosh(d*x + c)^7 + 15*a^2*b* \\
& \cosh(d*x + c)^5 - 14*a^2*b*\cosh(d*x + c)^3 - 5*a^2*b*\cosh(d*x + c))*\sinh(d* \\
& x + c))*\log(2*\cosh(d*x + c)/(\cosh(d*x + c) - \sinh(d*x + c))) + 45*(a^2*b*co \\
& sh(d*x + c)^{22} + 22*a^2*b*\cosh(d*x + c)*\sinh(d*x + c)^{21} + a^2*b*\sinh(d*x + \\
& c)^{22} + 5*a^2*b*\cosh(d*x + c)^{20} + 7*a^2*b*\cosh(d*x + c)^{18} + (231*a^2*b*c \\
& osh(d*x + c)^2 + 5*a^2*b)*\sinh(d*x + c)^{20} + 20*(77*a^2*b*\cosh(d*x + c)^3 + \\
& 5*a^2*b*\cosh(d*x + c))*\sinh(d*x + c)^{19} - 5*a^2*b*\cosh(d*x + c)^{16} + (7315 \\
& *a^2*b*\cosh(d*x + c)^4 + 950*a^2*b*\cosh(d*x + c)^2 + 7*a^2*b)*\sinh(d*x + c) \\
& ^{18} + 6*(4389*a^2*b*\cosh(d*x + c)^5 + 950*a^2*b*\cosh(d*x + c)^3 + 21*a^2*b* \\
& \cosh(d*x + c))*\sinh(d*x + c)^{17} - 22*a^2*b*\cosh(d*x + c)^{14} + (74613*a^2*b* \\
& \cosh(d*x + c)^6 + 24225*a^2*b*\cosh(d*x + c)^4 + 1071*a^2*b*\cosh(d*x + c)^2 \\
& - 5*a^2*b)*\sinh(d*x + c)^{16} + 16*(10659*a^2*b*\cosh(d*x + c)^7 + 4845*a^2*b* \\
& \cosh(d*x + c)^5 + 357*a^2*b*\cosh(d*x + c)^3 - 5*a^2*b*\cosh(d*x + c))*\sinh(d \\
& *x + c)^{15} - 14*a^2*b*\cosh(d*x + c)^{12} + 2*(159885*a^2*b*\cosh(d*x + c)^8 + \\
& 96900*a^2*b*\cosh(d*x + c)^6 + 10710*a^2*b*\cosh(d*x + c)^4 - 300*a^2*b*\cosh( \\
& d*x + c)^2 - 11*a^2*b)*\sinh(d*x + c)^{14} + 4*(124355*a^2*b*\cosh(d*x + c)^9 + \\
& 96900*a^2*b*\cosh(d*x + c)^7 + 14994*a^2*b*\cosh(d*x + c)^5 - 700*a^2*b*\cosh \\
& (d*x + c)^3 - 77*a^2*b*\cosh(d*x + c))*\sinh(d*x + c)^{13} + 14*a^2*b*\cosh(d*x \\
& + c)^{10} + 2*(323323*a^2*b*\cosh(d*x + c)^{10} + 314925*a^2*b*\cosh(d*x + c)^8 + \\
& 64974*a^2*b*\cosh(d*x + c)^6 - 4550*a^2*b*\cosh(d*x + c)^4 - 1001*a^2*b*\cosh \\
& (d*x + c)^2 - 7*a^2*b)*\sinh(d*x + c)^{12} + 8*(88179*a^2*b*\cosh(d*x + c)^{11} + \\
& 104975*a^2*b*\cosh(d*x + c)^9 + 27846*a^2*b*\cosh(d*x + c)^7 - 2730*a^2*b*co \\
& sh(d*x + c)^5 - 1001*a^2*b*\cosh(d*x + c)^3 - 21*a^2*b*\cosh(d*x + c))*\sinh(d \\
& *x + c)^{11} + 22*a^2*b*\cosh(d*x + c)^8 + 2*(323323*a^2*b*\cosh(d*x + c)^{12} + \\
& 461890*a^2*b*\cosh(d*x + c)^{10} + 153153*a^2*b*\cosh(d*x + c)^8 - 20020*a^2*b* \\
& \cosh(d*x + c)^6 - 11011*a^2*b*\cosh(d*x + c)^4 - 462*a^2*b*\cosh(d*x + c)^2 + \\
& 7*a^2*b)*\sinh(d*x + c)^{10} + 4*(124355*a^2*b*\cosh(d*x + c)^{13} + 209950*a^2* \\
& b*\cosh(d*x + c)^{11} + 85085*a^2*b*\cosh(d*x + c)^9 - 14300*a^2*b*\cosh(d*x + c) \\
& )^7 - 11011*a^2*b*\cosh(d*x + c)^5 - 770*a^2*b*\cosh(d*x + c)^3 + 35*a^2*b*co \\
& sh(d*x + c))*\sinh(d*x + c)^9 + 5*a^2*b*\cosh(d*x + c)^6 + 2*(159885*a^2*b*co \\
& sh(d*x + c)^{14} + 314925*a^2*b*\cosh(d*x + c)^{12} + 153153*a^2*b*\cosh(d*x + c) \\
& ^{10} - 32175*a^2*b*\cosh(d*x + c)^8 - 33033*a^2*b*\cosh(d*x + c)^6 - 3465*a^2* \\
& b*\cosh(d*x + c)^4 + 315*a^2*b*\cosh(d*x + c)^2 + 11*a^2*b)*\sinh(d*x + c)^8 + \\
& 16*(10659*a^2*b*\cosh(d*x + c)^{15} + 24225*a^2*b*\cosh(d*x + c)^{13} + 13923*a^
\end{aligned}$$

$$\begin{aligned}
& 2*b*cosh(d*x + c)^{11} - 3575*a^2*b*cosh(d*x + c)^9 - 4719*a^2*b*cosh(d*x + c)^7 - 693*a^2*b*cosh(d*x + c)^5 + 105*a^2*b*cosh(d*x + c)^3 + 11*a^2*b*cosh(d*x + c)*sinh(d*x + c)^7 - 7*a^2*b*cosh(d*x + c)^4 + (74613*a^2*b*cosh(d*x + c)^{16} + 193800*a^2*b*cosh(d*x + c)^{14} + 129948*a^2*b*cosh(d*x + c)^{12} - 40040*a^2*b*cosh(d*x + c)^{10} - 66066*a^2*b*cosh(d*x + c)^8 - 12936*a^2*b*cosh(d*x + c)^6 + 2940*a^2*b*cosh(d*x + c)^4 + 616*a^2*b*cosh(d*x + c)^2 + 5*a^2*b)*sinh(d*x + c)^6 + 2*(13167*a^2*b*cosh(d*x + c)^{17} + 38760*a^2*b*cosh(d*x + c)^{15} + 29988*a^2*b*cosh(d*x + c)^{13} - 10920*a^2*b*cosh(d*x + c)^{11} - 22022*a^2*b*cosh(d*x + c)^9 - 5544*a^2*b*cosh(d*x + c)^7 + 1764*a^2*b*cosh(d*x + c)^5 + 616*a^2*b*cosh(d*x + c)^3 + 15*a^2*b*cosh(d*x + c))*sinh(d*x + c)^5 - 5*a^2*b*cosh(d*x + c)^2 + (7315*a^2*b*cosh(d*x + c)^{18} + 24225*a^2*b*cosh(d*x + c)^{16} + 21420*a^2*b*cosh(d*x + c)^{14} - 9100*a^2*b*cosh(d*x + c)^{12} - 22022*a^2*b*cosh(d*x + c)^{10} - 6930*a^2*b*cosh(d*x + c)^8 + 2940*a^2*b*cosh(d*x + c)^6 + 1540*a^2*b*cosh(d*x + c)^4 + 75*a^2*b*cosh(d*x + c)^2 - 7*a^2*b)*sinh(d*x + c)^4 + 4*(385*a^2*b*cosh(d*x + c)^{19} + 1425*a^2*b*cosh(d*x + c)^{17} + 1428*a^2*b*cosh(d*x + c)^{15} - 700*a^2*b*cosh(d*x + c)^{13} - 2002*a^2*b*cosh(d*x + c)^{11} - 770*a^2*b*cosh(d*x + c)^9 + 420*a^2*b*cosh(d*x + c)^7 + 308*a^2*b*cosh(d*x + c)^5 + 25*a^2*b*cosh(d*x + c)^3 - 7*a^2*b*cosh(d*x + c))*sinh(d*x + c)^3 - a^2*b + (231*a^2*b*cosh(d*x + c)^{20} + 950*a^2*b*cosh(d*x + c)^{18} + 1071*a^2*b*cosh(d*x + c)^{16} - 600*a^2*b*cosh(d*x + c)^{14} - 2002*a^2*b*cosh(d*x + c)^{12} - 924*a^2*b*cosh(d*x + c)^{10} + 630*a^2*b*cosh(d*x + c)^8 + 616*a^2*b*cosh(d*x + c)^6 + 75*a^2*b*cosh(d*x + c)^4 - 42*a^2*b*cosh(d*x + c)^2 - 5*a^2*b)*sinh(d*x + c)^2 + 2*(11*a^2*b*cosh(d*x + c)^{21} + 50*a^2*b*cosh(d*x + c)^{19} + 63*a^2*b*cosh(d*x + c)^{17} - 40*a^2*b*cosh(d*x + c)^{15} - 154*a^2*b*cosh(d*x + c)^{13} - 84*a^2*b*cosh(d*x + c)^{11} + 70*a^2*b*cosh(d*x + c)^9 + 88*a^2*b*cosh(d*x + c)^7 + 15*a^2*b*cosh(d*x + c)^5 - 14*a^2*b*cosh(d*x + c)^3 - 5*a^2*b*cosh(d*x + c))*sinh(d*x + c))*log(2*sinh(d*x + c)/(cosh(d*x + c) - sinh(d*x + c))) + 4*(450*a^2*b*cosh(d*x + c)^{19} - 135*(2*a^3 - 9*a^2*b + 6*a*b^2 + 2*b^3)*cosh(d*x + c)^{17} - 80*(23*a^3 - 3*a*b^2 - 13*b^3)*cosh(d*x + c)^{15} - 70*(76*a^3 + 36*a^2*b - 24*a*b^2 + 31*b^3)*cosh(d*x + c)^{13} - 12*(700*a^3 + 135*a^2*b + 48*a*b^2 - 245*b^3)*cosh(d*x + c)^{11} - 50*(154*a^3 - 27*a^2*b + 18*a*b^2 + 49*b^3)*cosh(d*x + c)^9 - 8*(490*a^3 - 180*a^2*b - 54*a*b^2 - 155*b^3)*cosh(d*x + c)^7 - 30*(28*a^3 + 13*b^3)*cosh(d*x + c)^5 + 2*(40*a^3 - 135*a^2*b - 48*a*b^2 + 30*b^3)*cosh(d*x + c)^3 + 5*(10*a^3 - 9*a^2*b + 6*a*b^2)*cosh(d*x + c))*sinh(d*x + c))/(d*cosh(d*x + c)^{22} + 22*d*cosh(d*x + c)*sinh(d*x + c)^{21} + d*sinh(d*x + c)^{22} + 5*d*cosh(d*x + c)^{20} + (231*d*cosh(d*x + c)^2 + 5*d)*sinh(d*x + c)^{20} + 20*(77*d*cosh(d*x + c)^3 + 5*d*cosh(d*x + c))*sinh(d*x + c)^{19} + 7*d*cosh(d*x + c)^{18} + (7315*d*cosh(d*x + c)^4 + 950*d*cosh(d*x + c)^2 + 7*d)*sinh(d*x + c)^{18} + 6*(4389*d*cosh(d*x + c)^5 + 950*d*cosh(d*x + c)^3 + 21*d*cosh(d*x + c))*sinh(d*x + c)^{17} - 5*d*cosh(d*x + c)^{16} + (74613*d*cosh(d*x + c)^6 + 24225*d*cosh(d*x + c)^4 + 1071*d*cosh(d*x + c)^2 - 5*d)*sinh(d*x + c)^{16} + 16*(10659*d*cosh(d*x + c)^7 + 4845*d*cosh(d*x + c)^5 + 357*d*cosh(d*x + c)^3 - 5*d*cosh(d*x + c))*sinh(d*x + c)^{15} - 22*d*cosh(d*x + c)^{14} + 2*(159885*d*cosh(d*x + c)^8 + 96900*d*cosh(d*x + c)^6 + 10710*d*cosh(
\end{aligned}$$

$$\begin{aligned}
& d*x + c)^4 - 300*d*cosh(d*x + c)^2 - 11*d)*sinh(d*x + c)^14 + 4*(124355*d*cosh(d*x + c)^9 + 96900*d*cosh(d*x + c)^7 + 14994*d*cosh(d*x + c)^5 - 700*d*cosh(d*x + c)^3 - 77*d*cosh(d*x + c))*sinh(d*x + c)^13 - 14*d*cosh(d*x + c)^12 + 2*(323323*d*cosh(d*x + c)^10 + 314925*d*cosh(d*x + c)^8 + 64974*d*cosh(d*x + c)^6 - 4550*d*cosh(d*x + c)^4 - 1001*d*cosh(d*x + c)^2 - 7*d)*sinh(d*x + c)^12 + 8*(88179*d*cosh(d*x + c)^11 + 104975*d*cosh(d*x + c)^9 + 27846*d*cosh(d*x + c)^7 - 2730*d*cosh(d*x + c)^5 - 1001*d*cosh(d*x + c)^3 - 21*d*cosh(d*x + c))*sinh(d*x + c)^11 + 14*d*cosh(d*x + c)^10 + 2*(323323*d*cosh(d*x + c)^12 + 461890*d*cosh(d*x + c)^10 + 153153*d*cosh(d*x + c)^8 - 20020*d*cosh(d*x + c)^6 - 11011*d*cosh(d*x + c)^4 - 462*d*cosh(d*x + c)^2 + 7*d)*sinh(d*x + c)^10 + 4*(124355*d*cosh(d*x + c)^13 + 209950*d*cosh(d*x + c)^11 + 85085*d*cosh(d*x + c)^9 - 14300*d*cosh(d*x + c)^7 - 11011*d*cosh(d*x + c)^5 - 770*d*cosh(d*x + c)^3 + 35*d*cosh(d*x + c))*sinh(d*x + c)^9 + 22*d*cosh(d*x + c)^8 + 2*(159885*d*cosh(d*x + c)^14 + 314925*d*cosh(d*x + c)^12 + 153153*d*cosh(d*x + c)^10 - 32175*d*cosh(d*x + c)^8 - 33033*d*cosh(d*x + c)^6 - 3465*d*cosh(d*x + c)^4 + 315*d*cosh(d*x + c)^2 + 11*d)*sinh(d*x + c)^8 + 16*(10659*d*cosh(d*x + c)^15 + 24225*d*cosh(d*x + c)^13 + 13923*d*cosh(d*x + c)^11 - 3575*d*cosh(d*x + c)^9 - 4719*d*cosh(d*x + c)^7 - 693*d*cosh(d*x + c)^5 + 105*d*cosh(d*x + c)^3 + 11*d*cosh(d*x + c))*sinh(d*x + c)^7 + 5*d*cosh(d*x + c)^6 + (74613*d*cosh(d*x + c)^16 + 193800*d*cosh(d*x + c)^14 + 129948*d*cosh(d*x + c)^12 - 40040*d*cosh(d*x + c)^10 - 66066*d*cosh(d*x + c)^8 - 12936*d*cosh(d*x + c)^6 + 2940*d*cosh(d*x + c)^4 + 616*d*cosh(d*x + c)^2 + 5*d)*sinh(d*x + c)^6 + 2*(13167*d*cosh(d*x + c)^17 + 38760*d*cosh(d*x + c)^15 + 29988*d*cosh(d*x + c)^13 - 10920*d*cosh(d*x + c)^11 - 22022*d*cosh(d*x + c)^9 - 5544*d*cosh(d*x + c)^7 + 1764*d*cosh(d*x + c)^5 + 616*d*cosh(d*x + c)^3 + 15*d*cosh(d*x + c))*sinh(d*x + c)^5 - 7*d*cosh(d*x + c)^4 + (7315*d*cosh(d*x + c)^18 + 24225*d*cosh(d*x + c)^16 + 21420*d*cosh(d*x + c)^14 - 9100*d*cosh(d*x + c)^12 - 22022*d*cosh(d*x + c)^10 - 6930*d*cosh(d*x + c)^8 + 2940*d*cosh(d*x + c)^6 + 1540*d*cosh(d*x + c)^4 + 75*d*cosh(d*x + c)^2 - 7*d)*sinh(d*x + c)^4 + 4*(385*d*cosh(d*x + c)^19 + 1425*d*cosh(d*x + c)^17 + 1428*d*cosh(d*x + c)^15 - 700*d*cosh(d*x + c)^13 - 2002*d*cosh(d*x + c)^11 - 770*d*cosh(d*x + c)^9 + 420*d*cosh(d*x + c)^7 + 308*d*cosh(d*x + c)^5 + 25*d*cosh(d*x + c)^3 - 7*d*cosh(d*x + c))*sinh(d*x + c)^3 - 5*d*cosh(d*x + c)^2 + (231*d*cosh(d*x + c)^20 + 950*d*cosh(d*x + c)^18 + 1071*d*cosh(d*x + c)^16 - 600*d*cosh(d*x + c)^14 - 2002*d*cosh(d*x + c)^12 - 924*d*cosh(d*x + c)^10 + 630*d*cosh(d*x + c)^8 + 616*d*cosh(d*x + c)^6 + 75*d*cosh(d*x + c)^4 - 42*d*cosh(d*x + c)^2 - 5*d)*sinh(d*x + c)^2 + 2*(11*d*cosh(d*x + c)^21 + 50*d*cosh(d*x + c)^19 + 63*d*cosh(d*x + c)^17 - 40*d*cosh(d*x + c)^15 - 154*d*cosh(d*x + c)^13 - 84*d*cosh(d*x + c)^11 + 70*d*cosh(d*x + c)^9 + 88*d*cosh(d*x + c)^7 + 15*d*cosh(d*x + c)^5 - 14*d*cosh(d*x + c)^3 - 5*d*cosh(d*x + c))*sinh(d*x + c) - d)
\end{aligned}$$


---



**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (a + b \tanh^3(c + dx))^3 \operatorname{csch}^4(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*\*4\*(a+b\*tanh(d\*x+c)\*\*3)\*\*3,x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*3)\*\*3\*csch(c + d\*x)\*\*4, x)

**Giac [B]** time = 2.87652, size = 590, normalized size = 4.28

$$2520 a^2 b \log(e^{(2dx+2c)} + 1) - 2520 a^2 b \log(|e^{(2dx+2c)} - 1|) + \frac{140(33 a^2 b e^{(6dx+6c)} - 99 a^2 b e^{(4dx+4c)} + 24 a^3 e^{(2dx+2c)} + 99 a^2 b e^{(2dx+2c)} - 8 a^3)}{(e^{(2dx+2c)} - 1)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^3)^3,x, algorithm="giac")

[Out] 
$$\begin{aligned} & -1/840*(2520*a^2*b*\log(e^{(2*d*x + 2*c)} + 1) - 2520*a^2*b*\log(\operatorname{abs}(e^{(2*d*x + 2*c)} - 1))) + 140*(33*a^2*b*e^{(6*d*x + 6*c)} - 99*a^2*b*e^{(4*d*x + 4*c)} + 24 \\ & *a^3*e^{(2*d*x + 2*c)} + 99*a^2*b*e^{(2*d*x + 2*c)} - 8*a^3 - 33*a^2*b)/(e^{(2*d*x + 2*c)} - 1)^3 - (6849*a^2*b*e^{(16*d*x + 16*c)} + 59832*a^2*b*e^{(14*d*x + 14*c)} \\ & + 222012*a^2*b*e^{(12*d*x + 12*c)} - 10080*a*b^2*e^{(12*d*x + 12*c)} - 3360*b^3*e^{(12*d*x + 12*c)} + 459144*a^2*b*e^{(10*d*x + 10*c)} - 26880*a*b^2*e^{(10*d*x + 10*c)} \\ & + 4480*b^3*e^{(10*d*x + 10*c)} + 580230*a^2*b*e^{(8*d*x + 8*c)} - 23520*a*b^2*e^{(8*d*x + 8*c)} - 11200*b^3*e^{(8*d*x + 8*c)} + 459144*a^2*b*e^{(6*d*x + 6*c)} \\ & - 10752*a*b^2*e^{(6*d*x + 6*c)} + 4480*b^3*e^{(6*d*x + 6*c)} + 222012*a^2*b*e^{(4*d*x + 4*c)} - 8736*a*b^2*e^{(4*d*x + 4*c)} - 3360*b^3*e^{(4*d*x + 4*c)} \\ & + 59832*a^2*b*e^{(2*d*x + 2*c)} - 5376*a*b^2*e^{(2*d*x + 2*c)} + 6849*a^2*b - 672*a*b^2)/(e^{(2*d*x + 2*c)} + 1)^8/d \end{aligned}$$

$$3.73 \quad \int \frac{\sinh^4(c+dx)}{a+b \tanh^3(c+dx)} dx$$

**Optimal.** Leaf size=491

$$\frac{a^2b(a^2+2b^2)\log(a+b \tanh^3(c+dx))}{d(a^2-b^2)^3} + \frac{a^{2/3}\sqrt[3]{b}(7a^2b^2+3a^{2/3}b^{4/3}(2a^2+b^2)+a^4+b^4)\log(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}\tanh(c+dx))}{6d(a^2-b^2)^3}$$

[Out]  $-\left((a^{2/3}b^{1/3}(a^2+3a^{4/3}b^{2/3}-b^2)\text{ArcTan}\left[\frac{a^{1/3}-2b^{1/3}\text{Tanh}[c+dx]}{\sqrt[3]{a^{1/3}}}\right]\right)/\left(\sqrt[3]{a^{4/3}+a^{2/3}b^{2/3}+b^{4/3}}\right)^{3d}-\left(3a(a-5b)\text{Log}[1-\text{Tanh}[c+dx]]\right)/(16(a+b)^{3d})+\left(3a(a+5b)\text{Log}[1+\text{Tanh}[c+dx]]\right)/(16(a-b)^{3d})-\left(a^{2/3}b^{1/3}(a^4+7a^2b^2+b^4+3a^{2/3}b^{4/3}(2a^2+b^2))\text{Log}\left[\frac{a^{1/3}+b^{1/3}\text{Tanh}[c+dx]}{3(a^2-b^2)^{3d}}\right]+(a^{2/3}b^{1/3}(a^4+7a^2b^2+b^4+3a^{2/3}b^{4/3}(2a^2+b^2))\text{Log}\left[\frac{a^{2/3}-a^{1/3}b^{1/3}\text{Tanh}[c+dx]+b^{2/3}\text{Tanh}[c+dx]^2}{6(a^2-b^2)^{3d}}\right]-\left(a^2b(a^2+2b^2)\text{Log}[a+b\text{Tanh}[c+dx]^3]\right)/\left((a^2-b^2)^{3d}+1/(16(a+b)d*(1-\text{Tanh}[c+dx])^2}\right)-(5a-b)/(16(a+b)^2*d*(1-\text{Tanh}[c+dx]))-1/(16(a-b)d*(1+\text{Tanh}[c+dx])^2}+(5a+b)/(16(a-b)^2*d*(1+\text{Tanh}[c+dx]))\right)$

**Rubi [A]** time = 0.891549, antiderivative size = 491, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 10, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.435$ , Rules used = {3663, 6725, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{a^2b(a^2+2b^2)\log(a+b \tanh^3(c+dx))}{d(a^2-b^2)^3} + \frac{a^{2/3}\sqrt[3]{b}(7a^2b^2+3a^{2/3}b^{4/3}(2a^2+b^2)+a^4+b^4)\log(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}\tanh(c+dx))}{6d(a^2-b^2)^3}$$

Antiderivative was successfully verified.

[In] Int[Sinh[c + d\*x]^4/(a + b\*Tanh[c + d\*x]^3), x]

[Out]  $-\left((a^{2/3}b^{1/3}(a^2+3a^{4/3}b^{2/3}-b^2)\text{ArcTan}\left[\frac{a^{1/3}-2b^{1/3}\text{Tanh}[c+dx]}{\sqrt[3]{a^{1/3}}}\right]\right)/\left(\sqrt[3]{a^{4/3}+a^{2/3}b^{2/3}+b^{4/3}}\right)^{3d}-\left(3a(a-5b)\text{Log}[1-\text{Tanh}[c+dx]]\right)/(16(a+b)^{3d})+\left(3a(a+5b)\text{Log}[1+\text{Tanh}[c+dx]]\right)/(16(a-b)^{3d})-\left(a^{2/3}b^{1/3}(a^4+7a^2b^2+b^4+3a^{2/3}b^{4/3}(2a^2+b^2))\text{Log}\left[\frac{a^{1/3}+b^{1/3}\text{Tanh}[c+dx]}{3(a^2-b^2)^{3d}}\right]+(a^{2/3}b^{1/3}(a^4+7a^2b^2+b^4+3a^{2/3}b^{4/3}(2a^2+b^2))\text{Log}\left[\frac{a^{2/3}-a^{1/3}b^{1/3}\text{Tanh}[c+dx]+b^{2/3}\text{Tanh}[c+dx]^2}{6(a^2-b^2)^{3d}}\right]-\left(a^2b(a^2+2b^2)\text{Log}[a+b\text{Tanh}[c+dx]^3]\right)/\left((a^2-b^2)^{3d}+1/(16(a+b)d*(1-\text{Tanh}[c+dx])^2}\right)-(5a-b)/(16(a+b)^2*d*(1-\text{Tanh}[c+dx]))-1/(16(a-b)d*(1+\text{Tanh}[c+dx])^2}+(5a+b)/(16(a-b)^2*d*(1+\text{Tanh}[c+dx]))\right)$

```
Tanh[c + d*x] + b^(2/3)*Tanh[c + d*x]^2)/(6*(a^2 - b^2)^3*d) - (a^2*b*(a^2
+ 2*b^2)*Log[a + b*Tanh[c + d*x]^3])/((a^2 - b^2)^3*d) + 1/(16*(a + b)*d*(
1 - Tanh[c + d*x])^2) - (5*a - b)/(16*(a + b)^2*d*(1 - Tanh[c + d*x])) - 1/
(16*(a - b)*d*(1 + Tanh[c + d*x])^2) + (5*a + b)/(16*(a - b)^2*d*(1 + Tanh[
c + d*x]))
```

### Rule 3663

```
Int[sin[(e_.) + (f_.)*(x_.)]^(m_.)*((a_.) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_
)])^(n_.))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dis
t[(c*ff^(m + 1))/f, Subst[Int[(x^m*(a + b*(ff*x)^n)^p]/(c^2 + ff^2*x^2)^(m/
2 + 1), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, e, f, n, p}, x]
&& IntegerQ[m/2]
```

### Rule 6725

```
Int[(u_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = RationalFunctionE
xpand[u/(a + b*x^n), x]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && IGtQ
[n, 0]
```

### Rule 1871

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

### Rule 1860

```
Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

### Rule 31

```
Int[((a_) + (b_.)*(x_)^(-1)), x_Symbol] := Simp[Log[RemoveContent[a + b*x,
x]]/b, x] /; FreeQ[{a, b}, x]
```

### Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
```

`[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]`

### Rule 617

`Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]`

### Rule 204

`Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])`

### Rule 628

`Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]`

### Rule 260

`Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]`

### Rubi steps

$$\begin{aligned}
\int \frac{\sinh^4(c+dx)}{a+b \tanh^3(c+dx)} dx &= \frac{\text{Subst}\left(\int \frac{x^4}{(1-x^2)^3(a+bx^3)} dx, x, \tanh(c+dx)\right)}{d} \\
&= \frac{\text{Subst}\left(\int \left(-\frac{1}{8(a+b)(-1+x)^3} + \frac{-5a+b}{16(a+b)^2(-1+x)^2} - \frac{3a(a-5b)}{16(a+b)^3(-1+x)} + \frac{1}{8(a-b)(1+x)^3} + \frac{-5a-b}{16(a-b)^2(1+x)^2} + \frac{3}{16(a-b)^3(1+x)}\right) dx, \tanh(c+dx)\right)}{d} \\
&= -\frac{3a(a-5b)\log(1-\tanh(c+dx))}{16(a+b)^3d} + \frac{3a(a+5b)\log(1+\tanh(c+dx))}{16(a-b)^3d} + \frac{1}{16(a+b)d(1-\tanh(c+dx))} \\
&= -\frac{3a(a-5b)\log(1-\tanh(c+dx))}{16(a+b)^3d} + \frac{3a(a+5b)\log(1+\tanh(c+dx))}{16(a-b)^3d} + \frac{1}{16(a+b)d(1-\tanh(c+dx))} \\
&= -\frac{3a(a-5b)\log(1-\tanh(c+dx))}{16(a+b)^3d} + \frac{3a(a+5b)\log(1+\tanh(c+dx))}{16(a-b)^3d} - \frac{a^2b(a^2+2b^2)\log(a^2+2b^2)}{(a+b)^3d} \\
&= -\frac{3a(a-5b)\log(1-\tanh(c+dx))}{16(a+b)^3d} + \frac{3a(a+5b)\log(1+\tanh(c+dx))}{16(a-b)^3d} - \frac{a^{2/3}\sqrt[3]{b}(a^4+7a^2b^2)}{(a+b)^3d} \\
&= -\frac{3a(a-5b)\log(1-\tanh(c+dx))}{16(a+b)^3d} + \frac{3a(a+5b)\log(1+\tanh(c+dx))}{16(a-b)^3d} - \frac{a^{2/3}\sqrt[3]{b}(a^4+7a^2b^2)}{(a+b)^3d} \\
&= -\frac{3a(a-5b)\log(1-\tanh(c+dx))}{16(a+b)^3d} + \frac{3a(a+5b)\log(1+\tanh(c+dx))}{16(a-b)^3d} - \frac{a^{2/3}\sqrt[3]{b}(a^4+7a^2b^2)}{(a+b)^3d} \\
&= -\frac{a^{2/3}\sqrt[3]{b}(a^2+3a^{4/3}b^{2/3}-b^2)\tan^{-1}\left(\frac{1-\frac{2\sqrt[3]{b}\tanh(c+dx)}{\sqrt[3]{a}}}{\sqrt{3}}\right)}{\sqrt{3}(a^{4/3}+a^{2/3}b^{2/3}+b^{4/3})^3d} - \frac{3a(a-5b)\log(1-\tanh(c+dx))}{16(a+b)^3d} +
\end{aligned}$$

**Mathematica [C]** time = 4.37695, size = 645, normalized size = 1.31

$$3(-8a(a^2b+a^3+2ab^2+2b^3)\sinh(2(c+dx))+a(a-b)(12(a^2-6ab+5b^2)(c+dx)+(a+b)^2\sinh(4(c+dx)))+(a+b)^2\sinh(4(c+dx)))+4b^3\sinh(2(c+dx))$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]^4/(a + b\*Tanh[c + d\*x]^3), x]

```
[Out] (-32*a*b*RootSum[a - b + 3*a*#1 + 3*b*#1 + 3*a*#1^2 - 3*b*#1^2 + a*#1^3 + b
*#1^3 & , (-6*a^3*c - 12*a*b^2*c - 6*a^3*d*x - 12*a*b^2*d*x + 3*a^3*Log[E^(
2*(c + d*x)) - #1] + 6*a*b^2*Log[E^(2*(c + d*x)) - #1] - 8*a^3*c*#1 + 4*a^2
*b*c*#1 + 8*a*b^2*c*#1 - 4*b^3*c*#1 - 8*a^3*d*x*#1 + 4*a^2*b*d*x*#1 + 8*a*b
^2*d*x*#1 - 4*b^3*d*x*#1 + 4*a^3*Log[E^(2*(c + d*x)) - #1]*#1 - 2*a^2*b*Log
[E^(2*(c + d*x)) - #1]*#1 - 4*a*b^2*Log[E^(2*(c + d*x)) - #1]*#1 + 2*b^3*Lo
g[E^(2*(c + d*x)) - #1]*#1 - 10*a^3*c*#1^2 + 20*a^2*b*c*#1^2 - 20*a*b^2*c*#
1^2 + 4*b^3*c*#1^2 - 10*a^3*d*x*#1^2 + 20*a^2*b*d*x*#1^2 - 20*a*b^2*d*x*#1^
2 + 4*b^3*d*x*#1^2 + 5*a^3*Log[E^(2*(c + d*x)) - #1]*#1^2 - 10*a^2*b*Log[E^
(2*(c + d*x)) - #1]*#1^2 + 10*a*b^2*Log[E^(2*(c + d*x)) - #1]*#1^2 - 2*b^3*
Log[E^(2*(c + d*x)) - #1]*#1^2)/(a - b + 2*a*#1 + 2*b*#1 + a*#1^2 - b*#1^2)
& ] + 3*(4*b*(5*a^3 + 5*a^2*b + a*b^2 + b^3)*Cosh[2*(c + d*x)] - (a - b)*b
*(a + b)^2*Cosh[4*(c + d*x)] - 8*a*(a^3 + a^2*b + 2*a*b^2 + 2*b^3)*Sinh[2*(
c + d*x)] + a*(a - b)*(12*(a^2 - 6*a*b + 5*b^2)*(c + d*x) + (a + b)^2*Sinh[
4*(c + d*x)])))/(96*(a - b)^2*(a + b)^3*d)
```

**Maple [C]** time = 0.128, size = 603, normalized size = 1.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sinh(d*x+c)^4/(a+b*tanh(d*x+c)^3),x)
```

```
[Out] -8/d/(32*a-32*b)/(tanh(1/2*d*x+1/2*c)+1)^4+32/d/(64*a-64*b)/(tanh(1/2*d*x+1
/2*c)+1)^3+1/8/d/(a-b)^2/(tanh(1/2*d*x+1/2*c)+1)^2*a+5/8/d/(a-b)^2/(tanh(1/
2*d*x+1/2*c)+1)^2*b-3/8/d/(a-b)^2/(tanh(1/2*d*x+1/2*c)+1)*a-3/8/d/(a-b)^2/(
tanh(1/2*d*x+1/2*c)+1)*b+3/8/d*a^2/(a-b)^3*ln(tanh(1/2*d*x+1/2*c)+1)+15/8/d
*a/(a-b)^3*ln(tanh(1/2*d*x+1/2*c)+1)*b+8/d/(32*a+32*b)/(tanh(1/2*d*x+1/2*c)
-1)^4+32/d/(64*a+64*b)/(tanh(1/2*d*x+1/2*c)-1)^3-1/8/d/(a+b)^2/(tanh(1/2*d*
x+1/2*c)-1)^2*a+5/8/d/(a+b)^2/(tanh(1/2*d*x+1/2*c)-1)^2*b-3/8/d/(a+b)^2/(ta
nh(1/2*d*x+1/2*c)-1)*a+3/8/d/(a+b)^2/(tanh(1/2*d*x+1/2*c)-1)*b-3/8/d/(a+b)^
3*ln(tanh(1/2*d*x+1/2*c)-1)*a^2+15/8/d/(a+b)^3*ln(tanh(1/2*d*x+1/2*c)-1)*a*
b-1/3/d*a*b/(a-b)^3/(a+b)^3*sum((3*a^2*(a^2+2*b^2)*_R^5+3*a*b*(-2*a^2-b^2)*
_R^4+2*(4*a^4+13*a^2*b^2+b^4)*_R^3+12*a*b*(a^2+2*b^2)*_R^2+(a^4-8*a^2*b^2-2
*b^4)*_R+6*a^3*b+3*a*b^3)/(_R^5*a+2*_R^3*a+4*_R^2*b+_R*a)*ln(tanh(1/2*d*x+1
/2*c)-_R),_R=RootOf(_Z^6*a+3*_Z^4*a+8*_Z^3*b+3*_Z^2*a+a))
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^4/(a+b\*tanh(d\*x+c)^3),x, algorithm="maxima")

[Out] 
$$-6*a^4*b*(\text{integrate}(((a+b)*e^{(4*d*x+4*c)} + 3*(a-b)*e^{(2*d*x+2*c)} + 3*a + 3*b)*e^{(2*d*x+2*c)}/((a+b)*e^{(6*d*x+6*c)} + 3*(a-b)*e^{(4*d*x+4*c)} + 3*(a+b)*e^{(2*d*x+2*c)} + a-b), x)/(a^6 - 3*a^4*b^2 + 3*a^2*b^4 - b^6) - (d*x+c)/((a^6 - 3*a^4*b^2 + 3*a^2*b^4 - b^6)*d) - 12*a^2*b^3*(\text{integrate}(((a+b)*e^{(4*d*x+4*c)} + 3*(a-b)*e^{(2*d*x+2*c)} + 3*a + 3*b)*e^{(2*d*x+2*c)}/((a+b)*e^{(6*d*x+6*c)} + 3*(a-b)*e^{(4*d*x+4*c)} + 3*(a+b)*e^{(2*d*x+2*c)} + a-b), x)/(a^6 - 3*a^4*b^2 + 3*a^2*b^4 - b^6) - (d*x+c)/((a^6 - 3*a^4*b^2 + 3*a^2*b^4 - b^6)*d)) + 10*a^4*b*\text{integrate}(e^{(4*d*x+4*c)}/((a+b)*e^{(6*d*x+6*c)} + 3*(a-b)*e^{(4*d*x+4*c)} + 3*(a+b)*e^{(2*d*x+2*c)} + a-b), x)/(a^5 + a^4*b - 2*a^3*b^2 - 2*a^2*b^3 + a*b^4 + b^5) - 20*a^3*b^2*\text{integrate}(e^{(4*d*x+4*c)}/((a+b)*e^{(6*d*x+6*c)} + 3*(a-b)*e^{(4*d*x+4*c)} + 3*(a+b)*e^{(2*d*x+2*c)} + a-b), x)/(a^5 + a^4*b - 2*a^3*b^2 - 2*a^2*b^3 + a*b^4 + b^5) + 20*a^2*b^3*\text{integrate}(e^{(4*d*x+4*c)}/((a+b)*e^{(6*d*x+6*c)} + 3*(a-b)*e^{(4*d*x+4*c)} + 3*(a+b)*e^{(2*d*x+2*c)} + a-b), x)/(a^5 + a^4*b - 2*a^3*b^2 - 2*a^2*b^3 + a*b^4 + b^5) - 4*a*b^4*\text{integrate}(e^{(4*d*x+4*c)}/((a+b)*e^{(6*d*x+6*c)} + 3*(a-b)*e^{(4*d*x+4*c)} + 3*(a+b)*e^{(2*d*x+2*c)} + a-b), x)/(a^5 + a^4*b - 2*a^3*b^2 - 2*a^2*b^3 + a*b^4 + b^5) + 8*a^4*b*\text{integrate}(e^{(2*d*x+2*c)}/((a+b)*e^{(6*d*x+6*c)} + 3*(a-b)*e^{(4*d*x+4*c)} + 3*(a+b)*e^{(2*d*x+2*c)} + a-b), x)/(a^5 + a^4*b - 2*a^3*b^2 - 2*a^2*b^3 + a*b^4 + b^5) - 4*a^3*b^2*\text{integrate}(e^{(2*d*x+2*c)}/((a+b)*e^{(6*d*x+6*c)} + 3*(a-b)*e^{(4*d*x+4*c)} + 3*(a+b)*e^{(2*d*x+2*c)} + a-b), x)/(a^5 + a^4*b - 2*a^3*b^2 - 2*a^2*b^3 + a*b^4 + b^5) - 8*a^2*b^3*\text{integrate}(e^{(2*d*x+2*c)}/((a+b)*e^{(6*d*x+6*c)} + 3*(a-b)*e^{(4*d*x+4*c)} + 3*(a+b)*e^{(2*d*x+2*c)} + a-b), x)/(a^5 + a^4*b - 2*a^3*b^2 - 2*a^2*b^3 + a*b^4 + b^5) + 4*a*b^4*\text{integrate}(e^{(2*d*x+2*c)}/((a+b)*e^{(6*d*x+6*c)} + 3*(a-b)*e^{(4*d*x+4*c)} + 3*(a+b)*e^{(2*d*x+2*c)} + a-b), x)/(a^5 + a^4*b - 2*a^3*b^2 - 2*a^2*b^3 + a*b^4 + b^5) - 1/64*(a^4 + 2*a^3*b - 2*a*b^3 - b^4 - 24*(a^4*d*e^{(4*c)} - 7*a^3*b*d*e^{(4*c)} + 11*a^2*b^2*d*e^{(4*c)} - 5*a*b^3*d*e^{(4*c)})*x*e^{(4*d*x)} - (a^4*e^{(8*c)} - 2*a^2*b^2*e^{(8*c)} + b^4*e^{(8*c)})*e^{(8*d*x)} + 4*(2*a^4*e^{(6*c)} - 3*a^3*b*e^{(6*c)} - a^2*b^2*e^{(6*c)} + 3*a*b^3*e^{(6*c)} - b^4*e^{(6*c)})*e^{(6*d*x)} - 4*(2*a^4*e^{(2*c)} + 7*a^3*b*e^{(2*c)} + 9*a^2*b^2*e^{(2*c)} + 5*a*b^3*e^{(2*c)} + b^4*e^{(2*c)})*e^{(2*d*x)})*e^{(-4*d*x)}/(a^5*d*e^{(4*c)} + a^4*b*d*e^{(4*c)} - 2*a^3*b^2*d*e^{(4*c)} - 2*a^2*b^3*d*e^{(4*c)} + a*b^4*d*e^{(4*c)} + b^5*d*e^{(4*c)})$$

---

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^4/(a+b\*tanh(d\*x+c)^3),x, algorithm="fricas")

[Out] Timed out

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)\*\*4/(a+b\*tanh(d\*x+c)\*\*3),x)

[Out] Timed out

**Giac [A]** time = 2.33021, size = 489, normalized size = 1.

$$\frac{24(a^2+5ab)dx}{a^3-3a^2b+3ab^2-b^3} - \frac{(18a^2e^{4dx+4c}+90abe^{4dx+4c}-8a^2e^{2dx+2c}+4abe^{2dx+2c}+4b^2e^{2dx+2c}+a^2-2ab+b^2)e^{-4dx}}{a^3e^{4c}-3a^2be^{4c}+3ab^2e^{4c}-b^3e^{4c}} - \frac{64(a^4b+2a^2b^3)\log(|ae^{6dx+6c}+be^{6c}|)}{64d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^4/(a+b\*tanh(d\*x+c)^3),x, algorithm="giac")

[Out]  $\frac{1}{64} \cdot (24 \cdot (a^2 + 5 \cdot a \cdot b) \cdot d \cdot x / (a^3 - 3 \cdot a^2 \cdot b + 3 \cdot a \cdot b^2 - b^3) - (18 \cdot a^2 \cdot e^{4 \cdot d \cdot x + 4 \cdot c} + 90 \cdot a \cdot b \cdot e^{4 \cdot d \cdot x + 4 \cdot c} - 8 \cdot a^2 \cdot e^{2 \cdot d \cdot x + 2 \cdot c} + 4 \cdot a \cdot b \cdot e^{2 \cdot d \cdot x + 2 \cdot c} + 4 \cdot b^2 \cdot e^{2 \cdot d \cdot x + 2 \cdot c} + a^2 - 2 \cdot a \cdot b + b^2) \cdot e^{-4 \cdot d \cdot x} / (a^3 \cdot e^{4 \cdot c} - 3 \cdot a^2 \cdot b \cdot e^{4 \cdot c} + 3 \cdot a \cdot b^2 \cdot e^{4 \cdot c} - b^3 \cdot e^{4 \cdot c})) - 64 \cdot (a^4 \cdot b + 2 \cdot a^2 \cdot b^3) \cdot \log(\text{abs}(a \cdot e^{6 \cdot d \cdot x + 6 \cdot c} + b \cdot e^{6 \cdot d \cdot x + 6 \cdot c}) + 3 \cdot a \cdot e^{4 \cdot d \cdot x + 4 \cdot c} - 3 \cdot b \cdot e^{4 \cdot d \cdot x + 4 \cdot c} + 3 \cdot a \cdot e^{2 \cdot d \cdot x + 2 \cdot c} + 3 \cdot b \cdot e^{2 \cdot d \cdot x + 2 \cdot c} + a - b)) / (a^6 - 3 \cdot a^4 \cdot b^2 + 3 \cdot a^2 \cdot b^4 - b^6) + (a \cdot e^{4 \cdot d \cdot x + 24 \cdot c} + b \cdot e^{4 \cdot d \cdot x + 24 \cdot c} - 8 \cdot a \cdot e^{2 \cdot d \cdot x + 22 \cdot c} + 4 \cdot b \cdot e^{2 \cdot d \cdot x + 22 \cdot c})) / (a^2 \cdot e^{20 \cdot c} + 2 \cdot a \cdot b \cdot e^{20 \cdot c} + b^2 \cdot e^{20 \cdot c})) / d$



$$3.74 \quad \int \frac{\sinh^3(c+dx)}{a+b \tanh^3(c+dx)} dx$$

**Optimal.** Leaf size=32

$$i\text{Unintegrable}\left(-\frac{i \sinh^3(c+dx)}{a+b \tanh^3(c+dx)}, x\right)$$

[Out] I\*Unintegrable[((-I)\*Sinh[c + d\*x]^3)/(a + b\*Tanh[c + d\*x]^3), x]

**Rubi [A]** time = 0.0461342, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{\sinh^3(c+dx)}{a+b \tanh^3(c+dx)} dx$$

Verification is Not applicable to the result.

[In] Int[Sinh[c + d\*x]^3/(a + b\*Tanh[c + d\*x]^3), x]

[Out] I\*Defer[Int][((-I)\*Sinh[c + d\*x]^3)/(a + b\*Tanh[c + d\*x]^3), x]

Rubi steps

$$\int \frac{\sinh^3(c+dx)}{a+b \tanh^3(c+dx)} dx = i \int -\frac{i \sinh^3(c+dx)}{a+b \tanh^3(c+dx)} dx$$

**Mathematica [A]** time = 0.483965, size = 826, normalized size = 25.81

$\cosh(3(c+dx))a^3 + 27b \sinh(c+dx)a^2 - b \sinh(3(c+dx))a^2 - 9(a^2 + 3b^2) \cosh(c+dx)a - b^2 \cosh(3(c+dx))a - 2b^3$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]^3/(a + b\*Tanh[c + d\*x]^3), x]

```
[Out] (-9*a*(a^2 + 3*b^2)*Cosh[c + d*x] + a^3*Cosh[3*(c + d*x)] - a*b^2*Cosh[3*(c
+ d*x)] - 2*a*b*RootSum[a - b + 3*a*#1^2 + 3*b*#1^2 + 3*a*#1^4 - 3*b*#1^4
+ a*#1^6 + b*#1^6 & , (3*a^2*c + 3*a*b*c + 3*b^2*c + 3*a^2*d*x + 3*a*b*d*x
+ 3*b^2*d*x + 6*a^2*Log[-Cosh[(c + d*x)/2] - Sinh[(c + d*x)/2] + Cosh[(c +
d*x)/2]*#1 - Sinh[(c + d*x)/2]*#1] + 6*a*b*Log[-Cosh[(c + d*x)/2] - Sinh[(c
+ d*x)/2] + Cosh[(c + d*x)/2]*#1 - Sinh[(c + d*x)/2]*#1] + 6*b^2*Log[-Cosh
[(c + d*x)/2] - Sinh[(c + d*x)/2] + Cosh[(c + d*x)/2]*#1 - Sinh[(c + d*x)/2
]*#1] + 2*a^2*c*#1^2 - 2*b^2*c*#1^2 + 2*a^2*d*x*#1^2 - 2*b^2*d*x*#1^2 + 4*a
^2*Log[-Cosh[(c + d*x)/2] - Sinh[(c + d*x)/2] + Cosh[(c + d*x)/2]*#1 - Sinh
[(c + d*x)/2]*#1]*#1^2 - 4*b^2*Log[-Cosh[(c + d*x)/2] - Sinh[(c + d*x)/2] +
Cosh[(c + d*x)/2]*#1 - Sinh[(c + d*x)/2]*#1]*#1^2 + 3*a^2*c*#1^4 - 3*a*b*c
*#1^4 + 3*b^2*c*#1^4 + 3*a^2*d*x*#1^4 - 3*a*b*d*x*#1^4 + 3*b^2*d*x*#1^4 + 6
*a^2*Log[-Cosh[(c + d*x)/2] - Sinh[(c + d*x)/2] + Cosh[(c + d*x)/2]*#1 - Si
nh[(c + d*x)/2]*#1]*#1^4 - 6*a*b*Log[-Cosh[(c + d*x)/2] - Sinh[(c + d*x)/2]
+ Cosh[(c + d*x)/2]*#1 - Sinh[(c + d*x)/2]*#1]*#1^4 + 6*b^2*Log[-Cosh[(c +
d*x)/2] - Sinh[(c + d*x)/2] + Cosh[(c + d*x)/2]*#1 - Sinh[(c + d*x)/2]*#1]
*#1^4)/(a*#1 + b*#1 + 2*a*#1^3 - 2*b*#1^3 + a*#1^5 + b*#1^5) & ] + 27*a^2*b
*Sinh[c + d*x] + 9*b^3*Sinh[c + d*x] - a^2*b*Sinh[3*(c + d*x)] + b^3*Sinh[3
*(c + d*x)]/(12*(a - b)^2*(a + b)^2*d)
```

**Maple [A]** time = 0.11, size = 346, normalized size = 10.8

$$-8 \frac{1}{d(16a - 16b)(\tanh(1/2 dx + c/2) + 1)^2} + \frac{16}{3d(16a - 16b)} \left( \tanh\left(\frac{dx}{2} + \frac{c}{2}\right) + 1 \right)^{-3} - \frac{a}{2d(a - b)^2} \left( \tanh\left(\frac{dx}{2} + \frac{c}{2}\right) + 1 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sinh(d*x+c)^3/(a+b*tanh(d*x+c)^3),x)
```

```
[Out] -8/d/(16*a-16*b)/(tanh(1/2*d*x+1/2*c)+1)^2+16/3/d/(tanh(1/2*d*x+1/2*c)+1)^3
/(16*a-16*b)-1/2/d/(a-b)^2/(tanh(1/2*d*x+1/2*c)+1)*a-1/d/(a-b)^2/(tanh(1/2*
d*x+1/2*c)+1)*b-16/3/d/(tanh(1/2*d*x+1/2*c)-1)^3/(16*a+16*b)-8/d/(16*a+16*b
)/(tanh(1/2*d*x+1/2*c)-1)^2+1/2/d/(a+b)^2/(tanh(1/2*d*x+1/2*c)-1)*a-1/d/(a+
b)^2/(tanh(1/2*d*x+1/2*c)-1)*b-1/3/d*a*b/(a+b)^2/(a-b)^2*sum(((2*a^2+b^2)*_
R^4-6*_R^3*a*b+2*(4*a^2+5*b^2)*_R^2-6*a*b*_R+2*a^2+b^2)/(_R^5*a+2*_R^3*a+4*
_R^2*b+_R*a)*ln(tanh(1/2*d*x+1/2*c)-_R),_R=RootOf(_Z^6*a+3*_Z^4*a+8*_Z^3*b+
3*_Z^2*a+a))
```

**Maxima [A]** time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sinh(d*x+c)^3/(a+b*tanh(d*x+c)^3),x, algorithm="maxima")`

[Out] 
$$\frac{1}{24}(a^3 + a^2b - ab^2 - b^3 + (a^3e^{6c} - a^2be^{6c} - ab^2e^{6c} + b^3e^{6c}))e^{6dx} - 9(a^3e^{4c} - 3a^2be^{4c} + 3ab^2e^{4c} - b^3e^{4c})e^{4dx} - 9(a^3e^{2c} + 3a^2be^{2c} + 3ab^2e^{2c} + b^3e^{2c})e^{2dx})e^{-3dx} / (a^4de^{3c} - 2a^2b^2de^{3c} + b^4de^{3c}) - \frac{1}{8} \int (16(3(a^3be^{5c} - a^2b^2e^{5c} + ab^3e^{5c}))e^{5dx} + 2(a^3be^{3c} - ab^3e^{3c}))e^{3dx} + 3(a^3be^c + a^2b^2e^c + ab^3e^c)e^{dx}) / (a^5 - a^4b - 2a^3b^2 + 2a^2b^3 + ab^4 - b^5 + (a^5e^{6c} + a^4be^{6c} - 2a^3b^2e^{6c} - 2a^2b^3e^{6c} + ab^4e^{6c} + b^5e^{6c}))e^{6dx} + 3(a^5e^{4c} - a^4be^{4c} - 2a^3b^2e^{4c} + 2a^2b^3e^{4c} + ab^4e^{4c} - b^5e^{4c})e^{4dx} + 3(a^5e^{2c} + a^4be^{2c} - 2a^3b^2e^{2c} - 2a^2b^3e^{2c} + ab^4e^{2c} + b^5e^{2c}))e^{2dx}, x)$$

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sinh(d*x+c)^3/(a+b*tanh(d*x+c)^3),x, algorithm="fricas")`

[Out] Timed out

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sinh(d*x+c)**3/(a+b*tanh(d*x+c)**3),x)`

[Out] Timed out

**Giac [A]** time = 2.05765, size = 473, normalized size = 14.78

$$\frac{\frac{(9ae^{2dx+2c}+9be^{2dx+2c}-a+b)e^{-3dx}}{a^2e^{3c}-2abe^{3c}+b^2e^{3c}} - \frac{a^2e^{3dx+30c}+2abe^{3dx+30c}+b^2e^{3dx+30c}-9a^2e^{dx+28c}+9b^2e^{dx+28c}}{a^3e^{27c}+3a^2be^{27c}+3ab^2e^{27c}+b^3e^{27c}}}{24d} - \frac{6(a^3be^c+a^2b^2e^c+ab^3e^c)dx}{ad-bd} - \frac{(a^3be^c+a^2b^2e^c+ab^3e^c)}{ad-bd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^3/(a+b\*tanh(d\*x+c)^3),x, algorithm="giac")

[Out] 
$$\begin{aligned} & -1/24*((9*a*e^{(2*d*x + 2*c)} + 9*b*e^{(2*d*x + 2*c)} - a + b)*e^{(-3*d*x)})/(a^2* \\ & e^{(3*c)} - 2*a*b*e^{(3*c)} + b^2*e^{(3*c)}) - (a^2*e^{(3*d*x + 30*c)} + 2*a*b*e^{(3 \\ & *d*x + 30*c)} + b^2*e^{(3*d*x + 30*c)} - 9*a^2*e^{(d*x + 28*c)} + 9*b^2*e^{(d*x + \\ & 28*c)})/(a^3*e^{(27*c)} + 3*a^2*b*e^{(27*c)} + 3*a*b^2*e^{(27*c)} + b^3*e^{(27*c)}) \\ & )/d - (6*(a^3*b*e^c + a^2*b^2*e^c + a*b^3*e^c)*d*x/(a*d - b*d) - (a^3*b*e^c \\ & + a^2*b^2*e^c + a*b^3*e^c)*\log(\text{abs}(a*e^{(6*d*x + 6*c)} + b*e^{(6*d*x + 6*c)} + \\ & 3*a*e^{(4*d*x + 4*c)} - 3*b*e^{(4*d*x + 4*c)} + 3*a*e^{(2*d*x + 2*c)} + 3*b*e^{(2 \\ & *d*x + 2*c)} + a - b))/(a*d - b*d))/((a^4 - 2*a^2*b^2 + b^4)*d) \end{aligned}$$

$$3.75 \quad \int \frac{\sinh^2(c+dx)}{a+b \tanh^3(c+dx)} dx$$

**Optimal.** Leaf size=384

$$\frac{a^{2/3} \sqrt[3]{b} (3a^{2/3} b^{4/3} + a^2 + 2b^2) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} \tanh(c+dx) + b^{2/3} \tanh^2(c+dx))}{6d(a^2 - b^2)^2} + \frac{b(2a^2 + b^2) \log(a + b \tanh^3(c+dx))}{3d(a^2 - b^2)^2}$$

[Out] (a^(2/3)\*b^(1/3)\*(a^2 - 3\*a^(2/3)\*b^(4/3) + 2\*b^2)\*ArcTan[(a^(1/3) - 2\*b^(1/3)\*Tanh[c + d\*x])/(Sqrt[3]\*a^(1/3))]/(Sqrt[3]\*(a^2 - b^2)^2\*d) + ((a - 2\*b)\*Log[1 - Tanh[c + d\*x]]/(4\*(a + b)^2\*d) - ((a + 2\*b)\*Log[1 + Tanh[c + d\*x]])/(4\*(a - b)^2\*d) + (a^(2/3)\*b^(1/3)\*(a^2 + 3\*a^(2/3)\*b^(4/3) + 2\*b^2)\*Log[a^(1/3) + b^(1/3)\*Tanh[c + d\*x]]/(3\*(a^2 - b^2)^2\*d) - (a^(2/3)\*b^(1/3)\*(a^2 + 3\*a^(2/3)\*b^(4/3) + 2\*b^2)\*Log[a^(2/3) - a^(1/3)\*b^(1/3)\*Tanh[c + d\*x] + b^(2/3)\*Tanh[c + d\*x]^2]/(6\*(a^2 - b^2)^2\*d) + (b\*(2\*a^2 + b^2)\*Log[a + b\*Tanh[c + d\*x]^3]/(3\*(a^2 - b^2)^2\*d) + 1/(4\*(a + b)\*d\*(1 - Tanh[c + d\*x])) - 1/(4\*(a - b)\*d\*(1 + Tanh[c + d\*x])))

**Rubi [A]** time = 0.629447, antiderivative size = 384, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 10, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.435$ , Rules used = {3663, 6725, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{a^{2/3} \sqrt[3]{b} (3a^{2/3} b^{4/3} + a^2 + 2b^2) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} \tanh(c+dx) + b^{2/3} \tanh^2(c+dx))}{6d(a^2 - b^2)^2} + \frac{b(2a^2 + b^2) \log(a + b \tanh^3(c+dx))}{3d(a^2 - b^2)^2}$$

Antiderivative was successfully verified.

[In] Int[Sinh[c + d\*x]^2/(a + b\*Tanh[c + d\*x]^3), x]

[Out] (a^(2/3)\*b^(1/3)\*(a^2 - 3\*a^(2/3)\*b^(4/3) + 2\*b^2)\*ArcTan[(a^(1/3) - 2\*b^(1/3)\*Tanh[c + d\*x])/(Sqrt[3]\*a^(1/3))]/(Sqrt[3]\*(a^2 - b^2)^2\*d) + ((a - 2\*b)\*Log[1 - Tanh[c + d\*x]]/(4\*(a + b)^2\*d) - ((a + 2\*b)\*Log[1 + Tanh[c + d\*x]])/(4\*(a - b)^2\*d) + (a^(2/3)\*b^(1/3)\*(a^2 + 3\*a^(2/3)\*b^(4/3) + 2\*b^2)\*Log[a^(1/3) + b^(1/3)\*Tanh[c + d\*x]]/(3\*(a^2 - b^2)^2\*d) - (a^(2/3)\*b^(1/3)\*(a^2 + 3\*a^(2/3)\*b^(4/3) + 2\*b^2)\*Log[a^(2/3) - a^(1/3)\*b^(1/3)\*Tanh[c + d\*x] + b^(2/3)\*Tanh[c + d\*x]^2]/(6\*(a^2 - b^2)^2\*d) + (b\*(2\*a^2 + b^2)\*Log[a + b\*Tanh[c + d\*x]^3]/(3\*(a^2 - b^2)^2\*d) + 1/(4\*(a + b)\*d\*(1 - Tanh[c + d\*x])) - 1/(4\*(a - b)\*d\*(1 + Tanh[c + d\*x])))

Rule 3663

```
Int[sin[(e_.) + (f_.)*(x_)]^(m_)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)]^(n_))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff^(m + 1))/f, Subst[Int[(x^m*(a + b*(ff*x)^n)^p]/(c^2 + ff^2*x^2)^(m/2 + 1), x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2]
```

Rule 6725

```
Int[(u_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = RationalFunctionExpand[u/(a + b*x^n), x]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && IGtQ[n, 0]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rule 1860

```
Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 31

```
Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
```

```
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

#### Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

#### Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

#### Rule 260

```
Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveConten
t[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]
```

#### Rubi steps

$$\begin{aligned}
\int \frac{\sinh^2(c+dx)}{a+b \tanh^3(c+dx)} dx &= \frac{\text{Subst}\left(\int \frac{x^2}{(1-x^2)^2(a+bx^3)} dx, x, \tanh(c+dx)\right)}{d} \\
&= \frac{\text{Subst}\left(\int \left(\frac{1}{4(a+b)(-1+x)^2} + \frac{a-2b}{4(a+b)^2(-1+x)} + \frac{1}{4(a-b)(1+x)^2} + \frac{-a-2b}{4(a-b)^2(1+x)} + \frac{b(3a^2b-a(a^2+2b^2)x+b(2a^2+b^2)x^2)}{(a^2-b^2)^2(a+bx^3)}\right) dx, x, \tanh(c+dx)\right)}{d} \\
&= \frac{(a-2b)\log(1-\tanh(c+dx))}{4(a+b)^2d} - \frac{(a+2b)\log(1+\tanh(c+dx))}{4(a-b)^2d} + \frac{1}{4(a+b)d(1-\tanh(c+dx))} \\
&= \frac{(a-2b)\log(1-\tanh(c+dx))}{4(a+b)^2d} - \frac{(a+2b)\log(1+\tanh(c+dx))}{4(a-b)^2d} + \frac{1}{4(a+b)d(1-\tanh(c+dx))} \\
&= \frac{(a-2b)\log(1-\tanh(c+dx))}{4(a+b)^2d} - \frac{(a+2b)\log(1+\tanh(c+dx))}{4(a-b)^2d} + \frac{b(2a^2+b^2)\log(a+b \tanh(c+dx))}{3(a^2-b^2)^2} \\
&= \frac{(a-2b)\log(1-\tanh(c+dx))}{4(a+b)^2d} - \frac{(a+2b)\log(1+\tanh(c+dx))}{4(a-b)^2d} + \frac{a^{2/3}\sqrt[3]{b}(a^2+3a^{2/3}b^{4/3}+2b^2)\tan^{-1}\left(\frac{1-\frac{2\sqrt[3]{b}\tanh(c+dx)}{\sqrt[3]{a}}}{\sqrt{3}}\right)}{\sqrt{3}(a^2-b^2)^2d} + \frac{(a-2b)\log(1-\tanh(c+dx))}{4(a+b)^2d} - \frac{(a+2b)\log(1+\tanh(c+dx))}{4(a-b)^2d}
\end{aligned}$$

**Mathematica [C]** time = 3.39126, size = 423, normalized size = 1.1

$$\frac{4b\text{RootSum}\left[\#1^3a + 3\#1^2a + \#1^3b - 3\#1^2b + 3\#1a + 3\#1b + a - b\&, \frac{-4\#1^2a^2\log(e^{2(c+dx)}-\#1)+8\#1^2a^2c+8\#1^2a^2dx+4\#1^2ab\log(e^{2(c+dx)}-\#1)}{3(a^2-b^2)^2}\right]}{\sqrt{3}(a^2-b^2)^2d} + \frac{(a-2b)\log(1-\tanh(c+dx))}{4(a+b)^2d} - \frac{(a+2b)\log(1+\tanh(c+dx))}{4(a-b)^2d}$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]^2/(a + b\*Tanh[c + d\*x]^3), x]



```
[Out] -(6*(a^2 - 3*a*b + 2*b^2)*(c + d*x) + 3*b*(a + b)*Cosh[2*(c + d*x)] + 4*b*RootSum[a - b + 3*a*#1 + 3*b*#1 + 3*a*#1^2 - 3*b*#1^2 + a*#1^3 + b*#1^3 & , (4*a^2*c + 2*b^2*c + 4*a^2*d*x + 2*b^2*d*x - 2*a^2*Log[E^(2*(c + d*x)) - #1] - b^2*Log[E^(2*(c + d*x)) - #1] + 4*a^2*c*#1 - 4*b^2*c*#1 + 4*a^2*d*x*#1 - 4*b^2*d*x*#1 - 2*a^2*Log[E^(2*(c + d*x)) - #1]*#1 + 2*b^2*Log[E^(2*(c + d*x)) - #1]*#1 + 8*a^2*c*#1^2 - 8*a*b*c*#1^2 + 2*b^2*c*#1^2 + 8*a^2*d*x*#1^2 - 8*a*b*d*x*#1^2 + 2*b^2*d*x*#1^2 - 4*a^2*Log[E^(2*(c + d*x)) - #1]*#1^2 + 4*a*b*Log[E^(2*(c + d*x)) - #1]*#1^2 - b^2*Log[E^(2*(c + d*x)) - #1]*#1^2)/(a - b + 2*a*#1 + 2*b*#1 + a*#1^2 - b*#1^2) & ] - 3*a*(a + b)*Sinh[2*(c + d*x)])/(12*(a - b)*(a + b)^2*d)
```

**Maple [C]** time = 0.109, size = 356, normalized size = 0.9

$$-4 \frac{1}{d(8a-8b)(\tanh(1/2 dx + c/2) + 1)^2} + 8 \frac{1}{d(16a-16b)(\tanh(1/2 dx + c/2) + 1)} - \frac{a}{2d(a-b)^2} \ln\left(\tanh\left(\frac{dx}{2} + \frac{c}{2}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sinh(d*x+c)^2/(a+b*tanh(d*x+c)^3),x)
```

```
[Out] -4/d/(8*a-8*b)/(tanh(1/2*d*x+1/2*c)+1)^2+8/d/(16*a-16*b)/(tanh(1/2*d*x+1/2*c)+1)-1/2/d/(a-b)^2*ln(tanh(1/2*d*x+1/2*c)+1)*a-1/d/(a-b)^2*ln(tanh(1/2*d*x+1/2*c)+1)*b+4/d/(8*a+8*b)/(tanh(1/2*d*x+1/2*c)-1)^2+8/d/(16*a+16*b)/(tanh(1/2*d*x+1/2*c)-1)+1/2/d/(a+b)^2*ln(tanh(1/2*d*x+1/2*c)-1)*a-1/d/(a+b)^2*ln(tanh(1/2*d*x+1/2*c)-1)*b+1/3/d*b/(a-b)^2/(a+b)^2*sum((a*(2*a^2+b^2)*_R^5-3*_R^4*a^2*b+6*a*(a^2+b^2)*_R^3+4*b*(2*a^2+b^2)*_R^2-3*a*b^2*_R+3*a^2*b)/(_R^5+a^2*_R^3+a^4*_R^2*b+_R*a)*ln(tanh(1/2*d*x+1/2*c)-_R),_R=RootOf(_Z^6*a+3*_Z^4*a+8*_Z^3*b+3*_Z^2*a+a))
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$4a^2b \left( \frac{-(a-b) \int \frac{1}{(ae^{6c}+be^{6c})e^{6dx}+3(ae^{4c}-be^{4c})e^{4dx}+3(ae^{2c}+be^{2c})e^{2dx}+a-b} dx + x}{a^4 - 2a^2b^2 + b^4} - \frac{dx + c}{(a^4 - 2a^2b^2 + b^4)d} \right) + 2b^3 \left( \frac{-(a-b)}{\dots} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sinh(d*x+c)^2/(a+b*tanh(d*x+c)^3),x, algorithm="maxima")
```

```
[Out] 4*a^2*b*(integrate(((a + b)*e^(4*d*x + 4*c) + 3*(a - b)*e^(2*d*x + 2*c) + 3
*a + 3*b)*e^(2*d*x + 2*c)/((a + b)*e^(6*d*x + 6*c) + 3*(a - b)*e^(4*d*x + 4
*c) + 3*(a + b)*e^(2*d*x + 2*c) + a - b), x)/(a^4 - 2*a^2*b^2 + b^4) - (d*x
+ c)/((a^4 - 2*a^2*b^2 + b^4)*d)) + 2*b^3*(integrate(((a + b)*e^(4*d*x + 4
*c) + 3*(a - b)*e^(2*d*x + 2*c) + 3*a + 3*b)*e^(2*d*x + 2*c)/((a + b)*e^(6*
d*x + 6*c) + 3*(a - b)*e^(4*d*x + 4*c) + 3*(a + b)*e^(2*d*x + 2*c) + a - b)
, x)/(a^4 - 2*a^2*b^2 + b^4) - (d*x + c)/((a^4 - 2*a^2*b^2 + b^4)*d)) - 8*a
^2*b*integrate(e^(4*d*x + 4*c)/((a + b)*e^(6*d*x + 6*c) + 3*(a - b)*e^(4*d*
x + 4*c) + 3*(a + b)*e^(2*d*x + 2*c) + a - b), x)/(a^3 + a^2*b - a*b^2 - b^
3) + 8*a*b^2*integrate(e^(4*d*x + 4*c)/((a + b)*e^(6*d*x + 6*c) + 3*(a - b)
*e^(4*d*x + 4*c) + 3*(a + b)*e^(2*d*x + 2*c) + a - b), x)/(a^3 + a^2*b - a*
b^2 - b^3) - 2*b^3*integrate(e^(4*d*x + 4*c)/((a + b)*e^(6*d*x + 6*c) + 3*(
a - b)*e^(4*d*x + 4*c) + 3*(a + b)*e^(2*d*x + 2*c) + a - b), x)/(a^3 + a^2*
b - a*b^2 - b^3) - 4*a^2*b*integrate(e^(2*d*x + 2*c)/((a + b)*e^(6*d*x + 6*
c) + 3*(a - b)*e^(4*d*x + 4*c) + 3*(a + b)*e^(2*d*x + 2*c) + a - b), x)/(a^
3 + a^2*b - a*b^2 - b^3) + 4*b^3*integrate(e^(2*d*x + 2*c)/((a + b)*e^(6*d*
x + 6*c) + 3*(a - b)*e^(4*d*x + 4*c) + 3*(a + b)*e^(2*d*x + 2*c) + a - b),
x)/(a^3 + a^2*b - a*b^2 - b^3) - 1/8*(4*(a^2*d*e^(2*c) - 3*a*b*d*e^(2*c) +
2*b^2*d*e^(2*c))*x*e^(2*d*x) + a^2 + 2*a*b + b^2 - (a^2*e^(4*c) - b^2*e^(4*
c))*e^(4*d*x))*e^(-2*d*x)/(a^3*d*e^(2*c) + a^2*b*d*e^(2*c) - a*b^2*d*e^(2*c
) - b^3*d*e^(2*c))
```

**Fricas [C]** time = 16.0621, size = 22579, normalized size = 58.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sinh(d*x+c)^2/(a+b*tanh(d*x+c)^3),x, algorithm="fricas")
```

```
[Out] -1/72*(36*(a^3 + 4*a^2*b + 5*a*b^2 + 2*b^3)*d*x*cosh(d*x + c)^2 - 9*(a^3 -
a^2*b - a*b^2 + b^3)*cosh(d*x + c)^4 - 36*(a^3 - a^2*b - a*b^2 + b^3)*cosh(
d*x + c)*sinh(d*x + c)^3 - 9*(a^3 - a^2*b - a*b^2 + b^3)*sinh(d*x + c)^4 +
9*a^3 + 9*a^2*b - 9*a*b^2 - 9*b^3 - 4*((a^4 - 2*a^2*b^2 + b^4)*d*cosh(d*x +
c)^2 + 2*(a^4 - 2*a^2*b^2 + b^4)*d*cosh(d*x + c)*sinh(d*x + c) + (a^4 - 2*
a^2*b^2 + b^4)*d*sinh(d*x + c)^2)*((b^2/(a^4*d^2 - 2*a^2*b^2*d^2 + b^4*d^2)
- (2*a^2*b + b^3)^2/(a^4*d - 2*a^2*b^2*d + b^4*d)^2)*(-I*sqrt(3) + 1)/(-1/
18*(2*a^2*b + b^3)*b^2/((a^4*d^2 - 2*a^2*b^2*d^2 + b^4*d^2)*(a^4*d - 2*a^2*
b^2*d + b^4*d)) + 1/27*(2*a^2*b + b^3)^3/(a^4*d - 2*a^2*b^2*d + b^4*d)^3 +
1/54*b/(a^4*d^3 - 2*a^2*b^2*d^3 + b^4*d^3) + 1/54*(a^2 + 8*b^2)*a^2*b/((a^2
- b^2)^4*d^3))^(1/3) - 9*(-1/18*(2*a^2*b + b^3)*b^2/((a^4*d^2 - 2*a^2*b^2*
d^2 + b^4*d^2)*(a^4*d - 2*a^2*b^2*d + b^4*d)) + 1/27*(2*a^2*b + b^3)^3/(a^4
```

$$\begin{aligned}
& *d - 2*a^2*b^2*d + b^4*d)^3 + 1/54*b/(a^4*d^3 - 2*a^2*b^2*d^3 + b^4*d^3) + \\
& 1/54*(a^2 + 8*b^2)*a^2*b/((a^2 - b^2)^4*d^3))^{(1/3)}*(I*\sqrt{3} + 1) + 6*(2* \\
& a^2*b + b^3)/(a^4*d - 2*a^2*b^2*d + b^4*d))*\log(1/18*(a^5 + 2*a^4*b - 2*a^3 \\
& *b^2 - 4*a^2*b^3 + a*b^4 + 2*b^5))*((b^2/(a^4*d^2 - 2*a^2*b^2*d^2 + b^4*d^2) \\
& - (2*a^2*b + b^3)^2/(a^4*d - 2*a^2*b^2*d + b^4*d)^2)*(-I*\sqrt{3} + 1)/(-1/ \\
& 18*(2*a^2*b + b^3)*b^2/((a^4*d^2 - 2*a^2*b^2*d^2 + b^4*d^2)*(a^4*d - 2*a^2* \\
& b^2*d + b^4*d)) + 1/27*(2*a^2*b + b^3)^3/(a^4*d - 2*a^2*b^2*d + b^4*d)^3 + \\
& 1/54*b/(a^4*d^3 - 2*a^2*b^2*d^3 + b^4*d^3) + 1/54*(a^2 + 8*b^2)*a^2*b/((a^2 \\
& - b^2)^4*d^3))^{(1/3)} - 9*(-1/18*(2*a^2*b + b^3)*b^2/((a^4*d^2 - 2*a^2*b^2* \\
& d^2 + b^4*d^2)*(a^4*d - 2*a^2*b^2*d + b^4*d)) + 1/27*(2*a^2*b + b^3)^3/(a^4 \\
& *d - 2*a^2*b^2*d + b^4*d)^3 + 1/54*b/(a^4*d^3 - 2*a^2*b^2*d^3 + b^4*d^3) + \\
& 1/54*(a^2 + 8*b^2)*a^2*b/((a^2 - b^2)^4*d^3))^{(1/3)}*(I*\sqrt{3} + 1) + 6*(2* \\
& a^2*b + b^3)/(a^4*d - 2*a^2*b^2*d + b^4*d))^2*d^2 + a^3 + 2*a^2*b + 2*a*b^2 \\
& + 4*b^3 - 1/3*(a^4 + 3*a^3*b + 13*a^2*b^2 + 6*a*b^3 + 4*b^4))*((b^2/(a^4*d^ \\
& 2 - 2*a^2*b^2*d^2 + b^4*d^2) - (2*a^2*b + b^3)^2/(a^4*d - 2*a^2*b^2*d + b^4 \\
& *d)^2)*(-I*\sqrt{3} + 1)/(-1/18*(2*a^2*b + b^3)*b^2/((a^4*d^2 - 2*a^2*b^2*d^ \\
& 2 + b^4*d^2)*(a^4*d - 2*a^2*b^2*d + b^4*d)) + 1/27*(2*a^2*b + b^3)^3/(a^4*d \\
& - 2*a^2*b^2*d + b^4*d)^3 + 1/54*b/(a^4*d^3 - 2*a^2*b^2*d^3 + b^4*d^3) + 1/ \\
& 54*(a^2 + 8*b^2)*a^2*b/((a^2 - b^2)^4*d^3))^{(1/3)} - 9*(-1/18*(2*a^2*b + b^3 \\
& )*b^2/((a^4*d^2 - 2*a^2*b^2*d^2 + b^4*d^2)*(a^4*d - 2*a^2*b^2*d + b^4*d)) + \\
& 1/27*(2*a^2*b + b^3)^3/(a^4*d - 2*a^2*b^2*d + b^4*d)^3 + 1/54*b/(a^4*d^3 - \\
& 2*a^2*b^2*d^3 + b^4*d^3) + 1/54*(a^2 + 8*b^2)*a^2*b/((a^2 - b^2)^4*d^3))^{( \\
& 1/3)}*(I*\sqrt{3} + 1) + 6*(2*a^2*b + b^3)/(a^4*d - 2*a^2*b^2*d + b^4*d))*d + \\
& (a^3 + 8*a*b^2)*\cosh(d*x + c)^2 + 2*(a^3 + 8*a*b^2)*\cosh(d*x + c)*\sinh(d*x \\
& + c) + (a^3 + 8*a*b^2)*\sinh(d*x + c)^2 + 18*(2*(a^3 + 4*a^2*b + 5*a*b^2 + \\
& 2*b^3)*d*x - 3*(a^3 - a^2*b - a*b^2 + b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^ \\
& 2 - 2*(18*(2*a^2*b + b^3)*\cosh(d*x + c)^2 + 36*(2*a^2*b + b^3)*\cosh(d*x + c \\
& )*\sinh(d*x + c) + 18*(2*a^2*b + b^3)*\sinh(d*x + c)^2 - ((a^4 - 2*a^2*b^2 + \\
& b^4)*d*\cosh(d*x + c)^2 + 2*(a^4 - 2*a^2*b^2 + b^4)*d*\cosh(d*x + c)*\sinh(d*x \\
& + c) + (a^4 - 2*a^2*b^2 + b^4)*d*\sinh(d*x + c)^2)*((b^2/(a^4*d^2 - 2*a^2*b \\
& ^2*d^2 + b^4*d^2) - (2*a^2*b + b^3)^2/(a^4*d - 2*a^2*b^2*d + b^4*d)^2)*(-I* \\
& \sqrt{3} + 1)/(-1/18*(2*a^2*b + b^3)*b^2/((a^4*d^2 - 2*a^2*b^2*d^2 + b^4*d^2) \\
& )*(a^4*d - 2*a^2*b^2*d + b^4*d)) + 1/27*(2*a^2*b + b^3)^3/(a^4*d - 2*a^2*b^ \\
& 2*d + b^4*d)^3 + 1/54*b/(a^4*d^3 - 2*a^2*b^2*d^3 + b^4*d^3) + 1/54*(a^2 + 8 \\
& *b^2)*a^2*b/((a^2 - b^2)^4*d^3))^{(1/3)} - 9*(-1/18*(2*a^2*b + b^3)*b^2/((a^4 \\
& *d^2 - 2*a^2*b^2*d^2 + b^4*d^2)*(a^4*d - 2*a^2*b^2*d + b^4*d)) + 1/27*(2*a^ \\
& 2*b + b^3)^3/(a^4*d - 2*a^2*b^2*d + b^4*d)^3 + 1/54*b/(a^4*d^3 - 2*a^2*b^2* \\
& d^3 + b^4*d^3) + 1/54*(a^2 + 8*b^2)*a^2*b/((a^2 - b^2)^4*d^3))^{(1/3)}*(I*\sqrt{ \\
& t(3) + 1) + 6*(2*a^2*b + b^3)/(a^4*d - 2*a^2*b^2*d + b^4*d)) - 3*\sqrt{1/3)* \\
& ((a^4 - 2*a^2*b^2 + b^4)*d*\cosh(d*x + c)^2 + 2*(a^4 - 2*a^2*b^2 + b^4)*d*co \\
& sh(d*x + c)*\sinh(d*x + c) + (a^4 - 2*a^2*b^2 + b^4)*d*\sinh(d*x + c)^2)*\sqrt{ \\
& ((288*a^4*b^2 + 720*a^2*b^4 - 36*b^6 - (a^8 - 4*a^6*b^2 + 6*a^4*b^4 - 4*a^2 \\
& *b^6 + b^8))*((b^2/(a^4*d^2 - 2*a^2*b^2*d^2 + b^4*d^2) - (2*a^2*b + b^3)^2/( \\
& a^4*d - 2*a^2*b^2*d + b^4*d)^2)*(-I*\sqrt{3} + 1)/(-1/18*(2*a^2*b + b^3)*b^2 \\
& /((a^4*d^2 - 2*a^2*b^2*d^2 + b^4*d^2)*(a^4*d - 2*a^2*b^2*d + b^4*d)) + 1/27
\end{aligned}$$

$$\begin{aligned}
&*(2*a^2*b + b^3)^3/(a^4*d - 2*a^2*b^2*d + b^4*d)^3 + 1/54*b/(a^4*d^3 - 2*a^2*b^2*d^3 + b^4*d^3) + 1/54*(a^2 + 8*b^2)*a^2*b/((a^2 - b^2)^4*d^3))^{(1/3)} \\
&- 9*(-1/18*(2*a^2*b + b^3)*b^2/((a^4*d^2 - 2*a^2*b^2*d^2 + b^4*d^2)*(a^4*d - 2*a^2*b^2*d + b^4*d)) + 1/27*(2*a^2*b + b^3)^3/(a^4*d - 2*a^2*b^2*d + b^4*d)^3 + 1/54*b/(a^4*d^3 - 2*a^2*b^2*d^3 + b^4*d^3) + 1/54*(a^2 + 8*b^2)*a^2*b/((a^2 - b^2)^4*d^3))^{(1/3)}*(I*sqrt(3) + 1) + 6*(2*a^2*b + b^3)/(a^4*d - 2*a^2*b^2*d + b^4*d))^2*d^2 + 12*(2*a^6*b - 3*a^4*b^3 + b^7)*((b^2/(a^4*d^2 - 2*a^2*b^2*d^2 + b^4*d^2) - (2*a^2*b + b^3)^2/(a^4*d - 2*a^2*b^2*d + b^4*d)^2)*(-I*sqrt(3) + 1)/(-1/18*(2*a^2*b + b^3)*b^2/((a^4*d^2 - 2*a^2*b^2*d^2 + b^4*d^2)*(a^4*d - 2*a^2*b^2*d + b^4*d)) + 1/27*(2*a^2*b + b^3)^3/(a^4*d - 2*a^2*b^2*d + b^4*d)^3 + 1/54*b/(a^4*d^3 - 2*a^2*b^2*d^3 + b^4*d^3) + 1/54*(a^2 + 8*b^2)*a^2*b/((a^2 - b^2)^4*d^3))^{(1/3)} - 9*(-1/18*(2*a^2*b + b^3)*b^2/((a^4*d^2 - 2*a^2*b^2*d^2 + b^4*d^2)*(a^4*d - 2*a^2*b^2*d + b^4*d)) + 1/27*(2*a^2*b + b^3)^3/(a^4*d - 2*a^2*b^2*d + b^4*d)^3 + 1/54*b/(a^4*d^3 - 2*a^2*b^2*d^3 + b^4*d^3) + 1/54*(a^2 + 8*b^2)*a^2*b/((a^2 - b^2)^4*d^3))^{(1/3)}*(I*sqrt(3) + 1) + 6*(2*a^2*b + b^3)/(a^4*d - 2*a^2*b^2*d + b^4*d))*d)/((a^8 - 4*a^6*b^2 + 6*a^4*b^4 - 4*a^2*b^6 + b^8)*d^2))*log(-1/36*(a^6 + 3*a^5*b - 6*a^3*b^3 - 3*a^2*b^4 + 3*a*b^5 + 2*b^6)*((b^2/(a^4*d^2 - 2*a^2*b^2*d^2 + b^4*d^2) - (2*a^2*b + b^3)^2/(a^4*d - 2*a^2*b^2*d + b^4*d)^2)*(-I*sqrt(3) + 1)/(-1/18*(2*a^2*b + b^3)*b^2/((a^4*d^2 - 2*a^2*b^2*d^2 + b^4*d^2)*(a^4*d - 2*a^2*b^2*d + b^4*d)) + 1/27*(2*a^2*b + b^3)^3/(a^4*d - 2*a^2*b^2*d + b^4*d)^3 + 1/54*b/(a^4*d^3 - 2*a^2*b^2*d^3 + b^4*d^3) + 1/54*(a^2 + 8*b^2)*a^2*b/((a^2 - b^2)^4*d^3))^{(1/3)} - 9*(-1/18*(2*a^2*b + b^3)*b^2/((a^4*d^2 - 2*a^2*b^2*d^2 + b^4*d^2)*(a^4*d - 2*a^2*b^2*d + b^4*d)) + 1/27*(2*a^2*b + b^3)^3/(a^4*d - 2*a^2*b^2*d + b^4*d)^3 + 1/54*b/(a^4*d^3 - 2*a^2*b^2*d^3 + b^4*d^3) + 1/54*(a^2 + 8*b^2)*a^2*b/((a^2 - b^2)^4*d^3))^{(1/3)}*(I*sqrt(3) + 1) + 6*(2*a^2*b + b^3)/(a^4*d - 2*a^2*b^2*d + b^4*d))^2*d^2 + a^4 - 3*a^3*b + 10*a^2*b^2 - 15*a*b^3 - 2*b^4 + 1/6*(a^5 + 4*a^4*b + 16*a^3*b^2 + 19*a^2*b^3 + 10*a*b^4 + 4*b^5)*((b^2/(a^4*d^2 - 2*a^2*b^2*d^2 + b^4*d^2) - (2*a^2*b + b^3)^2/(a^4*d - 2*a^2*b^2*d + b^4*d)^2)*(-I*sqrt(3) + 1)/(-1/18*(2*a^2*b + b^3)*b^2/((a^4*d^2 - 2*a^2*b^2*d^2 + b^4*d^2)*(a^4*d - 2*a^2*b^2*d + b^4*d)) + 1/27*(2*a^2*b + b^3)^3/(a^4*d - 2*a^2*b^2*d + b^4*d)^3 + 1/54*b/(a^4*d^3 - 2*a^2*b^2*d^3 + b^4*d^3) + 1/54*(a^2 + 8*b^2)*a^2*b/((a^2 - b^2)^4*d^3))^{(1/3)} - 9*(-1/18*(2*a^2*b + b^3)*b^2/((a^4*d^2 - 2*a^2*b^2*d^2 + b^4*d^2)*(a^4*d - 2*a^2*b^2*d + b^4*d)) + 1/27*(2*a^2*b + b^3)^3/(a^4*d - 2*a^2*b^2*d + b^4*d)^3 + 1/54*b/(a^4*d^3 - 2*a^2*b^2*d^3 + b^4*d^3) + 1/54*(a^2 + 8*b^2)*a^2*b/((a^2 - b^2)^4*d^3))^{(1/3)}*(I*sqrt(3) + 1) + 6*(2*a^2*b + b^3)/(a^4*d - 2*a^2*b^2*d + b^4*d))*d + (a^4 + a^3*b + 8*a^2*b^2 + 8*a*b^3)*cosh(d*x + c)^2 + 2*(a^4 + a^3*b + 8*a^2*b^2 + 8*a*b^3)*cosh(d*x + c)*sinh(d*x + c) + (a^4 + a^3*b + 8*a^2*b^2 + 8*a*b^3)*sinh(d*x + c)^2 + 1/12*sqrt(1/3)*((a^6 + 3*a^5*b - 6*a^3*b^3 - 3*a^2*b^4 + 3*a*b^5 + 2*b^6)*((b^2/(a^4*d^2 - 2*a^2*b^2*d^2 + b^4*d^2) - (2*a^2*b + b^3)^2/(a^4*d - 2*a^2*b^2*d + b^4*d)^2)*(-I*sqrt(3) + 1)/(-1/18*(2*a^2*b + b^3)*b^2/((a^4*d^2 - 2*a^2*b^2*d^2 + b^4*d^2)*(a^4*d - 2*a^2*b^2*d + b^4*d)) + 1/27*(2*a^2*b + b^3)^3/(a^4*d - 2*a^2*b^2*d + b^4*d)^3 + 1/54*b/(a^4*d^3 - 2*a^2*b^2*d^3 + b^4*d^3)
\end{aligned}$$

$$\begin{aligned}
& ) + 1/54*(a^2 + 8*b^2)*a^2*b/((a^2 - b^2)^4*d^3)^{(1/3)} - 9*(-1/18*(2*a^2*b \\
& + b^3)*b^2/((a^4*d^2 - 2*a^2*b^2*d^2 + b^4*d^2)*(a^4*d - 2*a^2*b^2*d + b^4 \\
& *d)) + 1/27*(2*a^2*b + b^3)^3/(a^4*d - 2*a^2*b^2*d + b^4*d)^3 + 1/54*b/(a^4 \\
& *d^3 - 2*a^2*b^2*d^3 + b^4*d^3) + 1/54*(a^2 + 8*b^2)*a^2*b/((a^2 - b^2)^4*d \\
& ^3)^{(1/3)}*(I*sqrt(3) + 1) + 6*(2*a^2*b + b^3)/(a^4*d - 2*a^2*b^2*d + b^4*d \\
& ))*d^2 + 6*(a^5 - 2*a^4*b - 2*a^3*b^2 + 4*a^2*b^3 + a*b^4 - 2*b^5)*d)*sqrt( \\
& (288*a^4*b^2 + 720*a^2*b^4 - 36*b^6 - (a^8 - 4*a^6*b^2 + 6*a^4*b^4 - 4*a^2* \\
& b^6 + b^8))*((b^2/(a^4*d^2 - 2*a^2*b^2*d^2 + b^4*d^2) - (2*a^2*b + b^3)^2/(a \\
& ^4*d - 2*a^2*b^2*d + b^4*d)^2)*(-I*sqrt(3) + 1)/(-1/18*(2*a^2*b + b^3)*b^2/ \\
& ((a^4*d^2 - 2*a^2*b^2*d^2 + b^4*d^2)*(a^4*d - 2*a^2*b^2*d + b^4*d)) + 1/27* \\
& (2*a^2*b + b^3)^3/(a^4*d - 2*a^2*b^2*d + b^4*d)^3 + 1/54*b/(a^4*d^3 - 2*a^2 \\
& *b^2*d^3 + b^4*d^3) + 1/54*(a^2 + 8*b^2)*a^2*b/((a^2 - b^2)^4*d^3)^{(1/3)} - \\
& 9*(-1/18*(2*a^2*b + b^3)*b^2/((a^4*d^2 - 2*a^2*b^2*d^2 + b^4*d^2)*(a^4*d - \\
& 2*a^2*b^2*d + b^4*d)) + 1/27*(2*a^2*b + b^3)^3/(a^4*d - 2*a^2*b^2*d + b^4* \\
& d)^3 + 1/54*b/(a^4*d^3 - 2*a^2*b^2*d^3 + b^4*d^3) + 1/54*(a^2 + 8*b^2)*a^2* \\
& b/((a^2 - b^2)^4*d^3)^{(1/3)}*(I*sqrt(3) + 1) + 6*(2*a^2*b + b^3)/(a^4*d - 2 \\
& *a^2*b^2*d + b^4*d))^2*d^2 + 12*(2*a^6*b - 3*a^4*b^3 + b^7))*((b^2/(a^4*d^2 \\
& - 2*a^2*b^2*d^2 + b^4*d^2) - (2*a^2*b + b^3)^2/(a^4*d - 2*a^2*b^2*d + b^4*d \\
& )^2)*(-I*sqrt(3) + 1)/(-1/18*(2*a^2*b + b^3)*b^2/((a^4*d^2 - 2*a^2*b^2*d^2 \\
& + b^4*d^2)*(a^4*d - 2*a^2*b^2*d + b^4*d)) + 1/27*(2*a^2*b + b^3)^3/(a^4*d - \\
& 2*a^2*b^2*d + b^4*d)^3 + 1/54*b/(a^4*d^3 - 2*a^2*b^2*d^3 + b^4*d^3) + 1/54 \\
& *(a^2 + 8*b^2)*a^2*b/((a^2 - b^2)^4*d^3)^{(1/3)} - 9*(-1/18*(2*a^2*b + b^3)* \\
& b^2/((a^4*d^2 - 2*a^2*b^2*d^2 + b^4*d^2)*(a^4*d - 2*a^2*b^2*d + b^4*d)) + 1 \\
& /27*(2*a^2*b + b^3)^3/(a^4*d - 2*a^2*b^2*d + b^4*d)^3 + 1/54*b/(a^4*d^3 - 2 \\
& *a^2*b^2*d^3 + b^4*d^3) + 1/54*(a^2 + 8*b^2)*a^2*b/((a^2 - b^2)^4*d^3)^{(1/ \\
& 3)}*(I*sqrt(3) + 1) + 6*(2*a^2*b + b^3)/(a^4*d - 2*a^2*b^2*d + b^4*d))*d/(( \\
& a^8 - 4*a^6*b^2 + 6*a^4*b^4 - 4*a^2*b^6 + b^8)*d^2))) - 2*(18*(2*a^2*b + b^ \\
& 3)*cosh(d*x + c)^2 + 36*(2*a^2*b + b^3)*cosh(d*x + c)*sinh(d*x + c) + 18*(2 \\
& *a^2*b + b^3)*sinh(d*x + c)^2 - ((a^4 - 2*a^2*b^2 + b^4)*d*cosh(d*x + c)^2 \\
& + 2*(a^4 - 2*a^2*b^2 + b^4)*d*cosh(d*x + c)*sinh(d*x + c) + (a^4 - 2*a^2*b^ \\
& 2 + b^4)*d*sinh(d*x + c)^2)*((b^2/(a^4*d^2 - 2*a^2*b^2*d^2 + b^4*d^2) - (2* \\
& a^2*b + b^3)^2/(a^4*d - 2*a^2*b^2*d + b^4*d)^2)*(-I*sqrt(3) + 1)/(-1/18*(2* \\
& a^2*b + b^3)*b^2/((a^4*d^2 - 2*a^2*b^2*d^2 + b^4*d^2)*(a^4*d - 2*a^2*b^2*d \\
& + b^4*d)) + 1/27*(2*a^2*b + b^3)^3/(a^4*d - 2*a^2*b^2*d + b^4*d)^3 + 1/54*b \\
& /(a^4*d^3 - 2*a^2*b^2*d^3 + b^4*d^3) + 1/54*(a^2 + 8*b^2)*a^2*b/((a^2 - b^2 \\
& )^4*d^3)^{(1/3)} - 9*(-1/18*(2*a^2*b + b^3)*b^2/((a^4*d^2 - 2*a^2*b^2*d^2 + \\
& b^4*d^2)*(a^4*d - 2*a^2*b^2*d + b^4*d)) + 1/27*(2*a^2*b + b^3)^3/(a^4*d - 2 \\
& *a^2*b^2*d + b^4*d)^3 + 1/54*b/(a^4*d^3 - 2*a^2*b^2*d^3 + b^4*d^3) + 1/54*( \\
& a^2 + 8*b^2)*a^2*b/((a^2 - b^2)^4*d^3)^{(1/3)}*(I*sqrt(3) + 1) + 6*(2*a^2*b \\
& + b^3)/(a^4*d - 2*a^2*b^2*d + b^4*d)) + 3*sqrt(1/3)*((a^4 - 2*a^2*b^2 + b^4 \\
& )*d*cosh(d*x + c)^2 + 2*(a^4 - 2*a^2*b^2 + b^4)*d*cosh(d*x + c)*sinh(d*x + \\
& c) + (a^4 - 2*a^2*b^2 + b^4)*d*sinh(d*x + c)^2)*sqrt((288*a^4*b^2 + 720*a^2 \\
& *b^4 - 36*b^6 - (a^8 - 4*a^6*b^2 + 6*a^4*b^4 - 4*a^2*b^6 + b^8))*((b^2/(a^4* \\
& d^2 - 2*a^2*b^2*d^2 + b^4*d^2) - (2*a^2*b + b^3)^2/(a^4*d - 2*a^2*b^2*d + b \\
& ^4*d)^2)*(-I*sqrt(3) + 1)/(-1/18*(2*a^2*b + b^3)*b^2/((a^4*d^2 - 2*a^2*b^2*
\end{aligned}$$

$$\begin{aligned}
& d^2 + b^4 d^2) * (a^4 d - 2 a^2 b^2 d + b^4 d) + 1/27 * (2 a^2 b + b^3)^3 / (a^4 \\
& * d - 2 a^2 b^2 d + b^4 d)^3 + 1/54 * b / (a^4 d^3 - 2 a^2 b^2 d^3 + b^4 d^3) + \\
& 1/54 * (a^2 + 8 b^2) * a^2 b / ((a^2 - b^2)^4 d^3))^{1/3} - 9 * (-1/18 * (2 a^2 b + b^3) \\
& * b^2 / ((a^4 d^2 - 2 a^2 b^2 d^2 + b^4 d^2) * (a^4 d - 2 a^2 b^2 d + b^4 d)) \\
& + 1/27 * (2 a^2 b + b^3)^3 / (a^4 d - 2 a^2 b^2 d + b^4 d)^3 + 1/54 * b / (a^4 d^3 \\
& - 2 a^2 b^2 d^3 + b^4 d^3) + 1/54 * (a^2 + 8 b^2) * a^2 b / ((a^2 - b^2)^4 d^3)) \\
& ^{(1/3)} * (I * \text{sqrt}(3) + 1) + 6 * (2 a^2 b + b^3) / (a^4 d - 2 a^2 b^2 d + b^4 d))^{2 \\
& * d^2 + 12 * (2 a^6 b - 3 a^4 b^3 + b^7) * ((b^2 / (a^4 d^2 - 2 a^2 b^2 d^2 + b^4 d \\
& d^2) - (2 a^2 b + b^3)^2 / (a^4 d - 2 a^2 b^2 d + b^4 d)^2) * (-I * \text{sqrt}(3) + 1) / \\
& (-1/18 * (2 a^2 b + b^3) * b^2 / ((a^4 d^2 - 2 a^2 b^2 d^2 + b^4 d^2) * (a^4 d - 2 \\
& a^2 b^2 d + b^4 d)) + 1/27 * (2 a^2 b + b^3)^3 / (a^4 d - 2 a^2 b^2 d + b^4 d)^3 \\
& + 1/54 * b / (a^4 d^3 - 2 a^2 b^2 d^3 + b^4 d^3) + 1/54 * (a^2 + 8 b^2) * a^2 b / ( \\
& (a^2 - b^2)^4 d^3))^{1/3} - 9 * (-1/18 * (2 a^2 b + b^3) * b^2 / ((a^4 d^2 - 2 a^2 b^2 \\
& b^2 d^2 + b^4 d^2) * (a^4 d - 2 a^2 b^2 d + b^4 d)) + 1/27 * (2 a^2 b + b^3)^3 / \\
& (a^4 d - 2 a^2 b^2 d + b^4 d)^3 + 1/54 * b / (a^4 d^3 - 2 a^2 b^2 d^3 + b^4 d^3 \\
& ) + 1/54 * (a^2 + 8 b^2) * a^2 b / ((a^2 - b^2)^4 d^3))^{1/3} * (I * \text{sqrt}(3) + 1) + 6 \\
& * (2 a^2 b + b^3) / (a^4 d - 2 a^2 b^2 d + b^4 d)) * d / ((a^8 - 4 a^6 b^2 + 6 a^4 \\
& 4 b^4 - 4 a^2 b^6 + b^8) * d^2)) * \log(-1/36 * (a^6 + 3 a^5 b - 6 a^3 b^3 - 3 a^2 \\
& 2 b^4 + 3 a b^5 + 2 b^6) * ((b^2 / (a^4 d^2 - 2 a^2 b^2 d^2 + b^4 d^2) - (2 a^2 \\
& * b + b^3)^2 / (a^4 d - 2 a^2 b^2 d + b^4 d)^2) * (-I * \text{sqrt}(3) + 1) / (-1/18 * (2 a^2 \\
& * b + b^3) * b^2 / ((a^4 d^2 - 2 a^2 b^2 d^2 + b^4 d^2) * (a^4 d - 2 a^2 b^2 d + b \\
& ^4 d)) + 1/27 * (2 a^2 b + b^3)^3 / (a^4 d - 2 a^2 b^2 d + b^4 d)^3 + 1/54 * b / (a \\
& ^4 d^3 - 2 a^2 b^2 d^3 + b^4 d^3) + 1/54 * (a^2 + 8 b^2) * a^2 b / ((a^2 - b^2)^4 \\
& * d^3))^{1/3} - 9 * (-1/18 * (2 a^2 b + b^3) * b^2 / ((a^4 d^2 - 2 a^2 b^2 d^2 + b^4 \\
& * d^2) * (a^4 d - 2 a^2 b^2 d + b^4 d)) + 1/27 * (2 a^2 b + b^3)^3 / (a^4 d - 2 a^2 \\
& 2 b^2 d + b^4 d)^3 + 1/54 * b / (a^4 d^3 - 2 a^2 b^2 d^3 + b^4 d^3) + 1/54 * (a^2 \\
& + 8 b^2) * a^2 b / ((a^2 - b^2)^4 d^3))^{1/3} * (I * \text{sqrt}(3) + 1) + 6 * (2 a^2 b + b \\
& ^3) / (a^4 d - 2 a^2 b^2 d + b^4 d))^{2 * d^2 + a^4 - 3 a^3 b + 10 a^2 b^2 - 15 \\
& a b^3 - 2 b^4 + 1/6 * (a^5 + 4 a^4 b + 16 a^3 b^2 + 19 a^2 b^3 + 10 a b^4 + 4 \\
& * b^5) * ((b^2 / (a^4 d^2 - 2 a^2 b^2 d^2 + b^4 d^2) - (2 a^2 b + b^3)^2 / (a^4 d \\
& - 2 a^2 b^2 d + b^4 d)^2) * (-I * \text{sqrt}(3) + 1) / (-1/18 * (2 a^2 b + b^3) * b^2 / ((a^4 \\
& * d^2 - 2 a^2 b^2 d^2 + b^4 d^2) * (a^4 d - 2 a^2 b^2 d + b^4 d)) + 1/27 * (2 a^2 \\
& 2 b + b^3)^3 / (a^4 d - 2 a^2 b^2 d + b^4 d)^3 + 1/54 * b / (a^4 d^3 - 2 a^2 b^2 * \\
& d^3 + b^4 d^3) + 1/54 * (a^2 + 8 b^2) * a^2 b / ((a^2 - b^2)^4 d^3))^{1/3} - 9 * (- \\
& 1/18 * (2 a^2 b + b^3) * b^2 / ((a^4 d^2 - 2 a^2 b^2 d^2 + b^4 d^2) * (a^4 d - 2 a^2 \\
& 2 b^2 d + b^4 d)) + 1/27 * (2 a^2 b + b^3)^3 / (a^4 d - 2 a^2 b^2 d + b^4 d)^3 \\
& + 1/54 * b / (a^4 d^3 - 2 a^2 b^2 d^3 + b^4 d^3) + 1/54 * (a^2 + 8 b^2) * a^2 b / ((a \\
& ^2 - b^2)^4 d^3))^{1/3} * (I * \text{sqrt}(3) + 1) + 6 * (2 a^2 b + b^3) / (a^4 d - 2 a^2 b^2 \\
& b^2 d + b^4 d)) * d + (a^4 + a^3 b + 8 a^2 b^2 + 8 a b^3) * \cosh(d * x + c)^2 + 2 \\
& * (a^4 + a^3 b + 8 a^2 b^2 + 8 a b^3) * \cosh(d * x + c) * \sinh(d * x + c) + (a^4 + a \\
& ^3 b + 8 a^2 b^2 + 8 a b^3) * \sinh(d * x + c)^2 - 1/12 * \text{sqrt}(1/3) * ((a^6 + 3 a^5 \\
& b - 6 a^3 b^3 - 3 a^2 b^4 + 3 a b^5 + 2 b^6) * ((b^2 / (a^4 d^2 - 2 a^2 b^2 d^2 \\
& + b^4 d^2) - (2 a^2 b + b^3)^2 / (a^4 d - 2 a^2 b^2 d + b^4 d)^2) * (-I * \text{sqrt}(3) \\
& ) + 1) / (-1/18 * (2 a^2 b + b^3) * b^2 / ((a^4 d^2 - 2 a^2 b^2 d^2 + b^4 d^2) * (a^4 \\
& * d - 2 a^2 b^2 d + b^4 d)) + 1/27 * (2 a^2 b + b^3)^3 / (a^4 d - 2 a^2 b^2 d +
\end{aligned}$$

$$\begin{aligned}
& b^4 d^3 + 1/54 b / (a^4 d^3 - 2 a^2 b^2 d^3 + b^4 d^3) + 1/54 (a^2 + 8 b^2) * \\
& a^2 b / ((a^2 - b^2)^4 d^3)^{1/3} - 9 * (-1/18 * (2 a^2 b + b^3) * b^2 / ((a^4 d^2 - \\
& 2 a^2 b^2 d^2 + b^4 d^2) * (a^4 d - 2 a^2 b^2 d + b^4 d)) + 1/27 * (2 a^2 b + \\
& b^3)^3 / (a^4 d - 2 a^2 b^2 d + b^4 d)^3 + 1/54 b / (a^4 d^3 - 2 a^2 b^2 d^3 + \\
& b^4 d^3) + 1/54 (a^2 + 8 b^2) * a^2 b / ((a^2 - b^2)^4 d^3)^{1/3} * (I * \sqrt{3} + \\
& 1) + 6 * (2 a^2 b + b^3) / (a^4 d - 2 a^2 b^2 d + b^4 d) * d^2 + 6 * (a^5 - 2 a^4 \\
& * b - 2 a^3 b^2 + 4 a^2 b^3 + a b^4 - 2 b^5) * d * \sqrt{(288 a^4 b^2 + 720 a^2 * \\
& b^4 - 36 b^6 - (a^8 - 4 a^6 b^2 + 6 a^4 b^4 - 4 a^2 b^6 + b^8) * ((b^2 / (a^4 d \\
& ^2 - 2 a^2 b^2 d^2 + b^4 d^2) - (2 a^2 b + b^3)^2 / (a^4 d - 2 a^2 b^2 d + b^4 \\
& d)^2) * (-I * \sqrt{3} + 1) / (-1/18 * (2 a^2 b + b^3) * b^2 / ((a^4 d^2 - 2 a^2 b^2 d \\
& ^2 + b^4 d^2) * (a^4 d - 2 a^2 b^2 d + b^4 d)) + 1/27 * (2 a^2 b + b^3)^3 / (a^4 d \\
& d - 2 a^2 b^2 d + b^4 d)^3 + 1/54 b / (a^4 d^3 - 2 a^2 b^2 d^3 + b^4 d^3) + 1 \\
& / 54 (a^2 + 8 b^2) * a^2 b / ((a^2 - b^2)^4 d^3)^{1/3} - 9 * (-1/18 * (2 a^2 b + b^3) * b^2 / ((a^4 d^2 - 2 a^2 b^2 d^2 + b^4 d^2) * (a^4 d - 2 a^2 b^2 d + b^4 d)) \\
& + 1/27 * (2 a^2 b + b^3)^3 / (a^4 d - 2 a^2 b^2 d + b^4 d)^3 + 1/54 b / (a^4 d^3 - \\
& 2 a^2 b^2 d^3 + b^4 d^3) + 1/54 (a^2 + 8 b^2) * a^2 b / ((a^2 - b^2)^4 d^3)^{1/3} * \\
& (I * \sqrt{3} + 1) + 6 * (2 a^2 b + b^3) / (a^4 d - 2 a^2 b^2 d + b^4 d)^2 * \\
& d^2 + 12 * (2 a^6 b - 3 a^4 b^3 + b^7) * ((b^2 / (a^4 d^2 - 2 a^2 b^2 d^2 + b^4 d^2) - \\
& (2 a^2 b + b^3)^2 / (a^4 d - 2 a^2 b^2 d + b^4 d)^2) * (-I * \sqrt{3} + 1) / ( \\
& -1/18 * (2 a^2 b + b^3) * b^2 / ((a^4 d^2 - 2 a^2 b^2 d^2 + b^4 d^2) * (a^4 d - 2 a \\
& ^2 b^2 d + b^4 d)) + 1/27 * (2 a^2 b + b^3)^3 / (a^4 d - 2 a^2 b^2 d + b^4 d)^3 \\
& + 1/54 b / (a^4 d^3 - 2 a^2 b^2 d^3 + b^4 d^3) + 1/54 (a^2 + 8 b^2) * a^2 b / (( \\
& a^2 - b^2)^4 d^3)^{1/3} - 9 * (-1/18 * (2 a^2 b + b^3) * b^2 / ((a^4 d^2 - 2 a^2 b^2 \\
& ^2 d^2 + b^4 d^2) * (a^4 d - 2 a^2 b^2 d + b^4 d)) + 1/27 * (2 a^2 b + b^3)^3 / ( \\
& a^4 d - 2 a^2 b^2 d + b^4 d)^3 + 1/54 b / (a^4 d^3 - 2 a^2 b^2 d^3 + b^4 d^3) \\
& + 1/54 (a^2 + 8 b^2) * a^2 b / ((a^2 - b^2)^4 d^3)^{1/3} * (I * \sqrt{3} + 1) + 6 * \\
& (2 a^2 b + b^3) / (a^4 d - 2 a^2 b^2 d + b^4 d) * d / ((a^8 - 4 a^6 b^2 + 6 a^4 \\
& * b^4 - 4 a^2 b^6 + b^8) * d^2)) + 36 * (2 * (a^3 + 4 a^2 b + 5 a b^2 + 2 b^3) * d * \\
& x * \cosh(d * x + c) - (a^3 - a^2 b - a b^2 + b^3) * \cosh(d * x + c)^3) * \sinh(d * x + c \\
& )) / ((a^4 - 2 a^2 b^2 + b^4) * d * \cosh(d * x + c)^2 + 2 * (a^4 - 2 a^2 b^2 + b^4) * d \\
& * \cosh(d * x + c) * \sinh(d * x + c) + (a^4 - 2 a^2 b^2 + b^4) * d * \sinh(d * x + c)^2)
\end{aligned}$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)\*\*2/(a+b\*tanh(d\*x+c)\*\*3),x)

[Out] Timed out

---

**Giac [A]** time = 1.78404, size = 301, normalized size = 0.78

$$\frac{12(a+2b)dx}{a^2-2ab+b^2} - \frac{3(2ae^{2dx+2c}+4be^{2dx+2c}-a+b)e^{-2dx}}{a^2e^{2c}-2abe^{2c}+b^2e^{2c}} - \frac{8(2a^2b+b^3)\log(|ae^{6dx+6c}+be^{6dx+6c}+3ae^{4dx+4c}-3be^{4dx+4c}+3ae^{2dx+2c}+3be^{2dx+2c}+a-b|)}{a^4-2a^2b^2+b^4}$$


---

$24d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^2/(a+b\*tanh(d\*x+c)^3),x, algorithm="giac")

[Out] 
$$\begin{aligned} & -1/24*(12*(a + 2*b)*d*x/(a^2 - 2*a*b + b^2) - 3*(2*a*e^{(2*d*x + 2*c)} + 4*b* \\ & e^{(2*d*x + 2*c)} - a + b)*e^{(-2*d*x)/(a^2*e^{(2*c)} - 2*a*b*e^{(2*c)} + b^2*e^{(2* \\ & *c))} - 8*(2*a^2*b + b^3)*\log(\text{abs}(a*e^{(6*d*x + 6*c)} + b*e^{(6*d*x + 6*c)} + 3* \\ & a*e^{(4*d*x + 4*c)} - 3*b*e^{(4*d*x + 4*c)} + 3*a*e^{(2*d*x + 2*c)} + 3*b*e^{(2*d* \\ & x + 2*c)} + a - b))/(a^4 - 2*a^2*b^2 + b^4) - 3*e^{(2*d*x + 10*c)}/(a*e^{(8*c)} \\ & + b*e^{(8*c)}))/d \end{aligned}$$



$$3.76 \quad \int \frac{\sinh(c+dx)}{a+b \tanh^3(c+dx)} dx$$

Optimal. Leaf size=30

$$-i\text{Unintegrable}\left(\frac{i \sinh(c+dx)}{a+b \tanh^3(c+dx)}, x\right)$$

[Out] (-I)\*Unintegrable[(I\*Sinh[c + d\*x])/(a + b\*Tanh[c + d\*x]^3), x]

**Rubi [A]** time = 0.0276825, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{\sinh(c+dx)}{a+b \tanh^3(c+dx)} dx$$

Verification is Not applicable to the result.

[In] Int[Sinh[c + d\*x]/(a + b\*Tanh[c + d\*x]^3), x]

[Out] (-I)\*Defer[Int] [(I\*Sinh[c + d\*x])/(a + b\*Tanh[c + d\*x]^3), x]

Rubi steps

$$\int \frac{\sinh(c+dx)}{a+b \tanh^3(c+dx)} dx = -\left(i \int \frac{i \sinh(c+dx)}{a+b \tanh^3(c+dx)} dx\right)$$

**Mathematica [A]** time = 0.226157, size = 409, normalized size = 13.63

$$b\text{RootSum}\left[\#1^6 a + 3\#1^4 a + 3\#1^2 a + \#1^6 b - 3\#1^4 b + 3\#1^2 b + a - b \&, \frac{4\#1^4 a \log(-\#1 \sinh(\frac{1}{2}(c+dx)) + \#1 \cosh(\frac{1}{2}(c+dx)) - \sinh(\frac{1}{2}(c+dx)))}{\dots}\right]$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]/(a + b\*Tanh[c + d\*x]^3), x]

```
[Out] (6*a*Cosh[c + d*x] + b*RootSum[a - b + 3*a*#1^2 + 3*b*#1^2 + 3*a*#1^4 - 3*b*#1^4 + a*#1^6 + b*#1^6 & , (2*a*c + b*c + 2*a*d*x + b*d*x + 4*a*Log[-Cosh[(c + d*x)/2] - Sinh[(c + d*x)/2] + Cosh[(c + d*x)/2]*#1 - Sinh[(c + d*x)/2]*#1] + 2*b*Log[-Cosh[(c + d*x)/2] - Sinh[(c + d*x)/2] + Cosh[(c + d*x)/2]*#1 - Sinh[(c + d*x)/2]*#1] + 2*a*c*#1^4 - b*c*#1^4 + 2*a*d*x*#1^4 - b*d*x*#1^4 + 4*a*Log[-Cosh[(c + d*x)/2] - Sinh[(c + d*x)/2] + Cosh[(c + d*x)/2]*#1 - Sinh[(c + d*x)/2]*#1]*#1^4 - 2*b*Log[-Cosh[(c + d*x)/2] - Sinh[(c + d*x)/2] + Cosh[(c + d*x)/2]*#1 - Sinh[(c + d*x)/2]*#1]*#1^4)/(a*#1 + b*#1 + 2*a*#1^3 - 2*b*#1^3 + a*#1^5 + b*#1^5) & ] - 6*b*Sinh[c + d*x])/(6*(a - b)*(a + b)*d)
```

**Maple [A]** time = 0.108, size = 164, normalized size = 5.5

$$-4 \frac{1}{d(4a + 4b)(\tanh(1/2 dx + c/2) - 1)} + \frac{b}{3d(a - b)(a + b)} \sum_{_R=\text{RootOf}(a_Z^6+3a_Z^4+8b_Z^3+3a_Z^2+a)} \frac{-R^4 a - 2_R^3 b + 6_R}{-R^5 a + 2_R^3 a + 4}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sinh(d*x+c)/(a+b*tanh(d*x+c)^3),x)
```

```
[Out] -4/d/(4*a+4*b)/(tanh(1/2*d*x+1/2*c)-1)+1/3/d*b/(a-b)/(a+b)*sum((_R^4*a-2*_R^3*b+6*_R^2*a-2*_R*b+a)/(_R^5*a+2*_R^3*a+4*_R^2*b+_R*a)*ln(tanh(1/2*d*x+1/2*c)-_R),_R=RootOf(_Z^6*a+3*_Z^4*a+8*_Z^3*b+3*_Z^2*a+a))+4/d/(4*a-4*b)/(tanh(1/2*d*x+1/2*c)+1)
```

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\frac{((ae^{2c} - be^{2c})e^{2dx} + a + b)e^{-dx}}{2(a^2de^c - b^2de^c)} + \frac{1}{2} \int \frac{4((2abe^{5c} - b^2e^{5c})e^{6dx} + 3(a^3e^{4c} - a^2be^{4c} - ab^2e^{4c} - b^3e^{4c}))e^{6dx}}{a^3 - a^2b - ab^2 + b^3 + (a^3e^{6c} + a^2be^{6c} - ab^2e^{6c} - b^3e^{6c})e^{6dx} + 3(a^3e^{4c} - a^2be^{4c} - ab^2e^{4c} - b^3e^{4c})e^{6dx}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sinh(d*x+c)/(a+b*tanh(d*x+c)^3),x, algorithm="maxima")
```

```
[Out] 1/2*((a*e^(2*c) - b*e^(2*c))*e^(2*d*x) + a + b)*e^(-d*x)/(a^2*d*e^c - b^2*d*e^c) + 1/2*integrate(4*((2*a*b*e^(5*c) - b^2*e^(5*c))*e^(5*d*x) + (2*a*b*e^c + b^2*e^c)*e^(d*x))/(a^3 - a^2*b - a*b^2 + b^3 + (a^3*e^(6*c) + a^2*b*e^(6*c) - a*b^2*e^(6*c) - b^3*e^(6*c))*e^(6*d*x) + 3*(a^3*e^(4*c) - a^2*b*e^(4*c) - a*b^2*e^(4*c) - b^3*e^(4*c))*e^(6*d*x)),x)
```

$4*c) - a*b^2*e^(4*c) + b^3*e^(4*c))*e^(4*d*x) + 3*(a^3*e^(2*c) + a^2*b*e^(2*c) - a*b^2*e^(2*c) - b^3*e^(2*c))*e^(2*d*x)), x)$

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)/(a+b\*tanh(d\*x+c)^3),x, algorithm="fricas")

[Out] Timed out

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)/(a+b\*tanh(d\*x+c)\*\*3),x)

[Out] Timed out

**Giac [A]** time = 1.62107, size = 263, normalized size = 8.77

$$\frac{e^{(dx+8c)}}{ae^{(7c)}+be^{(7c)}} + \frac{e^{-dx}}{ae^c-be^c} + \frac{6(2abe^c+b^2e^c)dx}{ad-bd} - \frac{(2abe^c+b^2e^c)\log(|ae^{(6dx+6c)}+be^{(6dx+6c)}+3ae^{(4dx+4c)}-3be^{(4dx+4c)}+3ae^{(2dx+2c)}+3be^{(2dx+2c)}+a-b|)}{ad-bd}}{3(a^2-b^2)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)/(a+b\*tanh(d\*x+c)^3),x, algorithm="giac")

[Out]  $1/2*(e^(d*x + 8*c)/(a*e^(7*c) + b*e^(7*c)) + e^(-d*x)/(a*e^c - b*e^c))/d + 1/3*(6*(2*a*b*e^c + b^2*e^c)*d*x/(a*d - b*d) - (2*a*b*e^c + b^2*e^c)*\log(\text{abs}(a*e^(6*d*x + 6*c) + b*e^(6*d*x + 6*c) + 3*a*e^(4*d*x + 4*c) - 3*b*e^(4*d*x + 4*c) + 3*a*e^(2*d*x + 2*c) + 3*b*e^(2*d*x + 2*c) + a - b)))/(a*d - b*d))/((a^2 - b^2)*d)$

$$3.77 \quad \int \frac{\operatorname{csch}(c+dx)}{a+b \tanh^3(c+dx)} dx$$

Optimal. Leaf size=30

$$i\operatorname{Unintegrable}\left(-\frac{\operatorname{icsch}(c+dx)}{a+b \tanh^3(c+dx)}, x\right)$$

[Out] I\*Unintegrable[((-I)\*Csch[c + d\*x])/(a + b\*Tanh[c + d\*x]^3), x]

**Rubi [A]** time = 0.0408265, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{\operatorname{csch}(c+dx)}{a+b \tanh^3(c+dx)} dx$$

Verification is Not applicable to the result.

[In] Int[Csch[c + d\*x]/(a + b\*Tanh[c + d\*x]^3), x]

[Out] I\*Defer[Int][((-I)\*Csch[c + d\*x])/(a + b\*Tanh[c + d\*x]^3), x]

Rubi steps

$$\int \frac{\operatorname{csch}(c+dx)}{a+b \tanh^3(c+dx)} dx = i \int -\frac{\operatorname{icsch}(c+dx)}{a+b \tanh^3(c+dx)} dx$$

**Mathematica [A]** time = 0.158439, size = 319, normalized size = 10.63

$$6 \log\left(\tanh\left(\frac{1}{2}(c+dx)\right)\right) - b \operatorname{RootSum}\left[\#1^6 a + 3\#1^4 a + 3\#1^2 a + \#1^6 b - 3\#1^4 b + 3\#1^2 b + a - b \&, \frac{2\#1^4 \log\left(-\#1 \sinh\left(\frac{1}{2}(c+dx)\right)\right)}{\dots}\right]$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]/(a + b\*Tanh[c + d\*x]^3), x]

[Out]  $(6*\text{Log}[\text{Tanh}[(c + d*x)/2]] - b*\text{RootSum}[a - b + 3*a*#1^2 + 3*b*#1^2 + 3*a*#1^4 - 3*b*#1^4 + a*#1^6 + b*#1^6 \& , (c + d*x + 2*\text{Log}[-\text{Cosh}[(c + d*x)/2] - \text{Sinh}[(c + d*x)/2] + \text{Cosh}[(c + d*x)/2]*#1 - \text{Sinh}[(c + d*x)/2]*#1] - 2*c*#1^2 - 2*d*x*#1^2 - 4*\text{Log}[-\text{Cosh}[(c + d*x)/2] - \text{Sinh}[(c + d*x)/2] + \text{Cosh}[(c + d*x)/2]*#1 - \text{Sinh}[(c + d*x)/2]*#1]*#1^2 + c*#1^4 + d*x*#1^4 + 2*\text{Log}[-\text{Cosh}[(c + d*x)/2] - \text{Sinh}[(c + d*x)/2] + \text{Cosh}[(c + d*x)/2]*#1 - \text{Sinh}[(c + d*x)/2]*#1]*#1^4)/(a*#1 + b*#1 + 2*a*#1^3 - 2*b*#1^3 + a*#1^5 + b*#1^5) \& ])/(6*a*d)$

**Maple [A]** time = 0.105, size = 98, normalized size = 3.3

$$\frac{1}{da} \ln \left( \tanh \left( \frac{dx}{2} + \frac{c}{2} \right) \right) - \frac{4b}{3da} \sum_{_R=\text{RootOf}(a_Z^6+3a_Z^4+8b_Z^3+3a_Z^2+a)} \frac{-R^2}{-R^5a+2_R^3a+4_R^2b+_Ra} \ln \left( \tanh \left( \frac{dx}{2} + \frac{c}{2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(csch(d*x+c)/(a+b*tanh(d*x+c)^3),x)`

[Out]  $1/d/a*\ln(\tanh(1/2*d*x+1/2*c))-4/3/d/a*b*\text{sum}(_R^2/(_R^5*a+2*_R^3*a+4*_R^2*b+_R*a)*\ln(\tanh(1/2*d*x+1/2*c)-_R),_R=\text{RootOf}(_Z^6*a+3*_Z^4*a+8*_Z^3*b+3*_Z^2*a+a))$

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$-\frac{\log\left(\left(e^{(dx+c)}+1\right)e^{-c}\right)}{ad} + \frac{\log\left(\left(e^{(dx+c)}-1\right)e^{-c}\right)}{ad} - 2 \int \frac{be^{5dx+5c} - 2be^{3dx+3c} + be^{dx+c}}{a^2 - ab + (a^2e^{6c} + abe^{6c})e^{6dx} + 3(a^2e^{4c} - abe^{4c})e^{4dx} + \dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csch(d*x+c)/(a+b*tanh(d*x+c)^3),x, algorithm="maxima")`

[Out]  $-\log\left(\frac{e^{(d*x+c)}+1}{a*d}\right) + \log\left(\frac{e^{(d*x+c)}-1}{a*d}\right) - 2*\text{integrate}\left(\frac{b*e^{(5*d*x+5*c)} - 2*b*e^{(3*d*x+3*c)} + b*e^{(d*x+c)}}{a^2 - a*b + (a^2*e^{(6*c)} + a*b*e^{(6*c)})*e^{(6*d*x)} + 3*(a^2*e^{(4*c)} - a*b*e^{(4*c)})*e^{(4*d*x)} + 3*(a^2*e^{(2*c)} + a*b*e^{(2*c)})*e^{(2*d*x)}}, x\right)$

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(csch(d*x+c)/(a+b*tanh(d*x+c)^3),x, algorithm="fricas")
```

```
[Out] Timed out
```

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{csch}(c + dx)}{a + b \tanh^3(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(csch(d*x+c)/(a+b*tanh(d*x+c)**3),x)
```

```
[Out] Integral(csch(c + d*x)/(a + b*tanh(c + d*x)**3), x)
```

**Giac [A]** time = 1.45323, size = 207, normalized size = 6.9

$$\frac{\frac{\log(e^{(dx+c)+1})}{a} - \frac{\log(|e^{(dx+c)}-1|)}{a}}{d} - \frac{\frac{6 b d x e^c}{ad-bd} - \frac{b e^c \log(|a e^{(6 dx+6 c)}+b e^{(6 dx+6 c)}+3 a e^{(4 dx+4 c)}-3 b e^{(4 dx+4 c)}+3 a e^{(2 dx+2 c)}+3 b e^{(2 dx+2 c)}+a-b|)}{ad-bd}}{3 a d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(csch(d*x+c)/(a+b*tanh(d*x+c)^3),x, algorithm="giac")
```

```
[Out] -(log(e^(d*x + c) + 1)/a - log(abs(e^(d*x + c) - 1))/a)/d - 1/3*(6*b*d*x*e^c/(a*d - b*d) - b*e^c*log(abs(a*e^(6*d*x + 6*c) + b*e^(6*d*x + 6*c) + 3*a*e^(4*d*x + 4*c) - 3*b*e^(4*d*x + 4*c) + 3*a*e^(2*d*x + 2*c) + 3*b*e^(2*d*x + 2*c) + a - b))/(a*d - b*d))/(a*d)
```

$$3.78 \quad \int \frac{\operatorname{csch}^2(c+dx)}{a+b \tanh^3(c+dx)} dx$$

**Optimal.** Leaf size=157

$$-\frac{\sqrt[3]{b} \log\left(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b} \tanh(c+dx) + b^{2/3} \tanh^2(c+dx)\right)}{6a^{4/3}d} + \frac{\sqrt[3]{b} \log\left(\sqrt[3]{a} + \sqrt[3]{b} \tanh(c+dx)\right)}{3a^{4/3}d} + \frac{\sqrt[3]{b} \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b} \tanh(c+dx)}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{4/3}d}$$

[Out] (b^(1/3)\*ArcTan[(a^(1/3) - 2\*b^(1/3)\*Tanh[c + d\*x])/(Sqrt[3]\*a^(1/3))])/(Sqrt[3]\*a^(4/3)\*d) - Coth[c + d\*x]/(a\*d) + (b^(1/3)\*Log[a^(1/3) + b^(1/3)\*Tanh[c + d\*x]])/(3\*a^(4/3)\*d) - (b^(1/3)\*Log[a^(2/3) - a^(1/3)\*b^(1/3)\*Tanh[c + d\*x] + b^(2/3)\*Tanh[c + d\*x]^2])/(6\*a^(4/3)\*d)

**Rubi [A]** time = 0.140349, antiderivative size = 157, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.348$ , Rules used = {3663, 325, 292, 31, 634, 617, 204, 628}

$$-\frac{\sqrt[3]{b} \log\left(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b} \tanh(c+dx) + b^{2/3} \tanh^2(c+dx)\right)}{6a^{4/3}d} + \frac{\sqrt[3]{b} \log\left(\sqrt[3]{a} + \sqrt[3]{b} \tanh(c+dx)\right)}{3a^{4/3}d} + \frac{\sqrt[3]{b} \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b} \tanh(c+dx)}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{4/3}d}$$

Antiderivative was successfully verified.

[In] Int[Csch[c + d\*x]^2/(a + b\*Tanh[c + d\*x]^3), x]

[Out] (b^(1/3)\*ArcTan[(a^(1/3) - 2\*b^(1/3)\*Tanh[c + d\*x])/(Sqrt[3]\*a^(1/3))])/(Sqrt[3]\*a^(4/3)\*d) - Coth[c + d\*x]/(a\*d) + (b^(1/3)\*Log[a^(1/3) + b^(1/3)\*Tanh[c + d\*x]])/(3\*a^(4/3)\*d) - (b^(1/3)\*Log[a^(2/3) - a^(1/3)\*b^(1/3)\*Tanh[c + d\*x] + b^(2/3)\*Tanh[c + d\*x]^2])/(6\*a^(4/3)\*d)

### Rule 3663

Int[sin[(e\_.) + (f\_.)\*(x\_)]^(m\_)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]))^(n\_)]^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff^(m + 1))/f, Subst[Int[(x^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + ff^2\*x^2)^(m/2 + 1), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2]

### Rule 325

```
Int[((c_.)*(x_)^(m_))*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[((c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] - Dist[(b*(m + n*(p + 1) + 1))/(a*c^n*(m + 1)), Int[(c*x)^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && LtQ[m, -1] && IntBinomialQ[a, b, c, n, m, p, x]
```

### Rule 292

```
Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])^(-1), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]
```

### Rule 31

```
Int[((a_) + (b_.)*(x_)^(-1)), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]
```

### Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

### Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

### Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

### Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```



Rubi steps

$$\begin{aligned}
\int \frac{\operatorname{csch}^2(c+dx)}{a+b \tanh^3(c+dx)} dx &= \frac{\operatorname{Subst}\left(\int \frac{1}{x^2(a+bx^3)} dx, x, \tanh(c+dx)\right)}{d} \\
&= -\frac{\operatorname{coth}(c+dx)}{ad} - \frac{b \operatorname{Subst}\left(\int \frac{x}{a+bx^3} dx, x, \tanh(c+dx)\right)}{ad} \\
&= -\frac{\operatorname{coth}(c+dx)}{ad} + \frac{b^{2/3} \operatorname{Subst}\left(\int \frac{1}{\sqrt[3]{a}+\sqrt[3]{bx}} dx, x, \tanh(c+dx)\right)}{3a^{4/3}d} - \frac{b^{2/3} \operatorname{Subst}\left(\int \frac{\sqrt[3]{a}+\sqrt[3]{bx}}{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx}+b^{2/3}x^2} dx, x, \tanh(c+dx)\right)}{3a^{4/3}d} \\
&= -\frac{\operatorname{coth}(c+dx)}{ad} + \frac{\sqrt[3]{b} \log(\sqrt[3]{a}+\sqrt[3]{b} \tanh(c+dx))}{3a^{4/3}d} - \frac{\sqrt[3]{b} \operatorname{Subst}\left(\int \frac{-\sqrt[3]{a}\sqrt[3]{b}+2b^{2/3}x}{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx}+b^{2/3}x^2} dx, x, \tanh(c+dx)\right)}{6a^{4/3}d} \\
&= -\frac{\operatorname{coth}(c+dx)}{ad} + \frac{\sqrt[3]{b} \log(\sqrt[3]{a}+\sqrt[3]{b} \tanh(c+dx))}{3a^{4/3}d} - \frac{\sqrt[3]{b} \log(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b} \tanh(c+dx)+\sqrt[3]{b} \tanh^3(c+dx))}{6a^{4/3}d} \\
&= \frac{\sqrt[3]{b} \tan^{-1}\left(\frac{1-\frac{2\sqrt[3]{b} \tanh(c+dx)}{\sqrt[3]{a}}}{\sqrt{3}}\right)}{\sqrt{3}a^{4/3}d} - \frac{\operatorname{coth}(c+dx)}{ad} + \frac{\sqrt[3]{b} \log(\sqrt[3]{a}+\sqrt[3]{b} \tanh(c+dx))}{3a^{4/3}d} - \frac{\sqrt[3]{b} \log(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b} \tanh(c+dx)+\sqrt[3]{b} \tanh^3(c+dx))}{6a^{4/3}d}
\end{aligned}$$

**Mathematica [C]** time = 0.134613, size = 190, normalized size = 1.21

$$\frac{2b \operatorname{RootSum}\left[\#1^3 a + 3\#1^2 a + \#1^3 b - 3\#1^2 b + 3\#1 a + 3\#1 b + a - b\&, \frac{-\log(-\#1 \sinh(c+dx)+\#1 \cosh(c+dx)-\sinh(c+dx)-\cosh(c+dx))}{\#1}\right]}{3ad}$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]^2/(a + b\*Tanh[c + d\*x]^3), x]

[Out]  $-(3 \operatorname{Coth}[c + d*x] + 2b \operatorname{RootSum}[a - b + 3a*\#1 + 3b*\#1 + 3a*\#1^2 - 3b*\#1^2 + a*\#1^3 + b*\#1^3 \&, (-c - d*x - \operatorname{Log}[-\operatorname{Cosh}[c + d*x] - \operatorname{Sinh}[c + d*x] + \operatorname{Cosh}[c + d*x]*\#1 - \operatorname{Sinh}[c + d*x]*\#1] + c*\#1 + d*x*\#1 + \operatorname{Log}[-\operatorname{Cosh}[c + d*x] - \operatorname{Sinh}[c + d*x] + \operatorname{Cosh}[c + d*x]*\#1 - \operatorname{Sinh}[c + d*x]*\#1]*\#1)/(a + b + 2a*\#1 - 2b*\#1 + a*\#1^2 + b*\#1^2) \& ])/(3a*d)$

**Maple [C]** time = 0.112, size = 121, normalized size = 0.8

$$-\frac{1}{2da} \tanh\left(\frac{dx}{2} + \frac{c}{2}\right) - \frac{1}{2da} \left(\tanh\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^{-1} + \frac{2b}{3da} \sum_{_R=\text{RootOf}(a_Z^6+3a_Z^4+8b_Z^3+3a_Z^2+a)} \frac{_R^3 - _R}{_R^5 a + 2 _R^3 a + 4 _R^2 b +}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csch(d\*x+c)^2/(a+b\*tanh(d\*x+c)^3),x)

[Out] -1/2/d/a\*tanh(1/2\*d\*x+1/2\*c)-1/2/d/a/tanh(1/2\*d\*x+1/2\*c)+2/3/d/a\*b\*sum(( \_R^3- \_R)/(\_R^5\*a+2\*\_R^3\*a+4\*\_R^2\*b+\_R\*a)\*ln(tanh(1/2\*d\*x+1/2\*c)-\_R),\_R=RootOf(\_Z^6\*a+3\*\_Z^4\*a+8\*\_Z^3\*b+3\*\_Z^2\*a+a))

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\frac{2}{ade^{(2dx+2c)} - ad} - 4 \int \frac{be^{(4dx+4c)} - be^{(2dx+2c)}}{a^2 - ab + (a^2e^{(6c)} + abe^{(6c)})e^{(6dx)} + 3(a^2e^{(4c)} - abe^{(4c)})e^{(4dx)} + 3(a^2e^{(2c)} + abe^{(2c)})e^{(2dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^2/(a+b\*tanh(d\*x+c)^3),x, algorithm="maxima")

[Out] -2/(a\*d\*e^(2\*d\*x + 2\*c) - a\*d) - 4\*integrate((b\*e^(4\*d\*x + 4\*c) - b\*e^(2\*d\*x + 2\*c))/(a^2 - a\*b + (a^2\*e^(6\*c) + a\*b\*e^(6\*c))\*e^(6\*d\*x) + 3\*(a^2\*e^(4\*c) - a\*b\*e^(4\*c))\*e^(4\*d\*x) + 3\*(a^2\*e^(2\*c) + a\*b\*e^(2\*c))\*e^(2\*d\*x)), x)

**Fricas [B]** time = 2.66535, size = 1801, normalized size = 11.47

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^2/(a+b\*tanh(d\*x+c)^3),x, algorithm="fricas")

[Out] -1/6\*(2\*(sqrt(3)\*cosh(d\*x + c)^2 + 2\*sqrt(3)\*cosh(d\*x + c)\*sinh(d\*x + c) + sqrt(3)\*sinh(d\*x + c)^2 - sqrt(3))\*(b/a)^(1/3)\*arctan(-1/3\*(sqrt(3)\*b\*cosh(d\*x + c)^2 + 2\*sqrt(3)\*b\*cosh(d\*x + c)\*sinh(d\*x + c) + sqrt(3)\*b\*sinh(d\*x + c)^2 - (sqrt(3)\*a\*cosh(d\*x + c)^2 + 2\*sqrt(3)\*a\*cosh(d\*x + c)\*sinh(d\*x + c

) + sqrt(3)\*a\*sinh(d\*x + c)^2 + sqrt(3)\*a\*(b/a)^(2/3) - (sqrt(3)\*b\*cosh(d\*x + c)^2 + 2\*sqrt(3)\*b\*cosh(d\*x + c)\*sinh(d\*x + c) + sqrt(3)\*b\*sinh(d\*x + c)^2 - sqrt(3)\*b\*(b/a)^(1/3))/b) + (cosh(d\*x + c)^2 + 2\*cosh(d\*x + c)\*sinh(d\*x + c) + sinh(d\*x + c)^2 - 1)\*(b/a)^(1/3)\*log((a + b)\*cosh(d\*x + c)^4 + 4\*(a + b)\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + (a + b)\*sinh(d\*x + c)^4 + 2\*(a - b)\*cosh(d\*x + c)^2 + 2\*(3\*(a + b)\*cosh(d\*x + c)^2 + a - b)\*sinh(d\*x + c)^2 + 4\*((a + b)\*cosh(d\*x + c)^3 + (a - b)\*cosh(d\*x + c))\*sinh(d\*x + c) - 2\*(a\*cosh(d\*x + c)^2 + 2\*a\*cosh(d\*x + c)\*sinh(d\*x + c) + a\*sinh(d\*x + c)^2 - a)\*(b/a)^(2/3) + 2\*(a\*cosh(d\*x + c)^2 + 2\*a\*cosh(d\*x + c)\*sinh(d\*x + c) + a\*sinh(d\*x + c)^2 + a)\*(b/a)^(1/3) + a + b) - 2\*(cosh(d\*x + c)^2 + 2\*cosh(d\*x + c)\*sinh(d\*x + c) + sinh(d\*x + c)^2 - 1)\*(b/a)^(1/3)\*log((a + b)\*cosh(d\*x + c)^2 + 2\*(a + b)\*cosh(d\*x + c)\*sinh(d\*x + c) + (a + b)\*sinh(d\*x + c)^2 + 2\*a\*(b/a)^(2/3) - 2\*a\*(b/a)^(1/3) + a - b) + 12)/(a\*d\*cosh(d\*x + c)^2 + 2\*a\*d\*cosh(d\*x + c)\*sinh(d\*x + c) + a\*d\*sinh(d\*x + c)^2 - a\*d)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{csch}^2(c + dx)}{a + b \tanh^3(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*\*2/(a+b\*tanh(d\*x+c)\*\*3), x)

[Out] Integral(csch(c + d\*x)\*\*2/(a + b\*tanh(c + d\*x)\*\*3), x)

**Giac [A]** time = 1.33049, size = 28, normalized size = 0.18

$$-\frac{2}{ad(e^{2dx+2c} - 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^2/(a+b\*tanh(d\*x+c)^3), x, algorithm="giac")

[Out] -2/(a\*d\*(e^(2\*d\*x + 2\*c) - 1))

$$3.79 \quad \int \frac{\operatorname{csch}^3(c+dx)}{a+b \tanh^3(c+dx)} dx$$

**Optimal.** Leaf size=32

$$-i \operatorname{Unintegrable} \left( \frac{i \operatorname{csch}^3(c+dx)}{a+b \tanh^3(c+dx)}, x \right)$$

[Out] (-I)\*Unintegrable[(I\*Csch[c + d\*x]^3)/(a + b\*Tanh[c + d\*x]^3), x]

**Rubi [A]** time = 0.0471116, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{\operatorname{csch}^3(c+dx)}{a+b \tanh^3(c+dx)} dx$$

Verification is Not applicable to the result.

[In] Int[Csch[c + d\*x]^3/(a + b\*Tanh[c + d\*x]^3), x]

[Out] (-I)\*Defer[Int][(I\*Csch[c + d\*x]^3)/(a + b\*Tanh[c + d\*x]^3), x]

Rubi steps

$$\int \frac{\operatorname{csch}^3(c+dx)}{a+b \tanh^3(c+dx)} dx = - \left( i \int \frac{i \operatorname{csch}^3(c+dx)}{a+b \tanh^3(c+dx)} dx \right)$$

**Mathematica [A]** time = 0.361888, size = 201, normalized size = 6.28

$$16b \operatorname{RootSum} \left[ \#1^6 a + 3\#1^4 a + 3\#1^2 a + \#1^6 b - 3\#1^4 b + 3\#1^2 b + a - b \&, \frac{2\#1 \log \left( -\#1 \sinh \left( \frac{1}{2}(c+dx) \right) + \#1 \cosh \left( \frac{1}{2}(c+dx) \right) - \sinh \left( \frac{1}{2}(c+dx) \right) \right)}{\#1^4 a + 2\#1^2 a + \#1^4 b - 2\#1^2 b + a} \right]$$

24ad

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]^3/(a + b\*Tanh[c + d\*x]^3), x]

```
[Out] -(16*b*RootSum[a - b + 3*a*#1^2 + 3*b*#1^2 + 3*a*#1^4 - 3*b*#1^4 + a*#1^6 +
b*#1^6 & , (c*#1 + d*x*#1 + 2*Log[-Cosh[(c + d*x)/2] - Sinh[(c + d*x)/2] +
Cosh[(c + d*x)/2]*#1 - Sinh[(c + d*x)/2]*#1)*#1)/(a + b + 2*a*#1^2 - 2*b*#
1^2 + a*#1^4 + b*#1^4) & ] + 3*(Csch[(c + d*x)/2]^2 + 4*Log[Tanh[(c + d*x)/
2]]) + Sech[(c + d*x)/2]^2)/(24*a*d)
```

**Maple [A]** time = 0.125, size = 144, normalized size = 4.5

$$\frac{1}{8da} \left( \tanh\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^2 - \frac{1}{8da} \left( \tanh\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^{-2} - \frac{1}{2da} \ln\left(\tanh\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - \frac{b}{3da} \sum_{_R=\text{RootOf}(a_Z^6+3a_Z^4+8b_Z^3+3a_Z^2+a)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(csch(d*x+c)^3/(a+b*tanh(d*x+c)^3),x)
```

```
[Out] 1/8/d/a*tanh(1/2*d*x+1/2*c)^2-1/8/d/a/tanh(1/2*d*x+1/2*c)^-2-1/2/d/a*ln(tanh
(1/2*d*x+1/2*c))-1/3/d/a*b*sum((_R^4-2*_R^2+1)/(_R^5*a+2*_R^3*a+4*_R^2*b+_R
*a)*ln(tanh(1/2*d*x+1/2*c)-_R),_R=RootOf(_Z^6*a+3*_Z^4*a+8*_Z^3*b+3*_Z^2*a+
a))
```

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$-8b \int \frac{e^{(3dx+3c)}}{a^2 - ab + (a^2e^{(6c)} + abe^{(6c)})e^{(6dx)} + 3(a^2e^{(4c)} - abe^{(4c)})e^{(4dx)} + 3(a^2e^{(2c)} + abe^{(2c)})e^{(2dx)}} dx - \frac{e^{(3dx+3c)}}{ade^{(4dx+4c)} - 2ad}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(csch(d*x+c)^3/(a+b*tanh(d*x+c)^3),x, algorithm="maxima")
```

```
[Out] -8*b*integrate(e^(3*d*x + 3*c)/(a^2 - a*b + (a^2*e^(6*c) + a*b*e^(6*c))*e^(
6*d*x) + 3*(a^2*e^(4*c) - a*b*e^(4*c))*e^(4*d*x) + 3*(a^2*e^(2*c) + a*b*e^(
2*c))*e^(2*d*x)), x) - (e^(3*d*x + 3*c) + e^(d*x + c))/(a*d*e^(4*d*x + 4*c)
- 2*a*d*e^(2*d*x + 2*c) + a*d) + 1/2*log((e^(d*x + c) + 1)*e^(-c))/(a*d) -
1/2*log((e^(d*x + c) - 1)*e^(-c))/(a*d)
```

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(csch(d*x+c)^3/(a+b*tanh(d*x+c)^3),x, algorithm="fricas")
```

```
[Out] Timed out
```

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{csch}^3(c + dx)}{a + b \tanh^3(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(csch(d*x+c)**3/(a+b*tanh(d*x+c)**3),x)
```

```
[Out] Integral(csch(c + d*x)**3/(a + b*tanh(c + d*x)**3), x)
```

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{csch}(dx + c)^3}{b \tanh(dx + c)^3 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(csch(d*x+c)^3/(a+b*tanh(d*x+c)^3),x, algorithm="giac")
```

```
[Out] integrate(csch(d*x + c)^3/(b*tanh(d*x + c)^3 + a), x)
```

$$3.80 \quad \int \frac{\operatorname{csch}^4(c+dx)}{a+b \tanh^3(c+dx)} dx$$

**Optimal.** Leaf size=215

$$\frac{\sqrt[3]{b} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} \tanh(c+dx) + b^{2/3} \tanh^2(c+dx))}{6a^{4/3}d} + \frac{b \log(a + b \tanh^3(c+dx))}{3a^2d} - \frac{b \log(\tanh(c+dx))}{a^2d} - \frac{\sqrt[3]{b} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} \tanh(c+dx) + b^{2/3} \tanh^2(c+dx))}{6a^{4/3}d}$$

[Out]  $-\left(\frac{b^{1/3} \operatorname{ArcTan}\left[\frac{a^{1/3} - 2b^{1/3} \operatorname{Tanh}[c + dx]}{\sqrt[3]{a^{4/3}d}}\right]}{\sqrt[3]{a^{4/3}d}} + \frac{\operatorname{Coth}[c + dx]}{a^2d} - \frac{\operatorname{Coth}[c + dx]^3}{3a^2d} - \frac{b \operatorname{Log}[\operatorname{Tanh}[c + dx]]}{a^2d} - \frac{b^{1/3} \operatorname{Log}\left[\frac{a^{2/3} - a^{1/3}b^{1/3} \operatorname{Tanh}[c + dx] + b^{2/3} \operatorname{Tanh}[c + dx]^2}{6a^{4/3}d}\right]}{6a^{4/3}d} + \frac{b \operatorname{Log}[a + b \operatorname{Tanh}[c + dx]^3]}{3a^2d}\right)$

**Rubi [A]** time = 0.238659, antiderivative size = 215, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 11, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.478$ , Rules used = {3663, 1834, 1871, 12, 292, 31, 634, 617, 204, 628, 260}

$$\frac{\sqrt[3]{b} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} \tanh(c+dx) + b^{2/3} \tanh^2(c+dx))}{6a^{4/3}d} + \frac{b \log(a + b \tanh^3(c+dx))}{3a^2d} - \frac{b \log(\tanh(c+dx))}{a^2d} - \frac{\sqrt[3]{b} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} \tanh(c+dx) + b^{2/3} \tanh^2(c+dx))}{6a^{4/3}d}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[\operatorname{Csch}[c + dx]^4 / (a + b \operatorname{Tanh}[c + dx]^3), x]$

[Out]  $-\left(\frac{b^{1/3} \operatorname{ArcTan}\left[\frac{a^{1/3} - 2b^{1/3} \operatorname{Tanh}[c + dx]}{\sqrt[3]{a^{4/3}d}}\right]}{\sqrt[3]{a^{4/3}d}} + \frac{\operatorname{Coth}[c + dx]}{a^2d} - \frac{\operatorname{Coth}[c + dx]^3}{3a^2d} - \frac{b \operatorname{Log}[\operatorname{Tanh}[c + dx]]}{a^2d} - \frac{b^{1/3} \operatorname{Log}\left[\frac{a^{2/3} - a^{1/3}b^{1/3} \operatorname{Tanh}[c + dx] + b^{2/3} \operatorname{Tanh}[c + dx]^2}{6a^{4/3}d}\right]}{6a^{4/3}d} + \frac{b \operatorname{Log}[a + b \operatorname{Tanh}[c + dx]^3]}{3a^2d}\right)$

### Rule 3663

$\operatorname{Int}[\sin[(e_.) + (f_.) \cdot (x_)]^{(m_)} \cdot ((a_.) + (b_.) \cdot ((c_.) \cdot \tan[(e_.) + (f_.) \cdot (x_)]))^{(n_)}]^{(p_)}, x\_Symbol] \rightarrow \operatorname{With}[\{ff = \operatorname{FreeFactors}[\operatorname{Tan}[e + f \cdot x], x]\}, \operatorname{Dist}[(c \cdot ff^{(m+1)})/f, \operatorname{Subst}[\operatorname{Int}[(x^m \cdot (a + b \cdot (ff \cdot x)^n)^p] / (c^2 + ff^2 \cdot x^2)^{(m/2+1)}, x], x, (c \cdot \operatorname{Tan}[e + f \cdot x]) / ff], x]] /; \operatorname{FreeQ}\{a, b, c, e, f, n, p\}, x]$

&& IntegerQ[m/2]

### Rule 1834

Int[((Pq\_)\*((c\_)\*(x\_))^(m\_))/((a\_) + (b\_)\*(x\_)^(n\_)), x\_Symbol] := Int[ExpandIntegrand[((c\*x)^m\*Pq)/(a + b\*x^n), x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]

### Rule 1871

Int[(P2\_)/((a\_) + (b\_)\*(x\_)^3), x\_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B\*x)/(a + b\*x^3), x] + Dist[C, Int[x^2/(a + b\*x^3), x], x] /; EqQ[a\*B^3 - b\*A^3, 0] || !RationalQ[a/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

### Rule 292

Int[(x\_)/((a\_) + (b\_)\*(x\_)^3), x\_Symbol] := -Dist[(3\*Rt[a, 3]\*Rt[b, 3])^(-1), Int[1/(Rt[a, 3] + Rt[b, 3]\*x), x], x] + Dist[1/(3\*Rt[a, 3]\*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]\*x)/(Rt[a, 3]^2 - Rt[a, 3]\*Rt[b, 3]\*x + Rt[b, 3]^2\*x^2), x], x] /; FreeQ[{a, b}, x]

### Rule 31

Int[((a\_) + (b\_)\*(x\_))^(n\_), x\_Symbol] := Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

### Rule 634

Int[((d\_.) + (e\_)\*(x\_))/((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2), x\_Symbol] := Dist[(2\*c\*d - b\*e)/(2\*c), Int[1/(a + b\*x + c\*x^2), x], x] + Dist[e/(2\*c), Int[(b + 2\*c\*x)/(a + b\*x + c\*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2\*c\*d - b\*e, 0] && NeQ[b^2 - 4\*a\*c, 0] && !NiceSqrtQ[b^2 - 4\*a\*c]

### Rule 617

Int[((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(n\_), x\_Symbol] := With[{q = 1 - 4\*Simplify[(a\*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2\*c\*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4\*a\*c])] /; Free



$Q[\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4ac, 0]$

#### Rule 204

$\text{Int}[\frac{(a_1 + (b_1)x^2)^{-1}}{x}, x\_Symbol] \rightarrow -\text{Simp}[\frac{\text{ArcTan}[\frac{\text{Rt}[-b, 2]x}{\text{Rt}[-a, 2] - \text{Rt}[-a, 2]\text{Rt}[-b, 2]}}]{\text{Rt}[-a, 2] - \text{Rt}[-a, 2]\text{Rt}[-b, 2]}, x] \ /; \ \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{LtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$

#### Rule 628

$\text{Int}[\frac{(d_1 + (e_1)x)}{(a_1 + (b_1)x + (c_1)x^2)}, x\_Symbol] \rightarrow \text{Simp}[\frac{d \cdot \text{Log}[\text{RemoveContent}[a + bx + cx^2, x]]}{b}, x] \ /; \ \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[2cd - be, 0]$

#### Rule 260

$\text{Int}[\frac{x^{(m_1)}}{(a_1 + (b_1)x^n)}, x\_Symbol] \rightarrow \text{Simp}[\frac{\text{Log}[\text{RemoveContent}[a + bx^n, x]]}{(bn)}, x] \ /; \ \text{FreeQ}[\{a, b, m, n\}, x] \ \&\& \ \text{EqQ}[m, n - 1]$

#### Rubi steps

$$\begin{aligned}
\int \frac{\operatorname{csch}^4(c+dx)}{a+b \tanh^3(c+dx)} dx &= \frac{\operatorname{Subst}\left(\int \frac{1-x^2}{x^4(a+bx^3)} dx, x, \tanh(c+dx)\right)}{d} \\
&= \frac{\operatorname{Subst}\left(\int \left(\frac{1}{ax^4} - \frac{1}{ax^2} - \frac{b}{a^2x} + \frac{bx(a+bx)}{a^2(a+bx^3)}\right) dx, x, \tanh(c+dx)\right)}{d} \\
&= \frac{\operatorname{coth}(c+dx)}{ad} - \frac{\operatorname{coth}^3(c+dx)}{3ad} - \frac{b \log(\tanh(c+dx))}{a^2d} + \frac{b \operatorname{Subst}\left(\int \frac{x(a+bx)}{a+bx^3} dx, x, \tanh(c+dx)\right)}{a^2d} \\
&= \frac{\operatorname{coth}(c+dx)}{ad} - \frac{\operatorname{coth}^3(c+dx)}{3ad} - \frac{b \log(\tanh(c+dx))}{a^2d} + \frac{b \operatorname{Subst}\left(\int \frac{ax}{a+bx^3} dx, x, \tanh(c+dx)\right)}{a^2d} \\
&= \frac{\operatorname{coth}(c+dx)}{ad} - \frac{\operatorname{coth}^3(c+dx)}{3ad} - \frac{b \log(\tanh(c+dx))}{a^2d} + \frac{b \log(a+b \tanh^3(c+dx))}{3a^2d} + \frac{b \operatorname{Subst}\left(\int \frac{1}{a+bx^3} dx, x, \tanh(c+dx)\right)}{a^2d} \\
&= \frac{\operatorname{coth}(c+dx)}{ad} - \frac{\operatorname{coth}^3(c+dx)}{3ad} - \frac{b \log(\tanh(c+dx))}{a^2d} + \frac{b \log(a+b \tanh^3(c+dx))}{3a^2d} - \frac{b^{2/3} \operatorname{Subst}\left(\int \frac{1}{a+bx^3} dx, x, \tanh(c+dx)\right)}{3a^2d} \\
&= \frac{\operatorname{coth}(c+dx)}{ad} - \frac{\operatorname{coth}^3(c+dx)}{3ad} - \frac{b \log(\tanh(c+dx))}{a^2d} - \frac{\sqrt[3]{b} \log(\sqrt[3]{a} + \sqrt[3]{b} \tanh(c+dx))}{3a^{4/3}d} + \frac{b^{2/3} \operatorname{Subst}\left(\int \frac{1}{a+bx^3} dx, x, \tanh(c+dx)\right)}{3a^2d} \\
&= \frac{\operatorname{coth}(c+dx)}{ad} - \frac{\operatorname{coth}^3(c+dx)}{3ad} - \frac{b \log(\tanh(c+dx))}{a^2d} - \frac{\sqrt[3]{b} \log(\sqrt[3]{a} + \sqrt[3]{b} \tanh(c+dx))}{3a^{4/3}d} + \frac{b^{2/3} \operatorname{Subst}\left(\int \frac{1}{a+bx^3} dx, x, \tanh(c+dx)\right)}{3a^2d} \\
&= -\frac{\sqrt[3]{b} \tan^{-1}\left(\frac{1-2\sqrt[3]{b} \tanh(c+dx)}{\sqrt[3]{a}}\right)}{\sqrt{3}a^{4/3}d} + \frac{\operatorname{coth}(c+dx)}{ad} - \frac{\operatorname{coth}^3(c+dx)}{3ad} - \frac{b \log(\tanh(c+dx))}{a^2d} - \frac{\sqrt[3]{b} \log(\sqrt[3]{a} + \sqrt[3]{b} \tanh(c+dx))}{3a^{4/3}d} + \frac{b^{2/3} \operatorname{Subst}\left(\int \frac{1}{a+bx^3} dx, x, \tanh(c+dx)\right)}{3a^2d}
\end{aligned}$$

**Mathematica [C]** time = 3.15715, size = 322, normalized size = 1.5

$$b\operatorname{RootSum}\left[\#1^3 a + 3\#1^2 a + \#1^3 b - 3\#1^2 b + 3\#1 a + 3\#1 b + a - b\&, \frac{-\#1^2 a \log(e^{2(c+dx)} - \#1) + 2\#1^2 ac + 2\#1^2 adx - \#1^2 b \log(e^{2(c+dx)} - \#1) + 2\#1^2 b \log(\sqrt[3]{a} + \sqrt[3]{b} \tanh(c+dx))}{3a^2d}\right]$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]^4/(a + b\*Tanh[c + d\*x]^3), x]

[Out] (- (a\*Coth[c + d\*x]\*(-2 + Csch[c + d\*x]^2)) + 3\*b\*(c + d\*x - Log[Sinh[c + d\*x]])) + b\*RootSum[a - b + 3\*a\*#1 + 3\*b\*#1 + 3\*a\*#1^2 - 3\*b\*#1^2 + a\*#1^3 + b

$\#1^3 \& , (-2*a*c + 2*b*c - 2*a*d*x + 2*b*d*x + a*\text{Log}[E^{(2*(c + d*x))} - \#1] - b*\text{Log}[E^{(2*(c + d*x))} - \#1] - 8*a*c*\#1 - 4*b*c*\#1 - 8*a*d*x*\#1 - 4*b*d*x*\#1 + 4*a*\text{Log}[E^{(2*(c + d*x))} - \#1]*\#1 + 2*b*\text{Log}[E^{(2*(c + d*x))} - \#1]*\#1 + 2*a*c*\#1^2 + 2*b*c*\#1^2 + 2*a*d*x*\#1^2 + 2*b*d*x*\#1^2 - a*\text{Log}[E^{(2*(c + d*x))} - \#1]*\#1^2 - b*\text{Log}[E^{(2*(c + d*x))} - \#1]*\#1^2)/(a - b + 2*a*\#1 + 2*b*\#1 + a*\#1^2 - b*\#1^2) \& ])/(3*a^2*d)$

**Maple [C]** time = 0.131, size = 187, normalized size = 0.9

$$-\frac{1}{24da} \left( \tanh\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + \frac{3}{8da} \tanh\left(\frac{dx}{2} + \frac{c}{2}\right) - \frac{1}{24da} \left( \tanh\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^{-3} + \frac{3}{8da} \left( \tanh\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^{-1} - \frac{b}{da^2} \ln\left(\tanh\left(\frac{dx}{2} + \frac{c}{2}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csch(d\*x+c)^4/(a+b\*tanh(d\*x+c)^3),x)

[Out]  $-1/24/d/a*\tanh(1/2*d*x+1/2*c)^3+3/8/d/a*\tanh(1/2*d*x+1/2*c)-1/24/d/a/\tanh(1/2*d*x+1/2*c)^3+3/8/d/a/\tanh(1/2*d*x+1/2*c)-1/d/a^2*b*\ln(\tanh(1/2*d*x+1/2*c))+1/3/d/a^2*b*\sum((\_R^5*a+4*\_R^2*b+3*\_R*a)/(\_R^5*a+2*\_R^3*a+4*\_R^2*b+\_R*a))*\ln(\tanh(1/2*d*x+1/2*c)-\_R), \_R=\text{RootOf}(\_Z^6*a+3*\_Z^4*a+8*\_Z^3*b+3*\_Z^2*a+a)$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$2ab \left( \frac{-(a-b) \int \frac{1}{(ae^{6c}+be^{6c})e^{6dx}+3(ae^{4c}-be^{4c})e^{4dx}+3(ae^{2c}+be^{2c})e^{2dx}+a-b} dx + x}{a^3 - a^2b} - \frac{dx + c}{(a^3 - a^2b)d} \right) - 2b^2 \left( \frac{-(a-b) \int \frac{1}{(ae^{6c}+be^{6c})e^{6dx}+3(ae^{4c}-be^{4c})e^{4dx}+3(ae^{2c}+be^{2c})e^{2dx}+a-b} dx + x}{a^3 - a^2b} - \frac{dx + c}{(a^3 - a^2b)d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^4/(a+b\*tanh(d\*x+c)^3),x, algorithm="maxima")

[Out]  $2*a*b*(\text{integrate}(((a + b)*e^{(4*d*x + 4*c)} + 3*(a - b)*e^{(2*d*x + 2*c)} + 3*a + 3*b)*e^{(2*d*x + 2*c)}/((a + b)*e^{(6*d*x + 6*c)} + 3*(a - b)*e^{(4*d*x + 4*c)} + 3*(a + b)*e^{(2*d*x + 2*c)} + a - b), x)/(a^3 - a^2*b) - (d*x + c)/((a^3 - a^2*b)*d)) - 2*b^2*(\text{integrate}(((a + b)*e^{(4*d*x + 4*c)} + 3*(a - b)*e^{(2*d*x + 2*c)} + 3*a + 3*b)*e^{(2*d*x + 2*c)}/((a + b)*e^{(6*d*x + 6*c)} + 3*(a - b)*e^{(4*d*x + 4*c)} + 3*(a + b)*e^{(2*d*x + 2*c)} + a - b), x)/(a^3 - a^2*b) - (d*x + c)/((a^3 - a^2*b)*d)) + 2*b*\text{integrate}(e^{(4*d*x + 4*c)}/((a + b)*e^{(6*d*x + 6*c)} + 3*(a - b)*e^{(4*d*x + 4*c)} + 3*(a + b)*e^{(2*d*x + 2*c)} + a - b), x)/(a^3 - a^2*b)$

```
*x + 6*c) + 3*(a - b)*e^(4*d*x + 4*c) + 3*(a + b)*e^(2*d*x + 2*c) + a - b),
x)/a + 2*b^2*integrate(e^(4*d*x + 4*c)/((a + b)*e^(6*d*x + 6*c) + 3*(a - b)
)*e^(4*d*x + 4*c) + 3*(a + b)*e^(2*d*x + 2*c) + a - b), x)/a^2 - 8*b*integr
ate(e^(2*d*x + 2*c)/((a + b)*e^(6*d*x + 6*c) + 3*(a - b)*e^(4*d*x + 4*c) +
3*(a + b)*e^(2*d*x + 2*c) + a - b), x)/a - 4*b^2*integrate(e^(2*d*x + 2*c)/
((a + b)*e^(6*d*x + 6*c) + 3*(a - b)*e^(4*d*x + 4*c) + 3*(a + b)*e^(2*d*x +
2*c) + a - b), x)/a^2 + 2/3*(3*b*d*x*e^(6*d*x + 6*c) - 9*b*d*x*e^(4*d*x +
4*c) - 3*b*d*x + 3*(3*b*d*x*e^(2*c) - 2*a*e^(2*c))*e^(2*d*x) + 2*a)/(a^2*d*
e^(6*d*x + 6*c) - 3*a^2*d*e^(4*d*x + 4*c) + 3*a^2*d*e^(2*d*x + 2*c) - a^2*d
) - b*log((e^(d*x + c) + 1)*e^(-c))/(a^2*d) - b*log((e^(d*x + c) - 1)*e^(-c
))/(a^2*d)
```

**Fricas [C]** time = 17.1023, size = 4415, normalized size = 20.53

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(csch(d*x+c)^4/(a+b*tanh(d*x+c)^3),x, algorithm="fricas")
```

```
[Out] 1/12*(12*sqrt(1/3)*(a^2*d*e^(6*d*x + 6*c) - 3*a^2*d*e^(4*d*x + 4*c) + 3*a^2
*d*e^(2*d*x + 2*c) - a^2*d)*sqrt((((1/2)^(1/3)*(I*sqrt(3) + 1)*(b/(a^4*d^3)
- b^3/(a^6*d^3) - (a^2*b - b^3)/(a^6*d^3))^(1/3) - 2*b/(a^2*d))^2*a^4*d^2
+ 4*((1/2)^(1/3)*(I*sqrt(3) + 1)*(b/(a^4*d^3) - b^3/(a^6*d^3) - (a^2*b - b^
3)/(a^6*d^3))^(1/3) - 2*b/(a^2*d))*a^2*b*d + 4*b^2)/(a^4*d^2))*arctan(-1/8*
sqrt(1/3)*((a^6 + a^5*b)*((1/2)^(1/3)*(I*sqrt(3) + 1)*(b/(a^4*d^3) - b^3/(a
^6*d^3) - (a^2*b - b^3)/(a^6*d^3))^(1/3) - 2*b/(a^2*d))^2*d^3*e^(2*d*x + 2*
c) - 4*(2*a^3*b + a^2*b^2 - a*b^3)*d*e^(2*d*x + 2*c) - 2*((a^5 - a^4*b - 2*
a^3*b^2)*d^2*e^(2*d*x + 2*c) + (a^5 + a^4*b)*d^2)*((1/2)^(1/3)*(I*sqrt(3) +
1)*(b/(a^4*d^3) - b^3/(a^6*d^3) - (a^2*b - b^3)/(a^6*d^3))^(1/3) - 2*b/(a^
2*d)) - (((1/2)^(1/3)*(I*sqrt(3) + 1)*(b/(a^4*d^3) - b^3/(a^6*d^3) - (a^2*b
- b^3)/(a^6*d^3))^(1/3) - 2*b/(a^2*d))^2*a^4*d^3 - 2*(a^3 - 2*a^2*b)*((1/2
)^(1/3)*(I*sqrt(3) + 1)*(b/(a^4*d^3) - b^3/(a^6*d^3) - (a^2*b - b^3)/(a^6*d
^3))^(1/3) - 2*b/(a^2*d))*d^2 - 4*(2*a*b - b^2)*d)*sqrt(a^4 + 4*a^3*b + 5*a
^2*b^2 + 2*a*b^3 - 1/2*((a^6 + a^5*b)*d^2*e^(2*d*x + 2*c) - (a^6 + a^5*b)*d
^2)*((1/2)^(1/3)*(I*sqrt(3) + 1)*(b/(a^4*d^3) - b^3/(a^6*d^3) - (a^2*b - b^
3)/(a^6*d^3))^(1/3) - 2*b/(a^2*d))^2 + ((a^5 - a^4*b - 2*a^3*b^2)*d*e^(2*d*
x + 2*c) + (a^5 + 3*a^4*b + 2*a^3*b^2)*d)*((1/2)^(1/3)*(I*sqrt(3) + 1)*(b/(
a^4*d^3) - b^3/(a^6*d^3) - (a^2*b - b^3)/(a^6*d^3))^(1/3) - 2*b/(a^2*d)) +
(a^4 + 2*a^3*b + a^2*b^2)*e^(4*d*x + 4*c) + 2*(a^4 + a^3*b - a^2*b^2 - a*b^
3)*e^(2*d*x + 2*c)))*sqrt((((1/2)^(1/3)*(I*sqrt(3) + 1)*(b/(a^4*d^3) - b^3/
(a^6*d^3) - (a^2*b - b^3)/(a^6*d^3))^(1/3) - 2*b/(a^2*d))^2*a^4*d^2 + 4*((1
```

$$\begin{aligned} & /2)^{(1/3)} * (I * \text{sqrt}(3) + 1) * (b / (a^4 * d^3) - b^3 / (a^6 * d^3) - (a^2 * b - b^3) / (a^6 * d^3))^{(1/3)} - 2 * b / (a^2 * d) * a^2 * b * d + 4 * b^2 / (a^4 * d^2) / (a^2 * b + a * b^2) - \\ & 2 * (a^2 * d * e^{(6 * d * x + 6 * c)} - 3 * a^2 * d * e^{(4 * d * x + 4 * c)} + 3 * a^2 * d * e^{(2 * d * x + 2 * c)} - a^2 * d * ((1/2)^{(1/3)} * (I * \text{sqrt}(3) + 1) * (b / (a^4 * d^3) - b^3 / (a^6 * d^3) - (a^2 * b - b^3) / (a^6 * d^3))^{(1/3)} - 2 * b / (a^2 * d)) \\ & )^2 * a^4 * d^2 - (a^3 - 2 * a^2 * b) * ((1/2)^{(1/3)} * (I * \text{sqrt}(3) + 1) * (b / (a^4 * d^3) - b^3 / (a^6 * d^3) - (a^2 * b - b^3) / (a^6 * d^3))^{(1/3)} - 2 * b / (a^2 * d)) * d + a^2 - \\ & 3 * a * b + 2 * b^2 + (a^2 + a * b) * e^{(2 * d * x + 2 * c)} - 48 * a * e^{(2 * d * x + 2 * c)} + ((a^2 * d * e^{(6 * d * x + 6 * c)} - 3 * a^2 * d * e^{(4 * d * x + 4 * c)} + 3 * a^2 * d * e^{(2 * d * x + 2 * c)} - a^2 * d * ((1/2)^{(1/3)} * (I * \text{sqrt}(3) + 1) * (b / (a^4 * d^3) - b^3 / (a^6 * d^3) - (a^2 * b - b^3) / (a^6 * d^3))^{(1/3)} - 2 * b / (a^2 * d)) \\ & ) + 6 * b * e^{(6 * d * x + 6 * c)} - 18 * b * e^{(4 * d * x + 4 * c)} + 18 * b * e^{(2 * d * x + 2 * c)} - 6 * b) * \log(a^4 + 4 * a^3 * b + 5 * a^2 * b^2 + 2 * a * b^3 - 1/2 * ((a^6 + a^5 * b) * d^2 * e^{(2 * d * x + 2 * c)} - (a^6 + a^5 * b) * d^2) * ((1/2)^{(1/3)} * (I * \text{sqrt}(3) + 1) * (b / (a^4 * d^3) - b^3 / (a^6 * d^3) - (a^2 * b - b^3) / (a^6 * d^3))^{(1/3)} - 2 * b / (a^2 * d)) \\ & )^2 + ((a^5 - a^4 * b - 2 * a^3 * b^2) * d * e^{(2 * d * x + 2 * c)} + (a^5 + 3 * a^4 * b + 2 * a^3 * b^2) * d) * ((1/2)^{(1/3)} * (I * \text{sqrt}(3) + 1) * (b / (a^4 * d^3) - b^3 / (a^6 * d^3) - (a^2 * b - b^3) / (a^6 * d^3))^{(1/3)} - 2 * b / (a^2 * d)) + (a^4 + 2 * a^3 * b + a^2 * b^2) * e^{(4 * d * x + 4 * c)} + 2 * (a^4 + a^3 * b - a^2 * b^2 - a * b^3) * e^{(2 * d * x + 2 * c)} - 12 * (b * e^{(6 * d * x + 6 * c)} - 3 * b * e^{(4 * d * x + 4 * c)} + 3 * b * e^{(2 * d * x + 2 * c)} - b) * \log(e^{(2 * d * x + 2 * c)} - 1) + 16 * a) / (a^2 * d * e^{(6 * d * x + 6 * c)} - 3 * a^2 * d * e^{(4 * d * x + 4 * c)} + 3 * a^2 * d * e^{(2 * d * x + 2 * c)} - a^2 * d) \end{aligned}$$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\text{csch}^4(c + dx)}{a + b \tanh^3(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*\*4/(a+b\*tanh(d\*x+c)\*\*3), x)

[Out] Integral(csch(c + d\*x)\*\*4/(a + b\*tanh(c + d\*x)\*\*3), x)

**Giac [A]** time = 1.42274, size = 243, normalized size = 1.13

$$\frac{2 b \log\left(|a e^{(6 d x+6 c)}+b e^{(6 d x+6 c)}+3 a e^{(4 d x+4 c)}-3 b e^{(4 d x+4 c)}+3 a e^{(2 d x+2 c)}+3 b e^{(2 d x+2 c)}+a-b\right)}{a^2} - \frac{6 b \log\left(|e^{(2 d x+2 c)}-1\right)}{a^2} + \frac{11 b e^{(6 d x+6 c)}-33 b e^{(4 d x+4 c)}-24 a e^{(2 d x+2 c)}}{a^2\left(e^{(2 d x+2 c)}\right)}$$

6d

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(csch(d*x+c)^4/(a+b*tanh(d*x+c)^3),x, algorithm="giac")
```

```
[Out] 1/6*(2*b*log(abs(a*e^(6*d*x + 6*c) + b*e^(6*d*x + 6*c) + 3*a*e^(4*d*x + 4*c)
) - 3*b*e^(4*d*x + 4*c) + 3*a*e^(2*d*x + 2*c) + 3*b*e^(2*d*x + 2*c) + a - b
))/a^2 - 6*b*log(abs(e^(2*d*x + 2*c) - 1))/a^2 + (11*b*e^(6*d*x + 6*c) - 33
*b*e^(4*d*x + 4*c) - 24*a*e^(2*d*x + 2*c) + 33*b*e^(2*d*x + 2*c) + 8*a - 11
*b)/(a^2*(e^(2*d*x + 2*c) - 1)^3)/d
```

### 3.81 $\int \cosh^4(c + dx) (a + b \tanh^2(c + dx)) dx$

**Optimal.** Leaf size=63

$$\frac{(a + b) \sinh(c + dx) \cosh^3(c + dx)}{4d} + \frac{(3a - b) \sinh(c + dx) \cosh(c + dx)}{8d} + \frac{1}{8}x(3a - b)$$

[Out]  $((3*a - b)*x)/8 + ((3*a - b)*\text{Cosh}[c + d*x]*\text{Sinh}[c + d*x])/(8*d) + ((a + b)*\text{Cosh}[c + d*x]^3*\text{Sinh}[c + d*x])/(4*d)$

**Rubi [A]** time = 0.0496557, antiderivative size = 63, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.19$ , Rules used = {3675, 385, 199, 206}

$$\frac{(a + b) \sinh(c + dx) \cosh^3(c + dx)}{4d} + \frac{(3a - b) \sinh(c + dx) \cosh(c + dx)}{8d} + \frac{1}{8}x(3a - b)$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Cosh}[c + d*x]^4*(a + b*\text{Tanh}[c + d*x]^2), x]$

[Out]  $((3*a - b)*x)/8 + ((3*a - b)*\text{Cosh}[c + d*x]*\text{Sinh}[c + d*x])/(8*d) + ((a + b)*\text{Cosh}[c + d*x]^3*\text{Sinh}[c + d*x])/(4*d)$

#### Rule 3675

$\text{Int}[\text{sec}[(e_.) + (f_.)*(x_.)]^{(m_.)}*((a_.) + (b_.)*((c_.)*\text{tan}[(e_.) + (f_.)*(x_.)]^{(n_.)})^{(p_.)}], x\_Symbol] \rightarrow \text{With}[\{ff = \text{FreeFactors}[\text{Tan}[e + f*x], x]\}, \text{Dist}[ff/(c^{(m-1)}*f), \text{Subst}[\text{Int}[(c^2 + ff^2*x^2)^{(m/2-1)}*(a + b*(ff*x)^n)^p, x], x, (c*\text{Tan}[e + f*x])/ff], x]] /; \text{FreeQ}[\{a, b, c, e, f, n, p\}, x] \&\& \text{IntegerQ}[m/2] \&\& (\text{IntegersQ}[n, p] \parallel \text{IGtQ}[m, 0] \parallel \text{IGtQ}[p, 0] \parallel \text{EqQ}[n^2, 4] \parallel \text{EqQ}[n^2, 16])$

#### Rule 385

$\text{Int}[(a_.) + (b_.)*(x_.)^{(n_.)}]^{(p_.)}*((c_.) + (d_.)*(x_.)^{(n_.)}), x\_Symbol] \rightarrow -\text{Simp}[(b*c - a*d)*x*(a + b*x^n)^{(p+1)}/(a*b*n*(p+1)), x] - \text{Dist}[(a*d - b*c*(n*(p+1) + 1))/(a*b*n*(p+1)), \text{Int}[(a + b*x^n)^{(p+1)}, x], x] /; \text{FreeQ}[\{a, b, c, d, n, p\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& (\text{LtQ}[p, -1] \parallel \text{ILtQ}[1/n + p, 0])$

Rule 199

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*(a + b*x^n)^(p + 1)) / (a*n*(p + 1)), x] + Dist[(n*(p + 1) + 1) / (a*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && LtQ[p, -1] && (IntegerQ[2*p] || (n == 2 && IntegerQ[4*p]) || (n == 2 && IntegerQ[3*p]) || Denominator[p + 1/n] < Denominator[p])
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]]) / (Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned} \int \cosh^4(c + dx) (a + b \tanh^2(c + dx)) dx &= \frac{\text{Subst}\left(\int \frac{a+bx^2}{(1-x^2)^3} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{(a + b) \cosh^3(c + dx) \sinh(c + dx)}{4d} + \frac{(3a - b) \text{Subst}\left(\int \frac{1}{(1-x^2)^2} dx, x, \tanh(c + dx)\right)}{4d} \\ &= \frac{(3a - b) \cosh(c + dx) \sinh(c + dx)}{8d} + \frac{(a + b) \cosh^3(c + dx) \sinh(c + dx)}{4d} + \frac{(3a - b) \cosh(c + dx) \sinh(c + dx)}{8d} \\ &= \frac{1}{8}(3a - b)x + \frac{(3a - b) \cosh(c + dx) \sinh(c + dx)}{8d} + \frac{(a + b) \cosh^3(c + dx) \sinh(c + dx)}{4d} \end{aligned}$$

**Mathematica [A]** time = 0.162677, size = 44, normalized size = 0.7

$$\frac{(a + b) \sinh(4(c + dx)) + 12a(c + dx) + 8a \sinh(2(c + dx)) - 4bdx}{32d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cosh[c + d*x]^4*(a + b*Tanh[c + d*x]^2), x]
```

```
[Out] (-4*b*d*x + 12*a*(c + d*x) + 8*a*Sinh[2*(c + d*x)] + (a + b)*Sinh[4*(c + d*x)])/(32*d)
```



**Maple [A]** time = 0.039, size = 82, normalized size = 1.3

$$\frac{1}{d} \left( b \left( \frac{\sinh(dx+c) \cosh(dx+c)^3}{4} - \frac{\cosh(dx+c) \sinh(dx+c)}{8} - \frac{dx}{8} - \frac{c}{8} \right) + a \left( \left( \frac{\cosh(dx+c)^3}{4} + \frac{3 \cosh(dx+c)}{8} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cosh(d*x+c)^4*(a+b*tanh(d*x+c)^2),x)`

[Out] `1/d*(b*(1/4*sinh(d*x+c)*cosh(d*x+c)^3-1/8*cosh(d*x+c)*sinh(d*x+c)-1/8*d*x-1/8*c)+a*((1/4*cosh(d*x+c)^3+3/8*cosh(d*x+c))*sinh(d*x+c)+3/8*d*x+3/8*c))`

**Maxima [A]** time = 1.14363, size = 140, normalized size = 2.22

$$\frac{1}{64} a \left( 24x + \frac{e^{(4dx+4c)}}{d} + \frac{8e^{(2dx+2c)}}{d} - \frac{8e^{(-2dx-2c)}}{d} - \frac{e^{(-4dx-4c)}}{d} \right) - \frac{1}{64} b \left( \frac{8(dx+c)}{d} - \frac{e^{(4dx+4c)}}{d} + \frac{e^{(-4dx-4c)}}{d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cosh(d*x+c)^4*(a+b*tanh(d*x+c)^2),x, algorithm="maxima")`

[Out] `1/64*a*(24*x + e^(4*d*x + 4*c)/d + 8*e^(2*d*x + 2*c)/d - 8*e^(-2*d*x - 2*c)/d - e^(-4*d*x - 4*c)/d) - 1/64*b*(8*(d*x + c)/d - e^(4*d*x + 4*c)/d + e^(-4*d*x - 4*c)/d)`

**Fricas [A]** time = 1.82498, size = 169, normalized size = 2.68

$$\frac{(a+b) \cosh(dx+c) \sinh(dx+c)^3 + (3a-b)dx + ((a+b) \cosh(dx+c)^3 + 4a \cosh(dx+c)) \sinh(dx+c)}{8d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cosh(d*x+c)^4*(a+b*tanh(d*x+c)^2),x, algorithm="fricas")`

[Out] `1/8*((a+b)*cosh(d*x+c)*sinh(d*x+c)^3 + (3*a-b)*d*x + ((a+b)*cosh(d*x+c)^3 + 4*a*cosh(d*x+c))*sinh(d*x+c))/d`

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)\*\*4\*(a+b\*tanh(d\*x+c)\*\*2), x)

[Out] Timed out

**Giac [A]** time = 1.27921, size = 144, normalized size = 2.29

$$\frac{8(3a - b)dx - (18ae^{4dx+4c} - 6be^{4dx+4c} + 8ae^{2dx+2c} + a + b)e^{-4dx-4c} + (ae^{4dx+12c} + be^{4dx+12c} + 8ae^{2dx+10c})e^{-8c}}{64d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2), x, algorithm="giac")

[Out] 1/64\*(8\*(3\*a - b)\*d\*x - (18\*a\*e^(4\*d\*x + 4\*c) - 6\*b\*e^(4\*d\*x + 4\*c) + 8\*a\*e^(2\*d\*x + 2\*c) + a + b)\*e^(-4\*d\*x - 4\*c) + (a\*e^(4\*d\*x + 12\*c) + b\*e^(4\*d\*x + 12\*c) + 8\*a\*e^(2\*d\*x + 10\*c))\*e^(-8\*c))/d

### 3.82 $\int \cosh^3(c + dx) (a + b \tanh^2(c + dx)) dx$

**Optimal.** Leaf size=30

$$\frac{(a + b) \sinh^3(c + dx)}{3d} + \frac{a \sinh(c + dx)}{d}$$

[Out] (a\*Sinh[c + d\*x])/d + ((a + b)\*Sinh[c + d\*x]^3)/(3\*d)

**Rubi [A]** time = 0.0355443, antiderivative size = 30, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 1, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.048$ , Rules used = {3676}

$$\frac{(a + b) \sinh^3(c + dx)}{3d} + \frac{a \sinh(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[Cosh[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^2), x]

[Out] (a\*Sinh[c + d\*x])/d + ((a + b)\*Sinh[c + d\*x]^3)/(3\*d)

#### Rule 3676

```
Int[sec[(e_.) + (f_.)*(x_.)]^(m_.)*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)]^(n_.))^(p_.), x_Symbol] := With[{ff = FreeFactors[Sin[e + f*x], x]}, Dist[ff/f, Subst[Int[ExpandToSum[b*(ff*x)^n + a*(1 - ff^2*x^2)^(n/2), x]^p/(1 - ff^2*x^2)^((m + n*p + 1)/2), x], x, Sin[e + f*x]/ff], x]] /; FreeQ[{a, b, e, f}, x] && IntegerQ[(m - 1)/2] && IntegerQ[n/2] && IntegerQ[p]
```

#### Rubi steps

$$\begin{aligned} \int \cosh^3(c + dx) (a + b \tanh^2(c + dx)) dx &= \frac{\text{Subst}\left(\int (a + (a + b)x^2) dx, x, \sinh(c + dx)\right)}{d} \\ &= \frac{a \sinh(c + dx)}{d} + \frac{(a + b) \sinh^3(c + dx)}{3d} \end{aligned}$$

**Mathematica [A]** time = 0.0155267, size = 44, normalized size = 1.47

$$\frac{a \sinh^3(c + dx)}{3d} + \frac{a \sinh(c + dx)}{d} + \frac{b \sinh^3(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[Cosh[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^2), x]

[Out] (a\*Sinh[c + d\*x])/d + (a\*Sinh[c + d\*x]^3)/(3\*d) + (b\*Sinh[c + d\*x]^3)/(3\*d)

**Maple [A]** time = 0.036, size = 53, normalized size = 1.8

$$\frac{1}{d} \left( b \left( \frac{(\cosh(dx+c))^2 \sinh(dx+c)}{3} - \frac{\sinh(dx+c)}{3} \right) + a \left( \frac{2}{3} + \frac{(\cosh(dx+c))^2}{3} \right) \sinh(dx+c) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cosh(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2), x)

[Out] 1/d\*(b\*(1/3\*cosh(d\*x+c)^2\*sinh(d\*x+c)-1/3\*sinh(d\*x+c))+a\*(2/3+1/3\*cosh(d\*x+c)^2)\*sinh(d\*x+c))

**Maxima [B]** time = 1.0968, size = 112, normalized size = 3.73

$$\frac{b(e^{(dx+c)} - e^{(-dx-c)})^3}{24d} + \frac{1}{24} a \left( \frac{e^{(3dx+3c)}}{d} + \frac{9e^{(dx+c)}}{d} - \frac{9e^{(-dx-c)}}{d} - \frac{e^{(-3dx-3c)}}{d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2), x, algorithm="maxima")

[Out] 1/24\*b\*(e^(d\*x + c) - e^(-d\*x - c))^3/d + 1/24\*a\*(e^(3\*d\*x + 3\*c)/d + 9\*e^(d\*x + c)/d - 9\*e^(-d\*x - c)/d - e^(-3\*d\*x - 3\*c)/d)

**Fricas [A]** time = 1.81256, size = 119, normalized size = 3.97

$$\frac{(a+b) \sinh(dx+c)^3 + 3((a+b) \cosh(dx+c)^2 + 3a-b) \sinh(dx+c)}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2),x, algorithm="fricas")

[Out] 1/12\*((a + b)\*sinh(d\*x + c)^3 + 3\*((a + b)\*cosh(d\*x + c)^2 + 3\*a - b)\*sinh(d\*x + c))/d

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (a + b \tanh^2(c + dx)) \cosh^3(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)\*\*3\*(a+b\*tanh(d\*x+c)\*\*2),x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*2)\*cosh(c + d\*x)\*\*3, x)

**Giac [B]** time = 1.24649, size = 127, normalized size = 4.23

$$\frac{(9ae^{(2dx+2c)} - 3be^{(2dx+2c)} + a + b)e^{(-3dx-3c)} - (ae^{(3dx+12c)} + be^{(3dx+12c)} + 9ae^{(dx+10c)} - 3be^{(dx+10c)})e^{(-9c)}}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2),x, algorithm="giac")

[Out] -1/24\*((9\*a\*e^(2\*d\*x + 2\*c) - 3\*b\*e^(2\*d\*x + 2\*c) + a + b)\*e^(-3\*d\*x - 3\*c) - (a\*e^(3\*d\*x + 12\*c) + b\*e^(3\*d\*x + 12\*c) + 9\*a\*e^(d\*x + 10\*c) - 3\*b\*e^(d\*x + 10\*c))\*e^(-9\*c))/d

### 3.83 $\int \cosh^2(c + dx) (a + b \tanh^2(c + dx)) dx$

**Optimal.** Leaf size=33

$$\frac{(a + b) \sinh(c + dx) \cosh(c + dx)}{2d} + \frac{1}{2}x(a - b)$$

[Out]  $((a - b)*x)/2 + ((a + b)*\text{Cosh}[c + d*x]*\text{Sinh}[c + d*x])/(2*d)$

**Rubi [A]** time = 0.0390378, antiderivative size = 33, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3675, 385, 206}

$$\frac{(a + b) \sinh(c + dx) \cosh(c + dx)}{2d} + \frac{1}{2}x(a - b)$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Cosh}[c + d*x]^2*(a + b*\text{Tanh}[c + d*x]^2), x]$

[Out]  $((a - b)*x)/2 + ((a + b)*\text{Cosh}[c + d*x]*\text{Sinh}[c + d*x])/(2*d)$

#### Rule 3675

$\text{Int}[\sec[(e_.) + (f_.)*(x_.)]^{(m_.)}*((a_.) + (b_.)*((c_.)*\tan[(e_.) + (f_.)*(x_.)])^{(n_.)})^{(p_.)}, x\_Symbol] \rightarrow \text{With}\{\{ff = \text{FreeFactors}[\text{Tan}[e + f*x], x]\}, \text{Dist}[ff/(c^{(m-1)}*f), \text{Subst}[\text{Int}[(c^2 + ff^2*x^2)^{(m/2-1)}*(a + b*(ff*x)^n)^p, x], x, (c*\text{Tan}[e + f*x])/ff], x]\} /; \text{FreeQ}\{\{a, b, c, e, f, n, p\}, x\} \&\& \text{IntegerQ}[m/2] \&\& (\text{IntegersQ}[n, p] \parallel \text{IGtQ}[m, 0] \parallel \text{IGtQ}[p, 0] \parallel \text{EqQ}[n^2, 4] \parallel \text{EqQ}[n^2, 16])$

#### Rule 385

$\text{Int}[((a_.) + (b_.)*(x_.)^{(n_.)})^{(p_.)}*((c_.) + (d_.)*(x_.)^{(n_.)}), x\_Symbol] \rightarrow -\text{Simp}[(b*c - a*d)*x*(a + b*x^n)^{(p+1)}/(a*b*n*(p+1)), x] - \text{Dist}[(a*d - b*c*(n*(p+1) + 1))/(a*b*n*(p+1)), \text{Int}[(a + b*x^n)^{(p+1)}, x], x] /; \text{FreeQ}\{\{a, b, c, d, n, p\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& (\text{LtQ}[p, -1] \parallel \text{ILtQ}[1/n + p, 0])$

#### Rule 206

$\text{Int}(((a_.) + (b_.)*(x_.)^2)^{-1}), x\_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTanh}[(\text{Rt}[-b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}\{\{a, b\}, x\} \&\& \text{NegQ}[a/b] \&\& (\text{Gt}$

$Q[a, 0] \parallel LtQ[b, 0]$

### Rubi steps

$$\begin{aligned} \int \cosh^2(c + dx) (a + b \tanh^2(c + dx)) dx &= \frac{\text{Subst}\left(\int \frac{a+bx^2}{(1-x^2)^2} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{(a + b) \cosh(c + dx) \sinh(c + dx)}{2d} + \frac{(a - b) \text{Subst}\left(\int \frac{1}{1-x^2} dx, x, \tanh(c + dx)\right)}{2d} \\ &= \frac{1}{2}(a - b)x + \frac{(a + b) \cosh(c + dx) \sinh(c + dx)}{2d} \end{aligned}$$

**Mathematica [A]** time = 0.056917, size = 32, normalized size = 0.97

$$\frac{2(a - b)(c + dx) + (a + b) \sinh(2(c + dx))}{4d}$$

Antiderivative was successfully verified.

[In] Integrate[Cosh[c + d\*x]^2\*(a + b\*Tanh[c + d\*x]^2), x]

[Out] (2\*(a - b)\*(c + d\*x) + (a + b)\*Sinh[2\*(c + d\*x)])/(4\*d)

**Maple [A]** time = 0.033, size = 54, normalized size = 1.6

$$\frac{1}{d} \left( b \left( \frac{\cosh(dx + c) \sinh(dx + c)}{2} - \frac{dx}{2} - \frac{c}{2} \right) + a \left( \frac{\cosh(dx + c) \sinh(dx + c)}{2} + \frac{dx}{2} + \frac{c}{2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cosh(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2), x)

[Out] 1/d\*(b\*(1/2\*cosh(d\*x+c)\*sinh(d\*x+c)-1/2\*d\*x-1/2\*c)+a\*(1/2\*cosh(d\*x+c)\*sinh(d\*x+c)+1/2\*d\*x+1/2\*c))

**Maxima [B]** time = 1.11015, size = 93, normalized size = 2.82

$$\frac{1}{8} a \left( 4x + \frac{e^{(2dx+2c)}}{d} - \frac{e^{(-2dx-2c)}}{d} \right) - \frac{1}{8} b \left( 4x - \frac{e^{(2dx+2c)}}{d} + \frac{e^{(-2dx-2c)}}{d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2),x, algorithm="maxima")

[Out] 1/8\*a\*(4\*x + e^(2\*d\*x + 2\*c)/d - e^(-2\*d\*x - 2\*c)/d) - 1/8\*b\*(4\*x - e^(2\*d\*x + 2\*c)/d + e^(-2\*d\*x - 2\*c)/d)

**Fricas [A]** time = 1.86134, size = 80, normalized size = 2.42

$$\frac{(a-b)dx + (a+b) \cosh(dx+c) \sinh(dx+c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2),x, algorithm="fricas")

[Out] 1/2\*((a-b)\*d\*x + (a+b)\*cosh(d\*x+c)\*sinh(d\*x+c))/d

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (a + b \tanh^2(c + dx)) \cosh^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)\*\*2\*(a+b\*tanh(d\*x+c)\*\*2),x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*2)\*cosh(c + d\*x)\*\*2, x)

**Giac [B]** time = 1.21928, size = 109, normalized size = 3.3

$$\frac{4(a-b)dx - (2ae^{(2dx+2c)} - 2be^{(2dx+2c)} + a+b)e^{(-2dx-2c)} + (ae^{(2dx+4c)} + be^{(2dx+4c)})e^{(-2c)}}{8d}$$



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cosh(d*x+c)^2*(a+b*tanh(d*x+c)^2),x, algorithm="giac")
```

```
[Out] 1/8*(4*(a - b)*d*x - (2*a*e^(2*d*x + 2*c) - 2*b*e^(2*d*x + 2*c) + a + b)*e^(-2*d*x - 2*c) + (a*e^(2*d*x + 4*c) + b*e^(2*d*x + 4*c))*e^(-2*c))/d
```

### 3.84 $\int \cosh(c + dx) (a + b \tanh^2(c + dx)) dx$

**Optimal.** Leaf size=27

$$\frac{(a + b) \sinh(c + dx)}{d} - \frac{b \tan^{-1}(\sinh(c + dx))}{d}$$

[Out]  $-\left(\frac{b \operatorname{ArcTan}[\operatorname{Sinh}[c + d*x]]}{d}\right) + \frac{(a + b) \operatorname{Sinh}[c + d*x]}{d}$

**Rubi [A]** time = 0.0319431, antiderivative size = 27, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$ , Rules used = {3676, 388, 203}

$$\frac{(a + b) \sinh(c + dx)}{d} - \frac{b \tan^{-1}(\sinh(c + dx))}{d}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[\operatorname{Cosh}[c + d*x]*(a + b*\operatorname{Tanh}[c + d*x]^2), x]$

[Out]  $-\left(\frac{b \operatorname{ArcTan}[\operatorname{Sinh}[c + d*x]]}{d}\right) + \frac{(a + b) \operatorname{Sinh}[c + d*x]}{d}$

#### Rule 3676

```
Int[sec[(e_.) + (f_.)*(x_)]^(m_.)*((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)]^(n_.))^(p_.), x_Symbol]
:> With[{ff = FreeFactors[Sin[e + f*x], x]}, Dist[ff/f, Subst[Int[ExpandToSum[b*(ff*x)^n + a*(1 - ff^2*x^2)^(n/2), x]^p/(1 - ff^2*x^2)^(m + n*p + 1)/2], x], x, Sin[e + f*x]/ff], x] /; FreeQ[{a, b, e, f}, x] && IntegerQ[(m - 1)/2] && IntegerQ[n/2] && IntegerQ[p]
```

#### Rule 388

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol]
:> Simp[(d*x*(a + b*x^n)^(p + 1))/(b*(n*(p + 1) + 1)), x] - Dist[(a*d - b*c*(n*(p + 1) + 1))/(b*(n*(p + 1) + 1)), Int[(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && NeQ[n*(p + 1) + 1, 0]
```

#### Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol]
:> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
```

, 0] || GtQ[b, 0])

### Rubi steps

$$\begin{aligned} \int \cosh(c + dx) (a + b \tanh^2(c + dx)) dx &= \frac{\text{Subst} \left( \int \frac{a+(a+b)x^2}{1+x^2} dx, x, \sinh(c + dx) \right)}{d} \\ &= \frac{(a + b) \sinh(c + dx)}{d} - \frac{b \text{Subst} \left( \int \frac{1}{1+x^2} dx, x, \sinh(c + dx) \right)}{d} \\ &= -\frac{b \tan^{-1}(\sinh(c + dx))}{d} + \frac{(a + b) \sinh(c + dx)}{d} \end{aligned}$$

**Mathematica [A]** time = 0.0289552, size = 47, normalized size = 1.74

$$\frac{a \sinh(c) \cosh(dx)}{d} + \frac{a \cosh(c) \sinh(dx)}{d} + \frac{b \sinh(c + dx)}{d} - \frac{b \tan^{-1}(\sinh(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Cosh[c + d\*x]\*(a + b\*Tanh[c + d\*x]^2), x]

[Out] -((b\*ArcTan[Sinh[c + d\*x]])/d) + (a\*Cosh[d\*x]\*Sinh[c])/d + (a\*Cosh[c]\*Sinh[d\*x])/d + (b\*Sinh[c + d\*x])/d

**Maple [A]** time = 0.034, size = 37, normalized size = 1.4

$$\frac{a \sinh(dx + c)}{d} + \frac{b \sinh(dx + c)}{d} - 2 \frac{b \arctan(e^{dx+c})}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cosh(d\*x+c)\*(a+b\*tanh(d\*x+c)^2), x)

[Out] a\*sinh(d\*x+c)/d+b\*sinh(d\*x+c)/d-2/d\*b\*arctan(exp(d\*x+c))

**Maxima [B]** time = 1.60957, size = 74, normalized size = 2.74

$$\frac{1}{2} b \left( \frac{4 \arctan \left( \frac{e^{(-dx-c)}}{d} \right)}{d} + \frac{e^{(dx+c)}}{d} - \frac{e^{(-dx-c)}}{d} \right) + \frac{a \sinh(dx+c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)\*(a+b\*tanh(d\*x+c)^2),x, algorithm="maxima")

[Out] 1/2\*b\*(4\*arctan(e^(-d\*x - c))/d + e^(d\*x + c)/d - e^(-d\*x - c)/d) + a\*sinh(d\*x + c)/d

**Fricas [B]** time = 1.86466, size = 296, normalized size = 10.96

$$\frac{(a+b) \cosh(dx+c)^2 + 2(a+b) \cosh(dx+c) \sinh(dx+c) + (a+b) \sinh(dx+c)^2 - 4(b \cosh(dx+c) + b \sinh(dx+c)) \arctan(\cosh(dx+c) + \sinh(dx+c)) - a - b}{2(d \cosh(dx+c) + d \sinh(dx+c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)\*(a+b\*tanh(d\*x+c)^2),x, algorithm="fricas")

[Out] 1/2\*((a + b)\*cosh(d\*x + c)^2 + 2\*(a + b)\*cosh(d\*x + c)\*sinh(d\*x + c) + (a + b)\*sinh(d\*x + c)^2 - 4\*(b\*cosh(d\*x + c) + b\*sinh(d\*x + c))\*arctan(cosh(d\*x + c) + sinh(d\*x + c)) - a - b)/(d\*cosh(d\*x + c) + d\*sinh(d\*x + c))

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (a + b \tanh^2(c + dx)) \cosh(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)\*(a+b\*tanh(d\*x+c)\*\*2),x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*2)\*cosh(c + d\*x), x)

**Giac [B]** time = 1.265, size = 76, normalized size = 2.81

$$\frac{4b \arctan\left(e^{(dx+c)}\right) + (a+b)e^{(-dx-c)} - \left(ae^{(dx+4c)} + be^{(dx+4c)}\right)e^{(-3c)}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)\*(a+b\*tanh(d\*x+c)^2),x, algorithm="giac")

[Out] -1/2\*(4\*b\*arctan(e^(d\*x + c)) + (a + b)\*e^(-d\*x - c) - (a\*e^(d\*x + 4\*c) + b\*e^(d\*x + 4\*c))\*e^(-3\*c))/d

### 3.85 $\int \operatorname{sech}(c + dx) (a + b \tanh^2(c + dx)) dx$

**Optimal.** Leaf size=40

$$\frac{(2a + b) \tan^{-1}(\sinh(c + dx))}{2d} - \frac{b \tanh(c + dx) \operatorname{sech}(c + dx)}{2d}$$

[Out]  $((2*a + b)*\operatorname{ArcTan}[\operatorname{Sinh}[c + d*x]])/(2*d) - (b*\operatorname{Sech}[c + d*x]*\operatorname{Tanh}[c + d*x])/(2*d)$

**Rubi [A]** time = 0.0310208, antiderivative size = 40, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$ , Rules used = {3676, 385, 203}

$$\frac{(2a + b) \tan^{-1}(\sinh(c + dx))}{2d} - \frac{b \tanh(c + dx) \operatorname{sech}(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[\operatorname{Sech}[c + d*x]*(a + b*\operatorname{Tanh}[c + d*x]^2), x]$

[Out]  $((2*a + b)*\operatorname{ArcTan}[\operatorname{Sinh}[c + d*x]])/(2*d) - (b*\operatorname{Sech}[c + d*x]*\operatorname{Tanh}[c + d*x])/(2*d)$

#### Rule 3676

```
Int[sec[(e_.) + (f_.)*(x_.)]^(m_.)*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)]^(n_.))^(p_.), x_Symbol] :> With[{ff = FreeFactors[Sin[e + f*x], x]}, Dist[ff/f, Subst[Int[ExpandToSum[b*(ff*x)^n + a*(1 - ff^2*x^2)^(n/2), x]^p/(1 - ff^2*x^2)^((m + n*p + 1)/2), x], x, Sin[e + f*x]/ff], x]] /; FreeQ[{a, b, e, f}, x] && IntegerQ[(m - 1)/2] && IntegerQ[n/2] && IntegerQ[p]
```

#### Rule 385

```
Int[((a_.) + (b_.)*(x_.)^(n_.))^(p_.)*((c_.) + (d_.)*(x_.)^(n_.)), x_Symbol] :> -Simp[((b*c - a*d)*x*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] - Dist[(a*d - b*c*(n*(p + 1) + 1))/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n + p, 0])
```

#### Rule 203

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

### Rubi steps

$$\begin{aligned} \int \operatorname{sech}(c+dx) (a+b \tanh^2(c+dx)) dx &= \frac{\operatorname{Subst}\left(\int \frac{a+(a+b)x^2}{(1+x^2)^2} dx, x, \sinh(c+dx)\right)}{d} \\ &= -\frac{b \operatorname{sech}(c+dx) \tanh(c+dx)}{2d} + \frac{(2a+b) \operatorname{Subst}\left(\int \frac{1}{1+x^2} dx, x, \sinh(c+dx)\right)}{2d} \\ &= \frac{(2a+b) \tan^{-1}(\sinh(c+dx))}{2d} - \frac{b \operatorname{sech}(c+dx) \tanh(c+dx)}{2d} \end{aligned}$$

**Mathematica [A]** time = 0.0228812, size = 48, normalized size = 1.2

$$\frac{a \tan^{-1}(\sinh(c+dx))}{d} + \frac{b \tan^{-1}(\sinh(c+dx))}{2d} - \frac{b \tanh(c+dx) \operatorname{sech}(c+dx)}{2d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sech[c + d*x]*(a + b*Tanh[c + d*x]^2), x]
```

```
[Out] (a*ArcTan[Sinh[c + d*x]])/d + (b*ArcTan[Sinh[c + d*x]])/(2*d) - (b*Sech[c + d*x]*Tanh[c + d*x])/(2*d)
```

**Maple [A]** time = 0.026, size = 65, normalized size = 1.6

$$2 \frac{a \arctan(e^{dx+c})}{d} - \frac{b \sinh(dx+c)}{d (\cosh(dx+c))^2} + \frac{b \operatorname{sech}(dx+c) \tanh(dx+c)}{2d} + \frac{b \arctan(e^{dx+c})}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sech(d*x+c)*(a+b*tanh(d*x+c)^2), x)
```

```
[Out] 2/d*a*arctan(exp(d*x+c))-1/d*b*sinh(d*x+c)/cosh(d*x+c)^2+1/2*b*sech(d*x+c)*tanh(d*x+c)/d+1/d*b*arctan(exp(d*x+c))
```

---

**Maxima [B]** time = 1.64965, size = 108, normalized size = 2.7

$$-b \left( \frac{\arctan(e^{(-dx-c)})}{d} + \frac{e^{(-dx-c)} - e^{(-3dx-3c)}}{d(2e^{(-2dx-2c)} + e^{(-4dx-4c)} + 1)} \right) + \frac{a \arctan(\sinh(dx+c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)\*(a+b\*tanh(d\*x+c)^2),x, algorithm="maxima")

[Out] -b\*(arctan(e^(-d\*x - c))/d + (e^(-d\*x - c) - e^(-3\*d\*x - 3\*c))/(d\*(2\*e^(-2\*d\*x - 2\*c) + e^(-4\*d\*x - 4\*c) + 1))) + a\*arctan(sinh(d\*x + c))/d

---

**Fricas [B]** time = 1.9605, size = 883, normalized size = 22.08

$$\frac{b \cosh(dx+c)^3 + 3b \cosh(dx+c) \sinh(dx+c)^2 + b \sinh(dx+c)^3 - ((2a+b) \cosh(dx+c)^4 + 4(2a+b) \cosh(dx+c) \sinh(dx+c)^3 + 4(2a+b) \sinh(dx+c)^2 + (2a+b) \cosh(dx+c) \sinh(dx+c)^2 + 2(2a+b) \cosh(dx+c) \sinh(dx+c) + 2(2a+b) \sinh(dx+c)^2 + 4((2a+b) \cosh(dx+c)^3 + (2a+b) \cosh(dx+c) \sinh(dx+c) + 2(2a+b) \sinh(dx+c)^2 + 4((2a+b) \cosh(dx+c)^2 + (2a+b) \cosh(dx+c) \sinh(dx+c) + 2(2a+b) \sinh(dx+c)^2 + 4((2a+b) \cosh(dx+c) + \sinh(dx+c)) - b \cosh(dx+c) + (3b \cosh(dx+c)^2 - b) \sinh(dx+c)))/(d \cosh(dx+c)^4 + 4d \cosh(dx+c) \sinh(dx+c)^3 + d \sinh(dx+c)^4 + 2d \cosh(dx+c)^2 + 2(3d \cosh(dx+c)^2 + d) \sinh(dx+c)^2 + 4(d \cosh(dx+c)^3 + d \cosh(dx+c) \sinh(dx+c) + d) \sinh(dx+c) + d)}{d \cosh(dx+c)^4 + 4d \cosh(dx+c) \sinh(dx+c)^3 + d \sinh(dx+c)^4 + 2d \cosh(dx+c)^2 + 2(3d \cosh(dx+c)^2 + d) \sinh(dx+c)^2 + 4(d \cosh(dx+c)^3 + d \cosh(dx+c) \sinh(dx+c) + d) \sinh(dx+c) + d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)\*(a+b\*tanh(d\*x+c)^2),x, algorithm="fricas")

[Out] -(b\*cosh(d\*x + c)^3 + 3\*b\*cosh(d\*x + c)\*sinh(d\*x + c)^2 + b\*sinh(d\*x + c)^3 - ((2\*a + b)\*cosh(d\*x + c)^4 + 4\*(2\*a + b)\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + (2\*a + b)\*sinh(d\*x + c)^4 + 2\*(2\*a + b)\*cosh(d\*x + c)^2 + 2\*(3\*(2\*a + b)\*cosh(d\*x + c)^2 + 2\*a + b)\*sinh(d\*x + c)^2 + 4\*((2\*a + b)\*cosh(d\*x + c)^3 + (2\*a + b)\*cosh(d\*x + c))\*sinh(d\*x + c) + 2\*a + b)\*arctan(cosh(d\*x + c) + sinh(d\*x + c)) - b\*cosh(d\*x + c) + (3\*b\*cosh(d\*x + c)^2 - b)\*sinh(d\*x + c))/(d\*cosh(d\*x + c)^4 + 4\*d\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + d\*sinh(d\*x + c)^4 + 2\*d\*cosh(d\*x + c)^2 + 2\*(3\*d\*cosh(d\*x + c)^2 + d)\*sinh(d\*x + c)^2 + 4\*(d\*cosh(d\*x + c)^3 + d\*cosh(d\*x + c))\*sinh(d\*x + c) + d)

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (a + b \tanh^2(c + dx)) \operatorname{sech}(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate(sech(d\*x+c)\*(a+b\*tanh(d\*x+c)\*\*2),x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*2)\*sech(c + d\*x), x)

**Giac [A]** time = 1.21055, size = 85, normalized size = 2.12

$$\frac{(2ae^c + be^c) \arctan\left(e^{(dx+c)}\right) e^{(-c)} - \frac{be^{(3dx+3c)} - be^{(dx+c)}}{(e^{(2dx+2c)}+1)^2}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)\*(a+b\*tanh(d\*x+c)^2),x, algorithm="giac")

[Out] ((2\*a\*e^c + b\*e^c)\*arctan(e^(d\*x + c))\*e^(-c) - (b\*e^(3\*d\*x + 3\*c) - b\*e^(d\*x + c))/(e^(2\*d\*x + 2\*c) + 1)^2)/d

### 3.86 $\int \operatorname{sech}^2(c + dx) (a + b \tanh^2(c + dx)) dx$

**Optimal.** Leaf size=28

$$\frac{a \tanh(c + dx)}{d} + \frac{b \tanh^3(c + dx)}{3d}$$

[Out] (a\*Tanh[c + d\*x])/d + (b\*Tanh[c + d\*x]^3)/(3\*d)

**Rubi [A]** time = 0.0293381, antiderivative size = 28, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 1, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.048$ , Rules used = {3675}

$$\frac{a \tanh(c + dx)}{d} + \frac{b \tanh^3(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[Sech[c + d\*x]^2\*(a + b\*Tanh[c + d\*x]^2), x]

[Out] (a\*Tanh[c + d\*x])/d + (b\*Tanh[c + d\*x]^3)/(3\*d)

#### Rule 3675

```
Int[sec[(e_.) + (f_.)*(x_)]^(m_)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)]))^(n_)]^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[ff/(c^(m - 1)*f), Subst[Int[(c^2 + ff^2*x^2)^(m/2 - 1)*(a + b*(ff*x)^n)^p, x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2] && (IntegersQ[n, p] || IGtQ[m, 0] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])
```

#### Rubi steps

$$\begin{aligned} \int \operatorname{sech}^2(c + dx) (a + b \tanh^2(c + dx)) dx &= \frac{\operatorname{Subst}\left(\int (a + bx^2) dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{a \tanh(c + dx)}{d} + \frac{b \tanh^3(c + dx)}{3d} \end{aligned}$$

**Mathematica [A]** time = 0.0112985, size = 28, normalized size = 1.

$$\frac{a \tanh(c + dx)}{d} + \frac{b \tanh^3(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[Sech[c + d\*x]^2\*(a + b\*Tanh[c + d\*x]^2), x]

[Out] (a\*Tanh[c + d\*x])/d + (b\*Tanh[c + d\*x]^3)/(3\*d)

**Maple [A]** time = 0.036, size = 53, normalized size = 1.9

$$\frac{1}{d} \left( a \tanh(dx + c) + b \left( -\frac{\sinh(dx + c)}{2 (\cosh(dx + c))^3} + \frac{\tanh(dx + c)}{2} \left( \frac{2}{3} + \frac{(\operatorname{sech}(dx + c))^2}{3} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sech(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2), x)

[Out] 1/d\*(a\*tanh(d\*x+c)+b\*(-1/2\*sinh(d\*x+c)/cosh(d\*x+c)^3+1/2\*(2/3+1/3\*sech(d\*x+c)^2)\*tanh(d\*x+c)))

**Maxima [A]** time = 1.13298, size = 46, normalized size = 1.64

$$\frac{b \tanh(dx + c)^3}{3d} + \frac{2a}{d(e^{(-2dx-2c)} + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2), x, algorithm="maxima")

[Out] 1/3\*b\*tanh(d\*x + c)^3/d + 2\*a/(d\*(e^(-2\*d\*x - 2\*c) + 1))

**Fricas [B]** time = 1.81801, size = 424, normalized size = 15.14

$$\frac{4 \left( (3a + 2b) \cosh(dx + c)^2 + 2b \cosh(dx + c) \sinh(dx + c) + (3a + 2b) \sinh(dx + c)^2 \right)}{3 \left( d \cosh(dx + c)^4 + 4d \cosh(dx + c) \sinh(dx + c)^3 + d \sinh(dx + c)^4 + 4d \cosh(dx + c)^2 + 2 \left( 3d \cosh(dx + c)^2 + \dots \right) \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sech(d*x+c)^2*(a+b*tanh(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] -4/3*((3*a + 2*b)*cosh(d*x + c)^2 + 2*b*cosh(d*x + c)*sinh(d*x + c) + (3*a + 2*b)*sinh(d*x + c)^2 + 3*a)/(d*cosh(d*x + c)^4 + 4*d*cosh(d*x + c)*sinh(d*x + c)^3 + d*sinh(d*x + c)^4 + 4*d*cosh(d*x + c)^2 + 2*(3*d*cosh(d*x + c)^2 + 2*d)*sinh(d*x + c)^2 + 4*(d*cosh(d*x + c)^3 + d*cosh(d*x + c))*sinh(d*x + c) + 3*d)
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (a + b \tanh^2(c + dx)) \operatorname{sech}^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sech(d*x+c)**2*(a+b*tanh(d*x+c)**2),x)
```

```
[Out] Integral((a + b*tanh(c + d*x)**2)*sech(c + d*x)**2, x)
```

**Giac [B]** time = 1.1891, size = 80, normalized size = 2.86

$$\frac{2(3ae^{4dx+4c} + 3be^{4dx+4c} + 6ae^{2dx+2c} + 3a + b)}{3d(e^{2dx+2c} + 1)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sech(d*x+c)^2*(a+b*tanh(d*x+c)^2),x, algorithm="giac")
```

```
[Out] -2/3*(3*a*e^(4*d*x + 4*c) + 3*b*e^(4*d*x + 4*c) + 6*a*e^(2*d*x + 2*c) + 3*a + b)/(d*(e^(2*d*x + 2*c) + 1)^3)
```

### 3.87 $\int \operatorname{sech}^3(c + dx) (a + b \tanh^2(c + dx)) dx$

**Optimal.** Leaf size=66

$$\frac{(4a + b) \tan^{-1}(\sinh(c + dx))}{8d} + \frac{(4a + b) \tanh(c + dx) \operatorname{sech}(c + dx)}{8d} - \frac{b \tanh(c + dx) \operatorname{sech}^3(c + dx)}{4d}$$

[Out]  $((4*a + b)*\operatorname{ArcTan}[\operatorname{Sinh}[c + d*x]])/(8*d) + ((4*a + b)*\operatorname{Sech}[c + d*x]*\operatorname{Tanh}[c + d*x])/(8*d) - (b*\operatorname{Sech}[c + d*x]^3*\operatorname{Tanh}[c + d*x])/(4*d)$

**Rubi [A]** time = 0.0455378, antiderivative size = 66, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.19$ , Rules used = {3676, 385, 199, 203}

$$\frac{(4a + b) \tan^{-1}(\sinh(c + dx))}{8d} + \frac{(4a + b) \tanh(c + dx) \operatorname{sech}(c + dx)}{8d} - \frac{b \tanh(c + dx) \operatorname{sech}^3(c + dx)}{4d}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[\operatorname{Sech}[c + d*x]^3*(a + b*\operatorname{Tanh}[c + d*x]^2), x]$

[Out]  $((4*a + b)*\operatorname{ArcTan}[\operatorname{Sinh}[c + d*x]])/(8*d) + ((4*a + b)*\operatorname{Sech}[c + d*x]*\operatorname{Tanh}[c + d*x])/(8*d) - (b*\operatorname{Sech}[c + d*x]^3*\operatorname{Tanh}[c + d*x])/(4*d)$

#### Rule 3676

$\operatorname{Int}[\operatorname{sec}[(e_.) + (f_.)*(x_.)]^{(m_.)}*((a_.) + (b_.)*\tan[(e_.) + (f_.)*(x_.)]^{(n_.)})^{(p_.)}, x\_Symbol] \rightarrow \operatorname{With}[\{ff = \operatorname{FreeFactors}[\operatorname{Sin}[e + f*x], x]\}, \operatorname{Dist}[ff/f, \operatorname{Subst}[\operatorname{Int}[\operatorname{ExpandToSum}[b*(ff*x)^n + a*(1 - ff^2*x^2)^{(n/2)}], x]^p/(1 - ff^2*x^2)^{(m + n*p + 1)/2}, x], x, \operatorname{Sin}[e + f*x]/ff], x]] /; \operatorname{FreeQ}\{a, b, e, f\}, x\} \&\& \operatorname{IntegerQ}[(m - 1)/2] \&\& \operatorname{IntegerQ}[n/2] \&\& \operatorname{IntegerQ}[p]$

#### Rule 385

$\operatorname{Int}[(a_. + (b_.)*(x_.)^{(n_.)})^{(p_.)}*((c_.) + (d_.)*(x_.)^{(n_.)}), x\_Symbol] \rightarrow -\operatorname{Simp}[(b*c - a*d)*x*(a + b*x^n)^{(p + 1)}/(a*b*n*(p + 1)), x] - \operatorname{Dist}[(a*d - b*c*(n*(p + 1) + 1))/(a*b*n*(p + 1)), \operatorname{Int}[(a + b*x^n)^{(p + 1)}, x], x] /; \operatorname{FreeQ}\{a, b, c, d, n, p\}, x\} \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& (\operatorname{LtQ}[p, -1] \mid\mid \operatorname{ILtQ}[1/n + p, 0])$

#### Rule 199

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*(a + b*x^n)^(p + 1)) / (a*n*(p + 1)), x] + Dist[(n*(p + 1) + 1) / (a*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && LtQ[p, -1] && (IntegerQ[2*p] || (n == 2 && IntegerQ[4*p]) || (n == 2 && IntegerQ[3*p]) || Denominator[p + 1/n] < Denominator[p])
```

### Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]]) / (Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

### Rubi steps

$$\begin{aligned} \int \operatorname{sech}^3(c + dx) (a + b \tanh^2(c + dx)) dx &= \frac{\operatorname{Subst}\left(\int \frac{a+(a+b)x^2}{(1+x^2)^3} dx, x, \sinh(c + dx)\right)}{d} \\ &= -\frac{b \operatorname{sech}^3(c + dx) \tanh(c + dx)}{4d} + \frac{(4a + b) \operatorname{Subst}\left(\int \frac{1}{(1+x^2)^2} dx, x, \sinh(c + dx)\right)}{4d} \\ &= \frac{(4a + b) \operatorname{sech}(c + dx) \tanh(c + dx)}{8d} - \frac{b \operatorname{sech}^3(c + dx) \tanh(c + dx)}{4d} + \frac{(4a + b) \tan^{-1}(\sinh(c + dx))}{8d} \\ &= \frac{(4a + b) \tan^{-1}(\sinh(c + dx))}{8d} + \frac{(4a + b) \operatorname{sech}(c + dx) \tanh(c + dx)}{8d} - \frac{b \operatorname{sech}^3(c + dx) \tanh(c + dx)}{4d} \end{aligned}$$

**Mathematica [A]** time = 0.0293792, size = 93, normalized size = 1.41

$$\frac{a \tan^{-1}(\sinh(c + dx))}{2d} + \frac{a \tanh(c + dx) \operatorname{sech}(c + dx)}{2d} + \frac{b \tan^{-1}(\sinh(c + dx))}{8d} - \frac{b \tanh(c + dx) \operatorname{sech}^3(c + dx)}{4d} + \frac{b \tanh(c + dx) \operatorname{sech}(c + dx)}{4d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sech[c + d*x]^3*(a + b*Tanh[c + d*x]^2), x]
```

```
[Out] (a*ArcTan[Sinh[c + d*x]])/(2*d) + (b*ArcTan[Sinh[c + d*x]])/(8*d) + (a*Sech[c + d*x]*Tanh[c + d*x])/(2*d) + (b*Sech[c + d*x]*Tanh[c + d*x])/(8*d) - (b*Sech[c + d*x]^3*Tanh[c + d*x])/(4*d)
```

**Maple [A]** time = 0.044, size = 103, normalized size = 1.6

$$\frac{a \operatorname{sech}(dx+c) \tanh(dx+c)}{2d} + \frac{a \arctan(e^{dx+c})}{d} - \frac{b \sinh(dx+c)}{3d (\cosh(dx+c))^4} + \frac{b (\operatorname{sech}(dx+c))^3 \tanh(dx+c)}{12d} + \frac{b \operatorname{sech}(dx+c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sech(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2), x)

[Out] 1/2/d\*a\*sech(d\*x+c)\*tanh(d\*x+c)+1/d\*a\*arctan(exp(d\*x+c))-1/3/d\*b\*sinh(d\*x+c)/cosh(d\*x+c)^4+1/12\*b\*sech(d\*x+c)^3\*tanh(d\*x+c)/d+1/8\*b\*sech(d\*x+c)\*tanh(d\*x+c)/d+1/4/d\*b\*arctan(exp(d\*x+c))

**Maxima [B]** time = 1.61634, size = 244, normalized size = 3.7

$$-\frac{1}{4} b \left( \frac{\arctan(e^{-dx-c})}{d} - \frac{e^{-dx-c} - 7e^{-3dx-3c} + 7e^{-5dx-5c} - e^{-7dx-7c}}{d(4e^{-2dx-2c} + 6e^{-4dx-4c} + 4e^{-6dx-6c} + e^{-8dx-8c} + 1)} \right) - a \left( \frac{\arctan(e^{-dx-c})}{d} - \frac{e^{-dx-c}}{d(2e^{-2dx-2c} + 1)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2), x, algorithm="maxima")

[Out] -1/4\*b\*(arctan(e^(-d\*x - c))/d - (e^(-d\*x - c) - 7\*e^(-3\*d\*x - 3\*c) + 7\*e^(-5\*d\*x - 5\*c) - e^(-7\*d\*x - 7\*c))/(d\*(4\*e^(-2\*d\*x - 2\*c) + 6\*e^(-4\*d\*x - 4\*c) + 4\*e^(-6\*d\*x - 6\*c) + e^(-8\*d\*x - 8\*c) + 1))) - a\*(arctan(e^(-d\*x - c))/d - (e^(-d\*x - c) - e^(-3\*d\*x - 3\*c))/(d\*(2\*e^(-2\*d\*x - 2\*c) + e^(-4\*d\*x - 4\*c) + 1)))

**Fricas [B]** time = 2.01207, size = 2826, normalized size = 42.82

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2), x, algorithm="fricas")

[Out] 1/4\*((4\*a + b)\*cosh(d\*x + c)^7 + 7\*(4\*a + b)\*cosh(d\*x + c)\*sinh(d\*x + c)^6 + (4\*a + b)\*sinh(d\*x + c)^7 + (4\*a - 7\*b)\*cosh(d\*x + c)^5 + (21\*(4\*a + b)\*c

```

osh(d*x + c)^2 + 4*a - 7*b)*sinh(d*x + c)^5 + 5*(7*(4*a + b)*cosh(d*x + c)^
3 + (4*a - 7*b)*cosh(d*x + c))*sinh(d*x + c)^4 - (4*a - 7*b)*cosh(d*x + c)^
3 + (35*(4*a + b)*cosh(d*x + c)^4 + 10*(4*a - 7*b)*cosh(d*x + c)^2 - 4*a +
7*b)*sinh(d*x + c)^3 + (21*(4*a + b)*cosh(d*x + c)^5 + 10*(4*a - 7*b)*cosh(
d*x + c)^3 - 3*(4*a - 7*b)*cosh(d*x + c))*sinh(d*x + c)^2 + ((4*a + b)*cosh
(d*x + c)^8 + 8*(4*a + b)*cosh(d*x + c)*sinh(d*x + c)^7 + (4*a + b)*sinh(d*
x + c)^8 + 4*(4*a + b)*cosh(d*x + c)^6 + 4*(7*(4*a + b)*cosh(d*x + c)^2 + 4
*a + b)*sinh(d*x + c)^6 + 8*(7*(4*a + b)*cosh(d*x + c)^3 + 3*(4*a + b)*cosh
(d*x + c))*sinh(d*x + c)^5 + 6*(4*a + b)*cosh(d*x + c)^4 + 2*(35*(4*a + b)*
cosh(d*x + c)^4 + 30*(4*a + b)*cosh(d*x + c)^2 + 12*a + 3*b)*sinh(d*x + c)^
4 + 8*(7*(4*a + b)*cosh(d*x + c)^5 + 10*(4*a + b)*cosh(d*x + c)^3 + 3*(4*a
+ b)*cosh(d*x + c))*sinh(d*x + c)^3 + 4*(4*a + b)*cosh(d*x + c)^2 + 4*(7*(4
*a + b)*cosh(d*x + c)^6 + 15*(4*a + b)*cosh(d*x + c)^4 + 9*(4*a + b)*cosh(d
*x + c)^2 + 4*a + b)*sinh(d*x + c)^2 + 8*((4*a + b)*cosh(d*x + c)^7 + 3*(4*
a + b)*cosh(d*x + c)^5 + 3*(4*a + b)*cosh(d*x + c)^3 + (4*a + b)*cosh(d*x +
c))*sinh(d*x + c) + 4*a + b)*arctan(cosh(d*x + c) + sinh(d*x + c)) - (4*a
+ b)*cosh(d*x + c) + (7*(4*a + b)*cosh(d*x + c)^6 + 5*(4*a - 7*b)*cosh(d*x
+ c)^4 - 3*(4*a - 7*b)*cosh(d*x + c)^2 - 4*a - b)*sinh(d*x + c))/(d*cosh(d*
x + c)^8 + 8*d*cosh(d*x + c)*sinh(d*x + c)^7 + d*sinh(d*x + c)^8 + 4*d*cosh
(d*x + c)^6 + 4*(7*d*cosh(d*x + c)^2 + d)*sinh(d*x + c)^6 + 8*(7*d*cosh(d*x
+ c)^3 + 3*d*cosh(d*x + c))*sinh(d*x + c)^5 + 6*d*cosh(d*x + c)^4 + 2*(35*
d*cosh(d*x + c)^4 + 30*d*cosh(d*x + c)^2 + 3*d)*sinh(d*x + c)^4 + 8*(7*d*co
sh(d*x + c)^5 + 10*d*cosh(d*x + c)^3 + 3*d*cosh(d*x + c))*sinh(d*x + c)^3 +
4*d*cosh(d*x + c)^2 + 4*(7*d*cosh(d*x + c)^6 + 15*d*cosh(d*x + c)^4 + 9*d*
cosh(d*x + c)^2 + d)*sinh(d*x + c)^2 + 8*(d*cosh(d*x + c)^7 + 3*d*cosh(d*x
+ c)^5 + 3*d*cosh(d*x + c)^3 + d*cosh(d*x + c))*sinh(d*x + c) + d)

```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (a + b \tanh^2(c + dx)) \operatorname{sech}^3(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)\*\*3\*(a+b\*tanh(d\*x+c)\*\*2), x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*2)\*sech(c + d\*x)\*\*3, x)



**Giac [B]** time = 1.22584, size = 178, normalized size = 2.7

$$\frac{(4ae^c + be^c) \arctan(e^{(dx+c)}) e^{-c} + \frac{4ae^{(7dx+7c)} + be^{(7dx+7c)} + 4ae^{(5dx+5c)} - 7be^{(5dx+5c)} - 4ae^{(3dx+3c)} + 7be^{(3dx+3c)} - 4ae^{(dx+c)} - be^{(dx+c)}}{(e^{(2dx+2c)} + 1)^4}}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2),x, algorithm="giac")

[Out] 1/4\*((4\*a\*e^c + b\*e^c)\*arctan(e^(d\*x + c))\*e^(-c) + (4\*a\*e^(7\*d\*x + 7\*c) + b\*e^(7\*d\*x + 7\*c) + 4\*a\*e^(5\*d\*x + 5\*c) - 7\*b\*e^(5\*d\*x + 5\*c) - 4\*a\*e^(3\*d\*x + 3\*c) + 7\*b\*e^(3\*d\*x + 3\*c) - 4\*a\*e^(d\*x + c) - b\*e^(d\*x + c))/(e^(2\*d\*x + 2\*c) + 1)^4)/d

### 3.88 $\int \operatorname{sech}^4(c + dx) (a + b \tanh^2(c + dx)) dx$

**Optimal.** Leaf size=48

$$-\frac{(a-b)\tanh^3(c+dx)}{3d} + \frac{a\tanh(c+dx)}{d} - \frac{b\tanh^5(c+dx)}{5d}$$

[Out] (a\*Tanh[c + d\*x])/d - ((a - b)\*Tanh[c + d\*x]^3)/(3\*d) - (b\*Tanh[c + d\*x]^5)/(5\*d)

**Rubi [A]** time = 0.0398919, antiderivative size = 48, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$ , Rules used = {3675, 373}

$$-\frac{(a-b)\tanh^3(c+dx)}{3d} + \frac{a\tanh(c+dx)}{d} - \frac{b\tanh^5(c+dx)}{5d}$$

Antiderivative was successfully verified.

[In] Int[Sech[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^2),x]

[Out] (a\*Tanh[c + d\*x])/d - ((a - b)\*Tanh[c + d\*x]^3)/(3\*d) - (b\*Tanh[c + d\*x]^5)/(5\*d)

#### Rule 3675

```
Int[sec[(e_.) + (f_.)*(x_.)]^(m_)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_.)]^(n_))^(p_.), x_Symbol]
:> With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[ff/(c^(m - 1)*f), Subst[Int[(c^2 + ff^2*x^2)^(m/2 - 1)*(a + b*(ff*x)^n)^p, x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2] && (IntegersQ[n, p] || IGtQ[m, 0] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])
```

#### Rule 373

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol]
:> Int[ExpandIntegrand[(a + b*x^n)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[p, 0] && IGtQ[q, 0]
```

#### Rubi steps

$$\begin{aligned} \int \operatorname{sech}^4(c+dx)(a+b \tanh^2(c+dx)) dx &= \frac{\operatorname{Subst}\left(\int(1-x^2)(a+bx^2) dx, x, \tanh(c+dx)\right)}{d} \\ &= \frac{\operatorname{Subst}\left(\int(a-(a-b)x^2-bx^4) dx, x, \tanh(c+dx)\right)}{d} \\ &= \frac{a \tanh(c+dx)}{d} - \frac{(a-b) \tanh^3(c+dx)}{3d} - \frac{b \tanh^5(c+dx)}{5d} \end{aligned}$$

**Mathematica [A]** time = 0.0475146, size = 86, normalized size = 1.79

$$-\frac{a \tanh^3(c+dx)}{3d} + \frac{a \tanh(c+dx)}{d} + \frac{2b \tanh(c+dx)}{15d} - \frac{b \tanh(c+dx) \operatorname{sech}^4(c+dx)}{5d} + \frac{b \tanh(c+dx) \operatorname{sech}^2(c+dx)}{15d}$$

Antiderivative was successfully verified.

[In] Integrate[Sech[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^2), x]

[Out] (a\*Tanh[c + d\*x])/d + (2\*b\*Tanh[c + d\*x])/(15\*d) + (b\*Sech[c + d\*x]^2\*Tanh[c + d\*x])/(15\*d) - (b\*Sech[c + d\*x]^4\*Tanh[c + d\*x])/(5\*d) - (a\*Tanh[c + d\*x]^3)/(3\*d)

**Maple [A]** time = 0.044, size = 75, normalized size = 1.6

$$\frac{1}{d} \left( a \left( \frac{2}{3} + \frac{(\operatorname{sech}(dx+c))^2}{3} \right) \tanh(dx+c) + b \left( -\frac{\sinh(dx+c)}{4(\cosh(dx+c))^5} + \frac{\tanh(dx+c)}{4} \left( \frac{8}{15} + \frac{(\operatorname{sech}(dx+c))^4}{5} + \frac{4(\operatorname{sech}(dx+c))^2}{15} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sech(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2), x)

[Out] 1/d\*(a\*(2/3+1/3\*sech(d\*x+c)^2)\*tanh(d\*x+c)+b\*(-1/4\*sinh(d\*x+c)/cosh(d\*x+c)^5+1/4\*(8/15+1/5\*sech(d\*x+c)^4+4/15\*sech(d\*x+c)^2)\*tanh(d\*x+c))

**Maxima [B]** time = 1.10757, size = 501, normalized size = 10.44

$$\frac{4}{15} b \left( \frac{5e^{(-2dx-2c)}}{d(5e^{(-2dx-2c)} + 10e^{(-4dx-4c)} + 10e^{(-6dx-6c)} + 5e^{(-8dx-8c)} + e^{(-10dx-10c)} + 1)} - \frac{5}{d(5e^{(-2dx-2c)} + 10e^{(-4dx-4c)} + 10e^{(-6dx-6c)} + 5e^{(-8dx-8c)} + e^{(-10dx-10c)} + 1)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2),x, algorithm="maxima")

[Out]  $\frac{4}{15}b \frac{(5e^{-2dx-2c})}{(d(5e^{-2dx-2c}) + 10e^{-4dx-4c}) + 10e^{-6dx-6c} + 5e^{-8dx-8c} + e^{-10dx-10c} + 1)} - 5e^{-4dx-4c} \frac{(5e^{-2dx-2c})}{(d(5e^{-2dx-2c}) + 10e^{-4dx-4c}) + 10e^{-6dx-6c} + 5e^{-8dx-8c} + e^{-10dx-10c} + 1)} + 15e^{-6dx-6c} \frac{(5e^{-2dx-2c})}{(d(5e^{-2dx-2c}) + 10e^{-4dx-4c}) + 10e^{-6dx-6c} + 5e^{-8dx-8c} + e^{-10dx-10c} + 1)} + \frac{1}{(d(5e^{-2dx-2c}) + 10e^{-4dx-4c}) + 10e^{-6dx-6c} + 5e^{-8dx-8c} + e^{-10dx-10c} + 1)} + \frac{4}{3}a \frac{(3e^{-2dx-2c})}{(d(3e^{-2dx-2c}) + 3e^{-4dx-4c} + e^{-6dx-6c} + 1)} + \frac{1}{(d(3e^{-2dx-2c}) + 3e^{-4dx-4c} + e^{-6dx-6c} + 1)}$

**Fricas [B]** time = 1.91973, size = 934, normalized size = 19.46

$$15(d \cosh(dx+c)^7 + 7d \cosh(dx+c) \sinh(dx+c)^6 + d \sinh(dx+c)^7 + 5d \cosh(dx+c)^5 + (21d \cosh(dx+c)^2 + 5$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2),x, algorithm="fricas")

[Out]  $-8/15(2(5a+4b)\cosh(dx+c)^3 + 6(5a+4b)\cosh(dx+c)\sinh(dx+c)^2 + (5a+7b)\sinh(dx+c)^3 + 30a\cosh(dx+c) + (3(5a+7b)\cosh(dx+c)^2 + 5a-5b)\sinh(dx+c))/(d\cosh(dx+c)^7 + 7d\cosh(dx+c)\sinh(dx+c)^6 + d\sinh(dx+c)^7 + 5d\cosh(dx+c)^5 + (21d\cosh(dx+c)^2 + 5d)\sinh(dx+c)^5 + 5(7d\cosh(dx+c)^3 + 5d\cosh(dx+c))\sinh(dx+c)^4 + 11d\cosh(dx+c)^3 + (35d\cosh(dx+c)^4 + 50d\cosh(dx+c)^2 + 9d)\sinh(dx+c)^3 + (21d\cosh(dx+c)^5 + 50d\cosh(dx+c)^3 + 33d\cosh(dx+c))\sinh(dx+c)^2 + 15d\cosh(dx+c) + (7d\cosh(dx+c)^6 + 25d\cosh(dx+c)^4 + 27d\cosh(dx+c)^2 + 5d)\sinh(dx+c)$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (a + b \tanh^2(c + dx)) \operatorname{sech}^4(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)\*\*4\*(a+b\*tanh(d\*x+c)\*\*2), x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*2)\*sech(c + d\*x)\*\*4, x)

**Giac [B]** time = 1.34274, size = 128, normalized size = 2.67

$$-\frac{4(15ae^{(6dx+6c)} + 15be^{(6dx+6c)} + 35ae^{(4dx+4c)} - 5be^{(4dx+4c)} + 25ae^{(2dx+2c)} + 5be^{(2dx+2c)} + 5a + b)}{15d(e^{(2dx+2c)} + 1)^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2), x, algorithm="giac")

[Out] -4/15\*(15\*a\*e^(6\*d\*x + 6\*c) + 15\*b\*e^(6\*d\*x + 6\*c) + 35\*a\*e^(4\*d\*x + 4\*c) - 5\*b\*e^(4\*d\*x + 4\*c) + 25\*a\*e^(2\*d\*x + 2\*c) + 5\*b\*e^(2\*d\*x + 2\*c) + 5\*a + b)/(d\*(e^(2\*d\*x + 2\*c) + 1)^5)

### 3.89 $\int \cosh^4(c + dx) (a + b \tanh^2(c + dx))^2 dx$

**Optimal.** Leaf size=85

$$\frac{3(a^2 - b^2) \sinh(c + dx) \cosh(c + dx)}{8d} + \frac{1}{8}x(3a^2 - 2ab + 3b^2) + \frac{(a + b) \sinh(c + dx) \cosh^3(c + dx) (a + b \tanh^2(c + dx))}{4d}$$

[Out] ((3\*a^2 - 2\*a\*b + 3\*b^2)\*x)/8 + (3\*(a^2 - b^2)\*Cosh[c + d\*x]\*Sinh[c + d\*x])/(8\*d) + ((a + b)\*Cosh[c + d\*x]^3\*Sinh[c + d\*x]\*(a + b\*Tanh[c + d\*x]^2))/(4\*d)

**Rubi [A]** time = 0.0868324, antiderivative size = 85, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {3675, 413, 385, 206}

$$\frac{3(a^2 - b^2) \sinh(c + dx) \cosh(c + dx)}{8d} + \frac{1}{8}x(3a^2 - 2ab + 3b^2) + \frac{(a + b) \sinh(c + dx) \cosh^3(c + dx) (a + b \tanh^2(c + dx))}{4d}$$

Antiderivative was successfully verified.

[In] Int[Cosh[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] ((3\*a^2 - 2\*a\*b + 3\*b^2)\*x)/8 + (3\*(a^2 - b^2)\*Cosh[c + d\*x]\*Sinh[c + d\*x])/(8\*d) + ((a + b)\*Cosh[c + d\*x]^3\*Sinh[c + d\*x]\*(a + b\*Tanh[c + d\*x]^2))/(4\*d)

#### Rule 3675

```
Int[sec[(e_.) + (f_.)*(x_)]^(m_)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)]))^(n_)]^(p_.), x_Symbol]
:> With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[ff/(c^(m - 1)*f), Subst[Int[(c^2 + ff^2*x^2)^(m/2 - 1)*(a + b*(ff*x)^n)^p, x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2] && (IntegersQ[n, p] || IGtQ[m, 0] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])
```

#### Rule 413

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> Simp[((a*d - c*b)*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 1))/(a*b*n*(p + 1)), x] - Dist[1/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 2)*Simp[c*(a*d - c*b*(n*(p + 1) + 1)) + d*(a*d*(n*(q - 1) + 1) - b*c*(n*(p
```

+ q) + 1))\*x^n, x], x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && LtQ[p, -1] && GtQ[q, 1] && IntBinomialQ[a, b, c, d, n, p, q, x]

### Rule 385

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] :> -Simp[((b\*c - a\*d)\*x\*(a + b\*x^n)^(p + 1))/(a\*b\*n\*(p + 1)), x] - Dist[(a\*d - b\*c\*(n\*(p + 1) + 1))/(a\*b\*n\*(p + 1)), Int[(a + b\*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b\*c - a\*d, 0] && (LtQ[p, -1] || ILtQ[1/n + p, 0])

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[Rt[-b, 2]\*x]/Rt[a, 2])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rubi steps

$$\begin{aligned} \int \cosh^4(c + dx) (a + b \tanh^2(c + dx))^2 dx &= \frac{\text{Subst}\left(\int \frac{(a+bx^2)^2}{(1-x^2)^3} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{(a + b) \cosh^3(c + dx) \sinh(c + dx) (a + b \tanh^2(c + dx))}{4d} - \frac{\text{Subst}\left(\int \frac{-a}{(1-x^2)^3} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{3(a^2 - b^2) \cosh(c + dx) \sinh(c + dx)}{8d} + \frac{(a + b) \cosh^3(c + dx) \sinh(c + dx)}{4d} \\ &= \frac{1}{8} (3a^2 - 2ab + 3b^2) x + \frac{3(a^2 - b^2) \cosh(c + dx) \sinh(c + dx)}{8d} + \frac{(a + b) \cosh^3(c + dx) \sinh(c + dx)}{4d} \end{aligned}$$

**Mathematica [A]** time = 0.292658, size = 63, normalized size = 0.74

$$\frac{4(3a^2 - 2ab + 3b^2)(c + dx) + 8(a^2 - b^2) \sinh(2(c + dx)) + (a + b)^2 \sinh(4(c + dx))}{32d}$$

Antiderivative was successfully verified.

[In] Integrate[Cosh[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out]  $(4*(3*a^2 - 2*a*b + 3*b^2)*(c + d*x) + 8*(a^2 - b^2)*\text{Sinh}[2*(c + d*x)] + (a + b)^2*\text{Sinh}[4*(c + d*x)])/(32*d)$

**Maple [A]** time = 0.04, size = 124, normalized size = 1.5

$\frac{1}{d} \left( b^2 \left( \left( \frac{(\sinh(dx+c))^3}{4} - \frac{3 \sinh(dx+c)}{8} \right) \cosh(dx+c) + \frac{3dx}{8} + \frac{3c}{8} \right) + 2ab \left( \frac{1}{4} \sinh(dx+c) (\cosh(dx+c))^3 - \frac{1}{8} \cosh(dx+c) \sinh^3(dx+c) \right) \right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cosh(d*x+c)^4*(a+b*tanh(d*x+c)^2)^2,x)`

[Out]  $\frac{1}{d} * (b^2 * ((\frac{1}{4} * \sinh(d*x+c)^3 - \frac{3}{8} * \sinh(d*x+c)) * \cosh(d*x+c) + \frac{3}{8} * d*x + \frac{3}{8} * c) + 2 * a * b * (\frac{1}{4} * \sinh(d*x+c) * \cosh(d*x+c)^3 - \frac{1}{8} * \cosh(d*x+c) * \sinh(d*x+c)^3 - \frac{1}{8} * d*x - \frac{1}{8} * c) + a^2 * ((\frac{1}{4} * \cosh(d*x+c)^3 + \frac{3}{8} * \cosh(d*x+c)) * \sinh(d*x+c) + \frac{3}{8} * d*x + \frac{3}{8} * c))$

**Maxima [B]** time = 1.03492, size = 231, normalized size = 2.72

$\frac{1}{64} a^2 \left( 24x + \frac{e^{4dx+4c}}{d} + \frac{8e^{2dx+2c}}{d} - \frac{8e^{-2dx-2c}}{d} - \frac{e^{-4dx-4c}}{d} \right) + \frac{1}{64} b^2 \left( 24x + \frac{e^{4dx+4c}}{d} - \frac{8e^{2dx+2c}}{d} + \frac{8e^{-2dx-2c}}{d} - \frac{e^{-4dx-4c}}{d} \right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cosh(d*x+c)^4*(a+b*tanh(d*x+c)^2)^2,x, algorithm="maxima")`

[Out]  $\frac{1}{64} * a^2 * (24 * x + \frac{e^{4 * d * x + 4 * c}}{d} + \frac{8 * e^{2 * d * x + 2 * c}}{d} - \frac{8 * e^{-2 * d * x - 2 * c}}{d} - \frac{e^{-4 * d * x - 4 * c}}{d}) + \frac{1}{64} * b^2 * (24 * x + \frac{e^{4 * d * x + 4 * c}}{d} - \frac{8 * e^{2 * d * x + 2 * c}}{d} + \frac{8 * e^{-2 * d * x - 2 * c}}{d} - \frac{e^{-4 * d * x - 4 * c}}{d}) - \frac{1}{32} * a * b * (8 * (d * x + c) / d - \frac{e^{4 * d * x + 4 * c}}{d} + \frac{e^{-4 * d * x - 4 * c}}{d})$

**Fricas [A]** time = 1.95999, size = 234, normalized size = 2.75

$\frac{(a^2 + 2ab + b^2) \cosh(dx+c) \sinh(dx+c)^3 + (3a^2 - 2ab + 3b^2) dx + ((a^2 + 2ab + b^2) \cosh(dx+c)^3 + 4(a^2 - b^2) \cosh(dx+c) \sinh^3(dx+c))}{8d}$

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate(cosh(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out]  $\frac{1}{8}((a^2 + 2ab + b^2)\cosh(dx + c)\sinh(dx + c)^3 + (3a^2 - 2ab + 3b^2)dx + ((a^2 + 2ab + b^2)\cosh(dx + c)^3 + 4(a^2 - b^2)\cosh(dx + c))\sinh(dx + c))/d$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)\*\*4\*(a+b\*tanh(d\*x+c)\*\*2)\*\*2,x)

[Out] Timed out

**Giac [B]** time = 1.93304, size = 255, normalized size = 3.

$$\frac{8(3a^2 - 2ab + 3b^2)dx - (18a^2e^{4dx+4c} - 12abe^{4dx+4c} + 18b^2e^{4dx+4c} + 8a^2e^{2dx+2c} - 8b^2e^{2dx+2c}) + a^2 + 2ab + b^2}{64d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out]  $\frac{1}{64}(8(3a^2 - 2ab + 3b^2)dx - (18a^2e^{4dx+4c} - 12ab^2e^{4dx+4c} + 18b^2e^{4dx+4c} + 8a^2e^{2dx+2c} - 8b^2e^{2dx+2c}) + a^2 + 2ab + b^2)e^{-4dx-4c} + (a^2e^{4dx+12c} + 2ab^2e^{4dx+12c} + b^2e^{4dx+12c} + 8a^2e^{2dx+10c} - 8b^2e^{2dx+10c})e^{-8c})/d$

### 3.90 $\int \cosh^3(c + dx) (a + b \tanh^2(c + dx))^2 dx$

**Optimal.** Leaf size=54

$$\frac{(a^2 - b^2) \sinh(c + dx)}{d} + \frac{(a + b)^2 \sinh^3(c + dx)}{3d} + \frac{b^2 \tan^{-1}(\sinh(c + dx))}{d}$$

[Out] (b^2\*ArcTan[Sinh[c + d\*x]])/d + ((a^2 - b^2)\*Sinh[c + d\*x])/d + ((a + b)^2\*Sinh[c + d\*x]^3)/(3\*d)

**Rubi [A]** time = 0.0603328, antiderivative size = 54, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$ , Rules used = {3676, 390, 203}

$$\frac{(a^2 - b^2) \sinh(c + dx)}{d} + \frac{(a + b)^2 \sinh^3(c + dx)}{3d} + \frac{b^2 \tan^{-1}(\sinh(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] Int[Cosh[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] (b^2\*ArcTan[Sinh[c + d\*x]])/d + ((a^2 - b^2)\*Sinh[c + d\*x])/d + ((a + b)^2\*Sinh[c + d\*x]^3)/(3\*d)

#### Rule 3676

```
Int[sec[(e_.) + (f_.)*(x_)]^(m_.)*((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)]^(n_.))^(p_.), x_Symbol]
:> With[{ff = FreeFactors[Sin[e + f*x], x]}, Dist[ff/f, Subst[Int[ExpandToSum[b*(ff*x)^n + a*(1 - ff^2*x^2)^(n/2), x]^p/(1 - ff^2*x^2)^((m + n*p + 1)/2), x], x, Sin[e + f*x]/ff], x]] /; FreeQ[{a, b, e, f}, x] && IntegerQ[(m - 1)/2] && IntegerQ[n/2] && IntegerQ[p]
```

#### Rule 390

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> Int[PolynomialDivide[(a + b*x^n)^p, (c + d*x^n)^(-q), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q, 0] && GeQ[p, -q]
```

#### Rule 203

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

### Rubi steps

$$\begin{aligned} \int \cosh^3(c + dx) (a + b \tanh^2(c + dx))^2 dx &= \frac{\text{Subst}\left(\int \frac{(a+(a+b)x^2)^2}{1+x^2} dx, x, \sinh(c + dx)\right)}{d} \\ &= \frac{\text{Subst}\left(\int \left(a^2 - b^2 + (a+b)^2 x^2 + \frac{b^2}{1+x^2}\right) dx, x, \sinh(c + dx)\right)}{d} \\ &= \frac{(a^2 - b^2) \sinh(c + dx)}{d} + \frac{(a+b)^2 \sinh^3(c + dx)}{3d} + \frac{b^2 \text{Subst}\left(\int \frac{1}{1+x^2} dx, x\right)}{d} \\ &= \frac{b^2 \tan^{-1}(\sinh(c + dx))}{d} + \frac{(a^2 - b^2) \sinh(c + dx)}{d} + \frac{(a+b)^2 \sinh^3(c + dx)}{3d} \end{aligned}$$

**Mathematica [A]** time = 0.442775, size = 71, normalized size = 1.31

$$\frac{\sinh(c + dx) \left( (a + b)((a + b) \cosh(2(c + dx)) + 5a - 7b) + \frac{6b^2 \tanh^{-1}\left(\sqrt{-\sinh^2(c + dx)}\right)}{\sqrt{-\sinh^2(c + dx)}} \right)}{6d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cosh[c + d*x]^3*(a + b*Tanh[c + d*x]^2)^2, x]
```

```
[Out] (Sinh[c + d*x]*((a + b)*(5*a - 7*b + (a + b)*Cosh[2*(c + d*x)]) + (6*b^2*ArcTanH[Sqrt[-Sinh[c + d*x]^2]])/Sqrt[-Sinh[c + d*x]^2]))/(6*d)
```

**Maple [B]** time = 0.043, size = 117, normalized size = 2.2

$$\frac{2a^2 \sinh(dx + c)}{3d} + \frac{a^2 \sinh(dx + c) (\cosh(dx + c))^2}{3d} + \frac{2ab (\cosh(dx + c))^2 \sinh(dx + c)}{3d} - \frac{2ab \sinh(dx + c)}{3d} + \frac{b^2 (\sinh(dx + c))^2}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cosh(d*x+c)^3*(a+b*tanh(d*x+c)^2)^2,x)`

[Out]  $\frac{2}{3}d^2a^2\sinh(dx+c) + \frac{1}{3}d^2a^2\sinh(dx+c)\cosh(dx+c)^2 + \frac{2}{3}d^2ab\cosh(dx+c)^2\sinh(dx+c) - \frac{2}{3}d^2ab\sinh(dx+c)/d + \frac{1}{3}d^2b^2\sinh(dx+c)^3 - \frac{1}{d}b^2\sinh(dx+c) + \frac{2}{d}b^2\arctan(\exp(dx+c))$

**Maxima [B]** time = 1.67404, size = 217, normalized size = 4.02

$$\frac{ab(e^{dx+c} - e^{-dx-c})^3}{12d} - \frac{1}{24}b^2\left(\frac{(15e^{-2dx-2c} - 1)e^{3dx+3c}}{d} - \frac{15e^{-dx-c} - e^{-3dx-3c}}{d} + \frac{48\arctan(e^{-dx-c})}{d}\right) + \frac{1}{24}a^2\left(\frac{e^{3d}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cosh(d*x+c)^3*(a+b*tanh(d*x+c)^2)^2,x, algorithm="maxima")`

[Out]  $\frac{1}{12}ab(e^{dx+c} - e^{-dx-c})^3/d - \frac{1}{24}b^2\left(\frac{(15e^{-2dx-2c} - 1)e^{3dx+3c}}{d} - \frac{15e^{-dx-c} - e^{-3dx-3c}}{d} + 48\arctan(e^{-dx-c})/d\right) + \frac{1}{24}a^2\left(\frac{e^{3d}}$

**Fricas [B]** time = 1.92637, size = 1314, normalized size = 24.33

$$(a^2 + 2ab + b^2)\cosh(dx+c)^6 + 6(a^2 + 2ab + b^2)\cosh(dx+c)\sinh(dx+c)^5 + (a^2 + 2ab + b^2)\sinh(dx+c)^6 + 3(3a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cosh(d*x+c)^3*(a+b*tanh(d*x+c)^2)^2,x, algorithm="fricas")`

[Out]  $\frac{1}{24}((a^2 + 2ab + b^2)\cosh(dx+c)^6 + 6(a^2 + 2ab + b^2)\cosh(dx+c)\sinh(dx+c)^5 + (a^2 + 2ab + b^2)\sinh(dx+c)^6 + 3(3a^2 - 2ab - 5b^2)\cosh(dx+c)^4 + 3(5(a^2 + 2ab + b^2)\cosh(dx+c)^2 + 3a^2 - 2ab - 5b^2)\sinh(dx+c)^4 + 4(5(a^2 + 2ab + b^2)\cosh(dx+c)^3 + 3(3a^2 - 2ab - 5b^2)\cosh(dx+c))\sinh(dx+c)^3 - 3(3a^2 - 2ab - 5b^2)\cosh(dx+c)^2 + 3(5(a^2 + 2ab + b^2)\cosh(dx+c)^4 + 6(3a^2 - 2ab - 5b^2)\cosh(dx+c)^2 - 3a^2 + 2ab + 5b^2)\sinh(dx+c)^2 - a^2 - 2ab - b^2 + 48(b^2\cosh(dx+c)^3 + 3b^2\cosh(dx+c)^2\sinh(dx+c) + 3b^2\cosh(dx+c)\sinh(dx+c)^2 + b^2\sinh(dx+c)^2$

$$c)^3 \arctan(\cosh(dx + c) + \sinh(dx + c)) + 6*((a^2 + 2*a*b + b^2)*\cosh(dx + c)^5 + 2*(3*a^2 - 2*a*b - 5*b^2)*\cosh(dx + c)^3 - (3*a^2 - 2*a*b - 5*b^2)*\cosh(dx + c))*\sinh(dx + c))/(d*\cosh(dx + c)^3 + 3*d*\cosh(dx + c)^2*\sinh(dx + c) + 3*d*\cosh(dx + c)*\sinh(dx + c)^2 + d*\sinh(dx + c)^3)$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(dx+c)\*\*3\*(a+b\*tanh(dx+c)\*\*2)\*\*2,x)

[Out] Timed out

**Giac [B]** time = 1.79093, size = 221, normalized size = 4.09

$$\frac{48 b^2 \arctan(e^{dx+c}) - (9 a^2 e^{2dx+2c} - 6 a b e^{2dx+2c} - 15 b^2 e^{2dx+2c} + a^2 + 2 a b + b^2) e^{(-3dx-3c)} + (a^2 e^{3dx+18c} + 2 a b e^{3dx+18c} + b^2 e^{3dx+18c})}{24 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(dx+c)^3\*(a+b\*tanh(dx+c)^2)^2,x, algorithm="giac")

[Out] 1/24\*(48\*b^2\*arctan(e^(dx + c)) - (9\*a^2\*e^(2\*d\*x + 2\*c) - 6\*a\*b\*e^(2\*d\*x + 2\*c) - 15\*b^2\*e^(2\*d\*x + 2\*c) + a^2 + 2\*a\*b + b^2)\*e^(-3\*d\*x - 3\*c) + (a^2\*e^(3\*d\*x + 18\*c) + 2\*a\*b\*e^(3\*d\*x + 18\*c) + b^2\*e^(3\*d\*x + 18\*c) + 9\*a^2\*e^(d\*x + 16\*c) - 6\*a\*b\*e^(d\*x + 16\*c) - 15\*b^2\*e^(d\*x + 16\*c))\*e^(-15\*c))/d

### 3.91 $\int \cosh^2(c + dx) (a + b \tanh^2(c + dx))^2 dx$

**Optimal.** Leaf size=51

$$\frac{(a + b)^2 \sinh(c + dx) \cosh(c + dx)}{2d} + \frac{1}{2}x(a - 3b)(a + b) + \frac{b^2 \tanh(c + dx)}{d}$$

[Out] ((a - 3\*b)\*(a + b)\*x)/2 + ((a + b)^2\*Cosh[c + d\*x]\*Sinh[c + d\*x])/(2\*d) + (b^2\*Tanh[c + d\*x])/d

**Rubi [A]** time = 0.0756621, antiderivative size = 51, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {3675, 390, 385, 206}

$$\frac{(a + b)^2 \sinh(c + dx) \cosh(c + dx)}{2d} + \frac{1}{2}x(a - 3b)(a + b) + \frac{b^2 \tanh(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[Cosh[c + d\*x]^2\*(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] ((a - 3\*b)\*(a + b)\*x)/2 + ((a + b)^2\*Cosh[c + d\*x]\*Sinh[c + d\*x])/(2\*d) + (b^2\*Tanh[c + d\*x])/d

#### Rule 3675

```
Int[sec[(e_.) + (f_.)*(x_)]^(m_)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)]))^(n_)]^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[ff/(c^(m - 1)*f), Subst[Int[(c^2 + ff^2*x^2)^(m/2 - 1)*(a + b*(ff*x)^n)^p, x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2] && (IntegersQ[n, p] || IGtQ[m, 0] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])
```

#### Rule 390

```
Int[((a_) + (b_.)*(x_)^(n_)]^(p_)*((c_) + (d_.)*(x_)^(n_)]^(q_), x_Symbol] := Int[PolynomialDivide[(a + b*x^n)^p, (c + d*x^n)^(-q), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q, 0] && GeQ[p, -q]
```

#### Rule 385

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := -Simp[
((b*c - a*d)*x*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] - Dist[(a*d - b*c*(n*(p + 1) + 1))/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[
{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n + p, 0])
```

### Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[Rt[-b, 2]*x]/Rt[a, 2])]/
(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

### Rubi steps

$$\begin{aligned} \int \cosh^2(c + dx) (a + b \tanh^2(c + dx))^2 dx &= \frac{\text{Subst} \left( \int \frac{(a+bx^2)^2}{(1-x^2)^2} dx, x, \tanh(c + dx) \right)}{d} \\ &= \frac{\text{Subst} \left( \int \left( b^2 + \frac{a^2 - b^2 + 2b(a+b)x^2}{(1-x^2)^2} \right) dx, x, \tanh(c + dx) \right)}{d} \\ &= \frac{b^2 \tanh(c + dx)}{d} + \frac{\text{Subst} \left( \int \frac{a^2 - b^2 + 2b(a+b)x^2}{(1-x^2)^2} dx, x, \tanh(c + dx) \right)}{d} \\ &= \frac{(a + b)^2 \cosh(c + dx) \sinh(c + dx)}{2d} + \frac{b^2 \tanh(c + dx)}{d} + \frac{((a - 3b)(a + b))}{2d} \\ &= \frac{1}{2}(a - 3b)(a + b)x + \frac{(a + b)^2 \cosh(c + dx) \sinh(c + dx)}{2d} + \frac{b^2 \tanh(c + dx)}{d} \end{aligned}$$

**Mathematica [A]** time = 0.370937, size = 54, normalized size = 1.06

$$\frac{(a - 3b)(a + b)(c + dx)}{2d} + \frac{(a + b)^2 \sinh(2(c + dx))}{4d} + \frac{b^2 \tanh(c + dx)}{d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cosh[c + d*x]^2*(a + b*Tanh[c + d*x]^2)^2,x]
```

```
[Out] ((a - 3*b)*(a + b)*(c + d*x))/(2*d) + ((a + b)^2*Sinh[2*(c + d*x)])/(4*d) +
(b^2*Tanh[c + d*x])/d
```

---

**Maple [B]** time = 0.04, size = 96, normalized size = 1.9

$$\frac{1}{d} \left( a^2 \left( \frac{\cosh(dx+c) \sinh(dx+c)}{2} + \frac{dx}{2} + \frac{c}{2} \right) + 2ab \left( \frac{1}{2} \cosh(dx+c) \sinh(dx+c) - \frac{1}{2} dx - \frac{c}{2} \right) + b^2 \left( \frac{\sinh(dx+c)}{2 \cosh(dx+c)} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cosh(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2)^2,x)

[Out] 1/d\*(a^2\*(1/2\*cosh(d\*x+c)\*sinh(d\*x+c)+1/2\*d\*x+1/2\*c)+2\*a\*b\*(1/2\*cosh(d\*x+c)\*sinh(d\*x+c)-1/2\*d\*x-1/2\*c)+b^2\*(1/2\*sinh(d\*x+c)^3/cosh(d\*x+c)-3/2\*d\*x-3/2\*c+3/2\*tanh(d\*x+c)))

---

**Maxima [B]** time = 1.20452, size = 189, normalized size = 3.71

$$\frac{1}{8} a^2 \left( 4x + \frac{e^{(2dx+2c)}}{d} - \frac{e^{(-2dx-2c)}}{d} \right) - \frac{1}{4} ab \left( 4x - \frac{e^{(2dx+2c)}}{d} + \frac{e^{(-2dx-2c)}}{d} \right) - \frac{1}{8} b^2 \left( \frac{12(dx+c)}{d} + \frac{e^{(-2dx-2c)}}{d} - \frac{17e^{(-2dx-2c)}}{d(e^{(-2dx-2c)} + e^{(2dx+2c)})} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="maxima")

[Out] 1/8\*a^2\*(4\*x + e^(2\*d\*x + 2\*c)/d - e^(-2\*d\*x - 2\*c)/d) - 1/4\*a\*b\*(4\*x - e^(2\*d\*x + 2\*c)/d + e^(-2\*d\*x - 2\*c)/d) - 1/8\*b^2\*(12\*(d\*x + c)/d + e^(-2\*d\*x - 2\*c)/d - (17\*e^(-2\*d\*x - 2\*c) + 1)/(d\*(e^(-2\*d\*x - 2\*c) + e^(-4\*d\*x - 4\*c))))

---

**Fricas [B]** time = 2.00785, size = 261, normalized size = 5.12

$$\frac{(a^2 + 2ab + b^2) \sinh(dx+c)^3 + 4((a^2 - 2ab - 3b^2)dx - 2b^2) \cosh(dx+c) + (3(a^2 + 2ab + b^2) \cosh(dx+c)^2 + a^2 + b^2)}{8d \cosh(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")



[Out]  $\frac{1}{8}((a^2 + 2ab + b^2)\sinh(dx + c)^3 + 4((a^2 - 2ab - 3b^2)dx - 2b^2)\cosh(dx + c) + (3(a^2 + 2ab + b^2)\cosh(dx + c)^2 + a^2 + 2ab + 9b^2)\sinh(dx + c))/(\cosh(dx + c))$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (a + b \tanh^2(c + dx))^2 \cosh^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cosh(d*x+c)**2*(a+b*tanh(d*x+c)**2)**2,x)`

[Out] `Integral((a + b*tanh(c + d*x)**2)**2*cosh(c + d*x)**2, x)`

**Giac [B]** time = 1.68859, size = 230, normalized size = 4.51

$$\frac{4(a^2 - 2ab - 3b^2)dx + (a^2e^{2dx+8c} + 2abe^{2dx+8c} + b^2e^{2dx+8c})e^{-6c} - \frac{(a^2e^{4dx+4c} - 2abe^{4dx+4c} - 3b^2e^{4dx+4c} + 2a^2e^{2dx+2c} + 14a^2e^{2dx+2c})}{e^{2dx} + e^{4dx+2c}}}{8d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cosh(d*x+c)^2*(a+b*tanh(d*x+c)^2)^2,x, algorithm="giac")`

[Out]  $\frac{1}{8}(4(a^2 - 2ab - 3b^2)dx + (a^2e^{2dx+8c} + 2ab^2e^{2dx+8c} + b^2e^{2dx+8c})e^{-6c} - (a^2e^{4dx+4c} - 2ab^2e^{4dx+4c} - 3b^2e^{4dx+4c} + 2a^2e^{2dx+2c} + 14ab^2e^{2dx+2c} + a^2 + 2ab + b^2)e^{-2c})/(e^{2dx} + e^{4dx+2c}))/d$

### 3.92 $\int \cosh(c + dx) (a + b \tanh^2(c + dx))^2 dx$

**Optimal.** Leaf size=60

$$\frac{(a + b)^2 \sinh(c + dx)}{d} - \frac{b(4a + 3b) \tan^{-1}(\sinh(c + dx))}{2d} + \frac{b^2 \tanh(c + dx) \operatorname{sech}(c + dx)}{2d}$$

[Out]  $-(b*(4*a + 3*b)*\operatorname{ArcTan}[\operatorname{Sinh}[c + d*x]])/(2*d) + ((a + b)^2*\operatorname{Sinh}[c + d*x])/d + (b^2*\operatorname{Sech}[c + d*x]*\operatorname{Tanh}[c + d*x])/(2*d)$

**Rubi [A]** time = 0.0824405, antiderivative size = 60, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.19$ , Rules used = {3676, 390, 385, 203}

$$\frac{(a + b)^2 \sinh(c + dx)}{d} - \frac{b(4a + 3b) \tan^{-1}(\sinh(c + dx))}{2d} + \frac{b^2 \tanh(c + dx) \operatorname{sech}(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[\operatorname{Cosh}[c + d*x]*(a + b*\operatorname{Tanh}[c + d*x]^2)^2, x]$

[Out]  $-(b*(4*a + 3*b)*\operatorname{ArcTan}[\operatorname{Sinh}[c + d*x]])/(2*d) + ((a + b)^2*\operatorname{Sinh}[c + d*x])/d + (b^2*\operatorname{Sech}[c + d*x]*\operatorname{Tanh}[c + d*x])/(2*d)$

#### Rule 3676

```
Int[sec[(e_.) + (f_.)*(x_)]^(m_.)*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]^(n_.))^(p_.), x_Symbol]
:> With[{ff = FreeFactors[Sin[e + f*x], x]}, Dist[ff/f, Subst[Int[ExpandToSum[b*(ff*x)^n + a*(1 - ff^2*x^2)^(n/2), x]^p/(1 - ff^2*x^2)^((m + n*p + 1)/2), x], x, Sin[e + f*x]/ff], x] /; FreeQ[{a, b, e, f}, x] && IntegerQ[(m - 1)/2] && IntegerQ[n/2] && IntegerQ[p]
```

#### Rule 390

```
Int[((a_.) + (b_.)*(x_)^(n_.))^(p_.)*((c_.) + (d_.)*(x_)^(n_.))^(q_.), x_Symbol]
:> Int[PolynomialDivide[(a + b*x^n)^p, (c + d*x^n)^(-q), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q, 0] && GeQ[p, -q]
```

#### Rule 385

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := -Simp[
((b*c - a*d)*x*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] - Dist[(a*d - b*c*(n*(p + 1) + 1))/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[
{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n + p, 0])
```

### Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[Rt[b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

### Rubi steps

$$\begin{aligned} \int \cosh(c + dx) (a + b \tanh^2(c + dx))^2 dx &= \frac{\text{Subst}\left(\int \frac{(a+(a+b)x^2)^2}{(1+x^2)^2} dx, x, \sinh(c + dx)\right)}{d} \\ &= \frac{\text{Subst}\left(\int \left((a+b)^2 - \frac{b(2a+b)+2b(a+b)x^2}{(1+x^2)^2}\right) dx, x, \sinh(c + dx)\right)}{d} \\ &= \frac{(a+b)^2 \sinh(c + dx)}{d} - \frac{\text{Subst}\left(\int \frac{b(2a+b)+2b(a+b)x^2}{(1+x^2)^2} dx, x, \sinh(c + dx)\right)}{d} \\ &= \frac{(a+b)^2 \sinh(c + dx)}{d} + \frac{b^2 \text{sech}(c + dx) \tanh(c + dx)}{2d} - \frac{(b(4a + 3b)) \text{Subst}\left(\int \frac{1}{1+x^2} dx, x, \sinh(c + dx)\right)}{2d} \\ &= -\frac{b(4a + 3b) \tan^{-1}(\sinh(c + dx))}{2d} + \frac{(a+b)^2 \sinh(c + dx)}{d} + \frac{b^2 \text{sech}(c + dx) \tanh(c + dx)}{2d} \end{aligned}$$

**Mathematica [A]** time = 0.178763, size = 54, normalized size = 0.9

$$\frac{2(a+b)^2 \sinh(c + dx) + b(b \tanh(c + dx) \text{sech}(c + dx) - (4a + 3b) \tan^{-1}(\sinh(c + dx)))}{2d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cosh[c + d*x]*(a + b*Tanh[c + d*x]^2)^2, x]
```

```
[Out] (2*(a + b)^2*Sinh[c + d*x] + b*(-((4*a + 3*b)*ArcTan[Sinh[c + d*x]]) + b*Sech[c + d*x]*Tanh[c + d*x]))/(2*d)
```

---

**Maple [B]** time = 0.043, size = 122, normalized size = 2.

$$\frac{a^2 \sinh(dx+c)}{d} + 2 \frac{ab \sinh(dx+c)}{d} - 4 \frac{ab \arctan(e^{dx+c})}{d} + \frac{b^2 (\sinh(dx+c))^3}{d (\cosh(dx+c))^2} + 3 \frac{b^2 \sinh(dx+c)}{d (\cosh(dx+c))^2} - \frac{3 b^2 \operatorname{sech}(dx+c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cosh(d*x+c)*(a+b*tanh(d*x+c)^2)^2,x)`

[Out] `1/d*a^2*sinh(d*x+c)+2*a*b*sinh(d*x+c)/d-4/d*a*b*arctan(exp(d*x+c))+1/d*b^2*sinh(d*x+c)^3/cosh(d*x+c)^2+3/d*b^2*sinh(d*x+c)/cosh(d*x+c)^2-3/2/d*b^2*sech(d*x+c)*tanh(d*x+c)-3/d*b^2*arctan(exp(d*x+c))`

---

**Maxima [B]** time = 1.74926, size = 205, normalized size = 3.42

$$\frac{1}{2} b^2 \left( \frac{6 \arctan(e^{-dx-c})}{d} - \frac{e^{-dx-c}}{d} + \frac{4e^{-2dx-2c} - e^{-4dx-4c} + 1}{d(e^{-dx-c} + 2e^{-3dx-3c} + e^{-5dx-5c})} \right) + ab \left( \frac{4 \arctan(e^{-dx-c})}{d} + \frac{e^{dx+c}}{d} - \frac{e^{-dx-c}}{d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cosh(d*x+c)*(a+b*tanh(d*x+c)^2)^2,x, algorithm="maxima")`

[Out] `1/2*b^2*(6*arctan(e^(-d*x - c))/d - e^(-d*x - c)/d + (4*e^(-2*d*x - 2*c) - e^(-4*d*x - 4*c) + 1)/(d*(e^(-d*x - c) + 2*e^(-3*d*x - 3*c) + e^(-5*d*x - 5*c)))) + a*b*(4*arctan(e^(-d*x - c))/d + e^(d*x + c)/d - e^(-d*x - c)/d) + a^2*sinh(d*x + c)/d`

---

**Fricas [B]** time = 1.99283, size = 1967, normalized size = 32.78

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cosh(d*x+c)*(a+b*tanh(d*x+c)^2)^2,x, algorithm="fricas")`

[Out] `1/2*((a^2 + 2*a*b + b^2)*cosh(d*x + c)^6 + 6*(a^2 + 2*a*b + b^2)*cosh(d*x + c)*sinh(d*x + c)^5 + (a^2 + 2*a*b + b^2)*sinh(d*x + c)^6 + (a^2 + 2*a*b +`

$$3*b^2*\cosh(d*x + c)^4 + (15*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^2 + a^2 + 2*a*b + 3*b^2)*\sinh(d*x + c)^4 + 4*(5*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^3 + (a^2 + 2*a*b + 3*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^3 - (a^2 + 2*a*b + 3*b^2)*\cosh(d*x + c)^2 + (15*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^4 + 6*(a^2 + 2*a*b + 3*b^2)*\cosh(d*x + c)^2 - a^2 - 2*a*b - 3*b^2)*\sinh(d*x + c)^2 - a^2 - 2*a*b - b^2 - 2*((4*a*b + 3*b^2)*\cosh(d*x + c)^5 + 5*(4*a*b + 3*b^2)*\cosh(d*x + c)*\sinh(d*x + c)^4 + (4*a*b + 3*b^2)*\sinh(d*x + c)^5 + 2*(4*a*b + 3*b^2)*\cosh(d*x + c)^3 + 2*(5*(4*a*b + 3*b^2)*\cosh(d*x + c)^2 + 4*a*b + 3*b^2)*\sinh(d*x + c)^3 + 2*(5*(4*a*b + 3*b^2)*\cosh(d*x + c)^3 + 3*(4*a*b + 3*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^2 + (4*a*b + 3*b^2)*\cosh(d*x + c) + (5*(4*a*b + 3*b^2)*\cosh(d*x + c)^4 + 6*(4*a*b + 3*b^2)*\cosh(d*x + c)^2 + 4*a*b + 3*b^2)*\sinh(d*x + c))*\arctan(\cosh(d*x + c) + \sinh(d*x + c)) + 2*(3*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^5 + 2*(a^2 + 2*a*b + 3*b^2)*\cosh(d*x + c)^3 - (a^2 + 2*a*b + 3*b^2)*\cosh(d*x + c))*\sinh(d*x + c))/(d*\cosh(d*x + c)^5 + 5*d*\cosh(d*x + c)*\sinh(d*x + c)^4 + d*\sinh(d*x + c)^5 + 2*d*\cosh(d*x + c)^3 + 2*(5*d*\cosh(d*x + c)^2 + d)*\sinh(d*x + c)^3 + 2*(5*d*\cosh(d*x + c)^3 + 3*d*\cosh(d*x + c))*\sinh(d*x + c)^2 + d*\cosh(d*x + c) + (5*d*\cosh(d*x + c)^4 + 6*d*\cosh(d*x + c)^2 + d)*\sinh(d*x + c))$$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (a + b \tanh^2(c + dx))^2 \cosh(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)\*(a+b\*tanh(d\*x+c)\*\*2)\*\*2,x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*2)\*\*2\*cosh(c + d\*x), x)

**Giac [B]** time = 1.66563, size = 185, normalized size = 3.08

$$\frac{2(4abe^c + 3b^2e^c) \arctan(e^{(dx+c)})e^{(-c)} + (a^2 + 2ab + b^2)e^{(-dx-c)} - (a^2e^{(dx+8c)} + 2abe^{(dx+8c)} + b^2e^{(dx+8c)})e^{(-7c)} - \frac{2(b^2e^c)}{d}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

```
[Out] -1/2*(2*(4*a*b*e^c + 3*b^2*e^c)*arctan(e^(d*x + c))*e^(-c) + (a^2 + 2*a*b +  
b^2)*e^(-d*x - c) - (a^2*e^(d*x + 8*c) + 2*a*b*e^(d*x + 8*c) + b^2*e^(d*x  
+ 8*c))*e^(-7*c) - 2*(b^2*e^(3*d*x + 3*c) - b^2*e^(d*x + c))/(e^(2*d*x + 2*  
c) + 1)^2)/d
```

### 3.93 $\int \operatorname{sech}(c + dx) \left( a + b \tanh^2(c + dx) \right)^2 dx$

**Optimal.** Leaf size=91

$$\frac{(8a^2 + 8ab + 3b^2) \tan^{-1}(\sinh(c + dx))}{8d} - \frac{3b(2a + b) \tanh(c + dx) \operatorname{sech}(c + dx)}{8d} - \frac{b \tanh(c + dx) \operatorname{sech}^3(c + dx) ((a + b))}{4d}$$

```
[Out] ((8*a^2 + 8*a*b + 3*b^2)*ArcTan[Sinh[c + d*x]])/(8*d) - (3*b*(2*a + b)*Sech[c + d*x]*Tanh[c + d*x])/(8*d) - (b*Sech[c + d*x]^3*(a + (a + b)*Sinh[c + d*x]^2)*Tanh[c + d*x])/(4*d)
```

**Rubi [A]** time = 0.085125, antiderivative size = 91, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.19$ , Rules used = {3676, 413, 385, 203}

$$\frac{(8a^2 + 8ab + 3b^2) \tan^{-1}(\sinh(c + dx))}{8d} - \frac{3b(2a + b) \tanh(c + dx) \operatorname{sech}(c + dx)}{8d} - \frac{b \tanh(c + dx) \operatorname{sech}^3(c + dx) ((a + b))}{4d}$$

Antiderivative was successfully verified.

```
[In] Int[Sech[c + d*x]*(a + b*Tanh[c + d*x]^2)^2,x]
```

```
[Out] ((8*a^2 + 8*a*b + 3*b^2)*ArcTan[Sinh[c + d*x]])/(8*d) - (3*b*(2*a + b)*Sech[c + d*x]*Tanh[c + d*x])/(8*d) - (b*Sech[c + d*x]^3*(a + (a + b)*Sinh[c + d*x]^2)*Tanh[c + d*x])/(4*d)
```

#### Rule 3676

```
Int[sec[(e_.) + (f_.)*(x_.)]^(m_.)*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)]^(n_.))^(p_.), x_Symbol] := With[{ff = FreeFactors[Sin[e + f*x], x]}, Dist[ff/f, Subst[Int[ExpandToSum[b*(ff*x)^n + a*(1 - ff^2*x^2)^(n/2)], x]^p/(1 - ff^2*x^2)^(m + n*p + 1)/2, x], x, Sin[e + f*x]/ff, x] /; FreeQ[{a, b, e, f}, x] && IntegerQ[(m - 1)/2] && IntegerQ[n/2] && IntegerQ[p]
```

#### Rule 413

```
Int[((a_.) + (b_.)*(x_.)^(n_.))^(p_.)*((c_.) + (d_.)*(x_.)^(n_.))^(q_.), x_Symbol] := Simp[((a*d - c*b)*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 1))/(a*b*n*(p + 1)), x] - Dist[1/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 2)*Simp[c*(a*d - c*b*(n*(p + 1) + 1)) + d*(a*d*(n*(q - 1) + 1) - b*c*(n*(p + q) + 1))*x^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d,
```

0] && LtQ[p, -1] && GtQ[q, 1] && IntBinomialQ[a, b, c, d, n, p, q, x]

### Rule 385

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] :> -Simp[((b\*c - a\*d)\*x\*(a + b\*x^n)^(p + 1))/(a\*b\*n\*(p + 1)), x] - Dist[(a\*d - b\*c\*(n\*(p + 1) + 1))/(a\*b\*n\*(p + 1)), Int[(a + b\*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b\*c - a\*d, 0] && (LtQ[p, -1] || ILtQ[1/n + p, 0])

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rubi steps

$$\begin{aligned} \int \operatorname{sech}(c + dx) (a + b \tanh^2(c + dx))^2 dx &= \frac{\operatorname{Subst}\left(\int \frac{(a+(a+b)x^2)^2}{(1+x^2)^3} dx, x, \sinh(c + dx)\right)}{d} \\ &= -\frac{b \operatorname{sech}^3(c + dx) (a + (a + b) \sinh^2(c + dx)) \tanh(c + dx)}{4d} + \frac{\operatorname{Subst}\left(\int \frac{a(4a+b)}{(1+x^2)^3} dx, x, \sinh(c + dx)\right)}{d} \\ &= -\frac{3b(2a + b) \operatorname{sech}(c + dx) \tanh(c + dx)}{8d} - \frac{b \operatorname{sech}^3(c + dx) (a + (a + b) \sinh^2(c + dx))}{4d} \\ &= \frac{(8a^2 + 8ab + 3b^2) \tan^{-1}(\sinh(c + dx))}{8d} - \frac{3b(2a + b) \operatorname{sech}(c + dx) \tanh(c + dx)}{8d} \end{aligned}$$

**Mathematica [C]** time = 7.22038, size = 427, normalized size = 4.69

$$\frac{\operatorname{csch}^3(c + dx) \left( 128 \sinh^6(c + dx) (a^2 (5 \sinh^4(c + dx) + 12 \sinh^2(c + dx) + 7)) + 2ab (5 \sinh^2(c + dx) + 6) \sinh^2(c + dx) \right)}{d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sech[c + d\*x]\*(a + b\*Tanh[c + d\*x]^2)^2, x]



```
[Out] -(Csch[c + d*x]^3*(128*HypergeometricPFQ[{3/2, 2, 2, 2}, {1, 1, 1, 9/2},
-Sinh[c + d*x]^2]*Sinh[c + d*x]^6*(a + a*Sinh[c + d*x]^2 + b*Sinh[c + d*x]
^2)^2 + 128*HypergeometricPFQ[{3/2, 2, 2, 2}, {1, 1, 9/2}, -Sinh[c + d*x]^2
]*Sinh[c + d*x]^6*(5*b^2*Sinh[c + d*x]^4 + 2*a*b*Sinh[c + d*x]^2*(6 + 5*Sin
h[c + d*x]^2) + a^2*(7 + 12*Sinh[c + d*x]^2 + 5*Sinh[c + d*x]^4)) + 35*(b^2
*Sinh[c + d*x]^4*(1947 + 485*Sinh[c + d*x]^2) + 2*a*b*Sinh[c + d*x]^2*(2625
+ 2554*Sinh[c + d*x]^2 + 485*Sinh[c + d*x]^4) + a^2*(3375 + 5907*Sinh[c +
d*x]^2 + 3161*Sinh[c + d*x]^4 + 485*Sinh[c + d*x]^6)) - (105*ArcTanh[Sqrt[-
Sinh[c + d*x]^2]]*(b^2*Sinh[c + d*x]^4*(649 + 378*Sinh[c + d*x]^2 + 9*Sinh[
c + d*x]^4) + 2*a*b*Sinh[c + d*x]^2*(875 + 1143*Sinh[c + d*x]^2 + 389*Sinh[
c + d*x]^4 + 9*Sinh[c + d*x]^6) + a^2*(1125 + 2344*Sinh[c + d*x]^2 + 1674*S
inh[c + d*x]^4 + 400*Sinh[c + d*x]^6 + 9*Sinh[c + d*x]^8)))/Sqrt[-Sinh[c +
d*x]^2]))/(6720*d)
```

**Maple [B]** time = 0.036, size = 173, normalized size = 1.9

$$2 \frac{a^2 \arctan(e^{dx+c})}{d} - 2 \frac{ab \sinh(dx+c)}{d (\cosh(dx+c))^2} + \frac{ab \operatorname{sech}(dx+c) \tanh(dx+c)}{d} + 2 \frac{ab \arctan(e^{dx+c})}{d} - \frac{b^2 (\sinh(dx+c))^3}{d (\cosh(dx+c))^4}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sech(d*x+c)*(a+b*tanh(d*x+c)^2)^2,x)
```

```
[Out] 2/d*a^2*arctan(exp(d*x+c))-2/d*a*b*sinh(d*x+c)/cosh(d*x+c)^2+1/d*a*b*sech(d
*x+c)*tanh(d*x+c)+2/d*a*b*arctan(exp(d*x+c))-1/d*b^2*sinh(d*x+c)^3/cosh(d*x
+c)^4-1/d*b^2*sinh(d*x+c)/cosh(d*x+c)^4+1/4/d*b^2*tanh(d*x+c)*sech(d*x+c)^3
+3/8/d*b^2*sech(d*x+c)*tanh(d*x+c)+3/4/d*b^2*arctan(exp(d*x+c))
```

**Maxima [B]** time = 1.61505, size = 269, normalized size = 2.96

$$-\frac{1}{4} b^2 \left( \frac{3 \arctan(e^{(-dx-c)})}{d} + \frac{5e^{(-dx-c)} - 3e^{(-3dx-3c)} + 3e^{(-5dx-5c)} - 5e^{(-7dx-7c)}}{d(4e^{(-2dx-2c)} + 6e^{(-4dx-4c)} + 4e^{(-6dx-6c)} + e^{(-8dx-8c)} + 1)} \right) - 2ab \left( \frac{\arctan(e^{(-dx-c)})}{d} + \frac{1}{d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sech(d*x+c)*(a+b*tanh(d*x+c)^2)^2,x, algorithm="maxima")
```

```
[Out] -1/4*b^2*(3*arctan(e^(-d*x - c))/d + (5*e^(-d*x - c) - 3*e^(-3*d*x - 3*c) +
3*e^(-5*d*x - 5*c) - 5*e^(-7*d*x - 7*c))/(d*(4*e^(-2*d*x - 2*c) + 6*e^(-4*
```

$$d*x - 4*c) + 4*e^{(-6*d*x - 6*c)} + e^{(-8*d*x - 8*c)} + 1))) - 2*a*b*(\arctan(e^{(-d*x - c)})/d + (e^{(-d*x - c)} - e^{(-3*d*x - 3*c)})/(d*(2*e^{(-2*d*x - 2*c)} + e^{(-4*d*x - 4*c)} + 1))) + a^2*\arctan(\sinh(d*x + c))/d$$

**Fricas [B]** time = 2.19051, size = 3433, normalized size = 37.73

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)\*(a+b\*tanh(d\*x+c))^2,x, algorithm="fricas")

[Out] 
$$\begin{aligned} & -1/4*((8*a*b + 5*b^2)*\cosh(d*x + c)^7 + 7*(8*a*b + 5*b^2)*\cosh(d*x + c)*\sinh(d*x + c)^6 + (8*a*b + 5*b^2)*\sinh(d*x + c)^7 + (8*a*b - 3*b^2)*\cosh(d*x + c)^5 + (21*(8*a*b + 5*b^2)*\cosh(d*x + c)^2 + 8*a*b - 3*b^2)*\sinh(d*x + c)^5 + 5*(7*(8*a*b + 5*b^2)*\cosh(d*x + c)^3 + (8*a*b - 3*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^4 - (8*a*b - 3*b^2)*\cosh(d*x + c)^3 + (35*(8*a*b + 5*b^2)*\cosh(d*x + c)^4 + 10*(8*a*b - 3*b^2)*\cosh(d*x + c)^2 - 8*a*b + 3*b^2)*\sinh(d*x + c)^3 + (21*(8*a*b + 5*b^2)*\cosh(d*x + c)^5 + 10*(8*a*b - 3*b^2)*\cosh(d*x + c)^3 - 3*(8*a*b - 3*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^2 - ((8*a^2 + 8*a*b + 3*b^2)*\cosh(d*x + c)^8 + 8*(8*a^2 + 8*a*b + 3*b^2)*\cosh(d*x + c)*\sinh(d*x + c)^7 + (8*a^2 + 8*a*b + 3*b^2)*\sinh(d*x + c)^8 + 4*(8*a^2 + 8*a*b + 3*b^2)*\cosh(d*x + c)^6 + 4*(7*(8*a^2 + 8*a*b + 3*b^2)*\cosh(d*x + c)^2 + 8*a^2 + 8*a*b + 3*b^2)*\sinh(d*x + c)^6 + 8*(7*(8*a^2 + 8*a*b + 3*b^2)*\cosh(d*x + c)^3 + 3*(8*a^2 + 8*a*b + 3*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^5 + 6*(8*a^2 + 8*a*b + 3*b^2)*\cosh(d*x + c)^4 + 2*(35*(8*a^2 + 8*a*b + 3*b^2)*\cosh(d*x + c)^4 + 30*(8*a^2 + 8*a*b + 3*b^2)*\cosh(d*x + c)^2 + 24*a^2 + 24*a*b + 9*b^2)*\sinh(d*x + c)^4 + 8*(7*(8*a^2 + 8*a*b + 3*b^2)*\cosh(d*x + c)^5 + 10*(8*a^2 + 8*a*b + 3*b^2)*\cosh(d*x + c)^3 + 3*(8*a^2 + 8*a*b + 3*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 4*(8*a^2 + 8*a*b + 3*b^2)*\cosh(d*x + c)^2 + 4*(7*(8*a^2 + 8*a*b + 3*b^2)*\cosh(d*x + c)^6 + 15*(8*a^2 + 8*a*b + 3*b^2)*\cosh(d*x + c)^4 + 9*(8*a^2 + 8*a*b + 3*b^2)*\cosh(d*x + c)^2 + 8*a^2 + 8*a*b + 3*b^2)*\sinh(d*x + c)^2 + 8*a^2 + 8*a*b + 3*b^2 + 8*((8*a^2 + 8*a*b + 3*b^2)*\cosh(d*x + c)^7 + 3*(8*a^2 + 8*a*b + 3*b^2)*\cosh(d*x + c)^5 + 3*(8*a^2 + 8*a*b + 3*b^2)*\cosh(d*x + c)^3 + (8*a^2 + 8*a*b + 3*b^2)*\cosh(d*x + c))*\sinh(d*x + c))*\arctan(\cosh(d*x + c) + \sinh(d*x + c)) - (8*a*b + 5*b^2)*\cosh(d*x + c) + (7*(8*a*b + 5*b^2)*\cosh(d*x + c)^6 + 5*(8*a*b - 3*b^2)*\cosh(d*x + c)^4 - 3*(8*a*b - 3*b^2)*\cosh(d*x + c)^2 - 8*a*b - 5*b^2)*\sinh(d*x + c))/(d*\cosh(d*x + c)^8 + 8*d*\cosh(d*x + c)*\sinh(d*x + c)^7 + d*\sinh(d*x + c)^8 + 4*d*\cosh(d*x + c)^6 + 4*(7*d*\cosh(d*x + c)^2 + d)*\sinh(d*x + c)^6 + 8*(7*d*\cosh(d*x + c)^3 + 3*d*\cosh(d*x + c))*\sinh(d*x + c)^5 + 6*d*\cosh(d*x + c)^4 + 2*(35*d*\cosh(d*x + c)^4 + 30*d*\cosh(d*x + c)^2 + 3*d)*\sinh(d*x + c)^4 + 8*(7*d*co$$

$\text{sh}(d*x + c)^5 + 10*d*\cosh(d*x + c)^3 + 3*d*\cosh(d*x + c))*\sinh(d*x + c)^3 +$   
 $4*d*\cosh(d*x + c)^2 + 4*(7*d*\cosh(d*x + c)^6 + 15*d*\cosh(d*x + c)^4 + 9*d*$   
 $\cosh(d*x + c)^2 + d)*\sinh(d*x + c)^2 + 8*(d*\cosh(d*x + c)^7 + 3*d*\cosh(d*x$   
 $+ c)^5 + 3*d*\cosh(d*x + c)^3 + d*\cosh(d*x + c))*\sinh(d*x + c) + d)$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (a + b \tanh^2(c + dx))^2 \operatorname{sech}(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)\*(a+b\*tanh(d\*x+c)\*\*2)\*\*2,x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*2)\*\*2\*sech(c + d\*x), x)

**Giac [A]** time = 1.39557, size = 212, normalized size = 2.33

$$\frac{(8a^2e^c + 8abe^c + 3b^2e^c) \arctan(e^{(dx+c)})e^{-c} - \frac{8abe^{(7dx+7c)} + 5b^2e^{(7dx+7c)} + 8abe^{(5dx+5c)} - 3b^2e^{(5dx+5c)} - 8abe^{(3dx+3c)} + 3b^2e^{(3dx+3c)} - 8abe^{(dx+c)}}{(e^{(2dx+2c)}+1)^4}}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out] 1/4\*((8\*a^2\*e^c + 8\*a\*b\*e^c + 3\*b^2\*e^c)\*arctan(e^(d\*x + c))\*e^(-c) - (8\*a\*b\*e^(7\*d\*x + 7\*c) + 5\*b^2\*e^(7\*d\*x + 7\*c) + 8\*a\*b\*e^(5\*d\*x + 5\*c) - 3\*b^2\*e^(5\*d\*x + 5\*c) - 8\*a\*b\*e^(3\*d\*x + 3\*c) + 3\*b^2\*e^(3\*d\*x + 3\*c) - 8\*a\*b\*e^(d\*x + c) - 5\*b^2\*e^(d\*x + c))/(e^(2\*d\*x + 2\*c) + 1)^4)/d

### 3.94 $\int \operatorname{sech}^2(c + dx) (a + b \tanh^2(c + dx))^2 dx$

**Optimal.** Leaf size=49

$$\frac{a^2 \tanh(c + dx)}{d} + \frac{2ab \tanh^3(c + dx)}{3d} + \frac{b^2 \tanh^5(c + dx)}{5d}$$

[Out] (a^2\*Tanh[c + d\*x])/d + (2\*a\*b\*Tanh[c + d\*x]^3)/(3\*d) + (b^2\*Tanh[c + d\*x]^5)/(5\*d)

**Rubi [A]** time = 0.0530052, antiderivative size = 49, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {3675, 194}

$$\frac{a^2 \tanh(c + dx)}{d} + \frac{2ab \tanh^3(c + dx)}{3d} + \frac{b^2 \tanh^5(c + dx)}{5d}$$

Antiderivative was successfully verified.

[In] Int[Sech[c + d\*x]^2\*(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] (a^2\*Tanh[c + d\*x])/d + (2\*a\*b\*Tanh[c + d\*x]^3)/(3\*d) + (b^2\*Tanh[c + d\*x]^5)/(5\*d)

#### Rule 3675

```
Int[sec[(e_.) + (f_.)*(x_.)]^(m_.)*((a_.) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_.)]))^(n_.)]^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[ff/(c^(m - 1)*f), Subst[Int[(c^2 + ff^2*x^2)^(m/2 - 1)*(a + b*(ff*x)^n)^p, x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2] && (IntegersQ[n, p] || IGtQ[m, 0] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])
```

#### Rule 194

```
Int[((a_.) + (b_.)*(x_.)^(n_.))^(p_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x^n)^p, x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && IGtQ[p, 0]
```

#### Rubi steps

$$\begin{aligned} \int \operatorname{sech}^2(c+dx) (a+b \tanh^2(c+dx))^2 dx &= \frac{\operatorname{Subst}\left(\int (a+bx^2)^2 dx, x, \tanh(c+dx)\right)}{d} \\ &= \frac{\operatorname{Subst}\left(\int (a^2+2abx^2+b^2x^4) dx, x, \tanh(c+dx)\right)}{d} \\ &= \frac{a^2 \tanh(c+dx)}{d} + \frac{2ab \tanh^3(c+dx)}{3d} + \frac{b^2 \tanh^5(c+dx)}{5d} \end{aligned}$$

**Mathematica [A]** time = 0.179594, size = 49, normalized size = 1.

$$\frac{a^2 \tanh(c+dx)}{d} + \frac{2ab \tanh^3(c+dx)}{3d} + \frac{b^2 \tanh^5(c+dx)}{5d}$$

Antiderivative was successfully verified.

[In] Integrate[Sech[c + d\*x]^2\*(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] (a^2\*Tanh[c + d\*x])/d + (2\*a\*b\*Tanh[c + d\*x]^3)/(3\*d) + (b^2\*Tanh[c + d\*x]^5)/(5\*d)

**Maple [B]** time = 0.052, size = 126, normalized size = 2.6

$$\frac{1}{d} \left( a^2 \tanh(dx+c) + 2ab \left( -\frac{1}{2} \frac{\sinh(dx+c)}{\cosh(dx+c)^3} + \frac{1}{2} \left( \frac{2}{3} + \frac{1}{3} (\operatorname{sech}(dx+c))^2 \right) \tanh(dx+c) \right) + b^2 \left( -\frac{\sinh(dx+c)}{2 \cosh(dx+c)^5} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sech(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2)^2,x)

[Out] 1/d\*(a^2\*tanh(d\*x+c)+2\*a\*b\*(-1/2\*sinh(d\*x+c)/cosh(d\*x+c)^3+1/2\*(2/3+1/3\*sech(d\*x+c)^2)\*tanh(d\*x+c))+b^2\*(-1/2\*sinh(d\*x+c)^3/cosh(d\*x+c)^5-3/8\*sinh(d\*x+c)/cosh(d\*x+c)^5+3/8\*(8/15+1/5\*sech(d\*x+c)^4+4/15\*sech(d\*x+c)^2)\*tanh(d\*x+c)))

**Maxima [A]** time = 1.16467, size = 72, normalized size = 1.47

$$\frac{b^2 \tanh(dx+c)^5}{5d} + \frac{2ab \tanh(dx+c)^3}{3d} + \frac{2a^2}{d(e^{-2dx-2c}+1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="maxima")

[Out]  $\frac{1}{5}b^2 \tanh(dx+c)^5/d + \frac{2}{3}a*b \tanh(dx+c)^3/d + 2a^2/(d*(e^{-2dx} - 2c) + 1)$

**Fricas [B]** time = 1.86226, size = 1023, normalized size = 20.88

$$\frac{4 \left( (15a^2 + 20ab + 9b^2) \cosh(dx+c)^4 + 8(5ab + 3b^2) \cosh(dx+c) \sinh(dx+c)^3 + (15a^2 + 20ab + 9b^2) \sinh(dx+c)^4 + 20a^2 \cosh(dx+c)^2 + 2(3(15a^2 + 20ab + 9b^2) \cosh(dx+c) \sinh(dx+c)^2 + 30a^2 \sinh(dx+c)^2 + 45a^2 + 20ab + 15b^2 + 8((5ab + 3b^2) \cosh(dx+c)^3 + 5ab \cosh(dx+c)) \sinh(dx+c) \right)}{15(d \cosh(dx+c)^6 + 6d \cosh(dx+c) \sinh(dx+c)^5 + d \sinh(dx+c)^6 + 6d \cosh(dx+c)^4 + 3(5d \cosh(dx+c)^2 + 2d) \sinh(dx+c)^4 + 4(5d \cosh(dx+c)^3 + 4d \cosh(dx+c)) \sinh(dx+c)^3 + 15d \cosh(dx+c)^2 + 3(5d \cosh(dx+c)^4 + 12d \cosh(dx+c)^2 + 5d) \sinh(dx+c)^2 + 2(3d \cosh(dx+c)^5 + 8d \cosh(dx+c)^3 + 5d \cosh(dx+c)) \sinh(dx+c) + 10d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out]  $-4/15 * ((15a^2 + 20ab + 9b^2) \cosh(dx+c)^4 + 8(5ab + 3b^2) \cosh(dx+c) \sinh(dx+c)^3 + (15a^2 + 20ab + 9b^2) \sinh(dx+c)^4 + 20(3a^2 + 2ab) \cosh(dx+c)^2 + 2(3(15a^2 + 20ab + 9b^2) \cosh(dx+c) \sinh(dx+c)^2 + 30a^2 \sinh(dx+c)^2 + 45a^2 + 20ab + 15b^2 + 8((5ab + 3b^2) \cosh(dx+c)^3 + 5ab \cosh(dx+c)) \sinh(dx+c)) / (d \cosh(dx+c)^6 + 6d \cosh(dx+c) \sinh(dx+c)^5 + d \sinh(dx+c)^6 + 6d \cosh(dx+c)^4 + 3(5d \cosh(dx+c)^2 + 2d) \sinh(dx+c)^4 + 4(5d \cosh(dx+c)^3 + 4d \cosh(dx+c)) \sinh(dx+c)^3 + 15d \cosh(dx+c)^2 + 3(5d \cosh(dx+c)^4 + 12d \cosh(dx+c)^2 + 5d) \sinh(dx+c)^2 + 2(3d \cosh(dx+c)^5 + 8d \cosh(dx+c)^3 + 5d \cosh(dx+c)) \sinh(dx+c) + 10d)$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (a + b \tanh^2(c + dx))^2 \operatorname{sech}^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)\*\*2\*(a+b\*tanh(d\*x+c)\*\*2)\*\*2,x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*2)\*\*2\*sech(c + d\*x)\*\*2, x)

---

**Giac [B]** time = 1.41103, size = 228, normalized size = 4.65

$$\frac{2 \left( 15 a^2 e^{(8 dx+8 c)} + 30 a b e^{(8 dx+8 c)} + 15 b^2 e^{(8 dx+8 c)} + 60 a^2 e^{(6 dx+6 c)} + 60 a b e^{(6 dx+6 c)} + 90 a^2 e^{(4 dx+4 c)} + 40 a b e^{(4 dx+4 c)} + 30 b^2 e^{(4 dx+4 c)} + 20 a^2 e^{(2 dx+2 c)} + 20 a b e^{(2 dx+2 c)} + 15 a^2 + 10 a b + 3 b^2 \right)}{15 d \left( e^{(2 dx+2 c)} + 1 \right)^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out] -2/15\*(15\*a^2\*e^(8\*d\*x + 8\*c) + 30\*a\*b\*e^(8\*d\*x + 8\*c) + 15\*b^2\*e^(8\*d\*x + 8\*c) + 60\*a^2\*e^(6\*d\*x + 6\*c) + 60\*a\*b\*e^(6\*d\*x + 6\*c) + 90\*a^2\*e^(4\*d\*x + 4\*c) + 40\*a\*b\*e^(4\*d\*x + 4\*c) + 30\*b^2\*e^(4\*d\*x + 4\*c) + 60\*a^2\*e^(2\*d\*x + 2\*c) + 20\*a\*b\*e^(2\*d\*x + 2\*c) + 15\*a^2 + 10\*a\*b + 3\*b^2)/(d\*(e^(2\*d\*x + 2\*c) + 1)^5)

### 3.95 $\int \operatorname{sech}^3(c + dx) (a + b \tanh^2(c + dx))^2 dx$

**Optimal.** Leaf size=125

$$\frac{(8a^2 + 4ab + b^2) \tan^{-1}(\sinh(c + dx))}{16d} + \frac{(8a^2 + 4ab + b^2) \tanh(c + dx) \operatorname{sech}(c + dx)}{16d} - \frac{b(8a + 3b) \tanh(c + dx) \operatorname{sech}^3(c + dx)}{24d}$$

[Out]  $((8a^2 + 4ab + b^2) \operatorname{ArcTan}[\operatorname{Sinh}[c + dx]]) / (16d) + ((8a^2 + 4ab + b^2) \operatorname{Sech}[c + dx] \operatorname{Tanh}[c + dx]) / (16d) - (b(8a + 3b) \operatorname{Sech}[c + dx]^3 \operatorname{Tanh}[c + dx]) / (24d) - (b \operatorname{Sech}[c + dx]^5 (a + (a + b) \operatorname{Sinh}[c + dx]^2) \operatorname{Tanh}[c + dx]) / (6d)$

**Rubi [A]** time = 0.151915, antiderivative size = 125, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {3676, 413, 385, 199, 203}

$$\frac{(8a^2 + 4ab + b^2) \tan^{-1}(\sinh(c + dx))}{16d} + \frac{(8a^2 + 4ab + b^2) \tanh(c + dx) \operatorname{sech}(c + dx)}{16d} - \frac{b(8a + 3b) \tanh(c + dx) \operatorname{sech}^3(c + dx)}{24d}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[\operatorname{Sech}[c + dx]^3 (a + b \operatorname{Tanh}[c + dx]^2)^2, x]$

[Out]  $((8a^2 + 4ab + b^2) \operatorname{ArcTan}[\operatorname{Sinh}[c + dx]]) / (16d) + ((8a^2 + 4ab + b^2) \operatorname{Sech}[c + dx] \operatorname{Tanh}[c + dx]) / (16d) - (b(8a + 3b) \operatorname{Sech}[c + dx]^3 \operatorname{Tanh}[c + dx]) / (24d) - (b \operatorname{Sech}[c + dx]^5 (a + (a + b) \operatorname{Sinh}[c + dx]^2) \operatorname{Tanh}[c + dx]) / (6d)$

#### Rule 3676

$\operatorname{Int}[\operatorname{sec}[(e_.) + (f_.)(x_)]^{(m_.)} ((a_.) + (b_.) \operatorname{tan}[(e_.) + (f_.)(x_)]^{(n_.)})^{(p_.)}, x\_Symbol] \rightarrow \operatorname{With}[\{ff = \operatorname{FreeFactors}[\operatorname{Sin}[e + f x], x]\}, \operatorname{Dist}[ff/f, \operatorname{Subst}[\operatorname{Int}[\operatorname{ExpandToSum}[b*(ff*x)^n + a*(1 - ff^2*x^2)^{(n/2)}], x]^p / (1 - ff^2*x^2)^{((m + n*p + 1)/2)}, x], x, \operatorname{Sin}[e + f x]/ff], x]] /; \operatorname{FreeQ}\{a, b, e, f, x\} \&\& \operatorname{IntegerQ}[(m - 1)/2] \&\& \operatorname{IntegerQ}[n/2] \&\& \operatorname{IntegerQ}[p]$

#### Rule 413

$\operatorname{Int}[(a_.) + (b_.)(x_)^{(n_)}]^{(p_)} ((c_.) + (d_.)(x_)^{(n_)})^{(q_)}, x\_Symbol] \rightarrow \operatorname{Simp}[(a*d - c*b)*x*(a + b*x^n)^{(p + 1)} (c + d*x^n)^{(q - 1)} / (a*b*n*(p + 1)), x] - \operatorname{Dist}[1/(a*b*n*(p + 1)), \operatorname{Int}[(a + b*x^n)^{(p + 1)} (c + d*x^n)^{(q - 1)}], x]$



```
2)*Simp[c*(a*d - c*b*(n*(p + 1) + 1)) + d*(a*d*(n*(q - 1) + 1) - b*c*(n*(p
+ q) + 1))*x^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d,
0] && LtQ[p, -1] && GtQ[q, 1] && IntBinomialQ[a, b, c, d, n, p, q, x]
```

### Rule 385

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] :> -S
imp[((b*c - a*d)*x*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] - Dist[(a*d - b
*c*(n*(p + 1) + 1))/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; Fre
eQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n +
p, 0])
```

### Rule 199

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> -Simp[(x*(a + b*x^n)^(p + 1
))/(a*n*(p + 1)), x] + Dist[(n*(p + 1) + 1)/(a*n*(p + 1)), Int[(a + b*x^n)^(
p + 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && LtQ[p, -1] && (Integer
Q[2*p] || (n == 2 && IntegerQ[4*p]) || (n == 2 && IntegerQ[3*p]) || Denomin
ator[p + 1/n] < Denominator[p])
```

### Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

### Rubi steps

$$\begin{aligned}
\int \operatorname{sech}^3(c+dx) (a+b \tanh^2(c+dx))^2 dx &= \frac{\operatorname{Subst}\left(\int \frac{(a+(a+b)x^2)^2}{(1+x^2)^4} dx, x, \sinh(c+dx)\right)}{d} \\
&= -\frac{b \operatorname{sech}^5(c+dx) (a+(a+b) \sinh^2(c+dx)) \tanh(c+dx)}{6d} + \frac{\operatorname{Subst}\left(\int \frac{a(6a+b^2x^2)}{(1+x^2)^4} dx, x, \sinh(c+dx)\right)}{6d} \\
&= -\frac{b(8a+3b) \operatorname{sech}^3(c+dx) \tanh(c+dx)}{24d} - \frac{b \operatorname{sech}^5(c+dx) (a+(a+b) \sinh^2(c+dx))}{6d} \\
&= \frac{(8a^2+4ab+b^2) \operatorname{sech}(c+dx) \tanh(c+dx)}{16d} - \frac{b(8a+3b) \operatorname{sech}^3(c+dx) \tanh(c+dx)}{24d} \\
&= \frac{(8a^2+4ab+b^2) \tan^{-1}(\sinh(c+dx))}{16d} + \frac{(8a^2+4ab+b^2) \operatorname{sech}(c+dx) \tanh(c+dx)}{16d}
\end{aligned}$$

**Mathematica [C]** time = 8.64102, size = 792, normalized size = 6.34

$$a^2 \sinh(c+dx) \left( -\frac{380(a+b)^2 \sinh^6(c+dx) \operatorname{HypergeometricPFQ}\left(\left\{\frac{3}{2}, 2, 2, 2\right\}, \left\{1, 1, \frac{9}{2}\right\}, -\sinh^2(c+dx)\right)}{a^2} - \frac{128(a+b)^2 \sinh^6(c+dx) \operatorname{HypergeometricPFQ}\left(\left\{\frac{3}{2}, 2, 2, 2, 2\right\}, \left\{1, 1, 1, 1, \frac{9}{2}\right\}, -\sinh^2(c+dx)\right)}{a^2} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sech[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] (a^2\*Sinh[c + d\*x]\*((-23555\*(a + b))/a - (32970\*(a + b)^2)/a^2 - 14980\*Csch[c + d\*x]^2 - (91875\*(a + b)\*Csch[c + d\*x]^2)/a - 65625\*Csch[c + d\*x]^4 - (8855\*(a + b)^2\*Sinh[c + d\*x]^2)/a^2 - 620\*HypergeometricPFQ[{3/2, 2, 2, 2}, {1, 1, 9/2}, -Sinh[c + d\*x]^2]\*Sinh[c + d\*x]^2 - 160\*HypergeometricPFQ[{3/2, 2, 2, 2, 2}, {1, 1, 1, 9/2}, -Sinh[c + d\*x]^2]\*Sinh[c + d\*x]^2 - 16\*HypergeometricPFQ[{3/2, 2, 2, 2, 2, 2}, {1, 1, 1, 1, 9/2}, -Sinh[c + d\*x]^2]\*Sinh[c + d\*x]^2 - (968\*(a + b)\*HypergeometricPFQ[{3/2, 2, 2, 2}, {1, 1, 9/2}, -Sinh[c + d\*x]^2]\*Sinh[c + d\*x]^4)/a - (288\*(a + b)\*HypergeometricPFQ[{3/2, 2, 2, 2, 2}, {1, 1, 1, 9/2}, -Sinh[c + d\*x]^2]\*Sinh[c + d\*x]^4)/a - (32\*(a + b)\*HypergeometricPFQ[{3/2, 2, 2, 2, 2, 2}, {1, 1, 1, 1, 9/2}, -Sinh[c + d\*x]^2]\*Sinh[c + d\*x]^4)/a - (380\*(a + b)^2\*HypergeometricPFQ[{3/2, 2, 2, 2}, {1, 1, 9/2}, -Sinh[c + d\*x]^2]\*Sinh[c + d\*x]^6)/a^2 - (128\*(a + b)^2\*HypergeometricPFQ[{3/2, 2, 2, 2, 2, 2}, {1, 1, 1, 1, 9/2}, -Sinh[c + d\*x]^2]\*Sinh[c + d\*x]^6)/a^2 - (16\*(a + b)^2\*HypergeometricPFQ[{3/2, 2, 2, 2, 2, 2}, {1,

1, 1, 1, 9/2},  $-\text{Sinh}[c + d*x]^2 * \text{Sinh}[c + d*x]^6 / a^2 + (65625 * \text{ArcTanh}[\text{Sqrt}[-\text{Sinh}[c + d*x]^2]]) / (-\text{Sinh}[c + d*x]^2)^{(5/2)} + (1680 * \text{ArcTanh}[\text{Sqrt}[-\text{Sinh}[c + d*x]^2]]) * \text{Sinh}[c + d*x]^4 / (-\text{Sinh}[c + d*x]^2)^{(5/2)} - (36855 * \text{ArcTanh}[\text{Sqrt}[-\text{Sinh}[c + d*x]^2]]) / (-\text{Sinh}[c + d*x]^2)^{(3/2)} - (91875 * (a + b) * \text{ArcTanh}[\text{Sqrt}[-\text{Sinh}[c + d*x]^2]]) / (a * (-\text{Sinh}[c + d*x]^2)^{(3/2)}) + (54180 * (a + b) * \text{ArcTanh}[\text{Sqrt}[-\text{Sinh}[c + d*x]^2]]) / (a * \text{Sqrt}[-\text{Sinh}[c + d*x]^2]) + (32970 * (a + b)^2 * \text{ArcTanh}[\text{Sqrt}[-\text{Sinh}[c + d*x]^2]]) / (a^2 * \text{Sqrt}[-\text{Sinh}[c + d*x]^2]) + (525 * (a + b)^2 * \text{ArcTanh}[\text{Sqrt}[-\text{Sinh}[c + d*x]^2]]) * \text{Sinh}[c + d*x]^4 / (a^2 * \text{Sqrt}[-\text{Sinh}[c + d*x]^2]) - (1365 * (a + b) * \text{ArcTanh}[\text{Sqrt}[-\text{Sinh}[c + d*x]^2]]) * \text{Sqrt}[-\text{Sinh}[c + d*x]^2] / a - (19845 * (a + b)^2 * \text{ArcTanh}[\text{Sqrt}[-\text{Sinh}[c + d*x]^2]]) * \text{Sqrt}[-\text{Sinh}[c + d*x]^2] / a^2) / (2520 * d)$

**Maple [B]** time = 0.056, size = 236, normalized size = 1.9

$$\frac{a^2 \operatorname{sech}(dx+c) \tanh(dx+c)}{2d} + \frac{a^2 \arctan(e^{dx+c})}{d} - \frac{2ab \sinh(dx+c)}{3d (\cosh(dx+c))^4} + \frac{ab \tanh(dx+c) (\operatorname{sech}(dx+c))^3}{6d} + \frac{ab \operatorname{sech}(dx+c)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sech(d*x+c)^3*(a+b*tanh(d*x+c)^2)^2,x)`

[Out]  $1/2/d*a^2*\operatorname{sech}(d*x+c)*\tanh(d*x+c)+1/d*a^2*\arctan(\exp(d*x+c))-2/3/d*a*b*\sinh(d*x+c)/\cosh(d*x+c)^4+1/6/d*a*b*\tanh(d*x+c)*\operatorname{sech}(d*x+c)^3+1/4/d*a*b*\operatorname{sech}(d*x+c)*\tanh(d*x+c)+1/2/d*a*b*\arctan(\exp(d*x+c))-1/3/d*b^2*\sinh(d*x+c)^3/\cosh(d*x+c)^6-1/5/d*b^2*\sinh(d*x+c)/\cosh(d*x+c)^6+1/30/d*b^2*\tanh(d*x+c)*\operatorname{sech}(d*x+c)^5+1/24/d*b^2*\tanh(d*x+c)*\operatorname{sech}(d*x+c)^3+1/16/d*b^2*\operatorname{sech}(d*x+c)*\tanh(d*x+c)+1/8/d*b^2*\arctan(\exp(d*x+c))$

**Maxima [B]** time = 1.71977, size = 466, normalized size = 3.73

$$-\frac{1}{24} b^2 \left( \frac{3 \arctan(e^{-dx-c})}{d} - \frac{3e^{-dx-c} - 47e^{-3dx-3c} + 78e^{-5dx-5c} - 78e^{-7dx-7c} + 47e^{-9dx-9c} - 3e^{-11dx-11c}}{d(6e^{-2dx-2c} + 15e^{-4dx-4c} + 20e^{-6dx-6c} + 15e^{-8dx-8c} + 6e^{-10dx-10c} + e^{-12dx-12c})} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sech(d*x+c)^3*(a+b*tanh(d*x+c)^2)^2,x, algorithm="maxima")`

[Out]  $-1/24*b^2*(3*\arctan(e^{-d*x - c}))/d - (3*e^{-d*x - c} - 47*e^{-3*d*x - 3*c} + 78*e^{-5*d*x - 5*c} - 78*e^{-7*d*x - 7*c} + 47*e^{-9*d*x - 9*c} - 3*e^{-11*d*x - 11*c}) / (6*e^{-2*d*x - 2*c} + 15*e^{-4*d*x - 4*c} + 20*e^{-6*d*x - 6*c} + 15*e^{-8*d*x - 8*c} + 6*e^{-10*d*x - 10*c} + e^{-12*d*x - 12*c})$

$$\begin{aligned} & (11*d*x - 11*c))/(d*(6*e^{(-2*d*x - 2*c)} + 15*e^{(-4*d*x - 4*c)} + 20*e^{(-6*d*x - 6*c)} + 15*e^{(-8*d*x - 8*c)} + 6*e^{(-10*d*x - 10*c)} + e^{(-12*d*x - 12*c)} + 1))) - 1/2*a*b*(\arctan(e^{(-d*x - c)})/d - (e^{(-d*x - c)} - 7*e^{(-3*d*x - 3*c)} + 7*e^{(-5*d*x - 5*c)} - e^{(-7*d*x - 7*c)})/(d*(4*e^{(-2*d*x - 2*c)} + 6*e^{(-4*d*x - 4*c)} + 4*e^{(-6*d*x - 6*c)} + e^{(-8*d*x - 8*c)} + 1))) - a^2*(\arctan(e^{(-d*x - c)})/d - (e^{(-d*x - c)} - e^{(-3*d*x - 3*c)})/(d*(2*e^{(-2*d*x - 2*c)} + e^{(-4*d*x - 4*c)} + 1))) \end{aligned}$$

**Fricas [B]** time = 2.29356, size = 7337, normalized size = 58.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out]  $1/24*(3*(8*a^2 + 4*a*b + b^2)*\cosh(d*x + c)^{11} + 33*(8*a^2 + 4*a*b + b^2)*\cosh(d*x + c)*\sinh(d*x + c)^{10} + 3*(8*a^2 + 4*a*b + b^2)*\sinh(d*x + c)^{11} + (72*a^2 - 60*a*b - 47*b^2)*\cosh(d*x + c)^9 + (165*(8*a^2 + 4*a*b + b^2)*\cosh(d*x + c)^2 + 72*a^2 - 60*a*b - 47*b^2)*\sinh(d*x + c)^9 + 9*(55*(8*a^2 + 4*a*b + b^2)*\cosh(d*x + c)^3 + (72*a^2 - 60*a*b - 47*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^8 + 6*(8*a^2 - 12*a*b + 13*b^2)*\cosh(d*x + c)^7 + 6*(165*(8*a^2 + 4*a*b + b^2)*\cosh(d*x + c)^4 + 6*(72*a^2 - 60*a*b - 47*b^2)*\cosh(d*x + c)^2 + 8*a^2 - 12*a*b + 13*b^2)*\sinh(d*x + c)^7 + 42*(33*(8*a^2 + 4*a*b + b^2)*\cosh(d*x + c)^5 + 2*(72*a^2 - 60*a*b - 47*b^2)*\cosh(d*x + c)^3 + (8*a^2 - 12*a*b + 13*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^6 - 6*(8*a^2 - 12*a*b + 13*b^2)*\cosh(d*x + c)^5 + 6*(231*(8*a^2 + 4*a*b + b^2)*\cosh(d*x + c)^6 + 21*(72*a^2 - 60*a*b - 47*b^2)*\cosh(d*x + c)^4 + 21*(8*a^2 - 12*a*b + 13*b^2)*\cosh(d*x + c)^2 - 8*a^2 + 12*a*b - 13*b^2)*\sinh(d*x + c)^5 + 6*(165*(8*a^2 + 4*a*b + b^2)*\cosh(d*x + c)^7 + 21*(72*a^2 - 60*a*b - 47*b^2)*\cosh(d*x + c)^5 + 35*(8*a^2 - 12*a*b + 13*b^2)*\cosh(d*x + c)^3 - 5*(8*a^2 - 12*a*b + 13*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^4 - (72*a^2 - 60*a*b - 47*b^2)*\cosh(d*x + c)^3 + (495*(8*a^2 + 4*a*b + b^2)*\cosh(d*x + c)^8 + 84*(72*a^2 - 60*a*b - 47*b^2)*\cosh(d*x + c)^6 + 210*(8*a^2 - 12*a*b + 13*b^2)*\cosh(d*x + c)^4 - 60*(8*a^2 - 12*a*b + 13*b^2)*\cosh(d*x + c)^2 - 72*a^2 + 60*a*b + 47*b^2)*\sinh(d*x + c)^3 + 3*(55*(8*a^2 + 4*a*b + b^2)*\cosh(d*x + c)^9 + 12*(72*a^2 - 60*a*b - 47*b^2)*\cosh(d*x + c)^7 + 42*(8*a^2 - 12*a*b + 13*b^2)*\cosh(d*x + c)^5 - 20*(8*a^2 - 12*a*b + 13*b^2)*\cosh(d*x + c)^3 - (72*a^2 - 60*a*b - 47*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^2 + 3*((8*a^2 + 4*a*b + b^2)*\cosh(d*x + c)^12 + 12*(8*a^2 + 4*a*b + b^2)*\cosh(d*x + c)*\sinh(d*x + c)^11 + (8*a^2 + 4*a*b + b^2)*\sinh(d*x + c)^12 + 6*(8*a^2 + 4*a*b + b^2)*\cosh(d*x + c)^10 + 6*(11*(8*a^2 + 4*a*b + b^2)*\cosh(d*x + c)^2 + 8*a^2 + 4*a*b + b^2)*\sinh(d*x + c$

$$\begin{aligned}
&)^{10} + 20*(11*(8*a^2 + 4*a*b + b^2)*\cosh(d*x + c)^3 + 3*(8*a^2 + 4*a*b + b^2)*\cosh(d*x + c))*\sinh(d*x + c)^9 + 15*(8*a^2 + 4*a*b + b^2)*\cosh(d*x + c)^8 + 15*(33*(8*a^2 + 4*a*b + b^2)*\cosh(d*x + c)^4 + 18*(8*a^2 + 4*a*b + b^2)*\cosh(d*x + c)^2 + 8*a^2 + 4*a*b + b^2)*\sinh(d*x + c)^8 + 24*(33*(8*a^2 + 4*a*b + b^2)*\cosh(d*x + c)^5 + 30*(8*a^2 + 4*a*b + b^2)*\cosh(d*x + c)^3 + 5*(8*a^2 + 4*a*b + b^2)*\cosh(d*x + c))*\sinh(d*x + c)^7 + 20*(8*a^2 + 4*a*b + b^2)*\cosh(d*x + c)^6 + 4*(231*(8*a^2 + 4*a*b + b^2)*\cosh(d*x + c)^6 + 315*(8*a^2 + 4*a*b + b^2)*\cosh(d*x + c)^4 + 105*(8*a^2 + 4*a*b + b^2)*\cosh(d*x + c)^2 + 40*a^2 + 20*a*b + 5*b^2)*\sinh(d*x + c)^6 + 24*(33*(8*a^2 + 4*a*b + b^2)*\cosh(d*x + c)^7 + 63*(8*a^2 + 4*a*b + b^2)*\cosh(d*x + c)^5 + 35*(8*a^2 + 4*a*b + b^2)*\cosh(d*x + c)^3 + 5*(8*a^2 + 4*a*b + b^2)*\cosh(d*x + c))*\sinh(d*x + c)^5 + 15*(8*a^2 + 4*a*b + b^2)*\cosh(d*x + c)^4 + 15*(33*(8*a^2 + 4*a*b + b^2)*\cosh(d*x + c)^8 + 84*(8*a^2 + 4*a*b + b^2)*\cosh(d*x + c)^6 + 70*(8*a^2 + 4*a*b + b^2)*\cosh(d*x + c)^4 + 20*(8*a^2 + 4*a*b + b^2)*\cosh(d*x + c)^2 + 8*a^2 + 4*a*b + b^2)*\sinh(d*x + c)^4 + 20*(11*(8*a^2 + 4*a*b + b^2)*\cosh(d*x + c)^9 + 36*(8*a^2 + 4*a*b + b^2)*\cosh(d*x + c)^7 + 42*(8*a^2 + 4*a*b + b^2)*\cosh(d*x + c)^5 + 20*(8*a^2 + 4*a*b + b^2)*\cosh(d*x + c)^3 + 3*(8*a^2 + 4*a*b + b^2)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 6*(8*a^2 + 4*a*b + b^2)*\cosh(d*x + c)^2 + 6*(11*(8*a^2 + 4*a*b + b^2)*\cosh(d*x + c)^10 + 45*(8*a^2 + 4*a*b + b^2)*\cosh(d*x + c)^8 + 70*(8*a^2 + 4*a*b + b^2)*\cosh(d*x + c)^6 + 50*(8*a^2 + 4*a*b + b^2)*\cosh(d*x + c)^4 + 15*(8*a^2 + 4*a*b + b^2)*\cosh(d*x + c)^2 + 8*a^2 + 4*a*b + b^2)*\sinh(d*x + c)^2 + 8*a^2 + 4*a*b + b^2 + 12*((8*a^2 + 4*a*b + b^2)*\cosh(d*x + c)^11 + 5*(8*a^2 + 4*a*b + b^2)*\cosh(d*x + c)^9 + 10*(8*a^2 + 4*a*b + b^2)*\cosh(d*x + c)^7 + 10*(8*a^2 + 4*a*b + b^2)*\cosh(d*x + c)^5 + 5*(8*a^2 + 4*a*b + b^2)*\cosh(d*x + c)^3 + (8*a^2 + 4*a*b + b^2)*\cosh(d*x + c))*\sinh(d*x + c))*\arctan(\cosh(d*x + c) + \sinh(d*x + c)) - 3*(8*a^2 + 4*a*b + b^2)*\cosh(d*x + c) + 3*(11*(8*a^2 + 4*a*b + b^2)*\cosh(d*x + c)^10 + 3*(72*a^2 - 60*a*b - 47*b^2)*\cosh(d*x + c)^8 + 14*(8*a^2 - 12*a*b + 13*b^2)*\cosh(d*x + c)^6 - 10*(8*a^2 - 12*a*b + 13*b^2)*\cosh(d*x + c)^4 - (72*a^2 - 60*a*b - 47*b^2)*\cosh(d*x + c)^2 - 8*a^2 - 4*a*b - b^2)*\sinh(d*x + c))/(d*\cosh(d*x + c)^12 + 12*d*\cosh(d*x + c)*\sinh(d*x + c)^11 + d*\sinh(d*x + c)^12 + 6*d*\cosh(d*x + c)^10 + 6*(11*d*\cosh(d*x + c)^2 + d)*\sinh(d*x + c)^10 + 20*(11*d*\cosh(d*x + c)^3 + 3*d*\cosh(d*x + c))*\sinh(d*x + c)^9 + 15*d*\cosh(d*x + c)^8 + 15*(33*d*\cosh(d*x + c)^4 + 18*d*\cosh(d*x + c)^2 + d)*\sinh(d*x + c)^8 + 24*(33*d*\cosh(d*x + c)^5 + 30*d*\cosh(d*x + c)^3 + 5*d*\cosh(d*x + c))*\sinh(d*x + c)^7 + 20*d*\cosh(d*x + c)^6 + 4*(231*d*\cosh(d*x + c)^6 + 315*d*\cosh(d*x + c)^4 + 105*d*\cosh(d*x + c)^2 + 5*d)*\sinh(d*x + c)^6 + 24*(33*d*\cosh(d*x + c)^7 + 63*d*\cosh(d*x + c)^5 + 35*d*\cosh(d*x + c)^3 + 5*d*\cosh(d*x + c))*\sinh(d*x + c)^5 + 15*d*\cosh(d*x + c)^4 + 15*(33*d*\cosh(d*x + c)^8 + 84*d*\cosh(d*x + c)^6 + 70*d*\cosh(d*x + c)^4 + 20*d*\cosh(d*x + c)^2 + d)*\sinh(d*x + c)^4 + 20*(11*d*\cosh(d*x + c)^9 + 36*d*\cosh(d*x + c)^7 + 42*d*\cosh(d*x + c)^5 + 20*d*\cosh(d*x + c)^3 + 3*d*\cosh(d*x + c))*\sinh(d*x + c)^3 + 6*d*\cosh(d*x + c)^2 + 6*(11*d*\cosh(d*x + c)^10 + 45*d*\cosh(d*x + c)^8 + 70*d*\cosh(d*x + c)^6 + 50*d*\cosh(d*x + c)^4 + 15*d*\cosh(d*x + c)^2 + d)*\sinh(d*x + c)^2 + 12*(d*\cosh(d*x + c)^11 + 5*d*\cosh(d*x + c)
\end{aligned}$$

$d^9 + 10*d*\cosh(d*x + c)^7 + 10*d*\cosh(d*x + c)^5 + 5*d*\cosh(d*x + c)^3 + d*\cosh(d*x + c))*\sinh(d*x + c) + d$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (a + b \tanh^2(c + dx))^2 \operatorname{sech}^3(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)\*\*3\*(a+b\*tanh(d\*x+c)\*\*2)\*\*2,x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*2)\*\*2\*sech(c + d\*x)\*\*3, x)

**Giac [B]** time = 1.48948, size = 393, normalized size = 3.14

$3(8a^2e^c + 4abe^c + b^2e^c) \arctan(e^{(dx+c)})e^{(-c)} + \frac{24a^2e^{(11dx+11c)} + 12abe^{(11dx+11c)} + 3b^2e^{(11dx+11c)} + 72a^2e^{(9dx+9c)} - 60abe^{(9dx+9c)} - 47b^2e^{(9dx+9c)}}{e^{(2dx+2c)} + 1} / d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out]  $\frac{1}{24} * (3 * (8 * a^2 * e^c + 4 * a * b * e^c + b^2 * e^c) * \arctan(e^{(d*x + c)}) * e^{(-c)} + (24 * a^2 * e^{(11*d*x + 11*c)} + 12 * a * b * e^{(11*d*x + 11*c)} + 3 * b^2 * e^{(11*d*x + 11*c)} + 72 * a^2 * e^{(9*d*x + 9*c)} - 60 * a * b * e^{(9*d*x + 9*c)} - 47 * b^2 * e^{(9*d*x + 9*c)} + 48 * a^2 * e^{(7*d*x + 7*c)} - 72 * a * b * e^{(7*d*x + 7*c)} + 78 * b^2 * e^{(7*d*x + 7*c)} - 48 * a^2 * e^{(5*d*x + 5*c)} + 72 * a * b * e^{(5*d*x + 5*c)} - 78 * b^2 * e^{(5*d*x + 5*c)} - 72 * a^2 * e^{(3*d*x + 3*c)} + 60 * a * b * e^{(3*d*x + 3*c)} + 47 * b^2 * e^{(3*d*x + 3*c)} - 24 * a^2 * e^{(d*x + c)} - 12 * a * b * e^{(d*x + c)} - 3 * b^2 * e^{(d*x + c)}) / (e^{(2*d*x + 2*c)} + 1)^6) / d$

### 3.96 $\int \operatorname{sech}^4(c + dx) (a + b \tanh^2(c + dx))^2 dx$

**Optimal.** Leaf size=76

$$\frac{a^2 \tanh(c + dx)}{d} - \frac{b(2a - b) \tanh^5(c + dx)}{5d} - \frac{a(a - 2b) \tanh^3(c + dx)}{3d} - \frac{b^2 \tanh^7(c + dx)}{7d}$$

[Out] (a^2\*Tanh[c + d\*x])/d - (a\*(a - 2\*b)\*Tanh[c + d\*x]^3)/(3\*d) - ((2\*a - b)\*b\*Tanh[c + d\*x]^5)/(5\*d) - (b^2\*Tanh[c + d\*x]^7)/(7\*d)

**Rubi [A]** time = 0.070226, antiderivative size = 76, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {3675, 373}

$$\frac{a^2 \tanh(c + dx)}{d} - \frac{b(2a - b) \tanh^5(c + dx)}{5d} - \frac{a(a - 2b) \tanh^3(c + dx)}{3d} - \frac{b^2 \tanh^7(c + dx)}{7d}$$

Antiderivative was successfully verified.

[In] Int[Sech[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] (a^2\*Tanh[c + d\*x])/d - (a\*(a - 2\*b)\*Tanh[c + d\*x]^3)/(3\*d) - ((2\*a - b)\*b\*Tanh[c + d\*x]^5)/(5\*d) - (b^2\*Tanh[c + d\*x]^7)/(7\*d)

#### Rule 3675

```
Int[sec[(e_.) + (f_.)*(x_.)]^(m_.)*((a_.) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_.)]^(n_.))^(p_.), x_Symbol]
:> With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[ff/(c^(m - 1)*f), Subst[Int[(c^2 + ff^2*x^2)^(m/2 - 1)*(a + b*(ff*x)^n)^p, x], x, (c*Tan[e + f*x])/ff], x]
/; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2] && (IntegerQ[n, p] || IGtQ[m, 0] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])
```

#### Rule 373

```
Int[((a_.) + (b_.)*(x_.)^(n_.))^(p_.)*((c_.) + (d_.)*(x_.)^(n_.))^(q_.), x_Symbol]
:> Int[ExpandIntegrand[(a + b*x^n)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[p, 0] && IGtQ[q, 0]
```

#### Rubi steps

$$\begin{aligned} \int \operatorname{sech}^4(c+dx) (a+b \tanh^2(c+dx))^2 dx &= \frac{\operatorname{Subst}\left(\int (1-x^2)(a+bx^2)^2 dx, x, \tanh(c+dx)\right)}{d} \\ &= \frac{\operatorname{Subst}\left(\int (a^2 - a(a-2b)x^2 - (2a-b)bx^4 - b^2x^6) dx, x, \tanh(c+dx)\right)}{d} \\ &= \frac{a^2 \tanh(c+dx)}{d} - \frac{a(a-2b) \tanh^3(c+dx)}{3d} - \frac{(2a-b)b \tanh^5(c+dx)}{5d} - \frac{b^2 \tanh^7(c+dx)}{7d} \end{aligned}$$

**Mathematica [A]** time = 0.514829, size = 83, normalized size = 1.09

$$\frac{\tanh(c+dx) \left( (35a^2 + 14ab + 3b^2) \operatorname{sech}^2(c+dx) + 70a^2 - 6b(7a+4b) \operatorname{sech}^4(c+dx) + 28ab + 15b^2 \operatorname{sech}^6(c+dx) + 6b^2 \right)}{105d}$$

Antiderivative was successfully verified.

[In] Integrate[Sech[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] ((70\*a^2 + 28\*a\*b + 6\*b^2 + (35\*a^2 + 14\*a\*b + 3\*b^2)\*Sech[c + d\*x]^2 - 6\*b\*(7\*a + 4\*b)\*Sech[c + d\*x]^4 + 15\*b^2\*Sech[c + d\*x]^6)\*Tanh[c + d\*x])/(105\*d)

**Maple [B]** time = 0.057, size = 158, normalized size = 2.1

$$\frac{1}{d} \left( a^2 \left( \frac{2}{3} + \frac{(\operatorname{sech}(dx+c))^2}{3} \right) \tanh(dx+c) + 2ab \left( -\frac{1}{4} \frac{\sinh(dx+c)}{(\cosh(dx+c))^5} + \frac{1}{4} \left( \frac{8}{15} + \frac{1}{5} (\operatorname{sech}(dx+c))^4 + \frac{4}{15} (\operatorname{sech}(dx+c))^6 \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sech(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2)^2,x)

[Out] 1/d\*(a^2\*(2/3+1/3\*sech(d\*x+c)^2)\*tanh(d\*x+c)+2\*a\*b\*(-1/4\*sinh(d\*x+c)/cosh(d\*x+c)^5+1/4\*(8/15+1/5\*sech(d\*x+c)^4+4/15\*sech(d\*x+c)^2)\*tanh(d\*x+c))+b^2\*(-1/4\*sinh(d\*x+c)^3/cosh(d\*x+c)^7-1/8\*sinh(d\*x+c)/cosh(d\*x+c)^7+1/8\*(16/35+1/7\*sech(d\*x+c)^6+6/35\*sech(d\*x+c)^4+8/35\*sech(d\*x+c)^2)\*tanh(d\*x+c))

**Maxima [B]** time = 1.21135, size = 1253, normalized size = 16.49

result too large to display



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="maxima")

[Out] 
$$\begin{aligned} & \frac{4}{35}b^2(7e^{-2dx-2c})/(d(7e^{-2dx-2c} + 21e^{-4dx-4c}) + 35e^{-6dx-6c} + 35e^{-8dx-8c} + 21e^{-10dx-10c} + 7e^{-12dx-12c} + e^{-14dx-14c} + 1)) - 14e^{-4dx-4c}/(d(7e^{-2dx-2c} + 21e^{-4dx-4c} + 35e^{-6dx-6c} + 35e^{-8dx-8c} + 21e^{-10dx-10c} + 7e^{-12dx-12c} + e^{-14dx-14c} + 1)) + 70e^{-6dx-6c}/(d(7e^{-2dx-2c} + 21e^{-4dx-4c} + 35e^{-6dx-6c} + 35e^{-8dx-8c} + 21e^{-10dx-10c} + 7e^{-12dx-12c} + e^{-14dx-14c} + 1)) - 35e^{-8dx-8c}/(d(7e^{-2dx-2c} + 21e^{-4dx-4c} + 35e^{-6dx-6c} + 35e^{-8dx-8c} + 21e^{-10dx-10c} + 7e^{-12dx-12c} + e^{-14dx-14c} + 1)) + 35e^{-10dx-10c}/(d(7e^{-2dx-2c} + 21e^{-4dx-4c} + 35e^{-6dx-6c} + 35e^{-8dx-8c} + 21e^{-10dx-10c} + 7e^{-12dx-12c} + e^{-14dx-14c} + 1)) + 1/(d(7e^{-2dx-2c} + 21e^{-4dx-4c} + 35e^{-6dx-6c} + 35e^{-8dx-8c} + 21e^{-10dx-10c} + 7e^{-12dx-12c} + e^{-14dx-14c} + 1))) + 8/15ab(5e^{-2dx-2c})/(d(5e^{-2dx-2c} + 10e^{-4dx-4c} + 10e^{-6dx-6c} + 5e^{-8dx-8c} + e^{-10dx-10c} + 1)) - 5e^{-4dx-4c}/(d(5e^{-2dx-2c} + 10e^{-4dx-4c} + 10e^{-6dx-6c} + 5e^{-8dx-8c} + e^{-10dx-10c} + 1)) + 15e^{-6dx-6c}/(d(5e^{-2dx-2c} + 10e^{-4dx-4c} + 10e^{-6dx-6c} + 5e^{-8dx-8c} + e^{-10dx-10c} + 1)) + 1/(d(5e^{-2dx-2c} + 10e^{-4dx-4c} + 10e^{-6dx-6c} + 5e^{-8dx-8c} + e^{-10dx-10c} + 1))) + 4/3a^2(3e^{-2dx-2c})/(d(3e^{-2dx-2c} + 3e^{-4dx-4c} + e^{-6dx-6c} + 1)) + 1/(d(3e^{-2dx-2c} + 3e^{-4dx-4c} + e^{-6dx-6c} + 1))) \end{aligned}$$

---

**Fricas [B]** time = 1.90376, size = 1829, normalized size = 24.07

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out] 
$$\begin{aligned} & -8/105(2(35a^2 + 56ab + 27b^2)\cosh(dx+c)^5 + 10(35a^2 + 56ab + 27b^2)\cosh(dx+c)\sinh(dx+c)^4 + (35a^2 + 98ab + 51b^2)\sinh(dx+c)^5 + 14(25a^2 + 16ab - 3b^2)\cosh(dx+c)^3 + (10(35a^2 + 98ab + 51b^2)\cosh(dx+c)^2 + 105a^2 + 126ab - 63b^2)\sinh(dx+c)^4 \end{aligned}$$

$$\begin{aligned}
& 3 + 2*(10*(35*a^2 + 56*a*b + 27*b^2)*\cosh(d*x + c)^3 + 21*(25*a^2 + 16*a*b \\
& - 3*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^2 + 28*(25*a^2 + 4*a*b + 3*b^2)*\cosh( \\
& d*x + c) + (5*(35*a^2 + 98*a*b + 51*b^2)*\cosh(d*x + c)^4 + 63*(5*a^2 + 6*a* \\
& b - 3*b^2)*\cosh(d*x + c)^2 + 70*a^2 + 28*a*b + 126*b^2)*\sinh(d*x + c))/(d*c \\
& \cosh(d*x + c)^9 + 9*d*\cosh(d*x + c)*\sinh(d*x + c)^8 + d*\sinh(d*x + c)^9 + 7* \\
& d*\cosh(d*x + c)^7 + (36*d*\cosh(d*x + c)^2 + 7*d)*\sinh(d*x + c)^7 + 7*(12*d* \\
& \cosh(d*x + c)^3 + 7*d*\cosh(d*x + c))*\sinh(d*x + c)^6 + 22*d*\cosh(d*x + c)^5 \\
& + (126*d*\cosh(d*x + c)^4 + 147*d*\cosh(d*x + c)^2 + 20*d)*\sinh(d*x + c)^5 + \\
& (126*d*\cosh(d*x + c)^5 + 245*d*\cosh(d*x + c)^3 + 110*d*\cosh(d*x + c))*\sinh \\
& (d*x + c)^4 + 42*d*\cosh(d*x + c)^3 + (84*d*\cosh(d*x + c)^6 + 245*d*\cosh(d*x + \\
& c)^4 + 200*d*\cosh(d*x + c)^2 + 28*d)*\sinh(d*x + c)^3 + (36*d*\cosh(d*x + \\
& c)^7 + 147*d*\cosh(d*x + c)^5 + 220*d*\cosh(d*x + c)^3 + 126*d*\cosh(d*x + c)) \\
& *\sinh(d*x + c)^2 + 56*d*\cosh(d*x + c) + (9*d*\cosh(d*x + c)^8 + 49*d*\cosh(d*x + \\
& c)^6 + 100*d*\cosh(d*x + c)^4 + 84*d*\cosh(d*x + c)^2 + 14*d)*\sinh(d*x + \\
& c))
\end{aligned}$$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (a + b \tanh^2(c + dx))^2 \operatorname{sech}^4(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)\*\*4\*(a+b\*tanh(d\*x+c)\*\*2)\*\*2,x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*2)\*\*2\*sech(c + d\*x)\*\*4, x)

**Giac [B]** time = 1.45603, size = 321, normalized size = 4.22

$$4 \left( 105 a^2 e^{(10 dx + 10 c)} + 210 a b e^{(10 dx + 10 c)} + 105 b^2 e^{(10 dx + 10 c)} + 455 a^2 e^{(8 dx + 8 c)} + 350 a b e^{(8 dx + 8 c)} - 105 b^2 e^{(8 dx + 8 c)} + 770 a^2 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out]  $-4/105*(105*a^2*e^{(10*d*x + 10*c)} + 210*a*b*e^{(10*d*x + 10*c)} + 105*b^2*e^{(10*d*x + 10*c)} + 455*a^2*e^{(8*d*x + 8*c)} + 350*a*b*e^{(8*d*x + 8*c)} - 105*b^2*e^{(8*d*x + 8*c)} + 770*a^2*e^{(6*d*x + 6*c)} + 140*a*b*e^{(6*d*x + 6*c)} + 210$

$$\begin{aligned} & *b^2e^{(6dx + 6c)} + 630a^2e^{(4dx + 4c)} + 84ab e^{(4dx + 4c)} - 4 \\ & 2b^2e^{(4dx + 4c)} + 245a^2e^{(2dx + 2c)} + 98ab e^{(2dx + 2c)} + \\ & 21b^2e^{(2dx + 2c)} + 35a^2 + 14ab + 3b^2)/(d(e^{(2dx + 2c)} + 1)^7) \end{aligned}$$

### 3.97 $\int \cosh^4(c + dx) (a + b \tanh^2(c + dx))^3 dx$

**Optimal.** Leaf size=91

$$\frac{3}{8}x(a+b)(a^2-2ab+5b^2) + \frac{(a+b)^3 \sinh(c+dx) \cosh^3(c+dx)}{4d} + \frac{3(a-3b)(a+b)^2 \sinh(c+dx) \cosh(c+dx)}{8d} - \frac{b^3 \tanh^3(c+dx)}{d}$$

[Out] (3\*(a + b)\*(a^2 - 2\*a\*b + 5\*b^2)\*x)/8 + (3\*(a - 3\*b)\*(a + b)^2\*Cosh[c + d\*x]\*Sinh[c + d\*x])/(8\*d) + ((a + b)^3\*Cosh[c + d\*x]^3\*Sinh[c + d\*x])/(4\*d) - (b^3\*Tanh[c + d\*x])/d

**Rubi [A]** time = 0.130354, antiderivative size = 91, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {3675, 390, 1157, 385, 206}

$$\frac{3}{8}x(a+b)(a^2-2ab+5b^2) + \frac{(a+b)^3 \sinh(c+dx) \cosh^3(c+dx)}{4d} + \frac{3(a-3b)(a+b)^2 \sinh(c+dx) \cosh(c+dx)}{8d} - \frac{b^3 \tanh^3(c+dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[Cosh[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] (3\*(a + b)\*(a^2 - 2\*a\*b + 5\*b^2)\*x)/8 + (3\*(a - 3\*b)\*(a + b)^2\*Cosh[c + d\*x]\*Sinh[c + d\*x])/(8\*d) + ((a + b)^3\*Cosh[c + d\*x]^3\*Sinh[c + d\*x])/(4\*d) - (b^3\*Tanh[c + d\*x])/d

#### Rule 3675

```
Int[sec[(e_.) + (f_.)*(x_)]^(m_)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)]))^(n_)]^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[ff/(c^(m - 1)*f), Subst[Int[(c^2 + ff^2*x^2)^(m/2 - 1)*(a + b*(ff*x)^n)^p, x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2] && (IntegersQ[n, p] || IGtQ[m, 0] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])
```

#### Rule 390

```
Int[((a_) + (b_.)*(x_)^(n_)]^(p_)*((c_) + (d_.)*(x_)^(n_)]^(q_), x_Symbol] := Int[PolynomialDivide[(a + b*x^n)^p, (c + d*x^n)^(-q), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q, 0] && GeQ[p, -q]
```

Rule 1157

```
Int[((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_),
x_Symbol] := With[{Qx = PolynomialQuotient[(a + b*x^2 + c*x^4)^p, d + e*x^2
, x], R = Coeff[PolynomialRemainder[(a + b*x^2 + c*x^4)^p, d + e*x^2, x], x
, 0]}, -Simp[(R*x*(d + e*x^2)^(q + 1))/(2*d*(q + 1)), x] + Dist[1/(2*d*(q +
1)), Int[(d + e*x^2)^(q + 1)*ExpandToSum[2*d*(q + 1)*Qx + R*(2*q + 3), x],
x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 -
b*d*e + a*e^2, 0] && IGtQ[p, 0] && LtQ[q, -1]
```

Rule 385

```
Int[((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_)), x_Symbol] := -S
imp[((b*c - a*d)*x*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] - Dist[(a*d - b
*c*(n*(p + 1) + 1))/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; Fre
eQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n +
p, 0])
```

Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \cosh^4(c + dx) (a + b \tanh^2(c + dx))^3 dx &= \frac{\text{Subst}\left(\int \frac{(a+bx^2)^3}{(1-x^2)^3} dx, x, \tanh(c + dx)\right)}{d} \\
&= \frac{\text{Subst}\left(\int \left(-b^3 + \frac{a^3+b^3+3b(a^2-b^2)x^2+3b^2(a+b)x^4}{(1-x^2)^3}\right) dx, x, \tanh(c + dx)\right)}{d} \\
&= -\frac{b^3 \tanh(c + dx)}{d} + \frac{\text{Subst}\left(\int \frac{a^3+b^3+3b(a^2-b^2)x^2+3b^2(a+b)x^4}{(1-x^2)^3} dx, x, \tanh(c + dx)\right)}{d} \\
&= \frac{(a + b)^3 \cosh^3(c + dx) \sinh(c + dx)}{4d} - \frac{b^3 \tanh(c + dx)}{d} - \frac{\text{Subst}\left(\int \frac{-3(a-b)^2}{(1-x^2)^3} dx, x, \tanh(c + dx)\right)}{d} \\
&= \frac{3(a - 3b)(a + b)^2 \cosh(c + dx) \sinh(c + dx)}{8d} + \frac{(a + b)^3 \cosh^3(c + dx) \sinh(c + dx)}{4d} \\
&= \frac{3}{8}(a + b)(a^2 - 2ab + 5b^2)x + \frac{3(a - 3b)(a + b)^2 \cosh(c + dx) \sinh(c + dx)}{8d}
\end{aligned}$$

**Mathematica [A]** time = 0.668448, size = 81, normalized size = 0.89

$$\frac{12(-a^2b + a^3 + 3ab^2 + 5b^3)(c + dx) + 8(a - 2b)(a + b)^2 \sinh(2(c + dx)) + (a + b)^3 \sinh(4(c + dx)) - 32b^3 \tanh(c + dx)}{32d}$$

Antiderivative was successfully verified.

[In] Integrate[Cosh[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] (12\*(a^3 - a^2\*b + 3\*a\*b^2 + 5\*b^3)\*(c + d\*x) + 8\*(a - 2\*b)\*(a + b)^2\*Sinh[2\*(c + d\*x)] + (a + b)^3\*Sinh[4\*(c + d\*x)] - 32\*b^3\*Tanh[c + d\*x])/(32\*d)

**Maple [B]** time = 0.042, size = 184, normalized size = 2.

$$\frac{1}{d} \left( a^3 \left( \left( \frac{\cosh(dx + c)}{4} \right)^3 + \frac{3 \cosh(dx + c)}{8} \right) \sinh(dx + c) + \frac{3 dx}{8} + \frac{3c}{8} \right) + 3a^2b \left( \frac{1}{4} \sinh(dx + c) (\cosh(dx + c))^3 - \frac{1}{8} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cosh(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2)^3,x)

[Out]  $\frac{1}{d} \cdot (a^3 \cdot ((\frac{1}{4} \cosh(dx+c)^3 + \frac{3}{8} \cosh(dx+c)) \cdot \sinh(dx+c) + \frac{3}{8} dx + \frac{3}{8} c) + 3 \cdot a^2 \cdot b \cdot (\frac{1}{4} \sinh(dx+c) \cdot \cosh(dx+c)^3 - \frac{1}{8} \cosh(dx+c) \cdot \sinh(dx+c) - \frac{1}{8} dx - \frac{1}{8} c) + 3 \cdot a \cdot b^2 \cdot ((\frac{1}{4} \sinh(dx+c)^3 - \frac{3}{8} \sinh(dx+c)) \cdot \cosh(dx+c) + \frac{3}{8} dx + \frac{3}{8} c) + b^3 \cdot (\frac{1}{4} \sinh(dx+c)^5 / \cosh(dx+c) - \frac{5}{8} \sinh(dx+c)^3 / \cosh(dx+c) + \frac{15}{8} dx + \frac{15}{8} c - \frac{15}{8} \tanh(dx+c)))$

**Maxima [B]** time = 1.16712, size = 360, normalized size = 3.96

$$\frac{1}{64} a^3 \left( 24x + \frac{e^{(4dx+4c)}}{d} + \frac{8e^{(2dx+2c)}}{d} - \frac{8e^{(-2dx-2c)}}{d} - \frac{e^{(-4dx-4c)}}{d} \right) + \frac{3}{64} ab^2 \left( 24x + \frac{e^{(4dx+4c)}}{d} - \frac{8e^{(2dx+2c)}}{d} + \frac{8e^{(-2dx-2c)}}{d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cosh(d*x+c)^4*(a+b*tanh(d*x+c)^2)^3,x, algorithm="maxima")`

[Out]  $\frac{1}{64} a^3 \cdot (24x + \frac{e^{(4dx+4c)}}{d} + \frac{8e^{(2dx+2c)}}{d} - \frac{8e^{(-2dx-2c)}}{d} - \frac{e^{(-4dx-4c)}}{d}) + \frac{3}{64} a^2 b \cdot (24x + \frac{e^{(4dx+4c)}}{d} - \frac{8e^{(2dx+2c)}}{d} + \frac{8e^{(-2dx-2c)}}{d}) + \frac{3}{64} ab^2 \cdot (24x + \frac{e^{(4dx+4c)}}{d} - \frac{8e^{(2dx+2c)}}{d} + \frac{8e^{(-2dx-2c)}}{d}) + \frac{1}{64} b^3 \cdot (120 \cdot (dx+c) + (16e^{(-2dx-2c)} - e^{(-4dx-4c)})/d - (15e^{(-2dx-2c)} + 144e^{(-4dx-4c)} - 1)/(d \cdot (e^{(-4dx-4c)} + e^{(-6dx-6c)}))) - \frac{3}{64} a^2 b \cdot (8(dx+c)/d - e^{(4dx+4c)}/d + e^{(-4dx-4c)}/d)$

**Fricas [B]** time = 2.0398, size = 539, normalized size = 5.92

$$(a^3 + 3a^2b + 3ab^2 + b^3) \sinh(dx+c)^5 + (9a^3 + 3a^2b - 21ab^2 - 15b^3 + 10(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx+c)^2) \sinh(dx+c)^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cosh(d*x+c)^4*(a+b*tanh(d*x+c)^2)^3,x, algorithm="fricas")`

[Out]  $\frac{1}{64} \cdot ((a^3 + 3a^2b + 3ab^2 + b^3) \sinh(dx+c)^5 + (9a^3 + 3a^2b - 21a^2b^2 - 15b^3 + 10(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx+c)^2) \sinh(dx+c)^3 + 8(8b^3 + 3(a^3 - a^2b + 3ab^2 + 5b^3) dx) \cosh(dx+c) + (5(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx+c)^4 + 8a^3 - 24a^2b^2 - 80b^3 + 9(3a^3 + a^2b - 7ab^2 - 5b^3) \cosh(dx+c)^2) \sinh(dx+c)) / (d \cosh(dx+c))$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)\*\*4\*(a+b\*tanh(d\*x+c)\*\*2)\*\*3,x)

[Out] Timed out

**Giac [B]** time = 2.67663, size = 385, normalized size = 4.23

$$24 \left( a^3 - a^2 b + 3 a b^2 + 5 b^3 \right) dx + \frac{128 b^3}{e^{(2dx+2c)+1}} - \left( 18 a^3 e^{(4dx+4c)} - 18 a^2 b e^{(4dx+4c)} + 54 a b^2 e^{(4dx+4c)} + 90 b^3 e^{(4dx+4c)} + 8 a^3 e^{(2d} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out]  $\frac{1}{64} * (24 * (a^3 - a^2 * b + 3 * a * b^2 + 5 * b^3) * d * x + 128 * b^3 / (e^{(2 * d * x + 2 * c)} + 1) - (18 * a^3 * e^{(4 * d * x + 4 * c)} - 18 * a^2 * b * e^{(4 * d * x + 4 * c)} + 54 * a * b^2 * e^{(4 * d * x + 4 * c)} + 90 * b^3 * e^{(4 * d * x + 4 * c)} + 8 * a^3 * e^{(2 * d * x + 2 * c)} - 24 * a * b^2 * e^{(2 * d * x + 2 * c)} - 16 * b^3 * e^{(2 * d * x + 2 * c)} + a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3) * e^{(-4 * d * x - 4 * c)} + (a^3 * e^{(4 * d * x + 20 * c)} + 3 * a^2 * b * e^{(4 * d * x + 20 * c)} + 3 * a * b^2 * e^{(4 * d * x + 20 * c)} + b^3 * e^{(4 * d * x + 20 * c)} + 8 * a^3 * e^{(2 * d * x + 18 * c)} - 24 * a * b^2 * e^{(2 * d * x + 18 * c)} - 16 * b^3 * e^{(2 * d * x + 18 * c)}) * e^{(-16 * c)}) / d$



### 3.98 $\int \cosh^3(c + dx) (a + b \tanh^2(c + dx))^3 dx$

**Optimal.** Leaf size=87

$$\frac{b^2(6a + 5b) \tan^{-1}(\sinh(c + dx))}{2d} + \frac{(a + b)^3 \sinh^3(c + dx)}{3d} + \frac{(a - 2b)(a + b)^2 \sinh(c + dx)}{d} - \frac{b^3 \tanh(c + dx) \operatorname{sech}(c + dx)}{2d}$$

[Out] (b^2\*(6\*a + 5\*b)\*ArcTan[Sinh[c + d\*x]])/(2\*d) + ((a - 2\*b)\*(a + b)^2\*Sinh[c + d\*x])/d + ((a + b)^3\*Sinh[c + d\*x]^3)/(3\*d) - (b^3\*Sech[c + d\*x]\*Tanh[c + d\*x])/(2\*d)

**Rubi [A]** time = 0.105108, antiderivative size = 87, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {3676, 390, 385, 203}

$$\frac{b^2(6a + 5b) \tan^{-1}(\sinh(c + dx))}{2d} + \frac{(a + b)^3 \sinh^3(c + dx)}{3d} + \frac{(a - 2b)(a + b)^2 \sinh(c + dx)}{d} - \frac{b^3 \tanh(c + dx) \operatorname{sech}(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] Int[Cosh[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] (b^2\*(6\*a + 5\*b)\*ArcTan[Sinh[c + d\*x]])/(2\*d) + ((a - 2\*b)\*(a + b)^2\*Sinh[c + d\*x])/d + ((a + b)^3\*Sinh[c + d\*x]^3)/(3\*d) - (b^3\*Sech[c + d\*x]\*Tanh[c + d\*x])/(2\*d)

#### Rule 3676

```
Int[sec[(e_.) + (f_.)*(x_.)]^(m_.)*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)]^(n_.))^(p_.), x_Symbol]
:> With[{ff = FreeFactors[Sin[e + f*x], x]}, Dist[ff/f, Subst[Int[ExpandToSum[b*(ff*x)^n + a*(1 - ff^2*x^2)^(n/2), x]^p/(1 - ff^2*x^2)^((m + n*p + 1)/2), x], x, Sin[e + f*x]/ff], x] /; FreeQ[{a, b, e, f}, x] && IntegerQ[(m - 1)/2] && IntegerQ[n/2] && IntegerQ[p]
```

#### Rule 390

```
Int[((a_.) + (b_.)*(x_.)^(n_.))^(p_.)*((c_.) + (d_.)*(x_.)^(n_.))^(q_.), x_Symbol]
:> Int[PolynomialDivide[(a + b*x^n)^p, (c + d*x^n)^(-q), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q, 0] && GeQ[p, -q]
```

Rule 385

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := -Simp[
((b*c - a*d)*x*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] - Dist[(a*d - b*c*(n*(p + 1) + 1))/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[
{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n + p, 0])
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned} \int \cosh^3(c + dx) (a + b \tanh^2(c + dx))^3 dx &= \frac{\text{Subst}\left(\int \frac{(a+(a+b)x^2)^3}{(1+x^2)^2} dx, x, \sinh(c + dx)\right)}{d} \\ &= \frac{\text{Subst}\left(\int \left((a - 2b)(a + b)^2 + (a + b)^3 x^2 + \frac{b^2(3a+2b)+3b^2(a+b)x^2}{(1+x^2)^2}\right) dx, x, \sinh(c + dx)\right)}{d} \\ &= \frac{(a - 2b)(a + b)^2 \sinh(c + dx)}{d} + \frac{(a + b)^3 \sinh^3(c + dx)}{3d} + \frac{\text{Subst}\left(\int \frac{b^2(3a+2b)}{(1+x^2)^2} dx, x, \sinh(c + dx)\right)}{d} \\ &= \frac{(a - 2b)(a + b)^2 \sinh(c + dx)}{d} + \frac{(a + b)^3 \sinh^3(c + dx)}{3d} - \frac{b^3 \text{sech}(c + dx) \tanh(c + dx)}{2d} \\ &= \frac{b^2(6a + 5b) \tan^{-1}(\sinh(c + dx))}{2d} + \frac{(a - 2b)(a + b)^2 \sinh(c + dx)}{d} + \frac{(a + b)^3 \sinh^3(c + dx)}{3d} \end{aligned}$$

**Mathematica [C]** time = 6.90058, size = 494, normalized size = 5.68

$$\text{csch}^5(c + dx) \left( -256 \sinh^8(c + dx) (a \sinh^2(c + dx) + a + b \sinh^2(c + dx))^3 \text{HypergeometricPFQ}\left(\left\{\frac{3}{2}, 2, 2, 2, 2\right\}, \{1, 1, 1, 1, 1\}, \sinh^2(c + dx)\right) \right)$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[Cosh[c + d*x]^3*(a + b*Tanh[c + d*x]^2)^3, x]
```

```
[Out] (Csch[c + d*x]^5*(-256*HypergeometricPFQ[{3/2, 2, 2, 2}, {1, 1, 1, 11/2}
, -Sinh[c + d*x]^2]*Sinh[c + d*x]^8*(a + a*Sinh[c + d*x]^2 + b*Sinh[c + d*x
]^2)^3 - (315*ArcTanh[Sqrt[-Sinh[c + d*x]^2]]*(b^3*Sinh[c + d*x]^6*(2161 +
1875*Sinh[c + d*x]^2 + 243*Sinh[c + d*x]^4 + Sinh[c + d*x]^6) + a^3*Cosh[c
+ d*x]^6*(2401 + 1875*Sinh[c + d*x]^2 + 243*Sinh[c + d*x]^4 + Sinh[c + d*x]
^6) + 3*a^2*b*(Sinh[c + d*x] + Sinh[c + d*x]^3)^2*(2401 + 1875*Sinh[c + d*x
]^2 + 243*Sinh[c + d*x]^4 + Sinh[c + d*x]^6) + 3*a*b^2*Sinh[c + d*x]^4*(240
1 + 4180*Sinh[c + d*x]^2 + 2118*Sinh[c + d*x]^4 + 244*Sinh[c + d*x]^6 + Sin
h[c + d*x]^8)))/Sqrt[-Sinh[c + d*x]^2] + 21*(b^3*Sinh[c + d*x]^6*(32415 + 1
7320*Sinh[c + d*x]^2 + 753*Sinh[c + d*x]^4) + 3*a*b^2*Sinh[c + d*x]^4*(3601
5 + 50695*Sinh[c + d*x]^2 + 18073*Sinh[c + d*x]^4 + 753*Sinh[c + d*x]^6) +
3*a^2*b*Sinh[c + d*x]^2*(36015 + 88150*Sinh[c + d*x]^2 + 69728*Sinh[c + d*x
]^4 + 18826*Sinh[c + d*x]^6 + 753*Sinh[c + d*x]^8) + a^3*(36015 + 124165*Si
nh[c + d*x]^2 + 157878*Sinh[c + d*x]^4 + 89514*Sinh[c + d*x]^6 + 19579*Sinh
[c + d*x]^8 + 753*Sinh[c + d*x]^10)))/(30240*d)
```

**Maple [B]** time = 0.044, size = 227, normalized size = 2.6

$$\frac{2a^3 \sinh(dx+c)}{3d} + \frac{a^3 \sinh(dx+c) (\cosh(dx+c))^2}{3d} + \frac{a^2 b (\cosh(dx+c))^2 \sinh(dx+c)}{d} - \frac{a^2 b \sinh(dx+c)}{d} + \frac{ab^2 (\sinh(dx+c))^3}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cosh(d*x+c)^3*(a+b*tanh(d*x+c)^2)^3,x)
```

```
[Out] 2/3/d*a^3*sinh(d*x+c)+1/3/d*a^3*sinh(d*x+c)*cosh(d*x+c)^2+1/d*a^2*b*cosh(d*
x+c)^2*sinh(d*x+c)-a^2*b*sinh(d*x+c)/d+1/d*a*b^2*sinh(d*x+c)^3+6/d*a*b^2*ar
ctan(exp(d*x+c))-3/d*a*b^2*sinh(d*x+c)+1/3/d*b^3*sinh(d*x+c)^5/cosh(d*x+c)^
2-5/3/d*b^3*sinh(d*x+c)^3/cosh(d*x+c)^2-5/d*b^3*sinh(d*x+c)/cosh(d*x+c)^2+5
/2*b^3*sech(d*x+c)*tanh(d*x+c)/d+5/d*b^3*arctan(exp(d*x+c))
```

**Maxima [B]** time = 1.66538, size = 383, normalized size = 4.4

$$\frac{a^2 b (e^{(dx+c)} - e^{(-dx-c)})^3}{8d} - \frac{1}{8} ab^2 \left( \frac{(15e^{(-2dx-2c)} - 1)e^{(3dx+3c)}}{d} - \frac{15e^{(-dx-c)} - e^{(-3dx-3c)}}{d} + \frac{48 \arctan(e^{(-dx-c)})}{d} \right) + \frac{1}{24} b^3 \left( \frac{2}{d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cosh(d*x+c)^3*(a+b*tanh(d*x+c)^2)^3,x, algorithm="maxima")
```

```
[Out] 1/8*a^2*b*(e^(d*x + c) - e^(-d*x - c))^3/d - 1/8*a*b^2*((15*e^(-2*d*x - 2*c)
) - 1)*e^(3*d*x + 3*c)/d - (15*e^(-d*x - c) - e^(-3*d*x - 3*c))/d + 48*arct
an(e^(-d*x - c))/d + 1/24*b^3*((27*e^(-d*x - c) - e^(-3*d*x - 3*c))/d - 12
0*arctan(e^(-d*x - c))/d - (25*e^(-2*d*x - 2*c) + 77*e^(-4*d*x - 4*c) + 3*e
^(-6*d*x - 6*c) - 1)/(d*(e^(-3*d*x - 3*c) + 2*e^(-5*d*x - 5*c) + e^(-7*d*x
- 7*c)))) + 1/24*a^3*(e^(3*d*x + 3*c)/d + 9*e^(d*x + c)/d - 9*e^(-d*x - c)/
d - e^(-3*d*x - 3*c)/d)
```

**Fricas [B]** time = 2.20745, size = 4523, normalized size = 51.99

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cosh(d*x+c)^3*(a+b*tanh(d*x+c)^2)^3,x, algorithm="fricas")
```

```
[Out] 1/24*((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)^10 + 10*(a^3 + 3*a^2*b
+ 3*a*b^2 + b^3)*cosh(d*x + c)*sinh(d*x + c)^9 + (a^3 + 3*a^2*b + 3*a*b^2 +
b^3)*sinh(d*x + c)^10 + (11*a^3 - 3*a^2*b - 39*a*b^2 - 25*b^3)*cosh(d*x +
c)^8 + (11*a^3 - 3*a^2*b - 39*a*b^2 - 25*b^3 + 45*(a^3 + 3*a^2*b + 3*a*b^2
+ b^3)*cosh(d*x + c)^2)*sinh(d*x + c)^8 + 8*(15*(a^3 + 3*a^2*b + 3*a*b^2 +
b^3)*cosh(d*x + c)^3 + (11*a^3 - 3*a^2*b - 39*a*b^2 - 25*b^3)*cosh(d*x + c)
)*sinh(d*x + c)^7 + 2*(5*a^3 - 3*a^2*b - 21*a*b^2 - 25*b^3)*cosh(d*x + c)^6
+ 2*(105*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)^4 + 5*a^3 - 3*a^2*b
- 21*a*b^2 - 25*b^3 + 14*(11*a^3 - 3*a^2*b - 39*a*b^2 - 25*b^3)*cosh(d*x +
c)^2)*sinh(d*x + c)^6 + 4*(63*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)
)^5 + 14*(11*a^3 - 3*a^2*b - 39*a*b^2 - 25*b^3)*cosh(d*x + c)^3 + 3*(5*a^3
- 3*a^2*b - 21*a*b^2 - 25*b^3)*cosh(d*x + c))*sinh(d*x + c)^5 - 2*(5*a^3 -
3*a^2*b - 21*a*b^2 - 25*b^3)*cosh(d*x + c)^4 + 2*(105*(a^3 + 3*a^2*b + 3*a*
b^2 + b^3)*cosh(d*x + c)^6 + 35*(11*a^3 - 3*a^2*b - 39*a*b^2 - 25*b^3)*cosh
(d*x + c)^4 - 5*a^3 + 3*a^2*b + 21*a*b^2 + 25*b^3 + 15*(5*a^3 - 3*a^2*b - 2
1*a*b^2 - 25*b^3)*cosh(d*x + c)^2)*sinh(d*x + c)^4 + 8*(15*(a^3 + 3*a^2*b +
3*a*b^2 + b^3)*cosh(d*x + c)^7 + 7*(11*a^3 - 3*a^2*b - 39*a*b^2 - 25*b^3)*
cosh(d*x + c)^5 + 5*(5*a^3 - 3*a^2*b - 21*a*b^2 - 25*b^3)*cosh(d*x + c)^3 -
(5*a^3 - 3*a^2*b - 21*a*b^2 - 25*b^3)*cosh(d*x + c))*sinh(d*x + c)^3 - a^3
- 3*a^2*b - 3*a*b^2 - b^3 - (11*a^3 - 3*a^2*b - 39*a*b^2 - 25*b^3)*cosh(d*
x + c)^2 + (45*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)^8 + 28*(11*a^3
- 3*a^2*b - 39*a*b^2 - 25*b^3)*cosh(d*x + c)^6 + 30*(5*a^3 - 3*a^2*b - 21*
a*b^2 - 25*b^3)*cosh(d*x + c)^4 - 11*a^3 + 3*a^2*b + 39*a*b^2 + 25*b^3 - 12
*(5*a^3 - 3*a^2*b - 21*a*b^2 - 25*b^3)*cosh(d*x + c)^2)*sinh(d*x + c)^2 + 2
4*((6*a*b^2 + 5*b^3)*cosh(d*x + c)^7 + 7*(6*a*b^2 + 5*b^3)*cosh(d*x + c)*si
nh(d*x + c)^6 + (6*a*b^2 + 5*b^3)*sinh(d*x + c)^7 + 2*(6*a*b^2 + 5*b^3)*cos
```

$$\begin{aligned} & h(dx + c)^5 + (12ab^2 + 10b^3 + 21(6ab^2 + 5b^3)\cosh(dx + c)^2) \sinh(dx + c)^5 \\ & + 5(7(6ab^2 + 5b^3)\cosh(dx + c)^3 + 2(6ab^2 + 5b^3)\cosh(dx + c)) \sinh(dx + c)^4 \\ & + (6ab^2 + 5b^3)\cosh(dx + c)^3 + (35(6ab^2 + 5b^3)\cosh(dx + c)^4 + 6ab^2 + 5b^3 + 20(6ab^2 + 5b^3) \\ & \cosh(dx + c)^2) \sinh(dx + c)^3 + (21(6ab^2 + 5b^3)\cosh(dx + c)^5 + 20(6ab^2 + 5b^3) \\ & \cosh(dx + c)^3 + 3(6ab^2 + 5b^3)\cosh(dx + c)) \sinh(dx + c)^2 \\ & + (7(6ab^2 + 5b^3)\cosh(dx + c)^6 + 10(6ab^2 + 5b^3)\cosh(dx + c)^4 + 3(6ab^2 + 5b^3) \\ & \cosh(dx + c)^2) \sinh(dx + c) \arctan(\cosh(dx + c) + \sinh(dx + c)) \\ & + 2(5(a^3 + 3a^2b + 3ab^2 + b^3)\cosh(dx + c)^9 + 4(11a^3 - 3a^2b - 39ab^2 - 25b^3) \\ & \cosh(dx + c)^7 + 6(5a^3 - 3a^2b - 21ab^2 - 25b^3)\cosh(dx + c)^5 - 4(5a^3 - 3a^2b - 21ab^2 - 25b^3) \\ & \cosh(dx + c)^3 - (11a^3 - 3a^2b - 39ab^2 - 25b^3)\cosh(dx + c)) \sinh(dx + c) \\ & / (d\cosh(dx + c)^7 + 7d\cosh(dx + c)\sinh(dx + c)^6 + d\sinh(dx + c)^7 + 2d\cosh(dx + c)^5 \\ & + (21d\cosh(dx + c)^2 + 2d)\sinh(dx + c)^5 + 5(7d\cosh(dx + c)^3 + 2d\cosh(dx + c) \\ & )\sinh(dx + c)^4 + d\cosh(dx + c)^3 + (35d\cosh(dx + c)^4 + 20d\cosh(dx + c)^2 + d) \\ & \sinh(dx + c)^3 + (21d\cosh(dx + c)^5 + 20d\cosh(dx + c)^3 + 3d\cosh(dx + c)) \sinh(dx + c)^2 \\ & + (7d\cosh(dx + c)^6 + 10d\cosh(dx + c)^4 + 3d\cosh(dx + c)^2) \sinh(dx + c)) \end{aligned}$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(dx+c)\*\*3\*(a+b\*tanh(dx+c)\*\*2)\*\*3,x)

[Out] Timed out

**Giac [B]** time = 2.4196, size = 377, normalized size = 4.33

$$24(6ab^2e^c + 5b^3e^c) \arctan(e^{(dx+c)})e^{(-c)} - (9a^3e^{(2dx+2c)} - 9a^2be^{(2dx+2c)} - 45ab^2e^{(2dx+2c)} - 27b^3e^{(2dx+2c)} + a^3 + 3a^2b)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(dx+c)^3\*(a+b\*tanh(dx+c)^2)^3,x, algorithm="giac")

```
[Out] 1/24*(24*(6*a*b^2*e^c + 5*b^3*e^c)*arctan(e^(d*x + c))*e^(-c) - (9*a^3*e^(2
*d*x + 2*c) - 9*a^2*b*e^(2*d*x + 2*c) - 45*a*b^2*e^(2*d*x + 2*c) - 27*b^3*e
^(2*d*x + 2*c) + a^3 + 3*a^2*b + 3*a*b^2 + b^3)*e^(-3*d*x - 3*c) + (a^3*e^(
3*d*x + 30*c) + 3*a^2*b*e^(3*d*x + 30*c) + 3*a*b^2*e^(3*d*x + 30*c) + b^3*e
^(3*d*x + 30*c) + 9*a^3*e^(d*x + 28*c) - 9*a^2*b*e^(d*x + 28*c) - 45*a*b^2*
e^(d*x + 28*c) - 27*b^3*e^(d*x + 28*c))*e^(-27*c) - 24*(b^3*e^(3*d*x + 3*c)
- b^3*e^(d*x + c))/(e^(2*d*x + 2*c) + 1)^2/d
```

### 3.99 $\int \cosh^2(c + dx) (a + b \tanh^2(c + dx))^3 dx$

**Optimal.** Leaf size=78

$$\frac{b^2(3a + 2b) \tanh(c + dx)}{d} + \frac{(a + b)^3 \sinh(c + dx) \cosh(c + dx)}{2d} + \frac{1}{2}x(a - 5b)(a + b)^2 + \frac{b^3 \tanh^3(c + dx)}{3d}$$

[Out]  $((a - 5*b)*(a + b)^{2*x})/2 + ((a + b)^3*\text{Cosh}[c + d*x]*\text{Sinh}[c + d*x])/(2*d) + (b^{2*(3*a + 2*b)}*\text{Tanh}[c + d*x])/d + (b^{3*\text{Tanh}[c + d*x]^3})/(3*d)$

**Rubi [A]** time = 0.089681, antiderivative size = 78, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {3675, 390, 385, 206}

$$\frac{b^2(3a + 2b) \tanh(c + dx)}{d} + \frac{(a + b)^3 \sinh(c + dx) \cosh(c + dx)}{2d} + \frac{1}{2}x(a - 5b)(a + b)^2 + \frac{b^3 \tanh^3(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Cosh}[c + d*x]^2*(a + b*\text{Tanh}[c + d*x]^2)^3, x]$

[Out]  $((a - 5*b)*(a + b)^{2*x})/2 + ((a + b)^3*\text{Cosh}[c + d*x]*\text{Sinh}[c + d*x])/(2*d) + (b^{2*(3*a + 2*b)}*\text{Tanh}[c + d*x])/d + (b^{3*\text{Tanh}[c + d*x]^3})/(3*d)$

#### Rule 3675

$\text{Int}[\text{sec}[(e_.) + (f_.)*(x_.)]^{(m_.)}*((a_.) + (b_.)*((c_.)*\text{tan}[(e_.) + (f_.)*(x_.)])^{(n_.)})^{(p_.)}, x\_Symbol] \rightarrow \text{With}[\{\text{ff} = \text{FreeFactors}[\text{Tan}[e + f*x], x]\}, \text{Dist}[\text{ff}/(c^{(m-1)}*f), \text{Subst}[\text{Int}[(c^2 + \text{ff}^2*x^2)^{(m/2-1)}*(a + b*(\text{ff}*x)^n)^p, x], x, (c*\text{Tan}[e + f*x])/ff], x] /; \text{FreeQ}[\{a, b, c, e, f, n, p\}, x] \&\& \text{IntegerQ}[m/2] \&\& (\text{IntegersQ}[n, p] \|\ \text{IGtQ}[m, 0] \|\ \text{IGtQ}[p, 0] \|\ \text{EqQ}[n^2, 4] \|\ \text{EqQ}[n^2, 16])$

#### Rule 390

$\text{Int}[(a_.) + (b_.)*(x_.)^{(n_.)})^{(p_.)}*((c_.) + (d_.)*(x_.)^{(n_.)})^{(q_.)}, x\_Symbol] \rightarrow \text{Int}[\text{PolynomialDivide}[(a + b*x^n)^p, (c + d*x^n)^{-q}], x] /; \text{FreeQ}[\{a, b, c, d\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{IGtQ}[n, 0] \&\& \text{IGtQ}[p, 0] \&\& \text{ILtQ}[q, 0] \&\& \text{GeQ}[p, -q]$

#### Rule 385

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := -Simp[
((b*c - a*d)*x*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] - Dist[(a*d - b*c*(n*(p + 1) + 1))/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[
{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n + p, 0])
```

### Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[Rt[-b, 2]*x]/Rt[a, 2])]/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

### Rubi steps

$$\begin{aligned} \int \cosh^2(c + dx) (a + b \tanh^2(c + dx))^3 dx &= \frac{\text{Subst}\left(\int \frac{(a+bx^2)^3}{(1-x^2)^2} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{\text{Subst}\left(\int \left(b^2(3a + 2b) + b^3x^2 + \frac{(a-2b)(a+b)^2 + 3b(a+b)^2x^2}{(1-x^2)^2}\right) dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{b^2(3a + 2b) \tanh(c + dx)}{d} + \frac{b^3 \tanh^3(c + dx)}{3d} + \frac{\text{Subst}\left(\int \frac{(a-2b)(a+b)^2 + 3b(a+b)^2}{(1-x^2)^2} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{(a + b)^3 \cosh(c + dx) \sinh(c + dx)}{2d} + \frac{b^2(3a + 2b) \tanh(c + dx)}{d} + \frac{b^3 \tanh^3(c + dx)}{3d} \\ &= \frac{1}{2}(a - 5b)(a + b)^2x + \frac{(a + b)^3 \cosh(c + dx) \sinh(c + dx)}{2d} + \frac{b^2(3a + 2b) \tanh(c + dx)}{d} \end{aligned}$$

**Mathematica [A]** time = 0.850207, size = 69, normalized size = 0.88

$$\frac{4b^2 \tanh(c + dx) (9a - b \operatorname{sech}^2(c + dx) + 7b) + 6(a - 5b)(a + b)^2(c + dx) + 3(a + b)^3 \sinh(2(c + dx))}{12d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cosh[c + d*x]^2*(a + b*Tanh[c + d*x]^2)^3, x]
```

```
[Out] (6*(a - 5*b)*(a + b)^2*(c + d*x) + 3*(a + b)^3*Sinh[2*(c + d*x)] + 4*b^2*(9*a + 7*b - b*Sech[c + d*x]^2)*Tanh[c + d*x])/(12*d)
```



---

**Maple [B]** time = 0.047, size = 148, normalized size = 1.9

$$\frac{1}{d} \left( a^3 \left( \frac{\cosh(dx+c) \sinh(dx+c)}{2} + \frac{dx}{2} + \frac{c}{2} \right) + 3a^2b \left( \frac{1}{2} \cosh(dx+c) \sinh(dx+c) - \frac{1}{2} dx - \frac{c}{2} \right) + 3ab^2 \left( \frac{1}{2} \frac{\sinh(dx+c)}{\cosh(dx+c)} - \frac{1}{2} dx - \frac{c}{2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cosh(d*x+c)^2*(a+b*tanh(d*x+c))^2)^3,x`

[Out] `1/d*(a^3*(1/2*cosh(d*x+c)*sinh(d*x+c)+1/2*d*x+1/2*c)+3*a^2*b*(1/2*cosh(d*x+c)*sinh(d*x+c)-1/2*d*x-1/2*c)+3*a*b^2*(1/2*sinh(d*x+c)^3/cosh(d*x+c)-3/2*d*x-3/2*c+3/2*tanh(d*x+c))+b^3*(1/2*sinh(d*x+c)^5/cosh(d*x+c)^3-5/2*d*x-5/2*c+5/2*tanh(d*x+c)+5/6*tanh(d*x+c)^3))`

---

**Maxima [B]** time = 1.15486, size = 346, normalized size = 4.44

$$\frac{1}{8} a^3 \left( 4x + \frac{e^{(2dx+2c)}}{d} - \frac{e^{(-2dx-2c)}}{d} \right) - \frac{3}{8} a^2 b \left( 4x - \frac{e^{(2dx+2c)}}{d} + \frac{e^{(-2dx-2c)}}{d} \right) - \frac{1}{24} b^3 \left( \frac{60(dx+c)}{d} + \frac{3e^{(-2dx-2c)}}{d} - \frac{121e^{(-2dx-2c)}}{d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cosh(d*x+c)^2*(a+b*tanh(d*x+c))^2)^3,x, algorithm="maxima")`

[Out] `1/8*a^3*(4*x + e^(2*d*x + 2*c)/d - e^(-2*d*x - 2*c)/d) - 3/8*a^2*b*(4*x - e^(2*d*x + 2*c)/d + e^(-2*d*x - 2*c)/d) - 1/24*b^3*(60*(d*x + c)/d + 3*e^(-2*d*x - 2*c)/d - (121*e^(-2*d*x - 2*c) + 201*e^(-4*d*x - 4*c) + 147*e^(-6*d*x - 6*c) + 3)/(d*(e^(-2*d*x - 2*c) + 3*e^(-4*d*x - 4*c) + 3*e^(-6*d*x - 6*c) + e^(-8*d*x - 8*c)))) - 3/8*a*b^2*(12*(d*x + c)/d + e^(-2*d*x - 2*c)/d - (17*e^(-2*d*x - 2*c) + 1)/(d*(e^(-2*d*x - 2*c) + e^(-4*d*x - 4*c))))`

---

**Fricas [B]** time = 2.0419, size = 903, normalized size = 11.58

$$3(a^3 + 3a^2b + 3ab^2 + b^3) \sinh(dx+c)^5 - 4(18ab^2 + 14b^3 - 3(a^3 - 3a^2b - 9ab^2 - 5b^3)dx) \cosh(dx+c)^3 - 12(18ab^2 + 14b^3 - 3(a^3 - 3a^2b - 9ab^2 - 5b^3)dx) \sinh(dx+c)^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out]  $\frac{1}{24}*(3*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\sinh(d*x + c)^5 - 4*(18*a*b^2 + 14*b^3 - 3*(a^3 - 3*a^2*b - 9*a*b^2 - 5*b^3)*d*x)*\cosh(d*x + c)^3 - 12*(18*a*b^2 + 14*b^3 - 3*(a^3 - 3*a^2*b - 9*a*b^2 - 5*b^3)*d*x)*\cosh(d*x + c)*\sinh(d*x + c)^2 + (9*a^3 + 27*a^2*b + 99*a*b^2 + 65*b^3 + 30*(a^3 + 3*a^2*b + 3*a*b^2 + b^3))*\cosh(d*x + c)^2*\sinh(d*x + c)^3 - 12*(18*a*b^2 + 14*b^3 - 3*(a^3 - 3*a^2*b - 9*a*b^2 - 5*b^3)*d*x)*\cosh(d*x + c) + 3*(5*(a^3 + 3*a^2*b + 3*a*b^2 + b^3))*\cosh(d*x + c)^4 + 2*a^3 + 6*a^2*b + 30*a*b^2 + 10*b^3 + (9*a^3 + 27*a^2*b + 99*a*b^2 + 65*b^3))*\cosh(d*x + c)^2*\sinh(d*x + c))/(d*\cosh(d*x + c)^3 + 3*d*\cosh(d*x + c)*\sinh(d*x + c)^2 + 3*d*\cosh(d*x + c))$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)\*\*2\*(a+b\*tanh(d\*x+c)\*\*2)\*\*3,x)

[Out] Timed out

**Giac [B]** time = 2.06105, size = 360, normalized size = 4.62

$12(a^3 - 3a^2b - 9ab^2 - 5b^3)dx - 3(2a^3e^{(2dx+2c)} - 6a^2be^{(2dx+2c)} - 18ab^2e^{(2dx+2c)} - 10b^3e^{(2dx+2c)} + a^3 + 3a^2b + 3ab^2 + 3b^3)$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out]  $\frac{1}{24}*(12*(a^3 - 3*a^2*b - 9*a*b^2 - 5*b^3)*d*x - 3*(2*a^3*e^{(2*d*x + 2*c)} - 6*a^2*b*e^{(2*d*x + 2*c)} - 18*a*b^2*e^{(2*d*x + 2*c)} - 10*b^3*e^{(2*d*x + 2*c)} + a^3 + 3*a^2*b + 3*a*b^2 + b^3)*e^{(-2*d*x - 2*c)} + 3*(a^3*e^{(2*d*x + 12*c)} + 3*a^2*b*e^{(2*d*x + 12*c)} + 3*a*b^2*e^{(2*d*x + 12*c)} + b^3*e^{(2*d*x + 12*c)}))*e^{(-10*c)} - 16*(9*a*b^2*e^{(4*d*x + 4*c)} + 9*b^3*e^{(4*d*x + 4*c)} + 18*a*b^2*e^{(2*d*x + 2*c)} + 12*b^3*e^{(2*d*x + 2*c)} + 9*a*b^2 + 7*b^3)/(e^{(2*d*x + 2*c)} + 1)^3)/d$

### 3.100 $\int \cosh(c + dx) \left(a + b \tanh^2(c + dx)\right)^3 dx$

**Optimal.** Leaf size=99

$$\frac{3b^2(4a + 3b) \tanh(c + dx) \operatorname{sech}(c + dx)}{8d} + \frac{(a + b)^3 \sinh(c + dx)}{d} - \frac{3b(4(a + b)^2 + (2a + b)^2) \tan^{-1}(\sinh(c + dx))}{8d} - \frac{b^3 \tanh^3(c + dx)}{4d}$$

```
[Out] (-3*b*(4*(a + b)^2 + (2*a + b)^2)*ArcTan[Sinh[c + d*x]]/(8*d) + ((a + b)^3
*Sinh[c + d*x])/d + (3*b^2*(4*a + 3*b)*Sech[c + d*x]*Tanh[c + d*x])/(8*d) -
(b^3*Sech[c + d*x]^3*Tanh[c + d*x])/(4*d)
```

**Rubi [A]** time = 0.116297, antiderivative size = 99, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {3676, 390, 1157, 385, 203}

$$\frac{3b^2(4a + 3b) \tanh(c + dx) \operatorname{sech}(c + dx)}{8d} + \frac{(a + b)^3 \sinh(c + dx)}{d} - \frac{3b(4(a + b)^2 + (2a + b)^2) \tan^{-1}(\sinh(c + dx))}{8d} - \frac{b^3 \tanh^3(c + dx)}{4d}$$

Antiderivative was successfully verified.

```
[In] Int[Cosh[c + d*x]*(a + b*Tanh[c + d*x]^2)^3,x]
```

```
[Out] (-3*b*(4*(a + b)^2 + (2*a + b)^2)*ArcTan[Sinh[c + d*x]]/(8*d) + ((a + b)^3
*Sinh[c + d*x])/d + (3*b^2*(4*a + 3*b)*Sech[c + d*x]*Tanh[c + d*x])/(8*d) -
(b^3*Sech[c + d*x]^3*Tanh[c + d*x])/(4*d)
```

#### Rule 3676

```
Int[sec[(e_.) + (f_.)*(x_.)]^(m_.)*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)]^(n_.)
)^(p_.), x_Symbol] := With[{ff = FreeFactors[Sin[e + f*x], x]}, Dist[ff/f,
Subst[Int[ExpandToSum[b*(ff*x)^n + a*(1 - ff^2*x^2)^(n/2), x]^p/(1 - ff^2*
x^2)^(m + n*p + 1)/2], x], x, Sin[e + f*x]/ff, x]] /; FreeQ[{a, b, e, f},
x] && IntegerQ[(m - 1)/2] && IntegerQ[n/2] && IntegerQ[p]
```

#### Rule 390

```
Int[((a_.) + (b_.)*(x_.)^(n_.))^(p_.)*((c_.) + (d_.)*(x_.)^(n_.))^(q_.), x_Symbol]
:= Int[PolynomialDivide[(a + b*x^n)^p, (c + d*x^n)^(-q), x], x] /; FreeQ[{a
, b, c, d}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q,
0] && GeQ[p, -q]
```

Rule 1157

```
Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.),
x_Symbol] := With[{Qx = PolynomialQuotient[(a + b*x^2 + c*x^4)^p, d + e*x^2
, x], R = Coeff[PolynomialRemainder[(a + b*x^2 + c*x^4)^p, d + e*x^2, x], x
, 0]}, -Simp[(R*x*(d + e*x^2)^(q + 1))/(2*d*(q + 1)), x] + Dist[1/(2*d*(q +
1)), Int[(d + e*x^2)^(q + 1)*ExpandToSum[2*d*(q + 1)*Qx + R*(2*q + 3), x],
x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 -
b*d*e + a*e^2, 0] && IGtQ[p, 0] && LtQ[q, -1]
```

Rule 385

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := -S
imp[((b*c - a*d)*x*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] - Dist[(a*d - b
*c*(n*(p + 1) + 1))/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; Fre
eQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n +
p, 0])
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \cosh(c + dx) (a + b \tanh^2(c + dx))^3 dx &= \frac{\text{Subst} \left( \int \frac{(a+(a+b)x^2)^3}{(1+x^2)^3} dx, x, \sinh(c + dx) \right)}{d} \\
&= \frac{\text{Subst} \left( \int \left( (a+b)^3 - \frac{b(3a^2+3ab+b^2)+3b(a+b)(2a+b)x^2+3b(a+b)^2x^4}{(1+x^2)^3} \right) dx, x, \sinh(c + dx) \right)}{d} \\
&= \frac{(a+b)^3 \sinh(c + dx)}{d} - \frac{\text{Subst} \left( \int \frac{b(3a^2+3ab+b^2)+3b(a+b)(2a+b)x^2+3b(a+b)^2x^4}{(1+x^2)^3} dx, x, \sinh(c + dx) \right)}{d} \\
&= \frac{(a+b)^3 \sinh(c + dx)}{d} - \frac{b^3 \text{sech}^3(c + dx) \tanh(c + dx)}{4d} + \frac{\text{Subst} \left( \int \frac{-3b(2a+b)x^2}{(1+x^2)^3} dx, x, \sinh(c + dx) \right)}{d} \\
&= \frac{(a+b)^3 \sinh(c + dx)}{d} + \frac{3b^2(4a+3b) \text{sech}(c + dx) \tanh(c + dx)}{8d} - \frac{b^3 \text{sech}^3(c + dx) \tanh(c + dx)}{4d} \\
&= -\frac{3b(4(a+b)^2 + (2a+b)^2) \tan^{-1}(\sinh(c + dx))}{8d} + \frac{(a+b)^3 \sinh(c + dx)}{d} + \frac{3b^2(4a+3b) \text{sech}(c + dx) \tanh(c + dx)}{8d} - \frac{b^3 \text{sech}^3(c + dx) \tanh(c + dx)}{4d}
\end{aligned}$$

**Mathematica [A]** time = 0.363403, size = 89, normalized size = 0.9

$$\frac{-3b(8a^2 + 12ab + 5b^2) \tan^{-1}(\sinh(c + dx)) + 3b^2(4a + 3b) \tanh(c + dx) \text{sech}(c + dx) + 8(a + b)^3 \sinh(c + dx) - 2b^3 \tanh(c + dx) \text{sech}^3(c + dx)}{8d}$$

Antiderivative was successfully verified.

[In] Integrate[Cosh[c + d\*x]\*(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] (-3\*b\*(8\*a^2 + 12\*a\*b + 5\*b^2)\*ArcTan[Sinh[c + d\*x]] + 8\*(a + b)^3\*Sinh[c + d\*x] + 3\*b^2\*(4\*a + 3\*b)\*Sech[c + d\*x]\*Tanh[c + d\*x] - 2\*b^3\*Sech[c + d\*x]^3\*Tanh[c + d\*x])/(8\*d)

**Maple [B]** time = 0.048, size = 257, normalized size = 2.6

$$\frac{a^3 \sinh(dx + c)}{d} + 3 \frac{a^2 b \sinh(dx + c)}{d} - 6 \frac{a^2 b \arctan(e^{dx+c})}{d} + 3 \frac{ab^2 (\sinh(dx + c))^3}{d (\cosh(dx + c))^2} + 9 \frac{ab^2 \sinh(dx + c)}{d (\cosh(dx + c))^2} - \frac{9ab^2 \text{sech}^3(dx + c) \tanh(dx + c)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cosh(d*x+c)*(a+b*tanh(d*x+c)^2)^3,x)`

[Out]  $1/d*a^3*\sinh(d*x+c)+3*a^2*b*\sinh(d*x+c)/d-6/d*a^2*b*\arctan(\exp(d*x+c))+3/d*a*b^2*\sinh(d*x+c)^3/\cosh(d*x+c)^2+9/d*a*b^2*\sinh(d*x+c)/\cosh(d*x+c)^2-9/2/d*a*b^2*\operatorname{sech}(d*x+c)*\tanh(d*x+c)-9/d*a*b^2*\arctan(\exp(d*x+c))+1/d*b^3*\sinh(d*x+c)^5/\cosh(d*x+c)^4+5/d*b^3*\sinh(d*x+c)^3/\cosh(d*x+c)^4+5/d*b^3*\sinh(d*x+c)/\cosh(d*x+c)^4-5/4*b^3*\operatorname{sech}(d*x+c)^3*\tanh(d*x+c)/d-15/8*b^3*\operatorname{sech}(d*x+c)*\tanh(d*x+c)/d-15/4/d*b^3*\arctan(\exp(d*x+c))$

**Maxima [B]** time = 1.7006, size = 398, normalized size = 4.02

$$\frac{1}{4} b^3 \left( \frac{15 \arctan(e^{(-dx-c)})}{d} - \frac{2e^{(-dx-c)}}{d} + \frac{17e^{(-2dx-2c)} + 13e^{(-4dx-4c)} + 7e^{(-6dx-6c)} - 7e^{(-8dx-8c)} + 2}{d(e^{(-dx-c)} + 4e^{(-3dx-3c)} + 6e^{(-5dx-5c)} + 4e^{(-7dx-7c)} + e^{(-9dx-9c)})} \right) + \frac{3}{2} ab^2 \left( \frac{6 \arctan(e^{(-dx-c)})}{d} - \frac{2e^{(-dx-c)}}{d} + \frac{17e^{(-2dx-2c)} + 13e^{(-4dx-4c)} + 7e^{(-6dx-6c)} - 7e^{(-8dx-8c)} + 2}{d(e^{(-dx-c)} + 4e^{(-3dx-3c)} + 6e^{(-5dx-5c)} + 4e^{(-7dx-7c)} + e^{(-9dx-9c)})} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cosh(d*x+c)*(a+b*tanh(d*x+c)^2)^3,x, algorithm="maxima")`

[Out]  $1/4*b^3*(15*\arctan(e^{(-d*x - c)})/d - 2*e^{(-d*x - c)}/d + (17*e^{(-2*d*x - 2*c)} + 13*e^{(-4*d*x - 4*c)} + 7*e^{(-6*d*x - 6*c)} - 7*e^{(-8*d*x - 8*c)} + 2)/(d*(e^{(-d*x - c)} + 4*e^{(-3*d*x - 3*c)} + 6*e^{(-5*d*x - 5*c)} + 4*e^{(-7*d*x - 7*c)} + e^{(-9*d*x - 9*c)})) + 3/2*a*b^2*(6*\arctan(e^{(-d*x - c)})/d - e^{(-d*x - c)}/d + (4*e^{(-2*d*x - 2*c)} - e^{(-4*d*x - 4*c)} + 1)/(d*(e^{(-d*x - c)} + 2*e^{(-3*d*x - 3*c)} + e^{(-5*d*x - 5*c)})) + 3/2*a^2*b*(4*\arctan(e^{(-d*x - c)})/d + e^{(d*x + c)}/d - e^{(-d*x - c)}/d) + a^3*\sinh(d*x + c)/d$

**Fricas [B]** time = 2.18889, size = 5933, normalized size = 59.93

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cosh(d*x+c)*(a+b*tanh(d*x+c)^2)^3,x, algorithm="fricas")`

[Out]  $1/4*(2*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^{10} + 20*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)*\sinh(d*x + c)^9 + 2*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\sinh(d*x + c)^{10} + 3*(2*a^3 + 6*a^2*b + 10*a*b^2 + 5*b^3)*\cosh(d*x + c)^8 + 3*(2*a^3 + 6*a^2*b + 10*a*b^2 + 5*b^3 + 30*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^8 + 24*(10*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^8 + 24*(10*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^8 + 24*(10*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^8$

$$\begin{aligned}
& 2 + b^3) \cosh(dx + c)^3 + (2a^3 + 6a^2b + 10ab^2 + 5b^3) \cosh(dx + c) \\
& \cosh(dx + c) \sinh(dx + c)^7 + (4a^3 + 12a^2b + 24ab^2 + 5b^3) \cosh(dx + c)^6 \\
& + (420(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^4 + 4a^3 + 12a^2b \\
& + 24ab^2 + 5b^3 + 84(2a^3 + 6a^2b + 10ab^2 + 5b^3) \cosh(dx + c)^2) \\
& \sinh(dx + c)^6 + 6(84(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^5 \\
& + 28(2a^3 + 6a^2b + 10ab^2 + 5b^3) \cosh(dx + c)^3 + (4a^3 + 12a^2 \\
& *b + 24ab^2 + 5b^3) \cosh(dx + c)) \sinh(dx + c)^5 - (4a^3 + 12a^2b + \\
& 24ab^2 + 5b^3) \cosh(dx + c)^4 + (420(a^3 + 3a^2b + 3ab^2 + b^3) \c \\
& osh(dx + c)^6 + 210(2a^3 + 6a^2b + 10ab^2 + 5b^3) \cosh(dx + c)^4 - \\
& 4a^3 - 12a^2b - 24ab^2 - 5b^3 + 15(4a^3 + 12a^2b + 24ab^2 + 5 \\
& b^3) \cosh(dx + c)^2) \sinh(dx + c)^4 + 4(60(a^3 + 3a^2b + 3ab^2 + b^ \\
& 3) \cosh(dx + c)^7 + 42(2a^3 + 6a^2b + 10ab^2 + 5b^3) \cosh(dx + c)^ \\
& 5 + 5(4a^3 + 12a^2b + 24ab^2 + 5b^3) \cosh(dx + c)^3 - (4a^3 + 12a \\
& ^2b + 24ab^2 + 5b^3) \cosh(dx + c)) \sinh(dx + c)^3 - 2a^3 - 6a^2b - \\
& 6ab^2 - 2b^3 - 3(2a^3 + 6a^2b + 10ab^2 + 5b^3) \cosh(dx + c)^2 + \\
& 3(30(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^8 + 28(2a^3 + 6a^2b \\
& b + 10ab^2 + 5b^3) \cosh(dx + c)^6 + 5(4a^3 + 12a^2b + 24ab^2 + 5 \\
& b^3) \cosh(dx + c)^4 - 2a^3 - 6a^2b - 10ab^2 - 5b^3 - 2(4a^3 + 12a \\
& ^2b + 24ab^2 + 5b^3) \cosh(dx + c)^2) \sinh(dx + c)^2 - 3((8a^2b + 1 \\
& 2ab^2 + 5b^3) \cosh(dx + c)^9 + 9(8a^2b + 12ab^2 + 5b^3) \cosh(dx \\
& + c) \sinh(dx + c)^8 + (8a^2b + 12ab^2 + 5b^3) \sinh(dx + c)^9 + 4(8 \\
& a^2b + 12ab^2 + 5b^3) \cosh(dx + c)^7 + 4(8a^2b + 12ab^2 + 5b^3 + \\
& 9(8a^2b + 12ab^2 + 5b^3) \cosh(dx + c)^2) \sinh(dx + c)^7 + 28(3(8 \\
& a^2b + 12ab^2 + 5b^3) \cosh(dx + c)^3 + (8a^2b + 12ab^2 + 5b^3) \c \\
& osh(dx + c)) \sinh(dx + c)^6 + 6(8a^2b + 12ab^2 + 5b^3) \cosh(dx + c \\
& )^5 + 6(21(8a^2b + 12ab^2 + 5b^3) \cosh(dx + c)^4 + 8a^2b + 12ab \\
& ^2 + 5b^3 + 14(8a^2b + 12ab^2 + 5b^3) \cosh(dx + c)^2) \sinh(dx + c) \\
& ^5 + 2(63(8a^2b + 12ab^2 + 5b^3) \cosh(dx + c)^5 + 70(8a^2b + 12 \\
& ab^2 + 5b^3) \cosh(dx + c)^3 + 15(8a^2b + 12ab^2 + 5b^3) \cosh(dx + \\
& c)) \sinh(dx + c)^4 + 4(8a^2b + 12ab^2 + 5b^3) \cosh(dx + c)^3 + 4( \\
& 21(8a^2b + 12ab^2 + 5b^3) \cosh(dx + c)^6 + 35(8a^2b + 12ab^2 + \\
& 5b^3) \cosh(dx + c)^4 + 8a^2b + 12ab^2 + 5b^3 + 15(8a^2b + 12ab^ \\
& 2 + 5b^3) \cosh(dx + c)^2) \sinh(dx + c)^3 + 12(3(8a^2b + 12ab^2 + 5 \\
& b^3) \cosh(dx + c)^7 + 7(8a^2b + 12ab^2 + 5b^3) \cosh(dx + c)^5 + 5 \\
& (8a^2b + 12ab^2 + 5b^3) \cosh(dx + c)^3 + (8a^2b + 12ab^2 + 5b^3) \\
& * \cosh(dx + c)) \sinh(dx + c)^2 + (8a^2b + 12ab^2 + 5b^3) \cosh(dx + c \\
& ) + (9(8a^2b + 12ab^2 + 5b^3) \cosh(dx + c)^8 + 28(8a^2b + 12ab^ \\
& 2 + 5b^3) \cosh(dx + c)^6 + 30(8a^2b + 12ab^2 + 5b^3) \cosh(dx + c)^ \\
& 4 + 8a^2b + 12ab^2 + 5b^3 + 12(8a^2b + 12ab^2 + 5b^3) \cosh(dx + \\
& c)^2) \sinh(dx + c) * \arctan(\cosh(dx + c) + \sinh(dx + c)) + 2(10(a^3 + \\
& 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^9 + 12(2a^3 + 6a^2b + 10ab^2 + \\
& 5b^3) \cosh(dx + c)^7 + 3(4a^3 + 12a^2b + 24ab^2 + 5b^3) \cosh(dx \\
& + c)^5 - 2(4a^3 + 12a^2b + 24ab^2 + 5b^3) \cosh(dx + c)^3 - 3(2a^3 \\
& + 6a^2b + 10ab^2 + 5b^3) \cosh(dx + c)) \sinh(dx + c) / (d \cosh(dx + \\
& c)^9 + 9d \cosh(dx + c) \sinh(dx + c)^8 + d \sinh(dx + c)^9 + 4d \cosh(dx
\end{aligned}$$

$$\begin{aligned}
& + c)^7 + 4*(9*d*cosh(d*x + c)^2 + d)*sinh(d*x + c)^7 + 28*(3*d*cosh(d*x + \\
& c)^3 + d*cosh(d*x + c))*sinh(d*x + c)^6 + 6*d*cosh(d*x + c)^5 + 6*(21*d*cos \\
& h(d*x + c)^4 + 14*d*cosh(d*x + c)^2 + d)*sinh(d*x + c)^5 + 2*(63*d*cosh(d*x \\
& + c)^5 + 70*d*cosh(d*x + c)^3 + 15*d*cosh(d*x + c))*sinh(d*x + c)^4 + 4*d* \\
& cosh(d*x + c)^3 + 4*(21*d*cosh(d*x + c)^6 + 35*d*cosh(d*x + c)^4 + 15*d*cos \\
& h(d*x + c)^2 + d)*sinh(d*x + c)^3 + 12*(3*d*cosh(d*x + c)^7 + 7*d*cosh(d*x \\
& + c)^5 + 5*d*cosh(d*x + c)^3 + d*cosh(d*x + c))*sinh(d*x + c)^2 + d*cosh(d* \\
& x + c) + (9*d*cosh(d*x + c)^8 + 28*d*cosh(d*x + c)^6 + 30*d*cosh(d*x + c)^4 \\
& + 12*d*cosh(d*x + c)^2 + d)*sinh(d*x + c))
\end{aligned}$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)\*(a+b\*tanh(d\*x+c)\*\*2)\*\*3,x)

[Out] Timed out

**Giac [B]** time = 1.83198, size = 347, normalized size = 3.51

$$3 \left( 8 a^2 b e^c + 12 a b^2 e^c + 5 b^3 e^c \right) \arctan \left( e^{(d x + c)} \right) e^{(-c)} + 2 \left( a^3 + 3 a^2 b + 3 a b^2 + b^3 \right) e^{(-d x - c)} - 2 \left( a^3 e^{(d x + 12 c)} + 3 a^2 b e^{(d x + 12 c)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out] 
$$\begin{aligned}
& -1/4*(3*(8*a^2*b*e^c + 12*a*b^2*e^c + 5*b^3*e^c)*arctan(e^(d*x + c))*e^(-c) \\
& + 2*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*e^(-d*x - c) - 2*(a^3*e^(d*x + 12*c) + \\
& 3*a^2*b*e^(d*x + 12*c) + 3*a*b^2*e^(d*x + 12*c) + b^3*e^(d*x + 12*c))*e^(- \\
& 11*c) - (12*a*b^2*e^(7*d*x + 7*c) + 9*b^3*e^(7*d*x + 7*c) + 12*a*b^2*e^(5*d \\
& *x + 5*c) + b^3*e^(5*d*x + 5*c) - 12*a*b^2*e^(3*d*x + 3*c) - b^3*e^(3*d*x + \\
& 3*c) - 12*a*b^2*e^(d*x + c) - 9*b^3*e^(d*x + c))/(e^(2*d*x + 2*c) + 1)^4)/ \\
& d
\end{aligned}$$



### 3.101 $\int \operatorname{sech}(c + dx) \left( a + b \tanh^2(c + dx) \right)^3 dx$

**Optimal.** Leaf size=149

$$\frac{(2a + b)(8a^2 + 8ab + 5b^2) \tan^{-1}(\sinh(c + dx))}{16d} - \frac{b(44a^2 + 44ab + 15b^2) \tanh(c + dx) \operatorname{sech}(c + dx)}{48d} - \frac{b \tanh(c + dx) \operatorname{sech}^3(c + dx)}{24d}$$

```
[Out] ((2*a + b)*(8*a^2 + 8*a*b + 5*b^2)*ArcTan[Sinh[c + d*x]])/(16*d) - (b*(44*a^2 + 44*a*b + 15*b^2)*Sech[c + d*x]*Tanh[c + d*x])/(48*d) - (5*b*(2*a + b)*Sech[c + d*x]^3*(a + (a + b)*Sinh[c + d*x]^2)*Tanh[c + d*x])/(24*d) - (b*Sech[c + d*x]^5*(a + (a + b)*Sinh[c + d*x]^2)^2*Tanh[c + d*x])/(6*d)
```

**Rubi [A]** time = 0.154391, antiderivative size = 149, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {3676, 413, 526, 385, 203}

$$\frac{(2a + b)(8a^2 + 8ab + 5b^2) \tan^{-1}(\sinh(c + dx))}{16d} - \frac{b(44a^2 + 44ab + 15b^2) \tanh(c + dx) \operatorname{sech}(c + dx)}{48d} - \frac{b \tanh(c + dx) \operatorname{sech}^3(c + dx)}{24d}$$

Antiderivative was successfully verified.

```
[In] Int[Sech[c + d*x]*(a + b*Tanh[c + d*x]^2)^3,x]
```

```
[Out] ((2*a + b)*(8*a^2 + 8*a*b + 5*b^2)*ArcTan[Sinh[c + d*x]])/(16*d) - (b*(44*a^2 + 44*a*b + 15*b^2)*Sech[c + d*x]*Tanh[c + d*x])/(48*d) - (5*b*(2*a + b)*Sech[c + d*x]^3*(a + (a + b)*Sinh[c + d*x]^2)*Tanh[c + d*x])/(24*d) - (b*Sech[c + d*x]^5*(a + (a + b)*Sinh[c + d*x]^2)^2*Tanh[c + d*x])/(6*d)
```

#### Rule 3676

```
Int[sec[(e_.) + (f_.)*(x_)]^(m_.)*((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)]^(n_.))^ (p_.), x_Symbol] :> With[{ff = FreeFactors[Sin[e + f*x], x]}, Dist[ff/f, Subst[Int[ExpandToSum[b*(ff*x)^n + a*(1 - ff^2*x^2)^(n/2)], x]^p/(1 - ff^2*x^2)^(m + n*p + 1)/2, x], x, Sin[e + f*x]/ff, x]] /; FreeQ[{a, b, e, f}, x] && IntegerQ[(m - 1)/2] && IntegerQ[n/2] && IntegerQ[p]
```

#### Rule 413

```
Int[((a_) + (b_.)*(x_)^(n_.))^ (p_.)*((c_) + (d_.)*(x_)^(n_.))^ (q_.), x_Symbol] :> Simp[((a*d - c*b)*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 1))/(a*b*n*(p + 1)), x] - Dist[1/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^(q -
```

```
2)*Simp[c*(a*d - c*b*(n*(p + 1) + 1)) + d*(a*d*(n*(q - 1) + 1) - b*c*(n*(p
+ q) + 1))*x^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d,
0] && LtQ[p, -1] && GtQ[q, 1] && IntBinomialQ[a, b, c, d, n, p, q, x]
```

### Rule 526

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_.)*((e_) + (f
_.)*(x_)^(n_)), x_Symbol] := -Simp[((b*e - a*f)*x*(a + b*x^n)^(p + 1)*(c +
d*x^n)^q)/(a*b*n*(p + 1)), x] + Dist[1/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p
+ 1)*(c + d*x^n)^(q - 1)*Simp[c*(b*e*n*(p + 1) + b*e - a*f) + d*(b*e*n*(p +
1) + (b*e - a*f)*(n*q + 1))*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, f, n}
, x] && LtQ[p, -1] && GtQ[q, 0]
```

### Rule 385

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := -S
imp[((b*c - a*d)*x*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] - Dist[(a*d - b
*c*(n*(p + 1) + 1))/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; Fre
eQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n +
p, 0])
```

### Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

### Rubi steps

$$\begin{aligned}
\int \operatorname{sech}(c+dx) (a+b \tanh^2(c+dx))^3 dx &= \frac{\operatorname{Subst}\left(\int \frac{(a+(a+b)x^2)^3}{(1+x^2)^4} dx, x, \sinh(c+dx)\right)}{d} \\
&= -\frac{b \operatorname{sech}^5(c+dx) (a+(a+b) \sinh^2(c+dx))^2 \tanh(c+dx)}{6d} + \frac{\operatorname{Subst}\left(\int \frac{a}{(1+x^2)^4} dx, x, \sinh(c+dx)\right)}{d} \\
&= -\frac{5b(2a+b) \operatorname{sech}^3(c+dx) (a+(a+b) \sinh^2(c+dx)) \tanh(c+dx)}{24d} - \frac{b \operatorname{sech}^3(c+dx)}{4d} \\
&= -\frac{b(44a^2+44ab+15b^2) \operatorname{sech}(c+dx) \tanh(c+dx)}{48d} - \frac{5b(2a+b) \operatorname{sech}^3(c+dx)}{48d} \\
&= \frac{(2a+b)(8a^2+8ab+5b^2) \tan^{-1}(\sinh(c+dx))}{16d} - \frac{b(44a^2+44ab+15b^2)}{48d}
\end{aligned}$$

**Mathematica [C]** time = 17.2886, size = 1341, normalized size = 9.

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[Sech[c + d\*x]\*(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] (a^3\*Sinh[c + d\*x]\*((9514449\*(a + b))/a + (135323370\*(a + b)^2)/a^2 + (58009455\*(a + b)^3)/a^3 + 4093425\*Csch[c + d\*x]^2 + (168951510\*(a + b)\*Csch[c + d\*x]^2)/a + (215549775\*(a + b)^2\*Csch[c + d\*x]^2)/a^2 + 70189350\*Csch[c + d\*x]^4 + (274542345\*(a + b)\*Csch[c + d\*x]^4)/a + 117228825\*Csch[c + d\*x]^6 + (7808535\*(a + b)^2\*Sinh[c + d\*x]^2)/a^2 + (36772890\*(a + b)^3\*Sinh[c + d\*x]^2)/a^3 - 75520\*HypergeometricPFQ[{3/2, 2, 2, 2, 2}, {1, 1, 1, 11/2}, -Sinh[c + d\*x]^2]\*Sinh[c + d\*x]^2 - 13824\*HypergeometricPFQ[{3/2, 2, 2, 2, 2, 2}, {1, 1, 1, 1, 11/2}, -Sinh[c + d\*x]^2]\*Sinh[c + d\*x]^2 - 1024\*HypergeometricPFQ[{3/2, 2, 2, 2, 2, 2, 2}, {1, 1, 1, 1, 1, 11/2}, -Sinh[c + d\*x]^2]\*Sinh[c + d\*x]^2 + (2160711\*(a + b)^3\*Sinh[c + d\*x]^4)/a^3 - (189696\*(a + b)\*HypergeometricPFQ[{3/2, 2, 2, 2, 2}, {1, 1, 1, 11/2}, -Sinh[c + d\*x]^2]\*Sinh[c + d\*x]^4)/a - (38400\*(a + b)\*HypergeometricPFQ[{3/2, 2, 2, 2, 2, 2}, {1, 1, 1, 1, 11/2}, -Sinh[c + d\*x]^2]\*Sinh[c + d\*x]^4)/a - (3072\*(a + b)\*HypergeometricPFQ[{3/2, 2, 2, 2, 2, 2, 2}, {1, 1, 1, 1, 1, 11/2}, -Sinh[c + d\*x]^2]\*Sinh[c + d\*x]^4)/a - (158976\*(a + b)^2\*HypergeometricPFQ[{3/2, 2, 2, 2, 2, 2}, {1, 1, 1, 11/2}, -Sinh[c + d\*x]^2]\*Sinh[c + d\*x]^6)/a^2 - (35328\*(a + b)^2\*HypergeometricPFQ[{3/2, 2, 2, 2, 2, 2}, {1, 1, 1, 1, 11/2}, -Sinh[c +

$$\begin{aligned}
& d*x]^2]*\text{Sinh}[c + d*x]^6)/a^2 - (3072*(a + b)^2*\text{HypergeometricPFQ}[\{3/2, 2, \\
& 2, 2, 2, 2, 2\}, \{1, 1, 1, 1, 1, 11/2\}, -\text{Sinh}[c + d*x]^2]*\text{Sinh}[c + d*x]^6)/a \\
& ^2 - (44800*(a + b)^3*\text{HypergeometricPFQ}[\{3/2, 2, 2, 2, 2, 2\}, \{1, 1, 1, 11/2\}, \\
& -\text{Sinh}[c + d*x]^2]*\text{Sinh}[c + d*x]^8)/a^3 - (10752*(a + b)^3*\text{HypergeometricPF} \\
& Q[\{3/2, 2, 2, 2, 2, 2, 2\}, \{1, 1, 1, 1, 11/2\}, -\text{Sinh}[c + d*x]^2]*\text{Sinh}[c + d*x] \\
& ^8)/a^3 - (1024*(a + b)^3*\text{HypergeometricPFQ}[\{3/2, 2, 2, 2, 2, 2, 2\}, \{1, 1, \\
& 1, 1, 1, 11/2\}, -\text{Sinh}[c + d*x]^2]*\text{Sinh}[c + d*x]^8)/a^3 + (142065*\text{ArcTanh}[\text{S} \\
& \text{qrt}[-\text{Sinh}[c + d*x]^2]]*\text{Sinh}[c + d*x]^8)/(-\text{Sinh}[c + d*x]^2)^{(9/2)} + (1172288 \\
& 25*\text{ArcTanh}[\text{Sqrt}[-\text{Sinh}[c + d*x]^2]])/(-\text{Sinh}[c + d*x]^2)^{(7/2)} + (17069535*\text{Ar} \\
& \text{cTanh}[\text{Sqrt}[-\text{Sinh}[c + d*x]^2]]*\text{Sinh}[c + d*x]^4)/(-\text{Sinh}[c + d*x]^2)^{(7/2)} + ( \\
& 33756345*(a + b)^2*\text{ArcTanh}[\text{Sqrt}[-\text{Sinh}[c + d*x]^2]]*\text{Sinh}[c + d*x]^8)/(a^2*(- \\
& \text{Sinh}[c + d*x]^2)^{(7/2)}) + (56109375*(a + b)^3*\text{ArcTanh}[\text{Sqrt}[-\text{Sinh}[c + d*x]^2 \\
& ]]*\text{Sinh}[c + d*x]^8)/(a^3*(-\text{Sinh}[c + d*x]^2)^{(7/2)}) - (109265625*\text{ArcTanh}[\text{Sqr} \\
& \text{t}[-\text{Sinh}[c + d*x]^2]])/(-\text{Sinh}[c + d*x]^2)^{(5/2)} - (274542345*(a + b)*\text{ArcTanh} \\
& [\text{Sqrt}[-\text{Sinh}[c + d*x]^2]])/(a*(-\text{Sinh}[c + d*x]^2)^{(5/2)}) + (260465625*(a + b) \\
& *\text{ArcTanh}[\text{Sqrt}[-\text{Sinh}[c + d*x]^2]])/(a*(-\text{Sinh}[c + d*x]^2)^{(3/2)}) + (215549775 \\
& *(a + b)^2*\text{ArcTanh}[\text{Sqrt}[-\text{Sinh}[c + d*x]^2]])/(a^2*(-\text{Sinh}[c + d*x]^2)^{(3/2)}) \\
& + (174825*(a + b)^2*\text{ArcTanh}[\text{Sqrt}[-\text{Sinh}[c + d*x]^2]]*\text{Sinh}[c + d*x]^6)/(a^2*( \\
& -\text{Sinh}[c + d*x]^2)^{(3/2)}) + (9261945*(a + b)^3*\text{ArcTanh}[\text{Sqrt}[-\text{Sinh}[c + d*x]^2 \\
& ]]*\text{Sinh}[c + d*x]^6)/(a^3*(-\text{Sinh}[c + d*x]^2)^{(3/2)}) + (48825*(a + b)^3*\text{ArcTa} \\
& \text{nh}[\text{Sqrt}[-\text{Sinh}[c + d*x]^2]]*\text{Sinh}[c + d*x]^8)/(a^3*(-\text{Sinh}[c + d*x]^2)^{(3/2)}) \\
& - (41427855*(a + b)*\text{ArcTanh}[\text{Sqrt}[-\text{Sinh}[c + d*x]^2]])/(a*\text{Sqrt}[-\text{Sinh}[c + d*x] \\
& ^2]) - (207173295*(a + b)^2*\text{ArcTanh}[\text{Sqrt}[-\text{Sinh}[c + d*x]^2]])/(a^2*\text{Sqrt}[-\text{Sin} \\
& h[c + d*x]^2]) - (58009455*(a + b)^3*\text{ArcTanh}[\text{Sqrt}[-\text{Sinh}[c + d*x]^2]])/(a^3* \\
& \text{Sqrt}[-\text{Sinh}[c + d*x]^2]) + (210735*(a + b)*\text{ArcTanh}[\text{Sqrt}[-\text{Sinh}[c + d*x]^2]]*\text{S} \\
& \text{qrt}[-\text{Sinh}[c + d*x]^2])/a)/(725760*d)
\end{aligned}$$

**Maple [B]** time = 0.041, size = 334, normalized size = 2.2

$$2 \frac{a^3 \arctan(e^{dx+c})}{d} - 3 \frac{a^2 b \sinh(dx+c)}{d(\cosh(dx+c))^2} + \frac{3 a^2 b \operatorname{sech}(dx+c) \tanh(dx+c)}{2d} + 3 \frac{a^2 b \arctan(e^{dx+c})}{d} - 3 \frac{ab^2 (\sinh(dx+c))}{d(\cosh(dx+c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sech(d\*x+c)\*(a+b\*tanh(d\*x+c)^2)^3,x)

[Out]  $2/d*a^3*\arctan(\exp(d*x+c))-3/d*a^2*b*\sinh(d*x+c)/\cosh(d*x+c)^2+3/2*a^2*b*\operatorname{sech}(d*x+c)*\tanh(d*x+c)/d+3/d*a^2*b*\arctan(\exp(d*x+c))-3/d*a*b^2*\sinh(d*x+c)^3/\cosh(d*x+c)^4-3/d*a*b^2*\sinh(d*x+c)/\cosh(d*x+c)^4+3/4/d*a*b^2*\tanh(d*x+c)*\operatorname{sech}(d*x+c)^3+9/8/d*a*b^2*\operatorname{sech}(d*x+c)*\tanh(d*x+c)+9/4/d*a*b^2*\arctan(\exp(d*x+c))-1/d*b^3*\sinh(d*x+c)^5/\cosh(d*x+c)^6-5/3/d*b^3*\sinh(d*x+c)^3/\cosh(d*x+c)^6-1/d*b^3*\sinh(d*x+c)/\cosh(d*x+c)^6+1/6/d*b^3*\tanh(d*x+c)*\operatorname{sech}(d*x+c)^5$

$$+5/24*b^3*\operatorname{sech}(d*x+c)^3*\operatorname{tanh}(d*x+c)/d+5/16*b^3*\operatorname{sech}(d*x+c)*\operatorname{tanh}(d*x+c)/d+5/8/d*b^3*\arctan(\exp(d*x+c))$$

**Maxima [B]** time = 1.68702, size = 489, normalized size = 3.28

$$-\frac{1}{24} b^3 \left( \frac{15 \arctan(e^{-dx-c})}{d} + \frac{33 e^{-dx-c} - 5 e^{-3dx-3c} + 90 e^{-5dx-5c} - 90 e^{-7dx-7c} + 5 e^{-9dx-9c} - 33 e^{-11dx-11c}}{d(6 e^{-2dx-2c} + 15 e^{-4dx-4c} + 20 e^{-6dx-6c} + 15 e^{-8dx-8c} + 6 e^{-10dx-10c} + e^{-12dx-12c})} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="maxima")

[Out] 
$$-1/24*b^3*(15*\arctan(e^{-d*x - c})/d + (33*e^{-d*x - c} - 5*e^{-3*d*x - 3*c} + 90*e^{-5*d*x - 5*c} - 90*e^{-7*d*x - 7*c} + 5*e^{-9*d*x - 9*c} - 33*e^{-11*d*x - 11*c})/(d*(6*e^{-2*d*x - 2*c} + 15*e^{-4*d*x - 4*c} + 20*e^{-6*d*x - 6*c} + 15*e^{-8*d*x - 8*c} + 6*e^{-10*d*x - 10*c} + e^{-12*d*x - 12*c} + 1))) - 3/4*a*b^2*(3*\arctan(e^{-d*x - c})/d + (5*e^{-d*x - c} - 3*e^{-3*d*x - 3*c} + 3*e^{-5*d*x - 5*c} - 5*e^{-7*d*x - 7*c})/(d*(4*e^{-2*d*x - 2*c} + 6*e^{-4*d*x - 4*c} + 4*e^{-6*d*x - 6*c} + e^{-8*d*x - 8*c} + 1))) - 3*a^2*b*(\arctan(e^{-d*x - c})/d + (e^{-d*x - c} - e^{-3*d*x - 3*c})/(d*(2*e^{-2*d*x - 2*c} + e^{-4*d*x - 4*c} + 1))) + a^3*\arctan(\sinh(d*x + c))/d$$

**Fricas [B]** time = 2.32246, size = 8768, normalized size = 58.85

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out] 
$$-1/24*(3*(24*a^2*b + 30*a*b^2 + 11*b^3)*\cosh(d*x + c)^{11} + 33*(24*a^2*b + 30*a*b^2 + 11*b^3)*\cosh(d*x + c)*\sinh(d*x + c)^{10} + 3*(24*a^2*b + 30*a*b^2 + 11*b^3)*\sinh(d*x + c)^{11} + (216*a^2*b + 126*a*b^2 - 5*b^3)*\cosh(d*x + c)^9 + (216*a^2*b + 126*a*b^2 - 5*b^3 + 165*(24*a^2*b + 30*a*b^2 + 11*b^3))*\cosh(d*x + c)^2*\sinh(d*x + c)^9 + 9*(55*(24*a^2*b + 30*a*b^2 + 11*b^3))*\cosh(d*x + c)^3 + (216*a^2*b + 126*a*b^2 - 5*b^3)*\cosh(d*x + c)*\sinh(d*x + c)^8 + 18*(8*a^2*b + 2*a*b^2 + 5*b^3)*\cosh(d*x + c)^7 + 18*(55*(24*a^2*b + 30*a*b^2 + 11*b^3))*\cosh(d*x + c)^4 + 8*a^2*b + 2*a*b^2 + 5*b^3 + 2*(216*a^2*b + 126*a*b^2 - 5*b^3))*\cosh(d*x + c)^2*\sinh(d*x + c)^7 + 42*(33*(24*a^2*b + 30*$$

$$\begin{aligned}
& a^2b^2 + 11b^3) \cosh(dx + c)^5 + 2(216a^2b + 126ab^2 - 5b^3) \cosh(dx + c)^3 + 3(8a^2b + 2ab^2 + 5b^3) \cosh(dx + c) \sinh(dx + c)^6 - 1 \\
& 8(8a^2b + 2ab^2 + 5b^3) \cosh(dx + c)^5 + 18(77(24a^2b + 30ab^2 + 11b^3) \cosh(dx + c)^6 + 7(216a^2b + 126ab^2 - 5b^3) \cosh(dx + c) \\
& )^4 - 8a^2b - 2ab^2 - 5b^3 + 21(8a^2b + 2ab^2 + 5b^3) \cosh(dx + c)^2 \sinh(dx + c)^5 + 18(55(24a^2b + 30ab^2 + 11b^3) \cosh(dx + c) \\
& )^7 + 7(216a^2b + 126ab^2 - 5b^3) \cosh(dx + c)^5 + 35(8a^2b + 2ab^2 + 5b^3) \cosh(dx + c)^3 - 5(8a^2b + 2ab^2 + 5b^3) \cosh(dx + c) \\
& ) \sinh(dx + c)^4 - (216a^2b + 126ab^2 - 5b^3) \cosh(dx + c)^3 + (495(24a^2b + 30ab^2 + 11b^3) \cosh(dx + c)^8 + 84(216a^2b + 126ab^2 \\
& - 5b^3) \cosh(dx + c)^6 + 630(8a^2b + 2ab^2 + 5b^3) \cosh(dx + c)^4 - 216a^2b - 126ab^2 + 5b^3 - 180(8a^2b + 2ab^2 + 5b^3) \cosh(dx \\
& + c)^2) \sinh(dx + c)^3 + 3(55(24a^2b + 30ab^2 + 11b^3) \cosh(dx + c)^9 + 12(216a^2b + 126ab^2 - 5b^3) \cosh(dx + c)^7 + 126(8a^2b + 2 \\
& ab^2 + 5b^3) \cosh(dx + c)^5 - 60(8a^2b + 2ab^2 + 5b^3) \cosh(dx + c)^3 - (216a^2b + 126ab^2 - 5b^3) \cosh(dx + c) \sinh(dx + c)^2 - 3 \\
& ((16a^3 + 24a^2b + 18ab^2 + 5b^3) \cosh(dx + c)^{12} + 12(16a^3 + 24a^2b + 18ab^2 + 5b^3) \cosh(dx + c) \sinh(dx + c)^{11} + (16a^3 + 24a^2 \\
& b + 18ab^2 + 5b^3) \sinh(dx + c)^{12} + 6(16a^3 + 24a^2b + 18ab^2 + 5b^3) \cosh(dx + c)^{10} + 6(16a^3 + 24a^2b + 18ab^2 + 5b^3 + 11(16 \\
& a^3 + 24a^2b + 18ab^2 + 5b^3) \cosh(dx + c)^2) \sinh(dx + c)^{10} + 20(11(16a^3 + 24a^2b + 18ab^2 + 5b^3) \cosh(dx + c)^3 + 3(16a^3 + 24 \\
& a^2b + 18ab^2 + 5b^3) \cosh(dx + c)) \sinh(dx + c)^9 + 15(16a^3 + 24a^2b + 18ab^2 + 5b^3) \cosh(dx + c)^8 + 15(33(16a^3 + 24a^2b + 18 \\
& ab^2 + 5b^3) \cosh(dx + c)^4 + 16a^3 + 24a^2b + 18ab^2 + 5b^3 + 18(16a^3 + 24a^2b + 18ab^2 + 5b^3) \cosh(dx + c)^2) \sinh(dx + c)^8 + \\
& 24(33(16a^3 + 24a^2b + 18ab^2 + 5b^3) \cosh(dx + c)^5 + 30(16a^3 + 24a^2b + 18ab^2 + 5b^3) \cosh(dx + c)^3 + 5(16a^3 + 24a^2b + 18 \\
& ab^2 + 5b^3) \cosh(dx + c)) \sinh(dx + c)^7 + 20(16a^3 + 24a^2b + 18ab^2 + 5b^3) \cosh(dx + c)^6 + 4(231(16a^3 + 24a^2b + 18ab^2 + 5b \\
& ^3) \cosh(dx + c)^6 + 315(16a^3 + 24a^2b + 18ab^2 + 5b^3) \cosh(dx + c)^4 + 80a^3 + 120a^2b + 90ab^2 + 25b^3 + 105(16a^3 + 24a^2b + 1 \\
& 8ab^2 + 5b^3) \cosh(dx + c)^2) \sinh(dx + c)^6 + 24(33(16a^3 + 24a^2b + 18ab^2 + 5b^3) \cosh(dx + c)^7 + 63(16a^3 + 24a^2b + 18ab^2 + \\
& 5b^3) \cosh(dx + c)^5 + 35(16a^3 + 24a^2b + 18ab^2 + 5b^3) \cosh(dx + c)^3 + 5(16a^3 + 24a^2b + 18ab^2 + 5b^3) \cosh(dx + c)) \sinh(dx \\
& + c)^5 + 15(16a^3 + 24a^2b + 18ab^2 + 5b^3) \cosh(dx + c)^4 + 15(33(16a^3 + 24a^2b + 18ab^2 + 5b^3) \cosh(dx + c)^8 + 84(16a^3 + 24 \\
& a^2b + 18ab^2 + 5b^3) \cosh(dx + c)^6 + 70(16a^3 + 24a^2b + 18ab^2 + 5b^3) \cosh(dx + c)^4 + 16a^3 + 24a^2b + 18ab^2 + 5b^3 + 20(16 \\
& a^3 + 24a^2b + 18ab^2 + 5b^3) \cosh(dx + c)^2) \sinh(dx + c)^4 + 20(11(16a^3 + 24a^2b + 18ab^2 + 5b^3) \cosh(dx + c)^9 + 36(16a^3 + 24 \\
& a^2b + 18ab^2 + 5b^3) \cosh(dx + c)^7 + 42(16a^3 + 24a^2b + 18ab^2 + 5b^3) \cosh(dx + c)^5 + 20(16a^3 + 24a^2b + 18ab^2 + 5b^3) \cosh \\
& (dx + c)^3 + 3(16a^3 + 24a^2b + 18ab^2 + 5b^3) \cosh(dx + c)) \sinh(dx + c)
\end{aligned}$$

$$\begin{aligned}
& d*x + c)^3 + 16*a^3 + 24*a^2*b + 18*a*b^2 + 5*b^3 + 6*(16*a^3 + 24*a^2*b + \\
& 18*a*b^2 + 5*b^3)*\cosh(d*x + c)^2 + 6*(11*(16*a^3 + 24*a^2*b + 18*a*b^2 + 5 \\
& *b^3)*\cosh(d*x + c)^{10} + 45*(16*a^3 + 24*a^2*b + 18*a*b^2 + 5*b^3)*\cosh(d*x \\
& + c)^8 + 70*(16*a^3 + 24*a^2*b + 18*a*b^2 + 5*b^3)*\cosh(d*x + c)^6 + 50*(1 \\
& 6*a^3 + 24*a^2*b + 18*a*b^2 + 5*b^3)*\cosh(d*x + c)^4 + 16*a^3 + 24*a^2*b + \\
& 18*a*b^2 + 5*b^3 + 15*(16*a^3 + 24*a^2*b + 18*a*b^2 + 5*b^3)*\cosh(d*x + c)^ \\
& 2)*\sinh(d*x + c)^2 + 12*((16*a^3 + 24*a^2*b + 18*a*b^2 + 5*b^3)*\cosh(d*x + \\
& c)^{11} + 5*(16*a^3 + 24*a^2*b + 18*a*b^2 + 5*b^3)*\cosh(d*x + c)^9 + 10*(16*a \\
& ^3 + 24*a^2*b + 18*a*b^2 + 5*b^3)*\cosh(d*x + c)^7 + 10*(16*a^3 + 24*a^2*b + \\
& 18*a*b^2 + 5*b^3)*\cosh(d*x + c)^5 + 5*(16*a^3 + 24*a^2*b + 18*a*b^2 + 5*b^ \\
& 3)*\cosh(d*x + c)^3 + (16*a^3 + 24*a^2*b + 18*a*b^2 + 5*b^3)*\cosh(d*x + c))* \\
& \sinh(d*x + c))*\arctan(\cosh(d*x + c) + \sinh(d*x + c)) - 3*(24*a^2*b + 30*a*b \\
& ^2 + 11*b^3)*\cosh(d*x + c) + 3*(11*(24*a^2*b + 30*a*b^2 + 11*b^3)*\cosh(d*x \\
& + c)^{10} + 3*(216*a^2*b + 126*a*b^2 - 5*b^3)*\cosh(d*x + c)^8 + 42*(8*a^2*b + \\
& 2*a*b^2 + 5*b^3)*\cosh(d*x + c)^6 - 30*(8*a^2*b + 2*a*b^2 + 5*b^3)*\cosh(d*x \\
& + c)^4 - 24*a^2*b - 30*a*b^2 - 11*b^3 - (216*a^2*b + 126*a*b^2 - 5*b^3)*\co \\
& sh(d*x + c)^2)*\sinh(d*x + c))/(d*\cosh(d*x + c)^{12} + 12*d*\cosh(d*x + c)*\sinh \\
& (d*x + c)^{11} + d*\sinh(d*x + c)^{12} + 6*d*\cosh(d*x + c)^{10} + 6*(11*d*\cosh(d*x \\
& + c)^2 + d)*\sinh(d*x + c)^{10} + 20*(11*d*\cosh(d*x + c)^3 + 3*d*\cosh(d*x + c \\
& ))*\sinh(d*x + c)^9 + 15*d*\cosh(d*x + c)^8 + 15*(33*d*\cosh(d*x + c)^4 + 18*d \\
& *\cosh(d*x + c)^2 + d)*\sinh(d*x + c)^8 + 24*(33*d*\cosh(d*x + c)^5 + 30*d*\cos \\
& h(d*x + c)^3 + 5*d*\cosh(d*x + c))*\sinh(d*x + c)^7 + 20*d*\cosh(d*x + c)^6 + \\
& 4*(231*d*\cosh(d*x + c)^6 + 315*d*\cosh(d*x + c)^4 + 105*d*\cosh(d*x + c)^2 + \\
& 5*d)*\sinh(d*x + c)^6 + 24*(33*d*\cosh(d*x + c)^7 + 63*d*\cosh(d*x + c)^5 + 35 \\
& *d*\cosh(d*x + c)^3 + 5*d*\cosh(d*x + c))*\sinh(d*x + c)^5 + 15*d*\cosh(d*x + c \\
& )^4 + 15*(33*d*\cosh(d*x + c)^8 + 84*d*\cosh(d*x + c)^6 + 70*d*\cosh(d*x + c)^ \\
& 4 + 20*d*\cosh(d*x + c)^2 + d)*\sinh(d*x + c)^4 + 20*(11*d*\cosh(d*x + c)^9 + \\
& 36*d*\cosh(d*x + c)^7 + 42*d*\cosh(d*x + c)^5 + 20*d*\cosh(d*x + c)^3 + 3*d*\co \\
& sh(d*x + c))*\sinh(d*x + c)^3 + 6*d*\cosh(d*x + c)^2 + 6*(11*d*\cosh(d*x + c)^ \\
& 10 + 45*d*\cosh(d*x + c)^8 + 70*d*\cosh(d*x + c)^6 + 50*d*\cosh(d*x + c)^4 + 1 \\
& 5*d*\cosh(d*x + c)^2 + d)*\sinh(d*x + c)^2 + 12*(d*\cosh(d*x + c)^{11} + 5*d*\cos \\
& h(d*x + c)^9 + 10*d*\cosh(d*x + c)^7 + 10*d*\cosh(d*x + c)^5 + 5*d*\cosh(d*x + \\
& c)^3 + d*\cosh(d*x + c))*\sinh(d*x + c) + d)
\end{aligned}$$


---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (a + b \tanh^2(c + dx))^3 \operatorname{sech}(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)\*(a+b\*tanh(d\*x+c)\*\*2)\*\*3,x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*2)\*\*3\*sech(c + d\*x), x)

**Giac [B]** time = 1.58934, size = 433, normalized size = 2.91

$3(16a^3e^c + 24a^2be^c + 18ab^2e^c + 5b^3e^c) \arctan(e^{(dx+c)})e^{-c} - \frac{72a^2be^{(11dx+11c)} + 90ab^2e^{(11dx+11c)} + 33b^3e^{(11dx+11c)} + 216a^2be^{(9dx+9c)} + 144a^2b^2e^{(9dx+9c)} + 126a^2b^2e^{(9dx+9c)} + 90ab^3e^{(9dx+9c)} + 33b^3e^{(9dx+9c)}}{(e^{(2dx+2c)} + 1)^6} / d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out]  $\frac{1}{24} * (3 * (16 * a^3 * e^c + 24 * a^2 * b * e^c + 18 * a * b^2 * e^c + 5 * b^3 * e^c) * \arctan(e^{(d * x + c)}) * e^{-c} - (72 * a^2 * b * e^{(11 * d * x + 11 * c)} + 90 * a * b^2 * e^{(11 * d * x + 11 * c)} + 33 * b^3 * e^{(11 * d * x + 11 * c)} + 216 * a^2 * b * e^{(9 * d * x + 9 * c)} + 126 * a * b^2 * e^{(9 * d * x + 9 * c)} - 5 * b^3 * e^{(9 * d * x + 9 * c)} + 144 * a^2 * b * e^{(7 * d * x + 7 * c)} + 36 * a * b^2 * e^{(7 * d * x + 7 * c)} + 90 * b^3 * e^{(7 * d * x + 7 * c)} - 144 * a^2 * b * e^{(5 * d * x + 5 * c)} - 36 * a * b^2 * e^{(5 * d * x + 5 * c)} - 90 * b^3 * e^{(5 * d * x + 5 * c)} - 216 * a^2 * b * e^{(3 * d * x + 3 * c)} - 126 * a * b^2 * e^{(3 * d * x + 3 * c)} + 5 * b^3 * e^{(3 * d * x + 3 * c)} - 72 * a^2 * b * e^{(d * x + c)} - 90 * a * b^2 * e^{(d * x + c)} - 33 * b^3 * e^{(d * x + c)}) / (e^{(2 * d * x + 2 * c)} + 1)^6) / d$



### 3.102 $\int \operatorname{sech}^2(c + dx) (a + b \tanh^2(c + dx))^3 dx$

**Optimal.** Leaf size=67

$$\frac{a^2 b \tanh^3(c + dx)}{d} + \frac{a^3 \tanh(c + dx)}{d} + \frac{3ab^2 \tanh^5(c + dx)}{5d} + \frac{b^3 \tanh^7(c + dx)}{7d}$$

[Out]  $(a^3 \operatorname{Tanh}[c + d*x])/d + (a^2*b*\operatorname{Tanh}[c + d*x]^3)/d + (3*a*b^2*\operatorname{Tanh}[c + d*x]^5)/(5*d) + (b^3*\operatorname{Tanh}[c + d*x]^7)/(7*d)$

**Rubi [A]** time = 0.0613605, antiderivative size = 67, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {3675, 194}

$$\frac{a^2 b \tanh^3(c + dx)}{d} + \frac{a^3 \tanh(c + dx)}{d} + \frac{3ab^2 \tanh^5(c + dx)}{5d} + \frac{b^3 \tanh^7(c + dx)}{7d}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[\operatorname{Sech}[c + d*x]^2*(a + b*\operatorname{Tanh}[c + d*x]^2)^3, x]$

[Out]  $(a^3*\operatorname{Tanh}[c + d*x])/d + (a^2*b*\operatorname{Tanh}[c + d*x]^3)/d + (3*a*b^2*\operatorname{Tanh}[c + d*x]^5)/(5*d) + (b^3*\operatorname{Tanh}[c + d*x]^7)/(7*d)$

#### Rule 3675

```
Int[sec[(e_.) + (f_.)*(x_.)]^(m_.)*((a_.) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_.)]))^(n_.)]^(p_.), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[ff/(c^(m - 1)*f), Subst[Int[(c^2 + ff^2*x^2)^(m/2 - 1)*(a + b*(ff*x)^n)^p, x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2] && (IntegerQ[n, p] || IGtQ[m, 0] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])
```

#### Rule 194

```
Int[((a_.) + (b_.)*(x_.)^(n_.))^(p_.), x_Symbol] :> Int[ExpandIntegrand[(a + b*x^n)^p, x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && IGtQ[p, 0]
```

#### Rubi steps

$$\begin{aligned} \int \operatorname{sech}^2(c+dx) (a+b \tanh^2(c+dx))^3 dx &= \frac{\operatorname{Subst}\left(\int (a+bx^2)^3 dx, x, \tanh(c+dx)\right)}{d} \\ &= \frac{\operatorname{Subst}\left(\int (a^3+3a^2bx^2+3ab^2x^4+b^3x^6) dx, x, \tanh(c+dx)\right)}{d} \\ &= \frac{a^3 \tanh(c+dx)}{d} + \frac{a^2b \tanh^3(c+dx)}{d} + \frac{3ab^2 \tanh^5(c+dx)}{5d} + \frac{b^3 \tanh^7(c+dx)}{7d} \end{aligned}$$

**Mathematica [A]** time = 0.167314, size = 67, normalized size = 1.

$$\frac{a^2b \tanh^3(c+dx)}{d} + \frac{a^3 \tanh(c+dx)}{d} + \frac{3ab^2 \tanh^5(c+dx)}{5d} + \frac{b^3 \tanh^7(c+dx)}{7d}$$

Antiderivative was successfully verified.

[In] Integrate[Sech[c + d\*x]^2\*(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] (a^3\*Tanh[c + d\*x])/d + (a^2\*b\*Tanh[c + d\*x]^3)/d + (3\*a\*b^2\*Tanh[c + d\*x]^5)/(5\*d) + (b^3\*Tanh[c + d\*x]^7)/(7\*d)

**Maple [B]** time = 0.065, size = 227, normalized size = 3.4

$$\frac{1}{d} \left( a^3 \tanh(dx+c) + 3a^2b \left( -\frac{1}{2} \frac{\sinh(dx+c)}{\cosh(dx+c)^3} + \frac{1}{2} \left( \frac{2}{3} + \frac{1}{3} (\operatorname{sech}(dx+c))^2 \right) \tanh(dx+c) \right) + 3ab^2 \left( -\frac{1}{2} \frac{\sinh(dx+c)}{\cosh(dx+c)^5} + \frac{1}{2} \left( \frac{2}{3} + \frac{1}{3} (\operatorname{sech}(dx+c))^2 \right) \tanh(dx+c) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sech(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2)^3,x)

[Out] 1/d\*(a^3\*tanh(d\*x+c)+3\*a^2\*b\*(-1/2\*sinh(d\*x+c)/cosh(d\*x+c)^3+1/2\*(2/3+1/3\*sech(d\*x+c)^2)\*tanh(d\*x+c))+3\*a\*b^2\*(-1/2\*sinh(d\*x+c)^3/cosh(d\*x+c)^5-3/8\*sinh(d\*x+c)/cosh(d\*x+c)^5+3/8\*(8/15+1/5\*sech(d\*x+c)^4+4/15\*sech(d\*x+c)^2)\*tanh(d\*x+c))+b^3\*(-1/2\*sinh(d\*x+c)^5/cosh(d\*x+c)^7-5/8\*sinh(d\*x+c)^3/cosh(d\*x+c)^7-5/16\*sinh(d\*x+c)/cosh(d\*x+c)^7+5/16\*(16/35+1/7\*sech(d\*x+c)^6+6/35\*sech(d\*x+c)^4+8/35\*sech(d\*x+c)^2)\*tanh(d\*x+c)))

**Maxima [A]** time = 1.05402, size = 96, normalized size = 1.43

$$\frac{b^3 \tanh(dx+c)^7}{7d} + \frac{3ab^2 \tanh(dx+c)^5}{5d} + \frac{a^2b \tanh(dx+c)^3}{d} + \frac{2a^3}{d(e^{(-2dx-2c)}+1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="maxima")

[Out] 1/7\*b^3\*tanh(d\*x + c)^7/d + 3/5\*a\*b^2\*tanh(d\*x + c)^5/d + a^2\*b\*tanh(d\*x + c)^3/d + 2\*a^3/(d\*(e^(-2\*d\*x - 2\*c) + 1))

**Fricas [B]** time = 1.99027, size = 2034, normalized size = 30.36

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out] -4/35\*((35\*a^3 + 70\*a^2\*b + 63\*a\*b^2 + 20\*b^3)\*cosh(d\*x + c)^6 + 6\*(35\*a^2\*b + 42\*a\*b^2 + 15\*b^3)\*cosh(d\*x + c)\*sinh(d\*x + c)^5 + (35\*a^3 + 70\*a^2\*b + 63\*a\*b^2 + 20\*b^3)\*sinh(d\*x + c)^6 + 14\*(15\*a^3 + 20\*a^2\*b + 9\*a\*b^2)\*cosh(d\*x + c)^4 + (210\*a^3 + 280\*a^2\*b + 126\*a\*b^2 + 15\*(35\*a^3 + 70\*a^2\*b + 63\*a\*b^2 + 20\*b^3)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^4 + 4\*(5\*(35\*a^2\*b + 42\*a\*b^2 + 15\*b^3)\*cosh(d\*x + c)^3 + 28\*(5\*a^2\*b + 3\*a\*b^2)\*cosh(d\*x + c))\*sinh(d\*x + c)^3 + 350\*a^3 + 280\*a^2\*b + 210\*a\*b^2 + 7\*(75\*a^3 + 70\*a^2\*b + 39\*a\*b^2 + 20\*b^3)\*cosh(d\*x + c)^2 + (15\*(35\*a^3 + 70\*a^2\*b + 63\*a\*b^2 + 20\*b^3)\*cosh(d\*x + c)^4 + 525\*a^3 + 490\*a^2\*b + 273\*a\*b^2 + 140\*b^3 + 84\*(15\*a^3 + 20\*a^2\*b + 9\*a\*b^2)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^2 + 2\*(3\*(35\*a^2\*b + 42\*a\*b^2 + 15\*b^3)\*cosh(d\*x + c)^5 + 56\*(5\*a^2\*b + 3\*a\*b^2)\*cosh(d\*x + c)^3 + 7\*(25\*a^2\*b + 6\*a\*b^2 + 5\*b^3)\*cosh(d\*x + c))\*sinh(d\*x + c))/(d\*cosh(d\*x + c)^8 + 8\*d\*cosh(d\*x + c)\*sinh(d\*x + c)^7 + d\*sinh(d\*x + c)^8 + 8\*d\*cosh(d\*x + c)^6 + 4\*(7\*d\*cosh(d\*x + c)^2 + 2\*d)\*sinh(d\*x + c)^6 + 4\*(14\*d\*cosh(d\*x + c)^3 + 9\*d\*cosh(d\*x + c))\*sinh(d\*x + c)^5 + 28\*d\*cosh(d\*x + c)^4 + 2\*(35\*d\*cosh(d\*x + c)^4 + 60\*d\*cosh(d\*x + c)^2 + 14\*d)\*sinh(d\*x + c)^4 + 8\*(7\*d\*cosh(d\*x + c)^5 + 15\*d\*cosh(d\*x + c)^3 + 7\*d\*cosh(d\*x + c))\*sinh(d\*x + c)^3 + 56\*d\*cosh(d\*x + c)^2 + 4\*(7\*d\*cosh(d\*x + c)^6 + 30\*d\*cosh(d\*x + c)^4 + 42\*d\*cosh(d\*x + c)^2 + 14\*d)\*sinh(d\*x + c)^2 + 4\*(2\*d\*cosh(d\*x + c)^7 + 9\*d\*cosh(d\*x + c)^5 + 14\*d\*cosh(d\*x + c)^3 + 7\*d\*cosh(d\*x + c))\*sinh(d\*x + c) + 35\*d)

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (a + b \tanh^2(c + dx))^3 \operatorname{sech}^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)\*\*2\*(a+b\*tanh(d\*x+c)\*\*2)\*\*3,x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*2)\*\*3\*sech(c + d\*x)\*\*2, x)

---

**Giac [B]** time = 1.70473, size = 468, normalized size = 6.99

$$2 \left( 35 a^3 e^{(12 dx+12 c)} + 105 a^2 b e^{(12 dx+12 c)} + 105 a b^2 e^{(12 dx+12 c)} + 35 b^3 e^{(12 dx+12 c)} + 210 a^3 e^{(10 dx+10 c)} + 420 a^2 b e^{(10 dx+10 c)} + \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out] 
$$\frac{-2/35*(35*a^3*e^{(12*d*x + 12*c)} + 105*a^2*b*e^{(12*d*x + 12*c)} + 105*a*b^2*e^{(12*d*x + 12*c)} + 35*b^3*e^{(12*d*x + 12*c)} + 210*a^3*e^{(10*d*x + 10*c)} + 420*a^2*b*e^{(10*d*x + 10*c)} + 210*a*b^2*e^{(10*d*x + 10*c)} + 525*a^3*e^{(8*d*x + 8*c)} + 665*a^2*b*e^{(8*d*x + 8*c)} + 315*a*b^2*e^{(8*d*x + 8*c)} + 175*b^3*e^{(8*d*x + 8*c)} + 700*a^3*e^{(6*d*x + 6*c)} + 560*a^2*b*e^{(6*d*x + 6*c)} + 420*a*b^2*e^{(6*d*x + 6*c)} + 525*a^3*e^{(4*d*x + 4*c)} + 315*a^2*b*e^{(4*d*x + 4*c)} + 231*a*b^2*e^{(4*d*x + 4*c)} + 105*b^3*e^{(4*d*x + 4*c)} + 210*a^3*e^{(2*d*x + 2*c)} + 140*a^2*b*e^{(2*d*x + 2*c)} + 42*a*b^2*e^{(2*d*x + 2*c)} + 35*a^3 + 35*a^2*b + 21*a*b^2 + 5*b^3)/(d*(e^{(2*d*x + 2*c)} + 1)^7)}$$

### 3.103 $\int \operatorname{sech}^3(c + dx) (a + b \tanh^2(c + dx))^3 dx$

**Optimal.** Leaf size=198

$$\frac{(48a^2b + 64a^3 + 24ab^2 + 5b^3) \tan^{-1}(\sinh(c + dx))}{128d} - \frac{b(72a^2 + 52ab + 15b^2) \tanh(c + dx) \operatorname{sech}^3(c + dx)}{192d} + \frac{(48a^2b + 64a^3 + 24ab^2 + 5b^3) \operatorname{sech}^3(c + dx)}{128d}$$

[Out]  $((64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\operatorname{ArcTan}[\operatorname{Sinh}[c + d*x]])/(128*d) + ((64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\operatorname{Sech}[c + d*x]*\operatorname{Tanh}[c + d*x])/(128*d) - (b*(72*a^2 + 52*a*b + 15*b^2)*\operatorname{Sech}[c + d*x]^3*\operatorname{Tanh}[c + d*x])/(192*d) - (b*(12*a + 5*b)*\operatorname{Sech}[c + d*x]^5*(a + (a + b)*\operatorname{Sinh}[c + d*x]^2)*\operatorname{Tanh}[c + d*x])/(48*d) - (b*\operatorname{Sech}[c + d*x]^7*(a + (a + b)*\operatorname{Sinh}[c + d*x]^2)^2*\operatorname{Tanh}[c + d*x])/(8*d)$

**Rubi [A]** time = 0.239466, antiderivative size = 198, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {3676, 413, 526, 385, 199, 203}

$$\frac{(48a^2b + 64a^3 + 24ab^2 + 5b^3) \tan^{-1}(\sinh(c + dx))}{128d} - \frac{b(72a^2 + 52ab + 15b^2) \tanh(c + dx) \operatorname{sech}^3(c + dx)}{192d} + \frac{(48a^2b + 64a^3 + 24ab^2 + 5b^3) \operatorname{sech}^3(c + dx)}{128d}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[\operatorname{Sech}[c + d*x]^3*(a + b*\operatorname{Tanh}[c + d*x]^2)^3, x]$

[Out]  $((64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\operatorname{ArcTan}[\operatorname{Sinh}[c + d*x]])/(128*d) + ((64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\operatorname{Sech}[c + d*x]*\operatorname{Tanh}[c + d*x])/(128*d) - (b*(72*a^2 + 52*a*b + 15*b^2)*\operatorname{Sech}[c + d*x]^3*\operatorname{Tanh}[c + d*x])/(192*d) - (b*(12*a + 5*b)*\operatorname{Sech}[c + d*x]^5*(a + (a + b)*\operatorname{Sinh}[c + d*x]^2)*\operatorname{Tanh}[c + d*x])/(48*d) - (b*\operatorname{Sech}[c + d*x]^7*(a + (a + b)*\operatorname{Sinh}[c + d*x]^2)^2*\operatorname{Tanh}[c + d*x])/(8*d)$

#### Rule 3676

$\operatorname{Int}[\operatorname{sec}[(e_.) + (f_.)*(x_.)]^{(m_.)}*((a_.) + (b_.)*\operatorname{tan}[(e_.) + (f_.)*(x_.)]^{(n_.)})^{(p_.)}, x\_Symbol] \rightarrow \operatorname{With}[\{ff = \operatorname{FreeFactors}[\operatorname{Sin}[e + f*x], x]\}, \operatorname{Dist}[ff/f, \operatorname{Subst}[\operatorname{Int}[\operatorname{ExpandToSum}[b*(ff*x)^n + a*(1 - ff^2*x^2)^{(n/2)}], x]^p/(1 - ff^2*x^2)^{((m + n*p + 1)/2)}, x], x, \operatorname{Sin}[e + f*x]/ff], x] /; \operatorname{FreeQ}[\{a, b, e, f\}, x] \&\& \operatorname{IntegerQ}[(m - 1)/2] \&\& \operatorname{IntegerQ}[n/2] \&\& \operatorname{IntegerQ}[p]$

#### Rule 413

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:= Simp[((a*d - c*b)*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 1))/(a*b*n*(p +
1)), x] - Dist[1/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^(q -
2)*Simp[c*(a*d - c*b*(n*(p + 1) + 1)) + d*(a*d*(n*(q - 1) + 1) - b*c*(n*(p
+ q) + 1))*x^n, x], x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d,
0] && LtQ[p, -1] && GtQ[q, 1] && IntBinomialQ[a, b, c, d, n, p, q, x]
```

### Rule 526

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_)*((e_) + (f
_.)*(x_)^(n_)), x_Symbol] := -Simp[((b*e - a*f)*x*(a + b*x^n)^(p + 1)*(c +
d*x^n)^q)/(a*b*n*(p + 1)), x] + Dist[1/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p
+ 1)*(c + d*x^n)^(q - 1)*Simp[c*(b*e*n*(p + 1) + b*e - a*f) + d*(b*e*n*(p +
1) + (b*e - a*f)*(n*q + 1))*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, f, n},
x] && LtQ[p, -1] && GtQ[q, 0]
```

### Rule 385

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := -S
imp[((b*c - a*d)*x*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] - Dist[(a*d - b
*c*(n*(p + 1) + 1))/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; Fre
eQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n +
p, 0])
```

### Rule 199

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*(a + b*x^n)^(p + 1
))/(a*n*(p + 1)), x] + Dist[(n*(p + 1) + 1)/(a*n*(p + 1)), Int[(a + b*x^n)^(
p + 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && LtQ[p, -1] && (Integer
Q[2*p] || (n == 2 && IntegerQ[4*p]) || (n == 2 && IntegerQ[3*p]) || Denomin
ator[p + 1/n] < Denominator[p])
```

### Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

### Rubi steps

$$\begin{aligned}
\int \operatorname{sech}^3(c+dx) (a+b \tanh^2(c+dx))^3 dx &= \frac{\operatorname{Subst}\left(\int \frac{(a+(a+b)x^2)^3}{(1+x^2)^5} dx, x, \sinh(c+dx)\right)}{d} \\
&= -\frac{b \operatorname{sech}^7(c+dx) (a+(a+b) \sinh^2(c+dx))^2 \tanh(c+dx)}{8d} + \frac{\operatorname{Subst}\left(\int \frac{(a+(a+b)x^2)^3}{(1+x^2)^5} dx, x, \sinh(c+dx)\right)}{d} \\
&= -\frac{b(12a+5b) \operatorname{sech}^5(c+dx) (a+(a+b) \sinh^2(c+dx)) \tanh(c+dx)}{48d} - \frac{b(12a+5b) \operatorname{sech}^7(c+dx)}{48d} \\
&= -\frac{b(72a^2+52ab+15b^2) \operatorname{sech}^3(c+dx) \tanh(c+dx)}{192d} - \frac{b(12a+5b) \operatorname{sech}^7(c+dx)}{48d} \\
&= \frac{(64a^3+48a^2b+24ab^2+5b^3) \operatorname{sech}(c+dx) \tanh(c+dx)}{128d} - \frac{b(72a^2+52ab+15b^2) \operatorname{sech}^3(c+dx) \tanh(c+dx)}{192d} \\
&= \frac{(64a^3+48a^2b+24ab^2+5b^3) \tan^{-1}(\sinh(c+dx))}{128d} + \frac{(64a^3+48a^2b+24ab^2+5b^3) \operatorname{sech}^3(c+dx)}{128d}
\end{aligned}$$

**Mathematica [A]** time = 11.6773, size = 158, normalized size = 0.8

$$\frac{6(48a^2b+64a^3+24ab^2+5b^3) \tan^{-1}\left(\tanh\left(\frac{1}{2}(c+dx)\right)\right) - 2b(144a^2+168ab+59b^2) \tanh(c+dx) \operatorname{sech}^3(c+dx) + 3(64a^3+48a^2b+24ab^2+5b^3) \operatorname{sech}^7(c+dx)}{128d}$$

Antiderivative was successfully verified.

[In] Integrate[Sech[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^2)^3, x]

[Out] (6\*(64\*a^3 + 48\*a^2\*b + 24\*a\*b^2 + 5\*b^3)\*ArcTan[Tanh[(c + d\*x)/2]] + 3\*(64\*a^3 + 48\*a^2\*b + 24\*a\*b^2 + 5\*b^3)\*Sech[c + d\*x]\*Tanh[c + d\*x] - 2\*b\*(144\*a^2 + 168\*a\*b + 59\*b^2)\*Sech[c + d\*x]^3\*Tanh[c + d\*x] + 8\*b^2\*(24\*a + 17\*b)\*Sech[c + d\*x]^5\*Tanh[c + d\*x] - 48\*b^3\*Sech[c + d\*x]^7\*Tanh[c + d\*x])/(384\*d)

**Maple [B]** time = 0.071, size = 421, normalized size = 2.1

$$\frac{a^3 \operatorname{sech}(dx+c) \tanh(dx+c)}{2d} + \frac{a^3 \arctan(e^{dx+c})}{d} - \frac{a^2 b \sinh(dx+c)}{d (\cosh(dx+c))^4} + \frac{a^2 b \tanh(dx+c) (\operatorname{sech}(dx+c))^3}{4d} + \frac{3a^2 b \operatorname{sech}^7(dx+c)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(\text{sech}(d*x+c)^3*(a+b*\tanh(d*x+c)^2)^3,x)$

[Out]  $\frac{1}{2}d^3a^3\text{sech}(d*x+c)\tanh(d*x+c)+\frac{1}{d^3a^3}\arctan(\exp(d*x+c))-\frac{1}{d^2a^2b}\sinh(d*x+c)/\cosh(d*x+c)^4+\frac{1}{4}d^2a^2b*\tanh(d*x+c)*\text{sech}(d*x+c)^3+\frac{3}{8}a^2b*\text{sech}(d*x+c)*\tanh(d*x+c)/d+\frac{3}{4}d^2a^2b*\arctan(\exp(d*x+c))-\frac{1}{d^2a^2b^2}\sinh(d*x+c)^3/\cosh(d*x+c)^6-\frac{3}{5}d^2a^2b^2*\sinh(d*x+c)/\cosh(d*x+c)^6+\frac{1}{10}d^2a^2b^2*\tanh(d*x+c)*\text{sech}(d*x+c)^5+\frac{1}{8}d^2a^2b^2*\tanh(d*x+c)*\text{sech}(d*x+c)^3+\frac{3}{16}d^2a^2b^2*\text{sech}(d*x+c)*\tanh(d*x+c)+\frac{3}{8}d^2a^2b^2*\arctan(\exp(d*x+c))-\frac{1}{3}d^2b^3*\sinh(d*x+c)^5/\cosh(d*x+c)^8-\frac{1}{3}d^2b^3*\sinh(d*x+c)^3/\cosh(d*x+c)^8-\frac{1}{7}d^2b^3*\sinh(d*x+c)/\cosh(d*x+c)^8+\frac{1}{56}d^2b^3*\tanh(d*x+c)*\text{sech}(d*x+c)^7+\frac{1}{48}d^2b^3*\tanh(d*x+c)*\text{sech}(d*x+c)^5+\frac{5}{192}d^2b^3*\text{sech}(d*x+c)^3*\tanh(d*x+c)/d+\frac{5}{128}d^2b^3*\text{sech}(d*x+c)*\tanh(d*x+c)/d+\frac{5}{64}d^2b^3*\arctan(\exp(d*x+c))$

**Maxima [B]** time = 1.66783, size = 747, normalized size = 3.77

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\text{sech}(d*x+c)^3*(a+b*\tanh(d*x+c)^2)^3,x, \text{algorithm}="maxima")$

[Out]  $-\frac{1}{192}d^3b^3*(15*\arctan(e^{-(d*x+c)})/d - (15*e^{-(d*x+c)} - 397*e^{-(3*d*x-3*c)} + 895*e^{-(5*d*x-5*c)} - 1765*e^{-(7*d*x-7*c)} + 1765*e^{-(9*d*x-9*c)} - 895*e^{-(11*d*x-11*c)} + 397*e^{-(13*d*x-13*c)} - 15*e^{-(15*d*x-15*c)})/(d*(8*e^{-(2*d*x-2*c)} + 28*e^{-(4*d*x-4*c)} + 56*e^{-(6*d*x-6*c)} + 70*e^{-(8*d*x-8*c)} + 56*e^{-(10*d*x-10*c)} + 28*e^{-(12*d*x-12*c)} + 8*e^{-(14*d*x-14*c)} + e^{-(16*d*x-16*c)} + 1))) - \frac{1}{8}a^2b^2*(3*\arctan(e^{-(d*x+c)})/d - (3*e^{-(d*x+c)} - 47*e^{-(3*d*x-3*c)} + 78*e^{-(5*d*x-5*c)} - 78*e^{-(7*d*x-7*c)} + 47*e^{-(9*d*x-9*c)} - 3*e^{-(11*d*x-11*c)})/(d*(6*e^{-(2*d*x-2*c)} + 15*e^{-(4*d*x-4*c)} + 20*e^{-(6*d*x-6*c)} + 15*e^{-(8*d*x-8*c)} + 6*e^{-(10*d*x-10*c)} + e^{-(12*d*x-12*c)} + 1))) - \frac{3}{4}a^2b*(\arctan(e^{-(d*x+c)})/d - (e^{-(d*x+c)} - 7*e^{-(3*d*x-3*c)} + 7*e^{-(5*d*x-5*c)} - e^{-(7*d*x-7*c)})/(d*(4*e^{-(2*d*x-2*c)} + 6*e^{-(4*d*x-4*c)} + 4*e^{-(6*d*x-6*c)} + e^{-(8*d*x-8*c)} + 1))) - a^3*(\arctan(e^{-(d*x+c)})/d - (e^{-(d*x+c)} - e^{-(3*d*x-3*c)})/(d*(2*e^{-(2*d*x-2*c)} + e^{-(4*d*x-4*c)} + 1)))$

**Fricas [B]** time = 2.56761, size = 16058, normalized size = 81.1

result too large to display



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out] 
$$\begin{aligned} & 1/192*(3*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^{15} + 45*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)*\sinh(d*x + c)^{14} + 3*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\sinh(d*x + c)^{15} + (960*a^3 - 432*a^2*b - 984*a*b^2 - 397*b^3)*\cosh(d*x + c)^{13} + (960*a^3 - 432*a^2*b - 984*a*b^2 - 397*b^3 + 315*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^{13} + 13*(105*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^3 + (960*a^3 - 432*a^2*b - 984*a*b^2 - 397*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^{12} + (1728*a^3 - 2160*a^2*b - 312*a*b^2 + 895*b^3)*\cosh(d*x + c)^{11} + (4095*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^4 + 1728*a^3 - 2160*a^2*b - 312*a*b^2 + 895*b^3 + 78*(960*a^3 - 432*a^2*b - 984*a*b^2 - 397*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^{11} + 11*(819*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^5 + 26*(960*a^3 - 432*a^2*b - 984*a*b^2 - 397*b^3)*\cosh(d*x + c)^3 + (1728*a^3 - 2160*a^2*b - 312*a*b^2 + 895*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^{10} + (960*a^3 - 1584*a^2*b + 744*a*b^2 - 1765*b^3)*\cosh(d*x + c)^9 + (15015*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^6 + 715*(960*a^3 - 432*a^2*b - 984*a*b^2 - 397*b^3)*\cosh(d*x + c)^4 + 960*a^3 - 1584*a^2*b + 744*a*b^2 - 1765*b^3 + 55*(1728*a^3 - 2160*a^2*b - 312*a*b^2 + 895*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^9 + 3*(6435*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^7 + 429*(960*a^3 - 432*a^2*b - 984*a*b^2 - 397*b^3)*\cosh(d*x + c)^5 + 55*(1728*a^3 - 2160*a^2*b - 312*a*b^2 + 895*b^3)*\cosh(d*x + c)^3 + 3*(960*a^3 - 1584*a^2*b + 744*a*b^2 - 1765*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^8 - (960*a^3 - 1584*a^2*b + 744*a*b^2 - 1765*b^3)*\cosh(d*x + c)^7 + (19305*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^8 + 1716*(960*a^3 - 432*a^2*b - 984*a*b^2 - 397*b^3)*\cosh(d*x + c)^6 + 330*(1728*a^3 - 2160*a^2*b - 312*a*b^2 + 895*b^3)*\cosh(d*x + c)^4 - 960*a^3 + 1584*a^2*b - 744*a*b^2 + 1765*b^3 + 36*(960*a^3 - 1584*a^2*b + 744*a*b^2 - 1765*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^7 + (15015*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^9 + 1716*(960*a^3 - 432*a^2*b - 984*a*b^2 - 397*b^3)*\cosh(d*x + c)^7 + 462*(1728*a^3 - 2160*a^2*b - 312*a*b^2 + 895*b^3)*\cosh(d*x + c)^5 + 84*(960*a^3 - 1584*a^2*b + 744*a*b^2 - 1765*b^3)*\cosh(d*x + c)^3 - 7*(960*a^3 - 1584*a^2*b + 744*a*b^2 - 1765*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^6 - (1728*a^3 - 2160*a^2*b - 312*a*b^2 + 895*b^3)*\cosh(d*x + c)^5 + (9009*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^10 + 1287*(960*a^3 - 432*a^2*b - 984*a*b^2 - 397*b^3)*\cosh(d*x + c)^8 + 462*(1728*a^3 - 2160*a^2*b - 312*a*b^2 + 895*b^3)*\cosh(d*x + c)^6 + 126*(960*a^3 - 1584*a^2*b + 744*a*b^2 - 1765*b^3)*\cosh(d*x + c)^4 - 1728*a^3 + 2160*a^2*b + 312*a*b^2 - 895*b^3 - 21*(960*a^3 - 1584*a^2*b + 744*a*b^2 - 1765*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^5 + (4095*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^11 + 715*(960*a^3 - 432*a^2*b - 984*a*b^2 - 397*b^3)*\cosh(d*x + c)^9 + 330*(1728*a^3 - 2160*a^2*b - 312*a*b^2 + 895*b^3)*\cosh(d*x + c)^7 + \end{aligned}$$

$$\begin{aligned}
& 126*(960*a^3 - 1584*a^2*b + 744*a*b^2 - 1765*b^3)*\cosh(d*x + c)^5 - 35*(960*a^3 - 1584*a^2*b + 744*a*b^2 - 1765*b^3)*\cosh(d*x + c)^3 - 5*(1728*a^3 - 2160*a^2*b - 312*a*b^2 + 895*b^3)*\cosh(d*x + c)*\sinh(d*x + c)^4 - (960*a^3 - 432*a^2*b - 984*a*b^2 - 397*b^3)*\cosh(d*x + c)^3 + (1365*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^12 + 286*(960*a^3 - 432*a^2*b - 984*a*b^2 - 397*b^3)*\cosh(d*x + c)^10 + 165*(1728*a^3 - 2160*a^2*b - 312*a*b^2 + 895*b^3)*\cosh(d*x + c)^8 + 84*(960*a^3 - 1584*a^2*b + 744*a*b^2 - 1765*b^3)*\cosh(d*x + c)^6 - 35*(960*a^3 - 1584*a^2*b + 744*a*b^2 - 1765*b^3)*\cosh(d*x + c)^4 - 960*a^3 + 432*a^2*b + 984*a*b^2 + 397*b^3 - 10*(1728*a^3 - 2160*a^2*b - 312*a*b^2 + 895*b^3)*\cosh(d*x + c)^2*\sinh(d*x + c)^3 + (315*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^13 + 78*(960*a^3 - 432*a^2*b - 984*a*b^2 - 397*b^3)*\cosh(d*x + c)^11 + 55*(1728*a^3 - 2160*a^2*b - 312*a*b^2 + 895*b^3)*\cosh(d*x + c)^9 + 36*(960*a^3 - 1584*a^2*b + 744*a*b^2 - 1765*b^3)*\cosh(d*x + c)^7 - 21*(960*a^3 - 1584*a^2*b + 744*a*b^2 - 1765*b^3)*\cosh(d*x + c)^5 - 10*(1728*a^3 - 2160*a^2*b - 312*a*b^2 + 895*b^3)*\cosh(d*x + c)^3 - 3*(960*a^3 - 432*a^2*b - 984*a*b^2 - 397*b^3)*\cosh(d*x + c)*\sinh(d*x + c)^2 + 3*((64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^16 + 16*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)*\sinh(d*x + c)^15 + (64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\sinh(d*x + c)^16 + 8*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^14 + 8*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3 + 15*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^14 + 112*(5*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^3 + (64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^13 + 28*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^12 + 28*(65*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^4 + 64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3 + 26*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^12 + 112*(39*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^5 + 26*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^3 + 3*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^11 + 56*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^10 + 56*(143*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^6 + 143*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^4 + 64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3 + 33*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^10 + 16*(715*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^7 + 1001*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^5 + 385*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^3 + 35*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^9 + 70*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^8 + 2*(6435*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^8 + 12012*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^6 + 6930*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^4 + 2240*a^3 + 1680*a^2*b + 840*a*b^2 + 175*b^3 + 1260*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^8 + 16*(715*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^9 + 1716*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^7 + 1386*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^5 + 420*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^3 + 35*(64*a^3 + 4
\end{aligned}$$

$$\begin{aligned}
& 8a^2b + 24ab^2 + 5b^3) \cosh(dx + c)) \sinh(dx + c)^7 + 56(64a^3 + 48a^2b + 24ab^2 + 5b^3) \cosh(dx + c)^6 + 56(143(64a^3 + 48a^2b + 24ab^2 + 5b^3) \cosh(dx + c)^10 + 429(64a^3 + 48a^2b + 24ab^2 + 5b^3) \cosh(dx + c)^8 + 462(64a^3 + 48a^2b + 24ab^2 + 5b^3) \cosh(dx + c)^6 + 210(64a^3 + 48a^2b + 24ab^2 + 5b^3) \cosh(dx + c)^4 + 64a^3 + 48a^2b + 24ab^2 + 5b^3 + 35(64a^3 + 48a^2b + 24ab^2 + 5b^3) \cosh(dx + c)^2) \sinh(dx + c)^6 + 112(39(64a^3 + 48a^2b + 24ab^2 + 5b^3) \cosh(dx + c)^11 + 143(64a^3 + 48a^2b + 24ab^2 + 5b^3) \cosh(dx + c)^9 + 198(64a^3 + 48a^2b + 24ab^2 + 5b^3) \cosh(dx + c)^7 + 126(64a^3 + 48a^2b + 24ab^2 + 5b^3) \cosh(dx + c)^5 + 35(64a^3 + 48a^2b + 24ab^2 + 5b^3) \cosh(dx + c)^3 + 3(64a^3 + 48a^2b + 24ab^2 + 5b^3) \cosh(dx + c)) \sinh(dx + c)^5 + 28(64a^3 + 48a^2b + 24ab^2 + 5b^3) \cosh(dx + c)^4 + 28(65(64a^3 + 48a^2b + 24ab^2 + 5b^3) \cosh(dx + c)^12 + 286(64a^3 + 48a^2b + 24ab^2 + 5b^3) \cosh(dx + c)^10 + 495(64a^3 + 48a^2b + 24ab^2 + 5b^3) \cosh(dx + c)^8 + 420(64a^3 + 48a^2b + 24ab^2 + 5b^3) \cosh(dx + c)^6 + 175(64a^3 + 48a^2b + 24ab^2 + 5b^3) \cosh(dx + c)^4 + 64a^3 + 48a^2b + 24ab^2 + 5b^3 + 30(64a^3 + 48a^2b + 24ab^2 + 5b^3) \cosh(dx + c)^2) \sinh(dx + c)^4 + 112(5(64a^3 + 48a^2b + 24ab^2 + 5b^3) \cosh(dx + c)^13 + 26(64a^3 + 48a^2b + 24ab^2 + 5b^3) \cosh(dx + c)^11 + 55(64a^3 + 48a^2b + 24ab^2 + 5b^3) \cosh(dx + c)^9 + 60(64a^3 + 48a^2b + 24ab^2 + 5b^3) \cosh(dx + c)^7 + 35(64a^3 + 48a^2b + 24ab^2 + 5b^3) \cosh(dx + c)^5 + 10(64a^3 + 48a^2b + 24ab^2 + 5b^3) \cosh(dx + c)^3 + (64a^3 + 48a^2b + 24ab^2 + 5b^3) \cosh(dx + c)) \sinh(dx + c)^3 + 64a^3 + 48a^2b + 24ab^2 + 5b^3 + 8(64a^3 + 48a^2b + 24ab^2 + 5b^3) \cosh(dx + c)^2 + 8(15(64a^3 + 48a^2b + 24ab^2 + 5b^3) \cosh(dx + c)^14 + 91(64a^3 + 48a^2b + 24ab^2 + 5b^3) \cosh(dx + c)^12 + 231(64a^3 + 48a^2b + 24ab^2 + 5b^3) \cosh(dx + c)^10 + 315(64a^3 + 48a^2b + 24ab^2 + 5b^3) \cosh(dx + c)^8 + 245(64a^3 + 48a^2b + 24ab^2 + 5b^3) \cosh(dx + c)^6 + 105(64a^3 + 48a^2b + 24ab^2 + 5b^3) \cosh(dx + c)^4 + 64a^3 + 48a^2b + 24ab^2 + 5b^3 + 21(64a^3 + 48a^2b + 24ab^2 + 5b^3) \cosh(dx + c)^2) \sinh(dx + c)^2 + 16((64a^3 + 48a^2b + 24ab^2 + 5b^3) \cosh(dx + c)^15 + 7(64a^3 + 48a^2b + 24ab^2 + 5b^3) \cosh(dx + c)^13 + 21(64a^3 + 48a^2b + 24ab^2 + 5b^3) \cosh(dx + c)^11 + 35(64a^3 + 48a^2b + 24ab^2 + 5b^3) \cosh(dx + c)^9 + 35(64a^3 + 48a^2b + 24ab^2 + 5b^3) \cosh(dx + c)^7 + 21(64a^3 + 48a^2b + 24ab^2 + 5b^3) \cosh(dx + c)^5 + 7(64a^3 + 48a^2b + 24ab^2 + 5b^3) \cosh(dx + c)^3 + (64a^3 + 48a^2b + 24ab^2 + 5b^3) \cosh(dx + c)) \sinh(dx + c)) \arctan(\cosh(dx + c) + \sinh(dx + c)) - 3(64a^3 + 48a^2b + 24ab^2 + 5b^3) \cosh(dx + c) + (45(64a^3 + 48a^2b + 24ab^2 + 5b^3) \cosh(dx + c)^14 + 13(960a^3 - 432a^2b - 984ab^2 - 397b^3) \cosh(dx + c)^12 + 11(1728a^3 - 2160a^2b - 312ab^2 + 895b^3) \cosh(dx + c)^10 + 9(960a^3 - 1584a^2b + 744ab^2 - 1765b^3) \cosh(dx + c)^8 - 7(960a^3 - 1584a^2b + 744ab^2 - 1765b^3) \cosh(dx + c)^6 - 5(1728a^3 - 2160a^2b - 312ab^2 + 895b^3) \cosh(dx + c)^4 - 192a^3 - 144a^2b - 312ab^2 + 895b^3) \cosh(dx + c)^2 + 64a^3 + 48a^2b + 24ab^2 + 5b^3) \sinh(dx + c)
\end{aligned}$$

```

2*b - 72*a*b^2 - 15*b^3 - 3*(960*a^3 - 432*a^2*b - 984*a*b^2 - 397*b^3)*cos
h(d*x + c)^2*sinh(d*x + c))/(d*cosh(d*x + c)^16 + 16*d*cosh(d*x + c)*sinh(
d*x + c)^15 + d*sinh(d*x + c)^16 + 8*d*cosh(d*x + c)^14 + 8*(15*d*cosh(d*x
+ c)^2 + d)*sinh(d*x + c)^14 + 112*(5*d*cosh(d*x + c)^3 + d*cosh(d*x + c))*
sinh(d*x + c)^13 + 28*d*cosh(d*x + c)^12 + 28*(65*d*cosh(d*x + c)^4 + 26*d*
cosh(d*x + c)^2 + d)*sinh(d*x + c)^12 + 112*(39*d*cosh(d*x + c)^5 + 26*d*co
sh(d*x + c)^3 + 3*d*cosh(d*x + c))*sinh(d*x + c)^11 + 56*d*cosh(d*x + c)^10
+ 56*(143*d*cosh(d*x + c)^6 + 143*d*cosh(d*x + c)^4 + 33*d*cosh(d*x + c)^2
+ d)*sinh(d*x + c)^10 + 16*(715*d*cosh(d*x + c)^7 + 1001*d*cosh(d*x + c)^5
+ 385*d*cosh(d*x + c)^3 + 35*d*cosh(d*x + c))*sinh(d*x + c)^9 + 70*d*cosh(
d*x + c)^8 + 2*(6435*d*cosh(d*x + c)^8 + 12012*d*cosh(d*x + c)^6 + 6930*d*c
osh(d*x + c)^4 + 1260*d*cosh(d*x + c)^2 + 35*d)*sinh(d*x + c)^8 + 16*(715*d
*cosh(d*x + c)^9 + 1716*d*cosh(d*x + c)^7 + 1386*d*cosh(d*x + c)^5 + 420*d*
cosh(d*x + c)^3 + 35*d*cosh(d*x + c))*sinh(d*x + c)^7 + 56*d*cosh(d*x + c)^
6 + 56*(143*d*cosh(d*x + c)^10 + 429*d*cosh(d*x + c)^8 + 462*d*cosh(d*x + c
)^6 + 210*d*cosh(d*x + c)^4 + 35*d*cosh(d*x + c)^2 + d)*sinh(d*x + c)^6 + 1
12*(39*d*cosh(d*x + c)^11 + 143*d*cosh(d*x + c)^9 + 198*d*cosh(d*x + c)^7 +
126*d*cosh(d*x + c)^5 + 35*d*cosh(d*x + c)^3 + 3*d*cosh(d*x + c))*sinh(d*x
+ c)^5 + 28*d*cosh(d*x + c)^4 + 28*(65*d*cosh(d*x + c)^12 + 286*d*cosh(d*x
+ c)^10 + 495*d*cosh(d*x + c)^8 + 420*d*cosh(d*x + c)^6 + 175*d*cosh(d*x +
c)^4 + 30*d*cosh(d*x + c)^2 + d)*sinh(d*x + c)^4 + 112*(5*d*cosh(d*x + c)^
13 + 26*d*cosh(d*x + c)^11 + 55*d*cosh(d*x + c)^9 + 60*d*cosh(d*x + c)^7 +
35*d*cosh(d*x + c)^5 + 10*d*cosh(d*x + c)^3 + d*cosh(d*x + c))*sinh(d*x + c
)^3 + 8*d*cosh(d*x + c)^2 + 8*(15*d*cosh(d*x + c)^14 + 91*d*cosh(d*x + c)^1
2 + 231*d*cosh(d*x + c)^10 + 315*d*cosh(d*x + c)^8 + 245*d*cosh(d*x + c)^6
+ 105*d*cosh(d*x + c)^4 + 21*d*cosh(d*x + c)^2 + d)*sinh(d*x + c)^2 + 16*(d
*cosh(d*x + c)^15 + 7*d*cosh(d*x + c)^13 + 21*d*cosh(d*x + c)^11 + 35*d*cos
h(d*x + c)^9 + 35*d*cosh(d*x + c)^7 + 21*d*cosh(d*x + c)^5 + 7*d*cosh(d*x +
c)^3 + d*cosh(d*x + c))*sinh(d*x + c) + d)

```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (a + b \tanh^2(c + dx))^3 \operatorname{sech}^3(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)\*\*3\*(a+b\*tanh(d\*x+c)\*\*2)\*\*3,x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*2)\*\*3\*sech(c + d\*x)\*\*3, x)

**Giac [B]** time = 1.70428, size = 698, normalized size = 3.53

$$3(64a^3e^c + 48a^2be^c + 24ab^2e^c + 5b^3e^c) \arctan(e^{(dx+c)})e^{(-c)} + \frac{192a^3e^{(15dx+15c)} + 144a^2be^{(15dx+15c)} + 72ab^2e^{(15dx+15c)} + 15b^3e^{(15dx+15c)}}{e^{(2dx+2c)} + 1}$$


---

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out] 1/192\*(3\*(64\*a^3\*e^c + 48\*a^2\*b\*e^c + 24\*a\*b^2\*e^c + 5\*b^3\*e^c)\*arctan(e^(d\*x + c))\*e^(-c) + (192\*a^3\*e^(15\*d\*x + 15\*c) + 144\*a^2\*b\*e^(15\*d\*x + 15\*c) + 72\*a\*b^2\*e^(15\*d\*x + 15\*c) + 15\*b^3\*e^(15\*d\*x + 15\*c) + 960\*a^3\*e^(13\*d\*x + 13\*c) - 432\*a^2\*b\*e^(13\*d\*x + 13\*c) - 984\*a\*b^2\*e^(13\*d\*x + 13\*c) - 397\*b^3\*e^(13\*d\*x + 13\*c) + 1728\*a^3\*e^(11\*d\*x + 11\*c) - 2160\*a^2\*b\*e^(11\*d\*x + 11\*c) - 312\*a\*b^2\*e^(11\*d\*x + 11\*c) + 895\*b^3\*e^(11\*d\*x + 11\*c) + 960\*a^3\*e^(9\*d\*x + 9\*c) - 1584\*a^2\*b\*e^(9\*d\*x + 9\*c) + 744\*a\*b^2\*e^(9\*d\*x + 9\*c) - 1765\*b^3\*e^(9\*d\*x + 9\*c) - 960\*a^3\*e^(7\*d\*x + 7\*c) + 1584\*a^2\*b\*e^(7\*d\*x + 7\*c) - 744\*a\*b^2\*e^(7\*d\*x + 7\*c) + 1765\*b^3\*e^(7\*d\*x + 7\*c) - 1728\*a^3\*e^(5\*d\*x + 5\*c) + 2160\*a^2\*b\*e^(5\*d\*x + 5\*c) + 312\*a\*b^2\*e^(5\*d\*x + 5\*c) - 895\*b^3\*e^(5\*d\*x + 5\*c) - 960\*a^3\*e^(3\*d\*x + 3\*c) + 432\*a^2\*b\*e^(3\*d\*x + 3\*c) + 984\*a\*b^2\*e^(3\*d\*x + 3\*c) + 397\*b^3\*e^(3\*d\*x + 3\*c) - 192\*a^3\*e^(d\*x + c) - 144\*a^2\*b\*e^(d\*x + c) - 72\*a\*b^2\*e^(d\*x + c) - 15\*b^3\*e^(d\*x + c))/(e^(2\*d\*x + 2\*c) + 1)^8/d

### 3.104 $\int \operatorname{sech}^4(c + dx) (a + b \tanh^2(c + dx))^3 dx$

**Optimal.** Leaf size=102

$$-\frac{a^2(a-3b)\tanh^3(c+dx)}{3d} + \frac{a^3\tanh(c+dx)}{d} - \frac{b^2(3a-b)\tanh^7(c+dx)}{7d} - \frac{3ab(a-b)\tanh^5(c+dx)}{5d} - \frac{b^3\tanh^9(c+dx)}{9d}$$

[Out] (a^3\*Tanh[c + d\*x])/d - (a^2\*(a - 3\*b)\*Tanh[c + d\*x]^3)/(3\*d) - (3\*a\*(a - b)\*b\*Tanh[c + d\*x]^5)/(5\*d) - ((3\*a - b)\*b^2\*Tanh[c + d\*x]^7)/(7\*d) - (b^3\*Tanh[c + d\*x]^9)/(9\*d)

**Rubi [A]** time = 0.0889386, antiderivative size = 102, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {3675, 373}

$$-\frac{a^2(a-3b)\tanh^3(c+dx)}{3d} + \frac{a^3\tanh(c+dx)}{d} - \frac{b^2(3a-b)\tanh^7(c+dx)}{7d} - \frac{3ab(a-b)\tanh^5(c+dx)}{5d} - \frac{b^3\tanh^9(c+dx)}{9d}$$

Antiderivative was successfully verified.

[In] Int[Sech[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] (a^3\*Tanh[c + d\*x])/d - (a^2\*(a - 3\*b)\*Tanh[c + d\*x]^3)/(3\*d) - (3\*a\*(a - b)\*b\*Tanh[c + d\*x]^5)/(5\*d) - ((3\*a - b)\*b^2\*Tanh[c + d\*x]^7)/(7\*d) - (b^3\*Tanh[c + d\*x]^9)/(9\*d)

#### Rule 3675

```
Int[sec[(e_.) + (f_.)*(x_)]^(m_)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)]))^(n_)]^(p_.), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[ff/(c^(m - 1)*f), Subst[Int[(c^2 + ff^2*x^2)^(m/2 - 1)*(a + b*(ff*x)^n)^p, x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2] && (IntegersQ[n, p] || IGtQ[m, 0] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])
```

#### Rule 373

```
Int[((a_) + (b_.)*(x_)^(n_)]^(p_.)*((c_) + (d_.)*(x_)^(n_)]^(q_.), x_Symbol] :> Int[ExpandIntegrand[(a + b*x^n)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[p, 0] && IGtQ[q, 0]
```

Rubi steps

$$\begin{aligned} \int \operatorname{sech}^4(c+dx) (a+b \tanh^2(c+dx))^3 dx &= \frac{\operatorname{Subst}\left(\int (1-x^2)(a+bx^2)^3 dx, x, \tanh(c+dx)\right)}{d} \\ &= \frac{\operatorname{Subst}\left(\int (a^3 - a^2(a-3b)x^2 - 3a(a-b)bx^4 - (3a-b)b^2x^6 - b^3x^8) dx, x, \right)}{d} \\ &= \frac{a^3 \tanh(c+dx)}{d} - \frac{a^2(a-3b) \tanh^3(c+dx)}{3d} - \frac{3a(a-b)b \tanh^5(c+dx)}{5d} \end{aligned}$$

**Mathematica [B]** time = 0.825721, size = 218, normalized size = 2.14

$$\frac{\tanh(c+dx) \operatorname{sech}^8(c+dx) (10(-63a^2b + 903a^3 - 27ab^2 + 107b^3) \cosh(2(c+dx)) + 8(126a^2b + 525a^3 - 81ab^2 - 50b^3))}{20160d}$$

Antiderivative was successfully verified.

[In] Integrate[Sech[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^2)^3, x]

[Out] ((5775\*a^3 - 1071\*a^2\*b + 621\*a\*b^2 - 725\*b^3 + 10\*(903\*a^3 - 63\*a^2\*b - 27\*a\*b^2 + 107\*b^3)\*Cosh[2\*(c + d\*x)] + 8\*(525\*a^3 + 126\*a^2\*b - 81\*a\*b^2 - 50\*b^3)\*Cosh[4\*(c + d\*x)] + 1050\*a^3\*Cosh[6\*(c + d\*x)] + 630\*a^2\*b\*Cosh[6\*(c + d\*x)] + 270\*a\*b^2\*Cosh[6\*(c + d\*x)] + 50\*b^3\*Cosh[6\*(c + d\*x)] + 105\*a^3\*Cosh[8\*(c + d\*x)] + 63\*a^2\*b\*Cosh[8\*(c + d\*x)] + 27\*a\*b^2\*Cosh[8\*(c + d\*x)] + 5\*b^3\*Cosh[8\*(c + d\*x)])\*Sech[c + d\*x]^8\*Tanh[c + d\*x])/(20160\*d)

**Maple [B]** time = 0.124, size = 269, normalized size = 2.6

$$\frac{1}{d} \left( a^3 \left( \frac{2}{3} + \frac{(\operatorname{sech}(dx+c))^2}{3} \right) \tanh(dx+c) + 3a^2b \left( -\frac{1}{4} \frac{\sinh(dx+c)}{(\cosh(dx+c))^5} + \frac{1}{4} \left( \frac{8}{15} + \frac{1}{5} (\operatorname{sech}(dx+c))^4 + \frac{4}{15} \frac{(\operatorname{sech}(dx+c))^2}{\cosh(dx+c)} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sech(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2)^3, x)

[Out] 1/d\*(a^3\*(2/3+1/3\*sech(d\*x+c)^2)\*tanh(d\*x+c)+3\*a^2\*b\*(-1/4\*sinh(d\*x+c)/cosh(d\*x+c)^5+1/4\*(8/15+1/5\*sech(d\*x+c)^4+4/15\*sech(d\*x+c)^2)\*tanh(d\*x+c))+3\*a\*b^2\*(-1/4\*sinh(d\*x+c)^3/cosh(d\*x+c)^7-1/8\*sinh(d\*x+c)/cosh(d\*x+c)^7+1/8\*(16/35+1/7\*sech(d\*x+c)^6+6/35\*sech(d\*x+c)^4+8/35\*sech(d\*x+c)^2)\*tanh(d\*x+c))+b^3\*(1/15\*cosh(d\*x+c)^8-1/15\*cosh(d\*x+c)^6+1/15\*cosh(d\*x+c)^4-1/15\*cosh(d\*x+c)^2+1/15)

$$\begin{aligned} &^3*(-1/4*\sinh(d*x+c)^5/\cosh(d*x+c)^9-5/24*\sinh(d*x+c)^3/\cosh(d*x+c)^9-5/64* \\ &\sinh(d*x+c)/\cosh(d*x+c)^9+5/64*(128/315+1/9*\operatorname{sech}(d*x+c)^8+8/63*\operatorname{sech}(d*x+c)^6 \\ &+16/105*\operatorname{sech}(d*x+c)^4+64/315*\operatorname{sech}(d*x+c)^2)*\tanh(d*x+c)) \end{aligned}$$

**Maxima [B]** time = 1.17249, size = 2493, normalized size = 24.44

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="maxima")

[Out] 
$$\begin{aligned} &4/63*b^3*(9*e^{(-2*d*x - 2*c)}/(d*(9*e^{(-2*d*x - 2*c)} + 36*e^{(-4*d*x - 4*c)} + \\ &84*e^{(-6*d*x - 6*c)} + 126*e^{(-8*d*x - 8*c)} + 126*e^{(-10*d*x - 10*c)} + 84*e \\ &^{(-12*d*x - 12*c)} + 36*e^{(-14*d*x - 14*c)} + 9*e^{(-16*d*x - 16*c)} + e^{(-18*d \\ &*x - 18*c)} + 1)) - 27*e^{(-4*d*x - 4*c)}/(d*(9*e^{(-2*d*x - 2*c)} + 36*e^{(-4*d* \\ &x - 4*c)} + 84*e^{(-6*d*x - 6*c)} + 126*e^{(-8*d*x - 8*c)} + 126*e^{(-10*d*x - 10 \\ &*c)} + 84*e^{(-12*d*x - 12*c)} + 36*e^{(-14*d*x - 14*c)} + 9*e^{(-16*d*x - 16*c)} \\ &+ e^{(-18*d*x - 18*c)} + 1)) + 189*e^{(-6*d*x - 6*c)}/(d*(9*e^{(-2*d*x - 2*c)} + \\ &36*e^{(-4*d*x - 4*c)} + 84*e^{(-6*d*x - 6*c)} + 126*e^{(-8*d*x - 8*c)} + 126*e^{(- \\ &10*d*x - 10*c)} + 84*e^{(-12*d*x - 12*c)} + 36*e^{(-14*d*x - 14*c)} + 9*e^{(-16*d \\ &*x - 16*c)} + e^{(-18*d*x - 18*c)} + 1)) - 189*e^{(-8*d*x - 8*c)}/(d*(9*e^{(-2*d* \\ &x - 2*c)} + 36*e^{(-4*d*x - 4*c)} + 84*e^{(-6*d*x - 6*c)} + 126*e^{(-8*d*x - 8*c)} \\ &+ 126*e^{(-10*d*x - 10*c)} + 84*e^{(-12*d*x - 12*c)} + 36*e^{(-14*d*x - 14*c)} + \\ &9*e^{(-16*d*x - 16*c)} + e^{(-18*d*x - 18*c)} + 1)) + 315*e^{(-10*d*x - 10*c)}/( \\ &d*(9*e^{(-2*d*x - 2*c)} + 36*e^{(-4*d*x - 4*c)} + 84*e^{(-6*d*x - 6*c)} + 126*e^{(- \\ &8*d*x - 8*c)} + 126*e^{(-10*d*x - 10*c)} + 84*e^{(-12*d*x - 12*c)} + 36*e^{(-14* \\ &d*x - 14*c)} + 9*e^{(-16*d*x - 16*c)} + e^{(-18*d*x - 18*c)} + 1)) - 105*e^{(-12* \\ &d*x - 12*c)}/(d*(9*e^{(-2*d*x - 2*c)} + 36*e^{(-4*d*x - 4*c)} + 84*e^{(-6*d*x - 6 \\ &*c)} + 126*e^{(-8*d*x - 8*c)} + 126*e^{(-10*d*x - 10*c)} + 84*e^{(-12*d*x - 12*c)} \\ &+ 36*e^{(-14*d*x - 14*c)} + 9*e^{(-16*d*x - 16*c)} + e^{(-18*d*x - 18*c)} + 1)) \\ &+ 63*e^{(-14*d*x - 14*c)}/(d*(9*e^{(-2*d*x - 2*c)} + 36*e^{(-4*d*x - 4*c)} + 84*e \\ &^{(-6*d*x - 6*c)} + 126*e^{(-8*d*x - 8*c)} + 126*e^{(-10*d*x - 10*c)} + 84*e^{(-12 \\ &*d*x - 12*c)} + 36*e^{(-14*d*x - 14*c)} + 9*e^{(-16*d*x - 16*c)} + e^{(-18*d*x - \\ &18*c)} + 1)) + 1/(d*(9*e^{(-2*d*x - 2*c)} + 36*e^{(-4*d*x - 4*c)} + 84*e^{(-6*d*x \\ &- 6*c)} + 126*e^{(-8*d*x - 8*c)} + 126*e^{(-10*d*x - 10*c)} + 84*e^{(-12*d*x - 1 \\ &2*c)} + 36*e^{(-14*d*x - 14*c)} + 9*e^{(-16*d*x - 16*c)} + e^{(-18*d*x - 18*c)} + \\ &1))) + 12/35*a*b^2*(7*e^{(-2*d*x - 2*c)}/(d*(7*e^{(-2*d*x - 2*c)} + 21*e^{(-4*d*x \\ &- 4*c)} + 35*e^{(-6*d*x - 6*c)} + 35*e^{(-8*d*x - 8*c)} + 21*e^{(-10*d*x - 10*c)} \\ &+ 7*e^{(-12*d*x - 12*c)} + e^{(-14*d*x - 14*c)} + 1)) - 14*e^{(-4*d*x - 4*c)}/( \\ &d*(7*e^{(-2*d*x - 2*c)} + 21*e^{(-4*d*x - 4*c)} + 35*e^{(-6*d*x - 6*c)} + 35*e^{(- \\ &8*d*x - 8*c)} + 21*e^{(-10*d*x - 10*c)} + 7*e^{(-12*d*x - 12*c)} + e^{(-14*d*x - \end{aligned}$$



$$\begin{aligned}
& 14*c) + 1)) + 70*e^{(-6*d*x - 6*c)/(d*(7*e^{(-2*d*x - 2*c)} + 21*e^{(-4*d*x - 4*c)} + 35*e^{(-6*d*x - 6*c)} + 35*e^{(-8*d*x - 8*c)} + 21*e^{(-10*d*x - 10*c)} + 7*e^{(-12*d*x - 12*c)} + e^{(-14*d*x - 14*c)} + 1)) - 35*e^{(-8*d*x - 8*c)/(d*(7*e^{(-2*d*x - 2*c)} + 21*e^{(-4*d*x - 4*c)} + 35*e^{(-6*d*x - 6*c)} + 35*e^{(-8*d*x - 8*c)} + 21*e^{(-10*d*x - 10*c)} + 7*e^{(-12*d*x - 12*c)} + e^{(-14*d*x - 14*c)} + 1)) + 35*e^{(-10*d*x - 10*c)/(d*(7*e^{(-2*d*x - 2*c)} + 21*e^{(-4*d*x - 4*c)} + 35*e^{(-6*d*x - 6*c)} + 35*e^{(-8*d*x - 8*c)} + 21*e^{(-10*d*x - 10*c)} + 7*e^{(-12*d*x - 12*c)} + e^{(-14*d*x - 14*c)} + 1)) + 1/(d*(7*e^{(-2*d*x - 2*c)} + 21*e^{(-4*d*x - 4*c)} + 35*e^{(-6*d*x - 6*c)} + 35*e^{(-8*d*x - 8*c)} + 21*e^{(-10*d*x - 10*c)} + 7*e^{(-12*d*x - 12*c)} + e^{(-14*d*x - 14*c)} + 1))) + 4/5*a^2*b*(5*e^{(-2*d*x - 2*c)/(d*(5*e^{(-2*d*x - 2*c)} + 10*e^{(-4*d*x - 4*c)} + 10*e^{(-6*d*x - 6*c)} + 5*e^{(-8*d*x - 8*c)} + e^{(-10*d*x - 10*c)} + 1)) - 5*e^{(-4*d*x - 4*c)/(d*(5*e^{(-2*d*x - 2*c)} + 10*e^{(-4*d*x - 4*c)} + 10*e^{(-6*d*x - 6*c)} + 5*e^{(-8*d*x - 8*c)} + e^{(-10*d*x - 10*c)} + 1)) + 15*e^{(-6*d*x - 6*c)/(d*(5*e^{(-2*d*x - 2*c)} + 10*e^{(-4*d*x - 4*c)} + 10*e^{(-6*d*x - 6*c)} + 5*e^{(-8*d*x - 8*c)} + e^{(-10*d*x - 10*c)} + 1)) + 1/(d*(5*e^{(-2*d*x - 2*c)} + 10*e^{(-4*d*x - 4*c)} + 10*e^{(-6*d*x - 6*c)} + 5*e^{(-8*d*x - 8*c)} + e^{(-10*d*x - 10*c)} + 1))) + 4/3*a^3*(3*e^{(-2*d*x - 2*c)/(d*(3*e^{(-2*d*x - 2*c)} + 3*e^{(-4*d*x - 4*c)} + e^{(-6*d*x - 6*c)} + 1)) + 1/(d*(3*e^{(-2*d*x - 2*c)} + 3*e^{(-4*d*x - 4*c)} + e^{(-6*d*x - 6*c)} + 1)))
\end{aligned}$$

**Fricas [B]** time = 2.01396, size = 3218, normalized size = 31.55

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out]  $-8/315*(2*(105*a^3 + 252*a^2*b + 243*a*b^2 + 80*b^3)*\cosh(d*x + c)^7 + 14*(105*a^3 + 252*a^2*b + 243*a*b^2 + 80*b^3)*\cosh(d*x + c)*\sinh(d*x + c)^6 + (105*a^3 + 441*a^2*b + 459*a*b^2 + 155*b^3)*\sinh(d*x + c)^7 + 6*(245*a^3 + 336*a^2*b + 99*a*b^2 - 40*b^3)*\cosh(d*x + c)^5 + 3*(175*a^3 + 483*a^2*b + 117*a*b^2 - 95*b^3 + 7*(105*a^3 + 441*a^2*b + 459*a*b^2 + 155*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^5 + 10*(7*(105*a^3 + 252*a^2*b + 243*a*b^2 + 80*b^3)*\cosh(d*x + c)^3 + 3*(245*a^3 + 336*a^2*b + 99*a*b^2 - 40*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^4 + 18*(245*a^3 + 168*a^2*b + 27*a*b^2 + 40*b^3)*\cosh(d*x + c)^3 + (35*(105*a^3 + 441*a^2*b + 459*a*b^2 + 155*b^3)*\cosh(d*x + c)^4 + 945*a^3 + 1701*a^2*b + 459*a*b^2 + 855*b^3 + 30*(175*a^3 + 483*a^2*b + 117*a*b^2 - 95*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^3 + 6*(7*(105*a^3 + 252*a^2*b + 243*a*b^2 + 80*b^3)*\cosh(d*x + c)^5 + 10*(245*a^3 + 336*a^2*b + 99*a*b^2 - 40*b^3)*\cosh(d*x + c)^3 + 9*(245*a^3 + 168*a^2*b + 27*a*b^2 + 40*b^3)*\cos$

$$\begin{aligned} & h(dx + c) \sinh(dx + c)^2 + 210(35a^3 + 12a^2b + 9ab^2) \cosh(dx + c) \\ & + (7(105a^3 + 441a^2b + 459ab^2 + 155b^3) \cosh(dx + c)^6 + 15(175a^3 \\ & + 483a^2b + 117ab^2 - 95b^3) \cosh(dx + c)^4 + 525a^3 + 693a^2b \\ & + 567ab^2 - 945b^3 + 27(105a^3 + 189a^2b + 51ab^2 + 95b^3) \cosh(dx + c)^2) \\ & \sinh(dx + c) / (d \cosh(dx + c)^{11} + 11d \cosh(dx + c) \sinh(dx + c)^{10} \\ & + d \sinh(dx + c)^{11} + 9d \cosh(dx + c)^9 + (55d \cosh(dx + c)^2 + 9d) \\ & \sinh(dx + c)^9 + 3(55d \cosh(dx + c)^3 + 27d \cosh(dx + c) \sinh(dx + c)^8 \\ & + 37d \cosh(dx + c)^7 + (330d \cosh(dx + c)^4 + 324d \cosh(dx + c)^2 \\ & + 35d) \sinh(dx + c)^7 + 7(66d \cosh(dx + c)^5 + 108d \cosh(dx + c)^3 \\ & + 37d \cosh(dx + c)) \sinh(dx + c)^6 + 93d \cosh(dx + c)^5 + 3(154d \cosh(dx + c)^6 \\ & + 378d \cosh(dx + c)^4 + 245d \cosh(dx + c)^2 + 25d) \sinh(dx + c)^5 \\ & + (330d \cosh(dx + c)^7 + 1134d \cosh(dx + c)^5 + 1295d \cosh(dx + c)^3 \\ & + 465d \cosh(dx + c)) \sinh(dx + c)^4 + 162d \cosh(dx + c)^3 + (165d \cosh(dx + c)^8 \\ & + 756d \cosh(dx + c)^6 + 1225d \cosh(dx + c)^4 + 750d \cosh(dx + c)^2 \\ & + 90d) \sinh(dx + c)^3 + (55d \cosh(dx + c)^9 + 324d \cosh(dx + c)^7 \\ & + 777d \cosh(dx + c)^5 + 930d \cosh(dx + c)^3 + 486d \cosh(dx + c)) \sinh(dx + c)^2 \\ & + 210d \cosh(dx + c) + (11d \cosh(dx + c)^{10} + 81d \cosh(dx + c)^8 \\ & + 245d \cosh(dx + c)^6 + 375d \cosh(dx + c)^4 + 270d \cosh(dx + c)^2 \\ & + 42d) \sinh(dx + c) \end{aligned}$$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (a + b \tanh^2(c + dx))^3 \operatorname{sech}^4(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(dx+c)\*\*4\*(a+b\*tanh(dx+c)\*\*2)\*\*3,x)

[Out] Integral((a + b\*tanh(c + dx)\*\*2)\*\*3\*sech(c + dx)\*\*4, x)

**Giac [B]** time = 1.82701, size = 603, normalized size = 5.91

$$4 \left( 315 a^3 e^{(14 dx + 14 c)} + 945 a^2 b e^{(14 dx + 14 c)} + 945 a b^2 e^{(14 dx + 14 c)} + 315 b^3 e^{(14 dx + 14 c)} + 1995 a^3 e^{(12 dx + 12 c)} + 3465 a^2 b e^{(12 dx + 12 c)} + \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(dx+c)^4\*(a+b\*tanh(dx+c)^2)^3,x, algorithm="giac")

```
[Out] -4/315*(315*a^3*e^(14*d*x + 14*c) + 945*a^2*b*e^(14*d*x + 14*c) + 945*a*b^2
*e^(14*d*x + 14*c) + 315*b^3*e^(14*d*x + 14*c) + 1995*a^3*e^(12*d*x + 12*c)
+ 3465*a^2*b*e^(12*d*x + 12*c) + 945*a*b^2*e^(12*d*x + 12*c) - 525*b^3*e^(
12*d*x + 12*c) + 5355*a^3*e^(10*d*x + 10*c) + 4725*a^2*b*e^(10*d*x + 10*c)
+ 945*a*b^2*e^(10*d*x + 10*c) + 1575*b^3*e^(10*d*x + 10*c) + 7875*a^3*e^(8*
d*x + 8*c) + 3213*a^2*b*e^(8*d*x + 8*c) + 2457*a*b^2*e^(8*d*x + 8*c) - 945*
b^3*e^(8*d*x + 8*c) + 6825*a^3*e^(6*d*x + 6*c) + 1827*a^2*b*e^(6*d*x + 6*c)
+ 1323*a*b^2*e^(6*d*x + 6*c) + 945*b^3*e^(6*d*x + 6*c) + 3465*a^3*e^(4*d*x
+ 4*c) + 1323*a^2*b*e^(4*d*x + 4*c) + 27*a*b^2*e^(4*d*x + 4*c) - 135*b^3*e
^(4*d*x + 4*c) + 945*a^3*e^(2*d*x + 2*c) + 567*a^2*b*e^(2*d*x + 2*c) + 243*
a*b^2*e^(2*d*x + 2*c) + 45*b^3*e^(2*d*x + 2*c) + 105*a^3 + 63*a^2*b + 27*a*
b^2 + 5*b^3)/(d*(e^(2*d*x + 2*c) + 1)^9)
```

$$3.105 \quad \int \frac{\cosh^4(c+dx)}{a+b \tanh^2(c+dx)} dx$$

**Optimal.** Leaf size=120

$$\frac{x(3a^2 + 10ab + 15b^2)}{8(a+b)^3} + \frac{b^{5/2} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{\sqrt{ad}(a+b)^3} + \frac{\sinh(c+dx) \cosh^3(c+dx)}{4d(a+b)} + \frac{(3a+7b) \sinh(c+dx) \cosh(c+dx)}{8d(a+b)^2}$$

[Out] ((3\*a^2 + 10\*a\*b + 15\*b^2)\*x)/(8\*(a + b)^3) + (b^(5/2)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(Sqrt[a]\*(a + b)^3\*d) + ((3\*a + 7\*b)\*Cosh[c + d\*x]\*Sinh[c + d\*x])/(8\*(a + b)^2\*d) + (Cosh[c + d\*x]^3\*Sinh[c + d\*x])/(4\*(a + b)\*d)

**Rubi [A]** time = 0.168274, antiderivative size = 120, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {3675, 414, 527, 522, 206, 205}

$$\frac{x(3a^2 + 10ab + 15b^2)}{8(a+b)^3} + \frac{b^{5/2} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{\sqrt{ad}(a+b)^3} + \frac{\sinh(c+dx) \cosh^3(c+dx)}{4d(a+b)} + \frac{(3a+7b) \sinh(c+dx) \cosh(c+dx)}{8d(a+b)^2}$$

Antiderivative was successfully verified.

[In] Int[Cosh[c + d\*x]^4/(a + b\*Tanh[c + d\*x]^2), x]

[Out] ((3\*a^2 + 10\*a\*b + 15\*b^2)\*x)/(8\*(a + b)^3) + (b^(5/2)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(Sqrt[a]\*(a + b)^3\*d) + ((3\*a + 7\*b)\*Cosh[c + d\*x]\*Sinh[c + d\*x])/(8\*(a + b)^2\*d) + (Cosh[c + d\*x]^3\*Sinh[c + d\*x])/(4\*(a + b)\*d)

### Rule 3675

Int[sec[(e\_.) + (f\_.)\*(x\_)]^(m\_)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_))^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[ff/(c^(m-1)\*f), Subst[Int[(c^2 + ff^2\*x^2)^(m/2-1)\*(a + b\*(ff\*x)^n)^p, x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2] && (IntegersQ[n, p] || IGtQ[m, 0] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])

### Rule 414

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_), x\_Symbol] :> -Simp[(b\*x\*(a + b\*x^n)^(p+1)\*(c + d\*x^n)^(q+1))/(a\*n\*(p+1)\*(b\*c -

$a*d)), x] + \text{Dist}[1/(a*n*(p + 1)*(b*c - a*d)), \text{Int}[(a + b*x^n)^{(p + 1)}*(c + d*x^n)^q * \text{Simp}[b*c + n*(p + 1)*(b*c - a*d) + d*b*(n*(p + q + 2) + 1)*x^n, x], x], x] /;$ 
 $\text{FreeQ}\{a, b, c, d, n, q\}, x \} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{LtQ}[p, -1] \&\& \text{!(IntegerQ}[p] \&\& \text{IntegerQ}[q] \&\& \text{LtQ}[q, -1]) \&\& \text{IntBinomialQ}[a, b, c, d, n, p, q, x]$

### Rule 527

$\text{Int}[(a_ + (b_)*(x_)^{(n_}))^{(p_)}*((c_ + (d_)*(x_)^{(n_}))^{(q_)}*((e_ + (f_)*(x_)^{(n_})), x\_Symbol] := -\text{Simp}[(b*e - a*f)*x*(a + b*x^n)^{(p + 1)}*(c + d*x^n)^{(q + 1)}/(a*n*(b*c - a*d)*(p + 1)), x] + \text{Dist}[1/(a*n*(b*c - a*d)*(p + 1)), \text{Int}[(a + b*x^n)^{(p + 1)}*(c + d*x^n)^q * \text{Simp}[c*(b*e - a*f) + e*n*(b*c - a*d)*(p + 1) + d*(b*e - a*f)*(n*(p + q + 2) + 1)*x^n, x], x], x] /;$ 
 $\text{FreeQ}\{a, b, c, d, e, f, n, q\}, x \} \&\& \text{LtQ}[p, -1]$

### Rule 522

$\text{Int}[(e_ + (f_)*(x_)^{(n_}))/((a_ + (b_)*(x_)^{(n_}))*((c_ + (d_)*(x_)^{(n_}))), x\_Symbol] := \text{Dist}[(b*e - a*f)/(b*c - a*d), \text{Int}[1/(a + b*x^n), x], x] - \text{Dist}[(d*e - c*f)/(b*c - a*d), \text{Int}[1/(c + d*x^n), x], x] /;$ 
 $\text{FreeQ}\{a, b, c, d, e, f, n\}, x]$

### Rule 206

$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x\_Symbol] := \text{Simp}[(1*\text{ArcTanh}[(\text{Rt}[-b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /;$ 
 $\text{FreeQ}\{a, b\}, x \} \&\& \text{NegQ}[a/b] \&\& (\text{GtQ}[a, 0] \parallel \text{LtQ}[b, 0])$

### Rule 205

$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x\_Symbol] := \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /;$ 
 $\text{FreeQ}\{a, b\}, x \} \&\& \text{PosQ}[a/b]$

### Rubi steps

$$\begin{aligned}
\int \frac{\cosh^4(c+dx)}{a+b \tanh^2(c+dx)} dx &= \frac{\text{Subst}\left(\int \frac{1}{(1-x^2)^3(a+bx^2)} dx, x, \tanh(c+dx)\right)}{d} \\
&= \frac{\cosh^3(c+dx) \sinh(c+dx)}{4(a+b)d} + \frac{\text{Subst}\left(\int \frac{3a+4b+3bx^2}{(1-x^2)^2(a+bx^2)} dx, x, \tanh(c+dx)\right)}{4(a+b)d} \\
&= \frac{(3a+7b) \cosh(c+dx) \sinh(c+dx)}{8(a+b)^2d} + \frac{\cosh^3(c+dx) \sinh(c+dx)}{4(a+b)d} + \frac{\text{Subst}\left(\int \frac{3a^2+7ab+8b^2+bx^3}{(1-x^2)(a+bx^2)} dx, x, \tanh(c+dx)\right)}{8(a+b)^2d} \\
&= \frac{(3a+7b) \cosh(c+dx) \sinh(c+dx)}{8(a+b)^2d} + \frac{\cosh^3(c+dx) \sinh(c+dx)}{4(a+b)d} + \frac{b^3 \text{Subst}\left(\int \frac{1}{a+bx^2} dx, x, \tanh(c+dx)\right)}{(a+b)^3} \\
&= \frac{(3a^2+10ab+15b^2)x}{8(a+b)^3} + \frac{b^{5/2} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{\sqrt{a}(a+b)^3d} + \frac{(3a+7b) \cosh(c+dx) \sinh(c+dx)}{8(a+b)^2d} + \dots
\end{aligned}$$

**Mathematica [A]** time = 0.275048, size = 115, normalized size = 0.96

$$\frac{(3a^2+10ab+15b^2)(c+dx)}{8d(a+b)^3} + \frac{b^{5/2} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{\sqrt{ad}(a+b)^3} + \frac{(a+2b) \sinh(2(c+dx))}{4d(a+b)^2} + \frac{\sinh(4(c+dx))}{32d(a+b)}$$

Antiderivative was successfully verified.

[In] Integrate[Cosh[c + d\*x]^4/(a + b\*Tanh[c + d\*x]^2), x]

[Out] ((3\*a^2 + 10\*a\*b + 15\*b^2)\*(c + d\*x))/(8\*(a + b)^3\*d) + (b^(5/2)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(Sqrt[a]\*(a + b)^3\*d) + ((a + 2\*b)\*Sinh[2\*(c + d\*x)])/(4\*(a + b)^2\*d) + Sinh[4\*(c + d\*x)]/(32\*(a + b)\*d)

**Maple [B]** time = 0.088, size = 857, normalized size = 7.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cosh(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2), x)

```
[Out] -1/2/d/(2*b+2*a)/(tanh(1/2*d*x+1/2*c)+1)^4+2/d/(4*a+4*b)/(tanh(1/2*d*x+1/2*c)+1)^3+5/8/d/(a+b)^2/(tanh(1/2*d*x+1/2*c)+1)*a+9/8/d/(a+b)^2/(tanh(1/2*d*x+1/2*c)+1)*b-7/8/d/(a+b)^2/(tanh(1/2*d*x+1/2*c)+1)^2*a-11/8/d/(a+b)^2/(tanh(1/2*d*x+1/2*c)+1)^2*b+3/8/d/(a+b)^3*ln(tanh(1/2*d*x+1/2*c)+1)*a^2+5/4/d/(a+b)^3*ln(tanh(1/2*d*x+1/2*c)+1)*a*b+15/8/d/(a+b)^3*ln(tanh(1/2*d*x+1/2*c)+1)*b^2-1/d*b^3/(a+b)^3*a/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*arctanh(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))+1/d*b^3/(a+b)^3/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*arctanh(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))-1/d*b^4/(a+b)^3/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*arctanh(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))-1/d*b^3/(a+b)^3*a/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*arctan(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))-1/d*b^3/(a+b)^3/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*arctan(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))-1/d*b^4/(a+b)^3/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*arctan(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))+1/2/d/(2*b+2*a)/(tanh(1/2*d*x+1/2*c)-1)^4+2/d/(4*a+4*b)/(tanh(1/2*d*x+1/2*c)-1)^3+7/8/d/(a+b)^2/(tanh(1/2*d*x+1/2*c)-1)^2*a+11/8/d/(a+b)^2/(tanh(1/2*d*x+1/2*c)-1)^2*b+5/8/d/(a+b)^2/(tanh(1/2*d*x+1/2*c)-1)*a+9/8/d/(a+b)^2/(tanh(1/2*d*x+1/2*c)-1)*b-3/8/d/(a+b)^3*ln(tanh(1/2*d*x+1/2*c)-1)*a^2-5/4/d/(a+b)^3*ln(tanh(1/2*d*x+1/2*c)-1)*a*b-15/8/d/(a+b)^3*ln(tanh(1/2*d*x+1/2*c)-1)*b^2
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cosh(d*x+c)^4/(a+b*tanh(d*x+c)^2),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [B]** time = 2.57445, size = 5515, normalized size = 45.96

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cosh(d*x+c)^4/(a+b*tanh(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] [1/64*((a^2 + 2*a*b + b^2)*cosh(d*x + c)^8 + 8*(a^2 + 2*a*b + b^2)*cosh(d*x
+ c)*sinh(d*x + c)^7 + (a^2 + 2*a*b + b^2)*sinh(d*x + c)^8 + 8*(3*a^2 + 10
*a*b + 15*b^2)*d*x*cosh(d*x + c)^4 + 8*(a^2 + 3*a*b + 2*b^2)*cosh(d*x + c)^
6 + 4*(7*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^2 + 2*a^2 + 6*a*b + 4*b^2)*sinh(
d*x + c)^6 + 8*(7*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^3 + 6*(a^2 + 3*a*b + 2*
b^2)*cosh(d*x + c))*sinh(d*x + c)^5 + 2*(35*(a^2 + 2*a*b + b^2)*cosh(d*x +
c)^4 + 4*(3*a^2 + 10*a*b + 15*b^2)*d*x + 60*(a^2 + 3*a*b + 2*b^2)*cosh(d*x
+ c)^2)*sinh(d*x + c)^4 + 8*(7*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^5 + 4*(3*a
^2 + 10*a*b + 15*b^2)*d*x*cosh(d*x + c) + 20*(a^2 + 3*a*b + 2*b^2)*cosh(d*x
+ c)^3)*sinh(d*x + c)^3 - 8*(a^2 + 3*a*b + 2*b^2)*cosh(d*x + c)^2 + 4*(7*(
a^2 + 2*a*b + b^2)*cosh(d*x + c)^6 + 12*(3*a^2 + 10*a*b + 15*b^2)*d*x*cosh(
d*x + c)^2 + 30*(a^2 + 3*a*b + 2*b^2)*cosh(d*x + c)^4 - 2*a^2 - 6*a*b - 4*b
^2)*sinh(d*x + c)^2 + 32*(b^2*cosh(d*x + c)^4 + 4*b^2*cosh(d*x + c)^3*sinh(
d*x + c) + 6*b^2*cosh(d*x + c)^2*sinh(d*x + c)^2 + 4*b^2*cosh(d*x + c)*sinh
(d*x + c)^3 + b^2*sinh(d*x + c)^4)*sqrt(-b/a)*log(((a^2 + 2*a*b + b^2)*cosh
(d*x + c)^4 + 4*(a^2 + 2*a*b + b^2)*cosh(d*x + c)*sinh(d*x + c)^3 + (a^2 +
2*a*b + b^2)*sinh(d*x + c)^4 + 2*(a^2 - b^2)*cosh(d*x + c)^2 + 2*(3*(a^2 +
2*a*b + b^2)*cosh(d*x + c)^2 + a^2 - b^2)*sinh(d*x + c)^2 + a^2 - 6*a*b + b
^2 + 4*((a^2 + 2*a*b + b^2)*cosh(d*x + c)^3 + (a^2 - b^2)*cosh(d*x + c))*si
nh(d*x + c) + 4*((a^2 + a*b)*cosh(d*x + c)^2 + 2*(a^2 + a*b)*cosh(d*x + c)*
sinh(d*x + c) + (a^2 + a*b)*sinh(d*x + c)^2 + a^2 - a*b)*sqrt(-b/a))/((a +
b)*cosh(d*x + c)^4 + 4*(a + b)*cosh(d*x + c)*sinh(d*x + c)^3 + (a + b)*sinh
(d*x + c)^4 + 2*(a - b)*cosh(d*x + c)^2 + 2*(3*(a + b)*cosh(d*x + c)^2 + a
- b)*sinh(d*x + c)^2 + 4*((a + b)*cosh(d*x + c)^3 + (a - b)*cosh(d*x + c))*
sinh(d*x + c) + a + b)) - a^2 - 2*a*b - b^2 + 8*((a^2 + 2*a*b + b^2)*cosh(d
*x + c)^7 + 4*(3*a^2 + 10*a*b + 15*b^2)*d*x*cosh(d*x + c)^3 + 6*(a^2 + 3*a*
b + 2*b^2)*cosh(d*x + c)^5 - 2*(a^2 + 3*a*b + 2*b^2)*cosh(d*x + c))*sinh(d*
x + c))/((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*cosh(d*x + c)^4 + 4*(a^3 + 3*a^2
*b + 3*a*b^2 + b^3)*d*cosh(d*x + c)^3*sinh(d*x + c) + 6*(a^3 + 3*a^2*b + 3*
a*b^2 + b^3)*d*cosh(d*x + c)^2*sinh(d*x + c)^2 + 4*(a^3 + 3*a^2*b + 3*a*b^2
+ b^3)*d*cosh(d*x + c)*sinh(d*x + c)^3 + (a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d
*sinh(d*x + c)^4), 1/64*((a^2 + 2*a*b + b^2)*cosh(d*x + c)^8 + 8*(a^2 + 2*a
*b + b^2)*cosh(d*x + c)*sinh(d*x + c)^7 + (a^2 + 2*a*b + b^2)*sinh(d*x + c)
^8 + 8*(3*a^2 + 10*a*b + 15*b^2)*d*x*cosh(d*x + c)^4 + 8*(a^2 + 3*a*b + 2*b
^2)*cosh(d*x + c)^6 + 4*(7*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^2 + 2*a^2 + 6*
a*b + 4*b^2)*sinh(d*x + c)^6 + 8*(7*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^3 + 6
*(a^2 + 3*a*b + 2*b^2)*cosh(d*x + c))*sinh(d*x + c)^5 + 2*(35*(a^2 + 2*a*b
+ b^2)*cosh(d*x + c)^4 + 4*(3*a^2 + 10*a*b + 15*b^2)*d*x + 60*(a^2 + 3*a*b
+ 2*b^2)*cosh(d*x + c)^2)*sinh(d*x + c)^4 + 8*(7*(a^2 + 2*a*b + b^2)*cosh(
d*x + c)^5 + 4*(3*a^2 + 10*a*b + 15*b^2)*d*x*cosh(d*x + c) + 20*(a^2 + 3*a*b
+ 2*b^2)*cosh(d*x + c)^3)*sinh(d*x + c)^3 - 8*(a^2 + 3*a*b + 2*b^2)*cosh(
d*x + c)^2 + 4*(7*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^6 + 12*(3*a^2 + 10*a*b +
15*b^2)*d*x*cosh(d*x + c)^2 + 30*(a^2 + 3*a*b + 2*b^2)*cosh(d*x + c)^4 - 2
*a^2 - 6*a*b - 4*b^2)*sinh(d*x + c)^2 + 64*(b^2*cosh(d*x + c)^4 + 4*b^2*cos
h(d*x + c)^3*sinh(d*x + c) + 6*b^2*cosh(d*x + c)^2*sinh(d*x + c)^2 + 4*b^2*
```



$$\cosh(dx + c) \sinh(dx + c)^3 + b^2 \sinh(dx + c)^4 \sqrt{b/a} \arctan(1/2 * ((a + b) \cosh(dx + c)^2 + 2(a + b) \cosh(dx + c) \sinh(dx + c) + (a + b) \sinh(dx + c)^2 + a - b) \sqrt{b/a}/b) - a^2 - 2ab - b^2 + 8((a^2 + 2ab + b^2) \cosh(dx + c)^7 + 4(3a^2 + 10ab + 15b^2) d \cosh(dx + c)^3 + 6(a^2 + 3ab + 2b^2) \cosh(dx + c)^5 - 2(a^2 + 3ab + 2b^2) \cosh(dx + c) \sinh(dx + c)) / ((a^3 + 3a^2b + 3ab^2 + b^3) d \cosh(dx + c)^4 + 4(a^3 + 3a^2b + 3ab^2 + b^3) d \cosh(dx + c)^3 \sinh(dx + c) + 6(a^3 + 3a^2b + 3ab^2 + b^3) d \cosh(dx + c)^2 \sinh(dx + c)^2 + 4(a^3 + 3a^2b + 3ab^2 + b^3) d \cosh(dx + c) \sinh(dx + c)^3 + (a^3 + 3a^2b + 3ab^2 + b^3) d \sinh(dx + c)^4]$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(dx+c)\*\*4/(a+b\*tanh(dx+c)\*\*2), x)

[Out] Timed out

**Giac [B]** time = 2.79531, size = 440, normalized size = 3.67

$$\frac{64b^3 \arctan\left(\frac{ae^{2dx+2c} + be^{2dx+2c} + a - b}{2\sqrt{ab}}\right)}{(a^3 + 3a^2b + 3ab^2 + b^3)\sqrt{ab}} + \frac{8(3a^2 + 10ab + 15b^2)dx}{a^3 + 3a^2b + 3ab^2 + b^3} - \frac{(18a^2e^{4dx+4c} + 60abe^{4dx+4c} + 90b^2e^{4dx+4c} + 8a^2e^{2dx+2c} + 24abe^{2dx+2c} + 16b^2e^{2dx+2c})}{a^3e^{4c} + 3a^2be^{4c} + 3ab^2e^{4c} + b^3e^{4c}}$$

64d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(dx+c)^4/(a+b\*tanh(dx+c)^2), x, algorithm="giac")

[Out] 1/64\*(64\*b^3\*arctan(1/2\*(a\*e^(2\*d\*x + 2\*c) + b\*e^(2\*d\*x + 2\*c) + a - b)/sqrt(a\*b))/((a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*sqrt(a\*b)) + 8\*(3\*a^2 + 10\*a\*b + 15\*b^2)\*d\*x/(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3) - (18\*a^2\*e^(4\*d\*x + 4\*c) + 60\*a\*b\*e^(4\*d\*x + 4\*c) + 90\*b^2\*e^(4\*d\*x + 4\*c) + 8\*a^2\*e^(2\*d\*x + 2\*c) + 24\*a\*b\*e^(2\*d\*x + 2\*c) + 16\*b^2\*e^(2\*d\*x + 2\*c) + a^2 + 2\*a\*b + b^2)\*e^(-4\*d\*x)/(a^3\*e^(4\*c) + 3\*a^2\*b\*e^(4\*c) + 3\*a\*b^2\*e^(4\*c) + b^3\*e^(4\*c)) + (a\*e^(4\*d\*x + 20\*c) + b\*e^(4\*d\*x + 20\*c) + 8\*a\*e^(2\*d\*x + 18\*c) + 16\*b\*e^(2\*d\*x + 18\*c))/(a^2\*e^(16\*c) + 2\*a\*b\*e^(16\*c) + b^2\*e^(16\*c))/d

$$3.106 \quad \int \frac{\cosh^3(c+dx)}{a+b \tanh^2(c+dx)} dx$$

**Optimal.** Leaf size=80

$$\frac{b^2 \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{\sqrt{ad}(a+b)^{5/2}} + \frac{\sinh^3(c+dx)}{3d(a+b)} + \frac{(a+2b) \sinh(c+dx)}{d(a+b)^2}$$

[Out] (b^2\*ArcTan[(Sqrt[a + b]\*Sinh[c + d\*x])/Sqrt[a]])/(Sqrt[a]\*(a + b)^(5/2)\*d) + ((a + 2\*b)\*Sinh[c + d\*x])/((a + b)^2\*d) + Sinh[c + d\*x]^3/(3\*(a + b)\*d)

**Rubi [A]** time = 0.109062, antiderivative size = 80, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$ , Rules used = {3676, 390, 205}

$$\frac{b^2 \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{\sqrt{ad}(a+b)^{5/2}} + \frac{\sinh^3(c+dx)}{3d(a+b)} + \frac{(a+2b) \sinh(c+dx)}{d(a+b)^2}$$

Antiderivative was successfully verified.

[In] Int[Cosh[c + d\*x]^3/(a + b\*Tanh[c + d\*x]^2), x]

[Out] (b^2\*ArcTan[(Sqrt[a + b]\*Sinh[c + d\*x])/Sqrt[a]])/(Sqrt[a]\*(a + b)^(5/2)\*d) + ((a + 2\*b)\*Sinh[c + d\*x])/((a + b)^2\*d) + Sinh[c + d\*x]^3/(3\*(a + b)\*d)

### Rule 3676

```
Int[sec[(e_.) + (f_.)*(x_)]^(m_.)*((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)]^(n_.))^(p_.), x_Symbol]
:> With[{ff = FreeFactors[Sin[e + f*x], x]}, Dist[ff/f, Subst[Int[ExpandToSum[b*(ff*x)^n + a*(1 - ff^2*x^2)^(n/2), x]^p/(1 - ff^2*x^2)^(m + n*p + 1)/2], x], x, Sin[e + f*x]/ff, x]] /; FreeQ[{a, b, e, f}, x] && IntegerQ[(m - 1)/2] && IntegerQ[n/2] && IntegerQ[p]
```

### Rule 390

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> Int[PolynomialDivide[(a + b*x^n)^p, (c + d*x^n)^(-q), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q, 0] && GeQ[p, -q]
```

Rule 205

$\text{Int}[\frac{((a_) + (b_.)*(x_)^2)^{-1}}{a, x}] /; \text{FreeQ}\{a, b, x\} \ \&\& \ \text{PosQ}[a/b]$

Rubi steps

$$\begin{aligned} \int \frac{\cosh^3(c+dx)}{a+b \tanh^2(c+dx)} dx &= \frac{\text{Subst}\left(\int \frac{(1+x^2)^2}{a+(a+b)x^2} dx, x, \sinh(c+dx)\right)}{d} \\ &= \frac{\text{Subst}\left(\int \left(\frac{a+2b}{(a+b)^2} + \frac{x^2}{a+b} + \frac{b^2}{(a+b)^2(a+(a+b)x^2)}\right) dx, x, \sinh(c+dx)\right)}{d} \\ &= \frac{(a+2b) \sinh(c+dx)}{(a+b)^2 d} + \frac{\sinh^3(c+dx)}{3(a+b)d} + \frac{b^2 \text{Subst}\left(\int \frac{1}{a+(a+b)x^2} dx, x, \sinh(c+dx)\right)}{(a+b)^2 d} \\ &= \frac{b^2 \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{\sqrt{a}(a+b)^{5/2} d} + \frac{(a+2b) \sinh(c+dx)}{(a+b)^2 d} + \frac{\sinh^3(c+dx)}{3(a+b)d} \end{aligned}$$

**Mathematica [A]** time = 0.396, size = 79, normalized size = 0.99

$$\frac{12b^2 \tan^{-1}\left(\frac{\sqrt{a+b} \text{csch}(c+dx)}{\sqrt{a+b}}\right)}{\sqrt{a}(a+b)^{5/2}} + \frac{3(3a+7b) \sinh(c+dx)}{(a+b)^2} + \frac{\sinh(3(c+dx))}{a+b}$$


---

12d

Antiderivative was successfully verified.

[In] Integrate[Cosh[c + d\*x]^3/(a + b\*Tanh[c + d\*x]^2), x]

[Out] ((-12\*b^2\*ArcTan[(Sqrt[a]\*Csch[c + d\*x])/Sqrt[a + b]])/(Sqrt[a]\*(a + b)^(5/2)) + (3\*(3\*a + 7\*b)\*Sinh[c + d\*x])/(a + b)^2 + Sinh[3\*(c + d\*x)]/(a + b))/(12\*d)

---

**Maple [B]** time = 0.087, size = 468, normalized size = 5.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cosh(d*x+c)^3/(a+b*tanh(d*x+c)^2),x)`

[Out] 
$$-2/3/d/(\tanh(1/2*d*x+1/2*c)+1)^3/(2*b+2*a)+1/d/(2*b+2*a)/(\tanh(1/2*d*x+1/2*c)+1)^2-1/d/(a+b)^2/(\tanh(1/2*d*x+1/2*c)+1)*a-2/d/(a+b)^2/(\tanh(1/2*d*x+1/2*c)+1)*b-1/d*b^2/(a+b)^2/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*\arctanh(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))+1/d*b^3/(a+b)^2/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*\arctanh(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))+1/d*b^2/(a+b)^2/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))+1/d*b^3/(a+b)^2/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))-2/3/d/(\tanh(1/2*d*x+1/2*c)-1)^3/(2*b+2*a)-1/d/(2*b+2*a)/(\tanh(1/2*d*x+1/2*c)-1)^2-1/d/(a+b)^2/(\tanh(1/2*d*x+1/2*c)-1)*a-2/d/(a+b)^2/(\tanh(1/2*d*x+1/2*c)-1)*b$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{((ae^{6c} + be^{6c})e^{6dx}) + 3(3ae^{4c} + 7be^{4c})e^{4dx} - 3(3ae^{2c} + 7be^{2c})e^{2dx} - a - b)e^{-3dx}}{24(a^2de^{3c} + 2abde^{3c} + b^2de^{3c})} + \frac{1}{8} \int \frac{1}{a^3 + 3a^2b + 3ab^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cosh(d*x+c)^3/(a+b*tanh(d*x+c)^2),x, algorithm="maxima")`

[Out] 
$$1/24*((a*e^{6c} + b*e^{6c})*e^{6d*x} + 3*(3*a*e^{4c} + 7*b*e^{4c})*e^{4d*x} - 3*(3*a*e^{2c} + 7*b*e^{2c})*e^{2d*x} - a - b)*e^{-3d*x}/(a^2*d*e^{3c} + 2*a*b*d*e^{3c} + b^2*d*e^{3c}) + 1/8*integrate(16*(b^2*e^{3d*x} + 3*c) + b^2*e^{(d*x + c)})/(a^3 + 3*a^2*b + 3*a*b^2 + b^3 + (a^3*e^{4c} + 3*a^2*b*e^{4c} + 3*a*b^2*e^{4c} + b^3*e^{4c}))*e^{4d*x} + 2*(a^3*e^{2c} + a^2*b*e^{2c} - a*b^2*e^{2c} - b^3*e^{2c}))*e^{2d*x}), x$$

**Fricas [B]** time = 2.37351, size = 4604, normalized size = 57.55

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cosh(d*x+c)^3/(a+b*tanh(d*x+c)^2),x, algorithm="fricas")`

```
[Out] [1/24*((a^3 + 2*a^2*b + a*b^2)*cosh(d*x + c)^6 + 6*(a^3 + 2*a^2*b + a*b^2)*
cosh(d*x + c)*sinh(d*x + c)^5 + (a^3 + 2*a^2*b + a*b^2)*sinh(d*x + c)^6 + 3
*(3*a^3 + 10*a^2*b + 7*a*b^2)*cosh(d*x + c)^4 + 3*(3*a^3 + 10*a^2*b + 7*a*b
^2 + 5*(a^3 + 2*a^2*b + a*b^2)*cosh(d*x + c)^2)*sinh(d*x + c)^4 + 4*(5*(a^3
+ 2*a^2*b + a*b^2)*cosh(d*x + c)^3 + 3*(3*a^3 + 10*a^2*b + 7*a*b^2)*cosh(d
*x + c))*sinh(d*x + c)^3 - a^3 - 2*a^2*b - a*b^2 - 3*(3*a^3 + 10*a^2*b + 7*
a*b^2)*cosh(d*x + c)^2 + 3*(5*(a^3 + 2*a^2*b + a*b^2)*cosh(d*x + c)^4 - 3*a
^3 - 10*a^2*b - 7*a*b^2 + 6*(3*a^3 + 10*a^2*b + 7*a*b^2)*cosh(d*x + c)^2)*s
inh(d*x + c)^2 - 12*(b^2*cosh(d*x + c)^3 + 3*b^2*cosh(d*x + c)^2*sinh(d*x +
c) + 3*b^2*cosh(d*x + c)*sinh(d*x + c)^2 + b^2*sinh(d*x + c)^3)*sqrt(-a^2
- a*b)*log((a + b)*cosh(d*x + c)^4 + 4*(a + b)*cosh(d*x + c)*sinh(d*x + c)
^3 + (a + b)*sinh(d*x + c)^4 - 2*(3*a + b)*cosh(d*x + c)^2 + 2*(3*(a + b)*c
osh(d*x + c)^2 - 3*a - b)*sinh(d*x + c)^2 + 4*((a + b)*cosh(d*x + c)^3 - (3
*a + b)*cosh(d*x + c))*sinh(d*x + c) - 4*(cosh(d*x + c)^3 + 3*cosh(d*x + c)
*sinh(d*x + c)^2 + sinh(d*x + c)^3 + (3*cosh(d*x + c)^2 - 1)*sinh(d*x + c)
- cosh(d*x + c))*sqrt(-a^2 - a*b) + a + b)/((a + b)*cosh(d*x + c)^4 + 4*(a
+ b)*cosh(d*x + c)*sinh(d*x + c)^3 + (a + b)*sinh(d*x + c)^4 + 2*(a - b)*co
sh(d*x + c)^2 + 2*(3*(a + b)*cosh(d*x + c)^2 + a - b)*sinh(d*x + c)^2 + 4*(
(a + b)*cosh(d*x + c)^3 + (a - b)*cosh(d*x + c))*sinh(d*x + c) + a + b)) +
6*((a^3 + 2*a^2*b + a*b^2)*cosh(d*x + c)^5 + 2*(3*a^3 + 10*a^2*b + 7*a*b^2)
*cosh(d*x + c)^3 - (3*a^3 + 10*a^2*b + 7*a*b^2)*cosh(d*x + c))*sinh(d*x + c
))/((a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*d*cosh(d*x + c)^3 + 3*(a^4 + 3*a^3*b
+ 3*a^2*b^2 + a*b^3)*d*cosh(d*x + c)^2*sinh(d*x + c) + 3*(a^4 + 3*a^3*b +
3*a^2*b^2 + a*b^3)*d*cosh(d*x + c)*sinh(d*x + c)^2 + (a^4 + 3*a^3*b + 3*a^
2*b^2 + a*b^3)*d*sinh(d*x + c)^3), 1/24*((a^3 + 2*a^2*b + a*b^2)*cosh(d*x +
c)^6 + 6*(a^3 + 2*a^2*b + a*b^2)*cosh(d*x + c)*sinh(d*x + c)^5 + (a^3 + 2*
a^2*b + a*b^2)*sinh(d*x + c)^6 + 3*(3*a^3 + 10*a^2*b + 7*a*b^2)*cosh(d*x +
c)^4 + 3*(3*a^3 + 10*a^2*b + 7*a*b^2 + 5*(a^3 + 2*a^2*b + a*b^2)*cosh(d*x +
c)^2)*sinh(d*x + c)^4 + 4*(5*(a^3 + 2*a^2*b + a*b^2)*cosh(d*x + c)^3 + 3*(
3*a^3 + 10*a^2*b + 7*a*b^2)*cosh(d*x + c))*sinh(d*x + c)^3 - a^3 - 2*a^2*b
- a*b^2 - 3*(3*a^3 + 10*a^2*b + 7*a*b^2)*cosh(d*x + c)^2 + 3*(5*(a^3 + 2*a^
2*b + a*b^2)*cosh(d*x + c)^4 - 3*a^3 - 10*a^2*b - 7*a*b^2 + 6*(3*a^3 + 10*a
^2*b + 7*a*b^2)*cosh(d*x + c)^2)*sinh(d*x + c)^2 + 24*(b^2*cosh(d*x + c)^3
+ 3*b^2*cosh(d*x + c)^2*sinh(d*x + c) + 3*b^2*cosh(d*x + c)*sinh(d*x + c)^2
+ b^2*sinh(d*x + c)^3)*sqrt(a^2 + a*b)*arctan(1/2*((a + b)*cosh(d*x + c)^3
+ 3*(a + b)*cosh(d*x + c)*sinh(d*x + c)^2 + (a + b)*sinh(d*x + c)^3 + (3*a
- b)*cosh(d*x + c) + (3*(a + b)*cosh(d*x + c)^2 + 3*a - b)*sinh(d*x + c))/
sqrt(a^2 + a*b)) + 24*(b^2*cosh(d*x + c)^3 + 3*b^2*cosh(d*x + c)^2*sinh(d*x
+ c) + 3*b^2*cosh(d*x + c)*sinh(d*x + c)^2 + b^2*sinh(d*x + c)^3)*sqrt(a^2
+ a*b)*arctan(1/2*sqrt(a^2 + a*b)*(cosh(d*x + c) + sinh(d*x + c))/a) + 6*(
(a^3 + 2*a^2*b + a*b^2)*cosh(d*x + c)^5 + 2*(3*a^3 + 10*a^2*b + 7*a*b^2)*co
sh(d*x + c)^3 - (3*a^3 + 10*a^2*b + 7*a*b^2)*cosh(d*x + c))*sinh(d*x + c))/
((a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*d*cosh(d*x + c)^3 + 3*(a^4 + 3*a^3*b +
3*a^2*b^2 + a*b^3)*d*cosh(d*x + c)^2*sinh(d*x + c) + 3*(a^4 + 3*a^3*b + 3*
a^2*b^2 + a*b^3)*d*cosh(d*x + c)*sinh(d*x + c)^2 + (a^4 + 3*a^3*b + 3*a^2*b
```

$^2 + a*b^3)*d*\sinh(d*x + c)^3]$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\cosh^3(c + dx)}{a + b \tanh^2(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)\*\*3/(a+b\*tanh(d\*x+c)\*\*2),x)

[Out] Integral(cosh(c + d\*x)\*\*3/(a + b\*tanh(c + d\*x)\*\*2), x)

**Giac [C]** time = 2.11494, size = 6807, normalized size = 85.09

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2),x, algorithm="giac")

[Out]  $1/24*(12*(3*(2*a*b^3*e^{(2*c)} + (a*b^2*e^{(2*c)} - b^3*e^{(2*c)})*\sqrt{-a*b}))*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b)))) - (2*a*b^3*e^{(2*c)} + (a*b^2*e^{(2*c)} - b^3*e^{(2*c)})*\sqrt{-a*b}))*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 - 9*(2*a*b^3*e^{(2*c)} + (a*b^2*e^{(2*c)} - b^3*e^{(2*c)})*\sqrt{-a*b}))*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) + 3*(2*a*b^3*e^{(2*c)} + (a*b^2*e^{(2*c)} - b^3*e^{(2*c)})*\sqrt{-a*b}))*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) + 9*(2*a*b^3*e^{(2*c)} + (a*b^2*e^{(2*c)} - b^3*e^{(2*c)})*\sqrt{-a*b}))*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 - 3*(2*a*b^3*e^{(2*c)} + (a*b^2*e^{(2*c)} - b^3*e^{(2*c)})*\sqrt{-a*b}))*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\sinh($

$$\begin{aligned}
& 1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))^2 - 3*(2*a*b^3*e^{(2*c)} + (a* \\
& b^2*e^{(2*c)} - b^3*e^{(2*c)})*\text{sqrt}(-a*b))*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) \\
& + b/(a + b)))^2*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sinh(1/ \\
& 2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 + (2*a*b^3*e^{(2*c)} + (a*b^2* \\
& e^{(2*c)} - b^3*e^{(2*c)})*\text{sqrt}(-a*b))*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/ \\
& (a + b))))^3*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 + (2*a*b \\
& ^3*e^{(2*c)} + (a*b^2*e^{(2*c)} - b^3*e^{(2*c)})*\text{sqrt}(-a*b))*\cosh(1/2*\text{imag\_part}(a \\
& rccos(-a/(a + b) + b/(a + b))))*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a \\
& + b)))) - (2*a*b^3*e^{(2*c)} + (a*b^2*e^{(2*c)} - b^3*e^{(2*c)})*\text{sqrt}(-a*b))*\sin( \\
& 1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sinh(1/2*\text{imag\_part}(\arccos(-a \\
& /(a + b) + b/(a + b))))*\arctan((((a^3 + 3*a^2*b + 3*a*b^2 + b^3)/(a^3*e^{(4 \\
& *c)} + 3*a^2*b*e^{(4*c)} + 3*a*b^2*e^{(4*c)} + b^3*e^{(4*c)}))^{(1/4)}*\cos(1/2*\arcco \\
& s(-a - b)/(a + b))) + e^{(d*x)})/(((a^3 + 3*a^2*b + 3*a*b^2 + b^3)/(a^3*e^{(4 \\
& *c)} + 3*a^2*b*e^{(4*c)} + 3*a*b^2*e^{(4*c)} + b^3*e^{(4*c)}))^{(1/4)}*\sin(1/2*\arcco \\
& s(-a - b)/(a + b)))))/(a^4*b*e^{(2*c)} + 3*a^3*b^2*e^{(2*c)} + 3*a^2*b^3*e^{(2* \\
& c)} + a*b^4*e^{(2*c)}) + 12*(3*(2*a*b^3*e^{(2*c)} + (a*b^2*e^{(2*c)} - b^3*e^{(2*c)} \\
& )*\text{sqrt}(-a*b))*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\cosh(1/2 \\
& *imag\_part(\arccos(-a/(a + b) + b/(a + b))))^3*\sin(1/2*\text{real\_part}(\arccos(-a/( \\
& a + b) + b/(a + b)))) - (2*a*b^3*e^{(2*c)} + (a*b^2*e^{(2*c)} - b^3*e^{(2*c)})*\text{sq \\
& rt}(-a*b))*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\sin(1/2*\text{rea \\
& l\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 - 9*(2*a*b^3*e^{(2*c)} + (a*b^2*e^{( \\
& 2*c)} - b^3*e^{(2*c)})*\text{sqrt}(-a*b))*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a \\
& + b))))^2*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\sin(1/2*\text{rea \\
& l\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b \\
& ) + b/(a + b)))) + 3*(2*a*b^3*e^{(2*c)} + (a*b^2*e^{(2*c)} - b^3*e^{(2*c)})*\text{sqrt} \\
& (-a*b))*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\sin(1/2*\text{real\_p \\
& art}(\arccos(-a/(a + b) + b/(a + b))))^3*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) \\
& + b/(a + b)))) + 9*(2*a*b^3*e^{(2*c)} + (a*b^2*e^{(2*c)} - b^3*e^{(2*c)})*\text{sqrt}(- \\
& a*b))*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\cosh(1/2*\text{imag\_pa \\
& rt}(\arccos(-a/(a + b) + b/(a + b))))*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b \\
& /(a + b))))*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 - 3*(2*a* \\
& b^3*e^{(2*c)} + (a*b^2*e^{(2*c)} - b^3*e^{(2*c)})*\text{sqrt}(-a*b))*\cosh(1/2*\text{imag\_part} \\
& (\arccos(-a/(a + b) + b/(a + b))))*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a \\
& + b))))^3*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 - 3*(2*a*b \\
& ^3*e^{(2*c)} + (a*b^2*e^{(2*c)} - b^3*e^{(2*c)})*\text{sqrt}(-a*b))*\cos(1/2*\text{real\_part}(\ar \\
& ccos(-a/(a + b) + b/(a + b))))^2*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a \\
& + b))))*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 + (2*a*b^3*e \\
& ^{(2*c)} + (a*b^2*e^{(2*c)} - b^3*e^{(2*c)})*\text{sqrt}(-a*b))*\sin(1/2*\text{real\_part}(\arccos \\
& (-a/(a + b) + b/(a + b))))^3*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + \\
& b))))^3 + (2*a*b^3*e^{(2*c)} + (a*b^2*e^{(2*c)} - b^3*e^{(2*c)})*\text{sqrt}(-a*b))*\cosh \\
& (1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sin(1/2*\text{real\_part}(\arccos(-a \\
& /(a + b) + b/(a + b)))) - (2*a*b^3*e^{(2*c)} + (a*b^2*e^{(2*c)} - b^3*e^{(2*c)})* \\
& \text{sqrt}(-a*b))*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sinh(1/2*\text{ima \\
& g\_part}(\arccos(-a/(a + b) + b/(a + b))))*\arctan(-(((a^3 + 3*a^2*b + 3*a*b^2 \\
& + b^3)/(a^3*e^{(4*c)} + 3*a^2*b*e^{(4*c)} + 3*a*b^2*e^{(4*c)} + b^3*e^{(4*c)}))^{(1
\end{aligned}$$

$$\begin{aligned}
& /4) * \cos(1/2 * \arccos(-(a - b)/(a + b))) - e^{(d*x)} / ((a^3 + 3*a^2*b + 3*a*b^2 + b^3) / (a^3*e^{(4*c)} + 3*a^2*b*e^{(4*c)} + 3*a*b^2*e^{(4*c)} + b^3*e^{(4*c)}))^{(1/4)} * \sin(1/2 * \arccos(-(a - b)/(a + b))) / (a^4*b*e^{(2*c)} + 3*a^3*b^2*e^{(2*c)} \\
& + 3*a^2*b^3*e^{(2*c)} + a*b^4*e^{(2*c)}) - (9*a*e^{(2*d*x + 2*c)} + 21*b*e^{(2*d*x + 2*c)} + a + b) * e^{(-3*d*x)} / (a^2*e^{(3*c)} + 2*a*b*e^{(3*c)} + b^2*e^{(3*c)}) + 6 \\
& * ((2*a*b^3*e^{(2*c)} + (a*b^2*e^{(2*c)} - b^3*e^{(2*c)}) * \sqrt{-a*b}) * \cos(1/2 * \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 * \cosh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 - 3 * (2*a*b^3*e^{(2*c)} + (a*b^2*e^{(2*c)} - b^3*e^{(2*c)}) * \sqrt{-a*b}) * \cos(1/2 * \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))) * \cosh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 * \sin(1/2 * \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 - 3 * (2*a*b^3*e^{(2*c)} + (a*b^2*e^{(2*c)} - b^3*e^{(2*c)}) * \sqrt{-a*b}) * \cos(1/2 * \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 * \cosh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 * \sinh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) + 9 * (2*a*b^3*e^{(2*c)} + (a*b^2*e^{(2*c)} - b^3*e^{(2*c)}) * \sqrt{-a*b}) * \cos(1/2 * \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))) * \cosh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 * \sin(1/2 * \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 * \sinh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) + 3 * (2*a*b^3*e^{(2*c)} + (a*b^2*e^{(2*c)} - b^3*e^{(2*c)}) * \sqrt{-a*b}) * \cos(1/2 * \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 * \cosh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) * \sinh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 - 9 * (2*a*b^3*e^{(2*c)} + (a*b^2*e^{(2*c)} - b^3*e^{(2*c)}) * \sqrt{-a*b}) * \cos(1/2 * \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))) * \cosh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) * \sin(1/2 * \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 * \sinh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 - (2*a*b^3*e^{(2*c)} + (a*b^2*e^{(2*c)} - b^3*e^{(2*c)}) * \sqrt{-a*b}) * \cos(1/2 * \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 * \sinh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 + 3 * (2*a*b^3*e^{(2*c)} + (a*b^2*e^{(2*c)} - b^3*e^{(2*c)}) * \sqrt{-a*b}) * \cos(1/2 * \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))) * \sin(1/2 * \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 * \sinh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 + (2*a*b^3*e^{(2*c)} + (a*b^2*e^{(2*c)} - b^3*e^{(2*c)}) * \sqrt{-a*b}) * \cos(1/2 * \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))) * \cosh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) - (2*a*b^3*e^{(2*c)} + (a*b^2*e^{(2*c)} - b^3*e^{(2*c)}) * \sqrt{-a*b}) * \cos(1/2 * \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))) * \sinh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) * \log(2 * ((a^3 + 3*a^2*b + 3*a*b^2 + b^3) / (a^3*e^{(4*c)} + 3*a^2*b*e^{(4*c)} + 3*a*b^2*e^{(4*c)} + b^3*e^{(4*c)}))^{(1/4)} * \cos(1/2 * \arccos(-(a - b)/(a + b))) * e^{(d*x)} + \sqrt{(a^3 + 3*a^2*b + 3*a*b^2 + b^3) / (a^3*e^{(4*c)} + 3*a^2*b*e^{(4*c)} + 3*a*b^2*e^{(4*c)} + b^3*e^{(4*c)})} + e^{(2*d*x)} / (a^4*b*e^{(2*c)} + 3*a^3*b^2*e^{(2*c)} + 3*a^2*b^3*e^{(2*c)} + a*b^4*e^{(2*c)}) - 6 * ((2*a*b^3*e^{(2*c)} + (a*b^2*e^{(2*c)} - b^3*e^{(2*c)}) * \sqrt{-a*b}) * \cos(1/2 * \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 * \cosh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 - 3 * (2*a*b^3*e^{(2*c)} + (a*b^2*e^{(2*c)} - b^3*e^{(2*c)}) * \sqrt{-a*b}) * \cos(1/2 * \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))) * \cosh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 * \sin(1/2 * \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 - 3 * (2*a*b^3*e^{(2*c)} + (a*b^2*e^{(2*c)} - b^3*e^{(2*c)}) * \sqrt{-a*b}) * \cos(1/2 * \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 * \cosh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))
\end{aligned}$$



$$\begin{aligned}
& / (a + b) + b/(a + b) \Big)^2 \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))) \\
& ) + 9(2ab^3e^{2c} + (ab^2e^{2c} - b^3e^{2c})\sqrt{-ab})\cos(1/2 \\
& * \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))) \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a \\
& + b) + b/(a + b))))^2 \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 \\
& * \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) + 3(2ab^3e^{2c} + \\
& (ab^2e^{2c} - b^3e^{2c})\sqrt{-ab})\cos(1/2 \operatorname{real\_part}(\arccos(-a/(a + \\
& b) + b/(a + b))))^3 \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) * \operatorname{si} \\
& \operatorname{nh}(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 - 9(2ab^3e^{2c} + \\
& (ab^2e^{2c} - b^3e^{2c})\sqrt{-ab})\cos(1/2 \operatorname{real\_part}(\arccos(-a/(a + \\
& b) + b/(a + b)))) \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) * \sin(1 \\
& /2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 \sinh(1/2 \operatorname{imag\_part}(\arccos(- \\
& a/(a + b) + b/(a + b))))^2 - (2ab^3e^{2c} + (ab^2e^{2c} - b^3e^{2c}) \\
& )\sqrt{-ab})\cos(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 \sinh(1/ \\
& 2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 + 3(2ab^3e^{2c} + (ab^2 \\
& e^{2c} - b^3e^{2c})\sqrt{-ab})\cos(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + \\
& b/(a + b)))) \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 \sinh(1/2 * \\
& \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 + (2ab^3e^{2c} + (ab^2e^{2c} \\
& - b^3e^{2c})\sqrt{-ab})\cos(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a \\
& + b)))) \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) - (2ab^3e^{( \\
& 2c) + (ab^2e^{2c} - b^3e^{2c})\sqrt{-ab})\cos(1/2 \operatorname{real\_part}(\arccos(- \\
& a/(a + b) + b/(a + b)))) \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))) \\
& )) * \log(-2((a^3 + 3a^2b + 3ab^2 + b^3)/(a^3e^{4c} + 3a^2be^{4c} + \\
& 3ab^2e^{4c} + b^3e^{4c}))^{1/4} \cos(1/2 \arccos(-(a - b)/(a + b))) * e^{ \\
& (d*x) + \sqrt{(a^3 + 3a^2b + 3ab^2 + b^3)/(a^3e^{4c} + 3a^2be^{4c} \\
& + 3ab^2e^{4c} + b^3e^{4c}))} + e^{(2d*x)})/(a^4be^{2c} + 3a^3b^2e^{2c} \\
& + 3a^2b^3e^{2c} + ab^4e^{2c}) + (a^2e^{(3d*x + 24c)} + 2ab \\
& be^{(3d*x + 24c)} + b^2e^{(3d*x + 24c)} + 9a^2e^{(d*x + 22c)} + 30abbe^{ \\
& (d*x + 22c)} + 21b^2e^{(d*x + 22c)})/(a^3e^{(21c)} + 3a^2be^{(21c)} + 3 \\
& * ab^2e^{(21c)} + b^3e^{(21c)}))/d
\end{aligned}$$

$$3.107 \quad \int \frac{\cosh^2(c+dx)}{a+b \tanh^2(c+dx)} dx$$

**Optimal.** Leaf size=77

$$\frac{b^{3/2} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{\sqrt{ad}(a+b)^2} + \frac{\sinh(c+dx) \cosh(c+dx)}{2d(a+b)} + \frac{x(a+3b)}{2(a+b)^2}$$

[Out] ((a + 3\*b)\*x)/(2\*(a + b)^2) + (b^(3/2)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(Sqrt[a]\*(a + b)^2\*d) + (Cosh[c + d\*x]\*Sinh[c + d\*x])/(2\*(a + b)\*d)

**Rubi [A]** time = 0.102965, antiderivative size = 77, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {3675, 414, 522, 206, 205}

$$\frac{b^{3/2} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{\sqrt{ad}(a+b)^2} + \frac{\sinh(c+dx) \cosh(c+dx)}{2d(a+b)} + \frac{x(a+3b)}{2(a+b)^2}$$

Antiderivative was successfully verified.

[In] Int[Cosh[c + d\*x]^2/(a + b\*Tanh[c + d\*x]^2), x]

[Out] ((a + 3\*b)\*x)/(2\*(a + b)^2) + (b^(3/2)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(Sqrt[a]\*(a + b)^2\*d) + (Cosh[c + d\*x]\*Sinh[c + d\*x])/(2\*(a + b)\*d)

### Rule 3675

```
Int[sec[(e_.) + (f_.)*(x_)]^(m_)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)]))^(n_)]^(p_.), x_Symbol]
:> With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[ff/(c^(m - 1)*f), Subst[Int[(c^2 + ff^2*x^2)^(m/2 - 1)*(a + b*(ff*x)^n)^p, x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2] && (IntegersQ[n, p] || IGtQ[m, 0] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])
```

### Rule 414

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> -Simp[(b*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(p + 1)*(b*c - a*d)), x] + Dist[1/(a*n*(p + 1)*(b*c - a*d)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[b*c + n*(p + 1)*(b*c - a*d) + d*b*(n*(p + q + 2) + 1)*x^n, x]
```

```
, x], x] /; FreeQ[{a, b, c, d, n, q}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1]
&& !( !IntegerQ[p] && IntegerQ[q] && LtQ[q, -1]) && IntBinomialQ[a, b, c,
d, n, p, q, x]
```

### Rule 522

```
Int[((e_) + (f_.)*(x_)^(n_))/(((a_) + (b_.)*(x_)^(n_))*((c_) + (d_.)*(x_)^(
n_))), x_Symbol] := Dist[(b*e - a*f)/(b*c - a*d), Int[1/(a + b*x^n), x], x]
- Dist[(d*e - c*f)/(b*c - a*d), Int[1/(c + d*x^n), x], x] /; FreeQ[{a, b,
c, d, e, f, n}, x]
```

### Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

### Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

### Rubi steps

$$\begin{aligned} \int \frac{\cosh^2(c+dx)}{a+b \tanh^2(c+dx)} dx &= \frac{\text{Subst}\left(\int \frac{1}{(1-x^2)^2(a+bx^2)} dx, x, \tanh(c+dx)\right)}{d} \\ &= \frac{\cosh(c+dx) \sinh(c+dx)}{2(a+b)d} + \frac{\text{Subst}\left(\int \frac{a+2b+bx^2}{(1-x^2)(a+bx^2)} dx, x, \tanh(c+dx)\right)}{2(a+b)d} \\ &= \frac{\cosh(c+dx) \sinh(c+dx)}{2(a+b)d} + \frac{b^2 \text{Subst}\left(\int \frac{1}{a+bx^2} dx, x, \tanh(c+dx)\right)}{(a+b)^2d} + \frac{(a+3b) \text{Subst}\left(\int \frac{1}{1-x^2} dx, x, \tanh(c+dx)\right)}{2(a+b)d} \\ &= \frac{(a+3b)x}{2(a+b)^2} + \frac{b^{3/2} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{\sqrt{a}(a+b)^2d} + \frac{\cosh(c+dx) \sinh(c+dx)}{2(a+b)d} \end{aligned}$$

**Mathematica [A]** time = 0.147657, size = 77, normalized size = 1.

$$\frac{4b^{3/2} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right) + 2\sqrt{a}(a+3b)(c+dx) + \sqrt{a}(a+b) \sinh(2(c+dx))}{4\sqrt{ad}(a+b)^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cosh[c + d*x]^2/(a + b*Tanh[c + d*x]^2), x]
```

```
[Out] (2*sqrt[a]*(a + 3*b)*(c + d*x) + 4*b^(3/2)*ArcTan[(sqrt[b]*Tanh[c + d*x])/S
sqrt[a]] + sqrt[a]*(a + b)*Sinh[2*(c + d*x)])/(4*sqrt[a]*(a + b)^2*d)
```

**Maple [B]** time = 0.083, size = 608, normalized size = 7.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cosh(d*x+c)^2/(a+b*tanh(d*x+c)^2), x)
```

```
[Out] -1/d/(2*b+2*a)/(tanh(1/2*d*x+1/2*c)+1)^2+2/d/(4*a+4*b)/(tanh(1/2*d*x+1/2*c)
+1)+1/2/d/(a+b)^2*ln(tanh(1/2*d*x+1/2*c)+1)*a+3/2/d/(a+b)^2*ln(tanh(1/2*d*x
+1/2*c)+1)*b-1/d*a*b^2/(a+b)^2/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)-a-2*b)*a
)^(1/2)*arctanh(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))+
1/d*b^2/(a+b)^2/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*arctanh(a*tanh(1/2*d*x+
1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))-1/d*b^3/(a+b)^2/(b*(a+b))^(1/2)
/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*arctanh(a*tanh(1/2*d*x+1/2*c)/((2*(b*(
a+b))^(1/2)-a-2*b)*a)^(1/2))-1/d*a*b^2/(a+b)^2/(b*(a+b))^(1/2)/((2*(b*(a+b)
)^(1/2)+a+2*b)*a)^(1/2)*arctan(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+
2*b)*a)^(1/2))-1/d*b^2/(a+b)^2/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*arctan(a
*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))-1/d*b^3/(a+b)^2/(
b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*arctan(a*tanh(1/2*d*x+1/
2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))+1/d/(2*b+2*a)/(tanh(1/2*d*x+1/2*c
)-1)^2+2/d/(4*a+4*b)/(tanh(1/2*d*x+1/2*c)-1)-1/2/d/(a+b)^2*ln(tanh(1/2*d*x+
1/2*c)-1)*a-3/2/d/(a+b)^2*ln(tanh(1/2*d*x+1/2*c)-1)*b
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cosh(d*x+c)^2/(a+b*tanh(d*x+c)^2), x, algorithm="maxima")
```

[Out] Exception raised: ValueError

**Fricas [B]** time = 2.28545, size = 2520, normalized size = 32.73

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2),x, algorithm="fricas")

[Out] [1/8\*(4\*(a + 3\*b)\*d\*x\*cosh(d\*x + c)^2 + (a + b)\*cosh(d\*x + c)^4 + 4\*(a + b)\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + (a + b)\*sinh(d\*x + c)^4 + 2\*(2\*(a + 3\*b)\*d\*x + 3\*(a + b)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^2 + 4\*(b\*cosh(d\*x + c)^2 + 2\*b\*cosh(d\*x + c)\*sinh(d\*x + c) + b\*sinh(d\*x + c)^2)\*sqrt(-b/a)\*log(((a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^4 + 4\*(a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + (a^2 + 2\*a\*b + b^2)\*sinh(d\*x + c)^4 + 2\*(a^2 - b^2)\*cosh(d\*x + c)^2 + 2\*(3\*(a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^2 + a^2 - b^2)\*sinh(d\*x + c)^2 + a^2 - 6\*a\*b + b^2 + 4\*((a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^3 + (a^2 - b^2)\*cosh(d\*x + c))\*sinh(d\*x + c) + 4\*((a^2 + a\*b)\*cosh(d\*x + c)^2 + 2\*(a^2 + a\*b)\*cosh(d\*x + c)\*sinh(d\*x + c) + (a^2 + a\*b)\*sinh(d\*x + c)^2 + a^2 - a\*b)\*sqrt(-b/a))/((a + b)\*cosh(d\*x + c)^4 + 4\*(a + b)\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + (a + b)\*sinh(d\*x + c)^4 + 2\*(a - b)\*cosh(d\*x + c)^2 + 2\*(3\*(a + b)\*cosh(d\*x + c)^2 + a - b)\*sinh(d\*x + c)^2 + 4\*((a + b)\*cosh(d\*x + c)^3 + (a - b)\*cosh(d\*x + c))\*sinh(d\*x + c) + a + b)) + 4\*(2\*(a + 3\*b)\*d\*x\*cosh(d\*x + c) + (a + b)\*cosh(d\*x + c)^3)\*sinh(d\*x + c) - a - b)/((a^2 + 2\*a\*b + b^2)\*d\*cosh(d\*x + c)^2 + 2\*(a^2 + 2\*a\*b + b^2)\*d\*cosh(d\*x + c)\*sinh(d\*x + c) + (a^2 + 2\*a\*b + b^2)\*d\*sinh(d\*x + c)^2), 1/8\*(4\*(a + 3\*b)\*d\*x\*cosh(d\*x + c)^2 + (a + b)\*cosh(d\*x + c)^4 + 4\*(a + b)\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + (a + b)\*sinh(d\*x + c)^4 + 2\*(2\*(a + 3\*b)\*d\*x + 3\*(a + b)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^2 + 8\*(b\*cosh(d\*x + c)^2 + 2\*b\*cosh(d\*x + c)\*sinh(d\*x + c) + b\*sinh(d\*x + c)^2)\*sqrt(b/a)\*arctan(1/2\*((a + b)\*cosh(d\*x + c)^2 + 2\*(a + b)\*cosh(d\*x + c)\*sinh(d\*x + c) + (a + b)\*sinh(d\*x + c)^2 + a - b)\*sqrt(b/a)/b) + 4\*(2\*(a + 3\*b)\*d\*x\*cosh(d\*x + c) + (a + b)\*cosh(d\*x + c)^3)\*sinh(d\*x + c) - a - b)/((a^2 + 2\*a\*b + b^2)\*d\*cosh(d\*x + c)^2 + 2\*(a^2 + 2\*a\*b + b^2)\*d\*cosh(d\*x + c)\*sinh(d\*x + c) + (a^2 + 2\*a\*b + b^2)\*d\*sinh(d\*x + c)^2)]

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\cosh^2(c + dx)}{a + b \tanh^2(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cosh(d*x+c)**2/(a+b*tanh(d*x+c)**2),x)`

[Out] `Integral(cosh(c + d*x)**2/(a + b*tanh(c + d*x)**2), x)`

**Giac [B]** time = 1.85299, size = 232, normalized size = 3.01

$$\frac{\frac{4(a+3b)dx}{a^2+2ab+b^2} + \frac{8b^2 \arctan\left(\frac{ae^{(2dx+2c)+be^{(2dx+2c)+a-b}}}{2\sqrt{ab}}\right)}{(a^2+2ab+b^2)\sqrt{ab}} - \frac{(2ae^{(2dx+2c)+6be^{(2dx+2c)+a+b}}e^{(-2dx)})}{a^2e^{(2c)+2abe^{(2c)+b^2e^{(2c)}}} + \frac{e^{(2dx+8c)}}{ae^{(6c)+be^{(6c)}}}}{8d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cosh(d*x+c)^2/(a+b*tanh(d*x+c)^2),x, algorithm="giac")`

[Out] `1/8*(4*(a + 3*b)*d*x/(a^2 + 2*a*b + b^2) + 8*b^2*arctan(1/2*(a*e^(2*d*x + 2*c) + b*e^(2*d*x + 2*c) + a - b)/sqrt(a*b)))/((a^2 + 2*a*b + b^2)*sqrt(a*b)) - (2*a*e^(2*d*x + 2*c) + 6*b*e^(2*d*x + 2*c) + a + b)*e^(-2*d*x)/(a^2*e^(2*c) + 2*a*b*e^(2*c) + b^2*e^(2*c)) + e^(2*d*x + 8*c)/(a*e^(6*c) + b*e^(6*c)))/d`

$$3.108 \quad \int \frac{\cosh(c+dx)}{a+b \tanh^2(c+dx)} dx$$

Optimal. Leaf size=53

$$\frac{\sinh(c+dx)}{d(a+b)} + \frac{b \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{\sqrt{ad}(a+b)^{3/2}}$$

[Out] (b\*ArcTan[(Sqrt[a + b]\*Sinh[c + d\*x])/Sqrt[a]])/(Sqrt[a]\*(a + b)^(3/2)\*d) + Sinh[c + d\*x]/((a + b)\*d)

**Rubi [A]** time = 0.0704951, antiderivative size = 53, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3676, 388, 205}

$$\frac{\sinh(c+dx)}{d(a+b)} + \frac{b \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{\sqrt{ad}(a+b)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[Cosh[c + d\*x]/(a + b\*Tanh[c + d\*x]^2), x]

[Out] (b\*ArcTan[(Sqrt[a + b]\*Sinh[c + d\*x])/Sqrt[a]])/(Sqrt[a]\*(a + b)^(3/2)\*d) + Sinh[c + d\*x]/((a + b)\*d)

### Rule 3676

```
Int[sec[(e_.) + (f_.)*(x_.)]^(m_.)*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)]^(n_.))^(p_.), x_Symbol] :> With[{ff = FreeFactors[Sin[e + f*x], x]}, Dist[ff/f, Subst[Int[ExpandToSum[b*(ff*x)^n + a*(1 - ff^2*x^2)^(n/2), x]^p/(1 - ff^2*x^2)^((m + n*p + 1)/2), x], x, Sin[e + f*x]/ff], x] /; FreeQ[{a, b, e, f}, x] && IntegerQ[(m - 1)/2] && IntegerQ[n/2] && IntegerQ[p]
```

### Rule 388

```
Int[((a_.) + (b_.)*(x_.)^(n_.))^(p_.)*((c_.) + (d_.)*(x_.)^(n_.)), x_Symbol] :> Simp[(d*x*(a + b*x^n)^(p + 1))/(b*(n*(p + 1) + 1)), x] - Dist[(a*d - b*c*(n*(p + 1) + 1))/(b*(n*(p + 1) + 1)), Int[(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && NeQ[n*(p + 1) + 1, 0]
```

Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned} \int \frac{\cosh(c+dx)}{a+b \tanh^2(c+dx)} dx &= \frac{\text{Subst}\left(\int \frac{1+x^2}{a+(a+b)x^2} dx, x, \sinh(c+dx)\right)}{d} \\ &= \frac{\sinh(c+dx)}{(a+b)d} + \frac{b \text{Subst}\left(\int \frac{1}{a+(a+b)x^2} dx, x, \sinh(c+dx)\right)}{(a+b)d} \\ &= \frac{b \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{\sqrt{a}(a+b)^{3/2}d} + \frac{\sinh(c+dx)}{(a+b)d} \end{aligned}$$

**Mathematica [A]** time = 0.0923188, size = 53, normalized size = 1.

$$\frac{\sinh(c+dx)}{d(a+b)} + \frac{b \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{\sqrt{a}d(a+b)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[Cosh[c + d\*x]/(a + b\*Tanh[c + d\*x]^2), x]

[Out] (b\*ArcTan[(Sqrt[a + b]\*Sinh[c + d\*x])/Sqrt[a]])/(Sqrt[a]\*(a + b)^(3/2)\*d) + Sinh[c + d\*x]/((a + b)\*d)

**Maple [B]** time = 0.071, size = 315, normalized size = 5.9

$$-\frac{b}{d(a+b)} \text{Artanh}\left(a \tanh\left(\frac{dx}{2} + \frac{c}{2}\right) \frac{1}{\sqrt{(2\sqrt{b}(a+b) - a - 2b)a}}\right) \frac{1}{\sqrt{(2\sqrt{b}(a+b) - a - 2b)a}} + \frac{b^2}{d(a+b)} \text{Artanh}\left(a \tanh\left(\frac{dx}{2} + \frac{c}{2}\right) \frac{1}{\sqrt{(2\sqrt{b}(a+b) - a - 2b)a}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cosh(d\*x+c)/(a+b\*tanh(d\*x+c)^2), x)



```
[Out] -1/d*b/(a+b)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*arctanh(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))+1/d*b^2/(a+b)/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*arctanh(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))+1/d*b/(a+b)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*arctan(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))+1/d*b^2/(a+b)/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*arctan(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))-2/d/(2*b+2*a)/(tanh(1/2*d*x+1/2*c)-1)-2/d/(2*b+2*a)/(tanh(1/2*d*x+1/2*c)+1)
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{(e^{(2dx+2c)} - 1)e^{(-dx)}}{2(ade^c + bde^c)} + \frac{1}{2} \int \frac{4(b e^{(3dx+3c)} + b e^{(dx+c)})}{a^2 + 2ab + b^2 + (a^2 e^{(4c)} + 2ab e^{(4c)} + b^2 e^{(4c)})e^{(4dx)} + 2(a^2 e^{(2c)} - b^2 e^{(2c)})e^{(2dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cosh(d*x+c)/(a+b*tanh(d*x+c)^2),x, algorithm="maxima")
```

```
[Out] 1/2*(e^(2*d*x + 2*c) - 1)*e^(-d*x)/(a*d*e^c + b*d*e^c) + 1/2*integrate(4*(b*e^(3*d*x + 3*c) + b*e^(d*x + c))/(a^2 + 2*a*b + b^2 + (a^2*e^(4*c) + 2*a*b*e^(4*c) + b^2*e^(4*c))*e^(4*d*x) + 2*(a^2*e^(2*c) - b^2*e^(2*c))*e^(2*d*x)), x)
```

**Fricas [B]** time = 2.46219, size = 2040, normalized size = 38.49

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cosh(d*x+c)/(a+b*tanh(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] [1/2*((a^2 + a*b)*cosh(d*x + c)^2 + 2*(a^2 + a*b)*cosh(d*x + c)*sinh(d*x + c) + (a^2 + a*b)*sinh(d*x + c)^2 - sqrt(-a^2 - a*b)*(b*cosh(d*x + c) + b*sinh(d*x + c))*log(((a + b)*cosh(d*x + c)^4 + 4*(a + b)*cosh(d*x + c)*sinh(d*x + c)^3 + (a + b)*sinh(d*x + c)^4 - 2*(3*a + b)*cosh(d*x + c)^2 + 2*(3*(a + b)*cosh(d*x + c)^2 - 3*a - b)*sinh(d*x + c)^2 + 4*((a + b)*cosh(d*x + c)^3 - (3*a + b)*cosh(d*x + c))*sinh(d*x + c) - 4*(cosh(d*x + c)^3 + 3*cosh(d*x + c)*sinh(d*x + c)^2 + sinh(d*x + c)^3 + (3*cosh(d*x + c)^2 - 1)*sinh(d*x + c) - cosh(d*x + c))*sqrt(-a^2 - a*b) + a + b)/((a + b)*cosh(d*x + c)^4 +
```

```

4*(a + b)*cosh(d*x + c)*sinh(d*x + c)^3 + (a + b)*sinh(d*x + c)^4 + 2*(a -
b)*cosh(d*x + c)^2 + 2*(3*(a + b)*cosh(d*x + c)^2 + a - b)*sinh(d*x + c)^2
+ 4*((a + b)*cosh(d*x + c)^3 + (a - b)*cosh(d*x + c))*sinh(d*x + c) + a +
b)) - a^2 - a*b)/((a^3 + 2*a^2*b + a*b^2)*d*cosh(d*x + c) + (a^3 + 2*a^2*b
+ a*b^2)*d*sinh(d*x + c)), 1/2*((a^2 + a*b)*cosh(d*x + c)^2 + 2*(a^2 + a*b)
*cosh(d*x + c)*sinh(d*x + c) + (a^2 + a*b)*sinh(d*x + c)^2 + 2*sqrt(a^2 + a
*b)*(b*cosh(d*x + c) + b*sinh(d*x + c))*arctan(1/2*((a + b)*cosh(d*x + c)^3
+ 3*(a + b)*cosh(d*x + c)*sinh(d*x + c)^2 + (a + b)*sinh(d*x + c)^3 + (3*a
- b)*cosh(d*x + c) + (3*(a + b)*cosh(d*x + c)^2 + 3*a - b)*sinh(d*x + c))/
sqrt(a^2 + a*b)) + 2*sqrt(a^2 + a*b)*(b*cosh(d*x + c) + b*sinh(d*x + c))*ar
ctan(1/2*sqrt(a^2 + a*b)*(cosh(d*x + c) + sinh(d*x + c))/a) - a^2 - a*b)/((
a^3 + 2*a^2*b + a*b^2)*d*cosh(d*x + c) + (a^3 + 2*a^2*b + a*b^2)*d*sinh(d*x
+ c))]

```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\cosh(c + dx)}{a + b \tanh^2(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cosh(d*x+c)/(a+b*tanh(d*x+c)**2),x)
```

```
[Out] Integral(cosh(c + d*x)/(a + b*tanh(c + d*x)**2), x)
```

**Giac [C]** time = 1.58398, size = 6017, normalized size = 113.53

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cosh(d*x+c)/(a+b*tanh(d*x+c)^2),x, algorithm="giac")
```

```
[Out] 1/4*(2*(3*(a^2*b*e^(4*c) + 2*a*b^2*e^(4*c) + b^3*e^(4*c))*cos(1/2*real_part
(arccos(-a/(a + b) + b/(a + b))))^2*cosh(1/2*imag_part(arccos(-a/(a + b) +
b/(a + b))))^3*sin(1/2*real_part(arccos(-a/(a + b) + b/(a + b)))) - (a^2*b*
e^(4*c) + 2*a*b^2*e^(4*c) + b^3*e^(4*c))*cosh(1/2*imag_part(arccos(-a/(a +
b) + b/(a + b))))^3*sin(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))^3 -
9*(a^2*b*e^(4*c) + 2*a*b^2*e^(4*c) + b^3*e^(4*c))*cos(1/2*real_part(arccos(
-a/(a + b) + b/(a + b))))^2*cosh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b

```



$$\begin{aligned}
& 4*c)) * \sin(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \sinh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 + (a^2 * b * e^{4*c} + 2 * a * b^2 * e^{4*c} + b^3 * e^{4*c}) * \cosh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sin(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) - (a^2 * b * e^{4*c} + 2 * a * b^2 * e^{4*c} + b^3 * e^{4*c}) * \sin(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sinh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \arctan(-((a^2 + 2 * a * b + b^2) / (a^2 * e^{4*c} + 2 * a * b * e^{4*c} + b^2 * e^{4*c}))^{1/4} * \cos(1/2 * \arccos(-(a-b)/(a+b))) - e^{d*x}) / (((a^2 + 2 * a * b + b^2) / (a^2 * e^{4*c} + 2 * a * b * e^{4*c} + b^2 * e^{4*c}))^{1/4} * \sin(1/2 * \arccos(-(a-b)/(a+b)))) / (2 * (a * e^{2*c} + b * e^{2*c}))^2 * a * b + (a^2 * e^{2*c} - b^2 * e^{2*c}) * \sqrt{-a * b} * \text{abs}(-a * e^{2*c} - b * e^{2*c})) + ((a^2 * b * e^{4*c} + 2 * a * b^2 * e^{4*c} + b^3 * e^{4*c}) * \cos(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \cosh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 - 3 * (a^2 * b * e^{4*c} + 2 * a * b^2 * e^{4*c} + b^3 * e^{4*c}) * \cos(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \cosh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \sin(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - 3 * (a^2 * b * e^{4*c} + 2 * a * b^2 * e^{4*c} + b^3 * e^{4*c}) * \cos(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \cosh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 * \sinh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) + 9 * (a^2 * b * e^{4*c} + 2 * a * b^2 * e^{4*c} + b^3 * e^{4*c}) * \cos(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \cosh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 * \sin(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 * \sinh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) + 3 * (a^2 * b * e^{4*c} + 2 * a * b^2 * e^{4*c} + b^3 * e^{4*c}) * \cos(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \cosh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sinh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - 9 * (a^2 * b * e^{4*c} + 2 * a * b^2 * e^{4*c} + b^3 * e^{4*c}) * \cos(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \cosh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sin(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 * \sinh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - (a^2 * b * e^{4*c} + 2 * a * b^2 * e^{4*c} + b^3 * e^{4*c}) * \cos(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \sinh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 + 3 * (a^2 * b * e^{4*c} + 2 * a * b^2 * e^{4*c} + b^3 * e^{4*c}) * \cos(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sin(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 * \sinh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 + (a^2 * b * e^{4*c} + 2 * a * b^2 * e^{4*c} + b^3 * e^{4*c}) * \cos(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \cosh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) - (a^2 * b * e^{4*c} + 2 * a * b^2 * e^{4*c} + b^3 * e^{4*c}) * \cos(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sinh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \log(2 * ((a^2 + 2 * a * b + b^2) / (a^2 * e^{4*c} + 2 * a * b * e^{4*c} + b^2 * e^{4*c}))^{1/4} * \cos(1/2 * \arccos(-(a-b)/(a+b))) * e^{d*x} + \sqrt{(a^2 + 2 * a * b + b^2) / (a^2 * e^{4*c} + 2 * a * b * e^{4*c} + b^2 * e^{4*c})) + e^{2*d*x}) / (2 * (a * e^{2*c} + b * e^{2*c}))^2 * a * b + (a^2 * e^{2*c} - b^2 * e^{2*c}) * \sqrt{-a * b} * \text{abs}(-a * e^{2*c} - b * e^{2*c})) - ((a^2 * b * e^{4*c} + 2 * a * b^2 * e^{4*c} + b^3 * e^{4*c}) * \cos(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \cosh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 - 3 * (a^2 * b * e^{4*c} + 2 * a * b^2 * e^{4*c} + b^3 * e^{4*c}) * \cos(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \cosh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \sin(1/
\end{aligned}$$

$$\begin{aligned}
& 2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b)))^2 - 3*(a^2*b*e^{(4*c)} + 2*a*b^2 \\
& *e^{(4*c)} + b^3*e^{(4*c)})*\cos(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 \\
& + 3*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2*\sinh(1/2*\text{imag\_part} \\
& (\arccos(-a/(a+b) + b/(a+b)))) + 9*(a^2*b*e^{(4*c)} + 2*a*b^2*e^{(4*c)} + b^3 \\
& *e^{(4*c)})*\cos(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))*\cosh(1/2*\text{imag\_} \\
& \text{part}(\arccos(-a/(a+b) + b/(a+b))))^2*\sin(1/2*\text{real\_part}(\arccos(-a/(a+b) \\
& + b/(a+b))))^2*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) + 3*( \\
& a^2*b*e^{(4*c)} + 2*a*b^2*e^{(4*c)} + b^3*e^{(4*c)})*\cos(1/2*\text{real\_part}(\arccos(-a/ \\
& (a+b) + b/(a+b))))^3*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) \\
& )*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - 9*(a^2*b*e^{(4*c)} \\
& + 2*a*b^2*e^{(4*c)} + b^3*e^{(4*c)})*\cos(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a \\
& + b))))*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))*\sin(1/2*\text{real\_} \\
& \text{part}(\arccos(-a/(a+b) + b/(a+b))))^2*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a+b) \\
& + b/(a+b))))^2 - (a^2*b*e^{(4*c)} + 2*a*b^2*e^{(4*c)} + b^3*e^{(4*c)})*\cos(1/2 \\
& *real\_part(\arccos(-a/(a+b) + b/(a+b))))^3*\sinh(1/2*\text{imag\_part}(\arccos(-a/ \\
& (a+b) + b/(a+b))))^3 + 3*(a^2*b*e^{(4*c)} + 2*a*b^2*e^{(4*c)} + b^3*e^{(4*c)} \\
& )*\cos(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))*\sin(1/2*\text{real\_part}(\arcc \\
& \text{os}(-a/(a+b) + b/(a+b))))^2*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a \\
& + b))))^3 + (a^2*b*e^{(4*c)} + 2*a*b^2*e^{(4*c)} + b^3*e^{(4*c)})*\cos(1/2*\text{real\_} \\
& \text{part}(\arccos(-a/(a+b) + b/(a+b))))*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + \\
& b/(a+b)))) - (a^2*b*e^{(4*c)} + 2*a*b^2*e^{(4*c)} + b^3*e^{(4*c)})*\cos(1/2*\text{real} \\
& \_part(\arccos(-a/(a+b) + b/(a+b))))*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a+b) \\
& + b/(a+b))))*\log(-2*((a^2 + 2*a*b + b^2)/(a^2*e^{(4*c)} + 2*a*b*e^{(4*c)} + \\
& b^2*e^{(4*c)}))^{(1/4)}*\cos(1/2*\arccos(-(a-b)/(a+b)))*e^{(d*x)} + \text{sqrt}((a^2 \\
& + 2*a*b + b^2)/(a^2*e^{(4*c)} + 2*a*b*e^{(4*c)} + b^2*e^{(4*c)})) + e^{(2*d*x)})/(2 \\
& *(a*e^{(2*c)} + b*e^{(2*c)})^2*a*b + (a^2*e^{(2*c)} - b^2*e^{(2*c)})*\text{sqrt}(-a*b)*\text{abs} \\
& (-a*e^{(2*c)} - b*e^{(2*c)})) + 2*e^{(d*x + 6*c)}/(a*e^{(5*c)} + b*e^{(5*c)}) - 2*e^{( \\
& -d*x)}/(a*e^c + b*e^c))/d
\end{aligned}$$

$$3.109 \quad \int \frac{\operatorname{sech}(c+dx)}{a+b \tanh^2(c+dx)} dx$$

**Optimal.** Leaf size=36

$$\frac{\tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{\sqrt{ad}\sqrt{a+b}}$$

[Out] ArcTan[(Sqrt[a + b]\*Sinh[c + d\*x])/Sqrt[a]]/(Sqrt[a]\*Sqrt[a + b]\*d)

**Rubi [A]** time = 0.0443204, antiderivative size = 36, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$ , Rules used = {3676, 205}

$$\frac{\tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{\sqrt{ad}\sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] Int[Sech[c + d\*x]/(a + b\*Tanh[c + d\*x]^2), x]

[Out] ArcTan[(Sqrt[a + b]\*Sinh[c + d\*x])/Sqrt[a]]/(Sqrt[a]\*Sqrt[a + b]\*d)

### Rule 3676

```
Int[sec[(e_.) + (f_.)*(x_)]^(m_.)*((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)]^(n_.))^
(p_.), x_Symbol] := With[{ff = FreeFactors[Sin[e + f*x], x]}, Dist[ff/f,
  Subst[Int[ExpandToSum[b*(ff*x)^n + a*(1 - ff^2*x^2)^(n/2), x]^p/(1 - ff^2*
x^2)^((m + n*p + 1)/2), x], x, Sin[e + f*x]/ff], x] /; FreeQ[{a, b, e, f},
x] && IntegerQ[(m - 1)/2] && IntegerQ[n/2] && IntegerQ[p]
```

### Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

### Rubi steps

$$\int \frac{\operatorname{sech}(c+dx)}{a+b \tanh^2(c+dx)} dx = \frac{\operatorname{Subst}\left(\int \frac{1}{a+(a+b)x^2} dx, x, \sinh(c+dx)\right)}{d}$$

$$= \frac{\tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{\sqrt{a} \sqrt{a+bd}}$$

**Mathematica [A]** time = 0.0370236, size = 36, normalized size = 1.

$$\frac{\tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{\sqrt{ad} \sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] Integrate[Sech[c + d\*x]/(a + b\*Tanh[c + d\*x]^2), x]

[Out] ArcTan[(Sqrt[a + b]\*Sinh[c + d\*x])/Sqrt[a]]/(Sqrt[a]\*Sqrt[a + b]\*d)

**Maple [B]** time = 0.059, size = 235, normalized size = 6.5

$$-\frac{1}{d} \operatorname{Arctanh}\left(a \tanh\left(\frac{dx}{2} + \frac{c}{2}\right) \frac{1}{\sqrt{(2\sqrt{b(a+b)} - a - 2b)a}}\right) \frac{1}{\sqrt{(2\sqrt{b(a+b)} - a - 2b)a}} + \frac{b}{d} \operatorname{Arctanh}\left(a \tanh\left(\frac{dx}{2} + \frac{c}{2}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sech(d\*x+c)/(a+b\*tanh(d\*x+c)^2), x)

[Out]  $-1/d/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)}*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c))/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)}+1/d*b/(b*(a+b))^{(1/2)}/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)}*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c))/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)}+1/d/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)}*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c))/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)}+1/d*b/(b*(a+b))^{(1/2)}/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)}*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c))/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)}$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{sech}(dx + c)}{b \tanh(dx + c)^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)/(a+b\*tanh(d\*x+c)^2),x, algorithm="maxima")

[Out] integrate(sech(d\*x + c)/(b\*tanh(d\*x + c)^2 + a), x)

**Fricas [B]** time = 2.39758, size = 1385, normalized size = 38.47

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)/(a+b\*tanh(d\*x+c)^2),x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [-1/2*\sqrt{-a^2 - a*b}*\log(((a + b)*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a + b)*\sinh(d*x + c)^4 - 2*(3*a + b)*\cosh(d*x + c)^2 \\ & + 2*(3*(a + b)*\cosh(d*x + c)^2 - 3*a - b)*\sinh(d*x + c)^2 + 4*((a + b)*\cosh(d*x + c)^3 - (3*a + b)*\cosh(d*x + c))*\sinh(d*x + c) - 4*(\cosh(d*x + c)^3 + \\ & 3*\cosh(d*x + c)*\sinh(d*x + c)^2 + \sinh(d*x + c)^3 + (3*\cosh(d*x + c)^2 - 1)*\sinh(d*x + c) - \cosh(d*x + c))*\sqrt{-a^2 - a*b} + a + b)/((a + b)*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a + b)*\sinh(d*x + c)^4 \\ & + 2*(a - b)*\cosh(d*x + c)^2 + 2*(3*(a + b)*\cosh(d*x + c)^2 + a - b)*\sinh(d*x + c)^2 + 4*((a + b)*\cosh(d*x + c)^3 + (a - b)*\cosh(d*x + c))*\sinh(d*x + c) + a + b))/((a^2 + a*b)*d), (\sqrt{a^2 + a*b}*\arctan(1/2*((a + b)*\cosh(d*x + c)^3 + 3*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^2 + (a + b)*\sinh(d*x + c)^3 + (3*a - b)*\cosh(d*x + c) + (3*(a + b)*\cosh(d*x + c)^2 + 3*a - b)*\sinh(d*x + c))/\sqrt{a^2 + a*b})) + \sqrt{a^2 + a*b}*\arctan(1/2*\sqrt{a^2 + a*b}*(\cosh(d*x + c) + \sinh(d*x + c))/a))/((a^2 + a*b)*d)] \end{aligned}$$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{sech}(c + dx)}{a + b \tanh^2(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.



```
[In] integrate(sech(d*x+c)/(a+b*tanh(d*x+c)**2),x)
```

```
[Out] Integral(sech(c + d*x)/(a + b*tanh(c + d*x)**2), x)
```

**Giac [C]** time = 1.56991, size = 6607, normalized size = 183.53

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sech(d*x+c)/(a+b*tanh(d*x+c)^2),x, algorithm="giac")
```

```
[Out] 1/4*(2*(3*(2*a^2*b*e^(2*c) + 2*a*b^2*e^(2*c) - (a^2*e^(2*c) - b^2*e^(2*c))*
sqrt(-a*b))*cos(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))^2*cosh(1/2*i
mag_part(arccos(-a/(a + b) + b/(a + b))))^3*sin(1/2*real_part(arccos(-a/(a
+ b) + b/(a + b)))) - (2*a^2*b*e^(2*c) + 2*a*b^2*e^(2*c) - (a^2*e^(2*c) - b
^2*e^(2*c))*sqrt(-a*b))*cosh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b))))
^3*sin(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))^3 - 9*(2*a^2*b*e^(2*c
) + 2*a*b^2*e^(2*c) - (a^2*e^(2*c) - b^2*e^(2*c))*sqrt(-a*b))*cos(1/2*real_
part(arccos(-a/(a + b) + b/(a + b))))^2*cosh(1/2*imag_part(arccos(-a/(a + b
) + b/(a + b))))^2*sin(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))*sinh(
1/2*imag_part(arccos(-a/(a + b) + b/(a + b)))) + 3*(2*a^2*b*e^(2*c) + 2*a*b
^2*e^(2*c) - (a^2*e^(2*c) - b^2*e^(2*c))*sqrt(-a*b))*cosh(1/2*imag_part(arc
cos(-a/(a + b) + b/(a + b))))^2*sin(1/2*real_part(arccos(-a/(a + b) + b/(a
+ b))))^3*sinh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b)))) + 9*(2*a^2*b*
e^(2*c) + 2*a*b^2*e^(2*c) - (a^2*e^(2*c) - b^2*e^(2*c))*sqrt(-a*b))*cos(1/2
*real_part(arccos(-a/(a + b) + b/(a + b))))^2*cosh(1/2*imag_part(arccos(-a/
(a + b) + b/(a + b))))*sin(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))*s
inh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b))))^2 - 3*(2*a^2*b*e^(2*c) +
2*a*b^2*e^(2*c) - (a^2*e^(2*c) - b^2*e^(2*c))*sqrt(-a*b))*cosh(1/2*imag_pa
rt(arccos(-a/(a + b) + b/(a + b))))*sin(1/2*real_part(arccos(-a/(a + b) + b
/(a + b))))^3*sinh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b))))^2 - 3*(2*
a^2*b*e^(2*c) + 2*a*b^2*e^(2*c) - (a^2*e^(2*c) - b^2*e^(2*c))*sqrt(-a*b))*c
os(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))^2*sin(1/2*real_part(arcco
s(-a/(a + b) + b/(a + b))))*sinh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b
))))^3 + (2*a^2*b*e^(2*c) + 2*a*b^2*e^(2*c) - (a^2*e^(2*c) - b^2*e^(2*c))*s
qrt(-a*b))*sin(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))^3*sinh(1/2*im
ag_part(arccos(-a/(a + b) + b/(a + b))))^3 + (2*a^2*b*e^(2*c) + 2*a*b^2*e^(
2*c) - (a^2*e^(2*c) - b^2*e^(2*c))*sqrt(-a*b))*cosh(1/2*imag_part(arccos(-a
/(a + b) + b/(a + b))))*sin(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))
- (2*a^2*b*e^(2*c) + 2*a*b^2*e^(2*c) - (a^2*e^(2*c) - b^2*e^(2*c))*sqrt(-a*
b))*sin(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))*sinh(1/2*imag_part(a
```

$$\begin{aligned}
& \operatorname{rccos}(-a/(a+b) + b/(a+b))) * \arctan(\left(\frac{(a+b)/(a^4 e^{4c} + b^4 e^{4c})}{(1/4) \cos(1/2 \arccos(-(a-b)/(a+b))) + e^{dx}}\right)^{1/4} \sin(1/2 \arccos(-(a-b)/(a+b)))) / (a^3 b e^{2c} + 2 a^2 b^2 e^{2c} + a b^3 e^{2c}) + 2 * (3 * (2 a^2 b e^{2c} + 2 a b^2 e^{2c} - (a^2 e^{2c} - b^2 e^{2c}) \sqrt{-a b}) * \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 * \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) - (2 a^2 b e^{2c} + 2 a b^2 e^{2c} - (a^2 e^{2c} - b^2 e^{2c}) \sqrt{-a b}) * \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 - 9 * (2 a^2 b e^{2c} + 2 a b^2 e^{2c} - (a^2 e^{2c} - b^2 e^{2c}) \sqrt{-a b}) * \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 * \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 * \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) + 3 * (2 a^2 b e^{2c} + 2 a b^2 e^{2c} - (a^2 e^{2c} - b^2 e^{2c}) \sqrt{-a b}) * \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 * \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) + 9 * (2 a^2 b e^{2c} + 2 a b^2 e^{2c} - (a^2 e^{2c} - b^2 e^{2c}) \sqrt{-a b}) * \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 * \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - 3 * (2 a^2 b e^{2c} + 2 a b^2 e^{2c} - (a^2 e^{2c} - b^2 e^{2c}) \sqrt{-a b}) * \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - 3 * (2 a^2 b e^{2c} + 2 a b^2 e^{2c} - (a^2 e^{2c} - b^2 e^{2c}) \sqrt{-a b}) * \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 * \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 + (2 a^2 b e^{2c} + 2 a b^2 e^{2c} - (a^2 e^{2c} - b^2 e^{2c}) \sqrt{-a b}) * \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 + (2 a^2 b e^{2c} + 2 a b^2 e^{2c} - (a^2 e^{2c} - b^2 e^{2c}) \sqrt{-a b}) * \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) - (2 a^2 b e^{2c} + 2 a b^2 e^{2c} - (a^2 e^{2c} - b^2 e^{2c}) \sqrt{-a b}) * \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \arctan(-\left(\frac{(a+b)/(a^4 e^{4c} + b^4 e^{4c})}{(1/4) \cos(1/2 \arccos(-(a-b)/(a+b))) - e^{dx}}\right)^{1/4} \sin(1/2 \arccos(-(a-b)/(a+b)))) / (a^3 b e^{2c} + 2 a^2 b^2 e^{2c} + a b^3 e^{2c}) + ((2 a^2 b e^{2c} + 2 a b^2 e^{2c} - (a^2 e^{2c} - b^2 e^{2c}) \sqrt{-a b}) * \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 - 3 * (2 a^2 b e^{2c} + 2 a b^2 e^{2c} - (a^2 e^{2c} - b^2 e^{2c}) \sqrt{-a b}) * \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - 3 * (2 a^2 b e^{2c} + 2 a b^2 e^{2c} - (a^2 e^{2c} - b^2 e^{2c}) \sqrt{-a b}) * \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 * \sin
\end{aligned}$$

$$\begin{aligned}
& h(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) + 9*(2*a^2*b*e^{(2*c)} + 2*a \\
& *b^2*e^{(2*c)} - (a^2*e^{(2*c)} - b^2*e^{(2*c)})*\text{sqrt}(-a*b))*\cos(1/2*\text{real\_part}(\ar \\
& \text{ccos}(-a/(a+b) + b/(a+b))))*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a \\
& + b))))^2*\sin(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2*\sinh(1/2*\text{ima} \\
& \text{g\_part}(\arccos(-a/(a+b) + b/(a+b)))) + 3*(2*a^2*b*e^{(2*c)} + 2*a*b^2*e^{(2 \\
& *c)} - (a^2*e^{(2*c)} - b^2*e^{(2*c)})*\text{sqrt}(-a*b))*\cos(1/2*\text{real\_part}(\arccos(-a/( \\
& a+b) + b/(a+b))))^3*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) \\
& *\sinh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - 9*(2*a^2*b*e^{(2*c)} \\
& + 2*a*b^2*e^{(2*c)} - (a^2*e^{(2*c)} - b^2*e^{(2*c)})*\text{sqrt}(-a*b))*\cos(1/2*\text{real\_p} \\
& \text{art}(\arccos(-a/(a+b) + b/(a+b))))*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + \\
& b/(a+b))))*\sin(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2*\sinh(1/2 \\
& *\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - (2*a^2*b*e^{(2*c)} + 2*a*b^2* \\
& e^{(2*c)} - (a^2*e^{(2*c)} - b^2*e^{(2*c)})*\text{sqrt}(-a*b))*\cos(1/2*\text{real\_part}(\arccos( \\
& -a/(a+b) + b/(a+b))))^3*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b) \\
& ))))^3 + 3*(2*a^2*b*e^{(2*c)} + 2*a*b^2*e^{(2*c)} - (a^2*e^{(2*c)} - b^2*e^{(2*c)}) \\
& *\text{sqrt}(-a*b))*\cos(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))*\sin(1/2*\text{rea} \\
& \text{l\_part}(\arccos(-a/(a+b) + b/(a+b))))^2*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + \\
& b) + b/(a+b))))^3 + (2*a^2*b*e^{(2*c)} + 2*a*b^2*e^{(2*c)} - (a^2*e^{(2*c)} - \\
& b^2*e^{(2*c)})*\text{sqrt}(-a*b))*\cos(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) \\
& *\cosh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) - (2*a^2*b*e^{(2*c)} + 2 \\
& *a*b^2*e^{(2*c)} - (a^2*e^{(2*c)} - b^2*e^{(2*c)})*\text{sqrt}(-a*b))*\cos(1/2*\text{real\_part} \\
& (\arccos(-a/(a+b) + b/(a+b))))*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/( \\
& a+b))))*\log(2*((a+b)/(a*e^{(4*c)} + b*e^{(4*c)}))^{(1/4)}*\cos(1/2*\arccos(-(a \\
& - b)/(a+b)))*e^{(d*x)} + \text{sqrt}((a+b)/(a*e^{(4*c)} + b*e^{(4*c)})) + e^{(2*d*x)} \\
& ))/(a^3*b*e^{(2*c)} + 2*a^2*b^2*e^{(2*c)} + a*b^3*e^{(2*c)}) - ((2*a^2*b*e^{(2*c)} + \\
& 2*a*b^2*e^{(2*c)} - (a^2*e^{(2*c)} - b^2*e^{(2*c)})*\text{sqrt}(-a*b))*\cos(1/2*\text{real\_par} \\
& \text{t}(\arccos(-a/(a+b) + b/(a+b))))^3*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + \\
& b/(a+b))))^3 - 3*(2*a^2*b*e^{(2*c)} + 2*a*b^2*e^{(2*c)} - (a^2*e^{(2*c)} - b^2 \\
& *e^{(2*c)})*\text{sqrt}(-a*b))*\cos(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))*\co \\
& \text{sh}(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3*\sin(1/2*\text{real\_part}(\arcco \\
& \text{s}(-a/(a+b) + b/(a+b))))^2 - 3*(2*a^2*b*e^{(2*c)} + 2*a*b^2*e^{(2*c)} - (a^2 \\
& *e^{(2*c)} - b^2*e^{(2*c)})*\text{sqrt}(-a*b))*\cos(1/2*\text{real\_part}(\arccos(-a/(a+b) + b \\
& /(a+b))))^3*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2*\sinh(1/ \\
& 2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) + 9*(2*a^2*b*e^{(2*c)} + 2*a*b^2 \\
& *e^{(2*c)} - (a^2*e^{(2*c)} - b^2*e^{(2*c)})*\text{sqrt}(-a*b))*\cos(1/2*\text{real\_part}(\arccos \\
& (-a/(a+b) + b/(a+b))))*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b) \\
& ))))^2*\sin(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2*\sinh(1/2*\text{imag\_pa} \\
& \text{rt}(\arccos(-a/(a+b) + b/(a+b)))) + 3*(2*a^2*b*e^{(2*c)} + 2*a*b^2*e^{(2*c)} \\
& - (a^2*e^{(2*c)} - b^2*e^{(2*c)})*\text{sqrt}(-a*b))*\cos(1/2*\text{real\_part}(\arccos(-a/(a + \\
& b) + b/(a+b))))^3*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))*\sin \\
& h(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - 9*(2*a^2*b*e^{(2*c)} + 2 \\
& *a*b^2*e^{(2*c)} - (a^2*e^{(2*c)} - b^2*e^{(2*c)})*\text{sqrt}(-a*b))*\cos(1/2*\text{real\_part} \\
& (\arccos(-a/(a+b) + b/(a+b))))*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/( \\
& a+b))))*\sin(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2*\sinh(1/2*\text{ima} \\
& \text{g\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - (2*a^2*b*e^{(2*c)} + 2*a*b^2*e^{(2
\end{aligned}$$

$$\begin{aligned}
& *c) - (a^2e^{2c} - b^2e^{2c})\sqrt{-ab})\cos(1/2\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3\sinh(1/2\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) \\
& ^3 + 3*(2a^2be^{2c} + 2ab^2e^{2c} - (a^2e^{2c} - b^2e^{2c})\sqrt{-ab})\cos(1/2\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))\sin(1/2\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2\sinh(1/2\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 + (2a^2be^{2c} + 2ab^2e^{2c} - (a^2e^{2c} - b^2e^{2c})\sqrt{-ab})\cos(1/2\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))\cosh(1/2\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) - (2a^2be^{2c} + 2ab^2e^{2c} - (a^2e^{2c} - b^2e^{2c})\sqrt{-ab})\cos(1/2\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))\sinh(1/2\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))\log(-2*((a + b)/(ae^{4c} + be^{4c}))^{1/4})\cos(1/2\arccos(-(a - b)/(a + b)))e^{dx} + \sqrt{(a + b)/(ae^{4c} + be^{4c}))} + e^{(2dx)})/(a^3be^{2c} + 2a^2b^2e^{2c} + ab^3e^{2c}))/d
\end{aligned}$$

$$3.110 \quad \int \frac{\operatorname{sech}^2(c+dx)}{a+b \tanh^2(c+dx)} dx$$

**Optimal.** Leaf size=32

$$\frac{\tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{\sqrt{a}\sqrt{bd}}$$

[Out] ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]]/(Sqrt[a]\*Sqrt[b]\*d)

**Rubi [A]** time = 0.056264, antiderivative size = 32, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {3675, 205}

$$\frac{\tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{\sqrt{a}\sqrt{bd}}$$

Antiderivative was successfully verified.

[In] Int[Sech[c + d\*x]^2/(a + b\*Tanh[c + d\*x]^2), x]

[Out] ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]]/(Sqrt[a]\*Sqrt[b]\*d)

#### Rule 3675

```
Int[sec[(e_.) + (f_.)*(x_)]^(m_)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)]))^(n_)]^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[ff/(c^(m - 1)*f), Subst[Int[(c^2 + ff^2*x^2)^(m/2 - 1)*(a + b*(ff*x)^n)^p, x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2] && (IntegerQ[n, p] || IGtQ[m, 0] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])
```

#### Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

#### Rubi steps

$$\int \frac{\operatorname{sech}^2(c+dx)}{a+b \tanh^2(c+dx)} dx = \frac{\operatorname{Subst}\left(\int \frac{1}{a+bx^2} dx, x, \tanh(c+dx)\right)}{d}$$

$$= \frac{\tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{\sqrt{a} \sqrt{bd}}$$

**Mathematica [A]** time = 0.0533549, size = 32, normalized size = 1.

$$\frac{\tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{\sqrt{a} \sqrt{bd}}$$

Antiderivative was successfully verified.

[In] Integrate[Sech[c + d\*x]^2/(a + b\*Tanh[c + d\*x]^2), x]

[Out] ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]]/(Sqrt[a]\*Sqrt[b]\*d)

**Maple [B]** time = 0.07, size = 363, normalized size = 11.3

$$-\frac{a}{d} \operatorname{Artanh}\left(a \tanh\left(\frac{dx}{2} + \frac{c}{2}\right) \frac{1}{\sqrt{(2\sqrt{b}(a+b)-a-2b)a}}\right) \frac{1}{\sqrt{b(a+b)}} \frac{1}{\sqrt{(2\sqrt{b}(a+b)-a-2b)a}} + \frac{1}{d} \operatorname{Artanh}\left(a \tanh\left(\frac{a}{2}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sech(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2), x)

[Out]  $-\frac{a}{d} \frac{1}{(b(a+b))^{1/2} ((2(b(a+b))^{1/2}-a-2b)a)^{1/2}} \operatorname{arctanh}\left(a \tanh\left(\frac{1}{2}d*x + \frac{1}{2}c\right)\right) \frac{1}{(2(b(a+b))^{1/2}-a-2b)a} + \frac{1}{d} \frac{1}{(2(b(a+b))^{1/2}-a-2b)a} \operatorname{arctanh}\left(a \tanh\left(\frac{1}{2}d*x + \frac{1}{2}c\right)\right) \frac{1}{(2(b(a+b))^{1/2}-a-2b)a} + \frac{1}{d} \frac{1}{(b(a+b))^{1/2} ((2(b(a+b))^{1/2}-a-2b)a)^{1/2}} \operatorname{arctanh}\left(a \tanh\left(\frac{1}{2}d*x + \frac{1}{2}c\right)\right) \frac{1}{(2(b(a+b))^{1/2}-a-2b)a} - \frac{a}{d} \frac{1}{(b(a+b))^{1/2} ((2(b(a+b))^{1/2}+a+2b)a)^{1/2}} \operatorname{arctan}\left(a \tanh\left(\frac{1}{2}d*x + \frac{1}{2}c\right)\right) \frac{1}{(2(b(a+b))^{1/2}+a+2b)a} - \frac{1}{d} \frac{1}{(2(b(a+b))^{1/2}+a+2b)a} \operatorname{arctan}\left(a \tanh\left(\frac{1}{2}d*x + \frac{1}{2}c\right)\right) \frac{1}{(2(b(a+b))^{1/2}+a+2b)a} - \frac{1}{d} \frac{1}{(b(a+b))^{1/2} ((2(b(a+b))^{1/2}+a+2b)a)^{1/2}} \operatorname{arctan}\left(a \tanh\left(\frac{1}{2}d*x + \frac{1}{2}c\right)\right) \frac{1}{(2(b(a+b))^{1/2}+a+2b)a}$

$(b*(a+b))^{(1/2)+a+2*b}*a)^{(1/2)}$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [B]** time = 2.39622, size = 1199, normalized size = 37.47

$$\left[ \frac{\sqrt{-ab} \log \left( \frac{(a^2+2ab+b^2) \cosh(dx+c)^4 + 4(a^2+2ab+b^2) \cosh(dx+c) \sinh(dx+c)^3 + (a^2+2ab+b^2) \sinh(dx+c)^4 + 2(a^2-b^2) \cosh(dx+c)^2 + 2(3(a^2+2ab+b^2) \cosh(dx+c)^4 + 4(a+b) \cosh(dx+c) \sinh(dx+c)^3 + (a+b) \sinh(dx+c)^4)}{(a+b) \cosh(dx+c)^4 + 4(a+b) \cosh(dx+c) \sinh(dx+c)^3 + (a+b) \sinh(dx+c)^4} \right)}{\dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2),x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [-1/2*\sqrt{-a*b}*\log(((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^4 + 4*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a^2 + 2*a*b + b^2)*\sinh(d*x + c)^4 \\ & + 2*(a^2 - b^2)*\cosh(d*x + c)^2 + 2*(3*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^2 + a^2 - b^2)*\sinh(d*x + c)^2 + a^2 - 6*a*b + b^2 + 4*((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^3 + (a^2 - b^2)*\cosh(d*x + c))*\sinh(d*x + c) - 4*((a + b)*\cosh(d*x + c)^2 + 2*(a + b)*\cosh(d*x + c)*\sinh(d*x + c) + (a + b)*\sinh(d*x + c)^2 + a - b)*\sqrt{-a*b})/((a + b)*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a + b)*\sinh(d*x + c)^4 + 2*(a - b)*\cosh(d*x + c)^2 + 2*(3*(a + b)*\cosh(d*x + c)^2 + a - b)*\sinh(d*x + c)^2 + 4*((a + b)*\cosh(d*x + c)^3 + (a - b)*\cosh(d*x + c))*\sinh(d*x + c) + a + b))/(a*b*d), \sqrt{a*b}*arctan(1/2*((a + b)*\cosh(d*x + c)^2 + 2*(a + b)*\cosh(d*x + c)*\sinh(d*x + c) + (a + b)*\sinh(d*x + c)^2 + a - b)*\sqrt{a*b}/(a*b))/(a*b*d)] \end{aligned}$$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{sech}^2(c + dx)}{a + b \tanh^2(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)\*\*2/(a+b\*tanh(d\*x+c)\*\*2),x)

[Out] Integral(sech(c + d\*x)\*\*2/(a + b\*tanh(c + d\*x)\*\*2), x)

**Giac [A]** time = 1.40056, size = 59, normalized size = 1.84

$$\frac{\arctan\left(\frac{ae^{2dx+2c}+be^{2dx+2c}+a-b}{2\sqrt{ab}}\right)}{\sqrt{abd}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2),x, algorithm="giac")

[Out] arctan(1/2\*(a\*e^(2\*d\*x + 2\*c) + b\*e^(2\*d\*x + 2\*c) + a - b)/sqrt(a\*b))/(sqrt(a\*b)\*d)



$$3.111 \quad \int \frac{\operatorname{sech}^3(c+dx)}{a+b \tanh^2(c+dx)} dx$$

**Optimal.** Leaf size=55

$$\frac{\sqrt{a+b} \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{\sqrt{abd}} - \frac{\tan^{-1}(\sinh(c+dx))}{bd}$$

[Out]  $-(\operatorname{ArcTan}[\operatorname{Sinh}[c + d*x]]/(b*d)) + (\operatorname{Sqrt}[a + b]*\operatorname{ArcTan}[(\operatorname{Sqrt}[a + b]*\operatorname{Sinh}[c + d*x])/\operatorname{Sqrt}[a]])/(\operatorname{Sqrt}[a]*b*d)$

**Rubi [A]** time = 0.0729596, antiderivative size = 55, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {3676, 391, 203, 205}

$$\frac{\sqrt{a+b} \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{\sqrt{abd}} - \frac{\tan^{-1}(\sinh(c+dx))}{bd}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[\operatorname{Sech}[c + d*x]^3/(a + b*\operatorname{Tanh}[c + d*x]^2), x]$

[Out]  $-(\operatorname{ArcTan}[\operatorname{Sinh}[c + d*x]]/(b*d)) + (\operatorname{Sqrt}[a + b]*\operatorname{ArcTan}[(\operatorname{Sqrt}[a + b]*\operatorname{Sinh}[c + d*x])/\operatorname{Sqrt}[a]])/(\operatorname{Sqrt}[a]*b*d)$

### Rule 3676

```
Int[sec[(e_.) + (f_.)*(x_)]^(m_.)*((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)]^(n_))^(p_.), x_Symbol] := With[{ff = FreeFactors[Sin[e + f*x], x]}, Dist[ff/f, Subst[Int[ExpandToSum[b*(ff*x)^n + a*(1 - ff^2*x^2)^(n/2), x]^p/(1 - ff^2*x^2)^((m + n*p + 1)/2), x], x, Sin[e + f*x]/ff], x] /; FreeQ[{a, b, e, f}, x] && IntegerQ[(m - 1)/2] && IntegerQ[n/2] && IntegerQ[p]
```

### Rule 391

```
Int[1/(((a_) + (b_.)*(x_)^(n_))*((c_) + (d_.)*(x_)^(n_))), x_Symbol] := Dist[b/(b*c - a*d), Int[1/(a + b*x^n), x], x] - Dist[d/(b*c - a*d), Int[1/(c + d*x^n), x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0]
```

### Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

### Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

### Rubi steps

$$\begin{aligned} \int \frac{\operatorname{sech}^3(c+dx)}{a+b \tanh^2(c+dx)} dx &= \frac{\operatorname{Subst}\left(\int \frac{1}{(1+x^2)(a+(a+b)x^2)} dx, x, \sinh(c+dx)\right)}{d} \\ &= -\frac{\operatorname{Subst}\left(\int \frac{1}{1+x^2} dx, x, \sinh(c+dx)\right)}{bd} + \frac{(a+b) \operatorname{Subst}\left(\int \frac{1}{a+(a+b)x^2} dx, x, \sinh(c+dx)\right)}{bd} \\ &= -\frac{\tan^{-1}(\sinh(c+dx))}{bd} + \frac{\sqrt{a+b} \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{\sqrt{abd}} \end{aligned}$$

**Mathematica [A]** time = 0.194912, size = 55, normalized size = 1.

$$-\frac{\frac{\sqrt{a+b} \tan^{-1}\left(\frac{\sqrt{a} \operatorname{csch}(c+dx)}{\sqrt{a+b}}\right)}{\sqrt{a}} + 2 \tan^{-1}\left(\tanh\left(\frac{1}{2}(c+dx)\right)\right)}{bd}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sech[c + d*x]^3/(a + b*Tanh[c + d*x]^2), x]
```

```
[Out] -(((Sqrt[a + b]*ArcTan[(Sqrt[a]*Csch[c + d*x])/Sqrt[a + b]])/Sqrt[a] + 2*ArcTan[Tanh[(c + d*x)/2]])/(b*d))
```

**Maple [B]** time = 0.073, size = 494, normalized size = 9.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sech(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2),x)

[Out] 
$$\begin{aligned} & -1/d*a/b/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)}*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c)/ \\ & ((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)})+a/d/(b*(a+b))^{(1/2)}/((2*(b*(a+b))^{(1/2)} \\ & )-a-2*b)*a)^{(1/2)}*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}-a-2*b)* \\ & a)^{(1/2)})+1/d*a/b/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)}*\operatorname{arctan}(a*\tanh(1/2*d*x \\ & +1/2*c)/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)})+a/d/(b*(a+b))^{(1/2)}/((2*(b*(a+ \\ & b))^{(1/2)}+a+2*b)*a)^{(1/2)}*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}+ \\ & a+2*b)*a)^{(1/2)})-1/d/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)}*\operatorname{arctanh}(a*\tanh(1/2 \\ & *d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)})+1/d*b/(b*(a+b))^{(1/2)}/((2* \\ & (b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)}*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b)) \\ & ^{(1/2)}-a-2*b)*a)^{(1/2)})+1/d/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)}*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)/ \\ & ((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)})+1/d*b/(b*(a+b))^{(1/2)}/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)} \\ & )/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)}*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)}) \\ & )-2/d/b*\operatorname{arctan}(\tanh(1/2*d*x+1/2*c)) \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\frac{2 \arctan\left(e^{(dx+c)}\right)}{bd} + 8 \int \frac{(ae^{(3c)} + be^{(3c)})e^{(3dx)} + (ae^c + be^c)e^{(dx)}}{4(ab + b^2 + (abe^{(4c)} + b^2e^{(4c)})e^{(4dx)} + 2(abe^{(2c)} - b^2e^{(2c)})e^{(2dx)})} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2),x, algorithm="maxima")

[Out] 
$$-2*\operatorname{arctan}(e^{(d*x + c)})/(b*d) + 8*\operatorname{integrate}(1/4*((a*e^{(3*c)} + b*e^{(3*c)})*e^{(3*d*x)} + (a*e^c + b*e^c)*e^{(d*x)})/(a*b + b^2 + (a*b*e^{(4*c)} + b^2*e^{(4*c)})*e^{(4*d*x)} + 2*(a*b*e^{(2*c)} - b^2*e^{(2*c)})*e^{(2*d*x)}), x)$$

**Fricas [B]** time = 2.58427, size = 1494, normalized size = 27.16

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2),x, algorithm="fricas")

[Out] 
$$[1/2*(\sqrt{-(a + b)}/a)*\log(((a + b)*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a + b)*\sinh(d*x + c)^4 - 2*(3*a + b)*\cosh(d*x + c)^2$$

```
+ 2*(3*(a + b)*cosh(d*x + c)^2 - 3*a - b)*sinh(d*x + c)^2 + 4*((a + b)*cosh
(d*x + c)^3 - (3*a + b)*cosh(d*x + c))*sinh(d*x + c) + 4*(a*cosh(d*x + c)^3
+ 3*a*cosh(d*x + c)*sinh(d*x + c)^2 + a*sinh(d*x + c)^3 - a*cosh(d*x + c)
+ (3*a*cosh(d*x + c)^2 - a)*sinh(d*x + c))*sqrt(-(a + b)/a + a + b)/((a +
b)*cosh(d*x + c)^4 + 4*(a + b)*cosh(d*x + c)*sinh(d*x + c)^3 + (a + b)*sinh
(d*x + c)^4 + 2*(a - b)*cosh(d*x + c)^2 + 2*(3*(a + b)*cosh(d*x + c)^2 + a
- b)*sinh(d*x + c)^2 + 4*((a + b)*cosh(d*x + c)^3 + (a - b)*cosh(d*x + c))*
sinh(d*x + c) + a + b)) - 4*arctan(cosh(d*x + c) + sinh(d*x + c))/(b*d), (
sqrt((a + b)/a)*arctan(1/2*sqrt((a + b)/a)*(cosh(d*x + c) + sinh(d*x + c)))
+ sqrt((a + b)/a)*arctan(1/2*((a + b)*cosh(d*x + c)^3 + 3*(a + b)*cosh(d*x
+ c)*sinh(d*x + c)^2 + (a + b)*sinh(d*x + c)^3 + (3*a - b)*cosh(d*x + c) +
(3*(a + b)*cosh(d*x + c)^2 + 3*a - b)*sinh(d*x + c))*sqrt((a + b)/a)/(a +
b)) - 2*arctan(cosh(d*x + c) + sinh(d*x + c))/(b*d)]
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{sech}^3(c + dx)}{a + b \tanh^2(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sech(d*x+c)**3/(a+b*tanh(d*x+c)**2), x)
```

```
[Out] Integral(sech(c + d*x)**3/(a + b*tanh(c + d*x)**2), x)
```

**Giac [C]** time = 1.79286, size = 4938, normalized size = 89.78

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sech(d*x+c)^3/(a+b*tanh(d*x+c)^2), x, algorithm="giac")
```

```
[Out] 1/4*(2*(3*(a^2*b + 2*a*b^2 + b^3)*cos(1/2*real_part(arccos(-a/(a + b) + b/(
a + b))))^2*cosh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b))))^3*sin(1/2*real
_part(arccos(-a/(a + b) + b/(a + b)))) - (a^2*b + 2*a*b^2 + b^3)*cosh(1/2*imag
_part(arccos(-a/(a + b) + b/(a + b))))^3*sin(1/2*real_part(arccos(-a/(a + b)
+ b/(a + b))))^3 - 9*(a^2*b + 2*a*b^2 + b^3)*cos(1/2*real_part(arccos(-a/(a +
b) + b/(a + b))))^2*cosh(1/2*imag_part(arccos(-a/(a + b) + b/(a
```

$$\begin{aligned}
& + b)))^2 \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) + 3(a^2b + 2ab^2 + b^3) \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) \\
& + 9(a^2b + 2ab^2 + b^3) \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - 3(a^2b + 2ab^2 + b^3) \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - 3(a^2b + 2ab^2 + b^3) \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 + (a^2b + 2ab^2 + b^3) \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 + (a^2b + 2ab^2 + b^3) \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) - (a^2b + 2ab^2 + b^3) \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) \arctan(\frac{(ab + b^2)/(ab e^{4c} + b^2 e^{4c})}{(ab + b^2)/(ab e^{4c} + b^2 e^{4c})})^{1/4} \cos(1/2 \arccos(-(a-b)/(a+b))) + e^{dx} / (\frac{(ab + b^2)/(ab e^{4c} + b^2 e^{4c})}{(ab + b^2)/(ab e^{4c} + b^2 e^{4c})})^{1/4} \sin(1/2 \arccos(-(a-b)/(a+b)))) / (2ab^3 + (ab - b^2) \sqrt{-ab} \operatorname{abs}(b)) + 2(3(a^2b + 2ab^2 + b^3) \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) - (a^2b + 2ab^2 + b^3) \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 - 9(a^2b + 2ab^2 + b^3) \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) + 3(a^2b + 2ab^2 + b^3) \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) + 9(a^2b + 2ab^2 + b^3) \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - 3(a^2b + 2ab^2 + b^3) \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - 3(a^2b + 2ab^2 + b^3) \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 + (a^2b + 2ab^2 + b^3) \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 + (a^2b + 2ab^2 + b^3) \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) - (a^2b + 2ab^2 + b^3) \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) \arctan(-(\frac{(ab + b^2)/(ab e^{4c} + b^2 e^{4c})}{(ab + b^2)/(ab e^{4c} + b^2 e^{4c})})^{1/4} \cos(1/2 \arccos(-(a-b)/(a+b))) - e
\end{aligned}$$

$$\begin{aligned}
& \wedge(d*x))/(((a*b + b^2)/(a*b*e^{(4*c)} + b^2*e^{(4*c)}))^{(1/4)}*\sin(1/2*\arccos(-a \\
& - b)/(a + b))))/(2*a*b^3 + (a*b - b^2)*\sqrt{-a*b}*abs(b)) + ((a^2*b + 2*a \\
& *b^2 + b^3)*\cos(1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\cosh(1/2*i \\
& \operatorname{mag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 - 3*(a^2*b + 2*a*b^2 + b^3)*\cos \\
& (1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\cosh(1/2*i\operatorname{mag\_part}(\arccos(- \\
& a/(a + b) + b/(a + b))))^3*\sin(1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b) \\
& ))^2 - 3*(a^2*b + 2*a*b^2 + b^3)*\cos(1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a \\
& + b))))^3*\cosh(1/2*i\operatorname{mag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\sinh(1/2*i \\
& \operatorname{mag\_part}(\arccos(-a/(a + b) + b/(a + b)))) + 9*(a^2*b + 2*a*b^2 + b^3)*\cos(1 \\
& /2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\cosh(1/2*i\operatorname{mag\_part}(\arccos(-a/ \\
& (a + b) + b/(a + b))))^2*\sin(1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))) \\
& ^2*\sinh(1/2*i\operatorname{mag\_part}(\arccos(-a/(a + b) + b/(a + b)))) + 3*(a^2*b + 2*a*b^2 \\
& + b^3)*\cos(1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\cosh(1/2*i\operatorname{mag\_} \\
& \operatorname{part}(\arccos(-a/(a + b) + b/(a + b))))*\sinh(1/2*i\operatorname{mag\_part}(\arccos(-a/(a + b) \\
& + b/(a + b))))^2 - 9*(a^2*b + 2*a*b^2 + b^3)*\cos(1/2*\operatorname{real\_part}(\arccos(-a/(a \\
& + b) + b/(a + b))))*\cosh(1/2*i\operatorname{mag\_part}(\arccos(-a/(a + b) + b/(a + b))))*si \\
& n(1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\sinh(1/2*i\operatorname{mag\_part}(\arcco \\
& s(-a/(a + b) + b/(a + b))))^2 - (a^2*b + 2*a*b^2 + b^3)*\cos(1/2*\operatorname{real\_part}(a \\
& rccos(-a/(a + b) + b/(a + b))))^3*\sinh(1/2*i\operatorname{mag\_part}(\arccos(-a/(a + b) + b/ \\
& (a + b))))^3 + 3*(a^2*b + 2*a*b^2 + b^3)*\cos(1/2*\operatorname{real\_part}(\arccos(-a/(a + b \\
& ) + b/(a + b))))*\sin(1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\sinh \\
& (1/2*i\operatorname{mag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 + (a^2*b + 2*a*b^2 + b^3)* \\
& \cos(1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\cosh(1/2*i\operatorname{mag\_part}(\arcco \\
& s(-a/(a + b) + b/(a + b)))) - (a^2*b + 2*a*b^2 + b^3)*\cos(1/2*\operatorname{real\_part}(\arcc \\
& os(-a/(a + b) + b/(a + b))))*\sinh(1/2*i\operatorname{mag\_part}(\arccos(-a/(a + b) + b/(a + \\
& b))))*\log(2*((a*b + b^2)/(a*b*e^{(4*c)} + b^2*e^{(4*c)}))^{(1/4)}*\cos(1/2*\arcco \\
& s(-a/(a + b) + b/(a + b))))*e^{(d*x)} + \sqrt{(a*b + b^2)/(a*b*e^{(4*c)} + b^2*e^{(4*c)})} \\
& ) + e^{(2*d*x)})/(2*a*b^3 + (a*b - b^2)*\sqrt{-a*b}*abs(b)) - ((a^2*b + 2*a*b^ \\
& 2 + b^3)*\cos(1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\cosh(1/2*i\operatorname{mag} \\
& \_part(\arccos(-a/(a + b) + b/(a + b))))^3 - 3*(a^2*b + 2*a*b^2 + b^3)*\cos(1/ \\
& 2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\cosh(1/2*i\operatorname{mag\_part}(\arccos(-a/( \\
& a + b) + b/(a + b))))^3*\sin(1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^ \\
& 2 - 3*(a^2*b + 2*a*b^2 + b^3)*\cos(1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + \\
& b))))^3*\cosh(1/2*i\operatorname{mag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\sinh(1/2*i\operatorname{mag} \\
& \_part(\arccos(-a/(a + b) + b/(a + b)))) + 9*(a^2*b + 2*a*b^2 + b^3)*\cos(1/2* \\
& \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\cosh(1/2*i\operatorname{mag\_part}(\arccos(-a/(a \\
& + b) + b/(a + b))))^2*\sin(1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2* \\
& \sinh(1/2*i\operatorname{mag\_part}(\arccos(-a/(a + b) + b/(a + b)))) + 3*(a^2*b + 2*a*b^2 + \\
& b^3)*\cos(1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\cosh(1/2*i\operatorname{mag\_par} \\
& t(\arccos(-a/(a + b) + b/(a + b))))*\sinh(1/2*i\operatorname{mag\_part}(\arccos(-a/(a + b) + b \\
& /(a + b))))^2 - 9*(a^2*b + 2*a*b^2 + b^3)*\cos(1/2*\operatorname{real\_part}(\arccos(-a/(a + \\
& b) + b/(a + b))))*\cosh(1/2*i\operatorname{mag\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sin(1 \\
& /2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\sinh(1/2*i\operatorname{mag\_part}(\arccos(- \\
& a/(a + b) + b/(a + b))))^2 - (a^2*b + 2*a*b^2 + b^3)*\cos(1/2*\operatorname{real\_part}(\arcco \\
& os(-a/(a + b) + b/(a + b))))^3*\sinh(1/2*i\operatorname{mag\_part}(\arccos(-a/(a + b) + b/(a
\end{aligned}$$

$$\begin{aligned}
& + b)))))^3 + 3*(a^2*b + 2*a*b^2 + b^3)*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + \\
& \quad b/(a + b))))*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\sinh(1/2 \\
& *imag\_part(\arccos(-a/(a + b) + b/(a + b))))^3 + (a^2*b + 2*a*b^2 + b^3)*\cos \\
& (1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\cosh(1/2*imag\_part(\arccos(- \\
& a/(a + b) + b/(a + b)))) - (a^2*b + 2*a*b^2 + b^3)*\cos(1/2*\text{real\_part}(\arccos \\
& (-a/(a + b) + b/(a + b))))*\sinh(1/2*imag\_part(\arccos(-a/(a + b) + b/(a + b) \\
& )))))*\log(-2*((a*b + b^2)/(a*b*e^{(4*c)} + b^2*e^{(4*c)}))^{(1/4)}*\cos(1/2*\arccos( \\
& -(a - b)/(a + b)))*e^{(d*x)} + \sqrt{(a*b + b^2)/(a*b*e^{(4*c)} + b^2*e^{(4*c)})} \\
& + e^{(2*d*x)})/(2*a*b^3 + (a*b - b^2)*\sqrt{-a*b}*abs(b)) - 8*\arctan(e^{(d*x + \\
& c))/b)/d
\end{aligned}$$

$$3.112 \quad \int \frac{\operatorname{sech}^4(c+dx)}{a+b \tanh^2(c+dx)} dx$$

**Optimal.** Leaf size=50

$$\frac{(a+b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{\sqrt{a} b^{3/2} d} - \frac{\tanh(c+dx)}{bd}$$

[Out] ((a + b)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(Sqrt[a]\*b^(3/2)\*d) - Tanh[c + d\*x]/(b\*d)

**Rubi [A]** time = 0.0695992, antiderivative size = 50, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$ , Rules used = {3675, 388, 205}

$$\frac{(a+b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{\sqrt{a} b^{3/2} d} - \frac{\tanh(c+dx)}{bd}$$

Antiderivative was successfully verified.

[In] Int[Sech[c + d\*x]^4/(a + b\*Tanh[c + d\*x]^2), x]

[Out] ((a + b)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(Sqrt[a]\*b^(3/2)\*d) - Tanh[c + d\*x]/(b\*d)

### Rule 3675

```
Int[sec[(e_.) + (f_.)*(x_.)]^(m_.)*((a_.) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[ff/(c^(m - 1)*f), Subst[Int[(c^2 + ff^2*x^2)^(m/2 - 1)*(a + b*(ff*x)^n)^p, x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2] && (IntegersQ[n, p] || IGtQ[m, 0] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])
```

### Rule 388

```
Int[((a_.) + (b_.)*(x_.)^(n_.))^(p_.)*((c_.) + (d_.)*(x_.)^(n_.)), x_Symbol] := Simp[(d*x*(a + b*x^n)^(p + 1))/(b*(n*(p + 1) + 1)), x] - Dist[(a*d - b*c*(n*(p + 1) + 1))/(b*(n*(p + 1) + 1)), Int[(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && NeQ[n*(p + 1) + 1, 0]
```



Rule 205

$\text{Int}[\frac{(a + b \cdot x^2)^{-1}}{a + b \cdot x^2}, x] \rightarrow \text{Simp}[\frac{\text{ArcTan}[x/\sqrt{a/b}]}{\sqrt{a/b}}, x] / \sqrt{a/b}; \text{FreeQ}[a, b], x \text{ \&\& PosQ}[a/b]$

Rubi steps

$$\begin{aligned} \int \frac{\text{sech}^4(c + dx)}{a + b \tanh^2(c + dx)} dx &= \frac{\text{Subst}\left(\int \frac{1-x^2}{a+bx^2} dx, x, \tanh(c + dx)\right)}{d} \\ &= -\frac{\tanh(c + dx)}{bd} + \frac{(a + b) \text{Subst}\left(\int \frac{1}{a+bx^2} dx, x, \tanh(c + dx)\right)}{bd} \\ &= \frac{(a + b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{\sqrt{ab^3/2}d} - \frac{\tanh(c + dx)}{bd} \end{aligned}$$

**Mathematica [A]** time = 0.133055, size = 50, normalized size = 1.

$$\frac{(a + b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{\sqrt{ab^3/2}d} - \frac{\tanh(c + dx)}{bd}$$

Antiderivative was successfully verified.

[In] Integrate[Sech[c + d\*x]^4/(a + b\*Tanh[c + d\*x]^2), x]

[Out] ((a + b)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(Sqrt[a]\*b^(3/2)\*d) - Tanh[c + d\*x]/(b\*d)

**Maple [B]** time = 0.068, size = 648, normalized size = 13.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sech(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2), x)

[Out]  $-1/d*a^2/b/(b*(a+b))^{1/2}/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2}*arctanh(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2})+1/d*a/b/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2}$

$$\begin{aligned} &)^{(1/2)-a-2*b)*a)^{(1/2)*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)-a-2*b)*a})^{(1/2)-2*a/d/(b*(a+b))^{(1/2)/((2*(b*(a+b))^{(1/2)-a-2*b)*a})^{(1/2)*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)-a-2*b)*a})^{(1/2)-1/d*a^2/b/(b*(a+b))^{(1/2)/((2*(b*(a+b))^{(1/2)+a+2*b)*a})^{(1/2)*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)+a+2*b)*a})^{(1/2)-1/d*a/b/((2*(b*(a+b))^{(1/2)+a+2*b)*a})^{(1/2)*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)+a+2*b)*a})^{(1/2)-2*a/d/(b*(a+b))^{(1/2)/((2*(b*(a+b))^{(1/2)+a+2*b)*a})^{(1/2)*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)+a+2*b)*a})^{(1/2)+1/d/((2*(b*(a+b))^{(1/2)-a-2*b)*a})^{(1/2)*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)-a-2*b)*a})^{(1/2)-1/d/((2*(b*(a+b))^{(1/2)+a+2*b)*a})^{(1/2)*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)+a+2*b)*a})^{(1/2)-1/d*b/(b*(a+b))^{(1/2)/((2*(b*(a+b))^{(1/2)-a-2*b)*a})^{(1/2)*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)-a-2*b)*a})^{(1/2)-1/d/((2*(b*(a+b))^{(1/2)+a+2*b)*a})^{(1/2)*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)+a+2*b)*a})^{(1/2)-1/d*b/(b*(a+b))^{(1/2)/((2*(b*(a+b))^{(1/2)+a+2*b)*a})^{(1/2)*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)+a+2*b)*a})^{(1/2)-2/d/b*\tanh(1/2*d*x+1/2*c)/(tanh(1/2*d*x+1/2*c)^2+1)} \end{aligned}$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [B]** time = 2.42194, size = 1750, normalized size = 35.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2),x, algorithm="fricas")

[Out] 
$$\begin{aligned} &[-1/2*((a + b)*\cosh(d*x + c)^2 + 2*(a + b)*\cosh(d*x + c)*\sinh(d*x + c) + (a + b)*\sinh(d*x + c)^2 + a + b)*\sqrt{-a*b}*\log(((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^4 + 4*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a^2 + 2*a*b + b^2)*\sinh(d*x + c)^4 + 2*(a^2 - b^2)*\cosh(d*x + c)^2 + 2*(3*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^2 + a^2 - b^2)*\sinh(d*x + c)^2 + a^2 - 6*a*b + b^2 + 4*((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^3 + (a^2 - b^2)*\cosh(d*x + c))*\sinh( \end{aligned}$$

$d*x + c) - 4*((a + b)*\cosh(d*x + c)^2 + 2*(a + b)*\cosh(d*x + c)*\sinh(d*x + c) + (a + b)*\sinh(d*x + c)^2 + a - b)*\sqrt{-a*b})/((a + b)*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a + b)*\sinh(d*x + c)^4 + 2*(a - b)*\cosh(d*x + c)^2 + 2*(3*(a + b)*\cosh(d*x + c)^2 + a - b)*\sinh(d*x + c)^2 + 4*((a + b)*\cosh(d*x + c)^3 + (a - b)*\cosh(d*x + c))*\sinh(d*x + c) + a + b)) - 4*a*b)/(a*b^2*d*\cosh(d*x + c)^2 + 2*a*b^2*d*\cosh(d*x + c)*\sinh(d*x + c) + a*b^2*d*\sinh(d*x + c)^2 + a*b^2*d), (((a + b)*\cosh(d*x + c)^2 + 2*(a + b)*\cosh(d*x + c)*\sinh(d*x + c) + (a + b)*\sinh(d*x + c)^2 + a + b)*\sqrt{a*b})*\arctan(1/2*((a + b)*\cosh(d*x + c)^2 + 2*(a + b)*\cosh(d*x + c)*\sinh(d*x + c) + (a + b)*\sinh(d*x + c)^2 + a - b)*\sqrt{a*b})/(a*b)) + 2*a*b)/(a*b^2*d*\cosh(d*x + c)^2 + 2*a*b^2*d*\cosh(d*x + c)*\sinh(d*x + c) + a*b^2*d*\sinh(d*x + c)^2 + a*b^2*d)]$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{sech}^4(c + dx)}{a + b \tanh^2(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)\*\*4/(a+b\*tanh(d\*x+c)\*\*2), x)

[Out] Integral(sech(c + d\*x)\*\*4/(a + b\*tanh(c + d\*x)\*\*2), x)

**Giac [A]** time = 1.37988, size = 113, normalized size = 2.26

$$\frac{\frac{(ae^{2c} + be^{2c}) \arctan\left(\frac{ae^{2dx+2c} + be^{2dx+2c} + a - b}{2\sqrt{ab}}\right) e^{-2c}}{\sqrt{abb}} + \frac{2}{b(e^{2dx+2c} + 1)}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2), x, algorithm="giac")

[Out] ((a\*e^(2\*c) + b\*e^(2\*c))\*arctan(1/2\*(a\*e^(2\*d\*x + 2\*c) + b\*e^(2\*d\*x + 2\*c) + a - b)/sqrt(a\*b))\*e^(-2\*c)/(sqrt(a\*b)\*b) + 2/(b\*(e^(2\*d\*x + 2\*c) + 1)))/d

$$3.113 \quad \int \frac{\operatorname{sech}^5(c+dx)}{a+b \tanh^2(c+dx)} dx$$

**Optimal.** Leaf size=86

$$\frac{(a+b)^{3/2} \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{\sqrt{ab^2d}} - \frac{(2a+3b) \tan^{-1}(\sinh(c+dx))}{2b^2d} - \frac{\tanh(c+dx) \operatorname{sech}(c+dx)}{2bd}$$

[Out] -((2\*a + 3\*b)\*ArcTan[Sinh[c + d\*x]])/(2\*b^2\*d) + ((a + b)^(3/2)\*ArcTan[(Sqrt[a + b]\*Sinh[c + d\*x])/Sqrt[a]])/(Sqrt[a]\*b^2\*d) - (Sech[c + d\*x]\*Tanh[c + d\*x])/(2\*b\*d)

**Rubi [A]** time = 0.120484, antiderivative size = 86, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {3676, 414, 522, 203, 205}

$$\frac{(a+b)^{3/2} \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{\sqrt{ab^2d}} - \frac{(2a+3b) \tan^{-1}(\sinh(c+dx))}{2b^2d} - \frac{\tanh(c+dx) \operatorname{sech}(c+dx)}{2bd}$$

Antiderivative was successfully verified.

[In] Int[Sech[c + d\*x]^5/(a + b\*Tanh[c + d\*x]^2), x]

[Out] -((2\*a + 3\*b)\*ArcTan[Sinh[c + d\*x]])/(2\*b^2\*d) + ((a + b)^(3/2)\*ArcTan[(Sqrt[a + b]\*Sinh[c + d\*x])/Sqrt[a]])/(Sqrt[a]\*b^2\*d) - (Sech[c + d\*x]\*Tanh[c + d\*x])/(2\*b\*d)

### Rule 3676

```
Int[sec[(e_.) + (f_.)*(x_)]^(m_.)*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]^(n_.))^(p_.), x_Symbol] := With[{ff = FreeFactors[Sin[e + f*x], x]}, Dist[ff/f, Subst[Int[ExpandToSum[b*(ff*x)^n + a*(1 - ff^2*x^2)^(n/2), x]^p/(1 - ff^2*x^2)^((m + n*p + 1)/2), x], x, Sin[e + f*x]/ff], x]] /; FreeQ[{a, b, e, f}, x] && IntegerQ[(m - 1)/2] && IntegerQ[n/2] && IntegerQ[p]
```

### Rule 414

```
Int[((a_.) + (b_.)*(x_)^(n_))^(p_)*((c_.) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := -Simp[(b*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(p + 1)*(b*c - a*d)), x] + Dist[1/(a*n*(p + 1)*(b*c - a*d)), Int[(a + b*x^n)^(p + 1)*(c +
```

$d*x^n)^q*\text{Simp}[b*c + n*(p + 1)*(b*c - a*d) + d*b*(n*(p + q + 2) + 1)*x^n, x]$   
 $, x], x] /;$  FreeQ[{a, b, c, d, n, q}, x] && NeQ[b\*c - a\*d, 0] && LtQ[p, -1]  
 && !(IntegerQ[p] && IntegerQ[q] && LtQ[q, -1]) && IntBinomialQ[a, b, c,  
 d, n, p, q, x]

### Rule 522

$\text{Int}[\frac{(e_.) + (f_.)*(x_)^{(n_)}}{((a_) + (b_.)*(x_)^{(n_)})*((c_) + (d_.)*(x_)^{(n_)})}, x\_Symbol]$   $:=$  Dist[(b\*e - a\*f)/(b\*c - a\*d), Int[1/(a + b\*x^n), x], x]  
 - Dist[(d\*e - c\*f)/(b\*c - a\*d), Int[1/(c + d\*x^n), x], x] /; FreeQ[{a, b,  
 c, d, e, f, n}, x]

### Rule 203

$\text{Int}[\frac{((a_) + (b_.)*(x_)^2)^{-1}}{x\_Symbol}] :=$  Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt  
 [a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a,  
 0] || GtQ[b, 0])

### Rule 205

$\text{Int}[\frac{((a_) + (b_.)*(x_)^2)^{-1}}{x\_Symbol}] :=$  Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a  
 /b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rubi steps

$$\int \frac{\text{sech}^5(c + dx)}{a + b \tanh^2(c + dx)} dx = \frac{\text{Subst}\left(\int \frac{1}{(1+x^2)^2(a+(a+b)x^2)} dx, x, \sinh(c + dx)\right)}{d}$$

$$= -\frac{\text{sech}(c + dx) \tanh(c + dx)}{2bd} + \frac{\text{Subst}\left(\int \frac{a+2b+(-a-b)x^2}{(1+x^2)(a+(a+b)x^2)} dx, x, \sinh(c + dx)\right)}{2bd}$$

$$= -\frac{\text{sech}(c + dx) \tanh(c + dx)}{2bd} + \frac{(a + b)^2 \text{Subst}\left(\int \frac{1}{a+(a+b)x^2} dx, x, \sinh(c + dx)\right)}{b^2d} - \frac{(2a + 3b)}{2bd}$$

$$= -\frac{(2a + 3b) \tan^{-1}(\sinh(c + dx))}{2b^2d} + \frac{(a + b)^{3/2} \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c + dx)}{\sqrt{a}}\right)}{\sqrt{ab^2}d} - \frac{\text{sech}(c + dx) \tanh(c + dx)}{2bd}$$

**Mathematica [A]** time = 0.557462, size = 79, normalized size = 0.92

$$\frac{2(2a + 3b) \tan^{-1}\left(\tanh\left(\frac{1}{2}(c + dx)\right)\right) + \frac{2(a+b)^{3/2} \tan^{-1}\left(\frac{\sqrt{a} \operatorname{csch}(c+dx)}{\sqrt{a+b}}\right)}{\sqrt{a}} + b \tanh(c + dx) \operatorname{sech}(c + dx)}{2b^2d}$$

Antiderivative was successfully verified.

[In] Integrate[Sech[c + d\*x]^5/(a + b\*Tanh[c + d\*x]^2), x]

[Out]  $-\left(\frac{2(a+b)^{3/2} \operatorname{ArcTan}\left[\frac{\sqrt{a} \operatorname{Csch}[c+d*x]}{\sqrt{a+b}}\right]}{\sqrt{a}}\right) / \sqrt{a} + 2 * (2*a + 3*b) * \operatorname{ArcTan}\left[\frac{\operatorname{Tanh}[c+d*x]}{2}\right] + b * \operatorname{Sech}[c+d*x] * \operatorname{Tanh}[c+d*x] / (2 * b^2 * d)$

**Maple [B]** time = 0.076, size = 836, normalized size = 9.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sech(d\*x+c)^5/(a+b\*tanh(d\*x+c)^2), x)

[Out] 
$$\begin{aligned} & -1/d*a^2/b^2/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2}*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2 \\ & *c)/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2})-2/d*a/b/((2*(b*(a+b))^{1/2}-a-2*b) \\ & *a)^{1/2}*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2}) \\ & )-1/d/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2}*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2 \\ & *(b*(a+b))^{1/2}-a-2*b)*a)^{1/2})+1/d*a^2/b/(b*(a+b))^{1/2}/((2*(b*(a+b))^{1/2}- \\ & a-2*b)*a)^{1/2}*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{1/2}-a-2*b) \\ & *a)^{1/2})+2*a/d/(b*(a+b))^{1/2}/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2}*\operatorname{arct} \\ & \operatorname{anh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2})+1/d*b/(b*(a \\ & b))^{1/2}/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2}*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c) \\ & /((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2})+1/d*a^2/b^2/((2*(b*(a+b))^{1/2}+a+2*b) \\ & *a)^{1/2}*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2}) \\ & )+2/d*a/b/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2}*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)/ \\ & ((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2})+1/d/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2} \\ & )*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2})+1/d*a^2 \\ & /b/(b*(a+b))^{1/2}/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2}*\operatorname{arctan}(a*\tanh(1/2*d* \\ & x+1/2*c)/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2})+2*a/d/(b*(a+b))^{1/2}/((2*(b \\ & (a+b))^{1/2}+a+2*b)*a)^{1/2}*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{1/2} \\ & (a+b))^{1/2}+a+2*b)*a)^{1/2})+1/d*b/(b*(a+b))^{1/2}/((2*(b*(a+b))^{1/2}+a+2*b) \\ & *a)^{1/2}*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2})+1/d/b/ \end{aligned}$$

$(\tanh(1/2*d*x+1/2*c)^2+1)^2*\tanh(1/2*d*x+1/2*c)^3-1/d/b/(\tanh(1/2*d*x+1/2*c)^2+1)^2*\tanh(1/2*d*x+1/2*c)-3/d/b*\arctan(\tanh(1/2*d*x+1/2*c))-2/d/b^2*\arctan(\tanh(1/2*d*x+1/2*c))*a$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{e^{(3dx+3c)} - e^{(dx+c)}}{bde^{(4dx+4c)} + 2bde^{(2dx+2c)} + bd} - \frac{(2ae^c + 3be^c) \arctan(e^{(dx+c)}) e^{(-c)}}{b^2d} + 32 \int \frac{(a^2e^{(3c)} + 2abe^{(3c)} + b^2e^{(3c)})e^{(3dx)} + (a^2e^c + 2a*be^c + b^2e^c)e^{(dx)}}{16(ab^2 + b^3 + (ab^2e^{(4c)} + b^3e^{(4c)})e^{(4dx)})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^5/(a+b\*tanh(d\*x+c)^2),x, algorithm="maxima")

[Out]  $-(e^{(3*d*x + 3*c)} - e^{(d*x + c)})/(b*d*e^{(4*d*x + 4*c)} + 2*b*d*e^{(2*d*x + 2*c)} + b*d) - (2*a*e^c + 3*b*e^c)*\arctan(e^{(d*x + c)})*e^{(-c)}/(b^2*d) + 32*\int \text{egrate}(1/16*((a^2*e^{(3*c)} + 2*a*b*e^{(3*c)} + b^2*e^{(3*c)})*e^{(3*d*x)} + (a^2*e^c + 2*a*b*e^c + b^2*e^c)*e^{(d*x)})/(a*b^2 + b^3 + (a*b^2*e^{(4*c)} + b^3*e^{(4*c)})*e^{(4*d*x)} + 2*(a*b^2*e^{(2*c)} - b^3*e^{(2*c)})*e^{(2*d*x)}), x)$

**Fricas [B]** time = 2.82544, size = 4316, normalized size = 50.19

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^5/(a+b\*tanh(d\*x+c)^2),x, algorithm="fricas")

[Out]  $[-1/2*(2*b*\cosh(d*x + c)^3 + 6*b*\cosh(d*x + c)*\sinh(d*x + c)^2 + 2*b*\sinh(d*x + c)^3 - ((a + b)*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a + b)*\sinh(d*x + c)^4 + 2*(a + b)*\cosh(d*x + c)^2 + 2*(3*(a + b)*\cosh(d*x + c)^2 + a + b)*\sinh(d*x + c)^2 + 4*((a + b)*\cosh(d*x + c)^3 + (a + b)*\cosh(d*x + c))*\sinh(d*x + c) + a + b)*\sqrt{-(a + b)/a}*\log(((a + b)*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a + b)*\sinh(d*x + c)^4 - 2*(3*a + b)*\cosh(d*x + c)^2 + 2*(3*(a + b)*\cosh(d*x + c)^2 - 3*a - b)*\sinh(d*x + c)^2 + 4*((a + b)*\cosh(d*x + c)^3 - (3*a + b)*\cosh(d*x + c))*\sinh(d*x + c) + 4*(a*\cosh(d*x + c)^3 + 3*a*\cosh(d*x + c)*\sinh(d*x + c)^2 + a*\sinh(d*x + c)^3 - a*\cosh(d*x + c) + (3*a*\cosh(d*x + c)^2 - a)*\sinh(d*x + c))*\sqrt{-(a + b)/a} + a + b)/((a + b)*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a + b)*\sinh(d*x + c)^4 + 2*(a - b)*\cosh(d*x + c)^2$

```

+ 2*(3*(a + b)*cosh(d*x + c)^2 + a - b)*sinh(d*x + c)^2 + 4*((a + b)*cosh(d
*x + c)^3 + (a - b)*cosh(d*x + c))*sinh(d*x + c) + a + b)) + 2*((2*a + 3*b)
*cosh(d*x + c)^4 + 4*(2*a + 3*b)*cosh(d*x + c)*sinh(d*x + c)^3 + (2*a + 3*b)
)*sinh(d*x + c)^4 + 2*(2*a + 3*b)*cosh(d*x + c)^2 + 2*(3*(2*a + 3*b)*cosh(d
*x + c)^2 + 2*a + 3*b)*sinh(d*x + c)^2 + 4*((2*a + 3*b)*cosh(d*x + c)^3 + (
2*a + 3*b)*cosh(d*x + c))*sinh(d*x + c) + 2*a + 3*b)*arctan(cosh(d*x + c) +
sinh(d*x + c)) - 2*b*cosh(d*x + c) + 2*(3*b*cosh(d*x + c)^2 - b)*sinh(d*x
+ c))/(b^2*d*cosh(d*x + c)^4 + 4*b^2*d*cosh(d*x + c)*sinh(d*x + c)^3 + b^2*
d*sinh(d*x + c)^4 + 2*b^2*d*cosh(d*x + c)^2 + b^2*d + 2*(3*b^2*d*cosh(d*x +
c)^2 + b^2*d)*sinh(d*x + c)^2 + 4*(b^2*d*cosh(d*x + c)^3 + b^2*d*cosh(d*x
+ c))*sinh(d*x + c)), -(b*cosh(d*x + c)^3 + 3*b*cosh(d*x + c)*sinh(d*x + c)
^2 + b*sinh(d*x + c)^3 - ((a + b)*cosh(d*x + c)^4 + 4*(a + b)*cosh(d*x + c)
*sinh(d*x + c)^3 + (a + b)*sinh(d*x + c)^4 + 2*(a + b)*cosh(d*x + c)^2 + 2*
(3*(a + b)*cosh(d*x + c)^2 + a + b)*sinh(d*x + c)^2 + 4*((a + b)*cosh(d*x +
c)^3 + (a + b)*cosh(d*x + c))*sinh(d*x + c) + a + b)*sqrt((a + b)/a)*arcta
n(1/2*sqrt((a + b)/a)*(cosh(d*x + c) + sinh(d*x + c))) - ((a + b)*cosh(d*x
+ c)^4 + 4*(a + b)*cosh(d*x + c)*sinh(d*x + c)^3 + (a + b)*sinh(d*x + c)^4
+ 2*(a + b)*cosh(d*x + c)^2 + 2*(3*(a + b)*cosh(d*x + c)^2 + a + b)*sinh(d*
x + c)^2 + 4*((a + b)*cosh(d*x + c)^3 + (a + b)*cosh(d*x + c))*sinh(d*x +
c) + a + b)*sqrt((a + b)/a)*arctan(1/2*((a + b)*cosh(d*x + c)^3 + 3*(a + b)*
cosh(d*x + c)*sinh(d*x + c)^2 + (a + b)*sinh(d*x + c)^3 + (3*a - b)*cosh(d*
x + c) + (3*(a + b)*cosh(d*x + c)^2 + 3*a - b)*sinh(d*x + c))*sqrt((a + b)/
a)/(a + b)) + ((2*a + 3*b)*cosh(d*x + c)^4 + 4*(2*a + 3*b)*cosh(d*x + c)*si
nh(d*x + c)^3 + (2*a + 3*b)*sinh(d*x + c)^4 + 2*(2*a + 3*b)*cosh(d*x + c)^2
+ 2*(3*(2*a + 3*b)*cosh(d*x + c)^2 + 2*a + 3*b)*sinh(d*x + c)^2 + 4*((2*a
+ 3*b)*cosh(d*x + c)^3 + (2*a + 3*b)*cosh(d*x + c))*sinh(d*x + c) + 2*a + 3
*b)*arctan(cosh(d*x + c) + sinh(d*x + c)) - b*cosh(d*x + c) + (3*b*cosh(d*x
+ c)^2 - b)*sinh(d*x + c))/(b^2*d*cosh(d*x + c)^4 + 4*b^2*d*cosh(d*x + c)*
sinh(d*x + c)^3 + b^2*d*sinh(d*x + c)^4 + 2*b^2*d*cosh(d*x + c)^2 + b^2*d +
2*(3*b^2*d*cosh(d*x + c)^2 + b^2*d)*sinh(d*x + c)^2 + 4*(b^2*d*cosh(d*x +
c)^3 + b^2*d*cosh(d*x + c))*sinh(d*x + c))]

```

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{sech}^5(c + dx)}{a + b \tanh^2(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)\*\*5/(a+b\*tanh(d\*x+c)\*\*2), x)

[Out] Integral(sech(c + d\*x)\*\*5/(a + b\*tanh(c + d\*x)\*\*2), x)



---

**Giac [C]** time = 1.84435, size = 5747, normalized size = 66.83

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^5/(a+b\*tanh(d\*x+c)^2),x, algorithm="giac")

[Out] 
$$-1/4*(4*(2*a*e^c + 3*b*e^c)*\arctan(e^{(d*x + c)})*e^{-c}/b^2 + 4*(e^{(3*d*x + 3*c)} - e^{(d*x + c)})/(b*(e^{(2*d*x + 2*c)} + 1)^2) - 2*(3*(2*a^2*b + 2*a*b^2 - (a^2 - b^2)*\sqrt{-a*b})*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b)))) - (2*a^2*b + 2*a*b^2 - (a^2 - b^2)*\sqrt{-a*b})*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 - 9*(2*a^2*b + 2*a*b^2 - (a^2 - b^2)*\sqrt{-a*b})*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) + 3*(2*a^2*b + 2*a*b^2 - (a^2 - b^2)*\sqrt{-a*b})*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) + 9*(2*a^2*b + 2*a*b^2 - (a^2 - b^2)*\sqrt{-a*b})*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 - 3*(2*a^2*b + 2*a*b^2 - (a^2 - b^2)*\sqrt{-a*b})*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 - 3*(2*a^2*b + 2*a*b^2 - (a^2 - b^2)*\sqrt{-a*b})*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 + (2*a^2*b + 2*a*b^2 - (a^2 - b^2)*\sqrt{-a*b})*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 + (2*a^2*b + 2*a*b^2 - (a^2 - b^2)*\sqrt{-a*b})*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b)))) - (2*a^2*b + 2*a*b^2 - (a^2 - b^2)*\sqrt{-a*b})*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))*\arctan((((a*b^2 + b^3)/(a*b^2*e^{(4*c)} + b^3*e^{(4*c)})^{(1/4)}*\cos(1/2*\arccos(-(a - b)/(a + b))) + e^{(d*x)})/((((a*b^2 + b^3)/(a*b^2*e^{(4*c)} + b^3*e^{(4*c)})^{(1/4)}*\sin(1/2*\arccos(-(a - b)/(a + b)))))/(a*b^3) - 2*(3*(2*a^2*b + 2*a*b^2 - (a^2 - b^2)*\sqrt{-a*b})*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\sin(1/2*\text{real\_part}(\arccos(-a/(a$$

$$\begin{aligned}
& + b) + b/(a + b))) - (2*a^2*b + 2*a*b^2 - (a^2 - b^2)*\sqrt{-a*b})*\cosh(1/2 \\
& *imag\_part(\arccos(-a/(a + b) + b/(a + b))))^3*\sin(1/2*real\_part(\arccos(-a/( \\
& a + b) + b/(a + b))))^3 - 9*(2*a^2*b + 2*a*b^2 - (a^2 - b^2)*\sqrt{-a*b})*\co \\
& s(1/2*real\_part(\arccos(-a/(a + b) + b/(a + b))))^2*\cosh(1/2*imag\_part(\arcco \\
& s(-a/(a + b) + b/(a + b))))^2*\sin(1/2*real\_part(\arccos(-a/(a + b) + b/(a + \\
& b))))*\sinh(1/2*imag\_part(\arccos(-a/(a + b) + b/(a + b)))) + 3*(2*a^2*b + 2* \\
& a*b^2 - (a^2 - b^2)*\sqrt{-a*b})*\cosh(1/2*imag\_part(\arccos(-a/(a + b) + b/(a \\
& + b))))^2*\sin(1/2*real\_part(\arccos(-a/(a + b) + b/(a + b))))^3*\sinh(1/2*im \\
& ag\_part(\arccos(-a/(a + b) + b/(a + b)))) + 9*(2*a^2*b + 2*a*b^2 - (a^2 - b^ \\
& 2)*\sqrt{-a*b})*\cos(1/2*real\_part(\arccos(-a/(a + b) + b/(a + b))))^2*\cosh(1/ \\
& 2*imag\_part(\arccos(-a/(a + b) + b/(a + b))))*\sin(1/2*real\_part(\arccos(-a/(a \\
& + b) + b/(a + b))))*\sinh(1/2*imag\_part(\arccos(-a/(a + b) + b/(a + b))))^2 \\
& - 3*(2*a^2*b + 2*a*b^2 - (a^2 - b^2)*\sqrt{-a*b})*\cosh(1/2*imag\_part(\arccos( \\
& -a/(a + b) + b/(a + b))))*\sin(1/2*real\_part(\arccos(-a/(a + b) + b/(a + b))) \\
& )^3*\sinh(1/2*imag\_part(\arccos(-a/(a + b) + b/(a + b))))^2 - 3*(2*a^2*b + 2* \\
& a*b^2 - (a^2 - b^2)*\sqrt{-a*b})*\cos(1/2*real\_part(\arccos(-a/(a + b) + b/(a \\
& + b))))^2*\sin(1/2*real\_part(\arccos(-a/(a + b) + b/(a + b))))*\sinh(1/2*imag\_ \\
& part(\arccos(-a/(a + b) + b/(a + b))))^3 + (2*a^2*b + 2*a*b^2 - (a^2 - b^2)* \\
& \sqrt{-a*b})*\sin(1/2*real\_part(\arccos(-a/(a + b) + b/(a + b))))^3*\sinh(1/2*i \\
& mag\_part(\arccos(-a/(a + b) + b/(a + b))))^3 + (2*a^2*b + 2*a*b^2 - (a^2 - b \\
& ^2)*\sqrt{-a*b})*\cosh(1/2*imag\_part(\arccos(-a/(a + b) + b/(a + b))))*\sin(1/2 \\
& *real\_part(\arccos(-a/(a + b) + b/(a + b)))) - (2*a^2*b + 2*a*b^2 - (a^2 - b \\
& ^2)*\sqrt{-a*b})*\sin(1/2*real\_part(\arccos(-a/(a + b) + b/(a + b))))*\sinh(1/2 \\
& *imag\_part(\arccos(-a/(a + b) + b/(a + b))))*\arctan(-(((a*b^2 + b^3)/(a*b^2 \\
& *e^(4*c) + b^3*e^(4*c)))^(1/4)*\cos(1/2*\arccos(-(a - b)/(a + b))) - e^(d*x)) \\
& /(((a*b^2 + b^3)/(a*b^2*e^(4*c) + b^3*e^(4*c)))^(1/4)*\sin(1/2*\arccos(-(a - \\
& b)/(a + b)))))/(a*b^3) - ((2*a^2*b + 2*a*b^2 - (a^2 - b^2)*\sqrt{-a*b})*\cos( \\
& 1/2*real\_part(\arccos(-a/(a + b) + b/(a + b))))^3*\cosh(1/2*imag\_part(\arccos( \\
& -a/(a + b) + b/(a + b))))^3 - 3*(2*a^2*b + 2*a*b^2 - (a^2 - b^2)*\sqrt{-a*b} \\
& )*\cos(1/2*real\_part(\arccos(-a/(a + b) + b/(a + b))))*\cosh(1/2*imag\_part(\arc \\
& cos(-a/(a + b) + b/(a + b))))^3*\sin(1/2*real\_part(\arccos(-a/(a + b) + b/(a \\
& + b))))^2 - 3*(2*a^2*b + 2*a*b^2 - (a^2 - b^2)*\sqrt{-a*b})*\cos(1/2*real\_par \\
& t(\arccos(-a/(a + b) + b/(a + b))))^3*\cosh(1/2*imag\_part(\arccos(-a/(a + b) + \\
& b/(a + b))))^2*\sinh(1/2*imag\_part(\arccos(-a/(a + b) + b/(a + b)))) + 9*(2* \\
& a^2*b + 2*a*b^2 - (a^2 - b^2)*\sqrt{-a*b})*\cos(1/2*real\_part(\arccos(-a/(a + \\
& b) + b/(a + b))))*\cosh(1/2*imag\_part(\arccos(-a/(a + b) + b/(a + b))))^2*\sin \\
& (1/2*real\_part(\arccos(-a/(a + b) + b/(a + b))))^2*\sinh(1/2*imag\_part(\arccos \\
& (-a/(a + b) + b/(a + b)))) + 3*(2*a^2*b + 2*a*b^2 - (a^2 - b^2)*\sqrt{-a*b}) \\
& *\cos(1/2*real\_part(\arccos(-a/(a + b) + b/(a + b))))^3*\cosh(1/2*imag\_part(\ar \\
& ccos(-a/(a + b) + b/(a + b))))*\sinh(1/2*imag\_part(\arccos(-a/(a + b) + b/(a \\
& + b))))^2 - 9*(2*a^2*b + 2*a*b^2 - (a^2 - b^2)*\sqrt{-a*b})*\cos(1/2*real\_par \\
& t(\arccos(-a/(a + b) + b/(a + b))))*\cosh(1/2*imag\_part(\arccos(-a/(a + b) + b \\
& /(a + b))))*\sin(1/2*real\_part(\arccos(-a/(a + b) + b/(a + b))))^2*\sinh(1/2*i \\
& mag\_part(\arccos(-a/(a + b) + b/(a + b))))^2 - (2*a^2*b + 2*a*b^2 - (a^2 - b \\
& ^2)*\sqrt{-a*b})*\cos(1/2*real\_part(\arccos(-a/(a + b) + b/(a + b))))^3*\sinh(1
\end{aligned}$$

$$\begin{aligned}
& /2\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))^3 + 3*(2*a^2*b + 2*a*b^2 - (a \\
& ^2 - b^2)*\sqrt{-a*b})*\cos(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))* \text{si} \\
& \text{n}(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2*\sinh(1/2*\text{imag\_part}(\arcco \\
& \text{s}(-a/(a+b) + b/(a+b))))^3 + (2*a^2*b + 2*a*b^2 - (a^2 - b^2)*\sqrt{-a*b} \\
& )*\cos(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))*\cosh(1/2*\text{imag\_part}(\arcc \\
& \text{os}(-a/(a+b) + b/(a+b)))) - (2*a^2*b + 2*a*b^2 - (a^2 - b^2)*\sqrt{-a*b} \\
& )*\cos(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))*\sinh(1/2*\text{imag\_part}(\arcc \\
& \text{os}(-a/(a+b) + b/(a+b))))*\log(2*((a*b^2 + b^3)/(a*b^2*e^{(4*c)} + b^3*e^{ \\
& (4*c)}))^{(1/4)}*\cos(1/2*\arccos(-(a-b)/(a+b)))*e^{(d*x)} + \sqrt{((a*b^2 + b^3 \\
& )/(a*b^2*e^{(4*c)} + b^3*e^{(4*c)}))} + e^{(2*d*x)})/(a*b^3) + ((2*a^2*b + 2*a*b^2 \\
& - (a^2 - b^2)*\sqrt{-a*b})*\cos(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b)) \\
& ))^3*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 - 3*(2*a^2*b + 2 \\
& *a*b^2 - (a^2 - b^2)*\sqrt{-a*b})*\cos(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a \\
& + b))))*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3*\sin(1/2*\text{real} \\
& \_part(\arccos(-a/(a+b) + b/(a+b))))^2 - 3*(2*a^2*b + 2*a*b^2 - (a^2 - b^ \\
& 2)*\sqrt{-a*b})*\cos(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3*\cosh(1/ \\
& 2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2*\sinh(1/2*\text{imag\_part}(\arccos(-a \\
& /(a+b) + b/(a+b)))) + 9*(2*a^2*b + 2*a*b^2 - (a^2 - b^2)*\sqrt{-a*b})*\co \\
& \text{s}(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))*\cosh(1/2*\text{imag\_part}(\arccos( \\
& -a/(a+b) + b/(a+b))))^2*\sin(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b) \\
& )))^2*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) + 3*(2*a^2*b + 2* \\
& a*b^2 - (a^2 - b^2)*\sqrt{-a*b})*\cos(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a \\
& + b))))^3*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))*\sinh(1/2*\text{imag} \\
& \_part(\arccos(-a/(a+b) + b/(a+b))))^2 - 9*(2*a^2*b + 2*a*b^2 - (a^2 - b^ \\
& 2)*\sqrt{-a*b})*\cos(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))*\cosh(1/2* \\
& \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))*\sin(1/2*\text{real\_part}(\arccos(-a/(a + \\
& b) + b/(a+b))))^2*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 \\
& - (2*a^2*b + 2*a*b^2 - (a^2 - b^2)*\sqrt{-a*b})*\cos(1/2*\text{real\_part}(\arccos(-a/ \\
& (a+b) + b/(a+b))))^3*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))) \\
& )^3 + 3*(2*a^2*b + 2*a*b^2 - (a^2 - b^2)*\sqrt{-a*b})*\cos(1/2*\text{real\_part}(\arcc \\
& \text{os}(-a/(a+b) + b/(a+b))))*\sin(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b) \\
& )))^2*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 + (2*a^2*b + 2 \\
& *a*b^2 - (a^2 - b^2)*\sqrt{-a*b})*\cos(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a \\
& + b))))*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) - (2*a^2*b + 2 \\
& *a*b^2 - (a^2 - b^2)*\sqrt{-a*b})*\cos(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a \\
& + b))))*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))*\log(-2*((a*b^ \\
& 2 + b^3)/(a*b^2*e^{(4*c)} + b^3*e^{(4*c)}))^{(1/4)}*\cos(1/2*\arccos(-(a-b)/(a + \\
& b)))*e^{(d*x)} + \sqrt{((a*b^2 + b^3)/(a*b^2*e^{(4*c)} + b^3*e^{(4*c)}))} + e^{(2*d*x \\
& )})/(a*b^3))/d
\end{aligned}$$

$$3.114 \quad \int \frac{\operatorname{sech}^6(c+dx)}{a+b \tanh^2(c+dx)} dx$$

**Optimal.** Leaf size=75

$$-\frac{(a+2b) \tanh(c+dx)}{b^2 d} + \frac{(a+b)^2 \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{\sqrt{ab}^{5/2} d} + \frac{\tanh^3(c+dx)}{3bd}$$

[Out] ((a + b)^2\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(Sqrt[a]\*b^(5/2)\*d) - ((a + 2\*b)\*Tanh[c + d\*x])/(b^2\*d) + Tanh[c + d\*x]^3/(3\*b\*d)

**Rubi [A]** time = 0.0915841, antiderivative size = 75, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$ , Rules used = {3675, 390, 205}

$$-\frac{(a+2b) \tanh(c+dx)}{b^2 d} + \frac{(a+b)^2 \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{\sqrt{ab}^{5/2} d} + \frac{\tanh^3(c+dx)}{3bd}$$

Antiderivative was successfully verified.

[In] Int[Sech[c + d\*x]^6/(a + b\*Tanh[c + d\*x]^2), x]

[Out] ((a + b)^2\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(Sqrt[a]\*b^(5/2)\*d) - ((a + 2\*b)\*Tanh[c + d\*x])/(b^2\*d) + Tanh[c + d\*x]^3/(3\*b\*d)

### Rule 3675

```
Int[sec[(e_.) + (f_.)*(x_)]^(m_)*((a_.) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)]))^(n_)]^(p_.), x_Symbol]
:> With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[ff/(c^(m - 1)*f), Subst[Int[(c^2 + ff^2*x^2)^(m/2 - 1)*(a + b*(ff*x)^n)^p, x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2] && (IntegersQ[n, p] || IGtQ[m, 0] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])
```

### Rule 390

```
Int[((a_.) + (b_.)*(x_)^(n_)]^(p_)*((c_.) + (d_.)*(x_)^(n_)]^(q_), x_Symbol]
:> Int[PolynomialDivide[(a + b*x^n)^p, (c + d*x^n)^(-q), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q, 0] && GeQ[p, -q]
```

Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned} \int \frac{\operatorname{sech}^6(c+dx)}{a+b \tanh^2(c+dx)} dx &= \frac{\operatorname{Subst}\left(\int \frac{(1-x^2)^2}{a+bx^2} dx, x, \tanh(c+dx)\right)}{d} \\ &= \frac{\operatorname{Subst}\left(\int \left(-\frac{a+2b}{b^2} + \frac{x^2}{b} + \frac{a^2+2ab+b^2}{b^2(a+bx^2)}\right) dx, x, \tanh(c+dx)\right)}{d} \\ &= -\frac{(a+2b) \tanh(c+dx)}{b^2 d} + \frac{\tanh^3(c+dx)}{3bd} + \frac{(a+b)^2 \operatorname{Subst}\left(\int \frac{1}{a+bx^2} dx, x, \tanh(c+dx)\right)}{b^2 d} \\ &= \frac{(a+b)^2 \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{\sqrt{ab}^{5/2} d} - \frac{(a+2b) \tanh(c+dx)}{b^2 d} + \frac{\tanh^3(c+dx)}{3bd} \end{aligned}$$

**Mathematica [A]** time = 0.34114, size = 71, normalized size = 0.95

$$\frac{(a+b)^2 \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{\sqrt{ab}^{5/2} d} - \frac{\tanh(c+dx) (3a + b \operatorname{sech}^2(c+dx) + 5b)}{3b^2 d}$$

Antiderivative was successfully verified.

[In] Integrate[Sech[c + d\*x]^6/(a + b\*Tanh[c + d\*x]^2), x]

[Out] ((a + b)^2\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(Sqrt[a]\*b^(5/2)\*d) - ((3\*a + 5\*b + b\*Sech[c + d\*x]^2)\*Tanh[c + d\*x])/(3\*b^2\*d)

**Maple [B]** time = 0.078, size = 1077, normalized size = 14.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sech(d*x+c)^6/(a+b*tanh(d*x+c)^2),x)
```

```
[Out] -1/d*a^3/b^2/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*arctanh(a*
tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))-3/d*a^2/b/(b*(a+b)
)^(1/2)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*arctanh(a*tanh(1/2*d*x+1/2*c)/(
(2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))-3*a/d/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/
2)-a-2*b)*a)^(1/2)*arctanh(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b
)*a)^(1/2))+1/d*a^2/b^2/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*arctanh(a*tanh(1
/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))+2/d*a/b/((2*(b*(a+b))^(1
/2)-a-2*b)*a)^(1/2)*arctanh(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b
)*a)^(1/2))+1/d/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*arctanh(a*tanh(1/2*d*x+
1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))-1/d*b/(b*(a+b))^(1/2)/((2*(b*(a
+b))^(1/2)-a-2*b)*a)^(1/2)*arctanh(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2
)-a-2*b)*a)^(1/2))-1/d*a^3/b^2/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)+a+2*b)*a
)^(1/2)*arctan(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))-3
/d*a^2/b/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*arctan(a*tanh(
1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))-3*a/d/(b*(a+b))^(1/2)/(
(2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*arctan(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b
))^(1/2)+a+2*b)*a)^(1/2))-1/d*a^2/b^2/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*a
rctan(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))-2/d*a/b/((
2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*arctan(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b)
)^(1/2)+a+2*b)*a)^(1/2))-1/d/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*arctan(a*t
anh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))-1/d*b/(b*(a+b))^(1/
2)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*arctan(a*tanh(1/2*d*x+1/2*c)/((2*(b*
(a+b))^(1/2)+a+2*b)*a)^(1/2))-2/d/b^2/(tanh(1/2*d*x+1/2*c)^2+1)^3*tanh(1/2*
d*x+1/2*c)^5*a-4/d/b/(tanh(1/2*d*x+1/2*c)^2+1)^3*tanh(1/2*d*x+1/2*c)^5-4/d/
b^2/(tanh(1/2*d*x+1/2*c)^2+1)^3*tanh(1/2*d*x+1/2*c)^3*a-16/3/d/b/(tanh(1/2*
d*x+1/2*c)^2+1)^3*tanh(1/2*d*x+1/2*c)^3-2/d/b^2/(tanh(1/2*d*x+1/2*c)^2+1)^3
*tanh(1/2*d*x+1/2*c)*a-4/d/b/(tanh(1/2*d*x+1/2*c)^2+1)^3*tanh(1/2*d*x+1/2*c
)
```

---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sech(d*x+c)^6/(a+b*tanh(d*x+c)^2),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

---

**Fricas [B]** time = 2.64971, size = 5189, normalized size = 69.19

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^6/(a+b\*tanh(d\*x+c)^2),x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [1/6*(12*(a^2*b + a*b^2)*\cosh(d*x + c)^4 + 48*(a^2*b + a*b^2)*\cosh(d*x + c) \\ & * \sinh(d*x + c)^3 + 12*(a^2*b + a*b^2)*\sinh(d*x + c)^4 + 12*a^2*b + 20*a*b^2 \\ & + 24*(a^2*b + 2*a*b^2)*\cosh(d*x + c)^2 + 24*(a^2*b + 2*a*b^2 + 3*(a^2*b + \\ & a*b^2)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 - 3*((a^2 + 2*a*b + b^2)*\cosh(d*x + \\ & c)^6 + 6*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)*\sinh(d*x + c)^5 + (a^2 + 2*a*b \\ & + b^2)*\sinh(d*x + c)^6 + 3*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^4 + 3*(5*(a^2 \\ & + 2*a*b + b^2)*\cosh(d*x + c)^2 + a^2 + 2*a*b + b^2)*\sinh(d*x + c)^4 + 4*(5* \\ & (a^2 + 2*a*b + b^2)*\cosh(d*x + c)^3 + 3*(a^2 + 2*a*b + b^2)*\cosh(d*x + c))* \\ & \sinh(d*x + c)^3 + 3*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^2 + 3*(5*(a^2 + 2*a*b \\ & + b^2)*\cosh(d*x + c)^4 + 6*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^2 + a^2 + 2*a \\ & *b + b^2)*\sinh(d*x + c)^2 + a^2 + 2*a*b + b^2 + 6*((a^2 + 2*a*b + b^2)*\cosh \\ & (d*x + c)^5 + 2*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^3 + (a^2 + 2*a*b + b^2)*\c \\ & osh(d*x + c))*\sinh(d*x + c))*\sqrt{-a*b}*\log(((a^2 + 2*a*b + b^2)*\cosh(d*x + \\ & c)^4 + 4*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a^2 + 2*a*b \\ & + b^2)*\sinh(d*x + c)^4 + 2*(a^2 - b^2)*\cosh(d*x + c)^2 + 2*(3*(a^2 + 2*a*b \\ & + b^2)*\cosh(d*x + c)^2 + a^2 - b^2)*\sinh(d*x + c)^2 + a^2 - 6*a*b + b^2 + 4 \\ & *((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^3 + (a^2 - b^2)*\cosh(d*x + c))*\sinh(d*x \\ & + c) - 4*((a + b)*\cosh(d*x + c)^2 + 2*(a + b)*\cosh(d*x + c)*\sinh(d*x + c) \\ & + (a + b)*\sinh(d*x + c)^2 + a - b)*\sqrt{-a*b})/((a + b)*\cosh(d*x + c)^4 + 4 \\ & *(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a + b)*\sinh(d*x + c)^4 + 2*(a - b \\ & )*\cosh(d*x + c)^2 + 2*(3*(a + b)*\cosh(d*x + c)^2 + a - b)*\sinh(d*x + c)^2 + \\ & 4*((a + b)*\cosh(d*x + c)^3 + (a - b)*\cosh(d*x + c))*\sinh(d*x + c) + a + b) \\ & ) + 48*((a^2*b + a*b^2)*\cosh(d*x + c)^3 + (a^2*b + 2*a*b^2)*\cosh(d*x + c))* \\ & \sinh(d*x + c)/(a*b^3*d*\cosh(d*x + c)^6 + 6*a*b^3*d*\cosh(d*x + c)*\sinh(d*x \\ & + c)^5 + a*b^3*d*\sinh(d*x + c)^6 + 3*a*b^3*d*\cosh(d*x + c)^4 + 3*a*b^3*d*\co \\ & sh(d*x + c)^2 + a*b^3*d + 3*(5*a*b^3*d*\cosh(d*x + c)^2 + a*b^3*d)*\sinh(d*x \\ & + c)^4 + 4*(5*a*b^3*d*\cosh(d*x + c)^3 + 3*a*b^3*d*\cosh(d*x + c))*\sinh(d*x + \\ & c)^3 + 3*(5*a*b^3*d*\cosh(d*x + c)^4 + 6*a*b^3*d*\cosh(d*x + c)^2 + a*b^3*d) \\ & *\sinh(d*x + c)^2 + 6*(a*b^3*d*\cosh(d*x + c)^5 + 2*a*b^3*d*\cosh(d*x + c)^3 + \\ & a*b^3*d*\cosh(d*x + c))*\sinh(d*x + c)), 1/3*(6*(a^2*b + a*b^2)*\cosh(d*x + c) \\ & )^4 + 24*(a^2*b + a*b^2)*\cosh(d*x + c)*\sinh(d*x + c)^3 + 6*(a^2*b + a*b^2)* \\ & \sinh(d*x + c)^4 + 6*a^2*b + 10*a*b^2 + 12*(a^2*b + 2*a*b^2)*\cosh(d*x + c)^2 \\ & + 12*(a^2*b + 2*a*b^2 + 3*(a^2*b + a*b^2)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 \\ & + 3*((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^6 + 6*(a^2 + 2*a*b + b^2)*\cosh(d*x \\ & + c)*\sinh(d*x + c)^5 + (a^2 + 2*a*b + b^2)*\sinh(d*x + c)^6 + 3*(a^2 + 2*a*b \\ & + b^2)*\cosh(d*x + c)^4 + 3*(5*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^2 + a^2 + \end{aligned}$$

```

2*a*b + b^2)*sinh(d*x + c)^4 + 4*(5*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^3 + 3
*(a^2 + 2*a*b + b^2)*cosh(d*x + c))*sinh(d*x + c)^3 + 3*(a^2 + 2*a*b + b^2)
*cosh(d*x + c)^2 + 3*(5*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^4 + 6*(a^2 + 2*a*
b + b^2)*cosh(d*x + c)^2 + a^2 + 2*a*b + b^2)*sinh(d*x + c)^2 + a^2 + 2*a*b
+ b^2 + 6*((a^2 + 2*a*b + b^2)*cosh(d*x + c)^5 + 2*(a^2 + 2*a*b + b^2)*cos
h(d*x + c)^3 + (a^2 + 2*a*b + b^2)*cosh(d*x + c))*sinh(d*x + c))*sqrt(a*b)*
arctan(1/2*((a + b)*cosh(d*x + c)^2 + 2*(a + b)*cosh(d*x + c)*sinh(d*x + c)
+ (a + b)*sinh(d*x + c)^2 + a - b)*sqrt(a*b)/(a*b)) + 24*((a^2*b + a*b^2)*
cosh(d*x + c)^3 + (a^2*b + 2*a*b^2)*cosh(d*x + c))*sinh(d*x + c))/(a*b^3*d*
cosh(d*x + c)^6 + 6*a*b^3*d*cosh(d*x + c)*sinh(d*x + c)^5 + a*b^3*d*sinh(d*
x + c)^6 + 3*a*b^3*d*cosh(d*x + c)^4 + 3*a*b^3*d*cosh(d*x + c)^2 + a*b^3*d
+ 3*(5*a*b^3*d*cosh(d*x + c)^2 + a*b^3*d)*sinh(d*x + c)^4 + 4*(5*a*b^3*d*co
sh(d*x + c)^3 + 3*a*b^3*d*cosh(d*x + c))*sinh(d*x + c)^3 + 3*(5*a*b^3*d*cos
h(d*x + c)^4 + 6*a*b^3*d*cosh(d*x + c)^2 + a*b^3*d)*sinh(d*x + c)^2 + 6*(a*
b^3*d*cosh(d*x + c)^5 + 2*a*b^3*d*cosh(d*x + c)^3 + a*b^3*d*cosh(d*x + c))*
sinh(d*x + c))]

```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{sech}^6(c + dx)}{a + b \tanh^2(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)\*\*6/(a+b\*tanh(d\*x+c)\*\*2), x)

[Out] Integral(sech(c + d\*x)\*\*6/(a + b\*tanh(c + d\*x)\*\*2), x)

**Giac [B]** time = 1.44931, size = 207, normalized size = 2.76

$$\frac{3(a^2e^{2c} + 2abe^{2c} + b^2e^{2c}) \arctan\left(\frac{ae^{2dx+2c} + be^{2dx+2c} + a - b}{2\sqrt{ab}}\right) e^{-2c}}{\sqrt{abb^2}} + \frac{2(3ae^{4dx+4c} + 3be^{4dx+4c} + 6ae^{2dx+2c} + 12be^{2dx+2c} + 3a + 5b)}{b^2(e^{2dx+2c} + 1)^3}$$

$3d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^6/(a+b\*tanh(d\*x+c)^2), x, algorithm="giac")

[Out] 1/3\*(3\*(a^2\*e^(2\*c) + 2\*a\*b\*e^(2\*c) + b^2\*e^(2\*c))\*arctan(1/2\*(a\*e^(2\*d\*x + 2\*c) + b\*e^(2\*d\*x + 2\*c) + a - b)/sqrt(a\*b))\*e^(-2\*c)/(sqrt(a\*b)\*b^2) + 2\*



$$\frac{(3*a*e^{(4*d*x + 4*c)} + 3*b*e^{(4*d*x + 4*c)} + 6*a*e^{(2*d*x + 2*c)} + 12*b*e^{(2*d*x + 2*c)} + 3*a + 5*b)/(b^2*(e^{(2*d*x + 2*c)} + 1)^3)}{d}$$

$$3.115 \quad \int \frac{\cosh^3(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$$

**Optimal.** Leaf size=128

$$\frac{b^2(6a+b) \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{2a^{3/2}d(a+b)^{7/2}} + \frac{b^3 \sinh(c+dx)}{2ad(a+b)^3((a+b) \sinh^2(c+dx) + a)} + \frac{\sinh^3(c+dx)}{3d(a+b)^2} + \frac{(a+3b) \sinh(c+dx)}{d(a+b)^3}$$

[Out] (b^2\*(6\*a + b)\*ArcTan[(Sqrt[a + b]\*Sinh[c + d\*x])/Sqrt[a]]/(2\*a^(3/2)\*(a + b)^(7/2)\*d) + ((a + 3\*b)\*Sinh[c + d\*x])/((a + b)^3\*d) + Sinh[c + d\*x]^3/(3\*(a + b)^2\*d) + (b^3\*Sinh[c + d\*x])/(2\*a\*(a + b)^3\*d\*(a + (a + b)\*Sinh[c + d\*x]^2))

**Rubi [A]** time = 0.181511, antiderivative size = 128, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {3676, 390, 385, 205}

$$\frac{b^2(6a+b) \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{2a^{3/2}d(a+b)^{7/2}} + \frac{b^3 \sinh(c+dx)}{2ad(a+b)^3((a+b) \sinh^2(c+dx) + a)} + \frac{\sinh^3(c+dx)}{3d(a+b)^2} + \frac{(a+3b) \sinh(c+dx)}{d(a+b)^3}$$

Antiderivative was successfully verified.

[In] Int[Cosh[c + d\*x]^3/(a + b\*Tanh[c + d\*x]^2),x]

[Out] (b^2\*(6\*a + b)\*ArcTan[(Sqrt[a + b]\*Sinh[c + d\*x])/Sqrt[a]]/(2\*a^(3/2)\*(a + b)^(7/2)\*d) + ((a + 3\*b)\*Sinh[c + d\*x])/((a + b)^3\*d) + Sinh[c + d\*x]^3/(3\*(a + b)^2\*d) + (b^3\*Sinh[c + d\*x])/(2\*a\*(a + b)^3\*d\*(a + (a + b)\*Sinh[c + d\*x]^2))

### Rule 3676

```
Int[sec[(e_.) + (f_.)*(x_)]^(m_.)*((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)]^(n_.))^(p_.), x_Symbol] :> With[{ff = FreeFactors[Sin[e + f*x], x]}, Dist[ff/f, Subst[Int[ExpandToSum[b*(ff*x)^n + a*(1 - ff^2*x^2)^(n/2), x]^p/(1 - ff^2*x^2)^((m + n*p + 1)/2), x], x, Sin[e + f*x]/ff, x]] /; FreeQ[{a, b, e, f}, x] && IntegerQ[(m - 1)/2] && IntegerQ[n/2] && IntegerQ[p]
```

### Rule 390

```
Int[((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol]
:> Int[PolynomialDivide[(a + b*x^n)^p, (c + d*x^n)^(-q), x], x] /; FreeQ[{a
, b, c, d}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q,
0] && GeQ[p, -q]
```

### Rule 385

```
Int[((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_)), x_Symbol] :> -S
imp[((b*c - a*d)*x*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] - Dist[(a*d - b
*c*(n*(p + 1) + 1))/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; Fre
eQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n +
p, 0])
```

### Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

### Rubi steps

$$\begin{aligned} \int \frac{\cosh^3(c + dx)}{(a + b \tanh^2(c + dx))^2} dx &= \frac{\text{Subst}\left(\int \frac{(1+x^2)^3}{(a+(a+b)x^2)^2} dx, x, \sinh(c + dx)\right)}{d} \\ &= \frac{\text{Subst}\left(\int \left(\frac{a+3b}{(a+b)^3} + \frac{x^2}{(a+b)^2} + \frac{b^2(3a+b)+3b^2(a+b)x^2}{(a+b)^3(a+(a+b)x^2)^2}\right) dx, x, \sinh(c + dx)\right)}{d} \\ &= \frac{(a + 3b) \sinh(c + dx)}{(a + b)^3 d} + \frac{\sinh^3(c + dx)}{3(a + b)^2 d} + \frac{\text{Subst}\left(\int \frac{b^2(3a+b)+3b^2(a+b)x^2}{(a+(a+b)x^2)^2} dx, x, \sinh(c + dx)\right)}{(a + b)^3 d} \\ &= \frac{(a + 3b) \sinh(c + dx)}{(a + b)^3 d} + \frac{\sinh^3(c + dx)}{3(a + b)^2 d} + \frac{b^3 \sinh(c + dx)}{2a(a + b)^3 d (a + (a + b) \sinh^2(c + dx))} + \frac{(b^2)}{2a(a + b)} \\ &= \frac{b^2(6a + b) \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{2a^{3/2}(a + b)^{7/2}d} + \frac{(a + 3b) \sinh(c + dx)}{(a + b)^3 d} + \frac{\sinh^3(c + dx)}{3(a + b)^2 d} + \frac{(b^2)}{2a(a + b)} \end{aligned}$$

**Mathematica [A]** time = 1.05302, size = 111, normalized size = 0.87

$$\frac{-\frac{6b^2(6a+b)\tan^{-1}\left(\frac{\sqrt{a}\operatorname{csch}(c+dx)}{\sqrt{a+b}}\right)}{a^{3/2}(a+b)^{7/2}} + \frac{3\sinh(c+dx)\left(\frac{4b^3}{a((a+b)\cosh(2(c+dx))+a-b)}+3a+11b\right)}{(a+b)^3} + \frac{\sinh(3(c+dx))}{(a+b)^2}}{12d}$$

Antiderivative was successfully verified.

[In] Integrate[Cosh[c + d\*x]^3/(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] ((-6\*b^2\*(6\*a + b)\*ArcTan[(Sqrt[a]\*Csch[c + d\*x])/Sqrt[a + b]]/(a^(3/2)\*(a + b)^(7/2)) + (3\*(3\*a + 11\*b + (4\*b^3)/(a\*(a - b + (a + b)\*Cosh[2\*(c + d\*x)]))))\*Sinh[c + d\*x])/(a + b)^3 + Sinh[3\*(c + d\*x)]/(a + b)^2)/(12\*d)

**Maple [B]** time = 0.105, size = 875, normalized size = 6.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cosh(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2)^2,x)

[Out] 
$$\begin{aligned} & -1/3/d/(a+b)^2/(\tanh(1/2*d*x+1/2*c)+1)^3+1/2/d/(a+b)^2/(\tanh(1/2*d*x+1/2*c) \\ & +1)^2-1/d/(a+b)^3/(\tanh(1/2*d*x+1/2*c)+1)*a-3/d/(a+b)^3/(\tanh(1/2*d*x+1/2*c) \\ & +1)*b-1/d*b^3/(a+b)^3/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4 \\ & * \tanh(1/2*d*x+1/2*c)^2*b+a)/a*\tanh(1/2*d*x+1/2*c)^3+1/d*b^3/(a+b)^3/(\tanh(1/ \\ & /2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)/a* \\ & \tanh(1/2*d*x+1/2*c)-3/d*b^2/(a+b)^3/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*\operatorname{arc} \\ & \operatorname{tanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))+3/d*b^3/(a+ \\ & b)^3/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*\operatorname{arctanh}(a*\tanh(1/2 \\ & *d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))+3/d*b^2/(a+b)^3/((2*(b*(a+ \\ & b))^(1/2)+a+2*b)*a)^(1/2)*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+ \\ & a+2*b)*a)^(1/2))+3/d*b^3/(a+b)^3/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)+a+2*b) \\ & *a)^(1/2)*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)) \\ & -1/2/d*b^3/(a+b)^3/a/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*\operatorname{arctanh}(a*\tanh(1/2 \\ & *d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))+1/2/d*b^4/(a+b)^3/a/(b*(a+ \\ & b))^(1/2)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c) \\ & /((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))+1/2/d*b^3/(a+b)^3/a/((2*(b*(a+b))^(1/2) \\ & +a+2*b)*a)^(1/2)*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)* \\ & a)^(1/2))+1/2/d*b^4/(a+b)^3/a/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)+a+2*b)*a) \\ & ^{(1/2)*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))-1/ \end{aligned}$$

$$\frac{3}{d} \frac{1}{(a+b)^2} \frac{1}{(\tanh(1/2 dx + 1/2 c) - 1)^3} - \frac{1}{2} \frac{1}{d} \frac{1}{(a+b)^2} \frac{1}{(\tanh(1/2 dx + 1/2 c) - 1)^2} - \frac{1}{d} \frac{1}{(a+b)^3} \frac{1}{(\tanh(1/2 dx + 1/2 c) - 1)^2} - \frac{1}{d} \frac{1}{(a+b)^3} \frac{1}{(\tanh(1/2 dx + 1/2 c) - 1)^3} + \frac{1}{d} \frac{1}{(a+b)^3} \frac{1}{(\tanh(1/2 dx + 1/2 c) - 1)^4} + \frac{1}{d} \frac{1}{(a+b)^3} \frac{1}{(\tanh(1/2 dx + 1/2 c) - 1)^5} + \frac{1}{d} \frac{1}{(a+b)^3} \frac{1}{(\tanh(1/2 dx + 1/2 c) - 1)^6} + \frac{1}{d} \frac{1}{(a+b)^3} \frac{1}{(\tanh(1/2 dx + 1/2 c) - 1)^7} + \frac{1}{d} \frac{1}{(a+b)^3} \frac{1}{(\tanh(1/2 dx + 1/2 c) - 1)^8} + \frac{1}{d} \frac{1}{(a+b)^3} \frac{1}{(\tanh(1/2 dx + 1/2 c) - 1)^9} + \frac{1}{d} \frac{1}{(a+b)^3} \frac{1}{(\tanh(1/2 dx + 1/2 c) - 1)^{10}}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="maxima")

[Out] 
$$\begin{aligned} & -\frac{1}{24} (a^3 + 2a^2b + ab^2 - (a^3e^{10c} + 2a^2be^{10c} + ab^2e^{10c})) e^{10dx} - (11a^3e^{8c} + 42a^2be^{8c} + 31ab^2e^{8c}) e^{8dx} \\ & - 2(5a^3e^{6c} + 4a^2be^{6c} - 49ab^2e^{6c} + 12b^3e^{6c}) e^{6dx} + 2(5a^3e^{4c} + 4a^2be^{4c} - 49ab^2e^{4c} + 12b^3e^{4c}) e^{4dx} \\ & + (11a^3e^{2c} + 42a^2be^{2c} + 31ab^2e^{2c}) e^{2dx} / ((a^5de^{7c} + 4a^4bde^{7c} + 6a^3b^2de^{7c} + 4a^2b^3de^{7c} + ab^4de^{7c}) e^{7dx} + 2(a^5de^{5c} + 2a^4bde^{5c} - 2a^2b^3de^{5c} - ab^4de^{5c}) e^{5dx} \\ & + (a^5de^{3c} + 4a^4bde^{3c} + 6a^3b^2de^{3c} + 4a^2b^3de^{3c} + ab^4de^{3c}) e^{3dx} + \frac{1}{8} \int (8((6ab^2e^{3c} + b^3e^{3c}) e^{3dx} + (6ab^2e^c + b^3e^c) e^{dx}) / (a^5 + 4a^4b + 6a^3b^2 + 4a^2b^3 + ab^4 + (a^5e^{4c} + 4a^4be^{4c} + 6a^3b^2e^{4c} + 4a^2b^3e^{4c} + ab^4e^{4c}) e^{4dx} + 2(a^5e^{2c} + 2a^4be^{2c} - 2a^2b^3e^{2c} - ab^4e^{2c}) e^{2dx}), x \end{aligned}$$

**Fricas [B]** time = 3.21489, size = 16069, normalized size = 125.54

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [1/24 * ((a^5 + 3a^4b + 3a^3b^2 + a^2b^3) * \cosh(dx + c)^{10} + 10 * (a^5 + 3a^4b + 3a^3b^2 + a^2b^3) * \cosh(dx + c) * \sinh(dx + c)^9 + (a^5 + 3a^4b + 3a^3b^2 + a^2b^3) * \sinh(dx + c)^{10} + (11a^5 + 53a^4b + 73a^3b^2 + 31a^2b^3) * \cosh(dx + c)^8 + (11a^5 + 53a^4b + 73a^3b^2 + 31a^2b^3 + 45 * (a^5 + 3a^4b + 3a^3b^2 + a^2b^3) * \cosh(dx + c)^2) * \sinh(dx + c) \end{aligned}$$

$$\begin{aligned}
& )^8 + 8*(15*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\cosh(d*x + c)^3 + (11*a^5 \\
& + 53*a^4*b + 73*a^3*b^2 + 31*a^2*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^7 + 2*( \\
& 5*a^5 + 9*a^4*b - 45*a^3*b^2 - 37*a^2*b^3 + 12*a*b^4)*\cosh(d*x + c)^6 + 2*( \\
& 5*a^5 + 9*a^4*b - 45*a^3*b^2 - 37*a^2*b^3 + 12*a*b^4 + 105*(a^5 + 3*a^4*b + \\
& 3*a^3*b^2 + a^2*b^3)*\cosh(d*x + c)^4 + 14*(11*a^5 + 53*a^4*b + 73*a^3*b^2 \\
& + 31*a^2*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^6 + 4*(63*(a^5 + 3*a^4*b + 3*a \\
& ^3*b^2 + a^2*b^3)*\cosh(d*x + c)^5 + 14*(11*a^5 + 53*a^4*b + 73*a^3*b^2 + 31 \\
& *a^2*b^3)*\cosh(d*x + c)^3 + 3*(5*a^5 + 9*a^4*b - 45*a^3*b^2 - 37*a^2*b^3 + \\
& 12*a*b^4)*\cosh(d*x + c))*\sinh(d*x + c)^5 - a^5 - 3*a^4*b - 3*a^3*b^2 - a^2* \\
& b^3 - 2*(5*a^5 + 9*a^4*b - 45*a^3*b^2 - 37*a^2*b^3 + 12*a*b^4)*\cosh(d*x + c \\
& )^4 + 2*(105*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\cosh(d*x + c)^6 - 5*a^5 \\
& - 9*a^4*b + 45*a^3*b^2 + 37*a^2*b^3 - 12*a*b^4 + 35*(11*a^5 + 53*a^4*b + 73 \\
& *a^3*b^2 + 31*a^2*b^3)*\cosh(d*x + c)^4 + 15*(5*a^5 + 9*a^4*b - 45*a^3*b^2 - \\
& 37*a^2*b^3 + 12*a*b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + 8*(15*(a^5 + 3*a \\
& ^4*b + 3*a^3*b^2 + a^2*b^3)*\cosh(d*x + c)^7 + 7*(11*a^5 + 53*a^4*b + 73*a^3 \\
& *b^2 + 31*a^2*b^3)*\cosh(d*x + c)^5 + 5*(5*a^5 + 9*a^4*b - 45*a^3*b^2 - 37*a \\
& ^2*b^3 + 12*a*b^4)*\cosh(d*x + c)^3 - (5*a^5 + 9*a^4*b - 45*a^3*b^2 - 37*a^2 \\
& *b^3 + 12*a*b^4)*\cosh(d*x + c))*\sinh(d*x + c)^3 - (11*a^5 + 53*a^4*b + 73*a \\
& ^3*b^2 + 31*a^2*b^3)*\cosh(d*x + c)^2 + (45*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2 \\
& *b^3)*\cosh(d*x + c)^8 + 28*(11*a^5 + 53*a^4*b + 73*a^3*b^2 + 31*a^2*b^3)*\co \\
& sh(d*x + c)^6 - 11*a^5 - 53*a^4*b - 73*a^3*b^2 - 31*a^2*b^3 + 30*(5*a^5 + 9 \\
& *a^4*b - 45*a^3*b^2 - 37*a^2*b^3 + 12*a*b^4)*\cosh(d*x + c)^4 - 12*(5*a^5 + \\
& 9*a^4*b - 45*a^3*b^2 - 37*a^2*b^3 + 12*a*b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c \\
& )^2 - 6*((6*a^2*b^2 + 7*a*b^3 + b^4)*\cosh(d*x + c)^7 + 7*(6*a^2*b^2 + 7*a*b \\
& ^3 + b^4)*\cosh(d*x + c))*\sinh(d*x + c)^6 + (6*a^2*b^2 + 7*a*b^3 + b^4)*\sinh( \\
& d*x + c)^7 + 2*(6*a^2*b^2 - 5*a*b^3 - b^4)*\cosh(d*x + c)^5 + (12*a^2*b^2 - \\
& 10*a*b^3 - 2*b^4 + 21*(6*a^2*b^2 + 7*a*b^3 + b^4)*\cosh(d*x + c)^2)*\sinh(d*x \\
& + c)^5 + 5*(7*(6*a^2*b^2 + 7*a*b^3 + b^4)*\cosh(d*x + c)^3 + 2*(6*a^2*b^2 - \\
& 5*a*b^3 - b^4)*\cosh(d*x + c))*\sinh(d*x + c)^4 + (6*a^2*b^2 + 7*a*b^3 + b^4 \\
& )*\cosh(d*x + c)^3 + (35*(6*a^2*b^2 + 7*a*b^3 + b^4)*\cosh(d*x + c)^4 + 6*a^2 \\
& *b^2 + 7*a*b^3 + b^4 + 20*(6*a^2*b^2 - 5*a*b^3 - b^4)*\cosh(d*x + c)^2)*\sinh \\
& (d*x + c)^3 + (21*(6*a^2*b^2 + 7*a*b^3 + b^4)*\cosh(d*x + c)^5 + 20*(6*a^2*b \\
& ^2 - 5*a*b^3 - b^4)*\cosh(d*x + c)^3 + 3*(6*a^2*b^2 + 7*a*b^3 + b^4)*\cosh(d* \\
& x + c))*\sinh(d*x + c)^2 + (7*(6*a^2*b^2 + 7*a*b^3 + b^4)*\cosh(d*x + c)^6 + \\
& 10*(6*a^2*b^2 - 5*a*b^3 - b^4)*\cosh(d*x + c)^4 + 3*(6*a^2*b^2 + 7*a*b^3 + b \\
& ^4)*\cosh(d*x + c)^2)*\sinh(d*x + c))*\sqrt{-a^2 - a*b}*\log(((a + b)*\cosh(d*x \\
& + c)^4 + 4*(a + b)*\cosh(d*x + c))*\sinh(d*x + c)^3 + (a + b)*\sinh(d*x + c)^4 \\
& - 2*(3*a + b)*\cosh(d*x + c)^2 + 2*(3*(a + b)*\cosh(d*x + c)^2 - 3*a - b)*\sin \\
& h(d*x + c)^2 + 4*((a + b)*\cosh(d*x + c)^3 - (3*a + b)*\cosh(d*x + c))*\sinh(d \\
& *x + c) - 4*(\cosh(d*x + c)^3 + 3*\cosh(d*x + c))*\sinh(d*x + c)^2 + \sinh(d*x + \\
& c)^3 + (3*\cosh(d*x + c)^2 - 1)*\sinh(d*x + c) - \cosh(d*x + c))*\sqrt{-a^2 - \\
& a*b} + a + b)/((a + b)*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c))*\sinh(d*x + \\
& c)^3 + (a + b)*\sinh(d*x + c)^4 + 2*(a - b)*\cosh(d*x + c)^2 + 2*(3*(a + b)* \\
& \cosh(d*x + c)^2 + a - b)*\sinh(d*x + c)^2 + 4*((a + b)*\cosh(d*x + c)^3 + (a \\
& - b)*\cosh(d*x + c))*\sinh(d*x + c) + a + b)) + 2*(5*(a^5 + 3*a^4*b + 3*a^3*b
\end{aligned}$$

$$\begin{aligned}
&^2 + a^2*b^3)*\cosh(d*x + c)^9 + 4*(11*a^5 + 53*a^4*b + 73*a^3*b^2 + 31*a^2* \\
&b^3)*\cosh(d*x + c)^7 + 6*(5*a^5 + 9*a^4*b - 45*a^3*b^2 - 37*a^2*b^3 + 12*a* \\
&b^4)*\cosh(d*x + c)^5 - 4*(5*a^5 + 9*a^4*b - 45*a^3*b^2 - 37*a^2*b^3 + 12*a* \\
&b^4)*\cosh(d*x + c)^3 - (11*a^5 + 53*a^4*b + 73*a^3*b^2 + 31*a^2*b^3)*\cosh(d \\
&*x + c))*\sinh(d*x + c))/((a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b \\
&^4 + a^2*b^5)*d*\cosh(d*x + c)^7 + 7*(a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^ \\
&3 + 5*a^3*b^4 + a^2*b^5)*d*\cosh(d*x + c)*\sinh(d*x + c)^6 + (a^7 + 5*a^6*b + \\
&10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*d*\sinh(d*x + c)^7 + 2*(a^7 \\
&+ 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5)*d*\cosh(d*x + c)^5 \\
&+ (21*(a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*d*\cos \\
&h(d*x + c)^2 + 2*(a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b \\
&^5)*d)*\sinh(d*x + c)^5 + (a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b \\
&^4 + a^2*b^5)*d*\cosh(d*x + c)^3 + 5*(7*(a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4 \\
&*b^3 + 5*a^3*b^4 + a^2*b^5)*d*\cosh(d*x + c)^3 + 2*(a^7 + 3*a^6*b + 2*a^5*b^ \\
&2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5)*d*\cosh(d*x + c))*\sinh(d*x + c)^4 + (35 \\
&*(a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*d*\cosh(d*x \\
&+ c)^4 + 20*(a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5)* \\
&d*\cosh(d*x + c)^2 + (a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + \\
&a^2*b^5)*d)*\sinh(d*x + c)^3 + (21*(a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 \\
&+ 5*a^3*b^4 + a^2*b^5)*d*\cosh(d*x + c)^5 + 20*(a^7 + 3*a^6*b + 2*a^5*b^2 - \\
&2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5)*d*\cosh(d*x + c)^3 + 3*(a^7 + 5*a^6*b + 10* \\
&a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*d*\cosh(d*x + c))*\sinh(d*x + c)^ \\
&2 + (7*(a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*d*\co \\
&sh(d*x + c)^6 + 10*(a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2 \\
&*b^5)*d*\cosh(d*x + c)^4 + 3*(a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^ \\
&3*b^4 + a^2*b^5)*d*\cosh(d*x + c)^2)*\sinh(d*x + c)), 1/24*((a^5 + 3*a^4*b + \\
&3*a^3*b^2 + a^2*b^3)*\cosh(d*x + c)^10 + 10*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2 \\
&*b^3)*\cosh(d*x + c)*\sinh(d*x + c)^9 + (a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3) \\
&*\sinh(d*x + c)^10 + (11*a^5 + 53*a^4*b + 73*a^3*b^2 + 31*a^2*b^3)*\cosh(d*x \\
&+ c)^8 + (11*a^5 + 53*a^4*b + 73*a^3*b^2 + 31*a^2*b^3 + 45*(a^5 + 3*a^4*b + \\
&3*a^3*b^2 + a^2*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^8 + 8*(15*(a^5 + 3*a^4 \\
&*b + 3*a^3*b^2 + a^2*b^3)*\cosh(d*x + c)^3 + (11*a^5 + 53*a^4*b + 73*a^3*b^2 \\
&+ 31*a^2*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^7 + 2*(5*a^5 + 9*a^4*b - 45*a^3 \\
&*b^2 - 37*a^2*b^3 + 12*a*b^4)*\cosh(d*x + c)^6 + 2*(5*a^5 + 9*a^4*b - 45*a^3 \\
&*b^2 - 37*a^2*b^3 + 12*a*b^4 + 105*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\co \\
&sh(d*x + c)^4 + 14*(11*a^5 + 53*a^4*b + 73*a^3*b^2 + 31*a^2*b^3)*\cosh(d*x + \\
&c)^2)*\sinh(d*x + c)^6 + 4*(63*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\cosh(d \\
&*x + c)^5 + 14*(11*a^5 + 53*a^4*b + 73*a^3*b^2 + 31*a^2*b^3)*\cosh(d*x + c)^ \\
&3 + 3*(5*a^5 + 9*a^4*b - 45*a^3*b^2 - 37*a^2*b^3 + 12*a*b^4)*\cosh(d*x + c)) \\
&*\sinh(d*x + c)^5 - a^5 - 3*a^4*b - 3*a^3*b^2 - a^2*b^3 - 2*(5*a^5 + 9*a^4*b \\
&- 45*a^3*b^2 - 37*a^2*b^3 + 12*a*b^4)*\cosh(d*x + c)^4 + 2*(105*(a^5 + 3*a^ \\
&4*b + 3*a^3*b^2 + a^2*b^3)*\cosh(d*x + c)^6 - 5*a^5 - 9*a^4*b + 45*a^3*b^2 + \\
&37*a^2*b^3 - 12*a*b^4 + 35*(11*a^5 + 53*a^4*b + 73*a^3*b^2 + 31*a^2*b^3)*\c \\
&osh(d*x + c)^4 + 15*(5*a^5 + 9*a^4*b - 45*a^3*b^2 - 37*a^2*b^3 + 12*a*b^4)* \\
&\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + 8*(15*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b
\end{aligned}$$

$$\begin{aligned}
&^3) * \cosh(dx + c)^7 + 7 * (11 * a^5 + 53 * a^4 * b + 73 * a^3 * b^2 + 31 * a^2 * b^3) * \cosh(dx + c)^5 + 5 * (5 * a^5 + 9 * a^4 * b - 45 * a^3 * b^2 - 37 * a^2 * b^3 + 12 * a * b^4) * \cosh(dx + c)^3 - (5 * a^5 + 9 * a^4 * b - 45 * a^3 * b^2 - 37 * a^2 * b^3 + 12 * a * b^4) * \cosh(dx + c) * \sinh(dx + c)^3 - (11 * a^5 + 53 * a^4 * b + 73 * a^3 * b^2 + 31 * a^2 * b^3) * \cosh(dx + c)^2 + (45 * (a^5 + 3 * a^4 * b + 3 * a^3 * b^2 + a^2 * b^3) * \cosh(dx + c)^8 + 28 * (11 * a^5 + 53 * a^4 * b + 73 * a^3 * b^2 + 31 * a^2 * b^3) * \cosh(dx + c)^6 - 11 * a^5 - 53 * a^4 * b - 73 * a^3 * b^2 - 31 * a^2 * b^3 + 30 * (5 * a^5 + 9 * a^4 * b - 45 * a^3 * b^2 - 37 * a^2 * b^3 + 12 * a * b^4) * \cosh(dx + c)^4 - 12 * (5 * a^5 + 9 * a^4 * b - 45 * a^3 * b^2 - 37 * a^2 * b^3 + 12 * a * b^4) * \cosh(dx + c)^2) * \sinh(dx + c)^2 + 12 * ((6 * a^2 * b^2 + 7 * a * b^3 + b^4) * \cosh(dx + c)^7 + 7 * (6 * a^2 * b^2 + 7 * a * b^3 + b^4) * \cosh(dx + c) * \sinh(dx + c)^6 + (6 * a^2 * b^2 + 7 * a * b^3 + b^4) * \sinh(dx + c)^7 + 2 * (6 * a^2 * b^2 - 5 * a * b^3 - b^4) * \cosh(dx + c)^5 + (12 * a^2 * b^2 - 10 * a * b^3 - 2 * b^4 + 21 * (6 * a^2 * b^2 + 7 * a * b^3 + b^4) * \cosh(dx + c)^2) * \sinh(dx + c)^5 + 5 * (7 * (6 * a^2 * b^2 + 7 * a * b^3 + b^4) * \cosh(dx + c)^3 + 2 * (6 * a^2 * b^2 - 5 * a * b^3 - b^4) * \cosh(dx + c)) * \sinh(dx + c)^4 + (6 * a^2 * b^2 + 7 * a * b^3 + b^4) * \cosh(dx + c)^3 + (35 * (6 * a^2 * b^2 + 7 * a * b^3 + b^4) * \cosh(dx + c)^4 + 6 * a^2 * b^2 + 7 * a * b^3 + b^4 + 20 * (6 * a^2 * b^2 - 5 * a * b^3 - b^4) * \cosh(dx + c)^2) * \sinh(dx + c)^3 + (21 * (6 * a^2 * b^2 + 7 * a * b^3 + b^4) * \cosh(dx + c)^5 + 20 * (6 * a^2 * b^2 - 5 * a * b^3 - b^4) * \cosh(dx + c)) * \sinh(dx + c)^3 + 3 * (6 * a^2 * b^2 + 7 * a * b^3 + b^4) * \cosh(dx + c) * \sinh(dx + c)^2 + (7 * (6 * a^2 * b^2 + 7 * a * b^3 + b^4) * \cosh(dx + c)^6 + 10 * (6 * a^2 * b^2 - 5 * a * b^3 - b^4) * \cosh(dx + c)^4 + 3 * (6 * a^2 * b^2 + 7 * a * b^3 + b^4) * \cosh(dx + c)^2) * \sinh(dx + c)) * \sqrt{a^2 + a * b} * \arctan(1/2 * ((a + b) * \cosh(dx + c)^3 + 3 * (a + b) * \cosh(dx + c) * \sinh(dx + c)^2 + (a + b) * \sinh(dx + c)^3 + (3 * a - b) * \cosh(dx + c) + (3 * (a + b) * \cosh(dx + c)^2 + 3 * a - b) * \sinh(dx + c)) / \sqrt{a^2 + a * b})) + 12 * ((6 * a^2 * b^2 + 7 * a * b^3 + b^4) * \cosh(dx + c)^7 + 7 * (6 * a^2 * b^2 + 7 * a * b^3 + b^4) * \cosh(dx + c) * \sinh(dx + c)^6 + (6 * a^2 * b^2 + 7 * a * b^3 + b^4) * \sinh(dx + c)^7 + 2 * (6 * a^2 * b^2 - 5 * a * b^3 - b^4) * \cosh(dx + c)^5 + (12 * a^2 * b^2 - 10 * a * b^3 - 2 * b^4 + 21 * (6 * a^2 * b^2 + 7 * a * b^3 + b^4) * \cosh(dx + c)^2) * \sinh(dx + c)^5 + 5 * (7 * (6 * a^2 * b^2 + 7 * a * b^3 + b^4) * \cosh(dx + c)^3 + 2 * (6 * a^2 * b^2 - 5 * a * b^3 - b^4) * \cosh(dx + c)) * \sinh(dx + c)^4 + (6 * a^2 * b^2 + 7 * a * b^3 + b^4) * \cosh(dx + c)^3 + (35 * (6 * a^2 * b^2 + 7 * a * b^3 + b^4) * \cosh(dx + c)^4 + 6 * a^2 * b^2 + 7 * a * b^3 + b^4 + 20 * (6 * a^2 * b^2 - 5 * a * b^3 - b^4) * \cosh(dx + c)^2) * \sinh(dx + c)^3 + (21 * (6 * a^2 * b^2 + 7 * a * b^3 + b^4) * \cosh(dx + c)^5 + 20 * (6 * a^2 * b^2 - 5 * a * b^3 - b^4) * \cosh(dx + c)) * \sinh(dx + c)^2 + (7 * (6 * a^2 * b^2 + 7 * a * b^3 + b^4) * \cosh(dx + c)^6 + 10 * (6 * a^2 * b^2 - 5 * a * b^3 - b^4) * \cosh(dx + c)^4 + 3 * (6 * a^2 * b^2 + 7 * a * b^3 + b^4) * \cosh(dx + c)^2) * \sinh(dx + c)) * \sqrt{a^2 + a * b} * \arctan(1/2 * \sqrt{a^2 + a * b} * (\cosh(dx + c) + \sinh(dx + c)) / a) + 2 * (5 * (a^5 + 3 * a^4 * b + 3 * a^3 * b^2 + a^2 * b^3) * \cosh(dx + c)^9 + 4 * (11 * a^5 + 53 * a^4 * b + 73 * a^3 * b^2 + 31 * a^2 * b^3) * \cosh(dx + c)^7 + 6 * (5 * a^5 + 9 * a^4 * b - 45 * a^3 * b^2 - 37 * a^2 * b^3 + 12 * a * b^4) * \cosh(dx + c)^5 - 4 * (5 * a^5 + 9 * a^4 * b - 45 * a^3 * b^2 - 37 * a^2 * b^3 + 12 * a * b^4) * \cosh(dx + c)^3 - (11 * a^5 + 53 * a^4 * b + 73 * a^3 * b^2 + 31 * a^2 * b^3) * \cosh(dx + c)) * \sinh(dx + c)) / ((a^7 + 5 * a^6 * b + 10 * a^5 * b^2 + 10 * a^4 * b^3 + 5 * a^3 * b^4 + a^2 * b^5) * d * \cosh(dx + c)^7 + 7 * (a^7 + 5 * a^6 * b + 10 * a^5 * b^2 + 10 * a^4 * b^3 + 5 * a^3 * b^4 + a^2 * b^5) * d * \cosh(dx + c) * \sinh(dx + c)^6 + (a^7 + 5 * a^6 * b + 1
\end{aligned}$$



$$\begin{aligned}
& 0*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*d*\sinh(d*x + c)^7 + 2*(a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5)*d*\cosh(d*x + c)^5 + \\
& (21*(a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*d*\cosh(d*x + c)^2 + 2*(a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5) \\
& )*d)*\sinh(d*x + c)^5 + (a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*d*\cosh(d*x + c)^3 + 5*(7*(a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*d*\cosh(d*x + c)^3 + 2*(a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5)*d*\cosh(d*x + c))*\sinh(d*x + c)^4 + (35*(a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*d*\cosh(d*x + c)^4 + 20*(a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5)*d*\cosh(d*x + c)^2 + (a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*d)*\sinh(d*x + c)^3 + (21*(a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*d*\cosh(d*x + c)^5 + 20*(a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5)*d*\cosh(d*x + c)^3 + 3*(a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*d*\cosh(d*x + c))*\sinh(d*x + c)^2 + (7*(a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*d*\cosh(d*x + c)^6 + 10*(a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5)*d*\cosh(d*x + c)^4 + 3*(a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*d*\cosh(d*x + c)^2)*\sinh(d*x + c))]
\end{aligned}$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)\*\*3/(a+b\*tanh(d\*x+c)\*\*2)\*\*2,x)

[Out] Timed out

**Giac [C]** time = 2.51348, size = 9686, normalized size = 75.67

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out]  $1/24*(6*(3*(6*a^6*b^2*e^{(4*c)} + 25*a^5*b^3*e^{(4*c)} + 40*a^4*b^4*e^{(4*c)} + 30*a^3*b^5*e^{(4*c)} + 10*a^2*b^6*e^{(4*c)} + a*b^7*e^{(4*c)})*\cos(1/2*\text{real\_part}(a$

$$\begin{aligned}
& \operatorname{rccos}(-a/(a+b) + b/(a+b)))^2 \cosh(1/2 \operatorname{imag\_part}(\operatorname{arccos}(-a/(a+b) + b/(a+b))))^3 \sin(1/2 \operatorname{real\_part}(\operatorname{arccos}(-a/(a+b) + b/(a+b)))) - (6a^6b^2e^{4c} + 25a^5b^3e^{4c} + 40a^4b^4e^{4c} + 30a^3b^5e^{4c} + 10a^2b^6e^{4c} + ab^7e^{4c}) \cosh(1/2 \operatorname{imag\_part}(\operatorname{arccos}(-a/(a+b) + b/(a+b))))^3 \sin(1/2 \operatorname{real\_part}(\operatorname{arccos}(-a/(a+b) + b/(a+b))))^3 - 9(6a^6b^2e^{4c} + 25a^5b^3e^{4c} + 40a^4b^4e^{4c} + 30a^3b^5e^{4c} + 10a^2b^6e^{4c} + ab^7e^{4c}) \cos(1/2 \operatorname{real\_part}(\operatorname{arccos}(-a/(a+b) + b/(a+b))))^2 \cosh(1/2 \operatorname{imag\_part}(\operatorname{arccos}(-a/(a+b) + b/(a+b))))^2 \sin(1/2 \operatorname{real\_part}(\operatorname{arccos}(-a/(a+b) + b/(a+b)))) \sinh(1/2 \operatorname{imag\_part}(\operatorname{arccos}(-a/(a+b) + b/(a+b)))) + 3(6a^6b^2e^{4c} + 25a^5b^3e^{4c} + 40a^4b^4e^{4c} + 30a^3b^5e^{4c} + 10a^2b^6e^{4c} + ab^7e^{4c}) \cosh(1/2 \operatorname{imag\_part}(\operatorname{arccos}(-a/(a+b) + b/(a+b))))^2 \sin(1/2 \operatorname{real\_part}(\operatorname{arccos}(-a/(a+b) + b/(a+b))))^3 \sinh(1/2 \operatorname{imag\_part}(\operatorname{arccos}(-a/(a+b) + b/(a+b)))) + 9(6a^6b^2e^{4c} + 25a^5b^3e^{4c} + 40a^4b^4e^{4c} + 30a^3b^5e^{4c} + 10a^2b^6e^{4c} + ab^7e^{4c}) \cos(1/2 \operatorname{real\_part}(\operatorname{arccos}(-a/(a+b) + b/(a+b))))^2 \cosh(1/2 \operatorname{imag\_part}(\operatorname{arccos}(-a/(a+b) + b/(a+b)))) \sin(1/2 \operatorname{real\_part}(\operatorname{arccos}(-a/(a+b) + b/(a+b)))) \sinh(1/2 \operatorname{imag\_part}(\operatorname{arccos}(-a/(a+b) + b/(a+b))))^2 - 3(6a^6b^2e^{4c} + 25a^5b^3e^{4c} + 40a^4b^4e^{4c} + 30a^3b^5e^{4c} + 10a^2b^6e^{4c} + ab^7e^{4c}) \cosh(1/2 \operatorname{imag\_part}(\operatorname{arccos}(-a/(a+b) + b/(a+b)))) \sin(1/2 \operatorname{real\_part}(\operatorname{arccos}(-a/(a+b) + b/(a+b))))^3 \sinh(1/2 \operatorname{imag\_part}(\operatorname{arccos}(-a/(a+b) + b/(a+b))))^2 - 3(6a^6b^2e^{4c} + 25a^5b^3e^{4c} + 40a^4b^4e^{4c} + 30a^3b^5e^{4c} + 10a^2b^6e^{4c} + ab^7e^{4c}) \cos(1/2 \operatorname{real\_part}(\operatorname{arccos}(-a/(a+b) + b/(a+b))))^2 \sin(1/2 \operatorname{real\_part}(\operatorname{arccos}(-a/(a+b) + b/(a+b)))) \sinh(1/2 \operatorname{imag\_part}(\operatorname{arccos}(-a/(a+b) + b/(a+b))))^3 + (6a^6b^2e^{4c} + 25a^5b^3e^{4c} + 40a^4b^4e^{4c} + 30a^3b^5e^{4c} + 10a^2b^6e^{4c} + ab^7e^{4c}) \sin(1/2 \operatorname{real\_part}(\operatorname{arccos}(-a/(a+b) + b/(a+b))))^3 \sinh(1/2 \operatorname{imag\_part}(\operatorname{arccos}(-a/(a+b) + b/(a+b))))^3 + (6a^6b^2e^{4c} + 25a^5b^3e^{4c} + 40a^4b^4e^{4c} + 30a^3b^5e^{4c} + 10a^2b^6e^{4c} + ab^7e^{4c}) \cosh(1/2 \operatorname{imag\_part}(\operatorname{arccos}(-a/(a+b) + b/(a+b)))) \sin(1/2 \operatorname{real\_part}(\operatorname{arccos}(-a/(a+b) + b/(a+b)))) - (6a^6b^2e^{4c} + 25a^5b^3e^{4c} + 40a^4b^4e^{4c} + 30a^3b^5e^{4c} + 10a^2b^6e^{4c} + ab^7e^{4c}) \sin(1/2 \operatorname{real\_part}(\operatorname{arccos}(-a/(a+b) + b/(a+b)))) \sinh(1/2 \operatorname{imag\_part}(\operatorname{arccos}(-a/(a+b) + b/(a+b)))) \arctan(\frac{(a^5 + 4a^4b + 6a^3b^2 + 4a^2b^3 + ab^4)}{(a^5e^{4c} + 4a^4be^{4c} + 6a^3b^2e^{4c} + 4a^2b^3e^{4c} + ab^4e^{4c})})^{1/4} \cos(1/2 \operatorname{arccos}(-(a-b)/(a+b))) + e^{(dx)} / (\frac{(a^5 + 4a^4b + 6a^3b^2 + 4a^2b^3 + ab^4)}{(a^5e^{4c} + 4a^4be^{4c} + 6a^3b^2e^{4c} + 4a^2b^3e^{4c} + ab^4e^{4c})})^{1/4} \sin(1/2 \operatorname{arccos}(-(a-b)/(a+b)))) / (2(a^4e^{2c} + 3a^3be^{2c} + 3a^2b^2e^{2c} + ab^3e^{2c}))^2 ab + (a^5e^{2c} + 2a^4be^{2c} - 2a^2b^3e^{2c} - ab^4e^{2c}) \sqrt{-ab} \operatorname{abs}(-a^4e^{2c} - 3a^3be^{2c} - 3a^2b^2e^{2c} - ab^3e^{2c})) + 6(3(6a^6b^2e^{4c} + 25a^5b^3e^{4c} + 40a^4b^4e^{4c} + 30a^3b^5e^{4c} + 10a^2b^6e^{4c} + ab^7e^{4c})) \cos(1/2 \operatorname{real\_part}(\operatorname{arccos}(-a/(a+b) + b/(a+b))))^2 \cosh(1/2 \operatorname{imag\_part}(\operatorname{arccos}(-a/(a+b) + b/(a+b))))
\end{aligned}$$

$$\begin{aligned}
& \cos(-a/(a+b) + b/(a+b)))^3 \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) - (6a^6b^2e^{4c} + 25a^5b^3e^{4c} + 40a^4b^4e^{4c} + 30a^3b^5e^{4c} + 10a^2b^6e^{4c} + ab^7e^{4c}) \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 - 9(6a^6b^2e^{4c} + 25a^5b^3e^{4c} + 40a^4b^4e^{4c} + 30a^3b^5e^{4c} + 10a^2b^6e^{4c} + ab^7e^{4c}) \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) + 3(6a^6b^2e^{4c} + 25a^5b^3e^{4c} + 40a^4b^4e^{4c} + 30a^3b^5e^{4c} + 10a^2b^6e^{4c} + ab^7e^{4c}) \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) + 9(6a^6b^2e^{4c} + 25a^5b^3e^{4c} + 40a^4b^4e^{4c} + 30a^3b^5e^{4c} + 10a^2b^6e^{4c} + ab^7e^{4c}) \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - 3(6a^6b^2e^{4c} + 25a^5b^3e^{4c} + 40a^4b^4e^{4c} + 30a^3b^5e^{4c} + 10a^2b^6e^{4c} + ab^7e^{4c}) \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - 3(6a^6b^2e^{4c} + 25a^5b^3e^{4c} + 40a^4b^4e^{4c} + 30a^3b^5e^{4c} + 10a^2b^6e^{4c} + ab^7e^{4c}) \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 + (6a^6b^2e^{4c} + 25a^5b^3e^{4c} + 40a^4b^4e^{4c} + 30a^3b^5e^{4c} + 10a^2b^6e^{4c} + ab^7e^{4c}) \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 + (6a^6b^2e^{4c} + 25a^5b^3e^{4c} + 40a^4b^4e^{4c} + 30a^3b^5e^{4c} + 10a^2b^6e^{4c} + ab^7e^{4c}) \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) - (6a^6b^2e^{4c} + 25a^5b^3e^{4c} + 40a^4b^4e^{4c} + 30a^3b^5e^{4c} + 10a^2b^6e^{4c} + ab^7e^{4c}) \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) \arctan(-(((a^5 + 4a^4b + 6a^3b^2 + 4a^2b^3 + ab^4)/(a^5e^{4c} + 4a^4b^2e^{4c} + 6a^3b^2e^{4c} + 4a^2b^3e^{4c} + ab^4e^{4c}))^{1/4} \cos(1/2 \arccos(-(a-b)/(a+b))) - e^{dx}))/(((a^5 + 4a^4b + 6a^3b^2 + 4a^2b^3 + ab^4)/(a^5e^{4c} + 4a^4b^2e^{4c} + 6a^3b^2e^{4c} + 4a^2b^3e^{4c} + ab^4e^{4c}))^{1/4} \sin(1/2 \arccos(-(a-b)/(a+b))))/(2(a^4e^{2c} + 3a^3b^2e^{2c} + 3a^2b^2e^{2c} + ab^3e^{2c}))^2 ab + (a^5e^{2c} + 2a^4b^2e^{2c} - 2a^2b^3e^{2c} - ab^4e^{2c})) \sqrt{-ab} \operatorname{abs}(-a^4e^{2c} - 3a^3b^2e^{2c} - 3a^2b^2e^{2c} - ab^3e^{2c})) - (9ae^{2dx+2c} + 33be^{2dx+2c} + a+b)e^{-3dx}/(a^3e^{3c} + 3a^2b^2e^{3c} + 3ab^2e^{3c} + b^3e^{3c}) + 3((6a^6b^2e^{4c} + 25a^5b^3e^{4c} + 40a^4b^4e^{4c} + 30a^3b^5e^{4c} + 10a^2b^6e^{4c} + ab^7e^{4c}) \co
\end{aligned}$$

$$\begin{aligned}
& s(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 - 3*(6*a^6*b^2*e^{(4*c)} + 25*a^5*b^3*e^{(4*c)} + 40*a^4*b^4*e^{(4*c)} + 30*a^3*b^5*e^{(4*c)} + 10*a^2*b^6*e^{(4*c)} + a*b^7*e^{(4*c)})*\cos(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3*\sin(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - 3*(6*a^6*b^2*e^{(4*c)} + 25*a^5*b^3*e^{(4*c)} + 40*a^4*b^4*e^{(4*c)} + 30*a^3*b^5*e^{(4*c)} + 10*a^2*b^6*e^{(4*c)} + a*b^7*e^{(4*c)})*\cos(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) + 9*(6*a^6*b^2*e^{(4*c)} + 25*a^5*b^3*e^{(4*c)} + 40*a^4*b^4*e^{(4*c)} + 30*a^3*b^5*e^{(4*c)} + 10*a^2*b^6*e^{(4*c)} + a*b^7*e^{(4*c)})*\cos(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2*\sin(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) + 3*(6*a^6*b^2*e^{(4*c)} + 25*a^5*b^3*e^{(4*c)} + 40*a^4*b^4*e^{(4*c)} + 30*a^3*b^5*e^{(4*c)} + 10*a^2*b^6*e^{(4*c)} + a*b^7*e^{(4*c)})*\cos(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - 9*(6*a^6*b^2*e^{(4*c)} + 25*a^5*b^3*e^{(4*c)} + 40*a^4*b^4*e^{(4*c)} + 30*a^3*b^5*e^{(4*c)} + 10*a^2*b^6*e^{(4*c)} + a*b^7*e^{(4*c)})*\cos(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))*\sin(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - (6*a^6*b^2*e^{(4*c)} + 25*a^5*b^3*e^{(4*c)} + 40*a^4*b^4*e^{(4*c)} + 30*a^3*b^5*e^{(4*c)} + 10*a^2*b^6*e^{(4*c)} + a*b^7*e^{(4*c)})*\cos(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 + 3*(6*a^6*b^2*e^{(4*c)} + 25*a^5*b^3*e^{(4*c)} + 40*a^4*b^4*e^{(4*c)} + 30*a^3*b^5*e^{(4*c)} + 10*a^2*b^6*e^{(4*c)} + a*b^7*e^{(4*c)})*\cos(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))*\sin(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 + (6*a^6*b^2*e^{(4*c)} + 25*a^5*b^3*e^{(4*c)} + 40*a^4*b^4*e^{(4*c)} + 30*a^3*b^5*e^{(4*c)} + 10*a^2*b^6*e^{(4*c)} + a*b^7*e^{(4*c)})*\cos(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) - (6*a^6*b^2*e^{(4*c)} + 25*a^5*b^3*e^{(4*c)} + 40*a^4*b^4*e^{(4*c)} + 30*a^3*b^5*e^{(4*c)} + 10*a^2*b^6*e^{(4*c)} + a*b^7*e^{(4*c)})*\cos(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))*\log(2*((a^5 + 4*a^4*b + 6*a^3*b^2 + 4*a^2*b^3 + a*b^4)/(a^5*e^{(4*c)} + 4*a^4*b*e^{(4*c)} + 6*a^3*b^2*e^{(4*c)} + 4*a^2*b^3*e^{(4*c)} + a*b^4*e^{(4*c)}))^{(1/4)}*\cos(1/2*\arccos(-(a-b)/(a+b)))*e^{(d*x)} + \sqrt{(a^5 + 4*a^4*b + 6*a^3*b^2 + 4*a^2*b^3 + a*b^4)/(a^5*e^{(4*c)} + 4*a^4*b*e^{(4*c)} + 6*a^3*b^2*e^{(4*c)} + 4*a^2*b^3*e^{(4*c)} + a*b^4*e^{(4*c)})} + e^{(2*d*x)})/(2*(a^4*e^{(2*c)} + 3*a^3*b*e^{(2*c)} + 3*a^2*b^2*e^{(2*c)} + a*b^3*e^{(2*c)}))^{2*a*b} + (a^5*e^{(2*c)} + 2*a^4*b*e^{(2*c)} - 2*a^2*b^3*e^{(2*c)} - a*b^4*e^{(2*c)})*\sqrt{-a*b}*abs(-a^4*e^{(2*c)} - 3*a^3*b*e^{(2*c)} - 3*a^2*b^2*e^{(2*c)} - a*b^3*e^{(2*c)})) - 3*((6*a^6*b^2*e^{(4*c)} + 25*a^5*b^3*e^{(4*c)} + 40*a^4*b^4*e^{(4*c)} + 30*a^3*b^5*e^{(4*c)} + 10*a^2*b^6*e^{(4*c)} + a*b^7*e^{(4*c)})*\cos(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3
\end{aligned}$$

$$\begin{aligned}
& b) + b/(a + b))\Big)^3 - 3*(6*a^6*b^2*e^{(4*c)} + 25*a^5*b^3*e^{(4*c)} + 40*a^4*b^4*e^{(4*c)} + 30*a^3*b^5*e^{(4*c)} + 10*a^2*b^6*e^{(4*c)} + a*b^7*e^{(4*c)})*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))\Big)^3*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))\Big)^2 - 3*(6*a^6*b^2*e^{(4*c)} + 25*a^5*b^3*e^{(4*c)} + 40*a^4*b^4*e^{(4*c)} + 30*a^3*b^5*e^{(4*c)} + 10*a^2*b^6*e^{(4*c)} + a*b^7*e^{(4*c)})*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))\Big)^3*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))\Big)^2*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) + 9*(6*a^6*b^2*e^{(4*c)} + 25*a^5*b^3*e^{(4*c)} + 40*a^4*b^4*e^{(4*c)} + 30*a^3*b^5*e^{(4*c)} + 10*a^2*b^6*e^{(4*c)} + a*b^7*e^{(4*c)})*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))\Big)^2*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))\Big)^2*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) + 3*(6*a^6*b^2*e^{(4*c)} + 25*a^5*b^3*e^{(4*c)} + 40*a^4*b^4*e^{(4*c)} + 30*a^3*b^5*e^{(4*c)} + 10*a^2*b^6*e^{(4*c)} + a*b^7*e^{(4*c)})*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))\Big)^3*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))\Big)^2 - 9*(6*a^6*b^2*e^{(4*c)} + 25*a^5*b^3*e^{(4*c)} + 40*a^4*b^4*e^{(4*c)} + 30*a^3*b^5*e^{(4*c)} + 10*a^2*b^6*e^{(4*c)} + a*b^7*e^{(4*c)})*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))\Big)^3*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))\Big)^2*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))\Big)^2 - (6*a^6*b^2*e^{(4*c)} + 25*a^5*b^3*e^{(4*c)} + 40*a^4*b^4*e^{(4*c)} + 30*a^3*b^5*e^{(4*c)} + 10*a^2*b^6*e^{(4*c)} + a*b^7*e^{(4*c)})*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))\Big)^3*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))\Big)^3 + 3*(6*a^6*b^2*e^{(4*c)} + 25*a^5*b^3*e^{(4*c)} + 40*a^4*b^4*e^{(4*c)} + 30*a^3*b^5*e^{(4*c)} + 10*a^2*b^6*e^{(4*c)} + a*b^7*e^{(4*c)})*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))\Big)^2*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))\Big)^3 + (6*a^6*b^2*e^{(4*c)} + 25*a^5*b^3*e^{(4*c)} + 40*a^4*b^4*e^{(4*c)} + 30*a^3*b^5*e^{(4*c)} + 10*a^2*b^6*e^{(4*c)} + a*b^7*e^{(4*c)})*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) - (6*a^6*b^2*e^{(4*c)} + 25*a^5*b^3*e^{(4*c)} + 40*a^4*b^4*e^{(4*c)} + 30*a^3*b^5*e^{(4*c)} + 10*a^2*b^6*e^{(4*c)} + a*b^7*e^{(4*c)})*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))\Big)*\log(-2*((a^5 + 4*a^4*b + 6*a^3*b^2 + 4*a^2*b^3 + a*b^4)/(a^5*e^{(4*c)} + 4*a^4*b*e^{(4*c)} + 6*a^3*b^2*e^{(4*c)} + 4*a^2*b^3*e^{(4*c)} + a*b^4*e^{(4*c)}))\Big)^{(1/4)}*\cos(1/2*\arccos(-(a - b)/(a + b)))*e^{(d*x)} + \sqrt{(a^5 + 4*a^4*b + 6*a^3*b^2 + 4*a^2*b^3 + a*b^4)/(a^5*e^{(4*c)} + 4*a^4*b*e^{(4*c)} + 6*a^3*b^2*e^{(4*c)} + 4*a^2*b^3*e^{(4*c)} + a*b^4*e^{(4*c)})} + e^{(2*d*x)})/(2*(a^4*e^{(2*c)} + 3*a^3*b*e^{(2*c)} + 3*a^2*b^2*e^{(2*c)} + a*b^3*e^{(2*c)}\Big)^2*a*b + (a^5*e^{(2*c)} + 2*a^4*b*e^{(2*c)} - 2*a^2*b^3*e^{(2*c)} - a*b^4*e^{(2*c)})*\sqrt{(-a*b)*\text{abs}(-a^4*e^{(2*c)} - 3*a^3*b*e^{(2*c)} - 3*a^2*b^2*e^{(2*c)} - a*b^3*e^{(2*c)})}) + (a^4*e^{(3*d*x + 36*c)} + 4*a^3*b*e^{(3*d*x + 36*c)} + 6*a^2*b^2*e^{(3*d*x + 36*c)} + 4*a*b^3*e^{(3*d*x + 36*c)} + b^4*e^{(3*d*x + 36*c)} + 9*a^4*e^{(d*x + 34*c)} + 60*a^3*b*e^{(d*x + 34*c)} + 126*a^2*b^2*e^{(d*x + 34*c)} + 108*a*b^3*e^{(d*x + 34*c)} + 33*b^4*e^{(d*x + 34*c)})/(a^6*e^{(33*c)} + 6*a^5*b*e^{(33*c)} + 1
\end{aligned}$$

$$\frac{5a^4b^2e^{33c} + 20a^3b^3e^{33c} + 15a^2b^4e^{33c} + 6ab^5e^{33c} + b^6e^{33c} + 24(b^3e^{3dx+3c} - b^3e^{dx+c})}{(a^4 + 3a^3b + 3a^2b^2 + ab^3)(ae^{4dx+4c} + be^{4dx+4c} + 2ae^{2dx+2c} - 2be^{2dx+2c} + a + b)} \cdot d$$

$$3.116 \quad \int \frac{\cosh^2(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$$

**Optimal.** Leaf size=140

$$\frac{b^{3/2}(5a+b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2a^{3/2}d(a+b)^3} - \frac{b(a-b) \tanh(c+dx)}{2ad(a+b)^2(a+b \tanh^2(c+dx))} + \frac{\sinh(c+dx) \cosh(c+dx)}{2d(a+b)(a+b \tanh^2(c+dx))} + \frac{x(a+5b)}{2(a+b)^3}$$

[Out] ((a + 5\*b)\*x)/(2\*(a + b)^3) + (b^(3/2)\*(5\*a + b)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(2\*a^(3/2)\*(a + b)^3\*d) + (Cosh[c + d\*x]\*Sinh[c + d\*x])/(2\*(a + b)\*d\*(a + b\*Tanh[c + d\*x]^2)) - ((a - b)\*b\*Tanh[c + d\*x])/(2\*a\*(a + b)^2\*d\*(a + b\*Tanh[c + d\*x]^2))

**Rubi [A]** time = 0.193778, antiderivative size = 140, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {3675, 414, 527, 522, 206, 205}

$$\frac{b^{3/2}(5a+b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2a^{3/2}d(a+b)^3} - \frac{b(a-b) \tanh(c+dx)}{2ad(a+b)^2(a+b \tanh^2(c+dx))} + \frac{\sinh(c+dx) \cosh(c+dx)}{2d(a+b)(a+b \tanh^2(c+dx))} + \frac{x(a+5b)}{2(a+b)^3}$$

Antiderivative was successfully verified.

[In] Int[Cosh[c + d\*x]^2/(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] ((a + 5\*b)\*x)/(2\*(a + b)^3) + (b^(3/2)\*(5\*a + b)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(2\*a^(3/2)\*(a + b)^3\*d) + (Cosh[c + d\*x]\*Sinh[c + d\*x])/(2\*(a + b)\*d\*(a + b\*Tanh[c + d\*x]^2)) - ((a - b)\*b\*Tanh[c + d\*x])/(2\*a\*(a + b)^2\*d\*(a + b\*Tanh[c + d\*x]^2))

### Rule 3675

Int[sec[(e\_.) + (f\_.)\*(x\_)]^(m\_)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]))^(n\_)]^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[ff/(c^(m-1)\*f), Subst[Int[(c^2 + ff^2\*x^2)^(m/2-1)\*(a + b\*(ff\*x)^n)^p, x], x, (c\*Tan[e + f\*x])/ff], x]] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2] && (IntegersQ[n, p] || IGtQ[m, 0] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])

Rule 414

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> -Simp[(b*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(p + 1)*(b*c -
a*d)), x] + Dist[1/(a*n*(p + 1)*(b*c - a*d)), Int[(a + b*x^n)^(p + 1)*(c +
d*x^n)^q*Simp[b*c + n*(p + 1)*(b*c - a*d) + d*b*(n*(p + q + 2) + 1)*x^n, x]
, x], x] /; FreeQ[{a, b, c, d, n, q}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1]
&& !( !IntegerQ[p] && IntegerQ[q] && LtQ[q, -1]) && IntBinomialQ[a, b, c,
d, n, p, q, x]
```

Rule 527

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_.)*((e_) + (f
_.)*(x_)^(n_)), x_Symbol] :> -Simp[((b*e - a*f)*x*(a + b*x^n)^(p + 1)*(c +
d*x^n)^(q + 1))/(a*n*(b*c - a*d)*(p + 1)), x] + Dist[1/(a*n*(b*c - a*d)*(p
+ 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(b*e - a*f) + e*n*(b*c
- a*d)*(p + 1) + d*(b*e - a*f)*(n*(p + q + 2) + 1)*x^n, x], x], x] /; FreeQ
[{a, b, c, d, e, f, n, q}, x] && LtQ[p, -1]
```

Rule 522

```
Int[((e_) + (f_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_))*((c_) + (d_.)*(x_)^(
n_)), x_Symbol] :> Dist[(b*e - a*f)/(b*c - a*d), Int[1/(a + b*x^n), x], x]
- Dist[(d*e - c*f)/(b*c - a*d), Int[1/(c + d*x^n), x], x] /; FreeQ[{a, b,
c, d, e, f, n}, x]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rubi steps



$$\begin{aligned}
\int \frac{\cosh^2(c+dx)}{(a+b \tanh^2(c+dx))^2} dx &= \frac{\text{Subst}\left(\int \frac{1}{(1-x^2)^2(a+bx^2)^2} dx, x, \tanh(c+dx)\right)}{d} \\
&= \frac{\cosh(c+dx) \sinh(c+dx)}{2(a+b)d(a+b \tanh^2(c+dx))} + \frac{\text{Subst}\left(\int \frac{a+2b+3bx^2}{(1-x^2)(a+bx^2)^2} dx, x, \tanh(c+dx)\right)}{2(a+b)d} \\
&= \frac{\cosh(c+dx) \sinh(c+dx)}{2(a+b)d(a+b \tanh^2(c+dx))} - \frac{(a-b)b \tanh(c+dx)}{2a(a+b)^2d(a+b \tanh^2(c+dx))} - \frac{\text{Subst}\left(\int \frac{-2(a^2+)}{(1-x^2)(a+bx^2)^2} dx, x, \tanh(c+dx)\right)}{2(a+b)d} \\
&= \frac{\cosh(c+dx) \sinh(c+dx)}{2(a+b)d(a+b \tanh^2(c+dx))} - \frac{(a-b)b \tanh(c+dx)}{2a(a+b)^2d(a+b \tanh^2(c+dx))} + \frac{(b^2(5a+b)) \text{Subst}\left(\int \frac{1}{(1-x^2)(a+bx^2)^2} dx, x, \tanh(c+dx)\right)}{2(a+b)d} \\
&= \frac{(a+5b)x}{2(a+b)^3} + \frac{b^{3/2}(5a+b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2a^{3/2}(a+b)^3d} + \frac{\cosh(c+dx) \sinh(c+dx)}{2(a+b)d(a+b \tanh^2(c+dx))} - \frac{(a-b)b \tanh(c+dx)}{2a(a+b)^2d(a+b \tanh^2(c+dx))}
\end{aligned}$$

**Mathematica [A]** time = 0.747527, size = 110, normalized size = 0.79

$$\frac{2b^{3/2}(5a+b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{a^{3/2}} + \frac{2b^2(a+b) \sinh(2(c+dx))}{a((a+b) \cosh(2(c+dx))+a-b)} + \frac{2(a+5b)(c+dx) + (a+b) \sinh(2(c+dx))}{4d(a+b)^3}$$

Antiderivative was successfully verified.

[In] Integrate[Cosh[c + d\*x]^2/(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] (2\*(a + 5\*b)\*(c + d\*x) + (2\*b^(3/2)\*(5\*a + b)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/a^(3/2) + (a + b)\*Sinh[2\*(c + d\*x)] + (2\*b^2\*(a + b)\*Sinh[2\*(c + d\*x)])/(a\*(a - b + (a + b)\*Cosh[2\*(c + d\*x)]))/(4\*(a + b)^3\*d)

**Maple [B]** time = 0.107, size = 1146, normalized size = 8.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(\cosh(dx+c)^2/(a+b*\tanh(dx+c)^2)^2, x)$

[Out] 
$$\begin{aligned} & -1/2/d/(a+b)^2/(\tanh(1/2*d*x+1/2*c)+1)^2+1/2/d/(a+b)^2/(\tanh(1/2*d*x+1/2*c) \\ & +1)+1/2/d/(a+b)^3*\ln(\tanh(1/2*d*x+1/2*c)+1)*a+5/2/d/(a+b)^3*\ln(\tanh(1/2*d*x \\ & +1/2*c)+1)*b+1/d*b^2/(a+b)^3/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c) \\ & ^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)*\tanh(1/2*d*x+1/2*c)^3+1/d*b^3/(a+b)^3/( \tanh(1/2*d*x+1/2*c) \\ & ^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a) \\ & )/a*\tanh(1/2*d*x+1/2*c)^3+1/d*b^2/(a+b)^3/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c) \\ & ^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)*\tanh(1/2*d*x+1/2*c)+1/d*b^3/ \\ & (a+b)^3/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c) \\ & ^2*b+a)/a*\tanh(1/2*d*x+1/2*c)-5/2/d*b^2/(a+b)^3*a/(b*(a+b))^(1/2)/((2*(b*(a+b)) \\ & ^{(1/2)}-a-2*b)*a)^(1/2)*\arctanh(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b)) \\ & ^{(1/2)}-a-2*b)*a)^(1/2))+5/2/d*b^2/(a+b)^3/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2) \\ & )*\arctanh(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))-3/d*b \\ & ^3/(a+b)^3/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*\arctanh(a*\tanh(1/2*d*x+1/2*c) \\ & /((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))-5/2/d*b^2/(a+b)^3*a/ \\ & (b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*\arctan(a*\tanh(1/2*d*x+1/2*c) \\ & /((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))-5/2/d*b^2/(a+b)^3/((2*(b*(a+b))^(1/2)+a+2*b) \\ & *a)^(1/2)*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))-3/d*b^3/(a+b)^3/ \\ & (b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*\arctan(a*\tanh(1/2*d*x+1/2*c) \\ & /((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))+1/2 \\ & /d*b^3/(a+b)^3/a/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*\arctanh(a*\tanh(1/2*d*x \\ & +1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))-1/2/d*b^4/(a+b)^3/a/(b*(a+b))^(1/2) \\ & /((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*\arctanh(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b) \\ & *a)^(1/2))-1/2/d*b^3/(a+b)^3/a/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*\arctan(a*\tanh(1/2*d*x+1/2*c) \\ & /((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))-1/2/d*b^4/(a+b)^3/a/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)+a+2*b) \\ & *a)^(1/2)*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))+1/2/d/ \\ & (a+b)^2/(\tanh(1/2*d*x+1/2*c)-1)^2+1/2/d/(a+b)^2/(\tanh(1/2*d*x+1/2*c)-1)-1/2 \\ & /d/(a+b)^3*\ln(\tanh(1/2*d*x+1/2*c)-1)*a-5/2/d/(a+b)^3*\ln(\tanh(1/2*d*x+1/2*c) \\ & -1)*b \end{aligned}$$

---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\cosh(dx+c)^2/(a+b*\tanh(dx+c)^2)^2, x, \text{algorithm}=\text{"maxima"})$

[Out] Exception raised: ValueError

**Fricas [B]** time = 2.86065, size = 10118, normalized size = 72.27

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [1/8*((a^3 + 2*a^2*b + a*b^2)*\cosh(d*x + c)^8 + 8*(a^3 + 2*a^2*b + a*b^2)*\cosh(d*x + c)*\sinh(d*x + c)^7 + (a^3 + 2*a^2*b + a*b^2)*\sinh(d*x + c)^8 + 2*(a^3 - a*b^2 + 2*(a^3 + 6*a^2*b + 5*a*b^2)*d*x)*\cosh(d*x + c)^6 + 2*(a^3 - a*b^2 + 2*(a^3 + 6*a^2*b + 5*a*b^2)*d*x + 14*(a^3 + 2*a^2*b + a*b^2)*\cosh(d*x + c)^2)*\sinh(d*x + c)^6 + 4*(14*(a^3 + 2*a^2*b + a*b^2)*\cosh(d*x + c)^3 + 3*(a^3 - a*b^2 + 2*(a^3 + 6*a^2*b + 5*a*b^2)*d*x)*\cosh(d*x + c))*\sinh(d*x + c)^5 - 8*(a*b^2 - b^3 - (a^3 + 4*a^2*b - 5*a*b^2)*d*x)*\cosh(d*x + c)^4 + 2*(35*(a^3 + 2*a^2*b + a*b^2)*\cosh(d*x + c)^4 - 4*a*b^2 + 4*b^3 + 4*(a^3 + 4*a^2*b - 5*a*b^2)*d*x + 15*(a^3 - a*b^2 + 2*(a^3 + 6*a^2*b + 5*a*b^2)*d*x)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + 8*(7*(a^3 + 2*a^2*b + a*b^2)*\cosh(d*x + c)^5 + 5*(a^3 - a*b^2 + 2*(a^3 + 6*a^2*b + 5*a*b^2)*d*x)*\cosh(d*x + c)^3 - 4*(a*b^2 - b^3 - (a^3 + 4*a^2*b - 5*a*b^2)*d*x)*\cosh(d*x + c))*\sinh(d*x + c)^3 - a^3 - 2*a^2*b - a*b^2 - 2*(a^3 + 3*a*b^2 + 4*b^3 - 2*(a^3 + 6*a^2*b + 5*a*b^2)*d*x)*\cosh(d*x + c)^2 + 2*(14*(a^3 + 2*a^2*b + a*b^2)*\cosh(d*x + c)^6 + 15*(a^3 - a*b^2 + 2*(a^3 + 6*a^2*b + 5*a*b^2)*d*x)*\cosh(d*x + c)^4 - a^3 - 3*a*b^2 - 4*b^3 + 2*(a^3 + 6*a^2*b + 5*a*b^2)*d*x - 24*(a*b^2 - b^3 - (a^3 + 4*a^2*b - 5*a*b^2)*d*x)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 + 2*((5*a^2*b + 6*a*b^2 + b^3)*\cosh(d*x + c)^6 + 6*(5*a^2*b + 6*a*b^2 + b^3)*\cosh(d*x + c)*\sinh(d*x + c)^5 + (5*a^2*b + 6*a*b^2 + b^3)*\sinh(d*x + c)^6 + 2*(5*a^2*b - 4*a*b^2 - b^3)*\cosh(d*x + c)^4 + (10*a^2*b - 8*a*b^2 - 2*b^3 + 15*(5*a^2*b + 6*a*b^2 + b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + 4*(5*(5*a^2*b + 6*a*b^2 + b^3)*\cosh(d*x + c)^3 + 2*(5*a^2*b - 4*a*b^2 - b^3)*\cosh(d*x + c))*\sinh(d*x + c)^3 + (5*a^2*b + 6*a*b^2 + b^3)*\cosh(d*x + c)^2 + (15*(5*a^2*b + 6*a*b^2 + b^3)*\cosh(d*x + c)^4 + 5*a^2*b + 6*a*b^2 + b^3 + 12*(5*a^2*b - 4*a*b^2 - b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 + 2*(3*(5*a^2*b + 6*a*b^2 + b^3)*\cosh(d*x + c)^5 + 4*(5*a^2*b - 4*a*b^2 - b^3)*\cosh(d*x + c)^3 + (5*a^2*b + 6*a*b^2 + b^3)*\cosh(d*x + c))*\sinh(d*x + c))*\sqrt{-b/a}*\log(((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^4 + 4*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a^2 + 2*a*b + b^2)*\sinh(d*x + c)^4 + 2*(a^2 - b^2)*\cosh(d*x + c)^2 + 2*(3*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^2 + a^2 - b^2)*\sinh(d*x + c)^2 + a^2 - 6*a*b + b^2 + 4*((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^3 + (a^2 - b^2)*\cosh(d*x + c))*\sinh(d*x + c) + 4*((a^2 + a*b)*\cosh(d*x + c)^2 + 2*(a^2 + a*b)*\cosh(d*x + c)*\sinh(d*x + c) + (a^2 + a*b)*\sinh(d*x + c)^2 + a^2 - a*b)*\sqrt{-b/a})/((a + b)*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a + b)*\sinh(d*x + c)^4 + 2*(a - b)*\cosh(d*x + c)^2 + 2*(3*(a + b)*co$$

$$\begin{aligned}
& \text{sh}(d*x + c)^2 + a - b) * \sinh(d*x + c)^2 + 4*((a + b) * \cosh(d*x + c)^3 + (a - \\
& b) * \cosh(d*x + c)) * \sinh(d*x + c) + a + b)) + 4*(2*(a^3 + 2*a^2*b + a*b^2) * \cosh(d*x \\
& + c)^7 + 3*(a^3 - a*b^2 + 2*(a^3 + 6*a^2*b + 5*a*b^2) * d*x) * \cosh(d*x \\
& + c)^5 - 8*(a*b^2 - b^3 - (a^3 + 4*a^2*b - 5*a*b^2) * d*x) * \cosh(d*x + c)^3 - \\
& (a^3 + 3*a*b^2 + 4*b^3 - 2*(a^3 + 6*a^2*b + 5*a*b^2) * d*x) * \cosh(d*x + c)) * \sinh(d*x + c)) / ((a^5 + 4*a^4*b + 6*a^3*b^2 + 4*a^2*b^3 + a*b^4) * d * \cosh(d*x + \\
& c)^6 + 6*(a^5 + 4*a^4*b + 6*a^3*b^2 + 4*a^2*b^3 + a*b^4) * d * \cosh(d*x + c) * \sinh(d*x + c)^5 + (a^5 + 4*a^4*b + 6*a^3*b^2 + 4*a^2*b^3 + a*b^4) * d * \sinh(d*x \\
& + c)^6 + 2*(a^5 + 2*a^4*b - 2*a^2*b^3 - a*b^4) * d * \cosh(d*x + c)^4 + (15*(a^5 + 5 \\
& + 4*a^4*b + 6*a^3*b^2 + 4*a^2*b^3 + a*b^4) * d * \cosh(d*x + c)^2 + 2*(a^5 + 2* \\
& a^4*b - 2*a^2*b^3 - a*b^4) * d) * \sinh(d*x + c)^4 + (a^5 + 4*a^4*b + 6*a^3*b^2 \\
& + 4*a^2*b^3 + a*b^4) * d * \cosh(d*x + c)^2 + 4*(5*(a^5 + 4*a^4*b + 6*a^3*b^2 + \\
& 4*a^2*b^3 + a*b^4) * d * \cosh(d*x + c)^3 + 2*(a^5 + 2*a^4*b - 2*a^2*b^3 - a*b^4) \\
& ) * d * \cosh(d*x + c)) * \sinh(d*x + c)^3 + (15*(a^5 + 4*a^4*b + 6*a^3*b^2 + 4*a^2 \\
& *b^3 + a*b^4) * d * \cosh(d*x + c)^4 + 12*(a^5 + 2*a^4*b - 2*a^2*b^3 - a*b^4) * d * \\
& \cosh(d*x + c)^2 + (a^5 + 4*a^4*b + 6*a^3*b^2 + 4*a^2*b^3 + a*b^4) * d) * \sinh(d \\
& *x + c)^2 + 2*(3*(a^5 + 4*a^4*b + 6*a^3*b^2 + 4*a^2*b^3 + a*b^4) * d * \cosh(d*x \\
& + c)^5 + 4*(a^5 + 2*a^4*b - 2*a^2*b^3 - a*b^4) * d * \cosh(d*x + c)^3 + (a^5 + \\
& 4*a^4*b + 6*a^3*b^2 + 4*a^2*b^3 + a*b^4) * d * \cosh(d*x + c)) * \sinh(d*x + c)), 1 \\
& / 8 * ((a^3 + 2*a^2*b + a*b^2) * \cosh(d*x + c)^8 + 8*(a^3 + 2*a^2*b + a*b^2) * \cos \\
& h(d*x + c) * \sinh(d*x + c)^7 + (a^3 + 2*a^2*b + a*b^2) * \sinh(d*x + c)^8 + 2*(a \\
& ^3 - a*b^2 + 2*(a^3 + 6*a^2*b + 5*a*b^2) * d*x) * \cosh(d*x + c)^6 + 2*(a^3 - a* \\
& b^2 + 2*(a^3 + 6*a^2*b + 5*a*b^2) * d*x + 14*(a^3 + 2*a^2*b + a*b^2) * \cosh(d*x \\
& + c)^2) * \sinh(d*x + c)^6 + 4*(14*(a^3 + 2*a^2*b + a*b^2) * \cosh(d*x + c)^3 + \\
& 3*(a^3 - a*b^2 + 2*(a^3 + 6*a^2*b + 5*a*b^2) * d*x) * \cosh(d*x + c)) * \sinh(d*x + \\
& c)^5 - 8*(a*b^2 - b^3 - (a^3 + 4*a^2*b - 5*a*b^2) * d*x) * \cosh(d*x + c)^4 + 2 \\
& *(35*(a^3 + 2*a^2*b + a*b^2) * \cosh(d*x + c)^4 - 4*a*b^2 + 4*b^3 + 4*(a^3 + 4 \\
& *a^2*b - 5*a*b^2) * d*x + 15*(a^3 - a*b^2 + 2*(a^3 + 6*a^2*b + 5*a*b^2) * d*x) * \\
& \cosh(d*x + c)^2) * \sinh(d*x + c)^4 + 8*(7*(a^3 + 2*a^2*b + a*b^2) * \cosh(d*x + \\
& c)^5 + 5*(a^3 - a*b^2 + 2*(a^3 + 6*a^2*b + 5*a*b^2) * d*x) * \cosh(d*x + c)^3 - \\
& 4*(a*b^2 - b^3 - (a^3 + 4*a^2*b - 5*a*b^2) * d*x) * \cosh(d*x + c)) * \sinh(d*x + c \\
& )^3 - a^3 - 2*a^2*b - a*b^2 - 2*(a^3 + 3*a*b^2 + 4*b^3 - 2*(a^3 + 6*a^2*b + \\
& 5*a*b^2) * d*x) * \cosh(d*x + c)^2 + 2*(14*(a^3 + 2*a^2*b + a*b^2) * \cosh(d*x + c \\
& )^6 + 15*(a^3 - a*b^2 + 2*(a^3 + 6*a^2*b + 5*a*b^2) * d*x) * \cosh(d*x + c)^4 - \\
& a^3 - 3*a*b^2 - 4*b^3 + 2*(a^3 + 6*a^2*b + 5*a*b^2) * d*x - 24*(a*b^2 - b^3 - \\
& (a^3 + 4*a^2*b - 5*a*b^2) * d*x) * \cosh(d*x + c)^2) * \sinh(d*x + c)^2 + 4*((5*a^ \\
& 2*b + 6*a*b^2 + b^3) * \cosh(d*x + c)^6 + 6*(5*a^2*b + 6*a*b^2 + b^3) * \cosh(d*x \\
& + c) * \sinh(d*x + c)^5 + (5*a^2*b + 6*a*b^2 + b^3) * \sinh(d*x + c)^6 + 2*(5*a^ \\
& 2*b - 4*a*b^2 - b^3) * \cosh(d*x + c)^4 + (10*a^2*b - 8*a*b^2 - 2*b^3 + 15*(5* \\
& a^2*b + 6*a*b^2 + b^3) * \cosh(d*x + c)^2) * \sinh(d*x + c)^4 + 4*(5*(5*a^2*b + 6 \\
& *a*b^2 + b^3) * \cosh(d*x + c)^3 + 2*(5*a^2*b - 4*a*b^2 - b^3) * \cosh(d*x + c)) * \\
& \sinh(d*x + c)^3 + (5*a^2*b + 6*a*b^2 + b^3) * \cosh(d*x + c)^2 + (15*(5*a^2*b \\
& + 6*a*b^2 + b^3) * \cosh(d*x + c)^4 + 5*a^2*b + 6*a*b^2 + b^3 + 12*(5*a^2*b - \\
& 4*a*b^2 - b^3) * \cosh(d*x + c)^2) * \sinh(d*x + c)^2 + 2*(3*(5*a^2*b + 6*a*b^2 + \\
& b^3) * \cosh(d*x + c)^5 + 4*(5*a^2*b - 4*a*b^2 - b^3) * \cosh(d*x + c)^3 + (5*a^
\end{aligned}$$

$$2*b + 6*a*b^2 + b^3)*\cosh(d*x + c))*\sinh(d*x + c))*\sqrt{b/a)*\arctan(1/2*((a + b)*\cosh(d*x + c)^2 + 2*(a + b)*\cosh(d*x + c)*\sinh(d*x + c) + (a + b)*\sinh(d*x + c)^2 + a - b)*\sqrt{b/a}/b) + 4*(2*(a^3 + 2*a^2*b + a*b^2)*\cosh(d*x + c)^7 + 3*(a^3 - a*b^2 + 2*(a^3 + 6*a^2*b + 5*a*b^2)*d*x)*\cosh(d*x + c)^5 - 8*(a*b^2 - b^3 - (a^3 + 4*a^2*b - 5*a*b^2)*d*x)*\cosh(d*x + c)^3 - (a^3 + 3*a*b^2 + 4*b^3 - 2*(a^3 + 6*a^2*b + 5*a*b^2)*d*x)*\cosh(d*x + c))*\sinh(d*x + c))/((a^5 + 4*a^4*b + 6*a^3*b^2 + 4*a^2*b^3 + a*b^4)*d*\cosh(d*x + c)^6 + 6*(a^5 + 4*a^4*b + 6*a^3*b^2 + 4*a^2*b^3 + a*b^4)*d*\cosh(d*x + c)*\sinh(d*x + c)^5 + (a^5 + 4*a^4*b + 6*a^3*b^2 + 4*a^2*b^3 + a*b^4)*d*\sinh(d*x + c)^6 + 2*(a^5 + 2*a^4*b - 2*a^2*b^3 - a*b^4)*d*\cosh(d*x + c)^4 + (15*(a^5 + 4*a^4*b + 6*a^3*b^2 + 4*a^2*b^3 + a*b^4)*d*\cosh(d*x + c)^2 + 2*(a^5 + 2*a^4*b - 2*a^2*b^3 - a*b^4)*d)*\sinh(d*x + c)^4 + (a^5 + 4*a^4*b + 6*a^3*b^2 + 4*a^2*b^3 + a*b^4)*d*\cosh(d*x + c)^2 + 4*(5*(a^5 + 4*a^4*b + 6*a^3*b^2 + 4*a^2*b^3 + a*b^4)*d*\cosh(d*x + c)^3 + 2*(a^5 + 2*a^4*b - 2*a^2*b^3 - a*b^4)*d*\cosh(d*x + c))*\sinh(d*x + c)^3 + (15*(a^5 + 4*a^4*b + 6*a^3*b^2 + 4*a^2*b^3 + a*b^4)*d*\cosh(d*x + c)^4 + 12*(a^5 + 2*a^4*b - 2*a^2*b^3 - a*b^4)*d*\cosh(d*x + c)^2 + (a^5 + 4*a^4*b + 6*a^3*b^2 + 4*a^2*b^3 + a*b^4)*d)*\sinh(d*x + c)^2 + 2*(3*(a^5 + 4*a^4*b + 6*a^3*b^2 + 4*a^2*b^3 + a*b^4)*d*\cosh(d*x + c)^5 + 4*(a^5 + 2*a^4*b - 2*a^2*b^3 - a*b^4)*d*\cosh(d*x + c)^3 + (a^5 + 4*a^4*b + 6*a^3*b^2 + 4*a^2*b^3 + a*b^4)*d*\cosh(d*x + c))*\sinh(d*x + c))]$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)\*\*2/(a+b\*tanh(d\*x+c)\*\*2)\*\*2,x)

[Out] Timed out

**Giac [B]** time = 2.3075, size = 606, normalized size = 4.33

$$\frac{12(a+5b)dx}{a^3+3a^2b+3ab^2+b^3} + \frac{12(5ab^2e^{2c}+b^3e^{2c})\arctan\left(\frac{ae^{2dx+2c}+be^{2dx+2c}+a-b}{2\sqrt{ab}}\right)e^{(-2c)}}{(a^4+3a^3b+3a^2b^2+ab^3)\sqrt{ab}} + \frac{3e^{2dx+12c}}{a^2e^{10c}+2abe^{10c}+b^2e^{10c}} - \frac{2a^3e^{6dx+6c}+12a^2be^{6dx+6c}+10ab^2e^{6dx+6c}+10b^3e^{6dx+6c}}{a^4+3a^3b+3a^2b^2+ab^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

```
[Out] 1/24*(12*(a + 5*b)*d*x/(a^3 + 3*a^2*b + 3*a*b^2 + b^3) + 12*(5*a*b^2*e^(2*c)
) + b^3*e^(2*c))*arctan(1/2*(a*e^(2*d*x + 2*c) + b*e^(2*d*x + 2*c) + a - b)
/sqrt(a*b))*e^(-2*c)/((a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*sqrt(a*b)) + 3*e^
(2*d*x + 12*c)/(a^2*e^(10*c) + 2*a*b*e^(10*c) + b^2*e^(10*c)) - (2*a^3*e^(6
*d*x + 6*c) + 12*a^2*b*e^(6*d*x + 6*c) + 10*a*b^2*e^(6*d*x + 6*c) + 7*a^3*e
^(4*d*x + 4*c) + 22*a^2*b*e^(4*d*x + 4*c) + 7*a*b^2*e^(4*d*x + 4*c) - 24*b^
3*e^(4*d*x + 4*c) + 8*a^3*e^(2*d*x + 2*c) + 12*a^2*b*e^(2*d*x + 2*c) + 28*a
*b^2*e^(2*d*x + 2*c) + 24*b^3*e^(2*d*x + 2*c) + 3*a^3 + 6*a^2*b + 3*a*b^2)/
((a^4*e^(2*c) + 3*a^3*b*e^(2*c) + 3*a^2*b^2*e^(2*c) + a*b^3*e^(2*c))*(a*e^(
2*d*x) + b*e^(2*d*x) + a*e^(6*d*x + 4*c) + b*e^(6*d*x + 4*c) + 2*a*e^(4*d*x
+ 2*c) - 2*b*e^(4*d*x + 2*c)))/d
```

$$3.117 \quad \int \frac{\cosh(c+dx)}{\left(a+b \tanh^2(c+dx)\right)^2} dx$$

**Optimal.** Leaf size=101

$$\frac{b(4a+b) \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{2a^{3/2}d(a+b)^{5/2}} + \frac{b^2 \sinh(c+dx)}{2ad(a+b)^2 \left((a+b) \sinh^2(c+dx) + a\right)} + \frac{\sinh(c+dx)}{d(a+b)^2}$$

[Out] (b\*(4\*a + b)\*ArcTan[(Sqrt[a + b]\*Sinh[c + d\*x])/Sqrt[a]])/(2\*a^(3/2)\*(a + b)^(5/2)\*d) + Sinh[c + d\*x]/((a + b)^2\*d) + (b^2\*Sinh[c + d\*x])/(2\*a\*(a + b)^2\*d\*(a + (a + b)\*Sinh[c + d\*x]^2))

**Rubi [A]** time = 0.139196, antiderivative size = 101, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.19$ , Rules used = {3676, 390, 385, 205}

$$\frac{b(4a+b) \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{2a^{3/2}d(a+b)^{5/2}} + \frac{b^2 \sinh(c+dx)}{2ad(a+b)^2 \left((a+b) \sinh^2(c+dx) + a\right)} + \frac{\sinh(c+dx)}{d(a+b)^2}$$

Antiderivative was successfully verified.

[In] Int[Cosh[c + d\*x]/(a + b\*Tanh[c + d\*x]^2), x]

[Out] (b\*(4\*a + b)\*ArcTan[(Sqrt[a + b]\*Sinh[c + d\*x])/Sqrt[a]])/(2\*a^(3/2)\*(a + b)^(5/2)\*d) + Sinh[c + d\*x]/((a + b)^2\*d) + (b^2\*Sinh[c + d\*x])/(2\*a\*(a + b)^2\*d\*(a + (a + b)\*Sinh[c + d\*x]^2))

### Rule 3676

Int[sec[(e\_.) + (f\_.)\*(x\_.)]^(m\_.)\*((a\_.) + (b\_.)\*tan[(e\_.) + (f\_.)\*(x\_.)]^(n\_.))^p, x\_Symbol] :> With[{ff = FreeFactors[Sin[e + f\*x], x]}, Dist[ff/f, Subst[Int[ExpandToSum[b\*(ff\*x)^n + a\*(1 - ff^2\*x^2)^(n/2), x]^p/(1 - ff^2\*x^2)^((m + n\*p + 1)/2), x], x, Sin[e + f\*x]/ff], x] /; FreeQ[{a, b, e, f}, x] && IntegerQ[(m - 1)/2] && IntegerQ[n/2] && IntegerQ[p]

### Rule 390

Int[((a\_.) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_.) + (d\_.)\*(x\_)^(n\_))^(q\_), x\_Symbol] :> Int[PolynomialDivide[(a + b\*x^n)^p, (c + d\*x^n)^(-q), x], x] /; FreeQ[{a

, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q, 0] && GeQ[p, -q]

### Rule 385

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] :> -Simp[((b\*c - a\*d)\*x\*(a + b\*x^n)^(p + 1))/(a\*b\*n\*(p + 1)), x] - Dist[(a\*d - b\*c\*(n\*(p + 1) + 1))/(a\*b\*n\*(p + 1)), Int[(a + b\*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b\*c - a\*d, 0] && (LtQ[p, -1] || ILtQ[1/n + p, 0])

### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rubi steps

$$\begin{aligned}
 \int \frac{\cosh(c + dx)}{(a + b \tanh^2(c + dx))^2} dx &= \frac{\text{Subst}\left(\int \frac{(1+x^2)^2}{(a+(a+b)x^2)^2} dx, x, \sinh(c + dx)\right)}{d} \\
 &= \frac{\text{Subst}\left(\int \left(\frac{1}{(a+b)^2} + \frac{b(2a+b)+2b(a+b)x^2}{(a+b)^2(a+(a+b)x^2)^2}\right) dx, x, \sinh(c + dx)\right)}{d} \\
 &= \frac{\sinh(c + dx)}{(a + b)^2 d} + \frac{\text{Subst}\left(\int \frac{b(2a+b)+2b(a+b)x^2}{(a+(a+b)x^2)^2} dx, x, \sinh(c + dx)\right)}{(a + b)^2 d} \\
 &= \frac{\sinh(c + dx)}{(a + b)^2 d} + \frac{b^2 \sinh(c + dx)}{2a(a + b)^2 d (a + (a + b) \sinh^2(c + dx))} + \frac{(b(4a + b)) \text{Subst}\left(\int \frac{1}{a+(a+b)x^2} dx, x, \sinh(c + dx)\right)}{2a(a + b)^2 d} \\
 &= \frac{b(4a + b) \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{2a^{3/2}(a+b)^{5/2}d} + \frac{\sinh(c + dx)}{(a + b)^2 d} + \frac{b^2 \sinh(c + dx)}{2a(a + b)^2 d (a + (a + b) \sinh^2(c + dx))}
 \end{aligned}$$

**Mathematica [A]** time = 0.697244, size = 84, normalized size = 0.83

$$\frac{b(4a+b) \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{a^{3/2}(a+b)^{5/2}} + \frac{\sinh(c+dx) \left(\frac{b^2}{a((a+b) \sinh^2(c+dx)+a)} + 2\right)}{(a+b)^2}$$

2d



Antiderivative was successfully verified.

[In] Integrate[Cosh[c + d\*x]/(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] ((b\*(4\*a + b)\*ArcTan[(Sqrt[a + b]\*Sinh[c + d\*x])/Sqrt[a]])/(a^(3/2)\*(a + b)^(5/2)) + (Sinh[c + d\*x]\*(2 + b^2/(a\*(a + (a + b)\*Sinh[c + d\*x]^2))))/(a + b)^2)/(2\*d)

**Maple [B]** time = 0.096, size = 729, normalized size = 7.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cosh(d\*x+c)/(a+b\*tanh(d\*x+c)^2)^2,x)

[Out] 
$$\begin{aligned} & -1/d/(a+b)^2/(\tanh(1/2*d*x+1/2*c)+1)-1/d*b^2/(a+b)^2/(\tanh(1/2*d*x+1/2*c))^4 \\ & *a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)/a*\tanh(1/2*d*x+1/ \\ & 2*c)^3+1/d*b^2/(a+b)^2/(\tanh(1/2*d*x+1/2*c))^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4 \\ & *\tanh(1/2*d*x+1/2*c)^2*b+a)/a*\tanh(1/2*d*x+1/2*c)-2/d*b/(a+b)^2/((2*(b*(a+b) \\ & ))^(1/2)-a-2*b)*a)^(1/2)*\arctanh(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)- \\ & a-2*b)*a)^(1/2))+2/d*b^2/(a+b)^2/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)-a-2*b) \\ & *a)^(1/2)*\arctanh(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2) \\ & )+2/d*b/(a+b)^2/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*\arctan(a*\tanh(1/2*d*x+1 \\ & /2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))+2/d*b^2/(a+b)^2/(b*(a+b))^(1/2)/ \\ & ((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+ \\ & b))^(1/2)+a+2*b)*a)^(1/2))-1/2/d*b^2/(a+b)^2/a/((2*(b*(a+b))^(1/2)-a-2*b)*a \\ & )^(1/2)*\arctanh(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))+ \\ & 1/2/d*b^3/(a+b)^2/a/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*\arc \\ & tanh(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))+1/2/d*b^2/( \\ & a+b)^2/a/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*\arctan(a*\tanh(1/2*d*x+1/2*c)/ \\ & (2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))+1/2/d*b^3/(a+b)^2/a/(b*(a+b))^(1/2)/((2 \\ & *(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b)) \\ & )^(1/2)+a+2*b)*a)^(1/2))-1/d/(a+b)^2/(\tanh(1/2*d*x+1/2*c)-1) \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{a^2 + ab - (a^2 e^{(6c)} + abe^{(6c)})e^{(6dx)} - (a^2 e^{(4c)} - 3abe^{(4c)} + 2b^2 e^{(4c)})e^{(4dx)} + (a^2 e^{(2c)} - 3abe^{(2c)})e^{(2dx)}}{2((a^4 de^{(5c)} + 3a^3 bde^{(5c)} + 3a^2 b^2 de^{(5c)} + ab^3 de^{(5c)})e^{(5dx)} + 2(a^4 de^{(3c)} + a^3 bde^{(3c)} - a^2 b^2 de^{(3c)} - ab^3 de^{(3c)})e^{(3dx)} + (a^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="maxima")

[Out] 
$$-1/2*(a^2 + a*b - (a^2*e^{6*c} + a*b*e^{6*c}))*e^{6*d*x} - (a^2*e^{4*c} - 3*a*b*e^{4*c} + 2*b^2*e^{4*c})*e^{4*d*x} + (a^2*e^{2*c} - 3*a*b*e^{2*c} + 2*b^2*e^{2*c})*e^{2*d*x} / ((a^4*d*e^{5*c} + 3*a^3*b*d*e^{5*c} + 3*a^2*b^2*d*e^{5*c} + a*b^3*d*e^{5*c})*e^{5*d*x} + 2*(a^4*d*e^{3*c} + a^3*b*d*e^{3*c} - a^2*b^2*d*e^{3*c} - a*b^3*d*e^{3*c})*e^{3*d*x} + (a^4*d*e^c + 3*a^3*b*d*e^c + 3*a^2*b^2*d*e^c + a*b^3*d*e^c)*e^{d*x}) + 1/2*integrate(2*((4*a*b*e^{3*c} + b^2*e^{3*c})*e^{3*d*x} + (4*a*b*e^c + b^2*e^c)*e^{d*x})/(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3 + (a^4*e^{4*c} + 3*a^3*b*e^{4*c} + 3*a^2*b^2*e^{4*c} + a*b^3*e^{4*c})*e^{4*d*x} + 2*(a^4*e^{2*c} + a^3*b*e^{2*c} - a^2*b^2*e^{2*c} - a*b^3*e^{2*c})*e^{2*d*x}), x)$$

**Fricas [B]** time = 2.5325, size = 8197, normalized size = 81.16

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [1/4*(2*(a^4 + 2*a^3*b + a^2*b^2)*\cosh(d*x + c)^6 + 12*(a^4 + 2*a^3*b + a^2*b^2)*\cosh(d*x + c)*\sinh(d*x + c)^5 + 2*(a^4 + 2*a^3*b + a^2*b^2)*\sinh(d*x + c)^6 + 2*(a^4 - 2*a^3*b - a^2*b^2 + 2*a*b^3)*\cosh(d*x + c)^4 + 2*(a^4 - 2*a^3*b - a^2*b^2 + 2*a*b^3 + 15*(a^4 + 2*a^3*b + a^2*b^2)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 - 2*a^4 - 4*a^3*b - 2*a^2*b^2 + 8*(5*(a^4 + 2*a^3*b + a^2*b^2)*\cosh(d*x + c)^3 + (a^4 - 2*a^3*b - a^2*b^2 + 2*a*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^3 - 2*(a^4 - 2*a^3*b - a^2*b^2 + 2*a*b^3)*\cosh(d*x + c)^2 + 2*(15*(a^4 + 2*a^3*b + a^2*b^2)*\cosh(d*x + c)^4 - a^4 + 2*a^3*b + a^2*b^2 - 2*a*b^3 + 6*(a^4 - 2*a^3*b - a^2*b^2 + 2*a*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 - ((4*a^2*b + 5*a*b^2 + b^3)*\cosh(d*x + c)^5 + 5*(4*a^2*b + 5*a*b^2 + b^3)*\cosh(d*x + c)*\sinh(d*x + c)^4 + (4*a^2*b + 5*a*b^2 + b^3)*\sinh(d*x + c)^5 + 2*(4*a^2*b - 3*a*b^2 - b^3)*\cosh(d*x + c)^3 + 2*(4*a^2*b - 3*a*b^2 - b^3 + 5*(4*a^2*b + 5*a*b^2 + b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^3 + 2*(5*(4*a^2*b + 5*a*b^2 + b^3)*\cosh(d*x + c)^3 + 3*(4*a^2*b - 3*a*b^2 - b^3)*\cosh(d*x + c))*\sinh(d*x + c)^2 + (4*a^2*b + 5*a*b^2 + b^3)*\cosh(d*x + c) + (5*(4*a^2*b + 5*a*b^2 + b^3)*\cosh(d*x + c)^4 + 4*a^2*b + 5*a*b^2 + b^3 + 6*(4*a^2*b - 3*a*b^2 - b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c))*\sqrt{-a^2 - a*b}*\log(((a + b)*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a + b)*\sinh(d*x + c)^4 - 2*(3*a + b)*\cosh(d*x + c)^2 + 2*(3*(a + b)*\cosh(d*x + c) \end{aligned}$$

$$\begin{aligned}
&^2 - 3a - b) \sinh(dx + c)^2 + 4*((a + b) \cosh(dx + c)^3 - (3a + b) \cosh(dx + c) \sinh(dx + c) - 4*(\cosh(dx + c)^3 + 3 \cosh(dx + c) \sinh(dx + c)^2 + \sinh(dx + c)^3 + (3 \cosh(dx + c)^2 - 1) \sinh(dx + c) - \cosh(dx + c)) \sqrt{-a^2 - ab} + a + b) / ((a + b) \cosh(dx + c)^4 + 4(a + b) \cosh(dx + c) \sinh(dx + c)^3 + (a + b) \sinh(dx + c)^4 + 2(a - b) \cosh(dx + c)^2 + 2*(3(a + b) \cosh(dx + c)^2 + a - b) \sinh(dx + c)^2 + 4*((a + b) \cosh(dx + c)^3 + (a - b) \cosh(dx + c)) \sinh(dx + c) + a + b)) + 4*(3(a^4 + 2a^3b + a^2b^2) \cosh(dx + c)^5 + 2(a^4 - 2a^3b - a^2b^2 + 2ab^3) \cosh(dx + c)^3 - (a^4 - 2a^3b - a^2b^2 + 2ab^3) \cosh(dx + c)) \sinh(dx + c) / ((a^6 + 4a^5b + 6a^4b^2 + 4a^3b^3 + a^2b^4) d \cosh(dx + c)^5 + 5(a^6 + 4a^5b + 6a^4b^2 + 4a^3b^3 + a^2b^4) d \cosh(dx + c) \sinh(dx + c)^4 + (a^6 + 4a^5b + 6a^4b^2 + 4a^3b^3 + a^2b^4) d \sinh(dx + c)^5 + 2(a^6 + 2a^5b - 2a^3b^3 - a^2b^4) d \cosh(dx + c)^3 + 2*(5(a^6 + 4a^5b + 6a^4b^2 + 4a^3b^3 + a^2b^4) d \cosh(dx + c)^2 + (a^6 + 2a^5b - 2a^3b^3 - a^2b^4) d) \sinh(dx + c)^3 + (a^6 + 4a^5b + 6a^4b^2 + 4a^3b^3 + a^2b^4) d \cosh(dx + c) + 2*(5(a^6 + 4a^5b + 6a^4b^2 + 4a^3b^3 + a^2b^4) d \cosh(dx + c)^3 + 3(a^6 + 2a^5b - 2a^3b^3 - a^2b^4) d \cosh(dx + c)) \sinh(dx + c)^2 + (5(a^6 + 4a^5b + 6a^4b^2 + 4a^3b^3 + a^2b^4) d \cosh(dx + c)^4 + 6(a^6 + 2a^5b - 2a^3b^3 - a^2b^4) d \cosh(dx + c)^2 + (a^6 + 4a^5b + 6a^4b^2 + 4a^3b^3 + a^2b^4) d) \sinh(dx + c)), 1/2*((a^4 + 2a^3b + a^2b^2) \cosh(dx + c)^6 + 6(a^4 + 2a^3b + a^2b^2) \cosh(dx + c) \sinh(dx + c)^5 + (a^4 + 2a^3b + a^2b^2) \sinh(dx + c)^6 + (a^4 - 2a^3b - a^2b^2 + 2ab^3) \cosh(dx + c)^4 + (a^4 - 2a^3b - a^2b^2 + 2ab^3 + 15(a^4 + 2a^3b + a^2b^2) \cosh(dx + c)^2) \sinh(dx + c)^4 - a^4 - 2a^3b - a^2b^2 + 4*(5(a^4 + 2a^3b + a^2b^2) \cosh(dx + c)^3 + (a^4 - 2a^3b - a^2b^2 + 2ab^3) \cosh(dx + c)) \sinh(dx + c)^3 - (a^4 - 2a^3b - a^2b^2 + 2ab^3) \cosh(dx + c)^2 + (15(a^4 + 2a^3b + a^2b^2) \cosh(dx + c)^4 - a^4 + 2a^3b + a^2b^2 - 2ab^3 + 6(a^4 - 2a^3b - a^2b^2 + 2ab^3) \cosh(dx + c)^2) \sinh(dx + c)^2 + ((4a^2b + 5ab^2 + b^3) \cosh(dx + c)^5 + 5*(4a^2b + 5ab^2 + b^3) \cosh(dx + c) \sinh(dx + c)^4 + (4a^2b + 5ab^2 + b^3) \sinh(dx + c)^5 + 2*(4a^2b - 3ab^2 - b^3) \cosh(dx + c)^3 + 2*(4a^2b - 3ab^2 - b^3 + 5*(4a^2b + 5ab^2 + b^3) \cosh(dx + c)^2) \sinh(dx + c)^3 + 2*(5*(4a^2b + 5ab^2 + b^3) \cosh(dx + c)^3 + 3*(4a^2b - 3ab^2 - b^3) \cosh(dx + c)) \sinh(dx + c)^2 + (4a^2b + 5ab^2 + b^3) \cosh(dx + c) + (5*(4a^2b + 5ab^2 + b^3) \cosh(dx + c)^4 + 4a^2b + 5ab^2 + b^3 + 6*(4a^2b - 3ab^2 - b^3) \cosh(dx + c)^2) \sinh(dx + c)) \sqrt{a^2 + ab} \arctan(1/2*((a + b) \cosh(dx + c)^3 + 3(a + b) \cosh(dx + c) \sinh(dx + c)^2 + (a + b) \sinh(dx + c)^3 + (3a - b) \cosh(dx + c) + (3(a + b) \cosh(dx + c)^2 + 3a - b) \sinh(dx + c)) / \sqrt{a^2 + ab})) + ((4a^2b + 5ab^2 + b^3) \cosh(dx + c)^5 + 5*(4a^2b + 5ab^2 + b^3) \cosh(dx + c) \sinh(dx + c)^4 + (4a^2b + 5ab^2 + b^3) \sinh(dx + c)^5 + 2*(4a^2b - 3ab^2 - b^3) \cosh(dx + c)^3 + 2*(4a^2b - 3ab^2 - b^3 + 5*(4a^2b + 5ab^2 + b^3) \cosh(dx + c)^2) \sinh(dx + c)^3 + 2*(5*(4a^2b + 5ab^2 + b^3) \cosh(dx + c)^3 + 3*(4a^2b - 3ab^2 - b^3) \cosh(dx + c)) \sinh(dx + c)^2
\end{aligned}$$

$$\begin{aligned}
& + (4a^2b + 5ab^2 + b^3)\cosh(dx + c) + (5(4a^2b + 5ab^2 + b^3)\cosh(dx + c)^4 + 4a^2b + 5ab^2 + b^3 + 6(4a^2b - 3ab^2 - b^3)\cosh(dx + c)^2)\sinh(dx + c)\sqrt{a^2 + ab}\arctan(1/2\sqrt{a^2 + ab})(\cosh(dx + c) + \sinh(dx + c))/a + 2(3(a^4 + 2a^3b + a^2b^2)\cosh(dx + c)^5 + 2(a^4 - 2a^3b - a^2b^2 + 2ab^3)\cosh(dx + c)^3 - (a^4 - 2a^3b - a^2b^2 + 2ab^3)\cosh(dx + c)\sinh(dx + c))/((a^6 + 4a^5b + 6a^4b^2 + 4a^3b^3 + a^2b^4)d*\cosh(dx + c)^5 + 5(a^6 + 4a^5b + 6a^4b^2 + 4a^3b^3 + a^2b^4)d*\cosh(dx + c)\sinh(dx + c)^4 + (a^6 + 4a^5b + 6a^4b^2 + 4a^3b^3 + a^2b^4)d*\sinh(dx + c)^5 + 2(a^6 + 2a^5b - 2a^3b^3 - a^2b^4)d*\cosh(dx + c)^3 + 2(5(a^6 + 4a^5b + 6a^4b^2 + 4a^3b^3 + a^2b^4)d*\cosh(dx + c)^2 + (a^6 + 2a^5b - 2a^3b^3 - a^2b^4)d*\sinh(dx + c)^3 + (a^6 + 4a^5b + 6a^4b^2 + 4a^3b^3 + a^2b^4)d*\cosh(dx + c) + 2(5(a^6 + 4a^5b + 6a^4b^2 + 4a^3b^3 + a^2b^4)d*\cosh(dx + c)^3 + 3(a^6 + 2a^5b - 2a^3b^3 - a^2b^4)d*\cosh(dx + c))\sinh(dx + c)^2 + (5(a^6 + 4a^5b + 6a^4b^2 + 4a^3b^3 + a^2b^4)d*\cosh(dx + c)^4 + 6(a^6 + 2a^5b - 2a^3b^3 - a^2b^4)d*\cosh(dx + c)^2 + (a^6 + 4a^5b + 6a^4b^2 + 4a^3b^3 + a^2b^4)d*\sinh(dx + c)))]
\end{aligned}$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(dx+c)/(a+b\*tanh(dx+c)\*\*2)\*\*2,x)

[Out] Timed out

**Giac [C]** time = 1.88005, size = 8317, normalized size = 82.35

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(dx+c)/(a+b\*tanh(dx+c)^2)^2,x, algorithm="giac")

[Out]  $1/8*(2*(3*(4a^5b e^{(4c)} + 13a^4b^2 e^{(4c)} + 15a^3b^3 e^{(4c)} + 7a^2b^4 e^{(4c)} + ab^5 e^{(4c)})\cos(1/2\operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2\cosh(1/2\operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3\sin(1/2\operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))$

$$\begin{aligned}
& \_part(\arccos(-a/(a + b) + b/(a + b))) - (4*a^5*b*e^{(4*c)} + 13*a^4*b^2*e^{(4*c)} + 15*a^3*b^3*e^{(4*c)} + 7*a^2*b^4*e^{(4*c)} + a*b^5*e^{(4*c)}) * \cosh(1/2*imag\_part(\arccos(-a/(a + b) + b/(a + b))))^3 * \sin(1/2*real\_part(\arccos(-a/(a + b) + b/(a + b))))^3 - 9*(4*a^5*b*e^{(4*c)} + 13*a^4*b^2*e^{(4*c)} + 15*a^3*b^3*e^{(4*c)} + 7*a^2*b^4*e^{(4*c)} + a*b^5*e^{(4*c)}) * \cos(1/2*real\_part(\arccos(-a/(a + b) + b/(a + b))))^2 * \cosh(1/2*imag\_part(\arccos(-a/(a + b) + b/(a + b))))^2 * \sin(1/2*real\_part(\arccos(-a/(a + b) + b/(a + b)))) * \sinh(1/2*imag\_part(\arccos(-a/(a + b) + b/(a + b)))) + 3*(4*a^5*b*e^{(4*c)} + 13*a^4*b^2*e^{(4*c)} + 15*a^3*b^3*e^{(4*c)} + 7*a^2*b^4*e^{(4*c)} + a*b^5*e^{(4*c)}) * \cosh(1/2*imag\_part(\arccos(-a/(a + b) + b/(a + b))))^2 * \sin(1/2*real\_part(\arccos(-a/(a + b) + b/(a + b))))^3 * \sinh(1/2*imag\_part(\arccos(-a/(a + b) + b/(a + b)))) + 9*(4*a^5*b*e^{(4*c)} + 13*a^4*b^2*e^{(4*c)} + 15*a^3*b^3*e^{(4*c)} + 7*a^2*b^4*e^{(4*c)} + a*b^5*e^{(4*c)}) * \cos(1/2*real\_part(\arccos(-a/(a + b) + b/(a + b))))^2 * \cosh(1/2*imag\_part(\arccos(-a/(a + b) + b/(a + b)))) * \sin(1/2*real\_part(\arccos(-a/(a + b) + b/(a + b)))) * \sinh(1/2*imag\_part(\arccos(-a/(a + b) + b/(a + b))))^2 - 3*(4*a^5*b*e^{(4*c)} + 13*a^4*b^2*e^{(4*c)} + 15*a^3*b^3*e^{(4*c)} + 7*a^2*b^4*e^{(4*c)} + a*b^5*e^{(4*c)}) * \cosh(1/2*imag\_part(\arccos(-a/(a + b) + b/(a + b)))) * \sin(1/2*real\_part(\arccos(-a/(a + b) + b/(a + b))))^3 * \sinh(1/2*imag\_part(\arccos(-a/(a + b) + b/(a + b))))^2 - 3*(4*a^5*b*e^{(4*c)} + 13*a^4*b^2*e^{(4*c)} + 15*a^3*b^3*e^{(4*c)} + 7*a^2*b^4*e^{(4*c)} + a*b^5*e^{(4*c)}) * \cos(1/2*real\_part(\arccos(-a/(a + b) + b/(a + b))))^2 * \sin(1/2*real\_part(\arccos(-a/(a + b) + b/(a + b)))) * \sinh(1/2*imag\_part(\arccos(-a/(a + b) + b/(a + b))))^3 + (4*a^5*b*e^{(4*c)} + 13*a^4*b^2*e^{(4*c)} + 15*a^3*b^3*e^{(4*c)} + 7*a^2*b^4*e^{(4*c)} + a*b^5*e^{(4*c)}) * \sin(1/2*real\_part(\arccos(-a/(a + b) + b/(a + b))))^3 * \sinh(1/2*imag\_part(\arccos(-a/(a + b) + b/(a + b))))^3 + (4*a^5*b*e^{(4*c)} + 13*a^4*b^2*e^{(4*c)} + 15*a^3*b^3*e^{(4*c)} + 7*a^2*b^4*e^{(4*c)} + a*b^5*e^{(4*c)}) * \cosh(1/2*imag\_part(\arccos(-a/(a + b) + b/(a + b)))) * \sin(1/2*real\_part(\arccos(-a/(a + b) + b/(a + b)))) - (4*a^5*b*e^{(4*c)} + 13*a^4*b^2*e^{(4*c)} + 15*a^3*b^3*e^{(4*c)} + 7*a^2*b^4*e^{(4*c)} + a*b^5*e^{(4*c)}) * \sin(1/2*real\_part(\arccos(-a/(a + b) + b/(a + b)))) * \sinh(1/2*imag\_part(\arccos(-a/(a + b) + b/(a + b)))) * \arctan((((a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)/(a^4*e^{(4*c)} + 3*a^3*b*e^{(4*c)} + 3*a^2*b^2*e^{(4*c)} + a*b^3*e^{(4*c)}))^{(1/4)} * \cos(1/2*\arccos(-(a - b)/(a + b))) + e^{(d*x)})/((((a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)/(a^4*e^{(4*c)} + 3*a^3*b*e^{(4*c)} + 3*a^2*b^2*e^{(4*c)} + a*b^3*e^{(4*c)}))^{(1/4)} * \sin(1/2*\arccos(-(a - b)/(a + b)))))/(2*(a^3*e^{(2*c)} + 2*a^2*b*e^{(2*c)} + a*b^2*e^{(2*c)})^2*a*b + (a^4*e^{(2*c)} + a^3*b*e^{(2*c)} - a^2*b^2*e^{(2*c)} - a*b^3*e^{(2*c)}) * \sqrt{-a*b} * \abs(a^3*e^{(2*c)} + 2*a^2*b*e^{(2*c)} + a*b^2*e^{(2*c)})) + 2*(3*(4*a^5*b*e^{(4*c)} + 13*a^4*b^2*e^{(4*c)} + 15*a^3*b^3*e^{(4*c)} + 7*a^2*b^4*e^{(4*c)} + a*b^5*e^{(4*c)}) * \cos(1/2*real\_part(\arccos(-a/(a + b) + b/(a + b))))^2 * \cosh(1/2*imag\_part(\arccos(-a/(a + b) + b/(a + b))))^3 * \sin(1/2*real\_part(\arccos(-a/(a + b) + b/(a + b)))) - (4*a^5*b*e^{(4*c)} + 13*a^4*b^2*e^{(4*c)} + 15*a^3*b^3*e^{(4*c)} + 7*a^2*b^4*e^{(4*c)} + a*b^5*e^{(4*c)}) * \cosh(1/2*imag\_part(\arccos(-a/(a + b) + b/(a + b))))^3 * \sin(1/2*real\_part(\arccos(-a/(a + b) + b/(a + b))))^3 - 9*(4*a^5*b*e^{(4*c)} + 13*a^4*b^2*e^{(4*c)} + 15*a^3*b^3*e^{(4*c)} + 7*a^2*b^4*e^{(4*c)} + a*b^5*e^{(4*c)}) * \cos(1/2*real\_part(\arccos(-a/(a + b) + b/(a + b))))^2 * \cosh(1/2
\end{aligned}$$

$$\begin{aligned}
& * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))^2 * \sin(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sinh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) + \\
& 3 * (4 * a^5 * b * e^{(4*c)} + 13 * a^4 * b^2 * e^{(4*c)} + 15 * a^3 * b^3 * e^{(4*c)} + 7 * a^2 * b^4 * e^{(4*c)} + a * b^5 * e^{(4*c)}) * \cosh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) \\
& ^2 * \sin(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \sinh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) + 9 * (4 * a^5 * b * e^{(4*c)} + 13 * a^4 * b^2 * e^{(4*c)} \\
& + 15 * a^3 * b^3 * e^{(4*c)} + 7 * a^2 * b^4 * e^{(4*c)} + a * b^5 * e^{(4*c)}) * \cos(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 * \cosh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sin(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sinh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - 3 * (4 * a^5 * b * e^{(4*c)} + 13 * a^4 * b^2 * e^{(4*c)} + 15 * a^3 * b^3 * e^{(4*c)} + 7 * a^2 * b^4 * e^{(4*c)} + a * b^5 * e^{(4*c)}) * \cosh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sin(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \sinh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - 3 * (4 * a^5 * b * e^{(4*c)} + 13 * a^4 * b^2 * e^{(4*c)} + 15 * a^3 * b^3 * e^{(4*c)} + 7 * a^2 * b^4 * e^{(4*c)} + a * b^5 * e^{(4*c)}) * \cos(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 * \sin(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sinh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 + (4 * a^5 * b * e^{(4*c)} + 13 * a^4 * b^2 * e^{(4*c)} + 15 * a^3 * b^3 * e^{(4*c)} + 7 * a^2 * b^4 * e^{(4*c)} + a * b^5 * e^{(4*c)}) * \sin(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \sinh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 + (4 * a^5 * b * e^{(4*c)} + 13 * a^4 * b^2 * e^{(4*c)} + 15 * a^3 * b^3 * e^{(4*c)} + 7 * a^2 * b^4 * e^{(4*c)} + a * b^5 * e^{(4*c)}) * \cosh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sin(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) - (4 * a^5 * b * e^{(4*c)} + 13 * a^4 * b^2 * e^{(4*c)} + 15 * a^3 * b^3 * e^{(4*c)} + 7 * a^2 * b^4 * e^{(4*c)} + a * b^5 * e^{(4*c)}) * \sin(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sinh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \arctan(-(((a^4 + 3 * a^3 * b + 3 * a^2 * b^2 + a * b^3)/(a^4 * e^{(4*c)} + 3 * a^3 * b * e^{(4*c)} + 3 * a^2 * b^2 * e^{(4*c)} + a * b^3 * e^{(4*c)})))^{(1/4)} * \cos(1/2 * \arccos(-(a-b)/(a+b))) - e^{(d*x)})/(((a^4 + 3 * a^3 * b + 3 * a^2 * b^2 + a * b^3)/(a^4 * e^{(4*c)} + 3 * a^3 * b * e^{(4*c)} + 3 * a^2 * b^2 * e^{(4*c)} + a * b^3 * e^{(4*c)})))^{(1/4)} * \sin(1/2 * \arccos(-(a-b)/(a+b))))/(2 * (a^3 * e^{(2*c)} + 2 * a^2 * b * e^{(2*c)} + a * b^2 * e^{(2*c)})^2 * a * b + (a^4 * e^{(2*c)} + a^3 * b * e^{(2*c)} - a^2 * b^2 * e^{(2*c)} - a * b^3 * e^{(2*c)}) * \sqrt{-a * b} * \operatorname{abs}(a^3 * e^{(2*c)} + 2 * a^2 * b * e^{(2*c)} + a * b^2 * e^{(2*c)})) + ((4 * a^5 * b * e^{(4*c)} + 13 * a^4 * b^2 * e^{(4*c)} + 15 * a^3 * b^3 * e^{(4*c)} + 7 * a^2 * b^4 * e^{(4*c)} + a * b^5 * e^{(4*c)}) * \cos(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \cosh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 - 3 * (4 * a^5 * b * e^{(4*c)} + 13 * a^4 * b^2 * e^{(4*c)} + 15 * a^3 * b^3 * e^{(4*c)} + 7 * a^2 * b^4 * e^{(4*c)} + a * b^5 * e^{(4*c)}) * \cos(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \cosh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \sin(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - 3 * (4 * a^5 * b * e^{(4*c)} + 13 * a^4 * b^2 * e^{(4*c)} + 15 * a^3 * b^3 * e^{(4*c)} + 7 * a^2 * b^4 * e^{(4*c)} + a * b^5 * e^{(4*c)}) * \cos(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \cosh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 * \sinh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) + 9 * (4 * a^5 * b * e^{(4*c)} + 13 * a^4 * b^2 * e^{(4*c)} + 15 * a^3 * b^3 * e^{(4*c)} + 7 * a^2 * b^4 * e^{(4*c)} + a * b^5 * e^{(4*c)}) * \cos(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \cosh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 * \sin(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 * \sinh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))
\end{aligned}$$

$$\begin{aligned}
& ) + 3*(4*a^5*b*e^{(4*c)} + 13*a^4*b^2*e^{(4*c)} + 15*a^3*b^3*e^{(4*c)} + 7*a^2*b^4*e^{(4*c)} + a*b^5*e^{(4*c)})*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))) \\
& ))^3*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sinh(1/2*\text{imag\_part} \\
& (\arccos(-a/(a + b) + b/(a + b))))^2 - 9*(4*a^5*b*e^{(4*c)} + 13*a^4*b^2*e^{(4*c)} + 15*a^3*b^3*e^{(4*c)} + 7*a^2*b^4*e^{(4*c)} + a*b^5*e^{(4*c)})*\cos(1/2*\text{real\_p} \\
& \text{art}(\arccos(-a/(a + b) + b/(a + b))))*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + \\
& b/(a + b))))*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\sinh(1/2 \\
& *\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 - (4*a^5*b*e^{(4*c)} + 13*a^4*b^2*e^{(4*c)} + 15*a^3*b^3*e^{(4*c)} + 7*a^2*b^4*e^{(4*c)} + a*b^5*e^{(4*c)})*\cos(1/ \\
& 2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\sinh(1/2*\text{imag\_part}(\arccos(-a \\
& /(a + b) + b/(a + b))))^3 + 3*(4*a^5*b*e^{(4*c)} + 13*a^4*b^2*e^{(4*c)} + 15*a^3*b^3*e^{(4*c)} + 7*a^2*b^4*e^{(4*c)} + a*b^5*e^{(4*c)})*\cos(1/2*\text{real\_part}(\arccos \\
& (-a/(a + b) + b/(a + b))))*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b) \\
& ))^2*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 + (4*a^5*b*e^{(4*c)} + 13*a^4*b^2*e^{(4*c)} + 15*a^3*b^3*e^{(4*c)} + 7*a^2*b^4*e^{(4*c)} + a*b^5*e^{(4*c)})*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b) \\
& ))*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) - (4*a^5*b*e^{(4*c)} + 13*a^4*b^2*e^{(4*c)} + 15*a^3*b^3*e^{(4*c)} + 7*a^2*b^4*e^{(4*c)} + a*b^5*e^{(4*c)})*\cos(1/2*\text{real\_part} \\
& (\arccos(-a/(a + b) + b/(a + b))))*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/ \\
& (a + b))))*\log(2*((a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)/(a^4*e^{(4*c)} + 3*a^3 \\
& *b*e^{(4*c)} + 3*a^2*b^2*e^{(4*c)} + a*b^3*e^{(4*c)}))^{(1/4)}*\cos(1/2*\arccos(-(a - \\
& b)/(a + b))) * e^{(d*x)} + \text{sqrt}((a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)/(a^4*e^{(4* \\
& c)} + 3*a^3*b*e^{(4*c)} + 3*a^2*b^2*e^{(4*c)} + a*b^3*e^{(4*c)})) + e^{(2*d*x)})/(2* \\
& (a^3*e^{(2*c)} + 2*a^2*b*e^{(2*c)} + a*b^2*e^{(2*c)})^2*a*b + (a^4*e^{(2*c)} + a^3* \\
& b*e^{(2*c)} - a^2*b^2*e^{(2*c)} - a*b^3*e^{(2*c)})*\text{sqrt}(-a*b)*\text{abs}(a^3*e^{(2*c)} + 2 \\
& *a^2*b*e^{(2*c)} + a*b^2*e^{(2*c)}) - ((4*a^5*b*e^{(4*c)} + 13*a^4*b^2*e^{(4*c)} + \\
& 15*a^3*b^3*e^{(4*c)} + 7*a^2*b^4*e^{(4*c)} + a*b^5*e^{(4*c)})*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b \\
& /(a + b))))^3 - 3*(4*a^5*b*e^{(4*c)} + 13*a^4*b^2*e^{(4*c)} + 15*a^3*b^3*e^{(4*c)} + 7*a^2*b^4*e^{(4*c)} + a*b^5*e^{(4*c)})*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b) \\
& ))*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\sin(1/ \\
& 2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 - 3*(4*a^5*b*e^{(4*c)} + 13*a^4 \\
& *b^2*e^{(4*c)} + 15*a^3*b^3*e^{(4*c)} + 7*a^2*b^4*e^{(4*c)} + a*b^5*e^{(4*c)})*\cos \\
& (1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\cosh(1/2*\text{imag\_part}(\arccos \\
& (-a/(a + b) + b/(a + b))))^2*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + \\
& b)))) + 9*(4*a^5*b*e^{(4*c)} + 13*a^4*b^2*e^{(4*c)} + 15*a^3*b^3*e^{(4*c)} + 7*a^2 \\
& *b^4*e^{(4*c)} + a*b^5*e^{(4*c)})*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + \\
& b))))*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\sin(1/2*\text{real\_p} \\
& \text{art}(\arccos(-a/(a + b) + b/(a + b))))^2*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) \\
& + b/(a + b)))) + 3*(4*a^5*b*e^{(4*c)} + 13*a^4*b^2*e^{(4*c)} + 15*a^3*b^3*e^{(4 \\
& *c)} + 7*a^2*b^4*e^{(4*c)} + a*b^5*e^{(4*c)})*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) \\
& ) + b/(a + b))))^3*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sinh \\
& (1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 - 9*(4*a^5*b*e^{(4*c)} + 13 \\
& *a^4*b^2*e^{(4*c)} + 15*a^3*b^3*e^{(4*c)} + 7*a^2*b^4*e^{(4*c)} + a*b^5*e^{(4*c)})* \\
& \cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\cosh(1/2*\text{imag\_part}(\arcco
\end{aligned}$$

$$\begin{aligned}
& s(-a/(a+b) + b/(a+b))) * \sin(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) \\
& ))^2 * \sinh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - (4*a^5*b*e^{4*c} \\
& + 13*a^4*b^2*e^{4*c} + 15*a^3*b^3*e^{4*c} + 7*a^2*b^4*e^{4*c} + a*b^5*e^{4*c}) \\
& * \cos(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \sinh(1/2 * \text{imag\_} \\
& \text{part}(\arccos(-a/(a+b) + b/(a+b))))^3 + 3*(4*a^5*b*e^{4*c} + 13*a^4*b^2*e^{4*c} \\
& + 15*a^3*b^3*e^{4*c} + 7*a^2*b^4*e^{4*c} + a*b^5*e^{4*c}) * \cos(1/2 * \text{re} \\
& \text{al\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sin(1/2 * \text{real\_part}(\arccos(-a/(a+b) \\
& ) + b/(a+b))))^2 * \sinh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 + \\
& (4*a^5*b*e^{4*c} + 13*a^4*b^2*e^{4*c} + 15*a^3*b^3*e^{4*c} + 7*a^2*b^4*e^{4*c} \\
& + a*b^5*e^{4*c}) * \cos(1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \cos \\
& h(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) - (4*a^5*b*e^{4*c} + 13*a^4 \\
& *b^2*e^{4*c} + 15*a^3*b^3*e^{4*c} + 7*a^2*b^4*e^{4*c} + a*b^5*e^{4*c}) * \cos \\
& (1/2 * \text{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sinh(1/2 * \text{imag\_part}(\arccos(- \\
& a/(a+b) + b/(a+b)))) * \log(-2*((a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)/(a^4 * \\
& e^{4*c} + 3*a^3*b*e^{4*c} + 3*a^2*b^2*e^{4*c} + a*b^3*e^{4*c}))^{1/4} * \cos(1 \\
& /2 * \arccos(-(a-b)/(a+b))) * e^{d*x} + \sqrt{(a^4 + 3*a^3*b + 3*a^2*b^2 + a * \\
& b^3)/(a^4 * e^{4*c} + 3*a^3*b*e^{4*c} + 3*a^2*b^2*e^{4*c} + a*b^3*e^{4*c}))} + \\
& e^{(2*d*x)}) / (2*(a^3*e^{2*c} + 2*a^2*b*e^{2*c} + a*b^2*e^{2*c}))^2 * a*b + (a^4 \\
& * e^{2*c} + a^3*b*e^{2*c} - a^2*b^2*e^{2*c} - a*b^3*e^{2*c}) * \sqrt{-a*b} * \text{abs}( \\
& a^3*e^{2*c} + 2*a^2*b*e^{2*c} + a*b^2*e^{2*c})) + 4*e^{(d*x + 10*c)} / (a^2 * e^{( \\
& 9*c)} + 2*a*b*e^{(9*c)} + b^2 * e^{(9*c)}) - 4*(a^2 * e^{(4*d*x + 4*c)} + a*b * e^{(4*d*x \\
& + 4*c)} - 2*b^2 * e^{(4*d*x + 4*c)} + 2*a^2 * e^{(2*d*x + 2*c)} - 2*a*b * e^{(2*d*x + \\
& 2*c)} + 2*b^2 * e^{(2*d*x + 2*c)} + a^2 + a*b) / ((a^3 * e^c + 2*a^2 * b * e^c + a * b^2 * e^c) \\
& * (a * e^{(5*d*x + 4*c)} + b * e^{(5*d*x + 4*c)} + 2*a * e^{(3*d*x + 2*c)} - 2*b * e^{(3 \\
& *d*x + 2*c)} + a * e^{(d*x)} + b * e^{(d*x)})) / d
\end{aligned}$$



$$3.118 \quad \int \frac{\operatorname{sech}(c+dx)}{\left(a+b \tanh^2(c+dx)\right)^2} dx$$

**Optimal.** Leaf size=83

$$\frac{(2a+b) \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{2a^{3/2}d(a+b)^{3/2}} + \frac{b \sinh(c+dx)}{2ad(a+b)\left((a+b) \sinh^2(c+dx) + a\right)}$$

[Out]  $((2*a + b)*\operatorname{ArcTan}[(\operatorname{Sqrt}[a + b]*\operatorname{Sinh}[c + d*x])/\operatorname{Sqrt}[a]])/(2*a^{(3/2)}*(a + b)^{(3/2)*d} + (b*\operatorname{Sinh}[c + d*x])/(2*a*(a + b)*d*(a + (a + b)*\operatorname{Sinh}[c + d*x]^2))$

**Rubi [A]** time = 0.0708357, antiderivative size = 83, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3676, 385, 205}

$$\frac{(2a+b) \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{2a^{3/2}d(a+b)^{3/2}} + \frac{b \sinh(c+dx)}{2ad(a+b)\left((a+b) \sinh^2(c+dx) + a\right)}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[\operatorname{Sech}[c + d*x]/(a + b*\operatorname{Tanh}[c + d*x]^2), x]$

[Out]  $((2*a + b)*\operatorname{ArcTan}[(\operatorname{Sqrt}[a + b]*\operatorname{Sinh}[c + d*x])/\operatorname{Sqrt}[a]])/(2*a^{(3/2)}*(a + b)^{(3/2)*d} + (b*\operatorname{Sinh}[c + d*x])/(2*a*(a + b)*d*(a + (a + b)*\operatorname{Sinh}[c + d*x]^2))$

### Rule 3676

$\operatorname{Int}[\sec[(e_.) + (f_.)*(x_)]^{(m_.)}*((a_.) + (b_.)*\tan[(e_.) + (f_.)*(x_)]^{(n_.)})^{(p_.)}, x\_Symbol] \rightarrow \operatorname{With}[\{ff = \operatorname{FreeFactors}[\operatorname{Sin}[e + f*x], x]\}, \operatorname{Dist}[ff/f, \operatorname{Subst}[\operatorname{Int}[\operatorname{ExpandToSum}[b*(ff*x)^n + a*(1 - ff^2*x^2)^{(n/2)}], x]^p/(1 - ff^2*x^2)^{((m + n*p + 1)/2)}, x], x, \operatorname{Sin}[e + f*x]/ff], x] /; \operatorname{FreeQ}\{a, b, e, f, x\} \&\& \operatorname{IntegerQ}[(m - 1)/2] \&\& \operatorname{IntegerQ}[n/2] \&\& \operatorname{IntegerQ}[p]$

### Rule 385

$\operatorname{Int}[(a_.) + (b_.)*(x_)]^{(n_.)})^{(p_.)}*((c_.) + (d_.)*(x_)]^{(n_.)}, x\_Symbol] \rightarrow -\operatorname{Simp}[(b*c - a*d)*x*(a + b*x^n)^{(p + 1)}/(a*b*n*(p + 1)), x] - \operatorname{Dist}[(a*d - b*c*(n*(p + 1) + 1))/(a*b*n*(p + 1)), \operatorname{Int}[(a + b*x^n)^{(p + 1)}, x], x] /; \operatorname{FreeQ}\{a, b, c, d, n, p\}, x] \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& (\operatorname{LtQ}[p, -1] \mid \mid \operatorname{ILtQ}[1/n +$

p, 0])

### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rubi steps

$$\begin{aligned} \int \frac{\operatorname{sech}(c+dx)}{(a+b \tanh^2(c+dx))^2} dx &= \frac{\operatorname{Subst}\left(\int \frac{1+x^2}{(a+(a+b)x^2)^2} dx, x, \sinh(c+dx)\right)}{d} \\ &= \frac{b \sinh(c+dx)}{2a(a+b)d(a+(a+b) \sinh^2(c+dx))} + \frac{(2a+b) \operatorname{Subst}\left(\int \frac{1}{a+(a+b)x^2} dx, x, \sinh(c+dx)\right)}{2a(a+b)d} \\ &= \frac{(2a+b) \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{2a^{3/2}(a+b)^{3/2}d} + \frac{b \sinh(c+dx)}{2a(a+b)d(a+(a+b) \sinh^2(c+dx))} \end{aligned}$$

**Mathematica [A]** time = 0.274639, size = 78, normalized size = 0.94

$$\frac{\frac{(2a+b) \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{a^{3/2} \sqrt{a+b}} + \frac{b \sinh(c+dx)}{a((a+b) \sinh^2(c+dx)+a)}}{2d(a+b)}$$

Antiderivative was successfully verified.

[In] Integrate[Sech[c + d\*x]/(a + b\*Tanh[c + d\*x]^2)^2, x]

[Out] (((2\*a + b)\*ArcTan[(Sqrt[a + b]\*Sinh[c + d\*x])/Sqrt[a]])/(a^(3/2)\*Sqrt[a + b])) + (b\*Sinh[c + d\*x])/(a\*(a + (a + b)\*Sinh[c + d\*x]^2)))/(2\*(a + b)\*d)

---

**Maple [B]** time = 0.082, size = 666, normalized size = 8.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sech(d*x+c)/(a+b*tanh(d*x+c)^2)^2,x)`

[Out] 
$$-1/d/(\tanh(1/2*d*x+1/2*c)^{4*a+2*\tanh(1/2*d*x+1/2*c)^{2*a+4*\tanh(1/2*d*x+1/2*c)^{2*b+a}}*b/a/(a+b)*\tanh(1/2*d*x+1/2*c)^3+1/d/(\tanh(1/2*d*x+1/2*c)^{4*a+2*\tanh(1/2*d*x+1/2*c)^{2*a+4*\tanh(1/2*d*x+1/2*c)^{2*b+a}}*b/a/(a+b)*\tanh(1/2*d*x+1/2*c)-1/d/(a+b)/((2*(b*(a+b))^{(1/2)-a-2*b})^a)^{(1/2)}*\arctanh(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)-a-2*b})^a)^{(1/2)}))+1/d/(a+b)/(b*(a+b))^{(1/2)}/((2*(b*(a+b))^{(1/2)-a-2*b})^a)^{(1/2)}*\arctanh(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)-a-2*b})^a)^{(1/2)}))+b+1/d/(a+b)/((2*(b*(a+b))^{(1/2)+a+2*b})^a)^{(1/2)}*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)+a+2*b})^a)^{(1/2)}))+1/d/(a+b)/(b*(a+b))^{(1/2)}/((2*(b*(a+b))^{(1/2)+a+2*b})^a)^{(1/2)}*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)+a+2*b})^a)^{(1/2)}))*b-1/2/d/(a+b)*b/a/((2*(b*(a+b))^{(1/2)-a-2*b})^a)^{(1/2)}*\arctanh(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)-a-2*b})^a)^{(1/2)}))+1/2/d/(a+b)/a/(b*(a+b))^{(1/2)}/((2*(b*(a+b))^{(1/2)-a-2*b})^a)^{(1/2)})*\arctanh(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)-a-2*b})^a)^{(1/2)}))*b^2+1/2/d/(a+b)*b/a/((2*(b*(a+b))^{(1/2)+a+2*b})^a)^{(1/2)}*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)+a+2*b})^a)^{(1/2)}))+1/2/d/(a+b)/a/(b*(a+b))^{(1/2)}/((2*(b*(a+b))^{(1/2)+a+2*b})^a)^{(1/2)}*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)+a+2*b})^a)^{(1/2)}))*b^2$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{be^{(3dx+3c)} - be^{(dx+c)}}{a^3d + 2a^2bd + ab^2d + (a^3de^{(4c)} + 2a^2bde^{(4c)} + ab^2de^{(4c)})e^{(4dx)} + 2(a^3de^{(2c)} - ab^2de^{(2c)})e^{(2dx)}} + 2 \int \frac{1}{2(a^3 + 2a^2b + ab^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sech(d*x+c)/(a+b*tanh(d*x+c)^2)^2,x, algorithm="maxima")`

[Out] 
$$(b*e^{(3*d*x + 3*c)} - b*e^{(d*x + c)})/(a^3*d + 2*a^2*b*d + a*b^2*d + (a^3*d*e^{(4*c)} + 2*a^2*b*d*e^{(4*c)} + a*b^2*d*e^{(4*c)})*e^{(4*d*x)} + 2*(a^3*d*e^{(2*c)} - a*b^2*d*e^{(2*c)})*e^{(2*d*x)}) + 2*\integrate(1/2*((2*a*e^{(3*c)} + b*e^{(3*c)})*e^{(3*d*x)} + (2*a*e^c + b*e^c)*e^{(d*x)})/(a^3 + 2*a^2*b + a*b^2 + (a^3*e^{(4*c)} + 2*a^2*b*e^{(4*c)} + a*b^2*e^{(4*c)})*e^{(4*d*x)} + 2*(a^3*e^{(2*c)} - a*b^2*e^{(2*c)})*e^{(2*d*x)}), x)$$

**Fricas [B]** time = 2.30218, size = 4917, normalized size = 59.24

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out] [1/4\*(4\*(a^2\*b + a\*b^2)\*cosh(d\*x + c)^3 + 12\*(a^2\*b + a\*b^2)\*cosh(d\*x + c)\*sinh(d\*x + c)^2 + 4\*(a^2\*b + a\*b^2)\*sinh(d\*x + c)^3 - ((2\*a^2 + 3\*a\*b + b^2)\*cosh(d\*x + c)^4 + 4\*(2\*a^2 + 3\*a\*b + b^2)\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + (2\*a^2 + 3\*a\*b + b^2)\*sinh(d\*x + c)^4 + 2\*(2\*a^2 - a\*b - b^2)\*cosh(d\*x + c)^2 + 2\*(3\*(2\*a^2 + 3\*a\*b + b^2)\*cosh(d\*x + c)^2 + 2\*a^2 - a\*b - b^2)\*sinh(d\*x + c)^2 + 2\*a^2 + 3\*a\*b + b^2 + 4\*((2\*a^2 + 3\*a\*b + b^2)\*cosh(d\*x + c)^3 + (2\*a^2 - a\*b - b^2)\*cosh(d\*x + c))\*sinh(d\*x + c))\*sqrt(-a^2 - a\*b)\*log(((a + b)\*cosh(d\*x + c)^4 + 4\*(a + b)\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + (a + b)\*sinh(d\*x + c)^4 - 2\*(3\*a + b)\*cosh(d\*x + c)^2 + 2\*(3\*(a + b)\*cosh(d\*x + c)^2 - 3\*a - b)\*sinh(d\*x + c)^2 + 4\*((a + b)\*cosh(d\*x + c)^3 - (3\*a + b)\*cosh(d\*x + c))\*sinh(d\*x + c) - 4\*(cosh(d\*x + c)^3 + 3\*cosh(d\*x + c)\*sinh(d\*x + c)^2 + sinh(d\*x + c)^3 + (3\*cosh(d\*x + c)^2 - 1)\*sinh(d\*x + c) - cosh(d\*x + c))\*sqrt(-a^2 - a\*b) + a + b)/((a + b)\*cosh(d\*x + c)^4 + 4\*(a + b)\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + (a + b)\*sinh(d\*x + c)^4 + 2\*(a - b)\*cosh(d\*x + c)^2 + 2\*(3\*(a + b)\*cosh(d\*x + c)^2 + a - b)\*sinh(d\*x + c)^2 + 4\*((a + b)\*cosh(d\*x + c)^3 + (a - b)\*cosh(d\*x + c))\*sinh(d\*x + c) + a + b)) - 4\*(a^2\*b + a\*b^2)\*cosh(d\*x + c) - 4\*(a^2\*b + a\*b^2 - 3\*(a^2\*b + a\*b^2)\*cosh(d\*x + c)^2)\*sinh(d\*x + c))/((a^5 + 3\*a^4\*b + 3\*a^3\*b^2 + a^2\*b^3)\*d\*cosh(d\*x + c)^4 + 4\*(a^5 + 3\*a^4\*b + 3\*a^3\*b^2 + a^2\*b^3)\*d\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + (a^5 + 3\*a^4\*b + 3\*a^3\*b^2 + a^2\*b^3)\*d\*sinh(d\*x + c)^4 + 2\*(a^5 + a^4\*b - a^3\*b^2 - a^2\*b^3)\*d\*cosh(d\*x + c)^2 + 2\*(3\*(a^5 + 3\*a^4\*b + 3\*a^3\*b^2 + a^2\*b^3)\*d\*cosh(d\*x + c)^2 + (a^5 + a^4\*b - a^3\*b^2 - a^2\*b^3)\*d)\*sinh(d\*x + c)^2 + (a^5 + 3\*a^4\*b + 3\*a^3\*b^2 + a^2\*b^3)\*d + 4\*((a^5 + 3\*a^4\*b + 3\*a^3\*b^2 + a^2\*b^3)\*d\*cosh(d\*x + c)^3 + (a^5 + a^4\*b - a^3\*b^2 - a^2\*b^3)\*d\*cosh(d\*x + c))\*sinh(d\*x + c)), 1/2\*(2\*(a^2\*b + a\*b^2)\*cosh(d\*x + c)^3 + 6\*(a^2\*b + a\*b^2)\*cosh(d\*x + c)\*sinh(d\*x + c)^2 + 2\*(a^2\*b + a\*b^2)\*sinh(d\*x + c)^3 + ((2\*a^2 + 3\*a\*b + b^2)\*cosh(d\*x + c)^4 + 4\*(2\*a^2 + 3\*a\*b + b^2)\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + (2\*a^2 + 3\*a\*b + b^2)\*sinh(d\*x + c)^4 + 2\*(2\*a^2 - a\*b - b^2)\*cosh(d\*x + c)^2 + 2\*(3\*(2\*a^2 + 3\*a\*b + b^2)\*cosh(d\*x + c)^2 + 2\*a^2 - a\*b - b^2)\*sinh(d\*x + c)^2 + 2\*a^2 + 3\*a\*b + b^2 + 4\*((2\*a^2 + 3\*a\*b + b^2)\*cosh(d\*x + c)^3 + (2\*a^2 - a\*b - b^2)\*cosh(d\*x + c))\*sinh(d\*x + c))\*sqrt(a^2 + a\*b)\*arctan(1/2\*((a + b)\*cosh(d\*x + c)^3 + 3\*(a + b)\*cosh(d\*x + c)\*sinh(d\*x + c)^2 + (a + b)\*sinh(d\*x + c)^3 + (3\*a - b)\*cosh(d\*x + c) + (3\*(a + b)\*cosh(d\*x + c)^2 + 3\*a - b)\*sinh(d\*x + c))/sqrt(a^2 + a\*b)) + ((2\*a^2 + 3\*a\*b + b^2)\*cosh(d\*x + c)^4 + 4\*(2\*a^2 + 3\*a\*b + b^2)\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + (2\*a^2 + 3\*a\*b + b^2)\*sinh(d\*x + c)^4 + 2\*(2\*a^2 - a\*b - b^2)\*cosh(d\*x + c)^2 + 2\*(3\*(2\*a^2 + 3\*a\*b + b^2)\*cosh(d\*x + c)^2 + 2\*a^2 - a\*b - b^2)\*sinh(d\*x + c)^2 + 2\*a^2 + 3\*a\*b + b^2 + 4\*((2\*a^2 + 3\*a\*b + b^2)\*cosh(d\*x + c)^3 + (2\*a^2 - a\*b - b^2)\*cosh(d\*x + c))\*sinh(d\*x + c))\*sqrt(a^2 + a\*b)\*arctan(1/2\*sqrt(a^2 + a\*b)\*(cosh(d\*x + c) + sinh(d\*x + c))/a) -

$$2*(a^2*b + a*b^2)*\cosh(d*x + c) - 2*(a^2*b + a*b^2 - 3*(a^2*b + a*b^2)*\cos h(d*x + c)^2)*\sinh(d*x + c))/((a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*d*\cosh(d*x + c)^4 + 4*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*d*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*d*\sinh(d*x + c)^4 + 2*(a^5 + a^4*b - a^3*b^2 - a^2*b^3)*d*\cosh(d*x + c)^2 + 2*(3*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*d*\cosh(d*x + c)^2 + (a^5 + a^4*b - a^3*b^2 - a^2*b^3)*d)*\sinh(d*x + c)^2 + (a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*d + 4*((a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*d*\cosh(d*x + c)^3 + (a^5 + a^4*b - a^3*b^2 - a^2*b^3)*d*\cosh(d*x + c))*\sinh(d*x + c))]$$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{sech}(c + dx)}{(a + b \tanh^2(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)/(a+b\*tanh(d\*x+c)\*\*2)\*\*2,x)

[Out] Integral(sech(c + d\*x)/(a + b\*tanh(c + d\*x)\*\*2)\*\*2, x)

**Giac [C]** time = 1.68103, size = 6892, normalized size = 83.04

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out]  $\frac{1}{8}*(2*(3*(2*a^4*e^{(4*c)} + 5*a^3*b*e^{(4*c)} + 4*a^2*b^2*e^{(4*c)} + a*b^3*e^{(4*c)}))*\cos(1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\cosh(1/2*\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\sin(1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))) - (2*a^4*e^{(4*c)} + 5*a^3*b*e^{(4*c)} + 4*a^2*b^2*e^{(4*c)} + a*b^3*e^{(4*c)}))*\cosh(1/2*\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\sin(1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 - 9*(2*a^4*e^{(4*c)} + 5*a^3*b*e^{(4*c)} + 4*a^2*b^2*e^{(4*c)} + a*b^3*e^{(4*c)}))*\cos(1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\cosh(1/2*\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\sin(1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sinh(1/2*\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) + 3*(2*a^4*e^{(4*c)} + 5*a^3*b*e^{(4*c)} + 4*a^2*b^2*$

$$\begin{aligned}
& e^{(4*c)} + a*b^3*e^{(4*c))*\cosh(1/2*imag\_part(\arccos(-a/(a + b) + b/(a + b))) \\
& )^2*\sin(1/2*real\_part(\arccos(-a/(a + b) + b/(a + b))))^3*\sinh(1/2*imag\_part \\
& (\arccos(-a/(a + b) + b/(a + b)))) + 9*(2*a^4*e^{(4*c)} + 5*a^3*b*e^{(4*c)} + 4* \\
& a^2*b^2*e^{(4*c)} + a*b^3*e^{(4*c))*\cos(1/2*real\_part(\arccos(-a/(a + b) + b/(a \\
& + b))))^2*\cosh(1/2*imag\_part(\arccos(-a/(a + b) + b/(a + b))))*\sin(1/2*real \\
& \_part(\arccos(-a/(a + b) + b/(a + b))))*\sinh(1/2*imag\_part(\arccos(-a/(a + b) \\
& + b/(a + b))))^2 - 3*(2*a^4*e^{(4*c)} + 5*a^3*b*e^{(4*c)} + 4*a^2*b^2*e^{(4*c)} \\
& + a*b^3*e^{(4*c))*\cosh(1/2*imag\_part(\arccos(-a/(a + b) + b/(a + b))))*\sin(1/ \\
& 2*real\_part(\arccos(-a/(a + b) + b/(a + b))))^3*\sinh(1/2*imag\_part(\arccos(-a \\
& /(a + b) + b/(a + b))))^2 - 3*(2*a^4*e^{(4*c)} + 5*a^3*b*e^{(4*c)} + 4*a^2*b^2* \\
& e^{(4*c)} + a*b^3*e^{(4*c))*\cos(1/2*real\_part(\arccos(-a/(a + b) + b/(a + b)))) \\
& ^2*\sin(1/2*real\_part(\arccos(-a/(a + b) + b/(a + b))))*\sinh(1/2*imag\_part(ar \\
& ccos(-a/(a + b) + b/(a + b))))^3 + (2*a^4*e^{(4*c)} + 5*a^3*b*e^{(4*c)} + 4*a^2 \\
& *b^2*e^{(4*c)} + a*b^3*e^{(4*c))*\sin(1/2*real\_part(\arccos(-a/(a + b) + b/(a + \\
& b))))^3*\sinh(1/2*imag\_part(\arccos(-a/(a + b) + b/(a + b))))^3 + (2*a^4*e^{(4 \\
& *c)} + 5*a^3*b*e^{(4*c)} + 4*a^2*b^2*e^{(4*c)} + a*b^3*e^{(4*c))*\cosh(1/2*imag\_pa \\
& rt(\arccos(-a/(a + b) + b/(a + b))))*\sin(1/2*real\_part(\arccos(-a/(a + b) + b \\
& /(a + b)))) - (2*a^4*e^{(4*c)} + 5*a^3*b*e^{(4*c)} + 4*a^2*b^2*e^{(4*c)} + a*b^3* \\
& e^{(4*c))*\sin(1/2*real\_part(\arccos(-a/(a + b) + b/(a + b))))*\sinh(1/2*imag\_p \\
& art(\arccos(-a/(a + b) + b/(a + b))))*\arctan((((a^3 + 2*a^2*b + a*b^2)/(a^3 \\
& *e^{(4*c)} + 2*a^2*b*e^{(4*c)} + a*b^2*e^{(4*c))))^{(1/4)}*\cos(1/2*\arccos(-(a - b)/ \\
& (a + b))) + e^{(d*x)})/((((a^3 + 2*a^2*b + a*b^2)/(a^3*e^{(4*c)} + 2*a^2*b*e^{(4* \\
& c)} + a*b^2*e^{(4*c))))^{(1/4)}*\sin(1/2*\arccos(-(a - b)/(a + b)))))/(2*(a^2*e^{(2 \\
& *c)} + a*b*e^{(2*c)})^2*a*b - (a^3*e^{(2*c)} - a*b^2*e^{(2*c)})*sqrt(-a*b)*abs(-a^ \\
& 2*e^{(2*c)} - a*b*e^{(2*c)})) + 2*(3*(2*a^4*e^{(4*c)} + 5*a^3*b*e^{(4*c)} + 4*a^2*b \\
& ^2*e^{(4*c)} + a*b^3*e^{(4*c))*\cos(1/2*real\_part(\arccos(-a/(a + b) + b/(a + b) \\
& )))^2*\cosh(1/2*imag\_part(\arccos(-a/(a + b) + b/(a + b))))^3*\sin(1/2*real\_pa \\
& rt(\arccos(-a/(a + b) + b/(a + b)))) - (2*a^4*e^{(4*c)} + 5*a^3*b*e^{(4*c)} + 4* \\
& a^2*b^2*e^{(4*c)} + a*b^3*e^{(4*c))*\cosh(1/2*imag\_part(\arccos(-a/(a + b) + b/( \\
& a + b))))^3*\sin(1/2*real\_part(\arccos(-a/(a + b) + b/(a + b))))^3 - 9*(2*a^4 \\
& *e^{(4*c)} + 5*a^3*b*e^{(4*c)} + 4*a^2*b^2*e^{(4*c)} + a*b^3*e^{(4*c))*\cos(1/2*rea \\
& l\_part(\arccos(-a/(a + b) + b/(a + b))))^2*\cosh(1/2*imag\_part(\arccos(-a/(a + \\
& b) + b/(a + b))))^2*\sin(1/2*real\_part(\arccos(-a/(a + b) + b/(a + b))))*\sin \\
& h(1/2*imag\_part(\arccos(-a/(a + b) + b/(a + b)))) + 3*(2*a^4*e^{(4*c)} + 5*a^3 \\
& *b*e^{(4*c)} + 4*a^2*b^2*e^{(4*c)} + a*b^3*e^{(4*c))*\cosh(1/2*imag\_part(\arccos(- \\
& a/(a + b) + b/(a + b))))^2*\sin(1/2*real\_part(\arccos(-a/(a + b) + b/(a + b) \\
& )))^3*\sinh(1/2*imag\_part(\arccos(-a/(a + b) + b/(a + b)))) + 9*(2*a^4*e^{(4*c)} \\
& + 5*a^3*b*e^{(4*c)} + 4*a^2*b^2*e^{(4*c)} + a*b^3*e^{(4*c))*\cos(1/2*real\_part(a \\
& rccos(-a/(a + b) + b/(a + b))))^2*\cosh(1/2*imag\_part(\arccos(-a/(a + b) + b/ \\
& (a + b))))*\sin(1/2*real\_part(\arccos(-a/(a + b) + b/(a + b))))*\sinh(1/2*imag \\
& \_part(\arccos(-a/(a + b) + b/(a + b))))^2 - 3*(2*a^4*e^{(4*c)} + 5*a^3*b*e^{(4* \\
& c)} + 4*a^2*b^2*e^{(4*c)} + a*b^3*e^{(4*c))*\cosh(1/2*imag\_part(\arccos(-a/(a + b) \\
& ) + b/(a + b))))*\sin(1/2*real\_part(\arccos(-a/(a + b) + b/(a + b))))^3*\sinh( \\
& 1/2*imag\_part(\arccos(-a/(a + b) + b/(a + b))))^2 - 3*(2*a^4*e^{(4*c)} + 5*a^3 \\
& *b*e^{(4*c)} + 4*a^2*b^2*e^{(4*c)} + a*b^3*e^{(4*c))*\cos(1/2*real\_part(\arccos(-a
\end{aligned}$$

$$\begin{aligned}
& / (a + b) + b/(a + b) \Big)^2 \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))) \\
& ) \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))) \Big)^3 + (2a^4 e^{4c} + \\
& 5a^3 b e^{4c} + 4a^2 b^2 e^{4c} + a b^3 e^{4c}) \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))) \\
& ) \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))) \Big)^3 + (2a^4 e^{4c} + 5a^3 b e^{4c} + 4a^2 b^2 e^{4c} + a b^3 e^{4c}) \\
& ) \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))) \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))) \\
& ) - (2a^4 e^{4c} + 5a^3 b e^{4c} + 4a^2 b^2 e^{4c} + a b^3 e^{4c}) \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))) \\
& ) \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))) \Big) \arctan(-((a^3 + 2a^2 b + a b^2) / (a^3 e^{4c} + 2a^2 b e^{4c} + a b^2 e^{4c}))^{1/4} * \\
& \cos(1/2 \arccos(-(a - b)/(a + b))) - e^{(d*x)}) / ((a^3 + 2a^2 b + a b^2) / (a^3 e^{4c} + 2a^2 b e^{4c} + a b^2 e^{4c}))^{1/4} * \sin(1/2 \arccos(-(a - b) / \\
& (a + b)))) / (2(a^2 e^{2c} + a b e^{2c})^2 a b - (a^3 e^{2c} - a b^2 e^{2c})) * \sqrt{-a b} * \operatorname{abs}(-a^2 e^{2c} - a b e^{2c})) + ((2a^4 e^{4c} + 5a^3 b e^{4c} + 4a^2 b^2 e^{4c} + a b^3 e^{4c}) * \cos(1/2 \operatorname{real\_part}(\arccos(-a / \\
& (a + b) + b/(a + b))) \Big)^3 \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))) \Big)^3 - 3(2a^4 e^{4c} + 5a^3 b e^{4c} + 4a^2 b^2 e^{4c} + a b^3 e^{4c}) * \cos(1/2 \operatorname{real\_part}(\arccos(-a / \\
& (a + b) + b/(a + b))) \Big)^3 \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))) \Big)^3 \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b / \\
& (a + b))) \Big)^2 - 3(2a^4 e^{4c} + 5a^3 b e^{4c} + 4a^2 b^2 e^{4c} + a b^3 e^{4c}) * \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))) \Big)^3 \cosh(1/2 \operatorname{im} \\
& \operatorname{ag\_part}(\arccos(-a/(a + b) + b/(a + b))) \Big)^2 \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))) \Big) + 9(2a^4 e^{4c} + 5a^3 b e^{4c} + 4a^2 b^2 e^{4c} \\
& ) + a b^3 e^{4c}) * \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))) \Big)^3 \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))) \Big)^2 \sin(1/2 \operatorname{real\_part}(\arccos(- \\
& a/(a + b) + b/(a + b))) \Big)^2 \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))) \Big) + 3(2a^4 e^{4c} + 5a^3 b e^{4c} + 4a^2 b^2 e^{4c} + a b^3 e^{4c} \\
& ) * \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))) \Big)^3 \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))) \Big)^3 \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b / \\
& (a + b))) \Big)^2 - 9(2a^4 e^{4c} + 5a^3 b e^{4c} + 4a^2 b^2 e^{4c} + a b^3 e^{4c}) * \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))) \Big)^3 \cosh(1/2 \operatorname{imag} \\
& \operatorname{ag\_part}(\arccos(-a/(a + b) + b/(a + b))) \Big)^3 \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))) \Big)^2 \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))) \Big)^2 - (2 \\
& a^4 e^{4c} + 5a^3 b e^{4c} + 4a^2 b^2 e^{4c} + a b^3 e^{4c}) * \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))) \Big)^3 \sinh(1/2 \operatorname{imag\_part}(\arccos(-a / \\
& (a + b) + b/(a + b))) \Big)^3 + 3(2a^4 e^{4c} + 5a^3 b e^{4c} + 4a^2 b^2 e^{4c} + a b^3 e^{4c}) * \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))) \Big)^3 * \\
& \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))) \Big)^2 \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))) \Big)^3 + (2a^4 e^{4c} + 5a^3 b e^{4c} + 4a^2 b^2 e^{4c} + a b^3 e^{4c}) * \cos(1/2 \operatorname{real\_part}(\arccos(-a / \\
& (a + b) + b/(a + b))) \Big)^3 \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))) \Big) - (2a^4 e^{4c} + 5a^3 b e^{4c} + 4a^2 b^2 e^{4c} + a b^3 e^{4c}) * \cos(1/2 \operatorname{real\_part}(\arccos(-a / \\
& (a + b) + b/(a + b))) \Big)^3 \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))) \Big) * \log(2 * ((a^3 + 2a^2 b + a b^2) / (a^3 e^{4c} + 2a^2 b e^{4c} + a b^2 e^{4c}))^{1/4} * \cos(1/2 \arccos(-(a - b) / (a + b))) * e^{(d*x)} + \sqrt{(a^3 +
\end{aligned}$$

$$\begin{aligned}
& 2*a^2*b + a*b^2)/(a^3*e^(4*c) + 2*a^2*b*e^(4*c) + a*b^2*e^(4*c))) + e^(2*d*x) \\
& )/(2*(a^2*e^(2*c) + a*b*e^(2*c))^2*a*b - (a^3*e^(2*c) - a*b^2*e^(2*c))*\sqrt{-a*b} \\
& *abs(-a^2*e^(2*c) - a*b*e^(2*c))) - ((2*a^4*e^(4*c) + 5*a^3*b*e^(4*c) + 4*a^2*b^2*e^(4*c) \\
& + a*b^3*e^(4*c))*\cos(1/2*real\_part(\arccos(-a/(a + b) + b/(a + b))))^3 * \cosh(1/2*imag\_part(\arccos(-a/(a + b) \\
& + b/(a + b))))^3 - 3*(2*a^4*e^(4*c) + 5*a^3*b*e^(4*c) + 4*a^2*b^2*e^(4*c) + a*b^3*e^(4*c))*\cos( \\
& 1/2*real\_part(\arccos(-a/(a + b) + b/(a + b))))*\cosh(1/2*imag\_part(\arccos(-a/(a + b) + b/(a + b))))^3 * \sin(1/2*real\_part(\arccos(-a/(a + b) \\
& + b/(a + b))))^2 - 3*(2*a^4*e^(4*c) + 5*a^3*b*e^(4*c) + 4*a^2*b^2*e^(4*c) + a*b^3*e^(4*c)) * \cos(1/2*real\_part(\arccos(-a/(a + b) + b/(a + b))))^3 * \cosh(1/2*imag\_part(\arccos(-a/(a + b) + b/(a + b))))^2 * \sinh(1/2*imag\_part(\arccos(-a/(a + b) + b/(a + b)))) + 9*(2*a^4*e^(4*c) + 5*a^3*b*e^(4*c) + 4*a^2*b^2*e^(4*c) + a*b^3*e^(4*c)) * \cos(1/2*real\_part(\arccos(-a/(a + b) + b/(a + b)))) * \cosh(1/2*imag\_part(\arccos(-a/(a + b) + b/(a + b))))^2 * \sin(1/2*real\_part(\arccos(-a/(a + b) + b/(a + b))))^2 * \sinh(1/2*imag\_part(\arccos(-a/(a + b) + b/(a + b)))) + 3*(2*a^4*e^(4*c) + 5*a^3*b*e^(4*c) + 4*a^2*b^2*e^(4*c) + a*b^3*e^(4*c)) * \cos(1/2*real\_part(\arccos(-a/(a + b) + b/(a + b))))^3 * \cosh(1/2*imag\_part(\arccos(-a/(a + b) + b/(a + b)))) * \sinh(1/2*imag\_part(\arccos(-a/(a + b) + b/(a + b))))^2 - 9*(2*a^4*e^(4*c) + 5*a^3*b*e^(4*c) + 4*a^2*b^2*e^(4*c) + a*b^3*e^(4*c)) * \cos(1/2*real\_part(\arccos(-a/(a + b) + b/(a + b)))) * \cosh(1/2*imag\_part(\arccos(-a/(a + b) + b/(a + b)))) * \sin(1/2*real\_part(\arccos(-a/(a + b) + b/(a + b))))^2 * \sinh(1/2*imag\_part(\arccos(-a/(a + b) + b/(a + b))))^2 - (2*a^4*e^(4*c) + 5*a^3*b*e^(4*c) + 4*a^2*b^2*e^(4*c) + a*b^3*e^(4*c)) * \cos(1/2*real\_part(\arccos(-a/(a + b) + b/(a + b))))^3 * \sinh(1/2*imag\_part(\arccos(-a/(a + b) + b/(a + b))))^3 + 3*(2*a^4*e^(4*c) + 5*a^3*b*e^(4*c) + 4*a^2*b^2*e^(4*c) + a*b^3*e^(4*c)) * \cos(1/2*real\_part(\arccos(-a/(a + b) + b/(a + b)))) * \sin(1/2*real\_part(\arccos(-a/(a + b) + b/(a + b))))^2 * \sinh(1/2*imag\_part(\arccos(-a/(a + b) + b/(a + b))))^3 + (2*a^4*e^(4*c) + 5*a^3*b*e^(4*c) + 4*a^2*b^2*e^(4*c) + a*b^3*e^(4*c)) * \cos(1/2*real\_part(\arccos(-a/(a + b) + b/(a + b)))) * \cosh(1/2*imag\_part(\arccos(-a/(a + b) + b/(a + b)))) - (2*a^4*e^(4*c) + 5*a^3*b*e^(4*c) + 4*a^2*b^2*e^(4*c) + a*b^3*e^(4*c)) * \cos(1/2*real\_part(\arccos(-a/(a + b) + b/(a + b)))) * \sinh(1/2*imag\_part(\arccos(-a/(a + b) + b/(a + b)))) * \log(-2*((a^3 + 2*a^2*b + a*b^2)/(a^3*e^(4*c) + 2*a^2*b*e^(4*c) + a*b^2*e^(4*c)))^(1/4) * \cos(1/2*\arccos(-(a - b)/(a + b))) * e^(d*x) + \sqrt{(a^3 + 2*a^2*b + a*b^2)/(a^3*e^(4*c) + 2*a^2*b*e^(4*c) + a*b^2*e^(4*c))}) + e^(2*d*x))/(2*(a^2*e^(2*c) + a*b*e^(2*c))^2*a*b - (a^3*e^(2*c) - a*b^2*e^(2*c))*\sqrt{-a*b} * abs(-a^2*e^(2*c) - a*b*e^(2*c))) + 8*(b*e^(3*d*x + 3*c) - b*e^(d*x + c))/( (a^2 + a*b)*(a*e^(4*d*x + 4*c) + b*e^(4*d*x + 4*c) + 2*a*e^(2*d*x + 2*c) - 2*b*e^(2*d*x + 2*c) + a + b))/d
\end{aligned}$$



$$3.119 \quad \int \frac{\operatorname{sech}^2(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$$

**Optimal.** Leaf size=66

$$\frac{\tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2a^{3/2}\sqrt{bd}} + \frac{\tanh(c+dx)}{2ad(a+b \tanh^2(c+dx))}$$

[Out] ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]]/(2\*a^(3/2)\*Sqrt[b]\*d) + Tanh[c + d\*x]/(2\*a\*d\*(a + b\*Tanh[c + d\*x]^2))

**Rubi [A]** time = 0.0660707, antiderivative size = 66, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$ , Rules used = {3675, 199, 205}

$$\frac{\tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2a^{3/2}\sqrt{bd}} + \frac{\tanh(c+dx)}{2ad(a+b \tanh^2(c+dx))}$$

Antiderivative was successfully verified.

[In] Int[Sech[c + d\*x]^2/(a + b\*Tanh[c + d\*x]^2), x]

[Out] ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]]/(2\*a^(3/2)\*Sqrt[b]\*d) + Tanh[c + d\*x]/(2\*a\*d\*(a + b\*Tanh[c + d\*x]^2))

### Rule 3675

```
Int[sec[(e_.) + (f_.)*(x_)]^(m_)*((a_.) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)]))^(n_)]^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[ff/(c^(m - 1)*f), Subst[Int[(c^2 + ff^2*x^2)^(m/2 - 1)*(a + b*(ff*x)^n)^p, x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2] && (IntegersQ[n, p] || IGtQ[m, 0] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])
```

### Rule 199

```
Int[((a_.) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[(n*(p + 1) + 1)/(a*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && LtQ[p, -1] && (Integer
```

Q[2\*p] || (n == 2 && IntegerQ[4\*p]) || (n == 2 && IntegerQ[3\*p]) || Denominator[p + 1/n] < Denominator[p]

### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rubi steps

$$\begin{aligned} \int \frac{\operatorname{sech}^2(c+dx)}{(a+b \tanh^2(c+dx))^2} dx &= \frac{\operatorname{Subst}\left(\int \frac{1}{(a+bx^2)^2} dx, x, \tanh(c+dx)\right)}{d} \\ &= \frac{\tanh(c+dx)}{2ad(a+b \tanh^2(c+dx))} + \frac{\operatorname{Subst}\left(\int \frac{1}{a+bx^2} dx, x, \tanh(c+dx)\right)}{2ad} \\ &= \frac{\tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2a^{3/2}\sqrt{bd}} + \frac{\tanh(c+dx)}{2ad(a+b \tanh^2(c+dx))} \end{aligned}$$

**Mathematica [A]** time = 0.239028, size = 63, normalized size = 0.95

$$\frac{\frac{\sqrt{a} \tanh(c+dx)}{a+b \tanh^2(c+dx)} + \frac{\tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{\sqrt{b}}}{2a^{3/2}d}$$

Antiderivative was successfully verified.

[In] Integrate[Sech[c + d\*x]^2/(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] (ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]]/Sqrt[b] + (Sqrt[a]\*Tanh[c + d\*x])/(a + b\*Tanh[c + d\*x]^2))/(2\*a^(3/2)\*d)

**Maple [B]** time = 0.096, size = 498, normalized size = 7.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\int (\operatorname{sech}(d*x+c)^2/(a+b*\tanh(d*x+c)^2)^2, x)$

[Out]  $\frac{1}{d} \frac{1}{(\tanh(1/2*d*x+1/2*c)^{4*a+2*\tanh(1/2*d*x+1/2*c)^2*b+a})} \frac{1}{a*\tanh(1/2*d*x+1/2*c)^3} + \frac{1}{d} \frac{1}{(\tanh(1/2*d*x+1/2*c)^{4*a+2*\tanh(1/2*d*x+1/2*c)^2*b+a})} \frac{1}{a*\tanh(1/2*d*x+1/2*c)} - \frac{1}{2} \frac{1}{d} \frac{1}{(b*(a+b))^{1/2}} \frac{1}{((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2}} \operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c)) \frac{1}{((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2}} + \frac{1}{2} \frac{1}{d} \frac{1}{a} \frac{1}{((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2}} \operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c)) \frac{1}{((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2}} - \frac{1}{2} \frac{1}{d} \frac{1}{(b*(a+b))^{1/2}} \frac{1}{a} \frac{1}{((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2}} \operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c)) \frac{1}{((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2}} * b - \frac{1}{2} \frac{1}{d} \frac{1}{(b*(a+b))^{1/2}} \frac{1}{((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2}} \operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)) \frac{1}{((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2}} - \frac{1}{2} \frac{1}{d} \frac{1}{a} \frac{1}{((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2}} \operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)) \frac{1}{((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2}} - \frac{1}{2} \frac{1}{d} \frac{1}{(b*(a+b))^{1/2}} \frac{1}{a} \frac{1}{((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2}} \operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)) \frac{1}{((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2}} * b$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\int (\operatorname{sech}(d*x+c)^2/(a+b*\tanh(d*x+c)^2)^2, x, \text{algorithm}="maxima")$

[Out] Exception raised: ValueError

**Fricas [B]** time = 2.30832, size = 3663, normalized size = 55.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\int (\operatorname{sech}(d*x+c)^2/(a+b*\tanh(d*x+c)^2)^2, x, \text{algorithm}="fricas")$

[Out]  $[-1/4*(4*a^2*b + 4*a*b^2 + 4*(a^2*b - a*b^2)*\cosh(d*x + c)^2 + 8*(a^2*b - a*b^2)*\cosh(d*x + c)*\sinh(d*x + c) + 4*(a^2*b - a*b^2)*\sinh(d*x + c)^2 + ((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^4 + 4*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a^2 + 2*a*b + b^2)*\sinh(d*x + c)^4 + 2*(a^2 - b^2)*\cosh(d*x + c)^2 + 2*(3*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^2 + a^2 - b^2)*\sinh(d*x + c)^2]$

```

c)^2 + a^2 + 2*a*b + b^2 + 4*((a^2 + 2*a*b + b^2)*cosh(d*x + c)^3 + (a^2 -
b^2)*cosh(d*x + c))*sinh(d*x + c))*sqrt(-a*b)*log(((a^2 + 2*a*b + b^2)*cosh
(d*x + c)^4 + 4*(a^2 + 2*a*b + b^2)*cosh(d*x + c)*sinh(d*x + c)^3 + (a^2 +
2*a*b + b^2)*sinh(d*x + c)^4 + 2*(a^2 - b^2)*cosh(d*x + c)^2 + 2*(3*(a^2 +
2*a*b + b^2)*cosh(d*x + c)^2 + a^2 - b^2)*sinh(d*x + c)^2 + a^2 - 6*a*b + b
^2 + 4*((a^2 + 2*a*b + b^2)*cosh(d*x + c)^3 + (a^2 - b^2)*cosh(d*x + c))*si
nh(d*x + c) - 4*((a + b)*cosh(d*x + c)^2 + 2*(a + b)*cosh(d*x + c)*sinh(d*x
+ c) + (a + b)*sinh(d*x + c)^2 + a - b)*sqrt(-a*b)))/((a + b)*cosh(d*x + c)
^4 + 4*(a + b)*cosh(d*x + c)*sinh(d*x + c)^3 + (a + b)*sinh(d*x + c)^4 + 2*
(a - b)*cosh(d*x + c)^2 + 2*(3*(a + b)*cosh(d*x + c)^2 + a - b)*sinh(d*x +
c)^2 + 4*((a + b)*cosh(d*x + c)^3 + (a - b)*cosh(d*x + c))*sinh(d*x + c) +
a + b)))/((a^4*b + 2*a^3*b^2 + a^2*b^3)*d*cosh(d*x + c)^4 + 4*(a^4*b + 2*a^
3*b^2 + a^2*b^3)*d*cosh(d*x + c)*sinh(d*x + c)^3 + (a^4*b + 2*a^3*b^2 + a^2
*b^3)*d*sinh(d*x + c)^4 + 2*(a^4*b - a^2*b^3)*d*cosh(d*x + c)^2 + 2*(3*(a^4
*b + 2*a^3*b^2 + a^2*b^3)*d*cosh(d*x + c)^2 + (a^4*b - a^2*b^3)*d)*sinh(d*x
+ c)^2 + (a^4*b + 2*a^3*b^2 + a^2*b^3)*d + 4*((a^4*b + 2*a^3*b^2 + a^2*b^3
)*d*cosh(d*x + c)^3 + (a^4*b - a^2*b^3)*d*cosh(d*x + c))*sinh(d*x + c)), -1
/2*(2*a^2*b + 2*a*b^2 + 2*(a^2*b - a*b^2)*cosh(d*x + c)^2 + 4*(a^2*b - a*b^
2)*cosh(d*x + c)*sinh(d*x + c) + 2*(a^2*b - a*b^2)*sinh(d*x + c)^2 - ((a^2
+ 2*a*b + b^2)*cosh(d*x + c)^4 + 4*(a^2 + 2*a*b + b^2)*cosh(d*x + c)*sinh(d
*x + c)^3 + (a^2 + 2*a*b + b^2)*sinh(d*x + c)^4 + 2*(a^2 - b^2)*cosh(d*x +
c)^2 + 2*(3*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^2 + a^2 - b^2)*sinh(d*x + c)^
2 + a^2 + 2*a*b + b^2 + 4*((a^2 + 2*a*b + b^2)*cosh(d*x + c)^3 + (a^2 - b^2
)*cosh(d*x + c))*sinh(d*x + c))*sqrt(a*b)*arctan(1/2*((a + b)*cosh(d*x + c)
^2 + 2*(a + b)*cosh(d*x + c)*sinh(d*x + c) + (a + b)*sinh(d*x + c)^2 + a -
b)*sqrt(a*b)/(a*b)))/((a^4*b + 2*a^3*b^2 + a^2*b^3)*d*cosh(d*x + c)^4 + 4*(
a^4*b + 2*a^3*b^2 + a^2*b^3)*d*cosh(d*x + c)*sinh(d*x + c)^3 + (a^4*b + 2*a
^3*b^2 + a^2*b^3)*d*sinh(d*x + c)^4 + 2*(a^4*b - a^2*b^3)*d*cosh(d*x + c)^2
+ 2*(3*(a^4*b + 2*a^3*b^2 + a^2*b^3)*d*cosh(d*x + c)^2 + (a^4*b - a^2*b^3)
*d)*sinh(d*x + c)^2 + (a^4*b + 2*a^3*b^2 + a^2*b^3)*d + 4*((a^4*b + 2*a^3*b
^2 + a^2*b^3)*d*cosh(d*x + c)^3 + (a^4*b - a^2*b^3)*d*cosh(d*x + c))*sinh(d
*x + c))]

```

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{sech}^2(c + dx)}{(a + b \tanh^2(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)\*\*2/(a+b\*tanh(d\*x+c)\*\*2)\*\*2,x)

[Out] Integral(sech(c + d\*x)\*\*2/(a + b\*tanh(c + d\*x)\*\*2)\*\*2, x)

**Giac [B]** time = 1.61842, size = 186, normalized size = 2.82

$$\frac{\arctan\left(\frac{ae^{2dx+2c}+be^{2dx+2c}+a-b}{2\sqrt{ab}}\right)}{\sqrt{aba}} - \frac{2\left(ae^{2dx+2c}-be^{2dx+2c}+a+b\right)}{(a^2+ab)\left(ae^{4dx+4c}+be^{4dx+4c}+2ae^{2dx+2c}-2be^{2dx+2c}+a+b\right)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out] 1/2\*(arctan(1/2\*(a\*e^(2\*d\*x + 2\*c) + b\*e^(2\*d\*x + 2\*c) + a - b)/sqrt(a\*b)))/(sqrt(a\*b)\*a) - 2\*(a\*e^(2\*d\*x + 2\*c) - b\*e^(2\*d\*x + 2\*c) + a + b)/((a^2 + a\*b)\*(a\*e^(4\*d\*x + 4\*c) + b\*e^(4\*d\*x + 4\*c) + 2\*a\*e^(2\*d\*x + 2\*c) - 2\*b\*e^(2\*d\*x + 2\*c) + a + b))/d

$$3.120 \quad \int \frac{\operatorname{sech}^3(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$$

**Optimal.** Leaf size=72

$$\frac{\tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{2a^{3/2}d\sqrt{a+b}} + \frac{\sinh(c+dx)}{2ad((a+b) \sinh^2(c+dx) + a)}$$

[Out] ArcTan[(Sqrt[a + b]\*Sinh[c + d\*x])/Sqrt[a]]/(2\*a^(3/2)\*Sqrt[a + b]\*d) + Sinh[c + d\*x]/(2\*a\*d\*(a + (a + b)\*Sinh[c + d\*x]^2))

**Rubi [A]** time = 0.0765269, antiderivative size = 72, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$ , Rules used = {3676, 199, 205}

$$\frac{\tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{2a^{3/2}d\sqrt{a+b}} + \frac{\sinh(c+dx)}{2ad((a+b) \sinh^2(c+dx) + a)}$$

Antiderivative was successfully verified.

[In] Int[Sech[c + d\*x]^3/(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] ArcTan[(Sqrt[a + b]\*Sinh[c + d\*x])/Sqrt[a]]/(2\*a^(3/2)\*Sqrt[a + b]\*d) + Sinh[c + d\*x]/(2\*a\*d\*(a + (a + b)\*Sinh[c + d\*x]^2))

### Rule 3676

```
Int[sec[(e_.) + (f_.)*(x_)]^(m_.)*((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)]^(n_.))^
(p_.), x_Symbol] := With[{ff = FreeFactors[Sin[e + f*x], x]}, Dist[ff/f,
  Subst[Int[ExpandToSum[b*(ff*x)^n + a*(1 - ff^2*x^2)^(n/2), x]^p/(1 - ff^2*
x^2)^((m + n*p + 1)/2), x], x, Sin[e + f*x]/ff], x]] /; FreeQ[{a, b, e, f},
x] && IntegerQ[(m - 1)/2] && IntegerQ[n/2] && IntegerQ[p]
```

### Rule 199

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*(a + b*x^n)^(p + 1)
)/(a*n*(p + 1)), x] + Dist[(n*(p + 1) + 1)/(a*n*(p + 1)), Int[(a + b*x^n)^(
p + 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && LtQ[p, -1] && (Integer
Q[2*p] || (n == 2 && IntegerQ[4*p]) || (n == 2 && IntegerQ[3*p]) || Denomin
```

ator[p + 1/n] < Denominator[p])

### Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rubi steps

$$\begin{aligned} \int \frac{\operatorname{sech}^3(c+dx)}{(a+b \tanh^2(c+dx))^2} dx &= \frac{\operatorname{Subst}\left(\int \frac{1}{(a+(a+b)x^2)^2} dx, x, \sinh(c+dx)\right)}{d} \\ &= \frac{\sinh(c+dx)}{2ad(a+(a+b)\sinh^2(c+dx))} + \frac{\operatorname{Subst}\left(\int \frac{1}{a+(a+b)x^2} dx, x, \sinh(c+dx)\right)}{2ad} \\ &= \frac{\tan^{-1}\left(\frac{\sqrt{a+b}\sinh(c+dx)}{\sqrt{a}}\right)}{2a^{3/2}\sqrt{a+bd}} + \frac{\sinh(c+dx)}{2ad(a+(a+b)\sinh^2(c+dx))} \end{aligned}$$

**Mathematica [A]** time = 0.138047, size = 69, normalized size = 0.96

$$\frac{\frac{\sqrt{a}\sinh(c+dx)}{(a+b)\sinh^2(c+dx)+a} + \frac{\tan^{-1}\left(\frac{\sqrt{a+b}\sinh(c+dx)}{\sqrt{a}}\right)}{\sqrt{a+b}}}{2a^{3/2}d}$$

Antiderivative was successfully verified.

[In] Integrate[Sech[c + d\*x]^3/(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] (ArcTan[(Sqrt[a + b]\*Sinh[c + d\*x])/Sqrt[a]]/Sqrt[a + b] + (Sqrt[a]\*Sinh[c + d\*x])/(a + (a + b)\*Sinh[c + d\*x]^2))/(2\*a^(3/2)\*d)

**Maple [B]** time = 0.101, size = 375, normalized size = 5.2

$$-\frac{1}{da} \left( \tanh\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 \left( \left( \tanh\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^4 a + 2 (\tanh(1/2 dx + c/2))^2 a + 4 (\tanh(1/2 dx + c/2))^2 b + a \right)^{-1} + \frac{1}{da} \tanh$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sech(d*x+c)^3/(a+b*tanh(d*x+c)^2)^2,x)`

[Out] 
$$-1/d/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)/a*\tanh(1/2*d*x+1/2*c)^3+1/d/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)/a*\tanh(1/2*d*x+1/2*c)-1/2/d/a/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))+1/2/d/(b*(a+b))^(1/2)/a/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))*b+1/2/d/a/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))+1/2/d/(b*(a+b))^(1/2)/a/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))*b$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{(ae^{3c} + be^{3c})e^{3dx} - (ae^c + be^c)e^{dx}}{a^3d + 2a^2bd + ab^2d + (a^3de^{4c} + 2a^2bde^{4c} + ab^2de^{4c})e^{4dx} + 2(a^3de^{2c} - ab^2de^{2c})e^{2dx}} + 8 \int \frac{1}{8(a^2 + ab + a^2e^{4c})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sech(d*x+c)^3/(a+b*tanh(d*x+c)^2)^2,x, algorithm="maxima")`

[Out] 
$$((a*e^{3c} + b*e^{3c})*e^{3*d*x} - (a*e^c + b*e^c)*e^{d*x})/(a^3*d + 2*a^2*b*d + a*b^2*d + (a^3*d*e^{4*c} + 2*a^2*b*d*e^{4*c} + a*b^2*d*e^{4*c})*e^{4*d*x} + 2*(a^3*d*e^{2*c} - a*b^2*d*e^{2*c})*e^{2*d*x}) + 8*\operatorname{integrate}(1/8*(e^{3*d*x + 3*c} + e^{d*x + c})/(a^2 + a*b + (a^2*e^{4*c} + a*b*e^{4*c})*e^{4*d*x} + 2*(a^2*e^{2*c} - a*b*e^{2*c})*e^{2*d*x}), x)$$

**Fricas [B]** time = 2.27416, size = 4026, normalized size = 55.92

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sech(d*x+c)^3/(a+b*tanh(d*x+c)^2)^2,x, algorithm="fricas")`



```
[Out] [1/4*(4*(a^2 + a*b)*cosh(d*x + c)^3 + 12*(a^2 + a*b)*cosh(d*x + c)*sinh(d*x
+ c)^2 + 4*(a^2 + a*b)*sinh(d*x + c)^3 - ((a + b)*cosh(d*x + c)^4 + 4*(a +
b)*cosh(d*x + c)*sinh(d*x + c)^3 + (a + b)*sinh(d*x + c)^4 + 2*(a - b)*cos
h(d*x + c)^2 + 2*(3*(a + b)*cosh(d*x + c)^2 + a - b)*sinh(d*x + c)^2 + 4*((
a + b)*cosh(d*x + c)^3 + (a - b)*cosh(d*x + c))*sinh(d*x + c) + a + b)*sqrt
(-a^2 - a*b)*log(((a + b)*cosh(d*x + c)^4 + 4*(a + b)*cosh(d*x + c)*sinh(d*
x + c)^3 + (a + b)*sinh(d*x + c)^4 - 2*(3*a + b)*cosh(d*x + c)^2 + 2*(3*(a
+ b)*cosh(d*x + c)^2 - 3*a - b)*sinh(d*x + c)^2 + 4*((a + b)*cosh(d*x + c)^
3 - (3*a + b)*cosh(d*x + c))*sinh(d*x + c) - 4*(cosh(d*x + c)^3 + 3*cosh(d*
x + c)*sinh(d*x + c)^2 + sinh(d*x + c)^3 + (3*cosh(d*x + c)^2 - 1)*sinh(d*x
+ c) - cosh(d*x + c))*sqrt(-a^2 - a*b) + a + b)/((a + b)*cosh(d*x + c)^4 +
4*(a + b)*cosh(d*x + c)*sinh(d*x + c)^3 + (a + b)*sinh(d*x + c)^4 + 2*(a -
b)*cosh(d*x + c)^2 + 2*(3*(a + b)*cosh(d*x + c)^2 + a - b)*sinh(d*x + c)^2
+ 4*((a + b)*cosh(d*x + c)^3 + (a - b)*cosh(d*x + c))*sinh(d*x + c) + a +
b)) - 4*(a^2 + a*b)*cosh(d*x + c) + 4*(3*(a^2 + a*b)*cosh(d*x + c)^2 - a^2
- a*b)*sinh(d*x + c))/((a^4 + 2*a^3*b + a^2*b^2)*d*cosh(d*x + c)^4 + 4*(a^4
+ 2*a^3*b + a^2*b^2)*d*cosh(d*x + c)*sinh(d*x + c)^3 + (a^4 + 2*a^3*b + a^
2*b^2)*d*sinh(d*x + c)^4 + 2*(a^4 - a^2*b^2)*d*cosh(d*x + c)^2 + 2*(3*(a^4
+ 2*a^3*b + a^2*b^2)*d*cosh(d*x + c)^2 + (a^4 - a^2*b^2)*d)*sinh(d*x + c)^2
+ (a^4 + 2*a^3*b + a^2*b^2)*d + 4*((a^4 + 2*a^3*b + a^2*b^2)*d*cosh(d*x +
c)^3 + (a^4 - a^2*b^2)*d*cosh(d*x + c))*sinh(d*x + c)), 1/2*(2*(a^2 + a*b)*
cosh(d*x + c)^3 + 6*(a^2 + a*b)*cosh(d*x + c)*sinh(d*x + c)^2 + 2*(a^2 + a*
b)*sinh(d*x + c)^3 + ((a + b)*cosh(d*x + c)^4 + 4*(a + b)*cosh(d*x + c)*sin
h(d*x + c)^3 + (a + b)*sinh(d*x + c)^4 + 2*(a - b)*cosh(d*x + c)^2 + 2*(3*(
a + b)*cosh(d*x + c)^2 + a - b)*sinh(d*x + c)^2 + 4*((a + b)*cosh(d*x + c)^
3 + (a - b)*cosh(d*x + c))*sinh(d*x + c) + a + b)*sqrt(a^2 + a*b)*arctan(1/
2*((a + b)*cosh(d*x + c)^3 + 3*(a + b)*cosh(d*x + c)*sinh(d*x + c)^2 + (a +
b)*sinh(d*x + c)^3 + (3*a - b)*cosh(d*x + c) + (3*(a + b)*cosh(d*x + c)^2
+ 3*a - b)*sinh(d*x + c))/sqrt(a^2 + a*b)) + ((a + b)*cosh(d*x + c)^4 + 4*(
a + b)*cosh(d*x + c)*sinh(d*x + c)^3 + (a + b)*sinh(d*x + c)^4 + 2*(a - b)*
cosh(d*x + c)^2 + 2*(3*(a + b)*cosh(d*x + c)^2 + a - b)*sinh(d*x + c)^2 + 4
*((a + b)*cosh(d*x + c)^3 + (a - b)*cosh(d*x + c))*sinh(d*x + c) + a + b)*s
qrt(a^2 + a*b)*arctan(1/2*sqrt(a^2 + a*b)*(cosh(d*x + c) + sinh(d*x + c))/a
) - 2*(a^2 + a*b)*cosh(d*x + c) + 2*(3*(a^2 + a*b)*cosh(d*x + c)^2 - a^2 -
a*b)*sinh(d*x + c))/((a^4 + 2*a^3*b + a^2*b^2)*d*cosh(d*x + c)^4 + 4*(a^4 +
2*a^3*b + a^2*b^2)*d*cosh(d*x + c)*sinh(d*x + c)^3 + (a^4 + 2*a^3*b + a^2*
b^2)*d*sinh(d*x + c)^4 + 2*(a^4 - a^2*b^2)*d*cosh(d*x + c)^2 + 2*(3*(a^4 +
2*a^3*b + a^2*b^2)*d*cosh(d*x + c)^2 + (a^4 - a^2*b^2)*d)*sinh(d*x + c)^2 +
(a^4 + 2*a^3*b + a^2*b^2)*d + 4*((a^4 + 2*a^3*b + a^2*b^2)*d*cosh(d*x + c)
^3 + (a^4 - a^2*b^2)*d*cosh(d*x + c))*sinh(d*x + c))]
```

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{sech}^3(c + dx)}{(a + b \tanh^2(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sech(d*x+c)**3/(a+b*tanh(d*x+c)**2)**2,x)
```

```
[Out] Integral(sech(c + d*x)**3/(a + b*tanh(c + d*x)**2)**2, x)
```

**Giac [C]** time = 1.9383, size = 4585, normalized size = 63.68

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sech(d*x+c)^3/(a+b*tanh(d*x+c)^2)^2,x, algorithm="giac")
```

```
[Out] 1/8*(2*(3*(a^2 + a*b)*cos(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))^2*
cosh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b))))^3*sin(1/2*real_part(arc
cos(-a/(a + b) + b/(a + b)))) - (a^2 + a*b)*cosh(1/2*imag_part(arccos(-a/(a
+ b) + b/(a + b))))^3*sin(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))^3
- 9*(a^2 + a*b)*cos(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))^2*cosh(
1/2*imag_part(arccos(-a/(a + b) + b/(a + b))))^2*sin(1/2*real_part(arccos(-
a/(a + b) + b/(a + b))))*sinh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b))
) + 3*(a^2 + a*b)*cosh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b))))^2*sin
(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))^3*sinh(1/2*imag_part(arccos
(-a/(a + b) + b/(a + b)))) + 9*(a^2 + a*b)*cos(1/2*real_part(arccos(-a/(a +
b) + b/(a + b))))^2*cosh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b))))*si
n(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))*sinh(1/2*imag_part(arccos(
-a/(a + b) + b/(a + b))))^2 - 3*(a^2 + a*b)*cosh(1/2*imag_part(arccos(-a/(a
+ b) + b/(a + b))))*sin(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))^3*s
inh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b))))^2 - 3*(a^2 + a*b)*cos(1/
2*real_part(arccos(-a/(a + b) + b/(a + b))))^2*sin(1/2*real_part(arccos(-a/
(a + b) + b/(a + b))))*sinh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b))))^
3 + (a^2 + a*b)*sin(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))^3*sinh(1
/2*imag_part(arccos(-a/(a + b) + b/(a + b))))^3 + (a^2 + a*b)*cosh(1/2*imag
_part(arccos(-a/(a + b) + b/(a + b))))*sin(1/2*real_part(arccos(-a/(a + b)
+ b/(a + b)))) - (a^2 + a*b)*sin(1/2*real_part(arccos(-a/(a + b) + b/(a + b
))))*sinh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b))))*arctan(((a^2 + a
```

$$\begin{aligned}
& *b)/(a^2e^{(4*c)} + a*b*e^{(4*c)})^{(1/4)}*\cos(1/2*\arccos(-(a - b)/(a + b))) + \\
& e^{(d*x)}/(((a^2 + a*b)/(a^2e^{(4*c)} + a*b*e^{(4*c)})^{(1/4)}*\sin(1/2*\arccos(-(a - b)/(a + b)))))/(2*a^3*b + (a^2 - a*b)*\sqrt{-a*b}*abs(a)) + 2*(3*(a^2 + \\
& a*b)*\cos(1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\cosh(1/2*\operatorname{imag\_part} \\
& (\arccos(-a/(a + b) + b/(a + b))))^3*\sin(1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + \\
& b/(a + b)))) - (a^2 + a*b)*\cosh(1/2*\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b) \\
& )))^3*\sin(1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 - 9*(a^2 + a*b)* \\
& \cos(1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\cosh(1/2*\operatorname{imag\_part}(\arccos \\
& (-a/(a + b) + b/(a + b))))^2*\sin(1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b) \\
& )))*\sinh(1/2*\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) + 3*(a^2 + a*b) \\
& *\cosh(1/2*\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\sin(1/2*\operatorname{real\_part}(\arccos \\
& (-a/(a + b) + b/(a + b))))^3*\sinh(1/2*\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b) \\
& ))) + 9*(a^2 + a*b)*\cos(1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b) \\
& )))^2*\cosh(1/2*\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sin(1/2*\operatorname{real\_part}(\arccos \\
& (-a/(a + b) + b/(a + b))))*\sinh(1/2*\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b) \\
& )))^2 - 3*(a^2 + a*b)*\cosh(1/2*\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b) \\
& )))*\sin(1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\sinh(1/2*\operatorname{imag\_part} \\
& (\arccos(-a/(a + b) + b/(a + b))))^2 - 3*(a^2 + a*b)*\cos(1/2*\operatorname{real\_part}(\arccos \\
& (-a/(a + b) + b/(a + b))))^2*\sin(1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b) \\
& )))*\sinh(1/2*\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 + (a^2 + a*b)*s \\
& in(1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\sinh(1/2*\operatorname{imag\_part}(\arccos \\
& (-a/(a + b) + b/(a + b))))^3 + (a^2 + a*b)*\cosh(1/2*\operatorname{imag\_part}(\arccos(-a/(a + b) \\
& + b/(a + b))))*\sin(1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))) - \\
& (a^2 + a*b)*\sin(1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sinh(1/2*\operatorname{ima \\
& g\_part}(\arccos(-a/(a + b) + b/(a + b))))*\arctan(-(((a^2 + a*b)/(a^2e^{(4*c)} \\
& + a*b*e^{(4*c)})^{(1/4)}*\cos(1/2*\arccos(-(a - b)/(a + b))) - e^{(d*x)}/(((a^2 \\
& + a*b)/(a^2e^{(4*c)} + a*b*e^{(4*c)})^{(1/4)}*\sin(1/2*\arccos(-(a - b)/(a + b) \\
& )))/(2*a^3*b + (a^2 - a*b)*\sqrt{-a*b}*abs(a)) + ((a^2 + a*b)*\cos(1/2*\operatorname{real\_pa} \\
& rt(\arccos(-a/(a + b) + b/(a + b))))^3*\cosh(1/2*\operatorname{imag\_part}(\arccos(-a/(a + b) \\
& + b/(a + b))))^3 - 3*(a^2 + a*b)*\cos(1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a \\
& + b))))*\cosh(1/2*\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\sin(1/2*\operatorname{real} \\
& \_part}(\arccos(-a/(a + b) + b/(a + b))))^2 - 3*(a^2 + a*b)*\cos(1/2*\operatorname{real\_part}(\arccos \\
& (-a/(a + b) + b/(a + b))))^3*\cosh(1/2*\operatorname{imag\_part}(\arccos(-a/(a + b) + b \\
& /(a + b))))^2*\sinh(1/2*\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) + 9*(a^2 \\
& + a*b)*\cos(1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\cosh(1/2*\operatorname{imag\_par} \\
& t}(\arccos(-a/(a + b) + b/(a + b))))^2*\sin(1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + \\
& b/(a + b))))^2*\sinh(1/2*\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) + 3*(a^2 \\
& + a*b)*\cos(1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\cosh(1/2*\operatorname{imag\_ \\
& part}(\arccos(-a/(a + b) + b/(a + b))))*\sinh(1/2*\operatorname{imag\_part}(\arccos(-a/(a + b) \\
& + b/(a + b))))^2 - 9*(a^2 + a*b)*\cos(1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a \\
& + b))))*\cosh(1/2*\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sin(1/2*\operatorname{real\_p} \\
& art}(\arccos(-a/(a + b) + b/(a + b))))^2*\sinh(1/2*\operatorname{imag\_part}(\arccos(-a/(a + b) \\
& + b/(a + b))))^2 - (a^2 + a*b)*\cos(1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a \\
& + b))))^3*\sinh(1/2*\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 + 3*(a^2 + \\
& a*b)*\cos(1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sin(1/2*\operatorname{real\_part}(a
\end{aligned}$$

$$\begin{aligned}
& \operatorname{rccos}(-a/(a+b) + b/(a+b)))^2 \sinh(1/2 \operatorname{imag\_part}(\operatorname{arccos}(-a/(a+b) + b/(a+b))))^3 + (a^2 + a*b) \cos(1/2 \operatorname{real\_part}(\operatorname{arccos}(-a/(a+b) + b/(a+b)))) \\
& \operatorname{cosh}(1/2 \operatorname{imag\_part}(\operatorname{arccos}(-a/(a+b) + b/(a+b)))) - (a^2 + a*b) \cos(1/2 \operatorname{real\_part}(\operatorname{arccos}(-a/(a+b) + b/(a+b)))) \sinh(1/2 \operatorname{imag\_part}(\operatorname{arccos}(-a/(a+b) + b/(a+b)))) \\
& \log(2*((a^2 + a*b)/(a^2 e^{4*c} + a*b e^{4*c}))^{1/4} \cos(1/2 \operatorname{arccos}(-(a-b)/(a+b))) e^{d*x} + \sqrt{(a^2 + a*b)/(a^2 e^{4*c} + a*b e^{4*c})} + e^{2*d*x}) / (2*a^3*b + (a^2 - a*b) \sqrt{-a*b} \operatorname{abs}(a)) - \\
& (a^2 + a*b) \cos(1/2 \operatorname{real\_part}(\operatorname{arccos}(-a/(a+b) + b/(a+b))))^3 \operatorname{cosh}(1/2 \operatorname{imag\_part}(\operatorname{arccos}(-a/(a+b) + b/(a+b))))^3 - 3*(a^2 + a*b) \cos(1/2 \operatorname{real\_part}(\operatorname{arccos}(-a/(a+b) + b/(a+b)))) \\
& \operatorname{cosh}(1/2 \operatorname{imag\_part}(\operatorname{arccos}(-a/(a+b) + b/(a+b))))^3 \sin(1/2 \operatorname{real\_part}(\operatorname{arccos}(-a/(a+b) + b/(a+b))))^2 - 3*(a^2 + a*b) \cos(1/2 \operatorname{real\_part}(\operatorname{arccos}(-a/(a+b) + b/(a+b))))^3 \operatorname{cosh}(1/2 \operatorname{imag\_part}(\operatorname{arccos}(-a/(a+b) + b/(a+b))))^2 \sinh(1/2 \operatorname{imag\_part}(\operatorname{arccos}(-a/(a+b) + b/(a+b)))) + 9*(a^2 + a*b) \cos(1/2 \operatorname{real\_part}(\operatorname{arccos}(-a/(a+b) + b/(a+b)))) \operatorname{cosh}(1/2 \operatorname{imag\_part}(\operatorname{arccos}(-a/(a+b) + b/(a+b))))^2 \sin(1/2 \operatorname{real\_part}(\operatorname{arccos}(-a/(a+b) + b/(a+b))))^2 \sinh(1/2 \operatorname{imag\_part}(\operatorname{arccos}(-a/(a+b) + b/(a+b)))) + 3*(a^2 + a*b) \cos(1/2 \operatorname{real\_part}(\operatorname{arccos}(-a/(a+b) + b/(a+b))))^3 \operatorname{cosh}(1/2 \operatorname{imag\_part}(\operatorname{arccos}(-a/(a+b) + b/(a+b)))) \sinh(1/2 \operatorname{imag\_part}(\operatorname{arccos}(-a/(a+b) + b/(a+b))))^2 - 9*(a^2 + a*b) \cos(1/2 \operatorname{real\_part}(\operatorname{arccos}(-a/(a+b) + b/(a+b)))) \operatorname{cosh}(1/2 \operatorname{imag\_part}(\operatorname{arccos}(-a/(a+b) + b/(a+b)))) \sin(1/2 \operatorname{real\_part}(\operatorname{arccos}(-a/(a+b) + b/(a+b))))^2 \sinh(1/2 \operatorname{imag\_part}(\operatorname{arccos}(-a/(a+b) + b/(a+b))))^2 - (a^2 + a*b) \cos(1/2 \operatorname{real\_part}(\operatorname{arccos}(-a/(a+b) + b/(a+b))))^3 \sinh(1/2 \operatorname{imag\_part}(\operatorname{arccos}(-a/(a+b) + b/(a+b))))^3 + 3*(a^2 + a*b) \cos(1/2 \operatorname{real\_part}(\operatorname{arccos}(-a/(a+b) + b/(a+b)))) \sin(1/2 \operatorname{real\_part}(\operatorname{arccos}(-a/(a+b) + b/(a+b))))^2 \sinh(1/2 \operatorname{imag\_part}(\operatorname{arccos}(-a/(a+b) + b/(a+b))))^3 + (a^2 + a*b) \cos(1/2 \operatorname{real\_part}(\operatorname{arccos}(-a/(a+b) + b/(a+b)))) \operatorname{cosh}(1/2 \operatorname{imag\_part}(\operatorname{arccos}(-a/(a+b) + b/(a+b)))) - (a^2 + a*b) \cos(1/2 \operatorname{real\_part}(\operatorname{arccos}(-a/(a+b) + b/(a+b)))) \sinh(1/2 \operatorname{imag\_part}(\operatorname{arccos}(-a/(a+b) + b/(a+b)))) \log(-2*((a^2 + a*b)/(a^2 e^{4*c} + a*b e^{4*c}))^{1/4} \cos(1/2 \operatorname{arccos}(-(a-b)/(a+b))) e^{d*x} + \sqrt{(a^2 + a*b)/(a^2 e^{4*c} + a*b e^{4*c})} + e^{2*d*x}) / (2*a^3*b + (a^2 - a*b) \sqrt{-a*b} \operatorname{abs}(a)) + 8*(e^{3*d*x + 3*c} - e^{d*x + c}) / ((a*e^{4*d*x + 4*c} + b*e^{4*d*x + 4*c} + 2*a*e^{2*d*x + 2*c} - 2*b*e^{2*d*x + 2*c} + a + b)*a) / d
\end{aligned}$$

$$3.121 \quad \int \frac{\operatorname{sech}^4(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$$

**Optimal.** Leaf size=77

$$\frac{(a+b) \tanh(c+dx)}{2abd(a+b \tanh^2(c+dx))} - \frac{(a-b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2a^{3/2}b^{3/2}d}$$

[Out]  $-\left(\frac{(a-b) \operatorname{ArcTan}\left[\frac{\sqrt{b} \operatorname{Tanh}[c+d*x]}{\sqrt{a}}\right]}{(2*a^{3/2}*b^{3/2}*d)} + \frac{(a+b) \operatorname{Tanh}[c+d*x]}{(2*a*b*d*(a+b*\operatorname{Tanh}[c+d*x]^2))}\right)$

**Rubi [A]** time = 0.0788741, antiderivative size = 77, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$ , Rules used = {3675, 385, 205}

$$\frac{(a+b) \tanh(c+dx)}{2abd(a+b \tanh^2(c+dx))} - \frac{(a-b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2a^{3/2}b^{3/2}d}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[\operatorname{Sech}[c+d*x]^4/(a+b*\operatorname{Tanh}[c+d*x]^2)^2, x]$

[Out]  $-\left(\frac{(a-b) \operatorname{ArcTan}\left[\frac{\sqrt{b} \operatorname{Tanh}[c+d*x]}{\sqrt{a}}\right]}{(2*a^{3/2}*b^{3/2}*d)} + \frac{(a+b) \operatorname{Tanh}[c+d*x]}{(2*a*b*d*(a+b*\operatorname{Tanh}[c+d*x]^2))}\right)$

### Rule 3675

```
Int[sec[(e_.) + (f_.)*(x_.)]^(m_.)*((a_.) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_.)]))^(n_.)]^(p_.), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[ff/(c^(m-1)*f), Subst[Int[(c^2 + ff^2*x^2)^(m/2-1)*(a + b*(ff*x)^n)^p, x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2] && (IntegersQ[n, p] || IGtQ[m, 0] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])
```

### Rule 385

```
Int[((a_.) + (b_.)*(x_.)^(n_.))^(p_.)*((c_.) + (d_.)*(x_.)^(n_.)), x_Symbol] :> -Simp[((b*c - a*d)*x*(a + b*x^n)^(p+1))/(a*b*n*(p+1)), x] - Dist[(a*d - b*c*(n*(p+1) + 1))/(a*b*n*(p+1)), Int[(a + b*x^n)^(p+1), x], x] /; Fre
```

$eQ[\{a, b, c, d, n, p\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& (\text{LtQ}[p, -1] \parallel \text{ILtQ}[1/n + p, 0])$

### Rule 205

$\text{Int}[\frac{(a + b*x^2)^{-1}}{a}, x\_Symbol] \rightarrow \text{Simp}[\frac{\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]]}{a}, x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PosQ}[a/b]$

### Rubi steps

$$\begin{aligned} \int \frac{\text{sech}^4(c + dx)}{(a + b \tanh^2(c + dx))^2} dx &= \frac{\text{Subst}\left(\int \frac{1-x^2}{(a+bx^2)^2} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{(a + b) \tanh(c + dx)}{2abd(a + b \tanh^2(c + dx))} - \frac{(a - b) \text{Subst}\left(\int \frac{1}{a+bx^2} dx, x, \tanh(c + dx)\right)}{2abd} \\ &= -\frac{(a - b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2a^{3/2}b^{3/2}d} + \frac{(a + b) \tanh(c + dx)}{2abd(a + b \tanh^2(c + dx))} \end{aligned}$$

**Mathematica [A]** time = 0.279209, size = 83, normalized size = 1.08

$$\frac{(b - a) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right) + \frac{\sqrt{a}\sqrt{b}(a+b) \sinh(2(c+dx))}{(a+b) \cosh(2(c+dx))+a-b}}{2a^{3/2}b^{3/2}d}$$

Antiderivative was successfully verified.

[In] Integrate[Sech[c + d\*x]^4/(a + b\*Tanh[c + d\*x]^2)^2, x]

[Out]  $((-a + b)*\text{ArcTan}[(\text{Sqrt}[b]*\text{Tanh}[c + d*x])/(\text{Sqrt}[a])] + (\text{Sqrt}[a]*\text{Sqrt}[b]*(a + b)*\text{Sinh}[2*(c + d*x)])/(a - b + (a + b)*\text{Cosh}[2*(c + d*x)]))/(2*a^{(3/2)}*b^{(3/2)}*d)$

**Maple [B]** time = 0.095, size = 746, normalized size = 9.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\int (\operatorname{sech}(dx+c)^4 / (a+b \tanh(dx+c))^2)^2 dx$

[Out]  $\frac{1}{d} \frac{(\tanh(\frac{1}{2}dx+\frac{1}{2}c)^{4a+2} \tanh(\frac{1}{2}dx+\frac{1}{2}c)^{2a+4} \tanh(\frac{1}{2}dx+\frac{1}{2}c)^{2b+a})}{b \tanh(\frac{1}{2}dx+\frac{1}{2}c)^3} + \frac{1}{d} \frac{(\tanh(\frac{1}{2}dx+\frac{1}{2}c)^{4a+2} \tanh(\frac{1}{2}dx+\frac{1}{2}c)^{2a+4} \tanh(\frac{1}{2}dx+\frac{1}{2}c)^{2b+a})}{a \tanh(\frac{1}{2}dx+\frac{1}{2}c)^3} + \frac{1}{d} \frac{(\tanh(\frac{1}{2}dx+\frac{1}{2}c)^{4a+2} \tanh(\frac{1}{2}dx+\frac{1}{2}c)^{2a+4} \tanh(\frac{1}{2}dx+\frac{1}{2}c)^{2b+a})}{b \tanh(\frac{1}{2}dx+\frac{1}{2}c)} + \frac{1}{d} \frac{(\tanh(\frac{1}{2}dx+\frac{1}{2}c)^{4a+2} \tanh(\frac{1}{2}dx+\frac{1}{2}c)^{2a+4} \tanh(\frac{1}{2}dx+\frac{1}{2}c)^{2b+a})}{a \tanh(\frac{1}{2}dx+\frac{1}{2}c)} + \frac{1}{2} \frac{d}{b} \frac{a}{(b(a+b))^{1/2}} \frac{((2(b(a+b))^{1/2} - a - 2b)a)^{1/2} \operatorname{arctanh}(a \tanh(\frac{1}{2}dx+\frac{1}{2}c))}{((2(b(a+b))^{1/2} - a - 2b)a)^{1/2}} - \frac{1}{2} \frac{d}{b} \frac{a}{(b(a+b))^{1/2}} \frac{((2(b(a+b))^{1/2} - a - 2b)a)^{1/2} \operatorname{arctanh}(a \tanh(\frac{1}{2}dx+\frac{1}{2}c))}{((2(b(a+b))^{1/2} - a - 2b)a)^{1/2}} + \frac{1}{2} \frac{d}{b} \frac{a}{(b(a+b))^{1/2}} \frac{((2(b(a+b))^{1/2} + a + 2b)a)^{1/2} \operatorname{arctan}(a \tanh(\frac{1}{2}dx+\frac{1}{2}c))}{((2(b(a+b))^{1/2} + a + 2b)a)^{1/2}} + \frac{1}{2} \frac{d}{b} \frac{a}{(b(a+b))^{1/2}} \frac{((2(b(a+b))^{1/2} + a + 2b)a)^{1/2} \operatorname{arctan}(a \tanh(\frac{1}{2}dx+\frac{1}{2}c))}{((2(b(a+b))^{1/2} + a + 2b)a)^{1/2}} + \frac{1}{2} \frac{d}{a} \frac{((2(b(a+b))^{1/2} - a - 2b)a)^{1/2} \operatorname{arctanh}(a \tanh(\frac{1}{2}dx+\frac{1}{2}c))}{((2(b(a+b))^{1/2} - a - 2b)a)^{1/2}} - \frac{1}{2} \frac{d}{a} \frac{((2(b(a+b))^{1/2} - a - 2b)a)^{1/2} \operatorname{arctanh}(a \tanh(\frac{1}{2}dx+\frac{1}{2}c))}{((2(b(a+b))^{1/2} - a - 2b)a)^{1/2}} + \frac{1}{2} \frac{d}{a} \frac{((2(b(a+b))^{1/2} + a + 2b)a)^{1/2} \operatorname{arctan}(a \tanh(\frac{1}{2}dx+\frac{1}{2}c))}{((2(b(a+b))^{1/2} + a + 2b)a)^{1/2}} - \frac{1}{2} \frac{d}{a} \frac{((2(b(a+b))^{1/2} + a + 2b)a)^{1/2} \operatorname{arctan}(a \tanh(\frac{1}{2}dx+\frac{1}{2}c))}{((2(b(a+b))^{1/2} + a + 2b)a)^{1/2}} * b$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\int (\operatorname{sech}(dx+c)^4 / (a+b \tanh(dx+c))^2)^2 dx$ , algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [B]** time = 2.22099, size = 3452, normalized size = 44.83

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\int (\operatorname{sech}(dx+c)^4 / (a+b \tanh(dx+c))^2)^2 dx$ , algorithm="fricas")

```
[Out] [-1/4*(4*a^2*b + 4*a*b^2 + 4*(a^2*b - a*b^2)*cosh(d*x + c)^2 + 8*(a^2*b - a
*b^2)*cosh(d*x + c)*sinh(d*x + c) + 4*(a^2*b - a*b^2)*sinh(d*x + c)^2 - ((a
^2 - b^2)*cosh(d*x + c)^4 + 4*(a^2 - b^2)*cosh(d*x + c)*sinh(d*x + c)^3 + (
a^2 - b^2)*sinh(d*x + c)^4 + 2*(a^2 - 2*a*b + b^2)*cosh(d*x + c)^2 + 2*(3*(
a^2 - b^2)*cosh(d*x + c)^2 + a^2 - 2*a*b + b^2)*sinh(d*x + c)^2 + a^2 - b^2
+ 4*((a^2 - b^2)*cosh(d*x + c)^3 + (a^2 - 2*a*b + b^2)*cosh(d*x + c))*sinh
(d*x + c))*sqrt(-a*b)*log(((a^2 + 2*a*b + b^2)*cosh(d*x + c)^4 + 4*(a^2 + 2
*a*b + b^2)*cosh(d*x + c)*sinh(d*x + c)^3 + (a^2 + 2*a*b + b^2)*sinh(d*x +
c)^4 + 2*(a^2 - b^2)*cosh(d*x + c)^2 + 2*(3*(a^2 + 2*a*b + b^2)*cosh(d*x +
c)^2 + a^2 - b^2)*sinh(d*x + c)^2 + a^2 - 6*a*b + b^2 + 4*((a^2 + 2*a*b + b
^2)*cosh(d*x + c)^3 + (a^2 - b^2)*cosh(d*x + c))*sinh(d*x + c) - 4*((a + b)
*cosh(d*x + c)^2 + 2*(a + b)*cosh(d*x + c)*sinh(d*x + c) + (a + b)*sinh(d*x
+ c)^2 + a - b)*sqrt(-a*b))/((a + b)*cosh(d*x + c)^4 + 4*(a + b)*cosh(d*x
+ c)*sinh(d*x + c)^3 + (a + b)*sinh(d*x + c)^4 + 2*(a - b)*cosh(d*x + c)^2
+ 2*(3*(a + b)*cosh(d*x + c)^2 + a - b)*sinh(d*x + c)^2 + 4*((a + b)*cosh(d
*x + c)^3 + (a - b)*cosh(d*x + c))*sinh(d*x + c) + a + b)))/((a^3*b^2 + a^2
*b^3)*d*cosh(d*x + c)^4 + 4*(a^3*b^2 + a^2*b^3)*d*cosh(d*x + c)*sinh(d*x +
c)^3 + (a^3*b^2 + a^2*b^3)*d*sinh(d*x + c)^4 + 2*(a^3*b^2 - a^2*b^3)*d*cosh
(d*x + c)^2 + 2*(3*(a^3*b^2 + a^2*b^3)*d*cosh(d*x + c)^2 + (a^3*b^2 - a^2*b
^3)*d)*sinh(d*x + c)^2 + (a^3*b^2 + a^2*b^3)*d + 4*((a^3*b^2 + a^2*b^3)*d*c
osh(d*x + c)^3 + (a^3*b^2 - a^2*b^3)*d*cosh(d*x + c))*sinh(d*x + c)), -1/2*
(2*a^2*b + 2*a*b^2 + 2*(a^2*b - a*b^2)*cosh(d*x + c)^2 + 4*(a^2*b - a*b^2)*
cosh(d*x + c)*sinh(d*x + c) + 2*(a^2*b - a*b^2)*sinh(d*x + c)^2 + ((a^2 - b
^2)*cosh(d*x + c)^4 + 4*(a^2 - b^2)*cosh(d*x + c)*sinh(d*x + c)^3 + (a^2 -
b^2)*sinh(d*x + c)^4 + 2*(a^2 - 2*a*b + b^2)*cosh(d*x + c)^2 + 2*(3*(a^2 -
b^2)*cosh(d*x + c)^2 + a^2 - 2*a*b + b^2)*sinh(d*x + c)^2 + a^2 - b^2 + 4*(
a^2 - b^2)*cosh(d*x + c)^3 + (a^2 - 2*a*b + b^2)*cosh(d*x + c))*sinh(d*x +
c))*sqrt(a*b)*arctan(1/2*((a + b)*cosh(d*x + c)^2 + 2*(a + b)*cosh(d*x + c
)*sinh(d*x + c) + (a + b)*sinh(d*x + c)^2 + a - b)*sqrt(a*b)/(a*b)))/((a^3*
b^2 + a^2*b^3)*d*cosh(d*x + c)^4 + 4*(a^3*b^2 + a^2*b^3)*d*cosh(d*x + c)*si
nh(d*x + c)^3 + (a^3*b^2 + a^2*b^3)*d*sinh(d*x + c)^4 + 2*(a^3*b^2 - a^2*b^
3)*d*cosh(d*x + c)^2 + 2*(3*(a^3*b^2 + a^2*b^3)*d*cosh(d*x + c)^2 + (a^3*b^
2 - a^2*b^3)*d)*sinh(d*x + c)^2 + (a^3*b^2 + a^2*b^3)*d + 4*((a^3*b^2 + a^2
*b^3)*d*cosh(d*x + c)^3 + (a^3*b^2 - a^2*b^3)*d*cosh(d*x + c))*sinh(d*x + c
))]
```

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{sech}^4(c + dx)}{(a + b \tanh^2(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate(sech(d\*x+c)\*\*4/(a+b\*tanh(d\*x+c)\*\*2)\*\*2,x)

[Out] Integral(sech(c + d\*x)\*\*4/(a + b\*tanh(c + d\*x)\*\*2)\*\*2, x)

**Giac [B]** time = 1.66815, size = 211, normalized size = 2.74

$$\frac{(ae^{2c}-be^{2c})\arctan\left(\frac{ae^{2dx+2c}+be^{2dx+2c}+a-b}{2\sqrt{ab}}\right)e^{-2c}}{\sqrt{abab}} + \frac{2(ae^{2dx+2c}-be^{2dx+2c}+a+b)}{(ae^{4dx+4c}+be^{4dx+4c}+2ae^{2dx+2c}-2be^{2dx+2c}+a+b)ab}$$

$$\frac{\hspace{10em}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out] 
$$-1/2*((a*e^{2*c} - b*e^{2*c})*\arctan(1/2*(a*e^{2*d*x + 2*c} + b*e^{2*d*x + 2*c} + a - b)/\sqrt{a*b}))*e^{-2*c}/(\sqrt{a*b}*a*b) + 2*(a*e^{2*d*x + 2*c} - b*e^{2*d*x + 2*c} + a + b)/((a*e^{4*d*x + 4*c} + b*e^{4*d*x + 4*c} + 2*a*e^{2*d*x + 2*c} - 2*b*e^{2*d*x + 2*c} + a + b)*a*b))/d$$

$$3.122 \quad \int \frac{\operatorname{sech}^5(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$$

**Optimal.** Leaf size=102

$$-\frac{(2a-b)\sqrt{a+b} \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{2a^{3/2}b^2d} + \frac{(a+b) \sinh(c+dx)}{2abd((a+b) \sinh^2(c+dx) + a)} + \frac{\tan^{-1}(\sinh(c+dx))}{b^2d}$$

[Out] ArcTan[Sinh[c + d\*x]]/(b^2\*d) - ((2\*a - b)\*Sqrt[a + b]\*ArcTan[(Sqrt[a + b]\*Sinh[c + d\*x])/Sqrt[a]])/(2\*a^(3/2)\*b^2\*d) + ((a + b)\*Sinh[c + d\*x])/(2\*a\*b\*d\*(a + (a + b)\*Sinh[c + d\*x]^2))

**Rubi [A]** time = 0.127104, antiderivative size = 102, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {3676, 414, 522, 203, 205}

$$-\frac{(2a-b)\sqrt{a+b} \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{2a^{3/2}b^2d} + \frac{(a+b) \sinh(c+dx)}{2abd((a+b) \sinh^2(c+dx) + a)} + \frac{\tan^{-1}(\sinh(c+dx))}{b^2d}$$

Antiderivative was successfully verified.

[In] Int[Sech[c + d\*x]^5/(a + b\*Tanh[c + d\*x]^2),x]

[Out] ArcTan[Sinh[c + d\*x]]/(b^2\*d) - ((2\*a - b)\*Sqrt[a + b]\*ArcTan[(Sqrt[a + b]\*Sinh[c + d\*x])/Sqrt[a]])/(2\*a^(3/2)\*b^2\*d) + ((a + b)\*Sinh[c + d\*x])/(2\*a\*b\*d\*(a + (a + b)\*Sinh[c + d\*x]^2))

### Rule 3676

```
Int[sec[(e_.) + (f_.)*(x_.)]^(m_.)*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)]^(n_.))^
(p_.), x_Symbol] := With[{ff = FreeFactors[Sin[e + f*x], x]}, Dist[ff/f,
  Subst[Int[ExpandToSum[b*(ff*x)^n + a*(1 - ff^2*x^2)^(n/2), x]^p/(1 - ff^2*
x^2)^((m + n*p + 1)/2), x], x, Sin[e + f*x]/ff], x]] /; FreeQ[{a, b, e, f},
x] && IntegerQ[(m - 1)/2] && IntegerQ[n/2] && IntegerQ[p]
```

### Rule 414

```
Int[((a_.) + (b_.)*(x_)^(n_))^(p_)*((c_.) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:= -Simp[(b*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(p + 1)*(b*c -
```

$a*d)), x] + \text{Dist}[1/(a*n*(p + 1)*(b*c - a*d)), \text{Int}[(a + b*x^n)^(p + 1)*(c + d*x^n)^q*\text{Simp}[b*c + n*(p + 1)*(b*c - a*d) + d*b*(n*(p + q + 2) + 1)*x^n, x], x] /; \text{FreeQ}\{a, b, c, d, n, q\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{LtQ}[p, -1] \&\& !( !\text{IntegerQ}[p] \&\& \text{IntegerQ}[q] \&\& \text{LtQ}[q, -1]) \&\& \text{IntBinomialQ}[a, b, c, d, n, p, q, x]$

### Rule 522

$\text{Int}[(e_ + (f_)*(x_)^(n_))/((a_ + (b_)*(x_)^(n_))*((c_ + (d_)*(x_)^(n_))), x\_Symbol] :> \text{Dist}[(b*e - a*f)/(b*c - a*d), \text{Int}[1/(a + b*x^n), x], x] - \text{Dist}[(d*e - c*f)/(b*c - a*d), \text{Int}[1/(c + d*x^n), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, n\}, x]$

### Rule 203

$\text{Int}[(a_ + (b_)*(x_)^2)^(-1), x\_Symbol] :> \text{Simp}[(1*\text{ArcTan}[\text{Rt}[b, 2]*x]/\text{Rt}[a, 2])]/(\text{Rt}[a, 2]*\text{Rt}[b, 2]), x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{PosQ}[a/b] \&\& (\text{GtQ}[a, 0] \parallel \text{GtQ}[b, 0])$

### Rule 205

$\text{Int}[(a_ + (b_)*(x_)^2)^(-1), x\_Symbol] :> \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{PosQ}[a/b]$

### Rubi steps

$$\begin{aligned} \int \frac{\text{sech}^5(c + dx)}{(a + b \tanh^2(c + dx))^2} dx &= \frac{\text{Subst}\left(\int \frac{1}{(1+x^2)(a+(a+b)x^2)^2} dx, x, \sinh(c + dx)\right)}{d} \\ &= \frac{(a + b) \sinh(c + dx)}{2abd(a + (a + b) \sinh^2(c + dx))} - \frac{\text{Subst}\left(\int \frac{a-b+(-a-b)x^2}{(1+x^2)(a+(a+b)x^2)} dx, x, \sinh(c + dx)\right)}{2abd} \\ &= \frac{(a + b) \sinh(c + dx)}{2abd(a + (a + b) \sinh^2(c + dx))} + \frac{\text{Subst}\left(\int \frac{1}{1+x^2} dx, x, \sinh(c + dx)\right)}{b^2d} - \frac{((2a - b)(a + b))}{2abd} \\ &= \frac{\tan^{-1}(\sinh(c + dx))}{b^2d} - \frac{(2a - b)\sqrt{a + b} \tan^{-1}\left(\frac{\sqrt{a+b}\sinh(c+dx)}{\sqrt{a}}\right)}{2a^{3/2}b^2d} + \frac{(a + b) \sinh(c + dx)}{2abd(a + (a + b) \sinh^2(c + dx))} \end{aligned}$$

**Mathematica [A]** time = 0.483468, size = 203, normalized size = 1.99

$$\frac{(a-b)\left((2a^2+ab-b^2)\tan^{-1}\left(\frac{\sqrt{a}\operatorname{csch}(c+dx)}{\sqrt{a+b}}\right)+4a^{3/2}\sqrt{a+b}\tan^{-1}\left(\tanh\left(\frac{1}{2}(c+dx)\right)\right)\right)}{2a^{3/2}b^2d\sqrt{a+b}((a+b)\cosh(2(c+dx)))} + (a+b)\cosh(2(c+dx))\left((2a^2+ab-b^2)\tan^{-1}\left(\frac{\sqrt{a}\operatorname{csch}(c+dx)}{\sqrt{a+b}}\right)+4a^{3/2}\sqrt{a+b}\tan^{-1}\left(\tanh\left(\frac{1}{2}(c+dx)\right)\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[Sech[c + d\*x]^5/(a + b\*Tanh[c + d\*x]^2), x]

[Out] ((a - b)\*((2\*a^2 + a\*b - b^2)\*ArcTan[(Sqrt[a]\*Csch[c + d\*x])/Sqrt[a + b]] + 4\*a^(3/2)\*Sqrt[a + b]\*ArcTan[Tanh[(c + d\*x)/2]]) + (a + b)\*((2\*a^2 + a\*b - b^2)\*ArcTan[(Sqrt[a]\*Csch[c + d\*x])/Sqrt[a + b]] + 4\*a^(3/2)\*Sqrt[a + b]\*ArcTan[Tanh[(c + d\*x)/2]])\*Cosh[2\*(c + d\*x)] + 2\*Sqrt[a]\*b\*(a + b)^(3/2)\*Sinh[c + d\*x]/(2\*a^(3/2)\*b^2\*Sqrt[a + b]\*d\*(a - b + (a + b)\*Cosh[2\*(c + d\*x)]))

**Maple [B]** time = 0.099, size = 1007, normalized size = 9.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sech(d\*x+c)^5/(a+b\*tanh(d\*x+c)^2)^2,x)

[Out] 
$$-1/d/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)/b*\tanh(1/2*d*x+1/2*c)^3-1/d/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)/a*\tanh(1/2*d*x+1/2*c)^3+1/d/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)/b*\tanh(1/2*d*x+1/2*c)+1/d/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)/a*\tanh(1/2*d*x+1/2*c)+1/d/b^2*a/((2*(b*(a+b)))^(1/2)-a-2*b)*a^(1/2)*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b)))^(1/2)-a-2*b)*a^(1/2))-1/d/b*a/(b*(a+b))^(1/2)/((2*(b*(a+b)))^(1/2)-a-2*b)*a^(1/2))*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b)))^(1/2)-a-2*b)*a^(1/2))-1/d/b^2*a/((2*(b*(a+b)))^(1/2)+a+2*b)*a^(1/2)*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b)))^(1/2)+a+2*b)*a^(1/2))-1/d/b*a/(b*(a+b))^(1/2)/((2*(b*(a+b)))^(1/2)+a+2*b)*a^(1/2))*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b)))^(1/2)+a+2*b)*a^(1/2))+1/2/d/b/((2*(b*(a+b)))^(1/2)-a-2*b)*a^(1/2)*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b)))^(1/2)-a-2*b)*a^(1/2))-1/2/d/(b*(a+b))^(1/2)/((2*(b*(a+b)))^(1/2)-a-2*b)*a^(1/2))*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b)))^(1/2)-a-2*b)*a^(1/2))-1/2/d/b/((2*(b*(a+b)))^(1/2)+a+2*b)*a^(1/2)*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b)))^(1/2)+a+2*b)*a^(1/2))-1/2/d/(b*(a+b))^(1/2)/$$

$$\begin{aligned} & ((2*(b*(a+b))^{(1/2)+a+2*b}*a)^{(1/2)}*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)+a+2*b}*a)^{(1/2)}-1/2/d/a/((2*(b*(a+b))^{(1/2)-a-2*b}*a)^{(1/2)}*\arctanh(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)-a-2*b}*a)^{(1/2)}))+1/2/d/(b*(a+b))^{(1/2)}/a/((2*(b*(a+b))^{(1/2)-a-2*b}*a)^{(1/2)}*\arctanh(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)-a-2*b}*a)^{(1/2)})*b+1/2/d/a/((2*(b*(a+b))^{(1/2)+a+2*b}*a)^{(1/2)}*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)+a+2*b}*a)^{(1/2)}))+1/2/d/(b*(a+b))^{(1/2)}/a/((2*(b*(a+b))^{(1/2)+a+2*b}*a)^{(1/2)}*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)+a+2*b}*a)^{(1/2)}))*b+2/d/b^2*\arctan(\tanh(1/2*d*x+1/2*c))) \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{(ae^{3c} + be^{3c})e^{3dx} - (ae^c + be^c)e^{dx}}{a^2bd + ab^2d + (a^2bde^{4c} + ab^2de^{4c})e^{4dx} + 2(a^2bde^{2c} - ab^2de^{2c})e^{2dx}} + \frac{2 \arctan(e^{dx+c})}{b^2d} - 32 \int \frac{(2a^2e^{3c})}{32(a^2b^2 + ab^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^5/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="maxima")

[Out] ((a\*e^(3\*c) + b\*e^(3\*c))\*e^(3\*d\*x) - (a\*e^c + b\*e^c)\*e^(d\*x))/(a^2\*b\*d + a\*b^2\*d + (a^2\*b\*d\*e^(4\*c) + a\*b^2\*d\*e^(4\*c))\*e^(4\*d\*x) + 2\*(a^2\*b\*d\*e^(2\*c) - a\*b^2\*d\*e^(2\*c))\*e^(2\*d\*x)) + 2\*arctan(e^(d\*x + c))/(b^2\*d) - 32\*integrate(1/32\*((2\*a^2\*e^(3\*c) + a\*b\*e^(3\*c) - b^2\*e^(3\*c))\*e^(3\*d\*x) + (2\*a^2\*e^c + a\*b\*e^c - b^2\*e^c)\*e^(d\*x))/(a^2\*b^2 + a\*b^3 + (a^2\*b^2\*e^(4\*c) + a\*b^3\*e^(4\*c))\*e^(4\*d\*x) + 2\*(a^2\*b^2\*e^(2\*c) - a\*b^3\*e^(2\*c))\*e^(2\*d\*x)), x)

**Fricas [B]** time = 2.58701, size = 5292, normalized size = 51.88

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^5/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out] [1/4\*(4\*(a\*b + b^2)\*cosh(d\*x + c)^3 + 12\*(a\*b + b^2)\*cosh(d\*x + c)\*sinh(d\*x + c)^2 + 4\*(a\*b + b^2)\*sinh(d\*x + c)^3 - ((2\*a^2 + a\*b - b^2)\*cosh(d\*x + c)^4 + 4\*(2\*a^2 + a\*b - b^2)\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + (2\*a^2 + a\*b - b^2)\*sinh(d\*x + c)^4 + 2\*(2\*a^2 - 3\*a\*b + b^2)\*cosh(d\*x + c)^2 + 2\*(3\*(2\*a^2 + a\*b - b^2)\*cosh(d\*x + c)^2 + 2\*a^2 - 3\*a\*b + b^2)\*sinh(d\*x + c)^2 + 2\*a

$$\begin{aligned}
&^2 + a*b - b^2 + 4*((2*a^2 + a*b - b^2)*\cosh(d*x + c)^3 + (2*a^2 - 3*a*b + \\
&b^2)*\cosh(d*x + c))*\sinh(d*x + c))*\sqrt{-(a + b)/a}*\log(((a + b)*\cosh(d*x + \\
&c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a + b)*\sinh(d*x + c)^4 - \\
&2*(3*a + b)*\cosh(d*x + c)^2 + 2*(3*(a + b)*\cosh(d*x + c)^2 - 3*a - b)*\sinh \\
&(d*x + c)^2 + 4*((a + b)*\cosh(d*x + c)^3 - (3*a + b)*\cosh(d*x + c))*\sinh(d* \\
&x + c) + 4*(a*\cosh(d*x + c)^3 + 3*a*\cosh(d*x + c)*\sinh(d*x + c)^2 + a*\sinh \\
&d*x + c)^3 - a*\cosh(d*x + c) + (3*a*\cosh(d*x + c)^2 - a)*\sinh(d*x + c))*\sqrt{ \\
&t(-(a + b)/a) + a + b)/((a + b)*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*s \\
&inh(d*x + c)^3 + (a + b)*\sinh(d*x + c)^4 + 2*(a - b)*\cosh(d*x + c)^2 + 2*(3 \\
&)*(a + b)*\cosh(d*x + c)^2 + a - b)*\sinh(d*x + c)^2 + 4*((a + b)*\cosh(d*x + c \\
&)^3 + (a - b)*\cosh(d*x + c))*\sinh(d*x + c) + a + b)) + 8*((a^2 + a*b)*\cosh \\
&d*x + c)^4 + 4*(a^2 + a*b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a^2 + a*b)*\sinh \\
&(d*x + c)^4 + 2*(a^2 - a*b)*\cosh(d*x + c)^2 + 2*(3*(a^2 + a*b)*\cosh(d*x + c \\
&)^2 + a^2 - a*b)*\sinh(d*x + c)^2 + a^2 + a*b + 4*((a^2 + a*b)*\cosh(d*x + c) \\
&^3 + (a^2 - a*b)*\cosh(d*x + c))*\sinh(d*x + c))*\arctan(\cosh(d*x + c) + \sinh \\
&d*x + c)) - 4*(a*b + b^2)*\cosh(d*x + c) + 4*(3*(a*b + b^2)*\cosh(d*x + c)^2 \\
&- a*b - b^2)*\sinh(d*x + c))/((a^2*b^2 + a*b^3)*d*\cosh(d*x + c)^4 + 4*(a^2*b \\
&^2 + a*b^3)*d*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a^2*b^2 + a*b^3)*d*\sinh(d*x \\
&+ c)^4 + 2*(a^2*b^2 - a*b^3)*d*\cosh(d*x + c)^2 + 2*(3*(a^2*b^2 + a*b^3)*d*c \\
&osh(d*x + c)^2 + (a^2*b^2 - a*b^3)*d)*\sinh(d*x + c)^2 + (a^2*b^2 + a*b^3)*d \\
&+ 4*((a^2*b^2 + a*b^3)*d*\cosh(d*x + c)^3 + (a^2*b^2 - a*b^3)*d*\cosh(d*x + \\
&c))*\sinh(d*x + c)), 1/2*(2*(a*b + b^2)*\cosh(d*x + c)^3 + 6*(a*b + b^2)*\cosh \\
&(d*x + c)*\sinh(d*x + c)^2 + 2*(a*b + b^2)*\sinh(d*x + c)^3 - ((2*a^2 + a*b - \\
&b^2)*\cosh(d*x + c)^4 + 4*(2*a^2 + a*b - b^2)*\cosh(d*x + c)*\sinh(d*x + c)^3 \\
&+ (2*a^2 + a*b - b^2)*\sinh(d*x + c)^4 + 2*(2*a^2 - 3*a*b + b^2)*\cosh(d*x + \\
&c)^2 + 2*(3*(2*a^2 + a*b - b^2)*\cosh(d*x + c)^2 + 2*a^2 - 3*a*b + b^2)*\sin \\
&h(d*x + c)^2 + 2*a^2 + a*b - b^2 + 4*((2*a^2 + a*b - b^2)*\cosh(d*x + c)^3 + \\
&(2*a^2 - 3*a*b + b^2)*\cosh(d*x + c))*\sinh(d*x + c))*\sqrt{(a + b)/a}*\arctan \\
&(1/2*\sqrt{(a + b)/a}*(\cosh(d*x + c) + \sinh(d*x + c))) - ((2*a^2 + a*b - b^2 \\
&)*\cosh(d*x + c)^4 + 4*(2*a^2 + a*b - b^2)*\cosh(d*x + c)*\sinh(d*x + c)^3 + ( \\
&2*a^2 + a*b - b^2)*\sinh(d*x + c)^4 + 2*(2*a^2 - 3*a*b + b^2)*\cosh(d*x + c)^ \\
&2 + 2*(3*(2*a^2 + a*b - b^2)*\cosh(d*x + c)^2 + 2*a^2 - 3*a*b + b^2)*\sinh(d* \\
&x + c)^2 + 2*a^2 + a*b - b^2 + 4*((2*a^2 + a*b - b^2)*\cosh(d*x + c)^3 + (2* \\
&a^2 - 3*a*b + b^2)*\cosh(d*x + c))*\sinh(d*x + c))*\sqrt{(a + b)/a}*\arctan(1/2 \\
&*((a + b)*\cosh(d*x + c)^3 + 3*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^2 + (a + \\
&b)*\sinh(d*x + c)^3 + (3*a - b)*\cosh(d*x + c) + (3*(a + b)*\cosh(d*x + c)^2 + \\
&3*a - b)*\sinh(d*x + c))*\sqrt{(a + b)/a)/(a + b)) + 4*((a^2 + a*b)*\cosh(d*x \\
&+ c)^4 + 4*(a^2 + a*b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a^2 + a*b)*\sinh(d* \\
&x + c)^4 + 2*(a^2 - a*b)*\cosh(d*x + c)^2 + 2*(3*(a^2 + a*b)*\cosh(d*x + c)^2 \\
&+ a^2 - a*b)*\sinh(d*x + c)^2 + a^2 + a*b + 4*((a^2 + a*b)*\cosh(d*x + c)^3 \\
&+ (a^2 - a*b)*\cosh(d*x + c))*\sinh(d*x + c))*\arctan(\cosh(d*x + c) + \sinh(d*x \\
&+ c)) - 2*(a*b + b^2)*\cosh(d*x + c) + 2*(3*(a*b + b^2)*\cosh(d*x + c)^2 - a \\
&*b - b^2)*\sinh(d*x + c))/((a^2*b^2 + a*b^3)*d*\cosh(d*x + c)^4 + 4*(a^2*b^2 \\
&+ a*b^3)*d*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a^2*b^2 + a*b^3)*d*\sinh(d*x + c \\
&)^4 + 2*(a^2*b^2 - a*b^3)*d*\cosh(d*x + c)^2 + 2*(3*(a^2*b^2 + a*b^3)*d*\cosh
\end{aligned}$$

$$(d*x + c)^2 + (a^2*b^2 - a*b^3)*d)*\sinh(d*x + c)^2 + (a^2*b^2 + a*b^3)*d + 4*((a^2*b^2 + a*b^3)*d*\cosh(d*x + c)^3 + (a^2*b^2 - a*b^3)*d*\cosh(d*x + c))*\sinh(d*x + c))]$$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{sech}^5(c + dx)}{(a + b \tanh^2(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)\*\*5/(a+b\*tanh(d\*x+c)\*\*2)\*\*2,x)

[Out] Integral(sech(c + d\*x)\*\*5/(a + b\*tanh(c + d\*x)\*\*2)\*\*2, x)

**Giac [C]** time = 2.1604, size = 5392, normalized size = 52.86

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^5/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out] 
$$-1/8*(2*(3*(2*a^4 + 3*a^3*b - a*b^3)*\cos(1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\cosh(1/2*\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\sin(1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))) - (2*a^4 + 3*a^3*b - a*b^3)*\cosh(1/2*\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\sin(1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 - 9*(2*a^4 + 3*a^3*b - a*b^3)*\cos(1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\cosh(1/2*\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\sin(1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sinh(1/2*\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) + 3*(2*a^4 + 3*a^3*b - a*b^3)*\cosh(1/2*\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\sin(1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\sinh(1/2*\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) + 9*(2*a^4 + 3*a^3*b - a*b^3)*\cos(1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\cosh(1/2*\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sin(1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sinh(1/2*\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 - 3*(2*a^4 + 3*a^3*b - a*b^3)*\cosh(1/2*\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sin(1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\sinh(1/2*\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 - 3*(2*a^4 +$$

$$\begin{aligned}
& 3a^3b - ab^3) \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 \sin( \\
& 1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/ \\
& / (a+b) + b/(a+b))))^3 + (2a^4 + 3a^3b - ab^3) \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 + (2a^4 + 3a^3b - ab^3) \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) - (2a^4 + 3a^3b - ab^3) \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) \arctan(\frac{((a^2b^2 + ab^3)/(a^2b^2e^{4c} + ab^3e^{4c}))^{1/4} \cos(1/2 \arccos(-(a-b)/(a+b))) + e^{dx}}{((a^2b^2 + ab^3)/(a^2b^2e^{4c} + ab^3e^{4c}))^{1/4} \sin(1/2 \arccos(-(a-b)/(a+b)))}) / (2a^3b^3 + (a^2b^2 - ab^3) \sqrt{-ab} \operatorname{abs}(a)) + 2(3(2a^4 + 3a^3b - ab^3) \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) - (2a^4 + 3a^3b - ab^3) \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 - 9(2a^4 + 3a^3b - ab^3) \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) + 3(2a^4 + 3a^3b - ab^3) \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) + 9(2a^4 + 3a^3b - ab^3) \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - 3(2a^4 + 3a^3b - ab^3) \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - 3(2a^4 + 3a^3b - ab^3) \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 + (2a^4 + 3a^3b - ab^3) \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 + (2a^4 + 3a^3b - ab^3) \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) - (2a^4 + 3a^3b - ab^3) \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) \arctan(\frac{((a^2b^2 + ab^3)/(a^2b^2e^{4c} + ab^3e^{4c}))^{1/4} \cos(1/2 \arccos(-(a-b)/(a+b))) - e^{dx}}{((a^2b^2 + ab^3)/(a^2b^2e^{4c} + ab^3e^{4c}))^{1/4} \sin(1/2 \arccos(-(a-b)/(a+b)))}) / (2a^3b^3 + (a^2b^2 - ab^3) \sqrt{-ab} \operatorname{abs}(a)) + ((2a^4 + 3a^3b - ab^3) \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 - 3(2a^4 + 3a^3b - ab^3) \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - 3(2a^4 + 3a^3b - ab^3) \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))
\end{aligned}$$



$$\begin{aligned}
&)) + 9*(2*a^4 + 3*a^3*b - a*b^3)*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) + 3*(2*a^4 + 3*a^3*b - a*b^3)*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 - 9*(2*a^4 + 3*a^3*b - a*b^3)*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 - (2*a^4 + 3*a^3*b - a*b^3)*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 + 3*(2*a^4 + 3*a^3*b - a*b^3)*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 + (2*a^4 + 3*a^3*b - a*b^3)*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) - (2*a^4 + 3*a^3*b - a*b^3)*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))*\log(2*((a^2*b^2 + a*b^3)/(a^2*b^2*e^(4*c) + a*b^3*e^(4*c)))^(1/4)*\cos(1/2*\arccos(-(a - b)/(a + b)))*e^(d*x) + \sqrt{(a^2*b^2 + a*b^3)/(a^2*b^2*e^(4*c) + a*b^3*e^(4*c))} + e^(2*d*x))/(2*a^3*b^3 + (a^2*b^2 - a*b^3)*\sqrt{-a*b}*abs(a)) - ((2*a^4 + 3*a^3*b - a*b^3)*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 - 3*(2*a^4 + 3*a^3*b - a*b^3)*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 - 3*(2*a^4 + 3*a^3*b - a*b^3)*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) + 9*(2*a^4 + 3*a^3*b - a*b^3)*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) + 3*(2*a^4 + 3*a^3*b - a*b^3)*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 - 9*(2*a^4 + 3*a^3*b - a*b^3)*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 - (2*a^4 + 3*a^3*b - a*b^3)*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 + 3*(2*a^4 + 3*a^3*b - a*b^3)*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) - (2*a^4 + 3*a^3*b - a*b^3)*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))*\log(-2*((a^2*b^2 + a*b^3)/(a^2*b^2*e^(4*c) + a*b^3*e^(4*c)))^(1/4)*\cos(1/2*\arccos(-(a - b)/(a + b)))*e^(d*x) + \sqrt{(a^2*b^2 + a*b^3)/(a^2*b^2*e^(4*c) + a*b^3*e^(4*c))})^(1/4)*\cos(1/2*\arccos(-(a - b)/(a + b)))*e^(d*x) + \sqrt{(a^2*b^2 + a*b^3)/(a^2*b^2*e^(4*c) + a*b^3*e^(4*c))}
\end{aligned}$$

$$\frac{b^2 + ab^3}{(a^2b^2e^{4c} + ab^3e^{4c})} + \frac{e^{2dx}}{(2a^3b^3 + (a^2b^2 - ab^3)\sqrt{-ab}\operatorname{abs}(a) - 16\arctan(e^{dx+c})/b^2 - 8(ae^{3dx+3c} + be^{3dx+3c} - ae^{dx+c} - be^{dx+c}))/((ae^{4dx+4c} + be^{4dx+4c} + 2ae^{2dx+2c} - 2be^{2dx+2c} + a + b)ab)}/d$$

$$3.123 \quad \int \frac{\operatorname{sech}^6(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$$

**Optimal.** Leaf size=97

$$-\frac{(3a-b)(a+b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2a^{3/2}b^{5/2}d} + \frac{(a+b)^2 \tanh(c+dx)}{2ab^2d(a+b \tanh^2(c+dx))} + \frac{\tanh(c+dx)}{b^2d}$$

[Out] -((3\*a - b)\*(a + b)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(2\*a^(3/2)\*b^(5/2)\*d) + Tanh[c + d\*x]/(b^2\*d) + ((a + b)^2\*Tanh[c + d\*x])/(2\*a\*b^2\*d\*(a + b\*Tanh[c + d\*x]^2))

**Rubi [A]** time = 0.1295, antiderivative size = 97, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {3675, 390, 385, 205}

$$-\frac{(3a-b)(a+b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2a^{3/2}b^{5/2}d} + \frac{(a+b)^2 \tanh(c+dx)}{2ab^2d(a+b \tanh^2(c+dx))} + \frac{\tanh(c+dx)}{b^2d}$$

Antiderivative was successfully verified.

[In] Int[Sech[c + d\*x]^6/(a + b\*Tanh[c + d\*x]^2)^2, x]

[Out] -((3\*a - b)\*(a + b)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(2\*a^(3/2)\*b^(5/2)\*d) + Tanh[c + d\*x]/(b^2\*d) + ((a + b)^2\*Tanh[c + d\*x])/(2\*a\*b^2\*d\*(a + b\*Tanh[c + d\*x]^2))

### Rule 3675

Int[sec[(e\_.) + (f\_.)\*(x\_)]^(m\_)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]))^(n\_)]^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[ff/(c^(m-1)\*f), Subst[Int[(c^2 + ff^2\*x^2)^(m/2-1)\*(a + b\*(ff\*x)^n)^p, x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2] && (IntegerQ[n, p] || IGtQ[m, 0] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])

### Rule 390

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> Int[PolynomialDivide[(a + b*x^n)^p, (c + d*x^n)^(-q), x], x] /; FreeQ[{a
, b, c, d}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q,
0] && GeQ[p, -q]
```

### Rule 385

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] :> -S
imp[((b*c - a*d)*x*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] - Dist[(a*d - b
*c*(n*(p + 1) + 1))/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; Fre
eQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n +
p, 0])
```

### Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\operatorname{sech}^6(c+dx)}{(a+b \tanh^2(c+dx))^2} dx &= \frac{\operatorname{Subst}\left(\int \frac{(1-x^2)^2}{(a+bx^2)^2} dx, x, \tanh(c+dx)\right)}{d} \\
&= \frac{\operatorname{Subst}\left(\int \left(\frac{1}{b^2} - \frac{a^2-b^2+2b(a+b)x^2}{b^2(a+bx^2)^2}\right) dx, x, \tanh(c+dx)\right)}{d} \\
&= \frac{\tanh(c+dx)}{b^2d} - \frac{\operatorname{Subst}\left(\int \frac{a^2-b^2+2b(a+b)x^2}{(a+bx^2)^2} dx, x, \tanh(c+dx)\right)}{b^2d} \\
&= \frac{\tanh(c+dx)}{b^2d} + \frac{(a+b)^2 \tanh(c+dx)}{2ab^2d(a+b \tanh^2(c+dx))} - \frac{((3a-b)(a+b)) \operatorname{Subst}\left(\int \frac{1}{a+bx^2} dx, x, \tanh(c+dx)\right)}{2ab^2d} \\
&= -\frac{(3a-b)(a+b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2a^{3/2}b^{5/2}d} + \frac{\tanh(c+dx)}{b^2d} + \frac{(a+b)^2 \tanh(c+dx)}{2ab^2d(a+b \tanh^2(c+dx))}
\end{aligned}$$

**Mathematica [A]** time = 0.58541, size = 102, normalized size = 1.05

$$\frac{\frac{(3a-b)(a+b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{a^{3/2}} + \frac{\sqrt{b}(a+b)^2 \sinh(2(c+dx))}{a((a+b) \cosh(2(c+dx))+a-b)} + 2\sqrt{b} \tanh(c+dx)}{2b^{5/2}d}$$

Antiderivative was successfully verified.

[In] Integrate[Sech[c + d\*x]^6/(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] (-(((3\*a - b)\*(a + b)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/a^(3/2)) + (Sqrt[b]\*(a + b)^2\*Sinh[2\*(c + d\*x)]/(a\*(a - b + (a + b)\*Cosh[2\*(c + d\*x)])) + 2\*Sqrt[b]\*Tanh[c + d\*x])/(2\*b^(5/2)\*d)

**Maple [B]** time = 0.092, size = 1283, normalized size = 13.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sech(d\*x+c)^6/(a+b\*tanh(d\*x+c)^2)^2,x)

[Out] 1/d/b^2/(tanh(1/2\*d\*x+1/2\*c)^4\*a+2\*tanh(1/2\*d\*x+1/2\*c)^2\*a+4\*tanh(1/2\*d\*x+1/2\*c)^2\*b+a)\*a\*tanh(1/2\*d\*x+1/2\*c)^3+2/d/(tanh(1/2\*d\*x+1/2\*c)^4\*a+2\*tanh(1/2\*d\*x+1/2\*c)^2\*a+4\*tanh(1/2\*d\*x+1/2\*c)^2\*b+a)/b\*tanh(1/2\*d\*x+1/2\*c)^3+1/d/(tanh(1/2\*d\*x+1/2\*c)^4\*a+2\*tanh(1/2\*d\*x+1/2\*c)^2\*a+4\*tanh(1/2\*d\*x+1/2\*c)^2\*b+a)/a\*tanh(1/2\*d\*x+1/2\*c)^3+1/d/b^2/(tanh(1/2\*d\*x+1/2\*c)^4\*a+2\*tanh(1/2\*d\*x+1/2\*c)^2\*a+4\*tanh(1/2\*d\*x+1/2\*c)^2\*b+a)\*a\*tanh(1/2\*d\*x+1/2\*c)+2/d/(tanh(1/2\*d\*x+1/2\*c)^4\*a+2\*tanh(1/2\*d\*x+1/2\*c)^2\*a+4\*tanh(1/2\*d\*x+1/2\*c)^2\*b+a)/b\*tanh(1/2\*d\*x+1/2\*c)+1/d/(tanh(1/2\*d\*x+1/2\*c)^4\*a+2\*tanh(1/2\*d\*x+1/2\*c)^2\*a+4\*tanh(1/2\*d\*x+1/2\*c)^2\*b+a)/a\*tanh(1/2\*d\*x+1/2\*c)+3/2/d/b^2\*a^2/(b\*(a+b))^(1/2)/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2)\*arctanh(a\*tanh(1/2\*d\*x+1/2\*c))/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2))-3/2/d/b^2\*a/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2)\*arctanh(a\*tanh(1/2\*d\*x+1/2\*c))/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2))+5/2/d/b\*a/(b\*(a+b))^(1/2)/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2)\*arctanh(a\*tanh(1/2\*d\*x+1/2\*c))/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2))+3/2/d/b^2\*a^2/(b\*(a+b))^(1/2)/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2)\*arctan(a\*tanh(1/2\*d\*x+1/2\*c))/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2))+3/2/d/b^2\*a/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2)\*arctan(a\*tanh(1/2\*d\*x+1/2\*c))/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2))+5/2/d/b\*a/(b\*(a+b))^(1/2)/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2)\*arctan(a\*tanh(1/2\*d\*x+1/2\*c))/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2))-1/d/b/((2\*(b\*(a+b))^(1/2)

$$\begin{aligned}
& -a-2*b)*a)^{(1/2)}*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}-a-2*b)* \\
& a)^{(1/2)}+1/2/d/(b*(a+b))^{(1/2)}/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)}*\operatorname{arctanh} \\
& (a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)}+1/d/b/((2*(b*(a \\
& +b))^{(1/2)}+a+2*b)*a)^{(1/2)}*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)} \\
& +a+2*b)*a)^{(1/2)}+1/2/d/(b*(a+b))^{(1/2)}/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)} \\
& *\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)}+1/2/d/a/ \\
& ((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)}*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a \\
& +b))^{(1/2)}-a-2*b)*a)^{(1/2)}-1/2/d/(b*(a+b))^{(1/2)}/a/((2*(b*(a+b))^{(1/2)}-a-2 \\
& *b)*a)^{(1/2)}*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1 \\
& /2))*b-1/2/d/a/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)}*\operatorname{arctan}(a*\tanh(1/2*d*x+1/ \\
& 2*c)/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)}-1/2/d/(b*(a+b))^{(1/2)}/a/((2*(b*(a \\
& +b))^{(1/2)}+a+2*b)*a)^{(1/2)}*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)} \\
& +a+2*b)*a)^{(1/2)})*b+2/d/b^2*\tanh(1/2*d*x+1/2*c)/(\tanh(1/2*d*x+1/2*c)^2+1)
\end{aligned}$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^6/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [B]** time = 2.59689, size = 6589, normalized size = 67.93

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^6/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out] 
$$\begin{aligned}
& [-1/4*(4*(3*a^3*b + 2*a^2*b^2 - a*b^3)*\cosh(d*x + c)^4 + 16*(3*a^3*b + 2*a^2*b^2 - a*b^3)*\cosh(d*x + c)*\sinh(d*x + c)^3 + 4*(3*a^3*b + 2*a^2*b^2 - a*b^3)*\sinh(d*x + c)^4 + 12*a^3*b + 16*a^2*b^2 + 4*a*b^3 + 8*(3*a^3*b - a^2*b^2)*\cosh(d*x + c)^2 + 8*(3*a^3*b - a^2*b^2 + 3*(3*a^3*b + 2*a^2*b^2 - a*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 - ((3*a^3 + 5*a^2*b + a*b^2 - b^3)*\cosh(d*x + c)^6 + 6*(3*a^3 + 5*a^2*b + a*b^2 - b^3)*\cosh(d*x + c)*\sinh(d*x + c)^5 + (3*a^3 + 5*a^2*b + a*b^2 - b^3)*\sinh(d*x + c)^6 + (9*a^3 + 3*a^2*b - 5*a*b^2 + b^3)*\cosh(d*x + c)^4 + (9*a^3 + 3*a^2*b - 5*a*b^2 + b^3 + 15*(3*a^3
\end{aligned}$$

$$\begin{aligned}
& + 5a^2b + ab^2 - b^3) \cosh(dx + c)^2 \sinh(dx + c)^4 + 4(5(3a^3 + 5 \\
& * a^2b + ab^2 - b^3) \cosh(dx + c)^3 + (9a^3 + 3a^2b - 5ab^2 + b^3) * \cosh(dx + c)) \sinh(dx + c)^3 + 3a^3 + 5a^2b + ab^2 - b^3 + (9a^3 + 3a^2b - 5ab^2 + b^3) \cosh(dx + c)^2 + (15(3a^3 + 5a^2b + ab^2 - b^3) \cosh(dx + c)^4 + 9a^3 + 3a^2b - 5ab^2 + b^3 + 6(9a^3 + 3a^2b - 5ab^2 + b^3) \cosh(dx + c)^2 \sinh(dx + c)^2 + 2(3(3a^3 + 5a^2b + ab^2 - b^3) \cosh(dx + c)^5 + 2(9a^3 + 3a^2b - 5ab^2 + b^3) \cosh(dx + c)^3 + (9a^3 + 3a^2b - 5ab^2 + b^3) \cosh(dx + c)) \sinh(dx + c)) \sqrt{-ab} \log(((a^2 + 2ab + b^2) \cosh(dx + c)^4 + 4(a^2 + 2ab + b^2) \cosh(dx + c) \sinh(dx + c)^3 + (a^2 + 2ab + b^2) \sinh(dx + c)^4 + 2(a^2 - b^2) \cosh(dx + c)^2 + 2(3(a^2 + 2ab + b^2) \cosh(dx + c)^2 + a^2 - b^2) \sinh(dx + c)^2 + a^2 - 6ab + b^2 + 4((a^2 + 2ab + b^2) \cosh(dx + c)^3 + (a^2 - b^2) \cosh(dx + c)) \sinh(dx + c) - 4((a + b) \cosh(dx + c))^2 + 2(a + b) \cosh(dx + c) \sinh(dx + c) + (a + b) \sinh(dx + c)^2 + a - b) \sqrt{-ab}) / ((a + b) \cosh(dx + c)^4 + 4(a + b) \cosh(dx + c) \sinh(dx + c)^3 + (a + b) \sinh(dx + c)^4 + 2(a - b) \cosh(dx + c)^2 + 2(3(a + b) \cosh(dx + c)^2 + a - b) \sinh(dx + c)^2 + 4((a + b) \cosh(dx + c)^3 + (a - b) \cosh(dx + c)) \sinh(dx + c) + a + b)) + 16((3a^3b + 2a^2b^2 - ab^3) \cosh(dx + c)^3 + (3a^3b - a^2b^2) \cosh(dx + c)) \sinh(dx + c)) / ((a^3b^3 + a^2b^4) d \cosh(dx + c)^6 + 6(a^3b^3 + a^2b^4) d \cosh(dx + c) \sinh(dx + c)^5 + (a^3b^3 + a^2b^4) d \sinh(dx + c)^6 + (3a^3b^3 - a^2b^4) d \cosh(dx + c)^4 + (15(a^3b^3 + a^2b^4) d \cosh(dx + c)^2 + (3a^3b^3 - a^2b^4) d) \sinh(dx + c)^4 + (3a^3b^3 - a^2b^4) d \cosh(dx + c)^2 + 4(5(a^3b^3 + a^2b^4) d \cosh(dx + c)^3 + (3a^3b^3 - a^2b^4) d \cosh(dx + c)) \sinh(dx + c)^3 + (15(a^3b^3 + a^2b^4) d \cosh(dx + c)^4 + 6(3a^3b^3 - a^2b^4) d \cosh(dx + c)^2 + (3a^3b^3 - a^2b^4) d) \sinh(dx + c)^2 + (a^3b^3 + a^2b^4) d + 2(3(a^3b^3 + a^2b^4) d \cosh(dx + c)^5 + 2(3a^3b^3 - a^2b^4) d \cosh(dx + c)^3 + (3a^3b^3 - a^2b^4) d \cosh(dx + c)) \sinh(dx + c)), -1/2(2(3a^3b + 2a^2b^2 - ab^3) \cosh(dx + c)^4 + 8(3a^3b + 2a^2b^2 - ab^3) \cosh(dx + c) \sinh(dx + c)^3 + 2(3a^3b + 2a^2b^2 - ab^3) \sinh(dx + c)^4 + 6a^3b + 8a^2b^2 + 2ab^3 + 4(3a^3b - a^2b^2) \cosh(dx + c)^2 + 4(3a^3b - a^2b^2 + 3(3a^3b + 2a^2b^2 - ab^3) \cosh(dx + c)^2) \sinh(dx + c)^2 + ((3a^3 + 5a^2b + ab^2 - b^3) \cosh(dx + c)^6 + 6(3a^3 + 5a^2b + ab^2 - b^3) \cosh(dx + c) \sinh(dx + c)^5 + (3a^3 + 5a^2b + ab^2 - b^3) \sinh(dx + c)^6 + (9a^3 + 3a^2b - 5ab^2 + b^3) \cosh(dx + c)^4 + (9a^3 + 3a^2b - 5ab^2 + b^3 + 15(3a^3 + 5a^2b + ab^2 - b^3) \cosh(dx + c)^2) \sinh(dx + c)^4 + 4(5(3a^3 + 5a^2b + ab^2 - b^3) \cosh(dx + c)^3 + (9a^3 + 3a^2b - 5ab^2 + b^3) \cosh(dx + c)) \sinh(dx + c)^3 + 3a^3 + 5a^2b + ab^2 - b^3 + (9a^3 + 3a^2b - 5ab^2 + b^3) \cosh(dx + c)^2 + (15(3a^3 + 5a^2b + ab^2 - b^3) \cosh(dx + c)^4 + 9a^3 + 3a^2b - 5ab^2 + b^3 + 6(9a^3 + 3a^2b - 5ab^2 + b^3) \cosh(dx + c)^2) \sinh(dx + c)^2 + 2(3(3a^3 + 5a^2b + ab^2 - b^3) \cosh(dx + c)^5 + 2(9a^3 + 3a^2b - 5ab^2 + b^3) \cosh(dx + c)^3 + (9a^3 + 3a^2b - 5ab^2 + b^3) \cosh(dx + c)) \sinh(dx + c)) \sqrt{ab} \arctan(1/2((a + b) \cosh(dx + c)^2 +
\end{aligned}$$

```

2*(a + b)*cosh(d*x + c)*sinh(d*x + c) + (a + b)*sinh(d*x + c)^2 + a - b)*s
qrt(a*b)/(a*b)) + 8*((3*a^3*b + 2*a^2*b^2 - a*b^3)*cosh(d*x + c)^3 + (3*a^3
*b - a^2*b^2)*cosh(d*x + c))*sinh(d*x + c))/((a^3*b^3 + a^2*b^4)*d*cosh(d*x
+ c)^6 + 6*(a^3*b^3 + a^2*b^4)*d*cosh(d*x + c)*sinh(d*x + c)^5 + (a^3*b^3
+ a^2*b^4)*d*sinh(d*x + c)^6 + (3*a^3*b^3 - a^2*b^4)*d*cosh(d*x + c)^4 + (1
5*(a^3*b^3 + a^2*b^4)*d*cosh(d*x + c)^2 + (3*a^3*b^3 - a^2*b^4)*d)*sinh(d*x
+ c)^4 + (3*a^3*b^3 - a^2*b^4)*d*cosh(d*x + c)^2 + 4*(5*(a^3*b^3 + a^2*b^4
)*d*cosh(d*x + c)^3 + (3*a^3*b^3 - a^2*b^4)*d*cosh(d*x + c))*sinh(d*x + c)^
3 + (15*(a^3*b^3 + a^2*b^4)*d*cosh(d*x + c)^4 + 6*(3*a^3*b^3 - a^2*b^4)*d*c
osh(d*x + c)^2 + (3*a^3*b^3 - a^2*b^4)*d)*sinh(d*x + c)^2 + (a^3*b^3 + a^2*
b^4)*d + 2*(3*(a^3*b^3 + a^2*b^4)*d*cosh(d*x + c)^5 + 2*(3*a^3*b^3 - a^2*b^
4)*d*cosh(d*x + c)^3 + (3*a^3*b^3 - a^2*b^4)*d*cosh(d*x + c))*sinh(d*x + c
)]

```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sech(d*x+c)**6/(a+b*tanh(d*x+c)**2)**2,x)
```

```
[Out] Timed out
```

**Giac [B]** time = 1.66475, size = 335, normalized size = 3.45

$$\frac{(3a^2e^{2c} + 2abe^{2c} - b^2e^{2c}) \arctan\left(\frac{ae^{2dx+2c} + be^{2dx+2c} + a - b}{2\sqrt{ab}}\right) e^{-2c}}{\sqrt{ab}b^2} + \frac{2(3a^2e^{4dx+4c} + 2abe^{4dx+4c} - b^2e^{4dx+4c} + 6a^2e^{2dx+2c} - 2abe^{2dx+2c} + 3a^2 + 4ab)}{(ae^{6dx+6c} + be^{6dx+6c} + 3ae^{4dx+4c} - be^{4dx+4c} + 3ae^{2dx+2c} - be^{2dx+2c} + a + b)a}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sech(d*x+c)^6/(a+b*tanh(d*x+c)^2)^2,x, algorithm="giac")
```

```
[Out] -1/2*((3*a^2*e^(2*c) + 2*a*b*e^(2*c) - b^2*e^(2*c))*arctan(1/2*(a*e^(2*d*x
+ 2*c) + b*e^(2*d*x + 2*c) + a - b)/sqrt(a*b))*e^(-2*c)/(sqrt(a*b)*a*b^2) +
2*(3*a^2*e^(4*d*x + 4*c) + 2*a*b*e^(4*d*x + 4*c) - b^2*e^(4*d*x + 4*c) + 6
*a^2*e^(2*d*x + 2*c) - 2*a*b*e^(2*d*x + 2*c) + 3*a^2 + 4*a*b + b^2)/((a*e^(
6*d*x + 6*c) + b*e^(6*d*x + 6*c) + 3*a*e^(4*d*x + 4*c) - b*e^(4*d*x + 4*c)
+ 3*a*e^(2*d*x + 2*c) - b*e^(2*d*x + 2*c) + a + b)*a*b^2))/d
```



$$3.124 \quad \int \frac{\operatorname{sech}^7(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$$

**Optimal.** Leaf size=155

$$\frac{(4a-b)(a+b)^{3/2} \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{2a^{3/2}b^3d} + \frac{(2a+b)(a+b) \sinh(c+dx)}{2ab^2d((a+b) \sinh^2(c+dx)+a)} + \frac{(4a+5b) \tan^{-1}(\sinh(c+dx))}{2b^3d} - \frac{\tan^{-1}(\sinh(c+dx))}{2bd}$$

[Out]  $((4*a + 5*b)*\operatorname{ArcTan}[\operatorname{Sinh}[c + d*x]])/(2*b^3*d) - ((4*a - b)*(a + b)^{(3/2)}*\operatorname{ArcTan}[(\operatorname{Sqrt}[a + b]*\operatorname{Sinh}[c + d*x])/ \operatorname{Sqrt}[a]])/(2*a^{(3/2)}*b^3*d) + ((a + b)*(2*a + b)*\operatorname{Sinh}[c + d*x])/(2*a*b^2*d*(a + (a + b)*\operatorname{Sinh}[c + d*x]^2)) - (\operatorname{Sech}[c + d*x]*\operatorname{Tanh}[c + d*x])/(2*b*d*(a + (a + b)*\operatorname{Sinh}[c + d*x]^2))$

**Rubi [A]** time = 0.24918, antiderivative size = 155, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {3676, 414, 527, 522, 203, 205}

$$\frac{(4a-b)(a+b)^{3/2} \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{2a^{3/2}b^3d} + \frac{(2a+b)(a+b) \sinh(c+dx)}{2ab^2d((a+b) \sinh^2(c+dx)+a)} + \frac{(4a+5b) \tan^{-1}(\sinh(c+dx))}{2b^3d} - \frac{\tan^{-1}(\sinh(c+dx))}{2bd}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[\operatorname{Sech}[c + d*x]^7/(a + b*\operatorname{Tanh}[c + d*x]^2), x]$

[Out]  $((4*a + 5*b)*\operatorname{ArcTan}[\operatorname{Sinh}[c + d*x]])/(2*b^3*d) - ((4*a - b)*(a + b)^{(3/2)}*\operatorname{ArcTan}[(\operatorname{Sqrt}[a + b]*\operatorname{Sinh}[c + d*x])/ \operatorname{Sqrt}[a]])/(2*a^{(3/2)}*b^3*d) + ((a + b)*(2*a + b)*\operatorname{Sinh}[c + d*x])/(2*a*b^2*d*(a + (a + b)*\operatorname{Sinh}[c + d*x]^2)) - (\operatorname{Sech}[c + d*x]*\operatorname{Tanh}[c + d*x])/(2*b*d*(a + (a + b)*\operatorname{Sinh}[c + d*x]^2))$

### Rule 3676

$\operatorname{Int}[\operatorname{sec}[(e_.) + (f_.)*(x_.)]^{(m_.)}*((a_.) + (b_.)*\tan[(e_.) + (f_.)*(x_.)]^{(n_.)})^{(p_.)}, x\_Symbol] \rightarrow \operatorname{With}[\{ff = \operatorname{FreeFactors}[\operatorname{Sin}[e + f*x], x]\}, \operatorname{Dist}[ff/f, \operatorname{Subst}[\operatorname{Int}[\operatorname{ExpandToSum}[b*(ff*x)^n + a*(1 - ff^2*x^2)^{(n/2)}], x]^p/(1 - ff^2*x^2)^{((m + n*p + 1)/2)}, x], x, \operatorname{Sin}[e + f*x]/ff], x] /; \operatorname{FreeQ}[\{a, b, e, f\}, x] \&\& \operatorname{IntegerQ}[(m - 1)/2] \&\& \operatorname{IntegerQ}[n/2] \&\& \operatorname{IntegerQ}[p]$

### Rule 414

```

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> -Simp[(b*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(p + 1)*(b*c -
a*d)), x] + Dist[1/(a*n*(p + 1)*(b*c - a*d)), Int[(a + b*x^n)^(p + 1)*(c +
d*x^n)^q*Simp[b*c + n*(p + 1)*(b*c - a*d) + d*b*(n*(p + q + 2) + 1)*x^n, x]
, x], x] /; FreeQ[{a, b, c, d, n, q}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1]
&& !( !IntegerQ[p] && IntegerQ[q] && LtQ[q, -1]) && IntBinomialQ[a, b, c,
d, n, p, q, x]

```

### Rule 527

```

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_)*((e_) + (f
_.)*(x_)^(n_)), x_Symbol] :> -Simp[((b*e - a*f)*x*(a + b*x^n)^(p + 1)*(c +
d*x^n)^(q + 1))/(a*n*(b*c - a*d)*(p + 1)), x] + Dist[1/(a*n*(b*c - a*d)*(p
+ 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(b*e - a*f) + e*n*(b*c
- a*d)*(p + 1) + d*(b*e - a*f)*(n*(p + q + 2) + 1)*x^n, x], x], x] /; FreeQ
[{a, b, c, d, e, f, n, q}, x] && LtQ[p, -1]

```

### Rule 522

```

Int[((e_) + (f_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_))*((c_) + (d_.)*(x_)^(
n_)), x_Symbol] :> Dist[(b*e - a*f)/(b*c - a*d), Int[1/(a + b*x^n), x], x]
- Dist[(d*e - c*f)/(b*c - a*d), Int[1/(c + d*x^n), x], x] /; FreeQ[{a, b,
c, d, e, f, n}, x]

```

### Rule 203

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])

```

### Rule 205

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

```

### Rubi steps

$$\begin{aligned}
\int \frac{\operatorname{sech}^7(c+dx)}{(a+b \tanh^2(c+dx))^2} dx &= \frac{\operatorname{Subst}\left(\int \frac{1}{(1+x^2)^2(a+(a+b)x^2)^2} dx, x, \sinh(c+dx)\right)}{d} \\
&= -\frac{\operatorname{sech}(c+dx) \tanh(c+dx)}{2bd(a+(a+b) \sinh^2(c+dx))} + \frac{\operatorname{Subst}\left(\int \frac{a+2b-3(a+b)x^2}{(1+x^2)(a+(a+b)x^2)^2} dx, x, \sinh(c+dx)\right)}{2bd} \\
&= \frac{(a+b)(2a+b) \sinh(c+dx)}{2ab^2d(a+(a+b) \sinh^2(c+dx))} - \frac{\operatorname{sech}(c+dx) \tanh(c+dx)}{2bd(a+(a+b) \sinh^2(c+dx))} - \frac{\operatorname{Subst}\left(\int \frac{2(2a^2+2}{(1+x^2)^2} dx, x, \sinh(c+dx)\right)}{2bd} \\
&= \frac{(a+b)(2a+b) \sinh(c+dx)}{2ab^2d(a+(a+b) \sinh^2(c+dx))} - \frac{\operatorname{sech}(c+dx) \tanh(c+dx)}{2bd(a+(a+b) \sinh^2(c+dx))} - \frac{((4a-b)(a+b)^2)}{2bd} \\
&= \frac{(4a+5b) \tan^{-1}(\sinh(c+dx))}{2b^3d} - \frac{(4a-b)(a+b)^{3/2} \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{2a^{3/2}b^3d} + \frac{(a+b)(2a+b)}{2ab^2d(a+(a+b) \sinh^2(c+dx))}
\end{aligned}$$

**Mathematica [A]** time = 1.30308, size = 265, normalized size = 1.71

$$\frac{(a-b)\left(2a^{3/2}(4a+5b)\sqrt{a+b} \tan^{-1}\left(\tanh\left(\frac{1}{2}(c+dx)\right)\right)\right) + a^{3/2}b\sqrt{a+b} \tanh(c+dx) \operatorname{sech}(c+dx) + (4a-b)(a+b)^2 \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{2b^3d}$$

Antiderivative was successfully verified.

[In] Integrate[Sech[c + d\*x]^7/(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] (2\*sqrt[a]\*b\*(a+b)^(5/2)\*sinh[c + d\*x] + (a-b)\*((4\*a-b)\*(a+b)^2\*ArcTan[(sqrt[a]\*csch[c + d\*x])/sqrt[a+b]] + 2\*a^(3/2)\*sqrt[a+b]\*(4\*a+5\*b)\*ArcTan[tanh[(c + d\*x)/2]] + a^(3/2)\*b\*sqrt[a+b]\*sech[c + d\*x]\*tanh[c + d\*x]) + (a+b)\*cosh[2\*(c + d\*x)]\*((4\*a-b)\*(a+b)^2\*ArcTan[(sqrt[a]\*csch[c + d\*x])/sqrt[a+b]] + 2\*a^(3/2)\*sqrt[a+b]\*(4\*a+5\*b)\*ArcTan[tanh[(c + d\*x)/2]] + a^(3/2)\*b\*sqrt[a+b]\*sech[c + d\*x]\*tanh[c + d\*x]))/(2\*a^(3/2)\*b^3\*sqrt[a+b]\*d\*(a-b + (a+b)\*cosh[2\*(c + d\*x)]))

**Maple [B]** time = 0.102, size = 1477, normalized size = 9.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(\text{sech}(d*x+c)^7/(a+b*\tanh(d*x+c)^2)^2,x)$

[Out] 
$$\begin{aligned} & -2/d/b^2*a^2/(b*(a+b))^{(1/2)}/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)}*\text{arctanh}(a* \\ & \tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)})-2/d/b^2*a^2/(b*(a+ \\ & b))^{(1/2)}/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)}*\text{arctan}(a*\tanh(1/2*d*x+1/2*c)/ \\ & ((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)})+1/2/d/(b*(a+b))^{(1/2)}/a/((2*(b*(a+b))^{(1/2)}- \\ & a-2*b)*a)^{(1/2)}*\text{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}-a-2 \\ & *b)*a)^{(1/2)})*b-2/d/b^3*a^2/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)}*\text{arctan}(a*\tanh( \\ & 1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)})+5/d/b^2*\text{arctan}(\tanh( \\ & 1/2*d*x+1/2*c))-1/d/b^2/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+ \\ & 4*\tanh(1/2*d*x+1/2*c)^2*b+a)*a*\tanh(1/2*d*x+1/2*c)^3-2/d/(\tanh(1/2*d*x+1/2* \\ & c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)/b*\tanh(1/2*d* \\ & x+1/2*c)^3+2/d/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/ \\ & 2*d*x+1/2*c)^2*b+a)/b*\tanh(1/2*d*x+1/2*c)+1/d/b/((2*(b*(a+b))^{(1/2)}-a-2*b)* \\ & a)^{(1/2)}*\text{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)}) \\ & -1/d/b/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)}*\text{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2 \\ & *(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)})+1/2/d/(b*(a+b))^{(1/2)}/a/((2*(b*(a+b))^{(1/2)} \\ & +a+2*b)*a)^{(1/2)}*\text{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}+a+2*b)* \\ & a)^{(1/2)})*b-1/d/b^2/(\tanh(1/2*d*x+1/2*c)^2+1)^2*\tanh(1/2*d*x+1/2*c)^3+1/d/b \\ & ^2/(\tanh(1/2*d*x+1/2*c)^2+1)^2*\tanh(1/2*d*x+1/2*c)+4/d/b^3*\text{arctan}(\tanh(1/2* \\ & d*x+1/2*c))*a-7/2/d/b^2*a/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)}*\text{arctan}(a*\tanh \\ & (1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)})-1/d/(\tanh(1/2*d*x+1/2* \\ & c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)/a*\tanh(1/2*d* \\ & x+1/2*c)^3+1/d/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/ \\ & 2*d*x+1/2*c)^2*b+a)/a*\tanh(1/2*d*x+1/2*c)-1/d/(b*(a+b))^{(1/2)}/((2*(b*(a+b)) \\ & ^{(1/2)}-a-2*b)*a)^{(1/2)}*\text{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}-a- \\ & 2*b)*a)^{(1/2)})-1/2/d/a/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)}*\text{arctanh}(a*\tanh(1 \\ & /2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)})-1/d/(b*(a+b))^{(1/2)}/((2* \\ & (b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)}*\text{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)} \\ & +a+2*b)*a)^{(1/2)})+1/2/d/a/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)}*\text{arctan}(a \\ & *\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)})-7/2/d/b*a/(b*(a+b) \\ & )^{(1/2)}/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)}*\text{arctanh}(a*\tanh(1/2*d*x+1/2*c)/ \\ & ((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)})-7/2/d/b*a/(b*(a+b))^{(1/2)}/((2*(b*(a+b) \\ & )^{(1/2)}+a+2*b)*a)^{(1/2)}*\text{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}+a+ \\ & 2*b)*a)^{(1/2)})+7/2/d/b^2*a/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)}*\text{arctanh}(a*\tanh( \\ & 1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)})+1/d/b^2/(\tanh(1/2*d* \\ & x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)*a*\tanh( \\ & 1/2*d*x+1/2*c)+2/d/b^3*a^2/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)}*\text{arctanh}(a*\tanh( \\ & 1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)}) \end{aligned}$$

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{(2a^2e^{7c} + 3abe^{7c} + b^2e^{7c})e^{7dx} + (2a^2e^{5c} - abe^{5c} + b^2e^{5c})e^{5dx} - (2a^2e^{3c} - abe^{3c} + b^2e^{3c})e^{3dx} - (2a^2e^{c} - abe^{c} + b^2e^{c})e^{dx}}{4a^2b^2de^{(6dx+6c)} + 4a^2b^2de^{(2dx+2c)} + a^2b^2d + ab^3d + (a^2b^2de^{(8c)} + ab^3de^{(8c)})e^{8dx} + 2(3a^2b^2de^{(4c)} - ab^3de^{(4c)})e^{4dx}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^7/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="maxima")

[Out]  $((2a^2e^{(7c)} + 3a*b*e^{(7c)} + b^2e^{(7c)})e^{(7d*x)} + (2a^2e^{(5c)} - a*b*e^{(5c)} + b^2e^{(5c)})e^{(5d*x)} - (2a^2e^{(3c)} - a*b*e^{(3c)} + b^2e^{(3c)})e^{(3d*x)} - (2a^2e^{(c)} - a*b*e^{(c)} + b^2e^{(c)})e^{(d*x)}) / (4a^2b^2d*e^{(6d*x + 6c)} + 4a^2b^2d*e^{(2d*x + 2c)} + a^2b^2d + a*b^3d + (a^2b^2d*e^{(8c)} + a*b^3d*e^{(8c)})e^{(8d*x)} + 2*(3a^2b^2d*e^{(4c)} - a*b^3d*e^{(4c)})e^{(4d*x)}) + (4a^2e^{(c)} + 5b^2e^{(c)})*arctan(e^{(d*x + c)})e^{(-c)} / (b^3d) - 128*integrate(1/128*((4a^3e^{(3c)} + 7a^2b*e^{(3c)} + 2a*b^2e^{(3c)} - b^3e^{(3c)})e^{(3d*x)} + (4a^3e^{(c)} + 7a^2b*e^{(c)} + 2a*b^2e^{(c)} - b^3e^{(c)})e^{(d*x)}) / (a^2b^3 + a*b^4 + (a^2b^3e^{(4c)} + a*b^4e^{(4c)})e^{(4d*x)} + 2*(a^2b^3e^{(2c)} - a*b^4e^{(2c)})e^{(2d*x)}), x)$

**Fricas [B]** time = 3.93312, size = 15050, normalized size = 97.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^7/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out]  $[1/4*(4*(2a^2b + 3ab^2 + b^3)*\cosh(d*x + c)^7 + 28*(2a^2b + 3ab^2 + b^3)*\cosh(d*x + c)*\sinh(d*x + c)^6 + 4*(2a^2b + 3ab^2 + b^3)*\sinh(d*x + c)^7 + 4*(2a^2b - ab^2 + b^3)*\cosh(d*x + c)^5 + 4*(2a^2b - ab^2 + b^3 + 21*(2a^2b + 3ab^2 + b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^5 + 20*(7*(2a^2b + 3ab^2 + b^3)*\cosh(d*x + c)^3 + (2a^2b - ab^2 + b^3)*\cosh(d*x + c))*\sinh(d*x + c)^4 - 4*(2a^2b - ab^2 + b^3)*\cosh(d*x + c)^3 + 4*(35*(2a^2b + 3ab^2 + b^3)*\cosh(d*x + c)^4 - 2a^2b + ab^2 - b^3 + 10*(2a^2b - ab^2 + b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^3 + 4*(21*(2a^2b + 3ab^2 + b^3)*\cosh(d*x + c)^5 + 10*(2a^2b - ab^2 + b^3)*\cosh(d*x + c)^3 - 3*(2a^2b - ab^2 + b^3)*\cosh(d*x + c))*\sinh(d*x + c)^2 - ((4a^3 + 7a^2b + 2ab^2 - b^3)*\cosh(d*x + c)^8 + 8*(4a^3 + 7a^2b + 2ab^2 - b^3)*\cosh(d*x + c)*\sinh(d*x + c)^7 + (4a^3 + 7a^2b + 2ab^2 - b^3)*\sinh(d*x + c)^8 + 4*(4a^3 + 3a^2b - ab^2)*\cosh(d*x + c)^6 + 4*(4a^3 + 3a^2b -$

$$\begin{aligned}
& a^2b + 7(4a^3 + 7a^2b + 2ab^2 - b^3) \cosh(dx + c)^2 \sinh(dx + c)^6 \\
& + 8(7(4a^3 + 7a^2b + 2ab^2 - b^3) \cosh(dx + c)^3 + 3(4a^3 + 3a^2b - ab^2) \cosh(dx + c)) \sinh(dx + c)^5 \\
& + 2(12a^3 + 5a^2b - 6ab^2 + b^3) \cosh(dx + c)^4 + 2(35(4a^3 + 7a^2b + 2ab^2 - b^3) \cosh(dx + c)^4 \\
& + 12a^3 + 5a^2b - 6ab^2 + b^3 + 30(4a^3 + 3a^2b - ab^2) \cosh(dx + c)^2) \sinh(dx + c)^4 \\
& + 8(7(4a^3 + 7a^2b + 2ab^2 - b^3) \cosh(dx + c)^5 + 10(4a^3 + 3a^2b - ab^2) \cosh(dx + c)^3 \\
& + (12a^3 + 5a^2b - 6ab^2 + b^3) \cosh(dx + c)) \sinh(dx + c)^3 + 4a^3 + 7a^2b + 2ab^2 - b^3 \\
& + 4(4a^3 + 3a^2b - ab^2) \cosh(dx + c)^2 + 4(7(4a^3 + 7a^2b + 2ab^2 - b^3) \cosh(dx + c)^6 \\
& + 15(4a^3 + 3a^2b - ab^2) \cosh(dx + c)^4 + 4a^3 + 3a^2b - ab^2 + 3(12a^3 + 5a^2b - 6ab^2 + b^3) \cosh(dx + c)^2) \sinh(dx + c)^2 \\
& + 8((4a^3 + 7a^2b + 2ab^2 - b^3) \cosh(dx + c)^7 + 3(4a^3 + 3a^2b - ab^2) \cosh(dx + c)^5 \\
& + (12a^3 + 5a^2b - 6ab^2 + b^3) \cosh(dx + c)^3 + (4a^3 + 3a^2b - ab^2) \cosh(dx + c)) \sinh(dx + c) \sqrt{-(a + b)/a} \\
& \log(((a + b) \cosh(dx + c)^4 + 4(a + b) \cosh(dx + c) \sinh(dx + c)^3 + (a + b) \sinh(dx + c)^4 - 2(3a + b) \cosh(dx + c)^2 \\
& + 2(3(a + b) \cosh(dx + c)^2 - 3a - b) \sinh(dx + c)^2 + 4((a + b) \cosh(dx + c)^3 - (3a + b) \cosh(dx + c)) \sinh(dx + c) \\
& + 4(a \cosh(dx + c)^3 + 3a \cosh(dx + c) \sinh(dx + c)^2 + a \sinh(dx + c)^3 - a \cosh(dx + c) + (3a \cosh(dx + c)^2 - a) \sinh(dx + c)) \sqrt{-(a + b)/a} \\
& + a + b) / ((a + b) \cosh(dx + c)^4 + 4(a + b) \cosh(dx + c) \sinh(dx + c)^3 + (a + b) \sinh(dx + c)^4 + 2(a - b) \cosh(dx + c)^2 \\
& + 2(3(a + b) \cosh(dx + c)^2 + a - b) \sinh(dx + c)^2 + 4((a + b) \cosh(dx + c)^3 + (a - b) \cosh(dx + c)) \sinh(dx + c) \\
& + a + b) + 4((4a^3 + 9a^2b + 5ab^2) \cosh(dx + c)^8 + 8(4a^3 + 9a^2b + 5ab^2) \cosh(dx + c) \sinh(dx + c)^7 \\
& + (4a^3 + 9a^2b + 5ab^2) \sinh(dx + c)^8 + 4(4a^3 + 5a^2b) \cosh(dx + c)^6 + 4(4a^3 + 5a^2b + 7(4a^3 + 9a^2b + 5ab^2) \cosh(dx + c)^2) \sinh(dx + c)^6 \\
& + 8(7(4a^3 + 9a^2b + 5ab^2) \cosh(dx + c)^3 + 3(4a^3 + 5a^2b) \cosh(dx + c)) \sinh(dx + c)^5 + 2(12a^3 + 11a^2b - 5ab^2) \cosh(dx + c)^4 \\
& + 2(35(4a^3 + 9a^2b + 5ab^2) \cosh(dx + c)^4 + 12a^3 + 11a^2b - 5ab^2 + 30(4a^3 + 5a^2b) \cosh(dx + c)^2) \sinh(dx + c)^4 \\
& + 8(7(4a^3 + 9a^2b + 5ab^2) \cosh(dx + c)^5 + 10(4a^3 + 5a^2b) \cosh(dx + c)^3 + (12a^3 + 11a^2b - 5ab^2) \cosh(dx + c)) \sinh(dx + c)^3 \\
& + 4a^3 + 9a^2b + 5ab^2 + 4(4a^3 + 5a^2b) \cosh(dx + c)^2 + 4(7(4a^3 + 9a^2b + 5ab^2) \cosh(dx + c)^6 + 15(4a^3 + 5a^2b) \cosh(dx + c)^4 \\
& + 4a^3 + 5a^2b + 3(12a^3 + 11a^2b - 5ab^2) \cosh(dx + c)^2) \sinh(dx + c)^2 + 8((4a^3 + 9a^2b + 5ab^2) \cosh(dx + c)^7 + 3(4a^3 + 5a^2b) \cosh(dx + c)^5 \\
& + (12a^3 + 11a^2b - 5ab^2) \cosh(dx + c)^3 + (4a^3 + 5a^2b) \cosh(dx + c)) \sinh(dx + c) \arctan(\cosh(dx + c) + \sinh(dx + c)) \\
& - 4(2a^2b + 3ab^2 + b^3) \cosh(dx + c) + 4(7(2a^2b + 3ab^2 + b^3) \cosh(dx + c)^6 + 5(2a^2b - ab^2 + b^3) \cosh(dx + c)^4 - 2a^2b - 3ab^2 - b^3 - 3(2a^2b - ab^2 + b^3) \cosh(dx + c)^2) \sinh(dx + c) \\
& / (4a^2b^3 d \cosh(dx + c)^6 + (a^2b^3 + ab^4) d \cosh(dx + c)^8 + 8(a^2b^3 + ab^4) d \cosh(dx + c) \sinh(dx + c)^7 + (a^2b^3 + ab^4) d \sinh(dx + c)^8 + 4a^2b^3 d \cosh(dx + c)^2 + 4(a^2b^3 + ab^4) d \sinh(dx + c)^2)
\end{aligned}$$

$$\begin{aligned}
& 2*b^3*d + 7*(a^2*b^3 + a*b^4)*d*\cosh(d*x + c)^2*\sinh(d*x + c)^6 + 2*(3*a^2*b^3 - a*b^4)*d*\cosh(d*x + c)^4 + 8*(3*a^2*b^3*d*\cosh(d*x + c) + 7*(a^2*b^3 + a*b^4)*d*\cosh(d*x + c)^3)*\sinh(d*x + c)^5 + 2*(30*a^2*b^3*d*\cosh(d*x + c)^2 + 35*(a^2*b^3 + a*b^4)*d*\cosh(d*x + c)^4 + (3*a^2*b^3 - a*b^4)*d)*\sinh(d*x + c)^4 + 8*(10*a^2*b^3*d*\cosh(d*x + c)^3 + 7*(a^2*b^3 + a*b^4)*d*\cosh(d*x + c)^5 + (3*a^2*b^3 - a*b^4)*d*\cosh(d*x + c))*\sinh(d*x + c)^3 + 4*(15*a^2*b^3*d*\cosh(d*x + c)^4 + 7*(a^2*b^3 + a*b^4)*d*\cosh(d*x + c)^6 + a^2*b^3*d + 3*(3*a^2*b^3 - a*b^4)*d*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 + (a^2*b^3 + a*b^4)*d + 8*(3*a^2*b^3*d*\cosh(d*x + c)^5 + (a^2*b^3 + a*b^4)*d*\cosh(d*x + c)^7 + a^2*b^3*d*\cosh(d*x + c) + (3*a^2*b^3 - a*b^4)*d*\cosh(d*x + c)^3)*\sinh(d*x + c), \\
& 1/2*(2*(2*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^7 + 14*(2*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)*\sinh(d*x + c)^6 + 2*(2*a^2*b + 3*a*b^2 + b^3)*\sinh(d*x + c)^7 + 2*(2*a^2*b - a*b^2 + b^3)*\cosh(d*x + c)^5 + 2*(2*a^2*b - a*b^2 + b^3 + 21*(2*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^5 + 10*(7*(2*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^3 + (2*a^2*b - a*b^2 + b^3)*\cosh(d*x + c))*\sinh(d*x + c)^4 - 2*(2*a^2*b - a*b^2 + b^3)*\cosh(d*x + c)^3 + 2*(35*(2*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^4 - 2*a^2*b + a*b^2 - b^3 + 10*(2*a^2*b - a*b^2 + b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^3 + 2*(21*(2*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^5 + 10*(2*a^2*b - a*b^2 + b^3)*\cosh(d*x + c)^3 - 3*(2*a^2*b - a*b^2 + b^3)*\cosh(d*x + c))*\sinh(d*x + c)^2 - ((4*a^3 + 7*a^2*b + 2*a*b^2 - b^3)*\cosh(d*x + c)^8 + 8*(4*a^3 + 7*a^2*b + 2*a*b^2 - b^3)*\cosh(d*x + c)*\sinh(d*x + c)^7 + (4*a^3 + 7*a^2*b + 2*a*b^2 - b^3)*\sinh(d*x + c)^8 + 4*(4*a^3 + 3*a^2*b - a*b^2)*\cosh(d*x + c)^6 + 4*(4*a^3 + 3*a^2*b - a*b^2 + 7*(4*a^3 + 7*a^2*b + 2*a*b^2 - b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^6 + 8*(7*(4*a^3 + 7*a^2*b + 2*a*b^2 - b^3)*\cosh(d*x + c)^3 + 3*(4*a^3 + 3*a^2*b - a*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^5 + 2*(12*a^3 + 5*a^2*b - 6*a*b^2 + b^3)*\cosh(d*x + c)^4 + 2*(35*(4*a^3 + 7*a^2*b + 2*a*b^2 - b^3)*\cosh(d*x + c)^4 + 12*a^3 + 5*a^2*b - 6*a*b^2 + b^3 + 30*(4*a^3 + 3*a^2*b - a*b^2)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + 8*(7*(4*a^3 + 7*a^2*b + 2*a*b^2 - b^3)*\cosh(d*x + c)^5 + 10*(4*a^3 + 3*a^2*b - a*b^2)*\cosh(d*x + c)^3 + (12*a^3 + 5*a^2*b - 6*a*b^2 + b^3)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 4*a^3 + 7*a^2*b + 2*a*b^2 - b^3 + 4*(4*a^3 + 3*a^2*b - a*b^2)*\cosh(d*x + c)^2 + 4*(7*(4*a^3 + 7*a^2*b + 2*a*b^2 - b^3)*\cosh(d*x + c)^6 + 15*(4*a^3 + 3*a^2*b - a*b^2)*\cosh(d*x + c)^4 + 4*a^3 + 3*a^2*b - a*b^2 + 3*(12*a^3 + 5*a^2*b - 6*a*b^2 + b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 + 8*((4*a^3 + 7*a^2*b + 2*a*b^2 - b^3)*\cosh(d*x + c)^7 + 3*(4*a^3 + 3*a^2*b - a*b^2)*\cosh(d*x + c)^5 + (12*a^3 + 5*a^2*b - 6*a*b^2 + b^3)*\cosh(d*x + c)^3 + (4*a^3 + 3*a^2*b - a*b^2)*\cosh(d*x + c))*\sinh(d*x + c))*\sqrt{(a + b)/a}*\arctan(1/2*\sqrt{(a + b)/a}*(\cosh(d*x + c) + \sinh(d*x + c))) - ((4*a^3 + 7*a^2*b + 2*a*b^2 - b^3)*\cosh(d*x + c)^8 + 8*(4*a^3 + 7*a^2*b + 2*a*b^2 - b^3)*\cosh(d*x + c)*\sinh(d*x + c)^7 + (4*a^3 + 7*a^2*b + 2*a*b^2 - b^3)*\sinh(d*x + c)^8 + 4*(4*a^3 + 3*a^2*b - a*b^2)*\cosh(d*x + c)^6 + 4*(4*a^3 + 3*a^2*b - a*b^2 + 7*(4*a^3 + 7*a^2*b + 2*a*b^2 - b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^6 + 8*(7*(4*a^3 + 7*a^2*b + 2*a*b^2 - b^3)*\cosh(d*x + c)^3 + 3*(4*a^3 + 3*a^2*b - a*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^5 + 2*(12*a^3 + 5*a^2*b - 6*a*b^2 + b^3)*\cosh(d*x + c)^4
\end{aligned}$$

$$\begin{aligned}
& + 2*(35*(4*a^3 + 7*a^2*b + 2*a*b^2 - b^3)*\cosh(d*x + c)^4 + 12*a^3 + 5*a^2 \\
& *b - 6*a*b^2 + b^3 + 30*(4*a^3 + 3*a^2*b - a*b^2)*\cosh(d*x + c)^2)*\sinh(d*x \\
& + c)^4 + 8*(7*(4*a^3 + 7*a^2*b + 2*a*b^2 - b^3)*\cosh(d*x + c)^5 + 10*(4*a^ \\
& 3 + 3*a^2*b - a*b^2)*\cosh(d*x + c)^3 + (12*a^3 + 5*a^2*b - 6*a*b^2 + b^3)*c \\
& \cosh(d*x + c))*\sinh(d*x + c)^3 + 4*a^3 + 7*a^2*b + 2*a*b^2 - b^3 + 4*(4*a^3 \\
& + 3*a^2*b - a*b^2)*\cosh(d*x + c)^2 + 4*(7*(4*a^3 + 7*a^2*b + 2*a*b^2 - b^3) \\
& *\cosh(d*x + c)^6 + 15*(4*a^3 + 3*a^2*b - a*b^2)*\cosh(d*x + c)^4 + 4*a^3 + 3 \\
& *a^2*b - a*b^2 + 3*(12*a^3 + 5*a^2*b - 6*a*b^2 + b^3)*\cosh(d*x + c)^2)*\sinh \\
& (d*x + c)^2 + 8*((4*a^3 + 7*a^2*b + 2*a*b^2 - b^3)*\cosh(d*x + c)^7 + 3*(4*a \\
& ^3 + 3*a^2*b - a*b^2)*\cosh(d*x + c)^5 + (12*a^3 + 5*a^2*b - 6*a*b^2 + b^3)* \\
& \cosh(d*x + c)^3 + (4*a^3 + 3*a^2*b - a*b^2)*\cosh(d*x + c))*\sinh(d*x + c))*s \\
& \text{qrt}((a + b)/a)*\arctan(1/2*((a + b)*\cosh(d*x + c)^3 + 3*(a + b)*\cosh(d*x + c \\
& )*\sinh(d*x + c)^2 + (a + b)*\sinh(d*x + c)^3 + (3*a - b)*\cosh(d*x + c) + (3* \\
& (a + b)*\cosh(d*x + c)^2 + 3*a - b)*\sinh(d*x + c))*\text{sqrt}((a + b)/a)/(a + b)) \\
& + 2*((4*a^3 + 9*a^2*b + 5*a*b^2)*\cosh(d*x + c)^8 + 8*(4*a^3 + 9*a^2*b + 5*a \\
& *b^2)*\cosh(d*x + c)*\sinh(d*x + c)^7 + (4*a^3 + 9*a^2*b + 5*a*b^2)*\sinh(d*x \\
& + c)^8 + 4*(4*a^3 + 5*a^2*b)*\cosh(d*x + c)^6 + 4*(4*a^3 + 5*a^2*b + 7*(4*a^ \\
& 3 + 9*a^2*b + 5*a*b^2)*\cosh(d*x + c)^2)*\sinh(d*x + c)^6 + 8*(7*(4*a^3 + 9*a \\
& ^2*b + 5*a*b^2)*\cosh(d*x + c)^3 + 3*(4*a^3 + 5*a^2*b)*\cosh(d*x + c))*\sinh(d \\
& *x + c)^5 + 2*(12*a^3 + 11*a^2*b - 5*a*b^2)*\cosh(d*x + c)^4 + 2*(35*(4*a^3 \\
& + 9*a^2*b + 5*a*b^2)*\cosh(d*x + c)^4 + 12*a^3 + 11*a^2*b - 5*a*b^2 + 30*(4* \\
& a^3 + 5*a^2*b)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + 8*(7*(4*a^3 + 9*a^2*b + 5 \\
& *a*b^2)*\cosh(d*x + c)^5 + 10*(4*a^3 + 5*a^2*b)*\cosh(d*x + c)^3 + (12*a^3 + \\
& 11*a^2*b - 5*a*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 4*a^3 + 9*a^2*b + 5*a* \\
& b^2 + 4*(4*a^3 + 5*a^2*b)*\cosh(d*x + c)^2 + 4*(7*(4*a^3 + 9*a^2*b + 5*a*b^2) \\
& )*\cosh(d*x + c)^6 + 15*(4*a^3 + 5*a^2*b)*\cosh(d*x + c)^4 + 4*a^3 + 5*a^2*b \\
& + 3*(12*a^3 + 11*a^2*b - 5*a*b^2)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 + 8*((4* \\
& a^3 + 9*a^2*b + 5*a*b^2)*\cosh(d*x + c)^7 + 3*(4*a^3 + 5*a^2*b)*\cosh(d*x + c \\
& )^5 + (12*a^3 + 11*a^2*b - 5*a*b^2)*\cosh(d*x + c)^3 + (4*a^3 + 5*a^2*b)*\cos \\
& h(d*x + c))*\sinh(d*x + c))*\arctan(\cosh(d*x + c) + \sinh(d*x + c)) - 2*(2*a^2 \\
& *b + 3*a*b^2 + b^3)*\cosh(d*x + c) + 2*(7*(2*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x \\
& + c)^6 + 5*(2*a^2*b - a*b^2 + b^3)*\cosh(d*x + c)^4 - 2*a^2*b - 3*a*b^2 - b \\
& ^3 - 3*(2*a^2*b - a*b^2 + b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c))/(4*a^2*b^3*d \\
& *\cosh(d*x + c)^6 + (a^2*b^3 + a*b^4)*d*\cosh(d*x + c)^8 + 8*(a^2*b^3 + a*b^4 \\
& )*d*\cosh(d*x + c)*\sinh(d*x + c)^7 + (a^2*b^3 + a*b^4)*d*\sinh(d*x + c)^8 + 4 \\
& *a^2*b^3*d*\cosh(d*x + c)^2 + 4*(a^2*b^3*d + 7*(a^2*b^3 + a*b^4)*d*\cosh(d*x \\
& + c)^2)*\sinh(d*x + c)^6 + 2*(3*a^2*b^3 - a*b^4)*d*\cosh(d*x + c)^4 + 8*(3*a^ \\
& 2*b^3*d*\cosh(d*x + c) + 7*(a^2*b^3 + a*b^4)*d*\cosh(d*x + c)^3)*\sinh(d*x + c \\
& )^5 + 2*(30*a^2*b^3*d*\cosh(d*x + c)^2 + 35*(a^2*b^3 + a*b^4)*d*\cosh(d*x + c \\
& )^4 + (3*a^2*b^3 - a*b^4)*d)*\sinh(d*x + c)^4 + 8*(10*a^2*b^3*d*\cosh(d*x + c \\
& )^3 + 7*(a^2*b^3 + a*b^4)*d*\cosh(d*x + c)^5 + (3*a^2*b^3 - a*b^4)*d*\cosh(d \\
& x + c))*\sinh(d*x + c)^3 + 4*(15*a^2*b^3*d*\cosh(d*x + c)^4 + 7*(a^2*b^3 + a \\
& b^4)*d*\cosh(d*x + c)^6 + a^2*b^3*d + 3*(3*a^2*b^3 - a*b^4)*d*\cosh(d*x + c)^ \\
& 2)*\sinh(d*x + c)^2 + (a^2*b^3 + a*b^4)*d + 8*(3*a^2*b^3*d*\cosh(d*x + c)^5 + \\
& (a^2*b^3 + a*b^4)*d*\cosh(d*x + c)^7 + a^2*b^3*d*\cosh(d*x + c) + (3*a^2*b^3
\end{aligned}$$



```
- a*b^4)*d*cosh(d*x + c)^3)*sinh(d*x + c)]]
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sech(d*x+c)**7/(a+b*tanh(d*x+c)**2)**2,x)
```

```
[Out] Timed out
```

**Giac [C]** time = 2.15842, size = 6431, normalized size = 41.49

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sech(d*x+c)^7/(a+b*tanh(d*x+c)^2)^2,x, algorithm="giac")
```

```
[Out] -1/8*(2*(3*(4*a^4*b^2 + 11*a^3*b^3 + 9*a^2*b^4 + a*b^5 - b^6)*cos(1/2*real_
part(arccos(-a/(a + b) + b/(a + b))))^2*cosh(1/2*imag_part(arccos(-a/(a + b)
) + b/(a + b))))^3*sin(1/2*real_part(arccos(-a/(a + b) + b/(a + b)))) - (4*
a^4*b^2 + 11*a^3*b^3 + 9*a^2*b^4 + a*b^5 - b^6)*cosh(1/2*imag_part(arccos(-
a/(a + b) + b/(a + b))))^3*sin(1/2*real_part(arccos(-a/(a + b) + b/(a + b)
)))^3 - 9*(4*a^4*b^2 + 11*a^3*b^3 + 9*a^2*b^4 + a*b^5 - b^6)*cos(1/2*real_pa
rt(arccos(-a/(a + b) + b/(a + b))))^2*cosh(1/2*imag_part(arccos(-a/(a + b)
+ b/(a + b))))^2*sin(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))*sinh(1/
2*imag_part(arccos(-a/(a + b) + b/(a + b)))) + 3*(4*a^4*b^2 + 11*a^3*b^3 +
9*a^2*b^4 + a*b^5 - b^6)*cosh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b)))
)^2*sin(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))^3*sinh(1/2*imag_part
(arccos(-a/(a + b) + b/(a + b)))) + 9*(4*a^4*b^2 + 11*a^3*b^3 + 9*a^2*b^4 +
a*b^5 - b^6)*cos(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))^2*cosh(1/2
*imag_part(arccos(-a/(a + b) + b/(a + b))))*sin(1/2*real_part(arccos(-a/(a
+ b) + b/(a + b))))*sinh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b))))^2 -
3*(4*a^4*b^2 + 11*a^3*b^3 + 9*a^2*b^4 + a*b^5 - b^6)*cosh(1/2*imag_part(ar
ccos(-a/(a + b) + b/(a + b))))*sin(1/2*real_part(arccos(-a/(a + b) + b/(a +
b))))^3*sinh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b))))^2 - 3*(4*a^4*b
^2 + 11*a^3*b^3 + 9*a^2*b^4 + a*b^5 - b^6)*cos(1/2*real_part(arccos(-a/(a +
```

$$\begin{aligned}
& b) + b/(a + b)))^2 \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))) \sin \\
& h(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 + (4a^4b^2 + 11a^3b^3 \\
& + 9a^2b^4 + ab^5 - b^6) \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b) \\
& ))))^3 \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 + (4a^4b^2 + \\
& 11a^3b^3 + 9a^2b^4 + ab^5 - b^6) \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) \\
& + b/(a + b)))) \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))) - (4a^4 \\
& *b^2 + 11a^3b^3 + 9a^2b^4 + ab^5 - b^6) \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a \\
& + b) + b/(a + b)))) \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) *a \\
& rctan((((a^2b^3 + ab^4)/(a^2b^3e^{(4*c)} + ab^4e^{(4*c)}))^{(1/4)} \cos(1/2 * \\
& \arccos(-(a - b)/(a + b))) + e^{(d*x)})/(((a^2b^3 + ab^4)/(a^2b^3e^{(4*c)} + \\
& ab^4e^{(4*c)}))^{(1/4)} \sin(1/2 \arccos(-(a - b)/(a + b)))))/(2a^2b^6 + (a * \\
& b^2 - b^3) \sqrt{-a*b} * b^2 \operatorname{abs}(a) \operatorname{abs}(b)) + 2*(3*(4a^4b^2 + 11a^3b^3 + 9 \\
& *a^2b^4 + ab^5 - b^6) \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 \\
& * \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 \sin(1/2 \operatorname{real\_part}(a \\
& rccos(-a/(a + b) + b/(a + b)))) - (4a^4b^2 + 11a^3b^3 + 9a^2b^4 + ab \\
& ^5 - b^6) \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 \sin(1/2 \operatorname{rea \\
& l\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 - 9*(4a^4b^2 + 11a^3b^3 + 9a \\
& ^2b^4 + ab^5 - b^6) \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 * \\
& \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 \sin(1/2 \operatorname{real\_part}(arc \\
& cos(-a/(a + b) + b/(a + b)))) \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + \\
& b)))) + 3*(4a^4b^2 + 11a^3b^3 + 9a^2b^4 + ab^5 - b^6) \cosh(1/2 \operatorname{imag \\
& _part}(\arccos(-a/(a + b) + b/(a + b))))^2 \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a + b \\
& ) + b/(a + b))))^3 \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) + 9 * \\
& (4a^4b^2 + 11a^3b^3 + 9a^2b^4 + ab^5 - b^6) \cos(1/2 \operatorname{real\_part}(\arccos \\
& (-a/(a + b) + b/(a + b))))^2 \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + \\
& b)))) \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))) \sinh(1/2 \operatorname{imag\_part} \\
& (\arccos(-a/(a + b) + b/(a + b))))^2 - 3*(4a^4b^2 + 11a^3b^3 + 9a^2b^4 \\
& + ab^5 - b^6) \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) \sin(1/2 \\
& * \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/ \\
& (a + b) + b/(a + b))))^2 - 3*(4a^4b^2 + 11a^3b^3 + 9a^2b^4 + ab^5 - \\
& b^6) \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 \sin(1/2 \operatorname{real\_part} \\
& (\arccos(-a/(a + b) + b/(a + b)))) \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/ \\
& (a + b))))^3 + (4a^4b^2 + 11a^3b^3 + 9a^2b^4 + ab^5 - b^6) \sin(1/2 *r \\
& eal\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a \\
& + b) + b/(a + b))))^3 + (4a^4b^2 + 11a^3b^3 + 9a^2b^4 + ab^5 - b^6) \\
& * \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) \sin(1/2 \operatorname{real\_part}(\arcc \\
& os(-a/(a + b) + b/(a + b)))) - (4a^4b^2 + 11a^3b^3 + 9a^2b^4 + ab^5 \\
& - b^6) \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))) \sinh(1/2 \operatorname{imag\_par \\
& t}(\arccos(-a/(a + b) + b/(a + b)))) \operatorname{arctan}(-(((a^2b^3 + ab^4)/(a^2b^3e^{(4*c)} \\
& + ab^4e^{(4*c)}))^{(1/4)} \cos(1/2 \arccos(-(a - b)/(a + b))) - e^{(d*x)})/ \\
& (((a^2b^3 + ab^4)/(a^2b^3e^{(4*c)} + ab^4e^{(4*c)}))^{(1/4)} \sin(1/2 \arccos \\
& (-(a - b)/(a + b)))))/(2a^2b^6 + (a*b^2 - b^3) \sqrt{-a*b} * b^2 \operatorname{abs}(a) \operatorname{abs}( \\
& b)) + ((4a^4b^2 + 11a^3b^3 + 9a^2b^4 + ab^5 - b^6) \cos(1/2 \operatorname{real\_part} \\
& (\arccos(-a/(a + b) + b/(a + b))))^3 \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + \\
& b/(a + b))))^3 - 3*(4a^4b^2 + 11a^3b^3 + 9a^2b^4 + ab^5 - b^6) \cos(1
\end{aligned}$$

$$\begin{aligned}
& /2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))) * \cosh(1/2*\text{imag\_part}(\arccos(-a/ \\
& (a+b) + b/(a+b))))^3 * \sin(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) \\
& ^2 - 3*(4*a^4*b^2 + 11*a^3*b^3 + 9*a^2*b^4 + a*b^5 - b^6) * \cos(1/2*\text{real\_part} \\
& (\arccos(-a/(a+b) + b/(a+b))))^3 * \cosh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + \\
& b/(a+b))))^2 * \sinh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) + 9*(4*a \\
& ^4*b^2 + 11*a^3*b^3 + 9*a^2*b^4 + a*b^5 - b^6) * \cos(1/2*\text{real\_part}(\arccos(-a/ \\
& (a+b) + b/(a+b)))) * \cosh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 \\
& * \sin(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 * \sinh(1/2*\text{imag\_part}(a \\
& rccos(-a/(a+b) + b/(a+b)))) + 3*(4*a^4*b^2 + 11*a^3*b^3 + 9*a^2*b^4 + a \\
& *b^5 - b^6) * \cos(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \cosh(1/2*i \\
& mag\_part(\arccos(-a/(a+b) + b/(a+b)))) * \sinh(1/2*\text{imag\_part}(\arccos(-a/(a + \\
& b) + b/(a+b))))^2 - 9*(4*a^4*b^2 + 11*a^3*b^3 + 9*a^2*b^4 + a*b^5 - b^6) \\
& * \cos(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \cosh(1/2*\text{imag\_part}(\arcc \\
& os(-a/(a+b) + b/(a+b)))) * \sin(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b) \\
& )))^2 * \sinh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - (4*a^4*b^2 + \\
& 11*a^3*b^3 + 9*a^2*b^4 + a*b^5 - b^6) * \cos(1/2*\text{real\_part}(\arccos(-a/(a+b) \\
& + b/(a+b))))^3 * \sinh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 + 3* \\
& (4*a^4*b^2 + 11*a^3*b^3 + 9*a^2*b^4 + a*b^5 - b^6) * \cos(1/2*\text{real\_part}(\arccos \\
& (-a/(a+b) + b/(a+b)))) * \sin(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b)) \\
& ))^2 * \sinh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 + (4*a^4*b^2 + 1 \\
& 1*a^3*b^3 + 9*a^2*b^4 + a*b^5 - b^6) * \cos(1/2*\text{real\_part}(\arccos(-a/(a+b) + \\
& b/(a+b)))) * \cosh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) - (4*a^4*b \\
& ^2 + 11*a^3*b^3 + 9*a^2*b^4 + a*b^5 - b^6) * \cos(1/2*\text{real\_part}(\arccos(-a/(a + \\
& b) + b/(a+b)))) * \sinh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \log \\
& (2*((a^2*b^3 + a*b^4)/(a^2*b^3*e^(4*c) + a*b^4*e^(4*c)))^(1/4) * \cos(1/2*\arcc \\
& os(-(a-b)/(a+b))) * e^(d*x) + \sqrt{(a^2*b^3 + a*b^4)/(a^2*b^3*e^(4*c) + a \\
& *b^4*e^(4*c))} + e^(2*d*x))/(2*a^2*b^6 + (a*b^2 - b^3)*\sqrt{-a*b}*b^2*\text{abs}(a \\
& )*\text{abs}(b)) - ((4*a^4*b^2 + 11*a^3*b^3 + 9*a^2*b^4 + a*b^5 - b^6) * \cos(1/2*\text{rea \\
& l\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \cosh(1/2*\text{imag\_part}(\arccos(-a/(a + \\
& b) + b/(a+b))))^3 - 3*(4*a^4*b^2 + 11*a^3*b^3 + 9*a^2*b^4 + a*b^5 - b^6) \\
& * \cos(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \cosh(1/2*\text{imag\_part}(\arcc \\
& os(-a/(a+b) + b/(a+b))))^3 * \sin(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a + \\
& b))))^2 - 3*(4*a^4*b^2 + 11*a^3*b^3 + 9*a^2*b^4 + a*b^5 - b^6) * \cos(1/2*\text{rea \\
& l\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \cosh(1/2*\text{imag\_part}(\arccos(-a/(a + \\
& b) + b/(a+b))))^2 * \sinh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) + \\
& 9*(4*a^4*b^2 + 11*a^3*b^3 + 9*a^2*b^4 + a*b^5 - b^6) * \cos(1/2*\text{real\_part}(\arcc \\
& os(-a/(a+b) + b/(a+b)))) * \cosh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a + \\
& b))))^2 * \sin(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 * \sinh(1/2*\text{imag\_} \\
& part(\arccos(-a/(a+b) + b/(a+b)))) + 3*(4*a^4*b^2 + 11*a^3*b^3 + 9*a^2*b \\
& ^4 + a*b^5 - b^6) * \cos(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \cosh \\
& (1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sinh(1/2*\text{imag\_part}(\arccos(- \\
& a/(a+b) + b/(a+b))))^2 - 9*(4*a^4*b^2 + 11*a^3*b^3 + 9*a^2*b^4 + a*b^5 \\
& - b^6) * \cos(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \cosh(1/2*\text{imag\_par} \\
& t(\arccos(-a/(a+b) + b/(a+b)))) * \sin(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/ \\
& (a+b))))^2 * \sinh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - (4*a^4
\end{aligned}$$

$$\begin{aligned}
& *b^2 + 11*a^3*b^3 + 9*a^2*b^4 + a*b^5 - b^6)*\cos(1/2*\text{real\_part}(\arccos(-a/(a \\
& + b) + b/(a + b))))^3*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 \\
& + 3*(4*a^4*b^2 + 11*a^3*b^3 + 9*a^2*b^4 + a*b^5 - b^6)*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))* \\
& \sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 + (4*a^4*b \\
& ^2 + 11*a^3*b^3 + 9*a^2*b^4 + a*b^5 - b^6)*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))* \\
& \cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) - (4*a^4*b^2 + 11*a^3*b^3 + 9*a^2*b^4 + a*b^5 - b^6)* \\
& \cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) \\
& )*\log(-2*((a^2*b^3 + a*b^4)/(a^2*b^3*e^{4*c} + a*b^4*e^{4*c}))^{1/4}*\cos(1/2*\arccos(-(a - b)/(a + b)))*e^{d*x} + \\
& \sqrt{(a^2*b^3 + a*b^4)/(a^2*b^3*e^{4*c} + a*b^4*e^{4*c})} + e^{2*d*x})/(2*a^2*b^6 + (a*b^2 - b^3)*\sqrt{-a*b}*b^2* \\
& \text{abs}(a)*\text{abs}(b)) - 8*(4*a*e^c + 5*b*e^c)*\arctan(e^{d*x + c})*e^{-c}/b^3 - 8*(a^2*e^{3*d*x + 3*c} + 2*a*b*e^{3*d*x + 3*c} + \\
& b^2*e^{3*d*x + 3*c} - a^2*e^{d*x + c} - 2*a*b*e^{d*x + c} - b^2*e^{d*x + c})/((a*e^{4*d*x + 4*c} + b*e^{4*d*x + 4*c} + 2*a*e^{2*d*x + 2*c} - 2*b*e^{2*d*x + 2*c} + a + b)*a*b^2) \\
& - 8*(e^{3*d*x + 3*c} - e^{d*x + c})/(b^2*(e^{2*d*x + 2*c} + 1)^2)/d
\end{aligned}$$

$$3.125 \quad \int \frac{\cosh^2(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$$

**Optimal.** Leaf size=198

$$\frac{b^{3/2} (35a^2 + 14ab + 3b^2) \tan^{-1} \left( \frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}} \right)}{8a^{5/2} d(a+b)^4} - \frac{b(a-3b)(4a+b) \tanh(c+dx)}{8a^2 d(a+b)^3 (a+b \tanh^2(c+dx))} - \frac{b(2a-b) \tanh(c+dx)}{4ad(a+b)^2 (a+b \tanh^2(c+dx))}$$

[Out] ((a + 7\*b)\*x)/(2\*(a + b)^4) + (b^(3/2)\*(35\*a^2 + 14\*a\*b + 3\*b^2)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(8\*a^(5/2)\*(a + b)^4\*d) + (Cosh[c + d\*x]\*Sin h[c + d\*x])/(2\*(a + b)\*d\*(a + b\*Tanh[c + d\*x]^2)^2) - ((2\*a - b)\*b\*Tanh[c + d\*x])/(4\*a\*(a + b)^2\*d\*(a + b\*Tanh[c + d\*x]^2)^2) - ((a - 3\*b)\*b\*(4\*a + b)\*Tanh[c + d\*x])/(8\*a^2\*(a + b)^3\*d\*(a + b\*Tanh[c + d\*x]^2))

**Rubi [A]** time = 0.309667, antiderivative size = 198, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {3675, 414, 527, 522, 206, 205}

$$\frac{b^{3/2} (35a^2 + 14ab + 3b^2) \tan^{-1} \left( \frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}} \right)}{8a^{5/2} d(a+b)^4} - \frac{b(a-3b)(4a+b) \tanh(c+dx)}{8a^2 d(a+b)^3 (a+b \tanh^2(c+dx))} - \frac{b(2a-b) \tanh(c+dx)}{4ad(a+b)^2 (a+b \tanh^2(c+dx))}$$

Antiderivative was successfully verified.

[In] Int[Cosh[c + d\*x]^2/(a + b\*Tanh[c + d\*x]^2)^3, x]

[Out] ((a + 7\*b)\*x)/(2\*(a + b)^4) + (b^(3/2)\*(35\*a^2 + 14\*a\*b + 3\*b^2)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(8\*a^(5/2)\*(a + b)^4\*d) + (Cosh[c + d\*x]\*Sin h[c + d\*x])/(2\*(a + b)\*d\*(a + b\*Tanh[c + d\*x]^2)^2) - ((2\*a - b)\*b\*Tanh[c + d\*x])/(4\*a\*(a + b)^2\*d\*(a + b\*Tanh[c + d\*x]^2)^2) - ((a - 3\*b)\*b\*(4\*a + b)\*Tanh[c + d\*x])/(8\*a^2\*(a + b)^3\*d\*(a + b\*Tanh[c + d\*x]^2))

### Rule 3675

Int[sec[(e\_.) + (f\_.)\*(x\_)]^(m\_)\*((a\_.) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]))^(n\_)]^(p\_), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[ff/(c^(m-1)\*f), Subst[Int[(c^2 + ff^2\*x^2)^(m/2-1)\*(a + b\*(ff\*x)^n)^p, x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2] && (IntegersQ[n, p] || IGtQ[m, 0] || IGtQ[p, 0] || EqQ[n^2, 4])

|| EqQ[n^2, 16])

### Rule 414

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> -Simp[(b*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(p + 1)*(b*c -
a*d)), x] + Dist[1/(a*n*(p + 1)*(b*c - a*d)), Int[(a + b*x^n)^(p + 1)*(c +
d*x^n)^q*Simp[b*c + n*(p + 1)*(b*c - a*d) + d*b*(n*(p + q + 2) + 1)*x^n, x]
, x], x] /; FreeQ[{a, b, c, d, n, q}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1]
&& !( !IntegerQ[p] && IntegerQ[q] && LtQ[q, -1]) && IntBinomialQ[a, b, c,
d, n, p, q, x]
```

### Rule 527

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_.)*((e_) + (f
_.)*(x_)^(n_)), x_Symbol] :> -Simp[((b*e - a*f)*x*(a + b*x^n)^(p + 1)*(c +
d*x^n)^(q + 1))/(a*n*(b*c - a*d)*(p + 1)), x] + Dist[1/(a*n*(b*c - a*d)*(p
+ 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(b*e - a*f) + e*n*(b*c
- a*d)*(p + 1) + d*(b*e - a*f)*(n*(p + q + 2) + 1)*x^n, x], x], x] /; FreeQ
[{a, b, c, d, e, f, n, q}, x] && LtQ[p, -1]
```

### Rule 522

```
Int[((e_) + (f_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_))*((c_) + (d_.)*(x_)^(
n_)), x_Symbol] :> Dist[(b*e - a*f)/(b*c - a*d), Int[1/(a + b*x^n), x], x]
- Dist[(d*e - c*f)/(b*c - a*d), Int[1/(c + d*x^n), x], x] /; FreeQ[{a, b,
c, d, e, f, n}, x]
```

### Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

### Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\cosh^2(c+dx)}{(a+b \tanh^2(c+dx))^3} dx &= \frac{\text{Subst}\left(\int \frac{1}{(1-x^2)^2(a+bx^2)^3} dx, x, \tanh(c+dx)\right)}{d} \\
&= \frac{\cosh(c+dx) \sinh(c+dx)}{2(a+b)d(a+b \tanh^2(c+dx))^2} + \frac{\text{Subst}\left(\int \frac{a+2b+5bx^2}{(1-x^2)(a+bx^2)^3} dx, x, \tanh(c+dx)\right)}{2(a+b)d} \\
&= \frac{\cosh(c+dx) \sinh(c+dx)}{2(a+b)d(a+b \tanh^2(c+dx))^2} - \frac{(2a-b)b \tanh(c+dx)}{4a(a+b)^2d(a+b \tanh^2(c+dx))^2} - \frac{\text{Subst}\left(\int \frac{-2(2a-b)}{(1-x^2)(a+bx^2)^3} dx, x, \tanh(c+dx)\right)}{2(a+b)d} \\
&= \frac{\cosh(c+dx) \sinh(c+dx)}{2(a+b)d(a+b \tanh^2(c+dx))^2} - \frac{(2a-b)b \tanh(c+dx)}{4a(a+b)^2d(a+b \tanh^2(c+dx))^2} - \frac{(a-3b)b(4a+b)}{8a^2(a+b)^3d} \\
&= \frac{\cosh(c+dx) \sinh(c+dx)}{2(a+b)d(a+b \tanh^2(c+dx))^2} - \frac{(2a-b)b \tanh(c+dx)}{4a(a+b)^2d(a+b \tanh^2(c+dx))^2} - \frac{(a-3b)b(4a+b)}{8a^2(a+b)^3d} \\
&= \frac{(a+7b)x}{2(a+b)^4} + \frac{b^{3/2}(35a^2+14ab+3b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8a^{5/2}(a+b)^4d} + \frac{\cosh(c+dx) \sinh(c+dx)}{2(a+b)d(a+b \tanh^2(c+dx))^2}
\end{aligned}$$

**Mathematica [A]** time = 1.27913, size = 164, normalized size = 0.83

$$\frac{b^{3/2}(35a^2+14ab+3b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{a^{5/2}} + \frac{b^2(a+b)(13a+3b) \sinh(2(c+dx))}{a^2((a+b) \cosh(2(c+dx))+a-b)} + \frac{4b^3(a+b) \sinh(2(c+dx))}{a((a+b) \cosh(2(c+dx))+a-b)^2} + 4(a+7b)(c+dx) + 2(a+b) \sinh(2(c+dx))$$


---


$$8d(a+b)^4$$

Antiderivative was successfully verified.

[In] Integrate[Cosh[c + d\*x]^2/(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] (4\*(a + 7\*b)\*(c + d\*x) + (b^(3/2)\*(35\*a^2 + 14\*a\*b + 3\*b^2)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/a^(5/2) + 2\*(a + b)\*Sinh[2\*(c + d\*x)] + (4\*b^3\*(a + b)\*Sinh[2\*(c + d\*x)]/(a\*(a - b + (a + b)\*Cosh[2\*(c + d\*x)]^2) + (b^2\*(a + b)\*(13\*a + 3\*b)\*Sinh[2\*(c + d\*x)]/(a^2\*(a - b + (a + b)\*Cosh[2\*(c + d\*x)]^2)))/(8\*(a + b)^4\*d)

**Maple [B]** time = 0.121, size = 2132, normalized size = 10.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(\cosh(dx+c)^2/(a+b*\tanh(dx+c))^2)^3, x$

[Out] 
$$\begin{aligned} & -35/8/d*b^2/(a+b)^4*a/(b*(a+b))^{1/2}/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2}*a \\ & \text{rctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2})-35/8/d*b^2/ \\ & (a+b)^4*a/(b*(a+b))^{1/2}/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2}*arctan(a*\tanh(1/2*d*x+1/2*c)/ \\ & ((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2})-17/8/d*b^4/(a+b)^4/(b*(a+b))^{1/2}/a/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2}*arctan(a*\tanh(1/2*d*x+1/2*c)/ \\ & ((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2})-17/8/d*b^4/(a+b)^4/(b*(a+b))^{1/2}/a/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2}*arctanh(a*\tanh(1/2*d*x+1/2*c)/ \\ & ((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2})-3/8/d*b^5/(a+b)^4/a^2/(b*(a+b))^{1/2}/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2}*arctan(a*\tanh(1/2*d*x+1/2*c)/ \\ & ((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2})-3/8/d*b^5/(a+b)^4/a^2/(b*(a+b))^{1/2}/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2}*arctanh(a*\tanh(1/2*d*x+1/2*c)/ \\ & ((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2})+71/4/d*b^4/(a+b)^4/(tanh(1/2*d*x+1/2*c))^4*a+2*tanh(1/2*d*x+1/2*c)^2*a+4*tanh(1/2*d*x+1/2*c)^2*b+a^2/a*tanh(1/2*d*x+1/2*c)^5-35/8/d*b^2/ \\ & (a+b)^4/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2}*arctan(a*\tanh(1/2*d*x+1/2*c)/ \\ & ((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2})+9/2/d*b^3/(a+b)^4/(tanh(1/2*d*x+1/2*c))^4*a+2*tanh(1/2*d*x+1/2*c)^2*a+4*tanh(1/2*d*x+1/2*c)^2*b+a^2*tanh(1/2*d*x+1/2*c)^5+49/2/d*b^3/(a+b)^4/ \\ & (tanh(1/2*d*x+1/2*c))^4*a+2*tanh(1/2*d*x+1/2*c)^2*a+4*tanh(1/2*d*x+1/2*c)^2*b+a^2*tanh(1/2*d*x+1/2*c)^3+9/2/d*b^3/(a+b)^4/(tanh(1/2*d*x+1/2*c))^4*a+2*tanh(1/2*d*x+1/2*c)^2*a+4*tanh(1/2*d*x+1/2*c)^2*b+a^2*tanh(1/2*d*x+1/2*c)-7/4/d*b^3/(a+b)^4/a/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2}*arctan(a*\tanh(1/2*d*x+1/2*c)/ \\ & ((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2})+39/4/d*b^2/(a+b)^4/(tanh(1/2*d*x+1/2*c))^4*a+2*tanh(1/2*d*x+1/2*c)^2*a+4*tanh(1/2*d*x+1/2*c)^2*b+a^2*a*tanh(1/2*d*x+1/2*c)^3+71/4/d*b^4/(a+b)^4/(tanh(1/2*d*x+1/2*c))^4*a+2*tanh(1/2*d*x+1/2*c)^2*a+4*tanh(1/2*d*x+1/2*c)^2*b+a^2/a*tanh(1/2*d*x+1/2*c)^3+13/4/d*b^2/(a+b)^4/(tanh(1/2*d*x+1/2*c))^4*a+2*tanh(1/2*d*x+1/2*c)^2*a+4*tanh(1/2*d*x+1/2*c)^2*b+a^2*tanh(1/2*d*x+1/2*c)*a+1/2/d/(a+b)^4*ln(tanh(1/2*d*x+1/2*c)+1)*a+7/2/d/(a+b)^4*ln(tanh(1/2*d*x+1/2*c)+1)*b-1/2/d/(a+b)^4*ln(tanh(1/2*d*x+1/2*c)-1)*a-7/2/d/(a+b)^4*ln(tanh(1/2*d*x+1/2*c)-1)*b-1/2/d/(a+b)^3/(tanh(1/2*d*x+1/2*c)+1)^2+1/2/d/(a+b)^3/(tanh(1/2*d*x+1/2*c)+1)+1/2/d/(a+b)^3/(tanh(1/2*d*x+1/2*c)-1)^2+1/2/d/(a+b)^3/(tanh(1/2*d*x+1/2*c)-1)-49/8/d*b^3/(a+b)^4/(b*(a+b))^{1/2}/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2}*arctanh(a*\tanh(1/2*d*x+1/2*c)/ \\ & ((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2})-49/8/d*b^3/(a+b)^4/(b*(a+b))^{1/2}/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2}*arctan(a*\tanh(1/2*d*x+1/2*c)/ \\ & ((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2})+7/4/d*b^3/(a+b)^4/a/((2*(b*(a+b)) \end{aligned}$$



$$\begin{aligned} &)^{(1/2)-a-2*b)*a)^{(1/2)*\operatorname{arctanh}(a*\operatorname{tanh}(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)-a-2*b)*a)^{(1/2)*\operatorname{arctanh}(a*\operatorname{tanh}(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)-a-2*b)*a)^{(1/2)}+13/4/d*b^2/(a+b)^4/(\operatorname{tanh}(1/2*d*x+1/2*c)^{4*a+2*\operatorname{tanh}(1/2*d*x+1/2*c)^{2*a+4*\operatorname{tanh}(1/2*d*x+1/2*c)^{2*b+a})^{2*\operatorname{tanh}(1/2*d*x+1/2*c)^{7*a+39/4/d*b^2/(a+b)^4/(\operatorname{tanh}(1/2*d*x+1/2*c)^{4*a+2*\operatorname{tanh}(1/2*d*x+1/2*c)^{2*b+a})^{2*a*\operatorname{tanh}(1/2*d*x+1/2*c)^{5+5/4/d*b^4/(a+b)^4/(\operatorname{tanh}(1/2*d*x+1/2*c)^{4*a+2*\operatorname{tanh}(1/2*d*x+1/2*c)^{2*a+4*\operatorname{tanh}(1/2*d*x+1/2*c)^{2*b+a})^2/a*\operatorname{tanh}(1/2*d*x+1/2*c)^{7+3/d*b^5/(a+b)^4/(\operatorname{tanh}(1/2*d*x+1/2*c)^{4*a+2*\operatorname{tanh}(1/2*d*x+1/2*c)^{2*a+4*\operatorname{tanh}(1/2*d*x+1/2*c)^{2*b+a})^2/a^2*\operatorname{tanh}(1/2*d*x+1/2*c)^{5+3/d*b^5/(a+b)^4/(\operatorname{tanh}(1/2*d*x+1/2*c)^{4*a+2*\operatorname{tanh}(1/2*d*x+1/2*c)^{2*b+a})^2/a^2*\operatorname{tanh}(1/2*d*x+1/2*c)^{3+3/8/d*b^4/(a+b)^4/a^2/((2*(b*(a+b))^{(1/2)-a-2*b)*a)^{(1/2)*\operatorname{arctanh}(a*\operatorname{tanh}(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)-a-2*b)*a)^{(1/2)}-3/8/d*b^4/(a+b)^4/a^2/((2*(b*(a+b))^{(1/2)+a+2*b)*a)^{(1/2)*\operatorname{arctan}(a*\operatorname{tanh}(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)+a+2*b)*a)^{(1/2)}+5/4/d*b^4/(a+b)^4/(\operatorname{tanh}(1/2*d*x+1/2*c)^{4*a+2*\operatorname{tanh}(1/2*d*x+1/2*c)^{2*a+4*\operatorname{tanh}(1/2*d*x+1/2*c)^{2*b+a})^2/a*\operatorname{tanh}(1/2*d*x+1/2*c)} \end{aligned}$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [B]** time = 4.52959, size = 31513, normalized size = 159.16

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out] 
$$\begin{aligned} &[1/16*(2*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\cosh(d*x + c)^{12} + 24*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\cosh(d*x + c)*\sinh(d*x + c)^{11} + 2*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\sinh(d*x + c)^{12} + 8*(a^5 + a^4*b - a^3*b^2 - a^2*b^3 + (a^5 + 9*a^4*b + 15*a^3*b^2 + 7*a^2*b^3)*d*x)*\cosh(d*x + c)^{10} + \end{aligned}$$

$$\begin{aligned}
& 4*(2*a^5 + 2*a^4*b - 2*a^3*b^2 - 2*a^2*b^3 + 2*(a^5 + 9*a^4*b + 15*a^3*b^2 \\
& + 7*a^2*b^3)*d*x + 33*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\cosh(d*x + c)^2 \\
& *sinh(d*x + c)^{10} + 40*(11*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\cosh(d*x \\
& + c)^3 + 2*(a^5 + a^4*b - a^3*b^2 - a^2*b^3 + (a^5 + 9*a^4*b + 15*a^3*b^2 \\
& + 7*a^2*b^3)*d*x)*\cosh(d*x + c)*sinh(d*x + c)^9 + 2*(5*a^5 - a^4*b - 27*a^3 \\
& *b^2 + 7*a^2*b^3 + 34*a*b^4 + 6*b^5 + 16*(a^5 + 7*a^4*b - a^3*b^2 - 7*a^2*b^3) \\
& *d*x)*\cosh(d*x + c)^8 + 2*(5*a^5 - a^4*b - 27*a^3*b^2 + 7*a^2*b^3 + 34*a \\
& *b^4 + 6*b^5 + 495*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\cosh(d*x + c)^4 + \\
& 16*(a^5 + 7*a^4*b - a^3*b^2 - 7*a^2*b^3)*d*x + 180*(a^5 + a^4*b - a^3*b^2 \\
& - a^2*b^3 + (a^5 + 9*a^4*b + 15*a^3*b^2 + 7*a^2*b^3)*d*x)*\cosh(d*x + c)^2)* \\
& sinh(d*x + c)^8 + 16*(99*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\cosh(d*x + c) \\
& )^5 + 60*(a^5 + a^4*b - a^3*b^2 - a^2*b^3 + (a^5 + 9*a^4*b + 15*a^3*b^2 + 7 \\
& *a^2*b^3)*d*x)*\cosh(d*x + c)^3 + (5*a^5 - a^4*b - 27*a^3*b^2 + 7*a^2*b^3 + \\
& 34*a*b^4 + 6*b^5 + 16*(a^5 + 7*a^4*b - a^3*b^2 - 7*a^2*b^3)*d*x)*\cosh(d*x + \\
& c))*sinh(d*x + c)^7 - 4*(39*a^3*b^2 - 17*a^2*b^3 + 33*a*b^4 + 9*b^5 - 4*(3 \\
& *a^5 + 19*a^4*b - 11*a^3*b^2 + 21*a^2*b^3)*d*x)*\cosh(d*x + c)^6 + 4*(462*(a \\
& ^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\cosh(d*x + c)^6 - 39*a^3*b^2 + 17*a^2*b^3 \\
& - 33*a*b^4 - 9*b^5 + 420*(a^5 + a^4*b - a^3*b^2 - a^2*b^3 + (a^5 + 9*a^4 \\
& *b + 15*a^3*b^2 + 7*a^2*b^3)*d*x)*\cosh(d*x + c)^4 + 4*(3*a^5 + 19*a^4*b - 1 \\
& 1*a^3*b^2 + 21*a^2*b^3)*d*x + 14*(5*a^5 - a^4*b - 27*a^3*b^2 + 7*a^2*b^3 + \\
& 34*a*b^4 + 6*b^5 + 16*(a^5 + 7*a^4*b - a^3*b^2 - 7*a^2*b^3)*d*x)*\cosh(d*x + \\
& c)^2)*sinh(d*x + c)^6 + 8*(198*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\cosh( \\
& d*x + c)^7 + 252*(a^5 + a^4*b - a^3*b^2 - a^2*b^3 + (a^5 + 9*a^4*b + 15*a^3 \\
& *b^2 + 7*a^2*b^3)*d*x)*\cosh(d*x + c)^5 + 14*(5*a^5 - a^4*b - 27*a^3*b^2 + 7 \\
& *a^2*b^3 + 34*a*b^4 + 6*b^5 + 16*(a^5 + 7*a^4*b - a^3*b^2 - 7*a^2*b^3)*d*x) \\
& *\cosh(d*x + c)^3 - 3*(39*a^3*b^2 - 17*a^2*b^3 + 33*a*b^4 + 9*b^5 - 4*(3*a^5 \\
& + 19*a^4*b - 11*a^3*b^2 + 21*a^2*b^3)*d*x)*\cosh(d*x + c))*sinh(d*x + c)^5 \\
& - 2*a^5 - 6*a^4*b - 6*a^3*b^2 - 2*a^2*b^3 - 2*(5*a^5 - a^4*b + 77*a^3*b^2 + \\
& 31*a^2*b^3 - 70*a*b^4 - 18*b^5 - 16*(a^5 + 7*a^4*b - a^3*b^2 - 7*a^2*b^3)* \\
& d*x)*\cosh(d*x + c)^4 + 2*(495*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\cosh(d* \\
& x + c)^8 + 840*(a^5 + a^4*b - a^3*b^2 - a^2*b^3 + (a^5 + 9*a^4*b + 15*a^3*b \\
& ^2 + 7*a^2*b^3)*d*x)*\cosh(d*x + c)^6 - 5*a^5 + a^4*b - 77*a^3*b^2 - 31*a^2* \\
& b^3 + 70*a*b^4 + 18*b^5 + 70*(5*a^5 - a^4*b - 27*a^3*b^2 + 7*a^2*b^3 + 34*a \\
& *b^4 + 6*b^5 + 16*(a^5 + 7*a^4*b - a^3*b^2 - 7*a^2*b^3)*d*x)*\cosh(d*x + c)^ \\
& 4 + 16*(a^5 + 7*a^4*b - a^3*b^2 - 7*a^2*b^3)*d*x - 30*(39*a^3*b^2 - 17*a^2*b^3 \\
& + 33*a*b^4 + 9*b^5 - 4*(3*a^5 + 19*a^4*b - 11*a^3*b^2 + 21*a^2*b^3)*d*x) \\
& )*\cosh(d*x + c)^2)*sinh(d*x + c)^4 + 8*(55*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2 \\
& *b^3)*\cosh(d*x + c)^9 + 120*(a^5 + a^4*b - a^3*b^2 - a^2*b^3 + (a^5 + 9*a^4 \\
& *b + 15*a^3*b^2 + 7*a^2*b^3)*d*x)*\cosh(d*x + c)^7 + 14*(5*a^5 - a^4*b - 27* \\
& a^3*b^2 + 7*a^2*b^3 + 34*a*b^4 + 6*b^5 + 16*(a^5 + 7*a^4*b - a^3*b^2 - 7*a^2 \\
& *b^3)*d*x)*\cosh(d*x + c)^5 - 10*(39*a^3*b^2 - 17*a^2*b^3 + 33*a*b^4 + 9*b^5 \\
& - 4*(3*a^5 + 19*a^4*b - 11*a^3*b^2 + 21*a^2*b^3)*d*x)*\cosh(d*x + c)^3 - ( \\
& 5*a^5 - a^4*b + 77*a^3*b^2 + 31*a^2*b^3 - 70*a*b^4 - 18*b^5 - 16*(a^5 + 7*a \\
& ^4*b - a^3*b^2 - 7*a^2*b^3)*d*x)*\cosh(d*x + c))*sinh(d*x + c)^3 - 4*(2*a^5 \\
& + 2*a^4*b + 11*a^3*b^2 + 27*a^2*b^3 + 19*a*b^4 + 3*b^5 - 2*(a^5 + 9*a^4*b +
\end{aligned}$$

$$\begin{aligned}
& 15a^3b^2 + 7a^2b^3)d*x)*\cosh(d*x + c)^2 + 4*(33*(a^5 + 3a^4b + 3a^3b^2 + a^2b^3)*\cosh(d*x + c)^{10} + 90*(a^5 + a^4b - a^3b^2 - a^2b^3 + ( \\
& a^5 + 9a^4b + 15a^3b^2 + 7a^2b^3)d*x)*\cosh(d*x + c)^8 + 14*(5a^5 - a^4b - 27a^3b^2 + 7a^2b^3 + 34a*b^4 + 6b^5 + 16*(a^5 + 7a^4b - a^3 \\
& *b^2 - 7a^2b^3)d*x)*\cosh(d*x + c)^6 - 2a^5 - 2a^4b - 11a^3b^2 - 27a^2b^3 - 19a*b^4 - 3b^5 - 15*(39a^3b^2 - 17a^2b^3 + 33a*b^4 + 9b^5 \\
& - 4*(3a^5 + 19a^4b - 11a^3b^2 + 21a^2b^3)d*x)*\cosh(d*x + c)^4 + 2*(a^5 + 9a^4b + 15a^3b^2 + 7a^2b^3)d*x - 3*(5a^5 - a^4b + 77a^3b^2 \\
& + 31a^2b^3 - 70a*b^4 - 18b^5 - 16*(a^5 + 7a^4b - a^3b^2 - 7a^2b^3)d*x)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 + ((35a^4b + 84a^3b^2 + 66a^2 \\
& *b^3 + 20a*b^4 + 3b^5)*\cosh(d*x + c)^{10} + 10*(35a^4b + 84a^3b^2 + 66a^2b^3 + 20a*b^4 + 3b^5)*\cosh(d*x + c)*\sinh(d*x + c)^9 + (35a^4b + 84a^3 \\
& b^2 + 66a^2b^3 + 20a*b^4 + 3b^5)*\sinh(d*x + c)^{10} + 4*(35a^4b + 14a^3b^2 - 32a^2b^3 - 14a*b^4 - 3b^5)*\cosh(d*x + c)^8 + (140a^4b + 5 \\
& 6a^3b^2 - 128a^2b^3 - 56a*b^4 - 12b^5 + 45*(35a^4b + 84a^3b^2 + 66a^2b^3 + 20a*b^4 + 3b^5)*\cosh(d*x + c)^2)*\sinh(d*x + c)^8 + 8*(15*(35a^4b + 84a^3b^2 + 66a^2b^3 + 20a*b^4 + 3b^5)*\cosh(d*x + c)^3 + 4*(35 \\
& a^4b + 14a^3b^2 - 32a^2b^3 - 14a*b^4 - 3b^5)*\cosh(d*x + c))*\sinh(d*x + c)^7 + 2*(105a^4b - 28a^3b^2 + 86a^2b^3 + 36a*b^4 + 9b^5)*\cosh(d*x + c)^6 + 2*(105a^4b - 28a^3b^2 + 86a^2b^3 + 36a*b^4 + 9b^5 + 10 \\
& 5*(35a^4b + 84a^3b^2 + 66a^2b^3 + 20a*b^4 + 3b^5)*\cosh(d*x + c)^4 + 56*(35a^4b + 14a^3b^2 - 32a^2b^3 - 14a*b^4 - 3b^5)*\cosh(d*x + c)^2 \\
& )*\sinh(d*x + c)^6 + 4*(63*(35a^4b + 84a^3b^2 + 66a^2b^3 + 20a*b^4 + 3b^5)*\cosh(d*x + c)^5 + 56*(35a^4b + 14a^3b^2 - 32a^2b^3 - 14a*b^4 - 3b^5)*\cosh(d*x + c)^3 + 3*(105a^4b - 28a^3b^2 + 86a^2b^3 + 36a*b^4 + 9b^5)*\cosh(d*x + c))*\sinh(d*x + c)^5 + 4*(35a^4b + 14a^3b^2 - 32a^2b^3 - 14a*b^4 - 3b^5)*\cosh(d*x + c)^4 + 2*(105*(35a^4b + 84a^3b^2 + 66a^2b^3 + 20a*b^4 + 3b^5)*\cosh(d*x + c)^6 + 70a^4b + 28a^3b^2 - 64a^2b^3 - 28a*b^4 - 6b^5 + 140*(35a^4b + 14a^3b^2 - 32a^2b^3 - 14a*b^4 - 3b^5)*\cosh(d*x + c)^4 + 15*(105a^4b - 28a^3b^2 + 86a^2b^3 + 36a*b^4 + 9b^5)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + 8*(15*(35a^4b + 84a^3b^2 + 66a^2b^3 + 20a*b^4 + 3b^5)*\cosh(d*x + c)^7 + 28*(35a^4b + 14a^3b^2 - 32a^2b^3 - 14a*b^4 - 3b^5)*\cosh(d*x + c)^5 + 5*(105a^4b - 28a^3b^2 + 86a^2b^3 + 36a*b^4 + 9b^5)*\cosh(d*x + c)^3 + 2*(35a^4b + 14a^3b^2 - 32a^2b^3 - 14a*b^4 - 3b^5)*\cosh(d*x + c))*\sinh(d*x + c)^3 + (35a^4b + 84a^3b^2 + 66a^2b^3 + 20a*b^4 + 3b^5)*\cosh(d*x + c)^2 + (45*(35a^4b + 84a^3b^2 + 66a^2b^3 + 20a*b^4 + 3b^5)*\cosh(d*x + c)^8 + 112*(35a^4b + 14a^3b^2 - 32a^2b^3 - 14a*b^4 - 3b^5)*\cosh(d*x + c)^6 + 35a^4b + 84a^3b^2 + 66a^2b^3 + 20a*b^4 + 3b^5 + 30*(105a^4b - 28a^3b^2 + 86a^2b^3 + 36a*b^4 + 9b^5)*\cosh(d*x + c)^4 + 24*(35a^4b + 14a^3b^2 - 32a^2b^3 - 14a*b^4 - 3b^5)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 + 2*(5*(35a^4b + 84a^3b^2 + 66a^2b^3 + 20a*b^4 + 3b^5)*\cosh(d*x + c)^9 + 16*(35a^4b + 14a^3b^2 - 32a^2b^3 - 14a*b^4 - 3b^5)*\cosh(d*x + c)^7 + 6*(105a^4b - 28a^3b^2 + 86a^2b^3 + 36a*b^4 + 9b^5)*\cosh(d*x + c)^5 + 8*(35a^4b + 14a^3b^2 - 32a^2b^3 - 14a*b^4 - 3b^5)*\cosh(d*x + c)^3 + 4*(35a^4b + 14a^3b^2 - 32a^2b^3 - 14a*b^4 - 3b^5)*\cosh(d*x + c)^1)
\end{aligned}$$

$$\begin{aligned}
& ^5) \cosh(dx + c)^3 + (35a^4b + 84a^3b^2 + 66a^2b^3 + 20ab^4 + 3b^5) \cosh(dx + c) \sinh(dx + c) \sqrt{-b/a} \log((a^2 + 2ab + b^2) \cosh(dx + c)^4 + 4(a^2 + 2ab + b^2) \cosh(dx + c) \sinh(dx + c)^3 + (a^2 + 2ab + b^2) \sinh(dx + c)^4 + 2(a^2 - b^2) \cosh(dx + c)^2 + 2(3(a^2 + 2ab + b^2) \cosh(dx + c)^2 + a^2 - b^2) \sinh(dx + c)^2 + a^2 - 6ab + b^2 + 4((a^2 + 2ab + b^2) \cosh(dx + c)^3 + (a^2 - b^2) \cosh(dx + c)) \sinh(dx + c) + 4((a^2 + ab) \cosh(dx + c)^2 + 2(a^2 + ab) \cosh(dx + c) \sinh(dx + c) + (a^2 + ab) \sinh(dx + c)^2 + a^2 - ab) \sqrt{-b/a}) / ((a + b) \cosh(dx + c)^4 + 4(a + b) \cosh(dx + c) \sinh(dx + c)^3 + (a + b) \sinh(dx + c)^4 + 2(a - b) \cosh(dx + c)^2 + 2(3(a + b) \cosh(dx + c)^2 + a - b) \sinh(dx + c)^2 + 4((a + b) \cosh(dx + c)^3 + (a - b) \cosh(dx + c)) \sinh(dx + c) + a + b)) + 8(3(a^5 + 3a^4b + 3a^3b^2 + a^2b^3) \cosh(dx + c)^{11} + 10(a^5 + a^4b - a^3b^2 - a^2b^3 + (a^5 + 9a^4b + 15a^3b^2 + 7a^2b^3) dx) \cosh(dx + c)^9 + 2(5a^5 - a^4b - 27a^3b^2 + 7a^2b^3 + 34ab^4 + 6b^5 + 16(a^5 + 7a^4b - a^3b^2 - 7a^2b^3) dx) \cosh(dx + c)^7 - 3(39a^3b^2 - 17a^2b^3 + 33ab^4 + 9b^5 - 4(3a^5 + 19a^4b - 11a^3b^2 + 21a^2b^3) dx) \cosh(dx + c)^5 - (5a^5 - a^4b + 77a^3b^2 + 31a^2b^3 - 70ab^4 - 18b^5 - 16(a^5 + 7a^4b - a^3b^2 - 7a^2b^3) dx) \cosh(dx + c)^3 - (2a^5 + 2a^4b + 11a^3b^2 + 27a^2b^3 + 19ab^4 + 3b^5 - 2(a^5 + 9a^4b + 15a^3b^2 + 7a^2b^3) dx) \cosh(dx + c)) \sinh(dx + c)) / ((a^8 + 6a^7b + 15a^6b^2 + 20a^5b^3 + 15a^4b^4 + 6a^3b^5 + a^2b^6) d \cosh(dx + c)^{10} + 10(a^8 + 6a^7b + 15a^6b^2 + 20a^5b^3 + 15a^4b^4 + 6a^3b^5 + a^2b^6) d \cosh(dx + c) \sinh(dx + c)^9 + (a^8 + 6a^7b + 15a^6b^2 + 20a^5b^3 + 15a^4b^4 + 6a^3b^5 + a^2b^6) d \sinh(dx + c)^{10} + 4(a^8 + 4a^7b + 5a^6b^2 - 5a^4b^4 - 4a^3b^5 - a^2b^6) d \cosh(dx + c)^8 + (45(a^8 + 6a^7b + 15a^6b^2 + 20a^5b^3 + 15a^4b^4 + 6a^3b^5 + a^2b^6) d \cosh(dx + c)^2 + 4(a^8 + 4a^7b + 5a^6b^2 - 5a^4b^4 - 4a^3b^5 - a^2b^6) d) \sinh(dx + c)^8 + 2(3a^8 + 10a^7b + 13a^6b^2 + 12a^5b^3 + 13a^4b^4 + 10a^3b^5 + 3a^2b^6) d \cosh(dx + c)^6 + 8(15(a^8 + 6a^7b + 15a^6b^2 + 20a^5b^3 + 15a^4b^4 + 6a^3b^5 + a^2b^6) d \cosh(dx + c)^3 + 4(a^8 + 4a^7b + 5a^6b^2 - 5a^4b^4 - 4a^3b^5 - a^2b^6) d \cosh(dx + c)) \sinh(dx + c)^7 + 2(105(a^8 + 6a^7b + 15a^6b^2 + 20a^5b^3 + 15a^4b^4 + 6a^3b^5 + a^2b^6) d \cosh(dx + c)^4 + 56(a^8 + 4a^7b + 5a^6b^2 - 5a^4b^4 - 4a^3b^5 - a^2b^6) d \cosh(dx + c)^2 + (3a^8 + 10a^7b + 13a^6b^2 + 12a^5b^3 + 13a^4b^4 + 10a^3b^5 + 3a^2b^6) d) \sinh(dx + c)^6 + 4(a^8 + 4a^7b + 5a^6b^2 - 5a^4b^4 - 4a^3b^5 - a^2b^6) d \cosh(dx + c)^4 + 4(63(a^8 + 6a^7b + 15a^6b^2 + 20a^5b^3 + 15a^4b^4 + 6a^3b^5 + a^2b^6) d \cosh(dx + c)^5 + 56(a^8 + 4a^7b + 5a^6b^2 - 5a^4b^4 - 4a^3b^5 - a^2b^6) d \cosh(dx + c)^3 + 3(3a^8 + 10a^7b + 13a^6b^2 + 12a^5b^3 + 13a^4b^4 + 10a^3b^5 + 3a^2b^6) d \cosh(dx + c)) \sinh(dx + c)^5 + 2(105(a^8 + 6a^7b + 15a^6b^2 + 20a^5b^3 + 15a^4b^4 + 6a^3b^5 + a^2b^6) d \cosh(dx + c)^6 + 140(a^8 + 4a^7b + 5a^6b^2 - 5a^4b^4 - 4a^3b^5 - a^2b^6) d \cosh(dx + c)^4 + 15(3a^8 + 10a^7b + 13a^6b^2 + 12a^5b^3 + 13a^4b^4 + 10a^3b^5 + 3a^2b^6)
\end{aligned}$$

$$\begin{aligned}
& *d*\cosh(d*x + c)^2 + 2*(a^8 + 4*a^7*b + 5*a^6*b^2 - 5*a^4*b^4 - 4*a^3*b^5 - \\
& a^2*b^6)*d)*\sinh(d*x + c)^4 + (a^8 + 6*a^7*b + 15*a^6*b^2 + 20*a^5*b^3 + 1 \\
& 5*a^4*b^4 + 6*a^3*b^5 + a^2*b^6)*d*\cosh(d*x + c)^2 + 8*(15*(a^8 + 6*a^7*b + \\
& 15*a^6*b^2 + 20*a^5*b^3 + 15*a^4*b^4 + 6*a^3*b^5 + a^2*b^6)*d*\cosh(d*x + c \\
& )^7 + 28*(a^8 + 4*a^7*b + 5*a^6*b^2 - 5*a^4*b^4 - 4*a^3*b^5 - a^2*b^6)*d*co \\
& sh(d*x + c)^5 + 5*(3*a^8 + 10*a^7*b + 13*a^6*b^2 + 12*a^5*b^3 + 13*a^4*b^4 \\
& + 10*a^3*b^5 + 3*a^2*b^6)*d*\cosh(d*x + c)^3 + 2*(a^8 + 4*a^7*b + 5*a^6*b^2 \\
& - 5*a^4*b^4 - 4*a^3*b^5 - a^2*b^6)*d*\cosh(d*x + c))*\sinh(d*x + c)^3 + (45*( \\
& a^8 + 6*a^7*b + 15*a^6*b^2 + 20*a^5*b^3 + 15*a^4*b^4 + 6*a^3*b^5 + a^2*b^6) \\
& )*d*\cosh(d*x + c)^8 + 112*(a^8 + 4*a^7*b + 5*a^6*b^2 - 5*a^4*b^4 - 4*a^3*b^5 \\
& - a^2*b^6)*d*\cosh(d*x + c)^6 + 30*(3*a^8 + 10*a^7*b + 13*a^6*b^2 + 12*a^5* \\
& b^3 + 13*a^4*b^4 + 10*a^3*b^5 + 3*a^2*b^6)*d*\cosh(d*x + c)^4 + 24*(a^8 + 4* \\
& a^7*b + 5*a^6*b^2 - 5*a^4*b^4 - 4*a^3*b^5 - a^2*b^6)*d*\cosh(d*x + c)^2 + (a \\
& ^8 + 6*a^7*b + 15*a^6*b^2 + 20*a^5*b^3 + 15*a^4*b^4 + 6*a^3*b^5 + a^2*b^6)* \\
& d)*\sinh(d*x + c)^2 + 2*(5*(a^8 + 6*a^7*b + 15*a^6*b^2 + 20*a^5*b^3 + 15*a^4 \\
& *b^4 + 6*a^3*b^5 + a^2*b^6)*d*\cosh(d*x + c)^9 + 16*(a^8 + 4*a^7*b + 5*a^6*b \\
& ^2 - 5*a^4*b^4 - 4*a^3*b^5 - a^2*b^6)*d*\cosh(d*x + c)^7 + 6*(3*a^8 + 10*a^7 \\
& *b + 13*a^6*b^2 + 12*a^5*b^3 + 13*a^4*b^4 + 10*a^3*b^5 + 3*a^2*b^6)*d*\cosh( \\
& d*x + c)^5 + 8*(a^8 + 4*a^7*b + 5*a^6*b^2 - 5*a^4*b^4 - 4*a^3*b^5 - a^2*b^6 \\
& )*d*\cosh(d*x + c)^3 + (a^8 + 6*a^7*b + 15*a^6*b^2 + 20*a^5*b^3 + 15*a^4*b^4 \\
& + 6*a^3*b^5 + a^2*b^6)*d*\cosh(d*x + c))*\sinh(d*x + c)), 1/8*((a^5 + 3*a^4*b \\
& b + 3*a^3*b^2 + a^2*b^3)*\cosh(d*x + c)^12 + 12*(a^5 + 3*a^4*b + 3*a^3*b^2 + \\
& a^2*b^3)*\cosh(d*x + c)*\sinh(d*x + c)^11 + (a^5 + 3*a^4*b + 3*a^3*b^2 + a^2 \\
& *b^3)*\sinh(d*x + c)^12 + 4*(a^5 + a^4*b - a^3*b^2 - a^2*b^3 + (a^5 + 9*a^4*b \\
& b + 15*a^3*b^2 + 7*a^2*b^3)*d*x)*\cosh(d*x + c)^10 + 2*(2*a^5 + 2*a^4*b - 2* \\
& a^3*b^2 - 2*a^2*b^3 + 2*(a^5 + 9*a^4*b + 15*a^3*b^2 + 7*a^2*b^3)*d*x + 33*( \\
& a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^10 + 20 \\
& *(11*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\cosh(d*x + c)^3 + 2*(a^5 + a^4*b \\
& - a^3*b^2 - a^2*b^3 + (a^5 + 9*a^4*b + 15*a^3*b^2 + 7*a^2*b^3)*d*x)*\cosh(d \\
& *x + c))*\sinh(d*x + c)^9 + (5*a^5 - a^4*b - 27*a^3*b^2 + 7*a^2*b^3 + 34*a*b \\
& ^4 + 6*b^5 + 16*(a^5 + 7*a^4*b - a^3*b^2 - 7*a^2*b^3)*d*x)*\cosh(d*x + c)^8 \\
& + (5*a^5 - a^4*b - 27*a^3*b^2 + 7*a^2*b^3 + 34*a*b^4 + 6*b^5 + 495*(a^5 + 3 \\
& *a^4*b + 3*a^3*b^2 + a^2*b^3)*\cosh(d*x + c)^4 + 16*(a^5 + 7*a^4*b - a^3*b^2 \\
& - 7*a^2*b^3)*d*x + 180*(a^5 + a^4*b - a^3*b^2 - a^2*b^3 + (a^5 + 9*a^4*b + \\
& 15*a^3*b^2 + 7*a^2*b^3)*d*x)*\cosh(d*x + c)^2)*\sinh(d*x + c)^8 + 8*(99*(a^5 \\
& + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\cosh(d*x + c)^5 + 60*(a^5 + a^4*b - a^3*b \\
& ^2 - a^2*b^3 + (a^5 + 9*a^4*b + 15*a^3*b^2 + 7*a^2*b^3)*d*x)*\cosh(d*x + c)^ \\
& 3 + (5*a^5 - a^4*b - 27*a^3*b^2 + 7*a^2*b^3 + 34*a*b^4 + 6*b^5 + 16*(a^5 + \\
& 7*a^4*b - a^3*b^2 - 7*a^2*b^3)*d*x)*\cosh(d*x + c))*\sinh(d*x + c)^7 - 2*(39* \\
& a^3*b^2 - 17*a^2*b^3 + 33*a*b^4 + 9*b^5 - 4*(3*a^5 + 19*a^4*b - 11*a^3*b^2 \\
& + 21*a^2*b^3)*d*x)*\cosh(d*x + c)^6 + 2*(462*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^ \\
& 2*b^3)*\cosh(d*x + c)^6 - 39*a^3*b^2 + 17*a^2*b^3 - 33*a*b^4 - 9*b^5 + 420*( \\
& a^5 + a^4*b - a^3*b^2 - a^2*b^3 + (a^5 + 9*a^4*b + 15*a^3*b^2 + 7*a^2*b^3)* \\
& d*x)*\cosh(d*x + c)^4 + 4*(3*a^5 + 19*a^4*b - 11*a^3*b^2 + 21*a^2*b^3)*d*x + \\
& 14*(5*a^5 - a^4*b - 27*a^3*b^2 + 7*a^2*b^3 + 34*a*b^4 + 6*b^5 + 16*(a^5 +
\end{aligned}$$

$$\begin{aligned}
& 7a^4b - a^3b^2 - 7a^2b^3)dx) \cosh(dx + c)^2 \sinh(dx + c)^6 + 4(1 \\
& 98(a^5 + 3a^4b + 3a^3b^2 + a^2b^3) \cosh(dx + c)^7 + 252(a^5 + a^4b \\
& - a^3b^2 - a^2b^3 + (a^5 + 9a^4b + 15a^3b^2 + 7a^2b^3)dx) \cosh(d \\
& *x + c)^5 + 14(5a^5 - a^4b - 27a^3b^2 + 7a^2b^3 + 34a*b^4 + 6b^5 + \\
& 16(a^5 + 7a^4b - a^3b^2 - 7a^2b^3)dx) \cosh(dx + c)^3 - 3(39a^3* \\
& b^2 - 17a^2*b^3 + 33a*b^4 + 9b^5 - 4(3a^5 + 19a^4*b - 11a^3*b^2 + 21 \\
& *a^2*b^3)dx) \cosh(dx + c)) \sinh(dx + c)^5 - a^5 - 3a^4*b - 3a^3*b^2 - \\
& a^2*b^3 - (5a^5 - a^4*b + 77a^3*b^2 + 31a^2*b^3 - 70a*b^4 - 18b^5 - 1 \\
& 6(a^5 + 7a^4*b - a^3*b^2 - 7a^2*b^3)dx) \cosh(dx + c)^4 + (495(a^5 + \\
& 3a^4*b + 3a^3*b^2 + a^2*b^3) \cosh(dx + c)^8 + 840(a^5 + a^4*b - a^3*b^2 \\
& - a^2*b^3 + (a^5 + 9a^4*b + 15a^3*b^2 + 7a^2*b^3)dx) \cosh(dx + c)^6 \\
& - 5a^5 + a^4*b - 77a^3*b^2 - 31a^2*b^3 + 70a*b^4 + 18b^5 + 70(5a^5 - \\
& a^4*b - 27a^3*b^2 + 7a^2*b^3 + 34a*b^4 + 6b^5 + 16(a^5 + 7a^4*b - a^ \\
& 3*b^2 - 7a^2*b^3)dx) \cosh(dx + c)^4 + 16(a^5 + 7a^4*b - a^3*b^2 - 7a \\
& ^2*b^3)dx - 30(39a^3*b^2 - 17a^2*b^3 + 33a*b^4 + 9b^5 - 4(3a^5 + 1 \\
& 9a^4*b - 11a^3*b^2 + 21a^2*b^3)dx) \cosh(dx + c)^2) \sinh(dx + c)^4 + \\
& 4(55(a^5 + 3a^4*b + 3a^3*b^2 + a^2*b^3) \cosh(dx + c)^9 + 120(a^5 + a^ \\
& 4*b - a^3*b^2 - a^2*b^3 + (a^5 + 9a^4*b + 15a^3*b^2 + 7a^2*b^3)dx) \cos \\
& h(dx + c)^7 + 14(5a^5 - a^4*b - 27a^3*b^2 + 7a^2*b^3 + 34a*b^4 + 6b^ \\
& 5 + 16(a^5 + 7a^4*b - a^3*b^2 - 7a^2*b^3)dx) \cosh(dx + c)^5 - 10(39 \\
& a^3*b^2 - 17a^2*b^3 + 33a*b^4 + 9b^5 - 4(3a^5 + 19a^4*b - 11a^3*b^2 \\
& + 21a^2*b^3)dx) \cosh(dx + c)^3 - (5a^5 - a^4*b + 77a^3*b^2 + 31a^2*b \\
& ^3 - 70a*b^4 - 18b^5 - 16(a^5 + 7a^4*b - a^3*b^2 - 7a^2*b^3)dx) \cosh \\
& (dx + c)) \sinh(dx + c)^3 - 2(2a^5 + 2a^4*b + 11a^3*b^2 + 27a^2*b^3 + \\
& 19a*b^4 + 3b^5 - 2(a^5 + 9a^4*b + 15a^3*b^2 + 7a^2*b^3)dx) \cosh(d \\
& x + c)^2 + 2(33(a^5 + 3a^4*b + 3a^3*b^2 + a^2*b^3) \cosh(dx + c)^10 + 9 \\
& 0(a^5 + a^4*b - a^3*b^2 - a^2*b^3 + (a^5 + 9a^4*b + 15a^3*b^2 + 7a^2*b^ \\
& 3)dx) \cosh(dx + c)^8 + 14(5a^5 - a^4*b - 27a^3*b^2 + 7a^2*b^3 + 34a \\
& *b^4 + 6b^5 + 16(a^5 + 7a^4*b - a^3*b^2 - 7a^2*b^3)dx) \cosh(dx + c)^ \\
& 6 - 2a^5 - 2a^4*b - 11a^3*b^2 - 27a^2*b^3 - 19a*b^4 - 3b^5 - 15(39a \\
& ^3*b^2 - 17a^2*b^3 + 33a*b^4 + 9b^5 - 4(3a^5 + 19a^4*b - 11a^3*b^2 + \\
& 21a^2*b^3)dx) \cosh(dx + c)^4 + 2(a^5 + 9a^4*b + 15a^3*b^2 + 7a^2*b \\
& ^3)dx - 3(5a^5 - a^4*b + 77a^3*b^2 + 31a^2*b^3 - 70a*b^4 - 18b^5 - \\
& 16(a^5 + 7a^4*b - a^3*b^2 - 7a^2*b^3)dx) \cosh(dx + c)^2) \sinh(dx + c \\
& )^2 + ((35a^4*b + 84a^3*b^2 + 66a^2*b^3 + 20a*b^4 + 3b^5) \cosh(dx + c \\
& )^10 + 10(35a^4*b + 84a^3*b^2 + 66a^2*b^3 + 20a*b^4 + 3b^5) \cosh(dx \\
& + c) \sinh(dx + c)^9 + (35a^4*b + 84a^3*b^2 + 66a^2*b^3 + 20a*b^4 + 3b \\
& ^5) \sinh(dx + c)^10 + 4(35a^4*b + 14a^3*b^2 - 32a^2*b^3 - 14a*b^4 - 3 \\
& *b^5) \cosh(dx + c)^8 + (140a^4*b + 56a^3*b^2 - 128a^2*b^3 - 56a*b^4 - \\
& 12b^5 + 45(35a^4*b + 84a^3*b^2 + 66a^2*b^3 + 20a*b^4 + 3b^5) \cosh(d \\
& x + c)^2) \sinh(dx + c)^8 + 8(15(35a^4*b + 84a^3*b^2 + 66a^2*b^3 + 20 \\
& a*b^4 + 3b^5) \cosh(dx + c)^3 + 4(35a^4*b + 14a^3*b^2 - 32a^2*b^3 - 14 \\
& *a*b^4 - 3b^5) \cosh(dx + c)) \sinh(dx + c)^7 + 2(105a^4*b - 28a^3*b^2 \\
& + 86a^2*b^3 + 36a*b^4 + 9b^5) \cosh(dx + c)^6 + 2(105a^4*b - 28a^3*b^ \\
& 2 + 86a^2*b^3 + 36a*b^4 + 9b^5 + 105(35a^4*b + 84a^3*b^2 + 66a^2*b^3
\end{aligned}$$

$$\begin{aligned}
& + 20*a*b^4 + 3*b^5)*\cosh(d*x + c)^4 + 56*(35*a^4*b + 14*a^3*b^2 - 32*a^2*b^3 - 14*a*b^4 - 3*b^5)*\cosh(d*x + c)^2)*\sinh(d*x + c)^6 + 4*(63*(35*a^4*b + 84*a^3*b^2 + 66*a^2*b^3 + 20*a*b^4 + 3*b^5)*\cosh(d*x + c)^5 + 56*(35*a^4*b + 14*a^3*b^2 - 32*a^2*b^3 - 14*a*b^4 - 3*b^5)*\cosh(d*x + c)^3 + 3*(105*a^4*b - 28*a^3*b^2 + 86*a^2*b^3 + 36*a*b^4 + 9*b^5)*\cosh(d*x + c))*\sinh(d*x + c)^5 + 4*(35*a^4*b + 14*a^3*b^2 - 32*a^2*b^3 - 14*a*b^4 - 3*b^5)*\cosh(d*x + c)^4 + 2*(105*(35*a^4*b + 84*a^3*b^2 + 66*a^2*b^3 + 20*a*b^4 + 3*b^5)*\cosh(d*x + c)^6 + 70*a^4*b + 28*a^3*b^2 - 64*a^2*b^3 - 28*a*b^4 - 6*b^5 + 140*(35*a^4*b + 14*a^3*b^2 - 32*a^2*b^3 - 14*a*b^4 - 3*b^5)*\cosh(d*x + c)^4 + 15*(105*a^4*b - 28*a^3*b^2 + 86*a^2*b^3 + 36*a*b^4 + 9*b^5)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + 8*(15*(35*a^4*b + 84*a^3*b^2 + 66*a^2*b^3 + 20*a*b^4 + 3*b^5)*\cosh(d*x + c)^7 + 28*(35*a^4*b + 14*a^3*b^2 - 32*a^2*b^3 - 14*a*b^4 - 3*b^5)*\cosh(d*x + c)^5 + 5*(105*a^4*b - 28*a^3*b^2 + 86*a^2*b^3 + 36*a*b^4 + 9*b^5)*\cosh(d*x + c)^3 + 2*(35*a^4*b + 14*a^3*b^2 - 32*a^2*b^3 - 14*a*b^4 - 3*b^5)*\cosh(d*x + c))*\sinh(d*x + c)^3 + (35*a^4*b + 84*a^3*b^2 + 66*a^2*b^3 + 20*a*b^4 + 3*b^5)*\cosh(d*x + c)^2 + (45*(35*a^4*b + 84*a^3*b^2 + 66*a^2*b^3 + 20*a*b^4 + 3*b^5)*\cosh(d*x + c)^8 + 112*(35*a^4*b + 14*a^3*b^2 - 32*a^2*b^3 - 14*a*b^4 - 3*b^5)*\cosh(d*x + c)^6 + 35*a^4*b + 84*a^3*b^2 + 66*a^2*b^3 + 20*a*b^4 + 3*b^5 + 30*(105*a^4*b - 28*a^3*b^2 + 86*a^2*b^3 + 36*a*b^4 + 9*b^5)*\cosh(d*x + c)^4 + 24*(35*a^4*b + 14*a^3*b^2 - 32*a^2*b^3 - 14*a*b^4 - 3*b^5)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 + 2*(5*(35*a^4*b + 84*a^3*b^2 + 66*a^2*b^3 + 20*a*b^4 + 3*b^5)*\cosh(d*x + c)^9 + 16*(35*a^4*b + 14*a^3*b^2 - 32*a^2*b^3 - 14*a*b^4 - 3*b^5)*\cosh(d*x + c)^7 + 6*(105*a^4*b - 28*a^3*b^2 + 86*a^2*b^3 + 36*a*b^4 + 9*b^5)*\cosh(d*x + c)^5 + 8*(35*a^4*b + 14*a^3*b^2 - 32*a^2*b^3 - 14*a*b^4 - 3*b^5)*\cosh(d*x + c)^3 + (35*a^4*b + 84*a^3*b^2 + 66*a^2*b^3 + 20*a*b^4 + 3*b^5)*\cosh(d*x + c))*\sinh(d*x + c))*\sqrt{b/a}*\arctan(1/2*((a + b)*\cosh(d*x + c)^2 + 2*(a + b)*\cosh(d*x + c)*\sinh(d*x + c) + (a + b)*\sinh(d*x + c)^2 + a - b)*\sqrt{b/a}/b) + 4*(3*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\cosh(d*x + c)^11 + 10*(a^5 + a^4*b - a^3*b^2 - a^2*b^3 + (a^5 + 9*a^4*b + 15*a^3*b^2 + 7*a^2*b^3)*d*x)*\cosh(d*x + c)^9 + 2*(5*a^5 - a^4*b - 27*a^3*b^2 + 7*a^2*b^3 + 34*a*b^4 + 6*b^5 + 16*(a^5 + 7*a^4*b - a^3*b^2 - 7*a^2*b^3)*d*x)*\cosh(d*x + c)^7 - 3*(39*a^3*b^2 - 17*a^2*b^3 + 33*a*b^4 + 9*b^5 - 4*(3*a^5 + 19*a^4*b - 11*a^3*b^2 + 21*a^2*b^3)*d*x)*\cosh(d*x + c)^5 - (5*a^5 - a^4*b + 77*a^3*b^2 + 31*a^2*b^3 - 70*a*b^4 - 18*b^5 - 16*(a^5 + 7*a^4*b - a^3*b^2 - 7*a^2*b^3)*d*x)*\cosh(d*x + c)^3 - (2*a^5 + 2*a^4*b + 11*a^3*b^2 + 27*a^2*b^3 + 19*a*b^4 + 3*b^5 - 2*(a^5 + 9*a^4*b + 15*a^3*b^2 + 7*a^2*b^3)*d*x)*\cosh(d*x + c))*\sinh(d*x + c))/((a^8 + 6*a^7*b + 15*a^6*b^2 + 20*a^5*b^3 + 15*a^4*b^4 + 6*a^3*b^5 + a^2*b^6)*d*\cosh(d*x + c)^10 + 10*(a^8 + 6*a^7*b + 15*a^6*b^2 + 20*a^5*b^3 + 15*a^4*b^4 + 6*a^3*b^5 + a^2*b^6)*d*\cosh(d*x + c)*\sinh(d*x + c)^9 + (a^8 + 6*a^7*b + 15*a^6*b^2 + 20*a^5*b^3 + 15*a^4*b^4 + 6*a^3*b^5 + a^2*b^6)*d*\sinh(d*x + c)^10 + 4*(a^8 + 4*a^7*b + 5*a^6*b^2 - 5*a^4*b^4 - 4*a^3*b^5 - a^2*b^6)*d*\cosh(d*x + c)^8 + (45*(a^8 + 6*a^7*b + 15*a^6*b^2 + 20*a^5*b^3 + 15*a^4*b^4 + 6*a^3*b^5 + a^2*b^6)*d*\cosh(d*x + c)^2 + 4*(a^8 + 4*a^7*b + 5*a^6*b^2 - 5*a^4*b^4 - 4*a^3*b^5 - a^2*b^6)*d)*\sinh(d*x + c)^8 + 2*(3*a^8 + 10*a^7*b + 13*a^6*b^2 +
\end{aligned}$$

$$\begin{aligned}
& 12*a^5*b^3 + 13*a^4*b^4 + 10*a^3*b^5 + 3*a^2*b^6)*d*cosh(d*x + c)^6 + 8*(1 \\
& 5*(a^8 + 6*a^7*b + 15*a^6*b^2 + 20*a^5*b^3 + 15*a^4*b^4 + 6*a^3*b^5 + a^2*b^6) \\
& *d*cosh(d*x + c)^3 + 4*(a^8 + 4*a^7*b + 5*a^6*b^2 - 5*a^4*b^4 - 4*a^3*b^5 \\
& - a^2*b^6)*d*cosh(d*x + c))*sinh(d*x + c)^7 + 2*(105*(a^8 + 6*a^7*b + 15* \\
& a^6*b^2 + 20*a^5*b^3 + 15*a^4*b^4 + 6*a^3*b^5 + a^2*b^6)*d*cosh(d*x + c)^4 \\
& + 56*(a^8 + 4*a^7*b + 5*a^6*b^2 - 5*a^4*b^4 - 4*a^3*b^5 - a^2*b^6)*d*cosh(d \\
& *x + c)^2 + (3*a^8 + 10*a^7*b + 13*a^6*b^2 + 12*a^5*b^3 + 13*a^4*b^4 + 10*a \\
& ^3*b^5 + 3*a^2*b^6)*d)*sinh(d*x + c)^6 + 4*(a^8 + 4*a^7*b + 5*a^6*b^2 - 5*a \\
& ^4*b^4 - 4*a^3*b^5 - a^2*b^6)*d*cosh(d*x + c)^4 + 4*(63*(a^8 + 6*a^7*b + 15 \\
& *a^6*b^2 + 20*a^5*b^3 + 15*a^4*b^4 + 6*a^3*b^5 + a^2*b^6)*d*cosh(d*x + c)^5 \\
& + 56*(a^8 + 4*a^7*b + 5*a^6*b^2 - 5*a^4*b^4 - 4*a^3*b^5 - a^2*b^6)*d*cosh( \\
& d*x + c)^3 + 3*(3*a^8 + 10*a^7*b + 13*a^6*b^2 + 12*a^5*b^3 + 13*a^4*b^4 + 1 \\
& 0*a^3*b^5 + 3*a^2*b^6)*d*cosh(d*x + c))*sinh(d*x + c)^5 + 2*(105*(a^8 + 6*a \\
& ^7*b + 15*a^6*b^2 + 20*a^5*b^3 + 15*a^4*b^4 + 6*a^3*b^5 + a^2*b^6)*d*cosh(d \\
& *x + c)^6 + 140*(a^8 + 4*a^7*b + 5*a^6*b^2 - 5*a^4*b^4 - 4*a^3*b^5 - a^2*b^6) \\
& *d*cosh(d*x + c)^4 + 15*(3*a^8 + 10*a^7*b + 13*a^6*b^2 + 12*a^5*b^3 + 13* \\
& a^4*b^4 + 10*a^3*b^5 + 3*a^2*b^6)*d*cosh(d*x + c)^2 + 2*(a^8 + 4*a^7*b + 5* \\
& a^6*b^2 - 5*a^4*b^4 - 4*a^3*b^5 - a^2*b^6)*d)*sinh(d*x + c)^4 + (a^8 + 6*a^7* \\
& b + 15*a^6*b^2 + 20*a^5*b^3 + 15*a^4*b^4 + 6*a^3*b^5 + a^2*b^6)*d*cosh(d* \\
& x + c)^2 + 8*(15*(a^8 + 6*a^7*b + 15*a^6*b^2 + 20*a^5*b^3 + 15*a^4*b^4 + 6* \\
& a^3*b^5 + a^2*b^6)*d*cosh(d*x + c)^7 + 28*(a^8 + 4*a^7*b + 5*a^6*b^2 - 5*a^ \\
& 4*b^4 - 4*a^3*b^5 - a^2*b^6)*d*cosh(d*x + c)^5 + 5*(3*a^8 + 10*a^7*b + 13*a \\
& ^6*b^2 + 12*a^5*b^3 + 13*a^4*b^4 + 10*a^3*b^5 + 3*a^2*b^6)*d*cosh(d*x + c)^ \\
& 3 + 2*(a^8 + 4*a^7*b + 5*a^6*b^2 - 5*a^4*b^4 - 4*a^3*b^5 - a^2*b^6)*d*cosh( \\
& d*x + c))*sinh(d*x + c)^3 + (45*(a^8 + 6*a^7*b + 15*a^6*b^2 + 20*a^5*b^3 + \\
& 15*a^4*b^4 + 6*a^3*b^5 + a^2*b^6)*d*cosh(d*x + c)^8 + 112*(a^8 + 4*a^7*b + \\
& 5*a^6*b^2 - 5*a^4*b^4 - 4*a^3*b^5 - a^2*b^6)*d*cosh(d*x + c)^6 + 30*(3*a^8 \\
& + 10*a^7*b + 13*a^6*b^2 + 12*a^5*b^3 + 13*a^4*b^4 + 10*a^3*b^5 + 3*a^2*b^6) \\
& *d*cosh(d*x + c)^4 + 24*(a^8 + 4*a^7*b + 5*a^6*b^2 - 5*a^4*b^4 - 4*a^3*b^5 \\
& - a^2*b^6)*d*cosh(d*x + c)^2 + (a^8 + 6*a^7*b + 15*a^6*b^2 + 20*a^5*b^3 + 1 \\
& 5*a^4*b^4 + 6*a^3*b^5 + a^2*b^6)*d)*sinh(d*x + c)^2 + 2*(5*(a^8 + 6*a^7*b + \\
& 15*a^6*b^2 + 20*a^5*b^3 + 15*a^4*b^4 + 6*a^3*b^5 + a^2*b^6)*d*cosh(d*x + c \\
& )^9 + 16*(a^8 + 4*a^7*b + 5*a^6*b^2 - 5*a^4*b^4 - 4*a^3*b^5 - a^2*b^6)*d*co \\
& sh(d*x + c)^7 + 6*(3*a^8 + 10*a^7*b + 13*a^6*b^2 + 12*a^5*b^3 + 13*a^4*b^4 \\
& + 10*a^3*b^5 + 3*a^2*b^6)*d*cosh(d*x + c)^5 + 8*(a^8 + 4*a^7*b + 5*a^6*b^2 \\
& - 5*a^4*b^4 - 4*a^3*b^5 - a^2*b^6)*d*cosh(d*x + c)^3 + (a^8 + 6*a^7*b + 15* \\
& a^6*b^2 + 20*a^5*b^3 + 15*a^4*b^4 + 6*a^3*b^5 + a^2*b^6)*d*cosh(d*x + c))*s \\
& inh(d*x + c))]
\end{aligned}$$


---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)\*\*2/(a+b\*tanh(d\*x+c)\*\*2)\*\*3,x)

[Out] Timed out

**Giac [B]** time = 3.20652, size = 803, normalized size = 4.06

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out] 
$$\frac{1}{8} \cdot (4 \cdot (a + 7 \cdot b) \cdot d \cdot x / (a^4 + 4 \cdot a^3 \cdot b + 6 \cdot a^2 \cdot b^2 + 4 \cdot a \cdot b^3 + b^4) + (35 \cdot a^2 \cdot b^2 \cdot e^{(2 \cdot c)} + 14 \cdot a \cdot b^3 \cdot e^{(2 \cdot c)} + 3 \cdot b^4 \cdot e^{(2 \cdot c)}) \cdot \arctan(1/2 \cdot (a \cdot e^{(2 \cdot d \cdot x + 2 \cdot c)} + b \cdot e^{(2 \cdot d \cdot x + 2 \cdot c)} + a - b) / \sqrt{a \cdot b})) \cdot e^{(-2 \cdot c)} / ((a^6 + 4 \cdot a^5 \cdot b + 6 \cdot a^4 \cdot b^2 + 4 \cdot a^3 \cdot b^3 + a^2 \cdot b^4) \cdot \sqrt{a \cdot b}) - (2 \cdot a \cdot e^{(2 \cdot d \cdot x + 2 \cdot c)} + 14 \cdot b \cdot e^{(2 \cdot d \cdot x + 2 \cdot c)} + a + b) \cdot e^{(-2 \cdot d \cdot x)} / (a^4 \cdot e^{(2 \cdot c)} + 4 \cdot a^3 \cdot b \cdot e^{(2 \cdot c)} + 6 \cdot a^2 \cdot b^2 \cdot e^{(2 \cdot c)} + 4 \cdot a \cdot b^3 \cdot e^{(2 \cdot c)} + b^4 \cdot e^{(2 \cdot c)}) + e^{(2 \cdot d \cdot x + 16 \cdot c)} / (a^3 \cdot e^{(14 \cdot c)} + 3 \cdot a^2 \cdot b \cdot e^{(14 \cdot c)} + 3 \cdot a \cdot b^2 \cdot e^{(14 \cdot c)} + b^3 \cdot e^{(14 \cdot c)}) - 2 \cdot (13 \cdot a^3 \cdot b^2 \cdot e^{(6 \cdot d \cdot x + 6 \cdot c)} - a^2 \cdot b^3 \cdot e^{(6 \cdot d \cdot x + 6 \cdot c)} - 17 \cdot a \cdot b^4 \cdot e^{(6 \cdot d \cdot x + 6 \cdot c)} - 3 \cdot b^5 \cdot e^{(6 \cdot d \cdot x + 6 \cdot c)} + 39 \cdot a^3 \cdot b^2 \cdot e^{(4 \cdot d \cdot x + 4 \cdot c)} - 17 \cdot a^2 \cdot b^3 \cdot e^{(4 \cdot d \cdot x + 4 \cdot c)} + 33 \cdot a \cdot b^4 \cdot e^{(4 \cdot d \cdot x + 4 \cdot c)} + 9 \cdot b^5 \cdot e^{(4 \cdot d \cdot x + 4 \cdot c)} + 39 \cdot a^3 \cdot b^2 \cdot e^{(2 \cdot d \cdot x + 2 \cdot c)} + 13 \cdot a^2 \cdot b^3 \cdot e^{(2 \cdot d \cdot x + 2 \cdot c)} - 35 \cdot a \cdot b^4 \cdot e^{(2 \cdot d \cdot x + 2 \cdot c)} - 9 \cdot b^5 \cdot e^{(2 \cdot d \cdot x + 2 \cdot c)} + 13 \cdot a^3 \cdot b^2 + 29 \cdot a^2 \cdot b^3 + 19 \cdot a \cdot b^4 + 3 \cdot b^5) / ((a^6 + 4 \cdot a^5 \cdot b + 6 \cdot a^4 \cdot b^2 + 4 \cdot a^3 \cdot b^3 + a^2 \cdot b^4) \cdot (a \cdot e^{(4 \cdot d \cdot x + 4 \cdot c)} + b \cdot e^{(4 \cdot d \cdot x + 4 \cdot c)} + 2 \cdot a \cdot e^{(2 \cdot d \cdot x + 2 \cdot c)} - 2 \cdot b \cdot e^{(2 \cdot d \cdot x + 2 \cdot c)} + a + b)^2)) / d$$

$$3.126 \quad \int \frac{\cosh(c+dx)}{\left(a+b \tanh^2(c+dx)\right)^3} dx$$

**Optimal.** Leaf size=154

$$\frac{3b^2(4a+b)\sinh(c+dx)}{8a^2d(a+b)^3\left((a+b)\sinh^2(c+dx)+a\right)} + \frac{3b(8a^2+4ab+b^2)\tan^{-1}\left(\frac{\sqrt{a+b}\sinh(c+dx)}{\sqrt{a}}\right)}{8a^{5/2}d(a+b)^{7/2}} + \frac{b^3\sinh(c+dx)}{4ad(a+b)^3\left((a+b)\sinh^2(c+dx)+a\right)}$$

[Out] (3\*b\*(8\*a^2 + 4\*a\*b + b^2)\*ArcTan[(Sqrt[a + b]\*Sinh[c + d\*x])/Sqrt[a]])/(8\*a^(5/2)\*(a + b)^(7/2)\*d) + Sinh[c + d\*x]/((a + b)^3\*d) + (b^3\*Sinh[c + d\*x])/(4\*a\*(a + b)^3\*d\*(a + (a + b)\*Sinh[c + d\*x]^2)^2) + (3\*b^2\*(4\*a + b)\*Sinh[c + d\*x])/(8\*a^2\*(a + b)^3\*d\*(a + (a + b)\*Sinh[c + d\*x]^2))

**Rubi [A]** time = 0.222993, antiderivative size = 154, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {3676, 390, 1157, 385, 205}

$$\frac{3b^2(4a+b)\sinh(c+dx)}{8a^2d(a+b)^3\left((a+b)\sinh^2(c+dx)+a\right)} + \frac{3b(8a^2+4ab+b^2)\tan^{-1}\left(\frac{\sqrt{a+b}\sinh(c+dx)}{\sqrt{a}}\right)}{8a^{5/2}d(a+b)^{7/2}} + \frac{b^3\sinh(c+dx)}{4ad(a+b)^3\left((a+b)\sinh^2(c+dx)+a\right)}$$

Antiderivative was successfully verified.

[In] Int[Cosh[c + d\*x]/(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] (3\*b\*(8\*a^2 + 4\*a\*b + b^2)\*ArcTan[(Sqrt[a + b]\*Sinh[c + d\*x])/Sqrt[a]])/(8\*a^(5/2)\*(a + b)^(7/2)\*d) + Sinh[c + d\*x]/((a + b)^3\*d) + (b^3\*Sinh[c + d\*x])/(4\*a\*(a + b)^3\*d\*(a + (a + b)\*Sinh[c + d\*x]^2)^2) + (3\*b^2\*(4\*a + b)\*Sinh[c + d\*x])/(8\*a^2\*(a + b)^3\*d\*(a + (a + b)\*Sinh[c + d\*x]^2))

### Rule 3676

Int[sec[(e\_.) + (f\_.)\*(x\_.)]^(m\_.)\*((a\_.) + (b\_.)\*tan[(e\_.) + (f\_.)\*(x\_.)]^(n\_.))^p], x\_Symbol] := With[{ff = FreeFactors[Sin[e + f\*x], x]}, Dist[ff/f, Subst[Int[ExpandToSum[b\*(ff\*x)^n + a\*(1 - ff^2\*x^2)^(n/2), x]^p/(1 - ff^2\*x^2)^((m + n\*p + 1)/2), x], x, Sin[e + f\*x]/ff, x]] /; FreeQ[{a, b, e, f}, x] && IntegerQ[(m - 1)/2] && IntegerQ[n/2] && IntegerQ[p]

### Rule 390

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> Int[PolynomialDivide[(a + b*x^n)^p, (c + d*x^n)^(-q), x], x] /; FreeQ[{a
, b, c, d}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q,
0] && GeQ[p, -q]
```

### Rule 1157

```
Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.),
x_Symbol] :> With[{Qx = PolynomialQuotient[(a + b*x^2 + c*x^4)^p, d + e*x^2
, x], R = Coeff[PolynomialRemainder[(a + b*x^2 + c*x^4)^p, d + e*x^2, x], x
, 0]}, -Simp[(R*x*(d + e*x^2)^(q + 1))/(2*d*(q + 1)), x] + Dist[1/(2*d*(q +
1)), Int[(d + e*x^2)^(q + 1)*ExpandToSum[2*d*(q + 1)*Qx + R*(2*q + 3), x],
x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 -
b*d*e + a*e^2, 0] && IGtQ[p, 0] && LtQ[q, -1]
```

### Rule 385

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] :> -S
imp[((b*c - a*d)*x*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] - Dist[(a*d - b
*c*(n*(p + 1) + 1))/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; Fre
eQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n +
p, 0])
```

### Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\cosh(c+dx)}{(a+b \tanh^2(c+dx))^3} dx &= \frac{\text{Subst}\left(\int \frac{(1+x^2)^3}{(a+(a+b)x^2)^3} dx, x, \sinh(c+dx)\right)}{d} \\
&= \frac{\text{Subst}\left(\int \left(\frac{1}{(a+b)^3} + \frac{b(3a^2+3ab+b^2)+3b(a+b)(2a+b)x^2+3b(a+b)^2x^4}{(a+b)^3(a+(a+b)x^2)^3}\right) dx, x, \sinh(c+dx)\right)}{d} \\
&= \frac{\sinh(c+dx)}{(a+b)^3d} + \frac{\text{Subst}\left(\int \frac{b(3a^2+3ab+b^2)+3b(a+b)(2a+b)x^2+3b(a+b)^2x^4}{(a+(a+b)x^2)^3} dx, x, \sinh(c+dx)\right)}{(a+b)^3d} \\
&= \frac{\sinh(c+dx)}{(a+b)^3d} + \frac{b^3 \sinh(c+dx)}{4a(a+b)^3d \left(a + (a+b) \sinh^2(c+dx)\right)^2} - \frac{\text{Subst}\left(\int \frac{-3b(2a+b)^2-12ab(a+b)x^2}{(a+(a+b)x^2)^2} dx, x, \sinh(c+dx)\right)}{4a(a+b)^3d} \\
&= \frac{\sinh(c+dx)}{(a+b)^3d} + \frac{b^3 \sinh(c+dx)}{4a(a+b)^3d \left(a + (a+b) \sinh^2(c+dx)\right)^2} + \frac{3b^2(4a+b) \sinh(c+dx)}{8a^2(a+b)^3d \left(a + (a+b) \sinh^2(c+dx)\right)} \\
&= \frac{3b(8a^2+4ab+b^2) \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{8a^{5/2}(a+b)^{7/2}d} + \frac{\sinh(c+dx)}{(a+b)^3d} + \frac{b^3 \sinh(c+dx)}{4a(a+b)^3d \left(a + (a+b) \sinh^2(c+dx)\right)}
\end{aligned}$$

**Mathematica [A]** time = 1.85671, size = 136, normalized size = 0.88

$$\frac{\sinh(c+dx) \left( \frac{3b^3}{a^2((a+b) \sinh^2(c+dx)+a)} + \frac{2b^2(6(a+b) \sinh^2(c+dx)+6a+b)}{a((a+b) \sinh^2(c+dx)+a)^2} + 8 \right)}{(a+b)^3} + \frac{3b(8a^2+4ab+b^2) \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{a^{5/2}(a+b)^{7/2}}$$

8d

Antiderivative was successfully verified.

[In] Integrate[Cosh[c + d\*x]/(a + b\*Tanh[c + d\*x]^2)^3, x]

[Out] ((3\*b\*(8\*a^2 + 4\*a\*b + b^2)\*ArcTan[(Sqrt[a + b]\*Sinh[c + d\*x])/Sqrt[a]])/(a^(5/2)\*(a + b)^(7/2)) + (Sinh[c + d\*x]\*(8 + (3\*b^3)/(a^2\*(a + (a + b)\*Sinh[c + d\*x]^2)) + (2\*b^2\*(6\*a + b + 6\*(a + b)\*Sinh[c + d\*x]^2))/(a\*(a + (a + b)\*Sinh[c + d\*x]^2^2)))/(a + b)^3)/(8\*d)

**Maple [B]** time = 0.111, size = 1570, normalized size = 10.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\int (\cosh(dx+c)/(a+b*\tanh(dx+c))^2)^3, x$

[Out] 
$$-1/d/(a+b)^3/(\tanh(1/2*d*x+1/2*c)+1)-3/d*b^2/(a+b)^3/(\tanh(1/2*d*x+1/2*c))^4$$

$$*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^7-5/4/d*b^3/(a+b)^3/(\tanh(1/2*d*x+1/2*c))^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a$$

$$+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2/a*\tanh(1/2*d*x+1/2*c)^7-3/d*b^2/(a+b)^3/(\tanh(1/2*d*x+1/2*c))^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a$$

$$)^2*\tanh(1/2*d*x+1/2*c)^5-45/4/d*b^3/(a+b)^3/(\tanh(1/2*d*x+1/2*c))^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2/a*\tanh(1/2*d*x+1/2*c)^5$$

$$-3/d*b^4/(a+b)^3/(\tanh(1/2*d*x+1/2*c))^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2/a^2*\tanh(1/2*d*x+1/2*c)^5+3/d*b^2/(a+b)^3/(\tanh(1/2$$

$$*d*x+1/2*c))^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*a$$

$$\tanh(1/2*d*x+1/2*c)^3+45/4/d*b^3/(a+b)^3/(\tanh(1/2*d*x+1/2*c))^4*a+2*\tanh(1/2$$

$$*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2/a*\tanh(1/2*d*x+1/2*c)^3+3/d*b$$

$$^4/(a+b)^3/(\tanh(1/2*d*x+1/2*c))^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d$$

$$*x+1/2*c)^2*b+a)^2/a^2*\tanh(1/2*d*x+1/2*c)^3+3/d*b^2/(a+b)^3/(\tanh(1/2*d*x+1/2$$

$$*c))^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2$$

$$*d*x+1/2*c)+5/4/d*b^3/(a+b)^3/(\tanh(1/2*d*x+1/2*c))^4*a+2*\tanh(1/2*d*x+1/2*c$$

$$)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2/a*\tanh(1/2*d*x+1/2*c)-3/d*b/(a+b)^3/(($$

$$2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))$$

$$)^(1/2)-a-2*b)*a)^(1/2))-3/2/d*b^2/(a+b)^3/a/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))-3$$

$$/8/d*b^3/(a+b)^3/a^2/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*\operatorname{arctanh}(a*\tanh(1/2$$

$$*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))+3/d*b^2/(a+b)^3/(b*(a+b))^($$

$$1/2)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2$$

$$*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))+3/2/d*b^3/(a+b)^3/a/(b*(a+b))^(1/2)/((2*($$

$$b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^($$

$$1/2)-a-2*b)*a)^(1/2))+3/8/d*b^4/(a+b)^3/a^2/(b*(a+b))^(1/2)/((2*(b*(a+b))^($$

$$1/2)-a-2*b)*a)^(1/2)*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2$$

$$*b)*a)^(1/2))+3/d*b/(a+b)^3/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))+3/2/d*b^2/(a+b)^3/a/$$

$$((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a$$

$$+b))^(1/2)+a+2*b)*a)^(1/2))+3/8/d*b^3/(a+b)^3/a^2/((2*(b*(a+b))^(1/2)+a+2*b$$

$$*a)^(1/2)*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))$$

$$+3/d*b^2/(a+b)^3/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*\operatorname{arctan}$$

$$(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))+3/2/d*b^3/(a+b)$$

$$^3/a/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*\operatorname{arctan}(a*\tanh(1/2$$

$$*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))+3/8/d*b^4/(a+b)^3/a^2/(b*(a$$

$$\frac{(b)^{1/2} / ((2 * (b * (a + b))^{1/2} + a + 2 * b) * a)^{1/2} * \arctan(a * \tanh(1/2 * d * x + 1/2 * c))}{((2 * (b * (a + b))^{1/2} + a + 2 * b) * a)^{1/2} - 1/d / (a + b)^3 / (\tanh(1/2 * d * x + 1/2 * c) - 1)}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="maxima")

[Out] 
$$\begin{aligned} & -1/4 * (2 * a^4 + 4 * a^3 * b + 2 * a^2 * b^2 - 2 * (a^4 * e^{(10 * c)} + 2 * a^3 * b * e^{(10 * c)} + a^2 * b^2 * e^{(10 * c)}) * e^{(10 * d * x)} - (6 * a^4 * e^{(8 * c)} - 4 * a^3 * b * e^{(8 * c)} + 2 * a^2 * b^2 * e^{(8 * c)} + 15 * a * b^3 * e^{(8 * c)} + 3 * b^4 * e^{(8 * c)}) * e^{(8 * d * x)} - (4 * a^4 * e^{(6 * c)} - 8 * a^3 * b * e^{(6 * c)} + 32 * a^2 * b^2 * e^{(6 * c)} - 25 * a * b^3 * e^{(6 * c)} - 9 * b^4 * e^{(6 * c)}) * e^{(6 * d * x)} \\ & + (4 * a^4 * e^{(4 * c)} - 8 * a^3 * b * e^{(4 * c)} + 32 * a^2 * b^2 * e^{(4 * c)} - 25 * a * b^3 * e^{(4 * c)} - 9 * b^4 * e^{(4 * c)}) * e^{(4 * d * x)} + (6 * a^4 * e^{(2 * c)} - 4 * a^3 * b * e^{(2 * c)} + 2 * a^2 * b^2 * e^{(2 * c)} + 15 * a * b^3 * e^{(2 * c)} + 3 * b^4 * e^{(2 * c)}) * e^{(2 * d * x)}) / ((a^7 * d * e^{(9 * c)} + 5 * a^6 * b * d * e^{(9 * c)} + 10 * a^5 * b^2 * d * e^{(9 * c)} + 10 * a^4 * b^3 * d * e^{(9 * c)} + 5 * a^3 * b^4 * d * e^{(9 * c)} + a^2 * b^5 * d * e^{(9 * c)}) * e^{(9 * d * x)} + 4 * (a^7 * d * e^{(7 * c)} + 3 * a^6 * b * d * e^{(7 * c)} + 2 * a^5 * b^2 * d * e^{(7 * c)} - 2 * a^4 * b^3 * d * e^{(7 * c)} - 3 * a^3 * b^4 * d * e^{(7 * c)} - a^2 * b^5 * d * e^{(7 * c)}) * e^{(7 * d * x)} \\ & + 2 * (3 * a^7 * d * e^{(5 * c)} + 7 * a^6 * b * d * e^{(5 * c)} + 6 * a^5 * b^2 * d * e^{(5 * c)} + 6 * a^4 * b^3 * d * e^{(5 * c)} + 7 * a^3 * b^4 * d * e^{(5 * c)} + 3 * a^2 * b^5 * d * e^{(5 * c)}) * e^{(5 * d * x)} + 4 * (a^7 * d * e^{(3 * c)} + 3 * a^6 * b * d * e^{(3 * c)} + 2 * a^5 * b^2 * d * e^{(3 * c)} - 2 * a^4 * b^3 * d * e^{(3 * c)} - 3 * a^3 * b^4 * d * e^{(3 * c)} - a^2 * b^5 * d * e^{(3 * c)}) * e^{(3 * d * x)} \\ & + (a^7 * d * e^c + 5 * a^6 * b * d * e^c + 10 * a^5 * b^2 * d * e^c + 10 * a^4 * b^3 * d * e^c + 5 * a^3 * b^4 * d * e^c + a^2 * b^5 * d * e^c) * e^{(d * x)}) + 1/2 * \text{integrate}(3/2 * ((8 * a^2 * b * e^{(3 * c)} + 4 * a * b^2 * e^{(3 * c)} + b^3 * e^{(3 * c)}) * e^{(3 * d * x)} + (8 * a^2 * b * e^c + 4 * a * b^2 * e^c + b^3 * e^c) * e^{(d * x)}) / (a^6 + 4 * a^5 * b + 6 * a^4 * b^2 + 4 * a^3 * b^3 + a^2 * b^4 + (a^6 * e^{(4 * c)} + 4 * a^5 * b * e^{(4 * c)} + 6 * a^4 * b^2 * e^{(4 * c)} + 4 * a^3 * b^3 * e^{(4 * c)} + a^2 * b^4 * e^{(4 * c)}) * e^{(4 * d * x)} + 2 * (a^6 * e^{(2 * c)} + 2 * a^5 * b * e^{(2 * c)} - 2 * a^3 * b^3 * e^{(2 * c)} - a^2 * b^4 * e^{(2 * c)}) * e^{(2 * d * x)}), x) \end{aligned}$$

**Fricas [B]** time = 3.78261, size = 25858, normalized size = 167.91

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

```
[Out] [1/16*(8*(a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3)*cosh(d*x + c)^10 + 80*(a^6 +
3*a^5*b + 3*a^4*b^2 + a^3*b^3)*cosh(d*x + c)*sinh(d*x + c)^9 + 8*(a^6 + 3*
a^5*b + 3*a^4*b^2 + a^3*b^3)*sinh(d*x + c)^10 + 4*(6*a^6 + 2*a^5*b - 2*a^4*
b^2 + 17*a^3*b^3 + 18*a^2*b^4 + 3*a*b^5)*cosh(d*x + c)^8 + 4*(6*a^6 + 2*a^5
*b - 2*a^4*b^2 + 17*a^3*b^3 + 18*a^2*b^4 + 3*a*b^5 + 90*(a^6 + 3*a^5*b + 3*
a^4*b^2 + a^3*b^3)*cosh(d*x + c)^2)*sinh(d*x + c)^8 + 32*(30*(a^6 + 3*a^5*b
+ 3*a^4*b^2 + a^3*b^3)*cosh(d*x + c)^3 + (6*a^6 + 2*a^5*b - 2*a^4*b^2 + 17
*a^3*b^3 + 18*a^2*b^4 + 3*a*b^5)*cosh(d*x + c))*sinh(d*x + c)^7 + 4*(4*a^6
- 4*a^5*b + 24*a^4*b^2 + 7*a^3*b^3 - 34*a^2*b^4 - 9*a*b^5)*cosh(d*x + c)^6
+ 4*(4*a^6 - 4*a^5*b + 24*a^4*b^2 + 7*a^3*b^3 - 34*a^2*b^4 - 9*a*b^5 + 420*
(a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3)*cosh(d*x + c)^4 + 28*(6*a^6 + 2*a^5*b
- 2*a^4*b^2 + 17*a^3*b^3 + 18*a^2*b^4 + 3*a*b^5)*cosh(d*x + c)^2)*sinh(d*x
+ c)^6 - 8*a^6 - 24*a^5*b - 24*a^4*b^2 - 8*a^3*b^3 + 8*(252*(a^6 + 3*a^5*b
+ 3*a^4*b^2 + a^3*b^3)*cosh(d*x + c)^5 + 28*(6*a^6 + 2*a^5*b - 2*a^4*b^2 +
17*a^3*b^3 + 18*a^2*b^4 + 3*a*b^5)*cosh(d*x + c)^3 + 3*(4*a^6 - 4*a^5*b +
24*a^4*b^2 + 7*a^3*b^3 - 34*a^2*b^4 - 9*a*b^5)*cosh(d*x + c))*sinh(d*x + c)
^5 - 4*(4*a^6 - 4*a^5*b + 24*a^4*b^2 + 7*a^3*b^3 - 34*a^2*b^4 - 9*a*b^5)*co
sh(d*x + c)^4 + 4*(420*(a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3)*cosh(d*x + c)^
6 - 4*a^6 + 4*a^5*b - 24*a^4*b^2 - 7*a^3*b^3 + 34*a^2*b^4 + 9*a*b^5 + 70*(6
*a^6 + 2*a^5*b - 2*a^4*b^2 + 17*a^3*b^3 + 18*a^2*b^4 + 3*a*b^5)*cosh(d*x +
c)^4 + 15*(4*a^6 - 4*a^5*b + 24*a^4*b^2 + 7*a^3*b^3 - 34*a^2*b^4 - 9*a*b^5)
*cosh(d*x + c)^2)*sinh(d*x + c)^4 + 16*(60*(a^6 + 3*a^5*b + 3*a^4*b^2 + a^3
*b^3)*cosh(d*x + c)^7 + 14*(6*a^6 + 2*a^5*b - 2*a^4*b^2 + 17*a^3*b^3 + 18*a
^2*b^4 + 3*a*b^5)*cosh(d*x + c)^5 + 5*(4*a^6 - 4*a^5*b + 24*a^4*b^2 + 7*a^3
*b^3 - 34*a^2*b^4 - 9*a*b^5)*cosh(d*x + c)^3 - (4*a^6 - 4*a^5*b + 24*a^4*b^
2 + 7*a^3*b^3 - 34*a^2*b^4 - 9*a*b^5)*cosh(d*x + c))*sinh(d*x + c)^3 - 4*(6
*a^6 + 2*a^5*b - 2*a^4*b^2 + 17*a^3*b^3 + 18*a^2*b^4 + 3*a*b^5)*cosh(d*x +
c)^2 + 4*(90*(a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3)*cosh(d*x + c)^8 + 28*(6*
a^6 + 2*a^5*b - 2*a^4*b^2 + 17*a^3*b^3 + 18*a^2*b^4 + 3*a*b^5)*cosh(d*x + c
)^6 - 6*a^6 - 2*a^5*b + 2*a^4*b^2 - 17*a^3*b^3 - 18*a^2*b^4 - 3*a*b^5 + 15*
(4*a^6 - 4*a^5*b + 24*a^4*b^2 + 7*a^3*b^3 - 34*a^2*b^4 - 9*a*b^5)*cosh(d*x
+ c)^4 - 6*(4*a^6 - 4*a^5*b + 24*a^4*b^2 + 7*a^3*b^3 - 34*a^2*b^4 - 9*a*b^5
)*cosh(d*x + c)^2)*sinh(d*x + c)^2 - 3*((8*a^4*b + 20*a^3*b^2 + 17*a^2*b^3
+ 6*a*b^4 + b^5)*cosh(d*x + c)^9 + 9*(8*a^4*b + 20*a^3*b^2 + 17*a^2*b^3 + 6
*a*b^4 + b^5)*cosh(d*x + c)*sinh(d*x + c)^8 + (8*a^4*b + 20*a^3*b^2 + 17*a^
2*b^3 + 6*a*b^4 + b^5)*sinh(d*x + c)^9 + 4*(8*a^4*b + 4*a^3*b^2 - 7*a^2*b^3
- 4*a*b^4 - b^5)*cosh(d*x + c)^7 + 4*(8*a^4*b + 4*a^3*b^2 - 7*a^2*b^3 - 4*
a*b^4 - b^5 + 9*(8*a^4*b + 20*a^3*b^2 + 17*a^2*b^3 + 6*a*b^4 + b^5)*cosh(d*
x + c)^2)*sinh(d*x + c)^7 + 28*(3*(8*a^4*b + 20*a^3*b^2 + 17*a^2*b^3 + 6*a*
b^4 + b^5)*cosh(d*x + c)^3 + (8*a^4*b + 4*a^3*b^2 - 7*a^2*b^3 - 4*a*b^4 - b
^5)*cosh(d*x + c))*sinh(d*x + c)^6 + 2*(24*a^4*b - 4*a^3*b^2 + 19*a^2*b^3 +
10*a*b^4 + 3*b^5)*cosh(d*x + c)^5 + 2*(24*a^4*b - 4*a^3*b^2 + 19*a^2*b^3 +
10*a*b^4 + 3*b^5 + 63*(8*a^4*b + 20*a^3*b^2 + 17*a^2*b^3 + 6*a*b^4 + b^5)*
cosh(d*x + c)^4 + 42*(8*a^4*b + 4*a^3*b^2 - 7*a^2*b^3 - 4*a*b^4 - b^5)*cosh
(d*x + c)^2)*sinh(d*x + c)^5 + 2*(63*(8*a^4*b + 20*a^3*b^2 + 17*a^2*b^3 + 6
```

$$\begin{aligned}
& *a*b^4 + b^5)*\cosh(d*x + c)^5 + 70*(8*a^4*b + 4*a^3*b^2 - 7*a^2*b^3 - 4*a*b^4 - b^5)*\cosh(d*x + c)^3 + 5*(24*a^4*b - 4*a^3*b^2 + 19*a^2*b^3 + 10*a*b^4 + 3*b^5)*\cosh(d*x + c))*\sinh(d*x + c)^4 + 4*(8*a^4*b + 4*a^3*b^2 - 7*a^2*b^3 - 4*a*b^4 - b^5)*\cosh(d*x + c)^3 + 4*(21*(8*a^4*b + 20*a^3*b^2 + 17*a^2*b^3 + 6*a*b^4 + b^5)*\cosh(d*x + c)^6 + 8*a^4*b + 4*a^3*b^2 - 7*a^2*b^3 - 4*a*b^4 - b^5 + 35*(8*a^4*b + 4*a^3*b^2 - 7*a^2*b^3 - 4*a*b^4 - b^5)*\cosh(d*x + c)^4 + 5*(24*a^4*b - 4*a^3*b^2 + 19*a^2*b^3 + 10*a*b^4 + 3*b^5)*\cosh(d*x + c)^2)*\sinh(d*x + c)^3 + 4*(9*(8*a^4*b + 20*a^3*b^2 + 17*a^2*b^3 + 6*a*b^4 + b^5)*\cosh(d*x + c)^7 + 21*(8*a^4*b + 4*a^3*b^2 - 7*a^2*b^3 - 4*a*b^4 - b^5)*\cosh(d*x + c)^5 + 5*(24*a^4*b - 4*a^3*b^2 + 19*a^2*b^3 + 10*a*b^4 + 3*b^5)*\cosh(d*x + c)^3 + 3*(8*a^4*b + 4*a^3*b^2 - 7*a^2*b^3 - 4*a*b^4 - b^5)*\cosh(d*x + c))*\sinh(d*x + c)^2 + (8*a^4*b + 20*a^3*b^2 + 17*a^2*b^3 + 6*a*b^4 + b^5)*\cosh(d*x + c) + (9*(8*a^4*b + 20*a^3*b^2 + 17*a^2*b^3 + 6*a*b^4 + b^5)*\cosh(d*x + c)^8 + 28*(8*a^4*b + 4*a^3*b^2 - 7*a^2*b^3 - 4*a*b^4 - b^5)*\cosh(d*x + c)^6 + 8*a^4*b + 20*a^3*b^2 + 17*a^2*b^3 + 6*a*b^4 + b^5 + 10*(24*a^4*b - 4*a^3*b^2 + 19*a^2*b^3 + 10*a*b^4 + 3*b^5)*\cosh(d*x + c)^4 + 12*(8*a^4*b + 4*a^3*b^2 - 7*a^2*b^3 - 4*a*b^4 - b^5)*\cosh(d*x + c)^2)*\sinh(d*x + c))*\sqrt{-a^2 - a*b}*\log(((a + b)*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a + b)*\sinh(d*x + c)^4 - 2*(3*a + b)*\cosh(d*x + c)^2 + 2*(3*(a + b)*\cosh(d*x + c)^2 - 3*a - b)*\sinh(d*x + c)^2 + 4*((a + b)*\cosh(d*x + c)^3 - (3*a + b)*\cosh(d*x + c))*\sinh(d*x + c) - 4*(\cosh(d*x + c)^3 + 3*\cosh(d*x + c)*\sinh(d*x + c)^2 + \sinh(d*x + c)^3 + (3*\cosh(d*x + c)^2 - 1)*\sinh(d*x + c) - \cosh(d*x + c))*\sqrt{-a^2 - a*b} + a + b)/((a + b)*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a + b)*\sinh(d*x + c)^4 + 2*(a - b)*\cosh(d*x + c)^2 + 2*(3*(a + b)*\cosh(d*x + c)^2 + a - b)*\sinh(d*x + c)^2 + 4*((a + b)*\cosh(d*x + c)^3 + (a - b)*\cosh(d*x + c))*\sinh(d*x + c) + a + b)) + 8*(10*(a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3)*\cosh(d*x + c)^9 + 4*(6*a^6 + 2*a^5*b - 2*a^4*b^2 + 17*a^3*b^3 + 18*a^2*b^4 + 3*a*b^5)*\cosh(d*x + c)^7 + 3*(4*a^6 - 4*a^5*b + 24*a^4*b^2 + 7*a^3*b^3 - 34*a^2*b^4 - 9*a*b^5)*\cosh(d*x + c)^5 - 2*(4*a^6 - 4*a^5*b + 24*a^4*b^2 + 7*a^3*b^3 - 34*a^2*b^4 - 9*a*b^5)*\cosh(d*x + c)^3 - (6*a^6 + 2*a^5*b - 2*a^4*b^2 + 17*a^3*b^3 + 18*a^2*b^4 + 3*a*b^5)*\cosh(d*x + c))*\sinh(d*x + c))/((a^9 + 6*a^8*b + 15*a^7*b^2 + 20*a^6*b^3 + 15*a^5*b^4 + 6*a^4*b^5 + a^3*b^6)*d*\cosh(d*x + c)^9 + 9*(a^9 + 6*a^8*b + 15*a^7*b^2 + 20*a^6*b^3 + 15*a^5*b^4 + 6*a^4*b^5 + a^3*b^6)*d*\cosh(d*x + c)*\sinh(d*x + c)^8 + (a^9 + 6*a^8*b + 15*a^7*b^2 + 20*a^6*b^3 + 15*a^5*b^4 + 6*a^4*b^5 + a^3*b^6)*d*\sinh(d*x + c)^9 + 4*(a^9 + 4*a^8*b + 5*a^7*b^2 - 5*a^5*b^4 - 4*a^4*b^5 - a^3*b^6)*d*\cosh(d*x + c)^7 + 4*(9*(a^9 + 6*a^8*b + 15*a^7*b^2 + 20*a^6*b^3 + 15*a^5*b^4 + 6*a^4*b^5 + a^3*b^6)*d*\cosh(d*x + c)^2 + (a^9 + 4*a^8*b + 5*a^7*b^2 - 5*a^5*b^4 - 4*a^4*b^5 - a^3*b^6)*d)*\sinh(d*x + c)^7 + 2*(3*a^9 + 10*a^8*b + 13*a^7*b^2 + 12*a^6*b^3 + 13*a^5*b^4 + 10*a^4*b^5 + 3*a^3*b^6)*d*\cosh(d*x + c)^5 + 28*(3*(a^9 + 6*a^8*b + 15*a^7*b^2 + 20*a^6*b^3 + 15*a^5*b^4 + 6*a^4*b^5 + a^3*b^6)*d*\cosh(d*x + c)^3 + (a^9 + 4*a^8*b + 5*a^7*b^2 - 5*a^5*b^4 - 4*a^4*b^5 - a^3*b^6)*d*\cosh(d*x + c))*\sinh(d*x + c)^6 + 2*(63*(a^9 + 6*a^8*b + 15*a^7*b^2 + 20*a^6*b^3 + 15*a^5*b^4 + 6*a^4*b^5 + a^3*b^6)*d*\cosh(d*x + c)^4 + 42*(a^
\end{aligned}$$



$$\begin{aligned}
& 9 + 4a^8b + 5a^7b^2 - 5a^5b^4 - 4a^4b^5 - a^3b^6) * d * \cosh(dx + c)^2 + (3a^9 + 10a^8b + 13a^7b^2 + 12a^6b^3 + 13a^5b^4 + 10a^4b^5 + 3a^3b^6) * d * \sinh(dx + c)^5 + 4(a^9 + 4a^8b + 5a^7b^2 - 5a^5b^4 - 4a^4b^5 - a^3b^6) * d * \cosh(dx + c)^3 + 2(63(a^9 + 6a^8b + 15a^7b^2 + 20a^6b^3 + 15a^5b^4 + 6a^4b^5 + a^3b^6) * d * \cosh(dx + c)^5 + 70(a^9 + 4a^8b + 5a^7b^2 - 5a^5b^4 - 4a^4b^5 - a^3b^6) * d * \cosh(dx + c)^3 + 5(3a^9 + 10a^8b + 13a^7b^2 + 12a^6b^3 + 13a^5b^4 + 10a^4b^5 + 3a^3b^6) * d * \cosh(dx + c) * \sinh(dx + c)^4 + 4(21(a^9 + 6a^8b + 15a^7b^2 + 20a^6b^3 + 15a^5b^4 + 6a^4b^5 + a^3b^6) * d * \cosh(dx + c)^6 + 35(a^9 + 4a^8b + 5a^7b^2 - 5a^5b^4 - 4a^4b^5 - a^3b^6) * d * \cosh(dx + c)^4 + 5(3a^9 + 10a^8b + 13a^7b^2 + 12a^6b^3 + 13a^5b^4 + 10a^4b^5 + 3a^3b^6) * d * \cosh(dx + c)^2 + (a^9 + 4a^8b + 5a^7b^2 - 5a^5b^4 - 4a^4b^5 - a^3b^6) * d * \sinh(dx + c)^3 + (a^9 + 6a^8b + 15a^7b^2 + 20a^6b^3 + 15a^5b^4 + 6a^4b^5 + a^3b^6) * d * \cosh(dx + c) + 4(9(a^9 + 6a^8b + 15a^7b^2 + 20a^6b^3 + 15a^5b^4 + 6a^4b^5 + a^3b^6) * d * \cosh(dx + c)^7 + 21(a^9 + 4a^8b + 5a^7b^2 - 5a^5b^4 - 4a^4b^5 - a^3b^6) * d * \cosh(dx + c)^5 + 5(3a^9 + 10a^8b + 13a^7b^2 + 12a^6b^3 + 13a^5b^4 + 10a^4b^5 + 3a^3b^6) * d * \cosh(dx + c)^3 + 3(a^9 + 4a^8b + 5a^7b^2 - 5a^5b^4 - 4a^4b^5 - a^3b^6) * d * \cosh(dx + c) * \sinh(dx + c)^2 + (9(a^9 + 6a^8b + 15a^7b^2 + 20a^6b^3 + 15a^5b^4 + 6a^4b^5 + a^3b^6) * d * \cosh(dx + c)^8 + 28(a^9 + 4a^8b + 5a^7b^2 - 5a^5b^4 - 4a^4b^5 - a^3b^6) * d * \cosh(dx + c)^6 + 10(3a^9 + 10a^8b + 13a^7b^2 + 12a^6b^3 + 13a^5b^4 + 10a^4b^5 + 3a^3b^6) * d * \cosh(dx + c)^4 + 12(a^9 + 4a^8b + 5a^7b^2 - 5a^5b^4 - 4a^4b^5 - a^3b^6) * d * \cosh(dx + c)^2 + (a^9 + 6a^8b + 15a^7b^2 + 20a^6b^3 + 15a^5b^4 + 6a^4b^5 + a^3b^6) * d * \sinh(dx + c)), 1/8(4(a^6 + 3a^5b + 3a^4b^2 + a^3b^3) * \cosh(dx + c)^10 + 40(a^6 + 3a^5b + 3a^4b^2 + a^3b^3) * \cosh(dx + c) * \sinh(dx + c)^9 + 4(a^6 + 3a^5b + 3a^4b^2 + a^3b^3) * \sinh(dx + c)^10 + 2(6a^6 + 2a^5b - 2a^4b^2 + 17a^3b^3 + 18a^2b^4 + 3a*b^5) * \cosh(dx + c)^8 + 2(6a^6 + 2a^5b - 2a^4b^2 + 17a^3b^3 + 18a^2b^4 + 3a*b^5 + 90(a^6 + 3a^5b + 3a^4b^2 + a^3b^3) * \cosh(dx + c)^2) * \sinh(dx + c)^8 + 16(30(a^6 + 3a^5b + 3a^4b^2 + a^3b^3) * \cosh(dx + c)^3 + (6a^6 + 2a^5b - 2a^4b^2 + 17a^3b^3 + 18a^2b^4 + 3a*b^5) * \cosh(dx + c)) * \sinh(dx + c)^7 + 2(4a^6 - 4a^5b + 24a^4b^2 + 7a^3b^3 - 34a^2b^4 - 9a*b^5) * \cosh(dx + c)^6 + 2(4a^6 - 4a^5b + 24a^4b^2 + 7a^3b^3 - 34a^2b^4 - 9a*b^5 + 420(a^6 + 3a^5b + 3a^4b^2 + a^3b^3) * \cosh(dx + c)^4 + 28(6a^6 + 2a^5b - 2a^4b^2 + 17a^3b^3 + 18a^2b^4 + 3a*b^5) * \cosh(dx + c)^2) * \sinh(dx + c)^6 - 4a^6 - 12a^5b - 12a^4b^2 - 4a^3b^3 + 4(252(a^6 + 3a^5b + 3a^4b^2 + a^3b^3) * \cosh(dx + c)^5 + 28(6a^6 + 2a^5b - 2a^4b^2 + 17a^3b^3 + 18a^2b^4 + 3a*b^5) * \cosh(dx + c)^3 + 3(4a^6 - 4a^5b + 24a^4b^2 + 7a^3b^3 - 34a^2b^4 - 9a*b^5) * \cosh(dx + c)) * \sinh(dx + c)^5 - 2(4a^6 - 4a^5b + 24a^4b^2 + 7a^3b^3 - 34a^2b^4 - 9a*b^5) * \cosh(dx + c)^4 + 2(420(a^6 + 3a^5b + 3a^4b^2 + a^3b^3) * \cosh(dx + c)^6 - 4a^6 + 4a^5b - 24a^4b^2 - 7a^3b^3 + 34a^2b^4 + 9a*b^5 + 70(6a^6 + 2a^5b - 2a^4b^2 + 17a^3b^3 + 1
\end{aligned}$$

$$\begin{aligned}
& 8a^2b^4 + 3ab^5) \cosh(dx + c)^4 + 15(4a^6 - 4a^5b + 24a^4b^2 + 7 \\
& a^3b^3 - 34a^2b^4 - 9ab^5) \cosh(dx + c)^2 \sinh(dx + c)^4 + 8(60( \\
& a^6 + 3a^5b + 3a^4b^2 + a^3b^3) \cosh(dx + c)^7 + 14(6a^6 + 2a^5b \\
& - 2a^4b^2 + 17a^3b^3 + 18a^2b^4 + 3ab^5) \cosh(dx + c)^5 + 5(4a^6 \\
& - 4a^5b + 24a^4b^2 + 7a^3b^3 - 34a^2b^4 - 9ab^5) \cosh(dx + c)^3 \\
& - (4a^6 - 4a^5b + 24a^4b^2 + 7a^3b^3 - 34a^2b^4 - 9ab^5) \cosh(dx \\
& + c) \sinh(dx + c)^3 - 2(6a^6 + 2a^5b - 2a^4b^2 + 17a^3b^3 + 18 \\
& a^2b^4 + 3ab^5) \cosh(dx + c)^2 + 2(90(a^6 + 3a^5b + 3a^4b^2 + a^ \\
& 3b^3) \cosh(dx + c)^8 + 28(6a^6 + 2a^5b - 2a^4b^2 + 17a^3b^3 + 18 \\
& a^2b^4 + 3ab^5) \cosh(dx + c)^6 - 6a^6 - 2a^5b + 2a^4b^2 - 17a^3b \\
& ^3 - 18a^2b^4 - 3ab^5 + 15(4a^6 - 4a^5b + 24a^4b^2 + 7a^3b^3 - \\
& 34a^2b^4 - 9ab^5) \cosh(dx + c)^4 - 6(4a^6 - 4a^5b + 24a^4b^2 + 7 \\
& a^3b^3 - 34a^2b^4 - 9ab^5) \cosh(dx + c)^2 \sinh(dx + c)^2 + 3((8a \\
& ^4b + 20a^3b^2 + 17a^2b^3 + 6ab^4 + b^5) \cosh(dx + c)^9 + 9(8a^4* \\
& b + 20a^3b^2 + 17a^2b^3 + 6ab^4 + b^5) \cosh(dx + c) \sinh(dx + c)^8 \\
& + (8a^4b + 20a^3b^2 + 17a^2b^3 + 6ab^4 + b^5) \sinh(dx + c)^9 + 4( \\
& 8a^4b + 4a^3b^2 - 7a^2b^3 - 4ab^4 - b^5) \cosh(dx + c)^7 + 4(8a^4 \\
& *b + 4a^3b^2 - 7a^2b^3 - 4ab^4 - b^5 + 9(8a^4b + 20a^3b^2 + 17a \\
& ^2b^3 + 6ab^4 + b^5) \cosh(dx + c)^2) \sinh(dx + c)^7 + 28(3(8a^4b + \\
& 20a^3b^2 + 17a^2b^3 + 6ab^4 + b^5) \cosh(dx + c)^3 + (8a^4b + 4a^ \\
& 3b^2 - 7a^2b^3 - 4ab^4 - b^5) \cosh(dx + c)) \sinh(dx + c)^6 + 2(24a \\
& ^4b - 4a^3b^2 + 19a^2b^3 + 10ab^4 + 3b^5) \cosh(dx + c)^5 + 2(24a \\
& ^4b - 4a^3b^2 + 19a^2b^3 + 10ab^4 + 3b^5 + 63(8a^4b + 20a^3b^2 \\
& + 17a^2b^3 + 6ab^4 + b^5) \cosh(dx + c)^4 + 42(8a^4b + 4a^3b^2 - \\
& 7a^2b^3 - 4ab^4 - b^5) \cosh(dx + c)^2) \sinh(dx + c)^5 + 2(63(8a^4* \\
& b + 20a^3b^2 + 17a^2b^3 + 6ab^4 + b^5) \cosh(dx + c)^5 + 70(8a^4b \\
& + 4a^3b^2 - 7a^2b^3 - 4ab^4 - b^5) \cosh(dx + c)^3 + 5(24a^4b - 4 \\
& a^3b^2 + 19a^2b^3 + 10ab^4 + 3b^5) \cosh(dx + c)) \sinh(dx + c)^4 + 4 \\
& *(8a^4b + 4a^3b^2 - 7a^2b^3 - 4ab^4 - b^5) \cosh(dx + c)^3 + 4(21* \\
& (8a^4b + 20a^3b^2 + 17a^2b^3 + 6ab^4 + b^5) \cosh(dx + c)^6 + 8a^4 \\
& *b + 4a^3b^2 - 7a^2b^3 - 4ab^4 - b^5 + 35(8a^4b + 4a^3b^2 - 7a^ \\
& 2b^3 - 4ab^4 - b^5) \cosh(dx + c)^4 + 5(24a^4b - 4a^3b^2 + 19a^2b \\
& ^3 + 10ab^4 + 3b^5) \cosh(dx + c)^2) \sinh(dx + c)^3 + 4(9(8a^4b + 2 \\
& 0a^3b^2 + 17a^2b^3 + 6ab^4 + b^5) \cosh(dx + c)^7 + 21(8a^4b + 4a \\
& ^3b^2 - 7a^2b^3 - 4ab^4 - b^5) \cosh(dx + c)^5 + 5(24a^4b - 4a^3b \\
& ^2 + 19a^2b^3 + 10ab^4 + 3b^5) \cosh(dx + c)^3 + 3(8a^4b + 4a^3b^ \\
& 2 - 7a^2b^3 - 4ab^4 - b^5) \cosh(dx + c)) \sinh(dx + c)^2 + (8a^4b + \\
& 20a^3b^2 + 17a^2b^3 + 6ab^4 + b^5) \cosh(dx + c) + (9(8a^4b + 20a \\
& ^3b^2 + 17a^2b^3 + 6ab^4 + b^5) \cosh(dx + c)^8 + 28(8a^4b + 4a^3* \\
& b^2 - 7a^2b^3 - 4ab^4 - b^5) \cosh(dx + c)^6 + 8a^4b + 20a^3b^2 + 1 \\
& 7a^2b^3 + 6ab^4 + b^5 + 10(24a^4b - 4a^3b^2 + 19a^2b^3 + 10ab^ \\
& 4 + 3b^5) \cosh(dx + c)^4 + 12(8a^4b + 4a^3b^2 - 7a^2b^3 - 4ab^4 \\
& - b^5) \cosh(dx + c)^2) \sinh(dx + c)) \sqrt{a^2 + ab} \arctan(1/2*((a + b) * \\
& \cosh(dx + c)^3 + 3(a + b) \cosh(dx + c) \sinh(dx + c)^2 + (a + b) \sinh(dx \\
& + c)^3 + (3a - b) \cosh(dx + c) + (3(a + b) \cosh(dx + c)^2 + 3a - b) *
\end{aligned}$$

$$\begin{aligned}
& \sinh(dx + c)/\sqrt{a^2 + ab}) + 3*((8a^4b + 20a^3b^2 + 17a^2b^3 + 6 \\
& *ab^4 + b^5)*\cosh(dx + c)^9 + 9*(8a^4b + 20a^3b^2 + 17a^2b^3 + 6a* \\
& b^4 + b^5)*\cosh(dx + c)*\sinh(dx + c)^8 + (8a^4b + 20a^3b^2 + 17a^2b \\
& ^3 + 6ab^4 + b^5)*\sinh(dx + c)^9 + 4*(8a^4b + 4a^3b^2 - 7a^2b^3 - \\
& 4ab^4 - b^5)*\cosh(dx + c)^7 + 4*(8a^4b + 4a^3b^2 - 7a^2b^3 - 4ab \\
& ^4 - b^5 + 9*(8a^4b + 20a^3b^2 + 17a^2b^3 + 6ab^4 + b^5)*\cosh(dx + \\
& c)^2)*\sinh(dx + c)^7 + 28*(3*(8a^4b + 20a^3b^2 + 17a^2b^3 + 6ab^4 \\
& + b^5)*\cosh(dx + c)^3 + (8a^4b + 4a^3b^2 - 7a^2b^3 - 4ab^4 - b^5) \\
& *\cosh(dx + c))*\sinh(dx + c)^6 + 2*(24a^4b - 4a^3b^2 + 19a^2b^3 + 10 \\
& *ab^4 + 3b^5)*\cosh(dx + c)^5 + 2*(24a^4b - 4a^3b^2 + 19a^2b^3 + 10 \\
& *ab^4 + 3b^5 + 63*(8a^4b + 20a^3b^2 + 17a^2b^3 + 6ab^4 + b^5)*\cos \\
& h(dx + c)^4 + 42*(8a^4b + 4a^3b^2 - 7a^2b^3 - 4ab^4 - b^5)*\cosh(dx \\
& x + c)^2)*\sinh(dx + c)^5 + 2*(63*(8a^4b + 20a^3b^2 + 17a^2b^3 + 6a* \\
& b^4 + b^5)*\cosh(dx + c)^5 + 70*(8a^4b + 4a^3b^2 - 7a^2b^3 - 4ab^4 \\
& - b^5)*\cosh(dx + c)^3 + 5*(24a^4b - 4a^3b^2 + 19a^2b^3 + 10ab^4 + \\
& 3b^5)*\cosh(dx + c))*\sinh(dx + c)^4 + 4*(8a^4b + 4a^3b^2 - 7a^2b^3 \\
& - 4ab^4 - b^5)*\cosh(dx + c)^3 + 4*(21*(8a^4b + 20a^3b^2 + 17a^2b^3 \\
& + 6ab^4 + b^5)*\cosh(dx + c)^6 + 8a^4b + 4a^3b^2 - 7a^2b^3 - 4ab \\
& ^4 - b^5 + 35*(8a^4b + 4a^3b^2 - 7a^2b^3 - 4ab^4 - b^5)*\cosh(dx + \\
& c)^4 + 5*(24a^4b - 4a^3b^2 + 19a^2b^3 + 10ab^4 + 3b^5)*\cosh(dx + \\
& c)^2)*\sinh(dx + c)^3 + 4*(9*(8a^4b + 20a^3b^2 + 17a^2b^3 + 6ab^4 + \\
& b^5)*\cosh(dx + c)^7 + 21*(8a^4b + 4a^3b^2 - 7a^2b^3 - 4ab^4 - b^5 \\
& )*\cosh(dx + c)^5 + 5*(24a^4b - 4a^3b^2 + 19a^2b^3 + 10ab^4 + 3b^5 \\
& )*\cosh(dx + c)^3 + 3*(8a^4b + 4a^3b^2 - 7a^2b^3 - 4ab^4 - b^5)*\cos \\
& h(dx + c))*\sinh(dx + c)^2 + (8a^4b + 20a^3b^2 + 17a^2b^3 + 6ab^4 \\
& + b^5)*\cosh(dx + c) + (9*(8a^4b + 20a^3b^2 + 17a^2b^3 + 6ab^4 + b^ \\
& 5)*\cosh(dx + c)^8 + 28*(8a^4b + 4a^3b^2 - 7a^2b^3 - 4ab^4 - b^5)*\c \\
& osh(dx + c)^6 + 8a^4b + 20a^3b^2 + 17a^2b^3 + 6ab^4 + b^5 + 10*(24 \\
& *a^4b - 4a^3b^2 + 19a^2b^3 + 10ab^4 + 3b^5)*\cosh(dx + c)^4 + 12*(8 \\
& *a^4b + 4a^3b^2 - 7a^2b^3 - 4ab^4 - b^5)*\cosh(dx + c)^2)*\sinh(dx + \\
& c))*\sqrt{a^2 + ab})*\arctan(1/2*\sqrt{a^2 + ab})*(\cosh(dx + c) + \sinh(dx + \\
& c))/a) + 4*(10*(a^6 + 3a^5b + 3a^4b^2 + a^3b^3)*\cosh(dx + c)^9 + 4*( \\
& 6a^6 + 2a^5b - 2a^4b^2 + 17a^3b^3 + 18a^2b^4 + 3ab^5)*\cosh(dx + \\
& c)^7 + 3*(4a^6 - 4a^5b + 24a^4b^2 + 7a^3b^3 - 34a^2b^4 - 9ab^5) \\
& *\cosh(dx + c)^5 - 2*(4a^6 - 4a^5b + 24a^4b^2 + 7a^3b^3 - 34a^2b^4 \\
& - 9ab^5)*\cosh(dx + c)^3 - (6a^6 + 2a^5b - 2a^4b^2 + 17a^3b^3 + 1 \\
& 8a^2b^4 + 3ab^5)*\cosh(dx + c))*\sinh(dx + c))/((a^9 + 6a^8b + 15a^7 \\
& *b^2 + 20a^6b^3 + 15a^5b^4 + 6a^4b^5 + a^3b^6)*d*\cosh(dx + c)^9 + 9 \\
& *(a^9 + 6a^8b + 15a^7b^2 + 20a^6b^3 + 15a^5b^4 + 6a^4b^5 + a^3b^ \\
& 6)*d*\cosh(dx + c)*\sinh(dx + c)^8 + (a^9 + 6a^8b + 15a^7b^2 + 20a^6b \\
& ^3 + 15a^5b^4 + 6a^4b^5 + a^3b^6)*d*\sinh(dx + c)^9 + 4*(a^9 + 4a^8b \\
& + 5a^7b^2 - 5a^5b^4 - 4a^4b^5 - a^3b^6)*d*\cosh(dx + c)^7 + 4*(9*(a \\
& ^9 + 6a^8b + 15a^7b^2 + 20a^6b^3 + 15a^5b^4 + 6a^4b^5 + a^3b^6)* \\
& d*\cosh(dx + c)^2 + (a^9 + 4a^8b + 5a^7b^2 - 5a^5b^4 - 4a^4b^5 - a^ \\
& 3b^6)*d)*\sinh(dx + c)^7 + 2*(3a^9 + 10a^8b + 13a^7b^2 + 12a^6b^3 +
\end{aligned}$$

$$\begin{aligned}
& 13a^5b^4 + 10a^4b^5 + 3a^3b^6) * d * \cosh(dx + c)^5 + 28 * (3 * (a^9 + 6a^8b + 15a^7b^2 + 20a^6b^3 + 15a^5b^4 + 6a^4b^5 + a^3b^6) * d * \cosh(dx + c)^3 + (a^9 + 4a^8b + 5a^7b^2 - 5a^5b^4 - 4a^4b^5 - a^3b^6) * d * \cosh(dx + c)) * \sinh(dx + c)^6 + 2 * (63 * (a^9 + 6a^8b + 15a^7b^2 + 20a^6b^3 + 15a^5b^4 + 6a^4b^5 + a^3b^6) * d * \cosh(dx + c)^4 + 42 * (a^9 + 4a^8b + 5a^7b^2 - 5a^5b^4 - 4a^4b^5 - a^3b^6) * d * \cosh(dx + c)^2 + (3a^9 + 10a^8b + 13a^7b^2 + 12a^6b^3 + 13a^5b^4 + 10a^4b^5 + 3a^3b^6) * d) * \sinh(dx + c)^5 + 4 * (a^9 + 4a^8b + 5a^7b^2 - 5a^5b^4 - 4a^4b^5 - a^3b^6) * d * \cosh(dx + c)^3 + 2 * (63 * (a^9 + 6a^8b + 15a^7b^2 + 20a^6b^3 + 15a^5b^4 + 6a^4b^5 + a^3b^6) * d * \cosh(dx + c)^5 + 70 * (a^9 + 4a^8b + 5a^7b^2 - 5a^5b^4 - 4a^4b^5 - a^3b^6) * d * \cosh(dx + c)^3 + 5 * (3a^9 + 10a^8b + 13a^7b^2 + 12a^6b^3 + 13a^5b^4 + 10a^4b^5 + 3a^3b^6) * d * \cosh(dx + c)) * \sinh(dx + c)^4 + 4 * (21 * (a^9 + 6a^8b + 15a^7b^2 + 20a^6b^3 + 15a^5b^4 + 6a^4b^5 + a^3b^6) * d * \cosh(dx + c)^6 + 35 * (a^9 + 4a^8b + 5a^7b^2 - 5a^5b^4 - 4a^4b^5 - a^3b^6) * d * \cosh(dx + c)^4 + 5 * (3a^9 + 10a^8b + 13a^7b^2 + 12a^6b^3 + 13a^5b^4 + 10a^4b^5 + 3a^3b^6) * d * \cosh(dx + c)^2 + (a^9 + 4a^8b + 5a^7b^2 - 5a^5b^4 - 4a^4b^5 - a^3b^6) * d) * \sinh(dx + c)^3 + (a^9 + 6a^8b + 15a^7b^2 + 20a^6b^3 + 15a^5b^4 + 6a^4b^5 + a^3b^6) * d * \cosh(dx + c) + 4 * (9 * (a^9 + 6a^8b + 15a^7b^2 + 20a^6b^3 + 15a^5b^4 + 6a^4b^5 + a^3b^6) * d * \cosh(dx + c)^7 + 21 * (a^9 + 4a^8b + 5a^7b^2 - 5a^5b^4 - 4a^4b^5 - a^3b^6) * d * \cosh(dx + c)^5 + 5 * (3a^9 + 10a^8b + 13a^7b^2 + 12a^6b^3 + 13a^5b^4 + 10a^4b^5 + 3a^3b^6) * d * \cosh(dx + c)^3 + 3 * (a^9 + 4a^8b + 5a^7b^2 - 5a^5b^4 - 4a^4b^5 - a^3b^6) * d * \cosh(dx + c)) * \sinh(dx + c)^2 + (9 * (a^9 + 6a^8b + 15a^7b^2 + 20a^6b^3 + 15a^5b^4 + 6a^4b^5 + a^3b^6) * d * \cosh(dx + c)^8 + 28 * (a^9 + 4a^8b + 5a^7b^2 - 5a^5b^4 - 4a^4b^5 - a^3b^6) * d * \cosh(dx + c)^6 + 10 * (3a^9 + 10a^8b + 13a^7b^2 + 12a^6b^3 + 13a^5b^4 + 10a^4b^5 + 3a^3b^6) * d * \cosh(dx + c)^4 + 12 * (a^9 + 4a^8b + 5a^7b^2 - 5a^5b^4 - 4a^4b^5 - a^3b^6) * d * \cosh(dx + c)^2 + (a^9 + 6a^8b + 15a^7b^2 + 20a^6b^3 + 15a^5b^4 + 6a^4b^5 + a^3b^6) * d) * \sinh(dx + c))]
\end{aligned}$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(dx+c)/(a+b\*tanh(dx+c)\*\*2)\*\*3,x)

[Out] Timed out

---

**Giac [C]** time = 2.14369, size = 10338, normalized size = 67.13

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out] 
$$\frac{1}{32} \cdot (6 \cdot (3 \cdot (8a^8 b e^{4c}) + 36a^7 b^2 e^{4c}) + 65a^6 b^3 e^{4c} + 60a^5 b^4 e^{4c} + 30a^4 b^5 e^{4c} + 8a^3 b^6 e^{4c} + a^2 b^7 e^{4c}) \cdot \cos\left(\frac{1}{2} \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))\right)^2 \cdot \cosh\left(\frac{1}{2} \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))\right)^3 \cdot \sin\left(\frac{1}{2} \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))\right) - (8a^8 b e^{4c} + 36a^7 b^2 e^{4c} + 65a^6 b^3 e^{4c} + 60a^5 b^4 e^{4c} + 30a^4 b^5 e^{4c} + 8a^3 b^6 e^{4c} + a^2 b^7 e^{4c}) \cdot \cosh\left(\frac{1}{2} \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))\right)^3 \cdot \sin\left(\frac{1}{2} \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))\right)^3 - 9 \cdot (8a^8 b e^{4c} + 36a^7 b^2 e^{4c} + 65a^6 b^3 e^{4c} + 60a^5 b^4 e^{4c} + 30a^4 b^5 e^{4c} + 8a^3 b^6 e^{4c} + a^2 b^7 e^{4c}) \cdot \cos\left(\frac{1}{2} \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))\right)^2 \cdot \cosh\left(\frac{1}{2} \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))\right)^2 \cdot \sin\left(\frac{1}{2} \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))\right) \cdot \sinh\left(\frac{1}{2} \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))\right) + 3 \cdot (8a^8 b e^{4c} + 36a^7 b^2 e^{4c} + 65a^6 b^3 e^{4c} + 60a^5 b^4 e^{4c} + 30a^4 b^5 e^{4c} + 8a^3 b^6 e^{4c} + a^2 b^7 e^{4c}) \cdot \cosh\left(\frac{1}{2} \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))\right)^2 \cdot \sin\left(\frac{1}{2} \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))\right)^3 \cdot \sinh\left(\frac{1}{2} \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))\right) + 9 \cdot (8a^8 b e^{4c} + 36a^7 b^2 e^{4c} + 65a^6 b^3 e^{4c} + 60a^5 b^4 e^{4c} + 30a^4 b^5 e^{4c} + 8a^3 b^6 e^{4c} + a^2 b^7 e^{4c}) \cdot \cos\left(\frac{1}{2} \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))\right)^2 \cdot \cosh\left(\frac{1}{2} \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))\right) \cdot \sin\left(\frac{1}{2} \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))\right) \cdot \sinh\left(\frac{1}{2} \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))\right)^2 - 3 \cdot (8a^8 b e^{4c} + 36a^7 b^2 e^{4c} + 65a^6 b^3 e^{4c} + 60a^5 b^4 e^{4c} + 30a^4 b^5 e^{4c} + 8a^3 b^6 e^{4c} + a^2 b^7 e^{4c}) \cdot \cosh\left(\frac{1}{2} \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))\right) \cdot \sin\left(\frac{1}{2} \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))\right)^3 \cdot \sinh\left(\frac{1}{2} \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))\right)^2 - 3 \cdot (8a^8 b e^{4c} + 36a^7 b^2 e^{4c} + 65a^6 b^3 e^{4c} + 60a^5 b^4 e^{4c} + 30a^4 b^5 e^{4c} + 8a^3 b^6 e^{4c} + a^2 b^7 e^{4c}) \cdot \cos\left(\frac{1}{2} \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))\right)^2 \cdot \sin\left(\frac{1}{2} \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))\right) \cdot \sinh\left(\frac{1}{2} \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))\right)^3 + (8a^8 b e^{4c} + 36a^7 b^2 e^{4c} + 65a^6 b^3 e^{4c} + 60a^5 b^4 e^{4c} + 30a^4 b^5 e^{4c} + 8a^3 b^6 e^{4c} + a^2 b^7 e^{4c}) \cdot \sin\left(\frac{1}{2} \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))\right)^3 \cdot \sinh\left(\frac{1}{2} \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))\right)^3 + (8a^8 b e^{4c} + 36a^7 b^2 e^{4c} + 65a^6 b^3 e^{4c} + 60a^5 b^4 e^{4c} + 30a^4 b^5 e^{4c} + 8a^3 b^6 e^{4c} + a^2 b^7 e^{4c}) \cdot \cosh\left(\frac{1}{2} \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))\right) \cdot \sin\left(\frac{1}{2} \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))\right)$$

```

real_part(arccos(-a/(a + b) + b/(a + b))) - (8*a^8*b*e^(4*c) + 36*a^7*b^2*
e^(4*c) + 65*a^6*b^3*e^(4*c) + 60*a^5*b^4*e^(4*c) + 30*a^4*b^5*e^(4*c) + 8*
a^3*b^6*e^(4*c) + a^2*b^7*e^(4*c))*sin(1/2*real_part(arccos(-a/(a + b) + b/
(a + b))))*sinh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b))))*arctan((((a
^6 + 4*a^5*b + 6*a^4*b^2 + 4*a^3*b^3 + a^2*b^4)/(a^6*e^(4*c) + 4*a^5*b*e^(4
*c) + 6*a^4*b^2*e^(4*c) + 4*a^3*b^3*e^(4*c) + a^2*b^4*e^(4*c)))^(1/4)*cos(1
/2*arccos(-(a - b)/(a + b))) + e^(d*x))/((((a^6 + 4*a^5*b + 6*a^4*b^2 + 4*a^
3*b^3 + a^2*b^4)/(a^6*e^(4*c) + 4*a^5*b*e^(4*c) + 6*a^4*b^2*e^(4*c) + 4*a^3
*b^3*e^(4*c) + a^2*b^4*e^(4*c)))^(1/4)*sin(1/2*arccos(-(a - b)/(a + b)))))/
(2*(a^5*e^(2*c) + 3*a^4*b*e^(2*c) + 3*a^3*b^2*e^(2*c) + a^2*b^3*e^(2*c))^2*
a*b + (a^6*e^(2*c) + 2*a^5*b*e^(2*c) - 2*a^3*b^3*e^(2*c) - a^2*b^4*e^(2*c))
*sqrt(-a*b)*abs(-a^5*e^(2*c) - 3*a^4*b*e^(2*c) - 3*a^3*b^2*e^(2*c) - a^2*b^
3*e^(2*c))) + 6*(3*(8*a^8*b*e^(4*c) + 36*a^7*b^2*e^(4*c) + 65*a^6*b^3*e^(4*
c) + 60*a^5*b^4*e^(4*c) + 30*a^4*b^5*e^(4*c) + 8*a^3*b^6*e^(4*c) + a^2*b^7*
e^(4*c))*cos(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))^2*cosh(1/2*imag
_part(arccos(-a/(a + b) + b/(a + b))))^3*sin(1/2*real_part(arccos(-a/(a + b
) + b/(a + b)))) - (8*a^8*b*e^(4*c) + 36*a^7*b^2*e^(4*c) + 65*a^6*b^3*e^(4*
c) + 60*a^5*b^4*e^(4*c) + 30*a^4*b^5*e^(4*c) + 8*a^3*b^6*e^(4*c) + a^2*b^7*
e^(4*c))*cosh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b))))^3*sin(1/2*real
_part(arccos(-a/(a + b) + b/(a + b))))^3 - 9*(8*a^8*b*e^(4*c) + 36*a^7*b^2*
e^(4*c) + 65*a^6*b^3*e^(4*c) + 60*a^5*b^4*e^(4*c) + 30*a^4*b^5*e^(4*c) + 8*
a^3*b^6*e^(4*c) + a^2*b^7*e^(4*c))*cos(1/2*real_part(arccos(-a/(a + b) + b/
(a + b))))^2*cosh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b))))^2*sin(1/2*
real_part(arccos(-a/(a + b) + b/(a + b))))*sinh(1/2*imag_part(arccos(-a/(a
+ b) + b/(a + b)))) + 3*(8*a^8*b*e^(4*c) + 36*a^7*b^2*e^(4*c) + 65*a^6*b^3*
e^(4*c) + 60*a^5*b^4*e^(4*c) + 30*a^4*b^5*e^(4*c) + 8*a^3*b^6*e^(4*c) + a^2
*b^7*e^(4*c))*cosh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b))))^2*sin(1/2
*real_part(arccos(-a/(a + b) + b/(a + b))))^3*sinh(1/2*imag_part(arccos(-a/
(a + b) + b/(a + b)))) + 9*(8*a^8*b*e^(4*c) + 36*a^7*b^2*e^(4*c) + 65*a^6*b
^3*e^(4*c) + 60*a^5*b^4*e^(4*c) + 30*a^4*b^5*e^(4*c) + 8*a^3*b^6*e^(4*c) +
a^2*b^7*e^(4*c))*cos(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))^2*cosh(
1/2*imag_part(arccos(-a/(a + b) + b/(a + b))))*sin(1/2*real_part(arccos(-a/
(a + b) + b/(a + b))))*sinh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b))))^
2 - 3*(8*a^8*b*e^(4*c) + 36*a^7*b^2*e^(4*c) + 65*a^6*b^3*e^(4*c) + 60*a^5*b
^4*e^(4*c) + 30*a^4*b^5*e^(4*c) + 8*a^3*b^6*e^(4*c) + a^2*b^7*e^(4*c))*cosh
(1/2*imag_part(arccos(-a/(a + b) + b/(a + b))))*sin(1/2*real_part(arccos(-a/
(a + b) + b/(a + b))))^3*sinh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b))
))^2 - 3*(8*a^8*b*e^(4*c) + 36*a^7*b^2*e^(4*c) + 65*a^6*b^3*e^(4*c) + 60*a^
5*b^4*e^(4*c) + 30*a^4*b^5*e^(4*c) + 8*a^3*b^6*e^(4*c) + a^2*b^7*e^(4*c))*c
os(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))^2*sin(1/2*real_part(arcco
s(-a/(a + b) + b/(a + b))))*sinh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b
))))^3 + (8*a^8*b*e^(4*c) + 36*a^7*b^2*e^(4*c) + 65*a^6*b^3*e^(4*c) + 60*a^
5*b^4*e^(4*c) + 30*a^4*b^5*e^(4*c) + 8*a^3*b^6*e^(4*c) + a^2*b^7*e^(4*c))*s
in(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))^3*sinh(1/2*imag_part(arcc
os(-a/(a + b) + b/(a + b))))^3 + (8*a^8*b*e^(4*c) + 36*a^7*b^2*e^(4*c) + 65

```

$$\begin{aligned}
& *a^6*b^3*e^{(4*c)} + 60*a^5*b^4*e^{(4*c)} + 30*a^4*b^5*e^{(4*c)} + 8*a^3*b^6*e^{(4* \\
& *c)} + a^2*b^7*e^{(4*c)}) * \cosh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \\
& \sin(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) - (8*a^8*b*e^{(4*c)} + 36* \\
& a^7*b^2*e^{(4*c)} + 65*a^6*b^3*e^{(4*c)} + 60*a^5*b^4*e^{(4*c)} + 30*a^4*b^5*e^{(4 \\
& *c)} + 8*a^3*b^6*e^{(4*c)} + a^2*b^7*e^{(4*c)}) * \sin(1/2*\text{real\_part}(\arccos(-a/(a + \\
& b) + b/(a+b)))) * \sinh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \text{arc} \\
& \tan(-(((a^6 + 4*a^5*b + 6*a^4*b^2 + 4*a^3*b^3 + a^2*b^4)/(a^6*e^{(4*c)} + 4*a \\
& ^5*b*e^{(4*c)} + 6*a^4*b^2*e^{(4*c)} + 4*a^3*b^3*e^{(4*c)} + a^2*b^4*e^{(4*c)}))^{(1 \\
& /4)} * \cos(1/2*\arccos(-(a-b)/(a+b))) - e^{(d*x)})) / (((a^6 + 4*a^5*b + 6*a^4*b \\
& ^2 + 4*a^3*b^3 + a^2*b^4)/(a^6*e^{(4*c)} + 4*a^5*b*e^{(4*c)} + 6*a^4*b^2*e^{(4*c} \\
& ) + 4*a^3*b^3*e^{(4*c)} + a^2*b^4*e^{(4*c)}))^{(1/4)} * \sin(1/2*\arccos(-(a-b)/(a \\
& + b)))) / (2*(a^5*e^{(2*c)} + 3*a^4*b*e^{(2*c)} + 3*a^3*b^2*e^{(2*c)} + a^2*b^3*e^{ \\
& (2*c)})^2 * a*b + (a^6*e^{(2*c)} + 2*a^5*b*e^{(2*c)} - 2*a^3*b^3*e^{(2*c)} - a^2*b^4 \\
& *e^{(2*c)}) * \sqrt{-a*b} * \text{abs}(-a^5*e^{(2*c)} - 3*a^4*b*e^{(2*c)} - 3*a^3*b^2*e^{(2*c)} \\
& - a^2*b^3*e^{(2*c)})) + 3*((8*a^8*b*e^{(4*c)} + 36*a^7*b^2*e^{(4*c)} + 65*a^6*b^ \\
& 3*e^{(4*c)} + 60*a^5*b^4*e^{(4*c)} + 30*a^4*b^5*e^{(4*c)} + 8*a^3*b^6*e^{(4*c)} + a \\
& ^2*b^7*e^{(4*c)}) * \cos(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \cosh(1 \\
& /2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 - 3*(8*a^8*b*e^{(4*c)} + 36*a \\
& ^7*b^2*e^{(4*c)} + 65*a^6*b^3*e^{(4*c)} + 60*a^5*b^4*e^{(4*c)} + 30*a^4*b^5*e^{(4* \\
& c)} + 8*a^3*b^6*e^{(4*c)} + a^2*b^7*e^{(4*c)}) * \cos(1/2*\text{real\_part}(\arccos(-a/(a + \\
& b) + b/(a+b)))) * \cosh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \sin \\
& (1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - 3*(8*a^8*b*e^{(4*c)} + 36 \\
& *a^7*b^2*e^{(4*c)} + 65*a^6*b^3*e^{(4*c)} + 60*a^5*b^4*e^{(4*c)} + 30*a^4*b^5*e^{( \\
& 4*c)} + 8*a^3*b^6*e^{(4*c)} + a^2*b^7*e^{(4*c)}) * \cos(1/2*\text{real\_part}(\arccos(-a/(a \\
& + b) + b/(a+b))))^3 * \cosh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 \\
& * \sinh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) + 9*(8*a^8*b*e^{(4*c)} + \\
& 36*a^7*b^2*e^{(4*c)} + 65*a^6*b^3*e^{(4*c)} + 60*a^5*b^4*e^{(4*c)} + 30*a^4*b^5* \\
& e^{(4*c)} + 8*a^3*b^6*e^{(4*c)} + a^2*b^7*e^{(4*c)}) * \cos(1/2*\text{real\_part}(\arccos(-a/ \\
& (a+b) + b/(a+b)))) * \cosh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 \\
& * \sin(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 * \sinh(1/2*\text{imag\_part}(a \\
& rccos(-a/(a+b) + b/(a+b)))) + 3*(8*a^8*b*e^{(4*c)} + 36*a^7*b^2*e^{(4*c)} + \\
& 65*a^6*b^3*e^{(4*c)} + 60*a^5*b^4*e^{(4*c)} + 30*a^4*b^5*e^{(4*c)} + 8*a^3*b^6*e \\
& ^{(4*c)} + a^2*b^7*e^{(4*c)}) * \cos(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))) \\
& )^3 * \cosh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sinh(1/2*\text{imag\_part}( \\
& arccos(-a/(a+b) + b/(a+b))))^2 - 9*(8*a^8*b*e^{(4*c)} + 36*a^7*b^2*e^{(4*c} \\
& ) + 65*a^6*b^3*e^{(4*c)} + 60*a^5*b^4*e^{(4*c)} + 30*a^4*b^5*e^{(4*c)} + 8*a^3*b^ \\
& 6*e^{(4*c)} + a^2*b^7*e^{(4*c)}) * \cos(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b) \\
& )) * \cosh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sin(1/2*\text{real\_part}( \\
& arccos(-a/(a+b) + b/(a+b))))^2 * \sinh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b \\
& /(a+b))))^2 - (8*a^8*b*e^{(4*c)} + 36*a^7*b^2*e^{(4*c)} + 65*a^6*b^3*e^{(4*c)} \\
& + 60*a^5*b^4*e^{(4*c)} + 30*a^4*b^5*e^{(4*c)} + 8*a^3*b^6*e^{(4*c)} + a^2*b^7*e^{( \\
& 4*c)}) * \cos(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \sinh(1/2*\text{imag\_pa} \\
& rt(\arccos(-a/(a+b) + b/(a+b))))^3 + 3*(8*a^8*b*e^{(4*c)} + 36*a^7*b^2*e^{( \\
& 4*c)} + 65*a^6*b^3*e^{(4*c)} + 60*a^5*b^4*e^{(4*c)} + 30*a^4*b^5*e^{(4*c)} + 8*a^3 \\
& *b^6*e^{(4*c)} + a^2*b^7*e^{(4*c)}) * \cos(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a
\end{aligned}$$

$$\begin{aligned}
& + b))) * \sin(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 * \sinh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 + (8*a^8*b*e^{(4*c)} + 36*a^7*b^2*e^{(4*c)} + 65*a^6*b^3*e^{(4*c)} + 60*a^5*b^4*e^{(4*c)} + 30*a^4*b^5*e^{(4*c)} + 8*a^3*b^6*e^{(4*c)} + a^2*b^7*e^{(4*c)}) * \cos(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \cosh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) - (8*a^8*b*e^{(4*c)} + 36*a^7*b^2*e^{(4*c)} + 65*a^6*b^3*e^{(4*c)} + 60*a^5*b^4*e^{(4*c)} + 30*a^4*b^5*e^{(4*c)} + 8*a^3*b^6*e^{(4*c)} + a^2*b^7*e^{(4*c)}) * \cos(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sinh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))))) * \log(2 * ((a^6 + 4*a^5*b + 6*a^4*b^2 + 4*a^3*b^3 + a^2*b^4)/(a^6*e^{(4*c)} + 4*a^5*b*e^{(4*c)} + 6*a^4*b^2*e^{(4*c)} + 4*a^3*b^3*e^{(4*c)} + a^2*b^4*e^{(4*c)})))^{(1/4)} * \cos(1/2 * \arccos(-(a-b)/(a+b))) * e^{(d*x)} + \sqrt{((a^6 + 4*a^5*b + 6*a^4*b^2 + 4*a^3*b^3 + a^2*b^4)/(a^6*e^{(4*c)} + 4*a^5*b*e^{(4*c)} + 6*a^4*b^2*e^{(4*c)} + 4*a^3*b^3*e^{(4*c)} + a^2*b^4*e^{(4*c)})) + e^{(2*d*x)})} / (2 * (a^5*e^{(2*c)} + 3*a^4*b*e^{(2*c)} + 3*a^3*b^2*e^{(2*c)} + a^2*b^3*e^{(2*c)})^2 * a * b + (a^6*e^{(2*c)} + 2*a^5*b*e^{(2*c)} - 2*a^3*b^3*e^{(2*c)} - a^2*b^4*e^{(2*c)}) * \sqrt{-a*b} * \operatorname{abs}(-a^5*e^{(2*c)} - 3*a^4*b*e^{(2*c)} - 3*a^3*b^2*e^{(2*c)} - a^2*b^3*e^{(2*c)})) - 3 * ((8*a^8*b*e^{(4*c)} + 36*a^7*b^2*e^{(4*c)} + 65*a^6*b^3*e^{(4*c)} + 60*a^5*b^4*e^{(4*c)} + 30*a^4*b^5*e^{(4*c)} + 8*a^3*b^6*e^{(4*c)} + a^2*b^7*e^{(4*c)}) * \cos(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \cosh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 - 3 * (8*a^8*b*e^{(4*c)} + 36*a^7*b^2*e^{(4*c)} + 65*a^6*b^3*e^{(4*c)} + 60*a^5*b^4*e^{(4*c)} + 30*a^4*b^5*e^{(4*c)} + 8*a^3*b^6*e^{(4*c)} + a^2*b^7*e^{(4*c)}) * \cos(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \cosh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \sin(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - 3 * (8*a^8*b*e^{(4*c)} + 36*a^7*b^2*e^{(4*c)} + 65*a^6*b^3*e^{(4*c)} + 60*a^5*b^4*e^{(4*c)} + 30*a^4*b^5*e^{(4*c)} + 8*a^3*b^6*e^{(4*c)} + a^2*b^7*e^{(4*c)}) * \cos(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \cosh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 * \sinh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) + 9 * (8*a^8*b*e^{(4*c)} + 36*a^7*b^2*e^{(4*c)} + 65*a^6*b^3*e^{(4*c)} + 60*a^5*b^4*e^{(4*c)} + 30*a^4*b^5*e^{(4*c)} + 8*a^3*b^6*e^{(4*c)} + a^2*b^7*e^{(4*c)}) * \cos(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \cosh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 * \sin(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 * \sinh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) + 3 * (8*a^8*b*e^{(4*c)} + 36*a^7*b^2*e^{(4*c)} + 65*a^6*b^3*e^{(4*c)} + 60*a^5*b^4*e^{(4*c)} + 30*a^4*b^5*e^{(4*c)} + 8*a^3*b^6*e^{(4*c)} + a^2*b^7*e^{(4*c)}) * \cos(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \cosh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sinh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - 9 * (8*a^8*b*e^{(4*c)} + 36*a^7*b^2*e^{(4*c)} + 65*a^6*b^3*e^{(4*c)} + 60*a^5*b^4*e^{(4*c)} + 30*a^4*b^5*e^{(4*c)} + 8*a^3*b^6*e^{(4*c)} + a^2*b^7*e^{(4*c)}) * \cos(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \cosh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sin(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 * \sinh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - (8*a^8*b*e^{(4*c)} + 36*a^7*b^2*e^{(4*c)} + 65*a^6*b^3*e^{(4*c)} + 60*a^5*b^4*e^{(4*c)} + 30*a^4*b^5*e^{(4*c)} + 8*a^3*b^6*e^{(4*c)} + a^2*b^7*e^{(4*c)}) * \cos(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \sinh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 + 3 * (8*a^8*b*e^{(4*c)} + 36*a^7*b^2*e^{(4*c)} + 65*a^6*b^3*e^{(4*c)} + 60*a^5*b^4*e^{(4*c)} + 30*a^4*b^5*e^{(4*c)} + 8*a^3*b^6*e^{(4*c)} + a^2*b^7*e^{(4*c)}) * \cos(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \cosh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 - 3 * (8*a^8*b*e^{(4*c)} + 36*a^7*b^2*e^{(4*c)} + 65*a^6*b^3*e^{(4*c)} + 60*a^5*b^4*e^{(4*c)} + 30*a^4*b^5*e^{(4*c)} + 8*a^3*b^6*e^{(4*c)} + a^2*b^7*e^{(4*c)}) * \cos(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \sinh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3)
\end{aligned}$$



$$\begin{aligned}
& 4*c) + 60*a^5*b^4*e^{(4*c)} + 30*a^4*b^5*e^{(4*c)} + 8*a^3*b^6*e^{(4*c)} + a^2*b^7*e^{(4*c)} \\
& *cos(1/2*real\_part(arccos(-a/(a + b) + b/(a + b))))*sin(1/2*real\_ \\
& part(arccos(-a/(a + b) + b/(a + b))))^2*sinh(1/2*imag\_part(arccos(-a/(a + b) \\
& ) + b/(a + b))))^3 + (8*a^8*b*e^{(4*c)} + 36*a^7*b^2*e^{(4*c)} + 65*a^6*b^3*e^{(4*c)} \\
& + 60*a^5*b^4*e^{(4*c)} + 30*a^4*b^5*e^{(4*c)} + 8*a^3*b^6*e^{(4*c)} + a^2*b^7*e^{(4*c)} \\
& ) *cos(1/2*real\_part(arccos(-a/(a + b) + b/(a + b))))*cosh(1/2*imag\_ \\
& part(arccos(-a/(a + b) + b/(a + b)))) - (8*a^8*b*e^{(4*c)} + 36*a^7*b^2*e^{(4*c)} \\
& + 65*a^6*b^3*e^{(4*c)} + 60*a^5*b^4*e^{(4*c)} + 30*a^4*b^5*e^{(4*c)} + 8*a^3*b^6*e^{(4*c)} \\
& + a^2*b^7*e^{(4*c)}) *cos(1/2*real\_part(arccos(-a/(a + b) + b/(a + b)))) \\
& ) *sinh(1/2*imag\_part(arccos(-a/(a + b) + b/(a + b)))) *log(-2*((a^6 + \\
& 4*a^5*b + 6*a^4*b^2 + 4*a^3*b^3 + a^2*b^4)/(a^6*e^{(4*c)} + 4*a^5*b*e^{(4*c)} + \\
& 6*a^4*b^2*e^{(4*c)} + 4*a^3*b^3*e^{(4*c)} + a^2*b^4*e^{(4*c)}))^{(1/4)} *cos(1/2*ar \\
& ccos(-(a - b)/(a + b))) *e^{(d*x)} + sqrt((a^6 + 4*a^5*b + 6*a^4*b^2 + 4*a^3*b^ \\
& ^3 + a^2*b^4)/(a^6*e^{(4*c)} + 4*a^5*b*e^{(4*c)} + 6*a^4*b^2*e^{(4*c)} + 4*a^3*b^ \\
& 3*e^{(4*c)} + a^2*b^4*e^{(4*c)})) + e^{(2*d*x)})/(2*(a^5*e^{(2*c)} + 3*a^4*b*e^{(2*c)} \\
& ) + 3*a^3*b^2*e^{(2*c)} + a^2*b^3*e^{(2*c)})^2*a*b + (a^6*e^{(2*c)} + 2*a^5*b*e^{(2*c)} \\
& - 2*a^3*b^3*e^{(2*c)} - a^2*b^4*e^{(2*c)}) *sqrt(-a*b)*abs(-a^5*e^{(2*c)} - 3 \\
& *a^4*b*e^{(2*c)} - 3*a^3*b^2*e^{(2*c)} - a^2*b^3*e^{(2*c)})) + 16*e^{(d*x + 14*c)} / \\
& (a^3*e^{(13*c)} + 3*a^2*b*e^{(13*c)} + 3*a*b^2*e^{(13*c)} + b^3*e^{(13*c)}) - 16*e^{( \\
& -d*x)} / (a^3*e^c + 3*a^2*b*e^c + 3*a*b^2*e^c + b^3*e^c) + 8*(12*a^2*b^2*e^{(7 \\
& *d*x + 7*c)} + 15*a*b^3*e^{(7*d*x + 7*c)} + 3*b^4*e^{(7*d*x + 7*c)} + 12*a^2*b^2 \\
& *e^{(5*d*x + 5*c)} - 25*a*b^3*e^{(5*d*x + 5*c)} - 9*b^4*e^{(5*d*x + 5*c)} - 12*a^ \\
& 2*b^2*e^{(3*d*x + 3*c)} + 25*a*b^3*e^{(3*d*x + 3*c)} + 9*b^4*e^{(3*d*x + 3*c)} - \\
& 12*a^2*b^2*e^{(d*x + c)} - 15*a*b^3*e^{(d*x + c)} - 3*b^4*e^{(d*x + c)}) / ((a^5 + \\
& 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*(a*e^{(4*d*x + 4*c)} + b*e^{(4*d*x + 4*c)} + 2*a \\
& *e^{(2*d*x + 2*c)} - 2*b*e^{(2*d*x + 2*c)} + a + b)^2) / d
\end{aligned}$$

$$3.127 \quad \int \frac{\operatorname{sech}(c+dx)}{\left(a+b \tanh^2(c+dx)\right)^3} dx$$

**Optimal.** Leaf size=144

$$\frac{(8a^2 + 8ab + 3b^2) \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{8a^{5/2}d(a+b)^{5/2}} + \frac{3b(2a+b) \sinh(c+dx)}{8a^2d(a+b)^2((a+b) \sinh^2(c+dx) + a)} + \frac{b \sinh(c+dx) \cosh^2(c+dx)}{4ad(a+b)((a+b) \sinh^2(c+dx) + a)}$$

[Out]  $((8*a^2 + 8*a*b + 3*b^2)*\operatorname{ArcTan}[(\operatorname{Sqrt}[a + b]*\operatorname{Sinh}[c + d*x])/\operatorname{Sqrt}[a]])/(8*a^{5/2}*(a + b)^{(5/2)*d} + (b*\operatorname{Cosh}[c + d*x]^2*\operatorname{Sinh}[c + d*x])/(4*a*(a + b)*d*(a + (a + b)*\operatorname{Sinh}[c + d*x]^2)^2) + (3*b*(2*a + b)*\operatorname{Sinh}[c + d*x])/(8*a^2*(a + b)^2*d*(a + (a + b)*\operatorname{Sinh}[c + d*x]^2))$

**Rubi [A]** time = 0.141426, antiderivative size = 144, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.19$ , Rules used = {3676, 413, 385, 205}

$$\frac{(8a^2 + 8ab + 3b^2) \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{8a^{5/2}d(a+b)^{5/2}} + \frac{3b(2a+b) \sinh(c+dx)}{8a^2d(a+b)^2((a+b) \sinh^2(c+dx) + a)} + \frac{b \sinh(c+dx) \cosh^2(c+dx)}{4ad(a+b)((a+b) \sinh^2(c+dx) + a)}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[\operatorname{Sech}[c + d*x]/(a + b*\operatorname{Tanh}[c + d*x]^2)^3, x]$

[Out]  $((8*a^2 + 8*a*b + 3*b^2)*\operatorname{ArcTan}[(\operatorname{Sqrt}[a + b]*\operatorname{Sinh}[c + d*x])/\operatorname{Sqrt}[a]])/(8*a^{5/2}*(a + b)^{(5/2)*d} + (b*\operatorname{Cosh}[c + d*x]^2*\operatorname{Sinh}[c + d*x])/(4*a*(a + b)*d*(a + (a + b)*\operatorname{Sinh}[c + d*x]^2)^2) + (3*b*(2*a + b)*\operatorname{Sinh}[c + d*x])/(8*a^2*(a + b)^2*d*(a + (a + b)*\operatorname{Sinh}[c + d*x]^2))$

### Rule 3676

$\operatorname{Int}[\operatorname{sec}[(e_.) + (f_.)*(x_)]^{(m_.)}*((a_.) + (b_.)*\operatorname{tan}[(e_.) + (f_.)*(x_)]^{(n_.)})^{(p_.)}, x_{\text{Symbol}}] \rightarrow \operatorname{With}[\{\operatorname{ff} = \operatorname{FreeFactors}[\operatorname{Sin}[e + f*x], x]\}, \operatorname{Dist}[\operatorname{ff}/f, \operatorname{Subst}[\operatorname{Int}[\operatorname{ExpandToSum}[b*(\operatorname{ff}*x)^n + a*(1 - \operatorname{ff}^2*x^2)^{(n/2)}, x]^p/(1 - \operatorname{ff}^2*x^2)^{((m + n*p + 1)/2)}, x], x, \operatorname{Sin}[e + f*x]/\operatorname{ff}], x]] /; \operatorname{FreeQ}[\{a, b, e, f\}, x] \&\& \operatorname{IntegerQ}[(m - 1)/2] \&\& \operatorname{IntegerQ}[n/2] \&\& \operatorname{IntegerQ}[p]$

### Rule 413

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> Simp[((a*d - c*b)*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 1))/(a*b*n*(p +
1)), x] - Dist[1/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^(q -
2)*Simp[c*(a*d - c*b*(n*(p + 1) + 1)) + d*(a*d*(n*(q - 1) + 1) - b*c*(n*(p
+ q) + 1))*x^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d,
0] && LtQ[p, -1] && GtQ[q, 1] && IntBinomialQ[a, b, c, d, n, p, q, x]
```

### Rule 385

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] :> -S
imp[((b*c - a*d)*x*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] - Dist[(a*d - b
*c*(n*(p + 1) + 1))/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; Fre
eQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n +
p, 0])
```

### Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

### Rubi steps

$$\int \frac{\operatorname{sech}(c+dx)}{(a+b \tanh^2(c+dx))^3} dx = \frac{\operatorname{Subst}\left(\int \frac{(1+x^2)^2}{(a+(a+b)x^2)^3} dx, x, \sinh(c+dx)\right)}{d}$$

$$= \frac{b \cosh^2(c+dx) \sinh(c+dx)}{4a(a+b)d \left(a+(a+b) \sinh^2(c+dx)\right)^2} + \frac{\operatorname{Subst}\left(\int \frac{4a+3b+(4a+b)x^2}{(a+(a+b)x^2)^2} dx, x, \sinh(c+dx)\right)}{4a(a+b)d}$$

$$= \frac{b \cosh^2(c+dx) \sinh(c+dx)}{4a(a+b)d \left(a+(a+b) \sinh^2(c+dx)\right)^2} + \frac{3b(2a+b) \sinh(c+dx)}{8a^2(a+b)^2d \left(a+(a+b) \sinh^2(c+dx)\right)} + \frac{(8a^2+8ab+3b^2) \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{8a^{5/2}(a+b)^{5/2}d} + \frac{b \cosh^2(c+dx) \sinh(c+dx)}{4a(a+b)d \left(a+(a+b) \sinh^2(c+dx)\right)^2} + \frac{3b(2a+b) \sinh(c+dx)}{8a^2(a+b)^2d \left(a+(a+b) \sinh^2(c+dx)\right)}$$

**Mathematica [A]** time = 0.943102, size = 134, normalized size = 0.93

$$\frac{2\sqrt{ab} \sinh(c+dx) \left( (8a^2+11ab+3b^2) \cosh(2(c+dx)) + 8a^2 - ab - 3b^2 \right)}{(a+b)^2 \left( (a+b) \cosh(2(c+dx)) + a - b \right)^2} - \frac{(8a^2+8ab+3b^2) \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a+b}}\right)}{(a+b)^{5/2}}$$

$$8a^{5/2}d$$

Antiderivative was successfully verified.

[In] Integrate[Sech[c + d\*x]/(a + b\*Tanh[c + d\*x]^2)^3, x]

[Out] 
$$\frac{-\left(\left(\left(8a^2 + 8ab + 3b^2\right) \operatorname{ArcTan}\left[\frac{\sqrt{a} \operatorname{Csch}[c + dx]}{\sqrt{a + b}}\right]\right)\right)}{\left(a + b\right)^{5/2}} + \frac{\left(2\sqrt{a} b \left(8a^2 - ab - 3b^2 + \left(8a^2 + 11ab + 3b^2\right) \operatorname{Cosh}[2(c + dx)]\right) \operatorname{Sinh}[c + dx]\right)}{\left(a + b\right)^2 \left(a - b + \left(a + b\right) \operatorname{Cosh}[2(c + dx)]\right)^2} \right) / \left(8a^{5/2} d\right)$$

**Maple [B]** time = 0.086, size = 1676, normalized size = 11.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sech(d\*x+c)/(a+b\*tanh(d\*x+c)^2)^3, x)

[Out] 
$$\begin{aligned} & -2/d / \left(\tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^4 a + 2 \tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 a + 4 \tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 b + a \right)^2 b / \left(a^2 + 2ab + b^2\right) \tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 - 5/4 d / \left(\tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^4 a + 2 \tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 a + 4 \tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 b + a \right)^2 b^2 / a / \left(a^2 + 2ab + b^2\right) \tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 - 2/d / \left(\tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^4 a + 2 \tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 a + 4 \tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 b + a \right)^2 b / \left(a^2 + 2ab + b^2\right) \tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 29/4 d / \left(\tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^4 a + 2 \tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 a + 4 \tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 b + a \right)^2 / a b^2 / \left(a^2 + 2ab + b^2\right) \tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 3/d / \left(\tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^4 a + 2 \tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 a + 4 \tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 b + a \right)^2 / a^2 b^3 / \left(a^2 + 2ab + b^2\right) \tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 2/d / \left(\tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^4 a + 2 \tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 a + 4 \tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 b + a \right)^2 b / \left(a^2 + 2ab + b^2\right) \tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 29/4 d / \left(\tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^4 a + 2 \tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 a + 4 \tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 b + a \right)^2 / a b^2 / \left(a^2 + 2ab + b^2\right) \tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 3/d / \left(\tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^4 a + 2 \tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 a + 4 \tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 b + a \right)^2 b / \left(a^2 + 2ab + b^2\right) \tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 4/d / \left(\tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^4 a + 2 \tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 a + 4 \tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 b + a \right)^2 b^2 / a / \left(a^2 + 2ab + b^2\right) \tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1/d / \left(a^2 + 2ab + b^2\right) / \left(\left(2(b(a+b))\right)^{1/2} - a - 2b\right) a \right)^{1/2} \operatorname{arctanh}\left(a \tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right) / \left(\left(2(b(a+b))\right)^{1/2} - a - 2b\right) a \right)^{1/2} - 1/d a / \left(a^2 + 2ab + b^2\right) / \left(\left(2(b(a+b))\right)^{1/2} - a - 2b\right) a \right)^{1/2} \operatorname{arctanh}\left(a \tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right) / \left(\left(2(b(a+b))\right)^{1/2} - a - 2b\right) a \right)^{1/2} * b - 3/8 d / a^2 / \left(a^2 + 2ab + b^2\right) / \left(\left(2(b(a+b))\right)^{1/2} - a - 2b\right) a \right)^{1/2} \operatorname{arctanh}\left(a \tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right) / \left(\left(2(b(a+b))\right)^{1/2} - a - 2b\right) a \right)^{1/2} * b^2 + 1/d / \left(a^2 + 2ab + b^2\right) / \left(b(a+b)\right)^{1/2} / \left(\left(2(b(a+b))\right)^{1/2} - a - 2b\right) a \right)^{1/2} \operatorname{arctanh}\left(a \tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right) / \left(\left(2(b(a+b))\right)^{1/2} - a - 2b\right) a \right)^{1/2} * b + 1/d a / \left(a^2 + 2ab + b^2\right) / \left(b(a+b)\right)^{1/2} / \left(\left(2(b(a+b))\right)^{1/2} - a - 2b\right) a \right)^{1/2} \end{aligned}$$

$$\begin{aligned} & -a-2*b)*a)^{(1/2)}*\operatorname{arctanh}(a*\operatorname{tanh}(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}-a-2*b)* \\ & a)^{(1/2)})*b^2+3/8/d/a^2/(a^2+2*a*b+b^2)/(b*(a+b))^{(1/2)}/((2*(b*(a+b))^{(1/2)} \\ & -a-2*b)*a)^{(1/2)}*\operatorname{arctanh}(a*\operatorname{tanh}(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}-a-2*b)*a \\ & )^{(1/2)})*b^3+1/d/(a^2+2*a*b+b^2)/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)}*\operatorname{arctan} \\ & (a*\operatorname{tanh}(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)})+1/d/a/(a^2+2*a* \\ & b+b^2)/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)}*\operatorname{arctan}(a*\operatorname{tanh}(1/2*d*x+1/2*c)/((2 \\ & *(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)})*b+3/8/d/a^2/(a^2+2*a*b+b^2)/((2*(b*(a+b)) \\ & )^{(1/2)}+a+2*b)*a)^{(1/2)}*\operatorname{arctan}(a*\operatorname{tanh}(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}+a+2 \\ & *b)*a)^{(1/2)})*b^2+1/d/(a^2+2*a*b+b^2)/(b*(a+b))^{(1/2)}/((2*(b*(a+b))^{(1/2)}+a \\ & +2*b)*a)^{(1/2)}*\operatorname{arctan}(a*\operatorname{tanh}(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}+a+2*b)*a) \\ & )^{(1/2)})*b+1/d/a/(a^2+2*a*b+b^2)/(b*(a+b))^{(1/2)}/((2*(b*(a+b))^{(1/2)}+a+2*b)*a) \\ & )^{(1/2)}*\operatorname{arctan}(a*\operatorname{tanh}(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)})*b^ \\ & 2+3/8/d/a^2/(a^2+2*a*b+b^2)/(b*(a+b))^{(1/2)}/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)} \\ & )^{(1/2)}*\operatorname{arctan}(a*\operatorname{tanh}(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)})*b^3 \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="maxima")

[Out]  $\frac{1}{4} * ((8*a^2*b*e^{(7*c)} + 11*a*b^2*e^{(7*c)} + 3*b^3*e^{(7*c)}) * e^{(7*d*x)} + (8*a^2*b*e^{(5*c)} - 13*a*b^2*e^{(5*c)} - 9*b^3*e^{(5*c)}) * e^{(5*d*x)} - (8*a^2*b*e^{(3*c)} - 13*a*b^2*e^{(3*c)} - 9*b^3*e^{(3*c)}) * e^{(3*d*x)} - (8*a^2*b*e^c + 11*a*b^2*e^c + 3*b^3*e^c) * e^{(d*x)}) / (a^6*d + 4*a^5*b*d + 6*a^4*b^2*d + 4*a^3*b^3*d + a^2*b^4*d + (a^6*d*e^{(8*c)} + 4*a^5*b*d*e^{(8*c)} + 6*a^4*b^2*d*e^{(8*c)} + 4*a^3*b^3*d*e^{(8*c)} + a^2*b^4*d*e^{(8*c)}) * e^{(8*d*x)} + 4*(a^6*d*e^{(6*c)} + 2*a^5*b*d*e^{(6*c)} - 2*a^3*b^3*d*e^{(6*c)} - a^2*b^4*d*e^{(6*c)}) * e^{(6*d*x)} + 2*(3*a^6*d*e^{(4*c)} + 4*a^5*b*d*e^{(4*c)} + 2*a^4*b^2*d*e^{(4*c)} + 4*a^3*b^3*d*e^{(4*c)} + 3*a^2*b^4*d*e^{(4*c)}) * e^{(4*d*x)} + 4*(a^6*d*e^{(2*c)} + 2*a^5*b*d*e^{(2*c)} - 2*a^3*b^3*d*e^{(2*c)} - a^2*b^4*d*e^{(2*c)}) * e^{(2*d*x)}) + 2*integrate(1/8*((8*a^2*b*e^{(3*c)} + 8*a*b*e^{(3*c)} + 3*b^2*e^{(3*c)}) * e^{(3*d*x)} + (8*a^2*b*e^c + 8*a*b*e^c + 3*b^2*e^c) * e^{(d*x)}) / (a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3 + (a^5*e^{(4*c)} + 3*a^4*b*e^{(4*c)} + 3*a^3*b^2*e^{(4*c)} + a^2*b^3*e^{(4*c)}) * e^{(4*d*x)} + 2*(a^5*e^{(2*c)} + a^4*b*e^{(2*c)} - a^3*b^2*e^{(2*c)} - a^2*b^3*e^{(2*c)}) * e^{(2*d*x)}), x)$

**Fricas [B]** time = 3.184, size = 18148, normalized size = 126.03

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out] [1/16\*(4\*(8\*a^4\*b + 19\*a^3\*b^2 + 14\*a^2\*b^3 + 3\*a\*b^4)\*cosh(d\*x + c)^7 + 28\*(8\*a^4\*b + 19\*a^3\*b^2 + 14\*a^2\*b^3 + 3\*a\*b^4)\*cosh(d\*x + c)\*sinh(d\*x + c)^6 + 4\*(8\*a^4\*b + 19\*a^3\*b^2 + 14\*a^2\*b^3 + 3\*a\*b^4)\*sinh(d\*x + c)^7 + 4\*(8\*a^4\*b - 5\*a^3\*b^2 - 22\*a^2\*b^3 - 9\*a\*b^4)\*cosh(d\*x + c)^5 + 4\*(8\*a^4\*b - 5\*a^3\*b^2 - 22\*a^2\*b^3 - 9\*a\*b^4 + 21\*(8\*a^4\*b + 19\*a^3\*b^2 + 14\*a^2\*b^3 + 3\*a\*b^4)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^5 + 20\*(7\*(8\*a^4\*b + 19\*a^3\*b^2 + 14\*a^2\*b^3 + 3\*a\*b^4)\*cosh(d\*x + c)^3 + (8\*a^4\*b - 5\*a^3\*b^2 - 22\*a^2\*b^3 - 9\*a\*b^4)\*cosh(d\*x + c))\*sinh(d\*x + c)^4 - 4\*(8\*a^4\*b - 5\*a^3\*b^2 - 22\*a^2\*b^3 - 9\*a\*b^4)\*cosh(d\*x + c)^3 - 4\*(8\*a^4\*b - 5\*a^3\*b^2 - 22\*a^2\*b^3 - 9\*a\*b^4 - 35\*(8\*a^4\*b + 19\*a^3\*b^2 + 14\*a^2\*b^3 + 3\*a\*b^4)\*cosh(d\*x + c)^4 - 10\*(8\*a^4\*b - 5\*a^3\*b^2 - 22\*a^2\*b^3 - 9\*a\*b^4)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^3 + 4\*(21\*(8\*a^4\*b + 19\*a^3\*b^2 + 14\*a^2\*b^3 + 3\*a\*b^4)\*cosh(d\*x + c)^5 + 10\*(8\*a^4\*b - 5\*a^3\*b^2 - 22\*a^2\*b^3 - 9\*a\*b^4)\*cosh(d\*x + c)^3 - 3\*(8\*a^4\*b - 5\*a^3\*b^2 - 22\*a^2\*b^3 - 9\*a\*b^4)\*cosh(d\*x + c))\*sinh(d\*x + c)^2 - ((8\*a^4 + 24\*a^3\*b + 27\*a^2\*b^2 + 14\*a\*b^3 + 3\*b^4)\*cosh(d\*x + c)^8 + 8\*(8\*a^4 + 24\*a^3\*b + 27\*a^2\*b^2 + 14\*a\*b^3 + 3\*b^4)\*cosh(d\*x + c)\*sinh(d\*x + c)^7 + (8\*a^4 + 24\*a^3\*b + 27\*a^2\*b^2 + 14\*a\*b^3 + 3\*b^4)\*sinh(d\*x + c)^8 + 4\*(8\*a^4 + 8\*a^3\*b - 5\*a^2\*b^2 - 8\*a\*b^3 - 3\*b^4)\*cosh(d\*x + c)^6 + 4\*(8\*a^4 + 8\*a^3\*b - 5\*a^2\*b^2 - 8\*a\*b^3 - 3\*b^4 + 7\*(8\*a^4 + 24\*a^3\*b + 27\*a^2\*b^2 + 14\*a\*b^3 + 3\*b^4)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^6 + 8\*(7\*(8\*a^4 + 24\*a^3\*b + 27\*a^2\*b^2 + 14\*a\*b^3 + 3\*b^4)\*cosh(d\*x + c)^3 + 3\*(8\*a^4 + 8\*a^3\*b - 5\*a^2\*b^2 - 8\*a\*b^3 - 3\*b^4)\*cosh(d\*x + c))\*sinh(d\*x + c)^5 + 2\*(24\*a^4 + 8\*a^3\*b + 17\*a^2\*b^2 + 18\*a\*b^3 + 9\*b^4)\*cosh(d\*x + c)^4 + 2\*(35\*(8\*a^4 + 24\*a^3\*b + 27\*a^2\*b^2 + 14\*a\*b^3 + 3\*b^4)\*cosh(d\*x + c)^4 + 24\*a^4 + 8\*a^3\*b + 17\*a^2\*b^2 + 18\*a\*b^3 + 9\*b^4 + 30\*(8\*a^4 + 8\*a^3\*b - 5\*a^2\*b^2 - 8\*a\*b^3 - 3\*b^4)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^4 + 8\*a^4 + 24\*a^3\*b + 27\*a^2\*b^2 + 14\*a\*b^3 + 3\*b^4 + 8\*(7\*(8\*a^4 + 24\*a^3\*b + 27\*a^2\*b^2 + 14\*a\*b^3 + 3\*b^4)\*cosh(d\*x + c)^5 + 10\*(8\*a^4 + 8\*a^3\*b - 5\*a^2\*b^2 - 8\*a\*b^3 - 3\*b^4)\*cosh(d\*x + c)^3 + (24\*a^4 + 8\*a^3\*b + 17\*a^2\*b^2 + 18\*a\*b^3 + 9\*b^4)\*cosh(d\*x + c))\*sinh(d\*x + c)^3 + 4\*(8\*a^4 + 8\*a^3\*b - 5\*a^2\*b^2 - 8\*a\*b^3 - 3\*b^4)\*cosh(d\*x + c)^2 + 4\*(7\*(8\*a^4 + 24\*a^3\*b + 27\*a^2\*b^2 + 14\*a\*b^3 + 3\*b^4)\*cosh(d\*x + c)^6 + 15\*(8\*a^4 + 8\*a^3\*b - 5\*a^2\*b^2 - 8\*a\*b^3 - 3\*b^4)\*cosh(d\*x + c)^4 + 8\*a^4 + 8\*a^3\*b - 5\*a^2\*b^2 - 8\*a\*b^3 - 3\*b^4 + 3\*(24\*a^4 + 8\*a^3\*b + 17\*a^2\*b^2 + 18\*a\*b^3 + 9\*b^4)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^2 + 8\*((8\*a^4 + 24\*a^3\*b + 27\*a^2\*b^2 + 14\*a\*b^3 + 3\*b^4)\*cosh(d\*x + c)^7 + 3\*(8\*a^4 + 8\*a^3\*b - 5\*a^2\*b^2 - 8\*a\*b^3 - 3\*b^4)\*cosh(d\*x + c)^5 + (24\*a^4 + 8\*a^3\*b +

$$\begin{aligned}
& 17a^2b^2 + 18ab^3 + 9b^4) \cosh(dx + c)^3 + (8a^4 + 8a^3b - 5a^2b^2 - 8ab^3 - 3b^4) \cosh(dx + c) \sinh(dx + c) \sqrt{-a^2 - ab} \log(((a + b) \cosh(dx + c)^4 + 4(a + b) \cosh(dx + c) \sinh(dx + c)^3 + (a + b) \sinh(dx + c)^4 - 2(3a + b) \cosh(dx + c)^2 + 2(3(a + b) \cosh(dx + c)^2 - 3a - b) \sinh(dx + c)^2 + 4((a + b) \cosh(dx + c)^3 - (3a + b) \cosh(dx + c)) \sinh(dx + c) - 4(\cosh(dx + c)^3 + 3 \cosh(dx + c) \sinh(dx + c))^2 + \sinh(dx + c)^3 + (3 \cosh(dx + c)^2 - 1) \sinh(dx + c) - \cosh(dx + c)) \sqrt{-a^2 - ab} + a + b) / ((a + b) \cosh(dx + c)^4 + 4(a + b) \cosh(dx + c) \sinh(dx + c)^3 + (a + b) \sinh(dx + c)^4 + 2(a - b) \cosh(dx + c)^2 + 2(3(a + b) \cosh(dx + c)^2 + a - b) \sinh(dx + c)^2 + 4((a + b) \cosh(dx + c)^3 + (a - b) \cosh(dx + c)) \sinh(dx + c) + a + b)) - 4(8a^4b + 19a^3b^2 + 14a^2b^3 + 3ab^4) \cosh(dx + c) + 4(7(8a^4b + 19a^3b^2 + 14a^2b^3 + 3ab^4) \cosh(dx + c)^6 - 8a^4b - 19a^3b^2 - 14a^2b^3 - 3ab^4 + 5(8a^4b - 5a^3b^2 - 22a^2b^3 - 9ab^4) \cosh(dx + c)^4 - 3(8a^4b - 5a^3b^2 - 22a^2b^3 - 9ab^4) \cosh(dx + c)^2) \sinh(dx + c) / ((a^8 + 5a^7b + 10a^6b^2 + 10a^5b^3 + 5a^4b^4 + a^3b^5) * d \cosh(dx + c)^8 + 8(a^8 + 5a^7b + 10a^6b^2 + 10a^5b^3 + 5a^4b^4 + a^3b^5) * d \cosh(dx + c) \sinh(dx + c)^7 + (a^8 + 5a^7b + 10a^6b^2 + 10a^5b^3 + 5a^4b^4 + a^3b^5) * d \sinh(dx + c)^8 + 4(a^8 + 3a^7b + 2a^6b^2 - 2a^5b^3 - 3a^4b^4 - a^3b^5) * d \cosh(dx + c)^6 + 4(7(a^8 + 5a^7b + 10a^6b^2 + 10a^5b^3 + 5a^4b^4 + a^3b^5) * d \cosh(dx + c)^2 + (a^8 + 3a^7b + 2a^6b^2 - 2a^5b^3 - 3a^4b^4 - a^3b^5) * d) \sinh(dx + c)^6 + 2(3a^8 + 7a^7b + 6a^6b^2 + 6a^5b^3 + 7a^4b^4 + 3a^3b^5) * d \cosh(dx + c)^4 + 8(7(a^8 + 5a^7b + 10a^6b^2 + 10a^5b^3 + 5a^4b^4 + a^3b^5) * d \cosh(dx + c)^3 + 3(a^8 + 3a^7b + 2a^6b^2 - 2a^5b^3 - 3a^4b^4 - a^3b^5) * d \cosh(dx + c)) \sinh(dx + c)^5 + 2(35(a^8 + 5a^7b + 10a^6b^2 + 10a^5b^3 + 5a^4b^4 + a^3b^5) * d \cosh(dx + c)^4 + 30(a^8 + 3a^7b + 2a^6b^2 - 2a^5b^3 - 3a^4b^4 - a^3b^5) * d \cosh(dx + c)^2 + (3a^8 + 7a^7b + 6a^6b^2 + 6a^5b^3 + 7a^4b^4 + 3a^3b^5) * d) \sinh(dx + c)^4 + 4(a^8 + 3a^7b + 2a^6b^2 - 2a^5b^3 - 3a^4b^4 - a^3b^5) * d \cosh(dx + c)^2 + 8(7(a^8 + 5a^7b + 10a^6b^2 + 10a^5b^3 + 5a^4b^4 + a^3b^5) * d \cosh(dx + c)^5 + 10(a^8 + 3a^7b + 2a^6b^2 - 2a^5b^3 - 3a^4b^4 - a^3b^5) * d \cosh(dx + c)^3 + (3a^8 + 7a^7b + 6a^6b^2 + 6a^5b^3 + 7a^4b^4 + 3a^3b^5) * d \cosh(dx + c)) \sinh(dx + c)^3 + 4(7(a^8 + 5a^7b + 10a^6b^2 + 10a^5b^3 + 5a^4b^4 + a^3b^5) * d \cosh(dx + c)^6 + 15(a^8 + 3a^7b + 2a^6b^2 - 2a^5b^3 - 3a^4b^4 - a^3b^5) * d \cosh(dx + c)^4 + 3(3a^8 + 7a^7b + 6a^6b^2 + 6a^5b^3 + 7a^4b^4 + 3a^3b^5) * d \cosh(dx + c)^2 + (a^8 + 3a^7b + 2a^6b^2 - 2a^5b^3 - 3a^4b^4 - a^3b^5) * d) \sinh(dx + c)^2 + (a^8 + 5a^7b + 10a^6b^2 + 10a^5b^3 + 5a^4b^4 + a^3b^5) * d + 8((a^8 + 5a^7b + 10a^6b^2 + 10a^5b^3 + 5a^4b^4 + a^3b^5) * d \cosh(dx + c)^7 + 3(a^8 + 3a^7b + 2a^6b^2 - 2a^5b^3 - 3a^4b^4 - a^3b^5) * d \cosh(dx + c)^5 + (3a^8 + 7a^7b + 6a^6b^2 + 6a^5b^3 + 7a^4b^4 + 3a^3b^5) * d \cosh(dx + c)^3 + (a^8 + 3a^7b + 2a^6b^2 - 2a^5b^3 - 3a^4b^4 - a^3b^5) * d \cosh(dx + c)) \sinh(dx + c)), 1/8(2(8a^4b + 19a^3b^2 + 14a^2b^3 + 3ab^4) *
\end{aligned}$$

$$\begin{aligned}
& \cosh(dx + c)^7 + 14*(8*a^4*b + 19*a^3*b^2 + 14*a^2*b^3 + 3*a*b^4)*\cosh(dx \\
& + c)*\sinh(dx + c)^6 + 2*(8*a^4*b + 19*a^3*b^2 + 14*a^2*b^3 + 3*a*b^4)*\sin \\
& h(dx + c)^7 + 2*(8*a^4*b - 5*a^3*b^2 - 22*a^2*b^3 - 9*a*b^4)*\cosh(dx + c) \\
& ^5 + 2*(8*a^4*b - 5*a^3*b^2 - 22*a^2*b^3 - 9*a*b^4 + 21*(8*a^4*b + 19*a^3*b \\
& ^2 + 14*a^2*b^3 + 3*a*b^4)*\cosh(dx + c)^2)*\sinh(dx + c)^5 + 10*(7*(8*a^4* \\
& b + 19*a^3*b^2 + 14*a^2*b^3 + 3*a*b^4)*\cosh(dx + c)^3 + (8*a^4*b - 5*a^3*b \\
& ^2 - 22*a^2*b^3 - 9*a*b^4)*\cosh(dx + c))*\sinh(dx + c)^4 - 2*(8*a^4*b - 5* \\
& a^3*b^2 - 22*a^2*b^3 - 9*a*b^4)*\cosh(dx + c)^3 - 2*(8*a^4*b - 5*a^3*b^2 - \\
& 22*a^2*b^3 - 9*a*b^4 - 35*(8*a^4*b + 19*a^3*b^2 + 14*a^2*b^3 + 3*a*b^4)*\cos \\
& h(dx + c)^4 - 10*(8*a^4*b - 5*a^3*b^2 - 22*a^2*b^3 - 9*a*b^4)*\cosh(dx + c \\
& )^2)*\sinh(dx + c)^3 + 2*(21*(8*a^4*b + 19*a^3*b^2 + 14*a^2*b^3 + 3*a*b^4)* \\
& \cosh(dx + c)^5 + 10*(8*a^4*b - 5*a^3*b^2 - 22*a^2*b^3 - 9*a*b^4)*\cosh(dx \\
& + c)^3 - 3*(8*a^4*b - 5*a^3*b^2 - 22*a^2*b^3 - 9*a*b^4)*\cosh(dx + c))*\sinh \\
& (dx + c)^2 + ((8*a^4 + 24*a^3*b + 27*a^2*b^2 + 14*a*b^3 + 3*b^4)*\cosh(dx \\
& + c)^8 + 8*(8*a^4 + 24*a^3*b + 27*a^2*b^2 + 14*a*b^3 + 3*b^4)*\cosh(dx + c) \\
& *\sinh(dx + c)^7 + (8*a^4 + 24*a^3*b + 27*a^2*b^2 + 14*a*b^3 + 3*b^4)*\sinh(dx \\
& + c)^8 + 4*(8*a^4 + 8*a^3*b - 5*a^2*b^2 - 8*a*b^3 - 3*b^4)*\cosh(dx + c \\
& )^6 + 4*(8*a^4 + 8*a^3*b - 5*a^2*b^2 - 8*a*b^3 - 3*b^4 + 7*(8*a^4 + 24*a^3*b \\
& + 27*a^2*b^2 + 14*a*b^3 + 3*b^4)*\cosh(dx + c)^2)*\sinh(dx + c)^6 + 8*(7* \\
& (8*a^4 + 24*a^3*b + 27*a^2*b^2 + 14*a*b^3 + 3*b^4)*\cosh(dx + c)^3 + 3*(8*a \\
& ^4 + 8*a^3*b - 5*a^2*b^2 - 8*a*b^3 - 3*b^4)*\cosh(dx + c))*\sinh(dx + c)^5 \\
& + 2*(24*a^4 + 8*a^3*b + 17*a^2*b^2 + 18*a*b^3 + 9*b^4)*\cosh(dx + c)^4 + 2* \\
& (35*(8*a^4 + 24*a^3*b + 27*a^2*b^2 + 14*a*b^3 + 3*b^4)*\cosh(dx + c)^4 + 24 \\
& *a^4 + 8*a^3*b + 17*a^2*b^2 + 18*a*b^3 + 9*b^4 + 30*(8*a^4 + 8*a^3*b - 5*a^ \\
& 2*b^2 - 8*a*b^3 - 3*b^4)*\cosh(dx + c)^2)*\sinh(dx + c)^4 + 8*a^4 + 24*a^3* \\
& b + 27*a^2*b^2 + 14*a*b^3 + 3*b^4 + 8*(7*(8*a^4 + 24*a^3*b + 27*a^2*b^2 + 1 \\
& 4*a*b^3 + 3*b^4)*\cosh(dx + c)^5 + 10*(8*a^4 + 8*a^3*b - 5*a^2*b^2 - 8*a*b^ \\
& 3 - 3*b^4)*\cosh(dx + c)^3 + (24*a^4 + 8*a^3*b + 17*a^2*b^2 + 18*a*b^3 + 9* \\
& b^4)*\cosh(dx + c))*\sinh(dx + c)^3 + 4*(8*a^4 + 8*a^3*b - 5*a^2*b^2 - 8*a* \\
& b^3 - 3*b^4)*\cosh(dx + c)^2 + 4*(7*(8*a^4 + 24*a^3*b + 27*a^2*b^2 + 14*a*b \\
& ^3 + 3*b^4)*\cosh(dx + c)^6 + 15*(8*a^4 + 8*a^3*b - 5*a^2*b^2 - 8*a*b^3 - 3 \\
& *b^4)*\cosh(dx + c)^4 + 8*a^4 + 8*a^3*b - 5*a^2*b^2 - 8*a*b^3 - 3*b^4 + 3*( \\
& 24*a^4 + 8*a^3*b + 17*a^2*b^2 + 18*a*b^3 + 9*b^4)*\cosh(dx + c)^2)*\sinh(dx \\
& + c)^2 + 8*((8*a^4 + 24*a^3*b + 27*a^2*b^2 + 14*a*b^3 + 3*b^4)*\cosh(dx + \\
& c)^7 + 3*(8*a^4 + 8*a^3*b - 5*a^2*b^2 - 8*a*b^3 - 3*b^4)*\cosh(dx + c)^5 + \\
& (24*a^4 + 8*a^3*b + 17*a^2*b^2 + 18*a*b^3 + 9*b^4)*\cosh(dx + c)^3 + (8*a^4 \\
& + 8*a^3*b - 5*a^2*b^2 - 8*a*b^3 - 3*b^4)*\cosh(dx + c))*\sinh(dx + c))*\sqrt{ \\
& a^2 + a*b}*\arctan(1/2*((a + b)*\cosh(dx + c)^3 + 3*(a + b)*\cosh(dx + c)* \\
& \sinh(dx + c)^2 + (a + b)*\sinh(dx + c)^3 + (3*a - b)*\cosh(dx + c) + (3*(a \\
& + b)*\cosh(dx + c)^2 + 3*a - b)*\sinh(dx + c))/\sqrt{a^2 + a*b})) + ((8*a^4 \\
& + 24*a^3*b + 27*a^2*b^2 + 14*a*b^3 + 3*b^4)*\cosh(dx + c)^8 + 8*(8*a^4 + 24 \\
& *a^3*b + 27*a^2*b^2 + 14*a*b^3 + 3*b^4)*\cosh(dx + c)*\sinh(dx + c)^7 + (8* \\
& a^4 + 24*a^3*b + 27*a^2*b^2 + 14*a*b^3 + 3*b^4)*\sinh(dx + c)^8 + 4*(8*a^4 \\
& + 8*a^3*b - 5*a^2*b^2 - 8*a*b^3 - 3*b^4)*\cosh(dx + c)^6 + 4*(8*a^4 + 8*a^3 \\
& *b - 5*a^2*b^2 - 8*a*b^3 - 3*b^4 + 7*(8*a^4 + 24*a^3*b + 27*a^2*b^2 + 14*a*
\end{aligned}$$



$$\begin{aligned}
& b^3 + 3b^4) \cosh(dx + c)^2) \sinh(dx + c)^6 + 8*(7*(8a^4 + 24a^3b + 27 \\
& a^2b^2 + 14a*b^3 + 3b^4) \cosh(dx + c)^3 + 3*(8a^4 + 8a^3b - 5a^2b^2 \\
& - 8a*b^3 - 3b^4) \cosh(dx + c)) \sinh(dx + c)^5 + 2*(24a^4 + 8a^3b \\
& + 17a^2b^2 + 18a*b^3 + 9b^4) \cosh(dx + c)^4 + 2*(35*(8a^4 + 24a^3b \\
& + 27a^2b^2 + 14a*b^3 + 3b^4) \cosh(dx + c)^4 + 24a^4 + 8a^3b + 17a^2 \\
& b^2 + 18a*b^3 + 9b^4 + 30*(8a^4 + 8a^3b - 5a^2b^2 - 8a*b^3 - 3b^4) \\
& \cosh(dx + c)^2) \sinh(dx + c)^4 + 8a^4 + 24a^3b + 27a^2b^2 + 14a*a \\
& b^3 + 3b^4 + 8*(7*(8a^4 + 24a^3b + 27a^2b^2 + 14a*b^3 + 3b^4) \cosh( \\
& dx + c)^5 + 10*(8a^4 + 8a^3b - 5a^2b^2 - 8a*b^3 - 3b^4) \cosh(dx + \\
& c)^3 + (24a^4 + 8a^3b + 17a^2b^2 + 18a*b^3 + 9b^4) \cosh(dx + c)) \si \\
& nh(dx + c)^3 + 4*(8a^4 + 8a^3b - 5a^2b^2 - 8a*b^3 - 3b^4) \cosh(dx \\
& + c)^2 + 4*(7*(8a^4 + 24a^3b + 27a^2b^2 + 14a*b^3 + 3b^4) \cosh(dx + \\
& c)^6 + 15*(8a^4 + 8a^3b - 5a^2b^2 - 8a*b^3 - 3b^4) \cosh(dx + c)^4 \\
& + 8a^4 + 8a^3b - 5a^2b^2 - 8a*b^3 - 3b^4 + 3*(24a^4 + 8a^3b + 17* \\
& a^2b^2 + 18a*b^3 + 9b^4) \cosh(dx + c)^2) \sinh(dx + c)^2 + 8*((8a^4 + \\
& 24a^3b + 27a^2b^2 + 14a*b^3 + 3b^4) \cosh(dx + c)^7 + 3*(8a^4 + 8a^ \\
& 3b - 5a^2b^2 - 8a*b^3 - 3b^4) \cosh(dx + c)^5 + (24a^4 + 8a^3b + 17 \\
& a^2b^2 + 18a*b^3 + 9b^4) \cosh(dx + c)^3 + (8a^4 + 8a^3b - 5a^2b^2 \\
& - 8a*b^3 - 3b^4) \cosh(dx + c)) \sinh(dx + c)) \sqrt{a^2 + a*b} \arctan(1/ \\
& 2*\sqrt{a^2 + a*b}) * (\cosh(dx + c) + \sinh(dx + c)) / a - 2*(8a^4*b + 19a^3* \\
& b^2 + 14a^2*b^3 + 3a*b^4) \cosh(dx + c) + 2*(7*(8a^4*b + 19a^3*b^2 + 14 \\
& a^2*b^3 + 3a*b^4) \cosh(dx + c)^6 - 8a^4*b - 19a^3*b^2 - 14a^2*b^3 - 3 \\
& a*b^4 + 5*(8a^4*b - 5a^3*b^2 - 22a^2*b^3 - 9a*b^4) \cosh(dx + c)^4 - 3 \\
& *(8a^4*b - 5a^3*b^2 - 22a^2*b^3 - 9a*b^4) \cosh(dx + c)^2) \sinh(dx + c \\
& )) / ((a^8 + 5a^7*b + 10a^6*b^2 + 10a^5*b^3 + 5a^4*b^4 + a^3*b^5) * d \cosh( \\
& dx + c)^8 + 8*(a^8 + 5a^7*b + 10a^6*b^2 + 10a^5*b^3 + 5a^4*b^4 + a^3*b \\
& ^5) * d \cosh(dx + c) \sinh(dx + c)^7 + (a^8 + 5a^7*b + 10a^6*b^2 + 10a^5* \\
& b^3 + 5a^4*b^4 + a^3*b^5) * d \sinh(dx + c)^8 + 4*(a^8 + 3a^7*b + 2a^6*b^2 \\
& - 2a^5*b^3 - 3a^4*b^4 - a^3*b^5) * d \cosh(dx + c)^6 + 4*(7*(a^8 + 5a^7*b \\
& + 10a^6*b^2 + 10a^5*b^3 + 5a^4*b^4 + a^3*b^5) * d \cosh(dx + c)^2 + (a^8 \\
& + 3a^7*b + 2a^6*b^2 - 2a^5*b^3 - 3a^4*b^4 - a^3*b^5) * d) \sinh(dx + c)^6 \\
& + 2*(3a^8 + 7a^7*b + 6a^6*b^2 + 6a^5*b^3 + 7a^4*b^4 + 3a^3*b^5) * d \co \\
& sh(dx + c)^4 + 8*(7*(a^8 + 5a^7*b + 10a^6*b^2 + 10a^5*b^3 + 5a^4*b^4 + \\
& a^3*b^5) * d \cosh(dx + c)^3 + 3*(a^8 + 3a^7*b + 2a^6*b^2 - 2a^5*b^3 - 3* \\
& a^4*b^4 - a^3*b^5) * d \cosh(dx + c)) \sinh(dx + c)^5 + 2*(35*(a^8 + 5a^7*b \\
& + 10a^6*b^2 + 10a^5*b^3 + 5a^4*b^4 + a^3*b^5) * d \cosh(dx + c)^4 + 30*(a^ \\
& 8 + 3a^7*b + 2a^6*b^2 - 2a^5*b^3 - 3a^4*b^4 - a^3*b^5) * d \cosh(dx + c)^ \\
& 2 + (3a^8 + 7a^7*b + 6a^6*b^2 + 6a^5*b^3 + 7a^4*b^4 + 3a^3*b^5) * d) \si \\
& nh(dx + c)^4 + 4*(a^8 + 3a^7*b + 2a^6*b^2 - 2a^5*b^3 - 3a^4*b^4 - a^3* \\
& b^5) * d \cosh(dx + c)^2 + 8*(7*(a^8 + 5a^7*b + 10a^6*b^2 + 10a^5*b^3 + 5* \\
& a^4*b^4 + a^3*b^5) * d \cosh(dx + c)^5 + 10*(a^8 + 3a^7*b + 2a^6*b^2 - 2a^ \\
& 5*b^3 - 3a^4*b^4 - a^3*b^5) * d \cosh(dx + c)^3 + (3a^8 + 7a^7*b + 6a^6*b \\
& ^2 + 6a^5*b^3 + 7a^4*b^4 + 3a^3*b^5) * d \cosh(dx + c)) \sinh(dx + c)^3 + \\
& 4*(7*(a^8 + 5a^7*b + 10a^6*b^2 + 10a^5*b^3 + 5a^4*b^4 + a^3*b^5) * d \cosh \\
& (dx + c)^6 + 15*(a^8 + 3a^7*b + 2a^6*b^2 - 2a^5*b^3 - 3a^4*b^4 - a^3*b
\end{aligned}$$

```

^5)*d*cosh(d*x + c)^4 + 3*(3*a^8 + 7*a^7*b + 6*a^6*b^2 + 6*a^5*b^3 + 7*a^4*
b^4 + 3*a^3*b^5)*d*cosh(d*x + c)^2 + (a^8 + 3*a^7*b + 2*a^6*b^2 - 2*a^5*b^3
- 3*a^4*b^4 - a^3*b^5)*d)*sinh(d*x + c)^2 + (a^8 + 5*a^7*b + 10*a^6*b^2 +
10*a^5*b^3 + 5*a^4*b^4 + a^3*b^5)*d + 8*((a^8 + 5*a^7*b + 10*a^6*b^2 + 10*a
^5*b^3 + 5*a^4*b^4 + a^3*b^5)*d*cosh(d*x + c)^7 + 3*(a^8 + 3*a^7*b + 2*a^6*
b^2 - 2*a^5*b^3 - 3*a^4*b^4 - a^3*b^5)*d*cosh(d*x + c)^5 + (3*a^8 + 7*a^7*b
+ 6*a^6*b^2 + 6*a^5*b^3 + 7*a^4*b^4 + 3*a^3*b^5)*d*cosh(d*x + c)^3 + (a^8
+ 3*a^7*b + 2*a^6*b^2 - 2*a^5*b^3 - 3*a^4*b^4 - a^3*b^5)*d*cosh(d*x + c))*s
inh(d*x + c)]]

```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)/(a+b\*tanh(d\*x+c)\*\*2)\*\*3,x)

[Out] Timed out

**Giac [C]** time = 1.89588, size = 7417, normalized size = 51.51

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

```

[Out] 1/32*(2*(3*(16*a^3*b + 16*a^2*b^2 + 6*a*b^3 - (8*a^3 - 5*a*b^2 - 3*b^3)*sqrt
(-a*b))*cos(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))^2*cosh(1/2*imag
_part(arccos(-a/(a + b) + b/(a + b))))^3*sin(1/2*real_part(arccos(-a/(a + b)
+ b/(a + b)))) - (16*a^3*b + 16*a^2*b^2 + 6*a*b^3 - (8*a^3 - 5*a*b^2 - 3*
b^3)*sqrt(-a*b))*cosh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b))))^3*sin(
1/2*real_part(arccos(-a/(a + b) + b/(a + b))))^3 - 9*(16*a^3*b + 16*a^2*b^2
+ 6*a*b^3 - (8*a^3 - 5*a*b^2 - 3*b^3)*sqrt(-a*b))*cos(1/2*real_part(arccos
(-a/(a + b) + b/(a + b))))^2*cosh(1/2*imag_part(arccos(-a/(a + b) + b/(a +
b))))^2*sin(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))*sinh(1/2*imag_pa
rt(arccos(-a/(a + b) + b/(a + b)))) + 3*(16*a^3*b + 16*a^2*b^2 + 6*a*b^3 -
(8*a^3 - 5*a*b^2 - 3*b^3)*sqrt(-a*b))*cosh(1/2*imag_part(arccos(-a/(a + b)

```

$$\begin{aligned}
& + b/(a + b)))^2 \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 \sinh( \\
& 1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) + 9(16a^3b + 16a^2b^2 + \\
& 6ab^3 - (8a^3 - 5ab^2 - 3b^3) \sqrt{-ab}) \cos(1/2 \operatorname{real\_part}(\arccos(- \\
& a/(a + b) + b/(a + b))))^2 \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b) \\
& ))) \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))) \sinh(1/2 \operatorname{imag\_part}(a \\
& rccos(-a/(a + b) + b/(a + b))))^2 - 3(16a^3b + 16a^2b^2 + 6ab^3 - (8 \\
& a^3 - 5ab^2 - 3b^3) \sqrt{-ab}) \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + \\
& b/(a + b)))) \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 \sinh(1/2 * \\
& \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 - 3(16a^3b + 16a^2b^2 + 6 \\
& ab^3 - (8a^3 - 5ab^2 - 3b^3) \sqrt{-ab}) \cos(1/2 \operatorname{real\_part}(\arccos(-a/ \\
& (a + b) + b/(a + b))))^2 \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))) \\
& \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 + (16a^3b + 16a^2 \\
& b^2 + 6ab^3 - (8a^3 - 5ab^2 - 3b^3) \sqrt{-ab}) \sin(1/2 \operatorname{real\_part}(ar \\
& ccos(-a/(a + b) + b/(a + b))))^3 \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/( \\
& a + b))))^3 + (16a^3b + 16a^2b^2 + 6ab^3 - (8a^3 - 5ab^2 - 3b^3) * \\
& \sqrt{-ab}) \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) \sin(1/2 \operatorname{rea \\
& l\_part}(\arccos(-a/(a + b) + b/(a + b)))) - (16a^3b + 16a^2b^2 + 6ab^3 \\
& - (8a^3 - 5ab^2 - 3b^3) \sqrt{-ab}) \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) \\
& + b/(a + b)))) \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) \operatorname{arctan} \\
& (((a^5 + 3a^4b + 3a^3b^2 + a^2b^3)/(a^5e^{4c}) + 3a^4b^2e^{4c} + 3 \\
& a^3b^2e^{4c} + a^2b^3e^{4c}))^{1/4} \cos(1/2 \arccos(-(a - b)/(a + b)) \\
& ) + e^{dx}) / (((a^5 + 3a^4b + 3a^3b^2 + a^2b^3)/(a^5e^{4c}) + 3a^4b^2 \\
& e^{4c} + 3a^3b^2e^{4c} + a^2b^3e^{4c}))^{1/4} \sin(1/2 \arccos(-(a - \\
& b)/(a + b)))) / (a^6b + 3a^5b^2 + 3a^4b^3 + a^3b^4) + 2(3(16a^3b \\
& + 16a^2b^2 + 6ab^3 - (8a^3 - 5ab^2 - 3b^3) \sqrt{-ab}) \cos(1/2 \operatorname{real} \\
& \_part}(\arccos(-a/(a + b) + b/(a + b))))^2 \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + \\
& b) + b/(a + b))))^3 \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))) - (1 \\
& 6a^3b + 16a^2b^2 + 6ab^3 - (8a^3 - 5ab^2 - 3b^3) \sqrt{-ab}) \cosh \\
& (1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 \sin(1/2 \operatorname{real\_part}(\arccos( \\
& -a/(a + b) + b/(a + b))))^3 - 9(16a^3b + 16a^2b^2 + 6ab^3 - (8a^3 - \\
& 5ab^2 - 3b^3) \sqrt{-ab}) \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + \\
& b))))^2 \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 \sin(1/2 \operatorname{real} \\
& \_part}(\arccos(-a/(a + b) + b/(a + b)))) \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) \\
& + b/(a + b)))) + 3(16a^3b + 16a^2b^2 + 6ab^3 - (8a^3 - 5ab^2 - 3b \\
& ^3) \sqrt{-ab}) \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 \sin( \\
& 1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 \sinh(1/2 \operatorname{imag\_part}(\arccos( \\
& -a/(a + b) + b/(a + b)))) + 9(16a^3b + 16a^2b^2 + 6ab^3 - (8a^3 - 5 \\
& ab^2 - 3b^3) \sqrt{-ab}) \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b) \\
& )))^2 \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) \sin(1/2 \operatorname{real\_part} \\
& (\arccos(-a/(a + b) + b/(a + b)))) \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/ \\
& (a + b))))^2 - 3(16a^3b + 16a^2b^2 + 6ab^3 - (8a^3 - 5ab^2 - 3b^ \\
& ^3) \sqrt{-ab}) \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) \sin(1/2 * \\
& \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/( \\
& a + b) + b/(a + b))))^2 - 3(16a^3b + 16a^2b^2 + 6ab^3 - (8a^3 - 5a \\
& b^2 - 3b^3) \sqrt{-ab}) \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))
\end{aligned}$$

$$\begin{aligned}
& )^2 \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) \sinh(1/2 \operatorname{imag\_part}(a \\
& \operatorname{rccos}(-a/(a+b) + b/(a+b))))^3 + (16a^3b + 16a^2b^2 + 6ab^3 - (8a^3 \\
& - 5ab^2 - 3b^3) \sqrt{-ab}) \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/( \\
& a+b))))^3 \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 + (16a^3 \\
& b + 16a^2b^2 + 6ab^3 - (8a^3 - 5ab^2 - 3b^3) \sqrt{-ab}) \cosh(1/2 * \\
& \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a + \\
& b) + b/(a+b)))) - (16a^3b + 16a^2b^2 + 6ab^3 - (8a^3 - 5ab^2 - \\
& 3b^3) \sqrt{-ab}) \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) \sinh( \\
& 1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) \arctan(-((a^5 + 3a^4b + \\
& 3a^3b^2 + a^2b^3)/(a^5e^{4c} + 3a^4be^{4c} + 3a^3b^2e^{4c} + a \\
& ^2b^3e^{4c}))^{1/4} \cos(1/2 \arccos(-(a-b)/(a+b))) - e^{(d*x)})/((a^5 \\
& + 3a^4b + 3a^3b^2 + a^2b^3)/(a^5e^{4c} + 3a^4be^{4c} + 3a^3b^2 \\
& *e^{4c} + a^2b^3e^{4c}))^{1/4} \sin(1/2 \arccos(-(a-b)/(a+b))))/(a^6 \\
& *b + 3a^5b^2 + 3a^4b^3 + a^3b^4) + ((16a^3b + 16a^2b^2 + 6ab^3 - \\
& (8a^3 - 5ab^2 - 3b^3) \sqrt{-ab}) \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) \\
& + b/(a+b))))^3 \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 - 3 * \\
& (16a^3b + 16a^2b^2 + 6ab^3 - (8a^3 - 5ab^2 - 3b^3) \sqrt{-ab}) \co \\
& s(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) \cosh(1/2 \operatorname{imag\_part}(\arccos( \\
& -a/(a+b) + b/(a+b))))^3 \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b) \\
& )))^2 - 3 * (16a^3b + 16a^2b^2 + 6ab^3 - (8a^3 - 5ab^2 - 3b^3) \sqrt{ \\
& -ab}) \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 \cosh(1/2 \operatorname{imag\_ \\
& part}(\arccos(-a/(a+b) + b/(a+b))))^2 \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) \\
& ) + b/(a+b)))) + 9 * (16a^3b + 16a^2b^2 + 6ab^3 - (8a^3 - 5ab^2 - \\
& 3b^3) \sqrt{-ab}) \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) \cosh( \\
& 1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 \sin(1/2 \operatorname{real\_part}(\arccos(- \\
& a/(a+b) + b/(a+b))))^2 \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b) \\
& ))) + 3 * (16a^3b + 16a^2b^2 + 6ab^3 - (8a^3 - 5ab^2 - 3b^3) \sqrt{- \\
& ab}) \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 \cosh(1/2 \operatorname{imag\_pa \\
& rt}(\arccos(-a/(a+b) + b/(a+b)))) \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + \\
& b/(a+b))))^2 - 9 * (16a^3b + 16a^2b^2 + 6ab^3 - (8a^3 - 5ab^2 - 3 \\
& b^3) \sqrt{-ab}) \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) \cosh(1/ \\
& 2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a \\
& + b) + b/(a+b))))^2 \sinh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^ \\
& 2 - (16a^3b + 16a^2b^2 + 6ab^3 - (8a^3 - 5ab^2 - 3b^3) \sqrt{-ab}) \\
& ) \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 \sinh(1/2 \operatorname{imag\_part}(a \\
& \operatorname{rccos}(-a/(a+b) + b/(a+b))))^3 + 3 * (16a^3b + 16a^2b^2 + 6ab^3 - (8 \\
& a^3 - 5ab^2 - 3b^3) \sqrt{-ab}) \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b \\
& /(a+b)))) \sin(1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 \sinh(1/2 * i \\
& \operatorname{mag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 + (16a^3b + 16a^2b^2 + 6a * \\
& b^3 - (8a^3 - 5ab^2 - 3b^3) \sqrt{-ab}) \cos(1/2 \operatorname{real\_part}(\arccos(-a/(a \\
& + b) + b/(a+b)))) \cosh(1/2 \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) - ( \\
& 16a^3b + 16a^2b^2 + 6ab^3 - (8a^3 - 5ab^2 - 3b^3) \sqrt{-ab}) \cos \\
& (1/2 \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) \sinh(1/2 \operatorname{imag\_part}(\arccos(- \\
& a/(a+b) + b/(a+b)))) \log(2 * ((a^5 + 3a^4b + 3a^3b^2 + a^2b^3)/(a^5 \\
& *e^{4c} + 3a^4be^{4c} + 3a^3b^2e^{4c} + a^2b^3e^{4c}))^{1/4} \co
\end{aligned}$$

$$\begin{aligned}
& s(1/2*\arccos(-(a - b)/(a + b)))*e^{(d*x)} + \sqrt{(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)/(a^5*e^{(4*c)} + 3*a^4*b*e^{(4*c)} + 3*a^3*b^2*e^{(4*c)} + a^2*b^3*e^{(4*c)})} + e^{(2*d*x)})/(a^6*b + 3*a^5*b^2 + 3*a^4*b^3 + a^3*b^4) - ((16*a^3*b + 16*a^2*b^2 + 6*a*b^3 - (8*a^3 - 5*a*b^2 - 3*b^3)*\sqrt{-a*b})*\cos(1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\cosh(1/2*\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 - 3*(16*a^3*b + 16*a^2*b^2 + 6*a*b^3 - (8*a^3 - 5*a*b^2 - 3*b^3)*\sqrt{-a*b})*\cos(1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\cosh(1/2*\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\sin(1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 - 3*(16*a^3*b + 16*a^2*b^2 + 6*a*b^3 - (8*a^3 - 5*a*b^2 - 3*b^3)*\sqrt{-a*b})*\cos(1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\cosh(1/2*\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\sinh(1/2*\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) + 9*(16*a^3*b + 16*a^2*b^2 + 6*a*b^3 - (8*a^3 - 5*a*b^2 - 3*b^3)*\sqrt{-a*b})*\cos(1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\cosh(1/2*\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\sin(1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\sinh(1/2*\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) + 3*(16*a^3*b + 16*a^2*b^2 + 6*a*b^3 - (8*a^3 - 5*a*b^2 - 3*b^3)*\sqrt{-a*b})*\cos(1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\cosh(1/2*\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sinh(1/2*\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 - 9*(16*a^3*b + 16*a^2*b^2 + 6*a*b^3 - (8*a^3 - 5*a*b^2 - 3*b^3)*\sqrt{-a*b})*\cos(1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\cosh(1/2*\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sin(1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\sinh(1/2*\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 - (16*a^3*b + 16*a^2*b^2 + 6*a*b^3 - (8*a^3 - 5*a*b^2 - 3*b^3)*\sqrt{-a*b})*\cos(1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\sinh(1/2*\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 + 3*(16*a^3*b + 16*a^2*b^2 + 6*a*b^3 - (8*a^3 - 5*a*b^2 - 3*b^3)*\sqrt{-a*b})*\cos(1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sin(1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\sinh(1/2*\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 + (16*a^3*b + 16*a^2*b^2 + 6*a*b^3 - (8*a^3 - 5*a*b^2 - 3*b^3)*\sqrt{-a*b})*\cos(1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\cosh(1/2*\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) - (16*a^3*b + 16*a^2*b^2 + 6*a*b^3 - (8*a^3 - 5*a*b^2 - 3*b^3)*\sqrt{-a*b})*\cos(1/2*\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sinh(1/2*\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))*\log(-2*((a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)/(a^5*e^{(4*c)} + 3*a^4*b*e^{(4*c)} + 3*a^3*b^2*e^{(4*c)} + a^2*b^3*e^{(4*c)}))^{(1/4)}*\cos(1/2*\arccos(-(a - b)/(a + b)))*e^{(d*x)} + \sqrt{(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)/(a^5*e^{(4*c)} + 3*a^4*b*e^{(4*c)} + 3*a^3*b^2*e^{(4*c)} + a^2*b^3*e^{(4*c)})} + e^{(2*d*x)})/(a^6*b + 3*a^5*b^2 + 3*a^4*b^3 + a^3*b^4) + 8*(8*a^2*b*e^{(7*d*x + 7*c)} + 11*a*b^2*e^{(7*d*x + 7*c)} + 3*b^3*e^{(7*d*x + 7*c)} + 8*a^2*b*e^{(5*d*x + 5*c)} - 13*a*b^2*e^{(5*d*x + 5*c)} - 9*b^3*e^{(5*d*x + 5*c)} - 8*a^2*b*e^{(3*d*x + 3*c)} + 13*a*b^2*e^{(3*d*x + 3*c)} + 9*b^3*e^{(3*d*x + 3*c)} - 8*a^2*b*e^{(d*x + c)} - 11*a*b^2*e^{(d*x + c)} - 3*b^3*e^{(d*x + c)})/((a^4 + 2*a^3*b + a^2*b^2)*(a*e^{(4*d*x + 4*c)} + b*e^{(4*d*x + 4*c)} + 2*a*e^{(2*d*x + 2*c)} - 2*b*e^{(2*d*x + 2*c)} + a + b)^2)/d
\end{aligned}$$

$$3.128 \quad \int \frac{\operatorname{sech}^2(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$$

**Optimal.** Leaf size=96

$$\frac{3 \tanh(c+dx)}{8a^2d(a+b \tanh^2(c+dx))} + \frac{3 \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8a^{5/2}\sqrt{bd}} + \frac{\tanh(c+dx)}{4ad(a+b \tanh^2(c+dx))^2}$$

[Out] (3\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(8\*a^(5/2)\*Sqrt[b]\*d) + Tanh[c + d\*x]/(4\*a\*d\*(a + b\*Tanh[c + d\*x]^2)^2) + (3\*Tanh[c + d\*x])/(8\*a^2\*d\*(a + b\*Tanh[c + d\*x]^2))

**Rubi [A]** time = 0.0754865, antiderivative size = 96, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$ , Rules used = {3675, 199, 205}

$$\frac{3 \tanh(c+dx)}{8a^2d(a+b \tanh^2(c+dx))} + \frac{3 \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8a^{5/2}\sqrt{bd}} + \frac{\tanh(c+dx)}{4ad(a+b \tanh^2(c+dx))^2}$$

Antiderivative was successfully verified.

[In] Int[Sech[c + d\*x]^2/(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] (3\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(8\*a^(5/2)\*Sqrt[b]\*d) + Tanh[c + d\*x]/(4\*a\*d\*(a + b\*Tanh[c + d\*x]^2)^2) + (3\*Tanh[c + d\*x])/(8\*a^2\*d\*(a + b\*Tanh[c + d\*x]^2))

### Rule 3675

```
Int[sec[(e_.) + (f_.)*(x_)]^(m_)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)]))^(n_)]^(p_.), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[ff/(c^(m - 1)*f), Subst[Int[(c^2 + ff^2*x^2)^(m/2 - 1)*(a + b*(ff*x)^n)^p, x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2] && (IntegersQ[n, p] || IGtQ[m, 0] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])
```

### Rule 199

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*(a + b*x^n)^(p + 1)) / (a*n*(p + 1)), x] + Dist[(n*(p + 1) + 1) / (a*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && LtQ[p, -1] && (IntegerQ[2*p] || (n == 2 && IntegerQ[4*p]) || (n == 2 && IntegerQ[3*p]) || Denominator[p + 1/n] < Denominator[p])
```

### Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

### Rubi steps

$$\begin{aligned} \int \frac{\operatorname{sech}^2(c+dx)}{(a+b \tanh^2(c+dx))^3} dx &= \frac{\operatorname{Subst}\left(\int \frac{1}{(a+bx^2)^3} dx, x, \tanh(c+dx)\right)}{d} \\ &= \frac{\tanh(c+dx)}{4ad(a+b \tanh^2(c+dx))^2} + \frac{3 \operatorname{Subst}\left(\int \frac{1}{(a+bx^2)^2} dx, x, \tanh(c+dx)\right)}{4ad} \\ &= \frac{\tanh(c+dx)}{4ad(a+b \tanh^2(c+dx))^2} + \frac{3 \tanh(c+dx)}{8a^2d(a+b \tanh^2(c+dx))} + \frac{3 \operatorname{Subst}\left(\int \frac{1}{a+bx^2} dx, x, \tanh(c+dx)\right)}{8a^2d} \\ &= \frac{3 \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8a^{5/2}\sqrt{bd}} + \frac{\tanh(c+dx)}{4ad(a+b \tanh^2(c+dx))^2} + \frac{3 \tanh(c+dx)}{8a^2d(a+b \tanh^2(c+dx))} \end{aligned}$$

**Mathematica [A]** time = 0.748001, size = 77, normalized size = 0.8

$$\frac{\frac{\tanh(c+dx)(5a+3b \tanh^2(c+dx))}{a^2(a+b \tanh^2(c+dx))^2} + \frac{3 \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{a^{5/2}\sqrt{b}}}{8d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sech[c + d*x]^2/(a + b*Tanh[c + d*x]^2)^3,x]
```

```
[Out] ((3*ArcTan[(Sqrt[b]*Tanh[c + d*x])/Sqrt[a]])/Sqrt[a])/(a^(5/2)*Sqrt[b]) + (Tanh[c + d*x]*(5*a + 3*b*Tanh[c + d*x]^2))/(a^2*(a + b*Tanh[c + d*x]^2)^2)/(8*d)
```

---

**Maple [B]** time = 0.108, size = 764, normalized size = 8.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(\text{sech}(d*x+c)^2/(a+b*\tanh(d*x+c))^2)^3, x)$

[Out] 
$$\begin{aligned} &5/4/d/(\tanh(1/2*d*x+1/2*c)^{4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a})^2/a*\tanh(1/2*d*x+1/2*c)^7+15/4/d/(\tanh(1/2*d*x+1/2*c)^{4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a})^2/a*\tanh(1/2*d*x+1/2*c)^5+ \\ &3/d/a^2*b/(\tanh(1/2*d*x+1/2*c)^{4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a})^2*\tanh(1/2*d*x+1/2*c)^5+15/4/d/(\tanh(1/2*d*x+1/2*c)^{4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a})^2/a*\tanh(1/2*d*x+1/2*c)^3+ \\ &3/d/a^2*b/(\tanh(1/2*d*x+1/2*c)^{4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a})^2*\tanh(1/2*d*x+1/2*c)^3+5/4/d/(\tanh(1/2*d*x+1/2*c)^{4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a})^2/a*\tanh(1/2*d*x+1/2*c)^{-3/8}/ \\ &d/(b*(a+b))^{1/2}/a/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2}*arctanh(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2})+3/8/d/a^2/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2}*arctanh(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2})- \\ &3/8/d/a^2*b/(b*(a+b))^{1/2}/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2}*arctanh(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2})-3/8/d/ \\ &d/(b*(a+b))^{1/2}/a/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2}*arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2})-3/8/d/a^2/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2}*arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2})- \\ &3/8/d/a^2*b/(b*(a+b))^{1/2}/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2}*arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2}) \end{aligned}$$

---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\text{sech}(d*x+c)^2/(a+b*\tanh(d*x+c))^2)^3, x, \text{algorithm}="maxima")$

[Out] Exception raised: ValueError

---



**Fricas [B]** time = 3.04773, size = 13154, normalized size = 137.02

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [-1/16*(4*(5*a^4*b - a^3*b^2 - 9*a^2*b^3 - 3*a*b^4)*\cosh(d*x + c)^6 + 24*(5 \\ & *a^4*b - a^3*b^2 - 9*a^2*b^3 - 3*a*b^4)*\cosh(d*x + c)*\sinh(d*x + c)^5 + 4*( \\ & 5*a^4*b - a^3*b^2 - 9*a^2*b^3 - 3*a*b^4)*\sinh(d*x + c)^6 + 20*a^4*b + 52*a^ \\ & 3*b^2 + 44*a^2*b^3 + 12*a*b^4 + 4*(15*a^4*b - a^3*b^2 + 9*a^2*b^3 + 9*a*b^4 \\ & )*\cosh(d*x + c)^4 + 4*(15*a^4*b - a^3*b^2 + 9*a^2*b^3 + 9*a*b^4 + 15*(5*a^4 \\ & *b - a^3*b^2 - 9*a^2*b^3 - 3*a*b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + 16*( \\ & 5*(5*a^4*b - a^3*b^2 - 9*a^2*b^3 - 3*a*b^4)*\cosh(d*x + c)^3 + (15*a^4*b - a \\ & ^3*b^2 + 9*a^2*b^3 + 9*a*b^4)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 4*(15*a^4*b \\ & + 13*a^3*b^2 - 11*a^2*b^3 - 9*a*b^4)*\cosh(d*x + c)^2 + 4*(15*a^4*b + 13*a^3 \\ & *b^2 - 11*a^2*b^3 - 9*a*b^4 + 15*(5*a^4*b - a^3*b^2 - 9*a^2*b^3 - 3*a*b^4)* \\ & \cosh(d*x + c)^4 + 6*(15*a^4*b - a^3*b^2 + 9*a^2*b^3 + 9*a*b^4)*\cosh(d*x + c \\ & )^2)*\sinh(d*x + c)^2 + 3*((a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\cosh( \\ & d*x + c)^8 + 8*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\cosh(d*x + c)*\si \\ & nh(d*x + c)^7 + (a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\sinh(d*x + c)^8 \\ & + 4*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*\cosh(d*x + c)^6 + 4*(a^4 + 2*a^3*b - 2 \\ & *a*b^3 - b^4 + 7*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\cosh(d*x + c)^ \\ & 2)*\sinh(d*x + c)^6 + 8*(7*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\cosh( \\ & d*x + c)^3 + 3*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*\cosh(d*x + c))*\sinh(d*x + c) \\ & ^5 + 2*(3*a^4 + 4*a^3*b + 2*a^2*b^2 + 4*a*b^3 + 3*b^4)*\cosh(d*x + c)^4 + 2* \\ & (35*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\cosh(d*x + c)^4 + 3*a^4 + 4 \\ & *a^3*b + 2*a^2*b^2 + 4*a*b^3 + 3*b^4 + 30*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*c \\ & osh(d*x + c)^2)*\sinh(d*x + c)^4 + a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4 \\ & + 8*(7*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\cosh(d*x + c)^5 + 10*(a \\ & ^4 + 2*a^3*b - 2*a*b^3 - b^4)*\cosh(d*x + c)^3 + (3*a^4 + 4*a^3*b + 2*a^2*b^ \\ & 2 + 4*a*b^3 + 3*b^4)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 4*(a^4 + 2*a^3*b - 2* \\ & a*b^3 - b^4)*\cosh(d*x + c)^2 + 4*(7*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + \\ & b^4)*\cosh(d*x + c)^6 + 15*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*\cosh(d*x + c)^4 + \\ & a^4 + 2*a^3*b - 2*a*b^3 - b^4 + 3*(3*a^4 + 4*a^3*b + 2*a^2*b^2 + 4*a*b^3 + \\ & 3*b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 + 8*((a^4 + 4*a^3*b + 6*a^2*b^2 + \\ & 4*a*b^3 + b^4)*\cosh(d*x + c)^7 + 3*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*\cosh(d*x \\ & + c)^5 + (3*a^4 + 4*a^3*b + 2*a^2*b^2 + 4*a*b^3 + 3*b^4)*\cosh(d*x + c)^3 + \\ & (a^4 + 2*a^3*b - 2*a*b^3 - b^4)*\cosh(d*x + c))*\sinh(d*x + c))*\sqrt{-a*b}*l \\ & og(((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^4 + 4*(a^2 + 2*a*b + b^2)*\cosh(d*x + \\ & c)*\sinh(d*x + c)^3 + (a^2 + 2*a*b + b^2)*\sinh(d*x + c)^4 + 2*(a^2 - b^2)*co \\ & sh(d*x + c)^2 + 2*(3*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^2 + a^2 - b^2)*\sinh( \\ & d*x + c)^2 + a^2 - 6*a*b + b^2 + 4*((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^3 + ( \end{aligned}$$

$$\begin{aligned}
& a^2 - b^2) \cosh(dx + c) \sinh(dx + c) - 4((a + b) \cosh(dx + c)^2 + 2(a + b) \cosh(dx + c) \sinh(dx + c) + (a + b) \sinh(dx + c)^2 + a - b) \sqrt{(-a^2 - b^2)} \\
& / ((a + b) \cosh(dx + c)^4 + 4(a + b) \cosh(dx + c) \sinh(dx + c)^3 + (a + b) \sinh(dx + c)^4 + 2(a - b) \cosh(dx + c)^2 + 2(3(a + b) \cosh(dx + c)^2 + a - b) \sinh(dx + c)^2 + 4((a + b) \cosh(dx + c)^3 + (a - b) \cosh(dx + c)) \sinh(dx + c) + a + b) + 8(3(5a^4b - a^3b^2 - 9a^2b^3 - 3ab^4) \cosh(dx + c)^5 + 2(15a^4b - a^3b^2 + 9a^2b^3 + 9ab^4) \cosh(dx + c)^3 + (15a^4b + 13a^3b^2 - 11a^2b^3 - 9ab^4) \cosh(dx + c)) \sinh(dx + c) / ((a^7b + 4a^6b^2 + 6a^5b^3 + 4a^4b^4 + a^3b^5) d \cosh(dx + c)^8 + 8(a^7b + 4a^6b^2 + 6a^5b^3 + 4a^4b^4 + a^3b^5) d \cosh(dx + c) \sinh(dx + c)^7 + (a^7b + 4a^6b^2 + 6a^5b^3 + 4a^4b^4 + a^3b^5) d \sinh(dx + c)^8 + 4(a^7b + 2a^6b^2 - 2a^4b^4 - a^3b^5) d \cosh(dx + c)^6 + 4(7(a^7b + 4a^6b^2 + 6a^5b^3 + 4a^4b^4 + a^3b^5) d \cosh(dx + c)^2 + (a^7b + 2a^6b^2 - 2a^4b^4 - a^3b^5) d) \sinh(dx + c)^6 + 2(3a^7b + 4a^6b^2 + 2a^5b^3 + 4a^4b^4 + 3a^3b^5) d \cosh(dx + c)^4 + 8(7(a^7b + 4a^6b^2 + 6a^5b^3 + 4a^4b^4 + a^3b^5) d \cosh(dx + c)^3 + 3(a^7b + 2a^6b^2 - 2a^4b^4 - a^3b^5) d \cosh(dx + c)) \sinh(dx + c)^5 + 2(35(a^7b + 4a^6b^2 + 6a^5b^3 + 4a^4b^4 + a^3b^5) d \cosh(dx + c)^4 + 30(a^7b + 2a^6b^2 - 2a^4b^4 - a^3b^5) d \cosh(dx + c)^2 + (3a^7b + 4a^6b^2 + 2a^5b^3 + 4a^4b^4 + 3a^3b^5) d) \sinh(dx + c)^4 + 4(a^7b + 2a^6b^2 - 2a^4b^4 - a^3b^5) d \cosh(dx + c)^2 + 8(7(a^7b + 4a^6b^2 + 6a^5b^3 + 4a^4b^4 + a^3b^5) d \cosh(dx + c)^5 + 10(a^7b + 2a^6b^2 - 2a^4b^4 - a^3b^5) d \cosh(dx + c)^3 + (3a^7b + 4a^6b^2 + 2a^5b^3 + 4a^4b^4 + 3a^3b^5) d \cosh(dx + c)) \sinh(dx + c)^3 + 4(7(a^7b + 4a^6b^2 + 6a^5b^3 + 4a^4b^4 + a^3b^5) d \cosh(dx + c)^6 + 15(a^7b + 2a^6b^2 - 2a^4b^4 - a^3b^5) d \cosh(dx + c)^4 + 3(3a^7b + 4a^6b^2 + 2a^5b^3 + 4a^4b^4 + 3a^3b^5) d \cosh(dx + c)^2 + (a^7b + 2a^6b^2 - 2a^4b^4 - a^3b^5) d) \sinh(dx + c)^2 + (a^7b + 4a^6b^2 + 6a^5b^3 + 4a^4b^4 + a^3b^5) d + 8((a^7b + 4a^6b^2 + 6a^5b^3 + 4a^4b^4 + a^3b^5) d \cosh(dx + c)^7 + 3(a^7b + 2a^6b^2 - 2a^4b^4 - a^3b^5) d \cosh(dx + c)^5 + (3a^7b + 4a^6b^2 + 2a^5b^3 + 4a^4b^4 + 3a^3b^5) d \cosh(dx + c)^3 + (a^7b + 2a^6b^2 - 2a^4b^4 - a^3b^5) d \cosh(dx + c)) \sinh(dx + c)), -1/8(2(5a^4b - a^3b^2 - 9a^2b^3 - 3ab^4) \cosh(dx + c)^6 + 12(5a^4b - a^3b^2 - 9a^2b^3 - 3ab^4) \cosh(dx + c) \sinh(dx + c)^5 + 2(5a^4b - a^3b^2 - 9a^2b^3 - 3ab^4) \sinh(dx + c)^6 + 10a^4b + 26a^3b^2 + 22a^2b^3 + 6ab^4 + 2(15a^4b - a^3b^2 + 9a^2b^3 + 9ab^4) \cosh(dx + c)^4 + 2(15a^4b - a^3b^2 + 9a^2b^3 + 9ab^4 + 15(5a^4b - a^3b^2 - 9a^2b^3 - 3ab^4) \cosh(dx + c)^2) \sinh(dx + c)^4 + 8(5(5a^4b - a^3b^2 - 9a^2b^3 - 3ab^4) \cosh(dx + c)^3 + (15a^4b - a^3b^2 + 9a^2b^3 + 9ab^4) \cosh(dx + c)) \sinh(dx + c)^3 + 2(15a^4b + 13a^3b^2 - 11a^2b^3 - 9ab^4) \cosh(dx + c)^2 + 2(15a^4b + 13a^3b^2 - 11a^2b^3 - 9ab^4 + 15(5a^4b - a^3b^2 - 9a^2b^3 - 3ab^4) \cosh(dx + c)^4 + 6(15a^4b - a^3b^2 + 9a^2b^3 + 9ab^4) \cosh(dx + c)^2) \sinh(dx + c)^2 - 3((a^4 + 4a^3b + 6a^2b^2 + 4ab^3 + b^4) \cosh(dx + c)^8 + 8
\end{aligned}$$

$$\begin{aligned}
&*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\cosh(d*x + c)*\sinh(d*x + c)^7 \\
&+ (a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\sinh(d*x + c)^8 + 4*(a^4 + 2* \\
&a^3*b - 2*a*b^3 - b^4)*\cosh(d*x + c)^6 + 4*(a^4 + 2*a^3*b - 2*a*b^3 - b^4 + \\
&7*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\cosh(d*x + c)^2)*\sinh(d*x + \\
&c)^6 + 8*(7*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\cosh(d*x + c)^3 + 3 \\
&*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*\cosh(d*x + c))*\sinh(d*x + c)^5 + 2*(3*a^4 \\
&+ 4*a^3*b + 2*a^2*b^2 + 4*a*b^3 + 3*b^4)*\cosh(d*x + c)^4 + 2*(35*(a^4 + 4*a \\
&^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\cosh(d*x + c)^4 + 3*a^4 + 4*a^3*b + 2*a^2 \\
&*b^2 + 4*a*b^3 + 3*b^4 + 30*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*\cosh(d*x + c)^2 \\
&)*\sinh(d*x + c)^4 + a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4 + 8*(7*(a^4 + \\
&4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\cosh(d*x + c)^5 + 10*(a^4 + 2*a^3*b - \\
&2*a*b^3 - b^4)*\cosh(d*x + c)^3 + (3*a^4 + 4*a^3*b + 2*a^2*b^2 + 4*a*b^3 + \\
&3*b^4)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 4*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*c \\
&osh(d*x + c)^2 + 4*(7*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\cosh(d*x \\
&+ c)^6 + 15*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*\cosh(d*x + c)^4 + a^4 + 2*a^3*b \\
&- 2*a*b^3 - b^4 + 3*(3*a^4 + 4*a^3*b + 2*a^2*b^2 + 4*a*b^3 + 3*b^4)*\cosh(d \\
&*x + c)^2)*\sinh(d*x + c)^2 + 8*((a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4) \\
&)*\cosh(d*x + c)^7 + 3*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*\cosh(d*x + c)^5 + (3*a \\
&^4 + 4*a^3*b + 2*a^2*b^2 + 4*a*b^3 + 3*b^4)*\cosh(d*x + c)^3 + (a^4 + 2*a^3* \\
&b - 2*a*b^3 - b^4)*\cosh(d*x + c))*\sinh(d*x + c))*\sqrt{a*b}*\arctan(1/2*((a + \\
&b)*\cosh(d*x + c)^2 + 2*(a + b)*\cosh(d*x + c)*\sinh(d*x + c) + (a + b)*\sinh( \\
&d*x + c)^2 + a - b)*\sqrt{a*b}/(a*b)) + 4*(3*(5*a^4*b - a^3*b^2 - 9*a^2*b^3 \\
&- 3*a*b^4)*\cosh(d*x + c)^5 + 2*(15*a^4*b - a^3*b^2 + 9*a^2*b^3 + 9*a*b^4)*c \\
&osh(d*x + c)^3 + (15*a^4*b + 13*a^3*b^2 - 11*a^2*b^3 - 9*a*b^4)*\cosh(d*x + \\
&c))*\sinh(d*x + c))/((a^7*b + 4*a^6*b^2 + 6*a^5*b^3 + 4*a^4*b^4 + a^3*b^5)*d \\
&)*\cosh(d*x + c)^8 + 8*(a^7*b + 4*a^6*b^2 + 6*a^5*b^3 + 4*a^4*b^4 + a^3*b^5)* \\
&d*\cosh(d*x + c)*\sinh(d*x + c)^7 + (a^7*b + 4*a^6*b^2 + 6*a^5*b^3 + 4*a^4*b^ \\
&4 + a^3*b^5)*d*\sinh(d*x + c)^8 + 4*(a^7*b + 2*a^6*b^2 - 2*a^4*b^4 - a^3*b^5 \\
&)*d*\cosh(d*x + c)^6 + 4*(7*(a^7*b + 4*a^6*b^2 + 6*a^5*b^3 + 4*a^4*b^4 + a^3 \\
&*b^5)*d*\cosh(d*x + c)^2 + (a^7*b + 2*a^6*b^2 - 2*a^4*b^4 - a^3*b^5)*d)*\sinh \\
&(d*x + c)^6 + 2*(3*a^7*b + 4*a^6*b^2 + 2*a^5*b^3 + 4*a^4*b^4 + 3*a^3*b^5)*d \\
&)*\cosh(d*x + c)^4 + 8*(7*(a^7*b + 4*a^6*b^2 + 6*a^5*b^3 + 4*a^4*b^4 + a^3*b^ \\
&5)*d*\cosh(d*x + c)^3 + 3*(a^7*b + 2*a^6*b^2 - 2*a^4*b^4 - a^3*b^5)*d*\cosh(d \\
&*x + c))*\sinh(d*x + c)^5 + 2*(35*(a^7*b + 4*a^6*b^2 + 6*a^5*b^3 + 4*a^4*b^4 \\
&+ a^3*b^5)*d*\cosh(d*x + c)^4 + 30*(a^7*b + 2*a^6*b^2 - 2*a^4*b^4 - a^3*b^5 \\
&)*d*\cosh(d*x + c)^2 + (3*a^7*b + 4*a^6*b^2 + 2*a^5*b^3 + 4*a^4*b^4 + 3*a^3* \\
&b^5)*d)*\sinh(d*x + c)^4 + 4*(a^7*b + 2*a^6*b^2 - 2*a^4*b^4 - a^3*b^5)*d*cos \\
&h(d*x + c)^2 + 8*(7*(a^7*b + 4*a^6*b^2 + 6*a^5*b^3 + 4*a^4*b^4 + a^3*b^5)*d \\
&)*\cosh(d*x + c)^5 + 10*(a^7*b + 2*a^6*b^2 - 2*a^4*b^4 - a^3*b^5)*d*\cosh(d*x \\
&+ c)^3 + (3*a^7*b + 4*a^6*b^2 + 2*a^5*b^3 + 4*a^4*b^4 + 3*a^3*b^5)*d*\cosh(d \\
&*x + c))*\sinh(d*x + c)^3 + 4*(7*(a^7*b + 4*a^6*b^2 + 6*a^5*b^3 + 4*a^4*b^4 \\
&+ a^3*b^5)*d*\cosh(d*x + c)^6 + 15*(a^7*b + 2*a^6*b^2 - 2*a^4*b^4 - a^3*b^5) \\
&)*d*\cosh(d*x + c)^4 + 3*(3*a^7*b + 4*a^6*b^2 + 2*a^5*b^3 + 4*a^4*b^4 + 3*a^3 \\
&*b^5)*d*\cosh(d*x + c)^2 + (a^7*b + 2*a^6*b^2 - 2*a^4*b^4 - a^3*b^5)*d)*\sinh \\
&(d*x + c)^2 + (a^7*b + 4*a^6*b^2 + 6*a^5*b^3 + 4*a^4*b^4 + a^3*b^5)*d + 8*(
\end{aligned}$$

$$(a^7*b + 4*a^6*b^2 + 6*a^5*b^3 + 4*a^4*b^4 + a^3*b^5)*d*\cosh(d*x + c)^7 + 3*(a^7*b + 2*a^6*b^2 - 2*a^4*b^4 - a^3*b^5)*d*\cosh(d*x + c)^5 + (3*a^7*b + 4*a^6*b^2 + 2*a^5*b^3 + 4*a^4*b^4 + 3*a^3*b^5)*d*\cosh(d*x + c)^3 + (a^7*b + 2*a^6*b^2 - 2*a^4*b^4 - a^3*b^5)*d*\cosh(d*x + c))*\sinh(d*x + c)]$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)\*\*2/(a+b\*tanh(d\*x+c)\*\*2)\*\*3,x)

[Out] Timed out

**Giac [B]** time = 1.91676, size = 432, normalized size = 4.5

$$\frac{3 \arctan\left(\frac{ae^{(2dx+2c)+be^{(2dx+2c)+a-b}}}{2\sqrt{ab}}\right)}{\sqrt{aba^2}} - \frac{2(5a^3e^{(6dx+6c)} - a^2be^{(6dx+6c)} - 9ab^2e^{(6dx+6c)} - 3b^3e^{(6dx+6c)} + 15a^3e^{(4dx+4c)} - a^2be^{(4dx+4c)} + 9ab^2e^{(4dx+4c)} + 9b^3e^{(4dx+4c)})}{(a^4+2a^3b+a^2b^2)(ae^{(4dx+4c)}+be^{(4dx+4c)}+2ae^{(2dx+2c)}+b^2)} \frac{1}{8d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out]  $\frac{1}{8}*(3*\arctan(1/2*(a*e^{(2*d*x + 2*c)} + b*e^{(2*d*x + 2*c)} + a - b)/\sqrt{a*b}))/(\sqrt{a*b}*a^2) - 2*(5*a^3*e^{(6*d*x + 6*c)} - a^2*b*e^{(6*d*x + 6*c)} - 9*a*b^2*e^{(6*d*x + 6*c)} - 3*b^3*e^{(6*d*x + 6*c)} + 15*a^3*e^{(4*d*x + 4*c)} - a^2*b*e^{(4*d*x + 4*c)} + 9*a*b^2*e^{(4*d*x + 4*c)} + 9*b^3*e^{(4*d*x + 4*c)} + 15*a^3*e^{(2*d*x + 2*c)} + 13*a^2*b*e^{(2*d*x + 2*c)} - 11*a*b^2*e^{(2*d*x + 2*c)} - 9*b^3*e^{(2*d*x + 2*c)} + 5*a^3 + 13*a^2*b + 11*a*b^2 + 3*b^3)/((a^4 + 2*a^3*b + a^2*b^2)*(a*e^{(4*d*x + 4*c)} + b*e^{(4*d*x + 4*c)} + 2*a*e^{(2*d*x + 2*c)} - 2*b*e^{(2*d*x + 2*c)} + a + b)^2))/d$

$$3.129 \quad \int \frac{\operatorname{sech}^3(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$$

**Optimal.** Leaf size=129

$$\frac{(4a+3b) \sinh(c+dx)}{8a^2d(a+b)((a+b) \sinh^2(c+dx)+a)} + \frac{(4a+3b) \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{8a^{5/2}d(a+b)^{3/2}} + \frac{b \sinh(c+dx)}{4ad(a+b)((a+b) \sinh^2(c+dx)+a)^2}$$

[Out] ((4\*a + 3\*b)\*ArcTan[(Sqrt[a + b]\*Sinh[c + d\*x])/Sqrt[a]])/(8\*a^(5/2)\*(a + b)^(3/2)\*d) + (b\*Sinh[c + d\*x])/(4\*a\*(a + b)\*d\*(a + (a + b)\*Sinh[c + d\*x]^2) + ((4\*a + 3\*b)\*Sinh[c + d\*x])/(8\*a^2\*(a + b)\*d\*(a + (a + b)\*Sinh[c + d\*x]^2))

**Rubi [A]** time = 0.119973, antiderivative size = 129, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {3676, 385, 199, 205}

$$\frac{(4a+3b) \sinh(c+dx)}{8a^2d(a+b)((a+b) \sinh^2(c+dx)+a)} + \frac{(4a+3b) \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{8a^{5/2}d(a+b)^{3/2}} + \frac{b \sinh(c+dx)}{4ad(a+b)((a+b) \sinh^2(c+dx)+a)^2}$$

Antiderivative was successfully verified.

[In] Int[Sech[c + d\*x]^3/(a + b\*Tanh[c + d\*x]^2)^3, x]

[Out] ((4\*a + 3\*b)\*ArcTan[(Sqrt[a + b]\*Sinh[c + d\*x])/Sqrt[a]])/(8\*a^(5/2)\*(a + b)^(3/2)\*d) + (b\*Sinh[c + d\*x])/(4\*a\*(a + b)\*d\*(a + (a + b)\*Sinh[c + d\*x]^2) + ((4\*a + 3\*b)\*Sinh[c + d\*x])/(8\*a^2\*(a + b)\*d\*(a + (a + b)\*Sinh[c + d\*x]^2))

### Rule 3676

Int[sec[(e\_.) + (f\_.)\*(x\_.)]^(m\_.)\*((a\_.) + (b\_.)\*tan[(e\_.) + (f\_.)\*(x\_.)]^(n\_.))^p\_.], x\_Symbol] :> With[{ff = FreeFactors[Sin[e + f\*x], x]}, Dist[ff/f, Subst[Int[ExpandToSum[b\*(ff\*x)^n + a\*(1 - ff^2\*x^2)^(n/2)], x]^p/(1 - ff^2\*x^2)^(m + n\*p + 1)/2], x], x, Sin[e + f\*x]/ff, x] /; FreeQ[{a, b, e, f}, x] && IntegerQ[(m - 1)/2] && IntegerQ[n/2] && IntegerQ[p]

### Rule 385

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := -Simp[
((b*c - a*d)*x*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] - Dist[(a*d - b
*c*(n*(p + 1) + 1))/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[
{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n +
p, 0])
```

### Rule 199

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*(a + b*x^n)^(p + 1))
/(a*n*(p + 1)), x] + Dist[(n*(p + 1) + 1)/(a*n*(p + 1)), Int[(a + b*x^n)^(
p + 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && LtQ[p, -1] && (Integer
Q[2*p] || (n == 2 && IntegerQ[4*p]) || (n == 2 && IntegerQ[3*p]) || Denomin
ator[p + 1/n] < Denominator[p])
```

### Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

### Rubi steps

$$\int \frac{\operatorname{sech}^3(c+dx)}{(a+b \tanh^2(c+dx))^3} dx = \frac{\operatorname{Subst}\left(\int \frac{1+x^2}{(a+(a+b)x^2)^3} dx, x, \sinh(c+dx)\right)}{d}$$

$$= \frac{b \sinh(c+dx)}{4a(a+b)d \left(a + (a+b) \sinh^2(c+dx)\right)^2} + \frac{\left(\frac{3}{a} + \frac{1}{a+b}\right) \operatorname{Subst}\left(\int \frac{1}{(a+(a+b)x^2)^2} dx, x, \sinh(c+dx)\right)}{4d}$$

$$= \frac{b \sinh(c+dx)}{4a(a+b)d \left(a + (a+b) \sinh^2(c+dx)\right)^2} + \frac{(4a+3b) \sinh(c+dx)}{8a^2(a+b)d \left(a + (a+b) \sinh^2(c+dx)\right)} + \frac{(4a+3b) \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{8a^{5/2}(a+b)^{3/2}d} + \frac{b \sinh(c+dx)}{4a(a+b)d \left(a + (a+b) \sinh^2(c+dx)\right)^2} + \frac{(4a+3b)}{8a^2(a+b)d}$$

**Mathematica [A]** time = 0.742373, size = 123, normalized size = 0.95

$$\frac{(4a+3b) \left( \frac{3(a+b) \sinh^3(c+dx) + 5a \sinh(c+dx)}{a^2 \left( (a+b) \sinh^2(c+dx) + a \right)^2} + \frac{3 \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{a^{5/2} \sqrt{a+b}} \right) - \frac{8 \sinh(c+dx)}{\left( (a+b) \sinh^2(c+dx) + a \right)^2}}{24d(a+b)}$$

Antiderivative was successfully verified.

[In] Integrate[Sech[c + d\*x]^3/(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] 
$$\frac{(-8*\sinh[c + d*x])/(a + (a + b)*\sinh[c + d*x]^2)^2 + (4*a + 3*b)*((3*\operatorname{ArcTan}[(\sqrt{a + b}*\sinh[c + d*x])/\sqrt{a}])/(a^{5/2}*\sqrt{a + b}) + (5*a*\sinh[c + d*x] + 3*(a + b)*\sinh[c + d*x]^3)/(a^2*(a + (a + b)*\sinh[c + d*x]^2)^2))}{(24*(a + b)*d)}$$

**Maple [B]** time = 0.12, size = 1226, normalized size = 9.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sech(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2)^3,x)

[Out] 
$$\begin{aligned} & -1/d/(\tanh(1/2*d*x+1/2*c)^{4*a+2*\tanh(1/2*d*x+1/2*c)^{2*a+4*\tanh(1/2*d*x+1/2*c)^{2*b+a}})^2/(a+b)*\tanh(1/2*d*x+1/2*c)^{7-5/4}/d/(\tanh(1/2*d*x+1/2*c)^{4*a+2*\tanh(1/2*d*x+1/2*c)^{2*a+4*\tanh(1/2*d*x+1/2*c)^{2*b+a}})^2/a/(a+b)*\tanh(1/2*d*x+1/2*c)^{7*b-1}/d/(\tanh(1/2*d*x+1/2*c)^{4*a+2*\tanh(1/2*d*x+1/2*c)^{2*a+4*\tanh(1/2*d*x+1/2*c)^{2*b+a}})^2/(a+b)*\tanh(1/2*d*x+1/2*c)^{5-13/4}/d/(\tanh(1/2*d*x+1/2*c)^{4*a+2*\tanh(1/2*d*x+1/2*c)^{2*a+4*\tanh(1/2*d*x+1/2*c)^{2*b+a}})^2/a^2/(a+b)*\tanh(1/2*d*x+1/2*c)^{5*b-3}/d/(\tanh(1/2*d*x+1/2*c)^{4*a+2*\tanh(1/2*d*x+1/2*c)^{2*a+4*\tanh(1/2*d*x+1/2*c)^{2*b+a}})^2/a^2/(a+b)*\tanh(1/2*d*x+1/2*c)^{5*b^2+1}/d/(\tanh(1/2*d*x+1/2*c)^{4*a+2*\tanh(1/2*d*x+1/2*c)^{2*a+4*\tanh(1/2*d*x+1/2*c)^{2*b+a}})^2/(a+b)*\tanh(1/2*d*x+1/2*c)^3+13/4/d/(\tanh(1/2*d*x+1/2*c)^{4*a+2*\tanh(1/2*d*x+1/2*c)^{2*a+4*\tanh(1/2*d*x+1/2*c)^{2*b+a}})^2/a/(a+b)*\tanh(1/2*d*x+1/2*c)^3*b+3/d/(\tanh(1/2*d*x+1/2*c)^{4*a+2*\tanh(1/2*d*x+1/2*c)^{2*a+4*\tanh(1/2*d*x+1/2*c)^{2*b+a}})^2/a^2/(a+b)*\tanh(1/2*d*x+1/2*c)^3*b^2+1/d/(\tanh(1/2*d*x+1/2*c)^{4*a+2*\tanh(1/2*d*x+1/2*c)^{2*a+4*\tanh(1/2*d*x+1/2*c)^{2*b+a}})^2/(a+b)*\tanh(1/2*d*x+1/2*c)+5/4/d/(\tanh(1/2*d*x+1/2*c)^{4*a+2*\tanh(1/2*d*x+1/2*c)^{2*a+4*\tanh(1/2*d*x+1/2*c)^{2*b+a}})^2/a/(a+b)*\tanh(1/2*d*x+1/2*c)*b-1/2/d/a/(a+b)/((2*(b*(a+b))^{(1/2)-a-2*b})*a)^{(1/2)}*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c))/((2*(b*(a+b))^{(1/2)-a-2*b})*a)^{(1/2)}+1/2/d/a/(a+b)/(b*(a+b))^{(1/2)}/((2*(b*(a+b))^{(1/2)-a-2*b})*a)^{(1/2)}*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c))/((2*(b*(a+b))^{(1/2)-a-2*b})*a)^{(1/2)}*b+1/2/d/a/(a+b)/((2*(b*(a+b))^{(1/2)+a+2*b})*a)^{(1/2)}*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c))/((2*(b*(a+b))^{(1/2)+a+2*b})*a)^{(1/2)}+1/2/d/a/(a+b)/(b*(a+b))^{(1/2)}/((2*(b*(a+b))^{(1/2)+a+2*b})*a)^{(1/2)}*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c))/((2*(b*(a+b))^{(1/2)+a+2*b})*a)^{(1/2)}*b-3/8/d/a^2/(a+b)*b/((2*(b*(a+b))^{(1/2)-a-2*b})*a)^{(1/2)}*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c))/((2*(b*(a+b))^{(1/2)-a-2*b})*a)^{(1/2)}+3/8/d/a^2/(a+b)/(b*(a+b))^{(1/2)}/((2*(b*(a+b))^{(1/2)-a-2*b})*a)^{(1/2)}*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c))/((2*(b*(a+b))^{(1/2)-a-2*b})*a)^{(1/2)} \end{aligned}$$

$$\frac{\operatorname{nh}(a \tanh(1/2 d x + 1/2 c)) / ((2(b(a+b))^{1/2} - a - 2b) a)^{1/2} * b^2 + 3/8 d / a^2}{(a+b) * b / ((2(b(a+b))^{1/2} + a + 2b) a)^{1/2} * \arctan(a \tanh(1/2 d x + 1/2 c)) / ((2(b(a+b))^{1/2} + a + 2b) a)^{1/2}} + 3/8 d / a^2 / (a+b) / (b(a+b))^{1/2} / ((2(b(a+b))^{1/2} + a + 2b) a)^{1/2} * \arctan(a \tanh(1/2 d x + 1/2 c)) / ((2(b(a+b))^{1/2} + a + 2b) a)^{1/2} * b^2$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{(4 a^2 e^{7c} + 7 a b e^{7c} + 3 b^2 e^{7c}) e^{7dx} + (4 a^2 e^{5c} - a b e^{5c} - a^2 b^2 e^{5c}) e^{5dx} - (4 a^2 e^{3c} - a b e^{3c} - a^2 b^2 e^{3c}) e^{3dx} - (4 a^2 e^c + 7 a b e^c + 3 b^2 e^c) e^{dx}}{4(a^5 d + 3 a^4 b d + 3 a^3 b^2 d + a^2 b^3 d + (a^5 d e^{8c} + 3 a^4 b d e^{8c} + 3 a^3 b^2 d e^{8c} + a^2 b^3 d e^{8c}) e^{8dx}) + 4(a^5 d e^{6c} + a^4 b d e^{6c} - a^2 b^2 d e^{6c}) e^{6dx} - (4 a^5 d e^{4c} + 3 a^4 b d e^{4c} - a^2 b^2 d e^{4c}) e^{4dx} - (4 a^5 d e^{2c} + 3 a^4 b d e^{2c} - a^2 b^2 d e^{2c}) e^{2dx}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(dx+c)^3/(a+b\*tanh(dx+c)^2)^3,x, algorithm="maxima")

[Out] 1/4\*((4\*a^2\*e^(7\*c) + 7\*a\*b\*e^(7\*c) + 3\*b^2\*e^(7\*c))\*e^(7\*d\*x) + (4\*a^2\*e^(5\*c) - a\*b\*e^(5\*c) - 9\*b^2\*e^(5\*c))\*e^(5\*d\*x) - (4\*a^2\*e^(3\*c) - a\*b\*e^(3\*c) - 9\*b^2\*e^(3\*c))\*e^(3\*d\*x) - (4\*a^2\*e^c + 7\*a\*b\*e^c + 3\*b^2\*e^c)\*e^(d\*x)) / (a^5\*d + 3\*a^4\*b\*d + 3\*a^3\*b^2\*d + a^2\*b^3\*d + (a^5\*d\*e^(8\*c) + 3\*a^4\*b\*d\*e^(8\*c) + 3\*a^3\*b^2\*d\*e^(8\*c) + a^2\*b^3\*d\*e^(8\*c))\*e^(8\*d\*x) + 4\*(a^5\*d\*e^(6\*c) + a^4\*b\*d\*e^(6\*c) - a^2\*b^2\*d\*e^(6\*c) - a^2\*b^3\*d\*e^(6\*c))\*e^(6\*d\*x) + 2\*(3\*a^5\*d\*e^(4\*c) + a^4\*b\*d\*e^(4\*c) + a^3\*b^2\*d\*e^(4\*c) + 3\*a^2\*b^3\*d\*e^(4\*c))\*e^(4\*d\*x) + 4\*(a^5\*d\*e^(2\*c) + a^4\*b\*d\*e^(2\*c) - a^3\*b^2\*d\*e^(2\*c) - a^2\*b^3\*d\*e^(2\*c))\*e^(2\*d\*x)) + 8\*integrate(1/32\*((4\*a\*e^(3\*c) + 3\*b\*e^(3\*c))\*e^(3\*d\*x) + (4\*a\*e^c + 3\*b\*e^c)\*e^(d\*x)) / (a^4 + 2\*a^3\*b + a^2\*b^2 + (a^4\*e^(4\*c) + 2\*a^3\*b\*e^(4\*c) + a^2\*b^2\*e^(4\*c))\*e^(4\*d\*x) + 2\*(a^4\*e^(2\*c) - a^2\*b^2\*e^(2\*c))\*e^(2\*d\*x)), x)

**Fricas [B]** time = 2.87703, size = 15408, normalized size = 119.44

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(dx+c)^3/(a+b\*tanh(dx+c)^2)^3,x, algorithm="fricas")

[Out] [1/16\*(4\*(4\*a^4 + 11\*a^3\*b + 10\*a^2\*b^2 + 3\*a\*b^3)\*cosh(dx + c)^7 + 28\*(4\*a^4 + 11\*a^3\*b + 10\*a^2\*b^2 + 3\*a\*b^3)\*cosh(dx + c)\*sinh(dx + c)^6 + 4\*(4\*a^4 + 11\*a^3\*b + 10\*a^2\*b^2 + 3\*a\*b^3)\*sinh(dx + c)^7 + 4\*(4\*a^4 + 3\*a^3\*b



$$\begin{aligned}
& b - 10a^2b^2 - 9ab^3) \cosh(dx + c)^5 + 4(4a^4 + 3a^3b - 10a^2b^2 - 9ab^3 + 21(4a^4 + 11a^3b + 10a^2b^2 + 3ab^3) \cosh(dx + c)^2) \sinh(dx + c)^5 + 20(7(4a^4 + 11a^3b + 10a^2b^2 + 3ab^3) \cosh(dx + c)^3 + (4a^4 + 3a^3b - 10a^2b^2 - 9ab^3) \cosh(dx + c)) \sinh(dx + c)^4 - 4(4a^4 + 3a^3b - 10a^2b^2 - 9ab^3) \cosh(dx + c)^3 + 4(35(4a^4 + 11a^3b + 10a^2b^2 + 3ab^3) \cosh(dx + c)^4 - 4a^4 - 3a^3b + 10a^2b^2 + 9ab^3 + 10(4a^4 + 3a^3b - 10a^2b^2 - 9ab^3) \cosh(dx + c)^2) \sinh(dx + c)^3 + 4(21(4a^4 + 11a^3b + 10a^2b^2 + 3ab^3) \cosh(dx + c)^5 + 10(4a^4 + 3a^3b - 10a^2b^2 - 9ab^3) \cosh(dx + c)^3 - 3(4a^4 + 3a^3b - 10a^2b^2 - 9ab^3) \cosh(dx + c)) \sinh(dx + c)^2 - ((4a^3 + 11a^2b + 10ab^2 + 3b^3) \cosh(dx + c)^8 + 8(4a^3 + 11a^2b + 10ab^2 + 3b^3) \cosh(dx + c) \sinh(dx + c)^7 + (4a^3 + 11a^2b + 10ab^2 + 3b^3) \sinh(dx + c)^8 + 4(4a^3 + 3a^2b - 4ab^2 - 3b^3) \cosh(dx + c)^6 + 4(4a^3 + 3a^2b - 4ab^2 - 3b^3 + 7(4a^3 + 11a^2b + 10ab^2 + 3b^3) \cosh(dx + c)^2) \sinh(dx + c)^6 + 8(7(4a^3 + 11a^2b + 10ab^2 + 3b^3) \cosh(dx + c)^3 + 3(4a^3 + 3a^2b - 4ab^2 - 3b^3) \cosh(dx + c)) \sinh(dx + c)^5 + 2(12a^3 + a^2b + 6ab^2 + 9b^3) \cosh(dx + c)^4 + 2(35(4a^3 + 11a^2b + 10ab^2 + 3b^3) \cosh(dx + c)^4 + 12a^3 + a^2b + 6ab^2 + 9b^3 + 30(4a^3 + 3a^2b - 4ab^2 - 3b^3) \cosh(dx + c)^2) \sinh(dx + c)^4 + 8(7(4a^3 + 11a^2b + 10ab^2 + 3b^3) \cosh(dx + c)^5 + 10(4a^3 + 3a^2b - 4ab^2 - 3b^3) \cosh(dx + c)^3 + (12a^3 + a^2b + 6ab^2 + 9b^3) \cosh(dx + c)) \sinh(dx + c)^3 + 4a^3 + 11a^2b + 10ab^2 + 3b^3 + 4(4a^3 + 3a^2b - 4ab^2 - 3b^3) \cosh(dx + c)^2 + 4(7(4a^3 + 11a^2b + 10ab^2 + 3b^3) \cosh(dx + c)^6 + 15(4a^3 + 3a^2b - 4ab^2 - 3b^3) \cosh(dx + c)^4 + 4a^3 + 3a^2b - 4ab^2 - 3b^3 + 3(12a^3 + a^2b + 6ab^2 + 9b^3) \cosh(dx + c)^2) \sinh(dx + c)^2 + 8((4a^3 + 11a^2b + 10ab^2 + 3b^3) \cosh(dx + c)^7 + 3(4a^3 + 3a^2b - 4ab^2 - 3b^3) \cosh(dx + c)^5 + (12a^3 + a^2b + 6ab^2 + 9b^3) \cosh(dx + c)^3 + (4a^3 + 3a^2b - 4ab^2 - 3b^3) \cosh(dx + c)) \sinh(dx + c)) \sqrt{-a^2 - ab} \log((a + b) \cosh(dx + c)^4 + 4(a + b) \cosh(dx + c) \sinh(dx + c)^3 + (a + b) \sinh(dx + c)^4 - 2(3a + b) \cosh(dx + c)^2 + 2(3(a + b) \cosh(dx + c)^2 - 3a - b) \sinh(dx + c)^2 + 4((a + b) \cosh(dx + c)^3 - (3a + b) \cosh(dx + c)) \sinh(dx + c) - 4(\cosh(dx + c)^3 + 3 \cosh(dx + c) \sinh(dx + c)^2 + \sinh(dx + c)^3 + (3 \cosh(dx + c)^2 - 1) \sinh(dx + c) - \cosh(dx + c)) \sqrt{-a^2 - ab} + a + b) / ((a + b) \cosh(dx + c)^4 + 4(a + b) \cosh(dx + c) \sinh(dx + c)^3 + (a + b) \sinh(dx + c)^4 + 2(a - b) \cosh(dx + c)^2 + 2(3(a + b) \cosh(dx + c)^2 + a - b) \sinh(dx + c)^2 + 4((a + b) \cosh(dx + c)^3 + (a - b) \cosh(dx + c)) \sinh(dx + c) + a + b)) - 4(4a^4 + 11a^3b + 10a^2b^2 + 3ab^3) \cosh(dx + c) + 4(7(4a^4 + 11a^3b + 10a^2b^2 + 3ab^3) \cosh(dx + c)^6 + 5(4a^4 + 3a^3b - 10a^2b^2 - 9ab^3) \cosh(dx + c)^4 - 4a^4 - 11a^3b - 10a^2b^2 - 3ab^3 - 3(4a^4 + 3a^3b - 10a^2b^2 - 9ab^3) \cosh(dx + c)^2) \sinh(dx + c)) / ((a^7 + 4a^6b + 6a^5b^2 + 4a^4b^3 + a^3b^4) d \cosh(dx + c)^8 + 8(a^7 + 4a^6b + 6a^5b^2 + 4a^4b^3 + a^3b^4) d \cosh(dx + c) \sinh(dx + c)^7 + (a^7 + 4a^6b + 6
\end{aligned}$$



$$\begin{aligned}
& + c)^3 + (12a^3 + a^2b + 6ab^2 + 9b^3) \cosh(dx + c) \sinh(dx + c)^3 \\
& + 4a^3 + 11a^2b + 10ab^2 + 3b^3 + 4(4a^3 + 3a^2b - 4ab^2 - 3b^3) \cosh(dx + c)^2 \\
& + 4(7(4a^3 + 11a^2b + 10ab^2 + 3b^3) \cosh(dx + c)^6 + 15(4a^3 + 3a^2b - 4ab^2 - 3b^3) \cosh(dx + c)^4 \\
& + 4a^3 + 3a^2b - 4ab^2 - 3b^3 + 3(12a^3 + a^2b + 6ab^2 + 9b^3) \cosh(dx + c)^2) \sinh(dx + c)^2 \\
& + 8((4a^3 + 11a^2b + 10ab^2 + 3b^3) \cosh(dx + c)^7 + 3(4a^3 + 3a^2b - 4ab^2 - 3b^3) \cosh(dx + c)^5 \\
& + (12a^3 + a^2b + 6ab^2 + 9b^3) \cosh(dx + c)^3 + (4a^3 + 3a^2b - 4ab^2 - 3b^3) \cosh(dx + c)) \sinh(dx + c) \\
& \sqrt{a^2 + ab} \arctan(1/2((a + b) \cosh(dx + c))^3 + 3(a + b) \cosh(dx + c) \sinh(dx + c)^2 \\
& + (a + b) \sinh(dx + c)^3 + (3a - b) \cosh(dx + c) + (3(a + b) \cosh(dx + c)^2 + 3a - b) \sinh(dx + c)) \\
& / \sqrt{a^2 + ab}) + ((4a^3 + 11a^2b + 10ab^2 + 3b^3) \cosh(dx + c)^8 + 8(4a^3 + 11a^2b + 10ab^2 + 3b^3) \cosh(dx + c) \sinh(dx + c)^7 \\
& + (4a^3 + 11a^2b + 10ab^2 + 3b^3) \sinh(dx + c)^8 + 4(4a^3 + 3a^2b - 4ab^2 - 3b^3) \cosh(dx + c)^6 \\
& + 4(4a^3 + 3a^2b - 4ab^2 - 3b^3) \cosh(dx + c)^6 + 4(4a^3 + 3a^2b - 4ab^2 - 3b^3) \cosh(dx + c)^2) \sinh(dx + c)^6 \\
& + 8(7(4a^3 + 11a^2b + 10ab^2 + 3b^3) \cosh(dx + c)^3 + 3(4a^3 + 3a^2b - 4ab^2 - 3b^3) \cosh(dx + c)) \sinh(dx + c)^5 \\
& + 2(12a^3 + a^2b + 6ab^2 + 9b^3) \cosh(dx + c)^4 + 2(35(4a^3 + 11a^2b + 10ab^2 + 3b^3) \cosh(dx + c)^4 \\
& + 12a^3 + a^2b + 6ab^2 + 9b^3 + 30(4a^3 + 3a^2b - 4ab^2 - 3b^3) \cosh(dx + c)^2) \sinh(dx + c)^4 \\
& + 8(7(4a^3 + 11a^2b + 10ab^2 + 3b^3) \cosh(dx + c)^5 + 10(4a^3 + 3a^2b - 4ab^2 - 3b^3) \cosh(dx + c)^3 \\
& + (12a^3 + a^2b + 6ab^2 + 9b^3) \cosh(dx + c)) \sinh(dx + c)^3 + 4a^3 + 11a^2b + 10ab^2 + 3b^3 \\
& + 4(4a^3 + 3a^2b - 4ab^2 - 3b^3) \cosh(dx + c)^2 + 4(7(4a^3 + 11a^2b + 10ab^2 + 3b^3) \cosh(dx + c)^6 \\
& + 15(4a^3 + 3a^2b - 4ab^2 - 3b^3) \cosh(dx + c)^4 + 4a^3 + 3a^2b - 4ab^2 - 3b^3 + 3(12a^3 + a^2b + 6ab^2 \\
& + 9b^3) \cosh(dx + c)^2) \sinh(dx + c)^2 + 8((4a^3 + 11a^2b + 10ab^2 + 3b^3) \cosh(dx + c)^7 \\
& + 3(4a^3 + 3a^2b - 4ab^2 - 3b^3) \cosh(dx + c)^5 + (12a^3 + a^2b + 6ab^2 + 9b^3) \cosh(dx + c)^3 \\
& + (4a^3 + 3a^2b - 4ab^2 - 3b^3) \cosh(dx + c)) \sinh(dx + c) \sqrt{a^2 + ab} \arctan(1/2\sqrt{a^2 + ab} \\
& ((\cosh(dx + c) + \sinh(dx + c))/a) - 2(4a^4 + 11a^3b + 10a^2b^2 + 3ab^3) \cosh(dx + c) \\
& + 2(7(4a^4 + 11a^3b + 10a^2b^2 + 3ab^3) \cosh(dx + c)^6 + 5(4a^4 + 3a^3b - 10a^2b^2 - 9ab^3) \cosh(dx + c)^4 \\
& - 4a^4 - 11a^3b - 10a^2b^2 - 3ab^3 - 3(4a^4 + 3a^3b - 10a^2b^2 - 9ab^3) \cosh(dx + c)^2) \sinh(dx + c)) \\
& / ((a^7 + 4a^6b + 6a^5b^2 + 4a^4b^3 + a^3b^4) d \cosh(dx + c)^8 + 8(a^7 + 4a^6b + 6a^5b^2 + 4a^4b^3 + a^3b^4) d \cosh(dx + c) \sinh(dx + c)^7 \\
& + (a^7 + 4a^6b + 6a^5b^2 + 4a^4b^3 + a^3b^4) d \sinh(dx + c)^8 + 4(a^7 + 2a^6b - 2a^4b^3 - a^3b^4) d \cosh(dx + c)^6 \\
& + 4(7(a^7 + 4a^6b + 6a^5b^2 + 4a^4b^3 + a^3b^4) d \cosh(dx + c)^2 + (a^7 + 2a^6b - 2a^4b^3 - a^3b^4) d) \sinh(dx + c)^6 \\
& + 2(3a^7 + 4a^6b + 2a^5b^2 + 4a^4b^3 + 3a^3b^4) d \cosh(dx + c)^4 + 8(7(a^7 + 4a^6b + 6a^5b^2 + 4a^4b^3 + a^3b^4) d \cosh(dx + c)^3 \\
& + 3(a^7 + 2a^6b - 2a^4b^3 - a^3b^4) d \cosh(dx + c)) \sinh(dx + c)^5 + 2(35(a^7 + 4a^6b + 6a^5b^2 + 4a^4b^3 + a^3b^4) d \cosh(dx + c)) \sinh(dx + c)^5 \\
& + 2(35(a^7 + 4a^6b + 6a^5b^2 + 4a^4b^3 + a^3b^4) d \cosh(dx + c)) \sinh(dx + c)^5 + 2(35(a^7 + 4a^6b + 6a^5b^2 + 4a^4b^3 + a^3b^4) d \cosh(dx + c)) \sinh(dx + c)^5
\end{aligned}$$

```

*b^3 + a^3*b^4)*d*cosh(d*x + c)^4 + 30*(a^7 + 2*a^6*b - 2*a^4*b^3 - a^3*b^4
)*d*cosh(d*x + c)^2 + (3*a^7 + 4*a^6*b + 2*a^5*b^2 + 4*a^4*b^3 + 3*a^3*b^4)
*d)*sinh(d*x + c)^4 + 4*(a^7 + 2*a^6*b - 2*a^4*b^3 - a^3*b^4)*d*cosh(d*x +
c)^2 + 8*(7*(a^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 + a^3*b^4)*d*cosh(d*x +
c)^5 + 10*(a^7 + 2*a^6*b - 2*a^4*b^3 - a^3*b^4)*d*cosh(d*x + c)^3 + (3*a^7
+ 4*a^6*b + 2*a^5*b^2 + 4*a^4*b^3 + 3*a^3*b^4)*d*cosh(d*x + c))*sinh(d*x +
c)^3 + 4*(7*(a^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 + a^3*b^4)*d*cosh(d*x +
c)^6 + 15*(a^7 + 2*a^6*b - 2*a^4*b^3 - a^3*b^4)*d*cosh(d*x + c)^4 + 3*(3*a^
7 + 4*a^6*b + 2*a^5*b^2 + 4*a^4*b^3 + 3*a^3*b^4)*d*cosh(d*x + c)^2 + (a^7 +
2*a^6*b - 2*a^4*b^3 - a^3*b^4)*d)*sinh(d*x + c)^2 + (a^7 + 4*a^6*b + 6*a^5
*b^2 + 4*a^4*b^3 + a^3*b^4)*d + 8*((a^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 +
a^3*b^4)*d*cosh(d*x + c)^7 + 3*(a^7 + 2*a^6*b - 2*a^4*b^3 - a^3*b^4)*d*cos
h(d*x + c)^5 + (3*a^7 + 4*a^6*b + 2*a^5*b^2 + 4*a^4*b^3 + 3*a^3*b^4)*d*cosh
(d*x + c)^3 + (a^7 + 2*a^6*b - 2*a^4*b^3 - a^3*b^4)*d*cosh(d*x + c))*sinh(d
*x + c))]

```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sech(d*x+c)**3/(a+b*tanh(d*x+c)**2)**3,x)
```

```
[Out] Timed out
```

**Giac [C]** time = 2.42807, size = 7308, normalized size = 56.65

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sech(d*x+c)^3/(a+b*tanh(d*x+c)^2)^3,x, algorithm="giac")
```

```
[Out] 1/32*(2*(3*(4*a^5*e^(4*c) + 11*a^4*b*e^(4*c) + 10*a^3*b^2*e^(4*c) + 3*a^2*b
^3*e^(4*c))*cos(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))^2*cosh(1/2*i
mag_part(arccos(-a/(a + b) + b/(a + b))))^3*sin(1/2*real_part(arccos(-a/(a
+ b) + b/(a + b)))) - (4*a^5*e^(4*c) + 11*a^4*b*e^(4*c) + 10*a^3*b^2*e^(4*c
) + 3*a^2*b^3*e^(4*c))*cosh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b))))^

```

$$\begin{aligned}
& 3*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 - 9*(4*a^5*e^{(4*c)} + \\
& 11*a^4*b*e^{(4*c)} + 10*a^3*b^2*e^{(4*c)} + 3*a^2*b^3*e^{(4*c)})*\cos(1/2*\text{real\_pa} \\
& \text{rt}(\arccos(-a/(a + b) + b/(a + b))))^2*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) \\
& + b/(a + b))))^2*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sinh(1/ \\
& 2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) + 3*(4*a^5*e^{(4*c)} + 11*a^4*b* \\
& e^{(4*c)} + 10*a^3*b^2*e^{(4*c)} + 3*a^2*b^3*e^{(4*c)})*\cosh(1/2*\text{imag\_part}(\arccos \\
& (-a/(a + b) + b/(a + b))))^2*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b) \\
& ))))^3*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) + 9*(4*a^5*e^{(4* \\
& c)} + 11*a^4*b*e^{(4*c)} + 10*a^3*b^2*e^{(4*c)} + 3*a^2*b^3*e^{(4*c)})*\cos(1/2*\text{rea} \\
& \text{l\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + \\
& b) + b/(a + b))))*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sinh( \\
& 1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 - 3*(4*a^5*e^{(4*c)} + 11*a^ \\
& 4*b*e^{(4*c)} + 10*a^3*b^2*e^{(4*c)} + 3*a^2*b^3*e^{(4*c)})*\cosh(1/2*\text{imag\_part}(\ar \\
& \text{ccos}(-a/(a + b) + b/(a + b))))*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + \\
& b))))^3*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 - 3*(4*a^5*e \\
& ^{(4*c)} + 11*a^4*b*e^{(4*c)} + 10*a^3*b^2*e^{(4*c)} + 3*a^2*b^3*e^{(4*c)})*\cos(1/2 \\
& *\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\sin(1/2*\text{real\_part}(\arccos(-a/( \\
& a + b) + b/(a + b))))*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 \\
& + (4*a^5*e^{(4*c)} + 11*a^4*b*e^{(4*c)} + 10*a^3*b^2*e^{(4*c)} + 3*a^2*b^3*e^{(4* \\
& c)})*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\sinh(1/2*\text{imag\_part} \\
& (\arccos(-a/(a + b) + b/(a + b))))^3 + (4*a^5*e^{(4*c)} + 11*a^4*b*e^{(4*c)} + 1 \\
& 0*a^3*b^2*e^{(4*c)} + 3*a^2*b^3*e^{(4*c)})*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) \\
& + b/(a + b))))*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b)))) - (4*a^5 \\
& *e^{(4*c)} + 11*a^4*b*e^{(4*c)} + 10*a^3*b^2*e^{(4*c)} + 3*a^2*b^3*e^{(4*c)})*\sin(1 \\
& /2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))*\sinh(1/2*\text{imag\_part}(\arccos(-a/ \\
& (a + b) + b/(a + b))))*\arctan((((a^4 + 2*a^3*b + a^2*b^2)/(a^4*e^{(4*c)} + 2 \\
& *a^3*b*e^{(4*c)} + a^2*b^2*e^{(4*c)}))^{(1/4)}*\cos(1/2*\arccos(-(a - b)/(a + b))) \\
& + e^{(d*x)})/((((a^4 + 2*a^3*b + a^2*b^2)/(a^4*e^{(4*c)} + 2*a^3*b*e^{(4*c)} + a^2 \\
& *b^2*e^{(4*c)}))^{(1/4)}*\sin(1/2*\arccos(-(a - b)/(a + b)))))/(2*(a^3*e^{(2*c)} + \\
& a^2*b*e^{(2*c)})^2*a*b + (a^4*e^{(2*c)} - a^2*b^2*e^{(2*c)})*\sqrt{-a*b}*abs(-a^3* \\
& e^{(2*c)} - a^2*b*e^{(2*c)})) + 2*(3*(4*a^5*e^{(4*c)} + 11*a^4*b*e^{(4*c)} + 10*a^3 \\
& *b^2*e^{(4*c)} + 3*a^2*b^3*e^{(4*c)})*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/( \\
& a + b))))^2*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3*\sin(1/2*\text{r} \\
& \text{eal\_part}(\arccos(-a/(a + b) + b/(a + b)))) - (4*a^5*e^{(4*c)} + 11*a^4*b*e^{(4* \\
& c)} + 10*a^3*b^2*e^{(4*c)} + 3*a^2*b^3*e^{(4*c)})*\cosh(1/2*\text{imag\_part}(\arccos(-a/( \\
& a + b) + b/(a + b))))^3*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^ \\
& 3 - 9*(4*a^5*e^{(4*c)} + 11*a^4*b*e^{(4*c)} + 10*a^3*b^2*e^{(4*c)} + 3*a^2*b^3*e^{ \\
& (4*c)})*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\cosh(1/2*\text{imag\_p} \\
& \text{art}(\arccos(-a/(a + b) + b/(a + b))))^2*\sin(1/2*\text{real\_part}(\arccos(-a/(a + b) \\
& + b/(a + b))))*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) + 3*(4*a \\
& ^5*e^{(4*c)} + 11*a^4*b*e^{(4*c)} + 10*a^3*b^2*e^{(4*c)} + 3*a^2*b^3*e^{(4*c)})*\cos \\
& h(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\sin(1/2*\text{real\_part}(\arccos \\
& (-a/(a + b) + b/(a + b))))^3*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a + b) + b/(a + \\
& b)))) + 9*(4*a^5*e^{(4*c)} + 11*a^4*b*e^{(4*c)} + 10*a^3*b^2*e^{(4*c)} + 3*a^2*b^ \\
& 3*e^{(4*c)})*\cos(1/2*\text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2*\cosh(1/2*\text{im}
\end{aligned}$$

$$\begin{aligned}
& \operatorname{ag\_part}(\arccos(-a/(a+b) + b/(a+b))) * \sin(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sinh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - 3 * \\
& (4 * a^5 * e^{4 * c} + 11 * a^4 * b * e^{4 * c} + 10 * a^3 * b^2 * e^{4 * c} + 3 * a^2 * b^3 * e^{4 * c}) * \cosh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sin(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \sinh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - 3 * \\
& (4 * a^5 * e^{4 * c} + 11 * a^4 * b * e^{4 * c} + 10 * a^3 * b^2 * e^{4 * c} + 3 * a^2 * b^3 * e^{4 * c}) * \cos(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 * \sin(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sinh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 + \\
& (4 * a^5 * e^{4 * c} + 11 * a^4 * b * e^{4 * c} + 10 * a^3 * b^2 * e^{4 * c} + 3 * a^2 * b^3 * e^{4 * c}) * \sin(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \sinh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 + \\
& (4 * a^5 * e^{4 * c} + 11 * a^4 * b * e^{4 * c} + 10 * a^3 * b^2 * e^{4 * c} + 3 * a^2 * b^3 * e^{4 * c}) * \cosh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sin(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) - \\
& (4 * a^5 * e^{4 * c} + 11 * a^4 * b * e^{4 * c} + 10 * a^3 * b^2 * e^{4 * c} + 3 * a^2 * b^3 * e^{4 * c}) * \sin(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sinh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \arctan(-((a^4 + 2 * a^3 * b + a^2 * b^2) / (a^4 * e^{4 * c} + 2 * a^3 * b * e^{4 * c} + a^2 * b^2 * e^{4 * c})))^{1/4} * \cos(1/2 * \arccos(-(a-b)/(a+b))) - e^{(d * x)} / (((a^4 + 2 * a^3 * b + a^2 * b^2) / (a^4 * e^{4 * c} + 2 * a^3 * b * e^{4 * c} + a^2 * b^2 * e^{4 * c})))^{1/4} * \sin(1/2 * \arccos(-(a-b)/(a+b)))) / (2 * (a^3 * e^{2 * c} + a^2 * b * e^{2 * c}))^2 * a * b + (a^4 * e^{2 * c} - a^2 * b^2 * e^{2 * c}) * \sqrt{-a * b} * \operatorname{abs}(-a^3 * e^{2 * c} - a^2 * b * e^{2 * c})) + ((4 * a^5 * e^{4 * c} + 11 * a^4 * b * e^{4 * c} + 10 * a^3 * b^2 * e^{4 * c} + 3 * a^2 * b^3 * e^{4 * c}) * \cos(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \cosh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 - 3 * (4 * a^5 * e^{4 * c} + 11 * a^4 * b * e^{4 * c} + 10 * a^3 * b^2 * e^{4 * c} + 3 * a^2 * b^3 * e^{4 * c}) * \cos(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \cosh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \sin(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - 3 * (4 * a^5 * e^{4 * c} + 11 * a^4 * b * e^{4 * c} + 10 * a^3 * b^2 * e^{4 * c} + 3 * a^2 * b^3 * e^{4 * c}) * \cos(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \cosh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 * \sinh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) + 9 * (4 * a^5 * e^{4 * c} + 11 * a^4 * b * e^{4 * c} + 10 * a^3 * b^2 * e^{4 * c} + 3 * a^2 * b^3 * e^{4 * c}) * \cos(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \cosh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 * \sin(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 * \sinh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) + 3 * (4 * a^5 * e^{4 * c} + 11 * a^4 * b * e^{4 * c} + 10 * a^3 * b^2 * e^{4 * c} + 3 * a^2 * b^3 * e^{4 * c}) * \cos(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \cosh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sinh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - 9 * (4 * a^5 * e^{4 * c} + 11 * a^4 * b * e^{4 * c} + 10 * a^3 * b^2 * e^{4 * c} + 3 * a^2 * b^3 * e^{4 * c}) * \cos(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \cosh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sin(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 * \sinh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - (4 * a^5 * e^{4 * c} + 11 * a^4 * b * e^{4 * c} + 10 * a^3 * b^2 * e^{4 * c} + 3 * a^2 * b^3 * e^{4 * c}) * \cos(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 * \sinh(1/2 * \operatorname{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 + 3 * (4 * a^5 * e^{4 * c} + 11 * a^4 * b * e^{4 * c} + 10 * a^3 * b^2 * e^{4 * c} + 3 * a^2 * b^3 * e^{4 * c}) * \cos(1/2 * \operatorname{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) * \sin(1/2 * \operatorname{real\_part}(\arccos(-a/
\end{aligned}$$

$$\begin{aligned}
& ((a + b) + b/(a + b))^{2 \cdot \sinh(1/2 \cdot \text{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))} \\
& )^3 + (4a^5e^{4c} + 11a^4be^{4c} + 10a^3b^2e^{4c} + 3a^2b^3e^{4c}) \cdot \cos(1/2 \cdot \text{real\_part}(\arccos(-a/(a + b) + b/(a + b)))) \cdot \cosh(1/2 \cdot \text{imag\_part} \\
& (\arccos(-a/(a + b) + b/(a + b)))) - (4a^5e^{4c} + 11a^4be^{4c} + 10a^3b^2e^{4c} + 3a^2b^3e^{4c}) \cdot \cos(1/2 \cdot \text{real\_part}(\arccos(-a/(a + b) + \\
& b/(a + b)))) \cdot \sinh(1/2 \cdot \text{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) \cdot \log(2 \cdot (( \\
& a^4 + 2a^3b + a^2b^2)/(a^4e^{4c} + 2a^3be^{4c} + a^2b^2e^{4c})) \\
& )^{1/4} \cdot \cos(1/2 \cdot \arccos(-(a - b)/(a + b))) \cdot e^{dx} + \sqrt{(a^4 + 2a^3b + a^2b^2)/(a^4e^{4c} + 2a^3be^{4c} + a^2b^2e^{4c})} + e^{2dx})/(2 \cdot ( \\
& a^3e^{2c} + a^2be^{2c}))^2 \cdot a \cdot b + (a^4e^{2c} - a^2b^2e^{2c}) \cdot \sqrt{-a \cdot b} \cdot \text{abs}(-a^3e^{2c} - a^2be^{2c})) - ((4a^5e^{4c} + 11a^4be^{4c} + 10a^3b^2e^{4c} + 3a^2b^3e^{4c}) \cdot \cos(1/2 \cdot \text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 \cdot \cosh(1/2 \cdot \text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 \\
& - 3 \cdot (4a^5e^{4c} + 11a^4be^{4c} + 10a^3b^2e^{4c} + 3a^2b^3e^{4c}) \cdot \cos(1/2 \cdot \text{real\_part}(\arccos(-a/(a + b) + b/(a + b)))) \cdot \cosh(1/2 \cdot \text{imag\_part} \\
& (\arccos(-a/(a + b) + b/(a + b))))^3 \cdot \sin(1/2 \cdot \text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 - 3 \cdot (4a^5e^{4c} + 11a^4be^{4c} + 10a^3b^2e^{4c} + 3a^2b^3e^{4c}) \cdot \cos(1/2 \cdot \text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 \cdot \cosh(1/2 \cdot \text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 \cdot \sinh(1/2 \cdot \text{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) + 9 \cdot (4a^5e^{4c} + 11a^4be^{4c} + 10a^3b^2e^{4c} + 3a^2b^3e^{4c}) \cdot \cos(1/2 \cdot \text{real\_part}(\arccos(-a/(a + b) + b/(a + b)))) \cdot \cosh(1/2 \cdot \text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 \cdot \sin(1/2 \cdot \text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 \cdot \sinh(1/2 \cdot \text{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) + 3 \cdot (4a^5e^{4c} + 11a^4be^{4c} + 10a^3b^2e^{4c} + 3a^2b^3e^{4c}) \cdot \cos(1/2 \cdot \text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 \cdot \cosh(1/2 \cdot \text{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) \cdot \sinh(1/2 \cdot \text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 - 9 \cdot (4a^5e^{4c} + 11a^4be^{4c} + 10a^3b^2e^{4c} + 3a^2b^3e^{4c}) \cdot \cos(1/2 \cdot \text{real\_part}(\arccos(-a/(a + b) + b/(a + b)))) \cdot \cosh(1/2 \cdot \text{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) \cdot \sin(1/2 \cdot \text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 \cdot \sinh(1/2 \cdot \text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 - (4a^5e^{4c} + 11a^4be^{4c} + 10a^3b^2e^{4c} + 3a^2b^3e^{4c}) \cdot \cos(1/2 \cdot \text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 \cdot \sinh(1/2 \cdot \text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 + 3 \cdot (4a^5e^{4c} + 11a^4be^{4c} + 10a^3b^2e^{4c} + 3a^2b^3e^{4c}) \cdot \cos(1/2 \cdot \text{real\_part}(\arccos(-a/(a + b) + b/(a + b)))) \cdot \sin(1/2 \cdot \text{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 \cdot \sinh(1/2 \cdot \text{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 + (4a^5e^{4c} + 11a^4be^{4c} + 10a^3b^2e^{4c} + 3a^2b^3e^{4c}) \cdot \cos(1/2 \cdot \text{real\_part}(\arccos(-a/(a + b) + b/(a + b)))) \cdot \cosh(1/2 \cdot \text{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) - (4a^5e^{4c} + 11a^4be^{4c} + 10a^3b^2e^{4c} + 3a^2b^3e^{4c}) \cdot \cos(1/2 \cdot \text{real\_part}(\arccos(-a/(a + b) + b/(a + b)))) \cdot \sinh(1/2 \cdot \text{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) \cdot \log(-2 \cdot ((a^4 + 2a^3b + a^2b^2)/(a^4e^{4c} + 2a^3be^{4c} + a^2b^2e^{4c}))^{1/4} \cdot \cos(1/2 \cdot \arccos(-(a - b)/(a + b))) \cdot e^{dx} + \sqrt{(a^4 + 2a^3b + a^2b^2)/(a^4e^{4c} + 2a^3be^{4c} + a^2b^2e^{4c})} + e^{2dx})/(2 \cdot (a^3e^{2c} + a^2be^{2c}))^2 \cdot a \cdot b + (a^4e^{2c} - a^2b^2e^{2c}) \cdot \sqrt{-a \cdot b} \cdot \text{abs}
\end{aligned}$$

$$\begin{aligned}
& (-a^3e^{2c} - a^2be^{2c})) + 8(4a^2e^{(7dx+7c)} + 7ab e^{(7dx+7c)} + 3b^2e^{(7dx+7c)} + 4a^2e^{(5dx+5c)} - ab e^{(5dx+5c)} \\
& - 9b^2e^{(5dx+5c)} - 4a^2e^{(3dx+3c)} + ab e^{(3dx+3c)} + 9b^2e^{(3dx+3c)} - 4a^2e^{(dx+c)} - 7ab e^{(dx+c)} - 3b^2e^{(dx+c)}) \\
& / ((a^3 + a^2b)(ae^{(4dx+4c)} + be^{(4dx+4c)} + 2ae^{(2dx+2c)} - 2be^{(2dx+2c)} + a + b)^2) / d
\end{aligned}$$



$$3.130 \quad \int \frac{\operatorname{sech}^4(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$$

**Optimal.** Leaf size=115

$$-\frac{(a-3b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8a^{5/2}b^{3/2}d} - \frac{(a-3b) \tanh(c+dx)}{8a^2bd(a+b \tanh^2(c+dx))} + \frac{(a+b) \tanh(c+dx)}{4abd(a+b \tanh^2(c+dx))^2}$$

[Out]  $-\left(\left(a-3b\right) \operatorname{ArcTan}\left[\frac{\operatorname{Sqrt}[b] \operatorname{Tanh}[c+d*x]}{\operatorname{Sqrt}[a]}\right]\right) / \left(8*a^{(5/2)}*b^{(3/2)}*d\right) + \left(\left(a+b\right) \operatorname{Tanh}[c+d*x]\right) / \left(4*a*b*d*\left(a+b \operatorname{Tanh}[c+d*x]^2\right)^2\right) - \left(\left(a-3b\right) \operatorname{Tanh}[c+d*x]\right) / \left(8*a^2*b*d*\left(a+b \operatorname{Tanh}[c+d*x]^2\right)\right)$

**Rubi [A]** time = 0.0968225, antiderivative size = 115, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {3675, 385, 199, 205}

$$-\frac{(a-3b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8a^{5/2}b^{3/2}d} - \frac{(a-3b) \tanh(c+dx)}{8a^2bd(a+b \tanh^2(c+dx))} + \frac{(a+b) \tanh(c+dx)}{4abd(a+b \tanh^2(c+dx))^2}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[\operatorname{Sech}[c+d*x]^4/(a+b \operatorname{Tanh}[c+d*x]^2)^3, x]$

[Out]  $-\left(\left(a-3b\right) \operatorname{ArcTan}\left[\frac{\operatorname{Sqrt}[b] \operatorname{Tanh}[c+d*x]}{\operatorname{Sqrt}[a]}\right]\right) / \left(8*a^{(5/2)}*b^{(3/2)}*d\right) + \left(\left(a+b\right) \operatorname{Tanh}[c+d*x]\right) / \left(4*a*b*d*\left(a+b \operatorname{Tanh}[c+d*x]^2\right)^2\right) - \left(\left(a-3b\right) \operatorname{Tanh}[c+d*x]\right) / \left(8*a^2*b*d*\left(a+b \operatorname{Tanh}[c+d*x]^2\right)\right)$

### Rule 3675

$\operatorname{Int}[\operatorname{sec}[(e_.) + (f_.)*(x_.)]^{(m_.)}*((a_.) + (b_.)*((c_.)*\operatorname{tan}[(e_.) + (f_.)*(x_.)])^{(n_.)})^{(p_.)}, x\_Symbol] \rightarrow \operatorname{With}\{\{ff = \operatorname{FreeFactors}[\operatorname{Tan}[e + f*x], x]\}, \operatorname{Dist}[ff/(c^{(m-1)}*f), \operatorname{Subst}[\operatorname{Int}[(c^2 + ff^2*x^2)^{(m/2-1)}*(a + b*(ff*x)^n)^p, x], x, (c*\operatorname{Tan}[e + f*x])/ff], x]\} /; \operatorname{FreeQ}\{a, b, c, e, f, n, p\}, x\} \&\& \operatorname{IntegerQ}[m/2] \&\& (\operatorname{IntegersQ}[n, p] \parallel \operatorname{IGtQ}[m, 0] \parallel \operatorname{IGtQ}[p, 0] \parallel \operatorname{EqQ}[n^2, 4] \parallel \operatorname{EqQ}[n^2, 16])$

### Rule 385

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := -Simp[
((b*c - a*d)*x*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] - Dist[(a*d - b
*c*(n*(p + 1) + 1))/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[
{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n +
p, 0])
```

### Rule 199

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*(a + b*x^n)^(p + 1))
/(a*n*(p + 1)), x] + Dist[(n*(p + 1) + 1)/(a*n*(p + 1)), Int[(a + b*x^n)^(p + 1),
x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && LtQ[p, -1] && (IntegerQ[2*p] || (n == 2 && IntegerQ[4*p]) || (n == 2 && IntegerQ[3*p]) || Denominator[p + 1/n] < Denominator[p])
```

### Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

### Rubi steps

$$\int \frac{\operatorname{sech}^4(c + dx)}{(a + b \tanh^2(c + dx))^3} dx = \frac{\operatorname{Subst}\left(\int \frac{1-x^2}{(a+bx^2)^3} dx, x, \tanh(c + dx)\right)}{d}$$

$$= \frac{(a + b) \tanh(c + dx)}{4abd (a + b \tanh^2(c + dx))^2} - \frac{(a - 3b) \operatorname{Subst}\left(\int \frac{1}{(a+bx^2)^2} dx, x, \tanh(c + dx)\right)}{4abd}$$

$$= \frac{(a + b) \tanh(c + dx)}{4abd (a + b \tanh^2(c + dx))^2} - \frac{(a - 3b) \tanh(c + dx)}{8a^2bd (a + b \tanh^2(c + dx))} - \frac{(a - 3b) \operatorname{Subst}\left(\int \frac{1}{a+bx^2} dx, x, \tanh(c + dx)\right)}{8a^2bd}$$

$$= -\frac{(a - 3b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c + dx)}{\sqrt{a}}\right)}{8a^{5/2}b^{3/2}d} + \frac{(a + b) \tanh(c + dx)}{4abd (a + b \tanh^2(c + dx))^2} - \frac{(a - 3b) \tanh(c + dx)}{8a^2bd (a + b \tanh^2(c + dx))}$$

**Mathematica [A]** time = 0.962973, size = 115, normalized size = 1.

$$\frac{\sqrt{a} \sinh(2(c+dx))((a^2+4ab+3b^2) \cosh(2(c+dx))+a^2+6ab-3b^2)}{b((a+b) \cosh(2(c+dx))+a-b)^2} + \frac{(3b-a) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{b^{3/2}}}{8a^{5/2}d}$$

Antiderivative was successfully verified.

[In] Integrate[Sech[c + d\*x]^4/(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] (((-a + 3\*b)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/b^(3/2) + (Sqrt[a]\*(a^2 + 6\*a\*b - 3\*b^2 + (a^2 + 4\*a\*b + 3\*b^2)\*Cosh[2\*(c + d\*x)])\*Sinh[2\*(c + d\*x)])/(b\*(a - b + (a + b)\*Cosh[2\*(c + d\*x)]^2))/(8\*a^(5/2)\*d)

**Maple [B]** time = 0.111, size = 1270, normalized size = 11.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sech(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2)^3,x)

[Out] 1/4/d/(tanh(1/2\*d\*x+1/2\*c)^4\*a+2\*tanh(1/2\*d\*x+1/2\*c)^2\*a+4\*tanh(1/2\*d\*x+1/2\*c)^2\*b+a)^2/b\*tanh(1/2\*d\*x+1/2\*c)^7+5/4/d/(tanh(1/2\*d\*x+1/2\*c)^4\*a+2\*tanh(1/2\*d\*x+1/2\*c)^2\*a+4\*tanh(1/2\*d\*x+1/2\*c)^2\*b+a)^2/a\*tanh(1/2\*d\*x+1/2\*c)^7+3/4/d/(tanh(1/2\*d\*x+1/2\*c)^4\*a+2\*tanh(1/2\*d\*x+1/2\*c)^2\*a+4\*tanh(1/2\*d\*x+1/2\*c)^2\*b+a)^2/b\*tanh(1/2\*d\*x+1/2\*c)^5+11/4/d/(tanh(1/2\*d\*x+1/2\*c)^4\*a+2\*tanh(1/2\*d\*x+1/2\*c)^2\*a+4\*tanh(1/2\*d\*x+1/2\*c)^2\*b+a)^2/a\*tanh(1/2\*d\*x+1/2\*c)^5+3/d/a^2\*b/(tanh(1/2\*d\*x+1/2\*c)^4\*a+2\*tanh(1/2\*d\*x+1/2\*c)^2\*a+4\*tanh(1/2\*d\*x+1/2\*c)^2\*b+a)^2\*tanh(1/2\*d\*x+1/2\*c)^5+3/4/d/(tanh(1/2\*d\*x+1/2\*c)^4\*a+2\*tanh(1/2\*d\*x+1/2\*c)^2\*a+4\*tanh(1/2\*d\*x+1/2\*c)^2\*b+a)^2/b\*tanh(1/2\*d\*x+1/2\*c)^3+11/4/d/(tanh(1/2\*d\*x+1/2\*c)^4\*a+2\*tanh(1/2\*d\*x+1/2\*c)^2\*a+4\*tanh(1/2\*d\*x+1/2\*c)^2\*b+a)^2/a\*tanh(1/2\*d\*x+1/2\*c)^3+3/d/a^2\*b/(tanh(1/2\*d\*x+1/2\*c)^4\*a+2\*tanh(1/2\*d\*x+1/2\*c)^2\*a+4\*tanh(1/2\*d\*x+1/2\*c)^2\*b+a)^2\*tanh(1/2\*d\*x+1/2\*c)^3+1/4/d/(tanh(1/2\*d\*x+1/2\*c)^4\*a+2\*tanh(1/2\*d\*x+1/2\*c)^2\*a+4\*tanh(1/2\*d\*x+1/2\*c)^2\*b+a)^2/b\*tanh(1/2\*d\*x+1/2\*c)+5/4/d/(tanh(1/2\*d\*x+1/2\*c)^4\*a+2\*tanh(1/2\*d\*x+1/2\*c)^2\*a+4\*tanh(1/2\*d\*x+1/2\*c)^2\*b+a)^2/a\*tanh(1/2\*d\*x+1/2\*c)+1/8/d/b/(b\*(a+b))^(1/2)/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2)\*arctanh(a\*tanh(1/2\*d\*x+1/2\*c)/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2))-1/8/d/a/b/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2)\*arctanh(a\*tanh(1/2\*d\*x+1/2\*c)/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2))-1/4/d/(b\*(a+b))^(1/2)/a/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2)\*arctanh(a\*tanh(1/2\*d\*x+1/2\*c)/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2))+1/8/d/b/(b\*(a+b))^(1/2)/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2)\*arctan(a\*tanh(1/2\*d\*x+1/2\*c)/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2))+1/8/d/a/b/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2)\*arctan(a\*tanh(1/2\*d\*x+1/2\*c)/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2))-1/4/d/(b\*(a+b))^(1/2)/a/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2)\*arctan(a\*tanh(1/2\*d\*x+1/2\*c)/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2))+3/8/d/a^2/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2)\*arctanh(a\*tanh(1/2\*d\*x+1/2\*c)/((2\*(b\*(a+b))^(1/2)-a

$$-2*b)*a)^{(1/2)}-3/8/d/a^2*b/(b*(a+b))^{(1/2)/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)}-3/8/d/a^2/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)}-3/8/d/a^2*b/(b*(a+b))^{(1/2)/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2))}$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [B]** time = 2.97443, size = 12604, normalized size = 109.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out] 
$$\begin{aligned} &[-1/16*(4*(a^4*b - a^3*b^2 - 5*a^2*b^3 - 3*a*b^4)*\cosh(d*x + c)^6 + 24*(a^4*b - a^3*b^2 - 5*a^2*b^3 - 3*a*b^4)*\cosh(d*x + c)*\sinh(d*x + c)^5 + 4*(a^4*b - a^3*b^2 - 5*a^2*b^3 - 3*a*b^4)*\sinh(d*x + c)^6 + 4*a^4*b + 20*a^3*b^2 + 28*a^2*b^3 + 12*a*b^4 + 4*(3*a^4*b + 7*a^3*b^2 - 3*a^2*b^3 + 9*a*b^4)*\cosh(d*x + c)^4 + 4*(3*a^4*b + 7*a^3*b^2 - 3*a^2*b^3 + 9*a*b^4 + 15*(a^4*b - a^3*b^2 - 5*a^2*b^3 - 3*a*b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + 16*(5*(a^4*b - a^3*b^2 - 5*a^2*b^3 - 3*a*b^4)*\cosh(d*x + c)^3 + (3*a^4*b + 7*a^3*b^2 - 3*a^2*b^3 + 9*a*b^4)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 4*(3*a^4*b + 13*a^3*b^2 + a^2*b^3 - 9*a*b^4)*\cosh(d*x + c)^2 + 4*(3*a^4*b + 13*a^3*b^2 + a^2*b^3 - 9*a*b^4 + 15*(a^4*b - a^3*b^2 - 5*a^2*b^3 - 3*a*b^4)*\cosh(d*x + c)^4 + 6*(3*a^4*b + 7*a^3*b^2 - 3*a^2*b^3 + 9*a*b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 - ((a^4 - 6*a^2*b^2 - 8*a*b^3 - 3*b^4)*\cosh(d*x + c)^8 + 8*(a^4 - 6*a^2*b^2 - 8*a*b^3 - 3*b^4)*\cosh(d*x + c)*\sinh(d*x + c)^7 + (a^4 - 6*a^2*b^2 - 8*a*b^3 - 3*b^4)*\sinh(d*x + c)^8 + 4*(a^4 - 2*a^3*b - 4*a^2*b^2 + 2*a*b^3 + 3*b^4)*\cosh(d*x + c)^6 + 4*(a^4 - 2*a^3*b - 4*a^2*b^2 + 2*a*b^3 + 3*b^4 + \end{aligned}$$

$$\begin{aligned}
& 7*(a^4 - 6*a^2*b^2 - 8*a*b^3 - 3*b^4)*\cosh(d*x + c)^2*\sinh(d*x + c)^6 + 8* \\
& (7*(a^4 - 6*a^2*b^2 - 8*a*b^3 - 3*b^4)*\cosh(d*x + c)^3 + 3*(a^4 - 2*a^3*b - \\
& 4*a^2*b^2 + 2*a*b^3 + 3*b^4)*\cosh(d*x + c))*\sinh(d*x + c)^5 + 2*(3*a^4 - 8* \\
& a^3*b - 2*a^2*b^2 - 9*b^4)*\cosh(d*x + c)^4 + 2*(35*(a^4 - 6*a^2*b^2 - 8*a* \\
& b^3 - 3*b^4)*\cosh(d*x + c)^4 + 3*a^4 - 8*a^3*b - 2*a^2*b^2 - 9*b^4 + 30*(a^ \\
& 4 - 2*a^3*b - 4*a^2*b^2 + 2*a*b^3 + 3*b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 \\
& + a^4 - 6*a^2*b^2 - 8*a*b^3 - 3*b^4 + 8*(7*(a^4 - 6*a^2*b^2 - 8*a*b^3 - 3* \\
& b^4)*\cosh(d*x + c)^5 + 10*(a^4 - 2*a^3*b - 4*a^2*b^2 + 2*a*b^3 + 3*b^4)*\cos \\
& h(d*x + c)^3 + (3*a^4 - 8*a^3*b - 2*a^2*b^2 - 9*b^4)*\cosh(d*x + c))*\sinh(d* \\
& x + c)^3 + 4*(a^4 - 2*a^3*b - 4*a^2*b^2 + 2*a*b^3 + 3*b^4)*\cosh(d*x + c)^2 \\
& + 4*(7*(a^4 - 6*a^2*b^2 - 8*a*b^3 - 3*b^4)*\cosh(d*x + c)^6 + 15*(a^4 - 2*a^ \\
& 3*b - 4*a^2*b^2 + 2*a*b^3 + 3*b^4)*\cosh(d*x + c)^4 + a^4 - 2*a^3*b - 4*a^2* \\
& b^2 + 2*a*b^3 + 3*b^4 + 3*(3*a^4 - 8*a^3*b - 2*a^2*b^2 - 9*b^4)*\cosh(d*x + \\
& c)^2)*\sinh(d*x + c)^2 + 8*((a^4 - 6*a^2*b^2 - 8*a*b^3 - 3*b^4)*\cosh(d*x + c \\
& )^7 + 3*(a^4 - 2*a^3*b - 4*a^2*b^2 + 2*a*b^3 + 3*b^4)*\cosh(d*x + c)^5 + (3* \\
& a^4 - 8*a^3*b - 2*a^2*b^2 - 9*b^4)*\cosh(d*x + c)^3 + (a^4 - 2*a^3*b - 4*a^2 \\
& *b^2 + 2*a*b^3 + 3*b^4)*\cosh(d*x + c))*\sinh(d*x + c))*\sqrt{-a*b}*\log(((a^2 \\
& + 2*a*b + b^2)*\cosh(d*x + c)^4 + 4*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)*\sinh(d \\
& *x + c)^3 + (a^2 + 2*a*b + b^2)*\sinh(d*x + c)^4 + 2*(a^2 - b^2)*\cosh(d*x + \\
& c)^2 + 2*(3*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^2 + a^2 - b^2)*\sinh(d*x + c)^ \\
& 2 + a^2 - 6*a*b + b^2 + 4*((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^3 + (a^2 - b^2 \\
& )*\cosh(d*x + c))*\sinh(d*x + c) - 4*((a + b)*\cosh(d*x + c)^2 + 2*(a + b)*\cos \\
& h(d*x + c)*\sinh(d*x + c) + (a + b)*\sinh(d*x + c)^2 + a - b)*\sqrt{-a*b}))/((a \\
& + b)*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a + b)*\s \\
& inh(d*x + c)^4 + 2*(a - b)*\cosh(d*x + c)^2 + 2*(3*(a + b)*\cosh(d*x + c)^2 + \\
& a - b)*\sinh(d*x + c)^2 + 4*((a + b)*\cosh(d*x + c)^3 + (a - b)*\cosh(d*x + c \\
& ))*\sinh(d*x + c) + a + b)) + 8*(3*(a^4*b - a^3*b^2 - 5*a^2*b^3 - 3*a*b^4)*\c \\
& osh(d*x + c)^5 + 2*(3*a^4*b + 7*a^3*b^2 - 3*a^2*b^3 + 9*a*b^4)*\cosh(d*x + c \\
& )^3 + (3*a^4*b + 13*a^3*b^2 + a^2*b^3 - 9*a*b^4)*\cosh(d*x + c))*\sinh(d*x + \\
& c))/((a^6*b^2 + 3*a^5*b^3 + 3*a^4*b^4 + a^3*b^5)*d*\cosh(d*x + c)^8 + 8*(a^6 \\
& *b^2 + 3*a^5*b^3 + 3*a^4*b^4 + a^3*b^5)*d*\cosh(d*x + c)*\sinh(d*x + c)^7 + ( \\
& a^6*b^2 + 3*a^5*b^3 + 3*a^4*b^4 + a^3*b^5)*d*\sinh(d*x + c)^8 + 4*(a^6*b^2 + \\
& a^5*b^3 - a^4*b^4 - a^3*b^5)*d*\cosh(d*x + c)^6 + 4*(7*(a^6*b^2 + 3*a^5*b^3 \\
& + 3*a^4*b^4 + a^3*b^5)*d*\cosh(d*x + c)^2 + (a^6*b^2 + a^5*b^3 - a^4*b^4 - \\
& a^3*b^5)*d)*\sinh(d*x + c)^6 + 2*(3*a^6*b^2 + a^5*b^3 + a^4*b^4 + 3*a^3*b^5) \\
& *d*\cosh(d*x + c)^4 + 8*(7*(a^6*b^2 + 3*a^5*b^3 + 3*a^4*b^4 + a^3*b^5)*d*\cos \\
& h(d*x + c)^3 + 3*(a^6*b^2 + a^5*b^3 - a^4*b^4 - a^3*b^5)*d*\cosh(d*x + c))*\s \\
& inh(d*x + c)^5 + 2*(35*(a^6*b^2 + 3*a^5*b^3 + 3*a^4*b^4 + a^3*b^5)*d*\cosh(d \\
& *x + c)^4 + 30*(a^6*b^2 + a^5*b^3 - a^4*b^4 - a^3*b^5)*d*\cosh(d*x + c)^2 + \\
& (3*a^6*b^2 + a^5*b^3 + a^4*b^4 + 3*a^3*b^5)*d)*\sinh(d*x + c)^4 + 4*(a^6*b^2 \\
& + a^5*b^3 - a^4*b^4 - a^3*b^5)*d*\cosh(d*x + c)^2 + 8*(7*(a^6*b^2 + 3*a^5*b \\
& ^3 + 3*a^4*b^4 + a^3*b^5)*d*\cosh(d*x + c)^5 + 10*(a^6*b^2 + a^5*b^3 - a^4*b \\
& ^4 - a^3*b^5)*d*\cosh(d*x + c)^3 + (3*a^6*b^2 + a^5*b^3 + a^4*b^4 + 3*a^3*b \\
& ^5)*d*\cosh(d*x + c))*\sinh(d*x + c)^3 + 4*(7*(a^6*b^2 + 3*a^5*b^3 + 3*a^4*b^4 \\
& + a^3*b^5)*d*\cosh(d*x + c)^6 + 15*(a^6*b^2 + a^5*b^3 - a^4*b^4 - a^3*b^5)*
\end{aligned}$$

$$\begin{aligned}
& d \cosh(dx + c)^4 + 3(3a^6b^2 + a^5b^3 + a^4b^4 + 3a^3b^5) d \cosh(dx + c)^2 + (a^6b^2 + a^5b^3 - a^4b^4 - a^3b^5) d \sinh(dx + c)^2 + (a^6b^2 + 3a^5b^3 + 3a^4b^4 + a^3b^5) d + 8((a^6b^2 + 3a^5b^3 + 3a^4b^4 + a^3b^5) d \cosh(dx + c)^7 + 3(a^6b^2 + a^5b^3 - a^4b^4 - a^3b^5) d \cosh(dx + c)^5 + (3a^6b^2 + a^5b^3 + a^4b^4 + 3a^3b^5) d \cosh(dx + c)^3 + (a^6b^2 + a^5b^3 - a^4b^4 - a^3b^5) d \cosh(dx + c) \sinh(dx + c)), \\
& -1/8(2(a^4b - a^3b^2 - 5a^2b^3 - 3ab^4) \cosh(dx + c)^6 + 12(a^4b - a^3b^2 - 5a^2b^3 - 3ab^4) \cosh(dx + c) \sinh(dx + c)^5 + 2(a^4b - a^3b^2 - 5a^2b^3 - 3ab^4) \sinh(dx + c)^6 + 2a^4b + 10a^3b^2 + 14a^2b^3 + 6ab^4 + 2(3a^4b + 7a^3b^2 - 3a^2b^3 + 9ab^4) \cosh(dx + c)^4 + 2(3a^4b + 7a^3b^2 - 3a^2b^3 + 9ab^4 + 15(a^4b - a^3b^2 - 5a^2b^3 - 3ab^4) \cosh(dx + c)^2) \sinh(dx + c)^4 + 8(5(a^4b - a^3b^2 - 5a^2b^3 - 3ab^4) \cosh(dx + c)^3 + (3a^4b + 7a^3b^2 - 3a^2b^3 + 9ab^4) \cosh(dx + c)) \sinh(dx + c)^3 + 2(3a^4b + 13a^3b^2 + a^2b^3 - 9ab^4) \cosh(dx + c)^2 + 2(3a^4b + 13a^3b^2 + a^2b^3 - 9ab^4) \cosh(dx + c)^4 + 6(3a^4b + 7a^3b^2 - 3a^2b^3 + 9ab^4) \cosh(dx + c)^2) \sinh(dx + c)^2 + ((a^4 - 6a^2b^2 - 8ab^3 - 3b^4) \cosh(dx + c)^8 + 8(a^4 - 6a^2b^2 - 8ab^3 - 3b^4) \cosh(dx + c) \sinh(dx + c)^7 + (a^4 - 6a^2b^2 - 8ab^3 - 3b^4) \sinh(dx + c)^8 + 4(a^4 - 2a^3b - 4a^2b^2 + 2ab^3 + 3b^4) \cosh(dx + c)^6 + 4(a^4 - 2a^3b - 4a^2b^2 + 2ab^3 + 3b^4) \cosh(dx + c)^2) \sinh(dx + c)^6 + 8(7(a^4 - 6a^2b^2 - 8ab^3 - 3b^4) \cosh(dx + c)^3 + 3(a^4 - 2a^3b - 4a^2b^2 + 2ab^3 + 3b^4) \cosh(dx + c)) \sinh(dx + c)^5 + 2(3a^4 - 8a^3b - 2a^2b^2 - 9b^4) \cosh(dx + c)^4 + 2(35(a^4 - 6a^2b^2 - 8ab^3 - 3b^4) \cosh(dx + c)^4 + 3a^4 - 8a^3b - 2a^2b^2 - 9b^4 + 30(a^4 - 2a^3b - 4a^2b^2 + 2ab^3 + 3b^4) \cosh(dx + c)^2) \sinh(dx + c)^4 + a^4 - 6a^2b^2 - 8ab^3 - 3b^4 + 8(7(a^4 - 6a^2b^2 - 8ab^3 - 3b^4) \cosh(dx + c)^5 + 10(a^4 - 2a^3b - 4a^2b^2 + 2ab^3 + 3b^4) \cosh(dx + c)^3 + (3a^4 - 8a^3b - 2a^2b^2 - 9b^4) \cosh(dx + c)) \sinh(dx + c)^3 + 4(a^4 - 2a^3b - 4a^2b^2 + 2ab^3 + 3b^4) \cosh(dx + c)^2 + 4(7(a^4 - 6a^2b^2 - 8ab^3 - 3b^4) \cosh(dx + c)^6 + 15(a^4 - 2a^3b - 4a^2b^2 + 2ab^3 + 3b^4) \cosh(dx + c)^4 + a^4 - 2a^3b - 4a^2b^2 + 2ab^3 + 3b^4 + 3(3a^4 - 8a^3b - 2a^2b^2 - 9b^4) \cosh(dx + c)^2) \sinh(dx + c)^2 + 8((a^4 - 6a^2b^2 - 8ab^3 - 3b^4) \cosh(dx + c)^7 + 3(a^4 - 2a^3b - 4a^2b^2 + 2ab^3 + 3b^4) \cosh(dx + c)^5 + (3a^4 - 8a^3b - 2a^2b^2 - 9b^4) \cosh(dx + c)^3 + (a^4 - 2a^3b - 4a^2b^2 + 2ab^3 + 3b^4) \cosh(dx + c)) \sinh(dx + c)) \sqrt{ab} \arctan(1/2((a + b) \cosh(dx + c)^2 + 2(a + b) \cosh(dx + c) \sinh(dx + c) + (a + b) \sinh(dx + c)^2 + a - b) \sqrt{ab} / (ab)) + 4(3(a^4b - a^3b^2 - 5a^2b^3 - 3ab^4) \cosh(dx + c)^5 + 2(3a^4b + 7a^3b^2 - 3a^2b^3 + 9ab^4) \cosh(dx + c)^3 + (3a^4b + 13a^3b^2 + a^2b^3 - 9ab^4) \cosh(dx + c)) \sinh(dx + c)) / ((a^6b^2 + 3a^5b^3 + 3a^4b^4 + a^3b^5) d \cosh(dx + c)^8 + 8(a^6b^2 + 3a^5b^3 + 3a^4b^4 + a^3b^5) d \cosh(dx + c) \sinh(dx + c)^7 + (a^6b^2 + 3a^5b^3 + 3a^4b^4 + a^3b^5) d \sinh(dx + c)^6 + 4(a^6b^2 + 3a^5b^3 + 3a^4b^4 + a^3b^5) d \sinh(dx + c)^4 + (a^6b^2 + 3a^5b^3 + 3a^4b^4 + a^3b^5) d \sinh(dx + c)^2 + a^6b^2 + 3a^5b^3 + 3a^4b^4 + a^3b^5) d \sinh(dx + c)
\end{aligned}$$

$$\begin{aligned}
& + c)^8 + 4*(a^6*b^2 + a^5*b^3 - a^4*b^4 - a^3*b^5)*d*cosh(d*x + c)^6 + 4*( \\
& 7*(a^6*b^2 + 3*a^5*b^3 + 3*a^4*b^4 + a^3*b^5)*d*cosh(d*x + c)^2 + (a^6*b^2 \\
& + a^5*b^3 - a^4*b^4 - a^3*b^5)*d)*sinh(d*x + c)^6 + 2*(3*a^6*b^2 + a^5*b^3 \\
& + a^4*b^4 + 3*a^3*b^5)*d*cosh(d*x + c)^4 + 8*(7*(a^6*b^2 + 3*a^5*b^3 + 3*a^4 \\
& 4*b^4 + a^3*b^5)*d*cosh(d*x + c)^3 + 3*(a^6*b^2 + a^5*b^3 - a^4*b^4 - a^3*b \\
& ^5)*d*cosh(d*x + c))*sinh(d*x + c)^5 + 2*(35*(a^6*b^2 + 3*a^5*b^3 + 3*a^4*b \\
& ^4 + a^3*b^5)*d*cosh(d*x + c)^4 + 30*(a^6*b^2 + a^5*b^3 - a^4*b^4 - a^3*b^5 \\
& )*d*cosh(d*x + c)^2 + (3*a^6*b^2 + a^5*b^3 + a^4*b^4 + 3*a^3*b^5)*d)*sinh(d \\
& *x + c)^4 + 4*(a^6*b^2 + a^5*b^3 - a^4*b^4 - a^3*b^5)*d*cosh(d*x + c)^2 + 8 \\
& *(7*(a^6*b^2 + 3*a^5*b^3 + 3*a^4*b^4 + a^3*b^5)*d*cosh(d*x + c)^5 + 10*(a^6 \\
& *b^2 + a^5*b^3 - a^4*b^4 - a^3*b^5)*d*cosh(d*x + c)^3 + (3*a^6*b^2 + a^5*b^ \\
& 3 + a^4*b^4 + 3*a^3*b^5)*d*cosh(d*x + c))*sinh(d*x + c)^3 + 4*(7*(a^6*b^2 + \\
& 3*a^5*b^3 + 3*a^4*b^4 + a^3*b^5)*d*cosh(d*x + c)^6 + 15*(a^6*b^2 + a^5*b^3 \\
& - a^4*b^4 - a^3*b^5)*d*cosh(d*x + c)^4 + 3*(3*a^6*b^2 + a^5*b^3 + a^4*b^4 \\
& + 3*a^3*b^5)*d*cosh(d*x + c)^2 + (a^6*b^2 + a^5*b^3 - a^4*b^4 - a^3*b^5)*d) \\
& *sinh(d*x + c)^2 + (a^6*b^2 + 3*a^5*b^3 + 3*a^4*b^4 + a^3*b^5)*d + 8*((a^6* \\
& b^2 + 3*a^5*b^3 + 3*a^4*b^4 + a^3*b^5)*d*cosh(d*x + c)^7 + 3*(a^6*b^2 + a^5 \\
& *b^3 - a^4*b^4 - a^3*b^5)*d*cosh(d*x + c)^5 + (3*a^6*b^2 + a^5*b^3 + a^4*b^ \\
& 4 + 3*a^3*b^5)*d*cosh(d*x + c)^3 + (a^6*b^2 + a^5*b^3 - a^4*b^4 - a^3*b^5)* \\
& d*cosh(d*x + c))*sinh(d*x + c)]
\end{aligned}$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)\*\*4/(a+b\*tanh(d\*x+c)\*\*2)\*\*3,x)

[Out] Timed out

**Giac [B]** time = 1.9162, size = 448, normalized size = 3.9

$$\frac{(ae^{2c}-3be^{2c}) \arctan\left(\frac{ae^{2dx+2c}+be^{2dx+2c}+a-b}{2\sqrt{ab}}\right)e^{-2c}}{\sqrt{ab}a^2b} + \frac{2(a^3e^{6dx+6c}-a^2be^{6dx+6c}-5ab^2e^{6dx+6c}-3b^3e^{6dx+6c}+3a^3e^{4dx+4c}+7a^2be^{4dx+4c}-3ab^2e^{4dx+4c})}{(a^3b+a^2b^2)(ae^{4dx+4c}+be^{4dx+4c})}$$

$8d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out] 
$$-1/8*((a*e^{2*c} - 3*b*e^{2*c})*\arctan(1/2*(a*e^{2*d*x + 2*c} + b*e^{2*d*x + 2*c}) + a - b)/\sqrt{a*b})*e^{-2*c}/(\sqrt{a*b}*a^{2*b}) + 2*(a^3*e^{6*d*x + 6*c} - a^2*b*e^{6*d*x + 6*c} - 5*a*b^2*e^{6*d*x + 6*c} - 3*b^3*e^{6*d*x + 6*c}) + 3*a^3*e^{4*d*x + 4*c} + 7*a^2*b*e^{4*d*x + 4*c} - 3*a*b^2*e^{4*d*x + 4*c} + 9*b^3*e^{4*d*x + 4*c} + 3*a^3*e^{2*d*x + 2*c} + 13*a^2*b*e^{2*d*x + 2*c} + a*b^2*e^{2*d*x + 2*c} - 9*b^3*e^{2*d*x + 2*c} + a^3 + 5*a^2*b + 7*a*b^2 + 3*b^3)/((a^3*b + a^2*b^2)*(a*e^{4*d*x + 4*c} + b*e^{4*d*x + 4*c} + 2*a*e^{2*d*x + 2*c} - 2*b*e^{2*d*x + 2*c} + a + b)^2))/d$$



$$3.131 \quad \int \frac{\operatorname{sech}^5(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$$

**Optimal.** Leaf size=104

$$\frac{3 \sinh(c+dx)}{8a^2d((a+b) \sinh^2(c+dx)+a)} + \frac{3 \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{8a^{5/2}d\sqrt{a+b}} + \frac{\sinh(c+dx)}{4ad((a+b) \sinh^2(c+dx)+a)^2}$$

[Out] (3\*ArcTan[(Sqrt[a + b]\*Sinh[c + d\*x])/Sqrt[a]])/(8\*a^(5/2)\*Sqrt[a + b]\*d) + Sinh[c + d\*x]/(4\*a\*d\*(a + (a + b)\*Sinh[c + d\*x]^2)^2) + (3\*Sinh[c + d\*x])/(8\*a^2\*d\*(a + (a + b)\*Sinh[c + d\*x]^2))

**Rubi [A]** time = 0.0905743, antiderivative size = 104, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$ , Rules used = {3676, 199, 205}

$$\frac{3 \sinh(c+dx)}{8a^2d((a+b) \sinh^2(c+dx)+a)} + \frac{3 \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{8a^{5/2}d\sqrt{a+b}} + \frac{\sinh(c+dx)}{4ad((a+b) \sinh^2(c+dx)+a)^2}$$

Antiderivative was successfully verified.

[In] Int[Sech[c + d\*x]^5/(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] (3\*ArcTan[(Sqrt[a + b]\*Sinh[c + d\*x])/Sqrt[a]])/(8\*a^(5/2)\*Sqrt[a + b]\*d) + Sinh[c + d\*x]/(4\*a\*d\*(a + (a + b)\*Sinh[c + d\*x]^2)^2) + (3\*Sinh[c + d\*x])/(8\*a^2\*d\*(a + (a + b)\*Sinh[c + d\*x]^2))

### Rule 3676

Int[sec[(e\_.) + (f\_.)\*(x\_.)]^(m\_.)\*((a\_.) + (b\_.)\*tan[(e\_.) + (f\_.)\*(x\_.)]^(n\_.))^p\_.], x\_Symbol] := With[{ff = FreeFactors[Sin[e + f\*x], x]}, Dist[ff/f, Subst[Int[ExpandToSum[b\*(ff\*x)^n + a\*(1 - ff^2\*x^2)^(n/2)], x]^p/(1 - ff^2\*x^2)^(m + n\*p + 1)/2], x], x, Sin[e + f\*x]/ff, x] /; FreeQ[{a, b, e, f}, x] && IntegerQ[(m - 1)/2] && IntegerQ[n/2] && IntegerQ[p]

### Rule 199

Int[((a\_.) + (b\_.)\*(x\_.)^(n\_.))^p\_.], x\_Symbol] := -Simp[(x\*(a + b\*x^n)^(p + 1))/(a\*n\*(p + 1)), x] + Dist[(n\*(p + 1) + 1)/(a\*n\*(p + 1)), Int[(a + b\*x^n)^(p + 1)]

$(p + 1), x], x] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{LtQ}[p, -1] \ \&\& \ (\text{IntegerQ}[2*p] \ || \ (n == 2 \ \&\& \ \text{IntegerQ}[4*p]) \ || \ (n == 2 \ \&\& \ \text{IntegerQ}[3*p]) \ || \ \text{Denominator}[p + 1/n] < \text{Denominator}[p])$

### Rule 205

$\text{Int}[(a_) + (b_)*(x_)^2)^{-1}, x\_Symbol] \ :> \ \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b]$

### Rubi steps

$$\begin{aligned} \int \frac{\text{sech}^5(c + dx)}{(a + b \tanh^2(c + dx))^3} dx &= \frac{\text{Subst}\left(\int \frac{1}{(a+(a+b)x^2)^3} dx, x, \sinh(c + dx)\right)}{d} \\ &= \frac{\sinh(c + dx)}{4ad(a + (a + b) \sinh^2(c + dx))^2} + \frac{3 \text{Subst}\left(\int \frac{1}{(a+(a+b)x^2)^2} dx, x, \sinh(c + dx)\right)}{4ad} \\ &= \frac{\sinh(c + dx)}{4ad(a + (a + b) \sinh^2(c + dx))^2} + \frac{3 \sinh(c + dx)}{8a^2d(a + (a + b) \sinh^2(c + dx))} + \frac{3 \text{Subst}\left(\int \frac{1}{a+(a+b)x} dx, x, \sinh(c + dx)\right)}{8a^2d} \\ &= \frac{3 \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{8a^{5/2}\sqrt{a+bd}} + \frac{\sinh(c + dx)}{4ad(a + (a + b) \sinh^2(c + dx))^2} + \frac{3 \sinh(c + dx)}{8a^2d(a + (a + b) \sinh^2(c + dx))} \end{aligned}$$

**Mathematica [A]** time = 0.29467, size = 88, normalized size = 0.85

$$\frac{3 \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{a^{3/2}\sqrt{a+b}} + \frac{3(a+b) \sinh^3(c+dx) + 5a \sinh(c+dx)}{a((a+b) \sinh^2(c+dx) + a)^2}$$

$8ad$

Antiderivative was successfully verified.

[In] Integrate[Sech[c + d\*x]^5/(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] ((3\*ArcTan[(Sqrt[a + b]\*Sinh[c + d\*x])/Sqrt[a]])/(a^(3/2)\*Sqrt[a + b]) + (5\*a\*Sinh[c + d\*x] + 3\*(a + b)\*Sinh[c + d\*x]^3)/(a\*(a + (a + b)\*Sinh[c + d\*x]^2)^2))/(8\*a\*d)

---

**Maple [B]** time = 0.116, size = 634, normalized size = 6.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(\text{sech}(d*x+c)^5/(a+b*\tanh(d*x+c)^2)^3, x)$

[Out] 
$$-5/4/d/(\tanh(1/2*d*x+1/2*c)^{4*a+2*\tanh(1/2*d*x+1/2*c)^{2*a+4*\tanh(1/2*d*x+1/2*c)^{2*b+a}})^2/a*\tanh(1/2*d*x+1/2*c)^{7+3/4}/d/(\tanh(1/2*d*x+1/2*c)^{4*a+2*\tanh(1/2*d*x+1/2*c)^{2*a+4*\tanh(1/2*d*x+1/2*c)^{2*b+a}})^2/a*\tanh(1/2*d*x+1/2*c)^{5-3/d/a^{2*b}/(\tanh(1/2*d*x+1/2*c)^{4*a+2*\tanh(1/2*d*x+1/2*c)^{2*a+4*\tanh(1/2*d*x+1/2*c)^{2*b+a}})^2*\tanh(1/2*d*x+1/2*c)^{5-3/4}/d/(\tanh(1/2*d*x+1/2*c)^{4*a+2*\tanh(1/2*d*x+1/2*c)^{2*a+4*\tanh(1/2*d*x+1/2*c)^{2*b+a}})^2/a*\tanh(1/2*d*x+1/2*c)^3+3/d/a^{2*b}/(\tanh(1/2*d*x+1/2*c)^{4*a+2*\tanh(1/2*d*x+1/2*c)^{2*a+4*\tanh(1/2*d*x+1/2*c)^{2*b+a}})^2*\tanh(1/2*d*x+1/2*c)^3+5/4/d/(\tanh(1/2*d*x+1/2*c)^{4*a+2*\tanh(1/2*d*x+1/2*c)^{2*a+4*\tanh(1/2*d*x+1/2*c)^{2*b+a}})^2/a*\tanh(1/2*d*x+1/2*c)-3/8/d/a^2/((2*(b*(a+b))^{(1/2)-a-2*b}*a)^{(1/2)}*\arctanh(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)-a-2*b}*a)^{(1/2)}))+3/8/d/a^{2*b}/(b*(a+b))^{(1/2)/((2*(b*(a+b))^{(1/2)-a-2*b}*a)^{(1/2)}*\arctanh(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)-a-2*b}*a)^{(1/2)}))+3/8/d/a^2/((2*(b*(a+b))^{(1/2)+a+2*b}*a)^{(1/2)}*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)+a+2*b}*a)^{(1/2)}))+3/8/d/a^{2*b}/(b*(a+b))^{(1/2)/((2*(b*(a+b))^{(1/2)+a+2*b}*a)^{(1/2)}*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)+a+2*b}*a)^{(1/2)}))$$

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{3(ae^{7c} + be^{7c})e^{7dx} + (11ae^{5c} - 9be^{5c})e^{5dx} - (11ae^{3c} - 9be^{3c})e^{3dx}}{4(a^4d + 2a^3bd + a^2b^2d + (a^4de^{8c} + 2a^3bde^{8c} + a^2b^2de^{8c})e^{8dx}) + 4(a^4de^{6c} - a^2b^2de^{6c})e^{6dx} + 2(3a^4de^{4c} - 2a^2b^2de^{4c})e^{4dx} + 2(a^4de^{2c} - a^2b^2de^{2c})e^{2dx}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\text{sech}(d*x+c)^5/(a+b*\tanh(d*x+c)^2)^3, x, \text{algorithm}="maxima")$

[Out] 
$$1/4*(3*(a*e^{7c} + b*e^{7c})*e^{7d*x} + (11*a*e^{5c} - 9*b*e^{5c})*e^{5d*x} - (11*a*e^{3c} - 9*b*e^{3c})*e^{3d*x} - 3*(a*e^c + b*e^c)*e^{d*x})/(a^4*d + 2*a^3*b*d + a^2*b^2*d + (a^4*d*e^{8c} + 2*a^3*b*d*e^{8c} + a^2*b^2*d*e^{8c})*e^{8d*x} + 4*(a^4*d*e^{6c} - a^2*b^2*d*e^{6c})*e^{6d*x} + 2*(3*a^4*d*e^{4c} - 2*a^3*b*d*e^{4c} + 3*a^2*b^2*d*e^{4c})*e^{4d*x} + 4*(a^4*d*e^{2c} - a^2*b^2*d*e^{2c})*e^{2d*x}) + 32*\text{integrate}(3/128*(e^{7c} + e^{5c} - e^{3c} - e^c)*e^{7d*x} + (11*a*e^{5c} - 9*b*e^{5c})*e^{5d*x} - (11*a*e^{3c} - 9*b*e^{3c})*e^{3d*x} - 3*(a*e^c + b*e^c)*e^{d*x})/(a^4*d + 2*a^3*b*d + a^2*b^2*d + (a^4*d*e^{8c} + 2*a^3*b*d*e^{8c} + a^2*b^2*d*e^{8c})*e^{8d*x} + 4*(a^4*d*e^{6c} - a^2*b^2*d*e^{6c})*e^{6d*x} + 2*(3*a^4*d*e^{4c} - 2*a^3*b*d*e^{4c} + 3*a^2*b^2*d*e^{4c})*e^{4d*x} + 4*(a^4*d*e^{2c} - a^2*b^2*d*e^{2c})*e^{2d*x})$$

$$(3*d*x + 3*c) + e^{(d*x + c)} / (a^3 + a^2*b + (a^3*e^{(4*c)} + a^2*b*e^{(4*c)}) * e^{(4*d*x)} + 2*(a^3*e^{(2*c)} - a^2*b*e^{(2*c)}) * e^{(2*d*x)}), x)$$

**Fricas [B]** time = 2.78232, size = 12057, normalized size = 115.93

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^5/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out] [1/16\*(12\*(a^3 + 2\*a^2\*b + a\*b^2)\*cosh(d\*x + c)^7 + 84\*(a^3 + 2\*a^2\*b + a\*b^2)\*cosh(d\*x + c)\*sinh(d\*x + c)^6 + 12\*(a^3 + 2\*a^2\*b + a\*b^2)\*sinh(d\*x + c)^7 + 4\*(11\*a^3 + 2\*a^2\*b - 9\*a\*b^2)\*cosh(d\*x + c)^5 + 4\*(11\*a^3 + 2\*a^2\*b - 9\*a\*b^2 + 63\*(a^3 + 2\*a^2\*b + a\*b^2)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^5 + 20\*(21\*(a^3 + 2\*a^2\*b + a\*b^2)\*cosh(d\*x + c)^3 + (11\*a^3 + 2\*a^2\*b - 9\*a\*b^2)\*cosh(d\*x + c))\*sinh(d\*x + c)^4 - 4\*(11\*a^3 + 2\*a^2\*b - 9\*a\*b^2)\*cosh(d\*x + c)^3 + 4\*(105\*(a^3 + 2\*a^2\*b + a\*b^2)\*cosh(d\*x + c)^4 - 11\*a^3 - 2\*a^2\*b + 9\*a\*b^2 + 10\*(11\*a^3 + 2\*a^2\*b - 9\*a\*b^2)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^3 + 4\*(63\*(a^3 + 2\*a^2\*b + a\*b^2)\*cosh(d\*x + c)^5 + 10\*(11\*a^3 + 2\*a^2\*b - 9\*a\*b^2)\*cosh(d\*x + c)^3 - 3\*(11\*a^3 + 2\*a^2\*b - 9\*a\*b^2)\*cosh(d\*x + c))\*sinh(d\*x + c)^2 - 3\*((a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^8 + 8\*(a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)\*sinh(d\*x + c)^7 + (a^2 + 2\*a\*b + b^2)\*sinh(d\*x + c)^8 + 4\*(a^2 - b^2)\*cosh(d\*x + c)^6 + 4\*(7\*(a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^2 + a^2 - b^2)\*sinh(d\*x + c)^6 + 8\*(7\*(a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^3 + 3\*(a^2 - b^2)\*cosh(d\*x + c))\*sinh(d\*x + c)^5 + 2\*(3\*a^2 - 2\*a\*b + 3\*b^2)\*cosh(d\*x + c)^4 + 2\*(35\*(a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^4 + 30\*(a^2 - b^2)\*cosh(d\*x + c)^2 + 3\*a^2 - 2\*a\*b + 3\*b^2)\*sinh(d\*x + c)^4 + 8\*(7\*(a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^5 + 10\*(a^2 - b^2)\*cosh(d\*x + c)^3 + (3\*a^2 - 2\*a\*b + 3\*b^2)\*cosh(d\*x + c))\*sinh(d\*x + c)^3 + 4\*(a^2 - b^2)\*cosh(d\*x + c)^2 + 4\*(7\*(a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^6 + 15\*(a^2 - b^2)\*cosh(d\*x + c)^4 + 3\*(3\*a^2 - 2\*a\*b + 3\*b^2)\*cosh(d\*x + c)^2 + a^2 - b^2)\*sinh(d\*x + c)^2 + a^2 + 2\*a\*b + b^2 + 8\*((a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^7 + 3\*(a^2 - b^2)\*cosh(d\*x + c)^5 + (3\*a^2 - 2\*a\*b + 3\*b^2)\*cosh(d\*x + c)^3 + (a^2 - b^2)\*cosh(d\*x + c))\*sinh(d\*x + c))\*sqrt(-a^2 - a\*b)\*log(((a + b)\*cosh(d\*x + c)^4 + 4\*(a + b)\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + (a + b)\*sinh(d\*x + c)^4 - 2\*(3\*a + b)\*cosh(d\*x + c)^2 + 2\*(3\*(a + b)\*cosh(d\*x + c)^2 - 3\*a - b)\*sinh(d\*x + c)^2 + 4\*((a + b)\*cosh(d\*x + c)^3 - (3\*a + b)\*cosh(d\*x + c))\*sinh(d\*x + c) - 4\*(cosh(d\*x + c)^3 + 3\*cosh(d\*x + c)\*sinh(d\*x + c)^2 + sinh(d\*x + c)^3 + (3\*cosh(d\*x + c)^2 - 1)\*sinh(d\*x + c) - cosh(d\*x + c))\*sqrt(-a^2 - a\*b) + a + b)/((a + b)\*cosh(d\*x + c)^4 + 4\*(a + b)\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + (a + b)\*sinh(d\*x + c)^4 + 2\*(a - b)\*cosh(d\*x + c)^2 + 2\*(3\*(a + b)\*cosh(d\*x + c)^2

$$\begin{aligned}
& + a - b) \sinh(dx + c)^2 + 4*((a + b) \cosh(dx + c)^3 + (a - b) \cosh(dx + c)) \sinh(dx + c) + a + b) - 12*(a^3 + 2*a^2*b + a*b^2) \cosh(dx + c) + 4 \\
& *(21*(a^3 + 2*a^2*b + a*b^2) \cosh(dx + c)^6 + 5*(11*a^3 + 2*a^2*b - 9*a*b^2) \cosh(dx + c)^4 - 3*a^3 - 6*a^2*b - 3*a*b^2 - 3*(11*a^3 + 2*a^2*b - 9*a*b^2) \cosh(dx + c)^2) \sinh(dx + c)) / ((a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3) \\
& *d \cosh(dx + c)^8 + 8*(a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3) *d \cosh(dx + c) \sinh(dx + c)^7 + (a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3) *d \sinh(dx + c)^8 \\
& + 4*(a^6 + a^5*b - a^4*b^2 - a^3*b^3) *d \cosh(dx + c)^6 + 4*(7*(a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3) *d \cosh(dx + c)^2 + (a^6 + a^5*b - a^4*b^2 - a^3*b^3) *d) \sinh(dx + c)^6 + 2*(3*a^6 + a^5*b + a^4*b^2 + 3*a^3*b^3) *d \cosh(dx + c)^4 + 8*(7*(a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3) *d \cosh(dx + c)^3 + 3*(a^6 + a^5*b - a^4*b^2 - a^3*b^3) *d \cosh(dx + c)) \sinh(dx + c)^5 + 2*(3 \\
& 5*(a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3) *d \cosh(dx + c)^4 + 30*(a^6 + a^5*b - a^4*b^2 - a^3*b^3) *d \cosh(dx + c)^2 + (3*a^6 + a^5*b + a^4*b^2 + 3*a^3*b^3) *d) \sinh(dx + c)^4 + 4*(a^6 + a^5*b - a^4*b^2 - a^3*b^3) *d \cosh(dx + c)^2 + 8*(7*(a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3) *d \cosh(dx + c)^5 + 10*(a^6 + a^5*b - a^4*b^2 - a^3*b^3) *d \cosh(dx + c)^3 + (3*a^6 + a^5*b + a^4*b^2 + 3*a^3*b^3) *d \cosh(dx + c)) \sinh(dx + c)^3 + 4*(7*(a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3) *d \cosh(dx + c)^6 + 15*(a^6 + a^5*b - a^4*b^2 - a^3*b^3) *d \cosh(dx + c)^4 + 3*(3*a^6 + a^5*b + a^4*b^2 + 3*a^3*b^3) *d \cosh(dx + c)^2 + (a^6 + a^5*b - a^4*b^2 - a^3*b^3) *d) \sinh(dx + c)^2 + (a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3) *d + 8*((a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3) *d \cosh(dx + c)^7 + 3*(a^6 + a^5*b - a^4*b^2 - a^3*b^3) *d \cosh(dx + c)^5 + (3*a^6 + a^5*b + a^4*b^2 + 3*a^3*b^3) *d \cosh(dx + c)^3 + (a^6 + a^5*b - a^4*b^2 - a^3*b^3) *d \cosh(dx + c)) \sinh(dx + c)), 1/8*(6*(a^3 + 2*a^2*b + a*b^2) \cosh(dx + c)^7 + 42*(a^3 + 2*a^2*b + a*b^2) \cosh(dx + c) \sinh(dx + c)^6 + 6*(a^3 + 2*a^2*b + a*b^2) \sinh(dx + c)^7 + 2*(11*a^3 + 2*a^2*b - 9*a*b^2) \cosh(dx + c)^5 + 2*(11*a^3 + 2*a^2*b - 9*a*b^2 + 63*(a^3 + 2*a^2*b + a*b^2) \cosh(dx + c)^2) \sinh(dx + c)^5 + 10*(21*(a^3 + 2*a^2*b + a*b^2) \cosh(dx + c)^3 + (11*a^3 + 2*a^2*b - 9*a*b^2) \cosh(dx + c)) \sinh(dx + c)^4 - 2*(11*a^3 + 2*a^2*b - 9*a*b^2) \cosh(dx + c)^3 + 2*(105*(a^3 + 2*a^2*b + a*b^2) \cosh(dx + c)^4 - 11*a^3 - 2*a^2*b + 9*a*b^2 + 10*(11*a^3 + 2*a^2*b - 9*a*b^2) \cosh(dx + c)^2) \sinh(dx + c)^3 + 2*(63*(a^3 + 2*a^2*b + a*b^2) \cosh(dx + c)^5 + 10*(11*a^3 + 2*a^2*b - 9*a*b^2) \cosh(dx + c)^3 - 3*(11*a^3 + 2*a^2*b - 9*a*b^2) \cosh(dx + c)) \sinh(dx + c)^2 + 3*((a^2 + 2*a*b + b^2) \cosh(dx + c)^8 + 8*(a^2 + 2*a*b + b^2) \cosh(dx + c) \sinh(dx + c)^7 + (a^2 + 2*a*b + b^2) \sinh(dx + c)^8 + 4*(a^2 - b^2) \cosh(dx + c)^6 + 4*(7*(a^2 + 2*a*b + b^2) \cosh(dx + c)^2 + a^2 - b^2) \sinh(dx + c)^6 + 8*(7*(a^2 + 2*a*b + b^2) \cosh(dx + c)^3 + 3*(a^2 - b^2) \cosh(dx + c)) \sinh(dx + c)^5 + 2*(3*a^2 - 2*a*b + 3*b^2) \cosh(dx + c)^4 + 2*(35*(a^2 + 2*a*b + b^2) \cosh(dx + c)^4 + 30*(a^2 - b^2) \cosh(dx + c)^2 + 3*a^2 - 2*a*b + 3*b^2) \sinh(dx + c)^4 + 8*(7*(a^2 + 2*a*b + b^2) \cosh(dx + c)^5 + 10*(a^2 - b^2) \cosh(dx + c)^3 + (3*a^2 - 2*a*b + 3*b^2) \cosh(dx + c)) \sinh(dx + c)^3 + 4*(a^2 - b^2) \cosh(dx + c)^2 + 4*(7*(a^2 + 2*a*b + b^2) \cosh(dx + c)^6 + 15*(a^2 - b^2) \cosh(dx + c)^4 + 3*(3*a^2 - 2*a*b + 3*b^2) \cosh(dx + c)
\end{aligned}$$

$$\begin{aligned}
&^2 + a^2 - b^2) \sinh(dx + c)^2 + a^2 + 2ab + b^2 + 8((a^2 + 2ab + b^2) \\
&)\cosh(dx + c)^7 + 3(a^2 - b^2)\cosh(dx + c)^5 + (3a^2 - 2ab + 3b^2) \\
&)\cosh(dx + c)^3 + (a^2 - b^2)\cosh(dx + c)\sinh(dx + c)\sqrt{a^2 + ab} \\
&)\arctan(1/2((a + b)\cosh(dx + c)^3 + 3(a + b)\cosh(dx + c)\sinh(dx + \\
&c)^2 + (a + b)\sinh(dx + c)^3 + (3a - b)\cosh(dx + c) + (3(a + b)\cosh(dx + c)^2 + 3a - b)\sinh(dx + c))/\sqrt{a^2 + ab})) + 3((a^2 + 2ab + b^2)\cosh(dx + c)^8 + 8(a^2 + 2ab + b^2)\cosh(dx + c)\sinh(dx + c)^7 + (a^2 + 2ab + b^2)\sinh(dx + c)^8 + 4(a^2 - b^2)\cosh(dx + c)^6 + 4(7(a^2 + 2ab + b^2)\cosh(dx + c)^2 + a^2 - b^2)\sinh(dx + c)^6 + 8(7(a^2 + 2ab + b^2)\cosh(dx + c)^3 + 3(a^2 - b^2)\cosh(dx + c)\sinh(dx + c)^5 + 2(3a^2 - 2ab + 3b^2)\cosh(dx + c)^4 + 2(35(a^2 + 2ab + b^2)\cosh(dx + c)^4 + 30(a^2 - b^2)\cosh(dx + c)^2 + 3a^2 - 2ab + 3b^2)\sinh(dx + c)^4 + 8(7(a^2 + 2ab + b^2)\cosh(dx + c)^5 + 10(a^2 - b^2)\cosh(dx + c)^3 + (3a^2 - 2ab + 3b^2)\cosh(dx + c)\sinh(dx + c)^3 + 4(a^2 - b^2)\cosh(dx + c)^2 + 4(7(a^2 + 2ab + b^2)\cosh(dx + c)^6 + 15(a^2 - b^2)\cosh(dx + c)^4 + 3(3a^2 - 2ab + 3b^2)\cosh(dx + c)^2 + a^2 - b^2)\sinh(dx + c)^2 + a^2 + 2ab + b^2 + 8((a^2 + 2ab + b^2)\cosh(dx + c)^7 + 3(a^2 - b^2)\cosh(dx + c)^5 + (3a^2 - 2ab + 3b^2)\cosh(dx + c)^3 + (a^2 - b^2)\cosh(dx + c)\sinh(dx + c)\sqrt{a^2 + ab})\arctan(1/2\sqrt{a^2 + ab})(\cosh(dx + c) + \sinh(dx + c))/a) - 6(a^3 + 2a^2b + ab^2)\cosh(dx + c) + 2(21(a^3 + 2a^2b + ab^2)\cosh(dx + c)^6 + 5(11a^3 + 2a^2b - 9ab^2)\cosh(dx + c)^4 - 3a^3 - 6a^2b - 3ab^2 - 3(11a^3 + 2a^2b - 9ab^2)\cosh(dx + c)^2)\sinh(dx + c))/((a^6 + 3a^5b + 3a^4b^2 + a^3b^3)d\cosh(dx + c)^8 + 8(a^6 + 3a^5b + 3a^4b^2 + a^3b^3)d\cosh(dx + c)\sinh(dx + c)^7 + (a^6 + 3a^5b + 3a^4b^2 + a^3b^3)d\sinh(dx + c)^8 + 4(a^6 + a^5b - a^4b^2 - a^3b^3)d\cosh(dx + c)^6 + 4(7(a^6 + 3a^5b + 3a^4b^2 + a^3b^3)d\cosh(dx + c)^2 + (a^6 + a^5b - a^4b^2 - a^3b^3)d)\sinh(dx + c)^6 + 2(3a^6 + a^5b + a^4b^2 + 3a^3b^3)d\cosh(dx + c)^4 + 8(7(a^6 + 3a^5b + 3a^4b^2 + a^3b^3)d\cosh(dx + c)^3 + 3(a^6 + a^5b - a^4b^2 - a^3b^3)d\cosh(dx + c)\sinh(dx + c))^5 + 2(35(a^6 + 3a^5b + 3a^4b^2 + a^3b^3)d\cosh(dx + c)^4 + 30(a^6 + a^5b - a^4b^2 - a^3b^3)d\cosh(dx + c)^2 + (3a^6 + a^5b + a^4b^2 + 3a^3b^3)d)\sinh(dx + c)^4 + 4(a^6 + a^5b - a^4b^2 - a^3b^3)d\cosh(dx + c)^2 + 8(7(a^6 + 3a^5b + 3a^4b^2 + a^3b^3)d\cosh(dx + c)^5 + 10(a^6 + a^5b - a^4b^2 - a^3b^3)d\cosh(dx + c)^3 + (3a^6 + a^5b + a^4b^2 + 3a^3b^3)d\cosh(dx + c)\sinh(dx + c))^3 + 4(7(a^6 + 3a^5b + 3a^4b^2 + a^3b^3)d\cosh(dx + c)^6 + 15(a^6 + a^5b - a^4b^2 - a^3b^3)d\cosh(dx + c)^4 + 3(3a^6 + a^5b + a^4b^2 + 3a^3b^3)d\cosh(dx + c)^2 + (a^6 + a^5b - a^4b^2 - a^3b^3)d)\sinh(dx + c)^2 + (a^6 + 3a^5b + 3a^4b^2 + a^3b^3)d + 8((a^6 + 3a^5b + 3a^4b^2 + a^3b^3)d\cosh(dx + c)^7 + 3(a^6 + a^5b - a^4b^2 - a^3b^3)d\cosh(dx + c)^5 + (3a^6 + a^5b + a^4b^2 + 3a^3b^3)d\cosh(dx + c)\sinh(dx + c))^3 + (a^6 + a^5b - a^4b^2 - a^3b^3)d\cosh(dx + c)\sinh(dx + c)
\end{aligned}$$

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)\*\*5/(a+b\*tanh(d\*x+c)\*\*2)\*\*3,x)

[Out] Timed out

---

**Giac [C]** time = 2.29725, size = 5954, normalized size = 57.25

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^5/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out] 
$$\begin{aligned} & 1/32*(6*(3*(2*a^2*b + 2*a*b^2 - (a^2 - b^2)*\sqrt{-a*b}))*\cos(1/2*\text{real\_part}(a \\ & \text{rccos}(-a/(a + b) + b/(a + b))))^2*\cosh(1/2*\text{imag\_part}(\text{arccos}(-a/(a + b) + b/ \\ & (a + b))))^3*\sin(1/2*\text{real\_part}(\text{arccos}(-a/(a + b) + b/(a + b)))) - (2*a^2*b \\ & + 2*a*b^2 - (a^2 - b^2)*\sqrt{-a*b}))*\cosh(1/2*\text{imag\_part}(\text{arccos}(-a/(a + b) + \\ & b/(a + b))))^3*\sin(1/2*\text{real\_part}(\text{arccos}(-a/(a + b) + b/(a + b))))^3 - 9*(2* \\ & a^2*b + 2*a*b^2 - (a^2 - b^2)*\sqrt{-a*b}))*\cos(1/2*\text{real\_part}(\text{arccos}(-a/(a + \\ & b) + b/(a + b))))^2*\cosh(1/2*\text{imag\_part}(\text{arccos}(-a/(a + b) + b/(a + b))))^2*s \\ & \text{in}(1/2*\text{real\_part}(\text{arccos}(-a/(a + b) + b/(a + b))))*\sinh(1/2*\text{imag\_part}(\text{arccos} \\ & (-a/(a + b) + b/(a + b)))) + 3*(2*a^2*b + 2*a*b^2 - (a^2 - b^2)*\sqrt{-a*b}) \\ & *\cosh(1/2*\text{imag\_part}(\text{arccos}(-a/(a + b) + b/(a + b))))^2*\sin(1/2*\text{real\_part}(\text{ar} \\ & \text{ccos}(-a/(a + b) + b/(a + b))))^3*\sinh(1/2*\text{imag\_part}(\text{arccos}(-a/(a + b) + b/( \\ & a + b)))) + 9*(2*a^2*b + 2*a*b^2 - (a^2 - b^2)*\sqrt{-a*b}))*\cos(1/2*\text{real\_par} \\ & \text{t}(\text{arccos}(-a/(a + b) + b/(a + b))))^2*\cosh(1/2*\text{imag\_part}(\text{arccos}(-a/(a + b) + \\ & b/(a + b))))*\sin(1/2*\text{real\_part}(\text{arccos}(-a/(a + b) + b/(a + b))))*\sinh(1/2*i \\ & \text{mag\_part}(\text{arccos}(-a/(a + b) + b/(a + b))))^2 - 3*(2*a^2*b + 2*a*b^2 - (a^2 - \\ & b^2)*\sqrt{-a*b}))*\cosh(1/2*\text{imag\_part}(\text{arccos}(-a/(a + b) + b/(a + b))))*\sin(1 \\ & /2*\text{real\_part}(\text{arccos}(-a/(a + b) + b/(a + b))))^3*\sinh(1/2*\text{imag\_part}(\text{arccos}(- \\ & a/(a + b) + b/(a + b))))^2 - 3*(2*a^2*b + 2*a*b^2 - (a^2 - b^2)*\sqrt{-a*b}) \\ & *\cos(1/2*\text{real\_part}(\text{arccos}(-a/(a + b) + b/(a + b))))^2*\sin(1/2*\text{real\_part}(\text{ar} \\ & \text{cos}(-a/(a + b) + b/(a + b))))*\sinh(1/2*\text{imag\_part}(\text{arccos}(-a/(a + b) + b/(a + \\ & b))))^3 + (2*a^2*b + 2*a*b^2 - (a^2 - b^2)*\sqrt{-a*b}))*\sin(1/2*\text{real\_part}(a \\ & \text{rccos}(-a/(a + b) + b/(a + b))))^3*\sinh(1/2*\text{imag\_part}(\text{arccos}(-a/(a + b) + b/ \end{aligned}$$

$$\begin{aligned}
 & (a + b))^{3/4} + (2a^2b + 2ab^2 - (a^2 - b^2)\sqrt{-ab})\cosh(1/2\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))\sin(1/2\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))) \\
 & - (2a^2b + 2ab^2 - (a^2 - b^2)\sqrt{-ab})\sin(1/2\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))\sinh(1/2\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) \\
 & * \arctan(\left(\frac{(a^3 + a^2b)/(a^3e^{4c} + a^2be^{4c})^{1/4} \cos(1/2\arccos(-(a - b)/(a + b)) + e^{dx})}{(a^3 + a^2b)/(a^3e^{4c} + a^2be^{4c})^{1/4} \sin(1/2\arccos(-(a - b)/(a + b)))}\right)) / (a^5b + 2a^4b^2 + a^3b^3) \\
 & + 6(3(2a^2b + 2ab^2 - (a^2 - b^2)\sqrt{-ab})\cos(1/2\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 \cosh(1/2\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 \\
 & \sin(1/2\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))) - (2a^2b + 2ab^2 - (a^2 - b^2)\sqrt{-ab})\cosh(1/2\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 \\
 & \sin(1/2\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 - 9(2a^2b + 2ab^2 - (a^2 - b^2)\sqrt{-ab})\cos(1/2\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 \\
 & \cosh(1/2\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 \sin(1/2\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))\sinh(1/2\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) \\
 & + 3(2a^2b + 2ab^2 - (a^2 - b^2)\sqrt{-ab})\cosh(1/2\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 \sin(1/2\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))) \\
 & + 9(2a^2b + 2ab^2 - (a^2 - b^2)\sqrt{-ab})\cos(1/2\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 \cosh(1/2\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) \\
 & \sin(1/2\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))\sinh(1/2\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 - 3(2a^2b + 2ab^2 - (a^2 - b^2)\sqrt{-ab})\cosh(1/2\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) \\
 & \sin(1/2\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 \sinh(1/2\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 - 3(2a^2b + 2ab^2 - (a^2 - b^2)\sqrt{-ab}) \\
 & \cos(1/2\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 \sin(1/2\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))\sinh(1/2\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) \\
 & + b/(a + b))^{3/4} + (2a^2b + 2ab^2 - (a^2 - b^2)\sqrt{-ab})\sin(1/2\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 \sinh(1/2\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 \\
 & + (2a^2b + 2ab^2 - (a^2 - b^2)\sqrt{-ab})\cosh(1/2\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))\sin(1/2\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b)))) \\
 & - (2a^2b + 2ab^2 - (a^2 - b^2)\sqrt{-ab})\sin(1/2\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))\sinh(1/2\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) \\
 & * \arctan\left(-\left(\frac{(a^3 + a^2b)/(a^3e^{4c} + a^2be^{4c})^{1/4} \cos(1/2\arccos(-(a - b)/(a + b)) - e^{dx})}{(a^3 + a^2b)/(a^3e^{4c} + a^2be^{4c})^{1/4} \sin(1/2\arccos(-(a - b)/(a + b)))}\right)\right) / (a^5b + 2a^4b^2 + a^3b^3) \\
 & + 3((2a^2b + 2ab^2 - (a^2 - b^2)\sqrt{-ab})\cos(1/2\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 \cosh(1/2\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 \\
 & - 3(2a^2b + 2ab^2 - (a^2 - b^2)\sqrt{-ab})\cos(1/2\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))\cosh(1/2\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 \\
 & \sin(1/2\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 - 3(2a^2b + 2ab^2 - (a^2 - b^2)\sqrt{-ab})\cos(1/2\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))^3 \\
 & \cosh(1/2\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b))))^2 \sinh(1/2\operatorname{imag\_part}(\arccos(-a/(a + b) + b/(a + b)))) + 9(2a^2b + 2ab^2 - (a^2 - b^2)\sqrt{-ab}) \\
 & \cos(1/2\operatorname{real\_part}(\arccos(-a/(a + b) + b/(a + b))))
 \end{aligned}$$



```

+ b) + b/(a + b))) * cosh(1/2 * imag_part(arccos(-a/(a + b) + b/(a + b)))) ^ 2 *
sin(1/2 * real_part(arccos(-a/(a + b) + b/(a + b)))) ^ 2 * sinh(1/2 * imag_part(arcc
os(-a/(a + b) + b/(a + b)))) + 3 * (2 * a ^ 2 * b + 2 * a * b ^ 2 - (a ^ 2 - b ^ 2) * sqrt(-a * b
)) * cos(1/2 * real_part(arccos(-a/(a + b) + b/(a + b)))) ^ 3 * cosh(1/2 * imag_part(
arccos(-a/(a + b) + b/(a + b)))) * sinh(1/2 * imag_part(arccos(-a/(a + b) + b/(
a + b)))) ^ 2 - 9 * (2 * a ^ 2 * b + 2 * a * b ^ 2 - (a ^ 2 - b ^ 2) * sqrt(-a * b)) * cos(1/2 * real_p
art(arccos(-a/(a + b) + b/(a + b)))) * cosh(1/2 * imag_part(arccos(-a/(a + b) +
b/(a + b)))) * sin(1/2 * real_part(arccos(-a/(a + b) + b/(a + b)))) ^ 2 * sinh(1/2
* imag_part(arccos(-a/(a + b) + b/(a + b)))) ^ 2 - (2 * a ^ 2 * b + 2 * a * b ^ 2 - (a ^ 2 -
b ^ 2) * sqrt(-a * b)) * cos(1/2 * real_part(arccos(-a/(a + b) + b/(a + b)))) ^ 3 * sinh
(1/2 * imag_part(arccos(-a/(a + b) + b/(a + b)))) ^ 3 + 3 * (2 * a ^ 2 * b + 2 * a * b ^ 2 -
(a ^ 2 - b ^ 2) * sqrt(-a * b)) * cos(1/2 * real_part(arccos(-a/(a + b) + b/(a + b)))) *
sin(1/2 * real_part(arccos(-a/(a + b) + b/(a + b)))) ^ 2 * sinh(1/2 * imag_part(arc
cos(-a/(a + b) + b/(a + b)))) ^ 3 + (2 * a ^ 2 * b + 2 * a * b ^ 2 - (a ^ 2 - b ^ 2) * sqrt(-a *
b)) * cos(1/2 * real_part(arccos(-a/(a + b) + b/(a + b)))) * cosh(1/2 * imag_part(a
rccos(-a/(a + b) + b/(a + b)))) - (2 * a ^ 2 * b + 2 * a * b ^ 2 - (a ^ 2 - b ^ 2) * sqrt(-a *
b)) * cos(1/2 * real_part(arccos(-a/(a + b) + b/(a + b)))) * sinh(1/2 * imag_part(a
rccos(-a/(a + b) + b/(a + b)))) * log(2 * ((a ^ 3 + a ^ 2 * b) / (a ^ 3 * e ^ (4 * c) + a ^ 2 * b *
e ^ (4 * c))) ^ (1/4) * cos(1/2 * arccos(-(a - b) / (a + b))) * e ^ (d * x) + sqrt((a ^ 3 + a ^ 2
* b) / (a ^ 3 * e ^ (4 * c) + a ^ 2 * b * e ^ (4 * c))) + e ^ (2 * d * x)) / (a ^ 5 * b + 2 * a ^ 4 * b ^ 2 + a ^ 3 * b ^
3) - 3 * ((2 * a ^ 2 * b + 2 * a * b ^ 2 - (a ^ 2 - b ^ 2) * sqrt(-a * b)) * cos(1/2 * real_part(arcc
os(-a/(a + b) + b/(a + b)))) ^ 3 * cosh(1/2 * imag_part(arccos(-a/(a + b) + b/(a
+ b)))) ^ 3 - 3 * (2 * a ^ 2 * b + 2 * a * b ^ 2 - (a ^ 2 - b ^ 2) * sqrt(-a * b)) * cos(1/2 * real_par
t(arccos(-a/(a + b) + b/(a + b)))) * cosh(1/2 * imag_part(arccos(-a/(a + b) + b
/(a + b)))) ^ 3 * sin(1/2 * real_part(arccos(-a/(a + b) + b/(a + b)))) ^ 2 - 3 * (2 * a
^ 2 * b + 2 * a * b ^ 2 - (a ^ 2 - b ^ 2) * sqrt(-a * b)) * cos(1/2 * real_part(arccos(-a/(a + b
) + b/(a + b)))) ^ 3 * cosh(1/2 * imag_part(arccos(-a/(a + b) + b/(a + b)))) ^ 2 * si
nh(1/2 * imag_part(arccos(-a/(a + b) + b/(a + b)))) + 9 * (2 * a ^ 2 * b + 2 * a * b ^ 2 -
(a ^ 2 - b ^ 2) * sqrt(-a * b)) * cos(1/2 * real_part(arccos(-a/(a + b) + b/(a + b)))) *
cosh(1/2 * imag_part(arccos(-a/(a + b) + b/(a + b)))) ^ 2 * sin(1/2 * real_part(arc
cos(-a/(a + b) + b/(a + b)))) ^ 2 * sinh(1/2 * imag_part(arccos(-a/(a + b) + b/(a
+ b)))) + 3 * (2 * a ^ 2 * b + 2 * a * b ^ 2 - (a ^ 2 - b ^ 2) * sqrt(-a * b)) * cos(1/2 * real_part
(arccos(-a/(a + b) + b/(a + b)))) ^ 3 * cosh(1/2 * imag_part(arccos(-a/(a + b) +
b/(a + b)))) * sinh(1/2 * imag_part(arccos(-a/(a + b) + b/(a + b)))) ^ 2 - 9 * (2 * a
^ 2 * b + 2 * a * b ^ 2 - (a ^ 2 - b ^ 2) * sqrt(-a * b)) * cos(1/2 * real_part(arccos(-a/(a + b
) + b/(a + b)))) * cosh(1/2 * imag_part(arccos(-a/(a + b) + b/(a + b)))) * sin(1/
2 * real_part(arccos(-a/(a + b) + b/(a + b)))) ^ 2 * sinh(1/2 * imag_part(arccos(-a
/(a + b) + b/(a + b)))) ^ 2 - (2 * a ^ 2 * b + 2 * a * b ^ 2 - (a ^ 2 - b ^ 2) * sqrt(-a * b)) * co
s(1/2 * real_part(arccos(-a/(a + b) + b/(a + b)))) ^ 3 * sinh(1/2 * imag_part(arcco
s(-a/(a + b) + b/(a + b)))) ^ 3 + 3 * (2 * a ^ 2 * b + 2 * a * b ^ 2 - (a ^ 2 - b ^ 2) * sqrt(-a *
b)) * cos(1/2 * real_part(arccos(-a/(a + b) + b/(a + b)))) * sin(1/2 * real_part(ar
ccos(-a/(a + b) + b/(a + b)))) ^ 2 * sinh(1/2 * imag_part(arccos(-a/(a + b) + b/(
a + b)))) ^ 3 + (2 * a ^ 2 * b + 2 * a * b ^ 2 - (a ^ 2 - b ^ 2) * sqrt(-a * b)) * cos(1/2 * real_par
t(arccos(-a/(a + b) + b/(a + b)))) * cosh(1/2 * imag_part(arccos(-a/(a + b) + b
/(a + b)))) - (2 * a ^ 2 * b + 2 * a * b ^ 2 - (a ^ 2 - b ^ 2) * sqrt(-a * b)) * cos(1/2 * real_par

```

$$\begin{aligned}
& t(\arccos(-a/(a+b) + b/(a+b))) * \sinh(1/2 * \text{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) \\
& * \log(-2 * ((a^3 + a^2 * b)/(a^3 * e^{4*c} + a^2 * b * e^{4*c}))^{1/4} * \cos \\
& (1/2 * \arccos(-(a-b)/(a+b))) * e^{d*x} + \sqrt{(a^3 + a^2 * b)/(a^3 * e^{4*c} + a^2 * b * e^{4*c})} \\
& + e^{2*d*x}) / (a^5 * b + 2 * a^4 * b^2 + a^3 * b^3) + 8 * (3 * a * e^{7*d*x + 7*c} \\
& + 3 * b * e^{7*d*x + 7*c} + 11 * a * e^{5*d*x + 5*c} - 9 * b * e^{5*d*x + 5*c} \\
& - 11 * a * e^{3*d*x + 3*c} + 9 * b * e^{3*d*x + 3*c} - 3 * a * e^{d*x + c} - 3 * b * e^{d*x + c}) \\
& / ((a * e^{4*d*x + 4*c} + b * e^{4*d*x + 4*c} + 2 * a * e^{2*d*x + 2*c} - 2 * b * e^{2*d*x + 2*c} \\
& + a + b)^{2 * a^2}) / d
\end{aligned}$$

$$3.132 \quad \int \frac{\operatorname{sech}^6(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$$

**Optimal.** Leaf size=131

$$\frac{3\left(\frac{1}{a^2} - \frac{1}{b^2}\right) \tanh(c+dx)}{8d(a+b \tanh^2(c+dx))} + \frac{(3a^2 - 2ab + 3b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8a^{5/2}b^{5/2}d} + \frac{(a+b) \tanh(c+dx) \operatorname{sech}^2(c+dx)}{4abd(a+b \tanh^2(c+dx))^2}$$

[Out] ((3\*a^2 - 2\*a\*b + 3\*b^2)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(8\*a^(5/2)\*b^(5/2)\*d) + ((a + b)\*Sech[c + d\*x]^2\*Tanh[c + d\*x])/(4\*a\*b\*d\*(a + b\*Tanh[c + d\*x]^2)^2) + (3\*(a^(-2) - b^(-2))\*Tanh[c + d\*x])/(8\*d\*(a + b\*Tanh[c + d\*x]^2))

**Rubi [A]** time = 0.123816, antiderivative size = 131, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {3675, 413, 385, 205}

$$\frac{3\left(\frac{1}{a^2} - \frac{1}{b^2}\right) \tanh(c+dx)}{8d(a+b \tanh^2(c+dx))} + \frac{(3a^2 - 2ab + 3b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8a^{5/2}b^{5/2}d} + \frac{(a+b) \tanh(c+dx) \operatorname{sech}^2(c+dx)}{4abd(a+b \tanh^2(c+dx))^2}$$

Antiderivative was successfully verified.

[In] Int[Sech[c + d\*x]^6/(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] ((3\*a^2 - 2\*a\*b + 3\*b^2)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(8\*a^(5/2)\*b^(5/2)\*d) + ((a + b)\*Sech[c + d\*x]^2\*Tanh[c + d\*x])/(4\*a\*b\*d\*(a + b\*Tanh[c + d\*x]^2)^2) + (3\*(a^(-2) - b^(-2))\*Tanh[c + d\*x])/(8\*d\*(a + b\*Tanh[c + d\*x]^2))

### Rule 3675

Int[sec[(e\_.) + (f\_.)\*(x\_)]^(m\_)\*((a\_.) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]))^(n\_)]^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[ff/(c^(m-1)\*f), Subst[Int[(c^2 + ff^2\*x^2)^(m/2 - 1)\*(a + b\*(ff\*x)^n)^p, x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2] && (IntegerQ[n, p] || IGtQ[m, 0] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])

Rule 413

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> Simp[((a*d - c*b)*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 1))/(a*b*n*(p +
1)), x] - Dist[1/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^(q -
2)*Simp[c*(a*d - c*b*(n*(p + 1) + 1)) + d*(a*d*(n*(q - 1) + 1) - b*c*(n*(p
+ q) + 1))*x^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d,
0] && LtQ[p, -1] && GtQ[q, 1] && IntBinomialQ[a, b, c, d, n, p, q, x]
```

Rule 385

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] :> -S
imp[((b*c - a*d)*x*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] - Dist[(a*d - b
*c*(n*(p + 1) + 1))/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; Fre
eQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n +
p, 0])
```

Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rubi steps

$$\int \frac{\operatorname{sech}^6(c + dx)}{(a + b \tanh^2(c + dx))^3} dx = \frac{\operatorname{Subst}\left(\int \frac{(1-x^2)^2}{(a+bx^2)^3} dx, x, \tanh(c + dx)\right)}{d}$$

$$= \frac{(a + b)\operatorname{sech}^2(c + dx) \tanh(c + dx)}{4abd(a + b \tanh^2(c + dx))^2} + \frac{\operatorname{Subst}\left(\int \frac{-a+3b+(3a-b)x^2}{(a+bx^2)^2} dx, x, \tanh(c + dx)\right)}{4abd}$$

$$= \frac{(a + b)\operatorname{sech}^2(c + dx) \tanh(c + dx)}{4abd(a + b \tanh^2(c + dx))^2} - \frac{3(a^2 - b^2) \tanh(c + dx)}{8a^2b^2d(a + b \tanh^2(c + dx))} + \frac{(3a^2 - 2ab + 3b^2)}{8a^2b^2d}$$

$$= \frac{(3a^2 - 2ab + 3b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8a^{5/2}b^{5/2}d} + \frac{(a + b)\operatorname{sech}^2(c + dx) \tanh(c + dx)}{4abd(a + b \tanh^2(c + dx))^2} - \frac{3(a^2 - b^2)}{8a^2b^2d}$$

**Mathematica [A]** time = 0.893839, size = 128, normalized size = 0.98

$$\frac{(3a^2 - 2ab + 3b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right) - \frac{\sqrt{a}\sqrt{b}(a+b) \sinh(2(c+dx))(3(a^2-b^2) \cosh(2(c+dx))+3a^2-10ab+3b^2)}{((a+b) \cosh(2(c+dx))+a-b)^2}}{8a^{5/2}b^{5/2}d}$$

Antiderivative was successfully verified.

[In] Integrate[Sech[c + d\*x]^6/(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] ((3\*a^2 - 2\*a\*b + 3\*b^2)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]] - (Sqrt[a]\*Sqrt[b]\*(a + b)\*(3\*a^2 - 10\*a\*b + 3\*b^2 + 3\*(a^2 - b^2)\*Cosh[2\*(c + d\*x)])\*Sinh[2\*(c + d\*x)])/(a - b + (a + b)\*Cosh[2\*(c + d\*x)]^2)/(8\*a^(5/2)\*b^(5/2)\*d)

**Maple [B]** time = 0.114, size = 1776, normalized size = 13.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sech(d\*x+c)^6/(a+b\*tanh(d\*x+c)^2)^3,x)

[Out] 
$$\begin{aligned} & -3/8/d/a^2*b/(b*(a+b))^{(1/2)}/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)}*\operatorname{arctanh}(a* \\ & \operatorname{tanh}(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)})-1/8/d/(b*(a+b))^{(1/2)}/a/ \\ & ((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)}*\operatorname{arctanh}(a*\operatorname{tanh}(1/2*d*x+1/2*c)/((2* \\ & *(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)})-1/8/d/(b*(a+b))^{(1/2)}/a/((2*(b*(a+b))^{(1/2)}/ \\ & (2)+a+2*b)*a)^{(1/2)}*\operatorname{arctan}(a*\operatorname{tanh}(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}+a+2*b)* \\ & a)^{(1/2)})-1/8/d/b/(b*(a+b))^{(1/2)}/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)}*\operatorname{arcta} \\ & \operatorname{nh}(a*\operatorname{tanh}(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)})-1/4/d/a/b/((2 \\ & *(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)}*\operatorname{arctanh}(a*\operatorname{tanh}(1/2*d*x+1/2*c)/((2*(b*(a+b) \\ & )^{(1/2)}-a-2*b)*a)^{(1/2)})-1/8/d/b/(b*(a+b))^{(1/2)}/((2*(b*(a+b))^{(1/2)}+a+2*b) \\ & *a)^{(1/2)}*\operatorname{arctan}(a*\operatorname{tanh}(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)}) \\ & +1/4/d/a/b/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)}*\operatorname{arctan}(a*\operatorname{tanh}(1/2*d*x+1/2*c) \\ & /((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)})-3/8/d/a^2*b/(b*(a+b))^{(1/2)}/((2*(b*(a \\ & +b))^{(1/2)}+a+2*b)*a)^{(1/2)}*\operatorname{arctan}(a*\operatorname{tanh}(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2) \\ & +a+2*b)*a)^{(1/2)})-3/8/d*a/b^2/(b*(a+b))^{(1/2)}/((2*(b*(a+b))^{(1/2)}-a-2*b)*a) \\ & ^{(1/2)}*\operatorname{arctanh}(a*\operatorname{tanh}(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)})-3 \\ & /8/d*a/b^2/(b*(a+b))^{(1/2)}/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)}*\operatorname{arctan}(a*\operatorname{tan} \\ & h(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)})-9/4/d/(\operatorname{tanh}(1/2*d*x+1 \\ & /2*c)^4*a+2*\operatorname{tanh}(1/2*d*x+1/2*c)^2*a+4*\operatorname{tanh}(1/2*d*x+1/2*c)^2*b+a)^2*a/b^2*\operatorname{ta} \\ & \operatorname{nh}(1/2*d*x+1/2*c)^5-9/4/d/(\operatorname{tanh}(1/2*d*x+1/2*c)^4*a+2*\operatorname{tanh}(1/2*d*x+1/2*c)^2* \end{aligned}$$

$$\begin{aligned}
& a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*a/b^2*\tanh(1/2*d*x+1/2*c)^3+3/d/a^2*b/( \tan \\
& h(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a \\
& ^2*\tanh(1/2*d*x+1/2*c)^3+3/8/d/a^2/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*\arct \\
& anh(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))-3/8/d/a^2/(( \\
& 2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b) \\
& )^(1/2)+a+2*b)*a)^(1/2))+3/8/d/b^2/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*\arct \\
& anh(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))-3/8/d/b^2/(( \\
& 2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b) \\
& )^(1/2)+a+2*b)*a)^(1/2))+5/4/d/( \tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2* \\
& c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2/a*\tanh(1/2*d*x+1/2*c)^7+7/4/d/( \tanh(1 \\
& /2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2/ \\
& a*\tanh(1/2*d*x+1/2*c)^5+7/4/d/( \tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2* \\
& )^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2/a*\tanh(1/2*d*x+1/2*c)^3+5/4/d/( \tanh(1/ \\
& 2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2/a \\
& *\tanh(1/2*d*x+1/2*c)-7/2/d/( \tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2 \\
& *a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2/b*\tanh(1/2*d*x+1/2*c)^3+1/2/d/( \tanh(1/2*d \\
& *x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2/b*\t \\
& anh(1/2*d*x+1/2*c)+1/2/d/( \tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+ \\
& 4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2/b*\tanh(1/2*d*x+1/2*c)^7-7/2/d/( \tanh(1/2*d*x+ \\
& 1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2/b*\tanh( \\
& 1/2*d*x+1/2*c)^5+3/d/a^2*b/( \tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2 \\
& *a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^5-3/4/d/( \tanh(1/2*d*x \\
& +1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*a/b^2* \\
& \tanh(1/2*d*x+1/2*c)-3/4/d/( \tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2 \\
& a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*a/b^2*\tanh(1/2*d*x+1/2*c)^7
\end{aligned}$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^6/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [B]** time = 2.86921, size = 11889, normalized size = 90.76

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^6/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [1/16*(4*(3*a^4*b + a^3*b^2 + a^2*b^3 + 3*a*b^4)*\cosh(d*x + c)^6 + 24*(3*a^4*b + a^3*b^2 + a^2*b^3 + 3*a*b^4)*\cosh(d*x + c)*\sinh(d*x + c)^5 + 4*(3*a^4*b + a^3*b^2 + a^2*b^3 + 3*a*b^4)*\sinh(d*x + c)^6 + 12*a^4*b + 12*a^3*b^2 - 12*a^2*b^3 - 12*a*b^4 + 12*(3*a^4*b - 5*a^3*b^2 + 5*a^2*b^3 - 3*a*b^4)*\cos h(d*x + c)^4 + 12*(3*a^4*b - 5*a^3*b^2 + 5*a^2*b^3 - 3*a*b^4 + 5*(3*a^4*b + a^3*b^2 + a^2*b^3 + 3*a*b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + 16*(5*(3*a^4*b + a^3*b^2 + a^2*b^3 + 3*a*b^4)*\cosh(d*x + c)^3 + 3*(3*a^4*b - 5*a^3*b^2 + 5*a^2*b^3 - 3*a*b^4)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 4*(9*a^4*b - 13*a^3*b^2 - 13*a^2*b^3 + 9*a*b^4)*\cosh(d*x + c)^2 + 4*(9*a^4*b - 13*a^3*b^2 - 13*a^2*b^3 + 9*a*b^4 + 15*(3*a^4*b + a^3*b^2 + a^2*b^3 + 3*a*b^4)*\cosh(d*x + c)^4 + 18*(3*a^4*b - 5*a^3*b^2 + 5*a^2*b^3 - 3*a*b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 - ((3*a^4 + 4*a^3*b + 2*a^2*b^2 + 4*a*b^3 + 3*b^4)*\cosh(d*x + c)^8 + 8*(3*a^4 + 4*a^3*b + 2*a^2*b^2 + 4*a*b^3 + 3*b^4)*\cosh(d*x + c)*\sinh(d*x + c)^7 + (3*a^4 + 4*a^3*b + 2*a^2*b^2 + 4*a*b^3 + 3*b^4)*\sinh(d*x + c)^8 + 4*(3*a^4 - 2*a^3*b + 2*a*b^3 - 3*b^4)*\cosh(d*x + c)^6 + 4*(3*a^4 - 2*a^3*b + 2*a*b^3 - 3*b^4 + 7*(3*a^4 + 4*a^3*b + 2*a^2*b^2 + 4*a*b^3 + 3*b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^6 + 8*(7*(3*a^4 + 4*a^3*b + 2*a^2*b^2 + 4*a*b^3 + 3*b^4)*\cosh(d*x + c)^3 + 3*(3*a^4 - 2*a^3*b + 2*a*b^3 - 3*b^4)*\cosh(d*x + c))*\sinh(d*x + c)^5 + 2*(9*a^4 - 12*a^3*b + 22*a^2*b^2 - 12*a*b^3 + 9*b^4)*\cosh(d*x + c)^4 + 2*(35*(3*a^4 + 4*a^3*b + 2*a^2*b^2 + 4*a*b^3 + 3*b^4)*\cosh(d*x + c)^4 + 9*a^4 - 12*a^3*b + 22*a^2*b^2 - 12*a*b^3 + 9*b^4 + 30*(3*a^4 - 2*a^3*b + 2*a*b^3 - 3*b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + 3*a^4 + 4*a^3*b + 2*a^2*b^2 + 4*a*b^3 + 3*b^4 + 8*(7*(3*a^4 + 4*a^3*b + 2*a^2*b^2 + 4*a*b^3 + 3*b^4)*\cosh(d*x + c)^5 + 10*(3*a^4 - 2*a^3*b + 2*a*b^3 - 3*b^4)*\cosh(d*x + c)^3 + (9*a^4 - 12*a^3*b + 22*a^2*b^2 - 12*a*b^3 + 9*b^4)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 4*(3*a^4 - 2*a^3*b + 2*a*b^3 - 3*b^4)*\cosh(d*x + c)^2 + 4*(7*(3*a^4 + 4*a^3*b + 2*a^2*b^2 + 4*a*b^3 + 3*b^4)*\cosh(d*x + c)^6 + 15*(3*a^4 - 2*a^3*b + 2*a*b^3 - 3*b^4)*\cosh(d*x + c)^4 + 3*a^4 - 2*a^3*b + 2*a*b^3 - 3*b^4 + 3*(9*a^4 - 12*a^3*b + 22*a^2*b^2 - 12*a*b^3 + 9*b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 + 8*((3*a^4 + 4*a^3*b + 2*a^2*b^2 + 4*a*b^3 + 3*b^4)*\cosh(d*x + c)^7 + 3*(3*a^4 - 2*a^3*b + 2*a*b^3 - 3*b^4)*\cosh(d*x + c)^5 + (9*a^4 - 12*a^3*b + 22*a^2*b^2 - 12*a*b^3 + 9*b^4)*\cosh(d*x + c)^3 + (3*a^4 - 2*a^3*b + 2*a*b^3 - 3*b^4)*\cosh(d*x + c))*\sinh(d*x + c))*\sqrt{-a*b}*\log(((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^4 + 4*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a^2 + 2*a*b + b^2)*\sinh(d*x + c)^4 + 2*(a^2 - b^2)*\cosh(d*x + c)^2 + 2*(3*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^2 + a^2 - b^2)*\sinh(d*x + c)^2 + a^2 - 6*a*b + b^2 + 4*((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^3 + (a^2 - b^2)*\cosh(d*x + c))*\sinh(d*x + c) - 4*((a + b)*\cosh(d*x + c)^2 + 2*(a + b)*\cosh(d*x + c)*\sinh(d*x + c) + (a + b)*\sinh(d*x + c)^2 + a - b)*\sqrt{-a*b}))/((a + b)*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a + b)*\sinh(d*x + c)^4 + 2*(a - b)*\cosh(d*x + c)^2 + 2*(3*(a + b)*\cosh(d*x + c)^2 + a - b)*\sinh(d*x + c)^2 + 4*((a + b)*\cosh(d*x + c)^3 + \end{aligned}$$

$$\begin{aligned}
& (a - b) \cosh(dx + c) \sinh(dx + c) + a + b)) + 8*(3*(3*a^4*b + a^3*b^2 + \\
& a^2*b^3 + 3*a*b^4) \cosh(dx + c)^5 + 6*(3*a^4*b - 5*a^3*b^2 + 5*a^2*b^3 - 3* \\
& a*b^4) \cosh(dx + c)^3 + (9*a^4*b - 13*a^3*b^2 - 13*a^2*b^3 + 9*a*b^4) \cos \\
& h(dx + c)) \sinh(dx + c)) / ((a^5*b^3 + 2*a^4*b^4 + a^3*b^5) * d \cosh(dx + c) \\
& ^8 + 8*(a^5*b^3 + 2*a^4*b^4 + a^3*b^5) * d \cosh(dx + c) \sinh(dx + c)^7 + (a \\
& ^5*b^3 + 2*a^4*b^4 + a^3*b^5) * d \sinh(dx + c)^8 + 4*(a^5*b^3 - a^3*b^5) * d * c \\
& osh(dx + c)^6 + 4*(7*(a^5*b^3 + 2*a^4*b^4 + a^3*b^5) * d \cosh(dx + c)^2 + ( \\
& a^5*b^3 - a^3*b^5) * d) \sinh(dx + c)^6 + 2*(3*a^5*b^3 - 2*a^4*b^4 + 3*a^3*b^ \\
& 5) * d \cosh(dx + c)^4 + 8*(7*(a^5*b^3 + 2*a^4*b^4 + a^3*b^5) * d \cosh(dx + c) \\
& ^3 + 3*(a^5*b^3 - a^3*b^5) * d \cosh(dx + c)) \sinh(dx + c)^5 + 2*(35*(a^5*b^ \\
& 3 + 2*a^4*b^4 + a^3*b^5) * d \cosh(dx + c)^4 + 30*(a^5*b^3 - a^3*b^5) * d \cosh( \\
& dx + c)^2 + (3*a^5*b^3 - 2*a^4*b^4 + 3*a^3*b^5) * d) \sinh(dx + c)^4 + 4*(a^ \\
& 5*b^3 - a^3*b^5) * d \cosh(dx + c)^2 + 8*(7*(a^5*b^3 + 2*a^4*b^4 + a^3*b^5) * d \\
& * \cosh(dx + c)^5 + 10*(a^5*b^3 - a^3*b^5) * d \cosh(dx + c)^3 + (3*a^5*b^3 - \\
& 2*a^4*b^4 + 3*a^3*b^5) * d \cosh(dx + c)) \sinh(dx + c)^3 + 4*(7*(a^5*b^3 + 2 \\
& *a^4*b^4 + a^3*b^5) * d \cosh(dx + c)^6 + 15*(a^5*b^3 - a^3*b^5) * d \cosh(dx + \\
& c)^4 + 3*(3*a^5*b^3 - 2*a^4*b^4 + 3*a^3*b^5) * d \cosh(dx + c)^2 + (a^5*b^3 \\
& - a^3*b^5) * d) \sinh(dx + c)^2 + (a^5*b^3 + 2*a^4*b^4 + a^3*b^5) * d + 8*((a^5 \\
& *b^3 + 2*a^4*b^4 + a^3*b^5) * d \cosh(dx + c)^7 + 3*(a^5*b^3 - a^3*b^5) * d \cos \\
& h(dx + c)^5 + (3*a^5*b^3 - 2*a^4*b^4 + 3*a^3*b^5) * d \cosh(dx + c)^3 + (a^5 \\
& *b^3 - a^3*b^5) * d \cosh(dx + c)) \sinh(dx + c)), 1/8*(2*(3*a^4*b + a^3*b^2 \\
& + a^2*b^3 + 3*a*b^4) \cosh(dx + c)^6 + 12*(3*a^4*b + a^3*b^2 + a^2*b^3 + 3* \\
& a*b^4) \cosh(dx + c) \sinh(dx + c)^5 + 2*(3*a^4*b + a^3*b^2 + a^2*b^3 + 3*a \\
& *b^4) \sinh(dx + c)^6 + 6*a^4*b + 6*a^3*b^2 - 6*a^2*b^3 - 6*a*b^4 + 6*(3*a^ \\
& 4*b - 5*a^3*b^2 + 5*a^2*b^3 - 3*a*b^4) \cosh(dx + c)^4 + 6*(3*a^4*b - 5*a^3 \\
& *b^2 + 5*a^2*b^3 - 3*a*b^4 + 5*(3*a^4*b + a^3*b^2 + a^2*b^3 + 3*a*b^4) \cosh \\
& (dx + c)^2) \sinh(dx + c)^4 + 8*(5*(3*a^4*b + a^3*b^2 + a^2*b^3 + 3*a*b^4) \\
& * \cosh(dx + c)^3 + 3*(3*a^4*b - 5*a^3*b^2 + 5*a^2*b^3 - 3*a*b^4) \cosh(dx + \\
& c)) \sinh(dx + c)^3 + 2*(9*a^4*b - 13*a^3*b^2 - 13*a^2*b^3 + 9*a*b^4) \cosh \\
& (dx + c)^2 + 2*(9*a^4*b - 13*a^3*b^2 - 13*a^2*b^3 + 9*a*b^4 + 15*(3*a^4*b \\
& + a^3*b^2 + a^2*b^3 + 3*a*b^4) \cosh(dx + c)^4 + 18*(3*a^4*b - 5*a^3*b^2 + \\
& 5*a^2*b^3 - 3*a*b^4) \cosh(dx + c)^2) \sinh(dx + c)^2 + ((3*a^4 + 4*a^3*b + \\
& 2*a^2*b^2 + 4*a*b^3 + 3*b^4) \cosh(dx + c)^8 + 8*(3*a^4 + 4*a^3*b + 2*a^2* \\
& b^2 + 4*a*b^3 + 3*b^4) \cosh(dx + c) \sinh(dx + c)^7 + (3*a^4 + 4*a^3*b + 2 \\
& *a^2*b^2 + 4*a*b^3 + 3*b^4) \sinh(dx + c)^8 + 4*(3*a^4 - 2*a^3*b + 2*a*b^3 \\
& - 3*b^4) \cosh(dx + c)^6 + 4*(3*a^4 - 2*a^3*b + 2*a*b^3 - 3*b^4 + 7*(3*a^4 \\
& + 4*a^3*b + 2*a^2*b^2 + 4*a*b^3 + 3*b^4) \cosh(dx + c)^2) \sinh(dx + c)^6 + \\
& 8*(7*(3*a^4 + 4*a^3*b + 2*a^2*b^2 + 4*a*b^3 + 3*b^4) \cosh(dx + c)^3 + 3*( \\
& 3*a^4 - 2*a^3*b + 2*a*b^3 - 3*b^4) \cosh(dx + c)) \sinh(dx + c)^5 + 2*(9*a^ \\
& 4 - 12*a^3*b + 22*a^2*b^2 - 12*a*b^3 + 9*b^4) \cosh(dx + c)^4 + 2*(35*(3*a^ \\
& 4 + 4*a^3*b + 2*a^2*b^2 + 4*a*b^3 + 3*b^4) \cosh(dx + c)^4 + 9*a^4 - 12*a^3 \\
& *b + 22*a^2*b^2 - 12*a*b^3 + 9*b^4 + 30*(3*a^4 - 2*a^3*b + 2*a*b^3 - 3*b^4) \\
& * \cosh(dx + c)^2) \sinh(dx + c)^4 + 3*a^4 + 4*a^3*b + 2*a^2*b^2 + 4*a*b^3 + \\
& 3*b^4 + 8*(7*(3*a^4 + 4*a^3*b + 2*a^2*b^2 + 4*a*b^3 + 3*b^4) \cosh(dx + c) \\
& ^5 + 10*(3*a^4 - 2*a^3*b + 2*a*b^3 - 3*b^4) \cosh(dx + c)^3 + (9*a^4 - 12*a
\end{aligned}$$



$$\begin{aligned}
&^3*b + 22*a^2*b^2 - 12*a*b^3 + 9*b^4)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 4*(3 \\
&*a^4 - 2*a^3*b + 2*a*b^3 - 3*b^4)*\cosh(d*x + c)^2 + 4*(7*(3*a^4 + 4*a^3*b + \\
&2*a^2*b^2 + 4*a*b^3 + 3*b^4)*\cosh(d*x + c)^6 + 15*(3*a^4 - 2*a^3*b + 2*a*b \\
&^3 - 3*b^4)*\cosh(d*x + c)^4 + 3*a^4 - 2*a^3*b + 2*a*b^3 - 3*b^4 + 3*(9*a^4 \\
&- 12*a^3*b + 22*a^2*b^2 - 12*a*b^3 + 9*b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^ \\
&2 + 8*((3*a^4 + 4*a^3*b + 2*a^2*b^2 + 4*a*b^3 + 3*b^4)*\cosh(d*x + c)^7 + 3* \\
&(3*a^4 - 2*a^3*b + 2*a*b^3 - 3*b^4)*\cosh(d*x + c)^5 + (9*a^4 - 12*a^3*b + 2 \\
&2*a^2*b^2 - 12*a*b^3 + 9*b^4)*\cosh(d*x + c)^3 + (3*a^4 - 2*a^3*b + 2*a*b^3 \\
&- 3*b^4)*\cosh(d*x + c))*\sinh(d*x + c))*\sqrt{a*b}*\arctan(1/2*((a + b)*\cosh(d \\
&*x + c)^2 + 2*(a + b)*\cosh(d*x + c)*\sinh(d*x + c) + (a + b)*\sinh(d*x + c)^2 \\
&+ a - b)*\sqrt{a*b}/(a*b)) + 4*(3*(3*a^4*b + a^3*b^2 + a^2*b^3 + 3*a*b^4)*\c \\
&osh(d*x + c)^5 + 6*(3*a^4*b - 5*a^3*b^2 + 5*a^2*b^3 - 3*a*b^4)*\cosh(d*x + c \\
&)^3 + (9*a^4*b - 13*a^3*b^2 - 13*a^2*b^3 + 9*a*b^4)*\cosh(d*x + c))*\sinh(d*x \\
&+ c))/((a^5*b^3 + 2*a^4*b^4 + a^3*b^5)*d*\cosh(d*x + c)^8 + 8*(a^5*b^3 + 2* \\
&a^4*b^4 + a^3*b^5)*d*\cosh(d*x + c)*\sinh(d*x + c)^7 + (a^5*b^3 + 2*a^4*b^4 + \\
&a^3*b^5)*d*\sinh(d*x + c)^8 + 4*(a^5*b^3 - a^3*b^5)*d*\cosh(d*x + c)^6 + 4*( \\
&7*(a^5*b^3 + 2*a^4*b^4 + a^3*b^5)*d*\cosh(d*x + c)^2 + (a^5*b^3 - a^3*b^5)*d \\
&)*\sinh(d*x + c)^6 + 2*(3*a^5*b^3 - 2*a^4*b^4 + 3*a^3*b^5)*d*\cosh(d*x + c)^4 \\
&+ 8*(7*(a^5*b^3 + 2*a^4*b^4 + a^3*b^5)*d*\cosh(d*x + c)^3 + 3*(a^5*b^3 - a^ \\
&3*b^5)*d*\cosh(d*x + c))*\sinh(d*x + c)^5 + 2*(35*(a^5*b^3 + 2*a^4*b^4 + a^3* \\
&b^5)*d*\cosh(d*x + c)^4 + 30*(a^5*b^3 - a^3*b^5)*d*\cosh(d*x + c)^2 + (3*a^5* \\
&b^3 - 2*a^4*b^4 + 3*a^3*b^5)*d)*\sinh(d*x + c)^4 + 4*(a^5*b^3 - a^3*b^5)*d*c \\
&osh(d*x + c)^2 + 8*(7*(a^5*b^3 + 2*a^4*b^4 + a^3*b^5)*d*\cosh(d*x + c)^5 + 1 \\
&0*(a^5*b^3 - a^3*b^5)*d*\cosh(d*x + c)^3 + (3*a^5*b^3 - 2*a^4*b^4 + 3*a^3*b^ \\
&5)*d*\cosh(d*x + c))*\sinh(d*x + c)^3 + 4*(7*(a^5*b^3 + 2*a^4*b^4 + a^3*b^5)* \\
&d*\cosh(d*x + c)^6 + 15*(a^5*b^3 - a^3*b^5)*d*\cosh(d*x + c)^4 + 3*(3*a^5*b^3 \\
&- 2*a^4*b^4 + 3*a^3*b^5)*d*\cosh(d*x + c)^2 + (a^5*b^3 - a^3*b^5)*d)*\sinh(d \\
&*x + c)^2 + (a^5*b^3 + 2*a^4*b^4 + a^3*b^5)*d + 8*((a^5*b^3 + 2*a^4*b^4 + a \\
&^3*b^5)*d*\cosh(d*x + c)^7 + 3*(a^5*b^3 - a^3*b^5)*d*\cosh(d*x + c)^5 + (3*a^ \\
&5*b^3 - 2*a^4*b^4 + 3*a^3*b^5)*d*\cosh(d*x + c)^3 + (a^5*b^3 - a^3*b^5)*d*co \\
&sh(d*x + c))*\sinh(d*x + c))]
\end{aligned}$$


---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)\*\*6/(a+b\*tanh(d\*x+c)\*\*2)\*\*3,x)

[Out] Timed out

**Giac [B]** time = 1.93837, size = 456, normalized size = 3.48

$$\frac{(3a^2e^{2c} - 2abe^{2c} + 3b^2e^{2c}) \arctan\left(\frac{ae^{2dx+2c} + be^{2dx+2c} + a - b}{2\sqrt{ab}}\right) e^{-2c}}{\sqrt{ab}a^2b^2} + \frac{2(3a^3e^{6dx+6c} + a^2be^{6dx+6c} + ab^2e^{6dx+6c} + 3b^3e^{6dx+6c} + 9a^3e^{4dx+4c} - 15a^2be^{4dx+4c} - 15ab^2e^{4dx+4c} + 3b^3e^{4dx+4c})}{8d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^6/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out] 1/8\*((3\*a^2\*e^(2\*c) - 2\*a\*b\*e^(2\*c) + 3\*b^2\*e^(2\*c))\*arctan(1/2\*(a\*e^(2\*d\*x + 2\*c) + b\*e^(2\*d\*x + 2\*c) + a - b)/sqrt(a\*b))\*e^(-2\*c)/(sqrt(a\*b)\*a^2\*b^2) + 2\*(3\*a^3\*e^(6\*d\*x + 6\*c) + a^2\*b\*e^(6\*d\*x + 6\*c) + a\*b^2\*e^(6\*d\*x + 6\*c) + 3\*b^3\*e^(6\*d\*x + 6\*c) + 9\*a^3\*e^(4\*d\*x + 4\*c) - 15\*a^2\*b\*e^(4\*d\*x + 4\*c) + 15\*a\*b^2\*e^(4\*d\*x + 4\*c) - 9\*b^3\*e^(4\*d\*x + 4\*c) + 9\*a^3\*e^(2\*d\*x + 2\*c) - 13\*a^2\*b\*e^(2\*d\*x + 2\*c) - 13\*a\*b^2\*e^(2\*d\*x + 2\*c) + 9\*b^3\*e^(2\*d\*x + 2\*c) + 3\*a^3 + 3\*a^2\*b - 3\*a\*b^2 - 3\*b^3)/((a\*e^(4\*d\*x + 4\*c) + b\*e^(4\*d\*x + 4\*c) + 2\*a\*e^(2\*d\*x + 2\*c) - 2\*b\*e^(2\*d\*x + 2\*c) + a + b)^2\*a^2\*b^2)/d

$$3.133 \quad \int \frac{\operatorname{sech}^7(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$$

**Optimal.** Leaf size=156

$$-\frac{(4a-3b)(a+b) \sinh(c+dx)}{8a^2b^2d((a+b) \sinh^2(c+dx)+a)} + \frac{\sqrt{a+b}(8a^2-4ab+3b^2) \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{8a^{5/2}b^3d} + \frac{(a+b) \sinh(c+dx)}{4abd((a+b) \sinh^2(c+dx)+a)}$$

[Out]  $-(\operatorname{ArcTan}[\operatorname{Sinh}[c+d*x]]/(b^3*d)) + (\operatorname{Sqrt}[a+b]*(8*a^2-4*a*b+3*b^2)*\operatorname{ArcTan}[(\operatorname{Sqrt}[a+b]*\operatorname{Sinh}[c+d*x])/ \operatorname{Sqrt}[a]])/(8*a^{5/2}*b^3*d) + ((a+b)*\operatorname{Sinh}[c+d*x])/(4*a*b*d*(a+(a+b)*\operatorname{Sinh}[c+d*x]^2)^2) - ((4*a-3*b)*(a+b)*\operatorname{Sinh}[c+d*x])/(8*a^2*b^2*d*(a+(a+b)*\operatorname{Sinh}[c+d*x]^2))$

**Rubi [A]** time = 0.227987, antiderivative size = 156, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {3676, 414, 527, 522, 203, 205}

$$-\frac{(4a-3b)(a+b) \sinh(c+dx)}{8a^2b^2d((a+b) \sinh^2(c+dx)+a)} + \frac{\sqrt{a+b}(8a^2-4ab+3b^2) \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{8a^{5/2}b^3d} + \frac{(a+b) \sinh(c+dx)}{4abd((a+b) \sinh^2(c+dx)+a)}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[\operatorname{Sech}[c+d*x]^7/(a+b*\operatorname{Tanh}[c+d*x]^2)^3, x]$

[Out]  $-(\operatorname{ArcTan}[\operatorname{Sinh}[c+d*x]]/(b^3*d)) + (\operatorname{Sqrt}[a+b]*(8*a^2-4*a*b+3*b^2)*\operatorname{ArcTan}[(\operatorname{Sqrt}[a+b]*\operatorname{Sinh}[c+d*x])/ \operatorname{Sqrt}[a]])/(8*a^{5/2}*b^3*d) + ((a+b)*\operatorname{Sinh}[c+d*x])/(4*a*b*d*(a+(a+b)*\operatorname{Sinh}[c+d*x]^2)^2) - ((4*a-3*b)*(a+b)*\operatorname{Sinh}[c+d*x])/(8*a^2*b^2*d*(a+(a+b)*\operatorname{Sinh}[c+d*x]^2))$

### Rule 3676

$\operatorname{Int}[\sec[(e_.) + (f_.)*(x_)]^{(m_.)*((a_.) + (b_.)*\tan[(e_.) + (f_.)*(x_)]^{(n_.)})^{(p_.)}, x\_Symbol] :> \operatorname{With}[\{ff = \operatorname{FreeFactors}[\operatorname{Sin}[e + f*x], x]\}, \operatorname{Dist}[ff/f, \operatorname{Subst}[\operatorname{Int}[\operatorname{ExpandToSum}[b*(ff*x)^n + a*(1 - ff^2*x^2)^{(n/2)}, x]^p/(1 - ff^2*x^2)^{((m + n*p + 1)/2)}, x], x, \operatorname{Sin}[e + f*x]/ff], x]] /; \operatorname{FreeQ}[\{a, b, e, f\}, x] \&\& \operatorname{IntegerQ}[(m - 1)/2] \&\& \operatorname{IntegerQ}[n/2] \&\& \operatorname{IntegerQ}[p]$

### Rule 414

```

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> -Simp[(b*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(p + 1)*(b*c -
a*d)), x] + Dist[1/(a*n*(p + 1)*(b*c - a*d)), Int[(a + b*x^n)^(p + 1)*(c +
d*x^n)^q*Simp[b*c + n*(p + 1)*(b*c - a*d) + d*b*(n*(p + q + 2) + 1)*x^n, x]
, x], x] /; FreeQ[{a, b, c, d, n, q}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1]
&& !( !IntegerQ[p] && IntegerQ[q] && LtQ[q, -1]) && IntBinomialQ[a, b, c,
d, n, p, q, x]

```

### Rule 527

```

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_)*((e_) + (f
_.)*(x_)^(n_)), x_Symbol] :> -Simp[((b*e - a*f)*x*(a + b*x^n)^(p + 1)*(c +
d*x^n)^(q + 1))/(a*n*(b*c - a*d)*(p + 1)), x] + Dist[1/(a*n*(b*c - a*d)*(p
+ 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(b*e - a*f) + e*n*(b*c
- a*d)*(p + 1) + d*(b*e - a*f)*(n*(p + q + 2) + 1)*x^n, x], x], x] /; FreeQ
[{a, b, c, d, e, f, n, q}, x] && LtQ[p, -1]

```

### Rule 522

```

Int[((e_) + (f_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_))*((c_) + (d_.)*(x_)^(
n_)), x_Symbol] :> Dist[(b*e - a*f)/(b*c - a*d), Int[1/(a + b*x^n), x], x]
- Dist[(d*e - c*f)/(b*c - a*d), Int[1/(c + d*x^n), x], x] /; FreeQ[{a, b,
c, d, e, f, n}, x]

```

### Rule 203

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])

```

### Rule 205

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

```

### Rubi steps

$$\begin{aligned}
\int \frac{\operatorname{sech}^7(c+dx)}{(a+b \tanh^2(c+dx))^3} dx &= \frac{\operatorname{Subst}\left(\int \frac{1}{(1+x^2)(a+(a+b)x^2)^3} dx, x, \sinh(c+dx)\right)}{d} \\
&= \frac{(a+b) \sinh(c+dx)}{4abd(a+(a+b) \sinh^2(c+dx))^2} - \frac{\operatorname{Subst}\left(\int \frac{a-3b-3(a+b)x^2}{(1+x^2)(a+(a+b)x^2)^2} dx, x, \sinh(c+dx)\right)}{4abd} \\
&= \frac{(a+b) \sinh(c+dx)}{4abd(a+(a+b) \sinh^2(c+dx))^2} - \frac{(4a-3b)(a+b) \sinh(c+dx)}{8a^2b^2d(a+(a+b) \sinh^2(c+dx))} + \frac{\operatorname{Subst}\left(\int \frac{4a^2}{1+x^2}\right)}{4abd} \\
&= \frac{(a+b) \sinh(c+dx)}{4abd(a+(a+b) \sinh^2(c+dx))^2} - \frac{(4a-3b)(a+b) \sinh(c+dx)}{8a^2b^2d(a+(a+b) \sinh^2(c+dx))} - \frac{\operatorname{Subst}\left(\int \frac{1}{1+x^2}\right)}{4abd} \\
&= -\frac{\tan^{-1}(\sinh(c+dx))}{b^3d} + \frac{\sqrt{a+b}(8a^2-4ab+3b^2) \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{8a^{5/2}b^3d} + \frac{(a+b)}{4abd(a+(a+b) \sinh^2(c+dx))}
\end{aligned}$$

**Mathematica [C]** time = 3.17087, size = 317, normalized size = 2.03

$$\frac{i\sqrt{a+b}(8a^2-4ab+3b^2) \log((a+b) \cosh(2(c+dx))+a-b)}{a^{5/2}} - \frac{i(4a^2b+8a^3-ab^2+3b^3) \log((a+b) \cosh(2(c+dx))+a-b)}{a^{5/2}\sqrt{a+b}} + \frac{8b(4a^2+ab-3b^2) \sinh(c+dx)}{a^2((a+b) \cosh(2(c+dx))+a-b)} + \frac{2\sqrt{a+b}}{3}$$

Antiderivative was successfully verified.

[In] Integrate[Sech[c + d\*x]^7/(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] -((2\*sqrt[a + b]\*(8\*a^2 - 4\*a\*b + 3\*b^2)\*ArcTan[(sqrt[a]\*Csch[c + d\*x])/sqrt[a + b]])/a^(5/2) + (2\*(8\*a^3 + 4\*a^2\*b - a\*b^2 + 3\*b^3)\*ArcTan[(sqrt[a]\*Csch[c + d\*x])/sqrt[a + b]])/(a^(5/2)\*sqrt[a + b]) + 64\*ArcTan[Tanh[(c + d\*x)/2]] + (I\*sqrt[a + b]\*(8\*a^2 - 4\*a\*b + 3\*b^2)\*Log[a - b + (a + b)\*Cosh[2\*(c + d\*x)]])/a^(5/2) - (I\*(8\*a^3 + 4\*a^2\*b - a\*b^2 + 3\*b^3)\*Log[a - b + (a + b)\*Cosh[2\*(c + d\*x)]])/a^(5/2)\*sqrt[a + b] - (32\*b^2\*(a + b)\*Sinh[c + d\*x])/(a\*(a - b + (a + b)\*Cosh[2\*(c + d\*x)])^2) + (8\*b\*(4\*a^2 + a\*b - 3\*b^2)\*Sinh[c + d\*x])/(a^2\*(a - b + (a + b)\*Cosh[2\*(c + d\*x)])))/(32\*b^3\*d)

**Maple [B]** time = 0.112, size = 1907, normalized size = 12.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(\text{sech}(d*x+c)^7/(a+b*\tanh(d*x+c)^2)^3, x)$

[Out] 
$$\frac{3}{8} \frac{d}{a^2 b} \frac{1}{(b(a+b))^{1/2}} \frac{1}{((2(b(a+b))^{1/2} - a - 2b)a)^{1/2}} \arctanh(a \tanh(1/2 d x + 1/2 c)) \frac{1}{((2(b(a+b))^{1/2} - a - 2b)a)^{1/2}} - \frac{1}{8} \frac{d}{(b(a+b))^{1/2}} \frac{1}{a} \frac{1}{((2(b(a+b))^{1/2} - a - 2b)a)^{1/2}} \arctanh(a \tanh(1/2 d x + 1/2 c)) \frac{1}{((2(b(a+b))^{1/2} - a - 2b)a)^{1/2}} - \frac{1}{8} \frac{d}{(b(a+b))^{1/2}} \frac{1}{a} \frac{1}{((2(b(a+b))^{1/2} + a + 2b)a)^{1/2}} \arctan(a \tanh(1/2 d x + 1/2 c)) \frac{1}{((2(b(a+b))^{1/2} + a + 2b)a)^{1/2}} - \frac{1}{d} \frac{1}{b^3} \frac{1}{(b(a+b))^{1/2}} \frac{1}{((2(b(a+b))^{1/2} - a - 2b)a)^{1/2}} \arctanh(a \tanh(1/2 d x + 1/2 c)) \frac{1}{((2(b(a+b))^{1/2} - a - 2b)a)^{1/2}} + \frac{1}{d} \frac{1}{b^3} \frac{1}{(b(a+b))^{1/2}} \frac{1}{((2(b(a+b))^{1/2} + a + 2b)a)^{1/2}} \arctan(a \tanh(1/2 d x + 1/2 c)) \frac{1}{((2(b(a+b))^{1/2} + a + 2b)a)^{1/2}} - \frac{2}{d} \frac{1}{b^3} \arctan(\tanh(1/2 d x + 1/2 c)) + \frac{1}{2} \frac{d}{b} \frac{1}{(b(a+b))^{1/2}} \frac{1}{((2(b(a+b))^{1/2} - a - 2b)a)^{1/2}} \arctanh(a \tanh(1/2 d x + 1/2 c)) \frac{1}{((2(b(a+b))^{1/2} - a - 2b)a)^{1/2}} + \frac{1}{8} \frac{d}{a} \frac{1}{b} \frac{1}{((2(b(a+b))^{1/2} - a - 2b)a)^{1/2}} \arctanh(a \tanh(1/2 d x + 1/2 c)) \frac{1}{((2(b(a+b))^{1/2} - a - 2b)a)^{1/2}} + \frac{1}{2} \frac{d}{b} \frac{1}{(b(a+b))^{1/2}} \frac{1}{((2(b(a+b))^{1/2} + a + 2b)a)^{1/2}} \arctan(a \tanh(1/2 d x + 1/2 c)) \frac{1}{((2(b(a+b))^{1/2} + a + 2b)a)^{1/2}} - \frac{1}{8} \frac{d}{a} \frac{1}{b} \frac{1}{((2(b(a+b))^{1/2} + a + 2b)a)^{1/2}} \arctan(a \tanh(1/2 d x + 1/2 c)) \frac{1}{((2(b(a+b))^{1/2} + a + 2b)a)^{1/2}} + \frac{3}{8} \frac{d}{a^2} \frac{1}{b} \frac{1}{(b(a+b))^{1/2}} \frac{1}{((2(b(a+b))^{1/2} + a + 2b)a)^{1/2}} \arctan(a \tanh(1/2 d x + 1/2 c)) \frac{1}{((2(b(a+b))^{1/2} + a + 2b)a)^{1/2}} + \frac{1}{d} \frac{1}{a} \frac{1}{b^2} \frac{1}{(b(a+b))^{1/2}} \frac{1}{((2(b(a+b))^{1/2} - a - 2b)a)^{1/2}} \arctanh(a \tanh(1/2 d x + 1/2 c)) \frac{1}{((2(b(a+b))^{1/2} - a - 2b)a)^{1/2}} + \frac{1}{d} \frac{1}{a} \frac{1}{b^2} \frac{1}{(b(a+b))^{1/2}} \frac{1}{((2(b(a+b))^{1/2} + a + 2b)a)^{1/2}} \arctan(a \tanh(1/2 d x + 1/2 c)) \frac{1}{((2(b(a+b))^{1/2} + a + 2b)a)^{1/2}} + \frac{1}{d} \frac{1}{(\tanh(1/2 d x + 1/2 c))^4} \frac{1}{(a + 2 \tanh(1/2 d x + 1/2 c))^2} \frac{1}{(a + 4 \tanh(1/2 d x + 1/2 c))^2} \frac{1}{b} \frac{1}{(a + 2 \tanh(1/2 d x + 1/2 c))^2} \frac{1}{(a + 4 \tanh(1/2 d x + 1/2 c))^2} \frac{1}{b} \frac{1}{(a + 2 \tanh(1/2 d x + 1/2 c))^5} - \frac{1}{d} \frac{1}{(\tanh(1/2 d x + 1/2 c))^4} \frac{1}{(a + 2 \tanh(1/2 d x + 1/2 c))^2} \frac{1}{(a + 4 \tanh(1/2 d x + 1/2 c))^2} \frac{1}{b} \frac{1}{(a + 2 \tanh(1/2 d x + 1/2 c))^2} \frac{1}{(a + 4 \tanh(1/2 d x + 1/2 c))^2} \frac{1}{b} \frac{1}{(a + 2 \tanh(1/2 d x + 1/2 c))^3} + \frac{3}{d} \frac{1}{a^2} \frac{1}{b} \frac{1}{(\tanh(1/2 d x + 1/2 c))^4} \frac{1}{(a + 2 \tanh(1/2 d x + 1/2 c))^2} \frac{1}{(a + 4 \tanh(1/2 d x + 1/2 c))^2} \frac{1}{b} \frac{1}{(a + 2 \tanh(1/2 d x + 1/2 c))^2} \frac{1}{(a + 4 \tanh(1/2 d x + 1/2 c))^2} \frac{1}{b} \frac{1}{(a + 2 \tanh(1/2 d x + 1/2 c))^3} - \frac{3}{8} \frac{d}{a^2} \frac{1}{((2(b(a+b))^{1/2} - a - 2b)a)^{1/2}} \frac{1}{((2(b(a+b))^{1/2} - a - 2b)a)^{1/2}} \arctanh(a \tanh(1/2 d x + 1/2 c)) \frac{1}{((2(b(a+b))^{1/2} - a - 2b)a)^{1/2}} + \frac{3}{8} \frac{d}{a^2} \frac{1}{((2(b(a+b))^{1/2} + a + 2b)a)^{1/2}} \frac{1}{((2(b(a+b))^{1/2} + a + 2b)a)^{1/2}} \arctan(a \tanh(1/2 d x + 1/2 c)) \frac{1}{((2(b(a+b))^{1/2} + a + 2b)a)^{1/2}} - \frac{1}{2} \frac{d}{b} \frac{1}{(b(a+b))^{1/2}} \frac{1}{((2(b(a+b))^{1/2} - a - 2b)a)^{1/2}} \frac{1}{((2(b(a+b))^{1/2} - a - 2b)a)^{1/2}} \arctanh(a \tanh(1/2 d x + 1/2 c)) \frac{1}{((2(b(a+b))^{1/2} - a - 2b)a)^{1/2}} + \frac{1}{2} \frac{d}{b} \frac{1}{(b(a+b))^{1/2}} \frac{1}{((2(b(a+b))^{1/2} + a + 2b)a)^{1/2}} \frac{1}{((2(b(a+b))^{1/2} + a + 2b)a)^{1/2}} \arctan(a \tanh(1/2 d x + 1/2 c)) \frac{1}{((2(b(a+b))^{1/2} + a + 2b)a)^{1/2}} - \frac{5}{4} \frac{d}{(\tanh(1/2 d x + 1/2 c))^4} \frac{1}{(a + 2 \tanh(1/2 d x + 1/2 c))^2} \frac{1}{(a + 4 \tanh(1/2 d x + 1/2 c))^2} \frac{1}{b} \frac{1}{(a + 2 \tanh(1/2 d x + 1/2 c))^2} \frac{1}{(a + 4 \tanh(1/2 d x + 1/2 c))^2} \frac{1}{a} \frac{1}{\tanh(1/2 d x + 1/2 c)^7} + \frac{7}{4} \frac{d}{(\tanh(1/2 d x + 1/2 c))^4} \frac{1}{(a + 2 \tanh(1/2 d x + 1/2 c))^2} \frac{1}{(a + 4 \tanh(1/2 d x + 1/2 c))^2} \frac{1}{b} \frac{1}{(a + 2 \tanh(1/2 d x + 1/2 c))^2} \frac{1}{(a + 4 \tanh(1/2 d x + 1/2 c))^2} \frac{1}{a} \frac{1}{\tanh(1/2 d x + 1/2 c)^5} - \frac{7}{4} \frac{d}{(\tanh(1/2 d x + 1/2 c))^4} \frac{1}{(a + 2 \tanh(1/2 d x + 1/2 c))^2} \frac{1}{(a + 4 \tanh(1/2 d x + 1/2 c))^2} \frac{1}{b} \frac{1}{(a + 2 \tanh(1/2 d x + 1/2 c))^2} \frac{1}{(a + 4 \tanh(1/2 d x + 1/2 c))^2} \frac{1}{a} \frac{1}{\tanh(1/2 d x + 1/2 c)^3} + \frac{5}{4} \frac{d}{(\tanh(1/2 d x + 1/2 c))^4} \frac{1}{(a + 2 \tanh(1/2 d x + 1/2 c))^2} \frac{1}{(a + 4 \tanh(1/2 d x + 1/2 c))^2} \frac{1}{b} \frac{1}{(a + 2 \tanh(1/2 d x + 1/2 c))^2} \frac{1}{(a + 4 \tanh(1/2 d x + 1/2 c))^2} \frac{1}{a} \frac{1}{\tanh(1/2 d x + 1/2 c)^3}$$

$$\begin{aligned} & h(1/2*d*x+1/2*c)^{2*b+a}^2/a*\tanh(1/2*d*x+1/2*c)-23/4/d/(\tanh(1/2*d*x+1/2*c) \\ & ^{4*a+2*\tanh(1/2*d*x+1/2*c)^{2*a+4*\tanh(1/2*d*x+1/2*c)^{2*b+a}^2/b*\tanh(1/2*d* \\ & x+1/2*c)^3+1/4/d/(\tanh(1/2*d*x+1/2*c)^{4*a+2*\tanh(1/2*d*x+1/2*c)^{2*a+4*\tanh( \\ & 1/2*d*x+1/2*c)^{2*b+a}^2/b*\tanh(1/2*d*x+1/2*c)-1/4/d/(\tanh(1/2*d*x+1/2*c)^4* \\ & a+2*\tanh(1/2*d*x+1/2*c)^{2*a+4*\tanh(1/2*d*x+1/2*c)^{2*b+a}^2/b*\tanh(1/2*d*x+1 \\ & /2*c)^7+23/4/d/(\tanh(1/2*d*x+1/2*c)^{4*a+2*\tanh(1/2*d*x+1/2*c)^{2*a+4*\tanh(1/ \\ & 2*d*x+1/2*c)^{2*b+a}^2/b*\tanh(1/2*d*x+1/2*c)^5-3/d/a^{2*b}/(\tanh(1/2*d*x+1/2*c) \\ & )^{4*a+2*\tanh(1/2*d*x+1/2*c)^{2*a+4*\tanh(1/2*d*x+1/2*c)^{2*b+a}^2*\tanh(1/2*d*x \\ & +1/2*c)^5-1/d/(\tanh(1/2*d*x+1/2*c)^{4*a+2*\tanh(1/2*d*x+1/2*c)^{2*a+4*\tanh(1/2 \\ & *d*x+1/2*c)^{2*b+a}^2*a/b^{2*\tanh(1/2*d*x+1/2*c)}+1/d/(\tanh(1/2*d*x+1/2*c)^{4*a \\ & +2*\tanh(1/2*d*x+1/2*c)^{2*a+4*\tanh(1/2*d*x+1/2*c)^{2*b+a}^2*a/b^{2*\tanh(1/2*d* \\ & x+1/2*c)^7} \end{aligned}$$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^7/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="maxima")

[Out] Timed out

**Fricas [B]** time = 3.3531, size = 18573, normalized size = 119.06

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^7/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [-1/16*(4*(4*a^3*b + 5*a^2*b^2 - 2*a*b^3 - 3*b^4)*\cosh(d*x + c)^7 + 28*(4*a \\ & ^3*b + 5*a^2*b^2 - 2*a*b^3 - 3*b^4)*\cosh(d*x + c)*\sinh(d*x + c)^6 + 4*(4*a^ \\ & 3*b + 5*a^2*b^2 - 2*a*b^3 - 3*b^4)*\sinh(d*x + c)^7 + 4*(4*a^3*b - 19*a^2*b^ \\ & 2 - 14*a*b^3 + 9*b^4)*\cosh(d*x + c)^5 + 4*(4*a^3*b - 19*a^2*b^2 - 14*a*b^3 \\ & + 9*b^4 + 21*(4*a^3*b + 5*a^2*b^2 - 2*a*b^3 - 3*b^4)*\cosh(d*x + c)^2)*\sinh( \\ & d*x + c)^5 + 20*(7*(4*a^3*b + 5*a^2*b^2 - 2*a*b^3 - 3*b^4)*\cosh(d*x + c)^3 \\ & + (4*a^3*b - 19*a^2*b^2 - 14*a*b^3 + 9*b^4)*\cosh(d*x + c))*\sinh(d*x + c)^4 \\ & - 4*(4*a^3*b - 19*a^2*b^2 - 14*a*b^3 + 9*b^4)*\cosh(d*x + c)^3 + 4*(35*(4*a^ \\ & 3*b + 5*a^2*b^2 - 2*a*b^3 - 3*b^4)*\cosh(d*x + c)^4 - 4*a^3*b + 19*a^2*b^2 + \end{aligned}$$

$$\begin{aligned}
& 14*a*b^3 - 9*b^4 + 10*(4*a^3*b - 19*a^2*b^2 - 14*a*b^3 + 9*b^4)*\cosh(d*x + c)^2*\sinh(d*x + c)^3 + 4*(21*(4*a^3*b + 5*a^2*b^2 - 2*a*b^3 - 3*b^4)*\cosh(d*x + c)^5 + 10*(4*a^3*b - 19*a^2*b^2 - 14*a*b^3 + 9*b^4)*\cosh(d*x + c)^3 - 3*(4*a^3*b - 19*a^2*b^2 - 14*a*b^3 + 9*b^4)*\cosh(d*x + c))*\sinh(d*x + c)^2 - ((8*a^4 + 12*a^3*b + 3*a^2*b^2 + 2*a*b^3 + 3*b^4)*\cosh(d*x + c)^8 + 8*(8*a^4 + 12*a^3*b + 3*a^2*b^2 + 2*a*b^3 + 3*b^4)*\cosh(d*x + c)*\sinh(d*x + c)^7 + (8*a^4 + 12*a^3*b + 3*a^2*b^2 + 2*a*b^3 + 3*b^4)*\sinh(d*x + c)^8 + 4*(8*a^4 - 4*a^3*b - 5*a^2*b^2 + 4*a*b^3 - 3*b^4)*\cosh(d*x + c)^6 + 4*(8*a^4 - 4*a^3*b - 5*a^2*b^2 + 4*a*b^3 - 3*b^4 + 7*(8*a^4 + 12*a^3*b + 3*a^2*b^2 + 2*a*b^3 + 3*b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^6 + 8*(7*(8*a^4 + 12*a^3*b + 3*a^2*b^2 + 2*a*b^3 + 3*b^4)*\cosh(d*x + c)^3 + 3*(8*a^4 - 4*a^3*b - 5*a^2*b^2 + 4*a*b^3 - 3*b^4)*\cosh(d*x + c))*\sinh(d*x + c)^5 + 2*(24*a^4 - 28*a^3*b + 41*a^2*b^2 - 18*a*b^3 + 9*b^4)*\cosh(d*x + c)^4 + 2*(35*(8*a^4 + 12*a^3*b + 3*a^2*b^2 + 2*a*b^3 + 3*b^4)*\cosh(d*x + c)^4 + 24*a^4 - 28*a^3*b + 41*a^2*b^2 - 18*a*b^3 + 9*b^4 + 30*(8*a^4 - 4*a^3*b - 5*a^2*b^2 + 4*a*b^3 - 3*b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + 8*a^4 + 12*a^3*b + 3*a^2*b^2 + 2*a*b^3 + 3*b^4 + 8*(7*(8*a^4 + 12*a^3*b + 3*a^2*b^2 + 2*a*b^3 + 3*b^4)*\cosh(d*x + c)^5 + 10*(8*a^4 - 4*a^3*b - 5*a^2*b^2 + 4*a*b^3 - 3*b^4)*\cosh(d*x + c)^3 + (24*a^4 - 28*a^3*b + 41*a^2*b^2 - 18*a*b^3 + 9*b^4)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 4*(8*a^4 - 4*a^3*b - 5*a^2*b^2 + 4*a*b^3 - 3*b^4)*\cosh(d*x + c)^2 + 4*(7*(8*a^4 + 12*a^3*b + 3*a^2*b^2 + 2*a*b^3 + 3*b^4)*\cosh(d*x + c)^6 + 15*(8*a^4 - 4*a^3*b - 5*a^2*b^2 + 4*a*b^3 - 3*b^4)*\cosh(d*x + c)^4 + 8*a^4 - 4*a^3*b - 5*a^2*b^2 + 4*a*b^3 - 3*b^4 + 3*(24*a^4 - 28*a^3*b + 41*a^2*b^2 - 18*a*b^3 + 9*b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 + 8*((8*a^4 + 12*a^3*b + 3*a^2*b^2 + 2*a*b^3 + 3*b^4)*\cosh(d*x + c)^7 + 3*(8*a^4 - 4*a^3*b - 5*a^2*b^2 + 4*a*b^3 - 3*b^4)*\cosh(d*x + c)^5 + (24*a^4 - 28*a^3*b + 41*a^2*b^2 - 18*a*b^3 + 9*b^4)*\cosh(d*x + c)^3 + (8*a^4 - 4*a^3*b - 5*a^2*b^2 + 4*a*b^3 - 3*b^4)*\cosh(d*x + c))*\sinh(d*x + c))*\sqrt{-(a + b)/a}*\log(((a + b)*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a + b)*\sinh(d*x + c)^4 - 2*(3*a + b)*\cosh(d*x + c)^2 + 2*(3*(a + b)*\cosh(d*x + c)^2 - 3*a - b)*\sinh(d*x + c)^2 + 4*((a + b)*\cosh(d*x + c)^3 - (3*a + b)*\cosh(d*x + c))*\sinh(d*x + c) + 4*(a*\cosh(d*x + c)^3 + 3*a*\cosh(d*x + c)*\sinh(d*x + c)^2 + a*\sinh(d*x + c)^3 - a*\cosh(d*x + c) + (3*a*\cosh(d*x + c)^2 - a)*\sinh(d*x + c))*\sqrt{-(a + b)/a} + a + b)/((a + b)*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a + b)*\sinh(d*x + c)^4 + 2*(a - b)*\cosh(d*x + c)^2 + 2*(3*(a + b)*\cosh(d*x + c)^2 + a - b)*\sinh(d*x + c)^2 + 4*((a + b)*\cosh(d*x + c)^3 + (a - b)*\cosh(d*x + c))*\sinh(d*x + c) + a + b)) + 32*((a^4 + 2*a^3*b + a^2*b^2)*\cosh(d*x + c)^8 + 8*(a^4 + 2*a^3*b + a^2*b^2)*\cosh(d*x + c)*\sinh(d*x + c)^7 + (a^4 + 2*a^3*b + a^2*b^2)*\sinh(d*x + c)^8 + 4*(a^4 - a^2*b^2)*\cosh(d*x + c)^6 + 4*(a^4 - a^2*b^2 + 7*(a^4 + 2*a^3*b + a^2*b^2))*\cosh(d*x + c)^2)*\sinh(d*x + c)^6 + 8*(7*(a^4 + 2*a^3*b + a^2*b^2)*\cosh(d*x + c)^3 + 3*(a^4 - a^2*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^5 + 2*(3*a^4 - 2*a^3*b + 3*a^2*b^2)*\cosh(d*x + c)^4 + 2*(35*(a^4 + 2*a^3*b + a^2*b^2)*\cosh(d*x + c)^4 + 3*a^4 - 2*a^3*b + 3*a^2*b^2 + 30*(a^4 - a^2*b^2)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + a^4 + 2*a^3*b + a^2*b^2 + 8*(7*(a^4 + 2*a^3*b + a^2*b^2)
\end{aligned}$$



$$\begin{aligned}
& 2) * \cosh(dx + c)^5 + 10 * (a^4 - a^2 * b^2) * \cosh(dx + c)^3 + (3 * a^4 - 2 * a^3 * b \\
& + 3 * a^2 * b^2) * \cosh(dx + c) * \sinh(dx + c)^3 + 4 * (a^4 - a^2 * b^2) * \cosh(dx + \\
& c)^2 + 4 * (7 * (a^4 + 2 * a^3 * b + a^2 * b^2) * \cosh(dx + c)^6 + 15 * (a^4 - a^2 * b^2) * \\
& \cosh(dx + c)^4 + a^4 - a^2 * b^2 + 3 * (3 * a^4 - 2 * a^3 * b + 3 * a^2 * b^2) * \cosh(dx \\
& + c)^2) * \sinh(dx + c)^2 + 8 * ((a^4 + 2 * a^3 * b + a^2 * b^2) * \cosh(dx + c)^7 + 3 * \\
& (a^4 - a^2 * b^2) * \cosh(dx + c)^5 + (3 * a^4 - 2 * a^3 * b + 3 * a^2 * b^2) * \cosh(dx + \\
& c)^3 + (a^4 - a^2 * b^2) * \cosh(dx + c) * \sinh(dx + c)) * \arctan(\cosh(dx + c) + \\
& \sinh(dx + c)) - 4 * (4 * a^3 * b + 5 * a^2 * b^2 - 2 * a * b^3 - 3 * b^4) * \cosh(dx + c) + \\
& 4 * (7 * (4 * a^3 * b + 5 * a^2 * b^2 - 2 * a * b^3 - 3 * b^4) * \cosh(dx + c)^6 + 5 * (4 * a^3 * b \\
& - 19 * a^2 * b^2 - 14 * a * b^3 + 9 * b^4) * \cosh(dx + c)^4 - 4 * a^3 * b - 5 * a^2 * b^2 + 2 * \\
& a * b^3 + 3 * b^4 - 3 * (4 * a^3 * b - 19 * a^2 * b^2 - 14 * a * b^3 + 9 * b^4) * \cosh(dx + c)^2 \\
& ) * \sinh(dx + c)) / ((a^4 * b^3 + 2 * a^3 * b^4 + a^2 * b^5) * d * \cosh(dx + c)^8 + 8 * (a^4 * b^3 + 2 * \\
& a^3 * b^4 + a^2 * b^5) * d * \cosh(dx + c) * \sinh(dx + c)^7 + (a^4 * b^3 + 2 * \\
& a^3 * b^4 + a^2 * b^5) * d * \sinh(dx + c)^8 + 4 * (a^4 * b^3 - a^2 * b^5) * d * \cosh(dx + \\
& c)^6 + 4 * (7 * (a^4 * b^3 + 2 * a^3 * b^4 + a^2 * b^5) * d * \cosh(dx + c)^2 + (a^4 * b^3 - \\
& a^2 * b^5) * d) * \sinh(dx + c)^6 + 2 * (3 * a^4 * b^3 - 2 * a^3 * b^4 + 3 * a^2 * b^5) * d * \cosh( \\
& dx + c)^4 + 8 * (7 * (a^4 * b^3 + 2 * a^3 * b^4 + a^2 * b^5) * d * \cosh(dx + c)^3 + 3 * (a^4 * b^3 - \\
& a^2 * b^5) * d * \cosh(dx + c)) * \sinh(dx + c)^5 + 2 * (35 * (a^4 * b^3 + 2 * a^3 * \\
& b^4 + a^2 * b^5) * d * \cosh(dx + c)^4 + 30 * (a^4 * b^3 - a^2 * b^5) * d * \cosh(dx + c)^2 \\
& + (3 * a^4 * b^3 - 2 * a^3 * b^4 + 3 * a^2 * b^5) * d) * \sinh(dx + c)^4 + 4 * (a^4 * b^3 - a^2 * \\
& b^5) * d * \cosh(dx + c)^2 + 8 * (7 * (a^4 * b^3 + 2 * a^3 * b^4 + a^2 * b^5) * d * \cosh(dx + \\
& c)^5 + 10 * (a^4 * b^3 - a^2 * b^5) * d * \cosh(dx + c)^3 + (3 * a^4 * b^3 - 2 * a^3 * b^4 \\
& + 3 * a^2 * b^5) * d * \cosh(dx + c) * \sinh(dx + c)^3 + 4 * (7 * (a^4 * b^3 + 2 * a^3 * b^4 + \\
& a^2 * b^5) * d * \cosh(dx + c)^6 + 15 * (a^4 * b^3 - a^2 * b^5) * d * \cosh(dx + c)^4 + 3 * \\
& (3 * a^4 * b^3 - 2 * a^3 * b^4 + 3 * a^2 * b^5) * d * \cosh(dx + c)^2 + (a^4 * b^3 - a^2 * b^5) \\
& * d) * \sinh(dx + c)^2 + (a^4 * b^3 + 2 * a^3 * b^4 + a^2 * b^5) * d + 8 * ((a^4 * b^3 + 2 * a^3 * b^4 + a^2 * b^5) * d * \cosh(dx + c)^7 + 3 * (a^4 * b^3 - a^2 * b^5) * d * \cosh(dx + c)^5 + (3 * a^4 * b^3 - 2 * a^3 * b^4 + 3 * a^2 * b^5) * d * \cosh(dx + c)^3 + (a^4 * b^3 - a^2 * b^5) * d * \cosh(dx + c)) * \sinh(dx + c)), -1/8 * (2 * (4 * a^3 * b + 5 * a^2 * b^2 - 2 * a * b^3 - 3 * b^4) * \cosh(dx + c)^7 + 14 * (4 * a^3 * b + 5 * a^2 * b^2 - 2 * a * b^3 - 3 * b^4) * \cosh(dx + c) * \sinh(dx + c)^6 + 2 * (4 * a^3 * b + 5 * a^2 * b^2 - 2 * a * b^3 - 3 * b^4) * \sinh(dx + c)^7 + 2 * (4 * a^3 * b - 19 * a^2 * b^2 - 14 * a * b^3 + 9 * b^4) * \cosh(dx + c)^5 + 2 * (4 * a^3 * b - 19 * a^2 * b^2 - 14 * a * b^3 + 9 * b^4) * \cosh(dx + c)^2) * \sinh(dx + c)^5 + 10 * (7 * (4 * a^3 * b + 5 * a^2 * b^2 - 2 * a * b^3 - 3 * b^4) * \cosh(dx + c)^3 + (4 * a^3 * b - 19 * a^2 * b^2 - 14 * a * b^3 + 9 * b^4) * \cosh(dx + c)) * \sinh(dx + c)^4 - 2 * (4 * a^3 * b - 19 * a^2 * b^2 - 14 * a * b^3 + 9 * b^4) * \cosh(dx + c)^3 + 2 * (35 * (4 * a^3 * b + 5 * a^2 * b^2 - 2 * a * b^3 - 3 * b^4) * \cosh(dx + c)^4 - 4 * a^3 * b + 19 * a^2 * b^2 + 14 * a * b^3 - 9 * b^4 + 10 * (4 * a^3 * b - 19 * a^2 * b^2 - 14 * a * b^3 + 9 * b^4) * \cosh(dx + c)^2) * \sinh(dx + c)^3 + 2 * (21 * (4 * a^3 * b + 5 * a^2 * b^2 - 2 * a * b^3 - 3 * b^4) * \cosh(dx + c)^5 + 10 * (4 * a^3 * b - 19 * a^2 * b^2 - 14 * a * b^3 + 9 * b^4) * \cosh(dx + c)^3 - 3 * (4 * a^3 * b - 19 * a^2 * b^2 - 14 * a * b^3 + 9 * b^4) * \cosh(dx + c)) * \sinh(dx + c)^2 - ((8 * a^4 + 12 * a^3 * b + 3 * a^2 * b^2 + 2 * a * b^3 + 3 * b^4) * \cosh(dx + c)^8 + 8 * (8 * a^4 + 12 * a^3 * b + 3 * a^2 * b^2 + 2 * a * b^3 + 3 * b^4) * \cosh(dx + c) * \sinh(dx + c)^7 + (8 * a^4 + 12 * a^3 * b + 3 * a^2 * b^2 + 2 * a * b^3 + 3 * b^4) * \cosh(dx + c) * \sinh(dx + c)^8 + 4 * (8 * a^4 - 4 * a^3 * b - 5 * a^2 * b^2 + 4 * a * b^3
\end{aligned}$$

$$\begin{aligned}
& - 3b^4) \cosh(dx + c)^6 + 4(8a^4 - 4a^3b - 5a^2b^2 + 4ab^3 - 3b^4 \\
& + 7(8a^4 + 12a^3b + 3a^2b^2 + 2ab^3 + 3b^4) \cosh(dx + c)^2) \sinh \\
& (dx + c)^6 + 8(7(8a^4 + 12a^3b + 3a^2b^2 + 2ab^3 + 3b^4) \cosh(dx \\
& x + c)^3 + 3(8a^4 - 4a^3b - 5a^2b^2 + 4ab^3 - 3b^4) \cosh(dx + c)) \\
& * \sinh(dx + c)^5 + 2(24a^4 - 28a^3b + 41a^2b^2 - 18ab^3 + 9b^4) \cosh \\
& sh(dx + c)^4 + 2(35(8a^4 + 12a^3b + 3a^2b^2 + 2ab^3 + 3b^4) \cosh \\
& (dx + c)^4 + 24a^4 - 28a^3b + 41a^2b^2 - 18ab^3 + 9b^4 + 30(8a^4 \\
& - 4a^3b - 5a^2b^2 + 4ab^3 - 3b^4) \cosh(dx + c)^2) * \sinh(dx + c)^4 \\
& + 8a^4 + 12a^3b + 3a^2b^2 + 2ab^3 + 3b^4 + 8(7(8a^4 + 12a^3b + \\
& 3a^2b^2 + 2ab^3 + 3b^4) \cosh(dx + c)^5 + 10(8a^4 - 4a^3b - 5a^2 \\
& * b^2 + 4ab^3 - 3b^4) \cosh(dx + c)^3 + (24a^4 - 28a^3b + 41a^2b^2 - \\
& 18ab^3 + 9b^4) \cosh(dx + c)) * \sinh(dx + c)^3 + 4(8a^4 - 4a^3b - 5a \\
& a^2b^2 + 4ab^3 - 3b^4) \cosh(dx + c)^2 + 4(7(8a^4 + 12a^3b + 3a^2 \\
& * b^2 + 2ab^3 + 3b^4) \cosh(dx + c)^6 + 15(8a^4 - 4a^3b - 5a^2b^2 + \\
& 4ab^3 - 3b^4) \cosh(dx + c)^4 + 8a^4 - 4a^3b - 5a^2b^2 + 4ab^3 - \\
& 3b^4 + 3(24a^4 - 28a^3b + 41a^2b^2 - 18ab^3 + 9b^4) \cosh(dx + c \\
& )^2) * \sinh(dx + c)^2 + 8((8a^4 + 12a^3b + 3a^2b^2 + 2ab^3 + 3b^4) * \\
& \cosh(dx + c)^7 + 3(8a^4 - 4a^3b - 5a^2b^2 + 4ab^3 - 3b^4) \cosh(dx \\
& x + c)^5 + (24a^4 - 28a^3b + 41a^2b^2 - 18ab^3 + 9b^4) \cosh(dx + c \\
& )^3 + (8a^4 - 4a^3b - 5a^2b^2 + 4ab^3 - 3b^4) \cosh(dx + c)) * \sinh(dx \\
& * x + c)) * \sqrt{(a + b)/a} * \arctan(1/2 * \sqrt{(a + b)/a} * (\cosh(dx + c) + \sinh(dx \\
& * x + c))) - ((8a^4 + 12a^3b + 3a^2b^2 + 2ab^3 + 3b^4) \cosh(dx + c) \\
& ^8 + 8(8a^4 + 12a^3b + 3a^2b^2 + 2ab^3 + 3b^4) \cosh(dx + c) * \sinh(dx \\
& * x + c)^7 + (8a^4 + 12a^3b + 3a^2b^2 + 2ab^3 + 3b^4) * \sinh(dx + c) \\
& ^8 + 4(8a^4 - 4a^3b - 5a^2b^2 + 4ab^3 - 3b^4) \cosh(dx + c)^6 + 4 \\
& (8a^4 - 4a^3b - 5a^2b^2 + 4ab^3 - 3b^4 + 7(8a^4 + 12a^3b + 3a^2 \\
& * b^2 + 2ab^3 + 3b^4) \cosh(dx + c)^2) * \sinh(dx + c)^6 + 8(7(8a^4 + 1 \\
& 2a^3b + 3a^2b^2 + 2ab^3 + 3b^4) \cosh(dx + c)^3 + 3(8a^4 - 4a^3b \\
& - 5a^2b^2 + 4ab^3 - 3b^4) \cosh(dx + c)) * \sinh(dx + c)^5 + 2(24a^4 \\
& - 28a^3b + 41a^2b^2 - 18ab^3 + 9b^4) \cosh(dx + c)^4 + 2(35(8a^4 \\
& + 12a^3b + 3a^2b^2 + 2ab^3 + 3b^4) \cosh(dx + c)^4 + 24a^4 - 28a^3 \\
& * b + 41a^2b^2 - 18ab^3 + 9b^4 + 30(8a^4 - 4a^3b - 5a^2b^2 + 4a \\
& * b^3 - 3b^4) \cosh(dx + c)^2) * \sinh(dx + c)^4 + 8a^4 + 12a^3b + 3a^2b^ \\
& 2 + 2ab^3 + 3b^4 + 8(7(8a^4 + 12a^3b + 3a^2b^2 + 2ab^3 + 3b^4) \\
& * \cosh(dx + c)^5 + 10(8a^4 - 4a^3b - 5a^2b^2 + 4ab^3 - 3b^4) \cosh(dx \\
& * x + c)^3 + (24a^4 - 28a^3b + 41a^2b^2 - 18ab^3 + 9b^4) \cosh(dx + \\
& c)) * \sinh(dx + c)^3 + 4(8a^4 - 4a^3b - 5a^2b^2 + 4ab^3 - 3b^4) \cosh \\
& sh(dx + c)^2 + 4(7(8a^4 + 12a^3b + 3a^2b^2 + 2ab^3 + 3b^4) \cosh(dx \\
& * x + c)^6 + 15(8a^4 - 4a^3b - 5a^2b^2 + 4ab^3 - 3b^4) \cosh(dx + \\
& c)^4 + 8a^4 - 4a^3b - 5a^2b^2 + 4ab^3 - 3b^4 + 3(24a^4 - 28a^3b \\
& + 41a^2b^2 - 18ab^3 + 9b^4) \cosh(dx + c)^2) * \sinh(dx + c)^2 + 8((8 \\
& a^4 + 12a^3b + 3a^2b^2 + 2ab^3 + 3b^4) \cosh(dx + c)^7 + 3(8a^4 - \\
& 4a^3b - 5a^2b^2 + 4ab^3 - 3b^4) \cosh(dx + c)^5 + (24a^4 - 28a^3b \\
& + 41a^2b^2 - 18ab^3 + 9b^4) \cosh(dx + c)^3 + (8a^4 - 4a^3b - 5a^2 \\
& * b^2 + 4ab^3 - 3b^4) \cosh(dx + c)) * \sinh(dx + c)) * \sqrt{(a + b)/a} * \arct
\end{aligned}$$

$$\begin{aligned}
& \text{an}(1/2*((a + b)*\cosh(d*x + c)^3 + 3*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^2 + \\
& (a + b)*\sinh(d*x + c)^3 + (3*a - b)*\cosh(d*x + c) + (3*(a + b)*\cosh(d*x + \\
& c)^2 + 3*a - b)*\sinh(d*x + c))*\text{sqrt}((a + b)/a)/(a + b)) + 16*((a^4 + 2*a^3*b \\
& + a^2*b^2)*\cosh(d*x + c)^8 + 8*(a^4 + 2*a^3*b + a^2*b^2)*\cosh(d*x + c)*\text{si} \\
& \text{nh}(d*x + c)^7 + (a^4 + 2*a^3*b + a^2*b^2)*\sinh(d*x + c)^8 + 4*(a^4 - a^2*b^ \\
& 2)*\cosh(d*x + c)^6 + 4*(a^4 - a^2*b^2 + 7*(a^4 + 2*a^3*b + a^2*b^2)*\cosh(d* \\
& x + c)^2)*\sinh(d*x + c)^6 + 8*(7*(a^4 + 2*a^3*b + a^2*b^2)*\cosh(d*x + c)^3 \\
& + 3*(a^4 - a^2*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^5 + 2*(3*a^4 - 2*a^3*b + 3 \\
& *a^2*b^2)*\cosh(d*x + c)^4 + 2*(35*(a^4 + 2*a^3*b + a^2*b^2)*\cosh(d*x + c)^4 \\
& + 3*a^4 - 2*a^3*b + 3*a^2*b^2 + 30*(a^4 - a^2*b^2)*\cosh(d*x + c)^2)*\sinh(d \\
& *x + c)^4 + a^4 + 2*a^3*b + a^2*b^2 + 8*(7*(a^4 + 2*a^3*b + a^2*b^2)*\cosh(d \\
& *x + c)^5 + 10*(a^4 - a^2*b^2)*\cosh(d*x + c)^3 + (3*a^4 - 2*a^3*b + 3*a^2*b \\
& ^2)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 4*(a^4 - a^2*b^2)*\cosh(d*x + c)^2 + 4* \\
& (7*(a^4 + 2*a^3*b + a^2*b^2)*\cosh(d*x + c)^6 + 15*(a^4 - a^2*b^2)*\cosh(d*x \\
& + c)^4 + a^4 - a^2*b^2 + 3*(3*a^4 - 2*a^3*b + 3*a^2*b^2)*\cosh(d*x + c)^2)*\text{s} \\
& \text{inh}(d*x + c)^2 + 8*((a^4 + 2*a^3*b + a^2*b^2)*\cosh(d*x + c)^7 + 3*(a^4 - a^ \\
& 2*b^2)*\cosh(d*x + c)^5 + (3*a^4 - 2*a^3*b + 3*a^2*b^2)*\cosh(d*x + c)^3 + (a \\
& ^4 - a^2*b^2)*\cosh(d*x + c))*\sinh(d*x + c))*\text{arctan}(\cosh(d*x + c) + \sinh(d*x \\
& + c)) - 2*(4*a^3*b + 5*a^2*b^2 - 2*a*b^3 - 3*b^4)*\cosh(d*x + c) + 2*(7*(4* \\
& a^3*b + 5*a^2*b^2 - 2*a*b^3 - 3*b^4)*\cosh(d*x + c)^6 + 5*(4*a^3*b - 19*a^2* \\
& b^2 - 14*a*b^3 + 9*b^4)*\cosh(d*x + c)^4 - 4*a^3*b - 5*a^2*b^2 + 2*a*b^3 + 3 \\
& *b^4 - 3*(4*a^3*b - 19*a^2*b^2 - 14*a*b^3 + 9*b^4)*\cosh(d*x + c)^2)*\sinh(d* \\
& x + c))/((a^4*b^3 + 2*a^3*b^4 + a^2*b^5)*d*\cosh(d*x + c)^8 + 8*(a^4*b^3 + 2 \\
& *a^3*b^4 + a^2*b^5)*d*\cosh(d*x + c)*\sinh(d*x + c)^7 + (a^4*b^3 + 2*a^3*b^4 \\
& + a^2*b^5)*d*\sinh(d*x + c)^8 + 4*(a^4*b^3 - a^2*b^5)*d*\cosh(d*x + c)^6 + 4* \\
& (7*(a^4*b^3 + 2*a^3*b^4 + a^2*b^5)*d*\cosh(d*x + c)^2 + (a^4*b^3 - a^2*b^5)* \\
& d)*\sinh(d*x + c)^6 + 2*(3*a^4*b^3 - 2*a^3*b^4 + 3*a^2*b^5)*d*\cosh(d*x + c)^ \\
& 4 + 8*(7*(a^4*b^3 + 2*a^3*b^4 + a^2*b^5)*d*\cosh(d*x + c)^3 + 3*(a^4*b^3 - a \\
& ^2*b^5)*d*\cosh(d*x + c))*\sinh(d*x + c)^5 + 2*(35*(a^4*b^3 + 2*a^3*b^4 + a^2 \\
& *b^5)*d*\cosh(d*x + c)^4 + 30*(a^4*b^3 - a^2*b^5)*d*\cosh(d*x + c)^2 + (3*a^4 \\
& *b^3 - 2*a^3*b^4 + 3*a^2*b^5)*d)*\sinh(d*x + c)^4 + 4*(a^4*b^3 - a^2*b^5)*d* \\
& \cosh(d*x + c)^2 + 8*(7*(a^4*b^3 + 2*a^3*b^4 + a^2*b^5)*d*\cosh(d*x + c)^5 + \\
& 10*(a^4*b^3 - a^2*b^5)*d*\cosh(d*x + c)^3 + (3*a^4*b^3 - 2*a^3*b^4 + 3*a^2*b \\
& ^5)*d*\cosh(d*x + c))*\sinh(d*x + c)^3 + 4*(7*(a^4*b^3 + 2*a^3*b^4 + a^2*b^5) \\
& *d*\cosh(d*x + c)^6 + 15*(a^4*b^3 - a^2*b^5)*d*\cosh(d*x + c)^4 + 3*(3*a^4*b^ \\
& 3 - 2*a^3*b^4 + 3*a^2*b^5)*d*\cosh(d*x + c)^2 + (a^4*b^3 - a^2*b^5)*d)*\sinh( \\
& d*x + c)^2 + (a^4*b^3 + 2*a^3*b^4 + a^2*b^5)*d + 8*((a^4*b^3 + 2*a^3*b^4 + \\
& a^2*b^5)*d*\cosh(d*x + c)^7 + 3*(a^4*b^3 - a^2*b^5)*d*\cosh(d*x + c)^5 + (3*a \\
& ^4*b^3 - 2*a^3*b^4 + 3*a^2*b^5)*d*\cosh(d*x + c)^3 + (a^4*b^3 - a^2*b^5)*d*\c \\
& \text{osh}(d*x + c))*\sinh(d*x + c))]
\end{aligned}$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sech(d*x+c)**7/(a+b*tanh(d*x+c)**2)**3,x)`

[Out] Timed out

**Giac [C]** time = 2.46578, size = 6677, normalized size = 42.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sech(d*x+c)^7/(a+b*tanh(d*x+c)^2)^3,x, algorithm="giac")`

[Out] 
$$\begin{aligned} & \frac{1}{32} * (2 * (3 * (8 * a^4 * b^3 + 12 * a^3 * b^4 + 3 * a^2 * b^5 + 2 * a * b^6 + 3 * b^7) * \cos(\frac{1}{2} * \operatorname{real\_part}(\arccos(-\frac{a}{a+b}) + \frac{b}{a+b})))^2 * \cosh(\frac{1}{2} * \operatorname{imag\_part}(\arccos(-\frac{a}{a+b}) + \frac{b}{a+b})))^3 * \sin(\frac{1}{2} * \operatorname{real\_part}(\arccos(-\frac{a}{a+b}) + \frac{b}{a+b}))) - \\ & (8 * a^4 * b^3 + 12 * a^3 * b^4 + 3 * a^2 * b^5 + 2 * a * b^6 + 3 * b^7) * \cosh(\frac{1}{2} * \operatorname{imag\_part}(\arccos(-\frac{a}{a+b}) + \frac{b}{a+b})))^3 * \sin(\frac{1}{2} * \operatorname{real\_part}(\arccos(-\frac{a}{a+b}) + \frac{b}{a+b})))^3 - 9 * (8 * a^4 * b^3 + 12 * a^3 * b^4 + 3 * a^2 * b^5 + 2 * a * b^6 + 3 * b^7) * \cos(\frac{1}{2} * \operatorname{real\_part}(\arccos(-\frac{a}{a+b}) + \frac{b}{a+b})))^2 * \cosh(\frac{1}{2} * \operatorname{imag\_part}(\arccos(-\frac{a}{a+b}) + \frac{b}{a+b})))^2 * \sin(\frac{1}{2} * \operatorname{real\_part}(\arccos(-\frac{a}{a+b}) + \frac{b}{a+b}))) * \sinh(\frac{1}{2} * \operatorname{imag\_part}(\arccos(-\frac{a}{a+b}) + \frac{b}{a+b}))) + 3 * (8 * a^4 * b^3 + 12 * a^3 * b^4 + 3 * a^2 * b^5 + 2 * a * b^6 + 3 * b^7) * \cosh(\frac{1}{2} * \operatorname{imag\_part}(\arccos(-\frac{a}{a+b}) + \frac{b}{a+b})))^2 * \sin(\frac{1}{2} * \operatorname{real\_part}(\arccos(-\frac{a}{a+b}) + \frac{b}{a+b})))^3 * \sinh(\frac{1}{2} * \operatorname{imag\_part}(\arccos(-\frac{a}{a+b}) + \frac{b}{a+b}))) + 9 * (8 * a^4 * b^3 + 12 * a^3 * b^4 + 3 * a^2 * b^5 + 2 * a * b^6 + 3 * b^7) * \cos(\frac{1}{2} * \operatorname{real\_part}(\arccos(-\frac{a}{a+b}) + \frac{b}{a+b})))^2 * \cosh(\frac{1}{2} * \operatorname{imag\_part}(\arccos(-\frac{a}{a+b}) + \frac{b}{a+b}))) * \sin(\frac{1}{2} * \operatorname{real\_part}(\arccos(-\frac{a}{a+b}) + \frac{b}{a+b}))) * \sinh(\frac{1}{2} * \operatorname{imag\_part}(\arccos(-\frac{a}{a+b}) + \frac{b}{a+b})))^2 - 3 * (8 * a^4 * b^3 + 12 * a^3 * b^4 + 3 * a^2 * b^5 + 2 * a * b^6 + 3 * b^7) * \cosh(\frac{1}{2} * \operatorname{imag\_part}(\arccos(-\frac{a}{a+b}) + \frac{b}{a+b}))) * \sin(\frac{1}{2} * \operatorname{real\_part}(\arccos(-\frac{a}{a+b}) + \frac{b}{a+b})))^3 * \sinh(\frac{1}{2} * \operatorname{imag\_part}(\arccos(-\frac{a}{a+b}) + \frac{b}{a+b})))^2 - 3 * (8 * a^4 * b^3 + 12 * a^3 * b^4 + 3 * a^2 * b^5 + 2 * a * b^6 + 3 * b^7) * \cos(\frac{1}{2} * \operatorname{real\_part}(\arccos(-\frac{a}{a+b}) + \frac{b}{a+b})))^2 * \sin(\frac{1}{2} * \operatorname{real\_part}(\arccos(-\frac{a}{a+b}) + \frac{b}{a+b}))) * \sinh(\frac{1}{2} * \operatorname{imag\_part}(\arccos(-\frac{a}{a+b}) + \frac{b}{a+b})))^3 + (8 * a^4 * b^3 + 12 * a^3 * b^4 + 3 * a^2 * b^5 + 2 * a * b^6 + 3 * b^7) * \sin(\frac{1}{2} * \operatorname{real\_part}(\arccos(-\frac{a}{a+b}) + \frac{b}{a+b})))^3 * \sinh(\frac{1}{2} * \operatorname{imag\_part}(\arccos(-\frac{a}{a+b}) + \frac{b}{a+b})))^3 + (8 * a^4 * b^3 + 12 * a^3 * b^4 + 3 * a^2 * b^5 + 2 * a * b^6 + 3 * b^7) * \end{aligned}$$

$$\begin{aligned}
& \cosh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))*\sin(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) - (8*a^4*b^3 + 12*a^3*b^4 + 3*a^2*b^5 + 2*a*b^6 + 3*b^7)*\sin(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))*\arctan(\frac{((a^3*b^3 + a^2*b^4)/(a^3*b^3*e^{4*c} + a^2*b^4*e^{4*c}))^{1/4}*\cos(1/2*\arccos(-(a-b)/(a+b))) + e^{d*x}}{((a^3*b^3 + a^2*b^4)/(a^3*b^3*e^{4*c} + a^2*b^4*e^{4*c}))^{1/4}*\sin(1/2*\arccos(-(a-b)/(a+b)))})/(2*a^3*b^7 + (a^3*b^3 - a^2*b^4)*\sqrt{-a*b}*b^2*\text{abs}(b)) + 2*(3*(8*a^4*b^3 + 12*a^3*b^4 + 3*a^2*b^5 + 2*a*b^6 + 3*b^7)*\cos(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3*\sin(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) - (8*a^4*b^3 + 12*a^3*b^4 + 3*a^2*b^5 + 2*a*b^6 + 3*b^7)*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3*\sin(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 - 9*(8*a^4*b^3 + 12*a^3*b^4 + 3*a^2*b^5 + 2*a*b^6 + 3*b^7)*\cos(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2*\sin(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) + 3*(8*a^4*b^3 + 12*a^3*b^4 + 3*a^2*b^5 + 2*a*b^6 + 3*b^7)*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2*\sin(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b)))) + 9*(8*a^4*b^3 + 12*a^3*b^4 + 3*a^2*b^5 + 2*a*b^6 + 3*b^7)*\cos(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))*\sin(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - 3*(8*a^4*b^3 + 12*a^3*b^4 + 3*a^2*b^5 + 2*a*b^6 + 3*b^7)*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))*\sin(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - 3*(8*a^4*b^3 + 12*a^3*b^4 + 3*a^2*b^5 + 2*a*b^6 + 3*b^7)*\cos(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2*\sin(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 + (8*a^4*b^3 + 12*a^3*b^4 + 3*a^2*b^5 + 2*a*b^6 + 3*b^7)*\sin(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 + (8*a^4*b^3 + 12*a^3*b^4 + 3*a^2*b^5 + 2*a*b^6 + 3*b^7)*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))*\sin(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b)))) - (8*a^4*b^3 + 12*a^3*b^4 + 3*a^2*b^5 + 2*a*b^6 + 3*b^7)*\sin(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))*\sinh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))*\arctan(-\frac{((a^3*b^3 + a^2*b^4)/(a^3*b^3*e^{4*c} + a^2*b^4*e^{4*c}))^{1/4}*\cos(1/2*\arccos(-(a-b)/(a+b))) - e^{d*x}}{((a^3*b^3 + a^2*b^4)/(a^3*b^3*e^{4*c} + a^2*b^4*e^{4*c}))^{1/4}*\sin(1/2*\arccos(-(a-b)/(a+b)))})/(2*a^3*b^7 + (a^3*b^3 - a^2*b^4)*\sqrt{-a*b}*b^2*\text{abs}(b)) + ((8*a^4*b^3 + 12*a^3*b^4 + 3*a^2*b^5 + 2*a*b^6 + 3*b^7)*\cos(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3 - 3*(8*a^4*b^3 + 12*a^3*b^4 + 3*a^2*b^5 + 2*a*b^6 + 3*b^7)*\cos(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))*\cosh(1/2*\text{imag\_part}(\arccos(-a/(a+b) + b/(a+b))))^3*\sin(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^2 - 3*(8*a^4*b^3 + 12*a^3*b^4 + 3*a^2*b^5 + 2*a*b^6 + 3*b^7)*\cos(1/2*\text{real\_part}(\arccos(-a/(a+b) + b/(a+b))))^3*\cosh(1/2
\end{aligned}$$

```

*imag_part(arccos(-a/(a + b) + b/(a + b)))^2*sinh(1/2*imag_part(arccos(-a/
(a + b) + b/(a + b))) + 9*(8*a^4*b^3 + 12*a^3*b^4 + 3*a^2*b^5 + 2*a*b^6 +
3*b^7)*cos(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))*cosh(1/2*imag_par
t(arccos(-a/(a + b) + b/(a + b))))^2*sin(1/2*real_part(arccos(-a/(a + b) +
b/(a + b))))^2*sinh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b)))) + 3*(8*a
^4*b^3 + 12*a^3*b^4 + 3*a^2*b^5 + 2*a*b^6 + 3*b^7)*cos(1/2*real_part(arccos
(-a/(a + b) + b/(a + b))))^3*cosh(1/2*imag_part(arccos(-a/(a + b) + b/(a +
b))))*sinh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b))))^2 - 9*(8*a^4*b^3
+ 12*a^3*b^4 + 3*a^2*b^5 + 2*a*b^6 + 3*b^7)*cos(1/2*real_part(arccos(-a/(a
+ b) + b/(a + b))))*cosh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b))))*sin
(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))^2*sinh(1/2*imag_part(arccos
(-a/(a + b) + b/(a + b))))^2 - (8*a^4*b^3 + 12*a^3*b^4 + 3*a^2*b^5 + 2*a*b^
6 + 3*b^7)*cos(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))^3*sinh(1/2*im
ag_part(arccos(-a/(a + b) + b/(a + b))))^3 + 3*(8*a^4*b^3 + 12*a^3*b^4 + 3*
a^2*b^5 + 2*a*b^6 + 3*b^7)*cos(1/2*real_part(arccos(-a/(a + b) + b/(a + b))
))*sin(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))^2*sinh(1/2*imag_part(
arccos(-a/(a + b) + b/(a + b))))^3 + (8*a^4*b^3 + 12*a^3*b^4 + 3*a^2*b^5 +
2*a*b^6 + 3*b^7)*cos(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))*cosh(1/
2*imag_part(arccos(-a/(a + b) + b/(a + b)))) - (8*a^4*b^3 + 12*a^3*b^4 + 3*
a^2*b^5 + 2*a*b^6 + 3*b^7)*cos(1/2*real_part(arccos(-a/(a + b) + b/(a + b))
))*sinh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b))))*log(2*((a^3*b^3 + a
^2*b^4)/(a^3*b^3*e^(4*c) + a^2*b^4*e^(4*c)))^(1/4)*cos(1/2*arccos(-(a - b)/
(a + b)))*e^(d*x) + sqrt((a^3*b^3 + a^2*b^4)/(a^3*b^3*e^(4*c) + a^2*b^4*e^(
4*c))) + e^(2*d*x))/(2*a^3*b^7 + (a^3*b^3 - a^2*b^4)*sqrt(-a*b)*b^2*abs(b))
- ((8*a^4*b^3 + 12*a^3*b^4 + 3*a^2*b^5 + 2*a*b^6 + 3*b^7)*cos(1/2*real_par
t(arccos(-a/(a + b) + b/(a + b))))^3*cosh(1/2*imag_part(arccos(-a/(a + b) +
b/(a + b))))^3 - 3*(8*a^4*b^3 + 12*a^3*b^4 + 3*a^2*b^5 + 2*a*b^6 + 3*b^7)*
cos(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))*cosh(1/2*imag_part(arcco
s(-a/(a + b) + b/(a + b))))^3*sin(1/2*real_part(arccos(-a/(a + b) + b/(a +
b))))^2 - 3*(8*a^4*b^3 + 12*a^3*b^4 + 3*a^2*b^5 + 2*a*b^6 + 3*b^7)*cos(1/2*
real_part(arccos(-a/(a + b) + b/(a + b))))^3*cosh(1/2*imag_part(arccos(-a/(
a + b) + b/(a + b))))^2*sinh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b))))
+ 9*(8*a^4*b^3 + 12*a^3*b^4 + 3*a^2*b^5 + 2*a*b^6 + 3*b^7)*cos(1/2*real_pa
rt(arccos(-a/(a + b) + b/(a + b))))*cosh(1/2*imag_part(arccos(-a/(a + b) +
b/(a + b))))^2*sin(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))^2*sinh(1/
2*imag_part(arccos(-a/(a + b) + b/(a + b)))) + 3*(8*a^4*b^3 + 12*a^3*b^4 +
3*a^2*b^5 + 2*a*b^6 + 3*b^7)*cos(1/2*real_part(arccos(-a/(a + b) + b/(a + b
))))^3*cosh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b))))*sinh(1/2*imag_pa
rt(arccos(-a/(a + b) + b/(a + b))))^2 - 9*(8*a^4*b^3 + 12*a^3*b^4 + 3*a^2*b
^5 + 2*a*b^6 + 3*b^7)*cos(1/2*real_part(arccos(-a/(a + b) + b/(a + b))))*co
sh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b))))*sin(1/2*real_part(arccos(
-a/(a + b) + b/(a + b))))^2*sinh(1/2*imag_part(arccos(-a/(a + b) + b/(a + b
))))^2 - (8*a^4*b^3 + 12*a^3*b^4 + 3*a^2*b^5 + 2*a*b^6 + 3*b^7)*cos(1/2*rea
l_part(arccos(-a/(a + b) + b/(a + b))))^3*sinh(1/2*imag_part(arccos(-a/(a +
b) + b/(a + b))))^3 + 3*(8*a^4*b^3 + 12*a^3*b^4 + 3*a^2*b^5 + 2*a*b^6 + 3*

```

$$\begin{aligned}
& b^7 \cos\left(\frac{1}{2} \operatorname{real\_part}\left(\arccos\left(-\frac{a}{a+b} + \frac{b}{a+b}\right)\right)\right) \sin\left(\frac{1}{2} \operatorname{real\_part}\left(\arccos\left(-\frac{a}{a+b} + \frac{b}{a+b}\right)\right)\right) \\
& \left(\arccos\left(-\frac{a}{a+b} + \frac{b}{a+b}\right)\right)^2 \sinh\left(\frac{1}{2} \operatorname{imag\_part}\left(\arccos\left(-\frac{a}{a+b} + \frac{b}{a+b}\right)\right)\right) \\
& \left(\frac{a+b}{a+b}\right)^3 + (8a^4b^3 + 12a^3b^4 + 3a^2b^5 + 2ab^6 + 3b^7) \cos\left(\frac{1}{2} \operatorname{real\_part}\left(\arccos\left(-\frac{a}{a+b} + \frac{b}{a+b}\right)\right)\right) \\
& \cosh\left(\frac{1}{2} \operatorname{imag\_part}\left(\arccos\left(-\frac{a}{a+b} + \frac{b}{a+b}\right)\right)\right) - (8a^4b^3 + 12a^3b^4 + 3a^2b^5 + 2ab^6 + 3b^7) \\
& \cos\left(\frac{1}{2} \operatorname{real\_part}\left(\arccos\left(-\frac{a}{a+b} + \frac{b}{a+b}\right)\right)\right) \sinh\left(\frac{1}{2} \operatorname{imag\_part}\left(\arccos\left(-\frac{a}{a+b} + \frac{b}{a+b}\right)\right)\right) \\
& \log\left(-2 \left(\frac{a^3b^3 + a^2b^4}{a^3b^3e^{4c} + a^2b^4e^{4c}}\right)\right)^{1/4} \cos\left(\frac{1}{2} \arccos\left(-\frac{a-b}{a+b}\right)\right) e^{dx} + \sqrt[3]{\left(\frac{a^3b^3 + a^2b^4}{a^3b^3e^{4c} + a^2b^4e^{4c}}\right) + e^{2dx}} \\
& \left(\frac{2a^3b^7 + (a^3b^3 - a^2b^4)\sqrt{-ab}b^2\operatorname{abs}(b) - 64\arctan(e^{dx+c})}{b^3} - 8(4a^3e^{7dx+7c} + 5a^2be^{7dx+7c} - 2ab^2e^{7dx+7c} - 3b^3e^{7dx+7c} + 4a^3e^{5dx+5c} - 19a^2be^{5dx+5c} - 14ab^2e^{5dx+5c} + 9b^3e^{5dx+5c} - 4a^3e^{3dx+3c} + 19a^2be^{3dx+3c} + 14ab^2e^{3dx+3c} - 9b^3e^{3dx+3c} - 4a^3e^{dx+c} - 5a^2be^{dx+c} + 2ab^2e^{dx+c} + 3b^3e^{dx+c})\right) \\
& \left(\frac{a^4e^{4dx+4c} + be^{4dx+4c} + 2ae^{2dx+2c} - 2be^{2dx+2c} + a+b}{a^2b^2}\right) / d
\end{aligned}$$

### 3.134 $\int \tanh^4(c + dx) (a + b \tanh^2(c + dx)) dx$

**Optimal.** Leaf size=54

$$-\frac{(a+b)\tanh^3(c+dx)}{3d} - \frac{(a+b)\tanh(c+dx)}{d} + x(a+b) - \frac{b\tanh^5(c+dx)}{5d}$$

[Out] (a + b)\*x - ((a + b)\*Tanh[c + d\*x])/d - ((a + b)\*Tanh[c + d\*x]^3)/(3\*d) - (b\*Tanh[c + d\*x]^5)/(5\*d)

**Rubi [A]** time = 0.0519301, antiderivative size = 54, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3631, 3473, 8}

$$-\frac{(a+b)\tanh^3(c+dx)}{3d} - \frac{(a+b)\tanh(c+dx)}{d} + x(a+b) - \frac{b\tanh^5(c+dx)}{5d}$$

Antiderivative was successfully verified.

[In] Int[Tanh[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^2), x]

[Out] (a + b)\*x - ((a + b)\*Tanh[c + d\*x])/d - ((a + b)\*Tanh[c + d\*x]^3)/(3\*d) - (b\*Tanh[c + d\*x]^5)/(5\*d)

#### Rule 3631

Int[((a\_.) + (b\_.)\*tan[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((A\_.) + (C\_.)\*tan[(e\_.) + (f\_.)\*(x\_.)]^2), x\_Symbol] := Simp[(C\*(a + b\*Tan[e + f\*x])^(m + 1))/(b\*f\*(m + 1)), x] + Dist[A - C, Int[(a + b\*Tan[e + f\*x])^m, x], x] /; FreeQ[{a, b, e, f, A, C, m}, x] && NeQ[A\*b^2 + a^2\*C, 0] && !LeQ[m, -1]

#### Rule 3473

Int[((b\_.)\*tan[(c\_.) + (d\_.)\*(x\_.)])^(n\_.), x\_Symbol] := Simp[(b\*(b\*Tan[c + d\*x])^(n - 1))/(d\*(n - 1)), x] - Dist[b^2, Int[(b\*Tan[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1]

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]



Rubi steps

$$\begin{aligned}
\int \tanh^4(c+dx)(a+b\tanh^2(c+dx)) dx &= -\frac{b\tanh^5(c+dx)}{5d} + (a+b) \int \tanh^4(c+dx) dx \\
&= -\frac{(a+b)\tanh^3(c+dx)}{3d} - \frac{b\tanh^5(c+dx)}{5d} + (a+b) \int \tanh^2(c+dx) dx \\
&= -\frac{(a+b)\tanh(c+dx)}{d} - \frac{(a+b)\tanh^3(c+dx)}{3d} - \frac{b\tanh^5(c+dx)}{5d} + (a+b)x \\
&= (a+b)x - \frac{(a+b)\tanh(c+dx)}{d} - \frac{(a+b)\tanh^3(c+dx)}{3d} - \frac{b\tanh^5(c+dx)}{5d}
\end{aligned}$$

**Mathematica [A]** time = 0.0340293, size = 97, normalized size = 1.8

$$-\frac{a\tanh^3(c+dx)}{3d} + \frac{a\tanh^{-1}(\tanh(c+dx))}{d} - \frac{a\tanh(c+dx)}{d} - \frac{b\tanh^5(c+dx)}{5d} - \frac{b\tanh^3(c+dx)}{3d} + \frac{b\tanh^{-1}(\tanh(c+dx))}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^2), x]

[Out] (a\*ArcTanh[Tanh[c + d\*x]])/d + (b\*ArcTanh[Tanh[c + d\*x]])/d - (a\*Tanh[c + d\*x])/d - (b\*Tanh[c + d\*x])/d - (a\*Tanh[c + d\*x]^3)/(3\*d) - (b\*Tanh[c + d\*x]^3)/(3\*d) - (b\*Tanh[c + d\*x]^5)/(5\*d)

**Maple [B]** time = 0.006, size = 128, normalized size = 2.4

$$-\frac{b(\tanh(dx+c))^5}{5d} - \frac{a(\tanh(dx+c))^3}{3d} - \frac{b(\tanh(dx+c))^3}{3d} - \frac{a\tanh(dx+c)}{d} - \frac{b\tanh(dx+c)}{d} - \frac{\ln(\tanh(dx+c))}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2), x)

[Out] -1/5\*b\*tanh(d\*x+c)^5/d-1/3/d\*a\*tanh(d\*x+c)^3-1/3\*b\*tanh(d\*x+c)^3/d-a\*tanh(d\*x+c)/d-b\*tanh(d\*x+c)/d-1/2/d\*ln(tanh(d\*x+c)-1)\*a-1/2/d\*ln(tanh(d\*x+c)-1)\*b+1/2/d\*ln(tanh(d\*x+c)+1)\*a+1/2/d\*ln(tanh(d\*x+c)+1)\*b

**Maxima [B]** time = 1.03624, size = 269, normalized size = 4.98

$$\frac{1}{15} b \left( 15x + \frac{15c}{d} - \frac{2 \left( 70e^{(-2dx-2c)} + 140e^{(-4dx-4c)} + 90e^{(-6dx-6c)} + 45e^{(-8dx-8c)} + 23 \right)}{d \left( 5e^{(-2dx-2c)} + 10e^{(-4dx-4c)} + 10e^{(-6dx-6c)} + 5e^{(-8dx-8c)} + e^{(-10dx-10c)} + 1 \right)} \right) + \frac{1}{3} a \left( 3x + \frac{3c}{d} - \frac{1}{d \left( 3e^{(-2dx-2c)} + 3e^{(-4dx-4c)} + e^{(-6dx-6c)} + 1 \right)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2),x, algorithm="maxima")

[Out] 1/15\*b\*(15\*x + 15\*c/d - 2\*(70\*e^(-2\*d\*x - 2\*c) + 140\*e^(-4\*d\*x - 4\*c) + 90\*e^(-6\*d\*x - 6\*c) + 45\*e^(-8\*d\*x - 8\*c) + 23)/(d\*(5\*e^(-2\*d\*x - 2\*c) + 10\*e^(-4\*d\*x - 4\*c) + 10\*e^(-6\*d\*x - 6\*c) + 5\*e^(-8\*d\*x - 8\*c) + e^(-10\*d\*x - 10\*c) + 1))) + 1/3\*a\*(3\*x + 3\*c/d - 4\*(3\*e^(-2\*d\*x - 2\*c) + 3\*e^(-4\*d\*x - 4\*c) + 2)/(d\*(3\*e^(-2\*d\*x - 2\*c) + 3\*e^(-4\*d\*x - 4\*c) + e^(-6\*d\*x - 6\*c) + 1)))

**Fricas [B]** time = 1.95337, size = 938, normalized size = 17.37

$$(15(a+b)dx + 20a + 23b) \cosh(dx+c)^5 + 5(15(a+b)dx + 20a + 23b) \cosh(dx+c) \sinh(dx+c)^4 - (20a + 23b) \sinh(dx+c)^5$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2),x, algorithm="fricas")

[Out] 1/15\*((15\*(a+b)\*d\*x + 20\*a + 23\*b)\*cosh(d\*x + c)^5 + 5\*(15\*(a+b)\*d\*x + 20\*a + 23\*b)\*cosh(d\*x + c)\*sinh(d\*x + c)^4 - (20\*a + 23\*b)\*sinh(d\*x + c)^5 + 5\*(15\*(a+b)\*d\*x + 20\*a + 23\*b)\*cosh(d\*x + c)^3 - 5\*(2\*(20\*a + 23\*b)\*cosh(d\*x + c)^2 + 8\*a + 5\*b)\*sinh(d\*x + c)^3 + 5\*(2\*(15\*(a+b)\*d\*x + 20\*a + 23\*b)\*cosh(d\*x + c)^3 + 3\*(15\*(a+b)\*d\*x + 20\*a + 23\*b)\*cosh(d\*x + c))\*sinh(d\*x + c)^2 + 10\*(15\*(a+b)\*d\*x + 20\*a + 23\*b)\*cosh(d\*x + c) - 5\*((20\*a + 23\*b)\*cosh(d\*x + c)^4 + 3\*(8\*a + 5\*b)\*cosh(d\*x + c)^2 + 4\*a + 10\*b)\*sinh(d\*x + c))/ (d\*cosh(d\*x + c)^5 + 5\*d\*cosh(d\*x + c)\*sinh(d\*x + c)^4 + 5\*d\*cosh(d\*x + c)^3 + 5\*(2\*d\*cosh(d\*x + c)^3 + 3\*d\*cosh(d\*x + c))\*sinh(d\*x + c)^2 + 10\*d\*cosh(d\*x + c))

**Sympy [A]** time = 0.932585, size = 82, normalized size = 1.52

$$\begin{cases} ax - \frac{a \tanh^3(c+dx)}{3d} - \frac{a \tanh(c+dx)}{d} + bx - \frac{b \tanh^5(c+dx)}{5d} - \frac{b \tanh^3(c+dx)}{3d} - \frac{b \tanh(c+dx)}{d} & \text{for } d \neq 0 \\ x(a + b \tanh^2(c)) \tanh^4(c) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)\*\*4\*(a+b\*tanh(d\*x+c)\*\*2),x)

[Out] Piecewise((a\*x - a\*tanh(c + d\*x)\*\*3/(3\*d) - a\*tanh(c + d\*x)/d + b\*x - b\*tanh(c + d\*x)\*\*5/(5\*d) - b\*tanh(c + d\*x)\*\*3/(3\*d) - b\*tanh(c + d\*x)/d, Ne(d, 0)), (x\*(a + b\*tanh(c)\*\*2)\*tanh(c)\*\*4, True))

**Giac [B]** time = 1.19379, size = 181, normalized size = 3.35

$$\frac{(dx + c)(a + b)}{d} + \frac{2(30ae^{(8dx+8c)} + 45be^{(8dx+8c)} + 90ae^{(6dx+6c)} + 90be^{(6dx+6c)} + 110ae^{(4dx+4c)} + 140be^{(4dx+4c)} + 70ae^{(2dx+2c)} + 70be^{(2dx+2c)} + 20a + 23b)}{15d(e^{(2dx+2c)} + 1)^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2),x, algorithm="giac")

[Out] (d\*x + c)\*(a + b)/d + 2/15\*(30\*a\*e^(8\*d\*x + 8\*c) + 45\*b\*e^(8\*d\*x + 8\*c) + 90\*a\*e^(6\*d\*x + 6\*c) + 90\*b\*e^(6\*d\*x + 6\*c) + 110\*a\*e^(4\*d\*x + 4\*c) + 140\*b\*e^(4\*d\*x + 4\*c) + 70\*a\*e^(2\*d\*x + 2\*c) + 70\*b\*e^(2\*d\*x + 2\*c) + 20\*a + 23\*b)/(d\*(e^(2\*d\*x + 2\*c) + 1)^5)

### 3.135 $\int \tanh^3(c + dx) (a + b \tanh^2(c + dx)) dx$

**Optimal.** Leaf size=49

$$-\frac{(a+b)\tanh^2(c+dx)}{2d} + \frac{(a+b)\log(\cosh(c+dx))}{d} - \frac{b\tanh^4(c+dx)}{4d}$$

[Out] ((a + b)\*Log[Cosh[c + d\*x]])/d - ((a + b)\*Tanh[c + d\*x]^2)/(2\*d) - (b\*Tanh[c + d\*x]^4)/(4\*d)

**Rubi [A]** time = 0.0594662, antiderivative size = 49, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3631, 3473, 3475}

$$-\frac{(a+b)\tanh^2(c+dx)}{2d} + \frac{(a+b)\log(\cosh(c+dx))}{d} - \frac{b\tanh^4(c+dx)}{4d}$$

Antiderivative was successfully verified.

[In] Int[Tanh[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^2), x]

[Out] ((a + b)\*Log[Cosh[c + d\*x]])/d - ((a + b)\*Tanh[c + d\*x]^2)/(2\*d) - (b\*Tanh[c + d\*x]^4)/(4\*d)

#### Rule 3631

Int[((a\_.) + (b\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (C\_.)\*tan[(e\_.) + (f\_.)\*(x\_)^2]), x\_Symbol] := Simp[(C\*(a + b\*Tan[e + f\*x])^(m + 1))/(b\*f\*(m + 1)), x] + Dist[A - C, Int[(a + b\*Tan[e + f\*x])^m, x], x] /; FreeQ[{a, b, e, f, A, C, m}, x] && NeQ[A\*b^2 + a^2\*C, 0] && !LeQ[m, -1]

#### Rule 3473

Int[((b\_.)\*tan[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b\*(b\*Tan[c + d\*x])^(n - 1))/(d\*(n - 1)), x] - Dist[b^2, Int[(b\*Tan[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1]

#### Rule 3475

Int[tan[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[Log[RemoveContent[Cos[c + d\*x], x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \tanh^3(c+dx)(a+b\tanh^2(c+dx)) dx &= -\frac{b \tanh^4(c+dx)}{4d} + (a+b) \int \tanh^3(c+dx) dx \\ &= -\frac{(a+b) \tanh^2(c+dx)}{2d} - \frac{b \tanh^4(c+dx)}{4d} + (a+b) \int \tanh(c+dx) dx \\ &= \frac{(a+b) \log(\cosh(c+dx))}{d} - \frac{(a+b) \tanh^2(c+dx)}{2d} - \frac{b \tanh^4(c+dx)}{4d} \end{aligned}$$

**Mathematica [A]** time = 0.235594, size = 43, normalized size = 0.88

$$-\frac{2(a+b) \tanh^2(c+dx) - 4(a+b) \log(\cosh(c+dx)) + b \tanh^4(c+dx)}{4d}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^2), x]

[Out] -(-4\*(a + b)\*Log[Cosh[c + d\*x]] + 2\*(a + b)\*Tanh[c + d\*x]^2 + b\*Tanh[c + d\*x]^4)/(4\*d)

**Maple [B]** time = 0.004, size = 104, normalized size = 2.1

$$-\frac{b(\tanh(dx+c))^4}{4d} - \frac{a(\tanh(dx+c))^2}{2d} - \frac{b(\tanh(dx+c))^2}{2d} - \frac{\ln(\tanh(dx+c)-1)a}{2d} - \frac{\ln(\tanh(dx+c)-1)b}{2d} - \frac{\ln(\tanh(dx+c)+1)a}{2d} - \frac{\ln(\tanh(dx+c)+1)b}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2), x)

[Out] -1/4\*b\*tanh(d\*x+c)^4/d-1/2/d\*a\*tanh(d\*x+c)^2-1/2\*b\*tanh(d\*x+c)^2/d-1/2/d\*ln(tanh(d\*x+c)-1)\*a-1/2/d\*ln(tanh(d\*x+c)-1)\*b-1/2/d\*ln(tanh(d\*x+c)+1)\*a-1/2/d\*ln(tanh(d\*x+c)+1)\*b

**Maxima [B]** time = 1.66453, size = 227, normalized size = 4.63

$$b \left( x + \frac{c}{d} + \frac{\log(e^{(-2dx-2c)} + 1)}{d} + \frac{4(e^{(-2dx-2c)} + e^{(-4dx-4c)} + e^{(-6dx-6c)})}{d(4e^{(-2dx-2c)} + 6e^{(-4dx-4c)} + 4e^{(-6dx-6c)} + e^{(-8dx-8c)} + 1)} \right) + a \left( x + \frac{c}{d} + \frac{\log(e^{(-2dx-2c)} + 1)}{d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tanh(d*x+c)^3*(a+b*tanh(d*x+c)^2),x, algorithm="maxima")
```

```
[Out] b*(x + c/d + log(e^(-2*d*x - 2*c) + 1)/d + 4*(e^(-2*d*x - 2*c) + e^(-4*d*x - 4*c) + e^(-6*d*x - 6*c))/(d*(4*e^(-2*d*x - 2*c) + 6*e^(-4*d*x - 4*c) + 4*e^(-6*d*x - 6*c) + e^(-8*d*x - 8*c) + 1))) + a*(x + c/d + log(e^(-2*d*x - 2*c) + 1)/d + 2*e^(-2*d*x - 2*c)/(d*(2*e^(-2*d*x - 2*c) + e^(-4*d*x - 4*c) + 1)))
```

**Fricas [B]** time = 2.1544, size = 3336, normalized size = 68.08

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tanh(d*x+c)^3*(a+b*tanh(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] -((a + b)*d*x*cosh(d*x + c)^8 + 8*(a + b)*d*x*cosh(d*x + c)*sinh(d*x + c)^7 + (a + b)*d*x*sinh(d*x + c)^8 + 2*(2*(a + b)*d*x - a - 2*b)*cosh(d*x + c)^6 + 2*(14*(a + b)*d*x*cosh(d*x + c)^2 + 2*(a + b)*d*x - a - 2*b)*sinh(d*x + c)^6 + 4*(14*(a + b)*d*x*cosh(d*x + c)^3 + 3*(2*(a + b)*d*x - a - 2*b)*cosh(d*x + c))*sinh(d*x + c)^5 + 2*(3*(a + b)*d*x - 2*a - 2*b)*cosh(d*x + c)^4 + 2*(35*(a + b)*d*x*cosh(d*x + c)^4 + 3*(a + b)*d*x + 15*(2*(a + b)*d*x - a - 2*b)*cosh(d*x + c)^2 - 2*a - 2*b)*sinh(d*x + c)^4 + 8*(7*(a + b)*d*x*cosh(d*x + c)^5 + 5*(2*(a + b)*d*x - a - 2*b)*cosh(d*x + c)^3 + (3*(a + b)*d*x - 2*a - 2*b)*cosh(d*x + c))*sinh(d*x + c)^3 + (a + b)*d*x + 2*(2*(a + b)*d*x - a - 2*b)*cosh(d*x + c)^2 + 2*(14*(a + b)*d*x*cosh(d*x + c)^6 + 15*(2*(a + b)*d*x - a - 2*b)*cosh(d*x + c)^4 + 2*(a + b)*d*x + 6*(3*(a + b)*d*x - 2*a - 2*b)*cosh(d*x + c)^2 - a - 2*b)*sinh(d*x + c)^2 - ((a + b)*cosh(d*x + c)^8 + 8*(a + b)*cosh(d*x + c)*sinh(d*x + c)^7 + (a + b)*sinh(d*x + c)^8 + 4*(a + b)*cosh(d*x + c)^6 + 4*(7*(a + b)*cosh(d*x + c)^2 + a + b)*sinh(d*x + c)^6 + 8*(7*(a + b)*cosh(d*x + c)^3 + 3*(a + b)*cosh(d*x + c))*sinh(d*x + c)^5 + 6*(a + b)*cosh(d*x + c)^4 + 2*(35*(a + b)*cosh(d*x + c)^4 + 30*(a + b)*cosh(d*x + c)^2 + 3*a + 3*b)*sinh(d*x + c)^4 + 8*(7*(a + b)*cosh(d*x + c)^5 + 10*(a + b)*cosh(d*x + c)^3 + 3*(a + b)*cosh(d*x + c))*sinh(d*x + c)^3 + 4*(a + b)*cosh(d*x + c)^2 + 4*(7*(a + b)*cosh(d*x + c)^6 + 15*(a + b)*cosh(d*x + c)^4 + 9*(a + b)*cosh(d*x + c)^2 + a + b)*sinh(d*x + c)^2 + 8*(a + b)*cosh(d*x + c)^7 + 3*(a + b)*cosh(d*x + c)^5 + 3*(a + b)*cosh(d*x + c)^3 + (a + b)*cosh(d*x + c))*sinh(d*x + c) + a + b)*log(2*cosh(d*x + c)/(cosh(d*x + c) - sinh(d*x + c))) + 4*(2*(a + b)*d*x*cosh(d*x + c)^7 + 3*(2*(a + b)*d*x - a - 2*b)*cosh(d*x + c)^5 + 2*(3*(a + b)*d*x - 2*a - 2*b)*cosh(d
```

$$\begin{aligned} & *x + c)^3 + (2*(a + b)*d*x - a - 2*b)*\cosh(d*x + c))*\sinh(d*x + c))/(d*\cosh \\ & (d*x + c)^8 + 8*d*\cosh(d*x + c)*\sinh(d*x + c)^7 + d*\sinh(d*x + c)^8 + 4*d*c \\ & \cosh(d*x + c)^6 + 4*(7*d*\cosh(d*x + c)^2 + d)*\sinh(d*x + c)^6 + 8*(7*d*\cosh( \\ & d*x + c)^3 + 3*d*\cosh(d*x + c))*\sinh(d*x + c)^5 + 6*d*\cosh(d*x + c)^4 + 2*( \\ & 35*d*\cosh(d*x + c)^4 + 30*d*\cosh(d*x + c)^2 + 3*d)*\sinh(d*x + c)^4 + 8*(7*d \\ & *\cosh(d*x + c)^5 + 10*d*\cosh(d*x + c)^3 + 3*d*\cosh(d*x + c))*\sinh(d*x + c)^ \\ & 3 + 4*d*\cosh(d*x + c)^2 + 4*(7*d*\cosh(d*x + c)^6 + 15*d*\cosh(d*x + c)^4 + 9 \\ & *d*\cosh(d*x + c)^2 + d)*\sinh(d*x + c)^2 + 8*(d*\cosh(d*x + c)^7 + 3*d*\cosh(d \\ & *x + c)^5 + 3*d*\cosh(d*x + c)^3 + d*\cosh(d*x + c))*\sinh(d*x + c) + d) \end{aligned}$$

**Sympy [A]** time = 0.639558, size = 88, normalized size = 1.8

$$\begin{cases} ax - \frac{a \log(\tanh(c+dx)+1)}{d} - \frac{a \tanh^2(c+dx)}{2d} + bx - \frac{b \log(\tanh(c+dx)+1)}{d} - \frac{b \tanh^4(c+dx)}{4d} - \frac{b \tanh^2(c+dx)}{2d} & \text{for } d \neq 0 \\ x(a + b \tanh^2(c)) \tanh^3(c) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)\*\*3\*(a+b\*tanh(d\*x+c)\*\*2), x)

[Out] Piecewise((a\*x - a\*log(tanh(c + d\*x) + 1)/d - a\*tanh(c + d\*x)\*\*2/(2\*d) + b\*x - b\*log(tanh(c + d\*x) + 1)/d - b\*tanh(c + d\*x)\*\*4/(4\*d) - b\*tanh(c + d\*x)\*\*2/(2\*d), Ne(d, 0)), (x\*(a + b\*tanh(c)\*\*2)\*tanh(c)\*\*3, True))

**Giac [B]** time = 1.21444, size = 130, normalized size = 2.65

$$-\frac{(dx + c)(a + b)}{d} + \frac{(a + b) \log(e^{(2dx+2c)} + 1)}{d} + \frac{2((a + 2b)e^{(6dx+6c)} + 2(a + b)e^{(4dx+4c)} + (a + 2b)e^{(2dx+2c)})}{d(e^{(2dx+2c)} + 1)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2), x, algorithm="giac")

[Out] -(d\*x + c)\*(a + b)/d + (a + b)\*log(e^(2\*d\*x + 2\*c) + 1)/d + 2\*((a + 2\*b)\*e^(6\*d\*x + 6\*c) + 2\*(a + b)\*e^(4\*d\*x + 4\*c) + (a + 2\*b)\*e^(2\*d\*x + 2\*c))/(d\*(e^(2\*d\*x + 2\*c) + 1)^4)

### 3.136 $\int \tanh^2(c + dx) (a + b \tanh^2(c + dx)) dx$

**Optimal.** Leaf size=36

$$-\frac{(a+b)\tanh(c+dx)}{d} + x(a+b) - \frac{b\tanh^3(c+dx)}{3d}$$

[Out] (a + b)\*x - ((a + b)\*Tanh[c + d\*x])/d - (b\*Tanh[c + d\*x]^3)/(3\*d)

**Rubi [A]** time = 0.0396052, antiderivative size = 36, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3631, 3473, 8}

$$-\frac{(a+b)\tanh(c+dx)}{d} + x(a+b) - \frac{b\tanh^3(c+dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[Tanh[c + d\*x]^2\*(a + b\*Tanh[c + d\*x]^2), x]

[Out] (a + b)\*x - ((a + b)\*Tanh[c + d\*x])/d - (b\*Tanh[c + d\*x]^3)/(3\*d)

#### Rule 3631

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (C_.)*tan[(e_.) + (f_.)*(x_)^2], x_Symbol] :> Simp[(C*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Dist[A - C, Int[(a + b*Tan[e + f*x])^m, x], x] /; FreeQ[{a, b, e, f, A, C, m}, x] && NeQ[A*b^2 + a^2*C, 0] && !LeQ[m, -1]
```

#### Rule 3473

```
Int[((b_.)*tan[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] :> Simp[(b*(b*Tan[c + d*x])^(n - 1))/(d*(n - 1)), x] - Dist[b^2, Int[(b*Tan[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1]
```

#### Rule 8

```
Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]
```

#### Rubi steps



$$\begin{aligned}
\int \tanh^2(c + dx)(a + b \tanh^2(c + dx)) dx &= -\frac{b \tanh^3(c + dx)}{3d} - (-a - b) \int \tanh^2(c + dx) dx \\
&= -\frac{(a + b) \tanh(c + dx)}{d} - \frac{b \tanh^3(c + dx)}{3d} - (-a - b) \int 1 dx \\
&= (a + b)x - \frac{(a + b) \tanh(c + dx)}{d} - \frac{b \tanh^3(c + dx)}{3d}
\end{aligned}$$

**Mathematica [A]** time = 0.0248043, size = 65, normalized size = 1.81

$$\frac{a \tanh^{-1}(\tanh(c + dx))}{d} - \frac{a \tanh(c + dx)}{d} - \frac{b \tanh^3(c + dx)}{3d} + \frac{b \tanh^{-1}(\tanh(c + dx))}{d} - \frac{b \tanh(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[c + d\*x]^2\*(a + b\*Tanh[c + d\*x]^2), x]

[Out] (a\*ArcTanh[Tanh[c + d\*x]])/d + (b\*ArcTanh[Tanh[c + d\*x]])/d - (a\*Tanh[c + d\*x])/d - (b\*Tanh[c + d\*x])/d - (b\*Tanh[c + d\*x]^3)/(3\*d)

**Maple [B]** time = 0.005, size = 100, normalized size = 2.8

$$-\frac{b(\tanh(dx+c))^3}{3d} - \frac{a \tanh(dx+c)}{d} - \frac{b \tanh(dx+c)}{d} - \frac{\ln(\tanh(dx+c)-1)a}{2d} - \frac{\ln(\tanh(dx+c)-1)b}{2d} + \frac{\ln(\tanh(dx+c)+1)a}{2d} + \frac{\ln(\tanh(dx+c)+1)b}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2), x)

[Out] -1/3\*b\*tanh(d\*x+c)^3/d - a\*tanh(d\*x+c)/d - b\*tanh(d\*x+c)/d - 1/2/d\*ln(tanh(d\*x+c)-1)\*a - 1/2/d\*ln(tanh(d\*x+c)-1)\*b + 1/2/d\*ln(tanh(d\*x+c)+1)\*a + 1/2/d\*ln(tanh(d\*x+c)+1)\*b

**Maxima [B]** time = 1.13756, size = 142, normalized size = 3.94

$$\frac{1}{3} b \left( 3x + \frac{3c}{d} - \frac{4(3e^{(-2dx-2c)} + 3e^{(-4dx-4c)} + 2)}{d(3e^{(-2dx-2c)} + 3e^{(-4dx-4c)} + e^{(-6dx-6c)} + 1)} \right) + a \left( x + \frac{c}{d} - \frac{2}{d(e^{(-2dx-2c)} + 1)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2),x, algorithm="maxima")

[Out]  $\frac{1}{3}b(3x + 3c/d - 4(3e^{-2dx - 2c} + 3e^{-4dx - 4c} + 2)/(d(3e^{-2dx - 2c} + 3e^{-4dx - 4c} + e^{-6dx - 6c} + 1))) + a(x + c/d - 2/(d(e^{-2dx - 2c} + 1)))$

**Fricas [B]** time = 1.83019, size = 428, normalized size = 11.89

$$\frac{(3(a+b)dx + 3a + 4b) \cosh(dx + c)^3 + 3(3(a+b)dx + 3a + 4b) \cosh(dx + c) \sinh(dx + c)^2 - (3a + 4b) \sinh(dx + c)^3}{3(d \cosh(dx + c))^3 + 3d \cosh(dx + c) \sinh(dx + c)^2 + 3d \sinh(dx + c)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2),x, algorithm="fricas")

[Out]  $\frac{1}{3}((3(a+b)d*x + 3a + 4b)*\cosh(d*x + c)^3 + 3*(3(a+b)d*x + 3a + 4b)*\cosh(d*x + c)*\sinh(d*x + c)^2 - (3a + 4b)*\sinh(d*x + c)^3 + 3*(3(a+b)d*x + 3a + 4b)*\cosh(d*x + c) - 3*((3a + 4b)*\cosh(d*x + c)^2 + a)*\sinh(d*x + c))/(d*\cosh(d*x + c)^3 + 3*d*\cosh(d*x + c)*\sinh(d*x + c)^2 + 3*d*\cosh(d*x + c))$

**Sympy [A]** time = 0.381292, size = 54, normalized size = 1.5

$$\begin{cases} ax - \frac{a \tanh(c+dx)}{d} + bx - \frac{b \tanh^3(c+dx)}{3d} - \frac{b \tanh(c+dx)}{d} & \text{for } d \neq 0 \\ x(a + b \tanh^2(c)) \tanh^2(c) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)\*\*2\*(a+b\*tanh(d\*x+c)\*\*2),x)

[Out] Piecewise((a\*x - a\*tanh(c + d\*x)/d + b\*x - b\*tanh(c + d\*x)\*\*3/(3\*d) - b\*tanh(c + d\*x)/d, Ne(d, 0)), (x\*(a + b\*tanh(c)\*\*2)\*tanh(c)\*\*2, True))

**Giac [B]** time = 1.16641, size = 116, normalized size = 3.22

$$\frac{(dx + c)(a + b)}{d} + \frac{2(3ae^{4dx+4c} + 6be^{4dx+4c} + 6ae^{2dx+2c} + 6be^{2dx+2c} + 3a + 4b)}{3d(e^{2dx+2c} + 1)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2),x, algorithm="giac")

[Out] (d\*x + c)\*(a + b)/d + 2/3\*(3\*a\*e^(4\*d\*x + 4\*c) + 6\*b\*e^(4\*d\*x + 4\*c) + 6\*a\*e^(2\*d\*x + 2\*c) + 6\*b\*e^(2\*d\*x + 2\*c) + 3\*a + 4\*b)/(d\*(e^(2\*d\*x + 2\*c) + 1)^3)

### 3.137 $\int \tanh(c + dx) (a + b \tanh^2(c + dx)) dx$

**Optimal.** Leaf size=31

$$\frac{(a + b) \log(\cosh(c + dx))}{d} - \frac{b \tanh^2(c + dx)}{2d}$$

[Out] ((a + b)\*Log[Cosh[c + d\*x]])/d - (b\*Tanh[c + d\*x]^2)/(2\*d)

**Rubi [A]** time = 0.0319005, antiderivative size = 31, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$ , Rules used = {3631, 3475}

$$\frac{(a + b) \log(\cosh(c + dx))}{d} - \frac{b \tanh^2(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] Int[Tanh[c + d\*x]\*(a + b\*Tanh[c + d\*x]^2), x]

[Out] ((a + b)\*Log[Cosh[c + d\*x]])/d - (b\*Tanh[c + d\*x]^2)/(2\*d)

#### Rule 3631

Int[((a\_.) + (b\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (C\_.)\*tan[(e\_.) + (f\_.)\*(x\_)^2]), x\_Symbol] :> Simp[(C\*(a + b\*Tan[e + f\*x])^(m + 1))/(b\*f\*(m + 1)), x] + Dist[A - C, Int[(a + b\*Tan[e + f\*x])^m, x], x] /; FreeQ[{a, b, e, f, A, C, m}, x] && NeQ[A\*b^2 + a^2\*C, 0] && !LeQ[m, -1]

#### Rule 3475

Int[tan[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> -Simp[Log[RemoveContent[Cos[c + d\*x], x]]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int \tanh(c + dx) (a + b \tanh^2(c + dx)) dx &= -\frac{b \tanh^2(c + dx)}{2d} - (-a - b) \int \tanh(c + dx) dx \\ &= \frac{(a + b) \log(\cosh(c + dx))}{d} - \frac{b \tanh^2(c + dx)}{2d} \end{aligned}$$

**Mathematica [A]** time = 0.0234953, size = 41, normalized size = 1.32

$$\frac{a \log(\cosh(c + dx))}{d} - \frac{b \tanh^2(c + dx)}{2d} + \frac{b \log(\cosh(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[c + d\*x]\*(a + b\*Tanh[c + d\*x]^2), x]

[Out] (a\*Log[Cosh[c + d\*x]])/d + (b\*Log[Cosh[c + d\*x]])/d - (b\*Tanh[c + d\*x]^2)/(2\*d)

**Maple [B]** time = 0.004, size = 76, normalized size = 2.5

$$\frac{b(\tanh(dx+c))^2}{2d} - \frac{\ln(\tanh(dx+c)-1)a}{2d} - \frac{\ln(\tanh(dx+c)-1)b}{2d} - \frac{\ln(\tanh(dx+c)+1)a}{2d} - \frac{\ln(\tanh(dx+c)+1)b}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(d\*x+c)\*(a+b\*tanh(d\*x+c)^2), x)

[Out] -1/2\*b\*tanh(d\*x+c)^2/d-1/2/d\*ln(tanh(d\*x+c)-1)\*a-1/2/d\*ln(tanh(d\*x+c)-1)\*b-1/2/d\*ln(tanh(d\*x+c)+1)\*a-1/2/d\*ln(tanh(d\*x+c)+1)\*b

**Maxima [B]** time = 1.69827, size = 103, normalized size = 3.32

$$b\left(x + \frac{c}{d} + \frac{\log(e^{-2dx-2c} + 1)}{d} + \frac{2e^{-2dx-2c}}{d(2e^{-2dx-2c} + e^{-4dx-4c} + 1)}\right) + \frac{a \log(\cosh(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)\*(a+b\*tanh(d\*x+c)^2), x, algorithm="maxima")

[Out] b\*(x + c/d + log(e^(-2\*d\*x - 2\*c) + 1)/d + 2\*e^(-2\*d\*x - 2\*c)/(d\*(2\*e^(-2\*d\*x - 2\*c) + e^(-4\*d\*x - 4\*c) + 1))) + a\*log(cosh(d\*x + c))/d

**Fricas [B]** time = 1.89958, size = 1114, normalized size = 35.94

$$(a+b)dx \cosh(dx+c)^4 + 4(a+b)dx \cosh(dx+c) \sinh(dx+c)^3 + (a+b)dx \sinh(dx+c)^4 + (a+b)dx + 2((a+b)dx$$


---

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)\*(a+b\*tanh(d\*x+c)^2),x, algorithm="fricas")

[Out]  $-\left((a+b)d*x*\cosh(d*x+c)^4 + 4*(a+b)d*x*\cosh(d*x+c)*\sinh(d*x+c)^3 + (a+b)d*x*\sinh(d*x+c)^4 + (a+b)d*x + 2*((a+b)d*x - b)*\cosh(d*x+c)^2 + 2*(3*(a+b)d*x*\cosh(d*x+c)^2 + (a+b)d*x - b)*\sinh(d*x+c)^2 - ((a+b)*\cosh(d*x+c)^4 + 4*(a+b)*\cosh(d*x+c)*\sinh(d*x+c)^3 + (a+b)*\sinh(d*x+c)^4 + 2*(a+b)*\cosh(d*x+c)^2 + 2*(3*(a+b)*\cosh(d*x+c)^2 + a+b)*\sinh(d*x+c)^2 + 4*((a+b)*\cosh(d*x+c)^3 + (a+b)*\cosh(d*x+c))*\sinh(d*x+c) + a+b\right) \log\left(\frac{2*\cosh(d*x+c)}{\cosh(d*x+c) - \sinh(d*x+c)}\right) + 4*((a+b)d*x*\cosh(d*x+c)^3 + ((a+b)d*x - b)*\cosh(d*x+c))*\sinh(d*x+c) / (d*\cosh(d*x+c)^4 + 4*d*\cosh(d*x+c)*\sinh(d*x+c)^3 + d*\sinh(d*x+c)^4 + 2*d*\cosh(d*x+c)^2 + 2*(3*d*\cosh(d*x+c)^2 + d)*\sinh(d*x+c)^2 + 4*(d*\cosh(d*x+c)^3 + d*\cosh(d*x+c))*\sinh(d*x+c) + d)$

---

**Sympy [A]** time = 0.319899, size = 60, normalized size = 1.94

$$\begin{cases} ax - \frac{a \log(\tanh(c+dx)+1)}{d} + bx - \frac{b \log(\tanh(c+dx)+1)}{d} - \frac{b \tanh^2(c+dx)}{2d} & \text{for } d \neq 0 \\ x(a + b \tanh^2(c)) \tanh(c) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)\*(a+b\*tanh(d\*x+c)\*\*2),x)

[Out] Piecewise((a\*x - a\*log(tanh(c + d\*x) + 1)/d + b\*x - b\*log(tanh(c + d\*x) + 1)/d - b\*tanh(c + d\*x)\*\*2/(2\*d), Ne(d, 0)), (x\*(a + b\*tanh(c)\*\*2)\*tanh(c), True))

---

**Giac [B]** time = 1.16461, size = 82, normalized size = 2.65

$$-\frac{(dx+c)(a+b)}{d} + \frac{(a+b) \log(e^{2dx+2c} + 1)}{d} + \frac{2be^{2dx+2c}}{d(e^{2dx+2c} + 1)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tanh(d*x+c)*(a+b*tanh(d*x+c)^2),x, algorithm="giac")
```

```
[Out] -(d*x + c)*(a + b)/d + (a + b)*log(e^(2*d*x + 2*c) + 1)/d + 2*b*e^(2*d*x + 2*c)/(d*(e^(2*d*x + 2*c) + 1)^2)
```

### 3.138 $\int (a + b \tanh^2(c + dx)) dx$

**Optimal.** Leaf size=19

$$ax - \frac{b \tanh(c + dx)}{d} + bx$$

[Out] a\*x + b\*x - (b\*Tanh[c + d\*x])/d

**Rubi [A]** time = 0.0132686, antiderivative size = 19, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {3473, 8}

$$ax - \frac{b \tanh(c + dx)}{d} + bx$$

Antiderivative was successfully verified.

[In] Int[a + b\*Tanh[c + d\*x]^2, x]

[Out] a\*x + b\*x - (b\*Tanh[c + d\*x])/d

#### Rule 3473

Int[((b\_.)\*tan[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(b\*(b\*Tan[c + d\*x])^(n - 1))/(d\*(n - 1)), x] - Dist[b^2, Int[(b\*Tan[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1]

#### Rule 8

Int[a\_, x\_Symbol] :> Simp[a\*x, x] /; FreeQ[a, x]

#### Rubi steps

$$\begin{aligned} \int (a + b \tanh^2(c + dx)) dx &= ax + b \int \tanh^2(c + dx) dx \\ &= ax - \frac{b \tanh(c + dx)}{d} + b \int 1 dx \\ &= ax + bx - \frac{b \tanh(c + dx)}{d} \end{aligned}$$



**Mathematica [A]** time = 0.0067343, size = 28, normalized size = 1.47

$$ax + \frac{b \tanh^{-1}(\tanh(c + dx))}{d} - \frac{b \tanh(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[a + b\*Tanh[c + d\*x]^2,x]

[Out] a\*x + (b\*ArcTanh[Tanh[c + d\*x]])/d - (b\*Tanh[c + d\*x])/d

**Maple [B]** time = 0.002, size = 47, normalized size = 2.5

$$ax - \frac{b \tanh(dx + c)}{d} - \frac{\ln(\tanh(dx + c) - 1)b}{2d} + \frac{\ln(\tanh(dx + c) + 1)b}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(a+b\*tanh(d\*x+c)^2,x)

[Out] a\*x-b\*tanh(d\*x+c)/d-1/2/d\*ln(tanh(d\*x+c)-1)\*b+1/2/d\*ln(tanh(d\*x+c)+1)\*b

**Maxima [A]** time = 1.09244, size = 42, normalized size = 2.21

$$b \left( x + \frac{c}{d} - \frac{2}{d(e^{-2dx-2c} + 1)} \right) + ax$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a+b\*tanh(d\*x+c)^2,x, algorithm="maxima")

[Out] b\*(x + c/d - 2/(d\*(e^(-2\*d\*x - 2\*c) + 1))) + a\*x

**Fricas [A]** time = 2.0544, size = 96, normalized size = 5.05

$$\frac{((a + b)dx + b) \cosh(dx + c) - b \sinh(dx + c)}{d \cosh(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a+b\*tanh(d\*x+c)^2,x, algorithm="fricas")

[Out] (((a + b)\*d\*x + b)\*cosh(d\*x + c) - b\*sinh(d\*x + c))/(d\*cosh(d\*x + c))

**Sympy [A]** time = 0.190726, size = 20, normalized size = 1.05

$$ax + b \begin{cases} x - \frac{\tanh(c+dx)}{d} & \text{for } d \neq 0 \\ x \tanh^2(c) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a+b\*tanh(d\*x+c)\*\*2,x)

[Out] a\*x + b\*Piecewise((x - tanh(c + d\*x)/d, Ne(d, 0)), (x\*tanh(c)\*\*2, True))

**Giac [A]** time = 1.1661, size = 46, normalized size = 2.42

$$ax + b \left( \frac{dx + c}{d} + \frac{2}{d(e^{2dx+2c} + 1)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a+b\*tanh(d\*x+c)^2,x, algorithm="giac")

[Out] a\*x + b\*((d\*x + c)/d + 2/(d\*(e^(2\*d\*x + 2\*c) + 1)))

### 3.139 $\int \coth(c + dx) (a + b \tanh^2(c + dx)) dx$

**Optimal.** Leaf size=25

$$\frac{a \log(\sinh(c + dx))}{d} + \frac{b \log(\cosh(c + dx))}{d}$$

[Out] (b\*Log[Cosh[c + d\*x]])/d + (a\*Log[Sinh[c + d\*x]])/d

**Rubi [A]** time = 0.0412611, antiderivative size = 25, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$ , Rules used = {3625, 3475}

$$\frac{a \log(\sinh(c + dx))}{d} + \frac{b \log(\cosh(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] Int[Coth[c + d\*x]\*(a + b\*Tanh[c + d\*x]^2), x]

[Out] (b\*Log[Cosh[c + d\*x]])/d + (a\*Log[Sinh[c + d\*x]])/d

#### Rule 3625

Int[((A\_) + (C\_)\*tan[(e\_) + (f\_)\*(x\_)])^2/tan[(e\_) + (f\_)\*(x\_)], x\_Symbol] :> Dist[A, Int[1/Tan[e + f\*x], x], x] + Dist[C, Int[Tan[e + f\*x], x], x] /; FreeQ[{e, f, A, C}, x] && NeQ[A, C]

#### Rule 3475

Int[tan[(c\_) + (d\_)\*(x\_)], x\_Symbol] :> -Simp[Log[RemoveContent[Cos[c + d\*x], x]]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int \coth(c + dx) (a + b \tanh^2(c + dx)) dx &= a \int \coth(c + dx) dx + b \int \tanh(c + dx) dx \\ &= \frac{b \log(\cosh(c + dx))}{d} + \frac{a \log(\sinh(c + dx))}{d} \end{aligned}$$

**Mathematica [A]** time = 0.0396557, size = 33, normalized size = 1.32

$$\frac{a(\log(\tanh(c + dx)) + \log(\cosh(c + dx)))}{d} + \frac{b \log(\cosh(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[c + d\*x]\*(a + b\*Tanh[c + d\*x]^2), x]

[Out] (b\*Log[Cosh[c + d\*x]])/d + (a\*(Log[Cosh[c + d\*x]] + Log[Tanh[c + d\*x]]))/d

**Maple [A]** time = 0.041, size = 26, normalized size = 1.

$$\frac{b \ln(\cosh(dx + c))}{d} + \frac{a \ln(\sinh(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(d\*x+c)\*(a+b\*tanh(d\*x+c)^2), x)

[Out] b\*ln(cosh(d\*x+c))/d+a\*ln(sinh(d\*x+c))/d

**Maxima [A]** time = 1.10261, size = 47, normalized size = 1.88

$$\frac{b \log(e^{(dx+c)} + e^{(-dx-c)})}{d} + \frac{a \log(\sinh(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)\*(a+b\*tanh(d\*x+c)^2), x, algorithm="maxima")

[Out] b\*log(e^(d\*x + c) + e^(-d\*x - c))/d + a\*log(sinh(d\*x + c))/d

**Fricas [B]** time = 2.02863, size = 178, normalized size = 7.12

$$\frac{(a + b)dx - b \log\left(\frac{2 \cosh(dx+c)}{\cosh(dx+c)-\sinh(dx+c)}\right) - a \log\left(\frac{2 \sinh(dx+c)}{\cosh(dx+c)-\sinh(dx+c)}\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(d*x+c)*(a+b*tanh(d*x+c)^2),x, algorithm="fricas")`

[Out]  $-\left(\left(a+b\right)d x-b \log \left(\frac{2 \cosh (d x+c)}{\cosh (d x+c)-\sinh (d x+c)}\right)-a \log \left(\frac{2 \sinh (d x+c)}{\cosh (d x+c)-\sinh (d x+c)}\right)\right) / d$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (a + b \tanh^2(c + dx)) \coth(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(d*x+c)*(a+b*tanh(d*x+c)**2),x)`

[Out] `Integral((a + b*tanh(c + d*x)**2)*coth(c + d*x), x)`

**Giac [A]** time = 1.17575, size = 66, normalized size = 2.64

$$-\frac{(dx+c)(a+b)}{d} + \frac{b \log \left(e^{(2dx+2c)} + 1\right)}{d} + \frac{a \log \left(\left|e^{(2dx+2c)} - 1\right|\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(d*x+c)*(a+b*tanh(d*x+c)^2),x, algorithm="giac")`

[Out]  $-(d x+c)(a+b) / d+b \log \left(e^{\left(2 d x+2 c\right)}+1\right) / d+a \log \left(\operatorname{abs}\left(e^{\left(2 d x+2 c\right)}-1\right)\right) / d$

### 3.140 $\int \coth^2(c + dx) (a + b \tanh^2(c + dx)) dx$

**Optimal.** Leaf size=18

$$x(a + b) - \frac{a \coth(c + dx)}{d}$$

[Out] (a + b)\*x - (a\*Coth[c + d\*x])/d

**Rubi [A]** time = 0.0290586, antiderivative size = 18, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$ , Rules used = {3629, 8}

$$x(a + b) - \frac{a \coth(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[Coth[c + d\*x]^2\*(a + b\*Tanh[c + d\*x]^2), x]

[Out] (a + b)\*x - (a\*Coth[c + d\*x])/d

#### Rule 3629

Int[((a\_.) + (b\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((A\_.) + (C\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^2, x\_Symbol] :> Simp[((A\*b^2 + a^2\*C)\*(a + b\*Tan[e + f\*x])^(m + 1))/(b\*f\*(m + 1)\*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b\*Tan[e + f\*x])^(m + 1)\*Simp[a\*(A - C) - (A\*b - b\*C)\*Tan[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, C}, x] && NeQ[A\*b^2 + a^2\*C, 0] && LtQ[m, -1] && NeQ[a^2 + b^2, 0]

#### Rule 8

Int[a\_, x\_Symbol] :> Simp[a\*x, x] /; FreeQ[a, x]

#### Rubi steps

$$\begin{aligned} \int \coth^2(c + dx) (a + b \tanh^2(c + dx)) dx &= -\frac{a \coth(c + dx)}{d} - \int (-a - b) dx \\ &= (a + b)x - \frac{a \coth(c + dx)}{d} \end{aligned}$$

**Mathematica [C]** time = 0.0259963, size = 32, normalized size = 1.78

$$bx - \frac{a \coth(c + dx) {}_2F_1\left(-\frac{1}{2}, 1; \frac{1}{2}; \tanh^2(c + dx)\right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[c + d\*x]^2\*(a + b\*Tanh[c + d\*x]^2), x]

[Out] b\*x - (a\*Coth[c + d\*x]\*Hypergeometric2F1[-1/2, 1, 1/2, Tanh[c + d\*x]^2])/d

**Maple [A]** time = 0.033, size = 28, normalized size = 1.6

$$\frac{a(dx + c - \coth(dx + c)) + (dx + c)b}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2), x)

[Out] 1/d\*(a\*(d\*x+c-coth(d\*x+c))+(d\*x+c)\*b)

**Maxima [A]** time = 1.04148, size = 42, normalized size = 2.33

$$a\left(x + \frac{c}{d} + \frac{2}{d(e^{(-2dx-2c)} - 1)}\right) + bx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2), x, algorithm="maxima")

[Out] a\*(x + c/d + 2/(d\*(e^(-2\*d\*x - 2\*c) - 1))) + b\*x

**Fricas [B]** time = 1.9345, size = 97, normalized size = 5.39

$$\frac{a \cosh(dx + c) - ((a + b)dx + a) \sinh(dx + c)}{d \sinh(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2),x, algorithm="fricas")

[Out]  $-(a*\cosh(d*x + c) - ((a + b)*d*x + a)*\sinh(d*x + c))/(d*\sinh(d*x + c))$

**Sympy [B]** time = 60.3678, size = 49, normalized size = 2.72

$$a \left( \begin{array}{ll} x \coth^2(c) & \text{for } d = 0 \\ \infty x & \text{for } c = \log(-e^{-dx}) \vee c = \log(e^{-dx}) \\ x - \frac{1}{d \tanh(c+dx)} & \text{otherwise} \end{array} \right) + b \left( \begin{array}{ll} x & \text{for } |x| < 1 \\ G_{2,2}^{1,1} \left( \begin{array}{c} 1 \\ 1 \end{array} \middle| x \right) + G_{2,2}^{0,2} \left( \begin{array}{c} 2, 1 \\ 1, 0 \end{array} \middle| x \right) & \text{otherwise} \end{array} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)\*\*2\*(a+b\*tanh(d\*x+c)\*\*2),x)

[Out] a\*Piecewise((x\*coth(c)\*\*2, Eq(d, 0)), (zoo\*x, Eq(c, log(exp(-d\*x))) | Eq(c, log(-exp(-d\*x))))) , (x - 1/(d\*tanh(c + d\*x)), True)) + b\*Piecewise((x, Abs(x) < 1), (meijerg(((1, ), (2, )), ((1, ), (0, )), x) + meijerg(((2, 1), ()), (( ), (1, 0)), x), True))

**Giac [A]** time = 1.21697, size = 43, normalized size = 2.39

$$\frac{(dx + c)(a + b)}{d} - \frac{2a}{d(e^{(2dx+2c)} - 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2),x, algorithm="giac")

[Out]  $(d*x + c)*(a + b)/d - 2*a/(d*(e^{(2*d*x + 2*c)} - 1))$



### 3.141 $\int \coth^3(c + dx) (a + b \tanh^2(c + dx)) dx$

**Optimal.** Leaf size=31

$$\frac{(a + b) \log(\sinh(c + dx))}{d} - \frac{a \coth^2(c + dx)}{2d}$$

[Out]  $-(a \operatorname{Coth}[c + d*x]^2)/(2*d) + ((a + b) \operatorname{Log}[\operatorname{Sinh}[c + d*x]])/d$

**Rubi [A]** time = 0.0424706, antiderivative size = 31, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3629, 12, 3475}

$$\frac{(a + b) \log(\sinh(c + dx))}{d} - \frac{a \coth^2(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[\operatorname{Coth}[c + d*x]^3*(a + b*\operatorname{Tanh}[c + d*x]^2), x]$

[Out]  $-(a \operatorname{Coth}[c + d*x]^2)/(2*d) + ((a + b) \operatorname{Log}[\operatorname{Sinh}[c + d*x]])/d$

#### Rule 3629

$\operatorname{Int}[(a_. + (b_.)*\tan[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (C_.)*\tan[(e_.) + (f_.)*(x_.)]^2), x\_Symbol] \rightarrow \operatorname{Simp}[(A*b^2 + a^2*C)*(a + b*\tan[e + f*x])^{(m + 1)} / (b*f*(m + 1)*(a^2 + b^2)), x] + \operatorname{Dist}[1/(a^2 + b^2), \operatorname{Int}[(a + b*\tan[e + f*x])^{(m + 1)}*\operatorname{Simp}[a*(A - C) - (A*b - b*C)*\tan[e + f*x], x], x], x] /;$  FreeQ[{a, b, e, f, A, C}, x] && NeQ[A\*b^2 + a^2\*C, 0] && LtQ[m, -1] && NeQ[a^2 + b^2, 0]

#### Rule 12

$\operatorname{Int}[(a_)*(u_), x\_Symbol] \rightarrow \operatorname{Dist}[a, \operatorname{Int}[u, x], x] /;$  FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 3475

$\operatorname{Int}[\tan[(c_.) + (d_.)*(x_.)], x\_Symbol] \rightarrow -\operatorname{Simp}[\operatorname{Log}[\operatorname{RemoveContent}[\operatorname{Cos}[c + d*x], x]], x] /;$  FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \coth^3(c + dx)(a + b \tanh^2(c + dx)) dx &= -\frac{a \coth^2(c + dx)}{2d} + \int (a + b) \coth(c + dx) dx \\
&= -\frac{a \coth^2(c + dx)}{2d} + (a + b) \int \coth(c + dx) dx \\
&= -\frac{a \coth^2(c + dx)}{2d} + \frac{(a + b) \log(\sinh(c + dx))}{d}
\end{aligned}$$

**Mathematica [A]** time = 0.103553, size = 39, normalized size = 1.26

$$\frac{2(a + b)(\log(\tanh(c + dx)) + \log(\cosh(c + dx))) - a \coth^2(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^2), x]

[Out]  $(-(a*\text{Coth}[c + d*x]^2) + 2*(a + b)*(Log[\text{Cosh}[c + d*x]] + Log[\text{Tanh}[c + d*x]]))/ (2*d)$

**Maple [A]** time = 0.046, size = 40, normalized size = 1.3

$$\frac{a \ln(\sinh(dx + c))}{d} - \frac{(\coth(dx + c))^2 a}{2d} + \frac{b \ln(\sinh(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2), x)

[Out]  $a*\ln(\sinh(d*x+c))/d - 1/2*a*\coth(d*x+c)^2/d + 1/d*b*\ln(\sinh(d*x+c))$

**Maxima [B]** time = 1.0785, size = 143, normalized size = 4.61

$$a \left( x + \frac{c}{d} + \frac{\log(e^{-dx-c} + 1)}{d} + \frac{\log(e^{-dx-c} - 1)}{d} + \frac{2e^{-2dx-2c}}{d(2e^{-2dx-2c} - e^{-4dx-4c} - 1)} \right) + \frac{b \log(e^{dx+c} - e^{-dx-c})}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(coth(d*x+c)^3*(a+b*tanh(d*x+c)^2),x, algorithm="maxima")
```

```
[Out] a*(x + c/d + log(e^(-d*x - c) + 1)/d + log(e^(-d*x - c) - 1)/d + 2*e^(-2*d*x - 2*c)/(d*(2*e^(-2*d*x - 2*c) - e^(-4*d*x - 4*c) - 1))) + b*log(e^(d*x + c) - e^(-d*x - c))/d
```

**Fricas [B]** time = 2.10567, size = 1114, normalized size = 35.94

$$(a + b)dx \cosh(dx + c)^4 + 4(a + b)dx \cosh(dx + c) \sinh(dx + c)^3 + (a + b)dx \sinh(dx + c)^4 + (a + b)dx - 2((a + b)d$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(coth(d*x+c)^3*(a+b*tanh(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] -((a + b)*d*x*cosh(d*x + c)^4 + 4*(a + b)*d*x*cosh(d*x + c)*sinh(d*x + c)^3 + (a + b)*d*x*sinh(d*x + c)^4 + (a + b)*d*x - 2*((a + b)*d*x - a)*cosh(d*x + c)^2 + 2*(3*(a + b)*d*x*cosh(d*x + c)^2 - (a + b)*d*x + a)*sinh(d*x + c)^2 - ((a + b)*cosh(d*x + c)^4 + 4*(a + b)*cosh(d*x + c)*sinh(d*x + c)^3 + (a + b)*sinh(d*x + c)^4 - 2*(a + b)*cosh(d*x + c)^2 + 2*(3*(a + b)*cosh(d*x + c)^2 - a - b)*sinh(d*x + c)^2 + 4*((a + b)*cosh(d*x + c)^3 - (a + b)*cosh(d*x + c))*sinh(d*x + c) + a + b)*log(2*sinh(d*x + c)/(cosh(d*x + c) - sinh(d*x + c))) + 4*((a + b)*d*x*cosh(d*x + c)^3 - ((a + b)*d*x - a)*cosh(d*x + c))*sinh(d*x + c))/(d*cosh(d*x + c)^4 + 4*d*cosh(d*x + c)*sinh(d*x + c)^3 + d*sinh(d*x + c)^4 - 2*d*cosh(d*x + c)^2 + 2*(3*d*cosh(d*x + c)^2 - d)*sinh(d*x + c)^2 + 4*(d*cosh(d*x + c)^3 - d*cosh(d*x + c))*sinh(d*x + c) + d)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(coth(d*x+c)**3*(a+b*tanh(d*x+c)**2),x)
```

```
[Out] Timed out
```

---

**Giac [B]** time = 1.18364, size = 84, normalized size = 2.71

$$-\frac{(dx+c)(a+b)}{d} + \frac{(a+b)\log(|e^{(2dx+2c)}-1|)}{d} - \frac{2ae^{(2dx+2c)}}{d(e^{(2dx+2c)}-1)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2),x, algorithm="giac")

[Out] -(d\*x + c)\*(a + b)/d + (a + b)\*log(abs(e^(2\*d\*x + 2\*c) - 1))/d - 2\*a\*e^(2\*d\*x + 2\*c)/(d\*(e^(2\*d\*x + 2\*c) - 1)^2)

### 3.142 $\int \coth^4(c + dx) (a + b \tanh^2(c + dx)) dx$

**Optimal.** Leaf size=36

$$-\frac{(a+b)\coth(c+dx)}{d} + x(a+b) - \frac{a\coth^3(c+dx)}{3d}$$

[Out] (a + b)\*x - ((a + b)\*Coth[c + d\*x])/d - (a\*Coth[c + d\*x]^3)/(3\*d)

**Rubi [A]** time = 0.038836, antiderivative size = 36, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.19$ , Rules used = {3629, 12, 3473, 8}

$$-\frac{(a+b)\coth(c+dx)}{d} + x(a+b) - \frac{a\coth^3(c+dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[Coth[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^2), x]

[Out] (a + b)\*x - ((a + b)\*Coth[c + d\*x])/d - (a\*Coth[c + d\*x]^3)/(3\*d)

#### Rule 3629

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (C_.)*tan[(e_.) + (f_.)*(x_)]^2), x_Symbol] := Simp[((A*b^2 + a^2*C)*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[a*(A - C) - (A*b - b*C)*Tan[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, C}, x] && NeQ[A*b^2 + a^2*C, 0] && LtQ[m, -1] && NeQ[a^2 + b^2, 0]
```

#### Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

#### Rule 3473

```
Int[((b_.)*tan[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(b*(b*Tan[c + d*x])^(n - 1))/(d*(n - 1)), x] - Dist[b^2, Int[(b*Tan[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1]
```

**Rule 8**

`Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]`

**Rubi steps**

$$\begin{aligned}
 \int \coth^4(c + dx) (a + b \tanh^2(c + dx)) dx &= -\frac{a \coth^3(c + dx)}{3d} + \int (a + b) \coth^2(c + dx) dx \\
 &= -\frac{a \coth^3(c + dx)}{3d} + (a + b) \int \coth^2(c + dx) dx \\
 &= -\frac{(a + b) \coth(c + dx)}{d} - \frac{a \coth^3(c + dx)}{3d} + (a + b) \int 1 dx \\
 &= (a + b)x - \frac{(a + b) \coth(c + dx)}{d} - \frac{a \coth^3(c + dx)}{3d}
 \end{aligned}$$

**Mathematica [C]** time = 0.0360232, size = 61, normalized size = 1.69

$$-\frac{a \coth^3(c + dx) {}_2F_1\left(-\frac{3}{2}, 1; -\frac{1}{2}; \tanh^2(c + dx)\right)}{3d} - \frac{b \coth(c + dx) {}_2F_1\left(-\frac{1}{2}, 1; \frac{1}{2}; \tanh^2(c + dx)\right)}{d}$$

Antiderivative was successfully verified.

[In] `Integrate[Coth[c + d*x]^4*(a + b*Tanh[c + d*x]^2), x]`

[Out] `-(a*Coth[c + d*x]^3*Hypergeometric2F1[-3/2, 1, -1/2, Tanh[c + d*x]^2])/(3*d) - (b*Coth[c + d*x]*Hypergeometric2F1[-1/2, 1, 1/2, Tanh[c + d*x]^2])/d`

**Maple [A]** time = 0.042, size = 46, normalized size = 1.3

$$\frac{1}{d} \left( a \left( dx + c - \coth(dx + c) - \frac{(\coth(dx + c))^3}{3} \right) + b(dx + c - \coth(dx + c)) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(coth(d*x+c)^4*(a+b*tanh(d*x+c)^2), x)`

[Out] `1/d*(a*(d*x+c-coth(d*x+c)-1/3*coth(d*x+c)^3)+b*(d*x+c-coth(d*x+c)))`

---

**Maxima [B]** time = 1.17206, size = 142, normalized size = 3.94

$$\frac{1}{3} a \left( 3x + \frac{3c}{d} - \frac{4 \left( 3e^{(-2dx-2c)} - 3e^{(-4dx-4c)} - 2 \right)}{d \left( 3e^{(-2dx-2c)} - 3e^{(-4dx-4c)} + e^{(-6dx-6c)} - 1 \right)} \right) + b \left( x + \frac{c}{d} + \frac{2}{d \left( e^{(-2dx-2c)} - 1 \right)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2),x, algorithm="maxima")

[Out] 1/3\*a\*(3\*x + 3\*c/d - 4\*(3\*e^(-2\*d\*x - 2\*c) - 3\*e^(-4\*d\*x - 4\*c) - 2)/(d\*(3\*e^(-2\*d\*x - 2\*c) - 3\*e^(-4\*d\*x - 4\*c) + e^(-6\*d\*x - 6\*c) - 1))) + b\*(x + c/d + 2/(d\*(e^(-2\*d\*x - 2\*c) - 1)))

---

**Fricas [B]** time = 1.91492, size = 408, normalized size = 11.33

$$\frac{(4a + 3b) \cosh(dx + c)^3 + 3(4a + 3b) \cosh(dx + c) \sinh(dx + c)^2 - (3(a + b)dx + 4a + 3b) \sinh(dx + c)^3 - 3b \cosh(dx + c)^3}{3(d \sinh(dx + c)^3 + 3(d \cosh(dx + c))^2 - d \sinh(dx + c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2),x, algorithm="fricas")

[Out] -1/3\*((4\*a + 3\*b)\*cosh(d\*x + c)^3 + 3\*(4\*a + 3\*b)\*cosh(d\*x + c)\*sinh(d\*x + c)^2 - (3\*(a + b)\*d\*x + 4\*a + 3\*b)\*sinh(d\*x + c)^3 - 3\*b\*cosh(d\*x + c)^3 + 3\*(3\*(a + b)\*d\*x - (3\*(a + b)\*d\*x + 4\*a + 3\*b)\*cosh(d\*x + c)^2 + 4\*a + 3\*b)\*sinh(d\*x + c))/(d\*sinh(d\*x + c)^3 + 3\*(d\*cosh(d\*x + c)^2 - d)\*sinh(d\*x + c))

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)\*\*4\*(a+b\*tanh(d\*x+c)\*\*2),x)

[Out] Timed out

---

**Giac [B]** time = 1.19785, size = 116, normalized size = 3.22

$$\frac{(dx + c)(a + b)}{d} - \frac{2(6ae^{4dx+4c} + 3be^{4dx+4c} - 6ae^{2dx+2c} - 6be^{2dx+2c} + 4a + 3b)}{3d(e^{2dx+2c} - 1)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2),x, algorithm="giac")

[Out] (d\*x + c)\*(a + b)/d - 2/3\*(6\*a\*e^(4\*d\*x + 4\*c) + 3\*b\*e^(4\*d\*x + 4\*c) - 6\*a\*e^(2\*d\*x + 2\*c) - 6\*b\*e^(2\*d\*x + 2\*c) + 4\*a + 3\*b)/(d\*(e^(2\*d\*x + 2\*c) - 1)^3)



### 3.143 $\int \coth^5(c + dx) (a + b \tanh^2(c + dx)) dx$

**Optimal.** Leaf size=49

$$-\frac{(a+b)\coth^2(c+dx)}{2d} + \frac{(a+b)\log(\sinh(c+dx))}{d} - \frac{a\coth^4(c+dx)}{4d}$$

[Out]  $-\frac{(a+b)\text{Coth}[c+d*x]^2}{2*d} - \frac{a*\text{Coth}[c+d*x]^4}{4*d} + \frac{(a+b)*\text{Log}[\text{Sinh}[c+d*x]]}{d}$

**Rubi [A]** time = 0.0618572, antiderivative size = 49, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.19$ , Rules used = {3629, 12, 3473, 3475}

$$-\frac{(a+b)\coth^2(c+dx)}{2d} + \frac{(a+b)\log(\sinh(c+dx))}{d} - \frac{a\coth^4(c+dx)}{4d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Coth}[c+d*x]^5*(a+b*\text{Tanh}[c+d*x]^2), x]$

[Out]  $-\frac{(a+b)\text{Coth}[c+d*x]^2}{2*d} - \frac{a*\text{Coth}[c+d*x]^4}{4*d} + \frac{(a+b)*\text{Log}[\text{Sinh}[c+d*x]]}{d}$

#### Rule 3629

$\text{Int}[(a_. + (b_.)*\tan[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (C_.)*\tan[(e_.) + (f_.)*(x_.)]^2), x\_Symbol] \rightarrow \text{Simp}[(A*b^2 + a^2*C)*(a + b*\text{Tan}[e + f*x])^{(m + 1)} / (b*f*(m + 1)*(a^2 + b^2)), x] + \text{Dist}[1/(a^2 + b^2), \text{Int}[(a + b*\text{Tan}[e + f*x])^{(m + 1)}*\text{Simp}[a*(A - C) - (A*b - b*C)*\text{Tan}[e + f*x], x], x], x] /;$  FreeQ[{a, b, e, f, A, C}, x] && NeQ[A\*b^2 + a^2\*C, 0] && LtQ[m, -1] && NeQ[a^2 + b^2, 0]

#### Rule 12

$\text{Int}[(a_)*(u_), x\_Symbol] \rightarrow \text{Dist}[a, \text{Int}[u, x], x] /;$  FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 3473

$\text{Int}[(b_.)*\tan[(c_.) + (d_.)*(x_.)]^{(n_.)}, x\_Symbol] \rightarrow \text{Simp}[(b*(b*\text{Tan}[c + d*x])^{(n - 1)}) / (d*(n - 1)), x] - \text{Dist}[b^2, \text{Int}[(b*\text{Tan}[c + d*x])^{(n - 2)}, x],$

x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1]

### Rule 3475

Int[tan[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[Log[RemoveContent[Cos[c + d\*x], x]]/d, x] /; FreeQ[{c, d}, x]

### Rubi steps

$$\begin{aligned}
 \int \coth^5(c + dx) (a + b \tanh^2(c + dx)) dx &= -\frac{a \coth^4(c + dx)}{4d} + \int (a + b) \coth^3(c + dx) dx \\
 &= -\frac{a \coth^4(c + dx)}{4d} + (a + b) \int \coth^3(c + dx) dx \\
 &= -\frac{(a + b) \coth^2(c + dx)}{2d} - \frac{a \coth^4(c + dx)}{4d} + (a + b) \int \coth(c + dx) dx \\
 &= -\frac{(a + b) \coth^2(c + dx)}{2d} - \frac{a \coth^4(c + dx)}{4d} + \frac{(a + b) \log(\sinh(c + dx))}{d}
 \end{aligned}$$

**Mathematica [A]** time = 0.312658, size = 51, normalized size = 1.04

$$\frac{2(a + b) \coth^2(c + dx) - 4(a + b)(\log(\tanh(c + dx)) + \log(\cosh(c + dx))) + a \coth^4(c + dx)}{4d}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[c + d\*x]^5\*(a + b\*Tanh[c + d\*x]^2), x]

[Out] -(2\*(a + b)\*Coth[c + d\*x]^2 + a\*Coth[c + d\*x]^4 - 4\*(a + b)\*(Log[Cosh[c + d\*x]] + Log[Tanh[c + d\*x]]))/(4\*d)

**Maple [A]** time = 0.046, size = 68, normalized size = 1.4

$$\frac{a \ln(\sinh(dx + c))}{d} - \frac{(\coth(dx + c))^2 a}{2d} - \frac{a (\coth(dx + c))^4}{4d} + \frac{b \ln(\sinh(dx + c))}{d} - \frac{b (\coth(dx + c))^2}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(d\*x+c)^5\*(a+b\*tanh(d\*x+c)^2), x)

[Out]  $a \ln(\sinh(dx+c))/d - 1/2 * a * \coth(dx+c)^2/d - 1/4 * a * \coth(dx+c)^4/d + 1/d * b * \ln(\sinh(dx+c)) - 1/2/d * b * \coth(dx+c)^2$

**Maxima [B]** time = 1.16511, size = 278, normalized size = 5.67

$$a \left( x + \frac{c}{d} + \frac{\log(e^{-dx-c} + 1)}{d} + \frac{\log(e^{-dx-c} - 1)}{d} + \frac{4(e^{-2dx-2c} - e^{-4dx-4c} + e^{-6dx-6c})}{d(4e^{-2dx-2c} - 6e^{-4dx-4c} + 4e^{-6dx-6c} - e^{-8dx-8c} - 1)} \right) + b \left( x + \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(dx+c)^5*(a+b*tanh(dx+c)^2),x, algorithm="maxima")`

[Out]  $a*(x + c/d + \log(e^{-dx-c} + 1)/d + \log(e^{-dx-c} - 1)/d + 4*(e^{-2dx-2c} - e^{-4dx-4c} + e^{-6dx-6c})/(d*(4*e^{-2dx-2c} - 6*e^{-4dx-4c} + 4*e^{-6dx-6c} - e^{-8dx-8c} - 1))) + b*(x + c/d + \log(e^{-dx-c} + 1)/d + \log(e^{-dx-c} - 1)/d + 2*e^{-2dx-2c}/(d*(2*e^{-2dx-2c} - e^{-4dx-4c} - 1)))$

**Fricas [B]** time = 2.17152, size = 3336, normalized size = 68.08

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(dx+c)^5*(a+b*tanh(dx+c)^2),x, algorithm="fricas")`

[Out]  $-((a + b)*dx*cosh(dx + c)^8 + 8*(a + b)*dx*cosh(dx + c)*sinh(dx + c)^7 + (a + b)*dx*sinh(dx + c)^8 - 2*(2*(a + b)*dx - 2*a - b)*cosh(dx + c)^6 + 2*(14*(a + b)*dx*cosh(dx + c)^2 - 2*(a + b)*dx + 2*a + b)*sinh(dx + c)^6 + 4*(14*(a + b)*dx*cosh(dx + c)^3 - 3*(2*(a + b)*dx - 2*a - b)*cosh(dx + c)*sinh(dx + c)^5 + 2*(3*(a + b)*dx - 2*a - 2*b)*cosh(dx + c)^4 + 2*(35*(a + b)*dx*cosh(dx + c)^4 + 3*(a + b)*dx - 15*(2*(a + b)*dx - 2*a - b)*cosh(dx + c)^2 - 2*a - 2*b)*sinh(dx + c)^4 + 8*(7*(a + b)*dx*cosh(dx + c)^5 - 5*(2*(a + b)*dx - 2*a - b)*cosh(dx + c)^3 + (3*(a + b)*dx - 2*a - 2*b)*cosh(dx + c)*sinh(dx + c)^3 + (a + b)*dx - 2*(2*(a + b)*dx - 2*a - b)*cosh(dx + c)^2 + 2*(14*(a + b)*dx*cosh(dx + c)^6 - 15*(2*(a + b)*dx - 2*a - b)*cosh(dx + c)^4 - 2*(a + b)*dx + 6*(3*(a + b)*dx - 2*a - 2*b)*cosh(dx + c)^2 + 2*a + b)*sinh(dx + c)^2 - ((a + b)*cosh(dx + c)^8 + 8*(a + b)*cosh(dx + c)*sinh(dx + c)^7 + (a + b)*sinh(dx + c)^8$

```

- 4*(a + b)*cosh(d*x + c)^6 + 4*(7*(a + b)*cosh(d*x + c)^2 - a - b)*sinh(d*
x + c)^6 + 8*(7*(a + b)*cosh(d*x + c)^3 - 3*(a + b)*cosh(d*x + c))*sinh(d*x
+ c)^5 + 6*(a + b)*cosh(d*x + c)^4 + 2*(35*(a + b)*cosh(d*x + c)^4 - 30*(a
+ b)*cosh(d*x + c)^2 + 3*a + 3*b)*sinh(d*x + c)^4 + 8*(7*(a + b)*cosh(d*x
+ c)^5 - 10*(a + b)*cosh(d*x + c)^3 + 3*(a + b)*cosh(d*x + c))*sinh(d*x + c
)^3 - 4*(a + b)*cosh(d*x + c)^2 + 4*(7*(a + b)*cosh(d*x + c)^6 - 15*(a + b)
*cosh(d*x + c)^4 + 9*(a + b)*cosh(d*x + c)^2 - a - b)*sinh(d*x + c)^2 + 8*(
(a + b)*cosh(d*x + c)^7 - 3*(a + b)*cosh(d*x + c)^5 + 3*(a + b)*cosh(d*x +
c)^3 - (a + b)*cosh(d*x + c))*sinh(d*x + c) + a + b)*log(2*sinh(d*x + c)/(c
osh(d*x + c) - sinh(d*x + c))) + 4*(2*(a + b)*d*x*cosh(d*x + c)^7 - 3*(2*(a
+ b)*d*x - 2*a - b)*cosh(d*x + c)^5 + 2*(3*(a + b)*d*x - 2*a - 2*b)*cosh(d
*x + c)^3 - (2*(a + b)*d*x - 2*a - b)*cosh(d*x + c))*sinh(d*x + c))/(d*cosh
(d*x + c)^8 + 8*d*cosh(d*x + c)*sinh(d*x + c)^7 + d*sinh(d*x + c)^8 - 4*d*c
osh(d*x + c)^6 + 4*(7*d*cosh(d*x + c)^2 - d)*sinh(d*x + c)^6 + 8*(7*d*cosh(
d*x + c)^3 - 3*d*cosh(d*x + c))*sinh(d*x + c)^5 + 6*d*cosh(d*x + c)^4 + 2*(
35*d*cosh(d*x + c)^4 - 30*d*cosh(d*x + c)^2 + 3*d)*sinh(d*x + c)^4 + 8*(7*d
*cosh(d*x + c)^5 - 10*d*cosh(d*x + c)^3 + 3*d*cosh(d*x + c))*sinh(d*x + c)^
3 - 4*d*cosh(d*x + c)^2 + 4*(7*d*cosh(d*x + c)^6 - 15*d*cosh(d*x + c)^4 + 9
*d*cosh(d*x + c)^2 - d)*sinh(d*x + c)^2 + 8*(d*cosh(d*x + c)^7 - 3*d*cosh(d
*x + c)^5 + 3*d*cosh(d*x + c)^3 - d*cosh(d*x + c))*sinh(d*x + c) + d)

```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)\*\*5\*(a+b\*tanh(d\*x+c)\*\*2),x)

[Out] Timed out

**Giac [B]** time = 1.20055, size = 131, normalized size = 2.67

$$-\frac{(dx + c)(a + b)}{d} + \frac{(a + b) \log\left(\left|e^{(2dx+2c)} - 1\right|\right)}{d} - \frac{2\left((2a + b)e^{(6dx+6c)} - 2(a + b)e^{(4dx+4c)} + (2a + b)e^{(2dx+2c)}\right)}{d\left(e^{(2dx+2c)} - 1\right)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^5\*(a+b\*tanh(d\*x+c)^2),x, algorithm="giac")

```
[Out] -(d*x + c)*(a + b)/d + (a + b)*log(abs(e^(2*d*x + 2*c) - 1))/d - 2*((2*a +  
b)*e^(6*d*x + 6*c) - 2*(a + b)*e^(4*d*x + 4*c) + (2*a + b)*e^(2*d*x + 2*c))  
/(d*(e^(2*d*x + 2*c) - 1)^4)
```

### 3.144 $\int \tanh^4(c + dx) (a + b \tanh^2(c + dx))^2 dx$

**Optimal.** Leaf size=83

$$-\frac{b(2a+b)\tanh^5(c+dx)}{5d} - \frac{(a+b)^2\tanh^3(c+dx)}{3d} - \frac{(a+b)^2\tanh(c+dx)}{d} + x(a+b)^2 - \frac{b^2\tanh^7(c+dx)}{7d}$$

[Out] (a + b)^2\*x - ((a + b)^2\*Tanh[c + d\*x])/d - ((a + b)^2\*Tanh[c + d\*x]^3)/(3\*d) - (b\*(2\*a + b)\*Tanh[c + d\*x]^5)/(5\*d) - (b^2\*Tanh[c + d\*x]^7)/(7\*d)

**Rubi [A]** time = 0.0788679, antiderivative size = 83, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$ , Rules used = {3670, 461, 206}

$$-\frac{b(2a+b)\tanh^5(c+dx)}{5d} - \frac{(a+b)^2\tanh^3(c+dx)}{3d} - \frac{(a+b)^2\tanh(c+dx)}{d} + x(a+b)^2 - \frac{b^2\tanh^7(c+dx)}{7d}$$

Antiderivative was successfully verified.

[In] Int[Tanh[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] (a + b)^2\*x - ((a + b)^2\*Tanh[c + d\*x])/d - ((a + b)^2\*Tanh[c + d\*x]^3)/(3\*d) - (b\*(2\*a + b)\*Tanh[c + d\*x]^5)/(5\*d) - (b^2\*Tanh[c + d\*x]^7)/(7\*d)

#### Rule 3670

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_.))^(p_.), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[(((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f^2*x^2), x], x, (c*Tan[e + f*x])/ff, x]] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))
```

#### Rule 461

```
Int[(((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_.))/((c_) + (d_.)*(x_)^(n_.)), x_Symbol] :> Int[ExpandIntegrand[((e*x)^m*(a + b*x^n)^p]/(c + d*x^n), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && (IntegerQ[m] || IGtQ[2*(m + 1), 0] || !RationalQ[m])
```

#### Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rubi steps

$$\begin{aligned} \int \tanh^4(c+dx) (a+b \tanh^2(c+dx))^2 dx &= \frac{\text{Subst}\left(\int \frac{x^4(a+bx^2)^2}{1-x^2} dx, x, \tanh(c+dx)\right)}{d} \\ &= \frac{\text{Subst}\left(\int \left(- (a+b)^2 - (a+b)^2 x^2 - b(2a+b)x^4 - b^2 x^6 + \frac{a^2+2ab+b^2}{1-x^2}\right) dx, x\right)}{d} \\ &= -\frac{(a+b)^2 \tanh(c+dx)}{d} - \frac{(a+b)^2 \tanh^3(c+dx)}{3d} - \frac{b(2a+b) \tanh^5(c+dx)}{5d} \\ &= (a+b)^2 x - \frac{(a+b)^2 \tanh(c+dx)}{d} - \frac{(a+b)^2 \tanh^3(c+dx)}{3d} - \frac{b(2a+b) \tanh^5(c+dx)}{5d} \end{aligned}$$

**Mathematica [B]** time = 0.0767448, size = 190, normalized size = 2.29

$$-\frac{a^2 \tanh^3(c+dx)}{3d} + \frac{a^2 \tanh^{-1}(\tanh(c+dx))}{d} - \frac{a^2 \tanh(c+dx)}{d} - \frac{2ab \tanh^5(c+dx)}{5d} - \frac{2ab \tanh^3(c+dx)}{3d} + \frac{2ab \tanh(c+dx)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] (a^2\*ArcTanh[Tanh[c + d\*x]])/d + (2\*a\*b\*ArcTanh[Tanh[c + d\*x]])/d + (b^2\*ArcTanh[Tanh[c + d\*x]])/d - (a^2\*Tanh[c + d\*x])/d - (2\*a\*b\*Tanh[c + d\*x])/d - (b^2\*Tanh[c + d\*x])/d - (a^2\*Tanh[c + d\*x]^3)/(3\*d) - (2\*a\*b\*Tanh[c + d\*x]^3)/(3\*d) - (b^2\*Tanh[c + d\*x]^3)/(3\*d) - (2\*a\*b\*Tanh[c + d\*x]^5)/(5\*d) - (b^2\*Tanh[c + d\*x]^5)/(5\*d) - (b^2\*Tanh[c + d\*x]^7)/(7\*d)

**Maple [B]** time = 0.006, size = 236, normalized size = 2.8

$$-\frac{a^2 \ln(\tanh(dx+c)-1)}{2d} - \frac{\ln(\tanh(dx+c)-1)ab}{d} - \frac{\ln(\tanh(dx+c)-1)b^2}{2d} - \frac{b^2(\tanh(dx+c))^3}{3d} - \frac{b^2(\tanh(dx+c))^5}{5d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(tanh(d*x+c)^4*(a+b*tanh(d*x+c)^2)^2,x)`

[Out] 
$$-1/2*a^2/d*\ln(\tanh(d*x+c)-1)-1/d*\ln(\tanh(d*x+c)-1)*a*b-1/2/d*\ln(\tanh(d*x+c)-1)*b^2-1/3*b^2*tanh(d*x+c)^3/d-1/5*b^2*tanh(d*x+c)^5/d-1/3/d*tanh(d*x+c)^3*a^2-1/7*b^2*tanh(d*x+c)^7/d-2*a*b*tanh(d*x+c)/d-2/5/d*tanh(d*x+c)^5*a*b-2/3*a*b*tanh(d*x+c)^3/d+1/2/d*\ln(\tanh(d*x+c)+1)*a^2+1/d*\ln(\tanh(d*x+c)+1)*a*b+1/2/d*\ln(\tanh(d*x+c)+1)*b^2-a^2*tanh(d*x+c)/d-b^2*tanh(d*x+c)/d$$

**Maxima [B]** time = 1.16148, size = 498, normalized size = 6.

$$\frac{1}{105} b^2 \left( 105x + \frac{105c}{d} - \frac{8(203e^{(-2dx-2c)} + 609e^{(-4dx-4c)} + 770e^{(-6dx-6c)} + 770e^{(-8dx-8c)} + 315e^{(-10dx-10c)} + 105e^{(-12dx-12c)})}{d(7e^{(-2dx-2c)} + 21e^{(-4dx-4c)} + 35e^{(-6dx-6c)} + 35e^{(-8dx-8c)} + 21e^{(-10dx-10c)} + 7e^{(-12dx-12c)})} + e^{(-14dx-14c)} + 1) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(d*x+c)^4*(a+b*tanh(d*x+c)^2)^2,x, algorithm="maxima")`

[Out] 
$$\frac{1}{105} b^2 \left( (105x + 105c/d - 8(203e^{(-2d*x - 2*c)} + 609e^{(-4d*x - 4*c)} + 770e^{(-6d*x - 6*c)} + 770e^{(-8d*x - 8*c)} + 315e^{(-10d*x - 10*c)} + 105e^{(-12d*x - 12*c)} + 44) / (d(7e^{(-2d*x - 2*c)} + 21e^{(-4d*x - 4*c)} + 35e^{(-6d*x - 6*c)} + 35e^{(-8d*x - 8*c)} + 21e^{(-10d*x - 10*c)} + 7e^{(-12d*x - 12*c)} + e^{(-14d*x - 14*c)} + 1))) + 2/15*a*b*(15*x + 15*c/d - 2*(70e^{(-2d*x - 2*c)} + 140e^{(-4d*x - 4*c)} + 90e^{(-6d*x - 6*c)} + 45e^{(-8d*x - 8*c)} + 23) / (d(5e^{(-2d*x - 2*c)} + 10e^{(-4d*x - 4*c)} + 10e^{(-6d*x - 6*c)} + 5e^{(-8d*x - 8*c)} + e^{(-10d*x - 10*c)} + 1))) + 1/3*a^2*(3*x + 3*c/d - 4*(3e^{(-2d*x - 2*c)} + 3e^{(-4d*x - 4*c)} + 2) / (d(3e^{(-2d*x - 2*c)} + 3e^{(-4d*x - 4*c)} + e^{(-6d*x - 6*c)} + 1))) \right)$$

**Fricas [B]** time = 1.97528, size = 2140, normalized size = 25.78

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(d*x+c)^4*(a+b*tanh(d*x+c)^2)^2,x, algorithm="fricas")`

[Out] 
$$\frac{1}{105} * ((105*(a^2 + 2*a*b + b^2)*d*x + 140*a^2 + 322*a*b + 176*b^2)*\cosh(d*x + c)^7 + 7*(105*(a^2 + 2*a*b + b^2)*d*x + 140*a^2 + 322*a*b + 176*b^2)*\cosh(d*x + c)*\sinh(d*x + c)^6 - 2*(70*a^2 + 161*a*b + 88*b^2)*\sinh(d*x + c)^7$$



$$\begin{aligned}
& + 7*(105*(a^2 + 2*a*b + b^2)*d*x + 140*a^2 + 322*a*b + 176*b^2)*\cosh(d*x + c)^5 - 14*(3*(70*a^2 + 161*a*b + 88*b^2)*\cosh(d*x + c)^2 + 40*a^2 + 71*a*b + 28*b^2)*\sinh(d*x + c)^5 + 35*((105*(a^2 + 2*a*b + b^2)*d*x + 140*a^2 + 322*a*b + 176*b^2)*\cosh(d*x + c)^3 + (105*(a^2 + 2*a*b + b^2)*d*x + 140*a^2 + 322*a*b + 176*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^4 + 21*(105*(a^2 + 2*a*b + b^2)*d*x + 140*a^2 + 322*a*b + 176*b^2)*\cosh(d*x + c)^3 - 14*(5*(70*a^2 + 161*a*b + 88*b^2)*\cosh(d*x + c)^4 + 10*(40*a^2 + 71*a*b + 28*b^2)*\cosh(d*x + c)^2 + 60*a^2 + 123*a*b + 84*b^2)*\sinh(d*x + c)^3 + 7*(3*(105*(a^2 + 2*a*b + b^2)*d*x + 140*a^2 + 322*a*b + 176*b^2)*\cosh(d*x + c)^5 + 10*(105*(a^2 + 2*a*b + b^2)*d*x + 140*a^2 + 322*a*b + 176*b^2)*\cosh(d*x + c)^3 + 9*(105*(a^2 + 2*a*b + b^2)*d*x + 140*a^2 + 322*a*b + 176*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^2 + 35*(105*(a^2 + 2*a*b + b^2)*d*x + 140*a^2 + 322*a*b + 176*b^2)*\cosh(d*x + c) - 14*((70*a^2 + 161*a*b + 88*b^2)*\cosh(d*x + c)^6 + 5*(40*a^2 + 71*a*b + 28*b^2)*\cosh(d*x + c)^4 + 9*(20*a^2 + 41*a*b + 28*b^2)*\cosh(d*x + c)^2 + 30*a^2 + 75*a*b)*\sinh(d*x + c))/(d*\cosh(d*x + c)^7 + 7*d*\cosh(d*x + c)*\sinh(d*x + c)^6 + 7*d*\cosh(d*x + c)^5 + 35*(d*\cosh(d*x + c)^3 + d*\cosh(d*x + c))*\sinh(d*x + c)^4 + 21*d*\cosh(d*x + c)^3 + 7*(3*d*\cosh(d*x + c)^5 + 10*d*\cosh(d*x + c)^3 + 9*d*\cosh(d*x + c))*\sinh(d*x + c)^2 + 35*d*\cosh(d*x + c))
\end{aligned}$$

**Sympy [A]** time = 1.51795, size = 165, normalized size = 1.99

$$\left\{ \begin{array}{l} a^2x - \frac{a^2 \tanh^3(c+dx)}{3d} - \frac{a^2 \tanh(c+dx)}{d} + 2abx - \frac{2ab \tanh^5(c+dx)}{5d} - \frac{2ab \tanh^3(c+dx)}{3d} - \frac{2ab \tanh(c+dx)}{d} + b^2x - \frac{b^2 \tanh^7(c+dx)}{7d} - \frac{b^2 \tanh^5(c+dx)}{5d} \\ x(a + b \tanh^2(c))^2 \tanh^4(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)\*\*4\*(a+b\*tanh(d\*x+c)\*\*2)\*\*2,x)

[Out] Piecewise((a\*\*2\*x - a\*\*2\*tanh(c + d\*x)\*\*3/(3\*d) - a\*\*2\*tanh(c + d\*x)/d + 2\*a\*b\*x - 2\*a\*b\*tanh(c + d\*x)\*\*5/(5\*d) - 2\*a\*b\*tanh(c + d\*x)\*\*3/(3\*d) - 2\*a\*b\*tanh(c + d\*x)/d + b\*\*2\*x - b\*\*2\*tanh(c + d\*x)\*\*7/(7\*d) - b\*\*2\*tanh(c + d\*x)\*\*5/(5\*d) - b\*\*2\*tanh(c + d\*x)\*\*3/(3\*d) - b\*\*2\*tanh(c + d\*x)/d, Ne(d, 0)), (x\*(a + b\*tanh(c)\*\*2)\*\*2\*tanh(c)\*\*4, True))

**Giac [B]** time = 1.31415, size = 405, normalized size = 4.88

$$\frac{(a^2 + 2ab + b^2)(dx + c)}{d} + \frac{4(105a^2e^{(12dx+12c)} + 315abe^{(12dx+12c)} + 210b^2e^{(12dx+12c)} + 525a^2e^{(10dx+10c)} + 1260abe^{(10dx+10c)})}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(d*x+c)^4*(a+b*tanh(d*x+c)^2)^2,x, algorithm="giac")`

[Out]  $(a^2 + 2ab + b^2)(dx + c)/d + 4/105(105a^2e^{(12dx + 12c)} + 315ab e^{(12dx + 12c)} + 210b^2e^{(12dx + 12c)} + 525a^2e^{(10dx + 10c)} + 1260ab e^{(10dx + 10c)} + 630b^2e^{(10dx + 10c)} + 1120a^2e^{(8dx + 8c)} + 2555ab e^{(8dx + 8c)} + 1540b^2e^{(8dx + 8c)} + 1330a^2e^{(6dx + 6c)} + 3080ab e^{(6dx + 6c)} + 1540b^2e^{(6dx + 6c)} + 945a^2e^{(4dx + 4c)} + 2121ab e^{(4dx + 4c)} + 1218b^2e^{(4dx + 4c)} + 385a^2e^{(2dx + 2c)} + 812ab e^{(2dx + 2c)} + 406b^2e^{(2dx + 2c)} + 70a^2 + 161ab + 88b^2)/(d(e^{(2dx + 2c)} + 1)^7)$

### 3.145 $\int \tanh^3(c + dx) (a + b \tanh^2(c + dx))^2 dx$

**Optimal.** Leaf size=76

$$-\frac{b(2a + b) \tanh^4(c + dx)}{4d} - \frac{(a + b)^2 \tanh^2(c + dx)}{2d} + \frac{(a + b)^2 \log(\cosh(c + dx))}{d} - \frac{b^2 \tanh^6(c + dx)}{6d}$$

[Out]  $((a + b)^2 \text{Log}[\text{Cosh}[c + d*x]])/d - ((a + b)^2 \text{Tanh}[c + d*x]^2)/(2*d) - (b*(2*a + b) \text{Tanh}[c + d*x]^4)/(4*d) - (b^2 \text{Tanh}[c + d*x]^6)/(6*d)$

**Rubi [A]** time = 0.10963, antiderivative size = 76, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$ , Rules used = {3670, 446, 77}

$$-\frac{b(2a + b) \tanh^4(c + dx)}{4d} - \frac{(a + b)^2 \tanh^2(c + dx)}{2d} + \frac{(a + b)^2 \log(\cosh(c + dx))}{d} - \frac{b^2 \tanh^6(c + dx)}{6d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Tanh}[c + d*x]^3*(a + b*\text{Tanh}[c + d*x]^2)^2, x]$

[Out]  $((a + b)^2 \text{Log}[\text{Cosh}[c + d*x]])/d - ((a + b)^2 \text{Tanh}[c + d*x]^2)/(2*d) - (b*(2*a + b) \text{Tanh}[c + d*x]^4)/(4*d) - (b^2 \text{Tanh}[c + d*x]^6)/(6*d)$

#### Rule 3670

$\text{Int}[(d_*) \tan[(e_*) + (f_*)(x)]^{(m_*)} ((a_*) + (b_*)((c_*) \tan[(e_*) + (f_*)(x)])^{(n_*)})^{(p_*)}, x\_Symbol] := \text{With}[\{ff = \text{FreeFactors}[\text{Tan}[e + f*x], x]\}, \text{Dist}[(c*ff)/f, \text{Subst}[\text{Int}[(d*ff*x)/c]^{m*(a + b*(ff*x)^n)^p}/(c^2 + f*f^2*x^2), x], x, (c*\text{Tan}[e + f*x])/ff], x] /; \text{FreeQ}\{a, b, c, d, e, f, m, n, p\}, x] \&\& (\text{IGtQ}[p, 0] \|\ \text{EqQ}[n, 2] \|\ \text{EqQ}[n, 4] \|\ (\text{IntegerQ}[p] \&\& \text{RationalQ}[n]))$

#### Rule 446

$\text{Int}[(x_*)^{(m_*)} ((a_*) + (b_*)(x_*)^{(n_*)})^{(p_*)} ((c_*) + (d_*)(x_*)^{(n_*)})^{(q_*)}, x\_Symbol] := \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q}, x], x, x^n], x] /; \text{FreeQ}\{a, b, c, d, m, n, p, q\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

#### Rule 77

```
Int[((a_.) + (b_.)*(x_))*((c_) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] :> Int[ExpandIntegrand[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9*p + 5*(n + 2), 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f])))
```

### Rubi steps

$$\begin{aligned} \int \tanh^3(c + dx) (a + b \tanh^2(c + dx))^2 dx &= \frac{\text{Subst}\left(\int \frac{x^3(a+bx^2)^2}{1-x^2} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{\text{Subst}\left(\int \frac{x(a+bx)^2}{1-x} dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= \frac{\text{Subst}\left(\int \left(- (a+b)^2 - \frac{(a+b)^2}{-1+x} - b(2a+b)x - b^2x^2\right) dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= \frac{(a+b)^2 \log(\cosh(c + dx))}{d} - \frac{(a+b)^2 \tanh^2(c + dx)}{2d} - \frac{b(2a+b) \tanh^4(c + dx)}{4d} \end{aligned}$$

**Mathematica [A]** time = 0.407834, size = 66, normalized size = 0.87

$$\frac{3b(2a+b) \tanh^4(c + dx) + 6(a+b)^2 \tanh^2(c + dx) - 12(a+b)^2 \log(\cosh(c + dx)) + 2b^2 \tanh^6(c + dx)}{12d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Tanh[c + d*x]^3*(a + b*Tanh[c + d*x]^2)^2,x]
```

```
[Out] -(-12*(a + b)^2*Log[Cosh[c + d*x]] + 6*(a + b)^2*Tanh[c + d*x]^2 + 3*b*(2*a + b)*Tanh[c + d*x]^4 + 2*b^2*Tanh[c + d*x]^6)/(12*d)
```

**Maple [B]** time = 0.004, size = 196, normalized size = 2.6

$$\frac{\ln(\tanh(dx + c) + 1) a^2}{2d} - \frac{\ln(\tanh(dx + c) + 1) ab}{d} - \frac{\ln(\tanh(dx + c) + 1) b^2}{2d} - \frac{a^2 \ln(\tanh(dx + c) - 1)}{2d} - \frac{\ln(\tanh(dx + c) - 1) ab}{d} - \frac{\ln(\tanh(dx + c) - 1) b^2}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(tanh(d*x+c)^3*(a+b*tanh(d*x+c)^2)^2,x)`

[Out]  $-1/2/d*\ln(\tanh(d*x+c)+1)*a^2-1/d*\ln(\tanh(d*x+c)+1)*a*b-1/2/d*\ln(\tanh(d*x+c)+1)*b^2-1/2*a^2/d*\ln(\tanh(d*x+c)-1)-1/d*\ln(\tanh(d*x+c)-1)*a*b-1/2/d*\ln(\tanh(d*x+c)-1)*b^2-1/2/d*\tanh(d*x+c)^2*a^2-1/2*b^2*\tanh(d*x+c)^2/d-1/4/d*\tanh(d*x+c)^4*b^2-1/6*b^2*\tanh(d*x+c)^6/d-a*b*\tanh(d*x+c)^2/d-1/2/d*\tanh(d*x+c)^4*a*b$

**Maxima [B]** time = 1.78954, size = 450, normalized size = 5.92

$$\frac{1}{3} b^2 \left( 3x + \frac{3c}{d} + \frac{3 \log(e^{(-2dx-2c)} + 1)}{d} + \frac{2(9e^{(-2dx-2c)} + 18e^{(-4dx-4c)} + 34e^{(-6dx-6c)} + 18e^{(-8dx-8c)} + 9e^{(-10dx-10c)})}{d(6e^{(-2dx-2c)} + 15e^{(-4dx-4c)} + 20e^{(-6dx-6c)} + 15e^{(-8dx-8c)} + 6e^{(-10dx-10c)})} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(d*x+c)^3*(a+b*tanh(d*x+c)^2)^2,x, algorithm="maxima")`

[Out]  $\frac{1}{3}b^2(3x + 3c/d + 3*\log(e^{(-2*d*x - 2*c)} + 1)/d + 2*(9*e^{(-2*d*x - 2*c)} + 18*e^{(-4*d*x - 4*c)} + 34*e^{(-6*d*x - 6*c)} + 18*e^{(-8*d*x - 8*c)} + 9*e^{(-10*d*x - 10*c)})/(d*(6*e^{(-2*d*x - 2*c)} + 15*e^{(-4*d*x - 4*c)} + 20*e^{(-6*d*x - 6*c)} + 15*e^{(-8*d*x - 8*c)} + 6*e^{(-10*d*x - 10*c)} + e^{(-12*d*x - 12*c)} + 1))) + 2*a*b*(x + c/d + \log(e^{(-2*d*x - 2*c)} + 1)/d + 4*(e^{(-2*d*x - 2*c)} + e^{(-4*d*x - 4*c)} + e^{(-6*d*x - 6*c)})/(d*(4*e^{(-2*d*x - 2*c)} + 6*e^{(-4*d*x - 4*c)} + 4*e^{(-6*d*x - 6*c)} + e^{(-8*d*x - 8*c)} + 1))) + a^2*(x + c/d + \log(e^{(-2*d*x - 2*c)} + 1)/d + 2*e^{(-2*d*x - 2*c)}/(d*(2*e^{(-2*d*x - 2*c)} + e^{(-4*d*x - 4*c)} + 1)))$

**Fricas [B]** time = 2.34171, size = 8982, normalized size = 118.18

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(d*x+c)^3*(a+b*tanh(d*x+c)^2)^2,x, algorithm="fricas")`

[Out]  $-1/3*(3*(a^2 + 2*a*b + b^2)*d*x*cosh(d*x + c)^12 + 36*(a^2 + 2*a*b + b^2)*d*x*cosh(d*x + c)*sinh(d*x + c)^11 + 3*(a^2 + 2*a*b + b^2)*d*x*sinh(d*x + c)^12 + 6*(3*(a^2 + 2*a*b + b^2)*d*x - a^2 - 4*a*b - 3*b^2)*cosh(d*x + c)^10 + 6*(33*(a^2 + 2*a*b + b^2)*d*x*cosh(d*x + c)^2 + 3*(a^2 + 2*a*b + b^2)*d*x$

$$\begin{aligned}
& - a^2 - 4ab - 3b^2) \sinh(dx + c)^{10} + 60(11(a^2 + 2ab + b^2)dx \cosh(dx + c)^3 + (3(a^2 + 2ab + b^2)dx - a^2 - 4ab - 3b^2) \cosh(dx + c)) \sinh(dx + c)^9 + 3(15(a^2 + 2ab + b^2)dx - 8a^2 - 24ab - 12b^2) \cosh(dx + c)^8 + 3(495(a^2 + 2ab + b^2)dx \cosh(dx + c)^4 + 15(a^2 + 2ab + b^2)dx + 90(3(a^2 + 2ab + b^2)dx - a^2 - 4ab - 3b^2) \cosh(dx + c)^2 - 8a^2 - 24ab - 12b^2) \sinh(dx + c)^8 + 24(99(a^2 + 2ab + b^2)dx \cosh(dx + c)^5 + 30(3(a^2 + 2ab + b^2)dx - a^2 - 4ab - 3b^2) \cosh(dx + c)^3 + (15(a^2 + 2ab + b^2)dx - 8a^2 - 24ab - 12b^2) \cosh(dx + c)) \sinh(dx + c)^7 + 4(15(a^2 + 2ab + b^2)dx - 9a^2 - 24ab - 17b^2) \cosh(dx + c)^6 + 4(693(a^2 + 2ab + b^2)dx \cosh(dx + c)^6 + 315(3(a^2 + 2ab + b^2)dx - a^2 - 4ab - 3b^2) \cosh(dx + c)^4 + 15(a^2 + 2ab + b^2)dx + 21(15(a^2 + 2ab + b^2)dx - 8a^2 - 24ab - 12b^2) \cosh(dx + c)^2 - 9a^2 - 24ab - 17b^2) \sinh(dx + c)^6 + 24(99(a^2 + 2ab + b^2)dx \cosh(dx + c)^7 + 63(3(a^2 + 2ab + b^2)dx - a^2 - 4ab - 3b^2) \cosh(dx + c)^5 + 7(15(a^2 + 2ab + b^2)dx - 8a^2 - 24ab - 12b^2) \cosh(dx + c)^3 + (15(a^2 + 2ab + b^2)dx - 9a^2 - 24ab - 17b^2) \cosh(dx + c)) \sinh(dx + c)^5 + 3(15(a^2 + 2ab + b^2)dx - 8a^2 - 24ab - 12b^2) \cosh(dx + c)^4 + 3(495(a^2 + 2ab + b^2)dx \cosh(dx + c)^8 + 420(3(a^2 + 2ab + b^2)dx - a^2 - 4ab - 3b^2) \cosh(dx + c)^6 + 70(15(a^2 + 2ab + b^2)dx - 8a^2 - 24ab - 12b^2) \cosh(dx + c)^4 + 15(a^2 + 2ab + b^2)dx + 20(15(a^2 + 2ab + b^2)dx - 9a^2 - 24ab - 17b^2) \cosh(dx + c)^2 - 8a^2 - 24ab - 12b^2) \sinh(dx + c)^4 + 4(165(a^2 + 2ab + b^2)dx \cosh(dx + c)^9 + 180(3(a^2 + 2ab + b^2)dx - a^2 - 4ab - 3b^2) \cosh(dx + c)^7 + 42(15(a^2 + 2ab + b^2)dx - 8a^2 - 24ab - 12b^2) \cosh(dx + c)^5 + 20(15(a^2 + 2ab + b^2)dx - 9a^2 - 24ab - 17b^2) \cosh(dx + c)^3 + 3(15(a^2 + 2ab + b^2)dx - 8a^2 - 24ab - 12b^2) \cosh(dx + c)) \sinh(dx + c)^3 + 3(a^2 + 2ab + b^2)dx + 6(3(a^2 + 2ab + b^2)dx - a^2 - 4ab - 3b^2) \cosh(dx + c)^2 + 6(33(a^2 + 2ab + b^2)dx \cosh(dx + c)^10 + 45(3(a^2 + 2ab + b^2)dx - a^2 - 4ab - 3b^2) \cosh(dx + c)^8 + 14(15(a^2 + 2ab + b^2)dx - 8a^2 - 24ab - 12b^2) \cosh(dx + c)^6 + 10(15(a^2 + 2ab + b^2)dx - 9a^2 - 24ab - 17b^2) \cosh(dx + c)^4 + 3(a^2 + 2ab + b^2)dx + 3(15(a^2 + 2ab + b^2)dx - 8a^2 - 24ab - 12b^2) \cosh(dx + c)^2 - a^2 - 4ab - 3b^2) \sinh(dx + c)^2 - 3((a^2 + 2ab + b^2) \cosh(dx + c)^12 + 12(a^2 + 2ab + b^2) \cosh(dx + c) \sinh(dx + c)^11 + (a^2 + 2ab + b^2) \sinh(dx + c)^12 + 6(a^2 + 2ab + b^2) \cosh(dx + c)^10 + 6(11(a^2 + 2ab + b^2) \cosh(dx + c)^2 + a^2 + 2ab + b^2) \sinh(dx + c)^10 + 20(11(a^2 + 2ab + b^2) \cosh(dx + c)^3 + 3(a^2 + 2ab + b^2) \cosh(dx + c)) \sinh(dx + c)^9 + 15(a^2 + 2ab + b^2) \cosh(dx + c)^8 + 15(33(a^2 + 2ab + b^2) \cosh(dx + c)^4 + 18(a^2 + 2ab + b^2) \cosh(dx + c)^2 + a^2 + 2ab + b^2) \sinh(dx + c)^8 + 24(33(a^2 + 2ab + b^2) \cosh(dx + c)^5 + 30(a^2 + 2ab + b^2) \cosh(dx + c)^3 + 5(a^2 + 2ab + b^2) \cosh(dx + c)) \sinh(dx + c)^7 + 20(a^2 + 2ab + b^2) \cosh(dx + c)^6 + 4(231(a^2 + 2ab + b^2) \cosh(dx + c)^6 + 315(a^2 + 2ab + b^2) \cosh(dx + c)^4 + 105(a^2 +
\end{aligned}$$

$$\begin{aligned}
& 2*a*b + b^2)*\cosh(d*x + c)^2 + 5*a^2 + 10*a*b + 5*b^2)*\sinh(d*x + c)^6 + 2 \\
& 4*(33*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^7 + 63*(a^2 + 2*a*b + b^2)*\cosh(d*x \\
& + c)^5 + 35*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^3 + 5*(a^2 + 2*a*b + b^2)*\co \\
& sh(d*x + c))*\sinh(d*x + c)^5 + 15*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^4 + 15* \\
& (33*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^8 + 84*(a^2 + 2*a*b + b^2)*\cosh(d*x + \\
& c)^6 + 70*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^4 + 20*(a^2 + 2*a*b + b^2)*\cos \\
& h(d*x + c)^2 + a^2 + 2*a*b + b^2)*\sinh(d*x + c)^4 + 20*(11*(a^2 + 2*a*b + b \\
& ^2)*\cosh(d*x + c)^9 + 36*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^7 + 42*(a^2 + 2* \\
& a*b + b^2)*\cosh(d*x + c)^5 + 20*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^3 + 3*(a^ \\
& 2 + 2*a*b + b^2)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 6*(a^2 + 2*a*b + b^2)*\cos \\
& h(d*x + c)^2 + 6*(11*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^10 + 45*(a^2 + 2*a*b \\
& + b^2)*\cosh(d*x + c)^8 + 70*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^6 + 50*(a^2 \\
& + 2*a*b + b^2)*\cosh(d*x + c)^4 + 15*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^2 + a \\
& ^2 + 2*a*b + b^2)*\sinh(d*x + c)^2 + a^2 + 2*a*b + b^2 + 12*((a^2 + 2*a*b + \\
& b^2)*\cosh(d*x + c)^11 + 5*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^9 + 10*(a^2 + 2 \\
& *a*b + b^2)*\cosh(d*x + c)^7 + 10*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^5 + 5*(a \\
& ^2 + 2*a*b + b^2)*\cosh(d*x + c)^3 + (a^2 + 2*a*b + b^2)*\cosh(d*x + c))*\sinh \\
& (d*x + c))*\log(2*\cosh(d*x + c)/(\cosh(d*x + c) - \sinh(d*x + c))) + 12*(3*(a^ \\
& 2 + 2*a*b + b^2)*d*x*\cosh(d*x + c)^11 + 5*(3*(a^2 + 2*a*b + b^2)*d*x - a^2 \\
& - 4*a*b - 3*b^2)*\cosh(d*x + c)^9 + 2*(15*(a^2 + 2*a*b + b^2)*d*x - 8*a^2 - \\
& 24*a*b - 12*b^2)*\cosh(d*x + c)^7 + 2*(15*(a^2 + 2*a*b + b^2)*d*x - 9*a^2 - \\
& 24*a*b - 17*b^2)*\cosh(d*x + c)^5 + (15*(a^2 + 2*a*b + b^2)*d*x - 8*a^2 - 24 \\
& *a*b - 12*b^2)*\cosh(d*x + c)^3 + (3*(a^2 + 2*a*b + b^2)*d*x - a^2 - 4*a*b - \\
& 3*b^2)*\cosh(d*x + c))*\sinh(d*x + c))/((d*\cosh(d*x + c)^12 + 12*d*\cosh(d*x + \\
& c))*\sinh(d*x + c)^11 + d*\sinh(d*x + c)^12 + 6*d*\cosh(d*x + c)^10 + 6*(11*d* \\
& \cosh(d*x + c)^2 + d)*\sinh(d*x + c)^10 + 20*(11*d*\cosh(d*x + c)^3 + 3*d*\cosh \\
& (d*x + c))*\sinh(d*x + c)^9 + 15*d*\cosh(d*x + c)^8 + 15*(33*d*\cosh(d*x + c)^ \\
& 4 + 18*d*\cosh(d*x + c)^2 + d)*\sinh(d*x + c)^8 + 24*(33*d*\cosh(d*x + c)^5 + \\
& 30*d*\cosh(d*x + c)^3 + 5*d*\cosh(d*x + c))*\sinh(d*x + c)^7 + 20*d*\cosh(d*x + \\
& c)^6 + 4*(231*d*\cosh(d*x + c)^6 + 315*d*\cosh(d*x + c)^4 + 105*d*\cosh(d*x + \\
& c)^2 + 5*d)*\sinh(d*x + c)^6 + 24*(33*d*\cosh(d*x + c)^7 + 63*d*\cosh(d*x + c \\
& )^5 + 35*d*\cosh(d*x + c)^3 + 5*d*\cosh(d*x + c))*\sinh(d*x + c)^5 + 15*d*\cosh \\
& (d*x + c)^4 + 15*(33*d*\cosh(d*x + c)^8 + 84*d*\cosh(d*x + c)^6 + 70*d*\cosh(d \\
& *x + c)^4 + 20*d*\cosh(d*x + c)^2 + d)*\sinh(d*x + c)^4 + 20*(11*d*\cosh(d*x + \\
& c)^9 + 36*d*\cosh(d*x + c)^7 + 42*d*\cosh(d*x + c)^5 + 20*d*\cosh(d*x + c)^3 \\
& + 3*d*\cosh(d*x + c))*\sinh(d*x + c)^3 + 6*d*\cosh(d*x + c)^2 + 6*(11*d*\cosh(d \\
& *x + c)^10 + 45*d*\cosh(d*x + c)^8 + 70*d*\cosh(d*x + c)^6 + 50*d*\cosh(d*x + \\
& c)^4 + 15*d*\cosh(d*x + c)^2 + d)*\sinh(d*x + c)^2 + 12*(d*\cosh(d*x + c)^11 + \\
& 5*d*\cosh(d*x + c)^9 + 10*d*\cosh(d*x + c)^7 + 10*d*\cosh(d*x + c)^5 + 5*d*\co \\
& sh(d*x + c)^3 + d*\cosh(d*x + c))*\sinh(d*x + c) + d)
\end{aligned}$$


---

**Sympy [A]** time = 1.21659, size = 170, normalized size = 2.24

$$\left\{ \begin{array}{l} a^2 x - \frac{a^2 \log(\tanh(c+dx)+1)}{d} - \frac{a^2 \tanh^2(c+dx)}{2d} + 2abx - \frac{2ab \log(\tanh(c+dx)+1)}{d} - \frac{ab \tanh^4(c+dx)}{2d} - \frac{ab \tanh^2(c+dx)}{d} + b^2 x - \frac{b^2 \log(\tanh(c+dx)+1)}{d} \\ x(a + b \tanh^2(c))^2 \tanh^3(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)\*\*3\*(a+b\*tanh(d\*x+c)\*\*2)\*\*2,x)

[Out] Piecewise((a\*\*2\*x - a\*\*2\*log(tanh(c + d\*x) + 1)/d - a\*\*2\*tanh(c + d\*x)\*\*2/(2\*d) + 2\*a\*b\*x - 2\*a\*b\*log(tanh(c + d\*x) + 1)/d - a\*b\*tanh(c + d\*x)\*\*4/(2\*d) - a\*b\*tanh(c + d\*x)\*\*2/d + b\*\*2\*x - b\*\*2\*log(tanh(c + d\*x) + 1)/d - b\*\*2\*tanh(c + d\*x)\*\*6/(6\*d) - b\*\*2\*tanh(c + d\*x)\*\*4/(4\*d) - b\*\*2\*tanh(c + d\*x)\*\*2/(2\*d), Ne(d, 0)), (x\*(a + b\*tanh(c)\*\*2)\*\*2\*tanh(c)\*\*3, True))

**Giac [B]** time = 1.30806, size = 262, normalized size = 3.45

$$-\frac{(a^2 + 2ab + b^2)(dx + c)}{d} + \frac{(a^2 + 2ab + b^2) \log(e^{(2dx+2c)} + 1)}{d} + \frac{2(3(a^2 + 4ab + 3b^2)e^{(10dx+10c)} + 6(2a^2 + 6ab + 3b^2)e^{(8dx+8c)} + 2(9a^2 + 24ab + 17b^2)e^{(6dx+6c)} + 6(2a^2 + 6ab + 3b^2)e^{(4dx+4c)} + 3(a^2 + 4ab + 3b^2)e^{(2dx+2c)})}{d(e^{(2dx+2c)} + 1)^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out] -(a^2 + 2\*a\*b + b^2)\*(d\*x + c)/d + (a^2 + 2\*a\*b + b^2)\*log(e^(2\*d\*x + 2\*c) + 1)/d + 2/3\*(3\*(a^2 + 4\*a\*b + 3\*b^2)\*e^(10\*d\*x + 10\*c) + 6\*(2\*a^2 + 6\*a\*b + 3\*b^2)\*e^(8\*d\*x + 8\*c) + 2\*(9\*a^2 + 24\*a\*b + 17\*b^2)\*e^(6\*d\*x + 6\*c) + 6\*(2\*a^2 + 6\*a\*b + 3\*b^2)\*e^(4\*d\*x + 4\*c) + 3\*(a^2 + 4\*a\*b + 3\*b^2)\*e^(2\*d\*x + 2\*c))/(d\*(e^(2\*d\*x + 2\*c) + 1)^6)



### 3.146 $\int \tanh^2(c + dx) (a + b \tanh^2(c + dx))^2 dx$

**Optimal.** Leaf size=63

$$-\frac{b(2a+b)\tanh^3(c+dx)}{3d} - \frac{(a+b)^2\tanh(c+dx)}{d} + x(a+b)^2 - \frac{b^2\tanh^5(c+dx)}{5d}$$

[Out]  $(a + b)^2 x - ((a + b)^2 \operatorname{Tanh}[c + d x])/d - (b(2a + b) \operatorname{Tanh}[c + d x]^3)/(3d) - (b^2 \operatorname{Tanh}[c + d x]^5)/(5d)$

**Rubi [A]** time = 0.0755494, antiderivative size = 63, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$ , Rules used = {3670, 461, 206}

$$-\frac{b(2a+b)\tanh^3(c+dx)}{3d} - \frac{(a+b)^2\tanh(c+dx)}{d} + x(a+b)^2 - \frac{b^2\tanh^5(c+dx)}{5d}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[\operatorname{Tanh}[c + d x]^2 (a + b \operatorname{Tanh}[c + d x]^2)^2, x]$

[Out]  $(a + b)^2 x - ((a + b)^2 \operatorname{Tanh}[c + d x])/d - (b(2a + b) \operatorname{Tanh}[c + d x]^3)/(3d) - (b^2 \operatorname{Tanh}[c + d x]^5)/(5d)$

#### Rule 3670

$\operatorname{Int}[(d \cdot \tan(e) + f \cdot x)^m (a + b \cdot (c \cdot \tan(e) + f \cdot x)^n)^p, x\_Symbol] \rightarrow \operatorname{With}[\{ff = \operatorname{FreeFactors}[\operatorname{Tan}[e + f x], x]\}, \operatorname{Dist}[(c \cdot ff)/f, \operatorname{Subst}[\operatorname{Int}[(d \cdot ff \cdot x)/c]^m (a + b \cdot (ff \cdot x)^n)^p / (c^2 + f \cdot x^2), x], x, (c \cdot \operatorname{Tan}[e + f x])/ff, x]] /; \operatorname{FreeQ}\{a, b, c, d, e, f, m, n, p\}, x] \&\& (\operatorname{IGtQ}[p, 0] \mid \mid \operatorname{EqQ}[n, 2] \mid \mid \operatorname{EqQ}[n, 4] \mid \mid (\operatorname{IntegerQ}[p] \&\& \operatorname{RationalQ}[n]))$

#### Rule 461

$\operatorname{Int}[(e \cdot x)^m (a + b \cdot x^n)^p / (c + d \cdot x^n), x\_Symbol] \rightarrow \operatorname{Int}[\operatorname{ExpandIntegrand}[(e \cdot x)^m (a + b \cdot x^n)^p / (c + d \cdot x^n), x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, m\}, x] \&\& \operatorname{NeQ}[b \cdot c - a \cdot d, 0] \&\& \operatorname{IGtQ}[n, 0] \&\& \operatorname{IGtQ}[p, 0] \&\& (\operatorname{IntegerQ}[m] \mid \mid \operatorname{IGtQ}[2 \cdot (m + 1), 0] \mid \mid \operatorname{!RationalQ}[m])$

#### Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

### Rubi steps

$$\begin{aligned} \int \tanh^2(c + dx) (a + b \tanh^2(c + dx))^2 dx &= \frac{\text{Subst}\left(\int \frac{x^2(a+bx^2)^2}{1-x^2} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{\text{Subst}\left(\int \left(- (a+b)^2 - b(2a+b)x^2 - b^2x^4 + \frac{a^2+2ab+b^2}{1-x^2}\right) dx, x, \tanh(c + dx)\right)}{d} \\ &= -\frac{(a+b)^2 \tanh(c + dx)}{d} - \frac{b(2a+b) \tanh^3(c + dx)}{3d} - \frac{b^2 \tanh^5(c + dx)}{5d} + \frac{b^2 \tanh^5(c + dx)}{5d} \\ &= (a+b)^2 x - \frac{(a+b)^2 \tanh(c + dx)}{d} - \frac{b(2a+b) \tanh^3(c + dx)}{3d} - \frac{b^2 \tanh^5(c + dx)}{5d} \end{aligned}$$

**Mathematica [B]** time = 0.0478517, size = 137, normalized size = 2.17

$$\frac{a^2 \tanh^{-1}(\tanh(c + dx))}{d} - \frac{a^2 \tanh(c + dx)}{d} - \frac{2ab \tanh^3(c + dx)}{3d} + \frac{2ab \tanh^{-1}(\tanh(c + dx))}{d} - \frac{2ab \tanh(c + dx)}{d} - \frac{b^2 \tanh^5(c + dx)}{5d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Tanh[c + d*x]^2*(a + b*Tanh[c + d*x]^2)^2,x]
```

```
[Out] (a^2*ArcTanh[Tanh[c + d*x]])/d + (2*a*b*ArcTanh[Tanh[c + d*x]])/d + (b^2*Ar
cTanh[Tanh[c + d*x]])/d - (a^2*Tanh[c + d*x])/d - (2*a*b*Tanh[c + d*x])/d -
(b^2*Tanh[c + d*x])/d - (2*a*b*Tanh[c + d*x]^3)/(3*d) - (b^2*Tanh[c + d*x]
^3)/(3*d) - (b^2*Tanh[c + d*x]^5)/(5*d)
```

**Maple [B]** time = 0.005, size = 189, normalized size = 3.

$$-\frac{a^2 \ln(\tanh(dx + c) - 1)}{2d} - \frac{\ln(\tanh(dx + c) - 1) ab}{d} - \frac{\ln(\tanh(dx + c) - 1) b^2}{2d} - \frac{b^2 (\tanh(dx + c))^3}{3d} - \frac{b^2 (\tanh(dx + c))^5}{5d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\int (\tanh(dx+c)^2 (a+b\tanh(dx+c)^2)^2, x)$

[Out] 
$$-1/2*a^2/d*\ln(\tanh(dx+c)-1)-1/d*\ln(\tanh(dx+c)-1)*a*b-1/2/d*\ln(\tanh(dx+c)-1)*b^2-1/3*b^2*\tanh(dx+c)^3/d-1/5*b^2*\tanh(dx+c)^5/d-2*a*b*\tanh(dx+c)/d-2/3*a*b*\tanh(dx+c)^3/d+1/2/d*\ln(\tanh(dx+c)+1)*a^2+1/d*\ln(\tanh(dx+c)+1)*a*b+1/2/d*\ln(\tanh(dx+c)+1)*b^2-a^2*\tanh(dx+c)/d-b^2*\tanh(dx+c)/d$$

**Maxima [B]** time = 1.16304, size = 312, normalized size = 4.95

$$\frac{1}{15} b^2 \left( 15x + \frac{15c}{d} - \frac{2(70e^{(-2dx-2c)} + 140e^{(-4dx-4c)} + 90e^{(-6dx-6c)} + 45e^{(-8dx-8c)} + 23)}{d(5e^{(-2dx-2c)} + 10e^{(-4dx-4c)} + 10e^{(-6dx-6c)} + 5e^{(-8dx-8c)} + e^{(-10dx-10c)} + 1)} \right) + \frac{2}{3} ab \left( 3x + \frac{3c}{d} - \frac{2(70e^{(-2dx-2c)} + 140e^{(-4dx-4c)} + 90e^{(-6dx-6c)} + 45e^{(-8dx-8c)} + 23)}{d(5e^{(-2dx-2c)} + 10e^{(-4dx-4c)} + 10e^{(-6dx-6c)} + 5e^{(-8dx-8c)} + e^{(-10dx-10c)} + 1)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\tanh(dx+c)^2 (a+b\tanh(dx+c)^2)^2, x, \text{algorithm}=\text{"maxima"})$

[Out] 
$$1/15*b^2*(15*x + 15*c/d - 2*(70*e^{(-2*d*x - 2*c)} + 140*e^{(-4*d*x - 4*c)} + 90*e^{(-6*d*x - 6*c)} + 45*e^{(-8*d*x - 8*c)} + 23)/(d*(5*e^{(-2*d*x - 2*c)} + 10*e^{(-4*d*x - 4*c)} + 10*e^{(-6*d*x - 6*c)} + 5*e^{(-8*d*x - 8*c)} + e^{(-10*d*x - 10*c)} + 1))) + 2/3*a*b*(3*x + 3*c/d - 4*(3*e^{(-2*d*x - 2*c)} + 3*e^{(-4*d*x - 4*c)} + 2)/(d*(3*e^{(-2*d*x - 2*c)} + 3*e^{(-4*d*x - 4*c)} + e^{(-6*d*x - 6*c)} + 1))) + a^2*(x + c/d - 2/(d*(e^{(-2*d*x - 2*c)} + 1)))$$

**Fricas [B]** time = 2.09198, size = 1245, normalized size = 19.76

$$(15(a^2 + 2ab + b^2)dx + 15a^2 + 40ab + 23b^2) \cosh(dx + c)^5 + 5(15(a^2 + 2ab + b^2)dx + 15a^2 + 40ab + 23b^2) \cosh(dx + c)^3 + 5(15(a^2 + 2ab + b^2)dx + 15a^2 + 40ab + 23b^2) \cosh(dx + c)$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\tanh(dx+c)^2 (a+b\tanh(dx+c)^2)^2, x, \text{algorithm}=\text{"fricas"})$

[Out] 
$$1/15*((15*(a^2 + 2*a*b + b^2)*d*x + 15*a^2 + 40*a*b + 23*b^2)*\cosh(d*x + c)^5 + 5*(15*(a^2 + 2*a*b + b^2)*d*x + 15*a^2 + 40*a*b + 23*b^2)*\cosh(d*x + c)*\sinh(d*x + c)^4 - (15*a^2 + 40*a*b + 23*b^2)*\sinh(d*x + c)^5 + 5*(15*(a^2 + 2*a*b + b^2)*d*x + 15*a^2 + 40*a*b + 23*b^2)*\cosh(d*x + c)^3 - 5*(2*(15*a^2 + 40*a*b + 23*b^2)*\cosh(d*x + c)^2 + 9*a^2 + 16*a*b + 5*b^2)*\sinh(d*x + c)^3 + 5*(2*(15*(a^2 + 2*a*b + b^2)*d*x + 15*a^2 + 40*a*b + 23*b^2)*\cosh(d*x + c)^2 + 9*a^2 + 16*a*b + 5*b^2)*\sinh(d*x + c)^3$$

$$\begin{aligned} & *x + c)^3 + 3*(15*(a^2 + 2*a*b + b^2)*d*x + 15*a^2 + 40*a*b + 23*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^2 + 10*(15*(a^2 + 2*a*b + b^2)*d*x + 15*a^2 + 40*a*b + 23*b^2)*\cosh(d*x + c) - 5*((15*a^2 + 40*a*b + 23*b^2)*\cosh(d*x + c)^4 + 3*(9*a^2 + 16*a*b + 5*b^2)*\cosh(d*x + c)^2 + 6*a^2 + 8*a*b + 10*b^2)*\sinh(d*x + c))/(d*\cosh(d*x + c)^5 + 5*d*\cosh(d*x + c)*\sinh(d*x + c)^4 + 5*d*\cosh(d*x + c)^3 + 5*(2*d*\cosh(d*x + c)^3 + 3*d*\cosh(d*x + c))*\sinh(d*x + c)^2 + 10*d*\cosh(d*x + c)) \end{aligned}$$

**Sympy [A]** time = 0.919852, size = 117, normalized size = 1.86

$$\begin{cases} a^2x - \frac{a^2 \tanh(c+dx)}{d} + 2abx - \frac{2ab \tanh^3(c+dx)}{3d} - \frac{2ab \tanh(c+dx)}{d} + b^2x - \frac{b^2 \tanh^5(c+dx)}{5d} - \frac{b^2 \tanh^3(c+dx)}{3d} - \frac{b^2 \tanh(c+dx)}{d} \\ x(a + b \tanh^2(c))^2 \tanh^2(c) \end{cases} \text{ for } d \neq 0 \text{ otherwise}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)\*\*2\*(a+b\*tanh(d\*x+c)\*\*2)\*\*2,x)

[Out] Piecewise((a\*\*2\*x - a\*\*2\*tanh(c + d\*x)/d + 2\*a\*b\*x - 2\*a\*b\*tanh(c + d\*x)\*\*3/(3\*d) - 2\*a\*b\*tanh(c + d\*x)/d + b\*\*2\*x - b\*\*2\*tanh(c + d\*x)\*\*5/(5\*d) - b\*\*2\*tanh(c + d\*x)\*\*3/(3\*d) - b\*\*2\*tanh(c + d\*x)/d, Ne(d, 0)), (x\*(a + b\*tanh(c)\*\*2)\*\*2\*tanh(c)\*\*2, True))

**Giac [B]** time = 1.2481, size = 294, normalized size = 4.67

$$\frac{(a^2 + 2ab + b^2)(dx + c)}{d} + \frac{2(15a^2e^{(8dx+8c)} + 60abe^{(8dx+8c)} + 45b^2e^{(8dx+8c)} + 60a^2e^{(6dx+6c)} + 180abe^{(6dx+6c)} + 90b^2e^{(6dx+6c)})}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out] (a^2 + 2\*a\*b + b^2)\*(d\*x + c)/d + 2/15\*(15\*a^2\*e^(8\*d\*x + 8\*c) + 60\*a\*b\*e^(8\*d\*x + 8\*c) + 45\*b^2\*e^(8\*d\*x + 8\*c) + 60\*a^2\*e^(6\*d\*x + 6\*c) + 180\*a\*b\*e^(6\*d\*x + 6\*c) + 90\*b^2\*e^(6\*d\*x + 6\*c) + 90\*a^2\*e^(4\*d\*x + 4\*c) + 220\*a\*b\*e^(4\*d\*x + 4\*c) + 140\*b^2\*e^(4\*d\*x + 4\*c) + 60\*a^2\*e^(2\*d\*x + 2\*c) + 140\*a\*b\*e^(2\*d\*x + 2\*c) + 70\*b^2\*e^(2\*d\*x + 2\*c) + 15\*a^2 + 40\*a\*b + 23\*b^2)/(d\*(e^(2\*d\*x + 2\*c) + 1)^5)

$$3.147 \quad \int \tanh(c + dx) \left( a + b \tanh^2(c + dx) \right)^2 dx$$

**Optimal.** Leaf size=57

$$-\frac{b(a+b)\tanh^2(c+dx)}{2d} - \frac{(a+b\tanh^2(c+dx))^2}{4d} + \frac{(a+b)^2 \log(\cosh(c+dx))}{d}$$

[Out]  $((a + b)^2 \text{Log}[\text{Cosh}[c + d*x]])/d - (b*(a + b)*\text{Tanh}[c + d*x]^2)/(2*d) - (a + b*\text{Tanh}[c + d*x]^2)^2/(4*d)$

**Rubi [A]** time = 0.0733014, antiderivative size = 57, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3670, 444, 43}

$$-\frac{b(a+b)\tanh^2(c+dx)}{2d} - \frac{(a+b\tanh^2(c+dx))^2}{4d} + \frac{(a+b)^2 \log(\cosh(c+dx))}{d}$$

Antiderivative was successfully verified.

[In] Int[Tanh[c + d\*x]\*(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out]  $((a + b)^2 \text{Log}[\text{Cosh}[c + d*x]])/d - (b*(a + b)*\text{Tanh}[c + d*x]^2)/(2*d) - (a + b*\text{Tanh}[c + d*x]^2)^2/(4*d)$

#### Rule 3670

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((a_.) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[(((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f*ff^2*x^2), x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))
```

#### Rule 444

```
Int[(x_)^(m_.)*((a_.) + (b_.)*(x_)^(n_))^(p_.)*((c_.) + (d_.)*(x_)^(n_))^(q_.), x_Symbol] := Dist[1/n, Subst[Int[(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && EqQ[m - n + 1, 0]
```

Rule 43

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},
x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le
Q[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

Rubi steps

$$\begin{aligned} \int \tanh(c + dx) (a + b \tanh^2(c + dx))^2 dx &= \frac{\text{Subst}\left(\int \frac{x^{(a+bx)^2}}{1-x^2} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{\text{Subst}\left(\int \frac{(a+bx)^2}{1-x} dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= \frac{\text{Subst}\left(\int \left(-b(a+b) + \frac{(a+b)^2}{1-x} - b(a+bx)\right) dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= \frac{(a+b)^2 \log(\cosh(c + dx))}{d} - \frac{b(a+b) \tanh^2(c + dx)}{2d} - \frac{(a+b \tanh^2(c + dx))^2}{4d} \end{aligned}$$

**Mathematica [A]** time = 0.306984, size = 50, normalized size = 0.88

$$\frac{2b(2a + b) \tanh^2(c + dx) - 4(a + b)^2 \log(\cosh(c + dx)) + b^2 \tanh^4(c + dx)}{4d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Tanh[c + d*x]*(a + b*Tanh[c + d*x]^2)^2, x]
```

```
[Out] -(-4*(a + b)^2*Log[Cosh[c + d*x]] + 2*b*(2*a + b)*Tanh[c + d*x]^2 + b^2*Tan
h[c + d*x]^4)/(4*d)
```

**Maple [B]** time = 0.004, size = 149, normalized size = 2.6

$$-\frac{(\tanh(dx + c))^4 b^2}{4d} - \frac{ab(\tanh(dx + c))^2}{d} - \frac{b^2(\tanh(dx + c))^2}{2d} - \frac{a^2 \ln(\tanh(dx + c) - 1)}{2d} - \frac{\ln(\tanh(dx + c) - 1) ab}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(tanh(d*x+c)*(a+b*tanh(d*x+c)^2)^2,x)
```

```
[Out] -1/4/d*tanh(d*x+c)^4*b^2-a*b*tanh(d*x+c)^2/d-1/2*b^2*tanh(d*x+c)^2/d-1/2*a^2/d*ln(tanh(d*x+c)-1)-1/d*ln(tanh(d*x+c)-1)*a*b-1/2/d*ln(tanh(d*x+c)-1)*b^2-1/2/d*ln(tanh(d*x+c)+1)*a^2-1/d*ln(tanh(d*x+c)+1)*a*b-1/2/d*ln(tanh(d*x+c)+1)*b^2
```

**Maxima [B]** time = 1.72274, size = 251, normalized size = 4.4

$$b^2 \left( x + \frac{c}{d} + \frac{\log(e^{(-2dx-2c)} + 1)}{d} + \frac{4(e^{(-2dx-2c)} + e^{(-4dx-4c)} + e^{(-6dx-6c)})}{d(4e^{(-2dx-2c)} + 6e^{(-4dx-4c)} + 4e^{(-6dx-6c)} + e^{(-8dx-8c)} + 1)} \right) + 2ab \left( x + \frac{c}{d} + \frac{\log(e^{(-2d$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tanh(d*x+c)*(a+b*tanh(d*x+c)^2)^2,x, algorithm="maxima")
```

```
[Out] b^2*(x + c/d + log(e^(-2*d*x - 2*c) + 1)/d + 4*(e^(-2*d*x - 2*c) + e^(-4*d*x - 4*c) + e^(-6*d*x - 6*c))/(d*(4*e^(-2*d*x - 2*c) + 6*e^(-4*d*x - 4*c) + 4*e^(-6*d*x - 6*c) + e^(-8*d*x - 8*c) + 1))) + 2*a*b*(x + c/d + log(e^(-2*d*x - 2*c) + 1)/d + 2*e^(-2*d*x - 2*c)/(d*(2*e^(-2*d*x - 2*c) + e^(-4*d*x - 4*c) + 1))) + a^2*log(cosh(d*x + c))/d
```

**Fricas [B]** time = 2.16579, size = 4165, normalized size = 73.07

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tanh(d*x+c)*(a+b*tanh(d*x+c)^2)^2,x, algorithm="fricas")
```

```
[Out] -((a^2 + 2*a*b + b^2)*d*x*cosh(d*x + c)^8 + 8*(a^2 + 2*a*b + b^2)*d*x*cosh(d*x + c)*sinh(d*x + c)^7 + (a^2 + 2*a*b + b^2)*d*x*sinh(d*x + c)^8 + 4*((a^2 + 2*a*b + b^2)*d*x - a*b - b^2)*cosh(d*x + c)^6 + 4*(7*(a^2 + 2*a*b + b^2)*d*x*cosh(d*x + c)^2 + (a^2 + 2*a*b + b^2)*d*x - a*b - b^2)*sinh(d*x + c)^6 + 8*(7*(a^2 + 2*a*b + b^2)*d*x*cosh(d*x + c)^3 + 3*((a^2 + 2*a*b + b^2)*d*x - a*b - b^2)*cosh(d*x + c))*sinh(d*x + c)^5 + 2*(3*(a^2 + 2*a*b + b^2)*d*x - 4*a*b - 2*b^2)*cosh(d*x + c)^4 + 2*(35*(a^2 + 2*a*b + b^2)*d*x*cosh(d*x + c)^4 + 3*(a^2 + 2*a*b + b^2)*d*x + 30*((a^2 + 2*a*b + b^2)*d*x - a*b - b^2)*cosh(d*x + c)^2 - 4*a*b - 2*b^2)*sinh(d*x + c)^4 + 8*(7*(a^2 + 2*a*b +
```

```

b^2)*d*x*cosh(d*x + c)^5 + 10*((a^2 + 2*a*b + b^2)*d*x - a*b - b^2)*cosh(d
*x + c)^3 + (3*(a^2 + 2*a*b + b^2)*d*x - 4*a*b - 2*b^2)*cosh(d*x + c))*sinh
(d*x + c)^3 + (a^2 + 2*a*b + b^2)*d*x + 4*((a^2 + 2*a*b + b^2)*d*x - a*b -
b^2)*cosh(d*x + c)^2 + 4*(7*(a^2 + 2*a*b + b^2)*d*x*cosh(d*x + c)^6 + 15*((
a^2 + 2*a*b + b^2)*d*x - a*b - b^2)*cosh(d*x + c)^4 + (a^2 + 2*a*b + b^2)*d
*x + 3*(3*(a^2 + 2*a*b + b^2)*d*x - 4*a*b - 2*b^2)*cosh(d*x + c)^2 - a*b -
b^2)*sinh(d*x + c)^2 - ((a^2 + 2*a*b + b^2)*cosh(d*x + c)^8 + 8*(a^2 + 2*a*
b + b^2)*cosh(d*x + c)*sinh(d*x + c)^7 + (a^2 + 2*a*b + b^2)*sinh(d*x + c)^
8 + 4*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^6 + 4*(7*(a^2 + 2*a*b + b^2)*cosh(d
*x + c)^2 + a^2 + 2*a*b + b^2)*sinh(d*x + c)^6 + 8*(7*(a^2 + 2*a*b + b^2)*c
osh(d*x + c)^3 + 3*(a^2 + 2*a*b + b^2)*cosh(d*x + c))*sinh(d*x + c)^5 + 6*(
a^2 + 2*a*b + b^2)*cosh(d*x + c)^4 + 2*(35*(a^2 + 2*a*b + b^2)*cosh(d*x + c
)^4 + 30*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^2 + 3*a^2 + 6*a*b + 3*b^2)*sinh(
d*x + c)^4 + 8*(7*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^5 + 10*(a^2 + 2*a*b + b
^2)*cosh(d*x + c)^3 + 3*(a^2 + 2*a*b + b^2)*cosh(d*x + c))*sinh(d*x + c)^3
+ 4*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^2 + 4*(7*(a^2 + 2*a*b + b^2)*cosh(d*x
+ c)^6 + 15*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^4 + 9*(a^2 + 2*a*b + b^2)*co
sh(d*x + c)^2 + a^2 + 2*a*b + b^2)*sinh(d*x + c)^2 + a^2 + 2*a*b + b^2 + 8*
((a^2 + 2*a*b + b^2)*cosh(d*x + c)^7 + 3*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^
5 + 3*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^3 + (a^2 + 2*a*b + b^2)*cosh(d*x +
c))*sinh(d*x + c))*log(2*cosh(d*x + c)/(cosh(d*x + c) - sinh(d*x + c))) + 8
*((a^2 + 2*a*b + b^2)*d*x*cosh(d*x + c)^7 + 3*((a^2 + 2*a*b + b^2)*d*x - a*
b - b^2)*cosh(d*x + c)^5 + (3*(a^2 + 2*a*b + b^2)*d*x - 4*a*b - 2*b^2)*cosh
(d*x + c)^3 + ((a^2 + 2*a*b + b^2)*d*x - a*b - b^2)*cosh(d*x + c))*sinh(d*x
+ c))/(d*cosh(d*x + c)^8 + 8*d*cosh(d*x + c)*sinh(d*x + c)^7 + d*sinh(d*x
+ c)^8 + 4*d*cosh(d*x + c)^6 + 4*(7*d*cosh(d*x + c)^2 + d)*sinh(d*x + c)^6
+ 8*(7*d*cosh(d*x + c)^3 + 3*d*cosh(d*x + c))*sinh(d*x + c)^5 + 6*d*cosh(d*
x + c)^4 + 2*(35*d*cosh(d*x + c)^4 + 30*d*cosh(d*x + c)^2 + 3*d)*sinh(d*x +
c)^4 + 8*(7*d*cosh(d*x + c)^5 + 10*d*cosh(d*x + c)^3 + 3*d*cosh(d*x + c))*
sinh(d*x + c)^3 + 4*d*cosh(d*x + c)^2 + 4*(7*d*cosh(d*x + c)^6 + 15*d*cosh(
d*x + c)^4 + 9*d*cosh(d*x + c)^2 + d)*sinh(d*x + c)^2 + 8*(d*cosh(d*x + c)^
7 + 3*d*cosh(d*x + c)^5 + 3*d*cosh(d*x + c)^3 + d*cosh(d*x + c))*sinh(d*x +
c) + d)

```

---

**Sympy [A]** time = 0.704204, size = 122, normalized size = 2.14

$$\left\{ \begin{array}{l} a^2 x - \frac{a^2 \log(\tanh(c+dx)+1)}{d} + 2abx - \frac{2ab \log(\tanh(c+dx)+1)}{d} - \frac{ab \tanh^2(c+dx)}{d} + b^2 x - \frac{b^2 \log(\tanh(c+dx)+1)}{d} - \frac{b^2 \tanh^4(c+dx)}{4d} - \frac{b^2 \tanh^2(c+dx)}{2d} \\ x(a + b \tanh^2(c))^2 \tanh(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)\*(a+b\*tanh(d\*x+c)\*\*2)\*\*2,x)



```
[Out] Piecewise((a**2*x - a**2*log(tanh(c + d*x) + 1)/d + 2*a*b*x - 2*a*b*log(tanh(c + d*x) + 1)/d - a*b*tanh(c + d*x)**2/d + b**2*x - b**2*log(tanh(c + d*x) + 1)/d - b**2*tanh(c + d*x)**4/(4*d) - b**2*tanh(c + d*x)**2/(2*d), Ne(d, 0)), (x*(a + b*tanh(c)**2)**2*tanh(c), True))
```

**Giac [B]** time = 1.26775, size = 162, normalized size = 2.84

$$-\frac{(a^2 + 2ab + b^2)(dx + c)}{d} + \frac{(a^2 + 2ab + b^2) \log(e^{2dx+2c} + 1)}{d} + \frac{4((ab + b^2)e^{6dx+6c} + (2ab + b^2)e^{4dx+4c} + (ab + b^2)e^{2dx+2c})}{d(e^{2dx+2c} + 1)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tanh(d*x+c)*(a+b*tanh(d*x+c)^2)^2,x, algorithm="giac")
```

```
[Out] -(a^2 + 2*a*b + b^2)*(d*x + c)/d + (a^2 + 2*a*b + b^2)*log(e^(2*d*x + 2*c) + 1)/d + 4*((a*b + b^2)*e^(6*d*x + 6*c) + (2*a*b + b^2)*e^(4*d*x + 4*c) + (a*b + b^2)*e^(2*d*x + 2*c))/(d*(e^(2*d*x + 2*c) + 1)^4)
```

### 3.148 $\int (a + b \tanh^2(c + dx))^2 dx$

**Optimal.** Leaf size=43

$$-\frac{b(2a+b)\tanh(c+dx)}{d} + x(a+b)^2 - \frac{b^2 \tanh^3(c+dx)}{3d}$$

[Out] (a + b)^2\*x - (b\*(2\*a + b)\*Tanh[c + d\*x])/d - (b^2\*Tanh[c + d\*x]^3)/(3\*d)

**Rubi [A]** time = 0.0314103, antiderivative size = 43, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$ , Rules used = {3661, 390, 206}

$$-\frac{b(2a+b)\tanh(c+dx)}{d} + x(a+b)^2 - \frac{b^2 \tanh^3(c+dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] (a + b)^2\*x - (b\*(2\*a + b)\*Tanh[c + d\*x])/d - (b^2\*Tanh[c + d\*x]^3)/(3\*d)

#### Rule 3661

```
Int[((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_), x_Symbol] :=
With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[(a + b*(
ff*x)^n]^p/(c^2 + ff^2*x^2), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a,
b, c, e, f, n, p}, x] && (IntegersQ[n, p] || IGtQ[p, 0] || EqQ[n^2, 4] || E
qQ[n^2, 16])
```

#### Rule 390

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:= Int[PolynomialDivide[(a + b*x^n)^p, (c + d*x^n)^(-q), x], x] /; FreeQ[{a
, b, c, d}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q,
0] && GeQ[p, -q]
```

#### Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
```

Q[a, 0] || LtQ[b, 0])

### Rubi steps

$$\begin{aligned}
 \int (a + b \tanh^2(c + dx))^2 dx &= \frac{\text{Subst}\left(\int \frac{(a+bx^2)^2}{1-x^2} dx, x, \tanh(c + dx)\right)}{d} \\
 &= \frac{\text{Subst}\left(\int \left(-b(2a + b) - b^2x^2 + \frac{(a+b)^2}{1-x^2}\right) dx, x, \tanh(c + dx)\right)}{d} \\
 &= -\frac{b(2a + b) \tanh(c + dx)}{d} - \frac{b^2 \tanh^3(c + dx)}{3d} + \frac{(a + b)^2 \text{Subst}\left(\int \frac{1}{1-x^2} dx, x, \tanh(c + dx)\right)}{d} \\
 &= (a + b)^2 x - \frac{b(2a + b) \tanh(c + dx)}{d} - \frac{b^2 \tanh^3(c + dx)}{3d}
 \end{aligned}$$

**Mathematica [A]** time = 0.706642, size = 65, normalized size = 1.51

$$\frac{\tanh(c + dx) \left( \frac{3(a+b)^2 \tanh^{-1}\left(\sqrt{\tanh^2(c+dx)}\right)}{\sqrt{\tanh^2(c+dx)}} - b(6a + b(\tanh^2(c + dx) + 3)) \right)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] (Tanh[c + d\*x]\*((3\*(a + b)^2\*ArcTanh[Sqrt[Tanh[c + d\*x]^2]])/Sqrt[Tanh[c + d\*x]^2] - b\*(6\*a + b\*(3 + Tanh[c + d\*x]^2))))/(3\*d)

**Maple [B]** time = 0.006, size = 144, normalized size = 3.4

$$-\frac{b^2 (\tanh(dx + c))^3}{3d} - 2 \frac{ab \tanh(dx + c)}{d} - \frac{b^2 \tanh(dx + c)}{d} - \frac{a^2 \ln(\tanh(dx + c) - 1)}{2d} - \frac{\ln(\tanh(dx + c) - 1) ab}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*tanh(d\*x+c)^2)^2,x)

[Out]  $-1/3*b^2*\tanh(d*x+c)^3/d-2*a*b*\tanh(d*x+c)/d-b^2*\tanh(d*x+c)/d-1/2*a^2/d*\ln(\tanh(d*x+c)-1)-1/d*\ln(\tanh(d*x+c)-1)*a*b-1/2/d*\ln(\tanh(d*x+c)-1)*b^2+1/2/d*\ln(\tanh(d*x+c)+1)*a^2+1/d*\ln(\tanh(d*x+c)+1)*a*b+1/2/d*\ln(\tanh(d*x+c)+1)*b^2$

**Maxima [B]** time = 1.05768, size = 154, normalized size = 3.58

$$\frac{1}{3}b^2\left(3x + \frac{3c}{d} - \frac{4(3e^{(-2dx-2c)} + 3e^{(-4dx-4c)} + 2)}{d(3e^{(-2dx-2c)} + 3e^{(-4dx-4c)} + e^{(-6dx-6c)} + 1)}\right) + 2ab\left(x + \frac{c}{d} - \frac{2}{d(e^{(-2dx-2c)} + 1)}\right) + a^2x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tanh(d\*x+c)^2)^2,x, algorithm="maxima")

[Out]  $1/3*b^2*(3*x + 3*c/d - 4*(3*e^{(-2*d*x - 2*c)} + 3*e^{(-4*d*x - 4*c)} + 2)/(d*(3*e^{(-2*d*x - 2*c)} + 3*e^{(-4*d*x - 4*c)} + e^{(-6*d*x - 6*c)} + 1))) + 2*a*b*(x + c/d - 2/(d*(e^{(-2*d*x - 2*c)} + 1))) + a^2*x$

**Fricas [B]** time = 1.84934, size = 509, normalized size = 11.84

$$\frac{(3(a^2 + 2ab + b^2)dx + 6ab + 4b^2) \cosh(dx + c)^3 + 3(3(a^2 + 2ab + b^2)dx + 6ab + 4b^2) \cosh(dx + c) \sinh(dx + c)^2 - 3(d \cosh(dx + c)^3 + 3d \cosh(dx + c) \sinh(dx + c)^2)}{3(d \cosh(dx + c)^3 + 3d \cosh(dx + c) \sinh(dx + c)^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out]  $1/3*((3*(a^2 + 2*a*b + b^2)*d*x + 6*a*b + 4*b^2)*\cosh(d*x + c)^3 + 3*(3*(a^2 + 2*a*b + b^2)*d*x + 6*a*b + 4*b^2)*\cosh(d*x + c)*\sinh(d*x + c)^2 - 2*(3*a*b + 2*b^2)*\sinh(d*x + c)^3 + 3*(3*(a^2 + 2*a*b + b^2)*d*x + 6*a*b + 4*b^2)*\cosh(d*x + c) - 6*((3*a*b + 2*b^2)*\cosh(d*x + c)^2 + a*b)*\sinh(d*x + c))/(d*\cosh(d*x + c)^3 + 3*d*\cosh(d*x + c)*\sinh(d*x + c)^2 + 3*d*\cosh(d*x + c))$

**Sympy [A]** time = 0.419502, size = 68, normalized size = 1.58

$$\begin{cases} a^2x + 2abx - \frac{2ab \tanh(c+dx)}{2^d} + b^2x - \frac{b^2 \tanh^3(c+dx)}{3d} - \frac{b^2 \tanh(c+dx)}{d} & \text{for } d \neq 0 \\ x(a + b \tanh^2(c))^2 & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tanh(d\*x+c)\*\*2)\*\*2,x)

[Out] Piecewise((a\*\*2\*x + 2\*a\*b\*x - 2\*a\*b\*tanh(c + d\*x)/d + b\*\*2\*x - b\*\*2\*tanh(c + d\*x)\*\*3/(3\*d) - b\*\*2\*tanh(c + d\*x)/d, Ne(d, 0)), (x\*(a + b\*tanh(c)\*\*2)\*\*2, True))

**Giac [B]** time = 1.19123, size = 139, normalized size = 3.23

$$\frac{(a^2 + 2ab + b^2)(dx + c)}{d} + \frac{4(3abe^{4dx+4c} + 3b^2e^{4dx+4c} + 6abe^{2dx+2c} + 3b^2e^{2dx+2c} + 3ab + 2b^2)}{3d(e^{2dx+2c} + 1)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out] (a^2 + 2\*a\*b + b^2)\*(d\*x + c)/d + 4/3\*(3\*a\*b\*e^(4\*d\*x + 4\*c) + 3\*b^2\*e^(4\*d\*x + 4\*c) + 6\*a\*b\*e^(2\*d\*x + 2\*c) + 3\*b^2\*e^(2\*d\*x + 2\*c) + 3\*a\*b + 2\*b^2)/(d\*(e^(2\*d\*x + 2\*c) + 1)^3)

### 3.149 $\int \coth(c + dx) (a + b \tanh^2(c + dx))^2 dx$

**Optimal.** Leaf size=49

$$\frac{a^2 \log(\tanh(c + dx))}{d} + \frac{(a + b)^2 \log(\cosh(c + dx))}{d} - \frac{b^2 \tanh^2(c + dx)}{2d}$$

[Out]  $((a + b)^2 \text{Log}[\text{Cosh}[c + d*x]])/d + (a^2 \text{Log}[\text{Tanh}[c + d*x]])/d - (b^2 \text{Tanh}[c + d*x]^2)/(2*d)$

**Rubi [A]** time = 0.0769667, antiderivative size = 49, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3670, 446, 72}

$$\frac{a^2 \log(\tanh(c + dx))}{d} + \frac{(a + b)^2 \log(\cosh(c + dx))}{d} - \frac{b^2 \tanh^2(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Coth}[c + d*x]*(a + b*\text{Tanh}[c + d*x]^2)^2, x]$

[Out]  $((a + b)^2 \text{Log}[\text{Cosh}[c + d*x]])/d + (a^2 \text{Log}[\text{Tanh}[c + d*x]])/d - (b^2 \text{Tanh}[c + d*x]^2)/(2*d)$

#### Rule 3670

$\text{Int}[\left(\frac{(d_*) \tan[(e_*) + (f_*)(x_*)]}{(a_*) + (b_*)(c_*) \tan[(e_*) + (f_*)(x_*)]} \right)^{(m_*)} \left(\frac{(d_*) \tan[(e_*) + (f_*)(x_*)]}{(a_*) + (b_*)(c_*) \tan[(e_*) + (f_*)(x_*)]} \right)^{(n_*)} \right)^{(p_*)}, x\_Symbol] \rightarrow \text{With}[\{ff = \text{FreeFactors}[\text{Tan}[e + f*x], x]\}, \text{Dist}[(c*ff)/f, \text{Subst}[\text{Int}[\left(\frac{(d*ff*x)/c}{(a + b*(ff*x)^n}\right)^p / (c^2 + f^2*x^2), x], x, (c*\text{Tan}[e + f*x])/ff], x]] /; \text{FreeQ}[\{a, b, c, d, e, f, m, n, p\}, x] \&\& (\text{IGtQ}[p, 0] \parallel \text{EqQ}[n, 2] \parallel \text{EqQ}[n, 4] \parallel (\text{IntegerQ}[p] \&\& \text{RationalQ}[n]))$

#### Rule 446

$\text{Int}[(x_*)^{(m_*)} \left(\frac{(a_*) + (b_*)(x_*)^n}{(c_*) + (d_*)(x_*)^n}\right)^{(p_*)} \left(\frac{(a_*) + (b_*)(x_*)^n}{(c_*) + (d_*)(x_*)^n}\right)^{(q_*)}, x\_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1)} (a + b*x)^p (c + d*x)^q, x], x, x^n], x] /; \text{FreeQ}[\{a, b, c, d, m, n, p, q\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

#### Rule 72

```
Int[((e_.) + (f_.)*(x_))^(p_.)/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))),
  x_Symbol] :> Int[ExpandIntegrand[(e + f*x)^p/((a + b*x)*(c + d*x)), x], x]
  /; FreeQ[{a, b, c, d, e, f}, x] && IntegerQ[p]
```

### Rubi steps

$$\begin{aligned} \int \coth(c + dx) (a + b \tanh^2(c + dx))^2 dx &= \frac{\text{Subst}\left(\int \frac{(a+bx)^2}{x(1-x^2)} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{\text{Subst}\left(\int \frac{(a+bx)^2}{(1-x)x} dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= \frac{\text{Subst}\left(\int \left(-b^2 - \frac{(a+b)^2}{-1+x} + \frac{a^2}{x}\right) dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= \frac{(a + b)^2 \log(\cosh(c + dx))}{d} + \frac{a^2 \log(\tanh(c + dx))}{d} - \frac{b^2 \tanh^2(c + dx)}{2d} \end{aligned}$$

**Mathematica [A]** time = 0.125025, size = 48, normalized size = 0.98

$$\frac{2(a^2 \log(\tanh(c + dx)) + (a + b)^2 \log(\cosh(c + dx))) - b^2 \tanh^2(c + dx)}{2d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Coth[c + d*x]*(a + b*Tanh[c + d*x]^2)^2, x]
```

```
[Out] (2*((a + b)^2*Log[Cosh[c + d*x]] + a^2*Log[Tanh[c + d*x]]) - b^2*Tanh[c + d*x]^2)/(2*d)
```

**Maple [A]** time = 0.053, size = 60, normalized size = 1.2

$$\frac{a^2 \ln(\sinh(dx + c))}{d} + 2 \frac{ab \ln(\cosh(dx + c))}{d} + \frac{b^2 \ln(\cosh(dx + c))}{d} - \frac{b^2 (\tanh(dx + c))^2}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(coth(d*x+c)*(a+b*tanh(d*x+c)^2)^2, x)
```

[Out]  $1/d*a^2*\ln(\sinh(d*x+c))+2*a*b*\ln(\cosh(d*x+c))/d+1/d*b^2*\ln(\cosh(d*x+c))-1/2*b^2*tanh(d*x+c)^2/d$

**Maxima [B]** time = 1.52864, size = 140, normalized size = 2.86

$$b^2 \left( x + \frac{c}{d} + \frac{\log(e^{(-2dx-2c)} + 1)}{d} + \frac{2e^{(-2dx-2c)}}{d(2e^{(-2dx-2c)} + e^{(-4dx-4c)} + 1)} \right) + \frac{2ab \log(e^{(dx+c)} + e^{(-dx-c)})}{d} + \frac{a^2 \log(\sinh(dx+c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="maxima")

[Out]  $b^2*(x + c/d + \log(e^{(-2*d*x - 2*c)} + 1)/d + 2*e^{(-2*d*x - 2*c)}/(d*(2*e^{(-2*d*x - 2*c)} + e^{(-4*d*x - 4*c)} + 1))) + 2*a*b*\log(e^{(d*x + c)} + e^{(-d*x - c)})/d + a^2*\log(\sinh(d*x + c))/d$

**Fricas [B]** time = 2.09311, size = 1715, normalized size = 35.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out]  $-((a^2 + 2*a*b + b^2)*d*x*\cosh(d*x + c)^4 + 4*(a^2 + 2*a*b + b^2)*d*x*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a^2 + 2*a*b + b^2)*d*x*\sinh(d*x + c)^4 + (a^2 + 2*a*b + b^2)*d*x + 2*((a^2 + 2*a*b + b^2)*d*x - b^2)*\cosh(d*x + c)^2 + 2*(3*(a^2 + 2*a*b + b^2)*d*x*\cosh(d*x + c)^2 + (a^2 + 2*a*b + b^2)*d*x - b^2)*\sinh(d*x + c)^2 - ((2*a*b + b^2)*\cosh(d*x + c)^4 + 4*(2*a*b + b^2)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (2*a*b + b^2)*\sinh(d*x + c)^4 + 2*(2*a*b + b^2)*\cosh(d*x + c)^2 + 2*(3*(2*a*b + b^2)*\cosh(d*x + c)^2 + 2*a*b + b^2)*\sinh(d*x + c)^2 + 2*a*b + b^2 + 4*((2*a*b + b^2)*\cosh(d*x + c)^3 + (2*a*b + b^2)*\cosh(d*x + c))*\sinh(d*x + c))*\log(2*\cosh(d*x + c)/(cosh(d*x + c) - sinh(d*x + c))) - (a^2*\cosh(d*x + c)^4 + 4*a^2*\cosh(d*x + c)*\sinh(d*x + c)^3 + a^2*\sinh(d*x + c)^4 + 2*a^2*\cosh(d*x + c)^2 + 2*(3*a^2*\cosh(d*x + c)^2 + a^2)*\sinh(d*x + c)^2 + a^2 + 4*(a^2*\cosh(d*x + c)^3 + a^2*\cosh(d*x + c))*\sinh(d*x + c))*\log(2*\sinh(d*x + c)/(cosh(d*x + c) - sinh(d*x + c))) + 4*((a^2 + 2*a*b + b^2)*d*x*\cosh(d*x + c)^3 + ((a^2 + 2*a*b + b^2)*d*x - b^2)*\cosh(d*x + c))*\sinh(d*x + c))/(d*\cosh(d*x + c)^4 + 4*d*\cosh(d*x + c)*\sinh(d*x + c)^3 + d*s$



$\sinh(dx + c)^4 + 2d \cosh(dx + c)^2 + 2(3d \cosh(dx + c)^2 + d) \sinh(dx + c)^2 + 4(d \cosh(dx + c)^3 + d \cosh(dx + c)) \sinh(dx + c) + d$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (a + b \tanh^2(c + dx))^2 \coth(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)\*(a+b\*tanh(d\*x+c)\*\*2)\*\*2,x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*2)\*\*2\*coth(c + d\*x), x)

**Giac [B]** time = 1.26452, size = 198, normalized size = 4.04

$$\frac{a^2 \log(e^{(2dx+2c)} + e^{(-2dx-2c)} - 2)}{2d} + \frac{(2ab + b^2) \log(e^{(2dx+2c)} + e^{(-2dx-2c)} + 2)}{2d} - \frac{2ab(e^{(2dx+2c)} + e^{(-2dx-2c)}) + b^2(e^{(2dx+2c)} + e^{(-2dx-2c)})}{2d(e^{(2dx+2c)} + e^{(-2dx-2c)})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out]  $\frac{1}{2}a^2 \log(e^{(2d*x + 2*c)} + e^{(-2d*x - 2*c)} - 2)/d + \frac{1}{2}(2*a*b + b^2) \log(e^{(2d*x + 2*c)} + e^{(-2d*x - 2*c)} + 2)/d - \frac{1}{2}(2*a*b*(e^{(2d*x + 2*c)} + e^{(-2d*x - 2*c)}) + b^2*(e^{(2d*x + 2*c)} + e^{(-2d*x - 2*c)})) + 4*a*b - 2*b^2)/(d*(e^{(2d*x + 2*c)} + e^{(-2d*x - 2*c)} + 2))$

$$3.150 \quad \int \coth^2(c + dx) \left( a + b \tanh^2(c + dx) \right)^2 dx$$

**Optimal.** Leaf size=36

$$-\frac{a^2 \coth(c + dx)}{d} + x(a + b)^2 - \frac{b^2 \tanh(c + dx)}{d}$$

[Out] (a + b)^2\*x - (a^2\*Coth[c + d\*x])/d - (b^2\*Tanh[c + d\*x])/d

**Rubi [A]** time = 0.0671894, antiderivative size = 36, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$ , Rules used = {3670, 461, 207}

$$-\frac{a^2 \coth(c + dx)}{d} + x(a + b)^2 - \frac{b^2 \tanh(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[Coth[c + d\*x]^2\*(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] (a + b)^2\*x - (a^2\*Coth[c + d\*x])/d - (b^2\*Tanh[c + d\*x])/d

#### Rule 3670

Int[((d\_)\*tan[(e\_) + (f\_)\*(x\_)])^(m\_)\*((a\_) + (b\_)\*((c\_)\*tan[(e\_) + (f\_)\*(x\_)])^(n\_))^(p\_), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

#### Rule 461

Int[(((e\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_))/((c\_) + (d\_)\*(x\_)^(n\_)), x\_Symbol] :> Int[ExpandIntegrand[((e\*x)^m\*(a + b\*x^n)^p)/(c + d\*x^n), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && (IntegerQ[m] || IGtQ[2\*(m + 1), 0] || !RationalQ[m])

#### Rule 207

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] :> -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a

, 0] || GtQ[b, 0])

### Rubi steps

$$\begin{aligned}
 \int \coth^2(c + dx) (a + b \tanh^2(c + dx))^2 dx &= \frac{\text{Subst} \left( \int \frac{(a+bx^2)^2}{x^2(1-x^2)} dx, x, \tanh(c + dx) \right)}{d} \\
 &= \frac{\text{Subst} \left( \int \left( -b^2 + \frac{a^2}{x^2} - \frac{(a+b)^2}{-1+x^2} \right) dx, x, \tanh(c + dx) \right)}{d} \\
 &= -\frac{a^2 \coth(c + dx)}{d} - \frac{b^2 \tanh(c + dx)}{d} - \frac{(a+b)^2 \text{Subst} \left( \int \frac{1}{-1+x^2} dx, x, \tanh(c + dx) \right)}{d} \\
 &= (a+b)^2 x - \frac{a^2 \coth(c + dx)}{d} - \frac{b^2 \tanh(c + dx)}{d}
 \end{aligned}$$

**Mathematica [C]** time = 0.0959733, size = 64, normalized size = 1.78

$$-\frac{a^2 \coth(c + dx) {}_2F_1 \left( -\frac{1}{2}, 1; \frac{1}{2}; \tanh^2(c + dx) \right)}{d} + 2abx + \frac{b^2 \tanh^{-1}(\tanh(c + dx))}{d} - \frac{b^2 \tanh(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[c + d\*x]^2\*(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] 2\*a\*b\*x + (b^2\*ArcTanh[Tanh[c + d\*x]])/d - (a^2\*Coth[c + d\*x]\*Hypergeometric2F1[-1/2, 1, 1/2, Tanh[c + d\*x]^2])/d - (b^2\*Tanh[c + d\*x])/d

**Maple [A]** time = 0.043, size = 49, normalized size = 1.4

$$\frac{a^2(dx + c - \coth(dx + c)) + 2(dx + c)ab + b^2(dx + c - \tanh(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2)^2,x)

[Out] 1/d\*(a^2\*(d\*x+c-coth(d\*x+c))+2\*(d\*x+c)\*a\*b+b^2\*(d\*x+c-tanh(d\*x+c)))

---

**Maxima [A]** time = 1.07441, size = 86, normalized size = 2.39

$$b^2 \left( x + \frac{c}{d} - \frac{2}{d(e^{-2dx-2c} + 1)} \right) + a^2 \left( x + \frac{c}{d} + \frac{2}{d(e^{-2dx-2c} - 1)} \right) + 2abx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="maxima")

[Out] b^2\*(x + c/d - 2/(d\*(e^(-2\*d\*x - 2\*c) + 1))) + a^2\*(x + c/d + 2/(d\*(e^(-2\*d\*x - 2\*c) - 1))) + 2\*a\*b\*x

---

**Fricas [B]** time = 1.90056, size = 243, normalized size = 6.75

$$\frac{(a^2 + b^2) \cosh(dx + c)^2 - 2((a^2 + 2ab + b^2)dx + a^2 + b^2) \cosh(dx + c) \sinh(dx + c) + (a^2 + b^2) \sinh(dx + c)^2 + a^2 - b^2}{2d \cosh(dx + c) \sinh(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out] -1/2\*((a^2 + b^2)\*cosh(d\*x + c)^2 - 2\*((a^2 + 2\*a\*b + b^2)\*d\*x + a^2 + b^2)\*cosh(d\*x + c)\*sinh(d\*x + c) + (a^2 + b^2)\*sinh(d\*x + c)^2 + a^2 - b^2)/(d\*cosh(d\*x + c)\*sinh(d\*x + c))

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)\*\*2\*(a+b\*tanh(d\*x+c)\*\*2)\*\*2,x)

[Out] Timed out

---

**Giac [B]** time = 1.30827, size = 99, normalized size = 2.75

$$\frac{(a^2 + 2ab + b^2)(dx + c)}{d} - \frac{2(a^2e^{(2dx+2c)} - b^2e^{(2dx+2c)} + a^2 + b^2)}{d(e^{(4dx+4c)} - 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^2\*(a+b\*tanh(d\*x+c))^2,x, algorithm="giac")

[Out] (a^2 + 2\*a\*b + b^2)\*(d\*x + c)/d - 2\*(a^2\*e^(2\*d\*x + 2\*c) - b^2\*e^(2\*d\*x + 2\*c) + a^2 + b^2)/(d\*(e^(4\*d\*x + 4\*c) - 1))

### 3.151 $\int \coth^3(c + dx) (a + b \tanh^2(c + dx))^2 dx$

**Optimal.** Leaf size=52

$$-\frac{a^2 \coth^2(c + dx)}{2d} + \frac{a(a + 2b) \log(\tanh(c + dx))}{d} + \frac{(a + b)^2 \log(\cosh(c + dx))}{d}$$

[Out]  $-(a^2 \operatorname{Coth}[c + d*x]^2)/(2*d) + ((a + b)^2 \operatorname{Log}[\operatorname{Cosh}[c + d*x]])/d + (a*(a + 2*b) \operatorname{Log}[\operatorname{Tanh}[c + d*x]])/d$

**Rubi [A]** time = 0.0947188, antiderivative size = 52, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$ , Rules used = {3670, 446, 88}

$$-\frac{a^2 \coth^2(c + dx)}{2d} + \frac{a(a + 2b) \log(\tanh(c + dx))}{d} + \frac{(a + b)^2 \log(\cosh(c + dx))}{d}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[\operatorname{Coth}[c + d*x]^3*(a + b*\operatorname{Tanh}[c + d*x]^2)^2, x]$

[Out]  $-(a^2 \operatorname{Coth}[c + d*x]^2)/(2*d) + ((a + b)^2 \operatorname{Log}[\operatorname{Cosh}[c + d*x]])/d + (a*(a + 2*b) \operatorname{Log}[\operatorname{Tanh}[c + d*x]])/d$

#### Rule 3670

$\operatorname{Int}[(d_* \operatorname{tan}[e_*] + (f_*)*(x_*))^{(m_*)} * ((a_*) + (b_*) * ((c_*) * \operatorname{tan}[e_*] + (f_*)*(x_*))^{(n_*)})^{(p_*)}, x\_Symbol] \rightarrow \operatorname{With}[\{ff = \operatorname{FreeFactors}[\operatorname{Tan}[e + f*x], x]\}, \operatorname{Dist}[(c*ff)/f, \operatorname{Subst}[\operatorname{Int}[(d*ff*x)/c]^{m*} * (a + b*(ff*x)^n)^p / (c^2 + f^2*x^2), x], x, (c*\operatorname{Tan}[e + f*x])/ff, x]] /; \operatorname{FreeQ}[\{a, b, c, d, e, f, m, n, p\}, x] \&\& (\operatorname{IGtQ}[p, 0] \mid \mid \operatorname{EqQ}[n, 2] \mid \mid \operatorname{EqQ}[n, 4] \mid \mid (\operatorname{IntegerQ}[p] \&\& \operatorname{RationalQ}[n]))$

#### Rule 446

$\operatorname{Int}[(x_*)^{(m_*)} * ((a_*) + (b_*)*(x_*)^{(n_*)})^{(p_*)} * ((c_*) + (d_*)*(x_*)^{(n_*)})^{(q_*)}, x\_Symbol] \rightarrow \operatorname{Dist}[1/n, \operatorname{Subst}[\operatorname{Int}[x^{(\operatorname{Simplify}[(m + 1)/n] - 1)} * (a + b*x)^p * (c + d*x)^q, x], x, x^n], x] /; \operatorname{FreeQ}[\{a, b, c, d, m, n, p, q\}, x] \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& \operatorname{IntegerQ}[\operatorname{Simplify}[(m + 1)/n]]$

#### Rule 88

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] :> Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && IntegersQ[m, n] && (IntegerQ[p] || (GtQ[m, 0] && GeQ[n, -1]))
```

### Rubi steps

$$\begin{aligned} \int \coth^3(c + dx) (a + b \tanh^2(c + dx))^2 dx &= \frac{\text{Subst} \left( \int \frac{(a+bx)^2}{x^3(1-x^2)} dx, x, \tanh(c + dx) \right)}{d} \\ &= \frac{\text{Subst} \left( \int \frac{(a+bx)^2}{(1-x)x^2} dx, x, \tanh^2(c + dx) \right)}{2d} \\ &= \frac{\text{Subst} \left( \int \left( -\frac{(a+b)^2}{-1+x} + \frac{a^2}{x^2} + \frac{a(a+2b)}{x} \right) dx, x, \tanh^2(c + dx) \right)}{2d} \\ &= -\frac{a^2 \coth^2(c + dx)}{2d} + \frac{(a + b)^2 \log(\cosh(c + dx))}{d} + \frac{a(a + 2b) \log(\tanh(c + dx))}{d} \end{aligned}$$

**Mathematica [A]** time = 0.152807, size = 50, normalized size = 0.96

$$\frac{-a^2 \coth^2(c + dx) + 2a(a + 2b) \log(\tanh(c + dx)) + 2(a + b)^2 \log(\cosh(c + dx))}{2d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Coth[c + d*x]^3*(a + b*Tanh[c + d*x]^2)^2,x]
```

```
[Out] (-(a^2*Coth[c + d*x]^2) + 2*(a + b)^2*Log[Cosh[c + d*x]] + 2*a*(a + 2*b)*Log[Tanh[c + d*x]])/(2*d)
```

**Maple [A]** time = 0.058, size = 60, normalized size = 1.2

$$\frac{a^2 \ln(\sinh(dx + c))}{d} - \frac{a^2 (\coth(dx + c))^2}{2d} + 2 \frac{ab \ln(\sinh(dx + c))}{d} + \frac{b^2 \ln(\cosh(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(coth(d*x+c)^3*(a+b*tanh(d*x+c)^2)^2,x)
```

[Out]  $1/d*a^2*\ln(\sinh(d*x+c))-1/2*a^2*\coth(d*x+c)^2/d+2/d*a*b*\ln(\sinh(d*x+c))+1/d*b^2*\ln(\cosh(d*x+c))$

**Maxima [B]** time = 1.01771, size = 181, normalized size = 3.48

$$a^2 \left( x + \frac{c}{d} + \frac{\log(e^{-dx-c} + 1)}{d} + \frac{\log(e^{-dx-c} - 1)}{d} + \frac{2e^{-2dx-2c}}{d(2e^{-2dx-2c} - e^{-4dx-4c} - 1)} \right) + \frac{b^2 \log(e^{dx+c} + e^{-dx-c})}{d} + \frac{2ab \log(e^{dx+c} + e^{-dx-c})}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="maxima")

[Out]  $a^2*(x + c/d + \log(e^{-d*x - c} + 1)/d + \log(e^{-d*x - c} - 1)/d + 2*e^{-2*d*x - 2*c}/(d*(2*e^{-2*d*x - 2*c} - e^{-4*d*x - 4*c} - 1))) + b^2*\log(e^{d*x + c} + e^{-d*x - c})/d + 2*a*b*\log(e^{d*x + c} - e^{-d*x - c})/d$

**Fricas [B]** time = 2.03624, size = 1715, normalized size = 32.98

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out]  $-((a^2 + 2*a*b + b^2)*d*x*\cosh(d*x + c)^4 + 4*(a^2 + 2*a*b + b^2)*d*x*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a^2 + 2*a*b + b^2)*d*x*\sinh(d*x + c)^4 + (a^2 + 2*a*b + b^2)*d*x - 2*((a^2 + 2*a*b + b^2)*d*x - a^2)*\cosh(d*x + c)^2 + 2*(3*(a^2 + 2*a*b + b^2)*d*x*\cosh(d*x + c)^2 - (a^2 + 2*a*b + b^2)*d*x + a^2)*\sinh(d*x + c)^2 - (b^2*\cosh(d*x + c)^4 + 4*b^2*\cosh(d*x + c)*\sinh(d*x + c)^3 + b^2*\sinh(d*x + c)^4 - 2*b^2*\cosh(d*x + c)^2 + 2*(3*b^2*\cosh(d*x + c)^2 - b^2)*\sinh(d*x + c)^2 + b^2 + 4*(b^2*\cosh(d*x + c)^3 - b^2*\cosh(d*x + c))*\sinh(d*x + c))*\log(2*\cosh(d*x + c)/(\cosh(d*x + c) - \sinh(d*x + c))) - ((a^2 + 2*a*b)*\cosh(d*x + c)^4 + 4*(a^2 + 2*a*b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a^2 + 2*a*b)*\sinh(d*x + c)^4 - 2*(a^2 + 2*a*b)*\cosh(d*x + c)^2 + 2*(3*(a^2 + 2*a*b)*\cosh(d*x + c)^2 - a^2 - 2*a*b)*\sinh(d*x + c)^2 + a^2 + 2*a*b + 4*((a^2 + 2*a*b)*\cosh(d*x + c)^3 - (a^2 + 2*a*b)*\cosh(d*x + c))*\sinh(d*x + c))*\log(2*\sinh(d*x + c)/(\cosh(d*x + c) - \sinh(d*x + c))) + 4*((a^2 + 2*a*b + b^2)*d*x*\cosh(d*x + c)^3 - ((a^2 + 2*a*b + b^2)*d*x - a^2)*\cosh(d*x + c))*\sinh(d*x + c))/(d*\cosh(d*x + c)^4 + 4*d*\cosh(d*x + c)*\sinh(d*x + c)^3 + d*s$



$$\sinh(dx + c)^4 - 2d \cosh(dx + c)^2 + 2(3d \cosh(dx + c)^2 - d) \sinh(dx + c)^2 + 4(d \cosh(dx + c)^3 - d \cosh(dx + c)) \sinh(dx + c) + d$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(dx+c)\*\*3\*(a+b\*tanh(dx+c)\*\*2)\*\*2,x)

[Out] Timed out

**Giac [B]** time = 1.2946, size = 198, normalized size = 3.81

$$\frac{b^2 \log(e^{2dx+2c} + e^{-2dx-2c} + 2)}{2d} + \frac{(a^2 + 2ab) \log(e^{2dx+2c} + e^{-2dx-2c} - 2)}{2d} - \frac{a^2(e^{2dx+2c} + e^{-2dx-2c}) + 2ab(e^{2dx+2c} + e^{-2dx-2c})}{2d(e^{2dx+2c} + e^{-2dx-2c})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(dx+c)^3\*(a+b\*tanh(dx+c)^2)^2,x, algorithm="giac")

[Out] 1/2\*b^2\*log(e^(2\*d\*x + 2\*c) + e^(-2\*d\*x - 2\*c) + 2)/d + 1/2\*(a^2 + 2\*a\*b)\*log(e^(2\*d\*x + 2\*c) + e^(-2\*d\*x - 2\*c) - 2)/d - 1/2\*(a^2\*(e^(2\*d\*x + 2\*c) + e^(-2\*d\*x - 2\*c)) + 2\*a\*b\*(e^(2\*d\*x + 2\*c) + e^(-2\*d\*x - 2\*c)) + 2\*a^2 - 4\*a\*b)/(d\*(e^(2\*d\*x + 2\*c) + e^(-2\*d\*x - 2\*c) - 2))

$$3.152 \quad \int \coth^4(c + dx) \left( a + b \tanh^2(c + dx) \right)^2 dx$$

**Optimal.** Leaf size=43

$$-\frac{a^2 \coth^3(c + dx)}{3d} - \frac{a(a + 2b) \coth(c + dx)}{d} + x(a + b)^2$$

[Out] (a + b)^2\*x - (a\*(a + 2\*b)\*Coth[c + d\*x])/d - (a^2\*Coth[c + d\*x]^3)/(3\*d)

**Rubi [A]** time = 0.0714495, antiderivative size = 43, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$ , Rules used = {3670, 461, 207}

$$-\frac{a^2 \coth^3(c + dx)}{3d} - \frac{a(a + 2b) \coth(c + dx)}{d} + x(a + b)^2$$

Antiderivative was successfully verified.

[In] Int[Coth[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] (a + b)^2\*x - (a\*(a + 2\*b)\*Coth[c + d\*x])/d - (a^2\*Coth[c + d\*x]^3)/(3\*d)

### Rule 3670

Int[((d\_)\*tan[(e\_) + (f\_)\*(x\_)])^(m\_)\*((a\_) + (b\_)\*((c\_)\*tan[(e\_) + (f\_)\*(x\_)])^(n\_))^(p\_), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

### Rule 461

Int[(((e\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_))/((c\_) + (d\_)\*(x\_)^(n\_)), x\_Symbol] :> Int[ExpandIntegrand[((e\*x)^m\*(a + b\*x^n)^p]/(c + d\*x^n), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && (IntegerQ[m] || IGtQ[2\*(m + 1), 0] || !RationalQ[m])

### Rule 207

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] :> -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a

, 0] || GtQ[b, 0])

### Rubi steps

$$\begin{aligned}
 \int \coth^4(c + dx) (a + b \tanh^2(c + dx))^2 dx &= \frac{\text{Subst}\left(\int \frac{(a+bx^2)^2}{x^4(1-x^2)} dx, x, \tanh(c + dx)\right)}{d} \\
 &= \frac{\text{Subst}\left(\int \left(\frac{a^2}{x^4} + \frac{a(a+2b)}{x^2} - \frac{(a+b)^2}{-1+x^2}\right) dx, x, \tanh(c + dx)\right)}{d} \\
 &= -\frac{a(a+2b)\coth(c + dx)}{d} - \frac{a^2 \coth^3(c + dx)}{3d} - \frac{(a+b)^2 \text{Subst}\left(\int \frac{1}{-1+x^2} dx\right)}{d} \\
 &= (a+b)^2 x - \frac{a(a+2b)\coth(c + dx)}{d} - \frac{a^2 \coth^3(c + dx)}{3d}
 \end{aligned}$$

**Mathematica [A]** time = 0.571053, size = 65, normalized size = 1.51

$$\frac{\coth(c + dx) \left( a \left( a \coth^2(c + dx) + 3a + 6b \right) - 3(a + b)^2 \tanh^{-1} \left( \sqrt{\tanh^2(c + dx)} \right) \sqrt{\tanh^2(c + dx)} \right)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] -(Coth[c + d\*x]\*(a\*(3\*a + 6\*b + a\*Coth[c + d\*x]^2) - 3\*(a + b)^2\*ArcTanh[Sqrt[Tanh[c + d\*x]^2]]\*Sqrt[Tanh[c + d\*x]^2]))/(3\*d)

**Maple [A]** time = 0.05, size = 59, normalized size = 1.4

$$\frac{1}{d} \left( a^2 \left( dx + c - \coth(dx + c) - \frac{(\coth(dx + c))^3}{3} \right) + 2ab(dx + c - \coth(dx + c)) + b^2(dx + c) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2)^2,x)

[Out]  $\frac{1}{d} \cdot (a^2 \cdot (d \cdot x + c - \coth(d \cdot x + c)) - \frac{1}{3} \cdot \coth(d \cdot x + c)^3) + 2 \cdot a \cdot b \cdot (d \cdot x + c - \coth(d \cdot x + c)) + b^2 \cdot (d \cdot x + c)$

**Maxima [B]** time = 1.0667, size = 154, normalized size = 3.58

$$\frac{1}{3} a^2 \left( 3x + \frac{3c}{d} - \frac{4 \left( 3e^{(-2dx-2c)} - 3e^{(-4dx-4c)} - 2 \right)}{d \left( 3e^{(-2dx-2c)} - 3e^{(-4dx-4c)} + e^{(-6dx-6c)} - 1 \right)} \right) + 2ab \left( x + \frac{c}{d} + \frac{2}{d \left( e^{(-2dx-2c)} - 1 \right)} \right) + b^2 x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(d*x+c)^4*(a+b*tanh(d*x+c)^2)^2,x, algorithm="maxima")`

[Out]  $\frac{1}{3} a^2 \cdot (3 \cdot x + \frac{3 \cdot c}{d} - \frac{4 \cdot (3 \cdot e^{(-2 \cdot d \cdot x - 2 \cdot c)} - 3 \cdot e^{(-4 \cdot d \cdot x - 4 \cdot c)} - 2)}{(d \cdot (3 \cdot e^{(-2 \cdot d \cdot x - 2 \cdot c)} - 3 \cdot e^{(-4 \cdot d \cdot x - 4 \cdot c)} + e^{(-6 \cdot d \cdot x - 6 \cdot c)} - 1)))} + 2 \cdot a \cdot b \cdot (x + \frac{c}{d} + \frac{2}{d \cdot (e^{(-2 \cdot d \cdot x - 2 \cdot c)} - 1)})) + b^2 \cdot x$

**Fricas [B]** time = 2.06659, size = 489, normalized size = 11.37

$$\frac{2 \left( 2 a^2 + 3 ab \right) \cosh(dx + c)^3 + 6 \left( 2 a^2 + 3 ab \right) \cosh(dx + c) \sinh(dx + c)^2 - \left( 3 \left( a^2 + 2 ab + b^2 \right) dx + 4 a^2 + 6 ab \right) \sinh(dx + c)}{3 \left( d \sinh(dx + c) \right)^3 + 3 d^2 \cosh(dx + c)^2 \sinh(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(d*x+c)^4*(a+b*tanh(d*x+c)^2)^2,x, algorithm="fricas")`

[Out]  $-\frac{1}{3} \cdot (2 \cdot (2 \cdot a^2 + 3 \cdot a \cdot b) \cdot \cosh(d \cdot x + c)^3 + 6 \cdot (2 \cdot a^2 + 3 \cdot a \cdot b) \cdot \cosh(d \cdot x + c) \cdot \sinh(d \cdot x + c)^2 - (3 \cdot (a^2 + 2 \cdot a \cdot b + b^2) \cdot d \cdot x + 4 \cdot a^2 + 6 \cdot a \cdot b) \cdot \sinh(d \cdot x + c)^3 - 6 \cdot a \cdot b \cdot \cosh(d \cdot x + c) + 3 \cdot (3 \cdot (a^2 + 2 \cdot a \cdot b + b^2) \cdot d \cdot x - (3 \cdot (a^2 + 2 \cdot a \cdot b + b^2) \cdot d \cdot x + 4 \cdot a^2 + 6 \cdot a \cdot b) \cdot \cosh(d \cdot x + c)^2 + 4 \cdot a^2 + 6 \cdot a \cdot b) \cdot \sinh(d \cdot x + c)) / (d \cdot \sinh(d \cdot x + c)^3 + 3 \cdot (d \cdot \cosh(d \cdot x + c)^2 - d) \cdot \sinh(d \cdot x + c))$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)\*\*4\*(a+b\*tanh(d\*x+c)\*\*2)\*\*2,x)

[Out] Timed out

**Giac [B]** time = 1.27391, size = 139, normalized size = 3.23

$$\frac{(a^2 + 2ab + b^2)(dx + c)}{d} - \frac{4(3a^2e^{4dx+4c} + 3abe^{4dx+4c} - 3a^2e^{2dx+2c} - 6abe^{2dx+2c} + 2a^2 + 3ab)}{3d(e^{2dx+2c} - 1)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out] (a^2 + 2\*a\*b + b^2)\*(d\*x + c)/d - 4/3\*(3\*a^2\*e^(4\*d\*x + 4\*c) + 3\*a\*b\*e^(4\*d\*x + 4\*c) - 3\*a^2\*e^(2\*d\*x + 2\*c) - 6\*a\*b\*e^(2\*d\*x + 2\*c) + 2\*a^2 + 3\*a\*b)/(d\*(e^(2\*d\*x + 2\*c) - 1)^3)

### 3.153 $\int \coth^5(c + dx) (a + b \tanh^2(c + dx))^2 dx$

**Optimal.** Leaf size=72

$$-\frac{a^2 \coth^4(c + dx)}{4d} - \frac{a(a + 2b) \coth^2(c + dx)}{2d} + \frac{(a + b)^2 \log(\tanh(c + dx))}{d} + \frac{(a + b)^2 \log(\cosh(c + dx))}{d}$$

[Out]  $-(a*(a + 2*b)*\text{Coth}[c + d*x]^2)/(2*d) - (a^2*\text{Coth}[c + d*x]^4)/(4*d) + ((a + b)^2*\text{Log}[\text{Cosh}[c + d*x]])/d + ((a + b)^2*\text{Log}[\text{Tanh}[c + d*x]])/d$

**Rubi [A]** time = 0.0988802, antiderivative size = 72, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$ , Rules used = {3670, 446, 88}

$$-\frac{a^2 \coth^4(c + dx)}{4d} - \frac{a(a + 2b) \coth^2(c + dx)}{2d} + \frac{(a + b)^2 \log(\tanh(c + dx))}{d} + \frac{(a + b)^2 \log(\cosh(c + dx))}{d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Coth}[c + d*x]^5*(a + b*\text{Tanh}[c + d*x]^2)^2, x]$

[Out]  $-(a*(a + 2*b)*\text{Coth}[c + d*x]^2)/(2*d) - (a^2*\text{Coth}[c + d*x]^4)/(4*d) + ((a + b)^2*\text{Log}[\text{Cosh}[c + d*x]])/d + ((a + b)^2*\text{Log}[\text{Tanh}[c + d*x]])/d$

#### Rule 3670

$\text{Int}[\left(\frac{(d_*)\tan[(e_*) + (f_*)(x_*)]}{(f_*)(x_*)}\right)^{(m_*)} \left(\frac{(a_*) + (b_*)\left(\frac{(c_*)\tan[(e_*) + (f_*)(x_*)]}{(f_*)(x_*)}\right)^{(n_*)}}{(c^2 + f^2 x^2)}\right)^{(p_*)}, x\_Symbol] \rightarrow \text{With}[\{ff = \text{FreeFactors}[\text{Tan}[e + f*x], x]\}, \text{Dist}[(c*ff)/f, \text{Subst}[\text{Int}[\left(\frac{(d*ff*x)/c}{c^2 + f^2 x^2}\right)^m (a + b*(ff*x)^n)^p, x], x, (c*\text{Tan}[e + f*x])/ff], x] /; \text{FreeQ}\{a, b, c, d, e, f, m, n, p\}, x] \&\& (\text{IGtQ}[p, 0] \parallel \text{EqQ}[n, 2] \parallel \text{EqQ}[n, 4] \parallel (\text{IntegerQ}[p] \&\& \text{RationalQ}[n]))]$

#### Rule 446

$\text{Int}[(x_*)^{(m_*)} \left(\frac{(a_*) + (b_*)(x_*)^{(n_*)}}{(c_*) + (d_*)(x_*)^{(n_*)}}\right)^{(p_*)} \left(\frac{(c_*) + (d_*)(x_*)^{(n_*)}}{(c + d*x)^q}\right)^{(q_*)}, x\_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1)} (a + b*x)^p (c + d*x)^q, x], x, x^n], x] /; \text{FreeQ}\{a, b, c, d, m, n, p, q\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]]$

#### Rule 88

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] :> Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && IntegersQ[m, n] && (IntegerQ[p] || (GtQ[m, 0] && GeQ[n, -1]))
```

### Rubi steps

$$\begin{aligned} \int \coth^5(c + dx) (a + b \tanh^2(c + dx))^2 dx &= \frac{\text{Subst}\left(\int \frac{(a+bx)^2}{x^5(1-x^2)} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{\text{Subst}\left(\int \frac{(a+bx)^2}{(1-x)x^3} dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= \frac{\text{Subst}\left(\int \left(-\frac{(a+b)^2}{-1+x} + \frac{a^2}{x^3} + \frac{a(a+2b)}{x^2} + \frac{(a+b)^2}{x}\right) dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= -\frac{a(a+2b)\coth^2(c + dx)}{2d} - \frac{a^2\coth^4(c + dx)}{4d} + \frac{(a+b)^2\log(\cosh(c + dx))}{d} \end{aligned}$$

**Mathematica [A]** time = 0.390955, size = 58, normalized size = 0.81

$$-\frac{a^2\coth^4(c + dx) + 2a(a + 2b)\coth^2(c + dx) - 4(a + b)^2(\log(\tanh(c + dx)) + \log(\cosh(c + dx)))}{4d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Coth[c + d*x]^5*(a + b*Tanh[c + d*x]^2)^2, x]
```

```
[Out] -(2*a*(a + 2*b)*Coth[c + d*x]^2 + a^2*Coth[c + d*x]^4 - 4*(a + b)^2*(Log[Cosh[c + d*x]] + Log[Tanh[c + d*x]]))/(4*d)
```

**Maple [A]** time = 0.054, size = 91, normalized size = 1.3

$$\frac{a^2 \ln(\sinh(dx + c))}{d} - \frac{a^2 (\coth(dx + c))^2}{2d} - \frac{a^2 (\coth(dx + c))^4}{4d} - \frac{ab (\coth(dx + c))^2}{d} + 2 \frac{ab \ln(\sinh(dx + c))}{d} + \frac{b^2 \ln(\sinh(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(coth(d*x+c)^5*(a+b*tanh(d*x+c)^2)^2, x)
```

[Out]  $1/d*a^2*\ln(\sinh(d*x+c))-1/2*a^2*\coth(d*x+c)^2/d-1/4*a^2*\coth(d*x+c)^4/d-1/d*a*b*\coth(d*x+c)^2+2/d*a*b*\ln(\sinh(d*x+c))+1/d*b^2*\ln(\sinh(d*x+c))$

**Maxima [B]** time = 1.03643, size = 319, normalized size = 4.43

$$a^2 \left( x + \frac{c}{d} + \frac{\log(e^{-dx-c} + 1)}{d} + \frac{\log(e^{-dx-c} - 1)}{d} + \frac{4(e^{-2dx-2c} - e^{-4dx-4c} + e^{-6dx-6c})}{d(4e^{-2dx-2c} - 6e^{-4dx-4c} + 4e^{-6dx-6c} - e^{-8dx-8c} - 1)} \right) + 2ab \left( x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(d*x+c)^5*(a+b*tanh(d*x+c)^2)^2,x, algorithm="maxima")`

[Out]  $a^2*(x + c/d + \log(e^{-d*x - c} + 1)/d + \log(e^{-d*x - c} - 1)/d + 4*(e^{-2*d*x - 2*c} - e^{-4*d*x - 4*c} + e^{-6*d*x - 6*c}))/d + 2*a*b*(x + c/d + \log(e^{-d*x - c} + 1)/d + \log(e^{-d*x - c} - 1)/d + 2*e^{-2*d*x - 2*c}/(d*(2*e^{-2*d*x - 2*c} - e^{-4*d*x - 4*c} - 1))) + b^2*\log(e^{d*x + c} - e^{-d*x - c})/d$

**Fricas [B]** time = 2.18359, size = 4165, normalized size = 57.85

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(d*x+c)^5*(a+b*tanh(d*x+c)^2)^2,x, algorithm="fricas")`

[Out]  $-((a^2 + 2*a*b + b^2)*d*x*\cosh(d*x + c)^8 + 8*(a^2 + 2*a*b + b^2)*d*x*\cosh(d*x + c)*\sinh(d*x + c)^7 + (a^2 + 2*a*b + b^2)*d*x*\sinh(d*x + c)^8 - 4*((a^2 + 2*a*b + b^2)*d*x - a^2 - a*b)*\cosh(d*x + c)^6 + 4*(7*(a^2 + 2*a*b + b^2)*d*x*\cosh(d*x + c)^2 - (a^2 + 2*a*b + b^2)*d*x + a^2 + a*b)*\sinh(d*x + c)^6 + 8*(7*(a^2 + 2*a*b + b^2)*d*x*\cosh(d*x + c)^3 - 3*((a^2 + 2*a*b + b^2)*d*x - a^2 - a*b)*\cosh(d*x + c))*\sinh(d*x + c)^5 + 2*(3*(a^2 + 2*a*b + b^2)*d*x - 2*a^2 - 4*a*b)*\cosh(d*x + c)^4 + 2*(35*(a^2 + 2*a*b + b^2)*d*x*\cosh(d*x + c)^4 + 3*(a^2 + 2*a*b + b^2)*d*x - 30*((a^2 + 2*a*b + b^2)*d*x - a^2 - a*b)*\cosh(d*x + c)^2 - 2*a^2 - 4*a*b)*\sinh(d*x + c)^4 + 8*(7*(a^2 + 2*a*b + b^2)*d*x*\cosh(d*x + c)^5 - 10*((a^2 + 2*a*b + b^2)*d*x - a^2 - a*b)*\cosh(d*x + c))^3 + (3*(a^2 + 2*a*b + b^2)*d*x - 2*a^2 - 4*a*b)*\cosh(d*x + c))*\sinh(d*x + c)^3 + (a^2 + 2*a*b + b^2)*d*x - 4*((a^2 + 2*a*b + b^2)*d*x - a^2 -$



$$\begin{aligned}
& a*b)*\cosh(d*x + c)^2 + 4*(7*(a^2 + 2*a*b + b^2)*d*x*\cosh(d*x + c)^6 - 15*((a^2 + 2*a*b + b^2)*d*x - a^2 - a*b)*\cosh(d*x + c)^4 - (a^2 + 2*a*b + b^2)*d*x + 3*(3*(a^2 + 2*a*b + b^2)*d*x - 2*a^2 - 4*a*b)*\cosh(d*x + c)^2 + a^2 + a*b)*\sinh(d*x + c)^2 - ((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^8 + 8*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)*\sinh(d*x + c)^7 + (a^2 + 2*a*b + b^2)*\sinh(d*x + c)^8 - 4*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^6 + 4*(7*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^2 - a^2 - 2*a*b - b^2)*\sinh(d*x + c)^6 + 8*(7*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^3 - 3*(a^2 + 2*a*b + b^2)*\cosh(d*x + c))*\sinh(d*x + c)^5 + 6*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^4 + 2*(35*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^4 - 30*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^2 + 3*a^2 + 6*a*b + 3*b^2)*\sinh(d*x + c)^4 + 8*(7*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^5 - 10*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^3 + 3*(a^2 + 2*a*b + b^2)*\cosh(d*x + c))*\sinh(d*x + c)^3 - 4*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^2 + 4*(7*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^6 - 15*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^4 + 9*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^2 - a^2 - 2*a*b - b^2)*\sinh(d*x + c)^2 + a^2 + 2*a*b + b^2 + 8*((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^7 - 3*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^5 + 3*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^3 - (a^2 + 2*a*b + b^2)*\cosh(d*x + c))*\sinh(d*x + c))*\log(2*\sinh(d*x + c)/(\cosh(d*x + c) - \sinh(d*x + c))) + 8*((a^2 + 2*a*b + b^2)*d*x*\cosh(d*x + c)^7 - 3*((a^2 + 2*a*b + b^2)*d*x - a^2 - a*b)*\cosh(d*x + c)^5 + (3*(a^2 + 2*a*b + b^2)*d*x - 2*a^2 - 4*a*b)*\cosh(d*x + c)^3 - ((a^2 + 2*a*b + b^2)*d*x - a^2 - a*b)*\cosh(d*x + c))*\sinh(d*x + c))/(d*\cosh(d*x + c)^8 + 8*d*\cosh(d*x + c)*\sinh(d*x + c)^7 + d*\sinh(d*x + c)^8 - 4*d*\cosh(d*x + c)^6 + 4*(7*d*\cosh(d*x + c)^2 - d)*\sinh(d*x + c)^6 + 8*(7*d*\cosh(d*x + c)^3 - 3*d*\cosh(d*x + c))*\sinh(d*x + c)^5 + 6*d*\cosh(d*x + c)^4 + 2*(35*d*\cosh(d*x + c)^4 - 30*d*\cosh(d*x + c)^2 + 3*d)*\sinh(d*x + c)^4 + 8*(7*d*\cosh(d*x + c)^5 - 10*d*\cosh(d*x + c)^3 + 3*d*\cosh(d*x + c))*\sinh(d*x + c)^3 - 4*d*\cosh(d*x + c)^2 + 4*(7*d*\cosh(d*x + c)^6 - 15*d*\cosh(d*x + c)^4 + 9*d*\cosh(d*x + c)^2 - d)*\sinh(d*x + c)^2 + 8*(d*\cosh(d*x + c)^7 - 3*d*\cosh(d*x + c)^5 + 3*d*\cosh(d*x + c)^3 - d*\cosh(d*x + c))*\sinh(d*x + c) + d)
\end{aligned}$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)\*\*5\*(a+b\*tanh(d\*x+c)\*\*2)\*\*2,x)

[Out] Timed out

**Giac [A]** time = 1.31524, size = 165, normalized size = 2.29

$$-\frac{(a^2 + 2ab + b^2)(dx + c)}{d} + \frac{(a^2 + 2ab + b^2) \log(|e^{(2dx+2c)} - 1|)}{d} - \frac{4((a^2 + ab)e^{(6dx+6c)} - (a^2 + 2ab)e^{(4dx+4c)} + (a^2 + ab))}{d(e^{(2dx+2c)} - 1)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^5\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out]  $-(a^2 + 2ab + b^2)(dx + c)/d + (a^2 + 2ab + b^2) \log(\text{abs}(e^{(2dx + 2c)} - 1))/d - 4((a^2 + ab)e^{(6dx + 6c)} - (a^2 + 2ab)e^{(4dx + 4c)} + (a^2 + ab)e^{(2dx + 2c)})/(d(e^{(2dx + 2c)} - 1)^4)$

$$3.154 \quad \int \coth^6(c + dx) \left( a + b \tanh^2(c + dx) \right)^2 dx$$

**Optimal.** Leaf size=63

$$-\frac{a^2 \coth^5(c + dx)}{5d} - \frac{a(a + 2b) \coth^3(c + dx)}{3d} - \frac{(a + b)^2 \coth(c + dx)}{d} + x(a + b)^2$$

[Out] (a + b)^2\*x - ((a + b)^2\*Coth[c + d\*x])/d - (a\*(a + 2\*b)\*Coth[c + d\*x]^3)/(3\*d) - (a^2\*Coth[c + d\*x]^5)/(5\*d)

**Rubi [A]** time = 0.0771258, antiderivative size = 63, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$ , Rules used = {3670, 461, 207}

$$-\frac{a^2 \coth^5(c + dx)}{5d} - \frac{a(a + 2b) \coth^3(c + dx)}{3d} - \frac{(a + b)^2 \coth(c + dx)}{d} + x(a + b)^2$$

Antiderivative was successfully verified.

[In] Int[Coth[c + d\*x]^6\*(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] (a + b)^2\*x - ((a + b)^2\*Coth[c + d\*x])/d - (a\*(a + 2\*b)\*Coth[c + d\*x]^3)/(3\*d) - (a^2\*Coth[c + d\*x]^5)/(5\*d)

#### Rule 3670

Int[((d\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((a\_.) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_))^(p\_.), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

#### Rule 461

Int[(((e\_.)\*(x\_)^(m\_.)\*((a\_.) + (b\_.)\*(x\_)^(n\_))^(p\_)))/((c\_.) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] := Int[ExpandIntegrand[((e\*x)^m\*(a + b\*x^n)^p]/(c + d\*x^n), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && (IntegerQ[m] || IGtQ[2\*(m + 1), 0] || !RationalQ[m])

#### Rule 207

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])
```

### Rubi steps

$$\begin{aligned} \int \coth^6(c + dx) (a + b \tanh^2(c + dx))^2 dx &= \frac{\text{Subst}\left(\int \frac{(a+bx^2)^2}{x^6(1-x^2)} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{\text{Subst}\left(\int \left(\frac{a^2}{x^6} + \frac{a(a+2b)}{x^4} + \frac{(a+b)^2}{x^2} - \frac{(a+b)^2}{-1+x^2}\right) dx, x, \tanh(c + dx)\right)}{d} \\ &= -\frac{(a+b)^2 \coth(c + dx)}{d} - \frac{a(a+2b) \coth^3(c + dx)}{3d} - \frac{a^2 \coth^5(c + dx)}{5d} - \frac{(a+b)^2 \coth^5(c + dx)}{5d} \\ &= (a+b)^2 x - \frac{(a+b)^2 \coth(c + dx)}{d} - \frac{a(a+2b) \coth^3(c + dx)}{3d} - \frac{a^2 \coth^5(c + dx)}{5d} \end{aligned}$$

**Mathematica [C]** time = 0.0794081, size = 98, normalized size = 1.56

$$-\frac{a^2 \coth^5(c + dx) {}_2F_1\left(-\frac{5}{2}, 1; -\frac{3}{2}; \tanh^2(c + dx)\right)}{5d} - \frac{2ab \coth^3(c + dx) {}_2F_1\left(-\frac{3}{2}, 1; -\frac{1}{2}; \tanh^2(c + dx)\right)}{3d} - \frac{b^2 \coth(c + dx) {}_2F_1\left(-\frac{1}{2}, 1; \frac{1}{2}; \tanh^2(c + dx)\right)}{d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Coth[c + d*x]^6*(a + b*Tanh[c + d*x]^2)^2,x]
```

```
[Out] -(a^2*Coth[c + d*x]^5*Hypergeometric2F1[-5/2, 1, -3/2, Tanh[c + d*x]^2])/(5*d) - (2*a*b*Coth[c + d*x]^3*Hypergeometric2F1[-3/2, 1, -1/2, Tanh[c + d*x]^2])/(3*d) - (b^2*Coth[c + d*x]*Hypergeometric2F1[-1/2, 1, 1/2, Tanh[c + d*x]^2])/d
```

**Maple [A]** time = 0.056, size = 87, normalized size = 1.4

$$\frac{1}{d} \left( a^2 \left( dx + c - \coth(dx + c) - \frac{(\coth(dx + c))^3}{3} - \frac{(\coth(dx + c))^5}{5} \right) + 2ab \left( dx + c - \coth(dx + c) - \frac{1}{3} (\coth(dx + c))^3 \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(coth(d*x+c)^6*(a+b*tanh(d*x+c)^2)^2,x)`

[Out]  $\frac{1}{d}*(a^2*(d*x+c-\coth(d*x+c)-1/3*\coth(d*x+c)^3-1/5*\coth(d*x+c)^5)+2*a*b*(d*x+c-\coth(d*x+c)-1/3*\coth(d*x+c)^3)+b^2*(d*x+c-\coth(d*x+c)))$

**Maxima [B]** time = 1.06904, size = 312, normalized size = 4.95

$$\frac{1}{15} a^2 \left( 15x + \frac{15c}{d} - \frac{2(70e^{(-2dx-2c)} - 140e^{(-4dx-4c)} + 90e^{(-6dx-6c)} - 45e^{(-8dx-8c)} - 23)}{d(5e^{(-2dx-2c)} - 10e^{(-4dx-4c)} + 10e^{(-6dx-6c)} - 5e^{(-8dx-8c)} + e^{(-10dx-10c)} - 1)} \right) + \frac{2}{3} ab \left( 3x + \frac{3c}{d} - \frac{1}{d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(d*x+c)^6*(a+b*tanh(d*x+c)^2)^2,x, algorithm="maxima")`

[Out]  $\frac{1}{15}a^2*(15*x + 15*c/d - 2*(70*e^{(-2*d*x - 2*c)} - 140*e^{(-4*d*x - 4*c)} + 90*e^{(-6*d*x - 6*c)} - 45*e^{(-8*d*x - 8*c)} - 23)/(d*(5*e^{(-2*d*x - 2*c)} - 10*e^{(-4*d*x - 4*c)} + 10*e^{(-6*d*x - 6*c)} - 5*e^{(-8*d*x - 8*c)} + e^{(-10*d*x - 10*c)} - 1))) + 2/3*a*b*(3*x + 3*c/d - 4*(3*e^{(-2*d*x - 2*c)} - 3*e^{(-4*d*x - 4*c)} - 2)/(d*(3*e^{(-2*d*x - 2*c)} - 3*e^{(-4*d*x - 4*c)} + e^{(-6*d*x - 6*c)} - 1))) + b^2*(x + c/d + 2/(d*(e^{(-2*d*x - 2*c)} - 1)))$

**Fricas [B]** time = 2.04268, size = 1206, normalized size = 19.14

$$(23a^2 + 40ab + 15b^2) \cosh(dx + c)^5 + 5(23a^2 + 40ab + 15b^2) \cosh(dx + c) \sinh(dx + c)^4 - (15(a^2 + 2ab + b^2)dx + \dots)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(d*x+c)^6*(a+b*tanh(d*x+c)^2)^2,x, algorithm="fricas")`

[Out]  $-1/15*((23*a^2 + 40*a*b + 15*b^2)*\cosh(d*x + c)^5 + 5*(23*a^2 + 40*a*b + 15*b^2)*\cosh(d*x + c)*\sinh(d*x + c)^4 - (15*(a^2 + 2*a*b + b^2)*d*x + 23*a^2 + 40*a*b + 15*b^2)*\sinh(d*x + c)^5 - 5*(5*a^2 + 16*a*b + 9*b^2)*\cosh(d*x + c)^3 + 5*(15*(a^2 + 2*a*b + b^2)*d*x - 2*(15*(a^2 + 2*a*b + b^2)*d*x + 23*a^2 + 40*a*b + 15*b^2)*\cosh(d*x + c)^2 + 23*a^2 + 40*a*b + 15*b^2)*\sinh(d*x + c)^3 + 5*(2*(23*a^2 + 40*a*b + 15*b^2)*\cosh(d*x + c)^3 - 3*(5*a^2 + 16*a*b + 9*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^2 + 10*(5*a^2 + 4*a*b + 3*b^2)*\cosh(d*x + c) - 5*((15*(a^2 + 2*a*b + b^2)*d*x + 23*a^2 + 40*a*b + 15*b^2)*\cosh$

$$\frac{(dx + c)^4 + 30(a^2 + 2ab + b^2)dx - 3(15(a^2 + 2ab + b^2)dx + 23a^2 + 40ab + 15b^2)\cosh(dx + c)^2 + 46a^2 + 80ab + 30b^2)\sinh(dx + c)}{(d\sinh(dx + c))^5 + 5(2d\cosh(dx + c)^2 - d)\sinh(dx + c)^3 + 5(d\cosh(dx + c)^4 - 3d\cosh(dx + c)^2 + 2d)\sinh(dx + c)}$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(dx+c)\*\*6\*(a+b\*tanh(dx+c)\*\*2)\*\*2,x)

[Out] Timed out

**Giac [B]** time = 1.28937, size = 294, normalized size = 4.67

$$\frac{(a^2 + 2ab + b^2)(dx + c)}{d} - \frac{2(45a^2e^{(8dx+8c)} + 60abe^{(8dx+8c)} + 15b^2e^{(8dx+8c)} - 90a^2e^{(6dx+6c)} - 180abe^{(6dx+6c)} - 60b^2e^{(6dx+6c)})}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(dx+c)^6\*(a+b\*tanh(dx+c)^2)^2,x, algorithm="giac")

[Out]  $(a^2 + 2ab + b^2)(dx + c)/d - 2/15(45a^2e^{(8dx+8c)} + 60ab e^{(8dx+8c)} + 15b^2e^{(8dx+8c)} - 90a^2e^{(6dx+6c)} - 180ab e^{(6dx+6c)} - 60b^2e^{(6dx+6c)} + 140a^2e^{(4dx+4c)} + 220ab e^{(4dx+4c)} + 90b^2e^{(4dx+4c)} - 70a^2e^{(2dx+2c)} - 140ab e^{(2dx+2c)} - 60b^2e^{(2dx+2c)} + 23a^2 + 40ab + 15b^2)/(d(e^{(2dx+2c)} - 1)^5)$

### 3.155 $\int \coth^7(c + dx) (a + b \tanh^2(c + dx))^2 dx$

**Optimal.** Leaf size=92

$$\frac{a^2 \coth^6(c + dx)}{6d} - \frac{a(a + 2b) \coth^4(c + dx)}{4d} - \frac{(a + b)^2 \coth^2(c + dx)}{2d} + \frac{(a + b)^2 \log(\tanh(c + dx))}{d} + \frac{(a + b)^2 \log(\cosh(c + dx))}{d}$$

```
[Out] -((a + b)^2*Coth[c + d*x]^2)/(2*d) - (a*(a + 2*b)*Coth[c + d*x]^4)/(4*d) -
(a^2*Coth[c + d*x]^6)/(6*d) + ((a + b)^2*Log[Cosh[c + d*x]])/d + ((a + b)^2
*Log[Tanh[c + d*x]])/d
```

**Rubi [A]** time = 0.113083, antiderivative size = 92, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$ , Rules used = {3670, 446, 88}

$$\frac{a^2 \coth^6(c + dx)}{6d} - \frac{a(a + 2b) \coth^4(c + dx)}{4d} - \frac{(a + b)^2 \coth^2(c + dx)}{2d} + \frac{(a + b)^2 \log(\tanh(c + dx))}{d} + \frac{(a + b)^2 \log(\cosh(c + dx))}{d}$$

Antiderivative was successfully verified.

```
[In] Int[Coth[c + d*x]^7*(a + b*Tanh[c + d*x]^2)^2,x]
```

```
[Out] -((a + b)^2*Coth[c + d*x]^2)/(2*d) - (a*(a + 2*b)*Coth[c + d*x]^4)/(4*d) -
(a^2*Coth[c + d*x]^6)/(6*d) + ((a + b)^2*Log[Cosh[c + d*x]])/d + ((a + b)^2
*Log[Tanh[c + d*x]])/d
```

#### Rule 3670

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((a_.) + (b_.)*((c_.)*tan[(e_.) +
(f_.)*(x_)])^(n_))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x],
x]}, Dist[(c*ff)/f, Subst[Int[(((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f
f^2*x^2), x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n
, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && Ration
alQ[n]))
```

#### Rule 446

```
Int[(x_)^(m_.)*((a_.) + (b_.)*(x_)^(n_))^(p_.)*((c_.) + (d_.)*(x_)^(n_))^(q_.
), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p
*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[
b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

**Rule 88**

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] :> Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && IntegersQ[m, n] && (IntegerQ[p] || (GtQ[m, 0] && GeQ[n, -1]))
```

**Rubi steps**

$$\begin{aligned} \int \coth^7(c + dx) (a + b \tanh^2(c + dx))^2 dx &= \frac{\text{Subst} \left( \int \frac{(a+bx)^2}{x^7(1-x^2)} dx, x, \tanh(c + dx) \right)}{d} \\ &= \frac{\text{Subst} \left( \int \frac{(a+bx)^2}{(1-x)x^4} dx, x, \tanh^2(c + dx) \right)}{2d} \\ &= \frac{\text{Subst} \left( \int \left( -\frac{(a+b)^2}{-1+x} + \frac{a^2}{x^4} + \frac{a(a+2b)}{x^3} + \frac{(a+b)^2}{x^2} + \frac{(a+b)^2}{x} \right) dx, x, \tanh^2(c + dx) \right)}{2d} \\ &= -\frac{(a+b)^2 \coth^2(c + dx)}{2d} - \frac{a(a+2b) \coth^4(c + dx)}{4d} - \frac{a^2 \coth^6(c + dx)}{6d} + \dots \end{aligned}$$

**Mathematica [A]** time = 0.484339, size = 74, normalized size = 0.8

$$\frac{2a^2 \coth^6(c + dx) + 3a(a + 2b) \coth^4(c + dx) + 6(a + b)^2 \coth^2(c + dx) - 12(a + b)^2 (\log(\tanh(c + dx)) + \log(\cosh(c + dx)))}{12d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Coth[c + d*x]^7*(a + b*Tanh[c + d*x]^2)^2, x]
```

```
[Out] -(6*(a + b)^2*Coth[c + d*x]^2 + 3*a*(a + 2*b)*Coth[c + d*x]^4 + 2*a^2*Coth[c + d*x]^6 - 12*(a + b)^2*(Log[Cosh[c + d*x]] + Log[Tanh[c + d*x]]))/(12*d)
```

**Maple [A]** time = 0.059, size = 138, normalized size = 1.5

$$\frac{a^2 \ln(\sinh(dx + c))}{d} - \frac{a^2 (\coth(dx + c))^2}{2d} - \frac{a^2 (\coth(dx + c))^4}{4d} - \frac{a^2 (\coth(dx + c))^6}{6d} + 2 \frac{ab \ln(\sinh(dx + c))}{d} - \frac{ab (\coth(dx + c))^2}{d}$$

Verification of antiderivative is not currently implemented for this CAS.



[In] `int(coth(d*x+c)^7*(a+b*tanh(d*x+c)^2)^2,x)`

[Out]  $\frac{1}{d}a^2\ln(\sinh(dx+c)) - \frac{1}{2}a^2\coth(dx+c)^2/d - \frac{1}{4}a^2\coth(dx+c)^4/d - \frac{1}{6}a^2\coth(dx+c)^6/d + \frac{2}{d}ab\ln(\sinh(dx+c)) - \frac{1}{d}ab\coth(dx+c)^2 - \frac{1}{2}dab\coth(dx+c)^4 + \frac{1}{d}b^2\ln(\sinh(dx+c)) - \frac{1}{2}d^2b^2\coth(dx+c)^2$

**Maxima [B]** time = 1.07226, size = 527, normalized size = 5.73

$$\frac{1}{3}a^2\left(3x + \frac{3c}{d} + \frac{3\log(e^{-dx-c} + 1)}{d} + \frac{3\log(e^{-dx-c} - 1)}{d}\right) + \frac{2(9e^{(-2dx-2c)} - 18e^{(-4dx-4c)} + 34e^{(-6dx-6c)} - 18e^{(-8dx-8c)} + 9e^{(-10dx-10c)})}{d(6e^{(-2dx-2c)} - 15e^{(-4dx-4c)} + 20e^{(-6dx-6c)} - 15e^{(-8dx-8c)})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(d*x+c)^7*(a+b*tanh(d*x+c)^2)^2,x, algorithm="maxima")`

[Out]  $\frac{1}{3}a^2(3x + 3c/d + 3\log(e^{-dx-c} + 1)/d + 3\log(e^{-dx-c} - 1)/d + 2(9e^{(-2dx-2c)} - 18e^{(-4dx-4c)} + 34e^{(-6dx-6c)} - 18e^{(-8dx-8c)} + 9e^{(-10dx-10c)})/(d(6e^{(-2dx-2c)} - 15e^{(-4dx-4c)} + 20e^{(-6dx-6c)} - 15e^{(-8dx-8c)} + 6e^{(-10dx-10c)} - e^{(-12dx-12c)} - 1))) + 2ab(x + c/d + \log(e^{-dx-c} + 1)/d + \log(e^{-dx-c} - 1)/d + 4(e^{(-2dx-2c)} - e^{(-4dx-4c)} + e^{(-6dx-6c)})/(d(4e^{(-2dx-2c)} - 6e^{(-4dx-4c)} + 4e^{(-6dx-6c)} - e^{(-8dx-8c)} - 1))) + b^2(x + c/d + \log(e^{-dx-c} + 1)/d + \log(e^{-dx-c} - 1)/d + 2e^{(-2dx-2c)})/(d(2e^{(-2dx-2c)} - e^{(-4dx-4c)} - 1)))$

**Fricas [B]** time = 2.45536, size = 8982, normalized size = 97.63

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(d*x+c)^7*(a+b*tanh(d*x+c)^2)^2,x, algorithm="fricas")`

[Out]  $-1/3(3(a^2 + 2ab + b^2)dx\cosh(dx+c)^{12} + 36(a^2 + 2ab + b^2)dx^2\cosh(dx+c)\sinh(dx+c)^{11} + 3(a^2 + 2ab + b^2)dx^3\sinh(dx+c)^{12} - 6(3(a^2 + 2ab + b^2)dx - 3a^2 - 4ab - b^2)\cosh(dx+c)^{10} + 6(33(a^2 + 2ab + b^2)dx\cosh(dx+c)^2 - 3(a^2 + 2ab + b^2)dx^2 + 3a^2 + 4ab + b^2)\sinh(dx+c)^{10} + 60(11(a^2 + 2ab + b^2)dx^2c$

$$\begin{aligned}
& \text{osh}(d*x + c)^3 - (3*(a^2 + 2*a*b + b^2)*d*x - 3*a^2 - 4*a*b - b^2)*\text{cosh}(d*x \\
& + c))*\text{sinh}(d*x + c)^9 + 3*(15*(a^2 + 2*a*b + b^2)*d*x - 12*a^2 - 24*a*b - \\
& 8*b^2)*\text{cosh}(d*x + c)^8 + 3*(495*(a^2 + 2*a*b + b^2)*d*x*\text{cosh}(d*x + c)^4 + 1 \\
& 5*(a^2 + 2*a*b + b^2)*d*x - 90*(3*(a^2 + 2*a*b + b^2)*d*x - 3*a^2 - 4*a*b - \\
& b^2)*\text{cosh}(d*x + c)^2 - 12*a^2 - 24*a*b - 8*b^2)*\text{sinh}(d*x + c)^8 + 24*(99*( \\
& a^2 + 2*a*b + b^2)*d*x*\text{cosh}(d*x + c)^5 - 30*(3*(a^2 + 2*a*b + b^2)*d*x - 3* \\
& a^2 - 4*a*b - b^2)*\text{cosh}(d*x + c)^3 + (15*(a^2 + 2*a*b + b^2)*d*x - 12*a^2 - \\
& 24*a*b - 8*b^2)*\text{cosh}(d*x + c))*\text{sinh}(d*x + c)^7 - 4*(15*(a^2 + 2*a*b + b^2) \\
& *d*x - 17*a^2 - 24*a*b - 9*b^2)*\text{cosh}(d*x + c)^6 + 4*(693*(a^2 + 2*a*b + b^2) \\
& )*d*x*\text{cosh}(d*x + c)^6 - 315*(3*(a^2 + 2*a*b + b^2)*d*x - 3*a^2 - 4*a*b - b^2) \\
& *\text{cosh}(d*x + c)^4 - 15*(a^2 + 2*a*b + b^2)*d*x + 21*(15*(a^2 + 2*a*b + b^2) \\
& )*d*x - 12*a^2 - 24*a*b - 8*b^2)*\text{cosh}(d*x + c)^2 + 17*a^2 + 24*a*b + 9*b^2) \\
& *\text{sinh}(d*x + c)^6 + 24*(99*(a^2 + 2*a*b + b^2)*d*x*\text{cosh}(d*x + c)^7 - 63*(3*( \\
& a^2 + 2*a*b + b^2)*d*x - 3*a^2 - 4*a*b - b^2)*\text{cosh}(d*x + c)^5 + 7*(15*(a^2 \\
& + 2*a*b + b^2)*d*x - 12*a^2 - 24*a*b - 8*b^2)*\text{cosh}(d*x + c)^3 - (15*(a^2 + \\
& 2*a*b + b^2)*d*x - 17*a^2 - 24*a*b - 9*b^2)*\text{cosh}(d*x + c))*\text{sinh}(d*x + c)^5 \\
& + 3*(15*(a^2 + 2*a*b + b^2)*d*x - 12*a^2 - 24*a*b - 8*b^2)*\text{cosh}(d*x + c)^4 \\
& + 3*(495*(a^2 + 2*a*b + b^2)*d*x*\text{cosh}(d*x + c)^8 - 420*(3*(a^2 + 2*a*b + b^2) \\
& )*d*x - 3*a^2 - 4*a*b - b^2)*\text{cosh}(d*x + c)^6 + 70*(15*(a^2 + 2*a*b + b^2)* \\
& d*x - 12*a^2 - 24*a*b - 8*b^2)*\text{cosh}(d*x + c)^4 + 15*(a^2 + 2*a*b + b^2)*d*x \\
& - 20*(15*(a^2 + 2*a*b + b^2)*d*x - 17*a^2 - 24*a*b - 9*b^2)*\text{cosh}(d*x + c)^2 \\
& - 12*a^2 - 24*a*b - 8*b^2)*\text{sinh}(d*x + c)^4 + 4*(165*(a^2 + 2*a*b + b^2)*d \\
& *x*\text{cosh}(d*x + c)^9 - 180*(3*(a^2 + 2*a*b + b^2)*d*x - 3*a^2 - 4*a*b - b^2)* \\
& \text{cosh}(d*x + c)^7 + 42*(15*(a^2 + 2*a*b + b^2)*d*x - 12*a^2 - 24*a*b - 8*b^2) \\
& *\text{cosh}(d*x + c)^5 - 20*(15*(a^2 + 2*a*b + b^2)*d*x - 17*a^2 - 24*a*b - 9*b^2) \\
& )*\text{cosh}(d*x + c)^3 + 3*(15*(a^2 + 2*a*b + b^2)*d*x - 12*a^2 - 24*a*b - 8*b^2) \\
& )*\text{cosh}(d*x + c))*\text{sinh}(d*x + c)^3 + 3*(a^2 + 2*a*b + b^2)*d*x - 6*(3*(a^2 + \\
& 2*a*b + b^2)*d*x - 3*a^2 - 4*a*b - b^2)*\text{cosh}(d*x + c)^2 + 6*(33*(a^2 + 2*a* \\
& b + b^2)*d*x*\text{cosh}(d*x + c)^10 - 45*(3*(a^2 + 2*a*b + b^2)*d*x - 3*a^2 - 4*a \\
& *b - b^2)*\text{cosh}(d*x + c)^8 + 14*(15*(a^2 + 2*a*b + b^2)*d*x - 12*a^2 - 24*a* \\
& b - 8*b^2)*\text{cosh}(d*x + c)^6 - 10*(15*(a^2 + 2*a*b + b^2)*d*x - 17*a^2 - 24*a \\
& *b - 9*b^2)*\text{cosh}(d*x + c)^4 - 3*(a^2 + 2*a*b + b^2)*d*x + 3*(15*(a^2 + 2*a* \\
& b + b^2)*d*x - 12*a^2 - 24*a*b - 8*b^2)*\text{cosh}(d*x + c)^2 + 3*a^2 + 4*a*b + b \\
& ^2)*\text{sinh}(d*x + c)^2 - 3*((a^2 + 2*a*b + b^2)*\text{cosh}(d*x + c)^12 + 12*(a^2 + 2 \\
& *a*b + b^2)*\text{cosh}(d*x + c)*\text{sinh}(d*x + c)^11 + (a^2 + 2*a*b + b^2)*\text{sinh}(d*x + \\
& c)^12 - 6*(a^2 + 2*a*b + b^2)*\text{cosh}(d*x + c)^10 + 6*(11*(a^2 + 2*a*b + b^2) \\
& *\text{cosh}(d*x + c)^2 - a^2 - 2*a*b - b^2)*\text{sinh}(d*x + c)^10 + 20*(11*(a^2 + 2*a* \\
& b + b^2)*\text{cosh}(d*x + c)^3 - 3*(a^2 + 2*a*b + b^2)*\text{cosh}(d*x + c))*\text{sinh}(d*x + \\
& c)^9 + 15*(a^2 + 2*a*b + b^2)*\text{cosh}(d*x + c)^8 + 15*(33*(a^2 + 2*a*b + b^2)* \\
& \text{cosh}(d*x + c)^4 - 18*(a^2 + 2*a*b + b^2)*\text{cosh}(d*x + c)^2 + a^2 + 2*a*b + b^2) \\
& *\text{sinh}(d*x + c)^8 + 24*(33*(a^2 + 2*a*b + b^2)*\text{cosh}(d*x + c)^5 - 30*(a^2 + \\
& 2*a*b + b^2)*\text{cosh}(d*x + c)^3 + 5*(a^2 + 2*a*b + b^2)*\text{cosh}(d*x + c))*\text{sinh}(d \\
& *x + c)^7 - 20*(a^2 + 2*a*b + b^2)*\text{cosh}(d*x + c)^6 + 4*(231*(a^2 + 2*a*b + \\
& b^2)*\text{cosh}(d*x + c)^6 - 315*(a^2 + 2*a*b + b^2)*\text{cosh}(d*x + c)^4 + 105*(a^2 + \\
& 2*a*b + b^2)*\text{cosh}(d*x + c)^2 - 5*a^2 - 10*a*b - 5*b^2)*\text{sinh}(d*x + c)^6 + 2
\end{aligned}$$

$$\begin{aligned}
& 4*(33*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^7 - 63*(a^2 + 2*a*b + b^2)*\cosh(d*x \\
& + c)^5 + 35*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^3 - 5*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)) * \sinh(d*x + c)^5 + 15*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^4 + 15* \\
& (33*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^8 - 84*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^6 + 70*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^4 - 20*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^2 + a^2 + 2*a*b + b^2) * \sinh(d*x + c)^4 + 20*(11*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^9 - 36*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^7 + 42*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^5 - 20*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^3 + 3*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)) * \sinh(d*x + c)^3 - 6*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^2 + 6*(11*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^10 - 45*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^8 + 70*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^6 - 50*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^4 + 15*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^2 - a^2 - 2*a*b - b^2) * \sinh(d*x + c)^2 + a^2 + 2*a*b + b^2 + 12*((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^11 - 5*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^9 + 10*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^7 - 10*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^5 + 5*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^3 - (a^2 + 2*a*b + b^2)*\cosh(d*x + c)) * \sinh(d*x + c) * \log(2*\sinh(d*x + c)/(\cosh(d*x + c) - \sinh(d*x + c))) + 12*(3*(a^2 + 2*a*b + b^2)*d*x*\cosh(d*x + c)^11 - 5*(3*(a^2 + 2*a*b + b^2)*d*x - 3*a^2 - 4*a*b - b^2)*\cosh(d*x + c)^9 + 2*(15*(a^2 + 2*a*b + b^2)*d*x - 12*a^2 - 24*a*b - 8*b^2)*\cosh(d*x + c)^7 - 2*(15*(a^2 + 2*a*b + b^2)*d*x - 17*a^2 - 24*a*b - 9*b^2)*\cosh(d*x + c)^5 + (15*(a^2 + 2*a*b + b^2)*d*x - 12*a^2 - 24*a*b - 8*b^2)*\cosh(d*x + c)^3 - (3*(a^2 + 2*a*b + b^2)*d*x - 3*a^2 - 4*a*b - b^2)*\cosh(d*x + c)) * \sinh(d*x + c))/(d*\cosh(d*x + c)^12 + 12*d*\cosh(d*x + c)*\sinh(d*x + c)^11 + d*\sinh(d*x + c)^12 - 6*d*\cosh(d*x + c)^10 + 6*(11*d*\cosh(d*x + c)^2 - d)*\sinh(d*x + c)^10 + 20*(11*d*\cosh(d*x + c)^3 - 3*d*\cosh(d*x + c))*\sinh(d*x + c)^9 + 15*d*\cosh(d*x + c)^8 + 15*(33*d*\cosh(d*x + c)^4 - 18*d*\cosh(d*x + c)^2 + d)*\sinh(d*x + c)^8 + 24*(33*d*\cosh(d*x + c)^5 - 30*d*\cosh(d*x + c)^3 + 5*d*\cosh(d*x + c))*\sinh(d*x + c)^7 - 20*d*\cosh(d*x + c)^6 + 4*(231*d*\cosh(d*x + c)^6 - 315*d*\cosh(d*x + c)^4 + 105*d*\cosh(d*x + c)^2 - 5*d)*\sinh(d*x + c)^6 + 24*(33*d*\cosh(d*x + c)^7 - 63*d*\cosh(d*x + c)^5 + 35*d*\cosh(d*x + c)^3 - 5*d*\cosh(d*x + c))*\sinh(d*x + c)^5 + 15*d*\cosh(d*x + c)^4 + 15*(33*d*\cosh(d*x + c)^8 - 84*d*\cosh(d*x + c)^6 + 70*d*\cosh(d*x + c)^4 - 20*d*\cosh(d*x + c)^2 + d)*\sinh(d*x + c)^4 + 20*(11*d*\cosh(d*x + c)^9 - 36*d*\cosh(d*x + c)^7 + 42*d*\cosh(d*x + c)^5 - 20*d*\cosh(d*x + c)^3 + 3*d*\cosh(d*x + c))*\sinh(d*x + c)^3 - 6*d*\cosh(d*x + c)^2 + 6*(11*d*\cosh(d*x + c)^10 - 45*d*\cosh(d*x + c)^8 + 70*d*\cosh(d*x + c)^6 - 50*d*\cosh(d*x + c)^4 + 15*d*\cosh(d*x + c)^2 - d)*\sinh(d*x + c)^2 + 12*(d*\cosh(d*x + c)^11 - 5*d*\cosh(d*x + c)^9 + 10*d*\cosh(d*x + c)^7 - 10*d*\cosh(d*x + c)^5 + 5*d*\cosh(d*x + c)^3 - d*\cosh(d*x + c))*\sinh(d*x + c) + d)
\end{aligned}$$


---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)\*\*7\*(a+b\*tanh(d\*x+c)\*\*2)\*\*2,x)

[Out] Timed out

**Giac [B]** time = 1.30747, size = 263, normalized size = 2.86

$$-\frac{(a^2 + 2ab + b^2)(dx + c)}{d} + \frac{(a^2 + 2ab + b^2) \log(|e^{2dx+2c} - 1|)}{d} - \frac{2(3(3a^2 + 4ab + b^2)e^{10dx+10c} - 6(3a^2 + 6ab + 2b^2))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^7\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out]  $-(a^2 + 2ab + b^2)(dx + c)/d + (a^2 + 2ab + b^2) \log(\text{abs}(e^{2dx + 2c} - 1))/d - 2/3(3(3a^2 + 4ab + b^2)e^{10dx + 10c} - 6(3a^2 + 6ab + 2b^2)e^{8dx + 8c} + 2(17a^2 + 24ab + 9b^2)e^{6dx + 6c} - 6(3a^2 + 6ab + 2b^2)e^{4dx + 4c} + 3(3a^2 + 4ab + b^2)e^{2dx + 2c}))/d(e^{2dx + 2c} - 1)^6$

### 3.156 $\int \tanh^4(c + dx) (a + b \tanh^2(c + dx))^3 dx$

**Optimal.** Leaf size=114

$$\frac{b(3a^2 + 3ab + b^2) \tanh^5(c + dx)}{5d} - \frac{b^2(3a + b) \tanh^7(c + dx)}{7d} - \frac{(a + b)^3 \tanh^3(c + dx)}{3d} - \frac{(a + b)^3 \tanh(c + dx)}{d} + x(a$$

[Out] (a + b)^3\*x - ((a + b)^3\*Tanh[c + d\*x])/d - ((a + b)^3\*Tanh[c + d\*x]^3)/(3\*d) - (b\*(3\*a^2 + 3\*a\*b + b^2)\*Tanh[c + d\*x]^5)/(5\*d) - (b^2\*(3\*a + b)\*Tanh[c + d\*x]^7)/(7\*d) - (b^3\*Tanh[c + d\*x]^9)/(9\*d)

**Rubi [A]** time = 0.100523, antiderivative size = 114, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$ , Rules used = {3670, 461, 206}

$$\frac{b(3a^2 + 3ab + b^2) \tanh^5(c + dx)}{5d} - \frac{b^2(3a + b) \tanh^7(c + dx)}{7d} - \frac{(a + b)^3 \tanh^3(c + dx)}{3d} - \frac{(a + b)^3 \tanh(c + dx)}{d} + x(a$$

Antiderivative was successfully verified.

[In] Int[Tanh[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] (a + b)^3\*x - ((a + b)^3\*Tanh[c + d\*x])/d - ((a + b)^3\*Tanh[c + d\*x]^3)/(3\*d) - (b\*(3\*a^2 + 3\*a\*b + b^2)\*Tanh[c + d\*x]^5)/(5\*d) - (b^2\*(3\*a + b)\*Tanh[c + d\*x]^7)/(7\*d) - (b^3\*Tanh[c + d\*x]^9)/(9\*d)

#### Rule 3670

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((a_.) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_.))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[(((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f*ff^2*x^2), x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))
```

#### Rule 461

```
Int[(((e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_)^(n_.))^(p_.))/((c_.) + (d_.)*(x_)^(n_.)), x_Symbol] := Int[ExpandIntegrand[((e*x)^m*(a + b*x^n)^p]/(c + d*x^n), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && (IntegerQ[m] || IGtQ[2*(m + 1), 0] || !RationalQ[m])
```

Rule 206

$\text{Int}[(a + (b \cdot x^2)^{-1}), x\_Symbol] \rightarrow \text{Simp}[(1 \cdot \text{ArcTanh}[\text{Rt}[-b, 2] \cdot x] / \text{Rt}[a, 2]) / (\text{Rt}[a, 2] \cdot \text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b, x\} \ \&\& \ \text{NegQ}[a/b] \ \&\& \ (\text{GtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$

Rubi steps

$$\begin{aligned} \int \tanh^4(c + dx) (a + b \tanh^2(c + dx))^3 dx &= \frac{\text{Subst}\left(\int \frac{x^4(a+bx^2)^3}{1-x^2} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{\text{Subst}\left(\int \left(- (a+b)^3 - (a+b)^3 x^2 - b(3a^2 + 3ab + b^2)x^4 - b^2(3a+b)x^6 - \dots\right) dx, x, \tanh(c + dx)\right)}{d} \\ &= -\frac{(a+b)^3 \tanh(c + dx)}{d} - \frac{(a+b)^3 \tanh^3(c + dx)}{3d} - \frac{b(3a^2 + 3ab + b^2) \tanh^5(c + dx)}{5d} \\ &= (a+b)^3 x - \frac{(a+b)^3 \tanh(c + dx)}{d} - \frac{(a+b)^3 \tanh^3(c + dx)}{3d} - \frac{b(3a^2 + 3ab + b^2) \tanh^5(c + dx)}{5d} \end{aligned}$$

**Mathematica [A]** time = 1.43208, size = 123, normalized size = 1.08

$$\frac{\tanh(c + dx) \left( -63b(3a^2 + 3ab + b^2) \tanh^4(c + dx) - 45b^2(3a + b) \tanh^6(c + dx) - 105(a + b)^3 \tanh^2(c + dx) + \frac{315(a+b)^3}{315d} \right)}{315d}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] (Tanh[c + d\*x]\*(-315\*(a + b)^3 - 105\*(a + b)^3\*Tanh[c + d\*x]^2 - 63\*b\*(3\*a^2 + 3\*a\*b + b^2)\*Tanh[c + d\*x]^4 - 45\*b^2\*(3\*a + b)\*Tanh[c + d\*x]^6 - 35\*b^3\*Tanh[c + d\*x]^8 + (315\*(a + b)^3\*ArcTanh[Sqrt[Tanh[c + d\*x]^2]])/Sqrt[Tanh[c + d\*x]^2]))/(315\*d)

**Maple [B]** time = 0.007, size = 365, normalized size = 3.2

$$\frac{a^3 \ln(\tanh(dx + c) - 1)}{2d} - \frac{3 \ln(\tanh(dx + c) - 1) a^2 b}{2d} - \frac{3 \ln(\tanh(dx + c) - 1) a b^2}{2d} - \frac{\ln(\tanh(dx + c) - 1) b^3}{2d} - \frac{b^3}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(\tanh(dx+c)^4*(a+b*\tanh(dx+c)^2)^3,x)$

[Out] 
$$-1/2/d*a^3*\ln(\tanh(dx+c)-1)-3/2/d*\ln(\tanh(dx+c)-1)*a^2*b-3/2/d*\ln(\tanh(dx+c)-1)*a*b^2-1/2/d*\ln(\tanh(dx+c)-1)*b^3-1/7*b^3*\tanh(dx+c)^7/d-1/5*b^3*\tanh(dx+c)^5/d-1/3/d*\tanh(dx+c)^3*a^3-1/3*b^3*\tanh(dx+c)^3/d-b^3*\tanh(dx+c)/d-1/9*b^3*\tanh(dx+c)^9/d-a^2*b*\tanh(dx+c)^3/d-a*b^2*\tanh(dx+c)^3/d-3/7/d*\tanh(dx+c)^7*a*b^2-3/5/d*\tanh(dx+c)^5*a^2*b-3/5*a*b^2*\tanh(dx+c)^5/d-3*a^2*b*\tanh(dx+c)/d+1/2/d*\ln(\tanh(dx+c)+1)*a^3+3/2/d*\ln(\tanh(dx+c)+1)*a^2*b+3/2/d*\ln(\tanh(dx+c)+1)*a*b^2+1/2/d*\ln(\tanh(dx+c)+1)*b^3-a^3*\tanh(dx+c)/d-3*a*b^2*\tanh(dx+c)/d$$

**Maxima [B]** time = 1.15145, size = 787, normalized size = 6.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\tanh(dx+c)^4*(a+b*\tanh(dx+c)^2)^3,x, \text{algorithm}="maxima")$

[Out] 
$$\frac{1}{315}b^3(315x + 315c/d - 2(3492e^{(-2dx - 2c)} + 13968e^{(-4dx - 4c)} + 26292e^{(-6dx - 6c)} + 39438e^{(-8dx - 8c)} + 31500e^{(-10dx - 10c)} + 21000e^{(-12dx - 12c)} + 6300e^{(-14dx - 14c)} + 1575e^{(-16dx - 16c)} + 563)/(d(9e^{(-2dx - 2c)} + 36e^{(-4dx - 4c)} + 84e^{(-6dx - 6c)} + 126e^{(-8dx - 8c)} + 126e^{(-10dx - 10c)} + 84e^{(-12dx - 12c)} + 36e^{(-14dx - 14c)} + 9e^{(-16dx - 16c)} + e^{(-18dx - 18c)} + 1))) + \frac{1}{35}a*b^2(105x + 105c/d - 8(203e^{(-2dx - 2c)} + 609e^{(-4dx - 4c)} + 770e^{(-6dx - 6c)} + 770e^{(-8dx - 8c)} + 315e^{(-10dx - 10c)} + 105e^{(-12dx - 12c)} + 44)/(d(7e^{(-2dx - 2c)} + 21e^{(-4dx - 4c)} + 35e^{(-6dx - 6c)} + 35e^{(-8dx - 8c)} + 21e^{(-10dx - 10c)} + 7e^{(-12dx - 12c)} + e^{(-14dx - 14c)} + 1))) + \frac{1}{5}a^2*b(15x + 15c/d - 2(70e^{(-2dx - 2c)} + 140e^{(-4dx - 4c)} + 90e^{(-6dx - 6c)} + 45e^{(-8dx - 8c)} + 23)/(d(5e^{(-2dx - 2c)} + 10e^{(-4dx - 4c)} + 10e^{(-6dx - 6c)} + 5e^{(-8dx - 8c)} + e^{(-10dx - 10c)} + 1))) + \frac{1}{3}a^3(3x + 3c/d - 4(3e^{(-2dx - 2c)} + 3e^{(-4dx - 4c)} + 2)/(d(3e^{(-2dx - 2c)} + 3e^{(-4dx - 4c)} + e^{(-6dx - 6c)} + 1)))$$

**Fricas [B]** time = 2.19007, size = 4166, normalized size = 36.54

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tanh(d*x+c)^4*(a+b*tanh(d*x+c)^2)^3,x, algorithm="fricas")
```

```
[Out] 1/315*((420*a^3 + 1449*a^2*b + 1584*a*b^2 + 563*b^3 + 315*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*cosh(d*x + c)^9 + 9*(420*a^3 + 1449*a^2*b + 1584*a*b^2 + 563*b^3 + 315*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*cosh(d*x + c)*sinh(d*x + c)^8 - (420*a^3 + 1449*a^2*b + 1584*a*b^2 + 563*b^3)*sinh(d*x + c)^9 + 9*(420*a^3 + 1449*a^2*b + 1584*a*b^2 + 563*b^3 + 315*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*cosh(d*x + c)^7 - 9*(280*a^3 + 819*a^2*b + 744*a*b^2 + 213*b^3 + 4*(420*a^3 + 1449*a^2*b + 1584*a*b^2 + 563*b^3)*cosh(d*x + c)^2)*sinh(d*x + c)^7 + 21*(4*(420*a^3 + 1449*a^2*b + 1584*a*b^2 + 563*b^3 + 315*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*cosh(d*x + c)^3 + 3*(420*a^3 + 1449*a^2*b + 1584*a*b^2 + 563*b^3 + 315*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*cosh(d*x + c))*sinh(d*x + c)^6 + 36*(420*a^3 + 1449*a^2*b + 1584*a*b^2 + 563*b^3 + 315*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*cosh(d*x + c)^5 - 9*(14*(420*a^3 + 1449*a^2*b + 1584*a*b^2 + 563*b^3)*cosh(d*x + c)^4 + 700*a^3 + 2016*a^2*b + 2136*a*b^2 + 852*b^3 + 21*(280*a^3 + 819*a^2*b + 744*a*b^2 + 213*b^3)*cosh(d*x + c)^2)*sinh(d*x + c)^5 + 9*(14*(420*a^3 + 1449*a^2*b + 1584*a*b^2 + 563*b^3 + 315*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*cosh(d*x + c)^5 + 35*(420*a^3 + 1449*a^2*b + 1584*a*b^2 + 563*b^3 + 315*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*cosh(d*x + c)^3 + 20*(420*a^3 + 1449*a^2*b + 1584*a*b^2 + 563*b^3 + 315*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*cosh(d*x + c))*sinh(d*x + c)^4 + 84*(420*a^3 + 1449*a^2*b + 1584*a*b^2 + 563*b^3 + 315*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*cosh(d*x + c)^3 - 3*(28*(420*a^3 + 1449*a^2*b + 1584*a*b^2 + 563*b^3)*cosh(d*x + c)^6 + 105*(280*a^3 + 819*a^2*b + 744*a*b^2 + 213*b^3)*cosh(d*x + c)^4 + 2660*a^3 + 8232*a^2*b + 8232*a*b^2 + 1764*b^3 + 120*(175*a^3 + 504*a^2*b + 534*a*b^2 + 213*b^3)*cosh(d*x + c)^2)*sinh(d*x + c)^3 + 9*(4*(420*a^3 + 1449*a^2*b + 1584*a*b^2 + 563*b^3 + 315*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*cosh(d*x + c)^7 + 21*(420*a^3 + 1449*a^2*b + 1584*a*b^2 + 563*b^3 + 315*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*cosh(d*x + c)^5 + 40*(420*a^3 + 1449*a^2*b + 1584*a*b^2 + 563*b^3 + 315*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*cosh(d*x + c)^3 + 28*(420*a^3 + 1449*a^2*b + 1584*a*b^2 + 563*b^3 + 315*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*cosh(d*x + c))*sinh(d*x + c)^2 + 126*(420*a^3 + 1449*a^2*b + 1584*a*b^2 + 563*b^3 + 315*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*cosh(d*x + c) - 9*((420*a^3 + 1449*a^2*b + 1584*a*b^2 + 563*b^3)*cosh(d*x + c)^8 + 7*(280*a^3 + 819*a^2*b + 744*a*b^2 + 213*b^3)*cosh(d*x + c)^6 + 20*(175*a^3 + 504*a^2*b + 534*a*b^2 + 213*b^3)*cosh(d*x + c)^4 + 420*a^3 + 1386*a^2*b + 1176*a*b^2 + 882*b^3 + 28*(95*a^3 + 294*a^2*b + 294*a*b^2 + 63*b^3)*cosh(d*x + c)^2)*sinh(d*x + c))/(d*cosh(d*x + c)^9 + 9*d*cosh(d*x + c)*sinh(d*x + c)^8 + 9*d*cosh(d*x + c)^7 + 21*(4*d*cosh(d*x + c)^3 + 3*d*cosh(d*x + c))*sinh(d*x + c)^6 + 36*d*cosh(d*x + c)^5 + 9*(14*d*cosh(d*x + c)^5 + 35*d*cosh(d*x + c)^3 + 20*d*cosh(d*x + c))*sinh(d*x + c)^4 + 84*d*cosh(d*x + c)^3 + 9*(4*d*cosh(d*x + c)^7 + 21*d*cosh(d*x + c)^5
```



$$+ 40*d*\cosh(d*x + c)^3 + 28*d*\cosh(d*x + c))*\sinh(d*x + c)^2 + 126*d*\cosh(d*x + c))$$

**Sympy [A]** time = 2.8266, size = 260, normalized size = 2.28

$$\left\{ \begin{array}{l} a^3 x - \frac{a^3 \tanh^3(c+dx)}{3d} - \frac{a^3 \tanh(c+dx)}{d} + 3a^2 b x - \frac{3a^2 b \tanh^5(c+dx)}{5d} - \frac{a^2 b \tanh^3(c+dx)}{d} - \frac{3a^2 b \tanh(c+dx)}{d} + 3ab^2 x - \frac{3ab^2 \tanh^7(c+dx)}{7d} \\ x(a + b \tanh^2(c))^3 \tanh^4(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)\*\*4\*(a+b\*tanh(d\*x+c)\*\*2)\*\*3,x)

[Out] Piecewise((a\*\*3\*x - a\*\*3\*tanh(c + d\*x)\*\*3/(3\*d) - a\*\*3\*tanh(c + d\*x)/d + 3\*a\*\*2\*b\*x - 3\*a\*\*2\*b\*tanh(c + d\*x)\*\*5/(5\*d) - a\*\*2\*b\*tanh(c + d\*x)\*\*3/d - 3\*a\*\*2\*b\*tanh(c + d\*x)/d + 3\*a\*b\*\*2\*x - 3\*a\*b\*\*2\*tanh(c + d\*x)\*\*7/(7\*d) - 3\*a\*b\*\*2\*tanh(c + d\*x)\*\*5/(5\*d) - a\*b\*\*2\*tanh(c + d\*x)\*\*3/d - 3\*a\*b\*\*2\*tanh(c + d\*x)/d + b\*\*3\*x - b\*\*3\*tanh(c + d\*x)\*\*9/(9\*d) - b\*\*3\*tanh(c + d\*x)\*\*7/(7\*d) - b\*\*3\*tanh(c + d\*x)\*\*5/(5\*d) - b\*\*3\*tanh(c + d\*x)\*\*3/(3\*d) - b\*\*3\*tanh(c + d\*x)/d, Ne(d, 0)), (x\*(a + b\*tanh(c)\*\*2)\*\*3\*tanh(c)\*\*4, True))

**Giac [B]** time = 1.45266, size = 721, normalized size = 6.32

$$\frac{(a^3 + 3a^2b + 3ab^2 + b^3)(dx + c)}{d} + \frac{2(630a^3e^{(16dx+16c)} + 2835a^2be^{(16dx+16c)} + 3780ab^2e^{(16dx+16c)} + 1575b^3e^{(16dx+16c)})}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out] (a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*(d\*x + c)/d + 2/315\*(630\*a^3\*e^(16\*d\*x + 16\*c) + 2835\*a^2\*b\*e^(16\*d\*x + 16\*c) + 3780\*a\*b^2\*e^(16\*d\*x + 16\*c) + 1575\*b^3\*e^(16\*d\*x + 16\*c) + 4410\*a^3\*e^(14\*d\*x + 14\*c) + 17010\*a^2\*b\*e^(14\*d\*x + 14\*c) + 18900\*a\*b^2\*e^(14\*d\*x + 14\*c) + 6300\*b^3\*e^(14\*d\*x + 14\*c) + 13650\*a^3\*e^(12\*d\*x + 12\*c) + 48510\*a^2\*b\*e^(12\*d\*x + 12\*c) + 54180\*a\*b^2\*e^(12\*d\*x + 12\*c) + 21000\*b^3\*e^(12\*d\*x + 12\*c) + 24570\*a^3\*e^(10\*d\*x + 10\*c) + 85050\*a^2\*b\*e^(10\*d\*x + 10\*c) + 94500\*a\*b^2\*e^(10\*d\*x + 10\*c) + 31500\*b^3\*e^(10\*d\*x + 10\*c) + 28350\*a^3\*e^(8\*d\*x + 8\*c) + 97524\*a^2\*b\*e^(8\*d\*x + 8\*c) + 105084\*a\*b^2\*e^(8\*d\*x + 8\*c) + 39438\*b^3\*e^(8\*d\*x + 8\*c) + 21630\*a^3\*e^(6\*d

$$\begin{aligned} & *x + 6*c) + 73206*a^2*b*e^{(6*d*x + 6*c)} + 78876*a*b^2*e^{(6*d*x + 6*c)} + 262 \\ & 92*b^3*e^{(6*d*x + 6*c)} + 10710*a^3*e^{(4*d*x + 4*c)} + 35154*a^2*b*e^{(4*d*x + \\ & 4*c)} + 38124*a*b^2*e^{(4*d*x + 4*c)} + 13968*b^3*e^{(4*d*x + 4*c)} + 3150*a^3* \\ & e^{(2*d*x + 2*c)} + 10206*a^2*b*e^{(2*d*x + 2*c)} + 10476*a*b^2*e^{(2*d*x + 2*c)} \\ & + 3492*b^3*e^{(2*d*x + 2*c)} + 420*a^3 + 1449*a^2*b + 1584*a*b^2 + 563*b^3)/ \\ & (d*(e^{(2*d*x + 2*c)} + 1)^9) \end{aligned}$$

### 3.157 $\int \tanh^3(c + dx) (a + b \tanh^2(c + dx))^3 dx$

**Optimal.** Leaf size=107

$$\frac{b(3a^2 + 3ab + b^2) \tanh^4(c + dx)}{4d} - \frac{b^2(3a + b) \tanh^6(c + dx)}{6d} - \frac{(a + b)^3 \tanh^2(c + dx)}{2d} + \frac{(a + b)^3 \log(\cosh(c + dx))}{d}$$

[Out] ((a + b)^3\*Log[Cosh[c + d\*x]])/d - ((a + b)^3\*Tanh[c + d\*x]^2)/(2\*d) - (b\*(3\*a^2 + 3\*a\*b + b^2)\*Tanh[c + d\*x]^4)/(4\*d) - (b^2\*(3\*a + b)\*Tanh[c + d\*x]^6)/(6\*d) - (b^3\*Tanh[c + d\*x]^8)/(8\*d)

**Rubi [A]** time = 0.152296, antiderivative size = 107, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$ , Rules used = {3670, 446, 77}

$$\frac{b(3a^2 + 3ab + b^2) \tanh^4(c + dx)}{4d} - \frac{b^2(3a + b) \tanh^6(c + dx)}{6d} - \frac{(a + b)^3 \tanh^2(c + dx)}{2d} + \frac{(a + b)^3 \log(\cosh(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] Int[Tanh[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] ((a + b)^3\*Log[Cosh[c + d\*x]])/d - ((a + b)^3\*Tanh[c + d\*x]^2)/(2\*d) - (b\*(3\*a^2 + 3\*a\*b + b^2)\*Tanh[c + d\*x]^4)/(4\*d) - (b^2\*(3\*a + b)\*Tanh[c + d\*x]^6)/(6\*d) - (b^3\*Tanh[c + d\*x]^8)/(8\*d)

#### Rule 3670

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((a_.) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_.))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[(((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f*ff^2*x^2), x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))
```

#### Rule 446

```
Int[(x_)^(m_.)*((a_.) + (b_.)*(x_)^(n_.))^(p_.)*((c_.) + (d_.)*(x_)^(n_.))^(q_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 77

```
Int[((a_.) + (b_.)*(x_))*((c_) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] :> Int[ExpandIntegrand[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9*p + 5*(n + 2), 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f])))
```

Rubi steps

$$\begin{aligned} \int \tanh^3(c + dx) (a + b \tanh^2(c + dx))^3 dx &= \frac{\text{Subst}\left(\int \frac{x^3(a+bx^2)^3}{1-x^2} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{\text{Subst}\left(\int \frac{x(a+bx)^3}{1-x} dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= \frac{\text{Subst}\left(\int \left(- (a+b)^3 - \frac{(a+b)^3}{-1+x} - b(3a^2 + 3ab + b^2)x - b^2(3a+b)x^2 - b^3x^3\right) dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= \frac{(a+b)^3 \log(\cosh(c + dx))}{d} - \frac{(a+b)^3 \tanh^2(c + dx)}{2d} - \frac{b(3a^2 + 3ab + b^2)}{4d} \end{aligned}$$

**Mathematica [A]** time = 0.288521, size = 98, normalized size = 0.92

$$\frac{-\frac{1}{2}b(3a^2 + 3ab + b^2) \tanh^4(c + dx) - \frac{1}{3}b^2(3a + b) \tanh^6(c + dx) - (a + b)^3 \tanh^2(c + dx) + 2(a + b)^3 \log(\cosh(c + dx))}{2d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Tanh[c + d*x]^3*(a + b*Tanh[c + d*x]^2)^3,x]
```

```
[Out] (2*(a + b)^3*Log[Cosh[c + d*x]] - (a + b)^3*Tanh[c + d*x]^2 - (b*(3*a^2 + 3*a*b + b^2)*Tanh[c + d*x]^4)/2 - (b^2*(3*a + b)*Tanh[c + d*x]^6)/3 - (b^3*Tanh[c + d*x]^8)/4)/(2*d)
```

**Maple [B]** time = 0.007, size = 307, normalized size = 2.9

$$\frac{a^3 \ln(\tanh(dx + c) - 1)}{2d} - \frac{3 \ln(\tanh(dx + c) - 1) a^2 b}{2d} - \frac{3 \ln(\tanh(dx + c) - 1) a b^2}{2d} - \frac{\ln(\tanh(dx + c) - 1) b^3}{2d} - \frac{b^3}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(\tanh(dx+c)^3*(a+b*\tanh(dx+c)^2)^3,x)$

[Out]  $-1/2/d*a^3*\ln(\tanh(dx+c)-1)-3/2/d*\ln(\tanh(dx+c)-1)*a^2*b-3/2/d*\ln(\tanh(dx+c)-1)*a*b^2-1/2/d*\ln(\tanh(dx+c)-1)*b^3-1/6*b^3*\tanh(dx+c)^6/d-1/4*b^3*\tanh(dx+c)^4/d-1/2/d*a^3*\tanh(dx+c)^2-1/2/d*b^3*\tanh(dx+c)^2-1/8*b^3*\tanh(dx+c)^8/d-3/4/d*\tanh(dx+c)^4*a^2*b-3/4/d*\tanh(dx+c)^4*a*b^2-3/2*a^2*b*\tanh(dx+c)^2/d-3/2/d*\tanh(dx+c)^2*a*b^2-1/2/d*\tanh(dx+c)^6*a*b^2-1/2/d*\ln(\tanh(dx+c)+1)*a^3-3/2/d*\ln(\tanh(dx+c)+1)*a^2*b-3/2/d*\ln(\tanh(dx+c)+1)*a*b^2-1/2/d*\ln(\tanh(dx+c)+1)*b^3$

**Maxima [B]** time = 1.59218, size = 729, normalized size = 6.81

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\tanh(dx+c)^3*(a+b*\tanh(dx+c)^2)^3,x, \text{algorithm}="maxima")$

[Out]  $a*b^2*(3*x + 3*c/d + 3*\log(e^{-2*d*x - 2*c} + 1)/d + 2*(9*e^{-2*d*x - 2*c} + 18*e^{-4*d*x - 4*c} + 34*e^{-6*d*x - 6*c} + 18*e^{-8*d*x - 8*c} + 9*e^{-10*d*x - 10*c}))/d + 2*(6*e^{-2*d*x - 2*c} + 15*e^{-4*d*x - 4*c} + 20*e^{-6*d*x - 6*c} + 15*e^{-8*d*x - 8*c} + 6*e^{-10*d*x - 10*c} + e^{-12*d*x - 12*c} + 1)) + 1/3*b^3*(3*x + 3*c/d + 3*\log(e^{-2*d*x - 2*c} + 1)/d + 8*(3*e^{-2*d*x - 2*c} + 9*e^{-4*d*x - 4*c} + 25*e^{-6*d*x - 6*c} + 26*e^{-8*d*x - 8*c} + 25*e^{-10*d*x - 10*c} + 9*e^{-12*d*x - 12*c} + 3*e^{-14*d*x - 14*c}))/d + 8*(8*e^{-2*d*x - 2*c} + 28*e^{-4*d*x - 4*c} + 56*e^{-6*d*x - 6*c} + 70*e^{-8*d*x - 8*c} + 56*e^{-10*d*x - 10*c} + 28*e^{-12*d*x - 12*c} + 8*e^{-14*d*x - 14*c} + e^{-16*d*x - 16*c} + 1)) + 3*a^2*b*(x + c/d + \log(e^{-2*d*x - 2*c} + 1)/d + 4*(e^{-2*d*x - 2*c} + e^{-4*d*x - 4*c} + e^{-6*d*x - 6*c}))/d + 4*(4*e^{-2*d*x - 2*c} + 6*e^{-4*d*x - 4*c} + 4*e^{-6*d*x - 6*c} + e^{-8*d*x - 8*c} + 1)) + a^3*(x + c/d + \log(e^{-2*d*x - 2*c} + 1)/d + 2*e^{-2*d*x - 2*c} + 1)/d + 2*(2*e^{-2*d*x - 2*c} + e^{-4*d*x - 4*c} + 1))$

**Fricas [B]** time = 3.11791, size = 19047, normalized size = 178.01

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out] 
$$-1/3*(3*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x*cosh(d*x + c)^{16} + 48*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x*cosh(d*x + c)*sinh(d*x + c)^{15} + 3*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x*sinh(d*x + c)^{16} - 6*(a^3 + 6*a^2*b + 9*a*b^2 + 4*b^3 - 4*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*cosh(d*x + c)^{14} + 6*(60*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x*cosh(d*x + c)^2 - a^3 - 6*a^2*b - 9*a*b^2 - 4*b^3 + 4*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*sinh(d*x + c)^{14} + 84*(20*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x*cosh(d*x + c)^3 - (a^3 + 6*a^2*b + 9*a*b^2 + 4*b^3 - 4*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*cosh(d*x + c))*sinh(d*x + c)^{13} - 12*(3*a^3 + 15*a^2*b + 18*a*b^2 + 6*b^3 - 7*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*cosh(d*x + c)^{12} + 6*(910*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x*cosh(d*x + c)^4 - 6*a^3 - 30*a^2*b - 36*a*b^2 - 12*b^3 + 14*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x - 91*(a^3 + 6*a^2*b + 9*a*b^2 + 4*b^3 - 4*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*cosh(d*x + c)^2)*sinh(d*x + c)^{12} + 24*(546*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x*cosh(d*x + c)^5 - 91*(a^3 + 6*a^2*b + 9*a*b^2 + 4*b^3 - 4*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*cosh(d*x + c)^3 - 6*(3*a^3 + 15*a^2*b + 18*a*b^2 + 6*b^3 - 7*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*cosh(d*x + c))*sinh(d*x + c)^{11} - 2*(45*a^3 + 198*a^2*b + 237*a*b^2 + 100*b^3 - 84*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*cosh(d*x + c)^{10} + 2*(12012*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x*cosh(d*x + c)^6 - 3003*(a^3 + 6*a^2*b + 9*a*b^2 + 4*b^3 - 4*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*cosh(d*x + c)^4 - 45*a^3 - 198*a^2*b - 237*a*b^2 - 100*b^3 + 84*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x - 396*(3*a^3 + 15*a^2*b + 18*a*b^2 + 6*b^3 - 7*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*cosh(d*x + c)^2)*sinh(d*x + c)^{10} + 4*(8580*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x*cosh(d*x + c)^7 - 3003*(a^3 + 6*a^2*b + 9*a*b^2 + 4*b^3 - 4*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*cosh(d*x + c)^5 - 660*(3*a^3 + 15*a^2*b + 18*a*b^2 + 6*b^3 - 7*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*cosh(d*x + c))*sinh(d*x + c)^9 - 2*(60*a^3 + 252*a^2*b + 312*a*b^2 + 104*b^3 - 105*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*cosh(d*x + c)^8 + 2*(19305*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x*cosh(d*x + c)^8 - 9009*(a^3 + 6*a^2*b + 9*a*b^2 + 4*b^3 - 4*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*cosh(d*x + c)^6 - 2970*(3*a^3 + 15*a^2*b + 18*a*b^2 + 6*b^3 - 7*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*cosh(d*x + c)^4 - 60*a^3 - 252*a^2*b - 312*a*b^2 - 104*b^3 + 105*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x - 45*(45*a^3 + 198*a^2*b + 237*a*b^2 + 100*b^3 - 84*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*cosh(d*x + c)^2)*sinh(d*x + c)^8 + 16*(2145*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x*cosh(d*x + c)^9 - 1287*(a^3 + 6*a^2*b + 9*a*b^2 + 4*b^3 - 4*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*cosh(d*x + c)^7 - 594*(3*a^3 + 15*a^2*b + 18*a*b^2 + 6*b^3 - 7*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*cosh(d*x + c)^5 - 15*(45*a^3 + 198*a^2*b + 237*a*b^2 + 100*b^3 - 84*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*cosh(d*x + c)^3 - (60*a^3 + 252*a^2*b + 312*a*b^2 + 104*b^3 - 105*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*cosh(d*x + c))*sinh(d*x + c)^7 - 2*(45*a^3 + 198*$$

$$\begin{aligned}
& a^2*b + 237*a*b^2 + 100*b^3 - 84*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh( \\
& d*x + c)^6 + 2*(12012*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x*\cosh(d*x + c)^{10} \\
& - 9009*(a^3 + 6*a^2*b + 9*a*b^2 + 4*b^3 - 4*(a^3 + 3*a^2*b + 3*a*b^2 + b^3) \\
& *d*x)*\cosh(d*x + c)^8 - 5544*(3*a^3 + 15*a^2*b + 18*a*b^2 + 6*b^3 - 7*(a^3 \\
& + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^6 - 210*(45*a^3 + 198*a^2*b + \\
& 237*a*b^2 + 100*b^3 - 84*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c \\
& )^4 - 45*a^3 - 198*a^2*b - 237*a*b^2 - 100*b^3 + 84*(a^3 + 3*a^2*b + 3*a*b^2 \\
& + b^3)*d*x - 28*(60*a^3 + 252*a^2*b + 312*a*b^2 + 104*b^3 - 105*(a^3 + 3* \\
& a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^2)*\sinh(d*x + c)^6 + 4*(3276*(a^3 \\
& + 3*a^2*b + 3*a*b^2 + b^3)*d*x*\cosh(d*x + c)^{11} - 3003*(a^3 + 6*a^2*b + 9* \\
& a*b^2 + 4*b^3 - 4*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^9 - 23 \\
& 76*(3*a^3 + 15*a^2*b + 18*a*b^2 + 6*b^3 - 7*(a^3 + 3*a^2*b + 3*a*b^2 + b^3) \\
& *d*x)*\cosh(d*x + c)^7 - 126*(45*a^3 + 198*a^2*b + 237*a*b^2 + 100*b^3 - 84* \\
& (a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^5 - 28*(60*a^3 + 252*a^2 \\
& *b + 312*a*b^2 + 104*b^3 - 105*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d* \\
& x + c)^3 - 3*(45*a^3 + 198*a^2*b + 237*a*b^2 + 100*b^3 - 84*(a^3 + 3*a^2*b \\
& + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c))*\sinh(d*x + c)^5 - 12*(3*a^3 + 15*a^2*b \\
& + 18*a*b^2 + 6*b^3 - 7*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^ \\
& 4 + 2*(2730*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x*\cosh(d*x + c)^{12} - 3003*(a^ \\
& 3 + 6*a^2*b + 9*a*b^2 + 4*b^3 - 4*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh \\
& (d*x + c)^{10} - 2970*(3*a^3 + 15*a^2*b + 18*a*b^2 + 6*b^3 - 7*(a^3 + 3*a^2*b \\
& + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^8 - 210*(45*a^3 + 198*a^2*b + 237*a*b^ \\
& 2 + 100*b^3 - 84*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^6 - 70* \\
& (60*a^3 + 252*a^2*b + 312*a*b^2 + 104*b^3 - 105*(a^3 + 3*a^2*b + 3*a*b^2 + \\
& b^3)*d*x)*\cosh(d*x + c)^4 - 18*a^3 - 90*a^2*b - 108*a*b^2 - 36*b^3 + 42*(a^ \\
& 3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x - 15*(45*a^3 + 198*a^2*b + 237*a*b^2 + 100 \\
& *b^3 - 84*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^2)*\sinh(d*x + \\
& c)^4 + 8*(210*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x*\cosh(d*x + c)^{13} - 273*(a \\
& ^3 + 6*a^2*b + 9*a*b^2 + 4*b^3 - 4*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cos \\
& h(d*x + c)^{11} - 330*(3*a^3 + 15*a^2*b + 18*a*b^2 + 6*b^3 - 7*(a^3 + 3*a^2*b \\
& + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^9 - 30*(45*a^3 + 198*a^2*b + 237*a*b^2 \\
& + 100*b^3 - 84*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^7 - 14*( \\
& 60*a^3 + 252*a^2*b + 312*a*b^2 + 104*b^3 - 105*(a^3 + 3*a^2*b + 3*a*b^2 + b \\
& ^3)*d*x)*\cosh(d*x + c)^5 - 5*(45*a^3 + 198*a^2*b + 237*a*b^2 + 100*b^3 - 84 \\
& *(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^3 - 6*(3*a^3 + 15*a^2*b \\
& + 18*a*b^2 + 6*b^3 - 7*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)) \\
& *\sinh(d*x + c)^3 + 3*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x - 6*(a^3 + 6*a^2*b \\
& + 9*a*b^2 + 4*b^3 - 4*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^2 \\
& + 2*(180*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x*\cosh(d*x + c)^{14} - 273*(a^3 + \\
& 6*a^2*b + 9*a*b^2 + 4*b^3 - 4*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d* \\
& x + c)^{12} - 396*(3*a^3 + 15*a^2*b + 18*a*b^2 + 6*b^3 - 7*(a^3 + 3*a^2*b + 3 \\
& *a*b^2 + b^3)*d*x)*\cosh(d*x + c)^{10} - 45*(45*a^3 + 198*a^2*b + 237*a*b^2 + \\
& 100*b^3 - 84*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^8 - 28*(60* \\
& a^3 + 252*a^2*b + 312*a*b^2 + 104*b^3 - 105*(a^3 + 3*a^2*b + 3*a*b^2 + b^3) \\
& *d*x)*\cosh(d*x + c)^6 - 15*(45*a^3 + 198*a^2*b + 237*a*b^2 + 100*b^3 - 84*(
\end{aligned}$$

$$\begin{aligned}
& a^3 + 3a^2b + 3ab^2 + b^3)dx) \cosh(dx + c)^4 - 3a^3 - 18a^2b - 27 \\
& *ab^2 - 12b^3 + 12(a^3 + 3a^2b + 3ab^2 + b^3)dx - 36(3a^3 + 15a \\
& ^2b + 18ab^2 + 6b^3 - 7(a^3 + 3a^2b + 3ab^2 + b^3)dx) \cosh(dx + \\
& c)^2) \sinh(dx + c)^2 - 3((a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^1 \\
& 6 + 16(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c) \sinh(dx + c)^15 + (a^ \\
& 3 + 3a^2b + 3ab^2 + b^3) \sinh(dx + c)^16 + 8(a^3 + 3a^2b + 3ab^2 \\
& + b^3) \cosh(dx + c)^14 + 8(a^3 + 3a^2b + 3ab^2 + b^3 + 15(a^3 + 3a^ \\
& 2b + 3ab^2 + b^3) \cosh(dx + c)^2) \sinh(dx + c)^14 + 112(5(a^3 + 3a^ \\
& 2b + 3ab^2 + b^3) \cosh(dx + c)^3 + (a^3 + 3a^2b + 3ab^2 + b^3) \cosh \\
& (dx + c)) \sinh(dx + c)^13 + 28(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + \\
& c)^12 + 28(65(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^4 + a^3 + 3a \\
& ^2b + 3ab^2 + b^3 + 26(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^2) * \\
& \sinh(dx + c)^12 + 112(39(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^5 \\
& + 26(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^3 + 3(a^3 + 3a^2b + 3 \\
& *ab^2 + b^3) \cosh(dx + c)) \sinh(dx + c)^11 + 56(a^3 + 3a^2b + 3ab^2 \\
& + b^3) \cosh(dx + c)^10 + 56(143(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx \\
& + c)^6 + 143(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^4 + a^3 + 3a^2 \\
& *b + 3ab^2 + b^3 + 33(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^2) *si \\
& nh(dx + c)^10 + 16(715(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^7 + \\
& 1001(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^5 + 385(a^3 + 3a^2b + \\
& 3ab^2 + b^3) \cosh(dx + c)^3 + 35(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx \\
& + c)) \sinh(dx + c)^9 + 70(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c) \\
& ^8 + 2(6435(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^8 + 12012(a^3 + \\
& 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^6 + 6930(a^3 + 3a^2b + 3ab^2 + \\
& b^3) \cosh(dx + c)^4 + 35a^3 + 105a^2b + 105ab^2 + 35b^3 + 1260(a^3 \\
& + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^2) \sinh(dx + c)^8 + 16(715(a^3 \\
& + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^9 + 1716(a^3 + 3a^2b + 3ab^2 \\
& + b^3) \cosh(dx + c)^7 + 1386(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c \\
& )^5 + 420(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^3 + 35(a^3 + 3a^2 \\
& *b + 3ab^2 + b^3) \cosh(dx + c)) \sinh(dx + c)^7 + 56(a^3 + 3a^2b + 3 \\
& *ab^2 + b^3) \cosh(dx + c)^6 + 56(143(a^3 + 3a^2b + 3ab^2 + b^3) \cosh \\
& (dx + c)^10 + 429(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^8 + 462(a \\
& ^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^6 + 210(a^3 + 3a^2b + 3ab^ \\
& 2 + b^3) \cosh(dx + c)^4 + a^3 + 3a^2b + 3ab^2 + b^3 + 35(a^3 + 3a^2 \\
& *b + 3ab^2 + b^3) \cosh(dx + c)^2) \sinh(dx + c)^6 + 112(39(a^3 + 3a^2 \\
& *b + 3ab^2 + b^3) \cosh(dx + c)^11 + 143(a^3 + 3a^2b + 3ab^2 + b^3) *c \\
& osh(dx + c)^9 + 198(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^7 + 126 \\
& (a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^5 + 35(a^3 + 3a^2b + 3ab \\
& ^2 + b^3) \cosh(dx + c)^3 + 3(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c) \\
& ) \sinh(dx + c)^5 + 28(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^4 + 28 \\
& *(65(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^12 + 286(a^3 + 3a^2b \\
& + 3ab^2 + b^3) \cosh(dx + c)^10 + 495(a^3 + 3a^2b + 3ab^2 + b^3) \cos \\
& h(dx + c)^8 + 420(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^6 + 175(a \\
& ^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^4 + a^3 + 3a^2b + 3ab^2 + b \\
& ^3 + 30(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^2) \sinh(dx + c)^4 +
\end{aligned}$$



$$\begin{aligned}
& 112*(5*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^{13} + 26*(a^3 + 3*a^2*b \\
& + 3*a*b^2 + b^3)*\cosh(d*x + c)^{11} + 55*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cos \\
& h(d*x + c)^9 + 60*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^7 + 35*(a^3 \\
& + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^5 + 10*(a^3 + 3*a^2*b + 3*a*b^2 + \\
& b^3)*\cosh(d*x + c)^3 + (a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c))*\sinh \\
& (d*x + c)^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 8*(a^3 + 3*a^2*b + 3*a*b^2 + \\
& b^3)*\cosh(d*x + c)^2 + 8*(15*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^{14} \\
& + 91*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^{12} + 231*(a^3 + 3*a^2 \\
& *b + 3*a*b^2 + b^3)*\cosh(d*x + c)^{10} + 315*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)* \\
& \cosh(d*x + c)^8 + 245*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^6 + 105 \\
& *(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^4 + a^3 + 3*a^2*b + 3*a*b^2 \\
& + b^3 + 21*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 \\
& + 16*((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^{15} + 7*(a^3 + 3*a^2*b \\
& + 3*a*b^2 + b^3)*\cosh(d*x + c)^{13} + 21*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh \\
& (d*x + c)^{11} + 35*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^9 + 35*(a^3 \\
& + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^7 + 21*(a^3 + 3*a^2*b + 3*a*b^2 + \\
& b^3)*\cosh(d*x + c)^5 + 7*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^3 + \\
& (a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c))*\sinh(d*x + c))*\log(2*\cosh(d \\
& *x + c)/(\cosh(d*x + c) - \sinh(d*x + c))) + 4*(12*(a^3 + 3*a^2*b + 3*a*b^2 + \\
& b^3)*d*x*\cosh(d*x + c)^{15} - 21*(a^3 + 6*a^2*b + 9*a*b^2 + 4*b^3 - 4*(a^3 + \\
& 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^{13} - 36*(3*a^3 + 15*a^2*b + 18 \\
& *a*b^2 + 6*b^3 - 7*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^{11} - \\
& 5*(45*a^3 + 198*a^2*b + 237*a*b^2 + 100*b^3 - 84*(a^3 + 3*a^2*b + 3*a*b^2 + \\
& b^3)*d*x)*\cosh(d*x + c)^9 - 4*(60*a^3 + 252*a^2*b + 312*a*b^2 + 104*b^3 - \\
& 105*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^7 - 3*(45*a^3 + 198* \\
& a^2*b + 237*a*b^2 + 100*b^3 - 84*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh( \\
& d*x + c)^5 - 12*(3*a^3 + 15*a^2*b + 18*a*b^2 + 6*b^3 - 7*(a^3 + 3*a^2*b + 3 \\
& *a*b^2 + b^3)*d*x)*\cosh(d*x + c)^3 - 3*(a^3 + 6*a^2*b + 9*a*b^2 + 4*b^3 - 4 \\
& *(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c))*\sinh(d*x + c))/((d*\cosh \\
& (d*x + c)^{16} + 16*d*\cosh(d*x + c)*\sinh(d*x + c)^{15} + d*\sinh(d*x + c)^{16} + 8 \\
& *d*\cosh(d*x + c)^{14} + 8*(15*d*\cosh(d*x + c)^2 + d)*\sinh(d*x + c)^{14} + 112*( \\
& 5*d*\cosh(d*x + c)^3 + d*\cosh(d*x + c))*\sinh(d*x + c)^{13} + 28*d*\cosh(d*x + c \\
& )^{12} + 28*(65*d*\cosh(d*x + c)^4 + 26*d*\cosh(d*x + c)^2 + d)*\sinh(d*x + c)^{11} \\
& + 112*(39*d*\cosh(d*x + c)^5 + 26*d*\cosh(d*x + c)^3 + 3*d*\cosh(d*x + c))*\s \\
& inh(d*x + c)^{11} + 56*d*\cosh(d*x + c)^{10} + 56*(143*d*\cosh(d*x + c)^6 + 143*d \\
& *\cosh(d*x + c)^4 + 33*d*\cosh(d*x + c)^2 + d)*\sinh(d*x + c)^{10} + 16*(715*d*\c \\
& osh(d*x + c)^7 + 1001*d*\cosh(d*x + c)^5 + 385*d*\cosh(d*x + c)^3 + 35*d*\cosh \\
& (d*x + c))*\sinh(d*x + c)^9 + 70*d*\cosh(d*x + c)^8 + 2*(6435*d*\cosh(d*x + c) \\
& ^8 + 12012*d*\cosh(d*x + c)^6 + 6930*d*\cosh(d*x + c)^4 + 1260*d*\cosh(d*x + c \\
& )^2 + 35*d)*\sinh(d*x + c)^8 + 16*(715*d*\cosh(d*x + c)^9 + 1716*d*\cosh(d*x + \\
& c)^7 + 1386*d*\cosh(d*x + c)^5 + 420*d*\cosh(d*x + c)^3 + 35*d*\cosh(d*x + c) \\
& )*\sinh(d*x + c)^7 + 56*d*\cosh(d*x + c)^6 + 56*(143*d*\cosh(d*x + c)^{10} + 429 \\
& *d*\cosh(d*x + c)^8 + 462*d*\cosh(d*x + c)^6 + 210*d*\cosh(d*x + c)^4 + 35*d*\c \\
& osh(d*x + c)^2 + d)*\sinh(d*x + c)^6 + 112*(39*d*\cosh(d*x + c)^{11} + 143*d*\co \\
& sh(d*x + c)^9 + 198*d*\cosh(d*x + c)^7 + 126*d*\cosh(d*x + c)^5 + 35*d*\cosh(d
\end{aligned}$$

$x + c)^3 + 3d \cosh(dx + c) \sinh(dx + c)^5 + 28d \cosh(dx + c)^4 + 28(65d \cosh(dx + c)^{12} + 286d \cosh(dx + c)^{10} + 495d \cosh(dx + c)^8 + 420d \cosh(dx + c)^6 + 175d \cosh(dx + c)^4 + 30d \cosh(dx + c)^2 + d) \sinh(dx + c)^4 + 112(5d \cosh(dx + c)^{13} + 26d \cosh(dx + c)^{11} + 55d \cosh(dx + c)^9 + 60d \cosh(dx + c)^7 + 35d \cosh(dx + c)^5 + 10d \cosh(dx + c)^3 + d \cosh(dx + c)) \sinh(dx + c)^3 + 8d \cosh(dx + c)^2 + 8(15d \cosh(dx + c)^{14} + 91d \cosh(dx + c)^{12} + 231d \cosh(dx + c)^{10} + 315d \cosh(dx + c)^8 + 245d \cosh(dx + c)^6 + 105d \cosh(dx + c)^4 + 21d \cosh(dx + c)^2 + d) \sinh(dx + c)^2 + 16(d \cosh(dx + c)^{15} + 7d \cosh(dx + c)^{13} + 21d \cosh(dx + c)^{11} + 35d \cosh(dx + c)^9 + 35d \cosh(dx + c)^7 + 21d \cosh(dx + c)^5 + 7d \cosh(dx + c)^3 + d \cosh(dx + c)) \sinh(dx + c) + d$

**Sympy [A]** time = 2.40044, size = 279, normalized size = 2.61

$$\left\{ \begin{array}{l} a^3 x - \frac{a^3 \log(\tanh(c+dx)+1)}{d} - \frac{a^3 \tanh^2(c+dx)}{2d} + 3a^2 b x - \frac{3a^2 b \log(\tanh(c+dx)+1)}{d} - \frac{3a^2 b \tanh^4(c+dx)}{4d} - \frac{3a^2 b \tanh^2(c+dx)}{2d} + 3ab^2 x - \frac{3ab^2}{d} \\ x(a + b \tanh^2(c))^3 \tanh^3(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)\*\*3\*(a+b\*tanh(d\*x+c)\*\*2)\*\*3,x)

[Out] Piecewise((a\*\*3\*x - a\*\*3\*log(tanh(c + d\*x) + 1)/d - a\*\*3\*tanh(c + d\*x)\*\*2/(2\*d) + 3\*a\*\*2\*b\*x - 3\*a\*\*2\*b\*log(tanh(c + d\*x) + 1)/d - 3\*a\*\*2\*b\*tanh(c + d\*x)\*\*4/(4\*d) - 3\*a\*\*2\*b\*tanh(c + d\*x)\*\*2/(2\*d) + 3\*a\*b\*\*2\*x - 3\*a\*b\*\*2\*log(tanh(c + d\*x) + 1)/d - a\*b\*\*2\*tanh(c + d\*x)\*\*6/(2\*d) - 3\*a\*b\*\*2\*tanh(c + d\*x)\*\*4/(4\*d) - 3\*a\*b\*\*2\*tanh(c + d\*x)\*\*2/(2\*d) + b\*\*3\*x - b\*\*3\*log(tanh(c + d\*x) + 1)/d - b\*\*3\*tanh(c + d\*x)\*\*8/(8\*d) - b\*\*3\*tanh(c + d\*x)\*\*6/(6\*d) - b\*\*3\*tanh(c + d\*x)\*\*4/(4\*d) - b\*\*3\*tanh(c + d\*x)\*\*2/(2\*d), Ne(d, 0)), (x\*(a + b\*tanh(c)\*\*2)\*\*3\*tanh(c)\*\*3, True))

**Giac [B]** time = 1.46414, size = 421, normalized size = 3.93

$$-\frac{(a^3 + 3a^2b + 3ab^2 + b^3)(dx + c)}{d} + \frac{(a^3 + 3a^2b + 3ab^2 + b^3) \log(e^{2dx+2c} + 1)}{d} + \frac{2(3(a^3 + 6a^2b + 9ab^2 + 4b^3)e^{14dx}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

```
[Out] -(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*(d*x + c)/d + (a^3 + 3*a^2*b + 3*a*b^2 + b^3)*log(e^(2*d*x + 2*c) + 1)/d + 2/3*(3*(a^3 + 6*a^2*b + 9*a*b^2 + 4*b^3)*e^(14*d*x + 14*c) + 18*(a^3 + 5*a^2*b + 6*a*b^2 + 2*b^3)*e^(12*d*x + 12*c) + (45*a^3 + 198*a^2*b + 237*a*b^2 + 100*b^3)*e^(10*d*x + 10*c) + 4*(15*a^3 + 63*a^2*b + 78*a*b^2 + 26*b^3)*e^(8*d*x + 8*c) + (45*a^3 + 198*a^2*b + 237*a*b^2 + 100*b^3)*e^(6*d*x + 6*c) + 18*(a^3 + 5*a^2*b + 6*a*b^2 + 2*b^3)*e^(4*d*x + 4*c) + 3*(a^3 + 6*a^2*b + 9*a*b^2 + 4*b^3)*e^(2*d*x + 2*c))/(d*(e^(2*d*x + 2*c) + 1)^8)
```

### 3.158 $\int \tanh^2(c + dx) (a + b \tanh^2(c + dx))^3 dx$

**Optimal.** Leaf size=94

$$\frac{b(3a^2 + 3ab + b^2) \tanh^3(c + dx)}{3d} - \frac{b^2(3a + b) \tanh^5(c + dx)}{5d} - \frac{(a + b)^3 \tanh(c + dx)}{d} + x(a + b)^3 - \frac{b^3 \tanh^7(c + dx)}{7d}$$

[Out] (a + b)^3\*x - ((a + b)^3\*Tanh[c + d\*x])/d - (b\*(3\*a^2 + 3\*a\*b + b^2)\*Tanh[c + d\*x]^3)/(3\*d) - (b^2\*(3\*a + b)\*Tanh[c + d\*x]^5)/(5\*d) - (b^3\*Tanh[c + d\*x]^7)/(7\*d)

**Rubi [A]** time = 0.0927085, antiderivative size = 94, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$ , Rules used = {3670, 461, 206}

$$\frac{b(3a^2 + 3ab + b^2) \tanh^3(c + dx)}{3d} - \frac{b^2(3a + b) \tanh^5(c + dx)}{5d} - \frac{(a + b)^3 \tanh(c + dx)}{d} + x(a + b)^3 - \frac{b^3 \tanh^7(c + dx)}{7d}$$

Antiderivative was successfully verified.

[In] Int[Tanh[c + d\*x]^2\*(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] (a + b)^3\*x - ((a + b)^3\*Tanh[c + d\*x])/d - (b\*(3\*a^2 + 3\*a\*b + b^2)\*Tanh[c + d\*x]^3)/(3\*d) - (b^2\*(3\*a + b)\*Tanh[c + d\*x]^5)/(5\*d) - (b^3\*Tanh[c + d\*x]^7)/(7\*d)

#### Rule 3670

Int[(((d\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_))^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f\*f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x]] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

#### Rule 461

Int[(((e\_.)\*(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)))/((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] :> Int[ExpandIntegrand[((e\*x)^m\*(a + b\*x^n)^p]/(c + d\*x^n), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && (IntegerQ[m] || IGtQ[2\*(m + 1), 0] || !RationalQ[m])

Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt Q[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned} \int \tanh^2(c+dx) (a+b \tanh^2(c+dx))^3 dx &= \frac{\text{Subst}\left(\int \frac{x^2(a+bx^2)^3}{1-x^2} dx, x, \tanh(c+dx)\right)}{d} \\ &= \frac{\text{Subst}\left(\int \left(- (a+b)^3 - b(3a^2+3ab+b^2)x^2 - b^2(3a+b)x^4 - b^3x^6 + \frac{a^3+b^3}{1-x^2}\right) dx, x, \tanh(c+dx)\right)}{d} \\ &= -\frac{(a+b)^3 \tanh(c+dx)}{d} - \frac{b(3a^2+3ab+b^2) \tanh^3(c+dx)}{3d} - \frac{b^2(3a+b) \tanh^5(c+dx)}{5d} - \frac{b^3 \tanh^7(c+dx)}{7d} \\ &= (a+b)^3 x - \frac{(a+b)^3 \tanh(c+dx)}{d} - \frac{b(3a^2+3ab+b^2) \tanh^3(c+dx)}{3d} - \frac{b^2(3a+b) \tanh^5(c+dx)}{5d} - \frac{b^3 \tanh^7(c+dx)}{7d} \end{aligned}$$

**Mathematica [A]** time = 1.61293, size = 108, normalized size = 1.15

$$\frac{\tanh(c+dx) \left( -35b(3a^2+3ab+b^2) \tanh^2(c+dx) - 21b^2(3a+b) \tanh^4(c+dx) + \frac{105(a+b)^3 \tanh^{-1}\left(\sqrt{\tanh^2(c+dx)}\right)}{\sqrt{\tanh^2(c+dx)}} - 105(a+b) \right)}{105d}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[c + d\*x]^2\*(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] (Tanh[c + d\*x]\*(-105\*(a + b)^3 - 35\*b\*(3\*a^2 + 3\*a\*b + b^2)\*Tanh[c + d\*x]^2 - 21\*b^2\*(3\*a + b)\*Tanh[c + d\*x]^4 - 15\*b^3\*Tanh[c + d\*x]^6 + (105\*(a + b)^3\*ArcTanh[Sqrt[Tanh[c + d\*x]^2]])/Sqrt[Tanh[c + d\*x]^2))/(105\*d)

**Maple [B]** time = 0.005, size = 299, normalized size = 3.2

$$\frac{a^3 \ln(\tanh(dx+c)-1)}{2d} - \frac{3 \ln(\tanh(dx+c)-1) a^2 b}{2d} - \frac{3 \ln(\tanh(dx+c)-1) a b^2}{2d} - \frac{\ln(\tanh(dx+c)-1) b^3}{2d} - \frac{b^3}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(tanh(d*x+c)^2*(a+b*tanh(d*x+c)^2)^3,x)`

[Out] 
$$-1/2/d*a^3*\ln(\tanh(d*x+c)-1)-3/2/d*\ln(\tanh(d*x+c)-1)*a^2*b-3/2/d*\ln(\tanh(d*x+c)-1)*a*b^2-1/2/d*\ln(\tanh(d*x+c)-1)*b^3-1/7*b^3*\tanh(d*x+c)^7/d-1/5*b^3*\tanh(d*x+c)^5/d-1/3*b^3*\tanh(d*x+c)^3/d-b^3*\tanh(d*x+c)/d-a^2*b*\tanh(d*x+c)^3/d-a*b^2*\tanh(d*x+c)^3/d-3/5*a*b^2*\tanh(d*x+c)^5/d-3*a^2*b*\tanh(d*x+c)/d+1/2/d*\ln(\tanh(d*x+c)+1)*a^3+3/2/d*\ln(\tanh(d*x+c)+1)*a^2*b+3/2/d*\ln(\tanh(d*x+c)+1)*a*b^2+1/2/d*\ln(\tanh(d*x+c)+1)*b^3-a^3*\tanh(d*x+c)/d-3*a*b^2*\tanh(d*x+c)/d$$

**Maxima [B]** time = 1.06923, size = 540, normalized size = 5.74

$$\frac{1}{105} b^3 \left( 105x + \frac{105c}{d} - \frac{8(203e^{(-2dx-2c)} + 609e^{(-4dx-4c)} + 770e^{(-6dx-6c)} + 770e^{(-8dx-8c)} + 315e^{(-10dx-10c)} + 105e^{(-12dx-12c)} + 44)}{d(7e^{(-2dx-2c)} + 21e^{(-4dx-4c)} + 35e^{(-6dx-6c)} + 35e^{(-8dx-8c)} + 21e^{(-10dx-10c)} + 7e^{(-12dx-12c)} + e^{(-14dx-14c)} + 1)} \right) + \frac{1}{5} a^2 b^2 \left( \frac{15x + 15c/d - 2(70e^{(-2dx-2c)} + 140e^{(-4dx-4c)} + 90e^{(-6dx-6c)} + 45e^{(-8dx-8c)} + 23)}{d(5e^{(-2dx-2c)} + 10e^{(-4dx-4c)} + 10e^{(-6dx-6c)} + 5e^{(-8dx-8c)} + e^{(-10dx-10c)} + 1)} \right) + a^2 b \left( \frac{3x + 3c/d - 4(3e^{(-2dx-2c)} + 3e^{(-4dx-4c)} + 2)}{d(3e^{(-2dx-2c)} + 3e^{(-4dx-4c)} + e^{(-6dx-6c)} + 1)} \right) + a^3 \left( x + \frac{c}{d} - \frac{2}{d(e^{(-2dx-2c)} + 1)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(d*x+c)^2*(a+b*tanh(d*x+c)^2)^3,x, algorithm="maxima")`

[Out] 
$$\frac{1}{105} b^3 (105x + 105c/d - \frac{8(203e^{(-2d*x - 2*c)} + 609e^{(-4d*x - 4*c)} + 770e^{(-6d*x - 6*c)} + 770e^{(-8d*x - 8*c)} + 315e^{(-10d*x - 10*c)} + 105e^{(-12d*x - 12*c)} + 44)}{d(7e^{(-2d*x - 2*c)} + 21e^{(-4d*x - 4*c)} + 35e^{(-6d*x - 6*c)} + 35e^{(-8d*x - 8*c)} + 21e^{(-10d*x - 10*c)} + 7e^{(-12d*x - 12*c)} + e^{(-14d*x - 14*c)} + 1)}) + \frac{1}{5} a^2 b^2 ( \frac{15x + 15c/d - 2(70e^{(-2d*x - 2*c)} + 140e^{(-4d*x - 4*c)} + 90e^{(-6d*x - 6*c)} + 45e^{(-8d*x - 8*c)} + 23)}{d(5e^{(-2d*x - 2*c)} + 10e^{(-4d*x - 4*c)} + 10e^{(-6d*x - 6*c)} + 5e^{(-8d*x - 8*c)} + e^{(-10d*x - 10*c)} + 1)}) + a^2 b ( \frac{3x + 3c/d - 4(3e^{(-2d*x - 2*c)} + 3e^{(-4d*x - 4*c)} + 2)}{d(3e^{(-2d*x - 2*c)} + 3e^{(-4d*x - 4*c)} + e^{(-6d*x - 6*c)} + 1)}) + a^3 ( x + c/d - \frac{2}{d(e^{(-2d*x - 2*c)} + 1)})$$

**Fricas [B]** time = 1.97666, size = 2693, normalized size = 28.65

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^2\*(a+b\*tanh(d\*x+c))^3,x, algorithm="fricas")

[Out]  $\frac{1}{105} \left( (105a^3 + 420a^2b + 483ab^2 + 176b^3 + 105(a^3 + 3a^2b + 3ab^2 + b^3)d^2x) \cosh(dx+c)^7 + 7(105a^3 + 420a^2b + 483ab^2 + 176b^3 + 105(a^3 + 3a^2b + 3ab^2 + b^3)d^2x) \cosh(dx+c) \sinh(dx+c)^6 - (105a^3 + 420a^2b + 483ab^2 + 176b^3) \sinh(dx+c)^7 + 7(105a^3 + 420a^2b + 483ab^2 + 176b^3 + 105(a^3 + 3a^2b + 3ab^2 + b^3)d^2x) \cosh(dx+c)^5 - 7(75a^3 + 240a^2b + 213ab^2 + 56b^3 + 3(105a^3 + 420a^2b + 483ab^2 + 176b^3) \cosh(dx+c)^2) \sinh(dx+c)^5 + 35((105a^3 + 420a^2b + 483ab^2 + 176b^3 + 105(a^3 + 3a^2b + 3ab^2 + b^3)d^2x) \cosh(dx+c)^3 + (105a^3 + 420a^2b + 483ab^2 + 176b^3 + 105(a^3 + 3a^2b + 3ab^2 + b^3)d^2x) \cosh(dx+c)) \sinh(dx+c)^4 + 21(105a^3 + 420a^2b + 483ab^2 + 176b^3 + 105(a^3 + 3a^2b + 3ab^2 + b^3)d^2x) \cosh(dx+c)^3 - 7(5(105a^3 + 420a^2b + 483ab^2 + 176b^3) \cosh(dx+c)^4 + 135a^3 + 360a^2b + 369ab^2 + 168b^3 + 10(75a^3 + 240a^2b + 213ab^2 + 56b^3) \cosh(dx+c)^2) \sinh(dx+c)^3 + 7(3(105a^3 + 420a^2b + 483ab^2 + 176b^3 + 105(a^3 + 3a^2b + 3ab^2 + b^3)d^2x) \cosh(dx+c)^5 + 10(105a^3 + 420a^2b + 483ab^2 + 176b^3 + 105(a^3 + 3a^2b + 3ab^2 + b^3)d^2x) \cosh(dx+c)^3 + 9(105a^3 + 420a^2b + 483ab^2 + 176b^3 + 105(a^3 + 3a^2b + 3ab^2 + b^3)d^2x) \cosh(dx+c)) \sinh(dx+c)^2 + 35(105a^3 + 420a^2b + 483ab^2 + 176b^3 + 105(a^3 + 3a^2b + 3ab^2 + b^3)d^2x) \cosh(dx+c) - 7((105a^3 + 420a^2b + 483ab^2 + 176b^3) \cosh(dx+c)^6 + 5(75a^3 + 240a^2b + 213ab^2 + 56b^3) \cosh(dx+c)^4 + 75a^3 + 180a^2b + 225ab^2 + 9(45a^3 + 120a^2b + 123ab^2 + 56b^3) \cosh(dx+c)^2) \sinh(dx+c) ) / (d \cosh(dx+c)^7 + 7d \cosh(dx+c) \sinh(dx+c)^6 + 7d \cosh(dx+c)^5 + 35(d \cosh(dx+c)^3 + d \cosh(dx+c)) \sinh(dx+c)^4 + 21d \cosh(dx+c)^3 + 7(3d \cosh(dx+c)^5 + 10d \cosh(dx+c)^3 + 9d \cosh(dx+c)) \sinh(dx+c)^2 + 35d \cosh(dx+c))$

**Sympy [A]** time = 1.69827, size = 192, normalized size = 2.04

$$\left\{ \begin{array}{l} a^3x - \frac{a^3 \tanh(c+dx)}{d} + 3a^2bx - \frac{a^2b \tanh^3(c+dx)}{d} - \frac{3a^2b \tanh(c+dx)}{d} + 3ab^2x - \frac{3ab^2 \tanh^5(c+dx)}{5d} - \frac{ab^2 \tanh^3(c+dx)}{d} - \frac{3ab^2 \tanh(c+dx)}{d} \\ x(a + b \tanh^2(c))^3 \tanh^2(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)\*\*2\*(a+b\*tanh(d\*x+c)\*\*2)\*\*3,x)

[Out] Piecewise((a\*\*3\*x - a\*\*3\*tanh(c + d\*x)/d + 3a\*\*2\*b\*x - a\*\*2\*b\*tanh(c + d\*x))\*\*3/d - 3a\*\*2\*b\*tanh(c + d\*x)/d + 3a\*b\*\*2\*x - 3a\*b\*\*2\*tanh(c + d\*x)\*\*5/

```
(5*d) - a*b**2*tanh(c + d*x)**3/d - 3*a*b**2*tanh(c + d*x)/d + b**3*x - b**
3*tanh(c + d*x)**7/(7*d) - b**3*tanh(c + d*x)**5/(5*d) - b**3*tanh(c + d*x)
**3/(3*d) - b**3*tanh(c + d*x)/d, Ne(d, 0)), (x*(a + b*tanh(c)**2)**3*tanh(
c)**2, True))
```

**Giac [B]** time = 1.46132, size = 564, normalized size = 6.

$$\frac{(a^3 + 3a^2b + 3ab^2 + b^3)(dx + c)}{d} + \frac{2(105a^3e^{(12dx+12c)} + 630a^2be^{(12dx+12c)} + 945ab^2e^{(12dx+12c)} + 420b^3e^{(12dx+12c)} + 630a^3e^{(10dx+10c)} + 3150a^2be^{(10dx+10c)} + 3780ab^2e^{(10dx+10c)} + 1260b^3e^{(10dx+10c)} + 1575a^3e^{(8dx+8c)} + 6720a^2be^{(8dx+8c)} + 7665ab^2e^{(8dx+8c)} + 3080b^3e^{(8dx+8c)} + 2100a^3e^{(6dx+6c)} + 7980a^2be^{(6dx+6c)} + 9240ab^2e^{(6dx+6c)} + 3080b^3e^{(6dx+6c)} + 1575a^3e^{(4dx+4c)} + 5670a^2be^{(4dx+4c)} + 6363ab^2e^{(4dx+4c)} + 2436b^3e^{(4dx+4c)} + 630a^3e^{(2dx+2c)} + 2310a^2be^{(2dx+2c)} + 2436ab^2e^{(2dx+2c)} + 812b^3e^{(2dx+2c)} + 105a^3 + 420a^2b + 483ab^2 + 176b^3)}{(d*(e^{(2dx+2c)} + 1))^7}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tanh(d*x+c)^2*(a+b*tanh(d*x+c)^2)^3,x, algorithm="giac")
```

```
[Out] (a^3 + 3*a^2*b + 3*a*b^2 + b^3)*(d*x + c)/d + 2/105*(105*a^3*e^(12*d*x + 12
*c) + 630*a^2*b*e^(12*d*x + 12*c) + 945*a*b^2*e^(12*d*x + 12*c) + 420*b^3*e
^(12*d*x + 12*c) + 630*a^3*e^(10*d*x + 10*c) + 3150*a^2*b*e^(10*d*x + 10*c)
+ 3780*a*b^2*e^(10*d*x + 10*c) + 1260*b^3*e^(10*d*x + 10*c) + 1575*a^3*e^(
8*d*x + 8*c) + 6720*a^2*b*e^(8*d*x + 8*c) + 7665*a*b^2*e^(8*d*x + 8*c) + 30
80*b^3*e^(8*d*x + 8*c) + 2100*a^3*e^(6*d*x + 6*c) + 7980*a^2*b*e^(6*d*x + 6
*c) + 9240*a*b^2*e^(6*d*x + 6*c) + 3080*b^3*e^(6*d*x + 6*c) + 1575*a^3*e^(4
*d*x + 4*c) + 5670*a^2*b*e^(4*d*x + 4*c) + 6363*a*b^2*e^(4*d*x + 4*c) + 243
6*b^3*e^(4*d*x + 4*c) + 630*a^3*e^(2*d*x + 2*c) + 2310*a^2*b*e^(2*d*x + 2*c
) + 2436*a*b^2*e^(2*d*x + 2*c) + 812*b^3*e^(2*d*x + 2*c) + 105*a^3 + 420*a^
2*b + 483*a*b^2 + 176*b^3)/(d*(e^(2*d*x + 2*c) + 1)^7)
```



### 3.159 $\int \tanh(c + dx) (a + b \tanh^2(c + dx))^3 dx$

**Optimal.** Leaf size=83

$$\frac{b(a+b)^2 \tanh^2(c+dx)}{2d} - \frac{(a+b)(a+b \tanh^2(c+dx))^2}{4d} - \frac{(a+b \tanh^2(c+dx))^3}{6d} + \frac{(a+b)^3 \log(\cosh(c+dx))}{d}$$

[Out]  $((a + b)^3 \text{Log}[\text{Cosh}[c + d*x]])/d - (b*(a + b)^2 \text{Tanh}[c + d*x]^2)/(2*d) - ((a + b)*(a + b*\text{Tanh}[c + d*x]^2)^2)/(4*d) - (a + b*\text{Tanh}[c + d*x]^2)^3/(6*d)$

**Rubi [A]** time = 0.101441, antiderivative size = 83, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3670, 444, 43}

$$\frac{b(a+b)^2 \tanh^2(c+dx)}{2d} - \frac{(a+b)(a+b \tanh^2(c+dx))^2}{4d} - \frac{(a+b \tanh^2(c+dx))^3}{6d} + \frac{(a+b)^3 \log(\cosh(c+dx))}{d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Tanh}[c + d*x]*(a + b*\text{Tanh}[c + d*x]^2)^3, x]$

[Out]  $((a + b)^3 \text{Log}[\text{Cosh}[c + d*x]])/d - (b*(a + b)^2 \text{Tanh}[c + d*x]^2)/(2*d) - ((a + b)*(a + b*\text{Tanh}[c + d*x]^2)^2)/(4*d) - (a + b*\text{Tanh}[c + d*x]^2)^3/(6*d)$

#### Rule 3670

$\text{Int}[\frac{(d*\tan[e + f*x] + (f*(x))^n)^m * ((a) + (b)*(c*\tan[e + f*x] + (f*(x))^n)^p)}{(c^2 + f^2*x^2)^q}, x, \text{Symbol}] := \text{With}[\{ff = \text{FreeFactors}[\text{Tan}[e + f*x], x]\}, \text{Dist}[\frac{c*ff}{f}, \text{Subst}[\text{Int}[\frac{(d*ff*x/c)^m * (a + b*(ff*x)^n)^p}{(c^2 + f^2*x^2)^q}, x], x, \frac{c*\text{Tan}[e + f*x]}{ff}, x]] /; \text{FreeQ}[\{a, b, c, d, e, f, m, n, p\}, x] \&\& (\text{IGtQ}[p, 0] \|\ \text{EqQ}[n, 2] \|\ \text{EqQ}[n, 4] \|\ (\text{IntegerQ}[p] \&\& \text{RationalQ}[n]))$

#### Rule 444

$\text{Int}[(x)^m * ((a) + (b)*(x)^n)^p * ((c) + (d)*(x)^n)^q, x, \text{Symbol}] := \text{Dist}[1/n, \text{Subst}[\text{Int}[(a + b*x)^p * (c + d*x)^q, x], x, x^n], x] /; \text{FreeQ}[\{a, b, c, d, m, n, p, q\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[m - n + 1, 0]$

**Rule 43**

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},
x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le
Q[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

**Rubi steps**

$$\begin{aligned} \int \tanh(c + dx) (a + b \tanh^2(c + dx))^3 dx &= \frac{\text{Subst}\left(\int \frac{x^{(a+bx^2)^3}}{1-x^2} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{\text{Subst}\left(\int \frac{(a+bx)^3}{1-x} dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= \frac{\text{Subst}\left(\int \left(-b(a+b)^2 + \frac{(a+b)^3}{1-x} - b(a+b)(a+bx) - b(a+bx)^2\right) dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= \frac{(a+b)^3 \log(\cosh(c + dx))}{d} - \frac{b(a+b)^2 \tanh^2(c + dx)}{2d} - \frac{(a+b)(a+b \tanh^2(c + dx))^2}{4d} \end{aligned}$$

**Mathematica [A]** time = 0.21378, size = 76, normalized size = 0.92

$$\frac{b(a+b)^2 \tanh^2(c + dx) + \frac{1}{2}(a+b)(a+b \tanh^2(c + dx))^2 + \frac{1}{3}(a+b \tanh^2(c + dx))^3 - 2(a+b)^3 \log(\cosh(c + dx))}{2d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Tanh[c + d*x]*(a + b*Tanh[c + d*x]^2)^3, x]
```

```
[Out] -(-2*(a + b)^3*Log[Cosh[c + d*x]] + b*(a + b)^2*Tanh[c + d*x]^2 + ((a + b)*(a + b*Tanh[c + d*x]^2)^2)/2 + (a + b*Tanh[c + d*x]^2)^3/3)/(2*d)
```

**Maple [B]** time = 0.006, size = 241, normalized size = 2.9

$$\frac{a^3 \ln(\tanh(dx + c) - 1)}{2d} - \frac{3 \ln(\tanh(dx + c) - 1) a^2 b}{2d} - \frac{3 \ln(\tanh(dx + c) - 1) a b^2}{2d} - \frac{\ln(\tanh(dx + c) - 1) b^3}{2d} - \frac{b^3}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(tanh(d*x+c)*(a+b*tanh(d*x+c)^2)^3,x)`

[Out] 
$$-1/2/d*a^3*\ln(\tanh(d*x+c)-1)-3/2/d*\ln(\tanh(d*x+c)-1)*a^2*b-3/2/d*\ln(\tanh(d*x+c)-1)*a*b^2-1/2/d*\ln(\tanh(d*x+c)-1)*b^3-1/6*b^3*\tanh(d*x+c)^6/d-1/4*b^3*\tanh(d*x+c)^4/d-1/2/d*b^3*\tanh(d*x+c)^2-3/4/d*\tanh(d*x+c)^4*a*b^2-3/2*a^2*b*\tanh(d*x+c)^2/d-3/2/d*\tanh(d*x+c)^2*a*b^2-1/2/d*\ln(\tanh(d*x+c)+1)*a^3-3/2/d*\ln(\tanh(d*x+c)+1)*a^2*b-3/2/d*\ln(\tanh(d*x+c)+1)*a*b^2-1/2/d*\ln(\tanh(d*x+c)+1)*b^3$$

**Maxima [B]** time = 1.5997, size = 474, normalized size = 5.71

$$\frac{1}{3} b^3 \left( 3x + \frac{3c}{d} + \frac{3 \log(e^{(-2dx-2c)} + 1)}{d} + \frac{2(9e^{(-2dx-2c)} + 18e^{(-4dx-4c)} + 34e^{(-6dx-6c)} + 18e^{(-8dx-8c)} + 9e^{(-10dx-10c)})}{d(6e^{(-2dx-2c)} + 15e^{(-4dx-4c)} + 20e^{(-6dx-6c)} + 15e^{(-8dx-8c)} + 6e^{(-10dx-10c)} + e^{(-12dx-12c)})} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(d*x+c)*(a+b*tanh(d*x+c)^2)^3,x, algorithm="maxima")`

[Out] 
$$\frac{1}{3} b^3 \left( 3x + \frac{3c}{d} + \frac{3 \log(e^{(-2d*x - 2*c)} + 1)}{d} + \frac{2(9e^{(-2d*x - 2*c)} + 18e^{(-4d*x - 4*c)} + 34e^{(-6d*x - 6*c)} + 18e^{(-8d*x - 8*c)} + 9e^{(-10d*x - 10*c)})}{d(6e^{(-2d*x - 2*c)} + 15e^{(-4d*x - 4*c)} + 20e^{(-6d*x - 6*c)} + 15e^{(-8d*x - 8*c)} + 6e^{(-10d*x - 10*c)} + e^{(-12d*x - 12*c)})} \right) + 3a^2 b^2 \left( x + \frac{c}{d} + \frac{\log(e^{(-2d*x - 2*c)} + 1)}{d} + \frac{4(e^{(-2d*x - 2*c)} + e^{(-4d*x - 4*c)} + e^{(-6d*x - 6*c)})}{d(4e^{(-2d*x - 2*c)} + 6e^{(-4d*x - 4*c)} + 4e^{(-6d*x - 6*c)} + e^{(-8d*x - 8*c)} + 1)} \right) + 3a^2 b \left( x + \frac{c}{d} + \frac{\log(e^{(-2d*x - 2*c)} + 1)}{d} + \frac{2e^{(-2d*x - 2*c)}}{d(2e^{(-2d*x - 2*c)} + e^{(-4d*x - 4*c)} + 1)} \right) + a^3 \frac{\log(\cosh(d*x + c))}{d}$$

**Fricas [B]** time = 2.62292, size = 10689, normalized size = 128.78

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(d*x+c)*(a+b*tanh(d*x+c)^2)^3,x, algorithm="fricas")`

[Out] 
$$-1/3*(3*(a^3 + 3a^2*b + 3a*b^2 + b^3)*d*x*\cosh(d*x + c)^{12} + 36*(a^3 + 3a^2*b + 3a*b^2 + b^3)*d*x*\cosh(d*x + c)*\sinh(d*x + c)^{11} + 3*(a^3 + 3a^2*b + 3a*b^2 + b^3)*d*x*\sinh(d*x + c)^{12} - 18*(a^2*b + 2a*b^2 + b^3 - (a^3$$

$$\begin{aligned}
& + 3a^2b + 3ab^2 + b^3)d*x) * \cosh(d*x + c)^{10} + 18*(11*(a^3 + 3a^2b + 3ab^2 + b^3)d*x * \cosh(d*x + c)^2 - a^2b - 2ab^2 - b^3 + (a^3 + 3a^2b + 3ab^2 + b^3)d*x) * \sinh(d*x + c)^{10} + 60*(11*(a^3 + 3a^2b + 3ab^2 + b^3)d*x * \cosh(d*x + c)^3 - 3*(a^2b + 2ab^2 + b^3 - (a^3 + 3a^2b + 3ab^2 + b^3)d*x) * \cosh(d*x + c)) * \sinh(d*x + c)^9 - 9*(8a^2b + 12ab^2 + 4b^3 - 5*(a^3 + 3a^2b + 3ab^2 + b^3)d*x) * \cosh(d*x + c)^8 + 9*(165*(a^3 + 3a^2b + 3ab^2 + b^3)d*x * \cosh(d*x + c)^4 - 8a^2b - 12ab^2 - 4b^3 + 5*(a^3 + 3a^2b + 3ab^2 + b^3)d*x - 90*(a^2b + 2ab^2 + b^3 - (a^3 + 3a^2b + 3ab^2 + b^3)d*x) * \cosh(d*x + c)^2) * \sinh(d*x + c)^8 + 72*(33*(a^3 + 3a^2b + 3ab^2 + b^3)d*x * \cosh(d*x + c)^5 - 30*(a^2b + 2ab^2 + b^3 - (a^3 + 3a^2b + 3ab^2 + b^3)d*x) * \cosh(d*x + c)^3 - (8a^2b + 12ab^2 + 4b^3 - 5*(a^3 + 3a^2b + 3ab^2 + b^3)d*x) * \cosh(d*x + c)) * \sinh(d*x + c)^7 - 4*(27a^2b + 36ab^2 + 17b^3 - 15*(a^3 + 3a^2b + 3ab^2 + b^3)d*x) * \cosh(d*x + c)^6 + 4*(693*(a^3 + 3a^2b + 3ab^2 + b^3)d*x * \cosh(d*x + c)^6 - 945*(a^2b + 2ab^2 + b^3 - (a^3 + 3a^2b + 3ab^2 + b^3)d*x) * \cosh(d*x + c)^4 - 27a^2b - 36ab^2 - 17b^3 + 15*(a^3 + 3a^2b + 3ab^2 + b^3)d*x - 63*(8a^2b + 12ab^2 + 4b^3 - 5*(a^3 + 3a^2b + 3ab^2 + b^3)d*x) * \cosh(d*x + c)^2) * \sinh(d*x + c)^6 + 24*(99*(a^3 + 3a^2b + 3ab^2 + b^3)d*x * \cosh(d*x + c)^7 - 189*(a^2b + 2ab^2 + b^3 - (a^3 + 3a^2b + 3ab^2 + b^3)d*x) * \cosh(d*x + c)^5 - 21*(8a^2b + 12ab^2 + 4b^3 - 5*(a^3 + 3a^2b + 3ab^2 + b^3)d*x) * \cosh(d*x + c)^3 - (27a^2b + 36ab^2 + 17b^3 - 15*(a^3 + 3a^2b + 3ab^2 + b^3)d*x) * \cosh(d*x + c)) * \sinh(d*x + c)^5 - 9*(8a^2b + 12ab^2 + 4b^3 - 5*(a^3 + 3a^2b + 3ab^2 + b^3)d*x) * \cosh(d*x + c)^4 + 3*(495*(a^3 + 3a^2b + 3ab^2 + b^3)d*x * \cosh(d*x + c)^8 - 1260*(a^2b + 2ab^2 + b^3 - (a^3 + 3a^2b + 3ab^2 + b^3)d*x) * \cosh(d*x + c)^6 - 210*(8a^2b + 12ab^2 + 4b^3 - 5*(a^3 + 3a^2b + 3ab^2 + b^3)d*x) * \cosh(d*x + c)^4 - 24a^2b - 36ab^2 - 12b^3 + 15*(a^3 + 3a^2b + 3ab^2 + b^3)d*x - 20*(27a^2b + 36ab^2 + 17b^3 - 15*(a^3 + 3a^2b + 3ab^2 + b^3)d*x) * \cosh(d*x + c)^2) * \sinh(d*x + c)^4 + 4*(165*(a^3 + 3a^2b + 3ab^2 + b^3)d*x * \cosh(d*x + c)^9 - 540*(a^2b + 2ab^2 + b^3 - (a^3 + 3a^2b + 3ab^2 + b^3)d*x) * \cosh(d*x + c)^7 - 126*(8a^2b + 12ab^2 + 4b^3 - 5*(a^3 + 3a^2b + 3ab^2 + b^3)d*x) * \cosh(d*x + c)^5 - 20*(27a^2b + 36ab^2 + 17b^3 - 15*(a^3 + 3a^2b + 3ab^2 + b^3)d*x) * \cosh(d*x + c)^3 - 9*(8a^2b + 12ab^2 + 4b^3 - 5*(a^3 + 3a^2b + 3ab^2 + b^3)d*x) * \cosh(d*x + c)) * \sinh(d*x + c)^3 + 3*(a^3 + 3a^2b + 3ab^2 + b^3)d*x - 18*(a^2b + 2ab^2 + b^3 - (a^3 + 3a^2b + 3ab^2 + b^3)d*x) * \cosh(d*x + c)^2 + 6*(33*(a^3 + 3a^2b + 3ab^2 + b^3)d*x * \cosh(d*x + c)^10 - 135*(a^2b + 2ab^2 + b^3 - (a^3 + 3a^2b + 3ab^2 + b^3)d*x) * \cosh(d*x + c)^8 - 42*(8a^2b + 12ab^2 + 4b^3 - 5*(a^3 + 3a^2b + 3ab^2 + b^3)d*x) * \cosh(d*x + c)^6 - 10*(27a^2b + 36ab^2 + 17b^3 - 15*(a^3 + 3a^2b + 3ab^2 + b^3)d*x) * \cosh(d*x + c)^4 - 3a^2b - 6ab^2 - 3b^3 + 3*(a^3 + 3a^2b + 3ab^2 + b^3)d*x - 9*(8a^2b + 12ab^2 + 4b^3 - 5*(a^3 + 3a^2b + 3ab^2 + b^3)d*x) * \cosh(d*x + c)^2) * \sinh(d*x + c)^2 - 3*((a^3 + 3a^2b + 3ab^2 + b^3) * \cosh(d*x + c)^12 + 12*(a^3 + 3a^2b + 3ab^2 + b^3) * \cosh(d*x + c) * \sinh(d*x + c)^11 + (a^3 + 3a^2b +
\end{aligned}$$

$$\begin{aligned}
& 3*a*b^2 + b^3)*\sinh(d*x + c)^{12} + 6*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^{10} + 6*(a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 11*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^{10} + 20*(11*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^3 + 3*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c))*\sinh(d*x + c)^9 + 15*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^8 + 15*(33*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^4 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 18*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^8 + 24*(33*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^5 + 30*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^3 + 5*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c))*\sinh(d*x + c)^7 + 20*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^6 + 4*(231*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^6 + 315*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^4 + 5*a^3 + 15*a^2*b + 15*a*b^2 + 5*b^3 + 105*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^6 + 24*(33*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^7 + 63*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^5 + 35*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^3 + 5*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c))*\sinh(d*x + c)^5 + 15*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^4 + 15*(33*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^8 + 84*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^6 + 70*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^4 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 20*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + 20*(11*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^9 + 36*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^7 + 42*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^5 + 20*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^3 + 3*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c))*\sinh(d*x + c)^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 6*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^2 + 6*(11*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^10 + 45*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^8 + 70*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^6 + 50*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^4 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 15*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 + 12*((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^11 + 5*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^9 + 10*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^7 + 10*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^5 + 5*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^3 + (a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c))*\sinh(d*x + c))*\log(2*\cosh(d*x + c)/(\cosh(d*x + c) - \sinh(d*x + c))) + 12*(3*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x*\cosh(d*x + c)^11 - 15*(a^2*b + 2*a*b^2 + b^3 - (a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^9 - 6*(8*a^2*b + 12*a*b^2 + 4*b^3 - 5*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^7 - 2*(27*a^2*b + 36*a*b^2 + 17*b^3 - 15*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^5 - 3*(8*a^2*b + 12*a*b^2 + 4*b^3 - 5*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^3 - 3*(a^2*b + 2*a*b^2 + b^3 - (a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c))*\sinh(d*x + c))/(d*\cosh(d*x + c)^12 + 12*d*\cosh(d*x + c)*\sinh(d*x + c)^11 + d*\sinh(d*x + c)^12 + 6*d*\cosh(d*x + c)^10 + 6*(11*d*\cosh(d*x + c)^2 + d)*\sinh(d*x + c)^10 + 20*(11*d*\cosh(d*x + c)^3 + 3*d*\cosh(d*x + c))*\sinh(d*x + c)^9 + 15*d*\cosh(d*x + c)^8 + 15*(33*d*\cosh(d*x + c)^4 + 18*d*c
\end{aligned}$$

$\cosh(dx + c)^2 + d) \sinh(dx + c)^8 + 24(33d \cosh(dx + c)^5 + 30d \cosh(dx + c)^3 + 5d \cosh(dx + c)) \sinh(dx + c)^7 + 20d \cosh(dx + c)^6 + 4(231d \cosh(dx + c)^6 + 315d \cosh(dx + c)^4 + 105d \cosh(dx + c)^2 + 5d) \sinh(dx + c)^6 + 24(33d \cosh(dx + c)^7 + 63d \cosh(dx + c)^5 + 35d \cosh(dx + c)^3 + 5d \cosh(dx + c)) \sinh(dx + c)^5 + 15d \cosh(dx + c)^4 + 15(33d \cosh(dx + c)^8 + 84d \cosh(dx + c)^6 + 70d \cosh(dx + c)^4 + 20d \cosh(dx + c)^2 + d) \sinh(dx + c)^4 + 20(11d \cosh(dx + c)^9 + 36d \cosh(dx + c)^7 + 42d \cosh(dx + c)^5 + 20d \cosh(dx + c)^3 + 3d \cosh(dx + c)) \sinh(dx + c)^3 + 6d \cosh(dx + c)^2 + 6(11d \cosh(dx + c)^10 + 45d \cosh(dx + c)^8 + 70d \cosh(dx + c)^6 + 50d \cosh(dx + c)^4 + 15d \cosh(dx + c)^2 + d) \sinh(dx + c)^2 + 12(d \cosh(dx + c)^11 + 5d \cosh(dx + c)^9 + 10d \cosh(dx + c)^7 + 10d \cosh(dx + c)^5 + 5d \cosh(dx + c)^3 + d \cosh(dx + c)) \sinh(dx + c) + d$

**Sympy [A]** time = 1.40382, size = 211, normalized size = 2.54

$$\left\{ \begin{array}{l} a^3 x - \frac{a^3 \log(\tanh(c+dx)+1)}{d} + 3a^2 b x - \frac{3a^2 b \log(\tanh(c+dx)+1)}{d} - \frac{3a^2 b \tanh^2(c+dx)}{2d} + 3ab^2 x - \frac{3ab^2 \log(\tanh(c+dx)+1)}{d} - \frac{3ab^2 \tanh^4(c+dx)}{4d} \\ x(a + b \tanh^2(c))^3 \tanh(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(dx+c)\*(a+b\*tanh(dx+c)\*\*2)\*\*3,x)

[Out] Piecewise((a\*\*3\*x - a\*\*3\*log(tanh(c + dx) + 1)/d + 3\*a\*\*2\*b\*x - 3\*a\*\*2\*b\*log(tanh(c + dx) + 1)/d - 3\*a\*\*2\*b\*tanh(c + dx)\*\*2/(2\*d) + 3\*a\*b\*\*2\*x - 3\*a\*b\*\*2\*log(tanh(c + dx) + 1)/d - 3\*a\*b\*\*2\*tanh(c + dx)\*\*4/(4\*d) - 3\*a\*b\*\*2\*tanh(c + dx)\*\*2/(2\*d) + b\*\*3\*x - b\*\*3\*log(tanh(c + dx) + 1)/d - b\*\*3\*tanh(c + dx)\*\*6/(6\*d) - b\*\*3\*tanh(c + dx)\*\*4/(4\*d) - b\*\*3\*tanh(c + dx)\*\*2/(2\*d), Ne(d, 0)), (x\*(a + b\*tanh(c)\*\*2)\*\*3\*tanh(c), True))

**Giac [B]** time = 1.38566, size = 296, normalized size = 3.57

$$-\frac{(a^3 + 3a^2b + 3ab^2 + b^3)(dx + c)}{d} + \frac{(a^3 + 3a^2b + 3ab^2 + b^3) \log(e^{2dx+2c} + 1)}{d} + \frac{2(9(a^2b + 2ab^2 + b^3)e^{10dx+10c} + 1)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(dx+c)\*(a+b\*tanh(dx+c)^2)^3,x, algorithm="giac")

```
[Out] -(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*(d*x + c)/d + (a^3 + 3*a^2*b + 3*a*b^2 + b^3)*log(e^(2*d*x + 2*c) + 1)/d + 2/3*(9*(a^2*b + 2*a*b^2 + b^3)*e^(10*d*x + 10*c) + 18*(2*a^2*b + 3*a*b^2 + b^3)*e^(8*d*x + 8*c) + 2*(27*a^2*b + 36*a*b^2 + 17*b^3)*e^(6*d*x + 6*c) + 18*(2*a^2*b + 3*a*b^2 + b^3)*e^(4*d*x + 4*c) + 9*(a^2*b + 2*a*b^2 + b^3)*e^(2*d*x + 2*c))/(d*(e^(2*d*x + 2*c) + 1)^6)
```

### 3.160 $\int (a + b \tanh^2(c + dx))^3 dx$

**Optimal.** Leaf size=74

$$-\frac{b(3a^2 + 3ab + b^2) \tanh(c + dx)}{d} - \frac{b^2(3a + b) \tanh^3(c + dx)}{3d} + x(a + b)^3 - \frac{b^3 \tanh^5(c + dx)}{5d}$$

[Out] (a + b)^3\*x - (b\*(3\*a^2 + 3\*a\*b + b^2)\*Tanh[c + d\*x])/d - (b^2\*(3\*a + b)\*Tanh[c + d\*x]^3)/(3\*d) - (b^3\*Tanh[c + d\*x]^5)/(5\*d)

**Rubi [A]** time = 0.0458704, antiderivative size = 74, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$ , Rules used = {3661, 390, 206}

$$-\frac{b(3a^2 + 3ab + b^2) \tanh(c + dx)}{d} - \frac{b^2(3a + b) \tanh^3(c + dx)}{3d} + x(a + b)^3 - \frac{b^3 \tanh^5(c + dx)}{5d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Tanh[c + d\*x]^2)^3, x]

[Out] (a + b)^3\*x - (b\*(3\*a^2 + 3\*a\*b + b^2)\*Tanh[c + d\*x])/d - (b^2\*(3\*a + b)\*Tanh[c + d\*x]^3)/(3\*d) - (b^3\*Tanh[c + d\*x]^5)/(5\*d)

#### Rule 3661

```
Int[((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_), x_Symbol] :=
With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[(a + b*(
ff*x)^n]^p/(c^2 + ff^2*x^2), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a,
b, c, e, f, n, p}, x] && (IntegersQ[n, p] || IGtQ[p, 0] || EqQ[n^2, 4] || E
qQ[n^2, 16])
```

#### Rule 390

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:= Int[PolynomialDivide[(a + b*x^n)^p, (c + d*x^n)^(-q), x], x] /; FreeQ[{a
, b, c, d}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q,
0] && GeQ[p, -q]
```

#### Rule 206



```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

### Rubi steps

$$\begin{aligned} \int (a + b \tanh^2(c + dx))^3 dx &= \frac{\text{Subst}\left(\int \frac{(a+bx^2)^3}{1-x^2} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{\text{Subst}\left(\int \left(-b(3a^2 + 3ab + b^2) - b^2(3a + b)x^2 - b^3x^4 + \frac{(a+b)^3}{1-x^2}\right) dx, x, \tanh(c + dx)\right)}{d} \\ &= -\frac{b(3a^2 + 3ab + b^2) \tanh(c + dx)}{d} - \frac{b^2(3a + b) \tanh^3(c + dx)}{3d} - \frac{b^3 \tanh^5(c + dx)}{5d} + \frac{(a+b)^3}{5d} \\ &= (a+b)^3 x - \frac{b(3a^2 + 3ab + b^2) \tanh(c + dx)}{d} - \frac{b^2(3a + b) \tanh^3(c + dx)}{3d} - \frac{b^3 \tanh^5(c + dx)}{5d} \end{aligned}$$

**Mathematica [A]** time = 0.570454, size = 95, normalized size = 1.28

$$\frac{\tanh(c + dx) \left( \frac{15(a+b)^3 \tanh^{-1}\left(\sqrt{\tanh^2(c+dx)}\right)}{\sqrt{\tanh^2(c+dx)}} - b(45a^2 + 15ab(\tanh^2(c + dx) + 3) + b^2(3 \tanh^4(c + dx) + 5 \tanh^2(c + dx))) \right)}{15d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Tanh[c + d*x]^2)^3,x]
```

```
[Out] (Tanh[c + d*x]*((15*(a + b)^3*ArcTanh[Sqrt[Tanh[c + d*x]^2]]))/Sqrt[Tanh[c +
d*x]^2] - b*(45*a^2 + 15*a*b*(3 + Tanh[c + d*x]^2) + b^2*(15 + 5*Tanh[c +
d*x]^2 + 3*Tanh[c + d*x]^4)))/(15*d)
```

**Maple [B]** time = 0.004, size = 235, normalized size = 3.2

$$\frac{a^3 \ln(\tanh(dx + c) - 1)}{2d} - \frac{3 \ln(\tanh(dx + c) - 1) a^2 b}{2d} - \frac{3 \ln(\tanh(dx + c) - 1) a b^2}{2d} - \frac{\ln(\tanh(dx + c) - 1) b^3}{2d} - \frac{b^5}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*tanh(d\*x+c)^2)^3,x)

[Out] 
$$-1/2/d*a^3*\ln(\tanh(d*x+c)-1)-3/2/d*\ln(\tanh(d*x+c)-1)*a^2*b-3/2/d*\ln(\tanh(d*x+c)-1)*a*b^2-1/2/d*\ln(\tanh(d*x+c)-1)*b^3-1/5*b^3*\tanh(d*x+c)^5/d-1/3*b^3*\tanh(d*x+c)^3/d-b^3*\tanh(d*x+c)/d-a*b^2*\tanh(d*x+c)^3/d-3*a^2*b*\tanh(d*x+c)/d+1/2/d*\ln(\tanh(d*x+c)+1)*a^3+3/2/d*\ln(\tanh(d*x+c)+1)*a^2*b+3/2/d*\ln(\tanh(d*x+c)+1)*a*b^2+1/2/d*\ln(\tanh(d*x+c)+1)*b^3-3*a*b^2*\tanh(d*x+c)/d$$

**Maxima [B]** time = 1.10733, size = 323, normalized size = 4.36

$$\frac{1}{15} b^3 \left( 15x + \frac{15c}{d} - \frac{2(70e^{(-2dx-2c)} + 140e^{(-4dx-4c)} + 90e^{(-6dx-6c)} + 45e^{(-8dx-8c)} + 23)}{d(5e^{(-2dx-2c)} + 10e^{(-4dx-4c)} + 10e^{(-6dx-6c)} + 5e^{(-8dx-8c)} + e^{(-10dx-10c)} + 1)} \right) + ab^2 \left( 3x + \frac{3c}{d} - \frac{1}{d(3e^{(-2dx-2c)} + 10e^{(-4dx-4c)} + 10e^{(-6dx-6c)} + 5e^{(-8dx-8c)} + e^{(-10dx-10c)} + 1)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tanh(d\*x+c)^2)^3,x, algorithm="maxima")

[Out] 
$$\frac{1}{15} b^3 (15x + 15c/d - 2(70e^{(-2d*x - 2*c)} + 140e^{(-4d*x - 4*c)} + 90e^{(-6d*x - 6*c)} + 45e^{(-8d*x - 8*c)} + 23) / (d(5e^{(-2d*x - 2*c)} + 10e^{(-4d*x - 4*c)} + 10e^{(-6d*x - 6*c)} + 5e^{(-8d*x - 8*c)} + e^{(-10d*x - 10*c)} + 1))) + a*b^2 (3x + 3c/d - 4(3e^{(-2d*x - 2*c)} + 3e^{(-4d*x - 4*c)} + 2) / (d(3e^{(-2d*x - 2*c)} + 3e^{(-4d*x - 4*c)} + e^{(-6d*x - 6*c)} + 1))) + 3*a^2*b(x + c/d - 2/(d(e^{(-2d*x - 2*c)} + 1))) + a^3*x$$

**Fricas [B]** time = 2.0443, size = 1412, normalized size = 19.08

$$(45a^2b + 60ab^2 + 23b^3 + 15(a^3 + 3a^2b + 3ab^2 + b^3)dx) \cosh(dx + c)^5 + 5(45a^2b + 60ab^2 + 23b^3 + 15(a^3 + 3a^2b + 3ab^2 + b^3)dx) \cosh(dx + c)^4 + 5(45a^2b + 60ab^2 + 23b^3 + 15(a^3 + 3a^2b + 3ab^2 + b^3)dx) \cosh(dx + c)^3 - 5(27a^2b + 24ab^2 + 5b^3 + 15(a^3 + 3a^2b + 3ab^2 + b^3)dx) \cosh(dx + c)^2 + 5(9a^2b + 6ab^2 + b^3 + 15(a^3 + 3a^2b + 3ab^2 + b^3)dx) \cosh(dx + c) - 5(3a^2b + 2ab^2 + b^3 + 15(a^3 + 3a^2b + 3ab^2 + b^3)dx) \cosh(dx + c) + 5(3a^2b + 2ab^2 + b^3 + 15(a^3 + 3a^2b + 3ab^2 + b^3)dx) \sinh(dx + c) - 5(3a^2b + 2ab^2 + b^3 + 15(a^3 + 3a^2b + 3ab^2 + b^3)dx) \sinh(dx + c)^2 + 5(3a^2b + 2ab^2 + b^3 + 15(a^3 + 3a^2b + 3ab^2 + b^3)dx) \sinh(dx + c)^3 - 5(3a^2b + 2ab^2 + b^3 + 15(a^3 + 3a^2b + 3ab^2 + b^3)dx) \sinh(dx + c)^4 + 5(3a^2b + 2ab^2 + b^3 + 15(a^3 + 3a^2b + 3ab^2 + b^3)dx) \sinh(dx + c)^5$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out] 
$$\frac{1}{15} ((45a^2b + 60a*b^2 + 23b^3 + 15(a^3 + 3a^2b + 3a*b^2 + b^3)*d*x) * \cosh(d*x + c)^5 + 5(45a^2b + 60a*b^2 + 23b^3 + 15(a^3 + 3a^2b + 3a*b^2 + b^3)*d*x) * \cosh(d*x + c) * \sinh(d*x + c)^4 - (45a^2b + 60a*b^2 + 23b^3) * \sinh(d*x + c)^5 + 5(45a^2b + 60a*b^2 + 23b^3 + 15(a^3 + 3a^2b + 3a*b^2 + b^3)*d*x) * \cosh(d*x + c)^3 - 5(27a^2b + 24a*b^2 + 5b^3 + 15(a^3 + 3a^2b + 3a*b^2 + b^3)*d*x) * \cosh(d*x + c)^2 + 5(9a^2b + 6ab^2 + b^3 + 15(a^3 + 3a^2b + 3a*b^2 + b^3)*d*x) * \cosh(d*x + c) - 5(3a^2b + 2ab^2 + b^3 + 15(a^3 + 3a^2b + 3a*b^2 + b^3)*d*x) * \cosh(d*x + c) + 5(3a^2b + 2ab^2 + b^3 + 15(a^3 + 3a^2b + 3a*b^2 + b^3)*d*x) * \sinh(d*x + c) - 5(3a^2b + 2ab^2 + b^3 + 15(a^3 + 3a^2b + 3a*b^2 + b^3)*d*x) * \sinh(d*x + c)^2 + 5(3a^2b + 2ab^2 + b^3 + 15(a^3 + 3a^2b + 3a*b^2 + b^3)*d*x) * \sinh(d*x + c)^3 - 5(3a^2b + 2ab^2 + b^3 + 15(a^3 + 3a^2b + 3a*b^2 + b^3)*d*x) * \sinh(d*x + c)^4 + 5(3a^2b + 2ab^2 + b^3 + 15(a^3 + 3a^2b + 3a*b^2 + b^3)*d*x) * \sinh(d*x + c)^5$$

$$2*(45*a^2*b + 60*a*b^2 + 23*b^3)*\cosh(d*x + c)^2*\sinh(d*x + c)^3 + 5*(2*(45*a^2*b + 60*a*b^2 + 23*b^3 + 15*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^3 + 3*(45*a^2*b + 60*a*b^2 + 23*b^3 + 15*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)*\sinh(d*x + c)^2 + 10*(45*a^2*b + 60*a*b^2 + 23*b^3 + 15*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c) - 5*((45*a^2*b + 60*a*b^2 + 23*b^3)*\cosh(d*x + c)^4 + 18*a^2*b + 12*a*b^2 + 10*b^3 + 3*(27*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c))/(d*\cosh(d*x + c)^5 + 5*d*\cosh(d*x + c)*\sinh(d*x + c)^4 + 5*d*\cosh(d*x + c)^3 + 5*(2*d*\cosh(d*x + c)^3 + 3*d*\cosh(d*x + c))*\sinh(d*x + c)^2 + 10*d*\cosh(d*x + c))$$

**Sympy [A]** time = 0.904005, size = 126, normalized size = 1.7

$$\left\{ \begin{array}{l} a^3x + 3a^2bx - \frac{3a^2b \tanh(c+dx)}{d} + 3ab^2x - \frac{ab^2 \tanh^3(c+dx)}{d} - \frac{3ab^2 \tanh(c+dx)}{d} + b^3x - \frac{b^3 \tanh^5(c+dx)}{5d} - \frac{b^3 \tanh^3(c+dx)}{3d} - \frac{b^3 \tanh(c+dx)}{d} \\ x(a + b \tanh^2(c))^3 \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tanh(d\*x+c)\*\*2)\*\*3,x)

[Out] Piecewise((a\*\*3\*x + 3\*a\*\*2\*b\*x - 3\*a\*\*2\*b\*tanh(c + d\*x)/d + 3\*a\*b\*\*2\*x - a\*\*2\*tanh(c + d\*x)\*\*3/d - 3\*a\*b\*\*2\*tanh(c + d\*x)/d + b\*\*3\*x - b\*\*3\*tanh(c + d\*x)\*\*5/(5\*d) - b\*\*3\*tanh(c + d\*x)\*\*3/(3\*d) - b\*\*3\*tanh(c + d\*x)/d, Ne(d, 0)), (x\*(a + b\*tanh(c)\*\*2)\*\*3, True))

**Giac [B]** time = 1.18731, size = 325, normalized size = 4.39

$$\frac{(a^3 + 3a^2b + 3ab^2 + b^3)(dx + c)}{d} + \frac{2(45a^2be^{(8dx+8c)} + 90ab^2e^{(8dx+8c)} + 45b^3e^{(8dx+8c)} + 180a^2be^{(6dx+6c)} + 270ab^2e^{(6dx+6c)} + 90a^2be^{(4dx+4c)} + 180ab^2e^{(4dx+4c)} + 70b^3e^{(4dx+4c)} + 210a^2be^{(2dx+2c)} + 270ab^2e^{(2dx+2c)} + 70b^3e^{(2dx+2c)})}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out] (a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*(d\*x + c)/d + 2/15\*(45\*a^2\*b\*e^(8\*d\*x + 8\*c) + 90\*a\*b^2\*e^(8\*d\*x + 8\*c) + 45\*b^3\*e^(8\*d\*x + 8\*c) + 180\*a^2\*b\*e^(6\*d\*x + 6\*c) + 270\*a\*b^2\*e^(6\*d\*x + 6\*c) + 90\*b^3\*e^(6\*d\*x + 6\*c) + 270\*a^2\*b\*e^(4\*d\*x + 4\*c) + 330\*a\*b^2\*e^(4\*d\*x + 4\*c) + 140\*b^3\*e^(4\*d\*x + 4\*c) + 180\*a^2\*b\*e^(2\*d\*x + 2\*c) + 210\*a\*b^2\*e^(2\*d\*x + 2\*c) + 70\*b^3\*e^(2\*d\*x + 2\*c) +

$$45*a^2*b + 60*a*b^2 + 23*b^3)/(d*(e^(2*d*x + 2*c) + 1)^5)$$

$$3.161 \quad \int \coth(c + dx) \left( a + b \tanh^2(c + dx) \right)^3 dx$$

**Optimal.** Leaf size=72

$$\frac{a^3 \log(\tanh(c + dx))}{d} - \frac{b^2(3a + b) \tanh^2(c + dx)}{2d} + \frac{(a + b)^3 \log(\cosh(c + dx))}{d} - \frac{b^3 \tanh^4(c + dx)}{4d}$$

[Out] ((a + b)^3\*Log[Cosh[c + d\*x]])/d + (a^3\*Log[Tanh[c + d\*x]])/d - (b^2\*(3\*a + b)\*Tanh[c + d\*x]^2)/(2\*d) - (b^3\*Tanh[c + d\*x]^4)/(4\*d)

**Rubi [A]** time = 0.0984251, antiderivative size = 72, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3670, 446, 72}

$$\frac{a^3 \log(\tanh(c + dx))}{d} - \frac{b^2(3a + b) \tanh^2(c + dx)}{2d} + \frac{(a + b)^3 \log(\cosh(c + dx))}{d} - \frac{b^3 \tanh^4(c + dx)}{4d}$$

Antiderivative was successfully verified.

[In] Int[Coth[c + d\*x]\*(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] ((a + b)^3\*Log[Cosh[c + d\*x]])/d + (a^3\*Log[Tanh[c + d\*x]])/d - (b^2\*(3\*a + b)\*Tanh[c + d\*x]^2)/(2\*d) - (b^3\*Tanh[c + d\*x]^4)/(4\*d)

### Rule 3670

Int[((d\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_))^(p\_.), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f\*ff^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

### Rule 446

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_.), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p\*(c + d\*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b\*c - a\*d, 0] && IntegerQ[Simplify[(m + 1)/n]]

### Rule 72

```
Int[((e_.) + (f_.)*(x_))^(p_.)/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))),
  x_Symbol] :> Int[ExpandIntegrand[(e + f*x)^p/((a + b*x)*(c + d*x)), x], x]
  /; FreeQ[{a, b, c, d, e, f}, x] && IntegerQ[p]
```

### Rubi steps

$$\begin{aligned} \int \coth(c + dx) (a + b \tanh^2(c + dx))^3 dx &= \frac{\text{Subst}\left(\int \frac{(a+bx^2)^3}{x(1-x^2)} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{\text{Subst}\left(\int \frac{(a+bx)^3}{(1-x)x} dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= \frac{\text{Subst}\left(\int \left(-b^2(3a + b) - \frac{(a+b)^3}{-1+x} + \frac{a^3}{x} - b^3x\right) dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= \frac{(a + b)^3 \log(\cosh(c + dx))}{d} + \frac{a^3 \log(\tanh(c + dx))}{d} - \frac{b^2(3a + b) \tanh^2(c + dx)}{2d} \end{aligned}$$

**Mathematica [A]** time = 0.518212, size = 67, normalized size = 0.93

$$\frac{2a^3 \log(\tanh(c + dx)) - b^2(3a + b) \tanh^2(c + dx) + 2(a + b)^3 \log(\cosh(c + dx)) - \frac{1}{2}b^3 \tanh^4(c + dx)}{2d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Coth[c + d*x]*(a + b*Tanh[c + d*x]^2)^3, x]
```

```
[Out] (2*(a + b)^3*Log[Cosh[c + d*x]] + 2*a^3*Log[Tanh[c + d*x]] - b^2*(3*a + b)*
Tanh[c + d*x]^2 - (b^3*Tanh[c + d*x]^4)/2)/(2*d)
```

**Maple [A]** time = 0.055, size = 111, normalized size = 1.5

$$\frac{a^3 \ln(\sinh(dx + c))}{d} + 3 \frac{a^2 b \ln(\cosh(dx + c))}{d} + 3 \frac{ab^2 \ln(\cosh(dx + c))}{d} - \frac{3(\tanh(dx + c))^2 ab^2}{2d} + \frac{b^3 \ln(\cosh(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(coth(d*x+c)*(a+b*tanh(d*x+c)^2)^3, x)
```

[Out]  $1/d*a^3*\ln(\sinh(d*x+c))+3/d*a^2*b*\ln(\cosh(d*x+c))+3/d*a*b^2*\ln(\cosh(d*x+c))-3/2/d*\tanh(d*x+c)^2*a*b^2+1/d*b^3*\ln(\cosh(d*x+c))-1/2/d*b^3*\tanh(d*x+c)^2-1/4*b^3*\tanh(d*x+c)^4/d$

**Maxima [B]** time = 1.70616, size = 289, normalized size = 4.01

$$b^3 \left( x + \frac{c}{d} + \frac{\log(e^{(-2dx-2c)} + 1)}{d} + \frac{4(e^{(-2dx-2c)} + e^{(-4dx-4c)} + e^{(-6dx-6c)})}{d(4e^{(-2dx-2c)} + 6e^{(-4dx-4c)} + 4e^{(-6dx-6c)} + e^{(-8dx-8c)} + 1)} \right) + 3ab^2 \left( x + \frac{c}{d} + \frac{\log(e^{(-2dx-2c)} + 1)}{d} + \frac{2e^{(-2dx-2c)}}{d(2e^{(-2dx-2c)} + e^{(-4dx-4c)} + 1)} \right) + 3a^2b*\log(e^{(dx+c)} + e^{(-dx-c)})/d + a^3*\log(\sinh(dx+c))/d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(d*x+c)*(a+b*tanh(d*x+c)^2)^3,x, algorithm="maxima")`

[Out]  $b^3*(x + c/d + \log(e^{(-2*d*x - 2*c)} + 1))/d + 4*(e^{(-2*d*x - 2*c)} + e^{(-4*d*x - 4*c)} + e^{(-6*d*x - 6*c)})/(d*(4*e^{(-2*d*x - 2*c)} + 6*e^{(-4*d*x - 4*c)} + 4*e^{(-6*d*x - 6*c)} + e^{(-8*d*x - 8*c)} + 1)) + 3*a*b^2*(x + c/d + \log(e^{(-2*d*x - 2*c)} + 1))/d + 2*e^{(-2*d*x - 2*c)}/(d*(2*e^{(-2*d*x - 2*c)} + e^{(-4*d*x - 4*c)} + 1)) + 3*a^2*b*\log(e^{(d*x + c)} + e^{(-d*x - c)})/d + a^3*\log(\sinh(d*x + c))/d$

**Fricas [B]** time = 2.22105, size = 5854, normalized size = 81.31

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(d*x+c)*(a+b*tanh(d*x+c)^2)^3,x, algorithm="fricas")`

[Out]  $-((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x*\cosh(d*x + c)^8 + 8*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x*\cosh(d*x + c)*\sinh(d*x + c)^7 + (a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x*\sinh(d*x + c)^8 - 2*(3*a*b^2 + 2*b^3 - 2*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^6 + 2*(14*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x*\cosh(d*x + c)^2 - 3*a*b^2 - 2*b^3 + 2*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\sinh(d*x + c)^6 + 4*(14*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x*\cosh(d*x + c)^3 - 3*(3*a*b^2 + 2*b^3 - 2*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c))*\sinh(d*x + c)^5 - 2*(6*a*b^2 + 2*b^3 - 3*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^4 + 2*(35*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x*\cosh(d*x + c)^4 - 6*a*b^2 - 2*b^3 + 3*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x - 15*(3*a*b^2 + 2*b^3 - 2*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^2)*\sinh(d*x + c)^3$

$$\begin{aligned}
& d*x + c)^4 + 8*(7*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x*cosh(d*x + c)^5 - 5*( \\
& 3*a*b^2 + 2*b^3 - 2*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*cosh(d*x + c)^3 - \\
& (6*a*b^2 + 2*b^3 - 3*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*cosh(d*x + c))*si \\
& nh(d*x + c)^3 + (a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x - 2*(3*a*b^2 + 2*b^3 - \\
& 2*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*cosh(d*x + c)^2 + 2*(14*(a^3 + 3*a^2 \\
& *b + 3*a*b^2 + b^3)*d*x*cosh(d*x + c)^6 - 15*(3*a*b^2 + 2*b^3 - 2*(a^3 + 3* \\
& a^2*b + 3*a*b^2 + b^3)*d*x)*cosh(d*x + c)^4 - 3*a*b^2 - 2*b^3 + 2*(a^3 + 3* \\
& a^2*b + 3*a*b^2 + b^3)*d*x - 6*(6*a*b^2 + 2*b^3 - 3*(a^3 + 3*a^2*b + 3*a*b^ \\
& 2 + b^3)*d*x)*cosh(d*x + c)^2)*sinh(d*x + c)^2 - ((3*a^2*b + 3*a*b^2 + b^3) \\
& *cosh(d*x + c)^8 + 8*(3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)*sinh(d*x + c)^ \\
& 7 + (3*a^2*b + 3*a*b^2 + b^3)*sinh(d*x + c)^8 + 4*(3*a^2*b + 3*a*b^2 + b^3) \\
& *cosh(d*x + c)^6 + 4*(3*a^2*b + 3*a*b^2 + b^3 + 7*(3*a^2*b + 3*a*b^2 + b^3) \\
& *cosh(d*x + c)^2)*sinh(d*x + c)^6 + 8*(7*(3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x \\
& + c)^3 + 3*(3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c))*sinh(d*x + c)^5 + 6*(3 \\
& *a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)^4 + 2*(35*(3*a^2*b + 3*a*b^2 + b^3)*c \\
& osh(d*x + c)^4 + 9*a^2*b + 9*a*b^2 + 3*b^3 + 30*(3*a^2*b + 3*a*b^2 + b^3)*c \\
& osh(d*x + c)^2)*sinh(d*x + c)^4 + 8*(7*(3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + \\
& c)^5 + 10*(3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)^3 + 3*(3*a^2*b + 3*a*b^2 \\
& + b^3)*cosh(d*x + c))*sinh(d*x + c)^3 + 3*a^2*b + 3*a*b^2 + b^3 + 4*(3*a^2 \\
& *b + 3*a*b^2 + b^3)*cosh(d*x + c)^2 + 4*(7*(3*a^2*b + 3*a*b^2 + b^3)*cosh(d \\
& *x + c)^6 + 15*(3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)^4 + 3*a^2*b + 3*a*b^ \\
& 2 + b^3 + 9*(3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)^2)*sinh(d*x + c)^2 + 8* \\
& ((3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)^7 + 3*(3*a^2*b + 3*a*b^2 + b^3)*co \\
& sh(d*x + c)^5 + 3*(3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)^3 + (3*a^2*b + 3* \\
& a*b^2 + b^3)*cosh(d*x + c))*sinh(d*x + c))*log(2*cosh(d*x + c)/(cosh(d*x + \\
& c) - sinh(d*x + c))) - (a^3*cosh(d*x + c)^8 + 8*a^3*cosh(d*x + c)*sinh(d*x \\
& + c)^7 + a^3*sinh(d*x + c)^8 + 4*a^3*cosh(d*x + c)^6 + 6*a^3*cosh(d*x + c)^ \\
& 4 + 4*(7*a^3*cosh(d*x + c)^2 + a^3)*sinh(d*x + c)^6 + 8*(7*a^3*cosh(d*x + c \\
& )^3 + 3*a^3*cosh(d*x + c))*sinh(d*x + c)^5 + 4*a^3*cosh(d*x + c)^2 + 2*(35* \\
& a^3*cosh(d*x + c)^4 + 30*a^3*cosh(d*x + c)^2 + 3*a^3)*sinh(d*x + c)^4 + 8*( \\
& 7*a^3*cosh(d*x + c)^5 + 10*a^3*cosh(d*x + c)^3 + 3*a^3*cosh(d*x + c))*sinh( \\
& d*x + c)^3 + a^3 + 4*(7*a^3*cosh(d*x + c)^6 + 15*a^3*cosh(d*x + c)^4 + 9*a^ \\
& 3*cosh(d*x + c)^2 + a^3)*sinh(d*x + c)^2 + 8*(a^3*cosh(d*x + c)^7 + 3*a^3*c \\
& osh(d*x + c)^5 + 3*a^3*cosh(d*x + c)^3 + a^3*cosh(d*x + c))*sinh(d*x + c))* \\
& log(2*sinh(d*x + c)/(cosh(d*x + c) - sinh(d*x + c))) + 4*(2*(a^3 + 3*a^2*b \\
& + 3*a*b^2 + b^3)*d*x*cosh(d*x + c)^7 - 3*(3*a*b^2 + 2*b^3 - 2*(a^3 + 3*a^2* \\
& b + 3*a*b^2 + b^3)*d*x)*cosh(d*x + c)^5 - 2*(6*a*b^2 + 2*b^3 - 3*(a^3 + 3*a \\
& ^2*b + 3*a*b^2 + b^3)*d*x)*cosh(d*x + c)^3 - (3*a*b^2 + 2*b^3 - 2*(a^3 + 3* \\
& a^2*b + 3*a*b^2 + b^3)*d*x)*cosh(d*x + c))*sinh(d*x + c))/(d*cosh(d*x + c)^ \\
& 8 + 8*d*cosh(d*x + c)*sinh(d*x + c)^7 + d*sinh(d*x + c)^8 + 4*d*cosh(d*x + \\
& c)^6 + 4*(7*d*cosh(d*x + c)^2 + d)*sinh(d*x + c)^6 + 8*(7*d*cosh(d*x + c)^3 \\
& + 3*d*cosh(d*x + c))*sinh(d*x + c)^5 + 6*d*cosh(d*x + c)^4 + 2*(35*d*cosh( \\
& d*x + c)^4 + 30*d*cosh(d*x + c)^2 + 3*d)*sinh(d*x + c)^4 + 8*(7*d*cosh(d*x \\
& + c)^5 + 10*d*cosh(d*x + c)^3 + 3*d*cosh(d*x + c))*sinh(d*x + c)^3 + 4*d*co \\
& sh(d*x + c)^2 + 4*(7*d*cosh(d*x + c)^6 + 15*d*cosh(d*x + c)^4 + 9*d*cosh(d*
\end{aligned}$$



$x + c)^2 + d) \sinh(dx + c)^2 + 8(d \cosh(dx + c)^7 + 3d \cosh(dx + c)^5 + 3d \cosh(dx + c)^3 + d \cosh(dx + c)) \sinh(dx + c) + d)$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(dx+c)\*(a+b\*tanh(dx+c)\*\*2)\*\*3,x)

[Out] Timed out

**Giac [B]** time = 1.41302, size = 366, normalized size = 5.08

$$\frac{a^3 \log(e^{(2dx+2c)} + e^{(-2dx-2c)} - 2)}{2d} + \frac{(3a^2b + 3ab^2 + b^3) \log(e^{(2dx+2c)} + e^{(-2dx-2c)} + 2)}{2d} - \frac{9a^2b(e^{(2dx+2c)} + e^{(-2dx-2c)})^2}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(dx+c)\*(a+b\*tanh(dx+c)^2)^3,x, algorithm="giac")

[Out]  $\frac{1}{2}a^3 \log(e^{(2dx+2c)} + e^{(-2dx-2c)} - 2)/d + \frac{1}{2}(3a^2b + 3a^2b^2 + b^3) \log(e^{(2dx+2c)} + e^{(-2dx-2c)} + 2)/d - \frac{1}{4}(9a^2b(e^{(2dx+2c)} + e^{(-2dx-2c)})^2 + 9a^2b^2(e^{(2dx+2c)} + e^{(-2dx-2c)})^2 + 3b^3(e^{(2dx+2c)} + e^{(-2dx-2c)})^2 + 36a^2b(e^{(2dx+2c)} + e^{(-2dx-2c)}) + 12a^2b^2(e^{(2dx+2c)} + e^{(-2dx-2c)}) - 4b^3(e^{(2dx+2c)} + e^{(-2dx-2c)}) + 36a^2b - 12a^2b^2 - 4b^3)/(d(e^{(2dx+2c)} + e^{(-2dx-2c)} + 2)^2)$

### 3.162 $\int \coth^2(c + dx) (a + b \tanh^2(c + dx))^3 dx$

**Optimal.** Leaf size=59

$$-\frac{a^3 \coth(c + dx)}{d} - \frac{b^2(3a + b) \tanh(c + dx)}{d} + x(a + b)^3 - \frac{b^3 \tanh^3(c + dx)}{3d}$$

[Out]  $(a + b)^3 x - (a^3 \operatorname{Coth}[c + d x])/d - (b^2 (3a + b) \operatorname{Tanh}[c + d x])/d - (b^3 \operatorname{Tanh}[c + d x]^3)/(3d)$

**Rubi [A]** time = 0.0800658, antiderivative size = 59, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$ , Rules used = {3670, 461, 207}

$$-\frac{a^3 \coth(c + dx)}{d} - \frac{b^2(3a + b) \tanh(c + dx)}{d} + x(a + b)^3 - \frac{b^3 \tanh^3(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In] `Int[Coth[c + d*x]^2*(a + b*Tanh[c + d*x]^2)^3,x]`

[Out]  $(a + b)^3 x - (a^3 \operatorname{Coth}[c + d x])/d - (b^2 (3a + b) \operatorname{Tanh}[c + d x])/d - (b^3 \operatorname{Tanh}[c + d x]^3)/(3d)$

#### Rule 3670

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_.), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[(((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f^2*x^2), x], x, (c*Tan[e + f*x])/ff, x]] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))
```

#### Rule 461

```
Int[(((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_))/((c_) + (d_.)*(x_)^(n_)), x_Symbol] :> Int[ExpandIntegrand[((e*x)^m*(a + b*x^n)^p]/(c + d*x^n), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && (IntegerQ[m] || IGtQ[2*(m + 1), 0] || !RationalQ[m])
```

#### Rule 207

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])
```

### Rubi steps

$$\begin{aligned} \int \coth^2(c + dx) (a + b \tanh^2(c + dx))^3 dx &= \frac{\text{Subst}\left(\int \frac{(a+bx^2)^3}{x^2(1-x^2)} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{\text{Subst}\left(\int \left(-b^2(3a + b) + \frac{a^3}{x^2} - b^3x^2 - \frac{(a+b)^3}{-1+x^2}\right) dx, x, \tanh(c + dx)\right)}{d} \\ &= -\frac{a^3 \coth(c + dx)}{d} - \frac{b^2(3a + b) \tanh(c + dx)}{d} - \frac{b^3 \tanh^3(c + dx)}{3d} - \frac{(a + b)^3}{3d} \\ &= (a + b)^3 x - \frac{a^3 \coth(c + dx)}{d} - \frac{b^2(3a + b) \tanh(c + dx)}{d} - \frac{b^3 \tanh^3(c + dx)}{3d} \end{aligned}$$

**Mathematica [A]** time = 2.18137, size = 81, normalized size = 1.37

$$\frac{\tanh(c + dx) \left( -3a^3 \coth^2(c + dx) - b^2 (9a + b \tanh^2(c + dx) + 3b) + 3(a + b)^3 \sqrt{\coth^2(c + dx)} \tanh^{-1} \left( \sqrt{\coth^2(c + dx)} \right) \right)}{3d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Coth[c + d*x]^2*(a + b*Tanh[c + d*x]^2)^3,x]
```

```
[Out] (Tanh[c + d*x]*(-3*a^3*Coth[c + d*x]^2 + 3*(a + b)^3*ArcTanh[Sqrt[Coth[c + d*x]^2]])*Sqrt[Coth[c + d*x]^2] - b^2*(9*a + 3*b + b*Tanh[c + d*x]^2))/(3*d)
```

**Maple [A]** time = 0.049, size = 80, normalized size = 1.4

$$\frac{1}{d} \left( a^3 (dx + c - \coth(dx + c)) + 3a^2b(dx + c) + 3ab^2(dx + c - \tanh(dx + c)) + b^3 \left( dx + c - \tanh(dx + c) - \frac{\tanh(dx + c)}{3} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(coth(d*x+c)^2*(a+b*tanh(d*x+c)^2)^3,x)`

[Out]  $\frac{1}{d}(a^3(d*x+c-\coth(d*x+c))+3a^2b(d*x+c)+3ab^2(d*x+c-\tanh(d*x+c))+b^3(d*x+c-\tanh(d*x+c)-\frac{1}{3}\tanh(d*x+c)^3))$

**Maxima [B]** time = 1.15813, size = 198, normalized size = 3.36

$$\frac{1}{3}b^3\left(3x + \frac{3c}{d} - \frac{4(3e^{(-2dx-2c)} + 3e^{(-4dx-4c)} + 2)}{d(3e^{(-2dx-2c)} + 3e^{(-4dx-4c)} + e^{(-6dx-6c)} + 1)}\right) + 3ab^2\left(x + \frac{c}{d} - \frac{2}{d(e^{(-2dx-2c)} + 1)}\right) + a^3\left(x + \frac{c}{d} + \frac{1}{d(e^{(-2dx-2c)} + 1)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(d*x+c)^2*(a+b*tanh(d*x+c)^2)^3,x, algorithm="maxima")`

[Out]  $\frac{1}{3}b^3(3x + 3c/d - 4(3e^{-2dx-2c} + 3e^{-4dx-4c} + 2)/(d(3e^{-2dx-2c} + 3e^{-4dx-4c} + e^{-6dx-6c} + 1))) + 3ab^2(x + c/d - 2/(d(e^{-2dx-2c} + 1))) + a^3(x + c/d + 2/(d(e^{-2dx-2c} - 1))) + 3a^2bx$

**Fricas [B]** time = 1.951, size = 811, normalized size = 13.75

$$\frac{(3a^3 + 9ab^2 + 4b^3)\cosh(dx+c)^4 - 4(3a^3 + 9ab^2 + 4b^3 + 3(a^3 + 3a^2b + 3ab^2 + b^3)dx)\cosh(dx+c)\sinh(dx+c)^3}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(d*x+c)^2*(a+b*tanh(d*x+c)^2)^3,x, algorithm="fricas")`

[Out]  $-\frac{1}{12}((3a^3 + 9ab^2 + 4b^3)\cosh(dx+c)^4 - 4(3a^3 + 9ab^2 + 4b^3 + 3(a^3 + 3a^2b + 3ab^2 + b^3)dx)\cosh(dx+c)\sinh(dx+c)^3 + (3a^3 + 9ab^2 + 4b^3)\sinh(dx+c)^4 + 9a^3 - 9ab^2 + 4(3a^3 - b^3)\cosh(dx+c)^2 + 2(6a^3 - 2b^3 + 3(3a^3 + 9ab^2 + 4b^3)\cosh(dx+c)^2)\sinh(dx+c)^2 - 4((3a^3 + 9ab^2 + 4b^3 + 3(a^3 + 3a^2b + 3ab^2 + b^3)dx)\cosh(dx+c)^3 + (3a^3 + 9ab^2 + 4b^3 + 3(a^3 + 3a^2b + 3ab^2 + b^3)dx)\cosh(dx+c)\sinh(dx+c)))/(d\cosh(dx+c)\sinh(dx+c)^3 + (d\cosh(dx+c)^3 + d\cosh(dx+c))\sinh(dx+c))$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(d*x+c)**2*(a+b*tanh(d*x+c)**2)**3,x)`

[Out] Timed out

**Giac [B]** time = 1.42829, size = 186, normalized size = 3.15

$$\frac{(a^3 + 3a^2b + 3ab^2 + b^3)(dx + c)}{d} - \frac{2a^3}{d(e^{2dx+2c} - 1)} + \frac{2(9ab^2e^{4dx+4c} + 6b^3e^{4dx+4c} + 18ab^2e^{2dx+2c} + 6b^3e^{2dx+2c})}{3d(e^{2dx+2c} + 1)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(d*x+c)^2*(a+b*tanh(d*x+c)^2)^3,x, algorithm="giac")`

[Out] `(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*(d*x + c)/d - 2*a^3/(d*(e^(2*d*x + 2*c) - 1)) + 2/3*(9*a*b^2*e^(4*d*x + 4*c) + 6*b^3*e^(4*d*x + 4*c) + 18*a*b^2*e^(2*d*x + 2*c) + 6*b^3*e^(2*d*x + 2*c) + 9*a*b^2 + 4*b^3)/(d*(e^(2*d*x + 2*c) + 1)^3)`

### 3.163 $\int \coth^3(c + dx) (a + b \tanh^2(c + dx))^3 dx$

**Optimal.** Leaf size=72

$$\frac{a^2(a + 3b) \log(\tanh(c + dx))}{d} - \frac{a^3 \coth^2(c + dx)}{2d} + \frac{(a + b)^3 \log(\cosh(c + dx))}{d} - \frac{b^3 \tanh^2(c + dx)}{2d}$$

[Out]  $-(a^3 \coth[c + d*x]^2)/(2*d) + ((a + b)^3 \log[\cosh[c + d*x]])/d + (a^2*(a + 3*b) \log[\tanh[c + d*x]])/d - (b^3 \tanh[c + d*x]^2)/(2*d)$

**Rubi [A]** time = 0.108481, antiderivative size = 72, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$ , Rules used = {3670, 446, 88}

$$\frac{a^2(a + 3b) \log(\tanh(c + dx))}{d} - \frac{a^3 \coth^2(c + dx)}{2d} + \frac{(a + b)^3 \log(\cosh(c + dx))}{d} - \frac{b^3 \tanh^2(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Coth}[c + d*x]^3*(a + b*\text{Tanh}[c + d*x]^2)^3, x]$

[Out]  $-(a^3 \coth[c + d*x]^2)/(2*d) + ((a + b)^3 \log[\cosh[c + d*x]])/d + (a^2*(a + 3*b) \log[\tanh[c + d*x]])/d - (b^3 \tanh[c + d*x]^2)/(2*d)$

#### Rule 3670

$\text{Int}[(d_* \tan[e_*] + (f_*) (x_*))^{(m_*)} ((a_*) + (b_*) ((c_*) \tan[e_*] + (f_*) (x_*))^{(n_*)})^{(p_*)}, x\_Symbol] \rightarrow \text{With}[\{ff = \text{FreeFactors}[\text{Tan}[e + f*x], x]\}, \text{Dist}[(c*ff)/f, \text{Subst}[\text{Int}[(d*ff*x)/c]^{m*(a + b*(ff*x)^n)^p}/(c^2 + f^2*x^2), x], x, (c*\text{Tan}[e + f*x])/ff, x]] /; \text{FreeQ}\{a, b, c, d, e, f, m, n, p\}, x \ \&\& \ (\text{IGtQ}[p, 0] \ || \ \text{EqQ}[n, 2] \ || \ \text{EqQ}[n, 4] \ || \ (\text{IntegerQ}[p] \ \&\& \ \text{RationalQ}[n]))$

#### Rule 446

$\text{Int}[(x_*)^{(m_*)} ((a_*) + (b_*) (x_*)^{(n_*)})^{(p_*)} ((c_*) + (d_*) (x_*)^{(n_*)})^{(q_*)}, x\_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q}, x], x, x^n], x] /; \text{FreeQ}\{a, b, c, d, m, n, p, q\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

#### Rule 88

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] :> Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && IntegersQ[m, n] && (IntegerQ[p] || (GtQ[m, 0] && GeQ[n, -1]))
```

### Rubi steps

$$\begin{aligned} \int \coth^3(c + dx) (a + b \tanh^2(c + dx))^3 dx &= \frac{\text{Subst}\left(\int \frac{(a+bx)^3}{x^3(1-x^2)} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{\text{Subst}\left(\int \frac{(a+bx)^3}{(1-x)x^2} dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= \frac{\text{Subst}\left(\int \left(-b^3 - \frac{(a+b)^3}{-1+x} + \frac{a^3}{x^2} + \frac{a^2(a+3b)}{x}\right) dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= -\frac{a^3 \coth^2(c + dx)}{2d} + \frac{(a + b)^3 \log(\cosh(c + dx))}{d} + \frac{a^2(a + 3b) \log(\tanh(c + dx))}{d} \end{aligned}$$

**Mathematica [A]** time = 0.436675, size = 63, normalized size = 0.88

$$\frac{-2a^2(a + 3b) \log(\tanh(c + dx)) + a^3 \coth^2(c + dx) - 2(a + b)^3 \log(\cosh(c + dx)) + b^3 \tanh^2(c + dx)}{2d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Coth[c + d*x]^3*(a + b*Tanh[c + d*x]^2)^3, x]
```

```
[Out] -(a^3*Coth[c + d*x]^2 - 2*(a + b)^3*Log[Cosh[c + d*x]] - 2*a^2*(a + 3*b)*Log[Tanh[c + d*x]] + b^3*Tanh[c + d*x]^2)/(2*d)
```

**Maple [A]** time = 0.06, size = 94, normalized size = 1.3

$$\frac{a^3 \ln(\sinh(dx + c))}{d} - \frac{a^3 (\coth(dx + c))^2}{2d} + 3 \frac{a^2 b \ln(\sinh(dx + c))}{d} + 3 \frac{ab^2 \ln(\cosh(dx + c))}{d} + \frac{b^3 \ln(\cosh(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(coth(d*x+c)^3*(a+b*tanh(d*x+c)^2)^3, x)
```

[Out]  $1/d*a^3*\ln(\sinh(d*x+c))-1/2*a^3*\coth(d*x+c)^2/d+3/d*a^2*b*\ln(\sinh(d*x+c))+3/d*a*b^2*\ln(\cosh(d*x+c))+1/d*b^3*\ln(\cosh(d*x+c))-1/2/d*b^3*\tanh(d*x+c)^2$

**Maxima [B]** time = 1.57342, size = 274, normalized size = 3.81

$$a^3 \left( x + \frac{c}{d} + \frac{\log(e^{-dx-c} + 1)}{d} + \frac{\log(e^{-dx-c} - 1)}{d} + \frac{2e^{(-2dx-2c)}}{d(2e^{(-2dx-2c)} - e^{(-4dx-4c)} - 1)} \right) + b^3 \left( x + \frac{c}{d} + \frac{\log(e^{(-2dx-2c)} + 1)}{d} + \frac{\log(e^{(-2dx-2c)} - 1)}{d} + \frac{2e^{(-2dx-2c)}}{d(2e^{(-2dx-2c)} + e^{(-4dx-4c)} + 1)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="maxima")

[Out]  $a^3*(x + c/d + \log(e^{-d*x - c} + 1)/d + \log(e^{-d*x - c} - 1)/d + 2*e^{(-2*d*x - 2*c)}/(d*(2*e^{(-2*d*x - 2*c)} - e^{(-4*d*x - 4*c)} - 1))) + b^3*(x + c/d + \log(e^{(-2*d*x - 2*c)} + 1)/d + 2*e^{(-2*d*x - 2*c)}/(d*(2*e^{(-2*d*x - 2*c)} + e^{(-4*d*x - 4*c)} + 1))) + 3*a*b^2*\log(e^{(d*x + c)} + e^{(-d*x - c)})/d + 3*a^2*b*\log(e^{(d*x + c)} - e^{(-d*x - c)})/d$

**Fricas [B]** time = 2.17306, size = 4113, normalized size = 57.12

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out]  $-((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x*\cosh(d*x + c)^8 + 8*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x*\cosh(d*x + c)*\sinh(d*x + c)^7 + (a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x*\sinh(d*x + c)^8 + 2*(a^3 - b^3)*\cosh(d*x + c)^6 + 2*(14*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x*\cosh(d*x + c)^2 + a^3 - b^3)*\sinh(d*x + c)^6 + 4*(14*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x*\cosh(d*x + c)^3 + 3*(a^3 - b^3)*\cosh(d*x + c))*\sinh(d*x + c)^5 + 2*(2*a^3 + 2*b^3 - (a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^4 + 2*(35*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x*\cosh(d*x + c)^4 + 2*a^3 + 2*b^3 - (a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x + 15*(a^3 - b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + 8*(7*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x*\cosh(d*x + c)^5 + 5*(a^3 - b^3)*\cosh(d*x + c)^3 + (2*a^3 + 2*b^3 - (a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c))*\sinh(d*x + c)^3 + (a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x + 2*(a^3 - b^3)*\cosh(d*x + c)^2 + 2*(14*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x*\cosh(d*x + c)^6 + 15*(a^3 - b^3)*\cosh(d$



$$\begin{aligned}
& *x + c)^4 + a^3 - b^3 + 6*(2*a^3 + 2*b^3 - (a^3 + 3*a^2*b + 3*a*b^2 + b^3)* \\
& d*x)*\cosh(d*x + c)^2*\sinh(d*x + c)^2 - ((3*a*b^2 + b^3)*\cosh(d*x + c)^8 + \\
& 56*(3*a*b^2 + b^3)*\cosh(d*x + c)^3*\sinh(d*x + c)^5 + 28*(3*a*b^2 + b^3)*\cos \\
& h(d*x + c)^2*\sinh(d*x + c)^6 + 8*(3*a*b^2 + b^3)*\cosh(d*x + c)*\sinh(d*x + c \\
& )^7 + (3*a*b^2 + b^3)*\sinh(d*x + c)^8 - 2*(3*a*b^2 + b^3)*\cosh(d*x + c)^4 + \\
& 2*(35*(3*a*b^2 + b^3)*\cosh(d*x + c)^4 - 3*a*b^2 - b^3)*\sinh(d*x + c)^4 + 8 \\
& *(7*(3*a*b^2 + b^3)*\cosh(d*x + c)^5 - (3*a*b^2 + b^3)*\cosh(d*x + c))*\sinh(d \\
& *x + c)^3 + 3*a*b^2 + b^3 + 4*(7*(3*a*b^2 + b^3)*\cosh(d*x + c)^6 - 3*(3*a*b \\
& ^2 + b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 + 8*((3*a*b^2 + b^3)*\cosh(d*x + \\
& c)^7 - (3*a*b^2 + b^3)*\cosh(d*x + c)^3)*\sinh(d*x + c))*\log(2*\cosh(d*x + c)/ \\
& (\cosh(d*x + c) - \sinh(d*x + c))) - ((a^3 + 3*a^2*b)*\cosh(d*x + c)^8 + 56*(a \\
& ^3 + 3*a^2*b)*\cosh(d*x + c)^3*\sinh(d*x + c)^5 + 28*(a^3 + 3*a^2*b)*\cosh(d*x \\
& + c)^2*\sinh(d*x + c)^6 + 8*(a^3 + 3*a^2*b)*\cosh(d*x + c)*\sinh(d*x + c)^7 + \\
& (a^3 + 3*a^2*b)*\sinh(d*x + c)^8 - 2*(a^3 + 3*a^2*b)*\cosh(d*x + c)^4 + 2*(3 \\
& 5*(a^3 + 3*a^2*b)*\cosh(d*x + c)^4 - a^3 - 3*a^2*b)*\sinh(d*x + c)^4 + 8*(7*( \\
& a^3 + 3*a^2*b)*\cosh(d*x + c)^5 - (a^3 + 3*a^2*b)*\cosh(d*x + c))*\sinh(d*x + \\
& c)^3 + a^3 + 3*a^2*b + 4*(7*(a^3 + 3*a^2*b)*\cosh(d*x + c)^6 - 3*(a^3 + 3*a^ \\
& 2*b)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 + 8*((a^3 + 3*a^2*b)*\cosh(d*x + c)^7 \\
& - (a^3 + 3*a^2*b)*\cosh(d*x + c)^3)*\sinh(d*x + c))*\log(2*\sinh(d*x + c)/(\cosh \\
& (d*x + c) - \sinh(d*x + c))) + 4*(2*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x*\cosh \\
& (d*x + c)^7 + 3*(a^3 - b^3)*\cosh(d*x + c)^5 + 2*(2*a^3 + 2*b^3 - (a^3 + 3*a \\
& ^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^3 + (a^3 - b^3)*\cosh(d*x + c))*\sin \\
& h(d*x + c))/(d*\cosh(d*x + c)^8 + 56*d*\cosh(d*x + c)^3*\sinh(d*x + c)^5 + 28* \\
& d*\cosh(d*x + c)^2*\sinh(d*x + c)^6 + 8*d*\cosh(d*x + c)*\sinh(d*x + c)^7 + d*s \\
& inh(d*x + c)^8 - 2*d*\cosh(d*x + c)^4 + 2*(35*d*\cosh(d*x + c)^4 - d)*\sinh(d* \\
& x + c)^4 + 8*(7*d*\cosh(d*x + c)^5 - d*\cosh(d*x + c))*\sinh(d*x + c)^3 + 4*(7 \\
& *d*\cosh(d*x + c)^6 - 3*d*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 + 8*(d*\cosh(d*x + \\
& c)^7 - d*\cosh(d*x + c)^3)*\sinh(d*x + c) + d)
\end{aligned}$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)\*\*3\*(a+b\*tanh(d\*x+c)\*\*2)\*\*3,x)

[Out] Timed out

**Giac [B]** time = 1.42108, size = 375, normalized size = 5.21

$$\frac{(3ab^2 + b^3) \log(e^{(2dx+2c)} + e^{(-2dx-2c)} + 2)}{2d} + \frac{(a^3 + 3a^2b) \log(e^{(2dx+2c)} + e^{(-2dx-2c)} - 2)}{2d} - \frac{a^3(e^{(2dx+2c)} + e^{(-2dx-2c)})^2}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out] 1/2\*(3\*a\*b^2 + b^3)\*log(e^(2\*d\*x + 2\*c) + e^(-2\*d\*x - 2\*c) + 2)/d + 1/2\*(a^3 + 3\*a^2\*b)\*log(e^(2\*d\*x + 2\*c) + e^(-2\*d\*x - 2\*c) - 2)/d - 1/4\*(a^3\*(e^(2\*d\*x + 2\*c) + e^(-2\*d\*x - 2\*c))^2 + 3\*a^2\*b\*(e^(2\*d\*x + 2\*c) + e^(-2\*d\*x - 2\*c))^2 + 3\*a\*b^2\*(e^(2\*d\*x + 2\*c) + e^(-2\*d\*x - 2\*c))^2 + b^3\*(e^(2\*d\*x + 2\*c) + e^(-2\*d\*x - 2\*c))^2 + 8\*a^3\*(e^(2\*d\*x + 2\*c) + e^(-2\*d\*x - 2\*c)) - 8\*b^3\*(e^(2\*d\*x + 2\*c) + e^(-2\*d\*x - 2\*c)) + 12\*a^3 - 12\*a^2\*b - 12\*a\*b^2 + 12\*b^3)/(((e^(2\*d\*x + 2\*c) + e^(-2\*d\*x - 2\*c))^2 - 4)\*d)

### 3.164 $\int \coth^4(c + dx) (a + b \tanh^2(c + dx))^3 dx$

**Optimal.** Leaf size=59

$$-\frac{a^2(a+3b)\coth(c+dx)}{d} - \frac{a^3\coth^3(c+dx)}{3d} + x(a+b)^3 - \frac{b^3\tanh(c+dx)}{d}$$

[Out]  $(a + b)^3 x - (a^2(a + 3b) \operatorname{Coth}[c + d x])/d - (a^3 \operatorname{Coth}[c + d x]^3)/(3d) - (b^3 \operatorname{Tanh}[c + d x])/d$

**Rubi [A]** time = 0.0812287, antiderivative size = 59, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$ , Rules used = {3670, 461, 207}

$$-\frac{a^2(a+3b)\coth(c+dx)}{d} - \frac{a^3\coth^3(c+dx)}{3d} + x(a+b)^3 - \frac{b^3\tanh(c+dx)}{d}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[\operatorname{Coth}[c + d x]^4 (a + b \operatorname{Tanh}[c + d x]^2)^3, x]$

[Out]  $(a + b)^3 x - (a^2(a + 3b) \operatorname{Coth}[c + d x])/d - (a^3 \operatorname{Coth}[c + d x]^3)/(3d) - (b^3 \operatorname{Tanh}[c + d x])/d$

#### Rule 3670

$\operatorname{Int}[\left(\left(d_{.}\right) \tan\left[e_{.}\right] + \left(f_{.}\right) \left(x_{.}\right)\right)^{\left(m_{.}\right)} \left(\left(a_{.}\right) + \left(b_{.}\right) \left(\left(c_{.}\right) \tan\left[e_{.}\right] + \left(f_{.}\right) \left(x_{.}\right)\right)^{\left(n_{.}\right)}\right)^{\left(p_{.}\right)}, x_{\text{Symbol}}] \rightarrow \operatorname{With}\left[\left\{ff = \operatorname{FreeFactors}\left[\operatorname{Tan}\left[e + f x\right], x\right]\right\}, \operatorname{Dist}\left[\left(c ff\right) / f, \operatorname{Subst}\left[\operatorname{Int}\left[\left(\left(d ff x\right) / c\right)^m \left(a + b \left(ff x\right)^n\right)^p\right] / \left(c^2 + f f^2 x^2\right), x\right], x, \left(c \operatorname{Tan}\left[e + f x\right]\right) / ff, x\right] / ; \operatorname{FreeQ}\left[\left\{a, b, c, d, e, f, m, n, p\right\}, x\right] \&\& \left(\operatorname{IGtQ}\left[p, 0\right] \mid \mid \operatorname{EqQ}\left[n, 2\right] \mid \mid \operatorname{EqQ}\left[n, 4\right] \mid \mid \left(\operatorname{IntegerQ}\left[p\right] \&\& \operatorname{RationalQ}\left[n\right]\right)\right)$

#### Rule 461

$\operatorname{Int}\left[\left(\left(e_{.}\right) \left(x_{.}\right)\right)^{\left(m_{.}\right)} \left(\left(a_{.}\right) + \left(b_{.}\right) \left(x_{.}\right)^{\left(n_{.}\right)}\right)^{\left(p_{.}\right)} / \left(\left(c_{.}\right) + \left(d_{.}\right) \left(x_{.}\right)^{\left(n_{.}\right)}\right), x_{\text{Symbol}}] \rightarrow \operatorname{Int}\left[\operatorname{ExpandIntegrand}\left[\left(\left(e x\right)^m \left(a + b x^n\right)^p\right) / \left(c + d x^n\right), x\right], x\right] / ; \operatorname{FreeQ}\left[\left\{a, b, c, d, e, m\right\}, x\right] \&\& \operatorname{NeQ}\left[b c - a d, 0\right] \&\& \operatorname{IGtQ}\left[n, 0\right] \&\& \operatorname{IGtQ}\left[p, 0\right] \&\& \left(\operatorname{IntegerQ}\left[m\right] \mid \mid \operatorname{IGtQ}\left[2(m + 1), 0\right] \mid \mid \operatorname{!RationalQ}\left[m\right]\right)$

#### Rule 207

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])
```

### Rubi steps

$$\begin{aligned} \int \coth^4(c + dx) (a + b \tanh^2(c + dx))^3 dx &= \frac{\text{Subst} \left( \int \frac{(a+bx^2)^3}{x^4(1-x^2)} dx, x, \tanh(c + dx) \right)}{d} \\ &= \frac{\text{Subst} \left( \int \left( -b^3 + \frac{a^3}{x^4} + \frac{a^2(a+3b)}{x^2} - \frac{(a+b)^3}{-1+x^2} \right) dx, x, \tanh(c + dx) \right)}{d} \\ &= -\frac{a^2(a+3b) \coth(c + dx)}{d} - \frac{a^3 \coth^3(c + dx)}{3d} - \frac{b^3 \tanh(c + dx)}{d} - \frac{(a+b)^3}{d} \\ &= (a+b)^3 x - \frac{a^2(a+3b) \coth(c + dx)}{d} - \frac{a^3 \coth^3(c + dx)}{3d} - \frac{b^3 \tanh(c + dx)}{d} \end{aligned}$$

**Mathematica [A]** time = 1.18732, size = 82, normalized size = 1.39

$$\frac{\tanh(c + dx) \left( -3a^2(a + 3b) \coth^2(c + dx) - a^3 \coth^4(c + dx) + 3(a + b)^3 \sqrt{\coth^2(c + dx)} \tanh^{-1} \left( \sqrt{\coth^2(c + dx)} \right) - 3b \right)}{3d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Coth[c + d*x]^4*(a + b*Tanh[c + d*x]^2)^3,x]
```

```
[Out] ((-3*b^3 - 3*a^2*(a + 3*b)*Coth[c + d*x]^2 - a^3*Coth[c + d*x]^4 + 3*(a + b)^3*ArcTanh[Sqrt[Coth[c + d*x]^2]]*Sqrt[Coth[c + d*x]^2])*Tanh[c + d*x])/(3*d)
```

**Maple [A]** time = 0.05, size = 80, normalized size = 1.4

$$\frac{1}{d} \left( a^3 \left( dx + c - \coth(dx + c) - \frac{(\coth(dx + c))^3}{3} \right) + 3a^2b(dx + c - \coth(dx + c)) + 3ab^2(dx + c) + b^3(dx + c - \tanh(dx + c)) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(coth(d*x+c)^4*(a+b*tanh(d*x+c)^2)^3,x)`

[Out]  $\frac{1}{d}(a^3(d*x+c-\coth(d*x+c))-1/3\coth(d*x+c)^3)+3a^2b(d*x+c-\coth(d*x+c))+3a*b^2(d*x+c)+b^3(d*x+c-\tanh(d*x+c)))$

**Maxima [B]** time = 1.07444, size = 198, normalized size = 3.36

$$\frac{1}{3}a^3\left(3x + \frac{3c}{d} - \frac{4\left(3e^{(-2dx-2c)} - 3e^{(-4dx-4c)} - 2\right)}{d\left(3e^{(-2dx-2c)} - 3e^{(-4dx-4c)} + e^{(-6dx-6c)} - 1\right)}\right) + b^3\left(x + \frac{c}{d} - \frac{2}{d\left(e^{(-2dx-2c)} + 1\right)}\right) + 3a^2b\left(x + \frac{c}{d} + \frac{1}{d\left(e^{(-2dx-2c)} + 1\right)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(d*x+c)^4*(a+b*tanh(d*x+c)^2)^3,x, algorithm="maxima")`

[Out]  $\frac{1}{3}a^3(3*x + 3*c/d - 4*(3*e^{(-2*d*x - 2*c)} - 3*e^{(-4*d*x - 4*c)} - 2)/(d*(3*e^{(-2*d*x - 2*c)} - 3*e^{(-4*d*x - 4*c)} + e^{(-6*d*x - 6*c)} - 1))) + b^3(x + c/d - 2/(d*(e^{(-2*d*x - 2*c)} + 1))) + 3*a^2*b*(x + c/d + 2/(d*(e^{(-2*d*x - 2*c)} - 1))) + 3*a*b^2*x$

**Fricas [B]** time = 2.00627, size = 811, normalized size = 13.75

$$(4a^3 + 9a^2b + 3b^3)\cosh(dx + c)^4 - 4(4a^3 + 9a^2b + 3b^3 + 3(a^3 + 3a^2b + 3ab^2 + b^3)dx)\cosh(dx + c)\sinh(dx + c)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(d*x+c)^4*(a+b*tanh(d*x+c)^2)^3,x, algorithm="fricas")`

[Out]  $-1/12*((4*a^3 + 9*a^2*b + 3*b^3)*\cosh(d*x + c)^4 - 4*(4*a^3 + 9*a^2*b + 3*b^3 + 3*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (4*a^3 + 9*a^2*b + 3*b^3)*\sinh(d*x + c)^4 - 9*a^2*b + 9*b^3 + 4*(a^3 - 3*b^3)*\cosh(d*x + c)^2 + 2*(2*a^3 - 6*b^3 + 3*(4*a^3 + 9*a^2*b + 3*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 - 4*((4*a^3 + 9*a^2*b + 3*b^3 + 3*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^3 - (4*a^3 + 9*a^2*b + 3*b^3 + 3*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c))*\sinh(d*x + c))/(d*\cosh(d*x + c)*\sinh(d*x + c)^3 + (d*\cosh(d*x + c)^3 - d*\cosh(d*x + c))*\sinh(d*x + c))$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)\*\*4\*(a+b\*tanh(d\*x+c)\*\*2)\*\*3,x)

[Out] Timed out

**Giac [B]** time = 1.4275, size = 186, normalized size = 3.15

$$\frac{(a^3 + 3a^2b + 3ab^2 + b^3)(dx + c)}{d} + \frac{2b^3}{d(e^{2dx+2c} + 1)} - \frac{2(6a^3e^{4dx+4c} + 9a^2be^{4dx+4c} - 6a^3e^{2dx+2c} - 18a^2be^{2dx+2c} + 4a^3 + 9a^2b)}{3d(e^{2dx+2c} - 1)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out] (a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*(d\*x + c)/d + 2\*b^3/(d\*(e^(2\*d\*x + 2\*c) + 1)) - 2/3\*(6\*a^3\*e^(4\*d\*x + 4\*c) + 9\*a^2\*b\*e^(4\*d\*x + 4\*c) - 6\*a^3\*e^(2\*d\*x + 2\*c) - 18\*a^2\*b\*e^(2\*d\*x + 2\*c) + 4\*a^3 + 9\*a^2\*b)/(d\*(e^(2\*d\*x + 2\*c) - 1)^3)

### 3.165 $\int \coth^5(c + dx) (a + b \tanh^2(c + dx))^3 dx$

**Optimal.** Leaf size=83

$$\frac{a(a^2 + 3ab + 3b^2) \log(\tanh(c + dx))}{d} - \frac{a^2(a + 3b) \coth^2(c + dx)}{2d} - \frac{a^3 \coth^4(c + dx)}{4d} + \frac{(a + b)^3 \log(\cosh(c + dx))}{d}$$

[Out]  $-(a^2*(a + 3*b)*Coth[c + d*x]^2)/(2*d) - (a^3*Coth[c + d*x]^4)/(4*d) + ((a + b)^3*Log[Cosh[c + d*x]])/d + (a*(a^2 + 3*a*b + 3*b^2)*Log[Tanh[c + d*x]])/d$

**Rubi [A]** time = 0.117336, antiderivative size = 83, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$ , Rules used = {3670, 446, 88}

$$\frac{a(a^2 + 3ab + 3b^2) \log(\tanh(c + dx))}{d} - \frac{a^2(a + 3b) \coth^2(c + dx)}{2d} - \frac{a^3 \coth^4(c + dx)}{4d} + \frac{(a + b)^3 \log(\cosh(c + dx))}{d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Coth}[c + d*x]^5*(a + b*\text{Tanh}[c + d*x]^2)^3, x]$

[Out]  $-(a^2*(a + 3*b)*Coth[c + d*x]^2)/(2*d) - (a^3*Coth[c + d*x]^4)/(4*d) + ((a + b)^3*Log[Cosh[c + d*x]])/d + (a*(a^2 + 3*a*b + 3*b^2)*Log[Tanh[c + d*x]])/d$

#### Rule 3670

$\text{Int}[(d* \tan[e + f*x] + (f*(x))^m) * ((a) + (b*(c* \tan[e + f*x] + (f*(x))^n))^p), x\_Symbol] := \text{With}[\{ff = \text{FreeFactors}[\text{Tan}[e + f*x], x]\}, \text{Dist}[(c*ff)/f, \text{Subst}[\text{Int}[(d*ff*x)/c]^m * (a + b*(ff*x)^n)^p / (c^2 + f*ff^2*x^2), x], x, (c*\text{Tan}[e + f*x])/ff, x] /; \text{FreeQ}[\{a, b, c, d, e, f, m, n, p\}, x] \&\& (\text{IGtQ}[p, 0] \|\ \text{EqQ}[n, 2] \|\ \text{EqQ}[n, 4] \|\ (\text{IntegerQ}[p] \&\& \text{RationalQ}[n]))$

#### Rule 446

$\text{Int}[(x)^m * ((a) + (b*(x)^n))^p * ((c) + (d*(x)^n))^q), x\_Symbol] := \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1) * (a + b*x)^p * (c + d*x)^q}, x], x, x^n], x] /; \text{FreeQ}[\{a, b, c, d, m, n, p, q\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

**Rule 88**

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] :> Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && IntegersQ[m, n] && (IntegerQ[p] || (GtQ[m, 0] && GeQ[n, -1]))
```

**Rubi steps**

$$\begin{aligned} \int \coth^5(c + dx) (a + b \tanh^2(c + dx))^3 dx &= \frac{\text{Subst} \left( \int \frac{(a+bx^2)^3}{x^5(1-x^2)} dx, x, \tanh(c + dx) \right)}{d} \\ &= \frac{\text{Subst} \left( \int \frac{(a+bx)^3}{(1-x)x^3} dx, x, \tanh^2(c + dx) \right)}{2d} \\ &= \frac{\text{Subst} \left( \int \left( -\frac{(a+b)^3}{-1+x} + \frac{a^3}{x^3} + \frac{a^2(a+3b)}{x^2} + \frac{a(a^2+3ab+3b^2)}{x} \right) dx, x, \tanh^2(c + dx) \right)}{2d} \\ &= -\frac{a^2(a+3b) \coth^2(c + dx)}{2d} - \frac{a^3 \coth^4(c + dx)}{4d} + \frac{(a+b)^3 \log(\cosh(c + dx))}{d} \end{aligned}$$

**Mathematica [A]** time = 0.555253, size = 67, normalized size = 0.81

$$\frac{-a^2(a+3b) \coth^2(c + dx) - \frac{1}{2}a^3 \coth^4(c + dx) + 2(a+b)^3 \log(\sinh(c + dx)) - 2b^3 \log(\tanh(c + dx))}{2d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Coth[c + d*x]^5*(a + b*Tanh[c + d*x]^2)^3,x]
```

```
[Out] (-(a^2*(a + 3*b)*Coth[c + d*x]^2) - (a^3*Coth[c + d*x]^4)/2 + 2*(a + b)^3*Log[Sinh[c + d*x]] - 2*b^3*Log[Tanh[c + d*x]])/(2*d)
```

**Maple [A]** time = 0.062, size = 111, normalized size = 1.3

$$\frac{a^3 \ln(\sinh(dx + c))}{d} - \frac{a^3 (\coth(dx + c))^2}{2d} - \frac{a^3 (\coth(dx + c))^4}{4d} + 3 \frac{a^2 b \ln(\sinh(dx + c))}{d} - \frac{3 a^2 b (\coth(dx + c))^2}{2d} + 3 \frac{a b^3 \ln(\tanh(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.



[In] `int(coth(d*x+c)^5*(a+b*tanh(d*x+c)^2)^3,x)`

[Out]  $\frac{1}{d}a^3\ln(\sinh(d*x+c)) - \frac{1}{2}a^3\coth(d*x+c)^2/d - \frac{1}{4}a^3\coth(d*x+c)^4/d + \frac{3}{d}a^2b\ln(\sinh(d*x+c)) - \frac{3}{2}a^2b\coth(d*x+c)^2 + \frac{3}{d}a^2b\ln(\sinh(d*x+c)) + \frac{1}{d}b^3\ln(\cosh(d*x+c))$

**Maxima [B]** time = 1.07568, size = 356, normalized size = 4.29

$$a^3 \left( x + \frac{c}{d} + \frac{\log(e^{-dx-c} + 1)}{d} + \frac{\log(e^{-dx-c} - 1)}{d} + \frac{4(e^{-2dx-2c} - e^{-4dx-4c} + e^{-6dx-6c})}{d(4e^{-2dx-2c} - 6e^{-4dx-4c} + 4e^{-6dx-6c} - e^{-8dx-8c} - 1)} \right) + 3a^2b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(d*x+c)^5*(a+b*tanh(d*x+c)^2)^3,x, algorithm="maxima")`

[Out]  $a^3(x + c/d + \log(e^{-d*x - c} + 1)/d + \log(e^{-d*x - c} - 1)/d + 4(e^{-2*d*x - 2*c} - e^{-4*d*x - 4*c} + e^{-6*d*x - 6*c})/(d(4e^{-2*d*x - 2*c} - 6e^{-4*d*x - 4*c} + 4e^{-6*d*x - 6*c} - e^{-8*d*x - 8*c} - 1))) + 3a^2b(x + c/d + \log(e^{-d*x - c} + 1)/d + \log(e^{-d*x - c} - 1)/d + 2e^{-2*d*x - 2*c}/(d(2e^{-2*d*x - 2*c} - e^{-4*d*x - 4*c} - 1))) + b^3\log(e^{d*x + c} + e^{-d*x - c})/d + 3a^2b\log(e^{d*x + c} - e^{-d*x - c})/d$

**Fricas [B]** time = 2.36982, size = 5854, normalized size = 70.53

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(d*x+c)^5*(a+b*tanh(d*x+c)^2)^3,x, algorithm="fricas")`

[Out]  $-((a^3 + 3a^2b + 3ab^2 + b^3)d*x*\cosh(d*x + c)^8 + 8(a^3 + 3a^2b + 3ab^2 + b^3)d*x*\cosh(d*x + c)*\sinh(d*x + c)^7 + (a^3 + 3a^2b + 3ab^2 + b^3)d*x*\sinh(d*x + c)^8 + 2(2a^3 + 3a^2b - 2(a^3 + 3a^2b + 3ab^2 + b^3)d*x)*\cosh(d*x + c)^6 + 2(14(a^3 + 3a^2b + 3ab^2 + b^3)d*x*\cosh(d*x + c)^2 + 2a^3 + 3a^2b - 2(a^3 + 3a^2b + 3ab^2 + b^3)d*x)*\sinh(d*x + c)^6 + 4(14(a^3 + 3a^2b + 3ab^2 + b^3)d*x*\cosh(d*x + c)^3 + 3(2a^3 + 3a^2b - 2(a^3 + 3a^2b + 3ab^2 + b^3)d*x)*\cosh(d*x + c))*\sinh(d*x + c)^5 - 2(2a^3 + 6a^2b - 3(a^3 + 3a^2b + 3ab^2 + b^3)d*x)*\cosh(d*x + c)^4 + 2(35(a^3 + 3a^2b + 3ab^2 + b^3)d*x*\cosh(d*x$

$$\begin{aligned}
& + c)^4 - 2a^3 - 6a^2b + 3(a^3 + 3a^2b + 3ab^2 + b^3)d*x + 15(2a^3 \\
& + 3a^2b - 2(a^3 + 3a^2b + 3ab^2 + b^3)d*x)*\cosh(d*x + c)^2*\sinh(d*x + c)^4 + 8(7(a^3 + 3a^2b + 3ab^2 + b^3)d*x*\cosh(d*x + c)^5 + 5(2a^3 + 3a^2b - 2(a^3 + 3a^2b + 3ab^2 + b^3)d*x)*\cosh(d*x + c)^3 - (2a^3 + 6a^2b - 3(a^3 + 3a^2b + 3ab^2 + b^3)d*x)*\cosh(d*x + c))*\sinh(d*x + c)^3 + (a^3 + 3a^2b + 3ab^2 + b^3)d*x + 2(2a^3 + 3a^2b - 2(a^3 + 3a^2b + 3ab^2 + b^3)d*x)*\cosh(d*x + c)^2 + 2(14(a^3 + 3a^2b + 3ab^2 + b^3)d*x*\cosh(d*x + c)^6 + 15(2a^3 + 3a^2b - 2(a^3 + 3a^2b + 3ab^2 + b^3)d*x)*\cosh(d*x + c)^4 + 2a^3 + 3a^2b - 2(a^3 + 3a^2b + 3ab^2 + b^3)d*x - 6(2a^3 + 6a^2b - 3(a^3 + 3a^2b + 3ab^2 + b^3)d*x)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 - (b^3*\cosh(d*x + c)^8 + 8b^3*\cosh(d*x + c)*\sinh(d*x + c)^7 + b^3*\sinh(d*x + c)^8 - 4b^3*\cosh(d*x + c)^6 + 6b^3*\cosh(d*x + c)^4 + 4(7b^3*\cosh(d*x + c)^2 - b^3)*\sinh(d*x + c)^6 + 8(7b^3*\cosh(d*x + c)^3 - 3b^3*\cosh(d*x + c))*\sinh(d*x + c)^5 - 4b^3*\cosh(d*x + c)^2 + 2(35b^3*\cosh(d*x + c)^4 - 30b^3*\cosh(d*x + c)^2 + 3b^3)*\sinh(d*x + c)^4 + 8(7b^3*\cosh(d*x + c)^5 - 10b^3*\cosh(d*x + c)^3 + 3b^3*\cosh(d*x + c))*\sinh(d*x + c)^3 + b^3 + 4(7b^3*\cosh(d*x + c)^6 - 15b^3*\cosh(d*x + c)^4 + 9b^3*\cosh(d*x + c)^2 - b^3)*\sinh(d*x + c)^2 + 8(b^3*\cosh(d*x + c)^7 - 3b^3*\cosh(d*x + c)^5 + 3b^3*\cosh(d*x + c)^3 - b^3*\cosh(d*x + c))*\sinh(d*x + c))*\log(2*\cosh(d*x + c)/(cosh(d*x + c) - sinh(d*x + c))) - ((a^3 + 3a^2b + 3ab^2)*\cosh(d*x + c)^8 + 8(a^3 + 3a^2b + 3ab^2)*\cosh(d*x + c)*\sinh(d*x + c)^7 + (a^3 + 3a^2b + 3ab^2)*\sinh(d*x + c)^8 - 4(a^3 + 3a^2b + 3ab^2)*\cosh(d*x + c)^6 - 4(a^3 + 3a^2b + 3ab^2)^2 - 7(a^3 + 3a^2b + 3ab^2)*\cosh(d*x + c)^2)*\sinh(d*x + c)^6 + 8(7(a^3 + 3a^2b + 3ab^2)*\cosh(d*x + c)^3 - 3(a^3 + 3a^2b + 3ab^2)*\cosh(d*x + c))*\sinh(d*x + c)^5 + 6(a^3 + 3a^2b + 3ab^2)*\cosh(d*x + c)^4 + 2(35(a^3 + 3a^2b + 3ab^2)*\cosh(d*x + c)^4 + 3a^3 + 9a^2b + 9ab^2 - 30(a^3 + 3a^2b + 3ab^2)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + 8(7(a^3 + 3a^2b + 3ab^2)*\cosh(d*x + c)^5 - 10(a^3 + 3a^2b + 3ab^2)*\cosh(d*x + c)^3 + 3(a^3 + 3a^2b + 3ab^2)*\cosh(d*x + c))*\sinh(d*x + c)^3 + a^3 + 3a^2b + 3ab^2 - 4(a^3 + 3a^2b + 3ab^2)*\cosh(d*x + c)^2 + 4(7(a^3 + 3a^2b + 3ab^2)*\cosh(d*x + c)^6 - 15(a^3 + 3a^2b + 3ab^2)*\cosh(d*x + c)^4 - a^3 - 3a^2b - 3ab^2 + 9(a^3 + 3a^2b + 3ab^2)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 + 8((a^3 + 3a^2b + 3ab^2)*\cosh(d*x + c)^7 - 3(a^3 + 3a^2b + 3ab^2)*\cosh(d*x + c)^5 + 3(a^3 + 3a^2b + 3ab^2)*\cosh(d*x + c)^3 - (a^3 + 3a^2b + 3ab^2)*\cosh(d*x + c))*\sinh(d*x + c))*\log(2*\sinh(d*x + c)/(cosh(d*x + c) - sinh(d*x + c))) + 4(2(a^3 + 3a^2b + 3ab^2 + b^3)d*x*\cosh(d*x + c)^7 + 3(2a^3 + 3a^2b - 2(a^3 + 3a^2b + 3ab^2 + b^3)d*x)*\cosh(d*x + c)^5 - 2(2a^3 + 6a^2b - 3(a^3 + 3a^2b + 3ab^2 + b^3)d*x)*\cosh(d*x + c)^3 + (2a^3 + 3a^2b - 2(a^3 + 3a^2b + 3ab^2 + b^3)d*x)*\cosh(d*x + c))*\sinh(d*x + c))/(d*\cosh(d*x + c)^8 + 8d*\cosh(d*x + c)*\sinh(d*x + c)^7 + d*\sinh(d*x + c)^8 - 4d*\cosh(d*x + c)^6 + 4(7d*\cosh(d*x + c)^2 - d)*\sinh(d*x + c)^6 + 8(7d*\cosh(d*x + c)^3 - 3d*\cosh(d*x + c))*\sinh(d*x + c)^5 + 6d*\cosh(d*x + c)^4 + 2(35d*\cosh(d*x + c)^4 - 30d*\cosh(d*x + c)^2 + 3d)*\sinh(d*x + c)^4 + 8(7d*\cosh(d*x
\end{aligned}$$

+ c)^5 - 10\*d\*cosh(d\*x + c)^3 + 3\*d\*cosh(d\*x + c))\*sinh(d\*x + c)^3 - 4\*d\*cosh(d\*x + c)^2 + 4\*(7\*d\*cosh(d\*x + c)^6 - 15\*d\*cosh(d\*x + c)^4 + 9\*d\*cosh(d\*x + c)^2 - d)\*sinh(d\*x + c)^2 + 8\*(d\*cosh(d\*x + c)^7 - 3\*d\*cosh(d\*x + c)^5 + 3\*d\*cosh(d\*x + c)^3 - d\*cosh(d\*x + c))\*sinh(d\*x + c) + d)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)\*\*5\*(a+b\*tanh(d\*x+c)\*\*2)\*\*3,x)

[Out] Timed out

**Giac [B]** time = 1.50226, size = 366, normalized size = 4.41

$$\frac{b^3 \log(e^{2dx+2c} + e^{-2dx-2c} + 2)}{2d} + \frac{(a^3 + 3a^2b + 3ab^2) \log(e^{2dx+2c} + e^{-2dx-2c} - 2)}{2d} - \frac{3a^3(e^{2dx+2c} + e^{-2dx-2c})^2}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^5\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out] 1/2\*b^3\*log(e^(2\*d\*x + 2\*c) + e^(-2\*d\*x - 2\*c) + 2)/d + 1/2\*(a^3 + 3\*a^2\*b + 3\*a\*b^2)\*log(e^(2\*d\*x + 2\*c) + e^(-2\*d\*x - 2\*c) - 2)/d - 1/4\*(3\*a^3\*(e^(2\*d\*x + 2\*c) + e^(-2\*d\*x - 2\*c))^2 + 9\*a^2\*b\*(e^(2\*d\*x + 2\*c) + e^(-2\*d\*x - 2\*c))^2 + 9\*a\*b^2\*(e^(2\*d\*x + 2\*c) + e^(-2\*d\*x - 2\*c))^2 + 4\*a^3\*(e^(2\*d\*x + 2\*c) + e^(-2\*d\*x - 2\*c)) - 12\*a^2\*b\*(e^(2\*d\*x + 2\*c) + e^(-2\*d\*x - 2\*c)) - 36\*a\*b^2\*(e^(2\*d\*x + 2\*c) + e^(-2\*d\*x - 2\*c)) - 4\*a^3 - 12\*a^2\*b + 36\*a\*b^2)/(d\*(e^(2\*d\*x + 2\*c) + e^(-2\*d\*x - 2\*c) - 2)^2)

$$3.166 \quad \int \coth^6(c + dx) \left( a + b \tanh^2(c + dx) \right)^3 dx$$

**Optimal.** Leaf size=74

$$-\frac{a(a^2 + 3ab + 3b^2) \coth(c + dx)}{d} - \frac{a^2(a + 3b) \coth^3(c + dx)}{3d} - \frac{a^3 \coth^5(c + dx)}{5d} + x(a + b)^3$$

[Out] (a + b)^3\*x - (a\*(a^2 + 3\*a\*b + 3\*b^2)\*Coth[c + d\*x])/d - (a^2\*(a + 3\*b)\*Coth[c + d\*x]^3)/(3\*d) - (a^3\*Coth[c + d\*x]^5)/(5\*d)

**Rubi [A]** time = 0.088843, antiderivative size = 74, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$ , Rules used = {3670, 461, 207}

$$-\frac{a(a^2 + 3ab + 3b^2) \coth(c + dx)}{d} - \frac{a^2(a + 3b) \coth^3(c + dx)}{3d} - \frac{a^3 \coth^5(c + dx)}{5d} + x(a + b)^3$$

Antiderivative was successfully verified.

[In] Int[Coth[c + d\*x]^6\*(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] (a + b)^3\*x - (a\*(a^2 + 3\*a\*b + 3\*b^2)\*Coth[c + d\*x])/d - (a^2\*(a + 3\*b)\*Coth[c + d\*x]^3)/(3\*d) - (a^3\*Coth[c + d\*x]^5)/(5\*d)

#### Rule 3670

Int[((d\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_))^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff, x]] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

#### Rule 461

Int[(((e\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_))/((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] :> Int[ExpandIntegrand[((e\*x)^m\*(a + b\*x^n)^p]/(c + d\*x^n), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && (IntegerQ[m] || IGtQ[2\*(m + 1), 0] || !RationalQ[m])

#### Rule 207

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])
```

### Rubi steps

$$\begin{aligned} \int \coth^6(c+dx) (a+b \tanh^2(c+dx))^3 dx &= \frac{\text{Subst}\left(\int \frac{(a+bx^2)^3}{x^6(1-x^2)} dx, x, \tanh(c+dx)\right)}{d} \\ &= \frac{\text{Subst}\left(\int \left(\frac{a^3}{x^6} + \frac{a^2(a+3b)}{x^4} + \frac{a(a^2+3ab+3b^2)}{x^2} - \frac{(a+b)^3}{-1+x^2}\right) dx, x, \tanh(c+dx)\right)}{d} \\ &= -\frac{a(a^2+3ab+3b^2)\coth(c+dx)}{d} - \frac{a^2(a+3b)\coth^3(c+dx)}{3d} - \frac{a^3\coth^5(c+dx)}{5d} \\ &= (a+b)^3x - \frac{a(a^2+3ab+3b^2)\coth(c+dx)}{d} - \frac{a^2(a+3b)\coth^3(c+dx)}{3d} \end{aligned}$$

**Mathematica [A]** time = 1.67193, size = 100, normalized size = 1.35

$$\frac{(a+b)^3 \tanh^{-1}\left(\sqrt{\tanh^2(c+dx)}\right) \tanh(c+dx)}{d\sqrt{\tanh^2(c+dx)}} - \frac{a \coth(c+dx) (15(a^2+3ab+3b^2) + 3a^2 \coth^4(c+dx) + 5a(a+3b)\coth^2(c+dx))}{15d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Coth[c + d*x]^6*(a + b*Tanh[c + d*x]^2)^3, x]
```

```
[Out] -(a*Coth[c + d*x]*(15*(a^2 + 3*a*b + 3*b^2) + 5*a*(a + 3*b)*Coth[c + d*x]^2 + 3*a^2*Coth[c + d*x]^4))/(15*d) + ((a + b)^3*ArcTanh[Sqrt[Tanh[c + d*x]^2]]*Tanh[c + d*x])/(d*Sqrt[Tanh[c + d*x]^2])
```

**Maple [A]** time = 0.065, size = 100, normalized size = 1.4

$$\frac{1}{d} \left( a^3 \left( dx + c - \coth(dx+c) - \frac{(\coth(dx+c))^3}{3} - \frac{(\coth(dx+c))^5}{5} \right) + 3a^2b(dx+c - \coth(dx+c) - \frac{1}{3}(\coth(dx+c))^3) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(coth(d*x+c)^6*(a+b*tanh(d*x+c)^2)^3,x)`

[Out]  $\frac{1}{d} \cdot (a^3 \cdot (d \cdot x + c - \coth(d \cdot x + c)) - \frac{1}{3} \cdot \coth(d \cdot x + c)^3 - \frac{1}{5} \cdot \coth(d \cdot x + c)^5) + 3 \cdot a^2 \cdot b \cdot (d \cdot x + c - \coth(d \cdot x + c)) - \frac{1}{3} \cdot \coth(d \cdot x + c)^3 + 3 \cdot a \cdot b^2 \cdot (d \cdot x + c - \coth(d \cdot x + c)) + (d \cdot x + c) \cdot b^3$

**Maxima [B]** time = 1.07012, size = 323, normalized size = 4.36

$$\frac{1}{15} a^3 \left( 15x + \frac{15c}{d} - \frac{2(70e^{(-2dx-2c)} - 140e^{(-4dx-4c)} + 90e^{(-6dx-6c)} - 45e^{(-8dx-8c)} - 23)}{d(5e^{(-2dx-2c)} - 10e^{(-4dx-4c)} + 10e^{(-6dx-6c)} - 5e^{(-8dx-8c)} + e^{(-10dx-10c)} - 1)} \right) + a^2 b \left( 3x + \frac{3c}{d} - \frac{3}{d(3e^{(-2dx-2c)} - 10e^{(-4dx-4c)} + 10e^{(-6dx-6c)} - 5e^{(-8dx-8c)} + e^{(-10dx-10c)} - 1)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(d*x+c)^6*(a+b*tanh(d*x+c)^2)^3,x, algorithm="maxima")`

[Out]  $\frac{1}{15} a^3 (15x + 15c/d - 2(70e^{(-2dx-2c)} - 140e^{(-4dx-4c)} + 90e^{(-6dx-6c)} - 45e^{(-8dx-8c)} - 23)/(d(5e^{(-2dx-2c)} - 10e^{(-4dx-4c)} + 10e^{(-6dx-6c)} - 5e^{(-8dx-8c)} + e^{(-10dx-10c)} - 1))) + a^2 b (3x + 3c/d - 4(3e^{(-2dx-2c)} - 3e^{(-4dx-4c)} + e^{(-6dx-6c)} - 1)/(d(3e^{(-2dx-2c)} - 3e^{(-4dx-4c)} + e^{(-6dx-6c)} - 1))) + 3a \cdot b^2 (x + c/d + 2/(d(e^{(-2dx-2c)} - 1))) + b^3 x$

**Fricas [B]** time = 2.10097, size = 1372, normalized size = 18.54

$$\frac{(23a^3 + 60a^2b + 45ab^2) \cosh(dx + c)^5 + 5(23a^3 + 60a^2b + 45ab^2) \cosh(dx + c) \sinh(dx + c)^4 - (23a^3 + 60a^2b + 45ab^2) \cosh(dx + c)^3 \sinh(dx + c)^2 - 5(23a^3 + 60a^2b + 45ab^2) \cosh(dx + c) \sinh(dx + c)^2 - 5(23a^3 + 60a^2b + 45ab^2) \sinh(dx + c)^4}{d(23a^3 + 60a^2b + 45ab^2) \cosh(dx + c)^5 + 5(23a^3 + 60a^2b + 45ab^2) \cosh(dx + c) \sinh(dx + c)^4 - (23a^3 + 60a^2b + 45ab^2) \cosh(dx + c)^3 \sinh(dx + c)^2 - 5(23a^3 + 60a^2b + 45ab^2) \cosh(dx + c) \sinh(dx + c)^2 - 5(23a^3 + 60a^2b + 45ab^2) \sinh(dx + c)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(d*x+c)^6*(a+b*tanh(d*x+c)^2)^3,x, algorithm="fricas")`

[Out]  $-\frac{1}{15} ((23a^3 + 60a^2b + 45a \cdot b^2) \cdot \cosh(d \cdot x + c)^5 + 5 \cdot (23a^3 + 60a^2b + 45a \cdot b^2) \cdot \cosh(d \cdot x + c) \cdot \sinh(d \cdot x + c)^4 - (23a^3 + 60a^2b + 45a \cdot b^2 + 15 \cdot (a^3 + 3a^2b + 3a \cdot b^2 + b^3) \cdot d \cdot x) \cdot \sinh(d \cdot x + c)^5 - 5 \cdot (5a^3 + 24a^2b + 27a \cdot b^2) \cdot \cosh(d \cdot x + c)^3 + 5 \cdot (23a^3 + 60a^2b + 45a \cdot b^2 + 15 \cdot (a^3 + 3a^2b + 3a \cdot b^2 + b^3) \cdot d \cdot x - 2 \cdot (23a^3 + 60a^2b + 45a \cdot b^2 + 15 \cdot (a^3 + 3a^2b + 3a \cdot b^2 + b^3) \cdot d \cdot x) \cdot \cosh(d \cdot x + c)^2) \cdot \sinh(d \cdot x + c)^3 + 5 \cdot (2 \cdot (23a^3 + 60a^2b + 45a \cdot b^2) \cdot \cosh(d \cdot x + c)^3 - 3 \cdot (5a^3 + 24a^2b + 27a \cdot b^2) \cdot \cosh(d \cdot x + c) \cdot \sinh(d \cdot x + c)^2 - 5 \cdot (23a^3 + 60a^2b + 45a \cdot b^2) \cdot \sinh(d \cdot x + c)^4))$

```
*b^2)*cosh(d*x + c))*sinh(d*x + c)^2 + 10*(5*a^3 + 6*a^2*b + 9*a*b^2)*cosh(
d*x + c) - 5*((23*a^3 + 60*a^2*b + 45*a*b^2 + 15*(a^3 + 3*a^2*b + 3*a*b^2 +
b^3)*d*x)*cosh(d*x + c)^4 + 46*a^3 + 120*a^2*b + 90*a*b^2 + 30*(a^3 + 3*a^
2*b + 3*a*b^2 + b^3)*d*x - 3*(23*a^3 + 60*a^2*b + 45*a*b^2 + 15*(a^3 + 3*a^
2*b + 3*a*b^2 + b^3)*d*x)*cosh(d*x + c)^2)*sinh(d*x + c))/(d*sinh(d*x + c)^
5 + 5*(2*d*cosh(d*x + c)^2 - d)*sinh(d*x + c)^3 + 5*(d*cosh(d*x + c)^4 - 3*
d*cosh(d*x + c)^2 + 2*d)*sinh(d*x + c))
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)\*\*6\*(a+b\*tanh(d\*x+c)\*\*2)\*\*3,x)

[Out] Timed out

**Giac [B]** time = 1.51101, size = 325, normalized size = 4.39

$$\frac{(a^3 + 3a^2b + 3ab^2 + b^3)(dx + c)}{d} - \frac{2(45a^3e^{(8dx+8c)} + 90a^2be^{(8dx+8c)} + 45ab^2e^{(8dx+8c)} - 90a^3e^{(6dx+6c)} - 270a^2be^{(6dx+6c)} - 180a^2b^2e^{(6dx+6c)} + 140a^3e^{(4dx+4c)} + 330a^2b^2e^{(4dx+4c)} + 270a^2b^2e^{(4dx+4c)} - 70a^3e^{(2dx+2c)} - 210a^2b^2e^{(2dx+2c)} - 180a^2b^2e^{(2dx+2c)} + 23a^3 + 60a^2b + 45ab^2)}{(d(e^{(2dx+2c)} - 1))^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^6\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out] (a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*(d\*x + c)/d - 2/15\*(45\*a^3\*e^(8\*d\*x + 8\*c) + 90\*a^2\*b\*e^(8\*d\*x + 8\*c) + 45\*a\*b^2\*e^(8\*d\*x + 8\*c) - 90\*a^3\*e^(6\*d\*x + 6\*c) - 270\*a^2\*b\*e^(6\*d\*x + 6\*c) - 180\*a\*b^2\*e^(6\*d\*x + 6\*c) + 140\*a^3\*e^(4\*d\*x + 4\*c) + 330\*a^2\*b\*e^(4\*d\*x + 4\*c) + 270\*a\*b^2\*e^(4\*d\*x + 4\*c) - 70\*a^3\*e^(2\*d\*x + 2\*c) - 210\*a^2\*b\*e^(2\*d\*x + 2\*c) - 180\*a\*b^2\*e^(2\*d\*x + 2\*c) + 23\*a^3 + 60\*a^2\*b + 45\*a\*b^2)/(d\*(e^(2\*d\*x + 2\*c) - 1)^5)

### 3.167 $\int \coth^7(c + dx) (a + b \tanh^2(c + dx))^3 dx$

**Optimal.** Leaf size=103

$$\frac{a(a^2 + 3ab + 3b^2) \coth^2(c + dx)}{2d} - \frac{a^2(a + 3b) \coth^4(c + dx)}{4d} - \frac{a^3 \coth^6(c + dx)}{6d} + \frac{(a + b)^3 \log(\tanh(c + dx))}{d} + \frac{(a + b)^3 \log(\tanh(c + dx))}{d}$$

[Out]  $-(a*(a^2 + 3*a*b + 3*b^2)*\text{Coth}[c + d*x]^2)/(2*d) - (a^2*(a + 3*b)*\text{Coth}[c + d*x]^4)/(4*d) - (a^3*\text{Coth}[c + d*x]^6)/(6*d) + ((a + b)^3*\text{Log}[\text{Cosh}[c + d*x]])/d + ((a + b)^3*\text{Log}[\text{Tanh}[c + d*x]])/d$

**Rubi [A]** time = 0.128969, antiderivative size = 103, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$ , Rules used = {3670, 446, 88}

$$\frac{a(a^2 + 3ab + 3b^2) \coth^2(c + dx)}{2d} - \frac{a^2(a + 3b) \coth^4(c + dx)}{4d} - \frac{a^3 \coth^6(c + dx)}{6d} + \frac{(a + b)^3 \log(\tanh(c + dx))}{d} + \frac{(a + b)^3 \log(\tanh(c + dx))}{d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Coth}[c + d*x]^7*(a + b*\text{Tanh}[c + d*x]^2)^3, x]$

[Out]  $-(a*(a^2 + 3*a*b + 3*b^2)*\text{Coth}[c + d*x]^2)/(2*d) - (a^2*(a + 3*b)*\text{Coth}[c + d*x]^4)/(4*d) - (a^3*\text{Coth}[c + d*x]^6)/(6*d) + ((a + b)^3*\text{Log}[\text{Cosh}[c + d*x]])/d + ((a + b)^3*\text{Log}[\text{Tanh}[c + d*x]])/d$

#### Rule 3670

$\text{Int}[\frac{(d + \tan(e + f*x))^m * (a + b * \tan(e + f*x))^n}{(c + \tan(e + f*x))^p}, x\_Symbol] \rightarrow \text{With}[\{ff = \text{FreeFactors}[\text{Tan}[e + f*x], x]\}, \text{Dist}[\frac{c*ff}{f}, \text{Subst}[\text{Int}[\frac{((d*ff*x)/c)^m * (a + b*(ff*x)^n)^p}{(c^2 + f^2*x^2)}, x], x, \frac{c*\text{Tan}[e + f*x]}{ff}, x]] /; \text{FreeQ}[\{a, b, c, d, e, f, m, n, p\}, x] \&\& (\text{IGtQ}[p, 0] \parallel \text{EqQ}[n, 2] \parallel \text{EqQ}[n, 4] \parallel (\text{IntegerQ}[p] \&\& \text{RationalQ}[n]))$

#### Rule 446

$\text{Int}[(x + a + b*x^n)^m * (c + d*x^n)^q, x\_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1) * (a + b*x)^m * (c + d*x)^q}, x], x, x^n], x] /; \text{FreeQ}[\{a, b, c, d, m, n, p, q\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$



Rule 88

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n\*(e + f\*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && IntegersQ[m, n] && (IntegerQ[p] || (GtQ[m, 0] && GeQ[n, -1]))

Rubi steps

$$\begin{aligned} \int \coth^7(c + dx) (a + b \tanh^2(c + dx))^3 dx &= \frac{\text{Subst}\left(\int \frac{(a+bx)^3}{x^7(1-x^2)} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{\text{Subst}\left(\int \frac{(a+bx)^3}{(1-x)x^4} dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= \frac{\text{Subst}\left(\int \left(-\frac{(a+b)^3}{-1+x} + \frac{a^3}{x^4} + \frac{a^2(a+3b)}{x^3} + \frac{a(a^2+3ab+3b^2)}{x^2} + \frac{(a+b)^3}{x}\right) dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= -\frac{a(a^2 + 3ab + 3b^2) \coth^2(c + dx)}{2d} - \frac{a^2(a + 3b) \coth^4(c + dx)}{4d} - \frac{a^3 \coth^6(c + dx)}{6d} \end{aligned}$$

**Mathematica [A]** time = 0.237595, size = 76, normalized size = 0.74

$$\frac{a(a+b)^2 \coth^2(c+dx) + \frac{1}{2}(a+b)(a \coth^2(c+dx) + b)^2 + \frac{1}{3}(a \coth^2(c+dx) + b)^3 - 2(a+b)^3 \log(\sinh(c+dx))}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[c + d\*x]^7\*(a + b\*Tanh[c + d\*x]^2)^3, x]

[Out] -(a\*(a + b)^2\*Coth[c + d\*x]^2 + ((a + b)\*(b + a\*Coth[c + d\*x]^2)^2)/2 + (b + a\*Coth[c + d\*x]^2)^3/3 - 2\*(a + b)^3\*Log[Sinh[c + d\*x]])/(2\*d)

**Maple [A]** time = 0.062, size = 161, normalized size = 1.6

$$\frac{a^3 \ln(\sinh(dx + c))}{d} - \frac{a^3 (\coth(dx + c))^2}{2d} - \frac{a^3 (\coth(dx + c))^4}{4d} - \frac{a^3 (\coth(dx + c))^6}{6d} + 3 \frac{a^2 b \ln(\sinh(dx + c))}{d} - \frac{3 a^2 b^2}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(coth(d*x+c)^7*(a+b*tanh(d*x+c)^2)^3,x)`

[Out]  $\frac{1}{d}a^3\ln(\sinh(d*x+c))-1/2*a^3*\coth(d*x+c)^2/d-1/4*a^3*\coth(d*x+c)^4/d-1/6*a^3*\coth(d*x+c)^6/d+3/d*a^2*b*\ln(\sinh(d*x+c))-3/2/d*a^2*b*\coth(d*x+c)^2-3/4/d*a^2*b*\coth(d*x+c)^4+3/d*a*b^2*\ln(\sinh(d*x+c))-3/2/d*a*b^2*\coth(d*x+c)^2+1/d*b^3*\ln(\sinh(d*x+c))$

**Maxima [B]** time = 1.07398, size = 567, normalized size = 5.5

$$\frac{1}{3}a^3\left(3x + \frac{3c}{d} + \frac{3\log(e^{-dx-c} + 1)}{d} + \frac{3\log(e^{-dx-c} - 1)}{d}\right) + \frac{2\left(9e^{(-2dx-2c)} - 18e^{(-4dx-4c)} + 34e^{(-6dx-6c)} - 18e^{(-8dx-8c)} + 9e^{(-10dx-10c)}\right)}{d\left(6e^{(-2dx-2c)} - 15e^{(-4dx-4c)} + 20e^{(-6dx-6c)} - 15e^{(-8dx-8c)} + 6e^{(-10dx-10c)} - 1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(d*x+c)^7*(a+b*tanh(d*x+c)^2)^3,x, algorithm="maxima")`

[Out]  $\frac{1}{3}a^3\left(3x + \frac{3c}{d} + \frac{3\log(e^{-dx-c} + 1)}{d} + \frac{3\log(e^{-dx-c} - 1)}{d}\right) + \frac{2\left(9e^{(-2dx-2c)} - 18e^{(-4dx-4c)} + 34e^{(-6dx-6c)} - 18e^{(-8dx-8c)} + 9e^{(-10dx-10c)}\right)}{d\left(6e^{(-2dx-2c)} - 15e^{(-4dx-4c)} + 20e^{(-6dx-6c)} - 15e^{(-8dx-8c)} + 6e^{(-10dx-10c)} - 1\right)} + \frac{3a^2b\left(x + \frac{c}{d} + \log(e^{-dx-c} + 1)\right)}{d\left(4e^{(-2dx-2c)} - 6e^{(-4dx-4c)} + 4e^{(-6dx-6c)} - e^{(-8dx-8c)} - 1\right)} + \frac{3ab^2\left(x + \frac{c}{d} + \log(e^{-dx-c} + 1)\right)}{d\left(2e^{(-2dx-2c)} - e^{(-4dx-4c)} - 1\right)} + \frac{b^3\log(e^{dx+c} - e^{-dx-c})}{d}$

**Fricas [B]** time = 2.87791, size = 10689, normalized size = 103.78

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(d*x+c)^7*(a+b*tanh(d*x+c)^2)^3,x, algorithm="fricas")`

[Out]  $-1/3*(3*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x*\cosh(d*x + c)^{12} + 36*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x*\cosh(d*x + c)*\sinh(d*x + c)^{11} + 3*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x*\sinh(d*x + c)^{12} + 18*(a^3 + 2*a^2*b + a*b^2 - (a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^{10} + 18*(11*(a^3 + 3*a^2*b +$

$$\begin{aligned}
& 3*a*b^2 + b^3)*d*x*cosh(d*x + c)^2 + a^3 + 2*a^2*b + a*b^2 - (a^3 + 3*a^2*b \\
& + 3*a*b^2 + b^3)*d*x)*sinh(d*x + c)^{10} + 60*(11*(a^3 + 3*a^2*b + 3*a*b^2 + \\
& b^3)*d*x*cosh(d*x + c)^3 + 3*(a^3 + 2*a^2*b + a*b^2 - (a^3 + 3*a^2*b + 3*a \\
& *b^2 + b^3)*d*x)*cosh(d*x + c))*sinh(d*x + c)^9 - 9*(4*a^3 + 12*a^2*b + 8*a \\
& *b^2 - 5*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*cosh(d*x + c)^8 + 9*(165*(a^3 \\
& + 3*a^2*b + 3*a*b^2 + b^3)*d*x*cosh(d*x + c)^4 - 4*a^3 - 12*a^2*b - 8*a*b^ \\
& 2 + 5*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x + 90*(a^3 + 2*a^2*b + a*b^2 - (a^ \\
& 3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*cosh(d*x + c)^2)*sinh(d*x + c)^8 + 72*(33 \\
& *(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x*cosh(d*x + c)^5 + 30*(a^3 + 2*a^2*b + \\
& a*b^2 - (a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*cosh(d*x + c)^3 - (4*a^3 + 12* \\
& a^2*b + 8*a*b^2 - 5*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*cosh(d*x + c))*sin \\
& h(d*x + c)^7 + 4*(17*a^3 + 36*a^2*b + 27*a*b^2 - 15*(a^3 + 3*a^2*b + 3*a*b^ \\
& 2 + b^3)*d*x)*cosh(d*x + c)^6 + 4*(693*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x* \\
& cosh(d*x + c)^6 + 945*(a^3 + 2*a^2*b + a*b^2 - (a^3 + 3*a^2*b + 3*a*b^2 + b \\
& ^3)*d*x)*cosh(d*x + c)^4 + 17*a^3 + 36*a^2*b + 27*a*b^2 - 15*(a^3 + 3*a^2*b \\
& + 3*a*b^2 + b^3)*d*x - 63*(4*a^3 + 12*a^2*b + 8*a*b^2 - 5*(a^3 + 3*a^2*b + \\
& 3*a*b^2 + b^3)*d*x)*cosh(d*x + c)^2)*sinh(d*x + c)^6 + 24*(99*(a^3 + 3*a^2 \\
& *b + 3*a*b^2 + b^3)*d*x*cosh(d*x + c)^7 + 189*(a^3 + 2*a^2*b + a*b^2 - (a^3 \\
& + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*cosh(d*x + c)^5 - 21*(4*a^3 + 12*a^2*b + 8 \\
& *a*b^2 - 5*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*cosh(d*x + c)^3 + (17*a^3 + \\
& 36*a^2*b + 27*a*b^2 - 15*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*cosh(d*x + c \\
& ))*sinh(d*x + c)^5 - 9*(4*a^3 + 12*a^2*b + 8*a*b^2 - 5*(a^3 + 3*a^2*b + 3*a \\
& *b^2 + b^3)*d*x)*cosh(d*x + c)^4 + 3*(495*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d \\
& *x*cosh(d*x + c)^8 + 1260*(a^3 + 2*a^2*b + a*b^2 - (a^3 + 3*a^2*b + 3*a*b^2 \\
& + b^3)*d*x)*cosh(d*x + c)^6 - 210*(4*a^3 + 12*a^2*b + 8*a*b^2 - 5*(a^3 + 3 \\
& *a^2*b + 3*a*b^2 + b^3)*d*x)*cosh(d*x + c)^4 - 12*a^3 - 36*a^2*b - 24*a*b^2 \\
& + 15*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x + 20*(17*a^3 + 36*a^2*b + 27*a*b^ \\
& 2 - 15*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*cosh(d*x + c)^2)*sinh(d*x + c)^ \\
& 4 + 4*(165*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x*cosh(d*x + c)^9 + 540*(a^3 + \\
& 2*a^2*b + a*b^2 - (a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*cosh(d*x + c)^7 - 1 \\
& 26*(4*a^3 + 12*a^2*b + 8*a*b^2 - 5*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*cos \\
& h(d*x + c)^5 + 20*(17*a^3 + 36*a^2*b + 27*a*b^2 - 15*(a^3 + 3*a^2*b + 3*a*b \\
& ^2 + b^3)*d*x)*cosh(d*x + c)^3 - 9*(4*a^3 + 12*a^2*b + 8*a*b^2 - 5*(a^3 + 3 \\
& *a^2*b + 3*a*b^2 + b^3)*d*x)*cosh(d*x + c))*sinh(d*x + c)^3 + 3*(a^3 + 3*a^ \\
& 2*b + 3*a*b^2 + b^3)*d*x + 18*(a^3 + 2*a^2*b + a*b^2 - (a^3 + 3*a^2*b + 3*a \\
& *b^2 + b^3)*d*x)*cosh(d*x + c)^2 + 6*(33*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d* \\
& x*cosh(d*x + c)^{10} + 135*(a^3 + 2*a^2*b + a*b^2 - (a^3 + 3*a^2*b + 3*a*b^2 \\
& + b^3)*d*x)*cosh(d*x + c)^8 - 42*(4*a^3 + 12*a^2*b + 8*a*b^2 - 5*(a^3 + 3*a \\
& ^2*b + 3*a*b^2 + b^3)*d*x)*cosh(d*x + c)^6 + 10*(17*a^3 + 36*a^2*b + 27*a*b \\
& ^2 - 15*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*cosh(d*x + c)^4 + 3*a^3 + 6*a^ \\
& 2*b + 3*a*b^2 - 3*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x - 9*(4*a^3 + 12*a^2*b \\
& + 8*a*b^2 - 5*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*cosh(d*x + c)^2)*sinh(d \\
& *x + c)^2 - 3*((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)^{12} + 12*(a^3 + \\
& 3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c))*sinh(d*x + c)^{11} + (a^3 + 3*a^2*b + \\
& 3*a*b^2 + b^3)*sinh(d*x + c)^{12} - 6*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(d
\end{aligned}$$

$$\begin{aligned}
& *x + c)^{10} - 6*(a^3 + 3*a^2*b + 3*a*b^2 + b^3 - 11*(a^3 + 3*a^2*b + 3*a*b^2 \\
& + b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^{10} + 20*(11*(a^3 + 3*a^2*b + 3*a*b^2 \\
& + b^3)*\cosh(d*x + c)^3 - 3*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c))* \\
& \sinh(d*x + c)^9 + 15*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^8 + 15*( \\
& 33*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^4 + a^3 + 3*a^2*b + 3*a*b^2 \\
& + b^3 - 18*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c) \\
& ^8 + 24*(33*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^5 - 30*(a^3 + 3*a \\
& ^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^3 + 5*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*c \\
& osh(d*x + c))*\sinh(d*x + c)^7 - 20*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x \\
& + c)^6 + 4*(231*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^6 - 315*(a^3 \\
& + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^4 - 5*a^3 - 15*a^2*b - 15*a*b^2 - \\
& 5*b^3 + 105*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c) \\
& ^6 + 24*(33*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^7 - 63*(a^3 + 3*a \\
& ^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^5 + 35*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)* \\
& cosh(d*x + c)^3 - 5*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c))*\sinh(d*x \\
& + c)^5 + 15*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^4 + 15*(33*(a^3 \\
& + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^8 - 84*(a^3 + 3*a^2*b + 3*a*b^2 + \\
& b^3)*\cosh(d*x + c)^6 + 70*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^4 + \\
& a^3 + 3*a^2*b + 3*a*b^2 + b^3 - 20*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d* \\
& x + c)^2)*\sinh(d*x + c)^4 + 20*(11*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x \\
& + c)^9 - 36*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^7 + 42*(a^3 + 3* \\
& a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^5 - 20*(a^3 + 3*a^2*b + 3*a*b^2 + b^3) \\
& *\cosh(d*x + c)^3 + 3*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c))*\sinh(d* \\
& x + c)^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 - 6*(a^3 + 3*a^2*b + 3*a*b^2 + b^3 \\
& )*\cosh(d*x + c)^2 + 6*(11*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^{10} \\
& - 45*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^8 + 70*(a^3 + 3*a^2*b + \\
& 3*a*b^2 + b^3)*\cosh(d*x + c)^6 - 50*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d* \\
& x + c)^4 - a^3 - 3*a^2*b - 3*a*b^2 - b^3 + 15*(a^3 + 3*a^2*b + 3*a*b^2 + b^3) \\
& *\cosh(d*x + c)^2)*\sinh(d*x + c)^2 + 12*((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*c \\
& osh(d*x + c)^{11} - 5*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^9 + 10*(a \\
& ^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^7 - 10*(a^3 + 3*a^2*b + 3*a*b^2 \\
& + b^3)*\cosh(d*x + c)^5 + 5*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^3 \\
& - (a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c))*\sinh(d*x + c))*\log(2*\sinh \\
& (d*x + c)/(\cosh(d*x + c) - \sinh(d*x + c))) + 12*(3*(a^3 + 3*a^2*b + 3*a*b^2 \\
& + b^3)*d*x*\cosh(d*x + c)^{11} + 15*(a^3 + 2*a^2*b + a*b^2 - (a^3 + 3*a^2*b + \\
& 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^9 - 6*(4*a^3 + 12*a^2*b + 8*a*b^2 - 5*(a \\
& ^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^7 + 2*(17*a^3 + 36*a^2*b + \\
& 27*a*b^2 - 15*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^5 - 3*(4* \\
& a^3 + 12*a^2*b + 8*a*b^2 - 5*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x \\
& + c)^3 + 3*(a^3 + 2*a^2*b + a*b^2 - (a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*co \\
& sh(d*x + c))*\sinh(d*x + c))/(d*\cosh(d*x + c)^{12} + 12*d*\cosh(d*x + c)*\sinh(d \\
& *x + c)^{11} + d*\sinh(d*x + c)^{12} - 6*d*\cosh(d*x + c)^{10} + 6*(11*d*\cosh(d*x + \\
& c)^2 - d)*\sinh(d*x + c)^{10} + 20*(11*d*\cosh(d*x + c)^3 - 3*d*\cosh(d*x + c)) \\
& *\sinh(d*x + c)^9 + 15*d*\cosh(d*x + c)^8 + 15*(33*d*\cosh(d*x + c)^4 - 18*d*c \\
& osh(d*x + c)^2 + d)*\sinh(d*x + c)^8 + 24*(33*d*\cosh(d*x + c)^5 - 30*d*\cosh(
\end{aligned}$$

$$\begin{aligned}
& d^3x + c^3 + 5d \cosh(dx + c) \sinh(dx + c)^7 - 20d \cosh(dx + c)^6 + 4(231d \cosh(dx + c)^6 - 315d \cosh(dx + c)^4 + 105d \cosh(dx + c)^2 - 5d) \sinh(dx + c)^6 \\
& + 24(33d \cosh(dx + c)^7 - 63d \cosh(dx + c)^5 + 35d \cosh(dx + c)^3 - 5d \cosh(dx + c)) \sinh(dx + c)^5 + 15d \cosh(dx + c)^4 \\
& + 15(33d \cosh(dx + c)^8 - 84d \cosh(dx + c)^6 + 70d \cosh(dx + c)^4 - 20d \cosh(dx + c)^2 + d) \sinh(dx + c)^4 \\
& + 20(11d \cosh(dx + c)^9 - 36d \cosh(dx + c)^7 + 42d \cosh(dx + c)^5 - 20d \cosh(dx + c)^3 + 3d \cosh(dx + c)) \sinh(dx + c)^3 \\
& - 6d \cosh(dx + c)^2 + 6(11d \cosh(dx + c)^{10} - 45d \cosh(dx + c)^8 + 70d \cosh(dx + c)^6 - 50d \cosh(dx + c)^4 + 15d \cosh(dx + c)^2 - d) \sinh(dx + c)^2 \\
& + 12(d \cosh(dx + c)^{11} - 5d \cosh(dx + c)^9 + 10d \cosh(dx + c)^7 - 10d \cosh(dx + c)^5 + 5d \cosh(dx + c)^3 - d \cosh(dx + c)) \sinh(dx + c) + d
\end{aligned}$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(dx+c)\*\*7\*(a+b\*tanh(dx+c)\*\*2)\*\*3,x)

[Out] Timed out

**Giac [B]** time = 1.53015, size = 297, normalized size = 2.88

$$-\frac{(a^3 + 3a^2b + 3ab^2 + b^3)(dx + c)}{d} + \frac{(a^3 + 3a^2b + 3ab^2 + b^3) \log(|e^{(2dx+2c)} - 1|)}{d} - \frac{2(9(a^3 + 2a^2b + ab^2)e^{(10dx+10c)} - 18(a^3 + 3a^2b + 2ab^2)e^{(8dx+8c)} + 2(17a^3 + 36a^2b + 27ab^2)e^{(6dx+6c)} - 18(a^3 + 3a^2b + 2ab^2)e^{(4dx+4c)} + 9(a^3 + 2a^2b + ab^2)e^{(2dx+2c)})}{(d(e^{(2dx+2c)} - 1))^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(dx+c)^7\*(a+b\*tanh(dx+c)^2)^3,x, algorithm="giac")

[Out]  $-(a^3 + 3a^2b + 3ab^2 + b^3)(dx + c)/d + (a^3 + 3a^2b + 3ab^2 + b^3) \log(\text{abs}(e^{(2dx+2c)} - 1))/d - 2/3(9(a^3 + 2a^2b + ab^2)e^{(10dx+10c)} - 18(a^3 + 3a^2b + 2ab^2)e^{(8dx+8c)} + 2(17a^3 + 36a^2b + 27ab^2)e^{(6dx+6c)} - 18(a^3 + 3a^2b + 2ab^2)e^{(4dx+4c)} + 9(a^3 + 2a^2b + ab^2)e^{(2dx+2c)})/(d(e^{(2dx+2c)} - 1))^6$

### 3.168 $\int (a + b \tanh^2(c + dx))^4 dx$

**Optimal.** Leaf size=110

$$\frac{b^2(6a^2 + 4ab + b^2) \tanh^3(c + dx)}{3d} - \frac{b(2a + b)(2a^2 + 2ab + b^2) \tanh(c + dx)}{d} - \frac{b^3(4a + b) \tanh^5(c + dx)}{5d} + x(a + b)^4 -$$

[Out]  $(a + b)^4 x - (b(2a + b)(2a^2 + 2ab + b^2) \operatorname{Tanh}[c + d*x])/d - (b^2(6a^2 + 4ab + b^2) \operatorname{Tanh}[c + d*x]^3)/(3*d) - (b^3(4a + b) \operatorname{Tanh}[c + d*x]^5)/(5*d) - (b^4 \operatorname{Tanh}[c + d*x]^7)/(7*d)$

**Rubi [A]** time = 0.070031, antiderivative size = 110, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$ , Rules used = {3661, 390, 206}

$$\frac{b^2(6a^2 + 4ab + b^2) \tanh^3(c + dx)}{3d} - \frac{b(2a + b)(2a^2 + 2ab + b^2) \tanh(c + dx)}{d} - \frac{b^3(4a + b) \tanh^5(c + dx)}{5d} + x(a + b)^4 -$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(a + b \operatorname{Tanh}[c + d*x]^2)^4, x]$

[Out]  $(a + b)^4 x - (b(2a + b)(2a^2 + 2ab + b^2) \operatorname{Tanh}[c + d*x])/d - (b^2(6a^2 + 4ab + b^2) \operatorname{Tanh}[c + d*x]^3)/(3*d) - (b^3(4a + b) \operatorname{Tanh}[c + d*x]^5)/(5*d) - (b^4 \operatorname{Tanh}[c + d*x]^7)/(7*d)$

#### Rule 3661

$\operatorname{Int}[(a + b \cdot ((c) \cdot \tan[(e) + (f) \cdot (x)])^{(n)})^{(p)}, x\_Symbol] \rightarrow$   
 $\operatorname{With}[\{ff = \operatorname{FreeFactors}[\operatorname{Tan}[e + f \cdot x], x]\}, \operatorname{Dist}[(c \cdot ff)/f, \operatorname{Subst}[\operatorname{Int}[(a + b \cdot (ff \cdot x)^n]^p/(c^2 + ff^2 \cdot x^2), x], x, (c \cdot \operatorname{Tan}[e + f \cdot x])/ff], x]] \;/; \operatorname{FreeQ}\{a, b, c, e, f, n, p\}, x] \ \&\& \ (\operatorname{IntegersQ}[n, p] \ || \ \operatorname{IGtQ}[p, 0] \ || \ \operatorname{EqQ}[n^2, 4] \ || \ \operatorname{EqQ}[n^2, 16])$

#### Rule 390

$\operatorname{Int}[(a + b \cdot (x)^{(n)})^{(p)} \cdot ((c) + (d) \cdot (x)^{(n)})^{(q)}, x\_Symbol] \rightarrow$   
 $\operatorname{Int}[\operatorname{PolynomialDivide}[(a + b \cdot x^n)^p, (c + d \cdot x^n)^{-q}], x] \;/; \operatorname{FreeQ}\{a, b, c, d\}, x] \ \&\& \ \operatorname{NeQ}[b \cdot c - a \cdot d, 0] \ \&\& \ \operatorname{IGtQ}[n, 0] \ \&\& \ \operatorname{IGtQ}[p, 0] \ \&\& \ \operatorname{ILtQ}[q, 0] \ \&\& \ \operatorname{GeQ}[p, -q]$

Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned} \int (a + b \tanh^2(c + dx))^4 dx &= \frac{\text{Subst}\left(\int \frac{(a+bx^2)^4}{1-x^2} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{\text{Subst}\left(\int \left(-b(2a + b)(2a^2 + 2ab + b^2) - b^2(6a^2 + 4ab + b^2)x^2 - b^3(4a + b)x^4 - b^4x^6\right) dx, x, \tanh(c + dx)\right)}{d} \\ &= -\frac{b(2a + b)(2a^2 + 2ab + b^2) \tanh(c + dx)}{d} - \frac{b^2(6a^2 + 4ab + b^2) \tanh^3(c + dx)}{3d} - \frac{b^3(4a + b) \tanh^5(c + dx)}{5d} \\ &= (a + b)^4 x - \frac{b(2a + b)(2a^2 + 2ab + b^2) \tanh(c + dx)}{d} - \frac{b^2(6a^2 + 4ab + b^2) \tanh^3(c + dx)}{3d} \end{aligned}$$

**Mathematica [A]** time = 1.67281, size = 128, normalized size = 1.16

$$\frac{\tanh(c + dx) \left( \frac{105(a+b)^4 \tanh^{-1}\left(\sqrt{\tanh^2(c+dx)}\right)}{\sqrt{\tanh^2(c+dx)}} - b(35b(6a^2 + 4ab + b^2) \tanh^2(c + dx) + 105(6a^2b + 4a^3 + 4ab^2 + b^3) + 21b^4) \right)}{105d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Tanh[c + d\*x]^2)^4, x]

[Out] (Tanh[c + d\*x]\*((105\*(a + b)^4\*ArcTanh[Sqrt[Tanh[c + d\*x]^2]])/Sqrt[Tanh[c + d\*x]^2] - b\*(105\*(4\*a^3 + 6\*a^2\*b + 4\*a\*b^2 + b^3) + 35\*b\*(6\*a^2 + 4\*a\*b + b^2)\*Tanh[c + d\*x]^2 + 21\*b^2\*(4\*a + b)\*Tanh[c + d\*x]^4 + 15\*b^3\*Tanh[c + d\*x]^6)))/(105\*d)

**Maple [B]** time = 0.006, size = 344, normalized size = 3.1

$$\frac{4 (\tanh(dx + c))^5 ab^3}{5d} - 2 \frac{(\tanh(dx + c))^3 a^2 b^2}{d} - \frac{4 (\tanh(dx + c))^3 ab^3}{3d} - \frac{a^4 \ln(\tanh(dx + c) - 1)}{2d} - 2 \frac{\ln(\tanh(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*tanh(d*x+c)^2)^4,x)`

[Out] 
$$-4/5/d*\tanh(d*x+c)^5*a*b^3-2/d*\tanh(d*x+c)^3*a^2*b^2-4/3/d*\tanh(d*x+c)^3*a*b^3-1/2/d*a^4*\ln(\tanh(d*x+c)-1)-2/d*\ln(\tanh(d*x+c)-1)*a^3*b-3/d*\ln(\tanh(d*x+c)-1)*a^2*b^2-2/d*\ln(\tanh(d*x+c)-1)*a*b^3-1/2/d*\ln(\tanh(d*x+c)-1)*b^4-1/5/d*\tanh(d*x+c)^5*b^4-1/3/d*\tanh(d*x+c)^3*b^4-1/d*b^4*\tanh(d*x+c)-1/7*b^4*\tanh(d*x+c)^7/d-6/d*a^2*b^2*\tanh(d*x+c)-4/d*a*b^3*\tanh(d*x+c)-4/d*a^3*b*\tanh(d*x+c)+1/2/d*\ln(\tanh(d*x+c)+1)*a^4+2/d*\ln(\tanh(d*x+c)+1)*a^3*b+3/d*\ln(\tanh(d*x+c)+1)*a^2*b^2+2/d*\ln(\tanh(d*x+c)+1)*a*b^3+1/2/d*\ln(\tanh(d*x+c)+1)*b^4$$

**Maxima [B]** time = 1.11768, size = 554, normalized size = 5.04

$$\frac{1}{105} b^4 \left( 105x + \frac{105c}{d} - \frac{8(203e^{(-2dx-2c)} + 609e^{(-4dx-4c)} + 770e^{(-6dx-6c)} + 770e^{(-8dx-8c)} + 315e^{(-10dx-10c)} + 105e^{(-12dx-12c)})}{d(7e^{(-2dx-2c)} + 21e^{(-4dx-4c)} + 35e^{(-6dx-6c)} + 35e^{(-8dx-8c)} + 21e^{(-10dx-10c)} + 7e^{(-12dx-12c)} + e^{(-14dx-14c)})} + 4/15*a*b^3*(15*x + 15*c/d - 2*(70*e^{(-2*d*x - 2*c)} + 140*e^{(-4*d*x - 4*c)} + 90*e^{(-6*d*x - 6*c)} + 45*e^{(-8*d*x - 8*c)} + 23)/(d*(5*e^{(-2*d*x - 2*c)} + 10*e^{(-4*d*x - 4*c)} + 10*e^{(-6*d*x - 6*c)} + 5*e^{(-8*d*x - 8*c)} + e^{(-10*d*x - 10*c)} + 1))) + 2*a^2*b^2*(3*x + 3*c/d - 4*(3*e^{(-2*d*x - 2*c)} + 3*e^{(-4*d*x - 4*c)} + 2)/(d*(3*e^{(-2*d*x - 2*c)} + 3*e^{(-4*d*x - 4*c)} + e^{(-6*d*x - 6*c)} + 1))) + 4*a^3*b*(x + c/d - 2/(d*(e^{(-2*d*x - 2*c)} + 1))) + a^4*x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*tanh(d*x+c)^2)^4,x, algorithm="maxima")`

[Out] 
$$1/105*b^4*(105*x + 105*c/d - 8*(203*e^{(-2*d*x - 2*c)} + 609*e^{(-4*d*x - 4*c)} + 770*e^{(-6*d*x - 6*c)} + 770*e^{(-8*d*x - 8*c)} + 315*e^{(-10*d*x - 10*c)} + 105*e^{(-12*d*x - 12*c)} + 44)/(d*(7*e^{(-2*d*x - 2*c)} + 21*e^{(-4*d*x - 4*c)} + 35*e^{(-6*d*x - 6*c)} + 35*e^{(-8*d*x - 8*c)} + 21*e^{(-10*d*x - 10*c)} + 7*e^{(-12*d*x - 12*c)} + e^{(-14*d*x - 14*c)} + 1))) + 4/15*a*b^3*(15*x + 15*c/d - 2*(70*e^{(-2*d*x - 2*c)} + 140*e^{(-4*d*x - 4*c)} + 90*e^{(-6*d*x - 6*c)} + 45*e^{(-8*d*x - 8*c)} + 23)/(d*(5*e^{(-2*d*x - 2*c)} + 10*e^{(-4*d*x - 4*c)} + 10*e^{(-6*d*x - 6*c)} + 5*e^{(-8*d*x - 8*c)} + e^{(-10*d*x - 10*c)} + 1))) + 2*a^2*b^2*(3*x + 3*c/d - 4*(3*e^{(-2*d*x - 2*c)} + 3*e^{(-4*d*x - 4*c)} + 2)/(d*(3*e^{(-2*d*x - 2*c)} + 3*e^{(-4*d*x - 4*c)} + e^{(-6*d*x - 6*c)} + 1))) + 4*a^3*b*(x + c/d - 2/(d*(e^{(-2*d*x - 2*c)} + 1))) + a^4*x$$

**Fricas [B]** time = 2.52543, size = 2954, normalized size = 26.85

result too large to display

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate((a+b\*tanh(d\*x+c)^2)^4,x, algorithm="fricas")

[Out] 1/105\*((420\*a^3\*b + 840\*a^2\*b^2 + 644\*a\*b^3 + 176\*b^4 + 105\*(a^4 + 4\*a^3\*b + 6\*a^2\*b^2 + 4\*a\*b^3 + b^4)\*d\*x)\*cosh(d\*x + c)^7 + 7\*(420\*a^3\*b + 840\*a^2\*b^2 + 644\*a\*b^3 + 176\*b^4 + 105\*(a^4 + 4\*a^3\*b + 6\*a^2\*b^2 + 4\*a\*b^3 + b^4)\*d\*x)\*cosh(d\*x + c)\*sinh(d\*x + c)^6 - 4\*(105\*a^3\*b + 210\*a^2\*b^2 + 161\*a\*b^3 + 44\*b^4)\*sinh(d\*x + c)^7 + 7\*(420\*a^3\*b + 840\*a^2\*b^2 + 644\*a\*b^3 + 176\*b^4 + 105\*(a^4 + 4\*a^3\*b + 6\*a^2\*b^2 + 4\*a\*b^3 + b^4)\*d\*x)\*cosh(d\*x + c)^5 - 28\*(75\*a^3\*b + 120\*a^2\*b^2 + 71\*a\*b^3 + 14\*b^4 + 3\*(105\*a^3\*b + 210\*a^2\*b^2 + 161\*a\*b^3 + 44\*b^4)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^5 + 35\*((420\*a^3\*b + 840\*a^2\*b^2 + 644\*a\*b^3 + 176\*b^4 + 105\*(a^4 + 4\*a^3\*b + 6\*a^2\*b^2 + 4\*a\*b^3 + b^4)\*d\*x)\*cosh(d\*x + c)^3 + (420\*a^3\*b + 840\*a^2\*b^2 + 644\*a\*b^3 + 176\*b^4 + 105\*(a^4 + 4\*a^3\*b + 6\*a^2\*b^2 + 4\*a\*b^3 + b^4)\*d\*x)\*cosh(d\*x + c))\*sinh(d\*x + c)^4 + 21\*(420\*a^3\*b + 840\*a^2\*b^2 + 644\*a\*b^3 + 176\*b^4 + 105\*(a^4 + 4\*a^3\*b + 6\*a^2\*b^2 + 4\*a\*b^3 + b^4)\*d\*x)\*cosh(d\*x + c)^3 - 28\*(5\*(105\*a^3\*b + 210\*a^2\*b^2 + 161\*a\*b^3 + 44\*b^4)\*cosh(d\*x + c)^4 + 135\*a^3\*b + 180\*a^2\*b^2 + 123\*a\*b^3 + 42\*b^4 + 10\*(75\*a^3\*b + 120\*a^2\*b^2 + 71\*a\*b^3 + 14\*b^4)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^3 + 7\*(3\*(420\*a^3\*b + 840\*a^2\*b^2 + 644\*a\*b^3 + 176\*b^4 + 105\*(a^4 + 4\*a^3\*b + 6\*a^2\*b^2 + 4\*a\*b^3 + b^4)\*d\*x)\*cosh(d\*x + c)^5 + 10\*(420\*a^3\*b + 840\*a^2\*b^2 + 644\*a\*b^3 + 176\*b^4 + 105\*(a^4 + 4\*a^3\*b + 6\*a^2\*b^2 + 4\*a\*b^3 + b^4)\*d\*x)\*cosh(d\*x + c)^3 + 9\*(420\*a^3\*b + 840\*a^2\*b^2 + 644\*a\*b^3 + 176\*b^4 + 105\*(a^4 + 4\*a^3\*b + 6\*a^2\*b^2 + 4\*a\*b^3 + b^4)\*d\*x)\*cosh(d\*x + c))\*sinh(d\*x + c)^2 + 35\*(420\*a^3\*b + 840\*a^2\*b^2 + 644\*a\*b^3 + 176\*b^4 + 105\*(a^4 + 4\*a^3\*b + 6\*a^2\*b^2 + 4\*a\*b^3 + b^4)\*d\*x)\*cosh(d\*x + c) - 28\*((105\*a^3\*b + 210\*a^2\*b^2 + 161\*a\*b^3 + 44\*b^4)\*cosh(d\*x + c)^6 + 5\*(75\*a^3\*b + 120\*a^2\*b^2 + 71\*a\*b^3 + 14\*b^4)\*cosh(d\*x + c)^4 + 75\*a^3\*b + 90\*a^2\*b^2 + 75\*a\*b^3 + 9\*(45\*a^3\*b + 60\*a^2\*b^2 + 41\*a\*b^3 + 14\*b^4)\*cosh(d\*x + c)^2)\*sinh(d\*x + c))/(d\*cosh(d\*x + c)^7 + 7\*d\*cosh(d\*x + c)\*sinh(d\*x + c)^6 + 7\*d\*cosh(d\*x + c)^5 + 35\*(d\*cosh(d\*x + c)^3 + d\*cosh(d\*x + c))\*sinh(d\*x + c)^4 + 21\*d\*cosh(d\*x + c)^3 + 7\*(3\*d\*cosh(d\*x + c)^5 + 10\*d\*cosh(d\*x + c)^3 + 9\*d\*cosh(d\*x + c))\*sinh(d\*x + c)^2 + 35\*d\*cosh(d\*x + c))

---

**Sympy [A]** time = 1.60797, size = 209, normalized size = 1.9

$$\left\{ \begin{array}{l} a^4x + 4a^3bx - \frac{4a^3b \tanh(c+dx)}{d} + 6a^2b^2x - \frac{2a^2b^2 \tanh^3(c+dx)}{d} - \frac{6a^2b^2 \tanh(c+dx)}{d} + 4ab^3x - \frac{4ab^3 \tanh^5(c+dx)}{5d} - \frac{4ab^3 \tanh^3(c+dx)}{3d} \\ x(a + b \tanh^2(c))^4 \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tanh(d\*x+c)\*\*2)\*\*4,x)

```
[Out] Piecewise((a**4*x + 4*a**3*b*x - 4*a**3*b*tanh(c + d*x)/d + 6*a**2*b**2*x -
  2*a**2*b**2*tanh(c + d*x)**3/d - 6*a**2*b**2*tanh(c + d*x)/d + 4*a*b**3*x
- 4*a*b**3*tanh(c + d*x)**5/(5*d) - 4*a*b**3*tanh(c + d*x)**3/(3*d) - 4*a*b
**3*tanh(c + d*x)/d + b**4*x - b**4*tanh(c + d*x)**7/(7*d) - b**4*tanh(c +
d*x)**5/(5*d) - b**4*tanh(c + d*x)**3/(3*d) - b**4*tanh(c + d*x)/d, Ne(d, 0
)), (x*(a + b*tanh(c)**2)**4, True))
```

**Giac [B]** time = 1.19404, size = 603, normalized size = 5.48

$$\frac{(a^4 + 4a^3b + 6a^2b^2 + 4ab^3 + b^4)(dx + c)}{d} + \frac{8(105a^3be^{(12dx+12c)} + 315a^2b^2e^{(12dx+12c)} + 315ab^3e^{(12dx+12c)} + 105b^4e^{(12dx+12c)})}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tanh(d*x+c)^2)^4,x, algorithm="giac")
```

```
[Out] (a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*(d*x + c)/d + 8/105*(105*a^3*b*
e^(12*d*x + 12*c) + 315*a^2*b^2*e^(12*d*x + 12*c) + 315*a*b^3*e^(12*d*x + 1
2*c) + 105*b^4*e^(12*d*x + 12*c) + 630*a^3*b*e^(10*d*x + 10*c) + 1575*a^2*b
^2*e^(10*d*x + 10*c) + 1260*a*b^3*e^(10*d*x + 10*c) + 315*b^4*e^(10*d*x + 1
0*c) + 1575*a^3*b*e^(8*d*x + 8*c) + 3360*a^2*b^2*e^(8*d*x + 8*c) + 2555*a*b
^3*e^(8*d*x + 8*c) + 770*b^4*e^(8*d*x + 8*c) + 2100*a^3*b*e^(6*d*x + 6*c) +
3990*a^2*b^2*e^(6*d*x + 6*c) + 3080*a*b^3*e^(6*d*x + 6*c) + 770*b^4*e^(6*d
*x + 6*c) + 1575*a^3*b*e^(4*d*x + 4*c) + 2835*a^2*b^2*e^(4*d*x + 4*c) + 212
1*a*b^3*e^(4*d*x + 4*c) + 609*b^4*e^(4*d*x + 4*c) + 630*a^3*b*e^(2*d*x + 2*
c) + 1155*a^2*b^2*e^(2*d*x + 2*c) + 812*a*b^3*e^(2*d*x + 2*c) + 203*b^4*e^(
2*d*x + 2*c) + 105*a^3*b + 210*a^2*b^2 + 161*a*b^3 + 44*b^4)/(d*(e^(2*d*x +
2*c) + 1)^7)
```

### 3.169 $\int (a + b \tanh^2(c + dx))^5 dx$

**Optimal.** Leaf size=160

$$\frac{b^3 (10a^2 + 5ab + b^2) \tanh^5(c + dx)}{5d} - \frac{b^2 (10a^2b + 10a^3 + 5ab^2 + b^3) \tanh^3(c + dx)}{3d} - \frac{b (10a^2b^2 + 10a^3b + 5a^4 + 5ab^3)}{d}$$

[Out]  $(a + b)^5 x - (b(5a^4 + 10a^3b + 10a^2b^2 + 5ab^3 + b^4) \operatorname{Tanh}[c + dx])/d - (b^2(10a^3 + 10a^2b + 5ab^2 + b^3) \operatorname{Tanh}[c + dx]^3)/(3d) - (b^3(10a^2 + 5ab + b^2) \operatorname{Tanh}[c + dx]^5)/(5d) - (b^4(5a + b) \operatorname{Tanh}[c + dx]^7)/(7d) - (b^5 \operatorname{Tanh}[c + dx]^9)/(9d)$

**Rubi [A]** time = 0.0942217, antiderivative size = 160, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$ , Rules used = {3661, 390, 206}

$$\frac{b^3 (10a^2 + 5ab + b^2) \tanh^5(c + dx)}{5d} - \frac{b^2 (10a^2b + 10a^3 + 5ab^2 + b^3) \tanh^3(c + dx)}{3d} - \frac{b (10a^2b^2 + 10a^3b + 5a^4 + 5ab^3)}{d}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(a + b \operatorname{Tanh}[c + dx]^2)^5, x]$

[Out]  $(a + b)^5 x - (b(5a^4 + 10a^3b + 10a^2b^2 + 5ab^3 + b^4) \operatorname{Tanh}[c + dx])/d - (b^2(10a^3 + 10a^2b + 5ab^2 + b^3) \operatorname{Tanh}[c + dx]^3)/(3d) - (b^3(10a^2 + 5ab + b^2) \operatorname{Tanh}[c + dx]^5)/(5d) - (b^4(5a + b) \operatorname{Tanh}[c + dx]^7)/(7d) - (b^5 \operatorname{Tanh}[c + dx]^9)/(9d)$

#### Rule 3661

$\operatorname{Int}[(a + (b \cdot ((c \cdot \tan[e + f \cdot x]) + (f \cdot x)))^n)^p, x\_Symbol] \rightarrow$   
 $\operatorname{With}\{\{ff = \operatorname{FreeFactors}[\operatorname{Tan}[e + f \cdot x], x]\}, \operatorname{Dist}[(c \cdot ff)/f, \operatorname{Subst}[\operatorname{Int}[(a + b \cdot (ff \cdot x)^n)^p/(c^2 + ff^2 \cdot x^2), x], x, (c \cdot \operatorname{Tan}[e + f \cdot x])/ff], x]\} /; \operatorname{FreeQ}\{a, b, c, e, f, n, p\}, x\} \&\& (\operatorname{IntegersQ}[n, p] \parallel \operatorname{IGtQ}[p, 0] \parallel \operatorname{EqQ}[n^2, 4] \parallel \operatorname{E}qQ[n^2, 16])$

#### Rule 390

$\operatorname{Int}[(a + (b \cdot (x)^n))^p \cdot ((c + (d \cdot (x)^n))^q), x\_Symbol] \rightarrow$   
 $\operatorname{Int}[\operatorname{PolynomialDivide}[(a + b \cdot x^n)^p, (c + d \cdot x^n)^{-q}, x], x] /; \operatorname{FreeQ}\{a, b, c, d\}, x\} \&\& \operatorname{NeQ}[b \cdot c - a \cdot d, 0] \&\& \operatorname{IGtQ}[n, 0] \&\& \operatorname{IGtQ}[p, 0] \&\& \operatorname{ILtQ}[q,$

0] && GeQ[p, -q]

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rubi steps

$$\begin{aligned} \int (a + b \tanh^2(c + dx))^5 dx &= \frac{\text{Subst}\left(\int \frac{(a+bx^2)^5}{1-x^2} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{\text{Subst}\left(\int \left(-b(5a^4 + 10a^3b + 10a^2b^2 + 5ab^3 + b^4) - b^2(10a^3 + 10a^2b + 5ab^2 + b^3)x^2 - b^3(10a^2 + 10ab + b^2)x^4 - b^4x^6\right) dx, x, \tanh(c + dx)\right)}{d} \\ &= -\frac{b(5a^4 + 10a^3b + 10a^2b^2 + 5ab^3 + b^4) \tanh(c + dx)}{d} - \frac{b^2(10a^3 + 10a^2b + 5ab^2 + b^3) \tanh^3(c + dx)}{3d} \\ &= (a + b)^5 x - \frac{b(5a^4 + 10a^3b + 10a^2b^2 + 5ab^3 + b^4) \tanh(c + dx)}{d} - \frac{b^2(10a^3 + 10a^2b + 5ab^2 + b^3) \tanh^3(c + dx)}{3d} \end{aligned}$$

**Mathematica [A]** time = 2.14821, size = 170, normalized size = 1.06

$$\tanh(c + dx) \left( \frac{315(a+b)^5 \tanh^{-1}\left(\sqrt{\tanh^2(c+dx)}\right)}{\sqrt{\tanh^2(c+dx)}} - b(63b^2(10a^2 + 5ab + b^2) \tanh^4(c + dx) + 105b(10a^2b + 10a^3 + 5ab^2 + b^3) \tanh^3(c + dx) + 35b^2(10a^2 + 10ab + b^2) \tanh^2(c + dx) + 35b^3(10a + b) \tanh(c + dx) + 35b^4) \right) / (315d)$$

315d

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Tanh[c + d\*x]^2)^5, x]

[Out] (Tanh[c + d\*x]\*((315\*(a + b)^5\*ArcTanh[Sqrt[Tanh[c + d\*x]^2]])/Sqrt[Tanh[c + d\*x]^2] - b\*(315\*(5\*a^4 + 10\*a^3\*b + 10\*a^2\*b^2 + 5\*a\*b^3 + b^4) + 105\*b\*(10\*a^3 + 10\*a^2\*b + 5\*a\*b^2 + b^3)\*Tanh[c + d\*x]^2 + 63\*b^2\*(10\*a^2 + 5\*a\*b + b^2)\*Tanh[c + d\*x]^4 + 45\*b^3\*(5\*a + b)\*Tanh[c + d\*x]^6 + 35\*b^4\*Tanh[c + d\*x]^8)))/(315\*d)

**Maple [B]** time = 0.006, size = 472, normalized size = 3.

$$\frac{a^5 \ln(\tanh(dx+c)-1)}{2d} - \frac{(\tanh(dx+c))^5 ab^4}{d} - \frac{10(\tanh(dx+c))^3 a^3 b^2}{3d} - \frac{10(\tanh(dx+c))^3 a^2 b^3}{3d} - \frac{5(\tanh(dx+c))^5 b^5}{7d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*tanh(d\*x+c)^2)^5,x)

[Out]  $-1/2/d*a^5*\ln(\tanh(d*x+c)-1)-1/d*\tanh(d*x+c)^5*a*b^4-10/3/d*\tanh(d*x+c)^3*a^3*b^2-10/3/d*\tanh(d*x+c)^3*a^2*b^3-5/7/d*\tanh(d*x+c)^7*a*b^4-10/d*a^2*b^3*\tanh(d*x+c)-5/d*a^4*b*\tanh(d*x+c)-2/d*\tanh(d*x+c)^5*a^2*b^3-5/2/d*\ln(\tanh(d*x+c)-1)*a*b^4-5/3/d*\tanh(d*x+c)^3*a*b^4-5/d*a*b^4*\tanh(d*x+c)-10/d*a^3*b^2*\tanh(d*x+c)+5/d*\ln(\tanh(d*x+c)+1)*a^3*b^2+5/2/d*\ln(\tanh(d*x+c)+1)*a^4*b-1/7/d*\tanh(d*x+c)^7*b^5-1/5/d*\tanh(d*x+c)^5*b^5-1/3/d*\tanh(d*x+c)^3*b^5-1/d*b^5*\tanh(d*x+c)-1/9*b^5*\tanh(d*x+c)^9/d+1/2/d*\ln(\tanh(d*x+c)+1)*a^5+1/2/d*\ln(\tanh(d*x+c)+1)*b^5-1/2/d*\ln(\tanh(d*x+c)-1)*b^5+5/d*\ln(\tanh(d*x+c)+1)*a^2*b^3-5/2/d*\ln(\tanh(d*x+c)-1)*a^4*b-5/d*\ln(\tanh(d*x+c)-1)*a^3*b^2-5/d*\ln(\tanh(d*x+c)-1)*a^2*b^3+5/2/d*\ln(\tanh(d*x+c)+1)*a*b^4$

**Maxima [B]** time = 1.20509, size = 842, normalized size = 5.26

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tanh(d\*x+c)^2)^5,x, algorithm="maxima")

[Out]  $1/315*b^5*(315*x + 315*c/d - 2*(3492*e^{(-2*d*x - 2*c)} + 13968*e^{(-4*d*x - 4*c)} + 26292*e^{(-6*d*x - 6*c)} + 39438*e^{(-8*d*x - 8*c)} + 31500*e^{(-10*d*x - 10*c)} + 21000*e^{(-12*d*x - 12*c)} + 6300*e^{(-14*d*x - 14*c)} + 1575*e^{(-16*d*x - 16*c)} + 563)/(d*(9*e^{(-2*d*x - 2*c)} + 36*e^{(-4*d*x - 4*c)} + 84*e^{(-6*d*x - 6*c)} + 126*e^{(-8*d*x - 8*c)} + 126*e^{(-10*d*x - 10*c)} + 84*e^{(-12*d*x - 12*c)} + 36*e^{(-14*d*x - 14*c)} + 9*e^{(-16*d*x - 16*c)} + e^{(-18*d*x - 18*c)} + 1))) + 1/21*a*b^4*(105*x + 105*c/d - 8*(203*e^{(-2*d*x - 2*c)} + 609*e^{(-4*d*x - 4*c)} + 770*e^{(-6*d*x - 6*c)} + 770*e^{(-8*d*x - 8*c)} + 315*e^{(-10*d*x - 10*c)} + 105*e^{(-12*d*x - 12*c)} + 44)/(d*(7*e^{(-2*d*x - 2*c)} + 21*e^{(-4*d*x - 4*c)} + 35*e^{(-6*d*x - 6*c)} + 35*e^{(-8*d*x - 8*c)} + 21*e^{(-10*d*x - 10*c)} + 7*e^{(-12*d*x - 12*c)} + e^{(-14*d*x - 14*c)} + 1))) + 2/3*a^2*b^3*(15*x + 15*c/d - 2*(70*e^{(-2*d*x - 2*c)} + 140*e^{(-4*d*x - 4*c)} + 90*e^{(-6*d*x - 6*c)} + 45*e^{(-8*d*x - 8*c)} + 23)/(d*(5*e^{(-2*d*x - 2*c)} + 10*e^{(-4*d*x - 4*c)} + 10*e^{(-6*d*x - 6*c)} + 5*e^{(-8*d*x - 8*c)} + e^{(-10*d*x - 10*c)} + 1))) + 10/3$

$$*a^3*b^2*(3*x + 3*c/d - 4*(3*e^{(-2*d*x - 2*c)} + 3*e^{(-4*d*x - 4*c)} + 2)/(d*(3*e^{(-2*d*x - 2*c)} + 3*e^{(-4*d*x - 4*c)} + e^{(-6*d*x - 6*c)} + 1))) + 5*a^4*b*(x + c/d - 2/(d*(e^{(-2*d*x - 2*c)} + 1))) + a^5*x$$

**Fricas [B]** time = 2.67108, size = 5516, normalized size = 34.48

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tanh(d\*x+c))^2)^5,x, algorithm="fricas")

[Out] 1/315\*((1575\*a^4\*b + 4200\*a^3\*b^2 + 4830\*a^2\*b^3 + 2640\*a\*b^4 + 563\*b^5 + 315\*(a^5 + 5\*a^4\*b + 10\*a^3\*b^2 + 10\*a^2\*b^3 + 5\*a\*b^4 + b^5)\*d\*x)\*cosh(d\*x + c)^9 + 9\*(1575\*a^4\*b + 4200\*a^3\*b^2 + 4830\*a^2\*b^3 + 2640\*a\*b^4 + 563\*b^5 + 315\*(a^5 + 5\*a^4\*b + 10\*a^3\*b^2 + 10\*a^2\*b^3 + 5\*a\*b^4 + b^5)\*d\*x)\*cosh(d\*x + c)\*sinh(d\*x + c)^8 - (1575\*a^4\*b + 4200\*a^3\*b^2 + 4830\*a^2\*b^3 + 2640\*a\*b^4 + 563\*b^5)\*sinh(d\*x + c)^9 + 9\*(1575\*a^4\*b + 4200\*a^3\*b^2 + 4830\*a^2\*b^3 + 2640\*a\*b^4 + 563\*b^5 + 315\*(a^5 + 5\*a^4\*b + 10\*a^3\*b^2 + 10\*a^2\*b^3 + 5\*a\*b^4 + b^5)\*d\*x)\*cosh(d\*x + c)^7 - 9\*(1225\*a^4\*b + 2800\*a^3\*b^2 + 2730\*a^2\*b^3 + 1240\*a\*b^4 + 213\*b^5 + 4\*(1575\*a^4\*b + 4200\*a^3\*b^2 + 4830\*a^2\*b^3 + 2640\*a\*b^4 + 563\*b^5)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^7 + 21\*(4\*(1575\*a^4\*b + 4200\*a^3\*b^2 + 4830\*a^2\*b^3 + 2640\*a\*b^4 + 563\*b^5 + 315\*(a^5 + 5\*a^4\*b + 10\*a^3\*b^2 + 10\*a^2\*b^3 + 5\*a\*b^4 + b^5)\*d\*x)\*cosh(d\*x + c)^3 + 3\*(1575\*a^4\*b + 4200\*a^3\*b^2 + 4830\*a^2\*b^3 + 2640\*a\*b^4 + 563\*b^5 + 315\*(a^5 + 5\*a^4\*b + 10\*a^3\*b^2 + 10\*a^2\*b^3 + 5\*a\*b^4 + b^5)\*d\*x)\*cosh(d\*x + c))\*sinh(d\*x + c)^6 + 36\*(1575\*a^4\*b + 4200\*a^3\*b^2 + 4830\*a^2\*b^3 + 2640\*a\*b^4 + 563\*b^5 + 315\*(a^5 + 5\*a^4\*b + 10\*a^3\*b^2 + 10\*a^2\*b^3 + 5\*a\*b^4 + b^5)\*d\*x)\*cosh(d\*x + c)^5 - 9\*(3500\*a^4\*b + 7000\*a^3\*b^2 + 6720\*a^2\*b^3 + 3560\*a\*b^4 + 852\*b^5 + 14\*(1575\*a^4\*b + 4200\*a^3\*b^2 + 4830\*a^2\*b^3 + 2640\*a\*b^4 + 563\*b^5)\*cosh(d\*x + c)^4 + 21\*(1225\*a^4\*b + 2800\*a^3\*b^2 + 2730\*a^2\*b^3 + 1240\*a\*b^4 + 213\*b^5)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^5 + 9\*(14\*(1575\*a^4\*b + 4200\*a^3\*b^2 + 4830\*a^2\*b^3 + 2640\*a\*b^4 + 563\*b^5 + 315\*(a^5 + 5\*a^4\*b + 10\*a^3\*b^2 + 10\*a^2\*b^3 + 5\*a\*b^4 + b^5)\*d\*x)\*cosh(d\*x + c)^5 + 35\*(1575\*a^4\*b + 4200\*a^3\*b^2 + 4830\*a^2\*b^3 + 2640\*a\*b^4 + 563\*b^5 + 315\*(a^5 + 5\*a^4\*b + 10\*a^3\*b^2 + 10\*a^2\*b^3 + 5\*a\*b^4 + b^5)\*d\*x)\*cosh(d\*x + c)^3 + 20\*(1575\*a^4\*b + 4200\*a^3\*b^2 + 4830\*a^2\*b^3 + 2640\*a\*b^4 + 563\*b^5 + 315\*(a^5 + 5\*a^4\*b + 10\*a^3\*b^2 + 10\*a^2\*b^3 + 5\*a\*b^4 + b^5)\*d\*x)\*cosh(d\*x + c))\*sinh(d\*x + c)^4 + 84\*(1575\*a^4\*b + 4200\*a^3\*b^2 + 4830\*a^2\*b^3 + 2640\*a\*b^4 + 563\*b^5 + 315\*(a^5 + 5\*a^4\*b + 10\*a^3\*b^2 + 10\*a^2\*b^3 + 5\*a\*b^4 + b^5)\*d\*x)\*cosh(d\*x + c)^3 - 3\*(28\*(1575\*a^4\*b + 4200\*a^3\*b^2 + 4830\*a^2\*b^3 + 2640\*a\*b^4 + 563\*b^5)\*cosh(d\*x + c)^6 + 14700\*a^4\*b + 26600\*a^3\*b^2 + 27440\*a^2\*b^3

```

+ 13720*a*b^4 + 1764*b^5 + 105*(1225*a^4*b + 2800*a^3*b^2 + 2730*a^2*b^3 +
1240*a*b^4 + 213*b^5)*cosh(d*x + c)^4 + 120*(875*a^4*b + 1750*a^3*b^2 + 16
80*a^2*b^3 + 890*a*b^4 + 213*b^5)*cosh(d*x + c)^2)*sinh(d*x + c)^3 + 9*(4*(
1575*a^4*b + 4200*a^3*b^2 + 4830*a^2*b^3 + 2640*a*b^4 + 563*b^5 + 315*(a^5
+ 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*x)*cosh(d*x + c)^7 +
21*(1575*a^4*b + 4200*a^3*b^2 + 4830*a^2*b^3 + 2640*a*b^4 + 563*b^5 + 315*
(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*x)*cosh(d*x + c
)^5 + 40*(1575*a^4*b + 4200*a^3*b^2 + 4830*a^2*b^3 + 2640*a*b^4 + 563*b^5 +
315*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*x)*cosh(d*
x + c)^3 + 28*(1575*a^4*b + 4200*a^3*b^2 + 4830*a^2*b^3 + 2640*a*b^4 + 563*
b^5 + 315*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*x)*co
sh(d*x + c))*sinh(d*x + c)^2 + 126*(1575*a^4*b + 4200*a^3*b^2 + 4830*a^2*b^
3 + 2640*a*b^4 + 563*b^5 + 315*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5
*a*b^4 + b^5)*d*x)*cosh(d*x + c) - 9*((1575*a^4*b + 4200*a^3*b^2 + 4830*a^2
*b^3 + 2640*a*b^4 + 563*b^5)*cosh(d*x + c)^8 + 7*(1225*a^4*b + 2800*a^3*b^2
+ 2730*a^2*b^3 + 1240*a*b^4 + 213*b^5)*cosh(d*x + c)^6 + 2450*a^4*b + 4200
*a^3*b^2 + 4620*a^2*b^3 + 1960*a*b^4 + 882*b^5 + 20*(875*a^4*b + 1750*a^3*b
^2 + 1680*a^2*b^3 + 890*a*b^4 + 213*b^5)*cosh(d*x + c)^4 + 28*(525*a^4*b +
950*a^3*b^2 + 980*a^2*b^3 + 490*a*b^4 + 63*b^5)*cosh(d*x + c)^2)*sinh(d*x +
c))/(d*cosh(d*x + c)^9 + 9*d*cosh(d*x + c)*sinh(d*x + c)^8 + 9*d*cosh(d*x
+ c)^7 + 21*(4*d*cosh(d*x + c)^3 + 3*d*cosh(d*x + c))*sinh(d*x + c)^6 + 36*
d*cosh(d*x + c)^5 + 9*(14*d*cosh(d*x + c)^5 + 35*d*cosh(d*x + c)^3 + 20*d*c
osh(d*x + c))*sinh(d*x + c)^4 + 84*d*cosh(d*x + c)^3 + 9*(4*d*cosh(d*x + c)
^7 + 21*d*cosh(d*x + c)^5 + 40*d*cosh(d*x + c)^3 + 28*d*cosh(d*x + c))*sinh
(d*x + c)^2 + 126*d*cosh(d*x + c))

```

---

**Sympy [A]** time = 2.82775, size = 308, normalized size = 1.92

$$\left\{ \begin{array}{l} a^5 x + 5a^4 b x - \frac{5a^4 b \tanh(c+dx)}{d} + 10a^3 b^2 x - \frac{10a^3 b^2 \tanh^3(c+dx)}{3d} - \frac{10a^3 b^2 \tanh(c+dx)}{d} + 10a^2 b^3 x - \frac{2a^2 b^3 \tanh^5(c+dx)}{d} - \frac{10a^2 b^3 \tanh^3(c+dx)}{3d} \\ x \left( a + b \tanh^2(c) \right)^5 \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tanh(d\*x+c)\*\*2)\*\*5,x)

[Out] Piecewise((a\*\*5\*x + 5\*a\*\*4\*b\*x - 5\*a\*\*4\*b\*tanh(c + d\*x)/d + 10\*a\*\*3\*b\*\*2\*x - 10\*a\*\*3\*b\*\*2\*tanh(c + d\*x)\*\*3/(3\*d) - 10\*a\*\*3\*b\*\*2\*tanh(c + d\*x)/d + 10\*a\*\*2\*b\*\*3\*x - 2\*a\*\*2\*b\*\*3\*tanh(c + d\*x)\*\*5/d - 10\*a\*\*2\*b\*\*3\*tanh(c + d\*x)\*\*3/(3\*d) - 10\*a\*\*2\*b\*\*3\*tanh(c + d\*x)/d + 5\*a\*b\*\*4\*x - 5\*a\*b\*\*4\*tanh(c + d\*x)\*\*7/(7\*d) - a\*b\*\*4\*tanh(c + d\*x)\*\*5/d - 5\*a\*b\*\*4\*tanh(c + d\*x)\*\*3/(3\*d) - 5\*a\*b\*\*4\*tanh(c + d\*x)/d + b\*\*5\*x - b\*\*5\*tanh(c + d\*x)\*\*9/(9\*d) - b\*\*5\*tanh(c + d\*x))

$c + d*x)^{**7}/(7*d) - b^{**5}*tanh(c + d*x)^{**5}/(5*d) - b^{**5}*tanh(c + d*x)^{**3}/(3*d) - b^{**5}*tanh(c + d*x)/d, Ne(d, 0)), (x*(a + b*tanh(c)^{**2})^{**5}, True))$

**Giac [B]** time = 1.22694, size = 973, normalized size = 6.08

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tanh(d\*x+c)^2)^5,x, algorithm="giac")

[Out]  $(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*(d*x + c)/d + 2/3$   
 $15*(1575*a^4*b*e^{(16*d*x + 16*c)} + 6300*a^3*b^2*e^{(16*d*x + 16*c)} + 9450*a^2*b^3*e^{(16*d*x + 16*c)} + 6300*a*b^4*e^{(16*d*x + 16*c)} + 1575*b^5*e^{(16*d*x + 16*c)} + 12600*a^4*b*e^{(14*d*x + 14*c)} + 44100*a^3*b^2*e^{(14*d*x + 14*c)} + 56700*a^2*b^3*e^{(14*d*x + 14*c)} + 31500*a*b^4*e^{(14*d*x + 14*c)} + 6300*b^5*e^{(14*d*x + 14*c)} + 44100*a^4*b*e^{(12*d*x + 12*c)} + 136500*a^3*b^2*e^{(12*d*x + 12*c)} + 161700*a^2*b^3*e^{(12*d*x + 12*c)} + 90300*a*b^4*e^{(12*d*x + 12*c)} + 21000*b^5*e^{(12*d*x + 12*c)} + 88200*a^4*b*e^{(10*d*x + 10*c)} + 245700*a^3*b^2*e^{(10*d*x + 10*c)} + 283500*a^2*b^3*e^{(10*d*x + 10*c)} + 157500*a*b^4*e^{(10*d*x + 10*c)} + 31500*b^5*e^{(10*d*x + 10*c)} + 110250*a^4*b*e^{(8*d*x + 8*c)} + 283500*a^3*b^2*e^{(8*d*x + 8*c)} + 325080*a^2*b^3*e^{(8*d*x + 8*c)} + 175140*a*b^4*e^{(8*d*x + 8*c)} + 39438*b^5*e^{(8*d*x + 8*c)} + 88200*a^4*b*e^{(6*d*x + 6*c)} + 216300*a^3*b^2*e^{(6*d*x + 6*c)} + 244020*a^2*b^3*e^{(6*d*x + 6*c)} + 131460*a*b^4*e^{(6*d*x + 6*c)} + 26292*b^5*e^{(6*d*x + 6*c)} + 44100*a^4*b*e^{(4*d*x + 4*c)} + 107100*a^3*b^2*e^{(4*d*x + 4*c)} + 117180*a^2*b^3*e^{(4*d*x + 4*c)} + 63540*a*b^4*e^{(4*d*x + 4*c)} + 13968*b^5*e^{(4*d*x + 4*c)} + 12600*a^4*b*e^{(2*d*x + 2*c)} + 31500*a^3*b^2*e^{(2*d*x + 2*c)} + 34020*a^2*b^3*e^{(2*d*x + 2*c)} + 17460*a*b^4*e^{(2*d*x + 2*c)} + 3492*b^5*e^{(2*d*x + 2*c)} + 1575*a^4*b + 4200*a^3*b^2 + 4830*a^2*b^3 + 2640*a*b^4 + 563*b^5)/(d*(e^{(2*d*x + 2*c)} + 1)^9)$



$$3.170 \quad \int \frac{\tanh^5(c+dx)}{a+b \tanh^2(c+dx)} dx$$

**Optimal.** Leaf size=66

$$\frac{a^2 \log(a + b \tanh^2(c + dx))}{2b^2 d(a + b)} + \frac{\log(\cosh(c + dx))}{d(a + b)} - \frac{\tanh^2(c + dx)}{2bd}$$

[Out] Log[Cosh[c + d\*x]]/((a + b)\*d) + (a^2\*Log[a + b\*Tanh[c + d\*x]^2])/(2\*b^2\*(a + b)\*d) - Tanh[c + d\*x]^2/(2\*b\*d)

**Rubi [A]** time = 0.11458, antiderivative size = 66, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$ , Rules used = {3670, 446, 72}

$$\frac{a^2 \log(a + b \tanh^2(c + dx))}{2b^2 d(a + b)} + \frac{\log(\cosh(c + dx))}{d(a + b)} - \frac{\tanh^2(c + dx)}{2bd}$$

Antiderivative was successfully verified.

[In] Int[Tanh[c + d\*x]^5/(a + b\*Tanh[c + d\*x]^2), x]

[Out] Log[Cosh[c + d\*x]]/((a + b)\*d) + (a^2\*Log[a + b\*Tanh[c + d\*x]^2])/(2\*b^2\*(a + b)\*d) - Tanh[c + d\*x]^2/(2\*b\*d)

#### Rule 3670

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((a_.) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_.))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f^2*x^2), x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))
```

#### Rule 446

```
Int[(x_)^(m_.)*((a_.) + (b_.)*(x_)^(n_.))^(p_.)*((c_.) + (d_.)*(x_)^(n_.))^(q_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 72

```
Int[((e_.) + (f_.)*(x_))^(p_.)/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))),
  x_Symbol] := Int[ExpandIntegrand[(e + f*x)^p/((a + b*x)*(c + d*x)), x], x]
/; FreeQ[{a, b, c, d, e, f}, x] && IntegerQ[p]
```

Rubi steps

$$\begin{aligned} \int \frac{\tanh^5(c + dx)}{a + b \tanh^2(c + dx)} dx &= \frac{\text{Subst}\left(\int \frac{x^5}{(1-x^2)(a+bx^2)} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{\text{Subst}\left(\int \frac{x^2}{(1-x)(a+bx)} dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= \frac{\text{Subst}\left(\int \left(-\frac{1}{b} - \frac{1}{(a+b)(-1+x)} + \frac{a^2}{b(a+b)(a+bx)}\right) dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= \frac{\log(\cosh(c + dx))}{(a + b)d} + \frac{a^2 \log(a + b \tanh^2(c + dx))}{2b^2(a + b)d} - \frac{\tanh^2(c + dx)}{2bd} \end{aligned}$$

**Mathematica [A]** time = 0.160528, size = 60, normalized size = 0.91

$$-\frac{\frac{a^2 \log(a+b \tanh^2(c+dx))}{b^2(a+b)} - \frac{2 \log(\cosh(c+dx))}{a+b} + \frac{\tanh^2(c+dx)}{b}}{2d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Tanh[c + d*x]^5/(a + b*Tanh[c + d*x]^2), x]
```

```
[Out] -((-2*Log[Cosh[c + d*x]])/(a + b) - (a^2*Log[a + b*Tanh[c + d*x]^2])/(b^2*(a + b)) + Tanh[c + d*x]^2/b)/(2*d)
```

**Maple [A]** time = 0.018, size = 93, normalized size = 1.4

$$-\frac{(\tanh(dx + c))^2}{2bd} - \frac{\ln(\tanh(dx + c) + 1)}{d(2b + 2a)} + \frac{a^2 \ln(a + b(\tanh(dx + c))^2)}{2b^2(a + b)d} - \frac{\ln(\tanh(dx + c) - 1)}{d(2b + 2a)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(tanh(d*x+c)^5/(a+b*tanh(d*x+c)^2),x)`

[Out]  $-1/2*\tanh(d*x+c)^2/b/d-1/d/(2*b+2*a)*\ln(\tanh(d*x+c)+1)+1/2*a^2*\ln(a+b*\tanh(d*x+c)^2)/b^2/(a+b)/d-1/d/(2*b+2*a)*\ln(\tanh(d*x+c)-1)$

**Maxima [B]** time = 1.57601, size = 180, normalized size = 2.73

$$\frac{a^2 \log\left(2(a-b)e^{(-2dx-2c)} + (a+b)e^{(-4dx-4c)} + a+b\right)}{2(ab^2 + b^3)d} + \frac{dx+c}{(a+b)d} + \frac{2e^{(-2dx-2c)}}{(2be^{(-2dx-2c)} + be^{(-4dx-4c)} + b)d} - \frac{(a-b)\log\left(e^{(-2dx-2c)} + 1\right)}{b^2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(d*x+c)^5/(a+b*tanh(d*x+c)^2),x, algorithm="maxima")`

[Out]  $1/2*a^2*\log(2*(a-b)*e^{(-2*d*x-2*c)} + (a+b)*e^{(-4*d*x-4*c)} + a+b)/((a*b^2 + b^3)*d) + (d*x+c)/((a+b)*d) + 2*e^{(-2*d*x-2*c)}/((2*b*e^{(-2*d*x-2*c)} + b*e^{(-4*d*x-4*c)} + b)*d) - (a-b)*\log(e^{(-2*d*x-2*c)} + 1)/(b^2*d)$

**Fricas [B]** time = 3.05674, size = 1817, normalized size = 27.53

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(d*x+c)^5/(a+b*tanh(d*x+c)^2),x, algorithm="fricas")`

[Out]  $-1/2*(2*b^2*d*x*\cosh(d*x+c)^4 + 8*b^2*d*x*\cosh(d*x+c)*\sinh(d*x+c)^3 + 2*b^2*d*x*\sinh(d*x+c)^4 + 2*b^2*d*x + 4*(b^2*d*x - a*b - b^2)*\cosh(d*x+c)^2 + 4*(3*b^2*d*x*\cosh(d*x+c)^2 + b^2*d*x - a*b - b^2)*\sinh(d*x+c)^2 - (a^2*\cosh(d*x+c)^4 + 4*a^2*\cosh(d*x+c)*\sinh(d*x+c)^3 + a^2*\sinh(d*x+c)^4 + 2*a^2*\cosh(d*x+c)^2 + 2*(3*a^2*\cosh(d*x+c)^2 + a^2)*\sinh(d*x+c)^2 + a^2 + 4*(a^2*\cosh(d*x+c)^3 + a^2*\cosh(d*x+c))*\sinh(d*x+c))*\log(2*((a+b)*\cosh(d*x+c)^2 + (a+b)*\sinh(d*x+c)^2 + a-b)/(\cosh(d*x+c)^2 - 2*\cosh(d*x+c)*\sinh(d*x+c) + \sinh(d*x+c)^2)) + 2*((a^2 - b^2)*\cosh(d*x+c)^4 + 4*(a^2 - b^2)*\cosh(d*x+c)*\sinh(d*x+c)^3 + (a^2 - b^2)*\sinh(d*x+c)^4 + 2*(a^2 - b^2)*\cosh(d*x+c)^2 + 2*(3*(a^2 - b^2)*\cosh(d*x+c)^2 + a^2 - b^2)*\sinh(d*x+c)^2 + a^2 - b^2 + 4*((a^2 - b^2)*\cosh(d*x+c)^3 + (a^2 - b^2)*\cosh(d*x+c))*\sinh(d*x+c))*\log(2*\cosh(d*x+c)/(\cosh(d*x+c)^2 - 2*\cosh(d*x+c)*\sinh(d*x+c) + \sinh(d*x+c)^2))$

$$\cosh(dx + c) - \sinh(dx + c))) + 8*(b^2*d*x*cosh(dx + c)^3 + (b^2*d*x - a*b - b^2)*cosh(dx + c))*sinh(dx + c))/((a*b^2 + b^3)*d*cosh(dx + c)^4 + 4*(a*b^2 + b^3)*d*cosh(dx + c)*sinh(dx + c)^3 + (a*b^2 + b^3)*d*sinh(dx + c)^4 + 2*(a*b^2 + b^3)*d*cosh(dx + c)^2 + 2*(3*(a*b^2 + b^3)*d*cosh(dx + c)^2 + (a*b^2 + b^3)*d)*sinh(dx + c)^2 + (a*b^2 + b^3)*d + 4*((a*b^2 + b^3)*d*cosh(dx + c)^3 + (a*b^2 + b^3)*d*cosh(dx + c))*sinh(dx + c))$$

**Sympy [A]** time = 39.4481, size = 425, normalized size = 6.44

$$\left\{ \begin{array}{l} \infty x \tanh^3(c) \\ x \frac{\log(\tanh(c+dx)+1)}{d} - \frac{\tanh^4(c+dx)}{4d} - \frac{\tanh^2(c+dx)}{2d} \\ \frac{4dx \tanh^2(c+dx)}{2bd \tanh^2(c+dx) - 2bd} - \frac{a}{2bd \tanh^2(c+dx) - 2bd} - \frac{4dx}{2bd \tanh^2(c+dx) - 2bd} - \frac{4 \log(\tanh(c+dx)+1) \tanh^2(c+dx)}{2bd \tanh^2(c+dx) - 2bd} + \frac{4 \log(\tanh(c+dx)+1)}{2bd \tanh^2(c+dx) - 2bd} - \frac{\tanh^4(c+dx)}{2bd \tanh^2(c+dx) - 2bd} + \frac{2}{2bd \tanh^2(c+dx) - 2bd} \\ \frac{x \tanh^5(c)}{a+b \tanh^2(c)} \\ \frac{a^2 \log\left(-i\sqrt{a}\sqrt{\frac{1}{b}} + \tanh(c+dx)\right)}{2ab^2d+2b^3d} + \frac{a^2 \log\left(i\sqrt{a}\sqrt{\frac{1}{b}} + \tanh(c+dx)\right)}{2ab^2d+2b^3d} - \frac{ab \tanh^2(c+dx)}{2ab^2d+2b^3d} + \frac{2b^2 dx}{2ab^2d+2b^3d} - \frac{2b^2 \log(\tanh(c+dx)+1)}{2ab^2d+2b^3d} - \frac{b^2 \tanh^2(c+dx)}{2ab^2d+2b^3d} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(dx+c)\*\*5/(a+b\*tanh(dx+c)\*\*2), x)

[Out] Piecewise((zoo\*x\*tanh(c)\*\*3, Eq(a, 0) & Eq(b, 0) & Eq(d, 0)), ((x - log(tanh(c + dx) + 1))/d - tanh(c + dx)\*\*4/(4\*d) - tanh(c + dx)\*\*2/(2\*d))/a, Eq(b, 0)), (4\*d\*x\*tanh(c + dx)\*\*2/(2\*b\*d\*tanh(c + dx)\*\*2 - 2\*b\*d) - 4\*d\*x/(2\*b\*d\*tanh(c + dx)\*\*2 - 2\*b\*d) - 4\*log(tanh(c + dx) + 1)\*tanh(c + dx)\*\*2/(2\*b\*d\*tanh(c + dx)\*\*2 - 2\*b\*d) + 4\*log(tanh(c + dx) + 1)/(2\*b\*d\*tanh(c + dx)\*\*2 - 2\*b\*d) - tanh(c + dx)\*\*4/(2\*b\*d\*tanh(c + dx)\*\*2 - 2\*b\*d) + 2/(2\*b\*d\*tanh(c + dx)\*\*2 - 2\*b\*d), Eq(a, -b)), (x\*tanh(c)\*\*5/(a + b\*tanh(c)\*\*2), Eq(d, 0)), (a\*\*2\*log(-I\*sqrt(a)\*sqrt(1/b) + tanh(c + dx))/(2\*a\*b\*\*2\*d + 2\*b\*\*3\*d) + a\*\*2\*log(I\*sqrt(a)\*sqrt(1/b) + tanh(c + dx))/(2\*a\*b\*\*2\*d + 2\*b\*\*3\*d) - a\*b\*tanh(c + dx)\*\*2/(2\*a\*b\*\*2\*d + 2\*b\*\*3\*d) + 2\*b\*\*2\*d\*x/(2\*a\*b\*\*2\*d + 2\*b\*\*3\*d) - 2\*b\*\*2\*log(tanh(c + dx) + 1)/(2\*a\*b\*\*2\*d + 2\*b\*\*3\*d) - b\*\*2\*tanh(c + dx)\*\*2/(2\*a\*b\*\*2\*d + 2\*b\*\*3\*d), True))

**Giac [B]** time = 1.26656, size = 190, normalized size = 2.88

$$\frac{a^2 \log(ae^{4dx+4c}) + be^{4dx+4c} + 2ae^{2dx+2c} - 2be^{2dx+2c} + a + b}{2(ab^2d + b^3d)} - \frac{dx + c}{ad + bd} - \frac{(a - b) \log(e^{2dx+2c} + 1)}{b^2d} + \frac{2e^{2dx+2c}}{bd(e^{2dx+2c})}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tanh(d*x+c)^5/(a+b*tanh(d*x+c)^2),x, algorithm="giac")
```

```
[Out] 1/2*a^2*log(a*e^(4*d*x + 4*c) + b*e^(4*d*x + 4*c) + 2*a*e^(2*d*x + 2*c) - 2
*b*e^(2*d*x + 2*c) + a + b)/(a*b^2*d + b^3*d) - (d*x + c)/(a*d + b*d) - (a
- b)*log(e^(2*d*x + 2*c) + 1)/(b^2*d) + 2*e^(2*d*x + 2*c)/(b*d*(e^(2*d*x +
2*c) + 1)^2)
```

$$3.171 \quad \int \frac{\tanh^4(c+dx)}{a+b \tanh^2(c+dx)} dx$$

**Optimal.** Leaf size=59

$$\frac{a^{3/2} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{b^{3/2}d(a+b)} + \frac{x}{a+b} - \frac{\tanh(c+dx)}{bd}$$

[Out] x/(a + b) + (a^(3/2)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(b^(3/2)\*(a + b)\*d) - Tanh[c + d\*x]/(b\*d)

**Rubi [A]** time = 0.10793, antiderivative size = 59, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {3670, 479, 522, 206, 205}

$$\frac{a^{3/2} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{b^{3/2}d(a+b)} + \frac{x}{a+b} - \frac{\tanh(c+dx)}{bd}$$

Antiderivative was successfully verified.

[In] Int[Tanh[c + d\*x]^4/(a + b\*Tanh[c + d\*x]^2), x]

[Out] x/(a + b) + (a^(3/2)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(b^(3/2)\*(a + b)\*d) - Tanh[c + d\*x]/(b\*d)

### Rule 3670

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.))^(p_.), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[(((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f^2*x^2), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))
```

### Rule 479

```
Int[((e_.)*(x_.))^(m_.)*((a_) + (b_.)*(x_.)^(n_.))^(p_.)*((c_) + (d_.)*(x_.)^(n_.))^(q_.), x_Symbol] :> Simp[(e^(2*n - 1)*(e*x)^(m - 2*n + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(b*d*(m + n*(p + q) + 1)), x] - Dist[e^(2*n)/(b*d*(m + n*(p + q) + 1)), Int[(e*x)^(m - 2*n)*(a + b*x^n)^p*(c + d*x^n)^q*Simp
```

$[a*c*(m - 2*n + 1) + (a*d*(m + n*(q - 1) + 1) + b*c*(m + n*(p - 1) + 1))*x^n, x], x] /;$  FreeQ[{a, b, c, d, e, p, q}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[n, 0] && GtQ[m - n + 1, n] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]

### Rule 522

Int[((e\_) + (f\_)\*(x\_)^(n\_))/(((a\_) + (b\_)\*(x\_)^(n\_))\*((c\_) + (d\_)\*(x\_)^(n\_))), x\_Symbol] := Dist[(b\*e - a\*f)/(b\*c - a\*d), Int[1/(a + b\*x^n), x], x] - Dist[(d\*e - c\*f)/(b\*c - a\*d), Int[1/(c + d\*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x]

### Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[Rt[-b, 2]\*x]/Rt[a, 2])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rubi steps

$$\begin{aligned} \int \frac{\tanh^4(c+dx)}{a+b\tanh^2(c+dx)} dx &= \frac{\text{Subst}\left(\int \frac{x^4}{(1-x^2)(a+bx^2)} dx, x, \tanh(c+dx)\right)}{d} \\ &= -\frac{\tanh(c+dx)}{bd} + \frac{\text{Subst}\left(\int \frac{a+(-a+b)x^2}{(1-x^2)(a+bx^2)} dx, x, \tanh(c+dx)\right)}{bd} \\ &= -\frac{\tanh(c+dx)}{bd} + \frac{\text{Subst}\left(\int \frac{1}{1-x^2} dx, x, \tanh(c+dx)\right)}{(a+b)d} + \frac{a^2 \text{Subst}\left(\int \frac{1}{a+bx^2} dx, x, \tanh(c+dx)\right)}{b(a+b)d} \\ &= \frac{x}{a+b} + \frac{a^{3/2} \tan^{-1}\left(\frac{\sqrt{b}\tanh(c+dx)}{\sqrt{a}}\right)}{b^{3/2}(a+b)d} - \frac{\tanh(c+dx)}{bd} \end{aligned}$$

**Mathematica [A]** time = 0.172031, size = 66, normalized size = 1.12

$$\frac{a^{3/2} \tan^{-1}\left(\frac{\sqrt{b}\tanh(c+dx)}{\sqrt{a}}\right)}{b^{3/2}d(a+b)} + \frac{c+dx}{d(a+b)} - \frac{\tanh(c+dx)}{bd}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[c + d\*x]^4/(a + b\*Tanh[c + d\*x]^2), x]

[Out] (c + d\*x)/((a + b)\*d) + (a^(3/2)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(b^(3/2)\*(a + b)\*d) - Tanh[c + d\*x]/(b\*d)

**Maple [A]** time = 0.02, size = 95, normalized size = 1.6

$$-\frac{\tanh(dx+c)}{bd} + \frac{\ln(\tanh(dx+c)+1)}{d(2b+2a)} + \frac{a^2}{d(a+b)b} \arctan\left(b \tanh(dx+c) \frac{1}{\sqrt{ab}}\right) \frac{1}{\sqrt{ab}} - \frac{\ln(\tanh(dx+c)-1)}{d(2b+2a)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2), x)

[Out] -tanh(d\*x+c)/b/d+1/d/(2\*b+2\*a)\*ln(tanh(d\*x+c)+1)+1/d\*a^2/(a+b)/b/(a\*b)^(1/2)\*arctan(tanh(d\*x+c)\*b/(a\*b)^(1/2))-1/d/(2\*b+2\*a)\*ln(tanh(d\*x+c)-1)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2), x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [B]** time = 2.23915, size = 2043, normalized size = 34.63

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2), x, algorithm="fricas")



```
[Out] [1/2*(2*b*d*x*cosh(d*x + c)^2 + 4*b*d*x*cosh(d*x + c)*sinh(d*x + c) + 2*b*d*x*sinh(d*x + c)^2 + 2*b*d*x + (a*cosh(d*x + c)^2 + 2*a*cosh(d*x + c)*sinh(d*x + c) + a*sinh(d*x + c)^2 + a)*sqrt(-a/b)*log(((a^2 + 2*a*b + b^2)*cosh(d*x + c)^4 + 4*(a^2 + 2*a*b + b^2)*cosh(d*x + c)*sinh(d*x + c)^3 + (a^2 + 2*a*b + b^2)*sinh(d*x + c)^4 + 2*(a^2 - b^2)*cosh(d*x + c)^2 + 2*(3*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^2 + a^2 - b^2)*sinh(d*x + c)^2 + a^2 - 6*a*b + b^2 + 4*((a^2 + 2*a*b + b^2)*cosh(d*x + c)^3 + (a^2 - b^2)*cosh(d*x + c))*sinh(d*x + c) + 4*((a*b + b^2)*cosh(d*x + c)^2 + 2*(a*b + b^2)*cosh(d*x + c)*sinh(d*x + c) + (a*b + b^2)*sinh(d*x + c)^2 + a*b - b^2)*sqrt(-a/b))/((a + b)*cosh(d*x + c)^4 + 4*(a + b)*cosh(d*x + c)*sinh(d*x + c)^3 + (a + b)*sinh(d*x + c)^4 + 2*(a - b)*cosh(d*x + c)^2 + 2*(3*(a + b)*cosh(d*x + c)^2 + a - b)*sinh(d*x + c)^2 + 4*((a + b)*cosh(d*x + c)^3 + (a - b)*cosh(d*x + c))*sinh(d*x + c) + a + b)) + 4*a + 4*b)/((a*b + b^2)*d*cosh(d*x + c)^2 + 2*(a*b + b^2)*d*cosh(d*x + c)*sinh(d*x + c) + (a*b + b^2)*d*sinh(d*x + c)^2 + (a*b + b^2)*d), (b*d*x*cosh(d*x + c)^2 + 2*b*d*x*cosh(d*x + c)*sinh(d*x + c) + b*d*x*sinh(d*x + c)^2 + b*d*x + (a*cosh(d*x + c)^2 + 2*a*cosh(d*x + c)*sinh(d*x + c) + a*sinh(d*x + c)^2 + a)*sqrt(a/b)*arctan(1/2*((a + b)*cosh(d*x + c)^2 + 2*(a + b)*cosh(d*x + c)*sinh(d*x + c) + (a + b)*sinh(d*x + c)^2 + a - b)*sqrt(a/b)/a) + 2*a + 2*b)/((a*b + b^2)*d*cosh(d*x + c)^2 + 2*(a*b + b^2)*d*cosh(d*x + c)*sinh(d*x + c) + (a*b + b^2)*d*sinh(d*x + c)^2 + (a*b + b^2)*d)]
```

**Sympy [A]** time = 21.1208, size = 495, normalized size = 8.39

$$\left\{ \begin{array}{l} \infty x \tanh^2(c) \\ x - \frac{\tanh^3(c+dx)}{3d} - \frac{\tanh(c+dx)}{d} \\ x - \frac{\tanh(c+dx)^a}{d} \\ \frac{b}{3dx \tanh^2(c+dx)} - \frac{3dx}{2bd \tanh^2(c+dx) - 2bd} - \frac{2 \tanh^3(c+dx)}{2bd \tanh^2(c+dx) - 2bd} + \frac{3 \tanh(c+dx)}{2bd \tanh^2(c+dx) - 2bd} \\ x \tanh^4(c) \\ a+b \tanh^2(c) \\ - \frac{2ia^2 b \sqrt{\frac{1}{b}} \tanh(c+dx)}{2ia^2 b^2 d \sqrt{\frac{1}{b}} + 2i\sqrt{ab^3} d \sqrt{\frac{1}{b}}} + \frac{2i\sqrt{ab^2} dx \sqrt{\frac{1}{b}}}{2ia^2 b^2 d \sqrt{\frac{1}{b}} + 2i\sqrt{ab^3} d \sqrt{\frac{1}{b}}} - \frac{2i\sqrt{ab^2} \sqrt{\frac{1}{b}} \tanh(c+dx)}{2ia^2 b^2 d \sqrt{\frac{1}{b}} + 2i\sqrt{ab^3} d \sqrt{\frac{1}{b}}} + \frac{a^2 \log\left(-i\sqrt{a}\sqrt{\frac{1}{b}} + \tanh(c+dx)\right)}{2ia^2 b^2 d \sqrt{\frac{1}{b}} + 2i\sqrt{ab^3} d \sqrt{\frac{1}{b}}} - \frac{a^2 \log\left(i\sqrt{a}\sqrt{\frac{1}{b}} + \tanh(c+dx)\right)}{2ia^2 b^2 d \sqrt{\frac{1}{b}} + 2i\sqrt{ab^3} d \sqrt{\frac{1}{b}}} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tanh(d*x+c)**4/(a+b*tanh(d*x+c)**2), x)
```

```
[Out] Piecewise((zoo*x*tanh(c)**2, Eq(a, 0) & Eq(b, 0) & Eq(d, 0)), ((x - tanh(c + d*x)**3/(3*d) - tanh(c + d*x)/d)/a, Eq(b, 0)), ((x - tanh(c + d*x)/d)/b,
```

```
Eq(a, 0)), (3*d*x*tanh(c + d*x)**2/(2*b*d*tanh(c + d*x)**2 - 2*b*d) - 3*d*x
/(2*b*d*tanh(c + d*x)**2 - 2*b*d) - 2*tanh(c + d*x)**3/(2*b*d*tanh(c + d*x)
**2 - 2*b*d) + 3*tanh(c + d*x)/(2*b*d*tanh(c + d*x)**2 - 2*b*d), Eq(a, -b))
, (x*tanh(c)**4/(a + b*tanh(c)**2), Eq(d, 0)), (-2*I*a**(3/2)*b*sqrt(1/b)*t
anh(c + d*x)/(2*I*a**(3/2)*b**2*d*sqrt(1/b) + 2*I*sqrt(a)*b**3*d*sqrt(1/b))
+ 2*I*sqrt(a)*b**2*d*x*sqrt(1/b)/(2*I*a**(3/2)*b**2*d*sqrt(1/b) + 2*I*sqrt
(a)*b**3*d*sqrt(1/b)) - 2*I*sqrt(a)*b**2*sqrt(1/b)*tanh(c + d*x)/(2*I*a**(3
/2)*b**2*d*sqrt(1/b) + 2*I*sqrt(a)*b**3*d*sqrt(1/b)) + a**2*log(-I*sqrt(a)*
sqrt(1/b) + tanh(c + d*x))/(2*I*a**(3/2)*b**2*d*sqrt(1/b) + 2*I*sqrt(a)*b**
3*d*sqrt(1/b)) - a**2*log(I*sqrt(a)*sqrt(1/b) + tanh(c + d*x))/(2*I*a**(3/2
)*b**2*d*sqrt(1/b) + 2*I*sqrt(a)*b**3*d*sqrt(1/b)), True))
```

**Giac [A]** time = 1.20782, size = 126, normalized size = 2.14

$$\frac{a^2 \arctan\left(\frac{ae^{(2dx+2c)} + be^{(2dx+2c)} + a - b}{2\sqrt{ab}}\right)}{(abd + b^2d)\sqrt{ab}} + \frac{dx + c}{ad + bd} + \frac{2}{bd(e^{(2dx+2c)} + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tanh(d*x+c)^4/(a+b*tanh(d*x+c)^2),x, algorithm="giac")
```

```
[Out] a^2*arctan(1/2*(a*e^(2*d*x + 2*c) + b*e^(2*d*x + 2*c) + a - b)/sqrt(a*b))/(
(a*b*d + b^2*d)*sqrt(a*b)) + (d*x + c)/(a*d + b*d) + 2/(b*d*(e^(2*d*x + 2*c
) + 1))
```

$$3.172 \quad \int \frac{\tanh^3(c+dx)}{a+b \tanh^2(c+dx)} dx$$

**Optimal.** Leaf size=46

$$\frac{\log(\cosh(c+dx))}{d(a+b)} - \frac{a \log(a+b \tanh^2(c+dx))}{2bd(a+b)}$$

[Out] Log[Cosh[c + d\*x]]/((a + b)\*d) - (a\*Log[a + b\*Tanh[c + d\*x]^2])/(2\*b\*(a + b)\*d)

**Rubi [A]** time = 0.103652, antiderivative size = 46, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$ , Rules used = {3670, 446, 72}

$$\frac{\log(\cosh(c+dx))}{d(a+b)} - \frac{a \log(a+b \tanh^2(c+dx))}{2bd(a+b)}$$

Antiderivative was successfully verified.

[In] Int[Tanh[c + d\*x]^3/(a + b\*Tanh[c + d\*x]^2), x]

[Out] Log[Cosh[c + d\*x]]/((a + b)\*d) - (a\*Log[a + b\*Tanh[c + d\*x]^2])/(2\*b\*(a + b)\*d)

#### Rule 3670

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_.))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f^2*x^2), x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))
```

#### Rule 446

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_.)*((c_) + (d_.)*(x_)^(n_.))^(q_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 72

```
Int[((e_.) + (f_.)*(x_))^(p_.)/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))),
  x_Symbol] :> Int[ExpandIntegrand[(e + f*x)^p/((a + b*x)*(c + d*x)), x], x]
/; FreeQ[{a, b, c, d, e, f}, x] && IntegerQ[p]
```

Rubi steps

$$\begin{aligned} \int \frac{\tanh^3(c + dx)}{a + b \tanh^2(c + dx)} dx &= \frac{\text{Subst}\left(\int \frac{x^3}{(1-x^2)(a+bx^2)} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{\text{Subst}\left(\int \frac{x}{(1-x)(a+bx)} dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= \frac{\text{Subst}\left(\int \left(-\frac{1}{(a+b)(-1+x)} - \frac{a}{(a+b)(a+bx)}\right) dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= \frac{\log(\cosh(c + dx))}{(a + b)d} - \frac{a \log(a + b \tanh^2(c + dx))}{2b(a + b)d} \end{aligned}$$

**Mathematica [A]** time = 0.0343482, size = 42, normalized size = 0.91

$$\frac{2b \log(\cosh(c + dx)) - a \log(a + b \tanh^2(c + dx))}{2abd + 2b^2d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Tanh[c + d*x]^3/(a + b*Tanh[c + d*x]^2), x]
```

```
[Out] (2*b*Log[Cosh[c + d*x]] - a*Log[a + b*Tanh[c + d*x]^2])/(2*a*b*d + 2*b^2*d)
```

**Maple [A]** time = 0.017, size = 75, normalized size = 1.6

$$-\frac{\ln(\tanh(dx + c) + 1)}{d(2b + 2a)} - \frac{a \ln(a + b(\tanh(dx + c))^2)}{2b(a + b)d} - \frac{\ln(\tanh(dx + c) - 1)}{d(2b + 2a)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(tanh(d*x+c)^3/(a+b*tanh(d*x+c)^2), x)
```

[Out]  $-1/d/(2*b+2*a)*\ln(\tanh(d*x+c)+1)-1/2*a*\ln(a+b*\tanh(d*x+c)^2)/b/(a+b)/d-1/d/(2*b+2*a)*\ln(\tanh(d*x+c)-1)$

**Maxima [A]** time = 1.5482, size = 111, normalized size = 2.41

$$-\frac{a \log\left(2(a-b)e^{(-2dx-2c)} + (a+b)e^{(-4dx-4c)} + a+b\right)}{2(ab+b^2)d} + \frac{dx+c}{(a+b)d} + \frac{\log\left(e^{(-2dx-2c)} + 1\right)}{bd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(d*x+c)^3/(a+b*tanh(d*x+c)^2),x, algorithm="maxima")`

[Out]  $-1/2*a*\log(2*(a-b)*e^{(-2*d*x-2*c)} + (a+b)*e^{(-4*d*x-4*c)} + a+b)/(a*b+b^2)*d + (d*x+c)/((a+b)*d) + \log(e^{(-2*d*x-2*c)} + 1)/(b*d)$

**Fricas [B]** time = 2.43452, size = 319, normalized size = 6.93

$$\frac{2bdx + a \log\left(\frac{2((a+b)\cosh(dx+c)^2 + (a+b)\sinh(dx+c)^2 + a-b)}{\cosh(dx+c)^2 - 2\cosh(dx+c)\sinh(dx+c) + \sinh(dx+c)^2}\right) - 2(a+b) \log\left(\frac{2\cosh(dx+c)}{\cosh(dx+c) - \sinh(dx+c)}\right)}{2(ab+b^2)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(d*x+c)^3/(a+b*tanh(d*x+c)^2),x, algorithm="fricas")`

[Out]  $-1/2*(2*b*d*x + a*\log(2*((a+b)*\cosh(d*x+c)^2 + (a+b)*\sinh(d*x+c)^2 + a-b)/(\cosh(d*x+c)^2 - 2*\cosh(d*x+c)*\sinh(d*x+c) + \sinh(d*x+c)^2)) - 2*(a+b)*\log(2*\cosh(d*x+c)/(\cosh(d*x+c) - \sinh(d*x+c))))/(a*b + b^2)*d$

**Sympy [A]** time = 18.753, size = 316, normalized size = 6.87

$$\left\{ \begin{array}{l} \infty x \tanh(c) \\ x \frac{\log(\tanh(c+dx)+1)}{d} - \frac{\tanh^2(c+dx)}{2d} \\ \frac{2dx \tanh^2(c+dx)}{2bd \tanh^2(c+dx)-2bd} - \frac{2dx}{2bd \tanh^2(c+dx)-2bd} - \frac{2 \log(\tanh(c+dx)+1) \tanh^2(c+dx)}{2bd \tanh^2(c+dx)-2bd} + \frac{2 \log(\tanh(c+dx)+1)}{2bd \tanh^2(c+dx)-2bd} + \frac{1}{2bd \tanh^2(c+dx)-2bd} \\ x \tanh^3(c) \\ \frac{a+b \tanh^2(c)}{a \log\left(-i\sqrt{a}\sqrt{\frac{1}{b}}+\tanh(c+dx)\right)} - \frac{a \log\left(i\sqrt{a}\sqrt{\frac{1}{b}}+\tanh(c+dx)\right)}{2abd+2b^2d} + \frac{2bdx}{2abd+2b^2d} - \frac{2b \log(\tanh(c+dx)+1)}{2abd+2b^2d} \end{array} \right.$$

for  $a = 0$   
for  $b = 0$   
for  $a = 0$   
for  $d = 0$   
otherwise

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)\*\*3/(a+b\*tanh(d\*x+c)\*\*2), x)

[Out] Piecewise((zoo\*x\*tanh(c), Eq(a, 0) & Eq(b, 0) & Eq(d, 0)), ((x - log(tanh(c + d\*x) + 1)/d - tanh(c + d\*x)\*\*2/(2\*d))/a, Eq(b, 0)), (2\*d\*x\*tanh(c + d\*x)\*\*2/(2\*b\*d\*tanh(c + d\*x)\*\*2 - 2\*b\*d) - 2\*d\*x/(2\*b\*d\*tanh(c + d\*x)\*\*2 - 2\*b\*d) - 2\*log(tanh(c + d\*x) + 1)\*tanh(c + d\*x)\*\*2/(2\*b\*d\*tanh(c + d\*x)\*\*2 - 2\*b\*d) + 2\*log(tanh(c + d\*x) + 1)/(2\*b\*d\*tanh(c + d\*x)\*\*2 - 2\*b\*d) + 1/(2\*b\*d\*tanh(c + d\*x)\*\*2 - 2\*b\*d), Eq(a, -b)), (x\*tanh(c)\*\*3/(a + b\*tanh(c)\*\*2), Eq(d, 0)), (-a\*log(-I\*sqrt(a)\*sqrt(1/b) + tanh(c + d\*x))/(2\*a\*b\*d + 2\*b\*\*2\*d) - a\*log(I\*sqrt(a)\*sqrt(1/b) + tanh(c + d\*x))/(2\*a\*b\*d + 2\*b\*\*2\*d) + 2\*b\*d\*x/(2\*a\*b\*d + 2\*b\*\*2\*d) - 2\*b\*log(tanh(c + d\*x) + 1)/(2\*a\*b\*d + 2\*b\*\*2\*d), True))

**Giac [B]** time = 1.21236, size = 136, normalized size = 2.96

$$\frac{a \log\left(ae^{(4dx+4c)} + be^{(4dx+4c)} + 2ae^{(2dx+2c)} - 2be^{(2dx+2c)} + a + b\right)}{2(abd + b^2d)} - \frac{dx + c}{ad + bd} + \frac{\log\left(e^{(2dx+2c)} + 1\right)}{bd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2), x, algorithm="giac")

[Out] -1/2\*a\*log(a\*e^(4\*d\*x + 4\*c) + b\*e^(4\*d\*x + 4\*c) + 2\*a\*e^(2\*d\*x + 2\*c) - 2\*b\*e^(2\*d\*x + 2\*c) + a + b)/(a\*b\*d + b^2\*d) - (d\*x + c)/(a\*d + b\*d) + log(e^(2\*d\*x + 2\*c) + 1)/(b\*d)

$$3.173 \quad \int \frac{\tanh^2(c+dx)}{a+b \tanh^2(c+dx)} dx$$

**Optimal.** Leaf size=46

$$\frac{x}{a+b} - \frac{\sqrt{a} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{\sqrt{bd}(a+b)}$$

[Out] x/(a + b) - (Sqrt[a]\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(Sqrt[b]\*(a + b)\*d)

**Rubi [A]** time = 0.083218, antiderivative size = 46, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {3670, 481, 206, 205}

$$\frac{x}{a+b} - \frac{\sqrt{a} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{\sqrt{bd}(a+b)}$$

Antiderivative was successfully verified.

[In] Int[Tanh[c + d\*x]^2/(a + b\*Tanh[c + d\*x]^2), x]

[Out] x/(a + b) - (Sqrt[a]\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(Sqrt[b]\*(a + b)\*d)

#### Rule 3670

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((a_.) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[(((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f f^2*x^2), x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))
```

#### Rule 481

```
Int[((e_.)*(x_))^(m_.)/(((a_.) + (b_.)*(x_)^(n_))*((c_.) + (d_.)*(x_)^(n_))), x_Symbol] := -Dist[(a*e^n)/(b*c - a*d), Int[(e*x)^(m - n)/(a + b*x^n), x], x] + Dist[(c*e^n)/(b*c - a*d), Int[(e*x)^(m - n)/(c + d*x^n), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LeQ[n, m,
```

2\*n - 1]

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rubi steps

$$\begin{aligned} \int \frac{\tanh^2(c+dx)}{a+b\tanh^2(c+dx)} dx &= \frac{\text{Subst}\left(\int \frac{x^2}{(1-x^2)(a+bx^2)} dx, x, \tanh(c+dx)\right)}{d} \\ &= \frac{\text{Subst}\left(\int \frac{1}{1-x^2} dx, x, \tanh(c+dx)\right)}{(a+b)d} - \frac{a \text{Subst}\left(\int \frac{1}{a+bx^2} dx, x, \tanh(c+dx)\right)}{(a+b)d} \\ &= \frac{x}{a+b} - \frac{\sqrt{a} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{\sqrt{b}(a+b)d} \end{aligned}$$

**Mathematica [A]** time = 0.0286573, size = 47, normalized size = 1.02

$$\frac{\tanh^{-1}(\tanh(c+dx)) - \frac{\sqrt{a} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{\sqrt{b}}}{d(a+b)}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[c + d\*x]^2/(a + b\*Tanh[c + d\*x]^2), x]

[Out] (-((Sqrt[a]\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/Sqrt[b]) + ArcTanh[Tanh[c + d\*x]])/((a + b)\*d)



**Maple [A]** time = 0.016, size = 77, normalized size = 1.7

$$\frac{\ln(\tanh(dx+c)+1)}{d(2b+2a)} - \frac{a}{d(a+b)} \arctan\left(b \tanh(dx+c) \frac{1}{\sqrt{ab}}\right) \frac{1}{\sqrt{ab}} - \frac{\ln(\tanh(dx+c)-1)}{d(2b+2a)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2),x)

[Out] 1/d/(2\*b+2\*a)\*ln(tanh(d\*x+c)+1)-1/d/(a+b)\*a/(a\*b)^(1/2)\*arctan(tanh(d\*x+c)\*b/(a\*b)^(1/2))-1/d/(2\*b+2\*a)\*ln(tanh(d\*x+c)-1)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [B]** time = 1.91305, size = 1249, normalized size = 27.15

$$\left[ 2 dx + \sqrt{-\frac{a}{b}} \log\left( \frac{(a^2+2ab+b^2)\cosh(dx+c)^4 + 4(a^2+2ab+b^2)\cosh(dx+c)\sinh(dx+c)^3 + (a^2+2ab+b^2)\sinh(dx+c)^4 + (a^2-b^2)\cosh(dx+c)^2 + 2(3(a^2+2ab+b^2)\cosh(dx+c)^4 + 4(a+b)\cosh(dx+c)\sinh(dx+c)^3 + (a+b)\sinh(dx+c)^4)}{(a+b)\cosh(dx+c)^4 + 4(a+b)\cosh(dx+c)\sinh(dx+c)^3 + (a+b)\sinh(dx+c)^4} \right) \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2),x, algorithm="fricas")

[Out] [1/2\*(2\*d\*x + sqrt(-a/b)\*log(((a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^4 + 4\*(a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + (a^2 + 2\*a\*b + b^2)\*sinh(d\*x + c)^4 + 2\*(a^2 - b^2)\*cosh(d\*x + c)^2 + 2\*(3\*(a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^2 + a^2 - b^2)\*sinh(d\*x + c)^2 + a^2 - 6\*a\*b + b^2 + 4\*((a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^3 + (a^2 - b^2)\*cosh(d\*x + c))\*sinh(d\*x + c) - 4\*((a\*b

$$+ b^2) \cosh(dx + c)^2 + 2(a*b + b^2) \cosh(dx + c) \sinh(dx + c) + (a*b + b^2) \sinh(dx + c)^2 + a*b - b^2) \sqrt{-a/b}) / ((a + b) \cosh(dx + c)^4 + 4(a + b) \cosh(dx + c) \sinh(dx + c)^3 + (a + b) \sinh(dx + c)^4 + 2(a - b) \cosh(dx + c)^2 + 2(3(a + b) \cosh(dx + c)^2 + a - b) \sinh(dx + c)^2 + 4((a + b) \cosh(dx + c)^3 + (a - b) \cosh(dx + c)) \sinh(dx + c) + a + b)) / ((a + b) * d), (dx - \sqrt{a/b}) \arctan(1/2 * ((a + b) \cosh(dx + c)^2 + 2(a + b) \cosh(dx + c) \sinh(dx + c) + (a + b) \sinh(dx + c)^2 + a - b) \sqrt{a/b}/a)) / ((a + b) * d)]$$

**Sympy [A]** time = 11.6277, size = 294, normalized size = 6.39

$$\begin{cases} \tilde{\infty}x & \text{for } a = 0 \wedge b = 0 \wedge d = 0 \\ x - \frac{\tanh(c+dx)}{d} & \text{for } b = 0 \\ \frac{x}{b} & \text{for } a = 0 \\ \frac{dx \tanh^2(c+dx)}{2bd \tanh^2(c+dx) - 2bd} - \frac{dx}{2bd \tanh^2(c+dx) - 2bd} + \frac{\tanh(c+dx)}{2bd \tanh^2(c+dx) - 2bd} & \text{for } a = -b \\ \frac{x \tanh^2(c)}{a+b \tanh^2(c)} & \text{for } d = 0 \\ \frac{2i\sqrt{abd}x\sqrt{\frac{1}{b}}}{2ia^{\frac{3}{2}}bd\sqrt{\frac{1}{b}} + 2i\sqrt{ab^2}d\sqrt{\frac{1}{b}}} - \frac{a \log\left(-i\sqrt{a}\sqrt{\frac{1}{b}} + \tanh(c+dx)\right)}{2ia^{\frac{3}{2}}bd\sqrt{\frac{1}{b}} + 2i\sqrt{ab^2}d\sqrt{\frac{1}{b}}} + \frac{a \log\left(i\sqrt{a}\sqrt{\frac{1}{b}} + \tanh(c+dx)\right)}{2ia^{\frac{3}{2}}bd\sqrt{\frac{1}{b}} + 2i\sqrt{ab^2}d\sqrt{\frac{1}{b}}} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(dx+c)\*\*2/(a+b\*tanh(dx+c)\*\*2), x)

[Out] Piecewise((zoo\*x, Eq(a, 0) & Eq(b, 0) & Eq(d, 0)), ((x - tanh(c + dx))/d)/a, Eq(b, 0)), (x/b, Eq(a, 0)), (dx\*tanh(c + dx)\*\*2/(2\*b\*d\*tanh(c + dx)\*\*2 - 2\*b\*d) - dx/(2\*b\*d\*tanh(c + dx)\*\*2 - 2\*b\*d) + tanh(c + dx)/(2\*b\*d\*tanh(c + dx)\*\*2 - 2\*b\*d), Eq(a, -b)), (x\*tanh(c)\*\*2/(a + b\*tanh(c)\*\*2), Eq(d, 0)), (2\*I\*sqrt(a)\*b\*d\*x\*sqrt(1/b)/(2\*I\*a\*\*(3/2)\*b\*d\*sqrt(1/b) + 2\*I\*sqrt(a)\*b\*\*2\*d\*sqrt(1/b)) - a\*log(-I\*sqrt(a)\*sqrt(1/b) + tanh(c + dx))/(2\*I\*a\*\*(3/2)\*b\*d\*sqrt(1/b) + 2\*I\*sqrt(a)\*b\*\*2\*d\*sqrt(1/b)) + a\*log(I\*sqrt(a)\*sqrt(1/b) + tanh(c + dx))/(2\*I\*a\*\*(3/2)\*b\*d\*sqrt(1/b) + 2\*I\*sqrt(a)\*b\*\*2\*d\*sqrt(1/b)), True))

**Giac [A]** time = 1.17616, size = 92, normalized size = 2.

$$-\frac{a \arctan\left(\frac{ae^{(2dx+2c)} + be^{(2dx+2c)} + a - b}{2\sqrt{ab}}\right)}{\sqrt{ab}(ad + bd)} + \frac{dx + c}{ad + bd}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tanh(d*x+c)^2/(a+b*tanh(d*x+c)^2),x, algorithm="giac")
```

```
[Out] -a*arctan(1/2*(a*e^(2*d*x + 2*c) + b*e^(2*d*x + 2*c) + a - b)/sqrt(a*b))/(s  
qrt(a*b)*(a*d + b*d)) + (d*x + c)/(a*d + b*d)
```

$$3.174 \quad \int \frac{\tanh(c+dx)}{a+b \tanh^2(c+dx)} dx$$

**Optimal.** Leaf size=42

$$\frac{\log(a+b \tanh^2(c+dx))}{2d(a+b)} + \frac{\log(\cosh(c+dx))}{d(a+b)}$$

[Out] Log[Cosh[c + d\*x]]/((a + b)\*d) + Log[a + b\*Tanh[c + d\*x]^2]/(2\*(a + b)\*d)

**Rubi [A]** time = 0.0612942, antiderivative size = 42, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.19$ , Rules used = {3670, 444, 36, 31}

$$\frac{\log(a+b \tanh^2(c+dx))}{2d(a+b)} + \frac{\log(\cosh(c+dx))}{d(a+b)}$$

Antiderivative was successfully verified.

[In] Int[Tanh[c + d\*x]/(a + b\*Tanh[c + d\*x]^2),x]

[Out] Log[Cosh[c + d\*x]]/((a + b)\*d) + Log[a + b\*Tanh[c + d\*x]^2]/(2\*(a + b)\*d)

#### Rule 3670

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_.), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[(((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f^2*x^2), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))
```

#### Rule 444

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol] :> Dist[1/n, Subst[Int[(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && EqQ[m - n + 1, 0]
```

#### Rule 36

```
Int[1/(((a_.) + (b_.)*(x_.))*((c_.) + (d_.)*(x_.))), x_Symbol] := Dist[b/(b*c
- a*d), Int[1/(a + b*x), x], x] - Dist[d/(b*c - a*d), Int[1/(c + d*x), x],
x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0]
```

### Rule 31

```
Int[((a_) + (b_.)*(x_.))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x,
x]]/b, x] /; FreeQ[{a, b}, x]
```

### Rubi steps

$$\begin{aligned} \int \frac{\tanh(c + dx)}{a + b \tanh^2(c + dx)} dx &= \frac{\text{Subst}\left(\int \frac{x}{(1-x^2)(a+bx^2)} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{\text{Subst}\left(\int \frac{1}{(1-x)(a+bx)} dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= \frac{\text{Subst}\left(\int \frac{1}{1-x} dx, x, \tanh^2(c + dx)\right)}{2(a+b)d} + \frac{b \text{Subst}\left(\int \frac{1}{a+bx} dx, x, \tanh^2(c + dx)\right)}{2(a+b)d} \\ &= \frac{\log(\cosh(c + dx))}{(a+b)d} + \frac{\log(a + b \tanh^2(c + dx))}{2(a+b)d} \end{aligned}$$

**Mathematica [A]** time = 0.0237822, size = 35, normalized size = 0.83

$$\frac{\log(a + b \tanh^2(c + dx)) + 2 \log(\cosh(c + dx))}{2ad + 2bd}$$

Antiderivative was successfully verified.

```
[In] Integrate[Tanh[c + d*x]/(a + b*Tanh[c + d*x]^2), x]
```

```
[Out] (2*Log[Cosh[c + d*x]] + Log[a + b*Tanh[c + d*x]^2])/(2*a*d + 2*b*d)
```

**Maple [A]** time = 0.018, size = 71, normalized size = 1.7

$$-\frac{\ln(\tanh(dx + c) + 1)}{d(2b + 2a)} + \frac{\ln(a + b(\tanh(dx + c))^2)}{d(2b + 2a)} - \frac{\ln(\tanh(dx + c) - 1)}{d(2b + 2a)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(tanh(d*x+c)/(a+b*tanh(d*x+c)^2),x)`

[Out]  $-1/d/(2*b+2*a)*\ln(\tanh(d*x+c)+1)+1/2*\ln(a+b*\tanh(d*x+c)^2)/(a+b)/d-1/d/(2*b+2*a)*\ln(\tanh(d*x+c)-1)$

**Maxima [A]** time = 1.08011, size = 78, normalized size = 1.86

$$\frac{dx+c}{(a+b)d} + \frac{\log\left(2(a-b)e^{(-2dx-2c)} + (a+b)e^{(-4dx-4c)} + a+b\right)}{2(a+b)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(d*x+c)/(a+b*tanh(d*x+c)^2),x, algorithm="maxima")`

[Out]  $(d*x + c)/((a + b)*d) + 1/2*\log(2*(a - b)*e^{(-2*d*x - 2*c)} + (a + b)*e^{(-4*d*x - 4*c)} + a + b)/((a + b)*d)$

**Fricas [B]** time = 1.75035, size = 220, normalized size = 5.24

$$-\frac{2dx - \log\left(\frac{2((a+b)\cosh(dx+c)^2 + (a+b)\sinh(dx+c)^2 + a-b)}{\cosh(dx+c)^2 - 2\cosh(dx+c)\sinh(dx+c) + \sinh(dx+c)^2}\right)}{2(a+b)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(d*x+c)/(a+b*tanh(d*x+c)^2),x, algorithm="fricas")`

[Out]  $-1/2*(2*d*x - \log(2*((a + b)*\cosh(d*x + c)^2 + (a + b)*\sinh(d*x + c)^2 + a - b)/(\cosh(d*x + c)^2 - 2*\cosh(d*x + c)*\sinh(d*x + c) + \sinh(d*x + c)^2)))/((a + b)*d)$



$$3.175 \quad \int \frac{1}{a+b \tanh^2(c+dx)} dx$$

**Optimal.** Leaf size=45

$$\frac{\sqrt{b} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{\sqrt{ad}(a+b)} + \frac{x}{a+b}$$

[Out] x/(a + b) + (Sqrt[b]\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(Sqrt[a]\*(a + b)\*d)

**Rubi [A]** time = 0.0740487, antiderivative size = 45, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$ , Rules used = {3660, 3675, 205}

$$\frac{\sqrt{b} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{\sqrt{ad}(a+b)} + \frac{x}{a+b}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Tanh[c + d\*x]^2)^(-1), x]

[Out] x/(a + b) + (Sqrt[b]\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(Sqrt[a]\*(a + b)\*d)

#### Rule 3660

```
Int[((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)]^2)^(-1), x_Symbol] := Simp[x/(a -
b), x] - Dist[b/(a - b), Int[Sec[e + f*x]^2/(a + b*Tan[e + f*x]^2), x], x]
/; FreeQ[{a, b, e, f}, x] && NeQ[a, b]
```

#### Rule 3675

```
Int[sec[(e_.) + (f_.)*(x_)]^(m_)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_
)])^(n_))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dis
t[ff/(c^(m - 1)*f), Subst[Int[(c^2 + ff^2*x^2)^(m/2 - 1)*(a + b*(ff*x)^n)^p
, x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && In
tegerQ[m/2] && (IntegersQ[n, p] || IGtQ[m, 0] || IGtQ[p, 0] || EqQ[n^2, 4]
|| EqQ[n^2, 16])
```



Rule 205

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]`

Rubi steps

$$\begin{aligned} \int \frac{1}{a + b \tanh^2(c + dx)} dx &= \frac{x}{a + b} + \frac{b \int \frac{\operatorname{sech}^2(c+dx)}{a+b \tanh^2(c+dx)} dx}{a + b} \\ &= \frac{x}{a + b} + \frac{b \operatorname{Subst}\left(\int \frac{1}{a+bx^2} dx, x, \tanh(c + dx)\right)}{(a + b)d} \\ &= \frac{x}{a + b} + \frac{\sqrt{b} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{\sqrt{a}(a + b)d} \end{aligned}$$

**Mathematica [A]** time = 0.0770452, size = 65, normalized size = 1.44

$$\frac{\frac{2\sqrt{b} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{\sqrt{a}} - \log(1 - \tanh(c + dx)) + \log(\tanh(c + dx) + 1)}{2ad + 2bd}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Tanh[c + d\*x]^2)^(-1), x]

[Out] ((2\*sqrt[b]\*ArcTan[(sqrt[b]\*Tanh[c + d\*x])/sqrt[a]])/sqrt[a] - Log[1 - Tanh[c + d\*x]] + Log[1 + Tanh[c + d\*x]])/(2\*a\*d + 2\*b\*d)

**Maple [B]** time = 0.017, size = 76, normalized size = 1.7

$$\frac{\ln(\tanh(dx + c) + 1)}{d(2b + 2a)} + \frac{b}{d(a + b)} \arctan\left(b \tanh(dx + c) \frac{1}{\sqrt{ab}}\right) \frac{1}{\sqrt{ab}} - \frac{\ln(\tanh(dx + c) - 1)}{d(2b + 2a)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b\*tanh(d\*x+c)^2), x)

[Out]  $1/d/(2*b+2*a)*\ln(\tanh(d*x+c)+1)+1/d*b/(a+b)/(a*b)^{(1/2)}*\arctan(\tanh(d*x+c)*b/(a*b)^{(1/2)})-1/d/(2*b+2*a)*\ln(\tanh(d*x+c)-1)$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*tanh(d*x+c)^2),x, algorithm="maxima")`

[Out] Exception raised: ValueError

**Fricas [B]** time = 1.95923, size = 1249, normalized size = 27.76

$$\left[ 2 dx + \sqrt{-\frac{b}{a}} \log \left( \frac{(a^2+2ab+b^2) \cosh(dx+c)^4 + 4(a^2+2ab+b^2) \cosh(dx+c) \sinh(dx+c)^3 + (a^2+2ab+b^2) \sinh(dx+c)^4 + 2(a^2-b^2) \cosh(dx+c)^2 + 2(3(a^2+2ab+b^2) \cosh(dx+c)^4 + 4(a+b) \cosh(dx+c) \sinh(dx+c)^3 + (a+b))}{(a+b) \cosh(dx+c)^4 + 4(a+b) \cosh(dx+c) \sinh(dx+c)^3 + (a+b)} \right) \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*tanh(d*x+c)^2),x, algorithm="fricas")`

[Out]  $[1/2*(2*d*x + \sqrt{-b/a})*\log(((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^4 + 4*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a^2 + 2*a*b + b^2)*\sinh(d*x + c)^4 + 2*(a^2 - b^2)*\cosh(d*x + c)^2 + 2*(3*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^2 + a^2 - b^2)*\sinh(d*x + c)^2 + a^2 - 6*a*b + b^2 + 4*((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^3 + (a^2 - b^2)*\cosh(d*x + c))*\sinh(d*x + c) + 4*((a^2 + a*b)*\cosh(d*x + c)^2 + 2*(a^2 + a*b)*\cosh(d*x + c)*\sinh(d*x + c) + (a^2 + a*b)*\sinh(d*x + c)^2 + a^2 - a*b)*\sqrt{-b/a})/((a + b)*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a + b)*\sinh(d*x + c)^4 + 2*(a - b)*\cosh(d*x + c)^2 + 2*(3*(a + b)*\cosh(d*x + c)^2 + a - b)*\sinh(d*x + c)^2 + 4*((a + b)*\cosh(d*x + c)^3 + (a - b)*\cosh(d*x + c))*\sinh(d*x + c) + a + b)))/((a + b)*d), (d*x + \sqrt{b/a})*\arctan(1/2*((a + b)*\cosh(d*x + c)^2 + 2*(a + b)*\cosh(d*x + c)*\sinh(d*x + c) + (a + b)*\sinh(d*x + c)^2 + a - b)*\sqrt{b/a/b})/((a + b)*d)]$

**Sympy [A]** time = 11.581, size = 280, normalized size = 6.22

$$\left\{ \begin{array}{ll} \frac{\infty x}{\tanh^2(c)} & \text{for } a = 0 \wedge b = 0 \wedge d = 0 \\ \frac{x}{a} & \text{for } b = 0 \\ x - \frac{1}{d \tanh(c+dx)} & \text{for } a = 0 \\ \frac{b}{dx \tanh^2(c+dx)} + \frac{dx}{2bd \tanh^2(c+dx) - 2bd} + \frac{\tanh(c+dx)}{2bd \tanh^2(c+dx) - 2bd} & \text{for } a = -b \\ \frac{a+b \tanh^2(c)}{2ia^2 d \sqrt{\frac{1}{b}} + 2i\sqrt{abd} \sqrt{\frac{1}{b}}} + \frac{\log\left(-i\sqrt{a}\sqrt{\frac{1}{b}} + \tanh(c+dx)\right)}{2ia^2 d \sqrt{\frac{1}{b}} + 2i\sqrt{abd} \sqrt{\frac{1}{b}}} - \frac{\log\left(i\sqrt{a}\sqrt{\frac{1}{b}} + \tanh(c+dx)\right)}{2ia^2 d \sqrt{\frac{1}{b}} + 2i\sqrt{abd} \sqrt{\frac{1}{b}}} & \text{otherwise} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*tanh(d\*x+c)\*\*2), x)

[Out] Piecewise((zoo\*x/tanh(c)\*\*2, Eq(a, 0) & Eq(b, 0) & Eq(d, 0)), (x/a, Eq(b, 0)), ((x - 1/(d\*tanh(c + d\*x)))/b, Eq(a, 0)), (-d\*x\*tanh(c + d\*x)\*\*2/(2\*b\*d\*tanh(c + d\*x)\*\*2 - 2\*b\*d) + d\*x/(2\*b\*d\*tanh(c + d\*x)\*\*2 - 2\*b\*d) + tanh(c + d\*x)/(2\*b\*d\*tanh(c + d\*x)\*\*2 - 2\*b\*d), Eq(a, -b)), (x/(a + b\*tanh(c)\*\*2), Eq(d, 0)), (2\*I\*sqrt(a)\*d\*x\*sqrt(1/b)/(2\*I\*a\*\*(3/2)\*d\*sqrt(1/b) + 2\*I\*sqrt(a)\*b\*d\*sqrt(1/b)) + log(-I\*sqrt(a)\*sqrt(1/b) + tanh(c + d\*x))/(2\*I\*a\*\*(3/2)\*d\*sqrt(1/b) + 2\*I\*sqrt(a)\*b\*d\*sqrt(1/b)) - log(I\*sqrt(a)\*sqrt(1/b) + tanh(c + d\*x))/(2\*I\*a\*\*(3/2)\*d\*sqrt(1/b) + 2\*I\*sqrt(a)\*b\*d\*sqrt(1/b)), True))

**Giac [A]** time = 1.16146, size = 90, normalized size = 2.

$$\frac{b \arctan\left(\frac{ae^{(2dx+2c)} + be^{(2dx+2c)} + a - b}{2\sqrt{ab}}\right)}{\sqrt{ab}(ad + bd)} + \frac{dx + c}{ad + bd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*tanh(d\*x+c)^2), x, algorithm="giac")

[Out] b\*arctan(1/2\*(a\*e^(2\*d\*x + 2\*c) + b\*e^(2\*d\*x + 2\*c) + a - b)/sqrt(a\*b))/(sqrt(a\*b)\*(a\*d + b\*d)) + (d\*x + c)/(a\*d + b\*d)

$$3.176 \quad \int \frac{\coth(c+dx)}{a+b \tanh^2(c+dx)} dx$$

**Optimal.** Leaf size=60

$$-\frac{b \log(a + b \tanh^2(c + dx))}{2ad(a + b)} + \frac{\log(\cosh(c + dx))}{d(a + b)} + \frac{\log(\tanh(c + dx))}{ad}$$

[Out] Log[Cosh[c + d\*x]]/((a + b)\*d) + Log[Tanh[c + d\*x]]/(a\*d) - (b\*Log[a + b\*Tanh[c + d\*x]^2])/(2\*a\*(a + b)\*d)

**Rubi [A]** time = 0.101497, antiderivative size = 60, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3670, 446, 72}

$$-\frac{b \log(a + b \tanh^2(c + dx))}{2ad(a + b)} + \frac{\log(\cosh(c + dx))}{d(a + b)} + \frac{\log(\tanh(c + dx))}{ad}$$

Antiderivative was successfully verified.

[In] Int[Coth[c + d\*x]/(a + b\*Tanh[c + d\*x]^2),x]

[Out] Log[Cosh[c + d\*x]]/((a + b)\*d) + Log[Tanh[c + d\*x]]/(a\*d) - (b\*Log[a + b\*Tanh[c + d\*x]^2])/(2\*a\*(a + b)\*d)

### Rule 3670

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_.)]^(m_.))*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_.)]^(n_.))^(p_.), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[(((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f^2*x^2), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))
```

### Rule 446

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_.)*((c_) + (d_.)*(x_)^(n_.))^(q_.), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 72

```
Int[((e_.) + (f_.)*(x_))^(p_.)/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))),
  x_Symbol] :> Int[ExpandIntegrand[(e + f*x)^p/((a + b*x)*(c + d*x)), x], x]
/; FreeQ[{a, b, c, d, e, f}, x] && IntegerQ[p]
```

Rubi steps

$$\begin{aligned} \int \frac{\coth(c + dx)}{a + b \tanh^2(c + dx)} dx &= \frac{\text{Subst}\left(\int \frac{1}{x(1-x^2)(a+bx^2)} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{\text{Subst}\left(\int \frac{1}{(1-x)x(a+bx)} dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= \frac{\text{Subst}\left(\int \left(-\frac{1}{(a+b)(-1+x)} + \frac{1}{ax} - \frac{b^2}{a(a+b)(a+bx)}\right) dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= \frac{\log(\cosh(c + dx))}{(a + b)d} + \frac{\log(\tanh(c + dx))}{ad} - \frac{b \log(a + b \tanh^2(c + dx))}{2a(a + b)d} \end{aligned}$$

**Mathematica [A]** time = 0.0539794, size = 54, normalized size = 0.9

$$\frac{-b \log(a + b \tanh^2(c + dx)) + 2(a + b) \log(\tanh(c + dx)) + 2a \log(\cosh(c + dx))}{2ad(a + b)}$$

Antiderivative was successfully verified.

```
[In] Integrate[Coth[c + d*x]/(a + b*Tanh[c + d*x]^2), x]
```

```
[Out] (2*a*Log[Cosh[c + d*x]] + 2*(a + b)*Log[Tanh[c + d*x]] - b*Log[a + b*Tanh[c + d*x]^2])/(2*a*(a + b)*d)
```

**Maple [B]** time = 0.076, size = 121, normalized size = 2.

$$-\frac{1}{d(a+b)} \ln\left(\tanh\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right) - \frac{b}{2da(a+b)} \ln\left(\left(\tanh\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^4 a + 2(\tanh(1/2 dx + c/2))^2 a + 4(\tanh(1/2 dx + c/2))\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(coth(d*x+c)/(a+b*tanh(d*x+c)^2),x)`

[Out]  $-1/d/(a+b)*\ln(\tanh(1/2*d*x+1/2*c)+1)-1/2*d*b/a/(a+b)*\ln(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)+1/d/a*\ln(\tanh(1/2*d*x+1/2*c))-1/d/(a+b)*\ln(\tanh(1/2*d*x+1/2*c)-1)$

**Maxima [A]** time = 1.09107, size = 136, normalized size = 2.27

$$\frac{b \log\left(2(a-b)e^{(-2dx-2c)} + (a+b)e^{(-4dx-4c)} + a+b\right)}{2(a^2+ab)d} + \frac{dx+c}{(a+b)d} + \frac{\log\left(e^{(-dx-c)}+1\right)}{ad} + \frac{\log\left(e^{(-dx-c)}-1\right)}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(d*x+c)/(a+b*tanh(d*x+c)^2),x, algorithm="maxima")`

[Out]  $-1/2*b*\log(2*(a-b)*e^{(-2*d*x-2*c)} + (a+b)*e^{(-4*d*x-4*c)} + a+b)/(a^2+a*b)*d) + (d*x+c)/((a+b)*d) + \log(e^{(-d*x-c)}+1)/(a*d) + \log(e^{(-d*x-c)}-1)/(a*d)$

**Fricas [B]** time = 2.0569, size = 319, normalized size = 5.32

$$\frac{2adx + b \log\left(\frac{2((a+b)\cosh(dx+c)^2 + (a+b)\sinh(dx+c)^2 + a-b)}{\cosh(dx+c)^2 - 2\cosh(dx+c)\sinh(dx+c) + \sinh(dx+c)^2}\right) - 2(a+b) \log\left(\frac{2\sinh(dx+c)}{\cosh(dx+c) - \sinh(dx+c)}\right)}{2(a^2+ab)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(d*x+c)/(a+b*tanh(d*x+c)^2),x, algorithm="fricas")`

[Out]  $-1/2*(2*a*d*x + b*\log(2*((a+b)*\cosh(d*x+c)^2 + (a+b)*\sinh(d*x+c)^2 + a-b)/(\cosh(d*x+c)^2 - 2*\cosh(d*x+c)*\sinh(d*x+c) + \sinh(d*x+c)^2)) - 2*(a+b)*\log(2*\sinh(d*x+c)/(\cosh(d*x+c) - \sinh(d*x+c))))/(a^2 + a*b)*d)$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\coth(c+dx)}{a+b\tanh^2(c+dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)/(a+b\*tanh(d\*x+c)\*\*2), x)

[Out] Integral(coth(c + d\*x)/(a + b\*tanh(c + d\*x)\*\*2), x)

**Giac [A]** time = 1.21516, size = 138, normalized size = 2.3

$$-\frac{b \log\left(ae^{(4dx+4c)} + be^{(4dx+4c)} + 2ae^{(2dx+2c)} - 2be^{(2dx+2c)} + a + b\right)}{2(a^2d + abd)} - \frac{dx + c}{ad + bd} + \frac{\log\left(|e^{(2dx+2c)} - 1|\right)}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)/(a+b\*tanh(d\*x+c)^2), x, algorithm="giac")

[Out]  $-1/2*b*\log(a*e^{(4*d*x + 4*c)} + b*e^{(4*d*x + 4*c)} + 2*a*e^{(2*d*x + 2*c)} - 2*b*e^{(2*d*x + 2*c)} + a + b)/(a^2*d + a*b*d) - (d*x + c)/(a*d + b*d) + \log(abs(e^{(2*d*x + 2*c)} - 1))/(a*d)$

$$3.177 \quad \int \frac{\coth^2(c+dx)}{a+b \tanh^2(c+dx)} dx$$

**Optimal.** Leaf size=60

$$-\frac{b^{3/2} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{a^{3/2}d(a+b)} + \frac{x}{a+b} - \frac{\coth(c+dx)}{ad}$$

[Out] x/(a + b) - (b^(3/2)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(a^(3/2)\*(a + b)\*d) - Coth[c + d\*x]/(a\*d)

**Rubi [A]** time = 0.106131, antiderivative size = 60, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {3670, 480, 522, 206, 205}

$$-\frac{b^{3/2} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{a^{3/2}d(a+b)} + \frac{x}{a+b} - \frac{\coth(c+dx)}{ad}$$

Antiderivative was successfully verified.

[In] Int[Coth[c + d\*x]^2/(a + b\*Tanh[c + d\*x]^2), x]

[Out] x/(a + b) - (b^(3/2)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(a^(3/2)\*(a + b)\*d) - Coth[c + d\*x]/(a\*d)

### Rule 3670

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.))^(p_.), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[(((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f^2*x^2), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))
```

### Rule 480

```
Int[((e_.)*(x_.))^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_.)*((c_) + (d_.)*(x_)^(n_.))^(q_.), x_Symbol] :> Simp[((e*x)^(m + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*c*e*(m + 1)), x] - Dist[1/(a*c*e^n*(m + 1)), Int[(e*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^q*Simp[(b*c + a*d)*(m + n + 1) + n*(b*c*p + a*d*q)
```



+ b\*d\*(m + n\*(p + q + 2) + 1)\*x^n, x], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[n, 0] && LtQ[m, -1] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]

### Rule 522

Int[((e\_) + (f\_)\*(x\_)^(n\_))/(((a\_) + (b\_)\*(x\_)^(n\_))\*((c\_) + (d\_)\*(x\_)^(n\_))), x\_Symbol] := Dist[(b\*e - a\*f)/(b\*c - a\*d), Int[1/(a + b\*x^n), x], x] - Dist[(d\*e - c\*f)/(b\*c - a\*d), Int[1/(c + d\*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x]

### Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[Rt[-b, 2]\*x]/Rt[a, 2])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rubi steps

$$\begin{aligned} \int \frac{\coth^2(c+dx)}{a+b \tanh^2(c+dx)} dx &= \frac{\text{Subst}\left(\int \frac{1}{x^2(1-x^2)(a+bx^2)} dx, x, \tanh(c+dx)\right)}{d} \\ &= -\frac{\coth(c+dx)}{ad} + \frac{\text{Subst}\left(\int \frac{a-b+bx^2}{(1-x^2)(a+bx^2)} dx, x, \tanh(c+dx)\right)}{ad} \\ &= -\frac{\coth(c+dx)}{ad} + \frac{\text{Subst}\left(\int \frac{1}{1-x^2} dx, x, \tanh(c+dx)\right)}{(a+b)d} - \frac{b^2 \text{Subst}\left(\int \frac{1}{a+bx^2} dx, x, \tanh(c+dx)\right)}{a(a+b)d} \\ &= \frac{x}{a+b} - \frac{b^{3/2} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{a^{3/2}(a+b)d} - \frac{\coth(c+dx)}{ad} \end{aligned}$$

**Mathematica [A]** time = 0.169774, size = 67, normalized size = 1.12

$$-\frac{b^{3/2} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{a^{3/2}d(a+b)} + \frac{c+dx}{d(a+b)} - \frac{\coth(c+dx)}{ad}$$

Antiderivative was successfully verified.

```
[In] Integrate[Coth[c + d*x]^2/(a + b*Tanh[c + d*x]^2), x]
```

```
[Out] (c + d*x)/((a + b)*d) - (b^(3/2)*ArcTan[(Sqrt[b]*Tanh[c + d*x])/Sqrt[a]])/(a^(3/2)*(a + b)*d) - Coth[c + d*x]/(a*d)
```

**Maple [B]** time = 0.084, size = 494, normalized size = 8.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(coth(d*x+c)^2/(a+b*tanh(d*x+c)^2), x)
```

```
[Out] -1/2/d/a*tanh(1/2*d*x+1/2*c)+1/d/(a+b)*ln(tanh(1/2*d*x+1/2*c)+1)+1/d*b^2/(a+b)/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*arctanh(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))-1/d*b^2/(a+b)/a/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*arctanh(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))+1/d*b^3/(a+b)/(b*(a+b))^(1/2)/a/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*arctanh(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))+1/d*b^2/(a+b)/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*arctan(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))+1/d*b^2/(a+b)/a/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*arctan(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))+1/d*b^3/(a+b)/(b*(a+b))^(1/2)/a/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*arctan(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))-1/2/d/a/tanh(1/2*d*x+1/2*c)-1/d/(a+b)*ln(tanh(1/2*d*x+1/2*c)-1)
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(coth(d*x+c)^2/(a+b*tanh(d*x+c)^2), x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [B]** time = 1.87998, size = 2043, normalized size = 34.05

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2),x, algorithm="fricas")

[Out] [1/2\*(2\*a\*d\*x\*cosh(d\*x + c)^2 + 4\*a\*d\*x\*cosh(d\*x + c)\*sinh(d\*x + c) + 2\*a\*d\*x\*sinh(d\*x + c)^2 - 2\*a\*d\*x + (b\*cosh(d\*x + c)^2 + 2\*b\*cosh(d\*x + c)\*sinh(d\*x + c) + b\*sinh(d\*x + c)^2 - b)\*sqrt(-b/a)\*log(((a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^4 + 4\*(a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + (a^2 + 2\*a\*b + b^2)\*sinh(d\*x + c)^4 + 2\*(a^2 - b^2)\*cosh(d\*x + c)^2 + 2\*(3\*(a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^2 + a^2 - b^2)\*sinh(d\*x + c)^2 + a^2 - 6\*a\*b + b^2 + 4\*((a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^3 + (a^2 - b^2)\*cosh(d\*x + c))\*sinh(d\*x + c) - 4\*((a^2 + a\*b)\*cosh(d\*x + c)^2 + 2\*(a^2 + a\*b)\*cosh(d\*x + c)\*sinh(d\*x + c) + (a^2 + a\*b)\*sinh(d\*x + c)^2 + a^2 - a\*b)\*sqrt(-b/a))/((a + b)\*cosh(d\*x + c)^4 + 4\*(a + b)\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + (a + b)\*sinh(d\*x + c)^4 + 2\*(a - b)\*cosh(d\*x + c)^2 + 2\*(3\*(a + b)\*cosh(d\*x + c)^2 + a - b)\*sinh(d\*x + c)^2 + 4\*((a + b)\*cosh(d\*x + c)^3 + (a - b)\*cosh(d\*x + c))\*sinh(d\*x + c) + a + b) - 4\*a - 4\*b)/((a^2 + a\*b)\*d\*cosh(d\*x + c)^2 + 2\*(a^2 + a\*b)\*d\*cosh(d\*x + c)\*sinh(d\*x + c) + (a^2 + a\*b)\*d\*sinh(d\*x + c)^2 - (a^2 + a\*b)\*d), (a\*d\*x\*cosh(d\*x + c)^2 + 2\*a\*d\*x\*cosh(d\*x + c)\*sinh(d\*x + c) + a\*d\*x\*sinh(d\*x + c)^2 - a\*d\*x - (b\*cosh(d\*x + c)^2 + 2\*b\*cosh(d\*x + c)\*sinh(d\*x + c) + b\*sinh(d\*x + c)^2 - b)\*sqrt(b/a)\*arctan(1/2\*((a + b)\*cosh(d\*x + c)^2 + 2\*(a + b)\*cosh(d\*x + c)\*sinh(d\*x + c) + (a + b)\*sinh(d\*x + c)^2 + a - b)\*sqrt(b/a)/b) - 2\*a - 2\*b)/((a^2 + a\*b)\*d\*cosh(d\*x + c)^2 + 2\*(a^2 + a\*b)\*d\*cosh(d\*x + c)\*sinh(d\*x + c) + (a^2 + a\*b)\*d\*sinh(d\*x + c)^2 - (a^2 + a\*b)\*d)]

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\coth^2(c + dx)}{a + b \tanh^2(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)\*\*2/(a+b\*tanh(d\*x+c)\*\*2),x)

[Out] Integral(coth(c + d\*x)\*\*2/(a + b\*tanh(c + d\*x)\*\*2), x)

---

**Giac [A]** time = 1.24944, size = 127, normalized size = 2.12

$$-\frac{b^2 \arctan\left(\frac{ae^{(2dx+2c)}+be^{(2dx+2c)}+a-b}{2\sqrt{ab}}\right)}{(a^2d+abd)\sqrt{ab}} + \frac{dx+c}{ad+bd} - \frac{2}{ad(e^{(2dx+2c)}-1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2),x, algorithm="giac")

[Out] -b^2\*arctan(1/2\*(a\*e^(2\*d\*x + 2\*c) + b\*e^(2\*d\*x + 2\*c) + a - b)/sqrt(a\*b))/((a^2\*d + a\*b\*d)\*sqrt(a\*b)) + (d\*x + c)/(a\*d + b\*d) - 2/(a\*d\*(e^(2\*d\*x + 2\*c) - 1))

$$3.178 \quad \int \frac{\coth^3(c+dx)}{a+b \tanh^2(c+dx)} dx$$

**Optimal.** Leaf size=85

$$\frac{b^2 \log(a + b \tanh^2(c + dx))}{2a^2 d(a + b)} + \frac{(a - b) \log(\tanh(c + dx))}{a^2 d} + \frac{\log(\cosh(c + dx))}{d(a + b)} - \frac{\coth^2(c + dx)}{2ad}$$

[Out] -Coth[c + d\*x]^2/(2\*a\*d) + Log[Cosh[c + d\*x]]/((a + b)\*d) + ((a - b)\*Log[Tanh[c + d\*x]])/(a^2\*d) + (b^2\*Log[a + b\*Tanh[c + d\*x]^2])/(2\*a^2\*(a + b)\*d)

**Rubi [A]** time = 0.137222, antiderivative size = 85, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$ , Rules used = {3670, 446, 72}

$$\frac{b^2 \log(a + b \tanh^2(c + dx))}{2a^2 d(a + b)} + \frac{(a - b) \log(\tanh(c + dx))}{a^2 d} + \frac{\log(\cosh(c + dx))}{d(a + b)} - \frac{\coth^2(c + dx)}{2ad}$$

Antiderivative was successfully verified.

[In] Int[Coth[c + d\*x]^3/(a + b\*Tanh[c + d\*x]^2), x]

[Out] -Coth[c + d\*x]^2/(2\*a\*d) + Log[Cosh[c + d\*x]]/((a + b)\*d) + ((a - b)\*Log[Tanh[c + d\*x]])/(a^2\*d) + (b^2\*Log[a + b\*Tanh[c + d\*x]^2])/(2\*a^2\*(a + b)\*d)

### Rule 3670

Int[((d\_)\*tan[(e\_) + (f\_)\*(x\_)])^(m\_)\*((a\_) + (b\_)\*((c\_)\*tan[(e\_) + (f\_)\*(x\_)])^(n\_))^(p\_), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff, x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

### Rule 446

Int[(x\_)^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_)\*(x\_)^(n\_))^(q\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p\*(c + d\*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b\*c - a\*d, 0] && IntegerQ[Simplify[(m + 1)/n]]

Rule 72

```
Int[((e_.) + (f_.)*(x_))^(p_.)/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))),
  x_Symbol] :> Int[ExpandIntegrand[(e + f*x)^p/((a + b*x)*(c + d*x)), x], x]
  /; FreeQ[{a, b, c, d, e, f}, x] && IntegerQ[p]
```

Rubi steps

$$\begin{aligned} \int \frac{\coth^3(c+dx)}{a+b \tanh^2(c+dx)} dx &= \frac{\text{Subst}\left(\int \frac{1}{x^3(1-x^2)(a+bx^2)} dx, x, \tanh(c+dx)\right)}{d} \\ &= \frac{\text{Subst}\left(\int \frac{1}{(1-x)x^2(a+bx)} dx, x, \tanh^2(c+dx)\right)}{2d} \\ &= \frac{\text{Subst}\left(\int \left(-\frac{1}{(a+b)(-1+x)} + \frac{1}{ax^2} + \frac{a-b}{a^2x} + \frac{b^3}{a^2(a+b)(a+bx)}\right) dx, x, \tanh^2(c+dx)\right)}{2d} \\ &= -\frac{\coth^2(c+dx)}{2ad} + \frac{\log(\cosh(c+dx))}{(a+b)d} + \frac{(a-b)\log(\tanh(c+dx))}{a^2d} + \frac{b^2 \log(a+b \tanh^2(c+dx))}{2a^2(a+b)d} \end{aligned}$$

**Mathematica [A]** time = 0.163663, size = 60, normalized size = 0.71

$$-\frac{b^2 \log(a \coth^2(c+dx)+b)}{a^2(a+b)} - \frac{2 \log(\sinh(c+dx))}{a+b} + \frac{\coth^2(c+dx)}{a}$$


---

Antiderivative was successfully verified.

```
[In] Integrate[Coth[c + d*x]^3/(a + b*Tanh[c + d*x]^2), x]
```

```
[Out] -(Coth[c + d*x]^2/a - (b^2*Log[b + a*Coth[c + d*x]^2))/(a^2*(a + b)) - (2*Log[Sinh[c + d*x]]/(a + b))/(2*d)
```

**Maple [B]** time = 0.086, size = 180, normalized size = 2.1

$$-\frac{1}{8da} \left( \tanh\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^2 - \frac{1}{d(a+b)} \ln\left(\tanh\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right) + \frac{b^2}{2da^2(a+b)} \ln\left(\left(\tanh\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^4 a + 2(\tanh(1/2 dx) + \dots)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(coth(d*x+c)^3/(a+b*tanh(d*x+c)^2),x)`

[Out] 
$$-1/8/d/a*\tanh(1/2*d*x+1/2*c)^2-1/d/(a+b)*\ln(\tanh(1/2*d*x+1/2*c)+1)+1/2/d*b^2/a^2/(a+b)*\ln(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)-1/8/d/a/\tanh(1/2*d*x+1/2*c)^2+1/d/a*\ln(\tanh(1/2*d*x+1/2*c))-1/d/a^2*b*\ln(\tanh(1/2*d*x+1/2*c))-1/d/(a+b)*\ln(\tanh(1/2*d*x+1/2*c)-1)$$

**Maxima [A]** time = 1.08124, size = 215, normalized size = 2.53

$$\frac{b^2 \log\left(2(a-b)e^{(-2dx-2c)} + (a+b)e^{(-4dx-4c)} + a + b\right)}{2(a^3 + a^2b)d} + \frac{dx + c}{(a+b)d} + \frac{2e^{(-2dx-2c)}}{(2ae^{(-2dx-2c)} - ae^{(-4dx-4c)} - a)d} + \frac{(a-b) \log\left(e^{(-d)}\right)}{a^2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(d*x+c)^3/(a+b*tanh(d*x+c)^2),x, algorithm="maxima")`

[Out] 
$$1/2*b^2*\log(2*(a-b)*e^{(-2*d*x-2*c)} + (a+b)*e^{(-4*d*x-4*c)} + a + b)/((a^3 + a^2*b)*d) + (d*x + c)/((a+b)*d) + 2*e^{(-2*d*x-2*c)}/((2*a*e^{(-2*d*x-2*c)} - a*e^{(-4*d*x-4*c)} - a)*d) + (a-b)*\log(e^{(-d*x-c)} + 1)/(a^2*d) + (a-b)*\log(e^{(-d*x-c)} - 1)/(a^2*d)$$

**Fricas [B]** time = 2.48711, size = 1817, normalized size = 21.38

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(d*x+c)^3/(a+b*tanh(d*x+c)^2),x, algorithm="fricas")`

[Out] 
$$-1/2*(2*a^2*d*x*\cosh(d*x + c)^4 + 8*a^2*d*x*\cosh(d*x + c)*\sinh(d*x + c)^3 + 2*a^2*d*x*\sinh(d*x + c)^4 + 2*a^2*d*x - 4*(a^2*d*x - a^2 - a*b)*\cosh(d*x + c)^2 + 4*(3*a^2*d*x*\cosh(d*x + c)^2 - a^2*d*x + a^2 + a*b)*\sinh(d*x + c)^2 - (b^2*\cosh(d*x + c)^4 + 4*b^2*\cosh(d*x + c)*\sinh(d*x + c)^3 + b^2*\sinh(d*x + c)^4 - 2*b^2*\cosh(d*x + c)^2 + 2*(3*b^2*\cosh(d*x + c)^2 - b^2)*\sinh(d*x + c)^2 + b^2 + 4*(b^2*\cosh(d*x + c)^3 - b^2*\cosh(d*x + c))*\sinh(d*x + c))*\log(2*((a+b)*\cosh(d*x + c)^2 + (a+b)*\sinh(d*x + c)^2 + a - b)/(\cosh(d*x + c)^2 - 2*\cosh(d*x + c)*\sinh(d*x + c) + \sinh(d*x + c)^2)) - 2*((a^2 - b^2)*\cosh(d*x + c)^4 + 4*(a^2 - b^2)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a^2 - b^2)*\sinh(d*x + c)^4 - 2*(a^2 - b^2)*\cosh(d*x + c)^2 + 2*(3*(a^2 - b^2)*\cosh(d*x + c)^2 - (a^2 - b^2)*\sinh(d*x + c)^2) + (a^2 - b^2)*\sinh(d*x + c)^2)/((a+b)*d)$$

$$d*x + c)^2 - a^2 + b^2)*\sinh(d*x + c)^2 + a^2 - b^2 + 4*((a^2 - b^2)*\cosh(d*x + c)^3 - (a^2 - b^2)*\cosh(d*x + c))*\sinh(d*x + c))/\log(2*\sinh(d*x + c)/(\cosh(d*x + c) - \sinh(d*x + c))) + 8*(a^2*d*x*\cosh(d*x + c)^3 - (a^2*d*x - a^2 - a*b)*\cosh(d*x + c))*\sinh(d*x + c))/((a^3 + a^2*b)*d*\cosh(d*x + c)^4 + 4*(a^3 + a^2*b)*d*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a^3 + a^2*b)*d*\sinh(d*x + c)^4 - 2*(a^3 + a^2*b)*d*\cosh(d*x + c)^2 + 2*(3*(a^3 + a^2*b)*d*\cosh(d*x + c)^2 - (a^3 + a^2*b)*d)*\sinh(d*x + c)^2 + (a^3 + a^2*b)*d + 4*((a^3 + a^2*b)*d*\cosh(d*x + c)^3 - (a^3 + a^2*b)*d*\cosh(d*x + c))*\sinh(d*x + c))$$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\coth^3(c + dx)}{a + b \tanh^2(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)\*\*3/(a+b\*tanh(d\*x+c)\*\*2), x)

[Out] Integral(coth(c + d\*x)\*\*3/(a + b\*tanh(c + d\*x)\*\*2), x)

**Giac [A]** time = 1.19926, size = 190, normalized size = 2.24

$$\frac{b^2 \log(ae^{4dx+4c} + be^{4dx+4c}) + 2ae^{(2dx+2c)} - 2be^{(2dx+2c)} + a + b}{2(a^3d + a^2bd)} - \frac{dx + c}{ad + bd} + \frac{(a - b) \log(|e^{(2dx+2c)} - 1|)}{a^2d} - \frac{2e^{(2dx+2c)}}{ad(e^{(2dx+2c)} - 1)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2), x, algorithm="giac")

[Out] 1/2\*b^2\*log(a\*e^(4\*d\*x + 4\*c) + b\*e^(4\*d\*x + 4\*c) + 2\*a\*e^(2\*d\*x + 2\*c) - 2\*b\*e^(2\*d\*x + 2\*c) + a + b)/(a^3\*d + a^2\*b\*d) - (d\*x + c)/(a\*d + b\*d) + (a - b)\*log(abs(e^(2\*d\*x + 2\*c) - 1))/(a^2\*d) - 2\*e^(2\*d\*x + 2\*c)/(a\*d\*(e^(2\*d\*x + 2\*c) - 1)^2)



$$3.179 \quad \int \frac{\coth^4(c+dx)}{a+b \tanh^2(c+dx)} dx$$

**Optimal.** Leaf size=82

$$\frac{b^{5/2} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{a^{5/2} d(a+b)} - \frac{(a-b) \coth(c+dx)}{a^2 d} + \frac{x}{a+b} - \frac{\coth^3(c+dx)}{3ad}$$

[Out] x/(a + b) + (b^(5/2)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(a^(5/2)\*(a + b)\*d) - ((a - b)\*Coth[c + d\*x])/(a^2\*d) - Coth[c + d\*x]^3/(3\*a\*d)

**Rubi [A]** time = 0.177203, antiderivative size = 82, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {3670, 480, 583, 522, 206, 205}

$$\frac{b^{5/2} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{a^{5/2} d(a+b)} - \frac{(a-b) \coth(c+dx)}{a^2 d} + \frac{x}{a+b} - \frac{\coth^3(c+dx)}{3ad}$$

Antiderivative was successfully verified.

[In] Int[Coth[c + d\*x]^4/(a + b\*Tanh[c + d\*x]^2), x]

[Out] x/(a + b) + (b^(5/2)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(a^(5/2)\*(a + b)\*d) - ((a - b)\*Coth[c + d\*x])/(a^2\*d) - Coth[c + d\*x]^3/(3\*a\*d)

### Rule 3670

Int[((d\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_))^(p\_.), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

### Rule 480

Int[((e\_.)\*(x\_))^(m\_)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_), x\_Symbol] := Simp[((e\*x)^(m + 1)\*(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^(q + 1))/(a\*c\*e\*(m + 1)), x] - Dist[1/(a\*c\*e^n\*(m + 1)), Int[(e\*x)^(m + n)\*(a + b\*x^n)^p\*(c + d\*x^n)^q\*Simp[(b\*c + a\*d)\*(m + n + 1) + n\*(b\*c\*p + a\*d\*q)

+ b\*d\*(m + n\*(p + q + 2) + 1)\*x^n, x], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[n, 0] && LtQ[m, -1] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]

### Rule 583

Int[((g\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_)\*(x\_)^(n\_))^(q\_)\*((e\_) + (f\_)\*(x\_)^(n\_)), x\_Symbol] := Simp[(e\*(g\*x)^(m + 1)\*(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^(q + 1))/(a\*c\*g\*(m + 1)), x] + Dist[1/(a\*c\*g^n\*(m + 1)), Int[(g\*x)^(m + n)\*(a + b\*x^n)^p\*(c + d\*x^n)^q\*Simp[a\*f\*c\*(m + 1) - e\*(b\*c + a\*d)\*(m + n + 1) - e\*n\*(b\*c\*p + a\*d\*q) - b\*e\*d\*(m + n\*(p + q + 2) + 1)\*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p, q}, x] && IGtQ[n, 0] && LtQ[m, -1]

### Rule 522

Int[((e\_) + (f\_)\*(x\_)^(n\_))/((a\_) + (b\_)\*(x\_)^(n\_))\*((c\_) + (d\_)\*(x\_)^(n\_)), x\_Symbol] := Dist[(b\*e - a\*f)/(b\*c - a\*d), Int[1/(a + b\*x^n), x], x] - Dist[(d\*e - c\*f)/(b\*c - a\*d), Int[1/(c + d\*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x]

### Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[Rt[-b, 2]\*x]/Rt[a, 2])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rubi steps

$$\begin{aligned}
\int \frac{\coth^4(c+dx)}{a+b \tanh^2(c+dx)} dx &= \frac{\text{Subst}\left(\int \frac{1}{x^4(1-x^2)(a+bx^2)} dx, x, \tanh(c+dx)\right)}{d} \\
&= -\frac{\coth^3(c+dx)}{3ad} + \frac{\text{Subst}\left(\int \frac{3(a-b)+3bx^2}{x^2(1-x^2)(a+bx^2)} dx, x, \tanh(c+dx)\right)}{3ad} \\
&= -\frac{(a-b)\coth(c+dx)}{a^2d} - \frac{\coth^3(c+dx)}{3ad} - \frac{\text{Subst}\left(\int \frac{-3(a^2-ab+b^2)-3(a-b)bx^2}{(1-x^2)(a+bx^2)} dx, x, \tanh(c+dx)\right)}{3a^2d} \\
&= -\frac{(a-b)\coth(c+dx)}{a^2d} - \frac{\coth^3(c+dx)}{3ad} + \frac{\text{Subst}\left(\int \frac{1}{1-x^2} dx, x, \tanh(c+dx)\right)}{(a+b)d} + \frac{b^3 \text{Subst}\left(\int \frac{1}{1-x^2} dx, x, \tanh(c+dx)\right)}{(a+b)d} \\
&= \frac{x}{a+b} + \frac{b^{5/2} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{a^{5/2}(a+b)d} - \frac{(a-b)\coth(c+dx)}{a^2d} - \frac{\coth^3(c+dx)}{3ad}
\end{aligned}$$

**Mathematica [A]** time = 0.60517, size = 91, normalized size = 1.11

$$\frac{\left( \frac{b^{5/2} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{a^{5/2}} + c+dx \right)}{a+b} - \frac{\coth(c+dx) \text{csch}^2(c+dx) ((4a-3b) \cosh(2(c+dx)) - 2a+3b)}{6d a^2}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[c + d\*x]^4/(a + b\*Tanh[c + d\*x]^2), x]

[Out] ((6\*(c + d\*x + (b^(5/2)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/a^(5/2)))/(a + b) - ((-2\*a + 3\*b + (4\*a - 3\*b)\*Cosh[2\*(c + d\*x)])\*Coth[c + d\*x]\*Csch[c + d\*x]^2)/a^2)/(6\*d)

**Maple [B]** time = 0.096, size = 580, normalized size = 7.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2), x)

```
[Out] -1/24/d/a*tanh(1/2*d*x+1/2*c)^3-5/8/d/a*tanh(1/2*d*x+1/2*c)+1/2/d/a^2*tanh(
1/2*d*x+1/2*c)*b+1/d/(a+b)*ln(tanh(1/2*d*x+1/2*c)+1)-1/d*b^3/(a+b)/(b*(a+b)
)^(1/2)/a/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*arctanh(a*tanh(1/2*d*x+1/2*c)
/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))+1/d*b^3/(a+b)/a^2/((2*(b*(a+b))^(1/2)
-a-2*b)*a)^(1/2)*arctanh(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)
)^(1/2))-1/d*b^4/(a+b)/a^2/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1
/2)*arctanh(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))-1/d*
b^3/(a+b)/(b*(a+b))^(1/2)/a/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*arctan(a*ta
nh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))-1/d*b^3/(a+b)/a^2/((
2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*arctan(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b)
)^(1/2)+a+2*b)*a)^(1/2))-1/d*b^4/(a+b)/a^2/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1
/2)+a+2*b)*a)^(1/2)*arctan(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)
*a)^(1/2))-1/24/d/a/tanh(1/2*d*x+1/2*c)^3-5/8/d/a/tanh(1/2*d*x+1/2*c)+1/2/d
/a^2/tanh(1/2*d*x+1/2*c)*b-1/d/(a+b)*ln(tanh(1/2*d*x+1/2*c)-1)
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(coth(d*x+c)^4/(a+b*tanh(d*x+c)^2),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [B]** time = 2.2186, size = 5846, normalized size = 71.29

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(coth(d*x+c)^4/(a+b*tanh(d*x+c)^2),x, algorithm="fricas")
```

```
[Out] [1/6*(6*a^2*d*x*cosh(d*x + c)^6 + 36*a^2*d*x*cosh(d*x + c)*sinh(d*x + c)^5
+ 6*a^2*d*x*sinh(d*x + c)^6 - 6*(3*a^2*d*x + 4*a^2 + 2*a*b - 2*b^2)*cosh(d*
x + c)^4 + 6*(15*a^2*d*x*cosh(d*x + c)^2 - 3*a^2*d*x - 4*a^2 - 2*a*b + 2*b^
2)*sinh(d*x + c)^4 - 6*a^2*d*x + 24*(5*a^2*d*x*cosh(d*x + c)^3 - (3*a^2*d*x
+ 4*a^2 + 2*a*b - 2*b^2)*cosh(d*x + c))*sinh(d*x + c)^3 + 6*(3*a^2*d*x + 4
*a^2 - 4*b^2)*cosh(d*x + c)^2 + 6*(15*a^2*d*x*cosh(d*x + c)^4 + 3*a^2*d*x -
6*(3*a^2*d*x + 4*a^2 + 2*a*b - 2*b^2)*cosh(d*x + c)^2 + 4*a^2 - 4*b^2)*sin
```

$$\begin{aligned}
& h(dx + c)^2 + 3*(b^2*cosh(dx + c)^6 + 6*b^2*cosh(dx + c)*sinh(dx + c)^5 \\
& + b^2*sinh(dx + c)^6 - 3*b^2*cosh(dx + c)^4 + 3*(5*b^2*cosh(dx + c)^2 - \\
& b^2)*sinh(dx + c)^4 + 3*b^2*cosh(dx + c)^2 + 4*(5*b^2*cosh(dx + c)^3 - \\
& 3*b^2*cosh(dx + c))*sinh(dx + c)^3 + 3*(5*b^2*cosh(dx + c)^4 - 6*b^2*cos \\
& h(dx + c)^2 + b^2)*sinh(dx + c)^2 - b^2 + 6*(b^2*cosh(dx + c)^5 - 2*b^2* \\
& cosh(dx + c)^3 + b^2*cosh(dx + c))*sinh(dx + c))*sqrt(-b/a)*log(((a^2 + \\
& 2*a*b + b^2)*cosh(dx + c)^4 + 4*(a^2 + 2*a*b + b^2)*cosh(dx + c)*sinh(dx \\
& + c)^3 + (a^2 + 2*a*b + b^2)*sinh(dx + c)^4 + 2*(a^2 - b^2)*cosh(dx + c) \\
& ^2 + 2*(3*(a^2 + 2*a*b + b^2)*cosh(dx + c)^2 + a^2 - b^2)*sinh(dx + c)^2 \\
& + a^2 - 6*a*b + b^2 + 4*((a^2 + 2*a*b + b^2)*cosh(dx + c)^3 + (a^2 - b^2)* \\
& cosh(dx + c))*sinh(dx + c) + 4*((a^2 + a*b)*cosh(dx + c)^2 + 2*(a^2 + a* \\
& b)*cosh(dx + c)*sinh(dx + c) + (a^2 + a*b)*sinh(dx + c)^2 + a^2 - a*b)*s \\
& qrt(-b/a))/((a + b)*cosh(dx + c)^4 + 4*(a + b)*cosh(dx + c)*sinh(dx + c) \\
& ^3 + (a + b)*sinh(dx + c)^4 + 2*(a - b)*cosh(dx + c)^2 + 2*(3*(a + b)*cos \\
& h(dx + c)^2 + a - b)*sinh(dx + c)^2 + 4*((a + b)*cosh(dx + c)^3 + (a - b) \\
& )*cosh(dx + c))*sinh(dx + c) + a + b)) - 16*a^2 - 4*a*b + 12*b^2 + 12*(3* \\
& a^2*d*x*cosh(dx + c)^5 - 2*(3*a^2*d*x + 4*a^2 + 2*a*b - 2*b^2)*cosh(dx + \\
& c)^3 + (3*a^2*d*x + 4*a^2 - 4*b^2)*cosh(dx + c))*sinh(dx + c))/((a^3 + a^ \\
& 2*b)*d*cosh(dx + c)^6 + 6*(a^3 + a^2*b)*d*cosh(dx + c)*sinh(dx + c)^5 + \\
& (a^3 + a^2*b)*d*sinh(dx + c)^6 - 3*(a^3 + a^2*b)*d*cosh(dx + c)^4 + 3*(5* \\
& (a^3 + a^2*b)*d*cosh(dx + c)^2 - (a^3 + a^2*b)*d)*sinh(dx + c)^4 + 3*(a^3 \\
& + a^2*b)*d*cosh(dx + c)^2 + 4*(5*(a^3 + a^2*b)*d*cosh(dx + c)^3 - 3*(a^3 \\
& + a^2*b)*d*cosh(dx + c))*sinh(dx + c)^3 + 3*(5*(a^3 + a^2*b)*d*cosh(dx \\
& + c)^4 - 6*(a^3 + a^2*b)*d*cosh(dx + c)^2 + (a^3 + a^2*b)*d)*sinh(dx + c) \\
& ^2 - (a^3 + a^2*b)*d + 6*((a^3 + a^2*b)*d*cosh(dx + c)^5 - 2*(a^3 + a^2*b) \\
& )*d*cosh(dx + c)^3 + (a^3 + a^2*b)*d*cosh(dx + c))*sinh(dx + c)), 1/3*(3* \\
& a^2*d*x*cosh(dx + c)^6 + 18*a^2*d*x*cosh(dx + c)*sinh(dx + c)^5 + 3*a^2* \\
& d*x*sinh(dx + c)^6 - 3*(3*a^2*d*x + 4*a^2 + 2*a*b - 2*b^2)*cosh(dx + c)^4 \\
& + 3*(15*a^2*d*x*cosh(dx + c)^2 - 3*a^2*d*x - 4*a^2 - 2*a*b + 2*b^2)*sinh( \\
& dx + c)^4 - 3*a^2*d*x + 12*(5*a^2*d*x*cosh(dx + c)^3 - (3*a^2*d*x + 4*a^2 \\
& + 2*a*b - 2*b^2)*cosh(dx + c))*sinh(dx + c)^3 + 3*(3*a^2*d*x + 4*a^2 - 4 \\
& *b^2)*cosh(dx + c)^2 + 3*(15*a^2*d*x*cosh(dx + c)^4 + 3*a^2*d*x - 6*(3*a^ \\
& 2*d*x + 4*a^2 + 2*a*b - 2*b^2)*cosh(dx + c)^2 + 4*a^2 - 4*b^2)*sinh(dx + \\
& c)^2 + 3*(b^2*cosh(dx + c)^6 + 6*b^2*cosh(dx + c)*sinh(dx + c)^5 + b^2*s \\
& inh(dx + c)^6 - 3*b^2*cosh(dx + c)^4 + 3*(5*b^2*cosh(dx + c)^2 - b^2)*si \\
& nh(dx + c)^4 + 3*b^2*cosh(dx + c)^2 + 4*(5*b^2*cosh(dx + c)^3 - 3*b^2*co \\
& sh(dx + c))*sinh(dx + c)^3 + 3*(5*b^2*cosh(dx + c)^4 - 6*b^2*cosh(dx + \\
& c)^2 + b^2)*sinh(dx + c)^2 - b^2 + 6*(b^2*cosh(dx + c)^5 - 2*b^2*cosh(dx \\
& + c)^3 + b^2*cosh(dx + c))*sinh(dx + c))*sqrt(b/a)*arctan(1/2*((a + b)*c \\
& osh(dx + c)^2 + 2*(a + b)*cosh(dx + c)*sinh(dx + c) + (a + b)*sinh(dx + \\
& c)^2 + a - b)*sqrt(b/a)/b) - 8*a^2 - 2*a*b + 6*b^2 + 6*(3*a^2*d*x*cosh(dx \\
& + c)^5 - 2*(3*a^2*d*x + 4*a^2 + 2*a*b - 2*b^2)*cosh(dx + c)^3 + (3*a^2*d* \\
& x + 4*a^2 - 4*b^2)*cosh(dx + c))*sinh(dx + c))/((a^3 + a^2*b)*d*cosh(dx \\
& + c)^6 + 6*(a^3 + a^2*b)*d*cosh(dx + c)*sinh(dx + c)^5 + (a^3 + a^2*b)*d* \\
& sinh(dx + c)^6 - 3*(a^3 + a^2*b)*d*cosh(dx + c)^4 + 3*(5*(a^3 + a^2*b)*d*
\end{aligned}$$

$$\begin{aligned} & \cosh(dx + c)^2 - (a^3 + a^2b)d \sinh(dx + c)^4 + 3(a^3 + a^2b)d \cosh(dx + c)^2 \\ & + 4(5(a^3 + a^2b)d \cosh(dx + c)^3 - 3(a^3 + a^2b)d \cosh(dx + c)) \sinh(dx + c)^3 \\ & + 3(5(a^3 + a^2b)d \cosh(dx + c)^4 - 6(a^3 + a^2b)d \cosh(dx + c)^2 \\ & + (a^3 + a^2b)d) \sinh(dx + c)^2 - (a^3 + a^2b)d + 6((a^3 + a^2b)d \cosh(dx + c)^5 \\ & - 2(a^3 + a^2b)d \cosh(dx + c)^3 + (a^3 + a^2b)d \cosh(dx + c)) \sinh(dx + c) \end{aligned}$$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\coth^4(c + dx)}{a + b \tanh^2(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(dx+c)\*\*4/(a+b\*tanh(dx+c)\*\*2),x)

[Out] Integral(coth(c + dx)\*\*4/(a + b\*tanh(c + dx)\*\*2), x)

**Giac [B]** time = 1.20022, size = 203, normalized size = 2.48

$$\frac{b^3 \arctan\left(\frac{ae^{(2dx+2c)} + be^{(2dx+2c)} + a - b}{2\sqrt{ab}}\right)}{(a^3d + a^2bd)\sqrt{ab}} + \frac{dx + c}{ad + bd} - \frac{2(6ae^{(4dx+4c)} - 3be^{(4dx+4c)} - 6ae^{(2dx+2c)} + 6be^{(2dx+2c)} + 4a - 3b)}{3a^2d(e^{(2dx+2c)} - 1)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(dx+c)^4/(a+b\*tanh(dx+c)^2),x, algorithm="giac")

[Out] b^3\*arctan(1/2\*(a\*e^(2\*d\*x + 2\*c) + b\*e^(2\*d\*x + 2\*c) + a - b)/sqrt(a\*b))/(a^3\*d + a^2\*b\*d)\*sqrt(a\*b) + (d\*x + c)/(a\*d + b\*d) - 2/3\*(6\*a\*e^(4\*d\*x + 4\*c) - 3\*b\*e^(4\*d\*x + 4\*c) - 6\*a\*e^(2\*d\*x + 2\*c) + 6\*b\*e^(2\*d\*x + 2\*c) + 4\*a - 3\*b)/(a^2\*d\*(e^(2\*d\*x + 2\*c) - 1)^3)

$$3.180 \quad \int \frac{\tanh^5(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$$

**Optimal.** Leaf size=83

$$-\frac{a^2}{2b^2d(a+b)(a+b \tanh^2(c+dx))} - \frac{a(a+2b) \log(a+b \tanh^2(c+dx))}{2b^2d(a+b)^2} + \frac{\log(\cosh(c+dx))}{d(a+b)^2}$$

[Out] Log[Cosh[c + d\*x]]/((a + b)^2\*d) - (a\*(a + 2\*b)\*Log[a + b\*Tanh[c + d\*x]^2]) / (2\*b^2\*(a + b)^2\*d) - a^2/(2\*b^2\*(a + b)\*d\*(a + b\*Tanh[c + d\*x]^2))

**Rubi [A]** time = 0.150087, antiderivative size = 83, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$ , Rules used = {3670, 446, 88}

$$-\frac{a^2}{2b^2d(a+b)(a+b \tanh^2(c+dx))} - \frac{a(a+2b) \log(a+b \tanh^2(c+dx))}{2b^2d(a+b)^2} + \frac{\log(\cosh(c+dx))}{d(a+b)^2}$$

Antiderivative was successfully verified.

[In] Int[Tanh[c + d\*x]^5/(a + b\*Tanh[c + d\*x]^2)^2, x]

[Out] Log[Cosh[c + d\*x]]/((a + b)^2\*d) - (a\*(a + 2\*b)\*Log[a + b\*Tanh[c + d\*x]^2]) / (2\*b^2\*(a + b)^2\*d) - a^2/(2\*b^2\*(a + b)\*d\*(a + b\*Tanh[c + d\*x]^2))

#### Rule 3670

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((a_.) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_.))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[(((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f^2*x^2), x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))
```

#### Rule 446

```
Int[(x_)^(m_.)*((a_.) + (b_.)*(x_)^(n_.))^(p_.)*((c_.) + (d_.)*(x_)^(n_.))^(q_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[
```

`b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]`

### Rule 88

`Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && IntegersQ[m, n] && (IntegerQ[p] || (GtQ[m, 0] && GeQ[n, -1]))`

### Rubi steps

$$\begin{aligned} \int \frac{\tanh^5(c + dx)}{(a + b \tanh^2(c + dx))^2} dx &= \frac{\text{Subst}\left(\int \frac{x^5}{(1-x^2)(a+bx^2)^2} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{\text{Subst}\left(\int \frac{x^2}{(1-x)(a+bx)^2} dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= \frac{\text{Subst}\left(\int \left(-\frac{1}{(a+b)^2(-1+x)} + \frac{a^2}{b(a+b)(a+bx)^2} - \frac{a(a+2b)}{b(a+b)^2(a+bx)}\right) dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= \frac{\log(\cosh(c + dx))}{(a + b)^2 d} - \frac{a(a + 2b) \log(a + b \tanh^2(c + dx))}{2b^2(a + b)^2 d} - \frac{a^2}{2b^2(a + b)d(a + b \tanh^2(c + dx))} \end{aligned}$$

**Mathematica [A]** time = 0.473557, size = 69, normalized size = 0.83

$$\frac{\frac{a^2(a+b)}{b^2(a+b \tanh^2(c+dx))} + \frac{a(a+2b) \log(a+b \tanh^2(c+dx))}{b^2} - 2 \log(\cosh(c + dx))}{2d(a + b)^2}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[c + d\*x]^5/(a + b\*Tanh[c + d\*x]^2)^2, x]

[Out]  $-\frac{(-2 \cdot \text{Log}[\text{Cosh}[c + d \cdot x]] + (a \cdot (a + 2 \cdot b) \cdot \text{Log}[a + b \cdot \text{Tanh}[c + d \cdot x]^2]) / b^2 + (a^2 \cdot (a + b)) / (b^2 \cdot (a + b \cdot \text{Tanh}[c + d \cdot x]^2))) / (2 \cdot (a + b)^2 \cdot d)}$



**Maple [A]** time = 0.027, size = 156, normalized size = 1.9

$$\frac{\ln(\tanh(dx+c)+1)}{2d(a+b)^2} - \frac{a^3}{2d(a+b)^2 b^2 (a+b(\tanh(dx+c))^2)} - \frac{a^2}{2d(a+b)^2 b (a+b(\tanh(dx+c))^2)} - \frac{a^2 \ln(a+b)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(d\*x+c)^5/(a+b\*tanh(d\*x+c)^2)^2,x)

[Out] -1/2/d/(a+b)^2\*ln(tanh(d\*x+c)+1)-1/2/d/(a+b)^2\*a^3/b^2/(a+b\*tanh(d\*x+c)^2)-1/2/d/(a+b)^2\*a^2/b/(a+b\*tanh(d\*x+c)^2)-1/2/d/(a+b)^2\*a^2/b^2\*ln(a+b\*tanh(d\*x+c)^2)-1/d/(a+b)^2\*a/b\*ln(a+b\*tanh(d\*x+c)^2)-1/2/d/(a+b)^2\*ln(tanh(d\*x+c)-1)

**Maxima [B]** time = 1.63801, size = 293, normalized size = 3.53

$$\frac{2a^2e^{(-2dx-2c)}}{(a^3b+3a^2b^2+3ab^3+b^4+2(a^3b+a^2b^2-ab^3-b^4)e^{(-2dx-2c)}+(a^3b+3a^2b^2+3ab^3+b^4)e^{(-4dx-4c)})d} - \frac{(a^2+2ab)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^5/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="maxima")

[Out] -2\*a^2\*e^{(-2\*d\*x - 2\*c)/((a^3\*b + 3\*a^2\*b^2 + 3\*a\*b^3 + b^4 + 2\*(a^3\*b + a^2\*b^2 - a\*b^3 - b^4)\*e^{(-2\*d\*x - 2\*c)} + (a^3\*b + 3\*a^2\*b^2 + 3\*a\*b^3 + b^4)\*e^{(-4\*d\*x - 4\*c)})\*d} - 1/2\*(a^2 + 2\*a\*b)\*log(2\*(a - b)\*e^{(-2\*d\*x - 2\*c)} + (a + b)\*e^{(-4\*d\*x - 4\*c)} + a + b)/((a^2\*b^2 + 2\*a\*b^3 + b^4)\*d) + (d\*x + c)/((a^2 + 2\*a\*b + b^2)\*d) + log(e^{(-2\*d\*x - 2\*c)} + 1)/(b^2\*d)

**Fricas [B]** time = 2.61627, size = 2678, normalized size = 32.27

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^5/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out] -1/2\*(2\*(a\*b^2 + b^3)\*d\*x\*cosh(d\*x + c)^4 + 8\*(a\*b^2 + b^3)\*d\*x\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + 2\*(a\*b^2 + b^3)\*d\*x\*sinh(d\*x + c)^4 + 2\*(a\*b^2 + b^3)\*

```

d*x + 4*(a^2*b + (a*b^2 - b^3)*d*x)*cosh(d*x + c)^2 + 4*(3*(a*b^2 + b^3)*d*
x*cosh(d*x + c)^2 + a^2*b + (a*b^2 - b^3)*d*x)*sinh(d*x + c)^2 + ((a^3 + 3*
a^2*b + 2*a*b^2)*cosh(d*x + c)^4 + 4*(a^3 + 3*a^2*b + 2*a*b^2)*cosh(d*x + c
)*sinh(d*x + c)^3 + (a^3 + 3*a^2*b + 2*a*b^2)*sinh(d*x + c)^4 + a^3 + 3*a^2
*b + 2*a*b^2 + 2*(a^3 + a^2*b - 2*a*b^2)*cosh(d*x + c)^2 + 2*(a^3 + a^2*b -
2*a*b^2 + 3*(a^3 + 3*a^2*b + 2*a*b^2)*cosh(d*x + c)^2)*sinh(d*x + c)^2 + 4
*((a^3 + 3*a^2*b + 2*a*b^2)*cosh(d*x + c)^3 + (a^3 + a^2*b - 2*a*b^2)*cosh(
d*x + c))*sinh(d*x + c))*log(2*((a + b)*cosh(d*x + c)^2 + (a + b)*sinh(d*x
+ c)^2 + a - b)/(cosh(d*x + c)^2 - 2*cosh(d*x + c)*sinh(d*x + c) + sinh(d*x
+ c)^2)) - 2*((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)^4 + 4*(a^3 + 3
*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)*sinh(d*x + c)^3 + (a^3 + 3*a^2*b + 3*
a*b^2 + b^3)*sinh(d*x + c)^4 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 2*(a^3 + a^2
*b - a*b^2 - b^3)*cosh(d*x + c)^2 + 2*(a^3 + a^2*b - a*b^2 - b^3 + 3*(a^3 +
3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)^2)*sinh(d*x + c)^2 + 4*((a^3 + 3*a^
2*b + 3*a*b^2 + b^3)*cosh(d*x + c)^3 + (a^3 + a^2*b - a*b^2 - b^3)*cosh(d*x
+ c))*sinh(d*x + c))*log(2*cosh(d*x + c)/(cosh(d*x + c) - sinh(d*x + c)))
+ 8*((a*b^2 + b^3)*d*x*cosh(d*x + c)^3 + (a^2*b + (a*b^2 - b^3)*d*x)*cosh(d
*x + c))*sinh(d*x + c))/((a^3*b^2 + 3*a^2*b^3 + 3*a*b^4 + b^5)*d*cosh(d*x +
c)^4 + 4*(a^3*b^2 + 3*a^2*b^3 + 3*a*b^4 + b^5)*d*cosh(d*x + c)*sinh(d*x +
c)^3 + (a^3*b^2 + 3*a^2*b^3 + 3*a*b^4 + b^5)*d*sinh(d*x + c)^4 + 2*(a^3*b^2
+ a^2*b^3 - a*b^4 - b^5)*d*cosh(d*x + c)^2 + 2*(3*(a^3*b^2 + 3*a^2*b^3 + 3
*a*b^4 + b^5)*d*cosh(d*x + c)^2 + (a^3*b^2 + a^2*b^3 - a*b^4 - b^5)*d)*sinh
(d*x + c)^2 + (a^3*b^2 + 3*a^2*b^3 + 3*a*b^4 + b^5)*d + 4*((a^3*b^2 + 3*a^2
*b^3 + 3*a*b^4 + b^5)*d*cosh(d*x + c)^3 + (a^3*b^2 + a^2*b^3 - a*b^4 - b^5)
*d*cosh(d*x + c))*sinh(d*x + c))

```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)\*\*5/(a+b\*tanh(d\*x+c)\*\*2)\*\*2,x)

[Out] Timed out

**Giac [B]** time = 1.26749, size = 275, normalized size = 3.31

$$\frac{(a^2 + 2ab) \log\left(ae^{(4dx+4c)} + be^{(4dx+4c)} + 2ae^{(2dx+2c)} - 2be^{(2dx+2c)} + a + b\right)}{2(a^2b^2d + 2ab^3d + b^4d)} - \frac{dx + c}{a^2d + 2abd + b^2d} - \frac{1}{(ae^{(4dx+4c)} + be^{(4dx+4c)})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^5/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out] 
$$\begin{aligned} & -1/2*(a^2 + 2*a*b)*\log(a*e^{(4*d*x + 4*c)} + b*e^{(4*d*x + 4*c)} + 2*a*e^{(2*d*x + 2*c)} - 2*b*e^{(2*d*x + 2*c)} + a + b)/(a^2*b^2*d + 2*a*b^3*d + b^4*d) - (d \\ & *x + c)/(a^2*d + 2*a*b*d + b^2*d) - 2*a^2*e^{(2*d*x + 2*c)} / ((a*e^{(4*d*x + 4*c)} + b*e^{(4*d*x + 4*c)} + 2*a*e^{(2*d*x + 2*c)} - 2*b*e^{(2*d*x + 2*c)} + a + b) \\ & *(a + b)^2*b*d) + \log(e^{(2*d*x + 2*c)} + 1)/(b^2*d) \end{aligned}$$

$$3.181 \quad \int \frac{\tanh^4(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$$

**Optimal.** Leaf size=89

$$-\frac{\sqrt{a}(a+3b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2b^{3/2}d(a+b)^2} + \frac{a \tanh(c+dx)}{2bd(a+b)(a+b \tanh^2(c+dx))} + \frac{x}{(a+b)^2}$$

[Out] x/(a + b)^2 - (Sqrt[a]\*(a + 3\*b)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(2\*b^(3/2)\*(a + b)^2\*d) + (a\*Tanh[c + d\*x])/(2\*b\*(a + b)\*d\*(a + b\*Tanh[c + d\*x]^2))

**Rubi [A]** time = 0.116831, antiderivative size = 89, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {3670, 470, 522, 206, 205}

$$-\frac{\sqrt{a}(a+3b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2b^{3/2}d(a+b)^2} + \frac{a \tanh(c+dx)}{2bd(a+b)(a+b \tanh^2(c+dx))} + \frac{x}{(a+b)^2}$$

Antiderivative was successfully verified.

[In] Int[Tanh[c + d\*x]^4/(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] x/(a + b)^2 - (Sqrt[a]\*(a + 3\*b)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(2\*b^(3/2)\*(a + b)^2\*d) + (a\*Tanh[c + d\*x])/(2\*b\*(a + b)\*d\*(a + b\*Tanh[c + d\*x]^2))

### Rule 3670

Int[((d\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_.))^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff, x]] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

### Rule 470

```

Int[((e_.)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_))*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := -Simp[(a*e^(2*n - 1)*(e*x)^(m - 2*n + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(b*n*(b*c - a*d)*(p + 1)), x] + Dist[e^(2*n)/(b*n*(b*c - a*d)*(p + 1)), Int[(e*x)^(m - 2*n)*(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[a*c*(m - 2*n + 1) + (a*d*(m - n + n*q + 1) + b*c*n*(p + 1))*x^n, x], x] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LtQ[p, -1] && GtQ[m - n + 1, n] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]

```

### Rule 522

```

Int[((e_) + (f_.)*(x_)^(n_))/(((a_) + (b_.)*(x_)^(n_))*((c_) + (d_.)*(x_)^(n_))), x_Symbol] := Dist[(b*e - a*f)/(b*c - a*d), Int[1/(a + b*x^n), x], x] - Dist[(d*e - c*f)/(b*c - a*d), Int[1/(c + d*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x]

```

### Rule 206

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[Rt[-b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

```

### Rule 205

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

```

### Rubi steps

$$\begin{aligned}
\int \frac{\tanh^4(c+dx)}{(a+b\tanh^2(c+dx))^2} dx &= \frac{\text{Subst}\left(\int \frac{x^4}{(1-x^2)(a+bx^2)^2} dx, x, \tanh(c+dx)\right)}{d} \\
&= \frac{a \tanh(c+dx)}{2b(a+b)d(a+b\tanh^2(c+dx))} - \frac{\text{Subst}\left(\int \frac{a+(-a-2b)x^2}{(1-x^2)(a+bx^2)} dx, x, \tanh(c+dx)\right)}{2b(a+b)d} \\
&= \frac{a \tanh(c+dx)}{2b(a+b)d(a+b\tanh^2(c+dx))} + \frac{\text{Subst}\left(\int \frac{1}{1-x^2} dx, x, \tanh(c+dx)\right)}{(a+b)^2 d} - \frac{(a(a+3b)) \text{Subst}\left(\int \frac{x}{1-x^2} dx, x, \tanh(c+dx)\right)}{(a+b)^2 d} \\
&= \frac{x}{(a+b)^2} - \frac{\sqrt{a}(a+3b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2b^{3/2}(a+b)^2 d} + \frac{a \tanh(c+dx)}{2b(a+b)d(a+b\tanh^2(c+dx))}
\end{aligned}$$

**Mathematica [A]** time = 0.484395, size = 90, normalized size = 1.01

$$\frac{-\frac{\sqrt{a}(a+3b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{b^{3/2}} + \frac{a(a+b) \sinh(2(c+dx))}{b((a+b) \cosh(2(c+dx))+a-b)} + 2(c+dx)}{2d(a+b)^2}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[c + d\*x]^4/(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] (2\*(c + d\*x) - (Sqrt[a]\*(a + 3\*b)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/b^(3/2) + (a\*(a + b)\*Sinh[2\*(c + d\*x)]/(b\*(a - b + (a + b)\*Cosh[2\*(c + d\*x)])))/(2\*(a + b)^2\*d)

**Maple [B]** time = 0.026, size = 172, normalized size = 1.9

$$\frac{\ln(\tanh(dx+c)+1)}{2d(a+b)^2} + \frac{a^2 \tanh(dx+c)}{2d(a+b)^2 b (a+b(\tanh(dx+c))^2)} + \frac{a \tanh(dx+c)}{2d(a+b)^2 (a+b(\tanh(dx+c))^2)} - \frac{a^2}{2d(a+b)^2 b} \text{arc}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2)^2,x)

```
[Out] 1/2/d/(a+b)^2*ln(tanh(d*x+c)+1)+1/2/d/(a+b)^2*a^2/b*tanh(d*x+c)/(a+b*tanh(d
*x+c)^2)+1/2/d/(a+b)^2*a*tanh(d*x+c)/(a+b*tanh(d*x+c)^2)-1/2/d/(a+b)^2*a^2/
b/(a*b)^(1/2)*arctan(tanh(d*x+c)*b/(a*b)^(1/2))-3/2/d/(a+b)^2*a/(a*b)^(1/2)
*arctan(tanh(d*x+c)*b/(a*b)^(1/2))-1/2/d/(a+b)^2*ln(tanh(d*x+c)-1)
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tanh(d*x+c)^4/(a+b*tanh(d*x+c)^2)^2,x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [B]** time = 2.10094, size = 4703, normalized size = 52.84

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tanh(d*x+c)^4/(a+b*tanh(d*x+c)^2)^2,x, algorithm="fricas")
```

```
[Out] [1/4*(4*(a*b + b^2)*d*x*cosh(d*x + c)^4 + 16*(a*b + b^2)*d*x*cosh(d*x + c)*
sinh(d*x + c)^3 + 4*(a*b + b^2)*d*x*sinh(d*x + c)^4 + 4*(a*b + b^2)*d*x + 4
*(2*(a*b - b^2)*d*x - a^2 + a*b)*cosh(d*x + c)^2 + 4*(6*(a*b + b^2)*d*x*cos
h(d*x + c)^2 + 2*(a*b - b^2)*d*x - a^2 + a*b)*sinh(d*x + c)^2 + ((a^2 + 4*a
*b + 3*b^2)*cosh(d*x + c)^4 + 4*(a^2 + 4*a*b + 3*b^2)*cosh(d*x + c)*sinh(d*
x + c)^3 + (a^2 + 4*a*b + 3*b^2)*sinh(d*x + c)^4 + 2*(a^2 + 2*a*b - 3*b^2)*
cosh(d*x + c)^2 + 2*(3*(a^2 + 4*a*b + 3*b^2)*cosh(d*x + c)^2 + a^2 + 2*a*b
- 3*b^2)*sinh(d*x + c)^2 + a^2 + 4*a*b + 3*b^2 + 4*((a^2 + 4*a*b + 3*b^2)*c
osh(d*x + c)^3 + (a^2 + 2*a*b - 3*b^2)*cosh(d*x + c))*sinh(d*x + c))*sqrt(-
a/b)*log(((a^2 + 2*a*b + b^2)*cosh(d*x + c)^4 + 4*(a^2 + 2*a*b + b^2)*cosh(
d*x + c)*sinh(d*x + c)^3 + (a^2 + 2*a*b + b^2)*sinh(d*x + c)^4 + 2*(a^2 - b
^2)*cosh(d*x + c)^2 + 2*(3*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^2 + a^2 - b^2)
*sinh(d*x + c)^2 + a^2 - 6*a*b + b^2 + 4*((a^2 + 2*a*b + b^2)*cosh(d*x + c)
^3 + (a^2 - b^2)*cosh(d*x + c))*sinh(d*x + c) - 4*((a*b + b^2)*cosh(d*x + c)
)^2 + 2*(a*b + b^2)*cosh(d*x + c)*sinh(d*x + c) + (a*b + b^2)*sinh(d*x + c)
^2 + a*b - b^2)*sqrt(-a/b))/((a + b)*cosh(d*x + c)^4 + 4*(a + b)*cosh(d*x +
c)*sinh(d*x + c)^3 + (a + b)*sinh(d*x + c)^4 + 2*(a - b)*cosh(d*x + c)^2 +
```

$$\begin{aligned}
& 2*(3*(a + b)*\cosh(d*x + c)^2 + a - b)*\sinh(d*x + c)^2 + 4*((a + b)*\cosh(d*x + c)^3 + (a - b)*\cosh(d*x + c))*\sinh(d*x + c) + a + b)) - 4*a^2 - 4*a*b + \\
& 8*(2*(a*b + b^2)*d*x*\cosh(d*x + c)^3 + (2*(a*b - b^2)*d*x - a^2 + a*b)*\cosh(d*x + c))*\sinh(d*x + c))/((a^3*b + 3*a^2*b^2 + 3*a*b^3 + b^4)*d*\cosh(d*x + c)^4 + \\
& 4*(a^3*b + 3*a^2*b^2 + 3*a*b^3 + b^4)*d*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a^3*b + 3*a^2*b^2 + 3*a*b^3 + b^4)*d*\sinh(d*x + c)^4 + 2*(a^3*b + a^2*b^2 - \\
& a*b^3 - b^4)*d*\cosh(d*x + c)^2 + 2*(3*(a^3*b + 3*a^2*b^2 + 3*a*b^3 + b^4)*d*\cosh(d*x + c)^2 + (a^3*b + a^2*b^2 - a*b^3 - b^4)*d)*\sinh(d*x + c)^2 + \\
& (a^3*b + 3*a^2*b^2 + 3*a*b^3 + b^4)*d + 4*((a^3*b + 3*a^2*b^2 + 3*a*b^3 + b^4)*d*\cosh(d*x + c)^3 + (a^3*b + a^2*b^2 - a*b^3 - b^4)*d*\cosh(d*x + c)))*\sinh(d*x + c)), \\
& 1/2*(2*(a*b + b^2)*d*x*\cosh(d*x + c)^4 + 8*(a*b + b^2)*d*x*\cosh(d*x + c)*\sinh(d*x + c)^3 + 2*(a*b + b^2)*d*x*\sinh(d*x + c)^4 + 2*(a*b + b^2)*d*x + \\
& 2*(2*(a*b - b^2)*d*x - a^2 + a*b)*\cosh(d*x + c)^2 + 2*(6*(a*b + b^2)*d*x*\cosh(d*x + c)^2 + 2*(a*b - b^2)*d*x - a^2 + a*b)*\sinh(d*x + c)^2 - ((a^2 + 4*a*b + 3*b^2)*\cosh(d*x + c)^4 + \\
& 4*(a^2 + 4*a*b + 3*b^2)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a^2 + 4*a*b + 3*b^2)*\sinh(d*x + c)^4 + 2*(a^2 + 2*a*b - 3*b^2)*\cosh(d*x + c)^2 + 2*(3*(a^2 + 4*a*b + 3*b^2)*\cosh(d*x + c)^2 + \\
& a^2 + 2*a*b - 3*b^2)*\sinh(d*x + c)^2 + a^2 + 4*a*b + 3*b^2 + 4*((a^2 + 4*a*b + 3*b^2)*\cosh(d*x + c)^3 + (a^2 + 2*a*b - 3*b^2)*\cosh(d*x + c))*\sinh(d*x + c))*\sqrt{a/b}*\arctan(1/2*((a + b)*\cosh(d*x + c)^2 + 2*(a + b)*\cosh(d*x + c)*\sinh(d*x + c) + (a + b)*\sinh(d*x + c)^2 + a - b)*\sqrt{a/b}/a) - 2*a^2 - 2*a*b + 4*(2*(a*b + b^2)*d*x*\cosh(d*x + c)^3 + (2*(a*b - b^2)*d*x - a^2 + a*b)*\cosh(d*x + c))*\sinh(d*x + c))/((a^3*b + 3*a^2*b^2 + 3*a*b^3 + b^4)*d*\cosh(d*x + c)^4 + 4*(a^3*b + 3*a^2*b^2 + 3*a*b^3 + b^4)*d*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a^3*b + 3*a^2*b^2 + 3*a*b^3 + b^4)*d*\sinh(d*x + c)^4 + 2*(a^3*b + a^2*b^2 - a*b^3 - b^4)*d*\cosh(d*x + c)^2 + 2*(3*(a^3*b + 3*a^2*b^2 + 3*a*b^3 + b^4)*d*\cosh(d*x + c)^2 + (a^3*b + a^2*b^2 - a*b^3 - b^4)*d)*\sinh(d*x + c)^2 + (a^3*b + 3*a^2*b^2 + 3*a*b^3 + b^4)*d + 4*((a^3*b + 3*a^2*b^2 + 3*a*b^3 + b^4)*d*\cosh(d*x + c)^3 + (a^3*b + a^2*b^2 - a*b^3 - b^4)*d*\cosh(d*x + c))*\sinh(d*x + c))]
\end{aligned}$$

**Sympy [A]** time = 101.773, size = 2179, normalized size = 24.48

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)\*\*4/(a+b\*tanh(d\*x+c)\*\*2)\*\*2,x)

[Out] Piecewise((zoo\*x, Eq(a, 0) & Eq(b, 0) & Eq(d, 0)), ((x - tanh(c + d\*x))\*\*3/(3\*d) - tanh(c + d\*x)/d)/a\*\*2, Eq(b, 0)), (x/b\*\*2, Eq(a, 0)), (x\*tanh(c)\*\*4/(a + b\*tanh(c)\*\*2)\*\*2, Eq(d, 0)), (2\*I\*a\*\*(5/2)\*b\*sqrt(1/b)\*tanh(c + d\*x)/(



$$\begin{aligned}
& 4*I*a**(7/2)*b**2*d*sqrt(1/b) + 4*I*a**(5/2)*b**3*d*sqrt(1/b)*tanh(c + d*x) \\
& **2 + 8*I*a**(5/2)*b**3*d*sqrt(1/b) + 8*I*a**(3/2)*b**4*d*sqrt(1/b)*tanh(c \\
& + d*x)**2 + 4*I*a**(3/2)*b**4*d*sqrt(1/b) + 4*I*sqrt(a)*b**5*d*sqrt(1/b)*ta \\
& nh(c + d*x)**2 + 4*I*a**(3/2)*b**2*d*x*sqrt(1/b)/(4*I*a**(7/2)*b**2*d*sqrt \\
& (1/b) + 4*I*a**(5/2)*b**3*d*sqrt(1/b)*tanh(c + d*x)**2 + 8*I*a**(5/2)*b**3* \\
& d*sqrt(1/b) + 8*I*a**(3/2)*b**4*d*sqrt(1/b)*tanh(c + d*x)**2 + 4*I*a**(3/2) \\
& *b**4*d*sqrt(1/b) + 4*I*sqrt(a)*b**5*d*sqrt(1/b)*tanh(c + d*x)**2) + 2*I*a* \\
& *(3/2)*b**2*sqrt(1/b)*tanh(c + d*x)/(4*I*a**(7/2)*b**2*d*sqrt(1/b) + 4*I*a* \\
& *(5/2)*b**3*d*sqrt(1/b)*tanh(c + d*x)**2 + 8*I*a**(5/2)*b**3*d*sqrt(1/b) + \\
& 8*I*a**(3/2)*b**4*d*sqrt(1/b)*tanh(c + d*x)**2 + 4*I*a**(3/2)*b**4*d*sqrt(1 \\
& /b) + 4*I*sqrt(a)*b**5*d*sqrt(1/b)*tanh(c + d*x)**2) + 4*I*sqrt(a)*b**3*d*x \\
& *sqrt(1/b)*tanh(c + d*x)**2/(4*I*a**(7/2)*b**2*d*sqrt(1/b) + 4*I*a**(5/2)*b \\
& **3*d*sqrt(1/b)*tanh(c + d*x)**2 + 8*I*a**(5/2)*b**3*d*sqrt(1/b) + 8*I*a**( \\
& 3/2)*b**4*d*sqrt(1/b)*tanh(c + d*x)**2 + 4*I*a**(3/2)*b**4*d*sqrt(1/b) + 4* \\
& I*sqrt(a)*b**5*d*sqrt(1/b)*tanh(c + d*x)**2) - a**3*log(-I*sqrt(a)*sqrt(1/b \\
& ) + tanh(c + d*x))/(4*I*a**(7/2)*b**2*d*sqrt(1/b) + 4*I*a**(5/2)*b**3*d*sq \\
& rt(1/b)*tanh(c + d*x)**2 + 8*I*a**(5/2)*b**3*d*sqrt(1/b) + 8*I*a**(3/2)*b**4 \\
& *d*sqrt(1/b)*tanh(c + d*x)**2 + 4*I*a**(3/2)*b**4*d*sqrt(1/b) + 4*I*sqrt(a) \\
& *b**5*d*sqrt(1/b)*tanh(c + d*x)**2) + a**3*log(I*sqrt(a)*sqrt(1/b) + tanh(c \\
& + d*x))/(4*I*a**(7/2)*b**2*d*sqrt(1/b) + 4*I*a**(5/2)*b**3*d*sqrt(1/b)*tan \\
& h(c + d*x)**2 + 8*I*a**(5/2)*b**3*d*sqrt(1/b) + 8*I*a**(3/2)*b**4*d*sqrt(1/ \\
& b)*tanh(c + d*x)**2 + 4*I*a**(3/2)*b**4*d*sqrt(1/b) + 4*I*sqrt(a)*b**5*d*sq \\
& rt(1/b)*tanh(c + d*x)**2) - a**2*b*log(-I*sqrt(a)*sqrt(1/b) + tanh(c + d*x) \\
& )*tanh(c + d*x)**2/(4*I*a**(7/2)*b**2*d*sqrt(1/b) + 4*I*a**(5/2)*b**3*d*sq \\
& rt(1/b)*tanh(c + d*x)**2 + 8*I*a**(5/2)*b**3*d*sqrt(1/b) + 8*I*a**(3/2)*b**4 \\
& *d*sqrt(1/b)*tanh(c + d*x)**2 + 4*I*a**(3/2)*b**4*d*sqrt(1/b) + 4*I*sqrt(a) \\
& *b**5*d*sqrt(1/b)*tanh(c + d*x)**2) - 3*a**2*b*log(-I*sqrt(a)*sqrt(1/b) + t \\
& anh(c + d*x))/(4*I*a**(7/2)*b**2*d*sqrt(1/b) + 4*I*a**(5/2)*b**3*d*sqrt(1/b \\
& )*tanh(c + d*x)**2 + 8*I*a**(5/2)*b**3*d*sqrt(1/b) + 8*I*a**(3/2)*b**4*d*sq \\
& rt(1/b)*tanh(c + d*x)**2 + 4*I*a**(3/2)*b**4*d*sqrt(1/b) + 4*I*sqrt(a)*b**5 \\
& *d*sqrt(1/b)*tanh(c + d*x)**2) + a**2*b*log(I*sqrt(a)*sqrt(1/b) + tanh(c + \\
& d*x))*tanh(c + d*x)**2/(4*I*a**(7/2)*b**2*d*sqrt(1/b) + 4*I*a**(5/2)*b**3*d \\
& *sqrt(1/b)*tanh(c + d*x)**2 + 8*I*a**(5/2)*b**3*d*sqrt(1/b) + 8*I*a**(3/2)* \\
& b**4*d*sqrt(1/b)*tanh(c + d*x)**2 + 4*I*a**(3/2)*b**4*d*sqrt(1/b) + 4*I*sq \\
& rt(a)*b**5*d*sqrt(1/b)*tanh(c + d*x)**2) + 3*a**2*b*log(I*sqrt(a)*sqrt(1/b) \\
& + tanh(c + d*x))/(4*I*a**(7/2)*b**2*d*sqrt(1/b) + 4*I*a**(5/2)*b**3*d*sqrt( \\
& 1/b)*tanh(c + d*x)**2 + 8*I*a**(5/2)*b**3*d*sqrt(1/b) + 8*I*a**(3/2)*b**4*d \\
& *sqrt(1/b)*tanh(c + d*x)**2 + 4*I*a**(3/2)*b**4*d*sqrt(1/b) + 4*I*sqrt(a)*b \\
& **5*d*sqrt(1/b)*tanh(c + d*x)**2) - 3*a*b**2*log(-I*sqrt(a)*sqrt(1/b) + tan \\
& h(c + d*x))*tanh(c + d*x)**2/(4*I*a**(7/2)*b**2*d*sqrt(1/b) + 4*I*a**(5/2)* \\
& b**3*d*sqrt(1/b)*tanh(c + d*x)**2 + 8*I*a**(5/2)*b**3*d*sqrt(1/b) + 8*I*a** \\
& (3/2)*b**4*d*sqrt(1/b)*tanh(c + d*x)**2 + 4*I*a**(3/2)*b**4*d*sqrt(1/b) + 4 \\
& *I*sqrt(a)*b**5*d*sqrt(1/b)*tanh(c + d*x)**2) + 3*a*b**2*log(I*sqrt(a)*sqrt \\
& (1/b) + tanh(c + d*x))*tanh(c + d*x)**2/(4*I*a**(7/2)*b**2*d*sqrt(1/b) + 4* \\
& I*a**(5/2)*b**3*d*sqrt(1/b)*tanh(c + d*x)**2 + 8*I*a**(5/2)*b**3*d*sqrt(1/b)
\end{aligned}$$

) + 8\*I\*a\*\*(3/2)\*b\*\*4\*d\*sqrt(1/b)\*tanh(c + d\*x)\*\*2 + 4\*I\*a\*\*(3/2)\*b\*\*4\*d\*sqrt(1/b) + 4\*I\*sqrt(a)\*b\*\*5\*d\*sqrt(1/b)\*tanh(c + d\*x)\*\*2, True))

**Giac [B]** time = 1.21292, size = 274, normalized size = 3.08

$$\frac{(a^2 + 3ab) \arctan\left(\frac{ae^{(2dx+2c)} + be^{(2dx+2c)} + a - b}{2\sqrt{ab}}\right)}{2(a^2bd + 2ab^2d + b^3d)\sqrt{ab}} + \frac{dx + c}{a^2d + 2abd + b^2d} - \frac{a^2e^{(2dx+2c)} - abe^{(2dx+2c)} + a^2}{(a^2bd + 2ab^2d + b^3d)(ae^{(4dx+4c)} + be^{(4dx+4c)} + 2ae^{(2dx+2c)})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out] -1/2\*(a^2 + 3\*a\*b)\*arctan(1/2\*(a\*e^(2\*d\*x + 2\*c) + b\*e^(2\*d\*x + 2\*c) + a - b)/sqrt(a\*b))/((a^2\*b\*d + 2\*a\*b^2\*d + b^3\*d)\*sqrt(a\*b)) + (d\*x + c)/(a^2\*d + 2\*a\*b\*d + b^2\*d) - (a^2\*e^(2\*d\*x + 2\*c) - a\*b\*e^(2\*d\*x + 2\*c) + a^2 + a\*b)/((a^2\*b\*d + 2\*a\*b^2\*d + b^3\*d)\*(a\*e^(4\*d\*x + 4\*c) + b\*e^(4\*d\*x + 4\*c) + 2\*a\*e^(2\*d\*x + 2\*c) - 2\*b\*e^(2\*d\*x + 2\*c) + a + b))

$$3.182 \quad \int \frac{\tanh^3(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$$

**Optimal.** Leaf size=72

$$\frac{a}{2bd(a+b)(a+b \tanh^2(c+dx))} + \frac{\log(a+b \tanh^2(c+dx))}{2d(a+b)^2} + \frac{\log(\cosh(c+dx))}{d(a+b)^2}$$

[Out] Log[Cosh[c + d\*x]]/((a + b)^2\*d) + Log[a + b\*Tanh[c + d\*x]^2]/(2\*(a + b)^2\*d) + a/(2\*b\*(a + b)\*d\*(a + b\*Tanh[c + d\*x]^2))

**Rubi [A]** time = 0.118215, antiderivative size = 72, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$ , Rules used = {3670, 446, 77}

$$\frac{a}{2bd(a+b)(a+b \tanh^2(c+dx))} + \frac{\log(a+b \tanh^2(c+dx))}{2d(a+b)^2} + \frac{\log(\cosh(c+dx))}{d(a+b)^2}$$

Antiderivative was successfully verified.

[In] Int[Tanh[c + d\*x]^3/(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] Log[Cosh[c + d\*x]]/((a + b)^2\*d) + Log[a + b\*Tanh[c + d\*x]^2]/(2\*(a + b)^2\*d) + a/(2\*b\*(a + b)\*d\*(a + b\*Tanh[c + d\*x]^2))

#### Rule 3670

Int[((d\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((a\_.) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_.))^(p\_.), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

#### Rule 446

Int[(x\_)^(m\_.)\*((a\_.) + (b\_.)\*(x\_)^(n\_.))^(p\_.)\*((c\_.) + (d\_.)\*(x\_)^(n\_.))^(q\_.), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p\*(c + d\*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[

$b*c - a*d, 0] \&\& \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

### Rule 77

$\text{Int}[(a_.) + (b_.)*(x_.)]*((c_.) + (d_.)*(x_.))^{(n_.)}*((e_.) + (f_.)*(x_.))^{(p_.)}, x\_Symbol] \text{ :> Int}[\text{ExpandIntegrand}[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /;$   
 $\text{FreeQ}[\{a, b, c, d, e, f, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& ((\text{ILtQ}[n, 0] \&\& \text{ILtQ}[p, 0]) \text{ || } \text{EqQ}[p, 1] \text{ || } (\text{IGtQ}[p, 0] \&\& ( !\text{IntegerQ}[n] \text{ || } \text{LeQ}[9*p + 5*(n + 2), 0] \text{ || } \text{GeQ}[n + p + 1, 0] \text{ || } (\text{GeQ}[n + p + 2, 0] \&\& \text{RationalQ}[a, b, c, d, e, f])))$

### Rubi steps

$$\begin{aligned} \int \frac{\tanh^3(c + dx)}{(a + b \tanh^2(c + dx))^2} dx &= \frac{\text{Subst}\left(\int \frac{x^3}{(1-x^2)(a+bx^2)^2} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{\text{Subst}\left(\int \frac{x}{(1-x)(a+bx)^2} dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= \frac{\text{Subst}\left(\int \left(-\frac{1}{(a+b)^2(-1+x)} - \frac{a}{(a+b)(a+bx)^2} + \frac{b}{(a+b)^2(a+bx)}\right) dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= \frac{\log(\cosh(c + dx))}{(a + b)^2 d} + \frac{\log(a + b \tanh^2(c + dx))}{2(a + b)^2 d} + \frac{a}{2b(a + b)d(a + b \tanh^2(c + dx))} \end{aligned}$$

**Mathematica [A]** time = 0.438799, size = 57, normalized size = 0.79

$$\frac{\frac{a(a+b)}{b(a+b \tanh^2(c+dx))} + \log(a + b \tanh^2(c + dx)) + 2 \log(\cosh(c + dx))}{2d(a + b)^2}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[c + d\*x]^3/(a + b\*Tanh[c + d\*x]^2)^2, x]

[Out] (2\*Log[Cosh[c + d\*x]] + Log[a + b\*Tanh[c + d\*x]^2] + (a\*(a + b))/(b\*(a + b\*Tanh[c + d\*x]^2)))/(2\*(a + b)^2\*d)

**Maple [A]** time = 0.024, size = 118, normalized size = 1.6

$$-\frac{\ln(\tanh(dx+c)+1)}{2d(a+b)^2} + \frac{a^2}{2d(a+b)^2 b (a+b(\tanh(dx+c))^2)} + \frac{a}{2d(a+b)^2 (a+b(\tanh(dx+c))^2)} + \frac{\ln(a+b(\tanh(dx+c)))}{2d(a+b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2)^2,x)

[Out] -1/2/d/(a+b)^2\*ln(tanh(d\*x+c)+1)+1/2/d/(a+b)^2\*a^2/b/(a+b\*tanh(d\*x+c)^2)+1/2/d/(a+b)^2\*a/(a+b\*tanh(d\*x+c)^2)+1/2\*ln(a+b\*tanh(d\*x+c)^2)/(a+b)^2/d-1/2/d/(a+b)^2\*ln(tanh(d\*x+c)-1)

**Maxima [B]** time = 1.08869, size = 230, normalized size = 3.19

$$\frac{2ae^{(-2dx-2c)}}{(a^3+3a^2b+3ab^2+b^3+2(a^3+a^2b-ab^2-b^3)e^{(-2dx-2c)}+(a^3+3a^2b+3ab^2+b^3)e^{(-4dx-4c)})d} + \frac{dx+c}{(a^2+2ab+b^2)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="maxima")

[Out] 2\*a\*e^(-2\*d\*x - 2\*c)/((a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3 + 2\*(a^3 + a^2\*b - a\*b^2 - b^3)\*e^(-2\*d\*x - 2\*c) + (a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*e^(-4\*d\*x - 4\*c))\*d) + (d\*x + c)/((a^2 + 2\*a\*b + b^2)\*d) + 1/2\*log(2\*(a - b)\*e^(-2\*d\*x - 2\*c) + (a + b)\*e^(-4\*d\*x - 4\*c) + a + b)/((a^2 + 2\*a\*b + b^2)\*d)

**Fricas [B]** time = 1.7972, size = 1611, normalized size = 22.38

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out] -1/2\*(2\*(a + b)\*d\*x\*cosh(d\*x + c)^4 + 8\*(a + b)\*d\*x\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + 2\*(a + b)\*d\*x\*sinh(d\*x + c)^4 + 2\*(a + b)\*d\*x + 4\*((a - b)\*d\*x - a)\*cosh(d\*x + c)^2 + 4\*(3\*(a + b)\*d\*x\*cosh(d\*x + c)^2 + (a - b)\*d\*x - a)\*sin

$$\begin{aligned}
& h(dx + c)^2 - ((a + b)\cosh(dx + c)^4 + 4(a + b)\cosh(dx + c)\sinh(dx + c)^3 + (a + b)\sinh(dx + c)^4 + 2(a - b)\cosh(dx + c)^2 + 2(3(a + b)\cosh(dx + c)^2 + a - b)\sinh(dx + c)^2 + 4((a + b)\cosh(dx + c)^3 + (a - b)\cosh(dx + c))\sinh(dx + c) + a + b)\log(2((a + b)\cosh(dx + c)^2 + (a + b)\sinh(dx + c)^2 + a - b)/(\cosh(dx + c)^2 - 2\cosh(dx + c)\sinh(dx + c) + \sinh(dx + c)^2)) + 8((a + b)d*x*\cosh(dx + c)^3 + ((a - b)d*x - a)\cosh(dx + c))\sinh(dx + c))/((a^3 + 3a^2b + 3ab^2 + b^3)*d*\cosh(dx + c)^4 + 4(a^3 + 3a^2b + 3ab^2 + b^3)*d*\cosh(dx + c)\sinh(dx + c)^3 + (a^3 + 3a^2b + 3ab^2 + b^3)*d*\sinh(dx + c)^4 + 2(a^3 + a^2b - ab^2 - b^3)*d*\cosh(dx + c)^2 + 2(3(a^3 + 3a^2b + 3ab^2 + b^3)*d*\cosh(dx + c)^2 + (a^3 + a^2b - ab^2 - b^3)*d)\sinh(dx + c)^2 + (a^3 + 3a^2b + 3ab^2 + b^3)*d + 4((a^3 + 3a^2b + 3ab^2 + b^3)*d*\cosh(dx + c)^3 + (a^3 + a^2b - ab^2 - b^3)*d*\cosh(dx + c))\sinh(dx + c))
\end{aligned}$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(dx+c)\*\*3/(a+b\*tanh(dx+c)\*\*2)\*\*2,x)

[Out] Timed out

**Giac [B]** time = 1.23256, size = 208, normalized size = 2.89

$$\frac{\log\left(\left|a\left(e^{2dx+2c} + e^{-2dx-2c}\right) + b\left(e^{2dx+2c} + e^{-2dx-2c}\right) + 2a - 2b\right|\right)}{2\left(a^2d + 2abd + b^2d\right)} - \frac{e^{2dx+2c} + e^{-2dx-2c} - 2}{2(ad + bd)\left(a\left(e^{2dx+2c} + e^{-2dx-2c}\right) + b\left(e^{2dx+2c} + e^{-2dx-2c}\right) + 2a - 2b\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(dx+c)^3/(a+b\*tanh(dx+c)^2)^2,x, algorithm="giac")

[Out]  $\frac{1}{2}\log(\text{abs}(a*(e^{2*d*x + 2*c}) + e^{-2*d*x - 2*c}) + b*(e^{2*d*x + 2*c}) + e^{-2*d*x - 2*c}) + 2*a - 2*b)) / (a^2*d + 2*a*b*d + b^2*d) - \frac{1}{2}*(e^{2*d*x + 2*c} + e^{-2*d*x - 2*c} - 2) / ((a*d + b*d)*(a*(e^{2*d*x + 2*c}) + e^{-2*d*x - 2*c}) + b*(e^{2*d*x + 2*c}) + e^{-2*d*x - 2*c}) + 2*a - 2*b))$

$$3.183 \quad \int \frac{\tanh^2(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$$

**Optimal.** Leaf size=85

$$-\frac{\tanh(c+dx)}{2d(a+b)(a+b \tanh^2(c+dx))} - \frac{(a-b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2\sqrt{a}\sqrt{bd}(a+b)^2} + \frac{x}{(a+b)^2}$$

[Out] x/(a + b)^2 - ((a - b)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(2\*Sqrt[a]\*Sqrt[b]\*(a + b)^2\*d) - Tanh[c + d\*x]/(2\*(a + b)\*d\*(a + b\*Tanh[c + d\*x]^2))

**Rubi [A]** time = 0.107958, antiderivative size = 85, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {3670, 471, 522, 206, 205}

$$-\frac{\tanh(c+dx)}{2d(a+b)(a+b \tanh^2(c+dx))} - \frac{(a-b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2\sqrt{a}\sqrt{bd}(a+b)^2} + \frac{x}{(a+b)^2}$$

Antiderivative was successfully verified.

[In] Int[Tanh[c + d\*x]^2/(a + b\*Tanh[c + d\*x]^2), x]

[Out] x/(a + b)^2 - ((a - b)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(2\*Sqrt[a]\*Sqrt[b]\*(a + b)^2\*d) - Tanh[c + d\*x]/(2\*(a + b)\*d\*(a + b\*Tanh[c + d\*x]^2))

### Rule 3670

Int[((d\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((a\_.) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_))^(p\_.), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

### Rule 471

Int[((e\_.)\*(x\_))^(m\_.)\*((a\_.) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_.) + (d\_.)\*(x\_)^(n\_))^(q\_), x\_Symbol] := Simp[(e^(n - 1)\*(e\*x)^(m - n + 1)\*(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^(q + 1))/(n\*(b\*c - a\*d)\*(p + 1)), x] - Dist[e^n/(n\*(b\*c - a\*d)

\*(p + 1)), Int[(e\*x)^(m - n)\*(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^q\*Simp[c\*(m - n + 1) + d\*(m + n\*(p + q + 1) + 1)\*x^n, x], x] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[n, 0] && LtQ[p, -1] && GeQ[n, m - n + 1] && GtQ[m - n + 1, 0] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]

### Rule 522

Int[((e\_) + (f\_.)\*(x\_)^(n\_))/((a\_) + (b\_.)\*(x\_)^(n\_))\*((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] :> Dist[(b\*e - a\*f)/(b\*c - a\*d), Int[1/(a + b\*x^n), x], x] - Dist[(d\*e - c\*f)/(b\*c - a\*d), Int[1/(c + d\*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x]

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rubi steps

$$\begin{aligned}
 \int \frac{\tanh^2(c + dx)}{(a + b \tanh^2(c + dx))^2} dx &= \frac{\text{Subst}\left(\int \frac{x^2}{(1-x^2)(a+bx^2)^2} dx, x, \tanh(c + dx)\right)}{d} \\
 &= -\frac{\tanh(c + dx)}{2(a + b)d(a + b \tanh^2(c + dx))} + \frac{\text{Subst}\left(\int \frac{1+x^2}{(1-x^2)(a+bx^2)} dx, x, \tanh(c + dx)\right)}{2(a + b)d} \\
 &= -\frac{\tanh(c + dx)}{2(a + b)d(a + b \tanh^2(c + dx))} + \frac{\text{Subst}\left(\int \frac{1}{1-x^2} dx, x, \tanh(c + dx)\right)}{(a + b)^2d} - \frac{(a - b) \text{Subst}\left(\int \frac{x}{1-x^2} dx, x, \tanh(c + dx)\right)}{(a + b)^2} \\
 &= \frac{x}{(a + b)^2} - \frac{(a - b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2\sqrt{a}\sqrt{b}(a + b)^2d} - \frac{\tanh(c + dx)}{2(a + b)d(a + b \tanh^2(c + dx))}
 \end{aligned}$$



**Mathematica [A]** time = 0.37579, size = 86, normalized size = 1.01

$$\frac{(b-a) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{\sqrt{a}\sqrt{b}} - \frac{(a+b) \sinh(2(c+dx))}{(a+b) \cosh(2(c+dx))+a-b} + 2(c+dx)}{2d(a+b)^2}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[c + d\*x]^2/(a + b\*Tanh[c + d\*x]^2),x]

[Out] (2\*(c + d\*x) + ((-a + b)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(Sqrt[a]\*Sqrt[b]) - ((a + b)\*Sinh[2\*(c + d\*x)]/(a - b + (a + b)\*Cosh[2\*(c + d\*x)])))/(2\*(a + b)^2\*d)

**Maple [B]** time = 0.023, size = 162, normalized size = 1.9

$$\frac{\ln(\tanh(dx+c)+1)}{2d(a+b)^2} - \frac{a \tanh(dx+c)}{2d(a+b)^2(a+b(\tanh(dx+c))^2)} - \frac{b \tanh(dx+c)}{2d(a+b)^2(a+b(\tanh(dx+c))^2)} - \frac{a}{2d(a+b)^2} \arctan\left(\frac{\tanh(dx+c)}{a+b(\tanh(dx+c))^2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2),x)

[Out] 1/2/d/(a+b)^2\*ln(tanh(d\*x+c)+1)-1/2/d/(a+b)^2\*a\*tanh(d\*x+c)/(a+b\*tanh(d\*x+c)^2)-1/2\*b\*tanh(d\*x+c)/(a+b)^2/d/(a+b\*tanh(d\*x+c)^2)-1/2/d/(a+b)^2\*a/(a\*b)^(1/2)\*arctan(tanh(d\*x+c)\*b/(a\*b)^(1/2))+1/2/d/(a+b)^2/(a\*b)^(1/2)\*arctan(tanh(d\*x+c)\*b/(a\*b)^(1/2))\*b-1/2/d/(a+b)^2\*ln(tanh(d\*x+c)-1)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [B]** time = 2.14726, size = 4747, normalized size = 55.85

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [1/4*(4*(a^2*b + a*b^2)*d*x*cosh(d*x + c)^4 + 16*(a^2*b + a*b^2)*d*x*cosh(d \\ & *x + c)*sinh(d*x + c)^3 + 4*(a^2*b + a*b^2)*d*x*sinh(d*x + c)^4 + 4*a^2*b + \\ & 4*a*b^2 + 4*(a^2*b + a*b^2)*d*x + 4*(a^2*b - a*b^2 + 2*(a^2*b - a*b^2)*d*x \\ & )*cosh(d*x + c)^2 + 4*(6*(a^2*b + a*b^2)*d*x*cosh(d*x + c)^2 + a^2*b - a*b^ \\ & 2 + 2*(a^2*b - a*b^2)*d*x)*sinh(d*x + c)^2 + ((a^2 - b^2)*cosh(d*x + c)^4 + \\ & 4*(a^2 - b^2)*cosh(d*x + c)*sinh(d*x + c)^3 + (a^2 - b^2)*sinh(d*x + c)^4 \\ & + 2*(a^2 - 2*a*b + b^2)*cosh(d*x + c)^2 + 2*(3*(a^2 - b^2)*cosh(d*x + c)^2 \\ & + a^2 - 2*a*b + b^2)*sinh(d*x + c)^2 + a^2 - b^2 + 4*((a^2 - b^2)*cosh(d*x \\ & + c)^3 + (a^2 - 2*a*b + b^2)*cosh(d*x + c))*sinh(d*x + c)*sqrt(-a*b)*log(( \\ & (a^2 + 2*a*b + b^2)*cosh(d*x + c)^4 + 4*(a^2 + 2*a*b + b^2)*cosh(d*x + c)*s \\ & inh(d*x + c)^3 + (a^2 + 2*a*b + b^2)*sinh(d*x + c)^4 + 2*(a^2 - b^2)*cosh(d \\ & *x + c)^2 + 2*(3*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^2 + a^2 - b^2)*sinh(d*x \\ & + c)^2 + a^2 - 6*a*b + b^2 + 4*((a^2 + 2*a*b + b^2)*cosh(d*x + c)^3 + (a^2 \\ & - b^2)*cosh(d*x + c))*sinh(d*x + c) - 4*((a + b)*cosh(d*x + c)^2 + 2*(a + b \\ & )*cosh(d*x + c)*sinh(d*x + c) + (a + b)*sinh(d*x + c)^2 + a - b)*sqrt(-a*b) \\ & )/((a + b)*cosh(d*x + c)^4 + 4*(a + b)*cosh(d*x + c)*sinh(d*x + c)^3 + (a + \\ & b)*sinh(d*x + c)^4 + 2*(a - b)*cosh(d*x + c)^2 + 2*(3*(a + b)*cosh(d*x + c \\ & )^2 + a - b)*sinh(d*x + c)^2 + 4*((a + b)*cosh(d*x + c)^3 + (a - b)*cosh(d \\ & x + c))*sinh(d*x + c) + a + b)) + 8*(2*(a^2*b + a*b^2)*d*x*cosh(d*x + c)^3 \\ & + (a^2*b - a*b^2 + 2*(a^2*b - a*b^2)*d*x)*cosh(d*x + c))*sinh(d*x + c))/((a \\ & ^4*b + 3*a^3*b^2 + 3*a^2*b^3 + a*b^4)*d*cosh(d*x + c)^4 + 4*(a^4*b + 3*a^3* \\ & b^2 + 3*a^2*b^3 + a*b^4)*d*cosh(d*x + c)*sinh(d*x + c)^3 + (a^4*b + 3*a^3*b \\ & ^2 + 3*a^2*b^3 + a*b^4)*d*sinh(d*x + c)^4 + 2*(a^4*b + a^3*b^2 - a^2*b^3 - \\ & a*b^4)*d*cosh(d*x + c)^2 + 2*(3*(a^4*b + 3*a^3*b^2 + 3*a^2*b^3 + a*b^4)*d*c \\ & osh(d*x + c)^2 + (a^4*b + a^3*b^2 - a^2*b^3 - a*b^4)*d)*sinh(d*x + c)^2 + ( \\ & a^4*b + 3*a^3*b^2 + 3*a^2*b^3 + a*b^4)*d + 4*((a^4*b + 3*a^3*b^2 + 3*a^2*b^ \\ & 3 + a*b^4)*d*cosh(d*x + c)^3 + (a^4*b + a^3*b^2 - a^2*b^3 - a*b^4)*d*cosh(d \\ & *x + c))*sinh(d*x + c)), 1/2*(2*(a^2*b + a*b^2)*d*x*cosh(d*x + c)^4 + 8*(a^ \\ & 2*b + a*b^2)*d*x*cosh(d*x + c)*sinh(d*x + c)^3 + 2*(a^2*b + a*b^2)*d*x*sinh \\ & (d*x + c)^4 + 2*a^2*b + 2*a*b^2 + 2*(a^2*b + a*b^2)*d*x + 2*(a^2*b - a*b^2 \\ & + 2*(a^2*b - a*b^2)*d*x)*cosh(d*x + c)^2 + 2*(6*(a^2*b + a*b^2)*d*x*cosh(d \\ & x + c)^2 + a^2*b - a*b^2 + 2*(a^2*b - a*b^2)*d*x)*sinh(d*x + c)^2 - ((a^2 - \\ & b^2)*cosh(d*x + c)^4 + 4*(a^2 - b^2)*cosh(d*x + c)*sinh(d*x + c)^3 + (a^2 \\ & - b^2)*sinh(d*x + c)^4 + 2*(a^2 - 2*a*b + b^2)*cosh(d*x + c)^2 + 2*(3*(a^2 \\ & - b^2)*cosh(d*x + c)^2 + a^2 - 2*a*b + b^2)*sinh(d*x + c)^2 + a^2 - b^2 + 4 \end{aligned}$$

```

*((a^2 - b^2)*cosh(d*x + c)^3 + (a^2 - 2*a*b + b^2)*cosh(d*x + c))*sinh(d*x + c))*sqrt(a*b)*arctan(1/2*((a + b)*cosh(d*x + c)^2 + 2*(a + b)*cosh(d*x + c)*sinh(d*x + c) + (a + b)*sinh(d*x + c)^2 + a - b)*sqrt(a*b)/(a*b)) + 4*(2*(a^2*b + a*b^2)*d*x*cosh(d*x + c)^3 + (a^2*b - a*b^2 + 2*(a^2*b - a*b^2)*d*x)*cosh(d*x + c))*sinh(d*x + c))/((a^4*b + 3*a^3*b^2 + 3*a^2*b^3 + a*b^4)*d*cosh(d*x + c)^4 + 4*(a^4*b + 3*a^3*b^2 + 3*a^2*b^3 + a*b^4)*d*cosh(d*x + c)*sinh(d*x + c)^3 + (a^4*b + 3*a^3*b^2 + 3*a^2*b^3 + a*b^4)*d*sinh(d*x + c)^4 + 2*(a^4*b + a^3*b^2 - a^2*b^3 - a*b^4)*d*cosh(d*x + c)^2 + 2*(3*(a^4*b + 3*a^3*b^2 + 3*a^2*b^3 + a*b^4)*d*cosh(d*x + c)^2 + (a^4*b + a^3*b^2 - a^2*b^3 - a*b^4)*d)*sinh(d*x + c)^2 + (a^4*b + 3*a^3*b^2 + 3*a^2*b^3 + a*b^4)*d + 4*((a^4*b + 3*a^3*b^2 + 3*a^2*b^3 + a*b^4)*d*cosh(d*x + c)^3 + (a^4*b + a^3*b^2 - a^2*b^3 - a*b^4)*d*cosh(d*x + c))*sinh(d*x + c))]

```

**Sympy [A]** time = 83.2681, size = 2144, normalized size = 25.22

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tanh(d*x+c)**2/(a+b*tanh(d*x+c))**2,x)
```

```
[Out] Piecewise((zoo*x/tanh(c)**2, Eq(a, 0) & Eq(b, 0) & Eq(d, 0)), ((x - tanh(c + d*x)/d)/a**2, Eq(b, 0)), ((x - 1/(d*tanh(c + d*x)))/b**2, Eq(a, 0)), (x*tanh(c)**2/(a + b*tanh(c)**2)**2, Eq(d, 0)), (4*I*a**(3/2)*b*d*x*sqrt(1/b)/(4*I*a**(7/2)*b*d*sqrt(1/b) + 4*I*a**(5/2)*b**2*d*sqrt(1/b)*tanh(c + d*x)**2 + 8*I*a**(5/2)*b**2*d*sqrt(1/b) + 8*I*a**(3/2)*b**3*d*sqrt(1/b)*tanh(c + d*x)**2 + 4*I*a**(3/2)*b**3*d*sqrt(1/b) + 4*I*sqrt(a)*b**4*d*sqrt(1/b)*tanh(c + d*x)**2) - 2*I*a**(3/2)*b*sqrt(1/b)*tanh(c + d*x)/(4*I*a**(7/2)*b*d*sqrt(1/b) + 4*I*a**(5/2)*b**2*d*sqrt(1/b)*tanh(c + d*x)**2 + 8*I*a**(5/2)*b**2*d*sqrt(1/b) + 8*I*a**(3/2)*b**3*d*sqrt(1/b)*tanh(c + d*x)**2 + 4*I*a**(3/2)*b**3*d*sqrt(1/b) + 4*I*sqrt(a)*b**4*d*sqrt(1/b)*tanh(c + d*x)**2) + 4*I*sqrt(a)*b**2*d*x*sqrt(1/b)*tanh(c + d*x)**2/(4*I*a**(7/2)*b*d*sqrt(1/b) + 4*I*a**(5/2)*b**2*d*sqrt(1/b)*tanh(c + d*x)**2 + 8*I*a**(5/2)*b**2*d*sqrt(1/b) + 8*I*a**(3/2)*b**3*d*sqrt(1/b)*tanh(c + d*x)**2 + 4*I*a**(3/2)*b**3*d*sqrt(1/b) + 4*I*sqrt(a)*b**4*d*sqrt(1/b)*tanh(c + d*x)**2) - 2*I*sqrt(a)*b**2*sqrt(1/b)*tanh(c + d*x)/(4*I*a**(7/2)*b*d*sqrt(1/b) + 4*I*a**(5/2)*b**2*d*sqrt(1/b)*tanh(c + d*x)**2 + 8*I*a**(5/2)*b**2*d*sqrt(1/b) + 8*I*a**(3/2)*b**3*d*sqrt(1/b)*tanh(c + d*x)**2 + 4*I*a**(3/2)*b**3*d*sqrt(1/b) + 4*I*sqrt(a)*b**4*d*sqrt(1/b)*tanh(c + d*x)**2) - a**2*log(-I*sqrt(a)*sqrt(1/b) + tanh(c + d*x))/(4*I*a**(7/2)*b*d*sqrt(1/b) + 4*I*a**(5/2)*b**2*d*sqrt(1/b)*tanh(c + d*x)**2 + 8*I*a**(5/2)*b**2*d*sqrt(1/b) + 8*I*a**(3/2)*b**3*d*sqrt(1/b)*tanh(c + d*x)**2 + 4*I*a**(3/2)*b**3*d*sqrt(1/b) + 4*I*sqrt(a)*b**4*d*sqrt(1/b)*tanh(c + d*x)**2) + 4*I*sqrt(a)*b**4*d*sqrt(1/b)*tanh(c + d*x)**2) - a**2*log(-I*sqrt(a)*sqrt(1/b) + tanh(c + d*x))/(4*I*a**(7/2)*b*d*sqrt(1/b) + 4*I*a**(5/2)*b**2*d*sqrt(1/b)*tanh(c + d*x)**2 + 8*I*a**(5/2)*b**2*d*sqrt(1/b) + 8*I*a**(3/2)*b**3*d*sqrt(1/b)*tanh(c + d*x)**2 + 4*I*a**(3/2)*b**3*d*sqrt(1/b) + 4*I*sqrt(a)*b**4*d*sqrt(1/b)*tanh(c + d*x)**2) + 4*I*sqrt(a)*b**4*d*sqrt(1/b)*tanh(c + d*x)**2)

```

```

qrt(1/b)*tanh(c + d*x)**2) + a**2*log(I*sqrt(a)*sqrt(1/b) + tanh(c + d*x))/
(4*I*a**(7/2)*b*d*sqrt(1/b) + 4*I*a**(5/2)*b**2*d*sqrt(1/b)*tanh(c + d*x)**
2 + 8*I*a**(5/2)*b**2*d*sqrt(1/b) + 8*I*a**(3/2)*b**3*d*sqrt(1/b)*tanh(c +
d*x)**2 + 4*I*a**(3/2)*b**3*d*sqrt(1/b) + 4*I*sqrt(a)*b**4*d*sqrt(1/b)*tanh
(c + d*x)**2) - a*b*log(-I*sqrt(a)*sqrt(1/b) + tanh(c + d*x))*tanh(c + d*x)
**2/(4*I*a**(7/2)*b*d*sqrt(1/b) + 4*I*a**(5/2)*b**2*d*sqrt(1/b)*tanh(c + d*
x)**2 + 8*I*a**(5/2)*b**2*d*sqrt(1/b) + 8*I*a**(3/2)*b**3*d*sqrt(1/b)*tanh(
c + d*x)**2 + 4*I*a**(3/2)*b**3*d*sqrt(1/b) + 4*I*sqrt(a)*b**4*d*sqrt(1/b)*
tanh(c + d*x)**2) + a*b*log(-I*sqrt(a)*sqrt(1/b) + tanh(c + d*x))/(4*I*a**(
7/2)*b*d*sqrt(1/b) + 4*I*a**(5/2)*b**2*d*sqrt(1/b)*tanh(c + d*x)**2 + 8*I*a
**(5/2)*b**2*d*sqrt(1/b) + 8*I*a**(3/2)*b**3*d*sqrt(1/b)*tanh(c + d*x)**2 +
4*I*a**(3/2)*b**3*d*sqrt(1/b) + 4*I*sqrt(a)*b**4*d*sqrt(1/b)*tanh(c + d*x)
**2) + a*b*log(I*sqrt(a)*sqrt(1/b) + tanh(c + d*x))*tanh(c + d*x)**2/(4*I*a
**(7/2)*b*d*sqrt(1/b) + 4*I*a**(5/2)*b**2*d*sqrt(1/b)*tanh(c + d*x)**2 + 8*
I*a**(5/2)*b**2*d*sqrt(1/b) + 8*I*a**(3/2)*b**3*d*sqrt(1/b)*tanh(c + d*x)**
2 + 4*I*a**(3/2)*b**3*d*sqrt(1/b) + 4*I*sqrt(a)*b**4*d*sqrt(1/b)*tanh(c + d
*x)**2) - a*b*log(I*sqrt(a)*sqrt(1/b) + tanh(c + d*x))/(4*I*a**(7/2)*b*d*sq
rt(1/b) + 4*I*a**(5/2)*b**2*d*sqrt(1/b)*tanh(c + d*x)**2 + 8*I*a**(5/2)*b**
2*d*sqrt(1/b) + 8*I*a**(3/2)*b**3*d*sqrt(1/b)*tanh(c + d*x)**2 + 4*I*a**(3/
2)*b**3*d*sqrt(1/b) + 4*I*sqrt(a)*b**4*d*sqrt(1/b)*tanh(c + d*x)**2) + b**2
*log(-I*sqrt(a)*sqrt(1/b) + tanh(c + d*x))*tanh(c + d*x)**2/(4*I*a**(7/2)*b
*d*sqrt(1/b) + 4*I*a**(5/2)*b**2*d*sqrt(1/b)*tanh(c + d*x)**2 + 8*I*a**(5/2
)*b**2*d*sqrt(1/b) + 8*I*a**(3/2)*b**3*d*sqrt(1/b)*tanh(c + d*x)**2 + 4*I*a
**(3/2)*b**3*d*sqrt(1/b) + 4*I*sqrt(a)*b**4*d*sqrt(1/b)*tanh(c + d*x)**2) -
b**2*log(I*sqrt(a)*sqrt(1/b) + tanh(c + d*x))*tanh(c + d*x)**2/(4*I*a**(7/
2)*b*d*sqrt(1/b) + 4*I*a**(5/2)*b**2*d*sqrt(1/b)*tanh(c + d*x)**2 + 8*I*a**
(5/2)*b**2*d*sqrt(1/b) + 8*I*a**(3/2)*b**3*d*sqrt(1/b)*tanh(c + d*x)**2 + 4
*I*a**(3/2)*b**3*d*sqrt(1/b) + 4*I*sqrt(a)*b**4*d*sqrt(1/b)*tanh(c + d*x)**
2), True))

```

---

**Giac [B]** time = 1.22123, size = 251, normalized size = 2.95

$$\frac{(a-b) \arctan\left(\frac{ae^{2dx+2c} + be^{2dx+2c} + a - b}{2\sqrt{ab}}\right)}{2(a^2d + 2abd + b^2d)\sqrt{ab}} + \frac{dx + c}{a^2d + 2abd + b^2d} + \frac{ae^{2dx+2c} - be^{2dx+2c} + a + b}{(a^2d + 2abd + b^2d)(ae^{4dx+4c} + be^{4dx+4c} + 2ae^{2dx+2c})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^2/(a+b\*tanh(d\*x+c))^2,x, algorithm="giac")

[Out] -1/2\*(a - b)\*arctan(1/2\*(a\*e^(2\*d\*x + 2\*c) + b\*e^(2\*d\*x + 2\*c) + a - b)/sqrt(a\*b))/((a^2\*d + 2\*a\*b\*d + b^2\*d)\*sqrt(a\*b)) + (d\*x + c)/(a^2\*d + 2\*a\*b\*d

$$\begin{aligned} &+ b^2d) + (a e^{(2dx + 2c)} - b e^{(2dx + 2c)} + a + b) / ((a^2d + 2ab* \\ &d + b^2d) * (a e^{(4dx + 4c)} + b e^{(4dx + 4c)} + 2a e^{(2dx + 2c)} - 2 \\ &* b e^{(2dx + 2c)} + a + b)) \end{aligned}$$

$$3.184 \quad \int \frac{\tanh(c+dx)}{\left(a+b \tanh^2(c+dx)\right)^2} dx$$

**Optimal.** Leaf size=68

$$-\frac{1}{2d(a+b)\left(a+b \tanh^2(c+dx)\right)} + \frac{\log\left(a+b \tanh^2(c+dx)\right)}{2d(a+b)^2} + \frac{\log(\cosh(c+dx))}{d(a+b)^2}$$

[Out] Log[Cosh[c + d\*x]]/((a + b)^2\*d) + Log[a + b\*Tanh[c + d\*x]^2]/(2\*(a + b)^2\*d) - 1/(2\*(a + b)\*d\*(a + b\*Tanh[c + d\*x]^2))

**Rubi [A]** time = 0.0857955, antiderivative size = 68, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3670, 444, 44}

$$-\frac{1}{2d(a+b)\left(a+b \tanh^2(c+dx)\right)} + \frac{\log\left(a+b \tanh^2(c+dx)\right)}{2d(a+b)^2} + \frac{\log(\cosh(c+dx))}{d(a+b)^2}$$

Antiderivative was successfully verified.

[In] Int[Tanh[c + d\*x]/(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] Log[Cosh[c + d\*x]]/((a + b)^2\*d) + Log[a + b\*Tanh[c + d\*x]^2]/(2\*(a + b)^2\*d) - 1/(2\*(a + b)\*d\*(a + b\*Tanh[c + d\*x]^2))

#### Rule 3670

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_.)]^(m_.)*((a_.) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_.)]^(n_.))^(p_.), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[(((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f^2*x^2), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))
```

#### Rule 444

```
Int[(x_)^(m_.)*((a_.) + (b_.)*(x_)^(n_.))^(p_.)*((c_.) + (d_.)*(x_)^(n_.))^(q_.), x_Symbol] :> Dist[1/n, Subst[Int[(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && EqQ[m - n +
```

1, 0]

Rule 44

Int[((a\_) + (b\_)\*(x\_))^(m\_)\*((c\_) + (d\_)\*(x\_))^(n\_), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] & & NeQ[b\*c - a\*d, 0] & & ILtQ[m, 0] & & IntegerQ[n] & & !(IGtQ[n, 0] & & LtQ[m + n + 2, 0])

Rubi steps

$$\begin{aligned}
 \int \frac{\tanh(c + dx)}{(a + b \tanh^2(c + dx))^2} dx &= \frac{\text{Subst}\left(\int \frac{x}{(1-x^2)(a+bx)^2} dx, x, \tanh(c + dx)\right)}{d} \\
 &= \frac{\text{Subst}\left(\int \frac{1}{(1-x)(a+bx)^2} dx, x, \tanh^2(c + dx)\right)}{2d} \\
 &= \frac{\text{Subst}\left(\int \left(-\frac{1}{(a+b)^2(-1+x)} + \frac{b}{(a+b)(a+bx)^2} + \frac{b}{(a+b)^2(a+bx)}\right) dx, x, \tanh^2(c + dx)\right)}{2d} \\
 &= \frac{\log(\cosh(c + dx))}{(a + b)^2 d} + \frac{\log(a + b \tanh^2(c + dx))}{2(a + b)^2 d} - \frac{1}{2(a + b)d(a + b \tanh^2(c + dx))}
 \end{aligned}$$

**Mathematica [A]** time = 0.371088, size = 55, normalized size = 0.81

$$\frac{\frac{a+b}{a+b \tanh^2(c+dx)} - \log(a + b \tanh^2(c + dx)) - 2 \log(\cosh(c + dx))}{2d(a + b)^2}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[c + d\*x]/(a + b\*Tanh[c + d\*x]^2)^2, x]

[Out] -(-2\*Log[Cosh[c + d\*x]] - Log[a + b\*Tanh[c + d\*x]^2] + (a + b)/(a + b\*Tanh[c + d\*x]^2))/(2\*(a + b)^2\*d)

**Maple [A]** time = 0.027, size = 113, normalized size = 1.7

$$\frac{\ln(\tanh(dx + c) + 1)}{2d(a + b)^2} - \frac{a}{2d(a + b)^2(a + b(\tanh(dx + c))^2)} - \frac{b}{2d(a + b)^2(a + b(\tanh(dx + c))^2)} + \frac{\ln(a + b(\tanh(dx + c)))}{2d(a + b)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(tanh(d*x+c)/(a+b*tanh(d*x+c)^2)^2,x)`

[Out]  $-1/2/d/(a+b)^2*\ln(\tanh(d*x+c)+1)-1/2/d/(a+b)^2*a/(a+b*tanh(d*x+c)^2)-1/2/d*b/(a+b)^2/(a+b*tanh(d*x+c)^2)+1/2*\ln(a+b*tanh(d*x+c)^2)/(a+b)^2/d-1/2/d/(a+b)^2*\ln(\tanh(d*x+c)-1)$

**Maxima [B]** time = 1.09235, size = 230, normalized size = 3.38

$$\frac{2be^{(-2dx-2c)}}{(a^3 + 3a^2b + 3ab^2 + b^3 + 2(a^3 + a^2b - ab^2 - b^3)e^{(-2dx-2c)} + (a^3 + 3a^2b + 3ab^2 + b^3)e^{(-4dx-4c)})d} + \frac{dx + c}{(a^2 + 2ab + b^2)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(d*x+c)/(a+b*tanh(d*x+c)^2)^2,x, algorithm="maxima")`

[Out]  $-2*b*e^{(-2*d*x - 2*c)/((a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 2*(a^3 + a^2*b - a*b^2 - b^3)*e^{(-2*d*x - 2*c)} + (a^3 + 3*a^2*b + 3*a*b^2 + b^3)*e^{(-4*d*x - 4*c))})*d) + (d*x + c)/((a^2 + 2*a*b + b^2)*d) + 1/2*\log(2*(a - b)*e^{(-2*d*x - 2*c)} + (a + b)*e^{(-4*d*x - 4*c)} + a + b)/((a^2 + 2*a*b + b^2)*d)$

**Fricas [B]** time = 1.95637, size = 1611, normalized size = 23.69

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(d*x+c)/(a+b*tanh(d*x+c)^2)^2,x, algorithm="fricas")`

[Out]  $-1/2*(2*(a + b)*d*x*cosh(d*x + c)^4 + 8*(a + b)*d*x*cosh(d*x + c)*sinh(d*x + c)^3 + 2*(a + b)*d*x*sinh(d*x + c)^4 + 2*(a + b)*d*x + 4*((a - b)*d*x + b)*cosh(d*x + c)^2 + 4*(3*(a + b)*d*x*cosh(d*x + c)^2 + (a - b)*d*x + b)*sinh(d*x + c)^2 - ((a + b)*cosh(d*x + c)^4 + 4*(a + b)*cosh(d*x + c)*sinh(d*x + c)^3 + (a + b)*sinh(d*x + c)^4 + 2*(a - b)*cosh(d*x + c)^2 + 2*(3*(a + b)*cosh(d*x + c)^2 + a - b)*sinh(d*x + c)^2 + 4*((a + b)*cosh(d*x + c)^3 + (a - b)*cosh(d*x + c))*sinh(d*x + c) + a + b)*\log(2*((a + b)*cosh(d*x + c)^2 + (a + b)*sinh(d*x + c)^2 + a - b)/(cosh(d*x + c)^2 - 2*cosh(d*x + c)*sinh(d*x + c) + sinh(d*x + c)^2)) + 8*((a + b)*d*x*cosh(d*x + c)^3 + ((a - b)*d*$



$$\frac{(x + b) \cosh(dx + c) \sinh(dx + c)}{((a^3 + 3a^2b + 3ab^2 + b^3)d \cosh(dx + c)^4 + 4(a^3 + 3a^2b + 3ab^2 + b^3)d \cosh(dx + c) \sinh(dx + c)^3 + (a^3 + 3a^2b + 3ab^2 + b^3)d \sinh(dx + c)^4 + 2(a^3 + a^2b - ab^2 - b^3)d \cosh(dx + c)^2 + 2(3(a^3 + 3a^2b + 3ab^2 + b^3)d \cosh(dx + c)^2 + (a^3 + a^2b - ab^2 - b^3)d) \sinh(dx + c)^2 + (a^3 + 3a^2b + 3ab^2 + b^3)d + 4((a^3 + 3a^2b + 3ab^2 + b^3)d \cosh(dx + c)^3 + (a^3 + a^2b - ab^2 - b^3)d \cosh(dx + c)) \sinh(dx + c))}$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(dx+c)/(a+b\*tanh(dx+c)\*\*2)\*\*2,x)

[Out] Timed out

**Giac [B]** time = 1.22318, size = 208, normalized size = 3.06

$$\frac{\log\left(\left|a\left(e^{2dx+2c}\right) + e^{(-2dx-2c)}\right| + b\left(e^{2dx+2c}\right) + e^{(-2dx-2c)}\right) + 2a - 2b}{2\left(a^2d + 2abd + b^2d\right)} - \frac{e^{(2dx+2c)} + e^{(-2dx-2c)}}{2(ad + bd)\left(a\left(e^{2dx+2c}\right) + e^{(-2dx-2c)}\right) + b\left(e^{2dx+2c}\right) + e^{(-2dx-2c)}} + 2a - 2b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(dx+c)/(a+b\*tanh(dx+c)^2)^2,x, algorithm="giac")

[Out]  $\frac{1}{2} \log(\text{abs}(a(e^{2dx+2c}) + e^{(-2dx-2c)}) + b(e^{2dx+2c}) + e^{(-2dx-2c)}) + 2a - 2b) / (a^2d + 2abd + b^2d) - \frac{1}{2} (e^{(2dx+2c)} + e^{(-2dx-2c)} + 2) / ((ad + bd)(a(e^{2dx+2c}) + e^{(-2dx-2c)}) + b(e^{2dx+2c}) + e^{(-2dx-2c)}) + 2a - 2b)$

$$3.185 \quad \int \frac{1}{(a+b \tanh^2(c+dx))^2} dx$$

**Optimal.** Leaf size=89

$$\frac{\sqrt{b}(3a+b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2a^{3/2}d(a+b)^2} + \frac{b \tanh(c+dx)}{2ad(a+b)(a+b \tanh^2(c+dx))} + \frac{x}{(a+b)^2}$$

[Out] x/(a + b)^2 + (Sqrt[b]\*(3\*a + b)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(2\*a^(3/2)\*(a + b)^2\*d) + (b\*Tanh[c + d\*x])/(2\*a\*(a + b)\*d\*(a + b\*Tanh[c + d\*x]^2))

**Rubi [A]** time = 0.0882202, antiderivative size = 89, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$ , Rules used = {3661, 414, 522, 206, 205}

$$\frac{\sqrt{b}(3a+b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2a^{3/2}d(a+b)^2} + \frac{b \tanh(c+dx)}{2ad(a+b)(a+b \tanh^2(c+dx))} + \frac{x}{(a+b)^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Tanh[c + d\*x]^2)^(-2), x]

[Out] x/(a + b)^2 + (Sqrt[b]\*(3\*a + b)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(2\*a^(3/2)\*(a + b)^2\*d) + (b\*Tanh[c + d\*x])/(2\*a\*(a + b)\*d\*(a + b\*Tanh[c + d\*x]^2))

#### Rule 3661

```
Int[((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_), x_Symbol] :=
With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[(a + b*(
ff*x)^n]^p/(c^2 + ff^2*x^2), x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a,
b, c, e, f, n, p}, x] && (IntegersQ[n, p] || IGtQ[p, 0] || EqQ[n^2, 4] || E
qQ[n^2, 16])
```

#### Rule 414

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:= -Simp[(b*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(p + 1)*(b*c -
```

$a*d)), x] + \text{Dist}[1/(a*n*(p + 1)*(b*c - a*d)), \text{Int}[(a + b*x^n)^(p + 1)*(c + d*x^n)^q*\text{Simp}[b*c + n*(p + 1)*(b*c - a*d) + d*b*(n*(p + q + 2) + 1)*x^n, x], x] /; \text{FreeQ}\{a, b, c, d, n, q\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{LtQ}[p, -1] \&\& !( !\text{IntegerQ}[p] \&\& \text{IntegerQ}[q] \&\& \text{LtQ}[q, -1]) \&\& \text{IntBinomialQ}[a, b, c, d, n, p, q, x]$

### Rule 522

$\text{Int}[(e_ + (f_)*(x_)^(n_))/((a_ + (b_)*(x_)^(n_))*((c_ + (d_)*(x_)^(n_))), x\_Symbol] :> \text{Dist}[(b*e - a*f)/(b*c - a*d), \text{Int}[1/(a + b*x^n), x], x] - \text{Dist}[(d*e - c*f)/(b*c - a*d), \text{Int}[1/(c + d*x^n), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, n\}, x]$

### Rule 206

$\text{Int}[(a_ + (b_)*(x_)^2)^(-1), x\_Symbol] :> \text{Simp}[(1*\text{ArcTanh}[\text{Rt}[-b, 2]*x]/\text{Rt}[a, 2])]/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{NegQ}[a/b] \&\& (\text{GtQ}[a, 0] \parallel \text{LtQ}[b, 0])$

### Rule 205

$\text{Int}[(a_ + (b_)*(x_)^2)^(-1), x\_Symbol] :> \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{PosQ}[a/b]$

### Rubi steps

$$\begin{aligned} \int \frac{1}{(a + b \tanh^2(c + dx))^2} dx &= \frac{\text{Subst}\left(\int \frac{1}{(1-x^2)(a+bx^2)^2} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{b \tanh(c + dx)}{2a(a + b)d (a + b \tanh^2(c + dx))} - \frac{\text{Subst}\left(\int \frac{b-2(a+b)+bx^2}{(1-x^2)(a+bx^2)} dx, x, \tanh(c + dx)\right)}{2a(a + b)d} \\ &= \frac{b \tanh(c + dx)}{2a(a + b)d (a + b \tanh^2(c + dx))} + \frac{\text{Subst}\left(\int \frac{1}{1-x^2} dx, x, \tanh(c + dx)\right)}{(a + b)^2d} + \frac{(b(3a + b))}{2a(a + b)d} \\ &= \frac{x}{(a + b)^2} + \frac{\sqrt{b}(3a + b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2a^{3/2}(a + b)^2d} + \frac{b \tanh(c + dx)}{2a(a + b)d (a + b \tanh^2(c + dx))} \end{aligned}$$

**Mathematica [A]** time = 0.495114, size = 97, normalized size = 1.09

$$\frac{\frac{\sqrt{b(3a+b)} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{a^{3/2}} + \frac{b(a+b) \tanh(c+dx)}{a(a+b) \tanh^2(c+dx)} - \log(1 - \tanh(c + dx)) + \log(\tanh(c + dx) + 1)}{2d(a + b)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Tanh[c + d\*x]^2)^(-2), x]

[Out] ((Sqrt[b]\*(3\*a + b)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/a^(3/2) - Log[1 - Tanh[c + d\*x]] + Log[1 + Tanh[c + d\*x]] + (b\*(a + b)\*Tanh[c + d\*x])/(a\*(a + b\*Tanh[c + d\*x]^2)))/(2\*(a + b)^2\*d)

**Maple [B]** time = 0.024, size = 172, normalized size = 1.9

$$\frac{\ln(\tanh(dx + c) + 1)}{2d(a + b)^2} + \frac{b \tanh(dx + c)}{2d(a + b)^2(a + b(\tanh(dx + c))^2)} + \frac{b^2 \tanh(dx + c)}{2d(a + b)^2 a(a + b(\tanh(dx + c))^2)} + \frac{3b}{2d(a + b)^2} \arctan\left(\frac{b \tanh(dx + c)}{a + b(\tanh(dx + c))^2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b\*tanh(d\*x+c)^2)^2, x)

[Out] 1/2/d/(a+b)^2\*ln(tanh(d\*x+c)+1)+1/2\*b\*tanh(d\*x+c)/(a+b)^2/d/(a+b\*tanh(d\*x+c)^2)+1/2/d\*b^2/(a+b)^2/a\*tanh(d\*x+c)/(a+b\*tanh(d\*x+c)^2)+3/2/d/(a+b)^2/(a\*b)^(1/2)\*arctan(tanh(d\*x+c)\*b/(a\*b)^(1/2))\*b+1/2/d\*b^2/(a+b)^2/a/(a\*b)^(1/2)\*arctan(tanh(d\*x+c)\*b/(a\*b)^(1/2))-1/2/d/(a+b)^2\*ln(tanh(d\*x+c)-1)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*tanh(d\*x+c)^2)^2, x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [B]** time = 2.09212, size = 4703, normalized size = 52.84

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [1/4*(4*(a^2 + a*b)*d*x*cosh(d*x + c)^4 + 16*(a^2 + a*b)*d*x*cosh(d*x + c)* \\ & sinh(d*x + c)^3 + 4*(a^2 + a*b)*d*x*sinh(d*x + c)^4 + 4*(a^2 + a*b)*d*x + 4 \\ & *(2*(a^2 - a*b)*d*x - a*b + b^2)*cosh(d*x + c)^2 + 4*(6*(a^2 + a*b)*d*x*cos \\ & h(d*x + c)^2 + 2*(a^2 - a*b)*d*x - a*b + b^2)*sinh(d*x + c)^2 + ((3*a^2 + 4 \\ & *a*b + b^2)*cosh(d*x + c)^4 + 4*(3*a^2 + 4*a*b + b^2)*cosh(d*x + c)*sinh(d* \\ & x + c)^3 + (3*a^2 + 4*a*b + b^2)*sinh(d*x + c)^4 + 2*(3*a^2 - 2*a*b - b^2)* \\ & cosh(d*x + c)^2 + 2*(3*(3*a^2 + 4*a*b + b^2)*cosh(d*x + c)^2 + 3*a^2 - 2*a* \\ & b - b^2)*sinh(d*x + c)^2 + 3*a^2 + 4*a*b + b^2 + 4*((3*a^2 + 4*a*b + b^2)*c \\ & osh(d*x + c)^3 + (3*a^2 - 2*a*b - b^2)*cosh(d*x + c))*sinh(d*x + c)*sqrt(- \\ & b/a)*log(((a^2 + 2*a*b + b^2)*cosh(d*x + c)^4 + 4*(a^2 + 2*a*b + b^2)*cosh( \\ & d*x + c)*sinh(d*x + c)^3 + (a^2 + 2*a*b + b^2)*sinh(d*x + c)^4 + 2*(a^2 - b \\ & ^2)*cosh(d*x + c)^2 + 2*(3*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^2 + a^2 - b^2) \\ & *sinh(d*x + c)^2 + a^2 - 6*a*b + b^2 + 4*((a^2 + 2*a*b + b^2)*cosh(d*x + c) \\ & ^3 + (a^2 - b^2)*cosh(d*x + c))*sinh(d*x + c) + 4*((a^2 + a*b)*cosh(d*x + c) \\ & )^2 + 2*(a^2 + a*b)*cosh(d*x + c)*sinh(d*x + c) + (a^2 + a*b)*sinh(d*x + c) \\ & ^2 + a^2 - a*b)*sqrt(-b/a))/((a + b)*cosh(d*x + c)^4 + 4*(a + b)*cosh(d*x + \\ & c)*sinh(d*x + c)^3 + (a + b)*sinh(d*x + c)^4 + 2*(a - b)*cosh(d*x + c)^2 + \\ & 2*(3*(a + b)*cosh(d*x + c)^2 + a - b)*sinh(d*x + c)^2 + 4*((a + b)*cosh(d* \\ & x + c)^3 + (a - b)*cosh(d*x + c))*sinh(d*x + c) + a + b)) - 4*a*b - 4*b^2 + \\ & 8*(2*(a^2 + a*b)*d*x*cosh(d*x + c)^3 + (2*(a^2 - a*b)*d*x - a*b + b^2)*cos \\ & h(d*x + c))*sinh(d*x + c))/((a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*d*cosh(d*x \\ & + c)^4 + 4*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*d*cosh(d*x + c)*sinh(d*x + c) \\ & )^3 + (a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*d*sinh(d*x + c)^4 + 2*(a^4 + a^3*b \\ & - a^2*b^2 - a*b^3)*d*cosh(d*x + c)^2 + 2*(3*(a^4 + 3*a^3*b + 3*a^2*b^2 + \\ & a*b^3)*d*cosh(d*x + c)^2 + (a^4 + a^3*b - a^2*b^2 - a*b^3)*d)*sinh(d*x + c) \\ & ^2 + (a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*d + 4*((a^4 + 3*a^3*b + 3*a^2*b^2 \\ & + a*b^3)*d*cosh(d*x + c)^3 + (a^4 + a^3*b - a^2*b^2 - a*b^3)*d*cosh(d*x + c) \\ & ))*sinh(d*x + c)), 1/2*(2*(a^2 + a*b)*d*x*cosh(d*x + c)^4 + 8*(a^2 + a*b)*d \\ & *x*cosh(d*x + c)*sinh(d*x + c)^3 + 2*(a^2 + a*b)*d*x*sinh(d*x + c)^4 + 2*(a \\ & ^2 + a*b)*d*x + 2*(2*(a^2 - a*b)*d*x - a*b + b^2)*cosh(d*x + c)^2 + 2*(6*(a \\ & ^2 + a*b)*d*x*cosh(d*x + c)^2 + 2*(a^2 - a*b)*d*x - a*b + b^2)*sinh(d*x + c) \\ & )^2 + ((3*a^2 + 4*a*b + b^2)*cosh(d*x + c)^4 + 4*(3*a^2 + 4*a*b + b^2)*cosh \\ & (d*x + c)*sinh(d*x + c)^3 + (3*a^2 + 4*a*b + b^2)*sinh(d*x + c)^4 + 2*(3*a^ \\ & 2 - 2*a*b - b^2)*cosh(d*x + c)^2 + 2*(3*(3*a^2 + 4*a*b + b^2)*cosh(d*x + c) \\ & ^2 + 3*a^2 - 2*a*b - b^2)*sinh(d*x + c)^2 + 3*a^2 + 4*a*b + b^2 + 4*((3*a^2 \end{aligned}$$

$$\begin{aligned}
& + 4*a*b + b^2)*\cosh(d*x + c)^3 + (3*a^2 - 2*a*b - b^2)*\cosh(d*x + c))*\sinh \\
& (d*x + c))*\sqrt{b/a}*\arctan(1/2*((a + b)*\cosh(d*x + c)^2 + 2*(a + b)*\cosh(d \\
& *x + c)*\sinh(d*x + c) + (a + b)*\sinh(d*x + c)^2 + a - b)*\sqrt{b/a}/b) - 2*a \\
& *b - 2*b^2 + 4*(2*(a^2 + a*b)*d*x*\cosh(d*x + c)^3 + (2*(a^2 - a*b)*d*x - a* \\
& b + b^2)*\cosh(d*x + c))*\sinh(d*x + c))/((a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3) \\
& *d*\cosh(d*x + c)^4 + 4*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*d*\cosh(d*x + c)* \\
& \sinh(d*x + c)^3 + (a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*d*\sinh(d*x + c)^4 + 2 \\
& *(a^4 + a^3*b - a^2*b^2 - a*b^3)*d*\cosh(d*x + c)^2 + 2*(3*(a^4 + 3*a^3*b + \\
& 3*a^2*b^2 + a*b^3)*d*\cosh(d*x + c)^2 + (a^4 + a^3*b - a^2*b^2 - a*b^3)*d)*\sinh \\
& (d*x + c)^2 + (a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*d + 4*((a^4 + 3*a^3*b \\
& + 3*a^2*b^2 + a*b^3)*d*\cosh(d*x + c)^3 + (a^4 + a^3*b - a^2*b^2 - a*b^3)*d* \\
& \cosh(d*x + c))*\sinh(d*x + c))]
\end{aligned}$$

**Sympy [A]** time = 151.002, size = 2086, normalized size = 23.44

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*tanh(d\*x+c)\*\*2)\*\*2,x)

[Out] Piecewise((zoo\*x/tanh(c)\*\*4, Eq(a, 0) & Eq(b, 0) & Eq(d, 0)), (x/a\*\*2, Eq(b, 0)), ((x - 1/(d\*tanh(c + d\*x)) - 1/(3\*d\*tanh(c + d\*x)\*\*3))/b\*\*2, Eq(a, 0)), (x/(a + b\*tanh(c)\*\*2)\*\*2, Eq(d, 0)), (4\*I\*a\*\*(5/2)\*d\*x\*sqrt(1/b)/(4\*I\*a\*\*(9/2)\*d\*sqrt(1/b) + 4\*I\*a\*\*(7/2)\*b\*d\*sqrt(1/b)\*tanh(c + d\*x)\*\*2 + 8\*I\*a\*\*(7/2)\*b\*d\*sqrt(1/b) + 8\*I\*a\*\*(5/2)\*b\*\*2\*d\*sqrt(1/b)\*tanh(c + d\*x)\*\*2 + 4\*I\*a\*\*(5/2)\*b\*\*2\*d\*sqrt(1/b) + 4\*I\*a\*\*(3/2)\*b\*\*3\*d\*sqrt(1/b)\*tanh(c + d\*x)\*\*2) + 4\*I\*a\*\*(3/2)\*b\*d\*x\*sqrt(1/b)\*tanh(c + d\*x)\*\*2/(4\*I\*a\*\*(9/2)\*d\*sqrt(1/b) + 4\*I\*a\*\*(7/2)\*b\*d\*sqrt(1/b)\*tanh(c + d\*x)\*\*2 + 8\*I\*a\*\*(7/2)\*b\*d\*sqrt(1/b) + 8\*I\*a\*\*(5/2)\*b\*\*2\*d\*sqrt(1/b)\*tanh(c + d\*x)\*\*2 + 4\*I\*a\*\*(5/2)\*b\*\*2\*d\*sqrt(1/b) + 4\*I\*a\*\*(3/2)\*b\*\*3\*d\*sqrt(1/b)\*tanh(c + d\*x)\*\*2) + 2\*I\*a\*\*(3/2)\*b\*sqrt(1/b)\*tanh(c + d\*x)/(4\*I\*a\*\*(9/2)\*d\*sqrt(1/b) + 4\*I\*a\*\*(7/2)\*b\*d\*sqrt(1/b)\*tanh(c + d\*x)\*\*2 + 8\*I\*a\*\*(7/2)\*b\*d\*sqrt(1/b) + 8\*I\*a\*\*(5/2)\*b\*\*2\*d\*sqrt(1/b)\*tanh(c + d\*x)\*\*2 + 4\*I\*a\*\*(5/2)\*b\*\*2\*d\*sqrt(1/b) + 4\*I\*a\*\*(3/2)\*b\*\*3\*d\*sqrt(1/b)\*tanh(c + d\*x)\*\*2) + 3\*a\*\*2\*log(-I\*sqrt(a)\*sqrt(1/b) + tanh(c + d\*x))/(4\*I\*a\*\*(9/2)\*d\*sqrt(1/b) + 4\*I\*a\*\*(7/2)\*b\*d\*sqrt(1/b)\*tanh(c + d\*x)\*\*2 + 8\*I\*a\*\*(7/2)\*b\*d\*sqrt(1/b) + 8\*I\*a\*\*(5/2)\*b\*\*2\*d\*sqrt(1/b)\*tanh(c + d\*x)\*\*2 + 4\*I\*a\*\*(5/2)\*b\*\*2\*d\*sqrt(1/b) + 4\*I\*a\*\*(3/2)\*b\*\*3\*d\*sqrt(1/b)\*tanh(c + d\*x)\*\*2) - 3\*a\*\*2\*log(I

```

*sqrt(a)*sqrt(1/b) + tanh(c + d*x))/(4*I*a**(9/2)*d*sqrt(1/b) + 4*I*a**(7/2)
)*b*d*sqrt(1/b)*tanh(c + d*x)**2 + 8*I*a**(7/2)*b*d*sqrt(1/b) + 8*I*a**(5/2)
)*b**2*d*sqrt(1/b)*tanh(c + d*x)**2 + 4*I*a**(5/2)*b**2*d*sqrt(1/b) + 4*I*a
**(3/2)*b**3*d*sqrt(1/b)*tanh(c + d*x)**2) + 3*a*b*log(-I*sqrt(a)*sqrt(1/b)
+ tanh(c + d*x))*tanh(c + d*x)**2/(4*I*a**(9/2)*d*sqrt(1/b) + 4*I*a**(7/2)
)*b*d*sqrt(1/b)*tanh(c + d*x)**2 + 8*I*a**(7/2)*b*d*sqrt(1/b) + 8*I*a**(5/2)
)*b**2*d*sqrt(1/b)*tanh(c + d*x)**2 + 4*I*a**(5/2)*b**2*d*sqrt(1/b) + 4*I*a*
*(3/2)*b**3*d*sqrt(1/b)*tanh(c + d*x)**2) + a*b*log(-I*sqrt(a)*sqrt(1/b) +
tanh(c + d*x))/(4*I*a**(9/2)*d*sqrt(1/b) + 4*I*a**(7/2)*b*d*sqrt(1/b)*tanh(
c + d*x)**2 + 8*I*a**(7/2)*b*d*sqrt(1/b) + 8*I*a**(5/2)*b**2*d*sqrt(1/b)*ta
nh(c + d*x)**2 + 4*I*a**(5/2)*b**2*d*sqrt(1/b) + 4*I*a**(3/2)*b**3*d*sqrt(1
/b)*tanh(c + d*x)**2) - 3*a*b*log(I*sqrt(a)*sqrt(1/b) + tanh(c + d*x))*tanh
(c + d*x)**2/(4*I*a**(9/2)*d*sqrt(1/b) + 4*I*a**(7/2)*b*d*sqrt(1/b)*tanh(c
+ d*x)**2 + 8*I*a**(7/2)*b*d*sqrt(1/b) + 8*I*a**(5/2)*b**2*d*sqrt(1/b)*tanh
(c + d*x)**2 + 4*I*a**(5/2)*b**2*d*sqrt(1/b) + 4*I*a**(3/2)*b**3*d*sqrt(1/b
)*tanh(c + d*x)**2) - a*b*log(I*sqrt(a)*sqrt(1/b) + tanh(c + d*x))/(4*I*a**
(9/2)*d*sqrt(1/b) + 4*I*a**(7/2)*b*d*sqrt(1/b)*tanh(c + d*x)**2 + 8*I*a**(7
/2)*b*d*sqrt(1/b) + 8*I*a**(5/2)*b**2*d*sqrt(1/b)*tanh(c + d*x)**2 + 4*I*a*
*(5/2)*b**2*d*sqrt(1/b) + 4*I*a**(3/2)*b**3*d*sqrt(1/b)*tanh(c + d*x)**2) +
b**2*log(-I*sqrt(a)*sqrt(1/b) + tanh(c + d*x))*tanh(c + d*x)**2/(4*I*a**(9
/2)*d*sqrt(1/b) + 4*I*a**(7/2)*b*d*sqrt(1/b)*tanh(c + d*x)**2 + 8*I*a**(7/2)
)*b*d*sqrt(1/b) + 8*I*a**(5/2)*b**2*d*sqrt(1/b)*tanh(c + d*x)**2 + 4*I*a**
(5/2)*b**2*d*sqrt(1/b) + 4*I*a**(3/2)*b**3*d*sqrt(1/b)*tanh(c + d*x)**2) - b
**2*log(I*sqrt(a)*sqrt(1/b) + tanh(c + d*x))*tanh(c + d*x)**2/(4*I*a**(9/2)
)*d*sqrt(1/b) + 4*I*a**(7/2)*b*d*sqrt(1/b)*tanh(c + d*x)**2 + 8*I*a**(7/2)*b
*d*sqrt(1/b) + 8*I*a**(5/2)*b**2*d*sqrt(1/b)*tanh(c + d*x)**2 + 4*I*a**(5/2)
)*b**2*d*sqrt(1/b) + 4*I*a**(3/2)*b**3*d*sqrt(1/b)*tanh(c + d*x)**2), True)
)

```

---

**Giac [B]** time = 1.19008, size = 274, normalized size = 3.08

$$\frac{(3ab + b^2) \arctan\left(\frac{ae^{(2dx+2c)} + be^{(2dx+2c)} + a - b}{2\sqrt{ab}}\right)}{2(a^3d + 2a^2bd + ab^2d)\sqrt{ab}} + \frac{dx + c}{a^2d + 2abd + b^2d} - \frac{abe^{(2dx+2c)} - b^2e^{(2dx+2c)} + a}{(a^3d + 2a^2bd + ab^2d)(ae^{(4dx+4c)} + be^{(4dx+4c)} + 2ae^{(2dx+2c)})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out] 1/2\*(3\*a\*b + b^2)\*arctan(1/2\*(a\*e^(2\*d\*x + 2\*c) + b\*e^(2\*d\*x + 2\*c) + a - b)/sqrt(a\*b))/((a^3\*d + 2\*a^2\*b\*d + a\*b^2\*d)\*sqrt(a\*b)) + (d\*x + c)/(a^2\*d + 2\*a\*b\*d + b^2\*d) - (a\*b\*e^(2\*d\*x + 2\*c) - b^2\*e^(2\*d\*x + 2\*c) + a\*b + b^2)

$$\frac{((a^3d + 2a^2bd + ab^2d)(ae^{4dx + 4c}) + be^{4dx + 4c}) + 2ae^{2dx + 2c} - 2be^{2dx + 2c} + a + b)}{}$$



$$3.186 \quad \int \frac{\coth(c+dx)}{\left(a+b \tanh^2(c+dx)\right)^2} dx$$

**Optimal.** Leaf size=95

$$-\frac{b(2a+b) \log(a+b \tanh^2(c+dx))}{2a^2d(a+b)^2} + \frac{\log(\tanh(c+dx))}{a^2d} + \frac{b}{2ad(a+b)(a+b \tanh^2(c+dx))} + \frac{\log(\cosh(c+dx))}{d(a+b)^2}$$

[Out] Log[Cosh[c + d\*x]]/((a + b)^2\*d) + Log[Tanh[c + d\*x]]/(a^2\*d) - (b\*(2\*a + b)\*Log[a + b\*Tanh[c + d\*x]^2])/(2\*a^2\*(a + b)^2\*d) + b/(2\*a\*(a + b)\*d\*(a + b\*Tanh[c + d\*x]^2))

**Rubi [A]** time = 0.149079, antiderivative size = 95, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3670, 446, 72}

$$-\frac{b(2a+b) \log(a+b \tanh^2(c+dx))}{2a^2d(a+b)^2} + \frac{\log(\tanh(c+dx))}{a^2d} + \frac{b}{2ad(a+b)(a+b \tanh^2(c+dx))} + \frac{\log(\cosh(c+dx))}{d(a+b)^2}$$

Antiderivative was successfully verified.

[In] Int[Coth[c + d\*x]/(a + b\*Tanh[c + d\*x]^2), x]

[Out] Log[Cosh[c + d\*x]]/((a + b)^2\*d) + Log[Tanh[c + d\*x]]/(a^2\*d) - (b\*(2\*a + b)\*Log[a + b\*Tanh[c + d\*x]^2])/(2\*a^2\*(a + b)^2\*d) + b/(2\*a\*(a + b)\*d\*(a + b\*Tanh[c + d\*x]^2))

### Rule 3670

Int[((d\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_.))^(p\_.), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

### Rule 446

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_.))^(p\_.)\*((c\_) + (d\_.)\*(x\_)^(n\_.))^(q\_.), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p

$*(c + d*x)^q, x], x, x^n], x] /; \text{FreeQ}[\{a, b, c, d, m, n, p, q\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

### Rule 72

$\text{Int}[\text{ExpandIntegrand}[(e + f*x)^p/((a + b*x)*(c + d*x)), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \ \&\& \ \text{IntegerQ}[p]$

### Rubi steps

$$\begin{aligned} \int \frac{\coth(c + dx)}{(a + b \tanh^2(c + dx))^2} dx &= \frac{\text{Subst}\left(\int \frac{1}{x(1-x^2)(a+bx^2)^2} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{\text{Subst}\left(\int \frac{1}{(1-x)x(a+bx)^2} dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= \frac{\text{Subst}\left(\int \left(-\frac{1}{(a+b)^2(-1+x)} + \frac{1}{a^2x} - \frac{b^2}{a(a+b)(a+bx)^2} - \frac{b^2(2a+b)}{a^2(a+b)^2(a+bx)}\right) dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= \frac{\log(\cosh(c + dx))}{(a + b)^2d} + \frac{\log(\tanh(c + dx))}{a^2d} - \frac{b(2a + b) \log(a + b \tanh^2(c + dx))}{2a^2(a + b)^2d} + \frac{1}{2a(a + b)} \end{aligned}$$

**Mathematica [A]** time = 1.8582, size = 83, normalized size = 0.87

$$\frac{\frac{b\left(\frac{a(a+b)}{a+b \tanh^2(c+dx)} - (2a+b) \log(a+b \tanh^2(c+dx))\right)}{(a+b)^2} + 2 \log(\tanh(c+dx))}{a^2} + \frac{2 \log(\cosh(c+dx))}{(a+b)^2}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[c + d\*x]/(a + b\*Tanh[c + d\*x]^2), x]

[Out] ((2\*Log[Cosh[c + d\*x]])/(a + b)^2 + (2\*Log[Tanh[c + d\*x]] + (b\*(-((2\*a + b)\*Log[a + b\*Tanh[c + d\*x]^2)) + (a\*(a + b))/(a + b\*Tanh[c + d\*x]^2)))/(a + b)^2)/a^2)/(2\*d)

**Maple [B]** time = 0.102, size = 325, normalized size = 3.4

$$-\frac{1}{d(a+b)^2} \ln\left(\tanh\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right) - 2 \frac{b^2 (\tanh(1/2 dx + c/2))^2}{d(a+b)^2 a ((\tanh(1/2 dx + c/2))^4 a + 2 (\tanh(1/2 dx + c/2))^2 a + 4 (\tanh(1/2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(d\*x+c)/(a+b\*tanh(d\*x+c)^2)^2,x)

[Out] 
$$-1/d/(a+b)^2 \ln(\tanh(1/2*d*x+1/2*c)+1) - 2/d*b^2/(a+b)^2/a*\tanh(1/2*d*x+1/2*c)^2/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a) - 2/d*b^3/(a+b)^2/a^2*\tanh(1/2*d*x+1/2*c)^2/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a) - 1/d*b/(a+b)^2/a*\ln(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a) - 1/2/d*b^2/(a+b)^2/a^2*\ln(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a) + 1/d/a^2*\ln(\tanh(1/2*d*x+1/2*c)) - 1/d/(a+b)^2*\ln(\tanh(1/2*d*x+1/2*c)-1)$$

---

**Maxima [B]** time = 1.12821, size = 317, normalized size = 3.34

$$\frac{2b^2 e^{(-2dx-2c)}}{(a^4 + 3a^3b + 3a^2b^2 + ab^3 + 2(a^4 + a^3b - a^2b^2 - ab^3)e^{(-2dx-2c)} + (a^4 + 3a^3b + 3a^2b^2 + ab^3)e^{(-4dx-4c)})d} - \frac{(2ab + b^2)}{(a^4 + 3a^3b + 3a^2b^2 + ab^3)e^{(-4dx-4c)}}d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="maxima")

[Out] 
$$2*b^2*e^{(-2*d*x - 2*c)/((a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3 + 2*(a^4 + a^3*b - a^2*b^2 - a*b^3)*e^{(-2*d*x - 2*c)} + (a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*e^{(-4*d*x - 4*c)})*d} - 1/2*(2*a*b + b^2)*\log(2*(a - b)*e^{(-2*d*x - 2*c)} + (a + b)*e^{(-4*d*x - 4*c)} + a + b)/((a^4 + 2*a^3*b + a^2*b^2)*d) + (d*x + c)/((a^2 + 2*a*b + b^2)*d) + \log(e^{(-d*x - c)} + 1)/(a^2*d) + \log(e^{(-d*x - c)} - 1)/(a^2*d)$$

---

**Fricas [B]** time = 3.14217, size = 2678, normalized size = 28.19

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out] 
$$-1/2*(2*(a^3 + a^2*b)*d*x*cosh(d*x + c)^4 + 8*(a^3 + a^2*b)*d*x*cosh(d*x + c)*sinh(d*x + c)^3 + 2*(a^3 + a^2*b)*d*x*sinh(d*x + c)^4 + 2*(a^3 + a^2*b)*d*x - 4*(a*b^2 - (a^3 - a^2*b)*d*x)*cosh(d*x + c)^2 + 4*(3*(a^3 + a^2*b)*d*x*cosh(d*x + c)^2 - a*b^2 + (a^3 - a^2*b)*d*x)*sinh(d*x + c)^2 + ((2*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)^4 + 4*(2*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)*sinh(d*x + c)^3 + (2*a^2*b + 3*a*b^2 + b^3)*sinh(d*x + c)^4 + 2*a^2*b + 3*a*b^2 + b^3 + 2*(2*a^2*b - a*b^2 - b^3)*cosh(d*x + c)^2 + 2*(2*a^2*b - a*b^2 - b^3 + 3*(2*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)^2)*sinh(d*x + c)^2 + 4*((2*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)^3 + (2*a^2*b - a*b^2 - b^3)*cosh(d*x + c))*sinh(d*x + c))*log(2*((a + b)*cosh(d*x + c)^2 + (a + b)*sinh(d*x + c)^2 + a - b)/(cosh(d*x + c)^2 - 2*cosh(d*x + c)*sinh(d*x + c) + sinh(d*x + c)^2)) - 2*((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)^4 + 4*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)*sinh(d*x + c)^3 + (a^3 + 3*a^2*b + 3*a*b^2 + b^3)*sinh(d*x + c)^4 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 2*(a^3 + a^2*b - a*b^2 - b^3)*cosh(d*x + c)^2 + 2*(a^3 + a^2*b - a*b^2 - b^3 + 3*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)^2)*sinh(d*x + c)^2 + 4*((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)^3 + (a^3 + a^2*b - a*b^2 - b^3)*cosh(d*x + c))*sinh(d*x + c))*log(2*sinh(d*x + c)/(cosh(d*x + c) - sinh(d*x + c))) + 8*((a^3 + a^2*b)*d*x*cosh(d*x + c)^3 - (a*b^2 - (a^3 - a^2*b)*d*x)*cosh(d*x + c))*sinh(d*x + c))/((a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*d*cosh(d*x + c)^4 + 4*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*d*cosh(d*x + c)*sinh(d*x + c)^3 + (a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*d*sinh(d*x + c)^4 + 2*(a^5 + a^4*b - a^3*b^2 - a^2*b^3)*d*cosh(d*x + c)^2 + 2*(3*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*d*cosh(d*x + c)^2 + (a^5 + a^4*b - a^3*b^2 - a^2*b^3)*d)*sinh(d*x + c)^2 + (a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*d + 4*((a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*d*cosh(d*x + c)^3 + (a^5 + a^4*b - a^3*b^2 - a^2*b^3)*d*cosh(d*x + c))*sinh(d*x + c))$$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\coth(c + dx)}{(a + b \tanh^2(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)/(a+b\*tanh(d\*x+c)\*\*2)\*\*2,x)

[Out] Integral(coth(c + d\*x)/(a + b\*tanh(c + d\*x)\*\*2)\*\*2, x)

---

**Giac [B]** time = 1.21831, size = 279, normalized size = 2.94

$$\frac{(2ab + b^2) \log(ae^{(4dx+4c)} + be^{(4dx+4c)} + 2ae^{(2dx+2c)} - 2be^{(2dx+2c)} + a + b)}{2(a^4d + 2a^3bd + a^2b^2d)} - \frac{dx + c}{a^2d + 2abd + b^2d} + \frac{1}{(ae^{(4dx+4c)} + be^{(4dx+4c)})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)/(a+b\*tanh(d\*x+c))^2,x, algorithm="giac")

[Out] 
$$-1/2*(2*a*b + b^2)*\log(a*e^{(4*d*x + 4*c)} + b*e^{(4*d*x + 4*c)} + 2*a*e^{(2*d*x + 2*c)} - 2*b*e^{(2*d*x + 2*c)} + a + b)/(a^4*d + 2*a^3*b*d + a^2*b^2*d) - (d*x + c)/(a^2*d + 2*a*b*d + b^2*d) + 2*b^2*e^{(2*d*x + 2*c)}/((a*e^{(4*d*x + 4*c)} + b*e^{(4*d*x + 4*c)} + 2*a*e^{(2*d*x + 2*c)} - 2*b*e^{(2*d*x + 2*c)} + a + b)*(a + b)^2*a*d) + \log(\text{abs}(-e^{(2*d*x + 2*c)} + 1))/(a^2*d)$$

$$3.187 \quad \int \frac{\coth^2(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$$

**Optimal.** Leaf size=119

$$-\frac{b^{3/2}(5a+3b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2a^{5/2}d(a+b)^2} - \frac{(2a+3b) \coth(c+dx)}{2a^2d(a+b)} + \frac{b \coth(c+dx)}{2ad(a+b)(a+b \tanh^2(c+dx))} + \frac{x}{(a+b)^2}$$

[Out] x/(a + b)^2 - (b^(3/2)\*(5\*a + 3\*b)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(2\*a^(5/2)\*(a + b)^2\*d) - ((2\*a + 3\*b)\*Coth[c + d\*x])/(2\*a^2\*(a + b)\*d) + (b\*Coth[c + d\*x])/(2\*a\*(a + b)\*d\*(a + b\*Tanh[c + d\*x]^2))

**Rubi [A]** time = 0.194075, antiderivative size = 119, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {3670, 472, 583, 522, 206, 205}

$$-\frac{b^{3/2}(5a+3b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2a^{5/2}d(a+b)^2} - \frac{(2a+3b) \coth(c+dx)}{2a^2d(a+b)} + \frac{b \coth(c+dx)}{2ad(a+b)(a+b \tanh^2(c+dx))} + \frac{x}{(a+b)^2}$$

Antiderivative was successfully verified.

[In] Int[Coth[c + d\*x]^2/(a + b\*Tanh[c + d\*x]^2),x]

[Out] x/(a + b)^2 - (b^(3/2)\*(5\*a + 3\*b)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(2\*a^(5/2)\*(a + b)^2\*d) - ((2\*a + 3\*b)\*Coth[c + d\*x])/(2\*a^2\*(a + b)\*d) + (b\*Coth[c + d\*x])/(2\*a\*(a + b)\*d\*(a + b\*Tanh[c + d\*x]^2))

### Rule 3670

Int[((d\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_.))^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

### Rule 472

```

Int[((e_.)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_)), x_Symbol] := -Simp[(b*(e*x)^(m + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*e*n*(b*c - a*d)*(p + 1)), x] + Dist[1/(a*n*(b*c - a*d)*(p + 1)), Int[(e*x)^m*(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*b*(m + 1) + n*(b*c - a*d)*(p + 1) + d*b*(m + n*(p + q + 2) + 1)*x^n, x], x] /; FreeQ[{a, b, c, d, e, m, q}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LtQ[p, -1] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]

```

### Rule 583

```

Int[((g_.)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.)*((e_) + (f_.)*(x_)^(n_)), x_Symbol] := Simp[(e*(g*x)^(m + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*c*g*(m + 1)), x] + Dist[1/(a*c*g^n*(m + 1)), Int[(g*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^q*Simp[a*f*c*(m + 1) - e*(b*c + a*d)*(m + n + 1) - e*n*(b*c*p + a*d*q) - b*e*d*(m + n*(p + q + 2) + 1)*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p, q}, x] && IGtQ[n, 0] && LtQ[m, -1]

```

### Rule 522

```

Int[((e_) + (f_.)*(x_)^(n_))/(((a_) + (b_.)*(x_)^(n_))*((c_) + (d_.)*(x_)^(n_))), x_Symbol] := Dist[(b*e - a*f)/(b*c - a*d), Int[1/(a + b*x^n), x], x] - Dist[(d*e - c*f)/(b*c - a*d), Int[1/(c + d*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x]

```

### Rule 206

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

```

### Rule 205

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

```

### Rubi steps

$$\begin{aligned}
\int \frac{\coth^2(c+dx)}{(a+b \tanh^2(c+dx))^2} dx &= \frac{\text{Subst}\left(\int \frac{1}{x^2(1-x^2)(a+bx^2)^2} dx, x, \tanh(c+dx)\right)}{d} \\
&= \frac{b \coth(c+dx)}{2a(a+b)d(a+b \tanh^2(c+dx))} - \frac{\text{Subst}\left(\int \frac{-2a-3b+3bx^2}{x^2(1-x^2)(a+bx^2)} dx, x, \tanh(c+dx)\right)}{2a(a+b)d} \\
&= -\frac{(2a+3b) \coth(c+dx)}{2a^2(a+b)d} + \frac{b \coth(c+dx)}{2a(a+b)d(a+b \tanh^2(c+dx))} + \frac{\text{Subst}\left(\int \frac{2a^2-2ab-3b^2+b(2a-bx^2)}{(1-x^2)(a+bx^2)} dx, x, \tanh(c+dx)\right)}{2a^2(a+b)d} \\
&= -\frac{(2a+3b) \coth(c+dx)}{2a^2(a+b)d} + \frac{b \coth(c+dx)}{2a(a+b)d(a+b \tanh^2(c+dx))} + \frac{\text{Subst}\left(\int \frac{1}{1-x^2} dx, x, \tanh(c+dx)\right)}{(a+b)^2 d} \\
&= \frac{x}{(a+b)^2} - \frac{b^{3/2}(5a+3b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2a^{5/2}(a+b)^2 d} - \frac{(2a+3b) \coth(c+dx)}{2a^2(a+b)d} + \frac{b \coth(c+dx)}{2a(a+b)d(a+b \tanh^2(c+dx))}
\end{aligned}$$

**Mathematica [A]** time = 1.55879, size = 111, normalized size = 0.93

$$\frac{\frac{b^{3/2}(5a+3b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{a^{5/2}(a+b)^2} + \frac{b^2 \sinh(2(c+dx))}{a^2(a+b)((a+b) \cosh(2(c+dx))+a-b)} + \frac{2 \coth(c+dx)}{a^2} - \frac{2(c+dx)}{(a+b)^2}}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[c + d\*x]^2/(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] -((-2\*(c + d\*x))/(a + b)^2 + (b^(3/2)\*(5\*a + 3\*b)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(a^(5/2)\*(a + b)^2) + (2\*Coth[c + d\*x])/a^2 + (b^2\*Sinh[2\*(c + d\*x)]/(a^2\*(a + b)\*(a - b + (a + b)\*Cosh[2\*(c + d\*x)])))/(2\*d)

**Maple [B]** time = 0.108, size = 1061, normalized size = 8.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.



[In]  $\int (\coth(dx+c)^2/(a+b*\tanh(dx+c)^2)^2, x)$

[Out] 
$$\begin{aligned} & -1/2/d/a^2*\tanh(1/2*d*x+1/2*c)+1/d/(a+b)^2*\ln(\tanh(1/2*d*x+1/2*c)+1)-1/d*b^2/ \\ & (a+b)^2/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x \\ & +1/2*c)^2*b+a)/a*\tanh(1/2*d*x+1/2*c)^3-1/d*b^3/(a+b)^2/a^2/(\tanh(1/2*d*x+1/ \\ & 2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)*\tanh(1/2*d* \\ & x+1/2*c)^3-1/d*b^2/(a+b)^2/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2 \\ & *a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)/a*\tanh(1/2*d*x+1/2*c)-1/d*b^3/(a+b)^2/a^2/( \\ & \tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b \\ & +a)*\tanh(1/2*d*x+1/2*c)+5/2/d*b^2/(a+b)^2/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/ \\ & 2)-a-2*b)*a)^(1/2)*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b) \\ & *a)^(1/2))-5/2/d*b^2/(a+b)^2/a/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*\operatorname{arctanh}( \\ & a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))+4/d*b^3/(a+b)^2/ \\ & a/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*\operatorname{arctanh}(a*\tanh(1/2*d* \\ & x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))+5/2/d*b^2/(a+b)^2/(b*(a+b))^( \\ & 1/2)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*( \\ & b*(a+b))^(1/2)+a+2*b)*a)^(1/2))+5/2/d*b^2/(a+b)^2/a/((2*(b*(a+b))^(1/2)+a+2 \\ & *b)*a)^(1/2)*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/ \\ & 2))+4/d*b^3/(a+b)^2/a/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*a \\ & \operatorname{rctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))-3/2/d*b^3/ \\ & (a+b)^2/a^2/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2* \\ & c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))+3/2/d*b^4/(a+b)^2/a^2/(b*(a+b))^(1/ \\ & 2)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b \\ & *(a+b))^(1/2)-a-2*b)*a)^(1/2))+3/2/d*b^3/(a+b)^2/a^2/((2*(b*(a+b))^(1/2)+a+ \\ & 2*b)*a)^(1/2)*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1 \\ & /2))+3/2/d*b^4/(a+b)^2/a^2/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1 \\ & /2)*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))-1/2/d \\ & /a^2/\tanh(1/2*d*x+1/2*c)-1/d/(a+b)^2*\ln(\tanh(1/2*d*x+1/2*c)-1) \end{aligned}$$

---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\coth(dx+c)^2/(a+b*\tanh(dx+c)^2)^2, x, \text{algorithm}=\text{"maxima"})$

[Out] Exception raised: ValueError

---

**Fricas [B]** time = 2.73135, size = 8676, normalized size = 72.91

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [1/4*(4*(a^3 + a^2*b)*d*x*cosh(d*x + c)^6 + 24*(a^3 + a^2*b)*d*x*cosh(d*x + \\ & c)*sinh(d*x + c)^5 + 4*(a^3 + a^2*b)*d*x*sinh(d*x + c)^6 - 4*(2*a^3 + 6*a^2*b + 5*a*b^2 + 3*b^3 - (a^3 - 3*a^2*b)*d*x)*cosh(d*x + c)^4 + 4*(15*(a^3 + \\ & a^2*b)*d*x*cosh(d*x + c)^2 - 2*a^3 - 6*a^2*b - 5*a*b^2 - 3*b^3 + (a^3 - 3*a^2*b)*d*x)*sinh(d*x + c)^4 + 16*(5*(a^3 + a^2*b)*d*x*cosh(d*x + c)^3 - (2* \\ & a^3 + 6*a^2*b + 5*a*b^2 + 3*b^3 - (a^3 - 3*a^2*b)*d*x)*cosh(d*x + c))*sinh(d*x + c)^3 - 8*a^3 - 24*a^2*b - 28*a*b^2 - 12*b^3 - 4*(a^3 + a^2*b)*d*x - 4 \\ & *(4*a^3 + 4*a^2*b - 4*a*b^2 - 6*b^3 + (a^3 - 3*a^2*b)*d*x)*cosh(d*x + c)^2 + 4*(15*(a^3 + a^2*b)*d*x*cosh(d*x + c)^4 - 4*a^3 - 4*a^2*b + 4*a*b^2 + 6*b \\ & ^3 - (a^3 - 3*a^2*b)*d*x - 6*(2*a^3 + 6*a^2*b + 5*a*b^2 + 3*b^3 - (a^3 - 3*a^2*b)*d*x)*cosh(d*x + c)^2)*sinh(d*x + c)^2 + ((5*a^2*b + 8*a*b^2 + 3*b^3) \\ & *cosh(d*x + c)^6 + 6*(5*a^2*b + 8*a*b^2 + 3*b^3)*cosh(d*x + c)*sinh(d*x + c)^5 + (5*a^2*b + 8*a*b^2 + 3*b^3)*sinh(d*x + c)^6 + (5*a^2*b - 12*a*b^2 - 9 \\ & *b^3)*cosh(d*x + c)^4 + (5*a^2*b - 12*a*b^2 - 9*b^3 + 15*(5*a^2*b + 8*a*b^2 + 3*b^3)*cosh(d*x + c)^2)*sinh(d*x + c)^4 + 4*(5*(5*a^2*b + 8*a*b^2 + 3*b^3) \\ & *cosh(d*x + c)^3 + (5*a^2*b - 12*a*b^2 - 9*b^3)*cosh(d*x + c))*sinh(d*x + c)^3 - 5*a^2*b - 8*a*b^2 - 3*b^3 - (5*a^2*b - 12*a*b^2 - 9*b^3)*cosh(d*x + \\ & c)^2 + (15*(5*a^2*b + 8*a*b^2 + 3*b^3)*cosh(d*x + c)^4 - 5*a^2*b + 12*a*b^2 + 9*b^3 + 6*(5*a^2*b - 12*a*b^2 - 9*b^3)*cosh(d*x + c)^2)*sinh(d*x + c)^2 \\ & + 2*(3*(5*a^2*b + 8*a*b^2 + 3*b^3)*cosh(d*x + c)^5 + 2*(5*a^2*b - 12*a*b^2 - 9*b^3)*cosh(d*x + c)^3 - (5*a^2*b - 12*a*b^2 - 9*b^3)*cosh(d*x + c))*sin \\ & h(d*x + c))*sqrt(-b/a)*log(((a^2 + 2*a*b + b^2)*cosh(d*x + c)^4 + 4*(a^2 + 2*a*b + b^2)*cosh(d*x + c)*sinh(d*x + c)^3 + (a^2 + 2*a*b + b^2)*sinh(d*x + \\ & c)^4 + 2*(a^2 - b^2)*cosh(d*x + c)^2 + 2*(3*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^2 + a^2 - b^2)*sinh(d*x + c)^2 + a^2 - 6*a*b + b^2 + 4*((a^2 + 2*a*b + \\ & b^2)*cosh(d*x + c)^3 + (a^2 - b^2)*cosh(d*x + c))*sinh(d*x + c) - 4*((a^2 + a*b)*cosh(d*x + c)^2 + 2*(a^2 + a*b)*cosh(d*x + c)*sinh(d*x + c) + (a^2 + \\ & a*b)*sinh(d*x + c)^2 + a^2 - a*b)*sqrt(-b/a))/((a + b)*cosh(d*x + c)^4 + 4*(a + b)*cosh(d*x + c)*sinh(d*x + c)^3 + (a + b)*sinh(d*x + c)^4 + 2*(a - b) \\ & *cosh(d*x + c)^2 + 2*(3*(a + b)*cosh(d*x + c)^2 + a - b)*sinh(d*x + c)^2 + 4*((a + b)*cosh(d*x + c)^3 + (a - b)*cosh(d*x + c))*sinh(d*x + c) + a + b) \\ & + 8*(3*(a^3 + a^2*b)*d*x*cosh(d*x + c)^5 - 2*(2*a^3 + 6*a^2*b + 5*a*b^2 + 3*b^3 - (a^3 - 3*a^2*b)*d*x)*cosh(d*x + c)^3 - (4*a^3 + 4*a^2*b - 4*a*b^2 - \\ & 6*b^3 + (a^3 - 3*a^2*b)*d*x)*cosh(d*x + c))*sinh(d*x + c))/((a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*d*cosh(d*x + c)^6 + 6*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2 \\ & *b^3)*d*cosh(d*x + c)*sinh(d*x + c)^5 + (a^5 + 3*a^4*b + 3*a^3*b^2 + a^2 \end{aligned}$$

$$\begin{aligned}
& *b^3)*d*\sinh(d*x + c)^6 + (a^5 - a^4*b - 5*a^3*b^2 - 3*a^2*b^3)*d*\cosh(d*x \\
& + c)^4 + (15*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*d*\cosh(d*x + c)^2 + (a^5 \\
& - a^4*b - 5*a^3*b^2 - 3*a^2*b^3)*d)*\sinh(d*x + c)^4 - (a^5 - a^4*b - 5*a^3 \\
& *b^2 - 3*a^2*b^3)*d*\cosh(d*x + c)^2 + 4*(5*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2 \\
& *b^3)*d*\cosh(d*x + c)^3 + (a^5 - a^4*b - 5*a^3*b^2 - 3*a^2*b^3)*d*\cosh(d*x \\
& + c))*\sinh(d*x + c)^3 + (15*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*d*\cosh(d* \\
& x + c)^4 + 6*(a^5 - a^4*b - 5*a^3*b^2 - 3*a^2*b^3)*d*\cosh(d*x + c)^2 - (a^5 \\
& - a^4*b - 5*a^3*b^2 - 3*a^2*b^3)*d)*\sinh(d*x + c)^2 - (a^5 + 3*a^4*b + 3*a \\
& ^3*b^2 + a^2*b^3)*d + 2*(3*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*d*\cosh(d*x \\
& + c)^5 + 2*(a^5 - a^4*b - 5*a^3*b^2 - 3*a^2*b^3)*d*\cosh(d*x + c)^3 - (a^5 \\
& - a^4*b - 5*a^3*b^2 - 3*a^2*b^3)*d*\cosh(d*x + c))*\sinh(d*x + c)), 1/2*(2*(a \\
& ^3 + a^2*b)*d*x*\cosh(d*x + c)^6 + 12*(a^3 + a^2*b)*d*x*\cosh(d*x + c)*\sinh(d \\
& *x + c)^5 + 2*(a^3 + a^2*b)*d*x*\sinh(d*x + c)^6 - 2*(2*a^3 + 6*a^2*b + 5*a* \\
& b^2 + 3*b^3 - (a^3 - 3*a^2*b)*d*x)*\cosh(d*x + c)^4 + 2*(15*(a^3 + a^2*b)*d* \\
& x*\cosh(d*x + c)^2 - 2*a^3 - 6*a^2*b - 5*a*b^2 - 3*b^3 + (a^3 - 3*a^2*b)*d*x \\
& )*\sinh(d*x + c)^4 + 8*(5*(a^3 + a^2*b)*d*x*\cosh(d*x + c)^3 - (2*a^3 + 6*a^2 \\
& *b + 5*a*b^2 + 3*b^3 - (a^3 - 3*a^2*b)*d*x)*\cosh(d*x + c))*\sinh(d*x + c)^3 \\
& - 4*a^3 - 12*a^2*b - 14*a*b^2 - 6*b^3 - 2*(a^3 + a^2*b)*d*x - 2*(4*a^3 + 4* \\
& a^2*b - 4*a*b^2 - 6*b^3 + (a^3 - 3*a^2*b)*d*x)*\cosh(d*x + c)^2 + 2*(15*(a^3 \\
& + a^2*b)*d*x*\cosh(d*x + c)^4 - 4*a^3 - 4*a^2*b + 4*a*b^2 + 6*b^3 - (a^3 - \\
& 3*a^2*b)*d*x - 6*(2*a^3 + 6*a^2*b + 5*a*b^2 + 3*b^3 - (a^3 - 3*a^2*b)*d*x)* \\
& \cosh(d*x + c)^2)*\sinh(d*x + c)^2 - ((5*a^2*b + 8*a*b^2 + 3*b^3)*\cosh(d*x + \\
& c)^6 + 6*(5*a^2*b + 8*a*b^2 + 3*b^3)*\cosh(d*x + c)*\sinh(d*x + c)^5 + (5*a^2 \\
& *b + 8*a*b^2 + 3*b^3)*\sinh(d*x + c)^6 + (5*a^2*b - 12*a*b^2 - 9*b^3)*\cosh(d \\
& *x + c)^4 + (5*a^2*b - 12*a*b^2 - 9*b^3 + 15*(5*a^2*b + 8*a*b^2 + 3*b^3)*co \\
& sh(d*x + c)^2)*\sinh(d*x + c)^4 + 4*(5*(5*a^2*b + 8*a*b^2 + 3*b^3)*\cosh(d*x \\
& + c)^3 + (5*a^2*b - 12*a*b^2 - 9*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^3 - 5*a^ \\
& 2*b - 8*a*b^2 - 3*b^3 - (5*a^2*b - 12*a*b^2 - 9*b^3)*\cosh(d*x + c)^2 + (15* \\
& (5*a^2*b + 8*a*b^2 + 3*b^3)*\cosh(d*x + c)^4 - 5*a^2*b + 12*a*b^2 + 9*b^3 + \\
& 6*(5*a^2*b - 12*a*b^2 - 9*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 + 2*(3*(5*a \\
& ^2*b + 8*a*b^2 + 3*b^3)*\cosh(d*x + c)^5 + 2*(5*a^2*b - 12*a*b^2 - 9*b^3)*co \\
& sh(d*x + c)^3 - (5*a^2*b - 12*a*b^2 - 9*b^3)*\cosh(d*x + c))*\sinh(d*x + c))* \\
& \sqrt{b/a}*\arctan(1/2*((a + b)*\cosh(d*x + c)^2 + 2*(a + b)*\cosh(d*x + c)*\sin \\
& h(d*x + c) + (a + b)*\sinh(d*x + c)^2 + a - b)*\sqrt{b/a}/b) + 4*(3*(a^3 + a^ \\
& 2*b)*d*x*\cosh(d*x + c)^5 - 2*(2*a^3 + 6*a^2*b + 5*a*b^2 + 3*b^3 - (a^3 - 3* \\
& a^2*b)*d*x)*\cosh(d*x + c)^3 - (4*a^3 + 4*a^2*b - 4*a*b^2 - 6*b^3 + (a^3 - 3 \\
& *a^2*b)*d*x)*\cosh(d*x + c))*\sinh(d*x + c))/((a^5 + 3*a^4*b + 3*a^3*b^2 + a^ \\
& 2*b^3)*d*\cosh(d*x + c)^6 + 6*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*d*\cosh(d \\
& *x + c)*\sinh(d*x + c)^5 + (a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*d*\sinh(d*x \\
& + c)^6 + (a^5 - a^4*b - 5*a^3*b^2 - 3*a^2*b^3)*d*\cosh(d*x + c)^4 + (15*(a^5 \\
& + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*d*\cosh(d*x + c)^2 + (a^5 - a^4*b - 5*a^3* \\
& b^2 - 3*a^2*b^3)*d)*\sinh(d*x + c)^4 - (a^5 - a^4*b - 5*a^3*b^2 - 3*a^2*b^3) \\
& *d*\cosh(d*x + c)^2 + 4*(5*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*d*\cosh(d*x \\
& + c)^3 + (a^5 - a^4*b - 5*a^3*b^2 - 3*a^2*b^3)*d*\cosh(d*x + c))*\sinh(d*x + \\
& c)^3 + (15*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*d*\cosh(d*x + c)^4 + 6*(a^5
\end{aligned}$$

- a<sup>4</sup>\*b - 5\*a<sup>3</sup>\*b<sup>2</sup> - 3\*a<sup>2</sup>\*b<sup>3</sup>)\*d\*cosh(d\*x + c)<sup>2</sup> - (a<sup>5</sup> - a<sup>4</sup>\*b - 5\*a<sup>3</sup>\*b<sup>2</sup> - 3\*a<sup>2</sup>\*b<sup>3</sup>)\*d)\*sinh(d\*x + c)<sup>2</sup> - (a<sup>5</sup> + 3\*a<sup>4</sup>\*b + 3\*a<sup>3</sup>\*b<sup>2</sup> + a<sup>2</sup>\*b<sup>3</sup>)\*d + 2\*(3\*(a<sup>5</sup> + 3\*a<sup>4</sup>\*b + 3\*a<sup>3</sup>\*b<sup>2</sup> + a<sup>2</sup>\*b<sup>3</sup>)\*d\*cosh(d\*x + c)<sup>5</sup> + 2\*(a<sup>5</sup> - a<sup>4</sup>\*b - 5\*a<sup>3</sup>\*b<sup>2</sup> - 3\*a<sup>2</sup>\*b<sup>3</sup>)\*d\*cosh(d\*x + c)<sup>3</sup> - (a<sup>5</sup> - a<sup>4</sup>\*b - 5\*a<sup>3</sup>\*b<sup>2</sup> - 3\*a<sup>2</sup>\*b<sup>3</sup>)\*d\*cosh(d\*x + c))\*sinh(d\*x + c))]

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\coth^2(c + dx)}{(a + b \tanh^2(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)\*\*2/(a+b\*tanh(d\*x+c)\*\*2)\*\*2,x)

[Out] Integral(coth(c + d\*x)\*\*2/(a + b\*tanh(c + d\*x)\*\*2)\*\*2, x)

**Giac [B]** time = 1.25187, size = 464, normalized size = 3.9

$$-\frac{(5ab^2 + 3b^3) \arctan\left(\frac{ae^{(2dx+2c)} + be^{(2dx+2c)} + a - b}{2\sqrt{ab}}\right)}{2(a^4d + 2a^3bd + a^2b^2d)\sqrt{ab}} + \frac{dx + c}{a^2d + 2abd + b^2d} - \frac{2a^3e^{(4dx+4c)} + 6a^2be^{(4dx+4c)} + 5ab^2e^{(4dx+4c)} + 3b^3e^{(4dx+4c)}}{(a^4d + 2a^3bd + a^2b^2d)(ae^{(6dx+6c)} + b^3e^{(6dx+6c)})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out] -1/2\*(5\*a\*b<sup>2</sup> + 3\*b<sup>3</sup>)\*arctan(1/2\*(a\*e<sup>(2\*d\*x + 2\*c)</sup> + b\*e<sup>(2\*d\*x + 2\*c)</sup> + a - b)/sqrt(a\*b))/((a<sup>4</sup>\*d + 2\*a<sup>3</sup>\*b\*d + a<sup>2</sup>\*b<sup>2</sup>\*d)\*sqrt(a\*b)) + (d\*x + c)/((a<sup>2</sup>\*d + 2\*a\*b\*d + b<sup>2</sup>\*d) - (2\*a<sup>3</sup>\*e<sup>(4\*d\*x + 4\*c)</sup> + 6\*a<sup>2</sup>\*b\*e<sup>(4\*d\*x + 4\*c)</sup> + 5\*a\*b<sup>2</sup>\*e<sup>(4\*d\*x + 4\*c)</sup> + 3\*b<sup>3</sup>\*e<sup>(4\*d\*x + 4\*c)</sup> + 4\*a<sup>3</sup>\*e<sup>(2\*d\*x + 2\*c)</sup> + 4\*a<sup>2</sup>\*b\*e<sup>(2\*d\*x + 2\*c)</sup> - 4\*a\*b<sup>2</sup>\*e<sup>(2\*d\*x + 2\*c)</sup> - 6\*b<sup>3</sup>\*e<sup>(2\*d\*x + 2\*c)</sup> + 2\*a<sup>3</sup> + 6\*a<sup>2</sup>\*b + 7\*a\*b<sup>2</sup> + 3\*b<sup>3</sup>)/((a<sup>4</sup>\*d + 2\*a<sup>3</sup>\*b\*d + a<sup>2</sup>\*b<sup>2</sup>\*d)\*(a\*e<sup>(6\*d\*x + 6\*c)</sup> + b\*e<sup>(6\*d\*x + 6\*c)</sup> + a\*e<sup>(4\*d\*x + 4\*c)</sup> - 3\*b\*e<sup>(4\*d\*x + 4\*c)</sup> - a\*e<sup>(2\*d\*x + 2\*c)</sup> + 3\*b\*e<sup>(2\*d\*x + 2\*c)</sup> - a - b))

$$3.188 \quad \int \frac{\coth^3(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$$

**Optimal.** Leaf size=124

$$-\frac{b^2}{2a^2d(a+b)(a+b \tanh^2(c+dx))} + \frac{b^2(3a+2b) \log(a+b \tanh^2(c+dx))}{2a^3d(a+b)^2} + \frac{(a-2b) \log(\tanh(c+dx))}{a^3d} - \frac{\coth^2(c+dx)}{2a^2d}$$

[Out]  $-\text{Coth}[c + d*x]^2/(2*a^2*d) + \text{Log}[\text{Cosh}[c + d*x]]/((a + b)^2*d) + ((a - 2*b)*\text{Log}[\text{Tanh}[c + d*x]])/(a^3*d) + (b^2*(3*a + 2*b)*\text{Log}[a + b*\text{Tanh}[c + d*x]^2])/(2*a^3*(a + b)^2*d) - b^2/(2*a^2*(a + b)*d*(a + b*\text{Tanh}[c + d*x]^2))$

**Rubi [A]** time = 0.188638, antiderivative size = 124, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$ , Rules used = {3670, 446, 88}

$$-\frac{b^2}{2a^2d(a+b)(a+b \tanh^2(c+dx))} + \frac{b^2(3a+2b) \log(a+b \tanh^2(c+dx))}{2a^3d(a+b)^2} + \frac{(a-2b) \log(\tanh(c+dx))}{a^3d} - \frac{\coth^2(c+dx)}{2a^2d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Coth}[c + d*x]^3/(a + b*\text{Tanh}[c + d*x]^2)^2, x]$

[Out]  $-\text{Coth}[c + d*x]^2/(2*a^2*d) + \text{Log}[\text{Cosh}[c + d*x]]/((a + b)^2*d) + ((a - 2*b)*\text{Log}[\text{Tanh}[c + d*x]])/(a^3*d) + (b^2*(3*a + 2*b)*\text{Log}[a + b*\text{Tanh}[c + d*x]^2])/(2*a^3*(a + b)^2*d) - b^2/(2*a^2*(a + b)*d*(a + b*\text{Tanh}[c + d*x]^2))$

### Rule 3670

$\text{Int}[(d_*)*\text{tan}[(e_*) + (f_*)(x_)]^{(m_*)}*((a_*) + (b_*)*((c_*)*\text{tan}[(e_*) + (f_*)(x_)]^{(n_*)})^{(p_*)}), x\_Symbol] := \text{With}[\{ff = \text{FreeFactors}[\text{Tan}[e + f*x], x]\}, \text{Dist}[(c*ff)/f, \text{Subst}[\text{Int}[(d*ff*x)/c]^{m*}(a + b*(ff*x)^n)^p/(c^2 + f^2*x^2), x], x, (c*\text{Tan}[e + f*x])/ff], x] /; \text{FreeQ}\{a, b, c, d, e, f, m, n, p\}, x] \&\& (\text{IGtQ}[p, 0] \|\ \text{EqQ}[n, 2] \|\ \text{EqQ}[n, 4] \|\ (\text{IntegerQ}[p] \&\& \text{RationalQ}[n]))$

### Rule 446

$\text{Int}[(x_*)^{(m_*)}*((a_*) + (b_*)(x_*)^{(n_*)})^{(p_*)}*((c_*) + (d_*)(x_*)^{(n_*)})^{(q_*)}), x\_Symbol] := \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1)*(a + b*x)^p}$

$*(c + d*x)^q, x], x, x^n], x] /; \text{FreeQ}[\{a, b, c, d, m, n, p, q\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

### Rule 88

$\text{Int}[(a_. + (b_.)*(x_.))^{(m_.)*((c_.) + (d_.)*(x_.))^{(n_.)*((e_.) + (f_.)*(x_.))^{(p_.)}, x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p, x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, p\}, x] \ \&\& \ \text{IntegersQ}[m, n] \ \&\& \ (\text{IntegerQ}[p] \ || \ (\text{GtQ}[m, 0] \ \&\& \ \text{GeQ}[n, -1]))$

### Rubi steps

$$\begin{aligned} \int \frac{\coth^3(c + dx)}{(a + b \tanh^2(c + dx))^2} dx &= \frac{\text{Subst}\left(\int \frac{1}{x^3(1-x^2)(a+bx)^2} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{\text{Subst}\left(\int \frac{1}{(1-x)x^2(a+bx)^2} dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= \frac{\text{Subst}\left(\int \left(-\frac{1}{(a+b)^2(-1+x)} + \frac{1}{a^2x^2} + \frac{a-2b}{a^3x} + \frac{b^3}{a^2(a+b)(a+bx)^2} + \frac{b^3(3a+2b)}{a^3(a+b)^2(a+bx)}\right) dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= -\frac{\coth^2(c + dx)}{2a^2d} + \frac{\log(\cosh(c + dx))}{(a + b)^2d} + \frac{(a - 2b) \log(\tanh(c + dx))}{a^3d} + \frac{b^2(3a + 2b) \log(a + b \tanh^2(c + dx))}{2a^3(a + b)^2d} \end{aligned}$$

**Mathematica [A]** time = 0.799968, size = 93, normalized size = 0.75

$$\frac{\frac{b^3}{a^3(a+b)(a \coth^2(c+dx)+b)} + \frac{b^2(3a+2b) \log(a \coth^2(c+dx)+b)}{a^3(a+b)^2} - \frac{\coth^2(c+dx)}{a^2} + \frac{2 \log(\sinh(c+dx))}{(a+b)^2}}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[c + d\*x]^3/(a + b\*Tanh[c + d\*x]^2)^2, x]

[Out]  $(-(\text{Coth}[c + d*x]^2/a^2) + b^3/(a^3*(a + b)*(b + a*\text{Coth}[c + d*x]^2)) + (b^2*(3*a + 2*b)*\text{Log}[b + a*\text{Coth}[c + d*x]^2])/(a^3*(a + b)^2) + (2*\text{Log}[\text{Sinh}[c + d*x]])/(a + b)^2)/(2*d)$

**Maple [B]** time = 0.113, size = 383, normalized size = 3.1

$$-\frac{1}{8da^2} \left( \tanh\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^2 - \frac{1}{d(a+b)^2} \ln\left(\tanh\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right) + 2 \frac{b^3 (\tanh(1/2 dx + c/2))^4 a + 2 (\tanh(1/2 dx + c/2))^2 a^2}{d(a+b)^2 a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2)^2,x)

[Out] 
$$-1/8/d*\tanh(1/2*d*x+1/2*c)^2/a^2-1/d/(a+b)^2*\ln(\tanh(1/2*d*x+1/2*c)+1)+2/d*b^3/(a+b)^2/a^2*\tanh(1/2*d*x+1/2*c)^2/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)+2/d*b^4/a^3/(a+b)^2*\tanh(1/2*d*x+1/2*c)^2/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)+3/2/d*b^2/(a+b)^2/a^2*\ln(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)+1/d*b^3/a^3/(a+b)^2*\ln(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)-1/8/d/a^2/\tanh(1/2*d*x+1/2*c)^2+1/d/a^2*\ln(\tanh(1/2*d*x+1/2*c))-2/d/a^3*\ln(\tanh(1/2*d*x+1/2*c))*b-1/d/(a+b)^2*\ln(\tanh(1/2*d*x+1/2*c))-1$$

**Maxima [B]** time = 1.16502, size = 543, normalized size = 4.38

$$\frac{(3ab^2 + 2b^3) \log(2(a-b)e^{(-2dx-2c)} + (a+b)e^{(-4dx-4c)} + a + b)}{2(a^5 + 2a^4b + a^3b^2)d} + \frac{dx + c}{(a^2 + 2ab + b^2)d} - \frac{b^3 (\tanh(1/2 dx + c/2))^4 a + 2 (\tanh(1/2 dx + c/2))^2 a^2}{d(a+b)^2 a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="maxima")

[Out] 
$$1/2*(3*a*b^2 + 2*b^3)*\log(2*(a - b)*e^{(-2*d*x - 2*c)} + (a + b)*e^{(-4*d*x - 4*c)} + a + b)/((a^5 + 2*a^4*b + a^3*b^2)*d) + (d*x + c)/((a^2 + 2*a*b + b^2)*d) - 2*((a^3 + 3*a^2*b + 3*a*b^2 + 2*b^3)*e^{(-2*d*x - 2*c)} + 2*(a^3 + a^2*b - a*b^2 - 2*b^3)*e^{(-4*d*x - 4*c)} + (a^3 + 3*a^2*b + 3*a*b^2 + 2*b^3)*e^{(-6*d*x - 6*c)})/((a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3 - 4*(a^4*b + 2*a^3*b^2 + a^2*b^3))*e^{(-2*d*x - 2*c)} - 2*(a^5 - a^4*b - 5*a^3*b^2 - 3*a^2*b^3)*e^{(-4*d*x - 4*c)} - 4*(a^4*b + 2*a^3*b^2 + a^2*b^3)*e^{(-6*d*x - 6*c)} + (a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*e^{(-8*d*x - 8*c)})*d) + (a - 2*b)*\log(e^{(-d*x - c)} + 1)/(a^3*d) + (a - 2*b)*\log(e^{(-d*x - c)} - 1)/(a^3*d)$$

**Fricas [B]** time = 4.11124, size = 7919, normalized size = 63.86

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out] 
$$\begin{aligned} & -1/2*(2*(a^4 + a^3*b)*d*x*cosh(d*x + c)^8 + 16*(a^4 + a^3*b)*d*x*cosh(d*x + \\ & c)*sinh(d*x + c)^7 + 2*(a^4 + a^3*b)*d*x*sinh(d*x + c)^8 - 4*(2*a^3*b*d*x \\ & - a^4 - 3*a^3*b - 3*a^2*b^2 - 2*a*b^3)*cosh(d*x + c)^6 - 4*(2*a^3*b*d*x - 1 \\ & 4*(a^4 + a^3*b)*d*x*cosh(d*x + c)^2 - a^4 - 3*a^3*b - 3*a^2*b^2 - 2*a*b^3)* \\ & sinh(d*x + c)^6 + 8*(14*(a^4 + a^3*b)*d*x*cosh(d*x + c)^3 - 3*(2*a^3*b*d*x \\ & - a^4 - 3*a^3*b - 3*a^2*b^2 - 2*a*b^3)*cosh(d*x + c))*sinh(d*x + c)^5 + 4*( \\ & 2*a^4 + 2*a^3*b - 2*a^2*b^2 - 4*a*b^3 - (a^4 - 3*a^3*b)*d*x)*cosh(d*x + c)^ \\ & 4 + 4*(35*(a^4 + a^3*b)*d*x*cosh(d*x + c)^4 + 2*a^4 + 2*a^3*b - 2*a^2*b^2 - \\ & 4*a*b^3 - (a^4 - 3*a^3*b)*d*x - 15*(2*a^3*b*d*x - a^4 - 3*a^3*b - 3*a^2*b^ \\ & 2 - 2*a*b^3)*cosh(d*x + c)^2)*sinh(d*x + c)^4 + 16*(7*(a^4 + a^3*b)*d*x*cos \\ & h(d*x + c)^5 - 5*(2*a^3*b*d*x - a^4 - 3*a^3*b - 3*a^2*b^2 - 2*a*b^3)*cosh(d \\ & *x + c)^3 + (2*a^4 + 2*a^3*b - 2*a^2*b^2 - 4*a*b^3 - (a^4 - 3*a^3*b)*d*x)*c \\ & osh(d*x + c))*sinh(d*x + c)^3 + 2*(a^4 + a^3*b)*d*x - 4*(2*a^3*b*d*x - a^4 \\ & - 3*a^3*b - 3*a^2*b^2 - 2*a*b^3)*cosh(d*x + c)^2 + 4*(14*(a^4 + a^3*b)*d*x* \\ & cosh(d*x + c)^6 - 2*a^3*b*d*x - 15*(2*a^3*b*d*x - a^4 - 3*a^3*b - 3*a^2*b^2 \\ & - 2*a*b^3)*cosh(d*x + c)^4 + a^4 + 3*a^3*b + 3*a^2*b^2 + 2*a*b^3 + 6*(2*a^ \\ & 4 + 2*a^3*b - 2*a^2*b^2 - 4*a*b^3 - (a^4 - 3*a^3*b)*d*x)*cosh(d*x + c)^2)*s \\ & inh(d*x + c)^2 - ((3*a^2*b^2 + 5*a*b^3 + 2*b^4)*cosh(d*x + c)^8 + 8*(3*a^2*b \\ & b^2 + 5*a*b^3 + 2*b^4)*cosh(d*x + c)*sinh(d*x + c)^7 + (3*a^2*b^2 + 5*a*b^3 \\ & + 2*b^4)*sinh(d*x + c)^8 - 4*(3*a*b^3 + 2*b^4)*cosh(d*x + c)^6 - 4*(3*a*b^ \\ & 3 + 2*b^4 - 7*(3*a^2*b^2 + 5*a*b^3 + 2*b^4)*cosh(d*x + c)^2)*sinh(d*x + c)^ \\ & 6 + 8*(7*(3*a^2*b^2 + 5*a*b^3 + 2*b^4)*cosh(d*x + c)^3 - 3*(3*a*b^3 + 2*b^4 \\ & )*cosh(d*x + c))*sinh(d*x + c)^5 - 2*(3*a^2*b^2 - 7*a*b^3 - 6*b^4)*cosh(d*x \\ & + c)^4 + 2*(35*(3*a^2*b^2 + 5*a*b^3 + 2*b^4)*cosh(d*x + c)^4 - 3*a^2*b^2 + \\ & 7*a*b^3 + 6*b^4 - 30*(3*a*b^3 + 2*b^4)*cosh(d*x + c)^2)*sinh(d*x + c)^4 + \\ & 3*a^2*b^2 + 5*a*b^3 + 2*b^4 + 8*(7*(3*a^2*b^2 + 5*a*b^3 + 2*b^4)*cosh(d*x + \\ & c)^5 - 10*(3*a*b^3 + 2*b^4)*cosh(d*x + c)^3 - (3*a^2*b^2 - 7*a*b^3 - 6*b^4 \\ & )*cosh(d*x + c))*sinh(d*x + c)^3 - 4*(3*a*b^3 + 2*b^4)*cosh(d*x + c)^2 + 4* \\ & (7*(3*a^2*b^2 + 5*a*b^3 + 2*b^4)*cosh(d*x + c)^6 - 15*(3*a*b^3 + 2*b^4)*cos \\ & h(d*x + c)^4 - 3*a*b^3 - 2*b^4 - 3*(3*a^2*b^2 - 7*a*b^3 - 6*b^4)*cosh(d*x + \\ & c)^2)*sinh(d*x + c)^2 + 8*((3*a^2*b^2 + 5*a*b^3 + 2*b^4)*cosh(d*x + c)^7 - \\ & 3*(3*a*b^3 + 2*b^4)*cosh(d*x + c)^5 - (3*a^2*b^2 - 7*a*b^3 - 6*b^4)*cosh(d \\ & *x + c)^3 - (3*a*b^3 + 2*b^4)*cosh(d*x + c))*sinh(d*x + c))*log(2*((a + b)* \\ & cosh(d*x + c)^2 + (a + b)*sinh(d*x + c)^2 + a - b)/(cosh(d*x + c)^2 - 2*cos \\ & h(d*x + c)*sinh(d*x + c) + sinh(d*x + c)^2)) - 2*((a^4 + a^3*b - 3*a^2*b^2 \\ & - 5*a*b^3 - 2*b^4)*cosh(d*x + c)^8 + 8*(a^4 + a^3*b - 3*a^2*b^2 - 5*a*b^3 - \end{aligned}$$



$$\begin{aligned}
& 2*b^4)*\cosh(d*x + c)*\sinh(d*x + c)^7 + (a^4 + a^3*b - 3*a^2*b^2 - 5*a*b^3 \\
& - 2*b^4)*\sinh(d*x + c)^8 - 4*(a^3*b - 3*a*b^3 - 2*b^4)*\cosh(d*x + c)^6 - 4* \\
& (a^3*b - 3*a*b^3 - 2*b^4 - 7*(a^4 + a^3*b - 3*a^2*b^2 - 5*a*b^3 - 2*b^4)*\co \\
& sh(d*x + c)^2)*\sinh(d*x + c)^6 + 8*(7*(a^4 + a^3*b - 3*a^2*b^2 - 5*a*b^3 - \\
& 2*b^4)*\cosh(d*x + c)^3 - 3*(a^3*b - 3*a*b^3 - 2*b^4)*\cosh(d*x + c))*\sinh(d* \\
& x + c)^5 - 2*(a^4 - 3*a^3*b - 3*a^2*b^2 + 7*a*b^3 + 6*b^4)*\cosh(d*x + c)^4 \\
& + 2*(35*(a^4 + a^3*b - 3*a^2*b^2 - 5*a*b^3 - 2*b^4)*\cosh(d*x + c)^4 - a^4 + \\
& 3*a^3*b + 3*a^2*b^2 - 7*a*b^3 - 6*b^4 - 30*(a^3*b - 3*a*b^3 - 2*b^4)*\cosh( \\
& d*x + c)^2)*\sinh(d*x + c)^4 + a^4 + a^3*b - 3*a^2*b^2 - 5*a*b^3 - 2*b^4 + 8 \\
& *(7*(a^4 + a^3*b - 3*a^2*b^2 - 5*a*b^3 - 2*b^4)*\cosh(d*x + c)^5 - 10*(a^3*b \\
& - 3*a*b^3 - 2*b^4)*\cosh(d*x + c)^3 - (a^4 - 3*a^3*b - 3*a^2*b^2 + 7*a*b^3 \\
& + 6*b^4)*\cosh(d*x + c))*\sinh(d*x + c)^3 - 4*(a^3*b - 3*a*b^3 - 2*b^4)*\cosh( \\
& d*x + c)^2 + 4*(7*(a^4 + a^3*b - 3*a^2*b^2 - 5*a*b^3 - 2*b^4)*\cosh(d*x + c) \\
& ^6 - 15*(a^3*b - 3*a*b^3 - 2*b^4)*\cosh(d*x + c)^4 - a^3*b + 3*a*b^3 + 2*b^4 \\
& - 3*(a^4 - 3*a^3*b - 3*a^2*b^2 + 7*a*b^3 + 6*b^4)*\cosh(d*x + c)^2)*\sinh(d* \\
& x + c)^2 + 8*((a^4 + a^3*b - 3*a^2*b^2 - 5*a*b^3 - 2*b^4)*\cosh(d*x + c)^7 - \\
& 3*(a^3*b - 3*a*b^3 - 2*b^4)*\cosh(d*x + c)^5 - (a^4 - 3*a^3*b - 3*a^2*b^2 + \\
& 7*a*b^3 + 6*b^4)*\cosh(d*x + c)^3 - (a^3*b - 3*a*b^3 - 2*b^4)*\cosh(d*x + c) \\
& )*\sinh(d*x + c))*\log(2*\sinh(d*x + c)/(\cosh(d*x + c) - \sinh(d*x + c))) + 8*( \\
& 2*(a^4 + a^3*b)*d*x*\cosh(d*x + c)^7 - 3*(2*a^3*b*d*x - a^4 - 3*a^3*b - 3*a^ \\
& 2*b^2 - 2*a*b^3)*\cosh(d*x + c)^5 + 2*(2*a^4 + 2*a^3*b - 2*a^2*b^2 - 4*a*b^3 \\
& - (a^4 - 3*a^3*b)*d*x)*\cosh(d*x + c)^3 - (2*a^3*b*d*x - a^4 - 3*a^3*b - 3* \\
& a^2*b^2 - 2*a*b^3)*\cosh(d*x + c))*\sinh(d*x + c))/((a^6 + 3*a^5*b + 3*a^4*b^ \\
& 2 + a^3*b^3)*d*\cosh(d*x + c)^8 + 8*(a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3)*d* \\
& \cosh(d*x + c)*\sinh(d*x + c)^7 + (a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3)*d*\sin \\
& h(d*x + c)^8 - 4*(a^5*b + 2*a^4*b^2 + a^3*b^3)*d*\cosh(d*x + c)^6 + 4*(7*(a^ \\
& 6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3)*d*\cosh(d*x + c)^2 - (a^5*b + 2*a^4*b^2 + \\
& a^3*b^3)*d)*\sinh(d*x + c)^6 - 2*(a^6 - a^5*b - 5*a^4*b^2 - 3*a^3*b^3)*d*\co \\
& sh(d*x + c)^4 + 8*(7*(a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3)*d*\cosh(d*x + c)^ \\
& 3 - 3*(a^5*b + 2*a^4*b^2 + a^3*b^3)*d*\cosh(d*x + c))*\sinh(d*x + c)^5 + 2*(3 \\
& 5*(a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3)*d*\cosh(d*x + c)^4 - 30*(a^5*b + 2*a \\
& ^4*b^2 + a^3*b^3)*d*\cosh(d*x + c)^2 - (a^6 - a^5*b - 5*a^4*b^2 - 3*a^3*b^3) \\
& *d)*\sinh(d*x + c)^4 - 4*(a^5*b + 2*a^4*b^2 + a^3*b^3)*d*\cosh(d*x + c)^2 + 8 \\
& *(7*(a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3)*d*\cosh(d*x + c)^5 - 10*(a^5*b + 2 \\
& *a^4*b^2 + a^3*b^3)*d*\cosh(d*x + c)^3 - (a^6 - a^5*b - 5*a^4*b^2 - 3*a^3*b^ \\
& 3)*d*\cosh(d*x + c))*\sinh(d*x + c)^3 + 4*(7*(a^6 + 3*a^5*b + 3*a^4*b^2 + a^3 \\
& *b^3)*d*\cosh(d*x + c)^6 - 15*(a^5*b + 2*a^4*b^2 + a^3*b^3)*d*\cosh(d*x + c)^ \\
& 4 - 3*(a^6 - a^5*b - 5*a^4*b^2 - 3*a^3*b^3)*d*\cosh(d*x + c)^2 - (a^5*b + 2* \\
& a^4*b^2 + a^3*b^3)*d)*\sinh(d*x + c)^2 + (a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^ \\
& 3)*d + 8*((a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3)*d*\cosh(d*x + c)^7 - 3*(a^5* \\
& b + 2*a^4*b^2 + a^3*b^3)*d*\cosh(d*x + c)^5 - (a^6 - a^5*b - 5*a^4*b^2 - 3*a \\
& ^3*b^3)*d*\cosh(d*x + c)^3 - (a^5*b + 2*a^4*b^2 + a^3*b^3)*d*\cosh(d*x + c))* \\
& \sinh(d*x + c)
\end{aligned}$$

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\coth^3(c + dx)}{(a + b \tanh^2(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)\*\*3/(a+b\*tanh(d\*x+c)\*\*2)\*\*2,x)

[Out] Integral(coth(c + d\*x)\*\*3/(a + b\*tanh(c + d\*x)\*\*2)\*\*2, x)

---

**Giac [B]** time = 1.28295, size = 450, normalized size = 3.63

$$\frac{(3ab^2 + 2b^3) \log(ae^{(4dx+4c)} + be^{(4dx+4c)} + 2ae^{(2dx+2c)} - 2be^{(2dx+2c)} + a + b)}{2(a^5d + 2a^4bd + a^3b^2d)} - \frac{dx + c}{a^2d + 2abd + b^2d} + \frac{(a - 2b) \log(|e^{(2dx+2c)} - 1|)}{a^3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out] 1/2\*(3\*a\*b^2 + 2\*b^3)\*log(a\*e^(4\*d\*x + 4\*c) + b\*e^(4\*d\*x + 4\*c) + 2\*a\*e^(2\*d\*x + 2\*c) - 2\*b\*e^(2\*d\*x + 2\*c) + a + b)/(a^5\*d + 2\*a^4\*b\*d + a^3\*b^2\*d) - (d\*x + c)/(a^2\*d + 2\*a\*b\*d + b^2\*d) + (a - 2\*b)\*log(abs(e^(2\*d\*x + 2\*c) - 1))/(a^3\*d) - 2\*((a^4 + 3\*a^3\*b + 3\*a^2\*b^2 + 2\*a\*b^3)\*e^(6\*d\*x + 6\*c)/(a + b) + 2\*(a^4 + a^3\*b - a^2\*b^2 - 2\*a\*b^3)\*e^(4\*d\*x + 4\*c)/(a + b) + (a^4 + 3\*a^3\*b + 3\*a^2\*b^2 + 2\*a\*b^3)\*e^(2\*d\*x + 2\*c)/(a + b))/((a\*e^(4\*d\*x + 4\*c) + b\*e^(4\*d\*x + 4\*c) + 2\*a\*e^(2\*d\*x + 2\*c) - 2\*b\*e^(2\*d\*x + 2\*c) + a + b)\*(a + b)\*a^3\*d\*(e^(2\*d\*x + 2\*c) - 1)^2)

$$3.189 \quad \int \frac{\coth^4(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$$

**Optimal.** Leaf size=159

$$-\frac{(2a^2 - 2ab - 5b^2) \coth(c+dx)}{2a^3 d(a+b)} + \frac{b^{5/2}(7a+5b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2a^{7/2} d(a+b)^2} - \frac{(2a+5b) \coth^3(c+dx)}{6a^2 d(a+b)} + \frac{b \coth^3(c+dx)}{2ad(a+b)(a+b \tanh^2(c+dx))}$$

```
[Out] x/(a + b)^2 + (b^(5/2)*(7*a + 5*b)*ArcTan[(Sqrt[b]*Tanh[c + d*x])/Sqrt[a]])
/(2*a^(7/2)*(a + b)^2*d) - ((2*a^2 - 2*a*b - 5*b^2)*Coth[c + d*x])/(2*a^3*(
a + b)*d) - ((2*a + 5*b)*Coth[c + d*x]^3)/(6*a^2*(a + b)*d) + (b*Coth[c + d
*x]^3)/(2*a*(a + b)*d*(a + b*Tanh[c + d*x]^2))
```

**Rubi [A]** time = 0.282777, antiderivative size = 159, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {3670, 472, 583, 522, 206, 205}

$$-\frac{(2a^2 - 2ab - 5b^2) \coth(c+dx)}{2a^3 d(a+b)} + \frac{b^{5/2}(7a+5b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2a^{7/2} d(a+b)^2} - \frac{(2a+5b) \coth^3(c+dx)}{6a^2 d(a+b)} + \frac{b \coth^3(c+dx)}{2ad(a+b)(a+b \tanh^2(c+dx))}$$

Antiderivative was successfully verified.

```
[In] Int[Coth[c + d*x]^4/(a + b*Tanh[c + d*x]^2)^2,x]
```

```
[Out] x/(a + b)^2 + (b^(5/2)*(7*a + 5*b)*ArcTan[(Sqrt[b]*Tanh[c + d*x])/Sqrt[a]])
/(2*a^(7/2)*(a + b)^2*d) - ((2*a^2 - 2*a*b - 5*b^2)*Coth[c + d*x])/(2*a^3*(
a + b)*d) - ((2*a + 5*b)*Coth[c + d*x]^3)/(6*a^2*(a + b)*d) + (b*Coth[c + d
*x]^3)/(2*a*(a + b)*d*(a + b*Tanh[c + d*x]^2))
```

### Rule 3670

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((a_.) + (b_.)*((c_.)*tan[(e_.) +
(f_.)*(x_)])^(n_.))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x],
x]}, Dist[(c*ff)/f, Subst[Int[(((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f
f^2*x^2), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, d, e, f, m, n
, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && Ration
alQ[n]))
```

Rule 472

```
Int[((e_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol] := -Simp[(b*(e*x)^(m + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*e*n*(b*c - a*d)*(p + 1)), x] + Dist[1/(a*n*(b*c - a*d)*(p + 1)), Int[(e*x)^m*(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*b*(m + 1) + n*(b*c - a*d)*(p + 1) + d*b*(m + n*(p + q + 2) + 1)*x^n, x], x] /; FreeQ[{a, b, c, d, e, m, q}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LtQ[p, -1] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]
```

Rule 583

```
Int[((g_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_)*((e_) + (f_)*(x_)^(n_)), x_Symbol] := Simp[(e*(g*x)^(m + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*c*g*(m + 1)), x] + Dist[1/(a*c*g^n*(m + 1)), Int[(g*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^q*Simp[a*f*c*(m + 1) - e*(b*c + a*d)*(m + n + 1) - e*n*(b*c*p + a*d*q) - b*e*d*(m + n*(p + q + 2) + 1)*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p, q}, x] && IGtQ[n, 0] && LtQ[m, -1]
```

Rule 522

```
Int[((e_) + (f_)*(x_)^(n_))/(((a_) + (b_)*(x_)^(n_))*((c_) + (d_)*(x_)^(n_))), x_Symbol] := Dist[(b*e - a*f)/(b*c - a*d), Int[1/(a + b*x^n), x], x] - Dist[(d*e - c*f)/(b*c - a*d), Int[1/(c + d*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x]
```

Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\coth^4(c+dx)}{(a+b \tanh^2(c+dx))^2} dx &= \frac{\text{Subst}\left(\int \frac{1}{x^4(1-x^2)(a+bx^2)^2} dx, x, \tanh(c+dx)\right)}{d} \\
&= \frac{b \coth^3(c+dx)}{2a(a+b)d(a+b \tanh^2(c+dx))} - \frac{\text{Subst}\left(\int \frac{-2a-5b+5bx^2}{x^4(1-x^2)(a+bx^2)} dx, x, \tanh(c+dx)\right)}{2a(a+b)d} \\
&= -\frac{(2a+5b) \coth^3(c+dx)}{6a^2(a+b)d} + \frac{b \coth^3(c+dx)}{2a(a+b)d(a+b \tanh^2(c+dx))} + \frac{\text{Subst}\left(\int \frac{3(2a^2-2ab-5b^2)}{x^2(1-x^2)} dx, x, \tanh(c+dx)\right)}{6a^2(a+b)d} \\
&= -\frac{(2a^2-2ab-5b^2) \coth(c+dx)}{2a^3(a+b)d} - \frac{(2a+5b) \coth^3(c+dx)}{6a^2(a+b)d} + \frac{b \coth^3(c+dx)}{2a(a+b)d(a+b \tanh^2(c+dx))} \\
&= -\frac{(2a^2-2ab-5b^2) \coth(c+dx)}{2a^3(a+b)d} - \frac{(2a+5b) \coth^3(c+dx)}{6a^2(a+b)d} + \frac{b \coth^3(c+dx)}{2a(a+b)d(a+b \tanh^2(c+dx))} \\
&= \frac{x}{(a+b)^2} + \frac{b^{5/2}(7a+5b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2a^{7/2}(a+b)^2d} - \frac{(2a^2-2ab-5b^2) \coth(c+dx)}{2a^3(a+b)d} - \frac{(2a+5b) \coth^3(c+dx)}{6a^2(a+b)d}
\end{aligned}$$

**Mathematica [A]** time = 1.32661, size = 139, normalized size = 0.87

$$\frac{3b^{5/2}(7a+5b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{a^{7/2}(a+b)^2} + \frac{3b^3 \sinh(2(c+dx))}{a^3(a+b)((a+b) \cosh(2(c+dx))+a-b)} + \frac{4(3b-2a) \coth(c+dx)}{a^3} - \frac{2 \coth(c+dx) \text{csch}^2(c+dx)}{a^2} + \frac{6(c+dx)}{(a+b)^2}$$

$6d$

Antiderivative was successfully verified.

[In] Integrate[Coth[c + d\*x]^4/(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] ((6\*(c + d\*x))/(a + b)^2 + (3\*b^(5/2)\*(7\*a + 5\*b)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(a^(7/2)\*(a + b)^2) + (4\*(-2\*a + 3\*b)\*Coth[c + d\*x])/a^3 - (2\*Coth[c + d\*x]\*Csch[c + d\*x]^2)/a^2 + (3\*b^3\*Sinh[2\*(c + d\*x)]/(a^3\*(a + b)\*(a - b + (a + b)\*Cosh[2\*(c + d\*x)])))/(6\*d)

**Maple [B]** time = 0.122, size = 1137, normalized size = 7.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(\coth(dx+c)^4/(a+b*\tanh(dx+c))^2,x)$

[Out] 
$$\begin{aligned} & -1/24/d/a^2*\tanh(1/2*d*x+1/2*c)^3-5/8/d/a^2*\tanh(1/2*d*x+1/2*c)+1/d/a^3*\tanh(1/2*d*x+1/2*c)*b+1/d/(a+b)^2*\ln(\tanh(1/2*d*x+1/2*c)+1)+1/d*b^3/(a+b)^2/a^2/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)*\tanh(1/2*d*x+1/2*c)^3+1/d*b^4/(a+b)^2/a^3/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)*\tanh(1/2*d*x+1/2*c)^3+1/d*b^3/(a+b)^2/a^2/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)*\tanh(1/2*d*x+1/2*c)+1/d*b^4/(a+b)^2/a^3/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)*\tanh(1/2*d*x+1/2*c)-7/2/d*b^3/(a+b)^2/a/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*\arctanh(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))+7/2/d*b^3/(a+b)^2/a^2/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*\arctanh(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))-6/d*b^4/(a+b)^2/a^2/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*\arctanh(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))-7/2/d*b^3/(a+b)^2/a/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))-7/2/d*b^3/(a+b)^2/a^2/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))-6/d*b^4/(a+b)^2/a^2/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))+5/2/d*b^4/(a+b)^2/a^3/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*\arctanh(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))-5/2/d*b^5/(a+b)^2/a^3/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*\arctanh(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))-5/2/d*b^4/(a+b)^2/a^3/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))-5/2/d*b^5/(a+b)^2/a^3/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))-1/24/d/a^2/\tanh(1/2*d*x+1/2*c)^3-5/8/d/a^2/\tanh(1/2*d*x+1/2*c)+1/d/a^3/\tanh(1/2*d*x+1/2*c)*b-1/d/(a+b)^2*\ln(\tanh(1/2*d*x+1/2*c)-1) \end{aligned}$$

---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\coth(dx+c)^4/(a+b*\tanh(dx+c))^2,x, \text{algorithm}=\text{"maxima"})$

[Out] Exception raised: ValueError

**Fricas [B]** time = 3.24653, size = 19919, normalized size = 125.28

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [1/12*(12*(a^4 + a^3*b)*d*x*cosh(d*x + c)^{10} + 120*(a^4 + a^3*b)*d*x*cosh(d \\ & *x + c)*sinh(d*x + c)^9 + 12*(a^4 + a^3*b)*d*x*sinh(d*x + c)^{10} - 12*(4*a^4 \\ & + 8*a^3*b - 7*a*b^3 - 5*b^4 + (a^4 + 5*a^3*b)*d*x)*cosh(d*x + c)^8 + 12*(4 \\ & 5*(a^4 + a^3*b)*d*x*cosh(d*x + c)^2 - 4*a^4 - 8*a^3*b + 7*a*b^3 + 5*b^4 - ( \\ & a^4 + 5*a^3*b)*d*x)*sinh(d*x + c)^8 + 96*(15*(a^4 + a^3*b)*d*x*cosh(d*x + c \\ & )^3 - (4*a^4 + 8*a^3*b - 7*a*b^3 - 5*b^4 + (a^4 + 5*a^3*b)*d*x)*cosh(d*x + \\ & c))*sinh(d*x + c)^7 - 24*(2*a^4 - 2*a^3*b - 2*a^2*b^2 + 9*a*b^3 + 10*b^4 + \\ & (a^4 - 5*a^3*b)*d*x)*cosh(d*x + c)^6 + 24*(105*(a^4 + a^3*b)*d*x*cosh(d*x + \\ & c)^4 - 2*a^4 + 2*a^3*b + 2*a^2*b^2 - 9*a*b^3 - 10*b^4 - (a^4 - 5*a^3*b)*d* \\ & x - 14*(4*a^4 + 8*a^3*b - 7*a*b^3 - 5*b^4 + (a^4 + 5*a^3*b)*d*x)*cosh(d*x + \\ & c)^2)*sinh(d*x + c)^6 + 48*(63*(a^4 + a^3*b)*d*x*cosh(d*x + c)^5 - 14*(4*a \\ & ^4 + 8*a^3*b - 7*a*b^3 - 5*b^4 + (a^4 + 5*a^3*b)*d*x)*cosh(d*x + c)^3 - 3*( \\ & 2*a^4 - 2*a^3*b - 2*a^2*b^2 + 9*a*b^3 + 10*b^4 + (a^4 - 5*a^3*b)*d*x)*cosh( \\ & d*x + c))*sinh(d*x + c)^5 + 8*(2*a^4 - 30*a^3*b - 30*a^2*b^2 + 38*a*b^3 + 4 \\ & 5*b^4 + 3*(a^4 - 5*a^3*b)*d*x)*cosh(d*x + c)^4 + 8*(315*(a^4 + a^3*b)*d*x*c \\ & osh(d*x + c)^6 - 105*(4*a^4 + 8*a^3*b - 7*a*b^3 - 5*b^4 + (a^4 + 5*a^3*b)*d \\ & *x)*cosh(d*x + c)^4 + 2*a^4 - 30*a^3*b - 30*a^2*b^2 + 38*a*b^3 + 45*b^4 + 3 \\ & *(a^4 - 5*a^3*b)*d*x - 45*(2*a^4 - 2*a^3*b - 2*a^2*b^2 + 9*a*b^3 + 10*b^4 + \\ & (a^4 - 5*a^3*b)*d*x)*cosh(d*x + c)^2)*sinh(d*x + c)^4 - 32*a^4 - 48*a^3*b \\ & + 48*a^2*b^2 + 124*a*b^3 + 60*b^4 + 32*(45*(a^4 + a^3*b)*d*x*cosh(d*x + c)^ \\ & 7 - 21*(4*a^4 + 8*a^3*b - 7*a*b^3 - 5*b^4 + (a^4 + 5*a^3*b)*d*x)*cosh(d*x + \\ & c)^5 - 15*(2*a^4 - 2*a^3*b - 2*a^2*b^2 + 9*a*b^3 + 10*b^4 + (a^4 - 5*a^3*b \\ & )*d*x)*cosh(d*x + c)^3 + (2*a^4 - 30*a^3*b - 30*a^2*b^2 + 38*a*b^3 + 45*b^4 \\ & + 3*(a^4 - 5*a^3*b)*d*x)*cosh(d*x + c))*sinh(d*x + c)^3 - 12*(a^4 + a^3*b) \\ & *d*x - 4*(4*a^4 - 20*a^3*b - 4*a^2*b^2 + 74*a*b^3 + 60*b^4 - 3*(a^4 + 5*a^3 \\ & *b)*d*x)*cosh(d*x + c)^2 + 4*(135*(a^4 + a^3*b)*d*x*cosh(d*x + c)^8 - 84*(4 \\ & *a^4 + 8*a^3*b - 7*a*b^3 - 5*b^4 + (a^4 + 5*a^3*b)*d*x)*cosh(d*x + c)^6 - 9 \\ & 0*(2*a^4 - 2*a^3*b - 2*a^2*b^2 + 9*a*b^3 + 10*b^4 + (a^4 - 5*a^3*b)*d*x)*co \\ & sh(d*x + c)^4 - 4*a^4 + 20*a^3*b + 4*a^2*b^2 - 74*a*b^3 - 60*b^4 + 3*(a^4 + \\ & 5*a^3*b)*d*x + 12*(2*a^4 - 30*a^3*b - 30*a^2*b^2 + 38*a*b^3 + 45*b^4 + 3*( \\ & a^4 - 5*a^3*b)*d*x)*cosh(d*x + c)^2)*sinh(d*x + c)^2 + 3*((7*a^2*b^2 + 12*a \\ & *b^3 + 5*b^4)*cosh(d*x + c)^{10} + 10*(7*a^2*b^2 + 12*a*b^3 + 5*b^4)*cosh(d*x \end{aligned}$$

$$\begin{aligned}
& + c) \sinh(dx + c)^9 + (7a^2b^2 + 12ab^3 + 5b^4) \sinh(dx + c)^{10} - ( \\
& 7a^2b^2 + 40ab^3 + 25b^4) \cosh(dx + c)^8 - (7a^2b^2 + 40ab^3 + 25 \\
& b^4 - 45(7a^2b^2 + 12ab^3 + 5b^4) \cosh(dx + c)^2) \sinh(dx + c)^8 + \\
& 8(15(7a^2b^2 + 12ab^3 + 5b^4) \cosh(dx + c)^3 - (7a^2b^2 + 40ab^3 \\
& ^3 + 25b^4) \cosh(dx + c)) \sinh(dx + c)^7 - 2(7a^2b^2 - 30ab^3 - 25 \\
& b^4) \cosh(dx + c)^6 + 2(105(7a^2b^2 + 12ab^3 + 5b^4) \cosh(dx + c)^ \\
& 4 - 7a^2b^2 + 30ab^3 + 25b^4 - 14(7a^2b^2 + 40ab^3 + 25b^4) \cosh \\
& (dx + c)^2) \sinh(dx + c)^6 + 4(63(7a^2b^2 + 12ab^3 + 5b^4) \cosh(dx \\
& x + c)^5 - 14(7a^2b^2 + 40ab^3 + 25b^4) \cosh(dx + c)^3 - 3(7a^2b^ \\
& 2 - 30ab^3 - 25b^4) \cosh(dx + c)) \sinh(dx + c)^5 + 2(7a^2b^2 - 30a \\
& ab^3 - 25b^4) \cosh(dx + c)^4 + 2(105(7a^2b^2 + 12ab^3 + 5b^4) \cosh \\
& (dx + c)^6 - 35(7a^2b^2 + 40ab^3 + 25b^4) \cosh(dx + c)^4 + 7a^2b^ \\
& 2 - 30ab^3 - 25b^4 - 15(7a^2b^2 - 30ab^3 - 25b^4) \cosh(dx + c)^2) \\
& \sinh(dx + c)^4 - 7a^2b^2 - 12ab^3 - 5b^4 + 8(15(7a^2b^2 + 12ab^3 \\
& ^3 + 5b^4) \cosh(dx + c)^7 - 7(7a^2b^2 + 40ab^3 + 25b^4) \cosh(dx + \\
& c)^5 - 5(7a^2b^2 - 30ab^3 - 25b^4) \cosh(dx + c)^3 + (7a^2b^2 - 30 \\
& ab^3 - 25b^4) \cosh(dx + c)) \sinh(dx + c)^3 + (7a^2b^2 + 40ab^3 + 25 \\
& b^4) \cosh(dx + c)^2 + (45(7a^2b^2 + 12ab^3 + 5b^4) \cosh(dx + c)^8 \\
& - 28(7a^2b^2 + 40ab^3 + 25b^4) \cosh(dx + c)^6 - 30(7a^2b^2 - 30a \\
& ab^3 - 25b^4) \cosh(dx + c)^4 + 7a^2b^2 + 40ab^3 + 25b^4 + 12(7a^2 \\
& b^2 - 30ab^3 - 25b^4) \cosh(dx + c)^2) \sinh(dx + c)^2 + 2(5(7a^2b^2 \\
& + 12ab^3 + 5b^4) \cosh(dx + c)^9 - 4(7a^2b^2 + 40ab^3 + 25b^4) \co \\
& sh(dx + c)^7 - 6(7a^2b^2 - 30ab^3 - 25b^4) \cosh(dx + c)^5 + 4(7a^ \\
& 2b^2 - 30ab^3 - 25b^4) \cosh(dx + c)^3 + (7a^2b^2 + 40ab^3 + 25b^4 \\
& ) \cosh(dx + c)) \sinh(dx + c)) \sqrt{-b/a} \log(((a^2 + 2ab + b^2) \cosh(dx \\
& x + c)^4 + 4(a^2 + 2ab + b^2) \cosh(dx + c) \sinh(dx + c)^3 + (a^2 + 2a \\
& ab + b^2) \sinh(dx + c)^4 + 2(a^2 - b^2) \cosh(dx + c)^2 + 2(3(a^2 + 2a \\
& ab + b^2) \cosh(dx + c)^2 + a^2 - b^2) \sinh(dx + c)^2 + a^2 - 6ab + b^2 \\
& + 4((a^2 + 2ab + b^2) \cosh(dx + c)^3 + (a^2 - b^2) \cosh(dx + c)) \sinh \\
& (dx + c) + 4((a^2 + ab) \cosh(dx + c)^2 + 2(a^2 + ab) \cosh(dx + c) \sin \\
& h(dx + c) + (a^2 + ab) \sinh(dx + c)^2 + a^2 - ab) \sqrt{-b/a}) / ((a + b) \\
& \cosh(dx + c)^4 + 4(a + b) \cosh(dx + c) \sinh(dx + c)^3 + (a + b) \sinh(dx \\
& x + c)^4 + 2(a - b) \cosh(dx + c)^2 + 2(3(a + b) \cosh(dx + c)^2 + a - b \\
& ) \sinh(dx + c)^2 + 4((a + b) \cosh(dx + c)^3 + (a - b) \cosh(dx + c)) \sin \\
& h(dx + c) + a + b)) + 8(15(a^4 + a^3b) d * x * \cosh(dx + c)^9 - 12(4a^4 \\
& + 8a^3b - 7ab^3 - 5b^4 + (a^4 + 5a^3b) d * x) * \cosh(dx + c)^7 - 18(2 \\
& a^4 - 2a^3b - 2a^2b^2 + 9ab^3 + 10b^4 + (a^4 - 5a^3b) d * x) * \cosh(dx \\
& x + c)^5 + 4(2a^4 - 30a^3b - 30a^2b^2 + 38ab^3 + 45b^4 + 3(a^4 - \\
& 5a^3b) d * x) * \cosh(dx + c)^3 - (4a^4 - 20a^3b - 4a^2b^2 + 74ab^3 + \\
& 60b^4 - 3(a^4 + 5a^3b) d * x) * \cosh(dx + c)) \sinh(dx + c)) / ((a^6 + 3a^5 \\
& * b + 3a^4b^2 + a^3b^3) d * \cosh(dx + c)^{10} + 10(a^6 + 3a^5b + 3a^4b^2 + \\
& a^3b^3) d * \sinh(dx + c)^{10} - (a^6 + 7a^5b + 11a^4b^2 + 5a^3b^3) d * c \\
& osh(dx + c)^8 + (45(a^6 + 3a^5b + 3a^4b^2 + a^3b^3) d * \cosh(dx + c)^ \\
& 2 - (a^6 + 7a^5b + 11a^4b^2 + 5a^3b^3) d) \sinh(dx + c)^8 - 2(a^6 -
\end{aligned}$$



$$\begin{aligned}
& 3a^5b - 9a^4b^2 - 5a^3b^3) * d * \cosh(dx + c)^6 + 8 * (15 * (a^6 + 3a^5b + 3a^4b^2 + a^3b^3) * d * \cosh(dx + c)^3 - (a^6 + 7a^5b + 11a^4b^2 + 5a^3b^3) * d * \cosh(dx + c)) * \sinh(dx + c)^7 + 2 * (105 * (a^6 + 3a^5b + 3a^4b^2 + a^3b^3) * d * \cosh(dx + c)^4 - 14 * (a^6 + 7a^5b + 11a^4b^2 + 5a^3b^3) * d * \cosh(dx + c)^2 - (a^6 - 3a^5b - 9a^4b^2 - 5a^3b^3) * d) * \sinh(dx + c)^6 + 2 * (a^6 - 3a^5b - 9a^4b^2 - 5a^3b^3) * d * \cosh(dx + c)^4 + 4 * (63 * (a^6 + 3a^5b + 3a^4b^2 + a^3b^3) * d * \cosh(dx + c)^5 - 14 * (a^6 + 7a^5b + 11a^4b^2 + 5a^3b^3) * d * \cosh(dx + c)^3 - 3 * (a^6 - 3a^5b - 9a^4b^2 - 5a^3b^3) * d * \cosh(dx + c)) * \sinh(dx + c)^5 + 2 * (105 * (a^6 + 3a^5b + 3a^4b^2 + a^3b^3) * d * \cosh(dx + c)^6 - 35 * (a^6 + 7a^5b + 11a^4b^2 + 5a^3b^3) * d * \cosh(dx + c)^4 - 15 * (a^6 - 3a^5b - 9a^4b^2 - 5a^3b^3) * d * \cosh(dx + c)^2 + (a^6 - 3a^5b - 9a^4b^2 - 5a^3b^3) * d) * \sinh(dx + c)^4 + (a^6 + 7a^5b + 11a^4b^2 + 5a^3b^3) * d * \cosh(dx + c)^2 + 8 * (15 * (a^6 + 3a^5b + 3a^4b^2 + a^3b^3) * d * \cosh(dx + c)^7 - 7 * (a^6 + 7a^5b + 11a^4b^2 + 5a^3b^3) * d * \cosh(dx + c)^5 - 5 * (a^6 - 3a^5b - 9a^4b^2 - 5a^3b^3) * d * \cosh(dx + c)^3 + (a^6 - 3a^5b - 9a^4b^2 - 5a^3b^3) * d * \cosh(dx + c)) * \sinh(dx + c)^3 + (45 * (a^6 + 3a^5b + 3a^4b^2 + a^3b^3) * d * \cosh(dx + c)^8 - 28 * (a^6 + 7a^5b + 11a^4b^2 + 5a^3b^3) * d * \cosh(dx + c)^6 - 30 * (a^6 - 3a^5b - 9a^4b^2 - 5a^3b^3) * d * \cosh(dx + c)^4 + 12 * (a^6 - 3a^5b - 9a^4b^2 - 5a^3b^3) * d * \cosh(dx + c)^2 + (a^6 + 7a^5b + 11a^4b^2 + 5a^3b^3) * d) * \sinh(dx + c)^2 - (a^6 + 3a^5b + 3a^4b^2 + a^3b^3) * d + 2 * (5 * (a^6 + 3a^5b + 3a^4b^2 + a^3b^3) * d * \cosh(dx + c)^9 - 4 * (a^6 + 7a^5b + 11a^4b^2 + 5a^3b^3) * d * \cosh(dx + c)^7 - 6 * (a^6 - 3a^5b - 9a^4b^2 - 5a^3b^3) * d * \cosh(dx + c)^5 + 4 * (a^6 - 3a^5b - 9a^4b^2 - 5a^3b^3) * d * \cosh(dx + c)^3 + (a^6 + 7a^5b + 11a^4b^2 + 5a^3b^3) * d * \cosh(dx + c)) * \sinh(dx + c)), 1/6 * (6 * (a^4 + a^3b) * d * x * \cosh(dx + c)^10 + 60 * (a^4 + a^3b) * d * x * \cosh(dx + c) * \sinh(dx + c)^9 + 6 * (a^4 + a^3b) * d * x * \sinh(dx + c)^10 - 6 * (4a^4 + 8a^3b - 7a^2b^2 - 5b^4 + (a^4 + 5a^3b) * d * x) * \cosh(dx + c)^8 + 6 * (45 * (a^4 + a^3b) * d * x * \cosh(dx + c)^2 - 4a^4 - 8a^3b + 7a^2b^2 + 5b^4 - (a^4 + 5a^3b) * d * x) * \sinh(dx + c)^8 + 48 * (15 * (a^4 + a^3b) * d * x * \cosh(dx + c)^3 - (4a^4 + 8a^3b - 7a^2b^2 - 5b^4 + (a^4 + 5a^3b) * d * x) * \cosh(dx + c)) * \sinh(dx + c)^7 - 12 * (2a^4 - 2a^3b - 2a^2b^2 + 9a^2b^2 + 9a^2b^2 + 10b^4 + (a^4 - 5a^3b) * d * x) * \cosh(dx + c)^6 + 12 * (105 * (a^4 + a^3b) * d * x * \cosh(dx + c)^4 - 2a^4 + 2a^3b + 2a^2b^2 - 9a^2b^2 - 10b^4 - (a^4 - 5a^3b) * d * x - 14 * (4a^4 + 8a^3b - 7a^2b^2 - 5b^4 + (a^4 + 5a^3b) * d * x) * \cosh(dx + c)^2) * \sinh(dx + c)^6 + 24 * (63 * (a^4 + a^3b) * d * x * \cosh(dx + c)^5 - 14 * (4a^4 + 8a^3b - 7a^2b^2 - 5b^4 + (a^4 + 5a^3b) * d * x) * \cosh(dx + c)^3 - 3 * (2a^4 - 2a^3b - 2a^2b^2 + 9a^2b^2 + 9a^2b^2 + 10b^4 + (a^4 - 5a^3b) * d * x) * \cosh(dx + c)) * \sinh(dx + c)^5 + 4 * (2a^4 - 30a^3b - 30a^2b^2 + 38a^2b^2 + 38a^2b^2 + 45b^4 + 3 * (a^4 - 5a^3b) * d * x) * \cosh(dx + c)^4 + 4 * (315 * (a^4 + a^3b) * d * x * \cosh(dx + c)^6 - 105 * (4a^4 + 8a^3b - 7a^2b^2 - 5b^4 + (a^4 + 5a^3b) * d * x) * \cosh(dx + c)^4 + 2a^4 - 30a^3b - 30a^2b^2 + 38a^2b^2 + 38a^2b^2 + 45b^4 + 3 * (a^4 - 5a^3b) * d * x - 45 * (2a^4 - 2a^3b - 2a^2b^2 + 9a^2b^2 + 9a^2b^2 + 10b^4 + (a^4 - 5a^3b) * d * x) * \cosh(dx + c)^2) * \sinh(dx + c)^4 - 16a^4 - 24a^3b + 24a^2b^2 + 62a^2b^2 + 30b^4 + 16 * (45 * (a^4 +
\end{aligned}$$

$$\begin{aligned}
& a^3 b) * d * x * \cosh(d * x + c)^7 - 21 * (4 * a^4 + 8 * a^3 b - 7 * a * b^3 - 5 * b^4 + (a^4 + \\
& 5 * a^3 b) * d * x) * \cosh(d * x + c)^5 - 15 * (2 * a^4 - 2 * a^3 b - 2 * a^2 b^2 + 9 * a * b^3 \\
& + 10 * b^4 + (a^4 - 5 * a^3 b) * d * x) * \cosh(d * x + c)^3 + (2 * a^4 - 30 * a^3 b - 30 * a^2 \\
& b^2 + 38 * a * b^3 + 45 * b^4 + 3 * (a^4 - 5 * a^3 b) * d * x) * \cosh(d * x + c)) * \sinh(d * x \\
& + c)^3 - 6 * (a^4 + a^3 b) * d * x - 2 * (4 * a^4 - 20 * a^3 b - 4 * a^2 b^2 + 74 * a * b^3 + \\
& 60 * b^4 - 3 * (a^4 + 5 * a^3 b) * d * x) * \cosh(d * x + c)^2 + 2 * (135 * (a^4 + a^3 b) * d * x \\
& * \cosh(d * x + c)^8 - 84 * (4 * a^4 + 8 * a^3 b - 7 * a * b^3 - 5 * b^4 + (a^4 + 5 * a^3 b) * \\
& d * x) * \cosh(d * x + c)^6 - 90 * (2 * a^4 - 2 * a^3 b - 2 * a^2 b^2 + 9 * a * b^3 + 10 * b^4 + \\
& (a^4 - 5 * a^3 b) * d * x) * \cosh(d * x + c)^4 - 4 * a^4 + 20 * a^3 b + 4 * a^2 b^2 - 74 * a \\
& * b^3 - 60 * b^4 + 3 * (a^4 + 5 * a^3 b) * d * x + 12 * (2 * a^4 - 30 * a^3 b - 30 * a^2 b^2 + \\
& 38 * a * b^3 + 45 * b^4 + 3 * (a^4 - 5 * a^3 b) * d * x) * \cosh(d * x + c)^2) * \sinh(d * x + c)^2 \\
& + 3 * ((7 * a^2 b^2 + 12 * a * b^3 + 5 * b^4) * \cosh(d * x + c)^10 + 10 * (7 * a^2 b^2 + 12 \\
& * a * b^3 + 5 * b^4) * \cosh(d * x + c) * \sinh(d * x + c)^9 + (7 * a^2 b^2 + 12 * a * b^3 + 5 * b \\
& ^4) * \sinh(d * x + c)^10 - (7 * a^2 b^2 + 40 * a * b^3 + 25 * b^4) * \cosh(d * x + c)^8 - (7 \\
& * a^2 b^2 + 40 * a * b^3 + 25 * b^4 - 45 * (7 * a^2 b^2 + 12 * a * b^3 + 5 * b^4) * \cosh(d * x + \\
& c)^2) * \sinh(d * x + c)^8 + 8 * (15 * (7 * a^2 b^2 + 12 * a * b^3 + 5 * b^4) * \cosh(d * x + c) \\
& ^3 - (7 * a^2 b^2 + 40 * a * b^3 + 25 * b^4) * \cosh(d * x + c)) * \sinh(d * x + c)^7 - 2 * (7 * \\
& a^2 b^2 - 30 * a * b^3 - 25 * b^4) * \cosh(d * x + c)^6 + 2 * (105 * (7 * a^2 b^2 + 12 * a * b^3 \\
& + 5 * b^4) * \cosh(d * x + c)^4 - 7 * a^2 b^2 + 30 * a * b^3 + 25 * b^4 - 14 * (7 * a^2 b^2 + \\
& 40 * a * b^3 + 25 * b^4) * \cosh(d * x + c)^2) * \sinh(d * x + c)^6 + 4 * (63 * (7 * a^2 b^2 + 1 \\
& 2 * a * b^3 + 5 * b^4) * \cosh(d * x + c)^5 - 14 * (7 * a^2 b^2 + 40 * a * b^3 + 25 * b^4) * \cosh( \\
& d * x + c)^3 - 3 * (7 * a^2 b^2 - 30 * a * b^3 - 25 * b^4) * \cosh(d * x + c)) * \sinh(d * x + c) \\
& ^5 + 2 * (7 * a^2 b^2 - 30 * a * b^3 - 25 * b^4) * \cosh(d * x + c)^4 + 2 * (105 * (7 * a^2 b^2 \\
& + 12 * a * b^3 + 5 * b^4) * \cosh(d * x + c)^6 - 35 * (7 * a^2 b^2 + 40 * a * b^3 + 25 * b^4) * \cosh \\
& (d * x + c)^4 + 7 * a^2 b^2 - 30 * a * b^3 - 25 * b^4 - 15 * (7 * a^2 b^2 - 30 * a * b^3 - \\
& 25 * b^4) * \cosh(d * x + c)^2) * \sinh(d * x + c)^4 - 7 * a^2 b^2 - 12 * a * b^3 - 5 * b^4 + 8 \\
& * (15 * (7 * a^2 b^2 + 12 * a * b^3 + 5 * b^4) * \cosh(d * x + c)^7 - 7 * (7 * a^2 b^2 + 40 * a * b \\
& ^3 + 25 * b^4) * \cosh(d * x + c)^5 - 5 * (7 * a^2 b^2 - 30 * a * b^3 - 25 * b^4) * \cosh(d * x + \\
& c)^3 + (7 * a^2 b^2 - 30 * a * b^3 - 25 * b^4) * \cosh(d * x + c)) * \sinh(d * x + c)^3 + (7 \\
& * a^2 b^2 + 40 * a * b^3 + 25 * b^4) * \cosh(d * x + c)^2 + (45 * (7 * a^2 b^2 + 12 * a * b^3 + \\
& 5 * b^4) * \cosh(d * x + c)^8 - 28 * (7 * a^2 b^2 + 40 * a * b^3 + 25 * b^4) * \cosh(d * x + c)^6 \\
& - 30 * (7 * a^2 b^2 - 30 * a * b^3 - 25 * b^4) * \cosh(d * x + c)^4 + 7 * a^2 b^2 + 40 * a * b \\
& ^3 + 25 * b^4 + 12 * (7 * a^2 b^2 - 30 * a * b^3 - 25 * b^4) * \cosh(d * x + c)^2) * \sinh(d * x \\
& + c)^2 + 2 * (5 * (7 * a^2 b^2 + 12 * a * b^3 + 5 * b^4) * \cosh(d * x + c)^9 - 4 * (7 * a^2 b^2 \\
& + 40 * a * b^3 + 25 * b^4) * \cosh(d * x + c)^7 - 6 * (7 * a^2 b^2 - 30 * a * b^3 - 25 * b^4) * \cosh \\
& (d * x + c)^5 + 4 * (7 * a^2 b^2 - 30 * a * b^3 - 25 * b^4) * \cosh(d * x + c)^3 + (7 * a^2 \\
& * b^2 + 40 * a * b^3 + 25 * b^4) * \cosh(d * x + c)) * \sinh(d * x + c)) * \sqrt{b/a} * \arctan(1/ \\
& 2 * ((a + b) * \cosh(d * x + c)^2 + 2 * (a + b) * \cosh(d * x + c) * \sinh(d * x + c) + (a + b) \\
& ) * \sinh(d * x + c)^2 + a - b) * \sqrt{b/a}/b) + 4 * (15 * (a^4 + a^3 b) * d * x * \cosh(d * x \\
& + c)^9 - 12 * (4 * a^4 + 8 * a^3 b - 7 * a * b^3 - 5 * b^4 + (a^4 + 5 * a^3 b) * d * x) * \cosh( \\
& d * x + c)^7 - 18 * (2 * a^4 - 2 * a^3 b - 2 * a^2 b^2 + 9 * a * b^3 + 10 * b^4 + (a^4 - 5 * \\
& a^3 b) * d * x) * \cosh(d * x + c)^5 + 4 * (2 * a^4 - 30 * a^3 b - 30 * a^2 b^2 + 38 * a * b^3 + \\
& 45 * b^4 + 3 * (a^4 - 5 * a^3 b) * d * x) * \cosh(d * x + c)^3 - (4 * a^4 - 20 * a^3 b - 4 * a^2 \\
& b^2 + 74 * a * b^3 + 60 * b^4 - 3 * (a^4 + 5 * a^3 b) * d * x) * \cosh(d * x + c)) * \sinh(d * x \\
& + c)) / ((a^6 + 3 * a^5 b + 3 * a^4 b^2 + a^3 b^3) * d * \cosh(d * x + c)^10 + 10 * (a^6 +
\end{aligned}$$

```

3*a^5*b + 3*a^4*b^2 + a^3*b^3)*d*cosh(d*x + c)*sinh(d*x + c)^9 + (a^6 + 3*
a^5*b + 3*a^4*b^2 + a^3*b^3)*d*sinh(d*x + c)^10 - (a^6 + 7*a^5*b + 11*a^4*b
^2 + 5*a^3*b^3)*d*cosh(d*x + c)^8 + (45*(a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^
3)*d*cosh(d*x + c)^2 - (a^6 + 7*a^5*b + 11*a^4*b^2 + 5*a^3*b^3)*d)*sinh(d*x
+ c)^8 - 2*(a^6 - 3*a^5*b - 9*a^4*b^2 - 5*a^3*b^3)*d*cosh(d*x + c)^6 + 8*(
15*(a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3)*d*cosh(d*x + c)^3 - (a^6 + 7*a^5*b
+ 11*a^4*b^2 + 5*a^3*b^3)*d*cosh(d*x + c))*sinh(d*x + c)^7 + 2*(105*(a^6 +
3*a^5*b + 3*a^4*b^2 + a^3*b^3)*d*cosh(d*x + c)^4 - 14*(a^6 + 7*a^5*b + 11*
a^4*b^2 + 5*a^3*b^3)*d*cosh(d*x + c)^2 - (a^6 - 3*a^5*b - 9*a^4*b^2 - 5*a^3
*b^3)*d)*sinh(d*x + c)^6 + 2*(a^6 - 3*a^5*b - 9*a^4*b^2 - 5*a^3*b^3)*d*cosh
(d*x + c)^4 + 4*(63*(a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3)*d*cosh(d*x + c)^5
- 14*(a^6 + 7*a^5*b + 11*a^4*b^2 + 5*a^3*b^3)*d*cosh(d*x + c)^3 - 3*(a^6 -
3*a^5*b - 9*a^4*b^2 - 5*a^3*b^3)*d*cosh(d*x + c))*sinh(d*x + c)^5 + 2*(105
*(a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3)*d*cosh(d*x + c)^6 - 35*(a^6 + 7*a^5*
b + 11*a^4*b^2 + 5*a^3*b^3)*d*cosh(d*x + c)^4 - 15*(a^6 - 3*a^5*b - 9*a^4*b
^2 - 5*a^3*b^3)*d*cosh(d*x + c)^2 + (a^6 - 3*a^5*b - 9*a^4*b^2 - 5*a^3*b^3)
*d)*sinh(d*x + c)^4 + (a^6 + 7*a^5*b + 11*a^4*b^2 + 5*a^3*b^3)*d*cosh(d*x +
c)^2 + 8*(15*(a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3)*d*cosh(d*x + c)^7 - 7*(
a^6 + 7*a^5*b + 11*a^4*b^2 + 5*a^3*b^3)*d*cosh(d*x + c)^5 - 5*(a^6 - 3*a^5*
b - 9*a^4*b^2 - 5*a^3*b^3)*d*cosh(d*x + c)^3 + (a^6 - 3*a^5*b - 9*a^4*b^2 -
5*a^3*b^3)*d*cosh(d*x + c))*sinh(d*x + c)^3 + (45*(a^6 + 3*a^5*b + 3*a^4*b
^2 + a^3*b^3)*d*cosh(d*x + c)^8 - 28*(a^6 + 7*a^5*b + 11*a^4*b^2 + 5*a^3*b^
3)*d*cosh(d*x + c)^6 - 30*(a^6 - 3*a^5*b - 9*a^4*b^2 - 5*a^3*b^3)*d*cosh(d*
x + c)^4 + 12*(a^6 - 3*a^5*b - 9*a^4*b^2 - 5*a^3*b^3)*d*cosh(d*x + c)^2 + (
a^6 + 7*a^5*b + 11*a^4*b^2 + 5*a^3*b^3)*d + 2*(5*(a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3)*d*co
sh(d*x + c)^9 - 4*(a^6 + 7*a^5*b + 11*a^4*b^2 + 5*a^3*b^3)*d*cosh(d*x + c)^
7 - 6*(a^6 - 3*a^5*b - 9*a^4*b^2 - 5*a^3*b^3)*d*cosh(d*x + c)^5 + 4*(a^6 -
3*a^5*b - 9*a^4*b^2 - 5*a^3*b^3)*d*cosh(d*x + c)^3 + (a^6 + 7*a^5*b + 11*a^
4*b^2 + 5*a^3*b^3)*d*cosh(d*x + c))*sinh(d*x + c))]

```

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\coth^4(c + dx)}{(a + b \tanh^2(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)\*\*4/(a+b\*tanh(d\*x+c)\*\*2)\*\*2,x)

[Out] Integral(coth(c + d\*x)\*\*4/(a + b\*tanh(c + d\*x)\*\*2)\*\*2, x)

---

**Giac [B]** time = 1.26889, size = 393, normalized size = 2.47

$$\frac{(7ab^3 + 5b^4) \arctan\left(\frac{ae^{(2dx+2c)} + be^{(2dx+2c)} + a - b}{2\sqrt{ab}}\right)}{2(a^5d + 2a^4bd + a^3b^2d)\sqrt{ab}} + \frac{dx + c}{a^2d + 2abd + b^2d} - \frac{ab^3e^{(2dx+2c)} - b^4e^{(2dx+2c)} + a}{(a^5d + 2a^4bd + a^3b^2d)(ae^{(4dx+4c)} + be^{(4dx+4c)} + 2a)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out] 1/2\*(7\*a\*b^3 + 5\*b^4)\*arctan(1/2\*(a\*e^(2\*d\*x + 2\*c) + b\*e^(2\*d\*x + 2\*c) + a - b)/sqrt(a\*b))/((a^5\*d + 2\*a^4\*b\*d + a^3\*b^2\*d)\*sqrt(a\*b)) + (d\*x + c)/(a^2\*d + 2\*a\*b\*d + b^2\*d) - (a\*b^3\*e^(2\*d\*x + 2\*c) - b^4\*e^(2\*d\*x + 2\*c) + a\*b^3 + b^4)/((a^5\*d + 2\*a^4\*b\*d + a^3\*b^2\*d)\*(a\*e^(4\*d\*x + 4\*c) + b\*e^(4\*d\*x + 4\*c) + 2\*a\*e^(2\*d\*x + 2\*c) - 2\*b\*e^(2\*d\*x + 2\*c) + a + b)) - 4/3\*(3\*a\*e^(4\*d\*x + 4\*c) - 3\*b\*e^(4\*d\*x + 4\*c) - 3\*a\*e^(2\*d\*x + 2\*c) + 6\*b\*e^(2\*d\*x + 2\*c) + 2\*a - 3\*b)/(a^3\*d\*(e^(2\*d\*x + 2\*c) - 1)^3)

$$3.190 \quad \int \frac{\tanh^6(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$$

**Optimal.** Leaf size=144

$$-\frac{\sqrt{a}(3a^2 + 10ab + 15b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8b^{5/2}d(a+b)^3} + \frac{a(3a+7b) \tanh(c+dx)}{8b^2d(a+b)^2(a+b \tanh^2(c+dx))} + \frac{a \tanh^3(c+dx)}{4bd(a+b)(a+b \tanh^2(c+dx))}$$

[Out] x/(a + b)^3 - (Sqrt[a]\*(3\*a^2 + 10\*a\*b + 15\*b^2)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(8\*b^(5/2)\*(a + b)^3\*d) + (a\*Tanh[c + d\*x]^3)/(4\*b\*(a + b)\*d\*(a + b\*Tanh[c + d\*x]^2)^2) + (a\*(3\*a + 7\*b)\*Tanh[c + d\*x])/(8\*b^2\*(a + b)^2\*d\*(a + b\*Tanh[c + d\*x]^2))

**Rubi [A]** time = 0.208249, antiderivative size = 144, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {3670, 470, 578, 522, 206, 205}

$$-\frac{\sqrt{a}(3a^2 + 10ab + 15b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8b^{5/2}d(a+b)^3} + \frac{a(3a+7b) \tanh(c+dx)}{8b^2d(a+b)^2(a+b \tanh^2(c+dx))} + \frac{a \tanh^3(c+dx)}{4bd(a+b)(a+b \tanh^2(c+dx))}$$

Antiderivative was successfully verified.

[In] Int[Tanh[c + d\*x]^6/(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] x/(a + b)^3 - (Sqrt[a]\*(3\*a^2 + 10\*a\*b + 15\*b^2)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(8\*b^(5/2)\*(a + b)^3\*d) + (a\*Tanh[c + d\*x]^3)/(4\*b\*(a + b)\*d\*(a + b\*Tanh[c + d\*x]^2)^2) + (a\*(3\*a + 7\*b)\*Tanh[c + d\*x])/(8\*b^2\*(a + b)^2\*d\*(a + b\*Tanh[c + d\*x]^2))

### Rule 3670

Int[((d\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((a\_.) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_))^(p\_.), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f\*ff^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff, x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

Rule 470

```
Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := -Simp[(a*e^(2*n - 1)*(e*x)^(m - 2*n + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(b*n*(b*c - a*d)*(p + 1)), x] + Dist[e^(2*n)/(b*n*(b*c - a*d)*(p + 1)), Int[(e*x)^(m - 2*n)*(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[a*c*(m - 2*n + 1) + (a*d*(m - n + n*q + 1) + b*c*n*(p + 1))*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LtQ[p, -1] && GtQ[m - n + 1, n] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]
```

Rule 578

```
Int[((g_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_)*((e_) + (f_.)*(x_)^(n_)), x_Symbol] := Simp[(g^(n - 1)*(b*e - a*f)*(g*x)^(m - n + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(b*n*(b*c - a*d)*(p + 1)), x] - Dist[g^n/(b*n*(b*c - a*d)*(p + 1)), Int[(g*x)^(m - n)*(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(b*e - a*f)*(m - n + 1) + (d*(b*e - a*f)*(m + n*q + 1) - b*n*(c*f - d*e)*(p + 1))*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, f, g, q}, x] && IGtQ[n, 0] && LtQ[p, -1] && GtQ[m - n + 1, 0]
```

Rule 522

```
Int[((e_) + (f_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_))*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Dist[(b*e - a*f)/(b*c - a*d), Int[1/(a + b*x^n), x], x] - Dist[(d*e - c*f)/(b*c - a*d), Int[1/(c + d*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[Rt[-b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\tanh^6(c+dx)}{(a+b \tanh^2(c+dx))^3} dx &= \frac{\text{Subst}\left(\int \frac{x^6}{(1-x^2)(a+bx^2)^3} dx, x, \tanh(c+dx)\right)}{d} \\
&= \frac{a \tanh^3(c+dx)}{4b(a+b)d (a+b \tanh^2(c+dx))^2} - \frac{\text{Subst}\left(\int \frac{x^2(3a+(-3a-4b)x^2)}{(1-x^2)(a+bx^2)^2} dx, x, \tanh(c+dx)\right)}{4b(a+b)d} \\
&= \frac{a \tanh^3(c+dx)}{4b(a+b)d (a+b \tanh^2(c+dx))^2} + \frac{a(3a+7b) \tanh(c+dx)}{8b^2(a+b)^2d (a+b \tanh^2(c+dx))} - \frac{\text{Subst}\left(\int \frac{a(3a+7b)}{1-x^2} dx, x, \tanh(c+dx)\right)}{8b^2(a+b)^2d} \\
&= \frac{a \tanh^3(c+dx)}{4b(a+b)d (a+b \tanh^2(c+dx))^2} + \frac{a(3a+7b) \tanh(c+dx)}{8b^2(a+b)^2d (a+b \tanh^2(c+dx))} + \frac{\text{Subst}\left(\int \frac{1}{1-x^2} dx, x, \tanh(c+dx)\right)}{8b^2(a+b)^2d} \\
&= \frac{x}{(a+b)^3} - \frac{\sqrt{a}(3a^2+10ab+15b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8b^{5/2}(a+b)^3d} + \frac{a \tanh^3(c+dx)}{4b(a+b)d (a+b \tanh^2(c+dx))^2}
\end{aligned}$$

**Mathematica [A]** time = 1.18233, size = 144, normalized size = 1.

$$\frac{\frac{\sqrt{a}(3a^2+10ab+15b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{b^{5/2}} - \frac{4a^2(a+b) \sinh(2(c+dx))}{b((a+b) \cosh(2(c+dx))+a-b)^2} + \frac{3a(a+b)(a+3b) \sinh(2(c+dx))}{b^2((a+b) \cosh(2(c+dx))+a-b)} + 8(c+dx)}{8d(a+b)^3}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[c + d\*x]^6/(a + b\*Tanh[c + d\*x]^2)^3, x]

[Out] (8\*(c + d\*x) - (Sqrt[a]\*(3\*a^2 + 10\*a\*b + 15\*b^2)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/b^(5/2) - (4\*a^2\*(a + b)\*Sinh[2\*(c + d\*x)]/(b\*(a - b + (a + b)\*Cosh[2\*(c + d\*x)]^2) + (3\*a\*(a + b)\*(a + 3\*b)\*Sinh[2\*(c + d\*x)]/(b^2\*(a - b + (a + b)\*Cosh[2\*(c + d\*x)]))))/(8\*(a + b)^3\*d)

**Maple [B]** time = 0.027, size = 352, normalized size = 2.4

$$\frac{\ln(\tanh(dx+c)+1)}{2d(a+b)^3} + \frac{5a^3(\tanh(dx+c))^3}{8d(a+b)^3(a+b(\tanh(dx+c))^2)^2b} + \frac{7a^2(\tanh(dx+c))^3}{4d(a+b)^3(a+b(\tanh(dx+c))^2)^2} + \frac{9ab}{8d(a+b)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(\tanh(dx+c)^6/(a+b*\tanh(dx+c)^2)^3,x)$

[Out]  $\frac{1}{2}d/(a+b)^3*\ln(\tanh(dx+c)+1)+\frac{5}{8}d/(a+b)^3*a^3/(a+b*\tanh(dx+c)^2)^2/b*\tanh(dx+c)^3+\frac{7}{4}d/(a+b)^3*a^2/(a+b*\tanh(dx+c)^2)^2*\tanh(dx+c)^3+\frac{9}{8}d/(a+b)^3*a/(a+b*\tanh(dx+c)^2)^2*b*\tanh(dx+c)^3+\frac{3}{8}d/(a+b)^3*a^4/(a+b*\tanh(dx+c)^2)^2/b^2*\tanh(dx+c)+\frac{5}{4}d/(a+b)^3*a^3/(a+b*\tanh(dx+c)^2)^2/b*\tanh(dx+c)+\frac{7}{8}d/(a+b)^3*a^2/(a+b*\tanh(dx+c)^2)^2*\tanh(dx+c)-\frac{3}{8}d/(a+b)^3*a^3/b^2/(a*b)^{(1/2)}*\arctan(\tanh(dx+c)*b/(a*b)^{(1/2)})-\frac{5}{4}d/(a+b)^3*a^2/b/(a*b)^{(1/2)}*\arctan(\tanh(dx+c)*b/(a*b)^{(1/2)})-\frac{15}{8}d/(a+b)^3*a/(a*b)^{(1/2)}*\arctan(\tanh(dx+c)*b/(a*b)^{(1/2)})-\frac{1}{2}d/(a+b)^3*\ln(\tanh(dx+c)-1)$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\tanh(dx+c)^6/(a+b*\tanh(dx+c)^2)^3,x, \text{algorithm}=\text{"maxima"})$

[Out] Exception raised: ValueError

**Fricas [B]** time = 3.47518, size = 17204, normalized size = 119.47

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\tanh(dx+c)^6/(a+b*\tanh(dx+c)^2)^3,x, \text{algorithm}=\text{"fricas"})$

[Out]  $[1/16*(16*(a^2*b^2 + 2*a*b^3 + b^4)*d*x*\cosh(dx + c)^8 + 128*(a^2*b^2 + 2*a*b^3 + b^4)*d*x*\cosh(dx + c)*\sinh(dx + c)^7 + 16*(a^2*b^2 + 2*a*b^3 + b^4)*d*x*\sinh(dx + c)^8 - 4*(3*a^4 + 13*a^3*b + a^2*b^2 - 9*a*b^3 - 16*(a^2*b^2 - b^4)*d*x)*\cosh(dx + c)^6 + 4*(112*(a^2*b^2 + 2*a*b^3 + b^4)*d*x*\cosh(dx + c)^2 - 3*a^4 - 13*a^3*b - a^2*b^2 + 9*a*b^3 + 16*(a^2*b^2 - b^4)*d*x)*\sinh(dx + c)^6 + 8*(112*(a^2*b^2 + 2*a*b^3 + b^4)*d*x*\cosh(dx + c)^3 - 3*(3*a^4 + 13*a^3*b + a^2*b^2 - 9*a*b^3 - 16*(a^2*b^2 - b^4)*d*x)*\cosh(dx + c))*\sinh(dx + c)^5 - 4*(9*a^4 + 21*a^3*b - 9*a^2*b^2 + 27*a*b^3 - 8*(3*a$



$$\begin{aligned}
&^2*b^2 - 2*a*b^3 + 3*b^4)*d*x)*\cosh(d*x + c)^4 + 4*(280*(a^2*b^2 + 2*a*b^3 \\
&+ b^4)*d*x*\cosh(d*x + c)^4 - 9*a^4 - 21*a^3*b + 9*a^2*b^2 - 27*a*b^3 + 8*(3 \\
&*a^2*b^2 - 2*a*b^3 + 3*b^4)*d*x - 15*(3*a^4 + 13*a^3*b + a^2*b^2 - 9*a*b^3 \\
&- 16*(a^2*b^2 - b^4)*d*x)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 - 12*a^4 - 60*a^ \\
&3*b - 84*a^2*b^2 - 36*a*b^3 + 16*(56*(a^2*b^2 + 2*a*b^3 + b^4)*d*x*\cosh(d*x \\
&+ c)^5 - 5*(3*a^4 + 13*a^3*b + a^2*b^2 - 9*a*b^3 - 16*(a^2*b^2 - b^4)*d*x) \\
&*\cosh(d*x + c)^3 - (9*a^4 + 21*a^3*b - 9*a^2*b^2 + 27*a*b^3 - 8*(3*a^2*b^2 \\
&- 2*a*b^3 + 3*b^4)*d*x)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 16*(a^2*b^2 + 2*a* \\
&b^3 + b^4)*d*x - 4*(9*a^4 + 23*a^3*b - 13*a^2*b^2 - 27*a*b^3 - 16*(a^2*b^2 \\
&- b^4)*d*x)*\cosh(d*x + c)^2 + 4*(112*(a^2*b^2 + 2*a*b^3 + b^4)*d*x*\cosh(d*x \\
&+ c)^6 - 15*(3*a^4 + 13*a^3*b + a^2*b^2 - 9*a*b^3 - 16*(a^2*b^2 - b^4)*d*x \\
&)*\cosh(d*x + c)^4 - 9*a^4 - 23*a^3*b + 13*a^2*b^2 + 27*a*b^3 + 16*(a^2*b^2 \\
&- b^4)*d*x - 6*(9*a^4 + 21*a^3*b - 9*a^2*b^2 + 27*a*b^3 - 8*(3*a^2*b^2 - 2* \\
&a*b^3 + 3*b^4)*d*x)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 + ((3*a^4 + 16*a^3*b + \\
&38*a^2*b^2 + 40*a*b^3 + 15*b^4)*\cosh(d*x + c)^8 + 8*(3*a^4 + 16*a^3*b + 38 \\
&*a^2*b^2 + 40*a*b^3 + 15*b^4)*\cosh(d*x + c)*\sinh(d*x + c)^7 + (3*a^4 + 16*a \\
&^3*b + 38*a^2*b^2 + 40*a*b^3 + 15*b^4)*\sinh(d*x + c)^8 + 4*(3*a^4 + 10*a^3* \\
&b + 12*a^2*b^2 - 10*a*b^3 - 15*b^4)*\cosh(d*x + c)^6 + 4*(3*a^4 + 10*a^3*b + \\
&12*a^2*b^2 - 10*a*b^3 - 15*b^4 + 7*(3*a^4 + 16*a^3*b + 38*a^2*b^2 + 40*a*b \\
&^3 + 15*b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^6 + 8*(7*(3*a^4 + 16*a^3*b + 38 \\
&*a^2*b^2 + 40*a*b^3 + 15*b^4)*\cosh(d*x + c)^3 + 3*(3*a^4 + 10*a^3*b + 12*a^ \\
&2*b^2 - 10*a*b^3 - 15*b^4)*\cosh(d*x + c))*\sinh(d*x + c)^5 + 2*(9*a^4 + 24*a \\
&^3*b + 34*a^2*b^2 + 45*b^4)*\cosh(d*x + c)^4 + 2*(35*(3*a^4 + 16*a^3*b + 38* \\
&a^2*b^2 + 40*a*b^3 + 15*b^4)*\cosh(d*x + c)^4 + 9*a^4 + 24*a^3*b + 34*a^2*b^ \\
&2 + 45*b^4 + 30*(3*a^4 + 10*a^3*b + 12*a^2*b^2 - 10*a*b^3 - 15*b^4)*\cosh(d* \\
&x + c)^2)*\sinh(d*x + c)^4 + 3*a^4 + 16*a^3*b + 38*a^2*b^2 + 40*a*b^3 + 15*b \\
&^4 + 8*(7*(3*a^4 + 16*a^3*b + 38*a^2*b^2 + 40*a*b^3 + 15*b^4)*\cosh(d*x + c) \\
&^5 + 10*(3*a^4 + 10*a^3*b + 12*a^2*b^2 - 10*a*b^3 - 15*b^4)*\cosh(d*x + c)^3 \\
&+ (9*a^4 + 24*a^3*b + 34*a^2*b^2 + 45*b^4)*\cosh(d*x + c))*\sinh(d*x + c)^3 \\
&+ 4*(3*a^4 + 10*a^3*b + 12*a^2*b^2 - 10*a*b^3 - 15*b^4)*\cosh(d*x + c)^2 + 4 \\
&*(7*(3*a^4 + 16*a^3*b + 38*a^2*b^2 + 40*a*b^3 + 15*b^4)*\cosh(d*x + c)^6 + 1 \\
&5*(3*a^4 + 10*a^3*b + 12*a^2*b^2 - 10*a*b^3 - 15*b^4)*\cosh(d*x + c)^4 + 3*a \\
&^4 + 10*a^3*b + 12*a^2*b^2 - 10*a*b^3 - 15*b^4 + 3*(9*a^4 + 24*a^3*b + 34*a \\
&^2*b^2 + 45*b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 + 8*((3*a^4 + 16*a^3*b + \\
&38*a^2*b^2 + 40*a*b^3 + 15*b^4)*\cosh(d*x + c)^7 + 3*(3*a^4 + 10*a^3*b + 12* \\
&a^2*b^2 - 10*a*b^3 - 15*b^4)*\cosh(d*x + c)^5 + (9*a^4 + 24*a^3*b + 34*a^2*b \\
&^2 + 45*b^4)*\cosh(d*x + c)^3 + (3*a^4 + 10*a^3*b + 12*a^2*b^2 - 10*a*b^3 - \\
&15*b^4)*\cosh(d*x + c))*\sinh(d*x + c))*\sqrt{-a/b}*\log(((a^2 + 2*a*b + b^2)*\c \\
&osh(d*x + c)^4 + 4*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a^2 \\
&+ 2*a*b + b^2)*\sinh(d*x + c)^4 + 2*(a^2 - b^2)*\cosh(d*x + c)^2 + 2*(3*(a^2 \\
&+ 2*a*b + b^2)*\cosh(d*x + c)^2 + a^2 - b^2)*\sinh(d*x + c)^2 + a^2 - 6*a*b \\
&+ b^2 + 4*((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^3 + (a^2 - b^2)*\cosh(d*x + c)) \\
&*\sinh(d*x + c) - 4*((a*b + b^2)*\cosh(d*x + c)^2 + 2*(a*b + b^2)*\cosh(d*x + \\
&c)*\sinh(d*x + c) + (a*b + b^2)*\sinh(d*x + c)^2 + a*b - b^2)*\sqrt{-a/b}))/((a \\
&+ b)*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a + b)*s
\end{aligned}$$

$$\begin{aligned}
& \sinh(dx + c)^4 + 2*(a - b)*\cosh(dx + c)^2 + 2*(3*(a + b)*\cosh(dx + c)^2 + \\
& a - b)*\sinh(dx + c)^2 + 4*((a + b)*\cosh(dx + c)^3 + (a - b)*\cosh(dx + c) \\
& ))*\sinh(dx + c) + a + b)) + 8*(16*(a^2*b^2 + 2*a*b^3 + b^4)*d*x*\cosh(dx + \\
& c)^7 - 3*(3*a^4 + 13*a^3*b + a^2*b^2 - 9*a*b^3 - 16*(a^2*b^2 - b^4)*d*x)*c \\
& \cosh(dx + c)^5 - 2*(9*a^4 + 21*a^3*b - 9*a^2*b^2 + 27*a*b^3 - 8*(3*a^2*b^2 \\
& - 2*a*b^3 + 3*b^4)*d*x)*\cosh(dx + c)^3 - (9*a^4 + 23*a^3*b - 13*a^2*b^2 - \\
& 27*a*b^3 - 16*(a^2*b^2 - b^4)*d*x)*\cosh(dx + c))*\sinh(dx + c))/((a^5*b^2 \\
& + 5*a^4*b^3 + 10*a^3*b^4 + 10*a^2*b^5 + 5*a*b^6 + b^7)*d*\cosh(dx + c)^8 + \\
& 8*(a^5*b^2 + 5*a^4*b^3 + 10*a^3*b^4 + 10*a^2*b^5 + 5*a*b^6 + b^7)*d*\cosh(dx \\
& x + c)*\sinh(dx + c)^7 + (a^5*b^2 + 5*a^4*b^3 + 10*a^3*b^4 + 10*a^2*b^5 + 5 \\
& *a*b^6 + b^7)*d*\sinh(dx + c)^8 + 4*(a^5*b^2 + 3*a^4*b^3 + 2*a^3*b^4 - 2*a^ \\
& 2*b^5 - 3*a*b^6 - b^7)*d*\cosh(dx + c)^6 + 4*(7*(a^5*b^2 + 5*a^4*b^3 + 10*a \\
& ^3*b^4 + 10*a^2*b^5 + 5*a*b^6 + b^7)*d*\cosh(dx + c)^2 + (a^5*b^2 + 3*a^4*b \\
& ^3 + 2*a^3*b^4 - 2*a^2*b^5 - 3*a*b^6 - b^7)*d)*\sinh(dx + c)^6 + 2*(3*a^5*b \\
& ^2 + 7*a^4*b^3 + 6*a^3*b^4 + 6*a^2*b^5 + 7*a*b^6 + 3*b^7)*d*\cosh(dx + c)^4 \\
& + 8*(7*(a^5*b^2 + 5*a^4*b^3 + 10*a^3*b^4 + 10*a^2*b^5 + 5*a*b^6 + b^7)*d*c \\
& \cosh(dx + c)^3 + 3*(a^5*b^2 + 3*a^4*b^3 + 2*a^3*b^4 - 2*a^2*b^5 - 3*a*b^6 - \\
& b^7)*d*\cosh(dx + c))*\sinh(dx + c)^5 + 2*(35*(a^5*b^2 + 5*a^4*b^3 + 10*a^ \\
& 3*b^4 + 10*a^2*b^5 + 5*a*b^6 + b^7)*d*\cosh(dx + c)^4 + 30*(a^5*b^2 + 3*a^4 \\
& *b^3 + 2*a^3*b^4 - 2*a^2*b^5 - 3*a*b^6 - b^7)*d*\cosh(dx + c)^2 + (3*a^5*b^ \\
& 2 + 7*a^4*b^3 + 6*a^3*b^4 + 6*a^2*b^5 + 7*a*b^6 + 3*b^7)*d)*\sinh(dx + c)^4 \\
& + 4*(a^5*b^2 + 3*a^4*b^3 + 2*a^3*b^4 - 2*a^2*b^5 - 3*a*b^6 - b^7)*d*\cosh(dx \\
& *x + c)^2 + 8*(7*(a^5*b^2 + 5*a^4*b^3 + 10*a^3*b^4 + 10*a^2*b^5 + 5*a*b^6 + \\
& b^7)*d*\cosh(dx + c)^5 + 10*(a^5*b^2 + 3*a^4*b^3 + 2*a^3*b^4 - 2*a^2*b^5 - \\
& 3*a*b^6 - b^7)*d*\cosh(dx + c)^3 + (3*a^5*b^2 + 7*a^4*b^3 + 6*a^3*b^4 + 6* \\
& a^2*b^5 + 7*a*b^6 + 3*b^7)*d*\cosh(dx + c))*\sinh(dx + c)^3 + 4*(7*(a^5*b^2 \\
& + 5*a^4*b^3 + 10*a^3*b^4 + 10*a^2*b^5 + 5*a*b^6 + b^7)*d*\cosh(dx + c)^6 + \\
& 15*(a^5*b^2 + 3*a^4*b^3 + 2*a^3*b^4 - 2*a^2*b^5 - 3*a*b^6 - b^7)*d*\cosh(dx \\
& x + c)^4 + 3*(3*a^5*b^2 + 7*a^4*b^3 + 6*a^3*b^4 + 6*a^2*b^5 + 7*a*b^6 + 3*b \\
& ^7)*d*\cosh(dx + c)^2 + (a^5*b^2 + 3*a^4*b^3 + 2*a^3*b^4 - 2*a^2*b^5 - 3*a* \\
& b^6 - b^7)*d)*\sinh(dx + c)^2 + (a^5*b^2 + 5*a^4*b^3 + 10*a^3*b^4 + 10*a^2* \\
& b^5 + 5*a*b^6 + b^7)*d + 8*((a^5*b^2 + 5*a^4*b^3 + 10*a^3*b^4 + 10*a^2*b^5 \\
& + 5*a*b^6 + b^7)*d*\cosh(dx + c)^7 + 3*(a^5*b^2 + 3*a^4*b^3 + 2*a^3*b^4 - 2 \\
& *a^2*b^5 - 3*a*b^6 - b^7)*d*\cosh(dx + c)^5 + (3*a^5*b^2 + 7*a^4*b^3 + 6*a^ \\
& 3*b^4 + 6*a^2*b^5 + 7*a*b^6 + 3*b^7)*d*\cosh(dx + c)^3 + (a^5*b^2 + 3*a^4*b \\
& ^3 + 2*a^3*b^4 - 2*a^2*b^5 - 3*a*b^6 - b^7)*d*\cosh(dx + c))*\sinh(dx + c) \\
& , 1/8*(8*(a^2*b^2 + 2*a*b^3 + b^4)*d*x*\cosh(dx + c)^8 + 64*(a^2*b^2 + 2*a* \\
& b^3 + b^4)*d*x*\cosh(dx + c)*\sinh(dx + c)^7 + 8*(a^2*b^2 + 2*a*b^3 + b^4)* \\
& d*x*\sinh(dx + c)^8 - 2*(3*a^4 + 13*a^3*b + a^2*b^2 - 9*a*b^3 - 16*(a^2*b^2 \\
& - b^4)*d*x)*\cosh(dx + c)^6 + 2*(112*(a^2*b^2 + 2*a*b^3 + b^4)*d*x*\cosh(dx \\
& x + c)^2 - 3*a^4 - 13*a^3*b - a^2*b^2 + 9*a*b^3 + 16*(a^2*b^2 - b^4)*d*x)*s \\
& \sinh(dx + c)^6 + 4*(112*(a^2*b^2 + 2*a*b^3 + b^4)*d*x*\cosh(dx + c)^3 - 3*( \\
& 3*a^4 + 13*a^3*b + a^2*b^2 - 9*a*b^3 - 16*(a^2*b^2 - b^4)*d*x)*\cosh(dx + c \\
& ))*\sinh(dx + c)^5 - 2*(9*a^4 + 21*a^3*b - 9*a^2*b^2 + 27*a*b^3 - 8*(3*a^2* \\
& b^2 - 2*a*b^3 + 3*b^4)*d*x)*\cosh(dx + c)^4 + 2*(280*(a^2*b^2 + 2*a*b^3 + b
\end{aligned}$$

$$\begin{aligned}
&^4)*d*x*cosh(d*x + c)^4 - 9*a^4 - 21*a^3*b + 9*a^2*b^2 - 27*a*b^3 + 8*(3*a^2*b^2 - 2*a*b^3 + 3*b^4)*d*x - 15*(3*a^4 + 13*a^3*b + a^2*b^2 - 9*a*b^3 - 1 \\
&6*(a^2*b^2 - b^4)*d*x)*cosh(d*x + c)^2)*sinh(d*x + c)^4 - 6*a^4 - 30*a^3*b \\
&- 42*a^2*b^2 - 18*a*b^3 + 8*(56*(a^2*b^2 + 2*a*b^3 + b^4)*d*x*cosh(d*x + c) \\
&^5 - 5*(3*a^4 + 13*a^3*b + a^2*b^2 - 9*a*b^3 - 16*(a^2*b^2 - b^4)*d*x)*cosh \\
&(d*x + c)^3 - (9*a^4 + 21*a^3*b - 9*a^2*b^2 + 27*a*b^3 - 8*(3*a^2*b^2 - 2*a \\
&*b^3 + 3*b^4)*d*x)*cosh(d*x + c))*sinh(d*x + c)^3 + 8*(a^2*b^2 + 2*a*b^3 + \\
&b^4)*d*x - 2*(9*a^4 + 23*a^3*b - 13*a^2*b^2 - 27*a*b^3 - 16*(a^2*b^2 - b^4) \\
&)*d*x)*cosh(d*x + c)^2 + 2*(112*(a^2*b^2 + 2*a*b^3 + b^4)*d*x*cosh(d*x + c)^ \\
&6 - 15*(3*a^4 + 13*a^3*b + a^2*b^2 - 9*a*b^3 - 16*(a^2*b^2 - b^4)*d*x)*cosh \\
&(d*x + c)^4 - 9*a^4 - 23*a^3*b + 13*a^2*b^2 + 27*a*b^3 + 16*(a^2*b^2 - b^4) \\
&)*d*x - 6*(9*a^4 + 21*a^3*b - 9*a^2*b^2 + 27*a*b^3 - 8*(3*a^2*b^2 - 2*a*b^3 \\
&+ 3*b^4)*d*x)*cosh(d*x + c)^2)*sinh(d*x + c)^2 - ((3*a^4 + 16*a^3*b + 38*a^2*b^2 + 40*a*b^3 + 15*b^4)*cosh(d*x + c)^8 + 8*(3*a^4 + 16*a^3*b + 38*a^2*b^2 + 40*a*b^3 + 15*b^4)*cosh(d*x + c)*sinh(d*x + c)^7 + (3*a^4 + 16*a^3*b + 38*a^2*b^2 + 40*a*b^3 + 15*b^4)*sinh(d*x + c)^8 + 4*(3*a^4 + 10*a^3*b + 12*a^2*b^2 - 10*a*b^3 - 15*b^4)*cosh(d*x + c)^6 + 4*(3*a^4 + 10*a^3*b + 12*a^2*b^2 - 10*a*b^3 - 15*b^4 + 7*(3*a^4 + 16*a^3*b + 38*a^2*b^2 + 40*a*b^3 + 15*b^4)*cosh(d*x + c)^2)*sinh(d*x + c)^6 + 8*(7*(3*a^4 + 16*a^3*b + 38*a^2*b^2 + 40*a*b^3 + 15*b^4)*cosh(d*x + c)^3 + 3*(3*a^4 + 10*a^3*b + 12*a^2*b^2 - 10*a*b^3 - 15*b^4)*cosh(d*x + c))*sinh(d*x + c)^5 + 2*(9*a^4 + 24*a^3*b + 34*a^2*b^2 + 45*b^4)*cosh(d*x + c)^4 + 2*(35*(3*a^4 + 16*a^3*b + 38*a^2*b^2 + 40*a*b^3 + 15*b^4)*cosh(d*x + c)^4 + 9*a^4 + 24*a^3*b + 34*a^2*b^2 + 45*b^4 + 30*(3*a^4 + 10*a^3*b + 12*a^2*b^2 - 10*a*b^3 - 15*b^4)*cosh(d*x + c)^2)*sinh(d*x + c)^4 + 3*a^4 + 16*a^3*b + 38*a^2*b^2 + 40*a*b^3 + 15*b^4 + 8*(7*(3*a^4 + 16*a^3*b + 38*a^2*b^2 + 40*a*b^3 + 15*b^4)*cosh(d*x + c)^5 + 10*(3*a^4 + 10*a^3*b + 12*a^2*b^2 - 10*a*b^3 - 15*b^4)*cosh(d*x + c)^3 + (9*a^4 + 24*a^3*b + 34*a^2*b^2 + 45*b^4)*cosh(d*x + c))*sinh(d*x + c)^3 + 4*(3*a^4 + 10*a^3*b + 12*a^2*b^2 - 10*a*b^3 - 15*b^4)*cosh(d*x + c)^2 + 4*(7*(3*a^4 + 16*a^3*b + 38*a^2*b^2 + 40*a*b^3 + 15*b^4)*cosh(d*x + c)^6 + 15*(3*a^4 + 10*a^3*b + 12*a^2*b^2 - 10*a*b^3 - 15*b^4)*cosh(d*x + c)^4 + 3*a^4 + 10*a^3*b + 12*a^2*b^2 - 10*a*b^3 - 15*b^4 + 3*(9*a^4 + 24*a^3*b + 34*a^2*b^2 + 45*b^4)*cosh(d*x + c)^2)*sinh(d*x + c)^2 + 8*((3*a^4 + 16*a^3*b + 38*a^2*b^2 + 40*a*b^3 + 15*b^4)*cosh(d*x + c)^7 + 3*(3*a^4 + 10*a^3*b + 12*a^2*b^2 - 10*a*b^3 - 15*b^4)*cosh(d*x + c)^5 + (9*a^4 + 24*a^3*b + 34*a^2*b^2 + 45*b^4)*cosh(d*x + c)^3 + (3*a^4 + 10*a^3*b + 12*a^2*b^2 - 10*a*b^3 - 15*b^4)*cosh(d*x + c))*sinh(d*x + c))*sqrt(a/b)*arctan(1/2*((a + b)*cosh(d*x + c)^2 + 2*(a + b)*cosh(d*x + c)*sinh(d*x + c) + (a + b)*sinh(d*x + c)^2 + a - b)*sqrt(a/b)/a) + 4*(16*(a^2*b^2 + 2*a*b^3 + b^4)*d*x*cosh(d*x + c)^7 - 3*(3*a^4 + 13*a^3*b + a^2*b^2 - 9*a*b^3 - 16*(a^2*b^2 - b^4)*d*x)*cosh(d*x + c)^5 - 2*(9*a^4 + 21*a^3*b - 9*a^2*b^2 + 27*a*b^3 - 8*(3*a^2*b^2 - 2*a*b^3 + 3*b^4)*d*x)*cosh(d*x + c)^3 - (9*a^4 + 23*a^3*b - 13*a^2*b^2 - 27*a*b^3 - 16*(a^2*b^2 - b^4)*d*x)*cosh(d*x + c))*sinh(d*x + c))/((a^5*b^2 + 5*a^4*b^3 + 10*a^3*b^4 + 10*a^2*b^5 + 5*a*b^6 + b^7)*d*cosh(d*x + c)^8 + 8*(a^5*b^2 + 5*a^4*b^3 + 10*a^3*b^4 + 10*a^2*b^5 + 5*a*b^6 + b^7)*d*cosh(d*x + c)*sinh
\end{aligned}$$

$$\begin{aligned}
& (d*x + c)^7 + (a^5*b^2 + 5*a^4*b^3 + 10*a^3*b^4 + 10*a^2*b^5 + 5*a*b^6 + b^7) * d * \sinh(d*x + c)^8 + 4*(a^5*b^2 + 3*a^4*b^3 + 2*a^3*b^4 - 2*a^2*b^5 - 3*a*b^6 - b^7) * d * \cosh(d*x + c)^6 + 4*(7*(a^5*b^2 + 5*a^4*b^3 + 10*a^3*b^4 + 10*a^2*b^5 + 5*a*b^6 + b^7) * d * \cosh(d*x + c)^2 + (a^5*b^2 + 3*a^4*b^3 + 2*a^3*b^4 - 2*a^2*b^5 - 3*a*b^6 - b^7) * d) * \sinh(d*x + c)^6 + 2*(3*a^5*b^2 + 7*a^4*b^3 + 6*a^3*b^4 + 6*a^2*b^5 + 7*a*b^6 + 3*b^7) * d * \cosh(d*x + c)^4 + 8*(7*(a^5*b^2 + 5*a^4*b^3 + 10*a^3*b^4 + 10*a^2*b^5 + 5*a*b^6 + b^7) * d * \cosh(d*x + c))^3 + 3*(a^5*b^2 + 3*a^4*b^3 + 2*a^3*b^4 - 2*a^2*b^5 - 3*a*b^6 - b^7) * d * \cosh(d*x + c) * \sinh(d*x + c)^5 + 2*(35*(a^5*b^2 + 5*a^4*b^3 + 10*a^3*b^4 + 10*a^2*b^5 + 5*a*b^6 + b^7) * d * \cosh(d*x + c)^4 + 30*(a^5*b^2 + 3*a^4*b^3 + 2*a^3*b^4 - 2*a^2*b^5 - 3*a*b^6 - b^7) * d * \cosh(d*x + c)^2 + (3*a^5*b^2 + 7*a^4*b^3 + 6*a^3*b^4 + 6*a^2*b^5 + 7*a*b^6 + 3*b^7) * d) * \sinh(d*x + c)^4 + 4*(a^5*b^2 + 3*a^4*b^3 + 2*a^3*b^4 - 2*a^2*b^5 - 3*a*b^6 - b^7) * d * \cosh(d*x + c)^2 + 8*(7*(a^5*b^2 + 5*a^4*b^3 + 10*a^3*b^4 + 10*a^2*b^5 + 5*a*b^6 + b^7) * d * \cosh(d*x + c)^5 + 10*(a^5*b^2 + 3*a^4*b^3 + 2*a^3*b^4 - 2*a^2*b^5 - 3*a*b^6 - b^7) * d * \cosh(d*x + c)^3 + (3*a^5*b^2 + 7*a^4*b^3 + 6*a^3*b^4 + 6*a^2*b^5 + 7*a*b^6 + 3*b^7) * d * \cosh(d*x + c)) * \sinh(d*x + c)^3 + 4*(7*(a^5*b^2 + 5*a^4*b^3 + 10*a^3*b^4 + 10*a^2*b^5 + 5*a*b^6 + b^7) * d * \cosh(d*x + c)^6 + 15*(a^5*b^2 + 3*a^4*b^3 + 2*a^3*b^4 - 2*a^2*b^5 - 3*a*b^6 - b^7) * d * \cosh(d*x + c)^4 + 3*(3*a^5*b^2 + 7*a^4*b^3 + 6*a^3*b^4 + 6*a^2*b^5 + 7*a*b^6 + 3*b^7) * d * \cosh(d*x + c)^2 + (a^5*b^2 + 3*a^4*b^3 + 2*a^3*b^4 - 2*a^2*b^5 - 3*a*b^6 - b^7) * d) * \sinh(d*x + c)^2 + (a^5*b^2 + 5*a^4*b^3 + 10*a^3*b^4 + 10*a^2*b^5 + 5*a*b^6 + b^7) * d + 8*((a^5*b^2 + 5*a^4*b^3 + 10*a^3*b^4 + 10*a^2*b^5 + 5*a*b^6 + b^7) * d * \cosh(d*x + c)^7 + 3*(a^5*b^2 + 3*a^4*b^3 + 2*a^3*b^4 - 2*a^2*b^5 - 3*a*b^6 - b^7) * d * \cosh(d*x + c)^5 + (3*a^5*b^2 + 7*a^4*b^3 + 6*a^3*b^4 + 6*a^2*b^5 + 7*a*b^6 + 3*b^7) * d * \cosh(d*x + c)^3 + (a^5*b^2 + 3*a^4*b^3 + 2*a^3*b^4 - 2*a^2*b^5 - 3*a*b^6 - b^7) * d * \cosh(d*x + c)) * \sinh(d*x + c))]
\end{aligned}$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)\*\*6/(a+b\*tanh(d\*x+c)\*\*2)\*\*3,x)

[Out] Timed out

**Giac [B]** time = 1.26636, size = 566, normalized size = 3.93

$$\frac{(3a^3 + 10a^2b + 15ab^2) \arctan\left(\frac{ae^{2dx+2c} + be^{2dx+2c} + a - b}{2\sqrt{ab}}\right)}{8(a^3b^2d + 3a^2b^3d + 3ab^4d + b^5d)\sqrt{ab}} + \frac{dx + c}{a^3d + 3a^2bd + 3ab^2d + b^3d} - \frac{3a^4e^{6dx+6c} + 13a^3be^{6dx+6c}}{8(a^3b^2d + 3a^2b^3d + 3ab^4d + b^5d)\sqrt{ab}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^6/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out] 
$$-1/8*(3*a^3 + 10*a^2*b + 15*a*b^2)*\arctan(1/2*(a*e^{2*d*x + 2*c} + b*e^{2*d*x + 2*c} + a - b)/\sqrt{a*b})/((a^3*b^2*d + 3*a^2*b^3*d + 3*a*b^4*d + b^5*d)*\sqrt{a*b}) + (d*x + c)/(a^3*d + 3*a^2*b*d + 3*a*b^2*d + b^3*d) - 1/4*(3*a^4*e^{6*d*x + 6*c} + 13*a^3*b*e^{6*d*x + 6*c} + a^2*b^2*e^{6*d*x + 6*c} - 9*a*b^3*e^{6*d*x + 6*c} + 9*a^4*e^{4*d*x + 4*c} + 21*a^3*b*e^{4*d*x + 4*c} - 9*a^2*b^2*e^{4*d*x + 4*c} + 27*a*b^3*e^{4*d*x + 4*c} + 9*a^4*e^{2*d*x + 2*c} + 23*a^3*b*e^{2*d*x + 2*c} - 13*a^2*b^2*e^{2*d*x + 2*c} - 27*a*b^3*e^{2*d*x + 2*c} + 3*a^4 + 15*a^3*b + 21*a^2*b^2 + 9*a*b^3)/((a^3*b^2*d + 3*a^2*b^3*d + 3*a*b^4*d + b^5*d)*(a*e^{4*d*x + 4*c} + b*e^{4*d*x + 4*c} + 2*a*e^{2*d*x + 2*c} - 2*b*e^{2*d*x + 2*c} + a + b)^2)$$

$$3.191 \quad \int \frac{\tanh^5(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$$

**Optimal.** Leaf size=109

$$-\frac{a^2}{4b^2d(a+b)(a+b \tanh^2(c+dx))^2} + \frac{a(a+2b)}{2b^2d(a+b)^2(a+b \tanh^2(c+dx))} + \frac{\log(a+b \tanh^2(c+dx))}{2d(a+b)^3} + \frac{\log(\cosh(c+dx))}{d(a+b)^3}$$

[Out] Log[Cosh[c + d\*x]]/((a + b)^3\*d) + Log[a + b\*Tanh[c + d\*x]^2]/(2\*(a + b)^3\*d) - a^2/(4\*b^2\*(a + b)\*d\*(a + b\*Tanh[c + d\*x]^2)^2) + (a\*(a + 2\*b))/(2\*b^2\*d\*(a + b)^2\*d\*(a + b\*Tanh[c + d\*x]^2))

**Rubi [A]** time = 0.17042, antiderivative size = 109, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$ , Rules used = {3670, 446, 88}

$$-\frac{a^2}{4b^2d(a+b)(a+b \tanh^2(c+dx))^2} + \frac{a(a+2b)}{2b^2d(a+b)^2(a+b \tanh^2(c+dx))} + \frac{\log(a+b \tanh^2(c+dx))}{2d(a+b)^3} + \frac{\log(\cosh(c+dx))}{d(a+b)^3}$$

Antiderivative was successfully verified.

[In] Int[Tanh[c + d\*x]^5/(a + b\*Tanh[c + d\*x]^2)^3, x]

[Out] Log[Cosh[c + d\*x]]/((a + b)^3\*d) + Log[a + b\*Tanh[c + d\*x]^2]/(2\*(a + b)^3\*d) - a^2/(4\*b^2\*(a + b)\*d\*(a + b\*Tanh[c + d\*x]^2)^2) + (a\*(a + 2\*b))/(2\*b^2\*d\*(a + b)^2\*d\*(a + b\*Tanh[c + d\*x]^2))

### Rule 3670

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((a_.) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_.))^(p_.), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[(((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f^2*x^2), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))
```

### Rule 446

```
Int[(x_)^(m_.)*((a_.) + (b_.)*(x_)^(n_.))^(p_.)*((c_.) + (d_.)*(x_)^(n_.))^(q_.), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p
```

$*(c + d*x)^q, x], x, x^n], x] /; \text{FreeQ}[\{a, b, c, d, m, n, p, q\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

### Rule 88

$\text{Int}[(a_. + (b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_.)*((e_.) + (f_.)*(x_.))^(p_.), x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p, x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, p\}, x] \ \&\& \ \text{IntegersQ}[m, n] \ \&\& \ (\text{IntegerQ}[p] \ || \ (\text{GtQ}[m, 0] \ \&\& \ \text{GeQ}[n, -1]))$

### Rubi steps

$$\begin{aligned} \int \frac{\tanh^5(c + dx)}{(a + b \tanh^2(c + dx))^3} dx &= \frac{\text{Subst}\left(\int \frac{x^5}{(1-x^2)(a+bx^2)^3} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{\text{Subst}\left(\int \frac{x^2}{(1-x)(a+bx)^3} dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= \frac{\text{Subst}\left(\int \left(-\frac{1}{(a+b)^3(-1+x)} + \frac{a^2}{b(a+b)(a+bx)^3} - \frac{a(a+2b)}{b(a+b)^2(a+bx)^2} + \frac{b}{(a+b)^3(a+bx)}\right) dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= \frac{\log(\cosh(c + dx))}{(a + b)^3 d} + \frac{\log(a + b \tanh^2(c + dx))}{2(a + b)^3 d} - \frac{a^2}{4b^2(a + b)d(a + b \tanh^2(c + dx))^2} + \end{aligned}$$

**Mathematica [A]** time = 0.9841, size = 91, normalized size = 0.83

$$\frac{\frac{a^2(a+b)^2}{b^2(a+b \tanh^2(c+dx))^2} - \frac{2a(a+2b)(a+b)}{b^2(a+b \tanh^2(c+dx))} - 2 \log(a + b \tanh^2(c + dx)) - 4 \log(\cosh(c + dx))}{4d(a + b)^3}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[c + d\*x]^5/(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out]  $-(4*\text{Log}[\text{Cosh}[c + d*x]] - 2*\text{Log}[a + b*\text{Tanh}[c + d*x]^2] + (a^2*(a + b)^2)/(b^2*(a + b*\text{Tanh}[c + d*x]^2)^2) - (2*a*(a + b)*(a + 2*b))/(b^2*(a + b*\text{Tanh}[c + d*x]^2)))/(4*(a + b)^3*d)$

**Maple [B]** time = 0.027, size = 234, normalized size = 2.2

$$-\frac{\ln(\tanh(dx+c)+1)}{2d(a+b)^3} + \frac{a^3}{2d(a+b)^3 b^2 (a+b(\tanh(dx+c))^2)} + \frac{3a^2}{2d(a+b)^3 b (a+b(\tanh(dx+c))^2)} + \frac{1}{d(a+b)^3 (a+b(\tanh(dx+c))^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(d\*x+c)^5/(a+b\*tanh(d\*x+c)^2)^3,x)

[Out] -1/2/d/(a+b)^3\*ln(tanh(d\*x+c)+1)+1/2/d/(a+b)^3\*a^3/b^2/(a+b\*tanh(d\*x+c)^2)+3/2/d/(a+b)^3\*a^2/b/(a+b\*tanh(d\*x+c)^2)+1/d/(a+b)^3\*a/(a+b\*tanh(d\*x+c)^2)-1/4/d/(a+b)^3\*a^4/b^2/(a+b\*tanh(d\*x+c)^2)^2-1/2/d/(a+b)^3\*a^3/b/(a+b\*tanh(d\*x+c)^2)^2-1/4/d/(a+b)^3\*a^2/(a+b\*tanh(d\*x+c)^2)^2+1/2\*ln(a+b\*tanh(d\*x+c)^2)/(a+b)^3/d-1/2/d/(a+b)^3\*ln(tanh(d\*x+c)-1)

**Maxima [B]** time = 1.24097, size = 508, normalized size = 4.66

$$\frac{dx+c}{(a^3+3a^2b+3ab^2+b^3)d} + \frac{1}{(a^5+5a^4b+10a^3b^2+10a^2b^3+5ab^4+b^5+4(a^5+3a^4b+2a^3b^2-2a^2b^3-3ab^4-b^5)e^{2c})e^{2c}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^5/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="maxima")

[Out] (d\*x+c)/((a^3+3\*a^2\*b+3\*a\*b^2+b^3)\*d)+4\*((a^2+a\*b)\*e^(-2\*d\*x-2\*c)+(a^2-2\*a\*b)\*e^(-4\*d\*x-4\*c)+(a^2+a\*b)\*e^(-6\*d\*x-6\*c))/((a^5+5\*a^4\*b+10\*a^3\*b^2+10\*a^2\*b^3+5\*a\*b^4+b^5+4\*(a^5+3\*a^4\*b+2\*a^3\*b^2-2\*a^2\*b^3-3\*a\*b^4-b^5)\*e^(-2\*d\*x-2\*c)+2\*(3\*a^5+7\*a^4\*b+6\*a^3\*b^2+6\*a^2\*b^3+7\*a\*b^4+3\*b^5)\*e^(-4\*d\*x-4\*c)+4\*(a^5+3\*a^4\*b+2\*a^3\*b^2-2\*a^2\*b^3-3\*a\*b^4-b^5)\*e^(-6\*d\*x-6\*c)+(a^5+5\*a^4\*b+10\*a^3\*b^2+10\*a^2\*b^3+5\*a\*b^4+b^5)\*e^(-8\*d\*x-8\*c))\*d)+1/2\*log(2\*(a-b)\*e^(-2\*d\*x-2\*c)+(a+b)\*e^(-4\*d\*x-4\*c)+a+b)/((a^3+3\*a^2\*b+3\*a\*b^2+b^3)\*d)

**Fricas [B]** time = 2.45023, size = 6044, normalized size = 55.45

result too large to display

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate(tanh(d\*x+c)^5/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out] 
$$-1/2*(2*(a^2 + 2*a*b + b^2)*d*x*cosh(d*x + c)^8 + 16*(a^2 + 2*a*b + b^2)*d*x*cosh(d*x + c)*sinh(d*x + c)^7 + 2*(a^2 + 2*a*b + b^2)*d*x*sinh(d*x + c)^8 + 8*((a^2 - b^2)*d*x - a^2 - a*b)*cosh(d*x + c)^6 + 8*(7*(a^2 + 2*a*b + b^2)*d*x*cosh(d*x + c)^2 + (a^2 - b^2)*d*x - a^2 - a*b)*sinh(d*x + c)^6 + 16*(7*(a^2 + 2*a*b + b^2)*d*x*cosh(d*x + c)^3 + 3*((a^2 - b^2)*d*x - a^2 - a*b)*cosh(d*x + c))*sinh(d*x + c)^5 + 4*((3*a^2 - 2*a*b + 3*b^2)*d*x - 2*a^2 + 4*a*b)*cosh(d*x + c)^4 + 4*(35*(a^2 + 2*a*b + b^2)*d*x*cosh(d*x + c)^4 + (3*a^2 - 2*a*b + 3*b^2)*d*x + 30*((a^2 - b^2)*d*x - a^2 - a*b)*cosh(d*x + c)^2 - 2*a^2 + 4*a*b)*sinh(d*x + c)^4 + 16*(7*(a^2 + 2*a*b + b^2)*d*x*cosh(d*x + c)^5 + 10*((a^2 - b^2)*d*x - a^2 - a*b)*cosh(d*x + c)^3 + ((3*a^2 - 2*a*b + 3*b^2)*d*x - 2*a^2 + 4*a*b)*cosh(d*x + c))*sinh(d*x + c)^3 + 2*(a^2 + 2*a*b + b^2)*d*x + 8*((a^2 - b^2)*d*x - a^2 - a*b)*cosh(d*x + c)^2 + 8*(7*(a^2 + 2*a*b + b^2)*d*x*cosh(d*x + c)^6 + 15*((a^2 - b^2)*d*x - a^2 - a*b)*cosh(d*x + c)^4 + (a^2 - b^2)*d*x + 3*((3*a^2 - 2*a*b + 3*b^2)*d*x - 2*a^2 + 4*a*b)*cosh(d*x + c)^2 - a^2 - a*b)*sinh(d*x + c)^2 - ((a^2 + 2*a*b + b^2)*cosh(d*x + c)^8 + 8*(a^2 + 2*a*b + b^2)*cosh(d*x + c)*sinh(d*x + c)^7 + (a^2 + 2*a*b + b^2)*sinh(d*x + c)^8 + 4*(a^2 - b^2)*cosh(d*x + c)^6 + 4*(7*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^2 + a^2 - b^2)*sinh(d*x + c)^6 + 8*(7*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^3 + 3*(a^2 - b^2)*cosh(d*x + c))*sinh(d*x + c)^5 + 2*(3*a^2 - 2*a*b + 3*b^2)*cosh(d*x + c)^4 + 2*(35*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^4 + 30*(a^2 - b^2)*cosh(d*x + c)^2 + 3*a^2 - 2*a*b + 3*b^2)*sinh(d*x + c)^4 + 8*(7*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^5 + 10*(a^2 - b^2)*cosh(d*x + c)^3 + (3*a^2 - 2*a*b + 3*b^2)*cosh(d*x + c))*sinh(d*x + c)^3 + 4*(a^2 - b^2)*cosh(d*x + c)^2 + 4*(7*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^6 + 15*(a^2 - b^2)*cosh(d*x + c)^4 + 3*(3*a^2 - 2*a*b + 3*b^2)*cosh(d*x + c)^2 + a^2 - b^2)*sinh(d*x + c)^2 + a^2 + 2*a*b + b^2 + 8*((a^2 + 2*a*b + b^2)*cosh(d*x + c)^7 + 3*(a^2 - b^2)*cosh(d*x + c)^5 + (3*a^2 - 2*a*b + 3*b^2)*cosh(d*x + c)^3 + (a^2 - b^2)*cosh(d*x + c))*sinh(d*x + c))*log(2*((a + b)*cosh(d*x + c)^2 + (a + b)*sinh(d*x + c)^2 + a - b)/(cosh(d*x + c)^2 - 2*cosh(d*x + c)*sinh(d*x + c) + sinh(d*x + c)^2)) + 16*((a^2 + 2*a*b + b^2)*d*x*cosh(d*x + c)^7 + 3*((a^2 - b^2)*d*x - a^2 - a*b)*cosh(d*x + c)^5 + ((3*a^2 - 2*a*b + 3*b^2)*d*x - 2*a^2 + 4*a*b)*cosh(d*x + c)^3 + ((a^2 - b^2)*d*x - a^2 - a*b)*cosh(d*x + c))*sinh(d*x + c))/((a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*cosh(d*x + c)^8 + 8*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*cosh(d*x + c)*sinh(d*x + c)^7 + (a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*sinh(d*x + c)^8 + 4*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d*cosh(d*x + c)^6 + 4*(7*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*cosh(d*x + c)^2 + (a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d)*sinh(d*x + c)^6 + 2*(3*a^5 + 7*a^4*b + 6*a^3*b^2 + 6*a^2*b^3 + 7*a*b^4 + 3*b^5)*d*cosh(d*x + c)^4 + 8*(7*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*cosh(d*x + c)^3 + 3*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5$$

```

)*d*cosh(d*x + c))*sinh(d*x + c)^5 + 2*(35*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10
*a^2*b^3 + 5*a*b^4 + b^5)*d*cosh(d*x + c)^4 + 30*(a^5 + 3*a^4*b + 2*a^3*b^2
- 2*a^2*b^3 - 3*a*b^4 - b^5)*d*cosh(d*x + c)^2 + (3*a^5 + 7*a^4*b + 6*a^3*
b^2 + 6*a^2*b^3 + 7*a*b^4 + 3*b^5)*d)*sinh(d*x + c)^4 + 4*(a^5 + 3*a^4*b +
2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d*cosh(d*x + c)^2 + 8*(7*(a^5 + 5*a^
4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*cosh(d*x + c)^5 + 10*(a^5
+ 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d*cosh(d*x + c)^3 + (3*a
^5 + 7*a^4*b + 6*a^3*b^2 + 6*a^2*b^3 + 7*a*b^4 + 3*b^5)*d*cosh(d*x + c))*si
nh(d*x + c)^3 + 4*(7*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b
^5)*d*cosh(d*x + c)^6 + 15*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4
- b^5)*d*cosh(d*x + c)^4 + 3*(3*a^5 + 7*a^4*b + 6*a^3*b^2 + 6*a^2*b^3 + 7*
a*b^4 + 3*b^5)*d*cosh(d*x + c)^2 + (a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 -
3*a*b^4 - b^5)*d)*sinh(d*x + c)^2 + (a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b
^3 + 5*a*b^4 + b^5)*d + 8*((a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b
^4 + b^5)*d*cosh(d*x + c)^7 + 3*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*
a*b^4 - b^5)*d*cosh(d*x + c)^5 + (3*a^5 + 7*a^4*b + 6*a^3*b^2 + 6*a^2*b^3 +
7*a*b^4 + 3*b^5)*d*cosh(d*x + c)^3 + (a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^
3 - 3*a*b^4 - b^5)*d*cosh(d*x + c))*sinh(d*x + c))

```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)\*\*5/(a+b\*tanh(d\*x+c)\*\*2)\*\*3,x)

[Out] Timed out

**Giac [B]** time = 1.26539, size = 339, normalized size = 3.11

$$\frac{\log\left(\left|a\left(e^{2dx+2c}\right) + e^{(-2dx-2c)}\right) + b\left(e^{2dx+2c}\right) + e^{(-2dx-2c)}\right) + 2a - 2b}{2\left(a^3d + 3a^2bd + 3ab^2d + b^3d\right)} - \frac{3a\left(e^{2dx+2c}\right) + e^{(-2dx-2c)}}{4\left(a^2d + 2abd + b^2d\right)}\left(a\left(e^{2dx+2c}\right) + e^{(-2dx-2c)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^5/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

```
[Out] 1/2*log(abs(a*(e^(2*d*x + 2*c)) + e^(-2*d*x - 2*c)) + b*(e^(2*d*x + 2*c) + e^(-2*d*x - 2*c)) + 2*a - 2*b)/(a^3*d + 3*a^2*b*d + 3*a*b^2*d + b^3*d) - 1/4*(3*a*(e^(2*d*x + 2*c) + e^(-2*d*x - 2*c))^2 + 3*b*(e^(2*d*x + 2*c) + e^(-2*d*x - 2*c))^2 - 4*a*(e^(2*d*x + 2*c) + e^(-2*d*x - 2*c)) - 12*b*(e^(2*d*x + 2*c) + e^(-2*d*x - 2*c)) - 4*a + 12*b)/((a^2*d + 2*a*b*d + b^2*d)*(a*(e^(2*d*x + 2*c) + e^(-2*d*x - 2*c)) + b*(e^(2*d*x + 2*c) + e^(-2*d*x - 2*c)) + 2*a - 2*b)^2)
```

$$3.192 \quad \int \frac{\tanh^4(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$$

**Optimal.** Leaf size=137

$$\frac{(a^2 + 6ab - 3b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8\sqrt{ab}^{3/2}d(a+b)^3} - \frac{(a+5b) \tanh(c+dx)}{8bd(a+b)^2(a+b \tanh^2(c+dx))} + \frac{a \tanh(c+dx)}{4bd(a+b)(a+b \tanh^2(c+dx))^2} + \frac{x}{(a+b)^3}$$

[Out] x/(a + b)^3 - ((a^2 + 6\*a\*b - 3\*b^2)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(8\*Sqrt[a]\*b^(3/2)\*(a + b)^3\*d) + (a\*Tanh[c + d\*x])/(4\*b\*(a + b)\*d\*(a + b\*Tanh[c + d\*x]^2)^2) - ((a + 5\*b)\*Tanh[c + d\*x])/(8\*b\*(a + b)^2\*d\*(a + b\*Tanh[c + d\*x]^2))

**Rubi [A]** time = 0.195489, antiderivative size = 137, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {3670, 470, 527, 522, 206, 205}

$$\frac{(a^2 + 6ab - 3b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8\sqrt{ab}^{3/2}d(a+b)^3} - \frac{(a+5b) \tanh(c+dx)}{8bd(a+b)^2(a+b \tanh^2(c+dx))} + \frac{a \tanh(c+dx)}{4bd(a+b)(a+b \tanh^2(c+dx))^2} + \frac{x}{(a+b)^3}$$

Antiderivative was successfully verified.

[In] Int[Tanh[c + d\*x]^4/(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] x/(a + b)^3 - ((a^2 + 6\*a\*b - 3\*b^2)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(8\*Sqrt[a]\*b^(3/2)\*(a + b)^3\*d) + (a\*Tanh[c + d\*x])/(4\*b\*(a + b)\*d\*(a + b\*Tanh[c + d\*x]^2)^2) - ((a + 5\*b)\*Tanh[c + d\*x])/(8\*b\*(a + b)^2\*d\*(a + b\*Tanh[c + d\*x]^2))

### Rule 3670

Int[((d\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((a\_.) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_.))^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

Rule 470

Int[((e\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_), x\_Symbol] := -Simp[(a\*e^(2\*n - 1)\*(e\*x)^(m - 2\*n + 1)\*(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^(q + 1))/(b\*n\*(b\*c - a\*d)\*(p + 1)), x] + Dist[e^(2\*n)/(b\*n\*(b\*c - a\*d)\*(p + 1)), Int[(e\*x)^(m - 2\*n)\*(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^q\*Simp[a\*c\*(m - 2\*n + 1) + (a\*d\*(m - n + n\*q + 1) + b\*c\*n\*(p + 1))\*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[n, 0] && LtQ[p, -1] && GtQ[m - n + 1, n] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]

Rule 527

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_)\*((e\_) + (f\_.)\*(x\_)^(n\_)), x\_Symbol] := -Simp[((b\*e - a\*f)\*x\*(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^(q + 1))/(a\*n\*(b\*c - a\*d)\*(p + 1)), x] + Dist[1/(a\*n\*(b\*c - a\*d)\*(p + 1)), Int[(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^q\*Simp[c\*(b\*e - a\*f) + e\*n\*(b\*c - a\*d)\*(p + 1) + d\*(b\*e - a\*f)\*(n\*(p + q + 2) + 1)\*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, f, n, q}, x] && LtQ[p, -1]

Rule 522

Int[((e\_) + (f\_.)\*(x\_)^(n\_))/(((a\_) + (b\_.)\*(x\_)^(n\_))\*((c\_) + (d\_.)\*(x\_)^(n\_))), x\_Symbol] := Dist[(b\*e - a\*f)/(b\*c - a\*d), Int[1/(a + b\*x^n), x], x] - Dist[(d\*e - c\*f)/(b\*c - a\*d), Int[1/(c + d\*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x]

Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned}
\int \frac{\tanh^4(c+dx)}{(a+b\tanh^2(c+dx))^3} dx &= \frac{\text{Subst}\left(\int \frac{x^4}{(1-x^2)(a+bx^2)^3} dx, x, \tanh(c+dx)\right)}{d} \\
&= \frac{a \tanh(c+dx)}{4b(a+b)d(a+b\tanh^2(c+dx))^2} - \frac{\text{Subst}\left(\int \frac{a+(-a-4b)x^2}{(1-x^2)(a+bx^2)^2} dx, x, \tanh(c+dx)\right)}{4b(a+b)d} \\
&= \frac{a \tanh(c+dx)}{4b(a+b)d(a+b\tanh^2(c+dx))^2} - \frac{(a+5b) \tanh(c+dx)}{8b(a+b)^2d(a+b\tanh^2(c+dx))} + \frac{\text{Subst}\left(\int \frac{-a}{1-x^2}\right)}{(a+b)^3} \\
&= \frac{a \tanh(c+dx)}{4b(a+b)d(a+b\tanh^2(c+dx))^2} - \frac{(a+5b) \tanh(c+dx)}{8b(a+b)^2d(a+b\tanh^2(c+dx))} + \frac{\text{Subst}\left(\int \frac{1}{1-x^2}\right)}{(a+b)^3} \\
&= \frac{x}{(a+b)^3} - \frac{(a^2+6ab-3b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8\sqrt{ab}^{3/2}(a+b)^3d} + \frac{a \tanh(c+dx)}{4b(a+b)d(a+b\tanh^2(c+dx))^2}
\end{aligned}$$

**Mathematica [A]** time = 1.06016, size = 135, normalized size = 0.99

$$\frac{\frac{(a^2+6ab-3b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{\sqrt{ab}^{3/2}} + \frac{(a-5b)(a+b) \sinh(2(c+dx))}{b((a+b) \cosh(2(c+dx))+a-b)} + \frac{4a(a+b) \sinh(2(c+dx))}{((a+b) \cosh(2(c+dx))+a-b)^2} + 8(c+dx)}{8d(a+b)^3}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[c + d\*x]^4/(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] (8\*(c + d\*x) - ((a^2 + 6\*a\*b - 3\*b^2)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(Sqrt[a]\*b^(3/2)) + (4\*a\*(a + b)\*Sinh[2\*(c + d\*x)]/(a - b + (a + b)\*Cosh[2\*(c + d\*x)])^2 + ((a - 5\*b)\*(a + b)\*Sinh[2\*(c + d\*x)]/(b\*(a - b + (a + b)\*Cosh[2\*(c + d\*x)])))/(8\*(a + b)^3\*d)

**Maple [B]** time = 0.029, size = 340, normalized size = 2.5

$$\frac{\ln(\tanh(dx+c)+1)}{2d(a+b)^3} - \frac{a^2(\tanh(dx+c))^3}{8d(a+b)^3(a+b(\tanh(dx+c))^2)^2} - \frac{3ab(\tanh(dx+c))^3}{4d(a+b)^3(a+b(\tanh(dx+c))^2)^2} - \frac{5(\tanh(dx+c))^5}{8d(a+b)^3(a+b(\tanh(dx+c))^2)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(\tanh(dx+c)^4/(a+b*\tanh(dx+c)^2)^3,x)$

[Out]  $\frac{1}{2}d/(a+b)^3*\ln(\tanh(dx+c)+1)-\frac{1}{8}d/(a+b)^3*a^2/(a+b*\tanh(dx+c)^2)^2*\tanh(dx+c)^3-\frac{3}{4}d/(a+b)^3*a/(a+b*\tanh(dx+c)^2)^2*b*\tanh(dx+c)^3-\frac{5}{8}d/(a+b)^3/(a+b*\tanh(dx+c)^2)^2*\tanh(dx+c)^3*b^2+\frac{1}{8}d/(a+b)^3*a^3/(a+b*\tanh(dx+c)^2)^2/b*\tanh(dx+c)-\frac{1}{4}d/(a+b)^3*a^2/(a+b*\tanh(dx+c)^2)^2*\tanh(dx+c)-\frac{3}{8}d/(a+b)^3/(a+b*\tanh(dx+c)^2)^2*a*b*\tanh(dx+c)-\frac{1}{8}d/(a+b)^3*a^2/b/(a*b)^{(1/2)}*\arctan(\tanh(dx+c)*b/(a*b)^{(1/2)})-\frac{3}{4}d/(a+b)^3*a/(a*b)^{(1/2)}*\arctan(\tanh(dx+c)*b/(a*b)^{(1/2)})+\frac{3}{8}d/(a+b)^3*b/(a*b)^{(1/2)}*\arctan(\tanh(dx+c)*b/(a*b)^{(1/2)})-\frac{1}{2}d/(a+b)^3*\ln(\tanh(dx+c)-1)$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\tanh(dx+c)^4/(a+b*\tanh(dx+c)^2)^3,x, \text{algorithm}=\text{"maxima"})$

[Out] Exception raised: ValueError

**Fricas [B]** time = 3.19345, size = 17383, normalized size = 126.88

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\tanh(dx+c)^4/(a+b*\tanh(dx+c)^2)^3,x, \text{algorithm}=\text{"fricas"})$

[Out]  $\frac{1}{16}*(16*(a^3*b^2 + 2*a^2*b^3 + a*b^4)*d*x*\cosh(dx + c)^8 + 128*(a^3*b^2 + 2*a^2*b^3 + a*b^4)*d*x*\cosh(dx + c)*\sinh(dx + c)^7 + 16*(a^3*b^2 + 2*a^2*b^3 + a*b^4)*d*x*\sinh(dx + c)^8 - 4*(a^4*b - 9*a^3*b^2 - 5*a^2*b^3 + 5*a*b^4 - 16*(a^3*b^2 - a*b^4)*d*x)*\cosh(dx + c)^6 - 4*(a^4*b - 9*a^3*b^2 - 5*a^2*b^3 + 5*a*b^4 - 112*(a^3*b^2 + 2*a^2*b^3 + a*b^4)*d*x*\cosh(dx + c)^2 - 16*(a^3*b^2 - a*b^4)*d*x)*\sinh(dx + c)^6 + 8*(112*(a^3*b^2 + 2*a^2*b^3 + a*b^4)*d*x*\cosh(dx + c)^3 - 3*(a^4*b - 9*a^3*b^2 - 5*a^2*b^3 + 5*a*b^4 - 16*(a^3*b^2 - a*b^4)*d*x)*\cosh(dx + c))*\sinh(dx + c)^5 - 4*a^4*b + 12*a^3$

$$\begin{aligned}
& *b^2 + 36*a^2*b^3 + 20*a*b^4 - 4*(3*a^4*b - 17*a^3*b^2 + 13*a^2*b^3 - 15*a* \\
& b^4 - 8*(3*a^3*b^2 - 2*a^2*b^3 + 3*a*b^4)*d*x)*\cosh(d*x + c)^4 + 4*(280*(a^ \\
& 3*b^2 + 2*a^2*b^3 + a*b^4)*d*x*\cosh(d*x + c)^4 - 3*a^4*b + 17*a^3*b^2 - 13* \\
& a^2*b^3 + 15*a*b^4 + 8*(3*a^3*b^2 - 2*a^2*b^3 + 3*a*b^4)*d*x - 15*(a^4*b - \\
& 9*a^3*b^2 - 5*a^2*b^3 + 5*a*b^4 - 16*(a^3*b^2 - a*b^4)*d*x)*\cosh(d*x + c)^2 \\
& )*\sinh(d*x + c)^4 + 16*(56*(a^3*b^2 + 2*a^2*b^3 + a*b^4)*d*x*\cosh(d*x + c)^ \\
& 5 - 5*(a^4*b - 9*a^3*b^2 - 5*a^2*b^3 + 5*a*b^4 - 16*(a^3*b^2 - a*b^4)*d*x)* \\
& \cosh(d*x + c)^3 - (3*a^4*b - 17*a^3*b^2 + 13*a^2*b^3 - 15*a*b^4 - 8*(3*a^3* \\
& b^2 - 2*a^2*b^3 + 3*a*b^4)*d*x)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 16*(a^3*b^ \\
& 2 + 2*a^2*b^3 + a*b^4)*d*x - 4*(3*a^4*b - 11*a^3*b^2 + a^2*b^3 + 15*a*b^4 - \\
& 16*(a^3*b^2 - a*b^4)*d*x)*\cosh(d*x + c)^2 + 4*(112*(a^3*b^2 + 2*a^2*b^3 + \\
& a*b^4)*d*x*\cosh(d*x + c)^6 - 3*a^4*b + 11*a^3*b^2 - a^2*b^3 - 15*a*b^4 - 15 \\
& *(a^4*b - 9*a^3*b^2 - 5*a^2*b^3 + 5*a*b^4 - 16*(a^3*b^2 - a*b^4)*d*x)*\cosh( \\
& d*x + c)^4 + 16*(a^3*b^2 - a*b^4)*d*x - 6*(3*a^4*b - 17*a^3*b^2 + 13*a^2*b^ \\
& 3 - 15*a*b^4 - 8*(3*a^3*b^2 - 2*a^2*b^3 + 3*a*b^4)*d*x)*\cosh(d*x + c)^2)*\si \\
& nh(d*x + c)^2 + ((a^4 + 8*a^3*b + 10*a^2*b^2 - 3*b^4)*\cosh(d*x + c)^8 + 8*( \\
& a^4 + 8*a^3*b + 10*a^2*b^2 - 3*b^4)*\cosh(d*x + c)*\sinh(d*x + c)^7 + (a^4 + \\
& 8*a^3*b + 10*a^2*b^2 - 3*b^4)*\sinh(d*x + c)^8 + 4*(a^4 + 6*a^3*b - 4*a^2*b^ \\
& 2 - 6*a*b^3 + 3*b^4)*\cosh(d*x + c)^6 + 4*(a^4 + 6*a^3*b - 4*a^2*b^2 - 6*a*b \\
& ^3 + 3*b^4 + 7*(a^4 + 8*a^3*b + 10*a^2*b^2 - 3*b^4)*\cosh(d*x + c)^2)*\sinh(d \\
& *x + c)^6 + 8*(7*(a^4 + 8*a^3*b + 10*a^2*b^2 - 3*b^4)*\cosh(d*x + c)^3 + 3*( \\
& a^4 + 6*a^3*b - 4*a^2*b^2 - 6*a*b^3 + 3*b^4)*\cosh(d*x + c))*\sinh(d*x + c)^5 \\
& + 2*(3*a^4 + 16*a^3*b - 18*a^2*b^2 + 24*a*b^3 - 9*b^4)*\cosh(d*x + c)^4 + 2 \\
& *(35*(a^4 + 8*a^3*b + 10*a^2*b^2 - 3*b^4)*\cosh(d*x + c)^4 + 3*a^4 + 16*a^3* \\
& b - 18*a^2*b^2 + 24*a*b^3 - 9*b^4 + 30*(a^4 + 6*a^3*b - 4*a^2*b^2 - 6*a*b^3 \\
& + 3*b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + a^4 + 8*a^3*b + 10*a^2*b^2 - 3 \\
& *b^4 + 8*(7*(a^4 + 8*a^3*b + 10*a^2*b^2 - 3*b^4)*\cosh(d*x + c)^5 + 10*(a^4 \\
& + 6*a^3*b - 4*a^2*b^2 - 6*a*b^3 + 3*b^4)*\cosh(d*x + c)^3 + (3*a^4 + 16*a^3* \\
& b - 18*a^2*b^2 + 24*a*b^3 - 9*b^4)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 4*(a^4 \\
& + 6*a^3*b - 4*a^2*b^2 - 6*a*b^3 + 3*b^4)*\cosh(d*x + c)^2 + 4*(7*(a^4 + 8*a^ \\
& 3*b + 10*a^2*b^2 - 3*b^4)*\cosh(d*x + c)^6 + 15*(a^4 + 6*a^3*b - 4*a^2*b^2 - \\
& 6*a*b^3 + 3*b^4)*\cosh(d*x + c)^4 + a^4 + 6*a^3*b - 4*a^2*b^2 - 6*a*b^3 + 3 \\
& *b^4 + 3*(3*a^4 + 16*a^3*b - 18*a^2*b^2 + 24*a*b^3 - 9*b^4)*\cosh(d*x + c)^2 \\
& )*\sinh(d*x + c)^2 + 8*((a^4 + 8*a^3*b + 10*a^2*b^2 - 3*b^4)*\cosh(d*x + c)^7 \\
& + 3*(a^4 + 6*a^3*b - 4*a^2*b^2 - 6*a*b^3 + 3*b^4)*\cosh(d*x + c)^5 + (3*a^4 \\
& + 16*a^3*b - 18*a^2*b^2 + 24*a*b^3 - 9*b^4)*\cosh(d*x + c)^3 + (a^4 + 6*a^3 \\
& *b - 4*a^2*b^2 - 6*a*b^3 + 3*b^4)*\cosh(d*x + c))*\sinh(d*x + c))*\sqrt{-a*b} \\
& \log(((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^4 + 4*(a^2 + 2*a*b + b^2)*\cosh(d*x + \\
& c)*\sinh(d*x + c)^3 + (a^2 + 2*a*b + b^2)*\sinh(d*x + c)^4 + 2*(a^2 - b^2)*c \\
& osh(d*x + c)^2 + 2*(3*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^2 + a^2 - b^2)*\sinh \\
& (d*x + c)^2 + a^2 - 6*a*b + b^2 + 4*((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^3 + \\
& (a^2 - b^2)*\cosh(d*x + c))*\sinh(d*x + c) - 4*((a + b)*\cosh(d*x + c)^2 + 2*( \\
& a + b)*\cosh(d*x + c)*\sinh(d*x + c) + (a + b)*\sinh(d*x + c)^2 + a - b)*\sqrt{ \\
& -a*b}))/((a + b)*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + \\
& (a + b)*\sinh(d*x + c)^4 + 2*(a - b)*\cosh(d*x + c)^2 + 2*(3*(a + b)*\cosh(d*
\end{aligned}$$



$$\begin{aligned}
& x + c)^2 + a - b) \sinh(dx + c)^2 + 4*((a + b) \cosh(dx + c)^3 + (a - b) \cosh(dx + c)) \sinh(dx + c) + a + b)) + 8*(16*(a^3*b^2 + 2*a^2*b^3 + a*b^4) * \\
& dx * \cosh(dx + c)^7 - 3*(a^4*b - 9*a^3*b^2 - 5*a^2*b^3 + 5*a*b^4 - 16*(a^3*b^2 - a*b^4) * dx) * \cosh(dx + c)^5 - 2*(3*a^4*b - 17*a^3*b^2 + 13*a^2*b^3 - \\
& 15*a*b^4 - 8*(3*a^3*b^2 - 2*a^2*b^3 + 3*a*b^4) * dx) * \cosh(dx + c)^3 - (3*a^4*b - 11*a^3*b^2 + a^2*b^3 + 15*a*b^4 - 16*(a^3*b^2 - a*b^4) * dx) * \cosh(dx + \\
& c)) \sinh(dx + c)) / ((a^6*b^2 + 5*a^5*b^3 + 10*a^4*b^4 + 10*a^3*b^5 + 5*a^2*b^6 + a*b^7) * d * \cosh(dx + c)^8 + 8*(a^6*b^2 + 5*a^5*b^3 + 10*a^4*b^4 + 10 \\
& * a^3*b^5 + 5*a^2*b^6 + a*b^7) * d * \cosh(dx + c) * \sinh(dx + c)^7 + (a^6*b^2 + 5*a^5*b^3 + 10*a^4*b^4 + 10*a^3*b^5 + 5*a^2*b^6 + a*b^7) * d * \sinh(dx + c)^8 \\
& + 4*(a^6*b^2 + 3*a^5*b^3 + 2*a^4*b^4 - 2*a^3*b^5 - 3*a^2*b^6 - a*b^7) * d * \cosh(dx + c)^6 + 4*(7*(a^6*b^2 + 5*a^5*b^3 + 10*a^4*b^4 + 10*a^3*b^5 + 5*a^2*b^6 + a*b^7) * d * \cosh(dx + c)^2 + (a^6*b^2 + 3*a^5*b^3 + 2*a^4*b^4 - 2*a^3*b^5 - 3*a^2*b^6 - a*b^7) * d) * \sinh(dx + c)^6 + 2*(3*a^6*b^2 + 7*a^5*b^3 + 6*a^4*b^4 + 6*a^3*b^5 + 7*a^2*b^6 + 3*a*b^7) * d * \cosh(dx + c)^4 + 8*(7*(a^6*b^2 + 5*a^5*b^3 + 10*a^4*b^4 + 10*a^3*b^5 + 5*a^2*b^6 + a*b^7) * d * \cosh(dx + c)^3 + 3*(a^6*b^2 + 3*a^5*b^3 + 2*a^4*b^4 - 2*a^3*b^5 - 3*a^2*b^6 - a*b^7) * d * \cosh(dx + c)) * \sinh(dx + c)^5 + 2*(35*(a^6*b^2 + 5*a^5*b^3 + 10*a^4*b^4 + 10*a^3*b^5 + 5*a^2*b^6 + a*b^7) * d * \cosh(dx + c)^4 + 30*(a^6*b^2 + 3*a^5*b^3 + 2*a^4*b^4 - 2*a^3*b^5 - 3*a^2*b^6 - a*b^7) * d * \cosh(dx + c)^2 + (3*a^6*b^2 + 7*a^5*b^3 + 6*a^4*b^4 + 6*a^3*b^5 + 7*a^2*b^6 + 3*a*b^7) * d) * \sinh(dx + c)^4 + 4*(a^6*b^2 + 3*a^5*b^3 + 2*a^4*b^4 - 2*a^3*b^5 - 3*a^2*b^6 - a*b^7) * d * \cosh(dx + c)^2 + 8*(7*(a^6*b^2 + 5*a^5*b^3 + 10*a^4*b^4 + 10*a^3*b^5 + 5*a^2*b^6 + a*b^7) * d * \cosh(dx + c)^5 + 10*(a^6*b^2 + 3*a^5*b^3 + 2*a^4*b^4 - 2*a^3*b^5 - 3*a^2*b^6 - a*b^7) * d * \cosh(dx + c)^3 + (3*a^6*b^2 + 7*a^5*b^3 + 6*a^4*b^4 + 6*a^3*b^5 + 7*a^2*b^6 + 3*a*b^7) * d * \cosh(dx + c)) * \sinh(dx + c)^3 + 4*(7*(a^6*b^2 + 5*a^5*b^3 + 10*a^4*b^4 + 10*a^3*b^5 + 5*a^2*b^6 + a*b^7) * d * \cosh(dx + c)^6 + 15*(a^6*b^2 + 3*a^5*b^3 + 2*a^4*b^4 - 2*a^3*b^5 - 3*a^2*b^6 - a*b^7) * d * \cosh(dx + c)^4 + 3*(3*a^6*b^2 + 7*a^5*b^3 + 6*a^4*b^4 + 6*a^3*b^5 + 7*a^2*b^6 + 3*a*b^7) * d * \cosh(dx + c)^2 + (a^6*b^2 + 3*a^5*b^3 + 2*a^4*b^4 - 2*a^3*b^5 - 3*a^2*b^6 - a*b^7) * d) * \sinh(dx + c)^2 + (a^6*b^2 + 5*a^5*b^3 + 10*a^4*b^4 + 10*a^3*b^5 + 5*a^2*b^6 + a*b^7) * d + 8*((a^6*b^2 + 5*a^5*b^3 + 10*a^4*b^4 + 10*a^3*b^5 + 5*a^2*b^6 + a*b^7) * d * \cosh(dx + c)^7 + 3*(a^6*b^2 + 3*a^5*b^3 + 2*a^4*b^4 - 2*a^3*b^5 - 3*a^2*b^6 - a*b^7) * d * \cosh(dx + c)^5 + (3*a^6*b^2 + 7*a^5*b^3 + 6*a^4*b^4 + 6*a^3*b^5 + 7*a^2*b^6 + 3*a*b^7) * d * \cosh(dx + c)^3 + (a^6*b^2 + 3*a^5*b^3 + 2*a^4*b^4 - 2*a^3*b^5 - 3*a^2*b^6 - a*b^7) * d * \cosh(dx + c)) * \sinh(dx + c)), 1/8*(8*(a^3*b^2 + 2*a^2*b^3 + a*b^4) * dx * \cosh(dx + c)^8 + 64*(a^3*b^2 + 2*a^2*b^3 + a*b^4) * dx * \cosh(dx + c) * \sinh(dx + c)^7 + 8*(a^3*b^2 + 2*a^2*b^3 + a*b^4) * dx * \sinh(dx + c)^8 - 2*(a^4*b - 9*a^3*b^2 - 5*a^2*b^3 + 5*a*b^4 - 16*(a^3*b^2 - a*b^4) * dx) * \cosh(dx + c)^6 - 2*(a^4*b - 9*a^3*b^2 - 5*a^2*b^3 + 5*a*b^4 - 12*(a^3*b^2 + 2*a^2*b^3 + a*b^4) * dx * \cosh(dx + c)^2 - 16*(a^3*b^2 - a*b^4) * dx) * \sinh(dx + c)^6 + 4*(112*(a^3*b^2 + 2*a^2*b^3 + a*b^4) * dx * \cosh(dx + c)^3 - 3*(a^4*b - 9*a^3*b^2 - 5*a^2*b^3 + 5*a*b^4 - 16*(a^3*b^2 - a*b^4) * dx) * \cosh(dx + c)) * \sinh(dx + c)^5 - 2*a^4*b + 6*a^3*b^2 + 18*a^2*b^3 + 10*
\end{aligned}$$

$$\begin{aligned}
& a^4b - 2*(3a^4b - 17a^3b^2 + 13a^2b^3 - 15a^4b - 8*(3a^3b^2 - 2a^2b^3 + 3a^4b)*d*x)*\cosh(d*x + c)^4 + 2*(280*(a^3b^2 + 2a^2b^3 + a^4b)*d*x*\cosh(d*x + c)^4 - 3a^4b + 17a^3b^2 - 13a^2b^3 + 15a^4b + 8*(3a^3b^2 - 2a^2b^3 + 3a^4b)*d*x - 15*(a^4b - 9a^3b^2 - 5a^2b^3 + 5a^4b - 16*(a^3b^2 - a^4b)*d*x)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + 8*(56*(a^3b^2 + 2a^2b^3 + a^4b)*d*x*\cosh(d*x + c)^5 - 5*(a^4b - 9a^3b^2 - 5a^2b^3 + 5a^4b - 16*(a^3b^2 - a^4b)*d*x)*\cosh(d*x + c)^3 - (3a^4b*b - 17a^3b^2 + 13a^2b^3 - 15a^4b - 8*(3a^3b^2 - 2a^2b^3 + 3a^4b)*d*x)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 8*(a^3b^2 + 2a^2b^3 + a^4b)*d*x - 2*(3a^4b - 11a^3b^2 + a^2b^3 + 15a^4b - 16*(a^3b^2 - a^4b)*d*x)*\cosh(d*x + c)^2 + 2*(112*(a^3b^2 + 2a^2b^3 + a^4b)*d*x*\cosh(d*x + c)^6 - 3a^4b + 11a^3b^2 - a^2b^3 - 15a^4b - 15*(a^4b - 9a^3b^2 - 5a^2b^3 + 5a^4b - 16*(a^3b^2 - a^4b)*d*x)*\cosh(d*x + c)^4 + 16*(a^3b^2 - a^4b)*d*x - 6*(3a^4b - 17a^3b^2 + 13a^2b^3 - 15a^4b - 8*(3a^3b^2 - 2a^2b^3 + 3a^4b)*d*x)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 - ((a^4 + 8*a^3b + 10a^2b^2 - 3b^4)*\cosh(d*x + c)^8 + 8*(a^4 + 8a^3b + 10a^2b^2 - 3b^4)*\cosh(d*x + c)*\sinh(d*x + c)^7 + (a^4 + 8a^3b + 10a^2b^2 - 3b^4)*\sinh(d*x + c)^8 + 4*(a^4 + 6a^3b - 4a^2b^2 - 6a^4b^3 + 3b^4)*\cosh(d*x + c)^6 + 4*(a^4 + 6a^3b - 4a^2b^2 - 6a^4b^3 + 3b^4 + 7*(a^4 + 8a^3b + 10a^2b^2 - 3b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^6 + 8*(7*(a^4 + 8a^3b + 10a^2b^2 - 3b^4)*\cosh(d*x + c)^3 + 3*(a^4 + 6a^3b - 4a^2b^2 - 6a^4b^3 + 3b^4)*\cosh(d*x + c))*\sinh(d*x + c)^5 + 2*(3a^4 + 16a^3b - 18a^2b^2 + 24a^4b^3 - 9b^4)*\cosh(d*x + c)^4 + 2*(35*(a^4 + 8a^3b + 10a^2b^2 - 3b^4)*\cosh(d*x + c)^4 + 3a^4 + 16a^3b - 18a^2b^2 + 24a^4b^3 - 9b^4 + 30*(a^4 + 6a^3b - 4a^2b^2 - 6a^4b^3 + 3b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + a^4 + 8a^3b + 10a^2b^2 - 3b^4 + 8*(7*(a^4 + 8a^3b + 10a^2b^2 - 3b^4)*\cosh(d*x + c)^5 + 10*(a^4 + 6a^3b - 4a^2b^2 - 6a^4b^3 + 3b^4)*\cosh(d*x + c)^3 + (3a^4 + 16a^3b - 18a^2b^2 + 24a^4b^3 - 9b^4)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 4*(a^4 + 6a^3b - 4a^2b^2 - 6a^4b^3 + 3b^4)*\cosh(d*x + c)^2 + 4*(7*(a^4 + 8a^3b + 10a^2b^2 - 3b^4)*\cosh(d*x + c)^6 + 15*(a^4 + 6a^3b - 4a^2b^2 - 6a^4b^3 + 3b^4)*\cosh(d*x + c)^4 + a^4 + 6a^3b - 4a^2b^2 - 6a^4b^3 + 3b^4 + 3*(3a^4 + 16a^3b - 18a^2b^2 + 24a^4b^3 - 9b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 + 8*((a^4 + 8a^3b + 10a^2b^2 - 3b^4)*\cosh(d*x + c)^7 + 3*(a^4 + 6a^3b - 4a^2b^2 - 6a^4b^3 + 3b^4)*\cosh(d*x + c)^5 + (3a^4 + 16a^3b - 18a^2b^2 + 24a^4b^3 - 9b^4)*\cosh(d*x + c)^3 + (a^4 + 6a^3b - 4a^2b^2 - 6a^4b^3 + 3b^4)*\cosh(d*x + c))*\sinh(d*x + c))*\sqrt{a*b}*\arctan(1/2*((a + b)*\cosh(d*x + c)^2 + 2*(a + b)*\cosh(d*x + c)*\sinh(d*x + c) + (a + b)*\sinh(d*x + c)^2 + a - b)*\sqrt{a*b}/(a*b)) + 4*(16*(a^3b^2 + 2a^2b^3 + a^4b)*d*x*\cosh(d*x + c)^7 - 3*(a^4b - 9a^3b^2 - 5a^2b^3 + 5a^4b - 16*(a^3b^2 - a^4b)*d*x)*\cosh(d*x + c)^5 - 2*(3a^4b - 17a^3b^2 + 13a^2b^3 - 15a^4b - 8*(3a^3b^2 - 2a^2b^3 + 3a^4b)*d*x)*\cosh(d*x + c)^3 - (3a^4b - 11a^3b^2 + a^2b^3 + 15a^4b - 16*(a^3b^2 - a^4b)*d*x)*\cosh(d*x + c))*\sinh(d*x + c))/((a^6b^2 + 5a^5b^3 + 10a^4b^4 + 10a^3b^5 + 5a^2b^6 + a^4b^7)*d*\cosh(d*x + c)^8 + 8*(a^6b^2 + 5a^5b^3 + 10a^4b^4 + 10a^3b^5 +
\end{aligned}$$

$$\begin{aligned}
& 5a^2b^6 + ab^7) * d * \cosh(dx + c) * \sinh(dx + c)^7 + (a^6b^2 + 5a^5b^3 \\
& + 10a^4b^4 + 10a^3b^5 + 5a^2b^6 + ab^7) * d * \sinh(dx + c)^8 + 4(a^6b^2 \\
& + 3a^5b^3 + 2a^4b^4 - 2a^3b^5 - 3a^2b^6 - ab^7) * d * \cosh(dx + c) \\
& ^6 + 4(7(a^6b^2 + 5a^5b^3 + 10a^4b^4 + 10a^3b^5 + 5a^2b^6 + ab^7) * d * \cosh(dx + c) \\
& ^2 + (a^6b^2 + 3a^5b^3 + 2a^4b^4 - 2a^3b^5 - 3a^2b^6 - ab^7) * d) * \sinh(dx + c)^6 + 2(3a^6b^2 + 7a^5b^3 + 6a^4b^4 + 6 \\
& * a^3b^5 + 7a^2b^6 + 3ab^7) * d * \cosh(dx + c)^4 + 8(7(a^6b^2 + 5a^5b^3 + 10a^4b^4 + 10a^3b^5 + 5a^2b^6 + ab^7) * d * \cosh(dx + c) \\
& ^3 + 3(a^6b^2 + 3a^5b^3 + 2a^4b^4 - 2a^3b^5 - 3a^2b^6 - ab^7) * d * \cosh(dx + c) \\
& ) * \sinh(dx + c)^5 + 2(35(a^6b^2 + 5a^5b^3 + 10a^4b^4 + 10a^3b^5 + 5a^2b^6 + ab^7) * d * \cosh(dx + c) \\
& ^4 + 30(a^6b^2 + 3a^5b^3 + 2a^4b^4 - 2a^3b^5 - 3a^2b^6 - ab^7) * d * \cosh(dx + c) \\
& ^2 + (3a^6b^2 + 7a^5b^3 + 6a^4b^4 + 6a^3b^5 + 7a^2b^6 + 3ab^7) * d) * \sinh(dx + c)^4 + 4( \\
& a^6b^2 + 3a^5b^3 + 2a^4b^4 - 2a^3b^5 - 3a^2b^6 - ab^7) * d * \cosh(dx + c) \\
& ^2 + 8(7(a^6b^2 + 5a^5b^3 + 10a^4b^4 + 10a^3b^5 + 5a^2b^6 + ab^7) * d * \cosh(dx + c) \\
& ^5 + 10(a^6b^2 + 3a^5b^3 + 2a^4b^4 - 2a^3b^5 - 3a^2b^6 - ab^7) * d * \cosh(dx + c) \\
& ^3 + (3a^6b^2 + 7a^5b^3 + 6a^4b^4 + 6a^3b^5 + 7a^2b^6 + 3ab^7) * d * \cosh(dx + c) \\
& ) * \sinh(dx + c)^3 + 4( \\
& 7(a^6b^2 + 5a^5b^3 + 10a^4b^4 + 10a^3b^5 + 5a^2b^6 + ab^7) * d * \cosh(dx + c) \\
& ^6 + 15(a^6b^2 + 3a^5b^3 + 2a^4b^4 - 2a^3b^5 - 3a^2b^6 - ab^7) * d * \cosh(dx + c) \\
& ^4 + 3(3a^6b^2 + 7a^5b^3 + 6a^4b^4 + 6a^3b^5 + 7a^2b^6 + 3ab^7) * d * \cosh(dx + c) \\
& ^2 + (a^6b^2 + 3a^5b^3 + 2a^4b^4 - 2a^3b^5 - 3a^2b^6 - ab^7) * d) * \sinh(dx + c)^2 + (a^6b^2 + 5a^5b^3 + 2a^4b^4 + 10a^3b^5 + 5a^2b^6 + ab^7) * d + 8((a^6b^2 + 5a^5b^3 + 10a^4b^4 + 10a^3b^5 + 5a^2b^6 + ab^7) * d * \cosh(dx + c)^7 + 3(a^6b^2 + 3a^5b^3 + 2a^4b^4 - 2a^3b^5 - 3a^2b^6 - ab^7) * d * \cosh(dx + c)^5 + (3a^6b^2 + 7a^5b^3 + 6a^4b^4 + 6a^3b^5 + 7a^2b^6 + 3ab^7) * d * \cosh(dx + c)^3 + (a^6b^2 + 3a^5b^3 + 2a^4b^4 - 2a^3b^5 - 3a^2b^6 - ab^7) * d * \cosh(dx + c) * \sinh(dx + c))]
\end{aligned}$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(dx+c)\*\*4/(a+b\*tanh(dx+c)\*\*2)\*\*3,x)

[Out] Timed out

**Giac [B]** time = 1.25725, size = 533, normalized size = 3.89

$$\frac{(a^2 + 6ab - 3b^2) \arctan\left(\frac{ae^{(2dx+2c)} + be^{(2dx+2c)} + a - b}{2\sqrt{ab}}\right)}{8(a^3bd + 3a^2b^2d + 3ab^3d + b^4d)\sqrt{ab}} + \frac{dx + c}{a^3d + 3a^2bd + 3ab^2d + b^3d} - \frac{a^3e^{(6dx+6c)} - 9a^2be^{(6dx+6c)} - 5ab^2e^{(6dx+6c)}}{8(a^3bd + 3a^2b^2d + 3ab^3d + b^4d)\sqrt{ab}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out] 
$$\begin{aligned} & -1/8*(a^2 + 6*a*b - 3*b^2)*\arctan(1/2*(a*e^{(2*d*x + 2*c)} + b*e^{(2*d*x + 2*c)} \\ & ) + a - b)/\sqrt{a*b})/((a^3*b*d + 3*a^2*b^2*d + 3*a*b^3*d + b^4*d)*\sqrt{a*b} \\ & )) + (d*x + c)/(a^3*d + 3*a^2*b*d + 3*a*b^2*d + b^3*d) - 1/4*(a^3*e^{(6*d*x \\ & + 6*c)} - 9*a^2*b*e^{(6*d*x + 6*c)} - 5*a*b^2*e^{(6*d*x + 6*c)} + 5*b^3*e^{(6*d*x \\ & + 6*c)} + 3*a^3*e^{(4*d*x + 4*c)} - 17*a^2*b*e^{(4*d*x + 4*c)} + 13*a*b^2*e^{(4* \\ & d*x + 4*c)} - 15*b^3*e^{(4*d*x + 4*c)} + 3*a^3*e^{(2*d*x + 2*c)} - 11*a^2*b*e^{(2 \\ & *d*x + 2*c)} + a*b^2*e^{(2*d*x + 2*c)} + 15*b^3*e^{(2*d*x + 2*c)} + a^3 - 3*a^2* \\ & b - 9*a*b^2 - 5*b^3)/((a^3*b*d + 3*a^2*b^2*d + 3*a*b^3*d + b^4*d)*(a*e^{(4*d \\ & *x + 4*c)} + b*e^{(4*d*x + 4*c)} + 2*a*e^{(2*d*x + 2*c)} - 2*b*e^{(2*d*x + 2*c)} + \\ & a + b)^2) \end{aligned}$$

$$3.193 \quad \int \frac{\tanh^3(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$$

**Optimal.** Leaf size=98

$$\frac{a}{4bd(a+b)(a+b \tanh^2(c+dx))^2} - \frac{1}{2d(a+b)^2(a+b \tanh^2(c+dx))} + \frac{\log(a+b \tanh^2(c+dx))}{2d(a+b)^3} + \frac{\log(\cosh(c+dx))}{d(a+b)^3}$$

[Out] Log[Cosh[c + d\*x]]/((a + b)^3\*d) + Log[a + b\*Tanh[c + d\*x]^2]/(2\*(a + b)^3\*d) + a/(4\*b\*(a + b)\*d\*(a + b\*Tanh[c + d\*x]^2)^2) - 1/(2\*(a + b)^2\*d\*(a + b\*Tanh[c + d\*x]^2))

**Rubi [A]** time = 0.138291, antiderivative size = 98, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$ , Rules used = {3670, 446, 77}

$$\frac{a}{4bd(a+b)(a+b \tanh^2(c+dx))^2} - \frac{1}{2d(a+b)^2(a+b \tanh^2(c+dx))} + \frac{\log(a+b \tanh^2(c+dx))}{2d(a+b)^3} + \frac{\log(\cosh(c+dx))}{d(a+b)^3}$$

Antiderivative was successfully verified.

[In] Int[Tanh[c + d\*x]^3/(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] Log[Cosh[c + d\*x]]/((a + b)^3\*d) + Log[a + b\*Tanh[c + d\*x]^2]/(2\*(a + b)^3\*d) + a/(4\*b\*(a + b)\*d\*(a + b\*Tanh[c + d\*x]^2)^2) - 1/(2\*(a + b)^2\*d\*(a + b\*Tanh[c + d\*x]^2))

### Rule 3670

Int[((d\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]^(m\_.)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]^(n\_.))^(p\_.), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

### Rule 446

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_.))^(p\_.)\*((c\_) + (d\_.)\*(x\_)^(n\_.))^(q\_.), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p

$*(c + d*x)^q, x], x, x^n], x] /; \text{FreeQ}[\{a, b, c, d, m, n, p, q\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

### Rule 77

$\text{Int}[(a_.) + (b_.)*(x_.))*((c_.) + (d_.)*(x_.))^{(n_.)}*((e_.) + (f_.)*(x_.))^{(p_.)}, x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, n\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ ((\text{ILtQ}[n, 0] \ \&\& \ \text{ILtQ}[p, 0]) \ || \ \text{EqQ}[p, 1] \ || \ (\text{IGtQ}[p, 0] \ \&\& \ (!\text{IntegerQ}[n] \ || \ \text{LeQ}[9*p + 5*(n + 2), 0] \ || \ \text{GeQ}[n + p + 1, 0] \ || \ (\text{GeQ}[n + p + 2, 0] \ \&\& \ \text{RationalQ}[a, b, c, d, e, f])))$

### Rubi steps

$$\begin{aligned} \int \frac{\tanh^3(c + dx)}{(a + b \tanh^2(c + dx))^3} dx &= \frac{\text{Subst}\left(\int \frac{x^3}{(1-x^2)(a+bx^2)^3} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{\text{Subst}\left(\int \frac{x}{(1-x)(a+bx)^3} dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= \frac{\text{Subst}\left(\int \left(-\frac{1}{(a+b)^3(-1+x)} - \frac{a}{(a+b)(a+bx)^3} + \frac{b}{(a+b)^2(a+bx)^2} + \frac{b}{(a+b)^3(a+bx)}\right) dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= \frac{\log(\cosh(c + dx))}{(a + b)^3 d} + \frac{\log(a + b \tanh^2(c + dx))}{2(a + b)^3 d} + \frac{a}{4b(a + b)d(a + b \tanh^2(c + dx))^2} - \frac{2}{2} \end{aligned}$$

**Mathematica [A]** time = 0.453482, size = 80, normalized size = 0.82

$$\frac{\frac{a(a+b)^2}{b(a+b \tanh^2(c+dx))^2} - \frac{2(a+b)}{a+b \tanh^2(c+dx)} + 2 \log(a + b \tanh^2(c + dx)) + 4 \log(\cosh(c + dx))}{4d(a + b)^3}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[c + d\*x]^3/(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] (4\*Log[Cosh[c + d\*x]] + 2\*Log[a + b\*Tanh[c + d\*x]^2] + (a\*(a + b)^2)/(b\*(a + b\*Tanh[c + d\*x]^2)^2) - (2\*(a + b))/(a + b\*Tanh[c + d\*x]^2))/(4\*(a + b)^3\*d)

---

**Maple [B]** time = 0.027, size = 196, normalized size = 2.

$$\frac{\ln(\tanh(dx+c)+1)}{2d(a+b)^3} - \frac{a}{2d(a+b)^3(a+b(\tanh(dx+c))^2)} - \frac{b}{2d(a+b)^3(a+b(\tanh(dx+c))^2)} + \frac{1}{4d(a+b)^3b(a+b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2)^3,x)

[Out] 
$$-1/2/d/(a+b)^3*\ln(\tanh(d*x+c)+1)-1/2/d/(a+b)^3*a/(a+b*tanh(d*x+c)^2)-1/2/d/(a+b)^3/(a+b*tanh(d*x+c)^2)*b+1/4/d/(a+b)^3*a^3/b/(a+b*tanh(d*x+c)^2)^2+1/2/d/(a+b)^3*a^2/(a+b*tanh(d*x+c)^2)^2+1/4/d/(a+b)^3*a*b/(a+b*tanh(d*x+c)^2)^2+1/2*\ln(a+b*tanh(d*x+c)^2)/(a+b)^3/d-1/2/d/(a+b)^3*\ln(\tanh(d*x+c)-1)$$

---

**Maxima [B]** time = 1.31291, size = 518, normalized size = 5.29

$$\frac{dx+c}{(a^3+3a^2b+3ab^2+b^3)d} + \frac{1}{(a^5+5a^4b+10a^3b^2+10a^2b^3+5ab^4+b^5+4(a^5+3a^4b+2a^3b^2-2a^2b^3-3ab^4-b^5))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="maxima")

[Out] 
$$(d*x + c)/((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d) + 2*((a^2 - b^2)*e^(-2*d*x - 2*c) + 2*(a^2 - a*b + b^2)*e^(-4*d*x - 4*c) + (a^2 - b^2)*e^(-6*d*x - 6*c)) /((a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5 + 4*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5))*e^(-2*d*x - 2*c) + 2*(3*a^5 + 7*a^4*b + 6*a^3*b^2 + 6*a^2*b^3 + 7*a*b^4 + 3*b^5)*e^(-4*d*x - 4*c) + 4*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*e^(-6*d*x - 6*c) + (a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*e^(-8*d*x - 8*c))*d) + 1/2*log(2*(a - b)*e^(-2*d*x - 2*c) + (a + b)*e^(-4*d*x - 4*c) + a + b)/((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d)$$

---

**Fricas [B]** time = 2.4369, size = 6130, normalized size = 62.55

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out] 
$$-1/2*(2*(a^2 + 2*a*b + b^2)*d*x*cosh(d*x + c)^8 + 16*(a^2 + 2*a*b + b^2)*d*x*cosh(d*x + c)*sinh(d*x + c)^7 + 2*(a^2 + 2*a*b + b^2)*d*x*sinh(d*x + c)^8 + 4*(2*(a^2 - b^2)*d*x - a^2 + b^2)*cosh(d*x + c)^6 + 4*(14*(a^2 + 2*a*b + b^2)*d*x*cosh(d*x + c)^2 + 2*(a^2 - b^2)*d*x - a^2 + b^2)*sinh(d*x + c)^6 + 8*(14*(a^2 + 2*a*b + b^2)*d*x*cosh(d*x + c)^3 + 3*(2*(a^2 - b^2)*d*x - a^2 + b^2)*cosh(d*x + c))*sinh(d*x + c)^5 + 4*((3*a^2 - 2*a*b + 3*b^2)*d*x - 2*a^2 + 2*a*b - 2*b^2)*cosh(d*x + c)^4 + 4*(35*(a^2 + 2*a*b + b^2)*d*x*cosh(d*x + c)^4 + (3*a^2 - 2*a*b + 3*b^2)*d*x + 15*(2*(a^2 - b^2)*d*x - a^2 + b^2)*cosh(d*x + c)^2 - 2*a^2 + 2*a*b - 2*b^2)*sinh(d*x + c)^4 + 16*(7*(a^2 + 2*a*b + b^2)*d*x*cosh(d*x + c)^5 + 5*(2*(a^2 - b^2)*d*x - a^2 + b^2)*cosh(d*x + c)^3 + ((3*a^2 - 2*a*b + 3*b^2)*d*x - 2*a^2 + 2*a*b - 2*b^2)*cosh(d*x + c))*sinh(d*x + c)^3 + 2*(a^2 + 2*a*b + b^2)*d*x + 4*(2*(a^2 - b^2)*d*x - a^2 + b^2)*cosh(d*x + c)^2 + 4*(14*(a^2 + 2*a*b + b^2)*d*x*cosh(d*x + c)^6 + 15*(2*(a^2 - b^2)*d*x - a^2 + b^2)*cosh(d*x + c)^4 + 2*(a^2 - b^2)*d*x + 6*((3*a^2 - 2*a*b + 3*b^2)*d*x - 2*a^2 + 2*a*b - 2*b^2)*cosh(d*x + c)^2 - a^2 + b^2)*sinh(d*x + c)^2 - ((a^2 + 2*a*b + b^2)*cosh(d*x + c)^8 + 8*(a^2 + 2*a*b + b^2)*cosh(d*x + c)*sinh(d*x + c)^7 + (a^2 + 2*a*b + b^2)*sinh(d*x + c)^8 + 4*(a^2 - b^2)*cosh(d*x + c)^6 + 4*(7*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^2 + a^2 - b^2)*sinh(d*x + c)^6 + 8*(7*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^3 + 3*(a^2 - b^2)*cosh(d*x + c))*sinh(d*x + c)^5 + 2*(3*a^2 - 2*a*b + 3*b^2)*cosh(d*x + c)^4 + 2*(35*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^4 + 30*(a^2 - b^2)*cosh(d*x + c)^2 + 3*a^2 - 2*a*b + 3*b^2)*sinh(d*x + c)^4 + 8*(7*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^5 + 10*(a^2 - b^2)*cosh(d*x + c)^3 + (3*a^2 - 2*a*b + 3*b^2)*cosh(d*x + c))*sinh(d*x + c)^3 + 4*(a^2 - b^2)*cosh(d*x + c)^2 + 4*(7*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^6 + 15*(a^2 - b^2)*cosh(d*x + c)^4 + 3*(3*a^2 - 2*a*b + 3*b^2)*cosh(d*x + c)^2 + a^2 - b^2)*sinh(d*x + c)^2 + a^2 + 2*a*b + b^2 + 8*((a^2 + 2*a*b + b^2)*cosh(d*x + c)^7 + 3*(a^2 - b^2)*cosh(d*x + c)^5 + (3*a^2 - 2*a*b + 3*b^2)*cosh(d*x + c)^3 + (a^2 - b^2)*cosh(d*x + c))*sinh(d*x + c))*log(2*((a + b)*cosh(d*x + c)^2 + (a + b)*sinh(d*x + c)^2 + a - b)/(cosh(d*x + c)^2 - 2*cosh(d*x + c)*sinh(d*x + c) + sinh(d*x + c)^2)) + 8*(2*(a^2 + 2*a*b + b^2)*d*x*cosh(d*x + c)^7 + 3*(2*(a^2 - b^2)*d*x - a^2 + b^2)*cosh(d*x + c)^5 + 2*((3*a^2 - 2*a*b + 3*b^2)*d*x - 2*a^2 + 2*a*b - 2*b^2)*cosh(d*x + c)^3 + (2*(a^2 - b^2)*d*x - a^2 + b^2)*cosh(d*x + c))*sinh(d*x + c))/((a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*cosh(d*x + c)^8 + 8*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*cosh(d*x + c)*sinh(d*x + c)^7 + (a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*sinh(d*x + c)^8 + 4*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d*cosh(d*x + c)^6 + 4*(7*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*cosh(d*x + c)^2 + (a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d)*sinh(d*x + c)^6 + 2*(3*a^$$



$$\begin{aligned}
& 5 + 7a^4b + 6a^3b^2 + 6a^2b^3 + 7ab^4 + 3b^5) d \cosh(dx + c)^4 + \\
& 8(7(a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5ab^4 + b^5) d \cosh(dx + \\
& c)^3 + 3(a^5 + 3a^4b + 2a^3b^2 - 2a^2b^3 - 3ab^4 - b^5) d \cosh(dx + \\
& c)) \sinh(dx + c)^5 + 2(35(a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + \\
& 5ab^4 + b^5) d \cosh(dx + c)^4 + 30(a^5 + 3a^4b + 2a^3b^2 - 2a^2b^3 - \\
& 3ab^4 - b^5) d \cosh(dx + c)^2 + (3a^5 + 7a^4b + 6a^3b^2 + 6a^2b^3 + \\
& 7ab^4 + 3b^5) d) \sinh(dx + c)^4 + 4(a^5 + 3a^4b + 2a^3b^2 - \\
& 2a^2b^3 - 3ab^4 - b^5) d \cosh(dx + c)^2 + 8(7(a^5 + 5a^4b + 10a^3b^2 + \\
& 10a^2b^3 + 5ab^4 + b^5) d \cosh(dx + c)^5 + 10(a^5 + 3a^4b + \\
& 2a^3b^2 - 2a^2b^3 - 3ab^4 - b^5) d \cosh(dx + c)^3 + (3a^5 + 7a^4b + \\
& 6a^3b^2 + 6a^2b^3 + 7ab^4 + 3b^5) d \cosh(dx + c)) \sinh(dx + c)^3 + \\
& 4(7(a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5ab^4 + b^5) d \cosh(dx + c)^6 + \\
& 15(a^5 + 3a^4b + 2a^3b^2 - 2a^2b^3 - 3ab^4 - b^5) d \cosh(dx + c)^4 + \\
& 3(3a^5 + 7a^4b + 6a^3b^2 + 6a^2b^3 + 7ab^4 + 3b^5) d \cosh(dx + c)^2 + \\
& (a^5 + 3a^4b + 2a^3b^2 - 2a^2b^3 - 3ab^4 - b^5) d) \sinh(dx + c)^2 + \\
& (a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5ab^4 + b^5) d + 8((a^5 + 5a^4b + \\
& 10a^3b^2 + 10a^2b^3 + 5ab^4 + b^5) d \cosh(dx + c)^7 + 3(a^5 + 3a^4b + \\
& 2a^3b^2 - 2a^2b^3 - 3ab^4 - b^5) d \cosh(dx + c)^5 + (3a^5 + 7a^4b + \\
& 6a^3b^2 + 6a^2b^3 + 7ab^4 + 3b^5) d \cosh(dx + c)^3 + (a^5 + 3a^4b + \\
& 2a^3b^2 - 2a^2b^3 - 3ab^4 - b^5) d \cosh(dx + c)) \sinh(dx + c)
\end{aligned}$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(dx+c)\*\*3/(a+b\*tanh(dx+c)\*\*2)\*\*3,x)

[Out] Timed out

**Giac [B]** time = 1.26798, size = 339, normalized size = 3.46

$$\frac{\log\left(\left|a\left(e^{2dx+2c}\right)+e^{(-2dx-2c)}\right)+b\left(e^{2dx+2c}\right)+e^{(-2dx-2c)}\right)+2a-2b}{2\left(a^3d+3a^2bd+3ab^2d+b^3d\right)} - \frac{3a\left(e^{2dx+2c}\right)+e^{(-2dx-2c)}}{4\left(a^2d+2abd+b^2d\right)}\left(a\left(e^{2dx+2c}\right)+e^{(-2dx-2c)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out]  $\frac{1}{2} \log(\text{abs}(a(e^{2dx+2c}) + e^{-2dx-2c}) + b(e^{2dx+2c} + e^{-2dx-2c}) + 2a - 2b) / (a^3d + 3a^2bd + 3ab^2d + b^3d) - 1/4(3a(e^{2dx+2c}) + e^{-2dx-2c})^2 + 3b(e^{2dx+2c} + e^{-2dx-2c})^2 + 4a(e^{2dx+2c} + e^{-2dx-2c}) - 4b(e^{2dx+2c} + e^{-2dx-2c}) - 4a - 4b) / ((a^2d + 2abd + b^2d)(a(e^{2dx+2c}) + e^{-2dx-2c}) + b(e^{2dx+2c} + e^{-2dx-2c}) + 2a - 2b)^2)$

$$3.194 \quad \int \frac{\tanh^2(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$$

**Optimal.** Leaf size=137

$$\frac{(3a^2 - 6ab - b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8a^{3/2} \sqrt{bd}(a+b)^3} - \frac{(3a-b) \tanh(c+dx)}{8ad(a+b)^2 (a+b \tanh^2(c+dx))} - \frac{\tanh(c+dx)}{4d(a+b) (a+b \tanh^2(c+dx))^2} + \frac{x}{(a+b)^3}$$

[Out] x/(a + b)^3 - ((3\*a^2 - 6\*a\*b - b^2)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(8\*a^(3/2)\*Sqrt[b]\*(a + b)^3\*d) - Tanh[c + d\*x]/(4\*(a + b)\*d\*(a + b\*Tanh[c + d\*x]^2)^2) - ((3\*a - b)\*Tanh[c + d\*x])/(8\*a\*(a + b)^2\*d\*(a + b\*Tanh[c + d\*x]^2))

**Rubi [A]** time = 0.157022, antiderivative size = 137, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {3670, 471, 527, 522, 206, 205}

$$\frac{(3a^2 - 6ab - b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8a^{3/2} \sqrt{bd}(a+b)^3} - \frac{(3a-b) \tanh(c+dx)}{8ad(a+b)^2 (a+b \tanh^2(c+dx))} - \frac{\tanh(c+dx)}{4d(a+b) (a+b \tanh^2(c+dx))^2} + \frac{x}{(a+b)^3}$$

Antiderivative was successfully verified.

[In] Int[Tanh[c + d\*x]^2/(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] x/(a + b)^3 - ((3\*a^2 - 6\*a\*b - b^2)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(8\*a^(3/2)\*Sqrt[b]\*(a + b)^3\*d) - Tanh[c + d\*x]/(4\*(a + b)\*d\*(a + b\*Tanh[c + d\*x]^2)^2) - ((3\*a - b)\*Tanh[c + d\*x])/(8\*a\*(a + b)^2\*d\*(a + b\*Tanh[c + d\*x]^2))

### Rule 3670

Int[((d\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((a\_.) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_))^(p\_.), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

Rule 471

```
Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Simp[(e^(n - 1)*(e*x)^(m - n + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(n*(b*c - a*d)*(p + 1)), x] - Dist[e^n/(n*(b*c - a*d)*(p + 1)), Int[(e*x)^(m - n)*(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(m - n + 1) + d*(m + n*(p + q + 1) + 1)*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LtQ[p, -1] && GeQ[n, m - n + 1] && GtQ[m - n + 1, 0] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]
```

Rule 527

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_.)*((e_) + (f_.)*(x_)^(n_)), x_Symbol] := -Simp[((b*e - a*f)*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(b*c - a*d)*(p + 1)), x] + Dist[1/(a*n*(b*c - a*d)*(p + 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(b*e - a*f) + e*n*(b*c - a*d)*(p + 1) + d*(b*e - a*f)*(n*(p + q + 2) + 1)*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, f, n, q}, x] && LtQ[p, -1]
```

Rule 522

```
Int[((e_) + (f_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_))*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Dist[(b*e - a*f)/(b*c - a*d), Int[1/(a + b*x^n), x], x] - Dist[(d*e - c*f)/(b*c - a*d), Int[1/(c + d*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\tanh^2(c+dx)}{(a+b\tanh^2(c+dx))^3} dx &= \frac{\text{Subst}\left(\int \frac{x^2}{(1-x^2)(a+bx^2)^3} dx, x, \tanh(c+dx)\right)}{d} \\
&= -\frac{\tanh(c+dx)}{4(a+b)d(a+b\tanh^2(c+dx))^2} + \frac{\text{Subst}\left(\int \frac{1+3x^2}{(1-x^2)(a+bx^2)^2} dx, x, \tanh(c+dx)\right)}{4(a+b)d} \\
&= -\frac{\tanh(c+dx)}{4(a+b)d(a+b\tanh^2(c+dx))^2} - \frac{(3a-b)\tanh(c+dx)}{8a(a+b)^2d(a+b\tanh^2(c+dx))} - \frac{\text{Subst}\left(\int \frac{-5a}{(1-x^2)} dx, x, \tanh(c+dx)\right)}{4(a+b)d} \\
&= -\frac{\tanh(c+dx)}{4(a+b)d(a+b\tanh^2(c+dx))^2} - \frac{(3a-b)\tanh(c+dx)}{8a(a+b)^2d(a+b\tanh^2(c+dx))} + \frac{\text{Subst}\left(\int \frac{1}{1-x^2} dx, x, \tanh(c+dx)\right)}{4(a+b)d} \\
&= \frac{x}{(a+b)^3} - \frac{(3a^2-6ab-b^2)\tan^{-1}\left(\frac{\sqrt{b}\tanh(c+dx)}{\sqrt{a}}\right)}{8a^{3/2}\sqrt{b}(a+b)^3d} - \frac{\tanh(c+dx)}{4(a+b)d(a+b\tanh^2(c+dx))^2}
\end{aligned}$$

**Mathematica [A]** time = 1.06931, size = 137, normalized size = 1.

$$\frac{(-3a^2+6ab+b^2)\tan^{-1}\left(\frac{\sqrt{b}\tanh(c+dx)}{\sqrt{a}}\right)}{a^{3/2}\sqrt{b}} - \frac{(5a-b)(a+b)\sinh(2(c+dx))}{a((a+b)\cosh(2(c+dx))+a-b)} - \frac{4b(a+b)\sinh(2(c+dx))}{((a+b)\cosh(2(c+dx))+a-b)^2} + 8(c+dx)}{8d(a+b)^3}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[c + d\*x]^2/(a + b\*Tanh[c + d\*x]^2)^3, x]

[Out] (8\*(c + d\*x) + ((-3\*a^2 + 6\*a\*b + b^2)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(a^(3/2)\*Sqrt[b]) - (4\*b\*(a + b)\*Sinh[2\*(c + d\*x)]/(a - b + (a + b)\*Cosh[2\*(c + d\*x)])^2 - ((5\*a - b)\*(a + b)\*Sinh[2\*(c + d\*x)]/(a\*(a - b + (a + b)\*Cosh[2\*(c + d\*x)])))/(8\*(a + b)^3\*d)

**Maple [B]** time = 0.026, size = 340, normalized size = 2.5

$$\frac{\ln(\tanh(dx+c)+1)}{2d(a+b)^3} - \frac{3ab(\tanh(dx+c))^3}{8d(a+b)^3(a+b(\tanh(dx+c))^2)^2} - \frac{(\tanh(dx+c))^3 b^2}{4d(a+b)^3(a+b(\tanh(dx+c))^2)^2} + \frac{b^3(\tanh(dx+c))^3}{8d(a+b)^3(a+b(\tanh(dx+c))^2)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(\tanh(dx+c)^2/(a+b*\tanh(dx+c))^2)^3,x$

[Out]  $\frac{1}{2}d/(a+b)^3*\ln(\tanh(dx+c)+1)-\frac{3}{8}d/(a+b)^3*a/(a+b*\tanh(dx+c))^2*b*\tanh(dx+c)^3-\frac{1}{4}d/(a+b)^3/(a+b*\tanh(dx+c))^2*\tanh(dx+c)^3*b^2+\frac{1}{8}d/(a+b)^3/(a+b*\tanh(dx+c))^2*b^3/a*\tanh(dx+c)^3-\frac{5}{8}d/(a+b)^3*a^2/(a+b*\tanh(dx+c))^2*\tanh(dx+c)-\frac{3}{4}d/(a+b)^3/(a+b*\tanh(dx+c))^2*a*b*\tanh(dx+c)-\frac{1}{8}d/(a+b)^3/(a+b*\tanh(dx+c))^2*\tanh(dx+c)*b^2-\frac{3}{8}d/(a+b)^3*a/(a*b)^{(1/2)}*\arctan(\tanh(dx+c)*b/(a*b)^{(1/2)})+\frac{3}{4}d/(a+b)^3*b/(a*b)^{(1/2)}*\arctan(\tanh(dx+c)*b/(a*b)^{(1/2)})+\frac{1}{8}d/(a+b)^3/a/(a*b)^{(1/2)}*\arctan(\tanh(dx+c)*b/(a*b)^{(1/2)})*b^2-\frac{1}{2}d/(a+b)^3*\ln(\tanh(dx+c)-1)$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\tanh(dx+c)^2/(a+b*\tanh(dx+c))^2)^3,x, \text{algorithm}=\text{"maxima"}$ )

[Out] Exception raised: ValueError

**Fricas [B]** time = 3.33037, size = 17383, normalized size = 126.88

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\tanh(dx+c)^2/(a+b*\tanh(dx+c))^2)^3,x, \text{algorithm}=\text{"fricas"}$ )

[Out]  $[1/16*(16*(a^4*b + 2*a^3*b^2 + a^2*b^3)*d*x*\cosh(dx + c)^8 + 128*(a^4*b + 2*a^3*b^2 + a^2*b^3)*d*x*\cosh(dx + c)*\sinh(dx + c)^7 + 16*(a^4*b + 2*a^3*b^2 + a^2*b^3)*d*x*\sinh(dx + c)^8 + 4*(5*a^4*b - 5*a^3*b^2 - 9*a^2*b^3 + a*b^4 + 16*(a^4*b - a^2*b^3)*d*x)*\cosh(dx + c)^6 + 4*(5*a^4*b - 5*a^3*b^2 - 9*a^2*b^3 + a*b^4 + 112*(a^4*b + 2*a^3*b^2 + a^2*b^3)*d*x*\cosh(dx + c)^2 + 16*(a^4*b - a^2*b^3)*d*x)*\sinh(dx + c)^6 + 8*(112*(a^4*b + 2*a^3*b^2 + a^2*b^3)*d*x*\cosh(dx + c)^3 + 3*(5*a^4*b - 5*a^3*b^2 - 9*a^2*b^3 + a*b^4 + 16*(a^4*b - a^2*b^3)*d*x)*\cosh(dx + c))*\sinh(dx + c)^5 + 20*a^4*b + 36*a^$

$$\begin{aligned} & 3*b^2 + 12*a^2*b^3 - 4*a*b^4 + 4*(15*a^4*b - 13*a^3*b^2 + 17*a^2*b^3 - 3*a*b^4 + 8*(3*a^4*b - 2*a^3*b^2 + 3*a^2*b^3)*d*x)*\cosh(d*x + c)^4 + 4*(280*(a^4*b + 2*a^3*b^2 + a^2*b^3)*d*x*\cosh(d*x + c)^4 + 15*a^4*b - 13*a^3*b^2 + 17*a^2*b^3 - 3*a*b^4 + 8*(3*a^4*b - 2*a^3*b^2 + 3*a^2*b^3)*d*x + 15*(5*a^4*b - 5*a^3*b^2 - 9*a^2*b^3 + a*b^4 + 16*(a^4*b - a^2*b^3)*d*x)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + 16*(56*(a^4*b + 2*a^3*b^2 + a^2*b^3)*d*x*\cosh(d*x + c)^5 + 5*(5*a^4*b - 5*a^3*b^2 - 9*a^2*b^3 + a*b^4 + 16*(a^4*b - a^2*b^3)*d*x)*\cosh(d*x + c)^3 + (15*a^4*b - 13*a^3*b^2 + 17*a^2*b^3 - 3*a*b^4 + 8*(3*a^4*b - 2*a^3*b^2 + 3*a^2*b^3)*d*x)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 16*(a^4*b + 2*a^3*b^2 + a^2*b^3)*d*x + 4*(15*a^4*b + a^3*b^2 - 11*a^2*b^3 + 3*a*b^4 + 16*(a^4*b - a^2*b^3)*d*x)*\cosh(d*x + c)^2 + 4*(112*(a^4*b + 2*a^3*b^2 + a^2*b^3)*d*x*\cosh(d*x + c)^6 + 15*a^4*b + a^3*b^2 - 11*a^2*b^3 + 3*a*b^4 + 15*(5*a^4*b - 5*a^3*b^2 - 9*a^2*b^3 + a*b^4 + 16*(a^4*b - a^2*b^3)*d*x)*\cosh(d*x + c)^4 + 16*(a^4*b - a^2*b^3)*d*x + 6*(15*a^4*b - 13*a^3*b^2 + 17*a^2*b^3 - 3*a*b^4 + 8*(3*a^4*b - 2*a^3*b^2 + 3*a^2*b^3)*d*x)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 + ((3*a^4 - 10*a^2*b^2 - 8*a*b^3 - b^4)*\cosh(d*x + c)^8 + 8*(3*a^4 - 10*a^2*b^2 - 8*a*b^3 - b^4)*\cosh(d*x + c)*\sinh(d*x + c)^7 + (3*a^4 - 10*a^2*b^2 - 8*a*b^3 - b^4)*\sinh(d*x + c)^8 + 4*(3*a^4 - 6*a^3*b - 4*a^2*b^2 + 6*a*b^3 + b^4)*\cosh(d*x + c)^6 + 4*(3*a^4 - 6*a^3*b - 4*a^2*b^2 + 6*a*b^3 + b^4 + 7*(3*a^4 - 10*a^2*b^2 - 8*a*b^3 - b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^6 + 8*(7*(3*a^4 - 10*a^2*b^2 - 8*a*b^3 - b^4)*\cosh(d*x + c)^3 + 3*(3*a^4 - 6*a^3*b - 4*a^2*b^2 + 6*a*b^3 + b^4)*\cosh(d*x + c))*\sinh(d*x + c)^5 + 2*(9*a^4 - 24*a^3*b + 18*a^2*b^2 - 16*a*b^3 - 3*b^4)*\cosh(d*x + c)^4 + 2*(35*(3*a^4 - 10*a^2*b^2 - 8*a*b^3 - b^4)*\cosh(d*x + c)^4 + 9*a^4 - 24*a^3*b + 18*a^2*b^2 - 16*a*b^3 - 3*b^4 + 30*(3*a^4 - 6*a^3*b - 4*a^2*b^2 + 6*a*b^3 + b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + 3*a^4 - 10*a^2*b^2 - 8*a*b^3 - b^4 + 8*(7*(3*a^4 - 10*a^2*b^2 - 8*a*b^3 - b^4)*\cosh(d*x + c)^5 + 10*(3*a^4 - 6*a^3*b - 4*a^2*b^2 + 6*a*b^3 + b^4)*\cosh(d*x + c)^3 + (9*a^4 - 24*a^3*b + 18*a^2*b^2 - 16*a*b^3 - 3*b^4)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 4*(3*a^4 - 6*a^3*b - 4*a^2*b^2 + 6*a*b^3 + b^4)*\cosh(d*x + c)^2 + 4*(7*(3*a^4 - 10*a^2*b^2 - 8*a*b^3 - b^4)*\cosh(d*x + c)^6 + 15*(3*a^4 - 6*a^3*b - 4*a^2*b^2 + 6*a*b^3 + b^4)*\cosh(d*x + c)^4 + 3*a^4 - 6*a^3*b - 4*a^2*b^2 + 6*a*b^3 + b^4 + 3*(9*a^4 - 24*a^3*b + 18*a^2*b^2 - 16*a*b^3 - 3*b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 + 8*((3*a^4 - 10*a^2*b^2 - 8*a*b^3 - b^4)*\cosh(d*x + c)^7 + 3*(3*a^4 - 6*a^3*b - 4*a^2*b^2 + 6*a*b^3 + b^4)*\cosh(d*x + c)^5 + (9*a^4 - 24*a^3*b + 18*a^2*b^2 - 16*a*b^3 - 3*b^4)*\cosh(d*x + c)^3 + (3*a^4 - 6*a^3*b - 4*a^2*b^2 + 6*a*b^3 + b^4)*\cosh(d*x + c))*\sinh(d*x + c))*\sqrt{-a*b} \log(((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^4 + 4*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a^2 + 2*a*b + b^2)*\sinh(d*x + c)^4 + 2*(a^2 - b^2)*\cosh(d*x + c)^2 + 2*(3*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^2 + a^2 - b^2)*\sinh(d*x + c)^2 + a^2 - 6*a*b + b^2 + 4*((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^3 + (a^2 - b^2)*\cosh(d*x + c))*\sinh(d*x + c) - 4*((a + b)*\cosh(d*x + c)^2 + 2*(a + b)*\cosh(d*x + c)*\sinh(d*x + c) + (a + b)*\sinh(d*x + c)^2 + a - b)*\sqrt{-a*b}))/((a + b)*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a + b)*\sinh(d*x + c)^4 + 2*(a - b)*\cosh(d*x + c)^2 + 2*(3*(a + b)*\cosh(d*x + c)^2 + 2*(a + b)*\sinh(d*x + c)^2 + a - b)*\sqrt{-a*b}))/((a + b)*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a + b)*\sinh(d*x + c)^4 + 2*(a - b)*\cosh(d*x + c)^2 + 2*(3*(a + b)*\cosh(d*x + c)^2 + 2*(a + b)*\sinh(d*x + c)^2 + a - b)*\sqrt{-a*b}))/((a + b)*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a + b)*\sinh(d*x + c)^4 + 2*(a - b)*\cosh(d*x + c)^2 + 2*(3*(a + b)*\cosh(d*x + c)^2 + 2*(a + b)*\sinh(d*x + c)^2 + a - b)*\sqrt{-a*b})). \end{aligned}$$

$$\begin{aligned}
& x + c)^2 + a - b) * \sinh(dx + c)^2 + 4 * ((a + b) * \cosh(dx + c)^3 + (a - b) * \cosh(dx + c)) * \sinh(dx + c) + a + b)) + 8 * (16 * (a^4 * b + 2 * a^3 * b^2 + a^2 * b^3) * dx * \cosh(dx + c)^7 + 3 * (5 * a^4 * b - 5 * a^3 * b^2 - 9 * a^2 * b^3 + a * b^4 + 16 * (a^4 * b - a^2 * b^3) * dx) * \cosh(dx + c)^5 + 2 * (15 * a^4 * b - 13 * a^3 * b^2 + 17 * a^2 * b^3 - 3 * a * b^4 + 8 * (3 * a^4 * b - 2 * a^3 * b^2 + 3 * a^2 * b^3) * dx) * \cosh(dx + c)^3 + (15 * a^4 * b + a^3 * b^2 - 11 * a^2 * b^3 + 3 * a * b^4 + 16 * (a^4 * b - a^2 * b^3) * dx) * \cosh(dx + c)) * \sinh(dx + c)) / ((a^7 * b + 5 * a^6 * b^2 + 10 * a^5 * b^3 + 10 * a^4 * b^4 + 5 * a^3 * b^5 + a^2 * b^6) * d * \cosh(dx + c)^8 + 8 * (a^7 * b + 5 * a^6 * b^2 + 10 * a^5 * b^3 + 10 * a^4 * b^4 + 5 * a^3 * b^5 + a^2 * b^6) * d * \cosh(dx + c) * \sinh(dx + c)^7 + (a^7 * b + 5 * a^6 * b^2 + 10 * a^5 * b^3 + 10 * a^4 * b^4 + 5 * a^3 * b^5 + a^2 * b^6) * d * \sinh(dx + c)^8 + 4 * (a^7 * b + 3 * a^6 * b^2 + 2 * a^5 * b^3 - 2 * a^4 * b^4 - 3 * a^3 * b^5 - a^2 * b^6) * d * \cosh(dx + c)^6 + 4 * (7 * (a^7 * b + 5 * a^6 * b^2 + 10 * a^5 * b^3 + 10 * a^4 * b^4 + 5 * a^3 * b^5 + a^2 * b^6) * d * \cosh(dx + c)^2 + (a^7 * b + 3 * a^6 * b^2 + 2 * a^5 * b^3 - 2 * a^4 * b^4 - 3 * a^3 * b^5 - a^2 * b^6) * d) * \sinh(dx + c)^6 + 2 * (3 * a^7 * b + 7 * a^6 * b^2 + 6 * a^5 * b^3 + 6 * a^4 * b^4 + 7 * a^3 * b^5 + 3 * a^2 * b^6) * d * \cosh(dx + c)^4 + 8 * (7 * (a^7 * b + 5 * a^6 * b^2 + 10 * a^5 * b^3 + 10 * a^4 * b^4 + 5 * a^3 * b^5 + a^2 * b^6) * d * \cosh(dx + c)^3 + 3 * (a^7 * b + 3 * a^6 * b^2 + 2 * a^5 * b^3 - 2 * a^4 * b^4 - 3 * a^3 * b^5 - a^2 * b^6) * d * \cosh(dx + c)) * \sinh(dx + c)^5 + 2 * (35 * (a^7 * b + 5 * a^6 * b^2 + 10 * a^5 * b^3 + 10 * a^4 * b^4 + 5 * a^3 * b^5 + a^2 * b^6) * d * \cosh(dx + c)^4 + 30 * (a^7 * b + 3 * a^6 * b^2 + 2 * a^5 * b^3 - 2 * a^4 * b^4 - 3 * a^3 * b^5 - a^2 * b^6) * d * \cosh(dx + c)^2 + (3 * a^7 * b + 7 * a^6 * b^2 + 6 * a^5 * b^3 + 6 * a^4 * b^4 + 7 * a^3 * b^5 + 3 * a^2 * b^6) * d) * \sinh(dx + c)^4 + 4 * (a^7 * b + 3 * a^6 * b^2 + 2 * a^5 * b^3 - 2 * a^4 * b^4 - 3 * a^3 * b^5 - a^2 * b^6) * d * \cosh(dx + c)^2 + 8 * (7 * (a^7 * b + 5 * a^6 * b^2 + 10 * a^5 * b^3 + 10 * a^4 * b^4 + 5 * a^3 * b^5 + a^2 * b^6) * d * \cosh(dx + c)^5 + 10 * (a^7 * b + 3 * a^6 * b^2 + 2 * a^5 * b^3 - 2 * a^4 * b^4 - 3 * a^3 * b^5 - a^2 * b^6) * d * \cosh(dx + c)^3 + (3 * a^7 * b + 7 * a^6 * b^2 + 6 * a^5 * b^3 + 6 * a^4 * b^4 + 7 * a^3 * b^5 + 3 * a^2 * b^6) * d * \cosh(dx + c)) * \sinh(dx + c)^3 + 4 * (7 * (a^7 * b + 5 * a^6 * b^2 + 10 * a^5 * b^3 + 10 * a^4 * b^4 + 5 * a^3 * b^5 + a^2 * b^6) * d * \cosh(dx + c)^6 + 15 * (a^7 * b + 3 * a^6 * b^2 + 2 * a^5 * b^3 - 2 * a^4 * b^4 - 3 * a^3 * b^5 - a^2 * b^6) * d * \cosh(dx + c)^4 + 3 * (3 * a^7 * b + 7 * a^6 * b^2 + 6 * a^5 * b^3 + 6 * a^4 * b^4 + 7 * a^3 * b^5 + 3 * a^2 * b^6) * d * \cosh(dx + c)^2 + (a^7 * b + 3 * a^6 * b^2 + 2 * a^5 * b^3 - 2 * a^4 * b^4 - 3 * a^3 * b^5 - a^2 * b^6) * d) * \sinh(dx + c)^2 + (a^7 * b + 5 * a^6 * b^2 + 10 * a^5 * b^3 + 10 * a^4 * b^4 + 5 * a^3 * b^5 + a^2 * b^6) * d + 8 * ((a^7 * b + 5 * a^6 * b^2 + 10 * a^5 * b^3 + 10 * a^4 * b^4 + 5 * a^3 * b^5 + a^2 * b^6) * d * \cosh(dx + c))^7 + 3 * (a^7 * b + 3 * a^6 * b^2 + 2 * a^5 * b^3 - 2 * a^4 * b^4 - 3 * a^3 * b^5 - a^2 * b^6) * d * \cosh(dx + c)^5 + (3 * a^7 * b + 7 * a^6 * b^2 + 6 * a^5 * b^3 + 6 * a^4 * b^4 + 7 * a^3 * b^5 + 3 * a^2 * b^6) * d * \cosh(dx + c)^3 + (a^7 * b + 3 * a^6 * b^2 + 2 * a^5 * b^3 - 2 * a^4 * b^4 - 3 * a^3 * b^5 - a^2 * b^6) * d * \cosh(dx + c)) * \sinh(dx + c)), 1/8 * (8 * (a^4 * b + 2 * a^3 * b^2 + a^2 * b^3) * dx * \cosh(dx + c)^8 + 64 * (a^4 * b + 2 * a^3 * b^2 + a^2 * b^3) * dx * \cosh(dx + c) * \sinh(dx + c)^7 + 8 * (a^4 * b + 2 * a^3 * b^2 + a^2 * b^3) * dx * \sinh(dx + c)^8 + 2 * (5 * a^4 * b - 5 * a^3 * b^2 - 9 * a^2 * b^3 + a * b^4 + 16 * (a^4 * b - a^2 * b^3) * dx) * \cosh(dx + c)^6 + 2 * (5 * a^4 * b - 5 * a^3 * b^2 - 9 * a^2 * b^3 + a * b^4 + 12 * (a^4 * b + 2 * a^3 * b^2 + a^2 * b^3) * dx * \cosh(dx + c)^2 + 16 * (a^4 * b - a^2 * b^3) * dx) * \sinh(dx + c)^6 + 4 * (112 * (a^4 * b + 2 * a^3 * b^2 + a^2 * b^3) * dx * \cosh(dx + c)^3 + 3 * (5 * a^4 * b - 5 * a^3 * b^2 - 9 * a^2 * b^3 + a * b^4 + 16 * (a^4 * b - a^2 * b^3) * dx) * \cosh(dx + c)) * \sinh(dx + c)^5 + 10 * a^4 * b + 18 * a^3 * b^2 + 6 * a^2 * b^3 - 2 *
\end{aligned}$$



$$\begin{aligned}
& a*b^4 + 2*(15*a^4*b - 13*a^3*b^2 + 17*a^2*b^3 - 3*a*b^4 + 8*(3*a^4*b - 2*a^3*b^2 + 3*a^2*b^3)*d*x)*\cosh(d*x + c)^4 + 2*(280*(a^4*b + 2*a^3*b^2 + a^2*b^3)*d*x*\cosh(d*x + c)^4 + 15*a^4*b - 13*a^3*b^2 + 17*a^2*b^3 - 3*a*b^4 + 8*(3*a^4*b - 2*a^3*b^2 + 3*a^2*b^3)*d*x + 15*(5*a^4*b - 5*a^3*b^2 - 9*a^2*b^3 + a*b^4 + 16*(a^4*b - a^2*b^3)*d*x)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + 8*(56*(a^4*b + 2*a^3*b^2 + a^2*b^3)*d*x*\cosh(d*x + c)^5 + 5*(5*a^4*b - 5*a^3*b^2 - 9*a^2*b^3 + a*b^4 + 16*(a^4*b - a^2*b^3)*d*x)*\cosh(d*x + c)^3 + (15*a^4*b - 13*a^3*b^2 + 17*a^2*b^3 - 3*a*b^4 + 8*(3*a^4*b - 2*a^3*b^2 + 3*a^2*b^3)*d*x)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 8*(a^4*b + 2*a^3*b^2 + a^2*b^3)*d*x + 2*(15*a^4*b + a^3*b^2 - 11*a^2*b^3 + 3*a*b^4 + 16*(a^4*b - a^2*b^3)*d*x)*\cosh(d*x + c)^2 + 2*(112*(a^4*b + 2*a^3*b^2 + a^2*b^3)*d*x*\cosh(d*x + c)^6 + 15*a^4*b + a^3*b^2 - 11*a^2*b^3 + 3*a*b^4 + 15*(5*a^4*b - 5*a^3*b^2 - 9*a^2*b^3 + a*b^4 + 16*(a^4*b - a^2*b^3)*d*x)*\cosh(d*x + c)^4 + 16*(a^4*b - a^2*b^3)*d*x + 6*(15*a^4*b - 13*a^3*b^2 + 17*a^2*b^3 - 3*a*b^4 + 8*(3*a^4*b - 2*a^3*b^2 + 3*a^2*b^3)*d*x)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 - ((3*a^4 - 10*a^2*b^2 - 8*a*b^3 - b^4)*\cosh(d*x + c)^8 + 8*(3*a^4 - 10*a^2*b^2 - 8*a*b^3 - b^4)*\cosh(d*x + c)*\sinh(d*x + c)^7 + (3*a^4 - 10*a^2*b^2 - 8*a*b^3 - b^4)*\sinh(d*x + c)^8 + 4*(3*a^4 - 6*a^3*b - 4*a^2*b^2 + 6*a*b^3 + b^4)*\cosh(d*x + c)^6 + 4*(3*a^4 - 6*a^3*b - 4*a^2*b^2 + 6*a*b^3 + b^4 + 7*(3*a^4 - 10*a^2*b^2 - 8*a*b^3 - b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^6 + 8*(7*(3*a^4 - 10*a^2*b^2 - 8*a*b^3 - b^4)*\cosh(d*x + c)^3 + 3*(3*a^4 - 6*a^3*b - 4*a^2*b^2 + 6*a*b^3 + b^4)*\cosh(d*x + c))*\sinh(d*x + c)^5 + 2*(9*a^4 - 24*a^3*b + 18*a^2*b^2 - 16*a*b^3 - 3*b^4)*\cosh(d*x + c)^4 + 2*(35*(3*a^4 - 10*a^2*b^2 - 8*a*b^3 - b^4)*\cosh(d*x + c)^4 + 9*a^4 - 24*a^3*b + 18*a^2*b^2 - 16*a*b^3 - 3*b^4 + 30*(3*a^4 - 6*a^3*b - 4*a^2*b^2 + 6*a*b^3 + b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + 3*a^4 - 10*a^2*b^2 - 8*a*b^3 - b^4 + 8*(7*(3*a^4 - 10*a^2*b^2 - 8*a*b^3 - b^4)*\cosh(d*x + c)^5 + 10*(3*a^4 - 6*a^3*b - 4*a^2*b^2 + 6*a*b^3 + b^4)*\cosh(d*x + c)^3 + (9*a^4 - 24*a^3*b + 18*a^2*b^2 - 16*a*b^3 - 3*b^4)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 4*(3*a^4 - 6*a^3*b - 4*a^2*b^2 + 6*a*b^3 + b^4)*\cosh(d*x + c)^2 + 4*(7*(3*a^4 - 10*a^2*b^2 - 8*a*b^3 - b^4)*\cosh(d*x + c)^6 + 15*(3*a^4 - 6*a^3*b - 4*a^2*b^2 + 6*a*b^3 + b^4)*\cosh(d*x + c)^4 + 3*a^4 - 6*a^3*b - 4*a^2*b^2 + 6*a*b^3 + b^4 + 3*(9*a^4 - 24*a^3*b + 18*a^2*b^2 - 16*a*b^3 - 3*b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 + 8*((3*a^4 - 10*a^2*b^2 - 8*a*b^3 - b^4)*\cosh(d*x + c)^7 + 3*(3*a^4 - 6*a^3*b - 4*a^2*b^2 + 6*a*b^3 + b^4)*\cosh(d*x + c)^5 + (9*a^4 - 24*a^3*b + 18*a^2*b^2 - 16*a*b^3 - 3*b^4)*\cosh(d*x + c)^3 + (3*a^4 - 6*a^3*b - 4*a^2*b^2 + 6*a*b^3 + b^4)*\cosh(d*x + c))*\sinh(d*x + c))*\sqrt{a*b}*\arctan(1/2*((a + b)*\cosh(d*x + c)^2 + 2*(a + b)*\cosh(d*x + c)*\sinh(d*x + c) + (a + b)*\sinh(d*x + c)^2 + a - b)*\sqrt{a*b})/(a*b)) + 4*(16*(a^4*b + 2*a^3*b^2 + a^2*b^3)*d*x*\cosh(d*x + c)^7 + 3*(5*a^4*b - 5*a^3*b^2 - 9*a^2*b^3 + a*b^4 + 16*(a^4*b - a^2*b^3)*d*x)*\cosh(d*x + c)^5 + 2*(15*a^4*b - 13*a^3*b^2 + 17*a^2*b^3 - 3*a*b^4 + 8*(3*a^4*b - 2*a^3*b^2 + 3*a^2*b^3)*d*x)*\cosh(d*x + c)^3 + (15*a^4*b + a^3*b^2 - 11*a^2*b^3 + 3*a*b^4 + 16*(a^4*b - a^2*b^3)*d*x)*\cosh(d*x + c))*\sinh(d*x + c))/((a^7*b + 5*a^6*b^2 + 10*a^5*b^3 + 10*a^4*b^4 + 5*a^3*b^5 + a^2*b^6)*d*\cosh(d*x + c)^8 + 8*(a^7*b + 5*a^6*b^2 + 10*a^5*b^3 + 10*a^4*b^4 + 5
\end{aligned}$$

$$\begin{aligned}
& a^3 b^5 + a^2 b^6) d \cosh(dx + c) \sinh(dx + c)^7 + (a^7 b + 5 a^6 b^2 + 10 a^5 b^3 + 10 a^4 b^4 + 5 a^3 b^5 + a^2 b^6) d \sinh(dx + c)^8 + 4 (a^7 b + 3 a^6 b^2 + 2 a^5 b^3 - 2 a^4 b^4 - 3 a^3 b^5 - a^2 b^6) d \cosh(dx + c)^6 + 4 (7 (a^7 b + 5 a^6 b^2 + 10 a^5 b^3 + 10 a^4 b^4 + 5 a^3 b^5 + a^2 b^6) d \cosh(dx + c)^2 + (a^7 b + 3 a^6 b^2 + 2 a^5 b^3 - 2 a^4 b^4 - 3 a^3 b^5 - a^2 b^6) d) \sinh(dx + c)^6 + 2 (3 a^7 b + 7 a^6 b^2 + 6 a^5 b^3 + 6 a^4 b^4 + 7 a^3 b^5 + 3 a^2 b^6) d \cosh(dx + c)^4 + 8 (7 (a^7 b + 5 a^6 b^2 + 10 a^5 b^3 + 10 a^4 b^4 + 5 a^3 b^5 + a^2 b^6) d \cosh(dx + c)^3 + 3 (a^7 b + 3 a^6 b^2 + 2 a^5 b^3 - 2 a^4 b^4 - 3 a^3 b^5 - a^2 b^6) d \cosh(dx + c)) \sinh(dx + c)^5 + 2 (35 (a^7 b + 5 a^6 b^2 + 10 a^5 b^3 + 10 a^4 b^4 + 5 a^3 b^5 + a^2 b^6) d \cosh(dx + c)^4 + 30 (a^7 b + 3 a^6 b^2 + 2 a^5 b^3 - 2 a^4 b^4 - 3 a^3 b^5 - a^2 b^6) d \cosh(dx + c)^2 + (3 a^7 b + 7 a^6 b^2 + 6 a^5 b^3 + 6 a^4 b^4 + 7 a^3 b^5 + 3 a^2 b^6) d) \sinh(dx + c)^4 + 4 (a^7 b + 3 a^6 b^2 + 2 a^5 b^3 - 2 a^4 b^4 - 3 a^3 b^5 - a^2 b^6) d \cosh(dx + c)^2 + 8 (7 (a^7 b + 5 a^6 b^2 + 10 a^5 b^3 + 10 a^4 b^4 + 5 a^3 b^5 + a^2 b^6) d \cosh(dx + c)^5 + 10 (a^7 b + 3 a^6 b^2 + 2 a^5 b^3 - 2 a^4 b^4 - 3 a^3 b^5 - a^2 b^6) d \cosh(dx + c)^3 + (3 a^7 b + 7 a^6 b^2 + 6 a^5 b^3 + 6 a^4 b^4 + 7 a^3 b^5 + 3 a^2 b^6) d \cosh(dx + c)) \sinh(dx + c)^3 + 4 (7 (a^7 b + 5 a^6 b^2 + 10 a^5 b^3 + 10 a^4 b^4 + 5 a^3 b^5 + a^2 b^6) d \cosh(dx + c)^6 + 15 (a^7 b + 3 a^6 b^2 + 2 a^5 b^3 - 2 a^4 b^4 - 3 a^3 b^5 - a^2 b^6) d \cosh(dx + c)^4 + 3 (3 a^7 b + 7 a^6 b^2 + 6 a^5 b^3 + 6 a^4 b^4 + 7 a^3 b^5 + 3 a^2 b^6) d \cosh(dx + c)^2 + (a^7 b + 3 a^6 b^2 + 2 a^5 b^3 - 2 a^4 b^4 - 3 a^3 b^5 - a^2 b^6) d) \sinh(dx + c)^2 + (a^7 b + 5 a^6 b^2 + 10 a^5 b^3 + 10 a^4 b^4 + 5 a^3 b^5 + a^2 b^6) d + 8 ((a^7 b + 5 a^6 b^2 + 10 a^5 b^3 + 10 a^4 b^4 + 5 a^3 b^5 + a^2 b^6) d \cosh(dx + c)^7 + 3 (a^7 b + 3 a^6 b^2 + 2 a^5 b^3 - 2 a^4 b^4 - 3 a^3 b^5 - a^2 b^6) d \cosh(dx + c)^5 + (3 a^7 b + 7 a^6 b^2 + 6 a^5 b^3 + 6 a^4 b^4 + 7 a^3 b^5 + 3 a^2 b^6) d \cosh(dx + c)^3 + (a^7 b + 3 a^6 b^2 + 2 a^5 b^3 - 2 a^4 b^4 - 3 a^3 b^5 - a^2 b^6) d \cosh(dx + c)) \sinh(dx + c)]
\end{aligned}$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(dx+c)\*\*2/(a+b\*tanh(dx+c)\*\*2)\*\*3,x)

[Out] Timed out

**Giac [B]** time = 1.26422, size = 539, normalized size = 3.93

$$\frac{(3a^2 - 6ab - b^2) \arctan\left(\frac{ae^{(2dx+2c)} + be^{(2dx+2c)} + a - b}{2\sqrt{ab}}\right)}{8(a^4d + 3a^3bd + 3a^2b^2d + ab^3d)\sqrt{ab}} + \frac{dx + c}{a^3d + 3a^2bd + 3ab^2d + b^3d} + \frac{5a^3e^{(6dx+6c)} - 5a^2be^{(6dx+6c)} - 9ab^2e^{(6dx+6c)} + 9b^3e^{(6dx+6c)}}{8(a^4d + 3a^3bd + 3a^2b^2d + ab^3d)\sqrt{ab}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out] 
$$\begin{aligned} & -1/8*(3*a^2 - 6*a*b - b^2)*\arctan(1/2*(a*e^{(2*d*x + 2*c)} + b*e^{(2*d*x + 2*c)} \\ & ) + a - b)/\sqrt{a*b})/((a^4*d + 3*a^3*b*d + 3*a^2*b^2*d + a*b^3*d)*\sqrt{a*b} \\ & )) + (d*x + c)/(a^3*d + 3*a^2*b*d + 3*a*b^2*d + b^3*d) + 1/4*(5*a^3*e^{(6*d* \\ & x + 6*c)} - 5*a^2*b*e^{(6*d*x + 6*c)} - 9*a*b^2*e^{(6*d*x + 6*c)} + b^3*e^{(6*d*x \\ & + 6*c)} + 15*a^3*e^{(4*d*x + 4*c)} - 13*a^2*b*e^{(4*d*x + 4*c)} + 17*a*b^2*e^{(4 \\ & *d*x + 4*c)} - 3*b^3*e^{(4*d*x + 4*c)} + 15*a^3*e^{(2*d*x + 2*c)} + a^2*b*e^{(2*d \\ & *x + 2*c)} - 11*a*b^2*e^{(2*d*x + 2*c)} + 3*b^3*e^{(2*d*x + 2*c)} + 5*a^3 + 9*a^ \\ & 2*b + 3*a*b^2 - b^3)/((a^4*d + 3*a^3*b*d + 3*a^2*b^2*d + a*b^3*d)*(a*e^{(4*d \\ & *x + 4*c)} + b*e^{(4*d*x + 4*c)} + 2*a*e^{(2*d*x + 2*c)} - 2*b*e^{(2*d*x + 2*c)} + \\ & a + b)^2) \end{aligned}$$

$$3.195 \quad \int \frac{\tanh(c+dx)}{\left(a+b \tanh^2(c+dx)\right)^3} dx$$

**Optimal.** Leaf size=94

$$-\frac{1}{2d(a+b)^2(a+b \tanh^2(c+dx))} - \frac{1}{4d(a+b)(a+b \tanh^2(c+dx))^2} + \frac{\log(a+b \tanh^2(c+dx))}{2d(a+b)^3} + \frac{\log(\cosh(c+dx))}{d(a+b)^3}$$

[Out] Log[Cosh[c + d\*x]]/((a + b)^3\*d) + Log[a + b\*Tanh[c + d\*x]^2]/(2\*(a + b)^3\*d) - 1/(4\*(a + b)\*d\*(a + b\*Tanh[c + d\*x]^2)^2) - 1/(2\*(a + b)^2\*d\*(a + b\*Tanh[c + d\*x]^2))

**Rubi [A]** time = 0.104568, antiderivative size = 94, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3670, 444, 44}

$$-\frac{1}{2d(a+b)^2(a+b \tanh^2(c+dx))} - \frac{1}{4d(a+b)(a+b \tanh^2(c+dx))^2} + \frac{\log(a+b \tanh^2(c+dx))}{2d(a+b)^3} + \frac{\log(\cosh(c+dx))}{d(a+b)^3}$$

Antiderivative was successfully verified.

[In] Int[Tanh[c + d\*x]/(a + b\*Tanh[c + d\*x]^2)^3, x]

[Out] Log[Cosh[c + d\*x]]/((a + b)^3\*d) + Log[a + b\*Tanh[c + d\*x]^2]/(2\*(a + b)^3\*d) - 1/(4\*(a + b)\*d\*(a + b\*Tanh[c + d\*x]^2)^2) - 1/(2\*(a + b)^2\*d\*(a + b\*Tanh[c + d\*x]^2))

### Rule 3670

Int[((d\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_))^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x]] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

### Rule 444

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_.), x\_Symbol] :> Dist[1/n, Subst[Int[(a + b\*x)^p\*(c + d\*x)^q, x], x, x^n], x

] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b\*c - a\*d, 0] && EqQ[m - n + 1, 0]

#### Rule 44

Int[((a\_) + (b\_)\*(x\_))^(m\_)\*((c\_) + (d\_)\*(x\_))^(n\_), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m + n + 2, 0])

#### Rubi steps

$$\begin{aligned} \int \frac{\tanh(c + dx)}{(a + b \tanh^2(c + dx))^3} dx &= \frac{\text{Subst}\left(\int \frac{x}{(1-x^2)(a+bx^2)^3} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{\text{Subst}\left(\int \frac{1}{(1-x)(a+bx)^3} dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= \frac{\text{Subst}\left(\int \left(-\frac{1}{(a+b)^3(-1+x)} + \frac{b}{(a+b)(a+bx)^3} + \frac{b}{(a+b)^2(a+bx)^2} + \frac{b}{(a+b)^3(a+bx)}\right) dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= \frac{\log(\cosh(c + dx))}{(a + b)^3 d} + \frac{\log(a + b \tanh^2(c + dx))}{2(a + b)^3 d} - \frac{1}{4(a + b)d(a + b \tanh^2(c + dx))^2} - \frac{1}{2(a + b)^3 d} \end{aligned}$$

**Mathematica [A]** time = 0.514048, size = 77, normalized size = 0.82

$$\frac{-\frac{(a+b)^2}{(a+b \tanh^2(c+dx))^2} - \frac{2(a+b)}{a+b \tanh^2(c+dx)} + 2 \log(a + b \tanh^2(c + dx)) + 4 \log(\cosh(c + dx))}{4d(a + b)^3}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[c + d\*x]/(a + b\*Tanh[c + d\*x]^2)^3, x]

[Out] (4\*Log[Cosh[c + d\*x]] + 2\*Log[a + b\*Tanh[c + d\*x]^2] - (a + b)^2/(a + b\*Tanh[c + d\*x]^2)^2 - (2\*(a + b))/(a + b\*Tanh[c + d\*x]^2))/(4\*(a + b)^3\*d)

**Maple [B]** time = 0.029, size = 193, normalized size = 2.1

$$\frac{\ln(\tanh(dx+c)+1)}{2d(a+b)^3} - \frac{a}{2d(a+b)^3(a+b(\tanh(dx+c))^2)} - \frac{b}{2d(a+b)^3(a+b(\tanh(dx+c))^2)} - \frac{1}{4d(a+b)^3(a+b(\tanh(dx+c))^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(d\*x+c)/(a+b\*tanh(d\*x+c)^2)^3,x)

[Out] 
$$-1/2/d/(a+b)^3*\ln(\tanh(d*x+c)+1)-1/2/d/(a+b)^3*a/(a+b*tanh(d*x+c)^2)-1/2/d/(a+b)^3/(a+b*tanh(d*x+c)^2)*b-1/4/d/(a+b)^3*a^2/(a+b*tanh(d*x+c)^2)^2-1/2/d/(a+b)^3*a*b/(a+b*tanh(d*x+c)^2)^2-1/4/d/(a+b)^3*b^2/(a+b*tanh(d*x+c)^2)^2+1/2*\ln(a+b*tanh(d*x+c)^2)/(a+b)^3/d-1/2/d/(a+b)^3*\ln(\tanh(d*x+c)-1)$$

**Maxima [B]** time = 1.36952, size = 510, normalized size = 5.43

$$\frac{dx+c}{(a^3+3a^2b+3ab^2+b^3)d} - \frac{1}{(a^5+5a^4b+10a^3b^2+10a^2b^3+5ab^4+b^5+4(a^5+3a^4b+2a^3b^2-2a^2b^3-3ab^4-b^5)e^{2c} + (2ab-b^2)e^{-4d} + (ab+b^2)e^{-6d-6c}) / ((a^5+5a^4b+10a^3b^2+10a^2b^3+5ab^4+b^5)+4(a^5+3a^4b+2a^3b^2-2a^2b^3-3ab^4-b^5)e^{-2d-2c} + 2(3a^5+7a^4b+6a^3b^2+6a^2b^3+7ab^4+3b^5)e^{-4d-4c} + 4(a^5+3a^4b+2a^3b^2-2a^2b^3-3ab^4-b^5)e^{-6d-6c} + (a^5+5a^4b+10a^3b^2+10a^2b^3+5ab^4+b^5)e^{-8d-8c}) * d} + 1/2 * \log(2*(a-b)*e^{-2d-2c} + (a+b)*e^{-4d-4c} + a+b) / ((a^3+3a^2b+3ab^2+b^3)*d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="maxima")

[Out] 
$$(d*x+c)/((a^3+3a^2b+3ab^2+b^3)*d) - 4*((a*b+b^2)*e^{-2d*x-2*c} + (2*a*b-b^2)*e^{-4d*x-4*c} + (a*b+b^2)*e^{-6d*x-6*c})/((a^5+5a^4b+10a^3b^2+10a^2b^3+5ab^4+b^5)+4(a^5+3a^4b+2a^3b^2-2a^2b^3-3ab^4-b^5)e^{-2d*x-2*c} + 2*(3a^5+7a^4b+6a^3b^2+6a^2b^3+7ab^4+3b^5)e^{-4d*x-4*c} + 4*(a^5+3a^4b+2a^3b^2-2a^2b^3-3ab^4-b^5)e^{-6d*x-6*c} + (a^5+5a^4b+10a^3b^2+10a^2b^3+5ab^4+b^5)e^{-8d*x-8*c})*d) + 1/2*\log(2*(a-b)*e^{-2d*x-2*c} + (a+b)*e^{-4d*x-4*c} + a+b)/((a^3+3a^2b+3ab^2+b^3)*d)$$

**Fricas [B]** time = 2.54662, size = 6044, normalized size = 64.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out] 
$$-1/2*(2*(a^2 + 2*a*b + b^2)*d*x*cosh(d*x + c)^8 + 16*(a^2 + 2*a*b + b^2)*d*x*cosh(d*x + c)*sinh(d*x + c)^7 + 2*(a^2 + 2*a*b + b^2)*d*x*sinh(d*x + c)^8 + 8*((a^2 - b^2)*d*x + a*b + b^2)*cosh(d*x + c)^6 + 8*(7*(a^2 + 2*a*b + b^2)*d*x*cosh(d*x + c)^2 + (a^2 - b^2)*d*x + a*b + b^2)*sinh(d*x + c)^6 + 16*(7*(a^2 + 2*a*b + b^2)*d*x*cosh(d*x + c)^3 + 3*((a^2 - b^2)*d*x + a*b + b^2)*cosh(d*x + c))*sinh(d*x + c)^5 + 4*((3*a^2 - 2*a*b + 3*b^2)*d*x + 4*a*b - 2*b^2)*cosh(d*x + c)^4 + 4*(35*(a^2 + 2*a*b + b^2)*d*x*cosh(d*x + c)^4 + (3*a^2 - 2*a*b + 3*b^2)*d*x + 30*((a^2 - b^2)*d*x + a*b + b^2)*cosh(d*x + c)^2 + 4*a*b - 2*b^2)*sinh(d*x + c)^4 + 16*(7*(a^2 + 2*a*b + b^2)*d*x*cosh(d*x + c)^5 + 10*((a^2 - b^2)*d*x + a*b + b^2)*cosh(d*x + c)^3 + ((3*a^2 - 2*a*b + 3*b^2)*d*x + 4*a*b - 2*b^2)*cosh(d*x + c))*sinh(d*x + c)^3 + 2*(a^2 + 2*a*b + b^2)*d*x + 8*((a^2 - b^2)*d*x + a*b + b^2)*cosh(d*x + c)^2 + 8*(7*(a^2 + 2*a*b + b^2)*d*x*cosh(d*x + c)^6 + 15*((a^2 - b^2)*d*x + a*b + b^2)*cosh(d*x + c)^4 + (a^2 - b^2)*d*x + 3*((3*a^2 - 2*a*b + 3*b^2)*d*x + 4*a*b - 2*b^2)*cosh(d*x + c)^2 + a*b + b^2)*sinh(d*x + c)^2 - ((a^2 + 2*a*b + b^2)*cosh(d*x + c)^8 + 8*(a^2 + 2*a*b + b^2)*cosh(d*x + c)*sinh(d*x + c)^7 + (a^2 + 2*a*b + b^2)*sinh(d*x + c)^8 + 4*(a^2 - b^2)*cosh(d*x + c)^6 + 4*(7*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^2 + a^2 - b^2)*sinh(d*x + c)^6 + 8*(7*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^3 + 3*(a^2 - b^2)*cosh(d*x + c))*sinh(d*x + c)^5 + 2*(3*a^2 - 2*a*b + 3*b^2)*cosh(d*x + c)^4 + 2*(35*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^4 + 30*(a^2 - b^2)*cosh(d*x + c)^2 + 3*a^2 - 2*a*b + 3*b^2)*sinh(d*x + c)^4 + 8*(7*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^5 + 10*(a^2 - b^2)*cosh(d*x + c)^3 + (3*a^2 - 2*a*b + 3*b^2)*cosh(d*x + c))*sinh(d*x + c)^3 + 4*(a^2 - b^2)*cosh(d*x + c)^2 + 4*(7*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^6 + 15*(a^2 - b^2)*cosh(d*x + c)^4 + 3*(3*a^2 - 2*a*b + 3*b^2)*cosh(d*x + c)^2 + a^2 - b^2)*sinh(d*x + c)^2 + a^2 + 2*a*b + b^2 + 8*((a^2 + 2*a*b + b^2)*cosh(d*x + c)^7 + 3*(a^2 - b^2)*cosh(d*x + c)^5 + (3*a^2 - 2*a*b + 3*b^2)*cosh(d*x + c)^3 + (a^2 - b^2)*cosh(d*x + c))*sinh(d*x + c))*log(2*((a + b)*cosh(d*x + c)^2 + (a + b)*sinh(d*x + c)^2 + a - b)/(cosh(d*x + c)^2 - 2*cosh(d*x + c)*sinh(d*x + c) + sinh(d*x + c)^2)) + 16*((a^2 + 2*a*b + b^2)*d*x*cosh(d*x + c)^7 + 3*((a^2 - b^2)*d*x + a*b + b^2)*cosh(d*x + c)^5 + ((3*a^2 - 2*a*b + 3*b^2)*d*x + 4*a*b - 2*b^2)*cosh(d*x + c)^3 + ((a^2 - b^2)*d*x + a*b + b^2)*cosh(d*x + c))*sinh(d*x + c))/((a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*cosh(d*x + c)^8 + 8*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*cosh(d*x + c)*sinh(d*x + c)^7 + (a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*sinh(d*x + c)^8 + 4*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d*cosh(d*x + c)^6 + 4*(7*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*cosh(d*x + c)^2 + (a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d)*sinh(d*x + c)^6 + 2*(3*a^5 + 7*a^4*b + 6*a^3*b^2 + 6*a^2*b^3 + 7*a*b^4 + 3*b^5)*d*cosh(d*x + c)^4 + 8*(7*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*cosh(d*x + c)^3 + 3*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5$$

```

)*d*cosh(d*x + c))*sinh(d*x + c)^5 + 2*(35*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10
*a^2*b^3 + 5*a*b^4 + b^5)*d*cosh(d*x + c)^4 + 30*(a^5 + 3*a^4*b + 2*a^3*b^2
- 2*a^2*b^3 - 3*a*b^4 - b^5)*d*cosh(d*x + c)^2 + (3*a^5 + 7*a^4*b + 6*a^3*
b^2 + 6*a^2*b^3 + 7*a*b^4 + 3*b^5)*d)*sinh(d*x + c)^4 + 4*(a^5 + 3*a^4*b +
2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d*cosh(d*x + c)^2 + 8*(7*(a^5 + 5*a^
4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*cosh(d*x + c)^5 + 10*(a^5
+ 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d*cosh(d*x + c)^3 + (3*a
^5 + 7*a^4*b + 6*a^3*b^2 + 6*a^2*b^3 + 7*a*b^4 + 3*b^5)*d*cosh(d*x + c))*si
nh(d*x + c)^3 + 4*(7*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b
^5)*d*cosh(d*x + c)^6 + 15*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4
- b^5)*d*cosh(d*x + c)^4 + 3*(3*a^5 + 7*a^4*b + 6*a^3*b^2 + 6*a^2*b^3 + 7*
a*b^4 + 3*b^5)*d*cosh(d*x + c)^2 + (a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 -
3*a*b^4 - b^5)*d)*sinh(d*x + c)^2 + (a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b
^3 + 5*a*b^4 + b^5)*d + 8*((a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b
^4 + b^5)*d*cosh(d*x + c)^7 + 3*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*
a*b^4 - b^5)*d*cosh(d*x + c)^5 + (3*a^5 + 7*a^4*b + 6*a^3*b^2 + 6*a^2*b^3 +
7*a*b^4 + 3*b^5)*d*cosh(d*x + c)^3 + (a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^
3 - 3*a*b^4 - b^5)*d*cosh(d*x + c))*sinh(d*x + c))

```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)/(a+b\*tanh(d\*x+c)\*\*2)\*\*3,x)

[Out] Timed out

**Giac [B]** time = 1.24027, size = 339, normalized size = 3.61

$$\frac{\log\left(\left|a\left(e^{2dx+2c}\right) + e^{(-2dx-2c)} + b\left(e^{2dx+2c}\right) + e^{(-2dx-2c)} + 2a - 2b\right|\right)}{2\left(a^3d + 3a^2bd + 3ab^2d + b^3d\right)} - \frac{3a\left(e^{2dx+2c}\right) + e^{(-2dx-2c)}}{4\left(a^2d + 2abd + b^2d\right)}\left(a\left(e^{2dx}\right) + e^{(-2dx)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")



```
[Out] 1/2*log(abs(a*(e^(2*d*x + 2*c)) + e^(-2*d*x - 2*c)) + b*(e^(2*d*x + 2*c) + e^(-2*d*x - 2*c)) + 2*a - 2*b)/(a^3*d + 3*a^2*b*d + 3*a*b^2*d + b^3*d) - 1/4*(3*a*(e^(2*d*x + 2*c) + e^(-2*d*x - 2*c))^2 + 3*b*(e^(2*d*x + 2*c) + e^(-2*d*x - 2*c))^2 + 12*a*(e^(2*d*x + 2*c) + e^(-2*d*x - 2*c)) + 4*b*(e^(2*d*x + 2*c) + e^(-2*d*x - 2*c)) + 12*a - 4*b)/((a^2*d + 2*a*b*d + b^2*d)*(a*(e^(2*d*x + 2*c) + e^(-2*d*x - 2*c)) + b*(e^(2*d*x + 2*c) + e^(-2*d*x - 2*c)) + 2*a - 2*b)^2)
```

$$3.196 \quad \int \frac{1}{(a+b \tanh^2(c+dx))^3} dx$$

**Optimal.** Leaf size=142

$$\frac{\sqrt{b}(15a^2 + 10ab + 3b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8a^{5/2}d(a+b)^3} + \frac{b(7a+3b) \tanh(c+dx)}{8a^2d(a+b)^2(a+b \tanh^2(c+dx))} + \frac{b \tanh(c+dx)}{4ad(a+b)(a+b \tanh^2(c+dx))^2}$$

[Out] x/(a + b)^3 + (Sqrt[b]\*(15\*a^2 + 10\*a\*b + 3\*b^2)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(8\*a^(5/2)\*(a + b)^3\*d) + (b\*Tanh[c + d\*x])/(4\*a\*(a + b)\*d\*(a + b\*Tanh[c + d\*x]^2)^2) + (b\*(7\*a + 3\*b)\*Tanh[c + d\*x])/(8\*a^2\*(a + b)^2\*d\*(a + b\*Tanh[c + d\*x]^2))

**Rubi [A]** time = 0.162685, antiderivative size = 142, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$ , Rules used = {3661, 414, 527, 522, 206, 205}

$$\frac{\sqrt{b}(15a^2 + 10ab + 3b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8a^{5/2}d(a+b)^3} + \frac{b(7a+3b) \tanh(c+dx)}{8a^2d(a+b)^2(a+b \tanh^2(c+dx))} + \frac{b \tanh(c+dx)}{4ad(a+b)(a+b \tanh^2(c+dx))^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Tanh[c + d\*x]^2)^(-3), x]

[Out] x/(a + b)^3 + (Sqrt[b]\*(15\*a^2 + 10\*a\*b + 3\*b^2)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(8\*a^(5/2)\*(a + b)^3\*d) + (b\*Tanh[c + d\*x])/(4\*a\*(a + b)\*d\*(a + b\*Tanh[c + d\*x]^2)^2) + (b\*(7\*a + 3\*b)\*Tanh[c + d\*x])/(8\*a^2\*(a + b)^2\*d\*(a + b\*Tanh[c + d\*x]^2))

#### Rule 3661

Int[((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_))^(p\_), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(a + b\*(ff\*x)^n]^p/(c^2 + ff^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x]] /; FreeQ[{a, b, c, e, f, n, p}, x] && (IntegersQ[n, p] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])

#### Rule 414

```

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> -Simp[(b*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(p + 1)*(b*c -
a*d)), x] + Dist[1/(a*n*(p + 1)*(b*c - a*d)), Int[(a + b*x^n)^(p + 1)*(c +
d*x^n)^q*Simp[b*c + n*(p + 1)*(b*c - a*d) + d*b*(n*(p + q + 2) + 1)*x^n, x]
, x], x] /; FreeQ[{a, b, c, d, n, q}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1]
&& !( !IntegerQ[p] && IntegerQ[q] && LtQ[q, -1]) && IntBinomialQ[a, b, c,
d, n, p, q, x]

```

### Rule 527

```

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_.)*((e_) + (f
_.)*(x_)^(n_)), x_Symbol] :> -Simp[((b*e - a*f)*x*(a + b*x^n)^(p + 1)*(c +
d*x^n)^(q + 1))/(a*n*(b*c - a*d)*(p + 1)), x] + Dist[1/(a*n*(b*c - a*d)*(p
+ 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(b*e - a*f) + e*n*(b*c
- a*d)*(p + 1) + d*(b*e - a*f)*(n*(p + q + 2) + 1)*x^n, x], x], x] /; FreeQ
[{a, b, c, d, e, f, n, q}, x] && LtQ[p, -1]

```

### Rule 522

```

Int[((e_) + (f_.)*(x_)^(n_))/(((a_) + (b_.)*(x_)^(n_))*((c_) + (d_.)*(x_)^(
n_))), x_Symbol] :> Dist[(b*e - a*f)/(b*c - a*d), Int[1/(a + b*x^n), x], x]
- Dist[(d*e - c*f)/(b*c - a*d), Int[1/(c + d*x^n), x], x] /; FreeQ[{a, b,
c, d, e, f, n}, x]

```

### Rule 206

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])

```

### Rule 205

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

```

### Rubi steps

$$\begin{aligned}
\int \frac{1}{(a + b \tanh^2(c + dx))^3} dx &= \frac{\text{Subst}\left(\int \frac{1}{(1-x^2)(a+bx^2)^3} dx, x, \tanh(c + dx)\right)}{d} \\
&= \frac{b \tanh(c + dx)}{4a(a + b)d (a + b \tanh^2(c + dx))^2} - \frac{\text{Subst}\left(\int \frac{b-4(a+b)+3bx^2}{(1-x^2)(a+bx^2)^2} dx, x, \tanh(c + dx)\right)}{4a(a + b)d} \\
&= \frac{b \tanh(c + dx)}{4a(a + b)d (a + b \tanh^2(c + dx))^2} + \frac{b(7a + 3b) \tanh(c + dx)}{8a^2(a + b)^2d (a + b \tanh^2(c + dx))} + \frac{\text{Subst}\left(\int \frac{8a^2+}{1-x^2} dx, x, \tanh(c + dx)\right)}{8a^2(a + b)^2d} \\
&= \frac{b \tanh(c + dx)}{4a(a + b)d (a + b \tanh^2(c + dx))^2} + \frac{b(7a + 3b) \tanh(c + dx)}{8a^2(a + b)^2d (a + b \tanh^2(c + dx))} + \frac{\text{Subst}\left(\int \frac{1}{1-x^2} dx, x, \tanh(c + dx)\right)}{8a^2(a + b)^2d} \\
&= \frac{x}{(a + b)^3} + \frac{\sqrt{b}(15a^2 + 10ab + 3b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8a^{5/2}(a + b)^3d} + \frac{b \tanh(c + dx)}{4a(a + b)d (a + b \tanh^2(c + dx))}
\end{aligned}$$

**Mathematica [A]** time = 0.276913, size = 147, normalized size = 1.04

$$\frac{\sqrt{b}(15a^2+10ab+3b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{a^{5/2}} + \frac{b(7a+3b)(a+b) \tanh(c+dx)}{a^2(a+b \tanh^2(c+dx))} + \frac{2b(a+b)^2 \tanh(c+dx)}{a(a+b \tanh^2(c+dx))^2} - 4 \log(1 - \tanh(c + dx)) + 4 \log(\tanh(c + dx) + 1)$$


---


$$8d(a + b)^3$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Tanh[c + d\*x]^2)^(-3), x]

[Out] ((Sqrt[b]\*(15\*a^2 + 10\*a\*b + 3\*b^2)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/a^(5/2) - 4\*Log[1 - Tanh[c + d\*x]] + 4\*Log[1 + Tanh[c + d\*x]] + (2\*b\*(a + b)^2\*Tanh[c + d\*x])/(a\*(a + b\*Tanh[c + d\*x]^2)^2) + (b\*(a + b)\*(7\*a + 3\*b)\*Tanh[c + d\*x])/(a^2\*(a + b\*Tanh[c + d\*x]^2)))/(8\*(a + b)^3\*d)

**Maple [B]** time = 0.031, size = 352, normalized size = 2.5

$$\frac{\ln(\tanh(dx + c) + 1)}{2d(a + b)^3} + \frac{7(\tanh(dx + c))^3 b^2}{8d(a + b)^3(a + b(\tanh(dx + c))^2)^2} + \frac{5b^3(\tanh(dx + c))^3}{4d(a + b)^3(a + b(\tanh(dx + c))^2)^2 a} + \frac{3b^4}{8d(a + b)^3(a + b(\tanh(dx + c))^2)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(1/(a+b*\tanh(d*x+c))^2)^3,x$

[Out]  $\frac{1}{2}d/(a+b)^3*\ln(\tanh(d*x+c)+1)+\frac{7}{8}d/(a+b)^3/(a+b*\tanh(d*x+c))^2*\tanh(d*x+c)^3*b^2+\frac{5}{4}d/(a+b)^3/(a+b*\tanh(d*x+c))^2*b^3/a*\tanh(d*x+c)^3+\frac{3}{8}d/(a+b)^3*b^4/(a+b*\tanh(d*x+c))^2/a^2*\tanh(d*x+c)^3+\frac{9}{8}d/(a+b)^3/(a+b*\tanh(d*x+c))^2*a*b*\tanh(d*x+c)+\frac{7}{4}d/(a+b)^3/(a+b*\tanh(d*x+c))^2*\tanh(d*x+c)*b^2+\frac{5}{8}d/(a+b)^3*b^3/(a+b*\tanh(d*x+c))^2/a*\tanh(d*x+c)+\frac{15}{8}d/(a+b)^3*b/(a*b)^{(1/2)}*\arctan(\tanh(d*x+c)*b/(a*b)^{(1/2)})+\frac{5}{4}d/(a+b)^3/a/(a*b)^{(1/2)}*\arctan(\tanh(d*x+c)*b/(a*b)^{(1/2)})*b^2+\frac{3}{8}d/(a+b)^3*b^3/a^2/(a*b)^{(1/2)}*\arctan(\tanh(d*x+c)*b/(a*b)^{(1/2)})-\frac{1}{2}d/(a+b)^3*\ln(\tanh(d*x+c))-1$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(1/(a+b*\tanh(d*x+c))^2)^3,x, \text{algorithm}="maxima")$

[Out] Exception raised: ValueError

**Fricas [B]** time = 3.36689, size = 17204, normalized size = 121.15

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(1/(a+b*\tanh(d*x+c))^2)^3,x, \text{algorithm}="fricas")$

[Out]  $[1/16*(16*(a^4 + 2*a^3*b + a^2*b^2)*d*x*\cosh(d*x + c)^8 + 128*(a^4 + 2*a^3*b + a^2*b^2)*d*x*\cosh(d*x + c)*\sinh(d*x + c)^7 + 16*(a^4 + 2*a^3*b + a^2*b^2)*d*x*\sinh(d*x + c)^8 - 4*(9*a^3*b - a^2*b^2 - 13*a*b^3 - 3*b^4 - 16*(a^4 - a^2*b^2)*d*x)*\cosh(d*x + c)^6 + 4*(112*(a^4 + 2*a^3*b + a^2*b^2)*d*x*\cosh(d*x + c)^2 - 9*a^3*b + a^2*b^2 + 13*a*b^3 + 3*b^4 + 16*(a^4 - a^2*b^2)*d*x)*\sinh(d*x + c)^6 + 8*(112*(a^4 + 2*a^3*b + a^2*b^2)*d*x*\cosh(d*x + c)^3 - 3*(9*a^3*b - a^2*b^2 - 13*a*b^3 - 3*b^4 - 16*(a^4 - a^2*b^2)*d*x)*\cosh(d*x + c))*\sinh(d*x + c)^5 - 4*(27*a^3*b - 9*a^2*b^2 + 21*a*b^3 + 9*b^4 - 8*(3*a$

$$\begin{aligned}
&^4 - 2*a^3*b + 3*a^2*b^2)*d*x)*\cosh(d*x + c)^4 + 4*(280*(a^4 + 2*a^3*b + a^2*b^2)*d*x*\cosh(d*x + c)^4 - 27*a^3*b + 9*a^2*b^2 - 21*a*b^3 - 9*b^4 + 8*(3*a^4 - 2*a^3*b + 3*a^2*b^2)*d*x - 15*(9*a^3*b - a^2*b^2 - 13*a*b^3 - 3*b^4 - 16*(a^4 - a^2*b^2)*d*x)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 - 36*a^3*b - 84*a^2*b^2 - 60*a*b^3 - 12*b^4 + 16*(56*(a^4 + 2*a^3*b + a^2*b^2)*d*x*\cosh(d*x + c)^5 - 5*(9*a^3*b - a^2*b^2 - 13*a*b^3 - 3*b^4 - 16*(a^4 - a^2*b^2)*d*x)*\cosh(d*x + c)^3 - (27*a^3*b - 9*a^2*b^2 + 21*a*b^3 + 9*b^4 - 8*(3*a^4 - 2*a^3*b + 3*a^2*b^2)*d*x)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 16*(a^4 + 2*a^3*b + a^2*b^2)*d*x - 4*(27*a^3*b + 13*a^2*b^2 - 23*a*b^3 - 9*b^4 - 16*(a^4 - a^2*b^2)*d*x)*\cosh(d*x + c)^2 + 4*(112*(a^4 + 2*a^3*b + a^2*b^2)*d*x*\cosh(d*x + c)^6 - 15*(9*a^3*b - a^2*b^2 - 13*a*b^3 - 3*b^4 - 16*(a^4 - a^2*b^2)*d*x)*\cosh(d*x + c)^4 - 27*a^3*b - 13*a^2*b^2 + 23*a*b^3 + 9*b^4 + 16*(a^4 - a^2*b^2)*d*x - 6*(27*a^3*b - 9*a^2*b^2 + 21*a*b^3 + 9*b^4 - 8*(3*a^4 - 2*a^3*b + 3*a^2*b^2)*d*x)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 + ((15*a^4 + 40*a^3*b + 38*a^2*b^2 + 16*a*b^3 + 3*b^4)*\cosh(d*x + c)^8 + 8*(15*a^4 + 40*a^3*b + 38*a^2*b^2 + 16*a*b^3 + 3*b^4)*\cosh(d*x + c)*\sinh(d*x + c)^7 + (15*a^4 + 40*a^3*b + 38*a^2*b^2 + 16*a*b^3 + 3*b^4)*\sinh(d*x + c)^8 + 4*(15*a^4 + 10*a^3*b - 12*a^2*b^2 - 10*a*b^3 - 3*b^4)*\cosh(d*x + c)^6 + 4*(15*a^4 + 10*a^3*b - 12*a^2*b^2 - 10*a*b^3 - 3*b^4 + 7*(15*a^4 + 40*a^3*b + 38*a^2*b^2 + 16*a*b^3 + 3*b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^6 + 8*(7*(15*a^4 + 40*a^3*b + 38*a^2*b^2 + 16*a*b^3 + 3*b^4)*\cosh(d*x + c)^3 + 3*(15*a^4 + 10*a^3*b - 12*a^2*b^2 - 10*a*b^3 - 3*b^4)*\cosh(d*x + c))*\sinh(d*x + c)^5 + 2*(45*a^4 + 34*a^2*b^2 + 24*a*b^3 + 9*b^4)*\cosh(d*x + c)^4 + 2*(35*(15*a^4 + 40*a^3*b + 38*a^2*b^2 + 16*a*b^3 + 3*b^4)*\cosh(d*x + c)^4 + 45*a^4 + 34*a^2*b^2 + 24*a*b^3 + 9*b^4 + 30*(15*a^4 + 10*a^3*b - 12*a^2*b^2 - 10*a*b^3 - 3*b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + 15*a^4 + 40*a^3*b + 38*a^2*b^2 + 16*a*b^3 + 3*b^4 + 8*(7*(15*a^4 + 40*a^3*b + 38*a^2*b^2 + 16*a*b^3 + 3*b^4)*\cosh(d*x + c)^5 + 10*(15*a^4 + 10*a^3*b - 12*a^2*b^2 - 10*a*b^3 - 3*b^4)*\cosh(d*x + c)^3 + (45*a^4 + 34*a^2*b^2 + 24*a*b^3 + 9*b^4)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 4*(15*a^4 + 10*a^3*b - 12*a^2*b^2 - 10*a*b^3 - 3*b^4)*\cosh(d*x + c)^2 + 4*(7*(15*a^4 + 40*a^3*b + 38*a^2*b^2 + 16*a*b^3 + 3*b^4)*\cosh(d*x + c)^6 + 15*(15*a^4 + 10*a^3*b - 12*a^2*b^2 - 10*a*b^3 - 3*b^4)*\cosh(d*x + c)^4 + 15*a^4 + 10*a^3*b - 12*a^2*b^2 - 10*a*b^3 - 3*b^4 + 3*(45*a^4 + 34*a^2*b^2 + 24*a*b^3 + 9*b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 + 8*((15*a^4 + 40*a^3*b + 38*a^2*b^2 + 16*a*b^3 + 3*b^4)*\cosh(d*x + c)^7 + 3*(15*a^4 + 10*a^3*b - 12*a^2*b^2 - 10*a*b^3 - 3*b^4)*\cosh(d*x + c)^5 + (45*a^4 + 34*a^2*b^2 + 24*a*b^3 + 9*b^4)*\cosh(d*x + c)^3 + (15*a^4 + 10*a^3*b - 12*a^2*b^2 - 10*a*b^3 - 3*b^4)*\cosh(d*x + c))*\sinh(d*x + c))*\sqrt{-b/a}*\log(((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^4 + 4*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a^2 + 2*a*b + b^2)*\sinh(d*x + c)^4 + 2*(a^2 - b^2)*\cosh(d*x + c)^2 + 2*(3*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^2 + a^2 - b^2)*\sinh(d*x + c)^2 + a^2 - 6*a*b + b^2 + 4*((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^3 + (a^2 - b^2)*\cosh(d*x + c))*\sinh(d*x + c) + 4*((a^2 + a*b)*\cosh(d*x + c)^2 + 2*(a^2 + a*b)*\cosh(d*x + c)*\sinh(d*x + c) + (a^2 + a*b)*\sinh(d*x + c)^2 + a^2 - a*b)*\sqrt{-b/a})/((a + b)*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a + b)*s
\end{aligned}$$

$$\begin{aligned}
& \sinh(dx + c)^4 + 2(a - b)\cosh(dx + c)^2 + 2(3(a + b)\cosh(dx + c)^2 + \\
& a - b)\sinh(dx + c)^2 + 4((a + b)\cosh(dx + c)^3 + (a - b)\cosh(dx + c) \\
& ))\sinh(dx + c) + a + b)) + 8(16(a^4 + 2a^3b + a^2b^2)d*x*\cosh(dx + \\
& c)^7 - 3(9a^3b - a^2b^2 - 13a*b^3 - 3b^4 - 16(a^4 - a^2b^2)d*x)*\c \\
& osh(dx + c)^5 - 2(27a^3b - 9a^2b^2 + 21a*b^3 + 9b^4 - 8(3a^4 - 2 \\
& a^3b + 3a^2b^2)d*x)*\cosh(dx + c)^3 - (27a^3b + 13a^2b^2 - 23a*b^3 \\
& - 9b^4 - 16(a^4 - a^2b^2)d*x)*\cosh(dx + c))\sinh(dx + c))/((a^7 + 5 \\
& a^6b + 10a^5b^2 + 10a^4b^3 + 5a^3b^4 + a^2b^5)d*\cosh(dx + c)^8 + \\
& 8(a^7 + 5a^6b + 10a^5b^2 + 10a^4b^3 + 5a^3b^4 + a^2b^5)d*\cosh(dx \\
& x + c)\sinh(dx + c)^7 + (a^7 + 5a^6b + 10a^5b^2 + 10a^4b^3 + 5a^3b \\
& ^4 + a^2b^5)d*\sinh(dx + c)^8 + 4(a^7 + 3a^6b + 2a^5b^2 - 2a^4b^3 \\
& - 3a^3b^4 - a^2b^5)d*\cosh(dx + c)^6 + 4(7(a^7 + 5a^6b + 10a^5b^2 \\
& + 10a^4b^3 + 5a^3b^4 + a^2b^5)d*\cosh(dx + c)^2 + (a^7 + 3a^6b + 2 \\
& a^5b^2 - 2a^4b^3 - 3a^3b^4 - a^2b^5)d)\sinh(dx + c)^6 + 2(3a^7 + \\
& 7a^6b + 6a^5b^2 + 6a^4b^3 + 7a^3b^4 + 3a^2b^5)d*\cosh(dx + c)^4 \\
& + 8(7(a^7 + 5a^6b + 10a^5b^2 + 10a^4b^3 + 5a^3b^4 + a^2b^5)d*\c \\
& osh(dx + c)^3 + 3(a^7 + 3a^6b + 2a^5b^2 - 2a^4b^3 - 3a^3b^4 - a^2 \\
& *b^5)d*\cosh(dx + c))\sinh(dx + c)^5 + 2(35(a^7 + 5a^6b + 10a^5b^2 \\
& + 10a^4b^3 + 5a^3b^4 + a^2b^5)d*\cosh(dx + c)^4 + 30(a^7 + 3a^6b + \\
& 2a^5b^2 - 2a^4b^3 - 3a^3b^4 - a^2b^5)d*\cosh(dx + c)^2 + (3a^7 + \\
& 7a^6b + 6a^5b^2 + 6a^4b^3 + 7a^3b^4 + 3a^2b^5)d)\sinh(dx + c)^4 \\
& + 4(a^7 + 3a^6b + 2a^5b^2 - 2a^4b^3 - 3a^3b^4 - a^2b^5)d*\cosh(d \\
& *x + c)^2 + 8(7(a^7 + 5a^6b + 10a^5b^2 + 10a^4b^3 + 5a^3b^4 + a^2 \\
& *b^5)d*\cosh(dx + c)^5 + 10(a^7 + 3a^6b + 2a^5b^2 - 2a^4b^3 - 3a^3 \\
& *b^4 - a^2b^5)d*\cosh(dx + c)^3 + (3a^7 + 7a^6b + 6a^5b^2 + 6a^4b^ \\
& 3 + 7a^3b^4 + 3a^2b^5)d*\cosh(dx + c))\sinh(dx + c)^3 + 4(7(a^7 + 5 \\
& a^6b + 10a^5b^2 + 10a^4b^3 + 5a^3b^4 + a^2b^5)d*\cosh(dx + c)^6 + \\
& 15(a^7 + 3a^6b + 2a^5b^2 - 2a^4b^3 - 3a^3b^4 - a^2b^5)d*\cosh(dx \\
& x + c)^4 + 3(3a^7 + 7a^6b + 6a^5b^2 + 6a^4b^3 + 7a^3b^4 + 3a^2b \\
& ^5)d*\cosh(dx + c)^2 + (a^7 + 3a^6b + 2a^5b^2 - 2a^4b^3 - 3a^3b^4 \\
& - a^2b^5)d)\sinh(dx + c)^2 + (a^7 + 5a^6b + 10a^5b^2 + 10a^4b^3 + \\
& 5a^3b^4 + a^2b^5)d + 8((a^7 + 5a^6b + 10a^5b^2 + 10a^4b^3 + 5a^ \\
& 3b^4 + a^2b^5)d*\cosh(dx + c)^7 + 3(a^7 + 3a^6b + 2a^5b^2 - 2a^4b \\
& ^3 - 3a^3b^4 - a^2b^5)d*\cosh(dx + c)^5 + (3a^7 + 7a^6b + 6a^5b^2 \\
& + 6a^4b^3 + 7a^3b^4 + 3a^2b^5)d*\cosh(dx + c)^3 + (a^7 + 3a^6b + 2 \\
& a^5b^2 - 2a^4b^3 - 3a^3b^4 - a^2b^5)d*\cosh(dx + c))\sinh(dx + c) \\
& , 1/8(8(a^4 + 2a^3b + a^2b^2)d*x*\cosh(dx + c)^8 + 64(a^4 + 2a^3b \\
& + a^2b^2)d*x*\cosh(dx + c)\sinh(dx + c)^7 + 8(a^4 + 2a^3b + a^2b^2) \\
& d*x*\sinh(dx + c)^8 - 2(9a^3b - a^2b^2 - 13a*b^3 - 3b^4 - 16(a^4 - a \\
& ^2b^2)d*x)*\cosh(dx + c)^6 + 2(112(a^4 + 2a^3b + a^2b^2)d*x*\cosh(dx \\
& x + c)^2 - 9a^3b + a^2b^2 + 13a*b^3 + 3b^4 + 16(a^4 - a^2b^2)d*x)*\s \\
& inh(dx + c)^6 + 4(112(a^4 + 2a^3b + a^2b^2)d*x*\cosh(dx + c)^3 - 3( \\
& 9a^3b - a^2b^2 - 13a*b^3 - 3b^4 - 16(a^4 - a^2b^2)d*x)*\cosh(dx + c \\
& ))\sinh(dx + c)^5 - 2(27a^3b - 9a^2b^2 + 21a*b^3 + 9b^4 - 8(3a^4 \\
& - 2a^3b + 3a^2b^2)d*x)*\cosh(dx + c)^4 + 2(280(a^4 + 2a^3b + a^2b
\end{aligned}$$

$$\begin{aligned}
& ^2)*d*x*cosh(d*x + c)^4 - 27*a^3*b + 9*a^2*b^2 - 21*a*b^3 - 9*b^4 + 8*(3*a^4 \\
& - 2*a^3*b + 3*a^2*b^2)*d*x - 15*(9*a^3*b - a^2*b^2 - 13*a*b^3 - 3*b^4 - 1 \\
& 6*(a^4 - a^2*b^2)*d*x)*cosh(d*x + c)^2)*sinh(d*x + c)^4 - 18*a^3*b - 42*a^2 \\
& *b^2 - 30*a*b^3 - 6*b^4 + 8*(56*(a^4 + 2*a^3*b + a^2*b^2)*d*x*cosh(d*x + c) \\
& ^5 - 5*(9*a^3*b - a^2*b^2 - 13*a*b^3 - 3*b^4 - 16*(a^4 - a^2*b^2)*d*x)*cosh \\
& (d*x + c)^3 - (27*a^3*b - 9*a^2*b^2 + 21*a*b^3 + 9*b^4 - 8*(3*a^4 - 2*a^3*b \\
& + 3*a^2*b^2)*d*x)*cosh(d*x + c))*sinh(d*x + c)^3 + 8*(a^4 + 2*a^3*b + a^2* \\
& b^2)*d*x - 2*(27*a^3*b + 13*a^2*b^2 - 23*a*b^3 - 9*b^4 - 16*(a^4 - a^2*b^2) \\
& *d*x)*cosh(d*x + c)^2 + 2*(112*(a^4 + 2*a^3*b + a^2*b^2)*d*x*cosh(d*x + c)^ \\
& 6 - 15*(9*a^3*b - a^2*b^2 - 13*a*b^3 - 3*b^4 - 16*(a^4 - a^2*b^2)*d*x)*cosh \\
& (d*x + c)^4 - 27*a^3*b - 13*a^2*b^2 + 23*a*b^3 + 9*b^4 + 16*(a^4 - a^2*b^2) \\
& *d*x - 6*(27*a^3*b - 9*a^2*b^2 + 21*a*b^3 + 9*b^4 - 8*(3*a^4 - 2*a^3*b + 3* \\
& a^2*b^2)*d*x)*cosh(d*x + c)^2)*sinh(d*x + c)^2 + ((15*a^4 + 40*a^3*b + 38*a \\
& ^2*b^2 + 16*a*b^3 + 3*b^4)*cosh(d*x + c)^8 + 8*(15*a^4 + 40*a^3*b + 38*a^2* \\
& b^2 + 16*a*b^3 + 3*b^4)*cosh(d*x + c)*sinh(d*x + c)^7 + (15*a^4 + 40*a^3*b \\
& + 38*a^2*b^2 + 16*a*b^3 + 3*b^4)*sinh(d*x + c)^8 + 4*(15*a^4 + 10*a^3*b - 1 \\
& 2*a^2*b^2 - 10*a*b^3 - 3*b^4)*cosh(d*x + c)^6 + 4*(15*a^4 + 10*a^3*b - 12*a \\
& ^2*b^2 - 10*a*b^3 - 3*b^4 + 7*(15*a^4 + 40*a^3*b + 38*a^2*b^2 + 16*a*b^3 + \\
& 3*b^4)*cosh(d*x + c)^2)*sinh(d*x + c)^6 + 8*(7*(15*a^4 + 40*a^3*b + 38*a^2* \\
& b^2 + 16*a*b^3 + 3*b^4)*cosh(d*x + c)^3 + 3*(15*a^4 + 10*a^3*b - 12*a^2*b^2 \\
& - 10*a*b^3 - 3*b^4)*cosh(d*x + c))*sinh(d*x + c)^5 + 2*(45*a^4 + 34*a^2*b^ \\
& 2 + 24*a*b^3 + 9*b^4)*cosh(d*x + c)^4 + 2*(35*(15*a^4 + 40*a^3*b + 38*a^2*b \\
& ^2 + 16*a*b^3 + 3*b^4)*cosh(d*x + c)^4 + 45*a^4 + 34*a^2*b^2 + 24*a*b^3 + 9 \\
& *b^4 + 30*(15*a^4 + 10*a^3*b - 12*a^2*b^2 - 10*a*b^3 - 3*b^4)*cosh(d*x + c) \\
& ^2)*sinh(d*x + c)^4 + 15*a^4 + 40*a^3*b + 38*a^2*b^2 + 16*a*b^3 + 3*b^4 + 8 \\
& *(7*(15*a^4 + 40*a^3*b + 38*a^2*b^2 + 16*a*b^3 + 3*b^4)*cosh(d*x + c)^5 + 1 \\
& 0*(15*a^4 + 10*a^3*b - 12*a^2*b^2 - 10*a*b^3 - 3*b^4)*cosh(d*x + c)^3 + (45 \\
& *a^4 + 34*a^2*b^2 + 24*a*b^3 + 9*b^4)*cosh(d*x + c))*sinh(d*x + c)^3 + 4*(1 \\
& 5*a^4 + 10*a^3*b - 12*a^2*b^2 - 10*a*b^3 - 3*b^4)*cosh(d*x + c)^2 + 4*(7*(1 \\
& 5*a^4 + 40*a^3*b + 38*a^2*b^2 + 16*a*b^3 + 3*b^4)*cosh(d*x + c)^6 + 15*(15* \\
& a^4 + 10*a^3*b - 12*a^2*b^2 - 10*a*b^3 - 3*b^4)*cosh(d*x + c)^4 + 15*a^4 + \\
& 10*a^3*b - 12*a^2*b^2 - 10*a*b^3 - 3*b^4 + 3*(45*a^4 + 34*a^2*b^2 + 24*a*b^ \\
& 3 + 9*b^4)*cosh(d*x + c)^2)*sinh(d*x + c)^2 + 8*((15*a^4 + 40*a^3*b + 38*a^ \\
& 2*b^2 + 16*a*b^3 + 3*b^4)*cosh(d*x + c)^7 + 3*(15*a^4 + 10*a^3*b - 12*a^2*b \\
& ^2 - 10*a*b^3 - 3*b^4)*cosh(d*x + c)^5 + (45*a^4 + 34*a^2*b^2 + 24*a*b^3 + \\
& 9*b^4)*cosh(d*x + c)^3 + (15*a^4 + 10*a^3*b - 12*a^2*b^2 - 10*a*b^3 - 3*b^4 \\
& )*cosh(d*x + c))*sinh(d*x + c))*sqrt(b/a)*arctan(1/2*((a + b)*cosh(d*x + c) \\
& ^2 + 2*(a + b)*cosh(d*x + c)*sinh(d*x + c) + (a + b)*sinh(d*x + c)^2 + a - \\
& b)*sqrt(b/a)/b) + 4*(16*(a^4 + 2*a^3*b + a^2*b^2)*d*x*cosh(d*x + c)^7 - 3*( \\
& 9*a^3*b - a^2*b^2 - 13*a*b^3 - 3*b^4 - 16*(a^4 - a^2*b^2)*d*x)*cosh(d*x + c) \\
& )^5 - 2*(27*a^3*b - 9*a^2*b^2 + 21*a*b^3 + 9*b^4 - 8*(3*a^4 - 2*a^3*b + 3*a \\
& ^2*b^2)*d*x)*cosh(d*x + c)^3 - (27*a^3*b + 13*a^2*b^2 - 23*a*b^3 - 9*b^4 - \\
& 16*(a^4 - a^2*b^2)*d*x)*cosh(d*x + c))*sinh(d*x + c))/((a^7 + 5*a^6*b + 10* \\
& a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*d*cosh(d*x + c)^8 + 8*(a^7 + 5* \\
& a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*d*cosh(d*x + c)*sinh
\end{aligned}$$



$$\begin{aligned}
& (d*x + c)^7 + (a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5) * d * \sinh(d*x + c)^8 + 4*(a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5) * d * \cosh(d*x + c)^6 + 4*(7*(a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5) * d * \cosh(d*x + c)^2 + (a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5) * d) * \sinh(d*x + c)^6 + 2*(3*a^7 + 7*a^6*b + 6*a^5*b^2 + 6*a^4*b^3 + 7*a^3*b^4 + 3*a^2*b^5) * d * \cosh(d*x + c)^4 + 8*(7*(a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5) * d * \cosh(d*x + c)^3 + 3*(a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5) * d * \cosh(d*x + c)) * \sinh(d*x + c)^5 + 2*(35*(a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5) * d * \cosh(d*x + c)^4 + 30*(a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5) * d * \cosh(d*x + c)^2 + (3*a^7 + 7*a^6*b + 6*a^5*b^2 + 6*a^4*b^3 + 7*a^3*b^4 + 3*a^2*b^5) * d) * \sinh(d*x + c)^4 + 4*(a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5) * d * \cosh(d*x + c)^2 + 8*(7*(a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5) * d * \cosh(d*x + c)^5 + 10*(a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5) * d * \cosh(d*x + c)^3 + (3*a^7 + 7*a^6*b + 6*a^5*b^2 + 6*a^4*b^3 + 7*a^3*b^4 + 3*a^2*b^5) * d * \cosh(d*x + c)) * \sinh(d*x + c)^3 + 4*(7*(a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5) * d * \cosh(d*x + c)^6 + 15*(a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5) * d * \cosh(d*x + c)^4 + 3*(3*a^7 + 7*a^6*b + 6*a^5*b^2 + 6*a^4*b^3 + 7*a^3*b^4 + 3*a^2*b^5) * d * \cosh(d*x + c)^2 + (a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5) * d) * \sinh(d*x + c)^2 + (a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5) * d + 8*((a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5) * d * \cosh(d*x + c)^7 + 3*(a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5) * d * \cosh(d*x + c)^5 + (3*a^7 + 7*a^6*b + 6*a^5*b^2 + 6*a^4*b^3 + 7*a^3*b^4 + 3*a^2*b^5) * d * \cosh(d*x + c)^3 + (a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5) * d * \cosh(d*x + c)) * \sinh(d*x + c))]
\end{aligned}$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*tanh(d\*x+c)\*\*2)\*\*3,x)

[Out] Timed out

**Giac [B]** time = 1.22079, size = 567, normalized size = 3.99

$$\frac{(15a^2b + 10ab^2 + 3b^3) \arctan\left(\frac{ae^{(2dx+2c)} + be^{(2dx+2c)} + a - b}{2\sqrt{ab}}\right)}{8(a^5d + 3a^4bd + 3a^3b^2d + a^2b^3d)\sqrt{ab}} + \frac{dx + c}{a^3d + 3a^2bd + 3ab^2d + b^3d} - \frac{9a^3be^{(6dx+6c)} - a^2b^2e^{(6dx+6c)} - \dots}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out] 1/8\*(15\*a^2\*b + 10\*a\*b^2 + 3\*b^3)\*arctan(1/2\*(a\*e^(2\*d\*x + 2\*c) + b\*e^(2\*d\*x + 2\*c) + a - b)/sqrt(a\*b))/((a^5\*d + 3\*a^4\*b\*d + 3\*a^3\*b^2\*d + a^2\*b^3\*d)\*sqrt(a\*b)) + (d\*x + c)/(a^3\*d + 3\*a^2\*b\*d + 3\*a\*b^2\*d + b^3\*d) - 1/4\*(9\*a^3\*b\*e^(6\*d\*x + 6\*c) - a^2\*b^2\*e^(6\*d\*x + 6\*c) - 13\*a\*b^3\*e^(6\*d\*x + 6\*c) - 3\*b^4\*e^(6\*d\*x + 6\*c) + 27\*a^3\*b\*e^(4\*d\*x + 4\*c) - 9\*a^2\*b^2\*e^(4\*d\*x + 4\*c) + 21\*a\*b^3\*e^(4\*d\*x + 4\*c) + 9\*b^4\*e^(4\*d\*x + 4\*c) + 27\*a^3\*b\*e^(2\*d\*x + 2\*c) + 13\*a^2\*b^2\*e^(2\*d\*x + 2\*c) - 23\*a\*b^3\*e^(2\*d\*x + 2\*c) - 9\*b^4\*e^(2\*d\*x + 2\*c) + 9\*a^3\*b + 21\*a^2\*b^2 + 15\*a\*b^3 + 3\*b^4)/((a^5\*d + 3\*a^4\*b\*d + 3\*a^3\*b^2\*d + a^2\*b^3\*d)\*(a\*e^(4\*d\*x + 4\*c) + b\*e^(4\*d\*x + 4\*c) + 2\*a\*e^(2\*d\*x + 2\*c) - 2\*b\*e^(2\*d\*x + 2\*c) + a + b)^2)

$$3.197 \quad \int \frac{\coth(c+dx)}{\left(a+b \tanh^2(c+dx)\right)^3} dx$$

**Optimal.** Leaf size=138

$$\frac{b(3a^2 + 3ab + b^2) \log(a + b \tanh^2(c + dx))}{2a^3 d(a + b)^3} + \frac{b(2a + b)}{2a^2 d(a + b)^2 (a + b \tanh^2(c + dx))} + \frac{\log(\tanh(c + dx))}{a^3 d} + \frac{1}{4ad(a + b)}$$

[Out] Log[Cosh[c + d\*x]]/((a + b)^3\*d) + Log[Tanh[c + d\*x]]/(a^3\*d) - (b\*(3\*a^2 + 3\*a\*b + b^2)\*Log[a + b\*Tanh[c + d\*x]^2])/(2\*a^3\*(a + b)^3\*d) + b/(4\*a\*(a + b)\*d\*(a + b\*Tanh[c + d\*x]^2)^2) + (b\*(2\*a + b))/(2\*a^2\*(a + b)^2\*d\*(a + b\*Tanh[c + d\*x]^2))

**Rubi [A]** time = 0.204705, antiderivative size = 138, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3670, 446, 72}

$$\frac{b(3a^2 + 3ab + b^2) \log(a + b \tanh^2(c + dx))}{2a^3 d(a + b)^3} + \frac{b(2a + b)}{2a^2 d(a + b)^2 (a + b \tanh^2(c + dx))} + \frac{\log(\tanh(c + dx))}{a^3 d} + \frac{1}{4ad(a + b)}$$

Antiderivative was successfully verified.

[In] Int[Coth[c + d\*x]/(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] Log[Cosh[c + d\*x]]/((a + b)^3\*d) + Log[Tanh[c + d\*x]]/(a^3\*d) - (b\*(3\*a^2 + 3\*a\*b + b^2)\*Log[a + b\*Tanh[c + d\*x]^2])/(2\*a^3\*(a + b)^3\*d) + b/(4\*a\*(a + b)\*d\*(a + b\*Tanh[c + d\*x]^2)^2) + (b\*(2\*a + b))/(2\*a^2\*(a + b)^2\*d\*(a + b\*Tanh[c + d\*x]^2))

### Rule 3670

Int[((d\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_.))^(p\_.), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x]] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

### Rule 446

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_
), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p
*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[
b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 72

```
Int[((e_) + (f_)*(x_))^(p_)/(((a_) + (b_)*(x_))*((c_) + (d_)*(x_))),
x_Symbol] :> Int[ExpandIntegrand[(e + f*x)^p/((a + b*x)*(c + d*x)), x], x]
/; FreeQ[{a, b, c, d, e, f}, x] && IntegerQ[p]
```

### Rubi steps

$$\begin{aligned} \int \frac{\coth(c + dx)}{(a + b \tanh^2(c + dx))^3} dx &= \frac{\text{Subst}\left(\int \frac{1}{x(1-x^2)(a+bx^2)^3} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{\text{Subst}\left(\int \frac{1}{(1-x)x(a+bx)^3} dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= \frac{\text{Subst}\left(\int \left(-\frac{1}{(a+b)^3(-1+x)} + \frac{1}{a^3x} - \frac{b^2}{a(a+b)(a+bx)^3} - \frac{b^2(2a+b)}{a^2(a+b)^2(a+bx)^2} - \frac{b^2(3a^2+3ab+b^2)}{a^3(a+b)^3(a+bx)}\right) dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= \frac{\log(\cosh(c + dx))}{(a + b)^3 d} + \frac{\log(\tanh(c + dx))}{a^3 d} - \frac{b(3a^2 + 3ab + b^2) \log(a + b \tanh^2(c + dx))}{2a^3(a + b)^3 d} \end{aligned}$$

**Mathematica [A]** time = 1.56875, size = 117, normalized size = 0.85

$$\frac{\frac{b \left( \frac{a(a+b)(2b(2a+b) \tanh^2(c+dx) + a(5a+3b))}{(a+b \tanh^2(c+dx))^2} - 2(3a^2+3ab+b^2) \log(a+b \tanh^2(c+dx)) \right)}{(a+b)^3} + 4 \log(\tanh(c+dx))}{a^3} + \frac{4 \log(\cosh(c+dx))}{(a+b)^3}$$

$4d$

Antiderivative was successfully verified.

```
[In] Integrate[Coth[c + d*x]/(a + b*Tanh[c + d*x]^2)^3, x]
```

```
[Out] ((4*Log[Cosh[c + d*x]])/(a + b)^3 + (4*Log[Tanh[c + d*x]] + (b*(-2*(3*a^2 +
3*a*b + b^2)*Log[a + b*Tanh[c + d*x]^2] + (a*(a + b)*(a*(5*a + 3*b) + 2*b*
(2*a + b)*Tanh[c + d*x]^2)))/(a + b*Tanh[c + d*x]^2)^2))/(a + b)^3/a^3)/(4*
```

d)

---

**Maple [B]** time = 0.117, size = 952, normalized size = 6.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(\text{coth}(d*x+c)/(a+b*\tanh(d*x+c)^2)^3,x)$

[Out] 
$$\begin{aligned} & -1/d/(a+b)^3*\ln(\tanh(1/2*d*x+1/2*c)+1)-6/d*b^2/(a+b)^3/(\tanh(1/2*d*x+1/2*c) \\ & ^{4*a+2*\tanh(1/2*d*x+1/2*c)^{2*a+4*\tanh(1/2*d*x+1/2*c)^{2*b+a}})^{2*\tanh(1/2*d*x+ \\ & 1/2*c)^6-10/d*b^3/(a+b)^3/a/(\tanh(1/2*d*x+1/2*c)^{4*a+2*\tanh(1/2*d*x+1/2*c)^{ \\ & 2*a+4*\tanh(1/2*d*x+1/2*c)^{2*b+a}})^{2*\tanh(1/2*d*x+1/2*c)^6-4/d*b^4/(a+b)^3/a^ \\ & 2/(\tanh(1/2*d*x+1/2*c)^{4*a+2*\tanh(1/2*d*x+1/2*c)^{2*a+4*\tanh(1/2*d*x+1/2*c)^{ \\ & 2*b+a}})^{2*\tanh(1/2*d*x+1/2*c)^6-12/d*b^2/(a+b)^3/(\tanh(1/2*d*x+1/2*c)^{4*a+2* \\ & \tanh(1/2*d*x+1/2*c)^{2*a+4*\tanh(1/2*d*x+1/2*c)^{2*b+a}})^{2*\tanh(1/2*d*x+1/2*c)^{ \\ & 4-40/d*b^3/(a+b)^3/a/(\tanh(1/2*d*x+1/2*c)^{4*a+2*\tanh(1/2*d*x+1/2*c)^{2*a+4*t \\ & \tanh(1/2*d*x+1/2*c)^{2*b+a}})^{2*\tanh(1/2*d*x+1/2*c)^4-40/d*b^4/(a+b)^3/a^2/(\tan \\ & h(1/2*d*x+1/2*c)^{4*a+2*\tanh(1/2*d*x+1/2*c)^{2*a+4*\tanh(1/2*d*x+1/2*c)^{2*b+a}} \\ & ^{2*\tanh(1/2*d*x+1/2*c)^4-12/d*b^5/(a+b)^3/a^3/(\tanh(1/2*d*x+1/2*c)^{4*a+2*ta \\ & nh(1/2*d*x+1/2*c)^{2*a+4*\tanh(1/2*d*x+1/2*c)^{2*b+a}})^{2*\tanh(1/2*d*x+1/2*c)^4- \\ & 6/d*b^2/(a+b)^3/(\tanh(1/2*d*x+1/2*c)^{4*a+2*\tanh(1/2*d*x+1/2*c)^{2*a+4*\tanh(1 \\ & /2*d*x+1/2*c)^{2*b+a}})^{2*\tanh(1/2*d*x+1/2*c)^2-10/d*b^3/(a+b)^3/a/(\tanh(1/2*d \\ & *x+1/2*c)^{4*a+2*\tanh(1/2*d*x+1/2*c)^{2*a+4*\tanh(1/2*d*x+1/2*c)^{2*b+a}})^{2*\tanh \\ & (1/2*d*x+1/2*c)^2-4/d*b^4/(a+b)^3/a^2/(\tanh(1/2*d*x+1/2*c)^{4*a+2*\tanh(1/2*d \\ & *x+1/2*c)^{2*a+4*\tanh(1/2*d*x+1/2*c)^{2*b+a}})^{2*\tanh(1/2*d*x+1/2*c)^2-3/2/d*b/ \\ & (a+b)^3/a*\ln(\tanh(1/2*d*x+1/2*c)^{4*a+2*\tanh(1/2*d*x+1/2*c)^{2*a+4*\tanh(1/2*d \\ & *x+1/2*c)^{2*b+a}})-3/2/d*b^2/(a+b)^3/a^2*\ln(\tanh(1/2*d*x+1/2*c)^{4*a+2*\tanh(1/ \\ & 2*d*x+1/2*c)^{2*a+4*\tanh(1/2*d*x+1/2*c)^{2*b+a}})-1/2/d*b^3/(a+b)^3/a^3*\ln(\tanh \\ & (1/2*d*x+1/2*c)^{4*a+2*\tanh(1/2*d*x+1/2*c)^{2*a+4*\tanh(1/2*d*x+1/2*c)^{2*b+a}})+ \\ & 1/d/a^3*\ln(\tanh(1/2*d*x+1/2*c))-1/d/(a+b)^3*\ln(\tanh(1/2*d*x+1/2*c))-1 \end{aligned}$$

---

**Maxima [B]** time = 1.30807, size = 672, normalized size = 4.87

$$\frac{(3a^2b + 3ab^2 + b^3) \log(2(a-b)e^{(-2dx-2c)} + (a+b)e^{(-4dx-4c)} + a+b)}{2(a^6 + 3a^5b + 3a^4b^2 + a^3b^3)d} + \frac{dx+c}{(a^3 + 3a^2b + 3ab^2 + b^3)d} + \frac{1}{(a^7 + 5a^6b + \dots)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="maxima")

[Out] 
$$-1/2*(3*a^2*b + 3*a*b^2 + b^3)*\log(2*(a - b)*e^{(-2*d*x - 2*c)} + (a + b)*e^{(-4*d*x - 4*c)} + a + b)/((a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3)*d) + (d*x + c)/((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d) + 2*((3*a^2*b^2 + 4*a*b^3 + b^4)*e^{(-2*d*x - 2*c)} + 2*(3*a^2*b^2 - a*b^3 - b^4)*e^{(-4*d*x - 4*c)} + (3*a^2*b^2 + 4*a*b^3 + b^4)*e^{(-6*d*x - 6*c)})/((a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5 + 4*(a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5)*e^{(-2*d*x - 2*c)} + 2*(3*a^7 + 7*a^6*b + 6*a^5*b^2 + 6*a^4*b^3 + 7*a^3*b^4 + 3*a^2*b^5)*e^{(-4*d*x - 4*c)} + 4*(a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5)*e^{(-6*d*x - 6*c)} + (a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*e^{(-8*d*x - 8*c)})*d) + \log(e^{(-d*x - c)} + 1)/(a^3*d) + \log(e^{(-d*x - c)} - 1)/(a^3*d)$$

**Fricas [B]** time = 5.28184, size = 10714, normalized size = 77.64

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out] 
$$-1/2*(2*(a^5 + 2*a^4*b + a^3*b^2)*d*x*\cosh(d*x + c)^8 + 16*(a^5 + 2*a^4*b + a^3*b^2)*d*x*\cosh(d*x + c)*\sinh(d*x + c)^7 + 2*(a^5 + 2*a^4*b + a^3*b^2)*d*x*\sinh(d*x + c)^8 - 4*(3*a^3*b^2 + 4*a^2*b^3 + a*b^4 - 2*(a^5 - a^3*b^2)*d*x)*\cosh(d*x + c)^6 - 4*(3*a^3*b^2 + 4*a^2*b^3 + a*b^4 - 14*(a^5 + 2*a^4*b + a^3*b^2)*d*x*\cosh(d*x + c)^2 - 2*(a^5 - a^3*b^2)*d*x)*\sinh(d*x + c)^6 + 8*(14*(a^5 + 2*a^4*b + a^3*b^2)*d*x*\cosh(d*x + c)^3 - 3*(3*a^3*b^2 + 4*a^2*b^3 + a*b^4 - 2*(a^5 - a^3*b^2)*d*x)*\cosh(d*x + c))*\sinh(d*x + c)^5 - 4*(6*a^3*b^2 - 2*a^2*b^3 - 2*a*b^4 - (3*a^5 - 2*a^4*b + 3*a^3*b^2)*d*x)*\cosh(d*x + c)^4 + 4*(35*(a^5 + 2*a^4*b + a^3*b^2)*d*x*\cosh(d*x + c)^4 - 6*a^3*b^2 + 2*a^2*b^3 + 2*a*b^4 + (3*a^5 - 2*a^4*b + 3*a^3*b^2)*d*x - 15*(3*a^3*b^2 + 4*a^2*b^3 + a*b^4 - 2*(a^5 - a^3*b^2)*d*x)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + 16*(7*(a^5 + 2*a^4*b + a^3*b^2)*d*x*\cosh(d*x + c)^5 - 5*(3*a^3*b^2 + 4*a^2*b^3 + a*b^4 - 2*(a^5 - a^3*b^2)*d*x)*\cosh(d*x + c)^3 - (6*a^3*b^2 - 2*a^2*b^3 - 2*a*b^4 - (3*a^5 - 2*a^4*b + 3*a^3*b^2)*d*x)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 2*(a^5 + 2*a^4*b + a^3*b^2)*d*x - 4*(3*a^3*b^2 + 4*a^2*b^3 + a*b^4 - 2*(a^5 - a^3*b^2)*d*x)*\cosh(d*x + c)^2 + 4*(14*(a^5 + 2*a^4*b + a^3*b^2)*d*x*\cosh(d*x + c)^6 - 3*a^3*b^2 - 4*a^2*b^3 - a*b^4 - 15*(3*a^3*b^2 + 4*a^2*b^3 + a*b^4 - 2*(a^5 - a^3*b^2)*d*x)*\cosh(d*x + c)^4 + 2*(a^5 - a^3*b^2)*d*x - 6*(6*a^3*b^2 - 2*a^2*b^3 - 2*a*b^4 - (3*a^5 - 2*a^4*b + 3*a^3*b^2)*d*x)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 + ((3*a^4*b + 9*a^3*b^2 + 10*a^2*b^3 +$$

$$\begin{aligned}
& 5a^4b^4 + b^5) \cosh(dx + c)^8 + 8(3a^4b + 9a^3b^2 + 10a^2b^3 + 5a^4b^4 + b^5) \cosh(dx + c) \sinh(dx + c)^7 + (3a^4b + 9a^3b^2 + 10a^2b^3 + 5a^4b^4 + b^5) \sinh(dx + c)^8 + 4(3a^4b + 3a^3b^2 - 2a^2b^3 - 3a^4b^4 - b^5) \cosh(dx + c)^6 + 4(3a^4b + 3a^3b^2 - 2a^2b^3 - 3a^4b^4 - b^5 + 7(3a^4b + 9a^3b^2 + 10a^2b^3 + 5a^4b^4 + b^5) \cosh(dx + c)^2) \sinh(dx + c)^6 + 8(7(3a^4b + 9a^3b^2 + 10a^2b^3 + 5a^4b^4 + b^5) \cosh(dx + c)^3 + 3(3a^4b + 3a^3b^2 - 2a^2b^3 - 3a^4b^4 - b^5) \cosh(dx + c)) \sinh(dx + c)^5 + 3a^4b + 9a^3b^2 + 10a^2b^3 + 5a^4b^4 + b^5 + 2(9a^4b + 3a^3b^2 + 6a^2b^3 + 7a^4b^4 + 3b^5) \cosh(dx + c)^4 + 2(9a^4b + 3a^3b^2 + 6a^2b^3 + 7a^4b^4 + 3b^5 + 35(3a^4b + 9a^3b^2 + 10a^2b^3 + 5a^4b^4 + b^5) \cosh(dx + c)^4 + 30(3a^4b + 3a^3b^2 - 2a^2b^3 - 3a^4b^4 - b^5) \cosh(dx + c)^2) \sinh(dx + c)^4 + 8(7(3a^4b + 9a^3b^2 + 10a^2b^3 + 5a^4b^4 + b^5) \cosh(dx + c)^5 + 10(3a^4b + 3a^3b^2 - 2a^2b^3 - 3a^4b^4 - b^5) \cosh(dx + c)^3 + (9a^4b + 3a^3b^2 + 6a^2b^3 + 7a^4b^4 + 3b^5) \cosh(dx + c)) \sinh(dx + c)^3 + 4(3a^4b + 3a^3b^2 - 2a^2b^3 - 3a^4b^4 - b^5) \cosh(dx + c)^2 + 4(7(3a^4b + 9a^3b^2 + 10a^2b^3 + 5a^4b^4 + b^5) \cosh(dx + c)^6 + 3a^4b + 3a^3b^2 - 2a^2b^3 - 3a^4b^4 - b^5 + 15(3a^4b + 3a^3b^2 - 2a^2b^3 - 3a^4b^4 - b^5) \cosh(dx + c)^4 + 3(9a^4b + 3a^3b^2 + 6a^2b^3 + 7a^4b^4 + 3b^5) \cosh(dx + c)^2) \sinh(dx + c)^2 + 8((3a^4b + 9a^3b^2 + 10a^2b^3 + 5a^4b^4 + b^5) \cosh(dx + c)^7 + 3(3a^4b + 3a^3b^2 - 2a^2b^3 - 3a^4b^4 - b^5) \cosh(dx + c)^5 + (9a^4b + 3a^3b^2 + 6a^2b^3 + 7a^4b^4 + 3b^5) \cosh(dx + c)^3 + (3a^4b + 3a^3b^2 - 2a^2b^3 - 3a^4b^4 - b^5) \cosh(dx + c)) \sinh(dx + c) \log(2((a + b) \cosh(dx + c)^2 + (a + b) \sinh(dx + c)^2 + a - b) / (\cosh(dx + c)^2 - 2 \cosh(dx + c) \sinh(dx + c) + \sinh(dx + c)^2)) - 2((a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5a^4b^4 + b^5) \cosh(dx + c)^8 + 8(a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5a^4b^4 + b^5) \cosh(dx + c) \sinh(dx + c)^7 + (a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5a^4b^4 + b^5) \sinh(dx + c)^8 + 4(a^5 + 3a^4b + 2a^3b^2 - 2a^2b^3 - 3a^4b^4 - b^5) \cosh(dx + c)^6 + 4(a^5 + 3a^4b + 2a^3b^2 - 2a^2b^3 - 3a^4b^4 - b^5 + 7(a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5a^4b^4 + b^5) \cosh(dx + c)^2) \sinh(dx + c)^6 + 8(7(a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5a^4b^4 + b^5) \cosh(dx + c)^3 + 3(a^5 + 3a^4b + 2a^3b^2 - 2a^2b^3 - 3a^4b^4 - b^5) \cosh(dx + c)) \sinh(dx + c)^5 + a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5a^4b^4 + b^5 + 2(3a^5 + 7a^4b + 6a^3b^2 + 6a^2b^3 + 7a^4b^4 + 3b^5) \cosh(dx + c)^4 + 2(3a^5 + 7a^4b + 6a^3b^2 + 6a^2b^3 + 7a^4b^4 + 3b^5 + 35(a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5a^4b^4 + b^5) \cosh(dx + c)^4 + 30(a^5 + 3a^4b + 2a^3b^2 - 2a^2b^3 - 3a^4b^4 - b^5) \cosh(dx + c)^2) \sinh(dx + c)^4 + 8(7(a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5a^4b^4 + b^5) \cosh(dx + c)^5 + 10(a^5 + 3a^4b + 2a^3b^2 - 2a^2b^3 - 3a^4b^4 - b^5) \cosh(dx + c)^3 + (3a^5 + 7a^4b + 6a^3b^2 + 6a^2b^3 + 7a^4b^4 + 3b^5) \cosh(dx + c)) \sinh(dx + c)^3 + 4(a^5 + 3a^4b + 2a^3b^2 - 2a^2b^3 - 3a^4b^4 - b^5) \cosh(dx + c)^2 + 4(7(a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5a^4b^4 + b^5) \cosh(dx + c)^6 + a^5 + 3a^4b + 2a^3b^2 - 2a^2b^3
\end{aligned}$$

$$\begin{aligned}
&^3 - 3*a*b^4 - b^5 + 15*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - \\
&b^5)*\cosh(d*x + c)^4 + 3*(3*a^5 + 7*a^4*b + 6*a^3*b^2 + 6*a^2*b^3 + 7*a*b^4 \\
&+ 3*b^5)*\cosh(d*x + c)^2*\sinh(d*x + c)^2 + 8*((a^5 + 5*a^4*b + 10*a^3*b^2 \\
&+ 10*a^2*b^3 + 5*a*b^4 + b^5)*\cosh(d*x + c)^7 + 3*(a^5 + 3*a^4*b + 2*a^3*b \\
&^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*\cosh(d*x + c)^5 + (3*a^5 + 7*a^4*b + 6*a^3*b \\
&^2 + 6*a^2*b^3 + 7*a*b^4 + 3*b^5)*\cosh(d*x + c)^3 + (a^5 + 3*a^4*b + 2*a^3 \\
&*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*\cosh(d*x + c))*\sinh(d*x + c))*\log(2*\sinh( \\
&d*x + c)/(\cosh(d*x + c) - \sinh(d*x + c))) + 8*(2*(a^5 + 2*a^4*b + a^3*b^2)* \\
&d*x*\cosh(d*x + c)^7 - 3*(3*a^3*b^2 + 4*a^2*b^3 + a*b^4 - 2*(a^5 - a^3*b^2)* \\
&d*x)*\cosh(d*x + c)^5 - 2*(6*a^3*b^2 - 2*a^2*b^3 - 2*a*b^4 - (3*a^5 - 2*a^4*b \\
&+ 3*a^3*b^2)*d*x)*\cosh(d*x + c)^3 - (3*a^3*b^2 + 4*a^2*b^3 + a*b^4 - 2*(a \\
&^5 - a^3*b^2)*d*x)*\cosh(d*x + c))*\sinh(d*x + c))/((a^8 + 5*a^7*b + 10*a^6*b \\
&^2 + 10*a^5*b^3 + 5*a^4*b^4 + a^3*b^5)*d*\cosh(d*x + c)^8 + 8*(a^8 + 5*a^7*b \\
&+ 10*a^6*b^2 + 10*a^5*b^3 + 5*a^4*b^4 + a^3*b^5)*d*\cosh(d*x + c)*\sinh(d*x \\
&+ c)^7 + (a^8 + 5*a^7*b + 10*a^6*b^2 + 10*a^5*b^3 + 5*a^4*b^4 + a^3*b^5)*d* \\
&\sinh(d*x + c)^8 + 4*(a^8 + 3*a^7*b + 2*a^6*b^2 - 2*a^5*b^3 - 3*a^4*b^4 - a^ \\
&3*b^5)*d*\cosh(d*x + c)^6 + 4*(7*(a^8 + 5*a^7*b + 10*a^6*b^2 + 10*a^5*b^3 + \\
&5*a^4*b^4 + a^3*b^5)*d*\cosh(d*x + c)^2 + (a^8 + 3*a^7*b + 2*a^6*b^2 - 2*a^5 \\
&*b^3 - 3*a^4*b^4 - a^3*b^5)*d)*\sinh(d*x + c)^6 + 2*(3*a^8 + 7*a^7*b + 6*a^6 \\
&*b^2 + 6*a^5*b^3 + 7*a^4*b^4 + 3*a^3*b^5)*d*\cosh(d*x + c)^4 + 8*(7*(a^8 + 5 \\
&*a^7*b + 10*a^6*b^2 + 10*a^5*b^3 + 5*a^4*b^4 + a^3*b^5)*d*\cosh(d*x + c)^3 + \\
&3*(a^8 + 3*a^7*b + 2*a^6*b^2 - 2*a^5*b^3 - 3*a^4*b^4 - a^3*b^5)*d*\cosh(d*x \\
&+ c))*\sinh(d*x + c)^5 + 2*(35*(a^8 + 5*a^7*b + 10*a^6*b^2 + 10*a^5*b^3 + 5 \\
&*a^4*b^4 + a^3*b^5)*d*\cosh(d*x + c)^4 + 30*(a^8 + 3*a^7*b + 2*a^6*b^2 - 2*a \\
&^5*b^3 - 3*a^4*b^4 - a^3*b^5)*d*\cosh(d*x + c)^2 + (3*a^8 + 7*a^7*b + 6*a^6*b \\
&^2 + 6*a^5*b^3 + 7*a^4*b^4 + 3*a^3*b^5)*d)*\sinh(d*x + c)^4 + 4*(a^8 + 3*a^ \\
&7*b + 2*a^6*b^2 - 2*a^5*b^3 - 3*a^4*b^4 - a^3*b^5)*d*\cosh(d*x + c)^2 + 8*(7 \\
&*(a^8 + 5*a^7*b + 10*a^6*b^2 + 10*a^5*b^3 + 5*a^4*b^4 + a^3*b^5)*d*\cosh(d*x \\
&+ c)^5 + 10*(a^8 + 3*a^7*b + 2*a^6*b^2 - 2*a^5*b^3 - 3*a^4*b^4 - a^3*b^5)* \\
&d*\cosh(d*x + c)^3 + (3*a^8 + 7*a^7*b + 6*a^6*b^2 + 6*a^5*b^3 + 7*a^4*b^4 + \\
&3*a^3*b^5)*d*\cosh(d*x + c))*\sinh(d*x + c)^3 + 4*(7*(a^8 + 5*a^7*b + 10*a^6*b \\
&b^2 + 10*a^5*b^3 + 5*a^4*b^4 + a^3*b^5)*d*\cosh(d*x + c)^6 + 15*(a^8 + 3*a^7 \\
&*b + 2*a^6*b^2 - 2*a^5*b^3 - 3*a^4*b^4 - a^3*b^5)*d*\cosh(d*x + c)^4 + 3*(3* \\
&a^8 + 7*a^7*b + 6*a^6*b^2 + 6*a^5*b^3 + 7*a^4*b^4 + 3*a^3*b^5)*d*\cosh(d*x + \\
&c)^2 + (a^8 + 3*a^7*b + 2*a^6*b^2 - 2*a^5*b^3 - 3*a^4*b^4 - a^3*b^5)*d)*\si \\
&nh(d*x + c)^2 + (a^8 + 5*a^7*b + 10*a^6*b^2 + 10*a^5*b^3 + 5*a^4*b^4 + a^3* \\
&b^5)*d + 8*((a^8 + 5*a^7*b + 10*a^6*b^2 + 10*a^5*b^3 + 5*a^4*b^4 + a^3*b^5) \\
&*d*\cosh(d*x + c)^7 + 3*(a^8 + 3*a^7*b + 2*a^6*b^2 - 2*a^5*b^3 - 3*a^4*b^4 - \\
&a^3*b^5)*d*\cosh(d*x + c)^5 + (3*a^8 + 7*a^7*b + 6*a^6*b^2 + 6*a^5*b^3 + 7* \\
&a^4*b^4 + 3*a^3*b^5)*d*\cosh(d*x + c)^3 + (a^8 + 3*a^7*b + 2*a^6*b^2 - 2*a^5 \\
&*b^3 - 3*a^4*b^4 - a^3*b^5)*d*\cosh(d*x + c))*\sinh(d*x + c))
\end{aligned}$$


---



**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\coth(c + dx)}{(a + b \tanh^2(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)/(a+b\*tanh(d\*x+c)\*\*2)\*\*3,x)

[Out] Integral(coth(c + d\*x)/(a + b\*tanh(c + d\*x)\*\*2)\*\*3, x)

**Giac [B]** time = 1.28943, size = 417, normalized size = 3.02

$$\frac{(3a^2b + 3ab^2 + b^3) \log(ae^{(4dx+4c)} + be^{(4dx+4c)} + 2ae^{(2dx+2c)} - 2be^{(2dx+2c)} + a + b)}{2(a^6d + 3a^5bd + 3a^4b^2d + a^3b^3d)} - \frac{dx + c}{a^3d + 3a^2bd + 3ab^2d + b^3d} +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out] -1/2\*(3\*a^2\*b + 3\*a\*b^2 + b^3)\*log(a\*e^(4\*d\*x + 4\*c) + b\*e^(4\*d\*x + 4\*c) + 2\*a\*e^(2\*d\*x + 2\*c) - 2\*b\*e^(2\*d\*x + 2\*c) + a + b)/(a^6\*d + 3\*a^5\*b\*d + 3\*a^4\*b^2\*d + a^3\*b^3\*d) - (d\*x + c)/(a^3\*d + 3\*a^2\*b\*d + 3\*a\*b^2\*d + b^3\*d) + log(abs(-e^(2\*d\*x + 2\*c) + 1))/(a^3\*d) + 2\*((3\*a^2\*b^2 + a\*b^3)\*e^(6\*d\*x + 6\*c) + (3\*a^2\*b^2 + a\*b^3)\*e^(2\*d\*x + 2\*c) + 2\*(3\*a^3\*b^2 - a^2\*b^3 - a\*b^4)\*e^(4\*d\*x + 4\*c)/(a + b))/((a\*e^(4\*d\*x + 4\*c) + b\*e^(4\*d\*x + 4\*c) + 2\*a\*e^(2\*d\*x + 2\*c) - 2\*b\*e^(2\*d\*x + 2\*c) + a + b)^2\*(a + b)^2\*a^3\*d)

$$3.198 \quad \int \frac{\coth^2(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$$

**Optimal.** Leaf size=178

$$\frac{(8a^2 + 27ab + 15b^2) \coth(c+dx)}{8a^3 d(a+b)^2} - \frac{b^{3/2} (35a^2 + 42ab + 15b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8a^{7/2} d(a+b)^3} + \frac{b(9a+5b) \coth(c+dx)}{8a^2 d(a+b)^2 (a+b \tanh^2(c+dx))}$$

[Out] x/(a + b)^3 - (b^(3/2)\*(35\*a^2 + 42\*a\*b + 15\*b^2)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(8\*a^(7/2)\*(a + b)^3\*d) - ((8\*a^2 + 27\*a\*b + 15\*b^2)\*Coth[c + d\*x])/(8\*a^3\*(a + b)^2\*d) + (b\*Coth[c + d\*x])/(4\*a\*(a + b)\*d\*(a + b\*Tanh[c + d\*x]^2)^2) + (b\*(9\*a + 5\*b)\*Coth[c + d\*x])/(8\*a^2\*(a + b)^2\*d\*(a + b\*Tanh[c + d\*x]^2))

**Rubi [A]** time = 0.290858, antiderivative size = 178, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.304$ , Rules used = {3670, 472, 579, 583, 522, 206, 205}

$$\frac{(8a^2 + 27ab + 15b^2) \coth(c+dx)}{8a^3 d(a+b)^2} - \frac{b^{3/2} (35a^2 + 42ab + 15b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8a^{7/2} d(a+b)^3} + \frac{b(9a+5b) \coth(c+dx)}{8a^2 d(a+b)^2 (a+b \tanh^2(c+dx))}$$

Antiderivative was successfully verified.

[In] Int[Coth[c + d\*x]^2/(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] x/(a + b)^3 - (b^(3/2)\*(35\*a^2 + 42\*a\*b + 15\*b^2)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(8\*a^(7/2)\*(a + b)^3\*d) - ((8\*a^2 + 27\*a\*b + 15\*b^2)\*Coth[c + d\*x])/(8\*a^3\*(a + b)^2\*d) + (b\*Coth[c + d\*x])/(4\*a\*(a + b)\*d\*(a + b\*Tanh[c + d\*x]^2)^2) + (b\*(9\*a + 5\*b)\*Coth[c + d\*x])/(8\*a^2\*(a + b)^2\*d\*(a + b\*Tanh[c + d\*x]^2))

### Rule 3670

Int[((d\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((a\_.) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_.))^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x]] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && Ration

alQ[n]))

### Rule 472

Int[((e\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_)\*(x\_)^(n\_))^(q\_), x\_Symbol] := -Simp[(b\*(e\*x)^(m+1)\*(a+b\*x^n)^(p+1)\*(c+d\*x^n)^(q+1))/(a\*e\*n\*(b\*c-a\*d)\*(p+1)), x] + Dist[1/(a\*n\*(b\*c-a\*d)\*(p+1)), Int[(e\*x)^m\*(a+b\*x^n)^(p+1)\*(c+d\*x^n)^q\*Simp[c\*b\*(m+1)+n\*(b\*c-a\*d)\*(p+1)+d\*b\*(m+n\*(p+q+2)+1)\*x^n, x], x] /; FreeQ[{a, b, c, d, e, m, q}, x] && NeQ[b\*c-a\*d, 0] && IGtQ[n, 0] && LtQ[p, -1] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]

### Rule 579

Int[((g\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_)\*(x\_)^(n\_))^(q\_)\*((e\_) + (f\_)\*(x\_)^(n\_)), x\_Symbol] := -Simp[((b\*e-a\*f)\*(g\*x)^(m+1)\*(a+b\*x^n)^(p+1)\*(c+d\*x^n)^(q+1))/(a\*g\*n\*(b\*c-a\*d)\*(p+1)), x] + Dist[1/(a\*n\*(b\*c-a\*d)\*(p+1)), Int[(g\*x)^m\*(a+b\*x^n)^(p+1)\*(c+d\*x^n)^q\*Simp[c\*(b\*e-a\*f)\*(m+1)+e\*n\*(b\*c-a\*d)\*(p+1)+d\*(b\*e-a\*f)\*(m+n\*(p+q+2)+1)\*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, q}, x] && IGtQ[n, 0] && LtQ[p, -1]

### Rule 583

Int[((g\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_)\*(x\_)^(n\_))^(q\_)\*((e\_) + (f\_)\*(x\_)^(n\_)), x\_Symbol] := Simp[(e\*(g\*x)^(m+1)\*(a+b\*x^n)^(p+1)\*(c+d\*x^n)^(q+1))/(a\*c\*g\*(m+1)), x] + Dist[1/(a\*c\*g\*(m+1)), Int[(g\*x)^(m+n)\*(a+b\*x^n)^p\*(c+d\*x^n)^q\*Simp[a\*f\*c\*(m+1)-e\*(b\*c+a\*d)\*(m+n+1)-e\*n\*(b\*c\*p+a\*d\*q)-b\*e\*d\*(m+n\*(p+q+2)+1)\*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p, q}, x] && IGtQ[n, 0] && LtQ[m, -1]

### Rule 522

Int[((e\_) + (f\_)\*(x\_)^(n\_))/(((a\_) + (b\_)\*(x\_)^(n\_))\*((c\_) + (d\_)\*(x\_)^(n\_))), x\_Symbol] := Dist[(b\*e-a\*f)/(b\*c-a\*d), Int[1/(a+b\*x^n), x], x] - Dist[(d\*e-c\*f)/(b\*c-a\*d), Int[1/(c+d\*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x]

### Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned}
 \int \frac{\coth^2(c+dx)}{(a+b \tanh^2(c+dx))^3} dx &= \frac{\text{Subst}\left(\int \frac{1}{x^2(1-x^2)(a+bx^2)^3} dx, x, \tanh(c+dx)\right)}{d} \\
 &= \frac{b \coth(c+dx)}{4a(a+b)d (a+b \tanh^2(c+dx))^2} - \frac{\text{Subst}\left(\int \frac{-4a-5b+5bx^2}{x^2(1-x^2)(a+bx^2)^2} dx, x, \tanh(c+dx)\right)}{4a(a+b)d} \\
 &= \frac{b \coth(c+dx)}{4a(a+b)d (a+b \tanh^2(c+dx))^2} + \frac{b(9a+5b) \coth(c+dx)}{8a^2(a+b)^2d (a+b \tanh^2(c+dx))} + \frac{\text{Subst}\left(\int \frac{8a^2+}{x^2(1-x^2)(a+bx^2)} dx, x, \tanh(c+dx)\right)}{8a^2(a+b)^2d} \\
 &= -\frac{(8a^2+27ab+15b^2) \coth(c+dx)}{8a^3(a+b)^2d} + \frac{b \coth(c+dx)}{4a(a+b)d (a+b \tanh^2(c+dx))^2} + \frac{b(9a+5b) \coth(c+dx)}{8a^2(a+b)^2d} \\
 &= -\frac{(8a^2+27ab+15b^2) \coth(c+dx)}{8a^3(a+b)^2d} + \frac{b \coth(c+dx)}{4a(a+b)d (a+b \tanh^2(c+dx))^2} + \frac{b(9a+5b) \coth(c+dx)}{8a^2(a+b)^2d} \\
 &= \frac{x}{(a+b)^3} - \frac{b^{3/2}(35a^2+42ab+15b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8a^{7/2}(a+b)^3d} - \frac{(8a^2+27ab+15b^2) \coth(c+dx)}{8a^3(a+b)^2d}
 \end{aligned}$$

**Mathematica [A]** time = 5.76014, size = 166, normalized size = 0.93

$$\frac{b^{3/2}(35a^2+42ab+15b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{a^{7/2}(a+b)^3} + \frac{4b^3 \sinh(2(c+dx))}{a^2(a+b)^2((a+b) \cosh(2(c+dx))+a-b)^2} + \frac{b^2(13a+7b) \sinh(2(c+dx))}{a^3(a+b)^2((a+b) \cosh(2(c+dx))+a-b)} + \frac{8 \coth(c+dx)}{a^3} - \frac{8(c+dx)}{(a+b)^3}$$


---

$8d$

Antiderivative was successfully verified.

[In] Integrate[Coth[c + d\*x]^2/(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] -((-8\*(c + d\*x))/(a + b)^3 + (b^(3/2)\*(35\*a^2 + 42\*a\*b + 15\*b^2)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(a^(7/2)\*(a + b)^3) + (8\*Coth[c + d\*x])/a^3

$$\frac{(4b^3 \operatorname{Sinh}[2(c+dx)])/(a^2(a+b)^2(a-b+(a+b)\operatorname{Cosh}[2(c+dx)])^2) + (b^2(13a+7b)\operatorname{Sinh}[2(c+dx)]/(a^3(a+b)^2(a-b+(a+b)\operatorname{Cosh}[2(c+dx)])))/(8d)}$$

**Maple [B]** time = 0.125, size = 2045, normalized size = 11.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\int (\operatorname{coth}(dx+c))^2 / (a+b \tanh(dx+c))^2 dx$

[Out] 
$$\begin{aligned} & -35/8/d*b^2/(a+b)^3/a/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2}*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2})-21/4/d*b^3/(a+b)^3/a^2/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2}*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2})+35/8/d*b^2/(a+b)^3/(b*(a+b))^{1/2}/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2}*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2})+35/8/d*b^2/(a+b)^3/a/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2}*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2})+21/4/d*b^3/(a+b)^3/a^2/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2}*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2})+35/8/d*b^2/(a+b)^3/(b*(a+b))^{1/2}/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2}*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2})+15/8/d*b^5/(a+b)^3/a^3/(b*(a+b))^{1/2}/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2}*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2})+77/8/d*b^3/(a+b)^3/a/(b*(a+b))^{1/2}/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2}*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2})+57/8/d*b^4/(a+b)^3/a^2/(b*(a+b))^{1/2}/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2}*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2})+77/8/d*b^3/(a+b)^3/a/(b*(a+b))^{1/2}/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2}*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2})+57/8/d*b^4/(a+b)^3/a^2/(b*(a+b))^{1/2}/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2}*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2})+1/d/(a+b)^3*\ln(\tanh(1/2*d*x+1/2*c)+1)-1/d/(a+b)^3*\ln(\tanh(1/2*d*x+1/2*c)-1)-7/d*b^5/(a+b)^3/a^3/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^3-15/8/d*b^4/(a+b)^3/a^3/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2}*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2})+15/8/d*b^4/(a+b)^3/a^3/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2}*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2})-9/4/d*b^4/(a+b)^3/a^2/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^7-39/4/d*b^2/(a+b)^3/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^5-39/4/d*b^2/(a+b)^3/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^5 \end{aligned}$$

$$\begin{aligned} & \tanh(1/2*d*x+1/2*c)^{2*b+a} \cdot \tanh(1/2*d*x+1/2*c)^3 - 13/4/d*b^2/(a+b)^3 / (\tanh(1/2*d*x+1/2*c)^{4*a+2} \cdot \tanh(1/2*d*x+1/2*c)^{2*b+a} \\ & + 15/8/d*b^5/(a+b)^3/a^3/(b*(a+b))^{1/2} / ((2*(b*(a+b))^{1/2} + a+2*b)*a)^{1/2} \cdot \arctan(a*\tanh(1/2*d*x+1/2*c) / ((2*(b*(a+b))^{1/2} + a+2*b)*a)^{1/2}) \\ & - 1/2/d/a^3*\tanh(1/2*d*x+1/2*c) - 1/2/d/a^3/\tanh(1/2*d*x+1/2*c) - 11/2/d*b^3/(a+b)^3 / (\tanh(1/2*d*x+1/2*c)^{4*a+2} \cdot \tanh(1/2*d*x+1/2*c)^{2*b+a})^2 \\ & / a*\tanh(1/2*d*x+1/2*c)^7 - 55/2/d*b^3/(a+b)^3 / (\tanh(1/2*d*x+1/2*c)^{4*a+2} \cdot \tanh(1/2*d*x+1/2*c)^{2*b+a})^2 \\ & / a*\tanh(1/2*d*x+1/2*c)^5 - 99/4/d*b^4/(a+b)^3 / (\tanh(1/2*d*x+1/2*c)^{4*a+2} \cdot \tanh(1/2*d*x+1/2*c)^{2*b+a})^2 \\ & / a^2*\tanh(1/2*d*x+1/2*c)^5 - 55/2/d*b^3/(a+b)^3 / (\tanh(1/2*d*x+1/2*c)^{4*a+2} \cdot \tanh(1/2*d*x+1/2*c)^{2*b+a})^2 \\ & / a*\tanh(1/2*d*x+1/2*c)^3 - 99/4/d*b^4/(a+b)^3 / (\tanh(1/2*d*x+1/2*c)^{4*a+2} \cdot \tanh(1/2*d*x+1/2*c)^{2*b+a})^2 \\ & / a^2*\tanh(1/2*d*x+1/2*c)^3 - 11/2/d*b^3/(a+b)^3 / (\tanh(1/2*d*x+1/2*c)^{4*a+2} \cdot \tanh(1/2*d*x+1/2*c)^{2*b+a})^2 \\ & / a*\tanh(1/2*d*x+1/2*c) - 13/4/d*b^2/(a+b)^3 / (\tanh(1/2*d*x+1/2*c)^{4*a+2} \cdot \tanh(1/2*d*x+1/2*c)^{2*b+a})^2 \\ & \cdot \tanh(1/2*d*x+1/2*c)^7 - 9/4/d*b^4/(a+b)^3/a^2 / (\tanh(1/2*d*x+1/2*c)^{4*a+2} \cdot \tanh(1/2*d*x+1/2*c)^{2*b+a})^2 \\ & \cdot \tanh(1/2*d*x+1/2*c) - 7/d*b^5/(a+b)^3/a^3 / (\tanh(1/2*d*x+1/2*c)^{4*a+2} \cdot \tanh(1/2*d*x+1/2*c)^{2*b+a})^2 \\ & \cdot \tanh(1/2*d*x+1/2*c)^5 \end{aligned}$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [B]** time = 3.82515, size = 27774, normalized size = 156.03

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

```
[Out] [1/16*(16*(a^5 + 2*a^4*b + a^3*b^2)*d*x*cosh(d*x + c)^10 + 160*(a^5 + 2*a^4
*b + a^3*b^2)*d*x*cosh(d*x + c)*sinh(d*x + c)^9 + 16*(a^5 + 2*a^4*b + a^3*b
^2)*d*x*sinh(d*x + c)^10 - 4*(8*a^5 + 40*a^4*b + 67*a^3*b^2 + 77*a^2*b^3 +
57*a*b^4 + 15*b^5 - 4*(3*a^5 - 2*a^4*b - 5*a^3*b^2)*d*x)*cosh(d*x + c)^8 -
4*(8*a^5 + 40*a^4*b + 67*a^3*b^2 + 77*a^2*b^3 + 57*a*b^4 + 15*b^5 - 180*(a^
5 + 2*a^4*b + a^3*b^2)*d*x*cosh(d*x + c)^2 - 4*(3*a^5 - 2*a^4*b - 5*a^3*b^2
)*d*x)*sinh(d*x + c)^8 + 32*(60*(a^5 + 2*a^4*b + a^3*b^2)*d*x*cosh(d*x + c)
^3 - (8*a^5 + 40*a^4*b + 67*a^3*b^2 + 77*a^2*b^3 + 57*a*b^4 + 15*b^5 - 4*(3
*a^5 - 2*a^4*b - 5*a^3*b^2)*d*x)*cosh(d*x + c))*sinh(d*x + c)^7 - 8*(16*a^5
+ 48*a^4*b + 19*a^3*b^2 - 28*a^2*b^3 - 69*a*b^4 - 30*b^5 - 4*(a^5 - 2*a^4*
b + 5*a^3*b^2)*d*x)*cosh(d*x + c)^6 + 8*(420*(a^5 + 2*a^4*b + a^3*b^2)*d*x*
cosh(d*x + c)^4 - 16*a^5 - 48*a^4*b - 19*a^3*b^2 + 28*a^2*b^3 + 69*a*b^4 +
30*b^5 + 4*(a^5 - 2*a^4*b + 5*a^3*b^2)*d*x - 14*(8*a^5 + 40*a^4*b + 67*a^3*
b^2 + 77*a^2*b^3 + 57*a*b^4 + 15*b^5 - 4*(3*a^5 - 2*a^4*b - 5*a^3*b^2)*d*x)
*cosh(d*x + c)^2)*sinh(d*x + c)^6 + 16*(252*(a^5 + 2*a^4*b + a^3*b^2)*d*x*c
osh(d*x + c)^5 - 14*(8*a^5 + 40*a^4*b + 67*a^3*b^2 + 77*a^2*b^3 + 57*a*b^4
+ 15*b^5 - 4*(3*a^5 - 2*a^4*b - 5*a^3*b^2)*d*x)*cosh(d*x + c)^3 - 3*(16*a^5
+ 48*a^4*b + 19*a^3*b^2 - 28*a^2*b^3 - 69*a*b^4 - 30*b^5 - 4*(a^5 - 2*a^4*
b + 5*a^3*b^2)*d*x)*cosh(d*x + c))*sinh(d*x + c)^5 - 32*a^5 - 160*a^4*b - 3
72*a^3*b^2 - 452*a^2*b^3 - 268*a*b^4 - 60*b^5 - 8*(24*a^5 + 56*a^4*b + 48*a
^3*b^2 + 33*a^2*b^3 + 86*a*b^4 + 45*b^5 + 4*(a^5 - 2*a^4*b + 5*a^3*b^2)*d*x)
*cosh(d*x + c)^4 + 8*(420*(a^5 + 2*a^4*b + a^3*b^2)*d*x*cosh(d*x + c)^6 -
24*a^5 - 56*a^4*b - 48*a^3*b^2 - 33*a^2*b^3 - 86*a*b^4 - 45*b^5 - 35*(8*a^5
+ 40*a^4*b + 67*a^3*b^2 + 77*a^2*b^3 + 57*a*b^4 + 15*b^5 - 4*(3*a^5 - 2*a^
4*b - 5*a^3*b^2)*d*x)*cosh(d*x + c)^4 - 4*(a^5 - 2*a^4*b + 5*a^3*b^2)*d*x -
15*(16*a^5 + 48*a^4*b + 19*a^3*b^2 - 28*a^2*b^3 - 69*a*b^4 - 30*b^5 - 4*(a
^5 - 2*a^4*b + 5*a^3*b^2)*d*x)*cosh(d*x + c)^2)*sinh(d*x + c)^4 + 32*(60*(a
^5 + 2*a^4*b + a^3*b^2)*d*x*cosh(d*x + c)^7 - 7*(8*a^5 + 40*a^4*b + 67*a^3*
b^2 + 77*a^2*b^3 + 57*a*b^4 + 15*b^5 - 4*(3*a^5 - 2*a^4*b - 5*a^3*b^2)*d*x)
*cosh(d*x + c)^5 - 5*(16*a^5 + 48*a^4*b + 19*a^3*b^2 - 28*a^2*b^3 - 69*a*b^
4 - 30*b^5 - 4*(a^5 - 2*a^4*b + 5*a^3*b^2)*d*x)*cosh(d*x + c)^3 - (24*a^5 +
56*a^4*b + 48*a^3*b^2 + 33*a^2*b^3 + 86*a*b^4 + 45*b^5 + 4*(a^5 - 2*a^4*b
+ 5*a^3*b^2)*d*x)*cosh(d*x + c))*sinh(d*x + c)^3 - 16*(a^5 + 2*a^4*b + a^3*
b^2)*d*x - 8*(16*a^5 + 48*a^4*b + 45*a^3*b^2 - 36*a^2*b^3 - 79*a*b^4 - 30*b
^5 + 2*(3*a^5 - 2*a^4*b - 5*a^3*b^2)*d*x)*cosh(d*x + c)^2 + 8*(90*(a^5 + 2*
a^4*b + a^3*b^2)*d*x*cosh(d*x + c)^8 - 14*(8*a^5 + 40*a^4*b + 67*a^3*b^2 +
77*a^2*b^3 + 57*a*b^4 + 15*b^5 - 4*(3*a^5 - 2*a^4*b - 5*a^3*b^2)*d*x)*cosh(
d*x + c)^6 - 16*a^5 - 48*a^4*b - 45*a^3*b^2 + 36*a^2*b^3 + 79*a*b^4 + 30*b^
5 - 15*(16*a^5 + 48*a^4*b + 19*a^3*b^2 - 28*a^2*b^3 - 69*a*b^4 - 30*b^5 - 4
*(a^5 - 2*a^4*b + 5*a^3*b^2)*d*x)*cosh(d*x + c)^4 - 2*(3*a^5 - 2*a^4*b - 5*
a^3*b^2)*d*x - 6*(24*a^5 + 56*a^4*b + 48*a^3*b^2 + 33*a^2*b^3 + 86*a*b^4 +
45*b^5 + 4*(a^5 - 2*a^4*b + 5*a^3*b^2)*d*x)*cosh(d*x + c)^2)*sinh(d*x + c)^
2 + ((35*a^4*b + 112*a^3*b^2 + 134*a^2*b^3 + 72*a*b^4 + 15*b^5)*cosh(d*x +
c)^10 + 10*(35*a^4*b + 112*a^3*b^2 + 134*a^2*b^3 + 72*a*b^4 + 15*b^5)*cosh(
d*x + c)*sinh(d*x + c)^9 + (35*a^4*b + 112*a^3*b^2 + 134*a^2*b^3 + 72*a*b^4
```





$$\begin{aligned}
& \text{osh}(d*x + c)^3 + (a - b)*\text{cosh}(d*x + c)*\sinh(d*x + c) + a + b)) + 16*(10*(a \\
& ^5 + 2*a^4*b + a^3*b^2)*d*x*\text{cosh}(d*x + c)^9 - 2*(8*a^5 + 40*a^4*b + 67*a^3* \\
& b^2 + 77*a^2*b^3 + 57*a*b^4 + 15*b^5 - 4*(3*a^5 - 2*a^4*b - 5*a^3*b^2)*d*x) \\
& *\text{cosh}(d*x + c)^7 - 3*(16*a^5 + 48*a^4*b + 19*a^3*b^2 - 28*a^2*b^3 - 69*a*b^4 \\
& - 30*b^5 - 4*(a^5 - 2*a^4*b + 5*a^3*b^2)*d*x)*\text{cosh}(d*x + c)^5 - 2*(24*a^5 \\
& + 56*a^4*b + 48*a^3*b^2 + 33*a^2*b^3 + 86*a*b^4 + 45*b^5 + 4*(a^5 - 2*a^4* \\
& b + 5*a^3*b^2)*d*x)*\text{cosh}(d*x + c)^3 - (16*a^5 + 48*a^4*b + 45*a^3*b^2 - 36* \\
& a^2*b^3 - 79*a*b^4 - 30*b^5 + 2*(3*a^5 - 2*a^4*b - 5*a^3*b^2)*d*x)*\text{cosh}(d*x \\
& + c))*\sinh(d*x + c))/((a^8 + 5*a^7*b + 10*a^6*b^2 + 10*a^5*b^3 + 5*a^4*b^4 \\
& + a^3*b^5)*d*\text{cosh}(d*x + c)^10 + 10*(a^8 + 5*a^7*b + 10*a^6*b^2 + 10*a^5*b^ \\
& 3 + 5*a^4*b^4 + a^3*b^5)*d*\text{cosh}(d*x + c)*\sinh(d*x + c)^9 + (a^8 + 5*a^7*b + \\
& 10*a^6*b^2 + 10*a^5*b^3 + 5*a^4*b^4 + a^3*b^5)*d*\sinh(d*x + c)^10 + (3*a^8 \\
& + 7*a^7*b - 2*a^6*b^2 - 18*a^5*b^3 - 17*a^4*b^4 - 5*a^3*b^5)*d*\text{cosh}(d*x + \\
& c)^8 + (45*(a^8 + 5*a^7*b + 10*a^6*b^2 + 10*a^5*b^3 + 5*a^4*b^4 + a^3*b^5)* \\
& d*\text{cosh}(d*x + c)^2 + (3*a^8 + 7*a^7*b - 2*a^6*b^2 - 18*a^5*b^3 - 17*a^4*b^4 \\
& - 5*a^3*b^5)*d)*\sinh(d*x + c)^8 + 2*(a^8 + a^7*b + 2*a^6*b^2 + 10*a^5*b^3 + \\
& 13*a^4*b^4 + 5*a^3*b^5)*d*\text{cosh}(d*x + c)^6 + 8*(15*(a^8 + 5*a^7*b + 10*a^6* \\
& b^2 + 10*a^5*b^3 + 5*a^4*b^4 + a^3*b^5)*d*\text{cosh}(d*x + c)^3 + (3*a^8 + 7*a^7* \\
& b - 2*a^6*b^2 - 18*a^5*b^3 - 17*a^4*b^4 - 5*a^3*b^5)*d*\text{cosh}(d*x + c))*\sinh( \\
& d*x + c)^7 + 2*(105*(a^8 + 5*a^7*b + 10*a^6*b^2 + 10*a^5*b^3 + 5*a^4*b^4 + \\
& a^3*b^5)*d*\text{cosh}(d*x + c)^4 + 14*(3*a^8 + 7*a^7*b - 2*a^6*b^2 - 18*a^5*b^3 - \\
& 17*a^4*b^4 - 5*a^3*b^5)*d*\text{cosh}(d*x + c)^2 + (a^8 + a^7*b + 2*a^6*b^2 + 10* \\
& a^5*b^3 + 13*a^4*b^4 + 5*a^3*b^5)*d)*\sinh(d*x + c)^6 - 2*(a^8 + a^7*b + 2*a \\
& ^6*b^2 + 10*a^5*b^3 + 13*a^4*b^4 + 5*a^3*b^5)*d*\text{cosh}(d*x + c)^4 + 4*(63*(a^ \\
& 8 + 5*a^7*b + 10*a^6*b^2 + 10*a^5*b^3 + 5*a^4*b^4 + a^3*b^5)*d*\text{cosh}(d*x + c \\
& )^5 + 14*(3*a^8 + 7*a^7*b - 2*a^6*b^2 - 18*a^5*b^3 - 17*a^4*b^4 - 5*a^3*b^5 \\
& )*d*\text{cosh}(d*x + c)^3 + 3*(a^8 + a^7*b + 2*a^6*b^2 + 10*a^5*b^3 + 13*a^4*b^4 \\
& + 5*a^3*b^5)*d*\text{cosh}(d*x + c))*\sinh(d*x + c)^5 + 2*(105*(a^8 + 5*a^7*b + 10* \\
& a^6*b^2 + 10*a^5*b^3 + 5*a^4*b^4 + a^3*b^5)*d*\text{cosh}(d*x + c)^6 + 35*(3*a^8 + \\
& 7*a^7*b - 2*a^6*b^2 - 18*a^5*b^3 - 17*a^4*b^4 - 5*a^3*b^5)*d*\text{cosh}(d*x + c) \\
& ^4 + 15*(a^8 + a^7*b + 2*a^6*b^2 + 10*a^5*b^3 + 13*a^4*b^4 + 5*a^3*b^5)*d*c \\
& \text{osh}(d*x + c)^2 - (a^8 + a^7*b + 2*a^6*b^2 + 10*a^5*b^3 + 13*a^4*b^4 + 5*a^3 \\
& *b^5)*d)*\sinh(d*x + c)^4 - (3*a^8 + 7*a^7*b - 2*a^6*b^2 - 18*a^5*b^3 - 17*a \\
& ^4*b^4 - 5*a^3*b^5)*d*\text{cosh}(d*x + c)^2 + 8*(15*(a^8 + 5*a^7*b + 10*a^6*b^2 + \\
& 10*a^5*b^3 + 5*a^4*b^4 + a^3*b^5)*d*\text{cosh}(d*x + c)^7 + 7*(3*a^8 + 7*a^7*b - \\
& 2*a^6*b^2 - 18*a^5*b^3 - 17*a^4*b^4 - 5*a^3*b^5)*d*\text{cosh}(d*x + c)^5 + 5*(a^ \\
& 8 + a^7*b + 2*a^6*b^2 + 10*a^5*b^3 + 13*a^4*b^4 + 5*a^3*b^5)*d*\text{cosh}(d*x + c \\
& )^3 - (a^8 + a^7*b + 2*a^6*b^2 + 10*a^5*b^3 + 13*a^4*b^4 + 5*a^3*b^5)*d*\text{cos} \\
& h(d*x + c))*\sinh(d*x + c)^3 + (45*(a^8 + 5*a^7*b + 10*a^6*b^2 + 10*a^5*b^3 \\
& + 5*a^4*b^4 + a^3*b^5)*d*\text{cosh}(d*x + c)^8 + 28*(3*a^8 + 7*a^7*b - 2*a^6*b^2 \\
& - 18*a^5*b^3 - 17*a^4*b^4 - 5*a^3*b^5)*d*\text{cosh}(d*x + c)^6 + 30*(a^8 + a^7*b \\
& + 2*a^6*b^2 + 10*a^5*b^3 + 13*a^4*b^4 + 5*a^3*b^5)*d*\text{cosh}(d*x + c)^4 - 12*( \\
& a^8 + a^7*b + 2*a^6*b^2 + 10*a^5*b^3 + 13*a^4*b^4 + 5*a^3*b^5)*d*\text{cosh}(d*x + \\
& c)^2 - (3*a^8 + 7*a^7*b - 2*a^6*b^2 - 18*a^5*b^3 - 17*a^4*b^4 - 5*a^3*b^5) \\
& *d)*\sinh(d*x + c)^2 - (a^8 + 5*a^7*b + 10*a^6*b^2 + 10*a^5*b^3 + 5*a^4*b^4
\end{aligned}$$

$$\begin{aligned}
& + a^3 b^5) * d + 2 * (5 * (a^8 + 5 * a^7 * b + 10 * a^6 * b^2 + 10 * a^5 * b^3 + 5 * a^4 * b^4 + \\
& a^3 * b^5) * d * \cosh(d * x + c)^9 + 4 * (3 * a^8 + 7 * a^7 * b - 2 * a^6 * b^2 - 18 * a^5 * b^3 - \\
& 17 * a^4 * b^4 - 5 * a^3 * b^5) * d * \cosh(d * x + c)^7 + 6 * (a^8 + a^7 * b + 2 * a^6 * b^2 + 10 \\
& * a^5 * b^3 + 13 * a^4 * b^4 + 5 * a^3 * b^5) * d * \cosh(d * x + c)^5 - 4 * (a^8 + a^7 * b + 2 * a^6 \\
& * b^2 + 10 * a^5 * b^3 + 13 * a^4 * b^4 + 5 * a^3 * b^5) * d * \cosh(d * x + c)^3 - (3 * a^8 + \\
& 7 * a^7 * b - 2 * a^6 * b^2 - 18 * a^5 * b^3 - 17 * a^4 * b^4 - 5 * a^3 * b^5) * d * \cosh(d * x + c) \\
& * \sinh(d * x + c)), 1/8 * (8 * (a^5 + 2 * a^4 * b + a^3 * b^2) * d * x * \cosh(d * x + c)^{10} + 80 \\
& * (a^5 + 2 * a^4 * b + a^3 * b^2) * d * x * \cosh(d * x + c) * \sinh(d * x + c)^9 + 8 * (a^5 + 2 * a^4 \\
& * b + a^3 * b^2) * d * x * \sinh(d * x + c)^{10} - 2 * (8 * a^5 + 40 * a^4 * b + 67 * a^3 * b^2 + 7 \\
& 7 * a^2 * b^3 + 57 * a * b^4 + 15 * b^5 - 4 * (3 * a^5 - 2 * a^4 * b - 5 * a^3 * b^2) * d * x) * \cosh(d \\
& * x + c)^8 - 2 * (8 * a^5 + 40 * a^4 * b + 67 * a^3 * b^2 + 77 * a^2 * b^3 + 57 * a * b^4 + 15 * b^5 \\
& - 180 * (a^5 + 2 * a^4 * b + a^3 * b^2) * d * x * \cosh(d * x + c)^2 - 4 * (3 * a^5 - 2 * a^4 * b \\
& - 5 * a^3 * b^2) * d * x) * \sinh(d * x + c)^8 + 16 * (60 * (a^5 + 2 * a^4 * b + a^3 * b^2) * d * x * c \\
& \cosh(d * x + c)^3 - (8 * a^5 + 40 * a^4 * b + 67 * a^3 * b^2 + 77 * a^2 * b^3 + 57 * a * b^4 + 1 \\
& 5 * b^5 - 4 * (3 * a^5 - 2 * a^4 * b - 5 * a^3 * b^2) * d * x) * \cosh(d * x + c)) * \sinh(d * x + c)^7 \\
& - 4 * (16 * a^5 + 48 * a^4 * b + 19 * a^3 * b^2 - 28 * a^2 * b^3 - 69 * a * b^4 - 30 * b^5 - 4 * ( \\
& a^5 - 2 * a^4 * b + 5 * a^3 * b^2) * d * x) * \cosh(d * x + c)^6 + 4 * (420 * (a^5 + 2 * a^4 * b + a \\
& ^3 * b^2) * d * x * \cosh(d * x + c)^4 - 16 * a^5 - 48 * a^4 * b - 19 * a^3 * b^2 + 28 * a^2 * b^3 + \\
& 69 * a * b^4 + 30 * b^5 + 4 * (a^5 - 2 * a^4 * b + 5 * a^3 * b^2) * d * x - 14 * (8 * a^5 + 40 * a^4 \\
& * b + 67 * a^3 * b^2 + 77 * a^2 * b^3 + 57 * a * b^4 + 15 * b^5 - 4 * (3 * a^5 - 2 * a^4 * b - 5 * a \\
& ^3 * b^2) * d * x) * \cosh(d * x + c)^2) * \sinh(d * x + c)^6 + 8 * (252 * (a^5 + 2 * a^4 * b + a^3 \\
& * b^2) * d * x * \cosh(d * x + c)^5 - 14 * (8 * a^5 + 40 * a^4 * b + 67 * a^3 * b^2 + 77 * a^2 * b^3 \\
& + 57 * a * b^4 + 15 * b^5 - 4 * (3 * a^5 - 2 * a^4 * b - 5 * a^3 * b^2) * d * x) * \cosh(d * x + c)^3 \\
& - 3 * (16 * a^5 + 48 * a^4 * b + 19 * a^3 * b^2 - 28 * a^2 * b^3 - 69 * a * b^4 - 30 * b^5 - 4 * (a \\
& ^5 - 2 * a^4 * b + 5 * a^3 * b^2) * d * x) * \cosh(d * x + c)) * \sinh(d * x + c)^5 - 16 * a^5 - 80 \\
& * a^4 * b - 186 * a^3 * b^2 - 226 * a^2 * b^3 - 134 * a * b^4 - 30 * b^5 - 4 * (24 * a^5 + 56 * a^4 \\
& * b + 48 * a^3 * b^2 + 33 * a^2 * b^3 + 86 * a * b^4 + 45 * b^5 + 4 * (a^5 - 2 * a^4 * b + 5 * a^3 \\
& * b^2) * d * x) * \cosh(d * x + c)^4 + 4 * (420 * (a^5 + 2 * a^4 * b + a^3 * b^2) * d * x * \cosh(d * x \\
& + c)^6 - 24 * a^5 - 56 * a^4 * b - 48 * a^3 * b^2 - 33 * a^2 * b^3 - 86 * a * b^4 - 45 * b^5 - \\
& 35 * (8 * a^5 + 40 * a^4 * b + 67 * a^3 * b^2 + 77 * a^2 * b^3 + 57 * a * b^4 + 15 * b^5 - 4 * (3 * \\
& a^5 - 2 * a^4 * b - 5 * a^3 * b^2) * d * x) * \cosh(d * x + c)^4 - 4 * (a^5 - 2 * a^4 * b + 5 * a^3 * \\
& b^2) * d * x - 15 * (16 * a^5 + 48 * a^4 * b + 19 * a^3 * b^2 - 28 * a^2 * b^3 - 69 * a * b^4 - 30 * \\
& b^5 - 4 * (a^5 - 2 * a^4 * b + 5 * a^3 * b^2) * d * x) * \cosh(d * x + c)^2) * \sinh(d * x + c)^4 + \\
& 16 * (60 * (a^5 + 2 * a^4 * b + a^3 * b^2) * d * x * \cosh(d * x + c)^7 - 7 * (8 * a^5 + 40 * a^4 * b \\
& + 67 * a^3 * b^2 + 77 * a^2 * b^3 + 57 * a * b^4 + 15 * b^5 - 4 * (3 * a^5 - 2 * a^4 * b - 5 * a^3 \\
& * b^2) * d * x) * \cosh(d * x + c)^5 - 5 * (16 * a^5 + 48 * a^4 * b + 19 * a^3 * b^2 - 28 * a^2 * b^3 \\
& - 69 * a * b^4 - 30 * b^5 - 4 * (a^5 - 2 * a^4 * b + 5 * a^3 * b^2) * d * x) * \cosh(d * x + c)^3 - \\
& (24 * a^5 + 56 * a^4 * b + 48 * a^3 * b^2 + 33 * a^2 * b^3 + 86 * a * b^4 + 45 * b^5 + 4 * (a^5 \\
& - 2 * a^4 * b + 5 * a^3 * b^2) * d * x) * \cosh(d * x + c)) * \sinh(d * x + c)^3 - 8 * (a^5 + 2 * a^4 \\
& * b + a^3 * b^2) * d * x - 4 * (16 * a^5 + 48 * a^4 * b + 45 * a^3 * b^2 - 36 * a^2 * b^3 - 79 * a * b \\
& ^4 - 30 * b^5 + 2 * (3 * a^5 - 2 * a^4 * b - 5 * a^3 * b^2) * d * x) * \cosh(d * x + c)^2 + 4 * (90 * \\
& (a^5 + 2 * a^4 * b + a^3 * b^2) * d * x * \cosh(d * x + c)^8 - 14 * (8 * a^5 + 40 * a^4 * b + 67 * a^3 \\
& * b^2 + 77 * a^2 * b^3 + 57 * a * b^4 + 15 * b^5 - 4 * (3 * a^5 - 2 * a^4 * b - 5 * a^3 * b^2) * d \\
& * x) * \cosh(d * x + c)^6 - 16 * a^5 - 48 * a^4 * b - 45 * a^3 * b^2 + 36 * a^2 * b^3 + 79 * a * b^4 \\
& + 30 * b^5 - 15 * (16 * a^5 + 48 * a^4 * b + 19 * a^3 * b^2 - 28 * a^2 * b^3 - 69 * a * b^4 - 3
\end{aligned}$$

$$\begin{aligned}
& 0*b^5 - 4*(a^5 - 2*a^4*b + 5*a^3*b^2)*d*x)*\cosh(d*x + c)^4 - 2*(3*a^5 - 2*a^4*b - 5*a^3*b^2)*d*x - 6*(24*a^5 + 56*a^4*b + 48*a^3*b^2 + 33*a^2*b^3 + 86*a*b^4 + 45*b^5 + 4*(a^5 - 2*a^4*b + 5*a^3*b^2)*d*x)*\cosh(d*x + c)^2*\sinh(d*x + c)^2 - ((35*a^4*b + 112*a^3*b^2 + 134*a^2*b^3 + 72*a*b^4 + 15*b^5)*\cosh(d*x + c)^10 + 10*(35*a^4*b + 112*a^3*b^2 + 134*a^2*b^3 + 72*a*b^4 + 15*b^5)*\cosh(d*x + c)*\sinh(d*x + c)^9 + (35*a^4*b + 112*a^3*b^2 + 134*a^2*b^3 + 72*a*b^4 + 15*b^5)*\sinh(d*x + c)^10 + (105*a^4*b + 56*a^3*b^2 - 214*a^2*b^3 - 240*a*b^4 - 75*b^5)*\cosh(d*x + c)^8 + (105*a^4*b + 56*a^3*b^2 - 214*a^2*b^3 - 240*a*b^4 - 75*b^5 + 45*(35*a^4*b + 112*a^3*b^2 + 134*a^2*b^3 + 72*a*b^4 + 15*b^5)*\cosh(d*x + c)^2)*\sinh(d*x + c)^8 + 8*(15*(35*a^4*b + 112*a^3*b^2 + 134*a^2*b^3 + 72*a*b^4 + 15*b^5)*\cosh(d*x + c)^3 + (105*a^4*b + 56*a^3*b^2 - 214*a^2*b^3 - 240*a*b^4 - 75*b^5)*\cosh(d*x + c))*\sinh(d*x + c)^7 + 2*(35*a^4*b - 28*a^3*b^2 + 106*a^2*b^3 + 180*a*b^4 + 75*b^5)*\cosh(d*x + c)^6 + 2*(35*a^4*b - 28*a^3*b^2 + 106*a^2*b^3 + 180*a*b^4 + 75*b^5 + 105*(35*a^4*b + 112*a^3*b^2 + 134*a^2*b^3 + 72*a*b^4 + 15*b^5)*\cosh(d*x + c)^4 + 14*(105*a^4*b + 56*a^3*b^2 - 214*a^2*b^3 - 240*a*b^4 - 75*b^5)*\cosh(d*x + c)^2)*\sinh(d*x + c)^6 + 4*(63*(35*a^4*b + 112*a^3*b^2 + 134*a^2*b^3 + 72*a*b^4 + 15*b^5)*\cosh(d*x + c)^5 + 14*(105*a^4*b + 56*a^3*b^2 - 214*a^2*b^3 - 240*a*b^4 - 75*b^5)*\cosh(d*x + c)^3 + 3*(35*a^4*b - 28*a^3*b^2 + 106*a^2*b^3 + 180*a*b^4 + 75*b^5)*\cosh(d*x + c))*\sinh(d*x + c)^5 - 35*a^4*b - 112*a^3*b^2 - 134*a^2*b^3 - 72*a*b^4 - 15*b^5 - 2*(35*a^4*b - 28*a^3*b^2 + 106*a^2*b^3 + 180*a*b^4 + 75*b^5)*\cosh(d*x + c)^4 + 2*(105*(35*a^4*b + 112*a^3*b^2 + 134*a^2*b^3 + 72*a*b^4 + 15*b^5)*\cosh(d*x + c)^6 - 35*a^4*b + 28*a^3*b^2 - 106*a^2*b^3 - 180*a*b^4 - 75*b^5 + 35*(105*a^4*b + 56*a^3*b^2 - 214*a^2*b^3 - 240*a*b^4 - 75*b^5)*\cosh(d*x + c)^4 + 15*(35*a^4*b - 28*a^3*b^2 + 106*a^2*b^3 + 180*a*b^4 + 75*b^5)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + 8*(15*(35*a^4*b + 112*a^3*b^2 + 134*a^2*b^3 + 72*a*b^4 + 15*b^5)*\cosh(d*x + c)^7 + 7*(105*a^4*b + 56*a^3*b^2 - 214*a^2*b^3 - 240*a*b^4 - 75*b^5)*\cosh(d*x + c)^5 + 5*(35*a^4*b - 28*a^3*b^2 + 106*a^2*b^3 + 180*a*b^4 + 75*b^5)*\cosh(d*x + c)^3 - (35*a^4*b - 28*a^3*b^2 + 106*a^2*b^3 + 180*a*b^4 + 75*b^5)*\cosh(d*x + c))*\sinh(d*x + c)^3 - (105*a^4*b + 56*a^3*b^2 - 214*a^2*b^3 - 240*a*b^4 - 75*b^5)*\cosh(d*x + c)^2 + (45*(35*a^4*b + 112*a^3*b^2 + 134*a^2*b^3 + 72*a*b^4 + 15*b^5)*\cosh(d*x + c)^8 + 28*(105*a^4*b + 56*a^3*b^2 - 214*a^2*b^3 - 240*a*b^4 - 75*b^5)*\cosh(d*x + c)^6 - 105*a^4*b - 56*a^3*b^2 + 214*a^2*b^3 + 240*a*b^4 + 75*b^5 + 30*(35*a^4*b - 28*a^3*b^2 + 106*a^2*b^3 + 180*a*b^4 + 75*b^5)*\cosh(d*x + c)^4 - 12*(35*a^4*b - 28*a^3*b^2 + 106*a^2*b^3 + 180*a*b^4 + 75*b^5)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 + 2*(5*(35*a^4*b + 112*a^3*b^2 + 134*a^2*b^3 + 72*a*b^4 + 15*b^5)*\cosh(d*x + c)^9 + 4*(105*a^4*b + 56*a^3*b^2 - 214*a^2*b^3 - 240*a*b^4 - 75*b^5)*\cosh(d*x + c)^7 + 6*(35*a^4*b - 28*a^3*b^2 + 106*a^2*b^3 + 180*a*b^4 + 75*b^5)*\cosh(d*x + c)^5 - 4*(35*a^4*b - 28*a^3*b^2 + 106*a^2*b^3 + 180*a*b^4 + 75*b^5)*\cosh(d*x + c)^3 - (105*a^4*b + 56*a^3*b^2 - 214*a^2*b^3 - 240*a*b^4 - 75*b^5)*\cosh(d*x + c))*\sinh(d*x + c))*\sqrt{b/a}*\arctan(1/2*((a + b)*\cosh(d*x + c)^2 + 2*(a + b)*\cosh(d*x + c)*\sinh(d*x + c) + (a + b)*\sinh(d*x + c)^2 + a - b)*\sqrt{b/a}/b) + 8*(10*(a^5 + 2*a^4*b + a^3*b^2)*d*x*\cosh(d*x + c)^9 - 2*(8*a^5 + 40*a^4*b + 67*a
\end{aligned}$$

$$\begin{aligned}
& ^3*b^2 + 77*a^2*b^3 + 57*a*b^4 + 15*b^5 - 4*(3*a^5 - 2*a^4*b - 5*a^3*b^2)*d \\
& *x)*\cosh(d*x + c)^7 - 3*(16*a^5 + 48*a^4*b + 19*a^3*b^2 - 28*a^2*b^3 - 69*a \\
& *b^4 - 30*b^5 - 4*(a^5 - 2*a^4*b + 5*a^3*b^2)*d*x)*\cosh(d*x + c)^5 - 2*(24* \\
& a^5 + 56*a^4*b + 48*a^3*b^2 + 33*a^2*b^3 + 86*a*b^4 + 45*b^5 + 4*(a^5 - 2*a \\
& ^4*b + 5*a^3*b^2)*d*x)*\cosh(d*x + c)^3 - (16*a^5 + 48*a^4*b + 45*a^3*b^2 - \\
& 36*a^2*b^3 - 79*a*b^4 - 30*b^5 + 2*(3*a^5 - 2*a^4*b - 5*a^3*b^2)*d*x)*\cosh( \\
& d*x + c))*\sinh(d*x + c))/((a^8 + 5*a^7*b + 10*a^6*b^2 + 10*a^5*b^3 + 5*a^4* \\
& b^4 + a^3*b^5)*d*\cosh(d*x + c)^10 + 10*(a^8 + 5*a^7*b + 10*a^6*b^2 + 10*a^5 \\
& *b^3 + 5*a^4*b^4 + a^3*b^5)*d*\cosh(d*x + c)*\sinh(d*x + c)^9 + (a^8 + 5*a^7* \\
& b + 10*a^6*b^2 + 10*a^5*b^3 + 5*a^4*b^4 + a^3*b^5)*d*\sinh(d*x + c)^10 + (3* \\
& a^8 + 7*a^7*b - 2*a^6*b^2 - 18*a^5*b^3 - 17*a^4*b^4 - 5*a^3*b^5)*d*\cosh(d*x \\
& + c)^8 + (45*(a^8 + 5*a^7*b + 10*a^6*b^2 + 10*a^5*b^3 + 5*a^4*b^4 + a^3*b^ \\
& 5)*d*\cosh(d*x + c)^2 + (3*a^8 + 7*a^7*b - 2*a^6*b^2 - 18*a^5*b^3 - 17*a^4*b \\
& ^4 - 5*a^3*b^5)*d)*\sinh(d*x + c)^8 + 2*(a^8 + a^7*b + 2*a^6*b^2 + 10*a^5*b^ \\
& 3 + 13*a^4*b^4 + 5*a^3*b^5)*d*\cosh(d*x + c)^6 + 8*(15*(a^8 + 5*a^7*b + 10*a \\
& ^6*b^2 + 10*a^5*b^3 + 5*a^4*b^4 + a^3*b^5)*d*\cosh(d*x + c)^3 + (3*a^8 + 7*a \\
& ^7*b - 2*a^6*b^2 - 18*a^5*b^3 - 17*a^4*b^4 - 5*a^3*b^5)*d*\cosh(d*x + c))*\si \\
& nh(d*x + c)^7 + 2*(105*(a^8 + 5*a^7*b + 10*a^6*b^2 + 10*a^5*b^3 + 5*a^4*b^4 \\
& + a^3*b^5)*d*\cosh(d*x + c)^4 + 14*(3*a^8 + 7*a^7*b - 2*a^6*b^2 - 18*a^5*b^ \\
& 3 - 17*a^4*b^4 - 5*a^3*b^5)*d*\cosh(d*x + c)^2 + (a^8 + a^7*b + 2*a^6*b^2 + \\
& 10*a^5*b^3 + 13*a^4*b^4 + 5*a^3*b^5)*d)*\sinh(d*x + c)^6 - 2*(a^8 + a^7*b + \\
& 2*a^6*b^2 + 10*a^5*b^3 + 13*a^4*b^4 + 5*a^3*b^5)*d*\cosh(d*x + c)^4 + 4*(63* \\
& (a^8 + 5*a^7*b + 10*a^6*b^2 + 10*a^5*b^3 + 5*a^4*b^4 + a^3*b^5)*d*\cosh(d*x \\
& + c)^5 + 14*(3*a^8 + 7*a^7*b - 2*a^6*b^2 - 18*a^5*b^3 - 17*a^4*b^4 - 5*a^3* \\
& b^5)*d*\cosh(d*x + c)^3 + 3*(a^8 + a^7*b + 2*a^6*b^2 + 10*a^5*b^3 + 13*a^4*b \\
& ^4 + 5*a^3*b^5)*d*\cosh(d*x + c))*\sinh(d*x + c)^5 + 2*(105*(a^8 + 5*a^7*b + \\
& 10*a^6*b^2 + 10*a^5*b^3 + 5*a^4*b^4 + a^3*b^5)*d*\cosh(d*x + c)^6 + 35*(3*a^ \\
& 8 + 7*a^7*b - 2*a^6*b^2 - 18*a^5*b^3 - 17*a^4*b^4 - 5*a^3*b^5)*d*\cosh(d*x + \\
& c)^4 + 15*(a^8 + a^7*b + 2*a^6*b^2 + 10*a^5*b^3 + 13*a^4*b^4 + 5*a^3*b^5)* \\
& d*\cosh(d*x + c)^2 - (a^8 + a^7*b + 2*a^6*b^2 + 10*a^5*b^3 + 13*a^4*b^4 + 5* \\
& a^3*b^5)*d)*\sinh(d*x + c)^4 - (3*a^8 + 7*a^7*b - 2*a^6*b^2 - 18*a^5*b^3 - 1 \\
& 7*a^4*b^4 - 5*a^3*b^5)*d*\cosh(d*x + c)^2 + 8*(15*(a^8 + 5*a^7*b + 10*a^6*b^ \\
& 2 + 10*a^5*b^3 + 5*a^4*b^4 + a^3*b^5)*d*\cosh(d*x + c)^7 + 7*(3*a^8 + 7*a^7* \\
& b - 2*a^6*b^2 - 18*a^5*b^3 - 17*a^4*b^4 - 5*a^3*b^5)*d*\cosh(d*x + c)^5 + 5* \\
& (a^8 + a^7*b + 2*a^6*b^2 + 10*a^5*b^3 + 13*a^4*b^4 + 5*a^3*b^5)*d*\cosh(d*x \\
& + c)^3 - (a^8 + a^7*b + 2*a^6*b^2 + 10*a^5*b^3 + 13*a^4*b^4 + 5*a^3*b^5)*d* \\
& \cosh(d*x + c))*\sinh(d*x + c)^3 + (45*(a^8 + 5*a^7*b + 10*a^6*b^2 + 10*a^5*b \\
& ^3 + 5*a^4*b^4 + a^3*b^5)*d*\cosh(d*x + c)^8 + 28*(3*a^8 + 7*a^7*b - 2*a^6*b \\
& ^2 - 18*a^5*b^3 - 17*a^4*b^4 - 5*a^3*b^5)*d*\cosh(d*x + c)^6 + 30*(a^8 + a^7 \\
& *b + 2*a^6*b^2 + 10*a^5*b^3 + 13*a^4*b^4 + 5*a^3*b^5)*d*\cosh(d*x + c)^4 - 1 \\
& 2*(a^8 + a^7*b + 2*a^6*b^2 + 10*a^5*b^3 + 13*a^4*b^4 + 5*a^3*b^5)*d*\cosh(d* \\
& x + c)^2 - (3*a^8 + 7*a^7*b - 2*a^6*b^2 - 18*a^5*b^3 - 17*a^4*b^4 - 5*a^3*b \\
& ^5)*d)*\sinh(d*x + c)^2 - (a^8 + 5*a^7*b + 10*a^6*b^2 + 10*a^5*b^3 + 5*a^4*b \\
& ^4 + a^3*b^5)*d + 2*(5*(a^8 + 5*a^7*b + 10*a^6*b^2 + 10*a^5*b^3 + 5*a^4*b^4 \\
& + a^3*b^5)*d*\cosh(d*x + c)^9 + 4*(3*a^8 + 7*a^7*b - 2*a^6*b^2 - 18*a^5*b^3
\end{aligned}$$

- 17\*a^4\*b^4 - 5\*a^3\*b^5)\*d\*cosh(d\*x + c)^7 + 6\*(a^8 + a^7\*b + 2\*a^6\*b^2 + 10\*a^5\*b^3 + 13\*a^4\*b^4 + 5\*a^3\*b^5)\*d\*cosh(d\*x + c)^5 - 4\*(a^8 + a^7\*b + 2\*a^6\*b^2 + 10\*a^5\*b^3 + 13\*a^4\*b^4 + 5\*a^3\*b^5)\*d\*cosh(d\*x + c)^3 - (3\*a^8 + 7\*a^7\*b - 2\*a^6\*b^2 - 18\*a^5\*b^3 - 17\*a^4\*b^4 - 5\*a^3\*b^5)\*d\*cosh(d\*x + c))\*sinh(d\*x + c))]

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\coth^2(c + dx)}{(a + b \tanh^2(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)\*\*2/(a+b\*tanh(d\*x+c)\*\*2)\*\*3,x)

[Out] Integral(coth(c + d\*x)\*\*2/(a + b\*tanh(c + d\*x)\*\*2)\*\*3, x)

**Giac [B]** time = 1.33385, size = 609, normalized size = 3.42

$$\frac{(35a^2b^2 + 42ab^3 + 15b^4) \arctan\left(\frac{ae^{(2dx+2c)} + be^{(2dx+2c)} + a - b}{2\sqrt{ab}}\right)}{8(a^6d + 3a^5bd + 3a^4b^2d + a^3b^3d)\sqrt{ab}} + \frac{dx + c}{a^3d + 3a^2bd + 3ab^2d + b^3d} + \frac{13a^3b^2e^{(6dx+6c)} + 3a^2b^3e^{(6dx+6c)}}{8(a^6d + 3a^5bd + 3a^4b^2d + a^3b^3d)\sqrt{ab}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out] -1/8\*(35\*a^2\*b^2 + 42\*a\*b^3 + 15\*b^4)\*arctan(1/2\*(a\*e^(2\*d\*x + 2\*c) + b\*e^(2\*d\*x + 2\*c) + a - b)/sqrt(a\*b))/((a^6\*d + 3\*a^5\*b\*d + 3\*a^4\*b^2\*d + a^3\*b^3\*d)\*sqrt(a\*b)) + (d\*x + c)/(a^3\*d + 3\*a^2\*b\*d + 3\*a\*b^2\*d + b^3\*d) + 1/4\*(13\*a^3\*b^2\*e^(6\*d\*x + 6\*c) + 3\*a^2\*b^3\*e^(6\*d\*x + 6\*c) - 17\*a\*b^4\*e^(6\*d\*x + 6\*c) - 7\*b^5\*e^(6\*d\*x + 6\*c) + 39\*a^3\*b^2\*e^(4\*d\*x + 4\*c) - 5\*a^2\*b^3\*e^(4\*d\*x + 4\*c) + 25\*a\*b^4\*e^(4\*d\*x + 4\*c) + 21\*b^5\*e^(4\*d\*x + 4\*c) + 39\*a^3\*b^2\*e^(2\*d\*x + 2\*c) + 25\*a^2\*b^3\*e^(2\*d\*x + 2\*c) - 35\*a\*b^4\*e^(2\*d\*x + 2\*c) - 21\*b^5\*e^(2\*d\*x + 2\*c) + 13\*a^3\*b^2 + 33\*a^2\*b^3 + 27\*a\*b^4 + 7\*b^5)/((a^6\*d + 3\*a^5\*b\*d + 3\*a^4\*b^2\*d + a^3\*b^3\*d)\*(a\*e^(4\*d\*x + 4\*c) + b\*e^(4\*d\*x + 4\*c) + 2\*a\*e^(2\*d\*x + 2\*c) - 2\*b\*e^(2\*d\*x + 2\*c) + a + b)^2) - 2/(a^3\*d\*(e^(2\*d\*x + 2\*c) - 1))

$$3.199 \quad \int \frac{\coth^3(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$$

**Optimal.** Leaf size=171

$$-\frac{b^2(3a+2b)}{2a^3d(a+b)^2(a+b \tanh^2(c+dx))} - \frac{b^2}{4a^2d(a+b)(a+b \tanh^2(c+dx))^2} + \frac{b^2(6a^2+8ab+3b^2) \log(a+b \tanh^2(c+dx))}{2a^4d(a+b)^3}$$

[Out]  $-\text{Coth}[c + d*x]^2/(2*a^3*d) + \text{Log}[\text{Cosh}[c + d*x]]/((a + b)^3*d) + ((a - 3*b)*\text{Log}[\text{Tanh}[c + d*x]])/(a^4*d) + (b^2*(6*a^2 + 8*a*b + 3*b^2)*\text{Log}[a + b*\text{Tanh}[c + d*x]^2])/(2*a^4*(a + b)^3*d) - b^2/(4*a^2*(a + b)*d*(a + b*\text{Tanh}[c + d*x]^2)^2) - (b^2*(3*a + 2*b))/(2*a^3*(a + b)^2*d*(a + b*\text{Tanh}[c + d*x]^2))$

**Rubi [A]** time = 0.261835, antiderivative size = 171, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$ , Rules used = {3670, 446, 88}

$$-\frac{b^2(3a+2b)}{2a^3d(a+b)^2(a+b \tanh^2(c+dx))} - \frac{b^2}{4a^2d(a+b)(a+b \tanh^2(c+dx))^2} + \frac{b^2(6a^2+8ab+3b^2) \log(a+b \tanh^2(c+dx))}{2a^4d(a+b)^3}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Coth}[c + d*x]^3/(a + b*\text{Tanh}[c + d*x]^2)^3, x]$

[Out]  $-\text{Coth}[c + d*x]^2/(2*a^3*d) + \text{Log}[\text{Cosh}[c + d*x]]/((a + b)^3*d) + ((a - 3*b)*\text{Log}[\text{Tanh}[c + d*x]])/(a^4*d) + (b^2*(6*a^2 + 8*a*b + 3*b^2)*\text{Log}[a + b*\text{Tanh}[c + d*x]^2])/(2*a^4*(a + b)^3*d) - b^2/(4*a^2*(a + b)*d*(a + b*\text{Tanh}[c + d*x]^2)^2) - (b^2*(3*a + 2*b))/(2*a^3*(a + b)^2*d*(a + b*\text{Tanh}[c + d*x]^2))$

### Rule 3670

$\text{Int}[\frac{(d_*)*\tan[(e_*) + (f_*)*(x_*)]}{(a_*) + (b_*)*((c_*)*\tan[(e_*) + (f_*)*(x_*)])^n}]^m, x\_Symbol] \rightarrow \text{With}[\{ff = \text{FreeFactors}[\text{Tan}[e + f*x], x]\}, \text{Dist}[(c*ff)/f, \text{Subst}[\text{Int}[\frac{((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p}{(c^2 + f^2*x^2)}, x], x, (c*\text{Tan}[e + f*x])/ff], x]] /; \text{FreeQ}[\{a, b, c, d, e, f, m, n, p\}, x] \&\& (\text{IGtQ}[p, 0] \parallel \text{EqQ}[n, 2] \parallel \text{EqQ}[n, 4] \parallel (\text{IntegerQ}[p] \&\& \text{RationalQ}[n]))$

### Rule 446

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_
), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p
*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[
b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 88

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x
_))^(p_), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n*(e + f*
x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && IntegersQ[m, n] && (Inte
gerQ[p] || (GtQ[m, 0] && GeQ[n, -1]))
```

### Rubi steps

$$\begin{aligned} \int \frac{\coth^3(c+dx)}{(a+b \tanh^2(c+dx))^3} dx &= \frac{\text{Subst}\left(\int \frac{1}{x^3(1-x^2)(a+bx^2)^3} dx, x, \tanh(c+dx)\right)}{d} \\ &= \frac{\text{Subst}\left(\int \frac{1}{(1-x)x^2(a+bx)^3} dx, x, \tanh^2(c+dx)\right)}{2d} \\ &= \frac{\text{Subst}\left(\int \left(-\frac{1}{(a+b)^3(-1+x)} + \frac{1}{a^3x^2} + \frac{a-3b}{a^4x} + \frac{b^3}{a^2(a+b)(a+bx)^3} + \frac{b^3(3a+2b)}{a^3(a+b)^2(a+bx)^2} + \frac{b^3(6a^2+8ab+3b^2)}{a^4(a+b)^3(a+bx)}\right) dx, x, \tanh^2(c+dx)\right)}{2d} \\ &= -\frac{\coth^2(c+dx)}{2a^3d} + \frac{\log(\cosh(c+dx))}{(a+b)^3d} + \frac{(a-3b)\log(\tanh(c+dx))}{a^4d} + \frac{b^2(6a^2+8ab+3b^2)}{a^4d} \end{aligned}$$

**Mathematica [A]** time = 1.71898, size = 138, normalized size = 0.81

$$\frac{\frac{b^4}{2a^4(a+b)(a \coth^2(c+dx)+b)^2} - \frac{b^3(4a+3b)}{a^4(a+b)^2(a \coth^2(c+dx)+b)} - \frac{b^2(6a^2+8ab+3b^2)\log(a \coth^2(c+dx)+b)}{a^4(a+b)^3} + \frac{\coth^2(c+dx)}{a^3} - \frac{2\log(\sinh(c+dx))}{(a+b)^3}}{2d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Coth[c + d*x]^3/(a + b*Tanh[c + d*x]^2)^3,x]
```

```
[Out] -(Coth[c + d*x]^2/a^3 + b^4/(2*a^4*(a + b)*(b + a*Coth[c + d*x]^2)^2) - (b^
3*(4*a + 3*b))/(a^4*(a + b)^2*(b + a*Coth[c + d*x]^2)) - (b^2*(6*a^2 + 8*a*
b + 3*b^2)*Log[b + a*Coth[c + d*x]^2])/(a^4*(a + b)^3) - (2*Log[Sinh[c + d*
```

x]])/(a + b)^3)/(2\*d)

**Maple [B]** time = 0.128, size = 1020, normalized size = 6.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2)^3,x)

[Out] 
$$-1/8/d*\tanh(1/2*d*x+1/2*c)^2/a^3-1/d/(a+b)^3*\ln(\tanh(1/2*d*x+1/2*c)+1)+8/d*b^3/(a+b)^3/a/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^6+14/d*b^4/(a+b)^3/a^2/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^6+6/d*b^5/a^3/(a+b)^3/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^6+16/d*b^3/(a+b)^3/a/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^4+56/d*b^4/(a+b)^3/a^2/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^4+60/d*b^5/(a+b)^3/a^3/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^4+20/d*b^6/a^4/(a+b)^3/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^4+8/d*b^3/(a+b)^3/a/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^2+14/d*b^4/(a+b)^3/a^2/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^2+6/d*b^5/a^3/(a+b)^3/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^2+3/d*b^2/(a+b)^3/a^2*\ln(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)+4/d*b^3/(a+b)^3/a^3*\ln(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)+3/2/d*b^4/a^4/(a+b)^3*\ln(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)-1/8/d/a^3/\tanh(1/2*d*x+1/2*c)^2+1/d/a^3*\ln(\tanh(1/2*d*x+1/2*c))-3/d/a^4*\ln(\tanh(1/2*d*x+1/2*c))*b-1/d/(a+b)^3*\ln(\tanh(1/2*d*x+1/2*c))-1)$$

**Maxima [B]** time = 1.40136, size = 1040, normalized size = 6.08

result too large to display

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate(coth(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="maxima")

[Out]  $\frac{1}{2}*(6*a^2*b^2 + 8*a*b^3 + 3*b^4)*\log(2*(a - b)*e^{(-2*d*x - 2*c)} + (a + b)*e^{(-4*d*x - 4*c)} + a + b)/((a^7 + 3*a^6*b + 3*a^5*b^2 + a^4*b^3)*d) + (d*x + c)/((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d) - 2*((a^5 + 5*a^4*b + 10*a^3*b^2 + 14*a^2*b^3 + 11*a*b^4 + 3*b^5)*e^{(-2*d*x - 2*c)} + 2*(2*a^5 + 6*a^4*b + 4*a^3*b^2 - 4*a^2*b^3 - 13*a*b^4 - 6*b^5)*e^{(-4*d*x - 4*c)} + 2*(3*a^5 + 7*a^4*b + 6*a^3*b^2 + 2*a^2*b^3 + 15*a*b^4 + 9*b^5)*e^{(-6*d*x - 6*c)} + 2*(2*a^5 + 6*a^4*b + 4*a^3*b^2 - 4*a^2*b^3 - 13*a*b^4 - 6*b^5)*e^{(-8*d*x - 8*c)} + (a^5 + 5*a^4*b + 10*a^3*b^2 + 14*a^2*b^3 + 11*a*b^4 + 3*b^5)*e^{(-10*d*x - 10*c)})/((a^8 + 5*a^7*b + 10*a^6*b^2 + 10*a^5*b^3 + 5*a^4*b^4 + a^3*b^5 + 2*(a^8 + a^7*b - 6*a^6*b^2 - 14*a^5*b^3 - 11*a^4*b^4 - 3*a^3*b^5)*e^{(-2*d*x - 2*c)} - (a^8 + 5*a^7*b - 6*a^6*b^2 - 38*a^5*b^3 - 43*a^4*b^4 - 15*a^3*b^5)*e^{(-4*d*x - 4*c)} - 4*(a^8 + a^7*b + 2*a^6*b^2 + 10*a^5*b^3 + 13*a^4*b^4 + 5*a^3*b^5)*e^{(-6*d*x - 6*c)} - (a^8 + 5*a^7*b - 6*a^6*b^2 - 38*a^5*b^3 - 43*a^4*b^4 - 15*a^3*b^5)*e^{(-8*d*x - 8*c)} + 2*(a^8 + a^7*b - 6*a^6*b^2 - 14*a^5*b^3 - 11*a^4*b^4 - 3*a^3*b^5)*e^{(-10*d*x - 10*c)} + (a^8 + 5*a^7*b + 10*a^6*b^2 + 10*a^5*b^3 + 5*a^4*b^4 + a^3*b^5)*e^{(-12*d*x - 12*c)})*d) + (a - 3*b)*\log(e^{(-d*x - c)} + 1)/(a^4*d) + (a - 3*b)*\log(e^{(-d*x - c)} - 1)/(a^4*d)$

---

**Fricas [B]** time = 7.57986, size = 24520, normalized size = 143.39

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out]  $-1/2*(2*(a^6 + 2*a^5*b + a^4*b^2)*d*x*\cosh(d*x + c)^{12} + 24*(a^6 + 2*a^5*b + a^4*b^2)*d*x*\cosh(d*x + c)*\sinh(d*x + c)^{11} + 2*(a^6 + 2*a^5*b + a^4*b^2)*d*x*\sinh(d*x + c)^{12} + 4*(a^6 + 5*a^5*b + 10*a^4*b^2 + 14*a^3*b^3 + 11*a^2*b^4 + 3*a*b^5 + (a^6 - 2*a^5*b - 3*a^4*b^2)*d*x)*\cosh(d*x + c)^{10} + 4*(a^6 + 5*a^5*b + 10*a^4*b^2 + 14*a^3*b^3 + 11*a^2*b^4 + 3*a*b^5 + 33*(a^6 + 2*a^5*b + a^4*b^2)*d*x*\cosh(d*x + c)^2 + (a^6 - 2*a^5*b - 3*a^4*b^2)*d*x)*\sinh(d*x + c)^{10} + 40*(11*(a^6 + 2*a^5*b + a^4*b^2)*d*x*\cosh(d*x + c)^3 + (a^6 + 5*a^5*b + 10*a^4*b^2 + 14*a^3*b^3 + 11*a^2*b^4 + 3*a*b^5 + (a^6 - 2*a^5*b - 3*a^4*b^2)*d*x)*\cosh(d*x + c))*\sinh(d*x + c)^9 + 2*(8*a^6 + 24*a^5*b + 16*a^4*b^2 - 16*a^3*b^3 - 52*a^2*b^4 - 24*a*b^5 - (a^6 + 2*a^5*b - 15*a^4*b^2)*d*x)*\cosh(d*x + c)^8 + 2*(495*(a^6 + 2*a^5*b + a^4*b^2)*d*x*\cosh(d*x + c)^4 + 8*a^6 + 24*a^5*b + 16*a^4*b^2 - 16*a^3*b^3 - 52*a^2*b^4 - 24*a*b^5 - (a^6 + 2*a^5*b - 15*a^4*b^2)*d*x + 90*(a^6 + 5*a^5*b + 10*a^4*b^2 + 14*a^3*b^3 + 11*a^2*b^4 + 3*a*b^5 + (a^6 - 2*a^5*b - 3*a^4*b^2)*d*x)*\cosh(d*x + c)$

$$\begin{aligned}
&^2) * \sinh(dx + c)^8 + 16 * (99 * (a^6 + 2 * a^5 * b + a^4 * b^2) * dx * \cosh(dx + c)^5 \\
&+ 30 * (a^6 + 5 * a^5 * b + 10 * a^4 * b^2 + 14 * a^3 * b^3 + 11 * a^2 * b^4 + 3 * a * b^5 + (a^6 \\
&- 2 * a^5 * b - 3 * a^4 * b^2) * dx) * \cosh(dx + c)^3 + (8 * a^6 + 24 * a^5 * b + 16 * a^4 * b^2 \\
&- 16 * a^3 * b^3 - 52 * a^2 * b^4 - 24 * a * b^5 - (a^6 + 2 * a^5 * b - 15 * a^4 * b^2) * dx) \\
&* \cosh(dx + c)) * \sinh(dx + c)^7 + 8 * (3 * a^6 + 7 * a^5 * b + 6 * a^4 * b^2 + 2 * a^3 * b^3 \\
&+ 15 * a^2 * b^4 + 9 * a * b^5 - (a^6 - 2 * a^5 * b + 5 * a^4 * b^2) * dx) * \cosh(dx + c)^6 \\
&+ 8 * (231 * (a^6 + 2 * a^5 * b + a^4 * b^2) * dx * \cosh(dx + c)^6 + 3 * a^6 + 7 * a^5 * b + \\
&6 * a^4 * b^2 + 2 * a^3 * b^3 + 15 * a^2 * b^4 + 9 * a * b^5 + 105 * (a^6 + 5 * a^5 * b + 10 * a^4 \\
&* b^2 + 14 * a^3 * b^3 + 11 * a^2 * b^4 + 3 * a * b^5 + (a^6 - 2 * a^5 * b - 3 * a^4 * b^2) * dx) \\
&* \cosh(dx + c)^4 - (a^6 - 2 * a^5 * b + 5 * a^4 * b^2) * dx + 7 * (8 * a^6 + 24 * a^5 * b + \\
&16 * a^4 * b^2 - 16 * a^3 * b^3 - 52 * a^2 * b^4 - 24 * a * b^5 - (a^6 + 2 * a^5 * b - 15 * a^4 * b^2 \\
&- 2) * dx) * \cosh(dx + c)^2) * \sinh(dx + c)^6 + 16 * (99 * (a^6 + 2 * a^5 * b + a^4 * b^2) \\
&) * dx * \cosh(dx + c)^7 + 63 * (a^6 + 5 * a^5 * b + 10 * a^4 * b^2 + 14 * a^3 * b^3 + 11 * a^2 \\
&* b^4 + 3 * a * b^5 + (a^6 - 2 * a^5 * b - 3 * a^4 * b^2) * dx) * \cosh(dx + c)^5 + 7 * (8 * a^6 \\
&+ 24 * a^5 * b + 16 * a^4 * b^2 - 16 * a^3 * b^3 - 52 * a^2 * b^4 - 24 * a * b^5 - (a^6 + 2 * \\
&a^5 * b - 15 * a^4 * b^2) * dx) * \cosh(dx + c)^3 + 3 * (3 * a^6 + 7 * a^5 * b + 6 * a^4 * b^2 + \\
&2 * a^3 * b^3 + 15 * a^2 * b^4 + 9 * a * b^5 - (a^6 - 2 * a^5 * b + 5 * a^4 * b^2) * dx) * \cosh(dx \\
&+ c)) * \sinh(dx + c)^5 + 2 * (8 * a^6 + 24 * a^5 * b + 16 * a^4 * b^2 - 16 * a^3 * b^3 - \\
&52 * a^2 * b^4 - 24 * a * b^5 - (a^6 + 2 * a^5 * b - 15 * a^4 * b^2) * dx) * \cosh(dx + c)^4 + \\
&2 * (495 * (a^6 + 2 * a^5 * b + a^4 * b^2) * dx * \cosh(dx + c)^8 + 420 * (a^6 + 5 * a^5 * b \\
&+ 10 * a^4 * b^2 + 14 * a^3 * b^3 + 11 * a^2 * b^4 + 3 * a * b^5 + (a^6 - 2 * a^5 * b - 3 * a^4 * b^2) \\
&- 2) * dx) * \cosh(dx + c)^6 + 8 * a^6 + 24 * a^5 * b + 16 * a^4 * b^2 - 16 * a^3 * b^3 - 52 * \\
&a^2 * b^4 - 24 * a * b^5 + 70 * (8 * a^6 + 24 * a^5 * b + 16 * a^4 * b^2 - 16 * a^3 * b^3 - 52 * a^2 \\
&* b^4 - 24 * a * b^5 - (a^6 + 2 * a^5 * b - 15 * a^4 * b^2) * dx) * \cosh(dx + c)^4 - (a^6 \\
&+ 2 * a^5 * b - 15 * a^4 * b^2) * dx + 60 * (3 * a^6 + 7 * a^5 * b + 6 * a^4 * b^2 + 2 * a^3 * b^3 \\
&+ 15 * a^2 * b^4 + 9 * a * b^5 - (a^6 - 2 * a^5 * b + 5 * a^4 * b^2) * dx) * \cosh(dx + c)^2) * \\
&\sinh(dx + c)^4 + 8 * (55 * (a^6 + 2 * a^5 * b + a^4 * b^2) * dx * \cosh(dx + c)^9 + 60 * \\
&(a^6 + 5 * a^5 * b + 10 * a^4 * b^2 + 14 * a^3 * b^3 + 11 * a^2 * b^4 + 3 * a * b^5 + (a^6 - 2 * \\
&a^5 * b - 3 * a^4 * b^2) * dx) * \cosh(dx + c)^7 + 14 * (8 * a^6 + 24 * a^5 * b + 16 * a^4 * b^2 \\
&- 16 * a^3 * b^3 - 52 * a^2 * b^4 - 24 * a * b^5 - (a^6 + 2 * a^5 * b - 15 * a^4 * b^2) * dx) * \c \\
&\cosh(dx + c)^5 + 20 * (3 * a^6 + 7 * a^5 * b + 6 * a^4 * b^2 + 2 * a^3 * b^3 + 15 * a^2 * b^4 + \\
&9 * a * b^5 - (a^6 - 2 * a^5 * b + 5 * a^4 * b^2) * dx) * \cosh(dx + c)^3 + (8 * a^6 + 24 * a^5 \\
&* b + 16 * a^4 * b^2 - 16 * a^3 * b^3 - 52 * a^2 * b^4 - 24 * a * b^5 - (a^6 + 2 * a^5 * b - 1 \\
&5 * a^4 * b^2) * dx) * \cosh(dx + c)) * \sinh(dx + c)^3 + 2 * (a^6 + 2 * a^5 * b + a^4 * b^2 \\
&) * dx + 4 * (a^6 + 5 * a^5 * b + 10 * a^4 * b^2 + 14 * a^3 * b^3 + 11 * a^2 * b^4 + 3 * a * b^5 + \\
&(a^6 - 2 * a^5 * b - 3 * a^4 * b^2) * dx) * \cosh(dx + c)^2 + 4 * (33 * (a^6 + 2 * a^5 * b + \\
&a^4 * b^2) * dx * \cosh(dx + c)^10 + 45 * (a^6 + 5 * a^5 * b + 10 * a^4 * b^2 + 14 * a^3 * b^3 \\
&+ 11 * a^2 * b^4 + 3 * a * b^5 + (a^6 - 2 * a^5 * b - 3 * a^4 * b^2) * dx) * \cosh(dx + c)^8 \\
&+ 14 * (8 * a^6 + 24 * a^5 * b + 16 * a^4 * b^2 - 16 * a^3 * b^3 - 52 * a^2 * b^4 - 24 * a * b^5 - \\
&(a^6 + 2 * a^5 * b - 15 * a^4 * b^2) * dx) * \cosh(dx + c)^6 + a^6 + 5 * a^5 * b + 10 * a^4 * \\
&b^2 + 14 * a^3 * b^3 + 11 * a^2 * b^4 + 3 * a * b^5 + 30 * (3 * a^6 + 7 * a^5 * b + 6 * a^4 * b^2 + \\
&2 * a^3 * b^3 + 15 * a^2 * b^4 + 9 * a * b^5 - (a^6 - 2 * a^5 * b + 5 * a^4 * b^2) * dx) * \cosh(dx \\
&+ c)^4 + (a^6 - 2 * a^5 * b - 3 * a^4 * b^2) * dx + 3 * (8 * a^6 + 24 * a^5 * b + 16 * a^4 * \\
&b^2 - 16 * a^3 * b^3 - 52 * a^2 * b^4 - 24 * a * b^5 - (a^6 + 2 * a^5 * b - 15 * a^4 * b^2) * dx) \\
&) * \cosh(dx + c)^2) * \sinh(dx + c)^2 - ((6 * a^4 * b^2 + 20 * a^3 * b^3 + 25 * a^2 * b^4
\end{aligned}$$

$$\begin{aligned}
& + 14*a*b^5 + 3*b^6)*\cosh(d*x + c)^{12} + 12*(6*a^4*b^2 + 20*a^3*b^3 + 25*a^2*b^4 + 14*a*b^5 + 3*b^6)*\cosh(d*x + c)*\sinh(d*x + c)^{11} + (6*a^4*b^2 + 20*a^3*b^3 + 25*a^2*b^4 + 14*a*b^5 + 3*b^6)*\sinh(d*x + c)^{12} + 2*(6*a^4*b^2 - 4*a^3*b^3 - 31*a^2*b^4 - 30*a*b^5 - 9*b^6)*\cosh(d*x + c)^{10} + 2*(6*a^4*b^2 - 4*a^3*b^3 - 31*a^2*b^4 - 30*a*b^5 - 9*b^6 + 33*(6*a^4*b^2 + 20*a^3*b^3 + 25*a^2*b^4 + 14*a*b^5 + 3*b^6)*\cosh(d*x + c)^2)*\sinh(d*x + c)^{10} + 20*(11*(6*a^4*b^2 + 20*a^3*b^3 + 25*a^2*b^4 + 14*a*b^5 + 3*b^6)*\cosh(d*x + c)^3 + (6*a^4*b^2 - 4*a^3*b^3 - 31*a^2*b^4 - 30*a*b^5 - 9*b^6)*\cosh(d*x + c))*\sinh(d*x + c)^9 - (6*a^4*b^2 + 20*a^3*b^3 - 71*a^2*b^4 - 114*a*b^5 - 45*b^6)*\cosh(d*x + c)^8 - (6*a^4*b^2 + 20*a^3*b^3 - 71*a^2*b^4 - 114*a*b^5 - 45*b^6 - 49*5*(6*a^4*b^2 + 20*a^3*b^3 + 25*a^2*b^4 + 14*a*b^5 + 3*b^6)*\cosh(d*x + c)^4 - 90*(6*a^4*b^2 - 4*a^3*b^3 - 31*a^2*b^4 - 30*a*b^5 - 9*b^6)*\cosh(d*x + c)^2)*\sinh(d*x + c)^8 + 8*(99*(6*a^4*b^2 + 20*a^3*b^3 + 25*a^2*b^4 + 14*a*b^5 + 3*b^6)*\cosh(d*x + c)^5 + 30*(6*a^4*b^2 - 4*a^3*b^3 - 31*a^2*b^4 - 30*a*b^5 - 9*b^6)*\cosh(d*x + c)^3 - (6*a^4*b^2 + 20*a^3*b^3 - 71*a^2*b^4 - 114*a*b^5 - 45*b^6)*\cosh(d*x + c))*\sinh(d*x + c)^7 - 4*(6*a^4*b^2 - 4*a^3*b^3 + 17*a^2*b^4 + 34*a*b^5 + 15*b^6)*\cosh(d*x + c)^6 + 4*(231*(6*a^4*b^2 + 20*a^3*b^3 + 25*a^2*b^4 + 14*a*b^5 + 3*b^6)*\cosh(d*x + c)^6 - 6*a^4*b^2 + 4*a^3*b^3 - 17*a^2*b^4 - 34*a*b^5 - 15*b^6 + 105*(6*a^4*b^2 - 4*a^3*b^3 - 31*a^2*b^4 - 30*a*b^5 - 9*b^6)*\cosh(d*x + c)^4 - 7*(6*a^4*b^2 + 20*a^3*b^3 - 71*a^2*b^4 - 114*a*b^5 - 45*b^6)*\cosh(d*x + c)^2)*\sinh(d*x + c)^6 + 6*a^4*b^2 + 20*a^3*b^3 + 25*a^2*b^4 + 14*a*b^5 + 3*b^6 + 8*(99*(6*a^4*b^2 + 20*a^3*b^3 + 25*a^2*b^4 + 14*a*b^5 + 3*b^6)*\cosh(d*x + c)^7 + 63*(6*a^4*b^2 - 4*a^3*b^3 - 31*a^2*b^4 - 30*a*b^5 - 9*b^6)*\cosh(d*x + c)^5 - 7*(6*a^4*b^2 + 20*a^3*b^3 - 71*a^2*b^4 - 114*a*b^5 - 45*b^6)*\cosh(d*x + c)^3 - 3*(6*a^4*b^2 - 4*a^3*b^3 + 17*a^2*b^4 + 34*a*b^5 + 15*b^6)*\cosh(d*x + c))*\sinh(d*x + c)^5 - (6*a^4*b^2 + 20*a^3*b^3 - 71*a^2*b^4 - 114*a*b^5 - 45*b^6)*\cosh(d*x + c)^4 + (495*(6*a^4*b^2 + 20*a^3*b^3 + 25*a^2*b^4 + 14*a*b^5 + 3*b^6)*\cosh(d*x + c)^8 + 420*(6*a^4*b^2 - 4*a^3*b^3 - 31*a^2*b^4 - 30*a*b^5 - 9*b^6)*\cosh(d*x + c)^6 - 6*a^4*b^2 - 20*a^3*b^3 + 71*a^2*b^4 + 114*a*b^5 + 45*b^6 - 70*(6*a^4*b^2 + 20*a^3*b^3 - 71*a^2*b^4 - 114*a*b^5 - 45*b^6)*\cosh(d*x + c)^4 - 60*(6*a^4*b^2 - 4*a^3*b^3 + 17*a^2*b^4 + 34*a*b^5 + 15*b^6)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + 4*(55*(6*a^4*b^2 + 20*a^3*b^3 + 25*a^2*b^4 + 14*a*b^5 + 3*b^6)*\cosh(d*x + c)^9 + 60*(6*a^4*b^2 - 4*a^3*b^3 - 31*a^2*b^4 - 30*a*b^5 - 9*b^6)*\cosh(d*x + c)^7 - 14*(6*a^4*b^2 + 20*a^3*b^3 - 71*a^2*b^4 - 114*a*b^5 - 45*b^6)*\cosh(d*x + c)^5 - 20*(6*a^4*b^2 - 4*a^3*b^3 + 17*a^2*b^4 + 34*a*b^5 + 15*b^6)*\cosh(d*x + c)^3 - (6*a^4*b^2 + 20*a^3*b^3 - 71*a^2*b^4 - 114*a*b^5 - 45*b^6)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 2*(6*a^4*b^2 - 4*a^3*b^3 - 31*a^2*b^4 - 30*a*b^5 - 9*b^6)*\cosh(d*x + c)^2 + 2*(33*(6*a^4*b^2 + 20*a^3*b^3 + 25*a^2*b^4 + 14*a*b^5 + 3*b^6)*\cosh(d*x + c)^10 + 45*(6*a^4*b^2 - 4*a^3*b^3 - 31*a^2*b^4 - 30*a*b^5 - 9*b^6)*\cosh(d*x + c)^8 - 14*(6*a^4*b^2 + 20*a^3*b^3 - 71*a^2*b^4 - 114*a*b^5 - 45*b^6)*\cosh(d*x + c)^6 + 6*a^4*b^2 - 4*a^3*b^3 - 31*a^2*b^4 - 30*a*b^5 - 9*b^6 - 30*(6*a^4*b^2 - 4*a^3*b^3 + 17*a^2*b^4 + 34*a*b^5 + 15*b^6)*\cosh(d*x + c)^4 - 3*(6*a^4*b^2 + 20*a^3*b^3 - 71*a^2*b^4 - 114*a*b^5 - 45*b^6)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 + 4*(3*(
\end{aligned}$$

$$\begin{aligned}
& 6a^4b^2 + 20a^3b^3 + 25a^2b^4 + 14ab^5 + 3b^6) \cosh(dx + c)^{11} + \\
& 5(6a^4b^2 - 4a^3b^3 - 31a^2b^4 - 30ab^5 - 9b^6) \cosh(dx + c)^9 - \\
& 2(6a^4b^2 + 20a^3b^3 - 71a^2b^4 - 114ab^5 - 45b^6) \cosh(dx + c)^7 - \\
& 6(6a^4b^2 - 4a^3b^3 + 17a^2b^4 + 34ab^5 + 15b^6) \cosh(dx + c)^5 - \\
& (6a^4b^2 + 20a^3b^3 - 71a^2b^4 - 114ab^5 - 45b^6) \cosh(dx + c)^3 + \\
& (6a^4b^2 - 4a^3b^3 - 31a^2b^4 - 30ab^5 - 9b^6) \cosh(dx + c) \cdot \\
& \sinh(dx + c) \cdot \log(2((a + b) \cosh(dx + c)^2 + (a + b) \sinh(dx + c)^2 + a - b) / \\
& (\cosh(dx + c)^2 - 2 \cosh(dx + c) \sinh(dx + c) + \sinh(dx + c)^2)) - \\
& 2((a^6 + 2a^5b - 5a^4b^2 - 20a^3b^3 - 25a^2b^4 - 14ab^5 - 3b^6) \cosh(dx + c)^{12} + \\
& 12(a^6 + 2a^5b - 5a^4b^2 - 20a^3b^3 - 25a^2b^4 - 14ab^5 - 3b^6) \cosh(dx + c) \cdot \\
& \sinh(dx + c)^{11} + (a^6 + 2a^5b - 5a^4b^2 - 20a^3b^3 - 25a^2b^4 - 14ab^5 - 3b^6) \sinh(dx + c)^{12} + \\
& 2(a^6 - 2a^5b - 9a^4b^2 + 4a^3b^3 + 31a^2b^4 + 30ab^5 + 9b^6) \cosh(dx + c)^{10} + \\
& 2(a^6 - 2a^5b - 9a^4b^2 + 4a^3b^3 + 31a^2b^4 + 30ab^5 + 9b^6 + 33(a^6 + 2a^5b - 5a^4b^2 - 20a^3b^3 - 25a^2b^4 - 14ab^5 - 3b^6) \cosh(dx + c)^2) \sinh(dx + c)^{10} + \\
& 20(11(a^6 + 2a^5b - 5a^4b^2 - 20a^3b^3 - 25a^2b^4 - 14ab^5 - 3b^6) \cosh(dx + c)^3 + (a^6 - 2a^5b - 9a^4b^2 + 4a^3b^3 + 31a^2b^4 + 30ab^5 + 9b^6) \cosh(dx + c)) \sinh(dx + c)^9 - \\
& (a^6 + 2a^5b - 21a^4b^2 - 20a^3b^3 + 71a^2b^4 + 114ab^5 + 45b^6) \cosh(dx + c)^8 - (a^6 + 2a^5b - 21a^4b^2 - 20a^3b^3 + 71a^2b^4 + 114ab^5 + 45b^6 - 495(a^6 + 2a^5b - 5a^4b^2 - 20a^3b^3 - 25a^2b^4 - 14ab^5 - 3b^6) \cosh(dx + c)^4 - 90(a^6 - 2a^5b - 9a^4b^2 + 4a^3b^3 + 31a^2b^4 + 30ab^5 + 9b^6) \cosh(dx + c)^2) \sinh(dx + c)^8 + \\
& 8(99(a^6 + 2a^5b - 5a^4b^2 - 20a^3b^3 - 25a^2b^4 - 14ab^5 - 3b^6) \cosh(dx + c)^5 + 30(a^6 - 2a^5b - 9a^4b^2 + 4a^3b^3 + 31a^2b^4 + 30ab^5 + 9b^6) \cosh(dx + c)^3 - (a^6 + 2a^5b - 21a^4b^2 - 20a^3b^3 + 71a^2b^4 + 114ab^5 + 45b^6) \cosh(dx + c)) \sinh(dx + c)^7 - \\
& 4(a^6 - 2a^5b - a^4b^2 + 4a^3b^3 - 17a^2b^4 - 34ab^5 - 15b^6) \cosh(dx + c)^6 + 4(231(a^6 + 2a^5b - 5a^4b^2 - 20a^3b^3 - 25a^2b^4 - 14ab^5 - 3b^6) \cosh(dx + c)^6 - a^6 + 2a^5b + a^4b^2 - 4a^3b^3 + 17a^2b^4 + 34ab^5 + 15b^6 + 105(a^6 - 2a^5b - 9a^4b^2 + 4a^3b^3 + 31a^2b^4 + 30ab^5 + 9b^6) \cosh(dx + c)^4 - 7(a^6 + 2a^5b - 21a^4b^2 - 20a^3b^3 + 71a^2b^4 + 114ab^5 + 45b^6) \cosh(dx + c)^2) \sinh(dx + c)^6 + \\
& a^6 + 2a^5b - 5a^4b^2 - 20a^3b^3 - 25a^2b^4 - 14ab^5 - 3b^6 + 8(99(a^6 + 2a^5b - 5a^4b^2 - 20a^3b^3 - 25a^2b^4 - 14ab^5 - 3b^6) \cosh(dx + c)^7 + 63(a^6 - 2a^5b - 9a^4b^2 + 4a^3b^3 + 31a^2b^4 + 30ab^5 + 9b^6) \cosh(dx + c)^5 - 7(a^6 + 2a^5b - 21a^4b^2 - 20a^3b^3 + 71a^2b^4 + 114ab^5 + 45b^6) \cosh(dx + c)^3 - 3(a^6 - 2a^5b - a^4b^2 + 4a^3b^3 - 17a^2b^4 - 34ab^5 - 15b^6) \cosh(dx + c)) \sinh(dx + c)^5 - (a^6 + 2a^5b - 21a^4b^2 - 20a^3b^3 + 71a^2b^4 + 114ab^5 + 45b^6) \cosh(dx + c)^4 + \\
& (495(a^6 + 2a^5b - 5a^4b^2 - 20a^3b^3 - 25a^2b^4 - 14ab^5 - 3b^6) \cosh(dx + c)^8 + 420(a^6 - 2a^5b - 9a^4b^2 + 4a^3b^3 + 31a^2b^4 + 30ab^5 + 9b^6) \cosh(dx + c)^6 - a^6 - 2a^5b + 21a^4b^2 + 20a^3b^3 - 71a^2b^4 - 114ab^5 - 45b^6 - 70(a^6 + 2a^5b - 21
\end{aligned}$$

$$\begin{aligned}
& a^4 b^2 - 20 a^3 b^3 + 71 a^2 b^4 + 114 a b^5 + 45 b^6) \cosh(dx + c)^4 - \\
& 60(a^6 - 2a^5 b - a^4 b^2 + 4a^3 b^3 - 17a^2 b^4 - 34a b^5 - 15b^6) * \cosh(dx + c)^2 * \sinh(dx + c)^4 + 4*(55(a^6 + 2a^5 b - 5a^4 b^2 - 20a^3 b^3 - 25a^2 b^4 - 14a b^5 - 3b^6) * \cosh(dx + c)^9 + 60(a^6 - 2a^5 b - 9a^4 b^2 + 4a^3 b^3 + 31a^2 b^4 + 30a b^5 + 9b^6) * \cosh(dx + c)^7 - 14(a^6 + 2a^5 b - 21a^4 b^2 - 20a^3 b^3 + 71a^2 b^4 + 114a b^5 + 45b^6) * \cosh(dx + c)^5 - 20(a^6 - 2a^5 b - a^4 b^2 + 4a^3 b^3 - 17a^2 b^4 - 34a b^5 - 15b^6) * \cosh(dx + c)^3 - (a^6 + 2a^5 b - 21a^4 b^2 - 20a^3 b^3 + 71a^2 b^4 + 114a b^5 + 45b^6) * \cosh(dx + c)) * \sinh(dx + c)^3 + 2*(a^6 - 2a^5 b - 9a^4 b^2 + 4a^3 b^3 + 31a^2 b^4 + 30a b^5 + 9b^6) * \cosh(dx + c)^2 + 2*(33(a^6 + 2a^5 b - 5a^4 b^2 - 20a^3 b^3 - 25a^2 b^4 - 14a b^5 - 3b^6) * \cosh(dx + c)^10 + 45(a^6 - 2a^5 b - 9a^4 b^2 + 4a^3 b^3 + 31a^2 b^4 + 30a b^5 + 9b^6) * \cosh(dx + c)^8 - 14(a^6 + 2a^5 b - 21a^4 b^2 - 20a^3 b^3 + 71a^2 b^4 + 114a b^5 + 45b^6) * \cosh(dx + c)^6 + a^6 - 2a^5 b - 9a^4 b^2 + 4a^3 b^3 + 31a^2 b^4 + 30a b^5 + 9b^6 - 30(a^6 - 2a^5 b - a^4 b^2 + 4a^3 b^3 - 17a^2 b^4 - 34a b^5 - 15b^6) * \cosh(dx + c)^4 - 3(a^6 + 2a^5 b - 21a^4 b^2 - 20a^3 b^3 + 71a^2 b^4 + 114a b^5 + 45b^6) * \cosh(dx + c)^2) * \sinh(dx + c)^2 + 4*(3(a^6 + 2a^5 b - 5a^4 b^2 - 20a^3 b^3 - 25a^2 b^4 - 14a b^5 - 3b^6) * \cosh(dx + c)^11 + 5(a^6 - 2a^5 b - 9a^4 b^2 + 4a^3 b^3 + 31a^2 b^4 + 30a b^5 + 9b^6) * \cosh(dx + c)^9 - 2(a^6 + 2a^5 b - 21a^4 b^2 - 20a^3 b^3 + 71a^2 b^4 + 114a b^5 + 45b^6) * \cosh(dx + c)^7 - 6(a^6 - 2a^5 b - a^4 b^2 + 4a^3 b^3 - 17a^2 b^4 - 34a b^5 - 15b^6) * \cosh(dx + c)^5 - (a^6 + 2a^5 b - 21a^4 b^2 - 20a^3 b^3 + 71a^2 b^4 + 114a b^5 + 45b^6) * \cosh(dx + c)^3 + (a^6 - 2a^5 b - 9a^4 b^2 + 4a^3 b^3 + 31a^2 b^4 + 30a b^5 + 9b^6) * \cosh(dx + c)) * \sinh(dx + c)) * \log(2 * \sinh(dx + c) / (\cosh(dx + c) - \sinh(dx + c))) + 8*(3(a^6 + 2a^5 b + a^4 b^2) * dx * \cosh(dx + c)^11 + 5(a^6 + 5a^5 b + 10a^4 b^2 + 14a^3 b^3 + 11a^2 b^4 + 3a b^5 + (a^6 - 2a^5 b - 3a^4 b^2) * dx) * \cosh(dx + c)^9 + 2*(8a^6 + 24a^5 b + 16a^4 b^2 - 16a^3 b^3 - 52a^2 b^4 - 24a b^5 - (a^6 + 2a^5 b - 15a^4 b^2) * dx) * \cosh(dx + c)^7 + 6*(3a^6 + 7a^5 b + 6a^4 b^2 + 2a^3 b^3 + 15a^2 b^4 + 9a b^5 - (a^6 - 2a^5 b + 5a^4 b^2) * dx) * \cosh(dx + c)^5 + (8a^6 + 24a^5 b + 16a^4 b^2 - 16a^3 b^3 - 52a^2 b^4 - 24a b^5 - (a^6 + 2a^5 b - 15a^4 b^2) * dx) * \cosh(dx + c)^3 + (a^6 + 5a^5 b + 10a^4 b^2 + 14a^3 b^3 + 11a^2 b^4 + 3a b^5 + (a^6 - 2a^5 b - 3a^4 b^2) * dx) * \cosh(dx + c)) * \sinh(dx + c)) / ((a^9 + 5a^8 b + 10a^7 b^2 + 10a^6 b^3 + 5a^5 b^4 + a^4 b^5) * d * \cosh(dx + c)^12 + 12(a^9 + 5a^8 b + 10a^7 b^2 + 10a^6 b^3 + 5a^5 b^4 + a^4 b^5) * d * \cosh(dx + c) * \sinh(dx + c)^11 + (a^9 + 5a^8 b + 10a^7 b^2 + 10a^6 b^3 + 5a^5 b^4 + a^4 b^5) * d * \sinh(dx + c)^12 + 2*(a^9 + a^8 b - 6a^7 b^2 - 14a^6 b^3 - 11a^5 b^4 - 3a^4 b^5) * d * \cosh(dx + c)^10 + 2*(33(a^9 + 5a^8 b + 10a^7 b^2 + 10a^6 b^3 + 5a^5 b^4 + a^4 b^5) * d * \cosh(dx + c)^2 + (a^9 + a^8 b - 6a^7 b^2 - 14a^6 b^3 - 11a^5 b^4 - 3a^4 b^5) * d) * \sinh(dx + c)^10 - (a^9 + 5a^8 b - 6a^7 b^2 - 38a^6 b^3 - 43a^5 b^4 - 15a^4 b^5) * d * \cosh(dx + c)^8 + 20*(11(a^9 + 5a^8 b + 10a^7 b^2 + 10a^6 b^3 + 5a^5 b^4 + a^4 b^5) * d * \cosh(dx + c)^3 + (a^9 + a^8 b - 6a^7 b^2 - 14a^6 b^3
\end{aligned}$$

$$\begin{aligned}
& - 11a^5b^4 - 3a^4b^5)d \cosh(dx + c) \sinh(dx + c)^9 + (495(a^9 + 5a^8b + 10a^7b^2 + 10a^6b^3 + 5a^5b^4 + a^4b^5)d \cosh(dx + c)^4 + \\
& 90(a^9 + a^8b - 6a^7b^2 - 14a^6b^3 - 11a^5b^4 - 3a^4b^5)d \cosh(dx + c)^2 - (a^9 + 5a^8b - 6a^7b^2 - 38a^6b^3 - 43a^5b^4 - 15a^4b^5)d \sinh(dx + c)^8 - 4(a^9 + a^8b + 2a^7b^2 + 10a^6b^3 + 13a^5b^4 \\
& + 5a^4b^5)d \cosh(dx + c)^6 + 8(99(a^9 + 5a^8b + 10a^7b^2 + 10a^6b^3 + 5a^5b^4 + a^4b^5)d \cosh(dx + c)^5 + 30(a^9 + a^8b - 6a^7b^2 - 14a^6b^3 - 11a^5b^4 - 3a^4b^5)d \cosh(dx + c)^3 - (a^9 + 5a^8 \\
& *b - 6a^7b^2 - 38a^6b^3 - 43a^5b^4 - 15a^4b^5)d \cosh(dx + c)) \sinh(dx + c)^7 + 4(231(a^9 + 5a^8b + 10a^7b^2 + 10a^6b^3 + 5a^5b^4 \\
& + a^4b^5)d \cosh(dx + c)^6 + 105(a^9 + a^8b - 6a^7b^2 - 14a^6b^3 - 11a^5b^4 - 3a^4b^5)d \cosh(dx + c)^4 - 7(a^9 + 5a^8b - 6a^7b^2 - \\
& 38a^6b^3 - 43a^5b^4 - 15a^4b^5)d \cosh(dx + c)^2 - (a^9 + a^8b + 2a^7b^2 + 10a^6b^3 + 13a^5b^4 + 5a^4b^5)d \sinh(dx + c)^6 - (a^9 + \\
& 5a^8b - 6a^7b^2 - 38a^6b^3 - 43a^5b^4 - 15a^4b^5)d \cosh(dx + c)^4 + 8(99(a^9 + 5a^8b + 10a^7b^2 + 10a^6b^3 + 5a^5b^4 + a^4b^5)d \cosh(dx + c)^7 + 63(a^9 + a^8b - 6a^7b^2 - 14a^6b^3 - 11a^5b^4 - \\
& 3a^4b^5)d \cosh(dx + c)^5 - 7(a^9 + 5a^8b - 6a^7b^2 - 38a^6b^3 - 43a^5b^4 - 15a^4b^5)d \cosh(dx + c)^3 - 3(a^9 + a^8b + 2a^7b^2 + \\
& 10a^6b^3 + 13a^5b^4 + 5a^4b^5)d \cosh(dx + c)) \sinh(dx + c)^5 + (495(a^9 + 5a^8b + 10a^7b^2 + 10a^6b^3 + 5a^5b^4 + a^4b^5)d \cosh(dx \\
& x + c)^8 + 420(a^9 + a^8b - 6a^7b^2 - 14a^6b^3 - 11a^5b^4 - 3a^4b^5)d \cosh(dx + c)^6 - 70(a^9 + 5a^8b - 6a^7b^2 - 38a^6b^3 - 43a^5 \\
& *b^4 - 15a^4b^5)d \cosh(dx + c)^4 - 60(a^9 + a^8b + 2a^7b^2 + 10a^6 \\
& *b^3 + 13a^5b^4 + 5a^4b^5)d \cosh(dx + c)^2 - (a^9 + 5a^8b - 6a^7b^2 - 38a^6b^3 - 43a^5b^4 - 15a^4b^5)d \sinh(dx + c)^4 + 2(a^9 + a^ \\
& 8b - 6a^7b^2 - 14a^6b^3 - 11a^5b^4 - 3a^4b^5)d \cosh(dx + c)^2 + \\
& 4(55(a^9 + 5a^8b + 10a^7b^2 + 10a^6b^3 + 5a^5b^4 + a^4b^5)d \cos \\
& h(dx + c)^9 + 60(a^9 + a^8b - 6a^7b^2 - 14a^6b^3 - 11a^5b^4 - 3a^ \\
& 4b^5)d \cosh(dx + c)^7 - 14(a^9 + 5a^8b - 6a^7b^2 - 38a^6b^3 - 43a^ \\
& 5b^4 - 15a^4b^5)d \cosh(dx + c)^5 - 20(a^9 + a^8b + 2a^7b^2 + 10a^ \\
& 6b^3 + 13a^5b^4 + 5a^4b^5)d \cosh(dx + c)^3 - (a^9 + 5a^8b - 6a^ \\
& 7b^2 - 38a^6b^3 - 43a^5b^4 - 15a^4b^5)d \cosh(dx + c)) \sinh(dx + c \\
& )^3 + 2(33(a^9 + 5a^8b + 10a^7b^2 + 10a^6b^3 + 5a^5b^4 + a^4b^5) \\
& *d \cosh(dx + c)^10 + 45(a^9 + a^8b - 6a^7b^2 - 14a^6b^3 - 11a^5b^4 \\
& - 3a^4b^5)d \cosh(dx + c)^8 - 14(a^9 + 5a^8b - 6a^7b^2 - 38a^6b^ \\
& 3 - 43a^5b^4 - 15a^4b^5)d \cosh(dx + c)^6 - 30(a^9 + a^8b + 2a^7b^ \\
& 2 + 10a^6b^3 + 13a^5b^4 + 5a^4b^5)d \cosh(dx + c)^4 - 3(a^9 + 5a^8 \\
& *b - 6a^7b^2 - 38a^6b^3 - 43a^5b^4 - 15a^4b^5)d \cosh(dx + c)^2 + \\
& (a^9 + a^8b - 6a^7b^2 - 14a^6b^3 - 11a^5b^4 - 3a^4b^5)d \sinh(dx \\
& + c)^2 + (a^9 + 5a^8b + 10a^7b^2 + 10a^6b^3 + 5a^5b^4 + a^4b^5)d \\
& + 4(3(a^9 + 5a^8b + 10a^7b^2 + 10a^6b^3 + 5a^5b^4 + a^4b^5)d *c \\
& osh(dx + c)^11 + 5(a^9 + a^8b - 6a^7b^2 - 14a^6b^3 - 11a^5b^4 - 3a^ \\
& 4b^5)d \cosh(dx + c)^9 - 2(a^9 + 5a^8b - 6a^7b^2 - 38a^6b^3 - 43 \\
& *a^5b^4 - 15a^4b^5)d \cosh(dx + c)^7 - 6(a^9 + a^8b + 2a^7b^2 + 10a^
\end{aligned}$$

$a^6 b^3 + 13 a^5 b^4 + 5 a^4 b^5) d \cosh(dx + c)^5 - (a^9 + 5 a^8 b - 6 a^7 b^2 - 38 a^6 b^3 - 43 a^5 b^4 - 15 a^4 b^5) d \cosh(dx + c)^3 + (a^9 + a^8 b - 6 a^7 b^2 - 14 a^6 b^3 - 11 a^5 b^4 - 3 a^4 b^5) d \cosh(dx + c) \sinh(dx + c)$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\coth^3(c + dx)}{(a + b \tanh^2(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)\*\*3/(a+b\*tanh(d\*x+c)\*\*2)\*\*3,x)

[Out] Integral(coth(c + d\*x)\*\*3/(a + b\*tanh(c + d\*x)\*\*2)\*\*3, x)

**Giac [B]** time = 1.41218, size = 656, normalized size = 3.84

$$\frac{(6 a^2 b^2 + 8 a b^3 + 3 b^4) \log(a e^{(4 dx + 4 c)} + b e^{(4 dx + 4 c)} + 2 a e^{(2 dx + 2 c)} - 2 b e^{(2 dx + 2 c)} + a + b)}{2(a^7 d + 3 a^6 b d + 3 a^5 b^2 d + a^4 b^3 d)} - \frac{dx + c}{a^3 d + 3 a^2 b d + 3 a b^2 d + b^3 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out]  $\frac{1}{2} (6 a^2 b^2 + 8 a b^3 + 3 b^4) \log(a e^{(4 d x + 4 c)} + b e^{(4 d x + 4 c)} + 2 a e^{(2 d x + 2 c)} - 2 b e^{(2 d x + 2 c)} + a + b) / (a^7 d + 3 a^6 b d + 3 a^5 b^2 d + a^4 b^3 d) - (d x + c) / (a^3 d + 3 a^2 b d + 3 a b^2 d + b^3 d) + (a - 3 b) \log(\operatorname{abs}(e^{(2 d x + 2 c)} - 1)) / (a^4 d) - 2 * ((a^5 + 5 a^4 b + 10 a^3 b^2 + 14 a^2 b^3 + 11 a b^4 + 3 b^5) e^{(10 d x + 10 c)} + 2 * (2 a^5 + 6 a^4 b + 4 a^3 b^2 - 4 a^2 b^3 - 13 a b^4 - 6 b^5) e^{(8 d x + 8 c)} + 2 * (3 a^5 + 7 a^4 b + 6 a^3 b^2 + 2 a^2 b^3 + 15 a b^4 + 9 b^5) e^{(6 d x + 6 c)} + 2 * (2 a^5 + 6 a^4 b + 4 a^3 b^2 - 4 a^2 b^3 - 13 a b^4 - 6 b^5) e^{(4 d x + 4 c)} + (a^5 + 5 a^4 b + 10 a^3 b^2 + 14 a^2 b^3 + 11 a b^4 + 3 b^5) e^{(2 d x + 2 c)}) / ((a e^{(4 d x + 4 c)} + b e^{(4 d x + 4 c)} + 2 a e^{(2 d x + 2 c)} - 2 b e^{(2 d x + 2 c)} + a + b)^2 (a + b)^3 a^3 d (e^{(2 d x + 2 c)} - 1)^2)$

$$3.200 \quad \int \frac{\coth^4(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$$

**Optimal.** Leaf size=228

$$\frac{(8a^2 + 55ab + 35b^2) \coth^3(c+dx)}{24a^3d(a+b)^2} - \frac{(-8a^2b + 8a^3 - 55ab^2 - 35b^3) \coth(c+dx)}{8a^4d(a+b)^2} + \frac{b^{5/2}(63a^2 + 90ab + 35b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8a^{9/2}d(a+b)^3}$$

[Out] x/(a + b)^3 + (b^(5/2)\*(63\*a^2 + 90\*a\*b + 35\*b^2)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(8\*a^(9/2)\*(a + b)^3\*d) - ((8\*a^3 - 8\*a^2\*b - 55\*a\*b^2 - 35\*b^3)\*Coth[c + d\*x])/(8\*a^4\*(a + b)^2\*d) - ((8\*a^2 + 55\*a\*b + 35\*b^2)\*Coth[c + d\*x]^3)/(24\*a^3\*(a + b)^2\*d) + (b\*Coth[c + d\*x]^3)/(4\*a\*(a + b)\*d\*(a + b\*Tanh[c + d\*x]^2)^2) + (b\*(11\*a + 7\*b)\*Coth[c + d\*x]^3)/(8\*a^2\*(a + b)^2\*d\*(a + b\*Tanh[c + d\*x]^2))

**Rubi [A]** time = 0.368472, antiderivative size = 228, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.304$ , Rules used = {3670, 472, 579, 583, 522, 206, 205}

$$\frac{(8a^2 + 55ab + 35b^2) \coth^3(c+dx)}{24a^3d(a+b)^2} - \frac{(-8a^2b + 8a^3 - 55ab^2 - 35b^3) \coth(c+dx)}{8a^4d(a+b)^2} + \frac{b^{5/2}(63a^2 + 90ab + 35b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8a^{9/2}d(a+b)^3}$$

Antiderivative was successfully verified.

[In] Int[Coth[c + d\*x]^4/(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] x/(a + b)^3 + (b^(5/2)\*(63\*a^2 + 90\*a\*b + 35\*b^2)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(8\*a^(9/2)\*(a + b)^3\*d) - ((8\*a^3 - 8\*a^2\*b - 55\*a\*b^2 - 35\*b^3)\*Coth[c + d\*x])/(8\*a^4\*(a + b)^2\*d) - ((8\*a^2 + 55\*a\*b + 35\*b^2)\*Coth[c + d\*x]^3)/(24\*a^3\*(a + b)^2\*d) + (b\*Coth[c + d\*x]^3)/(4\*a\*(a + b)\*d\*(a + b\*Tanh[c + d\*x]^2)^2) + (b\*(11\*a + 7\*b)\*Coth[c + d\*x]^3)/(8\*a^2\*(a + b)^2\*d\*(a + b\*Tanh[c + d\*x]^2))

### Rule 3670

Int[((d\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((a\_.) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_.))^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f



$f^2 x^2$ ), x], x, (c\*Tan[e + f\*x])/ff], x]] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

### Rule 472

Int[((e\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_)\*(x\_)^(n\_))^(q\_), x\_Symbol] := -Simp[(b\*(e\*x)^(m + 1)\*(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^(q + 1))/(a\*e\*n\*(b\*c - a\*d)\*(p + 1)), x] + Dist[1/(a\*n\*(b\*c - a\*d)\*(p + 1)), Int[(e\*x)^m\*(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^q\*Simp[c\*b\*(m + 1) + n\*(b\*c - a\*d)\*(p + 1) + d\*b\*(m + n\*(p + q + 2) + 1)\*x^n, x], x] /; FreeQ[{a, b, c, d, e, m, q}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[n, 0] && LtQ[p, -1] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]

### Rule 579

Int[((g\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_)\*(x\_)^(n\_))^(q\_)\*((e\_) + (f\_)\*(x\_)^(n\_)), x\_Symbol] := -Simp[((b\*e - a\*f)\*(g\*x)^(m + 1)\*(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^(q + 1))/(a\*g\*n\*(b\*c - a\*d)\*(p + 1)), x] + Dist[1/(a\*n\*(b\*c - a\*d)\*(p + 1)), Int[(g\*x)^m\*(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^q\*Simp[c\*(b\*e - a\*f)\*(m + 1) + e\*n\*(b\*c - a\*d)\*(p + 1) + d\*(b\*e - a\*f)\*(m + n\*(p + q + 2) + 1)\*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, q}, x] && IGtQ[n, 0] && LtQ[p, -1]

### Rule 583

Int[((g\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_)\*(x\_)^(n\_))^(q\_)\*((e\_) + (f\_)\*(x\_)^(n\_)), x\_Symbol] := Simp[(e\*(g\*x)^(m + 1)\*(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^(q + 1))/(a\*c\*g\*(m + 1)), x] + Dist[1/(a\*c\*g^(n\*(m + 1))), Int[(g\*x)^(m + n)\*(a + b\*x^n)^p\*(c + d\*x^n)^q\*Simp[a\*f\*c\*(m + 1) - e\*(b\*c + a\*d)\*(m + n + 1) - e\*n\*(b\*c\*p + a\*d\*q) - b\*e\*d\*(m + n\*(p + q + 2) + 1)\*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p, q}, x] && IGtQ[n, 0] && LtQ[m, -1]

### Rule 522

Int[((e\_) + (f\_)\*(x\_)^(n\_))/(((a\_) + (b\_)\*(x\_)^(n\_))\*((c\_) + (d\_)\*(x\_)^(n\_))), x\_Symbol] := Dist[(b\*e - a\*f)/(b\*c - a\*d), Int[1/(a + b\*x^n), x], x] - Dist[(d\*e - c\*f)/(b\*c - a\*d), Int[1/(c + d\*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x]

### Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt

Q[a, 0] || LtQ[b, 0]

### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rubi steps

$$\begin{aligned}
 \int \frac{\coth^4(c+dx)}{(a+b \tanh^2(c+dx))^3} dx &= \frac{\text{Subst}\left(\int \frac{1}{x^4(1-x^2)(a+bx^2)^3} dx, x, \tanh(c+dx)\right)}{d} \\
 &= \frac{b \coth^3(c+dx)}{4a(a+b)d (a+b \tanh^2(c+dx))^2} - \frac{\text{Subst}\left(\int \frac{-4a-7b+7bx^2}{x^4(1-x^2)(a+bx^2)^2} dx, x, \tanh(c+dx)\right)}{4a(a+b)d} \\
 &= \frac{b \coth^3(c+dx)}{4a(a+b)d (a+b \tanh^2(c+dx))^2} + \frac{b(11a+7b) \coth^3(c+dx)}{8a^2(a+b)^2d (a+b \tanh^2(c+dx))} + \frac{\text{Subst}\left(\int \frac{8a^2+}{x^4(1-x^2)(a+bx^2)} dx, x, \tanh(c+dx)\right)}{8a^2(a+b)^2d} \\
 &= -\frac{(8a^2+55ab+35b^2) \coth^3(c+dx)}{24a^3(a+b)^2d} + \frac{b \coth^3(c+dx)}{4a(a+b)d (a+b \tanh^2(c+dx))^2} + \frac{b(11a+7b) \coth^3(c+dx)}{8a^2(a+b)^2d} \\
 &= -\frac{(8a^3-8a^2b-55ab^2-35b^3) \coth(c+dx)}{8a^4(a+b)^2d} - \frac{(8a^2+55ab+35b^2) \coth^3(c+dx)}{24a^3(a+b)^2d} + \frac{b(11a+7b) \coth^3(c+dx)}{8a^2(a+b)^2d} \\
 &= -\frac{(8a^3-8a^2b-55ab^2-35b^3) \coth(c+dx)}{8a^4(a+b)^2d} - \frac{(8a^2+55ab+35b^2) \coth^3(c+dx)}{24a^3(a+b)^2d} + \frac{b(11a+7b) \coth^3(c+dx)}{8a^2(a+b)^2d} \\
 &= \frac{x}{(a+b)^3} + \frac{b^{5/2}(63a^2+90ab+35b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8a^{9/2}(a+b)^3d} - \frac{(8a^3-8a^2b-55ab^2-35b^3) \coth(c+dx)}{8a^4(a+b)^2d}
 \end{aligned}$$

**Mathematica [A]** time = 3.41783, size = 194, normalized size = 0.85

$$\frac{3b^{5/2}(63a^2+90ab+35b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{a^{9/2}(a+b)^3} + \frac{12b^4 \sinh(2(c+dx))}{a^3(a+b)^2((a+b) \cosh(2(c+dx))+a-b)^2} + \frac{3b^3(17a+11b) \sinh(2(c+dx))}{a^4(a+b)^2((a+b) \cosh(2(c+dx))+a-b)} + \frac{8(9b-4a) \coth(c+dx)}{a^4} - \frac{8(8a^3-8a^2b-55ab^2-35b^3) \coth(c+dx)}{24d}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[c + d\*x]^4/(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] ((24\*(c + d\*x))/(a + b)^3 + (3\*b^(5/2)\*(63\*a^2 + 90\*a\*b + 35\*b^2)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(a^(9/2)\*(a + b)^3) + (8\*(-4\*a + 9\*b)\*Coth[c + d\*x])/a^4 - (8\*Coth[c + d\*x]\*Csch[c + d\*x]^2)/a^3 + (12\*b^4\*Sinh[2\*(c + d\*x)]/(a^3\*(a + b)^2\*(a - b + (a + b)\*Cosh[2\*(c + d\*x)]^2) + (3\*b^3\*(17\*a + 11\*b)\*Sinh[2\*(c + d\*x)]/(a^4\*(a + b)^2\*(a - b + (a + b)\*Cosh[2\*(c + d\*x)]))))/(24\*d)

---

**Maple [B]** time = 0.14, size = 2139, normalized size = 9.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2)^3,x)

[Out] 63/8/d\*b^3/(a+b)^3/a^2/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2)\*arctanh(a\*tanh(1/2\*d\*x+1/2\*c)/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2))-63/8/d\*b^3/(a+b)^3/a^2/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2)\*arctan(a\*tanh(1/2\*d\*x+1/2\*c)/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2))-125/8/d\*b^5/(a+b)^3/a^3/(b\*(a+b))^(1/2)/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2)\*arctanh(a\*tanh(1/2\*d\*x+1/2\*c)/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2))-63/8/d\*b^3/(a+b)^3/a/(b\*(a+b))^(1/2)/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2)\*arctanh(a\*tanh(1/2\*d\*x+1/2\*c)/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2))-153/8/d\*b^4/(a+b)^3/a^2/(b\*(a+b))^(1/2)/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2)\*arctanh(a\*tanh(1/2\*d\*x+1/2\*c)/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2))-63/8/d\*b^3/(a+b)^3/a/(b\*(a+b))^(1/2)/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2)\*arctan(a\*tanh(1/2\*d\*x+1/2\*c)/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2))-153/8/d\*b^4/(a+b)^3/a^2/(b\*(a+b))^(1/2)/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2)\*arctan(a\*tanh(1/2\*d\*x+1/2\*c)/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2))+1/d/(a+b)^3\*ln(tanh(1/2\*d\*x+1/2\*c)+1)-1/d/(a+b)^3\*ln(tanh(1/2\*d\*x+1/2\*c)-1)+143/4/d\*b^5/(a+b)^3/a^3/(tanh(1/2\*d\*x+1/2\*c)^4\*a+2\*tanh(1/2\*d\*x+1/2\*c)^2\*a+4\*tanh(1/2\*d\*x+1/2\*c)^2\*b+a)^2\*tanh(1/2\*d\*x+1/2\*c)^3+45/4/d\*b^4/(a+b)^3/a^3/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2)\*arctanh(a\*tanh(1/2\*d\*x+1/2\*c)/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2))-45/4/d\*b^4/(a+b)^3/a^3/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2)\*arctan(a\*tanh(1/2\*d\*x+1/2\*c)/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2))+15/2/d\*b^4/(a+b)^3/a^2/(tanh(1/2\*d\*x+1/2\*c)^4\*a+2\*tanh(1/2\*d\*x+1/2\*c)^2\*a+4\*tanh(1/2\*d\*x+1/2\*c)^2\*b+a)^2\*tanh(1/2\*d\*x+1/2\*c)^7-35/8/d\*b^5/(a+b)^3/a^4/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2)\*arctan(a\*tanh(1/2\*d\*x+1/2\*c)/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2))-125/8/d\*b^5/(a+b)^3/a^3/(b\*(a+b))^(1/2)/((2\*(b\*(a+b))^(1/2)+

$$\begin{aligned}
& a+2b) * a)^{(1/2)} * \arctan(a * \tanh(1/2 * d * x + 1/2 * c) / ((2 * (b * (a+b))^{(1/2)} + a+2b) * a)^{(1/2)}) \\
& + 3/2/d/a^4 * \tanh(1/2 * d * x + 1/2 * c) * b + 3/2/d/a^4 / \tanh(1/2 * d * x + 1/2 * c) * b + 11/d \\
& * b^6 / (a+b)^3 / a^4 / (\tanh(1/2 * d * x + 1/2 * c)^4 * a + 2 * \tanh(1/2 * d * x + 1/2 * c)^2 * a + 4 * \tanh( \\
& 1/2 * d * x + 1/2 * c)^2 * b + a)^2 * \tanh(1/2 * d * x + 1/2 * c)^5 + 11/d * b^6 / (a+b)^3 / a^4 / (\tanh(1/ \\
& 2 * d * x + 1/2 * c)^4 * a + 2 * \tanh(1/2 * d * x + 1/2 * c)^2 * a + 4 * \tanh(1/2 * d * x + 1/2 * c)^2 * b + a)^2 * t \\
& \tanh(1/2 * d * x + 1/2 * c)^3 - 5/8/d/a^3 * \tanh(1/2 * d * x + 1/2 * c) - 5/8/d/a^3 / \tanh(1/2 * d * x + 1 \\
& /2 * c) + 17/4/d * b^3 / (a+b)^3 / (\tanh(1/2 * d * x + 1/2 * c)^4 * a + 2 * \tanh(1/2 * d * x + 1/2 * c)^2 * a \\
& + 4 * \tanh(1/2 * d * x + 1/2 * c)^2 * b + a)^2 / a * \tanh(1/2 * d * x + 1/2 * c)^7 + 51/4/d * b^3 / (a+b)^3 / \\
& (\tanh(1/2 * d * x + 1/2 * c)^4 * a + 2 * \tanh(1/2 * d * x + 1/2 * c)^2 * a + 4 * \tanh(1/2 * d * x + 1/2 * c)^2 * \\
& b + a)^2 / a * \tanh(1/2 * d * x + 1/2 * c)^5 + 75/2/d * b^4 / (a+b)^3 / (\tanh(1/2 * d * x + 1/2 * c)^4 * a + \\
& 2 * \tanh(1/2 * d * x + 1/2 * c)^2 * a + 4 * \tanh(1/2 * d * x + 1/2 * c)^2 * b + a)^2 / a^2 * \tanh(1/2 * d * x + 1 \\
& /2 * c)^5 + 51/4/d * b^3 / (a+b)^3 / (\tanh(1/2 * d * x + 1/2 * c)^4 * a + 2 * \tanh(1/2 * d * x + 1/2 * c)^2 \\
& * a + 4 * \tanh(1/2 * d * x + 1/2 * c)^2 * b + a)^2 / a * \tanh(1/2 * d * x + 1/2 * c)^3 + 75/2/d * b^4 / (a+b)^ \\
& 3 / (\tanh(1/2 * d * x + 1/2 * c)^4 * a + 2 * \tanh(1/2 * d * x + 1/2 * c)^2 * a + 4 * \tanh(1/2 * d * x + 1/2 * c)^2 \\
& * b + a)^2 / a^2 * \tanh(1/2 * d * x + 1/2 * c)^3 + 17/4/d * b^3 / (a+b)^3 / (\tanh(1/2 * d * x + 1/2 * c)^4 \\
& * a + 2 * \tanh(1/2 * d * x + 1/2 * c)^2 * a + 4 * \tanh(1/2 * d * x + 1/2 * c)^2 * b + a)^2 / a * \tanh(1/2 * d * x \\
& + 1/2 * c) - 35/8/d * b^6 / (a+b)^3 / a^4 / (b * (a+b))^{(1/2)} / ((2 * (b * (a+b))^{(1/2)} + a+2b) * a \\
& )^{(1/2)} * \arctan(a * \tanh(1/2 * d * x + 1/2 * c) / ((2 * (b * (a+b))^{(1/2)} + a+2b) * a)^{(1/2)}) + 1 \\
& 3/4/d * b^5 / (a+b)^3 / a^3 / (\tanh(1/2 * d * x + 1/2 * c)^4 * a + 2 * \tanh(1/2 * d * x + 1/2 * c)^2 * a + 4 * \\
& \tanh(1/2 * d * x + 1/2 * c)^2 * b + a)^2 * \tanh(1/2 * d * x + 1/2 * c)^7 + 35/8/d * b^5 / (a+b)^3 / a^4 / ( \\
& (2 * (b * (a+b))^{(1/2)} - a - 2 * b) * a)^{(1/2)} * \operatorname{arctanh}(a * \tanh(1/2 * d * x + 1/2 * c) / ((2 * (b * (a+ \\
& b))^{(1/2)} - a - 2 * b) * a)^{(1/2)}) - 1/24/d/a^3 * \tanh(1/2 * d * x + 1/2 * c)^3 - 1/24/d/a^3 / \tanh \\
& (1/2 * d * x + 1/2 * c)^3 + 13/4/d * b^5 / (a+b)^3 / a^3 / (\tanh(1/2 * d * x + 1/2 * c)^4 * a + 2 * \tanh(1/ \\
& 2 * d * x + 1/2 * c)^2 * a + 4 * \tanh(1/2 * d * x + 1/2 * c)^2 * b + a)^2 * \tanh(1/2 * d * x + 1/2 * c) + 15/2/d * \\
& b^4 / (a+b)^3 / a^2 / (\tanh(1/2 * d * x + 1/2 * c)^4 * a + 2 * \tanh(1/2 * d * x + 1/2 * c)^2 * a + 4 * \tanh(1 \\
& /2 * d * x + 1/2 * c)^2 * b + a)^2 * \tanh(1/2 * d * x + 1/2 * c) + 143/4/d * b^5 / (a+b)^3 / a^3 / (\tanh(1/ \\
& 2 * d * x + 1/2 * c)^4 * a + 2 * \tanh(1/2 * d * x + 1/2 * c)^2 * a + 4 * \tanh(1/2 * d * x + 1/2 * c)^2 * b + a)^2 * t \\
& \tanh(1/2 * d * x + 1/2 * c)^5 - 35/8/d * b^6 / (a+b)^3 / a^4 / (b * (a+b))^{(1/2)} / ((2 * (b * (a+b))^{(1/2)} - a - 2 * \\
& b) * a)^{(1/2)} * \operatorname{arctanh}(a * \tanh(1/2 * d * x + 1/2 * c) / ((2 * (b * (a+b))^{(1/2)} - a - 2 * \\
& b) * a)^{(1/2)})
\end{aligned}$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out] Timed out

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\coth^4(c + dx)}{(a + b \tanh^2(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)\*\*4/(a+b\*tanh(d\*x+c)\*\*2)\*\*3,x)

[Out] Integral(coth(c + d\*x)\*\*4/(a + b\*tanh(c + d\*x)\*\*2)\*\*3, x)

**Giac [B]** time = 1.45776, size = 683, normalized size = 3.

$$\frac{(63 a^2 b^3 + 90 a b^4 + 35 b^5) \arctan\left(\frac{a e^{(2 dx + 2 c)} + b e^{(2 dx + 2 c)} + a - b}{2 \sqrt{ab}}\right)}{8 (a^7 d + 3 a^6 b d + 3 a^5 b^2 d + a^4 b^3 d) \sqrt{ab}} + \frac{dx + c}{a^3 d + 3 a^2 b d + 3 a b^2 d + b^3 d} - \frac{17 a^3 b^3 e^{(6 dx + 6 c)} + 7 a^2 b^4 e^{(6 dx + 6 c)}}{8 (a^7 d + 3 a^6 b d + 3 a^5 b^2 d + a^4 b^3 d) \sqrt{ab}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out] 1/8\*(63\*a^2\*b^3 + 90\*a\*b^4 + 35\*b^5)\*arctan(1/2\*(a\*e^(2\*d\*x + 2\*c) + b\*e^(2\*d\*x + 2\*c) + a - b)/sqrt(a\*b))/((a^7\*d + 3\*a^6\*b\*d + 3\*a^5\*b^2\*d + a^4\*b^3\*d)\*sqrt(a\*b)) + (d\*x + c)/(a^3\*d + 3\*a^2\*b\*d + 3\*a\*b^2\*d + b^3\*d) - 1/4\*(17\*a^3\*b^3\*e^(6\*d\*x + 6\*c) + 7\*a^2\*b^4\*e^(6\*d\*x + 6\*c) - 21\*a\*b^5\*e^(6\*d\*x + 6\*c) - 11\*b^6\*e^(6\*d\*x + 6\*c) + 51\*a^3\*b^3\*e^(4\*d\*x + 4\*c) - a^2\*b^4\*e^(4\*d\*x + 4\*c) + 29\*a\*b^5\*e^(4\*d\*x + 4\*c) + 33\*b^6\*e^(4\*d\*x + 4\*c) + 51\*a^3\*b^3\*e^(2\*d\*x + 2\*c) + 37\*a^2\*b^4\*e^(2\*d\*x + 2\*c) - 47\*a\*b^5\*e^(2\*d\*x + 2\*c) -

$$\frac{33b^6e^{(2dx+2c)} + 17a^3b^3 + 45a^2b^4 + 39ab^5 + 11b^6}{(a^7d + 3a^6bd + 3a^5b^2d + a^4b^3d)(ae^{(4dx+4c)} + be^{(4dx+4c)} + 2ae^{(2dx+2c)} - 2be^{(2dx+2c)} + a + b)^2} - \frac{2}{3} \frac{(6ae^{(4dx+4c)} - 9be^{(4dx+4c)} - 6ae^{(2dx+2c)} + 18be^{(2dx+2c)} + 4a - 9b)}{(a^4d(e^{(2dx+2c)} - 1))^3}$$

$$3.201 \quad \int \frac{1}{(a+b \tanh^2(c+dx))^4} dx$$

**Optimal.** Leaf size=201

$$\frac{b(19a^2 + 16ab + 5b^2) \tanh(c + dx)}{16a^3 d(a + b)^3 (a + b \tanh^2(c + dx))} + \frac{\sqrt{b}(35a^2b + 35a^3 + 21ab^2 + 5b^3) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{16a^{7/2}d(a + b)^4} + \frac{b(11a + 5b) \tanh(c + dx)}{24a^2d(a + b)^2 (a + b \tanh^2(c + dx))}$$

```
[Out] x/(a + b)^4 + (Sqrt[b]*(35*a^3 + 35*a^2*b + 21*a*b^2 + 5*b^3)*ArcTan[(Sqrt[b]*Tanh[c + d*x])/Sqrt[a]])/(16*a^(7/2)*(a + b)^4*d) + (b*Tanh[c + d*x])/(6*a*(a + b)*d*(a + b*Tanh[c + d*x]^2)^3) + (b*(11*a + 5*b)*Tanh[c + d*x])/(24*a^2*(a + b)^2*d*(a + b*Tanh[c + d*x]^2)^2) + (b*(19*a^2 + 16*a*b + 5*b^2)*Tanh[c + d*x])/(16*a^3*(a + b)^3*d*(a + b*Tanh[c + d*x]^2))
```

**Rubi [A]** time = 0.277135, antiderivative size = 201, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$ , Rules used = {3661, 414, 527, 522, 206, 205}

$$\frac{b(19a^2 + 16ab + 5b^2) \tanh(c + dx)}{16a^3 d(a + b)^3 (a + b \tanh^2(c + dx))} + \frac{\sqrt{b}(35a^2b + 35a^3 + 21ab^2 + 5b^3) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{16a^{7/2}d(a + b)^4} + \frac{b(11a + 5b) \tanh(c + dx)}{24a^2d(a + b)^2 (a + b \tanh^2(c + dx))}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Tanh[c + d*x]^2)^(-4), x]
```

```
[Out] x/(a + b)^4 + (Sqrt[b]*(35*a^3 + 35*a^2*b + 21*a*b^2 + 5*b^3)*ArcTan[(Sqrt[b]*Tanh[c + d*x])/Sqrt[a]])/(16*a^(7/2)*(a + b)^4*d) + (b*Tanh[c + d*x])/(6*a*(a + b)*d*(a + b*Tanh[c + d*x]^2)^3) + (b*(11*a + 5*b)*Tanh[c + d*x])/(24*a^2*(a + b)^2*d*(a + b*Tanh[c + d*x]^2)^2) + (b*(19*a^2 + 16*a*b + 5*b^2)*Tanh[c + d*x])/(16*a^3*(a + b)^3*d*(a + b*Tanh[c + d*x]^2))
```

### Rule 3661

```
Int[((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_), x_Symbol] :=
With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[(a + b*(ff*x)^n]^p/(c^2 + ff^2*x^2), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, e, f, n, p}, x] && (IntegersQ[n, p] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])
```

Rule 414

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> -Simp[(b*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(p + 1)*(b*c -
a*d)), x] + Dist[1/(a*n*(p + 1)*(b*c - a*d)), Int[(a + b*x^n)^(p + 1)*(c +
d*x^n)^q*Simp[b*c + n*(p + 1)*(b*c - a*d) + d*b*(n*(p + q + 2) + 1)*x^n, x]
, x], x] /; FreeQ[{a, b, c, d, n, q}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1]
&& !( !IntegerQ[p] && IntegerQ[q] && LtQ[q, -1]) && IntBinomialQ[a, b, c,
d, n, p, q, x]
```

Rule 527

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_.)*((e_) + (f
_.)*(x_)^(n_)), x_Symbol] :> -Simp[((b*e - a*f)*x*(a + b*x^n)^(p + 1)*(c +
d*x^n)^(q + 1))/(a*n*(b*c - a*d)*(p + 1)), x] + Dist[1/(a*n*(b*c - a*d)*(p
+ 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(b*e - a*f) + e*n*(b*c
- a*d)*(p + 1) + d*(b*e - a*f)*(n*(p + q + 2) + 1)*x^n, x], x], x] /; FreeQ
[{a, b, c, d, e, f, n, q}, x] && LtQ[p, -1]
```

Rule 522

```
Int[((e_) + (f_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_))*((c_) + (d_.)*(x_)^(
n_)), x_Symbol] :> Dist[(b*e - a*f)/(b*c - a*d), Int[1/(a + b*x^n), x], x]
- Dist[(d*e - c*f)/(b*c - a*d), Int[1/(c + d*x^n), x], x] /; FreeQ[{a, b,
c, d, e, f, n}, x]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rubi steps



$$\begin{aligned}
\int \frac{1}{(a + b \tanh^2(c + dx))^4} dx &= \frac{\text{Subst}\left(\int \frac{1}{(1-x^2)(a+bx^2)^4} dx, x, \tanh(c + dx)\right)}{d} \\
&= \frac{b \tanh(c + dx)}{6a(a + b)d (a + b \tanh^2(c + dx))^3} - \frac{\text{Subst}\left(\int \frac{b-6(a+b)+5bx^2}{(1-x^2)(a+bx^2)^3} dx, x, \tanh(c + dx)\right)}{6a(a + b)d} \\
&= \frac{b \tanh(c + dx)}{6a(a + b)d (a + b \tanh^2(c + dx))^3} + \frac{b(11a + 5b) \tanh(c + dx)}{24a^2(a + b)^2d (a + b \tanh^2(c + dx))^2} + \frac{\text{Subst}\left(\int \frac{b(19a^2 + 16ab + 5b^2)}{(1-x^2)(a+bx^2)^2} dx, x, \tanh(c + dx)\right)}{6a(a + b)d} \\
&= \frac{b \tanh(c + dx)}{6a(a + b)d (a + b \tanh^2(c + dx))^3} + \frac{b(11a + 5b) \tanh(c + dx)}{24a^2(a + b)^2d (a + b \tanh^2(c + dx))^2} + \frac{b(19a^2 + 16ab + 5b^2) \tanh(c + dx)}{16a^3(a + b)d (a + b \tanh^2(c + dx))} \\
&= \frac{b \tanh(c + dx)}{6a(a + b)d (a + b \tanh^2(c + dx))^3} + \frac{b(11a + 5b) \tanh(c + dx)}{24a^2(a + b)^2d (a + b \tanh^2(c + dx))^2} + \frac{b(19a^2 + 16ab + 5b^2) \tanh(c + dx)}{16a^3(a + b)d (a + b \tanh^2(c + dx))} \\
&= \frac{x}{(a + b)^4} + \frac{\sqrt{b}(35a^3 + 35a^2b + 21ab^2 + 5b^3) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{16a^{7/2}(a + b)^4d} + \frac{b \tanh(c + dx)}{6a(a + b)d (a + b \tanh^2(c + dx))^3}
\end{aligned}$$

**Mathematica [A]** time = 0.546873, size = 203, normalized size = 1.01

$$\frac{3b(19a^2+16ab+5b^2)(a+b) \tanh(c+dx)}{a^3(a+b \tanh^2(c+dx))} + \frac{3\sqrt{b}(35a^2b+35a^3+21ab^2+5b^3) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{a^{7/2}} + \frac{2b(11a+5b)(a+b)^2 \tanh(c+dx)}{a^2(a+b \tanh^2(c+dx))^2} + \frac{8b(a+b)^3 \tanh(c+dx)}{a(a+b \tanh^2(c+dx))^3}$$


---


$$48d(a + b)^4$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Tanh[c + d\*x]^2)^(-4), x]

[Out] ((3\*sqrt[b]\*(35\*a^3 + 35\*a^2\*b + 21\*a\*b^2 + 5\*b^3)\*ArcTan[(sqrt[b]\*Tanh[c + d\*x])/sqrt[a]])/a^(7/2) - 24\*Log[1 - Tanh[c + d\*x]] + 24\*Log[1 + Tanh[c + d\*x]] + (8\*b\*(a + b)^3\*Tanh[c + d\*x])/(a\*(a + b\*Tanh[c + d\*x]^2)^3) + (2\*b\*(a + b)^2\*(11\*a + 5\*b)\*Tanh[c + d\*x])/(a^2\*(a + b\*Tanh[c + d\*x]^2)^2) + (3\*b\*(a + b)\*(19\*a^2 + 16\*a\*b + 5\*b^2)\*Tanh[c + d\*x])/(a^3\*(a + b\*Tanh[c + d\*x]^2)))/(48\*(a + b)^4\*d)

---

**Maple [B]** time = 0.034, size = 608, normalized size = 3.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(1/(a+b*\tanh(d*x+c))^2)^4, x)$

[Out]  $\frac{1}{2}d/(a+b)^4*\ln(\tanh(d*x+c)+1)+\frac{19}{16}d/(a+b)^4*b^3/(a+b*\tanh(d*x+c))^2)^3*\tanh(d*x+c)^5+\frac{35}{16}d/(a+b)^4*b^4/(a+b*\tanh(d*x+c))^2)^3/a*\tanh(d*x+c)^5+\frac{21}{16}d/(a+b)^4*b^5/(a+b*\tanh(d*x+c))^2)^3/a^2*\tanh(d*x+c)^5+\frac{5}{16}d/(a+b)^4*b^6/(a+b*\tanh(d*x+c))^2)^3/a^3*\tanh(d*x+c)^5+\frac{17}{6}d/(a+b)^4*b^2/(a+b*\tanh(d*x+c))^2)^3*a*\tanh(d*x+c)^3+\frac{11}{2}d/(a+b)^4*b^3/(a+b*\tanh(d*x+c))^2)^3*\tanh(d*x+c)^3+\frac{7}{2}d/(a+b)^4*b^4/(a+b*\tanh(d*x+c))^2)^3/a*\tanh(d*x+c)^3+\frac{5}{6}d/(a+b)^4*b^5/(a+b*\tanh(d*x+c))^2)^3/a^2*\tanh(d*x+c)^3+\frac{29}{16}d/(a+b)^4*b/(a+b*\tanh(d*x+c))^2)^3*a^2*\tanh(d*x+c)+\frac{61}{16}d/(a+b)^4*b^2/(a+b*\tanh(d*x+c))^2)^3*a*\tanh(d*x+c)+\frac{43}{16}d/(a+b)^4*b^3/(a+b*\tanh(d*x+c))^2)^3*\tanh(d*x+c)+\frac{11}{16}d/(a+b)^4*b^4/(a+b*\tanh(d*x+c))^2)^3/a*\tanh(d*x+c)+\frac{35}{16}d/(a+b)^4*b/(a*b)^{(1/2)}*\arctan(\tanh(d*x+c)*b/(a*b)^{(1/2)})+\frac{35}{16}d/(a+b)^4*b^2/a/(a*b)^{(1/2)}*\arctan(\tanh(d*x+c)*b/(a*b)^{(1/2)})+\frac{21}{16}d/(a+b)^4*b^3/a^2/(a*b)^{(1/2)}*\arctan(\tanh(d*x+c)*b/(a*b)^{(1/2)})+\frac{5}{16}d/(a+b)^4*b^4/a^3/(a*b)^{(1/2)}*\arctan(\tanh(d*x+c)*b/(a*b)^{(1/2)})-\frac{1}{2}d/(a+b)^4*\ln(\tanh(d*x+c)-1)$

---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(1/(a+b*\tanh(d*x+c))^2)^4, x, \text{algorithm}=\text{"maxima"})$

[Out] Exception raised: ValueError

---

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*tanh(d\*x+c)^2)^4,x, algorithm="fricas")

[Out] Timed out

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*tanh(d\*x+c)\*\*2)\*\*4,x)

[Out] Timed out

**Giac [B]** time = 1.31529, size = 1030, normalized size = 5.12

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*tanh(d\*x+c)^2)^4,x, algorithm="giac")

[Out] 
$$\frac{1}{16} \cdot (35a^3b + 35a^2b^2 + 21ab^3 + 5b^4) \cdot \arctan\left(\frac{1}{2} \cdot \frac{a e^{2dx} + 2c + b e^{2dx} + 2c + a - b}{\sqrt{ab}}\right) / \left( (a^7d + 4a^6bd + 6a^5b^2d + 4a^4b^3d + a^3b^4d) \sqrt{ab} \right) + \frac{dxc}{(a^4d + 4a^3bd + 6a^2b^2d + 4ab^3d + b^4d)} - \frac{1}{24} \cdot (87a^5b e^{10dx+10c} + 69a^4b^2 e^{10dx+10c} - 186a^3b^3 e^{10dx+10c} - 246a^2b^4 e^{10dx+10c} - 93ab^5 e^{10dx+10c} - 15b^6 e^{10dx+10c} + 435a^5b e^{8dx+8c} + 51a^4b^2 e^{8dx+8c} - 174a^3b^3 e^{8dx+8c} + 450a^2b^4 e^{8dx+8c} + 315ab^5 e^{8dx+8c} + 75b^6 e^{8dx+8c} + 870a^5b e^{6dx+6c} + 58a^4b^2 e^{6dx+6c} + 324a^3b^3 e^{6dx+6c} - 612a^2b^4 e^{6dx+6c} - 490ab^5 e^{6dx+6c} - 150b^6 e^{6dx+6c} + 870a^5b e^{4dx+4c} + 558a^4b^2 e^{4dx+4c} - 36a^3b^3 e^{4dx+4c} + 636a^2b^4 e^{4dx+4c} + 510ab^5 e^{4dx+4c} + 150b^6 e^{4dx+4c} + 435a^5b e^{2dx+2c} + 801a^4b^2 e^{2dx+2c} + 102a^3b^3 e^{2dx+2c} - 534a^2b^4 e^{2dx+2c} - 345ab^5 e^{2dx+2c} - 75b^6 e^{2dx+2c} + 87a^5b + 319a^4b^2 + 450a^3b^3 + 306a^2b^4 + 103ab^5 + 15b^6) / \left( (a^7d + 4a^6bd + 6a^5b^2d + 4a^4b^3d + a^3b^4d) \cdot (a e^{4dx} + \dots) \right)$$

$$4*c) + b*e^{(4*d*x + 4*c)} + 2*a*e^{(2*d*x + 2*c)} - 2*b*e^{(2*d*x + 2*c)} + a + b)^3)$$

$$3.202 \quad \int \sqrt{1 - \tanh^2(x)} dx$$

Optimal. Leaf size=3

$$\sin^{-1}(\tanh(x))$$

[Out] ArcSin[Tanh[x]]

**Rubi [A]** time = 0.0165158, antiderivative size = 3, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$ , Rules used = {3657, 4122, 216}

$$\sin^{-1}(\tanh(x))$$

Antiderivative was successfully verified.

[In] Int[Sqrt[1 - Tanh[x]^2], x]

[Out] ArcSin[Tanh[x]]

#### Rule 3657

Int[(u\_)\*((a\_) + (b\_)\*tan[(e\_) + (f\_)\*(x\_)]^2)^p], x\_Symbol] := Int[A ctivateTrig[u\*(a\*sec[e + f\*x]^2)^p], x] /; FreeQ[{a, b, e, f, p}, x] && EqQ [a, b]

#### Rule 4122

Int[((b\_)\*sec[(e\_) + (f\_)\*(x\_)]^2)^p], x\_Symbol] := With[{ff = FreeFac tors[Tan[e + f\*x], x]}, Dist[(b\*ff)/f, Subst[Int[(b + b\*ff^2\*x^2)^(p - 1), x], x, Tan[e + f\*x]/ff], x] /; FreeQ[{b, e, f, p}, x] && !IntegerQ[p]

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqr t[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rubi steps

$$\begin{aligned}\int \sqrt{1 - \tanh^2(x)} dx &= \int \sqrt{\operatorname{sech}^2(x)} dx \\ &= \operatorname{Subst} \left( \int \frac{1}{\sqrt{1 - x^2}} dx, x, \tanh(x) \right) \\ &= \sin^{-1}(\tanh(x))\end{aligned}$$

**Mathematica [B]** time = 0.007552, size = 19, normalized size = 6.33

$$2 \cosh(x) \sqrt{\operatorname{sech}^2(x)} \tan^{-1} \left( \tanh \left( \frac{x}{2} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[1 - Tanh[x]^2], x]

[Out] 2\*ArcTan[Tanh[x/2]]\*Cosh[x]\*Sqrt[Sech[x]^2]

**Maple [A]** time = 0.033, size = 4, normalized size = 1.3

$$\arcsin(\tanh(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1-tanh(x)^2)^(1/2), x)

[Out] arcsin(tanh(x))

**Maxima [A]** time = 1.68692, size = 7, normalized size = 2.33

$$2 \arctan(e^x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-tanh(x)^2)^(1/2), x, algorithm="maxima")

[Out]  $2 \arctan(e^x)$

---

**Fricas [B]** time = 2.16123, size = 39, normalized size = 13.

$$2 \arctan(\cosh(x) + \sinh(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1-tanh(x)^2)^(1/2),x, algorithm="fricas")`

[Out]  $2 \arctan(\cosh(x) + \sinh(x))$

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{1 - \tanh^2(x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1-tanh(x)**2)**(1/2),x)`

[Out] `Integral(sqrt(1 - tanh(x)**2), x)`

---

**Giac [A]** time = 1.16934, size = 7, normalized size = 2.33

$$2 \arctan(e^x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1-tanh(x)^2)^(1/2),x, algorithm="giac")`

[Out]  $2 \arctan(e^x)$

### 3.203

$$\int \sqrt{-1 + \tanh^2(x)} dx$$

**Optimal.** Leaf size=16

$$-\tanh^{-1}\left(\frac{\tanh(x)}{\sqrt{-\operatorname{sech}^2(x)}}\right)$$

[Out] -ArcTanh[Tanh[x]/Sqrt[-Sech[x]^2]]

**Rubi [A]** time = 0.0205394, antiderivative size = 16, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.4$ , Rules used = {3657, 4122, 217, 206}

$$-\tanh^{-1}\left(\frac{\tanh(x)}{\sqrt{-\operatorname{sech}^2(x)}}\right)$$

Antiderivative was successfully verified.

[In] Int[Sqrt[-1 + Tanh[x]^2],x]

[Out] -ArcTanh[Tanh[x]/Sqrt[-Sech[x]^2]]

#### Rule 3657

Int[(u\_.)\*((a\_) + (b\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]^2)^(p\_), x\_Symbol] :> Int[ActivateTrig[u\*(a\*sec[e + f\*x]^2)^p], x] /; FreeQ[{a, b, e, f, p}, x] && EqQ[a, b]

#### Rule 4122

Int[((b\_.)\*sec[(e\_.) + (f\_.)\*(x\_)]^2)^(p\_), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(b\*ff)/f, Subst[Int[(b + b\*ff^2\*x^2)^(p - 1), x], x, Tan[e + f\*x]/ff], x] /; FreeQ[{b, e, f, p}, x] && !IntegerQ[p]

#### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] :> Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]



Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
 \int \sqrt{-1 + \tanh^2(x)} dx &= \int \sqrt{-\operatorname{sech}^2(x)} dx \\
 &= -\operatorname{Subst} \left( \int \frac{1}{\sqrt{-1 + x^2}} dx, x, \tanh(x) \right) \\
 &= -\operatorname{Subst} \left( \int \frac{1}{1 - x^2} dx, x, \frac{\tanh(x)}{\sqrt{-\operatorname{sech}^2(x)}} \right) \\
 &= -\tanh^{-1} \left( \frac{\tanh(x)}{\sqrt{-\operatorname{sech}^2(x)}} \right)
 \end{aligned}$$

**Mathematica [A]** time = 0.0067079, size = 21, normalized size = 1.31

$$2 \cosh(x) \sqrt{-\operatorname{sech}^2(x)} \tan^{-1} \left( \tanh \left( \frac{x}{2} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[-1 + Tanh[x]^2], x]

[Out] 2\*ArcTan[Tanh[x/2]]\*Cosh[x]\*Sqrt[-Sech[x]^2]

**Maple [A]** time = 0.036, size = 15, normalized size = 0.9

$$-\ln \left( \tanh(x) + \sqrt{-1 + (\tanh(x))^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-1+tanh(x)^2)^(1/2), x)

[Out]  $-\ln(\tanh(x) + (-1 + \tanh(x)^2)^{1/2})$

---

**Maxima [C]** time = 1.67764, size = 7, normalized size = 0.44

$$2i \arctan(e^x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-1+tanh(x)^2)^(1/2),x, algorithm="maxima")`

[Out]  $2*I*\arctan(e^x)$

---

**Fricas [A]** time = 2.2341, size = 4, normalized size = 0.25

$$0$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-1+tanh(x)^2)^(1/2),x, algorithm="fricas")`

[Out] 0

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{\tanh^2(x) - 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-1+tanh(x)**2)**(1/2),x)`

[Out] `Integral(sqrt(tanh(x)**2 - 1), x)`

---

**Giac [C]** time = 1.20325, size = 23, normalized size = 1.44

$$-\frac{1}{2} \log(e^{2x} + 1) + \log(ie^x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-1+tanh(x)^2)^(1/2),x, algorithm="giac")
```

```
[Out] -1/2*log(e^(2*x) + 1) + log(I*e^x + 1)
```

$$3.204 \quad \int (1 - \tanh^2(x))^{3/2} dx$$

**Optimal.** Leaf size=22

$$\frac{1}{2} \sin^{-1}(\tanh(x)) + \frac{1}{2} \tanh(x) \sqrt{\operatorname{sech}^2(x)}$$

[Out] ArcSin[Tanh[x]]/2 + (Sqrt[Sech[x]^2]\*Tanh[x])/2

**Rubi [A]** time = 0.0199402, antiderivative size = 22, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {3657, 4122, 195, 216}

$$\frac{1}{2} \sin^{-1}(\tanh(x)) + \frac{1}{2} \tanh(x) \sqrt{\operatorname{sech}^2(x)}$$

Antiderivative was successfully verified.

[In] Int[(1 - Tanh[x]^2)^(3/2), x]

[Out] ArcSin[Tanh[x]]/2 + (Sqrt[Sech[x]^2]\*Tanh[x])/2

#### Rule 3657

Int[(u\_)\*((a\_) + (b\_)\*tan[(e\_) + (f\_)\*(x\_)])^2)^(p\_), x\_Symbol] :> Int[ActivateTrig[u\*(a\*sec[e + f\*x]^2)^p], x] /; FreeQ[{a, b, e, f, p}, x] && EqQ[a, b]

#### Rule 4122

Int[((b\_)\*sec[(e\_) + (f\_)\*(x\_)])^2)^(p\_), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(b\*ff)/f, Subst[Int[(b + b\*ff^2\*x^2)^(p - 1), x], x, Tan[e + f\*x]/ff], x] /; FreeQ[{b, e, f, p}, x] && !IntegerQ[p]

#### Rule 195

Int[((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Simp[(x\*(a + b\*x^n)^p)/(n\*p + 1), x] + Dist[(a\*n\*p)/(n\*p + 1), Int[(a + b\*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2\*p] || (EqQ[n, 2] && IntegerQ[4\*p]) || (EqQ[n, 2] && IntegerQ[3\*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

Rule 216

`Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]`

Rubi steps

$$\begin{aligned}
 \int (1 - \tanh^2(x))^{3/2} dx &= \int \operatorname{sech}^2(x)^{3/2} dx \\
 &= \operatorname{Subst} \left( \int \sqrt{1 - x^2} dx, x, \tanh(x) \right) \\
 &= \frac{1}{2} \sqrt{\operatorname{sech}^2(x) \tanh(x)} + \frac{1}{2} \operatorname{Subst} \left( \int \frac{1}{\sqrt{1 - x^2}} dx, x, \tanh(x) \right) \\
 &= \frac{1}{2} \sin^{-1}(\tanh(x)) + \frac{1}{2} \sqrt{\operatorname{sech}^2(x) \tanh(x)}
 \end{aligned}$$

**Mathematica [A]** time = 0.0181831, size = 29, normalized size = 1.32

$$\frac{\operatorname{sech}(x) \left( 2 \tan^{-1} \left( \tanh \left( \frac{x}{2} \right) \right) + \tanh(x) \operatorname{sech}(x) \right)}{2 \sqrt{\operatorname{sech}^2(x)}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 - Tanh[x]^2)^(3/2), x]

[Out] (Sech[x]\*(2\*ArcTan[Tanh[x/2]] + Sech[x]\*Tanh[x]))/(2\*Sqrt[Sech[x]^2])

**Maple [A]** time = 0.03, size = 21, normalized size = 1.

$$\frac{\tanh(x)}{2} \sqrt{1 - (\tanh(x))^2} + \frac{\arcsin(\tanh(x))}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1-tanh(x)^2)^(3/2), x)

[Out] 1/2\*(1-tanh(x)^2)^(1/2)\*tanh(x)+1/2\*arcsin(tanh(x))

---

**Maxima [A]** time = 1.68189, size = 38, normalized size = 1.73

$$\frac{e^{(3x)} - e^x}{e^{(4x)} + 2e^{(2x)} + 1} + \arctan(e^x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-tanh(x)^2)^(3/2),x, algorithm="maxima")

[Out] (e^(3\*x) - e^x)/(e^(4\*x) + 2\*e^(2\*x) + 1) + arctan(e^x)

---

**Fricas [B]** time = 2.14712, size = 504, normalized size = 22.91

$$\frac{\cosh(x)^3 + 3 \cosh(x) \sinh(x)^2 + \sinh(x)^3 + (\cosh(x)^4 + 4 \cosh(x) \sinh(x)^3 + \sinh(x)^4 + 2(3 \cosh(x)^2 + 1) \sinh(x))}{\cosh(x)^4 + 4 \cosh(x) \sinh(x)^3 + \sinh(x)^4 + 2(3 \cosh(x)^2 + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-tanh(x)^2)^(3/2),x, algorithm="fricas")

[Out] (cosh(x)^3 + 3\*cosh(x)\*sinh(x)^2 + sinh(x)^3 + (cosh(x)^4 + 4\*cosh(x)\*sinh(x)^3 + sinh(x)^4 + 2\*(3\*cosh(x)^2 + 1)\*sinh(x)^2 + 2\*cosh(x)^2 + 4\*(cosh(x)^3 + cosh(x))\*sinh(x) + 1)\*arctan(cosh(x) + sinh(x)) + (3\*cosh(x)^2 - 1)\*sinh(x) - cosh(x))/(cosh(x)^4 + 4\*cosh(x)\*sinh(x)^3 + sinh(x)^4 + 2\*(3\*cosh(x)^2 + 1)\*sinh(x)^2 + 2\*cosh(x)^2 + 4\*(cosh(x)^3 + cosh(x))\*sinh(x) + 1)

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (1 - \tanh^2(x))^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-tanh(x)\*\*2)\*\*(3/2),x)

[Out] Integral((1 - tanh(x)\*\*2)\*\*(3/2), x)

---

**Giac [B]** time = 1.29679, size = 61, normalized size = 2.77

$$\frac{1}{4} \pi - \frac{e^{(-x)} - e^x}{(e^{(-x)} - e^x)^2 + 4} + \frac{1}{2} \arctan\left(\frac{1}{2} (e^{2x} - 1)e^{(-x)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-tanh(x)^2)^(3/2),x, algorithm="giac")

[Out] 1/4\*pi - (e^(-x) - e^x)/((e^(-x) - e^x)^2 + 4) + 1/2\*arctan(1/2\*(e^(2\*x) - 1)\*e^(-x))

$$3.205 \quad \int (-1 + \tanh^2(x))^{3/2} dx$$

**Optimal.** Leaf size=35

$$\frac{1}{2} \tanh^{-1} \left( \frac{\tanh(x)}{\sqrt{-\operatorname{sech}^2(x)}} \right) - \frac{1}{2} \tanh(x) \sqrt{-\operatorname{sech}^2(x)}$$

[Out] ArcTanh[Tanh[x]/Sqrt[-Sech[x]^2]]/2 - (Sqrt[-Sech[x]^2]\*Tanh[x])/2

**Rubi [A]** time = 0.0235295, antiderivative size = 35, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.5$ , Rules used = {3657, 4122, 195, 217, 206}

$$\frac{1}{2} \tanh^{-1} \left( \frac{\tanh(x)}{\sqrt{-\operatorname{sech}^2(x)}} \right) - \frac{1}{2} \tanh(x) \sqrt{-\operatorname{sech}^2(x)}$$

Antiderivative was successfully verified.

[In] Int[(-1 + Tanh[x]^2)^(3/2), x]

[Out] ArcTanh[Tanh[x]/Sqrt[-Sech[x]^2]]/2 - (Sqrt[-Sech[x]^2]\*Tanh[x])/2

#### Rule 3657

Int[(u\_.)\*((a\_.) + (b\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^2)^(p\_), x\_Symbol] :> Int[ActivateTrig[u\*(a\*sec[e + f\*x]^2)^p], x] /; FreeQ[{a, b, e, f, p}, x] && EqQ[a, b]

#### Rule 4122

Int[((b\_.)\*sec[(e\_.) + (f\_.)\*(x\_)])^2)^(p\_), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(b\*ff)/f, Subst[Int[(b + b\*ff^2\*x^2)^(p - 1), x], x, Tan[e + f\*x]/ff], x] /; FreeQ[{b, e, f, p}, x] && !IntegerQ[p]

#### Rule 195

Int[((a\_.) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Simp[(x\*(a + b\*x^n)^p)/(n\*p + 1), x] + Dist[(a\*n\*p)/(n\*p + 1), Int[(a + b\*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2\*p] || (EqQ[n, 2] &&



IntegerQ[4\*p]) || (EqQ[n, 2] && IntegerQ[3\*p]) || LtQ[Denominator[p + 1/n],  
Denominator[p]])

### Rule 217

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] :> Subst[Int[1/(1 - b\*x^2), x],  
x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/  
Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt  
Q[a, 0] || LtQ[b, 0])

### Rubi steps

$$\begin{aligned}
 \int (-1 + \tanh^2(x))^{3/2} dx &= \int (-\operatorname{sech}^2(x))^{3/2} dx \\
 &= -\operatorname{Subst}\left(\int \sqrt{-1 + x^2} dx, x, \tanh(x)\right) \\
 &= -\frac{1}{2}\sqrt{-\operatorname{sech}^2(x)} \tanh(x) + \frac{1}{2}\operatorname{Subst}\left(\int \frac{1}{\sqrt{-1 + x^2}} dx, x, \tanh(x)\right) \\
 &= -\frac{1}{2}\sqrt{-\operatorname{sech}^2(x)} \tanh(x) + \frac{1}{2}\operatorname{Subst}\left(\int \frac{1}{1 - x^2} dx, x, \frac{\tanh(x)}{\sqrt{-\operatorname{sech}^2(x)}}\right) \\
 &= \frac{1}{2}\tanh^{-1}\left(\frac{\tanh(x)}{\sqrt{-\operatorname{sech}^2(x)}}\right) - \frac{1}{2}\sqrt{-\operatorname{sech}^2(x)} \tanh(x)
 \end{aligned}$$

**Mathematica [A]** time = 0.0193486, size = 28, normalized size = 0.8

$$-\frac{1}{2}\sqrt{-\operatorname{sech}^2(x)}\left(\tanh(x) + 2\cosh(x)\tan^{-1}\left(\tanh\left(\frac{x}{2}\right)\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(-1 + Tanh[x]^2)^(3/2), x]

[Out] -(Sqrt[-Sech[x]^2]\*(2\*ArcTan[Tanh[x/2]]\*Cosh[x] + Tanh[x]))/2

**Maple [A]** time = 0.035, size = 28, normalized size = 0.8

$$-\frac{\tanh(x)}{2}\sqrt{-1+(\tanh(x))^2}+\frac{1}{2}\ln\left(\tanh(x)+\sqrt{-1+(\tanh(x))^2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-1+tanh(x)^2)^(3/2),x)

[Out] -1/2\*tanh(x)\*(-1+tanh(x)^2)^(1/2)+1/2\*ln(tanh(x)+(-1+tanh(x)^2)^(1/2))

**Maxima [C]** time = 1.72371, size = 43, normalized size = 1.23

$$\frac{-ie^{(3x)}+ie^x}{e^{(4x)}+2e^{(2x)}+1}-i\arctan(e^x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1+tanh(x)^2)^(3/2),x, algorithm="maxima")

[Out] (-I\*e^(3\*x) + I\*e^x)/(e^(4\*x) + 2\*e^(2\*x) + 1) - I\*arctan(e^x)

**Fricas [A]** time = 2.35453, size = 4, normalized size = 0.11

0

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1+tanh(x)^2)^(3/2),x, algorithm="fricas")

[Out] 0

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (\tanh^2(x) - 1)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1+tanh(x)\*\*2)\*\*(3/2),x)

[Out] Integral((tanh(x)\*\*2 - 1)\*\*(3/2), x)

**Giac [C]** time = 1.20675, size = 84, normalized size = 2.4

$$-\frac{ie^{(-x)} - ie^x}{(-ie^{(-x)} + ie^x)^2 - 4} + \frac{1}{8} \log\left(\left(e^{(-x)} - e^x\right)^2 + 4\right) - \frac{1}{4} \log(-ie^{(-x)} + ie^x + 2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1+tanh(x)^2)^(3/2),x, algorithm="giac")

[Out]  $-(I*e^{(-x)} - I*e^x)/((-I*e^{(-x)} + I*e^x)^2 - 4) + 1/8*\log((e^{(-x)} - e^x)^2 + 4) - 1/4*\log(-I*e^{(-x)} + I*e^x + 2)$

$$3.206 \quad \int \frac{1}{\sqrt{1-\tanh^2(x)}} dx$$

**Optimal.** Leaf size=11

$$\frac{\tanh(x)}{\sqrt{\operatorname{sech}^2(x)}}$$

[Out] Tanh[x]/Sqrt[Sech[x]^2]

**Rubi [A]** time = 0.0205086, antiderivative size = 11, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$ , Rules used = {3657, 4122, 191}

$$\frac{\tanh(x)}{\sqrt{\operatorname{sech}^2(x)}}$$

Antiderivative was successfully verified.

[In] Int[1/Sqrt[1 - Tanh[x]^2], x]

[Out] Tanh[x]/Sqrt[Sech[x]^2]

#### Rule 3657

Int[(u\_)\*((a\_) + (b\_)\*tan[(e\_) + (f\_)\*(x\_)]^2)^(p\_), x\_Symbol] :> Int[ActivateTrig[u\*(a\*sec[e + f\*x]^2)^p], x] /; FreeQ[{a, b, e, f, p}, x] && EqQ[a, b]

#### Rule 4122

Int[((b\_)\*sec[(e\_) + (f\_)\*(x\_)]^2)^(p\_), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(b\*ff)/f, Subst[Int[(b + b\*ff^2\*x^2)^(p - 1), x], x, Tan[e + f\*x]/ff], x]] /; FreeQ[{b, e, f, p}, x] && !IntegerQ[p]

#### Rule 191

Int[((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Simp[(x\*(a + b\*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

Rubi steps

$$\begin{aligned} \int \frac{1}{\sqrt{1 - \tanh^2(x)}} dx &= \int \frac{1}{\sqrt{\operatorname{sech}^2(x)}} dx \\ &= \operatorname{Subst} \left( \int \frac{1}{(1 - x^2)^{3/2}} dx, x, \tanh(x) \right) \\ &= \frac{\tanh(x)}{\sqrt{\operatorname{sech}^2(x)}} \end{aligned}$$

**Mathematica [A]** time = 0.0069988, size = 11, normalized size = 1.

$$\frac{\tanh(x)}{\sqrt{\operatorname{sech}^2(x)}}$$

Antiderivative was successfully verified.

[In] Integrate[1/Sqrt[1 - Tanh[x]^2], x]

[Out] Tanh[x]/Sqrt[Sech[x]^2]

**Maple [A]** time = 0.01, size = 14, normalized size = 1.3

$$\tanh(x) \frac{1}{\sqrt{1 - (\tanh(x))^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(1-tanh(x)^2)^(1/2), x)

[Out] 1/(1-tanh(x)^2)^(1/2)\*tanh(x)

**Maxima [A]** time = 1.54002, size = 15, normalized size = 1.36

$$-\frac{1}{2} e^{(-x)} + \frac{1}{2} e^x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(1-tanh(x)^2)^(1/2),x, algorithm="maxima")

[Out] -1/2\*e^(-x) + 1/2\*e^x

---

**Fricas [A]** time = 2.22183, size = 12, normalized size = 1.09

$\sinh(x)$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(1-tanh(x)^2)^(1/2),x, algorithm="fricas")

[Out] sinh(x)

---

**Sympy [A]** time = 0.592725, size = 12, normalized size = 1.09

$$\frac{\tanh(x)}{\sqrt{1 - \tanh^2(x)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(1-tanh(x)\*\*2)\*\*(1/2),x)

[Out] tanh(x)/sqrt(1 - tanh(x)\*\*2)

---

**Giac [A]** time = 1.13941, size = 15, normalized size = 1.36

$$-\frac{1}{2}e^{(-x)} + \frac{1}{2}e^x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(1-tanh(x)^2)^(1/2),x, algorithm="giac")

[Out] -1/2\*e^(-x) + 1/2\*e^x

$$3.207 \quad \int \frac{1}{\sqrt{-1+\tanh^2(x)}} dx$$

**Optimal.** Leaf size=13

$$\frac{\tanh(x)}{\sqrt{-\operatorname{sech}^2(x)}}$$

[Out] Tanh[x]/Sqrt[-Sech[x]^2]

**Rubi [A]** time = 0.0210973, antiderivative size = 13, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.3$ , Rules used = {3657, 4122, 191}

$$\frac{\tanh(x)}{\sqrt{-\operatorname{sech}^2(x)}}$$

Antiderivative was successfully verified.

[In] Int[1/Sqrt[-1 + Tanh[x]^2], x]

[Out] Tanh[x]/Sqrt[-Sech[x]^2]

### Rule 3657

Int[(u\_.)\*((a\_) + (b\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]^2)^p\_, x\_Symbol] := Int[ActivateTrig[u\*(a\*sec[e + f\*x]^2)^p], x] /; FreeQ[{a, b, e, f, p}, x] && EqQ[a, b]

### Rule 4122

Int[((b\_.)\*sec[(e\_.) + (f\_.)\*(x\_)]^2)^p\_, x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(b\*ff)/f, Subst[Int[(b + b\*ff^2\*x^2)^(p - 1), x], x, Tan[e + f\*x]/ff], x] /; FreeQ[{b, e, f, p}, x] && !IntegerQ[p]

### Rule 191

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x\*(a + b\*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

Rubi steps

$$\begin{aligned} \int \frac{1}{\sqrt{-1 + \tanh^2(x)}} dx &= \int \frac{1}{\sqrt{-\operatorname{sech}^2(x)}} dx \\ &= -\operatorname{Subst} \left( \int \frac{1}{(-1 + x^2)^{3/2}} dx, x, \tanh(x) \right) \\ &= \frac{\tanh(x)}{\sqrt{-\operatorname{sech}^2(x)}} \end{aligned}$$

**Mathematica [A]** time = 0.0067899, size = 13, normalized size = 1.

$$\frac{\tanh(x)}{\sqrt{-\operatorname{sech}^2(x)}}$$

Antiderivative was successfully verified.

[In] Integrate[1/Sqrt[-1 + Tanh[x]^2], x]

[Out] Tanh[x]/Sqrt[-Sech[x]^2]

**Maple [A]** time = 0.014, size = 12, normalized size = 0.9

$$\tanh(x) \frac{1}{\sqrt{-1 + (\tanh(x))^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(-1+tanh(x)^2)^(1/2), x)

[Out] tanh(x)/(-1+tanh(x)^2)^(1/2)

**Maxima [B]** time = 1.5597, size = 34, normalized size = 2.62

$$-\frac{e^{(-2x)}}{2\sqrt{-e^{(-2x)}}} + \frac{1}{2\sqrt{-e^{(-2x)}}}$$



Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(-1+tanh(x)^2)^(1/2),x, algorithm="maxima")`

[Out]  $-1/2*e^{(-2*x)}/\sqrt{-e^{(-2*x)}} + 1/2/\sqrt{-e^{(-2*x)}}$

**Fricas [A]** time = 2.28971, size = 4, normalized size = 0.31

0

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(-1+tanh(x)^2)^(1/2),x, algorithm="fricas")`

[Out] 0

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{\tanh^2(x) - 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(-1+tanh(x)**2)**(1/2),x)`

[Out] `Integral(1/sqrt(tanh(x)**2 - 1), x)`

**Giac [C]** time = 1.18516, size = 15, normalized size = 1.15

$$\frac{1}{2}ie^{(-x)} - \frac{1}{2}ie^x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(-1+tanh(x)^2)^(1/2),x, algorithm="giac")`

[Out]  $1/2*I*e^{(-x)} - 1/2*I*e^x$

### 3.208 $\int \tanh^5(x) \sqrt{a + b \tanh^2(x)} dx$

**Optimal.** Leaf size=87

$$-\frac{(a + b \tanh^2(x))^{5/2}}{5b^2} + \frac{(a - b)(a + b \tanh^2(x))^{3/2}}{3b^2} - \sqrt{a + b \tanh^2(x)} + \sqrt{a + b} \tanh^{-1} \left( \frac{\sqrt{a + b \tanh^2(x)}}{\sqrt{a + b}} \right)$$

[Out] Sqrt[a + b]\*ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]] - Sqrt[a + b\*Tanh[x]^2] + ((a - b)\*(a + b\*Tanh[x]^2)^(3/2))/(3\*b^2) - (a + b\*Tanh[x]^2)^(5/2)/(5\*b^2)

**Rubi [A]** time = 0.160944, antiderivative size = 87, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.353$ , Rules used = {3670, 446, 88, 50, 63, 208}

$$-\frac{(a + b \tanh^2(x))^{5/2}}{5b^2} + \frac{(a - b)(a + b \tanh^2(x))^{3/2}}{3b^2} - \sqrt{a + b \tanh^2(x)} + \sqrt{a + b} \tanh^{-1} \left( \frac{\sqrt{a + b \tanh^2(x)}}{\sqrt{a + b}} \right)$$

Antiderivative was successfully verified.

[In] Int[Tanh[x]^5\*Sqrt[a + b\*Tanh[x]^2], x]

[Out] Sqrt[a + b]\*ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]] - Sqrt[a + b\*Tanh[x]^2] + ((a - b)\*(a + b\*Tanh[x]^2)^(3/2))/(3\*b^2) - (a + b\*Tanh[x]^2)^(5/2)/(5\*b^2)

#### Rule 3670

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((a_.) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.))^(p_.), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[(((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f^2*x^2), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))
```

#### Rule 446

```
Int[(x_)^(m_.)*((a_.) + (b_.)*(x_)^(n_.))^(p_.)*((c_.) + (d_.)*(x_)^(n_.))^(q_.), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p
```

$(c + d*x)^q, x], x, x^n], x] /;$  FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b\*c - a\*d, 0] && IntegerQ[Simplify[(m + 1)/n]]

### Rule 88

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n\*(e + f\*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && IntegersQ[m, n] && (IntegerQ[p] || (GtQ[m, 0] && GeQ[n, -1]))

### Rule 50

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] :> Simp[((a + b\*x)^(m + 1)\*(c + d\*x)^n)/(b\*(m + n + 1)), x] + Dist[(n\*(b\*c - a\*d))/(b\*(m + n + 1)), Int[(a + b\*x)^m\*(c + d\*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n + 2, 0] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rubi steps

$$\begin{aligned}
\int \tanh^5(x) \sqrt{a + b \tanh^2(x)} dx &= \text{Subst} \left( \int \frac{x^5 \sqrt{a + bx^2}}{1 - x^2} dx, x, \tanh(x) \right) \\
&= \frac{1}{2} \text{Subst} \left( \int \frac{x^2 \sqrt{a + bx}}{1 - x} dx, x, \tanh^2(x) \right) \\
&= \frac{1}{2} \text{Subst} \left( \int \left( \frac{(a - b) \sqrt{a + bx}}{b} + \frac{\sqrt{a + bx}}{1 - x} - \frac{(a + bx)^{3/2}}{b} \right) dx, x, \tanh^2(x) \right) \\
&= \frac{(a - b) (a + b \tanh^2(x))^{3/2}}{3b^2} - \frac{(a + b \tanh^2(x))^{5/2}}{5b^2} + \frac{1}{2} \text{Subst} \left( \int \frac{\sqrt{a + bx}}{1 - x} dx, x, \tanh^2(x) \right) \\
&= -\sqrt{a + b \tanh^2(x)} + \frac{(a - b) (a + b \tanh^2(x))^{3/2}}{3b^2} - \frac{(a + b \tanh^2(x))^{5/2}}{5b^2} + \frac{1}{2} (a + b) \text{Subst} \left( \int \frac{1}{1 - x} dx, x, \tanh^2(x) \right) \\
&= -\sqrt{a + b \tanh^2(x)} + \frac{(a - b) (a + b \tanh^2(x))^{3/2}}{3b^2} - \frac{(a + b \tanh^2(x))^{5/2}}{5b^2} + \frac{(a + b) \text{Subst} \left( \int \frac{1}{1 - x} dx, x, \tanh^2(x) \right)}{2} \\
&= \sqrt{a + b} \tanh^{-1} \left( \frac{\sqrt{a + b \tanh^2(x)}}{\sqrt{a + b}} \right) - \sqrt{a + b \tanh^2(x)} + \frac{(a - b) (a + b \tanh^2(x))^{3/2}}{3b^2} - \frac{(a + b \tanh^2(x))^{5/2}}{5b^2}
\end{aligned}$$

**Mathematica [A]** time = 0.466071, size = 85, normalized size = 0.98

$$\frac{\sqrt{a + b \tanh^2(x)} (2a^2 - b(a + 5b) \tanh^2(x) - 5ab - 3b^2 \tanh^4(x) - 15b^2)}{15b^2} + \sqrt{a + b} \tanh^{-1} \left( \frac{\sqrt{a + b \tanh^2(x)}}{\sqrt{a + b}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[x]^5\*Sqrt[a + b\*Tanh[x]^2], x]

[Out] Sqrt[a + b]\*ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]] + (Sqrt[a + b\*Tanh[x]^2]\*(2\*a^2 - 5\*a\*b - 15\*b^2 - b\*(a + 5\*b)\*Tanh[x]^2 - 3\*b^2\*Tanh[x]^4))/(15\*b^2)

**Maple [B]** time = 0.071, size = 288, normalized size = 3.3

$$-\frac{(\tanh(x))^2}{5b} (a + b(\tanh(x))^2)^{\frac{3}{2}} + \frac{2a}{15b^2} (a + b(\tanh(x))^2)^{\frac{3}{2}} - \frac{1}{3b} (a + b(\tanh(x))^2)^{\frac{3}{2}} - \frac{1}{2} \sqrt{(1 + \tanh(x))^2 b - 2(1 + \tanh(x))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*tanh(x)^2)^(1/2)*tanh(x)^5,x)`

[Out] 
$$-1/5*\tanh(x)^2*(a+b*\tanh(x)^2)^{(3/2)}/b+2/15*a/b^2*(a+b*\tanh(x)^2)^{(3/2)}-1/3*(a+b*\tanh(x)^2)^{(3/2)}/b-1/2*((1+\tanh(x))^2*b-2*(1+\tanh(x))*b+a+b)^{(1/2)}+1/2*b^{(1/2)}*\ln(((1+\tanh(x))*b-b)/b^{(1/2)}+((1+\tanh(x))^2*b-2*(1+\tanh(x))*b+a+b)^{(1/2)})+1/2*(a+b)^{(1/2)}*\ln((2*a+2*b-2*(1+\tanh(x))*b+2*(a+b)^{(1/2)}*((1+\tanh(x))^2*b-2*(1+\tanh(x))*b+a+b)^{(1/2)})/(1+\tanh(x)))-1/2*((\tanh(x)-1)^2*b+2*(\tanh(x)-1)*b+a+b)^{(1/2)}-1/2*b^{(1/2)}*\ln(((\tanh(x)-1)*b+b)/b^{(1/2)}+((\tanh(x)-1)^2*b+2*(\tanh(x)-1)*b+a+b)^{(1/2)})+1/2*(a+b)^{(1/2)}*\ln((2*a+2*b+2*(\tanh(x)-1)*b+2*(a+b)^{(1/2)}*((\tanh(x)-1)^2*b+2*(\tanh(x)-1)*b+a+b)^{(1/2)})/(\tanh(x)-1))$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{b \tanh(x)^2 + a} \tanh(x)^5 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*tanh(x)^2)^(1/2)*tanh(x)^5,x, algorithm="maxima")`

[Out] `integrate(sqrt(b*tanh(x)^2 + a)*tanh(x)^5, x)`

**Fricas [B]** time = 6.51131, size = 12513, normalized size = 143.83

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*tanh(x)^2)^(1/2)*tanh(x)^5,x, algorithm="fricas")`

[Out] 
$$[1/60*(15*(b^2*\cosh(x)^{10} + 10*b^2*\cosh(x)*\sinh(x)^9 + b^2*\sinh(x)^{10} + 5*b^2*\cosh(x)^8 + 5*(9*b^2*\cosh(x)^2 + b^2)*\sinh(x)^8 + 10*b^2*\cosh(x)^6 + 40*(3*b^2*\cosh(x)^3 + b^2*\cosh(x))*\sinh(x)^7 + 10*(21*b^2*\cosh(x)^4 + 14*b^2*\cosh(x)^2 + b^2)*\sinh(x)^6 + 10*b^2*\cosh(x)^4 + 4*(63*b^2*\cosh(x)^5 + 70*b^2*\cosh(x)^3 + 15*b^2*\cosh(x))*\sinh(x)^5 + 10*(21*b^2*\cosh(x)^6 + 35*b^2*\cosh(x)^4 + 15*b^2*\cosh(x)^2 + b^2)*\sinh(x)^4 + 5*b^2*\cosh(x)^2 + 40*(3*b^2*\cosh(x)^7 + 7*b^2*\cosh(x)^5 + 5*b^2*\cosh(x)^3 + b^2*\cosh(x))*\sinh(x)^3 + 5*(9*b^2*\cosh(x)^8 + 28*b^2*\cosh(x)^6 + 30*b^2*\cosh(x)^4 + 12*b^2*\cosh(x)^2 + b^2$$

$$\begin{aligned}
& 2) * \sinh(x)^2 + b^2 + 10 * (b^2 * \cosh(x)^9 + 4 * b^2 * \cosh(x)^7 + 6 * b^2 * \cosh(x)^5 \\
& + 4 * b^2 * \cosh(x)^3 + b^2 * \cosh(x)) * \sinh(x) * \sqrt{a + b} * \log(((a^3 + a^2 * b) * \cosh(x)^8 \\
& + 8 * (a^3 + a^2 * b) * \cosh(x) * \sinh(x)^7 + (a^3 + a^2 * b) * \sinh(x)^8 + 2 * (2 * a^3 \\
& + a^2 * b) * \cosh(x)^6 + 2 * (2 * a^3 + a^2 * b + 14 * (a^3 + a^2 * b) * \cosh(x)^2) * \sinh(x)^6 \\
& + 4 * (14 * (a^3 + a^2 * b) * \cosh(x)^3 + 3 * (2 * a^3 + a^2 * b) * \cosh(x)) * \sinh(x)^5 \\
& + (6 * a^3 + 4 * a^2 * b - a * b^2 + b^3) * \cosh(x)^4 + (70 * (a^3 + a^2 * b) * \cosh(x))^4 \\
& + 6 * a^3 + 4 * a^2 * b - a * b^2 + b^3 + 30 * (2 * a^3 + a^2 * b) * \cosh(x)^2) * \sinh(x)^4 \\
& + 4 * (14 * (a^3 + a^2 * b) * \cosh(x)^5 + 10 * (2 * a^3 + a^2 * b) * \cosh(x)^3 + (6 * a^3 \\
& + 4 * a^2 * b - a * b^2 + b^3) * \cosh(x)) * \sinh(x)^3 + a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3 \\
& + 2 * (2 * a^3 + 3 * a^2 * b - b^3) * \cosh(x)^2 + 2 * (14 * (a^3 + a^2 * b) * \cosh(x)^6 + 15 \\
& * (2 * a^3 + a^2 * b) * \cosh(x)^4 + 2 * a^3 + 3 * a^2 * b - b^3 + 3 * (6 * a^3 + 4 * a^2 * b - a \\
& * b^2 + b^3) * \cosh(x)^2) * \sinh(x)^2 + \sqrt{2} * (a^2 * \cosh(x)^6 + 6 * a^2 * \cosh(x) * \sinh(x)^5 \\
& + a^2 * \sinh(x)^6 + 3 * a^2 * \cosh(x)^4 + 3 * (5 * a^2 * \cosh(x)^2 + a^2) * \sinh(x)^4 \\
& + 4 * (5 * a^2 * \cosh(x)^3 + 3 * a^2 * \cosh(x)) * \sinh(x)^3 + (3 * a^2 + 2 * a * b - b^2) * \cosh(x)^2 \\
& + (15 * a^2 * \cosh(x)^4 + 18 * a^2 * \cosh(x)^2 + 3 * a^2 + 2 * a * b - b^2) * \sinh(x)^2 + a^2 + 2 * a * b \\
& + b^2 + 2 * (3 * a^2 * \cosh(x)^5 + 6 * a^2 * \cosh(x)^3 + (3 * a^2 + 2 * a * b - b^2) * \cosh(x)) * \sinh(x) \\
& * \sqrt{a + b} * \sqrt{((a + b) * \cosh(x)^2 + (a + b) * \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 * \cosh(x) * \sinh(x) \\
& + \sinh(x)^2))} + 4 * (2 * (a^3 + a^2 * b) * \cosh(x)^7 + 3 * (2 * a^3 + a^2 * b) * \cosh(x)^5 + (6 * a^3 + 4 * a^2 * b \\
& - a * b^2 + b^3) * \cosh(x)^3 + (2 * a^3 + 3 * a^2 * b - b^3) * \cosh(x)) * \sinh(x) / (\cosh(x)^6 \\
& + 6 * \cosh(x)^5 * \sinh(x) + 15 * \cosh(x)^4 * \sinh(x)^2 + 20 * \cosh(x)^3 * \sinh(x)^3 + 15 * \cosh(x)^2 * \sinh(x)^4 \\
& + 6 * \cosh(x) * \sinh(x)^5 + \sinh(x)^6) + 15 * (b^2 * \cosh(x)^10 + 10 * b^2 * \cosh(x) * \sinh(x)^9 \\
& + b^2 * \sinh(x)^10 + 5 * b^2 * \cosh(x)^8 + 5 * (9 * b^2 * \cosh(x)^2 + b^2) * \sinh(x)^8 + 10 * b^2 * \cosh(x)^6 \\
& + 40 * (3 * b^2 * \cosh(x)^3 + b^2 * \cosh(x)) * \sinh(x)^7 + 10 * (21 * b^2 * \cosh(x)^4 + 14 * b^2 * \cosh(x)^2 \\
& + b^2) * \sinh(x)^6 + 10 * b^2 * \cosh(x)^4 + 4 * (63 * b^2 * \cosh(x)^5 + 70 * b^2 * \cosh(x)^3 + 15 * b^2 * \cosh(x)) \\
& * \sinh(x)^5 + 10 * (21 * b^2 * \cosh(x)^6 + 35 * b^2 * \cosh(x)^4 + 15 * b^2 * \cosh(x)^2 + b^2) * \sinh(x)^4 \\
& + 5 * b^2 * \cosh(x)^2 + 40 * (3 * b^2 * \cosh(x)^7 + 7 * b^2 * \cosh(x)^5 + 5 * b^2 * \cosh(x)^3 + b^2 * \cosh(x)) \\
& * \sinh(x)^3 + 5 * (9 * b^2 * \cosh(x)^8 + 28 * b^2 * \cosh(x)^6 + 30 * b^2 * \cosh(x)^4 + 12 * b^2 * \cosh(x)^2 + b^2) * \sinh(x)^2 \\
& + b^2 + 10 * (b^2 * \cosh(x)^9 + 4 * b^2 * \cosh(x)^7 + 6 * b^2 * \cosh(x)^5 + 4 * b^2 * \cosh(x)^3 + b^2 * \cosh(x)) \\
& * \sinh(x) * \sqrt{a + b} * \log(-((a + b) * \cosh(x)^4 + 4 * (a + b) * \cosh(x) * \sinh(x)^3 + (a + b) * \sinh(x)^4 \\
& - 2 * b * \cosh(x)^2 + 2 * (3 * (a + b) * \cosh(x)^2 - b) * \sinh(x)^2 + \sqrt{2} * (\cosh(x)^2 + 2 * \cosh(x) * \sinh(x) \\
& + \sinh(x)^2 - 1) * \sqrt{a + b} * \sqrt{((a + b) * \cosh(x)^2 + (a + b) * \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 * \cosh(x) * \sinh(x) \\
& + \sinh(x)^2))} + 4 * ((a + b) * \cosh(x)^3 - b * \cosh(x)) * \sinh(x) + a + b) / (\cosh(x)^2 + 2 * \cosh(x) * \sinh(x) \\
& + \sinh(x)^2)) + 4 * \sqrt{2} * ((2 * a^2 - 6 * a * b - 23 * b^2) * \cosh(x)^8 + 8 * (2 * a^2 - 6 * a * b - 23 * b^2) * \cosh(x) * \sinh(x)^7 \\
& + (2 * a^2 - 6 * a * b - 23 * b^2) * \sinh(x)^8 + 4 * (2 * a^2 - 5 * a * b - 12 * b^2) * \cosh(x)^6 + 4 * (7 * (2 * a^2 - 6 * a * b \\
& - 23 * b^2) * \cosh(x)^2 + 2 * a^2 - 5 * a * b - 12 * b^2) * \sinh(x)^6 + 8 * (7 * (2 * a^2 - 6 * a * b - 23 * b^2) * \cosh(x)^3 \\
& + 3 * (2 * a^2 - 5 * a * b - 12 * b^2) * \cosh(x)) * \sinh(x)^5 + 2 * (6 * a^2 - 14 * a * b - 49 * b^2) * \cosh(x)^4 + 2 * (35 * (2 * a^2 \\
& - 6 * a * b - 23 * b^2) * \cosh(x)^4 + 30 * (2 * a^2 - 5 * a * b - 12 * b^2) * \cosh(x)^2 + 6 * a^2 - 14 * a * b - 49 * b^2) * \sinh(x)^4 \\
& + 8 * (7 * (2 * a^2 - 6 * a * b - 23 * b^2) * \cosh(x)^5 + 10 * (2 * a^2 - 5 * a * b - 12 * b^2) * \cosh(x)^3 + (6 * a^2 - 14 * a * b \\
& - 49 * b^2) * \cosh(x))
\end{aligned}$$

$$\begin{aligned}
& )\sinh(x)^3 + 4*(2*a^2 - 5*a*b - 12*b^2)*\cosh(x)^2 + 4*(7*(2*a^2 - 6*a*b - \\
& 23*b^2)*\cosh(x)^6 + 15*(2*a^2 - 5*a*b - 12*b^2)*\cosh(x)^4 + 3*(6*a^2 - 14*a \\
& *b - 49*b^2)*\cosh(x)^2 + 2*a^2 - 5*a*b - 12*b^2)*\sinh(x)^2 + 2*a^2 - 6*a*b \\
& - 23*b^2 + 8*((2*a^2 - 6*a*b - 23*b^2)*\cosh(x)^7 + 3*(2*a^2 - 5*a*b - 12*b^ \\
& 2)*\cosh(x)^5 + (6*a^2 - 14*a*b - 49*b^2)*\cosh(x)^3 + (2*a^2 - 5*a*b - 12*b^ \\
& 2)*\cosh(x))*\sinh(x))*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(( \\
& \cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)))/(b^2*\cosh(x)^{10} + 10*b^2*\cosh( \\
& x)*\sinh(x)^9 + b^2*\sinh(x)^{10} + 5*b^2*\cosh(x)^8 + 5*(9*b^2*\cosh(x)^2 + b^2) \\
& *\sinh(x)^8 + 10*b^2*\cosh(x)^6 + 40*(3*b^2*\cosh(x)^3 + b^2*\cosh(x))*\sinh(x)^ \\
& 7 + 10*(21*b^2*\cosh(x)^4 + 14*b^2*\cosh(x)^2 + b^2)*\sinh(x)^6 + 10*b^2*\cosh( \\
& x)^4 + 4*(63*b^2*\cosh(x)^5 + 70*b^2*\cosh(x)^3 + 15*b^2*\cosh(x))*\sinh(x)^5 + \\
& 10*(21*b^2*\cosh(x)^6 + 35*b^2*\cosh(x)^4 + 15*b^2*\cosh(x)^2 + b^2)*\sinh(x)^ \\
& 4 + 5*b^2*\cosh(x)^2 + 40*(3*b^2*\cosh(x)^7 + 7*b^2*\cosh(x)^5 + 5*b^2*\cosh(x) \\
& ^3 + b^2*\cosh(x))*\sinh(x)^3 + 5*(9*b^2*\cosh(x)^8 + 28*b^2*\cosh(x)^6 + 30*b^ \\
& 2*\cosh(x)^4 + 12*b^2*\cosh(x)^2 + b^2)*\sinh(x)^2 + b^2 + 10*(b^2*\cosh(x)^9 + \\
& 4*b^2*\cosh(x)^7 + 6*b^2*\cosh(x)^5 + 4*b^2*\cosh(x)^3 + b^2*\cosh(x))*\sinh(x) \\
& ), -1/30*(15*(b^2*\cosh(x)^{10} + 10*b^2*\cosh(x)*\sinh(x)^9 + b^2*\sinh(x)^{10} + \\
& 5*b^2*\cosh(x)^8 + 5*(9*b^2*\cosh(x)^2 + b^2)*\sinh(x)^8 + 10*b^2*\cosh(x)^6 + \\
& 40*(3*b^2*\cosh(x)^3 + b^2*\cosh(x))*\sinh(x)^7 + 10*(21*b^2*\cosh(x)^4 + 14*b^ \\
& 2*\cosh(x)^2 + b^2)*\sinh(x)^6 + 10*b^2*\cosh(x)^4 + 4*(63*b^2*\cosh(x)^5 + 70* \\
& b^2*\cosh(x)^3 + 15*b^2*\cosh(x))*\sinh(x)^5 + 10*(21*b^2*\cosh(x)^6 + 35*b^2*c \\
& osh(x)^4 + 15*b^2*\cosh(x)^2 + b^2)*\sinh(x)^4 + 5*b^2*\cosh(x)^2 + 40*(3*b^2* \\
& cosh(x)^7 + 7*b^2*\cosh(x)^5 + 5*b^2*\cosh(x)^3 + b^2*\cosh(x))*\sinh(x)^3 + 5* \\
& (9*b^2*\cosh(x)^8 + 28*b^2*\cosh(x)^6 + 30*b^2*\cosh(x)^4 + 12*b^2*\cosh(x)^2 + \\
& b^2)*\sinh(x)^2 + b^2 + 10*(b^2*\cosh(x)^9 + 4*b^2*\cosh(x)^7 + 6*b^2*\cosh(x) \\
& ^5 + 4*b^2*\cosh(x)^3 + b^2*\cosh(x))*\sinh(x))*\sqrt{-a - b}*\arctan(\sqrt{2}*(a \\
& *\cosh(x)^2 + 2*a*\cosh(x)*\sinh(x) + a*\sinh(x)^2 + a + b))*\sqrt{-a - b}*\sqrt{(( \\
& (a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(cosh(x)^2 - 2*\cosh(x)*\sinh( \\
& x) + \sinh(x)^2)))/((a^2 + a*b)*\cosh(x)^4 + 4*(a^2 + a*b)*\cosh(x)*\sinh(x)^3 + \\
& (a^2 + a*b)*\sinh(x)^4 + (2*a^2 + a*b - b^2)*\cosh(x)^2 + (6*(a^2 + a*b)*cos \\
& h(x)^2 + 2*a^2 + a*b - b^2)*\sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(2*(a^2 + a*b) \\
& )*\cosh(x)^3 + (2*a^2 + a*b - b^2)*\cosh(x))*\sinh(x)) + 15*(b^2*\cosh(x)^{10} + \\
& 10*b^2*\cosh(x)*\sinh(x)^9 + b^2*\sinh(x)^{10} + 5*b^2*\cosh(x)^8 + 5*(9*b^2*cos \\
& h(x)^2 + b^2)*\sinh(x)^8 + 10*b^2*\cosh(x)^6 + 40*(3*b^2*\cosh(x)^3 + b^2*\cosh \\
& (x))*\sinh(x)^7 + 10*(21*b^2*\cosh(x)^4 + 14*b^2*\cosh(x)^2 + b^2)*\sinh(x)^6 + \\
& 10*b^2*\cosh(x)^4 + 4*(63*b^2*\cosh(x)^5 + 70*b^2*\cosh(x)^3 + 15*b^2*\cosh(x) \\
& )*\sinh(x)^5 + 10*(21*b^2*\cosh(x)^6 + 35*b^2*\cosh(x)^4 + 15*b^2*\cosh(x)^2 + \\
& b^2)*\sinh(x)^4 + 5*b^2*\cosh(x)^2 + 40*(3*b^2*\cosh(x)^7 + 7*b^2*\cosh(x)^5 + \\
& 5*b^2*\cosh(x)^3 + b^2*\cosh(x))*\sinh(x)^3 + 5*(9*b^2*\cosh(x)^8 + 28*b^2*cosh \\
& (x)^6 + 30*b^2*\cosh(x)^4 + 12*b^2*\cosh(x)^2 + b^2)*\sinh(x)^2 + b^2 + 10*(b^ \\
& 2*\cosh(x)^9 + 4*b^2*\cosh(x)^7 + 6*b^2*\cosh(x)^5 + 4*b^2*\cosh(x)^3 + b^2*cos \\
& h(x))*\sinh(x))*\sqrt{-a - b}*\arctan(\sqrt{2}*(cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \\
& \sinh(x)^2 - 1))*\sqrt{-a - b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + \\
& a - b)/(cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)))/((a + b)*\cosh(x)^4 + 4* \\
& (a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*(a - b)*\cosh(x)^2 + 2*(3*
\end{aligned}$$

```
(a + b)*cosh(x)^2 + a - b)*sinh(x)^2 + 4*((a + b)*cosh(x)^3 + (a - b)*cosh(x))*sinh(x) + a + b)) - 2*sqrt(2)*((2*a^2 - 6*a*b - 23*b^2)*cosh(x)^8 + 8*(2*a^2 - 6*a*b - 23*b^2)*cosh(x)*sinh(x)^7 + (2*a^2 - 6*a*b - 23*b^2)*sinh(x)^8 + 4*(2*a^2 - 5*a*b - 12*b^2)*cosh(x)^6 + 4*(7*(2*a^2 - 6*a*b - 23*b^2)*cosh(x)^2 + 2*a^2 - 5*a*b - 12*b^2)*sinh(x)^6 + 8*(7*(2*a^2 - 6*a*b - 23*b^2)*cosh(x)^3 + 3*(2*a^2 - 5*a*b - 12*b^2)*cosh(x))*sinh(x)^5 + 2*(6*a^2 - 14*a*b - 49*b^2)*cosh(x)^4 + 2*(35*(2*a^2 - 6*a*b - 23*b^2)*cosh(x)^4 + 30*(2*a^2 - 5*a*b - 12*b^2)*cosh(x)^2 + 6*a^2 - 14*a*b - 49*b^2)*sinh(x)^4 + 8*(7*(2*a^2 - 6*a*b - 23*b^2)*cosh(x)^5 + 10*(2*a^2 - 5*a*b - 12*b^2)*cosh(x)^3 + (6*a^2 - 14*a*b - 49*b^2)*cosh(x))*sinh(x)^3 + 4*(2*a^2 - 5*a*b - 12*b^2)*cosh(x)^2 + 4*(7*(2*a^2 - 6*a*b - 23*b^2)*cosh(x)^6 + 15*(2*a^2 - 5*a*b - 12*b^2)*cosh(x)^4 + 3*(6*a^2 - 14*a*b - 49*b^2)*cosh(x)^2 + 2*a^2 - 5*a*b - 12*b^2)*sinh(x)^2 + 2*a^2 - 6*a*b - 23*b^2 + 8*((2*a^2 - 6*a*b - 23*b^2)*cosh(x)^7 + 3*(2*a^2 - 5*a*b - 12*b^2)*cosh(x)^5 + (6*a^2 - 14*a*b - 49*b^2)*cosh(x)^3 + (2*a^2 - 5*a*b - 12*b^2)*cosh(x))*sinh(x))*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/(b^2*cosh(x)^10 + 10*b^2*cosh(x)*sinh(x)^9 + b^2*sinh(x)^10 + 5*b^2*cosh(x)^8 + 5*(9*b^2*cosh(x)^2 + b^2)*sinh(x)^8 + 10*b^2*cosh(x)^6 + 40*(3*b^2*cosh(x)^3 + b^2*cosh(x))*sinh(x)^7 + 10*(21*b^2*cosh(x)^4 + 14*b^2*cosh(x)^2 + b^2)*sinh(x)^6 + 10*b^2*cosh(x)^4 + 4*(63*b^2*cosh(x)^5 + 70*b^2*cosh(x)^3 + 15*b^2*cosh(x))*sinh(x)^5 + 10*(21*b^2*cosh(x)^6 + 35*b^2*cosh(x)^4 + 15*b^2*cosh(x)^2 + b^2)*sinh(x)^4 + 5*b^2*cosh(x)^2 + 40*(3*b^2*cosh(x)^7 + 7*b^2*cosh(x)^5 + 5*b^2*cosh(x)^3 + b^2*cosh(x))*sinh(x)^3 + 5*(9*b^2*cosh(x)^8 + 28*b^2*cosh(x)^6 + 30*b^2*cosh(x)^4 + 12*b^2*cosh(x)^2 + b^2)*sinh(x)^2 + b^2 + 10*(b^2*cosh(x)^9 + 4*b^2*cosh(x)^7 + 6*b^2*cosh(x)^5 + 4*b^2*cosh(x)^3 + b^2*cosh(x))*sinh(x))]
```

---

**Sympy [A]** time = 7.92675, size = 97, normalized size = 1.11

$$\frac{2 \left( \frac{b^3 \sqrt{a+b \tanh^2(x)}}{2} + \frac{b^3(a+b) \operatorname{atan}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{-a-b}}\right)}{2\sqrt{-a-b}} + \frac{b(a+b \tanh^2(x))^{\frac{5}{2}}}{10} + \frac{(a+b \tanh^2(x))^{\frac{3}{2}} \left(-\frac{ab}{2} + \frac{b^2}{2}\right)}{3} \right)}{b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tanh(x)\*\*2)\*\*(1/2)\*tanh(x)\*\*5,x)

[Out] -2\*(b\*\*3\*sqrt(a + b\*tanh(x)\*\*2)/2 + b\*\*3\*(a + b)\*atan(sqrt(a + b\*tanh(x)\*\*2)/sqrt(-a - b))/(2\*sqrt(-a - b)) + b\*(a + b\*tanh(x)\*\*2)\*\*(5/2)/10 + (a + b\*tanh(x)\*\*2)\*\*(3/2)\*(-a\*b/2 + b\*\*2/2)/3)/b\*\*3



---

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*tanh(x)^2)^(1/2)*tanh(x)^5,x, algorithm="giac")`

[Out] Exception raised: NotImplementedError

$$3.209 \quad \int \tanh^4(x) \sqrt{a + b \tanh^2(x)} dx$$

**Optimal.** Leaf size=121

$$\frac{(a^2 - 4ab - 8b^2) \tanh^{-1}\left(\frac{\sqrt{b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}}\right)}{8b^{3/2}} - \frac{1}{4} \tanh^3(x) \sqrt{a + b \tanh^2(x)} - \frac{(a + 4b) \tanh(x) \sqrt{a + b \tanh^2(x)}}{8b} + \sqrt{a + b \tanh^2(x)}$$

[Out] ((a^2 - 4\*a\*b - 8\*b^2)\*ArcTanh[(Sqrt[b]\*Tanh[x])/Sqrt[a + b\*Tanh[x]^2]])/(8\*b^(3/2)) + Sqrt[a + b]\*ArcTanh[(Sqrt[a + b]\*Tanh[x])/Sqrt[a + b\*Tanh[x]^2]] - ((a + 4\*b)\*Tanh[x]\*Sqrt[a + b\*Tanh[x]^2])/(8\*b) - (Tanh[x]^3\*Sqrt[a + b\*Tanh[x]^2])/4

**Rubi [A]** time = 0.200288, antiderivative size = 121, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.412$ , Rules used = {3670, 478, 582, 523, 217, 206, 377}

$$\frac{(a^2 - 4ab - 8b^2) \tanh^{-1}\left(\frac{\sqrt{b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}}\right)}{8b^{3/2}} - \frac{1}{4} \tanh^3(x) \sqrt{a + b \tanh^2(x)} - \frac{(a + 4b) \tanh(x) \sqrt{a + b \tanh^2(x)}}{8b} + \sqrt{a + b \tanh^2(x)}$$

Antiderivative was successfully verified.

[In] Int[Tanh[x]^4\*Sqrt[a + b\*Tanh[x]^2],x]

[Out] ((a^2 - 4\*a\*b - 8\*b^2)\*ArcTanh[(Sqrt[b]\*Tanh[x])/Sqrt[a + b\*Tanh[x]^2]])/(8\*b^(3/2)) + Sqrt[a + b]\*ArcTanh[(Sqrt[a + b]\*Tanh[x])/Sqrt[a + b\*Tanh[x]^2]] - ((a + 4\*b)\*Tanh[x]\*Sqrt[a + b\*Tanh[x]^2])/(8\*b) - (Tanh[x]^3\*Sqrt[a + b\*Tanh[x]^2])/4

### Rule 3670

Int[((d\_)\*tan[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((a\_) + (b\_)\*((c\_)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_))^(p\_), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

Rule 478

Int[((e\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_)\*(x\_)^(n\_))^(q\_), x\_Symbol] := Simp[(e^(n - 1)\*(e\*x)^(m - n + 1)\*(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^q)/(b\*(m + n\*(p + q) + 1)), x] - Dist[e^n/(b\*(m + n\*(p + q) + 1)), Int[(e\*x)^(m - n)\*(a + b\*x^n)^p\*(c + d\*x^n)^(q - 1)\*Simp[a\*c\*(m - n + 1) + (a\*d\*(m - n + 1) - n\*q\*(b\*c - a\*d))\*x^n, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[n, 0] && GtQ[q, 0] && GtQ[m - n + 1, 0] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]

Rule 582

Int[((g\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_)\*(x\_)^(n\_))^(q\_)\*((e\_) + (f\_)\*(x\_)^(n\_)), x\_Symbol] := Simp[(f\*g^(n - 1)\*(g\*x)^(m - n + 1)\*(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^(q + 1))/(b\*d\*(m + n\*(p + q + 1) + 1)), x] - Dist[g^n/(b\*d\*(m + n\*(p + q + 1) + 1)), Int[(g\*x)^(m - n)\*(a + b\*x^n)^p\*(c + d\*x^n)^q\*Simp[a\*f\*c\*(m - n + 1) + (a\*f\*d\*(m + n\*q + 1) + b\*(f\*c\*(m + n\*p + 1) - e\*d\*(m + n\*(p + q + 1) + 1)))\*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p, q}, x] && IGtQ[n, 0] && GtQ[m, n - 1]

Rule 523

Int[((e\_) + (f\_)\*(x\_)^(n\_))/(((a\_) + (b\_)\*(x\_)^(n\_))\*Sqrt[(c\_) + (d\_)\*(x\_)^(n\_)]), x\_Symbol] := Dist[f/b, Int[1/Sqrt[c + d\*x^n], x], x] + Dist[(b\*e - a\*f)/b, Int[1/((a + b\*x^n)\*Sqrt[c + d\*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x]

Rule 217

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 377

Int[((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)/((c\_) + (d\_)\*(x\_)^(n\_)), x\_Symbol] := Subst[Int[1/(c - (b\*c - a\*d)\*x^n), x], x, x/(a + b\*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && EqQ[n\*p + 1, 0] && IntegerQ[n]

Rubi steps

$$\begin{aligned}
\int \tanh^4(x) \sqrt{a + b \tanh^2(x)} dx &= \text{Subst} \left( \int \frac{x^4 \sqrt{a + bx^2}}{1 - x^2} dx, x, \tanh(x) \right) \\
&= -\frac{1}{4} \tanh^3(x) \sqrt{a + b \tanh^2(x)} + \frac{1}{4} \text{Subst} \left( \int \frac{x^2 (3a + (a + 4b)x^2)}{(1 - x^2) \sqrt{a + bx^2}} dx, x, \tanh(x) \right) \\
&= -\frac{(a + 4b) \tanh(x) \sqrt{a + b \tanh^2(x)}}{8b} - \frac{1}{4} \tanh^3(x) \sqrt{a + b \tanh^2(x)} + \frac{\text{Subst} \left( \int \frac{a(a+4b)}{(1 - x^2) \sqrt{a + bx^2}} dx, x, \tanh(x) \right)}{4} \\
&= -\frac{(a + 4b) \tanh(x) \sqrt{a + b \tanh^2(x)}}{8b} - \frac{1}{4} \tanh^3(x) \sqrt{a + b \tanh^2(x)} + (a + b) \text{Subst} \left( \int \frac{1}{1 - x^2} dx, x, \tanh(x) \right) \\
&= -\frac{(a + 4b) \tanh(x) \sqrt{a + b \tanh^2(x)}}{8b} - \frac{1}{4} \tanh^3(x) \sqrt{a + b \tanh^2(x)} + (a + b) \text{Subst} \left( \int \frac{1}{1 - x^2} dx, x, \tanh(x) \right) \\
&= \frac{(a^2 - 4ab - 8b^2) \tanh^{-1} \left( \frac{\sqrt{b} \tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right)}{8b^{3/2}} + \sqrt{a + b} \tanh^{-1} \left( \frac{\sqrt{a + b} \tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right) - \frac{(a + 4b)}{4} \tanh(x) \sqrt{a + b \tanh^2(x)}
\end{aligned}$$

**Mathematica [C]** time = 6.16749, size = 580, normalized size = 4.79

$$\sqrt{\frac{a \cosh(2x) + a + b \cosh(2x) - b}{\cosh(2x) + 1}} \left( \frac{\text{sech}(x)(-a \sinh(x) - 6b \sinh(x))}{8b} + \frac{1}{4} \tanh(x) \text{sech}^2(x) \right) + \frac{b(a^2 - 4b^2) \sinh^4(x) \text{csch}(2x) \sqrt{a + b \tanh^2(x)}}{4}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[x]^4\*Sqrt[a + b\*Tanh[x]^2], x]

[Out] (-((b\*(a^2 - 4\*b^2)\*Sqrt[(a - b + (a + b)\*Cosh[2\*x])]/(1 + Cosh[2\*x]))\*Sqrt[-((a\*Coth[x]^2)/b)]\*Sqrt[-((a\*(1 + Cosh[2\*x]))\*Csch[x]^2)/b])\*Sqrt[((a - b + (a + b)\*Cosh[2\*x])\*Csch[x]^2)/b]\*Csch[2\*x]\*EllipticF[ArcSin[Sqrt[(a - b +

$$\begin{aligned} & (a + b) \operatorname{Cosh}[2x] \operatorname{Csch}[x]^2 / b / \operatorname{Sqrt}[2], 1] \operatorname{Sinh}[x]^4 / (a * (a - b + (a + \\ & b) \operatorname{Cosh}[2x])) - ((4 * I) * b * (4 * a * b + 4 * b^2) \operatorname{Sqrt}[1 + \operatorname{Cosh}[2x]] \operatorname{Sqrt}[(a - b \\ & + (a + b) \operatorname{Cosh}[2x]) / (1 + \operatorname{Cosh}[2x])] * (((-I / 4) \operatorname{Sqrt}[-((a * \operatorname{Coth}[x]^2) / b)] \operatorname{Sqr} \\ & t[-((a * (1 + \operatorname{Cosh}[2x]) \operatorname{Csch}[x]^2) / b)] \operatorname{Sqrt}[(a - b + (a + b) \operatorname{Cosh}[2x]) \operatorname{Csc} \\ & h[x]^2 / b] \operatorname{Csch}[2x] \operatorname{EllipticF}[\operatorname{ArcSin}[\operatorname{Sqrt}[(a - b + (a + b) \operatorname{Cosh}[2x]) \operatorname{Csc} \\ & h[x]^2 / b] / \operatorname{Sqrt}[2]], 1] \operatorname{Sinh}[x]^4 / (a * \operatorname{Sqrt}[1 + \operatorname{Cosh}[2x]] \operatorname{Sqrt}[a - b + (a + \\ & b) \operatorname{Cosh}[2x]]) + ((I / 2) \operatorname{Sqrt}[-((a * \operatorname{Coth}[x]^2) / b)] \operatorname{Sqrt}[-((a * (1 + \operatorname{Cosh}[2x]) \\ & * \operatorname{Csch}[x]^2) / b)] \operatorname{Sqrt}[(a - b + (a + b) \operatorname{Cosh}[2x]) \operatorname{Csch}[x]^2 / b] \operatorname{Csch}[2x] \operatorname{E} \\ & llipticPi[b / (a + b), \operatorname{ArcSin}[\operatorname{Sqrt}[(a - b + (a + b) \operatorname{Cosh}[2x]) \operatorname{Csch}[x]^2 / b] \\ & / \operatorname{Sqrt}[2]], 1] \operatorname{Sinh}[x]^4 / ((a + b) \operatorname{Sqrt}[1 + \operatorname{Cosh}[2x]] \operatorname{Sqrt}[a - b + (a + b) * \\ & \operatorname{Cosh}[2x]])) / \operatorname{Sqrt}[a - b + (a + b) \operatorname{Cosh}[2x]] / (4 * b) + \operatorname{Sqrt}[(a - b + a * \operatorname{Cosh} \\ & [2x] + b * \operatorname{Cosh}[2x]) / (1 + \operatorname{Cosh}[2x])] * ((\operatorname{Sech}[x] * (-a * \operatorname{Sinh}[x]) - 6 * b * \operatorname{Sinh}[x] \\ & )) / (8 * b) + (\operatorname{Sech}[x]^2 * \operatorname{Tanh}[x]) / 4 \end{aligned}$$

**Maple [B]** time = 0.049, size = 337, normalized size = 2.8

$$-\frac{\tanh(x)}{4b} (a + b(\tanh(x))^2)^{\frac{3}{2}} + \frac{a \tanh(x)}{8b} \sqrt{a + b(\tanh(x))^2} + \frac{a^2}{8} \ln \left( \tanh(x) \sqrt{b} + \sqrt{a + b(\tanh(x))^2} \right) b^{-\frac{3}{2}} - \frac{\tanh(x)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*tanh(x)^2)^(1/2)\*tanh(x)^4,x)

[Out] 
$$\begin{aligned} & -1/4 * \tanh(x) * (a + b * \tanh(x)^2)^{(3/2)} / b + 1/8 * a / b * \tanh(x) * (a + b * \tanh(x)^2)^{(1/2)} + \\ & 1/8 * a^2 / b^{(3/2)} * \ln(\tanh(x) * b^{(1/2)} + (a + b * \tanh(x)^2)^{(1/2)}) - 1/2 * (a + b * \tanh(x)^2)^{(1/2)} * \tanh(x) - \\ & 1/2 * a / b^{(1/2)} * \ln(\tanh(x) * b^{(1/2)} + (a + b * \tanh(x)^2)^{(1/2)}) + 1/2 * ((1 + \tanh(x))^2 * b - 2 * (1 + \tanh(x)) * b + a + b)^{(1/2)} - \\ & 1/2 * b^{(1/2)} * \ln(((1 + \tanh(x)) * b - b) / b^{(1/2)} + ((1 + \tanh(x))^2 * b - 2 * (1 + \tanh(x)) * b + a + b)^{(1/2)}) - 1/2 * (a + b)^{(1/2)} * \ln \\ & ((2 * a + 2 * b - 2 * (1 + \tanh(x)) * b + 2 * (a + b))^{(1/2)} * ((1 + \tanh(x))^2 * b - 2 * (1 + \tanh(x)) * b + a + \\ & b)^{(1/2)}) / (1 + \tanh(x)) - 1/2 * ((\tanh(x) - 1)^2 * b + 2 * (\tanh(x) - 1) * b + a + b)^{(1/2)} - 1/2 * \\ & b^{(1/2)} * \ln(((\tanh(x) - 1) * b + b) / b^{(1/2)} + ((\tanh(x) - 1)^2 * b + 2 * (\tanh(x) - 1) * b + a + b)^{(1/2)}) + \\ & 1/2 * (a + b)^{(1/2)} * \ln((2 * a + 2 * b + 2 * (\tanh(x) - 1) * b + 2 * (a + b))^{(1/2)} * ((\tanh(x) - 1)^2 * b + 2 * (\tanh(x) - 1) * b + a + b)^{(1/2)}) / (\tanh(x) - 1) \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{b \tanh(x)^2 + a} \tanh(x)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tanh(x)^2)^(1/2)*tanh(x)^4,x, algorithm="maxima")
```

```
[Out] integrate(sqrt(b*tanh(x)^2 + a)*tanh(x)^4, x)
```

**Fricas [B]** time = 7.35727, size = 25867, normalized size = 213.78

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tanh(x)^2)^(1/2)*tanh(x)^4,x, algorithm="fricas")
```

```
[Out] [1/16*(4*(b^2*cosh(x)^8 + 8*b^2*cosh(x)*sinh(x)^7 + b^2*sinh(x)^8 + 4*b^2*cosh(x)^6 + 4*(7*b^2*cosh(x)^2 + b^2)*sinh(x)^6 + 6*b^2*cosh(x)^4 + 8*(7*b^2*cosh(x)^3 + 3*b^2*cosh(x))*sinh(x)^5 + 2*(35*b^2*cosh(x)^4 + 30*b^2*cosh(x)^2 + 3*b^2)*sinh(x)^4 + 4*b^2*cosh(x)^2 + 8*(7*b^2*cosh(x)^5 + 10*b^2*cosh(x)^3 + 3*b^2*cosh(x))*sinh(x)^3 + 4*(7*b^2*cosh(x)^6 + 15*b^2*cosh(x)^4 + 9*b^2*cosh(x)^2 + b^2)*sinh(x)^2 + b^2 + 8*(b^2*cosh(x)^7 + 3*b^2*cosh(x)^5 + 3*b^2*cosh(x)^3 + b^2*cosh(x))*sinh(x))*sqrt(a + b)*log(-((a*b^2 + b^3)*cosh(x)^8 + 8*(a*b^2 + b^3)*cosh(x)*sinh(x)^7 + (a*b^2 + b^3)*sinh(x)^8 - 2*(a*b^2 + 2*b^3)*cosh(x)^6 - 2*(a*b^2 + 2*b^3 - 14*(a*b^2 + b^3)*cosh(x)^2)*sinh(x)^6 + 4*(14*(a*b^2 + b^3)*cosh(x)^3 - 3*(a*b^2 + 2*b^3)*cosh(x))*sinh(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*cosh(x)^4 + (70*(a*b^2 + b^3)*cosh(x)^4 + a^3 - a^2*b + 4*a*b^2 + 6*b^3 - 30*(a*b^2 + 2*b^3)*cosh(x)^2)*sinh(x)^4 + 4*(14*(a*b^2 + b^3)*cosh(x)^5 - 10*(a*b^2 + 2*b^3)*cosh(x)^3 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*cosh(x))*sinh(x)^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 2*(a^3 - 3*a*b^2 - 2*b^3)*cosh(x)^2 + 2*(14*(a*b^2 + b^3)*cosh(x)^6 - 15*(a*b^2 + 2*b^3)*cosh(x)^4 + a^3 - 3*a*b^2 - 2*b^3 + 3*(a^3 - a^2*b + 4*a*b^2 + 6*b^3)*cosh(x)^2)*sinh(x)^2 + sqrt(2)*(b^2*cosh(x)^6 + 6*b^2*cosh(x)*sinh(x)^5 + b^2*sinh(x)^6 - 3*b^2*cosh(x)^4 + 3*(5*b^2*cosh(x)^2 - b^2)*sinh(x)^4 + 4*(5*b^2*cosh(x)^3 - 3*b^2*cosh(x))*sinh(x)^3 - (a^2 - 2*a*b - 3*b^2)*cosh(x)^2 + (15*b^2*cosh(x)^4 - 18*b^2*cosh(x)^2 - a^2 + 2*a*b + 3*b^2)*sinh(x)^2 - a^2 - 2*a*b - b^2 + 2*(3*b^2*cosh(x)^5 - 6*b^2*cosh(x)^3 - (a^2 - 2*a*b - 3*b^2)*cosh(x))*sinh(x))*sqrt(a + b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 4*(2*(a*b^2 + b^3)*cosh(x)^7 - 3*(a*b^2 + 2*b^3)*cosh(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*cosh(x)^3 + (a^3 - 3*a*b^2 - 2*b^3)*cosh(x))*sinh(x))/(cosh(x)^6 + 6*cosh(x)^5*sinh(x) + 15*cosh(x)^4*sinh(x)^2 + 20*cosh(x)^3*sinh(x)^3 + 15*cosh(x)^2*sinh(x)^4 + 6*cosh(x)*sinh(x)^5 + sinh(x)^6)) - ((a^2 - 4*a*b - 8*b^2)*cosh(x)^8 + 8*(a^2 - 4*a*b - 8*b^2)*cosh(x)*sinh(x)^7 + (a^2 - 4*a*b - 8*b^2)*sinh(x)^8 + 4*(a^2 - 4*a*b - 8*b^2)*cosh(x)^6 + 4*(7*(a^2 - 4*a*b - 8*b^2)*cosh(x)^2 + a^2 - 4*a*b - 8*b^2)*sinh(x)^6 + 8*(7*(a^2 -
```



$$\begin{aligned}
& \operatorname{inh}(x)^6 + 8*(7*(a^2 - 4*a*b - 8*b^2)*\operatorname{cosh}(x)^3 + 3*(a^2 - 4*a*b - 8*b^2)*\operatorname{cosh}(x))*\operatorname{sinh}(x)^5 + 6*(a^2 - 4*a*b - 8*b^2)*\operatorname{cosh}(x)^4 + 2*(35*(a^2 - 4*a*b - 8*b^2)*\operatorname{cosh}(x)^4 + 30*(a^2 - 4*a*b - 8*b^2)*\operatorname{cosh}(x)^2 + 3*a^2 - 12*a*b - 24*b^2)*\operatorname{sinh}(x)^4 + 8*(7*(a^2 - 4*a*b - 8*b^2)*\operatorname{cosh}(x)^5 + 10*(a^2 - 4*a*b - 8*b^2)*\operatorname{cosh}(x)^3 + 3*(a^2 - 4*a*b - 8*b^2)*\operatorname{cosh}(x))*\operatorname{sinh}(x)^3 + 4*(a^2 - 4*a*b - 8*b^2)*\operatorname{cosh}(x)^2 + 4*(7*(a^2 - 4*a*b - 8*b^2)*\operatorname{cosh}(x)^6 + 15*(a^2 - 4*a*b - 8*b^2)*\operatorname{cosh}(x)^4 + 9*(a^2 - 4*a*b - 8*b^2)*\operatorname{cosh}(x)^2 + a^2 - 4*a*b - 8*b^2)*\operatorname{sinh}(x)^2 + a^2 - 4*a*b - 8*b^2 + 8*((a^2 - 4*a*b - 8*b^2)*\operatorname{cosh}(x))^7 + 3*(a^2 - 4*a*b - 8*b^2)*\operatorname{cosh}(x)^5 + 3*(a^2 - 4*a*b - 8*b^2)*\operatorname{cosh}(x)^3 + (a^2 - 4*a*b - 8*b^2)*\operatorname{cosh}(x))*\operatorname{sinh}(x))*\operatorname{sqrt}(-b)*\operatorname{arctan}(\operatorname{sqrt}(2)*(\operatorname{cosh}(x)^2 + 2*\operatorname{cosh}(x)*\operatorname{sinh}(x) + \operatorname{sinh}(x)^2 - 1)*\operatorname{sqrt}(-b)*\operatorname{sqrt}(((a + b)*\operatorname{cosh}(x)^2 + (a + b)*\operatorname{sinh}(x)^2 + a - b)/(\operatorname{cosh}(x)^2 - 2*\operatorname{cosh}(x)*\operatorname{sinh}(x) + \operatorname{sinh}(x)^2)))/((a + b)*\operatorname{cosh}(x)^4 + 4*(a + b)*\operatorname{cosh}(x)*\operatorname{sinh}(x)^3 + (a + b)*\operatorname{sinh}(x)^4 + 2*(a - b)*\operatorname{cosh}(x)^2 + 2*(3*(a + b)*\operatorname{cosh}(x)^2 + a - b)*\operatorname{sinh}(x)^2 + 4*((a + b)*\operatorname{cosh}(x))^3 + (a - b)*\operatorname{cosh}(x))*\operatorname{sinh}(x) + a + b) - 2*(b^2*\operatorname{cosh}(x)^8 + 8*b^2*\operatorname{cosh}(x))*\operatorname{sinh}(x)^7 + b^2*\operatorname{sinh}(x)^8 + 4*b^2*\operatorname{cosh}(x)^6 + 4*(7*b^2*\operatorname{cosh}(x)^2 + b^2)*\operatorname{sinh}(x)^6 + 6*b^2*\operatorname{cosh}(x)^4 + 8*(7*b^2*\operatorname{cosh}(x)^3 + 3*b^2*\operatorname{cosh}(x))*\operatorname{sinh}(x)^5 + 2*(35*b^2*\operatorname{cosh}(x)^4 + 30*b^2*\operatorname{cosh}(x)^2 + 3*b^2)*\operatorname{sinh}(x)^4 + 4*b^2*\operatorname{cosh}(x)^2 + 8*(7*b^2*\operatorname{cosh}(x)^5 + 10*b^2*\operatorname{cosh}(x)^3 + 3*b^2*\operatorname{cosh}(x))*\operatorname{sinh}(x)^3 + 4*(7*b^2*\operatorname{cosh}(x)^6 + 15*b^2*\operatorname{cosh}(x)^4 + 9*b^2*\operatorname{cosh}(x)^2 + b^2)*\operatorname{sinh}(x)^2 + b^2 + 8*(b^2*\operatorname{cosh}(x)^7 + 3*b^2*\operatorname{cosh}(x)^5 + 3*b^2*\operatorname{cosh}(x)^3 + b^2*\operatorname{cosh}(x))*\operatorname{sinh}(x))*\operatorname{sqrt}(a + b)*\log(-((a*b^2 + b^3)*\operatorname{cosh}(x)^8 + 8*(a*b^2 + b^3)*\operatorname{cosh}(x))*\operatorname{sinh}(x)^7 + (a*b^2 + b^3)*\operatorname{sinh}(x)^8 - 2*(a*b^2 + 2*b^3)*\operatorname{cosh}(x)^6 - 2*(a*b^2 + 2*b^3 - 14*(a*b^2 + b^3)*\operatorname{cosh}(x)^2)*\operatorname{sinh}(x)^6 + 4*(14*(a*b^2 + b^3)*\operatorname{cosh}(x)^3 - 3*(a*b^2 + 2*b^3)*\operatorname{cosh}(x))*\operatorname{sinh}(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\operatorname{cosh}(x)^4 + (70*(a*b^2 + b^3)*\operatorname{cosh}(x)^4 + a^3 - a^2*b + 4*a*b^2 + 6*b^3 - 30*(a*b^2 + 2*b^3)*\operatorname{cosh}(x)^2)*\operatorname{sinh}(x)^4 + 4*(14*(a*b^2 + b^3)*\operatorname{cosh}(x)^5 - 10*(a*b^2 + 2*b^3)*\operatorname{cosh}(x)^3 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\operatorname{cosh}(x))*\operatorname{sinh}(x)^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 2*(a^3 - 3*a*b^2 - 2*b^3)*\operatorname{cosh}(x)^2 + 2*(14*(a*b^2 + b^3)*\operatorname{cosh}(x)^6 - 15*(a*b^2 + 2*b^3)*\operatorname{cosh}(x)^4 + a^3 - 3*a*b^2 - 2*b^3 + 3*(a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\operatorname{cosh}(x)^2)*\operatorname{sinh}(x)^2 + \operatorname{sqrt}(2)*(b^2*\operatorname{cosh}(x)^6 + 6*b^2*\operatorname{cosh}(x)*\operatorname{sinh}(x)^5 + b^2*\operatorname{sinh}(x)^6 - 3*b^2*\operatorname{cosh}(x)^4 + 3*(5*b^2*\operatorname{cosh}(x)^2 - b^2)*\operatorname{sinh}(x)^4 + 4*(5*b^2*\operatorname{cosh}(x)^3 - 3*b^2*\operatorname{cosh}(x))*\operatorname{sinh}(x)^3 - (a^2 - 2*a*b - 3*b^2)*\operatorname{cosh}(x)^2 + (15*b^2*\operatorname{cosh}(x)^4 - 18*b^2*\operatorname{cosh}(x)^2 - a^2 + 2*a*b + 3*b^2)*\operatorname{sinh}(x)^2 - a^2 - 2*a*b - b^2 + 2*(3*b^2*\operatorname{cosh}(x)^5 - 6*b^2*\operatorname{cosh}(x)^3 - (a^2 - 2*a*b - 3*b^2)*\operatorname{cosh}(x))*\operatorname{sinh}(x))*\operatorname{sqrt}(a + b)*\operatorname{sqrt}(((a + b)*\operatorname{cosh}(x)^2 + (a + b)*\operatorname{sinh}(x)^2 + a - b)/(\operatorname{cosh}(x)^2 - 2*\operatorname{cosh}(x)*\operatorname{sinh}(x) + \operatorname{sinh}(x)^2)) + 4*(2*(a*b^2 + b^3)*\operatorname{cosh}(x)^7 - 3*(a*b^2 + 2*b^3)*\operatorname{cosh}(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\operatorname{cosh}(x)^3 + (a^3 - 3*a*b^2 - 2*b^3)*\operatorname{cosh}(x))*\operatorname{sinh}(x))/(\operatorname{cosh}(x)^6 + 6*\operatorname{cosh}(x)^5*\operatorname{sinh}(x) + 15*\operatorname{cosh}(x)^4*\operatorname{sinh}(x)^2 + 20*\operatorname{cosh}(x)^3*\operatorname{sinh}(x)^3 + 15*\operatorname{cosh}(x)^2*\operatorname{sinh}(x)^4 + 6*\operatorname{cosh}(x)*\operatorname{sinh}(x)^5 + \operatorname{sinh}(x)^6)) - 2*(b^2*\operatorname{cosh}(x)^8 + 8*b^2*\operatorname{cosh}(x))*\operatorname{sinh}(x)^7 + b^2*\operatorname{sinh}(x)^8 + 4*b^2*\operatorname{cosh}(x)^6 + 4*(7*b^2*\operatorname{cosh}(x)^2 + b^2)*\operatorname{sinh}(x)^6 + 6*b^2*\operatorname{cosh}(x)^4 + 8*(7*b^2*\operatorname{cosh}(x)^3 + 3*b^2*\operatorname{cosh}(x))*\operatorname{sinh}(x)^5 + 2*(35*b^2*\operatorname{cosh}(x)^4 + 30*b^2*\operatorname{cosh}(x)^2 + 3*b^2)*\operatorname{sinh}(x)^4 + 4*b^2*\operatorname{cosh}(x)^2 + 8*(7*b^2*
\end{aligned}$$



$$\begin{aligned}
& \cosh(x)^5 + 10*b^2*\cosh(x)^3 + 3*b^2*\cosh(x))*\sinh(x)^3 + 4*(7*b^2*\cosh(x)^6 \\
& + 15*b^2*\cosh(x)^4 + 9*b^2*\cosh(x)^2 + b^2)*\sinh(x)^2 + b^2 + 8*(b^2*\cosh \\
& (x)^7 + 3*b^2*\cosh(x)^5 + 3*b^2*\cosh(x)^3 + b^2*\cosh(x))*\sinh(x))*\sqrt{a + \\
& b)*\log(((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 \\
& + 2*a*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a)*\sinh(x)^2 + \sqrt{2}*(\cosh(x) \\
& ^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 + 1)*\sqrt{a + b}*\sqrt{((a + b)*\cosh(x)^2 \\
& + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)}) \\
& + 4*((a + b)*\cosh(x)^3 + a*\cosh(x))*\sinh(x) + a + b)/(\cosh(x)^2 + 2*\cosh(x) \\
& *\sinh(x) + \sinh(x)^2)) + \sqrt{2}*((a*b + 6*b^2)*\cosh(x)^6 + 6*(a*b + 6*b^2) \\
& *\cosh(x)*\sinh(x)^5 + (a*b + 6*b^2)*\sinh(x)^6 + (a*b - 2*b^2)*\cosh(x)^4 + (1 \\
& 5*(a*b + 6*b^2)*\cosh(x)^2 + a*b - 2*b^2)*\sinh(x)^4 + 4*(5*(a*b + 6*b^2)*\cos \\
& h(x)^3 + (a*b - 2*b^2)*\cosh(x))*\sinh(x)^3 - (a*b - 2*b^2)*\cosh(x)^2 + (15*( \\
& a*b + 6*b^2)*\cosh(x)^4 + 6*(a*b - 2*b^2)*\cosh(x)^2 - a*b + 2*b^2)*\sinh(x)^2 \\
& - a*b - 6*b^2 + 2*(3*(a*b + 6*b^2)*\cosh(x)^5 + 2*(a*b - 2*b^2)*\cosh(x)^3 - \\
& (a*b - 2*b^2)*\cosh(x))*\sinh(x))*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 \\
& + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)))/(b^2*\cosh(x)^8 + 8 \\
& *b^2*\cosh(x)*\sinh(x)^7 + b^2*\sinh(x)^8 + 4*b^2*\cosh(x)^6 + 4*(7*b^2*\cosh(x) \\
& ^2 + b^2)*\sinh(x)^6 + 6*b^2*\cosh(x)^4 + 8*(7*b^2*\cosh(x)^3 + 3*b^2*\cosh(x)) \\
& *\sinh(x)^5 + 2*(35*b^2*\cosh(x)^4 + 30*b^2*\cosh(x)^2 + 3*b^2)*\sinh(x)^4 + 4* \\
& b^2*\cosh(x)^2 + 8*(7*b^2*\cosh(x)^5 + 10*b^2*\cosh(x)^3 + 3*b^2*\cosh(x))*\sinh \\
& (x)^3 + 4*(7*b^2*\cosh(x)^6 + 15*b^2*\cosh(x)^4 + 9*b^2*\cosh(x)^2 + b^2)*\sinh \\
& (x)^2 + b^2 + 8*(b^2*\cosh(x)^7 + 3*b^2*\cosh(x)^5 + 3*b^2*\cosh(x)^3 + b^2*\cos \\
& h(x))*\sinh(x)), -1/16*(8*(b^2*\cosh(x)^8 + 8*b^2*\cosh(x)*\sinh(x)^7 + b^2*\si \\
& nh(x)^8 + 4*b^2*\cosh(x)^6 + 4*(7*b^2*\cosh(x)^2 + b^2)*\sinh(x)^6 + 6*b^2*\cos \\
& h(x)^4 + 8*(7*b^2*\cosh(x)^3 + 3*b^2*\cosh(x))*\sinh(x)^5 + 2*(35*b^2*\cosh(x)^ \\
& 4 + 30*b^2*\cosh(x)^2 + 3*b^2)*\sinh(x)^4 + 4*b^2*\cosh(x)^2 + 8*(7*b^2*\cosh(x) \\
& )^5 + 10*b^2*\cosh(x)^3 + 3*b^2*\cosh(x))*\sinh(x)^3 + 4*(7*b^2*\cosh(x)^6 + 15 \\
& *b^2*\cosh(x)^4 + 9*b^2*\cosh(x)^2 + b^2)*\sinh(x)^2 + b^2 + 8*(b^2*\cosh(x)^7 \\
& + 3*b^2*\cosh(x)^5 + 3*b^2*\cosh(x)^3 + b^2*\cosh(x))*\sinh(x))*\sqrt{-a - b}*ar \\
& ctan(\sqrt{2}*(b*\cosh(x)^2 + 2*b*\cosh(x)*\sinh(x) + b*\sinh(x)^2 - a - b)*\sqrt{ \\
& (-a - b)*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - \\
& 2*\cosh(x)*\sinh(x) + \sinh(x)^2)))/((a*b + b^2)*\cosh(x)^4 + 4*(a*b + b^2)*\cosh \\
& (x)*\sinh(x)^3 + (a*b + b^2)*\sinh(x)^4 + (a^2 - a*b - 2*b^2)*\cosh(x)^2 + (6* \\
& (a*b + b^2)*\cosh(x)^2 + a^2 - a*b - 2*b^2)*\sinh(x)^2 + a^2 + 2*a*b + b^2 + \\
& 2*(2*(a*b + b^2)*\cosh(x)^3 + (a^2 - a*b - 2*b^2)*\cosh(x))*\sinh(x))) + 8*(b^ \\
& 2*\cosh(x)^8 + 8*b^2*\cosh(x)*\sinh(x)^7 + b^2*\sinh(x)^8 + 4*b^2*\cosh(x)^6 + 4 \\
& *(7*b^2*\cosh(x)^2 + b^2)*\sinh(x)^6 + 6*b^2*\cosh(x)^4 + 8*(7*b^2*\cosh(x)^3 + \\
& 3*b^2*\cosh(x))*\sinh(x)^5 + 2*(35*b^2*\cosh(x)^4 + 30*b^2*\cosh(x)^2 + 3*b^2) \\
& *\sinh(x)^4 + 4*b^2*\cosh(x)^2 + 8*(7*b^2*\cosh(x)^5 + 10*b^2*\cosh(x)^3 + 3*b^ \\
& 2*\cosh(x))*\sinh(x)^3 + 4*(7*b^2*\cosh(x)^6 + 15*b^2*\cosh(x)^4 + 9*b^2*\cosh(x) \\
& )^2 + b^2)*\sinh(x)^2 + b^2 + 8*(b^2*\cosh(x)^7 + 3*b^2*\cosh(x)^5 + 3*b^2*\cos \\
& h(x)^3 + b^2*\cosh(x))*\sinh(x))*\sqrt{-a - b}*\arctan(\sqrt{2}*(\cosh(x)^2 + 2*\c \\
& osh(x)*\sinh(x) + \sinh(x)^2 + 1)*\sqrt{-a - b}*\sqrt{((a + b)*\cosh(x)^2 + (a + \\
& b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)))/((a + b) \\
& )*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*(a - b)*c
\end{aligned}$$

$$\begin{aligned}
& \text{osh}(x)^2 + 2*(3*(a + b)*\text{cosh}(x)^2 + a - b)*\text{sinh}(x)^2 + 4*((a + b)*\text{cosh}(x)^3 \\
& + (a - b)*\text{cosh}(x))*\text{sinh}(x) + a + b) + ((a^2 - 4*a*b - 8*b^2)*\text{cosh}(x)^8 + \\
& 8*(a^2 - 4*a*b - 8*b^2)*\text{cosh}(x)*\text{sinh}(x)^7 + (a^2 - 4*a*b - 8*b^2)*\text{sinh}(x)^8 \\
& + 4*(a^2 - 4*a*b - 8*b^2)*\text{cosh}(x)^6 + 4*(7*(a^2 - 4*a*b - 8*b^2)*\text{cosh}(x)^2 \\
& + a^2 - 4*a*b - 8*b^2)*\text{sinh}(x)^6 + 8*(7*(a^2 - 4*a*b - 8*b^2)*\text{cosh}(x)^3 + \\
& 3*(a^2 - 4*a*b - 8*b^2)*\text{cosh}(x))*\text{sinh}(x)^5 + 6*(a^2 - 4*a*b - 8*b^2)*\text{cosh}(x) \\
& )^4 + 2*(35*(a^2 - 4*a*b - 8*b^2)*\text{cosh}(x)^4 + 30*(a^2 - 4*a*b - 8*b^2)*\text{cosh} \\
& (x)^2 + 3*a^2 - 12*a*b - 24*b^2)*\text{sinh}(x)^4 + 8*(7*(a^2 - 4*a*b - 8*b^2)*\text{cosh} \\
& h(x)^5 + 10*(a^2 - 4*a*b - 8*b^2)*\text{cosh}(x)^3 + 3*(a^2 - 4*a*b - 8*b^2)*\text{cosh}( \\
& x))*\text{sinh}(x)^3 + 4*(a^2 - 4*a*b - 8*b^2)*\text{cosh}(x)^2 + 4*(7*(a^2 - 4*a*b - 8*b \\
& ^2)*\text{cosh}(x)^6 + 15*(a^2 - 4*a*b - 8*b^2)*\text{cosh}(x)^4 + 9*(a^2 - 4*a*b - 8*b^2) \\
& )*\text{cosh}(x)^2 + a^2 - 4*a*b - 8*b^2)*\text{sinh}(x)^2 + a^2 - 4*a*b - 8*b^2 + 8*((a^ \\
& 2 - 4*a*b - 8*b^2)*\text{cosh}(x)^7 + 3*(a^2 - 4*a*b - 8*b^2)*\text{cosh}(x)^5 + 3*(a^2 - \\
& 4*a*b - 8*b^2)*\text{cosh}(x)^3 + (a^2 - 4*a*b - 8*b^2)*\text{cosh}(x))*\text{sinh}(x))*\text{sqrt}(b) \\
& *\text{log}(-((a + 2*b)*\text{cosh}(x)^4 + 4*(a + 2*b)*\text{cosh}(x)*\text{sinh}(x)^3 + (a + 2*b)*\text{sinh} \\
& (x)^4 + 2*(a - 2*b)*\text{cosh}(x)^2 + 2*(3*(a + 2*b)*\text{cosh}(x)^2 + a - 2*b)*\text{sinh}(x) \\
& ^2 - 2*\text{sqrt}(2)*(\text{cosh}(x)^2 + 2*\text{cosh}(x)*\text{sinh}(x) + \text{sinh}(x)^2 - 1))*\text{sqrt}(b)*\text{sqrt} \\
& (((a + b)*\text{cosh}(x)^2 + (a + b)*\text{sinh}(x)^2 + a - b)/(\text{cosh}(x)^2 - 2*\text{cosh}(x)*\text{sin} \\
& h(x) + \text{sinh}(x)^2)) + 4*((a + 2*b)*\text{cosh}(x)^3 + (a - 2*b)*\text{cosh}(x))*\text{sinh}(x) + \\
& a + 2*b)/(\text{cosh}(x)^4 + 4*\text{cosh}(x)*\text{sinh}(x)^3 + \text{sinh}(x)^4 + 2*(3*\text{cosh}(x)^2 + 1) \\
& *\text{sinh}(x)^2 + 2*\text{cosh}(x)^2 + 4*(\text{cosh}(x)^3 + \text{cosh}(x))*\text{sinh}(x) + 1)) + 2*\text{sqrt}(2) \\
& )*((a*b + 6*b^2)*\text{cosh}(x)^6 + 6*(a*b + 6*b^2)*\text{cosh}(x)*\text{sinh}(x)^5 + (a*b + 6*b \\
& ^2)*\text{sinh}(x)^6 + (a*b - 2*b^2)*\text{cosh}(x)^4 + (15*(a*b + 6*b^2)*\text{cosh}(x)^2 + a*b \\
& - 2*b^2)*\text{sinh}(x)^4 + 4*(5*(a*b + 6*b^2)*\text{cosh}(x)^3 + (a*b - 2*b^2)*\text{cosh}(x)) \\
& *\text{sinh}(x)^3 - (a*b - 2*b^2)*\text{cosh}(x)^2 + (15*(a*b + 6*b^2)*\text{cosh}(x)^4 + 6*(a*b \\
& - 2*b^2)*\text{cosh}(x)^2 - a*b + 2*b^2)*\text{sinh}(x)^2 - a*b - 6*b^2 + 2*(3*(a*b + 6* \\
& b^2)*\text{cosh}(x)^5 + 2*(a*b - 2*b^2)*\text{cosh}(x)^3 - (a*b - 2*b^2)*\text{cosh}(x))*\text{sinh}(x) \\
& )*\text{sqrt}(((a + b)*\text{cosh}(x)^2 + (a + b)*\text{sinh}(x)^2 + a - b)/(\text{cosh}(x)^2 - 2*\text{cosh}( \\
& x)*\text{sinh}(x) + \text{sinh}(x)^2)))/(b^2*\text{cosh}(x)^8 + 8*b^2*\text{cosh}(x)*\text{sinh}(x)^7 + b^2*\text{si} \\
& nh(x)^8 + 4*b^2*\text{cosh}(x)^6 + 4*(7*b^2*\text{cosh}(x)^2 + b^2)*\text{sinh}(x)^6 + 6*b^2*\text{cosh} \\
& h(x)^4 + 8*(7*b^2*\text{cosh}(x)^3 + 3*b^2*\text{cosh}(x))*\text{sinh}(x)^5 + 2*(35*b^2*\text{cosh}(x)^ \\
& 4 + 30*b^2*\text{cosh}(x)^2 + 3*b^2)*\text{sinh}(x)^4 + 4*b^2*\text{cosh}(x)^2 + 8*(7*b^2*\text{cosh}(x) \\
& )^5 + 10*b^2*\text{cosh}(x)^3 + 3*b^2*\text{cosh}(x))*\text{sinh}(x)^3 + 4*(7*b^2*\text{cosh}(x)^6 + 15 \\
& *b^2*\text{cosh}(x)^4 + 9*b^2*\text{cosh}(x)^2 + b^2)*\text{sinh}(x)^2 + b^2 + 8*(b^2*\text{cosh}(x)^7 \\
& + 3*b^2*\text{cosh}(x)^5 + 3*b^2*\text{cosh}(x)^3 + b^2*\text{cosh}(x))*\text{sinh}(x)), -1/8*(4*(b^2*c \\
& osh(x)^8 + 8*b^2*\text{cosh}(x)*\text{sinh}(x)^7 + b^2*\text{sinh}(x)^8 + 4*b^2*\text{cosh}(x)^6 + 4*(7 \\
& *b^2*\text{cosh}(x)^2 + b^2)*\text{sinh}(x)^6 + 6*b^2*\text{cosh}(x)^4 + 8*(7*b^2*\text{cosh}(x)^3 + 3* \\
& b^2*\text{cosh}(x))*\text{sinh}(x)^5 + 2*(35*b^2*\text{cosh}(x)^4 + 30*b^2*\text{cosh}(x)^2 + 3*b^2)*\text{si} \\
& nh(x)^4 + 4*b^2*\text{cosh}(x)^2 + 8*(7*b^2*\text{cosh}(x)^5 + 10*b^2*\text{cosh}(x)^3 + 3*b^2*c \\
& osh(x))*\text{sinh}(x)^3 + 4*(7*b^2*\text{cosh}(x)^6 + 15*b^2*\text{cosh}(x)^4 + 9*b^2*\text{cosh}(x)^2 \\
& + b^2)*\text{sinh}(x)^2 + b^2 + 8*(b^2*\text{cosh}(x)^7 + 3*b^2*\text{cosh}(x)^5 + 3*b^2*\text{cosh}(x) \\
& )^3 + b^2*\text{cosh}(x))*\text{sinh}(x))*\text{sqrt}(-a - b)*\text{arctan}(\text{sqrt}(2)*(b*\text{cosh}(x)^2 + 2*b* \\
& \text{cosh}(x)*\text{sinh}(x) + b*\text{sinh}(x)^2 - a - b))*\text{sqrt}(-a - b))*\text{sqrt}(((a + b)*\text{cosh}(x)^2 \\
& + (a + b)*\text{sinh}(x)^2 + a - b)/(\text{cosh}(x)^2 - 2*\text{cosh}(x)*\text{sinh}(x) + \text{sinh}(x)^2))/ \\
& ((a*b + b^2)*\text{cosh}(x)^4 + 4*(a*b + b^2)*\text{cosh}(x)*\text{sinh}(x)^3 + (a*b + b^2)*\text{sinh}
\end{aligned}$$

$$\begin{aligned}
& (x)^4 + (a^2 - a*b - 2*b^2)*\cosh(x)^2 + (6*(a*b + b^2)*\cosh(x)^2 + a^2 - a*b - 2*b^2)*\sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(2*(a*b + b^2)*\cosh(x)^3 + (a^2 - a*b - 2*b^2)*\cosh(x))*\sinh(x)) + 4*(b^2*\cosh(x)^8 + 8*b^2*\cosh(x)*\sinh(x)^7 + b^2*\sinh(x)^8 + 4*b^2*\cosh(x)^6 + 4*(7*b^2*\cosh(x)^2 + b^2)*\sinh(x)^6 + 6*b^2*\cosh(x)^4 + 8*(7*b^2*\cosh(x)^3 + 3*b^2*\cosh(x))*\sinh(x)^5 + 2*(35*b^2*\cosh(x)^4 + 30*b^2*\cosh(x)^2 + 3*b^2)*\sinh(x)^4 + 4*b^2*\cosh(x)^2 + 8*(7*b^2*\cosh(x)^5 + 10*b^2*\cosh(x)^3 + 3*b^2*\cosh(x))*\sinh(x)^3 + 4*(7*b^2*\cosh(x)^6 + 15*b^2*\cosh(x)^4 + 9*b^2*\cosh(x)^2 + b^2)*\sinh(x)^2 + b^2 + 8*(b^2*\cosh(x)^7 + 3*b^2*\cosh(x)^5 + 3*b^2*\cosh(x)^3 + b^2*\cosh(x))*\sinh(x))*\sqrt{-a - b}*\arctan(\sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 + 1))*\sqrt{-a - b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)}/((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a - b)*\sinh(x)^2 + 4*((a + b)*\cosh(x)^3 + (a - b)*\cosh(x))*\sinh(x) + a + b)) + ((a^2 - 4*a*b - 8*b^2)*\cosh(x)^8 + 8*(a^2 - 4*a*b - 8*b^2)*\cosh(x)*\sinh(x)^7 + (a^2 - 4*a*b - 8*b^2)*\sinh(x)^8 + 4*(a^2 - 4*a*b - 8*b^2)*\cosh(x)^6 + 4*(7*(a^2 - 4*a*b - 8*b^2)*\cosh(x)^2 + a^2 - 4*a*b - 8*b^2)*\sinh(x)^6 + 8*(7*(a^2 - 4*a*b - 8*b^2)*\cosh(x)^3 + 3*(a^2 - 4*a*b - 8*b^2)*\cosh(x))*\sinh(x)^5 + 6*(a^2 - 4*a*b - 8*b^2)*\cosh(x)^4 + 2*(35*(a^2 - 4*a*b - 8*b^2)*\cosh(x)^4 + 30*(a^2 - 4*a*b - 8*b^2)*\cosh(x)^2 + 3*a^2 - 12*a*b - 24*b^2)*\sinh(x)^4 + 8*(7*(a^2 - 4*a*b - 8*b^2)*\cosh(x)^5 + 10*(a^2 - 4*a*b - 8*b^2)*\cosh(x)^3 + 3*(a^2 - 4*a*b - 8*b^2)*\cosh(x))*\sinh(x)^3 + 4*(a^2 - 4*a*b - 8*b^2)*\cosh(x)^2 + 4*(7*(a^2 - 4*a*b - 8*b^2)*\cosh(x)^6 + 15*(a^2 - 4*a*b - 8*b^2)*\cosh(x)^4 + 9*(a^2 - 4*a*b - 8*b^2)*\cosh(x)^2 + a^2 - 4*a*b - 8*b^2)*\sinh(x)^2 + a^2 - 4*a*b - 8*b^2 + 8*((a^2 - 4*a*b - 8*b^2)*\cosh(x)^7 + 3*(a^2 - 4*a*b - 8*b^2)*\cosh(x)^5 + 3*(a^2 - 4*a*b - 8*b^2)*\cosh(x)^3 + (a^2 - 4*a*b - 8*b^2)*\cosh(x))*\sinh(x))*\sqrt{-b}*\arctan(\sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 - 1))*\sqrt{-b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)}/((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a - b)*\sinh(x)^2 + 4*((a + b)*\cosh(x)^3 + (a - b)*\cosh(x))*\sinh(x) + a + b)) + \sqrt{2}*((a*b + 6*b^2)*\cosh(x)^6 + 6*(a*b + 6*b^2)*\cosh(x)*\sinh(x)^5 + (a*b + 6*b^2)*\sinh(x)^6 + (a*b - 2*b^2)*\cosh(x)^4 + (15*(a*b + 6*b^2)*\cosh(x)^2 + a*b - 2*b^2)*\sinh(x)^4 + 4*(5*(a*b + 6*b^2)*\cosh(x)^3 + (a*b - 2*b^2)*\cosh(x))*\sinh(x)^3 - (a*b - 2*b^2)*\cosh(x)^2 + (15*(a*b + 6*b^2)*\cosh(x)^4 + 6*(a*b - 2*b^2)*\cosh(x)^2 - a*b + 2*b^2)*\sinh(x)^2 - a*b - 6*b^2 + 2*(3*(a*b + 6*b^2)*\cosh(x)^5 + 2*(a*b - 2*b^2)*\cosh(x)^3 - (a*b - 2*b^2)*\cosh(x))*\sinh(x))*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)}/(b^2*\cosh(x)^8 + 8*b^2*\cosh(x)*\sinh(x)^7 + b^2*\sinh(x)^8 + 4*b^2*\cosh(x)^6 + 4*(7*b^2*\cosh(x)^2 + b^2)*\sinh(x)^6 + 6*b^2*\cosh(x)^4 + 8*(7*b^2*\cosh(x)^3 + 3*b^2*\cosh(x))*\sinh(x)^5 + 2*(35*b^2*\cosh(x)^4 + 30*b^2*\cosh(x)^2 + 3*b^2)*\sinh(x)^4 + 4*b^2*\cosh(x)^2 + 8*(7*b^2*\cosh(x)^5 + 10*b^2*\cosh(x)^3 + 3*b^2*\cosh(x))*\sinh(x)^3 + 4*(7*b^2*\cosh(x)^6 + 15*b^2*\cosh(x)^4 + 9*b^2*\cosh(x)^2 + b^2)*\sinh(x)^2 + b^2 + 8*(b^2*\cosh(x)^7 + 3*b^2*\cosh(x)^5 + 3*b^2*\cosh(x)
\end{aligned}$$

)^3 + b^2\*cosh(x))\*sinh(x))]

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a + b \tanh^2(x)} \tanh^4(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tanh(x)\*\*2)\*\*(1/2)\*tanh(x)\*\*4,x)

[Out] Integral(sqrt(a + b\*tanh(x)\*\*2)\*tanh(x)\*\*4, x)

---

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tanh(x)^2)^(1/2)\*tanh(x)^4,x, algorithm="giac")

[Out] Exception raised: NotImplementedError

$$3.210 \quad \int \tanh^3(x) \sqrt{a + b \tanh^2(x)} dx$$

**Optimal.** Leaf size=63

$$-\frac{(a + b \tanh^2(x))^{3/2}}{3b} - \sqrt{a + b \tanh^2(x)} + \sqrt{a + b} \tanh^{-1} \left( \frac{\sqrt{a + b \tanh^2(x)}}{\sqrt{a + b}} \right)$$

[Out] Sqrt[a + b]\*ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]] - Sqrt[a + b\*Tanh[x]^2] - (a + b\*Tanh[x]^2)^(3/2)/(3\*b)

**Rubi [A]** time = 0.119459, antiderivative size = 63, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.353$ , Rules used = {3670, 446, 80, 50, 63, 208}

$$-\frac{(a + b \tanh^2(x))^{3/2}}{3b} - \sqrt{a + b \tanh^2(x)} + \sqrt{a + b} \tanh^{-1} \left( \frac{\sqrt{a + b \tanh^2(x)}}{\sqrt{a + b}} \right)$$

Antiderivative was successfully verified.

[In] Int[Tanh[x]^3\*Sqrt[a + b\*Tanh[x]^2], x]

[Out] Sqrt[a + b]\*ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]] - Sqrt[a + b\*Tanh[x]^2] - (a + b\*Tanh[x]^2)^(3/2)/(3\*b)

#### Rule 3670

Int[((d\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]^(m\_.)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]^(n\_))^(p\_.), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

#### Rule 446

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_.), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p\*(c + d\*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[

$b*c - a*d, 0]$  && IntegerQ[Simplify[(m + 1)/n]]

### Rule 80

Int[((a\_.) + (b\_.)\*(x\_))\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] := Simp[(b\*(c + d\*x)^(n + 1)\*(e + f\*x)^(p + 1))/(d\*f\*(n + p + 2)), x] + Dist[(a\*d\*f\*(n + p + 2) - b\*(d\*e\*(n + 1) + c\*f\*(p + 1)))/(d\*f\*(n + p + 2)), Int[(c + d\*x)^n\*(e + f\*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 2, 0]

### Rule 50

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := Simp[((a + b\*x)^(m + 1)\*(c + d\*x)^n)/(b\*(m + n + 1)), x] + Dist[(n\*(b\*c - a\*d))/(b\*(m + n + 1)), Int[(a + b\*x)^m\*(c + d\*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n + 2, 0] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rubi steps

$$\begin{aligned}
\int \tanh^3(x) \sqrt{a + b \tanh^2(x)} dx &= \text{Subst} \left( \int \frac{x^3 \sqrt{a + bx^2}}{1 - x^2} dx, x, \tanh(x) \right) \\
&= \frac{1}{2} \text{Subst} \left( \int \frac{x \sqrt{a + bx}}{1 - x} dx, x, \tanh^2(x) \right) \\
&= -\frac{(a + b \tanh^2(x))^{3/2}}{3b} + \frac{1}{2} \text{Subst} \left( \int \frac{\sqrt{a + bx}}{1 - x} dx, x, \tanh^2(x) \right) \\
&= -\sqrt{a + b \tanh^2(x)} - \frac{(a + b \tanh^2(x))^{3/2}}{3b} + \frac{1}{2}(a + b) \text{Subst} \left( \int \frac{1}{(1 - x)\sqrt{a + bx}} dx, x, \right. \\
&= -\sqrt{a + b \tanh^2(x)} - \frac{(a + b \tanh^2(x))^{3/2}}{3b} + \frac{(a + b) \text{Subst} \left( \int \frac{1}{1 + \frac{a}{b} - \frac{x^2}{b}} dx, x, \sqrt{a + b \tanh^2(x)} \right)}{b} \\
&= \sqrt{a + b} \tanh^{-1} \left( \frac{\sqrt{a + b \tanh^2(x)}}{\sqrt{a + b}} \right) - \sqrt{a + b \tanh^2(x)} - \frac{(a + b \tanh^2(x))^{3/2}}{3b}
\end{aligned}$$

**Mathematica [A]** time = 0.160509, size = 60, normalized size = 0.95

$$\sqrt{a + b} \tanh^{-1} \left( \frac{\sqrt{a + b \tanh^2(x)}}{\sqrt{a + b}} \right) - \frac{\sqrt{a + b \tanh^2(x)} (a + b \tanh^2(x) + 3b)}{3b}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[x]^3\*Sqrt[a + b\*Tanh[x]^2], x]

[Out] Sqrt[a + b]\*ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]] - (Sqrt[a + b\*Tanh[x]^2]\*(a + 3\*b + b\*Tanh[x]^2))/(3\*b)

**Maple [B]** time = 0.045, size = 253, normalized size = 4.

$$-\frac{1}{3b} (a + b (\tanh(x))^2)^{3/2} - \frac{1}{2} \sqrt{(1 + \tanh(x))^2 b - 2(1 + \tanh(x))b + a + b} + \frac{1}{2} \sqrt{b} \ln \left( ((1 + \tanh(x))b - b) \frac{1}{\sqrt{b}} + \sqrt{\dots} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*tanh(x)^2)^(1/2)*tanh(x)^3,x)`

[Out] 
$$-1/3*(a+b*tanh(x)^2)^(3/2)/b-1/2*((1+tanh(x))^2*b-2*(1+tanh(x))*b+a+b)^(1/2)+1/2*b^(1/2)*ln(((1+tanh(x))*b-b)/b^(1/2)+((1+tanh(x))^2*b-2*(1+tanh(x))*b+a+b)^(1/2))+1/2*(a+b)^(1/2)*ln((2*a+2*b-2*(1+tanh(x))*b+2*(a+b)^(1/2)*((1+tanh(x))^2*b-2*(1+tanh(x))*b+a+b)^(1/2))/(1+tanh(x)))-1/2*((tanh(x)-1)^2*b+2*(tanh(x)-1)*b+a+b)^(1/2)-1/2*b^(1/2)*ln(((tanh(x)-1)*b+b)/b^(1/2)+((tanh(x)-1)^2*b+2*(tanh(x)-1)*b+a+b)^(1/2))+1/2*(a+b)^(1/2)*ln((2*a+2*b+2*(tanh(x)-1)*b+2*(a+b)^(1/2)*((tanh(x)-1)^2*b+2*(tanh(x)-1)*b+a+b)^(1/2))/(tanh(x)-1))$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{b \tanh(x)^2 + a} \tanh(x)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*tanh(x)^2)^(1/2)*tanh(x)^3,x, algorithm="maxima")`

[Out] `integrate(sqrt(b*tanh(x)^2 + a)*tanh(x)^3, x)`

**Fricas [B]** time = 3.91679, size = 6839, normalized size = 108.56

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*tanh(x)^2)^(1/2)*tanh(x)^3,x, algorithm="fricas")`

[Out] 
$$\begin{aligned} & [1/12*(3*(b*cosh(x)^6 + 6*b*cosh(x)*sinh(x)^5 + b*sinh(x)^6 + 3*b*cosh(x)^4 \\ & + 3*(5*b*cosh(x)^2 + b)*sinh(x)^4 + 4*(5*b*cosh(x)^3 + 3*b*cosh(x))*sinh(x) \\ & )^3 + 3*b*cosh(x)^2 + 3*(5*b*cosh(x)^4 + 6*b*cosh(x)^2 + b)*sinh(x)^2 + 6*( \\ & b*cosh(x)^5 + 2*b*cosh(x)^3 + b*cosh(x))*sinh(x) + b)*sqrt(a + b)*log(((a^3 \\ & + a^2*b)*cosh(x)^8 + 8*(a^3 + a^2*b)*cosh(x)*sinh(x)^7 + (a^3 + a^2*b)*sin \\ & h(x)^8 + 2*(2*a^3 + a^2*b)*cosh(x)^6 + 2*(2*a^3 + a^2*b + 14*(a^3 + a^2*b)* \\ & cosh(x)^2)*sinh(x)^6 + 4*(14*(a^3 + a^2*b)*cosh(x)^3 + 3*(2*a^3 + a^2*b)*co \\ & sh(x))*sinh(x)^5 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x)^4 + (70*(a^3 + a \\ & ^2*b)*cosh(x)^4 + 6*a^3 + 4*a^2*b - a*b^2 + b^3 + 30*(2*a^3 + a^2*b)*cosh(x) \\ & )^2)*sinh(x)^4 + 4*(14*(a^3 + a^2*b)*cosh(x)^5 + 10*(2*a^3 + a^2*b)*cosh(x) \end{aligned}$$



$$\begin{aligned}
&^3 + (6a^3 + 4a^2b - ab^2 + b^3)\cosh(x))\sinh(x)^3 + a^3 + 3a^2b + 3 \\
&*ab^2 + b^3 + 2*(2a^3 + 3a^2b - b^3)\cosh(x)^2 + 2*(14*(a^3 + a^2b)*\co \\
&\text{sh}(x)^6 + 15*(2a^3 + a^2b)*\cosh(x)^4 + 2a^3 + 3a^2b - b^3 + 3*(6a^3 + \\
&4a^2b - ab^2 + b^3)\cosh(x)^2)\sinh(x)^2 + \sqrt{2}*(a^2\cosh(x)^6 + 6a \\
&^2*\cosh(x)*\sinh(x)^5 + a^2*\sinh(x)^6 + 3a^2*\cosh(x)^4 + 3*(5a^2*\cosh(x)^2 \\
&+ a^2)*\sinh(x)^4 + 4*(5a^2*\cosh(x)^3 + 3a^2*\cosh(x))*\sinh(x)^3 + (3a^2 \\
&+ 2ab - b^2)*\cosh(x)^2 + (15a^2*\cosh(x)^4 + 18a^2*\cosh(x)^2 + 3a^2 + 2 \\
&*ab - b^2)*\sinh(x)^2 + a^2 + 2ab + b^2 + 2*(3a^2*\cosh(x)^5 + 6a^2*\cosh \\
&(x)^3 + (3a^2 + 2ab - b^2)*\cosh(x))*\sinh(x))*\sqrt{a+b}*\sqrt{((a+b)*\c \\
&\text{osh}(x)^2 + (a+b)*\sinh(x)^2 + a-b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh \\
&(x)^2)} + 4*(2*(a^3 + a^2b)*\cosh(x)^7 + 3*(2a^3 + a^2b)*\cosh(x)^5 + (6a \\
&^3 + 4a^2b - ab^2 + b^3)\cosh(x)^3 + (2a^3 + 3a^2b - b^3)\cosh(x))*\si \\
&\text{nh}(x))/(\cosh(x)^6 + 6*\cosh(x)^5*\sinh(x) + 15*\cosh(x)^4*\sinh(x)^2 + 20*\cosh( \\
&x)^3*\sinh(x)^3 + 15*\cosh(x)^2*\sinh(x)^4 + 6*\cosh(x)*\sinh(x)^5 + \sinh(x)^6)) \\
&+ 3*(b*\cosh(x)^6 + 6*b*\cosh(x)*\sinh(x)^5 + b*\sinh(x)^6 + 3*b*\cosh(x)^4 + 3 \\
&*(5*b*\cosh(x)^2 + b)*\sinh(x)^4 + 4*(5*b*\cosh(x)^3 + 3*b*\cosh(x))*\sinh(x)^3 \\
&+ 3*b*\cosh(x)^2 + 3*(5*b*\cosh(x)^4 + 6*b*\cosh(x)^2 + b)*\sinh(x)^2 + 6*(b*\co \\
&\text{sh}(x)^5 + 2*b*\cosh(x)^3 + b*\cosh(x))*\sinh(x) + b)*\sqrt{a+b}*\log(-((a+b) \\
&*\cosh(x)^4 + 4*(a+b)*\cosh(x)*\sinh(x)^3 + (a+b)*\sinh(x)^4 - 2*b*\cosh(x)^ \\
&2 + 2*(3*(a+b)*\cosh(x)^2 - b)*\sinh(x)^2 + \sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)* \\
&\sinh(x) + \sinh(x)^2 - 1)*\sqrt{a+b}*\sqrt{((a+b)*\cosh(x)^2 + (a+b)*\sinh \\
&(x)^2 + a-b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)} + 4*((a+b)*\co \\
&\text{sh}(x)^3 - b*\cosh(x))*\sinh(x) + a+b)/(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh \\
&(x)^2)) - 4*\sqrt{2}*((a+4*b)*\cosh(x)^4 + 4*(a+4*b)*\cosh(x)*\sinh(x)^3 + \\
&(a+4*b)*\sinh(x)^4 + 2*(a+2*b)*\cosh(x)^2 + 2*(3*(a+4*b)*\cosh(x)^2 + a \\
&+ 2*b)*\sinh(x)^2 + 4*((a+4*b)*\cosh(x)^3 + (a+2*b)*\cosh(x))*\sinh(x) + a \\
&+ 4*b)*\sqrt{((a+b)*\cosh(x)^2 + (a+b)*\sinh(x)^2 + a-b)/(\cosh(x)^2 - 2* \\
&\cosh(x)*\sinh(x) + \sinh(x)^2)))/(b*\cosh(x)^6 + 6*b*\cosh(x)*\sinh(x)^5 + b*\sin \\
&\text{h}(x)^6 + 3*b*\cosh(x)^4 + 3*(5*b*\cosh(x)^2 + b)*\sinh(x)^4 + 4*(5*b*\cosh(x)^3 \\
&+ 3*b*\cosh(x))*\sinh(x)^3 + 3*b*\cosh(x)^2 + 3*(5*b*\cosh(x)^4 + 6*b*\cosh(x)^ \\
&2 + b)*\sinh(x)^2 + 6*(b*\cosh(x)^5 + 2*b*\cosh(x)^3 + b*\cosh(x))*\sinh(x) + b) \\
&, -1/6*(3*(b*\cosh(x)^6 + 6*b*\cosh(x)*\sinh(x)^5 + b*\sinh(x)^6 + 3*b*\cosh(x)^ \\
&4 + 3*(5*b*\cosh(x)^2 + b)*\sinh(x)^4 + 4*(5*b*\cosh(x)^3 + 3*b*\cosh(x))*\sinh( \\
&x)^3 + 3*b*\cosh(x)^2 + 3*(5*b*\cosh(x)^4 + 6*b*\cosh(x)^2 + b)*\sinh(x)^2 + 6* \\
&(b*\cosh(x)^5 + 2*b*\cosh(x)^3 + b*\cosh(x))*\sinh(x) + b)*\sqrt{-a-b}*\arctan( \\
&\sqrt{2}*(a*\cosh(x)^2 + 2*a*\cosh(x)*\sinh(x) + a*\sinh(x)^2 + a+b)*\sqrt{-a- \\
&b}*\sqrt{((a+b)*\cosh(x)^2 + (a+b)*\sinh(x)^2 + a-b)/(\cosh(x)^2 - 2*\cos \\
&\text{h}(x)*\sinh(x) + \sinh(x)^2)})/((a^2 + a*b)*\cosh(x)^4 + 4*(a^2 + a*b)*\cosh(x)*\s \\
&\text{inh}(x)^3 + (a^2 + a*b)*\sinh(x)^4 + (2a^2 + a*b - b^2)*\cosh(x)^2 + (6*(a^2 \\
&+ a*b)*\cosh(x)^2 + 2a^2 + a*b - b^2)*\sinh(x)^2 + a^2 + 2ab + b^2 + 2*(2* \\
&(a^2 + a*b)*\cosh(x)^3 + (2a^2 + a*b - b^2)*\cosh(x))*\sinh(x)) + 3*(b*\cosh( \\
&x)^6 + 6*b*\cosh(x)*\sinh(x)^5 + b*\sinh(x)^6 + 3*b*\cosh(x)^4 + 3*(5*b*\cosh(x) \\
&^2 + b)*\sinh(x)^4 + 4*(5*b*\cosh(x)^3 + 3*b*\cosh(x))*\sinh(x)^3 + 3*b*\cosh(x) \\
&^2 + 3*(5*b*\cosh(x)^4 + 6*b*\cosh(x)^2 + b)*\sinh(x)^2 + 6*(b*\cosh(x)^5 + 2*b \\
&*\cosh(x)^3 + b*\cosh(x))*\sinh(x) + b)*\sqrt{-a-b}*\arctan(\sqrt{2}*(\cosh(x)^2
\end{aligned}$$

$$+ 2*\cosh(x)*\sinh(x) + \sinh(x)^2 - 1)*\sqrt{-a - b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))}/((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a - b)*\sinh(x)^2 + 4*((a + b)*\cosh(x)^3 + (a - b)*\cosh(x))*\sinh(x) + a + b)) + 2*\sqrt{2}*((a + 4*b)*\cosh(x)^4 + 4*(a + 4*b)*\cosh(x)*\sinh(x)^3 + (a + 4*b)*\sinh(x)^4 + 2*(a + 2*b)*\cosh(x)^2 + 2*(3*(a + 4*b)*\cosh(x)^2 + a + 2*b)*\sinh(x)^2 + 4*((a + 4*b)*\cosh(x)^3 + (a + 2*b)*\cosh(x))*\sinh(x) + a + 4*b)*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))})/(b*\cosh(x)^6 + 6*b*\cosh(x)*\sinh(x)^5 + b*\sinh(x)^6 + 3*b*\cosh(x)^4 + 3*(5*b*\cosh(x)^2 + b)*\sinh(x)^4 + 4*(5*b*\cosh(x)^3 + 3*b*\cosh(x))*\sinh(x)^3 + 3*b*\cosh(x)^2 + 3*(5*b*\cosh(x)^4 + 6*b*\cosh(x)^2 + b)*\sinh(x)^2 + 6*(b*\cosh(x)^5 + 2*b*\cosh(x)^3 + b*\cosh(x))*\sinh(x) + b)]$$

**Sympy [A]** time = 4.42507, size = 71, normalized size = 1.13

$$\frac{2 \left( \frac{b^2 \sqrt{a+b \tanh^2(x)}}{2} + \frac{b^2(a+b) \operatorname{atan}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{-a-b}}\right)}{2\sqrt{-a-b}} + \frac{b(a+b \tanh^2(x))^{\frac{3}{2}}}{6} \right)}{b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tanh(x)\*\*2)\*\*(1/2)\*tanh(x)\*\*3,x)

[Out] -2\*(b\*\*2\*sqrt(a + b\*tanh(x)\*\*2)/2 + b\*\*2\*(a + b)\*atan(sqrt(a + b\*tanh(x)\*\*2)/sqrt(-a - b))/(2\*sqrt(-a - b)) + b\*(a + b\*tanh(x)\*\*2)\*\*(3/2)/6)/b\*\*2

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tanh(x)^2)^(1/2)\*tanh(x)^3,x, algorithm="giac")

[Out] Exception raised: NotImplementedError

$$3.211 \quad \int \tanh^2(x) \sqrt{a + b \tanh^2(x)} dx$$

**Optimal.** Leaf size=85

$$-\frac{(a+2b) \tanh^{-1}\left(\frac{\sqrt{b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}}\right)}{2\sqrt{b}} + \sqrt{a+b} \tanh^{-1}\left(\frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}}\right) - \frac{1}{2} \tanh(x) \sqrt{a+b \tanh^2(x)}$$

[Out]  $-\left((a+2b) \operatorname{ArcTanh}\left[\frac{\operatorname{Sqrt}[b] \operatorname{Tanh}[x]}{\operatorname{Sqrt}[a+b \operatorname{Tanh}[x]^2]}\right]\right) / (2 \operatorname{Sqrt}[b]) + \operatorname{Sqrt}[a+b] \operatorname{ArcTanh}\left[\frac{\operatorname{Sqrt}[a+b] \operatorname{Tanh}[x]}{\operatorname{Sqrt}[a+b \operatorname{Tanh}[x]^2]}\right] - (\operatorname{Tanh}[x] \operatorname{Sqrt}[a+b \operatorname{Tanh}[x]^2]) / 2$

**Rubi [A]** time = 0.124518, antiderivative size = 85, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.353$ , Rules used = {3670, 478, 523, 217, 206, 377}

$$-\frac{(a+2b) \tanh^{-1}\left(\frac{\sqrt{b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}}\right)}{2\sqrt{b}} + \sqrt{a+b} \tanh^{-1}\left(\frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}}\right) - \frac{1}{2} \tanh(x) \sqrt{a+b \tanh^2(x)}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[\operatorname{Tanh}[x]^2 \operatorname{Sqrt}[a+b \operatorname{Tanh}[x]^2], x]$

[Out]  $-\left((a+2b) \operatorname{ArcTanh}\left[\frac{\operatorname{Sqrt}[b] \operatorname{Tanh}[x]}{\operatorname{Sqrt}[a+b \operatorname{Tanh}[x]^2]}\right]\right) / (2 \operatorname{Sqrt}[b]) + \operatorname{Sqrt}[a+b] \operatorname{ArcTanh}\left[\frac{\operatorname{Sqrt}[a+b] \operatorname{Tanh}[x]}{\operatorname{Sqrt}[a+b \operatorname{Tanh}[x]^2]}\right] - (\operatorname{Tanh}[x] \operatorname{Sqrt}[a+b \operatorname{Tanh}[x]^2]) / 2$

### Rule 3670

$\operatorname{Int}[\left((d \cdot \tan[e \cdot x] + (f \cdot x))^{(m)} \cdot ((a) + (b \cdot \tan[e \cdot x] + (f \cdot x))^{(n)})^{(p)}, x_{\text{Symbol}}] \rightarrow \operatorname{With}\{\{ff = \operatorname{FreeFactors}[\operatorname{Tan}[e + f \cdot x], x]\}, \operatorname{Dist}[(c \cdot ff) / f, \operatorname{Subst}[\operatorname{Int}[\left((d \cdot ff \cdot x) / c\right)^m \cdot (a + b \cdot (ff \cdot x)^n)^p] / (c^2 + f \cdot x^2), x], x, (c \cdot \operatorname{Tan}[e + f \cdot x]) / ff], x] \}; \operatorname{FreeQ}\{a, b, c, d, e, f, m, n, p\}, x \} \&\& (\operatorname{IGtQ}[p, 0] \mid \mid \operatorname{EqQ}[n, 2] \mid \mid \operatorname{EqQ}[n, 4] \mid \mid (\operatorname{IntegerQ}[p] \&\& \operatorname{RationalQ}[n]))$

### Rule 478

```

Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Simp[(e^(n - 1)*(e*x)^(m - n + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^q)/(b*(m + n*(p + q) + 1)), x] - Dist[e^n/(b*(m + n*(p + q) + 1)), Int[(e*x)^(m - n)*(a + b*x^n)^p*(c + d*x^n)^(q - 1)*Simp[a*c*(m - n + 1) + (a*d*(m - n + 1) - n*q*(b*c - a*d))*x^n, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && GtQ[q, 0] && GtQ[m - n + 1, 0] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]

```

### Rule 523

```

Int[((e_) + (f_.)*(x_)^(n_))/(((a_) + (b_.)*(x_)^(n_))*Sqrt[(c_) + (d_.)*(x_)^(n_)]), x_Symbol] := Dist[f/b, Int[1/Sqrt[c + d*x^n], x], x] + Dist[(b*e - a*f)/b, Int[1/((a + b*x^n)*Sqrt[c + d*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x]

```

### Rule 217

```

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

```

### Rule 206

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

```

### Rule 377

```

Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]

```

### Rubi steps

$$\begin{aligned}
\int \tanh^2(x) \sqrt{a + b \tanh^2(x)} dx &= \text{Subst} \left( \int \frac{x^2 \sqrt{a + bx^2}}{1 - x^2} dx, x, \tanh(x) \right) \\
&= -\frac{1}{2} \tanh(x) \sqrt{a + b \tanh^2(x)} + \frac{1}{2} \text{Subst} \left( \int \frac{a + (a + 2b)x^2}{(1 - x^2) \sqrt{a + bx^2}} dx, x, \tanh(x) \right) \\
&= -\frac{1}{2} \tanh(x) \sqrt{a + b \tanh^2(x)} + \frac{1}{2} (-a - 2b) \text{Subst} \left( \int \frac{1}{\sqrt{a + bx^2}} dx, x, \tanh(x) \right) + (a + 2b) \text{Subst} \left( \int \frac{x}{\sqrt{a + bx^2}} dx, x, \tanh(x) \right) \\
&= -\frac{1}{2} \tanh(x) \sqrt{a + b \tanh^2(x)} + \frac{1}{2} (-a - 2b) \text{Subst} \left( \int \frac{1}{1 - bx^2} dx, x, \frac{\tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right) \\
&\quad + \frac{(a + 2b) \tanh^{-1} \left( \frac{\sqrt{b} \tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right)}{2\sqrt{b}} + \sqrt{a + b} \tanh^{-1} \left( \frac{\sqrt{a + b} \tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right) - \frac{1}{2} \tanh(x) \sqrt{a + b \tanh^2(x)}
\end{aligned}$$

**Mathematica [C]** time = 3.26176, size = 193, normalized size = 2.27

$$\frac{\tanh(x) \left( \sqrt{2a} \sqrt{\frac{\text{csch}^2(x)((a+b) \cosh(2x)+a-b)}{b}} \text{EllipticF} \left( \sin^{-1} \left( \frac{\sqrt{\frac{\text{csch}^2(x)((a+b) \cosh(2x)+a-b)}{b}}}{\sqrt{2}} \right), 1 \right) + \text{sech}^2(x) (-(a+b) \cosh(2x) + a - b) \right)}{2\sqrt{2} \sqrt{\text{sech}^2(x)((a+b) \cosh(2x) + a - b)}}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[x]^2\*Sqrt[a + b\*Tanh[x]^2], x]

[Out] ((Sqrt[2]\*a\*Sqrt[((a - b + (a + b)\*Cosh[2\*x])\*Csch[x]^2)/b]\*EllipticF[ArcSin[Sqrt[((a - b + (a + b)\*Cosh[2\*x])\*Csch[x]^2)/b]/Sqrt[2]], 1] - 2\*Sqrt[2]\*a\*Sqrt[((a - b + (a + b)\*Cosh[2\*x])\*Csch[x]^2)/b]\*EllipticPi[b/(a + b), ArcSin[Sqrt[((a - b + (a + b)\*Cosh[2\*x])\*Csch[x]^2)/b]/Sqrt[2]], 1] - (a - b + (a + b)\*Cosh[2\*x])\*Sech[x]^2\*Tanh[x])/(2\*Sqrt[2]\*Sqrt[(a - b + (a + b)\*Cosh[2\*x])\*Sech[x]^2])

**Maple [B]** time = 0.042, size = 276, normalized size = 3.3

$$-\frac{\tanh(x)}{2} \sqrt{a + b (\tanh(x))^2} - \frac{a}{2} \ln \left( \tanh(x) \sqrt{b} + \sqrt{a + b (\tanh(x))^2} \right) \frac{1}{\sqrt{b}} + \frac{1}{2} \sqrt{(1 + \tanh(x))^2 b - 2(1 + \tanh(x))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*tanh(x)^2)^(1/2)*tanh(x)^2,x)`

[Out]  $-1/2*(a+b*\tanh(x)^2)^{(1/2)}*\tanh(x)-1/2*a/b^{(1/2)}*\ln(\tanh(x)*b^{(1/2)}+(a+b*\tanh(x)^2)^{(1/2)})+1/2*((1+\tanh(x))^2*b-2*(1+\tanh(x))*b+a+b)^{(1/2)}-1/2*b^{(1/2)}*\ln(((1+\tanh(x))*b-b)/b^{(1/2)}+((1+\tanh(x))^2*b-2*(1+\tanh(x))*b+a+b)^{(1/2)})-1/2*(a+b)^{(1/2)}*\ln((2*a+2*b-2*(1+\tanh(x))*b+2*(a+b)^{(1/2)}*((1+\tanh(x))^2*b-2*(1+\tanh(x))*b+a+b)^{(1/2)})/(1+\tanh(x)))-1/2*((\tanh(x)-1)^2*b+2*(\tanh(x)-1)*b+a+b)^{(1/2)}-1/2*b^{(1/2)}*\ln(((\tanh(x)-1)*b+b)/b^{(1/2)}+((\tanh(x)-1)^2*b+2*(\tanh(x)-1)*b+a+b)^{(1/2)})+1/2*(a+b)^{(1/2)}*\ln((2*a+2*b+2*(\tanh(x)-1)*b+2*(a+b)^{(1/2)}*((\tanh(x)-1)^2*b+2*(\tanh(x)-1)*b+a+b)^{(1/2)})/(\tanh(x)-1))$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{b \tanh(x)^2 + a} \tanh(x)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*tanh(x)^2)^(1/2)*tanh(x)^2,x, algorithm="maxima")`

[Out] `integrate(sqrt(b*tanh(x)^2 + a)*tanh(x)^2, x)`

**Fricas [B]** time = 4.62177, size = 14340, normalized size = 168.71

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*tanh(x)^2)^(1/2)*tanh(x)^2,x, algorithm="fricas")`

[Out]  $[1/4*((b*\cosh(x)^4 + 4*b*\cosh(x)*\sinh(x)^3 + b*\sinh(x)^4 + 2*b*\cosh(x)^2 + 2*(3*b*\cosh(x)^2 + b)*\sinh(x)^2 + 4*(b*\cosh(x)^3 + b*\cosh(x))*\sinh(x) + b)*\sqrt{a + b}*\log(-((a*b^2 + b^3)*\cosh(x)^8 + 8*(a*b^2 + b^3)*\cosh(x)*\sinh(x)^7 + (a*b^2 + b^3)*\sinh(x)^8 - 2*(a*b^2 + 2*b^3)*\cosh(x)^6 - 2*(a*b^2 + 2*b^3 - 14*(a*b^2 + b^3)*\cosh(x)^2)*\sinh(x)^6 + 4*(14*(a*b^2 + b^3)*\cosh(x)^3 - 3*(a*b^2 + 2*b^3)*\cosh(x))*\sinh(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\cosh(x)^4 + (70*(a*b^2 + b^3)*\cosh(x)^4 + a^3 - a^2*b + 4*a*b^2 + 6*b^3 - 30*(a*b^2 + 2*b^3)*\cosh(x)^2)*\sinh(x)^4 + 4*(14*(a*b^2 + b^3)*\cosh(x)^5 - 10*($

$$\begin{aligned}
& a*b^2 + 2*b^3)*\cosh(x)^3 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\cosh(x)*\sinh(x) \\
& ^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 2*(a^3 - 3*a*b^2 - 2*b^3)*\cosh(x)^2 + \\
& 2*(14*(a*b^2 + b^3)*\cosh(x)^6 - 15*(a*b^2 + 2*b^3)*\cosh(x)^4 + a^3 - 3*a*b^2 - \\
& 2*b^3 + 3*(a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\cosh(x)^2)*\sinh(x)^2 + \sqrt{2} \\
& )*(b^2*\cosh(x)^6 + 6*b^2*\cosh(x)*\sinh(x)^5 + b^2*\sinh(x)^6 - 3*b^2*\cosh(x)^4 \\
& + 3*(5*b^2*\cosh(x)^2 - b^2)*\sinh(x)^4 + 4*(5*b^2*\cosh(x)^3 - 3*b^2*\cosh(x) \\
& ))*\sinh(x)^3 - (a^2 - 2*a*b - 3*b^2)*\cosh(x)^2 + (15*b^2*\cosh(x)^4 - 18*b^2 \\
& *\cosh(x)^2 - a^2 + 2*a*b + 3*b^2)*\sinh(x)^2 - a^2 - 2*a*b - b^2 + 2*(3*b^2* \\
& \cosh(x)^5 - 6*b^2*\cosh(x)^3 - (a^2 - 2*a*b - 3*b^2)*\cosh(x))*\sinh(x))*\sqrt{ \\
& a + b)*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2* \\
& \cosh(x)*\sinh(x) + \sinh(x)^2)} + 4*(2*(a*b^2 + b^3)*\cosh(x)^7 - 3*(a*b^2 + 2 \\
& *b^3)*\cosh(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\cosh(x)^3 + (a^3 - 3*a*b^2 \\
& - 2*b^3)*\cosh(x))*\sinh(x))/(\cosh(x)^6 + 6*\cosh(x)^5*\sinh(x) + 15*\cosh(x)^4 \\
& *\sinh(x)^2 + 20*\cosh(x)^3*\sinh(x)^3 + 15*\cosh(x)^2*\sinh(x)^4 + 6*\cosh(x)*\sinh(x)^5 \\
& + \sinh(x)^6)) + ((a + 2*b)*\cosh(x)^4 + 4*(a + 2*b)*\cosh(x)*\sinh(x) \\
& ^3 + (a + 2*b)*\sinh(x)^4 + 2*(a + 2*b)*\cosh(x)^2 + 2*(3*(a + 2*b)*\cosh(x)^2 \\
& + a + 2*b)*\sinh(x)^2 + 4*((a + 2*b)*\cosh(x)^3 + (a + 2*b)*\cosh(x))*\sinh(x) \\
& + a + 2*b)*\sqrt{b}*\log(-((a + 2*b)*\cosh(x)^4 + 4*(a + 2*b)*\cosh(x)*\sinh(x) \\
& ^3 + (a + 2*b)*\sinh(x)^4 + 2*(a - 2*b)*\cosh(x)^2 + 2*(3*(a + 2*b)*\cosh(x)^2 \\
& + a - 2*b)*\sinh(x)^2 - 2*\sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 \\
& - 1)*\sqrt{b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x) \\
& )^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)} + 4*((a + 2*b)*\cosh(x)^3 + (a - 2*b)* \\
& \cosh(x))*\sinh(x) + a + 2*b)/(\cosh(x)^4 + 4*\cosh(x)*\sinh(x)^3 + \sinh(x)^4 + \\
& 2*(3*\cosh(x)^2 + 1)*\sinh(x)^2 + 2*\cosh(x)^2 + 4*(\cosh(x)^3 + \cosh(x))*\sinh( \\
& x) + 1)) + (b*\cosh(x)^4 + 4*b*\cosh(x)*\sinh(x)^3 + b*\sinh(x)^4 + 2*b*\cosh(x) \\
& ^2 + 2*(3*b*\cosh(x)^2 + b)*\sinh(x)^2 + 4*(b*\cosh(x)^3 + b*\cosh(x))*\sinh(x) \\
& + b)*\sqrt{a + b}*\log(((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a \\
& + b)*\sinh(x)^4 + 2*a*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a)*\sinh(x)^2 + \sqrt{2} \\
& )*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 + 1)*\sqrt{a + b}*\sqrt{((a \\
& + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) \\
& + \sinh(x)^2)} + 4*((a + b)*\cosh(x)^3 + a*\cosh(x))*\sinh(x) + a + b)/(\cosh(x) \\
& ^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2)) - 2*\sqrt{2}*(b*\cosh(x)^2 + 2*b*\cosh(x) \\
& *\sinh(x) + b*\sinh(x)^2 - b)*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a \\
& - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))}/(b*\cosh(x)^4 + 4*b*\cosh \\
& (x)*\sinh(x)^3 + b*\sinh(x)^4 + 2*b*\cosh(x)^2 + 2*(3*b*\cosh(x)^2 + b)*\sinh(x) \\
& ^2 + 4*(b*\cosh(x)^3 + b*\cosh(x))*\sinh(x) + b), 1/4*(2*((a + 2*b)*\cosh(x)^4 \\
& + 4*(a + 2*b)*\cosh(x)*\sinh(x)^3 + (a + 2*b)*\sinh(x)^4 + 2*(a + 2*b)*\cosh(x) \\
& ^2 + 2*(3*(a + 2*b)*\cosh(x)^2 + a + 2*b)*\sinh(x)^2 + 4*((a + 2*b)*\cosh(x)^3 \\
& + (a + 2*b)*\cosh(x))*\sinh(x) + a + 2*b)*\sqrt{-b}*\arctan(\sqrt{2}*(\cosh(x)^2 \\
& + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 - 1)*\sqrt{-b}*\sqrt{((a + b)*\cosh(x)^2 + (a \\
& + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)})/((a + \\
& b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*(a - b) \\
& *\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a - b)*\sinh(x)^2 + 4*((a + b)*\cosh(x) \\
& ^3 + (a - b)*\cosh(x))*\sinh(x) + a + b)) + (b*\cosh(x)^4 + 4*b*\cosh(x)*\sinh(x) \\
& )^3 + b*\sinh(x)^4 + 2*b*\cosh(x)^2 + 2*(3*b*\cosh(x)^2 + b)*\sinh(x)^2 + 4*(b*
\end{aligned}$$

$$\begin{aligned}
& \cosh(x)^3 + b \cosh(x) \sinh(x) + b \sqrt{a+b} \log(-((a b^2 + b^3) \cosh(x) \\
& ^8 + 8(a b^2 + b^3) \cosh(x) \sinh(x)^7 + (a b^2 + b^3) \sinh(x)^8 - 2(a b^2 \\
& + 2 b^3) \cosh(x)^6 - 2(a b^2 + 2 b^3 - 14(a b^2 + b^3) \cosh(x)^2) \sinh(x) \\
& )^6 + 4(14(a b^2 + b^3) \cosh(x)^3 - 3(a b^2 + 2 b^3) \cosh(x)) \sinh(x)^5 \\
& + (a^3 - a^2 b + 4 a b^2 + 6 b^3) \cosh(x)^4 + (70(a b^2 + b^3) \cosh(x)^4 + \\
& a^3 - a^2 b + 4 a b^2 + 6 b^3 - 30(a b^2 + 2 b^3) \cosh(x)^2) \sinh(x)^4 + \\
& 4(14(a b^2 + b^3) \cosh(x)^5 - 10(a b^2 + 2 b^3) \cosh(x)^3 + (a^3 - a^2 b \\
& + 4 a b^2 + 6 b^3) \cosh(x)) \sinh(x)^3 + a^3 + 3 a^2 b + 3 a b^2 + b^3 + 2 \\
& (a^3 - 3 a b^2 - 2 b^3) \cosh(x)^2 + 2(14(a b^2 + b^3) \cosh(x)^6 - 15(a b \\
& ^2 + 2 b^3) \cosh(x)^4 + a^3 - 3 a b^2 - 2 b^3 + 3(a^3 - a^2 b + 4 a b^2 + \\
& 6 b^3) \cosh(x)^2) \sinh(x)^2 + \sqrt{2}(b^2 \cosh(x)^6 + 6 b^2 \cosh(x) \sinh(x) \\
& )^5 + b^2 \sinh(x)^6 - 3 b^2 \cosh(x)^4 + 3(5 b^2 \cosh(x)^2 - b^2) \sinh(x)^4 \\
& + 4(5 b^2 \cosh(x)^3 - 3 b^2 \cosh(x)) \sinh(x)^3 - (a^2 - 2 a b - 3 b^2) \cosh(x)^2 \\
& + (15 b^2 \cosh(x)^4 - 18 b^2 \cosh(x)^2 - a^2 + 2 a b + 3 b^2) \sinh(x)^2 - a^2 - 2 a b \\
& - b^2 + 2(3 b^2 \cosh(x)^5 - 6 b^2 \cosh(x)^3 - (a^2 - 2 a b - 3 b^2) \cosh(x)) \sinh(x) \\
& \sqrt{a+b} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)} \\
& + 4(2(a b^2 + b^3) \cosh(x)^7 - 3(a b^2 + 2 b^3) \cosh(x)^5 + (a^3 - a^2 b + 4 a b^2 \\
& + 6 b^3) \cosh(x)^3 + (a^3 - 3 a b^2 - 2 b^3) \cosh(x)) \sinh(x) / (\cosh(x)^6 \\
& + 6 \cosh(x)^5 \sinh(x) + 15 \cosh(x)^4 \sinh(x)^2 + 20 \cosh(x)^3 \sinh(x)^3 + \\
& 15 \cosh(x)^2 \sinh(x)^4 + 6 \cosh(x) \sinh(x)^5 + \sinh(x)^6) + (b \cosh(x)^4 + \\
& 4 b \cosh(x) \sinh(x)^3 + b \sinh(x)^4 + 2 b \cosh(x)^2 + 2(3 b \cosh(x)^2 + b \\
& ) \sinh(x)^2 + 4(b \cosh(x)^3 + b \cosh(x)) \sinh(x) + b) \sqrt{a+b} \log(((a \\
& + b) \cosh(x)^4 + 4(a+b) \cosh(x) \sinh(x)^3 + (a+b) \sinh(x)^4 + 2 a \cosh \\
& (x)^2 + 2(3(a+b) \cosh(x)^2 + a) \sinh(x)^2 + \sqrt{2}(\cosh(x)^2 + 2 \cosh \\
& (x) \sinh(x) + \sinh(x)^2 + 1) \sqrt{a+b} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)} \\
& + 4((a+b) \cosh(x)^3 + a \cosh(x)) \sinh(x) + a + b) / (\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2) \\
& - 2 \sqrt{2}(b \cosh(x)^2 + 2 b \cosh(x) \sinh(x) + b \sinh(x)^2 - b) \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)} \\
& ) / (b \cosh(x)^4 + 4 b \cosh(x) \sinh(x)^3 + b \sinh(x)^4 + 2 b \cosh(x)^2 + 2(3 b \cosh(x)^2 + b) \sinh(x)^2 + 4(b \cosh(x)^3 + b \cosh(x)) \sinh(x) + b), \\
& -1/4(2(b \cosh(x)^4 + 4 b \cosh(x) \sinh(x)^3 + b \sinh(x)^4 + 2 b \cosh(x)^2 + 2(3 b \cosh(x)^2 + b) \sinh(x)^2 + 4(b \cosh(x)^3 + b \cosh(x)) \sinh(x) + b) \sqrt{-a-b} \arctan(\sqrt{2}(b \cosh(x)^2 + 2 b \cosh(x) \sinh(x) + b \sinh(x)^2 - a - b) \sqrt{-a-b} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)})) / ((a b + b^2) \cosh(x)^4 + 4(a b + b^2) \cosh(x) \sinh(x)^3 + (a b + b^2) \sinh(x)^4 + (a^2 - a b - 2 b^2) \cosh(x)^2 + (6(a b + b^2) \cosh(x)^2 + a^2 - a b - 2 b^2) \sinh(x)^2 + a^2 + 2 a b + b^2 + 2(2(a b + b^2) \cosh(x)^3 + (a^2 - a b - 2 b^2) \cosh(x)) \sinh(x)) + 2(b \cosh(x)^4 + 4 b \cosh(x) \sinh(x)^3 + b \sinh(x)^4 + 2 b \cosh(x)^2 + 2(3 b \cosh(x)^2 + b) \sinh(x)^2 + 4(b \cosh(x)^3 + b \cosh(x)) \sinh(x) + b) \sqrt{-a-b} \arctan(\sqrt{2}(\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 + 1) \sqrt{-a-b} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)})) / ((a+b)
\end{aligned}$$



$$\begin{aligned}
& * \cosh(x)^4 + 4(a+b) \cosh(x) \sinh(x)^3 + (a+b) \sinh(x)^4 + 2(a-b) \cosh(x)^2 + 2(3(a+b) \cosh(x)^2 + a-b) \sinh(x)^2 + 4((a+b) \cosh(x)^3 + (a-b) \cosh(x)) \sinh(x) + a+b) - ((a+2b) \cosh(x)^4 + 4(a+2b) \cosh(x) \sinh(x)^3 + (a+2b) \sinh(x)^4 + 2(a+2b) \cosh(x)^2 + 2(3(a+2b) \cosh(x)^2 + a+2b) \sinh(x)^2 + 4((a+2b) \cosh(x)^3 + (a+2b) \cosh(x)) \sinh(x) + a+2b) \sqrt{b} \log(-((a+2b) \cosh(x)^4 + 4(a+2b) \cosh(x) \sinh(x)^3 + (a+2b) \sinh(x)^4 + 2(a-2b) \cosh(x)^2 + 2(3(a+2b) \cosh(x)^2 + a-2b) \sinh(x)^2 - 2\sqrt{2}(\cosh(x)^2 + 2\cosh(x) \sinh(x) + \sinh(x)^2 - 1) \sqrt{b} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a-b) / (\cosh(x)^2 - 2\cosh(x) \sinh(x) + \sinh(x)^2)}) + 4((a+2b) \cosh(x)^3 + (a-2b) \cosh(x)) \sinh(x) + a+2b) / (\cosh(x)^4 + 4\cosh(x) \sinh(x)^3 + \sinh(x)^4 + 2(3\cosh(x)^2 + 1) \sinh(x)^2 + 2\cosh(x)^2 + 4(\cosh(x)^3 + \cosh(x)) \sinh(x) + 1)) + 2\sqrt{2}(b \cosh(x)^2 + 2b \cosh(x) \sinh(x) + b \sinh(x)^2 - b) \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a-b) / (\cosh(x)^2 - 2\cosh(x) \sinh(x) + \sinh(x)^2))} / (b \cosh(x)^4 + 4b \cosh(x) \sinh(x)^3 + b \sinh(x)^4 + 2b \cosh(x)^2 + 2(3b \cosh(x)^2 + b) \sinh(x)^2 + 4(b \cosh(x)^3 + b \cosh(x)) \sinh(x) + b), -1/2((b \cosh(x)^4 + 4b \cosh(x) \sinh(x)^3 + b \sinh(x)^4 + 2b \cosh(x)^2 + 2(3b \cosh(x)^2 + b) \sinh(x)^2 + 4(b \cosh(x)^3 + b \cosh(x)) \sinh(x) + b) \sqrt{-a-b} \arctan(\sqrt{2}(b \cosh(x)^2 + 2b \cosh(x) \sinh(x) + b \sinh(x)^2 - a-b) \sqrt{-a-b} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a-b) / (\cosh(x)^2 - 2\cosh(x) \sinh(x) + \sinh(x)^2)}) / ((a^2 - ab - 2b^2) \cosh(x)^4 + 4(a^2 - ab - 2b^2) \cosh(x) \sinh(x)^3 + (a^2 - ab - 2b^2) \sinh(x)^4 + (a^2 - ab - 2b^2) \cosh(x)^2 + (6(a^2 - ab - 2b^2) \cosh(x)^2 + a^2 - ab - 2b^2) \sinh(x)^2 + a^2 + 2a^2 + b^2 + 2(2(a^2 - ab - 2b^2) \cosh(x)^3 + (a^2 - ab - 2b^2) \cosh(x)) \sinh(x))) + (b \cosh(x)^4 + 4b \cosh(x) \sinh(x)^3 + b \sinh(x)^4 + 2b \cosh(x)^2 + 2(3b \cosh(x)^2 + b) \sinh(x)^2 + 4(b \cosh(x)^3 + b \cosh(x)) \sinh(x) + b) \sqrt{-a-b} \arctan(\sqrt{2}(\cosh(x)^2 + 2\cosh(x) \sinh(x) + \sinh(x)^2 + 1) \sqrt{-a-b} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a-b) / (\cosh(x)^2 - 2\cosh(x) \sinh(x) + \sinh(x)^2)}) / ((a+b) \cosh(x)^4 + 4(a+b) \cosh(x) \sinh(x)^3 + (a+b) \sinh(x)^4 + 2(a-b) \cosh(x)^2 + 2(3(a+b) \cosh(x)^2 + a-b) \sinh(x)^2 + 4((a+b) \cosh(x)^3 + (a-b) \cosh(x)) \sinh(x) + a+b)) - ((a+2b) \cosh(x)^4 + 4(a+2b) \cosh(x) \sinh(x)^3 + (a+2b) \sinh(x)^4 + 2(a+2b) \cosh(x)^2 + 2(3(a+2b) \cosh(x)^2 + a+2b) \sinh(x)^2 + 4((a+2b) \cosh(x)^3 + (a+2b) \cosh(x)) \sinh(x) + a+2b) \sqrt{-b} \arctan(\sqrt{2}(\cosh(x)^2 + 2\cosh(x) \sinh(x) + \sinh(x)^2 - 1) \sqrt{-b} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a-b) / (\cosh(x)^2 - 2\cosh(x) \sinh(x) + \sinh(x)^2)}) / ((a+b) \cosh(x)^4 + 4(a+b) \cosh(x) \sinh(x)^3 + (a+b) \sinh(x)^4 + 2(a-b) \cosh(x)^2 + 2(3(a+b) \cosh(x)^2 + a-b) \sinh(x)^2 + 4((a+b) \cosh(x)^3 + (a-b) \cosh(x)) \sinh(x) + a+b)) + \sqrt{2}(b \cosh(x)^2 + 2b \cosh(x) \sinh(x) + b \sinh(x)^2 - b) \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a-b) / (\cosh(x)^2 - 2\cosh(x) \sinh(x) + \sinh(x)^2))} / (b \cosh(x)^4 + 4b \cosh(x) \sinh(x)^3 + b \sinh(x)^4 + 2b \cosh(x)^2 + 2(3b \cosh(x)^2 + b) \sinh(x)^2 + 4(b \cosh(x)^3 + b \cosh(x)) \sinh(x) + b)]
\end{aligned}$$

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a + b \tanh^2(x)} \tanh^2(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tanh(x)**2)**(1/2)*tanh(x)**2,x)
```

```
[Out] Integral(sqrt(a + b*tanh(x)**2)*tanh(x)**2, x)
```

---

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tanh(x)^2)^(1/2)*tanh(x)^2,x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError
```

$$3.212 \quad \int \tanh(x) \sqrt{a + b \tanh^2(x)} dx$$

Optimal. Leaf size=44

$$\sqrt{a+b} \tanh^{-1} \left( \frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}} \right) - \sqrt{a+b \tanh^2(x)}$$

[Out] Sqrt[a + b]\*ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]] - Sqrt[a + b\*Tanh[x]^2]

**Rubi [A]** time = 0.0770792, antiderivative size = 44, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {3670, 444, 50, 63, 208}

$$\sqrt{a+b} \tanh^{-1} \left( \frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}} \right) - \sqrt{a+b \tanh^2(x)}$$

Antiderivative was successfully verified.

[In] Int[Tanh[x]\*Sqrt[a + b\*Tanh[x]^2], x]

[Out] Sqrt[a + b]\*ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]] - Sqrt[a + b\*Tanh[x]^2]

#### Rule 3670

Int[((d\_)\*tan[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((a\_) + (b\_)\*((c\_)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_))^(p\_), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

#### Rule 444

Int[(x\_)^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_)\*(x\_)^(n\_))^(q\_), x\_Symbol] :> Dist[1/n, Subst[Int[(a + b\*x)^p\*(c + d\*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b\*c - a\*d, 0] && EqQ[m - n +

1, 0]

### Rule 50

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/
(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b,
c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ
[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n
+ 2, 0] && IntLinearQ[a, b, c, d, m, n, x]
```

### Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

### Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

### Rubi steps

$$\begin{aligned}
\int \tanh(x) \sqrt{a + b \tanh^2(x)} dx &= \text{Subst} \left( \int \frac{x \sqrt{a + bx^2}}{1 - x^2} dx, x, \tanh(x) \right) \\
&= \frac{1}{2} \text{Subst} \left( \int \frac{\sqrt{a + bx}}{1 - x} dx, x, \tanh^2(x) \right) \\
&= -\sqrt{a + b \tanh^2(x)} + \frac{1}{2}(a + b) \text{Subst} \left( \int \frac{1}{(1 - x)\sqrt{a + bx}} dx, x, \tanh^2(x) \right) \\
&= -\sqrt{a + b \tanh^2(x)} + \frac{(a + b) \text{Subst} \left( \int \frac{1}{1 + \frac{a}{b} - \frac{x^2}{b}} dx, x, \sqrt{a + b \tanh^2(x)} \right)}{b} \\
&= \sqrt{a + b} \tanh^{-1} \left( \frac{\sqrt{a + b \tanh^2(x)}}{\sqrt{a + b}} \right) - \sqrt{a + b \tanh^2(x)}
\end{aligned}$$

**Mathematica [A]** time = 0.0265664, size = 44, normalized size = 1.

$$\sqrt{a+b} \tanh^{-1} \left( \frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}} \right) - \sqrt{a+b \tanh^2(x)}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[x]\*Sqrt[a + b\*Tanh[x]^2], x]

[Out] Sqrt[a + b]\*ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]] - Sqrt[a + b\*Tanh[x]^2]

**Maple [B]** time = 0.049, size = 238, normalized size = 5.4

$$-\frac{1}{2} \sqrt{(1 + \tanh(x))^2 b - 2(1 + \tanh(x))b + a + b} + \frac{1}{2} \sqrt{b} \ln \left( \frac{(1 + \tanh(x))b - b}{\sqrt{b}} + \sqrt{(1 + \tanh(x))^2 b - 2(1 + \tanh(x))b + a + b} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*tanh(x)^2)^(1/2)\*tanh(x), x)

[Out] 
$$-1/2*((1+\tanh(x))^2*b-2*(1+\tanh(x))*b+a+b)^{(1/2)}+1/2*b^{(1/2)}*\ln(((1+\tanh(x))*b-b)/b^{(1/2)}+((1+\tanh(x))^2*b-2*(1+\tanh(x))*b+a+b)^{(1/2)})+1/2*(a+b)^{(1/2)}*\ln((2*a+2*b-2*(1+\tanh(x))*b+2*(a+b)^{(1/2)}*((1+\tanh(x))^2*b-2*(1+\tanh(x))*b+a+b)^{(1/2)})/(1+\tanh(x)))-1/2*((\tanh(x)-1)^2*b+2*(\tanh(x)-1)*b+a+b)^{(1/2)}-1/2*b^{(1/2)}*\ln(((\tanh(x)-1)*b+b)/b^{(1/2)}+((\tanh(x)-1)^2*b+2*(\tanh(x)-1)*b+a+b)^{(1/2)})+1/2*(a+b)^{(1/2)}*\ln((2*a+2*b+2*(\tanh(x)-1)*b+2*(a+b)^{(1/2)}*((\tanh(x)-1)^2*b+2*(\tanh(x)-1)*b+a+b)^{(1/2)})/(\tanh(x)-1))$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{b \tanh(x)^2 + a \tanh(x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tanh(x)^2)^(1/2)\*tanh(x), x, algorithm="maxima")

[Out] integrate(sqrt(b\*tanh(x)^2 + a)\*tanh(x), x)

---

**Fricas [B]** time = 2.85727, size = 4456, normalized size = 101.27

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tanh(x)^2)^(1/2)\*tanh(x),x, algorithm="fricas")

[Out] [1/4\*((cosh(x)^2 + 2\*cosh(x)\*sinh(x) + sinh(x)^2 + 1)\*sqrt(a + b)\*log(((a^3 + a^2\*b)\*cosh(x)^8 + 8\*(a^3 + a^2\*b)\*cosh(x)\*sinh(x)^7 + (a^3 + a^2\*b)\*sinh(x)^8 + 2\*(2\*a^3 + a^2\*b)\*cosh(x)^6 + 2\*(2\*a^3 + a^2\*b + 14\*(a^3 + a^2\*b)\*cosh(x)^2)\*sinh(x)^6 + 4\*(14\*(a^3 + a^2\*b)\*cosh(x)^3 + 3\*(2\*a^3 + a^2\*b)\*cosh(x))\*sinh(x)^5 + (6\*a^3 + 4\*a^2\*b - a\*b^2 + b^3)\*cosh(x)^4 + (70\*(a^3 + a^2\*b)\*cosh(x)^4 + 6\*a^3 + 4\*a^2\*b - a\*b^2 + b^3 + 30\*(2\*a^3 + a^2\*b)\*cosh(x)^2)\*sinh(x)^4 + 4\*(14\*(a^3 + a^2\*b)\*cosh(x)^5 + 10\*(2\*a^3 + a^2\*b)\*cosh(x)^3 + (6\*a^3 + 4\*a^2\*b - a\*b^2 + b^3)\*cosh(x))\*sinh(x)^3 + a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3 + 2\*(2\*a^3 + 3\*a^2\*b - b^3)\*cosh(x)^2 + 2\*(14\*(a^3 + a^2\*b)\*cosh(x)^6 + 15\*(2\*a^3 + a^2\*b)\*cosh(x)^4 + 2\*a^3 + 3\*a^2\*b - b^3 + 3\*(6\*a^3 + 4\*a^2\*b - a\*b^2 + b^3)\*cosh(x)^2)\*sinh(x)^2 + sqrt(2)\*(a^2\*cosh(x)^6 + 6\*a^2\*cosh(x)\*sinh(x)^5 + a^2\*sinh(x)^6 + 3\*a^2\*cosh(x)^4 + 3\*(5\*a^2\*cosh(x)^2 + a^2)\*sinh(x)^4 + 4\*(5\*a^2\*cosh(x)^3 + 3\*a^2\*cosh(x))\*sinh(x)^3 + (3\*a^2 + 2\*a\*b - b^2)\*cosh(x)^2 + (15\*a^2\*cosh(x)^4 + 18\*a^2\*cosh(x)^2 + 3\*a^2 + 2\*a\*b - b^2)\*sinh(x)^2 + a^2 + 2\*a\*b + b^2 + 2\*(3\*a^2\*cosh(x)^5 + 6\*a^2\*cosh(x)^3 + (3\*a^2 + 2\*a\*b - b^2)\*cosh(x))\*sinh(x))\*sqrt(a + b)\*sqrt(((a + b)\*cosh(x)^2 + (a + b)\*sinh(x)^2 + a - b)/(cosh(x)^2 - 2\*cosh(x)\*sinh(x) + sinh(x)^2)) + 4\*(2\*(a^3 + a^2\*b)\*cosh(x)^7 + 3\*(2\*a^3 + a^2\*b)\*cosh(x)^5 + (6\*a^3 + 4\*a^2\*b - a\*b^2 + b^3)\*cosh(x)^3 + (2\*a^3 + 3\*a^2\*b - b^3)\*cosh(x))\*sinh(x))/(cosh(x)^6 + 6\*cosh(x)^5\*sinh(x) + 15\*cosh(x)^4\*sinh(x)^2 + 20\*cosh(x)^3\*sinh(x)^3 + 15\*cosh(x)^2\*sinh(x)^4 + 6\*cosh(x)\*sinh(x)^5 + sinh(x)^6)) + (cosh(x)^2 + 2\*cosh(x)\*sinh(x) + sinh(x)^2 + 1)\*sqrt(a + b)\*log(-(a + b)\*cosh(x)^4 + 4\*(a + b)\*cosh(x)\*sinh(x)^3 + (a + b)\*sinh(x)^4 - 2\*b\*cosh(x)^2 + 2\*(3\*(a + b)\*cosh(x)^2 - b)\*sinh(x)^2 + sqrt(2)\*(cosh(x)^2 + 2\*cosh(x)\*sinh(x) + sinh(x)^2 - 1)\*sqrt(a + b)\*sqrt(((a + b)\*cosh(x)^2 + (a + b)\*sinh(x)^2 + a - b)/(cosh(x)^2 - 2\*cosh(x)\*sinh(x) + sinh(x)^2)) + 4\*((a + b)\*cosh(x)^3 - b\*cosh(x))\*sinh(x) + a + b)/(cosh(x)^2 + 2\*cosh(x)\*sinh(x) + sinh(x)^2)) - 4\*sqrt(2)\*sqrt(((a + b)\*cosh(x)^2 + (a + b)\*sinh(x)^2 + a - b)/(cosh(x)^2 - 2\*cosh(x)\*sinh(x) + sinh(x)^2)))/(cosh(x)^2 + 2\*cosh(x)\*sinh(x) + sinh(x)^2 + 1), -1/2\*((cosh(x)^2 + 2\*cosh(x)\*sinh(x) + sinh(x)^2 + 1)\*sqrt(-a - b)\*arctan(sqrt(2)\*(a\*cosh(x)^2 + 2\*a\*cosh(x)\*sinh(x) + a\*sinh(x)^2 + a + b)\*sqrt(-a - b)\*sqrt(((a + b)\*cosh(x)^2 + (a + b)\*sinh(x)^2 + a - b)/

```
(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)/((a^2 + a*b)*cosh(x)^4 + 4*(a^2 + a*b)*cosh(x)*sinh(x)^3 + (a^2 + a*b)*sinh(x)^4 + (2*a^2 + a*b - b^2)*cosh(x)^2 + (6*(a^2 + a*b)*cosh(x)^2 + 2*a^2 + a*b - b^2)*sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(2*(a^2 + a*b)*cosh(x)^3 + (2*a^2 + a*b - b^2)*cosh(x))*sinh(x))) + (cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 + 1)*sqrt(-a - b)*arctan(sqrt(2)*(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 - 1)*sqrt(-a - b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/((a + b)*cosh(x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 + 2*(a - b)*cosh(x)^2 + 2*(3*(a + b)*cosh(x)^2 + a - b)*sinh(x)^2 + 4*((a + b)*cosh(x)^3 + (a - b)*cosh(x))*sinh(x) + a + b) + 2*sqrt(2)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/((cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 + 1)]
```

**Sympy [A]** time = 2.28149, size = 51, normalized size = 1.16

$$\frac{2 \left( \frac{b \sqrt{a+b \tanh^2(x)}}{2} + \frac{b(a+b) \operatorname{atan}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{-a-b}}\right)}{2\sqrt{-a-b}} \right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tanh(x)**2)**(1/2)*tanh(x), x)
```

```
[Out] -2*(b*sqrt(a + b*tanh(x)**2)/2 + b*(a + b)*atan(sqrt(a + b*tanh(x)**2)/sqrt(-a - b))/(2*sqrt(-a - b)))/b
```

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tanh(x)^2)^(1/2)*tanh(x), x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError
```

### 3.213 $\int \sqrt{a + b \tanh^2(x)} dx$

**Optimal.** Leaf size=60

$$\sqrt{a+b} \tanh^{-1} \left( \frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}} \right) - \sqrt{b} \tanh^{-1} \left( \frac{\sqrt{b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}} \right)$$

[Out] -(Sqrt[b]\*ArcTanh[(Sqrt[b]\*Tanh[x])/Sqrt[a + b\*Tanh[x]^2]]) + Sqrt[a + b]\*ArcTanh[(Sqrt[a + b]\*Tanh[x])/Sqrt[a + b\*Tanh[x]^2]]

**Rubi [A]** time = 0.047025, antiderivative size = 60, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$ , Rules used = {3661, 402, 217, 206, 377}

$$\sqrt{a+b} \tanh^{-1} \left( \frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}} \right) - \sqrt{b} \tanh^{-1} \left( \frac{\sqrt{b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}} \right)$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + b\*Tanh[x]^2], x]

[Out] -(Sqrt[b]\*ArcTanh[(Sqrt[b]\*Tanh[x])/Sqrt[a + b\*Tanh[x]^2]]) + Sqrt[a + b]\*ArcTanh[(Sqrt[a + b]\*Tanh[x])/Sqrt[a + b\*Tanh[x]^2]]

#### Rule 3661

```
Int[((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_), x_Symbol] :=
With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[(a + b*(
ff*x)^n]^p/(c^2 + ff^2*x^2), x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a,
b, c, e, f, n, p}, x] && (IntegersQ[n, p] || IGtQ[p, 0] || EqQ[n^2, 4] || E
qQ[n^2, 16])
```

#### Rule 402

```
Int[((a_) + (b_.)*(x_)^2)^(p_.)/((c_) + (d_.)*(x_)^2), x_Symbol] := Dist[b/
d, Int[(a + b*x^2)^(p - 1), x], x] - Dist[(b*c - a*d)/d, Int[(a + b*x^2)^(p
- 1)/(c + d*x^2), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] &&
GtQ[p, 0] && (EqQ[p, 1/2] || EqQ[Denominator[p], 4])
```



Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 377

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)/((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] := Subst[Int[1/(c - (b\*c - a\*d)\*x^n), x], x, x/(a + b\*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && EqQ[n\*p + 1, 0] && IntegerQ[n]

Rubi steps

$$\begin{aligned}
 \int \sqrt{a + b \tanh^2(x)} dx &= \text{Subst} \left( \int \frac{\sqrt{a + bx^2}}{1 - x^2} dx, x, \tanh(x) \right) \\
 &= - \left( (-a - b) \text{Subst} \left( \int \frac{1}{(1 - x^2) \sqrt{a + bx^2}} dx, x, \tanh(x) \right) \right) - b \text{Subst} \left( \int \frac{1}{\sqrt{a + bx^2}} dx, x, \tanh(x) \right) \\
 &= - \left( (-a - b) \text{Subst} \left( \int \frac{1}{1 - (a + b)x^2} dx, x, \frac{\tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right) \right) - b \text{Subst} \left( \int \frac{1}{1 - bx^2} dx, x, \frac{\tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right) \\
 &= -\sqrt{b} \tanh^{-1} \left( \frac{\sqrt{b} \tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right) + \sqrt{a + b} \tanh^{-1} \left( \frac{\sqrt{a + b} \tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right)
 \end{aligned}$$

**Mathematica [B]** time = 0.213137, size = 137, normalized size = 2.28

$$\frac{1}{2} \left( -2\sqrt{b} \log \left( \sqrt{b} \sqrt{a + b \tanh^2(x)} + b \tanh(x) \right) - \sqrt{a + b} \log \left( \sqrt{a + b} \sqrt{a + b \tanh^2(x)} + a - b \tanh(x) \right) + \sqrt{a + b} \log \left( \sqrt{a + b} \sqrt{a + b \tanh^2(x)} - a + b \tanh(x) \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + b\*Tanh[x]^2], x]

[Out]  $(-\text{Sqrt}[a + b] \cdot \text{Log}[1 - \text{Tanh}[x]] + \text{Sqrt}[a + b] \cdot \text{Log}[1 + \text{Tanh}[x]] - 2 \cdot \text{Sqrt}[b] \cdot \text{Log}[b \cdot \text{Tanh}[x] + \text{Sqrt}[b] \cdot \text{Sqrt}[a + b \cdot \text{Tanh}[x]^2]] - \text{Sqrt}[a + b] \cdot \text{Log}[a - b \cdot \text{Tanh}[x] + \text{Sqrt}[a + b] \cdot \text{Sqrt}[a + b \cdot \text{Tanh}[x]^2]] + \text{Sqrt}[a + b] \cdot \text{Log}[a + b \cdot \text{Tanh}[x] + \text{Sqrt}[a + b] \cdot \text{Sqrt}[a + b \cdot \text{Tanh}[x]^2]])/2$

**Maple [B]** time = 0.046, size = 238, normalized size = 4.

$$\frac{1}{2} \sqrt{(1 + \tanh(x))^2 b - 2(1 + \tanh(x))b + a + b} - \frac{1}{2} \sqrt{b} \ln \left( \frac{((1 + \tanh(x))b - b)}{\sqrt{b}} + \sqrt{(1 + \tanh(x))^2 b - 2(1 + \tanh(x))b + a + b} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*tanh(x)^2)^(1/2),x)`

[Out]  $1/2 * ((1 + \tanh(x))^2 * b - 2 * (1 + \tanh(x)) * b + a + b)^{(1/2)} - 1/2 * b^{(1/2)} * \ln(((1 + \tanh(x)) * b - b) / b^{(1/2)} + ((1 + \tanh(x))^2 * b - 2 * (1 + \tanh(x)) * b + a + b)^{(1/2)})$   
 $1/2 * \ln((2 * a + 2 * b - 2 * (1 + \tanh(x)) * b + 2 * (a + b)^{(1/2)} * ((1 + \tanh(x))^2 * b - 2 * (1 + \tanh(x)) * b + a + b)^{(1/2)}) / (1 + \tanh(x))) - 1/2 * ((\tanh(x) - 1)^2 * b + 2 * (\tanh(x) - 1) * b + a + b)^{(1/2)} - 1/2 * b^{(1/2)} * \ln(((\tanh(x) - 1) * b + b) / b^{(1/2)} + ((\tanh(x) - 1)^2 * b + 2 * (\tanh(x) - 1) * b + a + b)^{(1/2)}) + 1/2 * (a + b)^{(1/2)} * \ln((2 * a + 2 * b + 2 * (\tanh(x) - 1) * b + 2 * (a + b)^{(1/2)} * ((\tanh(x) - 1)^2 * b + 2 * (\tanh(x) - 1) * b + a + b)^{(1/2)}) / (\tanh(x) - 1))$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{b \tanh(x)^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*tanh(x)^2)^(1/2),x, algorithm="maxima")`

[Out] `integrate(sqrt(b*tanh(x)^2 + a), x)`

**Fricas [B]** time = 3.68879, size = 9993, normalized size = 166.55

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tanh(x)^2)^(1/2),x, algorithm="fricas")

[Out] 
$$\begin{aligned} & \left[ \frac{1}{4} \sqrt{a+b} \log\left(-((a*b^2 + b^3)*\cosh(x)^8 + 8*(a*b^2 + b^3)*\cosh(x)*\sinh(x)^7 + (a*b^2 + b^3)*\sinh(x)^8 - 2*(a*b^2 + 2*b^3)*\cosh(x)^6 - 2*(a*b^2 + 2*b^3 - 14*(a*b^2 + b^3)*\cosh(x)^2)*\sinh(x)^6 + 4*(14*(a*b^2 + b^3)*\cosh(x)^3 - 3*(a*b^2 + 2*b^3)*\cosh(x))*\sinh(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\cosh(x)^4 + (70*(a*b^2 + b^3)*\cosh(x)^4 + a^3 - a^2*b + 4*a*b^2 + 6*b^3 - 30*(a*b^2 + 2*b^3)*\cosh(x)^2)*\sinh(x)^4 + 4*(14*(a*b^2 + b^3)*\cosh(x)^5 - 10*(a*b^2 + 2*b^3)*\cosh(x)^3 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\cosh(x))*\sinh(x)^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 2*(a^3 - 3*a*b^2 - 2*b^3)*\cosh(x)^2 + 2*(14*(a*b^2 + b^3)*\cosh(x)^6 - 15*(a*b^2 + 2*b^3)*\cosh(x)^4 + a^3 - 3*a*b^2 - 2*b^3 + 3*(a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\cosh(x)^2)*\sinh(x)^2 + \sqrt{2}*(b^2*\cosh(x)^6 + 6*b^2*\cosh(x)*\sinh(x)^5 + b^2*\sinh(x)^6 - 3*b^2*\cosh(x)^4 + 3*(5*b^2*\cosh(x)^2 - b^2)*\sinh(x)^4 + 4*(5*b^2*\cosh(x)^3 - 3*b^2*\cosh(x))*\sinh(x)^3 - (a^2 - 2*a*b - 3*b^2)*\cosh(x)^2 + (15*b^2*\cosh(x)^4 - 18*b^2*\cosh(x)^2 - a^2 + 2*a*b + 3*b^2)*\sinh(x)^2 - a^2 - 2*a*b - b^2 + 2*(3*b^2*\cosh(x)^5 - 6*b^2*\cosh(x)^3 - (a^2 - 2*a*b - 3*b^2)*\cosh(x))*\sinh(x))*\sqrt{a+b}*\sqrt{((a+b)*\cosh(x)^2 + (a+b)*\sinh(x)^2 + a-b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)} + 4*(2*(a*b^2 + b^3)*\cosh(x)^7 - 3*(a*b^2 + 2*b^3)*\cosh(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\cosh(x)^3 + (a^3 - 3*a*b^2 - 2*b^3)*\cosh(x))*\sinh(x)/(\cosh(x)^6 + 6*\cosh(x)^5*\sinh(x) + 15*\cosh(x)^4*\sinh(x)^2 + 20*\cosh(x)^3*\sinh(x)^3 + 15*\cosh(x)^2*\sinh(x)^4 + 6*\cosh(x)*\sinh(x)^5 + \sinh(x)^6) + \frac{1}{2}\sqrt{b}*\log\left(-((a+2*b)*\cosh(x)^4 + 4*(a+2*b)*\cosh(x)*\sinh(x)^3 + (a+2*b)*\sinh(x)^4 + 2*(a-2*b)*\cosh(x)^2 + 2*(3*(a+2*b)*\cosh(x)^2 + a-2*b)*\sinh(x)^2 - 2*\sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 - 1))*\sqrt{b}*\sqrt{((a+b)*\cosh(x)^2 + (a+b)*\sinh(x)^2 + a-b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)} + 4*((a+2*b)*\cosh(x)^3 + (a-2*b)*\cosh(x))*\sinh(x) + a+2*b)/(\cosh(x)^4 + 4*\cosh(x)*\sinh(x)^3 + \sinh(x)^4 + 2*(3*\cosh(x)^2 + 1)*\sinh(x)^2 + 2*\cosh(x)^2 + 4*(\cosh(x)^3 + \cosh(x))*\sinh(x) + 1) + \frac{1}{4}\sqrt{a+b}*\log\left(((a+b)*\cosh(x)^4 + 4*(a+b)*\cosh(x)*\sinh(x)^3 + (a+b)*\sinh(x)^4 + 2*a*\cosh(x)^2 + 2*(3*(a+b)*\cosh(x)^2 + a)*\sinh(x)^2 + \sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 + 1))*\sqrt{a+b}*\sqrt{((a+b)*\cosh(x)^2 + (a+b)*\sinh(x)^2 + a-b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)} + 4*((a+b)*\cosh(x)^3 + a*\cosh(x))*\sinh(x) + a+b)/(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2) \right), \sqrt{-b}*\arctan(\sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 - 1))*\sqrt{-b}*\sqrt{((a+b)*\cosh(x)^2 + (a+b)*\sinh(x)^2 + a-b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)}/((a+b)*\cosh(x)^4 + 4*(a+b)*\cosh(x)*\sinh(x)^3 + (a+b)*\sinh(x)^4 + 2*(a-b)*\cosh(x)^2 + 2*(3*(a+b)*\cosh(x)^2 + a-b)*\sinh(x)^2 + 4*((a+b)*\cosh(x)^3 + (a-b)*\cosh(x))*\sinh(x) + a+b) + \frac{1}{4}\sqrt{a+b}*\log\left(-((a*b^2 + b^3)*\cosh(x)^8 + 8*(a*b^2 + b^3)*\cosh(x)*\sinh(x)^7 + (a*b^2 + b^3)*\sinh(x)^8 - 2*(a*b^2 + 2*b^3)*\cosh(x)^6 - 2*(a*b^2 + 2*b^3 - 14*(a*b^2 + b^3)*\cosh(x)^2)*\sinh(x)^6 + 4*(14*(a*b^2 + b^3)*\cosh(x)^3 - 3*(a*b^2 + 2*b^3)*\cosh(x))*\sinh(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\co$$

$$\begin{aligned}
& \text{sh}(x)^4 + (70*(a*b^2 + b^3)*\text{cosh}(x)^4 + a^3 - a^2*b + 4*a*b^2 + 6*b^3 - 30* \\
& (a*b^2 + 2*b^3)*\text{cosh}(x)^2)*\text{sinh}(x)^4 + 4*(14*(a*b^2 + b^3)*\text{cosh}(x)^5 - 10*( \\
& a*b^2 + 2*b^3)*\text{cosh}(x)^3 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\text{cosh}(x))*\text{sinh}(x) \\
& ^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 2*(a^3 - 3*a*b^2 - 2*b^3)*\text{cosh}(x)^2 + \\
& 2*(14*(a*b^2 + b^3)*\text{cosh}(x)^6 - 15*(a*b^2 + 2*b^3)*\text{cosh}(x)^4 + a^3 - 3*a*b^ \\
& 2 - 2*b^3 + 3*(a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\text{cosh}(x)^2)*\text{sinh}(x)^2 + \text{sqrt}(2) \\
& )*(b^2*\text{cosh}(x)^6 + 6*b^2*\text{cosh}(x)*\text{sinh}(x)^5 + b^2*\text{sinh}(x)^6 - 3*b^2*\text{cosh}(x)^ \\
& 4 + 3*(5*b^2*\text{cosh}(x)^2 - b^2)*\text{sinh}(x)^4 + 4*(5*b^2*\text{cosh}(x)^3 - 3*b^2*\text{cosh}(x) \\
& ))*\text{sinh}(x)^3 - (a^2 - 2*a*b - 3*b^2)*\text{cosh}(x)^2 + (15*b^2*\text{cosh}(x)^4 - 18*b^2 \\
& *\text{cosh}(x)^2 - a^2 + 2*a*b + 3*b^2)*\text{sinh}(x)^2 - a^2 - 2*a*b - b^2 + 2*(3*b^2* \\
& \text{cosh}(x)^5 - 6*b^2*\text{cosh}(x)^3 - (a^2 - 2*a*b - 3*b^2)*\text{cosh}(x))*\text{sinh}(x))*\text{sqrt}( \\
& a + b)*\text{sqrt}(((a + b)*\text{cosh}(x)^2 + (a + b)*\text{sinh}(x)^2 + a - b)/(\text{cosh}(x)^2 - 2* \\
& \text{cosh}(x)*\text{sinh}(x) + \text{sinh}(x)^2)) + 4*(2*(a*b^2 + b^3)*\text{cosh}(x)^7 - 3*(a*b^2 + 2 \\
& *b^3)*\text{cosh}(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\text{cosh}(x)^3 + (a^3 - 3*a*b^ \\
& 2 - 2*b^3)*\text{cosh}(x))*\text{sinh}(x))/(\text{cosh}(x)^6 + 6*\text{cosh}(x)^5*\text{sinh}(x) + 15*\text{cosh}(x)^ \\
& 4*\text{sinh}(x)^2 + 20*\text{cosh}(x)^3*\text{sinh}(x)^3 + 15*\text{cosh}(x)^2*\text{sinh}(x)^4 + 6*\text{cosh}(x)*\text{s} \\
& \text{inh}(x)^5 + \text{sinh}(x)^6)) + 1/4*\text{sqrt}(a + b)*\text{log}(((a + b)*\text{cosh}(x)^4 + 4*(a + b) \\
& *\text{cosh}(x)*\text{sinh}(x)^3 + (a + b)*\text{sinh}(x)^4 + 2*a*\text{cosh}(x)^2 + 2*(3*(a + b)*\text{cosh} \\
& (x)^2 + a)*\text{sinh}(x)^2 + \text{sqrt}(2)*(\text{cosh}(x)^2 + 2*\text{cosh}(x)*\text{sinh}(x) + \text{sinh}(x)^2 + \\
& 1)*\text{sqrt}(a + b)*\text{sqrt}(((a + b)*\text{cosh}(x)^2 + (a + b)*\text{sinh}(x)^2 + a - b)/(\text{cosh} \\
& (x)^2 - 2*\text{cosh}(x)*\text{sinh}(x) + \text{sinh}(x)^2)) + 4*((a + b)*\text{cosh}(x)^3 + a*\text{cosh}(x))*\text{s} \\
& \text{inh}(x) + a + b)/(\text{cosh}(x)^2 + 2*\text{cosh}(x)*\text{sinh}(x) + \text{sinh}(x)^2)), -1/2*\text{sqrt}(-a \\
& - b)*\text{arctan}(\text{sqrt}(2)*(b*\text{cosh}(x)^2 + 2*b*\text{cosh}(x)*\text{sinh}(x) + b*\text{sinh}(x)^2 - a - \\
& b)*\text{sqrt}(-a - b)*\text{sqrt}(((a + b)*\text{cosh}(x)^2 + (a + b)*\text{sinh}(x)^2 + a - b)/(\text{cosh} \\
& (x)^2 - 2*\text{cosh}(x)*\text{sinh}(x) + \text{sinh}(x)^2)))/((a*b + b^2)*\text{cosh}(x)^4 + 4*(a*b + b^ \\
& 2)*\text{cosh}(x)*\text{sinh}(x)^3 + (a*b + b^2)*\text{sinh}(x)^4 + (a^2 - a*b - 2*b^2)*\text{cosh}(x)^ \\
& 2 + (6*(a*b + b^2)*\text{cosh}(x)^2 + a^2 - a*b - 2*b^2)*\text{sinh}(x)^2 + a^2 + 2*a*b + \\
& b^2 + 2*(2*(a*b + b^2)*\text{cosh}(x)^3 + (a^2 - a*b - 2*b^2)*\text{cosh}(x))*\text{sinh}(x)) \\
& - 1/2*\text{sqrt}(-a - b)*\text{arctan}(\text{sqrt}(2)*(\text{cosh}(x)^2 + 2*\text{cosh}(x)*\text{sinh}(x) + \text{sinh}(x)^ \\
& 2 + 1)*\text{sqrt}(-a - b)*\text{sqrt}(((a + b)*\text{cosh}(x)^2 + (a + b)*\text{sinh}(x)^2 + a - b)/( \\
& \text{cosh}(x)^2 - 2*\text{cosh}(x)*\text{sinh}(x) + \text{sinh}(x)^2)))/((a + b)*\text{cosh}(x)^4 + 4*(a + b)*\text{c} \\
& \text{osh}(x)*\text{sinh}(x)^3 + (a + b)*\text{sinh}(x)^4 + 2*(a - b)*\text{cosh}(x)^2 + 2*(3*(a + b)*\text{c} \\
& \text{osh}(x)^2 + a - b)*\text{sinh}(x)^2 + 4*((a + b)*\text{cosh}(x)^3 + (a - b)*\text{cosh}(x))*\text{sinh} \\
& (x) + a + b)) + 1/2*\text{sqrt}(b)*\text{log}(-((a + 2*b)*\text{cosh}(x)^4 + 4*(a + 2*b)*\text{cosh}(x)* \\
& \text{sinh}(x)^3 + (a + 2*b)*\text{sinh}(x)^4 + 2*(a - 2*b)*\text{cosh}(x)^2 + 2*(3*(a + 2*b)*\text{c} \\
& \text{osh}(x)^2 + a - 2*b)*\text{sinh}(x)^2 - 2*\text{sqrt}(2)*(\text{cosh}(x)^2 + 2*\text{cosh}(x)*\text{sinh}(x) + \text{s} \\
& \text{inh}(x)^2 - 1)*\text{sqrt}(b)*\text{sqrt}(((a + b)*\text{cosh}(x)^2 + (a + b)*\text{sinh}(x)^2 + a - b)/ \\
& (\text{cosh}(x)^2 - 2*\text{cosh}(x)*\text{sinh}(x) + \text{sinh}(x)^2)) + 4*((a + 2*b)*\text{cosh}(x)^3 + (a \\
& - 2*b)*\text{cosh}(x))*\text{sinh}(x) + a + 2*b)/(\text{cosh}(x)^4 + 4*\text{cosh}(x)*\text{sinh}(x)^3 + \text{sinh} \\
& (x)^4 + 2*(3*\text{cosh}(x)^2 + 1)*\text{sinh}(x)^2 + 2*\text{cosh}(x)^2 + 4*(\text{cosh}(x)^3 + \text{cosh}(x) \\
& )*\text{sinh}(x) + 1)), -1/2*\text{sqrt}(-a - b)*\text{arctan}(\text{sqrt}(2)*(b*\text{cosh}(x)^2 + 2*b*\text{cosh}(x) \\
& )*\text{sinh}(x) + b*\text{sinh}(x)^2 - a - b)*\text{sqrt}(-a - b)*\text{sqrt}(((a + b)*\text{cosh}(x)^2 + (a \\
& + b)*\text{sinh}(x)^2 + a - b)/(\text{cosh}(x)^2 - 2*\text{cosh}(x)*\text{sinh}(x) + \text{sinh}(x)^2)))/((a*b \\
& + b^2)*\text{cosh}(x)^4 + 4*(a*b + b^2)*\text{cosh}(x)*\text{sinh}(x)^3 + (a*b + b^2)*\text{sinh}(x)^4 \\
& + (a^2 - a*b - 2*b^2)*\text{cosh}(x)^2 + (6*(a*b + b^2)*\text{cosh}(x)^2 + a^2 - a*b - 2*
\end{aligned}$$

```

b^2)*sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(2*(a*b + b^2)*cosh(x)^3 + (a^2 - a*
b - 2*b^2)*cosh(x))*sinh(x)) - 1/2*sqrt(-a - b)*arctan(sqrt(2)*(cosh(x)^2
+ 2*cosh(x)*sinh(x) + sinh(x)^2 + 1)*sqrt(-a - b)*sqrt(((a + b)*cosh(x)^2 +
(a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/((
a + b)*cosh(x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 + 2*(a -
b)*cosh(x)^2 + 2*(3*(a + b)*cosh(x)^2 + a - b)*sinh(x)^2 + 4*((a + b)*cosh
(x)^3 + (a - b)*cosh(x))*sinh(x) + a + b)) + sqrt(-b)*arctan(sqrt(2)*(cosh(
x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 - 1)*sqrt(-b)*sqrt(((a + b)*cosh(x)^2
+ (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/((
(a + b)*cosh(x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 + 2*(a -
b)*cosh(x)^2 + 2*(3*(a + b)*cosh(x)^2 + a - b)*sinh(x)^2 + 4*((a + b)*cos
h(x)^3 + (a - b)*cosh(x))*sinh(x) + a + b))]

```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a + b \tanh^2(x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tanh(x)**2)**(1/2),x)
```

```
[Out] Integral(sqrt(a + b*tanh(x)**2), x)
```

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tanh(x)^2)^(1/2),x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError
```

### 3.214 $\int \coth(x) \sqrt{a + b \tanh^2(x)} dx$

**Optimal.** Leaf size=56

$$\sqrt{a+b} \tanh^{-1} \left( \frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}} \right) - \sqrt{a} \tanh^{-1} \left( \frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a}} \right)$$

[Out] -(Sqrt[a]\*ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a]]) + Sqrt[a + b]\*ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]]

**Rubi [A]** time = 0.111944, antiderivative size = 56, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {3670, 446, 83, 63, 208}

$$\sqrt{a+b} \tanh^{-1} \left( \frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}} \right) - \sqrt{a} \tanh^{-1} \left( \frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a}} \right)$$

Antiderivative was successfully verified.

[In] Int[Coth[x]\*Sqrt[a + b\*Tanh[x]^2], x]

[Out] -(Sqrt[a]\*ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a]]) + Sqrt[a + b]\*ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]]

#### Rule 3670

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((a_.) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_.))^(p_.), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[(((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f^2*x^2), x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))
```

#### Rule 446

```
Int[(x_)^(m_.)*((a_.) + (b_.)*(x_)^(n_.))^(p_.)*((c_.) + (d_.)*(x_)^(n_.))^(q_.), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[
```

$b*c - a*d, 0]$  && IntegerQ[Simplify[(m + 1)/n]]

### Rule 83

Int[((e\_.) + (f\_.)\*(x\_))^(p\_.)/(((a\_.) + (b\_.)\*(x\_))\*((c\_.) + (d\_.)\*(x\_))),  
x\_Symbol] := Dist[(b\*e - a\*f)/(b\*c - a\*d), Int[(e + f\*x)^(p - 1)/(a + b\*x),  
x], x] - Dist[(d\*e - c\*f)/(b\*c - a\*d), Int[(e + f\*x)^(p - 1)/(c + d\*x), x  
], x] /; FreeQ[{a, b, c, d, e, f}, x] && LtQ[0, p, 1]

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[  
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b +  
(d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ  
[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den  
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/  
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rubi steps

$$\begin{aligned} \int \coth(x)\sqrt{a + b \tanh^2(x)} dx &= \text{Subst} \left( \int \frac{\sqrt{a + bx^2}}{x(1-x^2)} dx, x, \tanh(x) \right) \\ &= \frac{1}{2} \text{Subst} \left( \int \frac{\sqrt{a + bx}}{(1-x)x} dx, x, \tanh^2(x) \right) \\ &= \frac{1}{2} a \text{Subst} \left( \int \frac{1}{x\sqrt{a + bx}} dx, x, \tanh^2(x) \right) + \frac{1}{2} (a + b) \text{Subst} \left( \int \frac{1}{(1-x)\sqrt{a + bx}} dx, x, \tanh^2(x) \right) \\ &= \frac{a \text{Subst} \left( \int \frac{1}{\frac{-a}{-b} + \frac{x^2}{b}} dx, x, \sqrt{a + b \tanh^2(x)} \right)}{b} + \frac{(a + b) \text{Subst} \left( \int \frac{1}{1 + \frac{a}{b} - \frac{x^2}{b}} dx, x, \sqrt{a + b \tanh^2(x)} \right)}{b} \\ &= -\sqrt{a} \tanh^{-1} \left( \frac{\sqrt{a + b \tanh^2(x)}}{\sqrt{a}} \right) + \sqrt{a + b} \tanh^{-1} \left( \frac{\sqrt{a + b \tanh^2(x)}}{\sqrt{a + b}} \right) \end{aligned}$$

**Mathematica [A]** time = 0.0277698, size = 56, normalized size = 1.

$$\sqrt{a+b} \tanh^{-1} \left( \frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}} \right) - \sqrt{a} \tanh^{-1} \left( \frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[Coth[x]\*Sqrt[a + b\*Tanh[x]^2],x]

[Out] -(Sqrt[a]\*ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a]]) + Sqrt[a + b]\*ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]]

**Maple [F]** time = 0.168, size = 0, normalized size = 0.

$$\int \coth(x) \sqrt{a + b(\tanh(x))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(x)\*(a+b\*tanh(x)^2)^(1/2),x)

[Out] int(coth(x)\*(a+b\*tanh(x)^2)^(1/2),x)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{b \tanh(x)^2 + a} \coth(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)\*(a+b\*tanh(x)^2)^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(b\*tanh(x)^2 + a)\*coth(x), x)

**Fricas [B]** time = 3.59514, size = 9991, normalized size = 178.41

result too large to display



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)\*(a+b\*tanh(x)^2)^(1/2),x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [1/4*\sqrt{a+b}*\log(((a^3+a^2*b)*\cosh(x)^8+8*(a^3+a^2*b)*\cosh(x)*\sinh(x)^7+(a^3+a^2*b)*\sinh(x)^8+2*(2*a^3+a^2*b)*\cosh(x)^6+2*(2*a^3+a^2*b+14*(a^3+a^2*b)*\cosh(x)^2)*\sinh(x)^6+4*(14*(a^3+a^2*b)*\cosh(x)^3+3*(2*a^3+a^2*b)*\cosh(x))*\sinh(x)^5+(6*a^3+4*a^2*b-a*b^2+b^3)*\cosh(x)^4+(70*(a^3+a^2*b)*\cosh(x)^4+6*a^3+4*a^2*b-a*b^2+b^3+30*(2*a^3+a^2*b)*\cosh(x)^2)*\sinh(x)^4+4*(14*(a^3+a^2*b)*\cosh(x)^5+10*(2*a^3+a^2*b)*\cosh(x)^3+(6*a^3+4*a^2*b-a*b^2+b^3)*\cosh(x))*\sinh(x)^3+a^3+3*a^2*b+3*a*b^2+b^3+2*(2*a^3+3*a^2*b-b^3)*\cosh(x)^2+2*(14*(a^3+a^2*b)*\cosh(x)^6+15*(2*a^3+a^2*b)*\cosh(x)^4+2*a^3+3*a^2*b-b^3+3*(6*a^3+4*a^2*b-a*b^2+b^3)*\cosh(x)^2)*\sinh(x)^2+\sqrt{2}*(a^2*\cosh(x)^6+6*a^2*\cosh(x)*\sinh(x)^5+a^2*\sinh(x)^6+3*a^2*\cosh(x)^4+3*(5*a^2*\cosh(x)^2+a^2)*\sinh(x)^4+4*(5*a^2*\cosh(x)^3+3*a^2*\cosh(x))*\sinh(x)^3+(3*a^2+2*a*b-b^2)*\cosh(x)^2+(15*a^2*\cosh(x)^4+18*a^2*\cosh(x)^2+3*a^2+2*a*b-b^2)*\sinh(x)^2+a^2+2*a*b+b^2+2*(3*a^2*\cosh(x)^5+6*a^2*\cosh(x)^3+(3*a^2+2*a*b-b^2)*\cosh(x))*\sinh(x))*\sqrt{a+b}*\sqrt{((a+b)*\cosh(x)^2+(a+b)*\sinh(x)^2+a-b)/(\cosh(x)^2-2*\cosh(x)*\sinh(x)+\sinh(x)^2)}+4*(2*(a^3+a^2*b)*\cosh(x)^7+3*(2*a^3+a^2*b)*\cosh(x)^5+(6*a^3+4*a^2*b-a*b^2+b^3)*\cosh(x)^3+(2*a^3+3*a^2*b-b^3)*\cosh(x))*\sinh(x))/(\cosh(x)^6+6*\cosh(x)^5*\sinh(x)+15*\cosh(x)^4*\sinh(x)^2+20*\cosh(x)^3*\sinh(x)^3+15*\cosh(x)^2*\sinh(x)^4+6*\cosh(x)*\sinh(x)^5+\sinh(x)^6))+1/2*\sqrt{a}*\log(-((2*a+b)*\cosh(x)^4+4*(2*a+b)*\cosh(x)*\sinh(x)^3+(2*a+b)*\sinh(x)^4+2*(2*a-b)*\cosh(x)^2+2*(3*(2*a+b)*\cosh(x)^2+2*a-b)*\sinh(x)^2-2*\sqrt{2}*(\cosh(x)^2+2*\cosh(x)*\sinh(x)+\sinh(x)^2+1)*\sqrt{a}*\sqrt{((a+b)*\cosh(x)^2+(a+b)*\sinh(x)^2+a-b)/(\cosh(x)^2-2*\cosh(x)*\sinh(x)+\sinh(x)^2)}+4*((2*a+b)*\cosh(x)^3+(2*a-b)*\cosh(x))*\sinh(x)+2*a+b)/(\cosh(x)^4+4*\cosh(x)*\sinh(x)^3+\sinh(x)^4+2*(3*\cosh(x)^2-1)*\sinh(x)^2-2*\cosh(x)^2+4*(\cosh(x)^3-\cosh(x))*\sinh(x)+1))+1/4*\sqrt{a+b}*\log(-((a+b)*\cosh(x)^4+4*(a+b)*\cosh(x)*\sinh(x)^3+(a+b)*\sinh(x)^4-2*b*\cosh(x)^2+2*(3*(a+b)*\cosh(x)^2-b)*\sinh(x)^2+\sqrt{2}*(\cosh(x)^2+2*\cosh(x)*\sinh(x)+\sinh(x)^2-1)*\sqrt{a+b}*\sqrt{((a+b)*\cosh(x)^2+(a+b)*\sinh(x)^2+a-b)/(\cosh(x)^2-2*\cosh(x)*\sinh(x)+\sinh(x)^2)}+4*((a+b)*\cosh(x)^3-b*\cosh(x))*\sinh(x)+a+b)/(\cosh(x)^2+2*\cosh(x)*\sinh(x)+\sinh(x)^2)),\sqrt{-a}*\arctan(\sqrt{2}*(\cosh(x)^2+2*\cosh(x)*\sinh(x)+\sinh(x)^2+1)*\sqrt{-a}*\sqrt{((a+b)*\cosh(x)^2+(a+b)*\sinh(x)^2+a-b)/(\cosh(x)^2-2*\cosh(x)*\sinh(x)+\sinh(x)^2)})/((a+b)*\cosh(x)^4+4*(a+b)*\cosh(x)*\sinh(x)^3+(a+b)*\sinh(x)^4+2*(a-b)*\cosh(x)^2+2*(3*(a+b)*\cosh(x)^2+a-b)*\sinh(x)^2+4*((a+b)*\cosh(x)^3+(a-b)*\cosh(x))*\sinh(x)+a+b))+1/4*\sqrt{a+b}*\log(((a^3+a^2*b)*\cosh(x)^8+8*(a^3+a^2*b)*\cosh(x)*\sinh(x)^7+(a^3+a^2*b)*\sinh(x)^8+2*(2*a^3+a^2*b)*\cosh(x)^6+2*(2*a^3+a^2*b$$

$$\begin{aligned}
& b + 14*(a^3 + a^2*b)*\cosh(x)^2*\sinh(x)^6 + 4*(14*(a^3 + a^2*b)*\cosh(x)^3 + \\
& 3*(2*a^3 + a^2*b)*\cosh(x))*\sinh(x)^5 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*\cosh(x)^4 + (70*(a^3 + a^2*b)*\cosh(x)^4 + 6*a^3 + 4*a^2*b - a*b^2 + b^3 + 30*( \\
& 2*a^3 + a^2*b)*\cosh(x)^2)*\sinh(x)^4 + 4*(14*(a^3 + a^2*b)*\cosh(x)^5 + 10*(2 \\
& *a^3 + a^2*b)*\cosh(x)^3 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*\cosh(x))*\sinh(x)^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 2*(2*a^3 + 3*a^2*b - b^3)*\cosh(x)^2 + 2 \\
& *(14*(a^3 + a^2*b)*\cosh(x)^6 + 15*(2*a^3 + a^2*b)*\cosh(x)^4 + 2*a^3 + 3*a^2 \\
& *b - b^3 + 3*(6*a^3 + 4*a^2*b - a*b^2 + b^3)*\cosh(x)^2)*\sinh(x)^2 + \sqrt{2} \\
& *(a^2*\cosh(x)^6 + 6*a^2*\cosh(x)*\sinh(x)^5 + a^2*\sinh(x)^6 + 3*a^2*\cosh(x)^4 \\
& + 3*(5*a^2*\cosh(x)^2 + a^2)*\sinh(x)^4 + 4*(5*a^2*\cosh(x)^3 + 3*a^2*\cosh(x) \\
& )*\sinh(x)^3 + (3*a^2 + 2*a*b - b^2)*\cosh(x)^2 + (15*a^2*\cosh(x)^4 + 18*a^2* \\
& \cosh(x)^2 + 3*a^2 + 2*a*b - b^2)*\sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(3*a^2*c \\
& \cosh(x)^5 + 6*a^2*\cosh(x)^3 + (3*a^2 + 2*a*b - b^2)*\cosh(x))*\sinh(x))*\sqrt{a \\
& + b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*c \\
& \cosh(x)*\sinh(x) + \sinh(x)^2)) + 4*(2*(a^3 + a^2*b)*\cosh(x)^7 + 3*(2*a^3 + a^ \\
& 2*b)*\cosh(x)^5 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*\cosh(x)^3 + (2*a^3 + 3*a^2 \\
& *b - b^3)*\cosh(x))*\sinh(x))/(\cosh(x)^6 + 6*\cosh(x)^5*\sinh(x) + 15*\cosh(x)^4 \\
& *\sinh(x)^2 + 20*\cosh(x)^3*\sinh(x)^3 + 15*\cosh(x)^2*\sinh(x)^4 + 6*\cosh(x)*\si \\
& nh(x)^5 + \sinh(x)^6)) + 1/4*\sqrt{a + b}*\log(-((a + b)*\cosh(x)^4 + 4*(a + b) \\
& *\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 - 2*b*\cosh(x)^2 + 2*(3*(a + b)*\cosh \\
& (x)^2 - b)*\sinh(x)^2 + \sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 - \\
& 1))*\sqrt{a + b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x) \\
& )^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)) + 4*((a + b)*\cosh(x)^3 - b*\cosh(x))*s \\
& inh(x) + a + b)/(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2)), -1/2*\sqrt{-a \\
& - b}*\arctan(\sqrt{2}*(a*\cosh(x)^2 + 2*a*\cosh(x)*\sinh(x) + a*\sinh(x)^2 + a + \\
& b)*\sqrt{-a - b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh \\
& (x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)))/((a^2 + a*b)*\cosh(x)^4 + 4*(a^2 + a* \\
& b)*\cosh(x)*\sinh(x)^3 + (a^2 + a*b)*\sinh(x)^4 + (2*a^2 + a*b - b^2)*\cosh(x)^ \\
& 2 + (6*(a^2 + a*b)*\cosh(x)^2 + 2*a^2 + a*b - b^2)*\sinh(x)^2 + a^2 + 2*a*b + \\
& b^2 + 2*(2*(a^2 + a*b)*\cosh(x)^3 + (2*a^2 + a*b - b^2)*\cosh(x))*\sinh(x)) \\
& - 1/2*\sqrt{-a - b}*\arctan(\sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^ \\
& 2 - 1))*\sqrt{-a - b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(c \\
& \cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)))/((a + b)*\cosh(x)^4 + 4*(a + b)*c \\
& \cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*c \\
& \cosh(x)^2 + a - b)*\sinh(x)^2 + 4*((a + b)*\cosh(x)^3 + (a - b)*\cosh(x))*\sinh \\
& (x) + a + b)) + 1/2*\sqrt{a}*\log(-((2*a + b)*\cosh(x)^4 + 4*(2*a + b)*\cosh(x)* \\
& \sinh(x)^3 + (2*a + b)*\sinh(x)^4 + 2*(2*a - b)*\cosh(x)^2 + 2*(3*(2*a + b)*co \\
& sh(x)^2 + 2*a - b)*\sinh(x)^2 - 2*\sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + s \\
& inh(x)^2 + 1))*\sqrt{a}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/ \\
& (\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)) + 4*((2*a + b)*\cosh(x)^3 + (2* \\
& a - b)*\cosh(x))*\sinh(x) + 2*a + b)/(\cosh(x)^4 + 4*\cosh(x)*\sinh(x)^3 + \sinh \\
& (x)^4 + 2*(3*\cosh(x)^2 - 1)*\sinh(x)^2 - 2*\cosh(x)^2 + 4*(\cosh(x)^3 - \cosh(x) \\
& )*\sinh(x) + 1)), \sqrt{-a}*\arctan(\sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + s \\
& inh(x)^2 + 1))*\sqrt{-a}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b) \\
& /(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)))/((a + b)*\cosh(x)^4 + 4*(a + b)
\end{aligned}$$

```

)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 + 2*(a - b)*cosh(x)^2 + 2*(3*(a + b)
)*cosh(x)^2 + a - b)*sinh(x)^2 + 4*((a + b)*cosh(x)^3 + (a - b)*cosh(x))*si
nh(x) + a + b)) - 1/2*sqrt(-a - b)*arctan(sqrt(2)*(a*cosh(x)^2 + 2*a*cosh(x)
)*sinh(x) + a*sinh(x)^2 + a + b)*sqrt(-a - b)*sqrt(((a + b)*cosh(x)^2 + (a
+ b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2))/((a^2
+ a*b)*cosh(x)^4 + 4*(a^2 + a*b)*cosh(x)*sinh(x)^3 + (a^2 + a*b)*sinh(x)^4
+ (2*a^2 + a*b - b^2)*cosh(x)^2 + (6*(a^2 + a*b)*cosh(x)^2 + 2*a^2 + a*b -
b^2)*sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(2*(a^2 + a*b)*cosh(x)^3 + (2*a^2 +
a*b - b^2)*cosh(x))*sinh(x))) - 1/2*sqrt(-a - b)*arctan(sqrt(2)*(cosh(x)^2
+ 2*cosh(x)*sinh(x) + sinh(x)^2 - 1)*sqrt(-a - b)*sqrt(((a + b)*cosh(x)^2 +
(a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2))/((
a + b)*cosh(x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 + 2*(a -
b)*cosh(x)^2 + 2*(3*(a + b)*cosh(x)^2 + a - b)*sinh(x)^2 + 4*((a + b)*cosh
(x)^3 + (a - b)*cosh(x))*sinh(x) + a + b))]

```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a + b \tanh^2(x)} \coth(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(coth(x)*(a+b*tanh(x)**2)**(1/2), x)
```

```
[Out] Integral(sqrt(a + b*tanh(x)**2)*coth(x), x)
```

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(coth(x)*(a+b*tanh(x)^2)^(1/2), x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError
```

$$3.215 \quad \int \coth^2(x) \sqrt{a + b \tanh^2(x)} dx$$

**Optimal.** Leaf size=48

$$\sqrt{a+b} \tanh^{-1} \left( \frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}} \right) - \coth(x) \sqrt{a+b \tanh^2(x)}$$

[Out] Sqrt[a + b]\*ArcTanh[(Sqrt[a + b]\*Tanh[x])/Sqrt[a + b\*Tanh[x]^2]] - Coth[x]\*Sqrt[a + b\*Tanh[x]^2]

**Rubi [A]** time = 0.0926206, antiderivative size = 48, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.294$ , Rules used = {3670, 475, 12, 377, 206}

$$\sqrt{a+b} \tanh^{-1} \left( \frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}} \right) - \coth(x) \sqrt{a+b \tanh^2(x)}$$

Antiderivative was successfully verified.

[In] Int[Coth[x]^2\*Sqrt[a + b\*Tanh[x]^2],x]

[Out] Sqrt[a + b]\*ArcTanh[(Sqrt[a + b]\*Tanh[x])/Sqrt[a + b\*Tanh[x]^2]] - Coth[x]\*Sqrt[a + b\*Tanh[x]^2]

### Rule 3670

Int[((d\_)\*tan[(e\_) + (f\_)\*(x\_)])^(m\_)\*((a\_) + (b\_)\*((c\_)\*tan[(e\_) + (f\_)\*(x\_)])^(n\_))^(p\_), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

### Rule 475

Int[((e\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_)\*(x\_)^(n\_))^(q\_), x\_Symbol] :> Simp[((e\*x)^(m + 1)\*(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^q)/(a\*e^(m + 1)), x] - Dist[1/(a\*e^n\*(m + 1)), Int[(e\*x)^(m + n)\*(a + b\*x^n)^p\*(c + d\*x^n)^(q - 1)\*Simp[c\*b\*(m + 1) + n\*(b\*c\*(p + 1) + a\*d\*q) + d\*(b\*(m

+ 1) + b\*n\*(p + q + 1)\*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, p}, x] &&  
 NeQ[b\*c - a\*d, 0] && IGtQ[n, 0] && LtQ[0, q, 1] && LtQ[m, -1] && IntBinomia  
 lQ[a, b, c, d, e, m, n, p, q, x]

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match  
 Q[u, (b\_)\*(v\_) /; FreeQ[b, x]]

### Rule 377

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)/((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] := Su  
 bst[Int[1/(c - (b\*c - a\*d)\*x^n), x], x, x/(a + b\*x^n)^(1/n)] /; FreeQ[{a, b  
 , c, d}, x] && NeQ[b\*c - a\*d, 0] && EqQ[n\*p + 1, 0] && IntegerQ[n]

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/  
 Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt  
 Q[a, 0] || LtQ[b, 0])

### Rubi steps

$$\begin{aligned}
 \int \coth^2(x) \sqrt{a + b \tanh^2(x)} dx &= \text{Subst} \left( \int \frac{\sqrt{a + bx^2}}{x^2(1-x^2)} dx, x, \tanh(x) \right) \\
 &= -\coth(x) \sqrt{a + b \tanh^2(x)} + \text{Subst} \left( \int \frac{a+b}{(1-x^2)\sqrt{a+bx^2}} dx, x, \tanh(x) \right) \\
 &= -\coth(x) \sqrt{a + b \tanh^2(x)} + (a+b) \text{Subst} \left( \int \frac{1}{(1-x^2)\sqrt{a+bx^2}} dx, x, \tanh(x) \right) \\
 &= -\coth(x) \sqrt{a + b \tanh^2(x)} + (a+b) \text{Subst} \left( \int \frac{1}{1-(a+b)x^2} dx, x, \frac{\tanh(x)}{\sqrt{a+b \tanh^2(x)}} \right) \\
 &= \sqrt{a+b} \tanh^{-1} \left( \frac{\sqrt{a+b \tanh(x)}}{\sqrt{a+b \tanh^2(x)}} \right) - \coth(x) \sqrt{a + b \tanh^2(x)}
 \end{aligned}$$

**Mathematica [C]** time = 0.105273, size = 42, normalized size = 0.88

$$-\coth(x)\sqrt{a+b\tanh^2(x)}{}_2F_1\left(-\frac{1}{2}, 1; \frac{1}{2}; \frac{(a+b)\tanh^2(x)}{b\tanh^2(x)+a}\right)$$

Antiderivative was successfully verified.

[In] Integrate[Coth[x]^2\*Sqrt[a + b\*Tanh[x]^2], x]

[Out] -(Coth[x]\*Hypergeometric2F1[-1/2, 1, 1/2, ((a + b)\*Tanh[x]^2)/(a + b\*Tanh[x]^2)]\*Sqrt[a + b\*Tanh[x]^2])

**Maple [F]** time = 0.153, size = 0, normalized size = 0.

$$\int (\coth(x))^2 \sqrt{a + b(\tanh(x))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(x)^2\*(a+b\*tanh(x)^2)^(1/2), x)

[Out] int(coth(x)^2\*(a+b\*tanh(x)^2)^(1/2), x)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{b\tanh(x)^2 + a} \coth(x)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)^2\*(a+b\*tanh(x)^2)^(1/2), x, algorithm="maxima")

[Out] integrate(sqrt(b\*tanh(x)^2 + a)\*coth(x)^2, x)

**Fricas [B]** time = 2.88513, size = 4456, normalized size = 92.83

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)^2\*(a+b\*tanh(x)^2)^(1/2),x, algorithm="fricas")

[Out] 
$$\begin{aligned} & \frac{1}{4} \left( (\cosh(x)^2 + 2\cosh(x)\sinh(x) + \sinh(x)^2 - 1) \sqrt{a+b} \log\left(-\left(a^* \right. \right. \right. \\ & b^2 + b^3) \cosh(x)^8 + 8(a*b^2 + b^3) \cosh(x) \sinh(x)^7 + (a*b^2 + b^3) \sinh(x)^8 - 2(a*b^2 + 2*b^3) \cosh(x)^6 - 2(a*b^2 + 2*b^3 - 14(a*b^2 + b^3) \\ & * \cosh(x)^2) \sinh(x)^6 + 4(14(a*b^2 + b^3) \cosh(x)^3 - 3(a*b^2 + 2*b^3) \cosh(x)) \sinh(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3) \cosh(x)^4 + (70(a*b^2 \\ & + b^3) \cosh(x)^4 + a^3 - a^2*b + 4*a*b^2 + 6*b^3 - 30(a*b^2 + 2*b^3) \cosh(x)^2) \sinh(x)^4 + 4(14(a*b^2 + b^3) \cosh(x)^5 - 10(a*b^2 + 2*b^3) \cosh(x) \\ & )^3 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3) \cosh(x) \sinh(x)^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 2(a^3 - 3*a*b^2 - 2*b^3) \cosh(x)^2 + 2(14(a*b^2 + b^3) \cosh(x) \\ & )^6 - 15(a*b^2 + 2*b^3) \cosh(x)^4 + a^3 - 3*a*b^2 - 2*b^3 + 3(a^3 - a^2*b + 4*a*b^2 + 6*b^3) \cosh(x)^2) \sinh(x)^2 + \sqrt{2} (b^2 \cosh(x)^6 + 6* \\ & b^2 \cosh(x) \sinh(x)^5 + b^2 \sinh(x)^6 - 3*b^2 \cosh(x)^4 + 3(5*b^2 \cosh(x)^2 - b^2) \sinh(x)^4 + 4(5*b^2 \cosh(x)^3 - 3*b^2 \cosh(x)) \sinh(x)^3 - (a^2 - \\ & 2*a*b - 3*b^2) \cosh(x)^2 + (15*b^2 \cosh(x)^4 - 18*b^2 \cosh(x)^2 - a^2 + 2* \\ & a*b + 3*b^2) \sinh(x)^2 - a^2 - 2*a*b - b^2 + 2(3*b^2 \cosh(x)^5 - 6*b^2 \cosh(x)^3 - (a^2 - 2*a*b - 3*b^2) \cosh(x)) \sinh(x) \sqrt{a+b} \sqrt{((a+b) \\ & ) \cosh(x)^2 + (a+b) \sinh(x)^2 + a-b} / (\cosh(x)^2 - 2\cosh(x)\sinh(x) + \sinh(x)^2) + 4(2(a*b^2 + b^3) \cosh(x)^7 - 3(a*b^2 + 2*b^3) \cosh(x)^5 + (a^3 \\ & - a^2*b + 4*a*b^2 + 6*b^3) \cosh(x)^3 + (a^3 - 3*a*b^2 - 2*b^3) \cosh(x)) \sinh(x) / (\cosh(x)^6 + 6\cosh(x)^5 \sinh(x) + 15\cosh(x)^4 \sinh(x)^2 + 20\cosh(x) \\ & )^3 \sinh(x)^3 + 15\cosh(x)^2 \sinh(x)^4 + 6\cosh(x) \sinh(x)^5 + \sinh(x)^6) + (\cosh(x)^2 + 2\cosh(x)\sinh(x) + \sinh(x)^2 - 1) \sqrt{a+b} \log(((a+b) \\ & ) \cosh(x)^4 + 4(a+b) \cosh(x) \sinh(x)^3 + (a+b) \sinh(x)^4 + 2*a \cosh(x)^2 + 2(3(a+b) \cosh(x)^2 + a) \sinh(x)^2 + \sqrt{2} (\cosh(x)^2 + 2\cosh(x) \\ & ) \sinh(x) + \sinh(x)^2 + 1) \sqrt{a+b} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a-b) / (\cosh(x)^2 - 2\cosh(x)\sinh(x) + \sinh(x)^2)} + 4((a+b) \cosh(x) \\ & )^3 + a \cosh(x)) \sinh(x) + a+b) / (\cosh(x)^2 + 2\cosh(x)\sinh(x) + \sinh(x)^2) - 4\sqrt{2} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a-b) / (\cosh(x)^2 - 2\cosh(x)\sinh(x) + \sinh(x)^2)} / (\cosh(x)^2 + 2\cosh(x)\sinh(x) \\ & + \sinh(x)^2 - 1), -1/2((\cosh(x)^2 + 2\cosh(x)\sinh(x) + \sinh(x)^2 - 1) \sqrt{-a-b} \arctan(\sqrt{2} (b \cosh(x)^2 + 2*b \cosh(x) \sinh(x) + b \sinh(x)^2 - a - b) \sqrt{-a-b} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a-b) / (\cosh(x)^2 - 2\cosh(x)\sinh(x) + \sinh(x)^2)} / ((a*b + b^2) \cosh(x)^4 + 4(a*b + b^2) \cosh(x) \sinh(x)^3 + (a*b + b^2) \sinh(x)^4 + (a^2 - a*b - 2*b^2) \cosh(x)^2 + (6(a*b + b^2) \cosh(x)^2 + a^2 - a*b - 2*b^2) \sinh(x)^2 + a^2 + 2*a*b + b^2 + 2(2(a*b + b^2) \cosh(x)^3 + (a^2 - a*b - 2*b^2) \cosh(x)) \sinh(x))) + (\cosh(x)^2 + 2\cosh(x)\sinh(x) + \sinh(x)^2 - 1) \sqrt{-a-b} \arctan(\sqrt{2} (\cosh(x)^2 + 2\cosh(x)\sinh(x) + \sinh(x)^2 + 1) \sqrt{-a-b} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a-b) / (\cosh(x)^2 - 2\cosh(x)\sinh(x) + \sinh(x)^2)} / ((a+b) \cosh(x)^4 + 4(a+b) \cosh(x) \sinh(x)^3 + (a+b) \sinh(x)^4 + 2*a \cosh(x)^2 + 2(3(a+b) \cosh(x)^2 + a) \sinh(x)^2 + \sqrt{2} (\cosh(x)^2 + 2\cosh(x) \sinh(x) + \sinh(x)^2 + 1) \sqrt{a+b} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a-b) / (\cosh(x)^2 - 2\cosh(x)\sinh(x) + \sinh(x)^2)} + 4((a+b) \cosh(x))^3 + a \cosh(x)) \sinh(x) + a+b) / (\cosh(x)^2 + 2\cosh(x)\sinh(x) + \sinh(x)^2) - 4\sqrt{2} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a-b) / (\cosh(x)^2 - 2\cosh(x)\sinh(x) + \sinh(x)^2)} / (\cosh(x)^2 + 2\cosh(x)\sinh(x) + \sinh(x)^2 - 1) \end{aligned}$$

```
) *sinh(x)^4 + 2*(a - b)*cosh(x)^2 + 2*(3*(a + b)*cosh(x)^2 + a - b)*sinh(x)
^2 + 4*((a + b)*cosh(x)^3 + (a - b)*cosh(x))*sinh(x) + a + b)) + 2*sqrt(2)*
sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)
*sinh(x) + sinh(x)^2)))/(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 - 1)]
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a + b \tanh^2(x)} \coth^2(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(coth(x)**2*(a+b*tanh(x)**2)**(1/2),x)
```

```
[Out] Integral(sqrt(a + b*tanh(x)**2)*coth(x)**2, x)
```

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(coth(x)^2*(a+b*tanh(x)^2)^(1/2),x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError
```



$$3.216 \quad \int \coth^3(x) \sqrt{a + b \tanh^2(x)} dx$$

**Optimal.** Leaf size=83

$$-\frac{(2a+b) \tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a}}\right)}{2\sqrt{a}} + \sqrt{a+b} \tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}}\right) - \frac{1}{2} \coth^2(x) \sqrt{a+b \tanh^2(x)}$$

[Out]  $-\left(\frac{(2a+b) \operatorname{ArcTanh}\left[\frac{\sqrt{a+b \operatorname{Tanh}[x]^2}}{\sqrt{a}}\right]}{2\sqrt{a}} + \sqrt{a+b} \operatorname{ArcTanh}\left[\frac{\sqrt{a+b \operatorname{Tanh}[x]^2}}{\sqrt{a+b}}\right] - \left(\operatorname{Coth}[x]^2 \sqrt{a+b \operatorname{Tanh}[x]^2}\right)\right)/2$

**Rubi [A]** time = 0.155208, antiderivative size = 83, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.353$ , Rules used = {3670, 446, 99, 156, 63, 208}

$$-\frac{(2a+b) \tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a}}\right)}{2\sqrt{a}} + \sqrt{a+b} \tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}}\right) - \frac{1}{2} \coth^2(x) \sqrt{a+b \tanh^2(x)}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[\operatorname{Coth}[x]^3 \sqrt{a + b \operatorname{Tanh}[x]^2}, x]$

[Out]  $-\left(\frac{(2a+b) \operatorname{ArcTanh}\left[\frac{\sqrt{a+b \operatorname{Tanh}[x]^2}}{\sqrt{a}}\right]}{2\sqrt{a}} + \sqrt{a+b} \operatorname{ArcTanh}\left[\frac{\sqrt{a+b \operatorname{Tanh}[x]^2}}{\sqrt{a+b}}\right] - \left(\operatorname{Coth}[x]^2 \sqrt{a+b \operatorname{Tanh}[x]^2}\right)\right)/2$

### Rule 3670

$\operatorname{Int}[\left(\left(d \cdot \tan(e \cdot x) + f \cdot x\right)^{m \cdot (a + b \cdot \tan(e \cdot x) + f \cdot x)}\right)^{p}, x\_Symbol] := \operatorname{With}[\{ff = \operatorname{FreeFactors}[\tan(e + f \cdot x), x]\}, \operatorname{Dist}[(c \cdot ff)/f, \operatorname{Subst}[\operatorname{Int}[\left(\left(d \cdot ff \cdot x\right)^m \cdot (a + b \cdot (ff \cdot x)^n)^p\right)/(c^2 + f \cdot ff^2 \cdot x^2), x], x, (c \cdot \tan(e + f \cdot x))/ff, x]] /; \operatorname{FreeQ}\{a, b, c, d, e, f, m, n, p\}, x] \&\& (\operatorname{IGtQ}[p, 0] \mid \mid \operatorname{EqQ}[n, 2] \mid \mid \operatorname{EqQ}[n, 4] \mid \mid (\operatorname{IntegerQ}[p] \&\& \operatorname{RationalQ}[n]))$

### Rule 446

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_
), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p
*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[
b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 99

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_
))^(p_), x_Symbol] := Simp[((a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^(p + 1
))/(m + 1)*(b*e - a*f), x] - Dist[1/((m + 1)*(b*e - a*f)), Int[(a + b*x)^(
m + 1)*(c + d*x)^(n - 1)*(e + f*x)^p*Simp[d*e*n + c*f*(m + p + 2) + d*f*(m
+ n + p + 2)*x, x], x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && LtQ[m, -1
] && GtQ[n, 0] && (IntegersQ[2*m, 2*n, 2*p] || IntegersQ[m, n + p] || Integ
ersQ[p, m + n])
```

### Rule 156

```
Int[(((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)))/(((a_.) + (b_.)*(x_))*
((c_.) + (d_.)*(x_))), x_Symbol] := Dist[(b*g - a*h)/(b*c - a*d), Int[(e +
f*x)^p/(a + b*x), x], x] - Dist[(d*g - c*h)/(b*c - a*d), Int[(e + f*x)^p/(c
+ d*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x]
```

### Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

### Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

### Rubi steps

$$\begin{aligned}
\int \coth^3(x) \sqrt{a + b \tanh^2(x)} dx &= \text{Subst} \left( \int \frac{\sqrt{a + bx^2}}{x^3(1-x^2)} dx, x, \tanh(x) \right) \\
&= \frac{1}{2} \text{Subst} \left( \int \frac{\sqrt{a + bx}}{(1-x)x^2} dx, x, \tanh^2(x) \right) \\
&= -\frac{1}{2} \coth^2(x) \sqrt{a + b \tanh^2(x)} + \frac{1}{2} \text{Subst} \left( \int \frac{\frac{1}{2}(2a + b) + \frac{bx}{2}}{(1-x)x\sqrt{a + bx}} dx, x, \tanh^2(x) \right) \\
&= -\frac{1}{2} \coth^2(x) \sqrt{a + b \tanh^2(x)} + \frac{1}{2}(a + b) \text{Subst} \left( \int \frac{1}{(1-x)\sqrt{a + bx}} dx, x, \tanh^2(x) \right) \\
&= -\frac{1}{2} \coth^2(x) \sqrt{a + b \tanh^2(x)} + \frac{(a + b) \text{Subst} \left( \int \frac{1}{1 + \frac{a}{b} - \frac{x^2}{b}} dx, x, \sqrt{a + b \tanh^2(x)} \right)}{b} + \dots \\
&= -\frac{(2a + b) \tanh^{-1} \left( \frac{\sqrt{a + b \tanh^2(x)}}{\sqrt{a}} \right)}{2\sqrt{a}} + \sqrt{a + b} \tanh^{-1} \left( \frac{\sqrt{a + b \tanh^2(x)}}{\sqrt{a + b}} \right) - \frac{1}{2} \coth^2(x) \sqrt{a + b \tanh^2(x)}
\end{aligned}$$

**Mathematica [A]** time = 0.205619, size = 83, normalized size = 1.

$$-\frac{(2a + b) \tanh^{-1} \left( \frac{\sqrt{a + b \tanh^2(x)}}{\sqrt{a}} \right)}{2\sqrt{a}} + \sqrt{a + b} \tanh^{-1} \left( \frac{\sqrt{a + b \tanh^2(x)}}{\sqrt{a + b}} \right) - \frac{1}{2} \coth^2(x) \sqrt{a + b \tanh^2(x)}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[x]^3\*Sqrt[a + b\*Tanh[x]^2], x]

[Out] -((2\*a + b)\*ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a]])/(2\*Sqrt[a]) + Sqrt[a + b]\*ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]] - (Coth[x]^2\*Sqrt[a + b\*Tanh[x]^2])/2

**Maple [F]** time = 0.155, size = 0, normalized size = 0.

$$\int (\coth(x))^3 \sqrt{a + b (\tanh(x))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(coth(x)^3*(a+b*tanh(x)^2)^(1/2),x)`

[Out] `int(coth(x)^3*(a+b*tanh(x)^2)^(1/2),x)`

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{b \tanh(x)^2 + a} \coth(x)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(x)^3*(a+b*tanh(x)^2)^(1/2),x, algorithm="maxima")`

[Out] `integrate(sqrt(b*tanh(x)^2 + a)*coth(x)^3, x)`

**Fricas [B]** time = 4.44697, size = 14338, normalized size = 172.75

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(x)^3*(a+b*tanh(x)^2)^(1/2),x, algorithm="fricas")`

[Out] `[1/4*((a*cosh(x)^4 + 4*a*cosh(x)*sinh(x)^3 + a*sinh(x)^4 - 2*a*cosh(x)^2 + 2*(3*a*cosh(x)^2 - a)*sinh(x)^2 + 4*(a*cosh(x)^3 - a*cosh(x))*sinh(x) + a)*sqrt(a + b)*log(((a^3 + a^2*b)*cosh(x)^8 + 8*(a^3 + a^2*b)*cosh(x)*sinh(x)^7 + (a^3 + a^2*b)*sinh(x)^8 + 2*(2*a^3 + a^2*b)*cosh(x)^6 + 2*(2*a^3 + a^2*b + 14*(a^3 + a^2*b)*cosh(x)^2)*sinh(x)^6 + 4*(14*(a^3 + a^2*b)*cosh(x)^3 + 3*(2*a^3 + a^2*b)*cosh(x))*sinh(x)^5 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x)^4 + (70*(a^3 + a^2*b)*cosh(x)^4 + 6*a^3 + 4*a^2*b - a*b^2 + b^3 + 30*(2*a^3 + a^2*b)*cosh(x)^2)*sinh(x)^4 + 4*(14*(a^3 + a^2*b)*cosh(x)^5 + 10*(2*a^3 + a^2*b)*cosh(x)^3 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x))*sinh(x)^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 2*(2*a^3 + 3*a^2*b - b^3)*cosh(x)^2 + 2*(14*(a^3 + a^2*b)*cosh(x)^6 + 15*(2*a^3 + a^2*b)*cosh(x)^4 + 2*a^3 + 3*a^2*b - b^3 + 3*(6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x)^2)*sinh(x)^2 + sqrt(2)*(a^2*cosh(x)^6 + 6*a^2*cosh(x)*sinh(x)^5 + a^2*sinh(x)^6 + 3*a^2*cosh(x)^4 + 3*(5*a^2*cosh(x)^2 + a^2)*sinh(x)^4 + 4*(5*a^2*cosh(x)^3 + 3*a^2*cosh(x))*sinh(x)^3 + (3*a^2 + 2*a*b - b^2)*cosh(x)^2 + (15*a^2*cosh(x)^4 + 18*a^2*cosh(x)^2 + 3*a^2 + 2*a*b - b^2)*sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(3*a^2*cosh(x)^5 + 6*a^2*cosh(x)^3 + (3*a^2 + 2*a*b - b^2)*cosh(x))*sinh(x))*sqrt(a`

$$\begin{aligned}
&+ b) \sqrt{((a + b) \cosh(x)^2 + (a + b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)} + 4 * (2 * (a^3 + a^2 * b) * \cosh(x)^7 + 3 * (2 * a^3 + a^2 * b) * \cosh(x)^5 + (6 * a^3 + 4 * a^2 * b - a * b^2 + b^3) * \cosh(x)^3 + (2 * a^3 + 3 * a^2 * b - b^3) * \cosh(x)) * \sinh(x) / (\cosh(x)^6 + 6 * \cosh(x)^5 * \sinh(x) + 15 * \cosh(x)^4 * \sinh(x)^2 + 20 * \cosh(x)^3 * \sinh(x)^3 + 15 * \cosh(x)^2 * \sinh(x)^4 + 6 * \cosh(x) * \sinh(x)^5 + \sinh(x)^6) + ((2 * a + b) * \cosh(x)^4 + 4 * (2 * a + b) * \cosh(x) * \sinh(x)^3 + (2 * a + b) * \sinh(x)^4 - 2 * (2 * a + b) * \cosh(x)^2 + 2 * (3 * (2 * a + b) * \cosh(x)^2 - 2 * a - b) * \sinh(x)^2 + 4 * ((2 * a + b) * \cosh(x)^3 - (2 * a + b) * \cosh(x)) * \sinh(x) + 2 * a + b) * \sqrt{a} * \log(-((2 * a + b) * \cosh(x)^4 + 4 * (2 * a + b) * \cosh(x) * \sinh(x)^3 + (2 * a + b) * \sinh(x)^4 + 2 * (2 * a - b) * \cosh(x)^2 + 2 * (3 * (2 * a + b) * \cosh(x)^2 + 2 * a - b) * \sinh(x)^2 - 2 * \sqrt{2} * (\cosh(x)^2 + 2 * \cosh(x) * \sinh(x) + \sinh(x)^2 + 1) * \sqrt{a} * \sqrt{((a + b) * \cosh(x)^2 + (a + b) * \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 * \cosh(x) * \sinh(x) + \sinh(x)^2)} + 4 * ((2 * a + b) * \cosh(x)^3 + (2 * a - b) * \cosh(x)) * \sinh(x) + 2 * a + b) / (\cosh(x)^4 + 4 * \cosh(x) * \sinh(x)^3 + \sinh(x)^4 + 2 * (3 * \cosh(x)^2 - 1) * \sinh(x)^2 - 2 * \cosh(x)^2 + 4 * (\cosh(x)^3 - \cosh(x)) * \sinh(x) + 1)) + (a * \cosh(x)^4 + 4 * a * \cosh(x) * \sinh(x)^3 + a * \sinh(x)^4 - 2 * a * \cosh(x)^2 + 2 * (3 * a * \cosh(x)^2 - a) * \sinh(x)^2 + 4 * (a * \cosh(x)^3 - a * \cosh(x)) * \sinh(x) + a) * \sqrt{a + b} * \log(-((a + b) * \cosh(x)^4 + 4 * (a + b) * \cosh(x) * \sinh(x)^3 + (a + b) * \sinh(x)^4 - 2 * b * \cosh(x)^2 + 2 * (3 * (a + b) * \cosh(x)^2 - b) * \sinh(x)^2 + \sqrt{2} * (\cosh(x)^2 + 2 * \cosh(x) * \sinh(x) + \sinh(x)^2 - 1) * \sqrt{a + b} * \sqrt{((a + b) * \cosh(x)^2 + (a + b) * \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 * \cosh(x) * \sinh(x) + \sinh(x)^2)} + 4 * ((a + b) * \cosh(x)^3 - b * \cosh(x)) * \sinh(x) + a + b) / (\cosh(x)^2 + 2 * \cosh(x) * \sinh(x) + \sinh(x)^2)) - 2 * \sqrt{2} * (a * \cosh(x)^2 + 2 * a * \cosh(x) * \sinh(x) + a * \sinh(x)^2 + a) * \sqrt{((a + b) * \cosh(x)^2 + (a + b) * \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 * \cosh(x) * \sinh(x) + \sinh(x)^2))} / (a * \cosh(x)^4 + 4 * a * \cosh(x) * \sinh(x)^3 + a * \sinh(x)^4 - 2 * a * \cosh(x)^2 + 2 * (3 * a * \cosh(x)^2 - a) * \sinh(x)^2 + 4 * (a * \cosh(x)^3 - a * \cosh(x)) * \sinh(x) + a), 1/4 * (2 * ((2 * a + b) * \cosh(x)^4 + 4 * (2 * a + b) * \cosh(x) * \sinh(x)^3 + (2 * a + b) * \sinh(x)^4 - 2 * (2 * a + b) * \cosh(x)^2 + 2 * (3 * (2 * a + b) * \cosh(x)^2 - 2 * a - b) * \sinh(x)^2 + 4 * ((2 * a + b) * \cosh(x)^3 - (2 * a + b) * \cosh(x)) * \sinh(x) + 2 * a + b) * \sqrt{-a} * \arctan(\sqrt{2} * (\cosh(x)^2 + 2 * \cosh(x) * \sinh(x) + \sinh(x)^2 + 1) * \sqrt{-a} * \sqrt{((a + b) * \cosh(x)^2 + (a + b) * \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 * \cosh(x) * \sinh(x) + \sinh(x)^2)})) / ((a + b) * \cosh(x)^4 + 4 * (a + b) * \cosh(x) * \sinh(x)^3 + (a + b) * \sinh(x)^4 + 2 * (a - b) * \cosh(x)^2 + 2 * (3 * (a + b) * \cosh(x)^2 + a - b) * \sinh(x)^2 + 4 * ((a + b) * \cosh(x)^3 + (a - b) * \cosh(x)) * \sinh(x) + a + b)) + (a * \cosh(x)^4 + 4 * a * \cosh(x) * \sinh(x)^3 + a * \sinh(x)^4 - 2 * a * \cosh(x)^2 + 2 * (3 * a * \cosh(x)^2 - a) * \sinh(x)^2 + 4 * (a * \cosh(x)^3 - a * \cosh(x)) * \sinh(x) + a) * \sqrt{a + b} * \log(((a^3 + a^2 * b) * \cosh(x)^8 + 8 * (a^3 + a^2 * b) * \cosh(x) * \sinh(x)^7 + (a^3 + a^2 * b) * \sinh(x)^8 + 2 * (2 * a^3 + a^2 * b) * \cosh(x)^6 + 2 * (2 * a^3 + a^2 * b + 14 * (a^3 + a^2 * b) * \cosh(x)^2) * \sinh(x)^6 + 4 * (14 * (a^3 + a^2 * b) * \cosh(x)^3 + 3 * (2 * a^3 + a^2 * b) * \cosh(x)) * \sinh(x)^5 + (6 * a^3 + 4 * a^2 * b - a * b^2 + b^3) * \cosh(x)^4 + (70 * (a^3 + a^2 * b) * \cosh(x)^4 + 6 * a^3 + 4 * a^2 * b - a * b^2 + b^3 + 30 * (2 * a^3 + a^2 * b) * \cosh(x)^2) * \sinh(x)^4 + 4 * (14 * (a^3 + a^2 * b) * \cosh(x)^5 + 10 * (2 * a^3 + a^2 * b) * \cosh(x)^3 + (6 * a^3 + 4 * a^2 * b - a * b^2 + b^3) * \cosh(x)) * \sinh(x)^3 + a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3 + 2 * (2 * a^3 + 3 * a^2 * b - b^3) * \cosh(x)^2 + 2 * (14 * (a^3 + a^2 * b) * \cosh(x)^6 + 15 * (2 * a^3
\end{aligned}$$

$$\begin{aligned}
& 3 + a^2b) \cosh(x)^4 + 2a^3 + 3a^2b - b^3 + 3(6a^3 + 4a^2b - ab^2 + \\
& b^3) \cosh(x)^2 \sinh(x)^2 + \sqrt{2}(a^2 \cosh(x)^6 + 6a^2 \cosh(x) \sinh(x) \\
& ^5 + a^2 \sinh(x)^6 + 3a^2 \cosh(x)^4 + 3(5a^2 \cosh(x)^2 + a^2) \sinh(x)^4 \\
& + 4(5a^2 \cosh(x)^3 + 3a^2 \cosh(x)) \sinh(x)^3 + (3a^2 + 2ab - b^2) \cos \\
& h(x)^2 + (15a^2 \cosh(x)^4 + 18a^2 \cosh(x)^2 + 3a^2 + 2ab - b^2) \sinh(x) \\
& ^2 + a^2 + 2ab + b^2 + 2(3a^2 \cosh(x)^5 + 6a^2 \cosh(x)^3 + (3a^2 + 2 \\
& ab - b^2) \cosh(x)) \sinh(x)) \sqrt{a+b} \sqrt{((a+b) \cosh(x)^2 + (a+b) \\
& * \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)} + 4(2(a^3 \\
& + a^2b) \cosh(x)^7 + 3(2a^3 + a^2b) \cosh(x)^5 + (6a^3 + 4a^2b - ab^2 \\
& ^2 + b^3) \cosh(x)^3 + (2a^3 + 3a^2b - b^3) \cosh(x)) \sinh(x)) / (\cosh(x)^6 \\
& + 6 \cosh(x)^5 \sinh(x) + 15 \cosh(x)^4 \sinh(x)^2 + 20 \cosh(x)^3 \sinh(x)^3 + 1 \\
& 5 \cosh(x)^2 \sinh(x)^4 + 6 \cosh(x) \sinh(x)^5 + \sinh(x)^6) + (a \cosh(x)^4 + \\
& 4a \cosh(x) \sinh(x)^3 + a \sinh(x)^4 - 2a \cosh(x)^2 + 2(3a \cosh(x)^2 - a) \\
& * \sinh(x)^2 + 4(a \cosh(x)^3 - a \cosh(x)) \sinh(x) + a) \sqrt{a+b} \log(-((a \\
& + b) \cosh(x)^4 + 4(a+b) \cosh(x) \sinh(x)^3 + (a+b) \sinh(x)^4 - 2b \cosh \\
& (x)^2 + 2(3(a+b) \cosh(x)^2 - b) \sinh(x)^2 + \sqrt{2}(\cosh(x)^2 + 2 \cosh \\
& (x) \sinh(x) + \sinh(x)^2 - 1) \sqrt{a+b} \sqrt{((a+b) \cosh(x)^2 + (a+b) * \\
& \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)} + 4((a+b) \\
& ) \cosh(x)^3 - b \cosh(x)) \sinh(x) + a + b) / (\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \\
& \sinh(x)^2) - 2 \sqrt{2}(a \cosh(x)^2 + 2a \cosh(x) \sinh(x) + a \sinh(x)^2 + \\
& a) \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh \\
& (x) \sinh(x) + \sinh(x)^2))} / (a \cosh(x)^4 + 4a \cosh(x) \sinh(x)^3 + a \sinh(x) \\
& ^4 - 2a \cosh(x)^2 + 2(3a \cosh(x)^2 - a) \sinh(x)^2 + 4(a \cosh(x)^3 - a \c \\
& osh(x)) \sinh(x) + a), -1/4(2(a \cosh(x)^4 + 4a \cosh(x) \sinh(x)^3 + a \sinh \\
& (x)^4 - 2a \cosh(x)^2 + 2(3a \cosh(x)^2 - a) \sinh(x)^2 + 4(a \cosh(x)^3 - \\
& a \cosh(x)) \sinh(x) + a) \sqrt{-a-b} \arctan(\sqrt{2}(a \cosh(x)^2 + 2a \cosh \\
& (x) \sinh(x) + a \sinh(x)^2 + a + b) \sqrt{-a-b} \sqrt{((a+b) \cosh(x)^2 + ( \\
& a+b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)}) / ((a^ \\
& 2 + ab) \cosh(x)^4 + 4(a^2 + ab) \cosh(x) \sinh(x)^3 + (a^2 + ab) \sinh(x)^ \\
& 4 + (2a^2 + ab - b^2) \cosh(x)^2 + (6(a^2 + ab) \cosh(x)^2 + 2a^2 + ab \\
& - b^2) \sinh(x)^2 + a^2 + 2ab + b^2 + 2(2(a^2 + ab) \cosh(x)^3 + (2a^2 \\
& + ab - b^2) \cosh(x)) \sinh(x))) + 2(a \cosh(x)^4 + 4a \cosh(x) \sinh(x)^3 + \\
& a \sinh(x)^4 - 2a \cosh(x)^2 + 2(3a \cosh(x)^2 - a) \sinh(x)^2 + 4(a \cosh(x) \\
& )^3 - a \cosh(x)) \sinh(x) + a) \sqrt{-a-b} \arctan(\sqrt{2}(\cosh(x)^2 + 2 \c \\
& osh(x) \sinh(x) + \sinh(x)^2 - 1) \sqrt{-a-b} \sqrt{((a+b) \cosh(x)^2 + (a+ \\
& b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)}) / ((a+b) \\
& * \cosh(x)^4 + 4(a+b) \cosh(x) \sinh(x)^3 + (a+b) \sinh(x)^4 + 2(a-b) \c \\
& osh(x)^2 + 2(3(a+b) \cosh(x)^2 + a - b) \sinh(x)^2 + 4((a+b) \cosh(x)^3 \\
& + (a-b) \cosh(x)) \sinh(x) + a + b) - ((2a+b) \cosh(x)^4 + 4(2a+b) \c \\
& osh(x) \sinh(x)^3 + (2a+b) \sinh(x)^4 - 2(2a+b) \cosh(x)^2 + 2(3(2a \\
& + b) \cosh(x)^2 - 2a - b) \sinh(x)^2 + 4((2a+b) \cosh(x)^3 - (2a+b) \c \\
& osh(x)) \sinh(x) + 2a + b) \sqrt{a} \log(-((2a+b) \cosh(x)^4 + 4(2a+b) \c \\
& osh(x) \sinh(x)^3 + (2a+b) \sinh(x)^4 + 2(2a-b) \cosh(x)^2 + 2(3(2a \\
& + b) \cosh(x)^2 + 2a - b) \sinh(x)^2 - 2 \sqrt{2}(\cosh(x)^2 + 2 \cosh(x) \sinh \\
& (x) + \sinh(x)^2 + 1) \sqrt{a} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 +
\end{aligned}$$

```

a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 4*((2*a + b)*cosh(x)^
3 + (2*a - b)*cosh(x))*sinh(x) + 2*a + b)/(cosh(x)^4 + 4*cosh(x)*sinh(x)^3
+ sinh(x)^4 + 2*(3*cosh(x)^2 - 1)*sinh(x)^2 - 2*cosh(x)^2 + 4*(cosh(x)^3 -
cosh(x))*sinh(x) + 1)) + 2*sqrt(2)*(a*cosh(x)^2 + 2*a*cosh(x)*sinh(x) + a*s
inh(x)^2 + a)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)
^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/(a*cosh(x)^4 + 4*a*cosh(x)*sinh(x)^3
+ a*sinh(x)^4 - 2*a*cosh(x)^2 + 2*(3*a*cosh(x)^2 - a)*sinh(x)^2 + 4*(a*cosh
(x)^3 - a*cosh(x))*sinh(x) + a), 1/2*(((2*a + b)*cosh(x)^4 + 4*(2*a + b)*co
sh(x)*sinh(x)^3 + (2*a + b)*sinh(x)^4 - 2*(2*a + b)*cosh(x)^2 + 2*(3*(2*a +
b)*cosh(x)^2 - 2*a - b)*sinh(x)^2 + 4*((2*a + b)*cosh(x)^3 - (2*a + b)*cos
h(x))*sinh(x) + 2*a + b)*sqrt(-a)*arctan(sqrt(2)*(cosh(x)^2 + 2*cosh(x)*sin
h(x) + sinh(x)^2 + 1)*sqrt(-a)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2
+ a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/((a + b)*cosh(x)^4 +
4*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 + 2*(a - b)*cosh(x)^2 + 2*(
3*(a + b)*cosh(x)^2 + a - b)*sinh(x)^2 + 4*((a + b)*cosh(x)^3 + (a - b)*cos
h(x))*sinh(x) + a + b)) - (a*cosh(x)^4 + 4*a*cosh(x)*sinh(x)^3 + a*sinh(x)^
4 - 2*a*cosh(x)^2 + 2*(3*a*cosh(x)^2 - a)*sinh(x)^2 + 4*(a*cosh(x)^3 - a*co
sh(x))*sinh(x) + a)*sqrt(-a - b)*arctan(sqrt(2)*(a*cosh(x)^2 + 2*a*cosh(x)*
sinh(x) + a*sinh(x)^2 + a + b)*sqrt(-a - b)*sqrt(((a + b)*cosh(x)^2 + (a +
b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/((a^2 +
a*b)*cosh(x)^4 + 4*(a^2 + a*b)*cosh(x)*sinh(x)^3 + (a^2 + a*b)*sinh(x)^4 +
(2*a^2 + a*b - b^2)*cosh(x)^2 + (6*(a^2 + a*b)*cosh(x)^2 + 2*a^2 + a*b - b^
2)*sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(2*(a^2 + a*b)*cosh(x)^3 + (2*a^2 + a*
b - b^2)*cosh(x))*sinh(x))) - (a*cosh(x)^4 + 4*a*cosh(x)*sinh(x)^3 + a*sinh
(x)^4 - 2*a*cosh(x)^2 + 2*(3*a*cosh(x)^2 - a)*sinh(x)^2 + 4*(a*cosh(x)^3 -
a*cosh(x))*sinh(x) + a)*sqrt(-a - b)*arctan(sqrt(2)*(cosh(x)^2 + 2*cosh(x)*
sinh(x) + sinh(x)^2 - 1)*sqrt(-a - b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sin
h(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/((a + b)*cosh(
x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 + 2*(a - b)*cosh(x)^
2 + 2*(3*(a + b)*cosh(x)^2 + a - b)*sinh(x)^2 + 4*((a + b)*cosh(x)^3 + (a -
b)*cosh(x))*sinh(x) + a + b)) - sqrt(2)*(a*cosh(x)^2 + 2*a*cosh(x)*sinh(x)
+ a*sinh(x)^2 + a)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(c
osh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/(a*cosh(x)^4 + 4*a*cosh(x)*sinh
(x)^3 + a*sinh(x)^4 - 2*a*cosh(x)^2 + 2*(3*a*cosh(x)^2 - a)*sinh(x)^2 + 4*(
a*cosh(x)^3 - a*cosh(x))*sinh(x) + a)]

```

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a + b \tanh^2(x)} \coth^3(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(coth(x)**3*(a+b*tanh(x)**2)**(1/2),x)
```

```
[Out] Integral(sqrt(a + b*tanh(x)**2)*coth(x)**3, x)
```

---

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(coth(x)^3*(a+b*tanh(x)^2)^(1/2),x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError
```



$$3.217 \quad \int \coth^4(x) \sqrt{a + b \tanh^2(x)} dx$$

**Optimal.** Leaf size=78

$$\sqrt{a+b} \tanh^{-1} \left( \frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}} \right) - \frac{1}{3} \coth^3(x) \sqrt{a+b \tanh^2(x)} - \frac{(3a+b) \coth(x) \sqrt{a+b \tanh^2(x)}}{3a}$$

[Out] Sqrt[a + b]\*ArcTanh[(Sqrt[a + b]\*Tanh[x])/Sqrt[a + b\*Tanh[x]^2]] - ((3\*a + b)\*Coth[x]\*Sqrt[a + b\*Tanh[x]^2])/(3\*a) - (Coth[x]^3\*Sqrt[a + b\*Tanh[x]^2])/3

**Rubi [A]** time = 0.145969, antiderivative size = 78, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.353$ , Rules used = {3670, 475, 583, 12, 377, 206}

$$\sqrt{a+b} \tanh^{-1} \left( \frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}} \right) - \frac{1}{3} \coth^3(x) \sqrt{a+b \tanh^2(x)} - \frac{(3a+b) \coth(x) \sqrt{a+b \tanh^2(x)}}{3a}$$

Antiderivative was successfully verified.

[In] Int[Coth[x]^4\*Sqrt[a + b\*Tanh[x]^2], x]

[Out] Sqrt[a + b]\*ArcTanh[(Sqrt[a + b]\*Tanh[x])/Sqrt[a + b\*Tanh[x]^2]] - ((3\*a + b)\*Coth[x]\*Sqrt[a + b\*Tanh[x]^2])/(3\*a) - (Coth[x]^3\*Sqrt[a + b\*Tanh[x]^2])/3

### Rule 3670

Int[((d\_)\*tan[(e\_) + (f\_)\*(x\_)])^(m\_)\*((a\_) + (b\_)\*((c\_)\*tan[(e\_) + (f\_)\*(x\_)])^(n\_))^(p\_), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

### Rule 475

Int[((e\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_)\*(x\_)^(n\_))^(q\_), x\_Symbol] := Simp[((e\*x)^(m + 1)\*(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^q)

$$\frac{1}{(a e^{m+1})}, x] - \text{Dist}\left[\frac{1}{(a e^n)^{m+1}}, \text{Int}[(e x)^{m+n} (a + b x^n)^{p(c + d x^n)^{q-1}} \text{Simp}[c b (m+1) + n(b c (p+1) + a d q) + d(b(m+1) + b n(p+q+1)) x^n, x], x], x] \right];$$

$$\text{FreeQ}\{a, b, c, d, e, p\}, x] \ \&\& \ \text{NeQ}[b c - a d, 0] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{LtQ}[0, q, 1] \ \&\& \ \text{LtQ}[m, -1] \ \&\& \ \text{IntBinomialQ}[a, b, c, d, e, m, n, p, q, x]$$

### Rule 583

$$\text{Int}[(g(x))^m ((a) + (b)(x)^n)^{p((c) + (d)(x)^n)^{q((e) + (f)(x)^n)}, x\_Symbol] := \text{Simp}[(e(g x)^{m+1} (a + b x^n)^{p+1} (c + d x^n)^{q+1}) / (a c g^{m+1}), x] + \text{Dist}\left[\frac{1}{(a c g^{m+1})}, \text{Int}[(g x)^{m+n} (a + b x^n)^p (c + d x^n)^q \text{Simp}[a f c (m+1) - e(b c + a d)(m+n+1) - e n(b c p + a d q) - b e d(m+n(p+q+2) + 1) x^n, x], x], x] \right];$$

$$\text{FreeQ}\{a, b, c, d, e, f, g, p, q\}, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{LtQ}[m, -1]$$

### Rule 12

$$\text{Int}[(a)(u), x\_Symbol] := \text{Dist}[a, \text{Int}[u, x], x] /; \text{FreeQ}[a, x] \ \&\& \ !\text{MatchQ}[u, (b)(v)] /; \text{FreeQ}[b, x]$$

### Rule 377

$$\text{Int}[(a) + (b)(x)^n)^{p((c) + (d)(x)^n)}, x\_Symbol] := \text{Subst}[\text{Int}[1/(c - (b c - a d) x^n), x], x, x/(a + b x^n)^{1/n}] /; \text{FreeQ}\{a, b, c, d\}, x] \ \&\& \ \text{NeQ}[b c - a d, 0] \ \&\& \ \text{EqQ}[n p + 1, 0] \ \&\& \ \text{IntegerQ}[n]$$

### Rule 206

$$\text{Int}[(a) + (b)(x)^2)^{-1}, x\_Symbol] := \text{Simp}[(1 * \text{ArcTanh}[(\text{Rt}[-b, 2] x) / \text{Rt}[a, 2]]) / (\text{Rt}[a, 2] * \text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{NegQ}[a/b] \ \&\& \ (\text{GtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$$

### Rubi steps

$$\begin{aligned}
\int \coth^4(x) \sqrt{a + b \tanh^2(x)} dx &= \text{Subst} \left( \int \frac{\sqrt{a + bx^2}}{x^4 (1 - x^2)} dx, x, \tanh(x) \right) \\
&= -\frac{1}{3} \coth^3(x) \sqrt{a + b \tanh^2(x)} + \frac{1}{3} \text{Subst} \left( \int \frac{3a + b + 2bx^2}{x^2 (1 - x^2) \sqrt{a + bx^2}} dx, x, \tanh(x) \right) \\
&= -\frac{(3a + b) \coth(x) \sqrt{a + b \tanh^2(x)}}{3a} - \frac{1}{3} \coth^3(x) \sqrt{a + b \tanh^2(x)} - \frac{\text{Subst} \left( \int \frac{3a}{(1-x^2)} \right)}{3a} \\
&= -\frac{(3a + b) \coth(x) \sqrt{a + b \tanh^2(x)}}{3a} - \frac{1}{3} \coth^3(x) \sqrt{a + b \tanh^2(x)} - (-a - b) \text{Subst} \left( \int \frac{3a}{(1-x^2)} \right) \\
&= -\frac{(3a + b) \coth(x) \sqrt{a + b \tanh^2(x)}}{3a} - \frac{1}{3} \coth^3(x) \sqrt{a + b \tanh^2(x)} - (-a - b) \text{Subst} \left( \int \frac{3a}{(1-x^2)} \right) \\
&= \sqrt{a + b} \tanh^{-1} \left( \frac{\sqrt{a + b} \tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right) - \frac{(3a + b) \coth(x) \sqrt{a + b \tanh^2(x)}}{3a} - \frac{1}{3} \coth^3(x)
\end{aligned}$$

**Mathematica [C]** time = 8.83605, size = 235, normalized size = 3.01

$$\frac{\tanh(x) \left( -12\sqrt{2}a(a+b) \sqrt{\frac{\text{csch}^2(x)((a+b) \cosh(2x)+a-b)}{b}} \text{EllipticF} \left( \sin^{-1} \left( \frac{\sqrt{\frac{\text{csch}^2(x)((a+b) \cosh(2x)+a-b)}{b}}}{\sqrt{2}} \right), 1 \right) + \text{csch}^4(x) (4(a^2 - 3b)) \right)}{12\sqrt{2}a\sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[x]^4\*Sqrt[a + b\*Tanh[x]^2], x]

[Out] -(((b\*(7\*a + 3\*b) + 4\*(a^2 - 3\*a\*b - b^2)\*Cosh[2\*x] + (4\*a^2 + 5\*a\*b + b^2)\*Cosh[4\*x])\*Csch[x]^4 - 12\*Sqrt[2]\*a\*(a + b)\*Sqrt[((a - b + (a + b)\*Cosh[2\*x])\*Csch[x]^2)/b]\*EllipticF[ArcSin[Sqrt[((a - b + (a + b)\*Cosh[2\*x])\*Csch[x]^2)/b]/Sqrt[2]], 1] + 12\*Sqrt[2]\*a^2\*Sqrt[((a - b + (a + b)\*Cosh[2\*x])\*Csch[x]^2)/b]\*EllipticPi[b/(a + b), ArcSin[Sqrt[((a - b + (a + b)\*Cosh[2\*x])\*Csch[x]^2)/b]/Sqrt[2]], 1])\*Tanh[x])/(12\*Sqrt[2]\*a\*Sqrt[(a - b + (a + b)\*Cosh[2\*x])\*Sech[x]^2])

**Maple [F]** time = 0.152, size = 0, normalized size = 0.

$$\int (\coth(x))^4 \sqrt{a + b(\tanh(x))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(coth(x)^4*(a+b*tanh(x)^2)^(1/2),x)`

[Out] `int(coth(x)^4*(a+b*tanh(x)^2)^(1/2),x)`

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{b \tanh(x)^2 + a} \coth(x)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(x)^4*(a+b*tanh(x)^2)^(1/2),x, algorithm="maxima")`

[Out] `integrate(sqrt(b*tanh(x)^2 + a)*coth(x)^4, x)`

**Fricas [B]** time = 3.91429, size = 6839, normalized size = 87.68

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(x)^4*(a+b*tanh(x)^2)^(1/2),x, algorithm="fricas")`

[Out] `[1/12*(3*(a*cosh(x)^6 + 6*a*cosh(x)*sinh(x)^5 + a*sinh(x)^6 - 3*a*cosh(x)^4 + 3*(5*a*cosh(x)^2 - a)*sinh(x)^4 + 4*(5*a*cosh(x)^3 - 3*a*cosh(x))*sinh(x)^3 + 3*a*cosh(x)^2 + 3*(5*a*cosh(x)^4 - 6*a*cosh(x)^2 + a)*sinh(x)^2 + 6*(a*cosh(x)^5 - 2*a*cosh(x)^3 + a*cosh(x))*sinh(x) - a)*sqrt(a + b)*log(-((a*b^2 + b^3)*cosh(x)^8 + 8*(a*b^2 + b^3)*cosh(x)*sinh(x)^7 + (a*b^2 + b^3)*sinh(x)^8 - 2*(a*b^2 + 2*b^3)*cosh(x)^6 - 2*(a*b^2 + 2*b^3 - 14*(a*b^2 + b^3)*cosh(x)^2)*sinh(x)^6 + 4*(14*(a*b^2 + b^3)*cosh(x)^3 - 3*(a*b^2 + 2*b^3)*cosh(x))*sinh(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*cosh(x)^4 + (70*(a*b^2 + b^3)*cosh(x)^4 + a^3 - a^2*b + 4*a*b^2 + 6*b^3 - 30*(a*b^2 + 2*b^3)*cosh(x)`

$$\begin{aligned}
& x)^2 * \sinh(x)^4 + 4 * (14 * (a * b^2 + b^3) * \cosh(x)^5 - 10 * (a * b^2 + 2 * b^3) * \cosh(x) \\
& )^3 + (a^3 - a^2 * b + 4 * a * b^2 + 6 * b^3) * \cosh(x) * \sinh(x)^3 + a^3 + 3 * a^2 * b + \\
& 3 * a * b^2 + b^3 + 2 * (a^3 - 3 * a * b^2 - 2 * b^3) * \cosh(x)^2 + 2 * (14 * (a * b^2 + b^3) * \c \\
& osh(x)^6 - 15 * (a * b^2 + 2 * b^3) * \cosh(x)^4 + a^3 - 3 * a * b^2 - 2 * b^3 + 3 * (a^3 - \\
& a^2 * b + 4 * a * b^2 + 6 * b^3) * \cosh(x)^2) * \sinh(x)^2 + \sqrt{2} * (b^2 * \cosh(x)^6 + 6 * \\
& b^2 * \cosh(x) * \sinh(x)^5 + b^2 * \sinh(x)^6 - 3 * b^2 * \cosh(x)^4 + 3 * (5 * b^2 * \cosh(x)^ \\
& 2 - b^2) * \sinh(x)^4 + 4 * (5 * b^2 * \cosh(x)^3 - 3 * b^2 * \cosh(x)) * \sinh(x)^3 - (a^2 - \\
& 2 * a * b - 3 * b^2) * \cosh(x)^2 + (15 * b^2 * \cosh(x)^4 - 18 * b^2 * \cosh(x)^2 - a^2 + 2 * \\
& a * b + 3 * b^2) * \sinh(x)^2 - a^2 - 2 * a * b - b^2 + 2 * (3 * b^2 * \cosh(x)^5 - 6 * b^2 * \cos \\
& h(x)^3 - (a^2 - 2 * a * b - 3 * b^2) * \cosh(x)) * \sinh(x)) * \sqrt{a + b} * \sqrt{((a + b) * \\
& \cosh(x)^2 + (a + b) * \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 * \cosh(x) * \sinh(x) + \sin \\
& h(x)^2)} + 4 * (2 * (a * b^2 + b^3) * \cosh(x)^7 - 3 * (a * b^2 + 2 * b^3) * \cosh(x)^5 + (a^ \\
& 3 - a^2 * b + 4 * a * b^2 + 6 * b^3) * \cosh(x)^3 + (a^3 - 3 * a * b^2 - 2 * b^3) * \cosh(x)) * \s \\
& in h(x)) / (\cosh(x)^6 + 6 * \cosh(x)^5 * \sinh(x) + 15 * \cosh(x)^4 * \sinh(x)^2 + 20 * \cosh \\
& (x)^3 * \sinh(x)^3 + 15 * \cosh(x)^2 * \sinh(x)^4 + 6 * \cosh(x) * \sinh(x)^5 + \sinh(x)^6) \\
& ) + 3 * (a * \cosh(x)^6 + 6 * a * \cosh(x) * \sinh(x)^5 + a * \sinh(x)^6 - 3 * a * \cosh(x)^4 + \\
& 3 * (5 * a * \cosh(x)^2 - a) * \sinh(x)^4 + 4 * (5 * a * \cosh(x)^3 - 3 * a * \cosh(x)) * \sinh(x)^3 \\
& + 3 * a * \cosh(x)^2 + 3 * (5 * a * \cosh(x)^4 - 6 * a * \cosh(x)^2 + a) * \sinh(x)^2 + 6 * (a * \c \\
& osh(x)^5 - 2 * a * \cosh(x)^3 + a * \cosh(x)) * \sinh(x) - a) * \sqrt{a + b} * \log(((a + b) \\
& * \cosh(x)^4 + 4 * (a + b) * \cosh(x) * \sinh(x)^3 + (a + b) * \sinh(x)^4 + 2 * a * \cosh(x)^ \\
& 2 + 2 * (3 * (a + b) * \cosh(x)^2 + a) * \sinh(x)^2 + \sqrt{2} * (\cosh(x)^2 + 2 * \cosh(x) * \\
& \sinh(x) + \sinh(x)^2 + 1) * \sqrt{a + b} * \sqrt{((a + b) * \cosh(x)^2 + (a + b) * \sinh \\
& (x)^2 + a - b) / (\cosh(x)^2 - 2 * \cosh(x) * \sinh(x) + \sinh(x)^2)} + 4 * ((a + b) * \co \\
& sh(x)^3 + a * \cosh(x)) * \sinh(x) + a + b) / (\cosh(x)^2 + 2 * \cosh(x) * \sinh(x) + \sinh \\
& (x)^2)) - 4 * \sqrt{2} * ((4 * a + b) * \cosh(x)^4 + 4 * (4 * a + b) * \cosh(x) * \sinh(x)^3 + \\
& (4 * a + b) * \sinh(x)^4 - 2 * (2 * a + b) * \cosh(x)^2 + 2 * (3 * (4 * a + b) * \cosh(x)^2 - 2 * \\
& a - b) * \sinh(x)^2 + 4 * ((4 * a + b) * \cosh(x)^3 - (2 * a + b) * \cosh(x)) * \sinh(x) + 4 * \\
& a + b) * \sqrt{((a + b) * \cosh(x)^2 + (a + b) * \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 * \\
& \cosh(x) * \sinh(x) + \sinh(x)^2)})) / (a * \cosh(x)^6 + 6 * a * \cosh(x) * \sinh(x)^5 + a * \sin \\
& h(x)^6 - 3 * a * \cosh(x)^4 + 3 * (5 * a * \cosh(x)^2 - a) * \sinh(x)^4 + 4 * (5 * a * \cosh(x)^3 \\
& - 3 * a * \cosh(x)) * \sinh(x)^3 + 3 * a * \cosh(x)^2 + 3 * (5 * a * \cosh(x)^4 - 6 * a * \cosh(x)^ \\
& 2 + a) * \sinh(x)^2 + 6 * (a * \cosh(x)^5 - 2 * a * \cosh(x)^3 + a * \cosh(x)) * \sinh(x) - a) \\
& , -1/6 * (3 * (a * \cosh(x)^6 + 6 * a * \cosh(x) * \sinh(x)^5 + a * \sinh(x)^6 - 3 * a * \cosh(x)^ \\
& 4 + 3 * (5 * a * \cosh(x)^2 - a) * \sinh(x)^4 + 4 * (5 * a * \cosh(x)^3 - 3 * a * \cosh(x)) * \sinh \\
& (x)^3 + 3 * a * \cosh(x)^2 + 3 * (5 * a * \cosh(x)^4 - 6 * a * \cosh(x)^2 + a) * \sinh(x)^2 + 6 * \\
& (a * \cosh(x)^5 - 2 * a * \cosh(x)^3 + a * \cosh(x)) * \sinh(x) - a) * \sqrt{-a - b} * \arctan( \\
& \sqrt{2} * (b * \cosh(x)^2 + 2 * b * \cosh(x) * \sinh(x) + b * \sinh(x)^2 - a - b) * \sqrt{-a - \\
& b} * \sqrt{((a + b) * \cosh(x)^2 + (a + b) * \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 * \cos \\
& h(x) * \sinh(x) + \sinh(x)^2)})) / ((a * b + b^2) * \cosh(x)^4 + 4 * (a * b + b^2) * \cosh(x) * \s \\
& in h(x)^3 + (a * b + b^2) * \sinh(x)^4 + (a^2 - a * b - 2 * b^2) * \cosh(x)^2 + (6 * (a * b \\
& + b^2) * \cosh(x)^2 + a^2 - a * b - 2 * b^2) * \sinh(x)^2 + a^2 + 2 * a * b + b^2 + 2 * (2 * \\
& (a * b + b^2) * \cosh(x)^3 + (a^2 - a * b - 2 * b^2) * \cosh(x)) * \sinh(x)) + 3 * (a * \cosh( \\
& x)^6 + 6 * a * \cosh(x) * \sinh(x)^5 + a * \sinh(x)^6 - 3 * a * \cosh(x)^4 + 3 * (5 * a * \cosh(x) \\
& ^2 - a) * \sinh(x)^4 + 4 * (5 * a * \cosh(x)^3 - 3 * a * \cosh(x)) * \sinh(x)^3 + 3 * a * \cosh(x) \\
& ^2 + 3 * (5 * a * \cosh(x)^4 - 6 * a * \cosh(x)^2 + a) * \sinh(x)^2 + 6 * (a * \cosh(x)^5 - 2 * a
\end{aligned}$$

```
*cosh(x)^3 + a*cosh(x))*sinh(x) - a)*sqrt(-a - b)*arctan(sqrt(2)*(cosh(x)^2
+ 2*cosh(x)*sinh(x) + sinh(x)^2 + 1)*sqrt(-a - b)*sqrt(((a + b)*cosh(x)^2
+ (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/(
(a + b)*cosh(x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 + 2*(a
- b)*cosh(x)^2 + 2*(3*(a + b)*cosh(x)^2 + a - b)*sinh(x)^2 + 4*((a + b)*cos
h(x)^3 + (a - b)*cosh(x))*sinh(x) + a + b)) + 2*sqrt(2)*((4*a + b)*cosh(x)^
4 + 4*(4*a + b)*cosh(x)*sinh(x)^3 + (4*a + b)*sinh(x)^4 - 2*(2*a + b)*cosh
(x)^2 + 2*(3*(4*a + b)*cosh(x)^2 - 2*a - b)*sinh(x)^2 + 4*((4*a + b)*cosh(x)
^3 - (2*a + b)*cosh(x))*sinh(x) + 4*a + b)*sqrt(((a + b)*cosh(x)^2 + (a + b)
)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/(a*cosh(
x)^6 + 6*a*cosh(x)*sinh(x)^5 + a*sinh(x)^6 - 3*a*cosh(x)^4 + 3*(5*a*cosh(x)
^2 - a)*sinh(x)^4 + 4*(5*a*cosh(x)^3 - 3*a*cosh(x))*sinh(x)^3 + 3*a*cosh(x)
^2 + 3*(5*a*cosh(x)^4 - 6*a*cosh(x)^2 + a)*sinh(x)^2 + 6*(a*cosh(x)^5 - 2*a
*cosh(x)^3 + a*cosh(x))*sinh(x) - a)]
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(coth(x)**4*(a+b*tanh(x)**2)**(1/2),x)
```

```
[Out] Timed out
```

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(coth(x)^4*(a+b*tanh(x)^2)^(1/2),x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError
```

$$3.218 \quad \int \coth^5(x) \sqrt{a + b \tanh^2(x)} dx$$

**Optimal.** Leaf size=121

$$-\frac{(8a^2 + 4ab - b^2) \tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a}}\right)}{8a^{3/2}} + \sqrt{a+b} \tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}}\right) - \frac{1}{4} \coth^4(x) \sqrt{a+b \tanh^2(x)} - \frac{(4a+b)}{4}$$

[Out]  $-\frac{((8*a^2 + 4*a*b - b^2)*\text{ArcTanh}[\text{Sqrt}[a + b*\text{Tanh}[x]^2]/\text{Sqrt}[a]])/(8*a^{(3/2)}) + \text{Sqrt}[a + b]*\text{ArcTanh}[\text{Sqrt}[a + b*\text{Tanh}[x]^2]/\text{Sqrt}[a + b]] - ((4*a + b)*\text{Coth}[x]^2*\text{Sqrt}[a + b*\text{Tanh}[x]^2])/(8*a) - (\text{Coth}[x]^4*\text{Sqrt}[a + b*\text{Tanh}[x]^2])/4}$

**Rubi [A]** time = 0.21298, antiderivative size = 121, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.412$ , Rules used = {3670, 446, 99, 151, 156, 63, 208}

$$-\frac{(8a^2 + 4ab - b^2) \tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a}}\right)}{8a^{3/2}} + \sqrt{a+b} \tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}}\right) - \frac{1}{4} \coth^4(x) \sqrt{a+b \tanh^2(x)} - \frac{(4a+b)}{4}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Coth}[x]^5*\text{Sqrt}[a + b*\text{Tanh}[x]^2], x]$

[Out]  $-\frac{((8*a^2 + 4*a*b - b^2)*\text{ArcTanh}[\text{Sqrt}[a + b*\text{Tanh}[x]^2]/\text{Sqrt}[a]])/(8*a^{(3/2)}) + \text{Sqrt}[a + b]*\text{ArcTanh}[\text{Sqrt}[a + b*\text{Tanh}[x]^2]/\text{Sqrt}[a + b]] - ((4*a + b)*\text{Coth}[x]^2*\text{Sqrt}[a + b*\text{Tanh}[x]^2])/(8*a) - (\text{Coth}[x]^4*\text{Sqrt}[a + b*\text{Tanh}[x]^2])/4}$

### Rule 3670

$\text{Int}[\frac{(d + (e + f*x)^m)^n}{(a + b*(f*x)^n)^p}, x\_Symbol] := \text{With}[\{ff = \text{FreeFactors}[\text{Tan}[e + f*x], x]\}, \text{Dist}[\frac{c*ff}{f}, \text{Subst}[\text{Int}[\frac{(d + (e + f*x)^m)^n}{(c^2 + f*ff*x^2)}, x], x, \frac{c*\text{Tan}[e + f*x]}{ff}], x]] /; \text{FreeQ}\{a, b, c, d, e, f, m, n, p\}, x] \&\& (\text{IGtQ}[p, 0] \|\ \text{EqQ}[n, 2] \|\ \text{EqQ}[n, 4] \|\ (\text{IntegerQ}[p] \&\& \text{RationalQ}[n]))$

### Rule 446

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_
), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p
*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[
b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 99

```
Int[((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_))*((e_) + (f_)*(x_
))^(p_), x_Symbol] := Simp[((a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^(p + 1
))/(m + 1)*(b*e - a*f), x] - Dist[1/((m + 1)*(b*e - a*f)), Int[(a + b*x)^(
m + 1)*(c + d*x)^(n - 1)*(e + f*x)^p*Simp[d*e*n + c*f*(m + p + 2) + d*f*(m
+ n + p + 2)*x, x], x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && LtQ[m, -1
] && GtQ[n, 0] && (IntegersQ[2*m, 2*n, 2*p] || IntegersQ[m, n + p] || Integ
ersQ[p, m + n])
```

### Rule 151

```
Int[((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_))*((e_) + (f_)*(x_)
)^(p_)*((g_) + (h_)*(x_)), x_Symbol] := Simp[((b*g - a*h)*(a + b*x)^(m +
1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(m + 1)*(b*c - a*d)*(b*e - a*f),
x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d
*x)^n*(e + f*x)^p*Simp[(a*d*f*g - b*(d*e + c*f)*g + b*c*e*h)*(m + 1) - (b*g
- a*h)*(d*e*(n + 1) + c*f*(p + 1)) - d*f*(b*g - a*h)*(m + n + p + 3)*x, x]
, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && LtQ[m, -1] && Integ
erQ[m]
```

### Rule 156

```
Int[(((e_) + (f_)*(x_)^(p_))*((g_) + (h_)*(x_)))/(((a_) + (b_)*(x_)*)
((c_) + (d_)*(x_))), x_Symbol] := Dist[(b*g - a*h)/(b*c - a*d), Int[(e +
f*x)^p/(a + b*x), x], x] - Dist[(d*g - c*h)/(b*c - a*d), Int[(e + f*x)^p/(c
+ d*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x]
```

### Rule 63

```
Int[((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

### Rule 208

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```



Rubi steps

$$\begin{aligned}
\int \coth^5(x) \sqrt{a + b \tanh^2(x)} dx &= \text{Subst} \left( \int \frac{\sqrt{a + bx^2}}{x^5(1-x^2)} dx, x, \tanh(x) \right) \\
&= \frac{1}{2} \text{Subst} \left( \int \frac{\sqrt{a + bx}}{(1-x)x^3} dx, x, \tanh^2(x) \right) \\
&= -\frac{1}{4} \coth^4(x) \sqrt{a + b \tanh^2(x)} + \frac{1}{4} \text{Subst} \left( \int \frac{\frac{1}{2}(4a+b) + \frac{3bx}{2}}{(1-x)x^2 \sqrt{a+bx}} dx, x, \tanh^2(x) \right) \\
&= -\frac{(4a+b) \coth^2(x) \sqrt{a + b \tanh^2(x)}}{8a} - \frac{1}{4} \coth^4(x) \sqrt{a + b \tanh^2(x)} - \frac{\text{Subst} \left( \int \frac{\frac{1}{4}(-8a)}{\dots} \right)}{\dots} \\
&= -\frac{(4a+b) \coth^2(x) \sqrt{a + b \tanh^2(x)}}{8a} - \frac{1}{4} \coth^4(x) \sqrt{a + b \tanh^2(x)} - \frac{1}{2}(-a-b) \text{Subst} \left( \int \frac{\dots}{\dots} \right) \\
&= -\frac{(4a+b) \coth^2(x) \sqrt{a + b \tanh^2(x)}}{8a} - \frac{1}{4} \coth^4(x) \sqrt{a + b \tanh^2(x)} + \frac{(a+b) \text{Subst} \left( \int \frac{\dots}{\dots} \right)}{\dots} \\
&= -\frac{(8a^2 + 4ab - b^2) \tanh^{-1} \left( \frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a}} \right)}{8a^{3/2}} + \sqrt{a+b} \tanh^{-1} \left( \frac{\sqrt{a + b \tanh^2(x)}}{\sqrt{a+b}} \right) - \frac{(4a)}{\dots}
\end{aligned}$$

**Mathematica [A]** time = 0.577567, size = 111, normalized size = 0.92

$$\frac{(-8a^2 - 4ab + b^2) \tanh^{-1} \left( \frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a}} \right) + \sqrt{a} \left( 8a\sqrt{a+b} \tanh^{-1} \left( \frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}} \right) - \coth^2(x) \sqrt{a + b \tanh^2(x)} (2a \coth^2(x) + b + 2a \coth(x)^2) \sqrt{a + b \tanh^2(x)} \right)}{8a^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[x]^5\*Sqrt[a + b\*Tanh[x]^2], x]

[Out] ((-8\*a^2 - 4\*a\*b + b^2)\*ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a]] + Sqrt[a]\*(8\*a\*Sqrt[a + b]\*ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]] - Coth[x]^2\*(4\*a + b + 2\*a\*Coth[x]^2)\*Sqrt[a + b\*Tanh[x]^2]))/(8\*a^(3/2))

---

**Maple [F]** time = 0.153, size = 0, normalized size = 0.

$$\int (\coth(x))^5 \sqrt{a + b(\tanh(x))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(coth(x)^5*(a+b*tanh(x)^2)^(1/2),x)`

[Out] `int(coth(x)^5*(a+b*tanh(x)^2)^(1/2),x)`

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{b \tanh(x)^2 + a} \coth(x)^5 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(x)^5*(a+b*tanh(x)^2)^(1/2),x, algorithm="maxima")`

[Out] `integrate(sqrt(b*tanh(x)^2 + a)*coth(x)^5, x)`

---

**Fricas [B]** time = 8.32815, size = 25865, normalized size = 213.76

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(x)^5*(a+b*tanh(x)^2)^(1/2),x, algorithm="fricas")`

[Out] `[1/16*(4*(a^2*cosh(x)^8 + 8*a^2*cosh(x)*sinh(x)^7 + a^2*sinh(x)^8 - 4*a^2*cosh(x)^6 + 4*(7*a^2*cosh(x)^2 - a^2)*sinh(x)^6 + 6*a^2*cosh(x)^4 + 8*(7*a^2*cosh(x)^3 - 3*a^2*cosh(x))*sinh(x)^5 + 2*(35*a^2*cosh(x)^4 - 30*a^2*cosh(x)^2 + 3*a^2)*sinh(x)^4 - 4*a^2*cosh(x)^2 + 8*(7*a^2*cosh(x)^5 - 10*a^2*cosh(x)^3 + 3*a^2*cosh(x))*sinh(x)^3 + 4*(7*a^2*cosh(x)^6 - 15*a^2*cosh(x)^4 + 9*a^2*cosh(x)^2 - a^2)*sinh(x)^2 + a^2 + 8*(a^2*cosh(x)^7 - 3*a^2*cosh(x)^5 + 3*a^2*cosh(x)^3 - a^2*cosh(x))*sinh(x))*sqrt(a + b)*log(((a^3 + a^2*b)*cosh(x)^8 + 8*(a^3 + a^2*b)*cosh(x)*sinh(x)^7 + (a^3 + a^2*b)*sinh(x)^8 + 2*`

$$\begin{aligned}
& (2a^3 + a^2b) \cosh(x)^6 + 2(2a^3 + a^2b + 14(a^3 + a^2b) \cosh(x)^2) \sinh(x)^6 \\
& + 4(14(a^3 + a^2b) \cosh(x)^3 + 3(2a^3 + a^2b) \cosh(x) \sinh(x)^5 + (6a^3 + 4a^2b - ab^2 + b^3) \cosh(x)^4 \\
& + (70(a^3 + a^2b) \cosh(x)^4 + 6a^3 + 4a^2b - ab^2 + b^3 + 30(2a^3 + a^2b) \cosh(x)^2) \sinh(x)^4 \\
& + 4(14(a^3 + a^2b) \cosh(x)^5 + 10(2a^3 + a^2b) \cosh(x)^3 + (6a^3 + 4a^2b - ab^2 + b^3) \cosh(x)) \sinh(x)^3 \\
& + a^3 + 3a^2b + 3ab^2 + b^3 + 2(2a^3 + 3a^2b - b^3) \cosh(x)^2 + 2(14(a^3 + a^2b) \cosh(x)^6 + 15(2a^3 + a^2b) \cosh(x)^4 \\
& + 2a^3 + 3a^2b - b^3 + 3(6a^3 + 4a^2b - ab^2 + b^3) \cosh(x)^2) \sinh(x)^2 + \sqrt{2}(a^2 \cosh(x)^6 + 6a^2 \cosh(x) \sinh(x)^5 \\
& + a^2 \sinh(x)^6 + 3a^2 \cosh(x)^4 + 3(5a^2 \cosh(x)^2 + a^2) \sinh(x)^4 + 4(5a^2 \cosh(x)^3 + 3a^2 \cosh(x)) \sinh(x)^3 \\
& + (3a^2 + 2ab - b^2) \cosh(x)^2 + (15a^2 \cosh(x)^4 + 18a^2 \cosh(x)^2 + 3a^2 + 2ab - b^2) \sinh(x)^2 \\
& + a^2 + 2ab + b^2 + 2(3a^2 \cosh(x)^5 + 6a^2 \cosh(x)^3 + (3a^2 + 2ab - b^2) \cosh(x)) \sinh(x)) \sqrt{a+b} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2))} \\
& + 4(2(a^3 + a^2b) \cosh(x)^7 + 3(2a^3 + a^2b) \cosh(x)^5 + (6a^3 + 4a^2b - ab^2 + b^3) \cosh(x)^3 + (2a^3 + 3a^2b - b^3) \cosh(x)) \sinh(x) / (\cosh(x)^6 + 6 \cosh(x)^5 \sinh(x) + 15 \cosh(x)^4 \sinh(x)^2 + 20 \cosh(x)^3 \sinh(x)^3 + 15 \cosh(x)^2 \sinh(x)^4 + 6 \cosh(x) \sinh(x)^5 + \sinh(x)^6) \\
& - ((8a^2 + 4ab - b^2) \cosh(x)^8 + 8(8a^2 + 4ab - b^2) \cosh(x) \sinh(x)^7 + (8a^2 + 4ab - b^2) \sinh(x)^8 - 4(8a^2 + 4ab - b^2) \cosh(x)^6 + 4(7(8a^2 + 4ab - b^2) \cosh(x)^2 - 8a^2 - 4ab + b^2) \sinh(x)^6 + 8(7(8a^2 + 4ab - b^2) \cosh(x)^3 - 3(8a^2 + 4ab - b^2) \cosh(x)) \sinh(x)^5 + 6(8a^2 + 4ab - b^2) \cosh(x)^4 + 2(35(8a^2 + 4ab - b^2) \cosh(x)^4 - 30(8a^2 + 4ab - b^2) \cosh(x)^2 + 24a^2 + 12ab - 3b^2) \sinh(x)^4 + 8(7(8a^2 + 4ab - b^2) \cosh(x)^5 - 10(8a^2 + 4ab - b^2) \cosh(x)^3 + 3(8a^2 + 4ab - b^2) \cosh(x)) \sinh(x)^3 - 4(8a^2 + 4ab - b^2) \cosh(x)^2 + 4(7(8a^2 + 4ab - b^2) \cosh(x)^6 - 15(8a^2 + 4ab - b^2) \cosh(x)^4 + 9(8a^2 + 4ab - b^2) \cosh(x)^2 - 8a^2 - 4ab + b^2) \sinh(x)^2 + 8a^2 + 4ab - b^2 + 8((8a^2 + 4ab - b^2) \cosh(x)^7 - 3(8a^2 + 4ab - b^2) \cosh(x)^5 + 3(8a^2 + 4ab - b^2) \cosh(x)^3 - (8a^2 + 4ab - b^2) \cosh(x)) \sinh(x)) \sqrt{a} \log(-((2a+b) \cosh(x)^4 + 4(2a+b) \cosh(x) \sinh(x)^3 + (2a+b) \sinh(x)^4 + 2(2a-b) \cosh(x)^2 + 2(3(2a+b) \cosh(x)^2 + 2a-b) \sinh(x)^2 + 2\sqrt{2}(\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 + 1) \sqrt{a} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2))} + 4((2a+b) \cosh(x)^3 + (2a-b) \cosh(x)) \sinh(x) + 2a+b) / (\cosh(x)^4 + 4 \cosh(x) \sinh(x)^3 + \sinh(x)^4 + 2(3 \cosh(x)^2 - 1) \sinh(x)^2 - 2 \cosh(x)^2 + 4(\cosh(x)^3 - \cosh(x)) \sinh(x) + 1)) + 4(a^2 \cosh(x)^8 + 8a^2 \cosh(x) \sinh(x)^7 + a^2 \sinh(x)^8 - 4a^2 \cosh(x)^6 + 4(7a^2 \cosh(x)^2 - a^2) \sinh(x)^6 + 6a^2 \cosh(x)^4 + 8(7a^2 \cosh(x)^3 - 3a^2 \cosh(x)) \sinh(x)^5 + 2(35a^2 \cosh(x)^4 - 30a^2 \cosh(x)^2 + 3a^2) \sinh(x)^4 - 4a^2 \cosh(x)^2 + 8(7a^2 \cosh(x)^5 - 10a^2 \cosh(x)^3 + 3a^2 \cosh(x)) \sinh(x)^3 + 4(7a^2 \cosh(x)^6 - 15a^2 \cosh(x)^4 + 9a^2 \cosh(x)^2 - a^2) \sinh(x)^2 + a^2 + 8(a^2 \cosh(x)^7 - 3a^2 \cosh(x)^5 + 3a^2 \cosh(x)^3 - a^2 \cosh(x)) \sinh(x)) \sqrt{a+b} \log(-((a
\end{aligned}$$

$$\begin{aligned}
& + b) \cosh(x)^4 + 4(a+b) \cosh(x) \sinh(x)^3 + (a+b) \sinh(x)^4 - 2b \cosh(x)^2 + 2(3(a+b) \cosh(x)^2 - b) \sinh(x)^2 + \sqrt{2} (\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 - 1) \sqrt{(a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b} / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2) + 4((a+b) \cosh(x)^3 - b \cosh(x)) \sinh(x) + a + b) / (\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2) - 2\sqrt{2} ((6a^2 + a^2b) \cosh(x)^6 + 6(6a^2 + a^2b) \cosh(x) \sinh(x)^5 + (6a^2 + a^2b) \sinh(x)^6 + (2a^2 - a^2b) \cosh(x)^4 + (15(6a^2 + a^2b) \cosh(x)^2 + 2a^2 - a^2b) \sinh(x)^4 + 4(5(6a^2 + a^2b) \cosh(x)^3 + (2a^2 - a^2b) \cosh(x)) \sinh(x)^3 + (2a^2 - a^2b) \cosh(x)^2 + (15(6a^2 + a^2b) \cosh(x)^4 + 6(2a^2 - a^2b) \cosh(x)^2 + 2a^2 - a^2b) \sinh(x)^2 + 6a^2 + a^2b + 2(3(6a^2 + a^2b) \cosh(x)^5 + 2(2a^2 - a^2b) \cosh(x)^3 + (2a^2 - a^2b) \cosh(x)) \sinh(x)) \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2))} / (a^2 \cosh(x)^8 + 8a^2 \cosh(x) \sinh(x)^7 + a^2 \sinh(x)^8 - 4a^2 \cosh(x)^6 + 4(7a^2 \cosh(x)^2 - a^2) \sinh(x)^6 + 6a^2 \cosh(x)^4 + 8(7a^2 \cosh(x)^3 - 3a^2 \cosh(x)) \sinh(x)^5 + 2(35a^2 \cosh(x)^4 - 30a^2 \cosh(x)^2 + 3a^2) \sinh(x)^4 - 4a^2 \cosh(x)^2 + 8(7a^2 \cosh(x)^5 - 10a^2 \cosh(x)^3 + 3a^2 \cosh(x)) \sinh(x)^3 + 4(7a^2 \cosh(x)^6 - 15a^2 \cosh(x)^4 + 9a^2 \cosh(x)^2 - a^2) \sinh(x)^2 + a^2 + 8(a^2 \cosh(x)^7 - 3a^2 \cosh(x)^5 + 3a^2 \cosh(x)^3 - a^2 \cosh(x)) \sinh(x)), 1/8(((8a^2 + 4a^2b - b^2) \cosh(x)^8 + 8(8a^2 + 4a^2b - b^2) \cosh(x) \sinh(x)^7 + (8a^2 + 4a^2b - b^2) \sinh(x)^8 - 4(8a^2 + 4a^2b - b^2) \cosh(x)^6 + 4(7(8a^2 + 4a^2b - b^2) \cosh(x)^2 - 8a^2 - 4a^2b + b^2) \sinh(x)^6 + 8(7(8a^2 + 4a^2b - b^2) \cosh(x)^3 - 3(8a^2 + 4a^2b - b^2) \cosh(x)) \sinh(x)^5 + 6(8a^2 + 4a^2b - b^2) \cosh(x)^4 + 2(35(8a^2 + 4a^2b - b^2) \cosh(x)^4 - 30(8a^2 + 4a^2b - b^2) \cosh(x)^2 + 24a^2 + 12a^2b - 3b^2) \sinh(x)^4 + 8(7(8a^2 + 4a^2b - b^2) \cosh(x)^5 - 10(8a^2 + 4a^2b - b^2) \cosh(x)^3 + 3(8a^2 + 4a^2b - b^2) \cosh(x)) \sinh(x)^3 - 4(8a^2 + 4a^2b - b^2) \cosh(x)^2 + 4(7(8a^2 + 4a^2b - b^2) \cosh(x)^6 - 15(8a^2 + 4a^2b - b^2) \cosh(x)^4 + 9(8a^2 + 4a^2b - b^2) \cosh(x)^2 - 8a^2 - 4a^2b + b^2) \sinh(x)^2 + 8a^2 + 4a^2b - b^2 + 8((8a^2 + 4a^2b - b^2) \cosh(x)^7 - 3(8a^2 + 4a^2b - b^2) \cosh(x)^5 + 3(8a^2 + 4a^2b - b^2) \cosh(x)^3 - (8a^2 + 4a^2b - b^2) \cosh(x)) \sinh(x)) \sqrt{-a} \arctan(\sqrt{2} (\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 + 1) \sqrt{-a} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)}) / ((a+b) \cosh(x)^4 + 4(a+b) \cosh(x) \sinh(x)^3 + (a+b) \sinh(x)^4 + 2(a-b) \cosh(x)^2 + 2(3(a+b) \cosh(x)^2 + a - b) \sinh(x)^2 + 4((a+b) \cosh(x))^3 + (a-b) \cosh(x)) \sinh(x) + a + b) + 2(a^2 \cosh(x)^8 + 8a^2 \cosh(x) \sinh(x)^7 + a^2 \sinh(x)^8 - 4a^2 \cosh(x)^6 + 4(7a^2 \cosh(x)^2 - a^2) \sinh(x)^6 + 6a^2 \cosh(x)^4 + 8(7a^2 \cosh(x)^3 - 3a^2 \cosh(x)) \sinh(x)^5 + 2(35a^2 \cosh(x)^4 - 30a^2 \cosh(x)^2 + 3a^2) \sinh(x)^4 - 4a^2 \cosh(x)^2 + 8(7a^2 \cosh(x)^5 - 10a^2 \cosh(x)^3 + 3a^2 \cosh(x)) \sinh(x)^3 + 4(7a^2 \cosh(x)^6 - 15a^2 \cosh(x)^4 + 9a^2 \cosh(x)^2 - a^2) \sinh(x)^2 + a^2 + 8(a^2 \cosh(x)^7 - 3a^2 \cosh(x)^5 + 3a^2 \cosh(x)^3 - a^2 \cosh(x)) \sinh(x)) \sqrt{a+b} \log(((a^3 + a^2b) \cosh(x)^8 + 8(a^3 + a^2b) \cosh(x) \sinh(x)^7 + (a^3 + a^2b) \sinh(x)^8 + 2(2a^3 + a^2b) \cosh(x)^6 + 2(2a^3 +
\end{aligned}$$

$$\begin{aligned}
& a^2b + 14*(a^3 + a^2b)*\cosh(x)^2*\sinh(x)^6 + 4*(14*(a^3 + a^2b)*\cosh(x) \\
& ^3 + 3*(2*a^3 + a^2b)*\cosh(x))*\sinh(x)^5 + (6*a^3 + 4*a^2b - a*b^2 + b^3) \\
& *\cosh(x)^4 + (70*(a^3 + a^2b)*\cosh(x)^4 + 6*a^3 + 4*a^2b - a*b^2 + b^3 + \\
& 30*(2*a^3 + a^2b)*\cosh(x)^2)*\sinh(x)^4 + 4*(14*(a^3 + a^2b)*\cosh(x)^5 + 1 \\
& 0*(2*a^3 + a^2b)*\cosh(x)^3 + (6*a^3 + 4*a^2b - a*b^2 + b^3)*\cosh(x))*\sinh \\
& (x)^3 + a^3 + 3*a^2b + 3*a*b^2 + b^3 + 2*(2*a^3 + 3*a^2b - b^3)*\cosh(x)^2 \\
& + 2*(14*(a^3 + a^2b)*\cosh(x)^6 + 15*(2*a^3 + a^2b)*\cosh(x)^4 + 2*a^3 + 3 \\
& *a^2b - b^3 + 3*(6*a^3 + 4*a^2b - a*b^2 + b^3)*\cosh(x)^2)*\sinh(x)^2 + \sqrt{ \\
& 2}*(a^2*\cosh(x)^6 + 6*a^2*\cosh(x)*\sinh(x)^5 + a^2*\sinh(x)^6 + 3*a^2*\cosh( \\
& x)^4 + 3*(5*a^2*\cosh(x)^2 + a^2)*\sinh(x)^4 + 4*(5*a^2*\cosh(x)^3 + 3*a^2*\cos \\
& h(x))*\sinh(x)^3 + (3*a^2 + 2*a*b - b^2)*\cosh(x)^2 + (15*a^2*\cosh(x)^4 + 18* \\
& a^2*\cosh(x)^2 + 3*a^2 + 2*a*b - b^2)*\sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(3*a \\
& ^2*\cosh(x)^5 + 6*a^2*\cosh(x)^3 + (3*a^2 + 2*a*b - b^2)*\cosh(x))*\sinh(x))*\sqrt{ \\
& a + b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - \\
& 2*\cosh(x)*\sinh(x) + \sinh(x)^2))} + 4*(2*(a^3 + a^2b)*\cosh(x)^7 + 3*(2*a^3 \\
& + a^2b)*\cosh(x)^5 + (6*a^3 + 4*a^2b - a*b^2 + b^3)*\cosh(x)^3 + (2*a^3 + 3 \\
& *a^2b - b^3)*\cosh(x))*\sinh(x))/(\cosh(x)^6 + 6*\cosh(x)^5*\sinh(x) + 15*\cosh(x) \\
& ^4*\sinh(x)^2 + 20*\cosh(x)^3*\sinh(x)^3 + 15*\cosh(x)^2*\sinh(x)^4 + 6*\cosh(x) \\
& )*\sinh(x)^5 + \sinh(x)^6)) + 2*(a^2*\cosh(x)^8 + 8*a^2*\cosh(x)*\sinh(x)^7 + a^ \\
& 2*\sinh(x)^8 - 4*a^2*\cosh(x)^6 + 4*(7*a^2*\cosh(x)^2 - a^2)*\sinh(x)^6 + 6*a^2 \\
& *\cosh(x)^4 + 8*(7*a^2*\cosh(x)^3 - 3*a^2*\cosh(x))*\sinh(x)^5 + 2*(35*a^2*\cosh \\
& (x)^4 - 30*a^2*\cosh(x)^2 + 3*a^2)*\sinh(x)^4 - 4*a^2*\cosh(x)^2 + 8*(7*a^2*\co \\
& sh(x)^5 - 10*a^2*\cosh(x)^3 + 3*a^2*\cosh(x))*\sinh(x)^3 + 4*(7*a^2*\cosh(x)^6 \\
& - 15*a^2*\cosh(x)^4 + 9*a^2*\cosh(x)^2 - a^2)*\sinh(x)^2 + a^2 + 8*(a^2*\cosh(x) \\
& )^7 - 3*a^2*\cosh(x)^5 + 3*a^2*\cosh(x)^3 - a^2*\cosh(x))*\sinh(x))*\sqrt{a + b} \\
& *\log(-((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 \\
& - 2*b*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 - b)*\sinh(x)^2 + \sqrt{2}*(\cosh(x)^ \\
& 2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 - 1))*\sqrt{a + b}*\sqrt{((a + b)*\cosh(x)^2 \\
& + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)} + \\
& 4*((a + b)*\cosh(x)^3 - b*\cosh(x))*\sinh(x) + a + b)/(\cosh(x)^2 + 2*\cosh(x)* \\
& \sinh(x) + \sinh(x)^2)) - \sqrt{2}*((6*a^2 + a*b)*\cosh(x)^6 + 6*(6*a^2 + a*b)* \\
& \cosh(x)*\sinh(x)^5 + (6*a^2 + a*b)*\sinh(x)^6 + (2*a^2 - a*b)*\cosh(x)^4 + (15 \\
& *(6*a^2 + a*b)*\cosh(x)^2 + 2*a^2 - a*b)*\sinh(x)^4 + 4*(5*(6*a^2 + a*b)*\cosh \\
& (x)^3 + (2*a^2 - a*b)*\cosh(x))*\sinh(x)^3 + (2*a^2 - a*b)*\cosh(x)^2 + (15*(6 \\
& *a^2 + a*b)*\cosh(x)^4 + 6*(2*a^2 - a*b)*\cosh(x)^2 + 2*a^2 - a*b)*\sinh(x)^2 \\
& + 6*a^2 + a*b + 2*(3*(6*a^2 + a*b)*\cosh(x)^5 + 2*(2*a^2 - a*b)*\cosh(x)^3 + \\
& (2*a^2 - a*b)*\cosh(x))*\sinh(x))*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 \\
& + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))}/(a^2*\cosh(x)^8 + 8* \\
& a^2*\cosh(x)*\sinh(x)^7 + a^2*\sinh(x)^8 - 4*a^2*\cosh(x)^6 + 4*(7*a^2*\cosh(x)^ \\
& 2 - a^2)*\sinh(x)^6 + 6*a^2*\cosh(x)^4 + 8*(7*a^2*\cosh(x)^3 - 3*a^2*\cosh(x))* \\
& \sinh(x)^5 + 2*(35*a^2*\cosh(x)^4 - 30*a^2*\cosh(x)^2 + 3*a^2)*\sinh(x)^4 - 4*a \\
& ^2*\cosh(x)^2 + 8*(7*a^2*\cosh(x)^5 - 10*a^2*\cosh(x)^3 + 3*a^2*\cosh(x))*\sinh( \\
& x)^3 + 4*(7*a^2*\cosh(x)^6 - 15*a^2*\cosh(x)^4 + 9*a^2*\cosh(x)^2 - a^2)*\sinh( \\
& x)^2 + a^2 + 8*(a^2*\cosh(x)^7 - 3*a^2*\cosh(x)^5 + 3*a^2*\cosh(x)^3 - a^2*\cos \\
& h(x))*\sinh(x)), -1/16*(8*(a^2*\cosh(x)^8 + 8*a^2*\cosh(x)*\sinh(x)^7 + a^2*\sin
\end{aligned}$$

$$\begin{aligned}
& h(x)^8 - 4a^2 \cosh(x)^6 + 4(7a^2 \cosh(x)^2 - a^2) \sinh(x)^6 + 6a^2 \cosh(x)^4 + 8(7a^2 \cosh(x)^3 - 3a^2 \cosh(x)) \sinh(x)^5 + 2(35a^2 \cosh(x)^4 - 30a^2 \cosh(x)^2 + 3a^2) \sinh(x)^4 - 4a^2 \cosh(x)^2 + 8(7a^2 \cosh(x)^5 - 10a^2 \cosh(x)^3 + 3a^2 \cosh(x)) \sinh(x)^3 + 4(7a^2 \cosh(x)^6 - 15a^2 \cosh(x)^4 + 9a^2 \cosh(x)^2 - a^2) \sinh(x)^2 + a^2 + 8(a^2 \cosh(x)^7 - 3a^2 \cosh(x)^5 + 3a^2 \cosh(x)^3 - a^2 \cosh(x)) \sinh(x) \sqrt{-a-b} \arctan(\sqrt{2}(a \cosh(x)^2 + 2a \cosh(x) \sinh(x) + a \sinh(x)^2 + a + b)) \sqrt{-a-b} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)} / ((a^2 + a*b) \cosh(x)^4 + 4(a^2 + a*b) \cosh(x) \sinh(x)^3 + (a^2 + a*b) \sinh(x)^4 + (2a^2 + a*b - b^2) \cosh(x)^2 + (6(a^2 + a*b) \cosh(x)^2 + 2a^2 + a*b - b^2) \sinh(x)^2 + a^2 + 2a*b + b^2 + 2(2(a^2 + a*b) \cosh(x)^3 + (2a^2 + a*b - b^2) \cosh(x)) \sinh(x)) + 8(a^2 \cosh(x)^8 + 8a^2 \cosh(x) \sinh(x)^7 + a^2 \sinh(x)^8 - 4a^2 \cosh(x)^6 + 4(7a^2 \cosh(x)^2 - a^2) \sinh(x)^6 + 6a^2 \cosh(x)^4 + 8(7a^2 \cosh(x)^3 - 3a^2 \cosh(x)) \sinh(x)^5 + 2(35a^2 \cosh(x)^4 - 30a^2 \cosh(x)^2 + 3a^2) \sinh(x)^4 - 4a^2 \cosh(x)^2 + 8(7a^2 \cosh(x)^5 - 10a^2 \cosh(x)^3 + 3a^2 \cosh(x)) \sinh(x)^3 + 4(7a^2 \cosh(x)^6 - 15a^2 \cosh(x)^4 + 9a^2 \cosh(x)^2 - a^2) \sinh(x)^2 + a^2 + 8(a^2 \cosh(x)^7 - 3a^2 \cosh(x)^5 + 3a^2 \cosh(x)^3 - a^2 \cosh(x)) \sinh(x) \sqrt{-a-b} \arctan(\sqrt{2}(\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 - 1)) \sqrt{-a-b} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)} / ((a+b) \cosh(x)^4 + 4(a+b) \cosh(x) \sinh(x)^3 + (a+b) \sinh(x)^4 + 2(a-b) \cosh(x)^2 + 2(3(a+b) \cosh(x)^2 + a - b) \sinh(x)^2 + 4((a+b) \cosh(x)^3 + (a-b) \cosh(x)) \sinh(x) + a + b)) + ((8a^2 + 4a*b - b^2) \cosh(x)^8 + 8(8a^2 + 4a*b - b^2) \cosh(x) \sinh(x)^7 + (8a^2 + 4a*b - b^2) \sinh(x)^8 - 4(8a^2 + 4a*b - b^2) \cosh(x)^6 + 4(7(8a^2 + 4a*b - b^2) \cosh(x)^2 - 8a^2 - 4a*b + b^2) \sinh(x)^6 + 8(7(8a^2 + 4a*b - b^2) \cosh(x)^3 - 3(8a^2 + 4a*b - b^2) \cosh(x)) \sinh(x)^5 + 6(8a^2 + 4a*b - b^2) \cosh(x)^4 + 2(35(8a^2 + 4a*b - b^2) \cosh(x)^4 - 30(8a^2 + 4a*b - b^2) \cosh(x)^2 + 24a^2 + 12a*b - 3b^2) \sinh(x)^4 + 8(7(8a^2 + 4a*b - b^2) \cosh(x)^5 - 10(8a^2 + 4a*b - b^2) \cosh(x)^3 + 3(8a^2 + 4a*b - b^2) \cosh(x)) \sinh(x)^3 - 4(8a^2 + 4a*b - b^2) \cosh(x)^2 + 4(7(8a^2 + 4a*b - b^2) \cosh(x)^6 - 15(8a^2 + 4a*b - b^2) \cosh(x)^4 + 9(8a^2 + 4a*b - b^2) \cosh(x)^2 - 8a^2 - 4a*b + b^2) \sinh(x)^2 + 8a^2 + 4a*b - b^2 + 8((8a^2 + 4a*b - b^2) \cosh(x)^7 - 3(8a^2 + 4a*b - b^2) \cosh(x)^5 + 3(8a^2 + 4a*b - b^2) \cosh(x)^3 - (8a^2 + 4a*b - b^2) \cosh(x)) \sinh(x) \sqrt{a} \log(-((2a+b) \cosh(x)^4 + 4(2a+b) \cosh(x) \sinh(x)^3 + (2a+b) \sinh(x)^4 + 2(2a-b) \cosh(x)^2 + 2(3(2a+b) \cosh(x)^2 + 2a-b) \sinh(x)^2 + 2\sqrt{2}(\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 + 1)) \sqrt{a} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)} + 4((2a+b) \cosh(x)^3 + (2a-b) \cosh(x)) \sinh(x) + 2(a+b) / (\cosh(x)^4 + 4 \cosh(x) \sinh(x)^3 + \sinh(x)^4 + 2(3 \cosh(x)^2 - 1) \sinh(x)^2 - 2 \cosh(x)^2 + 4(\cosh(x)^3 - \cosh(x)) \sinh(x) + 1)) + 2\sqrt{2}((6a^2 + a*b) \cosh(x)^6 + 6(6a^2 + a*b) \cosh(x) \sinh(x)^5 + (6a^2 + a*b) \sinh(x)^6 + (2a^2 - a*b) \cosh(x)^4 + (15(6a^2 + a*b) \cosh(x)^2 + 2a^2
\end{aligned}$$

$$\begin{aligned}
& 2 - a*b)*\sinh(x)^4 + 4*(5*(6*a^2 + a*b)*\cosh(x)^3 + (2*a^2 - a*b)*\cosh(x))* \\
& \sinh(x)^3 + (2*a^2 - a*b)*\cosh(x)^2 + (15*(6*a^2 + a*b)*\cosh(x)^4 + 6*(2*a^ \\
& 2 - a*b)*\cosh(x)^2 + 2*a^2 - a*b)*\sinh(x)^2 + 6*a^2 + a*b + 2*(3*(6*a^2 + a \\
& *b)*\cosh(x)^5 + 2*(2*a^2 - a*b)*\cosh(x)^3 + (2*a^2 - a*b)*\cosh(x))*\sinh(x)) \\
& * \sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x) \\
& )*\sinh(x) + \sinh(x)^2)))/(a^2*\cosh(x)^8 + 8*a^2*\cosh(x)*\sinh(x)^7 + a^2*\sinh \\
& h(x)^8 - 4*a^2*\cosh(x)^6 + 4*(7*a^2*\cosh(x)^2 - a^2)*\sinh(x)^6 + 6*a^2*\cosh \\
& (x)^4 + 8*(7*a^2*\cosh(x)^3 - 3*a^2*\cosh(x))*\sinh(x)^5 + 2*(35*a^2*\cosh(x)^4 \\
& - 30*a^2*\cosh(x)^2 + 3*a^2)*\sinh(x)^4 - 4*a^2*\cosh(x)^2 + 8*(7*a^2*\cosh(x) \\
& ^5 - 10*a^2*\cosh(x)^3 + 3*a^2*\cosh(x))*\sinh(x)^3 + 4*(7*a^2*\cosh(x)^6 - 15* \\
& a^2*\cosh(x)^4 + 9*a^2*\cosh(x)^2 - a^2)*\sinh(x)^2 + a^2 + 8*(a^2*\cosh(x)^7 - \\
& 3*a^2*\cosh(x)^5 + 3*a^2*\cosh(x)^3 - a^2*\cosh(x))*\sinh(x)), 1/8*(((8*a^2 + \\
& 4*a*b - b^2)*\cosh(x)^8 + 8*(8*a^2 + 4*a*b - b^2)*\cosh(x)*\sinh(x)^7 + (8*a^2 \\
& + 4*a*b - b^2)*\sinh(x)^8 - 4*(8*a^2 + 4*a*b - b^2)*\cosh(x)^6 + 4*(7*(8*a^2 \\
& + 4*a*b - b^2)*\cosh(x)^2 - 8*a^2 - 4*a*b + b^2)*\sinh(x)^6 + 8*(7*(8*a^2 + \\
& 4*a*b - b^2)*\cosh(x)^3 - 3*(8*a^2 + 4*a*b - b^2)*\cosh(x))*\sinh(x)^5 + 6*(8* \\
& a^2 + 4*a*b - b^2)*\cosh(x)^4 + 2*(35*(8*a^2 + 4*a*b - b^2)*\cosh(x)^4 - 30*( \\
& 8*a^2 + 4*a*b - b^2)*\cosh(x)^2 + 24*a^2 + 12*a*b - 3*b^2)*\sinh(x)^4 + 8*(7* \\
& (8*a^2 + 4*a*b - b^2)*\cosh(x)^5 - 10*(8*a^2 + 4*a*b - b^2)*\cosh(x)^3 + 3*(8 \\
& *a^2 + 4*a*b - b^2)*\cosh(x))*\sinh(x)^3 - 4*(8*a^2 + 4*a*b - b^2)*\cosh(x)^2 \\
& + 4*(7*(8*a^2 + 4*a*b - b^2)*\cosh(x)^6 - 15*(8*a^2 + 4*a*b - b^2)*\cosh(x)^4 \\
& + 9*(8*a^2 + 4*a*b - b^2)*\cosh(x)^2 - 8*a^2 - 4*a*b + b^2)*\sinh(x)^2 + 8*a \\
& ^2 + 4*a*b - b^2 + 8*((8*a^2 + 4*a*b - b^2)*\cosh(x)^7 - 3*(8*a^2 + 4*a*b - \\
& b^2)*\cosh(x)^5 + 3*(8*a^2 + 4*a*b - b^2)*\cosh(x)^3 - (8*a^2 + 4*a*b - b^2)* \\
& \cosh(x))*\sinh(x))*\sqrt{-a}*\arctan(\sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \\
& \sinh(x)^2 + 1))*\sqrt{-a}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b) \\
& )/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))/((a + b)*\cosh(x)^4 + 4*(a + \\
& b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*(a - b)*\cosh(x)^2 + 2*(3*(a + \\
& b)*\cosh(x)^2 + a - b)*\sinh(x)^2 + 4*((a + b)*\cosh(x)^3 + (a - b)*\cosh(x))*\sinh \\
& (x) + a + b) - 4*(a^2*\cosh(x)^8 + 8*a^2*\cosh(x)*\sinh(x)^7 + a^2*\sinh(x) \\
& ^8 - 4*a^2*\cosh(x)^6 + 4*(7*a^2*\cosh(x)^2 - a^2)*\sinh(x)^6 + 6*a^2*\cosh(x)^ \\
& 4 + 8*(7*a^2*\cosh(x)^3 - 3*a^2*\cosh(x))*\sinh(x)^5 + 2*(35*a^2*\cosh(x)^4 - 3 \\
& 0*a^2*\cosh(x)^2 + 3*a^2)*\sinh(x)^4 - 4*a^2*\cosh(x)^2 + 8*(7*a^2*\cosh(x)^5 - \\
& 10*a^2*\cosh(x)^3 + 3*a^2*\cosh(x))*\sinh(x)^3 + 4*(7*a^2*\cosh(x)^6 - 15*a^2* \\
& \cosh(x)^4 + 9*a^2*\cosh(x)^2 - a^2)*\sinh(x)^2 + a^2 + 8*(a^2*\cosh(x)^7 - 3*a \\
& ^2*\cosh(x)^5 + 3*a^2*\cosh(x)^3 - a^2*\cosh(x))*\sinh(x))*\sqrt{-a - b}*\arctan( \\
& \sqrt{2}*(a*\cosh(x)^2 + 2*a*\cosh(x)*\sinh(x) + a*\sinh(x)^2 + a + b))*\sqrt{-a - \\
& b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cos \\
& h(x)*\sinh(x) + \sinh(x)^2))/((a^2 + a*b)*\cosh(x)^4 + 4*(a^2 + a*b)*\cosh(x)*\sinh \\
& (x)^3 + (a^2 + a*b)*\sinh(x)^4 + (2*a^2 + a*b - b^2)*\cosh(x)^2 + (6*(a^2 \\
& + a*b)*\cosh(x)^2 + 2*a^2 + a*b - b^2)*\sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(2* \\
& (a^2 + a*b)*\cosh(x)^3 + (2*a^2 + a*b - b^2)*\cosh(x))*\sinh(x)) - 4*(a^2*\cos \\
& h(x)^8 + 8*a^2*\cosh(x)*\sinh(x)^7 + a^2*\sinh(x)^8 - 4*a^2*\cosh(x)^6 + 4*(7*a \\
& ^2*\cosh(x)^2 - a^2)*\sinh(x)^6 + 6*a^2*\cosh(x)^4 + 8*(7*a^2*\cosh(x)^3 - 3*a^ \\
& 2*\cosh(x))*\sinh(x)^5 + 2*(35*a^2*\cosh(x)^4 - 30*a^2*\cosh(x)^2 + 3*a^2)*\sinh
\end{aligned}$$

$$\begin{aligned} & (x)^4 - 4a^2 \cosh(x)^2 + 8(7a^2 \cosh(x)^5 - 10a^2 \cosh(x)^3 + 3a^2 \cosh(x) \sinh(x))^3 + 4(7a^2 \cosh(x)^6 - 15a^2 \cosh(x)^4 + 9a^2 \cosh(x)^2 - a^2) \sinh(x)^2 + a^2 + 8(a^2 \cosh(x)^7 - 3a^2 \cosh(x)^5 + 3a^2 \cosh(x)^3 - a^2 \cosh(x)) \sinh(x) \sqrt{-a-b} \arctan(\sqrt{2}(\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 - 1) \sqrt{-a-b} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)}) / ((a+b) \cosh(x)^4 + 4(a+b) \cosh(x) \sinh(x)^3 + (a+b) \sinh(x)^4 + 2(a-b) \cosh(x)^2 + 2(3(a+b) \cosh(x)^2 + a - b) \sinh(x)^2 + 4((a+b) \cosh(x)^3 + (a-b) \cosh(x)) \sinh(x) + a + b)) - \sqrt{2}((6a^2 + a^2 b) \cosh(x)^6 + 6(6a^2 + a^2 b) \cosh(x) \sinh(x)^5 + (6a^2 + a^2 b) \sinh(x)^6 + (2a^2 - a^2 b) \cosh(x)^4 + (15(6a^2 + a^2 b) \cosh(x)^2 + 2a^2 - a^2 b) \sinh(x)^4 + 4(5(6a^2 + a^2 b) \cosh(x)^3 + (2a^2 - a^2 b) \cosh(x)) \sinh(x)^3 + (2a^2 - a^2 b) \cosh(x)^2 + (15(6a^2 + a^2 b) \cosh(x)^4 + 6(2a^2 - a^2 b) \cosh(x)^2 + 2a^2 - a^2 b) \sinh(x)^2 + 6a^2 + a^2 b + 2(3(6a^2 + a^2 b) \cosh(x)^5 + 2(2a^2 - a^2 b) \cosh(x)^3 + (2a^2 - a^2 b) \cosh(x)) \sinh(x)) \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)}) / (a^2 \cosh(x)^8 + 8a^2 \cosh(x) \sinh(x)^7 + a^2 \sinh(x)^8 - 4a^2 \cosh(x)^6 + 4(7a^2 \cosh(x)^2 - a^2) \sinh(x)^6 + 6a^2 \cosh(x)^4 + 8(7a^2 \cosh(x)^3 - 3a^2 \cosh(x)) \sinh(x)^5 + 2(35a^2 \cosh(x)^4 - 30a^2 \cosh(x)^2 + 3a^2) \sinh(x)^4 - 4a^2 \cosh(x)^2 + 8(7a^2 \cosh(x)^5 - 10a^2 \cosh(x)^3 + 3a^2 \cosh(x) \sinh(x))^3 + 4(7a^2 \cosh(x)^6 - 15a^2 \cosh(x)^4 + 9a^2 \cosh(x)^2 - a^2) \sinh(x)^2 + a^2 + 8(a^2 \cosh(x)^7 - 3a^2 \cosh(x)^5 + 3a^2 \cosh(x)^3 - a^2 \cosh(x)) \sinh(x)) \end{aligned}$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)\*\*5\*(a+b\*tanh(x)\*\*2)\*\*(1/2),x)

[Out] Timed out

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.



```
[In] integrate(coth(x)^5*(a+b*tanh(x)^2)^(1/2),x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError
```

### 3.219 $\int \tanh^3(x) (a + b \tanh^2(x))^{3/2} dx$

**Optimal.** Leaf size=82

$$-\frac{(a + b \tanh^2(x))^{5/2}}{5b} - \frac{1}{3} (a + b \tanh^2(x))^{3/2} - (a + b) \sqrt{a + b \tanh^2(x)} + (a + b)^{3/2} \tanh^{-1} \left( \frac{\sqrt{a + b \tanh^2(x)}}{\sqrt{a + b}} \right)$$

[Out] (a + b)^(3/2)\*ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]] - (a + b)\*Sqrt[a + b\*Tanh[x]^2] - (a + b\*Tanh[x]^2)^(3/2)/3 - (a + b\*Tanh[x]^2)^(5/2)/(5\*b)

**Rubi [A]** time = 0.152083, antiderivative size = 82, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.353$ , Rules used = {3670, 446, 80, 50, 63, 208}

$$-\frac{(a + b \tanh^2(x))^{5/2}}{5b} - \frac{1}{3} (a + b \tanh^2(x))^{3/2} - (a + b) \sqrt{a + b \tanh^2(x)} + (a + b)^{3/2} \tanh^{-1} \left( \frac{\sqrt{a + b \tanh^2(x)}}{\sqrt{a + b}} \right)$$

Antiderivative was successfully verified.

[In] Int[Tanh[x]^3\*(a + b\*Tanh[x]^2)^(3/2), x]

[Out] (a + b)^(3/2)\*ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]] - (a + b)\*Sqrt[a + b\*Tanh[x]^2] - (a + b\*Tanh[x]^2)^(3/2)/3 - (a + b\*Tanh[x]^2)^(5/2)/(5\*b)

#### Rule 3670

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_.))^(p_.), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[(((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f^2*x^2), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))
```

#### Rule 446

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_.)*((c_) + (d_.)*(x_)^(n_.))^(q_.), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[
```

$b*c - a*d, 0]$  && IntegerQ[Simplify[(m + 1)/n]]

### Rule 80

Int[((a\_.) + (b\_.)\*(x\_))\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] := Simp[(b\*(c + d\*x)^(n + 1)\*(e + f\*x)^(p + 1))/(d\*f\*(n + p + 2)), x] + Dist[(a\*d\*f\*(n + p + 2) - b\*(d\*e\*(n + 1) + c\*f\*(p + 1)))/(d\*f\*(n + p + 2)), Int[(c + d\*x)^n\*(e + f\*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 2, 0]

### Rule 50

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := Simp[((a + b\*x)^(m + 1)\*(c + d\*x)^n)/(b\*(m + n + 1)), x] + Dist[(n\*(b\*c - a\*d))/(b\*(m + n + 1)), Int[(a + b\*x)^m\*(c + d\*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n + 2, 0] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rubi steps

$$\begin{aligned}
\int \tanh^3(x) (a + b \tanh^2(x))^{3/2} dx &= \text{Subst} \left( \int \frac{x^3 (a + bx^2)^{3/2}}{1 - x^2} dx, x, \tanh(x) \right) \\
&= \frac{1}{2} \text{Subst} \left( \int \frac{x(a + bx)^{3/2}}{1 - x} dx, x, \tanh^2(x) \right) \\
&= -\frac{(a + b \tanh^2(x))^{5/2}}{5b} + \frac{1}{2} \text{Subst} \left( \int \frac{(a + bx)^{3/2}}{1 - x} dx, x, \tanh^2(x) \right) \\
&= -\frac{1}{3} (a + b \tanh^2(x))^{3/2} - \frac{(a + b \tanh^2(x))^{5/2}}{5b} + \frac{1}{2} (a + b) \text{Subst} \left( \int \frac{\sqrt{a + bx}}{1 - x} dx, x, \right. \\
&= -(a + b) \sqrt{a + b \tanh^2(x)} - \frac{1}{3} (a + b \tanh^2(x))^{3/2} - \frac{(a + b \tanh^2(x))^{5/2}}{5b} + \frac{1}{2} (a + b) \\
&= -(a + b) \sqrt{a + b \tanh^2(x)} - \frac{1}{3} (a + b \tanh^2(x))^{3/2} - \frac{(a + b \tanh^2(x))^{5/2}}{5b} + \frac{(a + b)^2}{2} \\
&= (a + b)^{3/2} \tanh^{-1} \left( \frac{\sqrt{a + b \tanh^2(x)}}{\sqrt{a + b}} \right) - (a + b) \sqrt{a + b \tanh^2(x)} - \frac{1}{3} (a + b \tanh^2(x))^{3/2} - \frac{(a + b \tanh^2(x))^{5/2}}{5b}
\end{aligned}$$

**Mathematica [A]** time = 0.411811, size = 86, normalized size = 1.05

$$(a + b)^{3/2} \tanh^{-1} \left( \frac{\sqrt{a + b \tanh^2(x)}}{\sqrt{a + b}} \right) - \frac{\sqrt{a + b \tanh^2(x)} (3a^2 + b(6a + 5b) \tanh^2(x) + 20ab + 3b^2 \tanh^4(x) + 15b^2)}{15b}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[x]^3\*(a + b\*Tanh[x]^2)^(3/2), x]

[Out] (a + b)^(3/2)\*ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]] - (Sqrt[a + b\*Tanh[x]^2]\*(3\*a^2 + 20\*a\*b + 15\*b^2 + b\*(6\*a + 5\*b)\*Tanh[x]^2 + 3\*b^2\*Tanh[x]^4))/(15\*b)

**Maple [B]** time = 0.027, size = 593, normalized size = 7.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(tanh(x)^3*(a+b*tanh(x)^2)^(3/2),x)`

[Out] 
$$\begin{aligned} & -1/5*(a+b*\tanh(x)^2)^{(5/2)}/b-1/6*((1+\tanh(x))^2*b-2*(1+\tanh(x))*b+a+b)^{(3/2)} \\ & +1/4*b*((1+\tanh(x))^2*b-2*(1+\tanh(x))*b+a+b)^{(1/2)}*\tanh(x)+3/4*b^{(1/2)}*\ln \\ & ((1+\tanh(x))*b-b)/b^{(1/2)}+((1+\tanh(x))^2*b-2*(1+\tanh(x))*b+a+b)^{(1/2)}*a+1/ \\ & 2*(a+b)^{(1/2)}*\ln((2*a+2*b-2*(1+\tanh(x))*b+2*(a+b)^{(1/2)}*((1+\tanh(x))^2*b-2* \\ & (1+\tanh(x))*b+a+b)^{(1/2)})/(1+\tanh(x)))*a-1/2*((1+\tanh(x))^2*b-2*(1+\tanh(x)) \\ & *b+a+b)^{(1/2)}*a+1/2*(a+b)^{(1/2)}*\ln((2*a+2*b-2*(1+\tanh(x))*b+2*(a+b)^{(1/2)}*( \\ & (1+\tanh(x))^2*b-2*(1+\tanh(x))*b+a+b)^{(1/2)})/(1+\tanh(x)))*b+1/2*b^{(3/2)}*\ln(( \\ & (1+\tanh(x))*b-b)/b^{(1/2)}+((1+\tanh(x))^2*b-2*(1+\tanh(x))*b+a+b)^{(1/2)})-1/2*( \\ & (1+\tanh(x))^2*b-2*(1+\tanh(x))*b+a+b)^{(1/2)}*b-1/6*((\tanh(x)-1)^2*b+2*(\tanh(x) \\ & -1)*b+a+b)^{(3/2)}-1/4*b*((\tanh(x)-1)^2*b+2*(\tanh(x)-1)*b+a+b)^{(1/2)}*\tanh(x) \\ & -3/4*b^{(1/2)}*\ln(((\tanh(x)-1)*b+b)/b^{(1/2)}+((\tanh(x)-1)^2*b+2*(\tanh(x)-1)*b+ \\ & a+b)^{(1/2)})*a+1/2*\ln((2*a+2*b+2*(\tanh(x)-1)*b+2*(a+b)^{(1/2)}*((\tanh(x)-1)^2* \\ & b+2*(\tanh(x)-1)*b+a+b)^{(1/2)})/(\tanh(x)-1))*(a+b)^{(1/2)}*a-1/2*((\tanh(x)-1)^2 \\ & *b+2*(\tanh(x)-1)*b+a+b)^{(1/2)}*a+1/2*\ln((2*a+2*b+2*(\tanh(x)-1)*b+2*(a+b)^{(1/2)} \\ & *((\tanh(x)-1)^2*b+2*(\tanh(x)-1)*b+a+b)^{(1/2)})/(\tanh(x)-1))*(a+b)^{(1/2)}*b- \\ & 1/2*b^{(3/2)}*\ln(((\tanh(x)-1)*b+b)/b^{(1/2)}+((\tanh(x)-1)^2*b+2*(\tanh(x)-1)*b+a \\ & +b)^{(1/2)})-1/2*((\tanh(x)-1)^2*b+2*(\tanh(x)-1)*b+a+b)^{(1/2)}*b \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (b \tanh(x)^2 + a)^{\frac{3}{2}} \tanh(x)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(x)^3*(a+b*tanh(x)^2)^(3/2),x, algorithm="maxima")`

[Out] `integrate((b*tanh(x)^2 + a)^(3/2)*tanh(x)^3, x)`

**Fricas [B]** time = 7.37412, size = 13874, normalized size = 169.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(x)^3*(a+b*tanh(x)^2)^(3/2),x, algorithm="fricas")`

[Out]  $\frac{1}{60} \cdot (15 \cdot ((a \cdot b + b^2) \cdot \cosh(x)^{10} + 10 \cdot (a \cdot b + b^2) \cdot \cosh(x) \cdot \sinh(x)^9 + (a \cdot b + b^2) \cdot \sinh(x)^{10} + 5 \cdot (a \cdot b + b^2) \cdot \cosh(x)^8 + 5 \cdot (9 \cdot (a \cdot b + b^2) \cdot \cosh(x)^2 + a \cdot b + b^2) \cdot \sinh(x)^8 + 40 \cdot (3 \cdot (a \cdot b + b^2) \cdot \cosh(x)^3 + (a \cdot b + b^2) \cdot \cosh(x)) \cdot \sinh(x)^7 + 10 \cdot (a \cdot b + b^2) \cdot \cosh(x)^6 + 10 \cdot (21 \cdot (a \cdot b + b^2) \cdot \cosh(x)^4 + 14 \cdot (a \cdot b + b^2) \cdot \cosh(x)^2 + a \cdot b + b^2) \cdot \sinh(x)^6 + 4 \cdot (63 \cdot (a \cdot b + b^2) \cdot \cosh(x)^5 + 70 \cdot (a \cdot b + b^2) \cdot \cosh(x)^3 + 15 \cdot (a \cdot b + b^2) \cdot \cosh(x)) \cdot \sinh(x)^5 + 10 \cdot (a \cdot b + b^2) \cdot \cosh(x)^4 + 10 \cdot (21 \cdot (a \cdot b + b^2) \cdot \cosh(x)^6 + 35 \cdot (a \cdot b + b^2) \cdot \cosh(x)^4 + 15 \cdot (a \cdot b + b^2) \cdot \cosh(x)^2 + a \cdot b + b^2) \cdot \sinh(x)^4 + 40 \cdot (3 \cdot (a \cdot b + b^2) \cdot \cosh(x)^7 + 7 \cdot (a \cdot b + b^2) \cdot \cosh(x)^5 + 5 \cdot (a \cdot b + b^2) \cdot \cosh(x)^3 + (a \cdot b + b^2) \cdot \cosh(x)) \cdot \sinh(x)^3 + 5 \cdot (a \cdot b + b^2) \cdot \cosh(x)^2 + 5 \cdot (9 \cdot (a \cdot b + b^2) \cdot \cosh(x)^8 + 28 \cdot (a \cdot b + b^2) \cdot \cosh(x)^6 + 30 \cdot (a \cdot b + b^2) \cdot \cosh(x)^4 + 12 \cdot (a \cdot b + b^2) \cdot \cosh(x)^2 + a \cdot b + b^2) \cdot \sinh(x)^2 + a \cdot b + b^2 + 10 \cdot ((a \cdot b + b^2) \cdot \cosh(x)^9 + 4 \cdot (a \cdot b + b^2) \cdot \cosh(x)^7 + 6 \cdot (a \cdot b + b^2) \cdot \cosh(x)^5 + 4 \cdot (a \cdot b + b^2) \cdot \cosh(x)^3 + (a \cdot b + b^2) \cdot \cosh(x)) \cdot \sinh(x)) \cdot \sqrt{a + b} \cdot \log(((a^3 + a^2 \cdot b) \cdot \cosh(x)^8 + 8 \cdot (a^3 + a^2 \cdot b) \cdot \cosh(x) \cdot \sinh(x)^7 + (a^3 + a^2 \cdot b) \cdot \sinh(x)^8 + 2 \cdot (2 \cdot a^3 + a^2 \cdot b) \cdot \cosh(x)^6 + 2 \cdot (2 \cdot a^3 + a^2 \cdot b + 14 \cdot (a^3 + a^2 \cdot b) \cdot \cosh(x)^2) \cdot \sinh(x)^6 + 4 \cdot (14 \cdot (a^3 + a^2 \cdot b) \cdot \cosh(x)^3 + 3 \cdot (2 \cdot a^3 + a^2 \cdot b) \cdot \cosh(x)) \cdot \sinh(x)^5 + (6 \cdot a^3 + 4 \cdot a^2 \cdot b - a \cdot b^2 + b^3) \cdot \cosh(x)^4 + (70 \cdot (a^3 + a^2 \cdot b) \cdot \cosh(x)^4 + 6 \cdot a^3 + 4 \cdot a^2 \cdot b - a \cdot b^2 + b^3 + 30 \cdot (2 \cdot a^3 + a^2 \cdot b) \cdot \cosh(x)^2) \cdot \sinh(x)^4 + 4 \cdot (14 \cdot (a^3 + a^2 \cdot b) \cdot \cosh(x)^5 + 10 \cdot (2 \cdot a^3 + a^2 \cdot b) \cdot \cosh(x)^3 + (6 \cdot a^3 + 4 \cdot a^2 \cdot b - a \cdot b^2 + b^3) \cdot \cosh(x)) \cdot \sinh(x)^3 + a^3 + 3 \cdot a^2 \cdot b + 3 \cdot a \cdot b^2 + b^3 + 2 \cdot (2 \cdot a^3 + 3 \cdot a^2 \cdot b - b^3) \cdot \cosh(x)^2 + 2 \cdot (14 \cdot (a^3 + a^2 \cdot b) \cdot \cosh(x)^6 + 15 \cdot (2 \cdot a^3 + a^2 \cdot b) \cdot \cosh(x)^4 + 2 \cdot a^3 + 3 \cdot a^2 \cdot b - b^3 + 3 \cdot (6 \cdot a^3 + 4 \cdot a^2 \cdot b - a \cdot b^2 + b^3) \cdot \cosh(x)^2) \cdot \sinh(x)^2 + \sqrt{2} \cdot (a^2 \cdot \cosh(x)^6 + 6 \cdot a^2 \cdot \cosh(x) \cdot \sinh(x)^5 + a^2 \cdot \sinh(x)^6 + 3 \cdot a^2 \cdot \cosh(x)^4 + 3 \cdot (5 \cdot a^2 \cdot \cosh(x)^2 + a^2) \cdot \sinh(x)^4 + 4 \cdot (5 \cdot a^2 \cdot \cosh(x)^3 + 3 \cdot a^2 \cdot \cosh(x)) \cdot \sinh(x)^3 + (3 \cdot a^2 + 2 \cdot a \cdot b - b^2) \cdot \cosh(x)^2 + (15 \cdot a^2 \cdot \cosh(x)^4 + 18 \cdot a^2 \cdot \cosh(x)^2 + 3 \cdot a^2 + 2 \cdot a \cdot b - b^2) \cdot \sinh(x)^2 + a^2 + 2 \cdot a \cdot b + b^2 + 2 \cdot (3 \cdot a^2 \cdot \cosh(x)^5 + 6 \cdot a^2 \cdot \cosh(x)^3 + (3 \cdot a^2 + 2 \cdot a \cdot b - b^2) \cdot \cosh(x)) \cdot \sinh(x)) \cdot \sqrt{a + b} \cdot \sqrt{((a + b) \cdot \cosh(x)^2 + (a + b) \cdot \sinh(x)^2 + a - b) / ((\cosh(x)^2 - 2 \cdot \cosh(x) \cdot \sinh(x) + \sinh(x)^2))} + 4 \cdot (2 \cdot (a^3 + a^2 \cdot b) \cdot \cosh(x)^7 + 3 \cdot (2 \cdot a^3 + a^2 \cdot b) \cdot \cosh(x)^5 + (6 \cdot a^3 + 4 \cdot a^2 \cdot b - a \cdot b^2 + b^3) \cdot \cosh(x)^3 + (2 \cdot a^3 + 3 \cdot a^2 \cdot b - b^3) \cdot \cosh(x)) \cdot \sinh(x)) / (\cosh(x)^6 + 6 \cdot \cosh(x)^5 \cdot \sinh(x) + 15 \cdot \cosh(x)^4 \cdot \sinh(x)^2 + 20 \cdot \cosh(x)^3 \cdot \sinh(x)^3 + 15 \cdot \cosh(x)^2 \cdot \sinh(x)^4 + 6 \cdot \cosh(x) \cdot \sinh(x)^5 + \sinh(x)^6)) + 15 \cdot ((a \cdot b + b^2) \cdot \cosh(x)^{10} + 10 \cdot (a \cdot b + b^2) \cdot \cosh(x) \cdot \sinh(x)^9 + (a \cdot b + b^2) \cdot \sinh(x)^{10} + 5 \cdot (a \cdot b + b^2) \cdot \cosh(x)^8 + 5 \cdot (9 \cdot (a \cdot b + b^2) \cdot \cosh(x)^2 + a \cdot b + b^2) \cdot \sinh(x)^8 + 40 \cdot (3 \cdot (a \cdot b + b^2) \cdot \cosh(x)^3 + (a \cdot b + b^2) \cdot \cosh(x)) \cdot \sinh(x)^7 + 10 \cdot (a \cdot b + b^2) \cdot \cosh(x)^6 + 10 \cdot (21 \cdot (a \cdot b + b^2) \cdot \cosh(x)^4 + 14 \cdot (a \cdot b + b^2) \cdot \cosh(x)^2 + a \cdot b + b^2) \cdot \sinh(x)^6 + 4 \cdot (63 \cdot (a \cdot b + b^2) \cdot \cosh(x)^5 + 70 \cdot (a \cdot b + b^2) \cdot \cosh(x)^3 + 15 \cdot (a \cdot b + b^2) \cdot \cosh(x)) \cdot \sinh(x)^5 + 10 \cdot (a \cdot b + b^2) \cdot \cosh(x)^4 + 10 \cdot (21 \cdot (a \cdot b + b^2) \cdot \cosh(x)^6 + 35 \cdot (a \cdot b + b^2) \cdot \cosh(x)^4 + 15 \cdot (a \cdot b + b^2) \cdot \cosh(x)^2 + a \cdot b + b^2) \cdot \sinh(x)^4 + 40 \cdot (3 \cdot (a \cdot b + b^2) \cdot \cosh(x)^7 + 7 \cdot (a \cdot b + b^2) \cdot \cosh(x)^5 + 5 \cdot (a \cdot b + b^2) \cdot \cosh(x)^3 + (a \cdot b + b^2) \cdot \cosh(x)) \cdot \sinh(x)^3 + 5 \cdot (a \cdot b + b^2) \cdot \cosh(x)^2 + 5 \cdot (9 \cdot (a \cdot b + b^2) \cdot \cosh(x)^8 + 28 \cdot (a \cdot b + b^2) \cdot \cosh(x)^6 + 30 \cdot (a \cdot b + b^2) \cdot \cosh(x)^4 + 12 \cdot (a \cdot b + b^2) \cdot \cosh(x)^2 + a \cdot b + b^2) \cdot \sinh(x)^2 + a \cdot b + b^2 + 10 \cdot ($

$$\begin{aligned}
& (a*b + b^2)*\cosh(x)^9 + 4*(a*b + b^2)*\cosh(x)^7 + 6*(a*b + b^2)*\cosh(x)^5 + \\
& 4*(a*b + b^2)*\cosh(x)^3 + (a*b + b^2)*\cosh(x))*\sinh(x))*\sqrt{a + b}*\log(- \\
& (a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 - 2*b*c \\
& \cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 - b)*\sinh(x)^2 + \sqrt{2}*(\cosh(x)^2 + 2*c \\
& \cosh(x)*\sinh(x) + \sinh(x)^2 - 1))*\sqrt{a + b}*\sqrt{((a + b)*\cosh(x)^2 + (a + \\
& b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))} + 4*((a \\
& + b)*\cosh(x)^3 - b*\cosh(x))*\sinh(x) + a + b)/(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) \\
& + \sinh(x)^2)) - 4*\sqrt{2}*((3*a^2 + 26*a*b + 23*b^2)*\cosh(x)^8 + 8*(3*a^2 \\
& + 26*a*b + 23*b^2)*\cosh(x)*\sinh(x)^7 + (3*a^2 + 26*a*b + 23*b^2)*\sinh(x)^8 \\
& + 4*(3*a^2 + 20*a*b + 12*b^2)*\cosh(x)^6 + 4*(7*(3*a^2 + 26*a*b + 23*b^2)*co \\
& sh(x)^2 + 3*a^2 + 20*a*b + 12*b^2)*\sinh(x)^6 + 8*(7*(3*a^2 + 26*a*b + 23*b^ \\
& 2)*\cosh(x)^3 + 3*(3*a^2 + 20*a*b + 12*b^2)*\cosh(x))*\sinh(x)^5 + 2*(9*a^2 + \\
& 54*a*b + 49*b^2)*\cosh(x)^4 + 2*(35*(3*a^2 + 26*a*b + 23*b^2)*\cosh(x)^4 + 30 \\
& *(3*a^2 + 20*a*b + 12*b^2)*\cosh(x)^2 + 9*a^2 + 54*a*b + 49*b^2)*\sinh(x)^4 + \\
& 8*(7*(3*a^2 + 26*a*b + 23*b^2)*\cosh(x)^5 + 10*(3*a^2 + 20*a*b + 12*b^2)*co \\
& sh(x)^3 + (9*a^2 + 54*a*b + 49*b^2)*\cosh(x))*\sinh(x)^3 + 4*(3*a^2 + 20*a*b \\
& + 12*b^2)*\cosh(x)^2 + 4*(7*(3*a^2 + 26*a*b + 23*b^2)*\cosh(x)^6 + 15*(3*a^2 \\
& + 20*a*b + 12*b^2)*\cosh(x)^4 + 3*(9*a^2 + 54*a*b + 49*b^2)*\cosh(x)^2 + 3*a^ \\
& 2 + 20*a*b + 12*b^2)*\sinh(x)^2 + 3*a^2 + 26*a*b + 23*b^2 + 8*((3*a^2 + 26*a \\
& *b + 23*b^2)*\cosh(x)^7 + 3*(3*a^2 + 20*a*b + 12*b^2)*\cosh(x)^5 + (9*a^2 + 5 \\
& 4*a*b + 49*b^2)*\cosh(x)^3 + (3*a^2 + 20*a*b + 12*b^2)*\cosh(x))*\sinh(x))*\sqrt{ \\
& t(((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*si \\
& nh(x) + \sinh(x)^2)))/(b*\cosh(x)^10 + 10*b*\cosh(x)*\sinh(x)^9 + b*\sinh(x)^10 \\
& + 5*b*\cosh(x)^8 + 5*(9*b*\cosh(x)^2 + b)*\sinh(x)^8 + 40*(3*b*\cosh(x)^3 + b*c \\
& \cosh(x))*\sinh(x)^7 + 10*b*\cosh(x)^6 + 10*(21*b*\cosh(x)^4 + 14*b*\cosh(x)^2 + \\
& b)*\sinh(x)^6 + 4*(63*b*\cosh(x)^5 + 70*b*\cosh(x)^3 + 15*b*\cosh(x))*\sinh(x)^5 \\
& + 10*b*\cosh(x)^4 + 10*(21*b*\cosh(x)^6 + 35*b*\cosh(x)^4 + 15*b*\cosh(x)^2 + \\
& b)*\sinh(x)^4 + 40*(3*b*\cosh(x)^7 + 7*b*\cosh(x)^5 + 5*b*\cosh(x)^3 + b*\cosh(x) \\
& )*\sinh(x)^3 + 5*b*\cosh(x)^2 + 5*(9*b*\cosh(x)^8 + 28*b*\cosh(x)^6 + 30*b*cos \\
& h(x)^4 + 12*b*\cosh(x)^2 + b)*\sinh(x)^2 + 10*(b*\cosh(x)^9 + 4*b*\cosh(x)^7 + \\
& 6*b*\cosh(x)^5 + 4*b*\cosh(x)^3 + b*\cosh(x))*\sinh(x) + b), -1/30*(15*((a*b + \\
& b^2)*\cosh(x)^10 + 10*(a*b + b^2)*\cosh(x)*\sinh(x)^9 + (a*b + b^2)*\sinh(x)^10 \\
& + 5*(a*b + b^2)*\cosh(x)^8 + 5*(9*(a*b + b^2)*\cosh(x)^2 + a*b + b^2)*\sinh(x) \\
& )^8 + 40*(3*(a*b + b^2)*\cosh(x)^3 + (a*b + b^2)*\cosh(x))*\sinh(x)^7 + 10*(a* \\
& b + b^2)*\cosh(x)^6 + 10*(21*(a*b + b^2)*\cosh(x)^4 + 14*(a*b + b^2)*\cosh(x)^ \\
& 2 + a*b + b^2)*\sinh(x)^6 + 4*(63*(a*b + b^2)*\cosh(x)^5 + 70*(a*b + b^2)*cos \\
& h(x)^3 + 15*(a*b + b^2)*\cosh(x))*\sinh(x)^5 + 10*(a*b + b^2)*\cosh(x)^4 + 10* \\
& (21*(a*b + b^2)*\cosh(x)^6 + 35*(a*b + b^2)*\cosh(x)^4 + 15*(a*b + b^2)*\cosh( \\
& x)^2 + a*b + b^2)*\sinh(x)^4 + 40*(3*(a*b + b^2)*\cosh(x)^7 + 7*(a*b + b^2)*c \\
& \cosh(x)^5 + 5*(a*b + b^2)*\cosh(x)^3 + (a*b + b^2)*\cosh(x))*\sinh(x)^3 + 5*(a* \\
& b + b^2)*\cosh(x)^2 + 5*(9*(a*b + b^2)*\cosh(x)^8 + 28*(a*b + b^2)*\cosh(x)^6 \\
& + 30*(a*b + b^2)*\cosh(x)^4 + 12*(a*b + b^2)*\cosh(x)^2 + a*b + b^2)*\sinh(x)^ \\
& 2 + a*b + b^2 + 10*((a*b + b^2)*\cosh(x)^9 + 4*(a*b + b^2)*\cosh(x)^7 + 6*(a* \\
& b + b^2)*\cosh(x)^5 + 4*(a*b + b^2)*\cosh(x)^3 + (a*b + b^2)*\cosh(x))*\sinh(x) \\
& )*\sqrt{-a - b}*\arctan(\sqrt{2}*(a*\cosh(x)^2 + 2*a*\cosh(x)*\sinh(x) + a*\sinh(x)
\end{aligned}$$

$$\begin{aligned}
& )^2 + a + b) \sqrt{-a - b} \sqrt{((a + b) \cosh(x)^2 + (a + b) \sinh(x)^2 + a - \\
& b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)) / ((a^2 + a*b) \cosh(x)^4 + 4 \\
& *(a^2 + a*b) \cosh(x) \sinh(x)^3 + (a^2 + a*b) \sinh(x)^4 + (2*a^2 + a*b - b^2 \\
& ) * \cosh(x)^2 + (6*(a^2 + a*b) \cosh(x)^2 + 2*a^2 + a*b - b^2) \sinh(x)^2 + a^2 \\
& + 2*a*b + b^2 + 2*(2*(a^2 + a*b) \cosh(x)^3 + (2*a^2 + a*b - b^2) \cosh(x)) * \\
& \sinh(x)) + 15*((a*b + b^2) \cosh(x)^{10} + 10*(a*b + b^2) \cosh(x) \sinh(x)^9 + \\
& (a*b + b^2) \sinh(x)^{10} + 5*(a*b + b^2) \cosh(x)^8 + 5*(9*(a*b + b^2) \cosh(x) \\
& )^2 + a*b + b^2) \sinh(x)^8 + 40*(3*(a*b + b^2) \cosh(x)^3 + (a*b + b^2) \cosh \\
& (x)) \sinh(x)^7 + 10*(a*b + b^2) \cosh(x)^6 + 10*(21*(a*b + b^2) \cosh(x)^4 + \\
& 14*(a*b + b^2) \cosh(x)^2 + a*b + b^2) \sinh(x)^6 + 4*(63*(a*b + b^2) \cosh(x) \\
& ^5 + 70*(a*b + b^2) \cosh(x)^3 + 15*(a*b + b^2) \cosh(x)) \sinh(x)^5 + 10*(a*b \\
& + b^2) \cosh(x)^4 + 10*(21*(a*b + b^2) \cosh(x)^6 + 35*(a*b + b^2) \cosh(x)^4 \\
& + 15*(a*b + b^2) \cosh(x)^2 + a*b + b^2) \sinh(x)^4 + 40*(3*(a*b + b^2) \cosh \\
& (x)^7 + 7*(a*b + b^2) \cosh(x)^5 + 5*(a*b + b^2) \cosh(x)^3 + (a*b + b^2) \cos \\
& h(x)) \sinh(x)^3 + 5*(a*b + b^2) \cosh(x)^2 + 5*(9*(a*b + b^2) \cosh(x)^8 + 28 \\
& *(a*b + b^2) \cosh(x)^6 + 30*(a*b + b^2) \cosh(x)^4 + 12*(a*b + b^2) \cosh(x)^ \\
& 2 + a*b + b^2) \sinh(x)^2 + a*b + b^2 + 10*((a*b + b^2) \cosh(x)^9 + 4*(a*b + \\
& b^2) \cosh(x)^7 + 6*(a*b + b^2) \cosh(x)^5 + 4*(a*b + b^2) \cosh(x)^3 + (a*b \\
& + b^2) \cosh(x)) \sinh(x)) \sqrt{-a - b} \arctan(\sqrt{2} * (\cosh(x)^2 + 2 \cosh(x) \\
& * \sinh(x) + \sinh(x)^2 - 1) \sqrt{-a - b} \sqrt{((a + b) \cosh(x)^2 + (a + b) \si \\
& nh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)) / ((a + b) \cosh \\
& (x)^4 + 4*(a + b) \cosh(x) \sinh(x)^3 + (a + b) \sinh(x)^4 + 2*(a - b) \cosh(x) \\
& ^2 + 2*(3*(a + b) \cosh(x)^2 + a - b) \sinh(x)^2 + 4*((a + b) \cosh(x)^3 + (a \\
& - b) \cosh(x)) \sinh(x) + a + b)) + 2 \sqrt{2} * ((3*a^2 + 26*a*b + 23*b^2) \cosh \\
& (x)^8 + 8*(3*a^2 + 26*a*b + 23*b^2) \cosh(x) \sinh(x)^7 + (3*a^2 + 26*a*b + 2 \\
& 3*b^2) \sinh(x)^8 + 4*(3*a^2 + 20*a*b + 12*b^2) \cosh(x)^6 + 4*(7*(3*a^2 + 26 \\
& *a*b + 23*b^2) \cosh(x)^2 + 3*a^2 + 20*a*b + 12*b^2) \sinh(x)^6 + 8*(7*(3*a^2 \\
& + 26*a*b + 23*b^2) \cosh(x)^3 + 3*(3*a^2 + 20*a*b + 12*b^2) \cosh(x)) \sinh(x) \\
& )^5 + 2*(9*a^2 + 54*a*b + 49*b^2) \cosh(x)^4 + 2*(35*(3*a^2 + 26*a*b + 23*b^ \\
& 2) \cosh(x)^4 + 30*(3*a^2 + 20*a*b + 12*b^2) \cosh(x)^2 + 9*a^2 + 54*a*b + 49 \\
& *b^2) \sinh(x)^4 + 8*(7*(3*a^2 + 26*a*b + 23*b^2) \cosh(x)^5 + 10*(3*a^2 + 20 \\
& *a*b + 12*b^2) \cosh(x)^3 + (9*a^2 + 54*a*b + 49*b^2) \cosh(x)) \sinh(x)^3 + 4 \\
& *(3*a^2 + 20*a*b + 12*b^2) \cosh(x)^2 + 4*(7*(3*a^2 + 26*a*b + 23*b^2) \cosh \\
& (x)^6 + 15*(3*a^2 + 20*a*b + 12*b^2) \cosh(x)^4 + 3*(9*a^2 + 54*a*b + 49*b^2) \\
& * \cosh(x)^2 + 3*a^2 + 20*a*b + 12*b^2) \sinh(x)^2 + 3*a^2 + 26*a*b + 23*b^2 + \\
& 8*((3*a^2 + 26*a*b + 23*b^2) \cosh(x)^7 + 3*(3*a^2 + 20*a*b + 12*b^2) \cosh \\
& (x)^5 + (9*a^2 + 54*a*b + 49*b^2) \cosh(x)^3 + (3*a^2 + 20*a*b + 12*b^2) \cosh \\
& (x)) \sinh(x)) \sqrt{((a + b) \cosh(x)^2 + (a + b) \sinh(x)^2 + a - b) / (\cosh(x) \\
& ^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2))} / (b \cosh(x)^{10} + 10*b \cosh(x) \sinh(x)^ \\
& 9 + b \sinh(x)^{10} + 5*b \cosh(x)^8 + 5*(9*b \cosh(x)^2 + b) \sinh(x)^8 + 40*(3* \\
& b \cosh(x)^3 + b \cosh(x)) \sinh(x)^7 + 10*b \cosh(x)^6 + 10*(21*b \cosh(x)^4 + \\
& 14*b \cosh(x)^2 + b) \sinh(x)^6 + 4*(63*b \cosh(x)^5 + 70*b \cosh(x)^3 + 15*b \c \\
& osh(x)) \sinh(x)^5 + 10*b \cosh(x)^4 + 10*(21*b \cosh(x)^6 + 35*b \cosh(x)^4 + \\
& 15*b \cosh(x)^2 + b) \sinh(x)^4 + 40*(3*b \cosh(x)^7 + 7*b \cosh(x)^5 + 5*b \cos \\
& h(x)^3 + b \cosh(x)) \sinh(x)^3 + 5*b \cosh(x)^2 + 5*(9*b \cosh(x)^8 + 28*b \cos
\end{aligned}$$



$$h(x)^6 + 30*b*cosh(x)^4 + 12*b*cosh(x)^2 + b)*sinh(x)^2 + 10*(b*cosh(x)^9 + 4*b*cosh(x)^7 + 6*b*cosh(x)^5 + 4*b*cosh(x)^3 + b*cosh(x))*sinh(x) + b]$$

---

**Sympy [B]** time = 31.2633, size = 175, normalized size = 2.13

$$\frac{2a \left( \frac{b^2 \sqrt{a+b \tanh^2(x)}}{2} + \frac{b^2(a+b) \operatorname{atan}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{-a-b}}\right)}{2\sqrt{-a-b}} + \frac{b(a+b \tanh^2(x))^{\frac{3}{2}}}{6} \right)}{b^2} - \frac{2 \left( \frac{b^3 \sqrt{a+b \tanh^2(x)}}{2} + \frac{b^3(a+b) \operatorname{atan}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{-a-b}}\right)}{2\sqrt{-a-b}} + \frac{b(a+b \tanh^2(x))^{\frac{3}{2}}}{6} \right)}{b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)\*\*3\*(a+b\*tanh(x)\*\*2)\*\*(3/2),x)

[Out]  $-2*a*(b**2*\sqrt{a + b*\tanh(x)**2})/2 + b**2*(a + b)*\operatorname{atan}(\sqrt{a + b*\tanh(x)**2}/\sqrt{-a - b})/(2*\sqrt{-a - b}) + b*(a + b*\tanh(x)**2)**(3/2)/6/b**2 - 2*(b**3*\sqrt{a + b*\tanh(x)**2})/2 + b**3*(a + b)*\operatorname{atan}(\sqrt{a + b*\tanh(x)**2}/\sqrt{-a - b})/(2*\sqrt{-a - b}) + b*(a + b*\tanh(x)**2)**(5/2)/10 + (a + b*\tanh(x)**2)**(3/2)*(-a*b/2 + b**2/2)/3/b**2$

---

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)^3\*(a+b\*tanh(x)^2)^(3/2),x, algorithm="giac")

[Out] Exception raised: NotImplementedError

$$3.220 \quad \int \tanh^2(x) \left(a + b \tanh^2(x)\right)^{3/2} dx$$

**Optimal.** Leaf size=123

$$-\frac{(3a^2 + 12ab + 8b^2) \tanh^{-1}\left(\frac{\sqrt{b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}}\right)}{8\sqrt{b}} - \frac{1}{4}b \tanh^3(x) \sqrt{a + b \tanh^2(x)} - \frac{1}{8}(5a + 4b) \tanh(x) \sqrt{a + b \tanh^2(x)} + (a -$$

[Out]  $-\left(\left(3a^2 + 12ab + 8b^2\right) \operatorname{ArcTanh}\left[\frac{\sqrt{b} \operatorname{Tanh}[x]}{\sqrt{a + b \operatorname{Tanh}[x]^2}}\right]\right) / \left(8 \sqrt{b}\right) + (a + b)^{(3/2)} \operatorname{ArcTanh}\left[\frac{\sqrt{a + b} \operatorname{Tanh}[x]}{\sqrt{a + b \operatorname{Tanh}[x]^2}}\right] - \left(\left(5a + 4b\right) \operatorname{Tanh}[x] \sqrt{a + b \operatorname{Tanh}[x]^2}\right) / 8 - \left(b \operatorname{Tanh}[x]^3 \sqrt{a + b \operatorname{Tanh}[x]^2}\right) / 4$

**Rubi [A]** time = 0.244414, antiderivative size = 123, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.412$ , Rules used = {3670, 477, 582, 523, 217, 206, 377}

$$-\frac{(3a^2 + 12ab + 8b^2) \tanh^{-1}\left(\frac{\sqrt{b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}}\right)}{8\sqrt{b}} - \frac{1}{4}b \tanh^3(x) \sqrt{a + b \tanh^2(x)} - \frac{1}{8}(5a + 4b) \tanh(x) \sqrt{a + b \tanh^2(x)} + (a -$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}\left[\operatorname{Tanh}[x]^2 \left(a + b \operatorname{Tanh}[x]^2\right)^{(3/2)}, x\right]$

[Out]  $-\left(\left(3a^2 + 12ab + 8b^2\right) \operatorname{ArcTanh}\left[\frac{\sqrt{b} \operatorname{Tanh}[x]}{\sqrt{a + b \operatorname{Tanh}[x]^2}}\right]\right) / \left(8 \sqrt{b}\right) + (a + b)^{(3/2)} \operatorname{ArcTanh}\left[\frac{\sqrt{a + b} \operatorname{Tanh}[x]}{\sqrt{a + b \operatorname{Tanh}[x]^2}}\right] - \left(\left(5a + 4b\right) \operatorname{Tanh}[x] \sqrt{a + b \operatorname{Tanh}[x]^2}\right) / 8 - \left(b \operatorname{Tanh}[x]^3 \sqrt{a + b \operatorname{Tanh}[x]^2}\right) / 4$

### Rule 3670

$\operatorname{Int}\left[\left(\left(d_{.}\right) \tan\left[e_{.}\right] + \left(f_{.}\right) \left(x_{.}\right)\right)^{\left(m_{.}\right)} \left(\left(a_{.}\right) + \left(b_{.}\right) \left(\left(c_{.}\right) \tan\left[e_{.}\right] + \left(f_{.}\right) \left(x_{.}\right)\right)^{\left(n_{.}\right)}\right)^{\left(p_{.}\right)}, x_{\text{Symbol}}] \rightarrow \operatorname{With}\left[\left\{\operatorname{ff} = \operatorname{FreeFactors}\left[\operatorname{Tan}\left[e + f x\right], x\right]\right\}, \operatorname{Dist}\left[\left(\frac{c \operatorname{ff}}{f}\right), \operatorname{Subst}\left[\operatorname{Int}\left[\left(\left(d \operatorname{ff} x\right) / c\right)^m \left(a + b \left(\operatorname{ff} x\right)^n\right)^p\right] / \left(c^2 + f^2 x^2\right), x\right], x, \left(c \operatorname{Tan}\left[e + f x\right]\right) / \operatorname{ff}, x\right] / ; \operatorname{FreeQ}\left[\left\{a, b, c, d, e, f, m, n, p\right\}, x\right] \&\& \left(\operatorname{IGtQ}\left[p, 0\right] \mid \mid \operatorname{EqQ}\left[n, 2\right] \mid \mid \operatorname{EqQ}\left[n, 4\right] \mid \mid \left(\operatorname{IntegerQ}\left[p\right] \&\& \operatorname{RationalQ}\left[n\right]\right)\right)$

Rule 477

```
Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Simp[(d*(e*x)^(m + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 1))/(b*e*(m + n*(p + q) + 1)), x] + Dist[1/(b*(m + n*(p + q) + 1)), Int[(e*x)^m*(a + b*x^n)^p*(c + d*x^n)^(q - 2)*Simp[c*((c*b - a*d)*(m + 1) + c*b*n*(p + q)) + (d*(c*b - a*d)*(m + 1) + d*n*(q - 1)*(b*c - a*d) + c*b*d*n*(p + q))*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, m, p}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && GtQ[q, 1] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]
```

Rule 582

```
Int[((g_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.)*((e_) + (f_.)*(x_)^(n_)), x_Symbol] := Simp[(f*g^(n - 1)*(g*x)^(m - n + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(b*d*(m + n*(p + q + 1) + 1)), x] - Dist[g^n/(b*d*(m + n*(p + q + 1) + 1)), Int[(g*x)^(m - n)*(a + b*x^n)^p*(c + d*x^n)^q*Simp[a*f*c*(m - n + 1) + (a*f*d*(m + n*q + 1) + b*(f*c*(m + n*p + 1) - e*d*(m + n*(p + q + 1) + 1))*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, f, g, p, q}, x] && IGtQ[n, 0] && GtQ[m, n - 1]
```

Rule 523

```
Int[((e_) + (f_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_))*Sqrt[(c_) + (d_.)*(x_)^(n_)], x_Symbol] := Dist[f/b, Int[1/Sqrt[c + d*x^n], x], x] + Dist[(b*e - a*f)/b, Int[1/((a + b*x^n)*Sqrt[c + d*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rule 377

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]
```

Rubi steps

$$\begin{aligned}
\int \tanh^2(x) (a + b \tanh^2(x))^{3/2} dx &= \text{Subst} \left( \int \frac{x^2 (a + bx^2)^{3/2}}{1 - x^2} dx, x, \tanh(x) \right) \\
&= -\frac{1}{4} b \tanh^3(x) \sqrt{a + b \tanh^2(x)} - \frac{1}{4} \text{Subst} \left( \int \frac{x^2 (-a(4a + 3b) - b(5a + 4b)x^2)}{(1 - x^2) \sqrt{a + bx^2}} dx, \right. \\
&= -\frac{1}{8} (5a + 4b) \tanh(x) \sqrt{a + b \tanh^2(x)} - \frac{1}{4} b \tanh^3(x) \sqrt{a + b \tanh^2(x)} - \frac{\text{Subst} \left( \int \right.}{4} \\
&= -\frac{1}{8} (5a + 4b) \tanh(x) \sqrt{a + b \tanh^2(x)} - \frac{1}{4} b \tanh^3(x) \sqrt{a + b \tanh^2(x)} + (a + b)^2 \text{S} \\
&= -\frac{1}{8} (5a + 4b) \tanh(x) \sqrt{a + b \tanh^2(x)} - \frac{1}{4} b \tanh^3(x) \sqrt{a + b \tanh^2(x)} + (a + b)^2 \text{S} \\
&= -\frac{(3a^2 + 12ab + 8b^2) \tanh^{-1} \left( \frac{\sqrt{b} \tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right)}{8\sqrt{b}} + (a + b)^{3/2} \tanh^{-1} \left( \frac{\sqrt{a + b} \tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right)
\end{aligned}$$

**Mathematica [C]** time = 6.20248, size = 584, normalized size = 4.75

$$\sqrt{\frac{a \cosh(2x) + a + b \cosh(2x) - b}{\cosh(2x) + 1}} \left( \frac{1}{8} \text{sech}(x) (-5a \sinh(x) - 6b \sinh(x)) + \frac{1}{4} b \tanh(x) \text{sech}^2(x) \right) + \frac{1}{4} \left[ \frac{b(a^2 - 4ab - 4b^2)}{\dots} \right]$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[x]^2\*(a + b\*Tanh[x]^2)^(3/2),x]

```
[Out] (-((b*(a^2 - 4*a*b - 4*b^2)*Sqrt[(a - b + (a + b)*Cosh[2*x])]/(1 + Cosh[2*x])
)*Sqrt[-((a*Coth[x]^2)/b)]*Sqrt[-((a*(1 + Cosh[2*x])*Csch[x]^2)/b)]*Sqrt[(
(a - b + (a + b)*Cosh[2*x])*Csch[x]^2)/b]*Csch[2*x]*EllipticF[ArcSin[Sqrt[(
(a - b + (a + b)*Cosh[2*x])*Csch[x]^2)/b]/Sqrt[2]], 1]*Sinh[x]^4)/(a*(a - b
+ (a + b)*Cosh[2*x]))) - ((4*I)*b*(4*a^2 + 8*a*b + 4*b^2)*Sqrt[1 + Cosh[2*
x]]*Sqrt[(a - b + (a + b)*Cosh[2*x])/(1 + Cosh[2*x])]*((-I/4)*Sqrt[-((a*Co
th[x]^2)/b)]*Sqrt[-((a*(1 + Cosh[2*x])*Csch[x]^2)/b)]*Sqrt[((a - b + (a + b
)*Cosh[2*x])*Csch[x]^2)/b]*Csch[2*x]*EllipticF[ArcSin[Sqrt[(a - b + (a + b
)*Cosh[2*x])*Csch[x]^2)/b]/Sqrt[2]], 1]*Sinh[x]^4)/(a*Sqrt[1 + Cosh[2*x]]*S
qrt[a - b + (a + b)*Cosh[2*x]]) + ((I/2)*Sqrt[-((a*Coth[x]^2)/b)]*Sqrt[-((a
*(1 + Cosh[2*x])*Csch[x]^2)/b)]*Sqrt[((a - b + (a + b)*Cosh[2*x])*Csch[x]^2
)/b]*Csch[2*x]*EllipticPi[b/(a + b), ArcSin[Sqrt[(a - b + (a + b)*Cosh[2*x
])*Csch[x]^2)/b]/Sqrt[2]], 1]*Sinh[x]^4)/((a + b)*Sqrt[1 + Cosh[2*x]]*Sqrt[
a - b + (a + b)*Cosh[2*x]]))/Sqrt[a - b + (a + b)*Cosh[2*x]]/4 + Sqrt[(a
- b + a*Cosh[2*x] + b*Cosh[2*x])/(1 + Cosh[2*x])]*((Sech[x]*(-5*a*Sinh[x] -
6*b*Sinh[x]))/8 + (b*Sech[x]^2*Tanh[x])/4)
```

**Maple [B]** time = 0.022, size = 633, normalized size = 5.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(tanh(x)^2*(a+b*tanh(x)^2)^(3/2),x)
```

```
[Out] -1/4*tanh(x)*(a+b*tanh(x)^2)^(3/2)-3/8*a*tanh(x)*(a+b*tanh(x)^2)^(1/2)-3/8*
a^2/b^(1/2)*ln(tanh(x)*b^(1/2)+(a+b*tanh(x)^2)^(1/2))+1/6*((1+tanh(x))^2*b-
2*(1+tanh(x))*b+a+b)^(3/2)-1/4*b*((1+tanh(x))^2*b-2*(1+tanh(x))*b+a+b)^(1/2
)*tanh(x)-3/4*b^(1/2)*ln(((1+tanh(x))*b-b)/b^(1/2)+((1+tanh(x))^2*b-2*(1+t
anh(x))*b+a+b)^(1/2))*a-1/2*(a+b)^(1/2)*ln((2*a+2*b-2*(1+tanh(x))*b+2*(a+b)^(
1/2)*((1+tanh(x))^2*b-2*(1+tanh(x))*b+a+b)^(1/2))/(1+tanh(x)))*a+1/2*((1+t
anh(x))^2*b-2*(1+tanh(x))*b+a+b)^(1/2)*a-1/2*b^(3/2)*ln(((1+tanh(x))*b-b)/b
^(1/2)+((1+tanh(x))^2*b-2*(1+tanh(x))*b+a+b)^(1/2))-1/2*(a+b)^(1/2)*ln((2*a
+2*b-2*(1+tanh(x))*b+2*(a+b)^(1/2)*((1+tanh(x))^2*b-2*(1+tanh(x))*b+a+b)^(1
/2))/(1+tanh(x))*b+1/2*((1+tanh(x))^2*b-2*(1+tanh(x))*b+a+b)^(1/2)*b-1/6*(
(tanh(x)-1)^2*b+2*(tanh(x)-1)*b+a+b)^(3/2)-1/4*b*((tanh(x)-1)^2*b+2*(tanh(x
)-1)*b+a+b)^(1/2)*tanh(x)-3/4*b^(1/2)*ln(((tanh(x)-1)*b+b)/b^(1/2)+((tanh(x
)-1)^2*b+2*(tanh(x)-1)*b+a+b)^(1/2))*a+1/2*ln((2*a+2*b+2*(tanh(x)-1)*b+2*(a
+b)^(1/2)*((tanh(x)-1)^2*b+2*(tanh(x)-1)*b+a+b)^(1/2))/(tanh(x)-1))*(a+b)^(
1/2)*a-1/2*((tanh(x)-1)^2*b+2*(tanh(x)-1)*b+a+b)^(1/2)*a-1/2*b^(3/2)*ln(((t
anh(x)-1)*b+b)/b^(1/2)+((tanh(x)-1)^2*b+2*(tanh(x)-1)*b+a+b)^(1/2))+1/2*ln(
(2*a+2*b+2*(tanh(x)-1)*b+2*(a+b)^(1/2)*((tanh(x)-1)^2*b+2*(tanh(x)-1)*b+a+b
```

)^(1/2))/(tanh(x)-1))\*(a+b)^(1/2)\*b-1/2\*((tanh(x)-1)^2\*b+2\*(tanh(x)-1)\*b+a+b)^(1/2)\*b

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (b \tanh(x)^2 + a)^{\frac{3}{2}} \tanh(x)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)^2\*(a+b\*tanh(x)^2)^(3/2),x, algorithm="maxima")

[Out] integrate((b\*tanh(x)^2 + a)^(3/2)\*tanh(x)^2, x)

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)^2\*(a+b\*tanh(x)^2)^(3/2),x, algorithm="fricas")

[Out] Timed out

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (a + b \tanh^2(x))^{\frac{3}{2}} \tanh^2(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)\*\*2\*(a+b\*tanh(x)\*\*2)\*\*(3/2),x)

[Out] Integral((a + b\*tanh(x)\*\*2)\*\*(3/2)\*tanh(x)\*\*2, x)

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tanh(x)^2*(a+b*tanh(x)^2)^(3/2),x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError
```

### 3.221 $\int \tanh(x) (a + b \tanh^2(x))^{3/2} dx$

**Optimal.** Leaf size=63

$$(a+b)^{3/2} \tanh^{-1} \left( \frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}} \right) - (a+b) \sqrt{a+b \tanh^2(x)} - \frac{1}{3} (a+b \tanh^2(x))^{3/2}$$

[Out] (a + b)^(3/2)\*ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]] - (a + b)\*Sqrt[a + b\*Tanh[x]^2] - (a + b\*Tanh[x]^2)^(3/2)/3

**Rubi [A]** time = 0.101468, antiderivative size = 63, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {3670, 444, 50, 63, 208}

$$(a+b)^{3/2} \tanh^{-1} \left( \frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}} \right) - (a+b) \sqrt{a+b \tanh^2(x)} - \frac{1}{3} (a+b \tanh^2(x))^{3/2}$$

Antiderivative was successfully verified.

[In] Int[Tanh[x]\*(a + b\*Tanh[x]^2)^(3/2), x]

[Out] (a + b)^(3/2)\*ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]] - (a + b)\*Sqrt[a + b\*Tanh[x]^2] - (a + b\*Tanh[x]^2)^(3/2)/3

#### Rule 3670

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_.), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[(((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f^2*x^2), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))
```

#### Rule 444

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol] :> Dist[1/n, Subst[Int[(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && EqQ[m - n +
```



1, 0]

### Rule 50

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/
(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b,
c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ
[m, 0] && ( !IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n
+ 2, 0] && IntLinearQ[a, b, c, d, m, n, x]
```

### Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

### Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

### Rubi steps

$$\begin{aligned}
\int \tanh(x) (a + b \tanh^2(x))^{3/2} dx &= \text{Subst} \left( \int \frac{x (a + bx^2)^{3/2}}{1 - x^2} dx, x, \tanh(x) \right) \\
&= \frac{1}{2} \text{Subst} \left( \int \frac{(a + bx)^{3/2}}{1 - x} dx, x, \tanh^2(x) \right) \\
&= -\frac{1}{3} (a + b \tanh^2(x))^{3/2} + \frac{1}{2} (a + b) \text{Subst} \left( \int \frac{\sqrt{a + bx}}{1 - x} dx, x, \tanh^2(x) \right) \\
&= -(a + b) \sqrt{a + b \tanh^2(x)} - \frac{1}{3} (a + b \tanh^2(x))^{3/2} + \frac{1}{2} (a + b)^2 \text{Subst} \left( \int \frac{1}{(1 - x) \sqrt{a + bx}} dx, x, \tanh^2(x) \right) \\
&= -(a + b) \sqrt{a + b \tanh^2(x)} - \frac{1}{3} (a + b \tanh^2(x))^{3/2} + \frac{(a + b)^2 \text{Subst} \left( \int \frac{1}{1 + \frac{a}{b} - \frac{x^2}{b}} dx, x, \tanh^2(x) \right)}{b} \\
&= (a + b)^{3/2} \tanh^{-1} \left( \frac{\sqrt{a + b \tanh^2(x)}}{\sqrt{a + b}} \right) - (a + b) \sqrt{a + b \tanh^2(x)} - \frac{1}{3} (a + b \tanh^2(x))^{3/2}
\end{aligned}$$

**Mathematica [A]** time = 0.159523, size = 59, normalized size = 0.94

$$(a + b)^{3/2} \tanh^{-1} \left( \frac{\sqrt{a + b \tanh^2(x)}}{\sqrt{a + b}} \right) - \frac{1}{3} \sqrt{a + b \tanh^2(x)} (4a + b \tanh^2(x) + 3b)$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[x]\*(a + b\*Tanh[x]^2)^(3/2),x]

[Out] (a + b)^(3/2)\*ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]] - (Sqrt[a + b\*Tanh[x]^2]\*(4\*a + 3\*b + b\*Tanh[x]^2))/3

**Maple [B]** time = 0.023, size = 578, normalized size = 9.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(x)\*(a+b\*tanh(x)^2)^(3/2),x)

```
[Out] -1/6*((1+tanh(x))^2*b-2*(1+tanh(x))*b+a+b)^(3/2)+1/4*b*((1+tanh(x))^2*b-2*(1+tanh(x))*b+a+b)^(1/2)*tanh(x)+3/4*b^(1/2)*ln(((1+tanh(x))*b-b)/b^(1/2))+((1+tanh(x))^2*b-2*(1+tanh(x))*b+a+b)^(1/2))*a+1/2*(a+b)^(1/2)*ln((2*a+2*b-2*(1+tanh(x))*b+2*(a+b)^(1/2)*((1+tanh(x))^2*b-2*(1+tanh(x))*b+a+b)^(1/2))/(1+tanh(x)))*a-1/2*((1+tanh(x))^2*b-2*(1+tanh(x))*b+a+b)^(1/2)*a+1/2*(a+b)^(1/2)*ln((2*a+2*b-2*(1+tanh(x))*b+2*(a+b)^(1/2)*((1+tanh(x))^2*b-2*(1+tanh(x))*b+a+b)^(1/2))/(1+tanh(x)))*b+1/2*b^(3/2)*ln(((1+tanh(x))*b-b)/b^(1/2))+((1+tanh(x))^2*b-2*(1+tanh(x))*b+a+b)^(1/2))-1/2*((1+tanh(x))^2*b-2*(1+tanh(x))*b+a+b)^(1/2)*b-1/6*((tanh(x)-1)^2*b+2*(tanh(x)-1)*b+a+b)^(3/2)-1/4*b*((tanh(x)-1)^2*b+2*(tanh(x)-1)*b+a+b)^(1/2)*tanh(x)-3/4*b^(1/2)*ln(((tanh(x)-1)*b+b)/b^(1/2))+((tanh(x)-1)^2*b+2*(tanh(x)-1)*b+a+b)^(1/2))*a+1/2*ln((2*a+2*b+2*(tanh(x)-1)*b+2*(a+b)^(1/2)*((tanh(x)-1)^2*b+2*(tanh(x)-1)*b+a+b)^(1/2))/(tanh(x)-1))*(a+b)^(1/2)*a-1/2*((tanh(x)-1)^2*b+2*(tanh(x)-1)*b+a+b)^(1/2))*a+1/2*ln((2*a+2*b+2*(tanh(x)-1)*b+2*(a+b)^(1/2)*((tanh(x)-1)^2*b+2*(tanh(x)-1)*b+a+b)^(1/2))/(tanh(x)-1))*(a+b)^(1/2)*b-1/2*b^(3/2)*ln(((tanh(x)-1)*b+b)/b^(1/2))+((tanh(x)-1)^2*b+2*(tanh(x)-1)*b+a+b)^(1/2))-1/2*((tanh(x)-1)^2*b+2*(tanh(x)-1)*b+a+b)^(1/2)*b
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (b \tanh(x)^2 + a)^{\frac{3}{2}} \tanh(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tanh(x)*(a+b*tanh(x)^2)^(3/2),x, algorithm="maxima")
```

```
[Out] integrate((b*tanh(x)^2 + a)^(3/2)*tanh(x), x)
```

**Fricas [B]** time = 3.24136, size = 7218, normalized size = 114.57

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tanh(x)*(a+b*tanh(x)^2)^(3/2),x, algorithm="fricas")
```

```
[Out] [1/12*(3*((a + b)*cosh(x)^6 + 6*(a + b)*cosh(x)*sinh(x)^5 + (a + b)*sinh(x)^6 + 3*(a + b)*cosh(x)^4 + 3*(5*(a + b)*cosh(x)^2 + a + b)*sinh(x)^4 + 4*(5*(a + b)*cosh(x)^3 + 3*(a + b)*cosh(x))*sinh(x)^3 + 3*(a + b)*cosh(x)^2 + 3
```

$$\begin{aligned}
&*(5*(a + b)*\cosh(x)^4 + 6*(a + b)*\cosh(x)^2 + a + b)*\sinh(x)^2 + 6*((a + b) \\
&*\cosh(x)^5 + 2*(a + b)*\cosh(x)^3 + (a + b)*\cosh(x))*\sinh(x) + a + b)*\sqrt{a \\
&+ b)*\log(((a^3 + a^2*b)*\cosh(x)^8 + 8*(a^3 + a^2*b)*\cosh(x)*\sinh(x)^7 + (a \\
&^3 + a^2*b)*\sinh(x)^8 + 2*(2*a^3 + a^2*b)*\cosh(x)^6 + 2*(2*a^3 + a^2*b + 14 \\
&*(a^3 + a^2*b)*\cosh(x)^2)*\sinh(x)^6 + 4*(14*(a^3 + a^2*b)*\cosh(x)^3 + 3*(2* \\
&a^3 + a^2*b)*\cosh(x))*\sinh(x)^5 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*\cosh(x)^4 \\
&+ (70*(a^3 + a^2*b)*\cosh(x)^4 + 6*a^3 + 4*a^2*b - a*b^2 + b^3 + 30*(2*a^3 \\
&+ a^2*b)*\cosh(x)^2)*\sinh(x)^4 + 4*(14*(a^3 + a^2*b)*\cosh(x)^5 + 10*(2*a^3 + \\
&a^2*b)*\cosh(x)^3 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*\cosh(x))*\sinh(x)^3 + a^ \\
&3 + 3*a^2*b + 3*a*b^2 + b^3 + 2*(2*a^3 + 3*a^2*b - b^3)*\cosh(x)^2 + 2*(14*( \\
&a^3 + a^2*b)*\cosh(x)^6 + 15*(2*a^3 + a^2*b)*\cosh(x)^4 + 2*a^3 + 3*a^2*b - b \\
&^3 + 3*(6*a^3 + 4*a^2*b - a*b^2 + b^3)*\cosh(x)^2)*\sinh(x)^2 + \sqrt{2}*(a^2* \\
&\cosh(x)^6 + 6*a^2*\cosh(x)*\sinh(x)^5 + a^2*\sinh(x)^6 + 3*a^2*\cosh(x)^4 + 3*( \\
&5*a^2*\cosh(x)^2 + a^2)*\sinh(x)^4 + 4*(5*a^2*\cosh(x)^3 + 3*a^2*\cosh(x))*\sinh \\
&(x)^3 + (3*a^2 + 2*a*b - b^2)*\cosh(x)^2 + (15*a^2*\cosh(x)^4 + 18*a^2*\cosh(x) \\
&)^2 + 3*a^2 + 2*a*b - b^2)*\sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(3*a^2*\cosh(x) \\
&^5 + 6*a^2*\cosh(x)^3 + (3*a^2 + 2*a*b - b^2)*\cosh(x))*\sinh(x))*\sqrt{a + b)* \\
&\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x) \\
&*\sinh(x) + \sinh(x)^2)} + 4*(2*(a^3 + a^2*b)*\cosh(x)^7 + 3*(2*a^3 + a^2*b)*\c \\
&osh(x)^5 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*\cosh(x)^3 + (2*a^3 + 3*a^2*b - b \\
&^3)*\cosh(x))*\sinh(x))/(\cosh(x)^6 + 6*\cosh(x)^5*\sinh(x) + 15*\cosh(x)^4*\sinh \\
&(x)^2 + 20*\cosh(x)^3*\sinh(x)^3 + 15*\cosh(x)^2*\sinh(x)^4 + 6*\cosh(x)*\sinh(x)^ \\
&5 + \sinh(x)^6)) + 3*((a + b)*\cosh(x)^6 + 6*(a + b)*\cosh(x)*\sinh(x)^5 + (a + \\
&b)*\sinh(x)^6 + 3*(a + b)*\cosh(x)^4 + 3*(5*(a + b)*\cosh(x)^2 + a + b)*\sinh \\
&(x)^4 + 4*(5*(a + b)*\cosh(x)^3 + 3*(a + b)*\cosh(x))*\sinh(x)^3 + 3*(a + b)*\c \\
&osh(x)^2 + 3*(5*(a + b)*\cosh(x)^4 + 6*(a + b)*\cosh(x)^2 + a + b)*\sinh(x)^2 + \\
&6*((a + b)*\cosh(x)^5 + 2*(a + b)*\cosh(x)^3 + (a + b)*\cosh(x))*\sinh(x) + a \\
&+ b)*\sqrt{a + b)*\log(-((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a \\
&+ b)*\sinh(x)^4 - 2*b*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 - b)*\sinh(x)^2 + s \\
&qrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 - 1))*\sqrt{a + b)*\sqrt{((a \\
&+ b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) \\
&+ \sinh(x)^2)} + 4*((a + b)*\cosh(x)^3 - b*\cosh(x))*\sinh(x) + a + b)/(\cosh(x) \\
&^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2)) - 16*\sqrt{2}*((a + b)*\cosh(x)^4 + 4*( \\
&a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + (2*a + b)*\cosh(x)^2 + (6*(a \\
&+ b)*\cosh(x)^2 + 2*a + b)*\sinh(x)^2 + 2*(2*(a + b)*\cosh(x)^3 + (2*a + b)*\c \\
&osh(x))*\sinh(x) + a + b)*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b \\
&)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)))/(\cosh(x)^6 + 6*\cosh(x)*\sinh \\
&(x)^5 + \sinh(x)^6 + 3*(5*\cosh(x)^2 + 1)*\sinh(x)^4 + 3*\cosh(x)^4 + 4*(5*\cosh \\
&(x)^3 + 3*\cosh(x))*\sinh(x)^3 + 3*(5*\cosh(x)^4 + 6*\cosh(x)^2 + 1)*\sinh(x)^2 \\
&+ 3*\cosh(x)^2 + 6*(\cosh(x)^5 + 2*\cosh(x)^3 + \cosh(x))*\sinh(x) + 1), -1/6*(3 \\
&*((a + b)*\cosh(x)^6 + 6*(a + b)*\cosh(x)*\sinh(x)^5 + (a + b)*\sinh(x)^6 + 3*( \\
&a + b)*\cosh(x)^4 + 3*(5*(a + b)*\cosh(x)^2 + a + b)*\sinh(x)^4 + 4*(5*(a + b) \\
&*\cosh(x)^3 + 3*(a + b)*\cosh(x))*\sinh(x)^3 + 3*(a + b)*\cosh(x)^2 + 3*(5*(a + \\
&b)*\cosh(x)^4 + 6*(a + b)*\cosh(x)^2 + a + b)*\sinh(x)^2 + 6*((a + b)*\cosh(x) \\
&^5 + 2*(a + b)*\cosh(x)^3 + (a + b)*\cosh(x))*\sinh(x) + a + b)*\sqrt{-a - b)*a
\end{aligned}$$

```

rctan(sqrt(2)*(a*cosh(x)^2 + 2*a*cosh(x)*sinh(x) + a*sinh(x)^2 + a + b)*sqrt
(-a - b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 -
2*cosh(x)*sinh(x) + sinh(x)^2)))/((a^2 + a*b)*cosh(x)^4 + 4*(a^2 + a*b)*cos
h(x)*sinh(x)^3 + (a^2 + a*b)*sinh(x)^4 + (2*a^2 + a*b - b^2)*cosh(x)^2 + (6
*(a^2 + a*b)*cosh(x)^2 + 2*a^2 + a*b - b^2)*sinh(x)^2 + a^2 + 2*a*b + b^2 +
2*(2*(a^2 + a*b)*cosh(x)^3 + (2*a^2 + a*b - b^2)*cosh(x))*sinh(x)) + 3*((
a + b)*cosh(x)^6 + 6*(a + b)*cosh(x)*sinh(x)^5 + (a + b)*sinh(x)^6 + 3*(a +
b)*cosh(x)^4 + 3*(5*(a + b)*cosh(x)^2 + a + b)*sinh(x)^4 + 4*(5*(a + b)*co
sh(x)^3 + 3*(a + b)*cosh(x))*sinh(x)^3 + 3*(a + b)*cosh(x)^2 + 3*(5*(a + b)
*cosh(x)^4 + 6*(a + b)*cosh(x)^2 + a + b)*sinh(x)^2 + 6*((a + b)*cosh(x)^5
+ 2*(a + b)*cosh(x)^3 + (a + b)*cosh(x))*sinh(x) + a + b)*sqrt(-a - b)*arct
an(sqrt(2)*(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 - 1)*sqrt(-a - b)*sqrt
(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*si
nh(x) + sinh(x)^2)))/((a + b)*cosh(x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a +
b)*sinh(x)^4 + 2*(a - b)*cosh(x)^2 + 2*(3*(a + b)*cosh(x)^2 + a - b)*sinh(
x)^2 + 4*((a + b)*cosh(x)^3 + (a - b)*cosh(x))*sinh(x) + a + b)) + 8*sqrt(2
)*((a + b)*cosh(x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 + (2
*a + b)*cosh(x)^2 + (6*(a + b)*cosh(x)^2 + 2*a + b)*sinh(x)^2 + 2*(2*(a + b)
)*cosh(x)^3 + (2*a + b)*cosh(x))*sinh(x) + a + b)*sqrt(((a + b)*cosh(x)^2 +
(a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/
(cosh(x)^6 + 6*cosh(x)*sinh(x)^5 + sinh(x)^6 + 3*(5*cosh(x)^2 + 1)*sinh(x)^4
+ 3*cosh(x)^4 + 4*(5*cosh(x)^3 + 3*cosh(x))*sinh(x)^3 + 3*(5*cosh(x)^4 + 6
*cosh(x)^2 + 1)*sinh(x)^2 + 3*cosh(x)^2 + 6*(cosh(x)^5 + 2*cosh(x)^3 + cosh
(x))*sinh(x) + 1)]

```

---

**Sympy [B]** time = 16.3262, size = 128, normalized size = 2.03

$$\frac{2a \left( \frac{b\sqrt{a+b \tanh^2(x)}}{2} + \frac{b(a+b) \operatorname{atan}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{-a-b}}\right)}{2\sqrt{-a-b}} \right)}{b} - \frac{2 \left( \frac{b^2\sqrt{a+b \tanh^2(x)}}{2} + \frac{b^2(a+b) \operatorname{atan}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{-a-b}}\right)}{2\sqrt{-a-b}} + \frac{b(a+b \tanh^2(x))^{\frac{3}{2}}}{6} \right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)\*(a+b\*tanh(x)\*\*2)\*\*(3/2), x)

[Out] -2\*a\*(b\*sqrt(a + b\*tanh(x)\*\*2)/2 + b\*(a + b)\*atan(sqrt(a + b\*tanh(x)\*\*2)/sqrt(-a - b))/(2\*sqrt(-a - b)))/b - 2\*(b\*\*2\*sqrt(a + b\*tanh(x)\*\*2)/2 + b\*\*2\*(a + b)\*atan(sqrt(a + b\*tanh(x)\*\*2)/sqrt(-a - b))/(2\*sqrt(-a - b)) + b\*(a + b\*tanh(x)\*\*2)\*\*(3/2)/6)/b

---

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(x)*(a+b*tanh(x)^2)^(3/2),x, algorithm="giac")`

[Out] Exception raised: NotImplementedError

### 3.222 $\int (a + b \tanh^2(x))^{3/2} dx$

**Optimal.** Leaf size=88

$$(a + b)^{3/2} \tanh^{-1} \left( \frac{\sqrt{a + b} \tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right) - \frac{1}{2} \sqrt{b} (3a + 2b) \tanh^{-1} \left( \frac{\sqrt{b} \tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right) - \frac{1}{2} b \tanh(x) \sqrt{a + b \tanh^2(x)}$$

[Out]  $-(\text{Sqrt}[b]*(3*a + 2*b)*\text{ArcTanh}[(\text{Sqrt}[b]*\text{Tanh}[x])/\text{Sqrt}[a + b*\text{Tanh}[x]^2]])/2 + (a + b)^{(3/2)}*\text{ArcTanh}[(\text{Sqrt}[a + b]*\text{Tanh}[x])/\text{Sqrt}[a + b*\text{Tanh}[x]^2]] - (b*\text{Tanh}[x]*\text{Sqrt}[a + b*\text{Tanh}[x]^2])/2$

**Rubi [A]** time = 0.0852639, antiderivative size = 88, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.5$ , Rules used = {3661, 416, 523, 217, 206, 377}

$$(a + b)^{3/2} \tanh^{-1} \left( \frac{\sqrt{a + b} \tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right) - \frac{1}{2} \sqrt{b} (3a + 2b) \tanh^{-1} \left( \frac{\sqrt{b} \tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right) - \frac{1}{2} b \tanh(x) \sqrt{a + b \tanh^2(x)}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b*\text{Tanh}[x]^2)^{(3/2)}, x]$

[Out]  $-(\text{Sqrt}[b]*(3*a + 2*b)*\text{ArcTanh}[(\text{Sqrt}[b]*\text{Tanh}[x])/\text{Sqrt}[a + b*\text{Tanh}[x]^2]])/2 + (a + b)^{(3/2)}*\text{ArcTanh}[(\text{Sqrt}[a + b]*\text{Tanh}[x])/\text{Sqrt}[a + b*\text{Tanh}[x]^2]] - (b*\text{Tanh}[x]*\text{Sqrt}[a + b*\text{Tanh}[x]^2])/2$

#### Rule 3661

$\text{Int}[(a + (b * ((c + \tan(e + f * x))^n))^p), x\_Symbol] \rightarrow$   
 $\text{With}[\{ff = \text{FreeFactors}[\text{Tan}[e + f * x], x]\}, \text{Dist}[(c * ff)/f, \text{Subst}[\text{Int}[(a + b * (ff * x)^n]^p / (c^2 + ff^2 * x^2), x], x, (c * \text{Tan}[e + f * x])/ff], x] /; \text{FreeQ}\{a, b, c, e, f, n, p\}, x] \&\& (\text{IntegersQ}[n, p] \parallel \text{IGtQ}[p, 0] \parallel \text{EqQ}[n^2, 4] \parallel \text{EqQ}[n^2, 16])$

#### Rule 416

$\text{Int}[(a + (b * x^n))^p * (c + (d * x^n)^q), x\_Symbol] \rightarrow$   
 $\text{Simp}[(d * x * (a + b * x^n)^{(p + 1)} * (c + d * x^n)^{(q - 1)}) / (b * (n * (p + q) + 1)), x] + \text{Dist}[1 / (b * (n * (p + q) + 1)), \text{Int}[(a + b * x^n)^p * (c + d * x^n)^{(q - 2)} * \text{Simp}$

```
[c*(b*c*(n*(p + q) + 1) - a*d) + d*(b*c*(n*(p + 2*q - 1) + 1) - a*d*(n*(q -
1) + 1))*x^n, x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d,
0] && GtQ[q, 1] && NeQ[n*(p + q) + 1, 0] && !IGtQ[p, 1] && IntBinomialQ[a
, b, c, d, n, p, q, x]
```

### Rule 523

```
Int[((e_) + (f_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_))*Sqrt[(c_) + (d_.)*(x
_)^(n_)], x_Symbol] := Dist[f/b, Int[1/Sqrt[c + d*x^n], x], x] + Dist[(b*e
- a*f)/b, Int[1/((a + b*x^n)*Sqrt[c + d*x^n]), x], x] /; FreeQ[{a, b, c, d
, e, f, n}, x]
```

### Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

### Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

### Rule 377

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Su
bst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b
, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]
```

### Rubi steps



$$\begin{aligned}
\int (a + b \tanh^2(x))^{3/2} dx &= \text{Subst} \left( \int \frac{(a + bx^2)^{3/2}}{1 - x^2} dx, x, \tanh(x) \right) \\
&= -\frac{1}{2} b \tanh(x) \sqrt{a + b \tanh^2(x)} - \frac{1}{2} \text{Subst} \left( \int \frac{-a(2a + b) - b(3a + 2b)x^2}{(1 - x^2) \sqrt{a + bx^2}} dx, x, \tanh(x) \right) \\
&= -\frac{1}{2} b \tanh(x) \sqrt{a + b \tanh^2(x)} + (a + b)^2 \text{Subst} \left( \int \frac{1}{(1 - x^2) \sqrt{a + bx^2}} dx, x, \tanh(x) \right) - \frac{1}{2} (a + b)^2 \text{Subst} \left( \int \frac{1}{(1 - x^2) \sqrt{a + bx^2}} dx, x, \tanh(x) \right) \\
&= -\frac{1}{2} b \tanh(x) \sqrt{a + b \tanh^2(x)} + (a + b)^2 \text{Subst} \left( \int \frac{1}{1 - (a + b)x^2} dx, x, \frac{\tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right) - \frac{1}{2} (a + b)^2 \text{Subst} \left( \int \frac{1}{1 - (a + b)x^2} dx, x, \frac{\tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right) \\
&= -\frac{1}{2} \sqrt{b}(3a + 2b) \tanh^{-1} \left( \frac{\sqrt{b} \tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right) + (a + b)^{3/2} \tanh^{-1} \left( \frac{\sqrt{a + b} \tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right) - \frac{1}{2} b \tanh(x) \sqrt{a + b \tanh^2(x)}
\end{aligned}$$

**Mathematica [A]** time = 0.337716, size = 161, normalized size = 1.83

$$\frac{1}{2} \left( -b \tanh(x) \sqrt{a + b \tanh^2(x)} - (a + b)^{3/2} \log \left( \sqrt{a + b} \sqrt{a + b \tanh^2(x)} + a - b \tanh(x) \right) + (a + b)^{3/2} \log \left( \sqrt{a + b} \sqrt{a + b \tanh^2(x)} + a + b \tanh(x) \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Tanh[x]^2)^(3/2), x]

[Out] (-((a + b)^(3/2)\*Log[1 - Tanh[x]]) + (a + b)^(3/2)\*Log[1 + Tanh[x]] - Sqrt[b]\*(3\*a + 2\*b)\*Log[b\*Tanh[x] + Sqrt[b]\*Sqrt[a + b\*Tanh[x]^2]] - (a + b)^(3/2)\*Log[a - b\*Tanh[x] + Sqrt[a + b]\*Sqrt[a + b\*Tanh[x]^2]] + (a + b)^(3/2)\*Log[a + b\*Tanh[x] + Sqrt[a + b]\*Sqrt[a + b\*Tanh[x]^2]] - b\*Tanh[x]\*Sqrt[a + b\*Tanh[x]^2])/2

**Maple [B]** time = 0.023, size = 578, normalized size = 6.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*tanh(x)^2)^(3/2), x)

```
[Out] 1/6*((1+tanh(x))^2*b-2*(1+tanh(x))*b+a+b)^(3/2)-1/4*b*((1+tanh(x))^2*b-2*(1+tanh(x))*b+a+b)^(1/2)*tanh(x)-3/4*b^(1/2)*ln(((1+tanh(x))*b-b)/b^(1/2)+((1+tanh(x))^2*b-2*(1+tanh(x))*b+a+b)^(1/2))*a-1/2*(a+b)^(1/2)*ln((2*a+2*b-2*(1+tanh(x))*b+2*(a+b)^(1/2)*((1+tanh(x))^2*b-2*(1+tanh(x))*b+a+b)^(1/2))/(1+tanh(x)))*a+1/2*((1+tanh(x))^2*b-2*(1+tanh(x))*b+a+b)^(1/2)*a-1/2*b^(3/2)*ln(((1+tanh(x))*b-b)/b^(1/2)+((1+tanh(x))^2*b-2*(1+tanh(x))*b+a+b)^(1/2))-1/2*(a+b)^(1/2)*ln((2*a+2*b-2*(1+tanh(x))*b+2*(a+b)^(1/2)*((1+tanh(x))^2*b-2*(1+tanh(x))*b+a+b)^(1/2))/(1+tanh(x)))*b+1/2*((1+tanh(x))^2*b-2*(1+tanh(x))*b+a+b)^(1/2)*b-1/6*((tanh(x)-1)^2*b+2*(tanh(x)-1)*b+a+b)^(3/2)-1/4*b*((tanh(x)-1)^2*b+2*(tanh(x)-1)*b+a+b)^(1/2)*tanh(x)-3/4*b^(1/2)*ln(((tanh(x)-1)*b+b)/b^(1/2)+((tanh(x)-1)^2*b+2*(tanh(x)-1)*b+a+b)^(1/2))*a+1/2*ln((2*a+2*b+2*(tanh(x)-1)*b+2*(a+b)^(1/2)*((tanh(x)-1)^2*b+2*(tanh(x)-1)*b+a+b)^(1/2))/(tanh(x)-1))*(a+b)^(1/2)*a-1/2*((tanh(x)-1)^2*b+2*(tanh(x)-1)*b+a+b)^(1/2))*a-1/2*b^(3/2)*ln(((tanh(x)-1)*b+b)/b^(1/2)+((tanh(x)-1)^2*b+2*(tanh(x)-1)*b+a+b)^(1/2))+1/2*ln((2*a+2*b+2*(tanh(x)-1)*b+2*(a+b)^(1/2)*((tanh(x)-1)^2*b+2*(tanh(x)-1)*b+a+b)^(1/2))/(tanh(x)-1))*(a+b)^(1/2)*b-1/2*((tanh(x)-1)^2*b+2*(tanh(x)-1)*b+a+b)^(1/2))*b
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (b \tanh(x)^2 + a)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tanh(x)^2)^(3/2),x, algorithm="maxima")
```

```
[Out] integrate((b*tanh(x)^2 + a)^(3/2), x)
```

**Fricas [B]** time = 4.08731, size = 14453, normalized size = 164.24

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tanh(x)^2)^(3/2),x, algorithm="fricas")
```

```
[Out] [1/4*((a + b)*cosh(x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 + 2*(a + b)*cosh(x)^2 + 2*(3*(a + b)*cosh(x)^2 + a + b)*sinh(x)^2 + 4*((a + b)*cosh(x)^3 + (a + b)*cosh(x))*sinh(x) + a + b)*sqrt(a + b)*log(-(a*b^2
```

$$\begin{aligned}
& + b^3) \cosh(x)^8 + 8(a^2b + b^3) \cosh(x) \sinh(x)^7 + (a^2b^2 + b^3) \sinh(x)^8 \\
& - 2(a^2b^2 + 2b^3) \cosh(x)^6 - 2(a^2b^2 + 2b^3 - 14(a^2b^2 + b^3) \cosh(x)^2) \sinh(x)^6 \\
& + 4(14(a^2b^2 + b^3) \cosh(x)^3 - 3(a^2b^2 + 2b^3) \cosh(x)) \sinh(x)^5 + (a^3 - a^2b + 4a^2b^2 + 6b^3) \cosh(x)^4 \\
& + (70(a^2b^2 + b^3) \cosh(x)^4 + a^3 - a^2b + 4a^2b^2 + 6b^3 - 30(a^2b^2 + 2b^3) \cosh(x)^2) \sinh(x)^4 \\
& + 4(14(a^2b^2 + b^3) \cosh(x)^5 - 10(a^2b^2 + 2b^3) \cosh(x)^3 + (a^3 - a^2b + 4a^2b^2 + 6b^3) \cosh(x)) \sinh(x)^3 \\
& + a^3 + 3a^2b + 3a^2b^2 + b^3 + 2(a^3 - 3a^2b^2 - 2b^3) \cosh(x)^2 + 2(14(a^2b^2 + b^3) \cosh(x)^6 \\
& - 15(a^2b^2 + 2b^3) \cosh(x)^4 + a^3 - 3a^2b^2 - 2b^3 + 3(a^3 - a^2b + 4a^2b^2 + 6b^3) \cosh(x)^2) \sinh(x)^2 \\
& + \sqrt{2}(b^2 \cosh(x)^6 + 6b^2 \cosh(x) \sinh(x)^5 + b^2 \sinh(x)^6 - 3b^2 \cosh(x)^4 + 3(5b^2 \cosh(x)^2 - b^2) \sinh(x)^4 \\
& + 4(5b^2 \cosh(x)^3 - 3b^2 \cosh(x)) \sinh(x)^3 - (a^2 - 2ab - 3b^2) \cosh(x)^2 + (15b^2 \cosh(x)^4 - 18b^2 \cosh(x)^2 - a^2 + 2ab + 3b^2) \sinh(x)^2 \\
& - a^2 - 2ab - b^2 + 2(3b^2 \cosh(x)^5 - 6b^2 \cosh(x)^3 - (a^2 - 2ab - 3b^2) \cosh(x)) \sinh(x)) \sqrt{a+b} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)} \\
& + 4(2(a^2b^2 + b^3) \cosh(x)^7 - 3(a^2b^2 + 2b^3) \cosh(x)^5 + (a^3 - a^2b + 4a^2b^2 + 6b^3) \cosh(x)^3 + (a^3 - 3a^2b^2 - 2b^3) \cosh(x)) \sinh(x) / (\cosh(x)^6 + 6 \cosh(x)^5 \sinh(x) + 15 \cosh(x)^4 \sinh(x)^2 + 20 \cosh(x)^3 \sinh(x)^3 + 15 \cosh(x)^2 \sinh(x)^4 + 6 \cosh(x) \sinh(x)^5 + \sinh(x)^6) \\
& + ((3a + 2b) \cosh(x)^4 + 4(3a + 2b) \cosh(x) \sinh(x)^3 + (3a + 2b) \sinh(x)^4 + 2(3a + 2b) \cosh(x)^2 + 2(3(3a + 2b) \cosh(x)^2 + 3a + 2b) \sinh(x)^2 \\
& + 4((3a + 2b) \cosh(x)^3 + (3a + 2b) \cosh(x)) \sinh(x) + 3a + 2b) \sqrt{b} \log(-((a + 2b) \cosh(x)^4 + 4(a + 2b) \cosh(x) \sinh(x)^3 + (a + 2b) \sinh(x)^4 + 2(a - 2b) \cosh(x)^2 + 2(3(a + 2b) \cosh(x)^2 + a - 2b) \sinh(x)^2 - 2\sqrt{2}(\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 - 1) \sqrt{b} \sqrt{((a + b) \cosh(x)^2 + (a + b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)} \\
& + 4((a + 2b) \cosh(x)^3 + (a - 2b) \cosh(x)) \sinh(x) + a + 2b) / (\cosh(x)^4 + 4 \cosh(x) \sinh(x)^3 + \sinh(x)^4 + 2(3 \cosh(x)^2 + 1) \sinh(x)^2 + 2 \cosh(x)^2 + 4(\cosh(x)^3 + \cosh(x)) \sinh(x) + 1) \\
& + ((a + b) \cosh(x)^4 + 4(a + b) \cosh(x) \sinh(x)^3 + (a + b) \sinh(x)^4 + 2(a + b) \cosh(x)^2 + 2(3(a + b) \cosh(x)^2 + a + b) \sinh(x)^2 + 4((a + b) \cosh(x)^3 + (a + b) \cosh(x)) \sinh(x) + a + b) \sqrt{a+b} \log(((a + b) \cosh(x)^4 + 4(a + b) \cosh(x) \sinh(x)^3 + (a + b) \sinh(x)^4 + 2a \cosh(x)^2 + 2(3(a + b) \cosh(x)^2 + a) \sinh(x)^2 + \sqrt{2}(\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 + 1) \sqrt{a+b} \sqrt{((a + b) \cosh(x)^2 + (a + b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)} \\
& + 4((a + b) \cosh(x)^3 + a \cosh(x)) \sinh(x) + a + b) / (\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2) - 2\sqrt{2}(b \cosh(x)^2 + 2b \cosh(x) \sinh(x) + b \sinh(x)^2 - b) \sqrt{((a + b) \cosh(x)^2 + (a + b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)} / (\cosh(x)^4 + 4 \cosh(x) \sinh(x)^3 + \sinh(x)^4 + 2(3 \cosh(x)^2 + 1) \sinh(x)^2 + 2 \cosh(x)^2 + 4(\cosh(x)^3 + \cosh(x)) \sinh(x) + 1), \\
& 1/4(2((3a + 2b) \cosh(x)^4 + 4(3a + 2b) \cosh(x) \sinh(x)^3 + (3a + 2b) \sinh(x)^4 + 2(3a + 2b) \cosh(x)^2 + 2(3(3a + 2b) \cosh(x)^2 + 3a + 2b) \sinh(x)^2 + 4((3a + 2b) \cosh(x)^3 + (3a + 2b) \cosh(x)) \sinh(x)
\end{aligned}$$

$$\begin{aligned}
& + 3*a + 2*b)*\sqrt{-b}*\arctan(\sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 - 1)*\sqrt{-b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)})/((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a - b)*\sinh(x)^2 + 4*((a + b)*\cosh(x)^3 + (a - b)*\cosh(x))*\sinh(x) + a + b)) + ((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*(a + b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a + b)*\sinh(x)^2 + 4*((a + b)*\cosh(x)^3 + (a + b)*\cosh(x))*\sinh(x) + a + b)*\sqrt{a + b}*\log(-((a*b^2 + b^3)*\cosh(x)^8 + 8*(a*b^2 + b^3)*\cosh(x)*\sinh(x)^7 + (a*b^2 + b^3)*\sinh(x)^8 - 2*(a*b^2 + 2*b^3)*\cosh(x)^6 - 2*(a*b^2 + 2*b^3 - 14*(a*b^2 + b^3)*\cosh(x)^2)*\sinh(x)^6 + 4*(14*(a*b^2 + b^3)*\cosh(x)^3 - 3*(a*b^2 + 2*b^3)*\cosh(x))*\sinh(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\cosh(x)^4 + (70*(a*b^2 + b^3)*\cosh(x)^4 + a^3 - a^2*b + 4*a*b^2 + 6*b^3 - 30*(a*b^2 + 2*b^3)*\cosh(x)^2)*\sinh(x)^4 + 4*(14*(a*b^2 + b^3)*\cosh(x)^5 - 10*(a*b^2 + 2*b^3)*\cosh(x)^3 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\cosh(x))*\sinh(x)^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 2*(a^3 - 3*a*b^2 - 2*b^3)*\cosh(x)^2 + 2*(14*(a*b^2 + b^3)*\cosh(x)^6 - 15*(a*b^2 + 2*b^3)*\cosh(x)^4 + a^3 - 3*a*b^2 - 2*b^3 + 3*(a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\cosh(x)^2)*\sinh(x)^2 + \sqrt{2}*(b^2*\cosh(x)^6 + 6*b^2*\cosh(x)*\sinh(x)^5 + b^2*\sinh(x)^6 - 3*b^2*\cosh(x)^4 + 3*(5*b^2*\cosh(x)^2 - b^2)*\sinh(x)^4 + 4*(5*b^2*\cosh(x)^3 - 3*b^2*\cosh(x))*\sinh(x)^3 - (a^2 - 2*a*b - 3*b^2)*\cosh(x)^2 + (15*b^2*\cosh(x)^4 - 18*b^2*\cosh(x)^2 - a^2 + 2*a*b + 3*b^2)*\sinh(x)^2 - a^2 - 2*a*b - b^2 + 2*(3*b^2*\cosh(x)^5 - 6*b^2*\cosh(x)^3 - (a^2 - 2*a*b - 3*b^2)*\cosh(x))*\sinh(x))*\sqrt{a + b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))} + 4*(2*(a*b^2 + b^3)*\cosh(x)^7 - 3*(a*b^2 + 2*b^3)*\cosh(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\cosh(x)^3 + (a^3 - 3*a*b^2 - 2*b^3)*\cosh(x))*\sinh(x))/(\cosh(x)^6 + 6*\cosh(x)^5*\sinh(x) + 15*\cosh(x)^4*\sinh(x)^2 + 20*\cosh(x)^3*\sinh(x)^3 + 15*\cosh(x)^2*\sinh(x)^4 + 6*\cosh(x)*\sinh(x)^5 + \sinh(x)^6)) + ((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*(a + b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a + b)*\sinh(x)^2 + 4*((a + b)*\cosh(x)^3 + (a + b)*\cosh(x))*\sinh(x) + a + b)*\sqrt{a + b}*\log(((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*a*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a)*\sinh(x)^2 + \sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 + 1)*\sqrt{a + b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)}) + 4*((a + b)*\cosh(x)^3 + a*\cosh(x))*\sinh(x) + a + b)/(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2)) - 2*\sqrt{2}*(b*\cosh(x)^2 + 2*b*\cosh(x)*\sinh(x) + b*\sinh(x)^2 - b)*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)))/(\cosh(x)^4 + 4*\cosh(x)*\sinh(x)^3 + \sinh(x)^4 + 2*(3*\cosh(x)^2 + 1)*\sinh(x)^2 + 2*\cosh(x)^2 + 4*(\cosh(x)^3 + \cosh(x))*\sinh(x) + 1), -1/4*(2*((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*(a + b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a + b)*\sinh(x)^2 + 4*((a + b)*\cosh(x)^3 + (a + b)*\cosh(x))*\sinh(x) + a + b)*\sqrt{-a - b}*\arctan(\sqrt{2}*(b*\cosh(x)^2 + 2*b*\cosh(x)*\sinh(x) + b*\sinh(x)^2 - a - b)*\sqrt{-a - b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*c
\end{aligned}$$

$$\begin{aligned} & \text{osh}(x) \cdot \sinh(x) + \sinh(x)^2) / ((a \cdot b + b^2) \cdot \cosh(x)^4 + 4 \cdot (a \cdot b + b^2) \cdot \cosh(x) \\ & \cdot \sinh(x)^3 + (a \cdot b + b^2) \cdot \sinh(x)^4 + (a^2 - a \cdot b - 2 \cdot b^2) \cdot \cosh(x)^2 + (6 \cdot (a \cdot b \\ & + b^2) \cdot \cosh(x)^2 + a^2 - a \cdot b - 2 \cdot b^2) \cdot \sinh(x)^2 + a^2 + 2 \cdot a \cdot b + b^2 + 2 \cdot ( \\ & 2 \cdot (a \cdot b + b^2) \cdot \cosh(x)^3 + (a^2 - a \cdot b - 2 \cdot b^2) \cdot \cosh(x)) \cdot \sinh(x)) + 2 \cdot ((a + \\ & b) \cdot \cosh(x)^4 + 4 \cdot (a + b) \cdot \cosh(x) \cdot \sinh(x)^3 + (a + b) \cdot \sinh(x)^4 + 2 \cdot (a + b) \cdot \\ & \cosh(x)^2 + 2 \cdot (3 \cdot (a + b) \cdot \cosh(x)^2 + a + b) \cdot \sinh(x)^2 + 4 \cdot ((a + b) \cdot \cosh(x)^3 \\ & + (a + b) \cdot \cosh(x)) \cdot \sinh(x) + a + b) \cdot \sqrt{-a - b} \cdot \arctan(\sqrt{2} \cdot \sqrt{-a - \\ & b}) \cdot \sqrt{((a + b) \cdot \cosh(x)^2 + (a + b) \cdot \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cdot \cosh \\ & h(x) \cdot \sinh(x) + \sinh(x)^2))} / ((a + b) \cdot \cosh(x)^2 + 2 \cdot (a + b) \cdot \cosh(x) \cdot \sinh(x) + \\ & (a + b) \cdot \sinh(x)^2 + a + b)) - ((3 \cdot a + 2 \cdot b) \cdot \cosh(x)^4 + 4 \cdot (3 \cdot a + 2 \cdot b) \cdot \cosh(x) \\ & \cdot \sinh(x)^3 + (3 \cdot a + 2 \cdot b) \cdot \sinh(x)^4 + 2 \cdot (3 \cdot a + 2 \cdot b) \cdot \cosh(x)^2 + 2 \cdot (3 \cdot (3 \cdot a \\ & + 2 \cdot b) \cdot \cosh(x)^2 + 3 \cdot a + 2 \cdot b) \cdot \sinh(x)^2 + 4 \cdot ((3 \cdot a + 2 \cdot b) \cdot \cosh(x)^3 + (3 \cdot a + \\ & 2 \cdot b) \cdot \cosh(x)) \cdot \sinh(x) + 3 \cdot a + 2 \cdot b) \cdot \sqrt{b} \cdot \log(-((a + 2 \cdot b) \cdot \cosh(x)^4 + 4 \cdot ( \\ & a + 2 \cdot b) \cdot \cosh(x) \cdot \sinh(x)^3 + (a + 2 \cdot b) \cdot \sinh(x)^4 + 2 \cdot (a - 2 \cdot b) \cdot \cosh(x)^2 + \\ & 2 \cdot (3 \cdot (a + 2 \cdot b) \cdot \cosh(x)^2 + a - 2 \cdot b) \cdot \sinh(x)^2 - 2 \cdot \sqrt{2} \cdot (\cosh(x)^2 + 2 \cdot \cosh \\ & h(x) \cdot \sinh(x) + \sinh(x)^2 - 1) \cdot \sqrt{b}) \cdot \sqrt{((a + b) \cdot \cosh(x)^2 + (a + b) \cdot \sinh \\ & h(x)^2 + a - b) / (\cosh(x)^2 - 2 \cdot \cosh(x) \cdot \sinh(x) + \sinh(x)^2))} + 4 \cdot ((a + 2 \cdot b) \\ & ) \cdot \cosh(x)^3 + (a - 2 \cdot b) \cdot \cosh(x)) \cdot \sinh(x) + a + 2 \cdot b) / (\cosh(x)^4 + 4 \cdot \cosh(x) \cdot \\ & \sinh(x)^3 + \sinh(x)^4 + 2 \cdot (3 \cdot \cosh(x)^2 + 1) \cdot \sinh(x)^2 + 2 \cdot \cosh(x)^2 + 4 \cdot (\cosh(x) \\ & )^3 + \cosh(x)) \cdot \sinh(x) + 1)) + 2 \cdot \sqrt{2} \cdot (b \cdot \cosh(x)^2 + 2 \cdot b \cdot \cosh(x) \cdot \sinh \\ & h(x) + b \cdot \sinh(x)^2 - b) \cdot \sqrt{((a + b) \cdot \cosh(x)^2 + (a + b) \cdot \sinh(x)^2 + a - b) \\ & ) / (\cosh(x)^2 - 2 \cdot \cosh(x) \cdot \sinh(x) + \sinh(x)^2))} / (\cosh(x)^4 + 4 \cdot \cosh(x) \cdot \sinh \\ & (x)^3 + \sinh(x)^4 + 2 \cdot (3 \cdot \cosh(x)^2 + 1) \cdot \sinh(x)^2 + 2 \cdot \cosh(x)^2 + 4 \cdot (\cosh(x) \\ & )^3 + \cosh(x)) \cdot \sinh(x) + 1), -1/2 \cdot (((a + b) \cdot \cosh(x)^4 + 4 \cdot (a + b) \cdot \cosh(x) \cdot \sinh \\ & h(x)^3 + (a + b) \cdot \sinh(x)^4 + 2 \cdot (a + b) \cdot \cosh(x)^2 + 2 \cdot (3 \cdot (a + b) \cdot \cosh(x)^2 \\ & + a + b) \cdot \sinh(x)^2 + 4 \cdot ((a + b) \cdot \cosh(x)^3 + (a + b) \cdot \cosh(x)) \cdot \sinh(x) + a + \\ & b) \cdot \sqrt{-a - b} \cdot \arctan(\sqrt{2} \cdot (b \cdot \cosh(x)^2 + 2 \cdot b \cdot \cosh(x) \cdot \sinh(x) + b \cdot \sinh \\ & (x)^2 - a - b) \cdot \sqrt{-a - b}) \cdot \sqrt{((a + b) \cdot \cosh(x)^2 + (a + b) \cdot \sinh(x)^2 + a - \\ & b) / (\cosh(x)^2 - 2 \cdot \cosh(x) \cdot \sinh(x) + \sinh(x)^2))} / ((a \cdot b + b^2) \cdot \cosh(x)^4 + \\ & 4 \cdot (a \cdot b + b^2) \cdot \cosh(x) \cdot \sinh(x)^3 + (a \cdot b + b^2) \cdot \sinh(x)^4 + (a^2 - a \cdot b - 2 \cdot b \\ & ^2) \cdot \cosh(x)^2 + (6 \cdot (a \cdot b + b^2) \cdot \cosh(x)^2 + a^2 - a \cdot b - 2 \cdot b^2) \cdot \sinh(x)^2 + a \\ & ^2 + 2 \cdot a \cdot b + b^2 + 2 \cdot (2 \cdot (a \cdot b + b^2) \cdot \cosh(x)^3 + (a^2 - a \cdot b - 2 \cdot b^2) \cdot \cosh(x) \\ & ) \cdot \sinh(x)) - ((3 \cdot a + 2 \cdot b) \cdot \cosh(x)^4 + 4 \cdot (3 \cdot a + 2 \cdot b) \cdot \cosh(x) \cdot \sinh(x)^3 + (3 \\ & \cdot a + 2 \cdot b) \cdot \sinh(x)^4 + 2 \cdot (3 \cdot a + 2 \cdot b) \cdot \cosh(x)^2 + 2 \cdot (3 \cdot (3 \cdot a + 2 \cdot b) \cdot \cosh(x)^2 \\ & + 3 \cdot a + 2 \cdot b) \cdot \sinh(x)^2 + 4 \cdot ((3 \cdot a + 2 \cdot b) \cdot \cosh(x)^3 + (3 \cdot a + 2 \cdot b) \cdot \cosh(x)) \cdot \sinh \\ & h(x) + 3 \cdot a + 2 \cdot b) \cdot \sqrt{-b} \cdot \arctan(\sqrt{2} \cdot (\cosh(x)^2 + 2 \cdot \cosh(x) \cdot \sinh(x) + \\ & \sinh(x)^2 - 1) \cdot \sqrt{-b}) \cdot \sqrt{((a + b) \cdot \cosh(x)^2 + (a + b) \cdot \sinh(x)^2 + a - \\ & b) / (\cosh(x)^2 - 2 \cdot \cosh(x) \cdot \sinh(x) + \sinh(x)^2))} / ((a + b) \cdot \cosh(x)^4 + 4 \cdot (a + \\ & b) \cdot \cosh(x) \cdot \sinh(x)^3 + (a + b) \cdot \sinh(x)^4 + 2 \cdot (a - b) \cdot \cosh(x)^2 + 2 \cdot (3 \cdot (a + \\ & b) \cdot \cosh(x)^2 + a - b) \cdot \sinh(x)^2 + 4 \cdot ((a + b) \cdot \cosh(x)^3 + (a - b) \cdot \cosh(x)) \cdot \\ & \sinh(x) + a + b)) + ((a + b) \cdot \cosh(x)^4 + 4 \cdot (a + b) \cdot \cosh(x) \cdot \sinh(x)^3 + (a + \\ & b) \cdot \sinh(x)^4 + 2 \cdot (a + b) \cdot \cosh(x)^2 + 2 \cdot (3 \cdot (a + b) \cdot \cosh(x)^2 + a + b) \cdot \sinh(x) \\ & )^2 + 4 \cdot ((a + b) \cdot \cosh(x)^3 + (a + b) \cdot \cosh(x)) \cdot \sinh(x) + a + b) \cdot \sqrt{-a - b} \\ & ) \cdot \arctan(\sqrt{2} \cdot \sqrt{-a - b}) \cdot \sqrt{((a + b) \cdot \cosh(x)^2 + (a + b) \cdot \sinh(x)^2 + \\ & a - b) / (\cosh(x)^2 - 2 \cdot \cosh(x) \cdot \sinh(x) + \sinh(x)^2))} / ((a + b) \cdot \cosh(x)^2 + 2 \end{aligned}$$

```
*(a + b)*cosh(x)*sinh(x) + (a + b)*sinh(x)^2 + a + b)) + sqrt(2)*(b*cosh(x)
^2 + 2*b*cosh(x)*sinh(x) + b*sinh(x)^2 - b)*sqrt(((a + b)*cosh(x)^2 + (a +
b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/(cosh(x)
)^4 + 4*cosh(x)*sinh(x)^3 + sinh(x)^4 + 2*(3*cosh(x)^2 + 1)*sinh(x)^2 + 2*c
osh(x)^2 + 4*(cosh(x)^3 + cosh(x))*sinh(x) + 1)]
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (a + b \tanh^2(x))^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tanh(x)\*\*2)\*\*(3/2),x)

[Out] Integral((a + b\*tanh(x)\*\*2)\*\*(3/2), x)

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tanh(x)^2)^(3/2),x, algorithm="giac")

[Out] Exception raised: NotImplementedError

### 3.223 $\int \coth(x) (a + b \tanh^2(x))^{3/2} dx$

**Optimal.** Leaf size=71

$$a^{3/2} \left( -\tanh^{-1} \left( \frac{\sqrt{a + b \tanh^2(x)}}{\sqrt{a}} \right) \right) + (a + b)^{3/2} \tanh^{-1} \left( \frac{\sqrt{a + b \tanh^2(x)}}{\sqrt{a + b}} \right) - b \sqrt{a + b \tanh^2(x)}$$

[Out]  $-(a^{3/2} * \text{ArcTanh}[\text{Sqrt}[a + b * \text{Tanh}[x]^2] / \text{Sqrt}[a]]) + (a + b)^{3/2} * \text{ArcTanh}[\text{Sqrt}[a + b * \text{Tanh}[x]^2] / \text{Sqrt}[a + b]] - b * \text{Sqrt}[a + b * \text{Tanh}[x]^2]$

**Rubi [A]** time = 0.136251, antiderivative size = 71, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.4$ , Rules used = {3670, 446, 84, 156, 63, 208}

$$a^{3/2} \left( -\tanh^{-1} \left( \frac{\sqrt{a + b \tanh^2(x)}}{\sqrt{a}} \right) \right) + (a + b)^{3/2} \tanh^{-1} \left( \frac{\sqrt{a + b \tanh^2(x)}}{\sqrt{a + b}} \right) - b \sqrt{a + b \tanh^2(x)}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Coth}[x] * (a + b * \text{Tanh}[x]^2)^{3/2}, x]$

[Out]  $-(a^{3/2} * \text{ArcTanh}[\text{Sqrt}[a + b * \text{Tanh}[x]^2] / \text{Sqrt}[a]]) + (a + b)^{3/2} * \text{ArcTanh}[\text{Sqrt}[a + b * \text{Tanh}[x]^2] / \text{Sqrt}[a + b]] - b * \text{Sqrt}[a + b * \text{Tanh}[x]^2]$

#### Rule 3670

$\text{Int}[\left( (d \cdot \tan[e + f \cdot x] + (f \cdot x))^{m \cdot (a + b \cdot \tan[e + f \cdot x] + (f \cdot x))^{n \cdot p}} \right), x\_Symbol] := \text{With}[\{ff = \text{FreeFactors}[\text{Tan}[e + f \cdot x], x]\}, \text{Dist}[(c \cdot ff) / f, \text{Subst}[\text{Int}[\left( (d \cdot ff \cdot x) / c \right)^m \cdot (a + b \cdot (ff \cdot x)^n)^p / (c^2 + f \cdot f^2 \cdot x^2), x], x, (c \cdot \text{Tan}[e + f \cdot x]) / ff, x]] /; \text{FreeQ}\{a, b, c, d, e, f, m, n, p\}, x] \&\& (\text{IGtQ}[p, 0] \parallel \text{EqQ}[n, 2] \parallel \text{EqQ}[n, 4] \parallel (\text{IntegerQ}[p] \&\& \text{RationalQ}[n]))$

#### Rule 446

$\text{Int}[(x)^{m \cdot (a + b \cdot (x)^n)^{p \cdot (c + d \cdot (x)^n)^q}}, x\_Symbol] := \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1) \cdot (a + b \cdot x)^p \cdot (c + d \cdot x)^q}, x], x, x^n], x] /; \text{FreeQ}\{a, b, c, d, m, n, p, q\}, x] \&\& \text{NeQ}[\dots]$

$b*c - a*d, 0]$  && IntegerQ[Simplify[(m + 1)/n]]

#### Rule 84

Int[((e\_.) + (f\_.)\*(x\_))^(p\_)/(((a\_.) + (b\_.)\*(x\_))\*((c\_.) + (d\_.)\*(x\_))),  
x\_Symbol] := Simp[(f\*(e + f\*x)^(p - 1))/(b\*d\*(p - 1)), x] + Dist[1/(b\*d), I  
nt[((b\*d\*e^2 - a\*c\*f^2 + f\*(2\*b\*d\*e - b\*c\*f - a\*d\*f)\*x)\*(e + f\*x)^(p - 2))/  
(a + b\*x)\*(c + d\*x)), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[p, 1]

#### Rule 156

Int[(((e\_.) + (f\_.)\*(x\_))^(p\_)\*((g\_.) + (h\_.)\*(x\_)))/(((a\_.) + (b\_.)\*(x\_))\*  
(c\_.) + (d\_.)\*(x\_))), x\_Symbol] := Dist[(b\*g - a\*h)/(b\*c - a\*d), Int[(e +  
f\*x)^p/(a + b\*x), x], x] - Dist[(d\*g - c\*h)/(b\*c - a\*d), Int[(e + f\*x)^p/(c  
+ d\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x]

#### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[  
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b +  
(d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ  
[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den  
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

#### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/  
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

#### Rubi steps



$$\begin{aligned}
\int \coth(x) (a + b \tanh^2(x))^{3/2} dx &= \text{Subst} \left( \int \frac{(a + bx^2)^{3/2}}{x(1-x^2)} dx, x, \tanh(x) \right) \\
&= \frac{1}{2} \text{Subst} \left( \int \frac{(a + bx)^{3/2}}{(1-x)x} dx, x, \tanh^2(x) \right) \\
&= -b\sqrt{a + b \tanh^2(x)} - \frac{1}{2} \text{Subst} \left( \int \frac{-a^2 + (-2a - b)bx}{(1-x)x\sqrt{a + bx}} dx, x, \tanh^2(x) \right) \\
&= -b\sqrt{a + b \tanh^2(x)} + \frac{1}{2} a^2 \text{Subst} \left( \int \frac{1}{x\sqrt{a + bx}} dx, x, \tanh^2(x) \right) + \frac{1}{2} (a + b)^2 \text{Subst} \left( \int \frac{1}{x\sqrt{a + bx}} dx, x, \tanh^2(x) \right) \\
&= -b\sqrt{a + b \tanh^2(x)} + \frac{a^2 \text{Subst} \left( \int \frac{1}{-\frac{a}{b} + \frac{x^2}{b}} dx, x, \sqrt{a + b \tanh^2(x)} \right)}{b} + \frac{(a + b)^2 \text{Subst} \left( \int \frac{1}{x\sqrt{a + bx}} dx, x, \tanh^2(x) \right)}{2} \\
&= -a^{3/2} \tanh^{-1} \left( \frac{\sqrt{a + b \tanh^2(x)}}{\sqrt{a}} \right) + (a + b)^{3/2} \tanh^{-1} \left( \frac{\sqrt{a + b \tanh^2(x)}}{\sqrt{a + b}} \right) - b\sqrt{a + b \tanh^2(x)}
\end{aligned}$$

**Mathematica [A]** time = 0.0598874, size = 71, normalized size = 1.

$$a^{3/2} \left( -\tanh^{-1} \left( \frac{\sqrt{a + b \tanh^2(x)}}{\sqrt{a}} \right) \right) + (a + b)^{3/2} \tanh^{-1} \left( \frac{\sqrt{a + b \tanh^2(x)}}{\sqrt{a + b}} \right) - b\sqrt{a + b \tanh^2(x)}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[x]\*(a + b\*Tanh[x]^2)^(3/2),x]

[Out] -(a^(3/2)\*ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a]]) + (a + b)^(3/2)\*ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]] - b\*Sqrt[a + b\*Tanh[x]^2]

**Maple [F]** time = 0.116, size = 0, normalized size = 0.

$$\int \coth(x) (a + b(\tanh(x))^2)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(x)\*(a+b\*tanh(x)^2)^(3/2),x)

[Out]  $\text{int}(\text{coth}(x)*(a+b*\tanh(x)^2)^{(3/2)},x)$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (b \tanh(x)^2 + a)^{\frac{3}{2}} \text{coth}(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\text{coth}(x)*(a+b*\tanh(x)^2)^{(3/2)},x, \text{algorithm}=\text{"maxima"})$

[Out]  $\text{integrate}((b*\tanh(x)^2 + a)^{(3/2)}*\text{coth}(x), x)$

**Fricas [B]** time = 3.56931, size = 11954, normalized size = 168.37

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\text{coth}(x)*(a+b*\tanh(x)^2)^{(3/2)},x, \text{algorithm}=\text{"fricas"})$

[Out]  $[1/4*((a + b)*\cosh(x)^2 + 2*(a + b)*\cosh(x)*\sinh(x) + (a + b)*\sinh(x)^2 + a + b)*\sqrt{a + b}*\log(((a^3 + a^2*b)*\cosh(x)^8 + 8*(a^3 + a^2*b)*\cosh(x)*\sinh(x)^7 + (a^3 + a^2*b)*\sinh(x)^8 + 2*(2*a^3 + a^2*b)*\cosh(x)^6 + 2*(2*a^3 + a^2*b + 14*(a^3 + a^2*b)*\cosh(x)^2)*\sinh(x)^6 + 4*(14*(a^3 + a^2*b)*\cosh(x)^3 + 3*(2*a^3 + a^2*b)*\cosh(x))*\sinh(x)^5 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*\cosh(x)^4 + (70*(a^3 + a^2*b)*\cosh(x)^4 + 6*a^3 + 4*a^2*b - a*b^2 + b^3 + 30*(2*a^3 + a^2*b)*\cosh(x)^2)*\sinh(x)^4 + 4*(14*(a^3 + a^2*b)*\cosh(x)^5 + 10*(2*a^3 + a^2*b)*\cosh(x)^3 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*\cosh(x))*\sinh(x)^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 2*(2*a^3 + 3*a^2*b - b^3)*\cosh(x)^2 + 2*(14*(a^3 + a^2*b)*\cosh(x)^6 + 15*(2*a^3 + a^2*b)*\cosh(x)^4 + 2*a^3 + 3*a^2*b - b^3 + 3*(6*a^3 + 4*a^2*b - a*b^2 + b^3)*\cosh(x)^2)*\sinh(x)^2 + \sqrt{2}*(a^2*\cosh(x)^6 + 6*a^2*\cosh(x)*\sinh(x)^5 + a^2*\sinh(x)^6 + 3*a^2*\cosh(x)^4 + 3*(5*a^2*\cosh(x)^2 + a^2)*\sinh(x)^4 + 4*(5*a^2*\cosh(x)^3 + 3*a^2*\cosh(x))*\sinh(x)^3 + (3*a^2 + 2*a*b - b^2)*\cosh(x)^2 + (15*a^2*\cosh(x)^4 + 18*a^2*\cosh(x)^2 + 3*a^2 + 2*a*b - b^2)*\sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(3*a^2*\cosh(x)^5 + 6*a^2*\cosh(x)^3 + (3*a^2 + 2*a*b - b^2)*\cosh(x))*\sinh(x))*\sqrt{a + b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)} + 4*(2*(a^3 + a^2*b)*\cosh(x)^7 + 3*(2*a^3 + a^2*b)*\cosh(x)^5 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*\cosh(x)^3 + (2*a^3$

$$\begin{aligned}
& + 3a^2b - b^3) \cosh(x) \sinh(x) / (\cosh(x)^6 + 6 \cosh(x)^5 \sinh(x) + 15 \cosh(x)^4 \sinh(x)^2 + 20 \cosh(x)^3 \sinh(x)^3 + 15 \cosh(x)^2 \sinh(x)^4 + 6 \cosh(x) \sinh(x)^5 + \sinh(x)^6) \\
& + 2(a \cosh(x)^2 + 2a \cosh(x) \sinh(x) + a \sinh(x)^2 + a) \sqrt{a} \log(-((2a + b) \cosh(x)^4 + 4(2a + b) \cosh(x) \sinh(x)^3 + (2a + b) \sinh(x)^4 + 2(2a - b) \cosh(x)^2 + 2(3(2a + b) \cosh(x)^2 + 2a - b) \sinh(x)^2 - 2\sqrt{2}(\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 + 1) \sqrt{a} \sqrt{((a + b) \cosh(x)^2 + (a + b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)}) + 4((2a + b) \cosh(x)^3 + (2a - b) \cosh(x)) \sinh(x) + 2a + b) / (\cosh(x)^4 + 4 \cosh(x) \sinh(x)^3 + \sinh(x)^4 + 2(3 \cosh(x)^2 - 1) \sinh(x)^2 - 2 \cosh(x)^2 + 4(\cosh(x)^3 - \cosh(x)) \sinh(x) + 1)) + ((a + b) \cosh(x)^2 + 2(a + b) \cosh(x) \sinh(x) + (a + b) \sinh(x)^2 + a + b) \sqrt{a + b} \log(-((a + b) \cosh(x)^4 + 4(a + b) \cosh(x) \sinh(x)^3 + (a + b) \sinh(x)^4 - 2b \cosh(x)^2 + 2(3(a + b) \cosh(x)^2 - b) \sinh(x)^2 + \sqrt{2}(\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 - 1) \sqrt{a + b} \sqrt{((a + b) \cosh(x)^2 + (a + b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)}) + 4((a + b) \cosh(x)^3 - b \cosh(x)) \sinh(x) + a + b) / (\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2)) - 4\sqrt{2} b \sqrt{((a + b) \cosh(x)^2 + (a + b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2))} / (\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 + 1), 1/4(4(a \cosh(x)^2 + 2a \cosh(x) \sinh(x) + a \sinh(x)^2 + a) \sqrt{-a} \arctan(\sqrt{2}(\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 + 1) \sqrt{-a} \sqrt{((a + b) \cosh(x)^2 + (a + b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)}) / ((a + b) \cosh(x)^4 + 4(a + b) \cosh(x) \sinh(x)^3 + (a + b) \sinh(x)^4 + 2(a - b) \cosh(x)^2 + 2(3(a + b) \cosh(x)^2 + a - b) \sinh(x)^2 + 4((a + b) \cosh(x)^3 + (a - b) \cosh(x)) \sinh(x) + a + b)) + ((a + b) \cosh(x)^2 + 2(a + b) \cosh(x) \sinh(x) + (a + b) \sinh(x)^2 + a + b) \sqrt{a + b} \log(((a^3 + a^2b) \cosh(x)^8 + 8(a^3 + a^2b) \cosh(x) \sinh(x)^7 + (a^3 + a^2b) \sinh(x)^8 + 2(2a^3 + a^2b) \cosh(x)^6 + 2(2a^3 + a^2b + 14(a^3 + a^2b) \cosh(x)^2) \sinh(x)^6 + 4(14(a^3 + a^2b) \cosh(x)^3 + 3(2a^3 + a^2b) \cosh(x)) \sinh(x)^5 + (6a^3 + 4a^2b - a^2b^2 + b^3) \cosh(x)^4 + (70(a^3 + a^2b) \cosh(x)^4 + 6a^3 + 4a^2b - a^2b^2 + b^3 + 30(2a^3 + a^2b) \cosh(x)^2) \sinh(x)^4 + 4(14(a^3 + a^2b) \cosh(x)^5 + 10(2a^3 + a^2b) \cosh(x)^3 + (6a^3 + 4a^2b - a^2b^2 + b^3) \cosh(x)) \sinh(x)^3 + a^3 + 3a^2b + 3a^2b^2 + b^3 + 2(2a^3 + 3a^2b - b^3) \cosh(x)^2 + 2(14(a^3 + a^2b) \cosh(x)^6 + 15(2a^3 + a^2b) \cosh(x)^4 + 2a^3 + 3a^2b - b^3 + 3(6a^3 + 4a^2b - a^2b^2 + b^3) \cosh(x)^2) \sinh(x)^2 + \sqrt{2}(a^2 \cosh(x)^6 + 6a^2 \cosh(x) \sinh(x)^5 + a^2 \sinh(x)^6 + 3a^2 \cosh(x)^4 + 3(5a^2 \cosh(x)^2 + a^2) \sinh(x)^4 + 4(5a^2 \cosh(x)^3 + 3a^2 \cosh(x)) \sinh(x)^3 + (3a^2 + 2a^2b - b^2) \cosh(x)^2 + (15a^2 \cosh(x)^4 + 18a^2 \cosh(x)^2 + 3a^2 + 2a^2b - b^2) \sinh(x)^2 + a^2 + 2a^2b + b^2 + 2(3a^2 \cosh(x)^5 + 6a^2 \cosh(x)^3 + (3a^2 + 2a^2b - b^2) \cosh(x)) \sinh(x)) \sqrt{a + b} \sqrt{((a + b) \cosh(x)^2 + (a + b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)}) + 4(2(a^3 + a^2b) \cosh(x)^7 + 3(2a^3 + a^2b) \cosh(x)^5 + (6a^3 + 4a^2b - a^2b^2 + b^3) \cosh(x)^3 + (2a^3 + 3a^2b - b^3) \cosh(x)) \sinh(x) / (\cosh(x)^6 + 6 \cosh(x)^5 \sinh(x) + 15 \cosh(x)^4 \sinh(x)^2 + 20 \cosh(x)^3 \sinh(x)^3 + 15 \cosh(x)^2 \sinh(x)^4 + 6 \cosh(x) \sinh(x)^5 + \sinh(x)^6)
\end{aligned}$$

$$\begin{aligned}
& (x)^3 + 15*\cosh(x)^2*\sinh(x)^4 + 6*\cosh(x)*\sinh(x)^5 + \sinh(x)^6)) + ((a + \\
& b)*\cosh(x)^2 + 2*(a + b)*\cosh(x)*\sinh(x) + (a + b)*\sinh(x)^2 + a + b)*\sqrt{a + b}*\log(-((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 - 2*b*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 - b)*\sinh(x)^2 + \sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 - 1)*\sqrt{a + b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)})) + 4*((a + b)*\cosh(x)^3 - b*\cosh(x))*\sinh(x) + a + b)/(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2)) - 4*\sqrt{2}*b*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))}/(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 + 1), -1/2*((a + b)*\cosh(x)^2 + 2*(a + b)*\cosh(x)*\sinh(x) + (a + b)*\sinh(x)^2 + a + b)*\sqrt{-a - b}*\arctan(\sqrt{2}*(a*\cosh(x)^2 + 2*a*\cosh(x)*\sinh(x) + a*\sinh(x)^2 + a + b)*\sqrt{-a - b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)})/((a^2 + a*b)*\cosh(x)^4 + 4*(a^2 + a*b)*\cosh(x)*\sinh(x)^3 + (a^2 + a*b)*\sinh(x)^4 + (2*a^2 + a*b - b^2)*\cosh(x)^2 + (6*(a^2 + a*b)*\cosh(x)^2 + 2*a^2 + a*b - b^2)*\sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(2*(a^2 + a*b)*\cosh(x)^3 + (2*a^2 + a*b - b^2)*\cosh(x))*\sinh(x))) + ((a + b)*\cosh(x)^2 + 2*(a + b)*\cosh(x)*\sinh(x) + (a + b)*\sinh(x)^2 + a + b)*\sqrt{-a - b}*\arctan(\sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 - 1)*\sqrt{-a - b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)})/((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a - b)*\sinh(x)^2 + 4*((a + b)*\cosh(x)^3 + (a - b)*\cosh(x))*\sinh(x) + a + b)) - (a*\cosh(x)^2 + 2*a*\cosh(x)*\sinh(x) + a*\sinh(x)^2 + a)*\sqrt{a}*\log(-((2*a + b)*\cosh(x)^4 + 4*(2*a + b)*\cosh(x)*\sinh(x)^3 + (2*a + b)*\sinh(x)^4 + 2*(2*a - b)*\cosh(x)^2 + 2*(3*(2*a + b)*\cosh(x)^2 + 2*a - b)*\sinh(x)^2 - 2*\sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 + 1)*\sqrt{a}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)})) + 4*((2*a + b)*\cosh(x)^3 + (2*a - b)*\cosh(x))*\sinh(x) + 2*a + b)/(\cosh(x)^4 + 4*\cosh(x)*\sinh(x)^3 + \sinh(x)^4 + 2*(3*\cosh(x)^2 - 1)*\sinh(x)^2 - 2*\cosh(x)^2 + 4*(\cosh(x)^3 - \cosh(x))*\sinh(x) + 1)) + 2*\sqrt{2}*b*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))}/(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 + 1), 1/2*(2*(a*\cosh(x)^2 + 2*a*\cosh(x)*\sinh(x) + a*\sinh(x)^2 + a)*\sqrt{-a}*\arctan(\sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 + 1)*\sqrt{-a}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)})/((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a - b)*\sinh(x)^2 + 4*((a + b)*\cosh(x)^3 + (a - b)*\cosh(x))*\sinh(x) + a + b)) - ((a + b)*\cosh(x)^2 + 2*(a + b)*\cosh(x)*\sinh(x) + (a + b)*\sinh(x)^2 + a + b)*\sqrt{-a - b}*\arctan(\sqrt{2}*(a*\cosh(x)^2 + 2*a*\cosh(x)*\sinh(x) + a*\sinh(x)^2 + a + b)*\sqrt{-a - b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)})/((a^2 + a*b)*\cosh(x)^4 + 4*(a^2 + a*b)*\cosh(x)*\sinh(x)^3 + (a^2 + a*b)*\sinh(x)^4 + (2*a^2 + a*b - b^2)*\cosh(x)^2 + (6*(a^2 + a*b)*\cosh(x)^2 + 2*a^2 + a*b - b^2)*\sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(2*(a^2 + a*b)*
\end{aligned}$$

$$\begin{aligned} & \cosh(x)^3 + (2a^2 + a*b - b^2)*\cosh(x))*\sinh(x)) - ((a + b)*\cosh(x)^2 + 2 \\ & *(a + b)*\cosh(x)*\sinh(x) + (a + b)*\sinh(x)^2 + a + b)*\sqrt{-a - b}*\arctan(\sqrt{2} \\ & *(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 - 1)*\sqrt{-a - b}*\sqrt{((a + b) \\ & *\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) \\ & ) + \sinh(x)^2)))/((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b) \\ & *\sinh(x)^4 + 2*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a - b)*\sinh(x)^2 \\ & + 4*((a + b)*\cosh(x)^3 + (a - b)*\cosh(x))*\sinh(x) + a + b)) - 2*\sqrt{2}*b* \\ & \sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x) \\ & *\sinh(x) + \sinh(x)^2)))/(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 + 1)} \end{aligned}$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)\*(a+b\*tanh(x)\*\*2)\*\*(3/2),x)

[Out] Timed out

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)\*(a+b\*tanh(x)^2)^(3/2),x, algorithm="giac")

[Out] Exception raised: NotImplementedError

### 3.224 $\int \coth^2(x) (a + b \tanh^2(x))^{3/2} dx$

**Optimal.** Leaf size=77

$$b^{3/2} \left( -\tanh^{-1} \left( \frac{\sqrt{b} \tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right) \right) + (a + b)^{3/2} \tanh^{-1} \left( \frac{\sqrt{a + b} \tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right) - a \coth(x) \sqrt{a + b \tanh^2(x)}$$

[Out]  $-(b^{(3/2)} * \text{ArcTanh}[(\text{Sqrt}[b] * \text{Tanh}[x]) / \text{Sqrt}[a + b * \text{Tanh}[x]^2]]) + (a + b)^{(3/2)} * \text{ArcTanh}[(\text{Sqrt}[a + b] * \text{Tanh}[x]) / \text{Sqrt}[a + b * \text{Tanh}[x]^2]] - a * \text{Coth}[x] * \text{Sqrt}[a + b * \text{Tanh}[x]^2]$

**Rubi [A]** time = 0.127127, antiderivative size = 77, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.353$ , Rules used = {3670, 474, 523, 217, 206, 377}

$$b^{3/2} \left( -\tanh^{-1} \left( \frac{\sqrt{b} \tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right) \right) + (a + b)^{3/2} \tanh^{-1} \left( \frac{\sqrt{a + b} \tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right) - a \coth(x) \sqrt{a + b \tanh^2(x)}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Coth}[x]^2 * (a + b * \text{Tanh}[x]^2)^{(3/2)}, x]$

[Out]  $-(b^{(3/2)} * \text{ArcTanh}[(\text{Sqrt}[b] * \text{Tanh}[x]) / \text{Sqrt}[a + b * \text{Tanh}[x]^2]]) + (a + b)^{(3/2)} * \text{ArcTanh}[(\text{Sqrt}[a + b] * \text{Tanh}[x]) / \text{Sqrt}[a + b * \text{Tanh}[x]^2]] - a * \text{Coth}[x] * \text{Sqrt}[a + b * \text{Tanh}[x]^2]$

#### Rule 3670

$\text{Int}[\left( (d_*) * \tan[(e_*) + (f_*) * (x_*)] \right)^{(m_*)} * \left( (a_*) + (b_*) * \left( (c_*) * \tan[(e_*) + (f_*) * (x_*)] \right)^{(n_*)} \right)^{(p_*)}, x\_Symbol] \rightarrow \text{With}[\{ff = \text{FreeFactors}[\text{Tan}[e + f * x], x]\}, \text{Dist}[(c * ff) / f, \text{Subst}[\text{Int}[\left( (d * ff * x) / c \right)^m * (a + b * (ff * x)^n)^p / (c^2 + f^2 * x^2), x], x, (c * \text{Tan}[e + f * x]) / ff], x]] /;$  FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

#### Rule 474

$\text{Int}[\left( (e_*) * (x_*) \right)^{(m_*)} * \left( (a_*) + (b_*) * (x_*)^{(n_*)} \right)^{(p_*)} * \left( (c_*) + (d_*) * (x_*)^{(n_*)} \right)^{(q_*)}, x\_Symbol] \rightarrow \text{Simp}[(c * (e * x)^{(m + 1)} * (a + b * x^n)^{(p + 1)} * (c + d * x^n)^{(q_*)}]$

```
(q - 1))/(a*e*(m + 1)), x] - Dist[1/(a*e^n*(m + 1)), Int[(e*x)^(m + n)*(a +
b*x^n)^p*(c + d*x^n)^(q - 2)*Simp[c*(c*b - a*d)*(m + 1) + c*n*(b*c*(p + 1)
+ a*d*(q - 1) + d*((c*b - a*d)*(m + 1) + c*b*n*(p + q))*x^n, x], x], x] /
; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && GtQ[q,
1] && LtQ[m, -1] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]
```

### Rule 523

```
Int[((e_) + (f_)*(x_)^(n_))/((a_) + (b_)*(x_)^(n_))*Sqrt[(c_) + (d_)*(x
_)^(n_)], x_Symbol] := Dist[f/b, Int[1/Sqrt[c + d*x^n], x], x] + Dist[(b*e
- a*f)/b, Int[1/((a + b*x^n)*Sqrt[c + d*x^n]), x], x] /; FreeQ[{a, b, c, d
, e, f, n}, x]
```

### Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

### Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

### Rule 377

```
Int[((a_) + (b_)*(x_)^(n_))^(p_)/((c_) + (d_)*(x_)^(n_)), x_Symbol] := Su
bst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b
, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]
```

### Rubi steps

$$\begin{aligned}
\int \coth^2(x) (a + b \tanh^2(x))^{3/2} dx &= \text{Subst} \left( \int \frac{(a + bx^2)^{3/2}}{x^2 (1 - x^2)} dx, x, \tanh(x) \right) \\
&= -a \coth(x) \sqrt{a + b \tanh^2(x)} + \text{Subst} \left( \int \frac{a(a + 2b) + b^2 x^2}{(1 - x^2) \sqrt{a + bx^2}} dx, x, \tanh(x) \right) \\
&= -a \coth(x) \sqrt{a + b \tanh^2(x)} - b^2 \text{Subst} \left( \int \frac{1}{\sqrt{a + bx^2}} dx, x, \tanh(x) \right) + (a + b)^2 \text{Subst} \left( \int \frac{1}{1 - x^2} dx, x, \tanh(x) \right) \\
&= -a \coth(x) \sqrt{a + b \tanh^2(x)} - b^2 \text{Subst} \left( \int \frac{1}{1 - bx^2} dx, x, \frac{\tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right) + (a + b)^2 \text{Subst} \left( \int \frac{1}{1 - x^2} dx, x, \tanh(x) \right) \\
&= -b^{3/2} \tanh^{-1} \left( \frac{\sqrt{b} \tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right) + (a + b)^{3/2} \tanh^{-1} \left( \frac{\sqrt{a + b} \tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right) - a \coth(x) \sqrt{a + b \tanh^2(x)}
\end{aligned}$$

**Mathematica [C]** time = 2.76287, size = 197, normalized size = 2.56

$$a \tanh(x) \left( -\sqrt{2}(a + 2b) \sqrt{\frac{\text{csch}^2(x)((a+b) \cosh(2x) + a - b)}{b}} \text{EllipticF} \left( \sin^{-1} \left( \frac{\sqrt{\frac{\text{csch}^2(x)((a+b) \cosh(2x) + a - b)}{b}}}{\sqrt{2}} \right), 1 \right) + \text{csch}^2(x)((a + b) \cosh(2x) + a - b) \right)$$


---


$$\sqrt{2} \sqrt{\text{sech}^2(x)((a + b) \cosh(2x) + a - b)}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[x]^2\*(a + b\*Tanh[x]^2)^(3/2), x]

[Out] -((a\*((a - b + (a + b)\*Cosh[2\*x])\*Csch[x]^2 - Sqrt[2]\*(a + 2\*b)\*Sqrt[((a - b + (a + b)\*Cosh[2\*x])\*Csch[x]^2)/b]\*EllipticF[ArcSin[Sqrt[((a - b + (a + b)\*Cosh[2\*x])\*Csch[x]^2)/b]/Sqrt[2]], 1] + Sqrt[2]\*(a + b)\*Sqrt[((a - b + (a + b)\*Cosh[2\*x])\*Csch[x]^2)/b]\*EllipticPi[b/(a + b), ArcSin[Sqrt[((a - b + (a + b)\*Cosh[2\*x])\*Csch[x]^2)/b]/Sqrt[2]], 1])\*Tanh[x])/(Sqrt[2]\*Sqrt[(a - b + (a + b)\*Cosh[2\*x])\*Sech[x]^2]))

**Maple [F]** time = 0.115, size = 0, normalized size = 0.

$$\int (\coth(x))^2 (a + b (\tanh(x))^2)^{3/2} dx$$



Verification of antiderivative is not currently implemented for this CAS.

[In] `int(coth(x)^2*(a+b*tanh(x)^2)^(3/2),x)`

[Out] `int(coth(x)^2*(a+b*tanh(x)^2)^(3/2),x)`

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (b \tanh(x)^2 + a)^{\frac{3}{2}} \coth(x)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(x)^2*(a+b*tanh(x)^2)^(3/2),x, algorithm="maxima")`

[Out] `integrate((b*tanh(x)^2 + a)^(3/2)*coth(x)^2, x)`

**Fricas [B]** time = 3.63884, size = 11507, normalized size = 149.44

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(x)^2*(a+b*tanh(x)^2)^(3/2),x, algorithm="fricas")`

[Out] `[1/4*(((a + b)*cosh(x)^2 + 2*(a + b)*cosh(x)*sinh(x) + (a + b)*sinh(x)^2 - a - b)*sqrt(a + b)*log(-((a*b^2 + b^3)*cosh(x)^8 + 8*(a*b^2 + b^3)*cosh(x)*sinh(x)^7 + (a*b^2 + b^3)*sinh(x)^8 - 2*(a*b^2 + 2*b^3)*cosh(x)^6 - 2*(a*b^2 + 2*b^3 - 14*(a*b^2 + b^3)*cosh(x)^2)*sinh(x)^6 + 4*(14*(a*b^2 + b^3)*cosh(x)^3 - 3*(a*b^2 + 2*b^3)*cosh(x))*sinh(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*cosh(x)^4 + (70*(a*b^2 + b^3)*cosh(x)^4 + a^3 - a^2*b + 4*a*b^2 + 6*b^3 - 30*(a*b^2 + 2*b^3)*cosh(x)^2)*sinh(x)^4 + 4*(14*(a*b^2 + b^3)*cosh(x)^5 - 10*(a*b^2 + 2*b^3)*cosh(x)^3 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*cosh(x))*sinh(x)^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 2*(a^3 - 3*a*b^2 - 2*b^3)*cosh(x)^2 + 2*(14*(a*b^2 + b^3)*cosh(x)^6 - 15*(a*b^2 + 2*b^3)*cosh(x)^4 + a^3 - 3*a*b^2 - 2*b^3 + 3*(a^3 - a^2*b + 4*a*b^2 + 6*b^3)*cosh(x)^2)*sinh(x)^2 + sqrt(2)*(b^2*cosh(x)^6 + 6*b^2*cosh(x)*sinh(x)^5 + b^2*sinh(x)^6 - 3*b^2*cosh(x)^4 + 3*(5*b^2*cosh(x)^2 - b^2)*sinh(x)^4 + 4*(5*b^2*cosh(x)^3 - 3*b^2*cosh(x))*sinh(x)^3 - (a^2 - 2*a*b - 3*b^2)*cosh(x)^2 + (15*b^2*cosh(x)^4 -`

$$\begin{aligned}
& 18b^2 \cosh(x)^2 - a^2 + 2ab + 3b^2) \sinh(x)^2 - a^2 - 2ab - b^2 + 2(3b^2 \cosh(x)^5 - 6b^2 \cosh(x)^3 - (a^2 - 2ab - 3b^2) \cosh(x)) \sinh(x) \\
& ) \sqrt{a+b} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2))} + 4(2(ab^2 + b^3) \cosh(x)^7 - 3(ab^2 + 2b^3) \cosh(x)^5 + (a^3 - a^2b + 4ab^2 + 6b^3) \cosh(x)^3 + (a^3 - 3ab^2 - 2b^3) \cosh(x)) \sinh(x) / (\cosh(x)^6 + 6 \cosh(x)^5 \sinh(x) + 15 \cosh(x)^4 \sinh(x)^2 + 20 \cosh(x)^3 \sinh(x)^3 + 15 \cosh(x)^2 \sinh(x)^4 + 6 \cosh(x) \sinh(x)^5 + \sinh(x)^6) + 2(b \cosh(x)^2 + 2b \cosh(x) \sinh(x) + b \sinh(x)^2 - b) \sqrt{b} \log(-((a+2b) \cosh(x)^4 + 4(a+2b) \cosh(x) \sinh(x))^3 + (a+2b) \sinh(x)^4 + 2(a-2b) \cosh(x)^2 + 2(3(a+2b) \cosh(x)^2 + a - 2b) \sinh(x)^2 - 2\sqrt{2}(\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 - 1) \sqrt{b} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2))} + 4((a+2b) \cosh(x)^3 + (a-2b) \cosh(x)) \sinh(x) + a + 2b) / (\cosh(x)^4 + 4 \cosh(x) \sinh(x)^3 + \sinh(x)^4 + 2(3 \cosh(x)^2 + 1) \sinh(x)^2 + 2 \cosh(x)^2 + 4(\cosh(x)^3 + \cosh(x)) \sinh(x) + 1)) + ((a+b) \cosh(x)^2 + 2(a+b) \cosh(x) \sinh(x) + (a+b) \sinh(x))^2 - a - b) \sqrt{a+b} \log(((a+b) \cosh(x)^4 + 4(a+b) \cosh(x) \sinh(x))^3 + (a+b) \sinh(x)^4 + 2a \cosh(x)^2 + 2(3(a+b) \cosh(x)^2 + a) \sinh(x))^2 + \sqrt{2}(\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 + 1) \sqrt{a+b} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2))} + 4((a+b) \cosh(x)^3 + a \cosh(x)) \sinh(x) + a + b) / (\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2)) - 4\sqrt{2} a \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2))} / (\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 - 1), 1/4(4(b \cosh(x)^2 + 2b \cosh(x) \sinh(x) + b \sinh(x)^2 - b) \sqrt{-b} \arctan(\sqrt{2}(\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 - 1) \sqrt{-b} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2))} / ((a+b) \cosh(x)^4 + 4(a+b) \cosh(x) \sinh(x)^3 + (a+b) \sinh(x)^4 + 2(a-b) \cosh(x)^2 + 2(3(a+b) \cosh(x)^2 + a - b) \sinh(x)^2 + 4((a+b) \cosh(x)^3 + (a-b) \cosh(x)) \sinh(x) + a + b)) + ((a+b) \cosh(x)^2 + 2(a+b) \cosh(x) \sinh(x) + (a+b) \sinh(x)^2 - a - b) \sqrt{a+b} \log(-((ab^2 + b^3) \cosh(x)^8 + 8(ab^2 + b^3) \cosh(x) \sinh(x)^7 + (ab^2 + b^3) \sinh(x)^8 - 2(ab^2 + 2b^3) \cosh(x)^6 - 2(ab^2 + 2b^3 - 14(ab^2 + b^3) \cosh(x)^2) \sinh(x)^6 + 4(14(ab^2 + b^3) \cosh(x)^3 - 3(ab^2 + 2b^3) \cosh(x)) \sinh(x)^5 + (a^3 - a^2b + 4ab^2 + 6b^3) \cosh(x)^4 + (70(ab^2 + b^3) \cosh(x)^4 + a^3 - a^2b + 4ab^2 + 6b^3 - 30(ab^2 + 2b^3) \cosh(x)^2) \sinh(x)^4 + 4(14(ab^2 + b^3) \cosh(x)^5 - 10(ab^2 + 2b^3) \cosh(x)^3 + (a^3 - a^2b + 4ab^2 + 6b^3) \cosh(x)) \sinh(x)^3 + a^3 + 3a^2b + 3ab^2 + b^3 + 2(a^3 - 3ab^2 - 2b^3) \cosh(x)^2 + 2(14(ab^2 + b^3) \cosh(x)^6 - 15(ab^2 + 2b^3) \cosh(x)^4 + a^3 - 3ab^2 - 2b^3 + 3(a^3 - a^2b + 4ab^2 + 6b^3) \cosh(x)^2) \sinh(x)^2 + \sqrt{2}(b^2 \cosh(x)^6 + 6b^2 \cosh(x) \sinh(x)^5 + b^2 \sinh(x)^6 - 3b^2 \cosh(x)^4 + 3(5b^2 \cosh(x)^2 - b^2) \sinh(x)^4 + 4(5b^2 \cosh(x)^3 - 3b^2 \cosh(x)) \sinh(x)^3 - (a^2 - 2ab - 3b^2) \cosh(x)^2 + (15b^2 \cosh(x)^4 - 18b^2 \cosh(x)^2 - a^2 + 2ab + 3b^2) \sinh(x)^2 - a^2 - 2ab - b^2 + 2(3b^2 \cosh(x)^5 - 6b^2 \cosh(x)^3 -
\end{aligned}$$

$$\begin{aligned}
& (a^2 - 2ab - 3b^2) \cosh(x) \sinh(x) \sqrt{a+b} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)} \\
& + 4(2(a^2b^2 + b^3) \cosh(x)^7 - 3(a^2b^2 + 2b^3) \cosh(x)^5 + (a^3 - a^2b + 4a^2b^2 + 6b^3) \cosh(x)^3 + (a^3 - 3a^2b^2 - 2b^3) \cosh(x) \sinh(x)) / \\
& (\cosh(x)^6 + 6 \cosh(x)^5 \sinh(x) + 15 \cosh(x)^4 \sinh(x)^2 + 20 \cosh(x)^3 \sinh(x)^3 + 15 \cosh(x)^2 \sinh(x)^4 + 6 \cosh(x) \sinh(x)^5 + \sinh(x)^6) + ((a+b) \cosh(x)^2 + 2(a+b) \cosh(x) \sinh(x) + (a+b) \sinh(x)^2 - a - b) \sqrt{a+b} \log(((a+b) \cosh(x)^4 + 4(a+b) \cosh(x) \sinh(x)^3 + (a+b) \sinh(x)^4 + 2a \cosh(x)^2 + 2(3(a+b) \cosh(x)^2 + a) \sinh(x)^2 + \sqrt{2}(\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 + 1) \sqrt{a+b} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)}) + 4((a+b) \cosh(x)^3 + a \cosh(x)) \sinh(x) + a + b) / (\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2)) - 4 \sqrt{2} a \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2))} / (\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 - 1), -1/2(((a+b) \cosh(x)^2 + 2(a+b) \cosh(x) \sinh(x) + (a+b) \sinh(x)^2 - a - b) \sqrt{-a-b} \arctan(\sqrt{2} (b \cosh(x)^2 + 2b \cosh(x) \sinh(x) + b \sinh(x)^2 - a - b) \sqrt{-a-b} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)}) / ((a^2b + b^2) \cosh(x)^4 + 4(a^2b + b^2) \cosh(x) \sinh(x)^3 + (a^2b + b^2) \sinh(x)^4 + (a^2 - a^2b - 2b^2) \cosh(x)^2 + (6(a^2b + b^2) \cosh(x)^2 + a^2 - a^2b - 2b^2) \sinh(x)^2 + a^2 + 2a^2b + b^2 + 2(2(a^2b + b^2) \cosh(x)^3 + (a^2 - a^2b - 2b^2) \cosh(x)) \sinh(x))) + ((a+b) \cosh(x)^2 + 2(a+b) \cosh(x) \sinh(x) + (a+b) \sinh(x)^2 - a - b) \sqrt{-a-b} \arctan(\sqrt{2} \sqrt{-a-b} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)}) / ((a+b) \cosh(x)^2 + 2(a+b) \cosh(x) \sinh(x) + (a+b) \sinh(x)^2 + a + b)) - (b \cosh(x)^2 + 2b \cosh(x) \sinh(x) + b \sinh(x)^2 - b) \sqrt{b} \log(-((a+2b) \cosh(x)^4 + 4(a+2b) \cosh(x) \sinh(x)^3 + (a+2b) \sinh(x)^4 + 2(a-2b) \cosh(x)^2 + 2(3(a+2b) \cosh(x)^2 + a - 2b) \sinh(x)^2 - 2 \sqrt{2} (\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 - 1) \sqrt{b} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)}) + 4((a+2b) \cosh(x)^3 + (a-2b) \cosh(x)) \sinh(x) + a + 2b) / (\cosh(x)^4 + 4 \cosh(x) \sinh(x)^3 + \sinh(x)^4 + 2(3 \cosh(x)^2 + 1) \sinh(x)^2 + 2 \cosh(x)^2 + 4(\cosh(x)^3 + \cosh(x)) \sinh(x) + 1)) + 2 \sqrt{2} a \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2))} / (\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 - 1), -1/2(((a+b) \cosh(x)^2 + 2(a+b) \cosh(x) \sinh(x) + (a+b) \sinh(x)^2 - a - b) \sqrt{-a-b} \arctan(\sqrt{2} (b \cosh(x)^2 + 2b \cosh(x) \sinh(x) + b \sinh(x)^2 - a - b) \sqrt{-a-b} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)}) / ((a^2b + b^2) \cosh(x)^4 + 4(a^2b + b^2) \cosh(x) \sinh(x)^3 + (a^2b + b^2) \sinh(x)^4 + (a^2 - a^2b - 2b^2) \cosh(x)^2 + (6(a^2b + b^2) \cosh(x)^2 + a^2 - a^2b - 2b^2) \sinh(x)^2 + a^2 + 2a^2b + b^2 + 2(2(a^2b + b^2) \cosh(x)^3 + (a^2 - a^2b - 2b^2) \cosh(x)) \sinh(x))) - 2(b \cosh(x)^2 + 2b \cosh(x) \sinh(x) + b \sinh(x)^2 - b) \sqrt{-b} \arctan(\sqrt{2} (\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 - 1) \sqrt{-b} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)})
\end{aligned}$$

```

)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2))/((a + b)*
cosh(x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 + 2*(a - b)*cos
h(x)^2 + 2*(3*(a + b)*cosh(x)^2 + a - b)*sinh(x)^2 + 4*((a + b)*cosh(x)^3 +
(a - b)*cosh(x))*sinh(x) + a + b)) + ((a + b)*cosh(x)^2 + 2*(a + b)*cosh(x)
)*sinh(x) + (a + b)*sinh(x)^2 - a - b)*sqrt(-a - b)*arctan(sqrt(2)*sqrt(-a
- b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*co
sh(x)*sinh(x) + sinh(x)^2)))/((a + b)*cosh(x)^2 + 2*(a + b)*cosh(x)*sinh(x)
+ (a + b)*sinh(x)^2 + a + b)) + 2*sqrt(2)*a*sqrt(((a + b)*cosh(x)^2 + (a +
b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/(cosh(x)
)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 - 1)]

```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(coth(x)**2*(a+b*tanh(x)**2)**(3/2),x)
```

```
[Out] Timed out
```

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(coth(x)^2*(a+b*tanh(x)^2)^(3/2),x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError
```

$$3.225 \quad \int \sqrt{1 + \tanh^2(x)} dx$$

Optimal. Leaf size=31

$$\sqrt{2} \tanh^{-1} \left( \frac{\sqrt{2} \tanh(x)}{\sqrt{\tanh^2(x) + 1}} \right) - \sinh^{-1}(\tanh(x))$$

[Out] -ArcSinh[Tanh[x]] + Sqrt[2]\*ArcTanh[(Sqrt[2]\*Tanh[x])/Sqrt[1 + Tanh[x]^2]]

**Rubi [A]** time = 0.0269331, antiderivative size = 31, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.5$ , Rules used = {3661, 402, 215, 377, 206}

$$\sqrt{2} \tanh^{-1} \left( \frac{\sqrt{2} \tanh(x)}{\sqrt{\tanh^2(x) + 1}} \right) - \sinh^{-1}(\tanh(x))$$

Antiderivative was successfully verified.

[In] Int[Sqrt[1 + Tanh[x]^2], x]

[Out] -ArcSinh[Tanh[x]] + Sqrt[2]\*ArcTanh[(Sqrt[2]\*Tanh[x])/Sqrt[1 + Tanh[x]^2]]

#### Rule 3661

Int[((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_))^(p\_), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(a + b\*(ff\*x)^n]^p/(c^2 + ff^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x]] /; FreeQ[{a, b, c, e, f, n, p}, x] && (IntegersQ[n, p] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])

#### Rule 402

Int[((a\_) + (b\_.)\*(x\_)^2)^(p\_.)/((c\_) + (d\_.)\*(x\_)^2), x\_Symbol] :> Dist[b/d, Int[(a + b\*x^2)^(p - 1), x], x] - Dist[(b\*c - a\*d)/d, Int[(a + b\*x^2)^(p - 1)/(c + d\*x^2), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && GtQ[p, 0] && (EqQ[p, 1/2] || EqQ[Denominator[p], 4])

#### Rule 215

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]
```

### Rule 377

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]
```

### Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

### Rubi steps

$$\begin{aligned}
 \int \sqrt{1 + \tanh^2(x)} dx &= \text{Subst} \left( \int \frac{\sqrt{1 + x^2}}{1 - x^2} dx, x, \tanh(x) \right) \\
 &= 2 \text{Subst} \left( \int \frac{1}{(1 - x^2)\sqrt{1 + x^2}} dx, x, \tanh(x) \right) - \text{Subst} \left( \int \frac{1}{\sqrt{1 + x^2}} dx, x, \tanh(x) \right) \\
 &= -\sinh^{-1}(\tanh(x)) + 2 \text{Subst} \left( \int \frac{1}{1 - 2x^2} dx, x, \frac{\tanh(x)}{\sqrt{1 + \tanh^2(x)}} \right) \\
 &= -\sinh^{-1}(\tanh(x)) + \sqrt{2} \tanh^{-1} \left( \frac{\sqrt{2} \tanh(x)}{\sqrt{1 + \tanh^2(x)}} \right)
 \end{aligned}$$

**Mathematica [A]** time = 0.0580652, size = 51, normalized size = 1.65

$$\frac{\cosh(x)\sqrt{\tanh^2(x) + 1} \left( \sqrt{2} \sinh^{-1}(\sqrt{2} \sinh(x)) - \tanh^{-1} \left( \frac{\sinh(x)}{\sqrt{\cosh(2x)}} \right) \right)}{\sqrt{\cosh(2x)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[1 + Tanh[x]^2], x]
```

[Out]  $((\sqrt{2} \operatorname{ArcSinh}[\sqrt{2} \operatorname{Sinh}[x]] - \operatorname{ArcTanh}[\operatorname{Sinh}[x] / \sqrt{\operatorname{Cosh}[2x]}}]) \operatorname{Cosh}[x] \sqrt{1 + \operatorname{Tanh}[x]^2}) / \sqrt{\operatorname{Cosh}[2x]}$

**Maple [B]** time = 0.059, size = 97, normalized size = 3.1

$$\frac{1}{2} \sqrt{(1 + \tanh(x))^2 - 2 \tanh(x)} - \operatorname{Arcsinh}(\tanh(x)) - \frac{\sqrt{2}}{2} \operatorname{Arctanh} \left( \frac{(2 - 2 \tanh(x)) \sqrt{2}}{4} \frac{1}{\sqrt{(1 + \tanh(x))^2 - 2 \tanh(x)}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((1+tanh(x)^2)^(1/2),x)`

[Out]  $1/2 * ((1 + \tanh(x))^2 - 2 * \tanh(x))^{(1/2)} - \operatorname{arcsinh}(\tanh(x)) - 1/2 * 2^{(1/2)} * \operatorname{arctanh}(1/4 * (2 - 2 * \tanh(x)) * 2^{(1/2)} / ((1 + \tanh(x))^2 - 2 * \tanh(x))^{(1/2)}) - 1/2 * ((\tanh(x) - 1)^2 + 2 * \tanh(x))^{(1/2)} + 1/2 * 2^{(1/2)} * \operatorname{arctanh}(1/4 * (2 * \tanh(x) + 2) * 2^{(1/2)} / ((\tanh(x) - 1)^2 + 2 * \tanh(x))^{(1/2)})$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{\tanh(x)^2 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1+tanh(x)^2)^(1/2),x, algorithm="maxima")`

[Out] `integrate(sqrt(tanh(x)^2 + 1), x)`

**Fricas [B]** time = 1.90972, size = 2319, normalized size = 74.81

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1+tanh(x)^2)^(1/2),x, algorithm="fricas")`

```
[Out] 1/4*sqrt(2)*log(-2*(cosh(x)^8 + 8*cosh(x)*sinh(x)^7 + sinh(x)^8 + (28*cosh(x)^2 - 3)*sinh(x)^6 - 3*cosh(x)^6 + 2*(28*cosh(x)^3 - 9*cosh(x))*sinh(x)^5 + 5*(14*cosh(x)^4 - 9*cosh(x)^2 + 1)*sinh(x)^4 + 5*cosh(x)^4 + 4*(14*cosh(x)^5 - 15*cosh(x)^3 + 5*cosh(x))*sinh(x)^3 + (28*cosh(x)^6 - 45*cosh(x)^4 + 30*cosh(x)^2 - 4)*sinh(x)^2 - 4*cosh(x)^2 + 2*(4*cosh(x)^7 - 9*cosh(x)^5 + 10*cosh(x)^3 - 4*cosh(x))*sinh(x) + (sqrt(2)*cosh(x)^6 + 6*sqrt(2)*cosh(x)*sinh(x)^5 + sqrt(2)*sinh(x)^6 + 3*(5*sqrt(2)*cosh(x)^2 - sqrt(2))*sinh(x)^4 - 3*sqrt(2)*cosh(x)^4 + 4*(5*sqrt(2)*cosh(x)^3 - 3*sqrt(2)*cosh(x))*sinh(x)^3 + (15*sqrt(2)*cosh(x)^4 - 18*sqrt(2)*cosh(x)^2 + 4*sqrt(2))*sinh(x)^2 + 4*sqrt(2)*cosh(x)^2 + 2*(3*sqrt(2)*cosh(x)^5 - 6*sqrt(2)*cosh(x)^3 + 4*sqrt(2)*cosh(x))*sinh(x) - 4*sqrt(2))*sqrt((cosh(x)^2 + sinh(x)^2)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 4)/(cosh(x)^6 + 6*cosh(x)^5*sinh(x) + 15*cosh(x)^4*sinh(x)^2 + 20*cosh(x)^3*sinh(x)^3 + 15*cosh(x)^2*sinh(x)^4 + 6*cosh(x)*sinh(x)^5 + sinh(x)^6)) + 1/4*sqrt(2)*log(2*(cosh(x)^4 + 4*cosh(x)*sinh(x)^3 + sinh(x)^4 + (6*cosh(x)^2 + 1)*sinh(x)^2 + cosh(x)^2 + 2*(2*cosh(x)^3 + cosh(x))*sinh(x) + (sqrt(2)*cosh(x)^2 + 2*sqrt(2)*cosh(x)*sinh(x) + sqrt(2)*sinh(x)^2 + sqrt(2))*sqrt((cosh(x)^2 + sinh(x)^2)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 1)/(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2)) - 1/2*log((cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 + 2*sqrt((cosh(x)^2 + sinh(x)^2)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) - 1)/(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2)) + 1/2*log((cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 - 2*sqrt((cosh(x)^2 + sinh(x)^2)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) - 1)/(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2))
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{\tanh^2(x) + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((1+tanh(x)**2)**(1/2), x)
```

```
[Out] Integral(sqrt(tanh(x)**2 + 1), x)
```

**Giac [B]** time = 1.21573, size = 140, normalized size = 4.52

$$-\frac{1}{2} \sqrt{2} \left( \sqrt{2} \log \left( \frac{\sqrt{2} - \sqrt{e^{4x} + 1} + e^{2x} + 1}{\sqrt{2} + \sqrt{e^{4x} + 1} - e^{2x} - 1} \right) + \log \left( \sqrt{e^{4x} + 1} - e^{2x} + 1 \right) + \log \left( \sqrt{e^{4x} + 1} - e^{2x} \right) - \log \left( -\sqrt{e^{4x} + 1} - e^{2x} + 1 \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.



```
[In] integrate((1+tanh(x)^2)^(1/2),x, algorithm="giac")
```

```
[Out] -1/2*sqrt(2)*(sqrt(2)*log((sqrt(2) - sqrt(e^(4*x) + 1) + e^(2*x) + 1)/(sqrt(2) + sqrt(e^(4*x) + 1) - e^(2*x) - 1)) + log(sqrt(e^(4*x) + 1) - e^(2*x) + 1) + log(sqrt(e^(4*x) + 1) - e^(2*x)) - log(-sqrt(e^(4*x) + 1) + e^(2*x) + 1))
```

### 3.226

$$\int \sqrt{-1 - \tanh^2(x)} dx$$

**Optimal.** Leaf size=45

$$\tan^{-1}\left(\frac{\tanh(x)}{\sqrt{-\tanh^2(x)-1}}\right) - \sqrt{2} \tan^{-1}\left(\frac{\sqrt{2}\tanh(x)}{\sqrt{-\tanh^2(x)-1}}\right)$$

[Out] ArcTan[Tanh[x]/Sqrt[-1 - Tanh[x]^2]] - Sqrt[2]\*ArcTan[(Sqrt[2]\*Tanh[x])/Sqrt[-1 - Tanh[x]^2]]

**Rubi [A]** time = 0.0345847, antiderivative size = 45, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$ , Rules used = {3661, 402, 217, 203, 377}

$$\tan^{-1}\left(\frac{\tanh(x)}{\sqrt{-\tanh^2(x)-1}}\right) - \sqrt{2} \tan^{-1}\left(\frac{\sqrt{2}\tanh(x)}{\sqrt{-\tanh^2(x)-1}}\right)$$

Antiderivative was successfully verified.

[In] Int[Sqrt[-1 - Tanh[x]^2], x]

[Out] ArcTan[Tanh[x]/Sqrt[-1 - Tanh[x]^2]] - Sqrt[2]\*ArcTan[(Sqrt[2]\*Tanh[x])/Sqrt[-1 - Tanh[x]^2]]

#### Rule 3661

```
Int[((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_), x_Symbol] :=
With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[(a + b*(
ff*x)^n]^p/(c^2 + ff^2*x^2), x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a,
b, c, e, f, n, p}, x] && (IntegersQ[n, p] || IGtQ[p, 0] || EqQ[n^2, 4] || E
qQ[n^2, 16])
```

#### Rule 402

```
Int[((a_) + (b_.)*(x_)^2)^(p_.)/((c_) + (d_.)*(x_)^2), x_Symbol] := Dist[b/
d, Int[(a + b*x^2)^(p - 1), x], x] - Dist[(b*c - a*d)/d, Int[(a + b*x^2)^(p
- 1)/(c + d*x^2), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] &&
GtQ[p, 0] && (EqQ[p, 1/2] || EqQ[Denominator[p], 4])
```

Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 377

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)/((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] := Subst[Int[1/(c - (b\*c - a\*d)\*x^n), x], x, x/(a + b\*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && EqQ[n\*p + 1, 0] && IntegerQ[n]

Rubi steps

$$\begin{aligned}
 \int \sqrt{-1 - \tanh^2(x)} dx &= \text{Subst} \left( \int \frac{\sqrt{-1 - x^2}}{1 - x^2} dx, x, \tanh(x) \right) \\
 &= - \left( 2 \text{Subst} \left( \int \frac{1}{\sqrt{-1 - x^2} (1 - x^2)} dx, x, \tanh(x) \right) \right) + \text{Subst} \left( \int \frac{1}{\sqrt{-1 - x^2}} dx, x, \tanh(x) \right) \\
 &= - \left( 2 \text{Subst} \left( \int \frac{1}{1 + 2x^2} dx, x, \frac{\tanh(x)}{\sqrt{-1 - \tanh^2(x)}} \right) \right) + \text{Subst} \left( \int \frac{1}{1 + x^2} dx, x, \frac{\tanh(x)}{\sqrt{-1 - \tanh^2(x)}} \right) \\
 &= \tan^{-1} \left( \frac{\tanh(x)}{\sqrt{-1 - \tanh^2(x)}} \right) - \sqrt{2} \tan^{-1} \left( \frac{\sqrt{2} \tanh(x)}{\sqrt{-1 - \tanh^2(x)}} \right)
 \end{aligned}$$

**Mathematica [A]** time = 0.033177, size = 53, normalized size = 1.18

$$\frac{\cosh(x) \sqrt{-\tanh^2(x) - 1} \left( \sqrt{2} \sinh^{-1} \left( \sqrt{2} \sinh(x) \right) - \tanh^{-1} \left( \frac{\sinh(x)}{\sqrt{\cosh(2x)}} \right) \right)}{\sqrt{\cosh(2x)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[-1 - Tanh[x]^2], x]

[Out] ((Sqrt[2]\*ArcSinh[Sqrt[2]\*Sinh[x]] - ArcTanh[Sinh[x]/Sqrt[Cosh[2\*x]]])\*Cosh[x]\*Sqrt[-1 - Tanh[x]^2])/Sqrt[Cosh[2\*x]]

**Maple [B]** time = 0.056, size = 142, normalized size = 3.2

$$\frac{1}{2}\sqrt{-(1+\tanh(x))^2+2\tanh(x)} + \frac{1}{2}\arctan\left(\tanh(x)\frac{1}{\sqrt{-(1+\tanh(x))^2+2\tanh(x)}}\right) - \frac{\sqrt{2}}{2}\arctan\left(\frac{(2\tanh(x)-2)}{4}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-1-tanh(x)^2)^(1/2),x)

[Out] 1/2\*(-(1+tanh(x))^2+2\*tanh(x))^(1/2)+1/2\*arctan(tanh(x)/(-(1+tanh(x))^2+2\*tanh(x))^(1/2))-1/2\*2^(1/2)\*arctan(1/4\*(2\*tanh(x)-2)\*2^(1/2)/(-(1+tanh(x))^2+2\*tanh(x))^(1/2))-1/2\*(-(tanh(x)-1)^2-2\*tanh(x))^(1/2)+1/2\*arctan(tanh(x)/(-(tanh(x)-1)^2-2\*tanh(x))^(1/2))+1/2\*2^(1/2)\*arctan(1/4\*(-2-2\*tanh(x))\*2^(1/2)/(-(tanh(x)-1)^2-2\*tanh(x))^(1/2))

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{-\tanh(x)^2 - 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1-tanh(x)^2)^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(-tanh(x)^2 - 1), x)

**Fricas [C]** time = 1.87808, size = 710, normalized size = 15.78

$$-\frac{1}{4}\sqrt{-2}\log\left(-\left(\sqrt{-2}\sqrt{-2}e^{(4x)}-2+2e^{(2x)}+2\right)e^{(-2x)}\right)+\frac{1}{4}\sqrt{-2}\log\left(\left(\sqrt{-2}\sqrt{-2}e^{(4x)}-2-2e^{(2x)}-2\right)e^{(-2x)}\right)+\frac{1}{4}\sqrt{-2}\log\left(\left(\sqrt{-2}\sqrt{-2}e^{(4x)}-2-2e^{(2x)}-2\right)e^{(-2x)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1-tanh(x)^2)^(1/2),x, algorithm="fricas")

```
[Out] -1/4*sqrt(-2)*log(-(sqrt(-2)*sqrt(-2*e^(4*x) - 2) + 2*e^(2*x) + 2)*e^(-2*x)
) + 1/4*sqrt(-2)*log((sqrt(-2)*sqrt(-2*e^(4*x) - 2) - 2*e^(2*x) - 2)*e^(-2*
x)) + 1/4*sqrt(-2)*log(-2*(sqrt(-2*e^(4*x) - 2)*(e^(2*x) - 2) + sqrt(-2)*e^
(4*x) - sqrt(-2)*e^(2*x) + 2*sqrt(-2))*e^(-4*x)) - 1/4*sqrt(-2)*log(-2*(sqr
t(-2*e^(4*x) - 2)*(e^(2*x) - 2) - sqrt(-2)*e^(4*x) + sqrt(-2)*e^(2*x) - 2*s
qrt(-2))*e^(-4*x)) - 1/2*I*log((4*I*sqrt(-2*e^(4*x) - 2) - 4*e^(2*x) + 4)*e
^(-2*x)) + 1/2*I*log((-4*I*sqrt(-2*e^(4*x) - 2) - 4*e^(2*x) + 4)*e^(-2*x))
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{-\tanh^2(x) - 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-1-tanh(x)**2)**(1/2),x)
```

```
[Out] Integral(sqrt(-tanh(x)**2 - 1), x)
```

**Giac [C]** time = 1.2704, size = 136, normalized size = 3.02

$$-\frac{1}{2}\sqrt{2}\left(2\sqrt{2}\arctan\left(-\frac{1}{2}\sqrt{2}\left((-i\sqrt{e^{4x}+1}-i\right)e^{(-2x)}-i\right)\right)+i\log\left(-\left(\sqrt{e^{4x}+1}+1\right)e^{(-2x)}\right)-i\log\left(-\left(-i\sqrt{e^{4x}+1}-\right.\right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-1-tanh(x)^2)^(1/2),x, algorithm="giac")
```

```
[Out] -1/2*sqrt(2)*(2*sqrt(2)*arctan(-1/2*sqrt(2)*((-I*sqrt(e^(4*x) + 1) - I)*e^(-
2*x) - I)) + I*log(-(sqrt(e^(4*x) + 1) + 1)*e^(-2*x)) - I*log(-(-I*sqrt(e^
(4*x) + 1) - I)*e^(-2*x) + I) + I*log(-(-I*sqrt(e^(4*x) + 1) - I)*e^(-2*x)
- I))
```

### 3.227 $\int (1 + \tanh^2(x))^{3/2} dx$

**Optimal.** Leaf size=50

$$2\sqrt{2} \tanh^{-1} \left( \frac{\sqrt{2} \tanh(x)}{\sqrt{\tanh^2(x) + 1}} \right) - \frac{1}{2} \tanh(x) \sqrt{\tanh^2(x) + 1} - \frac{5}{2} \sinh^{-1}(\tanh(x))$$

[Out]  $(-5*\text{ArcSinh}[\text{Tanh}[x]])/2 + 2*\text{Sqrt}[2]*\text{ArcTanh}[(\text{Sqrt}[2]*\text{Tanh}[x])/\text{Sqrt}[1 + \text{Tanh}[x]^2]] - (\text{Tanh}[x]*\text{Sqrt}[1 + \text{Tanh}[x]^2])/2$

**Rubi [A]** time = 0.0388703, antiderivative size = 50, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.6$ , Rules used = {3661, 416, 523, 215, 377, 206}

$$2\sqrt{2} \tanh^{-1} \left( \frac{\sqrt{2} \tanh(x)}{\sqrt{\tanh^2(x) + 1}} \right) - \frac{1}{2} \tanh(x) \sqrt{\tanh^2(x) + 1} - \frac{5}{2} \sinh^{-1}(\tanh(x))$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(1 + \text{Tanh}[x]^2)^{(3/2)}, x]$

[Out]  $(-5*\text{ArcSinh}[\text{Tanh}[x]])/2 + 2*\text{Sqrt}[2]*\text{ArcTanh}[(\text{Sqrt}[2]*\text{Tanh}[x])/\text{Sqrt}[1 + \text{Tanh}[x]^2]] - (\text{Tanh}[x]*\text{Sqrt}[1 + \text{Tanh}[x]^2])/2$

#### Rule 3661

```
Int[((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_), x_Symbol] :>
With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[(a + b*(
ff*x)^n]^p/(c^2 + ff^2*x^2), x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a,
b, c, e, f, n, p}, x] && (IntegersQ[n, p] || IGtQ[p, 0] || EqQ[n^2, 4] || E
qQ[n^2, 16])
```

#### Rule 416

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> Simp[(d*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 1))/(b*(n*(p + q) + 1)),
x] + Dist[1/(b*(n*(p + q) + 1)), Int[(a + b*x^n)^p*(c + d*x^n)^(q - 2)*Simp
[c*(b*c*(n*(p + q) + 1) - a*d) + d*(b*c*(n*(p + 2*q - 1) + 1) - a*d*(n*(q -
1) + 1))*x^n, x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d,
```

0] && GtQ[q, 1] && NeQ[n\*(p + q) + 1, 0] && !IGtQ[p, 1] && IntBinomialQ[a, b, c, d, n, p, q, x]

### Rule 523

Int[((e\_) + (f\_)\*(x\_)^(n\_))/((a\_) + (b\_)\*(x\_)^(n\_))\*Sqrt[(c\_) + (d\_)\*(x\_)^(n\_)], x\_Symbol] :> Dist[f/b, Int[1/Sqrt[c + d\*x^n], x], x] + Dist[(b\*e - a\*f)/b, Int[1/((a + b\*x^n)\*Sqrt[c + d\*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x]

### Rule 215

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] :> Simp[ArcSinh[(Rt[b, 2]\*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

### Rule 377

Int[((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)/((c\_) + (d\_)\*(x\_)^(n\_)), x\_Symbol] :> Subst[Int[1/(c - (b\*c - a\*d)\*x^n), x], x, x/(a + b\*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && EqQ[n\*p + 1, 0] && IntegerQ[n]

### Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rubi steps

$$\begin{aligned}
\int (1 + \tanh^2(x))^{3/2} dx &= \text{Subst} \left( \int \frac{(1+x^2)^{3/2}}{1-x^2} dx, x, \tanh(x) \right) \\
&= -\frac{1}{2} \tanh(x) \sqrt{1 + \tanh^2(x)} - \frac{1}{2} \text{Subst} \left( \int \frac{-3-5x^2}{(1-x^2)\sqrt{1+x^2}} dx, x, \tanh(x) \right) \\
&= -\frac{1}{2} \tanh(x) \sqrt{1 + \tanh^2(x)} - \frac{5}{2} \text{Subst} \left( \int \frac{1}{\sqrt{1+x^2}} dx, x, \tanh(x) \right) + 4 \text{Subst} \left( \int \frac{1}{(1-x^2)\sqrt{1+x^2}} dx, x, \tanh(x) \right) \\
&= -\frac{5}{2} \sinh^{-1}(\tanh(x)) - \frac{1}{2} \tanh(x) \sqrt{1 + \tanh^2(x)} + 4 \text{Subst} \left( \int \frac{1}{1-2x^2} dx, x, \frac{\tanh(x)}{\sqrt{1 + \tanh^2(x)}} \right) \\
&= -\frac{5}{2} \sinh^{-1}(\tanh(x)) + 2\sqrt{2} \tanh^{-1} \left( \frac{\sqrt{2} \tanh(x)}{\sqrt{1 + \tanh^2(x)}} \right) - \frac{1}{2} \tanh(x) \sqrt{1 + \tanh^2(x)}
\end{aligned}$$

**Mathematica [A]** time = 0.133756, size = 74, normalized size = 1.48

$$\frac{(\tanh^2(x) + 1)^{3/2} \left( -4\sqrt{2} \sinh^{-1}(\sqrt{2} \sinh(x)) \cosh^3(x) + \sinh(x) \sqrt{\cosh(2x)} \cosh(x) + 5 \cosh^3(x) \tanh^{-1} \left( \frac{\sinh(x)}{\sqrt{\cosh(2x)}} \right) \right)}{2 \cosh^3(2x)}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + Tanh[x]^2)^(3/2), x]

[Out] -((-4\*Sqrt[2]\*ArcSinh[Sqrt[2]\*Sinh[x]]\*Cosh[x]^3 + 5\*ArcTanh[Sinh[x]/Sqrt[Cosh[2\*x]])\*Cosh[x]^3 + Cosh[x]\*Sqrt[Cosh[2\*x]]\*Sinh[x])\*(1 + Tanh[x]^2)^(3/2))/(2\*Cosh[2\*x]^(3/2))

**Maple [B]** time = 0.025, size = 158, normalized size = 3.2

$$\frac{1}{6} \left( (1 + \tanh(x))^2 - 2 \tanh(x) \right)^{3/2} - \frac{\tanh(x)}{4} \sqrt{(1 + \tanh(x))^2 - 2 \tanh(x)} - \frac{5 \text{Arcsinh}(\tanh(x))}{2} + \sqrt{(1 + \tanh(x))^2}$$

Verification of antiderivative is not currently implemented for this CAS.



[In] `int((1+tanh(x)^2)^(3/2),x)`

[Out]  $\frac{1}{6}((1+\tanh(x))^{-2-2\tanh(x)})^{3/2} - \frac{1}{4}\tanh(x)((1+\tanh(x))^{-2-2\tanh(x)})^{1/2} - \frac{5}{2}\operatorname{arcsinh}(\tanh(x)) + ((1+\tanh(x))^{-2-2\tanh(x)})^{1/2} - 2^{1/2}\operatorname{arctanh}(1/4*(2-2*\tanh(x))*2^{1/2}/((1+\tanh(x))^{-2-2\tanh(x)})^{1/2}) - \frac{1}{6}((\tanh(x)-1)^{2+2*\tanh(x)})^{3/2} - \frac{1}{4}\tanh(x)((\tanh(x)-1)^{2+2*\tanh(x)})^{1/2} - ((\tanh(x)-1)^{2+2*\tanh(x)})^{1/2} + 2^{1/2}\operatorname{arctanh}(1/4*(2*\tanh(x)+2)*2^{1/2}/((\tanh(x)-1)^{2+2*\tanh(x)})^{1/2}))$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (\tanh(x)^2 + 1)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1+tanh(x)^2)^(3/2),x, algorithm="maxima")`

[Out] `integrate((tanh(x)^2 + 1)^(3/2), x)`

**Fricas [B]** time = 2.0444, size = 3526, normalized size = 70.52

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1+tanh(x)^2)^(3/2),x, algorithm="fricas")`

[Out]  $\frac{1}{4}(2*(\sqrt{2}*\cosh(x))^4 + 4*\sqrt{2}*\cosh(x)*\sinh(x)^3 + \sqrt{2}*\sinh(x)^4 + 2*(3*\sqrt{2}*\cosh(x)^2 + \sqrt{2})*\sinh(x)^2 + 2*\sqrt{2}*\cosh(x)^2 + 4*(\sqrt{2}*\cosh(x)^3 + \sqrt{2}*\cosh(x))*\sinh(x) + \sqrt{2})*\log(-2*(\cosh(x))^8 + 8*\cosh(x)*\sinh(x)^7 + \sinh(x)^8 + (28*\cosh(x)^2 - 3)*\sinh(x)^6 - 3*\cosh(x)^6 + 2*(28*\cosh(x)^3 - 9*\cosh(x))*\sinh(x)^5 + 5*(14*\cosh(x)^4 - 9*\cosh(x)^2 + 1)*\sinh(x)^4 + 5*\cosh(x)^4 + 4*(14*\cosh(x)^5 - 15*\cosh(x)^3 + 5*\cosh(x))*\sinh(x)^3 + (28*\cosh(x)^6 - 45*\cosh(x)^4 + 30*\cosh(x)^2 - 4)*\sinh(x)^2 - 4*\cosh(x)^2 + 2*(4*\cosh(x)^7 - 9*\cosh(x)^5 + 10*\cosh(x)^3 - 4*\cosh(x))*\sinh(x) + (\sqrt{2}*\cosh(x))^6 + 6*\sqrt{2}*\cosh(x)*\sinh(x)^5 + \sqrt{2}*\sinh(x)^6 + 3*(5*\sqrt{2}*\cosh(x)^2 - \sqrt{2})*\sinh(x)^4 - 3*\sqrt{2}*\cosh(x)^4 + 4*(5*\sqrt{2}*\cosh(x)^3 - 3*\sqrt{2}*\cosh(x))*\sinh(x)^3 + (15*\sqrt{2}*\cosh(x))^4 - 18$

```

*sqrt(2)*cosh(x)^2 + 4*sqrt(2))*sinh(x)^2 + 4*sqrt(2)*cosh(x)^2 + 2*(3*sqrt
(2)*cosh(x)^5 - 6*sqrt(2)*cosh(x)^3 + 4*sqrt(2)*cosh(x))*sinh(x) - 4*sqrt(2
))*sqrt((cosh(x)^2 + sinh(x)^2)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)
) + 4)/(cosh(x)^6 + 6*cosh(x)^5*sinh(x) + 15*cosh(x)^4*sinh(x)^2 + 20*cosh(
x)^3*sinh(x)^3 + 15*cosh(x)^2*sinh(x)^4 + 6*cosh(x)*sinh(x)^5 + sinh(x)^6))
+ 2*(sqrt(2)*cosh(x)^4 + 4*sqrt(2)*cosh(x)*sinh(x)^3 + sqrt(2)*sinh(x)^4 +
2*(3*sqrt(2)*cosh(x)^2 + sqrt(2))*sinh(x)^2 + 2*sqrt(2)*cosh(x)^2 + 4*(sqr
t(2)*cosh(x)^3 + sqrt(2)*cosh(x))*sinh(x) + sqrt(2))*log(2*(cosh(x)^4 + 4*c
osh(x)*sinh(x)^3 + sinh(x)^4 + (6*cosh(x)^2 + 1)*sinh(x)^2 + cosh(x)^2 + 2*
(2*cosh(x)^3 + cosh(x))*sinh(x) + (sqrt(2)*cosh(x)^2 + 2*sqrt(2)*cosh(x)*si
nh(x) + sqrt(2)*sinh(x)^2 + sqrt(2))*sqrt((cosh(x)^2 + sinh(x)^2)/(cosh(x)^
2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 1)/(cosh(x)^2 + 2*cosh(x)*sinh(x) + s
inh(x)^2)) - 5*(cosh(x)^4 + 4*cosh(x)*sinh(x)^3 + sinh(x)^4 + 2*(3*cosh(x)^
2 + 1)*sinh(x)^2 + 2*cosh(x)^2 + 4*(cosh(x)^3 + cosh(x))*sinh(x) + 1)*log((
cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 + 2*sqrt((cosh(x)^2 + sinh(x)^2)/
(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) - 1)/(cosh(x)^2 + 2*cosh(x)*si
nh(x) + sinh(x)^2)) + 5*(cosh(x)^4 + 4*cosh(x)*sinh(x)^3 + sinh(x)^4 + 2*(3
*cosh(x)^2 + 1)*sinh(x)^2 + 2*cosh(x)^2 + 4*(cosh(x)^3 + cosh(x))*sinh(x) +
1)*log((cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 - 2*sqrt((cosh(x)^2 + si
nh(x)^2)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) - 1)/(cosh(x)^2 + 2*c
osh(x)*sinh(x) + sinh(x)^2)) - 4*(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2
- 1)*sqrt((cosh(x)^2 + sinh(x)^2)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)
^2)))/(cosh(x)^4 + 4*cosh(x)*sinh(x)^3 + sinh(x)^4 + 2*(3*cosh(x)^2 + 1)*si
nh(x)^2 + 2*cosh(x)^2 + 4*(cosh(x)^3 + cosh(x))*sinh(x) + 1)

```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (\tanh^2(x) + 1)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+tanh(x)\*\*2)\*\*(3/2), x)

[Out] Integral((tanh(x)\*\*2 + 1)\*\*(3/2), x)

**Giac [B]** time = 1.25641, size = 273, normalized size = 5.46

$$-\frac{1}{4}\sqrt{2}\left(5\sqrt{2}\log\left(\frac{\sqrt{2}-\sqrt{e^{4x}+1}+e^{2x}+1}{\sqrt{2}+\sqrt{e^{4x}+1}-e^{2x}-1}\right)-\frac{4\left(3\left(\sqrt{e^{4x}+1}-e^{2x}\right)^3-\left(\sqrt{e^{4x}+1}-e^{2x}\right)^2-\sqrt{e^{4x}+1}+e^{2x}\right)}{\left(\left(\sqrt{e^{4x}+1}-e^{2x}\right)^2-2\sqrt{e^{4x}+1}+2e^{2x}-1\right)^2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+tanh(x)^2)^(3/2),x, algorithm="giac")

[Out] -1/4\*sqrt(2)\*(5\*sqrt(2)\*log((sqrt(2) - sqrt(e^(4\*x) + 1) + e^(2\*x) + 1)/(sqrt(2) + sqrt(e^(4\*x) + 1) - e^(2\*x) - 1)) - 4\*(3\*(sqrt(e^(4\*x) + 1) - e^(2\*x))^3 - (sqrt(e^(4\*x) + 1) - e^(2\*x))^2 - sqrt(e^(4\*x) + 1) + e^(2\*x) - 1)/((sqrt(e^(4\*x) + 1) - e^(2\*x))^2 - 2\*sqrt(e^(4\*x) + 1) + 2\*e^(2\*x) - 1)^2 + 4\*log(sqrt(e^(4\*x) + 1) - e^(2\*x) + 1) + 4\*log(sqrt(e^(4\*x) + 1) - e^(2\*x)) - 4\*log(-sqrt(e^(4\*x) + 1) + e^(2\*x) + 1))

$$3.228 \quad \int (-1 - \tanh^2(x))^{3/2} dx$$

**Optimal.** Leaf size=67

$$\frac{1}{2} \tanh(x) \sqrt{-\tanh^2(x) - 1} - \frac{5}{2} \tan^{-1} \left( \frac{\tanh(x)}{\sqrt{-\tanh^2(x) - 1}} \right) + 2\sqrt{2} \tan^{-1} \left( \frac{\sqrt{2} \tanh(x)}{\sqrt{-\tanh^2(x) - 1}} \right)$$

[Out] (-5\*ArcTan[Tanh[x]/Sqrt[-1 - Tanh[x]^2]])/2 + 2\*Sqrt[2]\*ArcTan[(Sqrt[2]\*Tanh[x])/Sqrt[-1 - Tanh[x]^2]] + (Tanh[x]\*Sqrt[-1 - Tanh[x]^2])/2

**Rubi [A]** time = 0.0473687, antiderivative size = 67, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.5$ , Rules used = {3661, 416, 523, 217, 203, 377}

$$\frac{1}{2} \tanh(x) \sqrt{-\tanh^2(x) - 1} - \frac{5}{2} \tan^{-1} \left( \frac{\tanh(x)}{\sqrt{-\tanh^2(x) - 1}} \right) + 2\sqrt{2} \tan^{-1} \left( \frac{\sqrt{2} \tanh(x)}{\sqrt{-\tanh^2(x) - 1}} \right)$$

Antiderivative was successfully verified.

[In] Int[(-1 - Tanh[x]^2)^(3/2), x]

[Out] (-5\*ArcTan[Tanh[x]/Sqrt[-1 - Tanh[x]^2]])/2 + 2\*Sqrt[2]\*ArcTan[(Sqrt[2]\*Tanh[x])/Sqrt[-1 - Tanh[x]^2]] + (Tanh[x]\*Sqrt[-1 - Tanh[x]^2])/2

#### Rule 3661

```
Int[((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_), x_Symbol] :>
With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[(a + b*(
ff*x)^n]^p/(c^2 + ff^2*x^2), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a,
b, c, e, f, n, p}, x] && (IntegersQ[n, p] || IGtQ[p, 0] || EqQ[n^2, 4] || E
qQ[n^2, 16])
```

#### Rule 416

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> Simp[(d*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 1))/(b*(n*(p + q) + 1)),
x] + Dist[1/(b*(n*(p + q) + 1)), Int[(a + b*x^n)^p*(c + d*x^n)^(q - 2)*Simp
[c*(b*c*(n*(p + q) + 1) - a*d) + d*(b*c*(n*(p + 2*q - 1) + 1) - a*d*(n*(q -
1) + 1))*x^n, x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d,
```

0] && GtQ[q, 1] && NeQ[n\*(p + q) + 1, 0] && !IGtQ[p, 1] && IntBinomialQ[a, b, c, d, n, p, q, x]

### Rule 523

Int[((e\_) + (f\_)\*(x\_)^(n\_))/((a\_) + (b\_)\*(x\_)^(n\_))\*Sqrt[(c\_) + (d\_)\*(x\_)^(n\_)], x\_Symbol] :> Dist[f/b, Int[1/Sqrt[c + d\*x^n], x], x] + Dist[(b\*e - a\*f)/b, Int[1/((a + b\*x^n)\*Sqrt[c + d\*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x]

### Rule 217

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] :> Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 203

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 377

Int[((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)/((c\_) + (d\_)\*(x\_)^(n\_)), x\_Symbol] :> Subst[Int[1/(c - (b\*c - a\*d)\*x^n), x], x, x/(a + b\*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && EqQ[n\*p + 1, 0] && IntegerQ[n]

### Rubi steps

$$\begin{aligned}
\int (-1 - \tanh^2(x))^{3/2} dx &= \text{Subst} \left( \int \frac{(-1 - x^2)^{3/2}}{1 - x^2} dx, x, \tanh(x) \right) \\
&= \frac{1}{2} \tanh(x) \sqrt{-1 - \tanh^2(x)} - \frac{1}{2} \text{Subst} \left( \int \frac{-3 - 5x^2}{\sqrt{-1 - x^2} (1 - x^2)} dx, x, \tanh(x) \right) \\
&= \frac{1}{2} \tanh(x) \sqrt{-1 - \tanh^2(x)} - \frac{5}{2} \text{Subst} \left( \int \frac{1}{\sqrt{-1 - x^2}} dx, x, \tanh(x) \right) + 4 \text{Subst} \left( \int \frac{1}{\sqrt{-1 - x^2}} dx, x, \tanh(x) \right) \\
&= \frac{1}{2} \tanh(x) \sqrt{-1 - \tanh^2(x)} - \frac{5}{2} \text{Subst} \left( \int \frac{1}{1 + x^2} dx, x, \frac{\tanh(x)}{\sqrt{-1 - \tanh^2(x)}} \right) + 4 \text{Subst} \left( \int \frac{1}{1 + x^2} dx, x, \frac{\tanh(x)}{\sqrt{-1 - \tanh^2(x)}} \right) \\
&= -\frac{5}{2} \tan^{-1} \left( \frac{\tanh(x)}{\sqrt{-1 - \tanh^2(x)}} \right) + 2\sqrt{2} \tan^{-1} \left( \frac{\sqrt{2} \tanh(x)}{\sqrt{-1 - \tanh^2(x)}} \right) + \frac{1}{2} \tanh(x) \sqrt{-1 - \tanh^2(x)}
\end{aligned}$$

**Mathematica [A]** time = 0.0671395, size = 76, normalized size = 1.13

$$\frac{(-\tanh^2(x) - 1)^{3/2} \left( -4\sqrt{2} \sinh^{-1}(\sqrt{2} \sinh(x)) \cosh^3(x) + \sinh(x) \sqrt{\cosh(2x)} \cosh(x) + 5 \cosh^3(x) \tanh^{-1} \left( \frac{\sinh(x)}{\sqrt{\cosh(2x)}} \right) \right)}{2 \cosh^3(2x)}$$

Antiderivative was successfully verified.

[In] Integrate[(-1 - Tanh[x]^2)^(3/2), x]

[Out] -((-4\*Sqrt[2]\*ArcSinh[Sqrt[2]\*Sinh[x]]\*Cosh[x]^3 + 5\*ArcTanh[Sinh[x]/Sqrt[Cosh[2\*x]])\*Cosh[x]^3 + Cosh[x]\*Sqrt[Cosh[2\*x]]\*Sinh[x])\*(-1 - Tanh[x]^2)^(3/2))/(2\*Cosh[2\*x]^(3/2))

**Maple [B]** time = 0.027, size = 211, normalized size = 3.2

$$\frac{1}{6} \left( -(1 + \tanh(x))^2 + 2 \tanh(x) \right)^{3/2} + \frac{\tanh(x)}{4} \sqrt{-(1 + \tanh(x))^2 + 2 \tanh(x)} - \frac{5}{4} \arctan \left( \tanh(x) \frac{1}{\sqrt{-(1 + \tanh(x))^2 + 2 \tanh(x)}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-1-tanh(x)^2)^(3/2),x)

[Out] 1/6\*(-(1+tanh(x))^2+2\*tanh(x))^(3/2)+1/4\*tanh(x)\*(-(1+tanh(x))^2+2\*tanh(x))^(1/2)-5/4\*arctan(tanh(x)/(-(1+tanh(x))^2+2\*tanh(x))^(1/2))-(-(1+tanh(x))^2+2\*tanh(x))^(1/2)+2^(1/2)\*arctan(1/4\*(2\*tanh(x)-2)\*2^(1/2)/(-(1+tanh(x))^2+2\*tanh(x))^(1/2))-1/6\*(-(tanh(x)-1)^2-2\*tanh(x))^(3/2)+1/4\*tanh(x)\*(-(tanh(x)-1)^2-2\*tanh(x))^(1/2)-5/4\*arctan(tanh(x)/(-(tanh(x)-1)^2-2\*tanh(x))^(1/2)))+(-(tanh(x)-1)^2-2\*tanh(x))^(1/2)-2^(1/2)\*arctan(1/4\*(-2-2\*tanh(x))\*2^(1/2)/(-(tanh(x)-1)^2-2\*tanh(x))^(1/2))

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (-\tanh(x)^2 - 1)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1-tanh(x)^2)^(3/2),x, algorithm="maxima")

[Out] integrate((-tanh(x)^2 - 1)^(3/2), x)

**Fricas [C]** time = 1.84119, size = 1103, normalized size = 16.46

$$2(\sqrt{-2}e^{4x} + 2\sqrt{-2}e^{2x} + \sqrt{-2})\log\left(2\left(\sqrt{-2}\sqrt{-2e^{4x}-2} + 2e^{2x} + 2\right)e^{(-2x)}\right) - 2(\sqrt{-2}e^{4x} + 2\sqrt{-2}e^{2x} + \sqrt{-2})\log\left(2\left(\sqrt{-2}\sqrt{-2e^{4x}-2} + 2e^{2x} + 2\right)e^{(-2x)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1-tanh(x)^2)^(3/2),x, algorithm="fricas")

[Out] 1/4\*(2\*(sqrt(-2)\*e^(4\*x) + 2\*sqrt(-2)\*e^(2\*x) + sqrt(-2))\*log(2\*(sqrt(-2)\*sqrt(-2\*e^(4\*x) - 2) + 2\*e^(2\*x) + 2)\*e^(-2\*x)) - 2\*(sqrt(-2)\*e^(4\*x) + 2\*sqrt(-2)\*e^(2\*x) + sqrt(-2))\*log(-2\*(sqrt(-2)\*sqrt(-2\*e^(4\*x) - 2) - 2\*e^(2\*x) - 2)\*e^(-2\*x)) + (5\*I\*e^(4\*x) + 10\*I\*e^(2\*x) + 5\*I)\*log((4\*I\*sqrt(-2\*e^(4\*x) - 2) - 4\*e^(2\*x) + 4)\*e^(-2\*x)) + (-5\*I\*e^(4\*x) - 10\*I\*e^(2\*x) - 5\*I)\*log((-4\*I\*sqrt(-2\*e^(4\*x) - 2) - 4\*e^(2\*x) + 4)\*e^(-2\*x)) - 2\*(sqrt(-2)\*e^(4\*x) + 2\*sqrt(-2)\*e^(2\*x) + sqrt(-2))\*log(4\*(sqrt(-2\*e^(4\*x) - 2)\*(e^(2\*x) - 2) + sqrt(-2)\*e^(4\*x) - sqrt(-2)\*e^(2\*x) + 2\*sqrt(-2))\*e^(-4\*x)) + 2\*(sqrt

$$(-2)*e^{(4*x)} + 2*\sqrt{-2}*e^{(2*x)} + \sqrt{-2})*\log(4*(\sqrt{-2}*e^{(4*x)} - 2)*(e^{(2*x)} - 2) - \sqrt{-2}*e^{(4*x)} + \sqrt{-2}*e^{(2*x)} - 2*\sqrt{-2}))*e^{(-4*x)} + 2*\sqrt{-2}*e^{(4*x)} - 2)*(e^{(2*x)} - 1))/(e^{(4*x)} + 2*e^{(2*x)} + 1)$$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (-\tanh^2(x) - 1)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1-tanh(x)\*\*2)\*\*(3/2),x)

[Out] Integral((-tanh(x)\*\*2 - 1)\*\*(3/2), x)

**Giac [C]** time = 1.21645, size = 273, normalized size = 4.07

$$\frac{1}{2}\sqrt{2}\left[5\sqrt{2}\arctan\left(-\frac{1}{2}\sqrt{2}\left((-i\sqrt{e^{(4x)}}+1-i\right)e^{(-2x)}-i\right)\right)+\frac{2\left(3\left(i\sqrt{e^{(4x)}}+1+i\right)e^{(-6x)}+i\left(i\sqrt{e^{(4x)}}+1+i\right)e^{(-4x)}+i\left(i\left(i\sqrt{e^{(4x)}}+1+i\right)e^{(-4x)}+\left(-2i\sqrt{e^{(4x)}}+1-2i\right)\right)\right)}{\left(i\left(i\sqrt{e^{(4x)}}+1+i\right)e^{(-4x)}+\left(-2i\sqrt{e^{(4x)}}+1-2i\right)\right)}\right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1-tanh(x)^2)^(3/2),x, algorithm="giac")

[Out] 1/2\*sqrt(2)\*(5\*sqrt(2)\*arctan(-1/2\*sqrt(2)\*((-I\*sqrt(e^(4\*x)) + 1) - I)\*e^(-2\*x) - I)) + 2\*(3\*(I\*sqrt(e^(4\*x)) + 1) + I)^3\*e^(-6\*x) + I\*(I\*sqrt(e^(4\*x)) + 1) + I)^2\*e^(-4\*x) + I\*(sqrt(e^(4\*x)) + 1) + 1)\*e^(-2\*x) - I)/(I\*(I\*sqrt(e^(4\*x)) + 1) + I)^2\*e^(-4\*x) + (-2\*I\*sqrt(e^(4\*x)) + 1) - 2\*I)\*e^(-2\*x) + I)^2 + 2\*I\*log(-(sqrt(e^(4\*x)) + 1) + 1)\*e^(-2\*x)) - 2\*I\*log(-(-I\*sqrt(e^(4\*x)) + 1) - I)\*e^(-2\*x) + I) + 2\*I\*log(-(-I\*sqrt(e^(4\*x)) + 1) - I)\*e^(-2\*x) - I)



$$3.229 \quad \int \frac{\tanh^5(x)}{\sqrt{a+b \tanh^2(x)}} dx$$

**Optimal.** Leaf size=70

$$-\frac{(a+b \tanh^2(x))^{3/2}}{3b^2} + \frac{(a-b)\sqrt{a+b \tanh^2(x)}}{b^2} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}}\right)}{\sqrt{a+b}}$$

[Out] ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]]/Sqrt[a + b] + ((a - b)\*Sqrt[a + b\*Tanh[x]^2])/b^2 - (a + b\*Tanh[x]^2)^(3/2)/(3\*b^2)

**Rubi [A]** time = 0.136063, antiderivative size = 70, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.294$ , Rules used = {3670, 446, 88, 63, 208}

$$-\frac{(a+b \tanh^2(x))^{3/2}}{3b^2} + \frac{(a-b)\sqrt{a+b \tanh^2(x)}}{b^2} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}}\right)}{\sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] Int[Tanh[x]^5/Sqrt[a + b\*Tanh[x]^2], x]

[Out] ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]]/Sqrt[a + b] + ((a - b)\*Sqrt[a + b\*Tanh[x]^2])/b^2 - (a + b\*Tanh[x]^2)^(3/2)/(3\*b^2)

### Rule 3670

Int[((d\_)\*tan[(e\_) + (f\_)\*(x\_)])^(m\_)\*((a\_) + (b\_)\*((c\_)\*tan[(e\_) + (f\_)\*(x\_)])^(n\_))^(p\_), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

### Rule 446

Int[(x\_)^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_)\*(x\_)^(n\_))^(q\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p

```
*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[
b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 88

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x
_))^(p_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n*(e + f*
x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && IntegersQ[m, n] && (Inte
gerQ[p] || (GtQ[m, 0] && GeQ[n, -1]))
```

### Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

### Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\tanh^5(x)}{\sqrt{a+b \tanh^2(x)}} dx &= \text{Subst} \left( \int \frac{x^5}{(1-x^2)\sqrt{a+bx^2}} dx, x, \tanh(x) \right) \\
&= \frac{1}{2} \text{Subst} \left( \int \frac{x^2}{(1-x)\sqrt{a+bx}} dx, x, \tanh^2(x) \right) \\
&= \frac{1}{2} \text{Subst} \left( \int \left( \frac{a-b}{b\sqrt{a+bx}} + \frac{1}{(1-x)\sqrt{a+bx}} - \frac{\sqrt{a+bx}}{b} \right) dx, x, \tanh^2(x) \right) \\
&= \frac{(a-b)\sqrt{a+b \tanh^2(x)}}{b^2} - \frac{(a+b \tanh^2(x))^{3/2}}{3b^2} + \frac{1}{2} \text{Subst} \left( \int \frac{1}{(1-x)\sqrt{a+bx}} dx, x, \tanh^2(x) \right) \\
&= \frac{(a-b)\sqrt{a+b \tanh^2(x)}}{b^2} - \frac{(a+b \tanh^2(x))^{3/2}}{3b^2} + \frac{\text{Subst} \left( \int \frac{1}{1+\frac{a}{b}-\frac{x^2}{b}} dx, x, \sqrt{a+b \tanh^2(x)} \right)}{b} \\
&= \frac{\tanh^{-1} \left( \frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}} \right)}{\sqrt{a+b}} + \frac{(a-b)\sqrt{a+b \tanh^2(x)}}{b^2} - \frac{(a+b \tanh^2(x))^{3/2}}{3b^2}
\end{aligned}$$

**Mathematica [A]** time = 0.482292, size = 68, normalized size = 0.97

$$\frac{\text{sech}^2(x)((a-2b) \cosh(2x) + a-b)\sqrt{a+b \tanh^2(x)}}{3b^2} + \frac{\tanh^{-1} \left( \frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}} \right)}{\sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[x]^5/Sqrt[a + b\*Tanh[x]^2], x]

[Out] ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]]/Sqrt[a + b] + ((a - b + (a - 2\*b)\*Cosh[2\*x])\*Sech[x]^2\*Sqrt[a + b\*Tanh[x]^2])/(3\*b^2)

**Maple [B]** time = 0.053, size = 164, normalized size = 2.3

$$-\frac{(\tanh(x))^2}{3b} \sqrt{a+b(\tanh(x))^2} + \frac{2a}{3b^2} \sqrt{a+b(\tanh(x))^2} - \frac{1}{b} \sqrt{a+b(\tanh(x))^2} + \frac{1}{2} \ln \left( \frac{1}{1+\tanh(x)} (2a+2b-2) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(tanh(x)^5/(a+b*tanh(x)^2)^(1/2),x)`

[Out] 
$$-1/3*\tanh(x)^2/b*(a+b*\tanh(x)^2)^(1/2)+2/3*a/b^2*(a+b*\tanh(x)^2)^(1/2)-(a+b*\tanh(x)^2)^(1/2)/b+1/2/(a+b)^(1/2)*\ln((2*a+2*b-2*(1+\tanh(x))*b+2*(a+b)^(1/2))*((1+\tanh(x))^2*b-2*(1+\tanh(x))*b+a+b)^(1/2))/(1+\tanh(x)))+1/2/(a+b)^(1/2)*\ln((2*a+2*b+2*(\tanh(x)-1)*b+2*(a+b)^(1/2))*((\tanh(x)-1)^2*b+2*(\tanh(x)-1)*b+a+b)^(1/2))/(\tanh(x)-1))$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\tanh(x)^5}{\sqrt{b \tanh(x)^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(x)^5/(a+b*tanh(x)^2)^(1/2),x, algorithm="maxima")`

[Out] `integrate(tanh(x)^5/sqrt(b*tanh(x)^2 + a), x)`

**Fricas [B]** time = 4.37119, size = 7692, normalized size = 109.89

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(x)^5/(a+b*tanh(x)^2)^(1/2),x, algorithm="fricas")`

[Out] 
$$\begin{aligned} & [1/12*(3*(b^2*\cosh(x)^6 + 6*b^2*\cosh(x)*\sinh(x)^5 + b^2*\sinh(x)^6 + 3*b^2*\cosh(x)^4 + 3*(5*b^2*\cosh(x)^2 + b^2)*\sinh(x)^4 + 3*b^2*\cosh(x)^2 + 4*(5*b^2*\cosh(x)^3 + 3*b^2*\cosh(x))*\sinh(x)^3 + 3*(5*b^2*\cosh(x)^4 + 6*b^2*\cosh(x)^2 + b^2)*\sinh(x)^2 + b^2 + 6*(b^2*\cosh(x)^5 + 2*b^2*\cosh(x)^3 + b^2*\cosh(x)*\sinh(x))*\sqrt{a+b}*\log(((a^3 + a^2*b)*\cosh(x)^8 + 8*(a^3 + a^2*b)*\cosh(x)*\sinh(x)^7 + (a^3 + a^2*b)*\sinh(x)^8 + 2*(2*a^3 + a^2*b)*\cosh(x)^6 + 2*(2*a^3 + a^2*b + 14*(a^3 + a^2*b)*\cosh(x)^2)*\sinh(x)^6 + 4*(14*(a^3 + a^2*b)*\cosh(x)^3 + 3*(2*a^3 + a^2*b)*\cosh(x))*\sinh(x)^5 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*\cosh(x)^4 + (70*(a^3 + a^2*b)*\cosh(x)^4 + 6*a^3 + 4*a^2*b - a*b^2 + b^3 + 30*(2*a^3 + a^2*b)*\cosh(x)^2)*\sinh(x)^4 + 4*(14*(a^3 + a^2*b)*\cosh(x)^5 + 10*(2*a^3 + a^2*b)*\cosh(x)^3 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*\cosh(x) \end{aligned}$$



```
(x)^5 + b^2*sinh(x)^6 + 3*b^2*cosh(x)^4 + 3*(5*b^2*cosh(x)^2 + b^2)*sinh(x)
^4 + 3*b^2*cosh(x)^2 + 4*(5*b^2*cosh(x)^3 + 3*b^2*cosh(x))*sinh(x)^3 + 3*(5
*b^2*cosh(x)^4 + 6*b^2*cosh(x)^2 + b^2)*sinh(x)^2 + b^2 + 6*(b^2*cosh(x)^5
+ 2*b^2*cosh(x)^3 + b^2*cosh(x))*sinh(x))*sqrt(-a - b)*arctan(sqrt(2)*(cosh
(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 - 1)*sqrt(-a - b)*sqrt(((a + b)*cosh(
x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^
2)))/((a + b)*cosh(x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 +
2*(a - b)*cosh(x)^2 + 2*(3*(a + b)*cosh(x)^2 + a - b)*sinh(x)^2 + 4*((a + b
)*cosh(x)^3 + (a - b)*cosh(x))*sinh(x) + a + b)) - 4*sqrt(2)*((a^2 - a*b -
2*b^2)*cosh(x)^4 + 4*(a^2 - a*b - 2*b^2)*cosh(x)*sinh(x)^3 + (a^2 - a*b - 2
*b^2)*sinh(x)^4 + 2*(a^2 - b^2)*cosh(x)^2 + 2*(3*(a^2 - a*b - 2*b^2)*cosh(x
)^2 + a^2 - b^2)*sinh(x)^2 + a^2 - a*b - 2*b^2 + 4*((a^2 - a*b - 2*b^2)*cos
h(x)^3 + (a^2 - b^2)*cosh(x))*sinh(x))*sqrt(((a + b)*cosh(x)^2 + (a + b)*si
nh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/((a*b^2 + b^
3)*cosh(x)^6 + 6*(a*b^2 + b^3)*cosh(x)*sinh(x)^5 + (a*b^2 + b^3)*sinh(x)^6
+ 3*(a*b^2 + b^3)*cosh(x)^4 + 3*(a*b^2 + b^3 + 5*(a*b^2 + b^3)*cosh(x)^2)*s
inh(x)^4 + 4*(5*(a*b^2 + b^3)*cosh(x)^3 + 3*(a*b^2 + b^3)*cosh(x))*sinh(x)^
3 + a*b^2 + b^3 + 3*(a*b^2 + b^3)*cosh(x)^2 + 3*(5*(a*b^2 + b^3)*cosh(x)^4
+ a*b^2 + b^3 + 6*(a*b^2 + b^3)*cosh(x)^2)*sinh(x)^2 + 6*((a*b^2 + b^3)*cos
h(x)^5 + 2*(a*b^2 + b^3)*cosh(x)^3 + (a*b^2 + b^3)*cosh(x))*sinh(x))]
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\tanh^5(x)}{\sqrt{a + b \tanh^2(x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)\*\*5/(a+b\*tanh(x)\*\*2)\*\*(1/2),x)

[Out] Integral(tanh(x)\*\*5/sqrt(a + b\*tanh(x)\*\*2), x)

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)^5/(a+b\*tanh(x)^2)^(1/2),x, algorithm="giac")

```
[Out] Exception raised: TypeError
```

$$3.230 \quad \int \frac{\tanh^4(x)}{\sqrt{a+b \tanh^2(x)}} dx$$

**Optimal.** Leaf size=88

$$\frac{(a-2b) \tanh^{-1}\left(\frac{\sqrt{b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}}\right)}{2b^{3/2}} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}}\right)}{\sqrt{a+b}} - \frac{\tanh(x) \sqrt{a+b \tanh^2(x)}}{2b}$$

[Out] ((a - 2\*b)\*ArcTanh[(Sqrt[b]\*Tanh[x])/Sqrt[a + b\*Tanh[x]^2]]/(2\*b^(3/2)) + ArcTanh[(Sqrt[a + b]\*Tanh[x])/Sqrt[a + b\*Tanh[x]^2]]/Sqrt[a + b] - (Tanh[x]\*Sqrt[a + b\*Tanh[x]^2])/(2\*b)

**Rubi [A]** time = 0.123222, antiderivative size = 88, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.353$ , Rules used = {3670, 479, 523, 217, 206, 377}

$$\frac{(a-2b) \tanh^{-1}\left(\frac{\sqrt{b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}}\right)}{2b^{3/2}} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}}\right)}{\sqrt{a+b}} - \frac{\tanh(x) \sqrt{a+b \tanh^2(x)}}{2b}$$

Antiderivative was successfully verified.

[In] Int[Tanh[x]^4/Sqrt[a + b\*Tanh[x]^2], x]

[Out] ((a - 2\*b)\*ArcTanh[(Sqrt[b]\*Tanh[x])/Sqrt[a + b\*Tanh[x]^2]]/(2\*b^(3/2)) + ArcTanh[(Sqrt[a + b]\*Tanh[x])/Sqrt[a + b\*Tanh[x]^2]]/Sqrt[a + b] - (Tanh[x]\*Sqrt[a + b\*Tanh[x]^2])/(2\*b)

### Rule 3670

Int[((d\_)\*tan[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((a\_) + (b\_)\*((c\_)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_))^(p\_), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff, x]] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

### Rule 479



```

Int[((e_.)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Simp[(e^(2*n - 1)*(e*x)^(m - 2*n + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(b*d*(m + n*(p + q) + 1)), x] - Dist[e^(2*n)/(b*d*(m + n*(p + q) + 1)), Int[(e*x)^(m - 2*n)*(a + b*x^n)^p*(c + d*x^n)^q*Simp[a*c*(m - 2*n + 1) + (a*d*(m + n*(q - 1) + 1) + b*c*(m + n*(p - 1) + 1))*x^n, x], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && GtQ[m - n + 1, n] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]

```

### Rule 523

```

Int[((e_) + (f_.)*(x_)^(n_))/(((a_) + (b_.)*(x_)^(n_))*Sqrt[(c_) + (d_.)*(x_)^(n_)]), x_Symbol] := Dist[f/b, Int[1/Sqrt[c + d*x^n], x], x] + Dist[(b*e - a*f)/b, Int[1/((a + b*x^n)*Sqrt[c + d*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x]

```

### Rule 217

```

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

```

### Rule 206

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

```

### Rule 377

```

Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]

```

### Rubi steps

$$\begin{aligned}
\int \frac{\tanh^4(x)}{\sqrt{a+b \tanh^2(x)}} dx &= \text{Subst} \left( \int \frac{x^4}{(1-x^2)\sqrt{a+bx^2}} dx, x, \tanh(x) \right) \\
&= -\frac{\tanh(x)\sqrt{a+b \tanh^2(x)}}{2b} + \frac{\text{Subst} \left( \int \frac{a+(-a+2b)x^2}{(1-x^2)\sqrt{a+bx^2}} dx, x, \tanh(x) \right)}{2b} \\
&= -\frac{\tanh(x)\sqrt{a+b \tanh^2(x)}}{2b} + \frac{(a-2b) \text{Subst} \left( \int \frac{1}{\sqrt{a+bx^2}} dx, x, \tanh(x) \right)}{2b} + \text{Subst} \left( \int \frac{1}{(1-x^2)\sqrt{a+bx^2}} dx, x, \tanh(x) \right) \\
&= -\frac{\tanh(x)\sqrt{a+b \tanh^2(x)}}{2b} + \frac{(a-2b) \text{Subst} \left( \int \frac{1}{1-bx^2} dx, x, \frac{\tanh(x)}{\sqrt{a+b \tanh^2(x)}} \right)}{2b} + \text{Subst} \left( \int \frac{1}{1-(a+bx^2)} dx, x, \tanh(x) \right) \\
&= \frac{(a-2b) \tanh^{-1} \left( \frac{\sqrt{b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}} \right)}{2b^{3/2}} + \frac{\tanh^{-1} \left( \frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}} \right)}{\sqrt{a+b}} - \frac{\tanh(x)\sqrt{a+b \tanh^2(x)}}{2b}
\end{aligned}$$

**Mathematica [C]** time = 4.43375, size = 208, normalized size = 2.36

$$\frac{\tanh(x) \left( \sqrt{2a(a+b)} \sqrt{\frac{\text{csch}^2(x)((a+b) \cosh(2x)+a-b)}{b}} \text{EllipticF} \left( \sin^{-1} \left( \frac{\sqrt{\frac{\text{csch}^2(x)((a+b) \cosh(2x)+a-b)}{b}}}{\sqrt{2}} \right), 1 \right) - (a+b) \text{sech}^2(x)((a+b) \cosh(2x)+a-b) \right)}{2\sqrt{2}b(a+b)\sqrt{\text{sech}^2(x)((a+b) \cosh(2x)+a-b)}}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[x]^4/Sqrt[a + b\*Tanh[x]^2], x]

[Out] ((Sqrt[2]\*a\*(a+b)\*Sqrt[((a-b+(a+b)\*Cosh[2\*x])\*Csch[x]^2)/b]\*EllipticF[ArcSin[Sqrt[((a-b+(a+b)\*Cosh[2\*x])\*Csch[x]^2)/b]/Sqrt[2]], 1] - 2\*Sqrt[2]\*a\*b\*Sqrt[((a-b+(a+b)\*Cosh[2\*x])\*Csch[x]^2)/b]\*EllipticPi[b/(a+b), ArcSin[Sqrt[((a-b+(a+b)\*Cosh[2\*x])\*Csch[x]^2)/b]/Sqrt[2]], 1] - (a+b)\*(a-b+(a+b)\*Cosh[2\*x])\*Sech[x]^2\*Tanh[x])/(2\*Sqrt[2]\*b\*(a+b)\*Sqrt[(a-b+(a+b)\*Cosh[2\*x])\*Sech[x]^2])

**Maple [B]** time = 0.048, size = 178, normalized size = 2.

$$-\frac{\tanh(x)}{2b} \sqrt{a+b(\tanh(x))^2} + \frac{a}{2} \ln \left( \tanh(x) \sqrt{b} + \sqrt{a+b(\tanh(x))^2} \right) b^{-\frac{3}{2}} - \ln \left( \tanh(x) \sqrt{b} + \sqrt{a+b(\tanh(x))^2} \right) \frac{1}{\sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(tanh(x)^4/(a+b*tanh(x)^2)^(1/2),x)`

[Out] 
$$-1/2*(a+b*\tanh(x)^2)^{(1/2)}*\tanh(x)/b+1/2*a/b^{(3/2)}*\ln(\tanh(x)*b^{(1/2)}+(a+b*\tanh(x)^2)^{(1/2)})-\ln(\tanh(x)*b^{(1/2)}+(a+b*\tanh(x)^2)^{(1/2)})/b^{(1/2)}-1/2/(a+b)^{(1/2)}*\ln((2*a+2*b-2*(1+\tanh(x))*b+2*(a+b)^{(1/2)}*((1+\tanh(x))^2*b-2*(1+\tanh(x))*b+a+b)^{(1/2)})/(1+\tanh(x)))+1/2/(a+b)^{(1/2)}*\ln((2*a+2*b+2*(\tanh(x)-1)*b+2*(a+b)^{(1/2)}*((\tanh(x)-1)^2*b+2*(\tanh(x)-1)*b+a+b)^{(1/2)})/(\tanh(x)-1))$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\tanh(x)^4}{\sqrt{b \tanh(x)^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(x)^4/(a+b*tanh(x)^2)^(1/2),x, algorithm="maxima")`

[Out] `integrate(tanh(x)^4/sqrt(b*tanh(x)^2 + a), x)`

**Fricas [B]** time = 4.5804, size = 15340, normalized size = 174.32

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(x)^4/(a+b*tanh(x)^2)^(1/2),x, algorithm="fricas")`

[Out] 
$$\begin{aligned} & [1/4*((b^2*\cosh(x)^4 + 4*b^2*\cosh(x)*\sinh(x)^3 + b^2*\sinh(x)^4 + 2*b^2*\cosh(x)^2 + 2*(3*b^2*\cosh(x)^2 + b^2)*\sinh(x)^2 + b^2 + 4*(b^2*\cosh(x)^3 + b^2*\cosh(x))*\sinh(x))*\sqrt{a + b}*\log(-((a*b^2 + b^3)*\cosh(x)^8 + 8*(a*b^2 + b^3)*\cosh(x)*\sinh(x)^7 + (a*b^2 + b^3)*\sinh(x)^8 - 2*(a*b^2 + 2*b^3)*\cosh(x)^6 - 2*(a*b^2 + 2*b^3 - 14*(a*b^2 + b^3)*\cosh(x)^2)*\sinh(x)^6 + 4*(14*(a*b^2 + b^3)*\cosh(x)^3 - 3*(a*b^2 + 2*b^3)*\cosh(x))*\sinh(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\cosh(x)^4 + (70*(a*b^2 + b^3)*\cosh(x)^4 + a^3 - a^2*b + 4*a*b^2 + 6*b^3 - 30*(a*b^2 + 2*b^3)*\cosh(x)^2)*\sinh(x)^4 + 4*(14*(a*b^2 + b^3)*\cosh(x)^5 - 10*(a*b^2 + 2*b^3)*\cosh(x)^3 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3) \end{aligned}$$

$$\begin{aligned}
& ) * \cosh(x) * \sinh(x)^3 + a^3 + 3a^2b + 3ab^2 + b^3 + 2(a^3 - 3a^2b - 2 \\
& * b^3) * \cosh(x)^2 + 2(14(a^2b^2 + b^3) * \cosh(x)^6 - 15(a^2b^2 + 2b^3) * \cosh(x) \\
& )^4 + a^3 - 3a^2b^2 - 2b^3 + 3(a^3 - a^2b + 4a^2b^2 + 6b^3) * \cosh(x)^2 * \\
& \sinh(x)^2 + \sqrt{2} * (b^2 * \cosh(x)^6 + 6b^2 * \cosh(x) * \sinh(x)^5 + b^2 * \sinh(x)^6 \\
& - 3b^2 * \cosh(x)^4 + 3(5b^2 * \cosh(x)^2 - b^2) * \sinh(x)^4 + 4(5b^2 * \cosh(x) \\
& )^3 - 3b^2 * \cosh(x)) * \sinh(x)^3 - (a^2 - 2ab - 3b^2) * \cosh(x)^2 + (15b^2 * \\
& \cosh(x)^4 - 18b^2 * \cosh(x)^2 - a^2 + 2ab + 3b^2) * \sinh(x)^2 - a^2 - 2ab \\
& - b^2 + 2(3b^2 * \cosh(x)^5 - 6b^2 * \cosh(x)^3 - (a^2 - 2ab - 3b^2) * \cosh(x) \\
& ) * \sinh(x)) * \sqrt{a+b} * \sqrt{((a+b) * \cosh(x)^2 + (a+b) * \sinh(x)^2 + a - \\
& b) / (\cosh(x)^2 - 2 * \cosh(x) * \sinh(x) + \sinh(x)^2))} + 4(2(a^2b^2 + b^3) * \cosh(x) \\
& )^7 - 3(a^2b^2 + 2b^3) * \cosh(x)^5 + (a^3 - a^2b + 4a^2b^2 + 6b^3) * \cosh(x) \\
& )^3 + (a^3 - 3a^2b^2 - 2b^3) * \cosh(x) * \sinh(x) / (\cosh(x)^6 + 6 * \cosh(x)^5 * \sinh(x) \\
& + 15 * \cosh(x)^4 * \sinh(x)^2 + 20 * \cosh(x)^3 * \sinh(x)^3 + 15 * \cosh(x)^2 * \sinh(x) \\
& )^4 + 6 * \cosh(x) * \sinh(x)^5 + \sinh(x)^6) - ((a^2 - ab - 2b^2) * \cosh(x)^4 + \\
& 4(a^2 - ab - 2b^2) * \cosh(x) * \sinh(x)^3 + (a^2 - ab - 2b^2) * \sinh(x)^4 + \\
& 2(a^2 - ab - 2b^2) * \cosh(x)^2 + 2(3(a^2 - ab - 2b^2) * \cosh(x)^2 + a^2 \\
& - ab - 2b^2) * \sinh(x)^2 + a^2 - ab - 2b^2 + 4((a^2 - ab - 2b^2) * \cosh(x) \\
& )^3 + (a^2 - ab - 2b^2) * \cosh(x) * \sinh(x)) * \sqrt{b} * \log(-((a + 2b) * \cosh(x) \\
& )^4 + 4(a + 2b) * \cosh(x) * \sinh(x)^3 + (a + 2b) * \sinh(x)^4 + 2(a - 2b) * \cosh(x) \\
& )^2 + 2(3(a + 2b) * \cosh(x)^2 + a - 2b) * \sinh(x)^2 - 2 * \sqrt{2} * (\cosh(x) \\
& )^2 + 2 * \cosh(x) * \sinh(x) + \sinh(x)^2 - 1) * \sqrt{b} * \sqrt{((a + b) * \cosh(x)^2 + ( \\
& a + b) * \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 * \cosh(x) * \sinh(x) + \sinh(x)^2))} + 4 * \\
& ((a + 2b) * \cosh(x)^3 + (a - 2b) * \cosh(x)) * \sinh(x) + a + 2b) / (\cosh(x)^4 + 4 \\
& * \cosh(x) * \sinh(x)^3 + \sinh(x)^4 + 2(3 * \cosh(x)^2 + 1) * \sinh(x)^2 + 2 * \cosh(x)^2 \\
& + 4 * (\cosh(x)^3 + \cosh(x)) * \sinh(x) + 1) + (b^2 * \cosh(x)^4 + 4b^2 * \cosh(x) * \\
& \sinh(x)^3 + b^2 * \sinh(x)^4 + 2b^2 * \cosh(x)^2 + 2(3b^2 * \cosh(x)^2 + b^2) * \sinh(x) \\
& )^2 + b^2 + 4(b^2 * \cosh(x)^3 + b^2 * \cosh(x)) * \sinh(x)) * \sqrt{a+b} * \log(((a \\
& + b) * \cosh(x)^4 + 4(a + b) * \cosh(x) * \sinh(x)^3 + (a + b) * \sinh(x)^4 + 2a * \cosh(x) \\
& )^2 + 2(3(a + b) * \cosh(x)^2 + a) * \sinh(x)^2 + \sqrt{2} * (\cosh(x)^2 + 2 * \cosh(x) * \sinh(x) \\
& + \sinh(x)^2 + 1) * \sqrt{a+b} * \sqrt{((a + b) * \cosh(x)^2 + (a + b) * \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 * \cosh(x) * \sinh(x) + \sinh(x)^2))} + 4 * ((a + b) * \cosh(x)^3 + a * \cosh(x)) * \sinh(x) + a + b) / (\cosh(x)^2 + 2 * \cosh(x) * \sinh(x) + \sinh(x)^2)) - 2 * \sqrt{2} * ((ab + b^2) * \cosh(x)^2 + 2 * (ab + b^2) * \cosh(x) * \sinh(x) + (ab + b^2) * \sinh(x)^2 - ab - b^2) * \sqrt{((a + b) * \cosh(x)^2 + (a + b) * \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 * \cosh(x) * \sinh(x) + \sinh(x)^2))} / ((ab^2 + b^3) * \cosh(x)^4 + 4 * (ab^2 + b^3) * \cosh(x) * \sinh(x)^3 + (ab^2 + b^3) * \sinh(x)^4 + ab^2 + b^3 + 2 * (ab^2 + b^3) * \cosh(x)^2 + 2 * (ab^2 + b^3 + 3 * (ab^2 + b^3) * \cosh(x)^2) * \sinh(x)^2 + 4 * ((ab^2 + b^3) * \cosh(x)^3 + (ab^2 + b^3) * \cosh(x)) * \sinh(x)), -1/4 * (2 * ((a^2 - ab - 2b^2) * \cosh(x)^4 + 4 * (a^2 - ab - 2b^2) * \cosh(x) * \sinh(x)^3 + (a^2 - ab - 2b^2) * \sinh(x)^4 + 2 * (a^2 - ab - 2b^2) * \cosh(x)^2 + 2 * (3 * (a^2 - ab - 2b^2) * \cosh(x)^2 + a^2 - ab - 2b^2) * \sinh(x)^2 + a^2 - ab - 2b^2 + 4 * ((a^2 - ab - 2b^2) * \cosh(x)^3 + (a^2 - ab - 2b^2) * \cosh(x)) * \sinh(x)) * \sqrt{-b} * \arctan(\sqrt{2} * (\cosh(x)^2 + 2 * \cosh(x) * \sinh(x) + \sinh(x)^2 - 1) * \sqrt{-b} * \sqrt{((a + b) * \cosh(x)^2 + (a + b) * \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 * \cosh(x) * \sinh(x) + \sinh(x)^2))} / ((a + b) * \cosh(x)^4 +
\end{aligned}$$

$$\begin{aligned}
& 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*(a - b)*\cosh(x)^2 + 2*( \\
& 3*(a + b)*\cosh(x)^2 + a - b)*\sinh(x)^2 + 4*((a + b)*\cosh(x)^3 + (a - b)*\cos \\
& h(x))*\sinh(x) + a + b) - (b^2*\cosh(x)^4 + 4*b^2*\cosh(x)*\sinh(x)^3 + b^2*\si \\
& nh(x)^4 + 2*b^2*\cosh(x)^2 + 2*(3*b^2*\cosh(x)^2 + b^2)*\sinh(x)^2 + b^2 + 4*( \\
& b^2*\cosh(x)^3 + b^2*\cosh(x))*\sinh(x))*\sqrt{a + b}*\log(-((a*b^2 + b^3)*\cosh( \\
& x)^8 + 8*(a*b^2 + b^3)*\cosh(x)*\sinh(x)^7 + (a*b^2 + b^3)*\sinh(x)^8 - 2*(a*b \\
& ^2 + 2*b^3)*\cosh(x)^6 - 2*(a*b^2 + 2*b^3 - 14*(a*b^2 + b^3)*\cosh(x)^2)*\sinh \\
& (x)^6 + 4*(14*(a*b^2 + b^3)*\cosh(x)^3 - 3*(a*b^2 + 2*b^3)*\cosh(x))*\sinh(x)^ \\
& 5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\cosh(x)^4 + (70*(a*b^2 + b^3)*\cosh(x)^4 \\
& + a^3 - a^2*b + 4*a*b^2 + 6*b^3 - 30*(a*b^2 + 2*b^3)*\cosh(x)^2)*\sinh(x)^4 \\
& + 4*(14*(a*b^2 + b^3)*\cosh(x)^5 - 10*(a*b^2 + 2*b^3)*\cosh(x)^3 + (a^3 - a^2 \\
& *b + 4*a*b^2 + 6*b^3)*\cosh(x))*\sinh(x)^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 + \\
& 2*(a^3 - 3*a*b^2 - 2*b^3)*\cosh(x)^2 + 2*(14*(a*b^2 + b^3)*\cosh(x)^6 - 15*(a \\
& *b^2 + 2*b^3)*\cosh(x)^4 + a^3 - 3*a*b^2 - 2*b^3 + 3*(a^3 - a^2*b + 4*a*b^2 \\
& + 6*b^3)*\cosh(x)^2)*\sinh(x)^2 + \sqrt{2}*(b^2*\cosh(x)^6 + 6*b^2*\cosh(x)*\sinh \\
& (x)^5 + b^2*\sinh(x)^6 - 3*b^2*\cosh(x)^4 + 3*(5*b^2*\cosh(x)^2 - b^2)*\sinh(x) \\
& ^4 + 4*(5*b^2*\cosh(x)^3 - 3*b^2*\cosh(x))*\sinh(x)^3 - (a^2 - 2*a*b - 3*b^2)* \\
& \cosh(x)^2 + (15*b^2*\cosh(x)^4 - 18*b^2*\cosh(x)^2 - a^2 + 2*a*b + 3*b^2)*\sin \\
& h(x)^2 - a^2 - 2*a*b - b^2 + 2*(3*b^2*\cosh(x)^5 - 6*b^2*\cosh(x)^3 - (a^2 - \\
& 2*a*b - 3*b^2)*\cosh(x))*\sinh(x))*\sqrt{a + b}*\sqrt{((a + b)*\cosh(x)^2 + (a + \\
& b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)} + 4*(2* \\
& (a*b^2 + b^3)*\cosh(x)^7 - 3*(a*b^2 + 2*b^3)*\cosh(x)^5 + (a^3 - a^2*b + 4*a* \\
& b^2 + 6*b^3)*\cosh(x)^3 + (a^3 - 3*a*b^2 - 2*b^3)*\cosh(x))*\sinh(x))/(\cosh(x) \\
& ^6 + 6*\cosh(x)^5*\sinh(x) + 15*\cosh(x)^4*\sinh(x)^2 + 20*\cosh(x)^3*\sinh(x)^3 \\
& + 15*\cosh(x)^2*\sinh(x)^4 + 6*\cosh(x)*\sinh(x)^5 + \sinh(x)^6) - (b^2*\cosh(x) \\
& ^4 + 4*b^2*\cosh(x)*\sinh(x)^3 + b^2*\sinh(x)^4 + 2*b^2*\cosh(x)^2 + 2*(3*b^2*\c \\
& osh(x)^2 + b^2)*\sinh(x)^2 + b^2 + 4*(b^2*\cosh(x)^3 + b^2*\cosh(x))*\sinh(x))* \\
& \sqrt{a + b}*\log(((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)* \\
& \sinh(x)^4 + 2*a*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a)*\sinh(x)^2 + \sqrt{2} \\
& *(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 + 1))*\sqrt{a + b}*\sqrt{((a + b)* \\
& \cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sin \\
& h(x)^2)} + 4*((a + b)*\cosh(x)^3 + a*\cosh(x))*\sinh(x) + a + b)/(\cosh(x)^2 + \\
& 2*\cosh(x)*\sinh(x) + \sinh(x)^2) + 2*\sqrt{2}*((a*b + b^2)*\cosh(x)^2 + 2*(a*b \\
& + b^2)*\cosh(x)*\sinh(x) + (a*b + b^2)*\sinh(x)^2 - a*b - b^2)*\sqrt{((a + b)* \\
& \cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sin \\
& h(x)^2)))/((a*b^2 + b^3)*\cosh(x)^4 + 4*(a*b^2 + b^3)*\cosh(x)*\sinh(x)^3 + (a \\
& *b^2 + b^3)*\sinh(x)^4 + a*b^2 + b^3 + 2*(a*b^2 + b^3)*\cosh(x)^2 + 2*(a*b^2 \\
& + b^3 + 3*(a*b^2 + b^3)*\cosh(x)^2)*\sinh(x)^2 + 4*((a*b^2 + b^3)*\cosh(x)^3 + \\
& (a*b^2 + b^3)*\cosh(x))*\sinh(x)), -1/4*(2*(b^2*\cosh(x)^4 + 4*b^2*\cosh(x)*\si \\
& nh(x)^3 + b^2*\sinh(x)^4 + 2*b^2*\cosh(x)^2 + 2*(3*b^2*\cosh(x)^2 + b^2)*\sinh( \\
& x)^2 + b^2 + 4*(b^2*\cosh(x)^3 + b^2*\cosh(x))*\sinh(x))*\sqrt{-a - b}*\arctan(s \\
& \sqrt{2}*(b*\cosh(x)^2 + 2*b*\cosh(x)*\sinh(x) + b*\sinh(x)^2 - a - b)*\sqrt{-a - \\
& b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh \\
& (x)*\sinh(x) + \sinh(x)^2)})/((a*b + b^2)*\cosh(x)^4 + 4*(a*b + b^2)*\cosh(x)*\si \\
& nh(x)^3 + (a*b + b^2)*\sinh(x)^4 + (a^2 - a*b - 2*b^2)*\cosh(x)^2 + (6*(a*b +
\end{aligned}$$



```

osh(x)*sinh(x) + sinh(x)^2))/((a + b)*cosh(x)^2 + 2*(a + b)*cosh(x)*sinh(x)
+ (a + b)*sinh(x)^2 + a + b)) + sqrt(2)*((a*b + b^2)*cosh(x)^2 + 2*(a*b +
b^2)*cosh(x)*sinh(x) + (a*b + b^2)*sinh(x)^2 - a*b - b^2)*sqrt(((a + b)*cos
h(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)
)^2)))/((a*b^2 + b^3)*cosh(x)^4 + 4*(a*b^2 + b^3)*cosh(x)*sinh(x)^3 + (a*b^
2 + b^3)*sinh(x)^4 + a*b^2 + b^3 + 2*(a*b^2 + b^3)*cosh(x)^2 + 2*(a*b^2 + b
^3 + 3*(a*b^2 + b^3)*cosh(x)^2)*sinh(x)^2 + 4*((a*b^2 + b^3)*cosh(x)^3 + (a
*b^2 + b^3)*cosh(x))*sinh(x))]

```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\tanh^4(x)}{\sqrt{a + b \tanh^2(x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tanh(x)**4/(a+b*tanh(x)**2)**(1/2), x)
```

```
[Out] Integral(tanh(x)**4/sqrt(a + b*tanh(x)**2), x)
```

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tanh(x)^4/(a+b*tanh(x)^2)^(1/2), x, algorithm="giac")
```

```
[Out] Exception raised: TypeError
```

$$3.231 \quad \int \frac{\tanh^3(x)}{\sqrt{a+b \tanh^2(x)}} dx$$

**Optimal.** Leaf size=47

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}}\right)}{\sqrt{a+b}} - \frac{\sqrt{a+b \tanh^2(x)}}{b}$$

[Out] ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]]/Sqrt[a + b] - Sqrt[a + b\*Tanh[x]^2]/b

**Rubi [A]** time = 0.105658, antiderivative size = 47, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.294$ , Rules used = {3670, 446, 80, 63, 208}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}}\right)}{\sqrt{a+b}} - \frac{\sqrt{a+b \tanh^2(x)}}{b}$$

Antiderivative was successfully verified.

[In] Int[Tanh[x]^3/Sqrt[a + b\*Tanh[x]^2], x]

[Out] ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]]/Sqrt[a + b] - Sqrt[a + b\*Tanh[x]^2]/b

### Rule 3670

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_)]^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)]^(n_))^(p_.), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f^2*x^2), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))
```

### Rule 446

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p
```



$*(c + d*x)^q, x], x, x^n], x] /; \text{FreeQ}[\{a, b, c, d, m, n, p, q\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

### Rule 80

$\text{Int}[(a_.) + (b_.)*(x_.)]*((c_.) + (d_.)*(x_.))^{(n_.)}*((e_.) + (f_.)*(x_.))^{(p_.)}, x\_Symbol] \text{:>} \text{Simp}[(b*(c + d*x)^{(n + 1)}*(e + f*x)^{(p + 1)})/(d*f*(n + p + 2)), x] + \text{Dist}[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(d*f*(n + p + 2)), \text{Int}[(c + d*x)^n*(e + f*x)^p, x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, n, p\}, x] \ \&\& \ \text{NeQ}[n + p + 2, 0]$

### Rule 63

$\text{Int}[(a_.) + (b_.)*(x_.)]^{(m_.)}*((c_.) + (d_.)*(x_.))^{(n_.)}, x\_Symbol] \text{:>} \text{With}[\{p = \text{Denominator}[m]\}, \text{Dist}[p/b, \text{Subst}[\text{Int}[x^{(p*(m + 1) - 1)}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}], x]] /; \text{FreeQ}[\{a, b, c, d\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{LtQ}[-1, m, 0] \ \&\& \ \text{LeQ}[-1, n, 0] \ \&\& \ \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \ \&\& \ \text{IntLinearQ}[a, b, c, d, m, n, x]$

### Rule 208

$\text{Int}[(a_.) + (b_.)*(x_.)^2]^{(-1)}, x\_Symbol] \text{:>} \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{NegQ}[a/b]$

### Rubi steps

$$\begin{aligned}
 \int \frac{\tanh^3(x)}{\sqrt{a + b \tanh^2(x)}} dx &= \text{Subst} \left( \int \frac{x^3}{(1 - x^2) \sqrt{a + bx^2}} dx, x, \tanh(x) \right) \\
 &= \frac{1}{2} \text{Subst} \left( \int \frac{x}{(1 - x) \sqrt{a + bx}} dx, x, \tanh^2(x) \right) \\
 &= -\frac{\sqrt{a + b \tanh^2(x)}}{b} + \frac{1}{2} \text{Subst} \left( \int \frac{1}{(1 - x) \sqrt{a + bx}} dx, x, \tanh^2(x) \right) \\
 &= -\frac{\sqrt{a + b \tanh^2(x)}}{b} + \frac{\text{Subst} \left( \int \frac{1}{1 + \frac{a}{b} - \frac{x^2}{b}} dx, x, \sqrt{a + b \tanh^2(x)} \right)}{b} \\
 &= \frac{\tanh^{-1} \left( \frac{\sqrt{a + b \tanh^2(x)}}{\sqrt{a + b}} \right)}{\sqrt{a + b}} - \frac{\sqrt{a + b \tanh^2(x)}}{b}
 \end{aligned}$$

**Mathematica [A]** time = 0.0920205, size = 47, normalized size = 1.

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a+b\tanh^2(x)}}{\sqrt{a+b}}\right)}{\sqrt{a+b}} - \frac{\sqrt{a+b\tanh^2(x)}}{b}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[x]^3/Sqrt[a + b\*Tanh[x]^2],x]

[Out] ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]]/Sqrt[a + b] - Sqrt[a + b\*Tanh[x]^2]/b

**Maple [B]** time = 0.045, size = 129, normalized size = 2.7

$$-\frac{1}{b}\sqrt{a+b(\tanh(x))^2} + \frac{1}{2}\ln\left(\frac{1}{1+\tanh(x)}\left(2a+2b-2(1+\tanh(x))b+2\sqrt{a+b}\sqrt{(1+\tanh(x))^2b-2(1+\tanh(x))}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(x)^3/(a+b\*tanh(x)^2)^(1/2),x)

[Out] -(a+b\*tanh(x)^2)^(1/2)/b+1/2/(a+b)^(1/2)\*ln((2\*a+2\*b-2\*(1+tanh(x))\*b+2\*(a+b)^(1/2)\*((1+tanh(x))^2\*b-2\*(1+tanh(x))\*b+a+b)^(1/2))/(1+tanh(x)))+1/2/(a+b)^(1/2)\*ln((2\*a+2\*b+2\*(tanh(x)-1)\*b+2\*(a+b)^(1/2)\*((tanh(x)-1)^2\*b+2\*(tanh(x)-1)\*b+a+b)^(1/2))/(tanh(x)-1))

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\tanh(x)^3}{\sqrt{b\tanh(x)^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)^3/(a+b\*tanh(x)^2)^(1/2),x, algorithm="maxima")

[Out] integrate(tanh(x)^3/sqrt(b\*tanh(x)^2 + a), x)

**Fricas [B]** time = 2.68573, size = 4629, normalized size = 98.49

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)^3/(a+b\*tanh(x)^2)^(1/2),x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [1/4*((b*\cosh(x)^2 + 2*b*\cosh(x)*\sinh(x) + b*\sinh(x)^2 + b)*\sqrt{a + b})*\log \\ & (((a^3 + a^2*b)*\cosh(x)^8 + 8*(a^3 + a^2*b)*\cosh(x)*\sinh(x)^7 + (a^3 + a^2* \\ & b)*\sinh(x)^8 + 2*(2*a^3 + a^2*b)*\cosh(x)^6 + 2*(2*a^3 + a^2*b + 14*(a^3 + a \\ & ^2*b)*\cosh(x)^2)*\sinh(x)^6 + 4*(14*(a^3 + a^2*b)*\cosh(x)^3 + 3*(2*a^3 + a^2 \\ & *b)*\cosh(x))*\sinh(x)^5 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*\cosh(x)^4 + (70*(a \\ & ^3 + a^2*b)*\cosh(x)^4 + 6*a^3 + 4*a^2*b - a*b^2 + b^3 + 30*(2*a^3 + a^2*b)* \\ & \cosh(x)^2)*\sinh(x)^4 + 4*(14*(a^3 + a^2*b)*\cosh(x)^5 + 10*(2*a^3 + a^2*b)*\c \\ & osh(x)^3 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*\cosh(x))*\sinh(x)^3 + a^3 + 3*a^2 \\ & *b + 3*a*b^2 + b^3 + 2*(2*a^3 + 3*a^2*b - b^3)*\cosh(x)^2 + 2*(14*(a^3 + a^2 \\ & *b)*\cosh(x)^6 + 15*(2*a^3 + a^2*b)*\cosh(x)^4 + 2*a^3 + 3*a^2*b - b^3 + 3*(6 \\ & *a^3 + 4*a^2*b - a*b^2 + b^3)*\cosh(x)^2)*\sinh(x)^2 + \sqrt{2}*(a^2*\cosh(x)^6 \\ & + 6*a^2*\cosh(x)*\sinh(x)^5 + a^2*\sinh(x)^6 + 3*a^2*\cosh(x)^4 + 3*(5*a^2*\cos \\ & h(x)^2 + a^2)*\sinh(x)^4 + 4*(5*a^2*\cosh(x)^3 + 3*a^2*\cosh(x))*\sinh(x)^3 + ( \\ & 3*a^2 + 2*a*b - b^2)*\cosh(x)^2 + (15*a^2*\cosh(x)^4 + 18*a^2*\cosh(x)^2 + 3*a \\ & ^2 + 2*a*b - b^2)*\sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(3*a^2*\cosh(x)^5 + 6*a^ \\ & 2*\cosh(x)^3 + (3*a^2 + 2*a*b - b^2)*\cosh(x))*\sinh(x))*\sqrt{a + b}*\sqrt{((a \\ & + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) \\ & + \sinh(x)^2))} + 4*(2*(a^3 + a^2*b)*\cosh(x)^7 + 3*(2*a^3 + a^2*b)*\cosh(x)^5 \\ & + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*\cosh(x)^3 + (2*a^3 + 3*a^2*b - b^3)*\cosh( \\ & x))*\sinh(x))/(\cosh(x)^6 + 6*\cosh(x)^5*\sinh(x) + 15*\cosh(x)^4*\sinh(x)^2 + 20 \\ & *\cosh(x)^3*\sinh(x)^3 + 15*\cosh(x)^2*\sinh(x)^4 + 6*\cosh(x)*\sinh(x)^5 + \sinh( \\ & x)^6)) + (b*\cosh(x)^2 + 2*b*\cosh(x)*\sinh(x) + b*\sinh(x)^2 + b)*\sqrt{a + b}* \\ & \log(-((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 - \\ & 2*b*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 - b)*\sinh(x)^2 + \sqrt{2}*(\cosh(x)^2 \\ & + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 - 1))*\sqrt{a + b}*\sqrt{((a + b)*\cosh(x)^2 + \\ & (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)} + \\ & 4*((a + b)*\cosh(x)^3 - b*\cosh(x))*\sinh(x) + a + b)/(\cosh(x)^2 + 2*\cosh(x)*\s \\ & inh(x) + \sinh(x)^2)) - 4*\sqrt{2}*(a + b)*\sqrt{((a + b)*\cosh(x)^2 + (a + b)* \\ & \sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)))/((a*b + b^ \\ & 2)*\cosh(x)^2 + 2*(a*b + b^2)*\cosh(x)*\sinh(x) + (a*b + b^2)*\sinh(x)^2 + a*b \\ & + b^2), -1/2*((b*\cosh(x)^2 + 2*b*\cosh(x)*\sinh(x) + b*\sinh(x)^2 + b)*\sqrt{-a \\ & - b}*\arctan(\sqrt{2}*(a*\cosh(x)^2 + 2*a*\cosh(x)*\sinh(x) + a*\sinh(x)^2 + a + \\ & b)*\sqrt{-a - b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh \\ & (x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)))/((a^2 + a*b)*\cosh(x)^4 + 4*(a^2 + a \\ & *b)*\cosh(x)*\sinh(x)^3 + (a^2 + a*b)*\sinh(x)^4 + (2*a^2 + a*b - b^2)*\cosh(x) \end{aligned}$$

$$\begin{aligned} &^2 + (6*(a^2 + a*b)*\cosh(x)^2 + 2*a^2 + a*b - b^2)*\sinh(x)^2 + a^2 + 2*a*b \\ &+ b^2 + 2*(2*(a^2 + a*b)*\cosh(x)^3 + (2*a^2 + a*b - b^2)*\cosh(x))*\sinh(x)) \\ &+ (b*\cosh(x)^2 + 2*b*\cosh(x)*\sinh(x) + b*\sinh(x)^2 + b)*\sqrt{-a - b}*\arctan \\ &(\sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 - 1)*\sqrt{-a - b}*\sqrt{ \\ &((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)})/((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a - b)*\sinh(x)^2 + 4*((a + b)*\cosh(x)^3 + (a - b)*\cosh(x))*\sinh(x) + a + b) + 2*\sqrt{2} \\ &*(a + b)*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)})/((a*b + b^2)*\cosh(x)^2 + 2*(a*b + b^2)*\cosh(x)*\sinh(x) + (a*b + b^2)*\sinh(x)^2 + a*b + b^2)] \end{aligned}$$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\tanh^3(x)}{\sqrt{a + b \tanh^2(x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)\*\*3/(a+b\*tanh(x)\*\*2)\*\*(1/2),x)

[Out] Integral(tanh(x)\*\*3/sqrt(a + b\*tanh(x)\*\*2), x)

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)^3/(a+b\*tanh(x)^2)^(1/2),x, algorithm="giac")

[Out] Exception raised: TypeError

$$3.232 \quad \int \frac{\tanh^2(x)}{\sqrt{a+b \tanh^2(x)}} dx$$

**Optimal.** Leaf size=60

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}}\right)}{\sqrt{a+b}} - \frac{\tanh^{-1}\left(\frac{\sqrt{b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}}\right)}{\sqrt{b}}$$

[Out]  $-(\text{ArcTanh}[(\text{Sqrt}[b]*\text{Tanh}[x])/(\text{Sqrt}[a + b*\text{Tanh}[x]^2])]/\text{Sqrt}[b]) + \text{ArcTanh}[(\text{Sqrt}[a + b]*\text{Tanh}[x])/(\text{Sqrt}[a + b*\text{Tanh}[x]^2])]/\text{Sqrt}[a + b]$

**Rubi [A]** time = 0.0932622, antiderivative size = 60, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.294$ , Rules used = {3670, 483, 217, 206, 377}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}}\right)}{\sqrt{a+b}} - \frac{\tanh^{-1}\left(\frac{\sqrt{b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}}\right)}{\sqrt{b}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Tanh}[x]^2/\text{Sqrt}[a + b*\text{Tanh}[x]^2], x]$

[Out]  $-(\text{ArcTanh}[(\text{Sqrt}[b]*\text{Tanh}[x])/(\text{Sqrt}[a + b*\text{Tanh}[x]^2])]/\text{Sqrt}[b]) + \text{ArcTanh}[(\text{Sqrt}[a + b]*\text{Tanh}[x])/(\text{Sqrt}[a + b*\text{Tanh}[x]^2])]/\text{Sqrt}[a + b]$

### Rule 3670

$\text{Int}[\left(\left(\left(d_{.}\right)*\tan\left[\left(e_{.}\right) + \left(f_{.}\right)*\left(x_{.}\right)\right]\right)^{\left(m_{.}\right)}*\left(\left(a_{.}\right) + \left(b_{.}\right)*\left(\left(c_{.}\right)*\tan\left[\left(e_{.}\right) + \left(f_{.}\right)*\left(x_{.}\right)\right]\right)^{\left(n_{.}\right)}\right)^{\left(p_{.}\right)}, x\_Symbol] := \text{With}[\{ff = \text{FreeFactors}[\text{Tan}[e + f*x], x]\}, \text{Dist}[(c*ff)/f, \text{Subst}[\text{Int}[\left(\left(\left(d*ff*x\right)/c\right)^m*(a + b*(ff*x)^n)^p\right)/(c^2 + f^2*x^2), x], x, (c*\text{Tan}[e + f*x])/ff], x]] /; \text{FreeQ}\{a, b, c, d, e, f, m, n, p\}, x] \&\& (\text{IGtQ}[p, 0] \parallel \text{EqQ}[n, 2] \parallel \text{EqQ}[n, 4] \parallel (\text{IntegerQ}[p] \&\& \text{RationalQ}[n]))$

### Rule 483

$\text{Int}[\left(\left(\left(e_{.}\right)*\left(x_{.}\right)\right)^{\left(m_{.}\right)}*\left(\left(c_{.}\right) + \left(d_{.}\right)*\left(x_{.}\right)^{\left(n_{.}\right)}\right)^{\left(q_{.}\right)}\right)/\left(\left(a_{.}\right) + \left(b_{.}\right)*\left(x_{.}\right)^{\left(n_{.}\right)}\right), x\_Symbol] := \text{Dist}[e^n/b, \text{Int}[(e*x)^(m - n)*(c + d*x^n)^q, x], x] - \text{Di}$

st[(a\*e^n)/b, Int[((e\*x)^(m - n)\*(c + d\*x^n)^q)/(a + b\*x^n), x], x] /; FreeQ[{a, b, c, d, e, m, q}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[n, 0] && LeQ[n, m, 2\*n - 1] && IntBinomialQ[a, b, c, d, e, m, n, -1, q, x]

### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[Rt[-b, 2]\*x]/Rt[a, 2])]/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 377

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)/((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] := Subst[Int[1/(c - (b\*c - a\*d)\*x^n), x], x, x/(a + b\*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && EqQ[n\*p + 1, 0] && IntegerQ[n]

### Rubi steps

$$\begin{aligned}
 \int \frac{\tanh^2(x)}{\sqrt{a + b \tanh^2(x)}} dx &= \text{Subst} \left( \int \frac{x^2}{(1 - x^2) \sqrt{a + bx^2}} dx, x, \tanh(x) \right) \\
 &= -\text{Subst} \left( \int \frac{1}{\sqrt{a + bx^2}} dx, x, \tanh(x) \right) + \text{Subst} \left( \int \frac{1}{(1 - x^2) \sqrt{a + bx^2}} dx, x, \tanh(x) \right) \\
 &= -\text{Subst} \left( \int \frac{1}{1 - bx^2} dx, x, \frac{\tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right) + \text{Subst} \left( \int \frac{1}{1 - (a + b)x^2} dx, x, \frac{\tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right) \\
 &= -\frac{\tanh^{-1} \left( \frac{\sqrt{b} \tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right)}{\sqrt{b}} + \frac{\tanh^{-1} \left( \frac{\sqrt{a + b} \tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right)}{\sqrt{a + b}}
 \end{aligned}$$

**Mathematica [C]** time = 0.376258, size = 101, normalized size = 1.68

$$\frac{a \coth(x) \sqrt{\operatorname{sech}^2(x)((a+b) \cosh(2x) + a - b)} \Pi\left(\frac{b}{a+b}; \sin^{-1}\left(\frac{\sqrt{\frac{(a-b+(a+b) \cosh(2x)) \operatorname{csch}^2(x)}{b}}}{\sqrt{2}}\right)\right)}{b(a+b) \sqrt{\frac{\operatorname{csch}^2(x)((a+b) \cosh(2x) + a - b)}{b}}}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[x]^2/Sqrt[a + b\*Tanh[x]^2], x]

[Out] -((a\*Coth[x]\*EllipticPi[b/(a + b), ArcSin[Sqrt[((a - b + (a + b)\*Cosh[2\*x])\*Csch[x]^2)/b]/Sqrt[2]], 1]\*Sqrt[(a - b + (a + b)\*Cosh[2\*x])\*Sech[x]^2])/(b\*(a + b)\*Sqrt[((a - b + (a + b)\*Cosh[2\*x])\*Csch[x]^2)/b]))

**Maple [B]** time = 0.044, size = 137, normalized size = 2.3

$$-\ln\left(\tanh(x) \sqrt{b} + \sqrt{a + b(\tanh(x))^2}\right) \frac{1}{\sqrt{b}} - \frac{1}{2} \ln\left(\frac{1}{1 + \tanh(x)} \left(2a + 2b - 2(1 + \tanh(x))b + 2\sqrt{a+b}\sqrt{1 + \tanh(x)}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(x)^2/(a+b\*tanh(x)^2)^(1/2), x)

[Out] -ln(tanh(x)\*b^(1/2)+(a+b\*tanh(x)^2)^(1/2))/b^(1/2)-1/2/(a+b)^(1/2)\*ln((2\*a+2\*b-2\*(1+tanh(x))\*b+2\*(a+b)^(1/2)\*((1+tanh(x))^2\*b-2\*(1+tanh(x))\*b+a+b)^(1/2))/(1+tanh(x)))+1/2/(a+b)^(1/2)\*ln((2\*a+2\*b+2\*(tanh(x)-1)\*b+2\*(a+b)^(1/2)\*((tanh(x)-1)^2\*b+2\*(tanh(x)-1)\*b+a+b)^(1/2))/(tanh(x)-1))

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\tanh(x)^2}{\sqrt{b \tanh(x)^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)^2/(a+b\*tanh(x)^2)^(1/2), x, algorithm="maxima")

[Out] integrate(tanh(x)^2/sqrt(b\*tanh(x)^2 + a), x)

---

**Fricas [B]** time = 3.37956, size = 9661, normalized size = 161.02

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)^2/(a+b\*tanh(x)^2)^(1/2),x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [1/4*(\sqrt{a+b}*b*\log(-((a*b^2+b^3)*\cosh(x)^8+8*(a*b^2+b^3)*\cosh(x) \\ & * \sinh(x)^7+(a*b^2+b^3)*\sinh(x)^8-2*(a*b^2+2*b^3)*\cosh(x)^6-2*(a*b \\ & ^2+2*b^3-14*(a*b^2+b^3)*\cosh(x)^2)*\sinh(x)^6+4*(14*(a*b^2+b^3)*\cosh(x)^3 \\ & -3*(a*b^2+2*b^3)*\cosh(x))*\sinh(x)^5+(a^3-a^2*b+4*a*b^2+6*b^3)*\cosh(x)^4 \\ & +(70*(a*b^2+b^3)*\cosh(x)^4+a^3-a^2*b+4*a*b^2+6*b^3-30*(a*b^2+2*b^3)*\cosh(x)^2)*\sinh(x)^4 \\ & +4*(14*(a*b^2+b^3)*\cosh(x)^5-10*(a*b^2+2*b^3)*\cosh(x)^3+(a^3-a^2*b+4*a*b^2+6*b^3)*\cosh(x) \\ & *\sinh(x)^3+a^3+3*a^2*b+3*a*b^2+b^3+2*(a^3-3*a*b^2-2*b^3)*\cosh(x)^2 \\ & +2*(14*(a*b^2+b^3)*\cosh(x)^6-15*(a*b^2+2*b^3)*\cosh(x)^4+a^3-3*a*b^2-2*b^3 \\ & +3*(a^3-a^2*b+4*a*b^2+6*b^3)*\cosh(x)^2)*\sinh(x)^2+\sqrt{2}*(b^2*\cosh(x)^6+6*b^2*\cosh(x)*\sinh(x)^5 \\ & +b^2*\sinh(x)^6-3*b^2*\cosh(x)^4+3*(5*b^2*\cosh(x)^2-b^2)*\sinh(x)^4+4*(5*b^2*\cosh(x)^3-3*b^2 \\ & * \cosh(x))*\sinh(x)^3-(a^2-2*a*b-3*b^2)*\cosh(x)^2+(15*b^2*\cosh(x)^4-18*b^2*\cosh(x)^2 \\ & -a^2+2*a*b+3*b^2)*\sinh(x)^2-a^2-2*a*b-b^2+2*(3*b^2*\cosh(x)^5-6*b^2*\cosh(x)^3 \\ & -(a^2-2*a*b-3*b^2)*\cosh(x))*\sinh(x))*\sqrt{a+b}*\sqrt{((a+b)*\cosh(x)^2+(a+b)*\sinh(x)^2+a-b)/(\cosh(x)^2-2*\cosh(x)*\sinh(x)+\sinh(x)^2)} \\ & +4*(2*(a*b^2+b^3)*\cosh(x)^7-3*(a*b^2+2*b^3)*\cosh(x)^5+(a^3-a^2*b+4*a*b^2+6*b^3)*\cosh(x)^3+(a^3-3*a*b^2-2*b^3)*\cosh(x))*\sinh(x)/(\cosh(x)^6+6*\cosh(x)^5*\sinh(x)+15*\cosh(x)^4*\sinh(x)^2+20*\cosh(x)^3*\sinh(x)^3+15*\cosh(x)^2*\sinh(x)^4+6*\cosh(x)*\sinh(x)^5+\sinh(x)^6) \\ & +2*(a+b)*\sqrt{b}*\log(-((a+2*b)*\cosh(x)^4+4*(a+2*b)*\cosh(x)*\sinh(x)^3+(a+2*b)*\sinh(x)^4+2*(a-2*b)*\cosh(x)^2+2*(3*(a+2*b)*\cosh(x)^2+a-2*b)*\sinh(x)^2-2*\sqrt{2}*(\cosh(x)^2+2*\cosh(x)*\sinh(x)+\sinh(x)^2-1)*\sqrt{b}*\sqrt{((a+b)*\cosh(x)^2+(a+b)*\sinh(x)^2+a-b)/(\cosh(x)^2-2*\cosh(x)*\sinh(x)+\sinh(x)^2)} \\ & +4*((a+2*b)*\cosh(x)^3+(a-2*b)*\cosh(x))*\sinh(x)+a+2*b)/(\cosh(x)^4+4*\cosh(x)*\sinh(x)^3+\sinh(x)^4+2*(3*\cosh(x)^2+1)*\sinh(x)^2+2*\cosh(x)^2+4*(\cosh(x)^3+\cosh(x))*\sinh(x)+1))+\sqrt{a+b}*b*\log(((a+b)*\cosh(x)^4+4*(a+b)*\cosh(x)*\sinh(x)^3+(a+b)*\sinh(x)^4+2*a*\cosh(x)^2+2*(3*(a+b)*\cosh(x)^2+a)*\sinh(x)^2+\sqrt{2}*(\cosh(x)^2+2*\cosh(x)*\sinh(x)+\sinh(x)^2+1)*\sqrt{a+b}*\sqrt{((a+b)*\cosh(x)^2+(a+b)*\sinh(x)^2+a-b)/(\cosh(x)^2-2*\cosh(x)*\sinh(x)+\sinh(x)^2)} \\ & +4*((a+b)*\cosh(x)^3 \end{aligned}$$



$$\begin{aligned}
& + a \cosh(x) \sinh(x) + a + b) / (\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2)) \\
& ) / (a b + b^2), 1/4 (4 (a + b) \sqrt{-b} \arctan(\sqrt{2} (\cosh(x)^2 + 2 \cosh(x) \\
& ) \sinh(x) + \sinh(x)^2 - 1) \sqrt{-b} \sqrt{((a + b) \cosh(x)^2 + (a + b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)}) / ((a + b) \cosh(x)^4 + 4 (a + b) \cosh(x) \sinh(x)^3 + (a + b) \sinh(x)^4 + 2 (a - b) \cosh(x)^2 + 2 (3 (a + b) \cosh(x)^2 + a - b) \sinh(x)^2 + 4 ((a + b) \cosh(x)^3 + (a - b) \cosh(x) \sinh(x) + a + b)) + \sqrt{a + b} b \log(-((a b^2 + b^3) \cosh(x)^8 + 8 (a b^2 + b^3) \cosh(x) \sinh(x)^7 + (a b^2 + b^3) \sinh(x)^8 - 2 (a b^2 + 2 b^3) \cosh(x)^6 - 2 (a b^2 + 2 b^3 - 14 (a b^2 + b^3) \cosh(x)^2) \sinh(x)^6 + 4 (14 (a b^2 + b^3) \cosh(x)^3 - 3 (a b^2 + 2 b^3) \cosh(x)) \sinh(x)^5 + (a^3 - a^2 b + 4 a b^2 + 6 b^3) \cosh(x)^4 + (70 (a b^2 + b^3) \cosh(x)^4 + a^3 - a^2 b + 4 a b^2 + 6 b^3 - 30 (a b^2 + 2 b^3) \cosh(x)^2) \sinh(x)^4 + 4 (14 (a b^2 + b^3) \cosh(x)^5 - 10 (a b^2 + 2 b^3) \cosh(x)^3 + (a^3 - a^2 b + 4 a b^2 + 6 b^3) \cosh(x)) \sinh(x)^3 + a^3 + 3 a^2 b + 3 a b^2 + b^3 + 2 (a^3 - 3 a b^2 - 2 b^3) \cosh(x)^2 + 2 (14 (a b^2 + b^3) \cosh(x)^6 - 15 (a b^2 + 2 b^3) \cosh(x)^4 + a^3 - 3 a b^2 - 2 b^3 + 3 (a^3 - a^2 b + 4 a b^2 + 6 b^3) \cosh(x)^2) \sinh(x)^2 + \sqrt{2} (b^2 \cosh(x)^6 + 6 b^2 \cosh(x) \sinh(x)^5 + b^2 \sinh(x)^6 - 3 b^2 \cosh(x)^4 + 3 (5 b^2 \cosh(x)^2 - b^2) \sinh(x)^4 + 4 (5 b^2 \cosh(x)^3 - 3 b^2 \cosh(x)) \sinh(x)^3 - (a^2 - 2 a b - 3 b^2) \cosh(x)^2 + (15 b^2 \cosh(x)^4 - 18 b^2 \cosh(x)^2 - a^2 + 2 a b + 3 b^2) \sinh(x)^2 - a^2 - 2 a b - b^2 + 2 (3 b^2 \cosh(x)^5 - 6 b^2 \cosh(x)^3 - (a^2 - 2 a b - 3 b^2) \cosh(x)) \sinh(x)) \sqrt{a + b} \sqrt{((a + b) \cosh(x)^2 + (a + b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)}) + 4 (2 (a b^2 + b^3) \cosh(x)^7 - 3 (a b^2 + 2 b^3) \cosh(x)^5 + (a^3 - a^2 b + 4 a b^2 + 6 b^3) \cosh(x)^3 + (a^3 - 3 a b^2 - 2 b^3) \cosh(x)) \sinh(x)) / (\cosh(x)^6 + 6 \cosh(x)^5 \sinh(x) + 15 \cosh(x)^4 \sinh(x)^2 + 20 \cosh(x)^3 \sinh(x)^3 + 15 \cosh(x)^2 \sinh(x)^4 + 6 \cosh(x) \sinh(x)^5 + \sinh(x)^6)) + \sqrt{a + b} b \log(((a + b) \cosh(x)^4 + 4 (a + b) \cosh(x) \sinh(x)^3 + (a + b) \sinh(x)^4 + 2 a \cosh(x)^2 + 2 (3 (a + b) \cosh(x)^2 + a) \sinh(x)^2 + \sqrt{2} (\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 + 1) \sqrt{a + b} \sqrt{((a + b) \cosh(x)^2 + (a + b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)}) + 4 ((a + b) \cosh(x)^3 + a \cosh(x)) \sinh(x) + a + b) / (\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2))) / (a b + b^2), -1/2 (\sqrt{-a - b} b \arctan(\sqrt{2} (b \cosh(x)^2 + 2 b \cosh(x) \sinh(x) + b \sinh(x)^2 - a - b) \sqrt{-a - b} \sqrt{((a + b) \cosh(x)^2 + (a + b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)}) / ((a b + b^2) \cosh(x)^4 + 4 (a b + b^2) \cosh(x) \sinh(x)^3 + (a b + b^2) \sinh(x)^4 + (a^2 - a b - 2 b^2) \cosh(x)^2 + (6 (a b + b^2) \cosh(x)^2 + a^2 - a b - 2 b^2) \sinh(x)^2 + a^2 + 2 a b + b^2 + 2 (2 (a b + b^2) \cosh(x)^3 + (a^2 - a b - 2 b^2) \cosh(x)) \sinh(x))) + \sqrt{-a - b} b \arctan(\sqrt{2} \sqrt{-a - b} \sqrt{((a + b) \cosh(x)^2 + (a + b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)}) / ((a + b) \cosh(x)^2 + 2 (a + b) \cosh(x) \sinh(x) + (a + b) \sinh(x)^2 + a + b)) - (a + b) \sqrt{b} \log(-((a + 2 b) \cosh(x)^4 + 4 (a + 2 b) \cosh(x) \sinh(x)^3 + (a + 2 b) \sinh(x)^4 + 2 (a - 2 b) \cosh(x)^2 + 2 (3 (a + 2 b) \cosh(x)^2 + a - 2 b) \sinh(x)^2 - 2 \sqrt{2} (\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 - 1) \sqrt{b} \sqrt{((a + b) \cosh(x)
\end{aligned}$$

```

)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2
)) + 4*((a + 2*b)*cosh(x)^3 + (a - 2*b)*cosh(x))*sinh(x) + a + 2*b)/(cosh(x)
)^4 + 4*cosh(x)*sinh(x)^3 + sinh(x)^4 + 2*(3*cosh(x)^2 + 1)*sinh(x)^2 + 2*c
osh(x)^2 + 4*(cosh(x)^3 + cosh(x))*sinh(x) + 1)))/(a*b + b^2), -1/2*(sqrt(-
a - b)*b*arctan(sqrt(2)*(b*cosh(x)^2 + 2*b*cosh(x)*sinh(x) + b*sinh(x)^2 -
a - b)*sqrt(-a - b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(c
osh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/((a*b + b^2)*cosh(x)^4 + 4*(a*b
+ b^2)*cosh(x)*sinh(x)^3 + (a*b + b^2)*sinh(x)^4 + (a^2 - a*b - 2*b^2)*cosh
(x)^2 + (6*(a*b + b^2)*cosh(x)^2 + a^2 - a*b - 2*b^2)*sinh(x)^2 + a^2 + 2*a
*b + b^2 + 2*(2*(a*b + b^2)*cosh(x)^3 + (a^2 - a*b - 2*b^2)*cosh(x))*sinh(x
))) - 2*(a + b)*sqrt(-b)*arctan(sqrt(2)*(cosh(x)^2 + 2*cosh(x)*sinh(x) + si
nh(x)^2 - 1)*sqrt(-b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)/
(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/((a + b)*cosh(x)^4 + 4*(a + b)
*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 + 2*(a - b)*cosh(x)^2 + 2*(3*(a + b)
*cosh(x)^2 + a - b)*sinh(x)^2 + 4*((a + b)*cosh(x)^3 + (a - b)*cosh(x))*sin
h(x) + a + b)) + sqrt(-a - b)*b*arctan(sqrt(2)*sqrt(-a - b)*sqrt(((a + b)*c
osh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh
(x)^2)))/((a + b)*cosh(x)^2 + 2*(a + b)*cosh(x)*sinh(x) + (a + b)*sinh(x)^2
+ a + b)))/(a*b + b^2)]

```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\tanh^2(x)}{\sqrt{a + b \tanh^2(x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tanh(x)**2/(a+b*tanh(x)**2)**(1/2),x)
```

```
[Out] Integral(tanh(x)**2/sqrt(a + b*tanh(x)**2), x)
```

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tanh(x)^2/(a+b*tanh(x)^2)^(1/2),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError
```

$$3.233 \quad \int \frac{\tanh(x)}{\sqrt{a+b \tanh^2(x)}} dx$$

**Optimal.** Leaf size=29

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}}\right)}{\sqrt{a+b}}$$

[Out] ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]]/Sqrt[a + b]

**Rubi [A]** time = 0.0643284, antiderivative size = 29, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$ , Rules used = {3670, 444, 63, 208}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}}\right)}{\sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] Int[Tanh[x]/Sqrt[a + b\*Tanh[x]^2], x]

[Out] ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]]/Sqrt[a + b]

### Rule 3670

```
Int[((d_)*tan[(e_.) + (f_)*(x_)])^(m_)*((a_) + (b_)*((c_)*tan[(e_.) +
(f_)*(x_)])^(n_))^(p_), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x],
x]}, Dist[(c*ff)/f, Subst[Int[(((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f
f^2*x^2), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, d, e, f, m, n
, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && Ration
alQ[n]))
```

### Rule 444

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_
), x_Symbol] :> Dist[1/n, Subst[Int[(a + b*x)^p*(c + d*x)^q, x], x, x^n], x
] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && EqQ[m - n +
1, 0]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned} \int \frac{\tanh(x)}{\sqrt{a + b \tanh^2(x)}} dx &= \text{Subst} \left( \int \frac{x}{(1-x^2)\sqrt{a+bx^2}} dx, x, \tanh(x) \right) \\ &= \frac{1}{2} \text{Subst} \left( \int \frac{1}{(1-x)\sqrt{a+bx}} dx, x, \tanh^2(x) \right) \\ &= \frac{\text{Subst} \left( \int \frac{1}{1+\frac{a}{b}-\frac{x^2}{b}} dx, x, \sqrt{a+b \tanh^2(x)} \right)}{b} \\ &= \frac{\tanh^{-1} \left( \frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}} \right)}{\sqrt{a+b}} \end{aligned}$$

**Mathematica [A]** time = 0.0142, size = 29, normalized size = 1.

$$\frac{\tanh^{-1} \left( \frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}} \right)}{\sqrt{a+b}}$$

Antiderivative was successfully verified.

```
[In] Integrate[Tanh[x]/Sqrt[a + b*Tanh[x]^2], x]
```

```
[Out] ArcTanh[Sqrt[a + b*Tanh[x]^2]/Sqrt[a + b]]/Sqrt[a + b]
```

---

**Maple [B]** time = 0.05, size = 114, normalized size = 3.9

$$\frac{1}{2} \ln \left( \frac{1}{1 + \tanh(x)} \left( 2a + 2b - 2(1 + \tanh(x))b + 2\sqrt{a+b} \sqrt{(1 + \tanh(x))^2 b - 2(1 + \tanh(x))b + a + b} \right) \right) \frac{1}{\sqrt{a+b}} +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(x)/(a+b\*tanh(x)^2)^(1/2), x)

[Out] 1/2/(a+b)^(1/2)\*ln((2\*a+2\*b-2\*(1+tanh(x))\*b+2\*(a+b)^(1/2)\*((1+tanh(x))^2\*b-2\*(1+tanh(x))\*b+a+b)^(1/2))/(1+tanh(x)))+1/2/(a+b)^(1/2)\*ln((2\*a+2\*b+2\*(tanh(x)-1)\*b+2\*(a+b)^(1/2)\*((tanh(x)-1)^2\*b+2\*(tanh(x)-1)\*b+a+b)^(1/2))/(tanh(x)-1))

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\tanh(x)}{\sqrt{b \tanh(x)^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)/(a+b\*tanh(x)^2)^(1/2), x, algorithm="maxima")

[Out] integrate(tanh(x)/sqrt(b\*tanh(x)^2 + a), x)

---

**Fricas [B]** time = 2.14557, size = 3792, normalized size = 130.76

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)/(a+b\*tanh(x)^2)^(1/2), x, algorithm="fricas")

[Out] [1/4\*(sqrt(a + b)\*log(((a^3 + a^2\*b)\*cosh(x)^8 + 8\*(a^3 + a^2\*b)\*cosh(x)\*sinh(x)^7 + (a^3 + a^2\*b)\*sinh(x)^8 + 2\*(2\*a^3 + a^2\*b)\*cosh(x)^6 + 2\*(2\*a^3 + a^2\*b + 14\*(a^3 + a^2\*b)\*cosh(x)^2)\*sinh(x)^6 + 4\*(14\*(a^3 + a^2\*b)\*cosh(x)^3 + 3\*(2\*a^3 + a^2\*b)\*cosh(x))\*sinh(x)^5 + (6\*a^3 + 4\*a^2\*b - a\*b^2 + b^

```

3)*cosh(x)^4 + (70*(a^3 + a^2*b)*cosh(x)^4 + 6*a^3 + 4*a^2*b - a*b^2 + b^3
+ 30*(2*a^3 + a^2*b)*cosh(x)^2)*sinh(x)^4 + 4*(14*(a^3 + a^2*b)*cosh(x)^5 +
  10*(2*a^3 + a^2*b)*cosh(x)^3 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x))*si
nh(x)^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 2*(2*a^3 + 3*a^2*b - b^3)*cosh(x)
^2 + 2*(14*(a^3 + a^2*b)*cosh(x)^6 + 15*(2*a^3 + a^2*b)*cosh(x)^4 + 2*a^3 +
  3*a^2*b - b^3 + 3*(6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x)^2)*sinh(x)^2 + s
qrt(2)*(a^2*cosh(x)^6 + 6*a^2*cosh(x)*sinh(x)^5 + a^2*sinh(x)^6 + 3*a^2*cos
h(x)^4 + 3*(5*a^2*cosh(x)^2 + a^2)*sinh(x)^4 + 4*(5*a^2*cosh(x)^3 + 3*a^2*c
osh(x))*sinh(x)^3 + (3*a^2 + 2*a*b - b^2)*cosh(x)^2 + (15*a^2*cosh(x)^4 + 1
8*a^2*cosh(x)^2 + 3*a^2 + 2*a*b - b^2)*sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(3
*a^2*cosh(x)^5 + 6*a^2*cosh(x)^3 + (3*a^2 + 2*a*b - b^2)*cosh(x))*sinh(x))*
sqrt(a + b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2
- 2*cosh(x)*sinh(x) + sinh(x)^2)) + 4*(2*(a^3 + a^2*b)*cosh(x)^7 + 3*(2*a^
3 + a^2*b)*cosh(x)^5 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x)^3 + (2*a^3 +
  3*a^2*b - b^3)*cosh(x))*sinh(x))/(cosh(x)^6 + 6*cosh(x)^5*sinh(x) + 15*cos
h(x)^4*sinh(x)^2 + 20*cosh(x)^3*sinh(x)^3 + 15*cosh(x)^2*sinh(x)^4 + 6*cosh
(x)*sinh(x)^5 + sinh(x)^6)) + sqrt(a + b)*log(-((a + b)*cosh(x)^4 + 4*(a +
b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 - 2*b*cosh(x)^2 + 2*(3*(a + b)*cos
h(x)^2 - b)*sinh(x)^2 + sqrt(2)*(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2
- 1)*sqrt(a + b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh
(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 4*((a + b)*cosh(x)^3 - b*cosh(x))
*sinh(x) + a + b)/(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2)))/(a + b), -1
/2*(sqrt(-a - b)*arctan(sqrt(2)*(a*cosh(x)^2 + 2*a*cosh(x)*sinh(x) + a*sinh
(x)^2 + a + b)*sqrt(-a - b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a
- b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/((a^2 + a*b)*cosh(x)^4 +
  4*(a^2 + a*b)*cosh(x)*sinh(x)^3 + (a^2 + a*b)*sinh(x)^4 + (2*a^2 + a*b - b
^2)*cosh(x)^2 + (6*(a^2 + a*b)*cosh(x)^2 + 2*a^2 + a*b - b^2)*sinh(x)^2 + a
^2 + 2*a*b + b^2 + 2*(2*(a^2 + a*b)*cosh(x)^3 + (2*a^2 + a*b - b^2)*cosh(x)
)*sinh(x))) + sqrt(-a - b)*arctan(sqrt(2)*(cosh(x)^2 + 2*cosh(x)*sinh(x) +
sinh(x)^2 - 1)*sqrt(-a - b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a
- b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/((a + b)*cosh(x)^4 + 4*(
a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 + 2*(a - b)*cosh(x)^2 + 2*(3*(
a + b)*cosh(x)^2 + a - b)*sinh(x)^2 + 4*((a + b)*cosh(x)^3 + (a - b)*cosh(x)
))*sinh(x) + a + b)))/(a + b)]

```

---

**Sympy [A]** time = 1.03482, size = 31, normalized size = 1.07

$$\frac{\operatorname{atan}\left(\frac{\sqrt{a+b}\tanh^2(x)}{\sqrt{-a-b}}\right)}{\sqrt{-a-b}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tanh(x)/(a+b*tanh(x)**2)**(1/2),x)
```

```
[Out] -atan(sqrt(a + b*tanh(x)**2)/sqrt(-a - b))/sqrt(-a - b)
```

---

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tanh(x)/(a+b*tanh(x)^2)^(1/2),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError
```



$$3.234 \quad \int \frac{1}{\sqrt{a+b \tanh^2(x)}} dx$$

**Optimal.** Leaf size=31

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}}\right)}{\sqrt{a+b}}$$

[Out] ArcTanh[(Sqrt[a + b]\*Tanh[x])/Sqrt[a + b\*Tanh[x]^2]]/Sqrt[a + b]

**Rubi [A]** time = 0.0269137, antiderivative size = 31, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$ , Rules used = {3661, 377, 206}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}}\right)}{\sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] Int[1/Sqrt[a + b\*Tanh[x]^2], x]

[Out] ArcTanh[(Sqrt[a + b]\*Tanh[x])/Sqrt[a + b\*Tanh[x]^2]]/Sqrt[a + b]

#### Rule 3661

Int[((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_))^(p\_), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(a + b\*(ff\*x)^n]^p/(c^2 + ff^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x]] /; FreeQ[{a, b, c, e, f, n, p}, x] && (IntegersQ[n, p] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])

#### Rule 377

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)/((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] :> Subst[Int[1/(c - (b\*c - a\*d)\*x^n), x], x, x/(a + b\*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && EqQ[n\*p + 1, 0] && IntegerQ[n]

#### Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

### Rubi steps

$$\begin{aligned} \int \frac{1}{\sqrt{a + b \tanh^2(x)}} dx &= \text{Subst} \left( \int \frac{1}{(1 - x^2) \sqrt{a + bx^2}} dx, x, \tanh(x) \right) \\ &= \text{Subst} \left( \int \frac{1}{1 - (a + b)x^2} dx, x, \frac{\tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right) \\ &= \frac{\tanh^{-1} \left( \frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}} \right)}{\sqrt{a + b}} \end{aligned}$$

**Mathematica [A]** time = 0.0213452, size = 31, normalized size = 1.

$$\frac{\tanh^{-1} \left( \frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}} \right)}{\sqrt{a + b}}$$

Antiderivative was successfully verified.

```
[In] Integrate[1/Sqrt[a + b*Tanh[x]^2], x]
```

```
[Out] ArcTanh[(Sqrt[a + b]*Tanh[x])/Sqrt[a + b*Tanh[x]^2]]/Sqrt[a + b]
```

**Maple [B]** time = 0.046, size = 114, normalized size = 3.7

$$-\frac{1}{2} \ln \left( \frac{1}{1 + \tanh(x)} \left( 2a + 2b - 2(1 + \tanh(x))b + 2\sqrt{a+b} \sqrt{(1 + \tanh(x))^2 b - 2(1 + \tanh(x))b + a + b} \right) \right) \frac{1}{\sqrt{a + b}} +$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(a+b*tanh(x)^2)^(1/2), x)
```

[Out]  $-1/2/(a+b)^{(1/2)}*\ln((2*a+2*b-2*(1+\tanh(x))*b+2*(a+b)^{(1/2)}*((1+\tanh(x))^{2*b}-2*(1+\tanh(x))*b+a+b)^{(1/2)})/(1+\tanh(x)))+1/2/(a+b)^{(1/2)}*\ln((2*a+2*b+2*(\tanh(x)-1)*b+2*(a+b)^{(1/2)}*((\tanh(x)-1)^{2*b+2*(\tanh(x)-1)*b+a+b})^{(1/2)})/(\tanh(x)-1))$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{b \tanh(x)^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*tanh(x)^2)^(1/2),x, algorithm="maxima")`

[Out] `integrate(1/sqrt(b*tanh(x)^2 + a), x)`

**Fricas [B]** time = 2.22997, size = 3568, normalized size = 115.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*tanh(x)^2)^(1/2),x, algorithm="fricas")`

[Out]  $[1/4*(\sqrt{a+b})*\log(-((a*b^2+b^3)*\cosh(x)^8+8*(a*b^2+b^3)*\cosh(x)*\sinh(x)^7+(a*b^2+b^3)*\sinh(x)^8-2*(a*b^2+2*b^3)*\cosh(x)^6-2*(a*b^2+2*b^3-14*(a*b^2+b^3)*\cosh(x)^2)*\sinh(x)^6+4*(14*(a*b^2+b^3)*\cosh(x)^3-3*(a*b^2+2*b^3)*\cosh(x))*\sinh(x)^5+(a^3-a^2*b+4*a*b^2+6*b^3)*\cosh(x)^4+(70*(a*b^2+b^3)*\cosh(x)^4+a^3-a^2*b+4*a*b^2+6*b^3-30*(a*b^2+2*b^3)*\cosh(x)^2)*\sinh(x)^4+4*(14*(a*b^2+b^3)*\cosh(x)^5-10*(a*b^2+2*b^3)*\cosh(x)^3+(a^3-a^2*b+4*a*b^2+6*b^3)*\cosh(x))*\sinh(x)^3+a^3+3*a^2*b+3*a*b^2+b^3+2*(a^3-3*a*b^2-2*b^3)*\cosh(x)^2+2*(14*(a*b^2+b^3)*\cosh(x)^6-15*(a*b^2+2*b^3)*\cosh(x)^4+a^3-3*a*b^2-2*b^3+3*(a^3-a^2*b+4*a*b^2+6*b^3)*\cosh(x)^2)*\sinh(x)^2+\sqrt{2}*(b^2*\cosh(x)^6+6*b^2*\cosh(x)*\sinh(x)^5+b^2*\sinh(x)^6-3*b^2*\cosh(x)^4+3*(5*b^2*\cosh(x)^2-b^2)*\sinh(x)^4+4*(5*b^2*\cosh(x)^3-3*b^2*\cosh(x))*\sinh(x)^3-(a^2-2*a*b-3*b^2)*\cosh(x)^2+(15*b^2*\cosh(x)^4-18*b^2*\cosh(x)^2-a^2+2*a*b+3*b^2)*\sinh(x)^2-a^2-2*a*b-b^2+2*(3*b^2*\cosh(x)^5-6*b^2*\cosh(x)^3-(a^2-2*a*b-3*b^2)*\cosh(x))*\sinh(x))$

```
*sqrt(a + b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 4*(2*(a*b^2 + b^3)*cosh(x)^7 - 3*(a*b^2 + 2*b^3)*cosh(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*cosh(x)^3 + (a^3 - 3*a*b^2 - 2*b^3)*cosh(x))*sinh(x))/(cosh(x)^6 + 6*cosh(x)^5*sinh(x) + 15*cosh(x)^4*sinh(x)^2 + 20*cosh(x)^3*sinh(x)^3 + 15*cosh(x)^2*sinh(x)^4 + 6*cosh(x)*sinh(x)^5 + sinh(x)^6)) + sqrt(a + b)*log(((a + b)*cosh(x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 + 2*a*cosh(x)^2 + 2*(3*(a + b)*cosh(x)^2 + a)*sinh(x)^2 + sqrt(2)*(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 + 1)*sqrt(a + b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 4*((a + b)*cosh(x)^3 + a*cosh(x))*sinh(x) + a + b)/(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2)))/(a + b), -1/2*(sqrt(-a - b)*arctan(sqrt(2)*(b*cosh(x)^2 + 2*b*cosh(x)*sinh(x) + b*sinh(x)^2 - a - b)*sqrt(-a - b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/((a*b + b^2)*cosh(x)^4 + 4*(a*b + b^2)*cosh(x)*sinh(x)^3 + (a*b + b^2)*sinh(x)^4 + (a^2 - a*b - 2*b^2)*cosh(x)^2 + (6*(a*b + b^2)*cosh(x)^2 + a^2 - a*b - 2*b^2)*sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(2*(a*b + b^2)*cosh(x)^3 + (a^2 - a*b - 2*b^2)*cosh(x))*sinh(x))) + sqrt(-a - b)*arctan(sqrt(2)*sqrt(-a - b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/((a + b)*cosh(x)^2 + 2*(a + b)*cosh(x)*sinh(x) + (a + b)*sinh(x)^2 + a + b)))/(a + b)]
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{a + b \tanh^2(x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+b*tanh(x)**2)**(1/2),x)
```

```
[Out] Integral(1/sqrt(a + b*tanh(x)**2), x)
```

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+b*tanh(x)^2)^(1/2),x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError
```

$$3.235 \quad \int \frac{\coth(x)}{\sqrt{a+b \tanh^2(x)}} dx$$

**Optimal.** Leaf size=56

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}}\right)}{\sqrt{a+b}} - \frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a}}\right)}{\sqrt{a}}$$

[Out] -(ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a]]/Sqrt[a]) + ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]]/Sqrt[a + b]

**Rubi [A]** time = 0.112608, antiderivative size = 56, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {3670, 446, 86, 63, 208}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}}\right)}{\sqrt{a+b}} - \frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a}}\right)}{\sqrt{a}}$$

Antiderivative was successfully verified.

[In] Int[Coth[x]/Sqrt[a + b\*Tanh[x]^2], x]

[Out] -(ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a]]/Sqrt[a]) + ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]]/Sqrt[a + b]

#### Rule 3670

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((a_.) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_.))^(p_.), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[(((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f^2*x^2), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))
```

#### Rule 446

```
Int[(x_)^(m_.)*((a_.) + (b_.)*(x_)^(n_.))^(p_.)*((c_.) + (d_.)*(x_)^(n_.))^(q_.), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p
```

$*(c + d*x)^q, x], x, x^n], x] /; \text{FreeQ}[\{a, b, c, d, m, n, p, q\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

### Rule 86

$\text{Int}[(e_.) + (f_.)*(x_.))^{(p_.)}/((a_.) + (b_.)*(x_.))*((c_.) + (d_.)*(x_.)), x\_Symbol] \rightarrow \text{Dist}[b/(b*c - a*d), \text{Int}[(e + f*x)^p/(a + b*x), x], x] - \text{Dist}[d/(b*c - a*d), \text{Int}[(e + f*x)^p/(c + d*x), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, p\}, x] \ \&\& \ !\text{IntegerQ}[p]$

### Rule 63

$\text{Int}[(a_.) + (b_.)*(x_.))^{(m_.)*((c_.) + (d_.)*(x_.))^{(n_.)}, x\_Symbol] \rightarrow \text{With}[\{p = \text{Denominator}[m]\}, \text{Dist}[p/b, \text{Subst}[\text{Int}[x^{(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n}, x], x, (a + b*x)^{(1/p)}], x]] /; \text{FreeQ}[\{a, b, c, d\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{LtQ}[-1, m, 0] \ \&\& \ \text{LeQ}[-1, n, 0] \ \&\& \ \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \ \&\& \ \text{IntLinearQ}[a, b, c, d, m, n, x]$

### Rule 208

$\text{Int}[(a_.) + (b_.)*(x_.^2)^{-1}, x\_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{NegQ}[a/b]$

### Rubi steps

$$\begin{aligned} \int \frac{\coth(x)}{\sqrt{a + b \tanh^2(x)}} dx &= \text{Subst} \left( \int \frac{1}{x(1-x^2)\sqrt{a+bx^2}} dx, x, \tanh(x) \right) \\ &= \frac{1}{2} \text{Subst} \left( \int \frac{1}{(1-x)x\sqrt{a+bx}} dx, x, \tanh^2(x) \right) \\ &= \frac{1}{2} \text{Subst} \left( \int \frac{1}{(1-x)\sqrt{a+bx}} dx, x, \tanh^2(x) \right) + \frac{1}{2} \text{Subst} \left( \int \frac{1}{x\sqrt{a+bx}} dx, x, \tanh^2(x) \right) \\ &= \frac{\text{Subst} \left( \int \frac{1}{1+\frac{a}{b}-\frac{x^2}{b}} dx, x, \sqrt{a+b \tanh^2(x)} \right)}{b} + \frac{\text{Subst} \left( \int \frac{1}{-\frac{a}{b}+\frac{x^2}{b}} dx, x, \sqrt{a+b \tanh^2(x)} \right)}{b} \\ &= -\frac{\tanh^{-1} \left( \frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a}} \right)}{\sqrt{a}} + \frac{\tanh^{-1} \left( \frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}} \right)}{\sqrt{a+b}} \end{aligned}$$

**Mathematica [A]** time = 0.039176, size = 56, normalized size = 1.

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a+b}\tanh^2(x)}{\sqrt{a+b}}\right)}{\sqrt{a+b}} - \frac{\tanh^{-1}\left(\frac{\sqrt{a+b}\tanh^2(x)}{\sqrt{a}}\right)}{\sqrt{a}}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[x]/Sqrt[a + b\*Tanh[x]^2],x]

[Out] -(ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a]]/Sqrt[a]) + ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]]/Sqrt[a + b]

**Maple [F]** time = 0.15, size = 0, normalized size = 0.

$$\int \coth(x) \frac{1}{\sqrt{a + b(\tanh(x))^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(x)/(a+b\*tanh(x)^2)^(1/2),x)

[Out] int(coth(x)/(a+b\*tanh(x)^2)^(1/2),x)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\coth(x)}{\sqrt{b \tanh(x)^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)/(a+b\*tanh(x)^2)^(1/2),x, algorithm="maxima")

[Out] integrate(coth(x)/sqrt(b\*tanh(x)^2 + a), x)



**Fricas [B]** time = 3.47749, size = 10107, normalized size = 180.48

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)/(a+b\*tanh(x)^2)^(1/2),x, algorithm="fricas")

[Out] 
$$\begin{aligned} & \frac{1}{4} \left( \sqrt{a+b} \cdot a \cdot \log \left( (a^3 + a^2 b) \cosh(x)^8 + 8(a^3 + a^2 b) \cosh(x) \sinh(x)^7 + (a^3 + a^2 b) \sinh(x)^8 + 2(2a^3 + a^2 b) \cosh(x)^6 + 2(2a^3 + a^2 b + 14(a^3 + a^2 b) \cosh(x)^2) \sinh(x)^6 + 4(14(a^3 + a^2 b) \cosh(x)^3 + 3(2a^3 + a^2 b) \cosh(x)) \sinh(x)^5 + (6a^3 + 4a^2 b - a^2 b^2 + b^3) \cosh(x)^4 + (70(a^3 + a^2 b) \cosh(x)^4 + 6a^3 + 4a^2 b - a^2 b^2 + b^3 + 30(2a^3 + a^2 b) \cosh(x)^2) \sinh(x)^4 + 4(14(a^3 + a^2 b) \cosh(x)^5 + 10(2a^3 + a^2 b) \cosh(x)^3 + (6a^3 + 4a^2 b - a^2 b^2 + b^3) \cosh(x)) \sinh(x)^3 + a^3 + 3a^2 b + 3a^2 b^2 + b^3 + 2(2a^3 + 3a^2 b - b^3) \cosh(x)^2 + 2(14(a^3 + a^2 b) \cosh(x)^6 + 15(2a^3 + a^2 b) \cosh(x)^4 + 2a^3 + 3a^2 b - b^3 + 3(6a^3 + 4a^2 b - a^2 b^2 + b^3) \cosh(x)^2) \sinh(x)^2 + \sqrt{2} (a^2 \cosh(x)^6 + 6a^2 \cosh(x) \sinh(x)^5 + a^2 \sinh(x)^6 + 3a^2 \cosh(x)^4 + 3(5a^2 \cosh(x)^2 + a^2) \sinh(x)^4 + 4(5a^2 \cosh(x)^3 + 3a^2 \cosh(x)) \sinh(x)^3 + (3a^2 + 2a^2 b - b^2) \cosh(x)^2 + (15a^2 \cosh(x)^4 + 18a^2 \cosh(x)^2 + 3a^2 + 2a^2 b - b^2) \sinh(x)^2 + a^2 + 2a^2 b + b^2 + 2(3a^2 \cosh(x)^5 + 6a^2 \cosh(x)^3 + (3a^2 + 2a^2 b - b^2) \cosh(x)) \sinh(x) \right) \sqrt{a+b} \sqrt{\left( (a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a-b \right) / \left( \cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2 \right)} + 4(2(a^3 + a^2 b) \cosh(x)^7 + 3(2a^3 + a^2 b) \cosh(x)^5 + (6a^3 + 4a^2 b - a^2 b^2 + b^3) \cosh(x)^3 + (2a^3 + 3a^2 b - b^3) \cosh(x)) \sinh(x) / \left( \cosh(x)^6 + 6 \cosh(x)^5 \sinh(x) + 15 \cosh(x)^4 \sinh(x)^2 + 20 \cosh(x)^3 \sinh(x)^3 + 15 \cosh(x)^2 \sinh(x)^4 + 6 \cosh(x) \sinh(x)^5 + \sinh(x)^6 \right) + 2(a+b) \sqrt{a} \log \left( - \left( (2a+b) \cosh(x)^4 + 4(2a+b) \cosh(x) \sinh(x)^3 + (2a+b) \sinh(x)^4 + 2(2a-b) \cosh(x)^2 + 2(3(2a+b) \cosh(x)^2 + 2a-b) \sinh(x)^2 - 2\sqrt{2} (\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 + 1) \sqrt{a} \sqrt{\left( (a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a-b \right) / \left( \cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2 \right)} + 4 \left( (2a+b) \cosh(x)^3 + (2a-b) \cosh(x) \right) \sinh(x) + 2a+b \right) / \left( \cosh(x)^4 + 4 \cosh(x) \sinh(x)^3 + \sinh(x)^4 + 2(3 \cosh(x)^2 - 1) \sinh(x)^2 - 2 \cosh(x)^2 + 4(\cosh(x)^3 - \cosh(x)) \sinh(x) + 1 \right) \right) + \sqrt{a+b} \cdot a \cdot \log \left( - \left( (a+b) \cosh(x)^4 + 4(a+b) \cosh(x) \sinh(x)^3 + (a+b) \sinh(x)^4 - 2b \cosh(x)^2 + 2(3(a+b) \cosh(x)^2 - b) \sinh(x)^2 + \sqrt{2} (\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 - 1) \sqrt{a+b} \sqrt{\left( (a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a-b \right) / \left( \cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2 \right)} + 4 \left( (a+b) \cosh(x)^3 - b \cosh(x) \right) \sinh(x) + a+b \right) / \left( \cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 \right) \right) \right) / (a^2 + a^2 b), \frac{1}{4} (4 \sqrt{-a} (a+b) \arctan(\sqrt{2} (\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 + 1) \sqrt{-a} \sqrt{\left( (a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a-b \right) / \left( \cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2 \right)}) / \left( (a+b) \cosh(x) \right) \end{aligned}$$

$$\begin{aligned}
&^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*(a - b)*\cosh(x)^2 \\
&+ 2*(3*(a + b)*\cosh(x)^2 + a - b)*\sinh(x)^2 + 4*((a + b)*\cosh(x)^3 + (a - b) \\
&)*\cosh(x))*\sinh(x) + a + b)) + \sqrt{a + b}*a*\log(((a^3 + a^2*b)*\cosh(x)^8 + \\
&8*(a^3 + a^2*b)*\cosh(x)*\sinh(x)^7 + (a^3 + a^2*b)*\sinh(x)^8 + 2*(2*a^3 + a \\
&^2*b)*\cosh(x)^6 + 2*(2*a^3 + a^2*b + 14*(a^3 + a^2*b)*\cosh(x)^2)*\sinh(x)^6 \\
&+ 4*(14*(a^3 + a^2*b)*\cosh(x)^3 + 3*(2*a^3 + a^2*b)*\cosh(x))*\sinh(x)^5 + (6 \\
&*a^3 + 4*a^2*b - a*b^2 + b^3)*\cosh(x)^4 + (70*(a^3 + a^2*b)*\cosh(x)^4 + 6*a \\
&^3 + 4*a^2*b - a*b^2 + b^3 + 30*(2*a^3 + a^2*b)*\cosh(x)^2)*\sinh(x)^4 + 4*(1 \\
&4*(a^3 + a^2*b)*\cosh(x)^5 + 10*(2*a^3 + a^2*b)*\cosh(x)^3 + (6*a^3 + 4*a^2*b \\
&- a*b^2 + b^3)*\cosh(x))*\sinh(x)^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 2*(2*a \\
&^3 + 3*a^2*b - b^3)*\cosh(x)^2 + 2*(14*(a^3 + a^2*b)*\cosh(x)^6 + 15*(2*a^3 + \\
&a^2*b)*\cosh(x)^4 + 2*a^3 + 3*a^2*b - b^3 + 3*(6*a^3 + 4*a^2*b - a*b^2 + b^ \\
&3)*\cosh(x)^2)*\sinh(x)^2 + \sqrt{2}*(a^2*\cosh(x)^6 + 6*a^2*\cosh(x)*\sinh(x)^5 \\
&+ a^2*\sinh(x)^6 + 3*a^2*\cosh(x)^4 + 3*(5*a^2*\cosh(x)^2 + a^2)*\sinh(x)^4 + 4 \\
&*(5*a^2*\cosh(x)^3 + 3*a^2*\cosh(x))*\sinh(x)^3 + (3*a^2 + 2*a*b - b^2)*\cosh(x) \\
&)^2 + (15*a^2*\cosh(x)^4 + 18*a^2*\cosh(x)^2 + 3*a^2 + 2*a*b - b^2)*\sinh(x)^2 \\
&+ a^2 + 2*a*b + b^2 + 2*(3*a^2*\cosh(x)^5 + 6*a^2*\cosh(x)^3 + (3*a^2 + 2*a* \\
&b - b^2)*\cosh(x))*\sinh(x))*\sqrt{a + b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\si \\
&nh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))} + 4*(2*(a^3 + \\
&a^2*b)*\cosh(x)^7 + 3*(2*a^3 + a^2*b)*\cosh(x)^5 + (6*a^3 + 4*a^2*b - a*b^2 \\
&+ b^3)*\cosh(x)^3 + (2*a^3 + 3*a^2*b - b^3)*\cosh(x))*\sinh(x))/(\cosh(x)^6 + 6 \\
&*\cosh(x)^5*\sinh(x) + 15*\cosh(x)^4*\sinh(x)^2 + 20*\cosh(x)^3*\sinh(x)^3 + 15*c \\
&osh(x)^2*\sinh(x)^4 + 6*\cosh(x)*\sinh(x)^5 + \sinh(x)^6)) + \sqrt{a + b}*a*\log( \\
&-((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 - 2*b \\
&*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 - b)*\sinh(x)^2 + \sqrt{2}*(\cosh(x)^2 + 2 \\
&*\cosh(x)*\sinh(x) + \sinh(x)^2 - 1)*\sqrt{a + b}*\sqrt{((a + b)*\cosh(x)^2 + (a \\
&+ b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))} + 4*(( \\
&a + b)*\cosh(x)^3 - b*\cosh(x))*\sinh(x) + a + b)/(\cosh(x)^2 + 2*\cosh(x)*\sinh( \\
&x) + \sinh(x)^2)))/(a^2 + a*b), -1/2*(a*\sqrt{-a - b}*\arctan(\sqrt{2}*(a*\cosh( \\
&x)^2 + 2*a*\cosh(x)*\sinh(x) + a*\sinh(x)^2 + a + b)*\sqrt{-a - b}*\sqrt{((a + b) \\
&)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + s \\
&inh(x)^2)))/((a^2 + a*b)*\cosh(x)^4 + 4*(a^2 + a*b)*\cosh(x)*\sinh(x)^3 + (a^2 \\
&+ a*b)*\sinh(x)^4 + (2*a^2 + a*b - b^2)*\cosh(x)^2 + (6*(a^2 + a*b)*\cosh(x)^2 \\
&+ 2*a^2 + a*b - b^2)*\sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(2*(a^2 + a*b)*\cosh \\
&(x)^3 + (2*a^2 + a*b - b^2)*\cosh(x))*\sinh(x))) + a*\sqrt{-a - b}*\arctan(\sqrt{2} \\
&*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 - 1)*\sqrt{-a - b}*\sqrt{((a + \\
&b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \\
&\sinh(x)^2)))/((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\si \\
&nh(x)^4 + 2*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a - b)*\sinh(x)^2 + \\
&4*((a + b)*\cosh(x)^3 + (a - b)*\cosh(x))*\sinh(x) + a + b)) - (a + b)*\sqrt{a} \\
&*\log(-((2*a + b)*\cosh(x)^4 + 4*(2*a + b)*\cosh(x)*\sinh(x)^3 + (2*a + b)*\sinh \\
&(x)^4 + 2*(2*a - b)*\cosh(x)^2 + 2*(3*(2*a + b)*\cosh(x)^2 + 2*a - b)*\sinh(x) \\
&^2 - 2*\sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 + 1)*\sqrt{a}*\sqrt{ \\
&((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sin \\
&h(x) + \sinh(x)^2))} + 4*((2*a + b)*\cosh(x)^3 + (2*a - b)*\cosh(x))*\sinh(x) +
\end{aligned}$$

```

2*a + b)/(cosh(x)^4 + 4*cosh(x)*sinh(x)^3 + sinh(x)^4 + 2*(3*cosh(x)^2 - 1)
*sinh(x)^2 - 2*cosh(x)^2 + 4*(cosh(x)^3 - cosh(x))*sinh(x) + 1)))/(a^2 + a*
b), 1/2*(2*sqrt(-a)*(a + b)*arctan(sqrt(2)*(cosh(x)^2 + 2*cosh(x)*sinh(x) +
sinh(x)^2 + 1)*sqrt(-a)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a -
b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/((a + b)*cosh(x)^4 + 4*(a +
b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 + 2*(a - b)*cosh(x)^2 + 2*(3*(a +
b)*cosh(x)^2 + a - b)*sinh(x)^2 + 4*((a + b)*cosh(x)^3 + (a - b)*cosh(x))*
sinh(x) + a + b)) - a*sqrt(-a - b)*arctan(sqrt(2)*(a*cosh(x)^2 + 2*a*cosh(x)
)*sinh(x) + a*sinh(x)^2 + a + b)*sqrt(-a - b)*sqrt(((a + b)*cosh(x)^2 + (a
+ b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/((a^2
+ a*b)*cosh(x)^4 + 4*(a^2 + a*b)*cosh(x)*sinh(x)^3 + (a^2 + a*b)*sinh(x)^4
+ (2*a^2 + a*b - b^2)*cosh(x)^2 + (6*(a^2 + a*b)*cosh(x)^2 + 2*a^2 + a*b -
b^2)*sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(2*(a^2 + a*b)*cosh(x)^3 + (2*a^2 +
a*b - b^2)*cosh(x))*sinh(x))) - a*sqrt(-a - b)*arctan(sqrt(2)*(cosh(x)^2 +
2*cosh(x)*sinh(x) + sinh(x)^2 - 1)*sqrt(-a - b)*sqrt(((a + b)*cosh(x)^2 + (
a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/((a
+ b)*cosh(x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 + 2*(a - b
)*cosh(x)^2 + 2*(3*(a + b)*cosh(x)^2 + a - b)*sinh(x)^2 + 4*((a + b)*cosh(x)
)^3 + (a - b)*cosh(x))*sinh(x) + a + b)))/(a^2 + a*b)]

```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\coth(x)}{\sqrt{a + b \tanh^2(x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(coth(x)/(a+b*tanh(x)**2)**(1/2), x)
```

```
[Out] Integral(coth(x)/sqrt(a + b*tanh(x)**2), x)
```

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(coth(x)/(a+b*tanh(x)^2)^(1/2), x, algorithm="giac")
```

```
[Out] Exception raised: TypeError
```

$$3.236 \quad \int \frac{\coth^2(x)}{\sqrt{a+b \tanh^2(x)}} dx$$

**Optimal.** Leaf size=51

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}}\right)}{\sqrt{a+b}} - \frac{\coth(x) \sqrt{a+b \tanh^2(x)}}{a}$$

[Out] ArcTanh[(Sqrt[a + b]\*Tanh[x])/Sqrt[a + b\*Tanh[x]^2]]/Sqrt[a + b] - (Coth[x]\*Sqrt[a + b\*Tanh[x]^2])/a

**Rubi [A]** time = 0.0948034, antiderivative size = 51, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.294$ , Rules used = {3670, 480, 12, 377, 206}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}}\right)}{\sqrt{a+b}} - \frac{\coth(x) \sqrt{a+b \tanh^2(x)}}{a}$$

Antiderivative was successfully verified.

[In] Int[Coth[x]^2/Sqrt[a + b\*Tanh[x]^2], x]

[Out] ArcTanh[(Sqrt[a + b]\*Tanh[x])/Sqrt[a + b\*Tanh[x]^2]]/Sqrt[a + b] - (Coth[x]\*Sqrt[a + b\*Tanh[x]^2])/a

### Rule 3670

Int[((d\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((a\_.) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_.))^(p\_.), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

### Rule 480

Int[((e\_.)\*(x\_))^(m\_.)\*((a\_.) + (b\_.)\*(x\_)^(n\_.))^(p\_.)\*((c\_.) + (d\_.)\*(x\_)^(n\_.))^(q\_.), x\_Symbol] := Simp[((e\*x)^(m + 1)\*(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^q

+ 1))/(a\*c\*e^(m + 1)), x] - Dist[1/(a\*c\*e^n\*(m + 1)), Int[(e\*x)^(m + n)\*(a + b\*x^n)^p\*(c + d\*x^n)^q\*Simp[(b\*c + a\*d)\*(m + n + 1) + n\*(b\*c\*p + a\*d\*q) + b\*d\*(m + n\*(p + q + 2) + 1)\*x^n, x], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[n, 0] && LtQ[m, -1] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

### Rule 377

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)/((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] := Subst[Int[1/(c - (b\*c - a\*d)\*x^n), x], x, x/(a + b\*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && EqQ[n\*p + 1, 0] && IntegerQ[n]

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rubi steps

$$\begin{aligned}
 \int \frac{\coth^2(x)}{\sqrt{a + b \tanh^2(x)}} dx &= \text{Subst} \left( \int \frac{1}{x^2 (1 - x^2) \sqrt{a + bx^2}} dx, x, \tanh(x) \right) \\
 &= -\frac{\coth(x) \sqrt{a + b \tanh^2(x)}}{a} + \frac{\text{Subst} \left( \int \frac{a}{(1-x^2) \sqrt{a+bx^2}} dx, x, \tanh(x) \right)}{a} \\
 &= -\frac{\coth(x) \sqrt{a + b \tanh^2(x)}}{a} + \text{Subst} \left( \int \frac{1}{(1-x^2) \sqrt{a + bx^2}} dx, x, \tanh(x) \right) \\
 &= -\frac{\coth(x) \sqrt{a + b \tanh^2(x)}}{a} + \text{Subst} \left( \int \frac{1}{1 - (a + b)x^2} dx, x, \frac{\tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right) \\
 &= \frac{\tanh^{-1} \left( \frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}} \right)}{\sqrt{a+b}} - \frac{\coth(x) \sqrt{a + b \tanh^2(x)}}{a}
 \end{aligned}$$

**Mathematica [C]** time = 5.57917, size = 123, normalized size = 2.41

$$\frac{\tanh(x) \left( \frac{(a+b)^2((a+b) \cosh(2x)+a-b)^2 {}_2F_1\left(2, 2; \frac{5}{2}; -\frac{(a+b) \sinh^2(x)}{a}\right)}{a^3} + 3 \operatorname{csch}^2(x) (a \coth^2(x) + 2b) \sin^{-1} \left( \sqrt{-\frac{(a+b) \sinh^2(x)}{a}} \right) \sqrt{-\frac{(a+b) \sinh^2(x)}{a}} \right)}{3(a+b) \sqrt{a+b \tanh^2(x)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Coth[x]^2/Sqrt[a + b\*Tanh[x]^2], x]

[Out] (((a + b)^2\*(a - b + (a + b)\*Cosh[2\*x])^2\*Hypergeometric2F1[2, 2, 5/2, -((a + b)\*Sinh[x]^2)/a])/a^3 + 3\*ArcSin[Sqrt[-((a + b)\*Sinh[x]^2)/a]]\*(2\*b + a\*Coth[x]^2)\*Csch[x]^2\*Sqrt[-((a + b)\*(b + a\*Coth[x]^2)\*Sinh[x]^4)/a^2])\*Tanh[x])/(3\*(a + b)\*Sqrt[a + b\*Tanh[x]^2])

**Maple [F]** time = 0.151, size = 0, normalized size = 0.

$$\int (\coth(x))^2 \frac{1}{\sqrt{a + b(\tanh(x))^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(x)^2/(a+b\*tanh(x)^2)^(1/2), x)

[Out] int(coth(x)^2/(a+b\*tanh(x)^2)^(1/2), x)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\coth(x)^2}{\sqrt{b \tanh(x)^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)^2/(a+b\*tanh(x)^2)^(1/2), x, algorithm="maxima")

[Out] integrate(coth(x)^2/sqrt(b\*tanh(x)^2 + a), x)

**Fricas [B]** time = 2.51858, size = 4405, normalized size = 86.37

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)^2/(a+b\*tanh(x)^2)^(1/2),x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [1/4*((a*\cosh(x)^2 + 2*a*\cosh(x)*\sinh(x) + a*\sinh(x)^2 - a)*\sqrt{a + b})*\log \\ & (-((a*b^2 + b^3)*\cosh(x)^8 + 8*(a*b^2 + b^3)*\cosh(x)*\sinh(x)^7 + (a*b^2 + b \\ & ^3)*\sinh(x)^8 - 2*(a*b^2 + 2*b^3)*\cosh(x)^6 - 2*(a*b^2 + 2*b^3 - 14*(a*b^2 \\ & + b^3)*\cosh(x)^2)*\sinh(x)^6 + 4*(14*(a*b^2 + b^3)*\cosh(x)^3 - 3*(a*b^2 + 2* \\ & b^3)*\cosh(x))*\sinh(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\cosh(x)^4 + (70*( \\ & a*b^2 + b^3)*\cosh(x)^4 + a^3 - a^2*b + 4*a*b^2 + 6*b^3 - 30*(a*b^2 + 2*b^3) \\ & *\cosh(x)^2)*\sinh(x)^4 + 4*(14*(a*b^2 + b^3)*\cosh(x)^5 - 10*(a*b^2 + 2*b^3)* \\ & \cosh(x)^3 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\cosh(x))*\sinh(x)^3 + a^3 + 3*a^ \\ & 2*b + 3*a*b^2 + b^3 + 2*(a^3 - 3*a*b^2 - 2*b^3)*\cosh(x)^2 + 2*(14*(a*b^2 + \\ & b^3)*\cosh(x)^6 - 15*(a*b^2 + 2*b^3)*\cosh(x)^4 + a^3 - 3*a*b^2 - 2*b^3 + 3*( \\ & a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\cosh(x)^2)*\sinh(x)^2 + \sqrt{2}*(b^2*\cosh(x)^ \\ & 6 + 6*b^2*\cosh(x)*\sinh(x)^5 + b^2*\sinh(x)^6 - 3*b^2*\cosh(x)^4 + 3*(5*b^2*co \\ & sh(x)^2 - b^2)*\sinh(x)^4 + 4*(5*b^2*\cosh(x)^3 - 3*b^2*\cosh(x))*\sinh(x)^3 - \\ & (a^2 - 2*a*b - 3*b^2)*\cosh(x)^2 + (15*b^2*\cosh(x)^4 - 18*b^2*\cosh(x)^2 - a^ \\ & 2 + 2*a*b + 3*b^2)*\sinh(x)^2 - a^2 - 2*a*b - b^2 + 2*(3*b^2*\cosh(x)^5 - 6*b \\ & ^2*\cosh(x)^3 - (a^2 - 2*a*b - 3*b^2)*\cosh(x))*\sinh(x))*\sqrt{a + b}*\sqrt{((a \\ & + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) \\ & + \sinh(x)^2))} + 4*(2*(a*b^2 + b^3)*\cosh(x)^7 - 3*(a*b^2 + 2*b^3)*\cosh(x)^5 \\ & + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\cosh(x)^3 + (a^3 - 3*a*b^2 - 2*b^3)*\cosh \\ & (x))*\sinh(x))/(\cosh(x)^6 + 6*\cosh(x)^5*\sinh(x) + 15*\cosh(x)^4*\sinh(x)^2 + 2 \\ & 0*\cosh(x)^3*\sinh(x)^3 + 15*\cosh(x)^2*\sinh(x)^4 + 6*\cosh(x)*\sinh(x)^5 + \sinh \\ & (x)^6)) + (a*\cosh(x)^2 + 2*a*\cosh(x)*\sinh(x) + a*\sinh(x)^2 - a)*\sqrt{a + b} \\ & *\log(((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + \\ & 2*a*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a)*\sinh(x)^2 + \sqrt{2}*(\cosh(x)^2 \\ & + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 + 1)*\sqrt{a + b}*\sqrt{((a + b)*\cosh(x)^2 + \\ & (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))} + \\ & 4*((a + b)*\cosh(x)^3 + a*\cosh(x))*\sinh(x) + a + b)/(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2)) - 4*\sqrt{2}*(a + b)*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))}/((a^2 + a*b)*\cosh(x)^2 + 2*(a^2 + a*b)*\cosh(x)*\sinh(x) + (a^2 + a*b)*\sinh(x)^2 - a^2 - a*b), -1/2*((a*\cosh(x)^2 + 2*a*\cosh(x)*\sinh(x) + a*\sinh(x)^2 - a)*\sqrt{-a - b})*\arctan(\sqrt{2}*(b*\cosh(x)^2 + 2*b*\cosh(x)*\sinh(x) + b*\sinh(x)^2 - a - b)*\sqrt{-a - b})*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))}/((a*b + b^2)*\cosh(x)^4 + 4*(a*b + b^2)*\cosh(x)*\sinh(x)^3 + (a*b + b^2)*\sinh(x)^4 + (a^2 - a*b - 2*b^2)*\cosh(x) \end{aligned}$$



$$\begin{aligned} &^2 + (6*(a*b + b^2)*\cosh(x)^2 + a^2 - a*b - 2*b^2)*\sinh(x)^2 + a^2 + 2*a*b \\ &+ b^2 + 2*(2*(a*b + b^2)*\cosh(x)^3 + (a^2 - a*b - 2*b^2)*\cosh(x))*\sinh(x)) \\ &+ (a*\cosh(x)^2 + 2*a*\cosh(x)*\sinh(x) + a*\sinh(x)^2 - a)*\sqrt{-a - b}*\arctan \\ &(\sqrt{2}*\sqrt{-a - b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b) \\ &/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)})/((a + b)*\cosh(x)^2 + 2*(a + b) \\ &)*\cosh(x)*\sinh(x) + (a + b)*\sinh(x)^2 + a + b)) + 2*\sqrt{2}*(a + b)*\sqrt{((a + b) \\ &)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) \\ &+ \sinh(x)^2)})/((a^2 + a*b)*\cosh(x)^2 + 2*(a^2 + a*b)*\cosh(x)*\sinh(x) + ( \\ &a^2 + a*b)*\sinh(x)^2 - a^2 - a*b)] \end{aligned}$$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\coth^2(x)}{\sqrt{a + b \tanh^2(x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)\*\*2/(a+b\*tanh(x)\*\*2)\*\*(1/2), x)

[Out] Integral(coth(x)\*\*2/sqrt(a + b\*tanh(x)\*\*2), x)

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)^2/(a+b\*tanh(x)^2)^(1/2), x, algorithm="giac")

[Out] Exception raised: TypeError

$$3.237 \quad \int \frac{\coth^3(x)}{\sqrt{a+b \tanh^2(x)}} dx$$

**Optimal.** Leaf size=88

$$-\frac{(2a-b) \tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a}}\right)}{2a^{3/2}} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}}\right)}{\sqrt{a+b}} - \frac{\coth^2(x) \sqrt{a+b \tanh^2(x)}}{2a}$$

[Out]  $-\frac{(2a-b) \operatorname{ArcTanh}\left[\frac{\sqrt{a+b \operatorname{Tanh}[x]^2}}{\sqrt{a}}\right]}{(2a)^{3/2}} + \frac{\operatorname{ArcTanh}\left[\frac{\sqrt{a+b \operatorname{Tanh}[x]^2}}{\sqrt{a+b}}\right]}{\sqrt{a+b}} - \frac{\operatorname{Coth}[x]^2 \sqrt{a+b \operatorname{Tanh}[x]^2}}{2a}$

**Rubi [A]** time = 0.165949, antiderivative size = 88, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.353$ , Rules used = {3670, 446, 103, 156, 63, 208}

$$-\frac{(2a-b) \tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a}}\right)}{2a^{3/2}} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}}\right)}{\sqrt{a+b}} - \frac{\coth^2(x) \sqrt{a+b \tanh^2(x)}}{2a}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}\left[\frac{\operatorname{Coth}[x]^3}{\sqrt{a+b \operatorname{Tanh}[x]^2}}, x\right]$

[Out]  $-\frac{(2a-b) \operatorname{ArcTanh}\left[\frac{\sqrt{a+b \operatorname{Tanh}[x]^2}}{\sqrt{a}}\right]}{(2a)^{3/2}} + \frac{\operatorname{ArcTanh}\left[\frac{\sqrt{a+b \operatorname{Tanh}[x]^2}}{\sqrt{a+b}}\right]}{\sqrt{a+b}} - \frac{\operatorname{Coth}[x]^2 \sqrt{a+b \operatorname{Tanh}[x]^2}}{2a}$

### Rule 3670

$\operatorname{Int}\left[\left(\left(d_{\cdot}\right) \tan\left[\left(e_{\cdot}\right) + \left(f_{\cdot}\right) \left(x_{\cdot}\right)\right]\right)^{\left(m_{\cdot}\right)} \left(\left(a_{\cdot}\right) + \left(b_{\cdot}\right) \left(\left(c_{\cdot}\right) \tan\left[\left(e_{\cdot}\right) + \left(f_{\cdot}\right) \left(x_{\cdot}\right)\right]\right)^{\left(n_{\cdot}\right)}\right)^{\left(p_{\cdot}\right)}, x_{\text{Symbol}}] \rightarrow \operatorname{With}\left[\left\{\operatorname{ff} = \operatorname{FreeFactors}\left[\tan\left[e + f x\right], x\right]\right\}, \operatorname{Dist}\left[\left(\frac{c \operatorname{ff}}{f}\right), \operatorname{Subst}\left[\operatorname{Int}\left[\left(\frac{\left(d \operatorname{ff} x\right)}{c}\right)^m \left(a + b \left(\operatorname{ff} x\right)^n\right)^p\right], \left(c^2 + f^2 x^2\right), x\right], x, \left(\frac{c \tan\left[e + f x\right]}{\operatorname{ff}}\right), x\right] /; \operatorname{FreeQ}\left[\left\{a, b, c, d, e, f, m, n, p\right\}, x\right] \&\& \left(\operatorname{IGtQ}\left[p, 0\right] \mid \mid \operatorname{EqQ}\left[n, 2\right] \mid \mid \operatorname{EqQ}\left[n, 4\right] \mid \mid \left(\operatorname{IntegerQ}\left[p\right] \&\& \operatorname{RationalQ}\left[n\right]\right)\right)$

### Rule 446

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_
), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p
*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[
b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 103

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_
))^(p_), x_Symbol] := Simp[(b*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x
)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Dist[1/((m + 1)*(b*c - a
*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*
(m + 1) - b*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*(m + n + p + 3)*x,
x], x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && LtQ[m, -1] && IntegerQ[
m] && (IntegerQ[n] || IntegersQ[2*n, 2*p])
```

### Rule 156

```
Int[(((e_) + (f_)*(x_))^(p_)*((g_) + (h_)*(x_)))/(((a_) + (b_)*(x_))*
((c_) + (d_)*(x_))), x_Symbol] := Dist[(b*g - a*h)/(b*c - a*d), Int[(e +
f*x)^p/(a + b*x), x], x] - Dist[(d*g - c*h)/(b*c - a*d), Int[(e + f*x)^p/(c
+ d*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x]
```

### Rule 63

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

### Rule 208

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\coth^3(x)}{\sqrt{a+b \tanh^2(x)}} dx &= \text{Subst} \left( \int \frac{1}{x^3 (1-x^2) \sqrt{a+bx^2}} dx, x, \tanh(x) \right) \\
&= \frac{1}{2} \text{Subst} \left( \int \frac{1}{(1-x)x^2 \sqrt{a+bx}} dx, x, \tanh^2(x) \right) \\
&= -\frac{\coth^2(x) \sqrt{a+b \tanh^2(x)}}{2a} - \frac{\text{Subst} \left( \int \frac{\frac{1}{2}(-2a+b) - \frac{bx}{2}}{(1-x)x \sqrt{a+bx}} dx, x, \tanh^2(x) \right)}{2a} \\
&= -\frac{\coth^2(x) \sqrt{a+b \tanh^2(x)}}{2a} + \frac{1}{2} \text{Subst} \left( \int \frac{1}{(1-x) \sqrt{a+bx}} dx, x, \tanh^2(x) \right) + \frac{(2a-b) \text{Subst} \left( \int \frac{1}{x \sqrt{a+bx}} dx, x, \tanh^2(x) \right)}{2a} \\
&= -\frac{\coth^2(x) \sqrt{a+b \tanh^2(x)}}{2a} + \frac{\text{Subst} \left( \int \frac{1}{1+\frac{a}{b} - \frac{x^2}{b}} dx, x, \sqrt{a+b \tanh^2(x)} \right)}{b} + \frac{(2a-b) \text{Subst} \left( \int \frac{1}{x \sqrt{a+bx}} dx, x, \tanh^2(x) \right)}{2a} \\
&= -\frac{(2a-b) \tanh^{-1} \left( \frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a}} \right)}{2a^{3/2}} + \frac{\tanh^{-1} \left( \frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}} \right)}{\sqrt{a+b}} - \frac{\coth^2(x) \sqrt{a+b \tanh^2(x)}}{2a}
\end{aligned}$$

**Mathematica [A]** time = 0.422721, size = 107, normalized size = 1.22

$$\frac{(-2a^2 - ab + b^2) \tanh^{-1} \left( \frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a}} \right) + \sqrt{a} \left( 2a\sqrt{a+b} \tanh^{-1} \left( \frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}} \right) - (a+b) \coth^2(x) \sqrt{a+b \tanh^2(x)} \right)}{2a^{3/2}(a+b)}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[x]^3/Sqrt[a + b\*Tanh[x]^2], x]

[Out] ((-2\*a^2 - a\*b + b^2)\*ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a]] + Sqrt[a]\*(2\*a\*Sqrt[a + b]\*ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]] - (a + b)\*Coth[x]^2\*Sqrt[a + b\*Tanh[x]^2]))/(2\*a^(3/2)\*(a + b))

**Maple [F]** time = 0.154, size = 0, normalized size = 0.

$$\int (\coth(x))^3 \frac{1}{\sqrt{a+b(\tanh(x))^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(coth(x)^3/(a+b*tanh(x)^2)^(1/2),x)`

[Out] `int(coth(x)^3/(a+b*tanh(x)^2)^(1/2),x)`

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\coth(x)^3}{\sqrt{b \tanh(x)^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(x)^3/(a+b*tanh(x)^2)^(1/2),x, algorithm="maxima")`

[Out] `integrate(coth(x)^3/sqrt(b*tanh(x)^2 + a), x)`

**Fricas [B]** time = 4.62634, size = 15786, normalized size = 179.39

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(x)^3/(a+b*tanh(x)^2)^(1/2),x, algorithm="fricas")`

[Out] `[1/4*((a^2*cosh(x)^4 + 4*a^2*cosh(x)*sinh(x)^3 + a^2*sinh(x)^4 - 2*a^2*cosh(x)^2 + 2*(3*a^2*cosh(x)^2 - a^2)*sinh(x)^2 + a^2 + 4*(a^2*cosh(x)^3 - a^2*cosh(x))*sinh(x))*sqrt(a + b)*log(((a^3 + a^2*b)*cosh(x)^8 + 8*(a^3 + a^2*b)*cosh(x)*sinh(x)^7 + (a^3 + a^2*b)*sinh(x)^8 + 2*(2*a^3 + a^2*b)*cosh(x)^6 + 2*(2*a^3 + a^2*b + 14*(a^3 + a^2*b)*cosh(x)^2)*sinh(x)^6 + 4*(14*(a^3 + a^2*b)*cosh(x)^3 + 3*(2*a^3 + a^2*b)*cosh(x))*sinh(x)^5 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x)^4 + (70*(a^3 + a^2*b)*cosh(x)^4 + 6*a^3 + 4*a^2*b - a*b^2 + b^3 + 30*(2*a^3 + a^2*b)*cosh(x)^2)*sinh(x)^4 + 4*(14*(a^3 + a^2*b)*cosh(x)^5 + 10*(2*a^3 + a^2*b)*cosh(x)^3 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x))*sinh(x)^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 2*(2*a^3 + 3*a^2*b - b^3)*cosh(x)^2 + 2*(14*(a^3 + a^2*b)*cosh(x)^6 + 15*(2*a^3 + a^2*b)*cosh(x)^4 + 2*a^3 + 3*a^2*b - b^3 + 3*(6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x)^2)*sinh(x)^2 + sqrt(2)*(a^2*cosh(x)^6 + 6*a^2*cosh(x)*sinh(x)^5 + a^2*sinh(x)^6`

$$\begin{aligned}
& + 3a^2 \cosh(x)^4 + 3(5a^2 \cosh(x)^2 + a^2) \sinh(x)^4 + 4(5a^2 \cosh(x)^3 + 3a^2 \cosh(x)) \sinh(x)^3 + (3a^2 + 2ab - b^2) \cosh(x)^2 + (15a^2 \cosh(x)^4 + 18a^2 \cosh(x)^2 + 3a^2 + 2ab - b^2) \sinh(x)^2 + a^2 + 2ab + b^2 + 2(3a^2 \cosh(x)^5 + 6a^2 \cosh(x)^3 + (3a^2 + 2ab - b^2) \cosh(x)) \sinh(x) \sqrt{a+b} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)} + 4(2(a^3 + a^2 b) \cosh(x)^7 + 3(2a^3 + a^2 b) \cosh(x)^5 + (6a^3 + 4a^2 b - ab^2 + b^3) \cosh(x)^3 + (2a^3 + 3a^2 b - b^3) \cosh(x)) \sinh(x) / (\cosh(x)^6 + 6 \cosh(x)^5 \sinh(x) + 15 \cosh(x)^4 \sinh(x)^2 + 20 \cosh(x)^3 \sinh(x)^3 + 15 \cosh(x)^2 \sinh(x)^4 + 6 \cosh(x) \sinh(x)^5 + \sinh(x)^6) - ((2a^2 + ab - b^2) \cosh(x)^4 + 4(2a^2 + ab - b^2) \cosh(x) \sinh(x)^3 + (2a^2 + ab - b^2) \sinh(x)^4 - 2(2a^2 + ab - b^2) \cosh(x)^2 + 2(3(2a^2 + ab - b^2) \cosh(x)^2 - 2a^2 - ab + b^2) \sinh(x)^2 + 2a^2 + ab - b^2 + 4((2a^2 + ab - b^2) \cosh(x))^3 - (2a^2 + ab - b^2) \cosh(x)) \sinh(x) \sqrt{a} \log(-((2a + b) \cosh(x)^4 + 4(2a + b) \cosh(x) \sinh(x)^3 + (2a + b) \sinh(x)^4 + 2(2a - b) \cosh(x)^2 + 2(3(2a + b) \cosh(x)^2 + 2a - b) \sinh(x)^2 + 2\sqrt{2}(\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 + 1) \sqrt{a} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)} + 4((2a + b) \cosh(x)^3 + (2a - b) \cosh(x)) \sinh(x) + 2a + b) / (\cosh(x)^4 + 4 \cosh(x) \sinh(x)^3 + \sinh(x)^4 + 2(3 \cosh(x)^2 - 1) \sinh(x)^2 - 2 \cosh(x)^2 + 4(\cosh(x)^3 - \cosh(x)) \sinh(x) + 1)) + (a^2 \cosh(x)^4 + 4a^2 \cosh(x) \sinh(x)^3 + a^2 \sinh(x)^4 - 2a^2 \cosh(x)^2 + 2(3a^2 \cosh(x)^2 - a^2) \sinh(x)^2 + a^2 + 4(a^2 \cosh(x)^3 - a^2 \cosh(x)) \sinh(x)) \sqrt{a+b} \log(-((a+b) \cosh(x)^4 + 4(a+b) \cosh(x) \sinh(x)^3 + (a+b) \sinh(x)^4 - 2b \cosh(x)^2 + 2(3(a+b) \cosh(x)^2 - b) \sinh(x)^2 + \sqrt{2}(\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 - 1) \sqrt{a+b} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)} + 4((a+b) \cosh(x)^3 - b \cosh(x)) \sinh(x) + a + b) / (\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2)) - 2\sqrt{2}((a^2 + ab) \cosh(x)^2 + 2(a^2 + ab) \cosh(x) \sinh(x) + (a^2 + ab) \sinh(x)^2 + a^2 + ab) \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2))} / ((a^3 + a^2 b) \cosh(x)^4 + 4(a^3 + a^2 b) \cosh(x) \sinh(x)^3 + (a^3 + a^2 b) \sinh(x)^4 + a^3 + a^2 b - 2(a^3 + a^2 b) \cosh(x)^2 - 2(a^3 + a^2 b - 3(a^3 + a^2 b) \cosh(x)^2) \sinh(x)^2 + 4((a^3 + a^2 b) \cosh(x)^3 - (a^3 + a^2 b) \cosh(x)) \sinh(x)), 1/4(2((2a^2 + ab - b^2) \cosh(x)^4 + 4(2a^2 + ab - b^2) \cosh(x) \sinh(x)^3 + (2a^2 + ab - b^2) \sinh(x)^4 - 2(2a^2 + ab - b^2) \cosh(x)^2 + 2(3(2a^2 + ab - b^2) \cosh(x)^2 - 2a^2 - ab + b^2) \sinh(x))^2 + 2a^2 + ab - b^2 + 4((2a^2 + ab - b^2) \cosh(x))^3 - (2a^2 + ab - b^2) \cosh(x)) \sinh(x) \sqrt{-a} \arctan(\sqrt{2}(\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 + 1) \sqrt{-a} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)}) / ((a+b) \cosh(x)^4 + 4(a+b) \cosh(x) \sinh(x)^3 + (a+b) \sinh(x)^4 + 2(a-b) \cosh(x)^2 + 2(3(a+b) \cosh(x)^2 + a - b) \sinh(x)^2 + 4((a+b) \cosh(x)^3 + (a-b) \cosh(x)) \sinh(x) + a + b)) + (a^2 \cosh(x)^4 + 4a^2 \cosh(x) \sinh(x)^3 + a^2 \sinh(x)^4 - 2a^2 \cosh(x)^2 + 2(3a^2 \cosh(x)^2 - a^2) \sinh(x)^2 + a^2 + 4(a
\end{aligned}$$

$$\begin{aligned}
& ^2\cosh(x)^3 - a^2\cosh(x))\sinh(x))\sqrt{a + b}\log(((a^3 + a^2b)\cosh(x) \\
& ^8 + 8*(a^3 + a^2b)\cosh(x)\sinh(x)^7 + (a^3 + a^2b)\sinh(x)^8 + 2*(2*a^3 \\
& + a^2b)\cosh(x)^6 + 2*(2*a^3 + a^2b + 14*(a^3 + a^2b)\cosh(x)^2)\sinh(x) \\
& )^6 + 4*(14*(a^3 + a^2b)\cosh(x)^3 + 3*(2*a^3 + a^2b)\cosh(x))\sinh(x)^5 \\
& + (6*a^3 + 4*a^2b - a*b^2 + b^3)\cosh(x)^4 + (70*(a^3 + a^2b)\cosh(x)^4 + \\
& 6*a^3 + 4*a^2b - a*b^2 + b^3 + 30*(2*a^3 + a^2b)\cosh(x)^2)\sinh(x)^4 + \\
& 4*(14*(a^3 + a^2b)\cosh(x)^5 + 10*(2*a^3 + a^2b)\cosh(x)^3 + (6*a^3 + 4*a \\
& ^2b - a*b^2 + b^3)\cosh(x))\sinh(x)^3 + a^3 + 3*a^2b + 3*a*b^2 + b^3 + 2* \\
& (2*a^3 + 3*a^2b - b^3)\cosh(x)^2 + 2*(14*(a^3 + a^2b)\cosh(x)^6 + 15*(2*a \\
& ^3 + a^2b)\cosh(x)^4 + 2*a^3 + 3*a^2b - b^3 + 3*(6*a^3 + 4*a^2b - a*b^2 \\
& + b^3)\cosh(x)^2)\sinh(x)^2 + \sqrt{2}*(a^2\cosh(x)^6 + 6*a^2\cosh(x)\sinh(x) \\
& )^5 + a^2\sinh(x)^6 + 3*a^2\cosh(x)^4 + 3*(5*a^2\cosh(x)^2 + a^2)\sinh(x)^4 \\
& + 4*(5*a^2\cosh(x)^3 + 3*a^2\cosh(x))\sinh(x)^3 + (3*a^2 + 2*a*b - b^2)*\co \\
& sh(x)^2 + (15*a^2\cosh(x)^4 + 18*a^2\cosh(x)^2 + 3*a^2 + 2*a*b - b^2)\sinh( \\
& x)^2 + a^2 + 2*a*b + b^2 + 2*(3*a^2\cosh(x)^5 + 6*a^2\cosh(x)^3 + (3*a^2 + \\
& 2*a*b - b^2)\cosh(x))\sinh(x))\sqrt{a + b}\sqrt{((a + b)\cosh(x)^2 + (a + b) \\
& )\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)\sinh(x) + \sinh(x)^2)) + 4*(2*(a \\
& ^3 + a^2b)\cosh(x)^7 + 3*(2*a^3 + a^2b)\cosh(x)^5 + (6*a^3 + 4*a^2b - a* \\
& b^2 + b^3)\cosh(x)^3 + (2*a^3 + 3*a^2b - b^3)\cosh(x))\sinh(x))/(\cosh(x)^6 \\
& + 6*\cosh(x)^5\sinh(x) + 15*\cosh(x)^4\sinh(x)^2 + 20*\cosh(x)^3\sinh(x)^3 + \\
& 15*\cosh(x)^2\sinh(x)^4 + 6*\cosh(x)\sinh(x)^5 + \sinh(x)^6)) + (a^2\cosh(x)^4 \\
& + 4*a^2\cosh(x)\sinh(x)^3 + a^2\sinh(x)^4 - 2*a^2\cosh(x)^2 + 2*(3*a^2*\cos \\
& h(x)^2 - a^2)\sinh(x)^2 + a^2 + 4*(a^2\cosh(x)^3 - a^2\cosh(x))\sinh(x))\sqrt{a + b} \\
& \log(-((a + b)\cosh(x)^4 + 4*(a + b)\cosh(x)\sinh(x)^3 + (a + b)\sinh(x)^4 - \\
& 2*b*\cosh(x)^2 + 2*(3*(a + b)\cosh(x)^2 - b)\sinh(x)^2 + \sqrt{2}*( \\
& \cosh(x)^2 + 2*\cosh(x)\sinh(x) + \sinh(x)^2 - 1)\sqrt{a + b}\sqrt{((a + b)\c \\
& osh(x)^2 + (a + b)\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)\sinh(x) + \sinh \\
& (x)^2)) + 4*((a + b)\cosh(x)^3 - b*\cosh(x))\sinh(x) + a + b)/(\cosh(x)^2 + 2 \\
& *\cosh(x)\sinh(x) + \sinh(x)^2)) - 2*\sqrt{2}*((a^2 + a*b)\cosh(x)^2 + 2*(a^2 \\
& + a*b)\cosh(x)\sinh(x) + (a^2 + a*b)\sinh(x)^2 + a^2 + a*b)\sqrt{((a + b)\c \\
& osh(x)^2 + (a + b)\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)\sinh(x) + \sinh \\
& (x)^2)))/((a^3 + a^2b)\cosh(x)^4 + 4*(a^3 + a^2b)\cosh(x)\sinh(x)^3 + (a^ \\
& 3 + a^2b)\sinh(x)^4 + a^3 + a^2b - 2*(a^3 + a^2b)\cosh(x)^2 - 2*(a^3 + a \\
& ^2b - 3*(a^3 + a^2b)\cosh(x)^2)\sinh(x)^2 + 4*((a^3 + a^2b)\cosh(x)^3 - \\
& (a^3 + a^2b)\cosh(x))\sinh(x)), -1/4*(2*(a^2\cosh(x)^4 + 4*a^2\cosh(x)\sinh \\
& (x)^3 + a^2\sinh(x)^4 - 2*a^2\cosh(x)^2 + 2*(3*a^2\cosh(x)^2 - a^2)\sinh(x) \\
& )^2 + a^2 + 4*(a^2\cosh(x)^3 - a^2\cosh(x))\sinh(x))\sqrt{-a - b}\arctan(\sqrt{2} \\
& *(a*\cosh(x)^2 + 2*a*\cosh(x)\sinh(x) + a*\sinh(x)^2 + a + b)\sqrt{-a - b} \\
& )\sqrt{((a + b)\cosh(x)^2 + (a + b)\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh( \\
& x)\sinh(x) + \sinh(x)^2)))/((a^2 + a*b)\cosh(x)^4 + 4*(a^2 + a*b)\cosh(x)\sinh \\
& (x)^3 + (a^2 + a*b)\sinh(x)^4 + (2*a^2 + a*b - b^2)\cosh(x)^2 + (6*(a^2 + \\
& a*b)\cosh(x)^2 + 2*a^2 + a*b - b^2)\sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(2*(a \\
& ^2 + a*b)\cosh(x)^3 + (2*a^2 + a*b - b^2)\cosh(x))\sinh(x))) + 2*(a^2\cosh( \\
& x)^4 + 4*a^2\cosh(x)\sinh(x)^3 + a^2\sinh(x)^4 - 2*a^2\cosh(x)^2 + 2*(3*a^2 \\
& *\cosh(x)^2 - a^2)\sinh(x)^2 + a^2 + 4*(a^2\cosh(x)^3 - a^2\cosh(x))\sinh(x)
\end{aligned}$$

$$\begin{aligned}
& )*\sqrt{-a - b}*\arctan(\sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 - \\
& 1)*\sqrt{-a - b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)})/((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a - b)*\sinh(x)^2 + 4*((a + b)*\cosh(x)^3 + (a - b)*\cosh(x))*\sinh(x) + a + b)) + ((2*a^2 + a*b - b^2)*\cosh(x)^4 + 4*(2*a^2 + a*b - b^2)*\cosh(x)*\sinh(x)^3 + (2*a^2 + a*b - b^2)*\sinh(x)^4 - 2*(2*a^2 + a*b - b^2)*\cosh(x)^2 + 2*(3*(2*a^2 + a*b - b^2)*\cosh(x)^2 - 2*a^2 - a*b + b^2)*\sinh(x)^2 + 2*a^2 + a*b - b^2 + 4*((2*a^2 + a*b - b^2)*\cosh(x)^3 - (2*a^2 + a*b - b^2)*\cosh(x))*\sinh(x))*\sqrt{a}*\log(-((2*a + b)*\cosh(x)^4 + 4*(2*a + b)*\cosh(x)*\sinh(x)^3 + (2*a + b)*\sinh(x)^4 + 2*(2*a - b)*\cosh(x)^2 + 2*(3*(2*a + b)*\cosh(x)^2 + 2*a - b)*\sinh(x)^2 + 2*\sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 + 1)*\sqrt{a}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)}) + 4*((2*a + b)*\cosh(x)^3 + (2*a - b)*\cosh(x))*\sinh(x) + 2*a + b)/(\cosh(x)^4 + 4*\cosh(x)*\sinh(x)^3 + \sinh(x)^4 + 2*(3*\cosh(x)^2 - 1)*\sinh(x)^2 - 2*\cosh(x)^2 + 4*(\cosh(x)^3 - \cosh(x))*\sinh(x) + 1)) + 2*\sqrt{2}*((a^2 + a*b)*\cosh(x)^2 + 2*(a^2 + a*b)*\cosh(x)*\sinh(x) + (a^2 + a*b)*\sinh(x)^2 + a^2 + a*b)*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)})/((a^3 + a^2*b)*\cosh(x)^4 + 4*(a^3 + a^2*b)*\cosh(x)*\sinh(x)^3 + (a^3 + a^2*b)*\sinh(x)^4 + a^3 + a^2*b - 2*(a^3 + a^2*b)*\cosh(x)^2 - 2*(a^3 + a^2*b - 3*(a^3 + a^2*b))*\cosh(x)^2*\sinh(x)^2 + 4*((a^3 + a^2*b)*\cosh(x)^3 - (a^3 + a^2*b)*\cosh(x))*\sinh(x)), 1/2*((2*a^2 + a*b - b^2)*\cosh(x)^4 + 4*(2*a^2 + a*b - b^2)*\cosh(x)*\sinh(x)^3 + (2*a^2 + a*b - b^2)*\sinh(x)^4 - 2*(2*a^2 + a*b - b^2)*\cosh(x)^2 + 2*(3*(2*a^2 + a*b - b^2)*\cosh(x)^2 - 2*a^2 - a*b + b^2)*\sinh(x)^2 + 2*a^2 + a*b - b^2 + 4*((2*a^2 + a*b - b^2)*\cosh(x)^3 - (2*a^2 + a*b - b^2)*\cosh(x))*\sinh(x))*\sqrt{-a}*\arctan(\sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 + 1)*\sqrt{-a}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)})/((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a - b)*\sinh(x)^2 + 4*((a + b)*\cosh(x)^3 + (a - b)*\cosh(x))*\sinh(x) + a + b)) - (a^2*\cosh(x)^4 + 4*a^2*\cosh(x)*\sinh(x)^3 + a^2*\sinh(x)^4 - 2*a^2*\cosh(x)^2 + 2*(3*a^2*\cosh(x)^2 - a^2)*\sinh(x)^2 + a^2 + 4*(a^2*\cosh(x)^3 - a^2*\cosh(x))*\sinh(x))*\sqrt{-a - b}*\arctan(\sqrt{2}*(a*\cosh(x)^2 + 2*a*\cosh(x)*\sinh(x) + a*\sinh(x)^2 + a + b)*\sqrt{-a - b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)})/((a^2 + a*b)*\cosh(x)^4 + 4*(a^2 + a*b)*\cosh(x)*\sinh(x)^3 + (a^2 + a*b)*\sinh(x)^4 + (2*a^2 + a*b - b^2)*\cosh(x)^2 + (6*(a^2 + a*b)*\cosh(x)^2 + 2*a^2 + a*b - b^2)*\sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(2*(a^2 + a*b)*\cosh(x)^3 + (2*a^2 + a*b - b^2)*\cosh(x))*\sinh(x)) - (a^2*\cosh(x)^4 + 4*a^2*\cosh(x)*\sinh(x)^3 + a^2*\sinh(x)^4 - 2*a^2*\cosh(x)^2 + 2*(3*a^2*\cosh(x)^2 - a^2)*\sinh(x)^2 + a^2 + 4*(a^2*\cosh(x)^3 - a^2*\cosh(x))*\sinh(x))*\sqrt{-a - b}*\arctan(\sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 - 1)*\sqrt{-a - b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)})/((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*
\end{aligned}$$



$$\begin{aligned} & \sinh(x)^4 + 2*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a - b)*\sinh(x)^2 \\ & + 4*((a + b)*\cosh(x)^3 + (a - b)*\cosh(x))*\sinh(x) + a + b) - \sqrt{2}*((a^2 + a*b)*\cosh(x)^2 + 2*(a^2 + a*b)*\cosh(x)*\sinh(x) + (a^2 + a*b)*\sinh(x)^2 \\ & + a^2 + a*b)*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))}/((a^3 + a^2*b)*\cosh(x)^4 + 4*(a^3 + a^2*b)*\cosh(x)*\sinh(x)^3 + (a^3 + a^2*b)*\sinh(x)^4 + a^3 + a^2*b - 2*(a^3 + a^2*b)*\cosh(x)^2 - 2*(a^3 + a^2*b - 3*(a^3 + a^2*b)*\cosh(x)^2)*\sinh(x)^2 + 4*((a^3 + a^2*b)*\cosh(x)^3 - (a^3 + a^2*b)*\cosh(x))*\sinh(x)) \end{aligned}$$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\coth^3(x)}{\sqrt{a + b \tanh^2(x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)\*\*3/(a+b\*tanh(x)\*\*2)\*\*(1/2), x)

[Out] Integral(coth(x)\*\*3/sqrt(a + b\*tanh(x)\*\*2), x)

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)^3/(a+b\*tanh(x)^2)^(1/2), x, algorithm="giac")

[Out] Exception raised: TypeError

$$3.238 \quad \int \frac{\tanh^5(x)}{(a+b \tanh^2(x))^{3/2}} dx$$

**Optimal.** Leaf size=72

$$-\frac{a^2}{b^2(a+b)\sqrt{a+b \tanh^2(x)}} - \frac{\sqrt{a+b \tanh^2(x)}}{b^2} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}}\right)}{(a+b)^{3/2}}$$

[Out] ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]]/(a + b)^(3/2) - a^2/(b^2\*(a + b)\*Sqrt[a + b\*Tanh[x]^2]) - Sqrt[a + b\*Tanh[x]^2]/b^2

**Rubi [A]** time = 0.16333, antiderivative size = 72, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.294$ , Rules used = {3670, 446, 87, 63, 208}

$$-\frac{a^2}{b^2(a+b)\sqrt{a+b \tanh^2(x)}} - \frac{\sqrt{a+b \tanh^2(x)}}{b^2} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}}\right)}{(a+b)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[Tanh[x]^5/(a + b\*Tanh[x]^2)^(3/2), x]

[Out] ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]]/(a + b)^(3/2) - a^2/(b^2\*(a + b)\*Sqrt[a + b\*Tanh[x]^2]) - Sqrt[a + b\*Tanh[x]^2]/b^2

### Rule 3670

Int[((d\_)\*tan[(e\_.) + (f\_.)\*(x\_)]^(m\_))\*((a\_.) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]^(n\_))^(p\_)), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

### Rule 446

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_
), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p
*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[
b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 87

```
Int[(((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_))/((a_) + (b_)*(
x_)), x_Symbol] := Int[ExpandIntegrand[(e + f*x)^FractionalPart[p], ((c + d
*x)^n*(e + f*x)^IntegerPart[p])/(a + b*x), x], x] /; FreeQ[{a, b, c, d, e,
f}, x] && IGtQ[n, 0] && LtQ[p, -1] && FractionQ[p]
```

### Rule 63

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

### Rule 208

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\tanh^5(x)}{(a + b \tanh^2(x))^{3/2}} dx &= \text{Subst} \left( \int \frac{x^5}{(1-x^2)(a+bx^2)^{3/2}} dx, x, \tanh(x) \right) \\
&= \frac{1}{2} \text{Subst} \left( \int \frac{x^2}{(1-x)(a+bx)^{3/2}} dx, x, \tanh^2(x) \right) \\
&= \frac{1}{2} \text{Subst} \left( \int \left( \frac{a^2}{b(a+b)(a+bx)^{3/2}} - \frac{1}{b\sqrt{a+bx}} - \frac{1}{(a+b)(-1+x)\sqrt{a+bx}} \right) dx, x, \tanh^2(x) \right) \\
&= \frac{a^2}{b^2(a+b)\sqrt{a+b \tanh^2(x)}} - \frac{\sqrt{a+b \tanh^2(x)}}{b^2} - \frac{\text{Subst} \left( \int \frac{1}{(-1+x)\sqrt{a+bx}} dx, x, \tanh^2(x) \right)}{2(a+b)} \\
&= \frac{a^2}{b^2(a+b)\sqrt{a+b \tanh^2(x)}} - \frac{\sqrt{a+b \tanh^2(x)}}{b^2} - \frac{\text{Subst} \left( \int \frac{1}{-1-\frac{a}{b}+\frac{x^2}{b}} dx, x, \sqrt{a+b \tanh^2(x)} \right)}{b(a+b)} \\
&= \frac{\tanh^{-1} \left( \frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}} \right)}{(a+b)^{3/2}} - \frac{a^2}{b^2(a+b)\sqrt{a+b \tanh^2(x)}} - \frac{\sqrt{a+b \tanh^2(x)}}{b^2}
\end{aligned}$$

**Mathematica [C]** time = 0.102017, size = 67, normalized size = 0.93

$$\frac{b^2 \left( -{}_2F_1 \left( -\frac{1}{2}, 1; \frac{1}{2}; \frac{b \tanh^2(x) + a}{a+b} \right) - (a+b)(2a + b \tanh^2(x) - b) \right)}{b^2(a+b)\sqrt{a+b \tanh^2(x)}}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[x]^5/(a + b\*Tanh[x]^2)^(3/2),x]

[Out]  $(-b^2 \text{Hypergeometric2F1}[-1/2, 1, 1/2, (a + b \text{Tanh}[x]^2)/(a + b)]) - (a + b) * (2*a - b + b \text{Tanh}[x]^2) / (b^2 * (a + b) * \text{Sqrt}[a + b \text{Tanh}[x]^2])$

**Maple [B]** time = 0.029, size = 322, normalized size = 4.5

$$-\frac{(\tanh(x))^2}{b} \frac{1}{\sqrt{a+b(\tanh(x))^2}} - 2 \frac{a}{b^2 \sqrt{a+b(\tanh(x))^2}} + \frac{1}{b} \frac{1}{\sqrt{a+b(\tanh(x))^2}} - \frac{1}{2b+2a} \frac{1}{\sqrt{(1+\tanh(x))^2 b - 2(1+\tanh(x))}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(tanh(x)^5/(a+b*tanh(x)^2)^(3/2),x)`

[Out] 
$$-\frac{\tanh(x)^2}{b} \sqrt{a+b \tanh(x)^2} - \frac{2ab}{b^2} \sqrt{a+b \tanh(x)^2} + \frac{1}{b} \sqrt{a+b \tanh(x)^2} - \frac{1}{2(a+b)} \frac{1}{((1+\tanh(x))^2 b - 2(1+\tanh(x))b + a+b)^{1/2}} - \frac{b}{(a+b)} \frac{2(1+\tanh(x))b - 2b}{(4b(a+b) - 4b^2)} \frac{1}{((1+\tanh(x))^2 b - 2(1+\tanh(x))b + a+b)^{1/2}} + \frac{1}{2(a+b)^{3/2}} \ln\left(\frac{2a+2b-2(1+\tanh(x))b+2(a+b)^{1/2}((1+\tanh(x))^2 b - 2(1+\tanh(x))b + a+b)^{1/2}}{(1+\tanh(x))} - \frac{1}{2(a+b)} \frac{1}{(\tanh(x)-1)^2 b + 2(\tanh(x)-1)b + a+b} \sqrt{a+b \tanh(x)^2} + \frac{b}{(a+b)} \frac{2(\tanh(x)-1)b + 2b}{(4b(a+b) - 4b^2)} \frac{1}{(\tanh(x)-1)^2 b + 2(\tanh(x)-1)b + a+b} \sqrt{a+b \tanh(x)^2} + \frac{1}{2(a+b)^{3/2}} \ln\left(\frac{2a+2b+2(\tanh(x)-1)b+2(a+b)^{1/2}((\tanh(x)-1)^2 b + 2(\tanh(x)-1)b + a+b)^{1/2}}{(\tanh(x)-1)}\right)\right)$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\tanh(x)^5}{(b \tanh(x)^2 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(x)^5/(a+b*tanh(x)^2)^(3/2),x, algorithm="maxima")`

[Out] `integrate(tanh(x)^5/(b*tanh(x)^2 + a)^(3/2), x)`

**Fricas [B]** time = 5.04083, size = 9975, normalized size = 138.54

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(x)^5/(a+b*tanh(x)^2)^(3/2),x, algorithm="fricas")`

[Out] 
$$\frac{1}{4} \left( (a^2 b^2 + b^3) \cosh(x)^6 + 6(a^2 b^2 + b^3) \cosh(x) \sinh(x)^5 + (a^2 b^2 + b^3) \sinh(x)^6 + (3a^2 b^2 - b^3) \cosh(x)^4 + (3a^2 b^2 - b^3 + 15(a^2 b^2 + b^3) \cosh(x)^2) \sinh(x)^4 + 4(5(a^2 b^2 + b^3) \cosh(x)^3 + (3a^2 b^2 - b^3) \cosh(x)) \sinh(x)^3 + a^2 b^2 + b^3 + (3a^2 b^2 - b^3) \cosh(x)^2 + (15(a^2 b^2 + b^3) \cosh(x)^4 + 3a^2 b^2 - b^3 + 6(3a^2 b^2 - b^3) \cosh(x)^2) \sinh(x)^2 \right)$$

$$\begin{aligned}
& + 2*(3*(a*b^2 + b^3)*\cosh(x)^5 + 2*(3*a*b^2 - b^3)*\cosh(x)^3 + (3*a*b^2 - b^3)*\cosh(x))*\sinh(x)*\sqrt{a + b}*\log(((a^3 + a^2*b)*\cosh(x)^8 + 8*(a^3 + a^2*b)*\cosh(x)*\sinh(x)^7 + (a^3 + a^2*b)*\sinh(x)^8 + 2*(2*a^3 + a^2*b)*\cosh(x)^6 + 2*(2*a^3 + a^2*b + 14*(a^3 + a^2*b)*\cosh(x)^2)*\sinh(x)^6 + 4*(14*(a^3 + a^2*b)*\cosh(x)^3 + 3*(2*a^3 + a^2*b)*\cosh(x))*\sinh(x)^5 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*\cosh(x)^4 + (70*(a^3 + a^2*b)*\cosh(x)^4 + 6*a^3 + 4*a^2*b - a*b^2 + b^3 + 30*(2*a^3 + a^2*b)*\cosh(x)^2)*\sinh(x)^4 + 4*(14*(a^3 + a^2*b)*\cosh(x)^5 + 10*(2*a^3 + a^2*b)*\cosh(x)^3 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*\cosh(x))*\sinh(x)^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 2*(2*a^3 + 3*a^2*b - b^3)*\cosh(x)^2 + 2*(14*(a^3 + a^2*b)*\cosh(x)^6 + 15*(2*a^3 + a^2*b)*\cosh(x)^4 + 2*a^3 + 3*a^2*b - b^3 + 3*(6*a^3 + 4*a^2*b - a*b^2 + b^3)*\cosh(x)^2)*\sinh(x)^2 + \sqrt{2}*(a^2*\cosh(x)^6 + 6*a^2*\cosh(x)*\sinh(x)^5 + a^2*\sinh(x)^6 + 3*a^2*\cosh(x)^4 + 3*(5*a^2*\cosh(x)^2 + a^2)*\sinh(x)^4 + 4*(5*a^2*\cosh(x)^3 + 3*a^2*\cosh(x))*\sinh(x)^3 + (3*a^2 + 2*a*b - b^2)*\cosh(x)^2 + (15*a^2*\cosh(x)^4 + 18*a^2*\cosh(x)^2 + 3*a^2 + 2*a*b - b^2)*\sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(3*a^2*\cosh(x)^5 + 6*a^2*\cosh(x)^3 + (3*a^2 + 2*a*b - b^2)*\cosh(x))*\sinh(x))*\sqrt{a + b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))} + 4*(2*(a^3 + a^2*b)*\cosh(x)^7 + 3*(2*a^3 + a^2*b)*\cosh(x)^5 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*\cosh(x)^3 + (2*a^3 + 3*a^2*b - b^3)*\cosh(x))*\sinh(x))/(\cosh(x)^6 + 6*\cosh(x)^5*\sinh(x) + 15*\cosh(x)^4*\sinh(x)^2 + 20*\cosh(x)^3*\sinh(x)^3 + 15*\cosh(x)^2*\sinh(x)^4 + 6*\cosh(x)*\sinh(x)^5 + \sinh(x)^6)) + ((a*b^2 + b^3)*\cosh(x)^6 + 6*(a*b^2 + b^3)*\cosh(x)*\sinh(x)^5 + (a*b^2 + b^3)*\sinh(x)^6 + (3*a*b^2 - b^3)*\cosh(x)^4 + (3*a*b^2 - b^3 + 15*(a*b^2 + b^3)*\cosh(x)^2)*\sinh(x)^4 + 4*(5*(a*b^2 + b^3)*\cosh(x)^3 + (3*a*b^2 - b^3)*\cosh(x))*\sinh(x)^3 + a*b^2 + b^3 + (3*a*b^2 - b^3)*\cosh(x)^2 + (15*(a*b^2 + b^3)*\cosh(x)^4 + 3*a*b^2 - b^3 + 6*(3*a*b^2 - b^3)*\cosh(x)^2)*\sinh(x)^2 + 2*(3*(a*b^2 + b^3)*\cosh(x)^5 + 2*(3*a*b^2 - b^3)*\cosh(x)^3 + (3*a*b^2 - b^3)*\cosh(x))*\sinh(x))*\sqrt{a + b}*\log(-((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 - 2*b*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 - b)*\sinh(x)^2 + \sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 - 1)*\sqrt{a + b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))} + 4*((a + b)*\cosh(x)^3 - b*\cosh(x))*\sinh(x) + a + b)/(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2)) - 4*\sqrt{2}*((2*a^3 + 4*a^2*b + 3*a*b^2 + b^3)*\cosh(x)^4 + 4*(2*a^3 + 4*a^2*b + 3*a*b^2 + b^3)*\cosh(x)*\sinh(x)^3 + (2*a^3 + 4*a^2*b + 3*a*b^2 + b^3)*\sinh(x)^4 + 2*a^3 + 4*a^2*b + 3*a*b^2 + b^3 + 2*(2*a^3 + 2*a^2*b - a*b^2 - b^3)*\cosh(x)^2 + 2*(2*a^3 + 2*a^2*b - a*b^2 - b^3 + 3*(2*a^3 + 4*a^2*b + 3*a*b^2 + b^3)*\cosh(x)^2)*\sinh(x)^2 + 4*((2*a^3 + 4*a^2*b + 3*a*b^2 + b^3)*\cosh(x)^3 + (2*a^3 + 2*a^2*b - a*b^2 - b^3)*\cosh(x))*\sinh(x))*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)))/((a^3*b^2 + 3*a^2*b^3 + 3*a*b^4 + b^5)*\cosh(x)^6 + 6*(a^3*b^2 + 3*a^2*b^3 + 3*a*b^4 + b^5)*\cosh(x)*\sinh(x)^5 + (a^3*b^2 + 3*a^2*b^3 + 3*a*b^4 + b^5)*\sinh(x)^6 + a^3*b^2 + 3*a^2*b^3 + 3*a*b^4 + b^5 + (3*a^3*b^2 + 5*a^2*b^3 + a*b^4 - b^5)*\cosh(x)^4 + (3*a^3*b^2 + 5*a^2*b^3 + a*b^4 - b^5 + 15*(a^3*b^2 + 3*a^2*b^3 + 3*a*b^4 + b^5)*\cosh(x)^2)*\sinh(x)
\end{aligned}$$

$$\begin{aligned}
&^4 + 4*(5*(a^3*b^2 + 3*a^2*b^3 + 3*a*b^4 + b^5)*\cosh(x)^3 + (3*a^3*b^2 + 5* \\
&a^2*b^3 + a*b^4 - b^5)*\cosh(x))*\sinh(x)^3 + (3*a^3*b^2 + 5*a^2*b^3 + a*b^4 \\
&- b^5)*\cosh(x)^2 + (3*a^3*b^2 + 5*a^2*b^3 + a*b^4 - b^5 + 15*(a^3*b^2 + 3*a \\
&^2*b^3 + 3*a*b^4 + b^5)*\cosh(x)^4 + 6*(3*a^3*b^2 + 5*a^2*b^3 + a*b^4 - b^5) \\
&*\cosh(x)^2)*\sinh(x)^2 + 2*(3*(a^3*b^2 + 3*a^2*b^3 + 3*a*b^4 + b^5)*\cosh(x)^ \\
&5 + 2*(3*a^3*b^2 + 5*a^2*b^3 + a*b^4 - b^5)*\cosh(x)^3 + (3*a^3*b^2 + 5*a^2* \\
&b^3 + a*b^4 - b^5)*\cosh(x))*\sinh(x)), -1/2*(((a*b^2 + b^3)*\cosh(x)^6 + 6*(a \\
&*b^2 + b^3)*\cosh(x)*\sinh(x)^5 + (a*b^2 + b^3)*\sinh(x)^6 + (3*a*b^2 - b^3)*c \\
&osh(x)^4 + (3*a*b^2 - b^3 + 15*(a*b^2 + b^3)*\cosh(x)^2)*\sinh(x)^4 + 4*(5*(a \\
&*b^2 + b^3)*\cosh(x)^3 + (3*a*b^2 - b^3)*\cosh(x))*\sinh(x)^3 + a*b^2 + b^3 + \\
&(3*a*b^2 - b^3)*\cosh(x)^2 + (15*(a*b^2 + b^3)*\cosh(x)^4 + 3*a*b^2 - b^3 + 6 \\
&*(3*a*b^2 - b^3)*\cosh(x)^2)*\sinh(x)^2 + 2*(3*(a*b^2 + b^3)*\cosh(x)^5 + 2*(3 \\
&*a*b^2 - b^3)*\cosh(x)^3 + (3*a*b^2 - b^3)*\cosh(x))*\sinh(x))*\sqrt{-a - b}*ar \\
&ctan(\sqrt{2}*(a*\cosh(x)^2 + 2*a*\cosh(x)*\sinh(x) + a*\sinh(x)^2 + a + b))*\sqrt \\
&(-a - b))*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - \\
&2*\cosh(x)*\sinh(x) + \sinh(x)^2))/((a^2 + a*b)*\cosh(x)^4 + 4*(a^2 + a*b)*\cosh \\
&(x)*\sinh(x)^3 + (a^2 + a*b)*\sinh(x)^4 + (2*a^2 + a*b - b^2)*\cosh(x)^2 + (6* \\
&(a^2 + a*b)*\cosh(x)^2 + 2*a^2 + a*b - b^2)*\sinh(x)^2 + a^2 + 2*a*b + b^2 + \\
&2*(2*(a^2 + a*b)*\cosh(x)^3 + (2*a^2 + a*b - b^2)*\cosh(x))*\sinh(x))) + ((a*b \\
&^2 + b^3)*\cosh(x)^6 + 6*(a*b^2 + b^3)*\cosh(x)*\sinh(x)^5 + (a*b^2 + b^3)*\sin \\
&h(x)^6 + (3*a*b^2 - b^3)*\cosh(x)^4 + (3*a*b^2 - b^3 + 15*(a*b^2 + b^3)*\cosh \\
&(x)^2)*\sinh(x)^4 + 4*(5*(a*b^2 + b^3)*\cosh(x)^3 + (3*a*b^2 - b^3)*\cosh(x))* \\
&\sinh(x)^3 + a*b^2 + b^3 + (3*a*b^2 - b^3)*\cosh(x)^2 + (15*(a*b^2 + b^3)*\cos \\
&h(x)^4 + 3*a*b^2 - b^3 + 6*(3*a*b^2 - b^3)*\cosh(x)^2)*\sinh(x)^2 + 2*(3*(a*b \\
&^2 + b^3)*\cosh(x)^5 + 2*(3*a*b^2 - b^3)*\cosh(x)^3 + (3*a*b^2 - b^3)*\cosh(x) \\
&)*\sinh(x))*\sqrt{-a - b}*arctan(\sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sin \\
&h(x)^2 - 1))*\sqrt{-a - b))*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - \\
&b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))/((a + b)*\cosh(x)^4 + 4*(a + \\
&b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*(a - b)*\cosh(x)^2 + 2*(3*(a + \\
&b)*\cosh(x)^2 + a - b)*\sinh(x)^2 + 4*((a + b)*\cosh(x)^3 + (a - b)*\cosh(x))* \\
&\sinh(x) + a + b)) + 2*\sqrt{2}*((2*a^3 + 4*a^2*b + 3*a*b^2 + b^3)*\cosh(x)^4 \\
&+ 4*(2*a^3 + 4*a^2*b + 3*a*b^2 + b^3)*\cosh(x)*\sinh(x)^3 + (2*a^3 + 4*a^2*b \\
&+ 3*a*b^2 + b^3)*\sinh(x)^4 + 2*a^3 + 4*a^2*b + 3*a*b^2 + b^3 + 2*(2*a^3 + 2 \\
&*a^2*b - a*b^2 - b^3)*\cosh(x)^2 + 2*(2*a^3 + 2*a^2*b - a*b^2 - b^3 + 3*(2*a \\
&^3 + 4*a^2*b + 3*a*b^2 + b^3)*\cosh(x)^2)*\sinh(x)^2 + 4*((2*a^3 + 4*a^2*b + \\
&3*a*b^2 + b^3)*\cosh(x)^3 + (2*a^3 + 2*a^2*b - a*b^2 - b^3)*\cosh(x))*\sinh(x) \\
&)*\sqrt{(((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh( \\
&x)*\sinh(x) + \sinh(x)^2)))/((a^3*b^2 + 3*a^2*b^3 + 3*a*b^4 + b^5)*\cosh(x)^6 \\
&+ 6*(a^3*b^2 + 3*a^2*b^3 + 3*a*b^4 + b^5)*\cosh(x)*\sinh(x)^5 + (a^3*b^2 + 3* \\
&a^2*b^3 + 3*a*b^4 + b^5)*\sinh(x)^6 + a^3*b^2 + 3*a^2*b^3 + 3*a*b^4 + b^5 + \\
&(3*a^3*b^2 + 5*a^2*b^3 + a*b^4 - b^5)*\cosh(x)^4 + (3*a^3*b^2 + 5*a^2*b^3 + \\
&a*b^4 - b^5 + 15*(a^3*b^2 + 3*a^2*b^3 + 3*a*b^4 + b^5)*\cosh(x)^2)*\sinh(x)^4 \\
&+ 4*(5*(a^3*b^2 + 3*a^2*b^3 + 3*a*b^4 + b^5)*\cosh(x)^3 + (3*a^3*b^2 + 5*a^ \\
&2*b^3 + a*b^4 - b^5)*\cosh(x))*\sinh(x)^3 + (3*a^3*b^2 + 5*a^2*b^3 + a*b^4 - \\
&b^5)*\cosh(x)^2 + (3*a^3*b^2 + 5*a^2*b^3 + a*b^4 - b^5 + 15*(a^3*b^2 + 3*a^2
\end{aligned}$$

```
*b^3 + 3*a*b^4 + b^5)*cosh(x)^4 + 6*(3*a^3*b^2 + 5*a^2*b^3 + a*b^4 - b^5)*cosh(x)^2)*sinh(x)^2 + 2*(3*(a^3*b^2 + 3*a^2*b^3 + 3*a*b^4 + b^5)*cosh(x)^5 + 2*(3*a^3*b^2 + 5*a^2*b^3 + a*b^4 - b^5)*cosh(x)^3 + (3*a^3*b^2 + 5*a^2*b^3 + a*b^4 - b^5)*cosh(x))*sinh(x))]
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\tanh^5(x)}{(a + b \tanh^2(x))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tanh(x)**5/(a+b*tanh(x)**2)**(3/2),x)
```

```
[Out] Integral(tanh(x)**5/(a + b*tanh(x)**2)**(3/2), x)
```

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tanh(x)^5/(a+b*tanh(x)^2)^(3/2),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError
```



$$3.239 \quad \int \frac{\tanh^4(x)}{(a+b \tanh^2(x))^{3/2}} dx$$

**Optimal.** Leaf size=84

$$-\frac{\tanh^{-1}\left(\frac{\sqrt{b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}}\right)}{b^{3/2}} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}}\right)}{(a+b)^{3/2}} + \frac{a \tanh(x)}{b(a+b)\sqrt{a+b \tanh^2(x)}}$$

[Out]  $-(\text{ArcTanh}[(\text{Sqrt}[b]*\text{Tanh}[x])/(\text{Sqrt}[a + b*\text{Tanh}[x]^2])/b^{(3/2)}]) + \text{ArcTanh}[(\text{Sqrt}[a + b]*\text{Tanh}[x])/(\text{Sqrt}[a + b*\text{Tanh}[x]^2])]/(a + b)^{(3/2)} + (a*\text{Tanh}[x])/(b*(a + b)*\text{Sqrt}[a + b*\text{Tanh}[x]^2])$

**Rubi [A]** time = 0.129904, antiderivative size = 84, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.353$ , Rules used = {3670, 470, 523, 217, 206, 377}

$$-\frac{\tanh^{-1}\left(\frac{\sqrt{b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}}\right)}{b^{3/2}} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}}\right)}{(a+b)^{3/2}} + \frac{a \tanh(x)}{b(a+b)\sqrt{a+b \tanh^2(x)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Tanh}[x]^4/(a + b*\text{Tanh}[x]^2)^{(3/2)}, x]$

[Out]  $-(\text{ArcTanh}[(\text{Sqrt}[b]*\text{Tanh}[x])/(\text{Sqrt}[a + b*\text{Tanh}[x]^2])/b^{(3/2)}]) + \text{ArcTanh}[(\text{Sqrt}[a + b]*\text{Tanh}[x])/(\text{Sqrt}[a + b*\text{Tanh}[x]^2])]/(a + b)^{(3/2)} + (a*\text{Tanh}[x])/(b*(a + b)*\text{Sqrt}[a + b*\text{Tanh}[x]^2])$

### Rule 3670

$\text{Int}[(d + e*\tan[(e + f*x)] + (f + g*x))^m * (a + b*(c + e*\tan[(e + f*x)] + (f + g*x))^n)^p, x\_Symbol] := \text{With}[\{ff = \text{FreeFactors}[\text{Tan}[e + f*x], x]\}, \text{Dist}[(c*ff)/f, \text{Subst}[\text{Int}[(d*ff*x)/c]^m * (a + b*(ff*x)^n)^p / (c^2 + f*ff^2*x^2), x], x, (c*\text{Tan}[e + f*x])/ff], x] /;$   $\text{FreeQ}\{a, b, c, d, e, f, m, n, p\}, x \&\& (\text{IGtQ}[p, 0] \parallel \text{EqQ}[n, 2] \parallel \text{EqQ}[n, 4] \parallel (\text{IntegerQ}[p] \&\& \text{RationalQ}[n]))$

Rule 470

```
Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := -Simp[(a*e^(2*n - 1)*(e*x)^(m - 2*n + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(b*n*(b*c - a*d)*(p + 1)), x] + Dist[e^(2*n)/(b*n*(b*c - a*d)*(p + 1)), Int[(e*x)^(m - 2*n)*(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[a*c*(m - 2*n + 1) + (a*d*(m - n + n*q + 1) + b*c*n*(p + 1))*x^n, x], x] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LtQ[p, -1] && GtQ[m - n + 1, n] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]
```

Rule 523

```
Int[((e_) + (f_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_))*Sqrt[(c_) + (d_.)*(x_)^(n_)], x_Symbol] := Dist[f/b, Int[1/Sqrt[c + d*x^n], x], x] + Dist[(b*e - a*f)/b, Int[1/((a + b*x^n)*Sqrt[c + d*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rule 377

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]
```

Rubi steps

$$\begin{aligned}
\int \frac{\tanh^4(x)}{(a + b \tanh^2(x))^{3/2}} dx &= \text{Subst} \left( \int \frac{x^4}{(1-x^2)(a+bx^2)^{3/2}} dx, x, \tanh(x) \right) \\
&= \frac{a \tanh(x)}{b(a+b)\sqrt{a+b \tanh^2(x)}} - \frac{\text{Subst} \left( \int \frac{a+(-a-b)x^2}{(1-x^2)\sqrt{a+bx^2}} dx, x, \tanh(x) \right)}{b(a+b)} \\
&= \frac{a \tanh(x)}{b(a+b)\sqrt{a+b \tanh^2(x)}} - \frac{\text{Subst} \left( \int \frac{1}{\sqrt{a+bx^2}} dx, x, \tanh(x) \right)}{b} + \frac{\text{Subst} \left( \int \frac{1}{(1-x^2)\sqrt{a+bx^2}} dx, x, \tanh(x) \right)}{a+b} \\
&= \frac{a \tanh(x)}{b(a+b)\sqrt{a+b \tanh^2(x)}} - \frac{\text{Subst} \left( \int \frac{1}{1-bx^2} dx, x, \frac{\tanh(x)}{\sqrt{a+b \tanh^2(x)}} \right)}{b} + \frac{\text{Subst} \left( \int \frac{1}{1-(a+b)x^2} dx, x, \tanh(x) \right)}{a+b} \\
&= -\frac{\tanh^{-1} \left( \frac{\sqrt{b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}} \right)}{b^{3/2}} + \frac{\tanh^{-1} \left( \frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}} \right)}{(a+b)^{3/2}} + \frac{a \tanh(x)}{b(a+b)\sqrt{a+b \tanh^2(x)}}
\end{aligned}$$

**Mathematica [C]** time = 2.25302, size = 188, normalized size = 2.24

$$\frac{a \tanh(x) \left( \sqrt{2}(a+b) \sqrt{\frac{\text{csch}^2(x)((a+b) \cosh(2x)+a-b)}{b}} \text{EllipticF} \left( \sin^{-1} \left( \frac{\sqrt{\frac{\text{csch}^2(x)((a+b) \cosh(2x)+a-b)}{b}}}{\sqrt{2}} \right), 1 \right) + \sqrt{2}b \sqrt{\frac{\text{csch}^2(x)((a+b) \cosh(2x)+a-b)}{b}} \right)}{\sqrt{2}b(a+b)^2 \sqrt{\text{sech}^2(x)((a+b) \cosh(2x)+a-b)}}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[x]^4/(a + b\*Tanh[x]^2)^(3/2), x]

[Out] -((a\*(-2\*a - 2\*b + Sqrt[2]\*(a + b)\*Sqrt[((a - b + (a + b)\*Cosh[2\*x])\*Csch[x]^2)/b])\*EllipticF[ArcSin[Sqrt[((a - b + (a + b)\*Cosh[2\*x])\*Csch[x]^2)/b]/Sqrt[2]], 1] + Sqrt[2]\*b\*Sqrt[((a - b + (a + b)\*Cosh[2\*x])\*Csch[x]^2)/b])\*EllipticPi[b/(a + b), ArcSin[Sqrt[((a - b + (a + b)\*Cosh[2\*x])\*Csch[x]^2)/b]/Sqrt[2]], 1])\*Tanh[x])/(Sqrt[2]\*b\*(a + b)^2\*Sqrt[(a - b + (a + b)\*Cosh[2\*x])\*Sech[x]^2])

**Maple [B]** time = 0.027, size = 328, normalized size = 3.9

$$\frac{\tanh(x)}{b} \frac{1}{\sqrt{a+b(\tanh(x))^2}} - \ln\left(\tanh(x)\sqrt{b} + \sqrt{a+b(\tanh(x))^2}\right) b^{-\frac{3}{2}} - \frac{\tanh(x)}{a} \frac{1}{\sqrt{a+b(\tanh(x))^2}} + \frac{1}{2b+2a} \frac{1}{\sqrt{1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(x)^4/(a+b\*tanh(x)^2)^(3/2),x)

[Out] tanh(x)/b/(a+b\*tanh(x)^2)^(1/2)-1/b^(3/2)\*ln(tanh(x)\*b^(1/2)+(a+b\*tanh(x)^2)^(1/2))-tanh(x)/a/(a+b\*tanh(x)^2)^(1/2)+1/2/(a+b)/((1+tanh(x))^2\*b-2\*(1+tanh(x))\*b+a+b)^(1/2)+b/(a+b)\*(2\*(1+tanh(x))\*b-2\*b)/(4\*b\*(a+b)-4\*b^2)/((1+tanh(x))^2\*b-2\*(1+tanh(x))\*b+a+b)^(1/2)-1/2/(a+b)^(3/2)\*ln((2\*a+2\*b-2\*(1+tanh(x))\*b+2\*(a+b)^(1/2)\*((1+tanh(x))^2\*b-2\*(1+tanh(x))\*b+a+b)^(1/2))/(1+tanh(x))-1/2/(a+b)/((tanh(x)-1)^2\*b+2\*(tanh(x)-1)\*b+a+b)^(1/2)+b/(a+b)\*(2\*(tanh(x)-1)\*b+2\*b)/(4\*b\*(a+b)-4\*b^2)/((tanh(x)-1)^2\*b+2\*(tanh(x)-1)\*b+a+b)^(1/2)+1/2/(a+b)^(3/2)\*ln((2\*a+2\*b+2\*(tanh(x)-1)\*b+2\*(a+b)^(1/2)\*((tanh(x)-1)^2\*b+2\*(tanh(x)-1)\*b+a+b)^(1/2))/(tanh(x)-1))

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\tanh(x)^4}{(b \tanh(x)^2 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)^4/(a+b\*tanh(x)^2)^(3/2),x, algorithm="maxima")

[Out] integrate(tanh(x)^4/(b\*tanh(x)^2 + a)^(3/2), x)

**Fricas [B]** time = 5.32513, size = 18425, normalized size = 219.35

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)^4/(a+b\*tanh(x)^2)^(3/2),x, algorithm="fricas")

```
[Out] [1/4*(((a*b^2 + b^3)*cosh(x)^4 + 4*(a*b^2 + b^3)*cosh(x)*sinh(x)^3 + (a*b^2
+ b^3)*sinh(x)^4 + a*b^2 + b^3 + 2*(a*b^2 - b^3)*cosh(x)^2 + 2*(a*b^2 - b^
3 + 3*(a*b^2 + b^3)*cosh(x)^2)*sinh(x)^2 + 4*((a*b^2 + b^3)*cosh(x)^3 + (a*
b^2 - b^3)*cosh(x))*sinh(x))*sqrt(a + b)*log(-((a*b^2 + b^3)*cosh(x)^8 + 8*
(a*b^2 + b^3)*cosh(x)*sinh(x)^7 + (a*b^2 + b^3)*sinh(x)^8 - 2*(a*b^2 + 2*b^
3)*cosh(x)^6 - 2*(a*b^2 + 2*b^3 - 14*(a*b^2 + b^3)*cosh(x)^2)*sinh(x)^6 + 4
*(14*(a*b^2 + b^3)*cosh(x)^3 - 3*(a*b^2 + 2*b^3)*cosh(x))*sinh(x)^5 + (a^3
- a^2*b + 4*a*b^2 + 6*b^3)*cosh(x)^4 + (70*(a*b^2 + b^3)*cosh(x)^4 + a^3 -
a^2*b + 4*a*b^2 + 6*b^3 - 30*(a*b^2 + 2*b^3)*cosh(x)^2)*sinh(x)^4 + 4*(14*(
a*b^2 + b^3)*cosh(x)^5 - 10*(a*b^2 + 2*b^3)*cosh(x)^3 + (a^3 - a^2*b + 4*a*
b^2 + 6*b^3)*cosh(x))*sinh(x)^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 2*(a^3 -
3*a*b^2 - 2*b^3)*cosh(x)^2 + 2*(14*(a*b^2 + b^3)*cosh(x)^6 - 15*(a*b^2 + 2*
b^3)*cosh(x)^4 + a^3 - 3*a*b^2 - 2*b^3 + 3*(a^3 - a^2*b + 4*a*b^2 + 6*b^3)*
cosh(x)^2)*sinh(x)^2 + sqrt(2)*(b^2*cosh(x)^6 + 6*b^2*cosh(x)*sinh(x)^5 + b
^2*sinh(x)^6 - 3*b^2*cosh(x)^4 + 3*(5*b^2*cosh(x)^2 - b^2)*sinh(x)^4 + 4*(5
*b^2*cosh(x)^3 - 3*b^2*cosh(x))*sinh(x)^3 - (a^2 - 2*a*b - 3*b^2)*cosh(x)^2
+ (15*b^2*cosh(x)^4 - 18*b^2*cosh(x)^2 - a^2 + 2*a*b + 3*b^2)*sinh(x)^2 -
a^2 - 2*a*b - b^2 + 2*(3*b^2*cosh(x)^5 - 6*b^2*cosh(x)^3 - (a^2 - 2*a*b - 3
*b^2)*cosh(x))*sinh(x))*sqrt(a + b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(
x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 4*(2*(a*b^2 +
b^3)*cosh(x)^7 - 3*(a*b^2 + 2*b^3)*cosh(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b
^3)*cosh(x)^3 + (a^3 - 3*a*b^2 - 2*b^3)*cosh(x))*sinh(x))/(cosh(x)^6 + 6*co
sh(x)^5*sinh(x) + 15*cosh(x)^4*sinh(x)^2 + 20*cosh(x)^3*sinh(x)^3 + 15*cosh
(x)^2*sinh(x)^4 + 6*cosh(x)*sinh(x)^5 + sinh(x)^6)) + 2*((a^3 + 3*a^2*b + 3
*a*b^2 + b^3)*cosh(x)^4 + 4*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(x)*sinh(x)
^3 + (a^3 + 3*a^2*b + 3*a*b^2 + b^3)*sinh(x)^4 + a^3 + 3*a^2*b + 3*a*b^2 +
b^3 + 2*(a^3 + a^2*b - a*b^2 - b^3)*cosh(x)^2 + 2*(a^3 + a^2*b - a*b^2 - b^
3 + 3*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(x)^2)*sinh(x)^2 + 4*((a^3 + 3*a^
2*b + 3*a*b^2 + b^3)*cosh(x)^3 + (a^3 + a^2*b - a*b^2 - b^3)*cosh(x))*sinh(
x))*sqrt(b)*log(-((a + 2*b)*cosh(x)^4 + 4*(a + 2*b)*cosh(x)*sinh(x)^3 + (a
+ 2*b)*sinh(x)^4 + 2*(a - 2*b)*cosh(x)^2 + 2*(3*(a + 2*b)*cosh(x)^2 + a - 2
*b)*sinh(x)^2 - 2*sqrt(2)*(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 - 1)*s
qrt(b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*
cosh(x)*sinh(x) + sinh(x)^2)) + 4*((a + 2*b)*cosh(x)^3 + (a - 2*b)*cosh(x))
*sinh(x) + a + 2*b)/(cosh(x)^4 + 4*cosh(x)*sinh(x)^3 + sinh(x)^4 + 2*(3*cos
h(x)^2 + 1)*sinh(x)^2 + 2*cosh(x)^2 + 4*(cosh(x)^3 + cosh(x))*sinh(x) + 1))
+ ((a*b^2 + b^3)*cosh(x)^4 + 4*(a*b^2 + b^3)*cosh(x)*sinh(x)^3 + (a*b^2 +
b^3)*sinh(x)^4 + a*b^2 + b^3 + 2*(a*b^2 - b^3)*cosh(x)^2 + 2*(a*b^2 - b^3 +
3*(a*b^2 + b^3)*cosh(x)^2)*sinh(x)^2 + 4*((a*b^2 + b^3)*cosh(x)^3 + (a*b^2
- b^3)*cosh(x))*sinh(x))*sqrt(a + b)*log(((a + b)*cosh(x)^4 + 4*(a + b)*co
sh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 + 2*a*cosh(x)^2 + 2*(3*(a + b)*cosh(x)^
2 + a)*sinh(x)^2 + sqrt(2)*(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 + 1)*
sqrt(a + b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2
- 2*cosh(x)*sinh(x) + sinh(x)^2)) + 4*((a + b)*cosh(x)^3 + a*cosh(x))*sinh
(x) + a + b)/(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2)) - 4*sqrt(2)*(a^2*
```

$$\begin{aligned}
& b + a*b^2 - (a^2*b + a*b^2)*\cosh(x)^2 - 2*(a^2*b + a*b^2)*\cosh(x)*\sinh(x) - \\
& (a^2*b + a*b^2)*\sinh(x)^2*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a \\
& - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))}/(a^3*b^2 + 3*a^2*b^3 + \\
& 3*a*b^4 + b^5 + (a^3*b^2 + 3*a^2*b^3 + 3*a*b^4 + b^5)*\cosh(x)^4 + 4*(a^3*b^2 \\
& + 3*a^2*b^3 + 3*a*b^4 + b^5)*\cosh(x)*\sinh(x)^3 + (a^3*b^2 + 3*a^2*b^3 + 3 \\
& *a*b^4 + b^5)*\sinh(x)^4 + 2*(a^3*b^2 + a^2*b^3 - a*b^4 - b^5)*\cosh(x)^2 + 2 \\
& *(a^3*b^2 + a^2*b^3 - a*b^4 - b^5 + 3*(a^3*b^2 + 3*a^2*b^3 + 3*a*b^4 + b^5) \\
& *\cosh(x)^2)*\sinh(x)^2 + 4*((a^3*b^2 + 3*a^2*b^3 + 3*a*b^4 + b^5)*\cosh(x)^3 \\
& + (a^3*b^2 + a^2*b^3 - a*b^4 - b^5)*\cosh(x))*\sinh(x)), 1/4*(4*((a^3 + 3*a^2 \\
& *b + 3*a*b^2 + b^3)*\cosh(x)^4 + 4*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(x)*s \\
& \sinh(x)^3 + (a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\sinh(x)^4 + a^3 + 3*a^2*b + 3*a* \\
& b^2 + b^3 + 2*(a^3 + a^2*b - a*b^2 - b^3)*\cosh(x)^2 + 2*(a^3 + a^2*b - a*b^2 \\
& - b^3 + 3*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(x)^2)*\sinh(x)^2 + 4*((a^3 \\
& + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(x)^3 + (a^3 + a^2*b - a*b^2 - b^3)*\cosh(x)) \\
& *\sinh(x))*\sqrt{-b}*\arctan(\sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 \\
& - 1)*\sqrt{-b})*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x) \\
& ^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))}/((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x) \\
& *\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x) \\
& ^2 + a - b)*\sinh(x)^2 + 4*((a + b)*\cosh(x)^3 + (a - b)*\cosh(x))*\sinh(x) + \\
& a + b)) + ((a*b^2 + b^3)*\cosh(x)^4 + 4*(a*b^2 + b^3)*\cosh(x)*\sinh(x)^3 + ( \\
& a*b^2 + b^3)*\sinh(x)^4 + a*b^2 + b^3 + 2*(a*b^2 - b^3)*\cosh(x)^2 + 2*(a*b^2 \\
& - b^3 + 3*(a*b^2 + b^3)*\cosh(x)^2)*\sinh(x)^2 + 4*((a*b^2 + b^3)*\cosh(x)^3 \\
& + (a*b^2 - b^3)*\cosh(x))*\sinh(x))*\sqrt{a + b}*\log(-((a*b^2 + b^3)*\cosh(x)^8 \\
& + 8*(a*b^2 + b^3)*\cosh(x)*\sinh(x)^7 + (a*b^2 + b^3)*\sinh(x)^8 - 2*(a*b^2 + \\
& 2*b^3)*\cosh(x)^6 - 2*(a*b^2 + 2*b^3 - 14*(a*b^2 + b^3)*\cosh(x)^2)*\sinh(x)^6 \\
& + 4*(14*(a*b^2 + b^3)*\cosh(x)^3 - 3*(a*b^2 + 2*b^3)*\cosh(x))*\sinh(x)^5 + \\
& (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\cosh(x)^4 + (70*(a*b^2 + b^3)*\cosh(x)^4 + a \\
& ^3 - a^2*b + 4*a*b^2 + 6*b^3 - 30*(a*b^2 + 2*b^3)*\cosh(x)^2)*\sinh(x)^4 + 4* \\
& (14*(a*b^2 + b^3)*\cosh(x)^5 - 10*(a*b^2 + 2*b^3)*\cosh(x)^3 + (a^3 - a^2*b + \\
& 4*a*b^2 + 6*b^3)*\cosh(x))*\sinh(x)^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 2*(a \\
& ^3 - 3*a*b^2 - 2*b^3)*\cosh(x)^2 + 2*(14*(a*b^2 + b^3)*\cosh(x)^6 - 15*(a*b^2 \\
& + 2*b^3)*\cosh(x)^4 + a^3 - 3*a*b^2 - 2*b^3 + 3*(a^3 - a^2*b + 4*a*b^2 + 6* \\
& b^3)*\cosh(x)^2)*\sinh(x)^2 + \sqrt{2}*(b^2*\cosh(x)^6 + 6*b^2*\cosh(x)*\sinh(x)^5 \\
& + b^2*\sinh(x)^6 - 3*b^2*\cosh(x)^4 + 3*(5*b^2*\cosh(x)^2 - b^2)*\sinh(x)^4 + \\
& 4*(5*b^2*\cosh(x)^3 - 3*b^2*\cosh(x))*\sinh(x)^3 - (a^2 - 2*a*b - 3*b^2)*\cosh \\
& (x)^2 + (15*b^2*\cosh(x)^4 - 18*b^2*\cosh(x)^2 - a^2 + 2*a*b + 3*b^2)*\sinh(x) \\
& ^2 - a^2 - 2*a*b - b^2 + 2*(3*b^2*\cosh(x)^5 - 6*b^2*\cosh(x)^3 - (a^2 - 2*a* \\
& b - 3*b^2)*\cosh(x))*\sinh(x))*\sqrt{a + b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)* \\
& \sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))} + 4*(2*(a*b \\
& ^2 + b^3)*\cosh(x)^7 - 3*(a*b^2 + 2*b^3)*\cosh(x)^5 + (a^3 - a^2*b + 4*a*b^2 \\
& + 6*b^3)*\cosh(x)^3 + (a^3 - 3*a*b^2 - 2*b^3)*\cosh(x))*\sinh(x))/(\cosh(x)^6 + \\
& 6*\cosh(x)^5*\sinh(x) + 15*\cosh(x)^4*\sinh(x)^2 + 20*\cosh(x)^3*\sinh(x)^3 + 15 \\
& *\cosh(x)^2*\sinh(x)^4 + 6*\cosh(x)*\sinh(x)^5 + \sinh(x)^6)) + ((a*b^2 + b^3)*c \\
& \osh(x)^4 + 4*(a*b^2 + b^3)*\cosh(x)*\sinh(x)^3 + (a*b^2 + b^3)*\sinh(x)^4 + a* \\
& b^2 + b^3 + 2*(a*b^2 - b^3)*\cosh(x)^2 + 2*(a*b^2 - b^3 + 3*(a*b^2 + b^3)*co
\end{aligned}$$

$$\begin{aligned}
& \text{sh}(x)^2 * \sinh(x)^2 + 4 * ((a * b^2 + b^3) * \cosh(x)^3 + (a * b^2 - b^3) * \cosh(x)) * \sinh(x) * \sqrt{a + b} * \log(((a + b) * \cosh(x)^4 + 4 * (a + b) * \cosh(x) * \sinh(x)^3 + (a + b) * \sinh(x)^4 + 2 * a * \cosh(x)^2 + 2 * (3 * (a + b) * \cosh(x)^2 + a) * \sinh(x)^2 + \sqrt{2} * (\cosh(x)^2 + 2 * \cosh(x) * \sinh(x) + \sinh(x)^2 + 1) * \sqrt{a + b}) * \sqrt{((a + b) * \cosh(x)^2 + (a + b) * \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 * \cosh(x) * \sinh(x) + \sinh(x)^2)}) + 4 * ((a + b) * \cosh(x)^3 + a * \cosh(x)) * \sinh(x) + a + b) / (\cosh(x)^2 + 2 * \cosh(x) * \sinh(x) + \sinh(x)^2)) - 4 * \sqrt{2} * (a^2 * b + a * b^2 - (a^2 * b + a * b^2) * \cosh(x)^2 - 2 * (a^2 * b + a * b^2) * \cosh(x) * \sinh(x) - (a^2 * b + a * b^2) * \sinh(x)^2) * \sqrt{((a + b) * \cosh(x)^2 + (a + b) * \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 * \cosh(x) * \sinh(x) + \sinh(x)^2))} / (a^3 * b^2 + 3 * a^2 * b^3 + 3 * a * b^4 + b^5 + (a^3 * b^2 + 3 * a^2 * b^3 + 3 * a * b^4 + b^5) * \cosh(x)^4 + 4 * (a^3 * b^2 + 3 * a^2 * b^3 + 3 * a * b^4 + b^5) * \cosh(x) * \sinh(x)^3 + (a^3 * b^2 + 3 * a^2 * b^3 + 3 * a * b^4 + b^5) * \sinh(x)^4 + 2 * (a^3 * b^2 + a^2 * b^3 - a * b^4 - b^5) * \cosh(x)^2 + 2 * (a^3 * b^2 + a^2 * b^3 - a * b^4 - b^5 + 3 * (a^3 * b^2 + 3 * a^2 * b^3 + 3 * a * b^4 + b^5) * \cosh(x)^2) * \sinh(x)^2 + 4 * ((a^3 * b^2 + 3 * a^2 * b^3 + 3 * a * b^4 + b^5) * \cosh(x)^3 + (a^3 * b^2 + a^2 * b^3 - a * b^4 - b^5) * \cosh(x)) * \sinh(x)), -1/2 * (((a * b^2 + b^3) * \cosh(x)^4 + 4 * (a * b^2 + b^3) * \cosh(x) * \sinh(x)^3 + (a * b^2 + b^3) * \sinh(x)^4 + a * b^2 + b^3 + 2 * (a * b^2 - b^3) * \cosh(x)^2 + 2 * (a * b^2 - b^3 + 3 * (a * b^2 + b^3) * \cosh(x)^2) * \sinh(x)^2 + 4 * ((a * b^2 + b^3) * \cosh(x)^3 + (a * b^2 - b^3) * \cosh(x)) * \sinh(x)) * \sqrt{-a - b}) * \arctan(\sqrt{2} * (b * \cosh(x)^2 + 2 * b * \cosh(x) * \sinh(x) + b * \sinh(x)^2 - a - b)) * \sqrt{-a - b}) * \sqrt{((a + b) * \cosh(x)^2 + (a + b) * \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 * \cosh(x) * \sinh(x) + \sinh(x)^2))} / ((a * b + b^2) * \cosh(x)^4 + 4 * (a * b + b^2) * \cosh(x) * \sinh(x)^3 + (a * b + b^2) * \sinh(x)^4 + (a^2 - a * b - 2 * b^2) * \cosh(x)^2 + (6 * (a * b + b^2) * \cosh(x)^2 + a^2 - a * b - 2 * b^2) * \sinh(x)^2 + a^2 + 2 * a * b + b^2 + 2 * (2 * (a * b + b^2) * \cosh(x)^3 + (a^2 - a * b - 2 * b^2) * \cosh(x)) * \sinh(x))) + ((a * b^2 + b^3) * \cosh(x)^4 + 4 * (a * b^2 + b^3) * \cosh(x) * \sinh(x)^3 + (a * b^2 + b^3) * \sinh(x)^4 + a * b^2 + b^3 + 2 * (a * b^2 - b^3) * \cosh(x)^2 + 2 * (a * b^2 - b^3 + 3 * (a * b^2 + b^3) * \cosh(x)^2) * \sinh(x)^2 + 4 * ((a * b^2 + b^3) * \cosh(x)^3 + (a * b^2 - b^3) * \cosh(x)) * \sinh(x)) * \sqrt{-a - b}) * \arctan(\sqrt{2} * (\cosh(x)^2 + 2 * \cosh(x) * \sinh(x) + \sinh(x)^2 + 1) * \sqrt{-a - b}) * \sqrt{((a + b) * \cosh(x)^2 + (a + b) * \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 * \cosh(x) * \sinh(x) + \sinh(x)^2))} / ((a + b) * \cosh(x)^4 + 4 * (a + b) * \cosh(x) * \sinh(x)^3 + (a + b) * \sinh(x)^4 + 2 * (a - b) * \cosh(x)^2 + 2 * (3 * (a + b) * \cosh(x)^2 + a - b) * \sinh(x)^2 + 4 * ((a + b) * \cosh(x)^3 + (a - b) * \cosh(x)) * \sinh(x) + a + b)) - ((a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3) * \cosh(x)^4 + 4 * (a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3) * \cosh(x) * \sinh(x)^3 + (a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3) * \sinh(x)^4 + a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3 + 2 * (a^3 + a^2 * b - a * b^2 - b^3) * \cosh(x)^2 + 2 * (a^3 + a^2 * b - a * b^2 - b^3 + 3 * (a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3) * \cosh(x)^2) * \sinh(x)^2 + 4 * ((a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3) * \cosh(x)^3 + (a^3 + a^2 * b - a * b^2 - b^3) * \cosh(x)) * \sinh(x)) * \sqrt{b} * \log(-((a + 2 * b) * \cosh(x)^4 + 4 * (a + 2 * b) * \cosh(x) * \sinh(x)^3 + (a + 2 * b) * \sinh(x)^4 + 2 * (a - 2 * b) * \cosh(x)^2 + 2 * (3 * (a + 2 * b) * \cosh(x)^2 + a - 2 * b) * \sinh(x)^2 - 2 * \sqrt{2}) * (\cosh(x)^2 + 2 * \cosh(x) * \sinh(x) + \sinh(x)^2 - 1) * \sqrt{b}) * \sqrt{((a + b) * \cosh(x)^2 + (a + b) * \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 * \cosh(x) * \sinh(x) + \sinh(x)^2)}) + 4 * ((a + 2 * b) * \cosh(x)^3 + (a - 2 * b) * \cosh(x)) * \sinh(x) + a + 2 * b) / (\cosh(x)^4 + 4 * \cosh(x) * \sinh(x)^3 + \sinh(x)^4 + 2 * (3 * \cosh(x)^2 + 1) * \sinh(x)^2 +
\end{aligned}$$

$$\begin{aligned}
& 2*\cosh(x)^2 + 4*(\cosh(x)^3 + \cosh(x))*\sinh(x) + 1)) + 2*\sqrt{2}*(a^2*b + a*b^2 - (a^2*b + a*b^2)*\cosh(x)^2 - 2*(a^2*b + a*b^2)*\cosh(x)*\sinh(x) - (a^2*b + a*b^2)*\sinh(x)^2)*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)))/(a^3*b^2 + 3*a^2*b^3 + 3*a*b^4 + b^5 + (a^3*b^2 + 3*a^2*b^3 + 3*a*b^4 + b^5)*\cosh(x)^4 + 4*(a^3*b^2 + 3*a^2*b^3 + 3*a*b^4 + b^5)*\cosh(x)*\sinh(x)^3 + (a^3*b^2 + 3*a^2*b^3 + 3*a*b^4 + b^5)*\sinh(x)^4 + 2*(a^3*b^2 + a^2*b^3 - a*b^4 - b^5)*\cosh(x)^2 + 2*(a^3*b^2 + a^2*b^3 - a*b^4 - b^5 + 3*(a^3*b^2 + 3*a^2*b^3 + 3*a*b^4 + b^5)*\cosh(x)^2)*\sinh(x)^2 + 4*((a^3*b^2 + 3*a^2*b^3 + 3*a*b^4 + b^5)*\cosh(x)^3 + (a^3*b^2 + a^2*b^3 - a*b^4 - b^5)*\cosh(x))*\sinh(x)), -1/2*(((a*b^2 + b^3)*\cosh(x)^4 + 4*(a*b^2 + b^3)*\cosh(x)*\sinh(x)^3 + (a*b^2 + b^3)*\sinh(x)^4 + a*b^2 + b^3 + 2*(a*b^2 - b^3)*\cosh(x)^2 + 2*(a*b^2 - b^3 + 3*(a*b^2 + b^3)*\cosh(x)^2)*\sinh(x)^2 + 4*((a*b^2 + b^3)*\cosh(x)^3 + (a*b^2 - b^3)*\cosh(x))*\sinh(x))*\sqrt{-a - b}*\arctan(\sqrt{2}*(b*\cosh(x)^2 + 2*b*\cosh(x)*\sinh(x) + b*\sinh(x)^2 - a - b)*\sqrt{-a - b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)))/((a*b + b^2)*\cosh(x)^4 + 4*(a*b + b^2)*\cosh(x)*\sinh(x)^3 + (a*b + b^2)*\sinh(x)^4 + (a^2 - a*b - 2*b^2)*\cosh(x)^2 + (6*(a*b + b^2)*\cosh(x)^2 + a^2 - a*b - 2*b^2)*\sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(2*(a*b + b^2)*\cosh(x)^3 + (a^2 - a*b - 2*b^2)*\cosh(x))*\sinh(x))) + ((a*b^2 + b^3)*\cosh(x)^4 + 4*(a*b^2 + b^3)*\cosh(x)*\sinh(x)^3 + (a*b^2 + b^3)*\sinh(x)^4 + a*b^2 + b^3 + 2*(a*b^2 - b^3)*\cosh(x)^2 + 2*(a*b^2 - b^3 + 3*(a*b^2 + b^3)*\cosh(x)^2)*\sinh(x)^2 + 4*((a*b^2 + b^3)*\cosh(x)^3 + (a*b^2 - b^3)*\cosh(x))*\sinh(x))*\sqrt{-a - b}*\arctan(\sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 + 1)*\sqrt{-a - b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)))/((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a - b)*\sinh(x)^2 + 4*((a + b)*\cosh(x)^3 + (a - b)*\cosh(x))*\sinh(x) + a + b)) - 2*((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(x)^4 + 4*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(x)*\sinh(x)^3 + (a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\sinh(x)^4 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 2*(a^3 + a^2*b - a*b^2 - b^3)*\cosh(x)^2 + 2*(a^3 + a^2*b - a*b^2 - b^3 + 3*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(x)^2)*\sinh(x)^2 + 4*((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(x)^3 + (a^3 + a^2*b - a*b^2 - b^3)*\cosh(x))*\sinh(x))*\sqrt{-b}*\arctan(\sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 - 1)*\sqrt{-b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)))/((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a - b)*\sinh(x)^2 + 4*((a + b)*\cosh(x)^3 + (a - b)*\cosh(x))*\sinh(x) + a + b)) + 2*\sqrt{2}*(a^2*b + a*b^2 - (a^2*b + a*b^2)*\cosh(x)^2 - 2*(a^2*b + a*b^2)*\cosh(x)*\sinh(x) - (a^2*b + a*b^2)*\sinh(x)^2)*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)))/(a^3*b^2 + 3*a^2*b^3 + 3*a*b^4 + b^5 + (a^3*b^2 + 3*a^2*b^3 + 3*a*b^4 + b^5)*\cosh(x)^4 + 4*(a^3*b^2 + 3*a^2*b^3 + 3*a*b^4 + b^5)*\cosh(x)*\sinh(x)^3 + (a^3*b^2 + 3*a^2*b^3 + 3*a*b^4 + b^5)*\sinh(x)^4 + 2*(a^3*b^2 + a^2*b^3 - a*b^4 - b^5)*\cosh(x)^2 + 2*(a^3*b^2 + a^2*b^3 - a*b^4 - b^5 + 3*(a^3*b^2 + 3*a^2*b^3 + 3*a
\end{aligned}$$



```
*b^4 + b^5)*cosh(x)^2)*sinh(x)^2 + 4*((a^3*b^2 + 3*a^2*b^3 + 3*a*b^4 + b^5)
*cosh(x)^3 + (a^3*b^2 + a^2*b^3 - a*b^4 - b^5)*cosh(x))*sinh(x))]
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\tanh^4(x)}{(a + b \tanh^2(x))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tanh(x)**4/(a+b*tanh(x)**2)**(3/2),x)
```

```
[Out] Integral(tanh(x)**4/(a + b*tanh(x)**2)**(3/2), x)
```

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tanh(x)^4/(a+b*tanh(x)^2)^(3/2),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError
```

$$3.240 \quad \int \frac{\tanh^3(x)}{(a+b \tanh^2(x))^{3/2}} dx$$

**Optimal.** Leaf size=52

$$\frac{a}{b(a+b)\sqrt{a+b \tanh^2(x)}} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}}\right)}{(a+b)^{3/2}}$$

[Out] ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]]/(a + b)^(3/2) + a/(b\*(a + b)\*Sqrt[a + b\*Tanh[x]^2])

**Rubi [A]** time = 0.123291, antiderivative size = 52, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.294$ , Rules used = {3670, 446, 78, 63, 208}

$$\frac{a}{b(a+b)\sqrt{a+b \tanh^2(x)}} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}}\right)}{(a+b)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[Tanh[x]^3/(a + b\*Tanh[x]^2)^(3/2), x]

[Out] ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]]/(a + b)^(3/2) + a/(b\*(a + b)\*Sqrt[a + b\*Tanh[x]^2])

### Rule 3670

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_.))^(p_.), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[(((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f^2*x^2), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))
```

### Rule 446

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_
), x_Symbol] :=> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p
*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[
b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 78

```
Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p
_), x_Symbol] :=> -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(
f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f
*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x],
x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || Int
egerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))
```

### Rule 63

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :=> With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

### Rule 208

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :=> Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\tanh^3(x)}{(a + b \tanh^2(x))^{3/2}} dx &= \text{Subst} \left( \int \frac{x^3}{(1-x^2)(a+bx^2)^{3/2}} dx, x, \tanh(x) \right) \\
&= \frac{1}{2} \text{Subst} \left( \int \frac{x}{(1-x)(a+bx)^{3/2}} dx, x, \tanh^2(x) \right) \\
&= \frac{a}{b(a+b)\sqrt{a+b \tanh^2(x)}} + \frac{\text{Subst} \left( \int \frac{1}{(1-x)\sqrt{a+bx}} dx, x, \tanh^2(x) \right)}{2(a+b)} \\
&= \frac{a}{b(a+b)\sqrt{a+b \tanh^2(x)}} + \frac{\text{Subst} \left( \int \frac{1}{1+\frac{a}{b}-\frac{x^2}{b}} dx, x, \sqrt{a+b \tanh^2(x)} \right)}{b(a+b)} \\
&= \frac{\tanh^{-1} \left( \frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}} \right)}{(a+b)^{3/2}} + \frac{a}{b(a+b)\sqrt{a+b \tanh^2(x)}}
\end{aligned}$$

**Mathematica [A]** time = 0.118817, size = 52, normalized size = 1.

$$\frac{a}{b(a+b)\sqrt{a+b \tanh^2(x)}} + \frac{\tanh^{-1} \left( \frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}} \right)}{(a+b)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[x]^3/(a + b\*Tanh[x]^2)^(3/2), x]

[Out] ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]]/(a + b)^(3/2) + a/(b\*(a + b)\*Sqrt[a + b\*Tanh[x]^2])

**Maple [B]** time = 0.023, size = 287, normalized size = 5.5

$$\frac{1}{b} \frac{1}{\sqrt{a + b(\tanh(x))^2}} - \frac{1}{2b + 2a} \frac{1}{\sqrt{(1 + \tanh(x))^2 b - 2(1 + \tanh(x))b + a + b}} - \frac{b(2(1 + \tanh(x))b - 2b)}{(a + b)(4b(a + b) - 4b^2)} \frac{1}{\sqrt{(1 + \tanh(x))^2 b - 2(1 + \tanh(x))b + a + b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(tanh(x)^3/(a+b*tanh(x)^2)^(3/2),x)`

[Out]  $\frac{1}{b} \frac{1}{(a+b \tanh(x)^2)^{1/2}} - \frac{1}{2} \frac{1}{(a+b)} \frac{1}{((1+\tanh(x))^{2b-2} (1+\tanh(x))^b (a+b))^{1/2}} - \frac{b}{(a+b)} \frac{(2(1+\tanh(x))^b - 2^b)}{(4b(a+b) - 4b^2)} \frac{1}{((1+\tanh(x))^{2b-2} (1+\tanh(x))^b (a+b))^{1/2}} + \frac{1}{2} \frac{1}{(a+b)^{3/2}} \ln\left(\frac{(2a+2b-2(1+\tanh(x))^b + 2(a+b)^{1/2}) \cdot ((1+\tanh(x))^{2b-2} (1+\tanh(x))^b (a+b))^{1/2}}{(1+\tanh(x))}\right) - \frac{1}{2} \frac{1}{(a+b)} \frac{1}{((\tanh(x)-1)^{2b+2} (\tanh(x)-1)^b (a+b))^{1/2}} + \frac{b}{(a+b)} \frac{(2(\tanh(x)-1)^b + 2^b)}{(4b(a+b) - 4b^2)} \frac{1}{((\tanh(x)-1)^{2b+2} (\tanh(x)-1)^b (a+b))^{1/2}} + \frac{1}{2} \frac{1}{(a+b)^{3/2}} \ln\left(\frac{(2a+2b+2(\tanh(x)-1)^b + 2(a+b)^{1/2}) \cdot ((\tanh(x)-1)^{2b+2} (\tanh(x)-1)^b (a+b))^{1/2}}{(\tanh(x)-1)}\right)$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\tanh(x)^3}{(b \tanh(x)^2 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(x)^3/(a+b*tanh(x)^2)^(3/2),x, algorithm="maxima")`

[Out] `integrate(tanh(x)^3/(b*tanh(x)^2 + a)^(3/2), x)`

**Fricas [B]** time = 3.07382, size = 6730, normalized size = 129.42

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(x)^3/(a+b*tanh(x)^2)^(3/2),x, algorithm="fricas")`

[Out]  $\frac{1}{4} \left( (a*b + b^2) \cosh(x)^4 + 4(a*b + b^2) \cosh(x) \sinh(x)^3 + (a*b + b^2) \sinh(x)^4 + 2(a*b - b^2) \cosh(x)^2 + 2(3(a*b + b^2) \cosh(x)^2 + a*b - b^2) \sinh(x)^2 + a*b + b^2 + 4((a*b + b^2) \cosh(x)^3 + (a*b - b^2) \cosh(x) \sinh(x)) \sqrt{a+b} \log\left(\frac{(a^3 + a^2*b) \cosh(x)^8 + 8(a^3 + a^2*b) \cosh(x) \sinh(x)^7 + (a^3 + a^2*b) \sinh(x)^8 + 2(2a^3 + a^2*b) \cosh(x)^6 + 2(2a^3 + a^2*b + 14(a^3 + a^2*b) \cosh(x)^2) \sinh(x)^6 + 4(14(a^3 + a^2*b) \cosh(x)^3 + 3(2a^3 + a^2*b) \cosh(x)) \sinh(x)^5 + (6a^3 + 4a^2*b - a*b^2 + b^3) \cosh(x)^4 + (70(a^3 + a^2*b) \cosh(x)^4 + 6a^3 + 4a^2*b - a*b^2 +$

$$\begin{aligned}
& b^3 + 30*(2*a^3 + a^2*b)*\cosh(x)^2*\sinh(x)^4 + 4*(14*(a^3 + a^2*b)*\cosh(x)^5 + 10*(2*a^3 + a^2*b)*\cosh(x)^3 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*\cosh(x))*\sinh(x)^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 2*(2*a^3 + 3*a^2*b - b^3)*\cosh(x)^2 + 2*(14*(a^3 + a^2*b)*\cosh(x)^6 + 15*(2*a^3 + a^2*b)*\cosh(x)^4 + 2*a^3 + 3*a^2*b - b^3 + 3*(6*a^3 + 4*a^2*b - a*b^2 + b^3)*\cosh(x)^2)*\sinh(x)^2 + \sqrt{2}*(a^2*\cosh(x)^6 + 6*a^2*\cosh(x)*\sinh(x)^5 + a^2*\sinh(x)^6 + 3*a^2*\cosh(x)^4 + 3*(5*a^2*\cosh(x)^2 + a^2)*\sinh(x)^4 + 4*(5*a^2*\cosh(x)^3 + 3*a^2*\cosh(x))*\sinh(x)^3 + (3*a^2 + 2*a*b - b^2)*\cosh(x)^2 + (15*a^2*\cosh(x)^4 + 18*a^2*\cosh(x)^2 + 3*a^2 + 2*a*b - b^2)*\sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(3*a^2*\cosh(x)^5 + 6*a^2*\cosh(x)^3 + (3*a^2 + 2*a*b - b^2)*\cosh(x))*\sinh(x))*\sqrt{a + b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))} + 4*(2*(a^3 + a^2*b)*\cosh(x)^7 + 3*(2*a^3 + a^2*b)*\cosh(x)^5 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*\cosh(x)^3 + (2*a^3 + 3*a^2*b - b^3)*\cosh(x))*\sinh(x))/(\cosh(x)^6 + 6*\cosh(x)^5*\sinh(x) + 15*\cosh(x)^4*\sinh(x)^2 + 20*\cosh(x)^3*\sinh(x)^3 + 15*\cosh(x)^2*\sinh(x)^4 + 6*\cosh(x)*\sinh(x)^5 + \sinh(x)^6)) + ((a*b + b^2)*\cosh(x)^4 + 4*(a*b + b^2)*\cosh(x)*\sinh(x)^3 + (a*b + b^2)*\sinh(x)^4 + 2*(a*b - b^2)*\cosh(x)^2 + 2*(3*(a*b + b^2)*\cosh(x)^2 + a*b - b^2)*\sinh(x)^2 + a*b + b^2 + 4*((a*b + b^2)*\cosh(x)^3 + (a*b - b^2)*\cosh(x))*\sinh(x))*\sqrt{a + b}*\log(-((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 - 2*b*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 - b)*\sinh(x)^2 + \sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 - 1))*\sqrt{a + b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))} + 4*((a + b)*\cosh(x)^3 - b*\cosh(x))*\sinh(x) + a + b)/(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2)) + 4*\sqrt{2}*((a^2 + a*b)*\cosh(x)^2 + 2*(a^2 + a*b)*\cosh(x)*\sinh(x) + (a^2 + a*b)*\sinh(x)^2 + a^2 + a*b)*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)))/((a^3*b + 3*a^2*b^2 + 3*a*b^3 + b^4)*\cosh(x)^4 + 4*(a^3*b + 3*a^2*b^2 + 3*a*b^3 + b^4)*\cosh(x)*\sinh(x)^3 + (a^3*b + 3*a^2*b^2 + 3*a*b^3 + b^4)*\sinh(x)^4 + a^3*b + 3*a^2*b^2 + 3*a*b^3 + b^4 + 2*(a^3*b + a^2*b^2 - a*b^3 - b^4)*\cosh(x)^2 + 2*(a^3*b + a^2*b^2 - a*b^3 - b^4 + 3*(a^3*b + 3*a^2*b^2 + 3*a*b^3 + b^4)*\cosh(x)^2)*\sinh(x)^2 + 4*((a^3*b + 3*a^2*b^2 + 3*a*b^3 + b^4)*\cosh(x)^3 + (a^3*b + a^2*b^2 - a*b^3 - b^4)*\cosh(x))*\sinh(x)), -1/2*((a*b + b^2)*\cosh(x)^4 + 4*(a*b + b^2)*\cosh(x)*\sinh(x)^3 + (a*b + b^2)*\sinh(x)^4 + 2*(a*b - b^2)*\cosh(x)^2 + 2*(3*(a*b + b^2)*\cosh(x)^2 + a*b - b^2)*\sinh(x)^2 + a*b + b^2 + 4*((a*b + b^2)*\cosh(x)^3 + (a*b - b^2)*\cosh(x))*\sinh(x))*\sqrt{-a - b}*\arctan(\sqrt{2}*(a*\cosh(x)^2 + 2*a*\cosh(x)*\sinh(x) + a*\sinh(x)^2 + a + b))*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)))/((a^2 + a*b)*\cosh(x)^4 + 4*(a^2 + a*b)*\cosh(x)*\sinh(x)^3 + (a^2 + a*b)*\sinh(x)^4 + (2*a^2 + a*b - b^2)*\cosh(x)^2 + (6*(a^2 + a*b)*\cosh(x)^2 + 2*a^2 + a*b - b^2)*\sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(2*(a^2 + a*b)*\cosh(x)^3 + (2*a^2 + a*b - b^2)*\cosh(x))*\sinh(x))) + ((a*b + b^2)*\cosh(x)^4 + 4*(a*b + b^2)*\cosh(x)*\sinh(x)^3 + (a*b + b^2)*\sinh(x)^4 + 2*(a*b - b^2)*\cosh(x)^2 + 2*(3*(a*b + b^2)*\cosh(x)^2 + a*b - b^2)*\sinh(x)^2 + a*b + b^2 + 4*((a*b + b^2)*\cosh(x)^3 + (a*b - b^2)*\cosh(x))*\sinh(x))*\sqrt{-a - b}*
\end{aligned}$$

```

arctan(sqrt(2)*(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 - 1)*sqrt(-a - b)
*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)
)*sinh(x) + sinh(x)^2))/((a + b)*cosh(x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 +
(a + b)*sinh(x)^4 + 2*(a - b)*cosh(x)^2 + 2*(3*(a + b)*cosh(x)^2 + a - b)*s
inh(x)^2 + 4*((a + b)*cosh(x)^3 + (a - b)*cosh(x))*sinh(x) + a + b) - 2*sq
rt(2)*((a^2 + a*b)*cosh(x)^2 + 2*(a^2 + a*b)*cosh(x)*sinh(x) + (a^2 + a*b)*
sinh(x)^2 + a^2 + a*b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)
/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/((a^3*b + 3*a^2*b^2 + 3*a*b^
3 + b^4)*cosh(x)^4 + 4*(a^3*b + 3*a^2*b^2 + 3*a*b^3 + b^4)*cosh(x)*sinh(x)^
3 + (a^3*b + 3*a^2*b^2 + 3*a*b^3 + b^4)*sinh(x)^4 + a^3*b + 3*a^2*b^2 + 3*a
*b^3 + b^4 + 2*(a^3*b + a^2*b^2 - a*b^3 - b^4)*cosh(x)^2 + 2*(a^3*b + a^2*b
^2 - a*b^3 - b^4 + 3*(a^3*b + 3*a^2*b^2 + 3*a*b^3 + b^4)*cosh(x)^2)*sinh(x)
^2 + 4*((a^3*b + 3*a^2*b^2 + 3*a*b^3 + b^4)*cosh(x)^3 + (a^3*b + a^2*b^2 -
a*b^3 - b^4)*cosh(x))*sinh(x))]

```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\tanh^3(x)}{(a + b \tanh^2(x))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)\*\*3/(a+b\*tanh(x)\*\*2)\*\*(3/2),x)

[Out] Integral(tanh(x)\*\*3/(a + b\*tanh(x)\*\*2)\*\*(3/2), x)

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)^3/(a+b\*tanh(x)^2)^(3/2),x, algorithm="giac")

[Out] Exception raised: TypeError

$$3.241 \quad \int \frac{\tanh^2(x)}{(a+b \tanh^2(x))^{3/2}} dx$$

**Optimal.** Leaf size=53

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}}\right)}{(a+b)^{3/2}} - \frac{\tanh(x)}{(a+b)\sqrt{a+b \tanh^2(x)}}$$

[Out] ArcTanh[(Sqrt[a + b]\*Tanh[x])/Sqrt[a + b\*Tanh[x]^2]]/(a + b)^(3/2) - Tanh[x]/((a + b)\*Sqrt[a + b\*Tanh[x]^2])

**Rubi [A]** time = 0.0992793, antiderivative size = 53, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.235$ , Rules used = {3670, 471, 377, 206}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}}\right)}{(a+b)^{3/2}} - \frac{\tanh(x)}{(a+b)\sqrt{a+b \tanh^2(x)}}$$

Antiderivative was successfully verified.

[In] Int[Tanh[x]^2/(a + b\*Tanh[x]^2)^(3/2), x]

[Out] ArcTanh[(Sqrt[a + b]\*Tanh[x])/Sqrt[a + b\*Tanh[x]^2]]/(a + b)^(3/2) - Tanh[x]/((a + b)\*Sqrt[a + b\*Tanh[x]^2])

### Rule 3670

Int[((d\_)\*tan[(e\_.) + (f\_.)\*(x\_)]^(m\_))\*((a\_) + (b\_)\*((c\_)\*tan[(e\_.) + (f\_.)\*(x\_)]^(n\_))^(p\_), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

### Rule 471



```

Int[((e_.)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_))*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Simp[(e^(n - 1)*(e*x)^(m - n + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(n*(b*c - a*d)*(p + 1)), x] - Dist[e^n/(n*(b*c - a*d)*(p + 1)), Int[(e*x)^(m - n)*(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(m - n + 1) + d*(m + n*(p + q + 1) + 1)*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LtQ[p, -1] && GeQ[n, m - n + 1] && GtQ[m - n + 1, 0] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]

```

### Rule 377

```

Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]

```

### Rule 206

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

```

### Rubi steps

$$\begin{aligned}
\int \frac{\tanh^2(x)}{(a + b \tanh^2(x))^{3/2}} dx &= \text{Subst} \left( \int \frac{x^2}{(1 - x^2)(a + bx^2)^{3/2}} dx, x, \tanh(x) \right) \\
&= -\frac{\tanh(x)}{(a + b)\sqrt{a + b \tanh^2(x)}} + \frac{\text{Subst} \left( \int \frac{1}{(1 - x^2)\sqrt{a + bx^2}} dx, x, \tanh(x) \right)}{a + b} \\
&= -\frac{\tanh(x)}{(a + b)\sqrt{a + b \tanh^2(x)}} + \frac{\text{Subst} \left( \int \frac{1}{1 - (a + b)x^2} dx, x, \frac{\tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right)}{a + b} \\
&= \frac{\tanh^{-1} \left( \frac{\sqrt{a + b} \tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right)}{(a + b)^{3/2}} - \frac{\tanh(x)}{(a + b)\sqrt{a + b \tanh^2(x)}}
\end{aligned}$$

**Mathematica [B]** time = 1.45602, size = 112, normalized size = 2.11

$$\frac{\tanh(x) \left( \tanh^{-1} \left( \frac{\sqrt{\frac{(a+b)\tanh^2(x)}{a}}}{\sqrt{\frac{b\tanh^2(x)}{a}+1}} \right) \sqrt{\frac{(a+b)\tanh^2(x)}{a}} (a \coth^2(x) + b) - (a+b) \sqrt{\frac{b\tanh^2(x)}{a}+1} \right)}{(a+b)^2 \sqrt{a+b\tanh^2(x)} \sqrt{\frac{b\tanh^2(x)}{a}+1}}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[x]^2/(a + b\*Tanh[x]^2)^(3/2), x]

[Out] (Tanh[x]\*(ArcTanh[Sqrt[((a + b)\*Tanh[x]^2)/a]/Sqrt[1 + (b\*Tanh[x]^2)/a]]\*(b + a\*Coth[x]^2)\*Sqrt[((a + b)\*Tanh[x]^2)/a] - (a + b)\*Sqrt[1 + (b\*Tanh[x]^2)/a]))/((a + b)^2\*Sqrt[a + b\*Tanh[x]^2]\*Sqrt[1 + (b\*Tanh[x]^2)/a])

**Maple [B]** time = 0.021, size = 289, normalized size = 5.5

$$-\frac{\tanh(x)}{a} \frac{1}{\sqrt{a+b(\tanh(x))^2}} + \frac{1}{2b+2a} \frac{1}{\sqrt{(1+\tanh(x))^2 b - 2(1+\tanh(x))b + a + b}} + \frac{b(2(1+\tanh(x))b - 2b)}{(a+b)(4b(a+b) - 4b^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(x)^2/(a+b\*tanh(x)^2)^(3/2), x)

[Out] -tanh(x)/a/(a+b\*tanh(x)^2)^(1/2)+1/2/(a+b)/((1+tanh(x))^2\*b-2\*(1+tanh(x))\*b+a+b)^(1/2)+b/(a+b)\*(2\*(1+tanh(x))\*b-2\*b)/(4\*b\*(a+b)-4\*b^2)/((1+tanh(x))^2\*b-2\*(1+tanh(x))\*b+a+b)^(1/2)-1/2/(a+b)^(3/2)\*ln((2\*a+2\*b-2\*(1+tanh(x))\*b+2\*(a+b)^(1/2)\*((1+tanh(x))^2\*b-2\*(1+tanh(x))\*b+a+b)^(1/2))/(1+tanh(x)))-1/2/(a+b)/((tanh(x)-1)^2\*b+2\*(tanh(x)-1)\*b+a+b)^(1/2)+b/(a+b)\*(2\*(tanh(x)-1)\*b+2\*b)/(4\*b\*(a+b)-4\*b^2)/((tanh(x)-1)^2\*b+2\*(tanh(x)-1)\*b+a+b)^(1/2)+1/2/(a+b)^(3/2)\*ln((2\*a+2\*b+2\*(tanh(x)-1)\*b+2\*(a+b)^(1/2)\*((tanh(x)-1)^2\*b+2\*(tanh(x)-1)\*b+a+b)^(1/2))/(tanh(x)-1))

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\tanh(x)^2}{(b \tanh(x)^2 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tanh(x)^2/(a+b*tanh(x)^2)^(3/2),x, algorithm="maxima")
```

```
[Out] integrate(tanh(x)^2/(b*tanh(x)^2 + a)^(3/2), x)
```

**Fricas [B]** time = 3.09922, size = 6395, normalized size = 120.66

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tanh(x)^2/(a+b*tanh(x)^2)^(3/2),x, algorithm="fricas")
```

```
[Out] [1/4*(((a + b)*cosh(x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 + 2*(a - b)*cosh(x)^2 + 2*(3*(a + b)*cosh(x)^2 + a - b)*sinh(x)^2 + 4*((a + b)*cosh(x)^3 + (a - b)*cosh(x))*sinh(x) + a + b)*sqrt(a + b)*log(-((a*b^2 + b^3)*cosh(x)^8 + 8*(a*b^2 + b^3)*cosh(x)*sinh(x)^7 + (a*b^2 + b^3)*sinh(x)^8 - 2*(a*b^2 + 2*b^3)*cosh(x)^6 - 2*(a*b^2 + 2*b^3 - 14*(a*b^2 + b^3)*cosh(x)^2)*sinh(x)^6 + 4*(14*(a*b^2 + b^3)*cosh(x)^3 - 3*(a*b^2 + 2*b^3)*cosh(x))*sinh(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*cosh(x)^4 + (70*(a*b^2 + b^3)*cosh(x)^4 + a^3 - a^2*b + 4*a*b^2 + 6*b^3 - 30*(a*b^2 + 2*b^3)*cosh(x)^2)*sinh(x)^4 + 4*(14*(a*b^2 + b^3)*cosh(x)^5 - 10*(a*b^2 + 2*b^3)*cosh(x)^3 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*cosh(x))*sinh(x)^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 2*(a^3 - 3*a*b^2 - 2*b^3)*cosh(x)^2 + 2*(14*(a*b^2 + b^3)*cosh(x)^6 - 15*(a*b^2 + 2*b^3)*cosh(x)^4 + a^3 - 3*a*b^2 - 2*b^3 + 3*(a^3 - a^2*b + 4*a*b^2 + 6*b^3)*cosh(x)^2)*sinh(x)^2 + sqrt(2)*(b^2*cosh(x)^6 + 6*b^2*cosh(x)*sinh(x)^5 + b^2*sinh(x)^6 - 3*b^2*cosh(x)^4 + 3*(5*b^2*cosh(x)^2 - b^2)*sinh(x)^4 + 4*(5*b^2*cosh(x)^3 - 3*b^2*cosh(x))*sinh(x)^3 - (a^2 - 2*a*b - 3*b^2)*cosh(x)^2 + (15*b^2*cosh(x)^4 - 18*b^2*cosh(x)^2 - a^2 + 2*a*b + 3*b^2)*sinh(x)^2 - a^2 - 2*a*b - b^2 + 2*(3*b^2*cosh(x)^5 - 6*b^2*cosh(x)^3 - (a^2 - 2*a*b - 3*b^2)*cosh(x))*sinh(x))*sqrt(a + b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 4*(2*(a*b^2 + b^3)*cosh(x)^7 - 3*(a*b^2 + 2*b^3)*cosh(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*cosh(x)^3 + (a^3 - 3*a*b^2 - 2*b^3)*cosh(x))*sinh(x))/(cosh(x)^6 + 6*cosh(x)^5*sinh(x) + 15*cosh(x)^4*sinh(x)^2 + 20*cosh(x)^3*sinh(x)^3 + 15*cosh(x)^2*sinh(x)^4 + 6*cosh(x)*sinh(x)^5 + sinh(x)^6) + ((a + b)*cosh(x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 + 2*(a - b)*cosh(x)^2 + 2*(3*(a + b)*cosh(x)^2 + a - b)*sinh(x)^2 + 4*((a + b)*cosh(x)^3 + (a - b)*cosh(x))*sinh(x) + a + b)*sqrt(a + b)*log(((a + b)*cosh(x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 + 2*a*cosh(x)^2 + 2*(3*(a + b)*cosh(x)^2 + a)*sinh(x)^2 + sqrt(2)*(cosh(x)^2 + 2*cosh(x)*sinh(x)
```

```

+ sinh(x)^2 + 1)*sqrt(a + b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 +
a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 4*((a + b)*cosh(x)^3
+ a*cosh(x))*sinh(x) + a + b)/(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2))
- 4*sqrt(2)*((a + b)*cosh(x)^2 + 2*(a + b)*cosh(x)*sinh(x) + (a + b)*sinh(
x)^2 - a - b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)
^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh
(x)^4 + 4*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(x)*sinh(x)^3 + (a^3 + 3*a^2*
b + 3*a*b^2 + b^3)*sinh(x)^4 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 2*(a^3 + a^2
*b - a*b^2 - b^3)*cosh(x)^2 + 2*(a^3 + a^2*b - a*b^2 - b^3 + 3*(a^3 + 3*a^2
*b + 3*a*b^2 + b^3)*cosh(x)^2)*sinh(x)^2 + 4*((a^3 + 3*a^2*b + 3*a*b^2 + b^
3)*cosh(x)^3 + (a^3 + a^2*b - a*b^2 - b^3)*cosh(x))*sinh(x)), -1/2*((a + b
)*cosh(x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 + 2*(a - b)*c
osh(x)^2 + 2*(3*(a + b)*cosh(x)^2 + a - b)*sinh(x)^2 + 4*((a + b)*cosh(x)^3
+ (a - b)*cosh(x))*sinh(x) + a + b)*sqrt(-a - b)*arctan(sqrt(2)*(b*cosh(x)
^2 + 2*b*cosh(x)*sinh(x) + b*sinh(x)^2 - a - b)*sqrt(-a - b)*sqrt(((a + b)*
cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sin
h(x)^2)))/((a*b + b^2)*cosh(x)^4 + 4*(a*b + b^2)*cosh(x)*sinh(x)^3 + (a*b +
b^2)*sinh(x)^4 + (a^2 - a*b - 2*b^2)*cosh(x)^2 + (6*(a*b + b^2)*cosh(x)^2 +
a^2 - a*b - 2*b^2)*sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(2*(a*b + b^2)*cosh(x)
)^3 + (a^2 - a*b - 2*b^2)*cosh(x))*sinh(x))) + ((a + b)*cosh(x)^4 + 4*(a +
b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 + 2*(a - b)*cosh(x)^2 + 2*(3*(a +
b)*cosh(x)^2 + a - b)*sinh(x)^2 + 4*((a + b)*cosh(x)^3 + (a - b)*cosh(x))*s
inh(x) + a + b)*sqrt(-a - b)*arctan(sqrt(2)*(cosh(x)^2 + 2*cosh(x)*sinh(x)
+ sinh(x)^2 + 1)*sqrt(-a - b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 +
a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/((a + b)*cosh(x)^4 + 4
*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 + 2*(a - b)*cosh(x)^2 + 2*(3
*(a + b)*cosh(x)^2 + a - b)*sinh(x)^2 + 4*((a + b)*cosh(x)^3 + (a - b)*cosh
(x))*sinh(x) + a + b)) + 2*sqrt(2)*((a + b)*cosh(x)^2 + 2*(a + b)*cosh(x)*s
inh(x) + (a + b)*sinh(x)^2 - a - b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(
x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/((a^3 + 3*a^2*b
+ 3*a*b^2 + b^3)*cosh(x)^4 + 4*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(x)*sin
h(x)^3 + (a^3 + 3*a^2*b + 3*a*b^2 + b^3)*sinh(x)^4 + a^3 + 3*a^2*b + 3*a*b^
2 + b^3 + 2*(a^3 + a^2*b - a*b^2 - b^3)*cosh(x)^2 + 2*(a^3 + a^2*b - a*b^2
- b^3 + 3*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(x)^2)*sinh(x)^2 + 4*((a^3 +
3*a^2*b + 3*a*b^2 + b^3)*cosh(x)^3 + (a^3 + a^2*b - a*b^2 - b^3)*cosh(x))*s
inh(x))]

```

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\tanh^2(x)}{(a + b \tanh^2(x))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tanh(x)**2/(a+b*tanh(x)**2)**(3/2),x)
```

```
[Out] Integral(tanh(x)**2/(a + b*tanh(x)**2)**(3/2), x)
```

---

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tanh(x)^2/(a+b*tanh(x)^2)^(3/2),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError
```

$$3.242 \quad \int \frac{\tanh(x)}{(a+b \tanh^2(x))^{3/2}} dx$$

**Optimal.** Leaf size=49

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}}\right)}{(a+b)^{3/2}} - \frac{1}{(a+b)\sqrt{a+b \tanh^2(x)}}$$

[Out] ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]]/(a + b)^(3/2) - 1/((a + b)\*Sqrt[a + b\*Tanh[x]^2])

**Rubi [A]** time = 0.0856056, antiderivative size = 49, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {3670, 444, 51, 63, 208}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}}\right)}{(a+b)^{3/2}} - \frac{1}{(a+b)\sqrt{a+b \tanh^2(x)}}$$

Antiderivative was successfully verified.

[In] Int[Tanh[x]/(a + b\*Tanh[x]^2)^(3/2), x]

[Out] ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]]/(a + b)^(3/2) - 1/((a + b)\*Sqrt[a + b\*Tanh[x]^2])

### Rule 3670

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_.))^(p_.), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[(((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f^2*x^2), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))
```

### Rule 444

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_
), x_Symbol] := Dist[1/n, Subst[Int[(a + b*x)^p*(c + d*x)^q, x], x, x^n], x
] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && EqQ[m - n +
1, 0]
```

### Rule 51

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] - Dist[(d*(
m + n + 2))/((b*c - a*d)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^n, x], x
] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && !(LtQ
[n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && I
ntLinearQ[a, b, c, d, m, n, x]
```

### Rule 63

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

### Rule 208

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\tanh(x)}{(a + b \tanh^2(x))^{3/2}} dx &= \text{Subst} \left( \int \frac{x}{(1-x^2)(a+bx^2)^{3/2}} dx, x, \tanh(x) \right) \\
&= \frac{1}{2} \text{Subst} \left( \int \frac{1}{(1-x)(a+bx)^{3/2}} dx, x, \tanh^2(x) \right) \\
&= -\frac{1}{(a+b)\sqrt{a+b \tanh^2(x)}} + \frac{\text{Subst} \left( \int \frac{1}{(1-x)\sqrt{a+bx}} dx, x, \tanh^2(x) \right)}{2(a+b)} \\
&= -\frac{1}{(a+b)\sqrt{a+b \tanh^2(x)}} + \frac{\text{Subst} \left( \int \frac{1}{1+\frac{a}{b}-\frac{x^2}{b}} dx, x, \sqrt{a+b \tanh^2(x)} \right)}{b(a+b)} \\
&= \frac{\tanh^{-1} \left( \frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}} \right)}{(a+b)^{3/2}} - \frac{1}{(a+b)\sqrt{a+b \tanh^2(x)}}
\end{aligned}$$

**Mathematica [C]** time = 0.0349182, size = 41, normalized size = 0.84

$$-\frac{{}_2F_1 \left( -\frac{1}{2}, 1; \frac{1}{2}; \frac{b \tanh^2(x)+a}{a+b} \right)}{(a+b)\sqrt{a+b \tanh^2(x)}}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[x]/(a + b\*Tanh[x]^2)^(3/2), x]

[Out] -(Hypergeometric2F1[-1/2, 1, 1/2, (a + b\*Tanh[x]^2)/(a + b)]/((a + b)\*Sqrt[a + b\*Tanh[x]^2]))

**Maple [B]** time = 0.02, size = 273, normalized size = 5.6

$$\frac{1}{2b+2a} \sqrt{(1+\tanh(x))^2 b - 2(1+\tanh(x))b + a + b} - \frac{b(2(1+\tanh(x))b - 2b)}{(a+b)(4b(a+b) - 4b^2)} \sqrt{(1+\tanh(x))^2 b - 2(1+\tanh(x))b + a + b}$$

Verification of antiderivative is not currently implemented for this CAS.



[In] `int(tanh(x)/(a+b*tanh(x)^2)^(3/2),x)`

[Out] 
$$-1/2/(a+b)/((1+\tanh(x))^{2b-2*(1+\tanh(x))*b+a+b}^{1/2}-b/(a+b)*(2*(1+\tanh(x))*b-2*b)/(4*b*(a+b)-4*b^2)/((1+\tanh(x))^{2b-2*(1+\tanh(x))*b+a+b}^{1/2}+1/2)/(a+b)^{3/2}*\ln((2*a+2*b-2*(1+\tanh(x))*b+2*(a+b)^{1/2}*((1+\tanh(x))^{2b-2*(1+\tanh(x))*b+a+b}^{1/2}))/((1+\tanh(x))))-1/2/(a+b)/((\tanh(x)-1)^{2b+2*(\tanh(x)-1)*b+a+b}^{1/2}+b/(a+b)*(2*(\tanh(x)-1)*b+2*b)/(4*b*(a+b)-4*b^2)/((\tanh(x)-1)^{2b+2*(\tanh(x)-1)*b+a+b}^{1/2}+1/2)/(a+b)^{3/2}*\ln((2*a+2*b+2*(\tanh(x)-1)*b+2*(a+b)^{1/2}*((\tanh(x)-1)^{2b+2*(\tanh(x)-1)*b+a+b}^{1/2}))/((\tanh(x)-1))))$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\tanh(x)}{(b \tanh(x)^2 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(x)/(a+b*tanh(x)^2)^(3/2),x, algorithm="maxima")`

[Out] `integrate(tanh(x)/(b*tanh(x)^2 + a)^(3/2), x)`

**Fricas [B]** time = 2.98922, size = 6395, normalized size = 130.51

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(x)/(a+b*tanh(x)^2)^(3/2),x, algorithm="fricas")`

[Out] 
$$[1/4*(((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a - b)*\sinh(x)^2 + 4*((a + b)*\cosh(x)^3 + (a - b)*\cosh(x))*\sinh(x) + a + b)*\sqrt{a + b}*\log(((a^3 + a^2*b)*\cosh(x)^8 + 8*(a^3 + a^2*b)*\cosh(x)*\sinh(x)^7 + (a^3 + a^2*b)*\sinh(x)^8 + 2*(2*a^3 + a^2*b)*\cosh(x)^6 + 2*(2*a^3 + a^2*b + 14*(a^3 + a^2*b)*\cosh(x)^2)*\sinh(x)^6 + 4*(14*(a^3 + a^2*b)*\cosh(x)^3 + 3*(2*a^3 + a^2*b)*\cosh(x))*\sinh(x)^5 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*\cosh(x)^4 + (70*(a^3 + a^2*b)*\cosh(x)^4 + 6*a^3 + 4*a^2*b - a*b^2 + b^3 + 30*(2*a^3 + a^2*b)*\cosh(x)^2)*\sinh(x)^4 + 4*(14*(a^3 + a^2*b)*\cosh(x)^5 + 10*(2*a^3 + a^2*b)*\cosh(x)^3 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*\cosh(x))*\sinh(x)^3 + a^3 + 3*a^2*b + 3*a*b$$

$$\begin{aligned}
&^2 + b^3 + 2*(2*a^3 + 3*a^2*b - b^3)*\cosh(x)^2 + 2*(14*(a^3 + a^2*b)*\cosh(x) \\
&)^6 + 15*(2*a^3 + a^2*b)*\cosh(x)^4 + 2*a^3 + 3*a^2*b - b^3 + 3*(6*a^3 + 4*a \\
&^2*b - a*b^2 + b^3)*\cosh(x)^2*\sinh(x)^2 + \sqrt{2}*(a^2*\cosh(x)^6 + 6*a^2*c \\
&osh(x)*\sinh(x)^5 + a^2*\sinh(x)^6 + 3*a^2*\cosh(x)^4 + 3*(5*a^2*\cosh(x)^2 + a \\
&^2)*\sinh(x)^4 + 4*(5*a^2*\cosh(x)^3 + 3*a^2*\cosh(x))*\sinh(x)^3 + (3*a^2 + 2* \\
&a*b - b^2)*\cosh(x)^2 + (15*a^2*\cosh(x)^4 + 18*a^2*\cosh(x)^2 + 3*a^2 + 2*a*b \\
&- b^2)*\sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(3*a^2*\cosh(x)^5 + 6*a^2*\cosh(x)^ \\
&3 + (3*a^2 + 2*a*b - b^2)*\cosh(x))*\sinh(x))*\sqrt{a + b}*\sqrt{((a + b)*\cosh( \\
&x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^ \\
&2))} + 4*(2*(a^3 + a^2*b)*\cosh(x)^7 + 3*(2*a^3 + a^2*b)*\cosh(x)^5 + (6*a^3 + \\
&4*a^2*b - a*b^2 + b^3)*\cosh(x)^3 + (2*a^3 + 3*a^2*b - b^3)*\cosh(x))*\sinh(x) \\
&))/(\cosh(x)^6 + 6*\cosh(x)^5*\sinh(x) + 15*\cosh(x)^4*\sinh(x)^2 + 20*\cosh(x)^3 \\
&*\sinh(x)^3 + 15*\cosh(x)^2*\sinh(x)^4 + 6*\cosh(x)*\sinh(x)^5 + \sinh(x)^6)) + ( \\
&(a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*(a \\
&- b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a - b)*\sinh(x)^2 + 4*((a + b)*\cos \\
&h(x)^3 + (a - b)*\cosh(x))*\sinh(x) + a + b)*\sqrt{a + b}*\log(-((a + b)*\cosh(x) \\
&)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 - 2*b*\cosh(x)^2 + 2*( \\
&3*(a + b)*\cosh(x)^2 - b)*\sinh(x)^2 + \sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) \\
&+ \sinh(x)^2 - 1))*\sqrt{a + b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + \\
&a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))} + 4*((a + b)*\cosh(x)^3 \\
&- b*\cosh(x))*\sinh(x) + a + b)/(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2)) \\
&- 4*\sqrt{2}*((a + b)*\cosh(x)^2 + 2*(a + b)*\cosh(x)*\sinh(x) + (a + b)*\sinh( \\
&x)^2 + a + b)*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x) \\
&^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))}/((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh \\
&(x)^4 + 4*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(x)*\sinh(x)^3 + (a^3 + 3*a^2*b \\
&+ 3*a*b^2 + b^3)*\sinh(x)^4 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 2*(a^3 + a^2 \\
&*b - a*b^2 - b^3)*\cosh(x)^2 + 2*(a^3 + a^2*b - a*b^2 - b^3 + 3*(a^3 + 3*a^2 \\
&*b + 3*a*b^2 + b^3)*\cosh(x)^2)*\sinh(x)^2 + 4*((a^3 + 3*a^2*b + 3*a*b^2 + b^ \\
&3)*\cosh(x)^3 + (a^3 + a^2*b - a*b^2 - b^3)*\cosh(x))*\sinh(x)), -1/2*((a + b \\
&)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*(a - b)*c \\
&osh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a - b)*\sinh(x)^2 + 4*((a + b)*\cosh(x)^3 \\
&+ (a - b)*\cosh(x))*\sinh(x) + a + b)*\sqrt{-a - b}*\arctan(\sqrt{2}*(a*\cosh(x) \\
&^2 + 2*a*\cosh(x)*\sinh(x) + a*\sinh(x)^2 + a + b)*\sqrt{-a - b}*\sqrt{((a + b)* \\
&cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sin \\
&h(x)^2))}/((a^2 + a*b)*\cosh(x)^4 + 4*(a^2 + a*b)*\cosh(x)*\sinh(x)^3 + (a^2 + \\
&a*b)*\sinh(x)^4 + (2*a^2 + a*b - b^2)*\cosh(x)^2 + (6*(a^2 + a*b)*\cosh(x)^2 + \\
&2*a^2 + a*b - b^2)*\sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(2*(a^2 + a*b)*\cosh(x) \\
&)^3 + (2*a^2 + a*b - b^2)*\cosh(x))*\sinh(x))) + ((a + b)*\cosh(x)^4 + 4*(a + \\
&b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*(a - b)*\cosh(x)^2 + 2*(3*(a + \\
&b)*\cosh(x)^2 + a - b)*\sinh(x)^2 + 4*((a + b)*\cosh(x)^3 + (a - b)*\cosh(x))*s \\
&inh(x) + a + b)*\sqrt{-a - b}*\arctan(\sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) \\
&+ \sinh(x)^2 - 1))*\sqrt{-a - b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + \\
&a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))}/((a + b)*\cosh(x)^4 + 4 \\
&*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*(a - b)*\cosh(x)^2 + 2*(3 \\
&*(a + b)*\cosh(x)^2 + a - b)*\sinh(x)^2 + 4*((a + b)*\cosh(x)^3 + (a - b)*\cosh
\end{aligned}$$

```
(x))*sinh(x) + a + b)) + 2*sqrt(2)*((a + b)*cosh(x)^2 + 2*(a + b)*cosh(x)*sinh(x) + (a + b)*sinh(x)^2 + a + b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(x)^4 + 4*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(x)*sinh(x)^3 + (a^3 + 3*a^2*b + 3*a*b^2 + b^3)*sinh(x)^4 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 2*(a^3 + a^2*b - a*b^2 - b^3)*cosh(x)^2 + 2*(a^3 + a^2*b - a*b^2 - b^3 + 3*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(x)^2)*sinh(x)^2 + 4*((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(x)^3 + (a^3 + a^2*b - a*b^2 - b^3)*cosh(x))*sinh(x))]
```

**Sympy [A]** time = 12.2585, size = 51, normalized size = 1.04

$$-\frac{1}{(a+b)\sqrt{a+b\tanh^2(x)}} - \frac{\operatorname{atan}\left(\frac{\sqrt{a+b\tanh^2(x)}}{\sqrt{-a-b}}\right)}{\sqrt{-a-b}(a+b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)/(a+b\*tanh(x)\*\*2)\*\*(3/2), x)

[Out] -1/((a + b)\*sqrt(a + b\*tanh(x)\*\*2)) - atan(sqrt(a + b\*tanh(x)\*\*2)/sqrt(-a - b))/(sqrt(-a - b)\*(a + b))

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)/(a+b\*tanh(x)^2)^(3/2), x, algorithm="giac")

[Out] Exception raised: TypeError

$$3.243 \quad \int \frac{1}{(a+b \tanh^2(x))^{3/2}} dx$$

**Optimal.** Leaf size=56

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}}\right)}{(a+b)^{3/2}} + \frac{b \tanh(x)}{a(a+b)\sqrt{a+b \tanh^2(x)}}$$

[Out] ArcTanh[(Sqrt[a + b]\*Tanh[x])/Sqrt[a + b\*Tanh[x]^2]]/(a + b)^(3/2) + (b\*Tanh[x])/(a\*(a + b)\*Sqrt[a + b\*Tanh[x]^2])

**Rubi [A]** time = 0.042802, antiderivative size = 56, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {3661, 382, 377, 206}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}}\right)}{(a+b)^{3/2}} + \frac{b \tanh(x)}{a(a+b)\sqrt{a+b \tanh^2(x)}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Tanh[x]^2)^(-3/2), x]

[Out] ArcTanh[(Sqrt[a + b]\*Tanh[x])/Sqrt[a + b\*Tanh[x]^2]]/(a + b)^(3/2) + (b\*Tanh[x])/(a\*(a + b)\*Sqrt[a + b\*Tanh[x]^2])

### Rule 3661

```
Int[((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_), x_Symbol] :=
With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[(a + b*(
ff*x)^n]^p/(c^2 + ff^2*x^2), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a,
b, c, e, f, n, p}, x] && (IntegersQ[n, p] || IGtQ[p, 0] || EqQ[n^2, 4] || E
qQ[n^2, 16])
```

### Rule 382

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:= -Simp[(b*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(p + 1)*(b*c -
```

```
a*d)), x] + Dist[(b*c + n*(p + 1)*(b*c - a*d))/(a*n*(p + 1)*(b*c - a*d)), I
nt[(a + b*x^n)^(p + 1)*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n, q}, x
] && NeQ[b*c - a*d, 0] && EqQ[n*(p + q + 2) + 1, 0] && (LtQ[p, -1] || !LtQ
[q, -1]) && NeQ[p, -1]
```

### Rule 377

```
Int[((a_) + (b_)*(x_)^(n_))^(p_)/((c_) + (d_)*(x_)^(n_)), x_Symbol] := Su
bst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b
, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]
```

### Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[Rt[-b, 2]*x]/
Rt[a, 2])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

### Rubi steps

$$\begin{aligned}
 \int \frac{1}{(a + b \tanh^2(x))^{3/2}} dx &= \text{Subst} \left( \int \frac{1}{(1 - x^2)(a + bx^2)^{3/2}} dx, x, \tanh(x) \right) \\
 &= \frac{b \tanh(x)}{a(a + b)\sqrt{a + b \tanh^2(x)}} + \frac{\text{Subst} \left( \int \frac{1}{(1 - x^2)\sqrt{a + bx^2}} dx, x, \tanh(x) \right)}{a + b} \\
 &= \frac{b \tanh(x)}{a(a + b)\sqrt{a + b \tanh^2(x)}} + \frac{\text{Subst} \left( \int \frac{1}{1 - (a + b)x^2} dx, x, \frac{\tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right)}{a + b} \\
 &= \frac{\tanh^{-1} \left( \frac{\sqrt{a + b} \tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right)}{(a + b)^{3/2}} + \frac{b \tanh(x)}{a(a + b)\sqrt{a + b \tanh^2(x)}}
 \end{aligned}$$

**Mathematica [C]** time = 4.21493, size = 223, normalized size = 3.98

$$\sinh^2(x) \left( \sqrt{2} a^2 (a + b) \tanh(x) {}_2F_1 \left( 2, 2; \frac{7}{2}; -\frac{(a + b) \sinh^2(x)}{a} \right) \left( -\frac{(a + b) \sinh^2(x) ((a + b) \cosh(2x) + a - b)}{a^2} \right)^{3/2} + \frac{15}{4} \operatorname{acsch}(x) \operatorname{sech}(x) ((3a$$

$$15a^4 \left( -\frac{(a + b) \sinh^2(x)}{a} \right)^3$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*Tanh[x]^2)^(-3/2),x]

[Out]  $-(\text{Sinh}[x]^2 * ((15*a*(3*a - 2*b + (3*a + 2*b)*\text{Cosh}[2*x]) * \text{Csch}[x] * \text{Sech}[x] * ((a - b)*\text{ArcSin}[\text{Sqrt}[-((a + b)*\text{Sinh}[x]^2)/a]]) + (a + b)*\text{ArcSin}[\text{Sqrt}[-((a + b)*\text{Sinh}[x]^2)/a]]) * \text{Cosh}[2*x] - 2*a*\text{Sqrt}[-((a + b)*(b + a*\text{Coth}[x]^2)*\text{Sinh}[x]^2)/a^2])))/4 + \text{Sqrt}[2]*a^2*(a + b)*\text{Hypergeometric2F1}[2, 2, 7/2, -((a + b)*\text{Sinh}[x]^2)/a] * (-((a + b)*(a - b + (a + b)*\text{Cosh}[2*x]) * \text{Sinh}[x]^2)/a^2))^(3/2) * \text{Tanh}[x]) / (15*a^4 * (-((a + b)*\text{Sinh}[x]^2)/a))^(3/2) * \text{Sqrt}[\text{Cosh}[x]^2 + (b*\text{Sinh}[x]^2)/a] * \text{Sqrt}[a + b*\text{Tanh}[x]^2])$

**Maple [B]** time = 0.026, size = 272, normalized size = 4.9

$$\frac{1}{2b+2a} \frac{1}{\sqrt{(1+\tanh(x))^2 b - 2(1+\tanh(x))b + a + b}} + \frac{b(2(1+\tanh(x))b - 2b)}{(a+b)(4b(a+b) - 4b^2)} \frac{1}{\sqrt{(1+\tanh(x))^2 b - 2(1+\tanh(x))b + a + b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b\*tanh(x)^2)^(3/2),x)

[Out]  $\frac{1}{2} \frac{1}{(a+b)} \frac{1}{((1+\tanh(x))^2 b - 2(1+\tanh(x))b + a + b)^{(1/2)}} + \frac{b}{(a+b)} \frac{1}{(2(1+\tanh(x))b - 2b)} \frac{1}{(4b(a+b) - 4b^2)} \frac{1}{((1+\tanh(x))^2 b - 2(1+\tanh(x))b + a + b)^{(1/2)}} - \frac{1}{2} \frac{1}{(a+b)^{(3/2)}} \ln\left(\frac{(2a+2b-2(1+\tanh(x))b+2(a+b)^{(1/2)} * ((1+\tanh(x))^2 b - 2(1+\tanh(x))b + a + b)^{(1/2)})}{(1+\tanh(x))}\right) - \frac{1}{2} \frac{1}{(a+b)} \frac{1}{((\tanh(x)-1)^2 b + 2(\tanh(x)-1)b + a + b)^{(1/2)}} + \frac{b}{(a+b)} \frac{1}{(2(\tanh(x)-1)b + 2b)} \frac{1}{(4b(a+b) - 4b^2)} \frac{1}{((\tanh(x)-1)^2 b + 2(\tanh(x)-1)b + a + b)^{(1/2)}} + \frac{1}{2} \frac{1}{(a+b)^{(3/2)}} \ln\left(\frac{(2a+2b+2(\tanh(x)-1)b+2(a+b)^{(1/2)} * ((\tanh(x)-1)^2 b + 2(\tanh(x)-1)b + a + b)^{(1/2)})}{(\tanh(x)-1)}\right)$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(b \tanh(x)^2 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*tanh(x)^2)^(3/2),x, algorithm="maxima")

[Out] integrate((b\*tanh(x)^2 + a)^(-3/2), x)

**Fricas [B]** time = 3.09694, size = 6730, normalized size = 120.18

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*tanh(x)^2)^(3/2),x, algorithm="fricas")

[Out] [1/4\*(((a^2 + a\*b)\*cosh(x)^4 + 4\*(a^2 + a\*b)\*cosh(x)\*sinh(x)^3 + (a^2 + a\*b)\*sinh(x)^4 + 2\*(a^2 - a\*b)\*cosh(x)^2 + 2\*(3\*(a^2 + a\*b)\*cosh(x)^2 + a^2 - a\*b)\*sinh(x)^2 + a^2 + a\*b + 4\*((a^2 + a\*b)\*cosh(x)^3 + (a^2 - a\*b)\*cosh(x)\*sinh(x))\*sqrt(a + b)\*log(-((a\*b^2 + b^3)\*cosh(x)^8 + 8\*(a\*b^2 + b^3)\*cosh(x)\*sinh(x)^7 + (a\*b^2 + b^3)\*sinh(x)^8 - 2\*(a\*b^2 + 2\*b^3)\*cosh(x)^6 - 2\*(a\*b^2 + 2\*b^3 - 14\*(a\*b^2 + b^3)\*cosh(x)^2)\*sinh(x)^6 + 4\*(14\*(a\*b^2 + b^3)\*cosh(x)^3 - 3\*(a\*b^2 + 2\*b^3)\*cosh(x))\*sinh(x)^5 + (a^3 - a^2\*b + 4\*a\*b^2 + 6\*b^3)\*cosh(x)^4 + (70\*(a\*b^2 + b^3)\*cosh(x)^4 + a^3 - a^2\*b + 4\*a\*b^2 + 6\*b^3 - 30\*(a\*b^2 + 2\*b^3)\*cosh(x)^2)\*sinh(x)^4 + 4\*(14\*(a\*b^2 + b^3)\*cosh(x)^5 - 10\*(a\*b^2 + 2\*b^3)\*cosh(x)^3 + (a^3 - a^2\*b + 4\*a\*b^2 + 6\*b^3)\*cosh(x))\*sinh(x)^3 + a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3 + 2\*(a^3 - 3\*a\*b^2 - 2\*b^3)\*cosh(x)^2 + 2\*(14\*(a\*b^2 + b^3)\*cosh(x)^6 - 15\*(a\*b^2 + 2\*b^3)\*cosh(x)^4 + a^3 - 3\*a\*b^2 - 2\*b^3 + 3\*(a^3 - a^2\*b + 4\*a\*b^2 + 6\*b^3)\*cosh(x)^2)\*sinh(x)^2 + sqrt(2)\*(b^2\*cosh(x)^6 + 6\*b^2\*cosh(x)\*sinh(x)^5 + b^2\*sinh(x)^6 - 3\*b^2\*cosh(x)^4 + 3\*(5\*b^2\*cosh(x)^2 - b^2)\*sinh(x)^4 + 4\*(5\*b^2\*cosh(x)^3 - 3\*b^2\*cosh(x))\*sinh(x)^3 - (a^2 - 2\*a\*b - 3\*b^2)\*cosh(x)^2 + (15\*b^2\*cosh(x)^4 - 18\*b^2\*cosh(x)^2 - a^2 + 2\*a\*b + 3\*b^2)\*sinh(x)^2 - a^2 - 2\*a\*b - b^2 + 2\*(3\*b^2\*cosh(x)^5 - 6\*b^2\*cosh(x)^3 - (a^2 - 2\*a\*b - 3\*b^2)\*cosh(x))\*sinh(x))\*sqrt(a + b)\*sqrt(((a + b)\*cosh(x)^2 + (a + b)\*sinh(x)^2 + a - b)/(cosh(x)^2 - 2\*cosh(x)\*sinh(x) + sinh(x)^2)) + 4\*(2\*(a\*b^2 + b^3)\*cosh(x)^7 - 3\*(a\*b^2 + 2\*b^3)\*cosh(x)^5 + (a^3 - a^2\*b + 4\*a\*b^2 + 6\*b^3)\*cosh(x)^3 + (a^3 - 3\*a\*b^2 - 2\*b^3)\*cosh(x))\*sinh(x))/(cosh(x)^6 + 6\*cosh(x)^5\*sinh(x) + 15\*cosh(x)^4\*sinh(x)^2 + 20\*cosh(x)^3\*sinh(x)^3 + 15\*cosh(x)^2\*sinh(x)^4 + 6\*cosh(x)\*sinh(x)^5 + sinh(x)^6)) + ((a^2 + a\*b)\*cosh(x)^4 + 4\*(a^2 + a\*b)\*cosh(x)\*sinh(x)^3 + (a^2 + a\*b)\*sinh(x)^4 + 2\*(a^2 - a\*b)\*cosh(x)^2 + 2\*(3\*(a^2 + a\*b)\*cosh(x)^2 + a^2 - a\*b)\*sinh(x)^2 + a^2 + a\*b + 4\*((a^2 + a\*b)\*cosh(x)^3 + (a^2 - a\*b)\*cosh(x))\*sinh(x))\*sqrt(a + b)\*log(((a + b)\*cosh(x)^4 + 4\*(a + b)\*cosh(x)\*sinh(x)^3 + (a + b)\*sinh(x)^4 + 2\*a\*cosh(x)^2 + 2\*(3\*(a + b)\*cosh(x)^2 + a)\*sinh(x)^2 + sqrt(2)\*(cosh(x)^2 + 2\*cosh(x)\*sinh(x) + sinh(x)^2 + 1)\*sqrt(a + b)\*sqrt(((a + b)\*cosh(x)^2 + (a + b)\*sinh(x)^2 + a - b)/(cosh(x)^2 - 2\*cosh(x)\*sinh(x) + sinh(x)^2)) + 4\*((a + b)\*cosh(x)^3 + a\*cosh(x))\*sinh(x) + a + b)/(cosh(x)^2 + 2\*cosh(x)\*sinh(x) + sinh(x)^2)) +

```

4*sqrt(2)*((a*b + b^2)*cosh(x)^2 + 2*(a*b + b^2)*cosh(x)*sinh(x) + (a*b + b
^2)*sinh(x)^2 - a*b - b^2)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a
- b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/((a^4 + 3*a^3*b + 3*a^2*
b^2 + a*b^3)*cosh(x)^4 + 4*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*cosh(x)*sinh
(x)^3 + (a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*sinh(x)^4 + a^4 + 3*a^3*b + 3*a
^2*b^2 + a*b^3 + 2*(a^4 + a^3*b - a^2*b^2 - a*b^3)*cosh(x)^2 + 2*(a^4 + a^3
*b - a^2*b^2 - a*b^3 + 3*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*cosh(x)^2)*sin
h(x)^2 + 4*((a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*cosh(x)^3 + (a^4 + a^3*b -
a^2*b^2 - a*b^3)*cosh(x))*sinh(x)), -1/2*(((a^2 + a*b)*cosh(x)^4 + 4*(a^2 +
a*b)*cosh(x)*sinh(x)^3 + (a^2 + a*b)*sinh(x)^4 + 2*(a^2 - a*b)*cosh(x)^2 +
2*(3*(a^2 + a*b)*cosh(x)^2 + a^2 - a*b)*sinh(x)^2 + a^2 + a*b + 4*((a^2 +
a*b)*cosh(x)^3 + (a^2 - a*b)*cosh(x))*sinh(x))*sqrt(-a - b)*arctan(sqrt(2)*
(b*cosh(x)^2 + 2*b*cosh(x)*sinh(x) + b*sinh(x)^2 - a - b)*sqrt(-a - b)*sqrt
(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sin
h(x) + sinh(x)^2)))/((a*b + b^2)*cosh(x)^4 + 4*(a*b + b^2)*cosh(x)*sinh(x)^3
+ (a*b + b^2)*sinh(x)^4 + (a^2 - a*b - 2*b^2)*cosh(x)^2 + (6*(a*b + b^2)*c
osh(x)^2 + a^2 - a*b - 2*b^2)*sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(2*(a*b + b
^2)*cosh(x)^3 + (a^2 - a*b - 2*b^2)*cosh(x))*sinh(x))) + ((a^2 + a*b)*cosh(
x)^4 + 4*(a^2 + a*b)*cosh(x)*sinh(x)^3 + (a^2 + a*b)*sinh(x)^4 + 2*(a^2 - a
*b)*cosh(x)^2 + 2*(3*(a^2 + a*b)*cosh(x)^2 + a^2 - a*b)*sinh(x)^2 + a^2 + a
*b + 4*((a^2 + a*b)*cosh(x)^3 + (a^2 - a*b)*cosh(x))*sinh(x))*sqrt(-a - b)*
arctan(sqrt(2)*(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 + 1)*sqrt(-a - b)
*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)
)*sinh(x) + sinh(x)^2)))/((a + b)*cosh(x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 +
(a + b)*sinh(x)^4 + 2*(a - b)*cosh(x)^2 + 2*(3*(a + b)*cosh(x)^2 + a - b)*s
inh(x)^2 + 4*((a + b)*cosh(x)^3 + (a - b)*cosh(x))*sinh(x) + a + b)) - 2*sq
rt(2)*((a*b + b^2)*cosh(x)^2 + 2*(a*b + b^2)*cosh(x)*sinh(x) + (a*b + b^2)*
sinh(x)^2 - a*b - b^2)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)
/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/((a^4 + 3*a^3*b + 3*a^2*b^2
+ a*b^3)*cosh(x)^4 + 4*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*cosh(x)*sinh(x)^
3 + (a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*sinh(x)^4 + a^4 + 3*a^3*b + 3*a^2*b
^2 + a*b^3 + 2*(a^4 + a^3*b - a^2*b^2 - a*b^3)*cosh(x)^2 + 2*(a^4 + a^3*b -
a^2*b^2 - a*b^3 + 3*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*cosh(x)^2)*sinh(x)
^2 + 4*((a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*cosh(x)^3 + (a^4 + a^3*b - a^2*
b^2 - a*b^3)*cosh(x))*sinh(x))]

```

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(a + b \tanh^2(x))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.



```
[In] integrate(1/(a+b*tanh(x)**2)**(3/2),x)
```

```
[Out] Integral((a + b*tanh(x)**2)**(-3/2), x)
```

---

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+b*tanh(x)^2)^(3/2),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError
```

$$3.244 \quad \int \frac{\coth(x)}{(a+b \tanh^2(x))^{3/2}} dx$$

**Optimal.** Leaf size=78

$$-\frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a}}\right)}{a^{3/2}} + \frac{b}{a(a+b)\sqrt{a+b \tanh^2(x)}} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}}\right)}{(a+b)^{3/2}}$$

[Out] -(ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a]]/a^(3/2)) + ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]]/(a + b)^(3/2) + b/(a\*(a + b)\*Sqrt[a + b\*Tanh[x]^2])

**Rubi [A]** time = 0.146428, antiderivative size = 78, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.4$ , Rules used = {3670, 446, 85, 156, 63, 208}

$$-\frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a}}\right)}{a^{3/2}} + \frac{b}{a(a+b)\sqrt{a+b \tanh^2(x)}} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}}\right)}{(a+b)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[Coth[x]/(a + b\*Tanh[x]^2)^(3/2), x]

[Out] -(ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a]]/a^(3/2)) + ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]]/(a + b)^(3/2) + b/(a\*(a + b)\*Sqrt[a + b\*Tanh[x]^2])

### Rule 3670

Int[((d\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_))^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

### Rule 446

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_
), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p
*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[
b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 85

```
Int[((e_) + (f_)*(x_))^(p_)/(((a_) + (b_)*(x_))*((c_) + (d_)*(x_))),
x_Symbol] := Simp[(f*(e + f*x)^(p + 1))/((p + 1)*(b*e - a*f)*(d*e - c*f)),
x] + Dist[1/((b*e - a*f)*(d*e - c*f)), Int[((b*d*e - b*c*f - a*d*f - b*d*f*
x)*(e + f*x)^(p + 1))/((a + b*x)*(c + d*x)), x], x] /; FreeQ[{a, b, c, d, e
, f}, x] && LtQ[p, -1]
```

### Rule 156

```
Int[(((e_) + (f_)*(x_))^(p_)*((g_) + (h_)*(x_)))/(((a_) + (b_)*(x_))*
((c_) + (d_)*(x_))), x_Symbol] := Dist[(b*g - a*h)/(b*c - a*d), Int[(e +
f*x)^p/(a + b*x), x], x] - Dist[(d*g - c*h)/(b*c - a*d), Int[(e + f*x)^p/(c
+ d*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x]
```

### Rule 63

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

### Rule 208

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\coth(x)}{(a + b \tanh^2(x))^{3/2}} dx &= \text{Subst} \left( \int \frac{1}{x(1-x^2)(a+bx^2)^{3/2}} dx, x, \tanh(x) \right) \\
&= \frac{1}{2} \text{Subst} \left( \int \frac{1}{(1-x)x(a+bx)^{3/2}} dx, x, \tanh^2(x) \right) \\
&= \frac{b}{a(a+b)\sqrt{a+b \tanh^2(x)}} - \frac{\text{Subst} \left( \int \frac{-a-b+bx}{(1-x)x\sqrt{a+bx}} dx, x, \tanh^2(x) \right)}{2a(a+b)} \\
&= \frac{b}{a(a+b)\sqrt{a+b \tanh^2(x)}} + \frac{\text{Subst} \left( \int \frac{1}{x\sqrt{a+bx}} dx, x, \tanh^2(x) \right)}{2a} + \frac{\text{Subst} \left( \int \frac{1}{(1-x)\sqrt{a+bx}} dx, x, \tanh^2(x) \right)}{2(a+b)} \\
&= \frac{b}{a(a+b)\sqrt{a+b \tanh^2(x)}} + \frac{\text{Subst} \left( \int \frac{1}{\frac{-a}{-b} + \frac{x^2}{b}} dx, x, \sqrt{a+b \tanh^2(x)} \right)}{ab} + \frac{\text{Subst} \left( \int \frac{1}{1 + \frac{a}{b} - \frac{x^2}{b}} dx, x, \sqrt{a+b \tanh^2(x)} \right)}{b(a+b)} \\
&= -\frac{\tanh^{-1} \left( \frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a}} \right)}{a^{3/2}} + \frac{\tanh^{-1} \left( \frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}} \right)}{(a+b)^{3/2}} + \frac{b}{a(a+b)\sqrt{a+b \tanh^2(x)}}
\end{aligned}$$

**Mathematica [C]** time = 0.0765405, size = 70, normalized size = 0.9

$$\frac{(a+b) {}_2F_1 \left( -\frac{1}{2}, 1; \frac{1}{2}; \frac{b \tanh^2(x)}{a} + 1 \right) - a {}_2F_1 \left( -\frac{1}{2}, 1; \frac{1}{2}; \frac{b \tanh^2(x)+a}{a+b} \right)}{a(a+b)\sqrt{a+b \tanh^2(x)}}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[x]/(a + b\*Tanh[x]^2)^(3/2), x]

[Out]  $(-a \text{Hypergeometric2F1}[-1/2, 1, 1/2, (a + b \text{Tanh}[x]^2)/(a + b)]) + (a + b) \text{Hypergeometric2F1}[-1/2, 1, 1/2, 1 + (b \text{Tanh}[x]^2)/a] / (a(a + b) \text{Sqrt}[a + b \text{Tanh}[x]^2])$

**Maple [F]** time = 0.115, size = 0, normalized size = 0.

$$\int \coth(x) (a + b (\tanh(x))^2)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(coth(x)/(a+b*tanh(x)^2)^(3/2),x)`

[Out] `int(coth(x)/(a+b*tanh(x)^2)^(3/2),x)`

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\coth(x)}{(b \tanh(x)^2 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(x)/(a+b*tanh(x)^2)^(3/2),x, algorithm="maxima")`

[Out] `integrate(coth(x)/(b*tanh(x)^2 + a)^(3/2), x)`

**Fricas [B]** time = 5.60527, size = 18423, normalized size = 236.19

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(x)/(a+b*tanh(x)^2)^(3/2),x, algorithm="fricas")`

[Out] `[1/4*(((a^3 + a^2*b)*cosh(x)^4 + 4*(a^3 + a^2*b)*cosh(x)*sinh(x)^3 + (a^3 + a^2*b)*sinh(x)^4 + a^3 + a^2*b + 2*(a^3 - a^2*b)*cosh(x)^2 + 2*(a^3 - a^2*b + 3*(a^3 + a^2*b)*cosh(x)^2)*sinh(x)^2 + 4*((a^3 + a^2*b)*cosh(x)^3 + (a^3 - a^2*b)*cosh(x))*sinh(x))*sqrt(a + b)*log(((a^3 + a^2*b)*cosh(x)^8 + 8*(a^3 + a^2*b)*cosh(x)*sinh(x)^7 + (a^3 + a^2*b)*sinh(x)^8 + 2*(2*a^3 + a^2*b)*cosh(x)^6 + 2*(2*a^3 + a^2*b + 14*(a^3 + a^2*b)*cosh(x)^2)*sinh(x)^6 + 4*(14*(a^3 + a^2*b)*cosh(x)^3 + 3*(2*a^3 + a^2*b)*cosh(x))*sinh(x)^5 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x)^4 + (70*(a^3 + a^2*b)*cosh(x)^4 + 6*a^3 + 4*a^2*b - a*b^2 + b^3 + 30*(2*a^3 + a^2*b)*cosh(x)^2)*sinh(x)^4 + 4*(14*(a^3 + a^2*b)*cosh(x)^5 + 10*(2*a^3 + a^2*b)*cosh(x)^3 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x))*sinh(x)^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 2*(2*a^3 + 3*a^2*b - b^3)*cosh(x)^2 + 2*(14*(a^3 + a^2*b)*cosh(x)^6 + 15*(2*a^3 + a^2*b)*cosh(x)^4 + 2*a^3 + 3*a^2*b - b^3 + 3*(6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x)^2)*sinh(x)^2 + sqrt(2)*(a^2*cosh(x)^6 + 6*a^2*cosh(x)*sinh(x)^5 + a^`

$$\begin{aligned}
& 2*\sinh(x)^6 + 3*a^2*\cosh(x)^4 + 3*(5*a^2*\cosh(x)^2 + a^2)*\sinh(x)^4 + 4*(5*a^2*\cosh(x)^3 + 3*a^2*\cosh(x))*\sinh(x)^3 + (3*a^2 + 2*a*b - b^2)*\cosh(x)^2 \\
& + (15*a^2*\cosh(x)^4 + 18*a^2*\cosh(x)^2 + 3*a^2 + 2*a*b - b^2)*\sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(3*a^2*\cosh(x)^5 + 6*a^2*\cosh(x)^3 + (3*a^2 + 2*a*b - b^2)*\cosh(x))*\sinh(x))*\sqrt{a + b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x))^2 + a - b}/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)) + 4*(2*(a^3 + a^2*b)*\cosh(x)^7 + 3*(2*a^3 + a^2*b)*\cosh(x)^5 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*\cosh(x)^3 + (2*a^3 + 3*a^2*b - b^3)*\cosh(x))*\sinh(x))/(\cosh(x)^6 + 6*\cosh(x)^5*\sinh(x) + 15*\cosh(x)^4*\sinh(x)^2 + 20*\cosh(x)^3*\sinh(x)^3 + 15*\cosh(x)^2*\sinh(x)^4 + 6*\cosh(x)*\sinh(x)^5 + \sinh(x)^6)) + 2*((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(x)^4 + 4*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(x)*\sinh(x)^3 + (a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\sinh(x)^4 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 2*(a^3 + a^2*b - a*b^2 - b^3)*\cosh(x)^2 + 2*(a^3 + a^2*b - a*b^2 - b^3 + 3*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(x)^2)*\sinh(x)^2 + 4*((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(x)^3 + (a^3 + a^2*b - a*b^2 - b^3)*\cosh(x))*\sinh(x))*\sqrt{a}*\log(-((2*a + b)*\cosh(x)^4 + 4*(2*a + b)*\cosh(x)*\sinh(x)^3 + (2*a + b)*\sinh(x)^4 + 2*(2*a - b)*\cosh(x)^2 + 2*(3*(2*a + b)*\cosh(x)^2 + 2*a - b)*\sinh(x)^2 - 2*\sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 + 1))*\sqrt{a}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)) + 4*((2*a + b)*\cosh(x)^3 + (2*a - b)*\cosh(x))*\sinh(x) + 2*a + b)/(\cosh(x)^4 + 4*\cosh(x)*\sinh(x)^3 + \sinh(x)^4 + 2*(3*\cosh(x)^2 - 1)*\sinh(x)^2 - 2*\cosh(x)^2 + 4*(\cosh(x)^3 - \cosh(x))*\sinh(x) + 1)) + ((a^3 + a^2*b)*\cosh(x)^4 + 4*(a^3 + a^2*b)*\cosh(x)*\sinh(x)^3 + (a^3 + a^2*b)*\sinh(x)^4 + a^3 + a^2*b + 2*(a^3 - a^2*b)*\cosh(x)^2 + 2*(a^3 - a^2*b + 3*(a^3 + a^2*b)*\cosh(x)^2)*\sinh(x)^2 + 4*((a^3 + a^2*b)*\cosh(x)^3 + (a^3 - a^2*b)*\cosh(x))*\sinh(x))*\sqrt{a + b}*\log(-((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 - 2*b*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 - b)*\sinh(x)^2 + \sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 - 1))*\sqrt{a + b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)) + 4*((a + b)*\cosh(x)^3 - b*\cosh(x))*\sinh(x) + a + b)/(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2)) + 4*\sqrt{2}*(a^2*b + a*b^2 + (a^2*b + a*b^2)*\cosh(x)^2 + 2*(a^2*b + a*b^2)*\cosh(x)*\sinh(x) + (a^2*b + a*b^2)*\sinh(x)^2)*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)))/(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\cosh(x)^4 + 4*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\cosh(x)*\sinh(x)^3 + (a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\sinh(x)^4 + 2*(a^5 + a^4*b - a^3*b^2 - a^2*b^3)*\cosh(x)^2 + 2*(a^5 + a^4*b - a^3*b^2 - a^2*b^3 + 3*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\cosh(x)^2)*\sinh(x)^2 + 4*((a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\cosh(x)^3 + (a^5 + a^4*b - a^3*b^2 - a^2*b^3)*\cosh(x))*\sinh(x)), 1/4*(4*((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(x)^4 + 4*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(x)*\sinh(x)^3 + (a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\sinh(x)^4 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 2*(a^3 + a^2*b - a*b^2 - b^3)*\cosh(x)^2 + 2*(a^3 + a^2*b - a*b^2 - b^3 + 3*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(x)^2)*\sinh(x)^2 + 4*((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(x)^3 + (a^3 + a^2*b - a*b^2 - b^3)*\cosh(x))
\end{aligned}$$

$$\begin{aligned}
& * \sinh(x) * \sqrt{-a} * \arctan(\sqrt{2} * (\cosh(x)^2 + 2 * \cosh(x) * \sinh(x) + \sinh(x)^2 + 1) * \sqrt{-a} * \sqrt{((a + b) * \cosh(x)^2 + (a + b) * \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 * \cosh(x) * \sinh(x) + \sinh(x)^2)}) / ((a + b) * \cosh(x)^4 + 4 * (a + b) * \cosh(x) * \sinh(x)^3 + (a + b) * \sinh(x)^4 + 2 * (a - b) * \cosh(x)^2 + 2 * (3 * (a + b) * \cosh(x)^2 + a - b) * \sinh(x)^2 + 4 * ((a + b) * \cosh(x)^3 + (a - b) * \cosh(x)) * \sinh(x) + a + b)) + ((a^3 + a^2 * b) * \cosh(x)^4 + 4 * (a^3 + a^2 * b) * \cosh(x) * \sinh(x)^3 + (a^3 + a^2 * b) * \sinh(x)^4 + a^3 + a^2 * b + 2 * (a^3 - a^2 * b) * \cosh(x)^2 + 2 * (a^3 - a^2 * b + 3 * (a^3 + a^2 * b) * \cosh(x)^2) * \sinh(x)^2 + 4 * ((a^3 + a^2 * b) * \cosh(x)^3 + (a^3 - a^2 * b) * \cosh(x)) * \sinh(x)) * \sqrt{a + b} * \log(((a^3 + a^2 * b) * \cosh(x)^8 + 8 * (a^3 + a^2 * b) * \cosh(x) * \sinh(x)^7 + (a^3 + a^2 * b) * \sinh(x)^8 + 2 * (2 * a^3 + a^2 * b) * \cosh(x)^6 + 2 * (2 * a^3 + a^2 * b + 14 * (a^3 + a^2 * b) * \cosh(x)^2) * \sinh(x)^6 + 4 * (14 * (a^3 + a^2 * b) * \cosh(x)^3 + 3 * (2 * a^3 + a^2 * b) * \cosh(x)) * \sinh(x)^5 + (6 * a^3 + 4 * a^2 * b - a * b^2 + b^3) * \cosh(x)^4 + (70 * (a^3 + a^2 * b) * \cosh(x)^4 + 6 * a^3 + 4 * a^2 * b - a * b^2 + b^3 + 30 * (2 * a^3 + a^2 * b) * \cosh(x)^2) * \sinh(x)^4 + 4 * (14 * (a^3 + a^2 * b) * \cosh(x)^5 + 10 * (2 * a^3 + a^2 * b) * \cosh(x)^3 + (6 * a^3 + 4 * a^2 * b - a * b^2 + b^3) * \cosh(x)) * \sinh(x)^3 + a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3 + 2 * (2 * a^3 + 3 * a^2 * b - b^3) * \cosh(x)^2 + 2 * (14 * (a^3 + a^2 * b) * \cosh(x)^6 + 15 * (2 * a^3 + a^2 * b) * \cosh(x)^4 + 2 * a^3 + 3 * a^2 * b - b^3 + 3 * (6 * a^3 + 4 * a^2 * b - a * b^2 + b^3) * \cosh(x)^2) * \sinh(x)^2 + \sqrt{2} * (a^2 * \cosh(x)^6 + 6 * a^2 * \cosh(x) * \sinh(x)^5 + a^2 * \sinh(x)^6 + 3 * a^2 * \cosh(x)^4 + 3 * (5 * a^2 * \cosh(x)^2 + a^2) * \sinh(x)^4 + 4 * (5 * a^2 * \cosh(x)^3 + 3 * a^2 * \cosh(x)) * \sinh(x)^3 + (3 * a^2 + 2 * a * b - b^2) * \cosh(x)^2 + (15 * a^2 * \cosh(x)^4 + 18 * a^2 * \cosh(x)^2 + 3 * a^2 + 2 * a * b - b^2) * \sinh(x)^2 + a^2 + 2 * a * b + b^2 + 2 * (3 * a^2 * \cosh(x)^5 + 6 * a^2 * \cosh(x)^3 + (3 * a^2 + 2 * a * b - b^2) * \cosh(x)) * \sinh(x)) * \sqrt{a + b} * \sqrt{((a + b) * \cosh(x)^2 + (a + b) * \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 * \cosh(x) * \sinh(x) + \sinh(x)^2))} + 4 * (2 * (a^3 + a^2 * b) * \cosh(x)^7 + 3 * (2 * a^3 + a^2 * b) * \cosh(x)^5 + (6 * a^3 + 4 * a^2 * b - a * b^2 + b^3) * \cosh(x)^3 + (2 * a^3 + 3 * a^2 * b - b^3) * \cosh(x)) * \sinh(x)) / (\cosh(x)^6 + 6 * \cosh(x)^5 * \sinh(x) + 15 * \cosh(x)^4 * \sinh(x)^2 + 20 * \cosh(x)^3 * \sinh(x)^3 + 15 * \cosh(x)^2 * \sinh(x)^4 + 6 * \cosh(x) * \sinh(x)^5 + \sinh(x)^6)) + ((a^3 + a^2 * b) * \cosh(x)^4 + 4 * (a^3 + a^2 * b) * \cosh(x) * \sinh(x)^3 + (a^3 + a^2 * b) * \sinh(x)^4 + a^3 + a^2 * b + 2 * (a^3 - a^2 * b) * \cosh(x)^2 + 2 * (a^3 - a^2 * b + 3 * (a^3 + a^2 * b) * \cosh(x)^2) * \sinh(x)^2 + 4 * ((a^3 + a^2 * b) * \cosh(x)^3 + (a^3 - a^2 * b) * \cosh(x)) * \sinh(x)) * \sqrt{a + b} * \log(-((a + b) * \cosh(x)^4 + 4 * (a + b) * \cosh(x) * \sinh(x)^3 + (a + b) * \sinh(x)^4 - 2 * b * \cosh(x)^2 + 2 * (3 * (a + b) * \cosh(x)^2 - b) * \sinh(x)^2 + \sqrt{2} * (\cosh(x)^2 + 2 * \cosh(x) * \sinh(x) + \sinh(x)^2 - 1) * \sqrt{a + b} * \sqrt{((a + b) * \cosh(x)^2 + (a + b) * \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 * \cosh(x) * \sinh(x) + \sinh(x)^2)}) + 4 * ((a + b) * \cosh(x)^3 - b * \cosh(x)) * \sinh(x) + a + b) / (\cosh(x)^2 + 2 * \cosh(x) * \sinh(x) + \sinh(x)^2)) + 4 * \sqrt{2} * (a^2 * b + a * b^2 + (a^2 * b + a * b^2) * \cosh(x)^2 + 2 * (a^2 * b + a * b^2) * \cosh(x) * \sinh(x) + (a^2 * b + a * b^2) * \sinh(x)^2) * \sqrt{((a + b) * \cosh(x)^2 + (a + b) * \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 * \cosh(x) * \sinh(x) + \sinh(x)^2))} / (a^5 + 3 * a^4 * b + 3 * a^3 * b^2 + a^2 * b^3 + (a^5 + 3 * a^4 * b + 3 * a^3 * b^2 + a^2 * b^3) * \cosh(x)^4 + 4 * (a^5 + 3 * a^4 * b + 3 * a^3 * b^2 + a^2 * b^3) * \cosh(x) * \sinh(x)^3 + (a^5 + 3 * a^4 * b + 3 * a^3 * b^2 + a^2 * b^3) * \sinh(x)^4 + 2 * (a^5 + a^4 * b - a^3 * b^2 - a^2 * b^3) * \cosh(x)^2 + 2 * (a^5 + a^4 * b - a^3 * b^2 - a^2 * b^3 + 3 * (a^5 + 3 * a^4 * b + 3 * a^3 * b^2 + a^2 * b^3) * \cosh(x)^2) * \sinh(x)
\end{aligned}$$





```

2*b + 3*a*b^2 + b^3)*cosh(x)^3 + (a^3 + a^2*b - a*b^2 - b^3)*cosh(x))*sinh(
x))*sqrt(-a)*arctan(sqrt(2)*(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 + 1)
*sqrt(-a)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 -
2*cosh(x)*sinh(x) + sinh(x)^2)))/((a + b)*cosh(x)^4 + 4*(a + b)*cosh(x)*sin
h(x)^3 + (a + b)*sinh(x)^4 + 2*(a - b)*cosh(x)^2 + 2*(3*(a + b)*cosh(x)^2 +
a - b)*sinh(x)^2 + 4*((a + b)*cosh(x)^3 + (a - b)*cosh(x))*sinh(x) + a + b
)) - ((a^3 + a^2*b)*cosh(x)^4 + 4*(a^3 + a^2*b)*cosh(x)*sinh(x)^3 + (a^3 +
a^2*b)*sinh(x)^4 + a^3 + a^2*b + 2*(a^3 - a^2*b)*cosh(x)^2 + 2*(a^3 - a^2*b
+ 3*(a^3 + a^2*b)*cosh(x)^2)*sinh(x)^2 + 4*((a^3 + a^2*b)*cosh(x)^3 + (a^3
- a^2*b)*cosh(x))*sinh(x))*sqrt(-a - b)*arctan(sqrt(2)*(a*cosh(x)^2 + 2*a*
cosh(x)*sinh(x) + a*sinh(x)^2 + a + b)*sqrt(-a - b)*sqrt(((a + b)*cosh(x)^2
+ (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/
((a^2 + a*b)*cosh(x)^4 + 4*(a^2 + a*b)*cosh(x)*sinh(x)^3 + (a^2 + a*b)*sinh
(x)^4 + (2*a^2 + a*b - b^2)*cosh(x)^2 + (6*(a^2 + a*b)*cosh(x)^2 + 2*a^2 +
a*b - b^2)*sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(2*(a^2 + a*b)*cosh(x)^3 + (2*
a^2 + a*b - b^2)*cosh(x))*sinh(x)) - ((a^3 + a^2*b)*cosh(x)^4 + 4*(a^3 + a
^2*b)*cosh(x)*sinh(x)^3 + (a^3 + a^2*b)*sinh(x)^4 + a^3 + a^2*b + 2*(a^3 -
a^2*b)*cosh(x)^2 + 2*(a^3 - a^2*b + 3*(a^3 + a^2*b)*cosh(x)^2)*sinh(x)^2 +
4*((a^3 + a^2*b)*cosh(x)^3 + (a^3 - a^2*b)*cosh(x))*sinh(x))*sqrt(-a - b)*a
rctan(sqrt(2)*(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 - 1)*sqrt(-a - b)*
sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)
*sinh(x) + sinh(x)^2)))/((a + b)*cosh(x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (
a + b)*sinh(x)^4 + 2*(a - b)*cosh(x)^2 + 2*(3*(a + b)*cosh(x)^2 + a - b)*si
nh(x)^2 + 4*((a + b)*cosh(x)^3 + (a - b)*cosh(x))*sinh(x) + a + b)) + 2*sqr
t(2)*(a^2*b + a*b^2 + (a^2*b + a*b^2)*cosh(x)^2 + 2*(a^2*b + a*b^2)*cosh(x)
*sinh(x) + (a^2*b + a*b^2)*sinh(x)^2)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sin
h(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/(a^5 + 3*a^4*
b + 3*a^3*b^2 + a^2*b^3 + (a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*cosh(x)^4 +
4*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*cosh(x)*sinh(x)^3 + (a^5 + 3*a^4*b
+ 3*a^3*b^2 + a^2*b^3)*sinh(x)^4 + 2*(a^5 + a^4*b - a^3*b^2 - a^2*b^3)*cos
h(x)^2 + 2*(a^5 + a^4*b - a^3*b^2 - a^2*b^3 + 3*(a^5 + 3*a^4*b + 3*a^3*b^2
+ a^2*b^3)*cosh(x)^2)*sinh(x)^2 + 4*((a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*
cosh(x)^3 + (a^5 + a^4*b - a^3*b^2 - a^2*b^3)*cosh(x))*sinh(x)]

```

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\coth(x)}{(a + b \tanh^2(x))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)/(a+b\*tanh(x)\*\*2)\*\*(3/2), x)

```
[Out] Integral(coth(x)/(a + b*tanh(x)**2)**(3/2), x)
```

---

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(coth(x)/(a+b*tanh(x)^2)^(3/2),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError
```

$$3.245 \quad \int \frac{\coth^2(x)}{(a+b \tanh^2(x))^{3/2}} dx$$

**Optimal.** Leaf size=85

$$-\frac{(a+2b)\coth(x)\sqrt{a+b\tanh^2(x)}}{a^2(a+b)} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b}\tanh(x)}{\sqrt{a+b\tanh^2(x)}}\right)}{(a+b)^{3/2}} + \frac{b\coth(x)}{a(a+b)\sqrt{a+b\tanh^2(x)}}$$

[Out] ArcTanh[(Sqrt[a + b]\*Tanh[x])/Sqrt[a + b\*Tanh[x]^2]]/(a + b)^(3/2) + (b\*Cot h[x])/(a\*(a + b)\*Sqrt[a + b\*Tanh[x]^2]) - ((a + 2\*b)\*Coth[x]\*Sqrt[a + b\*Tan h[x]^2])/(a^2\*(a + b))

**Rubi [A]** time = 0.161239, antiderivative size = 85, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.353$ , Rules used = {3670, 472, 583, 12, 377, 206}

$$-\frac{(a+2b)\coth(x)\sqrt{a+b\tanh^2(x)}}{a^2(a+b)} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b}\tanh(x)}{\sqrt{a+b\tanh^2(x)}}\right)}{(a+b)^{3/2}} + \frac{b\coth(x)}{a(a+b)\sqrt{a+b\tanh^2(x)}}$$

Antiderivative was successfully verified.

[In] Int[Coth[x]^2/(a + b\*Tanh[x]^2)^(3/2), x]

[Out] ArcTanh[(Sqrt[a + b]\*Tanh[x])/Sqrt[a + b\*Tanh[x]^2]]/(a + b)^(3/2) + (b\*Cot h[x])/(a\*(a + b)\*Sqrt[a + b\*Tanh[x]^2]) - ((a + 2\*b)\*Coth[x]\*Sqrt[a + b\*Tan h[x]^2])/(a^2\*(a + b))

### Rule 3670

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((a_.) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[(((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f*ff^2*x^2), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))
```

Rule 472

```
Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := -Simp[(b*(e*x)^(m + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*e*n*(b*c - a*d)*(p + 1)), x] + Dist[1/(a*n*(b*c - a*d)*(p + 1)), Int[(e*x)^m*(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*b*(m + 1) + n*(b*c - a*d)*(p + 1) + d*b*(m + n*(p + q + 2) + 1)*x^n, x], x] /; FreeQ[{a, b, c, d, e, m, q}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LtQ[p, -1] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]
```

Rule 583

```
Int[((g_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.)*((e_) + (f_.)*(x_)^(n_)), x_Symbol] := Simp[(e*(g*x)^(m + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*c*g*(m + 1)), x] + Dist[1/(a*c*g*(m + 1)), Int[(g*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^q*Simp[a*f*c*(m + 1) - e*(b*c + a*d)*(m + n + 1) - e*n*(b*c*p + a*d*q) - b*e*d*(m + n*(p + q + 2) + 1)*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p, q}, x] && IGtQ[n, 0] && LtQ[m, -1]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 377

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{\coth^2(x)}{(a + b \tanh^2(x))^{3/2}} dx &= \text{Subst} \left( \int \frac{1}{x^2 (1-x^2) (a + bx^2)^{3/2}} dx, x, \tanh(x) \right) \\
&= \frac{b \coth(x)}{a(a+b)\sqrt{a+b \tanh^2(x)}} - \frac{\text{Subst} \left( \int \frac{-a-2b+2bx^2}{x^2(1-x^2)\sqrt{a+bx^2}} dx, x, \tanh(x) \right)}{a(a+b)} \\
&= \frac{b \coth(x)}{a(a+b)\sqrt{a+b \tanh^2(x)}} - \frac{(a+2b) \coth(x) \sqrt{a+b \tanh^2(x)}}{a^2(a+b)} + \frac{\text{Subst} \left( \int \frac{a^2}{(1-x^2)\sqrt{a+bx^2}} dx, x, \tanh(x) \right)}{a^2(a+b)} \\
&= \frac{b \coth(x)}{a(a+b)\sqrt{a+b \tanh^2(x)}} - \frac{(a+2b) \coth(x) \sqrt{a+b \tanh^2(x)}}{a^2(a+b)} + \frac{\text{Subst} \left( \int \frac{1}{(1-x^2)\sqrt{a+bx^2}} dx, x, \tanh(x) \right)}{a+b} \\
&= \frac{b \coth(x)}{a(a+b)\sqrt{a+b \tanh^2(x)}} - \frac{(a+2b) \coth(x) \sqrt{a+b \tanh^2(x)}}{a^2(a+b)} + \frac{\text{Subst} \left( \int \frac{1}{1-(a+b)x^2} dx, x, \tanh(x) \right)}{a+b} \\
&= \frac{\tanh^{-1} \left( \frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}} \right)}{(a+b)^{3/2}} + \frac{b \coth(x)}{a(a+b)\sqrt{a+b \tanh^2(x)}} - \frac{(a+2b) \coth(x) \sqrt{a+b \tanh^2(x)}}{a^2(a+b)}
\end{aligned}$$

**Mathematica [C]** time = 7.81111, size = 230, normalized size = 2.71

$$\frac{\sinh(2x)\text{sech}^2(x) \left( -\sqrt{2}a^2(a+b) \sqrt{\frac{\text{csch}^2(x)((a+b)\cosh(2x)+a-b)}{b}} \text{EllipticF} \left( \sin^{-1} \left( \frac{\sqrt{\frac{\text{csch}^2(x)((a+b)\cosh(2x)+a-b)}{b}}}{\sqrt{2}} \right), 1 \right) + (a+b)\text{csch}(2x) \right)}{2\sqrt{2}a^2(a+b)^2\sqrt{\text{sech}^2(x)}}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[x]^2/(a + b\*Tanh[x]^2)^(3/2), x]

[Out] -(((a + b)\*(a^2 - 2\*b^2 + (a^2 + 2\*a\*b + 2\*b^2)\*Cosh[2\*x])\*Csch[x]^2 - Sqrt[2]\*a^2\*(a + b)\*Sqrt[((a - b + (a + b)\*Cosh[2\*x])\*Csch[x]^2)/b]\*EllipticF[ArcSin[Sqrt[((a - b + (a + b)\*Cosh[2\*x])\*Csch[x]^2)/b]/Sqrt[2]], 1] + Sqrt[2]\*a^3\*Sqrt[((a - b + (a + b)\*Cosh[2\*x])\*Csch[x]^2)/b]\*EllipticPi[b/(a + b), ArcSin[Sqrt[((a - b + (a + b)\*Cosh[2\*x])\*Csch[x]^2)/b]/Sqrt[2]], 1])\*Sech[

$x^2 \sinh[2x] / (2 \sqrt{2} a^2 (a+b) \sqrt{(a-b + (a+b) \cosh[2x])} \operatorname{sech}[x]^2)$

---

**Maple [F]** time = 0.121, size = 0, normalized size = 0.

$$\int (\operatorname{coth}(x))^2 (a + b (\tanh(x))^2)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(coth(x)^2/(a+b*tanh(x)^2)^(3/2),x)`

[Out] `int(coth(x)^2/(a+b*tanh(x)^2)^(3/2),x)`

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{coth}(x)^2}{(b \tanh(x)^2 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(x)^2/(a+b*tanh(x)^2)^(3/2),x, algorithm="maxima")`

[Out] `integrate(coth(x)^2/(b*tanh(x)^2 + a)^(3/2), x)`

---

**Fricas [B]** time = 4.99433, size = 9975, normalized size = 117.35

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(x)^2/(a+b*tanh(x)^2)^(3/2),x, algorithm="fricas")`

[Out] `[1/4*(((a^3 + a^2*b)*cosh(x)^6 + 6*(a^3 + a^2*b)*cosh(x)*sinh(x)^5 + (a^3 + a^2*b)*sinh(x)^6 + (a^3 - 3*a^2*b)*cosh(x)^4 + (a^3 - 3*a^2*b + 15*(a^3 + a^2*b)*cosh(x)^2)*sinh(x)^4 + 4*(5*(a^3 + a^2*b)*cosh(x)^3 + (a^3 - 3*a^2*b`

$$\begin{aligned}
& ) * \cosh(x) * \sinh(x)^3 - a^3 - a^2 * b - (a^3 - 3 * a^2 * b) * \cosh(x)^2 + (15 * (a^3 + \\
& a^2 * b) * \cosh(x)^4 - a^3 + 3 * a^2 * b + 6 * (a^3 - 3 * a^2 * b) * \cosh(x)^2) * \sinh(x)^2 \\
& + 2 * (3 * (a^3 + a^2 * b) * \cosh(x)^5 + 2 * (a^3 - 3 * a^2 * b) * \cosh(x)^3 - (a^3 - 3 * a^2 \\
& * b) * \cosh(x) * \sinh(x)) * \sqrt{a + b} * \log(-((a * b^2 + b^3) * \cosh(x)^8 + 8 * (a * b^2 \\
& + b^3) * \cosh(x) * \sinh(x)^7 + (a * b^2 + b^3) * \sinh(x)^8 - 2 * (a * b^2 + 2 * b^3) * \cosh \\
& (x)^6 - 2 * (a * b^2 + 2 * b^3 - 14 * (a * b^2 + b^3) * \cosh(x)^2) * \sinh(x)^6 + 4 * (14 * (a \\
& * b^2 + b^3) * \cosh(x)^3 - 3 * (a * b^2 + 2 * b^3) * \cosh(x)) * \sinh(x)^5 + (a^3 - a^2 * b \\
& + 4 * a * b^2 + 6 * b^3) * \cosh(x)^4 + (70 * (a * b^2 + b^3) * \cosh(x)^4 + a^3 - a^2 * b + \\
& 4 * a * b^2 + 6 * b^3 - 30 * (a * b^2 + 2 * b^3) * \cosh(x)^2) * \sinh(x)^4 + 4 * (14 * (a * b^2 + \\
& b^3) * \cosh(x)^5 - 10 * (a * b^2 + 2 * b^3) * \cosh(x)^3 + (a^3 - a^2 * b + 4 * a * b^2 + 6 \\
& * b^3) * \cosh(x)) * \sinh(x)^3 + a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3 + 2 * (a^3 - 3 * a * b^2 \\
& - 2 * b^3) * \cosh(x)^2 + 2 * (14 * (a * b^2 + b^3) * \cosh(x)^6 - 15 * (a * b^2 + 2 * b^3) * \cosh \\
& (x)^4 + a^3 - 3 * a * b^2 - 2 * b^3 + 3 * (a^3 - a^2 * b + 4 * a * b^2 + 6 * b^3) * \cosh(x) \\
& ^2) * \sinh(x)^2 + \sqrt{2} * (b^2 * \cosh(x)^6 + 6 * b^2 * \cosh(x) * \sinh(x)^5 + b^2 * \sinh \\
& (x)^6 - 3 * b^2 * \cosh(x)^4 + 3 * (5 * b^2 * \cosh(x)^2 - b^2) * \sinh(x)^4 + 4 * (5 * b^2 * \cosh \\
& (x)^3 - 3 * b^2 * \cosh(x)) * \sinh(x)^3 - (a^2 - 2 * a * b - 3 * b^2) * \cosh(x)^2 + (15 * \\
& b^2 * \cosh(x)^4 - 18 * b^2 * \cosh(x)^2 - a^2 + 2 * a * b + 3 * b^2) * \sinh(x)^2 - a^2 - 2 \\
& * a * b - b^2 + 2 * (3 * b^2 * \cosh(x)^5 - 6 * b^2 * \cosh(x)^3 - (a^2 - 2 * a * b - 3 * b^2) * \cosh \\
& (x)) * \sinh(x)) * \sqrt{a + b} * \sqrt{((a + b) * \cosh(x)^2 + (a + b) * \sinh(x)^2 + \\
& a - b) / (\cosh(x)^2 - 2 * \cosh(x) * \sinh(x) + \sinh(x)^2))} + 4 * (2 * (a * b^2 + b^3) * \cosh \\
& (x)^7 - 3 * (a * b^2 + 2 * b^3) * \cosh(x)^5 + (a^3 - a^2 * b + 4 * a * b^2 + 6 * b^3) * \cosh \\
& (x)^3 + (a^3 - 3 * a * b^2 - 2 * b^3) * \cosh(x)) * \sinh(x)) / (\cosh(x)^6 + 6 * \cosh(x)^5 \\
& * \sinh(x) + 15 * \cosh(x)^4 * \sinh(x)^2 + 20 * \cosh(x)^3 * \sinh(x)^3 + 15 * \cosh(x)^2 * \sinh \\
& (x)^4 + 6 * \cosh(x) * \sinh(x)^5 + \sinh(x)^6)) + ((a^3 + a^2 * b) * \cosh(x)^6 + 6 \\
& * (a^3 + a^2 * b) * \cosh(x) * \sinh(x)^5 + (a^3 + a^2 * b) * \sinh(x)^6 + (a^3 - 3 * a^2 * b \\
& ) * \cosh(x)^4 + (a^3 - 3 * a^2 * b + 15 * (a^3 + a^2 * b) * \cosh(x)^2) * \sinh(x)^4 + 4 * (5 \\
& * (a^3 + a^2 * b) * \cosh(x)^3 + (a^3 - 3 * a^2 * b) * \cosh(x)) * \sinh(x)^3 - a^3 - a^2 * b \\
& - (a^3 - 3 * a^2 * b) * \cosh(x)^2 + (15 * (a^3 + a^2 * b) * \cosh(x)^4 - a^3 + 3 * a^2 * b \\
& + 6 * (a^3 - 3 * a^2 * b) * \cosh(x)^2) * \sinh(x)^2 + 2 * (3 * (a^3 + a^2 * b) * \cosh(x)^5 + 2 \\
& * (a^3 - 3 * a^2 * b) * \cosh(x)^3 - (a^3 - 3 * a^2 * b) * \cosh(x)) * \sinh(x)) * \sqrt{a + b} * \\
& \log(((a + b) * \cosh(x)^4 + 4 * (a + b) * \cosh(x) * \sinh(x)^3 + (a + b) * \sinh(x)^4 + \\
& 2 * a * \cosh(x)^2 + 2 * (3 * (a + b) * \cosh(x)^2 + a) * \sinh(x)^2 + \sqrt{2} * (\cosh(x)^2 \\
& + 2 * \cosh(x) * \sinh(x) + \sinh(x)^2 + 1) * \sqrt{a + b} * \sqrt{((a + b) * \cosh(x)^2 + \\
& (a + b) * \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 * \cosh(x) * \sinh(x) + \sinh(x)^2))} + 4 \\
& * ((a + b) * \cosh(x)^3 + a * \cosh(x)) * \sinh(x) + a + b) / (\cosh(x)^2 + 2 * \cosh(x) * \sinh \\
& (x) + \sinh(x)^2)) - 4 * \sqrt{2} * ((a^3 + 3 * a^2 * b + 4 * a * b^2 + 2 * b^3) * \cosh(x)^4 \\
& + 4 * (a^3 + 3 * a^2 * b + 4 * a * b^2 + 2 * b^3) * \cosh(x) * \sinh(x)^3 + (a^3 + 3 * a^2 * b \\
& + 4 * a * b^2 + 2 * b^3) * \sinh(x)^4 + a^3 + 3 * a^2 * b + 4 * a * b^2 + 2 * b^3 + 2 * (a^3 + a \\
& ^2 * b - 2 * a * b^2 - 2 * b^3) * \cosh(x)^2 + 2 * (a^3 + a^2 * b - 2 * a * b^2 - 2 * b^3 + 3 * (a \\
& ^3 + 3 * a^2 * b + 4 * a * b^2 + 2 * b^3) * \cosh(x)^2) * \sinh(x)^2 + 4 * ((a^3 + 3 * a^2 * b + \\
& 4 * a * b^2 + 2 * b^3) * \cosh(x)^3 + (a^3 + a^2 * b - 2 * a * b^2 - 2 * b^3) * \cosh(x)) * \sinh \\
& (x)) * \sqrt{((a + b) * \cosh(x)^2 + (a + b) * \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 * \cosh \\
& (x) * \sinh(x) + \sinh(x)^2))} / ((a^5 + 3 * a^4 * b + 3 * a^3 * b^2 + a^2 * b^3) * \cosh(x)^6 \\
& + 6 * (a^5 + 3 * a^4 * b + 3 * a^3 * b^2 + a^2 * b^3) * \cosh(x) * \sinh(x)^5 + (a^5 + 3 * a^4 \\
& * b + 3 * a^3 * b^2 + a^2 * b^3) * \sinh(x)^6 - a^5 - 3 * a^4 * b - 3 * a^3 * b^2 - a^2 * b^3
\end{aligned}$$

$$\begin{aligned}
& + (a^5 - a^4*b - 5*a^3*b^2 - 3*a^2*b^3)*\cosh(x)^4 + (a^5 - a^4*b - 5*a^3*b^2 - 3*a^2*b^3 + 15*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3))*\cosh(x)^2*\sinh(x)^4 + 4*(5*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3))*\cosh(x)^3 + (a^5 - a^4*b - 5*a^3*b^2 - 3*a^2*b^3)*\cosh(x))*\sinh(x)^3 - (a^5 - a^4*b - 5*a^3*b^2 - 3*a^2*b^3)*\cosh(x)^2 - (a^5 - a^4*b - 5*a^3*b^2 - 3*a^2*b^3 - 15*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3))*\cosh(x)^4 - 6*(a^5 - a^4*b - 5*a^3*b^2 - 3*a^2*b^3)*\cosh(x)^2*\sinh(x)^2 + 2*(3*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3))*\cosh(x)^5 + 2*(a^5 - a^4*b - 5*a^3*b^2 - 3*a^2*b^3))*\cosh(x)^3 - (a^5 - a^4*b - 5*a^3*b^2 - 3*a^2*b^3)*\cosh(x))*\sinh(x)), -1/2*((a^3 + a^2*b)*\cosh(x)^6 + 6*(a^3 + a^2*b)*\cosh(x)*\sinh(x)^5 + (a^3 + a^2*b)*\sinh(x)^6 + (a^3 - 3*a^2*b)*\cosh(x)^4 + (a^3 - 3*a^2*b + 15*(a^3 + a^2*b))*\cosh(x)^2*\sinh(x)^4 + 4*(5*(a^3 + a^2*b))*\cosh(x)^3 + (a^3 - 3*a^2*b)*\cosh(x))*\sinh(x)^3 - a^3 - a^2*b - (a^3 - 3*a^2*b)*\cosh(x)^2 + (15*(a^3 + a^2*b))*\cosh(x)^4 - a^3 + 3*a^2*b + 6*(a^3 - 3*a^2*b)*\cosh(x)^2*\sinh(x)^2 + 2*(3*(a^3 + a^2*b))*\cosh(x)^5 + 2*(a^3 - 3*a^2*b)*\cosh(x)^3 - (a^3 - 3*a^2*b)*\cosh(x))*\sinh(x))*\sqrt{-a - b}*\arctan(\sqrt{2}*(b*\cosh(x)^2 + 2*b*\cosh(x)*\sinh(x) + b*\sinh(x)^2 - a - b))*\sqrt{-a - b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))/((a*b + b^2)*\cosh(x)^4 + 4*(a*b + b^2)*\cosh(x)*\sinh(x)^3 + (a*b + b^2)*\sinh(x)^4 + (a^2 - a*b - 2*b^2)*\cosh(x)^2 + (6*(a*b + b^2)*\cosh(x)^2 + a^2 - a*b - 2*b^2)*\sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(2*(a*b + b^2))*\cosh(x)^3 + (a^2 - a*b - 2*b^2)*\cosh(x))*\sinh(x))) + ((a^3 + a^2*b)*\cosh(x)^6 + 6*(a^3 + a^2*b)*\cosh(x)*\sinh(x)^5 + (a^3 + a^2*b)*\sinh(x)^6 + (a^3 - 3*a^2*b)*\cosh(x)^4 + (a^3 - 3*a^2*b + 15*(a^3 + a^2*b))*\cosh(x)^2*\sinh(x)^4 + 4*(5*(a^3 + a^2*b))*\cosh(x)^3 + (a^3 - 3*a^2*b)*\cosh(x))*\sinh(x)^3 - a^3 - a^2*b - (a^3 - 3*a^2*b)*\cosh(x)^2 + (15*(a^3 + a^2*b))*\cosh(x)^4 - a^3 + 3*a^2*b + 6*(a^3 - 3*a^2*b)*\cosh(x)^2*\sinh(x)^2 + 2*(3*(a^3 + a^2*b))*\cosh(x)^5 + 2*(a^3 - 3*a^2*b)*\cosh(x)^3 - (a^3 - 3*a^2*b)*\cosh(x))*\sinh(x))*\sqrt{-a - b}*\arctan(\sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 + 1))*\sqrt{-a - b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))/((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a - b)*\sinh(x)^2 + 4*((a + b)*\cosh(x)^3 + (a - b)*\cosh(x))*\sinh(x) + a + b)) + 2*\sqrt{2}*((a^3 + 3*a^2*b + 4*a*b^2 + 2*b^3))*\cosh(x)^4 + 4*(a^3 + 3*a^2*b + 4*a*b^2 + 2*b^3))*\cosh(x)*\sinh(x)^3 + (a^3 + 3*a^2*b + 4*a*b^2 + 2*b^3))*\sinh(x)^4 + a^3 + 3*a^2*b + 4*a*b^2 + 2*b^3 + 2*(a^3 + a^2*b - 2*a*b^2 - 2*b^3))*\cosh(x)^2 + 2*(a^3 + a^2*b - 2*a*b^2 - 2*b^3 + 3*(a^3 + 3*a^2*b + 4*a*b^2 + 2*b^3))*\cosh(x)^2*\sinh(x)^2 + 4*((a^3 + 3*a^2*b + 4*a*b^2 + 2*b^3))*\cosh(x)^3 + (a^3 + a^2*b - 2*a*b^2 - 2*b^3))*\cosh(x))*\sinh(x))*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))/((a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3))*\cosh(x)^6 + 6*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3))*\cosh(x)*\sinh(x)^5 + (a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3))*\sinh(x)^6 - a^5 - 3*a^4*b - 3*a^3*b^2 - a^2*b^3 + (a^5 - a^4*b - 5*a^3*b^2 - 3*a^2*b^3))*\cosh(x)^4 + (a^5 - a^4*b - 5*a^3*b^2 - 3*a^2*b^3 + 15*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3))*\cosh(x)^2*\sinh(x)^4 + 4*(5*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3))*\cosh(x)^3 + (a^5 - a^4*b - 5*
\end{aligned}$$



```
a^3*b^2 - 3*a^2*b^3)*cosh(x))*sinh(x)^3 - (a^5 - a^4*b - 5*a^3*b^2 - 3*a^2*
b^3)*cosh(x)^2 - (a^5 - a^4*b - 5*a^3*b^2 - 3*a^2*b^3 - 15*(a^5 + 3*a^4*b +
3*a^3*b^2 + a^2*b^3)*cosh(x)^4 - 6*(a^5 - a^4*b - 5*a^3*b^2 - 3*a^2*b^3)*c
osh(x)^2)*sinh(x)^2 + 2*(3*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*cosh(x)^5
+ 2*(a^5 - a^4*b - 5*a^3*b^2 - 3*a^2*b^3)*cosh(x)^3 - (a^5 - a^4*b - 5*a^3*
b^2 - 3*a^2*b^3)*cosh(x))*sinh(x))]
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\coth^2(x)}{(a + b \tanh^2(x))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(coth(x)**2/(a+b*tanh(x)**2)**(3/2),x)
```

```
[Out] Integral(coth(x)**2/(a + b*tanh(x)**2)**(3/2), x)
```

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(coth(x)^2/(a+b*tanh(x)^2)^(3/2),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError
```

$$3.246 \quad \int \frac{\tanh^6(x)}{(a+b \tanh^2(x))^{5/2}} dx$$

**Optimal.** Leaf size=118

$$\frac{a(a+2b)\tanh(x)}{b^2(a+b)^2\sqrt{a+b\tanh^2(x)}} - \frac{\tanh^{-1}\left(\frac{\sqrt{b}\tanh(x)}{\sqrt{a+b\tanh^2(x)}}\right)}{b^{5/2}} + \frac{a\tanh^3(x)}{3b(a+b)(a+b\tanh^2(x))^{3/2}} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b}\tanh(x)}{\sqrt{a+b\tanh^2(x)}}\right)}{(a+b)^{5/2}}$$

[Out]  $-(\text{ArcTanh}[(\text{Sqrt}[b]*\text{Tanh}[x])/\text{Sqrt}[a + b*\text{Tanh}[x]^2])/b^{(5/2)}) + \text{ArcTanh}[(\text{Sqrt}[a + b]*\text{Tanh}[x])/\text{Sqrt}[a + b*\text{Tanh}[x]^2]]/(a + b)^{(5/2)} + (a*\text{Tanh}[x]^3)/(3*b*(a + b)*(a + b*\text{Tanh}[x]^2)^{(3/2)}) + (a*(a + 2*b)*\text{Tanh}[x])/(b^2*(a + b)^2*\text{Sqrt}[a + b*\text{Tanh}[x]^2])$

**Rubi [A]** time = 0.220451, antiderivative size = 118, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.412$ , Rules used = {3670, 470, 578, 523, 217, 206, 377}

$$\frac{a(a+2b)\tanh(x)}{b^2(a+b)^2\sqrt{a+b\tanh^2(x)}} - \frac{\tanh^{-1}\left(\frac{\sqrt{b}\tanh(x)}{\sqrt{a+b\tanh^2(x)}}\right)}{b^{5/2}} + \frac{a\tanh^3(x)}{3b(a+b)(a+b\tanh^2(x))^{3/2}} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b}\tanh(x)}{\sqrt{a+b\tanh^2(x)}}\right)}{(a+b)^{5/2}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Tanh}[x]^6/(a + b*\text{Tanh}[x]^2)^{(5/2)}, x]$

[Out]  $-(\text{ArcTanh}[(\text{Sqrt}[b]*\text{Tanh}[x])/\text{Sqrt}[a + b*\text{Tanh}[x]^2])/b^{(5/2)}) + \text{ArcTanh}[(\text{Sqrt}[a + b]*\text{Tanh}[x])/\text{Sqrt}[a + b*\text{Tanh}[x]^2]]/(a + b)^{(5/2)} + (a*\text{Tanh}[x]^3)/(3*b*(a + b)*(a + b*\text{Tanh}[x]^2)^{(3/2)}) + (a*(a + 2*b)*\text{Tanh}[x])/(b^2*(a + b)^2*\text{Sqrt}[a + b*\text{Tanh}[x]^2])$

**Rule 3670**

$\text{Int}[\frac{(d_*\tan[e_*] + (f_*)*(x_*))^{(m_*)}*((a_*) + (b_*)*((c_*)*\tan[e_*] + (f_*)*(x_*))^{(n_*)})^{(p_*)}}{(a + b*(ff*x)^n)^p}, x\_Symbol] :> \text{With}[\{ff = \text{FreeFactors}[\text{Tan}[e + f*x], x]\}, \text{Dist}[(c*ff)/f, \text{Subst}[\text{Int}[\frac{(d*ff*x)/c)^m*(a + b*(ff*x)^n)^p}{(c^2 + f*ff^2*x^2)}, x], x, (c*\text{Tan}[e + f*x])/ff], x]] /; \text{FreeQ}[\{a, b, c, d, e, f, m, n, p\}, x] \&\& (\text{IGtQ}[p, 0] \|\| \text{EqQ}[n, 2] \|\| \text{EqQ}[n, 4] \|\| (\text{IntegerQ}[p] \&\& \text{Ration$

alQ[n]))

### Rule 470

Int[((e\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_)\*(x\_)^(n\_))^(q\_), x\_Symbol] := -Simp[(a\*e^(2\*n - 1)\*(e\*x)^(m - 2\*n + 1)\*(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^(q + 1))/(b\*n\*(b\*c - a\*d)\*(p + 1)), x] + Dist[e^(2\*n)/(b\*n\*(b\*c - a\*d)\*(p + 1)), Int[(e\*x)^(m - 2\*n)\*(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^q\*Simp[a\*c\*(m - 2\*n + 1) + (a\*d\*(m - n + n\*q + 1) + b\*c\*n\*(p + 1))\*x^n, x], x] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[n, 0] && LtQ[p, -1] && GtQ[m - n + 1, n] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]

### Rule 578

Int[((g\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_)\*(x\_)^(n\_))^(q\_)\*((e\_) + (f\_)\*(x\_)^(n\_)), x\_Symbol] := Simp[(g^(n - 1)\*(b\*e - a\*f)\*(g\*x)^(m - n + 1)\*(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^(q + 1))/(b\*n\*(b\*c - a\*d)\*(p + 1)), x] - Dist[g^n/(b\*n\*(b\*c - a\*d)\*(p + 1)), Int[(g\*x)^(m - n)\*(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^q\*Simp[c\*(b\*e - a\*f)\*(m - n + 1) + (d\*(b\*e - a\*f)\*(m + n\*q + 1) - b\*n\*(c\*f - d\*e)\*(p + 1))\*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, q}, x] && IGtQ[n, 0] && LtQ[p, -1] && GtQ[m - n + 1, 0]

### Rule 523

Int[((e\_) + (f\_)\*(x\_)^(n\_))/(((a\_) + (b\_)\*(x\_)^(n\_))\*Sqrt[(c\_) + (d\_)\*(x\_)^(n\_)]), x\_Symbol] := Dist[f/b, Int[1/Sqrt[c + d\*x^n], x], x] + Dist[(b\*e - a\*f)/b, Int[1/((a + b\*x^n)\*Sqrt[c + d\*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x]

### Rule 217

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[Rt[-b, 2]\*x]/Rt[a, 2])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 377

Int[((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)/((c\_) + (d\_)\*(x\_)^(n\_)), x\_Symbol] := Subst[Int[1/(c - (b\*c - a\*d)\*x^n), x], x, x/(a + b\*x^n)^(1/n)] /; FreeQ[{a, b

, c, d}, x] && NeQ[b\*c - a\*d, 0] && EqQ[n\*p + 1, 0] && IntegerQ[n]

### Rubi steps

$$\begin{aligned}
 \int \frac{\tanh^6(x)}{(a + b \tanh^2(x))^{5/2}} dx &= \text{Subst} \left( \int \frac{x^6}{(1-x^2)(a+bx^2)^{5/2}} dx, x, \tanh(x) \right) \\
 &= \frac{a \tanh^3(x)}{3b(a+b)(a+b \tanh^2(x))^{3/2}} - \frac{\text{Subst} \left( \int \frac{x^2(3a-3(a+b)x^2)}{(1-x^2)(a+bx^2)^{3/2}} dx, x, \tanh(x) \right)}{3b(a+b)} \\
 &= \frac{a \tanh^3(x)}{3b(a+b)(a+b \tanh^2(x))^{3/2}} + \frac{a(a+2b) \tanh(x)}{b^2(a+b)^2 \sqrt{a+b \tanh^2(x)}} - \frac{\text{Subst} \left( \int \frac{3a(a+2b)-3(a+b)^2 x^2}{(1-x^2)\sqrt{a+bx^2}} dx, x, \tanh(x) \right)}{3b^2(a+b)^2} \\
 &= \frac{a \tanh^3(x)}{3b(a+b)(a+b \tanh^2(x))^{3/2}} + \frac{a(a+2b) \tanh(x)}{b^2(a+b)^2 \sqrt{a+b \tanh^2(x)}} - \frac{\text{Subst} \left( \int \frac{1}{\sqrt{a+bx^2}} dx, x, \tanh(x) \right)}{b^2} \\
 &= \frac{a \tanh^3(x)}{3b(a+b)(a+b \tanh^2(x))^{3/2}} + \frac{a(a+2b) \tanh(x)}{b^2(a+b)^2 \sqrt{a+b \tanh^2(x)}} - \frac{\text{Subst} \left( \int \frac{1}{1-bx^2} dx, x, \frac{\tanh(x)}{\sqrt{a+b \tanh^2(x)}} \right)}{b^2} \\
 &= -\frac{\tanh^{-1} \left( \frac{\sqrt{b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}} \right)}{b^{5/2}} + \frac{\tanh^{-1} \left( \frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}} \right)}{(a+b)^{5/2}} + \frac{a \tanh^3(x)}{3b(a+b)(a+b \tanh^2(x))^{3/2}} + \frac{a(a+2b) \tanh(x)}{b^2(a+b)^2 \sqrt{a+b \tanh^2(x)}} - \frac{\text{Subst} \left( \int \frac{1}{\sqrt{a+bx^2}} dx, x, \tanh(x) \right)}{b^2}
 \end{aligned}$$

**Mathematica [C]** time = 1.86165, size = 231, normalized size = 1.96

$$\frac{\sqrt{\text{sech}^2(x)((a+b) \cosh(2x) + a - b)} \left( \frac{a(a+b) \sinh(2x)((3a^2+10ab+7b^2) \cosh(2x)+3a^2+2ab-7b^2)}{((a+b) \cosh(2x)+a-b)^2} - \frac{3\sqrt{2}a \coth(x) \left( (a^2+3ab+2b^2) \text{EllipticF} \left[ \sin^{-1} \left( \frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}} \right) \right]}{b^2} \right)}{3\sqrt{2}b^2(a+b)^3} \right)}{3\sqrt{2}b^2(a+b)^3}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[x]^6/(a + b\*Tanh[x]^2)^(5/2), x]

```
[Out] (Sqrt[(a - b + (a + b)*Cosh[2*x])*Sech[x]^2]*((-3*Sqrt[2]*a*Coth[x]*((a^2 +
3*a*b + 2*b^2)*EllipticF[ArcSin[Sqrt[((a - b + (a + b)*Cosh[2*x])*Csch[x]^
2)/b]/Sqrt[2]], 1] + b^2*EllipticPi[b/(a + b), ArcSin[Sqrt[((a - b + (a + b)
)*Cosh[2*x])*Csch[x]^2)/b]/Sqrt[2]], 1]))/(b*Sqrt[((a - b + (a + b)*Cosh[2*
x])*Csch[x]^2)/b]) + (a*(a + b)*(3*a^2 + 2*a*b - 7*b^2 + (3*a^2 + 10*a*b +
7*b^2)*Cosh[2*x])*Sinh[2*x])/(a - b + (a + b)*Cosh[2*x]^2))/(3*Sqrt[2]*b^2
*(a + b)^3)
```

**Maple [B]** time = 0.032, size = 549, normalized size = 4.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(tanh(x)^6/(a+b*tanh(x)^2)^(5/2), x)
```

```
[Out] 1/3*tanh(x)^3/b/(a+b*tanh(x)^2)^(3/2)+1/b^2*tanh(x)/(a+b*tanh(x)^2)^(1/2)-1
/b^(5/2)*ln(tanh(x)*b^(1/2)+(a+b*tanh(x)^2)^(1/2))+1/3*tanh(x)/b/(a+b*tanh(x)
^2)^(3/2)-1/3/a/b*tanh(x)/(a+b*tanh(x)^2)^(1/2)-1/3*tanh(x)/a/(a+b*tanh(x)
^2)^(3/2)-2/3/a^2*tanh(x)/(a+b*tanh(x)^2)^(1/2)+1/6/(a+b)/((1+tanh(x))^2*b
-2*(1+tanh(x))*b+a+b)^(3/2)+1/6*b/(a+b)/a/((1+tanh(x))^2*b-2*(1+tanh(x))*b+
a+b)^(3/2)*tanh(x)+1/3*b/(a+b)/a^2/((1+tanh(x))^2*b-2*(1+tanh(x))*b+a+b)^(1
/2)*tanh(x)+1/2/(a+b)^2/((1+tanh(x))^2*b-2*(1+tanh(x))*b+a+b)^(1/2)+1/2/(a+
b)^2/a/((1+tanh(x))^2*b-2*(1+tanh(x))*b+a+b)^(1/2)*b*tanh(x)-1/2/(a+b)^(5/2)
)*ln((2*a+2*b-2*(1+tanh(x))*b+2*(a+b)^(1/2))*((1+tanh(x))^2*b-2*(1+tanh(x))*
b+a+b)^(1/2))/(1+tanh(x)))-1/6/(a+b)/((tanh(x)-1)^2*b+2*(tanh(x)-1)*b+a+b)^(
3/2)+1/6*b/(a+b)/a/((tanh(x)-1)^2*b+2*(tanh(x)-1)*b+a+b)^(3/2)*tanh(x)+1/3
*b/(a+b)/a^2/((tanh(x)-1)^2*b+2*(tanh(x)-1)*b+a+b)^(1/2)*tanh(x)-1/2/(a+b)^(
2/((tanh(x)-1)^2*b+2*(tanh(x)-1)*b+a+b)^(1/2)+1/2/(a+b)^2/a/((tanh(x)-1)^2*
b+2*(tanh(x)-1)*b+a+b)^(1/2)*b*tanh(x)+1/2/(a+b)^(5/2)*ln((2*a+2*b+2*(tanh(
x)-1)*b+2*(a+b)^(1/2))*((tanh(x)-1)^2*b+2*(tanh(x)-1)*b+a+b)^(1/2))/(tanh(x)
-1))
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\tanh(x)^6}{(b \tanh(x)^2 + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(x)^6/(a+b*tanh(x)^2)^(5/2),x, algorithm="maxima")`

[Out] `integrate(tanh(x)^6/(b*tanh(x)^2 + a)^(5/2), x)`

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(x)^6/(a+b*tanh(x)^2)^(5/2),x, algorithm="fricas")`

[Out] Timed out

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\tanh^6(x)}{(a + b \tanh^2(x))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(x)**6/(a+b*tanh(x)**2)**(5/2),x)`

[Out] `Integral(tanh(x)**6/(a + b*tanh(x)**2)**(5/2), x)`

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(x)^6/(a+b*tanh(x)^2)^(5/2),x, algorithm="giac")`

[Out] Exception raised: TypeError

$$3.247 \quad \int \frac{\tanh^5(x)}{(a+b \tanh^2(x))^{5/2}} dx$$

**Optimal.** Leaf size=84

$$-\frac{a^2}{3b^2(a+b)(a+b \tanh^2(x))^{3/2}} + \frac{a(a+2b)}{b^2(a+b)^2 \sqrt{a+b \tanh^2(x)}} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}}\right)}{(a+b)^{5/2}}$$

[Out] ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]]/(a + b)^(5/2) - a^2/(3\*b^2\*(a + b)\*(a + b\*Tanh[x]^2)^(3/2)) + (a\*(a + 2\*b))/(b^2\*(a + b)^2\*Sqrt[a + b\*Tanh[x]^2])

**Rubi [A]** time = 0.180589, antiderivative size = 84, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.294$ , Rules used = {3670, 446, 87, 63, 208}

$$-\frac{a^2}{3b^2(a+b)(a+b \tanh^2(x))^{3/2}} + \frac{a(a+2b)}{b^2(a+b)^2 \sqrt{a+b \tanh^2(x)}} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}}\right)}{(a+b)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[Tanh[x]^5/(a + b\*Tanh[x]^2)^(5/2), x]

[Out] ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]]/(a + b)^(5/2) - a^2/(3\*b^2\*(a + b)\*(a + b\*Tanh[x]^2)^(3/2)) + (a\*(a + 2\*b))/(b^2\*(a + b)^2\*Sqrt[a + b\*Tanh[x]^2])

### Rule 3670

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((a_.) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[(((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f*ff^2*x^2), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))
```

Rule 446

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 87

```
Int[(((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_))/((a_.) + (b_.)*(x_)), x_Symbol] := Int[ExpandIntegrand[(e + f*x)^FractionalPart[p], ((c + d*x)^n*(e + f*x)^IntegerPart[p])/(a + b*x), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[n, 0] && LtQ[p, -1] && FractionQ[p]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps



$$\begin{aligned}
\int \frac{\tanh^5(x)}{(a + b \tanh^2(x))^{5/2}} dx &= \text{Subst} \left( \int \frac{x^5}{(1-x^2)(a+bx^2)^{5/2}} dx, x, \tanh(x) \right) \\
&= \frac{1}{2} \text{Subst} \left( \int \frac{x^2}{(1-x)(a+bx)^{5/2}} dx, x, \tanh^2(x) \right) \\
&= \frac{1}{2} \text{Subst} \left( \int \left( \frac{a^2}{b(a+b)(a+bx)^{5/2}} - \frac{a(a+2b)}{b(a+b)^2(a+bx)^{3/2}} - \frac{1}{(a+b)^2(-1+x)\sqrt{a+bx}} \right) dx, x, \right. \\
&= -\frac{a^2}{3b^2(a+b)(a+b \tanh^2(x))^{3/2}} + \frac{a(a+2b)}{b^2(a+b)^2 \sqrt{a+b \tanh^2(x)}} - \frac{\text{Subst} \left( \int \frac{1}{(-1+x)\sqrt{a+bx}} dx, x, \right. \\
&= -\frac{a^2}{3b^2(a+b)(a+b \tanh^2(x))^{3/2}} + \frac{a(a+2b)}{b^2(a+b)^2 \sqrt{a+b \tanh^2(x)}} - \frac{\text{Subst} \left( \int \frac{1}{-1-\frac{a}{b}+\frac{x^2}{b}} dx, x, \right. \\
&= \frac{\tanh^{-1} \left( \frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}} \right)}{(a+b)^{5/2}} - \frac{a^2}{3b^2(a+b)(a+b \tanh^2(x))^{3/2}} + \frac{a(a+2b)}{b^2(a+b)^2 \sqrt{a+b \tanh^2(x)}}
\end{aligned}$$

**Mathematica [C]** time = 0.110645, size = 68, normalized size = 0.81

$$\frac{(a+b)(2a+3b \tanh^2(x)+b) - b^2 {}_2F_1\left(-\frac{3}{2}, 1; -\frac{1}{2}; \frac{b \tanh^2(x)+a}{a+b}\right)}{3b^2(a+b)(a+b \tanh^2(x))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[x]^5/(a + b\*Tanh[x]^2)^(5/2), x]

[Out]  $(-(b^2 \text{Hypergeometric2F1}[-3/2, 1, -1/2, (a + b \text{Tanh}[x]^2)/(a + b)]) + (a + b) * (2*a + b + 3*b \text{Tanh}[x]^2)) / (3*b^2*(a + b)*(a + b \text{Tanh}[x]^2)^{(3/2)})$

**Maple [B]** time = 0.027, size = 469, normalized size = 5.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(tanh(x)^5/(a+b*tanh(x)^2)^(5/2),x)`

[Out]  $\frac{\tanh(x)^2/b/(a+b\tanh(x)^2)^{3/2}+2/3*a/b^2/(a+b\tanh(x)^2)^{3/2}+1/3/b/(a+b\tanh(x)^2)^{3/2}-1/6/(a+b)/((1+\tanh(x))^{2*b-2*(1+\tanh(x))*b+a+b})^{3/2}-1/6*b/(a+b)/a/((1+\tanh(x))^{2*b-2*(1+\tanh(x))*b+a+b})^{3/2}*\tanh(x)-1/3*b/(a+b)/a^2/((1+\tanh(x))^{2*b-2*(1+\tanh(x))*b+a+b})^{1/2}*\tanh(x)-1/2/(a+b)^2/((1+\tanh(x))^{2*b-2*(1+\tanh(x))*b+a+b})^{1/2}-1/2/(a+b)^2/a/((1+\tanh(x))^{2*b-2*(1+\tanh(x))*b+a+b})^{1/2}*\tanh(x)+1/2/(a+b)^{5/2}*\ln((2*a+2*b-2*(1+\tanh(x))*b+2*(a+b)^{1/2}*((1+\tanh(x))^{2*b-2*(1+\tanh(x))*b+a+b})^{1/2})/(1+\tanh(x)))}{(a+b)/((\tanh(x)-1)^{2*b+2*(\tanh(x)-1)*b+a+b})^{3/2}+1/6*b/(a+b)/a/((\tanh(x)-1)^{2*b+2*(\tanh(x)-1)*b+a+b})^{3/2}*\tanh(x)+1/3*b/(a+b)/a^2/((\tanh(x)-1)^{2*b+2*(\tanh(x)-1)*b+a+b})^{1/2}*\tanh(x)-1/2/(a+b)^2/((\tanh(x)-1)^{2*b+2*(\tanh(x)-1)*b+a+b})^{1/2}+1/2/(a+b)^2/a/((\tanh(x)-1)^{2*b+2*(\tanh(x)-1)*b+a+b})^{1/2})*b*\tanh(x)+1/2/(a+b)^{5/2}*\ln((2*a+2*b+2*(\tanh(x)-1)*b+2*(a+b)^{1/2}*((\tanh(x)-1)^{2*b+2*(\tanh(x)-1)*b+a+b})^{1/2})/(\tanh(x)-1))}$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\tanh(x)^5}{(b \tanh(x)^2 + a)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(x)^5/(a+b*tanh(x)^2)^(5/2),x, algorithm="maxima")`

[Out] `integrate(tanh(x)^5/(b*tanh(x)^2 + a)^(5/2), x)`

**Fricas [B]** time = 9.05503, size = 16629, normalized size = 197.96

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(x)^5/(a+b*tanh(x)^2)^(5/2),x, algorithm="fricas")`

[Out]  $[1/12*(3*((a^2*b^2 + 2*a*b^3 + b^4)*\cosh(x)^8 + 8*(a^2*b^2 + 2*a*b^3 + b^4)*\cosh(x)*\sinh(x)^7 + (a^2*b^2 + 2*a*b^3 + b^4)*\sinh(x)^8 + 4*(a^2*b^2 - b^4)*\cosh(x)^6 + 4*(a^2*b^2 - b^4 + 7*(a^2*b^2 + 2*a*b^3 + b^4)*\cosh(x)^2)*\sin$

$$\begin{aligned}
& h(x)^6 + 8*(7*(a^2*b^2 + 2*a*b^3 + b^4)*\cosh(x)^3 + 3*(a^2*b^2 - b^4)*\cosh(x)) * \sinh(x)^5 + 2*(3*a^2*b^2 - 2*a*b^3 + 3*b^4)*\cosh(x)^4 + 2*(35*(a^2*b^2 + 2*a*b^3 + b^4)*\cosh(x)^4 + 3*a^2*b^2 - 2*a*b^3 + 3*b^4 + 30*(a^2*b^2 - b^4)*\cosh(x)^2)*\sinh(x)^4 + a^2*b^2 + 2*a*b^3 + b^4 + 8*(7*(a^2*b^2 + 2*a*b^3 + b^4)*\cosh(x)^5 + 10*(a^2*b^2 - b^4)*\cosh(x)^3 + (3*a^2*b^2 - 2*a*b^3 + 3*b^4)*\cosh(x))*\sinh(x)^3 + 4*(a^2*b^2 - b^4)*\cosh(x)^2 + 4*(7*(a^2*b^2 + 2*a*b^3 + b^4)*\cosh(x)^6 + 15*(a^2*b^2 - b^4)*\cosh(x)^4 + a^2*b^2 - b^4 + 3*(3*a^2*b^2 - 2*a*b^3 + 3*b^4)*\cosh(x)^2)*\sinh(x)^2 + 8*((a^2*b^2 + 2*a*b^3 + b^4)*\cosh(x)^7 + 3*(a^2*b^2 - b^4)*\cosh(x)^5 + (3*a^2*b^2 - 2*a*b^3 + 3*b^4)*\cosh(x)^3 + (a^2*b^2 - b^4)*\cosh(x))*\sinh(x))*\sqrt{a + b} * \log(((a^3 + a^2*b)*\cosh(x)^8 + 8*(a^3 + a^2*b)*\cosh(x)*\sinh(x)^7 + (a^3 + a^2*b)*\sinh(x)^8 + 2*(2*a^3 + a^2*b)*\cosh(x)^6 + 2*(2*a^3 + a^2*b + 14*(a^3 + a^2*b)*\cosh(x)^2)*\sinh(x)^6 + 4*(14*(a^3 + a^2*b)*\cosh(x)^3 + 3*(2*a^3 + a^2*b)*\cosh(x))*\sinh(x)^5 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*\cosh(x)^4 + (70*(a^3 + a^2*b)*\cosh(x)^4 + 6*a^3 + 4*a^2*b - a*b^2 + b^3 + 30*(2*a^3 + a^2*b)*\cosh(x)^2)*\sinh(x)^4 + 4*(14*(a^3 + a^2*b)*\cosh(x)^5 + 10*(2*a^3 + a^2*b)*\cosh(x)^3 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*\cosh(x))*\sinh(x)^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 2*(2*a^3 + 3*a^2*b - b^3)*\cosh(x)^2 + 2*(14*(a^3 + a^2*b)*\cosh(x)^6 + 15*(2*a^3 + a^2*b)*\cosh(x)^4 + 2*a^3 + 3*a^2*b - b^3 + 3*(6*a^3 + 4*a^2*b - a*b^2 + b^3)*\cosh(x)^2)*\sinh(x)^2 + \sqrt{2}*(a^2*\cosh(x)^6 + 6*a^2*\cosh(x)*\sinh(x)^5 + a^2*\sinh(x)^6 + 3*a^2*\cosh(x)^4 + 3*(5*a^2*\cosh(x)^2 + a^2)*\sinh(x)^4 + 4*(5*a^2*\cosh(x)^3 + 3*a^2*\cosh(x))*\sinh(x)^3 + (3*a^2 + 2*a*b - b^2)*\cosh(x)^2 + (15*a^2*\cosh(x)^4 + 18*a^2*\cosh(x)^2 + 3*a^2 + 2*a*b - b^2)*\sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(3*a^2*\cosh(x)^5 + 6*a^2*\cosh(x)^3 + (3*a^2 + 2*a*b - b^2)*\cosh(x))*\sinh(x))*\sqrt{a + b} * \sqrt{((a + b)*\cosh(x))^2 + (a + b)*\sinh(x)^2 + a - b} / (\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)) + 4*(2*(a^3 + a^2*b)*\cosh(x)^7 + 3*(2*a^3 + a^2*b)*\cosh(x)^5 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*\cosh(x)^3 + (2*a^3 + 3*a^2*b - b^3)*\cosh(x))*\sinh(x)) / (\cosh(x)^6 + 6*\cosh(x)^5*\sinh(x) + 15*\cosh(x)^4*\sinh(x)^2 + 20*\cosh(x)^3*\sinh(x)^3 + 15*\cosh(x)^2*\sinh(x)^4 + 6*\cosh(x)*\sinh(x)^5 + \sinh(x)^6)) + 3*((a^2*b^2 + 2*a*b^3 + b^4)*\cosh(x)^8 + 8*(a^2*b^2 + 2*a*b^3 + b^4)*\cosh(x)*\sinh(x)^7 + (a^2*b^2 + 2*a*b^3 + b^4)*\sinh(x)^8 + 4*(a^2*b^2 - b^4)*\cosh(x)^6 + 4*(a^2*b^2 - b^4 + 7*(a^2*b^2 + 2*a*b^3 + b^4)*\cosh(x)^2)*\sinh(x)^6 + 8*(7*(a^2*b^2 + 2*a*b^3 + b^4)*\cosh(x)^3 + 3*(a^2*b^2 - b^4)*\cosh(x))*\sinh(x)^5 + 2*(3*a^2*b^2 - 2*a*b^3 + 3*b^4)*\cosh(x)^4 + 2*(35*(a^2*b^2 + 2*a*b^3 + b^4)*\cosh(x)^4 + 3*a^2*b^2 - 2*a*b^3 + 3*b^4 + 30*(a^2*b^2 - b^4)*\cosh(x)^2)*\sinh(x)^4 + a^2*b^2 + 2*a*b^3 + b^4 + 8*(7*(a^2*b^2 + 2*a*b^3 + b^4)*\cosh(x)^5 + 10*(a^2*b^2 - b^4)*\cosh(x)^3 + (3*a^2*b^2 - 2*a*b^3 + 3*b^4)*\cosh(x))*\sinh(x)^3 + 4*(a^2*b^2 - b^4)*\cosh(x)^2 + 4*(7*(a^2*b^2 + 2*a*b^3 + b^4)*\cosh(x)^6 + 15*(a^2*b^2 - b^4)*\cosh(x)^4 + a^2*b^2 - b^4 + 3*(3*a^2*b^2 - 2*a*b^3 + 3*b^4)*\cosh(x)^2)*\sinh(x)^2 + 8*((a^2*b^2 + 2*a*b^3 + b^4)*\cosh(x)^7 + 3*(a^2*b^2 - b^4)*\cosh(x)^5 + (3*a^2*b^2 - 2*a*b^3 + 3*b^4)*\cosh(x))^3 + (a^2*b^2 - b^4)*\cosh(x))*\sinh(x))*\sqrt{a + b} * \log(-((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 - 2*b*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 - b)*\sinh(x)^2 + \sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) +
\end{aligned}$$

$$\begin{aligned}
& \sinh(x)^2 - 1) \sqrt{a + b} \sqrt{((a + b) \cosh(x)^2 + (a + b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)) + 4 * ((a + b) \cosh(x)^3 - b \cosh(x)) \sinh(x) + a + b) / (\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2)) + \\
& 8 \sqrt{2} * ((a^4 + 5a^3b + 7a^2b^2 + 3ab^3) \cosh(x)^6 + 6(a^4 + 5a^3b + 7a^2b^2 + 3ab^3) \cosh(x) \sinh(x)^5 + (a^4 + 5a^3b + 7a^2b^2 + 3ab^3) \sinh(x)^6 + 3(a^4 + 3a^3b + a^2b^2 - ab^3) \cosh(x)^4 + 3(a^4 + 3a^3b + a^2b^2 - ab^3 + 5(a^4 + 5a^3b + 7a^2b^2 + 3ab^3) \cosh(x)^2) \sinh(x)^4 + a^4 + 5a^3b + 7a^2b^2 + 3ab^3 + 4(5(a^4 + 5a^3b + 7a^2b^2 + 3ab^3) \cosh(x)^3 + 3(a^4 + 3a^3b + a^2b^2 - ab^3) \cosh(x)) \sinh(x)^3 + 3(a^4 + 3a^3b + a^2b^2 - ab^3) \cosh(x)^2 + 3(5(a^4 + 5a^3b + 7a^2b^2 + 3ab^3) \cosh(x)^4 + a^4 + 3a^3b + a^2b^2 - ab^3 + 6(a^4 + 3a^3b + a^2b^2 - ab^3) \cosh(x)^2) \sinh(x)^2 + 6((a^4 + 5a^3b + 7a^2b^2 + 3ab^3) \cosh(x)^5 + 2(a^4 + 3a^3b + a^2b^2 - ab^3) \cosh(x)^3 + (a^4 + 3a^3b + a^2b^2 - ab^3) \cosh(x)) \sinh(x)) \sqrt{(((a + b) \cosh(x)^2 + (a + b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2))) / ((a^5b^2 + 5a^4b^3 + 10a^3b^4 + 10a^2b^5 + 5ab^6 + b^7) \cosh(x)^8 + 8(a^5b^2 + 5a^4b^3 + 10a^3b^4 + 10a^2b^5 + 5ab^6 + b^7) \cosh(x) \sinh(x)^7 + (a^5b^2 + 5a^4b^3 + 10a^3b^4 + 10a^2b^5 + 5ab^6 + b^7) \sinh(x)^8 + a^5b^2 + 5a^4b^3 + 10a^3b^4 + 10a^2b^5 + 5ab^6 + b^7 + 4(a^5b^2 + 3a^4b^3 + 2a^3b^4 - 2a^2b^5 - 3ab^6 - b^7) \cosh(x)^6 + 4(a^5b^2 + 3a^4b^3 + 2a^3b^4 - 2a^2b^5 - 3ab^6 - b^7 + 7(a^5b^2 + 5a^4b^3 + 10a^3b^4 + 10a^2b^5 + 5ab^6 + b^7) \cosh(x)^2) \sinh(x)^6 + 8(7(a^5b^2 + 5a^4b^3 + 10a^3b^4 + 10a^2b^5 + 5ab^6 + b^7) \cosh(x)^3 + 3(a^5b^2 + 3a^4b^3 + 2a^3b^4 - 2a^2b^5 - 3ab^6 - b^7) \cosh(x)) \sinh(x)^5 + 2(3a^5b^2 + 7a^4b^3 + 6a^3b^4 + 6a^2b^5 + 7ab^6 + 3b^7) \cosh(x)^4 + 2(3a^5b^2 + 7a^4b^3 + 6a^3b^4 + 6a^2b^5 + 7ab^6 + 3b^7 + 35(a^5b^2 + 5a^4b^3 + 10a^3b^4 + 10a^2b^5 + 5ab^6 + b^7) \cosh(x)^4 + 30(a^5b^2 + 3a^4b^3 + 2a^3b^4 - 2a^2b^5 - 3ab^6 - b^7) \cosh(x)^2) \sinh(x)^4 + 8(7(a^5b^2 + 5a^4b^3 + 10a^3b^4 + 10a^2b^5 + 5ab^6 + b^7) \cosh(x)^5 + 10(a^5b^2 + 3a^4b^3 + 2a^3b^4 - 2a^2b^5 - 3ab^6 - b^7) \cosh(x)^3 + (3a^5b^2 + 7a^4b^3 + 6a^3b^4 + 6a^2b^5 + 7ab^6 + 3b^7) \cosh(x)) \sinh(x)^3 + 4(a^5b^2 + 3a^4b^3 + 2a^3b^4 - 2a^2b^5 - 3ab^6 - b^7) \cosh(x)^2 + 4(a^5b^2 + 3a^4b^3 + 2a^3b^4 - 2a^2b^5 - 3ab^6 - b^7 + 7(a^5b^2 + 5a^4b^3 + 10a^3b^4 + 10a^2b^5 + 5ab^6 + b^7) \cosh(x)^6 + 15(a^5b^2 + 3a^4b^3 + 2a^3b^4 - 2a^2b^5 - 3ab^6 - b^7) \cosh(x)^4 + 3(3a^5b^2 + 7a^4b^3 + 6a^3b^4 + 6a^2b^5 + 7ab^6 + 3b^7) \cosh(x)^2) \sinh(x)^2 + 8((a^5b^2 + 5a^4b^3 + 10a^3b^4 + 10a^2b^5 + 5ab^6 + b^7) \cosh(x)^7 + 3(a^5b^2 + 3a^4b^3 + 2a^3b^4 - 2a^2b^5 - 3ab^6 - b^7) \cosh(x)^5 + (3a^5b^2 + 7a^4b^3 + 6a^3b^4 + 6a^2b^5 + 7ab^6 + 3b^7) \cosh(x)^3 + (a^5b^2 + 3a^4b^3 + 2a^3b^4 - 2a^2b^5 - 3ab^6 - b^7) \cosh(x)) \sinh(x)), -1/6(3((a^2b^2 + 2ab^3 + b^4) \cosh(x)^8 + 8(a^2b^2 + 2ab^3 + b^4) \cosh(x) \sinh(x)^7 + (a^2b^2 + 2ab^3 + b^4) \sinh(x)^8 + 4(a^2b^2 - b^4) \cosh(x)^6 + 4(a^2b^2 - b^4 + 7(a^2b^2 + 2ab^3 + b^4) \cosh(x)^2) \sinh(x)^6 + 8(7(a^2b^2 + 2ab^3 + b^4) \cosh(x)^
\end{aligned}$$

$$\begin{aligned}
& 3 + 3*(a^2*b^2 - b^4)*\cosh(x)*\sinh(x)^5 + 2*(3*a^2*b^2 - 2*a*b^3 + 3*b^4)* \\
& \cosh(x)^4 + 2*(35*(a^2*b^2 + 2*a*b^3 + b^4)*\cosh(x)^4 + 3*a^2*b^2 - 2*a*b^3 \\
& + 3*b^4 + 30*(a^2*b^2 - b^4)*\cosh(x)^2)*\sinh(x)^4 + a^2*b^2 + 2*a*b^3 + b^4 \\
& 4 + 8*(7*(a^2*b^2 + 2*a*b^3 + b^4)*\cosh(x)^5 + 10*(a^2*b^2 - b^4)*\cosh(x)^3 \\
& + (3*a^2*b^2 - 2*a*b^3 + 3*b^4)*\cosh(x))*\sinh(x)^3 + 4*(a^2*b^2 - b^4)*\cosh(x)^2 + 4*(7*(a^2*b^2 + 2*a*b^3 + b^4)*\cosh(x)^6 + 15*(a^2*b^2 - b^4)*\cosh(x)^4 + a^2*b^2 - b^4 + 3*(3*a^2*b^2 - 2*a*b^3 + 3*b^4)*\cosh(x)^2)*\sinh(x)^2 + 8*((a^2*b^2 + 2*a*b^3 + b^4)*\cosh(x)^7 + 3*(a^2*b^2 - b^4)*\cosh(x)^5 + (3*a^2*b^2 - 2*a*b^3 + 3*b^4)*\cosh(x)^3 + (a^2*b^2 - b^4)*\cosh(x))*\sinh(x))*\sqrt{-a - b}*\arctan(\sqrt{2}*(a*\cosh(x)^2 + 2*a*\cosh(x)*\sinh(x) + a*\sinh(x)^2 + a + b))*\sqrt{-a - b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)}/((a^2 + a*b)*\cosh(x)^4 + 4*(a^2 + a*b)*\cosh(x)*\sinh(x)^3 + (a^2 + a*b)*\sinh(x)^4 + (2*a^2 + a*b - b^2)*\cosh(x)^2 + (6*(a^2 + a*b)*\cosh(x)^2 + 2*a^2 + a*b - b^2)*\sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(2*(a^2 + a*b)*\cosh(x)^3 + (2*a^2 + a*b - b^2)*\cosh(x))*\sinh(x))) + 3*((a^2*b^2 + 2*a*b^3 + b^4)*\cosh(x)^8 + 8*(a^2*b^2 + 2*a*b^3 + b^4)*\cosh(x)*\sinh(x)^7 + (a^2*b^2 + 2*a*b^3 + b^4)*\sinh(x)^8 + 4*(a^2*b^2 - b^4)*\cosh(x)^6 + 4*(a^2*b^2 - b^4 + 7*(a^2*b^2 + 2*a*b^3 + b^4)*\cosh(x)^2)*\sinh(x)^6 + 8*(7*(a^2*b^2 + 2*a*b^3 + b^4)*\cosh(x)^3 + 3*(a^2*b^2 - b^4)*\cosh(x))*\sinh(x)^5 + 2*(3*a^2*b^2 - 2*a*b^3 + 3*b^4)*\cosh(x)^4 + 2*(35*(a^2*b^2 + 2*a*b^3 + b^4)*\cosh(x)^4 + 3*a^2*b^2 - 2*a*b^3 + 3*b^4 + 30*(a^2*b^2 - b^4)*\cosh(x)^2)*\sinh(x)^4 + a^2*b^2 + 2*a*b^3 + b^4 + 8*(7*(a^2*b^2 + 2*a*b^3 + b^4)*\cosh(x)^5 + 10*(a^2*b^2 - b^4)*\cosh(x)^3 + (3*a^2*b^2 - 2*a*b^3 + 3*b^4)*\cosh(x))*\sinh(x)^3 + 4*(a^2*b^2 - b^4)*\cosh(x)^2 + 4*(7*(a^2*b^2 + 2*a*b^3 + b^4)*\cosh(x)^6 + 15*(a^2*b^2 - b^4)*\cosh(x)^4 + a^2*b^2 - b^4 + 3*(3*a^2*b^2 - 2*a*b^3 + 3*b^4)*\cosh(x)^2)*\sinh(x)^2 + 8*((a^2*b^2 + 2*a*b^3 + b^4)*\cosh(x)^7 + 3*(a^2*b^2 - b^4)*\cosh(x)^5 + (3*a^2*b^2 - 2*a*b^3 + 3*b^4)*\cosh(x)^3 + (a^2*b^2 - b^4)*\cosh(x))*\sinh(x))*\sqrt{-a - b}*\arctan(\sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 - 1))*\sqrt{-a - b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)}/((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a - b)*\sinh(x)^2 + 4*((a + b)*\cosh(x)^3 + (a - b)*\cosh(x))*\sinh(x) + a + b)) - 4*\sqrt{2}*((a^4 + 5*a^3*b + 7*a^2*b^2 + 3*a*b^3)*\cosh(x)^6 + 6*(a^4 + 5*a^3*b + 7*a^2*b^2 + 3*a*b^3)*\cosh(x)*\sinh(x)^5 + (a^4 + 5*a^3*b + 7*a^2*b^2 + 3*a*b^3)*\sinh(x)^6 + 3*(a^4 + 3*a^3*b + a^2*b^2 - a*b^3)*\cosh(x)^4 + 3*(a^4 + 3*a^3*b + a^2*b^2 - a*b^3 + 5*(a^4 + 5*a^3*b + 7*a^2*b^2 + 3*a*b^3)*\cosh(x)^2)*\sinh(x)^4 + a^4 + 5*a^3*b + 7*a^2*b^2 + 3*a*b^3 + 4*(5*(a^4 + 5*a^3*b + 7*a^2*b^2 + 3*a*b^3)*\cosh(x)^3 + 3*(a^4 + 3*a^3*b + a^2*b^2 - a*b^3)*\cosh(x))*\sinh(x)^3 + 3*(a^4 + 3*a^3*b + a^2*b^2 - a*b^3)*\cosh(x)^2 + 3*(5*(a^4 + 5*a^3*b + 7*a^2*b^2 + 3*a*b^3)*\cosh(x)^4 + a^4 + 3*a^3*b + a^2*b^2 - a*b^3 + 6*(a^4 + 3*a^3*b + a^2*b^2 - a*b^3)*\cosh(x)^2)*\sinh(x)^2 + 6*((a^4 + 5*a^3*b + 7*a^2*b^2 + 3*a*b^3)*\cosh(x)^5 + 2*(a^4 + 3*a^3*b + a^2*b^2 - a*b^3)*\cosh(x)^3 + (a^4 + 3*a^3*b + a^2*b^2 - a*b^3)*\cosh(x))*\sinh(x))*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)}
\end{aligned}$$

```

)))/((a^5*b^2 + 5*a^4*b^3 + 10*a^3*b^4 + 10*a^2*b^5 + 5*a*b^6 + b^7)*cosh(x)
)^8 + 8*(a^5*b^2 + 5*a^4*b^3 + 10*a^3*b^4 + 10*a^2*b^5 + 5*a*b^6 + b^7)*cos
h(x)*sinh(x)^7 + (a^5*b^2 + 5*a^4*b^3 + 10*a^3*b^4 + 10*a^2*b^5 + 5*a*b^6 +
b^7)*sinh(x)^8 + a^5*b^2 + 5*a^4*b^3 + 10*a^3*b^4 + 10*a^2*b^5 + 5*a*b^6 +
b^7 + 4*(a^5*b^2 + 3*a^4*b^3 + 2*a^3*b^4 - 2*a^2*b^5 - 3*a*b^6 - b^7)*cosh
(x)^6 + 4*(a^5*b^2 + 3*a^4*b^3 + 2*a^3*b^4 - 2*a^2*b^5 - 3*a*b^6 - b^7 + 7*
(a^5*b^2 + 5*a^4*b^3 + 10*a^3*b^4 + 10*a^2*b^5 + 5*a*b^6 + b^7)*cosh(x)^2)*
sinh(x)^6 + 8*(7*(a^5*b^2 + 5*a^4*b^3 + 10*a^3*b^4 + 10*a^2*b^5 + 5*a*b^6 +
b^7)*cosh(x)^3 + 3*(a^5*b^2 + 3*a^4*b^3 + 2*a^3*b^4 - 2*a^2*b^5 - 3*a*b^6
- b^7)*cosh(x))*sinh(x)^5 + 2*(3*a^5*b^2 + 7*a^4*b^3 + 6*a^3*b^4 + 6*a^2*b^
5 + 7*a*b^6 + 3*b^7)*cosh(x)^4 + 2*(3*a^5*b^2 + 7*a^4*b^3 + 6*a^3*b^4 + 6*a
^2*b^5 + 7*a*b^6 + 3*b^7 + 35*(a^5*b^2 + 5*a^4*b^3 + 10*a^3*b^4 + 10*a^2*b^
5 + 5*a*b^6 + b^7)*cosh(x)^4 + 30*(a^5*b^2 + 3*a^4*b^3 + 2*a^3*b^4 - 2*a^2*
b^5 - 3*a*b^6 - b^7)*cosh(x)^2)*sinh(x)^4 + 8*(7*(a^5*b^2 + 5*a^4*b^3 + 10*
a^3*b^4 + 10*a^2*b^5 + 5*a*b^6 + b^7)*cosh(x)^5 + 10*(a^5*b^2 + 3*a^4*b^3 +
2*a^3*b^4 - 2*a^2*b^5 - 3*a*b^6 - b^7)*cosh(x)^3 + (3*a^5*b^2 + 7*a^4*b^3
+ 6*a^3*b^4 + 6*a^2*b^5 + 7*a*b^6 + 3*b^7)*cosh(x))*sinh(x)^3 + 4*(a^5*b^2
+ 3*a^4*b^3 + 2*a^3*b^4 - 2*a^2*b^5 - 3*a*b^6 - b^7)*cosh(x)^2 + 4*(a^5*b^2
+ 3*a^4*b^3 + 2*a^3*b^4 - 2*a^2*b^5 - 3*a*b^6 - b^7 + 7*(a^5*b^2 + 5*a^4*b
^3 + 10*a^3*b^4 + 10*a^2*b^5 + 5*a*b^6 + b^7)*cosh(x)^6 + 15*(a^5*b^2 + 3*a
^4*b^3 + 2*a^3*b^4 - 2*a^2*b^5 - 3*a*b^6 - b^7)*cosh(x)^4 + 3*(3*a^5*b^2 +
7*a^4*b^3 + 6*a^3*b^4 + 6*a^2*b^5 + 7*a*b^6 + 3*b^7)*cosh(x)^2)*sinh(x)^2 +
8*((a^5*b^2 + 5*a^4*b^3 + 10*a^3*b^4 + 10*a^2*b^5 + 5*a*b^6 + b^7)*cosh(x)
^7 + 3*(a^5*b^2 + 3*a^4*b^3 + 2*a^3*b^4 - 2*a^2*b^5 - 3*a*b^6 - b^7)*cosh(x)
)^5 + (3*a^5*b^2 + 7*a^4*b^3 + 6*a^3*b^4 + 6*a^2*b^5 + 7*a*b^6 + 3*b^7)*cos
h(x)^3 + (a^5*b^2 + 3*a^4*b^3 + 2*a^3*b^4 - 2*a^2*b^5 - 3*a*b^6 - b^7)*cosh
(x))*sinh(x))]

```

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\tanh^5(x)}{(a + b \tanh^2(x))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)\*\*5/(a+b\*tanh(x)\*\*2)\*\*(5/2), x)

[Out] Integral(tanh(x)\*\*5/(a + b\*tanh(x)\*\*2)\*\*(5/2), x)

---

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(x)^5/(a+b*tanh(x)^2)^(5/2),x, algorithm="giac")`

[Out] Exception raised: TypeError

$$3.248 \quad \int \frac{\tanh^4(x)}{(a+b \tanh^2(x))^{5/2}} dx$$

**Optimal.** Leaf size=90

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}}\right)}{(a+b)^{5/2}} - \frac{(a+4b) \tanh(x)}{3b(a+b)^2 \sqrt{a+b \tanh^2(x)}} + \frac{a \tanh(x)}{3b(a+b) (a+b \tanh^2(x))^{3/2}}$$

[Out] ArcTanh[(Sqrt[a + b]\*Tanh[x])/Sqrt[a + b\*Tanh[x]^2]]/(a + b)^(5/2) + (a\*Tanh[x])/(3\*b\*(a + b)\*(a + b\*Tanh[x]^2)^(3/2)) - ((a + 4\*b)\*Tanh[x])/(3\*b\*(a + b)^2\*Sqrt[a + b\*Tanh[x]^2])

**Rubi [A]** time = 0.137977, antiderivative size = 90, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.353$ , Rules used = {3670, 470, 527, 12, 377, 206}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}}\right)}{(a+b)^{5/2}} - \frac{(a+4b) \tanh(x)}{3b(a+b)^2 \sqrt{a+b \tanh^2(x)}} + \frac{a \tanh(x)}{3b(a+b) (a+b \tanh^2(x))^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[Tanh[x]^4/(a + b\*Tanh[x]^2)^(5/2), x]

[Out] ArcTanh[(Sqrt[a + b]\*Tanh[x])/Sqrt[a + b\*Tanh[x]^2]]/(a + b)^(5/2) + (a\*Tanh[x])/(3\*b\*(a + b)\*(a + b\*Tanh[x]^2)^(3/2)) - ((a + 4\*b)\*Tanh[x])/(3\*b\*(a + b)^2\*Sqrt[a + b\*Tanh[x]^2])

### Rule 3670

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((a_.) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_.))^(p_.), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[(((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f^2*x^2), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))
```



Rule 470

```
Int[((e_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol] := -Simp[(a*e^(2*n - 1)*(e*x)^(m - 2*n + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(b*n*(b*c - a*d)*(p + 1)), x] + Dist[e^(2*n)/(b*n*(b*c - a*d)*(p + 1)), Int[(e*x)^(m - 2*n)*(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[a*c*(m - 2*n + 1) + (a*d*(m - n + n*q + 1) + b*c*n*(p + 1))*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LtQ[p, -1] && GtQ[m - n + 1, n] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]
```

Rule 527

```
Int[((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_)*((e_) + (f_)*(x_)^(n_)), x_Symbol] := -Simp[((b*e - a*f)*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(b*c - a*d)*(p + 1)), x] + Dist[1/(a*n*(b*c - a*d)*(p + 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(b*e - a*f) + e*n*(b*c - a*d)*(p + 1) + d*(b*e - a*f)*(n*(p + q + 2) + 1)*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, f, n, q}, x] && LtQ[p, -1]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 377

```
Int[((a_) + (b_)*(x_)^(n_))^(p_)/((c_) + (d_)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]
```

Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{\tanh^4(x)}{(a+b \tanh^2(x))^{5/2}} dx &= \text{Subst} \left( \int \frac{x^4}{(1-x^2)(a+bx^2)^{5/2}} dx, x, \tanh(x) \right) \\
&= \frac{a \tanh(x)}{3b(a+b)(a+b \tanh^2(x))^{3/2}} - \frac{\text{Subst} \left( \int \frac{a+(-a-3b)x^2}{(1-x^2)(a+bx^2)^{3/2}} dx, x, \tanh(x) \right)}{3b(a+b)} \\
&= \frac{a \tanh(x)}{3b(a+b)(a+b \tanh^2(x))^{3/2}} - \frac{(a+4b) \tanh(x)}{3b(a+b)^2 \sqrt{a+b \tanh^2(x)}} + \frac{\text{Subst} \left( \int \frac{3ab}{(1-x^2)\sqrt{a+bx^2}} dx, x, \tanh(x) \right)}{3ab(a+b)^2} \\
&= \frac{a \tanh(x)}{3b(a+b)(a+b \tanh^2(x))^{3/2}} - \frac{(a+4b) \tanh(x)}{3b(a+b)^2 \sqrt{a+b \tanh^2(x)}} + \frac{\text{Subst} \left( \int \frac{1}{(1-x^2)\sqrt{a+bx^2}} dx, x, \tanh(x) \right)}{(a+b)^2} \\
&= \frac{a \tanh(x)}{3b(a+b)(a+b \tanh^2(x))^{3/2}} - \frac{(a+4b) \tanh(x)}{3b(a+b)^2 \sqrt{a+b \tanh^2(x)}} + \frac{\text{Subst} \left( \int \frac{1}{1-(a+b)x^2} dx, x, \frac{\tanh(x)}{\sqrt{a+b \tanh^2(x)}} \right)}{(a+b)^2} \\
&= \frac{\tanh^{-1} \left( \frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}} \right)}{(a+b)^{5/2}} + \frac{a \tanh(x)}{3b(a+b)(a+b \tanh^2(x))^{3/2}} - \frac{(a+4b) \tanh(x)}{3b(a+b)^2 \sqrt{a+b \tanh^2(x)}}
\end{aligned}$$

**Mathematica [A]** time = 2.55557, size = 132, normalized size = 1.47

$$\frac{\tanh^3(x) \left( 3 \tanh^{-1} \left( \frac{\sqrt{\frac{(a+b) \tanh^2(x)}{a}}}{\sqrt{\frac{b \tanh^2(x)}{a} + 1}} \right) \sqrt{\frac{(a+b) \tanh^2(x)}{a}} (a \coth^2(x) + b)^2 - (a+b) \sqrt{\frac{b \tanh^2(x)}{a} + 1} (3a \coth^2(x) + a + 4b) \right)}{3(a+b)^3 (a+b \tanh^2(x))^{3/2} \sqrt{\frac{b \tanh^2(x)}{a} + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[x]^4/(a + b\*Tanh[x]^2)^(5/2), x]

[Out] (Tanh[x]^3\*(3\*ArcTanh[Sqrt[((a + b)\*Tanh[x]^2)/a]/Sqrt[1 + (b\*Tanh[x]^2)/a]]\*(b + a\*Coth[x]^2)^2\*Sqrt[((a + b)\*Tanh[x]^2)/a] - (a + b)\*(a + 4\*b + 3\*a\*Coth[x]^2)\*Sqrt[1 + (b\*Tanh[x]^2)/a])/(3\*(a + b)^3\*(a + b\*Tanh[x]^2)^(3/2)\*Sqrt[1 + (b\*Tanh[x]^2)/a])

---

**Maple [B]** time = 0.025, size = 491, normalized size = 5.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(\tanh(x)^4/(a+b*\tanh(x)^2)^{(5/2)}, x)$

[Out]  $\frac{1}{3}*\tanh(x)/b/(a+b*\tanh(x)^2)^{(3/2)} - \frac{1}{3}*/a/b*\tanh(x)/(a+b*\tanh(x)^2)^{(1/2)} - \frac{1}{3}*\tanh(x)/a/(a+b*\tanh(x)^2)^{(3/2)} - \frac{2}{3}*/a^2*\tanh(x)/(a+b*\tanh(x)^2)^{(1/2)} + \frac{1}{6}/(a+b)/((1+\tanh(x))^{2*b-2}*(1+\tanh(x))*b+a+b)^{(3/2)} + \frac{1}{6}*/b/(a+b)/a/((1+\tanh(x))^{2*b-2}*(1+\tanh(x))*b+a+b)^{(3/2)}*\tanh(x) + \frac{1}{3}*/b/(a+b)/a^2/((1+\tanh(x))^{2*b-2}*(1+\tanh(x))*b+a+b)^{(1/2)}*\tanh(x) + \frac{1}{2}/(a+b)^2/((1+\tanh(x))^{2*b-2}*(1+\tanh(x))*b+a+b)^{(1/2)} + \frac{1}{2}/(a+b)^2/a/((1+\tanh(x))^{2*b-2}*(1+\tanh(x))*b+a+b)^{(1/2)}*b*\tanh(x) - \frac{1}{2}/(a+b)^{(5/2)}*\ln((2*a+2*b-2*(1+\tanh(x))*b+2*(a+b)^{(1/2)}*((1+\tanh(x))^{2*b-2}*(1+\tanh(x))*b+a+b)^{(1/2)})/(1+\tanh(x))) - \frac{1}{6}/(a+b)/((\tanh(x)-1)^{2*b+2}*(\tanh(x)-1)*b+a+b)^{(3/2)} + \frac{1}{6}*/b/(a+b)/a/((\tanh(x)-1)^{2*b+2}*(\tanh(x)-1)*b+a+b)^{(3/2)}*\tanh(x) + \frac{1}{3}*/b/(a+b)/a^2/((\tanh(x)-1)^{2*b+2}*(\tanh(x)-1)*b+a+b)^{(1/2)}*\tanh(x) - \frac{1}{2}/(a+b)^2/((\tanh(x)-1)^{2*b+2}*(\tanh(x)-1)*b+a+b)^{(1/2)} + \frac{1}{2}/(a+b)^2/a/((\tanh(x)-1)^{2*b+2}*(\tanh(x)-1)*b+a+b)^{(1/2)}*b*\tanh(x) + \frac{1}{2}/(a+b)^{(5/2)}*\ln((2*a+2*b+2*(\tanh(x)-1)*b+2*(a+b)^{(1/2)}*((\tanh(x)-1)^{2*b+2}*(\tanh(x)-1)*b+a+b)^{(1/2)})/(\tanh(x)-1)))$

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\tanh(x)^4}{(b \tanh(x)^2 + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\tanh(x)^4/(a+b*\tanh(x)^2)^{(5/2)}, x, \text{algorithm}="maxima")$

[Out]  $\text{integrate}(\tanh(x)^4/(b*\tanh(x)^2 + a)^{(5/2)}, x)$

---

**Fricas [B]** time = 8.55704, size = 14436, normalized size = 160.4

result too large to display





$$\begin{aligned}
&nh(x)^4 + 8*(7*(a^2 + 2*a*b + b^2)*\cosh(x)^5 + 10*(a^2 - b^2)*\cosh(x)^3 + ( \\
&3*a^2 - 2*a*b + 3*b^2)*\cosh(x))*\sinh(x)^3 + 4*(a^2 - b^2)*\cosh(x)^2 + 4*(7* \\
&(a^2 + 2*a*b + b^2)*\cosh(x)^6 + 15*(a^2 - b^2)*\cosh(x)^4 + 3*(3*a^2 - 2*a*b \\
&+ 3*b^2)*\cosh(x)^2 + a^2 - b^2)*\sinh(x)^2 + a^2 + 2*a*b + b^2 + 8*((a^2 + \\
&2*a*b + b^2)*\cosh(x)^7 + 3*(a^2 - b^2)*\cosh(x)^5 + (3*a^2 - 2*a*b + 3*b^2)* \\
&\cosh(x)^3 + (a^2 - b^2)*\cosh(x))*\sinh(x))*\sqrt{-a - b}*\arctan(\sqrt{2}*(b*\co \\
&sh(x)^2 + 2*b*\cosh(x)*\sinh(x) + b*\sinh(x)^2 - a - b)*\sqrt{-a - b}*\sqrt{((a \\
&+ b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) \\
&+ \sinh(x)^2)))/((a*b + b^2)*\cosh(x)^4 + 4*(a*b + b^2)*\cosh(x)*\sinh(x)^3 + (a \\
&*b + b^2)*\sinh(x)^4 + (a^2 - a*b - 2*b^2)*\cosh(x)^2 + (6*(a*b + b^2)*\cosh(x) \\
&)^2 + a^2 - a*b - 2*b^2)*\sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(2*(a*b + b^2)*\c \\
&osh(x)^3 + (a^2 - a*b - 2*b^2)*\cosh(x))*\sinh(x))) + 3*((a^2 + 2*a*b + b^2)* \\
&\cosh(x)^8 + 8*(a^2 + 2*a*b + b^2)*\cosh(x)*\sinh(x)^7 + (a^2 + 2*a*b + b^2)*\s \\
&inh(x)^8 + 4*(a^2 - b^2)*\cosh(x)^6 + 4*(7*(a^2 + 2*a*b + b^2)*\cosh(x)^2 + a \\
&^2 - b^2)*\sinh(x)^6 + 8*(7*(a^2 + 2*a*b + b^2)*\cosh(x)^3 + 3*(a^2 - b^2)*\co \\
&sh(x))*\sinh(x)^5 + 2*(3*a^2 - 2*a*b + 3*b^2)*\cosh(x)^4 + 2*(35*(a^2 + 2*a*b \\
&+ b^2)*\cosh(x)^4 + 30*(a^2 - b^2)*\cosh(x)^2 + 3*a^2 - 2*a*b + 3*b^2)*\sinh( \\
&x)^4 + 8*(7*(a^2 + 2*a*b + b^2)*\cosh(x)^5 + 10*(a^2 - b^2)*\cosh(x)^3 + (3*a \\
&^2 - 2*a*b + 3*b^2)*\cosh(x))*\sinh(x)^3 + 4*(a^2 - b^2)*\cosh(x)^2 + 4*(7*(a^ \\
&2 + 2*a*b + b^2)*\cosh(x)^6 + 15*(a^2 - b^2)*\cosh(x)^4 + 3*(3*a^2 - 2*a*b + \\
&3*b^2)*\cosh(x)^2 + a^2 - b^2)*\sinh(x)^2 + a^2 + 2*a*b + b^2 + 8*((a^2 + 2*a \\
&*b + b^2)*\cosh(x)^7 + 3*(a^2 - b^2)*\cosh(x)^5 + (3*a^2 - 2*a*b + 3*b^2)*\cos \\
&h(x)^3 + (a^2 - b^2)*\cosh(x))*\sinh(x))*\sqrt{-a - b}*\arctan(\sqrt{2}*\sqrt{-a \\
&- b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\co \\
&sh(x)*\sinh(x) + \sinh(x)^2)))/((a + b)*\cosh(x)^2 + 2*(a + b)*\cosh(x)*\sinh(x) \\
&+ (a + b)*\sinh(x)^2 + a + b)) + 8*\sqrt{2}*((a^2 + 2*a*b + b^2)*\cosh(x)^6 + \\
&6*(a^2 + 2*a*b + b^2)*\cosh(x)*\sinh(x)^5 + (a^2 + 2*a*b + b^2)*\sinh(x)^6 - 3 \\
&*(a*b + b^2)*\cosh(x)^4 + 3*(5*(a^2 + 2*a*b + b^2)*\cosh(x)^2 - a*b - b^2)*\si \\
&nh(x)^4 + 4*(5*(a^2 + 2*a*b + b^2)*\cosh(x)^3 - 3*(a*b + b^2)*\cosh(x))*\sinh( \\
&x)^3 + 3*(a*b + b^2)*\cosh(x)^2 + 3*(5*(a^2 + 2*a*b + b^2)*\cosh(x)^4 - 6*(a* \\
&b + b^2)*\cosh(x)^2 + a*b + b^2)*\sinh(x)^2 - a^2 - 2*a*b - b^2 + 6*((a^2 + 2 \\
&*a*b + b^2)*\cosh(x)^5 - 2*(a*b + b^2)*\cosh(x)^3 + (a*b + b^2)*\cosh(x))*\sinh \\
&(x))*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\co \\
&sh(x)*\sinh(x) + \sinh(x)^2)))/((a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5* \\
&a*b^4 + b^5)*\cosh(x)^8 + 8*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b \\
&^4 + b^5)*\cosh(x)*\sinh(x)^7 + (a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5* \\
&a*b^4 + b^5)*\sinh(x)^8 + 4*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 \\
&- b^5)*\cosh(x)^6 + 4*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^ \\
&5 + 7*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*\cosh(x)^2)* \\
&\sinh(x)^6 + 8*(7*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)* \\
&\cosh(x)^3 + 3*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*\cosh( \\
&x))*\sinh(x)^5 + a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5 + 2 \\
&*(3*a^5 + 7*a^4*b + 6*a^3*b^2 + 6*a^2*b^3 + 7*a*b^4 + 3*b^5)*\cosh(x)^4 + 2* \\
&(3*a^5 + 7*a^4*b + 6*a^3*b^2 + 6*a^2*b^3 + 7*a*b^4 + 3*b^5 + 35*(a^5 + 5*a^ \\
&4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*\cosh(x)^4 + 30*(a^5 + 3*a^4*
\end{aligned}$$

$$\begin{aligned}
& b + 2a^3b^2 - 2a^2b^3 - 3ab^4 - b^5) \cosh(x)^2 \sinh(x)^4 + 8(7(a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5ab^4 + b^5) \cosh(x)^5 + 10(a^5 + 3a^4b + 2a^3b^2 - 2a^2b^3 - 3ab^4 - b^5) \cosh(x)^3 + (3a^5 + 7a^4b + 6a^3b^2 + 6a^2b^3 + 7ab^4 + 3b^5) \cosh(x)) \sinh(x)^3 + 4(a^5 + 3a^4b + 2a^3b^2 - 2a^2b^3 - 3ab^4 - b^5) \cosh(x)^2 + 4(7(a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5ab^4 + b^5) \cosh(x)^6 + a^5 + 3a^4b + 2a^3b^2 - 2a^2b^3 - 3ab^4 - b^5 + 15(a^5 + 3a^4b + 2a^3b^2 - 2a^2b^3 - 3ab^4 - b^5) \cosh(x)^4 + 3(3a^5 + 7a^4b + 6a^3b^2 + 6a^2b^3 + 7ab^4 + 3b^5) \cosh(x)^2) \sinh(x)^2 + 8((a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5ab^4 + b^5) \cosh(x)^7 + 3(a^5 + 3a^4b + 2a^3b^2 - 2a^2b^3 - 3ab^4 - b^5) \cosh(x)^5 + (3a^5 + 7a^4b + 6a^3b^2 + 6a^2b^3 + 7ab^4 + 3b^5) \cosh(x)^3 + (a^5 + 3a^4b + 2a^3b^2 - 2a^2b^3 - 3ab^4 - b^5) \cosh(x)) \sinh(x))]
\end{aligned}$$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\tanh^4(x)}{(a + b \tanh^2(x))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)\*\*4/(a+b\*tanh(x)\*\*2)\*\*(5/2), x)

[Out] Integral(tanh(x)\*\*4/(a + b\*tanh(x)\*\*2)\*\*(5/2), x)

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)^4/(a+b\*tanh(x)^2)^(5/2), x, algorithm="giac")

[Out] Exception raised: TypeError

$$3.249 \quad \int \frac{\tanh^3(x)}{(a+b \tanh^2(x))^{5/2}} dx$$

**Optimal.** Leaf size=74

$$\frac{a}{3b(a+b)(a+b \tanh^2(x))^{3/2}} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}}\right)}{(a+b)^{5/2}} - \frac{1}{(a+b)^2 \sqrt{a+b \tanh^2(x)}}$$

[Out] ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]]/(a + b)^(5/2) + a/(3\*b\*(a + b)\*(a + b\*Tanh[x]^2)^(3/2)) - 1/((a + b)^2\*Sqrt[a + b\*Tanh[x]^2])

**Rubi [A]** time = 0.144009, antiderivative size = 74, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.353$ , Rules used = {3670, 446, 78, 51, 63, 208}

$$\frac{a}{3b(a+b)(a+b \tanh^2(x))^{3/2}} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}}\right)}{(a+b)^{5/2}} - \frac{1}{(a+b)^2 \sqrt{a+b \tanh^2(x)}}$$

Antiderivative was successfully verified.

[In] Int[Tanh[x]^3/(a + b\*Tanh[x]^2)^(5/2), x]

[Out] ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]]/(a + b)^(5/2) + a/(3\*b\*(a + b)\*(a + b\*Tanh[x]^2)^(3/2)) - 1/((a + b)^2\*Sqrt[a + b\*Tanh[x]^2])

### Rule 3670

Int[((d\_)\*tan[(e\_.) + (f\_.)\*(x\_)]^(m\_))\*((a\_.) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]^(n\_))^(p\_)), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

### Rule 446



```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_
), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p
*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[
b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 78

```
Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p
_), x_Symbol] := -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(
f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f
*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x],
x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || Int
egerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))
```

### Rule 51

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] - Dist[(d*(
m + n + 2))/((b*c - a*d)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^n, x], x
] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && !(LtQ
[n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && I
ntLinearQ[a, b, c, d, m, n, x]
```

### Rule 63

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

### Rule 208

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\tanh^3(x)}{(a + b \tanh^2(x))^{5/2}} dx &= \text{Subst} \left( \int \frac{x^3}{(1-x^2)(a+bx^2)^{5/2}} dx, x, \tanh(x) \right) \\
&= \frac{1}{2} \text{Subst} \left( \int \frac{x}{(1-x)(a+bx)^{5/2}} dx, x, \tanh^2(x) \right) \\
&= \frac{a}{3b(a+b)(a+b \tanh^2(x))^{3/2}} + \frac{\text{Subst} \left( \int \frac{1}{(1-x)(a+bx)^{3/2}} dx, x, \tanh^2(x) \right)}{2(a+b)} \\
&= \frac{a}{3b(a+b)(a+b \tanh^2(x))^{3/2}} - \frac{1}{(a+b)^2 \sqrt{a+b \tanh^2(x)}} + \frac{\text{Subst} \left( \int \frac{1}{(1-x)\sqrt{a+bx}} dx, x, \tanh^2(x) \right)}{2(a+b)^2} \\
&= \frac{a}{3b(a+b)(a+b \tanh^2(x))^{3/2}} - \frac{1}{(a+b)^2 \sqrt{a+b \tanh^2(x)}} + \frac{\text{Subst} \left( \int \frac{1}{1+\frac{a}{b}-\frac{x^2}{b}} dx, x, \sqrt{a+b \tanh^2(x)} \right)}{b(a+b)^2} \\
&= \frac{\tanh^{-1} \left( \frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}} \right)}{(a+b)^{5/2}} + \frac{a}{3b(a+b)(a+b \tanh^2(x))^{3/2}} - \frac{1}{(a+b)^2 \sqrt{a+b \tanh^2(x)}}
\end{aligned}$$

**Mathematica [C]** time = 0.0866463, size = 63, normalized size = 0.85

$$\frac{a(a+b) - 3b(a+b \tanh^2(x)) {}_2F_1 \left( -\frac{1}{2}, 1; \frac{1}{2}; \frac{b \tanh^2(x)+a}{a+b} \right)}{3b(a+b)^2 (a+b \tanh^2(x))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[x]^3/(a + b\*Tanh[x]^2)^(5/2), x]

[Out] (a\*(a + b) - 3\*b\*Hypergeometric2F1[-1/2, 1, 1/2, (a + b\*Tanh[x]^2)/(a + b)]\*(a + b\*Tanh[x]^2))/(3\*b\*(a + b)^2\*(a + b\*Tanh[x]^2)^(3/2))

**Maple [B]** time = 0.021, size = 435, normalized size = 5.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(tanh(x)^3/(a+b*tanh(x)^2)^(5/2),x)`

[Out]  $\frac{1}{3} \frac{b}{(a+b \tanh(x)^2)^{3/2}} - \frac{1}{6} \frac{1}{(a+b)} \frac{1}{((1+\tanh(x))^{2b-2}(1+\tanh(x))^b + a+b)^{3/2}} - \frac{1}{3} \frac{b}{(a+b)} \frac{1}{a} \frac{1}{((1+\tanh(x))^{2b-2}(1+\tanh(x))^b + a+b)^{3/2}} \tanh(x) - \frac{1}{3} \frac{b}{(a+b)} \frac{1}{a^2} \frac{1}{((1+\tanh(x))^{2b-2}(1+\tanh(x))^b + a+b)^{1/2}} \tanh(x) - \frac{1}{2} \frac{1}{(a+b)} \frac{1}{((1+\tanh(x))^{2b-2}(1+\tanh(x))^b + a+b)^{1/2}} - \frac{1}{2} \frac{1}{(a+b)^2} \frac{1}{a} \frac{1}{((1+\tanh(x))^{2b-2}(1+\tanh(x))^b + a+b)^{1/2}} * b \tanh(x) + \frac{1}{2} \frac{1}{(a+b)^{5/2}} * \ln((2*a+2*b-2*(1+\tanh(x))^b+2*(a+b)^{1/2})*((1+\tanh(x))^{2b-2}(1+\tanh(x))^b+a+b)^{1/2})/(1+\tanh(x))) - \frac{1}{6} \frac{1}{(a+b)} \frac{1}{((\tanh(x)-1)^{2b+2}(\tanh(x)-1)^b + a+b)^{3/2}} + \frac{1}{6} \frac{b}{(a+b)} \frac{1}{a} \frac{1}{((\tanh(x)-1)^{2b+2}(\tanh(x)-1)^b + a+b)^{3/2}} \tanh(x) + \frac{1}{3} \frac{b}{(a+b)} \frac{1}{a^2} \frac{1}{((\tanh(x)-1)^{2b+2}(\tanh(x)-1)^b + a+b)^{1/2}} \tanh(x) - \frac{1}{2} \frac{1}{(a+b)^2} \frac{1}{((\tanh(x)-1)^{2b+2}(\tanh(x)-1)^b + a+b)^{1/2}} + \frac{1}{2} \frac{1}{(a+b)^2} \frac{1}{a} \frac{1}{((\tanh(x)-1)^{2b+2}(\tanh(x)-1)^b + a+b)^{1/2}} * b \tanh(x) + \frac{1}{2} \frac{1}{(a+b)^{5/2}} * \ln((2*a+2*b+2*(\tanh(x)-1)^b+2*(a+b)^{1/2})*((\tanh(x)-1)^{2b+2}(\tanh(x)-1)^b+a+b)^{1/2})/(\tanh(x)-1))$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\tanh(x)^3}{(b \tanh(x)^2 + a)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(x)^3/(a+b*tanh(x)^2)^(5/2),x, algorithm="maxima")`

[Out] `integrate(tanh(x)^3/(b*tanh(x)^2 + a)^(5/2), x)`

**Fricas [B]** time = 8.75918, size = 15965, normalized size = 215.74

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(x)^3/(a+b*tanh(x)^2)^(5/2),x, algorithm="fricas")`

[Out]  $\frac{1}{12} (3((a^2b + 2ab^2 + b^3) \cosh(x)^8 + 8(a^2b + 2ab^2 + b^3) \cosh(x) \sinh(x)^7 + (a^2b + 2ab^2 + b^3) \sinh(x)^8 + 4(a^2b - b^3) \cosh(x)$

$$\begin{aligned}
&)^6 + 4*(a^2*b - b^3 + 7*(a^2*b + 2*a*b^2 + b^3)*\cosh(x)^2)*\sinh(x)^6 + 8*( \\
&7*(a^2*b + 2*a*b^2 + b^3)*\cosh(x)^3 + 3*(a^2*b - b^3)*\cosh(x))*\sinh(x)^5 + \\
&2*(3*a^2*b - 2*a*b^2 + 3*b^3)*\cosh(x)^4 + 2*(35*(a^2*b + 2*a*b^2 + b^3)*\cos \\
&h(x)^4 + 3*a^2*b - 2*a*b^2 + 3*b^3 + 30*(a^2*b - b^3)*\cosh(x)^2)*\sinh(x)^4 \\
&+ 8*(7*(a^2*b + 2*a*b^2 + b^3)*\cosh(x)^5 + 10*(a^2*b - b^3)*\cosh(x)^3 + (3* \\
&a^2*b - 2*a*b^2 + 3*b^3)*\cosh(x))*\sinh(x)^3 + a^2*b + 2*a*b^2 + b^3 + 4*(a^ \\
&2*b - b^3)*\cosh(x)^2 + 4*(7*(a^2*b + 2*a*b^2 + b^3)*\cosh(x)^6 + 15*(a^2*b - \\
&b^3)*\cosh(x)^4 + a^2*b - b^3 + 3*(3*a^2*b - 2*a*b^2 + 3*b^3)*\cosh(x)^2)*\si \\
&nh(x)^2 + 8*((a^2*b + 2*a*b^2 + b^3)*\cosh(x)^7 + 3*(a^2*b - b^3)*\cosh(x)^5 \\
&+ (3*a^2*b - 2*a*b^2 + 3*b^3)*\cosh(x)^3 + (a^2*b - b^3)*\cosh(x))*\sinh(x))*s \\
&qrt(a + b)*\log(((a^3 + a^2*b)*\cosh(x)^8 + 8*(a^3 + a^2*b)*\cosh(x)*\sinh(x)^7 \\
&+ (a^3 + a^2*b)*\sinh(x)^8 + 2*(2*a^3 + a^2*b)*\cosh(x)^6 + 2*(2*a^3 + a^2*b \\
&+ 14*(a^3 + a^2*b)*\cosh(x)^2)*\sinh(x)^6 + 4*(14*(a^3 + a^2*b)*\cosh(x)^3 + \\
&3*(2*a^3 + a^2*b)*\cosh(x))*\sinh(x)^5 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*\cosh \\
&(x)^4 + (70*(a^3 + a^2*b)*\cosh(x)^4 + 6*a^3 + 4*a^2*b - a*b^2 + b^3 + 30*(2 \\
&a^3 + a^2*b)*\cosh(x)^2)*\sinh(x)^4 + 4*(14*(a^3 + a^2*b)*\cosh(x)^5 + 10*(2* \\
&a^3 + a^2*b)*\cosh(x)^3 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*\cosh(x))*\sinh(x)^3 \\
&+ a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 2*(2*a^3 + 3*a^2*b - b^3)*\cosh(x)^2 + 2* \\
&(14*(a^3 + a^2*b)*\cosh(x)^6 + 15*(2*a^3 + a^2*b)*\cosh(x)^4 + 2*a^3 + 3*a^2* \\
&b - b^3 + 3*(6*a^3 + 4*a^2*b - a*b^2 + b^3)*\cosh(x)^2)*\sinh(x)^2 + \sqrt{2}* \\
&(a^2*\cosh(x)^6 + 6*a^2*\cosh(x)*\sinh(x)^5 + a^2*\sinh(x)^6 + 3*a^2*\cosh(x)^4 \\
&+ 3*(5*a^2*\cosh(x)^2 + a^2)*\sinh(x)^4 + 4*(5*a^2*\cosh(x)^3 + 3*a^2*\cosh(x)) \\
&*\sinh(x)^3 + (3*a^2 + 2*a*b - b^2)*\cosh(x)^2 + (15*a^2*\cosh(x)^4 + 18*a^2*c \\
&osh(x)^2 + 3*a^2 + 2*a*b - b^2)*\sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(3*a^2*\co \\
&sh(x)^5 + 6*a^2*\cosh(x)^3 + (3*a^2 + 2*a*b - b^2)*\cosh(x))*\sinh(x))*\sqrt{a \\
&+ b)*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\co \\
&sh(x)*\sinh(x) + \sinh(x)^2)} + 4*(2*(a^3 + a^2*b)*\cosh(x)^7 + 3*(2*a^3 + a^2 \\
&*b)*\cosh(x)^5 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*\cosh(x)^3 + (2*a^3 + 3*a^2* \\
&b - b^3)*\cosh(x))*\sinh(x))/(\cosh(x)^6 + 6*\cosh(x)^5*\sinh(x) + 15*\cosh(x)^4* \\
&\sinh(x)^2 + 20*\cosh(x)^3*\sinh(x)^3 + 15*\cosh(x)^2*\sinh(x)^4 + 6*\cosh(x)*\sin \\
&h(x)^5 + \sinh(x)^6)) + 3*((a^2*b + 2*a*b^2 + b^3)*\cosh(x)^8 + 8*(a^2*b + 2* \\
&a*b^2 + b^3)*\cosh(x))*\sinh(x)^7 + (a^2*b + 2*a*b^2 + b^3)*\sinh(x)^8 + 4*(a^2 \\
&*b - b^3)*\cosh(x)^6 + 4*(a^2*b - b^3 + 7*(a^2*b + 2*a*b^2 + b^3)*\cosh(x)^2) \\
&*\sinh(x)^6 + 8*(7*(a^2*b + 2*a*b^2 + b^3)*\cosh(x)^3 + 3*(a^2*b - b^3)*\cosh \\
&(x))*\sinh(x)^5 + 2*(3*a^2*b - 2*a*b^2 + 3*b^3)*\cosh(x)^4 + 2*(35*(a^2*b + 2* \\
&a*b^2 + b^3)*\cosh(x)^4 + 3*a^2*b - 2*a*b^2 + 3*b^3 + 30*(a^2*b - b^3)*\cosh \\
&(x)^2)*\sinh(x)^4 + 8*(7*(a^2*b + 2*a*b^2 + b^3)*\cosh(x)^5 + 10*(a^2*b - b^3) \\
&*\cosh(x)^3 + (3*a^2*b - 2*a*b^2 + 3*b^3)*\cosh(x))*\sinh(x)^3 + a^2*b + 2*a*b \\
&^2 + b^3 + 4*(a^2*b - b^3)*\cosh(x)^2 + 4*(7*(a^2*b + 2*a*b^2 + b^3)*\cosh(x) \\
&^6 + 15*(a^2*b - b^3)*\cosh(x)^4 + a^2*b - b^3 + 3*(3*a^2*b - 2*a*b^2 + 3*b^ \\
&3)*\cosh(x)^2)*\sinh(x)^2 + 8*((a^2*b + 2*a*b^2 + b^3)*\cosh(x)^7 + 3*(a^2*b - \\
&b^3)*\cosh(x)^5 + (3*a^2*b - 2*a*b^2 + 3*b^3)*\cosh(x)^3 + (a^2*b - b^3)*\cos \\
&h(x))*\sinh(x))*\sqrt{a + b)*\log(-((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh \\
&(x)^3 + (a + b)*\sinh(x)^4 - 2*b*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 - b)*\sin \\
&h(x)^2 + \sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 - 1))*\sqrt{a + b}
\end{aligned}$$

$$\begin{aligned}
& )\sqrt{((a + b)\cosh(x)^2 + (a + b)\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2\cosh(x)\sinh(x) + \sinh(x)^2)} + 4*((a + b)\cosh(x)^3 - b\cosh(x))\sinh(x) + a + \\
& b)/(\cosh(x)^2 + 2\cosh(x)\sinh(x) + \sinh(x)^2)) + 4\sqrt{2}*((a^3 - a^2b - 5ab^2 - 3b^3)\cosh(x)^6 + 6(a^3 - a^2b - 5ab^2 - 3b^3)\cosh(x)\sinh(x)^5 + (a^3 - a^2b - 5ab^2 - 3b^3)\sinh(x)^6 + 3(a^3 - a^2b - ab^2 + b^3)\cosh(x)^4 + 3(a^3 - a^2b - ab^2 + b^3 + 5(a^3 - a^2b - 5ab^2 - 3b^3)\cosh(x)^2)\sinh(x)^4 + 4(5(a^3 - a^2b - 5ab^2 - 3b^3)\cosh(x)^3 + 3(a^3 - a^2b - ab^2 + b^3)\cosh(x))\sinh(x)^3 + a^3 - a^2b - 5ab^2 - 3b^3 + 3(a^3 - a^2b - ab^2 + b^3)\cosh(x)^2 + 3(5(a^3 - a^2b - 5ab^2 - 3b^3)\cosh(x)^4 + a^3 - a^2b - ab^2 + b^3 + 6(a^3 - a^2b - ab^2 + b^3)\cosh(x)^2)\sinh(x)^2 + 6((a^3 - a^2b - 5ab^2 - 3b^3)\cosh(x)^5 + 2(a^3 - a^2b - ab^2 + b^3)\cosh(x)^3 + (a^3 - a^2b - ab^2 + b^3)\cosh(x))\sinh(x))\sqrt{((a + b)\cosh(x)^2 + (a + b)\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2\cosh(x)\sinh(x) + \sinh(x)^2))}/((a^5b + 5a^4b^2 + 10a^3b^3 + 10a^2b^4 + 5ab^5 + b^6)\cosh(x)^8 + 8(a^5b + 5a^4b^2 + 10a^3b^3 + 10a^2b^4 + 5ab^5 + b^6)\cosh(x)\sinh(x)^7 + (a^5b + 5a^4b^2 + 10a^3b^3 + 10a^2b^4 + 5ab^5 + b^6)\sinh(x)^8 + 4(a^5b + 3a^4b^2 + 2a^3b^3 - 2a^2b^4 - 3ab^5 - b^6)\cosh(x)^6 + 4(a^5b + 3a^4b^2 + 2a^3b^3 - 2a^2b^4 - 3ab^5 - b^6 + 7(a^5b + 5a^4b^2 + 10a^3b^3 + 10a^2b^4 + 5ab^5 + b^6)\cosh(x)^2)\sinh(x)^6 + a^5b + 5a^4b^2 + 10a^3b^3 + 10a^2b^4 + 5ab^5 + b^6 + 8(7(a^5b + 5a^4b^2 + 10a^3b^3 + 10a^2b^4 + 5ab^5 + b^6)\cosh(x)^3 + 3(a^5b + 3a^4b^2 + 2a^3b^3 - 2a^2b^4 - 3ab^5 - b^6)\cosh(x))\sinh(x)^5 + 2(3a^5b + 7a^4b^2 + 6a^3b^3 + 6a^2b^4 + 7ab^5 + 3b^6)\cosh(x)^4 + 2(3a^5b + 7a^4b^2 + 6a^3b^3 + 6a^2b^4 + 7ab^5 + 3b^6 + 35(a^5b + 5a^4b^2 + 10a^3b^3 + 10a^2b^4 + 5ab^5 + b^6)\cosh(x)^4 + 30(a^5b + 3a^4b^2 + 2a^3b^3 - 2a^2b^4 - 3ab^5 - b^6)\cosh(x)^2)\sinh(x)^4 + 8(7(a^5b + 5a^4b^2 + 10a^3b^3 + 10a^2b^4 + 5ab^5 + b^6)\cosh(x)^5 + 10(a^5b + 3a^4b^2 + 2a^3b^3 - 2a^2b^4 - 3ab^5 - b^6)\cosh(x)^3 + (3a^5b + 7a^4b^2 + 6a^3b^3 + 6a^2b^4 + 7ab^5 + 3b^6)\cosh(x))\sinh(x)^3 + 4(a^5b + 3a^4b^2 + 2a^3b^3 - 2a^2b^4 - 3ab^5 - b^6)\cosh(x)^2 + 4(7(a^5b + 5a^4b^2 + 10a^3b^3 + 10a^2b^4 + 5ab^5 + b^6)\cosh(x)^6 + a^5b + 3a^4b^2 + 2a^3b^3 - 2a^2b^4 - 3ab^5 - b^6 + 15(a^5b + 3a^4b^2 + 2a^3b^3 - 2a^2b^4 - 3ab^5 - b^6)\cosh(x)^4 + 3(3a^5b + 7a^4b^2 + 6a^3b^3 + 6a^2b^4 + 7ab^5 + 3b^6)\cosh(x)^2)\sinh(x)^2 + 8((a^5b + 5a^4b^2 + 10a^3b^3 + 10a^2b^4 + 5ab^5 + b^6)\cosh(x)^7 + 3(a^5b + 3a^4b^2 + 2a^3b^3 - 2a^2b^4 - 3ab^5 - b^6)\cosh(x)^5 + (3a^5b + 7a^4b^2 + 6a^3b^3 + 6a^2b^4 + 7ab^5 + 3b^6)\cosh(x)^3 + (a^5b + 3a^4b^2 + 2a^3b^3 - 2a^2b^4 - 3ab^5 - b^6)\cosh(x))\sinh(x)), -1/6(3((a^2b + 2ab^2 + b^3)\cosh(x)^8 + 8(a^2b + 2ab^2 + b^3)\cosh(x)\sinh(x)^7 + (a^2b + 2ab^2 + b^3)\sinh(x)^8 + 4(a^2b - b^3)\cosh(x)^6 + 4(a^2b - b^3 + 7(a^2b + 2ab^2 + b^3)\cosh(x)^2)\sinh(x)^6 + 8(7(a^2b + 2ab^2 + b^3)\cosh(x)^3 + 3(a^2b - b^3)\cosh(x))\sinh(x)^5 + 2(3a^2b - 2ab^2 + 3b^3)\cosh(x)^4 + 2(35(a^2b + 2ab^2 + b^3)\cosh(x)^4 + 3a^2b - 2ab^2 + 3b^3 + 30(a^2b - b^3)\cosh(x)^2)\sinh
\end{aligned}$$

$$\begin{aligned}
& (x)^4 + 8*(7*(a^2*b + 2*a*b^2 + b^3)*\cosh(x)^5 + 10*(a^2*b - b^3)*\cosh(x)^3 \\
& + (3*a^2*b - 2*a*b^2 + 3*b^3)*\cosh(x))*\sinh(x)^3 + a^2*b + 2*a*b^2 + b^3 + \\
& 4*(a^2*b - b^3)*\cosh(x)^2 + 4*(7*(a^2*b + 2*a*b^2 + b^3)*\cosh(x)^6 + 15*(a \\
& ^2*b - b^3)*\cosh(x)^4 + a^2*b - b^3 + 3*(3*a^2*b - 2*a*b^2 + 3*b^3)*\cosh(x) \\
& ^2)*\sinh(x)^2 + 8*((a^2*b + 2*a*b^2 + b^3)*\cosh(x)^7 + 3*(a^2*b - b^3)*\cosh \\
& (x)^5 + (3*a^2*b - 2*a*b^2 + 3*b^3)*\cosh(x)^3 + (a^2*b - b^3)*\cosh(x))*\sinh \\
& (x))*\sqrt{-a - b}*\arctan(\sqrt{2}*(a*\cosh(x)^2 + 2*a*\cosh(x)*\sinh(x) + a*\sin \\
& h(x)^2 + a + b))*\sqrt{-a - b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + \\
& a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))/((a^2 + a*b)*\cosh(x)^4 \\
& + 4*(a^2 + a*b)*\cosh(x)*\sinh(x)^3 + (a^2 + a*b)*\sinh(x)^4 + (2*a^2 + a*b - \\
& b^2)*\cosh(x)^2 + (6*(a^2 + a*b)*\cosh(x)^2 + 2*a^2 + a*b - b^2)*\sinh(x)^2 + \\
& a^2 + 2*a*b + b^2 + 2*(2*(a^2 + a*b)*\cosh(x)^3 + (2*a^2 + a*b - b^2)*\cosh(x) \\
& ))*\sinh(x))) + 3*((a^2*b + 2*a*b^2 + b^3)*\cosh(x)^8 + 8*(a^2*b + 2*a*b^2 + \\
& b^3)*\cosh(x)*\sinh(x)^7 + (a^2*b + 2*a*b^2 + b^3)*\sinh(x)^8 + 4*(a^2*b - b^3 \\
& )*\cosh(x)^6 + 4*(a^2*b - b^3 + 7*(a^2*b + 2*a*b^2 + b^3)*\cosh(x)^2)*\sinh(x) \\
& ^6 + 8*(7*(a^2*b + 2*a*b^2 + b^3)*\cosh(x)^3 + 3*(a^2*b - b^3)*\cosh(x))*\sinh \\
& (x)^5 + 2*(3*a^2*b - 2*a*b^2 + 3*b^3)*\cosh(x)^4 + 2*(35*(a^2*b + 2*a*b^2 + \\
& b^3)*\cosh(x)^4 + 3*a^2*b - 2*a*b^2 + 3*b^3 + 30*(a^2*b - b^3)*\cosh(x)^2)*\sin \\
& h(x)^4 + 8*(7*(a^2*b + 2*a*b^2 + b^3)*\cosh(x)^5 + 10*(a^2*b - b^3)*\cosh(x) \\
& ^3 + (3*a^2*b - 2*a*b^2 + 3*b^3)*\cosh(x))*\sinh(x)^3 + a^2*b + 2*a*b^2 + b^3 \\
& + 4*(a^2*b - b^3)*\cosh(x)^2 + 4*(7*(a^2*b + 2*a*b^2 + b^3)*\cosh(x)^6 + 15* \\
& (a^2*b - b^3)*\cosh(x)^4 + a^2*b - b^3 + 3*(3*a^2*b - 2*a*b^2 + 3*b^3)*\cosh(x) \\
& ^2)*\sinh(x)^2 + 8*((a^2*b + 2*a*b^2 + b^3)*\cosh(x)^7 + 3*(a^2*b - b^3)*\cosh \\
& (x)^5 + (3*a^2*b - 2*a*b^2 + 3*b^3)*\cosh(x)^3 + (a^2*b - b^3)*\cosh(x))*\sinh \\
& (x))*\sqrt{-a - b}*\arctan(\sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x) \\
& ^2 - 1))*\sqrt{-a - b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))/((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a - b)*\sinh(x)^2 + 4*((a + b)*\cosh(x)^3 + (a - b)*\cosh(x))*\sinh(x) + a + b)) - 2*\sqrt{2}*((a^3 - a^2*b - 5*a*b^2 - 3*b^3)*\cosh(x)^6 + 6*(a^3 - a^2*b - 5*a*b^2 - 3*b^3)*\cosh(x)*\sinh(x)^5 + (a^3 - a^2*b - 5*a*b^2 - 3*b^3)*\sinh(x)^6 + 3*(a^3 - a^2*b - a*b^2 + b^3)*\cosh(x)^4 + 3*(a^3 - a^2*b - a*b^2 + b^3 + 5*(a^3 - a^2*b - 5*a*b^2 - 3*b^3)*\cosh(x)^2)*\sinh(x)^4 + 4*(5*(a^3 - a^2*b - 5*a*b^2 - 3*b^3)*\cosh(x)^3 + 3*(a^3 - a^2*b - a*b^2 + b^3)*\cosh(x))*\sinh(x)^3 + a^3 - a^2*b - 5*a*b^2 - 3*b^3 + 3*(a^3 - a^2*b - a*b^2 + b^3)*\cosh(x)^2 + 3*(5*(a^3 - a^2*b - 5*a*b^2 - 3*b^3)*\cosh(x)^4 + a^3 - a^2*b - a*b^2 + b^3 + 6*(a^3 - a^2*b - a*b^2 + b^3)*\cosh(x)^2)*\sinh(x)^2 + 6*((a^3 - a^2*b - 5*a*b^2 - 3*b^3)*\cosh(x)^5 + 2*(a^3 - a^2*b - a*b^2 + b^3)*\cosh(x)^3 + (a^3 - a^2*b - a*b^2 + b^3)*\cosh(x))*\sinh(x))*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)))/((a^5*b + 5*a^4*b^2 + 10*a^3*b^3 + 10*a^2*b^4 + 5*a*b^5 + b^6)*\cosh(x)^8 + 8*(a^5*b + 5*a^4*b^2 + 10*a^3*b^3 + 10*a^2*b^4 + 5*a*b^5 + b^6)*\cosh(x)*\sinh(x)^7 + (a^5*b + 5*a^4*b^2 + 10*a^3*b^3 + 10*a^2*b^4 + 5*a*b^5 + b^6)*\sinh(x)^8 + 4*(a^5*b + 3*a^4*b^2 + 2*a^3*b^3 - 2*a^2*b^4 - 3*a*b^5 - b^6)*\cosh(x)^6 + 4*(a^5*b + 3*a^4*b^2 + 2*a^3*b^3 - 2*a^2*b^4 - 3*a*b^5 -
\end{aligned}$$

$$\begin{aligned}
& b^6 + 7*(a^5*b + 5*a^4*b^2 + 10*a^3*b^3 + 10*a^2*b^4 + 5*a*b^5 + b^6)*\cosh(x)^2*\sinh(x)^6 + a^5*b + 5*a^4*b^2 + 10*a^3*b^3 + 10*a^2*b^4 + 5*a*b^5 + \\
& b^6 + 8*(7*(a^5*b + 5*a^4*b^2 + 10*a^3*b^3 + 10*a^2*b^4 + 5*a*b^5 + b^6)*\cosh(x)^3 + 3*(a^5*b + 3*a^4*b^2 + 2*a^3*b^3 - 2*a^2*b^4 - 3*a*b^5 - b^6)*\cos \\
& h(x))*\sinh(x)^5 + 2*(3*a^5*b + 7*a^4*b^2 + 6*a^3*b^3 + 6*a^2*b^4 + 7*a*b^5 \\
& + 3*b^6)*\cosh(x)^4 + 2*(3*a^5*b + 7*a^4*b^2 + 6*a^3*b^3 + 6*a^2*b^4 + 7*a*b^5 \\
& + 3*b^6 + 35*(a^5*b + 5*a^4*b^2 + 10*a^3*b^3 + 10*a^2*b^4 + 5*a*b^5 + b^6)*\cosh(x)^4 + 30*(a^5*b + 3*a^4*b^2 + 2*a^3*b^3 - 2*a^2*b^4 - 3*a*b^5 - b^6)*\cosh(x)^2)*\sinh(x)^4 + 8*(7*(a^5*b + 5*a^4*b^2 + 10*a^3*b^3 + 10*a^2*b^4 \\
& + 5*a*b^5 + b^6)*\cosh(x)^5 + 10*(a^5*b + 3*a^4*b^2 + 2*a^3*b^3 - 2*a^2*b^4 \\
& - 3*a*b^5 - b^6)*\cosh(x)^3 + (3*a^5*b + 7*a^4*b^2 + 6*a^3*b^3 + 6*a^2*b^4 \\
& + 7*a*b^5 + 3*b^6)*\cosh(x))*\sinh(x)^3 + 4*(a^5*b + 3*a^4*b^2 + 2*a^3*b^3 - \\
& 2*a^2*b^4 - 3*a*b^5 - b^6)*\cosh(x)^2 + 4*(7*(a^5*b + 5*a^4*b^2 + 10*a^3*b^3 \\
& + 10*a^2*b^4 + 5*a*b^5 + b^6)*\cosh(x)^6 + a^5*b + 3*a^4*b^2 + 2*a^3*b^3 - \\
& 2*a^2*b^4 - 3*a*b^5 - b^6 + 15*(a^5*b + 3*a^4*b^2 + 2*a^3*b^3 - 2*a^2*b^4 - \\
& 3*a*b^5 - b^6)*\cosh(x)^4 + 3*(3*a^5*b + 7*a^4*b^2 + 6*a^3*b^3 + 6*a^2*b^4 \\
& + 7*a*b^5 + 3*b^6)*\cosh(x)^2)*\sinh(x)^2 + 8*((a^5*b + 5*a^4*b^2 + 10*a^3*b^3 \\
& + 10*a^2*b^4 + 5*a*b^5 + b^6)*\cosh(x)^7 + 3*(a^5*b + 3*a^4*b^2 + 2*a^3*b^3 \\
& - 2*a^2*b^4 - 3*a*b^5 - b^6)*\cosh(x)^5 + (3*a^5*b + 7*a^4*b^2 + 6*a^3*b^3 \\
& + 6*a^2*b^4 + 7*a*b^5 + 3*b^6)*\cosh(x)^3 + (a^5*b + 3*a^4*b^2 + 2*a^3*b^3 \\
& - 2*a^2*b^4 - 3*a*b^5 - b^6)*\cosh(x))*\sinh(x))]
\end{aligned}$$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\tanh^3(x)}{(a + b \tanh^2(x))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)\*\*3/(a+b\*tanh(x)\*\*2)\*\*(5/2), x)

[Out] Integral(tanh(x)\*\*3/(a + b\*tanh(x)\*\*2)\*\*(5/2), x)

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tanh(x)^3/(a+b*tanh(x)^2)^(5/2),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError
```



$$3.250 \quad \int \frac{\tanh^2(x)}{(a+b \tanh^2(x))^{5/2}} dx$$

**Optimal.** Leaf size=88

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a+b}\tanh(x)}{\sqrt{a+b\tanh^2(x)}}\right)}{(a+b)^{5/2}} - \frac{(2a-b)\tanh(x)}{3a(a+b)^2\sqrt{a+b\tanh^2(x)}} - \frac{\tanh(x)}{3(a+b)(a+b\tanh^2(x))^{3/2}}$$

[Out] ArcTanh[(Sqrt[a + b]\*Tanh[x])/Sqrt[a + b\*Tanh[x]^2]]/(a + b)^(5/2) - Tanh[x]/(3\*(a + b)\*(a + b\*Tanh[x]^2)^(3/2)) - ((2\*a - b)\*Tanh[x])/(3\*a\*(a + b)^2\*Sqrt[a + b\*Tanh[x]^2])

**Rubi [A]** time = 0.131813, antiderivative size = 88, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.353$ , Rules used = {3670, 471, 527, 12, 377, 206}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a+b}\tanh(x)}{\sqrt{a+b\tanh^2(x)}}\right)}{(a+b)^{5/2}} - \frac{(2a-b)\tanh(x)}{3a(a+b)^2\sqrt{a+b\tanh^2(x)}} - \frac{\tanh(x)}{3(a+b)(a+b\tanh^2(x))^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[Tanh[x]^2/(a + b\*Tanh[x]^2)^(5/2), x]

[Out] ArcTanh[(Sqrt[a + b]\*Tanh[x])/Sqrt[a + b\*Tanh[x]^2]]/(a + b)^(5/2) - Tanh[x]/(3\*(a + b)\*(a + b\*Tanh[x]^2)^(3/2)) - ((2\*a - b)\*Tanh[x])/(3\*a\*(a + b)^2\*Sqrt[a + b\*Tanh[x]^2])

### Rule 3670

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((a_.) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[(((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f*ff^2*x^2), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))
```

Rule 471

```
Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Simp[(e^(n - 1)*(e*x)^(m - n + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(n*(b*c - a*d)*(p + 1)), x] - Dist[e^n/(n*(b*c - a*d)*(p + 1)), Int[(e*x)^(m - n)*(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(m - n + 1) + d*(m + n*(p + q + 1) + 1)*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LtQ[p, -1] && GeQ[n, m - n + 1] && GtQ[m - n + 1, 0] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]
```

Rule 527

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_.)*((e_) + (f_.)*(x_)^(n_)), x_Symbol] := -Simp[((b*e - a*f)*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(b*c - a*d)*(p + 1)), x] + Dist[1/(a*n*(b*c - a*d)*(p + 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(b*e - a*f) + e*n*(b*c - a*d)*(p + 1) + d*(b*e - a*f)*(n*(p + q + 2) + 1)*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, f, n, q}, x] && LtQ[p, -1]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 377

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{\tanh^2(x)}{(a+b \tanh^2(x))^{5/2}} dx &= \text{Subst} \left( \int \frac{x^2}{(1-x^2)(a+bx^2)^{5/2}} dx, x, \tanh(x) \right) \\
&= -\frac{\tanh(x)}{3(a+b)(a+b \tanh^2(x))^{3/2}} + \frac{\text{Subst} \left( \int \frac{1+2x^2}{(1-x^2)(a+bx^2)^{3/2}} dx, x, \tanh(x) \right)}{3(a+b)} \\
&= -\frac{\tanh(x)}{3(a+b)(a+b \tanh^2(x))^{3/2}} - \frac{(2a-b)\tanh(x)}{3a(a+b)^2 \sqrt{a+b \tanh^2(x)}} - \frac{\text{Subst} \left( \int -\frac{3a}{(1-x^2)\sqrt{a+bx^2}} dx, x, \tanh(x) \right)}{3a(a+b)^2} \\
&= -\frac{\tanh(x)}{3(a+b)(a+b \tanh^2(x))^{3/2}} - \frac{(2a-b)\tanh(x)}{3a(a+b)^2 \sqrt{a+b \tanh^2(x)}} + \frac{\text{Subst} \left( \int \frac{1}{(1-x^2)\sqrt{a+bx^2}} dx, x, \tanh(x) \right)}{(a+b)^2} \\
&= -\frac{\tanh(x)}{3(a+b)(a+b \tanh^2(x))^{3/2}} - \frac{(2a-b)\tanh(x)}{3a(a+b)^2 \sqrt{a+b \tanh^2(x)}} + \frac{\text{Subst} \left( \int \frac{1}{1-(a+b)x^2} dx, x, \frac{\tanh(x)}{\sqrt{a+b \tanh^2(x)}} \right)}{(a+b)^2} \\
&= \frac{\tanh^{-1} \left( \frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}} \right)}{(a+b)^{5/2}} - \frac{\tanh(x)}{3(a+b)(a+b \tanh^2(x))^{3/2}} - \frac{(2a-b)\tanh(x)}{3a(a+b)^2 \sqrt{a+b \tanh^2(x)}}
\end{aligned}$$

**Mathematica [C]** time = 7.51892, size = 193, normalized size = 2.19

$$\text{coth}(x) \left( \frac{35a \cosh^2(x) (-5a - 2b \tanh^2(x)) \left( 3(a+b \tanh^2(x))^2 \sin^{-1} \left( \sqrt{-\frac{(a+b) \sinh^2(x)}{a}} \right) - \text{asech}^2(x) ((a+4b) \tanh^2(x) + 3a) \sqrt{-\frac{(a+b) \sinh^2(x) \cosh^2(x) (a+b \tanh^2(x))}{a^2}} \right)}{\sqrt{-\frac{(a+b) \sinh^2(x) \cosh^2(x) (a+b \tanh^2(x))}{a^2}}} \right)$$


---


$$315a^3(a+b)^2(a+b \tanh^2(x))^{3/2}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Tanh[x]^2/(a + b\*Tanh[x]^2)^(5/2), x]

[Out] (Coth[x]\*(-12\*(a + b)^3\*Hypergeometric2F1[2, 2, 9/2, -(((a + b)\*Sinh[x]^2)/a)]\*Sinh[x]^4\*Tanh[x]^2\*(a + b\*Tanh[x]^2) - (35\*a\*Cosh[x]^2\*(-5\*a - 2\*b\*Tanh[x]^2)\*(3\*ArcSin[Sqrt[-((a + b)\*Sinh[x]^2)/a]])\*(a + b\*Tanh[x]^2)^2 - a\*S

```

ech[x]^2*Sqrt[-(((a + b)*Cosh[x]^2*Sinh[x]^2*(a + b*Tanh[x]^2))/a^2)]*(3*a
+ (a + 4*b)*Tanh[x]^2))/Sqrt[-(((a + b)*Cosh[x]^2*Sinh[x]^2*(a + b*Tanh[x]
^2))/a^2))]/(315*a^3*(a + b)^2*(a + b*Tanh[x]^2)^(3/2))

```

**Maple [B]** time = 0.02, size = 454, normalized size = 5.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(tanh(x)^2/(a+b*tanh(x)^2)^(5/2),x)
```

```
[Out] -1/3*tanh(x)/a/(a+b*tanh(x)^2)^(3/2)-2/3/a^2*tanh(x)/(a+b*tanh(x)^2)^(1/2)+
1/6/(a+b)/((1+tanh(x))^2*b-2*(1+tanh(x))*b+a+b)^(3/2)+1/6*b/(a+b)/a/((1+tan
h(x))^2*b-2*(1+tanh(x))*b+a+b)^(3/2)*tanh(x)+1/3*b/(a+b)/a^2/((1+tanh(x))^2
*b-2*(1+tanh(x))*b+a+b)^(1/2)*tanh(x)+1/2/(a+b)^2/((1+tanh(x))^2*b-2*(1+tan
h(x))*b+a+b)^(1/2)+1/2/(a+b)^2/a/((1+tanh(x))^2*b-2*(1+tanh(x))*b+a+b)^(1/2
)*b*tanh(x)-1/2/(a+b)^(5/2)*ln((2*a+2*b-2*(1+tanh(x))*b+2*(a+b)^(1/2)*((1+t
anh(x))^2*b-2*(1+tanh(x))*b+a+b)^(1/2))/(1+tanh(x)))-1/6/(a+b)/((tanh(x)-1)
^2*b+2*(tanh(x)-1)*b+a+b)^(3/2)+1/6*b/(a+b)/a/((tanh(x)-1)^2*b+2*(tanh(x)-1
)*b+a+b)^(3/2)*tanh(x)+1/3*b/(a+b)/a^2/((tanh(x)-1)^2*b+2*(tanh(x)-1)*b+a+b
)^(1/2)*tanh(x)-1/2/(a+b)^2/((tanh(x)-1)^2*b+2*(tanh(x)-1)*b+a+b)^(1/2)+1/2
/(a+b)^2/a/((tanh(x)-1)^2*b+2*(tanh(x)-1)*b+a+b)^(1/2)*b*tanh(x)+1/2/(a+b)^(
5/2)*ln((2*a+2*b+2*(tanh(x)-1)*b+2*(a+b)^(1/2)*((tanh(x)-1)^2*b+2*(tanh(x)
-1)*b+a+b)^(1/2))/(tanh(x)-1))

```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\tanh(x)^2}{(b \tanh(x)^2 + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tanh(x)^2/(a+b*tanh(x)^2)^(5/2),x, algorithm="maxima")
```

```
[Out] integrate(tanh(x)^2/(b*tanh(x)^2 + a)^(5/2), x)
```

**Fricas [B]** time = 8.76281, size = 15741, normalized size = 178.88

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)^2/(a+b\*tanh(x)^2)^(5/2),x, algorithm="fricas")

[Out] [1/12\*(3\*((a^3 + 2\*a^2\*b + a\*b^2)\*cosh(x)^8 + 8\*(a^3 + 2\*a^2\*b + a\*b^2)\*cosh(x)\*sinh(x)^7 + (a^3 + 2\*a^2\*b + a\*b^2)\*sinh(x)^8 + 4\*(a^3 - a\*b^2)\*cosh(x)^6 + 4\*(a^3 - a\*b^2 + 7\*(a^3 + 2\*a^2\*b + a\*b^2)\*cosh(x)^2)\*sinh(x)^6 + 8\*(7\*(a^3 + 2\*a^2\*b + a\*b^2)\*cosh(x)^3 + 3\*(a^3 - a\*b^2)\*cosh(x))\*sinh(x)^5 + 2\*(3\*a^3 - 2\*a^2\*b + 3\*a\*b^2)\*cosh(x)^4 + 2\*(35\*(a^3 + 2\*a^2\*b + a\*b^2)\*cosh(x)^4 + 3\*a^3 - 2\*a^2\*b + 3\*a\*b^2 + 30\*(a^3 - a\*b^2)\*cosh(x)^2)\*sinh(x)^4 + 8\*(7\*(a^3 + 2\*a^2\*b + a\*b^2)\*cosh(x)^5 + 10\*(a^3 - a\*b^2)\*cosh(x)^3 + (3\*a^3 - 2\*a^2\*b + 3\*a\*b^2)\*cosh(x))\*sinh(x)^3 + a^3 + 2\*a^2\*b + a\*b^2 + 4\*(a^3 - a\*b^2)\*cosh(x)^2 + 4\*(7\*(a^3 + 2\*a^2\*b + a\*b^2)\*cosh(x)^6 + 15\*(a^3 - a\*b^2)\*cosh(x)^4 + a^3 - a\*b^2 + 3\*(3\*a^3 - 2\*a^2\*b + 3\*a\*b^2)\*cosh(x)^2)\*sinh(x)^2 + 8\*((a^3 + 2\*a^2\*b + a\*b^2)\*cosh(x)^7 + 3\*(a^3 - a\*b^2)\*cosh(x)^5 + (3\*a^3 - 2\*a^2\*b + 3\*a\*b^2)\*cosh(x)^3 + (a^3 - a\*b^2)\*cosh(x))\*sinh(x))\*sqrt(a + b)\*log(-((a\*b^2 + b^3)\*cosh(x)^8 + 8\*(a\*b^2 + b^3)\*cosh(x)\*sinh(x)^7 + (a\*b^2 + b^3)\*sinh(x)^8 - 2\*(a\*b^2 + 2\*b^3)\*cosh(x)^6 - 2\*(a\*b^2 + 2\*b^3 - 14\*(a\*b^2 + b^3)\*cosh(x)^2)\*sinh(x)^6 + 4\*(14\*(a\*b^2 + b^3)\*cosh(x)^3 - 3\*(a\*b^2 + 2\*b^3)\*cosh(x))\*sinh(x)^5 + (a^3 - a^2\*b + 4\*a\*b^2 + 6\*b^3)\*cosh(x)^4 + (70\*(a\*b^2 + b^3)\*cosh(x)^4 + a^3 - a^2\*b + 4\*a\*b^2 + 6\*b^3 - 30\*(a\*b^2 + 2\*b^3)\*cosh(x)^2)\*sinh(x)^4 + 4\*(14\*(a\*b^2 + b^3)\*cosh(x)^5 - 10\*(a\*b^2 + 2\*b^3)\*cosh(x)^3 + (a^3 - a^2\*b + 4\*a\*b^2 + 6\*b^3)\*cosh(x))\*sinh(x)^3 + a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3 + 2\*(a^3 - 3\*a\*b^2 - 2\*b^3)\*cosh(x)^2 + 2\*(14\*(a\*b^2 + b^3)\*cosh(x)^6 - 15\*(a\*b^2 + 2\*b^3)\*cosh(x)^4 + a^3 - 3\*a\*b^2 - 2\*b^3 + 3\*(a^3 - a^2\*b + 4\*a\*b^2 + 6\*b^3)\*cosh(x)^2)\*sinh(x)^2 + sqrt(2)\*(b^2\*cosh(x)^6 + 6\*b^2\*cosh(x)\*sinh(x)^5 + b^2\*sinh(x)^6 - 3\*b^2\*cosh(x)^4 + 3\*(5\*b^2\*cosh(x)^2 - b^2)\*sinh(x)^4 + 4\*(5\*b^2\*cosh(x)^3 - 3\*b^2\*cosh(x))\*sinh(x)^3 - (a^2 - 2\*a\*b - 3\*b^2)\*cosh(x)^2 + (15\*b^2\*cosh(x)^4 - 18\*b^2\*cosh(x)^2 - a^2 + 2\*a\*b + 3\*b^2)\*sinh(x)^2 - a^2 - 2\*a\*b - b^2 + 2\*(3\*b^2\*cosh(x)^5 - 6\*b^2\*cosh(x)^3 - (a^2 - 2\*a\*b - 3\*b^2)\*cosh(x))\*sinh(x))\*sqrt(a + b)\*sqrt(((a + b)\*cosh(x)^2 + (a + b)\*sinh(x)^2 + a - b)/(cosh(x)^2 - 2\*cosh(x)\*sinh(x) + sinh(x)^2)) + 4\*(2\*(a\*b^2 + b^3)\*cosh(x)^7 - 3\*(a\*b^2 + 2\*b^3)\*cosh(x)^5 + (a^3 - a^2\*b + 4\*a\*b^2 + 6\*b^3)\*cosh(x)^3 + (a^3 - 3\*a\*b^2 - 2\*b^3)\*cosh(x))\*sinh(x))/(cosh(x)^6 + 6\*cosh(x)^5\*sinh(x) + 15\*cosh(x)^4\*sinh(x)^2 + 20\*cosh(x)^3\*sinh(x)^3 + 15\*cosh(x)^2\*sinh(x)^4 + 6\*cosh(x)\*sinh(x)^5 + sinh(x)^6)) + 3\*((a^3 + 2\*a^2\*b + a\*b^2)\*cosh(x)^8 + 8\*(a^3 + 2\*a^2\*b + a\*b^2)\*cosh(x)\*sinh(x)^7 + (a^3 + 2\*a^2\*b + a\*b^2)\*sinh(x)^8 + 4\*(a^3 - a\*b^2)\*cosh(x)^6 + 4\*(a^3 - a\*b^2 + 7\*(a^3 + 2\*a^2\*b + a\*b^2)\*cosh(x)^2)\*sinh(x)^6 + 8\*(7\*(a^3 + 2\*a^2\*b + a\*b^2)\*cosh(x)^3 + 3\*(a^3 - a\*b^2)\*cosh

$$\begin{aligned}
& (x) \cdot \sinh(x)^5 + 2 \cdot (3a^3 - 2a^2b + 3ab^2) \cdot \cosh(x)^4 + 2 \cdot (35(a^3 + 2a^2b + ab^2) \cdot \cosh(x)^4 + 3a^3 - 2a^2b + 3ab^2 + 30(a^3 - ab^2) \cdot \cosh(x)^2) \cdot \sinh(x)^4 + 8 \cdot (7(a^3 + 2a^2b + ab^2) \cdot \cosh(x)^5 + 10(a^3 - ab^2) \cdot \cosh(x)^3 + (3a^3 - 2a^2b + 3ab^2) \cdot \cosh(x)) \cdot \sinh(x)^3 + a^3 + 2a^2b + ab^2 + 4(a^3 - ab^2) \cdot \cosh(x)^2 + 4 \cdot (7(a^3 + 2a^2b + ab^2) \cdot \cosh(x)^6 + 15(a^3 - ab^2) \cdot \cosh(x)^4 + a^3 - ab^2 + 3(3a^3 - 2a^2b + 3ab^2) \cdot \cosh(x)^2) \cdot \sinh(x)^2 + 8 \cdot ((a^3 + 2a^2b + ab^2) \cdot \cosh(x)^7 + 3(a^3 - ab^2) \cdot \cosh(x)^5 + (3a^3 - 2a^2b + 3ab^2) \cdot \cosh(x)^3 + (a^3 - ab^2) \cdot \cosh(x)) \cdot \sinh(x)) \cdot \sqrt{a+b} \cdot \log(((a+b) \cdot \cosh(x)^4 + 4(a+b) \cdot \cosh(x) \cdot \sinh(x)^3 + (a+b) \cdot \sinh(x)^4 + 2a \cdot \cosh(x)^2 + 2 \cdot (3(a+b) \cdot \cosh(x)^2 + a) \cdot \sinh(x)^2 + \sqrt{2} \cdot (\cosh(x)^2 + 2 \cdot \cosh(x) \cdot \sinh(x) + \sinh(x)^2 + 1)) \cdot \sqrt{a+b}) \cdot \sqrt{((a+b) \cdot \cosh(x)^2 + (a+b) \cdot \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cdot \cosh(x) \cdot \sinh(x) + \sinh(x)^2)}) + 4 \cdot ((a+b) \cdot \cosh(x)^3 + a \cdot \cosh(x)) \cdot \sinh(x) + a + b) / (\cosh(x)^2 + 2 \cdot \cosh(x) \cdot \sinh(x) + \sinh(x)^2)) - 4 \cdot \sqrt{2} \cdot ((3a^3 + 5a^2b + ab^2 - b^3) \cdot \cosh(x)^6 + 6 \cdot (3a^3 + 5a^2b + ab^2 - b^3) \cdot \cosh(x) \cdot \sinh(x)^5 + (3a^3 + 5a^2b + ab^2 - b^3) \cdot \sinh(x)^6 + 3(a^3 - a^2b - ab^2 + b^3) \cdot \cosh(x)^4 + 3(a^3 - a^2b - ab^2 + b^3 + 5(3a^3 + 5a^2b + ab^2 - b^3) \cdot \cosh(x)^2) \cdot \sinh(x)^4 + 4 \cdot (5 \cdot (3a^3 + 5a^2b + ab^2 - b^3) \cdot \cosh(x)^3 + 3(a^3 - a^2b - ab^2 + b^3) \cdot \cosh(x)) \cdot \sinh(x)^3 - 3a^3 - 5a^2b - ab^2 + b^3 - 3(a^3 - a^2b - ab^2 + b^3) \cdot \cosh(x)^2 + 3 \cdot (5 \cdot (3a^3 + 5a^2b + ab^2 - b^3) \cdot \cosh(x)^4 - a^3 + a^2b + ab^2 - b^3 + 6(a^3 - a^2b - ab^2 + b^3) \cdot \cosh(x)^2) \cdot \sinh(x)^2 + 6 \cdot ((3a^3 + 5a^2b + ab^2 - b^3) \cdot \cosh(x)^5 + 2(a^3 - a^2b - ab^2 + b^3) \cdot \cosh(x)^3 - (a^3 - a^2b - ab^2 + b^3) \cdot \cosh(x)) \cdot \sinh(x)) \cdot \sqrt{((a+b) \cdot \cosh(x)^2 + (a+b) \cdot \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cdot \cosh(x) \cdot \sinh(x) + \sinh(x)^2))} / ((a^6 + 5a^5b + 10a^4b^2 + 10a^3b^3 + 5a^2b^4 + ab^5) \cdot \cosh(x)^8 + 8(a^6 + 5a^5b + 10a^4b^2 + 10a^3b^3 + 5a^2b^4 + ab^5) \cdot \cosh(x) \cdot \sinh(x)^7 + (a^6 + 5a^5b + 10a^4b^2 + 10a^3b^3 + 5a^2b^4 + ab^5) \cdot \sinh(x)^8 + 4(a^6 + 3a^5b + 2a^4b^2 - 2a^3b^3 - 3a^2b^4 - ab^5) \cdot \cosh(x)^6 + 4(a^6 + 3a^5b + 2a^4b^2 - 2a^3b^3 - 3a^2b^4 - ab^5 + 7(a^6 + 5a^5b + 10a^4b^2 + 10a^3b^3 + 5a^2b^4 + ab^5) \cdot \cosh(x)^2) \cdot \sinh(x)^6 + a^6 + 5a^5b + 10a^4b^2 + 10a^3b^3 + 5a^2b^4 + ab^5 + 8 \cdot (7(a^6 + 5a^5b + 10a^4b^2 + 10a^3b^3 + 5a^2b^4 + ab^5) \cdot \cosh(x)^3 + 3(a^6 + 3a^5b + 2a^4b^2 - 2a^3b^3 - 3a^2b^4 - ab^5) \cdot \cosh(x)) \cdot \sinh(x)^5 + 2 \cdot (3a^6 + 7a^5b + 6a^4b^2 + 6a^3b^3 + 7a^2b^4 + 3ab^5) \cdot \cosh(x)^4 + 2 \cdot (3a^6 + 7a^5b + 6a^4b^2 + 6a^3b^3 + 7a^2b^4 + 3ab^5) \cdot \cosh(x)^4 + 30(a^6 + 3a^5b + 2a^4b^2 - 2a^3b^3 - 3a^2b^4 - ab^5) \cdot \cosh(x)^2) \cdot \sinh(x)^4 + 8 \cdot (7(a^6 + 5a^5b + 10a^4b^2 + 10a^3b^3 + 5a^2b^4 + ab^5) \cdot \cosh(x)^5 + 10(a^6 + 3a^5b + 2a^4b^2 - 2a^3b^3 - 3a^2b^4 - ab^5) \cdot \cosh(x)^3 + (3a^6 + 7a^5b + 6a^4b^2 + 6a^3b^3 + 7a^2b^4 + 3ab^5) \cdot \cosh(x)) \cdot \sinh(x)^3 + 4 \cdot (a^6 + 3a^5b + 2a^4b^2 - 2a^3b^3 - 3a^2b^4 - ab^5) \cdot \cosh(x)^2 + 4 \cdot (7(a^6 + 5a^5b + 10a^4b^2 + 10a^3b^3 + 5a^2b^4 + ab^5) \cdot \cosh(x)^6 + a^6 + 3a^5b + 2a^4b^2 - 2a^3b^3 - 3a^2b^4 - ab^5 + 15(a^6 + 3a^5b + 2a^4b^2 - 2a^3b^3 - 3a^2b^4 - ab^5) \cdot \cosh(x)^4 + 3 \cdot (3a^6 + 7
\end{aligned}$$

$$\begin{aligned}
& a^5b + 6a^4b^2 + 6a^3b^3 + 7a^2b^4 + 3ab^5) \cosh(x)^2 \sinh(x)^2 + \\
& 8((a^6 + 5a^5b + 10a^4b^2 + 10a^3b^3 + 5a^2b^4 + ab^5) \cosh(x)^7 \\
& + 3(a^6 + 3a^5b + 2a^4b^2 - 2a^3b^3 - 3a^2b^4 - ab^5) \cosh(x)^5 \\
& + (3a^6 + 7a^5b + 6a^4b^2 + 6a^3b^3 + 7a^2b^4 + 3ab^5) \cosh(x)^3 \\
& + (a^6 + 3a^5b + 2a^4b^2 - 2a^3b^3 - 3a^2b^4 - ab^5) \cosh(x)) \sinh(x)), \\
& -1/6(3((a^3 + 2a^2b + ab^2) \cosh(x)^8 + 8(a^3 + 2a^2b + ab^2) \cosh(x) \sinh(x)^7 \\
& + (a^3 + 2a^2b + ab^2) \sinh(x)^8 + 4(a^3 - ab^2) \cosh(x)^6 \\
& + 4(a^3 - ab^2 + 7(a^3 + 2a^2b + ab^2) \cosh(x)^2) \sinh(x)^6 \\
& + 8(7(a^3 + 2a^2b + ab^2) \cosh(x)^3 + 3(a^3 - ab^2) \cosh(x)) \sinh(x)^5 \\
& + 2(3a^3 - 2a^2b + 3ab^2) \cosh(x)^4 + 2(35(a^3 + 2a^2b + ab^2) \cosh(x)^4 \\
& + 3a^3 - 2a^2b + 3ab^2 + 30(a^3 - ab^2) \cosh(x)^2) \sinh(x)^4 \\
& + 8(7(a^3 + 2a^2b + ab^2) \cosh(x)^5 + 10(a^3 - ab^2) \cosh(x)^3 \\
& + (3a^3 - 2a^2b + 3ab^2) \cosh(x)) \sinh(x)^3 + a^3 + 2a^2b + ab^2 + \\
& 4(a^3 - ab^2) \cosh(x)^2 + 4(7(a^3 + 2a^2b + ab^2) \cosh(x)^6 + 15(a^3 - ab^2) \cosh(x)^4 \\
& + a^3 - ab^2 + 3(3a^3 - 2a^2b + 3ab^2) \cosh(x)^2) \sinh(x)^2 + 8((a^3 + 2a^2b + ab^2) \cosh(x)^7 \\
& + 3(a^3 - ab^2) \cosh(x)^5 + (3a^3 - 2a^2b + 3ab^2) \cosh(x)^3 + (a^3 - ab^2) \cosh(x)) \sinh(x) \\
& ) \sqrt{-a-b} \arctan(\sqrt{2}(b \cosh(x)^2 + 2b \cosh(x) \sinh(x) + b \sinh(x)^2 - a - b) \\
& ) \sqrt{-a-b} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b) / ((\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)) / ((a^2b + b^2) \cosh(x)^4 \\
& + 4(ab + b^2) \cosh(x) \sinh(x)^3 + (ab + b^2) \sinh(x)^4 + (a^2 - ab - 2b^2) \cosh(x)^2 \\
& + (6(ab + b^2) \cosh(x)^2 + a^2 - ab - 2b^2) \sinh(x)^2 + a^2 + 2ab + b^2 + 2(2(ab + b^2) \cosh(x)^3 \\
& + (a^2 - ab - 2b^2) \cosh(x)) \sinh(x))) + 3((a^3 + 2a^2b + ab^2) \cosh(x)^8 + 8(a^3 + 2a^2b + ab^2) \cosh(x) \sinh(x)^7 \\
& + (a^3 + 2a^2b + ab^2) \sinh(x)^8 + 4(a^3 - ab^2) \cosh(x)^6 + 4(a^3 - ab^2 + 7(a^3 + 2a^2b + ab^2) \cosh(x)^2) \sinh(x)^6 \\
& + 8(7(a^3 + 2a^2b + ab^2) \cosh(x)^3 + 3(a^3 - ab^2) \cosh(x)) \sinh(x)^5 + 2(3a^3 - 2a^2b + 3ab^2) \cosh(x)^4 \\
& + 2(35(a^3 + 2a^2b + ab^2) \cosh(x)^4 + 3a^3 - 2a^2b + 3ab^2 + 30(a^3 - ab^2) \cosh(x)^2) \sinh(x)^4 \\
& + 8(7(a^3 + 2a^2b + ab^2) \cosh(x)^5 + 10(a^3 - ab^2) \cosh(x)^3 + (3a^3 - 2a^2b + 3ab^2) \cosh(x)) \sinh(x)^3 \\
& + a^3 + 2a^2b + ab^2 + 4(a^3 - ab^2) \cosh(x)^2 + 4(7(a^3 + 2a^2b + ab^2) \cosh(x)^6 + 15(a^3 - ab^2) \cosh(x)^4 \\
& + a^3 - ab^2 + 3(3a^3 - 2a^2b + 3ab^2) \cosh(x)^2) \sinh(x)^2 + 8((a^3 + 2a^2b + ab^2) \cosh(x)^7 + 3(a^3 - ab^2) \cosh(x)^5 \\
& + (3a^3 - 2a^2b + 3ab^2) \cosh(x)^3 + (a^3 - ab^2) \cosh(x)) \sinh(x) \sqrt{-a-b} \arctan(\sqrt{2} \sqrt{-a-b} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b) / ((\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)) / ((a+b) \cosh(x)^2 + 2(a+b) \cosh(x) \sinh(x) + (a+b) \sinh(x)^2 + a + b))} \\
& + 2\sqrt{2}(((3a^3 + 5a^2b + ab^2 - b^3) \cosh(x)^6 + 6(3a^3 + 5a^2b + ab^2 - b^3) \cosh(x) \sinh(x)^5 \\
& + (3a^3 + 5a^2b + ab^2 - b^3) \sinh(x)^6 + 3(a^3 - a^2b - ab^2 + b^3) \cosh(x)^4 + 3(a^3 - a^2b - ab^2 + b^3 + 5(3a^3 + 5a^2b + ab^2 - b^3) \cosh(x)^2) \sinh(x)^4 \\
& + 4(5(3a^3 + 5a^2b + ab^2 - b^3) \cosh(x)^3 + 3(a^3 - a^2b - ab^2 + b^3) \cosh(x)) \sinh(x)^3 - 3a^3 - 5a^2b - ab^2 + b^3 - 3(a^3 - a^2b - ab^2 + b^3) \cosh(x)^2 \\
& + 3(5(3a^3 + 5a^2b + ab^2 - b^3) \cosh(x)^4 - a^3 + a^2b + ab^2
\end{aligned}$$

$$\begin{aligned}
& - b^3 + 6*(a^3 - a^2*b - a*b^2 + b^3)*\cosh(x)^2*\sinh(x)^2 + 6*((3*a^3 + 5 \\
& *a^2*b + a*b^2 - b^3)*\cosh(x)^5 + 2*(a^3 - a^2*b - a*b^2 + b^3)*\cosh(x)^3 - \\
& (a^3 - a^2*b - a*b^2 + b^3)*\cosh(x))*\sinh(x))*\sqrt{((a + b)*\cosh(x)^2 + (a \\
& + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)))/((a^6 \\
& + 5*a^5*b + 10*a^4*b^2 + 10*a^3*b^3 + 5*a^2*b^4 + a*b^5)*\cosh(x)^8 + 8*(a \\
& ^6 + 5*a^5*b + 10*a^4*b^2 + 10*a^3*b^3 + 5*a^2*b^4 + a*b^5)*\cosh(x)*\sinh(x) \\
& ^7 + (a^6 + 5*a^5*b + 10*a^4*b^2 + 10*a^3*b^3 + 5*a^2*b^4 + a*b^5)*\sinh(x)^8 \\
& + 4*(a^6 + 3*a^5*b + 2*a^4*b^2 - 2*a^3*b^3 - 3*a^2*b^4 - a*b^5)*\cosh(x)^6 \\
& + 4*(a^6 + 3*a^5*b + 2*a^4*b^2 - 2*a^3*b^3 - 3*a^2*b^4 - a*b^5 + 7*(a^6 + \\
& 5*a^5*b + 10*a^4*b^2 + 10*a^3*b^3 + 5*a^2*b^4 + a*b^5)*\cosh(x)^2)*\sinh(x)^6 \\
& + a^6 + 5*a^5*b + 10*a^4*b^2 + 10*a^3*b^3 + 5*a^2*b^4 + a*b^5 + 8*(7*(a^6 \\
& + 5*a^5*b + 10*a^4*b^2 + 10*a^3*b^3 + 5*a^2*b^4 + a*b^5)*\cosh(x)^3 + 3*(a^6 \\
& + 3*a^5*b + 2*a^4*b^2 - 2*a^3*b^3 - 3*a^2*b^4 - a*b^5)*\cosh(x))*\sinh(x)^5 \\
& + 2*(3*a^6 + 7*a^5*b + 6*a^4*b^2 + 6*a^3*b^3 + 7*a^2*b^4 + 3*a*b^5)*\cosh(x) \\
& ^4 + 2*(3*a^6 + 7*a^5*b + 6*a^4*b^2 + 6*a^3*b^3 + 7*a^2*b^4 + 3*a*b^5 + 35* \\
& (a^6 + 5*a^5*b + 10*a^4*b^2 + 10*a^3*b^3 + 5*a^2*b^4 + a*b^5)*\cosh(x)^4 + 3 \\
& 0*(a^6 + 3*a^5*b + 2*a^4*b^2 - 2*a^3*b^3 - 3*a^2*b^4 - a*b^5)*\cosh(x)^2)*\sinh(x) \\
& ^4 + 8*(7*(a^6 + 5*a^5*b + 10*a^4*b^2 + 10*a^3*b^3 + 5*a^2*b^4 + a*b^5) \\
& )*\cosh(x)^5 + 10*(a^6 + 3*a^5*b + 2*a^4*b^2 - 2*a^3*b^3 - 3*a^2*b^4 - a*b^5) \\
& )*\cosh(x)^3 + (3*a^6 + 7*a^5*b + 6*a^4*b^2 + 6*a^3*b^3 + 7*a^2*b^4 + 3*a*b^ \\
& 5)*\cosh(x))*\sinh(x)^3 + 4*(a^6 + 3*a^5*b + 2*a^4*b^2 - 2*a^3*b^3 - 3*a^2*b^ \\
& 4 - a*b^5)*\cosh(x)^2 + 4*(7*(a^6 + 5*a^5*b + 10*a^4*b^2 + 10*a^3*b^3 + 5*a^ \\
& 2*b^4 + a*b^5)*\cosh(x)^6 + a^6 + 3*a^5*b + 2*a^4*b^2 - 2*a^3*b^3 - 3*a^2*b^ \\
& 4 - a*b^5 + 15*(a^6 + 3*a^5*b + 2*a^4*b^2 - 2*a^3*b^3 - 3*a^2*b^4 - a*b^5)* \\
& \cosh(x)^4 + 3*(3*a^6 + 7*a^5*b + 6*a^4*b^2 + 6*a^3*b^3 + 7*a^2*b^4 + 3*a*b^ \\
& 5)*\cosh(x)^2)*\sinh(x)^2 + 8*((a^6 + 5*a^5*b + 10*a^4*b^2 + 10*a^3*b^3 + 5*a \\
& ^2*b^4 + a*b^5)*\cosh(x)^7 + 3*(a^6 + 3*a^5*b + 2*a^4*b^2 - 2*a^3*b^3 - 3*a^ \\
& 2*b^4 - a*b^5)*\cosh(x)^5 + (3*a^6 + 7*a^5*b + 6*a^4*b^2 + 6*a^3*b^3 + 7*a^2 \\
& *b^4 + 3*a*b^5)*\cosh(x)^3 + (a^6 + 3*a^5*b + 2*a^4*b^2 - 2*a^3*b^3 - 3*a^2* \\
& b^4 - a*b^5)*\cosh(x))*\sinh(x))]
\end{aligned}$$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\tanh^2(x)}{(a + b \tanh^2(x))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)\*\*2/(a+b\*tanh(x)\*\*2)\*\*(5/2),x)

[Out] Integral(tanh(x)\*\*2/(a + b\*tanh(x)\*\*2)\*\*(5/2), x)



---

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(x)^2/(a+b*tanh(x)^2)^(5/2),x, algorithm="giac")`

[Out] Exception raised: TypeError

$$3.251 \quad \int \frac{\tanh(x)}{(a+b \tanh^2(x))^{5/2}} dx$$

**Optimal.** Leaf size=70

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}}\right)}{(a+b)^{5/2}} - \frac{1}{(a+b)^2 \sqrt{a+b \tanh^2(x)}} - \frac{1}{3(a+b)(a+b \tanh^2(x))^{3/2}}$$

[Out] ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]]/(a + b)^(5/2) - 1/(3\*(a + b)\*(a + b\*Tanh[x]^2)^(3/2)) - 1/((a + b)^2\*Sqrt[a + b\*Tanh[x]^2])

**Rubi [A]** time = 0.103077, antiderivative size = 70, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {3670, 444, 51, 63, 208}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}}\right)}{(a+b)^{5/2}} - \frac{1}{(a+b)^2 \sqrt{a+b \tanh^2(x)}} - \frac{1}{3(a+b)(a+b \tanh^2(x))^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[Tanh[x]/(a + b\*Tanh[x]^2)^(5/2), x]

[Out] ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]]/(a + b)^(5/2) - 1/(3\*(a + b)\*(a + b\*Tanh[x]^2)^(3/2)) - 1/((a + b)^2\*Sqrt[a + b\*Tanh[x]^2])

### Rule 3670

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_.))^(p_.), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[(((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f^2*x^2), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))
```

### Rule 444

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_
), x_Symbol] := Dist[1/n, Subst[Int[(a + b*x)^p*(c + d*x)^q, x], x, x^n], x
] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && EqQ[m - n +
1, 0]
```

### Rule 51

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] - Dist[(d*(
m + n + 2))/((b*c - a*d)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^n, x], x
] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && !(LtQ
[n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && I
ntLinearQ[a, b, c, d, m, n, x]
```

### Rule 63

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

### Rule 208

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\tanh(x)}{(a + b \tanh^2(x))^{5/2}} dx &= \text{Subst} \left( \int \frac{x}{(1-x^2)(a+bx^2)^{5/2}} dx, x, \tanh(x) \right) \\
&= \frac{1}{2} \text{Subst} \left( \int \frac{1}{(1-x)(a+bx)^{5/2}} dx, x, \tanh^2(x) \right) \\
&= -\frac{1}{3(a+b)(a+b \tanh^2(x))^{3/2}} + \frac{\text{Subst} \left( \int \frac{1}{(1-x)(a+bx)^{3/2}} dx, x, \tanh^2(x) \right)}{2(a+b)} \\
&= -\frac{1}{3(a+b)(a+b \tanh^2(x))^{3/2}} - \frac{1}{(a+b)^2 \sqrt{a+b \tanh^2(x)}} + \frac{\text{Subst} \left( \int \frac{1}{(1-x)\sqrt{a+bx}} dx, x, \tanh^2(x) \right)}{2(a+b)^2} \\
&= -\frac{1}{3(a+b)(a+b \tanh^2(x))^{3/2}} - \frac{1}{(a+b)^2 \sqrt{a+b \tanh^2(x)}} + \frac{\text{Subst} \left( \int \frac{1}{1+\frac{a}{b}-\frac{x^2}{b}} dx, x, \sqrt{a+b \tanh^2(x)} \right)}{b(a+b)^2} \\
&= \frac{\tanh^{-1} \left( \frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}} \right)}{(a+b)^{5/2}} - \frac{1}{3(a+b)(a+b \tanh^2(x))^{3/2}} - \frac{1}{(a+b)^2 \sqrt{a+b \tanh^2(x)}}
\end{aligned}$$

**Mathematica [C]** time = 0.0408918, size = 43, normalized size = 0.61

$$-\frac{{}_2F_1\left(-\frac{3}{2}, 1; -\frac{1}{2}; \frac{b \tanh^2(x)+a}{a+b}\right)}{3(a+b)(a+b \tanh^2(x))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[x]/(a + b\*Tanh[x]^2)^(5/2), x]

[Out] -Hypergeometric2F1[-3/2, 1, -1/2, (a + b\*Tanh[x]^2)/(a + b)]/(3\*(a + b)\*(a + b\*Tanh[x]^2)^(3/2))

**Maple [B]** time = 0.02, size = 420, normalized size = 6.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(tanh(x)/(a+b*tanh(x)^2)^(5/2),x)`

[Out] 
$$-1/6/(a+b)/((1+\tanh(x))^{2b-2}(1+\tanh(x))^b+a+b)^{3/2}-1/6*b/(a+b)/a/((1+\tanh(x))^{2b-2}(1+\tanh(x))^b+a+b)^{3/2}*\tanh(x)-1/3*b/(a+b)/a^2/((1+\tanh(x))^{2b-2}(1+\tanh(x))^b+a+b)^{1/2}*\tanh(x)-1/2/(a+b)^2/a/((1+\tanh(x))^{2b-2}(1+\tanh(x))^b+a+b)^{1/2}-1/2/(a+b)^2/a/((1+\tanh(x))^{2b-2}(1+\tanh(x))^b+a+b)^{1/2}*\tanh(x)+1/2/(a+b)^{5/2}*\ln((2*a+2*b-2*(1+\tanh(x))^b+2*(a+b)^{1/2}*((1+\tanh(x))^{2b-2}(1+\tanh(x))^b+a+b)^{1/2}))/((1+\tanh(x))^{2b-2}(1+\tanh(x))^b+a+b)^{3/2}+1/6*b/(a+b)/a/((\tanh(x)-1)^{2b+2}(\tanh(x)-1)^b+a+b)^{3/2}+1/6*b/(a+b)/a^2/((\tanh(x)-1)^{2b+2}(\tanh(x)-1)^b+a+b)^{1/2}*\tanh(x)-1/2/(a+b)^2/((\tanh(x)-1)^{2b+2}(\tanh(x)-1)^b+a+b)^{1/2}+1/2/(a+b)^2/a/((\tanh(x)-1)^{2b+2}(\tanh(x)-1)^b+a+b)^{1/2}*\tanh(x)+1/2/(a+b)^{5/2}*\ln((2*a+2*b+2*(\tanh(x)-1)^b+2*(a+b)^{1/2}*((\tanh(x)-1)^{2b+2}(\tanh(x)-1)^b+a+b)^{1/2}))/((\tanh(x)-1)^{2b+2}(\tanh(x)-1)^b+a+b)^{3/2})$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\tanh(x)}{(b \tanh(x)^2 + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(x)/(a+b*tanh(x)^2)^(5/2),x, algorithm="maxima")`

[Out] `integrate(tanh(x)/(b*tanh(x)^2 + a)^(5/2), x)`

**Fricas [B]** time = 8.39963, size = 14660, normalized size = 209.43

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(x)/(a+b*tanh(x)^2)^(5/2),x, algorithm="fricas")`

[Out] 
$$[1/12*(3*((a^2 + 2*a*b + b^2)*\cosh(x)^8 + 8*(a^2 + 2*a*b + b^2)*\cosh(x)*\sinh(x)^7 + (a^2 + 2*a*b + b^2)*\sinh(x)^8 + 4*(a^2 - b^2)*\cosh(x)^6 + 4*(7*(a^2 + 2*a*b + b^2)*\cosh(x)^2 + a^2 - b^2)*\sinh(x)^6 + 8*(7*(a^2 + 2*a*b + b^2)$$

$$\begin{aligned}
& ) * \cosh(x)^3 + 3*(a^2 - b^2) * \cosh(x) * \sinh(x)^5 + 2*(3*a^2 - 2*a*b + 3*b^2) * \\
& \cosh(x)^4 + 2*(35*(a^2 + 2*a*b + b^2) * \cosh(x)^4 + 30*(a^2 - b^2) * \cosh(x)^2 \\
& + 3*a^2 - 2*a*b + 3*b^2) * \sinh(x)^4 + 8*(7*(a^2 + 2*a*b + b^2) * \cosh(x)^5 + 1 \\
& 0*(a^2 - b^2) * \cosh(x)^3 + (3*a^2 - 2*a*b + 3*b^2) * \cosh(x) * \sinh(x)^3 + 4*(a \\
& ^2 - b^2) * \cosh(x)^2 + 4*(7*(a^2 + 2*a*b + b^2) * \cosh(x)^6 + 15*(a^2 - b^2) * \c \\
& \cosh(x)^4 + 3*(3*a^2 - 2*a*b + 3*b^2) * \cosh(x)^2 + a^2 - b^2) * \sinh(x)^2 + a^2 \\
& + 2*a*b + b^2 + 8*((a^2 + 2*a*b + b^2) * \cosh(x)^7 + 3*(a^2 - b^2) * \cosh(x)^5 \\
& + (3*a^2 - 2*a*b + 3*b^2) * \cosh(x)^3 + (a^2 - b^2) * \cosh(x) * \sinh(x)) * \sqrt{a \\
& + b} * \log(((a^3 + a^2*b) * \cosh(x)^8 + 8*(a^3 + a^2*b) * \cosh(x) * \sinh(x)^7 + (a \\
& ^3 + a^2*b) * \sinh(x)^8 + 2*(2*a^3 + a^2*b) * \cosh(x)^6 + 2*(2*a^3 + a^2*b + 14 \\
& *(a^3 + a^2*b) * \cosh(x)^2) * \sinh(x)^6 + 4*(14*(a^3 + a^2*b) * \cosh(x)^3 + 3*(2* \\
& a^3 + a^2*b) * \cosh(x) * \sinh(x)^5 + (6*a^3 + 4*a^2*b - a*b^2 + b^3) * \cosh(x)^4 \\
& + (70*(a^3 + a^2*b) * \cosh(x)^4 + 6*a^3 + 4*a^2*b - a*b^2 + b^3 + 30*(2*a^3 \\
& + a^2*b) * \cosh(x)^2) * \sinh(x)^4 + 4*(14*(a^3 + a^2*b) * \cosh(x)^5 + 10*(2*a^3 + \\
& a^2*b) * \cosh(x)^3 + (6*a^3 + 4*a^2*b - a*b^2 + b^3) * \cosh(x) * \sinh(x)^3 + a^ \\
& 3 + 3*a^2*b + 3*a*b^2 + b^3 + 2*(2*a^3 + 3*a^2*b - b^3) * \cosh(x)^2 + 2*(14*( \\
& a^3 + a^2*b) * \cosh(x)^6 + 15*(2*a^3 + a^2*b) * \cosh(x)^4 + 2*a^3 + 3*a^2*b - b \\
& ^3 + 3*(6*a^3 + 4*a^2*b - a*b^2 + b^3) * \cosh(x)^2) * \sinh(x)^2 + \sqrt{2} * (a^2 * \\
& \cosh(x)^6 + 6*a^2 * \cosh(x) * \sinh(x)^5 + a^2 * \sinh(x)^6 + 3*a^2 * \cosh(x)^4 + 3*( \\
& 5*a^2 * \cosh(x)^2 + a^2) * \sinh(x)^4 + 4*(5*a^2 * \cosh(x)^3 + 3*a^2 * \cosh(x) * \sinh \\
& (x)^3 + (3*a^2 + 2*a*b - b^2) * \cosh(x)^2 + (15*a^2 * \cosh(x)^4 + 18*a^2 * \cosh(x) \\
& )^2 + 3*a^2 + 2*a*b - b^2) * \sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(3*a^2 * \cosh(x) \\
& ^5 + 6*a^2 * \cosh(x)^3 + (3*a^2 + 2*a*b - b^2) * \cosh(x) * \sinh(x)) * \sqrt{a + b} * \\
& \sqrt{((a + b) * \cosh(x)^2 + (a + b) * \sinh(x)^2 + a - b) / ((\cosh(x)^2 - 2 * \cosh(x) \\
& * \sinh(x) + \sinh(x)^2))} + 4*(2*(a^3 + a^2*b) * \cosh(x)^7 + 3*(2*a^3 + a^2*b) * \c \\
& \cosh(x)^5 + (6*a^3 + 4*a^2*b - a*b^2 + b^3) * \cosh(x)^3 + (2*a^3 + 3*a^2*b - b \\
& ^3) * \cosh(x) * \sinh(x)) / (\cosh(x)^6 + 6 * \cosh(x)^5 * \sinh(x) + 15 * \cosh(x)^4 * \sinh \\
& (x)^2 + 20 * \cosh(x)^3 * \sinh(x)^3 + 15 * \cosh(x)^2 * \sinh(x)^4 + 6 * \cosh(x) * \sinh(x)^ \\
& 5 + \sinh(x)^6)) + 3*((a^2 + 2*a*b + b^2) * \cosh(x)^8 + 8*(a^2 + 2*a*b + b^2) * \\
& \cosh(x) * \sinh(x)^7 + (a^2 + 2*a*b + b^2) * \sinh(x)^8 + 4*(a^2 - b^2) * \cosh(x)^6 \\
& + 4*(7*(a^2 + 2*a*b + b^2) * \cosh(x)^2 + a^2 - b^2) * \sinh(x)^6 + 8*(7*(a^2 + \\
& 2*a*b + b^2) * \cosh(x)^3 + 3*(a^2 - b^2) * \cosh(x) * \sinh(x)^5 + 2*(3*a^2 - 2*a* \\
& b + 3*b^2) * \cosh(x)^4 + 2*(35*(a^2 + 2*a*b + b^2) * \cosh(x)^4 + 30*(a^2 - b^2) \\
& * \cosh(x)^2 + 3*a^2 - 2*a*b + 3*b^2) * \sinh(x)^4 + 8*(7*(a^2 + 2*a*b + b^2) * \c \\
& \cosh(x)^5 + 10*(a^2 - b^2) * \cosh(x)^3 + (3*a^2 - 2*a*b + 3*b^2) * \cosh(x) * \sinh \\
& (x)^3 + 4*(a^2 - b^2) * \cosh(x)^2 + 4*(7*(a^2 + 2*a*b + b^2) * \cosh(x)^6 + 15*(a \\
& ^2 - b^2) * \cosh(x)^4 + 3*(3*a^2 - 2*a*b + 3*b^2) * \cosh(x)^2 + a^2 - b^2) * \sinh \\
& (x)^2 + a^2 + 2*a*b + b^2 + 8*((a^2 + 2*a*b + b^2) * \cosh(x)^7 + 3*(a^2 - b^2 \\
& ) * \cosh(x)^5 + (3*a^2 - 2*a*b + 3*b^2) * \cosh(x)^3 + (a^2 - b^2) * \cosh(x) * \sinh \\
& (x)) * \sqrt{a + b} * \log(-((a + b) * \cosh(x)^4 + 4*(a + b) * \cosh(x) * \sinh(x)^3 + (a \\
& + b) * \sinh(x)^4 - 2*b * \cosh(x)^2 + 2*(3*(a + b) * \cosh(x)^2 - b) * \sinh(x)^2 + s \\
& \sqrt{2} * (\cosh(x)^2 + 2 * \cosh(x) * \sinh(x) + \sinh(x)^2 - 1) * \sqrt{a + b} * \sqrt{((a \\
& + b) * \cosh(x)^2 + (a + b) * \sinh(x)^2 + a - b) / ((\cosh(x)^2 - 2 * \cosh(x) * \sinh(x) \\
& + \sinh(x)^2))} + 4*((a + b) * \cosh(x)^3 - b * \cosh(x) * \sinh(x) + a + b) / ((\cosh(x) \\
& )^2 + 2 * \cosh(x) * \sinh(x) + \sinh(x)^2)) - 16 * \sqrt{2} * ((a^2 + 2*a*b + b^2) * \cos
\end{aligned}$$

$$\begin{aligned}
& h(x)^6 + 6*(a^2 + 2*a*b + b^2)*\cosh(x)*\sinh(x)^5 + (a^2 + 2*a*b + b^2)*\sinh(x)^6 + 3*(a^2 + a*b)*\cosh(x)^4 + 3*(5*(a^2 + 2*a*b + b^2)*\cosh(x)^2 + a^2 + a*b)*\sinh(x)^4 + 4*(5*(a^2 + 2*a*b + b^2)*\cosh(x)^3 + 3*(a^2 + a*b)*\cosh(x))*\sinh(x)^3 + 3*(a^2 + a*b)*\cosh(x)^2 + 3*(5*(a^2 + 2*a*b + b^2)*\cosh(x)^4 + 6*(a^2 + a*b)*\cosh(x)^2 + a^2 + a*b)*\sinh(x)^2 + a^2 + 2*a*b + b^2 + 6*((a^2 + 2*a*b + b^2)*\cosh(x)^5 + 2*(a^2 + a*b)*\cosh(x)^3 + (a^2 + a*b)*\cosh(x))*\sinh(x))*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))/((a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*\cosh(x)^8 + 8*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*\cosh(x)*\sinh(x)^7 + (a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*\sinh(x)^8 + 4*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*\cosh(x)^6 + 4*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5 + 7*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*\cosh(x)^2)*\sinh(x)^6 + 8*(7*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*\cosh(x)^3 + 3*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*\cosh(x))*\sinh(x)^5 + a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5 + 2*(3*a^5 + 7*a^4*b + 6*a^3*b^2 + 6*a^2*b^3 + 7*a*b^4 + 3*b^5)*\cosh(x)^4 + 2*(3*a^5 + 7*a^4*b + 6*a^3*b^2 + 6*a^2*b^3 + 7*a*b^4 + 3*b^5 + 35*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*\cosh(x)^4 + 30*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*\cosh(x)^2)*\sinh(x)^4 + 8*(7*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*\cosh(x)^5 + 10*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*\cosh(x)^3 + (3*a^5 + 7*a^4*b + 6*a^3*b^2 + 6*a^2*b^3 + 7*a*b^4 + 3*b^5)*\cosh(x))*\sinh(x)^3 + 4*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*\cosh(x)^2 + 4*(7*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*\cosh(x)^6 + a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5 + 15*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*\cosh(x)^4 + 3*(3*a^5 + 7*a^4*b + 6*a^3*b^2 + 6*a^2*b^3 + 7*a*b^4 + 3*b^5)*\cosh(x)^2)*\sinh(x)^2 + 8*((a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*\cosh(x)^7 + 3*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*\cosh(x)^5 + (3*a^5 + 7*a^4*b + 6*a^3*b^2 + 6*a^2*b^3 + 7*a*b^4 + 3*b^5)*\cosh(x)^3 + (a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*\cosh(x))*\sinh(x)), -1/6*(3*((a^2 + 2*a*b + b^2)*\cosh(x)^8 + 8*(a^2 + 2*a*b + b^2)*\cosh(x)*\sinh(x)^7 + (a^2 + 2*a*b + b^2)*\sinh(x)^8 + 4*(a^2 - b^2)*\cosh(x)^6 + 4*(7*(a^2 + 2*a*b + b^2)*\cosh(x)^2 + a^2 - b^2)*\sinh(x)^6 + 8*(7*(a^2 + 2*a*b + b^2)*\cosh(x)^3 + 3*(a^2 - b^2)*\cosh(x))*\sinh(x)^5 + 2*(3*a^2 - 2*a*b + 3*b^2)*\cosh(x)^4 + 2*(35*(a^2 + 2*a*b + b^2)*\cosh(x)^4 + 30*(a^2 - b^2)*\cosh(x)^2 + 3*a^2 - 2*a*b + 3*b^2)*\sinh(x)^4 + 8*(7*(a^2 + 2*a*b + b^2)*\cosh(x)^5 + 10*(a^2 - b^2)*\cosh(x)^3 + (3*a^2 - 2*a*b + 3*b^2)*\cosh(x))*\sinh(x)^3 + 4*(a^2 - b^2)*\cosh(x)^2 + 4*(7*(a^2 + 2*a*b + b^2)*\cosh(x)^6 + 15*(a^2 - b^2)*\cosh(x)^4 + 3*(3*a^2 - 2*a*b + 3*b^2)*\cosh(x)^2 + a^2 - b^2)*\sinh(x)^2 + a^2 + 2*a*b + b^2 + 8*((a^2 + 2*a*b + b^2)*\cosh(x)^7 + 3*(a^2 - b^2)*\cosh(x)^5 + (3*a^2 - 2*a*b + 3*b^2)*\cosh(x)^3 + (a^2 - b^2)*\cosh(x))*\sinh(x))*\sqrt{-a - b}*\arctan(\sqrt{2}*(a*\cosh(x)^2 + 2*a*\cosh(x)*\sinh(x) + a*\sinh(x)^2 + a + b))*\sqrt{-a - b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x))}
\end{aligned}$$

$$\begin{aligned}
& + \sinh(x)^2) / ((a^2 + a*b)*\cosh(x)^4 + 4*(a^2 + a*b)*\cosh(x)*\sinh(x)^3 + (a \\
& ^2 + a*b)*\sinh(x)^4 + (2*a^2 + a*b - b^2)*\cosh(x)^2 + (6*(a^2 + a*b)*\cosh(x) \\
& )^2 + 2*a^2 + a*b - b^2)*\sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(2*(a^2 + a*b)*c \\
& \cosh(x)^3 + (2*a^2 + a*b - b^2)*\cosh(x))*\sinh(x))) + 3*((a^2 + 2*a*b + b^2)* \\
& \cosh(x)^8 + 8*(a^2 + 2*a*b + b^2)*\cosh(x)*\sinh(x)^7 + (a^2 + 2*a*b + b^2)*s \\
& \sinh(x)^8 + 4*(a^2 - b^2)*\cosh(x)^6 + 4*(7*(a^2 + 2*a*b + b^2)*\cosh(x)^2 + a \\
& ^2 - b^2)*\sinh(x)^6 + 8*(7*(a^2 + 2*a*b + b^2)*\cosh(x)^3 + 3*(a^2 - b^2)*co \\
& sh(x))*\sinh(x)^5 + 2*(3*a^2 - 2*a*b + 3*b^2)*\cosh(x)^4 + 2*(35*(a^2 + 2*a*b \\
& + b^2)*\cosh(x)^4 + 30*(a^2 - b^2)*\cosh(x)^2 + 3*a^2 - 2*a*b + 3*b^2)*\sinh( \\
& x)^4 + 8*(7*(a^2 + 2*a*b + b^2)*\cosh(x)^5 + 10*(a^2 - b^2)*\cosh(x)^3 + (3*a \\
& ^2 - 2*a*b + 3*b^2)*\cosh(x))*\sinh(x)^3 + 4*(a^2 - b^2)*\cosh(x)^2 + 4*(7*(a^ \\
& 2 + 2*a*b + b^2)*\cosh(x)^6 + 15*(a^2 - b^2)*\cosh(x)^4 + 3*(3*a^2 - 2*a*b + \\
& 3*b^2)*\cosh(x)^2 + a^2 - b^2)*\sinh(x)^2 + a^2 + 2*a*b + b^2 + 8*((a^2 + 2*a \\
& *b + b^2)*\cosh(x)^7 + 3*(a^2 - b^2)*\cosh(x)^5 + (3*a^2 - 2*a*b + 3*b^2)*cos \\
& h(x)^3 + (a^2 - b^2)*\cosh(x))*\sinh(x))*\sqrt{-a - b}*\arctan(\sqrt{2}*(\cosh(x) \\
& ^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 - 1)*\sqrt{-a - b}*\sqrt{((a + b)*\cosh(x)^ \\
& 2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)}) \\
& /((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*( \\
& a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a - b)*\sinh(x)^2 + 4*((a + b)*c \\
& \cosh(x)^3 + (a - b)*\cosh(x))*\sinh(x) + a + b)) + 8*\sqrt{2}*((a^2 + 2*a*b + b \\
& ^2)*\cosh(x)^6 + 6*(a^2 + 2*a*b + b^2)*\cosh(x)*\sinh(x)^5 + (a^2 + 2*a*b + b^ \\
& 2)*\sinh(x)^6 + 3*(a^2 + a*b)*\cosh(x)^4 + 3*(5*(a^2 + 2*a*b + b^2)*\cosh(x)^2 \\
& + a^2 + a*b)*\sinh(x)^4 + 4*(5*(a^2 + 2*a*b + b^2)*\cosh(x)^3 + 3*(a^2 + a*b \\
& )*\cosh(x))*\sinh(x)^3 + 3*(a^2 + a*b)*\cosh(x)^2 + 3*(5*(a^2 + 2*a*b + b^2)*c \\
& \cosh(x)^4 + 6*(a^2 + a*b)*\cosh(x)^2 + a^2 + a*b)*\sinh(x)^2 + a^2 + 2*a*b + b \\
& ^2 + 6*((a^2 + 2*a*b + b^2)*\cosh(x)^5 + 2*(a^2 + a*b)*\cosh(x)^3 + (a^2 + a* \\
& b)*\cosh(x))*\sinh(x))*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/ \\
& (\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))} / ((a^5 + 5*a^4*b + 10*a^3*b^2 + \\
& 10*a^2*b^3 + 5*a*b^4 + b^5)*\cosh(x)^8 + 8*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10 \\
& *a^2*b^3 + 5*a*b^4 + b^5)*\cosh(x)*\sinh(x)^7 + (a^5 + 5*a^4*b + 10*a^3*b^2 + \\
& 10*a^2*b^3 + 5*a*b^4 + b^5)*\sinh(x)^8 + 4*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a \\
& ^2*b^3 - 3*a*b^4 - b^5)*\cosh(x)^6 + 4*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^ \\
& 3 - 3*a*b^4 - b^5 + 7*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + \\
& b^5)*\cosh(x)^2)*\sinh(x)^6 + 8*(7*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + \\
& 5*a*b^4 + b^5)*\cosh(x)^3 + 3*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a* \\
& b^4 - b^5)*\cosh(x))*\sinh(x)^5 + a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5 \\
& *a*b^4 + b^5 + 2*(3*a^5 + 7*a^4*b + 6*a^3*b^2 + 6*a^2*b^3 + 7*a*b^4 + 3*b^5 \\
& )*\cosh(x)^4 + 2*(3*a^5 + 7*a^4*b + 6*a^3*b^2 + 6*a^2*b^3 + 7*a*b^4 + 3*b^5 \\
& + 35*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*\cosh(x)^4 + \\
& 30*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*\cosh(x)^2)*\sinh( \\
& x)^4 + 8*(7*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*\cosh( \\
& x)^5 + 10*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*\cosh(x)^3 \\
& + (3*a^5 + 7*a^4*b + 6*a^3*b^2 + 6*a^2*b^3 + 7*a*b^4 + 3*b^5)*\cosh(x))*\sin \\
& h(x)^3 + 4*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*\cosh(x)^ \\
& 2 + 4*(7*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*\cosh(x)^
\end{aligned}$$



$$6 + a^5 + 3a^4b + 2a^3b^2 - 2a^2b^3 - 3ab^4 - b^5 + 15(a^5 + 3a^4b + 2a^3b^2 - 2a^2b^3 - 3ab^4 - b^5)\cosh(x)^4 + 3(3a^5 + 7a^4b + 6a^3b^2 + 6a^2b^3 + 7ab^4 + 3b^5)\cosh(x)^2\sinh(x)^2 + 8((a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5ab^4 + b^5)\cosh(x)^7 + 3(a^5 + 3a^4b + 2a^3b^2 - 2a^2b^3 - 3ab^4 - b^5)\cosh(x)^5 + (3a^5 + 7a^4b + 6a^3b^2 + 6a^2b^3 + 7ab^4 + 3b^5)\cosh(x)^3 + (a^5 + 3a^4b + 2a^3b^2 - 2a^2b^3 - 3ab^4 - b^5)\cosh(x)\sinh(x))]$$

**Sympy [A]** time = 20.6808, size = 73, normalized size = 1.04

$$-\frac{1}{3(a+b)(a+b\tanh^2(x))^{\frac{3}{2}}} - \frac{1}{(a+b)^2\sqrt{a+b\tanh^2(x)}} - \frac{\operatorname{atan}\left(\frac{\sqrt{a+b\tanh^2(x)}}{\sqrt{-a-b}}\right)}{\sqrt{-a-b}(a+b)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)/(a+b\*tanh(x)\*\*2)\*\*(5/2),x)

[Out] -1/(3\*(a + b)\*(a + b\*tanh(x)\*\*2)\*\*(3/2)) - 1/((a + b)\*\*2\*sqrt(a + b\*tanh(x)\*\*2)) - atan(sqrt(a + b\*tanh(x)\*\*2)/sqrt(-a - b))/(sqrt(-a - b)\*(a + b)\*\*2)

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)/(a+b\*tanh(x)^2)^(5/2),x, algorithm="giac")

[Out] Exception raised: TypeError

$$3.252 \quad \int \frac{1}{(a+b \tanh^2(x))^{5/2}} dx$$

**Optimal.** Leaf size=93

$$\frac{b(5a+2b)\tanh(x)}{3a^2(a+b)^2\sqrt{a+b\tanh^2(x)}} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b}\tanh(x)}{\sqrt{a+b\tanh^2(x)}}\right)}{(a+b)^{5/2}} + \frac{b\tanh(x)}{3a(a+b)(a+b\tanh^2(x))^{3/2}}$$

[Out] ArcTanh[(Sqrt[a + b]\*Tanh[x])/Sqrt[a + b\*Tanh[x]^2]]/(a + b)^(5/2) + (b\*Tanh[x])/(3\*a\*(a + b)\*(a + b\*Tanh[x]^2)^(3/2)) + (b\*(5\*a + 2\*b)\*Tanh[x])/(3\*a^2\*(a + b)^2\*Sqrt[a + b\*Tanh[x]^2])

**Rubi [A]** time = 0.0852452, antiderivative size = 93, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.5$ , Rules used = {3661, 414, 527, 12, 377, 206}

$$\frac{b(5a+2b)\tanh(x)}{3a^2(a+b)^2\sqrt{a+b\tanh^2(x)}} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b}\tanh(x)}{\sqrt{a+b\tanh^2(x)}}\right)}{(a+b)^{5/2}} + \frac{b\tanh(x)}{3a(a+b)(a+b\tanh^2(x))^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Tanh[x]^2)^(-5/2), x]

[Out] ArcTanh[(Sqrt[a + b]\*Tanh[x])/Sqrt[a + b\*Tanh[x]^2]]/(a + b)^(5/2) + (b\*Tanh[x])/(3\*a\*(a + b)\*(a + b\*Tanh[x]^2)^(3/2)) + (b\*(5\*a + 2\*b)\*Tanh[x])/(3\*a^2\*(a + b)^2\*Sqrt[a + b\*Tanh[x]^2])

### Rule 3661

```
Int[((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_), x_Symbol] :>
With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[(a + b*(ff*x)^n]^p/(c^2 + ff^2*x^2), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, e, f, n, p}, x] && (IntegersQ[n, p] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])
```

### Rule 414

```

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> -Simp[(b*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(p + 1)*(b*c -
a*d)), x] + Dist[1/(a*n*(p + 1)*(b*c - a*d)), Int[(a + b*x^n)^(p + 1)*(c +
d*x^n)^q*Simp[b*c + n*(p + 1)*(b*c - a*d) + d*b*(n*(p + q + 2) + 1)*x^n, x]
, x], x] /; FreeQ[{a, b, c, d, n, q}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1]
&& !( !IntegerQ[p] && IntegerQ[q] && LtQ[q, -1]) && IntBinomialQ[a, b, c,
d, n, p, q, x]

```

### Rule 527

```

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_.)*((e_) + (f
_.)*(x_)^(n_)), x_Symbol] :> -Simp[((b*e - a*f)*x*(a + b*x^n)^(p + 1)*(c +
d*x^n)^(q + 1))/(a*n*(b*c - a*d)*(p + 1)), x] + Dist[1/(a*n*(b*c - a*d)*(p
+ 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(b*e - a*f) + e*n*(b*c
- a*d)*(p + 1) + d*(b*e - a*f)*(n*(p + q + 2) + 1)*x^n, x], x], x] /; FreeQ
[{a, b, c, d, e, f, n, q}, x] && LtQ[p, -1]

```

### Rule 12

```

Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]

```

### Rule 377

```

Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] :> Su
bst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b
, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]

```

### Rule 206

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])

```

### Rubi steps

$$\begin{aligned}
\int \frac{1}{(a + b \tanh^2(x))^{5/2}} dx &= \text{Subst} \left( \int \frac{1}{(1-x^2)(a+bx^2)^{5/2}} dx, x, \tanh(x) \right) \\
&= \frac{b \tanh(x)}{3a(a+b)(a+b \tanh^2(x))^{3/2}} - \frac{\text{Subst} \left( \int \frac{b-3(a+b)+2bx^2}{(1-x^2)(a+bx^2)^{3/2}} dx, x, \tanh(x) \right)}{3a(a+b)} \\
&= \frac{b \tanh(x)}{3a(a+b)(a+b \tanh^2(x))^{3/2}} + \frac{b(5a+2b) \tanh(x)}{3a^2(a+b)^2 \sqrt{a+b \tanh^2(x)}} + \frac{\text{Subst} \left( \int \frac{3a^2}{(1-x^2)\sqrt{a+bx^2}} dx, x, \tanh(x) \right)}{3a^2(a+b)^2} \\
&= \frac{b \tanh(x)}{3a(a+b)(a+b \tanh^2(x))^{3/2}} + \frac{b(5a+2b) \tanh(x)}{3a^2(a+b)^2 \sqrt{a+b \tanh^2(x)}} + \frac{\text{Subst} \left( \int \frac{1}{(1-x^2)\sqrt{a+bx^2}} dx, x, \tanh(x) \right)}{(a+b)^2} \\
&= \frac{b \tanh(x)}{3a(a+b)(a+b \tanh^2(x))^{3/2}} + \frac{b(5a+2b) \tanh(x)}{3a^2(a+b)^2 \sqrt{a+b \tanh^2(x)}} + \frac{\text{Subst} \left( \int \frac{1}{1-(a+b)x^2} dx, x, \frac{\tanh(x)}{\sqrt{a+b \tanh^2(x)}} \right)}{(a+b)^2} \\
&= \frac{\tanh^{-1} \left( \frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}} \right)}{(a+b)^{5/2}} + \frac{b \tanh(x)}{3a(a+b)(a+b \tanh^2(x))^{3/2}} + \frac{b(5a+2b) \tanh(x)}{3a^2(a+b)^2 \sqrt{a+b \tanh^2(x)}}
\end{aligned}$$

**Mathematica [C]** time = 7.48803, size = 976, normalized size = 10.49

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[(a + b*Tanh[x]^2)^(-5/2), x]
```

```
[Out] (Cosh[x]*Sinh[x]*(1575*ArcSin[Sqrt[-((a + b)*Sinh[x]^2)/a]]) + (3150*(a + b)*ArcSin[Sqrt[-((a + b)*Sinh[x]^2)/a]])*Sinh[x]^2/a + (1575*(a + b)^2*ArcSin[Sqrt[-((a + b)*Sinh[x]^2)/a]])*Sinh[x]^4/a^2 + (2100*b*ArcSin[Sqrt[-((a + b)*Sinh[x]^2)/a]])*Tanh[x]^2/a + (4200*b*(a + b)*ArcSin[Sqrt[-((a + b)*Sinh[x]^2)/a]])*Sinh[x]^2*Tanh[x]^2/a^2 + (2100*b*(a + b)^2*ArcSin[Sqrt[-((a + b)*Sinh[x]^2)/a]])*Sinh[x]^4*Tanh[x]^2/a^3 + (840*b^2*ArcSin[Sqrt[-((a + b)*Sinh[x]^2)/a]])*Tanh[x]^4/a^2 + (1680*b^2*(a + b)*ArcSin[Sqrt[-((a + b)*Sinh[x]^2)/a]])*Sinh[x]^2*Tanh[x]^4/a^3 + (840*b^2*(a + b)^2*
```

```

ArcSin[Sqrt[-((a + b)*Sinh[x]^2)/a]]*Sinh[x]^4*Tanh[x]^4/a^4 + 2100*(-((
(a + b)*Sinh[x]^2)/a))^(3/2)*Sqrt[(Cosh[x]^2*(a + b*Tanh[x]^2))/a] + 96*Hyp
ergeometric2F1[2, 2, 9/2, -((a + b)*Sinh[x]^2)/a]]*(-((a + b)*Sinh[x]^2)/
a))^(7/2)*Sqrt[(Cosh[x]^2*(a + b*Tanh[x]^2))/a] + 24*HypergeometricPFQ[{2,
2, 2}, {1, 9/2}, -((a + b)*Sinh[x]^2)/a]]*(-((a + b)*Sinh[x]^2)/a))^(7/2)
*Sqrt[(Cosh[x]^2*(a + b*Tanh[x]^2))/a] + (2800*b*(-((a + b)*Sinh[x]^2)/a))
^(3/2)*Tanh[x]^2*Sqrt[(Cosh[x]^2*(a + b*Tanh[x]^2))/a])/a + (168*b*Hypergeo
metric2F1[2, 2, 9/2, -((a + b)*Sinh[x]^2)/a]]*(-((a + b)*Sinh[x]^2)/a))^(
7/2)*Tanh[x]^2*Sqrt[(Cosh[x]^2*(a + b*Tanh[x]^2))/a])/a + (48*b*Hypergeomet
ricPFQ[{2, 2, 2}, {1, 9/2}, -((a + b)*Sinh[x]^2)/a]]*(-((a + b)*Sinh[x]^2
)/a))^(7/2)*Tanh[x]^2*Sqrt[(Cosh[x]^2*(a + b*Tanh[x]^2))/a])/a + (1120*b^2*
(-((a + b)*Sinh[x]^2)/a))^(3/2)*Tanh[x]^4*Sqrt[(Cosh[x]^2*(a + b*Tanh[x]^2
))/a])/a^2 + (72*b^2*Hypergeometric2F1[2, 2, 9/2, -((a + b)*Sinh[x]^2)/a]]
*(-((a + b)*Sinh[x]^2)/a))^(7/2)*Tanh[x]^4*Sqrt[(Cosh[x]^2*(a + b*Tanh[x]^
2))/a])/a^2 + (24*b^2*HypergeometricPFQ[{2, 2, 2}, {1, 9/2}, -((a + b)*Sin
h[x]^2)/a]]*(-((a + b)*Sinh[x]^2)/a))^(7/2)*Tanh[x]^4*Sqrt[(Cosh[x]^2*(a +
b*Tanh[x]^2))/a])/a^2 - 1575*Sqrt[-((a + b)*Cosh[x]^2*Sinh[x]^2*(a + b*Ta
nh[x]^2))/a^2] - (2100*b*Tanh[x]^2*Sqrt[-((a + b)*Cosh[x]^2*Sinh[x]^2*(a
+ b*Tanh[x]^2))/a^2])/a - (840*b^2*Tanh[x]^4*Sqrt[-((a + b)*Cosh[x]^2*Sin
h[x]^2*(a + b*Tanh[x]^2))/a^2])/a^2)/(315*a^2*(-((a + b)*Sinh[x]^2)/a))^(
5/2)*Sqrt[a + b*Tanh[x]^2]*Sqrt[(Cosh[x]^2*(a + b*Tanh[x]^2))/a]*(1 + (b*T
anh[x]^2)/a))

```

---

**Maple [B]** time = 0.024, size = 420, normalized size = 4.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b\*tanh(x)^2)^(5/2),x)

```

[Out] 1/6/(a+b)/((1+tanh(x))^2*b-2*(1+tanh(x))*b+a+b)^(3/2)+1/6*b/(a+b)/a/((1+tan
h(x))^2*b-2*(1+tanh(x))*b+a+b)^(3/2)*tanh(x)+1/3*b/(a+b)/a^2/((1+tanh(x))^2
*b-2*(1+tanh(x))*b+a+b)^(1/2)*tanh(x)+1/2/(a+b)^2/((1+tanh(x))^2*b-2*(1+tan
h(x))*b+a+b)^(1/2)+1/2/(a+b)^2/a/((1+tanh(x))^2*b-2*(1+tanh(x))*b+a+b)^(1/2
)*b*tanh(x)-1/2/(a+b)^(5/2)*ln((2*a+2*b-2*(1+tanh(x))*b+2*(a+b)^(1/2)*((1+t
anh(x))^2*b-2*(1+tanh(x))*b+a+b)^(1/2))/(1+tanh(x)))-1/6/(a+b)/((tanh(x)-1)
^2*b+2*(tanh(x)-1)*b+a+b)^(3/2)+1/6*b/(a+b)/a/((tanh(x)-1)^2*b+2*(tanh(x)-1
)*b+a+b)^(3/2)*tanh(x)+1/3*b/(a+b)/a^2/((tanh(x)-1)^2*b+2*(tanh(x)-1)*b+a+b
)^(1/2)*tanh(x)-1/2/(a+b)^2/((tanh(x)-1)^2*b+2*(tanh(x)-1)*b+a+b)^(1/2)+1/2
/(a+b)^2/a/((tanh(x)-1)^2*b+2*(tanh(x)-1)*b+a+b)^(1/2)*b*tanh(x)+1/2/(a+b)^(
5/2)*ln((2*a+2*b+2*(tanh(x)-1)*b+2*(a+b)^(1/2)*((tanh(x)-1)^2*b+2*(tanh(x)

```

$-1) * b + a + b)^{(1/2)} / (\tanh(x) - 1)$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(b \tanh(x)^2 + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*tanh(x)^2)^(5/2),x, algorithm="maxima")

[Out] integrate((b\*tanh(x)^2 + a)^(-5/2), x)

**Fricas [B]** time = 8.35041, size = 16405, normalized size = 176.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*tanh(x)^2)^(5/2),x, algorithm="fricas")

[Out] [1/12\*(3\*((a^4 + 2\*a^3\*b + a^2\*b^2)\*cosh(x)^8 + 8\*(a^4 + 2\*a^3\*b + a^2\*b^2)\*cosh(x)\*sinh(x)^7 + (a^4 + 2\*a^3\*b + a^2\*b^2)\*sinh(x)^8 + 4\*(a^4 - a^2\*b^2)\*cosh(x)^6 + 4\*(a^4 - a^2\*b^2 + 7\*(a^4 + 2\*a^3\*b + a^2\*b^2)\*cosh(x)^2)\*sinh(x)^6 + 8\*(7\*(a^4 + 2\*a^3\*b + a^2\*b^2)\*cosh(x)^3 + 3\*(a^4 - a^2\*b^2)\*cosh(x))\*sinh(x)^5 + 2\*(3\*a^4 - 2\*a^3\*b + 3\*a^2\*b^2)\*cosh(x)^4 + 2\*(35\*(a^4 + 2\*a^3\*b + a^2\*b^2)\*cosh(x)^4 + 3\*a^4 - 2\*a^3\*b + 3\*a^2\*b^2 + 30\*(a^4 - a^2\*b^2)\*cosh(x)^2)\*sinh(x)^4 + a^4 + 2\*a^3\*b + a^2\*b^2 + 8\*(7\*(a^4 + 2\*a^3\*b + a^2\*b^2)\*cosh(x)^5 + 10\*(a^4 - a^2\*b^2)\*cosh(x)^3 + (3\*a^4 - 2\*a^3\*b + 3\*a^2\*b^2)\*cosh(x))\*sinh(x)^3 + 4\*(a^4 - a^2\*b^2)\*cosh(x)^2 + 4\*(7\*(a^4 + 2\*a^3\*b + a^2\*b^2)\*cosh(x)^6 + 15\*(a^4 - a^2\*b^2)\*cosh(x)^4 + a^4 - a^2\*b^2 + 3\*(3\*a^4 - 2\*a^3\*b + 3\*a^2\*b^2)\*cosh(x)^2)\*sinh(x)^2 + 8\*((a^4 + 2\*a^3\*b + a^2\*b^2)\*cosh(x)^7 + 3\*(a^4 - a^2\*b^2)\*cosh(x)^5 + (3\*a^4 - 2\*a^3\*b + 3\*a^2\*b^2)\*cosh(x)^3 + (a^4 - a^2\*b^2)\*cosh(x))\*sinh(x))\*sqrt(a + b)\*log(-((a\*b^2 + b^3)\*cosh(x)^8 + 8\*(a\*b^2 + b^3)\*cosh(x)\*sinh(x)^7 + (a\*b^2 + b^3)\*sinh(x)^8 - 2\*(a\*b^2 + 2\*b^3)\*cosh(x)^6 - 2\*(a\*b^2 + 2\*b^3 - 14\*(a\*b^2 + b^3)\*cosh(x)^2)\*sinh(x)^6 + 4\*(14\*(a\*b^2 + b^3)\*cosh(x)^3 - 3\*(a\*b^2 + 2\*b^3)\*cosh(x))\*sinh(x)^5 + (a^3 - a^2\*b + 4\*a\*b^2 + 6\*b^3)\*cosh(x)^4 + (70\*(a\*b^2 + b^3)\*cosh(x)^4 + a^3 - a^2\*b + 4\*a\*b^2 + 6\*b^3 - 30\*(a\*b^2 + 2\*b^3)\*cosh(x)^2)

$$\begin{aligned}
& * \sinh(x)^4 + 4*(14*(a*b^2 + b^3)*\cosh(x)^5 - 10*(a*b^2 + 2*b^3)*\cosh(x)^3 + \\
& (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\cosh(x))*\sinh(x)^3 + a^3 + 3*a^2*b + 3*a*b \\
& ^2 + b^3 + 2*(a^3 - 3*a*b^2 - 2*b^3)*\cosh(x)^2 + 2*(14*(a*b^2 + b^3)*\cosh(x) \\
& )^6 - 15*(a*b^2 + 2*b^3)*\cosh(x)^4 + a^3 - 3*a*b^2 - 2*b^3 + 3*(a^3 - a^2*b \\
& + 4*a*b^2 + 6*b^3)*\cosh(x)^2)*\sinh(x)^2 + \sqrt{2}*(b^2*\cosh(x)^6 + 6*b^2*c \\
& osh(x)*\sinh(x)^5 + b^2*\sinh(x)^6 - 3*b^2*\cosh(x)^4 + 3*(5*b^2*\cosh(x)^2 - b \\
& ^2)*\sinh(x)^4 + 4*(5*b^2*\cosh(x)^3 - 3*b^2*\cosh(x))*\sinh(x)^3 - (a^2 - 2*a \\
& b - 3*b^2)*\cosh(x)^2 + (15*b^2*\cosh(x)^4 - 18*b^2*\cosh(x)^2 - a^2 + 2*a*b + \\
& 3*b^2)*\sinh(x)^2 - a^2 - 2*a*b - b^2 + 2*(3*b^2*\cosh(x)^5 - 6*b^2*\cosh(x)^ \\
& 3 - (a^2 - 2*a*b - 3*b^2)*\cosh(x))*\sinh(x))*\sqrt{a + b}*\sqrt{((a + b)*\cosh( \\
& x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^ \\
& 2))} + 4*(2*(a*b^2 + b^3)*\cosh(x)^7 - 3*(a*b^2 + 2*b^3)*\cosh(x)^5 + (a^3 - a \\
& ^2*b + 4*a*b^2 + 6*b^3)*\cosh(x)^3 + (a^3 - 3*a*b^2 - 2*b^3)*\cosh(x))*\sinh(x) \\
& )/(\cosh(x)^6 + 6*\cosh(x)^5*\sinh(x) + 15*\cosh(x)^4*\sinh(x)^2 + 20*\cosh(x)^3 \\
& *\sinh(x)^3 + 15*\cosh(x)^2*\sinh(x)^4 + 6*\cosh(x)*\sinh(x)^5 + \sinh(x)^6)) + 3 \\
& *((a^4 + 2*a^3*b + a^2*b^2)*\cosh(x)^8 + 8*(a^4 + 2*a^3*b + a^2*b^2)*\cosh(x) \\
& *\sinh(x)^7 + (a^4 + 2*a^3*b + a^2*b^2)*\sinh(x)^8 + 4*(a^4 - a^2*b^2)*\cosh(x) \\
& )^6 + 4*(a^4 - a^2*b^2 + 7*(a^4 + 2*a^3*b + a^2*b^2)*\cosh(x)^2)*\sinh(x)^6 + \\
& 8*(7*(a^4 + 2*a^3*b + a^2*b^2)*\cosh(x)^3 + 3*(a^4 - a^2*b^2)*\cosh(x))*\sinh \\
& (x)^5 + 2*(3*a^4 - 2*a^3*b + 3*a^2*b^2)*\cosh(x)^4 + 2*(35*(a^4 + 2*a^3*b + \\
& a^2*b^2)*\cosh(x)^4 + 3*a^4 - 2*a^3*b + 3*a^2*b^2 + 30*(a^4 - a^2*b^2)*\cosh( \\
& x)^2)*\sinh(x)^4 + a^4 + 2*a^3*b + a^2*b^2 + 8*(7*(a^4 + 2*a^3*b + a^2*b^2)* \\
& \cosh(x)^5 + 10*(a^4 - a^2*b^2)*\cosh(x)^3 + (3*a^4 - 2*a^3*b + 3*a^2*b^2)*\co \\
& sh(x))*\sinh(x)^3 + 4*(a^4 - a^2*b^2)*\cosh(x)^2 + 4*(7*(a^4 + 2*a^3*b + a^2* \\
& b^2)*\cosh(x)^6 + 15*(a^4 - a^2*b^2)*\cosh(x)^4 + a^4 - a^2*b^2 + 3*(3*a^4 - \\
& 2*a^3*b + 3*a^2*b^2)*\cosh(x)^2)*\sinh(x)^2 + 8*((a^4 + 2*a^3*b + a^2*b^2)*\co \\
& sh(x)^7 + 3*(a^4 - a^2*b^2)*\cosh(x)^5 + (3*a^4 - 2*a^3*b + 3*a^2*b^2)*\cosh( \\
& x)^3 + (a^4 - a^2*b^2)*\cosh(x))*\sinh(x))*\sqrt{a + b}*\log(((a + b)*\cosh(x)^4 \\
& + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*a*\cosh(x)^2 + 2*(3*( \\
& a + b)*\cosh(x)^2 + a)*\sinh(x)^2 + \sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \\
& \sinh(x)^2 + 1)*\sqrt{a + b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a \\
& - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))} + 4*((a + b)*\cosh(x)^3 + \\
& a*\cosh(x))*\sinh(x) + a + b)/(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2)) + \\
& 8*\sqrt{2}*((3*a^3*b + 7*a^2*b^2 + 5*a*b^3 + b^4)*\cosh(x)^6 + 6*(3*a^3*b + 7 \\
& *a^2*b^2 + 5*a*b^3 + b^4)*\cosh(x)*\sinh(x)^5 + (3*a^3*b + 7*a^2*b^2 + 5*a*b^ \\
& 3 + b^4)*\sinh(x)^6 + 3*(a^3*b - a^2*b^2 - 3*a*b^3 - b^4)*\cosh(x)^4 + 3*(a^3 \\
& *b - a^2*b^2 - 3*a*b^3 - b^4 + 5*(3*a^3*b + 7*a^2*b^2 + 5*a*b^3 + b^4)*\cosh \\
& (x)^2)*\sinh(x)^4 - 3*a^3*b - 7*a^2*b^2 - 5*a*b^3 - b^4 + 4*(5*(3*a^3*b + 7* \\
& a^2*b^2 + 5*a*b^3 + b^4)*\cosh(x)^3 + 3*(a^3*b - a^2*b^2 - 3*a*b^3 - b^4)*\co \\
& sh(x))*\sinh(x)^3 - 3*(a^3*b - a^2*b^2 - 3*a*b^3 - b^4)*\cosh(x)^2 + 3*(5*(3* \\
& a^3*b + 7*a^2*b^2 + 5*a*b^3 + b^4)*\cosh(x)^4 - a^3*b + a^2*b^2 + 3*a*b^3 + \\
& b^4 + 6*(a^3*b - a^2*b^2 - 3*a*b^3 - b^4)*\cosh(x)^2)*\sinh(x)^2 + 6*((3*a^3* \\
& b + 7*a^2*b^2 + 5*a*b^3 + b^4)*\cosh(x)^5 + 2*(a^3*b - a^2*b^2 - 3*a*b^3 - b \\
& ^4)*\cosh(x)^3 - (a^3*b - a^2*b^2 - 3*a*b^3 - b^4)*\cosh(x))*\sinh(x))*\sqrt{(( \\
& a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x)
\end{aligned}$$

$$\begin{aligned}
& ) + \sinh(x)^2)) / ((a^7 + 5a^6b + 10a^5b^2 + 10a^4b^3 + 5a^3b^4 + a^2b^5) * \cosh(x)^8 + 8(a^7 + 5a^6b + 10a^5b^2 + 10a^4b^3 + 5a^3b^4 + a^2b^5) * \cosh(x) * \sinh(x)^7 + (a^7 + 5a^6b + 10a^5b^2 + 10a^4b^3 + 5a^3b^4 + a^2b^5) * \sinh(x)^8 + a^7 + 5a^6b + 10a^5b^2 + 10a^4b^3 + 5a^3b^4 + a^2b^5 + 4(a^7 + 3a^6b + 2a^5b^2 - 2a^4b^3 - 3a^3b^4 - a^2b^5) * \cosh(x)^6 + 4(a^7 + 3a^6b + 2a^5b^2 - 2a^4b^3 - 3a^3b^4 - a^2b^5) * \cosh(x)^2 * \sinh(x)^6 + 8(7(a^7 + 5a^6b + 10a^5b^2 + 10a^4b^3 + 5a^3b^4 + a^2b^5) * \cosh(x)^3 + 3(a^7 + 3a^6b + 2a^5b^2 - 2a^4b^3 - 3a^3b^4 - a^2b^5) * \cosh(x)) * \sinh(x)^5 + 2(3a^7 + 7a^6b + 6a^5b^2 + 6a^4b^3 + 7a^3b^4 + 3a^2b^5) * \cosh(x)^4 + 2(3a^7 + 7a^6b + 6a^5b^2 + 6a^4b^3 + 7a^3b^4 + 3a^2b^5) * \cosh(x)^2 * \sinh(x)^4 + 8(7(a^7 + 5a^6b + 10a^5b^2 + 10a^4b^3 + 5a^3b^4 + a^2b^5) * \cosh(x)^5 + 10(a^7 + 3a^6b + 2a^5b^2 - 2a^4b^3 - 3a^3b^4 - a^2b^5) * \cosh(x)^3 + (3a^7 + 7a^6b + 6a^5b^2 + 6a^4b^3 + 7a^3b^4 + 3a^2b^5) * \cosh(x)) * \sinh(x)^3 + 4(a^7 + 3a^6b + 2a^5b^2 - 2a^4b^3 - 3a^3b^4 - a^2b^5) * \cosh(x)^2 + 4(a^7 + 3a^6b + 2a^5b^2 - 2a^4b^3 - 3a^3b^4 - a^2b^5) * \cosh(x)^6 + 15(a^7 + 3a^6b + 2a^5b^2 - 2a^4b^3 - 3a^3b^4 - a^2b^5) * \cosh(x)^4 + 3(3a^7 + 7a^6b + 6a^5b^2 + 6a^4b^3 + 7a^3b^4 + 3a^2b^5) * \cosh(x)^2) * \sinh(x)^2 + 8((a^7 + 5a^6b + 10a^5b^2 + 10a^4b^3 + 5a^3b^4 + a^2b^5) * \cosh(x)^7 + 3(a^7 + 3a^6b + 2a^5b^2 - 2a^4b^3 - 3a^3b^4 - a^2b^5) * \cosh(x)^5 + (3a^7 + 7a^6b + 6a^5b^2 + 6a^4b^3 + 7a^3b^4 + 3a^2b^5) * \cosh(x)^3 + (a^7 + 3a^6b + 2a^5b^2 - 2a^4b^3 - 3a^3b^4 - a^2b^5) * \cosh(x)) * \sinh(x)), -1/6(3((a^4 + 2a^3b + a^2b^2) * \cosh(x))^8 + 8(a^4 + 2a^3b + a^2b^2) * \cosh(x) * \sinh(x)^7 + (a^4 + 2a^3b + a^2b^2) * \sinh(x)^8 + 4(a^4 - a^2b^2) * \cosh(x)^6 + 4(a^4 - a^2b^2 + 7(a^4 + 2a^3b + a^2b^2) * \cosh(x)^2) * \sinh(x)^6 + 8(7(a^4 + 2a^3b + a^2b^2) * \cosh(x)^3 + 3(a^4 - a^2b^2) * \cosh(x)) * \sinh(x)^5 + 2(3a^4 - 2a^3b + 3a^2b^2) * \cosh(x)^4 + 2(35(a^4 + 2a^3b + a^2b^2) * \cosh(x)^4 + 3a^4 - 2a^3b + 3a^2b^2 + 30(a^4 - a^2b^2) * \cosh(x)^2) * \sinh(x)^4 + a^4 + 2a^3b + a^2b^2 + 8(7(a^4 + 2a^3b + a^2b^2) * \cosh(x)^5 + 10(a^4 - a^2b^2) * \cosh(x)^3 + (3a^4 - 2a^3b + 3a^2b^2) * \cosh(x)) * \sinh(x)^3 + 4(a^4 - a^2b^2) * \cosh(x)^2 + 4(7(a^4 + 2a^3b + a^2b^2) * \cosh(x)^6 + 15(a^4 - a^2b^2) * \cosh(x)^4 + a^4 - a^2b^2 + 3(3a^4 - 2a^3b + 3a^2b^2) * \cosh(x)^2) * \sinh(x)^2 + 8((a^4 + 2a^3b + a^2b^2) * \cosh(x)^7 + 3(a^4 - a^2b^2) * \cosh(x)^5 + (3a^4 - 2a^3b + 3a^2b^2) * \cosh(x)^3 + (a^4 - a^2b^2) * \cosh(x)) * \sinh(x)) * \sqrt{-a - b} * \arctan(\sqrt{2} * (b * \cosh(x)^2 + 2b * \cosh(x) * \sinh(x) + b * \sinh(x)^2 - a - b) * \sqrt{-a - b}) * \sqrt{((a + b) * \cosh(x)^2 + (a + b) * \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 * \cosh(x) * \sinh(x) + \sinh(x)^2)}) / ((a * b + b^2) * \cosh(x)^4 + 4(a * b + b^2) * \cosh(x) * \sinh(x)^3 + (a * b + b^2) * \sinh(x)^4 + (a^2 - a * b - 2 * b^2) * \cosh(x)^2 + (6(a * b + b^2) * \cosh(x)^2 + a^2 - a * b - 2 * b^2) * \sinh(x)^2 + a^2 + 2 * a * b + b^2 + 2 * (2 * (a * b + b^2) * \cosh(x)^3 + (a^2 - a * b - 2 * b^2) * \cosh(x)) * s
\end{aligned}$$



$$\begin{aligned}
& \text{inh}(x)) + 3*((a^4 + 2*a^3*b + a^2*b^2)*\cosh(x)^8 + 8*(a^4 + 2*a^3*b + a^2* \\
& b^2)*\cosh(x)*\sinh(x)^7 + (a^4 + 2*a^3*b + a^2*b^2)*\sinh(x)^8 + 4*(a^4 - a^2 \\
& *b^2)*\cosh(x)^6 + 4*(a^4 - a^2*b^2 + 7*(a^4 + 2*a^3*b + a^2*b^2)*\cosh(x)^2) \\
& *\sinh(x)^6 + 8*(7*(a^4 + 2*a^3*b + a^2*b^2)*\cosh(x)^3 + 3*(a^4 - a^2*b^2)*\c \\
& \text{osh}(x))*\sinh(x)^5 + 2*(3*a^4 - 2*a^3*b + 3*a^2*b^2)*\cosh(x)^4 + 2*(35*(a^4 \\
& + 2*a^3*b + a^2*b^2)*\cosh(x)^4 + 3*a^4 - 2*a^3*b + 3*a^2*b^2 + 30*(a^4 - a^ \\
& 2*b^2)*\cosh(x)^2)*\sinh(x)^4 + a^4 + 2*a^3*b + a^2*b^2 + 8*(7*(a^4 + 2*a^3*b \\
& + a^2*b^2)*\cosh(x)^5 + 10*(a^4 - a^2*b^2)*\cosh(x)^3 + (3*a^4 - 2*a^3*b + 3 \\
& *a^2*b^2)*\cosh(x))*\sinh(x)^3 + 4*(a^4 - a^2*b^2)*\cosh(x)^2 + 4*(7*(a^4 + 2* \\
& a^3*b + a^2*b^2)*\cosh(x)^6 + 15*(a^4 - a^2*b^2)*\cosh(x)^4 + a^4 - a^2*b^2 + \\
& 3*(3*a^4 - 2*a^3*b + 3*a^2*b^2)*\cosh(x)^2)*\sinh(x)^2 + 8*((a^4 + 2*a^3*b + \\
& a^2*b^2)*\cosh(x)^7 + 3*(a^4 - a^2*b^2)*\cosh(x)^5 + (3*a^4 - 2*a^3*b + 3*a^ \\
& 2*b^2)*\cosh(x)^3 + (a^4 - a^2*b^2)*\cosh(x))*\sinh(x))*\sqrt{-a - b}*\arctan(\sqrt{2} \\
& *\sqrt{-a - b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)})/((a + b)*\cosh(x)^2 + 2*(a + b)*\cosh(x)*\sinh(x) + (a + b)*\sinh(x)^2 + a + b)) - 4*\sqrt{2}*((3*a^3*b + 7*a^2*b^2 + 5*a*b^3 + b^4)*\cosh(x)^6 + 6*(3*a^3*b + 7*a^2*b^2 + 5*a*b^3 + b^4)*\cosh(x)*\sinh(x)^5 + (3*a^3*b + 7*a^2*b^2 + 5*a*b^3 + b^4)*\sinh(x)^6 + 3*(a^3*b - a^2*b^2 - 3*a*b^3 - b^4)*\cosh(x)^4 + 3*(a^3*b - a^2*b^2 - 3*a*b^3 - b^4 + 5*(3*a^3*b + 7*a^2*b^2 + 5*a*b^3 + b^4)*\cosh(x)^2)*\sinh(x)^4 - 3*a^3*b - 7*a^2*b^2 - 5*a*b^3 - b^4 + 4*(5*(3*a^3*b + 7*a^2*b^2 + 5*a*b^3 + b^4)*\cosh(x)^3 + 3*(a^3*b - a^2*b^2 - 3*a*b^3 - b^4)*\cosh(x))*\sinh(x)^3 - 3*(a^3*b - a^2*b^2 - 3*a*b^3 - b^4)*\cosh(x)^2 + 3*(5*(3*a^3*b + 7*a^2*b^2 + 5*a*b^3 + b^4)*\cosh(x)^4 - a^3*b + a^2*b^2 + 3*a*b^3 + b^4 + 6*(a^3*b - a^2*b^2 - 3*a*b^3 - b^4)*\cosh(x)^2)*\sinh(x)^2 + 6*((3*a^3*b + 7*a^2*b^2 + 5*a*b^3 + b^4)*\cosh(x)^5 + 2*(a^3*b - a^2*b^2 - 3*a*b^3 - b^4)*\cosh(x)^3 - (a^3*b - a^2*b^2 - 3*a*b^3 - b^4)*\cosh(x))*\sinh(x))*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)))/((a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*\cosh(x)^8 + 8*(a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*\cosh(x)*\sinh(x)^7 + (a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*\sinh(x)^8 + a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5 + 4*(a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5)*\cosh(x)^6 + 4*(a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5 + 7*(a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*\cosh(x)^2)*\sinh(x)^6 + 8*(7*(a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*\cosh(x)^3 + 3*(a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5)*\cosh(x))*\sinh(x)^5 + 2*(3*a^7 + 7*a^6*b + 6*a^5*b^2 + 6*a^4*b^3 + 7*a^3*b^4 + 3*a^2*b^5)*\cosh(x)^4 + 2*(3*a^7 + 7*a^6*b + 6*a^5*b^2 + 6*a^4*b^3 + 7*a^3*b^4 + 3*a^2*b^5 + 35*(a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*\cosh(x)^4 + 30*(a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5)*\cosh(x)^2)*\sinh(x)^4 + 8*(7*(a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*\cosh(x)^5 + 10*(a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5)*\cosh(x)^3 + (3*a^7 + 7*a^6*b + 6*a^5*b^2 + 6*a^4*b^3 + 7*a^3*b^4 + 3*a^2*b^5)*\cosh(x))*\sinh(x)^3 + 4*(a^7 + 3*a^6*b + 2*a^5*b^
\end{aligned}$$

$$2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5)*\cosh(x)^2 + 4*(a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5 + 7*(a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*\cosh(x)^6 + 15*(a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5)*\cosh(x)^4 + 3*(3*a^7 + 7*a^6*b + 6*a^5*b^2 + 6*a^4*b^3 + 7*a^3*b^4 + 3*a^2*b^5)*\cosh(x)^2)*\sinh(x)^2 + 8*((a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*\cosh(x)^7 + 3*(a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5)*\cosh(x)^5 + (3*a^7 + 7*a^6*b + 6*a^5*b^2 + 6*a^4*b^3 + 7*a^3*b^4 + 3*a^2*b^5)*\cosh(x)^3 + (a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5)*\cosh(x))*\sinh(x))]$$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(a + b \tanh^2(x))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*tanh(x)\*\*2)\*\*(5/2),x)

[Out] Integral((a + b\*tanh(x)\*\*2)\*\*(-5/2), x)

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*tanh(x)^2)^(5/2),x, algorithm="giac")

[Out] Exception raised: TypeError

$$3.253 \quad \int \frac{\coth(x)}{(a+b \tanh^2(x))^{5/2}} dx$$

**Optimal.** Leaf size=108

$$\frac{b(2a+b)}{a^2(a+b)^2\sqrt{a+b \tanh^2(x)}} - \frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a}}\right)}{a^{5/2}} + \frac{b}{3a(a+b)(a+b \tanh^2(x))^{3/2}} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}}\right)}{(a+b)^{5/2}}$$

[Out] -(ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a]]/a^(5/2)) + ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]]/(a + b)^(5/2) + b/(3\*a\*(a + b)\*(a + b\*Tanh[x]^2)^(3/2)) + (b\*(2\*a + b))/(a^2\*(a + b)^2\*Sqrt[a + b\*Tanh[x]^2])

**Rubi [A]** time = 0.208374, antiderivative size = 108, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.467$ , Rules used = {3670, 446, 85, 152, 156, 63, 208}

$$\frac{b(2a+b)}{a^2(a+b)^2\sqrt{a+b \tanh^2(x)}} - \frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a}}\right)}{a^{5/2}} + \frac{b}{3a(a+b)(a+b \tanh^2(x))^{3/2}} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}}\right)}{(a+b)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[Coth[x]/(a + b\*Tanh[x]^2)^(5/2), x]

[Out] -(ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a]]/a^(5/2)) + ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]]/(a + b)^(5/2) + b/(3\*a\*(a + b)\*(a + b\*Tanh[x]^2)^(3/2)) + (b\*(2\*a + b))/(a^2\*(a + b)^2\*Sqrt[a + b\*Tanh[x]^2])

### Rule 3670

Int[((d\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]^(m\_.)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]^(n\_))^(p\_.), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x]] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

Rule 446

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 85

```
Int[((e_.) + (f_.)*(x_))^(p_)/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))), x_Symbol] := Simp[(f*(e + f*x)^(p + 1))/((p + 1)*(b*e - a*f)*(d*e - c*f)), x] + Dist[1/((b*e - a*f)*(d*e - c*f)), Int[((b*d*e - b*c*f - a*d*f - b*d*f*x)*(e + f*x)^(p + 1))/((a + b*x)*(c + d*x)), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && LtQ[p, -1]
```

Rule 152

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[((b*g - a*h)*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*Simp[(a*d*f*g - b*(d*e + c*f)*g + b*c*e*h)*(m + 1) - (b*g - a*h)*(d*e*(n + 1) + c*f*(p + 1)) - d*f*(b*g - a*h)*(m + n + p + 3)*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && LtQ[m, -1] && IntegersQ[2*m, 2*n, 2*p]
```

Rule 156

```
Int[(((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)))/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))), x_Symbol] := Dist[(b*g - a*h)/(b*c - a*d), Int[(e + f*x)^p/(a + b*x), x], x] - Dist[(d*g - c*h)/(b*c - a*d), Int[(e + f*x)^p/(c + d*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\coth(x)}{(a + b \tanh^2(x))^{5/2}} dx &= \text{Subst} \left( \int \frac{1}{x(1-x^2)(a+bx^2)^{5/2}} dx, x, \tanh(x) \right) \\
&= \frac{1}{2} \text{Subst} \left( \int \frac{1}{(1-x)x(a+bx)^{5/2}} dx, x, \tanh^2(x) \right) \\
&= \frac{b}{3a(a+b)(a+b \tanh^2(x))^{3/2}} - \frac{\text{Subst} \left( \int \frac{-a-bx}{(1-x)x(a+bx)^{3/2}} dx, x, \tanh^2(x) \right)}{2a(a+b)} \\
&= \frac{b}{3a(a+b)(a+b \tanh^2(x))^{3/2}} + \frac{b(2a+b)}{a^2(a+b)^2 \sqrt{a+b \tanh^2(x)}} - \frac{\text{Subst} \left( \int \frac{-\frac{1}{2}(a+b)^2 + \frac{1}{2}b(2a+b)x}{(1-x)x\sqrt{a+bx}} dx, x, \tanh^2(x) \right)}{a^2(a+b)^2} \\
&= \frac{b}{3a(a+b)(a+b \tanh^2(x))^{3/2}} + \frac{b(2a+b)}{a^2(a+b)^2 \sqrt{a+b \tanh^2(x)}} + \frac{\text{Subst} \left( \int \frac{1}{x\sqrt{a+bx}} dx, x, \tanh^2(x) \right)}{2a^2} \\
&= \frac{b}{3a(a+b)(a+b \tanh^2(x))^{3/2}} + \frac{b(2a+b)}{a^2(a+b)^2 \sqrt{a+b \tanh^2(x)}} + \frac{\text{Subst} \left( \int \frac{1}{-\frac{a}{b} + \frac{x^2}{b}} dx, x, \sqrt{a+b \tanh^2(x)} \right)}{a^2b} \\
&= -\frac{\tanh^{-1} \left( \frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a}} \right)}{a^{5/2}} + \frac{\tanh^{-1} \left( \frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}} \right)}{(a+b)^{5/2}} + \frac{b}{3a(a+b)(a+b \tanh^2(x))^{3/2}} + \frac{1}{a^2(a+b)}
\end{aligned}$$

**Mathematica [C]** time = 0.0716538, size = 73, normalized size = 0.68

$$\frac{(a+b) {}_2F_1 \left( -\frac{3}{2}, 1; -\frac{1}{2}; \frac{b \tanh^2(x)}{a} + 1 \right) - a {}_2F_1 \left( -\frac{3}{2}, 1; -\frac{1}{2}; \frac{b \tanh^2(x)+a}{a+b} \right)}{3a(a+b)(a+b \tanh^2(x))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[x]/(a + b\*Tanh[x]^2)^(5/2), x]

[Out] (-a\*Hypergeometric2F1[-3/2, 1, -1/2, (a + b\*Tanh[x]^2)/(a + b)]) + (a + b)\*Hypergeometric2F1[-3/2, 1, -1/2, 1 + (b\*Tanh[x]^2)/a]/(3\*a\*(a + b)\*(a + b)

\*Tanh[x]^2)^(3/2))

---

**Maple [F]** time = 0.122, size = 0, normalized size = 0.

$$\int \coth(x) (a + b(\tanh(x))^2)^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(x)/(a+b\*tanh(x)^2)^(5/2),x)

[Out] int(coth(x)/(a+b\*tanh(x)^2)^(5/2),x)

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\coth(x)}{(b \tanh(x)^2 + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)/(a+b\*tanh(x)^2)^(5/2),x, algorithm="maxima")

[Out] integrate(coth(x)/(b\*tanh(x)^2 + a)^(5/2), x)

---

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)/(a+b\*tanh(x)^2)^(5/2),x, algorithm="fricas")

[Out] Timed out

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(coth(x)/(a+b*tanh(x)**2)**(5/2),x)
```

```
[Out] Timed out
```

---

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(coth(x)/(a+b*tanh(x)^2)^(5/2),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError
```

$$3.254 \quad \int \frac{\coth^2(x)}{(a+b \tanh^2(x))^{5/2}} dx$$

**Optimal.** Leaf size=131

$$-\frac{(3a+2b)(a+4b)\coth(x)\sqrt{a+b\tanh^2(x)}}{3a^3(a+b)^2} + \frac{b(7a+4b)\coth(x)}{3a^2(a+b)^2\sqrt{a+b\tanh^2(x)}} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b}\tanh(x)}{\sqrt{a+b\tanh^2(x)}}\right)}{(a+b)^{5/2}} + \frac{b\coth(x)}{3a(a+b)(a+b)}$$

[Out] ArcTanh[(Sqrt[a + b]\*Tanh[x])/Sqrt[a + b\*Tanh[x]^2]]/(a + b)^(5/2) + (b\*Cot h[x])/(3\*a\*(a + b)\*(a + b\*Tanh[x]^2)^(3/2)) + (b\*(7\*a + 4\*b)\*Coth[x])/(3\*a^2\*(a + b)^2\*Sqrt[a + b\*Tanh[x]^2]) - ((3\*a + 2\*b)\*(a + 4\*b)\*Coth[x]\*Sqrt[a + b\*Tanh[x]^2])/(3\*a^3\*(a + b)^2)

**Rubi [A]** time = 0.241572, antiderivative size = 131, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.412$ , Rules used = {3670, 472, 579, 583, 12, 377, 206}

$$-\frac{(3a+2b)(a+4b)\coth(x)\sqrt{a+b\tanh^2(x)}}{3a^3(a+b)^2} + \frac{b(7a+4b)\coth(x)}{3a^2(a+b)^2\sqrt{a+b\tanh^2(x)}} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b}\tanh(x)}{\sqrt{a+b\tanh^2(x)}}\right)}{(a+b)^{5/2}} + \frac{b\coth(x)}{3a(a+b)(a+b)}$$

Antiderivative was successfully verified.

[In] Int[Coth[x]^2/(a + b\*Tanh[x]^2)^(5/2), x]

[Out] ArcTanh[(Sqrt[a + b]\*Tanh[x])/Sqrt[a + b\*Tanh[x]^2]]/(a + b)^(5/2) + (b\*Cot h[x])/(3\*a\*(a + b)\*(a + b\*Tanh[x]^2)^(3/2)) + (b\*(7\*a + 4\*b)\*Coth[x])/(3\*a^2\*(a + b)^2\*Sqrt[a + b\*Tanh[x]^2]) - ((3\*a + 2\*b)\*(a + 4\*b)\*Coth[x]\*Sqrt[a + b\*Tanh[x]^2])/(3\*a^3\*(a + b)^2)

### Rule 3670

Int[((d\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((a\_.) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_.))^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x]] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && Ration



alQ[n]))

### Rule 472

Int[((e\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_)\*(x\_)^(n\_))^(q\_), x\_Symbol] := -Simp[(b\*(e\*x)^(m + 1)\*(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^(q + 1))/(a\*e\*n\*(b\*c - a\*d)\*(p + 1)), x] + Dist[1/(a\*n\*(b\*c - a\*d)\*(p + 1)), Int[(e\*x)^m\*(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^q\*Simp[c\*b\*(m + 1) + n\*(b\*c - a\*d)\*(p + 1) + d\*b\*(m + n\*(p + q + 2) + 1)\*x^n, x], x] /; FreeQ[{a, b, c, d, e, m, q}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[n, 0] && LtQ[p, -1] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]

### Rule 579

Int[((g\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_)\*(x\_)^(n\_))^(q\_)\*((e\_) + (f\_)\*(x\_)^(n\_)), x\_Symbol] := -Simp[((b\*e - a\*f)\*(g\*x)^(m + 1)\*(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^(q + 1))/(a\*g\*n\*(b\*c - a\*d)\*(p + 1)), x] + Dist[1/(a\*n\*(b\*c - a\*d)\*(p + 1)), Int[(g\*x)^m\*(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^q\*Simp[c\*(b\*e - a\*f)\*(m + 1) + e\*n\*(b\*c - a\*d)\*(p + 1) + d\*(b\*e - a\*f)\*(m + n\*(p + q + 2) + 1)\*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, q}, x] && IGtQ[n, 0] && LtQ[p, -1]

### Rule 583

Int[((g\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_)\*(x\_)^(n\_))^(q\_)\*((e\_) + (f\_)\*(x\_)^(n\_)), x\_Symbol] := Simp[(e\*(g\*x)^(m + 1)\*(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^(q + 1))/(a\*c\*g\*(m + 1)), x] + Dist[1/(a\*c\*g^n\*(m + 1)), Int[(g\*x)^(m + n)\*(a + b\*x^n)^p\*(c + d\*x^n)^q\*Simp[a\*f\*c\*(m + 1) - e\*(b\*c + a\*d)\*(m + n + 1) - e\*n\*(b\*c\*p + a\*d\*q) - b\*e\*d\*(m + n\*(p + q + 2) + 1)\*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p, q}, x] && IGtQ[n, 0] && LtQ[m, -1]

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

### Rule 377

Int[((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)/((c\_) + (d\_)\*(x\_)^(n\_)), x\_Symbol] := Subst[Int[1/(c - (b\*c - a\*d)\*x^n), x], x, x/(a + b\*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && EqQ[n\*p + 1, 0] && IntegerQ[n]

### Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

### Rubi steps

$$\begin{aligned}
\int \frac{\coth^2(x)}{(a + b \tanh^2(x))^{5/2}} dx &= \text{Subst} \left( \int \frac{1}{x^2 (1-x^2) (a + bx^2)^{5/2}} dx, x, \tanh(x) \right) \\
&= \frac{b \coth(x)}{3a(a+b) (a + b \tanh^2(x))^{3/2}} - \frac{\text{Subst} \left( \int \frac{-3a-4b+4bx^2}{x^2(1-x^2)(a+bx^2)^{3/2}} dx, x, \tanh(x) \right)}{3a(a+b)} \\
&= \frac{b \coth(x)}{3a(a+b) (a + b \tanh^2(x))^{3/2}} + \frac{b(7a+4b) \coth(x)}{3a^2(a+b)^2 \sqrt{a + b \tanh^2(x)}} + \frac{\text{Subst} \left( \int \frac{(3a+2b)(a+4b)-2b(7a+4)}{x^2(1-x^2)\sqrt{a+bx^2}} dx, x, \tanh(x) \right)}{3a^2(a+b)} \\
&= \frac{b \coth(x)}{3a(a+b) (a + b \tanh^2(x))^{3/2}} + \frac{b(7a+4b) \coth(x)}{3a^2(a+b)^2 \sqrt{a + b \tanh^2(x)}} - \frac{(3a+2b)(a+4b) \coth(x) \sqrt{a}}{3a^3(a+b)^2} \\
&= \frac{b \coth(x)}{3a(a+b) (a + b \tanh^2(x))^{3/2}} + \frac{b(7a+4b) \coth(x)}{3a^2(a+b)^2 \sqrt{a + b \tanh^2(x)}} - \frac{(3a+2b)(a+4b) \coth(x) \sqrt{a}}{3a^3(a+b)^2} \\
&= \frac{b \coth(x)}{3a(a+b) (a + b \tanh^2(x))^{3/2}} + \frac{b(7a+4b) \coth(x)}{3a^2(a+b)^2 \sqrt{a + b \tanh^2(x)}} - \frac{(3a+2b)(a+4b) \coth(x) \sqrt{a}}{3a^3(a+b)^2} \\
&= \frac{b \coth(x)}{3a(a+b) (a + b \tanh^2(x))^{3/2}} + \frac{b(7a+4b) \coth(x)}{3a^2(a+b)^2 \sqrt{a + b \tanh^2(x)}} - \frac{(3a+2b)(a+4b) \coth(x) \sqrt{a}}{3a^3(a+b)^2} \\
&= \frac{\tanh^{-1} \left( \frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}} \right)}{(a+b)^{5/2}} + \frac{b \coth(x)}{3a(a+b) (a + b \tanh^2(x))^{3/2}} + \frac{b(7a+4b) \coth(x)}{3a^2(a+b)^2 \sqrt{a + b \tanh^2(x)}} - \frac{(3a+2b)(a+4b) \coth(x) \sqrt{a}}{3a^3(a+b)^2}
\end{aligned}$$

**Mathematica [C]** time = 7.45596, size = 246, normalized size = 1.88

$$\frac{\sqrt{\operatorname{sech}^2(x)((a+b)\cosh(2x)+a-b)} \left( 3\sqrt{2}a^3 \operatorname{coth}(x) \left( (a+b) \operatorname{EllipticF} \left[ \sin^{-1} \left( \frac{\sqrt{\operatorname{csch}^2(x)((a+b)\cosh(2x)+a-b)}}{b} \right), 1 \right] - a \Pi \left[ \frac{b}{a+b}; \sin^{-1} \left( \frac{\sqrt{(a-b+(a+b)\cosh(2x)+a-b)}}{b} \right) \right] \right)}{b \sqrt{\frac{\operatorname{csch}^2(x)((a+b)\cosh(2x)+a-b)}{b}}}$$


---


$$3\sqrt{2}a^3(a+b)^3$$

Antiderivative was successfully verified.

[In] Integrate[Coth[x]^2/(a + b\*Tanh[x]^2)^(5/2), x]

[Out] (Sqrt[(a - b + (a + b)\*Cosh[2\*x])\*Sech[x]^2]\*((3\*Sqrt[2]\*a^3\*Coth[x]\*((a + b)\*EllipticF[ArcSin[Sqrt[((a - b + (a + b)\*Cosh[2\*x])\*Csch[x]^2)/b]/Sqrt[2]], 1] - a\*EllipticPi[b/(a + b), ArcSin[Sqrt[((a - b + (a + b)\*Cosh[2\*x])\*Csch[x]^2)/b]/Sqrt[2]], 1])))/(b\*Sqrt[((a - b + (a + b)\*Cosh[2\*x])\*Csch[x]^2)/b]) - ((a + b)\*(3\*(a + b)^2\*(a - b + (a + b)\*Cosh[2\*x])^2\*Coth[x] + 2\*a\*b^3\*Sinh[2\*x] + b^2\*(9\*a + 5\*b)\*(a - b + (a + b)\*Cosh[2\*x])\*Sinh[2\*x]))/(a - b + (a + b)\*Cosh[2\*x]^2))/(3\*Sqrt[2]\*a^3\*(a + b)^3)

**Maple [F]** time = 0.119, size = 0, normalized size = 0.

$$\int (\operatorname{coth}(x))^2 (a + b(\operatorname{tanh}(x))^2)^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(x)^2/(a+b\*tanh(x)^2)^(5/2), x)

[Out] int(coth(x)^2/(a+b\*tanh(x)^2)^(5/2), x)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{coth}(x)^2}{(b \operatorname{tanh}(x)^2 + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(coth(x)^2/(a+b*tanh(x)^2)^(5/2),x, algorithm="maxima")
```

```
[Out] integrate(coth(x)^2/(b*tanh(x)^2 + a)^(5/2), x)
```

**Fricas [B]** time = 18.786, size = 25307, normalized size = 193.18

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(coth(x)^2/(a+b*tanh(x)^2)^(5/2),x, algorithm="fricas")
```

```
[Out] [1/12*(3*((a^5 + 2*a^4*b + a^3*b^2)*cosh(x)^10 + 10*(a^5 + 2*a^4*b + a^3*b^2)*cosh(x)*sinh(x)^9 + (a^5 + 2*a^4*b + a^3*b^2)*sinh(x)^10 + (3*a^5 - 2*a^4*b - 5*a^3*b^2)*cosh(x)^8 + (3*a^5 - 2*a^4*b - 5*a^3*b^2 + 45*(a^5 + 2*a^4*b + a^3*b^2)*cosh(x)^2)*sinh(x)^8 + 8*(15*(a^5 + 2*a^4*b + a^3*b^2)*cosh(x)^3 + (3*a^5 - 2*a^4*b - 5*a^3*b^2)*cosh(x))*sinh(x)^7 + 2*(a^5 - 2*a^4*b + 5*a^3*b^2)*cosh(x)^6 + 2*(a^5 - 2*a^4*b + 5*a^3*b^2 + 105*(a^5 + 2*a^4*b + a^3*b^2)*cosh(x)^4 + 14*(3*a^5 - 2*a^4*b - 5*a^3*b^2)*cosh(x)^2)*sinh(x)^6 + 4*(63*(a^5 + 2*a^4*b + a^3*b^2)*cosh(x)^5 + 14*(3*a^5 - 2*a^4*b - 5*a^3*b^2)*cosh(x)^3 + 3*(a^5 - 2*a^4*b + 5*a^3*b^2)*cosh(x))*sinh(x)^5 - a^5 - 2*a^4*b - a^3*b^2 - 2*(a^5 - 2*a^4*b + 5*a^3*b^2)*cosh(x)^4 + 2*(105*(a^5 + 2*a^4*b + a^3*b^2)*cosh(x)^6 - a^5 + 2*a^4*b - 5*a^3*b^2 + 35*(3*a^5 - 2*a^4*b - 5*a^3*b^2)*cosh(x)^4 + 15*(a^5 - 2*a^4*b + 5*a^3*b^2)*cosh(x)^2)*sinh(x)^4 + 8*(15*(a^5 + 2*a^4*b + a^3*b^2)*cosh(x)^7 + 7*(3*a^5 - 2*a^4*b - 5*a^3*b^2)*cosh(x)^5 + 5*(a^5 - 2*a^4*b + 5*a^3*b^2)*cosh(x)^3 - (a^5 - 2*a^4*b + 5*a^3*b^2)*cosh(x))*sinh(x)^3 - (3*a^5 - 2*a^4*b - 5*a^3*b^2)*cosh(x)^2 + (45*(a^5 + 2*a^4*b + a^3*b^2)*cosh(x)^8 + 28*(3*a^5 - 2*a^4*b - 5*a^3*b^2)*cosh(x)^6 - 3*a^5 + 2*a^4*b + 5*a^3*b^2 + 30*(a^5 - 2*a^4*b + 5*a^3*b^2)*cosh(x)^4 - 12*(a^5 - 2*a^4*b + 5*a^3*b^2)*cosh(x)^2)*sinh(x)^2 + 2*(5*(a^5 + 2*a^4*b + a^3*b^2)*cosh(x)^9 + 4*(3*a^5 - 2*a^4*b - 5*a^3*b^2)*cosh(x)^7 + 6*(a^5 - 2*a^4*b + 5*a^3*b^2)*cosh(x)^5 - 4*(a^5 - 2*a^4*b + 5*a^3*b^2)*cosh(x)^3 - (3*a^5 - 2*a^4*b - 5*a^3*b^2)*cosh(x))*sinh(x))*sqrt(a + b)*log(-((a*b^2 + b^3)*cosh(x)^8 + 8*(a*b^2 + b^3)*cosh(x)*sinh(x)^7 + (a*b^2 + b^3)*sinh(x)^8 - 2*(a*b^2 + 2*b^3)*cosh(x)^6 - 2*(a*b^2 + 2*b^3 - 14*(a*b^2 + b^3)*cosh(x)^2)*sinh(x)^6 + 4*(14*(a*b^2 + b^3)*cosh(x)^3 - 3*(a*b^2 + 2*b^3)*cosh(x))*sinh(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*cosh(x)^4 + (70*(a*b^2 + b^3)*cosh(x)^4 + a^3 - a^2*b + 4*a*b^2 + 6*b^3 - 30*(a*b^2 + 2*b^3)*cosh(x)^2)*sinh(x)^4 + 4*(14*(a*b^2 + b^3)*cosh(x)^5 - 10*(a*b^2 + 2*b^3)*cosh(x)^3 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*cosh(x))*sinh(x)^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 2*(a^3 - 3*a*b^2 - 2*b^3)*cosh(x)^2 + 2*(14*(a*b^2 + b^3)*cosh(x)^6 - 15*(a*b^2 + 2*b^3)*cosh(x)^4 + a^3 - 3*a*b^2 - 2*b^3 + 3
```

$$\begin{aligned}
&*(a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\cosh(x)^2*\sinh(x)^2 + \sqrt{2}*(b^2*\cosh(x) \\
&)^6 + 6*b^2*\cosh(x)*\sinh(x)^5 + b^2*\sinh(x)^6 - 3*b^2*\cosh(x)^4 + 3*(5*b^2* \\
&\cosh(x)^2 - b^2)*\sinh(x)^4 + 4*(5*b^2*\cosh(x)^3 - 3*b^2*\cosh(x))*\sinh(x)^3 \\
&- (a^2 - 2*a*b - 3*b^2)*\cosh(x)^2 + (15*b^2*\cosh(x)^4 - 18*b^2*\cosh(x)^2 - \\
&a^2 + 2*a*b + 3*b^2)*\sinh(x)^2 - a^2 - 2*a*b - b^2 + 2*(3*b^2*\cosh(x)^5 - 6 \\
&*b^2*\cosh(x)^3 - (a^2 - 2*a*b - 3*b^2)*\cosh(x))*\sinh(x))*\sqrt{a + b}*\sqrt{(( \\
&(a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh( \\
&x) + \sinh(x)^2)) + 4*(2*(a*b^2 + b^3)*\cosh(x)^7 - 3*(a*b^2 + 2*b^3)*\cosh(x) \\
&^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\cosh(x)^3 + (a^3 - 3*a*b^2 - 2*b^3)*\co \\
&sh(x))*\sinh(x))/(\cosh(x)^6 + 6*\cosh(x)^5*\sinh(x) + 15*\cosh(x)^4*\sinh(x)^2 + \\
&20*\cosh(x)^3*\sinh(x)^3 + 15*\cosh(x)^2*\sinh(x)^4 + 6*\cosh(x)*\sinh(x)^5 + \si \\
&nh(x)^6)) + 3*((a^5 + 2*a^4*b + a^3*b^2)*\cosh(x)^10 + 10*(a^5 + 2*a^4*b + a \\
&^3*b^2)*\cosh(x)*\sinh(x)^9 + (a^5 + 2*a^4*b + a^3*b^2)*\sinh(x)^10 + (3*a^5 - \\
&2*a^4*b - 5*a^3*b^2)*\cosh(x)^8 + (3*a^5 - 2*a^4*b - 5*a^3*b^2 + 45*(a^5 + \\
&2*a^4*b + a^3*b^2)*\cosh(x)^2)*\sinh(x)^8 + 8*(15*(a^5 + 2*a^4*b + a^3*b^2)*\c \\
&osh(x)^3 + (3*a^5 - 2*a^4*b - 5*a^3*b^2)*\cosh(x))*\sinh(x)^7 + 2*(a^5 - 2*a^ \\
&4*b + 5*a^3*b^2)*\cosh(x)^6 + 2*(a^5 - 2*a^4*b + 5*a^3*b^2 + 105*(a^5 + 2*a^ \\
&4*b + a^3*b^2)*\cosh(x)^4 + 14*(3*a^5 - 2*a^4*b - 5*a^3*b^2)*\cosh(x)^2)*\sinh \\
&(x)^6 + 4*(63*(a^5 + 2*a^4*b + a^3*b^2)*\cosh(x)^5 + 14*(3*a^5 - 2*a^4*b - 5 \\
&*a^3*b^2)*\cosh(x)^3 + 3*(a^5 - 2*a^4*b + 5*a^3*b^2)*\cosh(x))*\sinh(x)^5 - a^ \\
&5 - 2*a^4*b - a^3*b^2 - 2*(a^5 - 2*a^4*b + 5*a^3*b^2)*\cosh(x)^4 + 2*(105*(a \\
&^5 + 2*a^4*b + a^3*b^2)*\cosh(x)^6 - a^5 + 2*a^4*b - 5*a^3*b^2 + 35*(3*a^5 - \\
&2*a^4*b - 5*a^3*b^2)*\cosh(x)^4 + 15*(a^5 - 2*a^4*b + 5*a^3*b^2)*\cosh(x)^2) \\
&*\sinh(x)^4 + 8*(15*(a^5 + 2*a^4*b + a^3*b^2)*\cosh(x)^7 + 7*(3*a^5 - 2*a^4*b \\
&- 5*a^3*b^2)*\cosh(x)^5 + 5*(a^5 - 2*a^4*b + 5*a^3*b^2)*\cosh(x)^3 - (a^5 - \\
&2*a^4*b + 5*a^3*b^2)*\cosh(x))*\sinh(x)^3 - (3*a^5 - 2*a^4*b - 5*a^3*b^2)*\cos \\
&h(x)^2 + (45*(a^5 + 2*a^4*b + a^3*b^2)*\cosh(x)^8 + 28*(3*a^5 - 2*a^4*b - 5* \\
&a^3*b^2)*\cosh(x)^6 - 3*a^5 + 2*a^4*b + 5*a^3*b^2 + 30*(a^5 - 2*a^4*b + 5*a^ \\
&3*b^2)*\cosh(x)^4 - 12*(a^5 - 2*a^4*b + 5*a^3*b^2)*\cosh(x)^2)*\sinh(x)^2 + 2* \\
&(5*(a^5 + 2*a^4*b + a^3*b^2)*\cosh(x)^9 + 4*(3*a^5 - 2*a^4*b - 5*a^3*b^2)*\co \\
&sh(x)^7 + 6*(a^5 - 2*a^4*b + 5*a^3*b^2)*\cosh(x)^5 - 4*(a^5 - 2*a^4*b + 5*a^ \\
&3*b^2)*\cosh(x)^3 - (3*a^5 - 2*a^4*b - 5*a^3*b^2)*\cosh(x))*\sinh(x))*\sqrt{a + \\
&b}*\log(((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^ \\
&4 + 2*a*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a)*\sinh(x)^2 + \sqrt{2}*(\cosh(x) \\
&)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 + 1))*\sqrt{a + b}*\sqrt{((a + b)*\cosh(x)^ \\
&2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)) \\
&+ 4*((a + b)*\cosh(x)^3 + a*\cosh(x))*\sinh(x) + a + b)/(\cosh(x)^2 + 2*\cosh(x) \\
&)*\sinh(x) + \sinh(x)^2)) - 4*\sqrt{2}*((3*a^5 + 15*a^4*b + 39*a^3*b^2 + 53*a^ \\
&2*b^3 + 34*a*b^4 + 8*b^5)*\cosh(x)^8 + 8*(3*a^5 + 15*a^4*b + 39*a^3*b^2 + 53 \\
&*a^2*b^3 + 34*a*b^4 + 8*b^5)*\cosh(x)*\sinh(x)^7 + (3*a^5 + 15*a^4*b + 39*a^3 \\
&*b^2 + 53*a^2*b^3 + 34*a*b^4 + 8*b^5)*\sinh(x)^8 + 4*(3*a^5 + 9*a^4*b + 6*a^ \\
&3*b^2 - 14*a^2*b^3 - 22*a*b^4 - 8*b^5)*\cosh(x)^6 + 4*(3*a^5 + 9*a^4*b + 6*a \\
&^3*b^2 - 14*a^2*b^3 - 22*a*b^4 - 8*b^5 + 7*(3*a^5 + 15*a^4*b + 39*a^3*b^2 + \\
&53*a^2*b^3 + 34*a*b^4 + 8*b^5)*\cosh(x)^2)*\sinh(x)^6 + 8*(7*(3*a^5 + 15*a^4 \\
&*b + 39*a^3*b^2 + 53*a^2*b^3 + 34*a*b^4 + 8*b^5)*\cosh(x)^3 + 3*(3*a^5 + 9*a
\end{aligned}$$

$$\begin{aligned}
& ^4*b + 6*a^3*b^2 - 14*a^2*b^3 - 22*a*b^4 - 8*b^5)*\cosh(x))*\sinh(x)^5 + 3*a^5 \\
& + 15*a^4*b + 39*a^3*b^2 + 53*a^2*b^3 + 34*a*b^4 + 8*b^5 + 6*(3*a^5 + 7*a^4 \\
& 4*b + 3*a^3*b^2 + 9*a^2*b^3 + 18*a*b^4 + 8*b^5)*\cosh(x)^4 + 2*(9*a^5 + 21*a^4 \\
& ^4*b + 9*a^3*b^2 + 27*a^2*b^3 + 54*a*b^4 + 24*b^5 + 35*(3*a^5 + 15*a^4*b + \\
& 39*a^3*b^2 + 53*a^2*b^3 + 34*a*b^4 + 8*b^5)*\cosh(x)^4 + 30*(3*a^5 + 9*a^4*b \\
& + 6*a^3*b^2 - 14*a^2*b^3 - 22*a*b^4 - 8*b^5)*\cosh(x)^2)*\sinh(x)^4 + 8*(7*( \\
& 3*a^5 + 15*a^4*b + 39*a^3*b^2 + 53*a^2*b^3 + 34*a*b^4 + 8*b^5)*\cosh(x)^5 + \\
& 10*(3*a^5 + 9*a^4*b + 6*a^3*b^2 - 14*a^2*b^3 - 22*a*b^4 - 8*b^5)*\cosh(x)^3 \\
& + 3*(3*a^5 + 7*a^4*b + 3*a^3*b^2 + 9*a^2*b^3 + 18*a*b^4 + 8*b^5)*\cosh(x))*\sinh(x)^3 \\
& + 4*(3*a^5 + 9*a^4*b + 6*a^3*b^2 - 14*a^2*b^3 - 22*a*b^4 - 8*b^5)*\cosh(x)^2 \\
& + 4*(7*(3*a^5 + 15*a^4*b + 39*a^3*b^2 + 53*a^2*b^3 + 34*a*b^4 + 8*b^5)*\cosh(x)^6 \\
& + 3*a^5 + 9*a^4*b + 6*a^3*b^2 - 14*a^2*b^3 - 22*a*b^4 - 8*b^5 + 15*(3*a^5 + 9*a^4*b \\
& + 6*a^3*b^2 - 14*a^2*b^3 - 22*a*b^4 - 8*b^5)*\cosh(x)^4 + 9*(3*a^5 + 7*a^4*b \\
& + 3*a^3*b^2 + 9*a^2*b^3 + 18*a*b^4 + 8*b^5)*\cosh(x)^2)*\sinh(x)^2 + 8*((3*a^5 + 15*a^4*b \\
& + 39*a^3*b^2 + 53*a^2*b^3 + 34*a*b^4 + 8*b^5)*\cosh(x)^7 + 3*(3*a^5 + 9*a^4*b \\
& + 6*a^3*b^2 - 14*a^2*b^3 - 22*a*b^4 - 8*b^5)*\cosh(x)^5 + 3*(3*a^5 + 7*a^4*b \\
& + 3*a^3*b^2 + 9*a^2*b^3 + 18*a*b^4 + 8*b^5)*\cosh(x)^3 + (3*a^5 + 9*a^4*b + 6*a^3*b^2 \\
& - 14*a^2*b^3 - 22*a*b^4 - 8*b^5)*\cosh(x))*\sinh(x))*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a \\
& - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)))/((a^8 + 5*a^7*b + 10*a^6 \\
& b^2 + 10*a^5*b^3 + 5*a^4*b^4 + a^3*b^5)*\cosh(x)^10 + 10*(a^8 + 5*a^7*b + 10*a^6 \\
& b^2 + 10*a^5*b^3 + 5*a^4*b^4 + a^3*b^5)*\cosh(x)*\sinh(x)^9 + (a^8 + 5*a^7*b \\
& + 10*a^6*b^2 + 10*a^5*b^3 + 5*a^4*b^4 + a^3*b^5)*\sinh(x)^10 + (3*a^8 + 7*a^7*b \\
& - 2*a^6*b^2 - 18*a^5*b^3 - 17*a^4*b^4 - 5*a^3*b^5)*\cosh(x)^8 + (3*a^8 + 7*a^7*b \\
& - 2*a^6*b^2 - 18*a^5*b^3 - 17*a^4*b^4 - 5*a^3*b^5 + 45*(a^8 + 5*a^7*b + 10*a^6*b^2 \\
& + 10*a^5*b^3 + 5*a^4*b^4 + a^3*b^5)*\cosh(x)^2)*\sinh(x)^8 - a^8 - 5*a^7*b - 10*a^6*b^2 \\
& - 10*a^5*b^3 - 5*a^4*b^4 - a^3*b^5 + 8*(15*(a^8 + 5*a^7*b + 10*a^6*b^2 + 10*a^5*b^3 \\
& + 5*a^4*b^4 + a^3*b^5)*\cosh(x)^3 + (3*a^8 + 7*a^7*b - 2*a^6*b^2 - 18*a^5*b^3 - 17*a^4*b^4 \\
& - 5*a^3*b^5)*\cosh(x))*\sinh(x)^7 + 2*(a^8 + a^7*b + 2*a^6*b^2 + 10*a^5*b^3 + 13*a^4*b^4 \\
& + 5*a^3*b^5)*\cosh(x)^6 + 2*(a^8 + a^7*b + 2*a^6*b^2 + 10*a^5*b^3 + 13*a^4*b^4 + 5*a^3 \\
& b^5 + 105*(a^8 + 5*a^7*b + 10*a^6*b^2 + 10*a^5*b^3 + 5*a^4*b^4 + a^3*b^5)*\cosh(x)^4 \\
& + 14*(3*a^8 + 7*a^7*b - 2*a^6*b^2 - 18*a^5*b^3 - 17*a^4*b^4 - 5*a^3*b^5)*\cosh(x)^2)*\sinh(x)^6 \\
& + 4*(63*(a^8 + 5*a^7*b + 10*a^6*b^2 + 10*a^5*b^3 + 5*a^4*b^4 + a^3*b^5)*\cosh(x)^5 \\
& + 14*(3*a^8 + 7*a^7*b - 2*a^6*b^2 - 18*a^5*b^3 - 17*a^4*b^4 - 5*a^3*b^5)*\cosh(x)^3 \\
& + 3*(a^8 + a^7*b + 2*a^6*b^2 + 10*a^5*b^3 + 13*a^4*b^4 + 5*a^3*b^5)*\cosh(x))*\sinh(x)^5 \\
& - 2*(a^8 + a^7*b + 2*a^6*b^2 + 10*a^5*b^3 + 13*a^4*b^4 + 5*a^3*b^5)*\cosh(x)^4 - 2*(a^8 + a^7 \\
& b + 2*a^6*b^2 + 10*a^5*b^3 + 13*a^4*b^4 + 5*a^3*b^5 - 105*(a^8 + 5*a^7*b + 10*a^6*b^2 \\
& + 10*a^5*b^3 + 5*a^4*b^4 + a^3*b^5)*\cosh(x)^6 - 35*(3*a^8 + 7*a^7*b - 2*a^6*b^2 - 18*a^5 \\
& b^3 - 17*a^4*b^4 - 5*a^3*b^5)*\cosh(x)^4 - 15*(a^8 + a^7*b + 2*a^6*b^2 + 10*a^5*b^3 \\
& + 13*a^4*b^4 + 5*a^3*b^5)*\cosh(x)^2)*\sinh(x)^4 + 8*(15*(a^8 + 5*a^7*b + 10*a^6*b^2 \\
& + 10*a^5*b^3 + 5*a^4*b^4 + a^3*b^5)*\cosh(x)^7 + 7*(3*a^8 + 7*a^7*b - 2*a^6*b^2 - 18*a^5 \\
& b^3 - 17*a^4*b^4 - 5*a^3*b^5)*\cosh(x)^5 + 5*(a^8 + a^7*b + 2*a^6*b^2 + 10*a^5*b^3 + 13*a^4*
\end{aligned}$$

$$\begin{aligned}
& b^4 + 5a^3b^5) \cosh(x)^3 - (a^8 + a^7b + 2a^6b^2 + 10a^5b^3 + 13a^4 \\
& * b^4 + 5a^3b^5) \cosh(x) \sinh(x)^3 - (3a^8 + 7a^7b - 2a^6b^2 - 18a^5 \\
& * b^3 - 17a^4b^4 - 5a^3b^5) \cosh(x)^2 + (45(a^8 + 5a^7b + 10a^6b^2 \\
& + 10a^5b^3 + 5a^4b^4 + a^3b^5) \cosh(x)^8 - 3a^8 - 7a^7b + 2a^6b^2 \\
& + 18a^5b^3 + 17a^4b^4 + 5a^3b^5 + 28(3a^8 + 7a^7b - 2a^6b^2 - \\
& 18a^5b^3 - 17a^4b^4 - 5a^3b^5) \cosh(x)^6 + 30(a^8 + a^7b + 2a^6b^2 \\
& + 10a^5b^3 + 13a^4b^4 + 5a^3b^5) \cosh(x)^4 - 12(a^8 + a^7b + 2a^6 \\
& * b^2 + 10a^5b^3 + 13a^4b^4 + 5a^3b^5) \cosh(x)^2) \sinh(x)^2 + 2*(5*( \\
& a^8 + 5a^7b + 10a^6b^2 + 10a^5b^3 + 5a^4b^4 + a^3b^5) \cosh(x)^9 + \\
& 4*(3a^8 + 7a^7b - 2a^6b^2 - 18a^5b^3 - 17a^4b^4 - 5a^3b^5) \cosh( \\
& x)^7 + 6*(a^8 + a^7b + 2a^6b^2 + 10a^5b^3 + 13a^4b^4 + 5a^3b^5) \cosh( \\
& x)^5 - 4*(a^8 + a^7b + 2a^6b^2 + 10a^5b^3 + 13a^4b^4 + 5a^3b^5) \\
& * \cosh(x)^3 - (3a^8 + 7a^7b - 2a^6b^2 - 18a^5b^3 - 17a^4b^4 - 5a^3 \\
& * b^5) \cosh(x) \sinh(x)), -1/6*(3*((a^5 + 2a^4b + a^3b^2) \cosh(x)^10 + 10 \\
& *(a^5 + 2a^4b + a^3b^2) \cosh(x) \sinh(x)^9 + (a^5 + 2a^4b + a^3b^2) \sinh( \\
& x)^10 + (3a^5 - 2a^4b - 5a^3b^2) \cosh(x)^8 + (3a^5 - 2a^4b - 5a^3 \\
& * b^2 + 45(a^5 + 2a^4b + a^3b^2) \cosh(x)^2) \sinh(x)^8 + 8*(15(a^5 + 2 \\
& * a^4b + a^3b^2) \cosh(x)^3 + (3a^5 - 2a^4b - 5a^3b^2) \cosh(x) \sinh(x) \\
& )^7 + 2*(a^5 - 2a^4b + 5a^3b^2) \cosh(x)^6 + 2*(a^5 - 2a^4b + 5a^3b^2 \\
& + 105(a^5 + 2a^4b + a^3b^2) \cosh(x)^4 + 14*(3a^5 - 2a^4b - 5a^3b^2 \\
& ) \cosh(x)^2) \sinh(x)^6 + 4*(63(a^5 + 2a^4b + a^3b^2) \cosh(x)^5 + 14*( \\
& 3a^5 - 2a^4b - 5a^3b^2) \cosh(x)^3 + 3*(a^5 - 2a^4b + 5a^3b^2) \cosh( \\
& x) \sinh(x)^5 - a^5 - 2a^4b - a^3b^2 - 2*(a^5 - 2a^4b + 5a^3b^2) \cosh( \\
& x)^4 + 2*(105(a^5 + 2a^4b + a^3b^2) \cosh(x)^6 - a^5 + 2a^4b - 5a^3 \\
& * b^2 + 35*(3a^5 - 2a^4b - 5a^3b^2) \cosh(x)^4 + 15*(a^5 - 2a^4b + 5a^3 \\
& * b^2) \cosh(x)^2) \sinh(x)^4 + 8*(15(a^5 + 2a^4b + a^3b^2) \cosh(x)^7 + \\
& 7*(3a^5 - 2a^4b - 5a^3b^2) \cosh(x)^5 + 5*(a^5 - 2a^4b + 5a^3b^2) \cosh( \\
& x)^3 - (a^5 - 2a^4b + 5a^3b^2) \cosh(x) \sinh(x)^3 - (3a^5 - 2a^4 \\
& * b - 5a^3b^2) \cosh(x)^2 + (45(a^5 + 2a^4b + a^3b^2) \cosh(x)^8 + 28*(3 \\
& * a^5 - 2a^4b - 5a^3b^2) \cosh(x)^6 - 3a^5 + 2a^4b + 5a^3b^2 + 30*(a^5 \\
& - 2a^4b + 5a^3b^2) \cosh(x)^4 - 12*(a^5 - 2a^4b + 5a^3b^2) \cosh(x) \\
& )^2) \sinh(x)^2 + 2*(5*(a^5 + 2a^4b + a^3b^2) \cosh(x)^9 + 4*(3a^5 - 2a^4 \\
& * b - 5a^3b^2) \cosh(x)^7 + 6*(a^5 - 2a^4b + 5a^3b^2) \cosh(x)^5 - 4*(a^5 \\
& - 2a^4b + 5a^3b^2) \cosh(x)^3 - (3a^5 - 2a^4b - 5a^3b^2) \cosh(x) \\
& ) \sinh(x)) \sqrt{-a - b} \arctan(\sqrt{2}*(b \cosh(x)^2 + 2b \cosh(x) \sinh(x) + \\
& b \sinh(x)^2 - a - b) \sqrt{-a - b}) \sqrt{((a + b) \cosh(x)^2 + (a + b) \sinh(x) \\
& )^2 + a - b} / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)) / ((a*b + b^2) \cosh( \\
& x)^4 + 4*(a*b + b^2) \cosh(x) \sinh(x)^3 + (a*b + b^2) \sinh(x)^4 + (a^2 - a* \\
& b - 2*b^2) \cosh(x)^2 + (6*(a*b + b^2) \cosh(x)^2 + a^2 - a*b - 2*b^2) \sinh(x) \\
& )^2 + a^2 + 2*a*b + b^2 + 2*(2*(a*b + b^2) \cosh(x)^3 + (a^2 - a*b - 2*b^2) \cosh( \\
& x) \sinh(x))) + 3*((a^5 + 2a^4b + a^3b^2) \cosh(x)^10 + 10*(a^5 + 2a^4 \\
& * b + a^3b^2) \cosh(x) \sinh(x)^9 + (a^5 + 2a^4b + a^3b^2) \sinh(x)^10 + \\
& (3a^5 - 2a^4b - 5a^3b^2) \cosh(x)^8 + (3a^5 - 2a^4b - 5a^3b^2 + 4 \\
& * 5(a^5 + 2a^4b + a^3b^2) \cosh(x)^2) \sinh(x)^8 + 8*(15(a^5 + 2a^4b + a^3 \\
& * b^2) \cosh(x)^3 + (3a^5 - 2a^4b - 5a^3b^2) \cosh(x) \sinh(x)^7 + 2*(a
\end{aligned}$$

$$\begin{aligned}
& ^5 - 2a^4b + 5a^3b^2) \cosh(x)^6 + 2(a^5 - 2a^4b + 5a^3b^2 + 105(a \\
& ^5 + 2a^4b + a^3b^2) \cosh(x)^4 + 14(3a^5 - 2a^4b - 5a^3b^2) \cosh(x \\
& )^2) \sinh(x)^6 + 4(63(a^5 + 2a^4b + a^3b^2) \cosh(x)^5 + 14(3a^5 - 2 \\
& a^4b - 5a^3b^2) \cosh(x)^3 + 3(a^5 - 2a^4b + 5a^3b^2) \cosh(x)) \sinh( \\
& x)^5 - a^5 - 2a^4b - a^3b^2 - 2(a^5 - 2a^4b + 5a^3b^2) \cosh(x)^4 + \\
& 2(105(a^5 + 2a^4b + a^3b^2) \cosh(x)^6 - a^5 + 2a^4b - 5a^3b^2 + 35 \\
& *(3a^5 - 2a^4b - 5a^3b^2) \cosh(x)^4 + 15(a^5 - 2a^4b + 5a^3b^2) *c \\
& osh(x)^2) \sinh(x)^4 + 8(15(a^5 + 2a^4b + a^3b^2) \cosh(x)^7 + 7(3a^5 \\
& - 2a^4b - 5a^3b^2) \cosh(x)^5 + 5(a^5 - 2a^4b + 5a^3b^2) \cosh(x)^3 \\
& - (a^5 - 2a^4b + 5a^3b^2) \cosh(x)) \sinh(x)^3 - (3a^5 - 2a^4b - 5a^3 \\
& *b^2) \cosh(x)^2 + (45(a^5 + 2a^4b + a^3b^2) \cosh(x)^8 + 28(3a^5 - 2a \\
& ^4b - 5a^3b^2) \cosh(x)^6 - 3a^5 + 2a^4b + 5a^3b^2 + 30(a^5 - 2a^4 \\
& *b + 5a^3b^2) \cosh(x)^4 - 12(a^5 - 2a^4b + 5a^3b^2) \cosh(x)^2) \sinh( \\
& x)^2 + 2(5(a^5 + 2a^4b + a^3b^2) \cosh(x)^9 + 4(3a^5 - 2a^4b - 5a^ \\
& 3b^2) \cosh(x)^7 + 6(a^5 - 2a^4b + 5a^3b^2) \cosh(x)^5 - 4(a^5 - 2a^4 \\
& *b + 5a^3b^2) \cosh(x)^3 - (3a^5 - 2a^4b - 5a^3b^2) \cosh(x)) \sinh(x) \\
& * \sqrt{-a-b} \arctan(\sqrt{2} \sqrt{-a-b} \sqrt{((a+b) \cosh(x)^2 + (a+b) \\
& * \sinh(x)^2 + a-b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)}) / ((a+b) *c \\
& osh(x)^2 + 2(a+b) \cosh(x) \sinh(x) + (a+b) \sinh(x)^2 + a+b)) + 2 \sqrt{r \\
& t(2) * ((3a^5 + 15a^4b + 39a^3b^2 + 53a^2b^3 + 34ab^4 + 8b^5) \cosh(x) \\
& )^8 + 8(3a^5 + 15a^4b + 39a^3b^2 + 53a^2b^3 + 34ab^4 + 8b^5) *cos \\
& h(x) \sinh(x)^7 + (3a^5 + 15a^4b + 39a^3b^2 + 53a^2b^3 + 34ab^4 + 8 \\
& *b^5) \sinh(x)^8 + 4(3a^5 + 9a^4b + 6a^3b^2 - 14a^2b^3 - 22ab^4 - \\
& 8b^5) \cosh(x)^6 + 4(3a^5 + 9a^4b + 6a^3b^2 - 14a^2b^3 - 22ab^4 - \\
& 8b^5 + 7(3a^5 + 15a^4b + 39a^3b^2 + 53a^2b^3 + 34ab^4 + 8b^5) * \\
& cosh(x)^2) \sinh(x)^6 + 8(7(3a^5 + 15a^4b + 39a^3b^2 + 53a^2b^3 + 3 \\
& 4ab^4 + 8b^5) \cosh(x)^3 + 3(3a^5 + 9a^4b + 6a^3b^2 - 14a^2b^3 - \\
& 22ab^4 - 8b^5) \cosh(x)) \sinh(x)^5 + 3a^5 + 15a^4b + 39a^3b^2 + 53a \\
& ^2b^3 + 34ab^4 + 8b^5 + 6(3a^5 + 7a^4b + 3a^3b^2 + 9a^2b^3 + 18 \\
& *ab^4 + 8b^5) \cosh(x)^4 + 2(9a^5 + 21a^4b + 9a^3b^2 + 27a^2b^3 + \\
& 54ab^4 + 24b^5 + 35(3a^5 + 15a^4b + 39a^3b^2 + 53a^2b^3 + 34ab \\
& ^4 + 8b^5) \cosh(x)^4 + 30(3a^5 + 9a^4b + 6a^3b^2 - 14a^2b^3 - 22a \\
& *b^4 - 8b^5) \cosh(x)^2) \sinh(x)^4 + 8(7(3a^5 + 15a^4b + 39a^3b^2 + \\
& 53a^2b^3 + 34ab^4 + 8b^5) \cosh(x)^5 + 10(3a^5 + 9a^4b + 6a^3b^2 \\
& - 14a^2b^3 - 22ab^4 - 8b^5) \cosh(x)^3 + 3(3a^5 + 7a^4b + 3a^3b^2 \\
& + 9a^2b^3 + 18ab^4 + 8b^5) \cosh(x)) \sinh(x)^3 + 4(3a^5 + 9a^4b + \\
& 6a^3b^2 - 14a^2b^3 - 22ab^4 - 8b^5) \cosh(x)^2 + 4(7(3a^5 + 15a^4 \\
& *b + 39a^3b^2 + 53a^2b^3 + 34ab^4 + 8b^5) \cosh(x)^6 + 3a^5 + 9a^4 \\
& *b + 6a^3b^2 - 14a^2b^3 - 22ab^4 - 8b^5 + 15(3a^5 + 9a^4b + 6a^3 \\
& *b^2 - 14a^2b^3 - 22ab^4 - 8b^5) \cosh(x)^4 + 9(3a^5 + 7a^4b + 3a^ \\
& 3b^2 + 9a^2b^3 + 18ab^4 + 8b^5) \cosh(x)^2) \sinh(x)^2 + 8((3a^5 + 15 \\
& *a^4b + 39a^3b^2 + 53a^2b^3 + 34ab^4 + 8b^5) \cosh(x)^7 + 3(3a^5 + \\
& 9a^4b + 6a^3b^2 - 14a^2b^3 - 22ab^4 - 8b^5) \cosh(x)^5 + 3(3a^5 \\
& + 7a^4b + 3a^3b^2 + 9a^2b^3 + 18ab^4 + 8b^5) \cosh(x)^3 + (3a^5 + \\
& 9a^4b + 6a^3b^2 - 14a^2b^3 - 22ab^4 - 8b^5) \cosh(x)) \sinh(x)) \sqrt{r \\
\end{aligned}$$



$$\begin{aligned}
&(((a + b) \cosh(x)^2 + (a + b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)) / ((a^8 + 5a^7b + 10a^6b^2 + 10a^5b^3 + 5a^4b^4 + \\
&a^3b^5) \cosh(x)^{10} + 10(a^8 + 5a^7b + 10a^6b^2 + 10a^5b^3 + 5a^4b^4 + a^3b^5) \cosh(x) \sinh(x)^9 + (a^8 + 5a^7b + 10a^6b^2 + 10a^5b^3 \\
&+ 5a^4b^4 + a^3b^5) \sinh(x)^{10} + (3a^8 + 7a^7b - 2a^6b^2 - 18a^5b^3 - 17a^4b^4 - 5a^3b^5) \cosh(x)^8 + (3a^8 + 7a^7b - 2a^6b^2 - 18 \\
&a^5b^3 - 17a^4b^4 - 5a^3b^5 + 45(a^8 + 5a^7b + 10a^6b^2 + 10a^5b^3 + 5a^4b^4 + a^3b^5) \cosh(x)^2) \sinh(x)^8 - a^8 - 5a^7b - 10a^6b \\
&^2 - 10a^5b^3 - 5a^4b^4 - a^3b^5 + 8(15(a^8 + 5a^7b + 10a^6b^2 + 10a^5b^3 + 5a^4b^4 + a^3b^5) \cosh(x)^3 + (3a^8 + 7a^7b - 2a^6b^2 \\
&- 18a^5b^3 - 17a^4b^4 - 5a^3b^5) \cosh(x)) \sinh(x)^7 + 2(a^8 + a^7b + 2a^6b^2 + 10a^5b^3 + 13a^4b^4 + 5a^3b^5) \cosh(x)^6 + 2(a^8 + a^ \\
&7b + 2a^6b^2 + 10a^5b^3 + 13a^4b^4 + 5a^3b^5 + 105(a^8 + 5a^7b + 10a^6b^2 + 10a^5b^3 + 5a^4b^4 + a^3b^5) \cosh(x)^4 + 14(3a^8 + 7a \\
&a^7b - 2a^6b^2 - 18a^5b^3 - 17a^4b^4 - 5a^3b^5) \cosh(x)^2) \sinh(x)^6 + 4(63(a^8 + 5a^7b + 10a^6b^2 + 10a^5b^3 + 5a^4b^4 + a^3b^5) \\
&\cosh(x)^5 + 14(3a^8 + 7a^7b - 2a^6b^2 - 18a^5b^3 - 17a^4b^4 - 5a^3b^5) \cosh(x)^3 + 3(a^8 + a^7b + 2a^6b^2 + 10a^5b^3 + 13a^4b^4 + \\
&5a^3b^5) \cosh(x)) \sinh(x)^5 - 2(a^8 + a^7b + 2a^6b^2 + 10a^5b^3 + 13a^4b^4 + 5a^3b^5) \cosh(x)^4 - 2(a^8 + a^7b + 2a^6b^2 + 10a^5b^3 \\
&+ 13a^4b^4 + 5a^3b^5) \cosh(x)^4 - 2(a^8 + a^7b + 2a^6b^2 + 10a^5b^3 + 13a^4b^4 + 5a^3b^5) \cosh(x)^6 - 35(3a^8 + 7a^7b - 2a^6b^2 - 18a^5b^ \\
&3 - 17a^4b^4 - 5a^3b^5) \cosh(x)^4 - 15(a^8 + a^7b + 2a^6b^2 + 10a^5b^3 + 13a^4b^4 + 5a^3b^5) \cosh(x)^2) \sinh(x)^4 + 8(15(a^8 + 5a^7b \\
&+ 10a^6b^2 + 10a^5b^3 + 5a^4b^4 + a^3b^5) \cosh(x)^7 + 7(3a^8 + 7a^7b - 2a^6b^2 - 18a^5b^3 - 17a^4b^4 - 5a^3b^5) \cosh(x)^5 + 5(a^8 \\
&+ a^7b + 2a^6b^2 + 10a^5b^3 + 13a^4b^4 + 5a^3b^5) \cosh(x)^3 - (a^8 + a^7b + 2a^6b^2 + 10a^5b^3 + 13a^4b^4 + 5a^3b^5) \cosh(x)) \sinh( \\
&x)^3 - (3a^8 + 7a^7b - 2a^6b^2 - 18a^5b^3 - 17a^4b^4 - 5a^3b^5) \cosh(x)^2 + (45(a^8 + 5a^7b + 10a^6b^2 + 10a^5b^3 + 5a^4b^4 + a^3b^ \\
&b^5) \cosh(x)^8 - 3a^8 - 7a^7b + 2a^6b^2 + 18a^5b^3 + 17a^4b^4 + 5a^3b^5 + 28(3a^8 + 7a^7b - 2a^6b^2 - 18a^5b^3 - 17a^4b^4 - 5a^3 \\
&b^5) \cosh(x)^6 + 30(a^8 + a^7b + 2a^6b^2 + 10a^5b^3 + 13a^4b^4 + 5a^3b^5) \cosh(x)^4 - 12(a^8 + a^7b + 2a^6b^2 + 10a^5b^3 + 13a^4b^4 \\
&+ 5a^3b^5) \cosh(x)^2) \sinh(x)^2 + 2(5(a^8 + 5a^7b + 10a^6b^2 + 10a^5b^3 + 5a^4b^4 + a^3b^5) \cosh(x)^9 + 4(3a^8 + 7a^7b - 2a^6b^2 - \\
&18a^5b^3 - 17a^4b^4 - 5a^3b^5) \cosh(x)^7 + 6(a^8 + a^7b + 2a^6b^2 + 10a^5b^3 + 13a^4b^4 + 5a^3b^5) \cosh(x)^5 - 4(a^8 + a^7b + 2a^6b \\
&b^2 + 10a^5b^3 + 13a^4b^4 + 5a^3b^5) \cosh(x)^3 - (3a^8 + 7a^7b - 2a^6b^2 - 18a^5b^3 - 17a^4b^4 - 5a^3b^5) \cosh(x)) \sinh(x)]
\end{aligned}$$


---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(coth(x)**2/(a+b*tanh(x)**2)**(5/2),x)
```

```
[Out] Timed out
```

---

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(coth(x)^2/(a+b*tanh(x)^2)^(5/2),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError
```

$$3.255 \quad \int \frac{1}{\sqrt{1+\tanh^2(x)}} dx$$

**Optimal.** Leaf size=25

$$\frac{\tanh^{-1}\left(\frac{\sqrt{2}\tanh(x)}{\sqrt{\tanh^2(x)+1}}\right)}{\sqrt{2}}$$

[Out] ArcTanh[(Sqrt[2]\*Tanh[x])/Sqrt[1 + Tanh[x]^2]]/Sqrt[2]

**Rubi [A]** time = 0.0185679, antiderivative size = 25, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.3$ , Rules used = {3661, 377, 206}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{2}\tanh(x)}{\sqrt{\tanh^2(x)+1}}\right)}{\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[1/Sqrt[1 + Tanh[x]^2], x]

[Out] ArcTanh[(Sqrt[2]\*Tanh[x])/Sqrt[1 + Tanh[x]^2]]/Sqrt[2]

#### Rule 3661

```
Int[((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_), x_Symbol] :=
With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[(a + b*(
ff*x)^n]^p/(c^2 + ff^2*x^2), x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a,
b, c, e, f, n, p}, x] && (IntegersQ[n, p] || IGtQ[p, 0] || EqQ[n^2, 4] || E
qQ[n^2, 16])
```

#### Rule 377

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Su
bst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b
, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]
```

#### Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

### Rubi steps

$$\begin{aligned} \int \frac{1}{\sqrt{1 + \tanh^2(x)}} dx &= \text{Subst} \left( \int \frac{1}{(1 - x^2) \sqrt{1 + x^2}} dx, x, \tanh(x) \right) \\ &= \text{Subst} \left( \int \frac{1}{1 - 2x^2} dx, x, \frac{\tanh(x)}{\sqrt{1 + \tanh^2(x)}} \right) \\ &= \frac{\tanh^{-1} \left( \frac{\sqrt{2} \tanh(x)}{\sqrt{1 + \tanh^2(x)}} \right)}{\sqrt{2}} \end{aligned}$$

**Mathematica [A]** time = 0.0249142, size = 35, normalized size = 1.4

$$\frac{\sinh^{-1}(\sqrt{2} \sinh(x)) \sqrt{\cosh(2x)} \operatorname{sech}(x)}{\sqrt{2} \sqrt{\tanh^2(x) + 1}}$$

Antiderivative was successfully verified.

```
[In] Integrate[1/Sqrt[1 + Tanh[x]^2], x]
```

```
[Out] (ArcSinh[Sqrt[2]*Sinh[x]]*Sqrt[Cosh[2*x]]*Sech[x])/(Sqrt[2]*Sqrt[1 + Tanh[x]^2])
```

**Maple [B]** time = 0.047, size = 62, normalized size = 2.5

$$-\frac{\sqrt{2}}{4} \operatorname{Arctanh} \left( \frac{(2 - 2 \tanh(x)) \sqrt{2}}{4} \frac{1}{\sqrt{(1 + \tanh(x))^2 - 2 \tanh(x)}} \right) + \frac{\sqrt{2}}{4} \operatorname{Arctanh} \left( \frac{(2 \tanh(x) + 2) \sqrt{2}}{4} \frac{1}{\sqrt{(\tanh(x) - 1)^2}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(1+tanh(x)^2)^(1/2), x)
```

```
[Out] -1/4*2^(1/2)*arctanh(1/4*(2-2*tanh(x))*2^(1/2)/((1+tanh(x))^2-2*tanh(x))^(1/2))+1/4*2^(1/2)*arctanh(1/4*(2*tanh(x)+2)*2^(1/2)/((tanh(x)-1)^2+2*tanh(x))^2)^(1/2))
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{\tanh(x)^2 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(1+tanh(x)^2)^(1/2),x, algorithm="maxima")
```

```
[Out] integrate(1/sqrt(tanh(x)^2 + 1), x)
```

**Fricas [B]** time = 2.54609, size = 1831, normalized size = 73.24

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(1+tanh(x)^2)^(1/2),x, algorithm="fricas")
```

```
[Out] 1/8*sqrt(2)*log(-2*(cosh(x)^8 + 8*cosh(x)*sinh(x)^7 + sinh(x)^8 + (28*cosh(x)^2 - 3)*sinh(x)^6 - 3*cosh(x)^6 + 2*(28*cosh(x)^3 - 9*cosh(x))*sinh(x)^5 + 5*(14*cosh(x)^4 - 9*cosh(x)^2 + 1)*sinh(x)^4 + 5*cosh(x)^4 + 4*(14*cosh(x))^5 - 15*cosh(x)^3 + 5*cosh(x))*sinh(x)^3 + (28*cosh(x)^6 - 45*cosh(x)^4 + 30*cosh(x)^2 - 4)*sinh(x)^2 - 4*cosh(x)^2 + 2*(4*cosh(x)^7 - 9*cosh(x)^5 + 10*cosh(x)^3 - 4*cosh(x))*sinh(x) + (sqrt(2)*cosh(x)^6 + 6*sqrt(2)*cosh(x)*sinh(x)^5 + sqrt(2)*sinh(x)^6 + 3*(5*sqrt(2)*cosh(x)^2 - sqrt(2))*sinh(x)^4 - 3*sqrt(2)*cosh(x)^4 + 4*(5*sqrt(2)*cosh(x)^3 - 3*sqrt(2)*cosh(x))*sinh(x)^3 + (15*sqrt(2)*cosh(x)^4 - 18*sqrt(2)*cosh(x)^2 + 4*sqrt(2))*sinh(x)^2 + 4*sqrt(2)*cosh(x)^2 + 2*(3*sqrt(2)*cosh(x)^5 - 6*sqrt(2)*cosh(x)^3 + 4*sqrt(2)*cosh(x))*sinh(x) - 4*sqrt(2))*sqrt((cosh(x)^2 + sinh(x)^2)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 4)/(cosh(x)^6 + 6*cosh(x)^5*sinh(x) + 15*cosh(x)^4*sinh(x)^2 + 20*cosh(x)^3*sinh(x)^3 + 15*cosh(x)^2*sinh(x)^4 + 6*cosh(x)*sinh(x)^5 + sinh(x)^6)) + 1/8*sqrt(2)*log(2*(cosh(x)^4 + 4*cosh(x)*sinh(x)^3 + sinh(x)^4 + (6*cosh(x)^2 + 1)*sinh(x)^2 + cosh(x)^2 + 2*(2*cosh(x)^3 + cosh(x))*sinh(x) + (sqrt(2)*cosh(x)^2 + 2*sqrt(2)*cosh(x)*sinh(x)
```

+ sqrt(2)\*sinh(x)^2 + sqrt(2))\*sqrt((cosh(x)^2 + sinh(x)^2)/(cosh(x)^2 - 2\*cosh(x)\*sinh(x) + sinh(x)^2)) + 1)/(cosh(x)^2 + 2\*cosh(x)\*sinh(x) + sinh(x)^2))

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{\tanh^2(x) + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(1+tanh(x)\*\*2)\*\*(1/2), x)

[Out] Integral(1/sqrt(tanh(x)\*\*2 + 1), x)

**Giac [B]** time = 1.30805, size = 78, normalized size = 3.12

$$-\frac{1}{4}\sqrt{2}\left(\log\left(\sqrt{e^{4x}+1}-e^{2x}+1\right)+\log\left(\sqrt{e^{4x}+1}-e^{2x}\right)-\log\left(-\sqrt{e^{4x}+1}+e^{2x}+1\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(1+tanh(x)^2)^(1/2), x, algorithm="giac")

[Out] -1/4\*sqrt(2)\*(log(sqrt(e^(4\*x) + 1) - e^(2\*x) + 1) + log(sqrt(e^(4\*x) + 1) - e^(2\*x)) - log(-sqrt(e^(4\*x) + 1) + e^(2\*x) + 1))

$$3.256 \quad \int \frac{1}{\sqrt{-1-\tanh^2(x)}} dx$$

**Optimal.** Leaf size=27

$$\frac{\tan^{-1}\left(\frac{\sqrt{2}\tanh(x)}{\sqrt{-\tanh^2(x)-1}}\right)}{\sqrt{2}}$$

[Out] ArcTan[(Sqrt[2]\*Tanh[x])/Sqrt[-1 - Tanh[x]^2]]/Sqrt[2]

**Rubi [A]** time = 0.0201954, antiderivative size = 27, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$ , Rules used = {3661, 377, 203}

$$\frac{\tan^{-1}\left(\frac{\sqrt{2}\tanh(x)}{\sqrt{-\tanh^2(x)-1}}\right)}{\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[1/Sqrt[-1 - Tanh[x]^2], x]

[Out] ArcTan[(Sqrt[2]\*Tanh[x])/Sqrt[-1 - Tanh[x]^2]]/Sqrt[2]

#### Rule 3661

Int[((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_))^(p\_), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(a + b\*(ff\*x)^n]^p/(c^2 + ff^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x]] /; FreeQ[{a, b, c, e, f, n, p}, x] && (IntegersQ[n, p] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])

#### Rule 377

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)/((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] :> Subst[Int[1/(c - (b\*c - a\*d)\*x^n), x], x, x/(a + b\*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && EqQ[n\*p + 1, 0] && IntegerQ[n]

#### Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

### Rubi steps

$$\begin{aligned} \int \frac{1}{\sqrt{-1 - \tanh^2(x)}} dx &= \text{Subst} \left( \int \frac{1}{\sqrt{-1 - x^2} (1 - x^2)} dx, x, \tanh(x) \right) \\ &= \text{Subst} \left( \int \frac{1}{1 + 2x^2} dx, x, \frac{\tanh(x)}{\sqrt{-1 - \tanh^2(x)}} \right) \\ &= \frac{\tan^{-1} \left( \frac{\sqrt{2} \tanh(x)}{\sqrt{-1 - \tanh^2(x)}} \right)}{\sqrt{2}} \end{aligned}$$

**Mathematica [A]** time = 0.0208512, size = 37, normalized size = 1.37

$$\frac{\sinh^{-1}(\sqrt{2} \sinh(x)) \sqrt{\cosh(2x)} \operatorname{sech}(x)}{\sqrt{2} \sqrt{-\tanh^2(x) - 1}}$$

Antiderivative was successfully verified.

```
[In] Integrate[1/Sqrt[-1 - Tanh[x]^2], x]
```

```
[Out] (ArcSinh[Sqrt[2]*Sinh[x]]*Sqrt[Cosh[2*x]]*Sech[x])/(Sqrt[2]*Sqrt[-1 - Tanh[x]^2])
```

**Maple [B]** time = 0.049, size = 66, normalized size = 2.4

$$\frac{\sqrt{2}}{4} \arctan \left( \frac{(2 \tanh(x) - 2) \sqrt{2}}{4} \frac{1}{\sqrt{-(1 + \tanh(x))^2 + 2 \tanh(x)}} \right) - \frac{\sqrt{2}}{4} \arctan \left( \frac{(-2 - 2 \tanh(x)) \sqrt{2}}{4} \frac{1}{\sqrt{-(\tanh(x) - 1)^2 + 2 \tanh(x)}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(-1-tanh(x)^2)^(1/2), x)
```



```
[Out] 1/4*2^(1/2)*arctan(1/4*(2*tanh(x)-2)*2^(1/2)/(-(1+tanh(x))^2+2*tanh(x))^(1/2))-1/4*2^(1/2)*arctan(1/4*(-2-2*tanh(x))*2^(1/2)/(-(tanh(x)-1)^2-2*tanh(x))^(1/2))
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{-\tanh(x)^2 - 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(-1-tanh(x)^2)^(1/2),x, algorithm="maxima")
```

```
[Out] integrate(1/sqrt(-tanh(x)^2 - 1), x)
```

**Fricas [C]** time = 2.32529, size = 551, normalized size = 20.41

$$\frac{1}{8}i\sqrt{2}\log\left(\frac{1}{2}\left(i\sqrt{2}\sqrt{-2e^{4x}-2}+2e^{2x}+2\right)e^{(-2x)}\right)-\frac{1}{8}i\sqrt{2}\log\left(\frac{1}{2}\left(-i\sqrt{2}\sqrt{-2e^{4x}-2}+2e^{2x}+2\right)e^{(-2x)}\right)-\frac{1}{8}i\sqrt{2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(-1-tanh(x)^2)^(1/2),x, algorithm="fricas")
```

```
[Out] 1/8*I*sqrt(2)*log(1/2*(I*sqrt(2)*sqrt(-2*e^(4*x) - 2) + 2*e^(2*x) + 2)*e^(-2*x)) - 1/8*I*sqrt(2)*log(1/2*(-I*sqrt(2)*sqrt(-2*e^(4*x) - 2) + 2*e^(2*x) + 2)*e^(-2*x)) - 1/8*I*sqrt(2)*log((sqrt(-2*e^(4*x) - 2)*(e^(2*x) - 2) + I*sqrt(2)*e^(4*x) - I*sqrt(2)*e^(2*x) + 2*I*sqrt(2))*e^(-4*x)) + 1/8*I*sqrt(2)*log((sqrt(-2*e^(4*x) - 2)*(e^(2*x) - 2) - I*sqrt(2)*e^(4*x) + I*sqrt(2)*e^(2*x) - 2*I*sqrt(2))*e^(-4*x))
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{-\tanh^2(x) - 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-1-tanh(x)\*\*2)\*\*(1/2),x)

[Out] Integral(1/sqrt(-tanh(x)\*\*2 - 1), x)

**Giac [C]** time = 1.33031, size = 96, normalized size = 3.56

$$\frac{1}{4} \sqrt{2} \left( i \log \left( - \left( \sqrt{e^{4x} + 1} + 1 \right) e^{-2x} \right) - i \log \left( - \left( -i \sqrt{e^{4x} + 1} - i \right) e^{-2x} + i \right) + i \log \left( - \left( -i \sqrt{e^{4x} + 1} - i \right) e^{-2x} - i \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-1-tanh(x)^2)^(1/2),x, algorithm="giac")

[Out] 1/4\*sqrt(2)\*(I\*log(-(sqrt(e^(4\*x) + 1) + 1)\*e^(-2\*x)) - I\*log(-(-I\*sqrt(e^(4\*x) + 1) - I)\*e^(-2\*x) + I) + I\*log(-(-I\*sqrt(e^(4\*x) + 1) - I)\*e^(-2\*x) - I))

### 3.257 $\int (a + b \tanh^3(c + dx))^2 dx$

**Optimal.** Leaf size=89

$$x(a^2 + b^2) - \frac{ab \tanh^2(c + dx)}{d} + \frac{2ab \log(\cosh(c + dx))}{d} - \frac{b^2 \tanh^5(c + dx)}{5d} - \frac{b^2 \tanh^3(c + dx)}{3d} - \frac{b^2 \tanh(c + dx)}{d}$$

[Out] (a^2 + b^2)\*x + (2\*a\*b\*Log[Cosh[c + d\*x]])/d - (b^2\*Tanh[c + d\*x])/d - (a\*b\*Tanh[c + d\*x]^2)/d - (b^2\*Tanh[c + d\*x]^3)/(3\*d) - (b^2\*Tanh[c + d\*x]^5)/(5\*d)

**Rubi [A]** time = 0.0749499, antiderivative size = 112, normalized size of antiderivative = 1.26, number of steps used = 6, number of rules used = 4, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {3661, 1810, 633, 31}

$$-\frac{ab \tanh^2(c + dx)}{d} - \frac{(a + b)^2 \log(1 - \tanh(c + dx))}{2d} + \frac{(a - b)^2 \log(\tanh(c + dx) + 1)}{2d} - \frac{b^2 \tanh^5(c + dx)}{5d} - \frac{b^2 \tanh^3(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Tanh[c + d\*x]^3)^2,x]

[Out] -((a + b)^2\*Log[1 - Tanh[c + d\*x]])/(2\*d) + ((a - b)^2\*Log[1 + Tanh[c + d\*x]])/(2\*d) - (b^2\*Tanh[c + d\*x])/d - (a\*b\*Tanh[c + d\*x]^2)/d - (b^2\*Tanh[c + d\*x]^3)/(3\*d) - (b^2\*Tanh[c + d\*x]^5)/(5\*d)

#### Rule 3661

Int[((a\_) + (b\_)\*((c\_)\*tan[(e\_) + (f\_)\*(x\_)])^(n\_))^(p\_), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(a + b\*(ff\*x)^n]^p/(c^2 + ff^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && (IntegersQ[n, p] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])

#### Rule 1810

Int[(Pq\_)\*((a\_) + (b\_)\*(x\_)^2)^(p\_), x\_Symbol] := Int[ExpandIntegrand[Pq\*(a + b\*x^2)^p, x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

#### Rule 633

```
Int[((d_) + (e_.)*(x_))/((a_) + (c_.)*(x_)^2), x_Symbol] := With[{q = Rt[-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x), x], x] + Dist[e/2 - (c*d)/(2*q), Int[1/(q + c*x), x], x]] /; FreeQ[{a, c, d, e}, x] && NiceSqrtQ[-(a*c)]
```

### Rule 31

```
Int[((a_) + (b_.)*(x_)^(-1)), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]
```

### Rubi steps

$$\begin{aligned} \int (a + b \tanh^3(c + dx))^2 dx &= \frac{\text{Subst}\left(\int \frac{(a+bx^3)^2}{1-x^2} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{\text{Subst}\left(\int \left(-b^2 - 2abx - b^2x^2 - b^2x^4 + \frac{a^2+b^2+2abx}{1-x^2}\right) dx, x, \tanh(c + dx)\right)}{d} \\ &= -\frac{b^2 \tanh(c + dx)}{d} - \frac{ab \tanh^2(c + dx)}{d} - \frac{b^2 \tanh^3(c + dx)}{3d} - \frac{b^2 \tanh^5(c + dx)}{5d} + \frac{\text{Subst}\left(\int \frac{a^2+b^2+2abx}{1-x^2} dx, x, \tanh(c + dx)\right)}{d} \\ &= -\frac{b^2 \tanh(c + dx)}{d} - \frac{ab \tanh^2(c + dx)}{d} - \frac{b^2 \tanh^3(c + dx)}{3d} - \frac{b^2 \tanh^5(c + dx)}{5d} - \frac{(a-b)^2 \log(1 - \tanh(c + dx))}{2d} + \frac{(a-b)^2 \log(1 + \tanh(c + dx))}{2d} - \frac{b^2 \tanh(c + dx)}{d} - \frac{ab \tanh^2(c + dx)}{d} \\ &= -\frac{(a+b)^2 \log(1 - \tanh(c + dx))}{2d} + \frac{(a-b)^2 \log(1 + \tanh(c + dx))}{2d} - \frac{b^2 \tanh(c + dx)}{d} - \frac{ab \tanh^2(c + dx)}{d} - \frac{b^2 \tanh^3(c + dx)}{3d} - \frac{b^2 \tanh^5(c + dx)}{5d} \end{aligned}$$

**Mathematica [A]** time = 0.673195, size = 95, normalized size = 1.07

$$\frac{30ab \tanh^2(c + dx) + 15 \left( (a+b)^2 \log(1 - \tanh(c + dx)) - (a-b)^2 \log(\tanh(c + dx) + 1) \right) + 6b^2 \tanh^5(c + dx) + 10b^2 \tanh^3(c + dx)}{30d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Tanh[c + d*x]^3)^2,x]
```

```
[Out] -(15*((a + b)^2*Log[1 - Tanh[c + d*x]] - (a - b)^2*Log[1 + Tanh[c + d*x]]) + 30*b^2*Tanh[c + d*x] + 30*a*b*Tanh[c + d*x]^2 + 10*b^2*Tanh[c + d*x]^3 + 6*b^2*Tanh[c + d*x]^5)/(30*d)
```



$$\begin{aligned}
& c)^{10} + 15*(5*(a^2 - 2*a*b + b^2)*d*x + 4*a*b + 6*b^2)*\cosh(d*x + c)^8 + 15 \\
& *(45*(a^2 - 2*a*b + b^2)*d*x*\cosh(d*x + c)^2 + 5*(a^2 - 2*a*b + b^2)*d*x + \\
& 4*a*b + 6*b^2)*\sinh(d*x + c)^8 + 120*(15*(a^2 - 2*a*b + b^2)*d*x*\cosh(d*x + \\
& c)^3 + (5*(a^2 - 2*a*b + b^2)*d*x + 4*a*b + 6*b^2)*\cosh(d*x + c))*\sinh(d*x \\
& + c)^7 + 30*(5*(a^2 - 2*a*b + b^2)*d*x + 6*a*b + 6*b^2)*\cosh(d*x + c)^6 + \\
& 30*(105*(a^2 - 2*a*b + b^2)*d*x*\cosh(d*x + c)^4 + 5*(a^2 - 2*a*b + b^2)*d*x \\
& + 14*(5*(a^2 - 2*a*b + b^2)*d*x + 4*a*b + 6*b^2)*\cosh(d*x + c)^2 + 6*a*b + \\
& 6*b^2)*\sinh(d*x + c)^6 + 60*(63*(a^2 - 2*a*b + b^2)*d*x*\cosh(d*x + c)^5 + \\
& 14*(5*(a^2 - 2*a*b + b^2)*d*x + 4*a*b + 6*b^2)*\cosh(d*x + c)^3 + 3*(5*(a^2 \\
& - 2*a*b + b^2)*d*x + 6*a*b + 6*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^5 + 10*(15 \\
& *(a^2 - 2*a*b + b^2)*d*x + 18*a*b + 28*b^2)*\cosh(d*x + c)^4 + 10*(315*(a^2 \\
& - 2*a*b + b^2)*d*x*\cosh(d*x + c)^6 + 105*(5*(a^2 - 2*a*b + b^2)*d*x + 4*a*b \\
& + 6*b^2)*\cosh(d*x + c)^4 + 15*(a^2 - 2*a*b + b^2)*d*x + 45*(5*(a^2 - 2*a*b \\
& + b^2)*d*x + 6*a*b + 6*b^2)*\cosh(d*x + c)^2 + 18*a*b + 28*b^2)*\sinh(d*x + \\
& c)^4 + 40*(45*(a^2 - 2*a*b + b^2)*d*x*\cosh(d*x + c)^7 + 21*(5*(a^2 - 2*a*b \\
& + b^2)*d*x + 4*a*b + 6*b^2)*\cosh(d*x + c)^5 + 15*(5*(a^2 - 2*a*b + b^2)*d*x \\
& + 6*a*b + 6*b^2)*\cosh(d*x + c)^3 + (15*(a^2 - 2*a*b + b^2)*d*x + 18*a*b + \\
& 28*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 15*(a^2 - 2*a*b + b^2)*d*x + 5*(15 \\
& *(a^2 - 2*a*b + b^2)*d*x + 12*a*b + 28*b^2)*\cosh(d*x + c)^2 + 5*(135*(a^2 - \\
& 2*a*b + b^2)*d*x*\cosh(d*x + c)^8 + 84*(5*(a^2 - 2*a*b + b^2)*d*x + 4*a*b + \\
& 6*b^2)*\cosh(d*x + c)^6 + 90*(5*(a^2 - 2*a*b + b^2)*d*x + 6*a*b + 6*b^2)*\co \\
& sh(d*x + c)^4 + 15*(a^2 - 2*a*b + b^2)*d*x + 12*(15*(a^2 - 2*a*b + b^2)*d*x \\
& + 18*a*b + 28*b^2)*\cosh(d*x + c)^2 + 12*a*b + 28*b^2)*\sinh(d*x + c)^2 + 46 \\
& *b^2 + 30*(a*b*\cosh(d*x + c)^10 + 10*a*b*\cosh(d*x + c)*\sinh(d*x + c)^9 + a* \\
& b*\sinh(d*x + c)^10 + 5*a*b*\cosh(d*x + c)^8 + 5*(9*a*b*\cosh(d*x + c)^2 + a*b \\
& )*\sinh(d*x + c)^8 + 10*a*b*\cosh(d*x + c)^6 + 40*(3*a*b*\cosh(d*x + c)^3 + a* \\
& b*\cosh(d*x + c))*\sinh(d*x + c)^7 + 10*(21*a*b*\cosh(d*x + c)^4 + 14*a*b*\cosh \\
& (d*x + c)^2 + a*b)*\sinh(d*x + c)^6 + 10*a*b*\cosh(d*x + c)^4 + 4*(63*a*b*\cos \\
& h(d*x + c)^5 + 70*a*b*\cosh(d*x + c)^3 + 15*a*b*\cosh(d*x + c))*\sinh(d*x + c) \\
& ^5 + 10*(21*a*b*\cosh(d*x + c)^6 + 35*a*b*\cosh(d*x + c)^4 + 15*a*b*\cosh(d*x \\
& + c)^2 + a*b)*\sinh(d*x + c)^4 + 5*a*b*\cosh(d*x + c)^2 + 40*(3*a*b*\cosh(d*x \\
& + c)^7 + 7*a*b*\cosh(d*x + c)^5 + 5*a*b*\cosh(d*x + c)^3 + a*b*\cosh(d*x + c)) \\
& *\sinh(d*x + c)^3 + 5*(9*a*b*\cosh(d*x + c)^8 + 28*a*b*\cosh(d*x + c)^6 + 30*a \\
& *b*\cosh(d*x + c)^4 + 12*a*b*\cosh(d*x + c)^2 + a*b)*\sinh(d*x + c)^2 + a*b + \\
& 10*(a*b*\cosh(d*x + c)^9 + 4*a*b*\cosh(d*x + c)^7 + 6*a*b*\cosh(d*x + c)^5 + 4 \\
& *a*b*\cosh(d*x + c)^3 + a*b*\cosh(d*x + c))*\sinh(d*x + c))*\log(2*\cosh(d*x + c \\
& )/(\cosh(d*x + c) - \sinh(d*x + c))) + 10*(15*(a^2 - 2*a*b + b^2)*d*x*\cosh(d* \\
& x + c)^9 + 12*(5*(a^2 - 2*a*b + b^2)*d*x + 4*a*b + 6*b^2)*\cosh(d*x + c)^7 + \\
& 18*(5*(a^2 - 2*a*b + b^2)*d*x + 6*a*b + 6*b^2)*\cosh(d*x + c)^5 + 4*(15*(a^ \\
& 2 - 2*a*b + b^2)*d*x + 18*a*b + 28*b^2)*\cosh(d*x + c)^3 + (15*(a^2 - 2*a*b \\
& + b^2)*d*x + 12*a*b + 28*b^2)*\cosh(d*x + c))*\sinh(d*x + c))/(d*\cosh(d*x + c \\
& )^10 + 10*d*\cosh(d*x + c)*\sinh(d*x + c)^9 + d*\sinh(d*x + c)^10 + 5*d*\cosh(d \\
& *x + c)^8 + 5*(9*d*\cosh(d*x + c)^2 + d)*\sinh(d*x + c)^8 + 40*(3*d*\cosh(d*x \\
& + c)^3 + d*\cosh(d*x + c))*\sinh(d*x + c)^7 + 10*d*\cosh(d*x + c)^6 + 10*(21*d \\
& *\cosh(d*x + c)^4 + 14*d*\cosh(d*x + c)^2 + d)*\sinh(d*x + c)^6 + 4*(63*d*\cosh
\end{aligned}$$

$$(d*x + c)^5 + 70*d*\cosh(d*x + c)^3 + 15*d*\cosh(d*x + c))*\sinh(d*x + c)^5 + 10*d*\cosh(d*x + c)^4 + 10*(21*d*\cosh(d*x + c)^6 + 35*d*\cosh(d*x + c)^4 + 15*d*\cosh(d*x + c)^2 + d)*\sinh(d*x + c)^4 + 40*(3*d*\cosh(d*x + c)^7 + 7*d*\cosh(d*x + c)^5 + 5*d*\cosh(d*x + c)^3 + d*\cosh(d*x + c))*\sinh(d*x + c)^3 + 5*d*\cosh(d*x + c)^2 + 5*(9*d*\cosh(d*x + c)^8 + 28*d*\cosh(d*x + c)^6 + 30*d*\cosh(d*x + c)^4 + 12*d*\cosh(d*x + c)^2 + d)*\sinh(d*x + c)^2 + 10*(d*\cosh(d*x + c)^9 + 4*d*\cosh(d*x + c)^7 + 6*d*\cosh(d*x + c)^5 + 4*d*\cosh(d*x + c)^3 + d*\cosh(d*x + c))*\sinh(d*x + c) + d$$

**Sympy [A]** time = 0.772513, size = 100, normalized size = 1.12

$$\begin{cases} a^2x + 2abx - \frac{2ab \log(\tanh(c+dx)+1)}{d} - \frac{ab \tanh^2(c+dx)}{d} + b^2x - \frac{b^2 \tanh^5(c+dx)}{5d} - \frac{b^2 \tanh^3(c+dx)}{3d} - \frac{b^2 \tanh(c+dx)}{d} & \text{for } d \neq 0 \\ x(a + b \tanh^3(c))^2 & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tanh(d\*x+c)\*\*3)\*\*2,x)

[Out] Piecewise((a\*\*2\*x + 2\*a\*b\*x - 2\*a\*b\*log(tanh(c + d\*x) + 1)/d - a\*b\*tanh(c + d\*x)\*\*2/d + b\*\*2\*x - b\*\*2\*tanh(c + d\*x)\*\*5/(5\*d) - b\*\*2\*tanh(c + d\*x)\*\*3/(3\*d) - b\*\*2\*tanh(c + d\*x)/d, Ne(d, 0)), (x\*(a + b\*tanh(c)\*\*3)\*\*2, True))

**Giac [A]** time = 1.34766, size = 196, normalized size = 2.2

$$\frac{2ab \log(e^{(2dx+2c)} + 1)}{d} + \frac{(a^2 - 2ab + b^2)(dx + c)}{d} + \frac{2(23b^2 + 15(2ab + 3b^2)e^{(8dx+8c)} + 90(ab + b^2)e^{(6dx+6c)} + 10(9ab + b^2)e^{(4dx+4c)} + 10(3ab + 7b^2)e^{(2dx+2c)} + 10(9ab + b^2))}{15d(e^{(2dx+2c)} + 1)^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tanh(d\*x+c)^3)^2,x, algorithm="giac")

[Out] 2\*a\*b\*log(e^(2\*d\*x + 2\*c) + 1)/d + (a^2 - 2\*a\*b + b^2)\*(d\*x + c)/d + 2/15\*(23\*b^2 + 15\*(2\*a\*b + 3\*b^2)\*e^(8\*d\*x + 8\*c) + 90\*(a\*b + b^2)\*e^(6\*d\*x + 6\*c) + 10\*(9\*a\*b + 14\*b^2)\*e^(4\*d\*x + 4\*c) + 10\*(3\*a\*b + 7\*b^2)\*e^(2\*d\*x + 2\*c) + 10\*(9\*a\*b + b^2))/(d\*(e^(2\*d\*x + 2\*c) + 1)^5)

$$3.258 \quad \int \frac{1}{1+\tanh^3(x)} dx$$

**Optimal.** Leaf size=38

$$\frac{x}{2} - \frac{1}{6(\tanh(x)+1)} - \frac{2 \tan^{-1}\left(\frac{1-2 \tanh(x)}{\sqrt{3}}\right)}{3\sqrt{3}}$$

[Out] x/2 - (2\*ArcTan[(1 - 2\*Tanh[x])/Sqrt[3]])/(3\*Sqrt[3]) - 1/(6\*(1 + Tanh[x]))

**Rubi [A]** time = 0.0662628, antiderivative size = 38, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.625$ , Rules used = {3661, 2074, 207, 618, 204}

$$\frac{x}{2} - \frac{1}{6(\tanh(x)+1)} - \frac{2 \tan^{-1}\left(\frac{1-2 \tanh(x)}{\sqrt{3}}\right)}{3\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(1 + Tanh[x]^3)^(-1), x]

[Out] x/2 - (2\*ArcTan[(1 - 2\*Tanh[x])/Sqrt[3]])/(3\*Sqrt[3]) - 1/(6\*(1 + Tanh[x]))

#### Rule 3661

```
Int[((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_), x_Symbol] :=
With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[(a + b*(
ff*x)^n]^p/(c^2 + ff^2*x^2), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a,
b, c, e, f, n, p}, x] && (IntegersQ[n, p] || IGtQ[p, 0] || EqQ[n^2, 4] || E
qQ[n^2, 16])
```

#### Rule 2074

```
Int[(P_)^(p_)*(Q_)^(q_.), x_Symbol] := With[{PP = Factor[P]}, Int[ExpandInt
egrand[PP^p*Q^q, x], x] /; !SumQ[NonfreeFactors[PP, x]] /; FreeQ[q, x] &&
PolyQ[P, x] && PolyQ[Q, x] && IntegerQ[p] && NeQ[P, x]
```

#### Rule 207

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a
```



, 0] || GtQ[b, 0])

### Rule 618

Int[((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(-1), x\_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4\*a\*c - x^2, x], x], x, b + 2\*c\*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

### Rule 204

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

### Rubi steps

$$\begin{aligned}
 \int \frac{1}{1 + \tanh^3(x)} dx &= \text{Subst} \left( \int \frac{1}{(1-x^2)(1+x^3)} dx, x, \tanh(x) \right) \\
 &= \text{Subst} \left( \int \left( \frac{1}{6(1+x)^2} - \frac{1}{2(-1+x^2)} + \frac{1}{3(1-x+x^2)} \right) dx, x, \tanh(x) \right) \\
 &= -\frac{1}{6(1+\tanh(x))} + \frac{1}{3} \text{Subst} \left( \int \frac{1}{1-x+x^2} dx, x, \tanh(x) \right) - \frac{1}{2} \text{Subst} \left( \int \frac{1}{-1+x^2} dx, x, \tanh(x) \right) \\
 &= \frac{x}{2} - \frac{1}{6(1+\tanh(x))} - \frac{2}{3} \text{Subst} \left( \int \frac{1}{-3-x^2} dx, x, -1+2\tanh(x) \right) \\
 &= \frac{x}{2} - \frac{2 \tan^{-1} \left( \frac{1-2\tanh(x)}{\sqrt{3}} \right)}{3\sqrt{3}} - \frac{1}{6(1+\tanh(x))}
 \end{aligned}$$

**Mathematica [A]** time = 0.0652679, size = 40, normalized size = 1.05

$$\frac{1}{2} \tanh^{-1}(\tanh(x)) - \frac{1}{6(\tanh(x)+1)} - \frac{2 \tan^{-1} \left( \frac{1-2 \tanh(x)}{\sqrt{3}} \right)}{3\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + Tanh[x]^3)^(-1), x]

[Out] (-2\*ArcTan[(1 - 2\*Tanh[x])/Sqrt[3]])/(3\*Sqrt[3]) + ArcTanh[Tanh[x]]/2 - 1/(6\*(1 + Tanh[x]))

---

**Maple [A]** time = 0.024, size = 41, normalized size = 1.1

$$-\frac{1}{6+6 \tanh(x)} + \frac{\ln(1+\tanh(x))}{4} + \frac{2\sqrt{3}}{9} \arctan\left(\frac{(2 \tanh(x)-1)\sqrt{3}}{3}\right) - \frac{\ln(\tanh(x)-1)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(1+tanh(x)^3),x)

[Out] -1/6/(1+tanh(x))+1/4\*ln(1+tanh(x))+2/9\*3^(1/2)\*arctan(1/3\*(2\*tanh(x)-1)\*3^(1/2))-1/4\*ln(tanh(x)-1)

---

**Maxima [B]** time = 1.50688, size = 99, normalized size = 2.61

$$\frac{2}{9} \sqrt{3} \arctan\left(\frac{1}{6} \cdot 3^{\frac{3}{4}} \sqrt{2} \left(2 \sqrt{3} e^{-x} + 3^{\frac{1}{4}} \sqrt{2}\right)\right) - \frac{2}{9} \sqrt{3} \arctan\left(\frac{1}{6} \cdot 3^{\frac{3}{4}} \sqrt{2} \left(2 \sqrt{3} e^{-x} - 3^{\frac{1}{4}} \sqrt{2}\right)\right) + \frac{1}{2} x - \frac{1}{12} e^{(-2x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(1+tanh(x)^3),x, algorithm="maxima")

[Out] 2/9\*sqrt(3)\*arctan(1/6\*3^(3/4)\*sqrt(2)\*(2\*sqrt(3)\*e^(-x) + 3^(1/4)\*sqrt(2)) - 2/9\*sqrt(3)\*arctan(1/6\*3^(3/4)\*sqrt(2)\*(2\*sqrt(3)\*e^(-x) - 3^(1/4)\*sqrt(2))) + 1/2\*x - 1/12\*e^(-2\*x)

---

**Fricas [B]** time = 2.46051, size = 340, normalized size = 8.95

$$\frac{18x \cosh(x)^2 + 36x \cosh(x) \sinh(x) + 18x \sinh(x)^2 - 8\left(\sqrt{3} \cosh(x)^2 + 2\sqrt{3} \cosh(x) \sinh(x) + \sqrt{3} \sinh(x)^2\right) \arctan\left(\frac{2 \tanh(x) - 1}{\sqrt{3}}\right)}{36\left(\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(1+tanh(x)^3),x, algorithm="fricas")

[Out] 1/36\*(18\*x\*cosh(x)^2 + 36\*x\*cosh(x)\*sinh(x) + 18\*x\*sinh(x)^2 - 8\*(sqrt(3)\*cosh(x)^2 + 2\*sqrt(3)\*cosh(x)\*sinh(x) + sqrt(3)\*sinh(x)^2)\*arctan(-1/3\*(sqrt(3)\*sinh(x)-cosh(x)))

$(3)\cosh(x) + \sqrt{3}\sinh(x))/(\cosh(x) - \sinh(x)) - 3)/(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2)$

**Sympy [B]** time = 0.822486, size = 102, normalized size = 2.68

$$\frac{9x \tanh(x)}{18 \tanh(x) + 18} + \frac{9x}{18 \tanh(x) + 18} + \frac{4\sqrt{3} \tanh(x) \operatorname{atan}\left(\frac{2\sqrt{3} \tanh(x)}{3} - \frac{\sqrt{3}}{3}\right)}{18 \tanh(x) + 18} + \frac{4\sqrt{3} \operatorname{atan}\left(\frac{2\sqrt{3} \tanh(x)}{3} - \frac{\sqrt{3}}{3}\right)}{18 \tanh(x) + 18} - \frac{3}{18 \tanh(x) + 18}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(1+tanh(x)\*\*3),x)

[Out]  $9*x*\tanh(x)/(18*\tanh(x) + 18) + 9*x/(18*\tanh(x) + 18) + 4*\sqrt{3}*\tanh(x)*\operatorname{atan}(2*\sqrt{3}*\tanh(x)/3 - \sqrt{3}/3)/(18*\tanh(x) + 18) + 4*\sqrt{3}*\operatorname{atan}(2*\sqrt{3}*\tanh(x)/3 - \sqrt{3}/3)/(18*\tanh(x) + 18) - 3/(18*\tanh(x) + 18)$

**Giac [A]** time = 1.29784, size = 34, normalized size = 0.89

$$\frac{2}{9}\sqrt{3} \arctan\left(\frac{1}{3}\sqrt{3}e^{2x}\right) + \frac{1}{2}x - \frac{1}{12}e^{-2x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(1+tanh(x)^3),x, algorithm="giac")

[Out]  $2/9*\sqrt{3}*\arctan(1/3*\sqrt{3}*e^{(2*x)}) + 1/2*x - 1/12*e^{(-2*x)}$

### 3.259 $\int \tanh(x) (a + b \tanh^4(x))^{3/2} dx$

**Optimal.** Leaf size=124

$$\frac{1}{2}(a+b)^{3/2} \tanh^{-1} \left( \frac{a+b \tanh^2(x)}{\sqrt{a+b} \sqrt{a+b \tanh^4(x)}} \right) - \frac{1}{6} (a+b \tanh^4(x))^{3/2} - \frac{1}{4} \sqrt{b}(3a+2b) \tanh^{-1} \left( \frac{\sqrt{b} \tanh^2(x)}{\sqrt{a+b \tanh^4(x)}} \right) - \frac{1}{4} (2$$

[Out] -(Sqrt[b]\*(3\*a + 2\*b)\*ArcTanh[(Sqrt[b]\*Tanh[x]^2)/Sqrt[a + b\*Tanh[x]^4]])/4 + ((a + b)^(3/2)\*ArcTanh[(a + b\*Tanh[x]^2)/(Sqrt[a + b]\*Sqrt[a + b\*Tanh[x]^4])])/2 - ((2\*(a + b) + b\*Tanh[x]^2)\*Sqrt[a + b\*Tanh[x]^4])/4 - (a + b\*Tanh[x]^4)^(3/2)/6

**Rubi [A]** time = 0.241808, antiderivative size = 124, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.533$ , Rules used = {3670, 1248, 735, 815, 844, 217, 206, 725}

$$\frac{1}{2}(a+b)^{3/2} \tanh^{-1} \left( \frac{a+b \tanh^2(x)}{\sqrt{a+b} \sqrt{a+b \tanh^4(x)}} \right) - \frac{1}{6} (a+b \tanh^4(x))^{3/2} - \frac{1}{4} \sqrt{b}(3a+2b) \tanh^{-1} \left( \frac{\sqrt{b} \tanh^2(x)}{\sqrt{a+b \tanh^4(x)}} \right) - \frac{1}{4} (2$$

Antiderivative was successfully verified.

[In] Int[Tanh[x]\*(a + b\*Tanh[x]^4)^(3/2), x]

[Out] -(Sqrt[b]\*(3\*a + 2\*b)\*ArcTanh[(Sqrt[b]\*Tanh[x]^2)/Sqrt[a + b\*Tanh[x]^4]])/4 + ((a + b)^(3/2)\*ArcTanh[(a + b\*Tanh[x]^2)/(Sqrt[a + b]\*Sqrt[a + b\*Tanh[x]^4])])/2 - ((2\*(a + b) + b\*Tanh[x]^2)\*Sqrt[a + b\*Tanh[x]^4])/4 - (a + b\*Tanh[x]^4)^(3/2)/6

#### Rule 3670

Int[((d\_)\*tan[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((a\_) + (b\_)\*((c\_)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_))^(p\_), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff, x]] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

#### Rule 1248

```
Int[(x_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol]
  :> Dist[1/2, Subst[Int[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ
[{a, c, d, e, p, q}, x]
```

### Rule 735

```
Int[((d_) + (e_)*(x_))^(m_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :> Simp[
((d + e*x)^(m + 1)*(a + c*x^2)^p)/(e*(m + 2*p + 1)), x] + Dist[(2*p)/(e*(m
+ 2*p + 1)), Int[(d + e*x)^m*Simp[a*e - c*d*x, x]*(a + c*x^2)^(p - 1), x],
x] /; FreeQ[{a, c, d, e, m}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[p, 0] && Ne
Q[m + 2*p + 1, 0] && (!RationalQ[m] || LtQ[m, 1]) && !ILtQ[m + 2*p, 0] &&
IntQuadraticQ[a, 0, c, d, e, m, p, x]
```

### Rule 815

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] :> Simp[((d + e*x)^(m + 1)*(c*e*f*(m + 2*p + 2) - g*c*d*(2*p
+ 1) + g*c*e*(m + 2*p + 1)*x)*(a + c*x^2)^p)/(c*e^2*(m + 2*p + 1)*(m + 2*p
+ 2)), x] + Dist[(2*p)/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), Int[(d + e*x)^
m*(a + c*x^2)^(p - 1)*Simp[f*a*c*e^2*(m + 2*p + 2) + a*c*d*e*g*m - (c^2*f*d
*e*(m + 2*p + 2) - g*(c^2*d^2*(2*p + 1) + a*c*e^2*(m + 2*p + 1)))*x, x], x]
/; FreeQ[{a, c, d, e, f, g, m}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[p,
0] && (IntegerQ[p] || !RationalQ[m] || (GeQ[m, -1] && LtQ[m, 0])) && !ILt
Q[m + 2*p, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])
```

### Rule 844

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] :> Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

### Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] :> Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

### Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

### Rule 725

```
Int[1/(((d_) + (e_.)*(x_))*Sqrt[(a_) + (c_.)*(x_)^2]), x_Symbol] := -Subst[
Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ
[{a, c, d, e}, x]
```

### Rubi steps

$$\begin{aligned}
\int \tanh(x) (a + b \tanh^4(x))^{3/2} dx &= \text{Subst} \left( \int \frac{x (a + bx^4)^{3/2}}{1 - x^2} dx, x, \tanh(x) \right) \\
&= \frac{1}{2} \text{Subst} \left( \int \frac{(a + bx^2)^{3/2}}{1 - x} dx, x, \tanh^2(x) \right) \\
&= -\frac{1}{6} (a + b \tanh^4(x))^{3/2} - \frac{1}{2} \text{Subst} \left( \int \frac{(-a - bx) \sqrt{a + bx^2}}{1 - x} dx, x, \tanh^2(x) \right) \\
&= -\frac{1}{4} (2(a + b) + b \tanh^2(x)) \sqrt{a + b \tanh^4(x)} - \frac{1}{6} (a + b \tanh^4(x))^{3/2} - \frac{\text{Subst} \left( \int \frac{-ax}{1 - x} dx, x, \tanh^2(x) \right)}{2} \\
&= -\frac{1}{4} (2(a + b) + b \tanh^2(x)) \sqrt{a + b \tanh^4(x)} - \frac{1}{6} (a + b \tanh^4(x))^{3/2} + \frac{1}{2} (a + b)^2 \text{Subst} \left( \int \frac{1}{1 - x} dx, x, \tanh^2(x) \right) \\
&= -\frac{1}{4} (2(a + b) + b \tanh^2(x)) \sqrt{a + b \tanh^4(x)} - \frac{1}{6} (a + b \tanh^4(x))^{3/2} - \frac{1}{2} (a + b)^2 \text{Subst} \left( \int \frac{1}{1 - x} dx, x, \tanh^2(x) \right) \\
&= -\frac{1}{4} \sqrt{b} (3a + 2b) \tanh^{-1} \left( \frac{\sqrt{b} \tanh^2(x)}{\sqrt{a + b \tanh^4(x)}} \right) + \frac{1}{2} (a + b)^{3/2} \tanh^{-1} \left( \frac{a + b \tanh^2(x)}{\sqrt{a + b} \sqrt{a + b \tanh^4(x)}} \right)
\end{aligned}$$

**Mathematica [A]** time = 4.39531, size = 166, normalized size = 1.34

$$\frac{1}{12} \left( 6(a + b)^{3/2} \tanh^{-1} \left( \frac{a + b \tanh^2(x)}{\sqrt{a + b} \sqrt{a + b \tanh^4(x)}} \right) - 6\sqrt{b}(a + b) \tanh^{-1} \left( \frac{\sqrt{b} \tanh^2(x)}{\sqrt{a + b \tanh^4(x)}} \right) - \sqrt{a + b \tanh^4(x)} (8a + 2b) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[Tanh[x]*(a + b*Tanh[x]^4)^(3/2), x]
```

```
[Out] (-6*Sqrt[b]*(a + b)*ArcTanh[(Sqrt[b]*Tanh[x]^2)/Sqrt[a + b*Tanh[x]^4]] + 6*(a + b)^(3/2)*ArcTanh[(a + b*Tanh[x]^2)/(Sqrt[a + b]*Sqrt[a + b*Tanh[x]^4])]
```

```
] - Sqrt[a + b*Tanh[x]^4]*(8*a + 6*b + 3*b*Tanh[x]^2 + 2*b*Tanh[x]^4) - (3*
Sqrt[a]*Sqrt[b]*ArcSinh[(Sqrt[b]*Tanh[x]^2)/Sqrt[a]]*Sqrt[a + b*Tanh[x]^4])
/Sqrt[1 + (b*Tanh[x]^4)/a])/12
```

**Maple [C]** time = 0.082, size = 620, normalized size = 5.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(tanh(x)*(a+b*tanh(x)^4)^(3/2),x)
```

```
[Out] -1/6*b*tanh(x)^4*(a+b*tanh(x)^4)^(1/2)-1/4*b*tanh(x)^2*(a+b*tanh(x)^4)^(1/2)
)-2/3*(a+b*tanh(x)^4)^(1/2)*a-1/2*b*(a+b*tanh(x)^4)^(1/2)-1/2*(-5/3*a*b-b^2
)/(I/a^(1/2)*b^(1/2))^(1/2)*(1-I/a^(1/2)*b^(1/2)*tanh(x)^2)^(1/2)*(1+I/a^(1
/2)*b^(1/2)*tanh(x)^2)^(1/2)/(a+b*tanh(x)^4)^(1/2)*EllipticF(tanh(x)*(I/a^(
1/2)*b^(1/2))^(1/2),I)-3/4*ln(2*b^(1/2)*tanh(x)^2+2*(a+b*tanh(x)^4)^(1/2))*
b^(1/2)*a-1/2*ln(2*b^(1/2)*tanh(x)^2+2*(a+b*tanh(x)^4)^(1/2))*b^(3/2)-1/2*I
*(7/5*a*b+b^2)*a^(1/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(1-I/a^(1/2)*b^(1/2)*tanh(
x)^2)^(1/2)*(1+I/a^(1/2)*b^(1/2)*tanh(x)^2)^(1/2)/(a+b*tanh(x)^4)^(1/2)/b^(
1/2)*(EllipticF(tanh(x)*(I/a^(1/2)*b^(1/2))^(1/2),I)-EllipticE(tanh(x)*(I/a
^(1/2)*b^(1/2))^(1/2),I))+1/2*a^2/(a+b)^(1/2)*arctanh(1/2*(2*b*tanh(x)^2+2*
a)/(a+b)^(1/2)/(a+b*tanh(x)^4)^(1/2))+a*b/(a+b)^(1/2)*arctanh(1/2*(2*b*tanh
(x)^2+2*a)/(a+b)^(1/2)/(a+b*tanh(x)^4)^(1/2))+1/2*b^2/(a+b)^(1/2)*arctanh(1
/2*(2*b*tanh(x)^2+2*a)/(a+b)^(1/2)/(a+b*tanh(x)^4)^(1/2))-1/2*(5/3*a*b+b^2)
/(I/a^(1/2)*b^(1/2))^(1/2)*(1-I/a^(1/2)*b^(1/2)*tanh(x)^2)^(1/2)*(1+I/a^(1
/2)*b^(1/2)*tanh(x)^2)^(1/2)/(a+b*tanh(x)^4)^(1/2)*EllipticF(tanh(x)*(I/a^(1
/2)*b^(1/2))^(1/2),I)-1/2*I*(-7/5*a*b-b^2)*a^(1/2)/(I/a^(1/2)*b^(1/2))^(1/2
)*(1-I/a^(1/2)*b^(1/2)*tanh(x)^2)^(1/2)*(1+I/a^(1/2)*b^(1/2)*tanh(x)^2)^(1
/2)/(a+b*tanh(x)^4)^(1/2)/b^(1/2)*(EllipticF(tanh(x)*(I/a^(1/2)*b^(1/2))^(1
/2),I)-EllipticE(tanh(x)*(I/a^(1/2)*b^(1/2))^(1/2),I))
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (b \tanh(x)^4 + a)^{\frac{3}{2}} \tanh(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tanh(x)*(a+b*tanh(x)^4)^(3/2),x, algorithm="maxima")
```

[Out] integrate((b\*tanh(x)^4 + a)^(3/2)\*tanh(x), x)

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)\*(a+b\*tanh(x)^4)^(3/2),x, algorithm="fricas")

[Out] Timed out

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (a + b \tanh^4(x))^{\frac{3}{2}} \tanh(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)\*(a+b\*tanh(x)\*\*4)\*\*(3/2),x)

[Out] Integral((a + b\*tanh(x)\*\*4)\*\*(3/2)\*tanh(x), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (b \tanh(x)^4 + a)^{\frac{3}{2}} \tanh(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)\*(a+b\*tanh(x)^4)^(3/2),x, algorithm="giac")

[Out] integrate((b\*tanh(x)^4 + a)^(3/2)\*tanh(x), x)



$$3.260 \quad \int \tanh(x) \sqrt{a + b \tanh^4(x)} dx$$

**Optimal.** Leaf size=89

$$-\frac{1}{2} \sqrt{b} \tanh^{-1} \left( \frac{\sqrt{b} \tanh^2(x)}{\sqrt{a + b \tanh^4(x)}} \right) + \frac{1}{2} \sqrt{a + b} \tanh^{-1} \left( \frac{a + b \tanh^2(x)}{\sqrt{a + b} \sqrt{a + b \tanh^4(x)}} \right) - \frac{1}{2} \sqrt{a + b \tanh^4(x)}$$

[Out]  $-(\text{Sqrt}[b] * \text{ArcTanh}[(\text{Sqrt}[b] * \text{Tanh}[x]^2) / \text{Sqrt}[a + b * \text{Tanh}[x]^4]]) / 2 + (\text{Sqrt}[a + b] * \text{ArcTanh}[(a + b * \text{Tanh}[x]^2) / (\text{Sqrt}[a + b] * \text{Sqrt}[a + b * \text{Tanh}[x]^4])]) / 2 - \text{Sqrt}[a + b * \text{Tanh}[x]^4] / 2$

**Rubi [A]** time = 0.128402, antiderivative size = 89, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.467$ , Rules used = {3670, 1248, 735, 844, 217, 206, 725}

$$-\frac{1}{2} \sqrt{b} \tanh^{-1} \left( \frac{\sqrt{b} \tanh^2(x)}{\sqrt{a + b \tanh^4(x)}} \right) + \frac{1}{2} \sqrt{a + b} \tanh^{-1} \left( \frac{a + b \tanh^2(x)}{\sqrt{a + b} \sqrt{a + b \tanh^4(x)}} \right) - \frac{1}{2} \sqrt{a + b \tanh^4(x)}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Tanh}[x] * \text{Sqrt}[a + b * \text{Tanh}[x]^4], x]$

[Out]  $-(\text{Sqrt}[b] * \text{ArcTanh}[(\text{Sqrt}[b] * \text{Tanh}[x]^2) / \text{Sqrt}[a + b * \text{Tanh}[x]^4]]) / 2 + (\text{Sqrt}[a + b] * \text{ArcTanh}[(a + b * \text{Tanh}[x]^2) / (\text{Sqrt}[a + b] * \text{Sqrt}[a + b * \text{Tanh}[x]^4])]) / 2 - \text{Sqrt}[a + b * \text{Tanh}[x]^4] / 2$

### Rule 3670

$\text{Int}[(d_*) * \tan[(e_*) + (f_*) * (x_*)]^{(m_*)} * ((a_*) + (b_*) * ((c_*) * \tan[(e_*) + (f_*) * (x_*)]^{(n_*)})^{(p_*)}), x\_Symbol] \rightarrow \text{With}[\{ff = \text{FreeFactors}[\text{Tan}[e + f * x], x]\}, \text{Dist}[(c * ff) / f, \text{Subst}[\text{Int}[(d * ff * x) / c]^{m * (a + b * (ff * x)^n)^p} / (c^2 + f^2 * x^2), x], x, (c * \text{Tan}[e + f * x]) / ff], x] /; \text{FreeQ}\{a, b, c, d, e, f, m, n, p\}, x] \&\& (\text{IGtQ}[p, 0] \parallel \text{EqQ}[n, 2] \parallel \text{EqQ}[n, 4] \parallel (\text{IntegerQ}[p] \&\& \text{RationalQ}[n]))$

### Rule 1248

$\text{Int}[(x_*) * ((d_*) + (e_*) * (x_*)^2)^{(q_*)} * ((a_*) + (c_*) * (x_*)^4)^{(p_*)}, x\_Symbol] \rightarrow \text{Dist}[1/2, \text{Subst}[\text{Int}[(d + e * x)^q * (a + c * x^2)^p, x], x, x^2], x] /; \text{FreeQ}$

[{a, c, d, e, p, q}, x]

### Rule 735

```
Int[((d_) + (e_.)*(x_))^(m_)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[
((d + e*x)^(m + 1)*(a + c*x^2)^p)/(e*(m + 2*p + 1)), x] + Dist[(2*p)/(e*(m
+ 2*p + 1)), Int[(d + e*x)^m*Simp[a*e - c*d*x, x]*(a + c*x^2)^(p - 1), x],
x] /; FreeQ[{a, c, d, e, m}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[p, 0] && Ne
Q[m + 2*p + 1, 0] && ( !RationalQ[m] || LtQ[m, 1]) && !ILtQ[m + 2*p, 0] &&
IntQuadraticQ[a, 0, c, d, e, m, p, x]
```

### Rule 844

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

### Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

### Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

### Rule 725

```
Int[1/(((d_) + (e_.)*(x_))*Sqrt[(a_) + (c_.)*(x_)^2]), x_Symbol] := -Subst[
Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ
[{a, c, d, e}, x]
```

### Rubi steps

$$\begin{aligned}
\int \tanh(x) \sqrt{a + b \tanh^4(x)} dx &= \text{Subst} \left( \int \frac{x \sqrt{a + bx^4}}{1 - x^2} dx, x, \tanh(x) \right) \\
&= \frac{1}{2} \text{Subst} \left( \int \frac{\sqrt{a + bx^2}}{1 - x} dx, x, \tanh^2(x) \right) \\
&= -\frac{1}{2} \sqrt{a + b \tanh^4(x)} - \frac{1}{2} \text{Subst} \left( \int \frac{-a - bx}{(1 - x) \sqrt{a + bx^2}} dx, x, \tanh^2(x) \right) \\
&= -\frac{1}{2} \sqrt{a + b \tanh^4(x)} - \frac{1}{2} (-a - b) \text{Subst} \left( \int \frac{1}{(1 - x) \sqrt{a + bx^2}} dx, x, \tanh^2(x) \right) - \frac{1}{2} b \text{Subst} \left( \int \frac{1}{(1 - x) \sqrt{a + bx^2}} dx, x, \tanh^2(x) \right) \\
&= -\frac{1}{2} \sqrt{a + b \tanh^4(x)} - \frac{1}{2} b \text{Subst} \left( \int \frac{1}{1 - bx^2} dx, x, \frac{\tanh^2(x)}{\sqrt{a + b \tanh^4(x)}} \right) - \frac{1}{2} (a + b) \text{Subst} \left( \int \frac{1}{1 - bx^2} dx, x, \frac{\tanh^2(x)}{\sqrt{a + b \tanh^4(x)}} \right) \\
&= -\frac{1}{2} \sqrt{b} \tanh^{-1} \left( \frac{\sqrt{b} \tanh^2(x)}{\sqrt{a + b \tanh^4(x)}} \right) + \frac{1}{2} \sqrt{a + b} \tanh^{-1} \left( \frac{a + b \tanh^2(x)}{\sqrt{a + b} \sqrt{a + b \tanh^4(x)}} \right) - \frac{1}{2} \sqrt{a + b \tanh^4(x)}
\end{aligned}$$

**Mathematica [A]** time = 0.0572947, size = 86, normalized size = 0.97

$$\frac{1}{2} \left( -\sqrt{b} \tanh^{-1} \left( \frac{\sqrt{b} \tanh^2(x)}{\sqrt{a + b \tanh^4(x)}} \right) + \sqrt{a + b} \tanh^{-1} \left( \frac{a + b \tanh^2(x)}{\sqrt{a + b} \sqrt{a + b \tanh^4(x)}} \right) - \sqrt{a + b \tanh^4(x)} \right)$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[x]\*Sqrt[a + b\*Tanh[x]^4], x]

[Out]  $(-\text{Sqrt}[b] \text{ArcTanh}[(\text{Sqrt}[b] \text{Tanh}[x]^2)/\text{Sqrt}[a + b \text{Tanh}[x]^4]]) + \text{Sqrt}[a + b] \text{ArcTanh}[(a + b \text{Tanh}[x]^2)/(\text{Sqrt}[a + b] \text{Sqrt}[a + b \text{Tanh}[x]^4])] - \text{Sqrt}[a + b \text{Tanh}[x]^4])/2$

**Maple [A]** time = 0.052, size = 116, normalized size = 1.3

$$-\frac{1}{2} \sqrt{a + b (\tanh(x))^4} - \frac{1}{2} \sqrt{b} \ln \left( 2 \sqrt{b} (\tanh(x))^2 + 2 \sqrt{a + b (\tanh(x))^4} \right) + \frac{a}{2} \text{Artanh} \left( \frac{2b (\tanh(x))^2 + 2a}{2 \sqrt{a + b}} \frac{1}{\sqrt{a + b}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(tanh(x)*(a+b*tanh(x)^4)^(1/2),x)`

[Out] 
$$-1/2*(a+b*\tanh(x)^4)^{(1/2)}-1/2*b^{(1/2)}*\ln(2*b^{(1/2)}*\tanh(x)^2+2*(a+b*\tanh(x)^4)^{(1/2)})+1/2*a/(a+b)^{(1/2)}*\operatorname{arctanh}(1/2*(2*b*\tanh(x)^2+2*a)/(a+b)^{(1/2)})/(a+b*\tanh(x)^4)^{(1/2)}+1/2*b/(a+b)^{(1/2)}*\operatorname{arctanh}(1/2*(2*b*\tanh(x)^2+2*a)/(a+b)^{(1/2)})/(a+b*\tanh(x)^4)^{(1/2)}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{b \tanh(x)^4 + a} \tanh(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(x)*(a+b*tanh(x)^4)^(1/2),x, algorithm="maxima")`

[Out] `integrate(sqrt(b*tanh(x)^4 + a)*tanh(x), x)`

**Fricas [B]** time = 4.128, size = 15323, normalized size = 172.17

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(x)*(a+b*tanh(x)^4)^(1/2),x, algorithm="fricas")`

[Out] 
$$\begin{aligned} & [1/4*((\cosh(x)^4 + 4*\cosh(x)*\sinh(x)^3 + \sinh(x)^4 + 2*(3*\cosh(x)^2 + 1)*\sinh(x)^2 + 2*\cosh(x)^2 + 4*(\cosh(x)^3 + \cosh(x))*\sinh(x) + 1)*\sqrt{b}*\log(-( \\ & (a + 2*b)*\cosh(x)^8 + 8*(a + 2*b)*\cosh(x)*\sinh(x)^7 + (a + 2*b)*\sinh(x)^8 + \\ & 4*(a - 2*b)*\cosh(x)^6 + 4*(7*(a + 2*b)*\cosh(x)^2 + a - 2*b)*\sinh(x)^6 + 8* \\ & (7*(a + 2*b)*\cosh(x)^3 + 3*(a - 2*b)*\cosh(x))*\sinh(x)^5 + 6*(a + 2*b)*\cosh(x)^4 + 2*(35*(a + 2*b)*\cosh(x)^4 + 30*(a - 2*b)*\cosh(x)^2 + 3*a + 6*b)*\sinh(x)^4 + 8*(7*(a + 2*b)*\cosh(x)^5 + 10*(a - 2*b)*\cosh(x)^3 + 3*(a + 2*b)*\cosh(x))*\sinh(x)^3 + 4*(a - 2*b)*\cosh(x)^2 + 4*(7*(a + 2*b)*\cosh(x)^6 + 15*(a - 2*b)*\cosh(x)^4 + 9*(a + 2*b)*\cosh(x)^2 + a - 2*b)*\sinh(x)^2 - 2*\sqrt{2}*(\cosh(x)^4 + 4*\cosh(x)*\sinh(x)^3 + \sinh(x)^4 + 2*(3*\cosh(x)^2 - 1)*\sinh(x)^2 - 2*\cosh(x)^2 + 4*(\cosh(x)^3 - \cosh(x))*\sinh(x) + 1)*\sqrt{b}*\sqrt{((a + b)*\cosh(x)^4 + (a + b)*\sinh(x)^4 + 4*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + 2*a - 2*b)*\sinh(x)^2 + 3*a + 3*b)/(\cosh(x)^4 - 4*\cosh(x)^3*\sinh(x) + 6*\cosh(x)^2*\sinh(x)^2 - 4*\cosh(x)*\sinh(x)^3 + \sinh(x)^4)} + 8*((a + 2*b)*\cos \end{aligned}$$

$$\begin{aligned}
& h(x)^7 + 3*(a - 2*b)*\cosh(x)^5 + 3*(a + 2*b)*\cosh(x)^3 + (a - 2*b)*\cosh(x) \\
& * \sinh(x) + a + 2*b) / (\cosh(x)^8 + 8*\cosh(x)*\sinh(x)^7 + \sinh(x)^8 + 4*(7*\cosh(x)^2 + 1)*\sinh(x)^6 + 4*\cosh(x)^6 + 8*(7*\cosh(x)^3 + 3*\cosh(x))*\sinh(x)^5 \\
& + 2*(35*\cosh(x)^4 + 30*\cosh(x)^2 + 3)*\sinh(x)^4 + 6*\cosh(x)^4 + 8*(7*\cosh(x)^5 + 10*\cosh(x)^3 + 3*\cosh(x))*\sinh(x)^3 + 4*(7*\cosh(x)^6 + 15*\cosh(x)^4 \\
& + 9*\cosh(x)^2 + 1)*\sinh(x)^2 + 4*\cosh(x)^2 + 8*(\cosh(x)^7 + 3*\cosh(x)^5 + 3*\cosh(x)^3 + \cosh(x))*\sinh(x) + 1)) + (\cosh(x)^4 + 4*\cosh(x)*\sinh(x)^3 + \sinh(x)^4 + 2*(3*\cosh(x)^2 + 1)*\sinh(x)^2 + 2*\cosh(x)^2 + 4*(\cosh(x)^3 + \cosh(x))*\sinh(x) + 1)*\sqrt{a + b} * \log(((a^2 + 2*a*b + b^2)*\cosh(x)^8 + 8*(a^2 + 2*a*b + b^2)*\cosh(x)*\sinh(x)^7 + (a^2 + 2*a*b + b^2)*\sinh(x)^8 + 4*(a^2 - b^2)*\cosh(x)^6 + 4*(7*(a^2 + 2*a*b + b^2)*\cosh(x)^2 + a^2 - b^2)*\sinh(x)^6 + 8*(7*(a^2 + 2*a*b + b^2)*\cosh(x)^3 + 3*(a^2 - b^2)*\cosh(x))*\sinh(x)^5 + 2*(3*a^2 + 2*a*b + 3*b^2)*\cosh(x)^4 + 2*(35*(a^2 + 2*a*b + b^2)*\cosh(x)^4 + 30*(a^2 - b^2)*\cosh(x)^2 + 3*a^2 + 2*a*b + 3*b^2)*\sinh(x)^4 + 8*(7*(a^2 + 2*a*b + b^2)*\cosh(x)^5 + 10*(a^2 - b^2)*\cosh(x)^3 + (3*a^2 + 2*a*b + 3*b^2)*\cosh(x))*\sinh(x)^3 + 4*(a^2 - b^2)*\cosh(x)^2 + 4*(7*(a^2 + 2*a*b + b^2)*\cosh(x)^6 + 15*(a^2 - b^2)*\cosh(x)^4 + 3*(3*a^2 + 2*a*b + 3*b^2)*\cosh(x)^2 + a^2 - b^2)*\sinh(x)^2 + \sqrt{2}*((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x))^3 + (a + b)*\sinh(x)^4 + 2*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a - b)*\sinh(x)^2 + 4*((a + b)*\cosh(x)^3 + (a - b)*\cosh(x))*\sinh(x) + a + b)*\sqrt{a + b} * \sqrt{((a + b)*\cosh(x)^4 + (a + b)*\sinh(x)^4 + 4*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + 2*a - 2*b)*\sinh(x)^2 + 3*a + 3*b) / (\cosh(x)^4 - 4*\cosh(x)^3*\sinh(x) + 6*\cosh(x)^2*\sinh(x)^2 - 4*\cosh(x)*\sinh(x)^3 + \sinh(x)^4))} + a^2 + 2*a*b + b^2 + 8*((a^2 + 2*a*b + b^2)*\cosh(x)^7 + 3*(a^2 - b^2)*\cosh(x)^5 + (3*a^2 + 2*a*b + 3*b^2)*\cosh(x)^3 + (a^2 - b^2)*\cosh(x))*\sinh(x) / (\cosh(x)^4 + 4*\cosh(x)^3*\sinh(x) + 6*\cosh(x)^2*\sinh(x)^2 + 4*\cosh(x)*\sinh(x)^3 + \sinh(x)^4)) - 2*\sqrt{2}*\sqrt{((a + b)*\cosh(x)^4 + (a + b)*\sinh(x))^4 + 4*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + 2*a - 2*b)*\sinh(x)^2 + 3*a + 3*b} / (\cosh(x)^4 - 4*\cosh(x)^3*\sinh(x) + 6*\cosh(x)^2*\sinh(x)^2 - 4*\cosh(x)*\sinh(x)^3 + \sinh(x)^4)) / (\cosh(x)^4 + 4*\cosh(x)*\sinh(x)^3 + \sinh(x)^4 + 2*(3*\cosh(x)^2 + 1)*\sinh(x)^2 + 2*\cosh(x)^2 + 4*(\cosh(x)^3 + \cosh(x))*\sinh(x) + 1), -1/4*(2*(\cosh(x)^4 + 4*\cosh(x)*\sinh(x)^3 + \sinh(x)^4 + 2*(3*\cosh(x)^2 + 1)*\sinh(x)^2 + 2*\cosh(x)^2 + 4*(\cosh(x)^3 + \cosh(x))*\sinh(x) + 1)*\sqrt{-a - b} * \arctan(\sqrt{2}*((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x))^3 + (a + b)*\sinh(x)^4 + 2*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a - b)*\sinh(x)^2 + 4*((a + b)*\cosh(x)^3 + (a - b)*\cosh(x))*\sinh(x) + a + b)*\sqrt{-a - b} * \sqrt{((a + b)*\cosh(x)^4 + (a + b)*\sinh(x)^4 + 4*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + 2*a - 2*b)*\sinh(x)^2 + 3*a + 3*b) / (\cosh(x)^4 - 4*\cosh(x)^3*\sinh(x) + 6*\cosh(x)^2*\sinh(x)^2 - 4*\cosh(x)*\sinh(x)^3 + \sinh(x)^4))} / ((a^2 + 2*a*b + b^2)*\cosh(x)^8 + 8*(a^2 + 2*a*b + b^2)*\cosh(x)*\sinh(x)^7 + (a^2 + 2*a*b + b^2)*\sinh(x)^8 + 4*(a^2 - b^2)*\cosh(x)^6 + 4*(7*(a^2 + 2*a*b + b^2)*\cosh(x)^2 + a^2 - b^2)*\sinh(x)^6 + 8*(7*(a^2 + 2*a*b + b^2)*\cosh(x)^3 + 3*(a^2 - b^2)*\cosh(x))*\sinh(x)^5 + 6*(a^2 + 2*a*b + b^2)*\cosh(x)^4 + 2*(35*(a^2 + 2*a*b + b^2)*\cosh(x)^4 + 30*(a^2 - b^2)*\cosh(x)^2 + 3*a^2 + 6*a*b + 3*b^2)*\sinh(x)^4 + 8*(7*(a^2 + 2*a*b + b^2)*\cosh(x)^5 + 10*(a^2 -
\end{aligned}$$

$$\begin{aligned}
& b^2 \cosh(x)^3 + 3(a^2 + 2ab + b^2) \cosh(x) \sinh(x)^3 + 4(a^2 - b^2) \cosh(x)^2 \\
& + 4(7(a^2 + 2ab + b^2) \cosh(x)^6 + 15(a^2 - b^2) \cosh(x)^4 + 9(a^2 + 2ab + b^2) \cosh(x)^2 \\
& + a^2 - b^2) \sinh(x)^2 + a^2 + 2ab + b^2 + 8((a^2 + 2ab + b^2) \cosh(x)^7 + 3(a^2 - b^2) \cosh(x)^5 \\
& + 3(a^2 + 2ab + b^2) \cosh(x)^3 + (a^2 - b^2) \cosh(x) \sinh(x)) - (\cosh(x)^4 + 4 \cosh(x) \sinh(x)^3 \\
& + \sinh(x)^4 + 2(3 \cosh(x)^2 + 1) \sinh(x)^2 + 2 \cosh(x)^2 + 4(\cosh(x)^3 + \cosh(x)) \sinh(x) \\
& + 1) \sqrt{b} \log(-((a + 2b) \cosh(x)^8 + 8(a + 2b) \cosh(x) \sinh(x)^7 + (a + 2b) \sinh(x)^8 \\
& + 4(a - 2b) \cosh(x)^6 + 4(7(a + 2b) \cosh(x)^2 + a - 2b) \sinh(x)^6 + 8(7(a + 2b) \cosh(x)^3 + 3(a - 2b) \cosh(x)) \sinh(x)^5 \\
& + 6(a + 2b) \cosh(x)^4 + 2(35(a + 2b) \cosh(x)^4 + 30(a - 2b) \cosh(x)^2 + 3a + 6b) \sinh(x)^4 \\
& + 8(7(a + 2b) \cosh(x)^5 + 10(a - 2b) \cosh(x)^3 + 3(a + 2b) \cosh(x)) \sinh(x)^3 + 4(a - 2b) \cosh(x)^2 \\
& + 4(7(a + 2b) \cosh(x)^6 + 15(a - 2b) \cosh(x)^4 + 9(a + 2b) \cosh(x)^2 + a - 2b) \sinh(x)^2 - 2\sqrt{2}(\cosh(x)^4 + 4 \cosh(x) \sinh(x)^3 \\
& + \sinh(x)^4 + 2(3 \cosh(x)^2 - 1) \sinh(x)^2 - 2 \cosh(x)^2 + 4(\cosh(x)^3 - \cosh(x)) \sinh(x) \\
& + 1) \sqrt{b} \sqrt{((a + b) \cosh(x)^4 + (a + b) \sinh(x)^4 + 4(a - b) \cosh(x)^2 + 2(3(a + b) \cosh(x)^2 + 2a - 2b) \sinh(x)^2 \\
& + 3a + 3b) / (\cosh(x)^4 - 4 \cosh(x)^3 \sinh(x) + 6 \cosh(x)^2 \sinh(x)^2 - 4 \cosh(x) \sinh(x)^3 \\
& + \sinh(x)^4)) + 8((a + 2b) \cosh(x)^7 + 3(a - 2b) \cosh(x)^5 + 3(a + 2b) \cosh(x)^3 + (a - 2b) \cosh(x) \sinh(x) \\
& + a + 2b) / (\cosh(x)^8 + 8 \cosh(x) \sinh(x)^7 + \sinh(x)^8 + 4(7 \cosh(x)^2 + 1) \sinh(x)^6 + 4 \cosh(x)^6 \\
& + 8(7 \cosh(x)^3 + 3 \cosh(x)) \sinh(x)^5 + 2(35 \cosh(x)^4 + 30 \cosh(x)^2 + 3) \sinh(x)^4 \\
& + 6 \cosh(x)^4 + 8(7 \cosh(x)^5 + 10 \cosh(x)^3 + 3 \cosh(x)) \sinh(x)^3 + 4(7 \cosh(x)^6 + 15 \cosh(x)^4 \\
& + 9 \cosh(x)^2 + 1) \sinh(x)^2 + 4 \cosh(x)^2 + 8(\cosh(x)^7 + 3 \cosh(x)^5 + 3 \cosh(x)^3 + \cosh(x)) \sinh(x) \\
& + 1) + 2\sqrt{2} \sqrt{((a + b) \cosh(x)^4 + (a + b) \sinh(x)^4 + 4(a - b) \cosh(x)^2 + 2(3(a + b) \cosh(x)^2 + 2a - 2b) \sinh(x)^2 \\
& + 3a + 3b) / (\cosh(x)^4 - 4 \cosh(x)^3 \sinh(x) + 6 \cosh(x)^2 \sinh(x)^2 - 4 \cosh(x) \sinh(x)^3 \\
& + \sinh(x)^4)) / (\cosh(x)^4 + 4 \cosh(x) \sinh(x)^3 + \sinh(x)^4 + 2(3 \cosh(x)^2 + 1) \sinh(x)^2 \\
& + 2 \cosh(x)^2 + 4(\cosh(x)^3 + \cosh(x)) \sinh(x) + 1), \\
& 1/4(2(\cosh(x)^4 + 4 \cosh(x) \sinh(x)^3 + \sinh(x)^4 + 2(3 \cosh(x)^2 + 1) \sinh(x)^2 + 2 \cosh(x)^2 \\
& + 4(\cosh(x)^3 + \cosh(x)) \sinh(x) + 1) \sqrt{-b} \arctan(\sqrt{2} \sqrt{-b} \sqrt{((a + b) \cosh(x)^4 + (a + b) \sinh(x)^4 \\
& + 4(a - b) \cosh(x)^2 + 2(3(a + b) \cosh(x)^2 + 2a - 2b) \sinh(x)^2 + 3a + 3b) / (\cosh(x)^4 - 4 \cosh(x)^3 \sinh(x) \\
& + 6 \cosh(x)^2 \sinh(x)^2 - 4 \cosh(x) \sinh(x)^3 + \sinh(x)^4)) / (b \cosh(x)^4 + 4b \cosh(x) \sinh(x)^3 \\
& + b \sinh(x)^4 - 2b \cosh(x)^2 + 2(3b \cosh(x)^2 - b) \sinh(x)^2 + 4(b \cosh(x)^3 - b \cosh(x)) \sinh(x) \\
& + b)) + (\cosh(x)^4 + 4 \cosh(x) \sinh(x)^3 + \sinh(x)^4 + 2(3 \cosh(x)^2 + 1) \sinh(x)^2 + 2 \cosh(x)^2 \\
& + 4(\cosh(x)^3 + \cosh(x)) \sinh(x) + 1) \sqrt{a + b} \log(((a^2 + 2ab + b^2) \cosh(x)^8 + 8(a^2 + 2ab + b^2) \cosh(x) \sinh(x)^7 \\
& + (a^2 + 2ab + b^2) \sinh(x)^8 + 4(a^2 - b^2) \cosh(x)^6 + 4(7(a^2 + 2ab + b^2) \cosh(x)^3 + 3(a^2 - b^2) \cosh(x)) \sinh(x)^5 \\
& + 2(3a^2 + 2ab + 3b^2) \cosh(x)^4 + 2(35(a^2 + 2ab + b^2) \cosh(x)^4 + 30(a^2 - b^2) \cosh(x)^2 + 3a^2 + 2ab + 3b^2) \sinh(x)^4 \\
& + 8(7(a^2 + 2ab + b^2) \cosh(x)^5 + 10
\end{aligned}$$

$$\begin{aligned}
&*(a^2 - b^2)*\cosh(x)^3 + (3*a^2 + 2*a*b + 3*b^2)*\cosh(x))*\sinh(x)^3 + 4*(a^2 - b^2)*\cosh(x)^2 + 4*(7*(a^2 + 2*a*b + b^2)*\cosh(x)^6 + 15*(a^2 - b^2)*\cosh(x)^4 + 3*(3*a^2 + 2*a*b + 3*b^2)*\cosh(x)^2 + a^2 - b^2)*\sinh(x)^2 + \sqrt{2}*((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a - b)*\sinh(x)^2 + 4*((a + b)*\cosh(x)^3 + (a - b)*\cosh(x))*\sinh(x) + a + b)*\sqrt{a + b}*\sqrt{((a + b)*\cosh(x)^4 + (a + b)*\sinh(x)^4 + 4*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + 2*a - 2*b)*\sinh(x)^2 + 3*a + 3*b)/(\cosh(x)^4 - 4*\cosh(x)^3*\sinh(x) + 6*\cosh(x)^2*\sinh(x)^2 - 4*\cosh(x)*\sinh(x)^3 + \sinh(x)^4)) + a^2 + 2*a*b + b^2 + 8*((a^2 + 2*a*b + b^2)*\cosh(x)^7 + 3*(a^2 - b^2)*\cosh(x)^5 + (3*a^2 + 2*a*b + 3*b^2)*\cosh(x)^3 + (a^2 - b^2)*\cosh(x))*\sinh(x))/(\cosh(x)^4 + 4*\cosh(x)^3*\sinh(x) + 6*\cosh(x)^2*\sinh(x)^2 + 4*\cosh(x)*\sinh(x)^3 + \sinh(x)^4)) - 2*\sqrt{2}*\sqrt{((a + b)*\cosh(x)^4 + (a + b)*\sinh(x)^4 + 4*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + 2*a - 2*b)*\sinh(x)^2 + 3*a + 3*b)/(\cosh(x)^4 - 4*\cosh(x)^3*\sinh(x) + 6*\cosh(x)^2*\sinh(x)^2 - 4*\cosh(x)*\sinh(x)^3 + \sinh(x)^4)))/(\cosh(x)^4 + 4*\cosh(x)*\sinh(x)^3 + \sinh(x)^4 + 2*(3*\cosh(x)^2 + 1)*\sinh(x)^2 + 2*\cosh(x)^2 + 4*(\cosh(x)^3 + \cosh(x))*\sinh(x) + 1), -1/2*((\cosh(x)^4 + 4*\cosh(x)*\sinh(x)^3 + \sinh(x)^4 + 2*(3*\cosh(x)^2 + 1)*\sinh(x)^2 + 2*\cosh(x)^2 + 4*(\cosh(x)^3 + \cosh(x))*\sinh(x) + 1)*\sqrt{-a - b}*\arctan(\sqrt{2}*((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a - b)*\sinh(x)^2 + 4*((a + b)*\cosh(x)^3 + (a - b)*\cosh(x))*\sinh(x) + a + b)*\sqrt{-a - b}*\sqrt{((a + b)*\cosh(x)^4 + (a + b)*\sinh(x)^4 + 4*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + 2*a - 2*b)*\sinh(x)^2 + 3*a + 3*b)/(\cosh(x)^4 - 4*\cosh(x)^3*\sinh(x) + 6*\cosh(x)^2*\sinh(x)^2 - 4*\cosh(x)*\sinh(x)^3 + \sinh(x)^4)))/((a^2 + 2*a*b + b^2)*\cosh(x)^8 + 8*(a^2 + 2*a*b + b^2)*\cosh(x)*\sinh(x)^7 + (a^2 + 2*a*b + b^2)*\sinh(x)^8 + 4*(a^2 - b^2)*\cosh(x)^6 + 4*(7*(a^2 + 2*a*b + b^2)*\cosh(x)^2 + a^2 - b^2)*\sinh(x)^6 + 8*(7*(a^2 + 2*a*b + b^2)*\cosh(x)^3 + 3*(a^2 - b^2)*\cosh(x))*\sinh(x)^5 + 6*(a^2 + 2*a*b + b^2)*\cosh(x)^4 + 2*(35*(a^2 + 2*a*b + b^2))*\cosh(x)^4 + 30*(a^2 - b^2)*\cosh(x)^2 + 3*a^2 + 6*a*b + 3*b^2)*\sinh(x)^4 + 8*(7*(a^2 + 2*a*b + b^2)*\cosh(x)^5 + 10*(a^2 - b^2)*\cosh(x)^3 + 3*(a^2 + 2*a*b + b^2)*\cosh(x))*\sinh(x)^3 + 4*(a^2 - b^2)*\cosh(x)^2 + 4*(7*(a^2 + 2*a*b + b^2)*\cosh(x)^6 + 15*(a^2 - b^2)*\cosh(x)^4 + 9*(a^2 + 2*a*b + b^2)*\cosh(x)^2 + a^2 - b^2)*\sinh(x)^2 + a^2 + 2*a*b + b^2 + 8*((a^2 + 2*a*b + b^2)*\cosh(x)^7 + 3*(a^2 - b^2)*\cosh(x)^5 + 3*(a^2 + 2*a*b + b^2)*\cosh(x)^3 + (a^2 - b^2)*\cosh(x))*\sinh(x))) - (\cosh(x)^4 + 4*\cosh(x)*\sinh(x)^3 + \sinh(x)^4 + 2*(3*\cosh(x)^2 + 1)*\sinh(x)^2 + 2*\cosh(x)^2 + 4*(\cosh(x)^3 + \cosh(x))*\sinh(x) + 1)*\sqrt{-b}*\arctan(\sqrt{2}*\sqrt{-b}*\sqrt{((a + b)*\cosh(x)^4 + (a + b)*\sinh(x)^4 + 4*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + 2*a - 2*b)*\sinh(x)^2 + 3*a + 3*b)/(\cosh(x)^4 - 4*\cosh(x)^3*\sinh(x) + 6*\cosh(x)^2*\sinh(x)^2 - 4*\cosh(x)*\sinh(x)^3 + \sinh(x)^4)))/(b*\cosh(x)^4 + 4*b*\cosh(x)*\sinh(x)^3 + b*\sinh(x)^4 - 2*b*\cosh(x)^2 + 2*(3*b*\cosh(x)^2 - b)*\sinh(x)^2 + 4*(b*\cosh(x))^3 - b*\cosh(x))*\sinh(x) + b)) + \sqrt{2}*\sqrt{((a + b)*\cosh(x)^4 + (a + b)*\sinh(x)^4 + 4*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + 2*a - 2*b)*\sinh(x)^2 + 3*a + 3*b)/(\cosh(x)^4 - 4*\cosh(x)^3*\sinh(x) + 6*\cosh(x)^2*\sinh(x)^2}
\end{aligned}$$

```
- 4*cosh(x)*sinh(x)^3 + sinh(x)^4))/ (cosh(x)^4 + 4*cosh(x)*sinh(x)^3 + sinh(x)^4 + 2*(3*cosh(x)^2 + 1)*sinh(x)^2 + 2*cosh(x)^2 + 4*(cosh(x)^3 + cosh(x))*sinh(x) + 1)]
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a + b \tanh^4(x)} \tanh(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tanh(x)*(a+b*tanh(x)**4)**(1/2),x)
```

```
[Out] Integral(sqrt(a + b*tanh(x)**4)*tanh(x), x)
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{b \tanh^4(x) + a} \tanh(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tanh(x)*(a+b*tanh(x)^4)^(1/2),x, algorithm="giac")
```

```
[Out] integrate(sqrt(b*tanh(x)^4 + a)*tanh(x), x)
```



$$3.261 \quad \int \frac{\tanh(x)}{\sqrt{a+b \tanh^4(x)}} dx$$

**Optimal.** Leaf size=40

$$\frac{\tanh^{-1}\left(\frac{a+b \tanh^2(x)}{\sqrt{a+b} \sqrt{a+b \tanh^4(x)}}\right)}{2\sqrt{a+b}}$$

[Out] ArcTanh[(a + b\*Tanh[x]^2)/(Sqrt[a + b]\*Sqrt[a + b\*Tanh[x]^4])]/(2\*Sqrt[a + b])

**Rubi [A]** time = 0.0782411, antiderivative size = 40, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$ , Rules used = {3670, 1248, 725, 206}

$$\frac{\tanh^{-1}\left(\frac{a+b \tanh^2(x)}{\sqrt{a+b} \sqrt{a+b \tanh^4(x)}}\right)}{2\sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] Int[Tanh[x]/Sqrt[a + b\*Tanh[x]^4], x]

[Out] ArcTanh[(a + b\*Tanh[x]^2)/(Sqrt[a + b]\*Sqrt[a + b\*Tanh[x]^4])]/(2\*Sqrt[a + b])

#### Rule 3670

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_)]^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)]^(n_))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[(((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f^2*x^2), x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))
```

#### Rule 1248

```
Int[(x_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ
```

[{a, c, d, e, p, q}, x]

### Rule 725

```
Int[1/(((d_) + (e_.)*(x_))*Sqrt[(a_) + (c_.)*(x_)^2]), x_Symbol] := -Subst[
Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ
[{a, c, d, e}, x]
```

### Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

### Rubi steps

$$\begin{aligned} \int \frac{\tanh(x)}{\sqrt{a + b \tanh^4(x)}} dx &= \text{Subst} \left( \int \frac{x}{(1-x^2)\sqrt{a+bx^4}} dx, x, \tanh(x) \right) \\ &= \frac{1}{2} \text{Subst} \left( \int \frac{1}{(1-x)\sqrt{a+bx^2}} dx, x, \tanh^2(x) \right) \\ &= - \left( \frac{1}{2} \text{Subst} \left( \int \frac{1}{a+b-x^2} dx, x, \frac{-a-b \tanh^2(x)}{\sqrt{a+b \tanh^4(x)}} \right) \right) \\ &= \frac{\tanh^{-1} \left( \frac{a+b \tanh^2(x)}{\sqrt{a+b} \sqrt{a+b \tanh^4(x)}} \right)}{2\sqrt{a+b}} \end{aligned}$$

**Mathematica [A]** time = 0.0157533, size = 40, normalized size = 1.

$$\frac{\tanh^{-1} \left( \frac{a+b \tanh^2(x)}{\sqrt{a+b} \sqrt{a+b \tanh^4(x)}} \right)}{2\sqrt{a+b}}$$

Antiderivative was successfully verified.

```
[In] Integrate[Tanh[x]/Sqrt[a + b*Tanh[x]^4], x]
```

[Out] ArcTanh[(a + b\*Tanh[x]^2)/(Sqrt[a + b]\*Sqrt[a + b\*Tanh[x]^4])]/(2\*Sqrt[a + b])

**Maple [A]** time = 0.054, size = 37, normalized size = 0.9

$$\frac{1}{2} \operatorname{Arctanh} \left( \frac{2b(\tanh(x))^2 + 2a}{2} \frac{1}{\sqrt{a+b}} \frac{1}{\sqrt{a+b(\tanh(x))^4}} \right) \frac{1}{\sqrt{a+b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(x)/(a+b\*tanh(x)^4)^(1/2), x)

[Out] 1/2/(a+b)^(1/2)\*arctanh(1/2\*(2\*b\*tanh(x)^2+2\*a)/(a+b)^(1/2)/(a+b\*tanh(x)^4)^(1/2))

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\tanh(x)}{\sqrt{b \tanh(x)^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)/(a+b\*tanh(x)^4)^(1/2), x, algorithm="maxima")

[Out] integrate(tanh(x)/sqrt(b\*tanh(x)^4 + a), x)

**Fricas [B]** time = 4.29379, size = 3553, normalized size = 88.82

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)/(a+b\*tanh(x)^4)^(1/2), x, algorithm="fricas")

[Out] [1/4\*log(((a^2 + 2\*a\*b + b^2)\*cosh(x)^8 + 8\*(a^2 + 2\*a\*b + b^2)\*cosh(x)\*sinh(x)^7 + (a^2 + 2\*a\*b + b^2)\*sinh(x)^8 + 4\*(a^2 - b^2)\*cosh(x)^6 + 4\*(7\*(a^2

```

2 + 2*a*b + b^2)*cosh(x)^2 + a^2 - b^2)*sinh(x)^6 + 8*(7*(a^2 + 2*a*b + b^2
)*cosh(x)^3 + 3*(a^2 - b^2)*cosh(x))*sinh(x)^5 + 2*(3*a^2 + 2*a*b + 3*b^2)*
cosh(x)^4 + 2*(35*(a^2 + 2*a*b + b^2)*cosh(x)^4 + 30*(a^2 - b^2)*cosh(x)^2
+ 3*a^2 + 2*a*b + 3*b^2)*sinh(x)^4 + 8*(7*(a^2 + 2*a*b + b^2)*cosh(x)^5 + 1
0*(a^2 - b^2)*cosh(x)^3 + (3*a^2 + 2*a*b + 3*b^2)*cosh(x))*sinh(x)^3 + 4*(a
^2 - b^2)*cosh(x)^2 + 4*(7*(a^2 + 2*a*b + b^2)*cosh(x)^6 + 15*(a^2 - b^2)*c
osh(x)^4 + 3*(3*a^2 + 2*a*b + 3*b^2)*cosh(x)^2 + a^2 - b^2)*sinh(x)^2 + sqr
t(2)*((a + b)*cosh(x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 +
2*(a - b)*cosh(x)^2 + 2*(3*(a + b)*cosh(x)^2 + a - b)*sinh(x)^2 + 4*((a +
b)*cosh(x)^3 + (a - b)*cosh(x))*sinh(x) + a + b)*sqrt(a + b)*sqrt(((a + b)*
cosh(x)^4 + (a + b)*sinh(x)^4 + 4*(a - b)*cosh(x)^2 + 2*(3*(a + b)*cosh(x)^
2 + 2*a - 2*b)*sinh(x)^2 + 3*a + 3*b)/(cosh(x)^4 - 4*cosh(x)^3*sinh(x) + 6*
cosh(x)^2*sinh(x)^2 - 4*cosh(x)*sinh(x)^3 + sinh(x)^4)) + a^2 + 2*a*b + b^2
+ 8*((a^2 + 2*a*b + b^2)*cosh(x)^7 + 3*(a^2 - b^2)*cosh(x)^5 + (3*a^2 + 2*
a*b + 3*b^2)*cosh(x)^3 + (a^2 - b^2)*cosh(x))*sinh(x))/(cosh(x)^4 + 4*cosh(
x)^3*sinh(x) + 6*cosh(x)^2*sinh(x)^2 + 4*cosh(x)*sinh(x)^3 + sinh(x)^4))/sq
rt(a + b), -1/2*sqrt(-a - b)*arctan(sqrt(2)*((a + b)*cosh(x)^4 + 4*(a + b)*
cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 + 2*(a - b)*cosh(x)^2 + 2*(3*(a + b)*
cosh(x)^2 + a - b)*sinh(x)^2 + 4*((a + b)*cosh(x)^3 + (a - b)*cosh(x))*sinh
(x) + a + b)*sqrt(-a - b)*sqrt(((a + b)*cosh(x)^4 + (a + b)*sinh(x)^4 + 4*(
a - b)*cosh(x)^2 + 2*(3*(a + b)*cosh(x)^2 + 2*a - 2*b)*sinh(x)^2 + 3*a + 3*
b)/(cosh(x)^4 - 4*cosh(x)^3*sinh(x) + 6*cosh(x)^2*sinh(x)^2 - 4*cosh(x)*sin
h(x)^3 + sinh(x)^4))/((a^2 + 2*a*b + b^2)*cosh(x)^8 + 8*(a^2 + 2*a*b + b^2)
*cosh(x)*sinh(x)^7 + (a^2 + 2*a*b + b^2)*sinh(x)^8 + 4*(a^2 - b^2)*cosh(x)^
6 + 4*(7*(a^2 + 2*a*b + b^2)*cosh(x)^2 + a^2 - b^2)*sinh(x)^6 + 8*(7*(a^2 +
2*a*b + b^2)*cosh(x)^3 + 3*(a^2 - b^2)*cosh(x))*sinh(x)^5 + 6*(a^2 + 2*a*b
+ b^2)*cosh(x)^4 + 2*(35*(a^2 + 2*a*b + b^2)*cosh(x)^4 + 30*(a^2 - b^2)*co
sh(x)^2 + 3*a^2 + 6*a*b + 3*b^2)*sinh(x)^4 + 8*(7*(a^2 + 2*a*b + b^2)*cosh(
x)^5 + 10*(a^2 - b^2)*cosh(x)^3 + 3*(a^2 + 2*a*b + b^2)*cosh(x))*sinh(x)^3
+ 4*(a^2 - b^2)*cosh(x)^2 + 4*(7*(a^2 + 2*a*b + b^2)*cosh(x)^6 + 15*(a^2 -
b^2)*cosh(x)^4 + 9*(a^2 + 2*a*b + b^2)*cosh(x)^2 + a^2 - b^2)*sinh(x)^2 + a
^2 + 2*a*b + b^2 + 8*((a^2 + 2*a*b + b^2)*cosh(x)^7 + 3*(a^2 - b^2)*cosh(x)
^5 + 3*(a^2 + 2*a*b + b^2)*cosh(x)^3 + (a^2 - b^2)*cosh(x))*sinh(x))/(a +
b)]

```

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\tanh(x)}{\sqrt{a + b \tanh^4(x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tanh(x)/(a+b*tanh(x)**4)**(1/2),x)
```

```
[Out] Integral(tanh(x)/sqrt(a + b*tanh(x)**4), x)
```

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\tanh(x)}{\sqrt{b \tanh(x)^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tanh(x)/(a+b*tanh(x)^4)^(1/2),x, algorithm="giac")
```

```
[Out] integrate(tanh(x)/sqrt(b*tanh(x)^4 + a), x)
```

$$3.262 \quad \int \frac{\tanh(x)}{\left(a+b \tanh^4(x)\right)^{3/2}} dx$$

**Optimal.** Leaf size=74

$$\frac{\tanh^{-1}\left(\frac{a+b \tanh^2(x)}{\sqrt{a+b} \sqrt{a+b \tanh^4(x)}}\right)}{2(a+b)^{3/2}} - \frac{a-b \tanh^2(x)}{2a(a+b)\sqrt{a+b \tanh^4(x)}}$$

[Out] ArcTanh[(a + b\*Tanh[x]^2)/(Sqrt[a + b]\*Sqrt[a + b\*Tanh[x]^4])]/(2\*(a + b)^(3/2)) - (a - b\*Tanh[x]^2)/(2\*a\*(a + b)\*Sqrt[a + b\*Tanh[x]^4])

**Rubi [A]** time = 0.122871, antiderivative size = 74, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.4$ , Rules used = {3670, 1248, 741, 12, 725, 206}

$$\frac{\tanh^{-1}\left(\frac{a+b \tanh^2(x)}{\sqrt{a+b} \sqrt{a+b \tanh^4(x)}}\right)}{2(a+b)^{3/2}} - \frac{a-b \tanh^2(x)}{2a(a+b)\sqrt{a+b \tanh^4(x)}}$$

Antiderivative was successfully verified.

[In] Int[Tanh[x]/(a + b\*Tanh[x]^4)^(3/2), x]

[Out] ArcTanh[(a + b\*Tanh[x]^2)/(Sqrt[a + b]\*Sqrt[a + b\*Tanh[x]^4])]/(2\*(a + b)^(3/2)) - (a - b\*Tanh[x]^2)/(2\*a\*(a + b)\*Sqrt[a + b\*Tanh[x]^4])

### Rule 3670

Int[((d\_)\*tan[(e\_.) + (f\_.)\*(x\_)]^(m\_))\*((a\_) + (b\_)\*((c\_)\*tan[(e\_.) + (f\_.)\*(x\_)]^(n\_))^(p\_), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

### Rule 1248

```
Int[(x_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol]
  :> Dist[1/2, Subst[Int[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ
[{a, c, d, e, p, q}, x]
```

### Rule 741

```
Int[((d_) + (e_)*(x_))^(m_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :> -Simp
[((d + e*x)^(m + 1)*(a*e + c*d*x)*(a + c*x^2)^(p + 1))/(2*a*(p + 1)*(c*d^2
+ a*e^2)), x] + Dist[1/(2*a*(p + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^m*Simp[
c*d^2*(2*p + 3) + a*e^2*(m + 2*p + 3) + c*e*d*(m + 2*p + 4)*x, x]*(a + c*x^
2)^(p + 1), x], x] /; FreeQ[{a, c, d, e, m}, x] && NeQ[c*d^2 + a*e^2, 0] &&
LtQ[p, -1] && IntQuadraticQ[a, 0, c, d, e, m, p, x]
```

### Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

### Rule 725

```
Int[1/(((d_) + (e_)*(x_))*Sqrt[(a_) + (c_)*(x_)^2]), x_Symbol] :> -Subst[
Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ
[{a, c, d, e}, x]
```

### Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

### Rubi steps

$$\begin{aligned}
\int \frac{\tanh(x)}{(a + b \tanh^4(x))^{3/2}} dx &= \text{Subst} \left( \int \frac{x}{(1-x^2)(a+bx^4)^{3/2}} dx, x, \tanh(x) \right) \\
&= \frac{1}{2} \text{Subst} \left( \int \frac{1}{(1-x)(a+bx^2)^{3/2}} dx, x, \tanh^2(x) \right) \\
&= -\frac{a-b \tanh^2(x)}{2a(a+b)\sqrt{a+b \tanh^4(x)}} + \frac{\text{Subst} \left( \int \frac{a}{(1-x)\sqrt{a+bx^2}} dx, x, \tanh^2(x) \right)}{2a(a+b)} \\
&= -\frac{a-b \tanh^2(x)}{2a(a+b)\sqrt{a+b \tanh^4(x)}} + \frac{\text{Subst} \left( \int \frac{1}{(1-x)\sqrt{a+bx^2}} dx, x, \tanh^2(x) \right)}{2(a+b)} \\
&= -\frac{a-b \tanh^2(x)}{2a(a+b)\sqrt{a+b \tanh^4(x)}} - \frac{\text{Subst} \left( \int \frac{1}{a+b-x^2} dx, x, \frac{-a-b \tanh^2(x)}{\sqrt{a+b \tanh^4(x)}} \right)}{2(a+b)} \\
&= \frac{\tanh^{-1} \left( \frac{a+b \tanh^2(x)}{\sqrt{a+b}\sqrt{a+b \tanh^4(x)}} \right)}{2(a+b)^{3/2}} - \frac{a-b \tanh^2(x)}{2a(a+b)\sqrt{a+b \tanh^4(x)}}
\end{aligned}$$

**Mathematica [A]** time = 0.523797, size = 73, normalized size = 0.99

$$\frac{1}{2} \left( \frac{\tanh^{-1} \left( \frac{a+b \tanh^2(x)}{\sqrt{a+b}\sqrt{a+b \tanh^4(x)}} \right)}{(a+b)^{3/2}} - \frac{a-b \tanh^2(x)}{a(a+b)\sqrt{a+b \tanh^4(x)}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[x]/(a + b\*Tanh[x]^4)^(3/2), x]

[Out] (ArcTanh[(a + b\*Tanh[x]^2)/(Sqrt[a + b]\*Sqrt[a + b\*Tanh[x]^4])]/(a + b)^(3/2) - (a - b\*Tanh[x]^2)/(a\*(a + b)\*Sqrt[a + b\*Tanh[x]^4]))/2

**Maple [C]** time = 0.041, size = 431, normalized size = 5.8

result too large to display



Verification of antiderivative is not currently implemented for this CAS.

[In] `int(tanh(x)/(a+b*tanh(x)^4)^(3/2),x)`

[Out] 
$$b*(-1/4/a/(a+b)*\tanh(x)^3+1/4/a/(a+b)*\tanh(x)^2-1/4/a/(a+b)*\tanh(x)-1/4/(a+b)/b)/((\tanh(x)^4+a/b)*b)^{(1/2)}-1/2/(a+b)*(-1/2/(a+b)^{(1/2)}*\operatorname{arctanh}(1/2*(2*b*\tanh(x)^2+2*a)/(a+b)^{(1/2)}/(a+b*\tanh(x)^4)^{(1/2)}))+1/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(1-I/a^{(1/2)}*b^{(1/2)}*\tanh(x)^2)^{(1/2)}*(1+I/a^{(1/2)}*b^{(1/2)}*\tanh(x)^2)^{(1/2)}/(a+b*\tanh(x)^4)^{(1/2)}*\operatorname{EllipticPi}(\tanh(x)*(I/a^{(1/2)}*b^{(1/2)})^{(1/2)},-I*a^{(1/2)}/b^{(1/2)},(-I/a^{(1/2)}*b^{(1/2)})^{(1/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}))+b*(1/4/a/(a+b)*\tanh(x)^3+1/4/a/(a+b)*\tanh(x)^2+1/4/a/(a+b)*\tanh(x)-1/4/(a+b)/b)/((\tanh(x)^4+a/b)*b)^{(1/2)}-1/2/(a+b)*(-1/2/(a+b)^{(1/2)}*\operatorname{arctanh}(1/2*(2*b*\tanh(x)^2+2*a)/(a+b)^{(1/2)}/(a+b*\tanh(x)^4)^{(1/2)}))-1/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(1-I/a^{(1/2)}*b^{(1/2)}*\tanh(x)^2)^{(1/2)}*(1+I/a^{(1/2)}*b^{(1/2)}*\tanh(x)^2)^{(1/2)}/(a+b*\tanh(x)^4)^{(1/2)}*\operatorname{EllipticPi}(\tanh(x)*(I/a^{(1/2)}*b^{(1/2)})^{(1/2)},-I*a^{(1/2)}/b^{(1/2)},(-I/a^{(1/2)}*b^{(1/2)})^{(1/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}))$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\tanh(x)}{(b \tanh(x)^4 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(x)/(a+b*tanh(x)^4)^(3/2),x, algorithm="maxima")`

[Out] `integrate(tanh(x)/(b*tanh(x)^4 + a)^(3/2), x)`

**Fricas [B]** time = 5.85996, size = 10031, normalized size = 135.55

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(x)/(a+b*tanh(x)^4)^(3/2),x, algorithm="fricas")`

[Out] 
$$[1/4*((a^2 + a*b)*\cosh(x)^8 + 8*(a^2 + a*b)*\cosh(x)*\sinh(x)^7 + (a^2 + a*b)*\sinh(x)^8 + 4*(a^2 - a*b)*\cosh(x)^6 + 4*(7*(a^2 + a*b)*\cosh(x)^2 + a^2 - a*b)*\sinh(x)^6 + 8*(7*(a^2 + a*b)*\cosh(x)^3 + 3*(a^2 - a*b)*\cosh(x))*\sinh(x)$$

$$\begin{aligned}
&)^5 + 6*(a^2 + a*b)*\cosh(x)^4 + 2*(35*(a^2 + a*b)*\cosh(x)^4 + 30*(a^2 - a*b) \\
&)*\cosh(x)^2 + 3*a^2 + 3*a*b)*\sinh(x)^4 + 8*(7*(a^2 + a*b)*\cosh(x)^5 + 10*(a \\
&^2 - a*b)*\cosh(x)^3 + 3*(a^2 + a*b)*\cosh(x))*\sinh(x)^3 + 4*(a^2 - a*b)*\cosh \\
&(x)^2 + 4*(7*(a^2 + a*b)*\cosh(x)^6 + 15*(a^2 - a*b)*\cosh(x)^4 + 9*(a^2 + a* \\
&b)*\cosh(x)^2 + a^2 - a*b)*\sinh(x)^2 + a^2 + a*b + 8*((a^2 + a*b)*\cosh(x)^7 \\
&+ 3*(a^2 - a*b)*\cosh(x)^5 + 3*(a^2 + a*b)*\cosh(x)^3 + (a^2 - a*b)*\cosh(x))* \\
&\sinh(x))*\sqrt{a + b}*\log(((a^2 + 2*a*b + b^2)*\cosh(x)^8 + 8*(a^2 + 2*a*b + \\
&b^2)*\cosh(x))*\sinh(x)^7 + (a^2 + 2*a*b + b^2)*\sinh(x)^8 + 4*(a^2 - b^2)*\cosh \\
&(x)^6 + 4*(7*(a^2 + 2*a*b + b^2)*\cosh(x)^2 + a^2 - b^2)*\sinh(x)^6 + 8*(7*(a \\
&^2 + 2*a*b + b^2)*\cosh(x)^3 + 3*(a^2 - b^2)*\cosh(x))*\sinh(x)^5 + 2*(3*a^2 + \\
&2*a*b + 3*b^2)*\cosh(x)^4 + 2*(35*(a^2 + 2*a*b + b^2)*\cosh(x)^4 + 30*(a^2 - \\
&b^2)*\cosh(x)^2 + 3*a^2 + 2*a*b + 3*b^2)*\sinh(x)^4 + 8*(7*(a^2 + 2*a*b + b^ \\
&2)*\cosh(x)^5 + 10*(a^2 - b^2)*\cosh(x)^3 + (3*a^2 + 2*a*b + 3*b^2)*\cosh(x))* \\
&\sinh(x)^3 + 4*(a^2 - b^2)*\cosh(x)^2 + 4*(7*(a^2 + 2*a*b + b^2)*\cosh(x)^6 + \\
&15*(a^2 - b^2)*\cosh(x)^4 + 3*(3*a^2 + 2*a*b + 3*b^2)*\cosh(x)^2 + a^2 - b^2) \\
&*\sinh(x)^2 + \sqrt{2}*((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x))*\sinh(x)^3 + (a \\
&+ b)*\sinh(x)^4 + 2*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a - b)*\sinh \\
&(x)^2 + 4*((a + b)*\cosh(x)^3 + (a - b)*\cosh(x))*\sinh(x) + a + b)*\sqrt{a + b} \\
&)*\sqrt{((a + b)*\cosh(x)^4 + (a + b)*\sinh(x)^4 + 4*(a - b)*\cosh(x)^2 + 2*(3* \\
&(a + b)*\cosh(x)^2 + 2*a - 2*b)*\sinh(x)^2 + 3*a + 3*b)/(\cosh(x)^4 - 4*\cosh(x) \\
&)^3*\sinh(x) + 6*\cosh(x)^2*\sinh(x)^2 - 4*\cosh(x)*\sinh(x)^3 + \sinh(x)^4)} + a \\
&^2 + 2*a*b + b^2 + 8*((a^2 + 2*a*b + b^2)*\cosh(x)^7 + 3*(a^2 - b^2)*\cosh(x) \\
&^5 + (3*a^2 + 2*a*b + 3*b^2)*\cosh(x)^3 + (a^2 - b^2)*\cosh(x))*\sinh(x))/(\cos \\
&h(x)^4 + 4*\cosh(x)^3*\sinh(x) + 6*\cosh(x)^2*\sinh(x)^2 + 4*\cosh(x)*\sinh(x)^3 \\
&+ \sinh(x)^4)) - 2*\sqrt{2}*((a^2 - b^2)*\cosh(x)^4 + 4*(a^2 - b^2)*\cosh(x)*\si \\
&nh(x)^3 + (a^2 - b^2)*\sinh(x)^4 + 2*(a^2 + 2*a*b + b^2)*\cosh(x)^2 + 2*(3*(a \\
&^2 - b^2)*\cosh(x)^2 + a^2 + 2*a*b + b^2)*\sinh(x)^2 + a^2 - b^2 + 4*((a^2 - \\
&b^2)*\cosh(x)^3 + (a^2 + 2*a*b + b^2)*\cosh(x))*\sinh(x))*\sqrt{((a + b)*\cosh(x) \\
&)^4 + (a + b)*\sinh(x)^4 + 4*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + 2* \\
&a - 2*b)*\sinh(x)^2 + 3*a + 3*b)/(\cosh(x)^4 - 4*\cosh(x)^3*\sinh(x) + 6*\cosh(x) \\
&)^2*\sinh(x)^2 - 4*\cosh(x)*\sinh(x)^3 + \sinh(x)^4)))/((a^4 + 3*a^3*b + 3*a^2* \\
&b^2 + a*b^3)*\cosh(x)^8 + 8*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\cosh(x)*\sinh \\
&(x)^7 + (a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\sinh(x)^8 + 4*(a^4 + a^3*b - a^ \\
&2*b^2 - a*b^3)*\cosh(x)^6 + 4*(a^4 + a^3*b - a^2*b^2 - a*b^3 + 7*(a^4 + 3*a^ \\
&3*b + 3*a^2*b^2 + a*b^3)*\cosh(x)^2)*\sinh(x)^6 + 8*(7*(a^4 + 3*a^3*b + 3*a^2 \\
&*b^2 + a*b^3)*\cosh(x)^3 + 3*(a^4 + a^3*b - a^2*b^2 - a*b^3)*\cosh(x))*\sinh(x) \\
&)^5 + 6*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\cosh(x)^4 + 2*(35*(a^4 + 3*a^3* \\
&b + 3*a^2*b^2 + a*b^3)*\cosh(x)^4 + 3*a^4 + 9*a^3*b + 9*a^2*b^2 + 3*a*b^3 + \\
&30*(a^4 + a^3*b - a^2*b^2 - a*b^3)*\cosh(x)^2)*\sinh(x)^4 + a^4 + 3*a^3*b + 3 \\
&a^2*b^2 + a*b^3 + 8*(7*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\cosh(x)^5 + 10* \\
&(a^4 + a^3*b - a^2*b^2 - a*b^3)*\cosh(x)^3 + 3*(a^4 + 3*a^3*b + 3*a^2*b^2 + \\
&a*b^3)*\cosh(x))*\sinh(x)^3 + 4*(a^4 + a^3*b - a^2*b^2 - a*b^3)*\cosh(x)^2 + 4 \\
&*(7*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\cosh(x)^6 + 15*(a^4 + a^3*b - a^2*b^ \\
&2 - a*b^3)*\cosh(x)^4 + a^4 + a^3*b - a^2*b^2 - a*b^3 + 9*(a^4 + 3*a^3*b + \\
&3*a^2*b^2 + a*b^3)*\cosh(x)^2)*\sinh(x)^2 + 8*((a^4 + 3*a^3*b + 3*a^2*b^2 + a
\end{aligned}$$

$$\begin{aligned}
& *b^3*\cosh(x)^7 + 3*(a^4 + a^3*b - a^2*b^2 - a*b^3)*\cosh(x)^5 + 3*(a^4 + 3* \\
& a^3*b + 3*a^2*b^2 + a*b^3)*\cosh(x)^3 + (a^4 + a^3*b - a^2*b^2 - a*b^3)*\cosh \\
& (x)*\sinh(x)), -1/2*((a^2 + a*b)*\cosh(x)^8 + 8*(a^2 + a*b)*\cosh(x)*\sinh(x) \\
& ^7 + (a^2 + a*b)*\sinh(x)^8 + 4*(a^2 - a*b)*\cosh(x)^6 + 4*(7*(a^2 + a*b)*\cos \\
& h(x)^2 + a^2 - a*b)*\sinh(x)^6 + 8*(7*(a^2 + a*b)*\cosh(x)^3 + 3*(a^2 - a*b)* \\
& \cosh(x))*\sinh(x)^5 + 6*(a^2 + a*b)*\cosh(x)^4 + 2*(35*(a^2 + a*b)*\cosh(x)^4 \\
& + 30*(a^2 - a*b)*\cosh(x)^2 + 3*a^2 + 3*a*b)*\sinh(x)^4 + 8*(7*(a^2 + a*b)*\co \\
& sh(x)^5 + 10*(a^2 - a*b)*\cosh(x)^3 + 3*(a^2 + a*b)*\cosh(x))*\sinh(x)^3 + 4*( \\
& a^2 - a*b)*\cosh(x)^2 + 4*(7*(a^2 + a*b)*\cosh(x)^6 + 15*(a^2 - a*b)*\cosh(x)^ \\
& 4 + 9*(a^2 + a*b)*\cosh(x)^2 + a^2 - a*b)*\sinh(x)^2 + a^2 + a*b + 8*((a^2 + \\
& a*b)*\cosh(x)^7 + 3*(a^2 - a*b)*\cosh(x)^5 + 3*(a^2 + a*b)*\cosh(x)^3 + (a^2 - \\
& a*b)*\cosh(x))*\sinh(x))*\sqrt{-a - b}*\arctan(\sqrt{2}*((a + b)*\cosh(x)^4 + 4* \\
& (a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*(a - b)*\cosh(x)^2 + 2*(3* \\
& (a + b)*\cosh(x)^2 + a - b)*\sinh(x)^2 + 4*((a + b)*\cosh(x)^3 + (a - b)*\cosh( \\
& x))*\sinh(x) + a + b)*\sqrt{-a - b}*\sqrt{((a + b)*\cosh(x)^4 + (a + b)*\sinh(x) \\
& ^4 + 4*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + 2*a - 2*b)*\sinh(x)^2 + \\
& 3*a + 3*b)/(\cosh(x)^4 - 4*\cosh(x)^3*\sinh(x) + 6*\cosh(x)^2*\sinh(x)^2 - 4*\cos \\
& h(x)*\sinh(x)^3 + \sinh(x)^4))/((a^2 + 2*a*b + b^2)*\cosh(x)^8 + 8*(a^2 + 2*a* \\
& b + b^2)*\cosh(x)*\sinh(x)^7 + (a^2 + 2*a*b + b^2)*\sinh(x)^8 + 4*(a^2 - b^2)* \\
& \cosh(x)^6 + 4*(7*(a^2 + 2*a*b + b^2)*\cosh(x)^2 + a^2 - b^2)*\sinh(x)^6 + 8*( \\
& 7*(a^2 + 2*a*b + b^2)*\cosh(x)^3 + 3*(a^2 - b^2)*\cosh(x))*\sinh(x)^5 + 6*(a^2 \\
& + 2*a*b + b^2)*\cosh(x)^4 + 2*(35*(a^2 + 2*a*b + b^2)*\cosh(x)^4 + 30*(a^2 - \\
& b^2)*\cosh(x)^2 + 3*a^2 + 6*a*b + 3*b^2)*\sinh(x)^4 + 8*(7*(a^2 + 2*a*b + b^ \\
& 2)*\cosh(x)^5 + 10*(a^2 - b^2)*\cosh(x)^3 + 3*(a^2 + 2*a*b + b^2)*\cosh(x))*\si \\
& nh(x)^3 + 4*(a^2 - b^2)*\cosh(x)^2 + 4*(7*(a^2 + 2*a*b + b^2)*\cosh(x)^6 + 15 \\
& *(a^2 - b^2)*\cosh(x)^4 + 9*(a^2 + 2*a*b + b^2)*\cosh(x)^2 + a^2 - b^2)*\sinh( \\
& x)^2 + a^2 + 2*a*b + b^2 + 8*((a^2 + 2*a*b + b^2)*\cosh(x)^7 + 3*(a^2 - b^2) \\
& *\cosh(x)^5 + 3*(a^2 + 2*a*b + b^2)*\cosh(x)^3 + (a^2 - b^2)*\cosh(x))*\sinh(x) \\
& )) + \sqrt{2}*((a^2 - b^2)*\cosh(x)^4 + 4*(a^2 - b^2)*\cosh(x)*\sinh(x)^3 + (a^ \\
& 2 - b^2)*\sinh(x)^4 + 2*(a^2 + 2*a*b + b^2)*\cosh(x)^2 + 2*(3*(a^2 - b^2)*\cos \\
& h(x)^2 + a^2 + 2*a*b + b^2)*\sinh(x)^2 + a^2 - b^2 + 4*((a^2 - b^2)*\cosh(x)^ \\
& 3 + (a^2 + 2*a*b + b^2)*\cosh(x))*\sinh(x))*\sqrt{((a + b)*\cosh(x)^4 + (a + b) \\
& *\sinh(x)^4 + 4*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + 2*a - 2*b)*\sinh \\
& (x)^2 + 3*a + 3*b)/(\cosh(x)^4 - 4*\cosh(x)^3*\sinh(x) + 6*\cosh(x)^2*\sinh(x)^2 \\
& - 4*\cosh(x)*\sinh(x)^3 + \sinh(x)^4))/((a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)* \\
& \cosh(x)^8 + 8*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\cosh(x)*\sinh(x)^7 + (a^4 \\
& + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\sinh(x)^8 + 4*(a^4 + a^3*b - a^2*b^2 - a*b^3) \\
& )*\cosh(x)^6 + 4*(a^4 + a^3*b - a^2*b^2 - a*b^3 + 7*(a^4 + 3*a^3*b + 3*a^2*b \\
& ^2 + a*b^3)*\cosh(x)^2)*\sinh(x)^6 + 8*(7*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3) \\
& *\cosh(x)^3 + 3*(a^4 + a^3*b - a^2*b^2 - a*b^3)*\cosh(x))*\sinh(x)^5 + 6*(a^4 \\
& + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\cosh(x)^4 + 2*(35*(a^4 + 3*a^3*b + 3*a^2*b^2 \\
& + a*b^3)*\cosh(x)^4 + 3*a^4 + 9*a^3*b + 9*a^2*b^2 + 3*a*b^3 + 30*(a^4 + a^3 \\
& *b - a^2*b^2 - a*b^3)*\cosh(x)^2)*\sinh(x)^4 + a^4 + 3*a^3*b + 3*a^2*b^2 + a* \\
& b^3 + 8*(7*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\cosh(x)^5 + 10*(a^4 + a^3*b \\
& - a^2*b^2 - a*b^3)*\cosh(x)^3 + 3*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\cosh(x)
\end{aligned}$$

```

))*sinh(x)^3 + 4*(a^4 + a^3*b - a^2*b^2 - a*b^3)*cosh(x)^2 + 4*(7*(a^4 + 3*
a^3*b + 3*a^2*b^2 + a*b^3)*cosh(x)^6 + 15*(a^4 + a^3*b - a^2*b^2 - a*b^3)*c
osh(x)^4 + a^4 + a^3*b - a^2*b^2 - a*b^3 + 9*(a^4 + 3*a^3*b + 3*a^2*b^2 + a
*b^3)*cosh(x)^2)*sinh(x)^2 + 8*((a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*cosh(x)
^7 + 3*(a^4 + a^3*b - a^2*b^2 - a*b^3)*cosh(x)^5 + 3*(a^4 + 3*a^3*b + 3*a^2
*b^2 + a*b^3)*cosh(x)^3 + (a^4 + a^3*b - a^2*b^2 - a*b^3)*cosh(x))*sinh(x))
]

```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\tanh(x)}{(a + b \tanh^4(x))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tanh(x)/(a+b*tanh(x)**4)**(3/2),x)
```

```
[Out] Integral(tanh(x)/(a + b*tanh(x)**4)**(3/2), x)
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\tanh(x)}{(b \tanh(x)^4 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tanh(x)/(a+b*tanh(x)^4)^(3/2),x, algorithm="giac")
```

```
[Out] integrate(tanh(x)/(b*tanh(x)^4 + a)^(3/2), x)
```

$$3.263 \quad \int \frac{\tanh(x)}{(a+b \tanh^4(x))^{5/2}} dx$$

**Optimal.** Leaf size=118

$$-\frac{3a^2 - b(5a + 2b) \tanh^2(x)}{6a^2(a+b)^2 \sqrt{a+b \tanh^4(x)}} + \frac{\tanh^{-1}\left(\frac{a+b \tanh^2(x)}{\sqrt{a+b} \sqrt{a+b \tanh^4(x)}}\right)}{2(a+b)^{5/2}} - \frac{a - b \tanh^2(x)}{6a(a+b) (a+b \tanh^4(x))^{3/2}}$$

[Out] ArcTanh[(a + b\*Tanh[x]^2)/(Sqrt[a + b]\*Sqrt[a + b\*Tanh[x]^4])]/(2\*(a + b)^(5/2)) - (a - b\*Tanh[x]^2)/(6\*a\*(a + b)\*(a + b\*Tanh[x]^4)^(3/2)) - (3\*a^2 - b\*(5\*a + 2\*b)\*Tanh[x]^2)/(6\*a^2\*(a + b)^2\*Sqrt[a + b\*Tanh[x]^4])

**Rubi [A]** time = 0.198754, antiderivative size = 118, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.467$ , Rules used = {3670, 1248, 741, 823, 12, 725, 206}

$$-\frac{3a^2 - b(5a + 2b) \tanh^2(x)}{6a^2(a+b)^2 \sqrt{a+b \tanh^4(x)}} + \frac{\tanh^{-1}\left(\frac{a+b \tanh^2(x)}{\sqrt{a+b} \sqrt{a+b \tanh^4(x)}}\right)}{2(a+b)^{5/2}} - \frac{a - b \tanh^2(x)}{6a(a+b) (a+b \tanh^4(x))^{3/2}}$$

Antiderivative was successfully verified.

[In] Int [Tanh[x]/(a + b\*Tanh[x]^4)^(5/2), x]

[Out] ArcTanh[(a + b\*Tanh[x]^2)/(Sqrt[a + b]\*Sqrt[a + b\*Tanh[x]^4])]/(2\*(a + b)^(5/2)) - (a - b\*Tanh[x]^2)/(6\*a\*(a + b)\*(a + b\*Tanh[x]^4)^(3/2)) - (3\*a^2 - b\*(5\*a + 2\*b)\*Tanh[x]^2)/(6\*a^2\*(a + b)^2\*Sqrt[a + b\*Tanh[x]^4])

### Rule 3670

Int[((d\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_.))^(p\_.), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x]] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

Rule 1248

```
Int[(x_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol]
:> Dist[1/2, Subst[Int[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ
[{a, c, d, e, p, q}, x]
```

Rule 741

```
Int[((d_) + (e_)*(x_)^(m_))*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :> -Simp
[((d + e*x)^(m + 1)*(a*e + c*d*x)*(a + c*x^2)^(p + 1))/(2*a*(p + 1)*(c*d^2
+ a*e^2)), x] + Dist[1/(2*a*(p + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^m*Simp[
c*d^2*(2*p + 3) + a*e^2*(m + 2*p + 3) + c*e*d*(m + 2*p + 4)*x, x]*(a + c*x^
2)^(p + 1), x], x] /; FreeQ[{a, c, d, e, m}, x] && NeQ[c*d^2 + a*e^2, 0] &&
LtQ[p, -1] && IntQuadraticQ[a, 0, c, d, e, m, p, x]
```

Rule 823

```
Int[((d_) + (e_)*(x_)^(m_))*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] :> -Simp[((d + e*x)^(m + 1)*(f*a*c*e - a*g*c*d + c*(c*d*f + a
*e*g)*x)*(a + c*x^2)^(p + 1))/(2*a*c*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[1/
(2*a*c*(p + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^m*(a + c*x^2)^(p + 1)*Simp[f
*(c^2*d^2*(2*p + 3) + a*c*e^2*(m + 2*p + 3)) - a*c*d*e*g*m + c*e*(c*d*f + a
*e*g)*(m + 2*p + 4)*x, x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[c*
d^2 + a*e^2, 0] && LtQ[p, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2
*m, 2*p])
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 725

```
Int[1/(((d_) + (e_)*(x_))*Sqrt[(a_) + (c_)*(x_)^2]), x_Symbol] :> -Subst[
Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ
[{a, c, d, e}, x]
```

Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{\tanh(x)}{(a + b \tanh^4(x))^{5/2}} dx &= \text{Subst} \left( \int \frac{x}{(1-x^2)(a+bx^2)^{5/2}} dx, x, \tanh(x) \right) \\
&= \frac{1}{2} \text{Subst} \left( \int \frac{1}{(1-x)(a+bx^2)^{5/2}} dx, x, \tanh^2(x) \right) \\
&= -\frac{a-b \tanh^2(x)}{6a(a+b)(a+b \tanh^4(x))^{3/2}} - \frac{\text{Subst} \left( \int \frac{-3a-2b+2bx}{(1-x)(a+bx^2)^{3/2}} dx, x, \tanh^2(x) \right)}{6a(a+b)} \\
&= -\frac{a-b \tanh^2(x)}{6a(a+b)(a+b \tanh^4(x))^{3/2}} - \frac{3a^2-b(5a+2b) \tanh^2(x)}{6a^2(a+b)^2 \sqrt{a+b \tanh^4(x)}} + \frac{\text{Subst} \left( \int \frac{3a^2b}{(1-x)\sqrt{a+bx^2}} dx, x \right)}{6a^2b(a+b)^2} \\
&= -\frac{a-b \tanh^2(x)}{6a(a+b)(a+b \tanh^4(x))^{3/2}} - \frac{3a^2-b(5a+2b) \tanh^2(x)}{6a^2(a+b)^2 \sqrt{a+b \tanh^4(x)}} + \frac{\text{Subst} \left( \int \frac{1}{(1-x)\sqrt{a+bx^2}} dx, x \right)}{2(a+b)^2} \\
&= -\frac{a-b \tanh^2(x)}{6a(a+b)(a+b \tanh^4(x))^{3/2}} - \frac{3a^2-b(5a+2b) \tanh^2(x)}{6a^2(a+b)^2 \sqrt{a+b \tanh^4(x)}} - \frac{\text{Subst} \left( \int \frac{1}{a+b-x^2} dx, x, \frac{-a-\tanh^2(x)}{\sqrt{a+b \tanh^4(x)}} \right)}{2(a+b)^2} \\
&= \frac{\tanh^{-1} \left( \frac{a+b \tanh^2(x)}{\sqrt{a+b} \sqrt{a+b \tanh^4(x)}} \right)}{2(a+b)^{5/2}} - \frac{a-b \tanh^2(x)}{6a(a+b)(a+b \tanh^4(x))^{3/2}} - \frac{3a^2-b(5a+2b) \tanh^2(x)}{6a^2(a+b)^2 \sqrt{a+b \tanh^4(x)}}
\end{aligned}$$

**Mathematica [A]** time = 0.785528, size = 113, normalized size = 0.96

$$\frac{1}{6} \left( \frac{-3a^2b \tanh^4(x) - a^2(4a+b) + b^2(5a+2b) \tanh^6(x) + 3ab(2a+b) \tanh^2(x)}{a^2(a+b)^2 (a+b \tanh^4(x))^{3/2}} + \frac{3 \tanh^{-1} \left( \frac{a+b \tanh^2(x)}{\sqrt{a+b} \sqrt{a+b \tanh^4(x)}} \right)}{(a+b)^{5/2}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[x]/(a + b\*Tanh[x]^4)^(5/2), x]

[Out] ((3\*ArcTanh[(a + b\*Tanh[x]^2)/(Sqrt[a + b]\*Sqrt[a + b\*Tanh[x]^4])])/(a + b)^(5/2) + (-a^2\*(4\*a + b)) + 3\*a\*b\*(2\*a + b)\*Tanh[x]^2 - 3\*a^2\*b\*Tanh[x]^4

$$+ b^2*(5*a + 2*b)*\text{Tanh}[x]^6)/(a^2*(a + b)^2*(a + b*\text{Tanh}[x]^4)^{(3/2)})/6$$

**Maple [C]** time = 0.053, size = 637, normalized size = 5.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(tanh(x)/(a+b*tanh(x)^4)^(5/2),x)`

[Out] 
$$\begin{aligned} & -1/2*(1/6/a/(a+b)/b*\text{tanh}(x)^3-1/6/a/(a+b)/b*\text{tanh}(x)^2+1/6/a/(a+b)/b*\text{tanh}(x) \\ & +1/6/(a+b)/b^2)*(a+b*\text{tanh}(x)^4)^{(1/2)}/(\text{tanh}(x)^4+a/b)^2+b*(-1/8*(3*a+b)/a^2 \\ & / (a+b)^2*\text{tanh}(x)^3+1/12*(5*a+2*b)/a^2/(a+b)^2*\text{tanh}(x)^2-1/24*(11*a+5*b)/a^2 \\ & / (a+b)^2*\text{tanh}(x)-1/4/(a+b)^2/b)/((\text{tanh}(x)^4+a/b)*b)^{(1/2)}-1/2/(a+b)^2*(-1/2 \\ & / (a+b)^{(1/2)}*\text{arctanh}(1/2*(2*b*\text{tanh}(x)^2+2*a)/(a+b)^{(1/2)})/(a+b*\text{tanh}(x)^4)^{(1 \\ & /2)))+1/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(1-I/a^{(1/2)}*b^{(1/2)}*\text{tanh}(x)^2)^{(1/2)}*(1+I \\ & /a^{(1/2)}*b^{(1/2)}*\text{tanh}(x)^2)^{(1/2)}/(a+b*\text{tanh}(x)^4)^{(1/2)}*\text{EllipticPi}(\text{tanh}(x)* \\ & (I/a^{(1/2)}*b^{(1/2)})^{(1/2)},-I*a^{(1/2)}/b^{(1/2)},(-I/a^{(1/2)}*b^{(1/2)})^{(1/2)}/(I/ \\ & a^{(1/2)}*b^{(1/2)})^{(1/2)}))-1/2*(-1/6/a/(a+b)/b*\text{tanh}(x)^3-1/6/a/(a+b)/b*\text{tanh}(x) \\ & )^2-1/6/a/(a+b)/b*\text{tanh}(x)+1/6/(a+b)/b^2)*(a+b*\text{tanh}(x)^4)^{(1/2)}/(\text{tanh}(x)^4+a \\ & /b)^2+b*(1/8*(3*a+b)/a^2/(a+b)^2*\text{tanh}(x)^3+1/12*(5*a+2*b)/a^2/(a+b)^2*\text{tanh}( \\ & x)^2+1/24*(11*a+5*b)/a^2/(a+b)^2*\text{tanh}(x)-1/4/(a+b)^2/b)/((\text{tanh}(x)^4+a/b)*b) \\ & ^{(1/2)}-1/2/(a+b)^2*(-1/2/(a+b)^{(1/2)}*\text{arctanh}(1/2*(2*b*\text{tanh}(x)^2+2*a)/(a+b)^ \\ & (1/2)})/(a+b*\text{tanh}(x)^4)^{(1/2)}-1/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(1-I/a^{(1/2)}*b^{(1 \\ & /2)*\text{tanh}(x)^2)^{(1/2)}*(1+I/a^{(1/2)}*b^{(1/2)}*\text{tanh}(x)^2)^{(1/2)}/(a+b*\text{tanh}(x)^4)^{( \\ & 1/2)}*\text{EllipticPi}(\text{tanh}(x)*(I/a^{(1/2)}*b^{(1/2)})^{(1/2)},-I*a^{(1/2)}/b^{(1/2)},(-I/a^{ \\ & (1/2)}*b^{(1/2)})^{(1/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)})) \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\tanh(x)}{(b \tanh(x)^4 + a)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(x)/(a+b*tanh(x)^4)^(5/2),x, algorithm="maxima")`

[Out] `integrate(tanh(x)/(b*tanh(x)^4 + a)^(5/2), x)`



---

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)/(a+b\*tanh(x)^4)^(5/2),x, algorithm="fricas")

[Out] Timed out

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\tanh(x)}{(a + b \tanh^4(x))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)/(a+b\*tanh(x)\*\*4)\*\*(5/2),x)

[Out] Integral(tanh(x)/(a + b\*tanh(x)\*\*4)\*\*(5/2), x)

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\tanh(x)}{(b \tanh(x)^4 + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)/(a+b\*tanh(x)^4)^(5/2),x, algorithm="giac")

[Out] integrate(tanh(x)/(b\*tanh(x)^4 + a)^(5/2), x)



# Chapter 4

## Listing of Grading functions

The following are the current version of the grading functions used for grading the quality of the antiderivative with reference to the optimal antiderivative included in the test suite.

There is a version for Maple and for Mathematica/Rubi. There is a version for grading Sympy and version for use with Sagemath.

The following are links to the current source code.

The following are the listings of source code of the grading functions.

### 4.0.1 Mathematica and Rubi grading function

```
1 (* Original version thanks to Albert Rich emailed on 03/21/2017 *)
2 (* ::Package:: *)
3
4 (* ::Subsection:: *)
5 (*GradeAntiderivative[result,optimal]*)
6
7
8 (* ::Text:: *)
9 (*If result and optimal are mathematical expressions, *)
10 (*      GradeAntiderivative[result,optimal] returns*)
11 (* "F" if the result fails to integrate an expression that*)
12 (*      is integrable*)
13 (* "C" if result involves higher level functions than necessary*)
14 (* "B" if result is more than twice the size of the optimal*)
15 (*      antiderivative*)
16 (* "A" if result can be considered optimal*)
17
18
19 GradeAntiderivative[result_,optimal_] :=
20   If[ExpnType[result]<=ExpnType[optimal],
21     If[FreeQ[result,Complex] || Not[FreeQ[optimal,Complex]],
```

```

22     If[LeafCount[result]<=2*LeafCount[optimal],
23         "A",
24         "B"],
25     "C"],
26 If[FreeQ[result,Integrate] && FreeQ[result,Int],
27     "C",
28     "F"]]
29
30
31 (* ::Text:: *)
32 (*The following summarizes the type number assigned an *)
33 (*expression based on the functions it involves*)
34 (*1 = rational function*)
35 (*2 = algebraic function*)
36 (*3 = elementary function*)
37 (*4 = special function*)
38 (*5 = hyperpergeometric function*)
39 (*6 = appell function*)
40 (*7 = rootsum function*)
41 (*8 = integrate function*)
42 (*9 = unknown function*)
43
44
45 ExpnType[expn_] :=
46     If[AtomQ[expn],
47         1,
48     If[ListQ[expn],
49         Max[Map[ExpnType,expn]],
50     If[Head[expn]===Power,
51         If[IntegerQ[expn[[2]]],
52             ExpnType[expn[[1]]],
53         If[Head[expn[[2]]]===Rational,
54             If[IntegerQ[expn[[1]]] || Head[expn[[1]]]===Rational,
55                 1,
56                 Max[ExpnType[expn[[1]],2]],
57             Max[ExpnType[expn[[1]],ExpnType[expn[[2]],3]],
58     If[Head[expn]===Plus || Head[expn]===Times,
59         Max[ExpnType[First[expn]],ExpnType[Rest[expn]]],
60     If[ElementaryFunctionQ[Head[expn]],
61         Max[3,ExpnType[expn[[1]]],
62     If[SpecialFunctionQ[Head[expn]],
63         Apply[Max,Append[Map[ExpnType,Apply[List,expn]],4]],
64     If[HypergeometricFunctionQ[Head[expn]],
65         Apply[Max,Append[Map[ExpnType,Apply[List,expn]],5]],
66     If[AppellFunctionQ[Head[expn]],
67         Apply[Max,Append[Map[ExpnType,Apply[List,expn]],6]],
68     If[Head[expn]===RootSum,

```

```

69   Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 7]],
70   If[Head[expn]===Integrate || Head[expn]===Int,
71     Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 8]],
72   9]]]]]]]]]]
73
74
75 ElementaryFunctionQ[func_] :=
76   MemberQ[{
77     Exp, Log,
78     Sin, Cos, Tan, Cot, Sec, Csc,
79     ArcSin, ArcCos, ArcTan, ArcCot, ArcSec, ArcCsc,
80     Sinh, Cosh, Tanh, Coth, Sech, Csch,
81     ArcSinh, ArcCosh, ArcTanh, ArcCoth, ArcSech, ArcCsch
82   }, func]
83
84
85 SpecialFunctionQ[func_] :=
86   MemberQ[{
87     Erf, Erfc, Erfi,
88     FresnelS, FresnelC,
89     ExpIntegralE, ExpIntegralEi, LogIntegral,
90     SinIntegral, CosIntegral, SinhIntegral, CoshIntegral,
91     Gamma, LogGamma, PolyGamma,
92     Zeta, PolyLog, ProductLog,
93     EllipticF, EllipticE, EllipticPi
94   }, func]
95
96
97 HypergeometricFunctionQ[func_] :=
98   MemberQ[{Hypergeometric1F1, Hypergeometric2F1, HypergeometricPFQ}, func]
99
100
101 AppellFunctionQ[func_] :=
102   MemberQ[{AppellF1}, func]

```

## 4.0.2 Maple grading function

```

1 # File: GradeAntiderivative.mpl
2 # Original version thanks to Albert Rich emailed on 03/21/2017
3
4 #Nasser 03/22/2017 Use Maple leaf count instead since buildin
5 #Nasser 03/23/2017 missing 'ln' for ElementaryFunctionQ added
6 #Nasser 03/24/2017 corrected the check for complex result
7 #Nasser 10/27/2017 check for leafsize and do not call ExpnType()
8 #
9 #Nasser 12/22/2019 Added debug flag, added 'dilog' to special functions
10 #
11 see problem 156, file Apostol_Problems

```

```

11
12 GradeAntiderivative := proc(result,optimal)
13 local leaf_count_result, leaf_count_optimal,ExpnType_result,ExpnType_optimal,
    debug:=false;
14
15     leaf_count_result:=leafcount(result);
16     #do NOT call ExpnType() if leaf size is too large. Recursion problem
17     if leaf_count_result > 500000 then
18         return "B";
19     fi;
20
21     leaf_count_optimal:=leafcount(optimal);
22
23     ExpnType_result:=ExpnType(result);
24     ExpnType_optimal:=ExpnType(optimal);
25
26     if debug then
27         print("ExpnType_result",ExpnType_result," ExpnType_optimal=",
    ExpnType_optimal);
28     fi;
29
30 # If result and optimal are mathematical expressions,
31 # GradeAntiderivative[result,optimal] returns
32 #   "F" if the result fails to integrate an expression that
33 #     is integrable
34 #   "C" if result involves higher level functions than necessary
35 #   "B" if result is more than twice the size of the optimal
36 #     antiderivative
37 #   "A" if result can be considered optimal
38
39 #This check below actually is not needed, since I only
40 #call this grading only for passed integrals. i.e. I check
41 #for "F" before calling this. But no harm of keeping it here.
42 #just in case.
43
44
45 if not type(result,freeof('int')) then
46     return "F";
47 end if;
48
49
50 if ExpnType_result<=ExpnType_optimal then
51     if debug then
52         print("ExpnType_result<=ExpnType_optimal");
53     fi;
54     if is_contains_complex(result) then
55         if is_contains_complex(optimal) then

```

```
56     if debug then
57         print("both result and optimal complex");
58     fi;
59     #both result and optimal complex
60     if leaf_count_result<=2*leaf_count_optimal then
61         return "A";
62     else
63         return "B";
64     end if
65 else #result contains complex but optimal is not
66     if debug then
67         print("result contains complex but optimal is not");
68     fi;
69     return "C";
70 end if
71 else # result do not contain complex
72     # this assumes optimal do not as well
73     if debug then
74         print("result do not contain complex, this assumes optimal do not
as well");
75     fi;
76     if leaf_count_result<=2*leaf_count_optimal then
77         if debug then
78             print("leaf_count_result<=2*leaf_count_optimal");
79         fi;
80         return "A";
81     else
82         if debug then
83             print("leaf_count_result>2*leaf_count_optimal");
84         fi;
85         return "B";
86     end if
87 end if
88 else #ExpnType(result) > ExpnType(optimal)
89     if debug then
90         print("ExpnType(result) > ExpnType(optimal)");
91     fi;
92     return "C";
93 end if
94
95 end proc:
96
97 #
98 # is_contains_complex(result)
99 # takes expressions and returns true if it contains "I" else false
100 #
101 #Nasser 032417
```

```

102 is_contains_complex:= proc(expression)
103   return (has(expression,I));
104 end proc:
105
106 # The following summarizes the type number assigned an expression
107 # based on the functions it involves
108 # 1 = rational function
109 # 2 = algebraic function
110 # 3 = elementary function
111 # 4 = special function
112 # 5 = hyperpergeometric function
113 # 6 = appell function
114 # 7 = rootsum function
115 # 8 = integrate function
116 # 9 = unknown function
117
118 ExpnType := proc(expn)
119   if type(expn,'atomic') then
120     1
121   elif type(expn,'list') then
122     apply(max,map(ExpnType,expn))
123   elif type(expn,'sqrt') then
124     if type(op(1,expn),'rational') then
125       1
126     else
127       max(2,ExpnType(op(1,expn)))
128     end if
129   elif type(expn,'^^') then
130     if type(op(2,expn),'integer') then
131       ExpnType(op(1,expn))
132     elif type(op(2,expn),'rational') then
133       if type(op(1,expn),'rational') then
134         1
135       else
136         max(2,ExpnType(op(1,expn)))
137       end if
138     else
139       max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
140     end if
141   elif type(expn,'^+^') or type(expn,'`*`') then
142     max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
143   elif ElementaryFunctionQ(op(0,expn)) then
144     max(3,ExpnType(op(1,expn)))
145   elif SpecialFunctionQ(op(0,expn)) then
146     max(4,apply(max,map(ExpnType,[op(expn)])))
147   elif HypergeometricFunctionQ(op(0,expn)) then
148     max(5,apply(max,map(ExpnType,[op(expn)])))

```



```

149   elif AppellFunctionQ(op(0,expn)) then
150       max(6,apply(max,map(ExpnType,[op(expn)])))
151   elif op(0,expn)='int' then
152       max(8,apply(max,map(ExpnType,[op(expn)]))) else
153       9
154   end if
155 end proc:
156
157
158 ElementaryFunctionQ := proc(func)
159     member(func,[
160         exp,log,ln,
161         sin,cos,tan,cot,sec,csc,
162         arcsin,arccos,arctan,arccot,arcsec,arccsc,
163         sinh,cosh,tanh,coth,sech,csch,
164         arcsinh,arccosh,arctanh,arccoth,arcsech,arccsch])
165 end proc:
166
167 SpecialFunctionQ := proc(func)
168     member(func,[
169         erf,erfc,erfi,
170         FresnelS,FresnelC,
171         Ei,Ei,Li,Si,Ci,Shi,Chi,
172         GAMMA,lnGAMMA,Psi,Zeta,polylog,dilog,LambertW,
173         EllipticF,EllipticE,EllipticPi])
174 end proc:
175
176 HypergeometricFunctionQ := proc(func)
177     member(func,[Hypergeometric1F1,hypergeom,HypergeometricPFQ])
178 end proc:
179
180 AppellFunctionQ := proc(func)
181     member(func,[AppellF1])
182 end proc:
183
184 # u is a sum or product. rest(u) returns all but the
185 # first term or factor of u.
186 rest := proc(u) local v;
187     if nops(u)=2 then
188         op(2,u)
189     else
190         apply(op(0,u),op(2..nops(u),u))
191     end if
192 end proc:
193
194 #leafcount(u) returns the number of nodes in u.
195 #Nasser 3/23/17 Replaced by build-in leafCount from package in Maple

```

```

196 leafcount := proc(u)
197     MmaTranslator[Mma][LeafCount](u);
198 end proc:

```

### 4.0.3 Sympy grading function

```

1 #Dec 24, 2019. Nasser M. Abbasi:
2 #           Port of original Maple grading function by
3 #           Albert Rich to use with Sympy/Python
4 #Dec 27, 2019 Nasser. Added `RootSum`. See problem 177, Timofeev file
5 #           added 'exp_polar'
6 from sympy import *
7
8 def leaf_count(expr):
9     #sympy do not have leaf count function. This is approximation
10    return round(1.7*count_ops(expr))
11
12 def is_sqrt(expr):
13     if isinstance(expr,Pow):
14         if expr.args[1] == Rational(1,2):
15             return True
16         else:
17             return False
18     else:
19         return False
20
21 def is_elementary_function(func):
22     return func in [exp,log,ln,sin,cos,tan,cot,sec,csc,
23                    asin,acos,atan,acot,asec,acsc,sinh,cosh,tanh,coth,sech,csch,
24                    asinh,acosh,atanh,acoth,asech,acsch
25                    ]
26
27 def is_special_function(func):
28     return func in [ erf,erfc,erfi,
29                    fresnels,fresnelc,Ei,Ei,Li,Si,Ci,Shi,Chi,
30                    gamma,loggamma,digamma,zeta,polylog,LambertW,
31                    elliptic_f,elliptic_e,elliptic_pi,exp_polar
32                    ]
33
34 def is_hypergeometric_function(func):
35     return func in [hyper]
36
37 def is_appell_function(func):
38     return func in [appellf1]
39
40 def is_atom(expn):
41     try:

```

```

42     if expn.isAtom or isinstance(expn,int) or isinstance(expn,float):
43         return True
44     else:
45         return False
46
47     except AttributeError as error:
48         return False
49
50 def expnType(expn):
51     debug=False
52     if debug:
53         print("expn=",expn,"type(expn)=",type(expn))
54
55     if is_atom(expn):
56         return 1
57     elif isinstance(expn,list):
58         return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
59     elif is_sqrt(expn):
60         if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
61             return 1
62         else:
63             return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
64     elif isinstance(expn,Pow): #type(expn,'^^')
65         if isinstance(expn.args[1],Integer): #type(op(2,expn),'integer')
66             return expnType(expn.args[0]) #ExpnType(op(1,expn))
67         elif isinstance(expn.args[1],Rational): #type(op(2,expn),'rational')
68             if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
69                 return 1
70             else:
71                 return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)
72 ))
73     else:
74         return max(3,expnType(expn.args[0]),expnType(expn.args[1])) #max(3,
75 ExpnType(op(1,expn)),ExpnType(op(2,expn)))
76     elif isinstance(expn,Add) or isinstance(expn,Mul): #type(expn,'+' or type
77 (expn,'*')
78         m1 = expnType(expn.args[0])
79         m2 = expnType(list(expn.args[1:]))
80         return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
81     elif is_elementary_function(expn.func): #ElementaryFunctionQ(op(0,expn))
82         return max(3,expnType(expn.args[0])) #max(3,ExpnType(op(1,expn)))
83     elif is_special_function(expn.func): #SpecialFunctionQ(op(0,expn))
84         m1 = max(map(expnType, list(expn.args)))
85         return max(4,m1) #max(4,apply(max,map(ExpnType,[op(expn)])))
86     elif is_hypergeometric_function(expn.func): #HypergeometricFunctionQ(op(0,
87 expn))
88         m1 = max(map(expnType, list(expn.args)))

```

```

85     return max(5,m1)    #max(5,apply(max,map(ExpnType,[op(expn)])))
86 elif is_appell_function(expn.func):
87     m1 = max(map(expnType, list(expn.args)))
88     return max(6,m1)    #max(5,apply(max,map(ExpnType,[op(expn)])))
89 elif isinstance(expn,RootSum):
90     m1 = max(map(expnType, list(expn.args))) #Apply[Max,Append[Map[ExpnType,
Apply[List,expn]],7]],
91     return max(7,m1)
92 elif str(expn).find("Integral") != -1:
93     m1 = max(map(expnType, list(expn.args)))
94     return max(8,m1)    #max(5,apply(max,map(ExpnType,[op(expn)])))
95 else:
96     return 9
97
98 #main function
99 def grade_antiderivative(result,optimal):
100
101     leaf_count_result  = leaf_count(result)
102     leaf_count_optimal = leaf_count(optimal)
103
104     expnType_result  = expnType(result)
105     expnType_optimal = expnType(optimal)
106
107     if str(result).find("Integral") != -1:
108         return "F"
109
110     if expnType_result <= expnType_optimal:
111         if result.has(I):
112             if optimal.has(I): #both result and optimal complex
113                 if leaf_count_result <= 2*leaf_count_optimal:
114                     return "A"
115                 else:
116                     return "B"
117             else: #result contains complex but optimal is not
118                 return "C"
119         else: # result do not contain complex, this assumes optimal do not as
well
120             if leaf_count_result <= 2*leaf_count_optimal:
121                 return "A"
122             else:
123                 return "B"
124     else:
125         return "C"

```

## 4.0.4 SageMath grading function

1 #Dec 24, 2019. Nasser: Ported original Maple grading function by

```

2 #           Albert Rich to use with Sagemath. This is used to
3 #           grade Fracas, Giac and Maxima results.
4 #Dec 24, 2019. Nasser: Added 'exp_integral_e' and 'sng', 'sin_integral'
5 #           'arctan2','floor','abs','log_integral'
6
7 from sage.all import *
8 from sage.symbolic.operators import add_vararg, mul_vararg
9
10 def tree(expr):
11     debug=False;
12     if debug:
13         print ("Enter tree(expr), expr=",expr)
14         print ("expr.operator()=",expr.operator())
15         print ("expr.operands()=",expr.operands())
16         print ("map(tree, expr.operands()=",map(tree, expr.operands()))
17
18     if expr.operator() is None:
19         return expr
20     else:
21         return [expr.operator()+list(map(tree, expr.operands()))
22
23 def leaf_count(anti):
24     debug=False;
25
26     if debug: print ("Enter leaf_count, anti=", anti, " len(anti)=", len(anti))
27
28     if len(anti) == 0: #special check for optimal being 0 for some test cases.
29         if debug: print ("len(anti) == 0")
30         return 1
31     else:
32         if debug: print ("round(1.35*len(flatten(tree(anti))))=",round(1.35*len(
33         flatten(tree(anti))))
34         return round(1.35*len(flatten(tree(anti)))) #fudge factor
35         #since this estimate of leaf count is bit lower than
36         #what it should be compared to Mathematica's
37
38 def is_sqrt(expr):
39     debug=False;
40     if expr.operator() == operator.pow: #isinstance(expr,Pow):
41         if expr.operands()[1]==1/2: #expr.args[1] == Rational(1,2):
42             if debug: print ("expr is sqrt")
43             return True
44         else:
45             return False
46     else:
47         return False

```

```

48 def is_elementary_function(func):
49     debug = False
50
51     m = func.name() in ['exp','log','ln',
52         'sin','cos','tan','cot','sec','csc',
53         'arcsin','arccos','arctan','arccot','arcsec','arccsc',
54         'sinh','cosh','tanh','coth','sech','csch',
55         'arcsinh','arccosh','arctanh','arccoth','arcsech','arccsch','sgn',
56         'arctan2','floor','abs'
57     ]
58     if debug:
59         if m:
60             print ("func ", func , " is elementary_function")
61         else:
62             print ("func ", func , " is NOT elementary_function")
63
64
65     return m
66
67 def is_special_function(func):
68     debug = False
69
70     if debug: print ("type(func)=", type(func))
71
72     m= func.name() in ['erf','erfc','erfi','fresnel_sin','fresnel_cos','Ei',
73         'Ei','Li','Si','sin_integral','Ci','cos_integral','Shi','
74     sinh_integral'
75         'Chi','cosh_integral','gamma','log_gamma','psi,zeta',
76         'polylog','lambert_w','elliptic_f','elliptic_e',
77         'elliptic_pi','exp_integral_e','log_integral']
78
79     if debug:
80         print ("m=",m)
81         if m:
82             print ("func ", func ," is special_function")
83         else:
84             print ("func ", func ," is NOT special_function")
85
86     return m
87
88
89 def is_hypergeometric_function(func):
90     return func.name() in ['hypergeometric','hypergeometric_M','hypergeometric_U
91     ']
92
93 def is_appell_function(func):

```

```

93     return func.name() in ['hypergeometric']    #[appellf1] can't find this in
          sagemath
94
95 def is_atom(expn):
96
97     #thanks to answer at https://ask.sagemath.org/question/49179/what-is-sagemath-equivalent-to-atomic-type-in-maple/
98     try:
99         if expn.parent() is SR:
100             return expn.operator() is None
101         if expn.parent() in (ZZ, QQ, AA, QQbar):
102             return expn in expn.parent() # Should always return True
103         if hasattr(expn.parent(),"base_ring") and hasattr(expn.parent(),"gens"):
104             return expn in expn.parent().base_ring() or expn in expn.parent().
          gens()
105         return False
106
107     except AttributeError as error:
108         return False
109
110
111 def expnType(expn):
112     debug=False
113
114     if debug:
115         print(">>>>Enter expnType, expn=", expn)
116         print(">>>>is_atom(expn)=", is_atom(expn))
117
118     if is_atom(expn):
119         return 1
120     elif type(expn)==list:    #isinstance(expn,list):
121         return max(map(expnType, expn))    #apply(max,map(ExpnType,expn))
122     elif is_sqrt(expn):
123         if type(expn.operands()[0])==Rational: #type(isinstance(expn.args[0],
          Rational):
124             return 1
125         else:
126             return max(2,expnType(expn.operands()[0]))    #max(2,expnType(expn.
          args[0]))
127     elif expn.operator() == operator.pow:    #isinstance(expn,Pow)
128         if type(expn.operands()[1])==Integer:    #isinstance(expn.args[1],Integer)
129             return expnType(expn.operands()[0])    #expnType(expn.args[0])
130         elif type(expn.operands()[1])==Rational:    #isinstance(expn.args[1],
          Rational)
131             if type(expn.operands()[0])==Rational: #isinstance(expn.args[0],
          Rational)
132                 return 1

```

```

133         else:
134             return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.
args[0]))
135         else:
136             return max(3,expnType(expn.operands()[0]),expnType(expn.operands()
[1])) #max(3,expnType(expn.operands()[0]),expnType(expn.operands()[1]))
137         elif expn.operator() == add_vararg or expn.operator() == mul_vararg: #
isinstance(expn,Add) or isinstance(expn,Mul)
138             m1 = expnType(expn.operands()[0]) #expnType(expn.args[0])
139             m2 = expnType(expn.operands()[1:]) #expnType(list(expn.args[1:]))
140             return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
141         elif is_elementary_function(expn.operator()): #is_elementary_function(expn.
func)
142             return max(3,expnType(expn.operands()[0]))
143         elif is_special_function(expn.operator()): #is_special_function(expn.func)
144             m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
145             return max(4,m1) #max(4,m1)
146         elif is_hypergeometric_function(expn.operator()): #
is_hypergeometric_function(expn.func)
147             m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
148             return max(5,m1) #max(5,m1)
149         elif is_appell_function(expn.operator()):
150             m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
151             return max(6,m1) #max(6,m1)
152         elif str(expn).find("Integral") != -1: #this will never happen, since it
153             #is checked before calling the grading function that is passed.
154             #but kept it here.
155             m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
156             return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
157         else:
158             return 9
159
160 #main function
161 def grade_antiderivative(result,optimal):
162     debug = False;
163
164     if debug: print ("Enter grade_antiderivative for sagemath")
165
166     leaf_count_result = leaf_count(result)
167     leaf_count_optimal = leaf_count(optimal)
168
169     if debug: print ("leaf_count_result=", leaf_count_result, "
leaf_count_optimal=",leaf_count_optimal)

```



```
170
171
172     expnType_result = expnType(result)
173     expnType_optimal = expnType(optimal)
174
175     if debug: print ("expnType_result=", expnType_result, "expnType_optimal=",
176                     expnType_optimal)
177
178     if expnType_result <= expnType_optimal:
179         if result.has(I):
180             if optimal.has(I): #both result and optimal complex
181                 if leaf_count_result <= 2*leaf_count_optimal:
182                     return "A"
183             else:
184                 return "B"
185         else: #result contains complex but optimal is not
186             return "C"
187     else: # result do not contain complex, this assumes optimal do not as
188         well
189         if leaf_count_result <= 2*leaf_count_optimal:
190             return "A"
191         else:
192             return "B"
193     else:
194         return "C"
```