

Computer algebra independent integration tests

1-Algebraic-functions/1.1-Binomial-products/1.1.1-Linear/1.1.1.6-P-x-a+b-x-^m-c+d-x-^n-e+f-x-^p

Nasser M. Abbasi

June 28, 2021

Compiled on June 28, 2021 at 6:45pm

Contents

1	Introduction	7
1.1	Listing of CAS systems tested	7
1.2	Results	8
1.3	Performance	12
1.4	list of integrals that has no closed form antiderivative	13
1.5	list of integrals solved by CAS but has no known antiderivative	14
1.6	list of integrals solved by CAS but failed verification	14
1.7	Timing	15
1.8	Verification	15
1.9	Important notes about some of the results	15
1.9.1	Important note about Maxima results	15
1.9.2	Important note about FriCAS and Giac/XCAS results	16
1.9.3	Important note about finding leaf size of antiderivative	16
1.9.4	Important note about Mupad results	17
1.10	Design of the test system	18
2	detailed summary tables of results	19
2.1	List of integrals sorted by grade for each CAS	19
2.1.1	Rubi	19
2.1.2	Mathematica	19
2.1.3	Maple	19

2.1.4	Maxima	20
2.1.5	FriCAS	20
2.1.6	Sympy	20
2.1.7	Giac	20
2.1.8	Mupad	21
2.2	Detailed conclusion table per each integral for all CAS systems	22
2.3	Detailed conclusion table specific for Rubi results	38
3	Listing of integrals	43
3.1	$\int \sqrt{1-dx} \sqrt{1+dx} (e+fx)^3 (A+Bx+Cx^2) dx$	43
3.2	$\int \sqrt{1-dx} \sqrt{1+dx} (e+fx)^2 (A+Bx+Cx^2) dx$	53
3.3	$\int \sqrt{1-dx} \sqrt{1+dx} (e+fx) (A+Bx+Cx^2) dx$	61
3.4	$\int \sqrt{1-dx} \sqrt{1+dx} (A+Bx+Cx^2) dx$	67
3.5	$\int \frac{A+Bx+Cx^2}{\sqrt{1-dx} \sqrt{1+dx} (e+fx)} dx$	72
3.6	$\int \frac{A+Bx+Cx^2}{\sqrt{1-dx} \sqrt{1+dx} (e+fx)^2} dx$	80
3.7	$\int \frac{A+Bx+Cx^2}{\sqrt{1-dx} \sqrt{1+dx} (e+fx)^3} dx$	92
3.8	$\int \frac{(e+fx)^3 (A+Bx+Cx^2)}{\sqrt{1-dx} \sqrt{1+dx}} dx$	103
3.9	$\int \frac{(e+fx)^2 (A+Bx+Cx^2)}{\sqrt{1-dx} \sqrt{1+dx}} dx$	110
3.10	$\int \frac{(e+fx) (A+Bx+Cx^2)}{\sqrt{1-dx} \sqrt{1+dx}} dx$	116
3.11	$\int \frac{A+Bx+Cx^2}{\sqrt{1-dx} \sqrt{1+dx}} dx$	121
3.12	$\int \frac{A+Bx+Cx^2}{\sqrt{1-dx} \sqrt{1+dx} (e+fx)} dx$	125
3.13	$\int \frac{A+Bx+Cx^2}{\sqrt{1-dx} \sqrt{1+dx} (e+fx)^2} dx$	133
3.14	$\int \frac{A+Bx+Cx^2}{\sqrt{1-dx} \sqrt{1+dx} (e+fx)^3} dx$	145
3.15	$\int \frac{x(a+bx+cx^2)}{\sqrt{1-dx} \sqrt{1+dx}} dx$	156
3.16	$\int \frac{a+bx+cx^2}{\sqrt{1-dx} \sqrt{1+dx}} dx$	160
3.17	$\int \frac{a+bx+cx^2}{x \sqrt{1-dx} \sqrt{1+dx}} dx$	164
3.18	$\int \frac{a+bx+cx^2}{x^2 \sqrt{1-dx} \sqrt{1+dx}} dx$	169
3.19	$\int \frac{a+bx+cx^2}{x^3 \sqrt{1-dx} \sqrt{1+dx}} dx$	174
3.20	$\int \sqrt{a+bx} \sqrt{ac-bcx} (e+fx)^3 (A+Bx+Cx^2) dx$	179
3.21	$\int \sqrt{a+bx} \sqrt{ac-bcx} (e+fx)^2 (A+Bx+Cx^2) dx$	186

3.22	$\int \sqrt{a+bx} \sqrt{ac-bcx} (e+fx) (A+Bx+Cx^2) dx$	192
3.23	$\int \sqrt{a+bx} \sqrt{ac-bcx} (A+Bx+Cx^2) dx$	198
3.24	$\int \frac{A+Bx+Cx^2}{\sqrt{a+bx} \sqrt{ac-bcx} (e+fx)} dx$	204
3.25	$\int \frac{A+Bx+Cx^2}{\sqrt{a+bx} \sqrt{ac-bcx} (e+fx)^2} dx$	214
3.26	$\int \frac{A+Bx+Cx^2}{\sqrt{a+bx} \sqrt{ac-bcx} (e+fx)^3} dx$	219
3.27	$\int \frac{(e+fx)^3 (A+Bx+Cx^2)}{\sqrt{a+bx} \sqrt{ac-bcx}} dx$	230
3.28	$\int \frac{(e+fx)^2 (A+Bx+Cx^2)}{\sqrt{a+bx} \sqrt{ac-bcx}} dx$	239
3.29	$\int \frac{(e+fx) (A+Bx+Cx^2)}{\sqrt{a+bx} \sqrt{ac-bcx}} dx$	246
3.30	$\int \frac{A+Bx+Cx^2}{\sqrt{a+bx} \sqrt{ac-bcx}} dx$	252
3.31	$\int \frac{A+Bx+Cx^2}{\sqrt{a+bx} \sqrt{ac-bcx} (e+fx)} dx$	257
3.32	$\int \frac{A+Bx+Cx^2}{\sqrt{a+bx} \sqrt{ac-bcx} (e+fx)^2} dx$	267
3.33	$\int \frac{A+Bx+Cx^2}{\sqrt{a+bx} \sqrt{ac-bcx} (e+fx)^3} dx$	327
3.34	$\int \frac{x(a+bx+cx^2)}{\sqrt{-1+dx} \sqrt{1+dx}} dx$	338
3.35	$\int \frac{a+bx+cx^2}{\sqrt{-1+dx} \sqrt{1+dx}} dx$	343
3.36	$\int \frac{a+bx+cx^2}{x \sqrt{-1+dx} \sqrt{1+dx}} dx$	348
3.37	$\int \frac{a+bx+cx^2}{x^2 \sqrt{-1+dx} \sqrt{1+dx}} dx$	353
3.38	$\int \frac{a+bx+cx^2}{x^3 \sqrt{-1+dx} \sqrt{1+dx}} dx$	358
3.39	$\int \frac{a+bx+cx^2}{x^4 \sqrt{-1+dx} \sqrt{1+dx}} dx$	363
3.40	$\int \frac{a+bx+cx^2}{\sqrt{-1+x} \sqrt{1+x} (d+ex)^3} dx$	369
3.41	$\int (a+bx)^2 \sqrt{c+dx} \sqrt{e+fx} (A+Bx+Cx^2) dx$	379
3.42	$\int (a+bx) \sqrt{c+dx} \sqrt{e+fx} (A+Bx+Cx^2) dx$	390
3.43	$\int \sqrt{c+dx} \sqrt{e+fx} (A+Bx+Cx^2) dx$	400
3.44	$\int \frac{\sqrt{c+dx} \sqrt{e+fx} (A+Bx+Cx^2)}{a+bx} dx$	406
3.45	$\int \frac{\sqrt{c+dx} \sqrt{e+fx} (A+Bx+Cx^2)}{(a+bx)^2} dx$	414
3.46	$\int \frac{\sqrt{c+dx} \sqrt{e+fx} (A+Bx+Cx^2)}{(a+bx)^3} dx$	422
3.47	$\int \frac{(a+bx)^2 \sqrt{c+dx} (A+Bx+Cx^2)}{\sqrt{e+fx}} dx$	433

3.48	$\int \frac{(a+bx)\sqrt{c+dx}(A+Bx+Cx^2)}{\sqrt{e+fx}} dx$	444
3.49	$\int \frac{\sqrt{c+dx}(A+Bx+Cx^2)}{\sqrt{e+fx}} dx$	451
3.50	$\int \frac{\sqrt{c+dx}(A+Bx+Cx^2)}{(a+bx)\sqrt{e+fx}} dx$	458
3.51	$\int \frac{\sqrt{c+dx}(A+Bx+Cx^2)}{(a+bx)^2\sqrt{e+fx}} dx$	464
3.52	$\int \frac{\sqrt{c+dx}(A+Bx+Cx^2)}{(a+bx)^3\sqrt{e+fx}} dx$	472
3.53	$\int \frac{\sqrt{c+dx}(A+Bx+Cx^2)}{(a+bx)^4\sqrt{e+fx}} dx$	481
3.54	$\int \frac{(a+bx)^2(A+Bx+Cx^2)}{\sqrt{c+dx}\sqrt{e+fx}} dx$	486
3.55	$\int \frac{(a+bx)(A+Bx+Cx^2)}{\sqrt{c+dx}\sqrt{e+fx}} dx$	495
3.56	$\int \frac{A+Bx+Cx^2}{\sqrt{c+dx}\sqrt{e+fx}} dx$	503
3.57	$\int \frac{A+Bx+Cx^2}{(a+bx)\sqrt{c+dx}\sqrt{e+fx}} dx$	509
3.58	$\int \frac{A+Bx+Cx^2}{(a+bx)^2\sqrt{c+dx}\sqrt{e+fx}} dx$	514
3.59	$\int \frac{A+Bx+Cx^2}{(a+bx)^3\sqrt{c+dx}\sqrt{e+fx}} dx$	521
3.60	$\int \frac{A+Bx+Cx^2}{(a+bx)^4\sqrt{c+dx}\sqrt{e+fx}} dx$	526
3.61	$\int \sqrt{a+bx}\sqrt{c+dx}\sqrt{e+fx}(A+Bx+Cx^2) dx$	531
3.62	$\int \frac{\sqrt{c+dx}\sqrt{e+fx}(A+Bx+Cx^2)}{\sqrt{a+bx}} dx$	537
3.63	$\int \frac{\sqrt{c+dx}\sqrt{e+fx}(A+Bx+Cx^2)}{(a+bx)^{3/2}} dx$	543
3.64	$\int \frac{\sqrt{c+dx}\sqrt{e+fx}(A+Bx+Cx^2)}{(a+bx)^{5/2}} dx$	549
3.65	$\int \frac{\sqrt{c+dx}\sqrt{e+fx}(A+Bx+Cx^2)}{(a+bx)^{7/2}} dx$	555
3.66	$\int \frac{\sqrt{c+dx}\sqrt{e+fx}(A+Bx+Cx^2)}{(a+bx)^{9/2}} dx$	561
3.67	$\int \frac{(a+bx)^{3/2}\sqrt{c+dx}(A+Bx+Cx^2)}{\sqrt{e+fx}} dx$	568
3.68	$\int \frac{\sqrt{a+bx}\sqrt{c+dx}(A+Bx+Cx^2)}{\sqrt{e+fx}} dx$	575
3.69	$\int \frac{\sqrt{c+dx}(A+Bx+Cx^2)}{\sqrt{a+bx}\sqrt{e+fx}} dx$	581
3.70	$\int \frac{\sqrt{c+dx}(A+Bx+Cx^2)}{(a+bx)^{3/2}\sqrt{e+fx}} dx$	587

3.71	$\int \frac{\sqrt{c+dx}(A+Bx+Cx^2)}{(a+bx)^{5/2}\sqrt{e+fx}} dx$	595
3.72	$\int \frac{\sqrt{c+dx}(A+Bx+Cx^2)}{(a+bx)^{7/2}\sqrt{e+fx}} dx$	601
3.73	$\int \frac{(a+bx)^{3/2}(A+Bx+Cx^2)}{\sqrt{c+dx}\sqrt{e+fx}} dx$	608
3.74	$\int \frac{\sqrt{a+bx}(A+Bx+Cx^2)}{\sqrt{c+dx}\sqrt{e+fx}} dx$	614
3.75	$\int \frac{A+Bx+Cx^2}{\sqrt{a+bx}\sqrt{c+dx}\sqrt{e+fx}} dx$	620
3.76	$\int \frac{A+Bx+Cx^2}{(a+bx)^{3/2}\sqrt{c+dx}\sqrt{e+fx}} dx$	626
3.77	$\int \frac{A+Bx+Cx^2}{(a+bx)^{5/2}\sqrt{c+dx}\sqrt{e+fx}} dx$	633
3.78	$\int \frac{A+Bx+Cx^2}{(a+bx)^{7/2}\sqrt{c+dx}\sqrt{e+fx}} dx$	639
4	Listing of Grading functions	645
4.0.1	Mathematica and Rubi grading function	645
4.0.2	Maple grading function	647
4.0.3	Sympy grading function	652
4.0.4	SageMath grading function	655

Chapter 1

Introduction

This report gives the result of running the computer algebra independent integration problems. The listing of the problems are maintained by and can be downloaded from <https://rulebasedintegration.org>

The number of integrals in this report is [78]. This is test number [17].

1.1 Listing of CAS systems tested

The following systems were tested at this time.

1. Mathematica 12.3 (64 bit) on windows 10.
2. Rubi 4.16.1 in Mathematica 12.1 on windows 10.
3. Maple 2021.1 (64 bit) on windows 10.
4. Maxima 5.44 on Linux. (via sagemath 9.3)
5. Fricas 1.3.7 on Linux (via sagemath 9.3)
6. Giac/Xcas 1.7 on Linux. (via sagemath 9.3)
7. Sympy 1.8 under Python 3.8.8 using Anaconda distribution on Ubuntu.
8. Mupad using Matlab 2021a with Symbolic Math Toolbox Version 8.7 under windows 10 (64 bit)

Maxima, Fricas and Giac/Xcas were called from inside SageMath. This was done using SageMath integrate command by changing the name of the algorithm to use the different CAS systems.

Sympy was called directly using Python.

1.2 Results

Important note: A number of problems in this test suite have no antiderivative in closed form. This means the antiderivative of these integrals can not be expressed in terms of elementary, special functions or Hypergeometric2F1 functions. RootSum and RootOf are not allowed.

If a CAS returns the above integral unevaluated within the time limit, then the result is counted as passed and assigned an A grade.

However, if CAS times out, then it is assigned an F grade even if the integral is not integrable, as this implies CAS could not determine that the integral is not integrable in the time limit.

If a CAS returns an antiderivative to such an integral, it is assigned an A grade automatically and this special result is listed in the introduction section of each individual test report to make it easy to identify as this can be important result to investigate.

The results given in in the table below reflects the above.

System	solved	Failed
Rubi	% 100.00 (78)	% 0.00 (0)
Mathematica	% 100.00 (78)	% 0.00 (0)
Maple	% 100.00 (78)	% 0.00 (0)
Maxima	% 34.62 (27)	% 65.38 (51)
Fricas	% 56.41 (44)	% 43.59 (34)
Sympy	% 17.95 (14)	% 82.05 (64)
Giac	% 42.31 (33)	% 57.69 (45)
Mupad	% 51.28 (40)	% 48.72 (38)

Table 1.1: Percentage solved for each CAS

The table below gives additional break down of the grading of quality of the antiderivatives generated by each CAS. The grading is given using the letters A,B,C and F with A being the best quality. The grading is accomplished by comparing the antiderivative generated with the optimal antiderivatives included in the test suite. The following table describes the meaning of these grades.

grade	description
A	Integral was solved and antiderivative is optimal in quality and leaf size.
B	Integral was solved and antiderivative is optimal in quality but leaf size is larger than twice the optimal antiderivatives leaf size.
C	Integral was solved and antiderivative is non-optimal in quality. This can be due to one or more of the following reasons <ol style="list-style-type: none"> 1. antiderivative contains a hypergeometric function and the optimal antiderivative does not. 2. antiderivative contains a special function and the optimal antiderivative does not. 3. antiderivative contains the imaginary unit and the optimal antiderivative does not.
F	Integral was not solved. Either the integral was returned unevaluated within the time limit, or it timed out, or CAS hanged or crashed or an exception was raised.


Table 1.2: Description of grading applied to integration result

Grading is implemented for all CAS systems. Based on the above, the following table summarizes the grading for this test suite.


System	% A grade	% B grade	% C grade	% F grade
Rubi	96.15	3.85	0.00	0.00
Mathematica	65.38	11.54	23.08	0.00
Maple	5.13	62.82	32.05	0.00
Maxima	33.33	1.28	0.00	65.38
Fricas	47.44	8.97	0.00	43.59
Sympy	0.00	0.00	17.95	82.05
Giac	20.51	21.79	0.00	57.69
Mupad	0.00	51.28	0.00	48.72

Table 1.3: Antiderivative Grade distribution of each CAS

The following is a Bar chart illustration of the data in the above table.



The figure below compares the CAS systems for each grade level.



The following table shows the distribution of the different types of failure for each CAS. There are 3 types of reasons why it can fail. The first is when CAS returns back the input within the time limit, which means it could not solve it. This is the typical normal failure **F**.

The second is due to time out. CAS could not solve the integral within the 3 minutes time limit which is assigned **F(-1)**.

The third is due to an exception generated. Assigned **F(-2)**. This most likely indicates an interface problem between sagemath and the CAS (applicable only to FriCAS, Maxima and Giac) or it could be an indication of an internal error in CAS. This type of error requires more investigations to determine the cause.

System	Number failed	Percentage normal failure	Percentage time-out failure	Percentage exception failure
Rubi	0	0.00 %	0.00 %	0.00 %
Mathematica	0	0.00 %	0.00 %	0.00 %
Maple	0	0.00 %	0.00 %	0.00 %
Maxima	51	35.29 %	0.00 %	64.71 %
Fricas	34	52.94 %	47.06 %	0.00 %
Sympy	64	23.44 %	76.56 %	0.00 %
Giac	45	33.33 %	37.78 %	28.89 %
Mupad	38	47.37 %	52.63 %	0.00 %

Table 1.4: Time and leaf size performance for each CAS

1.3 Performance

The table below summarizes the performance of each CAS system in terms of CPU time and leaf size of results.


System	Mean time (sec)	Mean size	Normalized mean	Median size	Normalized median
Rubi	1.05	438.29	1.08	350.50	1.00
Mathematica	4.26	1396.40	1.96	367.00	1.09
Maple	0.06	5530.67	7.88	1315.50	3.90
Maxima	1.64	187.07	0.99	100.00	1.01
Fricas	8.30	618.57	2.14	393.00	1.48
Sympy	72.14	284.86	3.85	261.00	4.16
Giac	8.41	1314.55	3.20	605.00	1.70
Mupad	29.97	5830.02	22.96	1748.50	6.53

Table 1.5: Time and leaf size performance for each CAS


The following are bar charts for the normalized leafsize and time used columns from the above table.

Normalized mean size of antiderivative

Lower is better

**Mean time used (seconds)**

Lower is better



1.4 list of integrals that has no closed form antiderivative

{

1.5 list of integrals solved by CAS but has no known antiderivative

Rubi {}

Mathematica {}

Maple {}

Maxima {}

Fricas {}

Sympy {}

Giac {}

Mupad {}

1.6 list of integrals solved by CAS but failed verification

The following are integrals solved by CAS but the verification phase failed to verify the anti-derivative produced is correct. This does not mean necessarily that the anti-derivative is wrong, as additional methods of verification might be needed, or more time is needed (3 minutes time limit was used). These integrals are listed here to make it easier to do further investigation to determine why it was not possible to verify the result produced.

Rubi {}

Mathematica {34, 35, 36, 37, 40, 45, 46, 65, 66, 72, 78}

Maple Verification phase not implemented yet.

Maxima Verification phase not implemented yet.

Fricas Verification phase not implemented yet.

Sympy Verification phase not implemented yet.

Giac Verification phase not implemented yet.

Mupad Verification phase not implemented yet.

1.7 Timing

The command `AbsoluteTiming[]` was used in Mathematica to obtain the elapsed time for each integrate call. In Maple, the command `Usage` was used as in the following example

```
cpu_time := Usage(assign ('result_of _int',int(expr,x)),output='realtime')
```

For all other CAS systems, the elapsed time to complete each integral was found by taking the difference between the time after the call has completed from the time before the call was made. This was done using Python's `time.time()` call.

All elapsed times shown are in seconds. A time limit of 3 minutes was used for each integral. If the integrate command did not complete within this time limit, the integral was aborted and considered to have failed and assigned an F grade. The time used by failed integrals due to time out is not counted in the final statistics.

1.8 Verification

A verification phase was applied on the result of integration for Rubi and Mathematica. Future version of this report will implement verification for the other CAS systems. For the integrals whose result was not run through a verification phase, it is assumed that the antiderivative produced was correct.

Verification phase has 3 minutes time out. An integral whose result was not verified could still be correct. Further investigation is needed on those integrals which failed verifications. Such integrals are marked in the summary table below and also in each integral separate section so they are easy to identify and locate.

1.9 Important notes about some of the results

1.9.1 Important note about Maxima results

Since these integrals are run in a batch mode, using an automated script, and by using `sagemath` (SageMath uses Maxima), then any integral where Maxima needs an interactive response from the user to answer a question during evaluation of the integral in order to complete the integration, will fail and is counted as failed.

The exception raised is `ValueError`. Therefore Maxima result below is lower than what could result if Maxima was run directly and each question Maxima asks was answered correctly.

The percentage of such failures were not counted for each test file, but for an example, for the Timofeev test file, there were about 14 such integrals out of total 705, or about 2 percent. This percentage can be higher or lower depending on the specific input test file.

Such integrals can be indentified by looking at the output of the integration in each section for Maxima. The exception message will indicate of the error is due to the interactive question being asked or not.

Maxima integrate was run using SageMath with the following settings set by default

```
'besselexpand : true'
'display2d : false'
'domain : complex'
'keepfloat : true'
'load(to_poly_solve)'
'load(simplify_sum)'
'load(abs_integrate)' 'load(diag)'
```

SageMath loading of Maxima `abs_integrate` was found to cause some problem. So the following code was added to disable this effect.

```
from sage.interfaces.maxima_lib import maxima_lib
maxima_lib.set('extra_definite_integration_methods', '[]')
maxima_lib.set('extra_integration_methods', '[]')
```

See <https://ask.sagemath.org/question/43088/integrate-results-that-are-different-from-using-maxima/> for reference.

1.9.2 Important note about FriCAS and Giac/X-CAS results

There are Few integrals which failed due to SageMath not able to translate the result back to SageMath syntax and not because these CAS system were not able to do the integrations.

These will fail With error `Exception raised: NotImplementedError`

The number of such cases seems to be very small. About 1 or 2 percent of all integrals.

Hopefully the next version of SageMath will have complete translation of FriCAS and XCAS syntax and I will re-run all the tests again when this happens.

1.9.3 Important note about finding leaf size of antiderivative

For Mathematica, Rubi and Maple, the builtin system function `LeafSize` is used to find the leaf size of each antiderivative.

The other CAS systems (SageMath and Sympy) do not have special builtin function for this purpose at this time. Therefore the leaf size for Fricas and Sympy and Giac antiderivatives is determined using the following function, thanks to user `slelievre` at <https://>

ask.sagemath.org/question/57123/could-we-have-a-leaf_count-function-in-base-sagemath/

```
def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)
```

For Sympy, which is called directly from Python, the following code is used to obtain the leafsize of its result

```
try:
    # 1.7 is a fudge factor since it is low side from actual leaf count
    leafCount = round(1.7*count_ops(anti))

except Exception as ee:
    leafCount = 1
```

1.9.4 Important note about Mupad results

Matlab's symbolic toolbox does not have a leaf count function to measure the size of the antiderivative, Maple was used to determine the leaf size of Mupad output by post processing.

Currently no grading of the antiderivative for Mupad is implemented. If it can integrate the problem, it was assigned a B grade automatically as a placeholder. In the future, when grading function is implemented for Mupad, the tests will be rerun again.


The following is an example of using Matlab's symbolic toolbox (Mupad) to solve an integral

```
integrand = evalin(symengine, 'cos(x)*sin(x)')
the_variable = evalin(symengine, 'x')
anti = int(integrand, the_variable)
```

Which gives $\sin(x)^2/2$

1.10 Design of the test system

The following diagram gives a high level view of the current test build system.



One record (line) per one integral result. The line is CSV comma separated. This is description of each record

1. integer, the problem number.
 2. integer. 0 for failed, 1 for passed, -1 for timeout, -2 for CAS specific exception. (this is not the grade field)
 3. integer. Leaf size of result.
 4. integer. Leaf size of the optimal antiderivative.
 5. number. CPU time used to solve this integral. 0 if failed.
 6. string. The integral in Latex format
 7. string. The input used in CAS own syntax.
 8. string. The result (antiderivative) produced by CAS in Latex format
 9. string. The optimal antiderivative in Latex format.
 10. integer. 0 or 1. Indicates if problem has known antiderivative or not
 11. String. The result (antiderivative) in CAS own syntax.
 12. String. The grade of the antiderivative. Can be "A", "B", "C", or "F"
- The following field present only in Rubi and Mathematica Tables*
13. integer. 1 if result was verified or 0 if not verified.
- The following fields present only in Rubi Tables*
14. integer. Number of rules used.
 15. integer. Integrand leaf size.
 16. real number. Ratio of field 14 over field 15
 17. integer. 1 if result was verified or 0 if not verified.
 18. String of form "{n,n,...}" which is list of the rules used by Rubi

High level overview of the CAS independent integration test build system

Nassier M. Abbasi
May 11, 2021

Chapter 2

detailed summary tables of results

2.1 List of integrals sorted by grade for each CAS

2.1.1 Rubi

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78 }

B grade: { 35, 36, 37 }

C grade: { }

F grade: { }

2.1.2 Mathematica

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 37, 38, 39, 40, 43, 48, 49, 50, 51, 52, 53, 55, 56, 57, 58, 59, 60 }

B grade: { 35, 36, 41, 42, 44, 45, 46, 47, 54 }

C grade: { 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78 }

F grade: { }

2.1.3 Maple

A grade: { 23, 28, 29, 30 }

B grade: { 20, 21, 22, 24, 25, 26, 27, 31, 32, 33, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78 }

C grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 34, 35, 36, 37, 38, 39 }

F grade: { }

2.1.4 Maxima

A grade: { 1, 2, 3, 4, 8, 9, 10, 11, 15, 16, 17, 18, 19, 20, 21, 22, 23, 27, 28, 29, 30, 34, 36, 37, 38, 39 }

B grade: { 35 }

C grade: { }

F grade: { 5, 6, 7, 12, 13, 14, 24, 25, 26, 31, 32, 33, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78 }

2.1.5 FriCAS

A grade: { 1, 2, 3, 4, 8, 9, 10, 11, 15, 16, 17, 18, 19, 20, 21, 22, 23, 26, 27, 28, 29, 30, 34, 35, 36, 37, 38, 39, 41, 42, 43, 47, 48, 49, 54, 55, 56 }

B grade: { 5, 6, 7, 12, 13, 14, 40 }

C grade: { }

F grade: { 24, 25, 31, 32, 33, 44, 45, 46, 50, 51, 52, 53, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78 }

2.1.6 Sympy

A grade: { }

B grade: { }

C grade: { 10, 11, 15, 16, 17, 18, 19, 30, 34, 35, 36, 37, 38, 39 }

F grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 12, 13, 14, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 31, 32, 33, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78 }

2.1.7 Giac

A grade: { 8, 9, 10, 11, 15, 16, 34, 35, 36, 37, 47, 48, 49, 54, 55, 56 }

B grade: { 1, 2, 3, 4, 26, 33, 38, 39, 40, 41, 42, 43, 45, 46, 51, 52, 58 }

C grade: { }

F grade: { 5, 6, 7, 12, 13, 14, 17, 18, 19, 20, 21, 22, 23, 24, 25, 27, 28, 29, 30, 31, 32, 44, 50, 53, 57, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78 }

2.1.8 Mupad

A grade: { }

B grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 23, 24, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 49, 55, 56 }

C grade: { }

F grade: { 20, 21, 25, 41, 42, 43, 44, 45, 46, 47, 48, 50, 51, 52, 53, 54, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78 }

2.2 Detailed conclusion table per each integral for all CAS systems

Detailed conclusion table per each integral is given by table below. The elapsed time is in seconds. For failed result it is given as F(-1) if the failure was due to timeout. It is given as F(-2) if the failure was due to an exception being raised, which could indicate a bug in the system. If the failure was due to integral not being evaluated within the time limit, then it is given just an F.

In this table, the column **normalized size** is defined as $\frac{\text{antiderivative leaf size}}{\text{optimal antiderivative leaf size}}$

Problem 1	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	A	A	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	415	415	355	959	444	406	0	1948	3993
normalized size	1	1.00	0.86	2.31	1.07	0.98	0.00	4.69	9.62
time (sec)	N/A	0.673	0.544	0.035	1.002	1.193	0.000	3.113	47.789
Problem 2	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	A	A	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	286	286	244	652	307	279	0	1327	2920
normalized size	1	1.00	0.85	2.28	1.07	0.98	0.00	4.64	10.21
time (sec)	N/A	0.563	0.349	0.018	1.006	0.995	0.000	2.581	36.028
Problem 3	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	A	A	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	168	170	141	377	174	170	0	782	736
normalized size	1	1.01	0.84	2.24	1.04	1.01	0.00	4.65	4.38
time (sec)	N/A	0.250	0.212	0.013	1.070	0.905	0.000	1.996	12.065

Problem 4	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	A	A	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	95	95	71	185	93	95	0	336	361
normalized size	1	1.00	0.75	1.95	0.98	1.00	0.00	3.54	3.80
time (sec)	N/A	0.073	0.064	0.012	0.981	0.954	0.000	1.536	7.209

Problem 5	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F(-2)	B	F(-1)	F(-2)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	122	122	117	373	0	493	0	0	5803
normalized size	1	1.00	0.96	3.06	0.00	4.04	0.00	0.00	47.57
time (sec)	N/A	0.311	0.150	0.049	0.000	15.087	0.000	0.000	25.801

Problem 6	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F(-2)	B	F(-1)	F(-2)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	163	163	211	899	0	1025	0	0	10198
normalized size	1	1.00	1.29	5.52	0.00	6.29	0.00	0.00	62.56
time (sec)	N/A	0.331	0.473	0.039	0.000	58.600	0.000	0.000	52.173

Problem 7	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F(-2)	B	F(-1)	F(-2)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	248	248	273	1449	0	1580	0	0	9097
normalized size	1	1.00	1.10	5.84	0.00	6.37	0.00	0.00	36.68
time (sec)	N/A	0.355	0.416	0.050	0.000	1.073	0.000	0.000	59.182

Problem 8	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	340	340	241	643	355	286	0	427	2606
normalized size	1	1.00	0.71	1.89	1.04	0.84	0.00	1.26	7.66
time (sec)	N/A	0.633	0.392	0.029	1.045	1.120	0.000	1.819	35.295

Problem 9	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	228	228	160	423	231	192	0	277	1732
normalized size	1	1.00	0.70	1.86	1.01	0.84	0.00	1.21	7.60
time (sec)	N/A	0.493	0.221	0.028	1.273	0.777	0.000	1.643	33.636

Problem 10	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	A	A	C	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	130	133	88	235	131	114	617	146	492
normalized size	1	1.02	0.68	1.81	1.01	0.88	4.75	1.12	3.78
time (sec)	N/A	0.230	0.104	0.023	1.315	0.635	158.075	1.310	12.857

Problem 11	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	A	A	C	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	63	63	45	117	57	67	282	76	232
normalized size	1	1.00	0.71	1.86	0.90	1.06	4.48	1.21	3.68
time (sec)	N/A	0.061	0.036	0.017	1.416	0.946	49.744	1.286	7.525

Problem 12	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F(-2)	B	F(-1)	F(-2)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	122	122	117	373	0	493	0	0	5803
normalized size	1	1.00	0.96	3.06	0.00	4.04	0.00	0.00	47.57
time (sec)	N/A	0.283	0.131	0.000	0.000	15.017	0.000	0.000	0.005

Problem 13	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F(-2)	B	F(-1)	F(-2)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	163	163	211	899	0	1025	0	0	10198
normalized size	1	1.00	1.29	5.52	0.00	6.29	0.00	0.00	62.56
time (sec)	N/A	0.295	0.431	0.000	0.000	59.963	0.000	0.000	0.008

Problem 14	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F(-2)	B	F(-1)	F(-2)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	248	248	273	1449	0	1580	0	0	9097
normalized size	1	1.00	1.10	5.84	0.00	6.37	0.00	0.00	36.68
time (sec)	N/A	0.329	0.384	0.000	0.000	0.866	0.000	0.000	0.007

Problem 15	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	A	A	C	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	79	79	57	139	87	78	313	101	244
normalized size	1	1.00	0.72	1.76	1.10	0.99	3.96	1.28	3.09
time (sec)	N/A	0.139	0.068	0.000	1.270	0.805	82.521	1.305	7.606

Problem 16	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	A	A	C	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	63	63	45	117	57	67	282	76	232
normalized size	1	1.00	0.71	1.86	0.90	1.06	4.48	1.21	3.68
time (sec)	N/A	0.061	0.034	0.000	1.281	0.917	49.685	1.324	7.411

Problem 17	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	A	A	C	F(-2)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	48	48	48	96	57	81	245	0	122
normalized size	1	1.00	1.00	2.00	1.19	1.69	5.10	0.00	2.54
time (sec)	N/A	0.183	0.055	0.001	1.275	0.847	55.715	0.000	4.331

Problem 18	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	A	A	C	F(-2)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	48	48	48	97	57	84	221	0	114
normalized size	1	1.00	1.00	2.02	1.19	1.75	4.60	0.00	2.38
time (sec)	N/A	0.176	0.061	0.000	1.325	0.952	50.054	0.000	4.266

Problem 19	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	A	A	C	F(-2)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	71	71	56	108	98	65	218	0	312
normalized size	1	1.00	0.79	1.52	1.38	0.92	3.07	0.00	4.39
time (sec)	N/A	0.184	0.049	0.000	1.285	0.975	80.629	0.000	6.304

Problem 20	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	591	584	427	1446	584	1001	0	0	-1
normalized size	1	0.99	0.72	2.45	0.99	1.69	0.00	0.00	-0.00
time (sec)	N/A	1.517	1.463	0.043	1.461	1.043	0.000	0.000	0.000

Problem 21	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	451	450	311	987	417	703	0	0	-1
normalized size	1	1.00	0.69	2.19	0.92	1.56	0.00	0.00	-0.00
time (sec)	N/A	1.010	1.016	0.018	2.067	1.015	0.000	0.000	0.000

Problem 22	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	F	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	300	297	200	588	248	441	0	0	1765
normalized size	1	0.99	0.67	1.96	0.83	1.47	0.00	0.00	5.88
time (sec)	N/A	0.446	0.682	0.014	2.255	0.973	0.000	0.000	30.577

Problem 23	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	221	221	142	287	140	265	0	0	876
normalized size	1	1.00	0.64	1.30	0.63	1.20	0.00	0.00	3.96
time (sec)	N/A	0.147	0.408	0.013	2.028	0.895	0.000	0.000	16.517

Problem 24	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	F(-1)	F(-1)	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	278	278	225	503	0	0	0	0	9298
normalized size	1	1.00	0.81	1.81	0.00	0.00	0.00	0.00	33.45
time (sec)	N/A	0.490	0.768	0.069	0.000	0.000	0.000	0.000	44.562

Problem 25	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	F(-1)	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	322	322	309	1200	0	0	0	0	-1
normalized size	1	1.00	0.96	3.73	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.579	0.852	0.044	0.000	0.000	0.000	0.000	0.000

Problem 26	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	A	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	363	361	492	1848	0	1355	0	1658	9344
normalized size	1	0.99	1.36	5.09	0.00	3.73	0.00	4.57	25.74
time (sec)	N/A	0.677	1.795	0.057	0.000	147.153	0.000	7.021	86.666

Problem 27	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	F(-1)	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	501	496	727	965	471	700	0	0	4167
normalized size	1	0.99	1.45	1.93	0.94	1.40	0.00	0.00	8.32
time (sec)	N/A	1.281	4.902	0.031	1.972	0.780	0.000	0.000	161.428

Problem 28	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	368	369	555	635	317	482	0	0	2799
normalized size	1	1.00	1.51	1.73	0.86	1.31	0.00	0.00	7.61
time (sec)	N/A	0.875	2.684	0.029	2.021	1.040	0.000	0.000	81.648

Problem 29	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	246	249	390	365	189	302	0	0	1011
normalized size	1	1.01	1.59	1.48	0.77	1.23	0.00	0.00	4.11
time (sec)	N/A	0.400	1.429	0.026	2.055	0.750	0.000	0.000	30.743
Problem 30	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	C	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	177	177	169	180	88	196	338	0	489
normalized size	1	1.00	0.95	1.02	0.50	1.11	1.91	0.00	2.76
time (sec)	N/A	0.124	0.437	0.020	2.501	0.898	56.834	0.000	14.952
Problem 31	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	F(-1)	F(-1)	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	278	278	225	503	0	0	0	0	9298
normalized size	1	1.00	0.81	1.81	0.00	0.00	0.00	0.00	33.45
time (sec)	N/A	0.464	0.711	0.000	0.000	0.000	0.000	0.000	0.008
Problem 32	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	F(-1)	F(-1)	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	322	322	309	1200	0	0	0	0	106511
normalized size	1	1.00	0.96	3.73	0.00	0.00	0.00	0.00	330.78
time (sec)	N/A	0.530	0.794	0.000	0.000	0.000	0.000	0.000	19.397
Problem 33	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	F(-1)	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	363	361	492	1848	0	0	0	1658	9344
normalized size	1	0.99	1.36	5.09	0.00	0.00	0.00	4.57	25.74
time (sec)	N/A	0.588	1.310	0.000	0.000	0.000	0.000	9.490	0.008

Problem 34	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	A	A	C	A	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	87	151	149	137	100	73	308	105	318
normalized size	1	1.74	1.71	1.57	1.15	0.84	3.54	1.21	3.66
time (sec)	N/A	0.146	0.358	0.000	1.020	1.445	80.462	1.457	14.762

Problem 35	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	B	B	C	B	A	C	A	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	52	135	126	120	90	61	277	80	312
normalized size	1	2.60	2.42	2.31	1.73	1.17	5.33	1.54	6.00
time (sec)	N/A	0.071	0.222	0.000	1.107	1.277	48.757	1.386	14.587

Problem 36	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	B	B	C	A	A	C	A	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	55	135	128	95	56	73	240	71	118
normalized size	1	2.45	2.33	1.73	1.02	1.33	4.36	1.29	2.15
time (sec)	N/A	0.185	0.421	0.000	2.343	1.666	47.371	1.366	5.391

Problem 37	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	B	A	C	A	A	C	A	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	55	135	89	96	56	82	216	83	118
normalized size	1	2.45	1.62	1.75	1.02	1.49	3.93	1.51	2.15
time (sec)	N/A	0.180	0.182	0.001	2.348	1.117	45.808	1.517	5.151

Problem 38	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	A	A	C	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	83	129	82	103	61	69	212	145	316
normalized size	1	1.55	0.99	1.24	0.73	0.83	2.55	1.75	3.81
time (sec)	N/A	0.191	0.125	0.000	2.468	1.122	75.514	1.442	12.773

Problem 39	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	A	A	C	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	116	171	94	123	86	90	219	197	304
normalized size	1	1.47	0.81	1.06	0.74	0.78	1.89	1.70	2.62
time (sec)	N/A	0.217	0.124	0.000	3.046	0.640	128.739	1.403	11.819

Problem 40	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	B	F(-1)	B	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	199	242	343	1095	0	1186	0	605	7235
normalized size	1	1.22	1.72	5.50	0.00	5.96	0.00	3.04	36.36
time (sec)	N/A	0.328	0.761	0.053	0.000	1.062	0.000	3.245	66.847

Problem 41	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	F(-2)	A	F(-1)	B	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	1348	1345	3599	6728	0	3096	0	4708	-1
normalized size	1	1.00	2.67	4.99	0.00	2.30	0.00	3.49	-0.00
time (sec)	N/A	2.366	7.131	0.053	0.000	6.800	0.000	6.328	0.000

Problem 42	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	F(-2)	A	F	B	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	721	719	2722	3571	0	1620	0	2643	-1
normalized size	1	1.00	3.78	4.95	0.00	2.25	0.00	3.67	-0.00
time (sec)	N/A	0.963	6.606	0.024	0.000	2.724	0.000	3.389	0.000

Problem 43	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	A	F	B	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	330	330	306	1431	0	840	0	1103	-1
normalized size	1	1.00	0.93	4.34	0.00	2.55	0.00	3.34	-0.00
time (sec)	N/A	0.298	1.716	0.020	0.000	1.411	0.000	2.334	0.000

Problem 44	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	F(-2)	F(-1)	F	F(-2)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	450	453	1936	4227	0	0	0	0	-1
normalized size	1	1.01	4.30	9.39	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.369	6.215	0.051	0.000	0.000	0.000	0.000	0.000

Problem 45	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	F(-2)	F(-1)	F(-1)	B	F(-1)
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	521	521	2532	5051	0	0	0	1585	-1
normalized size	1	1.00	4.86	9.69	0.00	0.00	0.00	3.04	-0.00
time (sec)	N/A	1.696	6.375	0.048	0.000	0.000	0.000	13.122	0.000

Problem 46	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	F(-2)	F(-1)	F(-1)	B	F(-1)
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	658	657	2150	12065	0	0	0	8347	-1
normalized size	1	1.00	3.27	18.34	0.00	0.00	0.00	12.69	-0.00
time (sec)	N/A	2.680	6.443	0.072	0.000	0.000	0.000	39.569	0.000

Problem 47	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	F(-2)	A	F(-1)	A	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	1032	1032	3220	3958	0	2176	0	1505	-1
normalized size	1	1.00	3.12	3.84	0.00	2.11	0.00	1.46	-0.00
time (sec)	N/A	1.788	6.702	0.046	0.000	15.238	0.000	2.759	0.000

Problem 48	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	A	F(-1)	A	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	540	540	478	2002	0	1114	0	736	-1
normalized size	1	1.00	0.89	3.71	0.00	2.06	0.00	1.36	-0.00
time (sec)	N/A	0.713	3.539	0.030	0.000	3.381	0.000	1.819	0.000

Problem 49	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	246	246	225	763	0	576	0	315	1832
normalized size	1	1.00	0.91	3.10	0.00	2.34	0.00	1.28	7.45
time (sec)	N/A	0.230	1.070	0.024	0.000	1.472	0.000	1.348	90.550

Problem 50	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	F(-1)	F	F(-2)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	290	290	465	1822	0	0	0	0	-1
normalized size	1	1.00	1.60	6.28	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.672	3.449	0.039	0.000	0.000	0.000	0.000	0.000

Problem 51	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	F(-1)	F(-1)	B	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	364	364	417	3670	0	0	0	1388	-1
normalized size	1	1.00	1.15	10.08	0.00	0.00	0.00	3.81	-0.00
time (sec)	N/A	1.097	2.396	0.049	0.000	0.000	0.000	10.820	0.000

Problem 52	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	F(-1)	F(-1)	B	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	484	484	523	9100	0	0	0	8004	-1
normalized size	1	1.00	1.08	18.80	0.00	0.00	0.00	16.54	-0.00
time (sec)	N/A	1.563	5.675	0.095	0.000	0.000	0.000	134.872	0.000

Problem 53	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	F(-1)	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	685	685	729	15990	0	0	0	0	-1
normalized size	1	1.00	1.06	23.34	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.778	6.336	0.159	0.000	0.000	0.000	0.000	0.000

Problem 54	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	F(-2)	A	F(-1)	A	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	718	715	2195	2528	0	1436	0	951	-1
normalized size	1	1.00	3.06	3.52	0.00	2.00	0.00	1.32	-0.00
time (sec)	N/A	1.336	6.487	0.046	0.000	6.271	0.000	2.512	0.000

Problem 55	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	A	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	371	369	379	1199	0	720	0	447	2621
normalized size	1	0.99	1.02	3.23	0.00	1.94	0.00	1.20	7.06
time (sec)	N/A	0.509	1.963	0.033	0.000	1.594	0.000	1.968	105.189

Problem 56	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	A	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	164	164	173	425	0	380	0	194	833
normalized size	1	1.00	1.05	2.59	0.00	2.32	0.00	1.18	5.08
time (sec)	N/A	0.149	0.792	0.023	0.000	0.807	0.000	1.216	25.888

Problem 57	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	F(-1)	F	F(-2)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	188	188	304	746	0	0	0	0	-1
normalized size	1	1.00	1.62	3.97	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.341	0.938	0.034	0.000	0.000	0.000	0.000	0.000

Problem 58	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	F(-1)	F(-1)	B	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	254	254	325	2973	0	0	0	1356	-1
normalized size	1	1.00	1.28	11.70	0.00	0.00	0.00	5.34	-0.00
time (sec)	N/A	0.638	1.863	0.059	0.000	0.000	0.000	9.374	0.000

Problem 59	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	F(-1)	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	424	424	512	7119	0	0	0	0	-1
normalized size	1	1.00	1.21	16.79	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.967	2.090	0.130	0.000	0.000	0.000	0.000	0.000

Problem 60	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	F(-1)	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	826	826	794	18802	0	0	0	0	-1
normalized size	1	1.00	0.96	22.76	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	2.433	6.107	0.312	0.000	0.000	0.000	0.000	0.000

Problem 61	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	1182	1154	11933	14778	0	0	0	0	-1
normalized size	1	0.98	10.10	12.50	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	4.166	17.301	0.094	0.000	0.952	0.000	0.000	0.000

Problem 62	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	774	769	917	10268	0	0	0	0	-1
normalized size	1	0.99	1.18	13.27	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	2.230	13.389	0.050	0.000	0.818	0.000	0.000	0.000

Problem 63	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	706	706	633	6265	0	0	0	0	-1
normalized size	1	1.00	0.90	8.87	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.845	8.125	0.060	0.000	0.872	0.000	0.000	0.000

Problem 64	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	687	687	938	16172	0	0	0	0	-1
normalized size	1	1.00	1.37	23.54	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.903	13.300	0.111	0.000	0.913	0.000	0.000	0.000

Problem 65	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	964	964	9529	34389	0	0	0	0	-1
normalized size	1	1.00	9.88	35.67	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	3.116	16.421	0.235	0.000	1.044	0.000	0.000	0.000

Problem 66	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	1716	1716	15719	68345	0	0	0	0	-1
normalized size	1	1.00	9.16	39.83	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	7.045	18.556	0.398	0.000	0.944	0.000	0.000	0.000

Problem 67	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	1235	1235	12483	15855	0	0	0	0	-1
normalized size	1	1.00	10.11	12.84	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	4.395	17.635	0.069	0.000	1.069	0.000	0.000	0.000

Problem 68	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	766	766	922	9543	0	0	0	0	-1
normalized size	1	1.00	1.20	12.46	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	2.061	12.907	0.045	0.000	0.846	0.000	0.000	0.000

Problem 69	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	527	527	562	6049	0	0	0	0	-1
normalized size	1	1.00	1.07	11.48	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.980	9.627	0.038	0.000	0.943	0.000	0.000	0.000

Problem 70	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	540	540	551	4732	0	0	0	0	-1
normalized size	1	1.00	1.02	8.76	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.111	6.735	0.049	0.000	0.666	0.000	0.000	0.000

Problem 71	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	597	596	724	13614	0	0	0	0	-1
normalized size	1	1.00	1.21	22.80	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.359	11.757	0.108	0.000	0.605	0.000	0.000	0.000

Problem 72	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	1034	1034	9186	33007	0	0	0	0	-1
normalized size	1	1.00	8.88	31.92	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	3.160	16.094	0.315	0.000	0.611	0.000	0.000	0.000

Problem 73	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	838	831	1000	10546	0	0	0	0	-1
normalized size	1	0.99	1.19	12.58	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	2.167	13.872	0.068	0.000	0.579	0.000	0.000	0.000

Problem 74	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	528	524	615	6174	0	0	0	0	-1
normalized size	1	0.99	1.16	11.69	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.028	8.033	0.039	0.000	0.556	0.000	0.000	0.000

Problem 75	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	387	384	418	2497	0	0	0	0	-1
normalized size	1	0.99	1.08	6.45	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.505	6.072	0.035	0.000	0.534	0.000	0.000	0.000

Problem 76	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	422	422	477	3984	0	0	0	0	-1
normalized size	1	1.00	1.13	9.44	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.691	5.442	0.052	0.000	0.552	0.000	0.000	0.000

Problem 77	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	642	642	699	12988	0	0	0	0	-1
normalized size	1	1.00	1.09	20.23	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.517	10.908	0.140	0.000	0.585	0.000	0.000	0.000

Problem 78	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	1116	1116	8844	34102	0	0	0	0	-1
normalized size	1	1.00	7.92	30.56	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	3.342	16.224	0.354	0.000	0.601	0.000	0.000	0.000

2.3 Detailed conclusion table specific for Rubi results

The following table is specific to Rubi. It gives additional statistics for each integral. the column **steps** is the number of steps used by Rubi to obtain the antiderivative. The **rules** column is the number of unique rules used. The **integrand size** column is the leaf size of the integrand. Finally the ratio $\frac{\text{number of rules}}{\text{integrand size}}$ is given. The larger this ratio is, the harder the integral was to solve. In this test, problem number [36] had the largest ratio of [.2500]

Table 2.1: Rubi specific breakdown of results for each integral

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
1	A	7	6	1.00	37	0.162
2	A	6	6	1.00	37	0.162
3	A	5	5	1.01	35	0.143
4	A	5	5	1.00	30	0.167
5	A	6	6	1.00	37	0.162
6	A	6	6	1.00	37	0.162
7	A	5	5	1.00	37	0.135
8	A	6	5	1.00	37	0.135
9	A	5	5	1.00	37	0.135
10	A	4	4	1.02	35	0.114
11	A	4	4	1.00	30	0.133
12	A	6	6	1.00	37	0.162
13	A	6	6	1.00	37	0.162
14	A	5	5	1.00	37	0.135
15	A	4	4	1.00	31	0.129
Continued on next page						

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
16	A	4	4	1.00	30	0.133
17	A	7	7	1.00	33	0.212
18	A	7	7	1.00	33	0.212
19	A	6	6	1.00	33	0.182
20	A	8	7	0.99	40	0.175
21	A	7	7	1.00	40	0.175
22	A	6	6	0.99	38	0.158
23	A	6	6	1.00	33	0.182
24	A	7	7	1.00	40	0.175
25	A	7	7	1.00	40	0.175
26	A	5	5	0.99	40	0.125
27	A	7	6	0.99	40	0.150
28	A	6	6	1.00	40	0.150
29	A	5	5	1.01	38	0.132
30	A	5	5	1.00	33	0.152
31	A	7	7	1.00	40	0.175
32	A	7	7	1.00	40	0.175
33	A	5	5	0.99	40	0.125
34	A	5	5	1.74	30	0.167
35	B	5	5	2.60	29	0.172
36	B	8	8	2.45	32	0.250
37	B	8	8	2.45	32	0.250
38	A	6	6	1.55	32	0.188
39	A	7	7	1.47	32	0.219
40	A	5	5	1.22	32	0.156
41	A	8	7	1.00	36	0.194

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
42	A	7	6	1.00	34	0.176
43	A	7	6	1.00	29	0.207
44	A	9	8	1.01	36	0.222
45	A	9	8	1.00	36	0.222
46	A	9	9	1.00	36	0.250
47	A	7	7	1.00	36	0.194
48	A	6	6	1.00	34	0.176
49	A	6	6	1.00	29	0.207
50	A	8	8	1.00	36	0.222
51	A	8	8	1.00	36	0.222
52	A	8	8	1.00	36	0.222
53	A	6	6	1.00	36	0.167
54	A	6	6	1.00	36	0.167
55	A	5	5	0.99	34	0.147
56	A	5	5	1.00	29	0.172
57	A	7	7	1.00	36	0.194
58	A	7	7	1.00	36	0.194
59	A	5	5	1.00	36	0.139
60	A	6	5	1.00	36	0.139
61	A	10	7	0.98	38	0.184
62	A	9	7	0.99	38	0.184
63	A	9	7	1.00	38	0.184
64	A	9	8	1.00	38	0.210
65	A	9	7	1.00	38	0.184
66	A	10	8	1.00	38	0.210
67	A	10	7	1.00	38	0.184

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
68	A	9	7	1.00	38	0.184
69	A	8	7	1.00	38	0.184
70	A	8	7	1.00	38	0.184
71	A	8	7	1.00	38	0.184
72	A	9	8	1.00	38	0.210
73	A	9	7	0.99	38	0.184
74	A	8	7	0.99	38	0.184
75	A	7	6	0.99	38	0.158
76	A	7	6	1.00	38	0.158
77	A	8	7	1.00	38	0.184
78	A	9	7	1.00	38	0.184

Chapter 3

Listing of integrals

$$3.1 \quad \int \sqrt{1-dx} \sqrt{1+dx} (e+fx)^3 (A+Bx+Cx^2) dx$$

Optimal. Leaf size=415

$$\frac{(1-d^2x^2)^{3/2} (e+fx)^2 (7d^2f(2Af+Be) - C(3d^2e^2 - 8f^2))}{70d^4f} + \frac{x\sqrt{1-d^2x^2} (8Ad^4e^3 + 6Ad^2ef^2 + 6Bd^2e^2f + B^2d^2e^2)}{16d^4}$$

[Out] $-1/70*(7*d^2*f*(2*A*f+B*e)-C*(3*d^2*e^2-8*f^2))*(f*x+e)^2*(-d^2*x^2+1)^{(3/2)}/d^4/f+1/42*(-7*B*f+3*C*e)*(f*x+e)^3*(-d^2*x^2+1)^{(3/2)}/d^2/f-1/7*C*(f*x+e)^4*(-d^2*x^2+1)^{(3/2)}/d^2/f+1/840*(8*C*(3*d^4*e^4-30*d^2*e^2*f^2-8*f^4)-56*d^2*f*(2*A*f*(6*d^2*e^2+f^2)+B*(d^2*e^3+6*e*f^2))+3*d^2*f*(-98*A*d^2*e*f^2-14*B*d^2*e^2*f+6*C*d^2*e^3-35*B*f^3-41*C*e*f^2)*x*(-d^2*x^2+1)^{(3/2)}/d^6/f+1/16*(8*A*d^4*e^3+6*A*d^2*e*f^2+6*B*d^2*e^2*f+2*C*d^2*e^3+B*f^3+3*C*e*f^2)*\arcsin(dx)/d^5+1/16*(8*A*d^4*e^3+6*A*d^2*e*f^2+6*B*d^2*e^2*f+2*C*d^2*e^3+B*f^3+3*C*e*f^2)*x*(-d^2*x^2+1)^{(1/2)}/d^4$

Rubi [A] time = 0.67, antiderivative size = 415, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.162$, Rules used = {1609, 1654, 833, 780, 195, 216}

$$\frac{(1-d^2x^2)^{3/2} (e+fx)^2 (7d^2f(2Af+Be) - C(3d^2e^2 - 8f^2))}{70d^4f} + \frac{(1-d^2x^2)^{3/2} (3d^2fx(-98Ad^2ef^2 - 14Bd^2e^2f - B^2d^2e^2))}{16d^4}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[1-d*x]*Sqrt[1+d*x]*(e+f*x)^3*(A+B*x+C*x^2),x]

[Out] $((2*C*d^2*e^3 + 8*A*d^4*e^3 + 6*B*d^2*e^2*f + 3*C*e*f^2 + 6*A*d^2*e*f^2 + B*f^3)*x*\sqrt{1-d^2*x^2})/(16*d^4) - ((7*d^2*f*(B*e + 2*A*f) - C*(3*d^2*e^2 - 8*f^2))*x*\sqrt{1-d^2*x^2})/(70*d^4)$

$$2 - 8f^2)) * (e + fx)^2 * (1 - d^2x^2)^{(3/2)} / (70d^4f) + ((3C*e - 7B*f) * (e + fx)^3 * (1 - d^2x^2)^{(3/2)} / (42d^2f) - (C * (e + fx)^4 * (1 - d^2x^2)^{(3/2)} / (7d^2f) + ((8 * (C * (3d^4e^4 - 30d^2e^2f^2 - 8f^4) - 7d^2f * (2 * A * f * (6d^2e^2 + f^2) + B * (d^2e^3 + 6e * f^2))) + 3d^2f * (6C * d^2e^3 - 14 * B * d^2e^2f - 41 * C * e * f^2 - 98 * A * d^2e * f^2 - 35 * B * f^3) * x) * (1 - d^2x^2)^{(3/2)} / (840d^6f) + ((2 * C * d^2e^3 + 8 * A * d^4e^3 + 6 * B * d^2e^2f + 3 * C * e * f^2 + 6 * A * d^2e * f^2 + B * f^3) * \text{ArcSin}[d * x]) / (16d^5)$$

Rule 195

```
Int[((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^p)/(n*p + 1), x] + Dist[(a*n*p)/(n*p + 1), Int[(a + b*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2*p] || (EqQ[n, 2] && IntegerQ[4*p]) || (EqQ[n, 2] && IntegerQ[3*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])
```

Rule 216

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

Rule 780

```
Int[((d_) + (e_)*(x_))*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] := Simp[(((e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x)*(a + c*x^2)^(p + 1))/(2*c*(p + 1)*(2*p + 3)), x] - Dist[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p + 3)), Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !LeQ[p, -1]
```

Rule 833

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] := Simp[(g*(d + e*x)^m*(a + c*x^2)^(p + 1))/(c*(m + 2*p + 2)), x] + Dist[1/(c*(m + 2*p + 2)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^p*Simp[c*d*f*(m + 2*p + 2) - a*e*g*m + c*(e*f*(m + 2*p + 2) + d*g*m)*x, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[m, 0] && NeQ[m + 2*p + 2, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p]) && !(IGtQ[m, 0] && EqQ[f, 0])
```

Rule 1609

```
Int[(Px_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*d, 0] && EqQ[m, n] && (IntegerQ[m] || (GtQ[a, 0] && GtQ[c, 0]))
```

Rule 1654

```

Int[(Pq_)*((d_) + (e_)*(x_))^(m_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :
> With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x)
)^(m + q - 1)*(a + c*x^2)^(p + 1))/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Di
st[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + c*x^2)^p*ExpandToSum[c
*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - f*(d + e*x)
^(q - 2)*(a*e^2*(m + q - 1) - c*d^2*(m + q + 2*p + 1) - 2*c*d*e*(m + q + p)
*x), x], x] /; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0] /; FreeQ[{a, c, d,
e, m, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && !(EqQ[d, 0] && T
rue) && !(IGtQ[m, 0] && RationalQ[a, c, d, e] && (IntegerQ[p] || ILtQ[p +
1/2, 0]))

```

Rubi steps

$$\begin{aligned}
 \int \sqrt{1-dx} \sqrt{1+dx} (e+fx)^3 (A+Bx+Cx^2) dx &= \int (e+fx)^3 (A+Bx+Cx^2) \sqrt{1-d^2x^2} dx \\
 &= -\frac{C(e+fx)^4 (1-d^2x^2)^{3/2}}{7d^2f} - \frac{\int (e+fx)^3 (- (4C + 7Ad^2) f^2 dx)}{7d^2f} \\
 &= \frac{(3Ce - 7Bf)(e+fx)^3 (1-d^2x^2)^{3/2}}{42d^2f} - \frac{C(e+fx)^4 (1-d^2x^2)^{3/2}}{7d^2f} \\
 &= -\frac{(7d^2f(Be + 2Af) - C(3d^2e^2 - 8f^2))(e+fx)^2 (1-d^2x^2)^{3/2}}{70d^4f} \\
 &= -\frac{(7d^2f(Be + 2Af) - C(3d^2e^2 - 8f^2))(e+fx)^2 (1-d^2x^2)^{3/2}}{70d^4f} \\
 &= \frac{(2Cd^2e^3 + 8Ad^4e^3 + 6Bd^2e^2f + 3Cef^2 + 6Ad^2ef^2 + Bf^3)}{16d^4} \\
 &= \frac{(2Cd^2e^3 + 8Ad^4e^3 + 6Bd^2e^2f + 3Cef^2 + 6Ad^2ef^2 + Bf^3)}{16d^4}
 \end{aligned}$$

Mathematica [A] time = 0.54, size = 355, normalized size = 0.86

$$\frac{105d \sin^{-1}(dx) (8Ad^4e^3 + 6Ad^2ef^2 + 6Bd^2e^2f + Bf^3 + 2Cd^2e^3 + 3Cef^2) + \sqrt{1-d^2x^2} (14Ad^2 (6d^4x (10e^3 + 20e^2x + 10e x^2 + x^3) + 20e^2x^2 + 20e x^3 + x^4))}{16d^4}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[1 - d*x]*Sqrt[1 + d*x]*(e + f*x)^3*(A + B*x + C*x^2),x]

[Out] (Sqrt[1 - d^2*x^2]*(14*A*d^2*(-16*f^3 - d^2*f*(120*e^2 + 45*e*f*x + 8*f^2*x^2) + 6*d^4*x*(10*e^3 + 20*e^2*f*x + 15*e*f^2*x^2 + 4*f^3*x^3)) + 7*B*(-3*d^2*f^2*(32*e + 5*f*x) - 2*d^4*(40*e^3 + 45*e^2*f*x + 24*e*f^2*x^2 + 5*f^3*x^3) + 4*d^6*x^2*(20*e^3 + 45*e^2*f*x + 36*e*f^2*x^2 + 10*f^3*x^3)) - C*(128*f^3 + d^2*f*(672*e^2 + 315*e*f*x + 64*f^2*x^2) + 6*d^4*x*(35*e^3 + 56*e^2*f*x + 35*e*f^2*x^2 + 8*f^3*x^3) - 12*d^6*x^3*(35*e^3 + 84*e^2*f*x + 70*e*f^2*x^2 + 20*f^3*x^3))) + 105*d*(2*C*d^2*e^3 + 8*A*d^4*e^3 + 6*B*d^2*e^2*f + 3*C*e*f^2 + 6*A*d^2*e*f^2 + B*f^3)*ArcSin[d*x])/(1680*d^6)

fricas [A] time = 1.19, size = 406, normalized size = 0.98

$$(240 Cd^6 f^3 x^6 - 560 Bd^4 e^3 - 672 Bd^2 e f^2 + 280 (3 Cd^6 e f^2 + Bd^6 f^3) x^5 + 48 (21 Cd^6 e^2 f + 21 Bd^6 e f^2 + (7 Ad^6 - C$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*(C*x^2+B*x+A)*(-d*x+1)^(1/2)*(d*x+1)^(1/2),x, algorithm="fricas")

[Out] 1/1680*((240*C*d^6*f^3*x^6 - 560*B*d^4*e^3 - 672*B*d^2*e*f^2 + 280*(3*C*d^6*e*f^2 + B*d^6*f^3)*x^5 + 48*(21*C*d^6*e^2*f + 21*B*d^6*e*f^2 + (7*A*d^6 - C*d^4)*f^3)*x^4 - 336*(5*A*d^4 + 2*C*d^2)*e^2*f - 32*(7*A*d^2 + 4*C)*f^3 + 70*(6*C*d^6*e^3 + 18*B*d^6*e^2*f - B*d^4*f^3 + 3*(6*A*d^6 - C*d^4)*e*f^2)*x^3 + 16*(35*B*d^6*e^3 - 21*B*d^4*e*f^2 + 21*(5*A*d^6 - C*d^4)*e^2*f - (7*A*d^4 + 4*C*d^2)*f^3)*x^2 - 105*(6*B*d^4*e^2*f + B*d^2*f^3 - 2*(4*A*d^6 - C*d^4)*e^3 + 3*(2*A*d^4 + C*d^2)*e*f^2)*x)*sqrt(d*x + 1)*sqrt(-d*x + 1) - 210*(6*B*d^3*e^2*f + B*d*f^3 + 2*(4*A*d^5 + C*d^3)*e^3 + 3*(2*A*d^3 + C*d)*e*f^2)*arctan((sqrt(d*x + 1)*sqrt(-d*x + 1) - 1)/(d*x))/d^6

giac [B] time = 3.11, size = 1948, normalized size = 4.69

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*(C*x^2+B*x+A)*(-d*x+1)^(1/2)*(d*x+1)^(1/2),x, algorithm="giac")

[Out] 1/1680*(14*(((2*(d*x + 1)*(3*(d*x + 1)*(4*(d*x + 1)/d^4 - 21/d^4) + 133/d^4) - 295/d^4)*(d*x + 1) + 195/d^4)*sqrt(d*x + 1)*sqrt(-d*x + 1) + 90*arcsin(1/2*sqrt(2)*sqrt(d*x + 1))/d^4)*A*d*f^3 + 7*(((2*(((d*x + 1)*(4*(d*x + 1)*(5*(d*x + 1)/d^5 - 31/d^5) + 321/d^5) - 451/d^5)*(d*x + 1) + 745/d^5)*(d*x + 1) - 405/d^5)*sqrt(d*x + 1)*sqrt(-d*x + 1) - 150*arcsin(1/2*sqrt(2)*sqrt(d*x + 1))/d^5)*B*d*f^3 + (((2*((4*(d*x + 1)*(5*(d*x + 1)*(6*(d*x + 1)/d^6 - 4

$$\begin{aligned}
& 3/d^6) + 661/d^6) - 4551/d^6)*(d*x + 1) + 4781/d^6)*(d*x + 1) - 6335/d^6)*(\\
& d*x + 1) + 2835/d^6)*\sqrt{d*x + 1}*\sqrt{-d*x + 1} + 1050*\arcsin(1/2*\sqrt{2} \\
& *\sqrt{d*x + 1})/d^6)*C*d*f^3 + 210*(((d*x + 1)*(2*(d*x + 1)*(3*(d*x + 1)/d^ \\
& 3 - 13/d^3) + 43/d^3) - 39/d^3)*\sqrt{d*x + 1}*\sqrt{-d*x + 1} - 18*\arcsin(1/ \\
& 2*\sqrt{2}*\sqrt{d*x + 1})/d^3)*A*d*f^2*e + 42*(((2*(d*x + 1)*(3*(d*x + 1)*(4 \\
& *(d*x + 1)/d^4 - 21/d^4) + 133/d^4) - 295/d^4)*(d*x + 1) + 195/d^4)*\sqrt{d* \\
& x + 1}*\sqrt{-d*x + 1} + 90*\arcsin(1/2*\sqrt{2}*\sqrt{d*x + 1})/d^4)*B*d*f^2*e \\
& + 21*(((2*((d*x + 1)*(4*(d*x + 1)*(5*(d*x + 1)/d^5 - 31/d^5) + 321/d^5) - \\
& 451/d^5)*(d*x + 1) + 745/d^5)*(d*x + 1) - 405/d^5)*\sqrt{d*x + 1}*\sqrt{-d*x \\
& + 1} - 150*\arcsin(1/2*\sqrt{2}*\sqrt{d*x + 1})/d^5)*C*d*f^2*e + 70*(((d*x + 1 \\
&)*(2*(d*x + 1)*(3*(d*x + 1)/d^3 - 13/d^3) + 43/d^3) - 39/d^3)*\sqrt{d*x + 1} \\
& *\sqrt{-d*x + 1} - 18*\arcsin(1/2*\sqrt{2}*\sqrt{d*x + 1})/d^3)*A*f^3 + 14*(((2 \\
& *(d*x + 1)*(3*(d*x + 1)*(4*(d*x + 1)/d^4 - 21/d^4) + 133/d^4) - 295/d^4)*(d \\
& *x + 1) + 195/d^4)*\sqrt{d*x + 1}*\sqrt{-d*x + 1} + 90*\arcsin(1/2*\sqrt{2})*\sqrt{d*x \\
& + 1})/d^4)*B*f^3 + 7*(((2*((d*x + 1)*(4*(d*x + 1)*(5*(d*x + 1)/d^5 - \\
& 31/d^5) + 321/d^5) - 451/d^5)*(d*x + 1) + 745/d^5)*(d*x + 1) - 405/d^5)*\sqrt{d*x \\
& + 1}*\sqrt{-d*x + 1} - 150*\arcsin(1/2*\sqrt{2}*\sqrt{d*x + 1})/d^5)*C*f^ \\
& 3 + 840*(\sqrt{d*x + 1}*\sqrt{-d*x + 1}*((d*x + 1)*(2*(d*x + 1)/d^2 - 7/d^2) \\
& + 9/d^2) + 6*\arcsin(1/2*\sqrt{2}*\sqrt{d*x + 1})/d^2)*A*d*f*e^2 + 210*(((d*x \\
& + 1)*(2*(d*x + 1)*(3*(d*x + 1)/d^3 - 13/d^3) + 43/d^3) - 39/d^3)*\sqrt{d*x + \\
& 1}*\sqrt{-d*x + 1} - 18*\arcsin(1/2*\sqrt{2}*\sqrt{d*x + 1})/d^3)*B*d*f*e^2 + \\
& 42*(((2*(d*x + 1)*(3*(d*x + 1)*(4*(d*x + 1)/d^4 - 21/d^4) + 133/d^4) - 295/ \\
& d^4)*(d*x + 1) + 195/d^4)*\sqrt{d*x + 1}*\sqrt{-d*x + 1} + 90*\arcsin(1/2*\sqrt{2}*\sqrt{d*x \\
& + 1})/d^4)*C*d*f*e^2 + 840*(\sqrt{d*x + 1}*\sqrt{-d*x + 1}*((d*x \\
& + 1)*(2*(d*x + 1)/d^2 - 7/d^2) + 9/d^2) + 6*\arcsin(1/2*\sqrt{2}*\sqrt{d*x + \\
& 1})/d^2)*A*f^2*e + 210*(((d*x + 1)*(2*(d*x + 1)*(3*(d*x + 1)/d^3 - 13/d^3) \\
& + 43/d^3) - 39/d^3)*\sqrt{d*x + 1}*\sqrt{-d*x + 1} - 18*\arcsin(1/2*\sqrt{2})*\sqrt{d*x \\
& + 1})/d^3)*B*f^2*e + 42*(((2*(d*x + 1)*(3*(d*x + 1)*(4*(d*x + 1)/d^4 \\
& - 21/d^4) + 133/d^4) - 295/d^4)*(d*x + 1) + 195/d^4)*\sqrt{d*x + 1}*\sqrt{-d \\
& *x + 1} + 90*\arcsin(1/2*\sqrt{2}*\sqrt{d*x + 1})/d^4)*C*f^2*e + 280*(\sqrt{d*x \\
& + 1}*\sqrt{-d*x + 1}*((d*x + 1)*(2*(d*x + 1)/d^2 - 7/d^2) + 9/d^2) + 6*\arcs \\
& in(1/2*\sqrt{2}*\sqrt{d*x + 1})/d^2)*B*d*e^3 + 70*(((d*x + 1)*(2*(d*x + 1)*(3 \\
& *(d*x + 1)/d^3 - 13/d^3) + 43/d^3) - 39/d^3)*\sqrt{d*x + 1}*\sqrt{-d*x + 1} - \\
& 18*\arcsin(1/2*\sqrt{2}*\sqrt{d*x + 1})/d^3)*C*d*e^3 + 840*(\sqrt{d*x + 1})*\sqrt{d*x \\
& + 1}*\sqrt{-d*x + 1}*((d*x + 1)*(2*(d*x + 1)/d^2 - 7/d^2) + 9/d^2) + 6*\arcsin(1/2*\sqrt{2})*\sqrt{d*x \\
& + 1})/d^2)*B*f*e^2 + 210*(((d*x + 1)*(2*(d*x + 1)*(3*(d*x + \\
& 1)/d^3 - 13/d^3) + 43/d^3) - 39/d^3)*\sqrt{d*x + 1}*\sqrt{-d*x + 1} - 18*\arcs \\
& in(1/2*\sqrt{2}*\sqrt{d*x + 1})/d^3)*C*f*e^2 + 840*(\sqrt{d*x + 1}*(d*x - 2)*\sqrt{d*x \\
& + 1}*\sqrt{-d*x + 1} - 2*\arcsin(1/2*\sqrt{2}*\sqrt{d*x + 1}))*A*e^3 + 1680*(\sqrt{d*x \\
& + 1}*\sqrt{-d*x + 1} + 2*\arcsin(1/2*\sqrt{2}*\sqrt{d*x + 1}))*A*e^3 + 280*(\sqrt{d*x \\
& + 1}*\sqrt{-d*x + 1}*((d*x + 1)*(2*(d*x + 1)/d^2 - 7/d^2) + 9/d^2) + \\
& 6*\arcsin(1/2*\sqrt{2}*\sqrt{d*x + 1})/d^2)*C*e^3 + 2520*(\sqrt{d*x + 1}*(d*x - \\
& 2)*\sqrt{d*x + 1}*\sqrt{-d*x + 1} - 2*\arcsin(1/2*\sqrt{2}*\sqrt{d*x + 1}))*A*f*e^2/d + 840*(\\
& \sqrt{d*x + 1}*(d*x - 2)*\sqrt{-d*x + 1} - 2*\arcsin(1/2*\sqrt{2}*\sqrt{d*x + 1} \\
&))*B*e^3/d)/d
\end{aligned}$$

maple [C] time = 0.04, size = 959, normalized size = 2.31

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x+e)^3*(C*x^2+B*x+A)*(-d*x+1)^(1/2)*(d*x+1)^(1/2),x)`

[Out] $\frac{1}{1680}(-d^2x^2+1)^{3/2}(d^2x^2+1)^{3/2}(-128C\operatorname{csgn}(d)(-d^2x^2+1)^{1/2}f^3+840A\arctan(1/(-d^2x^2+1)^{1/2})d^5e^3+210C\arctan(1/(-d^2x^2+1)^{1/2})d^3e^3+105B\arctan(1/(-d^2x^2+1)^{1/2})d^3e^3+560B\operatorname{csgn}(d)(-d^2x^2+1)^{1/2}d^4e^3-224A\operatorname{csgn}(d)(-d^2x^2+1)^{1/2}d^2f^3+630A\arctan(1/(-d^2x^2+1)^{1/2})d^3e^2f+315C\arctan(1/(-d^2x^2+1)^{1/2})d^3e^2f+336A\operatorname{csgn}(d)x^4d^6f^3(-d^2x^2+1)^{1/2}+420C\operatorname{csgn}(d)x^3d^6e^3(-d^2x^2+1)^{1/2}+560B\operatorname{csgn}(d)x^2d^6e^3(-d^2x^2+1)^{1/2}-48C\operatorname{csgn}(d)(-d^2x^2+1)^{1/2}x^4d^4f^3-70B\operatorname{csgn}(d)(-d^2x^2+1)^{1/2}x^3d^4f^3-112A\operatorname{csgn}(d)(-d^2x^2+1)^{1/2}x^2d^4f^3-1680A\operatorname{csgn}(d)(-d^2x^2+1)^{1/2}d^4e^2f-64C\operatorname{csgn}(d)(-d^2x^2+1)^{1/2}x^2d^2f^3+840A\operatorname{csgn}(d)(-d^2x^2+1)^{1/2}x^2d^6e^3-210C\operatorname{csgn}(d)(-d^2x^2+1)^{1/2}x^2d^4e^3-105B\operatorname{csgn}(d)(-d^2x^2+1)^{1/2}x^2d^2f^3-672B\operatorname{csgn}(d)(-d^2x^2+1)^{1/2}d^2e^2f-672C\operatorname{csgn}(d)(-d^2x^2+1)^{1/2}d^2e^2f+240C\operatorname{csgn}(d)x^6d^6f^3(-d^2x^2+1)^{1/2}+280B\operatorname{csgn}(d)x^5d^6f^3(-d^2x^2+1)^{1/2}-630A\operatorname{csgn}(d)(-d^2x^2+1)^{1/2}x^5d^4e^2f-630B\operatorname{csgn}(d)(-d^2x^2+1)^{1/2}x^5d^4e^2f-315C\operatorname{csgn}(d)(-d^2x^2+1)^{1/2}x^5d^2e^2f+840C\operatorname{csgn}(d)x^5d^6e^2f(-d^2x^2+1)^{1/2}+1008B\operatorname{csgn}(d)x^4d^6e^2f(-d^2x^2+1)^{1/2}+1260A\operatorname{csgn}(d)x^3d^6e^2f(-d^2x^2+1)^{1/2}+1260B\operatorname{csgn}(d)x^3d^6e^2f(-d^2x^2+1)^{1/2}+1680A\operatorname{csgn}(d)x^2d^6e^2f(-d^2x^2+1)^{1/2}-210C\operatorname{csgn}(d)(-d^2x^2+1)^{1/2}x^3d^4e^2f-336B\operatorname{csgn}(d)(-d^2x^2+1)^{1/2}x^2d^4e^2f)+\operatorname{csgn}(d)/d^6/(-d^2x^2+1)^{1/2}$

maxima [A] time = 1.00, size = 444, normalized size = 1.07

$$-\frac{(-d^2x^2+1)^{3/2}Cf^3x^4}{7d^2} + \frac{1}{2}\sqrt{-d^2x^2+1}Ae^3x + \frac{Ae^3\arcsin(dx)}{2d} - \frac{(-d^2x^2+1)^{3/2}Be^3}{3d^2} - \frac{(-d^2x^2+1)^{3/2}Ae^2f}{d^2} - \frac{4(-d^2x^2+1)^{3/2}Ae^3x}{35d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)^3*(C*x^2+B*x+A)*(-d*x+1)^(1/2)*(d*x+1)^(1/2),x, algorithm="maxima")`

[Out] $-1/7(-d^2x^2+1)^{3/2}Cf^3x^4/d^2 + 1/2\sqrt{-d^2x^2+1}Ae^3x + 1/2Ae^3\arcsin(dx)/d - 1/3(-d^2x^2+1)^{3/2}Be^3/d^2 - (-d^2x^2+1)^{3/2}Ae^2f/d^2 - 4(-d^2x^2+1)^{3/2}Ae^3x/35d^2$

$$\begin{aligned}
& 1)^{(3/2)} * A * e^{2*f} / d^2 - 4/35 * (-d^2 * x^2 + 1)^{(3/2)} * C * f^3 * x^2 / d^4 - 1/6 * (3 * C * e \\
& * f^2 + B * f^3) * (-d^2 * x^2 + 1)^{(3/2)} * x^3 / d^2 - 1/5 * (3 * C * e^{2*f} + 3 * B * e * f^2 + A \\
& * f^3) * (-d^2 * x^2 + 1)^{(3/2)} * x^2 / d^2 - 1/4 * (C * e^3 + 3 * B * e^2 * f + 3 * A * e * f^2) * (- \\
& d^2 * x^2 + 1)^{(3/2)} * x / d^2 + 1/8 * (C * e^3 + 3 * B * e^2 * f + 3 * A * e * f^2) * \text{sqrt}(-d^2 * x^ \\
& 2 + 1) * x / d^2 - 8/105 * (-d^2 * x^2 + 1)^{(3/2)} * C * f^3 / d^6 - 1/8 * (3 * C * e * f^2 + B * f^ \\
& 3) * (-d^2 * x^2 + 1)^{(3/2)} * x / d^4 + 1/8 * (C * e^3 + 3 * B * e^2 * f + 3 * A * e * f^2) * \text{arcsin} \\
& (d * x) / d^3 - 2/15 * (3 * C * e^{2*f} + 3 * B * e * f^2 + A * f^3) * (-d^2 * x^2 + 1)^{(3/2)} / d^4 + \\
& 1/16 * (3 * C * e * f^2 + B * f^3) * \text{sqrt}(-d^2 * x^2 + 1) * x / d^4 + 1/16 * (3 * C * e * f^2 + B * f^3 \\
&) * \text{arcsin}(d * x) / d^5
\end{aligned}$$

mupad [B] time = 47.79, size = 3993, normalized size = 9.62

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((e + f*x)^3 * (1 - d*x)^{(1/2)} * (d*x + 1)^{(1/2)} * (A + B*x + C*x^2), x)$

[Out]
$$\begin{aligned}
& - \left(\frac{((2048 * C * f^3) / 3 - 640 * C * d^2 * e^2 * f) * ((1 - d * x)^{(1/2)} - 1)^6}{((d * x + 1)^{(1/2)} - 1)^6} + \frac{((2048 * C * f^3) / 3 - 640 * C * d^2 * e^2 * f) * ((1 - d * x)^{(1/2)} - 1)^{22}}{((d * x + 1)^{(1/2)} - 1)^{22}} - \frac{((20480 * C * f^3) / 3 - 448 * C * d^2 * e^2 * f) * ((1 - d * x)^{(1/2)} - 1)^8}{((d * x + 1)^{(1/2)} - 1)^8} - \frac{((20480 * C * f^3) / 3 - 448 * C * d^2 * e^2 * f) * ((1 - d * x)^{(1/2)} - 1)^{20}}{((d * x + 1)^{(1/2)} - 1)^{20}} + \frac{((458752 * C * f^3) / 15 + (27136 * C * d^2 * e^2 * f) / 5) * ((1 - d * x)^{(1/2)} - 1)^{10}}{((d * x + 1)^{(1/2)} - 1)^{10}} + \frac{((458752 * C * f^3) / 15 + (27136 * C * d^2 * e^2 * f) / 5) * ((1 - d * x)^{(1/2)} - 1)^{18}}{((d * x + 1)^{(1/2)} - 1)^{18}} - \frac{((1011712 * C * f^3) / 15 - (13184 * C * d^2 * e^2 * f) / 5) * ((1 - d * x)^{(1/2)} - 1)^{12}}{((d * x + 1)^{(1/2)} - 1)^{12}} - \frac{((1011712 * C * f^3) / 15 - (13184 * C * d^2 * e^2 * f) / 5) * ((1 - d * x)^{(1/2)} - 1)^{16}}{((d * x + 1)^{(1/2)} - 1)^{16}} + \frac{((9293824 * C * f^3) / 105 - (15104 * C * d^2 * e^2 * f) / 5) * ((1 - d * x)^{(1/2)} - 1)^{14}}{((d * x + 1)^{(1/2)} - 1)^{14}} + \frac{(((1 - d * x)^{(1/2)} - 1)^3 * ((29 * C * d^3 * e^3) / 2 - (41 * C * d * e * f^2) / 4))}{((d * x + 1)^{(1/2)} - 1)^3} - \frac{(((1 - d * x)^{(1/2)} - 1)^{25} * ((29 * C * d^3 * e^3) / 2 - (41 * C * d * e * f^2) / 4))}{((d * x + 1)^{(1/2)} - 1)^{25}} - \frac{(((1 - d * x)^{(1/2)} - 1)^5 * (39 * C * d^3 * e^3 - (1099 * C * d * e * f^2) / 2))}{((d * x + 1)^{(1/2)} - 1)^5} + \frac{(((1 - d * x)^{(1/2)} - 1)^{23} * (39 * C * d^3 * e^3 - (1099 * C * d * e * f^2) / 2))}{((d * x + 1)^{(1/2)} - 1)^{23}} - \frac{(((1 - d * x)^{(1/2)} - 1)^7 * (209 * C * d^3 * e^3 + (8755 * C * d * e * f^2) / 2))}{((d * x + 1)^{(1/2)} - 1)^7} + \frac{(((1 - d * x)^{(1/2)} - 1)^{21} * (209 * C * d^3 * e^3 + (8755 * C * d * e * f^2) / 2))}{((d * x + 1)^{(1/2)} - 1)^{21}} + \frac{(((1 - d * x)^{(1/2)} - 1)^{11} * ((1767 * C * d^3 * e^3) / 2 - (8267 * C * d * e * f^2) / 4))}{((d * x + 1)^{(1/2)} - 1)^{11}} - \frac{(((1 - d * x)^{(1/2)} - 1)^{17} * ((1767 * C * d^3 * e^3) / 2 - (8267 * C * d * e * f^2) / 4))}{((d * x + 1)^{(1/2)} - 1)^{17}} + \frac{(((1 - d * x)^{(1/2)} - 1)^{13} * (646 * C * d^3 * e^3 - 17527 * C * d * e * f^2))}{((d * x + 1)^{(1/2)} - 1)^{13}} - \frac{(((1 - d * x)^{(1/2)} - 1)^{15} * (646 * C * d^3 * e^3 - 17527 * C * d * e * f^2))}{((d * x + 1)^{(1/2)} - 1)^{15}} + \frac{(((1 - d * x)^{(1/2)} - 1)^9 * ((165 * C * d^3 * e^3) / 2 + (42095 * C * d * e * f^2) / 4))}{((d * x + 1)^{(1/2)} - 1)^9} - \frac{(((1 - d * x)^{(1/2)} - 1)^{19} * ((165 * C * d^3 * e^3) / 2 + (42095 * C * d * e * f^2) / 4))}{((d * x + 1)^{(1/2)} - 1)^{19}} - \frac{(d * (2 * C * d^2 * e^3 + 3 * C * e * f^2) * ((1 - d * x)^{(1/2)} - 1))}{4 * ((d * x + 1)^{(1/2)} - 1)} + \frac{(d * (2 * C * d^2 * e^3 + 3 * C * e * f^2) * ((1 - d * x)^{(1/2)} - 1)^{27})}{4 * ((d * x + 1)^{(1/2)} - 1)}
\end{aligned}$$

$$\begin{aligned}
& /2) - 1)^{27}) + (192*C*d^2*e^2*f*((1 - d*x)^{(1/2)} - 1)^4)/((d*x + 1)^{(1/2)} - 1)^4 \\
& + (192*C*d^2*e^2*f*((1 - d*x)^{(1/2)} - 1)^{24})/((d*x + 1)^{(1/2)} - 1)^{24} \\
&)/(d^6 + (14*d^6*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 + (91*d^6 \\
& *((1 - d*x)^{(1/2)} - 1)^4)/((d*x + 1)^{(1/2)} - 1)^4 + (364*d^6*((1 - d*x)^{(1/2)} - 1)^6) \\
&)/((d*x + 1)^{(1/2)} - 1)^6 + (1001*d^6*((1 - d*x)^{(1/2)} - 1)^8)/((d*x + 1)^{(1/2)} - 1)^8 \\
& + (2002*d^6*((1 - d*x)^{(1/2)} - 1)^{10})/((d*x + 1)^{(1/2)} - 1)^{10} + (3003*d^6*((1 - d*x)^{(1/2)} - 1)^{12}) \\
&)/((d*x + 1)^{(1/2)} - 1)^{12} + (3432*d^6*((1 - d*x)^{(1/2)} - 1)^{14})/((d*x + 1)^{(1/2)} - 1)^{14} + (3003*d^6*((1 - d*x)^{(1/2)} - 1)^{16}) \\
&)/((d*x + 1)^{(1/2)} - 1)^{16} + (2002*d^6*((1 - d*x)^{(1/2)} - 1)^{18})/((d*x + 1)^{(1/2)} - 1)^{18} + (1001*d^6*((1 - d*x)^{(1/2)} - 1)^{20}) \\
&)/((d*x + 1)^{(1/2)} - 1)^{20} + (364*d^6*((1 - d*x)^{(1/2)} - 1)^{22})/((d*x + 1)^{(1/2)} - 1)^{22} + (91*d^6*((1 - d*x)^{(1/2)} - 1)^{24}) \\
&)/((d*x + 1)^{(1/2)} - 1)^{24} + (14*d^6*((1 - d*x)^{(1/2)} - 1)^{26})/((d*x + 1)^{(1/2)} - 1)^{26} + (d^6*((1 - d*x)^{(1/2)} - 1)^{28}) \\
&)/((d*x + 1)^{(1/2)} - 1)^{28} - (((4928*A*f^3)/3 + 512*A*d^2*e^2*f)*((1 - d*x)^{(1/2)} - 1)^8)/((d*x + 1)^{(1/2)} - 1)^8 - (((1408*A*f^3)/3 - 32*A*d^2*e^2*f) \\
&)*((1 - d*x)^{(1/2)} - 1)^{14})/((d*x + 1)^{(1/2)} - 1)^{14} - (((1408*A*f^3)/3 - 32*A*d^2*e^2*f)*((1 - d*x)^{(1/2)} - 1)^6)/((d*x + 1)^{(1/2)} - 1)^6 \\
& + (((4928*A*f^3)/3 + 512*A*d^2*e^2*f)*((1 - d*x)^{(1/2)} - 1)^{12})/((d*x + 1)^{(1/2)} - 1)^{12} - (((11008*A*f^3)/5 - 912*A*d^2*e^2*f) \\
&)*((1 - d*x)^{(1/2)} - 1)^{10})/((d*x + 1)^{(1/2)} - 1)^{10} + (((1 - d*x)^{(1/2)} - 1)*(2*A*d^3*e^3 - (3*A*d*e*f^2)/2))/((d*x + 1)^{(1/2)} - 1)^{19} - (((1 - d*x)^{(1/2)} - 1)^3 \\
& *(2*A*d^3*e^3 - (99*A*d*e*f^2)/2))/((d*x + 1)^{(1/2)} - 1)^3 + (((1 - d*x)^{(1/2)} - 1)^{17}*(2*A*d^3*e^3 - (99*A*d*e*f^2)/2))/((d*x + 1)^{(1/2)} - 1)^{17} - ((\\
& (1 - d*x)^{(1/2)} - 1)^5*(40*A*d^3*e^3 + 306*A*d*e*f^2))/((d*x + 1)^{(1/2)} - 1)^5 + (((1 - d*x)^{(1/2)} - 1)^{15}*(40*A*d^3*e^3 + 306*A*d*e*f^2))/((d*x + 1)^{(1/2)} - 1)^{15} \\
& - (((1 - d*x)^{(1/2)} - 1)^7*(88*A*d^3*e^3 - 306*A*d*e*f^2))/((d*x + 1)^{(1/2)} - 1)^7 + (((1 - d*x)^{(1/2)} - 1)^{13}*(88*A*d^3*e^3 - 306*A*d*e*f^2))/((d*x + 1)^{(1/2)} - 1)^{13} \\
& - (((1 - d*x)^{(1/2)} - 1)^9*(52*A*d^3*e^3 - 663*A*d*e*f^2))/((d*x + 1)^{(1/2)} - 1)^9 + (((1 - d*x)^{(1/2)} - 1)^{11}*(52*A*d^3*e^3 - 663*A*d*e*f^2))/((d*x + 1)^{(1/2)} - 1)^{11} \\
& + (64*A*f^3*((1 - d*x)^{(1/2)} - 1)^4)/((d*x + 1)^{(1/2)} - 1)^4 + (64*A*f^3*((1 - d*x)^{(1/2)} - 1)^{16})/((d*x + 1)^{(1/2)} - 1)^{16} + (24*A*d^2*e^2*f*((1 - d*x)^{(1/2)} - 1)^2) \\
&)/((d*x + 1)^{(1/2)} - 1)^2 + (24*A*d^2*e^2*f*((1 - d*x)^{(1/2)} - 1)^{18})/((d*x + 1)^{(1/2)} - 1)^{18} + (10*d^4*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 \\
& + (45*d^4*((1 - d*x)^{(1/2)} - 1)^4)/((d*x + 1)^{(1/2)} - 1)^4 + (120*d^4*((1 - d*x)^{(1/2)} - 1)^6)/((d*x + 1)^{(1/2)} - 1)^6 + (210*d^4*((1 - d*x)^{(1/2)} - 1)^8) \\
&)/((d*x + 1)^{(1/2)} - 1)^8 + (252*d^4*((1 - d*x)^{(1/2)} - 1)^{10})/((d*x + 1)^{(1/2)} - 1)^{10} + (210*d^4*((1 - d*x)^{(1/2)} - 1)^{12})/((d*x + 1)^{(1/2)} - 1)^{12} \\
& + (120*d^4*((1 - d*x)^{(1/2)} - 1)^{14})/((d*x + 1)^{(1/2)} - 1)^{14} + (45*d^4*((1 - d*x)^{(1/2)} - 1)^{16})/((d*x + 1)^{(1/2)} - 1)^{16} + (10*d^4*((1 - d*x)^{(1/2)} - 1)^{18}) \\
&)/((d*x + 1)^{(1/2)} - 1)^{18} + (d^4*((1 - d*x)^{(1/2)} - 1)^{20})/((d*x + 1)^{(1/2)} - 1)^{20} - (((B*f^3)/4 + (3*B*d^2*e^2*f)/2)*((1 - d*x)^{(1/2)} - 1)^{23}) \\
&)/((d*x + 1)^{(1/2)} - 1)^{23} - (((35*B*f^3)/12 - (93*B*d^2*e^2*f)/2)*((1 - d*x)^{(1/2)} - 1)^3)/((d*x + 1)^{(1/2)} - 1)^3 + (((35*B*f^3)/12 - (93*B*d^2
\end{aligned}$$

$$\begin{aligned}
& 2e^{2f}/2) * ((1 - dx)^{(1/2)} - 1)^{21} / ((dx + 1)^{(1/2)} - 1)^{21} + (((757*B*f^3)/4 - (417*B*d^2*e^{2f})/2) * ((1 - dx)^{(1/2)} - 1)^5 / ((dx + 1)^{(1/2)} - 1)^5 - (((757*B*f^3)/4 - (417*B*d^2*e^{2f})/2) * ((1 - dx)^{(1/2)} - 1)^{19} / ((dx + 1)^{(1/2)} - 1)^{19} - (((7339*B*f^3)/4 + (513*B*d^2*e^{2f})/2) * ((1 - dx)^{(1/2)} - 1)^7 / ((dx + 1)^{(1/2)} - 1)^7 + (((7339*B*f^3)/4 + (513*B*d^2*e^{2f})/2) * ((1 - dx)^{(1/2)} - 1)^{17} / ((dx + 1)^{(1/2)} - 1)^{17} - (((25661*B*f^3)/2 - 969*B*d^2*e^{2f}) * ((1 - dx)^{(1/2)} - 1)^{11} / ((dx + 1)^{(1/2)} - 1)^{11} + (((25661*B*f^3)/2 - 969*B*d^2*e^{2f}) * ((1 - dx)^{(1/2)} - 1)^{13} / ((dx + 1)^{(1/2)} - 1)^{13} + (((41929*B*f^3)/6 + 969*B*d^2*e^{2f}) * ((1 - dx)^{(1/2)} - 1)^9 / ((dx + 1)^{(1/2)} - 1)^9 - (((41929*B*f^3)/6 + 969*B*d^2*e^{2f}) * ((1 - dx)^{(1/2)} - 1)^{15} / ((dx + 1)^{(1/2)} - 1)^{15} + (((1 - dx)^{(1/2)} - 1)^4 * (16*B*d^3*e^3 + 192*B*d*e*f^2)) / ((dx + 1)^{(1/2)} - 1)^4 + (((1 - dx)^{(1/2)} - 1)^{20} * (16*B*d^3*e^3 + 192*B*d*e*f^2)) / ((dx + 1)^{(1/2)} - 1)^{20} + (((1 - dx)^{(1/2)} - 1)^6 * ((56*B*d^3*e^3)/3 - 1024*B*d*e*f^2)) / ((dx + 1)^{(1/2)} - 1)^6 + (((1 - dx)^{(1/2)} - 1)^{18} * ((56*B*d^3*e^3)/3 - 1024*B*d*e*f^2)) / ((dx + 1)^{(1/2)} - 1)^{18} + (((1 - dx)^{(1/2)} - 1)^8 * (192*B*d^3*e^3 + 2304*B*d*e*f^2)) / ((dx + 1)^{(1/2)} - 1)^8 + (((1 - dx)^{(1/2)} - 1)^{16} * (192*B*d^3*e^3 + 2304*B*d*e*f^2)) / ((dx + 1)^{(1/2)} - 1)^{16} + (((1 - dx)^{(1/2)} - 1)^{10} * (656*B*d^3*e^3 + (9216*B*d*e*f^2)/5)) / ((dx + 1)^{(1/2)} - 1)^{10} + (((1 - dx)^{(1/2)} - 1)^{14} * (656*B*d^3*e^3 + (9216*B*d*e*f^2)/5)) / ((dx + 1)^{(1/2)} - 1)^{14} + (((1 - dx)^{(1/2)} - 1)^{12} * ((2848*B*d^3*e^3)/3 - (16768*B*d*e*f^2)/5)) / ((dx + 1)^{(1/2)} - 1)^{12} - ((B*f^3)/4 + (3*B*d^2*e^{2f})/2) * ((1 - dx)^{(1/2)} - 1) / ((dx + 1)^{(1/2)} - 1) + (8*B*d^3*e^3 * ((1 - dx)^{(1/2)} - 1)^2) / ((dx + 1)^{(1/2)} - 1)^2 + (8*B*d^3*e^3 * ((1 - dx)^{(1/2)} - 1)^{22}) / ((dx + 1)^{(1/2)} - 1)^{22} / (d^5 + (12*d^5 * ((1 - dx)^{(1/2)} - 1)^2) / ((dx + 1)^{(1/2)} - 1)^2 + (66*d^5 * ((1 - dx)^{(1/2)} - 1)^4) / ((dx + 1)^{(1/2)} - 1)^4 + (220*d^5 * ((1 - dx)^{(1/2)} - 1)^6) / ((dx + 1)^{(1/2)} - 1)^6 + (495*d^5 * ((1 - dx)^{(1/2)} - 1)^8) / ((dx + 1)^{(1/2)} - 1)^8 + (792*d^5 * ((1 - dx)^{(1/2)} - 1)^{10}) / ((dx + 1)^{(1/2)} - 1)^{10} + (924*d^5 * ((1 - dx)^{(1/2)} - 1)^{12}) / ((dx + 1)^{(1/2)} - 1)^{12} + (792*d^5 * ((1 - dx)^{(1/2)} - 1)^{14}) / ((dx + 1)^{(1/2)} - 1)^{14} + (495*d^5 * ((1 - dx)^{(1/2)} - 1)^{16}) / ((dx + 1)^{(1/2)} - 1)^{16} + (220*d^5 * ((1 - dx)^{(1/2)} - 1)^{18}) / ((dx + 1)^{(1/2)} - 1)^{18} + (66*d^5 * ((1 - dx)^{(1/2)} - 1)^{20}) / ((dx + 1)^{(1/2)} - 1)^{20} + (12*d^5 * ((1 - dx)^{(1/2)} - 1)^{22}) / ((dx + 1)^{(1/2)} - 1)^{22} + (d^5 * ((1 - dx)^{(1/2)} - 1)^{24}) / ((dx + 1)^{(1/2)} - 1)^{24} - (B*f*atan((B*f*(f^2 + 6*d^2*e^2) * ((1 - dx)^{(1/2)} - 1)) / ((B*f^3 + 6*B*d^2*e^{2f}) * ((dx + 1)^{(1/2)} - 1))) * (f^2 + 6*d^2*e^2)) / (4*d^5) - (A*e*atan((A*e * ((1 - dx)^{(1/2)} - 1) * (3*f^2 + 4*d^2*e^2)) / ((4*A*d^2*e^3 + 3*A*e*f^2) * ((dx + 1)^{(1/2)} - 1))) * (3*f^2 + 4*d^2*e^2)) / (2*d^3) - (C*e*atan((C*e * ((1 - dx)^{(1/2)} - 1) * (3*f^2 + 2*d^2*e^2)) / ((2*C*d^2*e^3 + 3*C*e*f^2) * ((dx + 1)^{(1/2)} - 1))) * (3*f^2 + 2*d^2*e^2)) / (4*d^5)
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)**3*(C*x**2+B*x+A)*(-d*x+1)**(1/2)*(d*x+1)**(1/2),x)
```

```
[Out] Timed out
```

3.2 $\int \sqrt{1-dx} \sqrt{1+dx} (e+fx)^2 (A+Bx+Cx^2) dx$

Optimal. Leaf size=286

$$\frac{\sin^{-1}(dx) \left(2d^2 (A(4d^2e^2 + f^2) + 2Bef) + C(2d^2e^2 + f^2) \right)}{16d^5} + \frac{x\sqrt{1-d^2x^2} \left(2d^2 (A(4d^2e^2 + f^2) + 2Bef) + C(2d^2e^2 + f^2) \right)}{16d^4}$$

```
[Out] 1/10*(-2*B*f+C*e)*(f*x+e)^2*(-d^2*x^2+1)^(3/2)/d^2/f-1/6*C*(f*x+e)^3*(-d^2*x^2+1)^(3/2)/d^2/f+1/120*(8*C*(d^2*e^3-4*e*f^2)-16*f*(5*A*d^2*e*f+B*(d^2*e^2+f^2))-3*f*(5*(2*A*d^2+C)*f^2-2*d^2*e*(-2*B*f+C*e))*x*(-d^2*x^2+1)^(3/2)/d^4/f+1/16*(C*(2*d^2*e^2+f^2)+2*d^2*(2*B*e*f+A*(4*d^2*e^2+f^2)))*arcsin(d*x)/d^5+1/16*(C*(2*d^2*e^2+f^2)+2*d^2*(2*B*e*f+A*(4*d^2*e^2+f^2)))*x*(-d^2*x^2+1)^(1/2)/d^4
```

Rubi [A] time = 0.56, antiderivative size = 286, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.162$, Rules used = {1609, 1654, 833, 780, 195, 216}

$$\frac{(1-d^2x^2)^{3/2} \left(8(C(d^2e^3 - 4ef^2) - 2f(5Ad^2ef + B(d^2e^2 + f^2))) - 3fx(5f^2(2Ad^2 + C) - 2d^2e(Ce - 2Bf)) \right)}{120d^4f}$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[1-d*x]*Sqrt[1+d*x]*(e+f*x)^2*(A+B*x+C*x^2),x]
```

```
[Out] ((C*(2*d^2*e^2+f^2)+2*d^2*(2*B*e*f+A*(4*d^2*e^2+f^2)))*x*Sqrt[1-d^2*x^2])/(16*d^4)+((C*e-2*B*f)*(e+f*x)^2*(1-d^2*x^2)^(3/2))/(10*d^2*f)-(C*(e+f*x)^3*(1-d^2*x^2)^(3/2))/(6*d^2*f)+((8*(C*(d^2*e^3-4*e*f^2)-2*f*(5*A*d^2*e*f+B*(d^2*e^2+f^2)))-3*f*(5*(C+2*A*d^2)*f^2-2*d^2*e*(C*e-2*B*f))*x*(1-d^2*x^2)^(3/2))/(120*d^4*f)+((C*(2*d^2*e^2+f^2)+2*d^2*(2*B*e*f+A*(4*d^2*e^2+f^2)))*ArcSin[d*x])/(16*d^5)
```

Rule 195

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(x*(a + b*x^n)^p)/(n*p + 1), x] + Dist[(a*n*p)/(n*p + 1), Int[(a + b*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2*p] || (EqQ[n, 2] && IntegerQ[4*p]) || (EqQ[n, 2] && IntegerQ[3*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])
```

Rule 216

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

Rule 780

```
Int[((d_.) + (e_.)*(x_))*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_), x
_Symbol] := Simp[(((e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x)*(a + c*x^2)^(p
+ 1))/(2*c*(p + 1)*(2*p + 3)), x] - Dist[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p
+ 3)), Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !Le
Q[p, -1]
```

Rule 833

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_), x_Symbol] := Simp[(g*(d + e*x)^m*(a + c*x^2)^(p + 1))/(c*(m + 2*p + 2)
), x] + Dist[1/(c*(m + 2*p + 2)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^p*Simp[
c*d*f*(m + 2*p + 2) - a*e*g*m + c*(e*f*(m + 2*p + 2) + d*g*m)*x, x], x]
/; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[m, 0] &
& NeQ[m + 2*p + 2, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p]
) && !(IGtQ[m, 0] && EqQ[f, 0])
```

Rule 1609

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f
_.)*(x_))^(p_), x_Symbol] := Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x] /; F
reeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*d, 0] &
& EqQ[m, n] && (IntegerQ[m] || (GtQ[a, 0] && GtQ[c, 0]))
```

Rule 1654

```
Int[(Pq_)*((d_) + (e_.)*(x_))^(m_.)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] :
> With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x)
)^(m + q - 1)*(a + c*x^2)^(p + 1))/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Di
st[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + c*x^2)^p*ExpandToSum[c
*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - f*(d + e*x)
^(q - 2)*(a*e^2*(m + q - 1) - c*d^2*(m + q + 2*p + 1) - 2*c*d*e*(m + q + p)
*x), x], x] /; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0] /; FreeQ[{a, c, d,
e, m, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && !(EqQ[d, 0] && T
rue) && !(IGtQ[m, 0] && RationalQ[a, c, d, e] && (IntegerQ[p] || ILtQ[p +
1/2, 0]))
```

Rubi steps

$$\begin{aligned}
\int \sqrt{1-dx} \sqrt{1+dx} (e+fx)^2 (A+Bx+Cx^2) dx &= \int (e+fx)^2 (A+Bx+Cx^2) \sqrt{1-d^2x^2} dx \\
&= -\frac{C(e+fx)^3 (1-d^2x^2)^{3/2}}{6d^2f} - \frac{\int (e+fx)^2 (-3(C+2Ad^2) f^2)}{6d^2f} dx \\
&= \frac{(Ce-2Bf)(e+fx)^2 (1-d^2x^2)^{3/2}}{10d^2f} - \frac{C(e+fx)^3 (1-d^2x^2)^{3/2}}{6d^2f} \\
&= \frac{(Ce-2Bf)(e+fx)^2 (1-d^2x^2)^{3/2}}{10d^2f} - \frac{C(e+fx)^3 (1-d^2x^2)^{3/2}}{6d^2f} \\
&= \frac{(C(2d^2e^2+f^2) + 2d^2(2Bef + A(4d^2e^2+f^2))) x \sqrt{1-d^2x^2}}{16d^4} \\
&= \frac{(C(2d^2e^2+f^2) + 2d^2(2Bef + A(4d^2e^2+f^2))) x \sqrt{1-d^2x^2}}{16d^4}
\end{aligned}$$

Mathematica [A] time = 0.35, size = 244, normalized size = 0.85

$$\frac{15 \sin^{-1}(dx) \left(2d^2 \left(A \left(4d^2e^2 + f^2 \right) + 2Bef \right) + C \left(2d^2e^2 + f^2 \right) \right) + d\sqrt{1-d^2x^2} \left(10Ad^2 \left(12d^2e^2x + 16ef \left(d^2x^2 - 1 \right) \right) \right)}{16d^4}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[1 - d*x]*Sqrt[1 + d*x]*(e + f*x)^2*(A + B*x + C*x^2), x]

[Out] (d*Sqrt[1 - d^2*x^2]*(10*A*d^2*(12*d^2*e^2*x + 16*e*f*(-1 + d^2*x^2) + 3*f^2*x*(-1 + 2*d^2*x^2)) + 4*B*(-8*f^2 - d^2*(20*e^2 + 15*e*f*x + 4*f^2*x^2) + 2*d^4*x^2*(10*e^2 + 15*e*f*x + 6*f^2*x^2)) + C*(30*d^2*e^2*x*(-1 + 2*d^2*x^2) + 32*e*f*(-2 - d^2*x^2 + 3*d^4*x^4) + 5*f^2*x*(-3 - 2*d^2*x^2 + 8*d^4*x^4))) + 15*(C*(2*d^2*e^2 + f^2) + 2*d^2*(2*B*e*f + A*(4*d^2*e^2 + f^2)))*ArcSin[d*x])/(240*d^5)

fricas [A] time = 1.00, size = 279, normalized size = 0.98

$$\frac{(40Cd^5f^2x^5 - 80Bd^3e^2 + 48(2Cd^5ef + Bd^5f^2)x^4 - 32Bdf^2 + 10(6Cd^5e^2 + 12Bd^5ef + (6Ad^5 - Cd^3)f^2)x^3)}{16d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*(C*x^2+B*x+A)*(-d*x+1)^(1/2)*(d*x+1)^(1/2), x, algorithm="fricas")

```
[Out] 1/240*((40*C*d^5*f^2*x^5 - 80*B*d^3*e^2 + 48*(2*C*d^5*e*f + B*d^5*f^2))*x^4
- 32*B*d*f^2 + 10*(6*C*d^5*e^2 + 12*B*d^5*e*f + (6*A*d^5 - C*d^3)*f^2)*x^3
- 32*(5*A*d^3 + 2*C*d)*e*f + 16*(5*B*d^5*e^2 - B*d^3*f^2 + 2*(5*A*d^5 - C*d
^3)*e*f)*x^2 - 15*(4*B*d^3*e*f - 2*(4*A*d^5 - C*d^3)*e^2 + (2*A*d^3 + C*d)
*f^2)*x)*sqrt(d*x + 1)*sqrt(-d*x + 1) - 30*(4*B*d^2*e*f + 2*(4*A*d^4 + C*d^2
)*e^2 + (2*A*d^2 + C)*f^2)*arctan((sqrt(d*x + 1)*sqrt(-d*x + 1) - 1)/(d*x)
)/d^5
```

giac [B] time = 2.58, size = 1327, normalized size = 4.64

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^2*(C*x^2+B*x+A)*(-d*x+1)^(1/2)*(d*x+1)^(1/2),x, algorithm
="giac")
```

```
[Out] 1/240*(10*(((d*x + 1)*(2*(d*x + 1)*(3*(d*x + 1)/d^3 - 13/d^3) + 43/d^3) - 3
9/d^3)*sqrt(d*x + 1)*sqrt(-d*x + 1) - 18*arcsin(1/2*sqrt(2)*sqrt(d*x + 1))/
d^3)*A*d*f^2 + 2*(((2*(d*x + 1)*(3*(d*x + 1)*(4*(d*x + 1)/d^4 - 21/d^4) + 1
33/d^4) - 295/d^4)*(d*x + 1) + 195/d^4)*sqrt(d*x + 1)*sqrt(-d*x + 1) + 90*a
rcsin(1/2*sqrt(2)*sqrt(d*x + 1))/d^4)*B*d*f^2 + (((2*((d*x + 1)*(4*(d*x + 1
))*(5*(d*x + 1)/d^5 - 31/d^5) + 321/d^5) - 451/d^5)*(d*x + 1) + 745/d^5)*(d*
x + 1) - 405/d^5)*sqrt(d*x + 1)*sqrt(-d*x + 1) - 150*arcsin(1/2*sqrt(2)*sq
rt(d*x + 1))/d^5)*C*d*f^2 + 80*(sqrt(d*x + 1)*sqrt(-d*x + 1)*((d*x + 1)*(2*(
d*x + 1)/d^2 - 7/d^2) + 9/d^2) + 6*arcsin(1/2*sqrt(2)*sqrt(d*x + 1))/d^2)*A
*d*f*e + 20*(((d*x + 1)*(2*(d*x + 1)*(3*(d*x + 1)/d^3 - 13/d^3) + 43/d^3) -
39/d^3)*sqrt(d*x + 1)*sqrt(-d*x + 1) - 18*arcsin(1/2*sqrt(2)*sqrt(d*x + 1)
)/d^3)*B*d*f*e + 4*(((2*(d*x + 1)*(3*(d*x + 1)*(4*(d*x + 1)/d^4 - 21/d^4) +
133/d^4) - 295/d^4)*(d*x + 1) + 195/d^4)*sqrt(d*x + 1)*sqrt(-d*x + 1) + 90
*arcsin(1/2*sqrt(2)*sqrt(d*x + 1))/d^4)*C*d*f*e + 40*(sqrt(d*x + 1)*sqrt(-d
*x + 1)*((d*x + 1)*(2*(d*x + 1)/d^2 - 7/d^2) + 9/d^2) + 6*arcsin(1/2*sqrt(2)
)*sqrt(d*x + 1))/d^2)*A*f^2 + 10*(((d*x + 1)*(2*(d*x + 1)*(3*(d*x + 1)/d^3
- 13/d^3) + 43/d^3) - 39/d^3)*sqrt(d*x + 1)*sqrt(-d*x + 1) - 18*arcsin(1/2*
sqrt(2)*sqrt(d*x + 1))/d^3)*B*f^2 + 2*(((2*(d*x + 1)*(3*(d*x + 1)*(4*(d*x +
1)/d^4 - 21/d^4) + 133/d^4) - 295/d^4)*(d*x + 1) + 195/d^4)*sqrt(d*x + 1)*
sqrt(-d*x + 1) + 90*arcsin(1/2*sqrt(2)*sqrt(d*x + 1))/d^4)*C*f^2 + 40*(sqrt
(d*x + 1)*sqrt(-d*x + 1)*((d*x + 1)*(2*(d*x + 1)/d^2 - 7/d^2) + 9/d^2) + 6*
arcsin(1/2*sqrt(2)*sqrt(d*x + 1))/d^2)*B*d*e^2 + 10*(((d*x + 1)*(2*(d*x + 1
))*(3*(d*x + 1)/d^3 - 13/d^3) + 43/d^3) - 39/d^3)*sqrt(d*x + 1)*sqrt(-d*x +
1) - 18*arcsin(1/2*sqrt(2)*sqrt(d*x + 1))/d^3)*C*d*e^2 + 80*(sqrt(d*x + 1)*
sqrt(-d*x + 1)*((d*x + 1)*(2*(d*x + 1)/d^2 - 7/d^2) + 9/d^2) + 6*arcsin(1/2
*sqrt(2)*sqrt(d*x + 1))/d^2)*B*f*e + 20*(((d*x + 1)*(2*(d*x + 1)*(3*(d*x +
1)/d^3 - 13/d^3) + 43/d^3) - 39/d^3)*sqrt(d*x + 1)*sqrt(-d*x + 1) - 18*arcs
in(1/2*sqrt(2)*sqrt(d*x + 1))/d^3)*C*f*e + 120*(sqrt(d*x + 1)*(d*x - 2)*sq
rt(-d*x + 1) - 2*arcsin(1/2*sqrt(2)*sqrt(d*x + 1)))*A*e^2 + 240*(sqrt(d*x +
```


1)*sqrt(-d*x + 1) + 2*arcsin(1/2*sqrt(2)*sqrt(d*x + 1)))*A*e^2 + 40*(sqrt(d*x + 1)*sqrt(-d*x + 1)*((d*x + 1)*(2*(d*x + 1)/d^2 - 7/d^2) + 9/d^2) + 6*arcsin(1/2*sqrt(2)*sqrt(d*x + 1))/d^2)*C*e^2 + 240*(sqrt(d*x + 1)*(d*x - 2)*sqrt(-d*x + 1) - 2*arcsin(1/2*sqrt(2)*sqrt(d*x + 1)))*A*f*e/d + 120*(sqrt(d*x + 1)*(d*x - 2)*sqrt(-d*x + 1) - 2*arcsin(1/2*sqrt(2)*sqrt(d*x + 1)))*B*e^2/d)/d

maple [C] time = 0.02, size = 652, normalized size = 2.28

$$\sqrt{-dx+1} \sqrt{dx+1} \left(40\sqrt{-d^2x^2+1} C d^5 f^2 x^5 \operatorname{csgn}(d) + 48\sqrt{-d^2x^2+1} B d^5 f^2 x^4 \operatorname{csgn}(d) + 96\sqrt{-d^2x^2+1} C d^5 e \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^2*(C*x^2+B*x+A)*(-d*x+1)^(1/2)*(d*x+1)^(1/2), x)

[Out] 1/240*(-d*x+1)^(1/2)*(d*x+1)^(1/2)*(-160*A*csgn(d)*d^3*(-d^2*x^2+1)^(1/2)*e*f-64*C*csgn(d)*d*(-d^2*x^2+1)^(1/2)*e*f+40*C*csgn(d)*x^5*d^5*f^2*(-d^2*x^2+1)^(1/2)+48*B*csgn(d)*x^4*d^5*f^2*(-d^2*x^2+1)^(1/2)+60*A*csgn(d)*x^3*d^5*f^2*(-d^2*x^2+1)^(1/2)+60*C*csgn(d)*x^3*d^5*e^2*(-d^2*x^2+1)^(1/2)+30*A*arctan(1/(-d^2*x^2+1)^(1/2)*d*x*csgn(d))*d^2*f^2+30*C*arctan(1/(-d^2*x^2+1)^(1/2)*d*x*csgn(d))*d^2*e^2+120*A*arctan(1/(-d^2*x^2+1)^(1/2)*d*x*csgn(d))*d^4*e^2+15*C*arctan(1/(-d^2*x^2+1)^(1/2)*d*x*csgn(d))*f^2+60*B*arctan(1/(-d^2*x^2+1)^(1/2)*d*x*csgn(d))*d^2*e*f+80*B*csgn(d)*x^2*d^5*e^2*(-d^2*x^2+1)^(1/2)-32*B*csgn(d)*d*(-d^2*x^2+1)^(1/2)*f^2-80*B*csgn(d)*d^3*(-d^2*x^2+1)^(1/2)*e^2-10*C*csgn(d)*d^3*(-d^2*x^2+1)^(1/2)*x^3*f^2-16*B*csgn(d)*d^3*(-d^2*x^2+1)^(1/2)*x^2*f^2-30*C*csgn(d)*d^3*(-d^2*x^2+1)^(1/2)*x*e^2-30*A*csgn(d)*d^3*(-d^2*x^2+1)^(1/2)*x*f^2+120*A*csgn(d)*d^5*(-d^2*x^2+1)^(1/2)*x*e^2-15*C*csgn(d)*d*(-d^2*x^2+1)^(1/2)*x*f^2+160*A*csgn(d)*x^2*d^5*e*f*(-d^2*x^2+1)^(1/2)-60*B*csgn(d)*d^3*(-d^2*x^2+1)^(1/2)*x*e*f-32*C*csgn(d)*d^3*(-d^2*x^2+1)^(1/2)*x^2*e*f+96*C*csgn(d)*x^4*d^5*e*f*(-d^2*x^2+1)^(1/2)+120*B*csgn(d)*x^3*d^5*e*f*(-d^2*x^2+1)^(1/2))*csgn(d)/(-d^2*x^2+1)^(1/2)/d^5

maxima [A] time = 1.01, size = 307, normalized size = 1.07

$$\frac{(-d^2x^2+1)^{\frac{3}{2}}Cf^2x^3}{6d^2} + \frac{1}{2}\sqrt{-d^2x^2+1}Ae^2x + \frac{Ae^2\arcsin(dx)}{2d} - \frac{(-d^2x^2+1)^{\frac{3}{2}}Be^2}{3d^2} - \frac{2(-d^2x^2+1)^{\frac{3}{2}}Aef}{3d^2} - \frac{(-d^2x^2+1)^{\frac{3}{2}}Cf^2x^3}{6d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*(C*x^2+B*x+A)*(-d*x+1)^(1/2)*(d*x+1)^(1/2), x, algorithm="maxima")

[Out] -1/6*(-d^2*x^2 + 1)^(3/2)*C*f^2*x^3/d^2 + 1/2*sqrt(-d^2*x^2 + 1)*A*e^2*x + 1/2*A*e^2*arcsin(d*x)/d - 1/3*(-d^2*x^2 + 1)^(3/2)*B*e^2/d^2 - 2/3*(-d^2*x^2 + 1)^(3/2)*C*f^2*x^3/d^2

$$\begin{aligned}
& 2 + 1)^{(3/2)} * A * e * f / d^2 - 1/5 * (-d^2 * x^2 + 1)^{(3/2)} * (2 * C * e * f + B * f^2) * x^2 / d^2 \\
& - 1/4 * (-d^2 * x^2 + 1)^{(3/2)} * (C * e^2 + 2 * B * e * f + A * f^2) * x / d^2 - 1/8 * (-d^2 * x^2 \\
& + 1)^{(3/2)} * C * f^2 * x / d^4 + 1/8 * \sqrt{-d^2 * x^2 + 1} * (C * e^2 + 2 * B * e * f + A * f^2) * \\
& x / d^2 + 1/16 * \sqrt{-d^2 * x^2 + 1} * C * f^2 * x / d^4 + 1/8 * (C * e^2 + 2 * B * e * f + A * f^2) \\
& * \arcsin(d * x) / d^3 + 1/16 * C * f^2 * \arcsin(d * x) / d^5 - 2/15 * (-d^2 * x^2 + 1)^{(3/2)} * (\\
& 2 * C * e * f + B * f^2) / d^4
\end{aligned}$$

mupad [B] time = 36.03, size = 2920, normalized size = 10.21

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e + f*x)^2*(1 - d*x)^(1/2)*(d*x + 1)^(1/2)*(A + B*x + C*x^2),x)`

[Out]
$$\begin{aligned}
& - \left(\left((1 - d*x)^{(1/2)} - 1 \right)^8 * \left(\frac{4928 * B * f^2}{3} + \frac{512 * B * d^2 * e^2}{3} \right) / \left((d*x + 1)^{(1/2)} - 1 \right)^8 - \left(\left((1 - d*x)^{(1/2)} - 1 \right)^{14} * \left(\frac{1408 * B * f^2}{3} - \frac{32 * B * d^2 * e^2}{3} \right) / \left((d*x + 1)^{(1/2)} - 1 \right)^{14} - \left(\left((1 - d*x)^{(1/2)} - 1 \right)^6 * \left(\frac{1408 * B * f^2}{3} - \frac{32 * B * d^2 * e^2}{3} \right) / \left((d*x + 1)^{(1/2)} - 1 \right)^6 + \left(\left((1 - d*x)^{(1/2)} - 1 \right)^{12} * \left(\frac{4928 * B * f^2}{3} + \frac{512 * B * d^2 * e^2}{3} \right) / \left((d*x + 1)^{(1/2)} - 1 \right)^{12} - \left(\left((1 - d*x)^{(1/2)} - 1 \right)^{10} * \left(\frac{11008 * B * f^2}{5} - 304 * B * d^2 * e^2 \right) / \left((d*x + 1)^{(1/2)} - 1 \right)^{10} + \left(64 * B * f^2 * \left((1 - d*x)^{(1/2)} - 1 \right)^4 \right) / \left((d*x + 1)^{(1/2)} - 1 \right)^4 + \left(64 * B * f^2 * \left((1 - d*x)^{(1/2)} - 1 \right)^{16} \right) / \left((d*x + 1)^{(1/2)} - 1 \right)^{16} + \left(8 * B * d^2 * e^2 * \left((1 - d*x)^{(1/2)} - 1 \right)^2 \right) / \left((d*x + 1)^{(1/2)} - 1 \right)^2 + \left(8 * B * d^2 * e^2 * \left((1 - d*x)^{(1/2)} - 1 \right)^{18} \right) / \left((d*x + 1)^{(1/2)} - 1 \right)^{18} + \left(33 * B * d * e * f * \left((1 - d*x)^{(1/2)} - 1 \right)^3 \right) / \left((d*x + 1)^{(1/2)} - 1 \right)^3 - \left(204 * B * d * e * f * \left((1 - d*x)^{(1/2)} - 1 \right)^5 \right) / \left((d*x + 1)^{(1/2)} - 1 \right)^5 + \left(204 * B * d * e * f * \left((1 - d*x)^{(1/2)} - 1 \right)^7 \right) / \left((d*x + 1)^{(1/2)} - 1 \right)^7 + \left(442 * B * d * e * f * \left((1 - d*x)^{(1/2)} - 1 \right)^9 \right) / \left((d*x + 1)^{(1/2)} - 1 \right)^9 - \left(442 * B * d * e * f * \left((1 - d*x)^{(1/2)} - 1 \right)^{11} \right) / \left((d*x + 1)^{(1/2)} - 1 \right)^{11} - \left(204 * B * d * e * f * \left((1 - d*x)^{(1/2)} - 1 \right)^{13} \right) / \left((d*x + 1)^{(1/2)} - 1 \right)^{13} + \left(204 * B * d * e * f * \left((1 - d*x)^{(1/2)} - 1 \right)^{15} \right) / \left((d*x + 1)^{(1/2)} - 1 \right)^{15} - \left(33 * B * d * e * f * \left((1 - d*x)^{(1/2)} - 1 \right)^{17} \right) / \left((d*x + 1)^{(1/2)} - 1 \right)^{17} + \left(B * d * e * f * \left((1 - d*x)^{(1/2)} - 1 \right)^{19} \right) / \left((d*x + 1)^{(1/2)} - 1 \right)^{19} - \left(B * d * e * f * \left((1 - d*x)^{(1/2)} - 1 \right) \right) / \left((d*x + 1)^{(1/2)} - 1 \right) / \left(d^4 + \left(10 * d^4 * \left((1 - d*x)^{(1/2)} - 1 \right)^2 \right) / \left((d*x + 1)^{(1/2)} - 1 \right)^2 + \left(45 * d^4 * \left((1 - d*x)^{(1/2)} - 1 \right)^4 \right) / \left((d*x + 1)^{(1/2)} - 1 \right)^4 + \left(120 * d^4 * \left((1 - d*x)^{(1/2)} - 1 \right)^6 \right) / \left((d*x + 1)^{(1/2)} - 1 \right)^6 + \left(210 * d^4 * \left((1 - d*x)^{(1/2)} - 1 \right)^8 \right) / \left((d*x + 1)^{(1/2)} - 1 \right)^8 + \left(252 * d^4 * \left((1 - d*x)^{(1/2)} - 1 \right)^{10} \right) / \left((d*x + 1)^{(1/2)} - 1 \right)^{10} + \left(210 * d^4 * \left((1 - d*x)^{(1/2)} - 1 \right)^{12} \right) / \left((d*x + 1)^{(1/2)} - 1 \right)^{12} + \left(120 * d^4 * \left((1 - d*x)^{(1/2)} - 1 \right)^{14} \right) / \left((d*x + 1)^{(1/2)} - 1 \right)^{14} + \left(45 * d^4 * \left((1 - d*x)^{(1/2)} - 1 \right)^{16} \right) / \left((d*x + 1)^{(1/2)} - 1 \right)^{16} + \left(10 * d^4 * \left((1 - d*x)^{(1/2)} - 1 \right)^{18} \right) / \left((d*x + 1)^{(1/2)} - 1 \right)^{18} + \left(d^4 * \left((1 - d*x)^{(1/2)} - 1 \right)^{20} \right) / \left((d*x + 1)^{(1/2)} - 1 \right)^{20} - \left(\left((1 - d*x)^{(1/2)} - 1 \right)^{15} * \left(\frac{A * f^2}{2} - 2 * A * d^2 * e^2 \right) \right) / \left((d*x + 1)^{(1/2)} - 1 \right)^{15} - \left(\left((1 - d*x)^{(1/2)} - 1 \right) * \left(\frac{A * f^2}{2} - 2 * A * d^2 * e^2 \right) \right) / \left((d*x + 1)^{(1/2)} - 1 \right) + \left(\left((1 - d*x)^{(1/2)} - 1 \right)^3 * \left(\frac{35 * A * f^2}{2} - 6 * A * d^2 * e^2 \right) \right) / \left((d*x + 1)^{(1/2)} - 1 \right)^3 - \left(\left((1 - d*x)^{(1/2)} - 1 \right)^{13} * \left(\frac{35 * A * f^2}{2} - 6 * A * d^2 * e^2 \right) \right) / \left((d*x + 1)^{(1/2)} - 1 \right)^{13} - \left(\left((1 - d*x)^{(1/2)} - 1 \right)^5 * \left(\frac{273 * A * f^2}{2} + 30 * A * d^2 * e^2 \right) \right) / \left((d*x + 1)^{(1/2)} - 1 \right)^5
\end{aligned}$$

$$\begin{aligned}
& /((d*x + 1)^{(1/2)} - 1)^5 + (((1 - d*x)^{(1/2)} - 1)^{11} * ((273*A*f^2)/2 + 30*A*d^2*e^2)) / ((d*x + 1)^{(1/2)} - 1)^{11} + (((1 - d*x)^{(1/2)} - 1)^7 * ((715*A*f^2)/2 - 22*A*d^2*e^2)) / ((d*x + 1)^{(1/2)} - 1)^7 - (((1 - d*x)^{(1/2)} - 1)^9 * ((715*A*f^2)/2 - 22*A*d^2*e^2)) / ((d*x + 1)^{(1/2)} - 1)^9 + (16*A*d*e*f * ((1 - d*x)^{(1/2)} - 1)^2) / ((d*x + 1)^{(1/2)} - 1)^2 - (32*A*d*e*f * ((1 - d*x)^{(1/2)} - 1)^4) / ((d*x + 1)^{(1/2)} - 1)^4 + (208*A*d*e*f * ((1 - d*x)^{(1/2)} - 1)^6) / (3 * ((d*x + 1)^{(1/2)} - 1)^6) + (704*A*d*e*f * ((1 - d*x)^{(1/2)} - 1)^8) / (3 * ((d*x + 1)^{(1/2)} - 1)^8) + (208*A*d*e*f * ((1 - d*x)^{(1/2)} - 1)^{10}) / (3 * ((d*x + 1)^{(1/2)} - 1)^{10}) - (32*A*d*e*f * ((1 - d*x)^{(1/2)} - 1)^{12}) / ((d*x + 1)^{(1/2)} - 1)^{12} + (16*A*d*e*f * ((1 - d*x)^{(1/2)} - 1)^{14}) / ((d*x + 1)^{(1/2)} - 1)^{14} / (d^3 + (8*d^3 * ((1 - d*x)^{(1/2)} - 1)^2) / ((d*x + 1)^{(1/2)} - 1)^2 + (28*d^3 * ((1 - d*x)^{(1/2)} - 1)^4) / ((d*x + 1)^{(1/2)} - 1)^4 + (56*d^3 * ((1 - d*x)^{(1/2)} - 1)^6) / ((d*x + 1)^{(1/2)} - 1)^6 + (70*d^3 * ((1 - d*x)^{(1/2)} - 1)^8) / ((d*x + 1)^{(1/2)} - 1)^8 + (56*d^3 * ((1 - d*x)^{(1/2)} - 1)^{10}) / ((d*x + 1)^{(1/2)} - 1)^{10} + (28*d^3 * ((1 - d*x)^{(1/2)} - 1)^{12}) / ((d*x + 1)^{(1/2)} - 1)^{12} + (8*d^3 * ((1 - d*x)^{(1/2)} - 1)^{14}) / ((d*x + 1)^{(1/2)} - 1)^{14} + (d^3 * ((1 - d*x)^{(1/2)} - 1)^{16}) / ((d*x + 1)^{(1/2)} - 1)^{16} - (((1 - d*x)^{(1/2)} - 1)^{23} * ((C*f^2)/4 + (C*d^2*e^2)/2)) / ((d*x + 1)^{(1/2)} - 1)^{23} - (((1 - d*x)^{(1/2)} - 1) * ((C*f^2)/4 + (C*d^2*e^2)/2)) / ((d*x + 1)^{(1/2)} - 1) - (((1 - d*x)^{(1/2)} - 1)^3 * ((35*C*f^2)/12 - (31*C*d^2*e^2)/2)) / ((d*x + 1)^{(1/2)} - 1)^3 + (((1 - d*x)^{(1/2)} - 1)^{21} * ((35*C*f^2)/12 - (31*C*d^2*e^2)/2)) / ((d*x + 1)^{(1/2)} - 1)^{21} + (((1 - d*x)^{(1/2)} - 1)^5 * ((757*C*f^2)/4 - (139*C*d^2*e^2)/2)) / ((d*x + 1)^{(1/2)} - 1)^5 - (((1 - d*x)^{(1/2)} - 1)^{19} * ((757*C*f^2)/4 - (139*C*d^2*e^2)/2)) / ((d*x + 1)^{(1/2)} - 1)^{19} - (((1 - d*x)^{(1/2)} - 1)^7 * ((7339*C*f^2)/4 + (171*C*d^2*e^2)/2)) / ((d*x + 1)^{(1/2)} - 1)^7 + (((1 - d*x)^{(1/2)} - 1)^{17} * ((7339*C*f^2)/4 + (171*C*d^2*e^2)/2)) / ((d*x + 1)^{(1/2)} - 1)^{17} - (((1 - d*x)^{(1/2)} - 1)^{11} * ((25661*C*f^2)/2 - 323*C*d^2*e^2)) / ((d*x + 1)^{(1/2)} - 1)^{11} + (((1 - d*x)^{(1/2)} - 1)^{13} * ((25661*C*f^2)/2 - 323*C*d^2*e^2)) / ((d*x + 1)^{(1/2)} - 1)^{13} + (((1 - d*x)^{(1/2)} - 1)^9 * ((41929*C*f^2)/6 + 323*C*d^2*e^2)) / ((d*x + 1)^{(1/2)} - 1)^9 - (((1 - d*x)^{(1/2)} - 1)^{15} * ((41929*C*f^2)/6 + 323*C*d^2*e^2)) / ((d*x + 1)^{(1/2)} - 1)^{15} + (128*C*d*e*f * ((1 - d*x)^{(1/2)} - 1)^4) / ((d*x + 1)^{(1/2)} - 1)^4 - (2048*C*d*e*f * ((1 - d*x)^{(1/2)} - 1)^6) / (3 * ((d*x + 1)^{(1/2)} - 1)^6) + (1536*C*d*e*f * ((1 - d*x)^{(1/2)} - 1)^8) / ((d*x + 1)^{(1/2)} - 1)^8 + (6144*C*d*e*f * ((1 - d*x)^{(1/2)} - 1)^{10}) / (5 * ((d*x + 1)^{(1/2)} - 1)^{10}) - (33536*C*d*e*f * ((1 - d*x)^{(1/2)} - 1)^{12}) / (15 * ((d*x + 1)^{(1/2)} - 1)^{12}) + (6144*C*d*e*f * ((1 - d*x)^{(1/2)} - 1)^{14}) / (5 * ((d*x + 1)^{(1/2)} - 1)^{14}) + (1536*C*d*e*f * ((1 - d*x)^{(1/2)} - 1)^{16}) / ((d*x + 1)^{(1/2)} - 1)^{16} - (2048*C*d*e*f * ((1 - d*x)^{(1/2)} - 1)^{18}) / (3 * ((d*x + 1)^{(1/2)} - 1)^{18}) + (128*C*d*e*f * ((1 - d*x)^{(1/2)} - 1)^{20}) / ((d*x + 1)^{(1/2)} - 1)^{20} / (d^5 + (12*d^5 * ((1 - d*x)^{(1/2)} - 1)^2) / ((d*x + 1)^{(1/2)} - 1)^2 + (66*d^5 * ((1 - d*x)^{(1/2)} - 1)^4) / ((d*x + 1)^{(1/2)} - 1)^4 + (220*d^5 * ((1 - d*x)^{(1/2)} - 1)^6) / ((d*x + 1)^{(1/2)} - 1)^6 + (495*d^5 * ((1 - d*x)^{(1/2)} - 1)^8) / ((d*x + 1)^{(1/2)} - 1)^8 + (792*d^5 * ((1 - d*x)^{(1/2)} - 1)^{10}) / ((d*x + 1)^{(1/2)} - 1)^{10} + (924*d^5 * ((1 - d*x)^{(1/2)} - 1)^{12}) / ((d*x + 1)^{(1/2)} - 1)^{12} + (792*d^5 * ((1 - d*x)^{(1/2)} - 1)^{14}) / ((d*x + 1)^{(1/2)} - 1)^{14} + (495*d^5 * ((1 - d*x)^{(1/2)} - 1)^{16}) / ((d*x + 1)^{(1/2)} - 1)^{16} + (
\end{aligned}$$

$$220*d^5*((1 - d*x)^{(1/2)} - 1)^{18}/((d*x + 1)^{(1/2)} - 1)^{18} + (66*d^5*((1 - d*x)^{(1/2)} - 1)^{20}/((d*x + 1)^{(1/2)} - 1)^{20} + (12*d^5*((1 - d*x)^{(1/2)} - 1)^{22}/((d*x + 1)^{(1/2)} - 1)^{22} + (d^5*((1 - d*x)^{(1/2)} - 1)^{24}/((d*x + 1)^{(1/2)} - 1)^{24} - (A*atan((A*(f^2 + 4*d^2*e^2)*((1 - d*x)^{(1/2)} - 1)))/(((d*x + 1)^{(1/2)} - 1)*(A*f^2 + 4*A*d^2*e^2)))*(f^2 + 4*d^2*e^2))/(2*d^3) - (C*atan((C*(f^2 + 2*d^2*e^2)*((1 - d*x)^{(1/2)} - 1)))/(((d*x + 1)^{(1/2)} - 1)*(C*f^2 + 2*C*d^2*e^2)))*(f^2 + 2*d^2*e^2))/(4*d^5) - (B*e*f*atan(((1 - d*x)^{(1/2)} - 1)/((d*x + 1)^{(1/2)} - 1))))/d^3$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**2*(C*x**2+B*x+A)*(-d*x+1)**(1/2)*(d*x+1)**(1/2),x)

[Out] Timed out

3.3 $\int \sqrt{1-dx} \sqrt{1+dx} (e+fx) (A+Bx+Cx^2) dx$

Optimal. Leaf size=168

$$\frac{x\sqrt{1-d^2x^2} (4Ad^2e + Bf + Ce)}{8d^2} - \frac{(1-d^2x^2)^{3/2} (4(5d^2f(Af + Be) - C(3d^2e^2 - 2f^2)) - 3d^2fx(3Ce - 5Bf))}{60d^4f} + \dots$$

[Out] $-1/5*C*(f*x+e)^2*(-d^2*x^2+1)^{(3/2)}/d^2/f-1/60*(20*d^2*f*(A*f+B*e)-4*C*(3*d^2*e^2-2*f^2)-3*d^2*f*(-5*B*f+3*C*e)*x)*(-d^2*x^2+1)^{(3/2)}/d^4/f+1/8*(4*A*d^2*e+B*f+C*e)*\arcsin(d*x)/d^3+1/8*(4*A*d^2*e+B*f+C*e)*x*(-d^2*x^2+1)^{(1/2)}/d^2$

Rubi [A] time = 0.25, antiderivative size = 170, normalized size of antiderivative = 1.01, number of steps used = 5, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {1609, 1654, 780, 195, 216}

$$\frac{(1-d^2x^2)^{3/2} (4(5d^2f(Af + Be) - \frac{1}{4}C(12d^2e^2 - 8f^2)) - 3d^2fx(3Ce - 5Bf))}{60d^4f} + \frac{x\sqrt{1-d^2x^2} (4Ad^2e + Bf + Ce)}{8d^2}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[1 - d*x]*Sqrt[1 + d*x]*(e + f*x)*(A + B*x + C*x^2), x]

[Out] $((C*e + 4*A*d^2*e + B*f)*x*\sqrt{1 - d^2*x^2})/(8*d^2) - (C*(e + f*x)^2*(1 - d^2*x^2)^{(3/2)})/(5*d^2*f) - ((4*(5*d^2*f*(B*e + A*f) - (C*(12*d^2*e^2 - 8*f^2))/4) - 3*d^2*f*(3*C*e - 5*B*f)*x)*(1 - d^2*x^2)^{(3/2)})/(60*d^4*f) + ((C*e + 4*A*d^2*e + B*f)*\text{ArcSin}[d*x])/(8*d^3)$

Rule 195

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^p)/(n*p + 1), x] + Dist[(a*n*p)/(n*p + 1), Int[(a + b*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2*p] || (EqQ[n, 2] && IntegerQ[4*p]) || (EqQ[n, 2] && IntegerQ[3*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

Rule 216

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 780

Int[((d_.) + (e_.)*(x_))*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[((e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x)*(a + c*x^2)^(p

+ 1))/(2*c*(p + 1)*(2*p + 3)), x] - Dist[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p + 3)), Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !LeQ[p, -1]

Rule 1609

Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] :> Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*d, 0] && EqQ[m, n] && (IntegerQ[m] || (GtQ[a, 0] && GtQ[c, 0]))

Rule 1654

Int[(Pq_)*((d_) + (e_.)*(x_))^(m_.)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] :> With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x)^(m + q - 1)*(a + c*x^2)^(p + 1))/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Dist[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + c*x^2)^p*ExpandToSum[c*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - f*(d + e*x)^(q - 2)*(a*e^2*(m + q - 1) - c*d^2*(m + q + 2*p + 1) - 2*c*d*e*(m + q + p)*x), x], x], x] /; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0] /; FreeQ[{a, c, d, e, m, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && !(EqQ[d, 0] && True) && !(IGtQ[m, 0] && RationalQ[a, c, d, e] && (IntegerQ[p] || ILtQ[p + 1/2, 0]))

Rubi steps

$$\begin{aligned}
 \int \sqrt{1-dx} \sqrt{1+dx} (e+fx) (A+Bx+Cx^2) dx &= \int (e+fx) (A+Bx+Cx^2) \sqrt{1-d^2x^2} dx \\
 &= -\frac{C(e+fx)^2(1-d^2x^2)^{3/2}}{5d^2f} - \frac{\int (e+fx) \left(- (2C+5Ad^2) f^2 + d\right)}{5d^2} dx \\
 &= -\frac{C(e+fx)^2(1-d^2x^2)^{3/2}}{5d^2f} - \frac{\left(4\left(5d^2f(Be+Af)\right) - \frac{1}{4}C\left(12d^2e^2\right)\right)}{5d^2} \\
 &= \frac{(Ce+4Ad^2e+Bf)x\sqrt{1-d^2x^2}}{8d^2} - \frac{C(e+fx)^2(1-d^2x^2)^{3/2}}{5d^2f} \\
 &= \frac{(Ce+4Ad^2e+Bf)x\sqrt{1-d^2x^2}}{8d^2} - \frac{C(e+fx)^2(1-d^2x^2)^{3/2}}{5d^2f}
 \end{aligned}$$

Mathematica [A] time = 0.21, size = 141, normalized size = 0.84

$$\frac{15d \sin^{-1}(dx) (4Ad^2e + Bf + Ce) + \sqrt{1-d^2x^2} (60Ad^4ex + 40Ad^2f(d^2x^2 - 1) + 5Bd^2(8d^2ex^2 + 6d^2fx^3 - 8e - 120d^4))}{120d^4}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[1 - d*x]*Sqrt[1 + d*x]*(e + f*x)*(A + B*x + C*x^2), x]

[Out] (Sqrt[1 - d^2*x^2]*(60*A*d^4*e*x + 40*A*d^2*f*(-1 + d^2*x^2) + 15*C*d^2*e*x*(-1 + 2*d^2*x^2) + 5*B*d^2*(-8*e - 3*f*x + 8*d^2*e*x^2 + 6*d^2*f*x^3) + 8*C*f*(-2 - d^2*x^2 + 3*d^4*x^4)) + 15*d*(C*e + 4*A*d^2*e + B*f)*ArcSin[d*x])/(120*d^4)

fricas [A] time = 0.91, size = 170, normalized size = 1.01

$$\frac{(24Cd^4fx^4 - 40Bd^2e + 30(Cd^4e + Bd^4f)x^3 + 8(5Bd^4e + (5Ad^4 - Cd^2)f)x^2 - 8(5Ad^2 + 2C)f - 15(Bd^2f - 120d^4))}{120d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*(C*x^2+B*x+A)*(-d*x+1)^(1/2)*(d*x+1)^(1/2), x, algorithm="fricas")

[Out] 1/120*((24*C*d^4*f*x^4 - 40*B*d^2*e + 30*(C*d^4*e + B*d^4*f)*x^3 + 8*(5*B*d^4*e + (5*A*d^4 - C*d^2)*f)*x^2 - 8*(5*A*d^2 + 2*C)*f - 15*(B*d^2*f - (4*A*d^4 - C*d^2)*e)*x)*sqrt(d*x + 1)*sqrt(-d*x + 1) - 30*(B*d*f + (4*A*d^3 + C*d)*e)*arctan((sqrt(d*x + 1)*sqrt(-d*x + 1) - 1)/(d*x))/d^4

giac [B] time = 2.00, size = 782, normalized size = 4.65

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*(C*x^2+B*x+A)*(-d*x+1)^(1/2)*(d*x+1)^(1/2), x, algorithm="giac")

[Out] 1/120*(20*(sqrt(d*x + 1)*sqrt(-d*x + 1))*((d*x + 1)*(2*(d*x + 1)/d^2 - 7/d^2) + 9/d^2) + 6*arcsin(1/2*sqrt(2)*sqrt(d*x + 1))/d^2)*A*d*f + 5*((d*x + 1)*(2*(d*x + 1)*(3*(d*x + 1)/d^3 - 13/d^3) + 43/d^3) - 39/d^3)*sqrt(d*x + 1)*sqrt(-d*x + 1) - 18*arcsin(1/2*sqrt(2)*sqrt(d*x + 1))/d^3)*B*d*f + (((2*(d*x + 1)*(3*(d*x + 1)*(4*(d*x + 1)/d^4 - 21/d^4) + 133/d^4) - 295/d^4)*(d*x + 1) + 195/d^4)*sqrt(d*x + 1)*sqrt(-d*x + 1) + 90*arcsin(1/2*sqrt(2)*sqrt(d*x + 1))/d^4)*C*d*f + 20*(sqrt(d*x + 1)*sqrt(-d*x + 1))*((d*x + 1)*(2*(d*x + 1)/d^2 - 7/d^2) + 9/d^2) + 6*arcsin(1/2*sqrt(2)*sqrt(d*x + 1))/d^2)*B*d*e +

$$5 * (((d*x + 1) * (2 * (d*x + 1) * (3 * (d*x + 1) / d^3 - 13 / d^3) + 43 / d^3) - 39 / d^3) * \sqrt{d*x + 1} * \sqrt{-d*x + 1} - 18 * \arcsin(1/2 * \sqrt{2} * \sqrt{d*x + 1}) / d^3) * C * d * e + 20 * (\sqrt{d*x + 1} * \sqrt{-d*x + 1} * ((d*x + 1) * (2 * (d*x + 1) / d^2 - 7 / d^2) + 9 / d^2) + 6 * \arcsin(1/2 * \sqrt{2} * \sqrt{d*x + 1})) / d^2) * B * f + 5 * (((d*x + 1) * (2 * (d*x + 1) * (3 * (d*x + 1) / d^3 - 13 / d^3) + 43 / d^3) - 39 / d^3) * \sqrt{d*x + 1} * \sqrt{-d*x + 1} - 18 * \arcsin(1/2 * \sqrt{2} * \sqrt{d*x + 1}) / d^3) * C * f + 60 * (\sqrt{d*x + 1} * (d*x - 2) * \sqrt{-d*x + 1} - 2 * \arcsin(1/2 * \sqrt{2} * \sqrt{d*x + 1})) * A * e + 120 * (\sqrt{d*x + 1} * \sqrt{-d*x + 1} + 2 * \arcsin(1/2 * \sqrt{2} * \sqrt{d*x + 1})) * A * e + 20 * (\sqrt{d*x + 1} * \sqrt{-d*x + 1} * ((d*x + 1) * (2 * (d*x + 1) / d^2 - 7 / d^2) + 9 / d^2) + 6 * \arcsin(1/2 * \sqrt{2} * \sqrt{d*x + 1})) / d^2) * C * e + 60 * (\sqrt{d*x + 1} * (d*x - 2) * \sqrt{-d*x + 1} - 2 * \arcsin(1/2 * \sqrt{2} * \sqrt{d*x + 1})) * A * f / d + 60 * (\sqrt{d*x + 1} * (d*x - 2) * \sqrt{-d*x + 1} - 2 * \arcsin(1/2 * \sqrt{2} * \sqrt{d*x + 1})) * B * e / d) / d$$

maple [C] time = 0.01, size = 377, normalized size = 2.24

$$\sqrt{-dx+1} \sqrt{dx+1} \left(24\sqrt{-d^2x^2+1} C d^4 f x^4 \operatorname{csgn}(d) + 30\sqrt{-d^2x^2+1} B d^4 f x^3 \operatorname{csgn}(d) + 30\sqrt{-d^2x^2+1} C d^4 e x^3 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x+e)*(C*x^2+B*x+A)*(-d*x+1)^(1/2)*(d*x+1)^(1/2),x)`

[Out]
$$\frac{1}{120} * (-d*x+1)^{(1/2)} * (d*x+1)^{(1/2)} * (24 * C * \operatorname{csgn}(d) * x^4 * d^4 * f * (-d^2*x^2+1)^{(1/2)} + 30 * B * \operatorname{csgn}(d) * x^3 * d^4 * f * (-d^2*x^2+1)^{(1/2)} + 30 * C * \operatorname{csgn}(d) * x^3 * d^4 * e * (-d^2*x^2+1)^{(1/2)} + 40 * A * \operatorname{csgn}(d) * x^2 * d^4 * f * (-d^2*x^2+1)^{(1/2)} + 40 * B * \operatorname{csgn}(d) * x^2 * d^4 * e * (-d^2*x^2+1)^{(1/2)} + 60 * A * \operatorname{csgn}(d) * (-d^2*x^2+1)^{(1/2)} * x * d^4 * e - 8 * C * \operatorname{csgn}(d) * (-d^2*x^2+1)^{(1/2)} * x^2 * d^2 * f - 15 * B * \operatorname{csgn}(d) * (-d^2*x^2+1)^{(1/2)} * x * d^2 * f - 15 * C * \operatorname{csgn}(d) * (-d^2*x^2+1)^{(1/2)} * x * d^2 * e - 40 * A * \operatorname{csgn}(d) * (-d^2*x^2+1)^{(1/2)} * d^2 * f + 60 * A * \arctan(1 / (-d^2*x^2+1)^{(1/2)} * d * x * \operatorname{csgn}(d)) * d^3 * e - 40 * B * \operatorname{csgn}(d) * (-d^2*x^2+1)^{(1/2)} * d^2 * e + 15 * B * \arctan(1 / (-d^2*x^2+1)^{(1/2)} * d * x * \operatorname{csgn}(d)) * d * f - 16 * C * \operatorname{csgn}(d) * (-d^2*x^2+1)^{(1/2)} * f + 15 * C * \arctan(1 / (-d^2*x^2+1)^{(1/2)} * d * x * \operatorname{csgn}(d)) * d * e) * \operatorname{csgn}(d) / d^4 / (-d^2*x^2+1)^{(1/2)}$$

maxima [A] time = 1.07, size = 174, normalized size = 1.04

$$\frac{1}{2} \sqrt{-d^2x^2+1} A e x - \frac{(-d^2x^2+1)^{\frac{3}{2}} C f x^2}{5d^2} + \frac{A e \arcsin(dx)}{2d} - \frac{(-d^2x^2+1)^{\frac{3}{2}} B e}{3d^2} - \frac{(-d^2x^2+1)^{\frac{3}{2}} A f}{3d^2} - \frac{(-d^2x^2+1)^{\frac{3}{2}} (C e + \dots)}{4d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)*(C*x^2+B*x+A)*(-d*x+1)^(1/2)*(d*x+1)^(1/2),x, algorithm="maxima")`

[Out]
$$\frac{1}{2} * \sqrt{-d^2*x^2 + 1} * A * e * x - \frac{1}{5} * (-d^2*x^2 + 1)^{(3/2)} * C * f * x^2 / d^2 + \frac{1}{2} * A * e * \arcsin(d*x) / d - \frac{1}{3} * (-d^2*x^2 + 1)^{(3/2)} * B * e / d^2 - \frac{1}{3} * (-d^2*x^2 + 1)^{(3/2)} * C * f * x^2 / d^2 + \dots$$

$/2)*A*f/d^2 - 1/4*(-d^2*x^2 + 1)^{(3/2)}*(C*e + B*f)*x/d^2 + 1/8*\sqrt{-d^2*x^2 + 1}*(C*e + B*f)*x/d^2 - 2/15*(-d^2*x^2 + 1)^{(3/2)}*C*f/d^4 + 1/8*(C*e + B*f)*\arcsin(d*x)/d^3$

mupad [B] time = 12.06, size = 736, normalized size = 4.38

$$\frac{Bf(\sqrt{1-dx-1})}{2(\sqrt{dx+1-1})} - \frac{35Bf(\sqrt{1-dx-1})^3}{2(\sqrt{dx+1-1})^3} + \frac{273Bf(\sqrt{1-dx-1})^5}{2(\sqrt{dx+1-1})^5} - \frac{715Bf(\sqrt{1-dx-1})^7}{2(\sqrt{dx+1-1})^7} + \frac{715Bf(\sqrt{1-dx-1})^9}{2(\sqrt{dx+1-1})^9} - \frac{273Bf(\sqrt{1-dx-1})^{11}}{2(\sqrt{dx+1-1})^{11}} + \frac{d^3 \left(\frac{(\sqrt{1-dx-1})^2}{(\sqrt{dx+1-1})^2} + 1 \right)^8}{}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e + f*x)*(1 - d*x)^(1/2)*(d*x + 1)^(1/2)*(A + B*x + C*x^2), x)`

[Out] $((B*f*((1 - d*x)^{(1/2)} - 1))/(2*((d*x + 1)^{(1/2)} - 1)) - (35*B*f*((1 - d*x)^{(1/2)} - 1)^3)/(2*((d*x + 1)^{(1/2)} - 1)^3) + (273*B*f*((1 - d*x)^{(1/2)} - 1)^5)/(2*((d*x + 1)^{(1/2)} - 1)^5) - (715*B*f*((1 - d*x)^{(1/2)} - 1)^7)/(2*((d*x + 1)^{(1/2)} - 1)^7) + (715*B*f*((1 - d*x)^{(1/2)} - 1)^9)/(2*((d*x + 1)^{(1/2)} - 1)^9) - (273*B*f*((1 - d*x)^{(1/2)} - 1)^11)/(2*((d*x + 1)^{(1/2)} - 1)^11) + (35*B*f*((1 - d*x)^{(1/2)} - 1)^13)/(2*((d*x + 1)^{(1/2)} - 1)^13) - (B*f*((1 - d*x)^{(1/2)} - 1)^15)/(2*((d*x + 1)^{(1/2)} - 1)^15))/(d^3*((1 - d*x)^{(1/2)} - 1)^2/((d*x + 1)^{(1/2)} - 1)^2 + 1)^8 - (1 - d*x)^{(1/2)}*((2*C*f*(d*x + 1)^{(1/2)})/(15*d^4) - (C*f*x^4*(d*x + 1)^{(1/2)})/5 + (C*f*x^2*(d*x + 1)^{(1/2)})/(15*d^2)) + ((C*e*((1 - d*x)^{(1/2)} - 1))/(2*((d*x + 1)^{(1/2)} - 1)) - (35*C*e*((1 - d*x)^{(1/2)} - 1)^3)/(2*((d*x + 1)^{(1/2)} - 1)^3) + (273*C*e*((1 - d*x)^{(1/2)} - 1)^5)/(2*((d*x + 1)^{(1/2)} - 1)^5) - (715*C*e*((1 - d*x)^{(1/2)} - 1)^7)/(2*((d*x + 1)^{(1/2)} - 1)^7) + (715*C*e*((1 - d*x)^{(1/2)} - 1)^9)/(2*((d*x + 1)^{(1/2)} - 1)^9) - (273*C*e*((1 - d*x)^{(1/2)} - 1)^11)/(2*((d*x + 1)^{(1/2)} - 1)^11) + (35*C*e*((1 - d*x)^{(1/2)} - 1)^13)/(2*((d*x + 1)^{(1/2)} - 1)^13) - (C*e*((1 - d*x)^{(1/2)} - 1)^15)/(2*((d*x + 1)^{(1/2)} - 1)^15))/(d^3*((1 - d*x)^{(1/2)} - 1)^2/((d*x + 1)^{(1/2)} - 1)^2 + 1)^8 - (B*f*atan(((1 - d*x)^{(1/2)} - 1)/((d*x + 1)^{(1/2)} - 1)))/(2*d^3) - (C*e*atan(((1 - d*x)^{(1/2)} - 1)/((d*x + 1)^{(1/2)} - 1)))/(2*d^3) + (A*e*x*(1 - d*x)^(1/2)*(d*x + 1)^(1/2))/2 - (A*d^(1/2)*e*log((-d)^(1/2)*(1 - d*x)^(1/2)*(d*x + 1)^(1/2) - d^(3/2)*x))/(2*(-d)^(3/2)) + (A*f*(d^2*x^2 - 1)*(1 - d*x)^(1/2)*(d*x + 1)^(1/2))/(3*d^2) + (B*e*(d^2*x^2 - 1)*(1 - d*x)^(1/2)*(d*x + 1)^(1/2))/(3*d^2)$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)*(C*x**2+B*x+A)*(-d*x+1)**(1/2)*(d*x+1)**(1/2), x)`

[Out] Timed out

3.4 $\int \sqrt{1-dx} \sqrt{1+dx} (A+Bx+Cx^2) dx$

Optimal. Leaf size=95

$$\frac{x\sqrt{1-d^2x^2} (4Ad^2 + C)}{8d^2} + \frac{(4Ad^2 + C) \sin^{-1}(dx)}{8d^3} - \frac{B(1-d^2x^2)^{3/2}}{3d^2} - \frac{Cx(1-d^2x^2)^{3/2}}{4d^2}$$

[Out] $-1/3*B*(-d^2*x^2+1)^{(3/2)}/d^2-1/4*C*x*(-d^2*x^2+1)^{(3/2)}/d^2+1/8*(4*A*d^2+C)*\arcsin(d*x)/d^3+1/8*(4*A*d^2+C)*x*(-d^2*x^2+1)^{(1/2)}/d^2$

Rubi [A] time = 0.07, antiderivative size = 95, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {899, 1815, 641, 195, 216}

$$\frac{x\sqrt{1-d^2x^2} (4Ad^2 + C)}{8d^2} + \frac{(4Ad^2 + C) \sin^{-1}(dx)}{8d^3} - \frac{B(1-d^2x^2)^{3/2}}{3d^2} - \frac{Cx(1-d^2x^2)^{3/2}}{4d^2}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[1 - d*x]*Sqrt[1 + d*x]*(A + B*x + C*x^2), x]

[Out] $((C + 4*A*d^2)*x*Sqrt[1 - d^2*x^2])/(8*d^2) - (B*(1 - d^2*x^2)^{(3/2)})/(3*d^2) - (C*x*(1 - d^2*x^2)^{(3/2)})/(4*d^2) + ((C + 4*A*d^2)*ArcSin[d*x])/(8*d^3)$

Rule 195

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(x*(a + b*x^n)^p)/(n*p + 1), x] + Dist[(a*n*p)/(n*p + 1), Int[(a + b*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2*p] || (EqQ[n, 2] && IntegerQ[4*p]) || (EqQ[n, 2] && IntegerQ[3*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

Rule 216

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 641

Int[((d_) + (e_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Simp[(e*(a + c*x^2)^(p + 1))/(2*c*(p + 1)), x] + Dist[d, Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]

Rule 899

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_) +
(c_)*(x_)^2)^(p_), x_Symbol] := Int[(d*f + e*g*x^2)^m*(a + b*x + c*x^2)^
p, x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && EqQ[m - n, 0] && EqQ[e
*f + d*g, 0] && (IntegerQ[m] || (GtQ[d, 0] && GtQ[f, 0]))
```

Rule 1815

```
Int[(Pq_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := With[{q = Expon[Pq, x],
e = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(e*x^(q - 1)*(a + b*x^2)^(p + 1))/(b*
(q + 2*p + 1)), x] + Dist[1/(b*(q + 2*p + 1)), Int[(a + b*x^2)^p*ExpandToSu
m[b*(q + 2*p + 1)*Pq - a*e*(q - 1)*x^(q - 2) - b*e*(q + 2*p + 1)*x^q, x], x
], x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && !LeQ[p, -1]
```

Rubi steps

$$\begin{aligned}
 \int \sqrt{1-dx} \sqrt{1+dx} (A+Bx+Cx^2) dx &= \int (A+Bx+Cx^2) \sqrt{1-d^2x^2} dx \\
 &= -\frac{Cx(1-d^2x^2)^{3/2}}{4d^2} - \frac{\int (-C-4Ad^2-4Bd^2x) \sqrt{1-d^2x^2} dx}{4d^2} \\
 &= -\frac{B(1-d^2x^2)^{3/2}}{3d^2} - \frac{Cx(1-d^2x^2)^{3/2}}{4d^2} - \frac{(-C-4Ad^2) \int \sqrt{1-d^2x^2} dx}{4d^2} \\
 &= \frac{(C+4Ad^2)x\sqrt{1-d^2x^2}}{8d^2} - \frac{B(1-d^2x^2)^{3/2}}{3d^2} - \frac{Cx(1-d^2x^2)^{3/2}}{4d^2} + \frac{(C+4Ad^2) \int \sqrt{1-d^2x^2} dx}{4d^2} \\
 &= \frac{(C+4Ad^2)x\sqrt{1-d^2x^2}}{8d^2} - \frac{B(1-d^2x^2)^{3/2}}{3d^2} - \frac{Cx(1-d^2x^2)^{3/2}}{4d^2} + \frac{(C+4Ad^2) \int \sqrt{1-d^2x^2} dx}{4d^2}
 \end{aligned}$$

Mathematica [A] time = 0.06, size = 71, normalized size = 0.75

$$\frac{d\sqrt{1-d^2x^2} (12Ad^2x + 8Bd^2x^2 - 8B + 6Cd^2x^3 - 3Cx) + 3(4Ad^2 + C) \sin^{-1}(dx)}{24d^3}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[1 - d*x]*Sqrt[1 + d*x]*(A + B*x + C*x^2), x]
```

```
[Out] (d*Sqrt[1 - d^2*x^2]*(-8*B - 3*C*x + 12*A*d^2*x + 8*B*d^2*x^2 + 6*C*d^2*x^3)
+ 3*(C + 4*A*d^2)*ArcSin[d*x])/(24*d^3)
```

fricas [A] time = 0.95, size = 95, normalized size = 1.00

$$\frac{(6Cd^3x^3 + 8Bd^3x^2 - 8Bd + 3(4Ad^3 - Cd)x)\sqrt{dx+1}\sqrt{-dx+1} - 6(4Ad^2 + C)\arctan\left(\frac{\sqrt{dx+1}\sqrt{-dx+1}-1}{dx}\right)}{24d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)*(-d*x+1)^(1/2)*(d*x+1)^(1/2),x, algorithm="fricas")

[Out] 1/24*((6*C*d^3*x^3 + 8*B*d^3*x^2 - 8*B*d + 3*(4*A*d^3 - C*d)*x)*sqrt(d*x + 1)*sqrt(-d*x + 1) - 6*(4*A*d^2 + C)*arctan((sqrt(d*x + 1)*sqrt(-d*x + 1) - 1)/(d*x)))/d^3

giac [B] time = 1.54, size = 336, normalized size = 3.54

$$4\left(\sqrt{dx+1}\sqrt{-dx+1}\left((dx+1)\left(\frac{2(dx+1)}{d^2} - \frac{7}{d^2}\right) + \frac{9}{d^2}\right) + \frac{6\arcsin\left(\frac{1}{2}\sqrt{2}\sqrt{dx+1}\right)}{d^2}\right)Bd + \left(\left((dx+1)\left(2(dx+1)\left(\frac{3(dx+1)}{d^3} - \frac{1}{d}\right)\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)*(-d*x+1)^(1/2)*(d*x+1)^(1/2),x, algorithm="giac")

[Out] 1/24*(4*(sqrt(d*x + 1)*sqrt(-d*x + 1))*((d*x + 1)*(2*(d*x + 1)/d^2 - 7/d^2) + 9/d^2) + 6*arcsin(1/2*sqrt(2)*sqrt(d*x + 1))/d^2)*B*d + (((d*x + 1)*(2*(d*x + 1)*(3*(d*x + 1)/d^3 - 13/d^3) + 43/d^3) - 39/d^3)*sqrt(d*x + 1)*sqrt(-d*x + 1) - 18*arcsin(1/2*sqrt(2)*sqrt(d*x + 1))/d^3)*C*d + 12*(sqrt(d*x + 1)*(d*x - 2)*sqrt(-d*x + 1) - 2*arcsin(1/2*sqrt(2)*sqrt(d*x + 1)))*A + 24*(sqrt(d*x + 1)*sqrt(-d*x + 1) + 2*arcsin(1/2*sqrt(2)*sqrt(d*x + 1)))*A + 4*(sqrt(d*x + 1)*sqrt(-d*x + 1))*((d*x + 1)*(2*(d*x + 1)/d^2 - 7/d^2) + 9/d^2) + 6*arcsin(1/2*sqrt(2)*sqrt(d*x + 1))/d^2)*C + 12*(sqrt(d*x + 1)*(d*x - 2)*sqrt(-d*x + 1) - 2*arcsin(1/2*sqrt(2)*sqrt(d*x + 1)))*B/d/d

maple [C] time = 0.01, size = 185, normalized size = 1.95

$$\frac{\sqrt{-dx+1}\sqrt{dx+1}\left(6\sqrt{-d^2x^2+1}Cd^3x^3\text{csgn}(d) + 8\sqrt{-d^2x^2+1}Bd^3x^2\text{csgn}(d) + 12\sqrt{-d^2x^2+1}Ad^3x\text{csgn}(d)\right)}{24d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C*x^2+B*x+A)*(-d*x+1)^(1/2)*(d*x+1)^(1/2),x)

[Out] 1/24*(-d*x+1)^(1/2)*(d*x+1)^(1/2)*(6*C*csgn(d)*x^3*d^3*(-d^2*x^2+1)^(1/2)+8*B*csgn(d)*x^2*d^3*(-d^2*x^2+1)^(1/2)+12*A*csgn(d)*d^3*(-d^2*x^2+1)^(1/2)*x

$-3*C*csgn(d)*d*(-d^2*x^2+1)^{(1/2)}*x+12*A*arctan(1/(-d^2*x^2+1)^{(1/2)}*d*x*csgn(d))*d^2-8*B*(-d^2*x^2+1)^{(1/2)}*csgn(d)*d+3*C*arctan(1/(-d^2*x^2+1)^{(1/2)}*d*x*csgn(d))*csgn(d)/(-d^2*x^2+1)^{(1/2)}/d^3$

maxima [A] time = 0.98, size = 93, normalized size = 0.98

$$\frac{1}{2} \sqrt{-d^2x^2+1} Ax - \frac{(-d^2x^2+1)^{\frac{3}{2}} Cx}{4d^2} + \frac{A \arcsin(dx)}{2d} - \frac{(-d^2x^2+1)^{\frac{3}{2}} B}{3d^2} + \frac{\sqrt{-d^2x^2+1} Cx}{8d^2} + \frac{C \arcsin(dx)}{8d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)*(-d*x+1)^(1/2)*(d*x+1)^(1/2),x, algorithm="maxima")

[Out] 1/2*sqrt(-d^2*x^2 + 1)*A*x - 1/4*(-d^2*x^2 + 1)^(3/2)*C*x/d^2 + 1/2*A*arcsin(d*x)/d - 1/3*(-d^2*x^2 + 1)^(3/2)*B/d^2 + 1/8*sqrt(-d^2*x^2 + 1)*C*x/d^2 + 1/8*C*arcsin(d*x)/d^3

mupad [B] time = 7.21, size = 361, normalized size = 3.80

$$\frac{Ax \sqrt{1-dx} \sqrt{dx+1}}{2} - \frac{35C(\sqrt{1-dx}-1)^3}{2(\sqrt{dx+1}-1)^3} - \frac{273C(\sqrt{1-dx}-1)^5}{2(\sqrt{dx+1}-1)^5} + \frac{715C(\sqrt{1-dx}-1)^7}{2(\sqrt{dx+1}-1)^7} - \frac{715C(\sqrt{1-dx}-1)^9}{2(\sqrt{dx+1}-1)^9} + \frac{273C(\sqrt{1-dx}-1)^{11}}{2(\sqrt{dx+1}-1)^{11}} - \frac{d^3 \left(\frac{(\sqrt{1-dx}-1)^2}{(\sqrt{dx+1}-1)^2} + 1 \right)^8}{d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1 - d*x)^(1/2)*(d*x + 1)^(1/2)*(A + B*x + C*x^2),x)

[Out] (A*x*(1 - d*x)^(1/2)*(d*x + 1)^(1/2))/2 - ((35*C*((1 - d*x)^(1/2) - 1)^3)/(2*((d*x + 1)^(1/2) - 1)^3) - (273*C*((1 - d*x)^(1/2) - 1)^5)/(2*((d*x + 1)^(1/2) - 1)^5) + (715*C*((1 - d*x)^(1/2) - 1)^7)/(2*((d*x + 1)^(1/2) - 1)^7) - (715*C*((1 - d*x)^(1/2) - 1)^9)/(2*((d*x + 1)^(1/2) - 1)^9) + (273*C*((1 - d*x)^(1/2) - 1)^11)/(2*((d*x + 1)^(1/2) - 1)^11) - (35*C*((1 - d*x)^(1/2) - 1)^13)/(2*((d*x + 1)^(1/2) - 1)^13) + (C*((1 - d*x)^(1/2) - 1)^15)/(2*((d*x + 1)^(1/2) - 1)^15) - (C*((1 - d*x)^(1/2) - 1))/(2*((d*x + 1)^(1/2) - 1)))/(d^3*((1 - d*x)^(1/2) - 1)^2/((d*x + 1)^(1/2) - 1)^2 + 1)^8 - (C*atan(((1 - d*x)^(1/2) - 1)/((d*x + 1)^(1/2) - 1)))/(2*d^3) - (A*d^(1/2)*log((-d)^(1/2)*(1 - d*x)^(1/2)*(d*x + 1)^(1/2) - d^(3/2)*x))/(2*(-d)^(3/2)) + (B*(d^2*x^2 - 1)*(1 - d*x)^(1/2)*(d*x + 1)^(1/2))/(3*d^2)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x**2+B*x+A)*(-d*x+1)**(1/2)*(d*x+1)**(1/2),x)
```

```
[Out] Timed out
```

$$3.5 \quad \int \frac{A+Bx+Cx^2}{\sqrt{1-dx} \sqrt{1+dx} (e+fx)} dx$$

Optimal. Leaf size=122

$$\frac{(Af^2 - Bef + Ce^2) \tan^{-1}\left(\frac{d^2ex+f}{\sqrt{1-d^2x^2} \sqrt{d^2e^2-f^2}}\right)}{f^2 \sqrt{d^2e^2 - f^2}} - \frac{\sin^{-1}(dx)(Ce - Bf)}{df^2} - \frac{C\sqrt{1-d^2x^2}}{d^2f}$$

[Out] $-(B*f+C*e)*\arcsin(d*x)/d/f^2+(A*f^2-B*e*f+C*e^2)*\arctan((d^2*e*x+f)/(d^2*e^2-f^2)^{(1/2)/(-d^2*x^2+1)^{(1/2)})/f^2/(d^2*e^2-f^2)^{(1/2)}-C*(-d^2*x^2+1)^{(1/2)}/d^2/f$

Rubi [A] time = 0.31, antiderivative size = 122, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.162$, Rules used = {1609, 1654, 844, 216, 725, 204}

$$\frac{(Af^2 - Bef + Ce^2) \tan^{-1}\left(\frac{d^2ex+f}{\sqrt{1-d^2x^2} \sqrt{d^2e^2-f^2}}\right)}{f^2 \sqrt{d^2e^2 - f^2}} - \frac{\sin^{-1}(dx)(Ce - Bf)}{df^2} - \frac{C\sqrt{1-d^2x^2}}{d^2f}$$

Antiderivative was successfully verified.

[In] Int[(A + B*x + C*x^2)/(Sqrt[1 - d*x]*Sqrt[1 + d*x]*(e + f*x)),x]

[Out] $-\left(\frac{C\sqrt{1-d^2x^2}}{d^2f}\right) - \left(\frac{(C*e - B*f)*\text{ArcSin}[d*x]}{d*f^2}\right) + \left(\frac{(C*e^2 - B*e*f + A*f^2)*\text{ArcTan}\left[\frac{f + d^2*e*x}{\sqrt{d^2*e^2 - f^2}*\sqrt{1-d^2*x^2}}\right]}{f^2*\sqrt{d^2*e^2 - f^2}}\right)$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 216

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 725

Int[1/(((d_) + (e_.)*(x_))*Sqrt[(a_) + (c_.)*(x_)^2]), x_Symbol] := -Subst[Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ

[{a, c, d, e}, x]

Rule 844

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 1609

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f
_.)*(x_))^(p_), x_Symbol] := Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x] /; F
reeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*d, 0] &
& EqQ[m, n] && (IntegerQ[m] || (GtQ[a, 0] && GtQ[c, 0]))
```

Rule 1654

```
Int[(Pq_)*((d_) + (e_.)*(x_))^(m_)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] :
> With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x
)^(m + q - 1)*(a + c*x^2)^(p + 1))/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Di
st[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + c*x^2)^p*ExpandToSum[c
*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - f*(d + e*x)
^(q - 2)*(a*e^2*(m + q - 1) - c*d^2*(m + q + 2*p + 1) - 2*c*d*e*(m + q + p)
*x), x], x], x] /; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0] /; FreeQ[{a, c, d,
e, m, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && !(EqQ[d, 0] && T
rue) && !(IGtQ[m, 0] && RationalQ[a, c, d, e] && (IntegerQ[p] || ILtQ[p +
1/2, 0]))
```

Rubi steps

$$\begin{aligned}
\int \frac{A + Bx + Cx^2}{\sqrt{1-dx}\sqrt{1+dx}(e+fx)} dx &= \int \frac{A + Bx + Cx^2}{(e+fx)\sqrt{1-d^2x^2}} dx \\
&= -\frac{C\sqrt{1-d^2x^2}}{d^2f} - \frac{\int \frac{-Ad^2f^2+d^2f(Ce-Bf)x}{(e+fx)\sqrt{1-d^2x^2}} dx}{d^2f^2} \\
&= -\frac{C\sqrt{1-d^2x^2}}{d^2f} - \frac{(Ce-Bf) \int \frac{1}{\sqrt{1-d^2x^2}} dx}{f^2} + \frac{(Ce^2 - Bef + Af^2) \int \frac{1}{(e+fx)\sqrt{1-d^2x^2}}}{f^2} \\
&= -\frac{C\sqrt{1-d^2x^2}}{d^2f} - \frac{(Ce-Bf) \sin^{-1}(dx)}{df^2} - \frac{(Ce^2 - Bef + Af^2) \text{Subst}\left(\int \frac{1}{-d^2e^2+f^2-}\right)}{f^2} \\
&= -\frac{C\sqrt{1-d^2x^2}}{d^2f} - \frac{(Ce-Bf) \sin^{-1}(dx)}{df^2} + \frac{(Ce^2 - Bef + Af^2) \tan^{-1}\left(\frac{f+d^2ex}{\sqrt{d^2e^2-f^2}\sqrt{1-d^2x^2}}\right)}{f^2\sqrt{d^2e^2-f^2}}
\end{aligned}$$

Mathematica [A] time = 0.15, size = 117, normalized size = 0.96

$$\frac{(f(Af-Be)+Ce^2) \tan^{-1}\left(\frac{d^2ex+f}{\sqrt{1-d^2x^2}\sqrt{d^2e^2-f^2}}\right)}{\sqrt{d^2e^2-f^2}} + \frac{\sin^{-1}(dx)(Bf-Ce)}{d} - \frac{Cf\sqrt{1-d^2x^2}}{d^2}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*x + C*x^2)/(Sqrt[1 - d*x]*Sqrt[1 + d*x]*(e + f*x)),x]

[Out] (-((C*f*Sqrt[1 - d^2*x^2])/d^2) + ((-(C*e) + B*f)*ArcSin[d*x])/d + ((C*e^2 + f*(-(B*e) + A*f))*ArcTan[(f + d^2*e*x)/(Sqrt[d^2*e^2 - f^2]*Sqrt[1 - d^2*x^2])])/Sqrt[d^2*e^2 - f^2])/f^2

fricas [B] time = 15.09, size = 493, normalized size = 4.04

$$\left[\frac{(Cd^2e^2 - Bd^2ef + Ad^2f^2)\sqrt{-d^2e^2 + f^2} \log\left(\frac{d^2efx+f^2-\sqrt{-d^2e^2+f^2}(d^2ex+f)-(\sqrt{-d^2e^2+f^2}\sqrt{-dx+1}f+(d^2e^2-f^2)\sqrt{-dx+1})\sqrt{dx+1}}{fx+e}\right)}{d^4e^2f^2 - \dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)/(f*x+e)/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="fricas")

```
[Out] [-(C*d^2*e^2 - B*d^2*e*f + A*d^2*f^2)*sqrt(-d^2*e^2 + f^2)*log((d^2*e*f*x
+ f^2 - sqrt(-d^2*e^2 + f^2)*(d^2*e*x + f) - (sqrt(-d^2*e^2 + f^2)*sqrt(-d*
x + 1)*f + (d^2*e^2 - f^2)*sqrt(-d*x + 1))*sqrt(d*x + 1))/(f*x + e)) + (C*d
^2*e^2*f - C*f^3)*sqrt(d*x + 1)*sqrt(-d*x + 1) - 2*(C*d^3*e^3 - B*d^3*e^2*f
- C*d*e*f^2 + B*d*f^3)*arctan((sqrt(d*x + 1)*sqrt(-d*x + 1) - 1)/(d*x)))/(
d^4*e^2*f^2 - d^2*f^4), (2*(C*d^2*e^2 - B*d^2*e*f + A*d^2*f^2)*sqrt(d^2*e^2
- f^2)*arctan(-(sqrt(d^2*e^2 - f^2)*sqrt(d*x + 1)*sqrt(-d*x + 1)*e - sqrt(
d^2*e^2 - f^2)*(f*x + e))/((d^2*e^2 - f^2)*x)) - (C*d^2*e^2*f - C*f^3)*sqrt
(d*x + 1)*sqrt(-d*x + 1) + 2*(C*d^3*e^3 - B*d^3*e^2*f - C*d*e*f^2 + B*d*f^3
)*arctan((sqrt(d*x + 1)*sqrt(-d*x + 1) - 1)/(d*x)))/(d^4*e^2*f^2 - d^2*f^4)
]
```

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(f*x+e)/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="
giac")
```

```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x);;OUTPUT:Undef/Unsigned Inf encountered in limit
```

maple [C] time = 0.05, size = 373, normalized size = 3.06

$$\left(-A d^2 f^2 \operatorname{csgn}(d) \ln \left(\frac{2d^2 ex + 2\sqrt{-d^2 x^2 + 1} \sqrt{-\frac{d^2 e^2 - f^2}{f^2}} f + 2f}{f x + e} \right) + B d^2 e f \operatorname{csgn}(d) \ln \left(\frac{2d^2 ex + 2\sqrt{-d^2 x^2 + 1} \sqrt{-\frac{d^2 e^2 - f^2}{f^2}} f + 2f}{f x + e} \right) - C d^2 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((C*x^2+B*x+A)/(f*x+e)/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x)
```

```
[Out] (-A*csgn(d)*ln(2*(d^2*e*x+(-d^2*x^2+1)^(1/2))*(-d^2*e^2-f^2)/f^2)^(1/2)*f+f
)/(f*x+e))*d^2*f^2+B*csgn(d)*ln(2*(d^2*e*x+(-d^2*x^2+1)^(1/2))*(-d^2*e^2-f^
2)/f^2)^(1/2)*f+f)/(f*x+e))*d^2*e*f-C*csgn(d)*ln(2*(d^2*e*x+(-d^2*x^2+1)^(1
/2))*(-d^2*e^2-f^2)/f^2)^(1/2)*f+f)/(f*x+e))*d^2*e^2+B*arctan(1/(-d^2*x^2+1
)^(1/2)*d*x*csgn(d))*d*f^2*(-d^2*e^2-f^2)/f^2)^(1/2)-C*csgn(d)*f^2*(-d^2*x
^2+1)^(1/2)*(-d^2*e^2-f^2)/f^2)^(1/2)-C*arctan(1/(-d^2*x^2+1)^(1/2)*d*x*cs
gn(d))*d*e*f*(-d^2*e^2-f^2)/f^2)^(1/2))*(-d*x+1)^(1/2)*(d*x+1)^(1/2)*csgn(
d)/(-d^2*e^2-f^2)/f^2)^(1/2)/f^3/(-d^2*x^2+1)^(1/2)/d^2
```

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(f*x+e)/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="
maxima")
```

```
[Out] Exception raised: ValueError >> Computation failed since Maxima requested a
dditional constraints; using the 'assume' command before evaluation *may* h
elp (example of legal syntax is 'assume(f-d*e>0)', see `assume?` for more d
etails)Is f-d*e positive, negative or zero?
```

mupad [B] time = 25.80, size = 5803, normalized size = 47.57

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A + B*x + C*x^2)/((e + f*x)*(1 - d*x)^(1/2)*(d*x + 1)^(1/2)),x)
```

```
[Out] (4*C*e*atan((37748736*C^5*d^4*e^10*((1 - d*x)^(1/2) - 1))/(((d*x + 1)^(1/2)
- 1)*(37748736*C^5*d^4*e^10 + 67108864*C^5*e^6*f^4 - 100663296*C^5*d^2*e^8
*f^2)) + (67108864*C^5*e^6*f^4*((1 - d*x)^(1/2) - 1))/(((d*x + 1)^(1/2) - 1
)*(37748736*C^5*d^4*e^10 + 67108864*C^5*e^6*f^4 - 100663296*C^5*d^2*e^8*f^2
)) - (100663296*C^5*d^2*e^8*f^2*((1 - d*x)^(1/2) - 1))/(((d*x + 1)^(1/2) -
1)*(37748736*C^5*d^4*e^10 + 67108864*C^5*e^6*f^4 - 100663296*C^5*d^2*e^8*f^
2))))/(d*f^2) - (4*B*atan((67108864*B^5*e*f^4*((1 - d*x)^(1/2) - 1))/(((d*x
+ 1)^(1/2) - 1)*(67108864*B^5*e*f^4 + 37748736*B^5*d^4*e^5 - 100663296*B^5
*d^2*e^3*f^2)) + (37748736*B^5*d^4*e^5*((1 - d*x)^(1/2) - 1))/(((d*x + 1)^(
1/2) - 1)*(67108864*B^5*e*f^4 + 37748736*B^5*d^4*e^5 - 100663296*B^5*d^2*e^
3*f^2)) - (100663296*B^5*d^2*e^3*f^2*((1 - d*x)^(1/2) - 1))/(((d*x + 1)^(1/
2) - 1)*(67108864*B^5*e*f^4 + 37748736*B^5*d^4*e^5 - 100663296*B^5*d^2*e^3*
f^2))))/(d*f) - (8*C*((1 - d*x)^(1/2) - 1)^2)/(f*((d*x + 1)^(1/2) - 1)^2*(d
^2 + (2*d^2*((1 - d*x)^(1/2) - 1)^2)/((d*x + 1)^(1/2) - 1)^2 + (d^2*((1 - d
*x)^(1/2) - 1)^4)/((d*x + 1)^(1/2) - 1)^4)) - (A*atan((f^2*1i - d^2*e^2*1i
- (f^2*((1 - d*x)^(1/2) - 1)^2*1i)/((d*x + 1)^(1/2) - 1)^2 + (d^2*e^2*((1 -
d*x)^(1/2) - 1)^2*1i)/((d*x + 1)^(1/2) - 1)^2)/(f*(f + d*e)^(1/2)*(f - d*e
)^(1/2) - (f*((1 - d*x)^(1/2) - 1)^2*(f + d*e)^(1/2)*(f - d*e)^(1/2))/((d*x
+ 1)^(1/2) - 1)^2 + (2*d*e*((1 - d*x)^(1/2) - 1)*(f + d*e)^(1/2)*(f - d*e)
^(1/2))/((d*x + 1)^(1/2) - 1))) * 2i)/((f + d*e)^(1/2)*(f - d*e)^(1/2)) - (C*
e^2*atan(((C*e^2*((4096*(32*C^3*e^5*f^3 + 24*C^3*d^2*e^7*f))/d*f^4) - (409
6*((1 - d*x)^(1/2) - 1)^2*(32*C^3*e^5*f^3 - 96*C^3*d^2*e^7*f))/d*f^4*((d*x
+ 1)^(1/2) - 1)^2) + (458752*C^3*e^6*((1 - d*x)^(1/2) - 1))/f^2*((d*x + 1
)^(1/2) - 1)) + (C*e^2*((4096*(16*C^2*e^3*f^6 + 9*C^2*d^4*e^7*f^2))/d*f^4)
+ (16384*((1 - d*x)^(1/2) - 1)*(8*C^2*e^4*f^3 + 3*C^2*d^2*e^6*f))/f^2*((d
*x + 1)^(1/2) - 1)) + (4096*((1 - d*x)^(1/2) - 1)^2*(128*C^2*d^2*e^5*f^4 -
144*C^2*e^3*f^6 + 9*C^2*d^4*e^7*f^2))/d*f^4*((d*x + 1)^(1/2) - 1)^2) - (C*
e^2*((4096*(24*C*d^2*e^3*f^7 - 30*C*d^4*e^5*f^5))/d*f^4) + (16384*((1 - d*
```

$$\begin{aligned}
& x)^{(1/2)} - 1) * (20 * C * e^{2 * f^6} - 22 * C * d^2 * e^4 * f^4)) / (f^2 * ((d * x + 1)^{(1/2)} - 1) \\
&) + (4096 * (96 * C * d^2 * e^3 * f^7 - 90 * C * d^4 * e^5 * f^5) * ((1 - d * x)^{(1/2)} - 1)^2) / (d \\
& * f^4 * ((d * x + 1)^{(1/2)} - 1)^2) + (C * e^2 * ((4096 * (7 * d^4 * e^3 * f^8 - 9 * d^6 * e^5 * f^6) \\
&)) / (d * f^4) + (16384 * ((1 - d * x)^{(1/2)} - 1) * (5 * d^2 * e^2 * f^7 - 6 * d^4 * e^4 * f^5)) \\
&) / (f^2 * ((d * x + 1)^{(1/2)} - 1)) + (4096 * ((1 - d * x)^{(1/2)} - 1)^2 * (11 * d^4 * e^3 * f^8 - 9 * d^6 * e^5 * f^6) \\
&)) / (d * f^4 * ((d * x + 1)^{(1/2)} - 1)^2)) / (f^2 * (f + d * e)^{(1/2)} * (f - d * e)^{(1/2)})) \\
&) / (f^2 * (f + d * e)^{(1/2)} * (f - d * e)^{(1/2)})) / (f^2 * (f + d * e)^{(1/2)} * (f - d * e)^{(1/2)})) \\
&) * i) / (f^2 * (f + d * e)^{(1/2)} * (f - d * e)^{(1/2)}) + (C * e^2 * (\\
& (4096 * (32 * C^3 * e^5 * f^3 + 24 * C^3 * d^2 * e^7 * f)) / (d * f^4) - (4096 * ((1 - d * x)^{(1/2)} \\
& - 1)^2 * (32 * C^3 * e^5 * f^3 - 96 * C^3 * d^2 * e^7 * f)) / (d * f^4 * ((d * x + 1)^{(1/2)} - 1)^2) \\
&) + (458752 * C^3 * e^6 * ((1 - d * x)^{(1/2)} - 1)) / (f^2 * ((d * x + 1)^{(1/2)} - 1)) - (C \\
& * e^2 * ((4096 * (16 * C^2 * e^3 * f^6 + 9 * C^2 * d^4 * e^7 * f^2)) / (d * f^4) + (16384 * ((1 - d * x)^{(1/2)} - 1) * (8 * C^2 * e^4 * f^3 + 3 * C^2 * d^2 * e^6 * f)) / (f^2 * ((d * x + 1)^{(1/2)} - 1) \\
&) + (4096 * ((1 - d * x)^{(1/2)} - 1)^2 * (128 * C^2 * d^2 * e^5 * f^4 - 144 * C^2 * e^3 * f^6 + \\
& 9 * C^2 * d^4 * e^7 * f^2)) / (d * f^4 * ((d * x + 1)^{(1/2)} - 1)^2) + (C * e^2 * ((4096 * (24 * C * d \\
& ^2 * e^3 * f^7 - 30 * C * d^4 * e^5 * f^5)) / (d * f^4) + (16384 * ((1 - d * x)^{(1/2)} - 1) * (20 * \\
& C * e^2 * f^6 - 22 * C * d^2 * e^4 * f^4)) / (f^2 * ((d * x + 1)^{(1/2)} - 1)) + (4096 * (96 * C * d^ \\
& 2 * e^3 * f^7 - 90 * C * d^4 * e^5 * f^5) * ((1 - d * x)^{(1/2)} - 1)^2) / (d * f^4 * ((d * x + 1)^{(1 \\
& / 2) - 1)^2) - (C * e^2 * ((4096 * (7 * d^4 * e^3 * f^8 - 9 * d^6 * e^5 * f^6)) / (d * f^4) + (163 \\
& 84 * ((1 - d * x)^{(1/2)} - 1) * (5 * d^2 * e^2 * f^7 - 6 * d^4 * e^4 * f^5)) / (f^2 * ((d * x + 1)^{(\\
& 1/2) - 1)) + (4096 * ((1 - d * x)^{(1/2)} - 1)^2 * (11 * d^4 * e^3 * f^8 - 9 * d^6 * e^5 * f^6) \\
&)) / (d * f^4 * ((d * x + 1)^{(1/2)} - 1)^2)) / (f^2 * (f + d * e)^{(1/2)} * (f - d * e)^{(1/2)})) \\
&) / (f^2 * (f + d * e)^{(1/2)} * (f - d * e)^{(1/2)})) / (f^2 * (f + d * e)^{(1/2)} * (f - d * e)^{(1/ \\
& 2)) * i) / (f^2 * (f + d * e)^{(1/2)} * (f - d * e)^{(1/2)})) / ((131072 * C^4 * e^7) / (d * f^4) + \\
& (C * e^2 * ((4096 * (32 * C^3 * e^5 * f^3 + 24 * C^3 * d^2 * e^7 * f)) / (d * f^4) - (4096 * ((1 - d \\
& * x)^{(1/2)} - 1)^2 * (32 * C^3 * e^5 * f^3 - 96 * C^3 * d^2 * e^7 * f)) / (d * f^4 * ((d * x + 1)^{(1/ \\
& 2) - 1)^2) + (458752 * C^3 * e^6 * ((1 - d * x)^{(1/2)} - 1)) / (f^2 * ((d * x + 1)^{(1/2)} - \\
& 1)) + (C * e^2 * ((4096 * (16 * C^2 * e^3 * f^6 + 9 * C^2 * d^4 * e^7 * f^2)) / (d * f^4) + (16384 \\
& * ((1 - d * x)^{(1/2)} - 1) * (8 * C^2 * e^4 * f^3 + 3 * C^2 * d^2 * e^6 * f)) / (f^2 * ((d * x + 1)^{(\\
& 1/2) - 1)) + (4096 * ((1 - d * x)^{(1/2)} - 1)^2 * (128 * C^2 * d^2 * e^5 * f^4 - 144 * C^2 * e \\
& ^3 * f^6 + 9 * C^2 * d^4 * e^7 * f^2)) / (d * f^4 * ((d * x + 1)^{(1/2)} - 1)^2) - (C * e^2 * ((409 \\
& 6 * (24 * C * d^2 * e^3 * f^7 - 30 * C * d^4 * e^5 * f^5)) / (d * f^4) + (16384 * ((1 - d * x)^{(1/2)} \\
& - 1) * (20 * C * e^2 * f^6 - 22 * C * d^2 * e^4 * f^4)) / (f^2 * ((d * x + 1)^{(1/2)} - 1)) + (4096 \\
& * (96 * C * d^2 * e^3 * f^7 - 90 * C * d^4 * e^5 * f^5) * ((1 - d * x)^{(1/2)} - 1)^2) / (d * f^4 * ((d * \\
& x + 1)^{(1/2)} - 1)^2) + (C * e^2 * ((4096 * (7 * d^4 * e^3 * f^8 - 9 * d^6 * e^5 * f^6)) / (d * f^ \\
& 4) + (16384 * ((1 - d * x)^{(1/2)} - 1) * (5 * d^2 * e^2 * f^7 - 6 * d^4 * e^4 * f^5)) / (f^2 * ((d \\
& * x + 1)^{(1/2)} - 1)) + (4096 * ((1 - d * x)^{(1/2)} - 1)^2 * (11 * d^4 * e^3 * f^8 - 9 * d^6 \\
& * e^5 * f^6)) / (d * f^4 * ((d * x + 1)^{(1/2)} - 1)^2)) / (f^2 * (f + d * e)^{(1/2)} * (f - d * e) \\
& ^{(1/2)})) / (f^2 * (f + d * e)^{(1/2)} * (f - d * e)^{(1/2)})) / (f^2 * (f + d * e)^{(1/2)} * (f - \\
& d * e)^{(1/2)})) / (f^2 * (f + d * e)^{(1/2)} * (f - d * e)^{(1/2)}) - (C * e^2 * ((4096 * (32 * C^ \\
& 3 * e^5 * f^3 + 24 * C^3 * d^2 * e^7 * f)) / (d * f^4) - (4096 * ((1 - d * x)^{(1/2)} - 1)^2 * (32 * \\
& C^3 * e^5 * f^3 - 96 * C^3 * d^2 * e^7 * f)) / (d * f^4 * ((d * x + 1)^{(1/2)} - 1)^2) + (458752 * \\
& C^3 * e^6 * ((1 - d * x)^{(1/2)} - 1)) / (f^2 * ((d * x + 1)^{(1/2)} - 1)) - (C * e^2 * ((4096 * \\
& (16 * C^2 * e^3 * f^6 + 9 * C^2 * d^4 * e^7 * f^2)) / (d * f^4) + (16384 * ((1 - d * x)^{(1/2)} - 1 \\
&) * (8 * C^2 * e^4 * f^3 + 3 * C^2 * d^2 * e^6 * f)) / (f^2 * ((d * x + 1)^{(1/2)} - 1)) + (4096 * ((
\end{aligned}$$

$$\begin{aligned}
& 1 - dx)^{(1/2)} - 1)^2 * (128 * C^2 * d^2 * e^5 * f^4 - 144 * C^2 * e^3 * f^6 + 9 * C^2 * d^4 * e^7 * f^2) / (d * f^4 * ((dx + 1)^{(1/2)} - 1)^2) + (C * e^2 * ((4096 * (24 * C * d^2 * e^3 * f^7 - 30 * C * d^4 * e^5 * f^5)) / (d * f^4) + (16384 * ((1 - dx)^{(1/2)} - 1) * (20 * C * e^2 * f^6 - 22 * C * d^2 * e^4 * f^4)) / (f^2 * ((dx + 1)^{(1/2)} - 1))) + (4096 * (96 * C * d^2 * e^3 * f^7 - 90 * C * d^4 * e^5 * f^5)) * ((1 - dx)^{(1/2)} - 1)^2) / (d * f^4 * ((dx + 1)^{(1/2)} - 1)^2) \\
& - (C * e^2 * ((4096 * (7 * d^4 * e^3 * f^8 - 9 * d^6 * e^5 * f^6)) / (d * f^4) + (16384 * ((1 - dx)^{(1/2)} - 1) * (5 * d^2 * e^2 * f^7 - 6 * d^4 * e^4 * f^5)) / (f^2 * ((dx + 1)^{(1/2)} - 1))) + (4096 * ((1 - dx)^{(1/2)} - 1)^2 * (11 * d^4 * e^3 * f^8 - 9 * d^6 * e^5 * f^6)) / (d * f^4 * ((dx + 1)^{(1/2)} - 1)^2)) / (f^2 * (f + d * e)^{(1/2)} * (f - d * e)^{(1/2))) / (f^2 * (f + d * e)^{(1/2)} * (f - d * e)^{(1/2))) / (f^2 * (f + d * e)^{(1/2)} * (f - d * e)^{(1/2))) / (f^2 * (f + d * e)^{(1/2)} * (f - d * e)^{(1/2))) / (f^2 * (f + d * e)^{(1/2)} * (f - d * e)^{(1/2))) + (917504 * C^4 * e^7 * ((1 - dx)^{(1/2)} - 1)^2) / (d * f^4 * ((dx + 1)^{(1/2)} - 1)^2)) * 2i) / (f^2 * (f + d * e)^{(1/2)} * (f - d * e)^{(1/2))) \\
& + (B * e * \operatorname{atan}(((B * e * ((4096 * (24 * B^3 * d^2 * e^4 + 32 * B^3 * e^2 * f^2)) / d + (4096 * ((1 - dx)^{(1/2)} - 1)^2 * (96 * B^3 * d^2 * e^4 - 32 * B^3 * e^2 * f^2)) / (d * ((dx + 1)^{(1/2)} - 1)^2) + (458752 * B^3 * e^3 * f * ((1 - dx)^{(1/2)} - 1)) / ((dx + 1)^{(1/2)} - 1) + (B * e * ((4096 * (16 * B^2 * e * f^4 + 9 * B^2 * d^4 * e^5)) / d + (((1 - dx)^{(1/2)} - 1) * (131072 * B^2 * e^2 * f^3 + 49152 * B^2 * d^2 * e^4 * f)) / ((dx + 1)^{(1/2)} - 1) + (4096 * ((1 - dx)^{(1/2)} - 1)^2 * (9 * B^2 * d^4 * e^5 - 144 * B^2 * e * f^4 + 128 * B^2 * d^2 * e^3 * f^2)) / (d * ((dx + 1)^{(1/2)} - 1)^2) - (B * e * ((4096 * (24 * B * d^2 * e^2 * f^4 - 30 * B * d^4 * e^4 * f^2)) / d + ((327680 * B * e * f^5 - 360448 * B * d^2 * e^3 * f^3) * ((1 - dx)^{(1/2)} - 1)) / ((dx + 1)^{(1/2)} - 1) + (4096 * (96 * B * d^2 * e^2 * f^4 - 90 * B * d^4 * e^4 * f^2)) * ((1 - dx)^{(1/2)} - 1)^2) / (d * ((dx + 1)^{(1/2)} - 1)^2) + (B * e * ((4096 * (7 * d^4 * e^3 * f^4 - 9 * d^6 * e^5 * f^2)) / d + (((1 - dx)^{(1/2)} - 1) * (81920 * d^2 * e^2 * f^5 - 98304 * d^4 * e^4 * f^3)) / ((dx + 1)^{(1/2)} - 1) + (4096 * ((1 - dx)^{(1/2)} - 1)^2 * (11 * d^4 * e^3 * f^4 - 9 * d^6 * e^5 * f^2)) / (d * ((dx + 1)^{(1/2)} - 1)^2))) / (f * (f + d * e)^{(1/2)} * (f - d * e)^{(1/2))) / (f * (f + d * e)^{(1/2)} * (f - d * e)^{(1/2))) / (f * (f + d * e)^{(1/2)} * (f - d * e)^{(1/2))) * 1i) / (f * (f + d * e)^{(1/2)} * (f - d * e)^{(1/2))) + (B * e * ((4096 * (24 * B^3 * d^2 * e^4 + 32 * B^3 * e^2 * f^2)) / d + (4096 * ((1 - dx)^{(1/2)} - 1)^2 * (96 * B^3 * d^2 * e^4 - 32 * B^3 * e^2 * f^2)) / (d * ((dx + 1)^{(1/2)} - 1)^2) + (458752 * B^3 * e^3 * f * ((1 - dx)^{(1/2)} - 1)) / ((dx + 1)^{(1/2)} - 1) - (B * e * ((4096 * (16 * B^2 * e * f^4 + 9 * B^2 * d^4 * e^5)) / d + (((1 - dx)^{(1/2)} - 1) * (131072 * B^2 * e^2 * f^3 + 49152 * B^2 * d^2 * e^4 * f)) / ((dx + 1)^{(1/2)} - 1) + (4096 * ((1 - dx)^{(1/2)} - 1)^2 * (9 * B^2 * d^4 * e^5 - 144 * B^2 * e * f^4 + 128 * B^2 * d^2 * e^3 * f^2)) / (d * ((dx + 1)^{(1/2)} - 1)^2) + (B * e * ((4096 * (24 * B * d^2 * e^2 * f^4 - 30 * B * d^4 * e^4 * f^2)) / d + ((327680 * B * e * f^5 - 360448 * B * d^2 * e^3 * f^3) * ((1 - dx)^{(1/2)} - 1)) / ((dx + 1)^{(1/2)} - 1) + (4096 * (96 * B * d^2 * e^2 * f^4 - 90 * B * d^4 * e^4 * f^2)) * ((1 - dx)^{(1/2)} - 1)^2) / (d * ((dx + 1)^{(1/2)} - 1)^2) - (B * e * ((4096 * (7 * d^4 * e^3 * f^4 - 9 * d^6 * e^5 * f^2)) / d + (((1 - dx)^{(1/2)} - 1) * (81920 * d^2 * e^2 * f^5 - 98304 * d^4 * e^4 * f^3)) / ((dx + 1)^{(1/2)} - 1) + (4096 * ((1 - dx)^{(1/2)} - 1)^2 * (11 * d^4 * e^3 * f^4 - 9 * d^6 * e^5 * f^2)) / (d * ((dx + 1)^{(1/2)} - 1)^2))) / (f * (f + d * e)^{(1/2)} * (f - d * e)^{(1/2))) / (f * (f + d * e)^{(1/2)} * (f - d * e)^{(1/2))) * 1i) / (f * (f + d * e)^{(1/2)} * (f - d * e)^{(1/2))) / ((131072 * B^4 * e^3) / d + (917504 * B^4 * e^3 * ((1 - dx)^{(1/2)} - 1)^2) / (d * ((dx + 1)^{(1/2)} - 1)^2) + (B * e * ((4096 * (24 * B^3 * d^2 * e^4 + 32 * B^3 * e^2 * f^2)) / d + (4096 * ((1 - dx)^{(1/2)} - 1)^2 * (96 * B^3 * d^2 * e^4 - 32 * B^3 * e^2 * f^2)) / (d * ((dx + 1)^{(1/2)} - 1)^2) + (458752 * B^3 * e^3 * f * ((1 - dx)^{(1/2)} - 1) -
\end{aligned}$$

$$\begin{aligned}
& 1)) / ((d*x + 1)^{(1/2)} - 1) + (B*e*((4096*(16*B^2*e*f^4 + 9*B^2*d^4*e^5)) / d + \\
& (((1 - d*x)^{(1/2)} - 1) * (131072*B^2*e^2*f^3 + 49152*B^2*d^2*e^4*f)) / ((d*x + \\
& 1)^{(1/2)} - 1) + (4096*((1 - d*x)^{(1/2)} - 1)^2 * (9*B^2*d^4*e^5 - 144*B^2*e*f \\
& ^4 + 128*B^2*d^2*e^3*f^2)) / (d*((d*x + 1)^{(1/2)} - 1)^2) - (B*e*((4096*(24*B* \\
& d^2*e^2*f^4 - 30*B*d^4*e^4*f^2)) / d + ((327680*B*e*f^5 - 360448*B*d^2*e^3*f^ \\
& 3) * ((1 - d*x)^{(1/2)} - 1)) / ((d*x + 1)^{(1/2)} - 1) + (4096*(96*B*d^2*e^2*f^4 - \\
& 90*B*d^4*e^4*f^2) * ((1 - d*x)^{(1/2)} - 1)^2) / (d*((d*x + 1)^{(1/2)} - 1)^2) + (\\
& B*e*((4096*(7*d^4*e^3*f^4 - 9*d^6*e^5*f^2)) / d + (((1 - d*x)^{(1/2)} - 1) * (819 \\
& 20*d^2*e^2*f^5 - 98304*d^4*e^4*f^3)) / ((d*x + 1)^{(1/2)} - 1) + (4096*((1 - d*x) \\
& ^{(1/2)} - 1)^2 * (11*d^4*e^3*f^4 - 9*d^6*e^5*f^2)) / (d*((d*x + 1)^{(1/2)} - 1)^2) \\
&)) / (f*(f + d*e)^{(1/2)} * (f - d*e)^{(1/2)})) / (f*(f + d*e)^{(1/2)} * (f - d*e)^{(1/ \\
& 2)) / (f*(f + d*e)^{(1/2)} * (f - d*e)^{(1/2)})) / (f*(f + d*e)^{(1/2)} * (f - d*e)^{(1 \\
& /2)) - (B*e*((4096*(24*B^3*d^2*e^4 + 32*B^3*e^2*f^2)) / d + (4096*((1 - d*x)^ \\
& (1/2) - 1)^2 * (96*B^3*d^2*e^4 - 32*B^3*e^2*f^2)) / (d*((d*x + 1)^{(1/2)} - 1)^2) \\
& + (458752*B^3*e^3*f * ((1 - d*x)^{(1/2)} - 1)) / ((d*x + 1)^{(1/2)} - 1) - (B*e*((\\
& 4096*(16*B^2*e*f^4 + 9*B^2*d^4*e^5)) / d + (((1 - d*x)^{(1/2)} - 1) * (131072*B^2 \\
& *e^2*f^3 + 49152*B^2*d^2*e^4*f)) / ((d*x + 1)^{(1/2)} - 1) + (4096*((1 - d*x)^{(\\
& 1/2) - 1)^2 * (9*B^2*d^4*e^5 - 144*B^2*e*f^4 + 128*B^2*d^2*e^3*f^2)) / (d*((d*x \\
& + 1)^{(1/2)} - 1)^2) + (B*e*((4096*(24*B*d^2*e^2*f^4 - 30*B*d^4*e^4*f^2)) / d \\
& + ((327680*B*e*f^5 - 360448*B*d^2*e^3*f^3) * ((1 - d*x)^{(1/2)} - 1)) / ((d*x + 1) \\
&)^{(1/2)} - 1) + (4096*(96*B*d^2*e^2*f^4 - 90*B*d^4*e^4*f^2) * ((1 - d*x)^{(1/2) \\
& - 1)^2) / (d*((d*x + 1)^{(1/2)} - 1)^2) - (B*e*((4096*(7*d^4*e^3*f^4 - 9*d^6*e \\
& ^5*f^2)) / d + (((1 - d*x)^{(1/2)} - 1) * (81920*d^2*e^2*f^5 - 98304*d^4*e^4*f^3) \\
&)) / ((d*x + 1)^{(1/2)} - 1) + (4096*((1 - d*x)^{(1/2)} - 1)^2 * (11*d^4*e^3*f^4 - 9 \\
& *d^6*e^5*f^2)) / (d*((d*x + 1)^{(1/2)} - 1)^2) / (f*(f + d*e)^{(1/2)} * (f - d*e)^{(\\
& 1/2)) / (f*(f + d*e)^{(1/2)} * (f - d*e)^{(1/2)) / (f*(f + d*e)^{(1/2)} * (f - d*e)^{(\\
& 1/2)) / (f*(f + d*e)^{(1/2)} * (f - d*e)^{(1/2)) / (f*(f + d*e)^{(1/2)} * (f - d*e)^{(\\
& 1/2)) / (f*(f + d*e)^{(1/2)} * (f - d*e)^{(1/2)) * 2i) / (f*(f + d*e)^{(1/2)} * (f - \\
& d*e)^{(1/2))
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x**2+B*x+A)/(f*x+e)/(-d*x+1)**(1/2)/(d*x+1)**(1/2), x)

[Out] Timed out

$$3.6 \quad \int \frac{A+Bx+Cx^2}{\sqrt{1-dx} \sqrt{1+dx} (e+fx)^2} dx$$

Optimal. Leaf size=163

$$\frac{\sqrt{1-d^2x^2} (Af^2 - Bef + Ce^2)}{f(d^2e^2 - f^2)(e + fx)} - \frac{\tan^{-1}\left(\frac{d^2ex+f}{\sqrt{1-d^2x^2} \sqrt{d^2e^2-f^2}}\right) (-Ad^2ef^2 + Bf^3 + Cd^2e^3 - 2Cef^2)}{f^2(d^2e^2 - f^2)^{3/2}} + \frac{C \sin^{-1}(dx)}{df^2}$$

[Out] C*arcsin(d*x)/d/f^2-(-A*d^2*e*f^2+C*d^2*e^3+B*f^3-2*C*e*f^2)*arctan((d^2*e*x+f)/(d^2*e^2-f^2)^(1/2)/(-d^2*x^2+1)^(1/2))/f^2/(d^2*e^2-f^2)^(3/2)+(A*f^2-B*e*f+C*e^2)*(-d^2*x^2+1)^(1/2)/f/(d^2*e^2-f^2)/(f*x+e)

Rubi [A] time = 0.33, antiderivative size = 163, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.162$, Rules used = {1609, 1651, 844, 216, 725, 204}

$$\frac{\sqrt{1-d^2x^2} (Af^2 - Bef + Ce^2)}{f(d^2e^2 - f^2)(e + fx)} - \frac{\tan^{-1}\left(\frac{d^2ex+f}{\sqrt{1-d^2x^2} \sqrt{d^2e^2-f^2}}\right) (-Ad^2ef^2 + Bf^3 + Cd^2e^3 - 2Cef^2)}{f^2(d^2e^2 - f^2)^{3/2}} + \frac{C \sin^{-1}(dx)}{df^2}$$

Antiderivative was successfully verified.

[In] Int[(A + B*x + C*x^2)/(Sqrt[1 - d*x]*Sqrt[1 + d*x]*(e + f*x)^2), x]

[Out] ((C*e^2 - B*e*f + A*f^2)*Sqrt[1 - d^2*x^2])/(f*(d^2*e^2 - f^2)*(e + f*x)) + (C*ArcSin[d*x])/(d*f^2) - ((C*d^2*e^3 - 2*C*e*f^2 - A*d^2*e*f^2 + B*f^3)*ArcTan[(f + d^2*e*x)/(Sqrt[d^2*e^2 - f^2]*Sqrt[1 - d^2*x^2])])/(f^2*(d^2*e^2 - f^2)^(3/2))

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 216

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 725

Int[1/(((d_) + (e_.)*(x_))*Sqrt[(a_) + (c_.)*(x_)^2]), x_Symbol] := -Subst[Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ

[{a, c, d, e}, x]

Rule 844

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 1609

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f
_.)*(x_))^(p_), x_Symbol] := Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x] /; F
reeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*d, 0] &
& EqQ[m, n] && (IntegerQ[m] || (GtQ[a, 0] && GtQ[c, 0]))
```

Rule 1651

```
Int[(Pq_)*((d_) + (e_.)*(x_))^(m_)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] :=>
With[{Q = PolynomialQuotient[Pq, d + e*x, x], R = PolynomialRemainder[Pq,
d + e*x, x]}, Simp[(e*R*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/((m + 1)*(c*
d^2 + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 1)
*(a + c*x^2)^p*ExpandToSum[(m + 1)*(c*d^2 + a*e^2)*Q + c*d*R*(m + 1) - c*e*
R*(m + 2*p + 3)*x, x], x], x] /; FreeQ[{a, c, d, e, p}, x] && PolyQ[Pq, x]
&& NeQ[c*d^2 + a*e^2, 0] && LtQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + Bx + Cx^2}{\sqrt{1-dx}\sqrt{1+dx}(e+fx)^2} dx &= \int \frac{A + Bx + Cx^2}{(e+fx)^2\sqrt{1-d^2x^2}} dx \\
&= \frac{(Ce^2 - Bef + Af^2)\sqrt{1-d^2x^2}}{f(d^2e^2 - f^2)(e+fx)} + \frac{\int \frac{Ce + Ad^2e - Bf + C\left(\frac{d^2e^2}{f} - f\right)x}{(e+fx)\sqrt{1-d^2x^2}} dx}{d^2e^2 - f^2} \\
&= \frac{(Ce^2 - Bef + Af^2)\sqrt{1-d^2x^2}}{f(d^2e^2 - f^2)(e+fx)} + \frac{C \int \frac{1}{\sqrt{1-d^2x^2}} dx}{f^2} + \frac{\left(2Ce + Ad^2e - \frac{Cd^2e^3}{f^2} - Bf\right)}{d^2e^2 - f^2} \\
&= \frac{(Ce^2 - Bef + Af^2)\sqrt{1-d^2x^2}}{f(d^2e^2 - f^2)(e+fx)} + \frac{C \sin^{-1}(dx)}{df^2} - \frac{\left(2Ce + Ad^2e - \frac{Cd^2e^3}{f^2} - Bf\right)}{d^2e^2 - f^2} \\
&= \frac{(Ce^2 - Bef + Af^2)\sqrt{1-d^2x^2}}{f(d^2e^2 - f^2)(e+fx)} + \frac{C \sin^{-1}(dx)}{df^2} + \frac{\left(2Ce + Ad^2e - \frac{Cd^2e^3}{f^2} - Bf\right)}{(d^2e^2 - f^2)}
\end{aligned}$$

Mathematica [A] time = 0.47, size = 211, normalized size = 1.29

$$\frac{f\sqrt{1-d^2x^2}(f(Af-Be)+Ce^2)}{(f^2-d^2e^2)(e+fx)} - \frac{\log\left(\sqrt{1-d^2x^2}\sqrt{f^2-d^2e^2}+d^2ex+f\right)(-Ad^2ef^2+Bf^3+Cd^2e^3-2Cef^2)}{(f^2-d^2e^2)^{3/2}} + \frac{\log(e+fx)(-Ad^2ef^2+Bf^3+Cd^2e^3-2Cef^2)}{(f^2-d^2e^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*x + C*x^2)/(Sqrt[1 - d*x]*Sqrt[1 + d*x]*(e + f*x)^2), x]

[Out] (-((f*(C*e^2 + f*(-(B*e) + A*f))*Sqrt[1 - d^2*x^2])/((-d^2*e^2) + f^2)*(e + f*x))) + (C*ArcSin[d*x])/d + ((C*d^2*e^3 - 2*C*e*f^2 - A*d^2*e*f^2 + B*f^3)*Log[e + f*x])/((-d^2*e^2) + f^2)^(3/2) - ((C*d^2*e^3 - 2*C*e*f^2 - A*d^2*e*f^2 + B*f^3)*Log[f + d^2*e*x + Sqrt[-(d^2*e^2) + f^2]*Sqrt[1 - d^2*x^2]])/((-d^2*e^2) + f^2)^(3/2))/f^2

fricas [B] time = 58.60, size = 1025, normalized size = 6.29

$$\left[\frac{Cd^3e^5f - Bd^3e^4f^2 + Bde^2f^4 - Adef^5 + (Ad^3 - Cd)e^3f^3 - (Cd^3e^5 + Bde^2f^3 - (Ad^3 + 2Cd)e^3f^2 + (Cd^3e^4f + Bde^2f^4))}{(f^2-d^2e^2)^{3/2}} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)/(f*x+e)^2/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="fricas")

[Out] [(C*d^3*e^5*f - B*d^3*e^4*f^2 + B*d*e^2*f^4 - A*d*e*f^5 + (A*d^3 - C*d)*e^3*f^3 - (C*d^3*e^5 + B*d*e^2*f^3 - (A*d^3 + 2*C*d)*e^3*f^2 + (C*d^3*e^4*f + B*d*e*f^4 - (A*d^3 + 2*C*d)*e^2*f^3)*x)*sqrt(-d^2*e^2 + f^2)*log((d^2*e*f*x + f^2 + sqrt(-d^2*e^2 + f^2)*(d^2*e*x + f) + (sqrt(-d^2*e^2 + f^2)*sqrt(-d*x + 1)*f - (d^2*e^2 - f^2)*sqrt(-d*x + 1))*sqrt(d*x + 1))/(f*x + e)) + (C*d^3*e^5*f - B*d^3*e^4*f^2 + B*d*e^2*f^4 - A*d*e*f^5 + (A*d^3 - C*d)*e^3*f^3)*sqrt(d*x + 1)*sqrt(-d*x + 1) + (C*d^3*e^4*f^2 - B*d^3*e^3*f^3 + B*d*e*f^5 - A*d*f^6 + (A*d^3 - C*d)*e^2*f^4)*x - 2*(C*d^4*e^6 - 2*C*d^2*e^4*f^2 + C*e^2*f^4 + (C*d^4*e^5*f - 2*C*d^2*e^3*f^3 + C*e*f^5)*x)*arctan((sqrt(d*x + 1)*sqrt(-d*x + 1) - 1)/(d*x)))/(d^5*e^6*f^2 - 2*d^3*e^4*f^4 + d*e^2*f^6 + (d^5*e^5*f^3 - 2*d^3*e^3*f^5 + d*e*f^7)*x), (C*d^3*e^5*f - B*d^3*e^4*f^2 + B*d*e^2*f^4 - A*d*e*f^5 + (A*d^3 - C*d)*e^3*f^3 - 2*(C*d^3*e^5 + B*d*e^2*f^3 - (A*d^3 + 2*C*d)*e^3*f^2 + (C*d^3*e^4*f + B*d*e*f^4 - (A*d^3 + 2*C*d)*e^2*f^3)*x)*sqrt(d^2*e^2 - f^2)*arctan(-(sqrt(d^2*e^2 - f^2)*sqrt(d*x + 1)*sqrt(-d*x + 1)*e - sqrt(d^2*e^2 - f^2)*(f*x + e))/((d^2*e^2 - f^2)*x)) + (C*d^3*e^5*f - B*d^3*e^4*f^2 + B*d*e^2*f^4 - A*d*e*f^5 + (A*d^3 - C*d)*e^3*f^3)*sqrt(d*x + 1)*sqrt(-d*x + 1) + (C*d^3*e^4*f^2 - B*d^3*e^3*f^3 + B*d*e*f^5 - A*d*f^6 + (A*d^3 - C*d)*e^2*f^4)*x - 2*(C*d^4*e^6 - 2*C*d^2*e^4*f^2 + C*e^2*f^4 + (C*d^4*e^5*f - 2*C*d^2*e^3*f^3 + C*e*f^5)*x)*arctan((sqrt(d*x + 1)*sqrt(-d*x + 1) - 1)/(d*x)))/(d^5*e^6*f^2 - 2*d^3*e^4*f^4 + d*e^2*f^6 + (d^5*e^5*f^3 - 2*d^3*e^3*f^5 + d*e*f^7)*x)]

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)/(f*x+e)^2/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);;OUTPUT:Undef/Unsigned Inf encountered in limit

maple [C] time = 0.04, size = 899, normalized size = 5.52

$$\left(-A d^3 e f^3 x \operatorname{csgn}(d) \ln \left(\frac{2d^2 e x + 2\sqrt{-d^2 x^2 + 1} \sqrt{-\frac{d^2 e^2 - f^2}{f^2}} f + 2f}{f x + e} \right) + C d^3 e^3 f x \operatorname{csgn}(d) \ln \left(\frac{2d^2 e x + 2\sqrt{-d^2 x^2 + 1} \sqrt{-\frac{d^2 e^2 - f^2}{f^2}} f + 2f}{f x + e} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((C*x^2+B*x+A)/(f*x+e)^2/(-d*x+1)^{(1/2)}/(d*x+1)^{(1/2)},x)$

[Out] $(-A*\text{csgn}(d)*\ln(2*(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))*x*d^3*e*f^3+C*\text{csgn}(d)*\ln(2*(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))*x*d^3*e^3*f-A*\text{csgn}(d)*\ln(2*(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))*d^3*e^2*f^2+C*\text{csgn}(d)*\ln(2*(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))*d^3*e^4+C*\arctan(1/(-d^2*x^2+1)^{(1/2)}*d*x*\text{csgn}(d))*x*d^2*e^2*f^2*(-(d^2*e^2-f^2)/f^2)^{(1/2)}+A*\text{csgn}(d)*d*f^4*(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}+B*\text{csgn}(d)*\ln(2*(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))*x*d*f^4-B*\text{csgn}(d)*d*e*f^3*(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}-2*C*\text{csgn}(d)*\ln(2*(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))*x*d*e*f^3+C*\text{csgn}(d)*d*e^2*f^2*(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}+C*\arctan(1/(-d^2*x^2+1)^{(1/2)}*d*x*\text{csgn}(d))*d^2*e^3*f*(-(d^2*e^2-f^2)/f^2)^{(1/2)}+B*\text{csgn}(d)*\ln(2*(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))*d*e*f^3-2*C*\text{csgn}(d)*\ln(2*(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))*d*e^2*f^2-C*\arctan(1/(-d^2*x^2+1)^{(1/2)}*d*x*\text{csgn}(d))*e*f^3*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*\text{csgn}(d)*(d*x+1)^{(1/2)}*(-d*x+1)^{(1/2)}/(-d^2*x^2+1)^{(1/2)}/(d*e+f)/d/(d*e-f)/(f*x+e)/(-d^2*e^2-f^2)/f^2)^{(1/2)}/f^3$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((C*x^2+B*x+A)/(f*x+e)^2/(-d*x+1)^{(1/2)}/(d*x+1)^{(1/2)},x, \text{algorithm}="maxima")$

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(f-d*e>0)', see `assume?` for more details)Is f-d*e positive, negative or zero?

mupad [B] time = 52.17, size = 10198, normalized size = 62.56

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A + B*x + C*x^2)/((e + f*x)^2*(1 - d*x)^{(1/2)}*(d*x + 1)^{(1/2)}),x)$

[Out] $(A*d^5*e^5*\text{atan}(((f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*i - (((1 - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*i))/((d*x + 1)^{(1/2)} - 1)^2)/(f^3 - d^2*e^2*f - (f^3*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 - (2*d^3*e^3$

$$\begin{aligned}
& *((1 - d*x)^{(1/2)} - 1)/((d*x + 1)^{(1/2)} - 1) + (2*d*e*f^2*((1 - d*x)^{(1/2)} \\
& - 1))/((d*x + 1)^{(1/2)} - 1) + (d^2*e^2*f*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + \\
& 1)^{(1/2)} - 1)^2)) * 2i - A*d^3*e^3*f^2*atan(((f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}* \\
& 1i - (((1 - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i))/((d*x + 1) \\
&)^{(1/2)} - 1)^2)/(f^3 - d^2*e^2*f - (f^3*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1) \\
&)^{(1/2)} - 1)^2 - (2*d^3*e^3*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (\\
& 2*d*e*f^2*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (d^2*e^2*f*((1 - d \\
& *x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2)) * 2i + (4*A*f^2*((1 - d*x)^{(1/2)} \\
& - 1)*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)))/((d*x + 1)^{(1/2)} - 1) + (A*d^5*e^5*at \\
& an(((f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i - (((1 - d*x)^{(1/2)} - 1)^2*(f + d*e) \\
&)^{(3/2)}*(f - d*e)^{(3/2)}*1i))/((d*x + 1)^{(1/2)} - 1)^2)/(f^3 - d^2*e^2*f - (f^3 \\
& *((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 - (2*d^3*e^3*((1 - d*x)^{(\\
& 1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (2*d*e*f^2*((1 - d*x)^{(1/2)} - 1))/((d*x \\
& + 1)^{(1/2)} - 1) + (d^2*e^2*f*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1) \\
& ^2)) * ((1 - d*x)^{(1/2)} - 1)^2 * 4i)/((d*x + 1)^{(1/2)} - 1)^2 + (A*d^5*e^5*atan(\\
& ((f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i - (((1 - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(3 \\
& /2)}*(f - d*e)^{(3/2)}*1i))/((d*x + 1)^{(1/2)} - 1)^2)/(f^3 - d^2*e^2*f - (f^3*((\\
& 1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 - (2*d^3*e^3*((1 - d*x)^{(1/2) \\
&) - 1))/((d*x + 1)^{(1/2)} - 1) + (2*d*e*f^2*((1 - d*x)^{(1/2)} - 1))/((d*x + 1) \\
&)^{(1/2)} - 1) + (d^2*e^2*f*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2) \\
&) * ((1 - d*x)^{(1/2)} - 1)^4 * 2i)/((d*x + 1)^{(1/2)} - 1)^4 - (4*A*f^2*((1 - d*x) \\
&)^{(1/2)} - 1)^3*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)))/((d*x + 1)^{(1/2)} - 1)^3 - (A \\
& *d^3*e^3*f^2*atan(((f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i - (((1 - d*x)^{(1/2)} - \\
& 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i))/((d*x + 1)^{(1/2)} - 1)^2)/(f^3 - d \\
& ^2*e^2*f - (f^3*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 - (2*d^3*e \\
& ^3*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (2*d*e*f^2*((1 - d*x)^{(1/ \\
& 2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (d^2*e^2*f*((1 - d*x)^{(1/2)} - 1)^2)/((d*x \\
& + 1)^{(1/2)} - 1)^2)) * ((1 - d*x)^{(1/2)} - 1)^2 * 4i)/((d*x + 1)^{(1/2)} - 1)^2 + (\\
& A*d^2*e^2*f^3*atan(((f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i - (((1 - d*x)^{(1/2)} \\
& - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i))/((d*x + 1)^{(1/2)} - 1)^2)/(f^3 - \\
& d^2*e^2*f - (f^3*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 - (2*d^3* \\
& e^3*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (2*d*e*f^2*((1 - d*x)^{(1 \\
& /2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (d^2*e^2*f*((1 - d*x)^{(1/2)} - 1)^2)/((d*x \\
& + 1)^{(1/2)} - 1)^2)) * ((1 - d*x)^{(1/2)} - 1)^3 * 8i)/((d*x + 1)^{(1/2)} - 1)^3 - \\
& (A*d^3*e^3*f^2*atan(((f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i - (((1 - d*x)^{(1/2)} \\
& - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i))/((d*x + 1)^{(1/2)} - 1)^2)/(f^3 - \\
& d^2*e^2*f - (f^3*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 - (2*d^3 \\
& *e^3*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (2*d*e*f^2*((1 - d*x)^{(\\
& 1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (d^2*e^2*f*((1 - d*x)^{(1/2)} - 1)^2)/((d* \\
& x + 1)^{(1/2)} - 1)^2)) * ((1 - d*x)^{(1/2)} - 1)^4 * 2i)/((d*x + 1)^{(1/2)} - 1)^4 + \\
& (A*d^4*e^4*f*atan(((f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i - (((1 - d*x)^{(1/2)} \\
& - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i))/((d*x + 1)^{(1/2)} - 1)^2)/(f^3 - \\
& d^2*e^2*f - (f^3*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 - (2*d^3* \\
& e^3*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (2*d*e*f^2*((1 - d*x)^{(1 \\
& /2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (d^2*e^2*f*((1 - d*x)^{(1/2)} - 1)^2)/((d*x
\end{aligned}$$

$$\begin{aligned}
& + 1)^{(1/2)} - 1)^2) * ((1 - d*x)^{(1/2)} - 1) * 8i) / ((d*x + 1)^{(1/2)} - 1) - (A*d \\
& ^2*e^2*f^3*atan(((f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i - (((1 - d*x)^{(1/2)} - 1 \\
&)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i) / ((d*x + 1)^{(1/2)} - 1)^2) / (f^3 - d^2 \\
& *e^2*f - (f^3*((1 - d*x)^{(1/2)} - 1)^2) / ((d*x + 1)^{(1/2)} - 1)^2 - (2*d^3*e^3 \\
& *((1 - d*x)^{(1/2)} - 1)) / ((d*x + 1)^{(1/2)} - 1) + (2*d*e*f^2*((1 - d*x)^{(1/2)} \\
& - 1)) / ((d*x + 1)^{(1/2)} - 1) + (d^2*e^2*f*((1 - d*x)^{(1/2)} - 1)^2) / ((d*x + \\
& 1)^{(1/2)} - 1)^2) * ((1 - d*x)^{(1/2)} - 1) * 8i) / ((d*x + 1)^{(1/2)} - 1) - (A*d^4* \\
& e^4*f*atan(((f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i - (((1 - d*x)^{(1/2)} - 1)^2*(\\
& f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i) / ((d*x + 1)^{(1/2)} - 1)^2) / (f^3 - d^2*e^2* \\
& f - (f^3*((1 - d*x)^{(1/2)} - 1)^2) / ((d*x + 1)^{(1/2)} - 1)^2 - (2*d^3*e^3*((1 \\
& - d*x)^{(1/2)} - 1)) / ((d*x + 1)^{(1/2)} - 1) + (2*d*e*f^2*((1 - d*x)^{(1/2)} - 1) \\
&) / ((d*x + 1)^{(1/2)} - 1) + (d^2*e^2*f*((1 - d*x)^{(1/2)} - 1)^2) / ((d*x + 1)^{(1 \\
& /2)} - 1)^2) * ((1 - d*x)^{(1/2)} - 1)^3 * 8i) / ((d*x + 1)^{(1/2)} - 1)^3 + (8*A*d*e \\
& *f*((1 - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}) / ((d*x + 1)^{(1/2) \\
&) - 1)^2) / (d^3*e^4*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)} - d*e^2*f^2*(f + d*e)^{(3 \\
& /2)}*(f - d*e)^{(3/2)} - (4*e*f^3*((1 - d*x)^{(1/2)} - 1)*(f + d*e)^{(3/2)}*(f - d \\
& *e)^{(3/2)}) / ((d*x + 1)^{(1/2)} - 1) + (4*e*f^3*((1 - d*x)^{(1/2)} - 1)^3*(f + d* \\
& e)^{(3/2)}*(f - d*e)^{(3/2)}) / ((d*x + 1)^{(1/2)} - 1)^3 + (2*d^3*e^4*((1 - d*x)^{(\\
& 1/2)} - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}) / ((d*x + 1)^{(1/2)} - 1)^2 + (d^3 \\
& *e^4*((1 - d*x)^{(1/2)} - 1)^4*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}) / ((d*x + 1)^{(1 \\
& /2)} - 1)^4 - (2*d*e^2*f^2*((1 - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(3/2)}*(f - d*e) \\
& ^{(3/2)}) / ((d*x + 1)^{(1/2)} - 1)^2 - (4*d^2*e^3*f*((1 - d*x)^{(1/2)} - 1)^3*(f + \\
& d*e)^{(3/2)}*(f - d*e)^{(3/2)}) / ((d*x + 1)^{(1/2)} - 1)^3 - (d*e^2*f^2*((1 - d*x) \\
&)^{(1/2)} - 1)^4*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}) / ((d*x + 1)^{(1/2)} - 1)^4 + (\\
& 4*d^2*e^3*f*((1 - d*x)^{(1/2)} - 1)*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}) / ((d*x + \\
& 1)^{(1/2)} - 1) - (B*d^3*e^3*f*atan(((f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i - ((\\
& (1 - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i) / ((d*x + 1)^{(1/2) \\
& - 1)^2) / (f^3 - d^2*e^2*f - (f^3*((1 - d*x)^{(1/2)} - 1)^2) / ((d*x + 1)^{(1/2) \\
& - 1)^2 - (2*d^3*e^3*((1 - d*x)^{(1/2)} - 1)) / ((d*x + 1)^{(1/2)} - 1) + (2*d*e*f \\
& ^2*((1 - d*x)^{(1/2)} - 1)) / ((d*x + 1)^{(1/2)} - 1) + (d^2*e^2*f*((1 - d*x)^{(1/ \\
& 2)} - 1)^2) / ((d*x + 1)^{(1/2)} - 1)^2) * 2i - (B*f^4*atan(((f + d*e)^{(3/2)}*(f - \\
& d*e)^{(3/2)}*1i - (((1 - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1 \\
& i) / ((d*x + 1)^{(1/2)} - 1)^2) / (f^3 - d^2*e^2*f - (f^3*((1 - d*x)^{(1/2)} - 1)^2) \\
&) / ((d*x + 1)^{(1/2)} - 1)^2 - (2*d^3*e^3*((1 - d*x)^{(1/2)} - 1)) / ((d*x + 1)^{(1 \\
& /2)} - 1) + (2*d*e*f^2*((1 - d*x)^{(1/2)} - 1)) / ((d*x + 1)^{(1/2)} - 1) + (d^2*e \\
& ^2*f*((1 - d*x)^{(1/2)} - 1)^2) / ((d*x + 1)^{(1/2)} - 1)^2) * ((1 - d*x)^{(1/2)} - \\
& 1) * 8i) / ((d*x + 1)^{(1/2)} - 1) + (B*f^4*atan(((f + d*e)^{(3/2)}*(f - d*e)^{(3/2) \\
& } * 1i - (((1 - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i) / ((d*x + \\
& 1)^{(1/2)} - 1)^2) / (f^3 - d^2*e^2*f - (f^3*((1 - d*x)^{(1/2)} - 1)^2) / ((d*x + 1) \\
&)^{(1/2)} - 1)^2 - (2*d^3*e^3*((1 - d*x)^{(1/2)} - 1)) / ((d*x + 1)^{(1/2)} - 1) + \\
& (2*d*e*f^2*((1 - d*x)^{(1/2)} - 1)) / ((d*x + 1)^{(1/2)} - 1) + (d^2*e^2*f*((1 - \\
& d*x)^{(1/2)} - 1)^2) / ((d*x + 1)^{(1/2)} - 1)^2) * ((1 - d*x)^{(1/2)} - 1)^3 * 8i) / ((\\
& d*x + 1)^{(1/2)} - 1)^3 - B*d*e*f^3*atan(((f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i \\
& - (((1 - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i) / ((d*x + 1)^{(\\
& 1/2)} - 1)^2) / (f^3 - d^2*e^2*f - (f^3*((1 - d*x)^{(1/2)} - 1)^2) / ((d*x + 1)^{(1
\end{aligned}$$

$$\begin{aligned}
& /2) - 1)^2 - (2*d^3*e^3*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (2*d \\
& *e*f^2*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (d^2*e^2*f*((1 - d*x) \\
& ^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2))*2i - (4*B*f*((1 - d*x)^{(1/2)} - 1)^ \\
& 3*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)})/((d*x + 1)^{(1/2)} - 1)^3 + (4*B*f*((1 - d \\
& *x)^{(1/2)} - 1)*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)})/((d*x + 1)^{(1/2)} - 1) - (B* \\
& d^2*e^2*f^2*atan(((f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i - (((1 - d*x)^{(1/2)} - \\
& 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i)/((d*x + 1)^{(1/2)} - 1)^2)/(f^3 - d^ \\
& 2*e^2*f - (f^3*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 - (2*d^3*e^ \\
& 3*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (2*d*e*f^2*((1 - d*x)^{(1/2)} \\
&) - 1))/((d*x + 1)^{(1/2)} - 1) + (d^2*e^2*f*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + \\
& 1)^{(1/2)} - 1)^2))*((1 - d*x)^{(1/2)} - 1)^3*8i)/((d*x + 1)^{(1/2)} - 1)^3 - (B \\
& *d*e*f^3*atan(((f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i - (((1 - d*x)^{(1/2)} - 1)^ \\
& 2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i)/((d*x + 1)^{(1/2)} - 1)^2)/(f^3 - d^2*e \\
& ^2*f - (f^3*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 - (2*d^3*e^3*(\\
& (1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (2*d*e*f^2*((1 - d*x)^{(1/2)} - \\
& 1))/((d*x + 1)^{(1/2)} - 1) + (d^2*e^2*f*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1) \\
& ^{(1/2)} - 1)^2))*((1 - d*x)^{(1/2)} - 1)^2*4i)/((d*x + 1)^{(1/2)} - 1)^2 - (B*d \\
& e*f^3*atan(((f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i - (((1 - d*x)^{(1/2)} - 1)^2*(\\
& f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i)/((d*x + 1)^{(1/2)} - 1)^2)/(f^3 - d^2*e^2* \\
& f - (f^3*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 - (2*d^3*e^3*((1 \\
& - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (2*d*e*f^2*((1 - d*x)^{(1/2)} - 1) \\
&)/((d*x + 1)^{(1/2)} - 1) + (d^2*e^2*f*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1 \\
& /2)} - 1)^2))*((1 - d*x)^{(1/2)} - 1)^4*2i)/((d*x + 1)^{(1/2)} - 1)^4 + (8*B*d*e \\
& *((1 - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)})/((d*x + 1)^{(1/2)} \\
& - 1)^2 + (B*d^2*e^2*f^2*atan(((f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i - (((1 - d \\
& *x)^{(1/2)} - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i)/((d*x + 1)^{(1/2)} - 1)^ \\
& 2)/(f^3 - d^2*e^2*f - (f^3*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 \\
& - (2*d^3*e^3*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (2*d*e*f^2*((1 \\
& - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (d^2*e^2*f*((1 - d*x)^{(1/2)} - 1 \\
&)^2)/((d*x + 1)^{(1/2)} - 1)^2))*((1 - d*x)^{(1/2)} - 1)*8i)/((d*x + 1)^{(1/2)} - \\
& 1) + (B*d^3*e^3*f*atan(((f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i - (((1 - d*x)^{(\\
& 1/2)} - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i)/((d*x + 1)^{(1/2)} - 1)^2)/(f \\
& ^3 - d^2*e^2*f - (f^3*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 - (2 \\
& *d^3*e^3*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (2*d*e*f^2*((1 - d* \\
& x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (d^2*e^2*f*((1 - d*x)^{(1/2)} - 1)^2)/ \\
& ((d*x + 1)^{(1/2)} - 1)^2))*((1 - d*x)^{(1/2)} - 1)^2*4i)/((d*x + 1)^{(1/2)} - 1) \\
& ^2 + (B*d^3*e^3*f*atan(((f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i - (((1 - d*x)^{(1 \\
& /2)} - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i)/((d*x + 1)^{(1/2)} - 1)^2)/(f^ \\
& 3 - d^2*e^2*f - (f^3*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 - (2* \\
& d^3*e^3*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (2*d*e*f^2*((1 - d*x \\
&)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (d^2*e^2*f*((1 - d*x)^{(1/2)} - 1)^2)/ \\
& (d*x + 1)^{(1/2)} - 1)^2))*((1 - d*x)^{(1/2)} - 1)^4*2i)/((d*x + 1)^{(1/2)} - 1)^ \\
& 4)/(d^3*e^3*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)} + (4*f^3*((1 - d*x)^{(1/2)} - 1)^ \\
& 3*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)})/((d*x + 1)^{(1/2)} - 1)^3 - d*e*f^2*(f + d \\
& *e)^{(3/2)}*(f - d*e)^{(3/2)} - (4*f^3*((1 - d*x)^{(1/2)} - 1)*(f + d*e)^{(3/2)}*(f
\end{aligned}$$

$$\begin{aligned}
& - d*e)^{(3/2)})/((d*x + 1)^{(1/2)} - 1) + (2*d^3*e^3*((1 - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)})/((d*x + 1)^{(1/2)} - 1)^2 + (d^3*e^3*((1 - d*x)^{(1/2)} - 1)^4*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)})/((d*x + 1)^{(1/2)} - 1)^4 - \\
& (4*d^2*e^2*f*((1 - d*x)^{(1/2)} - 1)^3*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)})/((d*x + 1)^{(1/2)} - 1)^3 + (4*d^2*e^2*f*((1 - d*x)^{(1/2)} - 1)*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)})/((d*x + 1)^{(1/2)} - 1) - (2*d*e*f^2*((1 - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)})/((d*x + 1)^{(1/2)} - 1)^2 - (d*e*f^2*((1 - d*x)^{(1/2)} - 1)^4*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)})/((d*x + 1)^{(1/2)} - 1)^4 - \\
& ((4*C*d*e*((1 - d*x)^{(1/2)} - 1))/((f^2 - d^2*e^2)*((d*x + 1)^{(1/2)} - 1)) - (4*C*d*e*((1 - d*x)^{(1/2)} - 1)^3)/((f^2 - d^2*e^2)*((d*x + 1)^{(1/2)} - 1)^3) + (8*C*d^2*e^2*((1 - d*x)^{(1/2)} - 1)^2)/(f*(f^2 - d^2*e^2)*((d*x + 1)^{(1/2)} - 1)^2))/((d^2*e + (4*d*f*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) - (4*d*f*((1 - d*x)^{(1/2)} - 1)^3)/((d*x + 1)^{(1/2)} - 1)^3 + (2*d^2*e*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 + (d^2*e*((1 - d*x)^{(1/2)} - 1)^4)/((d*x + 1)^{(1/2)} - 1)^4) + (4*C*atan((((((1 - d*x)^{(1/2)} - 1)*((2097152*(288*e^3*f^11 - 6*d^10*e^13*f - 912*d^2*e^5*f^9 + 1048*d^4*e^7*f^7 - 532*d^6*e^9*f^5 + 112*d^8*e^11*f^3))/(d*f^2*(d*f^13 - 4*d^3*e^2*f^11 + 6*d^5*e^4*f^9 - 4*d^7*e^6*f^7 + d^9*e^8*f^5)) - (33554432*(20*d^2*e*f^21 - 103*d^4*e^3*f^19 + 215*d^6*e^5*f^17 - 230*d^8*e^7*f^15 + 130*d^10*e^9*f^13 - 35*d^12*e^11*f^11 + 3*d^14*e^13*f^9))/(d^5*f^10*(d*f^13 - 4*d^3*e^2*f^11 + 6*d^5*e^4*f^9 - 4*d^7*e^6*f^7 + d^9*e^8*f^5)) + (8388608*(72*e*f^17 - 452*d^2*e^3*f^15 + 1024*d^4*e^5*f^13 - 1106*d^6*e^7*f^11 + 597*d^8*e^9*f^9 - 144*d^10*e^11*f^7 + 9*d^12*e^13*f^5))/(d^3*f^6*(d*f^13 - 4*d^3*e^2*f^11 + 6*d^5*e^4*f^9 - 4*d^7*e^6*f^7 + d^9*e^8*f^5)))/((d*x + 1)^{(1/2)} - 1) - (33554432*(7*d^2*e^2*f^19 - 35*d^4*e^4*f^17 + 70*d^6*e^6*f^15 - 70*d^8*e^8*f^13 + 35*d^10*e^10*f^11 - 7*d^12*e^12*f^9))/(d^5*f^10*(f^12 - 4*d^2*e^2*f^10 + 6*d^4*e^4*f^8 - 4*d^6*e^6*f^6 + d^8*e^8*f^4)) + (2097152*(112*e^4*f^9 + 28*d^8*e^12*f - 336*d^2*e^6*f^7 + 364*d^4*e^8*f^5 - 168*d^6*e^10*f^3))/(d*f^2*(f^12 - 4*d^2*e^2*f^10 + 6*d^4*e^4*f^8 - 4*d^6*e^6*f^6 + d^8*e^8*f^4)) + (8388608*(28*e^2*f^15 - 168*d^2*e^4*f^13 + 364*d^4*e^6*f^11 - 371*d^6*e^8*f^9 + 182*d^8*e^10*f^7 - 35*d^10*e^12*f^5))/(d^3*f^6*(f^12 - 4*d^2*e^2*f^10 + 6*d^4*e^4*f^8 - 4*d^6*e^6*f^6 + d^8*e^8*f^4)))*(d^4*f^14 - 4*d^6*e^2*f^12 + 6*d^8*e^4*f^10 - 4*d^10*e^6*f^8 + d^12*e^8*f^6))/(67108864*e*f^12 + 37748736*d^12*e^13 - 268435456*d^2*e^3*f^10 + 536870912*d^4*e^5*f^8 - 637534208*d^6*e^7*f^6 + 469762048*d^8*e^9*f^4 - 201326592*d^10*e^11*f^2))/((d*f^2) + (log(16*f^15 - 9*d^14*e^14*f - (16*f^15*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 - 92*d^2*e^2*f^13 + 236*d^4*e^4*f^11 - 352*d^6*e^6*f^9 + 329*d^8*e^8*f^7 - 191*d^10*e^10*f^5 + 63*d^12*e^12*f^3 + 16*f^6*(f + d*e)^{(9/2)}*(f - d*e)^{(9/2)} + 12*d^6*e^6*(f + d*e)^{(9/2)}*(f - d*e)^{(9/2)} + 15*d^12*e^12*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)} - (6*d^15*e^15*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (16*d*e*f^14*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (92*d^2*e^2*f^13*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 - (236*d^4*e^4*f^11*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 + (352*d^6*e^6*f^9*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 - (329*d^8*e^8*f^7*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 + (191*d^10*e^10*f^5*((1 - d*x)^{(1/2)}
\end{aligned}$$

$$\begin{aligned}
& - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 - (63*d^{12}*e^{12}*f^3*((1 - d*x)^{(1/2)} - 1)^2 \\
&)/((d*x + 1)^{(1/2)} - 1)^2 - (16*f^6*((1 - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(9/2)} \\
& *(f - d*e)^{(9/2)})/((d*x + 1)^{(1/2)} - 1)^2 - 24*d^2*e^2*f^{10}*(f + d*e)^{(3/2)} \\
& *(f - d*e)^{(3/2)} + 120*d^4*e^4*f^8*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)} - 228*d^6 \\
& *e^6*f^6*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)} + 4*d^2*e^2*f^4*(f + d*e)^{(9/2)}*(\\
& f - d*e)^{(9/2)} + 207*d^8*e^8*f^4*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)} - 28*d^4*e \\
& ^4*f^2*(f + d*e)^{(9/2)}*(f - d*e)^{(9/2)} - 90*d^{10}*e^{10}*f^2*(f + d*e)^{(3/2)}*(\\
& f - d*e)^{(3/2)} - (88*d^3*e^3*f^{12}*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - \\
& 1) + (216*d^5*e^5*f^{10}*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) - (308 \\
& *d^7*e^7*f^8*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (274*d^9*e^9*f^6 \\
& *((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) - (150*d^{11}*e^{11}*f^4*((1 - d \\
& *x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (46*d^{13}*e^{13}*f^2*((1 - d*x)^{(1/2)} \\
& - 1))/((d*x + 1)^{(1/2)} - 1) + (9*d^{14}*e^{14}*f*((1 - d*x)^{(1/2)} - 1)^2)/((d*x \\
& + 1)^{(1/2)} - 1)^2 + (48*d^6*e^6*((1 - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(9/2)}*(f \\
& - d*e)^{(9/2)})/((d*x + 1)^{(1/2)} - 1)^2 + (45*d^{12}*e^{12}*((1 - d*x)^{(1/2)} - 1 \\
&)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)})/((d*x + 1)^{(1/2)} - 1)^2 + (376*d^3*e^3 \\
& *f^9*((1 - d*x)^{(1/2)} - 1)*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)})/((d*x + 1)^{(1/2)} \\
&) - 1) - (688*d^5*e^5*f^7*((1 - d*x)^{(1/2)} - 1)*(f + d*e)^{(3/2)}*(f - d*e)^{(\\
& 3/2)})/((d*x + 1)^{(1/2)} - 1) + (612*d^7*e^7*f^5*((1 - d*x)^{(1/2)} - 1)*(f + d \\
& *e)^{(3/2)}*(f - d*e)^{(3/2)})/((d*x + 1)^{(1/2)} - 1) - (152*d^3*e^3*f^3*((1 - d \\
& *x)^{(1/2)} - 1)*(f + d*e)^{(9/2)}*(f - d*e)^{(9/2)})/((d*x + 1)^{(1/2)} - 1) - (26 \\
& 4*d^9*e^9*f^3*((1 - d*x)^{(1/2)} - 1)*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)})/((d*x \\
& + 1)^{(1/2)} - 1) - (80*d*e*f^{11}*((1 - d*x)^{(1/2)} - 1)*(f + d*e)^{(3/2)}*(f - d \\
& *e)^{(3/2)})/((d*x + 1)^{(1/2)} - 1) + (96*d*e*f^5*((1 - d*x)^{(1/2)} - 1)*(f + d \\
& *e)^{(9/2)}*(f - d*e)^{(9/2)})/((d*x + 1)^{(1/2)} - 1) - (136*d^2*e^2*f^{10}*((1 - \\
& d*x)^{(1/2)} - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)})/((d*x + 1)^{(1/2)} - 1)^2 \\
& + (560*d^4*e^4*f^8*((1 - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}) \\
& /((d*x + 1)^{(1/2)} - 1)^2 - (912*d^6*e^6*f^6*((1 - d*x)^{(1/2)} - 1)^2*(f + d* \\
& e)^{(3/2)}*(f - d*e)^{(3/2)})/((d*x + 1)^{(1/2)} - 1)^2 + (156*d^2*e^2*f^4*((1 - \\
& d*x)^{(1/2)} - 1)^2*(f + d*e)^{(9/2)}*(f - d*e)^{(9/2)})/((d*x + 1)^{(1/2)} - 1)^2 \\
& + (733*d^8*e^8*f^4*((1 - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}) \\
& /((d*x + 1)^{(1/2)} - 1)^2 - (172*d^4*e^4*f^2*((1 - d*x)^{(1/2)} - 1)^2*(f + d* \\
& e)^{(9/2)}*(f - d*e)^{(9/2)})/((d*x + 1)^{(1/2)} - 1)^2 - (290*d^{10}*e^{10}*f^2*((1 \\
& - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)})/((d*x + 1)^{(1/2)} - 1)^ \\
& 2 + (56*d^5*e^5*f*((1 - d*x)^{(1/2)} - 1)*(f + d*e)^{(9/2)}*(f - d*e)^{(9/2)})/((\\
& d*x + 1)^{(1/2)} - 1) + (44*d^{11}*e^{11}*f*((1 - d*x)^{(1/2)} - 1)*(f + d*e)^{(3/2)} \\
& *(f - d*e)^{(3/2)})/((d*x + 1)^{(1/2)} - 1))*(C*d^2*e^3 - 2*C*e*f^2)/(f^2*(f + \\
& d*e)^{(3/2)}*(f - d*e)^{(3/2)}) + (C*e*log(9*d^{14}*e^{14}*f - 16*f^{15} + (16*f^{15} \\
& ((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 + 92*d^2*e^2*f^{13} - 236*d^ \\
& 4*e^4*f^{11} + 352*d^6*e^6*f^9 - 329*d^8*e^8*f^7 + 191*d^{10}*e^{10}*f^5 - 63*d^{1 \\
& 2}*e^{12}*f^3 + 16*f^6*(f + d*e)^{(9/2)}*(f - d*e)^{(9/2)} + 12*d^6*e^6*(f + d*e)^ \\
& (9/2)*(f - d*e)^{(9/2)} + 15*d^{12}*e^{12}*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)} + (6*d \\
& ^{15}*e^{15}*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) - (16*d*e*f^{14}*((1 - \\
& d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) - (92*d^2*e^2*f^{13}*((1 - d*x)^{(1/2)} \\
& - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 + (236*d^4*e^4*f^{11}*((1 - d*x)^{(1/2)} - 1)^2
\end{aligned}$$

$$\begin{aligned} &) / ((d*x + 1)^{(1/2)} - 1)^2 - (352*d^6*e^6*f^9*((1 - d*x)^{(1/2)} - 1)^2) / ((d*x \\ & + 1)^{(1/2)} - 1)^2 + (329*d^8*e^8*f^7*((1 - d*x)^{(1/2)} - 1)^2) / ((d*x + 1)^{(1/2)} \\ & - 1)^2 - (191*d^10*e^10*f^5*((1 - d*x)^{(1/2)} - 1)^2) / ((d*x + 1)^{(1/2)} \\ & - 1)^2 + (63*d^12*e^12*f^3*((1 - d*x)^{(1/2)} - 1)^2) / ((d*x + 1)^{(1/2)} - 1)^2 \\ & - (16*f^6*((1 - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(9/2)}*(f - d*e)^{(9/2)}) / ((d*x + \\ & 1)^{(1/2)} - 1)^2 - 24*d^2*e^2*f^10*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)} + 120*d^ \\ & 4*e^4*f^8*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)} - 228*d^6*e^6*f^6*(f + d*e)^{(3/2)} \\ & *(f - d*e)^{(3/2)} + 4*d^2*e^2*f^4*(f + d*e)^{(9/2)}*(f - d*e)^{(9/2)} + 207*d^8* \\ & e^8*f^4*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)} - 28*d^4*e^4*f^2*(f + d*e)^{(9/2)}*(f \\ & - d*e)^{(9/2)} - 90*d^10*e^10*f^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)} + (88*d^3* \\ & e^3*f^12*((1 - d*x)^{(1/2)} - 1)) / ((d*x + 1)^{(1/2)} - 1) - (216*d^5*e^5*f^10*(\\ & (1 - d*x)^{(1/2)} - 1)) / ((d*x + 1)^{(1/2)} - 1) + (308*d^7*e^7*f^8*((1 - d*x)^{(\\ & 1/2)} - 1)) / ((d*x + 1)^{(1/2)} - 1) - (274*d^9*e^9*f^6*((1 - d*x)^{(1/2)} - 1)) / \\ & ((d*x + 1)^{(1/2)} - 1) + (150*d^11*e^11*f^4*((1 - d*x)^{(1/2)} - 1)) / ((d*x + 1 \\ &)^{(1/2)} - 1) - (46*d^13*e^13*f^2*((1 - d*x)^{(1/2)} - 1)) / ((d*x + 1)^{(1/2)} - \\ & 1) - (9*d^14*e^14*f*((1 - d*x)^{(1/2)} - 1)^2) / ((d*x + 1)^{(1/2)} - 1)^2 + (48* \\ & d^6*e^6*((1 - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(9/2)}*(f - d*e)^{(9/2)}) / ((d*x + 1) \\ & ^{(1/2)} - 1)^2 + (45*d^12*e^12*((1 - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(3/2)}*(f - \\ & d*e)^{(3/2)}) / ((d*x + 1)^{(1/2)} - 1)^2 + (376*d^3*e^3*f^9*((1 - d*x)^{(1/2)} - 1 \\ &)*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}) / ((d*x + 1)^{(1/2)} - 1) - (688*d^5*e^5*f^7 \\ & *((1 - d*x)^{(1/2)} - 1)*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}) / ((d*x + 1)^{(1/2)} - \\ & 1) + (612*d^7*e^7*f^5*((1 - d*x)^{(1/2)} - 1)*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)} \\ &) / ((d*x + 1)^{(1/2)} - 1) - (152*d^3*e^3*f^3*((1 - d*x)^{(1/2)} - 1)*(f + d*e)^{(\\ & 9/2)}*(f - d*e)^{(9/2)}) / ((d*x + 1)^{(1/2)} - 1) - (264*d^9*e^9*f^3*((1 - d*x)^{(\\ & 1/2)} - 1)*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}) / ((d*x + 1)^{(1/2)} - 1) - (80*d*e \\ & *f^11*((1 - d*x)^{(1/2)} - 1)*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}) / ((d*x + 1)^{(1/ \\ & 2)} - 1) + (96*d*e*f^5*((1 - d*x)^{(1/2)} - 1)*(f + d*e)^{(9/2)}*(f - d*e)^{(9/2)} \\ &) / ((d*x + 1)^{(1/2)} - 1) - (136*d^2*e^2*f^10*((1 - d*x)^{(1/2)} - 1)^2*(f + d* \\ & e)^{(3/2)}*(f - d*e)^{(3/2)}) / ((d*x + 1)^{(1/2)} - 1)^2 + (560*d^4*e^4*f^8*((1 - \\ & d*x)^{(1/2)} - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}) / ((d*x + 1)^{(1/2)} - 1)^2 \\ & - (912*d^6*e^6*f^6*((1 - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}) \\ & / ((d*x + 1)^{(1/2)} - 1)^2 + (156*d^2*e^2*f^4*((1 - d*x)^{(1/2)} - 1)^2*(f + d* \\ & e)^{(9/2)}*(f - d*e)^{(9/2)}) / ((d*x + 1)^{(1/2)} - 1)^2 + (733*d^8*e^8*f^4*((1 - \\ & d*x)^{(1/2)} - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}) / ((d*x + 1)^{(1/2)} - 1)^2 \\ & - (172*d^4*e^4*f^2*((1 - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(9/2)}*(f - d*e)^{(9/2)}) \\ & / ((d*x + 1)^{(1/2)} - 1)^2 - (290*d^10*e^10*f^2*((1 - d*x)^{(1/2)} - 1)^2*(f + \\ & d*e)^{(3/2)}*(f - d*e)^{(3/2)}) / ((d*x + 1)^{(1/2)} - 1)^2 + (56*d^5*e^5*f*((1 - d \\ & *x)^{(1/2)} - 1)*(f + d*e)^{(9/2)}*(f - d*e)^{(9/2)}) / ((d*x + 1)^{(1/2)} - 1) + (44 \\ & *d^11*e^11*f*((1 - d*x)^{(1/2)} - 1)*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}) / ((d*x + \\ & 1)^{(1/2)} - 1)*(2*f^2 - d^2*e^2) / (f^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}) \end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x**2+B*x+A)/(f*x+e)**2/(-d*x+1)**(1/2)/(d*x+1)**(1/2),x)
```

```
[Out] Timed out
```

$$3.7 \quad \int \frac{A+Bx+Cx^2}{\sqrt{1-dx} \sqrt{1+dx} (e+fx)^3} dx$$

Optimal. Leaf size=248

$$\frac{\sqrt{1-d^2x^2} (Af^2 - Bef + Ce^2)}{2f(d^2e^2 - f^2)(e + fx)^2} + \frac{\tan^{-1}\left(\frac{d^2ex+f}{\sqrt{1-d^2x^2} \sqrt{d^2e^2-f^2}}\right) (C(d^2e^2 + 2f^2) - d^2(3Bef - A(2d^2e^2 + f^2)))}{2(d^2e^2 - f^2)^{5/2}} - \frac{\sqrt{1-d^2x^2}}{2(fx+e)}$$

[Out] $1/2*(C*(d^2*e^2+2*f^2)-d^2*(3*B*e*f-A*(2*d^2*e^2+f^2)))*\arctan((d^2*e*x+f)/(d^2*e^2-f^2)^{(1/2)/(-d^2*x^2+1)^{(1/2)})/(d^2*e^2-f^2)^{(5/2)+1/2*(A*f^2-B*e*f+C*e^2)*(-d^2*x^2+1)^{(1/2)}/f/(d^2*e^2-f^2)/(f*x+e)^2-1/2*(-3*A*d^2*e*f^2+B*d^2*e^2*f+C*d^2*e^3+2*B*f^3-4*C*e*f^2)*(-d^2*x^2+1)^{(1/2)}/f/(d^2*e^2-f^2)^2/(f*x+e)$

Rubi [A] time = 0.36, antiderivative size = 248, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.135$, Rules used = {1609, 1651, 807, 725, 204}

$$\frac{\sqrt{1-d^2x^2} (Af^2 - Bef + Ce^2)}{2f(d^2e^2 - f^2)(e + fx)^2} - \frac{\sqrt{1-d^2x^2} (-3Ad^2ef^2 + Bd^2e^2f + 2Bf^3 + Cd^2e^3 - 4Cef^2)}{2f(d^2e^2 - f^2)^2(e + fx)} + \frac{\tan^{-1}\left(\frac{d^2ex+f}{\sqrt{1-d^2x^2} \sqrt{d^2e^2-f^2}}\right)}{2(fx+e)}$$

Antiderivative was successfully verified.

[In] Int[(A + B*x + C*x^2)/(Sqrt[1 - d*x]*Sqrt[1 + d*x]*(e + f*x)^3), x]

[Out] $((C*e^2 - B*e*f + A*f^2)*\text{Sqrt}[1 - d^2*x^2])/(2*f*(d^2*e^2 - f^2)*(e + f*x)^2) - ((C*d^2*e^3 + B*d^2*e^2*f - 4*C*e*f^2 - 3*A*d^2*e*f^2 + 2*B*f^3)*\text{Sqrt}[1 - d^2*x^2])/(2*f*(d^2*e^2 - f^2)^2*(e + f*x)) + ((C*(d^2*e^2 + 2*f^2) - d^2*(3*B*e*f - A*(2*d^2*e^2 + f^2)))*\text{ArcTan}[(f + d^2*e*x)/(\text{Sqrt}[d^2*e^2 - f^2]*\text{Sqrt}[1 - d^2*x^2])])/(2*(d^2*e^2 - f^2)^{(5/2)})$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :- Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 725

Int[1/(((d_) + (e_.)*(x_))*Sqrt[(a_) + (c_.)*(x_)^2]), x_Symbol] :- Subst[Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ[{a, c, d, e}, x]

Rule 807

```
Int[((d_.) + (e_.)*(x_))^(m_.)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

Rule 1609

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*d, 0] && EqQ[m, n] && (IntegerQ[m] || (GtQ[a, 0] && GtQ[c, 0]))
```

Rule 1651

```
Int[(Pq_)*((d_) + (e_.)*(x_))^(m_.)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := With[{Q = PolynomialQuotient[Pq, d + e*x, x], R = PolynomialRemainder[Pq, d + e*x, x]}, Simp[(e*R*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/((m + 1)*(c*d^2 + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p*ExpandToSum[(m + 1)*(c*d^2 + a*e^2)*Q + c*d*R*(m + 1) - c*e*R*(m + 2*p + 3)*x, x], x], x] /; FreeQ[{a, c, d, e, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && LtQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + Bx + Cx^2}{\sqrt{1-dx}\sqrt{1+dx}(e+fx)^3} dx &= \int \frac{A + Bx + Cx^2}{(e+fx)^3\sqrt{1-d^2x^2}} dx \\
&= \frac{(Ce^2 - Bef + Af^2)\sqrt{1-d^2x^2}}{2f(d^2e^2 - f^2)(e+fx)^2} + \frac{\int \frac{2(Ce+Ad^2e-Bf)+\left(Bd^2e+\frac{Cd^2e^2}{f}-2Cf-Ad^2f\right)x}{(e+fx)^2\sqrt{1-d^2x^2}} dx}{2(d^2e^2 - f^2)} \\
&= \frac{(Ce^2 - Bef + Af^2)\sqrt{1-d^2x^2}}{2f(d^2e^2 - f^2)(e+fx)^2} - \frac{(Cd^2e^3 + Bd^2e^2f - 4Cef^2 - 3Ad^2ef^2 + 2Bf^3)}{2f(d^2e^2 - f^2)^2(e+fx)} \\
&= \frac{(Ce^2 - Bef + Af^2)\sqrt{1-d^2x^2}}{2f(d^2e^2 - f^2)(e+fx)^2} - \frac{(Cd^2e^3 + Bd^2e^2f - 4Cef^2 - 3Ad^2ef^2 + 2Bf^3)}{2f(d^2e^2 - f^2)^2(e+fx)} \\
&= \frac{(Ce^2 - Bef + Af^2)\sqrt{1-d^2x^2}}{2f(d^2e^2 - f^2)(e+fx)^2} - \frac{(Cd^2e^3 + Bd^2e^2f - 4Cef^2 - 3Ad^2ef^2 + 2Bf^3)}{2f(d^2e^2 - f^2)^2(e+fx)}
\end{aligned}$$

Mathematica [A] time = 0.42, size = 273, normalized size = 1.10

$$\frac{1}{2} \left(\frac{\log\left(\sqrt{1-d^2x^2}\sqrt{f^2-d^2e^2} + d^2ex + f\right)\left(d^2\left(A\left(2d^2e^2 + f^2\right) - 3Bef\right) + C\left(d^2e^2 + 2f^2\right)\right)}{\left(f^2 - d^2e^2\right)^{5/2}} + \frac{\log(e+fx)\left(d^2\left(A\left(2d^2e^2 + f^2\right) - 3Bef\right) + C\left(d^2e^2 + 2f^2\right)\right)}{\left(f^2 - d^2e^2\right)^{5/2}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*x + C*x^2)/(Sqrt[1 - d*x]*Sqrt[1 + d*x]*(e + f*x)^3), x]

[Out] (-((Sqrt[1 - d^2*x^2]*(A*f^3 + B*d^2*e^2*(2*e + f*x) + B*f^2*(e + 2*f*x) - A*d^2*e*f*(4*e + 3*f*x) + C*e*(-3*e*f + d^2*e^2*x - 4*f^2*x)))/((-d^2*e^2 + f^2)^2*(e + f*x)^2)) + ((C*(d^2*e^2 + 2*f^2) + d^2*(-3*B*e*f + A*(2*d^2*e^2 + f^2)))*Log[e + f*x])/(-d^2*e^2 + f^2)^(5/2) - ((C*(d^2*e^2 + 2*f^2) + d^2*(-3*B*e*f + A*(2*d^2*e^2 + f^2)))*Log[f + d^2*e*x + Sqrt[-(d^2*e^2 + f^2)*Sqrt[1 - d^2*x^2]]])/(-d^2*e^2 + f^2)^(5/2))/2

fricas [B] time = 1.07, size = 1580, normalized size = 6.37

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(f*x+e)^3/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm
="fricas")
```

```
[Out] [-1/2*(2*B*d^4*e^7 - B*d^2*e^5*f^2 - (4*A*d^4 + 3*C*d^2)*e^6*f + (5*A*d^2 +
3*C)*e^4*f^3 - B*e^3*f^4 - A*e^2*f^5 + (2*B*d^4*e^5*f^2 - B*d^2*e^3*f^4 -
(4*A*d^4 + 3*C*d^2)*e^4*f^3 + (5*A*d^2 + 3*C)*e^2*f^5 - B*e*f^6 - A*f^7)*x^
2 - (3*B*d^2*e^5*f - (2*A*d^4 + C*d^2)*e^6 - (A*d^2 + 2*C)*e^4*f^2 + (3*B*d
^2*e^3*f^3 - (2*A*d^4 + C*d^2)*e^4*f^2 - (A*d^2 + 2*C)*e^2*f^4)*x^2 + 2*(3*
B*d^2*e^4*f^2 - (2*A*d^4 + C*d^2)*e^5*f - (A*d^2 + 2*C)*e^3*f^3)*x)*sqrt(-d
^2*e^2 + f^2)*log((d^2*e*f*x + f^2 - sqrt(-d^2*e^2 + f^2)*(d^2*e*x + f) - (
sqrt(-d^2*e^2 + f^2)*sqrt(-d*x + 1)*f + (d^2*e^2 - f^2)*sqrt(-d*x + 1))*sqr
t(d*x + 1))/(f*x + e)) + (2*B*d^4*e^7 - B*d^2*e^5*f^2 - (4*A*d^4 + 3*C*d^2)
*e^6*f + (5*A*d^2 + 3*C)*e^4*f^3 - B*e^3*f^4 - A*e^2*f^5 + (C*d^4*e^7 + B*d
^4*e^6*f + B*d^2*e^4*f^3 - (3*A*d^4 + 5*C*d^2)*e^5*f^2 + (3*A*d^2 + 4*C)*e^
3*f^4 - 2*B*e^2*f^5)*x)*sqrt(d*x + 1)*sqrt(-d*x + 1) + 2*(2*B*d^4*e^6*f - B
*d^2*e^4*f^3 - (4*A*d^4 + 3*C*d^2)*e^5*f^2 + (5*A*d^2 + 3*C)*e^3*f^4 - B*e^
2*f^5 - A*e*f^6)*x)/(d^6*e^10 - 3*d^4*e^8*f^2 + 3*d^2*e^6*f^4 - e^4*f^6 + (
d^6*e^8*f^2 - 3*d^4*e^6*f^4 + 3*d^2*e^4*f^6 - e^2*f^8)*x^2 + 2*(d^6*e^9*f -
3*d^4*e^7*f^3 + 3*d^2*e^5*f^5 - e^3*f^7)*x), -1/2*(2*B*d^4*e^7 - B*d^2*e^5
*f^2 - (4*A*d^4 + 3*C*d^2)*e^6*f + (5*A*d^2 + 3*C)*e^4*f^3 - B*e^3*f^4 - A*
e^2*f^5 + (2*B*d^4*e^5*f^2 - B*d^2*e^3*f^4 - (4*A*d^4 + 3*C*d^2)*e^4*f^3 +
(5*A*d^2 + 3*C)*e^2*f^5 - B*e*f^6 - A*f^7)*x^2 + 2*(3*B*d^2*e^5*f - (2*A*d^
4 + C*d^2)*e^6 - (A*d^2 + 2*C)*e^4*f^2 + (3*B*d^2*e^3*f^3 - (2*A*d^4 + C*d^
2)*e^4*f^2 - (A*d^2 + 2*C)*e^2*f^4)*x^2 + 2*(3*B*d^2*e^4*f^2 - (2*A*d^4 + C
*d^2)*e^5*f - (A*d^2 + 2*C)*e^3*f^3)*x)*sqrt(d^2*e^2 - f^2)*arctan(-(sqrt(d
^2*e^2 - f^2)*sqrt(d*x + 1)*sqrt(-d*x + 1)*e - sqrt(d^2*e^2 - f^2)*(f*x + e
)))/((d^2*e^2 - f^2)*x) + (2*B*d^4*e^7 - B*d^2*e^5*f^2 - (4*A*d^4 + 3*C*d^2)
)*e^6*f + (5*A*d^2 + 3*C)*e^4*f^3 - B*e^3*f^4 - A*e^2*f^5 + (C*d^4*e^7 + B*
d^4*e^6*f + B*d^2*e^4*f^3 - (3*A*d^4 + 5*C*d^2)*e^5*f^2 + (3*A*d^2 + 4*C)*e
^3*f^4 - 2*B*e^2*f^5)*x)*sqrt(d*x + 1)*sqrt(-d*x + 1) + 2*(2*B*d^4*e^6*f -
B*d^2*e^4*f^3 - (4*A*d^4 + 3*C*d^2)*e^5*f^2 + (5*A*d^2 + 3*C)*e^3*f^4 - B*e
^2*f^5 - A*e*f^6)*x)/(d^6*e^10 - 3*d^4*e^8*f^2 + 3*d^2*e^6*f^4 - e^4*f^6 +
(d^6*e^8*f^2 - 3*d^4*e^6*f^4 + 3*d^2*e^4*f^6 - e^2*f^8)*x^2 + 2*(d^6*e^9*f
- 3*d^4*e^7*f^3 + 3*d^2*e^5*f^5 - e^3*f^7)*x)]
```

```
giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00
```

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(f*x+e)^3/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm
="giac")
```

```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x);;OUTPUT:Undef/Unsigned Inf encountered in limit
```

maple [C] time = 0.05, size = 1449, normalized size = 5.84

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((C*x^2+B*x+A)/(f*x+e)^3/(-d*x+1)^{(1/2)}/(d*x+1)^{(1/2)},x)$

[Out]
$$-1/2*(A*f^4*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*(-d^2*x^2+1)^{(1/2)}+2*C*\ln(2*(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))*e^2*f^2+C*\ln(2*(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))*d^2*e^4+2*C*\ln(2*(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))*x^2*f^4+2*A*\ln(2*(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))*d^4*e^4-3*B*\ln(2*(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))*d^2*e^3*f+2*C*\ln(2*(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))*x*d^2*e^3*f-4*A*d^2*e^2*f^2*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*(-d^2*x^2+1)^{(1/2)}+2*B*d^2*e^3*f*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*(-d^2*x^2+1)^{(1/2)}+2*A*\ln(2*(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))*x*d^2*e*f^3-6*B*\ln(2*(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))*x*d^2*e^2*f^2+C*\ln(2*(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))*x^2*d^2*e^2*f^2-3*B*\ln(2*(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))*x^2*d^2*e*f^3+2*A*\ln(2*(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))*x^2*d^4*e^2*f^2+4*A*\ln(2*(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))*x*d^4*e^3*f-4*C*x*e*f^3*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*(-d^2*x^2+1)^{(1/2)}+4*C*\ln(2*(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))*x*e*f^3+2*B*x*f^4*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*(-d^2*x^2+1)^{(1/2)}+B*e*f^3*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*(-d^2*x^2+1)^{(1/2)}-3*C*e^2*f^2*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*(-d^2*x^2+1)^{(1/2)}+A*\ln(2*(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))*x^2*d^2*f^4+A*\ln(2*(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))*d^2*e^2*f^2-3*A*x*d^2*e*f^3*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*(-d^2*x^2+1)^{(1/2)}+B*x*d^2*e^2*f^2*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*(-d^2*x^2+1)^{(1/2)}+C*x*d^2*e^3*f*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*(-d^2*x^2+1)^{(1/2))*csgn(d)^2*(d*x+1)^{(1/2)}*(-d*x+1)^{(1/2)}/(-d^2*x^2+1)^{(1/2)}/(d*e+f)/(d*e-f)/(d^2*e^2-f^2)/(f*x+e)^2/(-(d^2*e^2-f^2)/f^2)^{(1/2)}/f$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((C*x^2+B*x+A)/(f*x+e)^3/(-d*x+1)^{(1/2)}/(d*x+1)^{(1/2)},x, \text{algorithm}="maxima")$

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(f-d*e>0)', see `assume?` for more details) Is f-d*e positive, negative or zero?

mupad [B] time = 59.18, size = 9097, normalized size = 36.68

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A + B*x + C*x^2)/((e + f*x)^3*(1 - d*x)^{(1/2)}*(d*x + 1)^{(1/2)}),x)$

[Out]
$$\frac{((12*(2*C*f^3 + C*d^2*e^2*f)*((1 - d*x)^{(1/2)} - 1)^2)/(((d*x + 1)^{(1/2)} - 1)^2*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) - (24*(2*C*f^3 - C*d^2*e^2*f)*((1 - d*x)^{(1/2)} - 1)^4)/(((d*x + 1)^{(1/2)} - 1)^4*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) + (12*(2*C*f^3 + C*d^2*e^2*f)*((1 - d*x)^{(1/2)} - 1)^6)/(((d*x + 1)^{(1/2)} - 1)^6*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) - (2*((1 - d*x)^{(1/2)} - 1)^7*(C*d^3*e^3 + 2*C*d*e*f^2))/(((d*x + 1)^{(1/2)} - 1)^7*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) - (2*((1 - d*x)^{(1/2)} - 1)^3*(7*C*d^3*e^3 - 34*C*d*e*f^2))/(((d*x + 1)^{(1/2)} - 1)^3*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) + (2*((1 - d*x)^{(1/2)} - 1)^5*(7*C*d^3*e^3 - 34*C*d*e*f^2))/(((d*x + 1)^{(1/2)} - 1)^5*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) + (2*d*e*((1 - d*x)^{(1/2)} - 1)*(2*C*f^2 + C*d^2*e^2))/(((d*x + 1)^{(1/2)} - 1)*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)))/((d^2*e^2 + ((1 - d*x)^{(1/2)} - 1)^2*(16*f^2 + 4*d^2*e^2))/((d*x + 1)^{(1/2)} - 1)^2 + (((1 - d*x)^{(1/2)} - 1)^6*(16*f^2 + 4*d^2*e^2))/((d*x + 1)^{(1/2)} - 1)^6 - (((1 - d*x)^{(1/2)} - 1)^4*(32*f^2 - 6*d^2*e^2))/((d*x + 1)^{(1/2)} - 1)^4 + (d^2*e^2*((1 - d*x)^{(1/2)} - 1)^8)/((d*x + 1)^{(1/2)} - 1)^8 + (8*d*e*f*((1 - d*x)^{(1/2)} - 1)^3)/((d*x + 1)^{(1/2)} - 1)^3 - (8*d*e*f*((1 - d*x)^{(1/2)} - 1)^5)/((d*x + 1)^{(1/2)} - 1)^5 - (8*d*e*f*((1 - d*x)^{(1/2)} - 1)^7)/((d*x + 1)^{(1/2)} - 1)^7 + (8*d*e*f*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + ((4*((1 - d*x)^{(1/2)} - 1)^2*(4*A*d^4*e^4*f - 2*A*f^5 + 7*A*d^2*e^2*f^3))/(e^2*((d*x + 1)^{(1/2)} - 1)^2*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) + (8*((1 - d*x)^{(1/2)} - 1)^4*(2*A*f^5 + 4*A*d^4*e^4*f - 9*A*d^2*e^2*f^3))/(e^2*((d*x + 1)^{(1/2)} - 1)^4*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) + (4*((1 - d*x)^{(1/2)} - 1)^6*(4*A*d^4*e^4*f - 2*A*f^5 + 7*A*d^2*e^2*f^3))/(e^2*((d*x + 1)^{(1/2)} - 1)^6*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) + (2*f*((1 - d*x)^{(1/2)} - 1)^7*(2*A*d*f^3 - 5*A*d^3*e^2*f))/((e*((d*x + 1)^{(1/2)} - 1)^7*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) - (2*f*((1 - d*x)^{(1/2)} - 1)^3*(2*A*d*f^3 - 29*A*d^3*e^2*f))/((e*((d*x + 1)^{(1/2)} - 1)^3*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) + (2*f*((1 - d*x)^{(1/2)} - 1)^5*(2*A*d*f^3 - 29*A*d^3*e^2*f))/((e*((d*x + 1)^{(1/2)} - 1)^5*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) - (2*d*f*(2*A*f^3 - 5*A*d^2*e^2*f)*((1 - d*x)^{(1/2)} - 1))/((e*((d*x + 1)^{(1/2)} - 1)*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)))/((d^2*e^2 + ((1 - d*x)^{(1/2)} - 1)^2*(16*f^2 + 4*d^2*e^2))/((d*x + 1)^{(1/2)} - 1)^2 + (((1 - d*x)^{(1/2)} - 1)^6*(16*f^2 + 4*d^2*e^2))/((d*x + 1)^{(1/2)} - 1)^6 - (((1 - d*x)^{(1/2)} - 1)^4*(32*f^2 - 6*d^2*e^2))/((d*x + 1)^{(1/2)} - 1)^4 + (d^2*e^2*((1 - d*x)^{(1/2)} - 1)^8)/(($$

$$\begin{aligned}
& ((d*x + 1)^{(1/2)} - 1)^8 + (8*d*e*f*((1 - d*x)^{(1/2)} - 1)^3)/((d*x + 1)^{(1/2)} - 1)^3 - (8*d*e*f*((1 - d*x)^{(1/2)} - 1)^5)/((d*x + 1)^{(1/2)} - 1)^5 - (8*d*e*f*((1 - d*x)^{(1/2)} - 1)^7)/((d*x + 1)^{(1/2)} - 1)^7 + (8*d*e*f*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) - ((4*((1 - d*x)^{(1/2)} - 1)^2*(2*B*f^4 + 2*B*d^4*e^4 + 5*B*d^2*e^2*f^2))/(e*((d*x + 1)^{(1/2)} - 1)^2*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) - (8*((1 - d*x)^{(1/2)} - 1)^4*(2*B*f^4 - 2*B*d^4*e^4 + 3*B*d^2*e^2*f^2))/(e*((d*x + 1)^{(1/2)} - 1)^4*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) + (4*((1 - d*x)^{(1/2)} - 1)^6*(2*B*f^4 + 2*B*d^4*e^4 + 5*B*d^2*e^2*f^2))/(e*((d*x + 1)^{(1/2)} - 1)^6*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) + (2*f*(11*B*d^3*e^2 + 16*B*d*f^2))*((1 - d*x)^{(1/2)} - 1)^3)/(((d*x + 1)^{(1/2)} - 1)^3*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) - (2*f*(11*B*d^3*e^2 + 16*B*d*f^2))*((1 - d*x)^{(1/2)} - 1)^5)/(((d*x + 1)^{(1/2)} - 1)^5*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) - (6*B*d^3*e^2*f*((1 - d*x)^{(1/2)} - 1)^7)/(((d*x + 1)^{(1/2)} - 1)^7*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) + (6*B*d^3*e^2*f*((1 - d*x)^{(1/2)} - 1))/(((d*x + 1)^{(1/2)} - 1)*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)))/(d^2*e^2 + (((1 - d*x)^{(1/2)} - 1)^2*(16*f^2 + 4*d^2*e^2))/((d*x + 1)^{(1/2)} - 1)^2 + (((1 - d*x)^{(1/2)} - 1)^6*(16*f^2 + 4*d^2*e^2))/((d*x + 1)^{(1/2)} - 1)^6 - (((1 - d*x)^{(1/2)} - 1)^4*(32*f^2 - 6*d^2*e^2))/((d*x + 1)^{(1/2)} - 1)^4 + (d^2*e^2*((1 - d*x)^{(1/2)} - 1)^8)/((d*x + 1)^{(1/2)} - 1)^8 + (8*d*e*f*((1 - d*x)^{(1/2)} - 1)^3)/((d*x + 1)^{(1/2)} - 1)^3 - (8*d*e*f*((1 - d*x)^{(1/2)} - 1)^5)/((d*x + 1)^{(1/2)} - 1)^5 - (8*d*e*f*((1 - d*x)^{(1/2)} - 1)^7)/((d*x + 1)^{(1/2)} - 1)^7 + (8*d*e*f*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (C*atan(((C*(2*f^2 + d^2*e^2))*((4*((1 - d*x)^{(1/2)} - 1)^2*(8*C*d*e*f^7 + 4*C*d^7*e^7*f - 12*C*d^3*e^3*f^5)))/(((d*x + 1)^{(1/2)} - 1)^2*(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2)) - (4*(8*C*d*e*f^7 + 4*C*d^7*e^7*f - 12*C*d^3*e^3*f^5)))/(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2) + (C*(2*f^2 + d^2*e^2))*((4*(4*d^11*e^11 - 12*d^3*e^3*f^8 + 8*d^5*e^5*f^6 + 8*d^7*e^7*f^4 - 12*d^9*e^9*f^2 + 4*d*e*f^10)))/(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2) + (4*((1 - d*x)^{(1/2)} - 1)^2*(4*d^11*e^11 + 52*d^3*e^3*f^8 - 88*d^5*e^5*f^6 + 72*d^7*e^7*f^4 - 28*d^9*e^9*f^2 - 12*d*e*f^10)))/(((d*x + 1)^{(1/2)} - 1)^2*(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2)) + (64*d^2*e^2*f*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1))/((2*(f + d*e)^(5/2)*(f - d*e)^(5/2)))*1i)/(2*(f + d*e)^(5/2)*(f - d*e)^(5/2)) - (C*(2*f^2 + d^2*e^2))*((4*(8*C*d*e*f^7 + 4*C*d^7*e^7*f - 12*C*d^3*e^3*f^5)))/(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2) - (4*((1 - d*x)^{(1/2)} - 1)^2*(8*C*d*e*f^7 + 4*C*d^7*e^7*f - 12*C*d^3*e^3*f^5))/(((d*x + 1)^{(1/2)} - 1)^2*(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2)) + (C*(2*f^2 + d^2*e^2))*((4*(4*d^11*e^11 - 12*d^3*e^3*f^8 + 8*d^5*e^5*f^6 + 8*d^7*e^7*f^4 - 12*d^9*e^9*f^2 + 4*d*e*f^10)))/(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2) + (4*((1 - d*x)^{(1/2)} - 1)^2*(4*d^11*e^11 + 52*d^3*e^3*f^8 - 88*d^5*e^5*f^6 + 72*d^7*e^7*f^4 - 28*d^9*e^9*f^2 - 12*d*e*f^10)))/(((d*x + 1)^{(1/2)} - 1)^2*(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2)) + (64*d^2*e^2*f*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1))/((2*(f + d*e)^(5/2)*(f - d*e)^(5/2)))*1i)/(2*(f + d*e)^(5/2)*(f - d*e)^(5/2)))/((8*(C^2*d^5*e^5 + 4*C^2*d^3*e^3*f^2 + 4*C^2*d*e)
\end{aligned}$$

$$\begin{aligned}
& *f^4))/((f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2) + (8 \\
& *((1 - d*x)^{(1/2)} - 1)^2*(C^2*d^5*e^5 + 4*C^2*d^3*e^3*f^2 + 4*C^2*d*e*f^4)) \\
& /(((d*x + 1)^{(1/2)} - 1)^2*(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - \\
& 4*d^6*e^6*f^2)) + (C*(2*f^2 + d^2*e^2))*(((1 - d*x)^{(1/2)} - 1)^2*(8*C*d*e \\
& *f^7 + 4*C*d^7*e^7*f - 12*C*d^3*e^3*f^5)))/(((d*x + 1)^{(1/2)} - 1)^2*(f^8 + d \\
& ^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2)) - (4*(8*C*d*e*f^7 \\
& + 4*C*d^7*e^7*f - 12*C*d^3*e^3*f^5))/(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4 \\
& *e^4*f^4 - 4*d^6*e^6*f^2) + (C*(2*f^2 + d^2*e^2))*((4*(4*d^11*e^11 - 12*d^3 \\
& e^3*f^8 + 8*d^5*e^5*f^6 + 8*d^7*e^7*f^4 - 12*d^9*e^9*f^2 + 4*d*e*f^10)))/(f^ \\
& 8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2) + (4*((1 - d*x) \\
&)^{(1/2)} - 1)^2*(4*d^11*e^11 + 52*d^3*e^3*f^8 - 88*d^5*e^5*f^6 + 72*d^7*e^7* \\
& f^4 - 28*d^9*e^9*f^2 - 12*d*e*f^10))/(((d*x + 1)^{(1/2)} - 1)^2*(f^8 + d^8*e^ \\
& 8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2)) + (64*d^2*e^2*f*((1 - d \\
& *x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1))/((2*(f + d*e)^{(5/2)}*(f - d*e)^{(5/2)} \\
&))/(2*(f + d*e)^{(5/2)}*(f - d*e)^{(5/2)}) + (C*(2*f^2 + d^2*e^2))*(((4*(8*C*d*e \\
& f^7 + 4*C*d^7*e^7*f - 12*C*d^3*e^3*f^5)))/(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6 \\
& *d^4*e^4*f^4 - 4*d^6*e^6*f^2) - (4*((1 - d*x)^{(1/2)} - 1)^2*(8*C*d*e*f^7 + 4 \\
& *C*d^7*e^7*f - 12*C*d^3*e^3*f^5)))/(((d*x + 1)^{(1/2)} - 1)^2*(f^8 + d^8*e^8 - \\
& 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2)) + (C*(2*f^2 + d^2*e^2))*((4 \\
& *(4*d^11*e^11 - 12*d^3*e^3*f^8 + 8*d^5*e^5*f^6 + 8*d^7*e^7*f^4 - 12*d^9*e^9 \\
& *f^2 + 4*d*e*f^10))/(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6* \\
& e^6*f^2) + (4*((1 - d*x)^{(1/2)} - 1)^2*(4*d^11*e^11 + 52*d^3*e^3*f^8 - 88*d^ \\
& 5*e^5*f^6 + 72*d^7*e^7*f^4 - 28*d^9*e^9*f^2 - 12*d*e*f^10))/(((d*x + 1)^{(1/ \\
& 2)} - 1)^2*(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2)) \\
& + (64*d^2*e^2*f*((1 - d*x)^{(1/2)} - 1))/(((d*x + 1)^{(1/2)} - 1)))/(2*(f + d*e) \\
& ^{(5/2)}*(f - d*e)^{(5/2)})))/(2*(f + d*e)^{(5/2)}*(f - d*e)^{(5/2)})))*(2*f^2 + d^ \\
& 2*e^2)*1i)/((f + d*e)^{(5/2)}*(f - d*e)^{(5/2)}) + (A*d^2*atan(((A*d^2*(f^2 + 2 \\
& *d^2*e^2))*(((4*((1 - d*x)^{(1/2)} - 1)^2*(4*A*d^3*e*f^7 + 8*A*d^9*e^7*f - 12*A \\
& *d^7*e^5*f^3)))/(((d*x + 1)^{(1/2)} - 1)^2*(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6* \\
& d^4*e^4*f^4 - 4*d^6*e^6*f^2)) - (4*(4*A*d^3*e*f^7 + 8*A*d^9*e^7*f - 12*A*d^ \\
& 7*e^5*f^3)))/(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2) \\
& + (A*d^2*(f^2 + 2*d^2*e^2))*(((4*(4*d^11*e^11 - 12*d^3*e^3*f^8 + 8*d^5*e^5*f \\
& ^6 + 8*d^7*e^7*f^4 - 12*d^9*e^9*f^2 + 4*d*e*f^10))/(f^8 + d^8*e^8 - 4*d^2*e \\
& ^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2) + (4*((1 - d*x)^{(1/2)} - 1)^2*(4*d^1 \\
& 1*e^11 + 52*d^3*e^3*f^8 - 88*d^5*e^5*f^6 + 72*d^7*e^7*f^4 - 28*d^9*e^9*f^2 \\
& - 12*d*e*f^10))/(((d*x + 1)^{(1/2)} - 1)^2*(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6 \\
& *d^4*e^4*f^4 - 4*d^6*e^6*f^2)) + (64*d^2*e^2*f*((1 - d*x)^{(1/2)} - 1))/((d*x \\
& + 1)^{(1/2)} - 1)))/(2*(f + d*e)^{(5/2)}*(f - d*e)^{(5/2)})))*1i)/((2*(f + d*e)^{(5 \\
& /2)}*(f - d*e)^{(5/2)}) - (A*d^2*(f^2 + 2*d^2*e^2))*(((4*(4*A*d^3*e*f^7 + 8*A*d^ \\
& 9*e^7*f - 12*A*d^7*e^5*f^3)))/(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 \\
& - 4*d^6*e^6*f^2) - (4*((1 - d*x)^{(1/2)} - 1)^2*(4*A*d^3*e*f^7 + 8*A*d^9*e^7 \\
& *f - 12*A*d^7*e^5*f^3)))/(((d*x + 1)^{(1/2)} - 1)^2*(f^8 + d^8*e^8 - 4*d^2*e^2 \\
& *f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2)) + (A*d^2*(f^2 + 2*d^2*e^2))*(((4*(4*d^ \\
& 11*e^11 - 12*d^3*e^3*f^8 + 8*d^5*e^5*f^6 + 8*d^7*e^7*f^4 - 12*d^9*e^9*f^2 + \\
& 4*d*e*f^10))/(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^ \\
\end{aligned}$$

$$\begin{aligned}
& 2) + (4*((1 - d*x)^{(1/2)} - 1)^2*(4*d^{11}*e^{11} + 52*d^3*e^3*f^8 - 88*d^5*e^5*f^6 + 72*d^7*e^7*f^4 - 28*d^9*e^9*f^2 - 12*d*e*f^{10}))/(((d*x + 1)^{(1/2)} - 1)^2*(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2)) + (64*d^2*e^2*f*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1))/((2*(f + d*e)^{(5/2)}*(f - d*e)^{(5/2)}))*i1)/((2*(f + d*e)^{(5/2)}*(f - d*e)^{(5/2)}))/((8*(4*A^2*d^9*e^5 + 4*A^2*d^7*e^3*f^2 + A^2*d^5*e*f^4))/(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2) + (8*((1 - d*x)^{(1/2)} - 1)^2*(4*A^2*d^9*e^5 + 4*A^2*d^7*e^3*f^2 + A^2*d^5*e*f^4))/(((d*x + 1)^{(1/2)} - 1)^2*(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2)) + (A*d^2*(f^2 + 2*d^2*e^2))*((4*((1 - d*x)^{(1/2)} - 1)^2*(4*A*d^3*e*f^7 + 8*A*d^9*e^7*f - 12*A*d^7*e^5*f^3))/(((d*x + 1)^{(1/2)} - 1)^2*(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2)) - (4*(4*A*d^3*e*f^7 + 8*A*d^9*e^7*f - 12*A*d^7*e^5*f^3))/(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2) + (A*d^2*(f^2 + 2*d^2*e^2))*((4*(4*d^11*e^{11} - 12*d^3*e^3*f^8 + 8*d^5*e^5*f^6 + 8*d^7*e^7*f^4 - 12*d^9*e^9*f^2 + 4*d*e*f^{10}))/((d*x + 1)^{(1/2)} - 1)^2*(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2) + (4*((1 - d*x)^{(1/2)} - 1)^2*(4*d^11*e^{11} + 52*d^3*e^3*f^8 - 88*d^5*e^5*f^6 + 72*d^7*e^7*f^4 - 28*d^9*e^9*f^2 - 12*d*e*f^{10}))/(((d*x + 1)^{(1/2)} - 1)^2*(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2)) + (64*d^2*e^2*f*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1))/((2*(f + d*e)^{(5/2)}*(f - d*e)^{(5/2)}))/((2*(f + d*e)^{(5/2)}*(f - d*e)^{(5/2)})) + (A*d^2*(f^2 + 2*d^2*e^2))*((4*(4*A*d^3*e*f^7 + 8*A*d^9*e^7*f - 12*A*d^7*e^5*f^3))/(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2) - (4*((1 - d*x)^{(1/2)} - 1)^2*(4*A*d^3*e*f^7 + 8*A*d^9*e^7*f - 12*A*d^7*e^5*f^3))/(((d*x + 1)^{(1/2)} - 1)^2*(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2)) + (A*d^2*(f^2 + 2*d^2*e^2))*((4*(4*d^11*e^{11} - 12*d^3*e^3*f^8 + 8*d^5*e^5*f^6 + 8*d^7*e^7*f^4 - 12*d^9*e^9*f^2 + 4*d*e*f^{10}))/((d*x + 1)^{(1/2)} - 1)^2*(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2) + (4*((1 - d*x)^{(1/2)} - 1)^2*(4*d^11*e^{11} + 52*d^3*e^3*f^8 - 88*d^5*e^5*f^6 + 72*d^7*e^7*f^4 - 28*d^9*e^9*f^2 - 12*d*e*f^{10}))/(((d*x + 1)^{(1/2)} - 1)^2*(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2)) + (64*d^2*e^2*f*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1))/((2*(f + d*e)^{(5/2)}*(f - d*e)^{(5/2)}))*i1)/((f + d*e)^{(5/2)}*(f - d*e)^{(5/2)}) - (B*d^2*e*f*atan(((B*d^2*e*f*((4*((1 - d*x)^{(1/2)} - 1)^2*(12*B*d^3*e^2*f^6 - 24*B*d^5*e^4*f^4 + 12*B*d^7*e^6*f^2))/(((d*x + 1)^{(1/2)} - 1)^2*(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2)) - (4*(12*B*d^3*e^2*f^6 - 24*B*d^5*e^4*f^4 + 12*B*d^7*e^6*f^2)))/(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2) + (3*B*d^2*e*f*((4*(4*d^11*e^{11} - 12*d^3*e^3*f^8 + 8*d^5*e^5*f^6 + 8*d^7*e^7*f^4 - 12*d^9*e^9*f^2 + 4*d*e*f^{10}))/((d*x + 1)^{(1/2)} - 1)^2*(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2) + (4*((1 - d*x)^{(1/2)} - 1)^2*(4*d^11*e^{11} + 52*d^3*e^3*f^8 - 88*d^5*e^5*f^6 + 72*d^7*e^7*f^4 - 28*d^9*e^9*f^2 - 12*d*e*f^{10}))/(((d*x + 1)^{(1/2)} - 1)^2*(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2)) + (64*d^2*e^2*f*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1))/((2*(f + d*e)^{(5/2)}*(f - d*e)^{(5/2)}))*3i)/((2*(f + d*e)^{(5/2)}*(f - d*e)^{(5/2)}) - (B*d^2*e*f*((4*(12*B*d^3*e^2*f^6 - 24*B*d^5*e^4*f^4 + 12*B*d^7*e^6*f^2))/(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2)))/(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2))
\end{aligned}$$

$$\begin{aligned}
& 8 + d^8 e^8 - 4d^2 e^2 f^6 + 6d^4 e^4 f^4 - 4d^6 e^6 f^2) - (4*((1 - dx) \\
&)^{(1/2)} - 1)^2*(12*B*d^3*e^2*f^6 - 24*B*d^5*e^4*f^4 + 12*B*d^7*e^6*f^2))/((\\
& (dx + 1)^{(1/2)} - 1)^2*(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d \\
& ^6*e^6*f^2)) + (3*B*d^2*e*f*((4*(4*d^11*e^11 - 12*d^3*e^3*f^8 + 8*d^5*e^5*f \\
& ^6 + 8*d^7*e^7*f^4 - 12*d^9*e^9*f^2 + 4*d*e*f^10))/(f^8 + d^8*e^8 - 4*d^2*e \\
& ^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2) + (4*((1 - dx)^{(1/2)} - 1)^2*(4*d^1 \\
& 1*e^11 + 52*d^3*e^3*f^8 - 88*d^5*e^5*f^6 + 72*d^7*e^7*f^4 - 28*d^9*e^9*f^2 \\
& - 12*d*e*f^10)))/(((dx + 1)^{(1/2)} - 1)^2*(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6 \\
& *d^4*e^4*f^4 - 4*d^6*e^6*f^2)) + (64*d^2*e^2*f*((1 - dx)^{(1/2)} - 1))/((dx \\
& + 1)^{(1/2)} - 1)))/(2*(f + d*e)^{(5/2)}*(f - d*e)^{(5/2)))*3i)/(2*(f + d*e)^{(5 \\
& /2)}*(f - d*e)^{(5/2)))/((72*B^2*d^5*e^3*f^2)/(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 \\
& + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2) + (3*B*d^2*e*f*((4*((1 - dx)^{(1/2)} - 1)^2 \\
& *(12*B*d^3*e^2*f^6 - 24*B*d^5*e^4*f^4 + 12*B*d^7*e^6*f^2)))/(((dx + 1)^{(1/2) \\
&) - 1)^2*(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2)) - \\
& (4*(12*B*d^3*e^2*f^6 - 24*B*d^5*e^4*f^4 + 12*B*d^7*e^6*f^2))/(f^8 + d^8*e^ \\
& 8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2) + (3*B*d^2*e*f*((4*(4*d^ \\
& 11*e^11 - 12*d^3*e^3*f^8 + 8*d^5*e^5*f^6 + 8*d^7*e^7*f^4 - 12*d^9*e^9*f^2 + \\
& 4*d*e*f^10))/(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^ \\
& 2) + (4*((1 - dx)^{(1/2)} - 1)^2*(4*d^11*e^11 + 52*d^3*e^3*f^8 - 88*d^5*e^5* \\
& f^6 + 72*d^7*e^7*f^4 - 28*d^9*e^9*f^2 - 12*d*e*f^10)))/(((dx + 1)^{(1/2)} - 1 \\
&)^2*(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2)) + (64* \\
& d^2*e^2*f*((1 - dx)^{(1/2)} - 1))/((dx + 1)^{(1/2)} - 1)))/(2*(f + d*e)^{(5/2) \\
& *(f - d*e)^{(5/2)))/((2*(f + d*e)^{(5/2)}*(f - d*e)^{(5/2)) + (3*B*d^2*e*f*((4* \\
& (12*B*d^3*e^2*f^6 - 24*B*d^5*e^4*f^4 + 12*B*d^7*e^6*f^2)))/(f^8 + d^8*e^8 - \\
& 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2) - (4*((1 - dx)^{(1/2)} - 1)^2 \\
& *(12*B*d^3*e^2*f^6 - 24*B*d^5*e^4*f^4 + 12*B*d^7*e^6*f^2)))/(((dx + 1)^{(1/2) \\
&) - 1)^2*(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2)) + \\
& (3*B*d^2*e*f*((4*(4*d^11*e^11 - 12*d^3*e^3*f^8 + 8*d^5*e^5*f^6 + 8*d^7*e^7 \\
& *f^4 - 12*d^9*e^9*f^2 + 4*d*e*f^10))/(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4 \\
& *e^4*f^4 - 4*d^6*e^6*f^2) + (4*((1 - dx)^{(1/2)} - 1)^2*(4*d^11*e^11 + 52*d^ \\
& 3*e^3*f^8 - 88*d^5*e^5*f^6 + 72*d^7*e^7*f^4 - 28*d^9*e^9*f^2 - 12*d*e*f^10) \\
&))/(((dx + 1)^{(1/2)} - 1)^2*(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - \\
& 4*d^6*e^6*f^2)) + (64*d^2*e^2*f*((1 - dx)^{(1/2)} - 1))/((dx + 1)^{(1/2)} - \\
& 1)))/(2*(f + d*e)^{(5/2)}*(f - d*e)^{(5/2)))/((2*(f + d*e)^{(5/2)}*(f - d*e)^{(5/ \\
& 2)) + (72*B^2*d^5*e^3*f^2*((1 - dx)^{(1/2)} - 1)^2)/(((dx + 1)^{(1/2)} - 1)^2 \\
& *(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2))))*3i)/((f \\
& + d*e)^{(5/2)}*(f - d*e)^{(5/2)})
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x**2+B*x+A)/(f*x+e)**3/(-d*x+1)**(1/2)/(d*x+1)**(1/2),x)

[Out] Timed out

$$3.8 \quad \int \frac{(e+fx)^3(A+Bx+Cx^2)}{\sqrt{1-dx}\sqrt{1+dx}} dx$$

Optimal. Leaf size=340

$$\frac{\sqrt{1-d^2x^2}(e+fx)^2(4f^2(5Ad^2+4C)-3d^2e(Ce-5Bf))}{60d^4f} + \frac{\sqrt{1-d^2x^2}(d^2fx(-100Ad^2ef^2-30Bd^2e^2f-45Bf^3))}{60d^4f}$$

[Out] $1/8*(8*A*d^4*e^3+12*A*d^2*e*f^2+12*B*d^2*e^2*f+4*C*d^2*e^3+3*B*f^3+9*C*e*f^2)*\arcsin(d*x)/d^5-1/60*(4*(5*A*d^2+4*C)*f^2-3*d^2*e*(-5*B*f+C*e))*(f*x+e)^2*(-d^2*x^2+1)^(1/2)/d^4/f+1/20*(-5*B*f+C*e)*(f*x+e)^3*(-d^2*x^2+1)^(1/2)/d^2/f-1/5*C*(f*x+e)^4*(-d^2*x^2+1)^(1/2)/d^2/f+1/120*(4*C*(3*d^4*e^4-52*d^2*e^2*f^2-16*f^4)-20*d^2*f*(4*A*f*(4*d^2*e^2+f^2)+3*B*(d^2*e^3+4*e*f^2))+d^2*f*(-100*A*d^2*e*f^2-30*B*d^2*e^2*f+6*C*d^2*e^3-45*B*f^3-71*C*e*f^2)*x*(-d^2*x^2+1)^(1/2)/d^6/f$

Rubi [A] time = 0.63, antiderivative size = 340, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.135$, Rules used = {1609, 1654, 833, 780, 216}

$$\frac{\sqrt{1-d^2x^2}(e+fx)^2\left(5f(4Af+3Be)-C\left(3e^2-\frac{16f^2}{d^2}\right)\right)}{60d^2f} + \frac{\sqrt{1-d^2x^2}(d^2fx(-100Ad^2ef^2-30Bd^2e^2f-45Bf^3))}{60d^2f}$$

Antiderivative was successfully verified.

[In] Int[((e + f*x)^3*(A + B*x + C*x^2))/(Sqrt[1 - d*x]*Sqrt[1 + d*x]),x]

[Out] $-((5*f*(3*B*e + 4*A*f) - C*(3*e^2 - (16*f^2)/d^2))*(e + f*x)^2*\text{Sqrt}[1 - d^2*x^2])/(60*d^2*f) + ((C*e - 5*B*f)*(e + f*x)^3*\text{Sqrt}[1 - d^2*x^2])/(20*d^2*f) - (C*(e + f*x)^4*\text{Sqrt}[1 - d^2*x^2])/(5*d^2*f) + ((4*(C*(3*d^4*e^4 - 52*d^2*e^2*f^2 - 16*f^4) - 5*d^2*f*(4*A*f*(4*d^2*e^2 + f^2) + 3*B*(d^2*e^3 + 4*e*f^2))) + d^2*f*(6*C*d^2*e^3 - 30*B*d^2*e^2*f - 71*C*e*f^2 - 100*A*d^2*e*f^2 - 45*B*f^3)*x)*\text{Sqrt}[1 - d^2*x^2])/(120*d^6*f) + ((4*C*d^2*e^3 + 8*A*d^4*e^3 + 12*B*d^2*e^2*f + 9*C*e*f^2 + 12*A*d^2*e*f^2 + 3*B*f^3)*\text{ArcSin}[d*x])/(8*d^5)$

Rule 216

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 780

Int[((d_.) + (e_.)*(x_.))*((f_.) + (g_.)*(x_.))*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[(((e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x)*(a + c*x^2)^(p

+ 1))/(2*c*(p + 1)*(2*p + 3)), x] - Dist[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p + 3)), Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !LeQ[p, -1]

Rule 833

Int[((d_.) + (e_.)*(x_))^(m_.)*((f_.) + (g_.)*(x_))*((a_.) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Simp[(g*(d + e*x)^m*(a + c*x^2)^(p + 1))/(c*(m + 2*p + 2)), x] + Dist[1/(c*(m + 2*p + 2)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^p*Simp[c*d*f*(m + 2*p + 2) - a*e*g*m + c*(e*f*(m + 2*p + 2) + d*g*m)*x, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[m, 0] && NeQ[m + 2*p + 2, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p]) && !(IGtQ[m, 0] && EqQ[f, 0])

Rule 1609

Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] :> Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*d, 0] && EqQ[m, n] && (IntegerQ[m] || (GtQ[a, 0] && GtQ[c, 0]))

Rule 1654

Int[(Pq_)*((d_.) + (e_.)*(x_))^(m_.)*((a_.) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x)^(m + q - 1)*(a + c*x^2)^(p + 1))/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Dist[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + c*x^2)^p*ExpandToSum[c*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - f*(d + e*x)^(q - 2)*(a*e^2*(m + q - 1) - c*d^2*(m + q + 2*p + 1) - 2*c*d*e*(m + q + p)*x), x], x] /; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0] /; FreeQ[{a, c, d, e, m, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && !(EqQ[d, 0] && True) && !(IGtQ[m, 0] && RationalQ[a, c, d, e] && (IntegerQ[p] || ILtQ[p + 1/2, 0]))

Rubi steps

$$\begin{aligned}
\int \frac{(e+fx)^3(A+Bx+Cx^2)}{\sqrt{1-dx}\sqrt{1+dx}} dx &= \int \frac{(e+fx)^3(A+Bx+Cx^2)}{\sqrt{1-d^2x^2}} dx \\
&= -\frac{C(e+fx)^4\sqrt{1-d^2x^2}}{5d^2f} - \frac{\int \frac{(e+fx)^3(-(4C+5Ad^2)f^2+d^2f(Ce-5Bf)x)}{\sqrt{1-d^2x^2}} dx}{5d^2f^2} \\
&= \frac{(Ce-5Bf)(e+fx)^3\sqrt{1-d^2x^2}}{20d^2f} - \frac{C(e+fx)^4\sqrt{1-d^2x^2}}{5d^2f} + \frac{\int \frac{(e+fx)^2(d^2f^2(13Ce-5Bf)x^2-2d^2f(Ce-5Bf)x)}{\sqrt{1-d^2x^2}} dx}{60d^4f} \\
&= -\frac{(4(4C+5Ad^2)f^2-3d^2e(Ce-5Bf))(e+fx)^2\sqrt{1-d^2x^2}}{60d^4f} + \frac{(Ce-5Bf)(e+fx)^3\sqrt{1-d^2x^2}}{20d^2f} \\
&= -\frac{(4(4C+5Ad^2)f^2-3d^2e(Ce-5Bf))(e+fx)^2\sqrt{1-d^2x^2}}{60d^4f} + \frac{(Ce-5Bf)(e+fx)^3\sqrt{1-d^2x^2}}{20d^2f} \\
&= -\frac{(4(4C+5Ad^2)f^2-3d^2e(Ce-5Bf))(e+fx)^2\sqrt{1-d^2x^2}}{60d^4f} + \frac{(Ce-5Bf)(e+fx)^3\sqrt{1-d^2x^2}}{20d^2f}
\end{aligned}$$

Mathematica [A] time = 0.39, size = 241, normalized size = 0.71

$$\frac{15d \sin^{-1}(dx) \left(8Ad^4e^3 + 12Ad^2ef^2 + 12Bd^2e^2f + 3Bf^3 + 4Cd^2e^3 + 9Cef^2 \right) - \sqrt{1-d^2x^2} \left(20Ad^2f \left(d^2(18e^2 + 9Cef^2) \right) \right)}{60d^4f}$$

Antiderivative was successfully verified.

```

[In] Integrate[((e + f*x)^3*(A + B*x + C*x^2))/(Sqrt[1 - d*x]*Sqrt[1 + d*x]),x]
[Out] (-(Sqrt[1 - d^2*x^2]*(20*A*d^2*f*(4*f^2 + d^2*(18*e^2 + 9*e*f*x + 2*f^2*x^2)) + 15*B*(d^2*f^2*(16*e + 3*f*x) + 2*d^4*(4*e^3 + 6*e^2*f*x + 4*e*f^2*x^2 + f^3*x^3)) + C*(64*f^3 + d^2*f*(240*e^2 + 135*e*f*x + 32*f^2*x^2) + 6*d^4*x*(10*e^3 + 20*e^2*f*x + 15*e*f^2*x^2 + 4*f^3*x^3)))) + 15*d*(4*C*d^2*e^3 + 8*A*d^4*e^3 + 12*B*d^2*e^2*f + 9*C*e*f^2 + 12*A*d^2*e*f^2 + 3*B*f^3)*ArcSin[d*x])/(120*d^6)

```

fricas [A] time = 1.12, size = 286, normalized size = 0.84

$$\frac{(24Cd^4f^3x^4 + 120Bd^4e^3 + 240Bd^2ef^2 + 120(3Ad^4 + 2Cd^2)e^2f + 16(5Ad^2 + 4C)f^3 + 30(3Cd^4ef^2 + Bd^4e^3))\sqrt{1-d^2x^2}}{60d^4f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*(C*x^2+B*x+A)/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="fricas")

[Out]
$$-1/120*((24*C*d^4*f^3*x^4 + 120*B*d^4*e^3 + 240*B*d^2*e*f^2 + 120*(3*A*d^4 + 2*C*d^2)*e^2*f + 16*(5*A*d^2 + 4*C)*f^3 + 30*(3*C*d^4*e*f^2 + B*d^4*f^3)*x^3 + 8*(15*C*d^4*e^2*f + 15*B*d^4*e*f^2 + (5*A*d^4 + 4*C*d^2)*f^3)*x^2 + 15*(4*C*d^4*e^3 + 12*B*d^4*e^2*f + 3*B*d^2*f^3 + 3*(4*A*d^4 + 3*C*d^2)*e*f^2)*x)*\sqrt{d*x + 1}*\sqrt{-d*x + 1} + 30*(12*B*d^3*e^2*f + 3*B*d*f^3 + 4*(2*A*d^5 + C*d^3)*e^3 + 3*(4*A*d^3 + 3*C*d)*e*f^2)*\arctan((\sqrt{d*x + 1}*\sqrt{-d*x + 1} - 1)/(d*x)))/d^6$$

giac [A] time = 1.82, size = 427, normalized size = 1.26

$$\frac{\left(2(dx+1)\left(3(dx+1)\left(\frac{4(dx+1)Cf^3}{d^5} + \frac{5Bd^{26}f^3+15Cd^{26}f^2e-16Cd^{25}f^3}{d^{30}}\right)\right) + \frac{20Ad^{27}f^3+60Bd^{27}f^2e-45Bd^{26}f^3+60Cd^{27}fe^2-135Cd^{26}f^3}{d^{30}}\right)}{d^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*(C*x^2+B*x+A)/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="giac")

[Out]
$$-1/120*(((2*(d*x + 1)*(3*(d*x + 1)*(4*(d*x + 1)*C*f^3/d^5 + (5*B*d^26*f^3 + 15*C*d^26*f^2*e - 16*C*d^25*f^3)/d^30) + (20*A*d^27*f^3 + 60*B*d^27*f^2*e - 45*B*d^26*f^3 + 60*C*d^27*f*e^2 - 135*C*d^26*f^2*e + 88*C*d^25*f^3)/d^30) + 5*(36*A*d^28*f^2*e - 16*A*d^27*f^3 + 36*B*d^28*f*e^2 - 48*B*d^27*f^2*e + 27*B*d^26*f^3 + 12*C*d^28*e^3 - 48*C*d^27*f*e^2 + 81*C*d^26*f^2*e - 32*C*d^25*f^3)/d^30)*(d*x + 1) + 15*(24*A*d^29*f*e^2 - 12*A*d^28*f^2*e + 8*A*d^27*f^3 + 8*B*d^29*e^3 - 12*B*d^28*f*e^2 + 24*B*d^27*f^2*e - 5*B*d^26*f^3 - 4*C*d^28*e^3 + 24*C*d^27*f*e^2 - 15*C*d^26*f^2*e + 8*C*d^25*f^3)/d^30)*\sqrt{d*x + 1}*\sqrt{-d*x + 1} - 30*(8*A*d^4*e^3 + 12*A*d^2*f^2*e + 12*B*d^2*f*e^2 + 3*B*f^3 + 4*C*d^2*e^3 + 9*C*f^2*e)*\arcsin(1/2*\sqrt{2}*\sqrt{d*x + 1}))/d^4$$

maple [C] time = 0.03, size = 643, normalized size = 1.89

$$\frac{\sqrt{-dx+1} \sqrt{dx+1} \left(24\sqrt{-d^2x^2+1} C d^4 f^3 x^4 \operatorname{csgn}(d) + 30\sqrt{-d^2x^2+1} B d^4 f^3 x^3 \operatorname{csgn}(d) + 90\sqrt{-d^2x^2+1} C d^4 e^3\right)}{d^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^3*(C*x^2+B*x+A)/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x)

[Out]
$$-1/120*(-d*x+1)^(1/2)*(d*x+1)^(1/2)*(24*(-d^2*x^2+1)^(1/2)*C*d^4*f^3*x^4*\operatorname{csgn}(d)+30*(-d^2*x^2+1)^(1/2)*B*d^4*f^3*x^3*\operatorname{csgn}(d)+90*(-d^2*x^2+1)^(1/2)*C*d^4*e^3)$$

```

^4*e*f^2*x^3*csgn(d)+40*(-d^2*x^2+1)^(1/2)*A*d^4*f^3*x^2*csgn(d)+120*(-d^2*
x^2+1)^(1/2)*B*d^4*e*f^2*x^2*csgn(d)+120*(-d^2*x^2+1)^(1/2)*C*d^4*e^2*f*x^2
*csgn(d)+180*(-d^2*x^2+1)^(1/2)*A*d^4*e*f^2*x*csgn(d)+180*(-d^2*x^2+1)^(1/2
)*B*d^4*e^2*f*x*csgn(d)+60*(-d^2*x^2+1)^(1/2)*C*d^4*e^3*x*csgn(d)+360*(-d^2
*x^2+1)^(1/2)*A*d^4*e^2*f*csgn(d)-120*A*d^5*e^3*arctan(1/(-d^2*x^2+1)^(1/2)
*d*x*csgn(d))+120*(-d^2*x^2+1)^(1/2)*B*d^4*e^3*csgn(d)+32*(-d^2*x^2+1)^(1/2
)*C*d^2*f^3*x^2*csgn(d)+45*(-d^2*x^2+1)^(1/2)*B*d^2*f^3*x*csgn(d)+135*(-d^2
*x^2+1)^(1/2)*C*d^2*e*f^2*x*csgn(d)+80*(-d^2*x^2+1)^(1/2)*A*d^2*f^3*csgn(d)
-180*A*d^3*e*f^2*arctan(1/(-d^2*x^2+1)^(1/2)*d*x*csgn(d))+240*(-d^2*x^2+1)^(
1/2)*B*d^2*e*f^2*csgn(d)-180*B*d^3*e^2*f*arctan(1/(-d^2*x^2+1)^(1/2)*d*x*c
sgn(d))+240*(-d^2*x^2+1)^(1/2)*C*d^2*e^2*f*csgn(d)-60*C*d^3*e^3*arctan(1/(-
d^2*x^2+1)^(1/2)*d*x*csgn(d))-45*B*d*f^3*arctan(1/(-d^2*x^2+1)^(1/2)*d*x*cs
gn(d))+64*(-d^2*x^2+1)^(1/2)*C*f^3*csgn(d)-135*C*d*e*f^2*arctan(1/(-d^2*x^2
+1)^(1/2)*d*x*csgn(d))*csgn(d)/d^6/(-d^2*x^2+1)^(1/2)

```

maxima [A] time = 1.05, size = 355, normalized size = 1.04

$$\frac{\sqrt{-d^2x^2+1}Cf^3x^4}{5d^2} + \frac{Ae^3 \arcsin(dx)}{d} - \frac{\sqrt{-d^2x^2+1}Be^3}{d^2} - \frac{3\sqrt{-d^2x^2+1}Ae^2f}{d^2} - \frac{4\sqrt{-d^2x^2+1}Cf^3x^2}{15d^4} - \frac{(3Cef^2 + \dots)}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((f*x+e)^3*(C*x^2+B*x+A)/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm
="maxima")

```

```

[Out] -1/5*sqrt(-d^2*x^2 + 1)*C*f^3*x^4/d^2 + A*e^3*arcsin(d*x)/d - sqrt(-d^2*x^2
+ 1)*B*e^3/d^2 - 3*sqrt(-d^2*x^2 + 1)*A*e^2*f/d^2 - 4/15*sqrt(-d^2*x^2 + 1
)*C*f^3*x^2/d^4 - 1/4*(3*C*e*f^2 + B*f^3)*sqrt(-d^2*x^2 + 1)*x^3/d^2 - 1/3*
(3*C*e^2*f + 3*B*e*f^2 + A*f^3)*sqrt(-d^2*x^2 + 1)*x^2/d^2 - 1/2*(C*e^3 + 3
*B*e^2*f + 3*A*e*f^2)*sqrt(-d^2*x^2 + 1)*x/d^2 + 1/2*(C*e^3 + 3*B*e^2*f + 3
*A*e*f^2)*arcsin(d*x)/d^3 - 8/15*sqrt(-d^2*x^2 + 1)*C*f^3/d^6 - 3/8*(3*C*e*
f^2 + B*f^3)*sqrt(-d^2*x^2 + 1)*x/d^4 - 2/3*(3*C*e^2*f + 3*B*e*f^2 + A*f^3)
*sqrt(-d^2*x^2 + 1)/d^4 + 3/8*(3*C*e*f^2 + B*f^3)*arcsin(d*x)/d^5

```

mupad [B] time = 35.29, size = 2606, normalized size = 7.66

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```

[In] int(((e + f*x)^3*(A + B*x + C*x^2))/((1 - d*x)^(1/2)*(d*x + 1)^(1/2)),x)

```

```

[Out] - (((((2048*C*f^3)/3 + 640*C*d^2*e^2*f)*((1 - d*x)^(1/2) - 1)^6)/((d*x + 1)^(
1/2) - 1)^6 + (((2048*C*f^3)/3 + 640*C*d^2*e^2*f)*((1 - d*x)^(1/2) - 1)^14
)/((d*x + 1)^(1/2) - 1)^14 - (((4096*C*f^3)/3 - 832*C*d^2*e^2*f)*((1 - d*x)
^(1/2) - 1)^8)/((d*x + 1)^(1/2) - 1)^8 - (((4096*C*f^3)/3 - 832*C*d^2*e^2*f

```

$$\begin{aligned}
&)*((1 - d*x)^{(1/2)} - 1)^{12}/((d*x + 1)^{(1/2)} - 1)^{12} + (((12288*C*f^3)/5 + \\
& 768*C*d^2*e^2*f)*((1 - d*x)^{(1/2)} - 1)^{10}/((d*x + 1)^{(1/2)} - 1)^{10} + (((1 - \\
& d*x)^{(1/2)} - 1)^3*(2*C*d^3*e^3 - (87*C*d*e*f^2)/2))/((d*x + 1)^{(1/2)} - 1)^3 - (((1 - d*x)^{(1/2)} - 1)^{17}*(2*C*d^3*e^3 - (87*C*d*e*f^2)/2))/((d*x + 1)^{(1/2)} - 1)^{17} + (((1 - d*x)^{(1/2)} - 1)^7*(88*C*d^3*e^3 - 42*C*d*e*f^2))/((d*x + 1)^{(1/2)} - 1)^7 - (((1 - d*x)^{(1/2)} - 1)^{13}*(88*C*d^3*e^3 - 42*C*d*e*f^2))/((d*x + 1)^{(1/2)} - 1)^{13} + (((1 - d*x)^{(1/2)} - 1)^5*(40*C*d^3*e^3 + 426*C*d*e*f^2))/((d*x + 1)^{(1/2)} - 1)^5 - (((1 - d*x)^{(1/2)} - 1)^{15}*(40*C*d^3*e^3 + 426*C*d*e*f^2))/((d*x + 1)^{(1/2)} - 1)^{15} + (((1 - d*x)^{(1/2)} - 1)^9*(52*C*d^3*e^3 - 507*C*d*e*f^2))/((d*x + 1)^{(1/2)} - 1)^9 - (((1 - d*x)^{(1/2)} - 1)^{11}*(52*C*d^3*e^3 - 507*C*d*e*f^2))/((d*x + 1)^{(1/2)} - 1)^{11} - (d*(4*C*d^2*e^3 + 9*C*e*f^2)*((1 - d*x)^{(1/2)} - 1))/(2*((d*x + 1)^{(1/2)} - 1)) + (d*(4*C*d^2*e^3 + 9*C*e*f^2)*((1 - d*x)^{(1/2)} - 1)^{19})/(2*((d*x + 1)^{(1/2)} - 1)^{19}) + (192*C*d^2*e^2*f*((1 - d*x)^{(1/2)} - 1)^4)/((d*x + 1)^{(1/2)} - 1)^4 + (192*C*d^2*e^2*f*((1 - d*x)^{(1/2)} - 1)^{16})/((d*x + 1)^{(1/2)} - 1)^{16}/(d^6 + (10*d^6*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 + (45*d^6*((1 - d*x)^{(1/2)} - 1)^4)/((d*x + 1)^{(1/2)} - 1)^4 + (120*d^6*((1 - d*x)^{(1/2)} - 1)^6)/((d*x + 1)^{(1/2)} - 1)^6 + (210*d^6*((1 - d*x)^{(1/2)} - 1)^8)/((d*x + 1)^{(1/2)} - 1)^8 + (252*d^6*((1 - d*x)^{(1/2)} - 1)^{10})/((d*x + 1)^{(1/2)} - 1)^{10} + (210*d^6*((1 - d*x)^{(1/2)} - 1)^{12})/((d*x + 1)^{(1/2)} - 1)^{12} + (120*d^6*((1 - d*x)^{(1/2)} - 1)^{14})/((d*x + 1)^{(1/2)} - 1)^{14} + (45*d^6*((1 - d*x)^{(1/2)} - 1)^{16})/((d*x + 1)^{(1/2)} - 1)^{16} + (10*d^6*((1 - d*x)^{(1/2)} - 1)^{18})/((d*x + 1)^{(1/2)} - 1)^{18} + (d^6*((1 - d*x)^{(1/2)} - 1)^{20})/((d*x + 1)^{(1/2)} - 1)^{20} - (((64*A*f^3 + 96*A*d^2*e^2*f)*((1 - d*x)^{(1/2)} - 1)^4)/((d*x + 1)^{(1/2)} - 1)^4 + ((64*A*f^3 + 96*A*d^2*e^2*f)*((1 - d*x)^{(1/2)} - 1)^8)/((d*x + 1)^{(1/2)} - 1)^8 - (((128*A*f^3)/3 - 144*A*d^2*e^2*f)*((1 - d*x)^{(1/2)} - 1)^6)/((d*x + 1)^{(1/2)} - 1)^6 + (24*A*d^2*e^2*f*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 + (24*A*d^2*e^2*f*((1 - d*x)^{(1/2)} - 1)^{10})/((d*x + 1)^{(1/2)} - 1)^{10} - (6*A*d*e*f^2*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (30*A*d*e*f^2*((1 - d*x)^{(1/2)} - 1)^3)/((d*x + 1)^{(1/2)} - 1)^3 + (36*A*d*e*f^2*((1 - d*x)^{(1/2)} - 1)^5)/((d*x + 1)^{(1/2)} - 1)^5 - (36*A*d*e*f^2*((1 - d*x)^{(1/2)} - 1)^7)/((d*x + 1)^{(1/2)} - 1)^7 - (30*A*d*e*f^2*((1 - d*x)^{(1/2)} - 1)^9)/((d*x + 1)^{(1/2)} - 1)^9 + (6*A*d*e*f^2*((1 - d*x)^{(1/2)} - 1)^{11})/((d*x + 1)^{(1/2)} - 1)^{11}/(d^4 + (6*d^4*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 + (15*d^4*((1 - d*x)^{(1/2)} - 1)^4)/((d*x + 1)^{(1/2)} - 1)^4 + (20*d^4*((1 - d*x)^{(1/2)} - 1)^6)/((d*x + 1)^{(1/2)} - 1)^6 + (15*d^4*((1 - d*x)^{(1/2)} - 1)^8)/((d*x + 1)^{(1/2)} - 1)^8 + (6*d^4*((1 - d*x)^{(1/2)} - 1)^{10})/((d*x + 1)^{(1/2)} - 1)^{10} + (d^4*((1 - d*x)^{(1/2)} - 1)^{12})/((d*x + 1)^{(1/2)} - 1)^{12} - (((3*B*f^3)/2 + 6*B*d^2*e^2*f)*((1 - d*x)^{(1/2)} - 1)^{15})/((d*x + 1)^{(1/2)} - 1)^{15} - (((23*B*f^3)/2 - 18*B*d^2*e^2*f)*((1 - d*x)^{(1/2)} - 1)^3)/((d*x + 1)^{(1/2)} - 1)^3 + (((23*B*f^3)/2 - 18*B*d^2*e^2*f)*((1 - d*x)^{(1/2)} - 1)^{13})/((d*x + 1)^{(1/2)} - 1)^{13} + (((333*B*f^3)/2 + 90*B*d^2*e^2*f)*((1 - d*x)^{(1/2)} - 1)^5)/((d*x + 1)^{(1/2)} - 1)^5 - (((333*B*f^3)/2 + 90*B*d^2*e^2*f)*((1 - d*x)^{(1/2)} - 1)^{11})/((d*x + 1)^{(1/2)} - 1)^{11} - (((671*B*f^3)/2 - 66*B*d^2*e^2*f)*((1 - d*x)^{(1/2)} - 1)^7)/((d*x + 1)^{(1/2)} - 1)^7 +
\end{aligned}$$

$$\begin{aligned} &(((671*B*f^3)/2 - 66*B*d^2*e^2*f)*((1 - d*x)^{(1/2)} - 1)^9)/((d*x + 1)^{(1/2)} - 1)^9 + (((1 - d*x)^{(1/2)} - 1)^4*(48*B*d^3*e^3 + 192*B*d*e*f^2))/((d*x + 1)^{(1/2)} - 1)^4 + (((1 - d*x)^{(1/2)} - 1)^{12}*(48*B*d^3*e^3 + 192*B*d*e*f^2))/((d*x + 1)^{(1/2)} - 1)^{12} + (((1 - d*x)^{(1/2)} - 1)^8*(160*B*d^3*e^3 + 128*B*d*e*f^2))/((d*x + 1)^{(1/2)} - 1)^8 + (((1 - d*x)^{(1/2)} - 1)^6*(120*B*d^3*e^3 + 256*B*d*e*f^2))/((d*x + 1)^{(1/2)} - 1)^6 + (((1 - d*x)^{(1/2)} - 1)^{10}*(120*B*d^3*e^3 + 256*B*d*e*f^2))/((d*x + 1)^{(1/2)} - 1)^{10} - (((3*B*f^3)/2 + 6*B*d^2*e^2*f)*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (8*B*d^3*e^3*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 + (8*B*d^3*e^3*((1 - d*x)^{(1/2)} - 1)^{14})/((d*x + 1)^{(1/2)} - 1)^{14}/(d^5 + (8*d^5*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 + (28*d^5*((1 - d*x)^{(1/2)} - 1)^4)/((d*x + 1)^{(1/2)} - 1)^4 + (56*d^5*((1 - d*x)^{(1/2)} - 1)^6)/((d*x + 1)^{(1/2)} - 1)^6 + (70*d^5*((1 - d*x)^{(1/2)} - 1)^8)/((d*x + 1)^{(1/2)} - 1)^8 + (56*d^5*((1 - d*x)^{(1/2)} - 1)^{10})/((d*x + 1)^{(1/2)} - 1)^{10} + (28*d^5*((1 - d*x)^{(1/2)} - 1)^{12})/((d*x + 1)^{(1/2)} - 1)^{12} + (8*d^5*((1 - d*x)^{(1/2)} - 1)^{14})/((d*x + 1)^{(1/2)} - 1)^{14} + (d^5*((1 - d*x)^{(1/2)} - 1)^{16})/((d*x + 1)^{(1/2)} - 1)^{16} - (3*B*f*atan((B*f*(f^2 + 4*d^2*e^2)*((1 - d*x)^{(1/2)} - 1))/((B*f^3 + 4*B*d^2*e^2*f)*((d*x + 1)^{(1/2)} - 1)))*(f^2 + 4*d^2*e^2))/(2*d^5) - (2*A*e*atan((A*e*((1 - d*x)^{(1/2)} - 1)*(3*f^2 + 2*d^2*e^2))/((2*A*d^2*e^3 + 3*A*e*f^2)*((d*x + 1)^{(1/2)} - 1)))*(3*f^2 + 2*d^2*e^2))/d^3 - (C*e*atan((C*e*((1 - d*x)^{(1/2)} - 1)*(9*f^2 + 4*d^2*e^2))/((4*C*d^2*e^3 + 9*C*e*f^2)*((d*x + 1)^{(1/2)} - 1)))*(9*f^2 + 4*d^2*e^2))/(2*d^5) \end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**3*(C*x**2+B*x+A)/(-d*x+1)**(1/2)/(d*x+1)**(1/2),x)

[Out] Timed out

$$3.9 \quad \int \frac{(e+fx)^2(A+Bx+Cx^2)}{\sqrt{1-dx}\sqrt{1+dx}} dx$$

Optimal. Leaf size=228

$$\frac{\sin^{-1}(dx) \left(4d^2 \left(A \left(2d^2e^2 + f^2 \right) + 2Bef \right) + C \left(4d^2e^2 + 3f^2 \right) \right)}{8d^5} + \frac{\sqrt{1-d^2x^2} \left(4 \left(C \left(d^2e^3 - 8ef^2 \right) - 4f \left(3Ad^2ef + B \left(d^2e^2 + f^2 \right) \right) \right) - fx \left(3f^2 \left(4Ad^2 + 3C \right) - 2d^2e \left(Ce - 4Bf \right) \right) \right)}{24d^4f} + \dots$$

[Out] 1/8*(C*(4*d^2*e^2+3*f^2)+4*d^2*(2*B*e*f+A*(2*d^2*e^2+f^2)))*arcsin(d*x)/d^5 + 1/12*(-4*B*f+C*e)*(f*x+e)^2*(-d^2*x^2+1)^(1/2)/d^2/f-1/4*C*(f*x+e)^3*(-d^2*x^2+1)^(1/2)/d^2/f+1/24*(4*C*(d^2*e^3-8*e*f^2)-16*f*(3*A*d^2*e*f+B*(d^2*e^2+f^2))-f*(3*(4*A*d^2+3*C)*f^2-2*d^2*e*(-4*B*f+C*e))*x*(-d^2*x^2+1)^(1/2)/d^4/f

Rubi [A] time = 0.49, antiderivative size = 228, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.135$, Rules used = {1609, 1654, 833, 780, 216}

$$\frac{\sqrt{1-d^2x^2} \left(4 \left(C \left(d^2e^3 - 8ef^2 \right) - 4f \left(3Ad^2ef + B \left(d^2e^2 + f^2 \right) \right) \right) - fx \left(3f^2 \left(4Ad^2 + 3C \right) - 2d^2e \left(Ce - 4Bf \right) \right) \right)}{24d^4f} + \dots$$

Antiderivative was successfully verified.

[In] Int[((e + f*x)^2*(A + B*x + C*x^2))/(Sqrt[1 - d*x]*Sqrt[1 + d*x]), x]

[Out] ((C*e - 4*B*f)*(e + f*x)^2*Sqrt[1 - d^2*x^2])/(12*d^2*f) - (C*(e + f*x)^3*Sqrt[1 - d^2*x^2])/(4*d^2*f) + ((4*(C*(d^2*e^3 - 8*e*f^2) - 4*f*(3*A*d^2*e*f + B*(d^2*e^2 + f^2))) - f*(3*(3*C + 4*A*d^2)*f^2 - 2*d^2*e*(C*e - 4*B*f))*x)*Sqrt[1 - d^2*x^2]/(24*d^4*f) + ((C*(4*d^2*e^2 + 3*f^2) + 4*d^2*(2*B*e*f + A*(2*d^2*e^2 + f^2)))*ArcSin[d*x])/(8*d^5)

Rule 216

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 780

Int[((d_.) + (e_.)*(x_))*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[(((e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x)*(a + c*x^2)^(p + 1))/(2*c*(p + 1)*(2*p + 3)), x] - Dist[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p + 3)), Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !LeQ[p, -1]

Rule 833

```

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Simp[(g*(d + e*x)^m*(a + c*x^2)^(p + 1))/(c*(m + 2*p + 2)
), x] + Dist[1/(c*(m + 2*p + 2)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^p*Simp[
c*d*f*(m + 2*p + 2) - a*e*g*m + c*(e*f*(m + 2*p + 2) + d*g*m)*x, x], x]
/; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[m, 0] &
& NeQ[m + 2*p + 2, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p]
) && !(IGtQ[m, 0] && EqQ[f, 0])

```

Rule 1609

```

Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f
_.)*(x_))^(p_), x_Symbol] := Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x] /; F
reeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*d, 0] &
& EqQ[m, n] && (IntegerQ[m] || (GtQ[a, 0] && GtQ[c, 0]))

```

Rule 1654

```

Int[(Pq_)*((d_) + (e_.)*(x_))^(m_)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] :
> With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x)
)^(m + q - 1)*(a + c*x^2)^(p + 1))/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Di
st[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + c*x^2)^p*ExpandToSum[
c*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - f*(d + e*x)
^(q - 2)*(a*e^2*(m + q - 1) - c*d^2*(m + q + 2*p + 1) - 2*c*d*e*(m + q + p)
*x), x], x], x] /; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0] /; FreeQ[{a, c, d,
e, m, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && !(EqQ[d, 0] && T
rue) && !(IGtQ[m, 0] && RationalQ[a, c, d, e] && (IntegerQ[p] || ILtQ[p +
1/2, 0]))

```

Rubi steps

$$\begin{aligned}
\int \frac{(e+fx)^2(A+Bx+Cx^2)}{\sqrt{1-dx}\sqrt{1+dx}} dx &= \int \frac{(e+fx)^2(A+Bx+Cx^2)}{\sqrt{1-d^2x^2}} dx \\
&= -\frac{C(e+fx)^3\sqrt{1-d^2x^2}}{4d^2f} - \frac{\int \frac{(e+fx)^2(-(3C+4Ad^2)f^2+d^2f(Ce-4Bf)x)}{\sqrt{1-d^2x^2}} dx}{4d^2f^2} \\
&= \frac{(Ce-4Bf)(e+fx)^2\sqrt{1-d^2x^2}}{12d^2f} - \frac{C(e+fx)^3\sqrt{1-d^2x^2}}{4d^2f} + \frac{\int \frac{(e+fx)(d^2f^2(7Ce+12d^2f^2))}{\sqrt{1-d^2x^2}} dx}{4d^2f^2} \\
&= \frac{(Ce-4Bf)(e+fx)^2\sqrt{1-d^2x^2}}{12d^2f} - \frac{C(e+fx)^3\sqrt{1-d^2x^2}}{4d^2f} + \frac{4(C(d^2e^3-8ef^2))}{4d^2f^2} \\
&= \frac{(Ce-4Bf)(e+fx)^2\sqrt{1-d^2x^2}}{12d^2f} - \frac{C(e+fx)^3\sqrt{1-d^2x^2}}{4d^2f} + \frac{4(C(d^2e^3-8ef^2))}{4d^2f^2}
\end{aligned}$$

Mathematica [A] time = 0.22, size = 160, normalized size = 0.70

$$\frac{3 \sin^{-1}(dx) \left(4d^2 \left(A \left(2d^2e^2 + f^2 \right) + 2Bef \right) + C \left(4d^2e^2 + 3f^2 \right) \right) - d\sqrt{1-d^2x^2} \left(12Ad^2f(4e+fx) + 8B \left(d^2 \left(3e^2 + 3f^2 \right) + 4C(d^2e^3 - 8ef^2) \right) \right)}{24d^5}$$

Antiderivative was successfully verified.

```
[In] Integrate[((e + f*x)^2*(A + B*x + C*x^2))/(Sqrt[1 - d*x]*Sqrt[1 + d*x]),x]
[Out] (-d*Sqrt[1 - d^2*x^2]*(12*A*d^2*f*(4*e + f*x) + C*(12*d^2*e^2*x + 16*e*f*(2 + d^2*x^2) + 3*f^2*x*(3 + 2*d^2*x^2)) + 8*B*(2*f^2 + d^2*(3*e^2 + 3*e*f*x + f^2*x^2))) + 3*(C*(4*d^2*e^2 + 3*f^2) + 4*d^2*(2*B*e*f + A*(2*d^2*e^2 + f^2)))*ArcSin[d*x])/(24*d^5)
```

fricas [A] time = 0.78, size = 192, normalized size = 0.84

$$\frac{(6Cd^3f^2x^3 + 24Bd^3e^2 + 16Bdf^2 + 16(3Ad^3 + 2Cd)ef + 8(2Cd^3ef + Bd^3f^2)x^2 + 3(4Cd^3e^2 + 8Bd^3ef + 4C(d^2e^3 - 8ef^2)))\sqrt{1-d^2x^2} - d\sqrt{1-d^2x^2}(12Ad^2f(4e+fx) + 8B(d^2(3e^2 + 3f^2) + 4C(d^2e^3 - 8ef^2)))}{24d^5}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^2*(C*x^2+B*x+A)/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="fricas")
[Out] -1/24*((6*C*d^3*f^2*x^3 + 24*B*d^3*e^2 + 16*B*d*f^2 + 16*(3*A*d^3 + 2*C*d)*e*f + 8*(2*C*d^3*e*f + B*d^3*f^2))*x^2 + 3*(4*C*d^3*e^2 + 8*B*d^3*e*f + (4*A
```


$$*d^3 + 3*C*d)*f^2)*x)*sqrt(d*x + 1)*sqrt(-d*x + 1) + 6*(8*B*d^2*e*f + 4*(2*A*d^4 + C*d^2)*e^2 + (4*A*d^2 + 3*C)*f^2)*arctan((sqrt(d*x + 1)*sqrt(-d*x + 1) - 1)/(d*x)))/d^5$$

giac [A] time = 1.64, size = 277, normalized size = 1.21

$$\left((dx + 1) \left(2(dx + 1) \left(\frac{3(dx+1)Cf^2}{d^4} + \frac{4Bd^{17}f^2 + 8Cd^{17}fe - 9Cd^{16}f^2}{d^{20}} \right) + \frac{12Ad^{18}f^2 + 24Bd^{18}fe - 16Bd^{17}f^2 + 12Cd^{18}e^2 - 32Cd^{17}fe + 27Cd^{17}f^2}{d^{20}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*(C*x^2+B*x+A)/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="giac")

[Out] -1/24*((d*x + 1)*(2*(d*x + 1)*(3*(d*x + 1)*C*f^2/d^4 + (4*B*d^17*f^2 + 8*C*d^17*f*e - 9*C*d^16*f^2)/d^20) + (12*A*d^18*f^2 + 24*B*d^18*f*e - 16*B*d^17*f^2 + 12*C*d^18*e^2 - 32*C*d^17*f*e + 27*C*d^16*f^2)/d^20) + 3*(16*A*d^19*f*e - 4*A*d^18*f^2 + 8*B*d^19*e^2 - 8*B*d^18*f*e + 8*B*d^17*f^2 - 4*C*d^18*e^2 + 16*C*d^17*f*e - 5*C*d^16*f^2)/d^20)*sqrt(d*x + 1)*sqrt(-d*x + 1) - 6*(8*A*d^4*e^2 + 4*A*d^2*f^2 + 8*B*d^2*f*e + 4*C*d^2*e^2 + 3*C*f^2)*arcsin(1/2*sqrt(2)*sqrt(d*x + 1))/d^4)/d

maple [C] time = 0.03, size = 423, normalized size = 1.86

$$\sqrt{-dx + 1} \sqrt{dx + 1} \left(6\sqrt{-d^2x^2 + 1} C d^3 f^2 x^3 \operatorname{csgn}(d) + 8\sqrt{-d^2x^2 + 1} B d^3 f^2 x^2 \operatorname{csgn}(d) + 16\sqrt{-d^2x^2 + 1} C d^3 e f \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^2*(C*x^2+B*x+A)/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x)

[Out] -1/24*(-d*x+1)^(1/2)*(d*x+1)^(1/2)*(6*(-d^2*x^2+1)^(1/2)*C*d^3*f^2*x^3*csgn(d)+8*(-d^2*x^2+1)^(1/2)*B*d^3*f^2*x^2*csgn(d)+16*(-d^2*x^2+1)^(1/2)*C*d^3*e*f*x^2*csgn(d)+12*(-d^2*x^2+1)^(1/2)*A*d^3*f^2*x*csgn(d)+24*(-d^2*x^2+1)^(1/2)*B*d^3*e*f*x*csgn(d)+12*(-d^2*x^2+1)^(1/2)*C*d^3*e^2*x*csgn(d)+48*(-d^2*x^2+1)^(1/2)*A*d^3*e*f*csgn(d)-24*A*d^4*e^2*arctan(1/(-d^2*x^2+1)^(1/2)*d*x*csgn(d))+24*(-d^2*x^2+1)^(1/2)*B*d^3*e^2*csgn(d)+9*(-d^2*x^2+1)^(1/2)*C*d^3*f^2*x*csgn(d)-12*A*d^2*f^2*arctan(1/(-d^2*x^2+1)^(1/2)*d*x*csgn(d))+16*(-d^2*x^2+1)^(1/2)*B*d^2*f^2*csgn(d)-24*B*d^2*e*f*arctan(1/(-d^2*x^2+1)^(1/2)*d*x*csgn(d))+32*(-d^2*x^2+1)^(1/2)*C*d^2*e*f*csgn(d)-12*C*d^2*e^2*arctan(1/(-d^2*x^2+1)^(1/2)*d*x*csgn(d))-9*C*f^2*arctan(1/(-d^2*x^2+1)^(1/2)*d*x*csgn(d))*csgn(d)/d^5/(-d^2*x^2+1)^(1/2)

maxima [A] time = 1.27, size = 231, normalized size = 1.01

$$\frac{\sqrt{-d^2x^2+1}Cf^2x^3}{4d^2} + \frac{Ae^2 \arcsin(dx)}{d} - \frac{\sqrt{-d^2x^2+1}Be^2}{d^2} - \frac{2\sqrt{-d^2x^2+1}Aef}{d^2} - \frac{\sqrt{-d^2x^2+1}(2Cef + Bf^2)x^2}{3d^2} - \frac{\sqrt{-d^2x^2+1}}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*(C*x^2+B*x+A)/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="maxima")

[Out] -1/4*sqrt(-d^2*x^2 + 1)*C*f^2*x^3/d^2 + A*e^2*arcsin(d*x)/d - sqrt(-d^2*x^2 + 1)*B*e^2/d^2 - 2*sqrt(-d^2*x^2 + 1)*A*e*f/d^2 - 1/3*sqrt(-d^2*x^2 + 1)*(2*C*e*f + B*f^2)*x^2/d^2 - 1/2*sqrt(-d^2*x^2 + 1)*(C*e^2 + 2*B*e*f + A*f^2)*x/d^2 - 3/8*sqrt(-d^2*x^2 + 1)*C*f^2*x/d^4 + 1/2*(C*e^2 + 2*B*e*f + A*f^2)*arcsin(d*x)/d^3 + 3/8*C*f^2*arcsin(d*x)/d^5 - 2/3*sqrt(-d^2*x^2 + 1)*(2*C*e*f + B*f^2)/d^4

mupad [B] time = 33.64, size = 1732, normalized size = 7.60

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((e + f*x)^2*(A + B*x + C*x^2))/((1 - d*x)^(1/2)*(d*x + 1)^(1/2)),x)

[Out] - ((14*A*f^2*((1 - d*x)^(1/2) - 1)^3)/((d*x + 1)^(1/2) - 1)^3 - (2*A*f^2*((1 - d*x)^(1/2) - 1))/((d*x + 1)^(1/2) - 1) - (14*A*f^2*((1 - d*x)^(1/2) - 1)^5)/((d*x + 1)^(1/2) - 1)^5 + (2*A*f^2*((1 - d*x)^(1/2) - 1)^7)/((d*x + 1)^(1/2) - 1)^7 + (16*A*d*e*f*((1 - d*x)^(1/2) - 1)^2)/((d*x + 1)^(1/2) - 1)^2 + (32*A*d*e*f*((1 - d*x)^(1/2) - 1)^4)/((d*x + 1)^(1/2) - 1)^4 + (16*A*d*e*f*((1 - d*x)^(1/2) - 1)^6)/((d*x + 1)^(1/2) - 1)^6/(d^3 + (4*d^3*((1 - d*x)^(1/2) - 1)^2)/((d*x + 1)^(1/2) - 1)^2 + (6*d^3*((1 - d*x)^(1/2) - 1)^4)/((d*x + 1)^(1/2) - 1)^4 + (4*d^3*((1 - d*x)^(1/2) - 1)^6)/((d*x + 1)^(1/2) - 1)^6 + (d^3*((1 - d*x)^(1/2) - 1)^8)/((d*x + 1)^(1/2) - 1)^8 - (((1 - d*x)^(1/2) - 1)^4*(64*B*f^2 + 32*B*d^2*e^2))/((d*x + 1)^(1/2) - 1)^4 + (((1 - d*x)^(1/2) - 1)^8*(64*B*f^2 + 32*B*d^2*e^2))/((d*x + 1)^(1/2) - 1)^8 - ((1 - d*x)^(1/2) - 1)^6*((128*B*f^2)/3 - 48*B*d^2*e^2)/((d*x + 1)^(1/2) - 1)^6 + (8*B*d^2*e^2*((1 - d*x)^(1/2) - 1)^2)/((d*x + 1)^(1/2) - 1)^2 + (8*B*d^2*e^2*((1 - d*x)^(1/2) - 1)^10)/((d*x + 1)^(1/2) - 1)^10 + (20*B*d*e*f*((1 - d*x)^(1/2) - 1)^3)/((d*x + 1)^(1/2) - 1)^3 + (24*B*d*e*f*((1 - d*x)^(1/2) - 1)^5)/((d*x + 1)^(1/2) - 1)^5 - (24*B*d*e*f*((1 - d*x)^(1/2) - 1)^7)/((d*x + 1)^(1/2) - 1)^7 - (20*B*d*e*f*((1 - d*x)^(1/2) - 1)^9)/((d*x + 1)^(1/2) - 1)^9 + (4*B*d*e*f*((1 - d*x)^(1/2) - 1)^11)/((d*x + 1)^(1/2) - 1)^11 - (4*B*d*e*f*((1 - d*x)^(1/2) - 1))/((d*x + 1)^(1/2) - 1)/(d^4 + (6*d^4*((1 - d*x)^(1/2) - 1)^2)/((d*x + 1)^(1/2) - 1)^2 + (15*d^4*((1 - d*x)^(1/2) - 1)^4)/((d*x + 1)^(1/2) - 1)^4 + (20*d^4*((1 - d*x)^(1/2) - 1)^6)/((d*x + 1)^(1/2) - 1)^6)

$$\begin{aligned}
& 1)^{(1/2)} - 1)^6 + (15*d^4*((1 - d*x)^{(1/2)} - 1)^8)/((d*x + 1)^{(1/2)} - 1)^8 \\
& + (6*d^4*((1 - d*x)^{(1/2)} - 1)^{10})/((d*x + 1)^{(1/2)} - 1)^{10} + (d^4*((1 - d*x)^{(1/2)} - 1)^{12})/((d*x + 1)^{(1/2)} - 1)^{12} - (((1 - d*x)^{(1/2)} - 1)^{15}*((3*C*f^2)/2 + 2*C*d^2*e^2))/((d*x + 1)^{(1/2)} - 1)^{15} - (((1 - d*x)^{(1/2)} - 1)^3*((23*C*f^2)/2 - 6*C*d^2*e^2))/((d*x + 1)^{(1/2)} - 1)^3 - (((1 - d*x)^{(1/2)} - 1)*((3*C*f^2)/2 + 2*C*d^2*e^2))/((d*x + 1)^{(1/2)} - 1) + (((1 - d*x)^{(1/2)} - 1)^{13}*((23*C*f^2)/2 - 6*C*d^2*e^2))/((d*x + 1)^{(1/2)} - 1)^{13} + (((1 - d*x)^{(1/2)} - 1)^5*((333*C*f^2)/2 + 30*C*d^2*e^2))/((d*x + 1)^{(1/2)} - 1)^5 - (((1 - d*x)^{(1/2)} - 1)^{11}*((333*C*f^2)/2 + 30*C*d^2*e^2))/((d*x + 1)^{(1/2)} - 1)^{11} - (((1 - d*x)^{(1/2)} - 1)^7*((671*C*f^2)/2 - 22*C*d^2*e^2))/((d*x + 1)^{(1/2)} - 1)^7 + (((1 - d*x)^{(1/2)} - 1)^9*((671*C*f^2)/2 - 22*C*d^2*e^2))/((d*x + 1)^{(1/2)} - 1)^9 + (128*C*d*e*f*((1 - d*x)^{(1/2)} - 1)^4)/((d*x + 1)^{(1/2)} - 1)^4 + (512*C*d*e*f*((1 - d*x)^{(1/2)} - 1)^6)/(3*((d*x + 1)^{(1/2)} - 1)^6) + (256*C*d*e*f*((1 - d*x)^{(1/2)} - 1)^8)/(3*((d*x + 1)^{(1/2)} - 1)^8) + (512*C*d*e*f*((1 - d*x)^{(1/2)} - 1)^{10})/(3*((d*x + 1)^{(1/2)} - 1)^{10}) + (128*C*d*e*f*((1 - d*x)^{(1/2)} - 1)^{12})/((d*x + 1)^{(1/2)} - 1)^{12})/(d^5 + (8*d^5*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 + (28*d^5*((1 - d*x)^{(1/2)} - 1)^4)/((d*x + 1)^{(1/2)} - 1)^4 + (56*d^5*((1 - d*x)^{(1/2)} - 1)^6)/((d*x + 1)^{(1/2)} - 1)^6 + (70*d^5*((1 - d*x)^{(1/2)} - 1)^8)/((d*x + 1)^{(1/2)} - 1)^8 + (56*d^5*((1 - d*x)^{(1/2)} - 1)^{10})/((d*x + 1)^{(1/2)} - 1)^{10} + (28*d^5*((1 - d*x)^{(1/2)} - 1)^{12})/((d*x + 1)^{(1/2)} - 1)^{12} + (8*d^5*((1 - d*x)^{(1/2)} - 1)^{14})/((d*x + 1)^{(1/2)} - 1)^{14} + (d^5*((1 - d*x)^{(1/2)} - 1)^{16})/((d*x + 1)^{(1/2)} - 1)^{16}) - (C*atan((C*((1 - d*x)^{(1/2)} - 1)*(3*f^2 + 4*d^2*e^2))/(((d*x + 1)^{(1/2)} - 1)*(3*C*f^2 + 4*C*d^2*e^2)))*(3*f^2 + 4*d^2*e^2))/(2*d^5) - (2*A*atan((A*(f^2 + 2*d^2*e^2))*((1 - d*x)^{(1/2)} - 1))/(((d*x + 1)^{(1/2)} - 1)*(A*f^2 + 2*A*d^2*e^2)))*(f^2 + 2*d^2*e^2))/d^3 - (4*B*e*f*atan(((1 - d*x)^{(1/2)} - 1)/((d*x + 1)^{(1/2)} - 1)))/d^3
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**2*(C*x**2+B*x+A)/(-d*x+1)**(1/2)/(d*x+1)**(1/2),x)

[Out] Timed out

$$3.10 \quad \int \frac{(e+fx)(A+Bx+Cx^2)}{\sqrt{1-dx}\sqrt{1+dx}} dx$$

Optimal. Leaf size=130

$$\frac{\sqrt{1-d^2x^2} \left(2(3d^2f(Af+Be) - C(d^2e^2 - 2f^2)) - d^2fx(Ce - 3Bf) \right)}{6d^4f} + \frac{\sin^{-1}(dx)(2Ad^2e + Bf + Ce)}{2d^3} - \frac{C\sqrt{1-d^2x^2}}{3d}$$

[Out] 1/2*(2*A*d^2*e+B*f+C*e)*arcsin(d*x)/d^3-1/3*C*(f*x+e)^2*(-d^2*x^2+1)^(1/2)/d^2/f-1/6*(6*d^2*f*(A*f+B*e)-2*C*(d^2*e^2-2*f^2)-d^2*f*(-3*B*f+C*e)*x)*(-d^2*x^2+1)^(1/2)/d^4/f

Rubi [A] time = 0.23, antiderivative size = 133, normalized size of antiderivative = 1.02, number of steps used = 4, number of rules used = 4, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$, Rules used = {1609, 1654, 780, 216}

$$\frac{\sqrt{1-d^2x^2} \left(2(3d^2f(Af+Be) - \frac{1}{2}C(2d^2e^2 - 4f^2)) - d^2fx(Ce - 3Bf) \right)}{6d^4f} + \frac{\sin^{-1}(dx)(2Ad^2e + Bf + Ce)}{2d^3} - \frac{C\sqrt{1-d^2x^2}}{3d}$$

Antiderivative was successfully verified.

[In] Int[((e + f*x)*(A + B*x + C*x^2))/(Sqrt[1 - d*x]*Sqrt[1 + d*x]),x]

[Out] -(C*(e + f*x)^2*Sqrt[1 - d^2*x^2])/(3*d^2*f) - ((2*(3*d^2*f*(B*e + A*f) - (C*(2*d^2*e^2 - 4*f^2))/2) - d^2*f*(C*e - 3*B*f)*x)*Sqrt[1 - d^2*x^2])/(6*d^4*f) + ((C*e + 2*A*d^2*e + B*f)*ArcSin[d*x])/(2*d^3)

Rule 216

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 780

Int[((d_.) + (e_.)*(x_))*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[(((e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x)*(a + c*x^2)^(p + 1))/(2*c*(p + 1)*(2*p + 3)), x] - Dist[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p + 3)), Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !LeQ[p, -1]

Rule 1609

Int[(Px_)*((a_.) + (b_.)*(x_)^(m_.))*((c_.) + (d_.)*(x_)^(n_.))*((e_.) + (f_.)*(x_)^(p_.)), x_Symbol] := Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x] /; F

reeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*d, 0] && EqQ[m, n] && (IntegerQ[m] || (GtQ[a, 0] && GtQ[c, 0]))

Rule 1654

Int[(Pq_)*((d_) + (e_)*(x_))^(m_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :> With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x)^(m + q - 1)*(a + c*x^2)^(p + 1))/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Dist[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + c*x^2)^p*ExpandToSum[c*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - f*(d + e*x)^(q - 2)*(a*e^2*(m + q - 1) - c*d^2*(m + q + 2*p + 1) - 2*c*d*e*(m + q + p)*x), x], x] /; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0] /; FreeQ[{a, c, d, e, m, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && !(EqQ[d, 0] && True) && !(IGtQ[m, 0] && RationalQ[a, c, d, e] && (IntegerQ[p] || ILtQ[p + 1/2, 0]))

Rubi steps

$$\begin{aligned} \int \frac{(e + fx)(A + Bx + Cx^2)}{\sqrt{1 - dx} \sqrt{1 + dx}} dx &= \int \frac{(e + fx)(A + Bx + Cx^2)}{\sqrt{1 - d^2x^2}} dx \\ &= -\frac{C(e + fx)^2 \sqrt{1 - d^2x^2}}{3d^2f} - \frac{\int \frac{(e + fx)(-(2C + 3Ad^2)f^2 + d^2f(Ce - 3Bf)x)}{\sqrt{1 - d^2x^2}} dx}{3d^2f^2} \\ &= -\frac{C(e + fx)^2 \sqrt{1 - d^2x^2}}{3d^2f} - \frac{\left(2 \left(3d^2f(Be + Af) - \frac{1}{2}C(2d^2e^2 - 4f^2)\right) - d^2f(Ce - 3Bf)x\right)}{6d^4f} \\ &= -\frac{C(e + fx)^2 \sqrt{1 - d^2x^2}}{3d^2f} - \frac{\left(2 \left(3d^2f(Be + Af) - \frac{1}{2}C(2d^2e^2 - 4f^2)\right) - d^2f(Ce - 3Bf)x\right)}{6d^4f} \end{aligned}$$

Mathematica [A] time = 0.10, size = 88, normalized size = 0.68

$$\frac{3d \sin^{-1}(dx) (2Ad^2e + Bf + Ce) - \sqrt{1 - d^2x^2} (6Ad^2f + 3Bd^2(2e + fx) + C(3d^2ex + 2d^2fx^2 + 4f))}{6d^4}$$

Antiderivative was successfully verified.

[In] Integrate[((e + f*x)*(A + B*x + C*x^2))/(Sqrt[1 - d*x]*Sqrt[1 + d*x]),x]

[Out] (-Sqrt[1 - d^2*x^2]*(6*A*d^2*f + 3*B*d^2*(2*e + f*x) + C*(4*f + 3*d^2*e*x + 2*d^2*f*x^2))) + 3*d*(C*e + 2*A*d^2*e + B*f)*ArcSin[d*x])/(6*d^4)

fricas [A] time = 0.64, size = 114, normalized size = 0.88

$$\frac{(2Cd^2fx^2 + 6Bd^2e + 2(3Ad^2 + 2C)f + 3(Cd^2e + Bd^2f)x)\sqrt{dx+1}\sqrt{-dx+1} + 6(Bdf + (2Ad^3 + Cd)e)\arctan\left(\frac{\sqrt{dx+1}\sqrt{-dx+1} - 1}{dx}\right)}{6d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*(C*x^2+B*x+A)/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="fricas")

[Out] -1/6*((2*C*d^2*f*x^2 + 6*B*d^2*e + 2*(3*A*d^2 + 2*C)*f + 3*(C*d^2*e + B*d^2*f)*x)*sqrt(d*x + 1)*sqrt(-d*x + 1) + 6*(B*d*f + (2*A*d^3 + C*d)*e)*arctan((sqrt(d*x + 1)*sqrt(-d*x + 1) - 1)/(d*x)))/d^4

giac [A] time = 1.31, size = 146, normalized size = 1.12

$$\frac{\sqrt{dx+1}\sqrt{-dx+1}\left((dx+1)\left(\frac{2(dx+1)Cf}{d^3} + \frac{3Bd^{10}f+3Cd^{10}e-4Cd^9f}{d^{12}}\right) + \frac{3(2Ad^{11}f+2Bd^{11}e-Bd^{10}f-Cd^{10}e+2Cd^9f)}{d^{12}}\right) - \frac{6(2Ad^2e+Bd^2f)}{6d}}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*(C*x^2+B*x+A)/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="giac")

[Out] -1/6*(sqrt(d*x + 1)*sqrt(-d*x + 1)*((d*x + 1)*(2*(d*x + 1)*C*f/d^3 + (3*B*d^10*f + 3*C*d^10*e - 4*C*d^9*f)/d^12) + 3*(2*A*d^11*f + 2*B*d^11*e - B*d^10*f - C*d^10*e + 2*C*d^9*f)/d^12) - 6*(2*A*d^2*e + B*f + C*e)*arcsin(1/2*sqrt(2)*sqrt(d*x + 1))/d^2)/d

maple [C] time = 0.02, size = 235, normalized size = 1.81

$$\frac{\sqrt{-dx+1}\sqrt{dx+1}\left(2\sqrt{-d^2x^2+1}Cd^2fx^2\operatorname{csgn}(d) - 6Ad^3e\arctan\left(\frac{dx\operatorname{csgn}(d)}{\sqrt{-d^2x^2+1}}\right) + 3\sqrt{-d^2x^2+1}Bd^2fx\operatorname{csgn}(d)\right)}{6d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)*(C*x^2+B*x+A)/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x)

[Out] -1/6*(-d*x+1)^(1/2)*(d*x+1)^(1/2)*(2*(-d^2*x^2+1)^(1/2)*C*d^2*f*x^2*csgn(d) + 3*(-d^2*x^2+1)^(1/2)*B*d^2*f*x*csgn(d) + 3*(-d^2*x^2+1)^(1/2)*C*d^2*e*x*csgn(d) + 6*(-d^2*x^2+1)^(1/2)*A*d^2*f*csgn(d) - 6*A*d^3*e*arctan(1/(-d^2*x^2+1)^(1/2)*d*x*csgn(d)) + 6*(-d^2*x^2+1)^(1/2)*B*d^2*e*csgn(d) - 3*B*d*f*arctan(1/(-d^2*x^2+1)^(1/2)*d*x*csgn(d)) + 4*(-d^2*x^2+1)^(1/2)*C*f*csgn(d) - 3*C*d*e*arctan(1/(-d^2*x^2+1)^(1/2)*d*x*csgn(d)))*csgn(d)/d^4/(-d^2*x^2+1)^(1/2)

maxima [A] time = 1.31, size = 131, normalized size = 1.01

$$-\frac{\sqrt{-d^2x^2+1}Cfx^2}{3d^2} + \frac{Ae \arcsin(dx)}{d} - \frac{\sqrt{-d^2x^2+1}Be}{d^2} - \frac{\sqrt{-d^2x^2+1}Af}{d^2} - \frac{\sqrt{-d^2x^2+1}(Ce+Bf)x}{2d^2} + \frac{(Ce+Bf)ar}{2d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*(C*x^2+B*x+A)/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="maxima")

[Out] $-1/3*\sqrt{-d^2*x^2+1}*C*f*x^2/d^2 + A*e*\arcsin(d*x)/d - \sqrt{-d^2*x^2+1}*B*e/d^2 - \sqrt{-d^2*x^2+1}*A*f/d^2 - 1/2*\sqrt{-d^2*x^2+1}*(C*e+B*f)*x/d^2 + 1/2*(C*e+B*f)*\arcsin(d*x)/d^3 - 2/3*\sqrt{-d^2*x^2+1}*C*f/d^4$

mupad [B] time = 12.86, size = 492, normalized size = 3.78

$$\frac{\frac{2Bf(\sqrt{1-dx}-1)}{\sqrt{dx+1}-1} - \frac{14Bf(\sqrt{1-dx}-1)^3}{(\sqrt{dx+1}-1)^3} + \frac{14Bf(\sqrt{1-dx}-1)^5}{(\sqrt{dx+1}-1)^5} - \frac{2Bf(\sqrt{1-dx}-1)^7}{(\sqrt{dx+1}-1)^7}}{d^3 \left(\frac{(\sqrt{1-dx}-1)^2}{(\sqrt{dx+1}-1)^2} + 1 \right)^4} \sqrt{1-dx} \left(\frac{2Cf}{3d^4} + \frac{2Cfx}{3d^3} + \frac{Cfx^3}{3d} + \frac{Cfx^2}{3d^2} \right) \sqrt{dx+1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((e+f*x)*(A+B*x+C*x^2))/((1-d*x)^(1/2)*(d*x+1)^(1/2)),x)

[Out] $((2*B*f*((1-d*x)^(1/2)-1))/((d*x+1)^(1/2)-1) - (14*B*f*((1-d*x)^(1/2)-1)^3)/((d*x+1)^(1/2)-1)^3 + (14*B*f*((1-d*x)^(1/2)-1)^5)/((d*x+1)^(1/2)-1)^5 - (2*B*f*((1-d*x)^(1/2)-1)^7)/((d*x+1)^(1/2)-1)^7)/((d^3*((1-d*x)^(1/2)-1)^2/((d*x+1)^(1/2)-1)^2 + 1)^4) - ((1-d*x)^(1/2)*((2*C*f)/(3*d^4) + (2*C*f*x)/(3*d^3) + (C*f*x^3)/(3*d) + (C*f*x^2)/(3*d^2)))/(d*x+1)^(1/2) + ((2*C*e*((1-d*x)^(1/2)-1))/((d*x+1)^(1/2)-1) - (14*C*e*((1-d*x)^(1/2)-1)^3)/((d*x+1)^(1/2)-1)^3 + (14*C*e*((1-d*x)^(1/2)-1)^5)/((d*x+1)^(1/2)-1)^5 - (2*C*e*((1-d*x)^(1/2)-1)^7)/((d*x+1)^(1/2)-1)^7)/((d^3*((1-d*x)^(1/2)-1)^2/((d*x+1)^(1/2)-1)^2 + 1)^4) - (((A*f)/d^2 + (A*f*x)/d)*(1-d*x)^(1/2))/(d*x+1)^(1/2) - (((B*e)/d^2 + (B*e*x)/d)*(1-d*x)^(1/2))/(d*x+1)^(1/2) - (4*A*e*atan((d*((1-d*x)^(1/2)-1))/((d*x+1)^(1/2)-1)*(d^2)^(1/2)))/(d^2)^(1/2) - (2*B*f*atan(((1-d*x)^(1/2)-1)/((d*x+1)^(1/2)-1)))/d^3 - (2*C*e*atan(((1-d*x)^(1/2)-1)/((d*x+1)^(1/2)-1)))/d^3$

sympy [C] time = 158.08, size = 617, normalized size = 4.75

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*(C*x**2+B*x+A)/(-d*x+1)**(1/2)/(d*x+1)**(1/2),x)

[Out] $-I*A*e*\text{meijerg}(((1/4, 3/4), (1/2, 1/2, 1, 1)), ((0, 1/4, 1/2, 3/4, 1, 0), ()), 1/(d**2*x**2))/(4*pi**(3/2)*d) + A*e*\text{meijerg}(((-1/2, -1/4, 0, 1/4, 1/2, 1), ()), ((-1/4, 1/4), (-1/2, 0, 0, 0)), \exp_polar(-2*I*pi)/(d**2*x**2))/(4*pi**(3/2)*d) - I*A*f*\text{meijerg}(((-1/4, 1/4), (0, 0, 1/2, 1)), ((-1/2, -1/4, 0, 1/4, 1/2, 0), ()), 1/(d**2*x**2))/(4*pi**(3/2)*d**2) - A*f*\text{meijerg}(((-1, -3/4, -1/2, -1/4, 0, 1), ()), ((-3/4, -1/4), (-1, -1/2, -1/2, 0)), \exp_polar(-2*I*pi)/(d**2*x**2))/(4*pi**(3/2)*d**2) - I*B*e*\text{meijerg}(((-1/4, 1/4), (0, 0, 1/2, 1)), ((-1/2, -1/4, 0, 1/4, 1/2, 0), ()), 1/(d**2*x**2))/(4*pi**(3/2)*d**2) - B*e*\text{meijerg}(((-1, -3/4, -1/2, -1/4, 0, 1), ()), ((-3/4, -1/4), (-1, -1/2, -1/2, 0)), \exp_polar(-2*I*pi)/(d**2*x**2))/(4*pi**(3/2)*d**2) - I*B*f*\text{meijerg}(((-3/4, -1/4), (-1/2, -1/2, 0, 1)), ((-1, -3/4, -1/2, -1/4, 0, 0), ()), 1/(d**2*x**2))/(4*pi**(3/2)*d**3) + B*f*\text{meijerg}(((-3/2, -5/4, -1, -3/4, -1/2, 1), ()), ((-5/4, -3/4), (-3/2, -1, -1, 0)), \exp_polar(-2*I*pi)/(d**2*x**2))/(4*pi**(3/2)*d**3) - I*C*e*\text{meijerg}(((-3/4, -1/4), (-1/2, -1/2, 0, 1)), ((-1, -3/4, -1/2, -1/4, 0, 0), ()), 1/(d**2*x**2))/(4*pi**(3/2)*d**3) + C*e*\text{meijerg}(((-3/2, -5/4, -1, -3/4, -1/2, 1), ()), ((-5/4, -3/4), (-3/2, -1, -1, 0)), \exp_polar(-2*I*pi)/(d**2*x**2))/(4*pi**(3/2)*d**3) - I*C*f*\text{meijerg}(((-5/4, -3/4), (-1, -1, -1/2, 1)), ((-3/2, -5/4, -1, -3/4, -1/2, 0), ()), 1/(d**2*x**2))/(4*pi**(3/2)*d**4) - C*f*\text{meijerg}(((-2, -7/4, -3/2, -5/4, -1, 1), ()), ((-7/4, -5/4), (-2, -3/2, -3/2, 0)), \exp_polar(-2*I*pi)/(d**2*x**2))/(4*pi**(3/2)*d**4)$

$$3.11 \quad \int \frac{A+Bx+Cx^2}{\sqrt{1-dx} \sqrt{1+dx}} dx$$

Optimal. Leaf size=63

$$\frac{(2Ad^2 + C) \sin^{-1}(dx)}{2d^3} - \frac{B\sqrt{1-d^2x^2}}{d^2} - \frac{Cx\sqrt{1-d^2x^2}}{2d^2}$$

[Out] $1/2*(2*A*d^2+C)*\arcsin(d*x)/d^3-B*(-d^2*x^2+1)^{(1/2)}/d^2-1/2*C*x*(-d^2*x^2+1)^{(1/2)}/d^2$

Rubi [A] time = 0.06, antiderivative size = 63, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {899, 1815, 641, 216}

$$\frac{(2Ad^2 + C) \sin^{-1}(dx)}{2d^3} - \frac{B\sqrt{1-d^2x^2}}{d^2} - \frac{Cx\sqrt{1-d^2x^2}}{2d^2}$$

Antiderivative was successfully verified.

[In] Int[(A + B*x + C*x^2)/(Sqrt[1 - d*x]*Sqrt[1 + d*x]),x]

[Out] $-((B*\text{Sqrt}[1 - d^2*x^2])/d^2) - (C*x*\text{Sqrt}[1 - d^2*x^2])/(2*d^2) + ((C + 2*A*d^2)*\text{ArcSin}[d*x])/(2*d^3)$

Rule 216

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 641

Int[((d_) + (e_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Simp[(e*(a + c*x^2)^(p + 1))/(2*c*(p + 1)), x] + Dist[d, Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]

Rule 899

Int[((d_) + (e_.)*(x_))^(m_)*((f_) + (g_.)*(x_))^(n_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Int[(d*f + e*g*x^2)^m*(a + b*x + c*x^2)^p, x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && EqQ[m - n, 0] && EqQ[e*f + d*g, 0] && (IntegerQ[m] || (GtQ[d, 0] && GtQ[f, 0]))

Rule 1815

```
Int[(Pq_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[{q = Expon[Pq, x],
e = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(e*x^(q - 1)*(a + b*x^2)^(p + 1))/(b*
(q + 2*p + 1)), x] + Dist[1/(b*(q + 2*p + 1)), Int[(a + b*x^2)^p*ExpandToSu
m[b*(q + 2*p + 1)*Pq - a*e*(q - 1)*x^(q - 2) - b*e*(q + 2*p + 1)*x^q, x], x
], x]] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && !LeQ[p, -1]
```

Rubi steps

$$\begin{aligned} \int \frac{A + Bx + Cx^2}{\sqrt{1 - dx} \sqrt{1 + dx}} dx &= \int \frac{A + Bx + Cx^2}{\sqrt{1 - d^2x^2}} dx \\ &= -\frac{Cx\sqrt{1 - d^2x^2}}{2d^2} - \frac{\int \frac{-C - 2Ad^2 - 2Bd^2x}{\sqrt{1 - d^2x^2}} dx}{2d^2} \\ &= -\frac{B\sqrt{1 - d^2x^2}}{d^2} - \frac{Cx\sqrt{1 - d^2x^2}}{2d^2} - \frac{(-C - 2Ad^2) \int \frac{1}{\sqrt{1 - d^2x^2}} dx}{2d^2} \\ &= -\frac{B\sqrt{1 - d^2x^2}}{d^2} - \frac{Cx\sqrt{1 - d^2x^2}}{2d^2} + \frac{(C + 2Ad^2) \sin^{-1}(dx)}{2d^3} \end{aligned}$$

Mathematica [A] time = 0.04, size = 45, normalized size = 0.71

$$\frac{(2Ad^2 + C) \sin^{-1}(dx) - d\sqrt{1 - d^2x^2} (2B + Cx)}{2d^3}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*x + C*x^2)/(Sqrt[1 - d*x]*Sqrt[1 + d*x]), x]
```

```
[Out] (-(d*(2*B + C*x)*Sqrt[1 - d^2*x^2]) + (C + 2*A*d^2)*ArcSin[d*x])/(2*d^3)
```

fricas [A] time = 0.95, size = 67, normalized size = 1.06

$$\frac{(Cdx + 2Bd)\sqrt{dx + 1}\sqrt{-dx + 1} + 2(2Ad^2 + C) \arctan\left(\frac{\sqrt{dx+1}\sqrt{-dx+1}-1}{dx}\right)}{2d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(-d*x+1)^(1/2)/(d*x+1)^(1/2), x, algorithm="fricas")
```

```
[Out] -1/2*((C*d*x + 2*B*d)*sqrt(d*x + 1)*sqrt(-d*x + 1) + 2*(2*A*d^2 + C)*arctan
((sqrt(d*x + 1)*sqrt(-d*x + 1) - 1)/(d*x)))/d^3
```

giac [A] time = 1.29, size = 76, normalized size = 1.21

$$\frac{\sqrt{dx+1} \sqrt{-dx+1} \left(\frac{(dx+1)C}{d^2} + \frac{2Bd^5 - Cd^4}{d^6} \right) - \frac{2(2Ad^2+C) \arcsin\left(\frac{1}{2} \sqrt{2} \sqrt{dx+1}\right)}{d^2}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="giac")

[Out] -1/2*(sqrt(d*x + 1)*sqrt(-d*x + 1)*((d*x + 1)*C/d^2 + (2*B*d^5 - C*d^4)/d^6) - 2*(2*A*d^2 + C)*arcsin(1/2*sqrt(2)*sqrt(d*x + 1))/d^2)/d

maple [C] time = 0.02, size = 117, normalized size = 1.86

$$\frac{\sqrt{-dx+1} \sqrt{dx+1} \left(2Ad^2 \arctan\left(\frac{dx \operatorname{csgn}(d)}{\sqrt{-d^2x^2+1}}\right) - \sqrt{-d^2x^2+1} Cdx \operatorname{csgn}(d) - 2\sqrt{-d^2x^2+1} Bd \operatorname{csgn}(d) + C \arctan\left(\frac{dx \operatorname{csgn}(d)}{\sqrt{-d^2x^2+1}}\right) \right)}{2\sqrt{-d^2x^2+1} d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C*x^2+B*x+A)/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x)

[Out] 1/2*(-d*x+1)^(1/2)*(d*x+1)^(1/2)/d^3*(2*A*d^2*arctan(1/(-d^2*x^2+1)^(1/2)*d*x*csgn(d))-(-d^2*x^2+1)^(1/2)*C*d*x*csgn(d)-2*(-d^2*x^2+1)^(1/2)*B*d*csgn(d)+C*arctan(1/(-d^2*x^2+1)^(1/2)*d*x*csgn(d)))/(-d^2*x^2+1)^(1/2)*csgn(d)

maxima [A] time = 1.42, size = 57, normalized size = 0.90

$$\frac{A \arcsin(dx)}{d} - \frac{\sqrt{-d^2x^2+1} Cx}{2d^2} - \frac{\sqrt{-d^2x^2+1} B}{d^2} + \frac{C \arcsin(dx)}{2d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="maxima")

[Out] A*arcsin(d*x)/d - 1/2*sqrt(-d^2*x^2 + 1)*C*x/d^2 - sqrt(-d^2*x^2 + 1)*B/d^2 + 1/2*C*arcsin(d*x)/d^3

mupad [B] time = 7.53, size = 232, normalized size = 3.68

$$\frac{\frac{14C(\sqrt{1-dx}-1)^3}{(\sqrt{dx+1}-1)^3} - \frac{14C(\sqrt{1-dx}-1)^5}{(\sqrt{dx+1}-1)^5} + \frac{2C(\sqrt{1-dx}-1)^7}{(\sqrt{dx+1}-1)^7} - \frac{2C(\sqrt{1-dx}-1)}{\sqrt{dx+1}-1}}{d^3 \left(\frac{(\sqrt{1-dx}-1)^2}{(\sqrt{dx+1}-1)^2} + 1 \right)^4} - \frac{4A \operatorname{atan}\left(\frac{d(\sqrt{1-dx}-1)}{(\sqrt{dx+1}-1)\sqrt{d^2}}\right)}{\sqrt{d^2}} - \frac{2C \operatorname{atan}\left(\frac{\sqrt{1-dx}-1}{\sqrt{dx+1}-1}\right)}{d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A + B*x + C*x^2)/((1 - d*x)^(1/2)*(d*x + 1)^(1/2)),x)`

[Out] $-\left(\frac{14C((1-dx)^{1/2}-1)^3}{(dx+1)^{1/2}-1)^3} - (14C((1-dx)^{1/2}-1)^5)/((dx+1)^{1/2}-1)^5 + (2C((1-dx)^{1/2}-1)^7)/((dx+1)^{1/2}-1)^7 - (2C((1-dx)^{1/2}-1))/((dx+1)^{1/2}-1)/(d^3 * ((1-dx)^{1/2}-1)^2 / ((dx+1)^{1/2}-1)^2 + 1)^4} - (4A * \operatorname{atan}((d * ((1-dx)^{1/2}-1)) / (((dx+1)^{1/2}-1) * (d^2)^{1/2}))) / (d^2)^{1/2} - (2C * \operatorname{atan}(((1-dx)^{1/2}-1) / ((dx+1)^{1/2}-1))) / d^3} - ((1-dx)^{1/2} * (B/d^2 + (B*x)/d)) / (dx+1)^{1/2}$

sympy [C] time = 49.74, size = 282, normalized size = 4.48

$$\frac{iAG_{6,6}^{6,2} \left(\begin{matrix} \frac{1}{4}, \frac{3}{4} & \frac{1}{2}, \frac{1}{2}, 1, 1 \\ 0, \frac{1}{4}, \frac{1}{2}, \frac{3}{4}, 1, 0 \end{matrix} \middle| \frac{1}{d^2 x^2} \right) + AG_{6,6}^{2,6} \left(\begin{matrix} -\frac{1}{2}, -\frac{1}{4}, 0, \frac{1}{4}, \frac{1}{2}, 1 \\ -\frac{1}{4}, \frac{1}{4} & -\frac{1}{2}, 0, 0, 0 \end{matrix} \middle| \frac{e^{-2i\pi}}{d^2 x^2} \right) - iBG_{6,6}^{6,2} \left(\begin{matrix} -\frac{1}{4}, \frac{1}{4} & 0 \\ -\frac{1}{2}, -\frac{1}{4}, 0, \frac{1}{4}, \frac{1}{2}, 0 \end{matrix} \right)}{4\pi^{\frac{3}{2}} d} + \frac{AG_{6,6}^{2,6} \left(\begin{matrix} -\frac{1}{2}, -\frac{1}{4}, 0, \frac{1}{4}, \frac{1}{2}, 1 \\ -\frac{1}{4}, \frac{1}{4} & -\frac{1}{2}, 0, 0, 0 \end{matrix} \middle| \frac{e^{-2i\pi}}{d^2 x^2} \right)}{4\pi^{\frac{3}{2}} d} - \frac{iBG_{6,6}^{6,2} \left(\begin{matrix} -\frac{1}{4}, \frac{1}{4} & 0 \\ -\frac{1}{2}, -\frac{1}{4}, 0, \frac{1}{4}, \frac{1}{2}, 0 \end{matrix} \right)}{4\pi^{\frac{3}{2}} d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x**2+B*x+A)/(-d*x+1)**(1/2)/(d*x+1)**(1/2),x)`

[Out] $-I * A * \operatorname{meijerg}(((1/4, 3/4), (1/2, 1/2, 1, 1)), ((0, 1/4, 1/2, 3/4, 1, 0), ()), 1/(d**2*x**2))/(4*pi**(3/2)*d) + A * \operatorname{meijerg}((-1/2, -1/4, 0, 1/4, 1/2, 1), ((-1/4, 1/4), (-1/2, 0, 0, 0)), \exp_polar(-2*I*pi)/(d**2*x**2))/(4*pi**(3/2)*d) - I * B * \operatorname{meijerg}((-1/4, 1/4), (0, 0, 1/2, 1)), ((-1/2, -1/4, 0, 1/4, 1/2, 0), ()), 1/(d**2*x**2))/(4*pi**(3/2)*d**2) - B * \operatorname{meijerg}((-1, -3/4, -1/2, -1/4, 0, 1), ((-3/4, -1/4), (-1, -1/2, -1/2, 0)), \exp_polar(-2*I*pi)/(d**2*x**2))/(4*pi**(3/2)*d**2) - I * C * \operatorname{meijerg}((-3/4, -1/4), (-1/2, -1/2, 0, 1)), ((-1, -3/4, -1/2, -1/4, 0, 0), ()), 1/(d**2*x**2))/(4*pi**(3/2)*d**3) + C * \operatorname{meijerg}((-3/2, -5/4, -1, -3/4, -1/2, 1), ((-5/4, -3/4), (-3/2, -1, -1, 0)), \exp_polar(-2*I*pi)/(d**2*x**2))/(4*pi**(3/2)*d**3)$

$$3.12 \quad \int \frac{A+Bx+Cx^2}{\sqrt{1-dx} \sqrt{1+dx} (e+fx)} dx$$

Optimal. Leaf size=122

$$\frac{(Af^2 - Bef + Ce^2) \tan^{-1}\left(\frac{d^2ex+f}{\sqrt{1-d^2x^2} \sqrt{d^2e^2-f^2}}\right)}{f^2 \sqrt{d^2e^2 - f^2}} - \frac{\sin^{-1}(dx)(Ce - Bf)}{df^2} - \frac{C\sqrt{1-d^2x^2}}{d^2f}$$

[Out] $-(-B*f+C*e)*\arcsin(d*x)/d/f^2+(A*f^2-B*e*f+C*e^2)*\arctan((d^2*e*x+f)/(d^2*e^2-f^2)^{(1/2)/(-d^2*x^2+1)^{(1/2)})/f^2/(d^2*e^2-f^2)^{(1/2)}-C*(-d^2*x^2+1)^{(1/2)}/d^2/f$

Rubi [A] time = 0.28, antiderivative size = 122, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.162$, Rules used = {1609, 1654, 844, 216, 725, 204}

$$\frac{(Af^2 - Bef + Ce^2) \tan^{-1}\left(\frac{d^2ex+f}{\sqrt{1-d^2x^2} \sqrt{d^2e^2-f^2}}\right)}{f^2 \sqrt{d^2e^2 - f^2}} - \frac{\sin^{-1}(dx)(Ce - Bf)}{df^2} - \frac{C\sqrt{1-d^2x^2}}{d^2f}$$

Antiderivative was successfully verified.

[In] Int[(A + B*x + C*x^2)/(Sqrt[1 - d*x]*Sqrt[1 + d*x]*(e + f*x)),x]

[Out] $-((C*\text{Sqrt}[1 - d^2*x^2])/(d^2*f)) - ((C*e - B*f)*\text{ArcSin}[d*x])/(d*f^2) + ((C*e^2 - B*e*f + A*f^2)*\text{ArcTan}[(f + d^2*e*x)/(\text{Sqrt}[d^2*e^2 - f^2]*\text{Sqrt}[1 - d^2*x^2])])/(f^2*\text{Sqrt}[d^2*e^2 - f^2])$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 216

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 725

Int[1/(((d_) + (e_.)*(x_))*Sqrt[(a_) + (c_.)*(x_)^2]), x_Symbol] := -Subst[Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ

[{a, c, d, e}, x]

Rule 844

```
Int[((d_.) + (e_.)*(x_))^(m_.)*((f_.) + (g_.)*(x_))*((a_.) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 1609

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] :> Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*d, 0] && EqQ[m, n] && (IntegerQ[m] || (GtQ[a, 0] && GtQ[c, 0]))
```

Rule 1654

```
Int[(Pq_)*((d_.) + (e_.)*(x_))^(m_.)*((a_.) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x)^(m + q - 1)*(a + c*x^2)^(p + 1))/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Dist[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + c*x^2)^p*ExpandToSum[c*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - f*(d + e*x)^(q - 2)*(a*e^2*(m + q - 1) - c*d^2*(m + q + 2*p + 1) - 2*c*d*e*(m + q + p)*x), x], x] /; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0] /; FreeQ[{a, c, d, e, m, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && !(EqQ[d, 0] && True) && !(IGtQ[m, 0] && RationalQ[a, c, d, e] && (IntegerQ[p] || ILtQ[p + 1/2, 0]))
```

Rubi steps

$$\begin{aligned}
\int \frac{A + Bx + Cx^2}{\sqrt{1-dx}\sqrt{1+dx}(e+fx)} dx &= \int \frac{A + Bx + Cx^2}{(e+fx)\sqrt{1-d^2x^2}} dx \\
&= -\frac{C\sqrt{1-d^2x^2}}{d^2f} - \frac{\int \frac{-Ad^2f^2+d^2f(Ce-Bf)x}{(e+fx)\sqrt{1-d^2x^2}} dx}{d^2f^2} \\
&= -\frac{C\sqrt{1-d^2x^2}}{d^2f} - \frac{(Ce-Bf) \int \frac{1}{\sqrt{1-d^2x^2}} dx}{f^2} + \frac{(Ce^2 - Bef + Af^2) \int \frac{1}{(e+fx)\sqrt{1-d^2x^2}} dx}{f^2} \\
&= -\frac{C\sqrt{1-d^2x^2}}{d^2f} - \frac{(Ce-Bf) \sin^{-1}(dx)}{df^2} - \frac{(Ce^2 - Bef + Af^2) \text{Subst}\left(\int \frac{1}{-d^2e^2+fx}\right)}{f^2} \\
&= -\frac{C\sqrt{1-d^2x^2}}{d^2f} - \frac{(Ce-Bf) \sin^{-1}(dx)}{df^2} + \frac{(Ce^2 - Bef + Af^2) \tan^{-1}\left(\frac{f+d^2e}{\sqrt{d^2e^2-f^2}}\right)}{f^2\sqrt{d^2e^2-f^2}}
\end{aligned}$$

Mathematica [A] time = 0.13, size = 117, normalized size = 0.96

$$\frac{(f(Af-Be)+Ce^2) \tan^{-1}\left(\frac{d^2ex+f}{\sqrt{1-d^2x^2}\sqrt{d^2e^2-f^2}}\right)}{\sqrt{d^2e^2-f^2}} + \frac{\sin^{-1}(dx)(Bf-Ce)}{d} - \frac{Cf\sqrt{1-d^2x^2}}{d^2}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*x + C*x^2)/(Sqrt[1 - d*x]*Sqrt[1 + d*x]*(e + f*x)),x]

[Out] (-((C*f*Sqrt[1 - d^2*x^2])/d^2) + ((-(C*e) + B*f)*ArcSin[d*x])/d + ((C*e^2 + f*(-(B*e) + A*f))*ArcTan[(f + d^2*e*x)/(Sqrt[d^2*e^2 - f^2]*Sqrt[1 - d^2*x^2])])/Sqrt[d^2*e^2 - f^2])/f^2

fricas [B] time = 15.02, size = 493, normalized size = 4.04

$$\left[\frac{(Cd^2e^2 - Bd^2ef + Ad^2f^2)\sqrt{-d^2e^2 + f^2} \log\left(\frac{d^2efx+f^2-\sqrt{-d^2e^2+f^2}(d^2ex+f)-(\sqrt{-d^2e^2+f^2}\sqrt{-dx+1}f+(d^2e^2-f^2)\sqrt{-dx+1})\sqrt{dx}}{fx+e}\right)}{d^4e^2f^2 - \dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)/(f*x+e)/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="fricas")

```
[Out] [-(C*d^2*e^2 - B*d^2*e*f + A*d^2*f^2)*sqrt(-d^2*e^2 + f^2)*log((d^2*e*f*x
+ f^2 - sqrt(-d^2*e^2 + f^2)*(d^2*e*x + f) - (sqrt(-d^2*e^2 + f^2)*sqrt(-d*
x + 1)*f + (d^2*e^2 - f^2)*sqrt(-d*x + 1))*sqrt(d*x + 1))/(f*x + e)) + (C*d
^2*e^2*f - C*f^3)*sqrt(d*x + 1)*sqrt(-d*x + 1) - 2*(C*d^3*e^3 - B*d^3*e^2*f
- C*d*e*f^2 + B*d*f^3)*arctan((sqrt(d*x + 1)*sqrt(-d*x + 1) - 1)/(d*x)))/(
d^4*e^2*f^2 - d^2*f^4), (2*(C*d^2*e^2 - B*d^2*e*f + A*d^2*f^2)*sqrt(d^2*e^2
- f^2)*arctan(-(sqrt(d^2*e^2 - f^2)*sqrt(d*x + 1)*sqrt(-d*x + 1)*e - sqrt(
d^2*e^2 - f^2)*(f*x + e))/((d^2*e^2 - f^2)*x)) - (C*d^2*e^2*f - C*f^3)*sqrt
(d*x + 1)*sqrt(-d*x + 1) + 2*(C*d^3*e^3 - B*d^3*e^2*f - C*d*e*f^2 + B*d*f^3
)*arctan((sqrt(d*x + 1)*sqrt(-d*x + 1) - 1)/(d*x)))/(d^4*e^2*f^2 - d^2*f^4)
]
```

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(f*x+e)/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="
giac")
```

```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x);OUTPUT:Undef/Unsigned Inf encountered in limit
```

maple [C] time = 0.00, size = 373, normalized size = 3.06

$$\left(-A d^2 f^2 \operatorname{csgn}(d) \ln \left(\frac{2d^2 e x + 2\sqrt{-d^2 x^2 + 1} \sqrt{-\frac{d^2 e^2 - f^2}{f^2}} f + 2f}{f x + e} \right) + B d^2 e f \operatorname{csgn}(d) \ln \left(\frac{2d^2 e x + 2\sqrt{-d^2 x^2 + 1} \sqrt{-\frac{d^2 e^2 - f^2}{f^2}} f + 2f}{f x + e} \right) - C d^2 e \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((C*x^2+B*x+A)/(f*x+e)/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x)
```

```
[Out] (-A*d^2*f^2*csgn(d)*ln(2*(d^2*e*x+(-d^2*x^2+1)^(1/2)*(-d^2*e^2-f^2)/f^2)^(
1/2)*f+f)/(f*x+e))+B*d^2*e*f*csgn(d)*ln(2*(d^2*e*x+(-d^2*x^2+1)^(1/2)*(-d
^2*e^2-f^2)/f^2)^(1/2)*f+f)/(f*x+e))-C*d^2*e^2*csgn(d)*ln(2*(d^2*e*x+(-d^2*x
^2+1)^(1/2)*(-d^2*e^2-f^2)/f^2)^(1/2)*f+f)/(f*x+e))+(-d^2*e^2-f^2)/f^2)^(
1/2)*B*d*f^2*arctan(1/(-d^2*x^2+1)^(1/2)*d*x*csgn(d))-(-d^2*e^2-f^2)/f^2)^(
1/2)*C*d*e*f*arctan(1/(-d^2*x^2+1)^(1/2)*d*x*csgn(d))-(-d^2*x^2+1)^(1/2)*(-
d^2*e^2-f^2)/f^2)^(1/2)*C*f^2*csgn(d))*(-d*x+1)^(1/2)*(d*x+1)^(1/2)/(-d
^2*e^2-f^2)/f^2)^(1/2)/(-d^2*x^2+1)^(1/2)/d^2/f^3*csgn(d)
```

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(f*x+e)/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="
maxima")
```

```
[Out] Exception raised: ValueError >> Computation failed since Maxima requested a
dditional constraints; using the 'assume' command before evaluation *may* h
elp (example of legal syntax is 'assume(f-d*e>0)', see `assume?` for more d
etails)Is f-d*e positive, negative or zero?
```

mupad [B] time = 0.01, size = 5803, normalized size = 47.57

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A + B*x + C*x^2)/((e + f*x)*(1 - d*x)^(1/2)*(d*x + 1)^(1/2)),x)
```

```
[Out] (4*C*e*atan((37748736*C^5*d^4*e^10*((1 - d*x)^(1/2) - 1))/(((d*x + 1)^(1/2)
- 1)*(37748736*C^5*d^4*e^10 + 67108864*C^5*e^6*f^4 - 100663296*C^5*d^2*e^8
*f^2)) + (67108864*C^5*e^6*f^4*((1 - d*x)^(1/2) - 1))/(((d*x + 1)^(1/2) - 1
)*(37748736*C^5*d^4*e^10 + 67108864*C^5*e^6*f^4 - 100663296*C^5*d^2*e^8*f^2
)) - (100663296*C^5*d^2*e^8*f^2*((1 - d*x)^(1/2) - 1))/(((d*x + 1)^(1/2) -
1)*(37748736*C^5*d^4*e^10 + 67108864*C^5*e^6*f^4 - 100663296*C^5*d^2*e^8*f^
2))))/(d*f^2) - (4*B*atan((67108864*B^5*e*f^4*((1 - d*x)^(1/2) - 1))/(((d*x
+ 1)^(1/2) - 1)*(67108864*B^5*e*f^4 + 37748736*B^5*d^4*e^5 - 100663296*B^5
*d^2*e^3*f^2)) + (37748736*B^5*d^4*e^5*((1 - d*x)^(1/2) - 1))/(((d*x + 1)^(
1/2) - 1)*(67108864*B^5*e*f^4 + 37748736*B^5*d^4*e^5 - 100663296*B^5*d^2*e^
3*f^2)) - (100663296*B^5*d^2*e^3*f^2*((1 - d*x)^(1/2) - 1))/(((d*x + 1)^(1/
2) - 1)*(67108864*B^5*e*f^4 + 37748736*B^5*d^4*e^5 - 100663296*B^5*d^2*e^3*
f^2))))/(d*f) - (8*C*((1 - d*x)^(1/2) - 1)^2)/(f*((d*x + 1)^(1/2) - 1)^2*(d
^2 + (2*d^2*((1 - d*x)^(1/2) - 1)^2)/(((d*x + 1)^(1/2) - 1)^2 + (d^2*((1 - d
*x)^(1/2) - 1)^4)/((d*x + 1)^(1/2) - 1)^4)) - (A*atan((f^2*i - d^2*e^2*i
- (f^2*((1 - d*x)^(1/2) - 1)^2*i))/((d*x + 1)^(1/2) - 1)^2 + (d^2*e^2*((1 -
d*x)^(1/2) - 1)^2*i))/((d*x + 1)^(1/2) - 1)^2)/(f*(f + d*e)^(1/2)*(f - d*e
)^(1/2) - (f*((1 - d*x)^(1/2) - 1)^2*(f + d*e)^(1/2)*(f - d*e)^(1/2))/((d*x
+ 1)^(1/2) - 1)^2 + (2*d*e*((1 - d*x)^(1/2) - 1)*(f + d*e)^(1/2)*(f - d*e)
^(1/2))/((d*x + 1)^(1/2) - 1))*2i)/((f + d*e)^(1/2)*(f - d*e)^(1/2)) - (C*
e^2*atan(((C*e^2*((4096*(32*C^3*e^5*f^3 + 24*C^3*d^2*e^7*f))/d*f^4) - (409
6*((1 - d*x)^(1/2) - 1)^2*(32*C^3*e^5*f^3 - 96*C^3*d^2*e^7*f))/d*f^4*((d*x
+ 1)^(1/2) - 1)^2) + (458752*C^3*e^6*((1 - d*x)^(1/2) - 1))/f^2*((d*x + 1
)^(1/2) - 1) + (C*e^2*((4096*(16*C^2*e^3*f^6 + 9*C^2*d^4*e^7*f^2))/d*f^4)
+ (16384*((1 - d*x)^(1/2) - 1)*(8*C^2*e^4*f^3 + 3*C^2*d^2*e^6*f))/f^2*((d
*x + 1)^(1/2) - 1) + (4096*((1 - d*x)^(1/2) - 1)^2*(128*C^2*d^2*e^5*f^4 -
144*C^2*e^3*f^6 + 9*C^2*d^4*e^7*f^2))/d*f^4*((d*x + 1)^(1/2) - 1)^2) - (C*
e^2*((4096*(24*C*d^2*e^3*f^7 - 30*C*d^4*e^5*f^5))/d*f^4) + (16384*((1 - d*
```

$$\begin{aligned}
& x)^{(1/2)} - 1) * (20 * C * e^{2 * f^6} - 22 * C * d^2 * e^4 * f^4)) / (f^2 * ((d * x + 1)^{(1/2)} - 1) \\
&) + (4096 * (96 * C * d^2 * e^3 * f^7 - 90 * C * d^4 * e^5 * f^5) * ((1 - d * x)^{(1/2)} - 1)^2) / (d \\
& * f^4 * ((d * x + 1)^{(1/2)} - 1)^2) + (C * e^2 * ((4096 * (7 * d^4 * e^3 * f^8 - 9 * d^6 * e^5 * f^6) \\
&)) / (d * f^4) + (16384 * ((1 - d * x)^{(1/2)} - 1) * (5 * d^2 * e^2 * f^7 - 6 * d^4 * e^4 * f^5)) \\
&) / (f^2 * ((d * x + 1)^{(1/2)} - 1)) + (4096 * ((1 - d * x)^{(1/2)} - 1)^2 * (11 * d^4 * e^3 * f^8 - 9 * d^6 * e^5 * f^6) \\
&)) / (d * f^4 * ((d * x + 1)^{(1/2)} - 1)^2)) / (f^2 * (f + d * e)^{(1/2)} * (f - d * e)^{(1/2)})) \\
&) / (f^2 * (f + d * e)^{(1/2)} * (f - d * e)^{(1/2)})) / (f^2 * (f + d * e)^{(1/2)} * (f - d * e)^{(1/2)})) \\
&) * i) / (f^2 * (f + d * e)^{(1/2)} * (f - d * e)^{(1/2)}) + (C * e^2 * (4096 * (32 * C^3 * e^5 * f^3 + 24 * C^3 * d^2 * e^7 * f) \\
&)) / (d * f^4) - (4096 * ((1 - d * x)^{(1/2)} - 1)^2 * (32 * C^3 * e^5 * f^3 - 96 * C^3 * d^2 * e^7 * f)) / (d * f^4 * ((d * x + 1)^{(1/2)} - 1)^2) \\
&) + (458752 * C^3 * e^6 * ((1 - d * x)^{(1/2)} - 1)) / (f^2 * ((d * x + 1)^{(1/2)} - 1)) - (C * e^2 * ((4096 * (16 * C^2 * e^3 * f^6 + 9 * C^2 * d^4 * e^7 * f^2)) \\
&)) / (d * f^4) + (16384 * ((1 - d * x)^{(1/2)} - 1) * (8 * C^2 * e^4 * f^3 + 3 * C^2 * d^2 * e^6 * f)) / (f^2 * ((d * x + 1)^{(1/2)} - 1)) \\
&) + (4096 * ((1 - d * x)^{(1/2)} - 1)^2 * (128 * C^2 * d^2 * e^5 * f^4 - 144 * C^2 * e^3 * f^6 + 9 * C^2 * d^4 * e^7 * f^2)) / (d * f^4 * ((d * x + 1)^{(1/2)} - 1)^2) \\
&) + (C * e^2 * ((4096 * (24 * C * d^2 * e^3 * f^7 - 30 * C * d^4 * e^5 * f^5)) / (d * f^4) + (16384 * ((1 - d * x)^{(1/2)} - 1) * (20 * C * e^2 * f^6 - 22 * C * d^2 * e^4 * f^4)) \\
&)) / (f^2 * ((d * x + 1)^{(1/2)} - 1)) + (4096 * (96 * C * d^2 * e^3 * f^7 - 90 * C * d^4 * e^5 * f^5) * ((1 - d * x)^{(1/2)} - 1)^2) / (d * f^4 * ((d * x + 1)^{(1/2)} - 1)^2) \\
&) - (C * e^2 * ((4096 * (7 * d^4 * e^3 * f^8 - 9 * d^6 * e^5 * f^6)) / (d * f^4) + (16384 * ((1 - d * x)^{(1/2)} - 1) * (5 * d^2 * e^2 * f^7 - 6 * d^4 * e^4 * f^5)) \\
&)) / (f^2 * ((d * x + 1)^{(1/2)} - 1)) + (4096 * ((1 - d * x)^{(1/2)} - 1)^2 * (11 * d^4 * e^3 * f^8 - 9 * d^6 * e^5 * f^6) \\
&)) / (d * f^4 * ((d * x + 1)^{(1/2)} - 1)^2)) / (f^2 * (f + d * e)^{(1/2)} * (f - d * e)^{(1/2)})) \\
&) / (f^2 * (f + d * e)^{(1/2)} * (f - d * e)^{(1/2)})) / (f^2 * (f + d * e)^{(1/2)} * (f - d * e)^{(1/2)})) * i) / (f^2 * (f + d * e)^{(1/2)} * (f - d * e)^{(1/2)})) \\
&) / ((131072 * C^4 * e^7) / (d * f^4) + (C * e^2 * ((4096 * (32 * C^3 * e^5 * f^3 + 24 * C^3 * d^2 * e^7 * f)) / (d * f^4) - (4096 * ((1 - d * x)^{(1/2)} - 1)^2 * (32 * C^3 * e^5 * f^3 - 96 * C^3 * d^2 * e^7 * f)) \\
&)) / (d * f^4 * ((d * x + 1)^{(1/2)} - 1)^2) + (458752 * C^3 * e^6 * ((1 - d * x)^{(1/2)} - 1)) / (f^2 * ((d * x + 1)^{(1/2)} - 1)) + (C * e^2 * ((4096 * (16 * C^2 * e^3 * f^6 + 9 * C^2 * d^4 * e^7 * f^2)) \\
&)) / (d * f^4) + (16384 * ((1 - d * x)^{(1/2)} - 1) * (8 * C^2 * e^4 * f^3 + 3 * C^2 * d^2 * e^6 * f)) / (f^2 * ((d * x + 1)^{(1/2)} - 1)) + (4096 * ((1 - d * x)^{(1/2)} - 1)^2 * (128 * C^2 * d^2 * e^5 * f^4 - 144 * C^2 * e^3 * f^6 + 9 * C^2 * d^4 * e^7 * f^2)) \\
&)) / (d * f^4 * ((d * x + 1)^{(1/2)} - 1)^2) - (C * e^2 * ((4096 * (24 * C * d^2 * e^3 * f^7 - 30 * C * d^4 * e^5 * f^5)) / (d * f^4) + (16384 * ((1 - d * x)^{(1/2)} - 1) * (20 * C * e^2 * f^6 - 22 * C * d^2 * e^4 * f^4)) \\
&)) / (f^2 * ((d * x + 1)^{(1/2)} - 1)) + (4096 * (96 * C * d^2 * e^3 * f^7 - 90 * C * d^4 * e^5 * f^5) * ((1 - d * x)^{(1/2)} - 1)^2) / (d * f^4 * ((d * x + 1)^{(1/2)} - 1)^2) \\
&) + (C * e^2 * ((4096 * (7 * d^4 * e^3 * f^8 - 9 * d^6 * e^5 * f^6)) / (d * f^4) + (16384 * ((1 - d * x)^{(1/2)} - 1) * (5 * d^2 * e^2 * f^7 - 6 * d^4 * e^4 * f^5)) \\
&)) / (f^2 * ((d * x + 1)^{(1/2)} - 1)) + (4096 * ((1 - d * x)^{(1/2)} - 1)^2 * (11 * d^4 * e^3 * f^8 - 9 * d^6 * e^5 * f^6) \\
&)) / (d * f^4 * ((d * x + 1)^{(1/2)} - 1)^2)) / (f^2 * (f + d * e)^{(1/2)} * (f - d * e)^{(1/2)})) \\
&) / (f^2 * (f + d * e)^{(1/2)} * (f - d * e)^{(1/2)})) / (f^2 * (f + d * e)^{(1/2)} * (f - d * e)^{(1/2)})) / (f^2 * (f + d * e)^{(1/2)} * (f - d * e)^{(1/2)})) \\
&) - (C * e^2 * ((4096 * (32 * C^3 * e^5 * f^3 + 24 * C^3 * d^2 * e^7 * f)) / (d * f^4) - (4096 * ((1 - d * x)^{(1/2)} - 1)^2 * (32 * C^3 * e^5 * f^3 - 96 * C^3 * d^2 * e^7 * f)) \\
&)) / (d * f^4 * ((d * x + 1)^{(1/2)} - 1)^2) + (458752 * C^3 * e^6 * ((1 - d * x)^{(1/2)} - 1)) / (f^2 * ((d * x + 1)^{(1/2)} - 1)) - (C * e^2 * ((4096 * (16 * C^2 * e^3 * f^6 + 9 * C^2 * d^4 * e^7 * f^2)) \\
&)) / (d * f^4) + (16384 * ((1 - d * x)^{(1/2)} - 1) * (8 * C^2 * e^4 * f^3 + 3 * C^2 * d^2 * e^6 * f)) / (f^2 * ((d * x + 1)^{(1/2)} - 1)) + (4096 * ((
\end{aligned}$$

$$\begin{aligned}
& 1 - d*x)^{(1/2)} - 1)^2*(128*C^2*d^2*e^5*f^4 - 144*C^2*e^3*f^6 + 9*C^2*d^4*e^7*f^2))/(d*f^4*((d*x + 1)^{(1/2)} - 1)^2) + (C*e^2*((4096*(24*C*d^2*e^3*f^7 - \\
& 30*C*d^4*e^5*f^5))/(d*f^4) + (16384*((1 - d*x)^{(1/2)} - 1)*(20*C*e^2*f^6 - \\
& 22*C*d^2*e^4*f^4))/(f^2*((d*x + 1)^{(1/2)} - 1)) + (4096*(96*C*d^2*e^3*f^7 - \\
& 90*C*d^4*e^5*f^5))*((1 - d*x)^{(1/2)} - 1)^2)/(d*f^4*((d*x + 1)^{(1/2)} - 1)^2) \\
& - (C*e^2*((4096*(7*d^4*e^3*f^8 - 9*d^6*e^5*f^6))/(d*f^4) + (16384*((1 - d*x) \\
&)^{(1/2)} - 1)*(5*d^2*e^2*f^7 - 6*d^4*e^4*f^5))/(f^2*((d*x + 1)^{(1/2)} - 1)) + \\
& (4096*((1 - d*x)^{(1/2)} - 1)^2*(11*d^4*e^3*f^8 - 9*d^6*e^5*f^6))/(d*f^4*((d \\
& *x + 1)^{(1/2)} - 1)^2)))/(f^2*(f + d*e)^{(1/2)}*(f - d*e)^{(1/2)))/((f^2*(f + d \\
& *e)^{(1/2)}*(f - d*e)^{(1/2)))/((f^2*(f + d*e)^{(1/2)}*(f - d*e)^{(1/2)))/((f^2*(f + d \\
& *e)^{(1/2)}*(f - d*e)^{(1/2)) + (917504*C^4*e^7*((1 - d*x)^{(1/2)} - 1)^2)/ \\
& (d*f^4*((d*x + 1)^{(1/2)} - 1)^2))*2i)/(f^2*(f + d*e)^{(1/2)}*(f - d*e)^{(1/2))} \\
& + (B*e*atan(((B*e*((4096*(24*B^3*d^2*e^4 + 32*B^3*e^2*f^2))/d + (4096*((1 \\
& - d*x)^{(1/2)} - 1)^2*(96*B^3*d^2*e^4 - 32*B^3*e^2*f^2))/(d*((d*x + 1)^{(1/2)} \\
& - 1)^2) + (458752*B^3*e^3*f*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + \\
& (B*e*((4096*(16*B^2*e*f^4 + 9*B^2*d^4*e^5))/d + (((1 - d*x)^{(1/2)} - 1)*(131 \\
& 072*B^2*e^2*f^3 + 49152*B^2*d^2*e^4*f)))/((d*x + 1)^{(1/2)} - 1) + (4096*((1 - \\
& d*x)^{(1/2)} - 1)^2*(9*B^2*d^4*e^5 - 144*B^2*e*f^4 + 128*B^2*d^2*e^3*f^2))/ \\
& (d*((d*x + 1)^{(1/2)} - 1)^2) - (B*e*((4096*(24*B*d^2*e^2*f^4 - 30*B*d^4*e^4*f \\
& ^2))/d + ((327680*B*e*f^5 - 360448*B*d^2*e^3*f^3))*((1 - d*x)^{(1/2)} - 1))/((\\
& d*x + 1)^{(1/2)} - 1) + (4096*(96*B*d^2*e^2*f^4 - 90*B*d^4*e^4*f^2))*((1 - d*x) \\
&)^{(1/2)} - 1)^2)/(d*((d*x + 1)^{(1/2)} - 1)^2) + (B*e*((4096*(7*d^4*e^3*f^4 - \\
& 9*d^6*e^5*f^2))/d + (((1 - d*x)^{(1/2)} - 1)*(81920*d^2*e^2*f^5 - 98304*d^4*e \\
& ^4*f^3))/((d*x + 1)^{(1/2)} - 1) + (4096*((1 - d*x)^{(1/2)} - 1)^2*(11*d^4*e^3* \\
& f^4 - 9*d^6*e^5*f^2))/(d*((d*x + 1)^{(1/2)} - 1)^2)))/(f*(f + d*e)^{(1/2)}*(f - \\
& d*e)^{(1/2)))/((f*(f + d*e)^{(1/2)}*(f - d*e)^{(1/2)))/((f*(f + d*e)^{(1/2)}*(f - \\
& d*e)^{(1/2)))*1i)/(f*(f + d*e)^{(1/2)}*(f - d*e)^{(1/2))} + (B*e*((4096*(24*B^ \\
& 3*d^2*e^4 + 32*B^3*e^2*f^2))/d + (4096*((1 - d*x)^{(1/2)} - 1)^2*(96*B^3*d^2* \\
& e^4 - 32*B^3*e^2*f^2))/(d*((d*x + 1)^{(1/2)} - 1)^2) + (458752*B^3*e^3*f*((1 \\
& - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) - (B*e*((4096*(16*B^2*e*f^4 + 9*B^ \\
& 2*d^4*e^5))/d + (((1 - d*x)^{(1/2)} - 1)*(131072*B^2*e^2*f^3 + 49152*B^2*d^2* \\
& e^4*f)))/((d*x + 1)^{(1/2)} - 1) + (4096*((1 - d*x)^{(1/2)} - 1)^2*(9*B^2*d^4*e^ \\
& 5 - 144*B^2*e*f^4 + 128*B^2*d^2*e^3*f^2))/(d*((d*x + 1)^{(1/2)} - 1)^2) + (B* \\
& e*((4096*(24*B*d^2*e^2*f^4 - 30*B*d^4*e^4*f^2))/d + ((327680*B*e*f^5 - 3604 \\
& 48*B*d^2*e^3*f^3))*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (4096*(96* \\
& B*d^2*e^2*f^4 - 90*B*d^4*e^4*f^2))*((1 - d*x)^{(1/2)} - 1)^2)/(d*((d*x + 1)^{(1 \\
& /2)} - 1)^2) - (B*e*((4096*(7*d^4*e^3*f^4 - 9*d^6*e^5*f^2))/d + (((1 - d*x)^ \\
& (1/2)} - 1)*(81920*d^2*e^2*f^5 - 98304*d^4*e^4*f^3))/((d*x + 1)^{(1/2)} - 1) + \\
& (4096*((1 - d*x)^{(1/2)} - 1)^2*(11*d^4*e^3*f^4 - 9*d^6*e^5*f^2))/(d*((d*x + \\
& 1)^{(1/2)} - 1)^2)))/(f*(f + d*e)^{(1/2)}*(f - d*e)^{(1/2)))/((f*(f + d*e)^{(1/2) \\
&)*(f - d*e)^{(1/2)))/((f*(f + d*e)^{(1/2)}*(f - d*e)^{(1/2)))*1i)/(f*(f + d*e)^ \\
& (1/2)*f - d*e)^{(1/2)))/((131072*B^4*e^3)/d + (917504*B^4*e^3*((1 - d*x)^{(1 \\
& /2)} - 1)^2)/(d*((d*x + 1)^{(1/2)} - 1)^2) + (B*e*((4096*(24*B^3*d^2*e^4 + 32* \\
& B^3*e^2*f^2))/d + (4096*((1 - d*x)^{(1/2)} - 1)^2*(96*B^3*d^2*e^4 - 32*B^3*e^ \\
& 2*f^2))/(d*((d*x + 1)^{(1/2)} - 1)^2) + (458752*B^3*e^3*f*((1 - d*x)^{(1/2)} -
\end{aligned}$$

$$\begin{aligned}
& 1))/((d*x + 1)^{(1/2)} - 1) + (B*e*((4096*(16*B^2*e*f^4 + 9*B^2*d^4*e^5))/d + \\
& (((1 - d*x)^{(1/2)} - 1)*(131072*B^2*e^2*f^3 + 49152*B^2*d^2*e^4*f))/((d*x + \\
& 1)^{(1/2)} - 1) + (4096*((1 - d*x)^{(1/2)} - 1)^2*(9*B^2*d^4*e^5 - 144*B^2*e*f \\
& ^4 + 128*B^2*d^2*e^3*f^2))/d*((d*x + 1)^{(1/2)} - 1)^2) - (B*e*((4096*(24*B* \\
& d^2*e^2*f^4 - 30*B*d^4*e^4*f^2))/d + ((327680*B*e*f^5 - 360448*B*d^2*e^3*f^ \\
& 3)*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (4096*(96*B*d^2*e^2*f^4 - \\
& 90*B*d^4*e^4*f^2))*((1 - d*x)^{(1/2)} - 1)^2)/d*((d*x + 1)^{(1/2)} - 1)^2) + (\\
& B*e*((4096*(7*d^4*e^3*f^4 - 9*d^6*e^5*f^2))/d + (((1 - d*x)^{(1/2)} - 1)*(819 \\
& 20*d^2*e^2*f^5 - 98304*d^4*e^4*f^3))/((d*x + 1)^{(1/2)} - 1) + (4096*((1 - d* \\
& x)^{(1/2)} - 1)^2*(11*d^4*e^3*f^4 - 9*d^6*e^5*f^2))/d*((d*x + 1)^{(1/2)} - 1)^2) \\
&))/(f*(f + d*e)^{(1/2)}*(f - d*e)^{(1/2)}))/((f*(f + d*e)^{(1/2)}*(f - d*e)^{(1/ \\
& 2)))/((f*(f + d*e)^{(1/2)}*(f - d*e)^{(1/2)}))/((f*(f + d*e)^{(1/2)}*(f - d*e)^{(1/ \\
& 2)))/((f*(f + d*e)^{(1/2)}*(f - d*e)^{(1/2)}))/((f*(f + d*e)^{(1/2)}*(f - d*e)^{(1/ \\
& 2)) - (B*e*((4096*(24*B^3*d^2*e^4 + 32*B^3*e^2*f^2))/d + (4096*((1 - d*x)^ \\
& (1/2) - 1)^2*(96*B^3*d^2*e^4 - 32*B^3*e^2*f^2))/d*((d*x + 1)^{(1/2)} - 1)^2) \\
& + (458752*B^3*e^3*f*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) - (B*e*((\\
& 4096*(16*B^2*e*f^4 + 9*B^2*d^4*e^5))/d + (((1 - d*x)^{(1/2)} - 1)*(131072*B^2 \\
& *e^2*f^3 + 49152*B^2*d^2*e^4*f))/((d*x + 1)^{(1/2)} - 1) + (4096*((1 - d*x)^{(\\
& 1/2) - 1)^2*(9*B^2*d^4*e^5 - 144*B^2*e*f^4 + 128*B^2*d^2*e^3*f^2))/d*((d*x \\
& + 1)^{(1/2)} - 1)^2) + (B*e*((4096*(24*B*d^2*e^2*f^4 - 30*B*d^4*e^4*f^2))/d \\
& + ((327680*B*e*f^5 - 360448*B*d^2*e^3*f^3)*((1 - d*x)^{(1/2)} - 1))/((d*x + 1 \\
&)^{(1/2)} - 1) + (4096*(96*B*d^2*e^2*f^4 - 90*B*d^4*e^4*f^2))*((1 - d*x)^{(1/2) \\
& - 1)^2)/d*((d*x + 1)^{(1/2)} - 1)^2) - (B*e*((4096*(7*d^4*e^3*f^4 - 9*d^6*e \\
& ^5*f^2))/d + (((1 - d*x)^{(1/2)} - 1)*(81920*d^2*e^2*f^5 - 98304*d^4*e^4*f^3) \\
&))/((d*x + 1)^{(1/2)} - 1) + (4096*((1 - d*x)^{(1/2)} - 1)^2*(11*d^4*e^3*f^4 - 9 \\
& *d^6*e^5*f^2))/d*((d*x + 1)^{(1/2)} - 1)^2)))/(f*(f + d*e)^{(1/2)}*(f - d*e)^{(\\
& 1/2)))/((f*(f + d*e)^{(1/2)}*(f - d*e)^{(1/2)))/((f*(f + d*e)^{(1/2)}*(f - d*e)^{(\\
& 1/2)))/((f*(f + d*e)^{(1/2)}*(f - d*e)^{(1/2)))/((f*(f + d*e)^{(1/2)}*(f - d*e)^{(\\
& 1/2)))/((f*(f + d*e)^{(1/2)}*(f - d*e)^{(1/2)))*2i)/((f*(f + d*e)^{(1/2)}*(f - \\
& d*e)^{(1/2))
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x**2+B*x+A)/(f*x+e)/(-d*x+1)**(1/2)/(d*x+1)**(1/2),x)

[Out] Timed out

$$3.13 \quad \int \frac{A+Bx+Cx^2}{\sqrt{1-dx} \sqrt{1+dx} (e+fx)^2} dx$$

Optimal. Leaf size=163

$$\frac{\sqrt{1-d^2x^2} (Af^2 - Bef + Ce^2)}{f(d^2e^2 - f^2)(e+fx)} - \frac{\tan^{-1}\left(\frac{d^2ex+f}{\sqrt{1-d^2x^2}\sqrt{d^2e^2-f^2}}\right) (-Ad^2ef^2 + Bf^3 + Cd^2e^3 - 2Cef^2)}{f^2(d^2e^2 - f^2)^{3/2}} + \frac{C \sin^{-1}(dx)}{df^2}$$

[Out] C*arcsin(d*x)/d/f^2-(-A*d^2*e*f^2+C*d^2*e^3+B*f^3-2*C*e*f^2)*arctan((d^2*e*x+f)/(d^2*e^2-f^2)^(1/2)/(-d^2*x^2+1)^(1/2))/f^2/(d^2*e^2-f^2)^(3/2)+(A*f^2-B*e*f+C*e^2)*(-d^2*x^2+1)^(1/2)/f/(d^2*e^2-f^2)/(f*x+e)

Rubi [A] time = 0.30, antiderivative size = 163, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.162, Rules used = {1609, 1651, 844, 216, 725, 204}

$$\frac{\sqrt{1-d^2x^2} (Af^2 - Bef + Ce^2)}{f(d^2e^2 - f^2)(e+fx)} - \frac{\tan^{-1}\left(\frac{d^2ex+f}{\sqrt{1-d^2x^2}\sqrt{d^2e^2-f^2}}\right) (-Ad^2ef^2 + Bf^3 + Cd^2e^3 - 2Cef^2)}{f^2(d^2e^2 - f^2)^{3/2}} + \frac{C \sin^{-1}(dx)}{df^2}$$

Antiderivative was successfully verified.

[In] Int[(A + B*x + C*x^2)/(Sqrt[1 - d*x]*Sqrt[1 + d*x]*(e + f*x)^2), x]

[Out] ((C*e^2 - B*e*f + A*f^2)*Sqrt[1 - d^2*x^2])/(f*(d^2*e^2 - f^2)*(e + f*x)) + (C*ArcSin[d*x])/(d*f^2) - ((C*d^2*e^3 - 2*C*e*f^2 - A*d^2*e*f^2 + B*f^3)*ArcTan[(f + d^2*e*x)/(Sqrt[d^2*e^2 - f^2]*Sqrt[1 - d^2*x^2])])/(f^2*(d^2*e^2 - f^2)^(3/2))

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 216

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 725

Int[1/(((d_) + (e_.)*(x_))*Sqrt[(a_) + (c_.)*(x_)^2]), x_Symbol] := -Subst[Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ

[{a, c, d, e}, x]

Rule 844

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 1609

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] :> Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*d, 0] && EqQ[m, n] && (IntegerQ[m] || (GtQ[a, 0] && GtQ[c, 0]))
```

Rule 1651

```
Int[(Pq_)*((d_) + (e_.)*(x_))^(m_)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] :> With[{Q = PolynomialQuotient[Pq, d + e*x, x], R = PolynomialRemainder[Pq, d + e*x, x]}, Simp[(e*R*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/((m + 1)*(c*d^2 + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p*ExpandToSum[(m + 1)*(c*d^2 + a*e^2)*Q + c*d*R*(m + 1) - c*e*R*(m + 2*p + 3)*x, x], x], x] /; FreeQ[{a, c, d, e, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && LtQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + Bx + Cx^2}{\sqrt{1-dx}\sqrt{1+dx}(e+fx)^2} dx &= \int \frac{A + Bx + Cx^2}{(e+fx)^2\sqrt{1-d^2x^2}} dx \\
&= \frac{(Ce^2 - Bef + Af^2)\sqrt{1-d^2x^2}}{f(d^2e^2 - f^2)(e+fx)} + \frac{\int \frac{Ce+Ad^2e-Bf+C\left(\frac{d^2e^2}{f}-f\right)x}{(e+fx)\sqrt{1-d^2x^2}} dx}{d^2e^2 - f^2} \\
&= \frac{(Ce^2 - Bef + Af^2)\sqrt{1-d^2x^2}}{f(d^2e^2 - f^2)(e+fx)} + \frac{C \int \frac{1}{\sqrt{1-d^2x^2}} dx}{f^2} + \frac{\left(2Ce + Ad^2e - \frac{Cd^2e^3}{f^2} - Bf\right)}{d^2e^2 - f^2} \\
&= \frac{(Ce^2 - Bef + Af^2)\sqrt{1-d^2x^2}}{f(d^2e^2 - f^2)(e+fx)} + \frac{C \sin^{-1}(dx)}{df^2} - \frac{\left(2Ce + Ad^2e - \frac{Cd^2e^3}{f^2} - Bf\right)}{d^2e^2 - f^2} \\
&= \frac{(Ce^2 - Bef + Af^2)\sqrt{1-d^2x^2}}{f(d^2e^2 - f^2)(e+fx)} + \frac{C \sin^{-1}(dx)}{df^2} + \frac{\left(2Ce + Ad^2e - \frac{Cd^2e^3}{f^2} - Bf\right)}{(d^2e^2 - f^2)}
\end{aligned}$$

Mathematica [A] time = 0.43, size = 211, normalized size = 1.29

$$\frac{\frac{f\sqrt{1-d^2x^2}(f(Af-Be)+Ce^2)}{(f^2-d^2e^2)(e+fx)} - \frac{\log\left(\sqrt{1-d^2x^2}\sqrt{f^2-d^2e^2}+d^2ex+f\right)(-Ad^2ef^2+Bf^3+Cd^2e^3-2Cef^2)}{(f^2-d^2e^2)^{3/2}}}{f^2} + \frac{\log(e+fx)(-Ad^2ef^2+Bf^3+Cd^2e^3-2Cef^2)}{(f^2-d^2e^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*x + C*x^2)/(Sqrt[1 - d*x]*Sqrt[1 + d*x]*(e + f*x)^2),x]

[Out]
$$\frac{-((f*(C*e^2 + f*(-(B*e) + A*f))*Sqrt[1 - d^2*x^2]) / ((-(d^2*e^2) + f^2)*(e + f*x))) + (C*ArcSin[d*x])/d + (((C*d^2*e^3 - 2*C*e*f^2 - A*d^2*e*f^2 + B*f^3)*Log[e + f*x]) / (-(d^2*e^2) + f^2)^{(3/2)} - ((C*d^2*e^3 - 2*C*e*f^2 - A*d^2*e*f^2 + B*f^3)*Log[f + d^2*e*x + Sqrt[-(d^2*e^2) + f^2]*Sqrt[1 - d^2*x^2]]) / (-(d^2*e^2) + f^2)^{(3/2)}}{f^2}$$

fricas [B] time = 59.96, size = 1025, normalized size = 6.29

$$\left[\frac{Cd^3e^5f - Bd^3e^4f^2 + Bde^2f^4 - Adef^5 + (Ad^3 - Cd)e^3f^3 - (Cd^3e^5 + Bde^2f^3 - (Ad^3 + 2Cd)e^3f^2 + (Cd^3e^4f + \dots)}{\dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)/(f*x+e)^2/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="fricas")

[Out] [(C*d^3*e^5*f - B*d^3*e^4*f^2 + B*d*e^2*f^4 - A*d*e*f^5 + (A*d^3 - C*d)*e^3*f^3 - (C*d^3*e^5 + B*d*e^2*f^3 - (A*d^3 + 2*C*d)*e^3*f^2 + (C*d^3*e^4*f + B*d*e*f^4 - (A*d^3 + 2*C*d)*e^2*f^3)*x)*sqrt(-d^2*e^2 + f^2)*log((d^2*e*f*x + f^2 + sqrt(-d^2*e^2 + f^2)*(d^2*e*x + f) + (sqrt(-d^2*e^2 + f^2)*sqrt(-d*x + 1))*f - (d^2*e^2 - f^2)*sqrt(-d*x + 1))*sqrt(d*x + 1))/(f*x + e) + (C*d^3*e^5*f - B*d^3*e^4*f^2 + B*d*e^2*f^4 - A*d*e*f^5 + (A*d^3 - C*d)*e^3*f^3)*sqrt(d*x + 1)*sqrt(-d*x + 1) + (C*d^3*e^4*f^2 - B*d^3*e^3*f^3 + B*d*e*f^5 - A*d*f^6 + (A*d^3 - C*d)*e^2*f^4)*x - 2*(C*d^4*e^6 - 2*C*d^2*e^4*f^2 + C*e^2*f^4 + (C*d^4*e^5*f - 2*C*d^2*e^3*f^3 + C*e*f^5)*x)*arctan((sqrt(d*x + 1)*sqrt(-d*x + 1) - 1)/(d*x)))/(d^5*e^6*f^2 - 2*d^3*e^4*f^4 + d*e^2*f^6 + (d^5*e^5*f^3 - 2*d^3*e^3*f^5 + d*e*f^7)*x), (C*d^3*e^5*f - B*d^3*e^4*f^2 + B*d*e^2*f^4 - A*d*e*f^5 + (A*d^3 - C*d)*e^3*f^3 - 2*(C*d^3*e^5 + B*d*e^2*f^3 - (A*d^3 + 2*C*d)*e^3*f^2 + (C*d^3*e^4*f + B*d*e*f^4 - (A*d^3 + 2*C*d)*e^2*f^3)*x)*sqrt(d^2*e^2 - f^2)*arctan(-(sqrt(d^2*e^2 - f^2)*sqrt(d*x + 1)*sqrt(-d*x + 1)*e - sqrt(d^2*e^2 - f^2)*(f*x + e))/((d^2*e^2 - f^2)*x)) + (C*d^3*e^5*f - B*d^3*e^4*f^2 + B*d*e^2*f^4 - A*d*e*f^5 + (A*d^3 - C*d)*e^3*f^3)*sqrt(d*x + 1)*sqrt(-d*x + 1) + (C*d^3*e^4*f^2 - B*d^3*e^3*f^3 + B*d*e*f^5 - A*d*f^6 + (A*d^3 - C*d)*e^2*f^4)*x - 2*(C*d^4*e^6 - 2*C*d^2*e^4*f^2 + C*e^2*f^4 + (C*d^4*e^5*f - 2*C*d^2*e^3*f^3 + C*e*f^5)*x)*arctan((sqrt(d*x + 1)*sqrt(-d*x + 1) - 1)/(d*x)))/(d^5*e^6*f^2 - 2*d^3*e^4*f^4 + d*e^2*f^6 + (d^5*e^5*f^3 - 2*d^3*e^3*f^5 + d*e*f^7)*x)]

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)/(f*x+e)^2/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);OUTPUT:Undef/Unsigned Inf encountered in limit

maple [C] time = 0.00, size = 899, normalized size = 5.52

$$\left(-A d^3 e f^3 x \operatorname{csgn}(d) \ln \left(\frac{2d^2 e x + 2\sqrt{-d^2 x^2 + 1} \sqrt{-\frac{d^2 e^2 - f^2}{f^2}} f + 2f}{f x + e} \right) + C d^3 e^3 f x \operatorname{csgn}(d) \ln \left(\frac{2d^2 e x + 2\sqrt{-d^2 x^2 + 1} \sqrt{-\frac{d^2 e^2 - f^2}{f^2}} f + 2f}{f x + e} \right) \right) -$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((C*x^2+B*x+A)/(f*x+e)^2/(-d*x+1)^{(1/2)}/(d*x+1)^{(1/2)},x)$

[Out] $(-A*d^3*e*f^3*x*\text{csgn}(d)*\ln(2*(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))+C*d^3*e^3*f*x*\text{csgn}(d)*\ln(2*(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))-A*d^3*e^2*f^2*\text{csgn}(d)*\ln(2*(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))+C*d^3*e^4*\text{csgn}(d)*\ln(2*(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))+B*d*f^4*x*\text{csgn}(d)*\ln(2*(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))+(-d^2*e^2-f^2)/f^2)^{(1/2)}*C*d^2*e^2*f^2*x*\arctan(1/(-d^2*x^2+1)^{(1/2)}*d*x*\text{csgn}(d))-2*C*d*e*f^3*x*\text{csgn}(d)*\ln(2*(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))+B*d*e*f^3*\text{csgn}(d)*\ln(2*(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))+(-d^2*e^2-f^2)/f^2)^{(1/2)}*C*d^2*e^3*f*\arctan(1/(-d^2*x^2+1)^{(1/2)}*d*x*\text{csgn}(d))-2*C*d*e^2*f^2*\text{csgn}(d)*\ln(2*(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*A*d*f^4*\text{csgn}(d)-(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*B*d*e*f^3*\text{csgn}(d)+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*C*d*e^2*f^2*\text{csgn}(d)-(-d^2*e^2-f^2)/f^2)^{(1/2)}*C*f^4*x*\arctan(1/(-d^2*x^2+1)^{(1/2)}*d*x*\text{csgn}(d))-(-d^2*e^2-f^2)/f^2)^{(1/2)}*C*e*f^3*\arctan(1/(-d^2*x^2+1)^{(1/2)}*d*x*\text{csgn}(d))*(d*x+1)^{(1/2)}*(-d*x+1)^{(1/2)}/(-d^2*x^2+1)^{(1/2)}/(d*e+f)/(d*e-f)/(f*x+e)/(-d^2*e^2-f^2)/f^2)^{(1/2)}/d/f^3*\text{csgn}(d)$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((C*x^2+B*x+A)/(f*x+e)^2/(-d*x+1)^{(1/2)}/(d*x+1)^{(1/2)},x, \text{algorithm}="maxima")$

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(f-d*e>0)', see `assume?` for more details) Is f-d*e positive, negative or zero?

mupad [B] time = 0.01, size = 10198, normalized size = 62.56

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A + B*x + C*x^2)/((e + f*x)^2*(1 - d*x)^{(1/2)}*(d*x + 1)^{(1/2)}),x)$

[Out] $(A*d^5*e^5*\text{atan}(((f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*i - (((1 - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*i)/((d*x + 1)^{(1/2)} - 1)^2)/(f^3 - d^2*e^2*f - (f^3*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 - (2*d^3*e^3$

$$\begin{aligned}
& *((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (2*d*e*f^2*((1 - d*x)^{(1/2)} \\
& - 1))/((d*x + 1)^{(1/2)} - 1) + (d^2*e^2*f*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + \\
& 1)^{(1/2)} - 1)^2)*2i - A*d^3*e^3*f^2*atan(((f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}* \\
& 1i - (((1 - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i)/((d*x + 1) \\
&)^{(1/2)} - 1)^2)/(f^3 - d^2*e^2*f - (f^3*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1) \\
&)^{(1/2)} - 1)^2 - (2*d^3*e^3*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (\\
& 2*d*e*f^2*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (d^2*e^2*f*((1 - d \\
& *x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2)*2i + (4*A*f^2*((1 - d*x)^{(1/2)} \\
& - 1)*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)})/((d*x + 1)^{(1/2)} - 1) + (A*d^5*e^5*at \\
& an(((f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i - (((1 - d*x)^{(1/2)} - 1)^2*(f + d*e) \\
&)^{(3/2)}*(f - d*e)^{(3/2)}*1i)/((d*x + 1)^{(1/2)} - 1)^2)/(f^3 - d^2*e^2*f - (f^3 \\
& *((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 - (2*d^3*e^3*((1 - d*x)^{(\\
& 1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (2*d*e*f^2*((1 - d*x)^{(1/2)} - 1))/((d*x \\
& + 1)^{(1/2)} - 1) + (d^2*e^2*f*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1) \\
&)^2)*((1 - d*x)^{(1/2)} - 1)^2*4i)/((d*x + 1)^{(1/2)} - 1)^2 + (A*d^5*e^5*atan(\\
& ((f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i - (((1 - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(3 \\
& /2)}*(f - d*e)^{(3/2)}*1i)/((d*x + 1)^{(1/2)} - 1)^2)/(f^3 - d^2*e^2*f - (f^3*((\\
& 1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 - (2*d^3*e^3*((1 - d*x)^{(1/2) \\
&) - 1))/((d*x + 1)^{(1/2)} - 1) + (2*d*e*f^2*((1 - d*x)^{(1/2)} - 1))/((d*x + 1) \\
&)^{(1/2)} - 1) + (d^2*e^2*f*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2) \\
&)*((1 - d*x)^{(1/2)} - 1)^4*2i)/((d*x + 1)^{(1/2)} - 1)^4 - (4*A*f^2*((1 - d*x) \\
&)^{(1/2)} - 1)^3*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)})/((d*x + 1)^{(1/2)} - 1)^3 - (A \\
& *d^3*e^3*f^2*atan(((f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i - (((1 - d*x)^{(1/2)} - \\
& 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i)/((d*x + 1)^{(1/2)} - 1)^2)/(f^3 - d \\
& ^2*e^2*f - (f^3*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 - (2*d^3*e \\
& ^3*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (2*d*e*f^2*((1 - d*x)^{(1/ \\
& 2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (d^2*e^2*f*((1 - d*x)^{(1/2)} - 1)^2)/((d*x \\
& + 1)^{(1/2)} - 1)^2)*((1 - d*x)^{(1/2)} - 1)^2*4i)/((d*x + 1)^{(1/2)} - 1)^2 + (\\
& A*d^2*e^2*f^3*atan(((f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i - (((1 - d*x)^{(1/2)} \\
& - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i)/((d*x + 1)^{(1/2)} - 1)^2)/(f^3 - \\
& d^2*e^2*f - (f^3*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 - (2*d^3* \\
& e^3*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (2*d*e*f^2*((1 - d*x)^{(1 \\
& /2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (d^2*e^2*f*((1 - d*x)^{(1/2)} - 1)^2)/((d*x \\
& + 1)^{(1/2)} - 1)^2)*((1 - d*x)^{(1/2)} - 1)^3*8i)/((d*x + 1)^{(1/2)} - 1)^3 - \\
& (A*d^3*e^3*f^2*atan(((f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i - (((1 - d*x)^{(1/2)} \\
& - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i)/((d*x + 1)^{(1/2)} - 1)^2)/(f^3 - \\
& d^2*e^2*f - (f^3*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 - (2*d^3 \\
& *e^3*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (2*d*e*f^2*((1 - d*x)^{(\\
& 1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (d^2*e^2*f*((1 - d*x)^{(1/2)} - 1)^2)/((d* \\
& x + 1)^{(1/2)} - 1)^2)*((1 - d*x)^{(1/2)} - 1)^4*2i)/((d*x + 1)^{(1/2)} - 1)^4 + \\
& (A*d^4*e^4*f*atan(((f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i - (((1 - d*x)^{(1/2)} \\
& - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i)/((d*x + 1)^{(1/2)} - 1)^2)/(f^3 - \\
& d^2*e^2*f - (f^3*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 - (2*d^3* \\
& e^3*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (2*d*e*f^2*((1 - d*x)^{(1 \\
& /2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (d^2*e^2*f*((1 - d*x)^{(1/2)} - 1)^2)/((d*x
\end{aligned}$$

$$\begin{aligned}
& + 1)^{(1/2)} - 1)^2) * ((1 - d*x)^{(1/2)} - 1) * 8i) / ((d*x + 1)^{(1/2)} - 1) - (A*d \\
& ^2*e^2*f^3*atan(((f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i - (((1 - d*x)^{(1/2)} - 1) \\
&)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i) / ((d*x + 1)^{(1/2)} - 1)^2) / (f^3 - d^2 \\
& *e^2*f - (f^3*((1 - d*x)^{(1/2)} - 1)^2) / ((d*x + 1)^{(1/2)} - 1)^2 - (2*d^3*e^3 \\
& *((1 - d*x)^{(1/2)} - 1)) / ((d*x + 1)^{(1/2)} - 1) + (2*d*e*f^2*((1 - d*x)^{(1/2)} \\
& - 1)) / ((d*x + 1)^{(1/2)} - 1) + (d^2*e^2*f*((1 - d*x)^{(1/2)} - 1)^2) / ((d*x + \\
& 1)^{(1/2)} - 1)^2) * ((1 - d*x)^{(1/2)} - 1) * 8i) / ((d*x + 1)^{(1/2)} - 1) - (A*d^4* \\
& e^4*f*atan(((f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i - (((1 - d*x)^{(1/2)} - 1)^2*(\\
& f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i) / ((d*x + 1)^{(1/2)} - 1)^2) / (f^3 - d^2*e^2* \\
& f - (f^3*((1 - d*x)^{(1/2)} - 1)^2) / ((d*x + 1)^{(1/2)} - 1)^2 - (2*d^3*e^3*((1 \\
& - d*x)^{(1/2)} - 1)) / ((d*x + 1)^{(1/2)} - 1) + (2*d*e*f^2*((1 - d*x)^{(1/2)} - 1) \\
&) / ((d*x + 1)^{(1/2)} - 1) + (d^2*e^2*f*((1 - d*x)^{(1/2)} - 1)^2) / ((d*x + 1)^{(1 \\
& /2)} - 1)^2) * ((1 - d*x)^{(1/2)} - 1)^3 * 8i) / ((d*x + 1)^{(1/2)} - 1)^3 + (8*A*d*e \\
& *f*((1 - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}) / ((d*x + 1)^{(1/2) \\
&) - 1)^2) / (d^3*e^4*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)} - d*e^2*f^2*(f + d*e)^{(3 \\
& /2)}*(f - d*e)^{(3/2)} - (4*e*f^3*((1 - d*x)^{(1/2)} - 1)*(f + d*e)^{(3/2)}*(f - d \\
& *e)^{(3/2)}) / ((d*x + 1)^{(1/2)} - 1) + (4*e*f^3*((1 - d*x)^{(1/2)} - 1)^3*(f + d* \\
& e)^{(3/2)}*(f - d*e)^{(3/2)}) / ((d*x + 1)^{(1/2)} - 1)^3 + (2*d^3*e^4*((1 - d*x)^{(\\
& 1/2)} - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}) / ((d*x + 1)^{(1/2)} - 1)^2 + (d^3 \\
& *e^4*((1 - d*x)^{(1/2)} - 1)^4*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}) / ((d*x + 1)^{(1 \\
& /2)} - 1)^4 - (2*d*e^2*f^2*((1 - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(3/2)}*(f - d*e) \\
& ^{(3/2)}) / ((d*x + 1)^{(1/2)} - 1)^2 - (4*d^2*e^3*f*((1 - d*x)^{(1/2)} - 1)^3*(f + \\
& d*e)^{(3/2)}*(f - d*e)^{(3/2)}) / ((d*x + 1)^{(1/2)} - 1)^3 - (d*e^2*f^2*((1 - d*x) \\
&)^{(1/2)} - 1)^4*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}) / ((d*x + 1)^{(1/2)} - 1)^4 + (\\
& 4*d^2*e^3*f*((1 - d*x)^{(1/2)} - 1)*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}) / ((d*x + \\
& 1)^{(1/2)} - 1) - (B*d^3*e^3*f*atan(((f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i - ((\\
& (1 - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i) / ((d*x + 1)^{(1/2) \\
& - 1)^2) / (f^3 - d^2*e^2*f - (f^3*((1 - d*x)^{(1/2)} - 1)^2) / ((d*x + 1)^{(1/2) \\
& - 1)^2 - (2*d^3*e^3*((1 - d*x)^{(1/2)} - 1)) / ((d*x + 1)^{(1/2)} - 1) + (2*d*e*f \\
& ^2*((1 - d*x)^{(1/2)} - 1)) / ((d*x + 1)^{(1/2)} - 1) + (d^2*e^2*f*((1 - d*x)^{(1/ \\
& 2)} - 1)^2) / ((d*x + 1)^{(1/2)} - 1)^2) * 2i - (B*f^4*atan(((f + d*e)^{(3/2)}*(f - \\
& d*e)^{(3/2)}*1i - (((1 - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1 \\
& i) / ((d*x + 1)^{(1/2)} - 1)^2) / (f^3 - d^2*e^2*f - (f^3*((1 - d*x)^{(1/2)} - 1)^2 \\
&) / ((d*x + 1)^{(1/2)} - 1)^2 - (2*d^3*e^3*((1 - d*x)^{(1/2)} - 1)) / ((d*x + 1)^{(1 \\
& /2)} - 1) + (2*d*e*f^2*((1 - d*x)^{(1/2)} - 1)) / ((d*x + 1)^{(1/2)} - 1) + (d^2*e \\
& ^2*f*((1 - d*x)^{(1/2)} - 1)^2) / ((d*x + 1)^{(1/2)} - 1)^2) * ((1 - d*x)^{(1/2)} - \\
& 1) * 8i) / ((d*x + 1)^{(1/2)} - 1) + (B*f^4*atan(((f + d*e)^{(3/2)}*(f - d*e)^{(3/2) \\
& } * 1i - (((1 - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i) / ((d*x + \\
& 1)^{(1/2)} - 1)^2) / (f^3 - d^2*e^2*f - (f^3*((1 - d*x)^{(1/2)} - 1)^2) / ((d*x + 1) \\
&)^{(1/2)} - 1)^2 - (2*d^3*e^3*((1 - d*x)^{(1/2)} - 1)) / ((d*x + 1)^{(1/2)} - 1) + \\
& (2*d*e*f^2*((1 - d*x)^{(1/2)} - 1)) / ((d*x + 1)^{(1/2)} - 1) + (d^2*e^2*f*((1 - \\
& d*x)^{(1/2)} - 1)^2) / ((d*x + 1)^{(1/2)} - 1)^2) * ((1 - d*x)^{(1/2)} - 1)^3 * 8i) / ((\\
& d*x + 1)^{(1/2)} - 1)^3 - B*d*e*f^3*atan(((f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i \\
& - (((1 - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i) / ((d*x + 1)^{(\\
& 1/2)} - 1)^2) / (f^3 - d^2*e^2*f - (f^3*((1 - d*x)^{(1/2)} - 1)^2) / ((d*x + 1)^{(1
\end{aligned}$$

$$\begin{aligned}
& /2) - 1)^2 - (2*d^3*e^3*((1 - d*x)^{1/2} - 1))/((d*x + 1)^{1/2} - 1) + (2*d \\
& *e*f^2*((1 - d*x)^{1/2} - 1))/((d*x + 1)^{1/2} - 1) + (d^2*e^2*f*((1 - d*x) \\
& ^{1/2} - 1)^2)/((d*x + 1)^{1/2} - 1)^2)*2i - (4*B*f*((1 - d*x)^{1/2} - 1)^ \\
& 3*(f + d*e)^{3/2}*(f - d*e)^{3/2})/((d*x + 1)^{1/2} - 1)^3 + (4*B*f*((1 - d \\
& *x)^{1/2} - 1)*(f + d*e)^{3/2}*(f - d*e)^{3/2})/((d*x + 1)^{1/2} - 1) - (B* \\
& d^2*e^2*f^2*atan(((f + d*e)^{3/2}*(f - d*e)^{3/2}*1i - (((1 - d*x)^{1/2} - \\
& 1)^2*(f + d*e)^{3/2}*(f - d*e)^{3/2}*1i))/((d*x + 1)^{1/2} - 1)^2)/(f^3 - d^ \\
& 2*e^2*f - (f^3*((1 - d*x)^{1/2} - 1)^2)/((d*x + 1)^{1/2} - 1)^2 - (2*d^3*e^ \\
& 3*((1 - d*x)^{1/2} - 1))/((d*x + 1)^{1/2} - 1) + (2*d*e*f^2*((1 - d*x)^{1/2} \\
&) - 1))/((d*x + 1)^{1/2} - 1) + (d^2*e^2*f*((1 - d*x)^{1/2} - 1)^2)/((d*x + \\
& 1)^{1/2} - 1)^2))*((1 - d*x)^{1/2} - 1)^3*8i)/((d*x + 1)^{1/2} - 1)^3 - (B \\
& *d*e*f^3*atan(((f + d*e)^{3/2}*(f - d*e)^{3/2}*1i - (((1 - d*x)^{1/2} - 1)^ \\
& 2*(f + d*e)^{3/2}*(f - d*e)^{3/2}*1i))/((d*x + 1)^{1/2} - 1)^2)/(f^3 - d^2*e \\
& ^2*f - (f^3*((1 - d*x)^{1/2} - 1)^2)/((d*x + 1)^{1/2} - 1)^2 - (2*d^3*e^3*(\\
& (1 - d*x)^{1/2} - 1))/((d*x + 1)^{1/2} - 1) + (2*d*e*f^2*((1 - d*x)^{1/2} - \\
& 1))/((d*x + 1)^{1/2} - 1) + (d^2*e^2*f*((1 - d*x)^{1/2} - 1)^2)/((d*x + 1) \\
& ^{1/2} - 1)^2))*((1 - d*x)^{1/2} - 1)^2*4i)/((d*x + 1)^{1/2} - 1)^2 - (B*d* \\
& e*f^3*atan(((f + d*e)^{3/2}*(f - d*e)^{3/2}*1i - (((1 - d*x)^{1/2} - 1)^2*(\\
& f + d*e)^{3/2}*(f - d*e)^{3/2}*1i))/((d*x + 1)^{1/2} - 1)^2)/(f^3 - d^2*e^2* \\
& f - (f^3*((1 - d*x)^{1/2} - 1)^2)/((d*x + 1)^{1/2} - 1)^2 - (2*d^3*e^3*((1 \\
& - d*x)^{1/2} - 1))/((d*x + 1)^{1/2} - 1) + (2*d*e*f^2*((1 - d*x)^{1/2} - 1) \\
&)/((d*x + 1)^{1/2} - 1) + (d^2*e^2*f*((1 - d*x)^{1/2} - 1)^2)/((d*x + 1)^{1/ \\
& 2} - 1)^2))*((1 - d*x)^{1/2} - 1)^4*2i)/((d*x + 1)^{1/2} - 1)^4 + (8*B*d*e \\
& *((1 - d*x)^{1/2} - 1)^2*(f + d*e)^{3/2}*(f - d*e)^{3/2})/((d*x + 1)^{1/2} \\
& - 1)^2 + (B*d^2*e^2*f^2*atan(((f + d*e)^{3/2}*(f - d*e)^{3/2}*1i - (((1 - d \\
& *x)^{1/2} - 1)^2*(f + d*e)^{3/2}*(f - d*e)^{3/2}*1i))/((d*x + 1)^{1/2} - 1)^ \\
& 2)/(f^3 - d^2*e^2*f - (f^3*((1 - d*x)^{1/2} - 1)^2)/((d*x + 1)^{1/2} - 1)^2 \\
& - (2*d^3*e^3*((1 - d*x)^{1/2} - 1))/((d*x + 1)^{1/2} - 1) + (2*d*e*f^2*((1 \\
& - d*x)^{1/2} - 1))/((d*x + 1)^{1/2} - 1) + (d^2*e^2*f*((1 - d*x)^{1/2} - 1 \\
&)^2)/((d*x + 1)^{1/2} - 1)^2))*((1 - d*x)^{1/2} - 1)*8i)/((d*x + 1)^{1/2} - \\
& 1) + (B*d^3*e^3*f*atan(((f + d*e)^{3/2}*(f - d*e)^{3/2}*1i - (((1 - d*x)^{ \\
& 1/2} - 1)^2*(f + d*e)^{3/2}*(f - d*e)^{3/2}*1i))/((d*x + 1)^{1/2} - 1)^2)/(f \\
& ^3 - d^2*e^2*f - (f^3*((1 - d*x)^{1/2} - 1)^2)/((d*x + 1)^{1/2} - 1)^2 - (2 \\
& *d^3*e^3*((1 - d*x)^{1/2} - 1))/((d*x + 1)^{1/2} - 1) + (2*d*e*f^2*((1 - d* \\
& x)^{1/2} - 1))/((d*x + 1)^{1/2} - 1) + (d^2*e^2*f*((1 - d*x)^{1/2} - 1)^2)/ \\
& ((d*x + 1)^{1/2} - 1)^2))*((1 - d*x)^{1/2} - 1)^2*4i)/((d*x + 1)^{1/2} - 1) \\
& ^2 + (B*d^3*e^3*f*atan(((f + d*e)^{3/2}*(f - d*e)^{3/2}*1i - (((1 - d*x)^{1 \\
& /2} - 1)^2*(f + d*e)^{3/2}*(f - d*e)^{3/2}*1i))/((d*x + 1)^{1/2} - 1)^2)/(f^ \\
& 3 - d^2*e^2*f - (f^3*((1 - d*x)^{1/2} - 1)^2)/((d*x + 1)^{1/2} - 1)^2 - (2* \\
& d^3*e^3*((1 - d*x)^{1/2} - 1))/((d*x + 1)^{1/2} - 1) + (2*d*e*f^2*((1 - d*x \\
&)^{1/2} - 1))/((d*x + 1)^{1/2} - 1) + (d^2*e^2*f*((1 - d*x)^{1/2} - 1)^2)/(\\
& (d*x + 1)^{1/2} - 1)^2))*((1 - d*x)^{1/2} - 1)^4*2i)/((d*x + 1)^{1/2} - 1)^ \\
& 4)/(d^3*e^3*(f + d*e)^{3/2}*(f - d*e)^{3/2} + 4*f^3*((1 - d*x)^{1/2} - 1)^ \\
& 3*(f + d*e)^{3/2}*(f - d*e)^{3/2})/((d*x + 1)^{1/2} - 1)^3 - d*e*f^2*(f + d \\
& *e)^{3/2}*(f - d*e)^{3/2} - (4*f^3*((1 - d*x)^{1/2} - 1)*(f + d*e)^{3/2}*(f
\end{aligned}$$

$$\begin{aligned}
& - d*e)^{(3/2)})/((d*x + 1)^{(1/2)} - 1) + (2*d^3*e^3*((1 - d*x)^{(1/2)} - 1)^2*(\\
& f + d*e)^{(3/2)}*(f - d*e)^{(3/2)})/((d*x + 1)^{(1/2)} - 1)^2 + (d^3*e^3*((1 - d* \\
& x)^{(1/2)} - 1)^4*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)})/((d*x + 1)^{(1/2)} - 1)^4 - \\
& (4*d^2*e^2*f*((1 - d*x)^{(1/2)} - 1)^3*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)})/((d*x \\
& + 1)^{(1/2)} - 1)^3 + (4*d^2*e^2*f*((1 - d*x)^{(1/2)} - 1)*(f + d*e)^{(3/2)}*(f \\
& - d*e)^{(3/2)})/((d*x + 1)^{(1/2)} - 1) - (2*d*e*f^2*((1 - d*x)^{(1/2)} - 1)^2*(f \\
& + d*e)^{(3/2)}*(f - d*e)^{(3/2)})/((d*x + 1)^{(1/2)} - 1)^2 - (d*e*f^2*((1 - d*x \\
&)^{(1/2)} - 1)^4*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)})/((d*x + 1)^{(1/2)} - 1)^4) - \\
& ((4*C*d*e*((1 - d*x)^{(1/2)} - 1))/((f^2 - d^2*e^2)*((d*x + 1)^{(1/2)} - 1)) - \\
& (4*C*d*e*((1 - d*x)^{(1/2)} - 1)^3)/((f^2 - d^2*e^2)*((d*x + 1)^{(1/2)} - 1)^3) \\
& + (8*C*d^2*e^2*((1 - d*x)^{(1/2)} - 1)^2)/(f*(f^2 - d^2*e^2)*((d*x + 1)^{(1/2) \\
&) - 1)^2))/((d^2*e + (4*d*f*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) - (\\
& 4*d*f*((1 - d*x)^{(1/2)} - 1)^3)/((d*x + 1)^{(1/2)} - 1)^3 + (2*d^2*e*((1 - d*x \\
&)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 + (d^2*e*((1 - d*x)^{(1/2)} - 1)^4)/(\\
& (d*x + 1)^{(1/2)} - 1)^4) + (4*C*atan((((((1 - d*x)^{(1/2)} - 1)*((2097152*(288 \\
& *e^3*f^11 - 6*d^10*e^13*f - 912*d^2*e^5*f^9 + 1048*d^4*e^7*f^7 - 532*d^6*e^ \\
& 9*f^5 + 112*d^8*e^11*f^3)))/(d*f^2*(d*f^13 - 4*d^3*e^2*f^11 + 6*d^5*e^4*f^9 \\
& - 4*d^7*e^6*f^7 + d^9*e^8*f^5)) - (33554432*(20*d^2*e*f^21 - 103*d^4*e^3*f^ \\
& 19 + 215*d^6*e^5*f^17 - 230*d^8*e^7*f^15 + 130*d^10*e^9*f^13 - 35*d^12*e^11 \\
& *f^11 + 3*d^14*e^13*f^9)))/(d^5*f^10*(d*f^13 - 4*d^3*e^2*f^11 + 6*d^5*e^4*f^ \\
& 9 - 4*d^7*e^6*f^7 + d^9*e^8*f^5)) + (8388608*(72*e*f^17 - 452*d^2*e^3*f^15 \\
& + 1024*d^4*e^5*f^13 - 1106*d^6*e^7*f^11 + 597*d^8*e^9*f^9 - 144*d^10*e^11*f \\
& ^7 + 9*d^12*e^13*f^5)))/(d^3*f^6*(d*f^13 - 4*d^3*e^2*f^11 + 6*d^5*e^4*f^9 - \\
& 4*d^7*e^6*f^7 + d^9*e^8*f^5)))/((d*x + 1)^{(1/2)} - 1) - (33554432*(7*d^2*e^ \\
& 2*f^19 - 35*d^4*e^4*f^17 + 70*d^6*e^6*f^15 - 70*d^8*e^8*f^13 + 35*d^10*e^10 \\
& *f^11 - 7*d^12*e^12*f^9)))/(d^5*f^10*(f^12 - 4*d^2*e^2*f^10 + 6*d^4*e^4*f^8 \\
& - 4*d^6*e^6*f^6 + d^8*e^8*f^4)) + (2097152*(112*e^4*f^9 + 28*d^8*e^12*f - 3 \\
& 36*d^2*e^6*f^7 + 364*d^4*e^8*f^5 - 168*d^6*e^10*f^3))/((d*f^2*(f^12 - 4*d^2* \\
& e^2*f^10 + 6*d^4*e^4*f^8 - 4*d^6*e^6*f^6 + d^8*e^8*f^4)) + (8388608*(28*e^2 \\
& *f^15 - 168*d^2*e^4*f^13 + 364*d^4*e^6*f^11 - 371*d^6*e^8*f^9 + 182*d^8*e^1 \\
& 0*f^7 - 35*d^10*e^12*f^5)))/(d^3*f^6*(f^12 - 4*d^2*e^2*f^10 + 6*d^4*e^4*f^8 \\
& - 4*d^6*e^6*f^6 + d^8*e^8*f^4)))*(d^4*f^14 - 4*d^6*e^2*f^12 + 6*d^8*e^4*f^1 \\
& 0 - 4*d^10*e^6*f^8 + d^12*e^8*f^6))/(67108864*e*f^12 + 37748736*d^12*e^13 - \\
& 268435456*d^2*e^3*f^10 + 536870912*d^4*e^5*f^8 - 637534208*d^6*e^7*f^6 + 4 \\
& 69762048*d^8*e^9*f^4 - 201326592*d^10*e^11*f^2))/((d*f^2) + (log(16*f^15 - \\
& 9*d^14*e^14*f - (16*f^15*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 - \\
& 92*d^2*e^2*f^13 + 236*d^4*e^4*f^11 - 352*d^6*e^6*f^9 + 329*d^8*e^8*f^7 - 1 \\
& 91*d^10*e^10*f^5 + 63*d^12*e^12*f^3 + 16*f^6*(f + d*e)^{(9/2)}*(f - d*e)^{(9/2) \\
&) + 12*d^6*e^6*(f + d*e)^{(9/2)}*(f - d*e)^{(9/2)} + 15*d^12*e^12*(f + d*e)^{(3/ \\
& 2)}*(f - d*e)^{(3/2)} - (6*d^15*e^15*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - \\
& 1) + (16*d*e*f^14*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (92*d^2*e \\
& ^2*f^13*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 - (236*d^4*e^4*f^1 \\
& 1*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 + (352*d^6*e^6*f^9*((1 - \\
& d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 - (329*d^8*e^8*f^7*((1 - d*x)^{(\\
& 1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 + (191*d^10*e^10*f^5*((1 - d*x)^{(1/2)}
\end{aligned}$$

$$\begin{aligned}
& - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 - (63*d^{12}*e^{12}*f^3*((1 - d*x)^{(1/2)} - 1)^2 \\
&)/((d*x + 1)^{(1/2)} - 1)^2 - (16*f^6*((1 - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(9/2)} \\
& *(f - d*e)^{(9/2)})/((d*x + 1)^{(1/2)} - 1)^2 - 24*d^2*e^2*f^{10}*(f + d*e)^{(3/2)} \\
& *(f - d*e)^{(3/2)} + 120*d^4*e^4*f^8*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)} - 228*d^6 \\
& *e^6*f^6*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)} + 4*d^2*e^2*f^4*(f + d*e)^{(9/2)}*(\\
& f - d*e)^{(9/2)} + 207*d^8*e^8*f^4*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)} - 28*d^4*e \\
& ^4*f^2*(f + d*e)^{(9/2)}*(f - d*e)^{(9/2)} - 90*d^{10}*e^{10}*f^2*(f + d*e)^{(3/2)}*(\\
& f - d*e)^{(3/2)} - (88*d^3*e^3*f^{12}*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - \\
& 1) + (216*d^5*e^5*f^{10}*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) - (308 \\
& *d^7*e^7*f^8*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (274*d^9*e^9*f^6 \\
& *((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) - (150*d^{11}*e^{11}*f^4*((1 - d \\
& *x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (46*d^{13}*e^{13}*f^2*((1 - d*x)^{(1/2)} \\
& - 1))/((d*x + 1)^{(1/2)} - 1) + (9*d^{14}*e^{14}*f*((1 - d*x)^{(1/2)} - 1)^2)/((d*x \\
& + 1)^{(1/2)} - 1)^2 + (48*d^6*e^6*((1 - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(9/2)}*(f \\
& - d*e)^{(9/2)})/((d*x + 1)^{(1/2)} - 1)^2 + (45*d^{12}*e^{12}*((1 - d*x)^{(1/2)} - 1 \\
&)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)})/((d*x + 1)^{(1/2)} - 1)^2 + (376*d^3*e^3 \\
& *f^9*((1 - d*x)^{(1/2)} - 1)*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)})/((d*x + 1)^{(1/2)} \\
&) - 1) - (688*d^5*e^5*f^7*((1 - d*x)^{(1/2)} - 1)*(f + d*e)^{(3/2)}*(f - d*e)^{(\\
& 3/2)})/((d*x + 1)^{(1/2)} - 1) + (612*d^7*e^7*f^5*((1 - d*x)^{(1/2)} - 1)*(f + d \\
& *e)^{(3/2)}*(f - d*e)^{(3/2)})/((d*x + 1)^{(1/2)} - 1) - (152*d^3*e^3*f^3*((1 - d \\
& *x)^{(1/2)} - 1)*(f + d*e)^{(9/2)}*(f - d*e)^{(9/2)})/((d*x + 1)^{(1/2)} - 1) - (26 \\
& 4*d^9*e^9*f^3*((1 - d*x)^{(1/2)} - 1)*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)})/((d*x \\
& + 1)^{(1/2)} - 1) - (80*d*e*f^{11}*((1 - d*x)^{(1/2)} - 1)*(f + d*e)^{(3/2)}*(f - d \\
& *e)^{(3/2)})/((d*x + 1)^{(1/2)} - 1) + (96*d*e*f^5*((1 - d*x)^{(1/2)} - 1)*(f + d \\
& *e)^{(9/2)}*(f - d*e)^{(9/2)})/((d*x + 1)^{(1/2)} - 1) - (136*d^2*e^2*f^{10}*((1 - \\
& d*x)^{(1/2)} - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)})/((d*x + 1)^{(1/2)} - 1)^2 \\
& + (560*d^4*e^4*f^8*((1 - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}) \\
& /((d*x + 1)^{(1/2)} - 1)^2 - (912*d^6*e^6*f^6*((1 - d*x)^{(1/2)} - 1)^2*(f + d* \\
& e)^{(3/2)}*(f - d*e)^{(3/2)})/((d*x + 1)^{(1/2)} - 1)^2 + (156*d^2*e^2*f^4*((1 - \\
& d*x)^{(1/2)} - 1)^2*(f + d*e)^{(9/2)}*(f - d*e)^{(9/2)})/((d*x + 1)^{(1/2)} - 1)^2 \\
& + (733*d^8*e^8*f^4*((1 - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}) \\
& /((d*x + 1)^{(1/2)} - 1)^2 - (172*d^4*e^4*f^2*((1 - d*x)^{(1/2)} - 1)^2*(f + d* \\
& e)^{(9/2)}*(f - d*e)^{(9/2)})/((d*x + 1)^{(1/2)} - 1)^2 - (290*d^{10}*e^{10}*f^2*((1 \\
& - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)})/((d*x + 1)^{(1/2)} - 1)^ \\
& 2 + (56*d^5*e^5*f*((1 - d*x)^{(1/2)} - 1)*(f + d*e)^{(9/2)}*(f - d*e)^{(9/2)})/((\\
& d*x + 1)^{(1/2)} - 1) + (44*d^{11}*e^{11}*f*((1 - d*x)^{(1/2)} - 1)*(f + d*e)^{(3/2)} \\
& *(f - d*e)^{(3/2)})/((d*x + 1)^{(1/2)} - 1))*(C*d^2*e^3 - 2*C*e*f^2)/(f^2*(f + \\
& d*e)^{(3/2)}*(f - d*e)^{(3/2)}) + (C*e*log(9*d^{14}*e^{14}*f - 16*f^{15} + (16*f^{15} \\
& ((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 + 92*d^2*e^2*f^{13} - 236*d^4 \\
& *e^4*f^{11} + 352*d^6*e^6*f^9 - 329*d^8*e^8*f^7 + 191*d^{10}*e^{10}*f^5 - 63*d^{1 \\
& 2}*e^{12}*f^3 + 16*f^6*(f + d*e)^{(9/2)}*(f - d*e)^{(9/2)} + 12*d^6*e^6*(f + d*e)^ \\
& (9/2)*(f - d*e)^{(9/2)} + 15*d^{12}*e^{12}*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)} + (6*d \\
& ^{15}*e^{15}*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) - (16*d*e*f^{14}*((1 - \\
& d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) - (92*d^2*e^2*f^{13}*((1 - d*x)^{(1/2)} \\
& - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 + (236*d^4*e^4*f^{11}*((1 - d*x)^{(1/2)} - 1)^2
\end{aligned}$$

$$\begin{aligned} & /((d*x + 1)^{(1/2)} - 1)^2 - (352*d^6*e^6*f^9*((1 - d*x)^{(1/2)} - 1)^2)/((d*x \\ & + 1)^{(1/2)} - 1)^2 + (329*d^8*e^8*f^7*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} \\ & - 1)^2 - (191*d^10*e^10*f^5*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} \\ & - 1)^2 + (63*d^12*e^12*f^3*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 \\ & - (16*f^6*((1 - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(9/2)}*(f - d*e)^{(9/2)})/((d*x + \\ & 1)^{(1/2)} - 1)^2 - 24*d^2*e^2*f^10*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)} + 120*d^ \\ & 4*e^4*f^8*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)} - 228*d^6*e^6*f^6*(f + d*e)^{(3/2)} \\ & *(f - d*e)^{(3/2)} + 4*d^2*e^2*f^4*(f + d*e)^{(9/2)}*(f - d*e)^{(9/2)} + 207*d^8* \\ & e^8*f^4*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)} - 28*d^4*e^4*f^2*(f + d*e)^{(9/2)}*(f \\ & - d*e)^{(9/2)} - 90*d^10*e^10*f^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)} + (88*d^3* \\ & e^3*f^12*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) - (216*d^5*e^5*f^10*(\\ & (1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (308*d^7*e^7*f^8*((1 - d*x)^{(\\ & 1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) - (274*d^9*e^9*f^6*((1 - d*x)^{(1/2)} - 1))/ \\ & ((d*x + 1)^{(1/2)} - 1) + (150*d^11*e^11*f^4*((1 - d*x)^{(1/2)} - 1))/((d*x + 1 \\ &)^{(1/2)} - 1) - (46*d^13*e^13*f^2*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - \\ & 1) - (9*d^14*e^14*f*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 + (48* \\ & d^6*e^6*((1 - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(9/2)}*(f - d*e)^{(9/2)})/((d*x + 1) \\ & ^{(1/2)} - 1)^2 + (45*d^12*e^12*((1 - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(3/2)}*(f - \\ & d*e)^{(3/2)})/((d*x + 1)^{(1/2)} - 1)^2 + (376*d^3*e^3*f^9*((1 - d*x)^{(1/2)} - 1 \\ &)*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)})/((d*x + 1)^{(1/2)} - 1) - (688*d^5*e^5*f^7 \\ & *((1 - d*x)^{(1/2)} - 1)*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)})/((d*x + 1)^{(1/2)} - \\ & 1) + (612*d^7*e^7*f^5*((1 - d*x)^{(1/2)} - 1)*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)} \\ &)/((d*x + 1)^{(1/2)} - 1) - (152*d^3*e^3*f^3*((1 - d*x)^{(1/2)} - 1)*(f + d*e)^ \\ & (9/2)*(f - d*e)^{(9/2)})/((d*x + 1)^{(1/2)} - 1) - (264*d^9*e^9*f^3*((1 - d*x)^ \\ & (1/2) - 1)*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)})/((d*x + 1)^{(1/2)} - 1) - (80*d*e \\ & *f^11*((1 - d*x)^{(1/2)} - 1)*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)})/((d*x + 1)^{(1/ \\ & 2)} - 1) + (96*d*e*f^5*((1 - d*x)^{(1/2)} - 1)*(f + d*e)^{(9/2)}*(f - d*e)^{(9/2)} \\ &)/((d*x + 1)^{(1/2)} - 1) - (136*d^2*e^2*f^10*((1 - d*x)^{(1/2)} - 1)^2*(f + d* \\ & e)^{(3/2)}*(f - d*e)^{(3/2)})/((d*x + 1)^{(1/2)} - 1)^2 + (560*d^4*e^4*f^8*((1 - \\ & d*x)^{(1/2)} - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)})/((d*x + 1)^{(1/2)} - 1)^2 \\ & - (912*d^6*e^6*f^6*((1 - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}) \\ & /((d*x + 1)^{(1/2)} - 1)^2 + (156*d^2*e^2*f^4*((1 - d*x)^{(1/2)} - 1)^2*(f + d* \\ & e)^{(9/2)}*(f - d*e)^{(9/2)})/((d*x + 1)^{(1/2)} - 1)^2 + (733*d^8*e^8*f^4*((1 - \\ & d*x)^{(1/2)} - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)})/((d*x + 1)^{(1/2)} - 1)^2 \\ & - (172*d^4*e^4*f^2*((1 - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(9/2)}*(f - d*e)^{(9/2)}) \\ & /((d*x + 1)^{(1/2)} - 1)^2 - (290*d^10*e^10*f^2*((1 - d*x)^{(1/2)} - 1)^2*(f + \\ & d*e)^{(3/2)}*(f - d*e)^{(3/2)})/((d*x + 1)^{(1/2)} - 1)^2 + (56*d^5*e^5*f*((1 - d \\ & *x)^{(1/2)} - 1)*(f + d*e)^{(9/2)}*(f - d*e)^{(9/2)})/((d*x + 1)^{(1/2)} - 1) + (44 \\ & *d^11*e^11*f*((1 - d*x)^{(1/2)} - 1)*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)})/((d*x + \\ & 1)^{(1/2)} - 1))*(2*f^2 - d^2*e^2)/(f^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}) \end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x**2+B*x+A)/(f*x+e)**2/(-d*x+1)**(1/2)/(d*x+1)**(1/2),x)
```

```
[Out] Timed out
```


$$3.14 \quad \int \frac{A+Bx+Cx^2}{\sqrt{1-dx} \sqrt{1+dx} (e+fx)^3} dx$$

Optimal. Leaf size=248

$$\frac{\sqrt{1-d^2x^2} (Af^2 - Bef + Ce^2)}{2f(d^2e^2 - f^2)(e+fx)^2} + \frac{\tan^{-1}\left(\frac{d^2ex+f}{\sqrt{1-d^2x^2}\sqrt{d^2e^2-f^2}}\right) (C(d^2e^2 + 2f^2) - d^2(3Bef - A(2d^2e^2 + f^2)))}{2(d^2e^2 - f^2)^{5/2}} - \frac{\sqrt{1-d^2x^2}}{2f(d^2e^2 - f^2)(e+fx)^2}$$

[Out] $1/2*(C*(d^2*e^2+2*f^2)-d^2*(3*B*e*f-A*(2*d^2*e^2+f^2)))*\arctan((d^2*e*x+f)/(d^2*e^2-f^2)^{(1/2)/(-d^2*x^2+1)^{(1/2)})/(d^2*e^2-f^2)^{(5/2)}+1/2*(A*f^2-B*e*f+C*e^2)*(-d^2*x^2+1)^{(1/2)}/f/(d^2*e^2-f^2)/(f*x+e)^2-1/2*(-3*A*d^2*e*f^2+B*d^2*e^2*f+C*d^2*e^3+2*B*f^3-4*C*e*f^2)*(-d^2*x^2+1)^{(1/2)}/f/(d^2*e^2-f^2)^2/(f*x+e)$

Rubi [A] time = 0.33, antiderivative size = 248, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.135$, Rules used = {1609, 1651, 807, 725, 204}

$$\frac{\sqrt{1-d^2x^2} (Af^2 - Bef + Ce^2)}{2f(d^2e^2 - f^2)(e+fx)^2} - \frac{\sqrt{1-d^2x^2} (-3Ad^2ef^2 + Bd^2e^2f + 2Bf^3 + Cd^2e^3 - 4Cef^2)}{2f(d^2e^2 - f^2)^2(e+fx)} + \frac{\tan^{-1}\left(\frac{d^2ex+f}{\sqrt{1-d^2x^2}\sqrt{d^2e^2-f^2}}\right)}{2f(d^2e^2 - f^2)^2(e+fx)}$$

Antiderivative was successfully verified.

[In] Int[(A + B*x + C*x^2)/(Sqrt[1 - d*x]*Sqrt[1 + d*x]*(e + f*x)^3), x]

[Out] $((C*e^2 - B*e*f + A*f^2)*\text{Sqrt}[1 - d^2*x^2])/(2*f*(d^2*e^2 - f^2)*(e + f*x)^2) - ((C*d^2*e^3 + B*d^2*e^2*f - 4*C*e*f^2 - 3*A*d^2*e*f^2 + 2*B*f^3)*\text{Sqrt}[1 - d^2*x^2])/(2*f*(d^2*e^2 - f^2)^2*(e + f*x)) + ((C*(d^2*e^2 + 2*f^2) - d^2*(3*B*e*f - A*(2*d^2*e^2 + f^2)))*\text{ArcTan}[(f + d^2*e*x)/(\text{Sqrt}[d^2*e^2 - f^2]*\text{Sqrt}[1 - d^2*x^2])])/(2*(d^2*e^2 - f^2)^{(5/2)})$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 725

Int[1/(((d_) + (e_.)*(x_))*Sqrt[(a_) + (c_.)*(x_)^2]), x_Symbol] := -Subst[Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ[{a, c, d, e}, x]

Rule 807

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))
/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), In
t[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}
, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

Rule 1609

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f
_.)*(x_))^(p_), x_Symbol] := Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x] /; F
reeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*d, 0] &
& EqQ[m, n] && (IntegerQ[m] || (GtQ[a, 0] && GtQ[c, 0]))
```

Rule 1651

```
Int[(Pq_)*((d_) + (e_.)*(x_))^(m_)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] :=
With[{Q = PolynomialQuotient[Pq, d + e*x, x], R = PolynomialRemainder[Pq,
d + e*x, x]}, Simp[(e*R*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/((m + 1)*(c*
d^2 + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 1)
*(a + c*x^2)^p*ExpandToSum[(m + 1)*(c*d^2 + a*e^2)*Q + c*d*R*(m + 1) - c*e*
R*(m + 2*p + 3)*x, x], x]] /; FreeQ[{a, c, d, e, p}, x] && PolyQ[Pq, x]
&& NeQ[c*d^2 + a*e^2, 0] && LtQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + Bx + Cx^2}{\sqrt{1-dx}\sqrt{1+dx}(e+fx)^3} dx &= \int \frac{A + Bx + Cx^2}{(e+fx)^3\sqrt{1-d^2x^2}} dx \\
&= \frac{(Ce^2 - Bef + Af^2)\sqrt{1-d^2x^2}}{2f(d^2e^2 - f^2)(e+fx)^2} + \frac{\int \frac{2(Ce+Ad^2e-Bf)+\left(Bd^2e+\frac{Cd^2e^2}{f}-2Cf-Ad^2f\right)x}{(e+fx)^2\sqrt{1-d^2x^2}} dx}{2(d^2e^2 - f^2)} \\
&= \frac{(Ce^2 - Bef + Af^2)\sqrt{1-d^2x^2}}{2f(d^2e^2 - f^2)(e+fx)^2} - \frac{(Cd^2e^3 + Bd^2e^2f - 4Cef^2 - 3Ad^2ef^2 + 2Ae^2f^2)}{2f(d^2e^2 - f^2)^2(e+fx)} \\
&= \frac{(Ce^2 - Bef + Af^2)\sqrt{1-d^2x^2}}{2f(d^2e^2 - f^2)(e+fx)^2} - \frac{(Cd^2e^3 + Bd^2e^2f - 4Cef^2 - 3Ad^2ef^2 + 2Ae^2f^2)}{2f(d^2e^2 - f^2)^2(e+fx)} \\
&= \frac{(Ce^2 - Bef + Af^2)\sqrt{1-d^2x^2}}{2f(d^2e^2 - f^2)(e+fx)^2} - \frac{(Cd^2e^3 + Bd^2e^2f - 4Cef^2 - 3Ad^2ef^2 + 2Ae^2f^2)}{2f(d^2e^2 - f^2)^2(e+fx)}
\end{aligned}$$

Mathematica [A] time = 0.38, size = 273, normalized size = 1.10

$$\frac{1}{2} \left(\frac{\log\left(\sqrt{1-d^2x^2}\sqrt{f^2-d^2e^2} + d^2ex + f\right) \left(d^2(A(2d^2e^2 + f^2) - 3Bef) + C(d^2e^2 + 2f^2)\right)}{(f^2 - d^2e^2)^{5/2}} + \frac{\log(e+fx)(d^2e^2 + 2f^2)}{2f(d^2e^2 - f^2)^2(e+fx)} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*x + C*x^2)/(Sqrt[1 - d*x]*Sqrt[1 + d*x]*(e + f*x)^3),x]

[Out] (-((Sqrt[1 - d^2*x^2]*(A*f^3 + B*d^2*e^2*(2*e + f*x) + B*f^2*(e + 2*f*x) - A*d^2*e*f*(4*e + 3*f*x) + C*e*(-3*e*f + d^2*e^2*x - 4*f^2*x)))/((-d^2*e^2) + f^2)^2*(e + f*x)^2) + ((C*(d^2*e^2 + 2*f^2) + d^2*(-3*B*e*f + A*(2*d^2*e^2 + f^2)))*Log[e + f*x])/((-d^2*e^2) + f^2)^(5/2) - ((C*(d^2*e^2 + 2*f^2) + d^2*(-3*B*e*f + A*(2*d^2*e^2 + f^2)))*Log[f + d^2*e*x + Sqrt[-(d^2*e^2) + f^2]*Sqrt[1 - d^2*x^2]]/((-d^2*e^2) + f^2)^(5/2))/2

fricas [B] time = 0.87, size = 1580, normalized size = 6.37

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(f*x+e)^3/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm
="fricas")
```

```
[Out] [-1/2*(2*B*d^4*e^7 - B*d^2*e^5*f^2 - (4*A*d^4 + 3*C*d^2)*e^6*f + (5*A*d^2 +
3*C)*e^4*f^3 - B*e^3*f^4 - A*e^2*f^5 + (2*B*d^4*e^5*f^2 - B*d^2*e^3*f^4 -
(4*A*d^4 + 3*C*d^2)*e^4*f^3 + (5*A*d^2 + 3*C)*e^2*f^5 - B*e*f^6 - A*f^7)*x^
2 - (3*B*d^2*e^5*f - (2*A*d^4 + C*d^2)*e^6 - (A*d^2 + 2*C)*e^4*f^2 + (3*B*d
^2*e^3*f^3 - (2*A*d^4 + C*d^2)*e^4*f^2 - (A*d^2 + 2*C)*e^2*f^4)*x^2 + 2*(3*
B*d^2*e^4*f^2 - (2*A*d^4 + C*d^2)*e^5*f - (A*d^2 + 2*C)*e^3*f^3)*x)*sqrt(-d
^2*e^2 + f^2)*log((d^2*e*f*x + f^2 - sqrt(-d^2*e^2 + f^2)*(d^2*e*x + f) - (
sqrt(-d^2*e^2 + f^2)*sqrt(-d*x + 1)*f + (d^2*e^2 - f^2)*sqrt(-d*x + 1))*sq
rt(d*x + 1))/(f*x + e)) + (2*B*d^4*e^7 - B*d^2*e^5*f^2 - (4*A*d^4 + 3*C*d^2)
*e^6*f + (5*A*d^2 + 3*C)*e^4*f^3 - B*e^3*f^4 - A*e^2*f^5 + (C*d^4*e^7 + B*d
^4*e^6*f + B*d^2*e^4*f^3 - (3*A*d^4 + 5*C*d^2)*e^5*f^2 + (3*A*d^2 + 4*C)*e^
3*f^4 - 2*B*e^2*f^5)*x)*sqrt(d*x + 1)*sqrt(-d*x + 1) + 2*(2*B*d^4*e^6*f - B
*d^2*e^4*f^3 - (4*A*d^4 + 3*C*d^2)*e^5*f^2 + (5*A*d^2 + 3*C)*e^3*f^4 - B*e^
2*f^5 - A*e*f^6)*x)/(d^6*e^10 - 3*d^4*e^8*f^2 + 3*d^2*e^6*f^4 - e^4*f^6 + (
d^6*e^8*f^2 - 3*d^4*e^6*f^4 + 3*d^2*e^4*f^6 - e^2*f^8)*x^2 + 2*(d^6*e^9*f -
3*d^4*e^7*f^3 + 3*d^2*e^5*f^5 - e^3*f^7)*x), -1/2*(2*B*d^4*e^7 - B*d^2*e^5
*f^2 - (4*A*d^4 + 3*C*d^2)*e^6*f + (5*A*d^2 + 3*C)*e^4*f^3 - B*e^3*f^4 - A*
e^2*f^5 + (2*B*d^4*e^5*f^2 - B*d^2*e^3*f^4 - (4*A*d^4 + 3*C*d^2)*e^4*f^3 +
(5*A*d^2 + 3*C)*e^2*f^5 - B*e*f^6 - A*f^7)*x^2 + 2*(3*B*d^2*e^5*f - (2*A*d^
4 + C*d^2)*e^6 - (A*d^2 + 2*C)*e^4*f^2 + (3*B*d^2*e^3*f^3 - (2*A*d^4 + C*d^
2)*e^4*f^2 - (A*d^2 + 2*C)*e^2*f^4)*x^2 + 2*(3*B*d^2*e^4*f^2 - (2*A*d^4 + C
*d^2)*e^5*f - (A*d^2 + 2*C)*e^3*f^3)*x)*sqrt(d^2*e^2 - f^2)*arctan(-(sqrt(d
^2*e^2 - f^2)*sqrt(d*x + 1)*sqrt(-d*x + 1)*e - sqrt(d^2*e^2 - f^2)*(f*x + e
))/(d^2*e^2 - f^2)*x)) + (2*B*d^4*e^7 - B*d^2*e^5*f^2 - (4*A*d^4 + 3*C*d^2)
)*e^6*f + (5*A*d^2 + 3*C)*e^4*f^3 - B*e^3*f^4 - A*e^2*f^5 + (C*d^4*e^7 + B*
d^4*e^6*f + B*d^2*e^4*f^3 - (3*A*d^4 + 5*C*d^2)*e^5*f^2 + (3*A*d^2 + 4*C)*e
^3*f^4 - 2*B*e^2*f^5)*x)*sqrt(d*x + 1)*sqrt(-d*x + 1) + 2*(2*B*d^4*e^6*f -
B*d^2*e^4*f^3 - (4*A*d^4 + 3*C*d^2)*e^5*f^2 + (5*A*d^2 + 3*C)*e^3*f^4 - B*e
^2*f^5 - A*e*f^6)*x)/(d^6*e^10 - 3*d^4*e^8*f^2 + 3*d^2*e^6*f^4 - e^4*f^6 +
(d^6*e^8*f^2 - 3*d^4*e^6*f^4 + 3*d^2*e^4*f^6 - e^2*f^8)*x^2 + 2*(d^6*e^9*f
- 3*d^4*e^7*f^3 + 3*d^2*e^5*f^5 - e^3*f^7)*x)]
```

```
giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00
```

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(f*x+e)^3/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm
="giac")
```

```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x);OUTPUT:Undef/Unsigned Inf encountered in limit
```

maple [C] time = 0.00, size = 1449, normalized size = 5.84

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((C*x^2+B*x+A)/(f*x+e)^3/(-d*x+1)^{(1/2)}/(d*x+1)^{(1/2)},x)$

[Out]
$$\begin{aligned} & -1/2*(2*A*d^4*e^2*f^2*x^2*\ln(2*(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/ \\ & f^2)^{(1/2)}*f+f)/(f*x+e))+4*A*d^4*e^3*f*x*\ln(2*(d^2*e*x+(-d^2*x^2+1)^{(1/2)}* \\ & -(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))+2*A*d^4*e^4*\ln(2*(d^2*e*x+(-d^2*x^2 \\ & +1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))+A*d^2*f^4*x^2*\ln(2*(d^2* \\ & e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))-3*B*d^2*e*f \\ & ^3*x^2*\ln(2*(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f* \\ & x+e))+C*d^2*e^2*f^2*x^2*\ln(2*(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^ \\ & 2)^{(1/2)}*f+f)/(f*x+e))+2*A*d^2*e*f^3*x*\ln(2*(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(\\ & d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))-6*B*d^2*e^2*f^2*x*\ln(2*(d^2*e*x+(-d^2 \\ & *x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))+2*C*d^2*e^3*f*x*\ln(2 \\ & *(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))+A*d^2 \\ & *e^2*f^2*\ln(2*(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(\\ & f*x+e))-3*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*(-(d^2*x^2+1)^{(1/2)}*A*d^2*e*f^3*x-3*B*d \\ & ^2*e^3*f*\ln(2*(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(\\ & f*x+e))+(-(d^2*e^2-f^2)/f^2)^{(1/2)}*(-(d^2*x^2+1)^{(1/2)}*B*d^2*e^2*f^2*x+C*d^2 \\ & *e^4*\ln(2*(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+ \\ & e))+(-(d^2*e^2-f^2)/f^2)^{(1/2)}*(-(d^2*x^2+1)^{(1/2)}*C*d^2*e^3*f*x+2*C*f^4*x^2 \\ & *\ln(2*(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))- \\ & 4*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*(-(d^2*x^2+1)^{(1/2)}*A*d^2*e^2*f^2+2*(-(d^2*e^2- \\ & f^2)/f^2)^{(1/2)}*(-(d^2*x^2+1)^{(1/2)}*B*d^2*e^3*f+4*C*e*f^3*x*\ln(2*(d^2*e*x+(- \\ & d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))+2*(-(d^2*e^2-f^2) \\ & /f^2)^{(1/2)}*(-(d^2*x^2+1)^{(1/2)}*B*f^4*x+2*C*e^2*f^2*\ln(2*(d^2*e*x+(-d^2*x^2+ \\ & 1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))-4*(-(d^2*e^2-f^2)/f^2)^{(1 \\ & /2)}*(-(d^2*x^2+1)^{(1/2)}*C*e*f^3*x+(-(d^2*e^2-f^2)/f^2)^{(1/2)}*(-(d^2*x^2+1)^{(1 \\ & /2)}*A*f^4+(-(d^2*e^2-f^2)/f^2)^{(1/2)}*(-(d^2*x^2+1)^{(1/2)}*B*e*f^3-3*(-(d^2*e^ \\ & 2-f^2)/f^2)^{(1/2)}*(-(d^2*x^2+1)^{(1/2)}*C*e^2*f^2)*(d*x+1)^{(1/2)}*(-(d*x+1)^{(1/2) \\ &)/(-(d^2*x^2+1)^{(1/2)}/(d*e+f)/(d*e-f)/(d^2*e^2-f^2)/(f*x+e)^2/(-(d^2*e^2-f^2) \\ &)/f^2)^{(1/2)}/f*\text{csign}(d)^2 \end{aligned}$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((C*x^2+B*x+A)/(f*x+e)^3/(-d*x+1)^{(1/2)}/(d*x+1)^{(1/2)},x, \text{algorithm} = "maxima")$

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(f-d*e>0)', see `assume?` for more details) Is f-d*e positive, negative or zero?

mupad [B] time = 0.01, size = 9097, normalized size = 36.68

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A + B*x + C*x^2)/((e + f*x)^3*(1 - d*x)^{(1/2)}*(d*x + 1)^{(1/2)}), x)$

[Out]
$$\begin{aligned} & ((12*(2*C*f^3 + C*d^2*e^2*f)*((1 - d*x)^{(1/2)} - 1)^2)/(((d*x + 1)^{(1/2)} - 1)^2*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) - (24*(2*C*f^3 - C*d^2*e^2*f)*((1 - d*x)^{(1/2)} - 1)^4)/(((d*x + 1)^{(1/2)} - 1)^4*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) \\ & + (12*(2*C*f^3 + C*d^2*e^2*f)*((1 - d*x)^{(1/2)} - 1)^6)/(((d*x + 1)^{(1/2)} - 1)^6*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) - (2*((1 - d*x)^{(1/2)} - 1)^7*(C*d^3*e^3 + 2*C*d*e*f^2))/(((d*x + 1)^{(1/2)} - 1)^7*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) \\ & - (2*((1 - d*x)^{(1/2)} - 1)^3*(7*C*d^3*e^3 - 34*C*d*e*f^2))/(((d*x + 1)^{(1/2)} - 1)^3*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) + (2*((1 - d*x)^{(1/2)} - 1)^5*(7*C*d^3*e^3 - 34*C*d*e*f^2))/(((d*x + 1)^{(1/2)} - 1)^5*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) \\ & + (2*d*e*((1 - d*x)^{(1/2)} - 1)*(2*C*f^2 + C*d^2*e^2))/(((d*x + 1)^{(1/2)} - 1)*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)))/(d^2*e^2 + (((1 - d*x)^{(1/2)} - 1)^2*(16*f^2 + 4*d^2*e^2))/((d*x + 1)^{(1/2)} - 1)^2 + (((1 - d*x)^{(1/2)} - 1)^6*(16*f^2 + 4*d^2*e^2))/((d*x + 1)^{(1/2)} - 1)^6 - (((1 - d*x)^{(1/2)} - 1)^4*(32*f^2 - 6*d^2*e^2))/((d*x + 1)^{(1/2)} - 1)^4 + (d^2*e^2*((1 - d*x)^{(1/2)} - 1)^8)/((d*x + 1)^{(1/2)} - 1)^8 + (8*d*e*f*((1 - d*x)^{(1/2)} - 1)^3)/((d*x + 1)^{(1/2)} - 1)^3 - (8*d*e*f*((1 - d*x)^{(1/2)} - 1)^5)/((d*x + 1)^{(1/2)} - 1)^5 - (8*d*e*f*((1 - d*x)^{(1/2)} - 1)^7)/((d*x + 1)^{(1/2)} - 1)^7 + (8*d*e*f*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + ((4*((1 - d*x)^{(1/2)} - 1)^2*(4*A*d^4*e^4*f - 2*A*f^5 + 7*A*d^2*e^2*f^3))/(e^2*((d*x + 1)^{(1/2)} - 1)^2*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) + (8*((1 - d*x)^{(1/2)} - 1)^4*(2*A*f^5 + 4*A*d^4*e^4*f - 9*A*d^2*e^2*f^3))/(e^2*((d*x + 1)^{(1/2)} - 1)^4*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) + (4*((1 - d*x)^{(1/2)} - 1)^6*(4*A*d^4*e^4*f - 2*A*f^5 + 7*A*d^2*e^2*f^3))/(e^2*((d*x + 1)^{(1/2)} - 1)^6*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) + (2*f*((1 - d*x)^{(1/2)} - 1)^7*(2*A*d*f^3 - 5*A*d^3*e^2*f))/(e*((d*x + 1)^{(1/2)} - 1)^7*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) - (2*f*((1 - d*x)^{(1/2)} - 1)^3*(2*A*d*f^3 - 29*A*d^3*e^2*f))/(e*((d*x + 1)^{(1/2)} - 1)^3*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) + (2*f*((1 - d*x)^{(1/2)} - 1)^5*(2*A*d*f^3 - 29*A*d^3*e^2*f))/(e*((d*x + 1)^{(1/2)} - 1)^5*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) - (2*d*f*(2*A*f^3 - 5*A*d^2*e^2*f)*((1 - d*x)^{(1/2)} - 1))/(e*((d*x + 1)^{(1/2)} - 1)*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)))/(d^2*e^2 + (((1 - d*x)^{(1/2)} - 1)^2*(16*f^2 + 4*d^2*e^2))/((d*x + 1)^{(1/2)} - 1)^2 + (((1 - d*x)^{(1/2)} - 1)^6*(16*f^2 + 4*d^2*e^2))/((d*x + 1)^{(1/2)} - 1)^6 - (((1 - d*x)^{(1/2)} - 1)^4*(32*f^2 - 6*d^2*e^2))/((d*x + 1)^{(1/2)} - 1)^4 + (d^2*e^2*((1 - d*x)^{(1/2)} - 1)^8)/((d*x + 1)^{(1/2)} - 1)^8)/$$

$$\begin{aligned}
& (d*x + 1)^{(1/2)} - 1)^8 + (8*d*e*f*((1 - d*x)^{(1/2)} - 1)^3)/((d*x + 1)^{(1/2)} \\
& - 1)^3 - (8*d*e*f*((1 - d*x)^{(1/2)} - 1)^5)/((d*x + 1)^{(1/2)} - 1)^5 - (8*d* \\
& e*f*((1 - d*x)^{(1/2)} - 1)^7)/((d*x + 1)^{(1/2)} - 1)^7 + (8*d*e*f*((1 - d*x)^{(1/2)} \\
& - 1))/((d*x + 1)^{(1/2)} - 1) - ((4*((1 - d*x)^{(1/2)} - 1)^2*(2*B*f^4 + \\
& 2*B*d^4*e^4 + 5*B*d^2*e^2*f^2))/(e*((d*x + 1)^{(1/2)} - 1)^2*(f^4 + d^4*e^4 \\
& - 2*d^2*e^2*f^2)) - (8*((1 - d*x)^{(1/2)} - 1)^4*(2*B*f^4 - 2*B*d^4*e^4 + 3*B \\
& *d^2*e^2*f^2))/(e*((d*x + 1)^{(1/2)} - 1)^4*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) \\
& + (4*((1 - d*x)^{(1/2)} - 1)^6*(2*B*f^4 + 2*B*d^4*e^4 + 5*B*d^2*e^2*f^2))/(e* \\
& ((d*x + 1)^{(1/2)} - 1)^6*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) + (2*f*(11*B*d^3*e \\
& ^2 + 16*B*d*f^2)*((1 - d*x)^{(1/2)} - 1)^3)/(((d*x + 1)^{(1/2)} - 1)^3*(f^4 + d \\
& ^4*e^4 - 2*d^2*e^2*f^2)) - (2*f*(11*B*d^3*e^2 + 16*B*d*f^2)*((1 - d*x)^{(1/2)} \\
& - 1)^5)/(((d*x + 1)^{(1/2)} - 1)^5*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) - (6*B* \\
& d^3*e^2*f*((1 - d*x)^{(1/2)} - 1)^7)/(((d*x + 1)^{(1/2)} - 1)^7*(f^4 + d^4*e^4 \\
& - 2*d^2*e^2*f^2)) + (6*B*d^3*e^2*f*((1 - d*x)^{(1/2)} - 1))/(((d*x + 1)^{(1/2)} \\
& - 1)*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)))/(d^2*e^2 + (((1 - d*x)^{(1/2)} - 1)^2 \\
& *(16*f^2 + 4*d^2*e^2))/((d*x + 1)^{(1/2)} - 1)^2 + (((1 - d*x)^{(1/2)} - 1)^6*(\\
& 16*f^2 + 4*d^2*e^2))/((d*x + 1)^{(1/2)} - 1)^6 - (((1 - d*x)^{(1/2)} - 1)^4*(32 \\
& *f^2 - 6*d^2*e^2))/((d*x + 1)^{(1/2)} - 1)^4 + (d^2*e^2*((1 - d*x)^{(1/2)} - 1) \\
& ^8)/(((d*x + 1)^{(1/2)} - 1)^8 + (8*d*e*f*((1 - d*x)^{(1/2)} - 1)^3)/((d*x + 1)^{(1/2)} \\
& - 1)^3 - (8*d*e*f*((1 - d*x)^{(1/2)} - 1)^5)/((d*x + 1)^{(1/2)} - 1)^5 - \\
& (8*d*e*f*((1 - d*x)^{(1/2)} - 1)^7)/((d*x + 1)^{(1/2)} - 1)^7 + (8*d*e*f*((1 - \\
& d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (C*atan(((C*(2*f^2 + d^2*e^2)*((4 \\
& *((1 - d*x)^{(1/2)} - 1)^2*(8*C*d*e*f^7 + 4*C*d^7*e^7*f - 12*C*d^3*e^3*f^5))/ \\
& (((d*x + 1)^{(1/2)} - 1)^2*(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4 \\
& *d^6*e^6*f^2)) - (4*(8*C*d*e*f^7 + 4*C*d^7*e^7*f - 12*C*d^3*e^3*f^5)))/(f^8 \\
& + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2) + (C*(2*f^2 + d^ \\
& 2*e^2)*((4*(4*d^11*e^11 - 12*d^3*e^3*f^8 + 8*d^5*e^5*f^6 + 8*d^7*e^7*f^4 - \\
& 12*d^9*e^9*f^2 + 4*d*e*f^10)))/(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^ \\
& 4 - 4*d^6*e^6*f^2) + (4*((1 - d*x)^{(1/2)} - 1)^2*(4*d^11*e^11 + 52*d^3*e^3*f \\
& ^8 - 88*d^5*e^5*f^6 + 72*d^7*e^7*f^4 - 28*d^9*e^9*f^2 - 12*d*e*f^10)))/(((d* \\
& x + 1)^{(1/2)} - 1)^2*(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6* \\
& e^6*f^2)) + (64*d^2*e^2*f*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1))/2 \\
& *(f + d*e)^(5/2)*(f - d*e)^(5/2))*1i)/(2*(f + d*e)^(5/2)*(f - d*e)^(5/2)) \\
& - (C*(2*f^2 + d^2*e^2)*((4*(8*C*d*e*f^7 + 4*C*d^7*e^7*f - 12*C*d^3*e^3*f^5) \\
&)/(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2) - (4*((1 \\
& - d*x)^{(1/2)} - 1)^2*(8*C*d*e*f^7 + 4*C*d^7*e^7*f - 12*C*d^3*e^3*f^5)))/(((d* \\
& x + 1)^{(1/2)} - 1)^2*(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6* \\
& e^6*f^2)) + (C*(2*f^2 + d^2*e^2)*((4*(4*d^11*e^11 - 12*d^3*e^3*f^8 + 8*d^5* \\
& e^5*f^6 + 8*d^7*e^7*f^4 - 12*d^9*e^9*f^2 + 4*d*e*f^10)))/(f^8 + d^8*e^8 - 4* \\
& d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2) + (4*((1 - d*x)^{(1/2)} - 1)^2*(\\
& 4*d^11*e^11 + 52*d^3*e^3*f^8 - 88*d^5*e^5*f^6 + 72*d^7*e^7*f^4 - 28*d^9*e^9 \\
& *f^2 - 12*d*e*f^10)))/(((d*x + 1)^{(1/2)} - 1)^2*(f^8 + d^8*e^8 - 4*d^2*e^2*f^ \\
& 6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2)) + (64*d^2*e^2*f*((1 - d*x)^{(1/2)} - 1))/ \\
& ((d*x + 1)^{(1/2)} - 1))/2*(f + d*e)^(5/2)*(f - d*e)^(5/2))*1i)/(2*(f + d* \\
& e)^(5/2)*(f - d*e)^(5/2)))/((8*(C^2*d^5*e^5 + 4*C^2*d^3*e^3*f^2 + 4*C^2*d*e
\end{aligned}$$

$$\begin{aligned}
& *f^4)) / (f^8 + d^8e^8 - 4d^2e^2f^6 + 6d^4e^4f^4 - 4d^6e^6f^2) + (8 \\
& * ((1 - dx)^{(1/2)} - 1)^2 * (C^2d^5e^5 + 4C^2d^3e^3f^2 + 4C^2d^1e^1f^4)) \\
& / (((dx + 1)^{(1/2)} - 1)^2 * (f^8 + d^8e^8 - 4d^2e^2f^6 + 6d^4e^4f^4 - \\
& 4d^6e^6f^2)) + (C * (2f^2 + d^2e^2) * ((4 * ((1 - dx)^{(1/2)} - 1)^2 * (8Cde \\
& * f^7 + 4C^2d^7e^7f - 12C^2d^3e^3f^5))) / (((dx + 1)^{(1/2)} - 1)^2 * (f^8 + d \\
& ^8e^8 - 4d^2e^2f^6 + 6d^4e^4f^4 - 4d^6e^6f^2)) - (4 * (8Cde * f^7 \\
& + 4C^2d^7e^7f - 12C^2d^3e^3f^5)) / (f^8 + d^8e^8 - 4d^2e^2f^6 + 6d^4 \\
& * e^4f^4 - 4d^6e^6f^2) + (C * (2f^2 + d^2e^2) * ((4 * (4d^11e^11 - 12d^3e \\
& ^3f^8 + 8d^5e^5f^6 + 8d^7e^7f^4 - 12d^9e^9f^2 + 4d^1e^1f^10))) / (f^ \\
& 8 + d^8e^8 - 4d^2e^2f^6 + 6d^4e^4f^4 - 4d^6e^6f^2) + (4 * ((1 - dx) \\
&)^{(1/2)} - 1)^2 * (4d^11e^11 + 52d^3e^3f^8 - 88d^5e^5f^6 + 72d^7e^7f^ \\
& 4 - 28d^9e^9f^2 - 12d^1e^1f^10)) / (((dx + 1)^{(1/2)} - 1)^2 * (f^8 + d^8e^ \\
& 8 - 4d^2e^2f^6 + 6d^4e^4f^4 - 4d^6e^6f^2)) + (64d^2e^2f * ((1 - d \\
& * x)^{(1/2)} - 1)) / (((dx + 1)^{(1/2)} - 1)) / (2 * (f + d * e)^{(5/2)} * (f - d * e)^{(5/2)} \\
&)) / (2 * (f + d * e)^{(5/2)} * (f - d * e)^{(5/2)}) + (C * (2f^2 + d^2e^2) * ((4 * (8Cde * \\
& f^7 + 4C^2d^7e^7f - 12C^2d^3e^3f^5))) / (f^8 + d^8e^8 - 4d^2e^2f^6 + 6 \\
& * d^4e^4f^4 - 4d^6e^6f^2) - (4 * ((1 - dx)^{(1/2)} - 1)^2 * (8Cde * f^7 + 4 \\
& * C^2d^7e^7f - 12C^2d^3e^3f^5))) / (((dx + 1)^{(1/2)} - 1)^2 * (f^8 + d^8e^8 - \\
& 4d^2e^2f^6 + 6d^4e^4f^4 - 4d^6e^6f^2)) + (C * (2f^2 + d^2e^2) * ((4 \\
& * (4d^11e^11 - 12d^3e^3f^8 + 8d^5e^5f^6 + 8d^7e^7f^4 - 12d^9e^9 \\
& * f^2 + 4d^1e^1f^10))) / (f^8 + d^8e^8 - 4d^2e^2f^6 + 6d^4e^4f^4 - 4d^6e^ \\
& 6f^2) + (4 * ((1 - dx)^{(1/2)} - 1)^2 * (4d^11e^11 + 52d^3e^3f^8 - 88d^ \\
& 5e^5f^6 + 72d^7e^7f^4 - 28d^9e^9f^2 - 12d^1e^1f^10))) / (((dx + 1)^{(1/ \\
& 2)} - 1)^2 * (f^8 + d^8e^8 - 4d^2e^2f^6 + 6d^4e^4f^4 - 4d^6e^6f^2)) \\
& + (64d^2e^2f * ((1 - dx)^{(1/2)} - 1)) / (((dx + 1)^{(1/2)} - 1)) / (2 * (f + d * e) \\
& ^{(5/2)} * (f - d * e)^{(5/2)})) / (2 * (f + d * e)^{(5/2)} * (f - d * e)^{(5/2)})) * (2f^2 + d^ \\
& 2e^2) * i) / ((f + d * e)^{(5/2)} * (f - d * e)^{(5/2)}) + (A * d^2 * atan(((A * d^2 * (f^2 + 2 \\
& * d^2e^2) * ((4 * ((1 - dx)^{(1/2)} - 1)^2 * (4A * d^3e^3f^7 + 8A * d^9e^9f^7 - 12A \\
& * d^7e^5f^3))) / (((dx + 1)^{(1/2)} - 1)^2 * (f^8 + d^8e^8 - 4d^2e^2f^6 + 6 \\
& * d^4e^4f^4 - 4d^6e^6f^2)) - (4 * (4A * d^3e^3f^7 + 8A * d^9e^9f^7 - 12A * d^ \\
& 7e^5f^3))) / (f^8 + d^8e^8 - 4d^2e^2f^6 + 6d^4e^4f^4 - 4d^6e^6f^2) \\
& + (A * d^2 * (f^2 + 2 * d^2e^2) * ((4 * (4d^11e^11 - 12d^3e^3f^8 + 8d^5e^5f^ \\
& ^6 + 8d^7e^7f^4 - 12d^9e^9f^2 + 4d^1e^1f^10))) / (f^8 + d^8e^8 - 4d^2e^ \\
& ^2f^6 + 6d^4e^4f^4 - 4d^6e^6f^2) + (4 * ((1 - dx)^{(1/2)} - 1)^2 * (4d^1 \\
& 1e^11 + 52d^3e^3f^8 - 88d^5e^5f^6 + 72d^7e^7f^4 - 28d^9e^9f^2 \\
& - 12d^1e^1f^10))) / (((dx + 1)^{(1/2)} - 1)^2 * (f^8 + d^8e^8 - 4d^2e^2f^6 + 6 \\
& * d^4e^4f^4 - 4d^6e^6f^2)) + (64d^2e^2f * ((1 - dx)^{(1/2)} - 1)) / ((dx \\
& + 1)^{(1/2)} - 1)) / (2 * (f + d * e)^{(5/2)} * (f - d * e)^{(5/2)})) * i) / (2 * (f + d * e)^{(5 \\
& / 2)} * (f - d * e)^{(5/2)}) - (A * d^2 * (f^2 + 2 * d^2e^2) * ((4 * (4A * d^3e^3f^7 + 8A * d^ \\
& 9e^9f^7 - 12A * d^7e^5f^3))) / (f^8 + d^8e^8 - 4d^2e^2f^6 + 6d^4e^4f^4 \\
& - 4d^6e^6f^2) - (4 * ((1 - dx)^{(1/2)} - 1)^2 * (4A * d^3e^3f^7 + 8A * d^9e^9 \\
& * f^7 - 12A * d^7e^5f^3))) / (((dx + 1)^{(1/2)} - 1)^2 * (f^8 + d^8e^8 - 4d^2e^2 \\
& * f^6 + 6d^4e^4f^4 - 4d^6e^6f^2)) + (A * d^2 * (f^2 + 2 * d^2e^2) * ((4 * (4d^ \\
& 11e^11 - 12d^3e^3f^8 + 8d^5e^5f^6 + 8d^7e^7f^4 - 12d^9e^9f^2 + \\
& 4d^1e^1f^10))) / (f^8 + d^8e^8 - 4d^2e^2f^6 + 6d^4e^4f^4 - 4d^6e^6f^
\end{aligned}$$

$$\begin{aligned}
& 8 + d^8 e^8 - 4d^2 e^2 f^6 + 6d^4 e^4 f^4 - 4d^6 e^6 f^2) - (4((1 - dx)^{1/2} - 1)^2(12Bd^3 e^2 f^6 - 24Bd^5 e^4 f^4 + 12Bd^7 e^6 f^2))/((d^2 x + 1)^{1/2} - 1)^2(f^8 + d^8 e^8 - 4d^2 e^2 f^6 + 6d^4 e^4 f^4 - 4d^6 e^6 f^2)) + (3Bd^2 e f((4(4d^{11} e^{11} - 12d^3 e^3 f^8 + 8d^5 e^5 f^6 + 8d^7 e^7 f^4 - 12d^9 e^9 f^2 + 4d e f^{10}))/f^8 + d^8 e^8 - 4d^2 e^2 f^6 + 6d^4 e^4 f^4 - 4d^6 e^6 f^2) + (4((1 - dx)^{1/2} - 1)^2(4d^{11} e^{11} + 52d^3 e^3 f^8 - 88d^5 e^5 f^6 + 72d^7 e^7 f^4 - 28d^9 e^9 f^2 - 12d e f^{10}))/(((d^2 x + 1)^{1/2} - 1)^2(f^8 + d^8 e^8 - 4d^2 e^2 f^6 + 6d^4 e^4 f^4 - 4d^6 e^6 f^2)) + (64d^2 e^2 f((1 - dx)^{1/2} - 1))/((d^2 x + 1)^{1/2} - 1)))/(2(f + d e)^{5/2}(f - d e)^{5/2})) * 3i)/(2(f + d e)^{5/2}(f - d e)^{5/2}))/((72B^2 d^5 e^3 f^2)/(f^8 + d^8 e^8 - 4d^2 e^2 f^6 + 6d^4 e^4 f^4 - 4d^6 e^6 f^2) + (3Bd^2 e f((4((1 - dx)^{1/2} - 1)^2(12Bd^3 e^2 f^6 - 24Bd^5 e^4 f^4 + 12Bd^7 e^6 f^2))/((d^2 x + 1)^{1/2} - 1)^2(f^8 + d^8 e^8 - 4d^2 e^2 f^6 + 6d^4 e^4 f^4 - 4d^6 e^6 f^2)) - (4(12Bd^3 e^2 f^6 - 24Bd^5 e^4 f^4 + 12Bd^7 e^6 f^2))/(f^8 + d^8 e^8 - 4d^2 e^2 f^6 + 6d^4 e^4 f^4 - 4d^6 e^6 f^2) + (3Bd^2 e f((4(4d^{11} e^{11} - 12d^3 e^3 f^8 + 8d^5 e^5 f^6 + 8d^7 e^7 f^4 - 12d^9 e^9 f^2 + 4d e f^{10}))/f^8 + d^8 e^8 - 4d^2 e^2 f^6 + 6d^4 e^4 f^4 - 4d^6 e^6 f^2) + (4((1 - dx)^{1/2} - 1)^2(4d^{11} e^{11} + 52d^3 e^3 f^8 - 88d^5 e^5 f^6 + 72d^7 e^7 f^4 - 28d^9 e^9 f^2 - 12d e f^{10}))/(((d^2 x + 1)^{1/2} - 1)^2(f^8 + d^8 e^8 - 4d^2 e^2 f^6 + 6d^4 e^4 f^4 - 4d^6 e^6 f^2)) + (64d^2 e^2 f((1 - dx)^{1/2} - 1))/((d^2 x + 1)^{1/2} - 1)))/(2(f + d e)^{5/2}(f - d e)^{5/2}))) / (2(f + d e)^{5/2}(f - d e)^{5/2}) + (3Bd^2 e f((4(12Bd^3 e^2 f^6 - 24Bd^5 e^4 f^4 + 12Bd^7 e^6 f^2))/(f^8 + d^8 e^8 - 4d^2 e^2 f^6 + 6d^4 e^4 f^4 - 4d^6 e^6 f^2) - (4((1 - dx)^{1/2} - 1)^2(12Bd^3 e^2 f^6 - 24Bd^5 e^4 f^4 + 12Bd^7 e^6 f^2))/(((d^2 x + 1)^{1/2} - 1)^2(f^8 + d^8 e^8 - 4d^2 e^2 f^6 + 6d^4 e^4 f^4 - 4d^6 e^6 f^2)) + (3Bd^2 e f((4(4d^{11} e^{11} - 12d^3 e^3 f^8 + 8d^5 e^5 f^6 + 8d^7 e^7 f^4 - 12d^9 e^9 f^2 + 4d e f^{10}))/f^8 + d^8 e^8 - 4d^2 e^2 f^6 + 6d^4 e^4 f^4 - 4d^6 e^6 f^2) + (4((1 - dx)^{1/2} - 1)^2(4d^{11} e^{11} + 52d^3 e^3 f^8 - 88d^5 e^5 f^6 + 72d^7 e^7 f^4 - 28d^9 e^9 f^2 - 12d e f^{10}))/(((d^2 x + 1)^{1/2} - 1)^2(f^8 + d^8 e^8 - 4d^2 e^2 f^6 + 6d^4 e^4 f^4 - 4d^6 e^6 f^2)) + (64d^2 e^2 f((1 - dx)^{1/2} - 1))/((d^2 x + 1)^{1/2} - 1)))/(2(f + d e)^{5/2}(f - d e)^{5/2}))) / (2(f + d e)^{5/2}(f - d e)^{5/2}) + (72B^2 d^5 e^3 f^2((1 - dx)^{1/2} - 1)^2)/(((d^2 x + 1)^{1/2} - 1)^2(f^8 + d^8 e^8 - 4d^2 e^2 f^6 + 6d^4 e^4 f^4 - 4d^6 e^6 f^2)))) * 3i)/((f + d e)^{5/2}(f - d e)^{5/2})
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x**2+B*x+A)/(f*x+e)**3/(-d*x+1)**(1/2)/(d*x+1)**(1/2),x)

[Out] Timed out

$$3.15 \quad \int \frac{x(a+bx+cx^2)}{\sqrt{1-dx}\sqrt{1+dx}} dx$$

Optimal. Leaf size=79

$$-\frac{\sqrt{1-d^2x^2} (2(3ad^2+2c)+3bd^2x)}{6d^4} + \frac{b \sin^{-1}(dx)}{2d^3} - \frac{cx^2\sqrt{1-d^2x^2}}{3d^2}$$

[Out] 1/2*b*arcsin(d*x)/d^3-1/3*c*x^2*(-d^2*x^2+1)^(1/2)/d^2-1/6*(3*b*d^2*x+6*a*d^2+4*c)*(-d^2*x^2+1)^(1/2)/d^4

Rubi [A] time = 0.14, antiderivative size = 79, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {1609, 1809, 780, 216}

$$-\frac{\sqrt{1-d^2x^2} (2(3ad^2+2c)+3bd^2x)}{6d^4} + \frac{b \sin^{-1}(dx)}{2d^3} - \frac{cx^2\sqrt{1-d^2x^2}}{3d^2}$$

Antiderivative was successfully verified.

[In] Int[(x*(a + b*x + c*x^2))/(Sqrt[1 - d*x]*Sqrt[1 + d*x]),x]

[Out] -(c*x^2*Sqrt[1 - d^2*x^2])/(3*d^2) - ((2*(2*c + 3*a*d^2) + 3*b*d^2*x)*Sqrt[1 - d^2*x^2])/(6*d^4) + (b*ArcSin[d*x])/(2*d^3)

Rule 216

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 780

Int[((d_.) + (e_.)*(x_))*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[(((e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x)*(a + c*x^2)^(p + 1))/(2*c*(p + 1)*(2*p + 3)), x] - Dist[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p + 3)), Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !LeQ[p, -1]

Rule 1609

Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*d, 0] && EqQ[m, n] && (IntegerQ[m] || (GtQ[a, 0] && GtQ[c, 0]))

Rule 1809

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := With[
{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(c*x)^(m + q -
1)*(a + b*x^2)^(p + 1))/(b*c^(q - 1)*(m + q + 2*p + 1)), x] + Dist[1/(b*(m
+ q + 2*p + 1)), Int[(c*x)^m*(a + b*x^2)^p*ExpandToSum[b*(m + q + 2*p + 1)*
Pq - b*f*(m + q + 2*p + 1)*x^q - a*f*(m + q - 1)*x^(q - 2), x], x], x] /; G
tQ[q, 1] && NeQ[m + q + 2*p + 1, 0]] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[
Pq, x] && (!IGtQ[m, 0] || IGtQ[p + 1/2, -1])
```

Rubi steps

$$\begin{aligned} \int \frac{x(a + bx + cx^2)}{\sqrt{1 - dx} \sqrt{1 + dx}} dx &= \int \frac{x(a + bx + cx^2)}{\sqrt{1 - d^2x^2}} dx \\ &= -\frac{cx^2 \sqrt{1 - d^2x^2}}{3d^2} - \frac{\int \frac{x(-2c - 3ad^2 - 3bd^2x)}{\sqrt{1 - d^2x^2}} dx}{3d^2} \\ &= -\frac{cx^2 \sqrt{1 - d^2x^2}}{3d^2} - \frac{(2(2c + 3ad^2) + 3bd^2x) \sqrt{1 - d^2x^2}}{6d^4} + \frac{b \int \frac{1}{\sqrt{1 - d^2x^2}} dx}{2d^2} \\ &= -\frac{cx^2 \sqrt{1 - d^2x^2}}{3d^2} - \frac{(2(2c + 3ad^2) + 3bd^2x) \sqrt{1 - d^2x^2}}{6d^4} + \frac{b \sin^{-1}(dx)}{2d^3} \end{aligned}$$

Mathematica [A] time = 0.07, size = 57, normalized size = 0.72

$$\frac{3bd \sin^{-1}(dx) - \sqrt{1 - d^2x^2} (3d^2(2a + bx) + 2c(d^2x^2 + 2))}{6d^4}$$

Antiderivative was successfully verified.

[In] Integrate[(x*(a + b*x + c*x^2))/(Sqrt[1 - d*x]*Sqrt[1 + d*x]),x]

[Out] (-(Sqrt[1 - d^2*x^2]*(3*d^2*(2*a + b*x) + 2*c*(2 + d^2*x^2))) + 3*b*d*ArcSin[d*x])/(6*d^4)

fricas [A] time = 0.81, size = 78, normalized size = 0.99

$$\frac{6bd \arctan\left(\frac{\sqrt{dx+1} \sqrt{-dx+1}-1}{dx}\right) + (2cd^2x^2 + 3bd^2x + 6ad^2 + 4c)\sqrt{dx+1} \sqrt{-dx+1}}{6d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(c*x^2+b*x+a)/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="fricas")

[Out] $-1/6*(6*b*d*\arctan(\sqrt{d*x+1}*\sqrt{-d*x+1}-1)/(d*x)) + (2*c*d^2*x^2 + 3*b*d^2*x + 6*a*d^2 + 4*c)*\sqrt{d*x+1}*\sqrt{-d*x+1}/d^4$

giac [A] time = 1.31, size = 101, normalized size = 1.28

$$\frac{\sqrt{dx+1} \sqrt{-dx+1} \left((dx+1) \left(\frac{2(dx+1)c}{d^3} + \frac{3bd^{10}-4cd^9}{d^{12}} \right) + \frac{3(2ad^{11}-bd^{10}+2cd^9)}{d^{12}} \right) - \frac{6b \arcsin\left(\frac{1}{2} \sqrt{2} \sqrt{dx+1}\right)}{d^2}}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(c*x^2+b*x+a)/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="giac")

[Out] $-1/6*(\sqrt{d*x+1}*\sqrt{-d*x+1}*((d*x+1)*(2*(d*x+1)*c/d^3 + (3*b*d^10 - 4*c*d^9)/d^{12}) + 3*(2*a*d^{11} - b*d^{10} + 2*c*d^9)/d^{12}) - 6*b*\arcsin(1/2*\sqrt{2}*\sqrt{d*x+1})/d^2)/d$

maple [C] time = 0.00, size = 139, normalized size = 1.76

$$\frac{\sqrt{-dx+1} \sqrt{dx+1} \left(2\sqrt{-d^2x^2+1} c d^2 x^2 \operatorname{csgn}(d) + 3\sqrt{-d^2x^2+1} b d^2 x \operatorname{csgn}(d) + 6\sqrt{-d^2x^2+1} a d^2 \operatorname{csgn}(d) - 3 \right)}{6\sqrt{-d^2x^2+1} d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(c*x^2+b*x+a)/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x)

[Out] $-1/6*(-d*x+1)^{(1/2)}*(d*x+1)^{(1/2)}*(2*(-d^2*x^2+1)^{(1/2)}*c*d^2*x^2*\operatorname{csgn}(d)+3*(-d^2*x^2+1)^{(1/2)}*b*d^2*x*\operatorname{csgn}(d)+6*(-d^2*x^2+1)^{(1/2)}*a*d^2*\operatorname{csgn}(d)-3*b*d*\arctan(1/(-d^2*x^2+1)^{(1/2)}*d*x*\operatorname{csgn}(d))+4*(-d^2*x^2+1)^{(1/2)}*c*\operatorname{csgn}(d))/(-d^2*x^2+1)^{(1/2)}/d^4*\operatorname{csgn}(d)$

maxima [A] time = 1.27, size = 87, normalized size = 1.10

$$\frac{\sqrt{-d^2x^2+1} cx^2}{3d^2} - \frac{\sqrt{-d^2x^2+1} bx}{2d^2} - \frac{\sqrt{-d^2x^2+1} a}{d^2} + \frac{b \arcsin(dx)}{2d^3} - \frac{2\sqrt{-d^2x^2+1} c}{3d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(c*x^2+b*x+a)/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="maxima")

[Out] $-1/3*\sqrt{-d^2*x^2+1}*c*x^2/d^2 - 1/2*\sqrt{-d^2*x^2+1}*b*x/d^2 - \sqrt{-d^2*x^2+1}*a/d^2 + 1/2*b*\arcsin(d*x)/d^3 - 2/3*\sqrt{-d^2*x^2+1}*c/d^4$

mupad [B] time = 7.61, size = 244, normalized size = 3.09

$$\frac{\sqrt{1-dx} \left(\frac{a}{d^2} + \frac{ax}{d} \right)}{\sqrt{dx+1}} \frac{2b \operatorname{atan} \left(\frac{\sqrt{1-dx}-1}{\sqrt{dx+1}-1} \right)}{d^3} \frac{14b(\sqrt{1-dx}-1)^3}{(\sqrt{dx+1}-1)^3} - \frac{14b(\sqrt{1-dx}-1)^5}{(\sqrt{dx+1}-1)^5} + \frac{2b(\sqrt{1-dx}-1)^7}{(\sqrt{dx+1}-1)^7} - \frac{2b(\sqrt{1-dx}-1)}{\sqrt{dx+1}-1} \frac{\sqrt{1-dx}}{\sqrt{dx+1}} \frac{1}{d^3 \left(\frac{(\sqrt{1-dx}-1)^2}{(\sqrt{dx+1}-1)^2} + 1 \right)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x*(a + b*x + c*x^2))/((1 - d*x)^(1/2)*(d*x + 1)^(1/2)),x)`

[Out] $-\left((1-dx)^{1/2} \left(\frac{a}{d^2} + \frac{ax}{d} \right) / (dx+1)^{1/2} - 2b \operatorname{atan} \left(\frac{(1-dx)^{1/2} - 1}{(dx+1)^{1/2} - 1} \right) / d^3 - \frac{14b \left((1-dx)^{1/2} - 1 \right)^3}{\left((dx+1)^{1/2} - 1 \right)^3} - \frac{14b \left((1-dx)^{1/2} - 1 \right)^5}{\left((dx+1)^{1/2} - 1 \right)^5} + \frac{2b \left((1-dx)^{1/2} - 1 \right)^7}{\left((dx+1)^{1/2} - 1 \right)^7} - \frac{2b \left((1-dx)^{1/2} - 1 \right)}{\left((dx+1)^{1/2} - 1 \right)} / \left(d^3 \left(\frac{(1-dx)^{1/2} - 1}{(dx+1)^{1/2} - 1} + 1 \right)^4 \right) - \frac{(1-dx)^{1/2} \left(\frac{2c}{3d^4} + \frac{c^2 x^3}{3d} + \frac{c^2 x^2}{3d^2} + \frac{2cx}{3d^3} \right)}{(dx+1)^{1/2}}$

sympy [C] time = 82.52, size = 313, normalized size = 3.96

$$\frac{iaG_{6,6}^{6,2} \left(\begin{matrix} -\frac{1}{4}, \frac{1}{4} \\ -\frac{1}{2}, -\frac{1}{4}, 0, \frac{1}{4}, \frac{1}{2}, 0 \end{matrix} \middle| \frac{1}{d^2 x^2} \right)}{4\pi^{\frac{3}{2}} d^2} \frac{aG_{6,6}^{2,6} \left(\begin{matrix} -1, -\frac{3}{4}, -\frac{1}{2}, -\frac{1}{4}, 0, 1 \\ -\frac{3}{4}, -\frac{1}{4} \end{matrix} \middle| \frac{e^{-2i\pi}}{d^2 x^2} \right)}{4\pi^{\frac{3}{2}} d^2} \frac{ibG_{6,6}^{6,2} \left(\begin{matrix} -\frac{3}{4}, -\frac{1}{2} \\ -1, -\frac{3}{4}, -\frac{1}{2} \end{matrix} \right)}{4\pi^{\frac{3}{2}} d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(c*x**2+b*x+a)/(-d*x+1)**(1/2)/(d*x+1)**(1/2),x)`

[Out] $-I a \operatorname{meijerg} \left(\left(-\frac{1}{4}, \frac{1}{4} \right), (0, 0, \frac{1}{2}, 1) \right), \left(-\frac{1}{2}, -\frac{1}{4}, 0, \frac{1}{4}, \frac{1}{2}, 0 \right), \left(\right), \frac{1}{(d^2 x^2)} \right) / (4\pi^{3/2} d^2) - a \operatorname{meijerg} \left(\left(-1, -\frac{3}{4}, -\frac{1}{2}, -\frac{1}{4}, 0, 1 \right), \left(\right), \left(-\frac{3}{4}, -\frac{1}{4} \right), (-1, -\frac{1}{2}, -\frac{1}{2}, 0) \right), \exp_{\text{polar}}(-2I\pi) / (d^2 x^2) / (4\pi^{3/2} d^2) - I b \operatorname{meijerg} \left(\left(-\frac{3}{4}, -\frac{1}{4} \right), (-\frac{1}{2}, -\frac{1}{2}, 0, 1) \right), \left(-1, -\frac{3}{4}, -\frac{1}{2}, -\frac{1}{4}, 0, 0 \right), \left(\right), \frac{1}{(d^2 x^2)} \right) / (4\pi^{3/2} d^3) + b \operatorname{meijerg} \left(\left(-\frac{3}{2}, -\frac{5}{4}, -1, -\frac{3}{4}, -\frac{1}{2}, 1 \right), \left(\right), \left(-\frac{5}{4}, -\frac{3}{4} \right), (-\frac{3}{2}, -1, -1, 0) \right), \exp_{\text{polar}}(-2I\pi) / (d^2 x^2) / (4\pi^{3/2} d^3) - I c \operatorname{meijerg} \left(\left(-\frac{5}{4}, -\frac{3}{4} \right), (-1, -1, -\frac{1}{2}, 1) \right), \left(-\frac{3}{2}, -\frac{5}{4}, -1, -\frac{3}{4}, -\frac{1}{2}, 0 \right), \left(\right), \frac{1}{(d^2 x^2)} \right) / (4\pi^{3/2} d^4) - c \operatorname{meijerg} \left(\left(-2, -\frac{7}{4}, -\frac{3}{2}, -\frac{5}{4}, -1, 1 \right), \left(\right), \left(-\frac{7}{4}, -\frac{5}{4} \right), (-2, -\frac{3}{2}, -\frac{3}{2}, 0) \right), \exp_{\text{polar}}(-2I\pi) / (d^2 x^2) \right) / (4\pi^{3/2} d^4)$

$$3.16 \quad \int \frac{a+bx+cx^2}{\sqrt{1-dx}\sqrt{1+dx}} dx$$

Optimal. Leaf size=63

$$\frac{(2ad^2 + c) \sin^{-1}(dx)}{2d^3} - \frac{b\sqrt{1-d^2x^2}}{d^2} - \frac{cx\sqrt{1-d^2x^2}}{2d^2}$$

[Out] $1/2*(2*a*d^2+c)*\arcsin(d*x)/d^3-b*(-d^2*x^2+1)^{(1/2)}/d^2-1/2*c*x*(-d^2*x^2+1)^{(1/2)}/d^2$

Rubi [A] time = 0.06, antiderivative size = 63, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {899, 1815, 641, 216}

$$\frac{(2ad^2 + c) \sin^{-1}(dx)}{2d^3} - \frac{b\sqrt{1-d^2x^2}}{d^2} - \frac{cx\sqrt{1-d^2x^2}}{2d^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x + c*x^2)/(Sqrt[1 - d*x]*Sqrt[1 + d*x]), x]

[Out] $-(b*\text{Sqrt}[1 - d^2*x^2])/d^2 - (c*x*\text{Sqrt}[1 - d^2*x^2])/(2*d^2) + ((c + 2*a*d^2)*\text{ArcSin}[d*x])/(2*d^3)$

Rule 216

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 641

Int[((d_) + (e_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Simp[(e*(a + c*x^2)^(p + 1))/(2*c*(p + 1)), x] + Dist[d, Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]

Rule 899

Int[((d_) + (e_.)*(x_))^(m_)*((f_) + (g_.)*(x_))^(n_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Int[(d*f + e*g*x^2)^m*(a + b*x + c*x^2)^p, x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && EqQ[m - n, 0] && EqQ[e*f + d*g, 0] && (IntegerQ[m] || (GtQ[d, 0] && GtQ[f, 0]))

Rule 1815


```
Int[(Pq_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := With[{q = Expon[Pq, x],
e = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(e*x^(q - 1)*(a + b*x^2)^(p + 1))/(b*
(q + 2*p + 1)), x] + Dist[1/(b*(q + 2*p + 1)), Int[(a + b*x^2)^p*ExpandToSum
[b*(q + 2*p + 1)*Pq - a*e*(q - 1)*x^(q - 2) - b*e*(q + 2*p + 1)*x^q, x], x
], x]] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && !LeQ[p, -1]
```

Rubi steps

$$\begin{aligned} \int \frac{a + bx + cx^2}{\sqrt{1 - dx} \sqrt{1 + dx}} dx &= \int \frac{a + bx + cx^2}{\sqrt{1 - d^2x^2}} dx \\ &= -\frac{cx\sqrt{1 - d^2x^2}}{2d^2} - \frac{\int \frac{-c - 2ad^2 - 2bd^2x}{\sqrt{1 - d^2x^2}} dx}{2d^2} \\ &= -\frac{b\sqrt{1 - d^2x^2}}{d^2} - \frac{cx\sqrt{1 - d^2x^2}}{2d^2} - \frac{(-c - 2ad^2) \int \frac{1}{\sqrt{1 - d^2x^2}} dx}{2d^2} \\ &= -\frac{b\sqrt{1 - d^2x^2}}{d^2} - \frac{cx\sqrt{1 - d^2x^2}}{2d^2} + \frac{(c + 2ad^2) \sin^{-1}(dx)}{2d^3} \end{aligned}$$

Mathematica [A] time = 0.03, size = 45, normalized size = 0.71

$$\frac{(2ad^2 + c) \sin^{-1}(dx) - d\sqrt{1 - d^2x^2} (2b + cx)}{2d^3}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*x + c*x^2)/(Sqrt[1 - d*x]*Sqrt[1 + d*x]),x]
```

```
[Out] (-d*(2*b + c*x)*Sqrt[1 - d^2*x^2]) + (c + 2*a*d^2)*ArcSin[d*x])/(2*d^3)
```

fricas [A] time = 0.92, size = 67, normalized size = 1.06

$$\frac{(cdx + 2bd)\sqrt{dx + 1}\sqrt{-dx + 1} + 2(2ad^2 + c) \arctan\left(\frac{\sqrt{dx+1}\sqrt{-dx+1}-1}{dx}\right)}{2d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*x^2+b*x+a)/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="fricas")
```

```
[Out] -1/2*((c*d*x + 2*b*d)*sqrt(d*x + 1)*sqrt(-d*x + 1) + 2*(2*a*d^2 + c)*arctan
((sqrt(d*x + 1)*sqrt(-d*x + 1) - 1)/(d*x)))/d^3
```

giac [A] time = 1.32, size = 76, normalized size = 1.21

$$\frac{\sqrt{dx+1} \sqrt{-dx+1} \left(\frac{(dx+1)c}{d^2} + \frac{2bd^5 - cd^4}{d^6} \right) - \frac{2(2ad^2+c) \arcsin\left(\frac{1}{2} \sqrt{2} \sqrt{dx+1}\right)}{d^2}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="giac")

[Out] -1/2*(sqrt(d*x + 1)*sqrt(-d*x + 1)*((d*x + 1)*c/d^2 + (2*b*d^5 - c*d^4)/d^6) - 2*(2*a*d^2 + c)*arcsin(1/2*sqrt(2)*sqrt(d*x + 1))/d^2)/d

maple [C] time = 0.00, size = 117, normalized size = 1.86

$$\frac{\sqrt{-dx+1} \sqrt{dx+1} \left(-2a d^2 \arctan\left(\frac{dx \operatorname{csgn}(d)}{\sqrt{-d^2x^2+1}}\right) + \sqrt{-d^2x^2+1} c dx \operatorname{csgn}(d) + 2\sqrt{-d^2x^2+1} b d \operatorname{csgn}(d) - c \arctan\left(\frac{dx \operatorname{csgn}(d)}{\sqrt{-d^2x^2+1}}\right) \right)}{2\sqrt{-d^2x^2+1} d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^2+b*x+a)/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x)

[Out] -1/2*(-d*x+1)^(1/2)*(d*x+1)^(1/2)*(-2*a*d^2*arctan(1/(-d^2*x^2+1)^(1/2)*d*x*csgn(d))+(-d^2*x^2+1)^(1/2)*c*d*x*csgn(d)+2*(-d^2*x^2+1)^(1/2)*b*d*csgn(d)-c*arctan(1/(-d^2*x^2+1)^(1/2)*d*x*csgn(d)))/(-d^2*x^2+1)^(1/2)/d^3*csgn(d)

maxima [A] time = 1.28, size = 57, normalized size = 0.90

$$\frac{a \arcsin(dx)}{d} - \frac{\sqrt{-d^2x^2+1} cx}{2d^2} - \frac{\sqrt{-d^2x^2+1} b}{d^2} + \frac{c \arcsin(dx)}{2d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="maxima")

[Out] a*arcsin(d*x)/d - 1/2*sqrt(-d^2*x^2 + 1)*c*x/d^2 - sqrt(-d^2*x^2 + 1)*b/d^2 + 1/2*c*arcsin(d*x)/d^3

mupad [B] time = 7.41, size = 232, normalized size = 3.68

$$\frac{\sqrt{1-dx} \left(\frac{b}{d^2} + \frac{bx}{d} \right) - 4a \operatorname{atan}\left(\frac{d(\sqrt{1-dx}-1)}{(\sqrt{dx+1}-1)\sqrt{d^2}}\right) - 2c \operatorname{atan}\left(\frac{\sqrt{1-dx}-1}{\sqrt{dx+1}-1}\right) - \frac{14c(\sqrt{1-dx}-1)^3}{(\sqrt{dx+1}-1)^3} - \frac{14c(\sqrt{1-dx}-1)^5}{(\sqrt{dx+1}-1)^5} + \frac{2c(\sqrt{1-dx}-1)}{(\sqrt{dx+1}-1)}}{d^3 \left(\frac{(\sqrt{1-dx}-1)^2}{(\sqrt{dx+1}-1)^2} + 1 \right)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x + c*x^2)/((1 - d*x)^(1/2)*(d*x + 1)^(1/2)),x)`

[Out]
$$- \frac{((1 - d*x)^{(1/2)}*(b/d^2 + (b*x)/d))/(d*x + 1)^{(1/2)} - (4*a*atan((d*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1)*(d^2)^{(1/2)))/(d^2)^{(1/2)} - (2*c*a*atan(((1 - d*x)^{(1/2)} - 1)/((d*x + 1)^{(1/2)} - 1)))/d^3 - ((14*c*((1 - d*x)^{(1/2)} - 1)^3)/((d*x + 1)^{(1/2)} - 1)^3 - (14*c*((1 - d*x)^{(1/2)} - 1)^5)/((d*x + 1)^{(1/2)} - 1)^5 + (2*c*((1 - d*x)^{(1/2)} - 1)^7)/((d*x + 1)^{(1/2)} - 1)^7 - (2*c*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1))/(d^3*((1 - d*x)^{(1/2)} - 1)^2/((d*x + 1)^{(1/2)} - 1)^2 + 1)^4}$$

sympy [C] time = 49.68, size = 282, normalized size = 4.48

$$\frac{iaG_{6,6}^{6,2} \left(\begin{matrix} \frac{1}{4}, \frac{3}{4} \\ 0, \frac{1}{4}, \frac{1}{2}, \frac{3}{4}, 1, 0 \end{matrix} \middle| \frac{1}{d^2 x^2} \right) + aG_{6,6}^{2,6} \left(\begin{matrix} -\frac{1}{2}, -\frac{1}{4}, 0, \frac{1}{4}, \frac{1}{2}, 1 \\ -\frac{1}{4}, \frac{1}{4} \end{matrix} \middle| \frac{e^{-2i\pi}}{d^2 x^2} \right) - ibG_{6,6}^{6,2} \left(\begin{matrix} -\frac{1}{4}, \frac{1}{4} \\ -\frac{1}{2}, -\frac{1}{4}, 0, \frac{1}{4}, \frac{1}{2}, 0 \end{matrix} \right)}{4\pi^{\frac{3}{2}}d} + \frac{aG_{6,6}^{2,6} \left(\begin{matrix} -\frac{1}{2}, -\frac{1}{4}, 0, \frac{1}{4}, \frac{1}{2}, 1 \\ -\frac{1}{4}, \frac{1}{4} \end{matrix} \middle| \frac{e^{-2i\pi}}{d^2 x^2} \right) - ibG_{6,6}^{6,2} \left(\begin{matrix} -\frac{1}{4}, \frac{1}{4} \\ -\frac{1}{2}, -\frac{1}{4}, 0, \frac{1}{4}, \frac{1}{2}, 0 \end{matrix} \right)}{4\pi^{\frac{3}{2}}d} - \frac{ibG_{6,6}^{6,2} \left(\begin{matrix} -\frac{1}{4}, \frac{1}{4} \\ -\frac{1}{2}, -\frac{1}{4}, 0, \frac{1}{4}, \frac{1}{2}, 0 \end{matrix} \right)}{4\pi^{\frac{3}{2}}d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x**2+b*x+a)/(-d*x+1)**(1/2)/(d*x+1)**(1/2),x)`

[Out]
$$-I*a*meijerg(((1/4, 3/4), (1/2, 1/2, 1, 1)), ((0, 1/4, 1/2, 3/4, 1, 0), ()), 1/(d**2*x**2))/(4*pi**(3/2)*d) + a*meijerg((-1/2, -1/4, 0, 1/4, 1/2, 1), ((-1/4, 1/4), (-1/2, 0, 0, 0)), exp_polar(-2*I*pi)/(d**2*x**2))/(4*pi**(3/2)*d) - I*b*meijerg((-1/4, 1/4), (0, 0, 1/2, 1)), ((-1/2, -1/4, 0, 1/4, 1/2, 0), ()), 1/(d**2*x**2))/(4*pi**(3/2)*d**2) - b*meijerg((-1, -3/4, -1/2, -1/4, 0, 1), ((-3/4, -1/4), (-1, -1/2, -1/2, 0)), exp_polar(-2*I*pi)/(d**2*x**2))/(4*pi**(3/2)*d**2) - I*c*meijerg((-3/4, -1/4), (-1/2, -1/2, 0, 1)), ((-1, -3/4, -1/2, -1/4, 0, 0), ()), 1/(d**2*x**2))/(4*pi**(3/2)*d**3) + c*meijerg((-3/2, -5/4, -1, -3/4, -1/2, 1), ((-5/4, -3/4), (-3/2, -1, -1, 0)), exp_polar(-2*I*pi)/(d**2*x**2))/(4*pi**(3/2)*d**3)$$

$$3.17 \quad \int \frac{a+bx+cx^2}{x\sqrt{1-dx}\sqrt{1+dx}} dx$$

Optimal. Leaf size=48

$$-a \tanh^{-1}\left(\sqrt{1-d^2x^2}\right) + \frac{b \sin^{-1}(dx)}{d} - \frac{c\sqrt{1-d^2x^2}}{d^2}$$

[Out] b*arcsin(d*x)/d-a*arctanh((-d^2*x^2+1)^(1/2))-c*(-d^2*x^2+1)^(1/2)/d^2

Rubi [A] time = 0.18, antiderivative size = 48, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {1609, 1809, 844, 216, 266, 63, 208}

$$-a \tanh^{-1}\left(\sqrt{1-d^2x^2}\right) + \frac{b \sin^{-1}(dx)}{d} - \frac{c\sqrt{1-d^2x^2}}{d^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x + c*x^2)/(x*Sqrt[1 - d*x]*Sqrt[1 + d*x]),x]

[Out] -((c*Sqrt[1 - d^2*x^2])/d^2) + (b*ArcSin[d*x])/d - a*ArcTanh[Sqrt[1 - d^2*x^2]]

Rule 63

Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 216

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]/Rt[-b, 2]], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 266

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b}

, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 844

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]

Rule 1609

Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*d, 0] && EqQ[m, n] && (IntegerQ[m] || (GtQ[a, 0] && GtQ[c, 0]))

Rule 1809

Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(c*x)^(m + q - 1)*(a + b*x^2)^(p + 1))/(b*c^(q - 1)*(m + q + 2*p + 1)), x] + Dist[1/(b*(m + q + 2*p + 1)), Int[(c*x)^m*(a + b*x^2)^p*ExpandToSum[b*(m + q + 2*p + 1)*Pq - b*f*(m + q + 2*p + 1)*x^q - a*f*(m + q - 1)*x^(q - 2), x], x], x] /; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && (!IGtQ[m, 0] || IGtQ[p + 1/2, -1])

Rubi steps

$$\begin{aligned}
\int \frac{a + bx + cx^2}{x\sqrt{1-dx}\sqrt{1+dx}} dx &= \int \frac{a + bx + cx^2}{x\sqrt{1-d^2x^2}} dx \\
&= -\frac{c\sqrt{1-d^2x^2}}{d^2} - \frac{\int \frac{-ad^2-bd^2x}{x\sqrt{1-d^2x^2}} dx}{d^2} \\
&= -\frac{c\sqrt{1-d^2x^2}}{d^2} + a \int \frac{1}{x\sqrt{1-d^2x^2}} dx + b \int \frac{1}{\sqrt{1-d^2x^2}} dx \\
&= -\frac{c\sqrt{1-d^2x^2}}{d^2} + \frac{b \sin^{-1}(dx)}{d} + \frac{1}{2}a \operatorname{Subst} \left(\int \frac{1}{x\sqrt{1-d^2x}} dx, x, x^2 \right) \\
&= -\frac{c\sqrt{1-d^2x^2}}{d^2} + \frac{b \sin^{-1}(dx)}{d} - \frac{a \operatorname{Subst} \left(\int \frac{1}{\frac{1}{d^2} - \frac{x^2}{d^2}} dx, x, \sqrt{1-d^2x^2} \right)}{d^2} \\
&= -\frac{c\sqrt{1-d^2x^2}}{d^2} + \frac{b \sin^{-1}(dx)}{d} - a \tanh^{-1} \left(\sqrt{1-d^2x^2} \right)
\end{aligned}$$

Mathematica [A] time = 0.05, size = 48, normalized size = 1.00

$$-a \tanh^{-1} \left(\sqrt{1-d^2x^2} \right) + \frac{b \sin^{-1}(dx)}{d} - \frac{c\sqrt{1-d^2x^2}}{d^2}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x + c*x^2)/(x*Sqrt[1 - d*x]*Sqrt[1 + d*x]),x]

[Out] -((c*Sqrt[1 - d^2*x^2])/d^2) + (b*ArcSin[d*x])/d - a*ArcTanh[Sqrt[1 - d^2*x^2]]

fricas [A] time = 0.85, size = 81, normalized size = 1.69

$$\frac{ad^2 \log \left(\frac{\sqrt{dx+1} \sqrt{-dx+1}-1}{x} \right) - 2bd \arctan \left(\frac{\sqrt{dx+1} \sqrt{-dx+1}-1}{dx} \right) - \sqrt{dx+1} \sqrt{-dx+1} c}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)/x/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="fricas")

[Out] (a*d^2*log((sqrt(d*x + 1)*sqrt(-d*x + 1) - 1)/x) - 2*b*d*arctan((sqrt(d*x + 1)*sqrt(-d*x + 1) - 1)/(d*x)) - sqrt(d*x + 1)*sqrt(-d*x + 1)*c)/d^2

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)/x/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="giac")

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: Warning, choosing root of [1,0,-4,0,%%{4,[2,2]%%}] at parameters values [70,22] Warning, choosing root of [1,0,-4,0,%%{4,[2,2]%%}] at parameters values [42,56]
$$-a \ln(\operatorname{abs}(2\sqrt{d*x+1}/(-2\sqrt{-d*x+1}+2\sqrt{2})+2-1/2*(-2\sqrt{-d*x+1}+2\sqrt{2})/\sqrt{d*x+1})) + a \ln(\operatorname{abs}(2\sqrt{d*x+1}/(-2\sqrt{-d*x+1}+2\sqrt{2})) - 2-1/2*(-2\sqrt{-d*x+1}+2\sqrt{2})/\sqrt{d*x+1})) - 2*b*(-1/2*\pi - \operatorname{atan}(\sqrt{d*x+1} * ((-1/2*(-2\sqrt{-d*x+1}+2\sqrt{2})/\sqrt{d*x+1})^2 - 1)/(-2\sqrt{-d*x+1}+2\sqrt{2}))) / d - 2*c*d^2/2/d^4*\sqrt{d*x+1}*\sqrt{-d*x+1}$$

maple [C] time = 0.00, size = 96, normalized size = 2.00

$$\frac{\left(-a d^2 \operatorname{arctanh}\left(\frac{1}{\sqrt{-d^2 x^2+1}}\right) \operatorname{csgn}(d) + b d \operatorname{arctan}\left(\frac{d x \operatorname{csgn}(d)}{\sqrt{-(d x+1)(d x-1)}}\right) - \sqrt{-d^2 x^2+1} c \operatorname{csgn}(d)\right) \sqrt{-d x+1} \sqrt{d x+1} \operatorname{csgn}(d)}{\sqrt{-d^2 x^2+1} d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^2+b*x+a)/x/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x)

[Out]
$$(-\operatorname{csgn}(d) * \operatorname{arctanh}(1/(-d^2*x^2+1)^{(1/2)}) * a * d^2 - (-d^2*x^2+1)^{(1/2)} * c * \operatorname{csgn}(d) + b * d * \operatorname{arctan}(1/(-(d*x+1)*(d*x-1))^{(1/2)} * d * x * \operatorname{csgn}(d))) * (-d*x+1)^{(1/2)} * (d*x+1)^{(1/2)} / d^2 * \operatorname{csgn}(d) / (-d^2*x^2+1)^{(1/2)}$$

maxima [A] time = 1.27, size = 57, normalized size = 1.19

$$-a \log\left(\frac{2\sqrt{-d^2 x^2+1}}{|x|} + \frac{2}{|x|}\right) + \frac{b \operatorname{arcsin}(d x)}{d} - \frac{\sqrt{-d^2 x^2+1} c}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)/x/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="maxima")

[Out]
$$-a * \log(2\sqrt{-d^2*x^2+1}/\operatorname{abs}(x) + 2/\operatorname{abs}(x)) + b * \operatorname{arcsin}(d*x)/d - \sqrt{-d^2*x^2+1} * c/d^2$$

mupad [B] time = 4.33, size = 122, normalized size = 2.54

$$a \left(\ln\left(\frac{(\sqrt{1-dx}-1)^2}{(\sqrt{dx+1}-1)^2} - 1\right) - \ln\left(\frac{\sqrt{1-dx}-1}{\sqrt{dx+1}-1}\right) \right) - \frac{\sqrt{1-dx} \left(\frac{c}{d^2} + \frac{cx}{d}\right)}{\sqrt{dx+1}} - \frac{4 b \operatorname{atan}\left(\frac{d(\sqrt{1-dx}-1)}{(\sqrt{dx+1}-1)\sqrt{d^2}}\right)}{\sqrt{d^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x + c*x^2)/(x*(1 - d*x)^(1/2)*(d*x + 1)^(1/2)),x)`

[Out] $a \cdot (\log(((1 - dx)^{1/2} - 1)^2 / ((dx + 1)^{1/2} - 1)^2 - 1) - \log(((1 - dx)^{1/2} - 1) / ((dx + 1)^{1/2} - 1))) - ((1 - dx)^{1/2} * (c/d^2 + (c*x)/d)) / ((dx + 1)^{1/2} - 1) - (4*b*atan((d*((1 - dx)^{1/2} - 1)) / (((dx + 1)^{1/2} - 1) * (d^2)^{1/2}))) / (d^2)^{1/2}$

sympy [C] time = 55.72, size = 245, normalized size = 5.10

$$\frac{iaG_{6,6}^{5,3} \left(\begin{matrix} \frac{3}{4}, \frac{5}{4}, 1 & 1, 1, \frac{3}{2} \\ \frac{1}{2}, \frac{3}{4}, 1, \frac{5}{4}, \frac{3}{2} & 0 \end{matrix} \middle| \frac{1}{d^2 x^2} \right) aG_{6,6}^{2,6} \left(\begin{matrix} 0, \frac{1}{4}, \frac{1}{2}, \frac{3}{4}, 1, 1 \\ \frac{1}{4}, \frac{3}{4} & 0, \frac{1}{2}, \frac{1}{2}, 0 \end{matrix} \middle| \frac{e^{-2i\pi}}{d^2 x^2} \right) ibG_{6,6}^{6,2} \left(\begin{matrix} \frac{1}{4}, \frac{3}{4} & \frac{1}{2}, \frac{1}{2}, 1, 1 \\ 0, \frac{1}{4}, \frac{1}{2}, \frac{3}{4}, 1, 0 \end{matrix} \middle| \frac{1}{d^2 x^2} \right)}{4\pi^{\frac{3}{2}} - 4\pi^{\frac{3}{2}} - 4\pi^{\frac{3}{2}} d} + b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x**2+b*x+a)/x/(-d*x+1)**(1/2)/(d*x+1)**(1/2),x)`

[Out] $I*a*meijerg(((3/4, 5/4, 1), (1, 1, 3/2)), ((1/2, 3/4, 1, 5/4, 3/2), (0,)), 1/(d**2*x**2))/(4*pi**(3/2)) - a*meijerg(((0, 1/4, 1/2, 3/4, 1, 1), ()), ((1/4, 3/4), (0, 1/2, 1/2, 0)), exp_polar(-2*I*pi)/(d**2*x**2))/(4*pi**(3/2)) - I*b*meijerg(((1/4, 3/4), (1/2, 1/2, 1, 1)), ((0, 1/4, 1/2, 3/4, 1, 0), ()), 1/(d**2*x**2))/(4*pi**(3/2)*d) + b*meijerg(((1/2, -1/4, 0, 1/4, 1/2, 1), ()), ((-1/4, 1/4), (-1/2, 0, 0, 0)), exp_polar(-2*I*pi)/(d**2*x**2))/(4*pi**(3/2)*d) - I*c*meijerg(((1/4, 1/4), (0, 0, 1/2, 1)), ((-1/2, -1/4, 0, 1/4, 1/2, 0), ()), 1/(d**2*x**2))/(4*pi**(3/2)*d**2) - c*meijerg(((1, -3/4, -1/2, -1/4, 0, 1), ()), ((-3/4, -1/4), (-1, -1/2, -1/2, 0)), exp_polar(-2*I*pi)/(d**2*x**2))/(4*pi**(3/2)*d**2)$

$$3.18 \quad \int \frac{a+bx+cx^2}{x^2 \sqrt{1-dx} \sqrt{1+dx}} dx$$

Optimal. Leaf size=48

$$-\frac{a\sqrt{1-d^2x^2}}{x} - b \tanh^{-1}\left(\sqrt{1-d^2x^2}\right) + \frac{c \sin^{-1}(dx)}{d}$$

[Out] c*arcsin(d*x)/d-b*arctanh((-d^2*x^2+1)^(1/2))-a*(-d^2*x^2+1)^(1/2)/x

Rubi [A] time = 0.18, antiderivative size = 48, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {1609, 1807, 844, 216, 266, 63, 208}

$$-\frac{a\sqrt{1-d^2x^2}}{x} - b \tanh^{-1}\left(\sqrt{1-d^2x^2}\right) + \frac{c \sin^{-1}(dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x + c*x^2)/(x^2*Sqrt[1 - d*x]*Sqrt[1 + d*x]),x]

[Out] -((a*Sqrt[1 - d^2*x^2])/x) + (c*ArcSin[d*x])/d - b*ArcTanh[Sqrt[1 - d^2*x^2]]

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 216

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 266

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b

, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 844

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]

Rule 1609

Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] :> Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*d, 0] && EqQ[m, n] && (IntegerQ[m] || (GtQ[a, 0] && GtQ[c, 0]))

Rule 1807

Int[(Pq_)*((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] :> With[{Q = PolynomialQuotient[Pq, c*x, x], R = PolynomialRemainder[Pq, c*x, x]}, Simp[(R*(c*x)^(m + 1)*(a + b*x^2)^(p + 1))/(a*c*(m + 1)), x] + Dist[1/(a*c*(m + 1)), Int[(c*x)^(m + 1)*(a + b*x^2)^p*ExpandToSum[a*c*(m + 1)*Q - b*R*(m + 2*p + 3)*x, x], x], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && LtQ[m, -1] && (IntegerQ[2*p] || NeQ[Expon[Pq, x], 1])

Rubi steps

$$\begin{aligned}
\int \frac{a + bx + cx^2}{x^2 \sqrt{1 - dx} \sqrt{1 + dx}} dx &= \int \frac{a + bx + cx^2}{x^2 \sqrt{1 - d^2 x^2}} dx \\
&= -\frac{a\sqrt{1 - d^2 x^2}}{x} - \int \frac{-b - cx}{x\sqrt{1 - d^2 x^2}} dx \\
&= -\frac{a\sqrt{1 - d^2 x^2}}{x} + b \int \frac{1}{x\sqrt{1 - d^2 x^2}} dx + c \int \frac{1}{\sqrt{1 - d^2 x^2}} dx \\
&= -\frac{a\sqrt{1 - d^2 x^2}}{x} + \frac{c \sin^{-1}(dx)}{d} + \frac{1}{2} b \operatorname{Subst} \left(\int \frac{1}{x\sqrt{1 - d^2 x}} dx, x, x^2 \right) \\
&= -\frac{a\sqrt{1 - d^2 x^2}}{x} + \frac{c \sin^{-1}(dx)}{d} - \frac{b \operatorname{Subst} \left(\int \frac{1}{\frac{1}{d^2} - \frac{x^2}{d^2}} dx, x, \sqrt{1 - d^2 x^2} \right)}{d^2} \\
&= -\frac{a\sqrt{1 - d^2 x^2}}{x} + \frac{c \sin^{-1}(dx)}{d} - b \tanh^{-1} \left(\sqrt{1 - d^2 x^2} \right)
\end{aligned}$$

Mathematica [A] time = 0.06, size = 48, normalized size = 1.00

$$-\frac{a\sqrt{1 - d^2 x^2}}{x} - b \tanh^{-1} \left(\sqrt{1 - d^2 x^2} \right) + \frac{c \sin^{-1}(dx)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x + c*x^2)/(x^2*Sqrt[1 - d*x]*Sqrt[1 + d*x]),x]

[Out] -((a*Sqrt[1 - d^2*x^2])/x) + (c*ArcSin[d*x])/d - b*ArcTanh[Sqrt[1 - d^2*x^2]]

fricas [A] time = 0.95, size = 84, normalized size = 1.75

$$\frac{bdx \log \left(\frac{\sqrt{dx+1} \sqrt{-dx+1} - 1}{x} \right) - \sqrt{dx+1} \sqrt{-dx+1} ad - 2cx \arctan \left(\frac{\sqrt{dx+1} \sqrt{-dx+1} - 1}{dx} \right)}{dx}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)/x^2/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="fricas")

[Out] (b*d*x*log((sqrt(d*x + 1)*sqrt(-d*x + 1) - 1)/x) - sqrt(d*x + 1)*sqrt(-d*x + 1)*a*d - 2*c*x*arctan((sqrt(d*x + 1)*sqrt(-d*x + 1) - 1)/(d*x)))/(d*x)

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)/x^2/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="giac")

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: Warning, choosing root of [1,0,-4,0,%%{4,[2,2]%%}] at parameters values [70,22] Warning, choosing root of [1,0,-4,0,%%{4,[2,2]%%}] at parameters values [42,56]
$$\frac{1/d*(-2*c*(-1/2*\pi-\operatorname{atan}(\sqrt{d*x+1})*((-1/2*(-2*\sqrt{-d*x+1})+2*\sqrt{2}))/\sqrt{d*x+1})^2-1)/(-2*\sqrt{-d*x+1})+2*\sqrt{2})) - b*d*\ln(\operatorname{abs}(2*\sqrt{d*x+1})/(-2*\sqrt{-d*x+1})+2*\sqrt{2})) + 2-1/2*(-2*\sqrt{-d*x+1})+2*\sqrt{2})/\sqrt{d*x+1})) + b*d*\ln(\operatorname{abs}(2*\sqrt{d*x+1})/(-2*\sqrt{-d*x+1})+2*\sqrt{2})) - 2-1/2*(-2*\sqrt{-d*x+1})+2*\sqrt{2})/\sqrt{d*x+1})) - 4*a*d^2*(2*\sqrt{d*x+1})/(-2*\sqrt{-d*x+1})+2*\sqrt{2})) - 1/2*(-2*\sqrt{-d*x+1})+2*\sqrt{2})/\sqrt{d*x+1})/(-2*\sqrt{d*x+1})/(-2*\sqrt{-d*x+1})+2*\sqrt{2})) - 1/2*(-2*\sqrt{-d*x+1})+2*\sqrt{2})/\sqrt{d*x+1})^2+4))$$

maple [C] time = 0.00, size = 97, normalized size = 2.02

$$\frac{\left(-bdx \operatorname{arctanh}\left(\frac{1}{\sqrt{-d^2x^2+1}}\right) \operatorname{csgn}(d) - \sqrt{-d^2x^2+1} ad \operatorname{csgn}(d) + cx \operatorname{arctan}\left(\frac{dx \operatorname{csgn}(d)}{\sqrt{-d^2x^2+1}}\right)\right) \sqrt{-dx+1} \sqrt{dx+1} \operatorname{csgn}(d)}{\sqrt{-d^2x^2+1} dx}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^2+b*x+a)/x^2/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x)

[Out]
$$(-\operatorname{csgn}(d)*d*\operatorname{arctanh}(1/(-d^2*x^2+1)^{(1/2)}))*x*b - (-d^2*x^2+1)^{(1/2)}*a*d*\operatorname{csgn}(d) + c*x*\operatorname{arctan}(1/(-d^2*x^2+1)^{(1/2)}*d*x*\operatorname{csgn}(d)))*(-d*x+1)^{(1/2)}*(d*x+1)^{(1/2)})*\operatorname{csgn}(d)/(-d^2*x^2+1)^{(1/2)}/x/d$$

maxima [A] time = 1.32, size = 57, normalized size = 1.19

$$-b \log\left(\frac{2\sqrt{-d^2x^2+1}}{|x|} + \frac{2}{|x|}\right) + \frac{c \operatorname{arcsin}(dx)}{d} - \frac{\sqrt{-d^2x^2+1} a}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)/x^2/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="maxima")

[Out]
$$-b*\log(2*\sqrt{-d^2*x^2+1}/\operatorname{abs}(x) + 2/\operatorname{abs}(x)) + c*\operatorname{arcsin}(d*x)/d - \sqrt{-d^2*x^2+1}*a/x$$

mupad [B] time = 4.27, size = 114, normalized size = 2.38

$$b \left(\ln \left(\frac{(\sqrt{1-dx}-1)^2}{(\sqrt{dx+1}-1)^2} - 1 \right) - \ln \left(\frac{\sqrt{1-dx}-1}{\sqrt{dx+1}-1} \right) \right) - \frac{4c \operatorname{atan} \left(\frac{d(\sqrt{1-dx}-1)}{(\sqrt{dx+1}-1)\sqrt{d^2}} \right)}{\sqrt{d^2}} - \frac{a\sqrt{1-dx}\sqrt{dx+1}}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x + c*x^2)/(x^2*(1 - d*x)^(1/2)*(d*x + 1)^(1/2)),x)`

[Out] `b*(log(((1 - d*x)^(1/2) - 1)^2/((d*x + 1)^(1/2) - 1)^2 - 1) - log(((1 - d*x)^(1/2) - 1)/(d*x + 1)^(1/2) - 1)) - (4*c*atan((d*((1 - d*x)^(1/2) - 1))/((d*x + 1)^(1/2) - 1)*(d^2)^(1/2)))/(d^2)^(1/2) - (a*(1 - d*x)^(1/2)*(d*x + 1)^(1/2))/x`

sympy [C] time = 50.05, size = 221, normalized size = 4.60

$$\frac{iadG_{6,6}^{5,3} \left(\begin{array}{c|c} \frac{5}{4}, \frac{7}{4}, 1 & \frac{3}{2}, \frac{3}{2}, 2 \\ \hline 1, \frac{5}{4}, \frac{3}{2}, \frac{7}{4}, 2 & 0 \end{array} \middle| \frac{1}{d^2 x^2} \right)}{4\pi^{\frac{3}{2}}} + \frac{adG_{6,6}^{2,6} \left(\begin{array}{c|c} \frac{1}{2}, \frac{3}{4}, 1, \frac{5}{4}, \frac{3}{2}, 1 & \\ \hline \frac{3}{4}, \frac{5}{4} & \frac{1}{2}, 1, 1, 0 \end{array} \middle| \frac{e^{-2i\pi}}{d^2 x^2} \right)}{4\pi^{\frac{3}{2}}} + \frac{ibG_{6,6}^{5,3} \left(\begin{array}{c|c} \frac{3}{4}, \frac{5}{4}, 1 & 1, 1, \frac{3}{2} \\ \hline \frac{1}{2}, \frac{3}{4}, 1, \frac{5}{4}, \frac{3}{2} & 0 \end{array} \middle| \frac{1}{d^2 x^2} \right)}{4\pi^{\frac{3}{2}}} bC$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x**2+b*x+a)/x**2/(-d*x+1)**(1/2)/(d*x+1)**(1/2),x)`

[Out] `I*a*d*meijerg(((5/4, 7/4, 1), (3/2, 3/2, 2)), ((1, 5/4, 3/2, 7/4, 2), (0,)), 1/(d**2*x**2))/(4*pi**(3/2)) + a*d*meijerg(((1/2, 3/4, 1, 5/4, 3/2, 1), ()), ((3/4, 5/4), (1/2, 1, 1, 0)), exp_polar(-2*I*pi)/(d**2*x**2))/(4*pi**(3/2)) + I*b*meijerg(((3/4, 5/4, 1), (1, 1, 3/2)), ((1/2, 3/4, 1, 5/4, 3/2), (0,)), 1/(d**2*x**2))/(4*pi**(3/2)) - b*meijerg(((0, 1/4, 1/2, 3/4, 1, 1), ()), ((1/4, 3/4), (0, 1/2, 1/2, 0)), exp_polar(-2*I*pi)/(d**2*x**2))/(4*pi**(3/2)) - I*c*meijerg(((1/4, 3/4), (1/2, 1/2, 1, 1)), ((0, 1/4, 1/2, 3/4, 1, 0), ()), 1/(d**2*x**2))/(4*pi**(3/2)*d) + c*meijerg((-1/2, -1/4, 0, 1/4, 1/2, 1), ()), ((-1/4, 1/4), (-1/2, 0, 0, 0)), exp_polar(-2*I*pi)/(d**2*x**2))/(4*pi**(3/2)*d)`

$$3.19 \quad \int \frac{a+bx+cx^2}{x^3 \sqrt{1-dx} \sqrt{1+dx}} dx$$

Optimal. Leaf size=71

$$-\frac{1}{2} (ad^2 + 2c) \tanh^{-1} \left(\sqrt{1-d^2x^2} \right) - \frac{a\sqrt{1-d^2x^2}}{2x^2} - \frac{b\sqrt{1-d^2x^2}}{x}$$

[Out] $-1/2*(a*d^2+2*c)*\operatorname{arctanh}((-d^2*x^2+1)^{(1/2)})-1/2*a*(-d^2*x^2+1)^{(1/2)}/x^2-b*(-d^2*x^2+1)^{(1/2)}/x$

Rubi [A] time = 0.18, antiderivative size = 71, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {1609, 1807, 807, 266, 63, 208}

$$-\frac{1}{2} (ad^2 + 2c) \tanh^{-1} \left(\sqrt{1-d^2x^2} \right) - \frac{a\sqrt{1-d^2x^2}}{2x^2} - \frac{b\sqrt{1-d^2x^2}}{x}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + b*x + c*x^2)/(x^3*\operatorname{Sqrt}[1 - d*x]*\operatorname{Sqrt}[1 + d*x]), x]$

[Out] $-(a*\operatorname{Sqrt}[1 - d^2*x^2])/(2*x^2) - (b*\operatorname{Sqrt}[1 - d^2*x^2])/x - ((2*c + a*d^2)*\operatorname{ArcTanh}[\operatorname{Sqrt}[1 - d^2*x^2]])/2$

Rule 63

$\operatorname{Int}[(a_.) + (b_.)*(x_)^m]*((c_.) + (d_.)*(x_)^n), x_Symbol] \rightarrow \operatorname{With}[\{p = \operatorname{Denominator}[m]\}, \operatorname{Dist}[p/b, \operatorname{Subst}[\operatorname{Int}[x^{(p*(m+1)-1)}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}], x]] /; \operatorname{FreeQ}[\{a, b, c, d\}, x] \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& \operatorname{LtQ}[-1, m, 0] \&\& \operatorname{LeQ}[-1, n, 0] \&\& \operatorname{LeQ}[\operatorname{Denominator}[n], \operatorname{Denominator}[m]] \&\& \operatorname{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 208

$\operatorname{Int}[(a_.) + (b_.)*(x_)^2]^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(\operatorname{Rt}[-(a/b), 2]*\operatorname{ArcTanh}[x/\operatorname{Rt}[-(a/b), 2]])/a, x] /; \operatorname{FreeQ}[\{a, b\}, x] \&\& \operatorname{NegQ}[a/b]$

Rule 266

$\operatorname{Int}[(x_)^m]*((a_.) + (b_.)*(x_)^n)^p, x_Symbol] \rightarrow \operatorname{Dist}[1/n, \operatorname{Subst}[\operatorname{Int}[x^{(\operatorname{Simplify}[(m+1)/n]-1)}*(a + b*x)^p, x], x, x^n], x] /; \operatorname{FreeQ}[\{a, b, m, n, p\}, x] \&\& \operatorname{IntegerQ}[\operatorname{Simplify}[(m+1)/n]]$

Rule 807

```
Int[((d._) + (e._)*(x_))^(m_)*((f._) + (g._)*(x_))*((a_) + (c._)*(x_)^2)^(p
_.), x_Symbol] := -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))
/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), In
t[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}
, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

Rule 1609

```
Int[(Px_)*((a_) + (b._)*(x_))^(m_)*((c_) + (d._)*(x_))^(n_)*((e_) + (f
_)*(x_))^(p_), x_Symbol] := Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x] /; F
reeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*d, 0] &
& EqQ[m, n] && (IntegerQ[m] || (GtQ[a, 0] && GtQ[c, 0]))
```

Rule 1807

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b._)*(x_)^2)^(p_), x_Symbol] := With[{
Q = PolynomialQuotient[Pq, c*x, x], R = PolynomialRemainder[Pq, c*x, x]}, S
imp[(R*(c*x)^(m + 1)*(a + b*x^2)^(p + 1))/(a*c*(m + 1)), x] + Dist[1/(a*c*(
m + 1)), Int[(c*x)^(m + 1)*(a + b*x^2)^p*ExpandToSum[a*c*(m + 1)*Q - b*R*(m
+ 2*p + 3)*x, x], x], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && LtQ
[m, -1] && (IntegerQ[2*p] || NeQ[Expon[Pq, x], 1])
```

Rubi steps

$$\begin{aligned}
 \int \frac{a + bx + cx^2}{x^3 \sqrt{1 - dx} \sqrt{1 + dx}} dx &= \int \frac{a + bx + cx^2}{x^3 \sqrt{1 - d^2 x^2}} dx \\
 &= -\frac{a\sqrt{1 - d^2 x^2}}{2x^2} - \frac{1}{2} \int \frac{-2b - (2c + ad^2)x}{x^2 \sqrt{1 - d^2 x^2}} dx \\
 &= -\frac{a\sqrt{1 - d^2 x^2}}{2x^2} - \frac{b\sqrt{1 - d^2 x^2}}{x} - \frac{1}{2} (-2c - ad^2) \int \frac{1}{x\sqrt{1 - d^2 x^2}} dx \\
 &= -\frac{a\sqrt{1 - d^2 x^2}}{2x^2} - \frac{b\sqrt{1 - d^2 x^2}}{x} - \frac{1}{4} (-2c - ad^2) \text{Subst} \left(\int \frac{1}{x\sqrt{1 - d^2 x}} dx, x, x^2 \right) \\
 &= -\frac{a\sqrt{1 - d^2 x^2}}{2x^2} - \frac{b\sqrt{1 - d^2 x^2}}{x} - \frac{1}{2} \left(a + \frac{2c}{d^2} \right) \text{Subst} \left(\int \frac{1}{\frac{1}{d^2} - \frac{x^2}{d^2}} dx, x, \sqrt{1 - d^2 x^2} \right) \\
 &= -\frac{a\sqrt{1 - d^2 x^2}}{2x^2} - \frac{b\sqrt{1 - d^2 x^2}}{x} - \frac{1}{2} (2c + ad^2) \tanh^{-1} \left(\sqrt{1 - d^2 x^2} \right)
 \end{aligned}$$

Mathematica [A] time = 0.05, size = 56, normalized size = 0.79

$$-\frac{\sqrt{1-d^2x^2}(a+2bx)}{2x^2} - \frac{1}{2}(ad^2+2c)\tanh^{-1}\left(\sqrt{1-d^2x^2}\right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x + c*x^2)/(x^3*Sqrt[1 - d*x]*Sqrt[1 + d*x]),x]

[Out] -1/2*((a + 2*b*x)*Sqrt[1 - d^2*x^2])/x^2 - ((2*c + a*d^2)*ArcTanh[Sqrt[1 - d^2*x^2]])/2

fricas [A] time = 0.98, size = 65, normalized size = 0.92

$$\frac{(ad^2 + 2c)x^2 \log\left(\frac{\sqrt{dx+1}\sqrt{-dx+1}-1}{x}\right) - (2bx + a)\sqrt{dx+1}\sqrt{-dx+1}}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)/x^3/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="fricas")

[Out] 1/2*((a*d^2 + 2*c)*x^2*log((sqrt(d*x + 1)*sqrt(-d*x + 1) - 1)/x) - (2*b*x + a)*sqrt(d*x + 1)*sqrt(-d*x + 1))/x^2

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)/x^3/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="giac")

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: Warning, choosing root of [1,0,-4,0,%%{4,[2,2]%%}] at parameters values [70,22] Warning, choosing root of [1,0,-4,0,%%{4,[2,2]%%}] at parameters values [42,56] 1/d*(-1/2*(a*d^3+2*c*d)*ln(abs(2*sqrt(d*x+1)/(-2*sqrt(-d*x+1)+2*sqrt(2))+2-1/2*(-2*sqrt(-d*x+1)+2*sqrt(2))/sqrt(d*x+1)))+1/2*(a*d^3+2*c*d)*ln(abs(2*sqrt(d*x+1)/(-2*sqrt(-d*x+1)+2*sqrt(2))-2-1/2*(-2*sqrt(-d*x+1)+2*sqrt(2))/sqrt(d*x+1)))-(2*a*d^3*(2*sqrt(d*x+1)/(-2*sqrt(-d*x+1)+2*sqrt(2))-1/2*(-2*sqrt(-d*x+1)+2*sqrt(2))/sqrt(d*x+1))^3-4*b*d^2*(2*sqrt(d*x+1)/(-2*sqrt(-d*x+1)+2*sqrt(2))-1/2*(-2*sqrt(-d*x+1)+2*sqrt(2))/sqrt(d*x+1))^3+8*a*d^3*(2*sqrt(d*x+1)/(-2*sqrt(-d*x+1)+2*sqrt(2))-1/2*(-2*sqrt(-d*x+1)+2*sqrt(2))/sqrt(d*x+1))+16*b*d^2*(2*sqrt(d*x+1)/(-2*sqrt(-d*x+1)+2*sqrt(2))-1/2*(-2*sqrt(-d*x+1)+2*sqrt(2))/sqrt(d*x+1)))/((2*sqrt(d*x+1)/(-2*sqrt(-d*x+1)+2*sqrt(2))-1/2*(-2*sqrt(-d*x+1)+2*sqrt(2))/sqrt(d*x+1))^2-4^2)

maple [C] time = 0.00, size = 108, normalized size = 1.52

$$\frac{\sqrt{-dx+1} \sqrt{dx+1} \left(a d^2 x^2 \operatorname{arctanh}\left(\frac{1}{\sqrt{-d^2 x^2+1}}\right) + 2c x^2 \operatorname{arctanh}\left(\frac{1}{\sqrt{-d^2 x^2+1}}\right) + 2\sqrt{-d^2 x^2+1} b x + \sqrt{-d^2 x^2+1} \right)}{2\sqrt{-d^2 x^2+1} x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c*x^2+b*x+a)/x^3/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x)`

[Out] $-1/2*(-d*x+1)^{(1/2)}*(d*x+1)^{(1/2)}*c\operatorname{sgn}(d)^2*(\operatorname{arctanh}(1/(-d^2*x^2+1)^{(1/2)}))*x^2*a*d^2+2*\operatorname{arctanh}(1/(-d^2*x^2+1)^{(1/2)})*x^2*c+2*(-d^2*x^2+1)^{(1/2)}*b*x+(-d^2*x^2+1)^{(1/2)}*a)/(-d^2*x^2+1)^{(1/2)}/x^2$

maxima [A] time = 1.28, size = 98, normalized size = 1.38

$$-\frac{1}{2}ad^2 \log\left(\frac{2\sqrt{-d^2x^2+1}}{|x|} + \frac{2}{|x|}\right) - c \log\left(\frac{2\sqrt{-d^2x^2+1}}{|x|} + \frac{2}{|x|}\right) - \frac{\sqrt{-d^2x^2+1}b}{x} - \frac{\sqrt{-d^2x^2+1}a}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^2+b*x+a)/x^3/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="maxima")`

[Out] $-1/2*a*d^2*\log(2*\sqrt{-d^2*x^2+1}/\operatorname{abs}(x) + 2/\operatorname{abs}(x)) - c*\log(2*\sqrt{-d^2*x^2+1}/\operatorname{abs}(x) + 2/\operatorname{abs}(x)) - \sqrt{-d^2*x^2+1}*b/x - 1/2*\sqrt{-d^2*x^2+1}*a/x^2$

mupad [B] time = 6.30, size = 312, normalized size = 4.39

$$c \left(\ln \left(\frac{(\sqrt{1-dx}-1)^2}{(\sqrt{dx+1}-1)^2} - 1 \right) - \ln \left(\frac{\sqrt{1-dx}-1}{\sqrt{dx+1}-1} \right) \right) - \frac{\frac{ad^2(\sqrt{1-dx}-1)^2}{(\sqrt{dx+1}-1)^2} - \frac{ad^2}{2} + \frac{15ad^2(\sqrt{1-dx}-1)^4}{2(\sqrt{dx+1}-1)^4}}{\frac{16(\sqrt{1-dx}-1)^2}{(\sqrt{dx+1}-1)^2} - \frac{32(\sqrt{1-dx}-1)^4}{(\sqrt{dx+1}-1)^4} + \frac{16(\sqrt{1-dx}-1)^6}{(\sqrt{dx+1}-1)^6}} + \frac{ad^2 \ln \left(\frac{(\sqrt{1-dx}-1)}{(\sqrt{dx+1}-1)} \right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x + c*x^2)/(x^3*(1 - d*x)^(1/2)*(d*x + 1)^(1/2)),x)`

[Out] $c*(\log(((1-d*x)^{(1/2)}-1)^2/((d*x+1)^{(1/2)}-1)^2-1) - \log(((1-d*x)^{(1/2)}-1)/((d*x+1)^{(1/2)}-1))) - ((a*d^2*((1-d*x)^{(1/2)}-1)^2)/((d*x+1)^{(1/2)}-1)^2 - (a*d^2)/2 + (15*a*d^2*((1-d*x)^{(1/2)}-1)^4)/(2*((d*x+1)^{(1/2)}-1)^4))/((16*((1-d*x)^{(1/2)}-1)^2)/((d*x+1)^{(1/2)}-1)^2 - (32*((1-d*x)^{(1/2)}-1)^4)/((d*x+1)^{(1/2)}-1)^4 + (16*((1-d*x)^{(1/2)}-1)^6)/((d*x+1)^{(1/2)}-1)^6) + (a*d^2*\log(((1-d*x)^{(1/2)}-1)^2$

$$\frac{1}{2} \left(\frac{1}{(dx+1)^{1/2} - 1} - \frac{1}{(dx+1)^{1/2} + 1} \right) - \frac{a(dx+1)^2 \log\left(\frac{(1-dx)^{1/2} - 1}{(1-dx)^{1/2} + 1}\right)}{2} - \frac{b(1-dx)^{1/2}(dx+1)^{1/2}}{x} + \frac{a(dx+1)^2}{32((dx+1)^{1/2} - 1)^2}$$

sympy [C] time = 80.63, size = 218, normalized size = 3.07

$$\frac{iad^2 G_{6,6}^{5,3} \left(\begin{matrix} \frac{7}{4}, \frac{9}{4}, 1 \\ \frac{3}{2}, \frac{7}{4}, 2, \frac{9}{4}, \frac{5}{2} \end{matrix} \middle| \frac{1}{d^2 x^2} \right)}{4\pi^{\frac{3}{2}}} - \frac{ad^2 G_{6,6}^{2,6} \left(\begin{matrix} 1, \frac{5}{4}, \frac{3}{2}, \frac{7}{4}, 2, 1 \\ \frac{5}{4}, \frac{7}{4} \end{matrix} \middle| \frac{e^{-2i\pi}}{d^2 x^2} \right)}{4\pi^{\frac{3}{2}}} + \frac{ibd G_{6,6}^{5,3} \left(\begin{matrix} \frac{5}{4}, \frac{7}{4}, 1 \\ 1, \frac{5}{4}, \frac{3}{2}, \frac{7}{4}, 2 \end{matrix} \middle| \frac{1}{d^2 x^2} \right)}{4\pi^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x**2+b*x+a)/x**3/(-dx+1)**(1/2)/(dx+1)**(1/2),x)

[Out] $I*a*d**2*meijerg(((7/4, 9/4, 1), (2, 2, 5/2)), ((3/2, 7/4, 2, 9/4, 5/2), (0,)), 1/(d**2*x**2))/(4*pi**(3/2)) - a*d**2*meijerg(((1, 5/4, 3/2, 7/4, 2, 1), ()), ((5/4, 7/4), (1, 3/2, 3/2, 0)), exp_polar(-2*I*pi)/(d**2*x**2))/(4*pi**(3/2)) + I*b*d*meijerg(((5/4, 7/4, 1), (3/2, 3/2, 2)), ((1, 5/4, 3/2, 7/4, 2), (0,)), 1/(d**2*x**2))/(4*pi**(3/2)) + b*d*meijerg(((1/2, 3/4, 1, 5/4, 3/2, 1), ()), ((3/4, 5/4), (1/2, 1, 1, 0)), exp_polar(-2*I*pi)/(d**2*x**2))/(4*pi**(3/2)) + I*c*meijerg(((3/4, 5/4, 1), (1, 1, 3/2)), ((1/2, 3/4, 1, 5/4, 3/2), (0,)), 1/(d**2*x**2))/(4*pi**(3/2)) - c*meijerg(((0, 1/4, 1/2, 3/4, 1, 1), ()), ((1/4, 3/4), (0, 1/2, 1/2, 0)), exp_polar(-2*I*pi)/(d**2*x**2))/(4*pi**(3/2))$

3.20 $\int \sqrt{a + bx} \sqrt{ac - bcx} (e + fx)^3 (A + Bx + Cx^2) dx$

Optimal. Leaf size=591

$$\frac{\sqrt{a + bx} (a^2 - b^2x^2) (e + fx)^2 \sqrt{ac - bcx} (8a^2Cf^2 - b^2(3Ce^2 - 7f(2Af + Be)))}{70b^4f} + \frac{x\sqrt{a + bx} \sqrt{ac - bcx} (A(6a^2 + 3Bx + 2Cx^2) + Bx + Cx^2)}{70b^4f}$$

[Out] 1/16*(A*(6*a^2*b^2*e*f^2+8*b^4*e^3)+a^2*(a^2*f^2*(B*f+3*C*e)+2*b^2*e^2*(3*B*f+C*e)))*x*(b*x+a)^(1/2)*(-b*c*x+a*c)^(1/2)/b^4-1/70*(8*a^2*C*f^2-b^2*(3*C*e^2-7*f*(2*A*f+B*e)))*(f*x+e)^2*(-b^2*x^2+a^2)*(b*x+a)^(1/2)*(-b*c*x+a*c)^(1/2)/b^4/f+1/42*(-7*B*f+3*C*e)*(f*x+e)^3*(-b^2*x^2+a^2)*(b*x+a)^(1/2)*(-b*c*x+a*c)^(1/2)/b^2/f-1/7*C*(f*x+e)^4*(-b^2*x^2+a^2)*(b*x+a)^(1/2)*(-b*c*x+a*c)^(1/2)/b^2/f-1/840*(64*a^4*C*f^4+16*a^2*b^2*f^2*(15*C*e^2+7*f*(A*f+3*B*e))-8*b^4*e^2*(3*C*e^2-7*f*(12*A*f+B*e))+3*b^2*f*(a^2*f^2*(35*B*f+41*C*e)-2*b^2*e*(3*C*e^2-7*f*(7*A*f+B*e))))*x*(-b^2*x^2+a^2)*(b*x+a)^(1/2)*(-b*c*x+a*c)^(1/2)/b^6/f+1/16*a^2*(A*(6*a^2*b^2*e*f^2+8*b^4*e^3)+a^2*(a^2*f^2*(B*f+3*C*e)+2*b^2*e^2*(3*B*f+C*e)))*arctan(b*x*c^(1/2)/(-b^2*c*x^2+a^2*c)^(1/2))*c^(1/2)*(b*x+a)^(1/2)*(-b*c*x+a*c)^(1/2)/b^5/(-b^2*c*x^2+a^2*c)^(1/2)

Rubi [A] time = 1.52, antiderivative size = 584, normalized size of antiderivative = 0.99, number of steps used = 8, number of rules used = 7, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.175$, Rules used = {1610, 1654, 833, 780, 195, 217, 203}

$$\frac{\sqrt{a + bx} (a^2 - b^2x^2) (e + fx)^2 \sqrt{ac - bcx} \left(-\frac{8a^2Cf^2}{b^2} - 7f(2Af + Be) + 3Ce^2 \right)}{70b^2f} \sqrt{a + bx} (a^2 - b^2x^2) \sqrt{ac - bcx} (3A + 2Bx + Cx^2)$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)^3*(A + B*x + C*x^2), x]

[Out] ((a^4*f^2*(3*C*e + B*f) + 2*a^2*b^2*e^2*(C*e + 3*B*f) + A*(8*b^4*e^3 + 6*a^2*b^2*e*f^2))*x*Sqrt[a + b*x]*Sqrt[a*c - b*c*x])/(16*b^4) + ((3*C*e^2 - (8*a^2*C*f^2)/b^2 - 7*f*(B*e + 2*A*f))*Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)^2*(a^2 - b^2*x^2))/(70*b^2*f) + ((3*C*e - 7*B*f)*Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)^3*(a^2 - b^2*x^2))/(42*b^2*f) - (C*Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)^4*(a^2 - b^2*x^2))/(7*b^2*f) - (Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(8*(8*a^4*C*f^4 + 2*a^2*b^2*f^2*(15*C*e^2 + 7*f*(3*B*e + A*f)) - b^4*(3*C*e^4 - 7*e^2*f*(B*e + 12*A*f)))) + 3*b^2*f*(a^2*f^2*(41*C*e + 35*B*f) - b^2*(6*C*e^3 - 14*e*f*(B*e + 7*A*f)))*x*(a^2 - b^2*x^2))/(840*b^6*f) + (a^2*Sqrt[c]*(a^4*f^2*(3*C*e + B*f) + 2*a^2*b^2*e^2*(C*e + 3*B*f) + A*(8*b^4*e^3 + 6*a^2*b^2*e*f^2))*Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*ArcTan[(b*Sqrt[c]*x)/Sqrt[a^2*c - b^2*c*x^2]])/(16*b^5*Sqrt[a^2*c - b^2*c*x^2])

Rule 195

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^p)/(n*p
+ 1), x] + Dist[(a*n*p)/(n*p + 1), Int[(a + b*x^n)^(p - 1), x], x] /; Free
Q[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2*p] || (EqQ[n, 2] &&
IntegerQ[4*p]) || (EqQ[n, 2] && IntegerQ[3*p]) || LtQ[Denominator[p + 1/n],
Denominator[p]])
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 780

```
Int[((d_.) + (e_.)*(x_))*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_), x
_Symbol] := Simp[(((e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x)*(a + c*x^2)^(p
+ 1))/(2*c*(p + 1)*(2*p + 3)), x] - Dist[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p
+ 3)), Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !Le
Q[p, -1]
```

Rule 833

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_), x_Symbol] := Simp[(g*(d + e*x)^m*(a + c*x^2)^(p + 1))/(c*(m + 2*p + 2
), x] + Dist[1/(c*(m + 2*p + 2)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^p*Simp[
c*d*f*(m + 2*p + 2) - a*e*g*m + c*(e*f*(m + 2*p + 2) + d*g*m)*x, x], x]
/; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[m, 0] &
& NeQ[m + 2*p + 2, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p]
) && !(IGtQ[m, 0] && EqQ[f, 0])
```

Rule 1610

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.
)*(x_))^(p_), x_Symbol] := Dist[((a + b*x)^FracPart[m]*(c + d*x)^FracPart[
m])/(a*c + b*d*x^2)^FracPart[m], Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x],
x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*
d, 0] && EqQ[m, n] && !IntegerQ[m]
```

Rule 1654

```

Int[(Pq_)*((d_) + (e_)*(x_))^(m_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :
> With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x)
)^(m + q - 1)*(a + c*x^2)^(p + 1))/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Di
st[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + c*x^2)^p*ExpandToSum[c
*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - f*(d + e*x)
^(q - 2)*(a*e^2*(m + q - 1) - c*d^2*(m + q + 2*p + 1) - 2*c*d*e*(m + q + p)
*x), x], x] /; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0]] /; FreeQ[{a, c, d,
e, m, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && !(EqQ[d, 0] && T
rue) && !(IGtQ[m, 0] && RationalQ[a, c, d, e] && (IntegerQ[p] || ILtQ[p +
1/2, 0]))

```

Rubi steps

$$\begin{aligned}
\int \sqrt{a+bx} \sqrt{ac-bcx} (e+fx)^3 (A+Bx+Cx^2) dx &= \frac{(\sqrt{a+bx} \sqrt{ac-bcx}) \int (e+fx)^3 \sqrt{a^2c-b^2cx^2} (A+Bx+Cx^2) dx}{\sqrt{a^2c-b^2cx^2}} \\
&= -\frac{C\sqrt{a+bx} \sqrt{ac-bcx} (e+fx)^4 (a^2-b^2x^2)}{7b^2f} - \frac{(\sqrt{a+bx} \sqrt{ac-bcx}) \int (e+fx)^2 \sqrt{a^2c-b^2cx^2} (A+Bx+Cx^2) dx}{7b^2f} \\
&= \frac{(3Ce-7Bf)\sqrt{a+bx} \sqrt{ac-bcx} (e+fx)^3 (a^2-b^2x^2)}{42b^2f} - \frac{C\sqrt{a+bx} \sqrt{ac-bcx} (e+fx)^4 (a^2-b^2x^2)}{42b^2f} \\
&= -\frac{(8a^2Cf^2 - b^2(3Ce^2 - 7f(Be + 2Af))) \sqrt{a+bx} \sqrt{ac-bcx} (e+fx)^3 (a^2-b^2x^2)}{70b^4f} \\
&= -\frac{(8a^2Cf^2 - b^2(3Ce^2 - 7f(Be + 2Af))) \sqrt{a+bx} \sqrt{ac-bcx} (e+fx)^4 (a^2-b^2x^2)}{70b^4f} \\
&= \frac{(a^4f^2(3Ce+Bf) + 2a^2b^2e^2(Ce+3Bf) + A(8b^4e^3 + 6a^2b^2e^2)) \sqrt{a+bx} \sqrt{ac-bcx}}{16b^4} \\
&= \frac{(a^4f^2(3Ce+Bf) + 2a^2b^2e^2(Ce+3Bf) + A(8b^4e^3 + 6a^2b^2e^2)) \sqrt{a+bx} \sqrt{ac-bcx}}{16b^4} \\
&= \frac{(a^4f^2(3Ce+Bf) + 2a^2b^2e^2(Ce+3Bf) + A(8b^4e^3 + 6a^2b^2e^2)) \sqrt{a+bx} \sqrt{ac-bcx}}{16b^4}
\end{aligned}$$

Mathematica [A] time = 1.46, size = 427, normalized size = 0.72

$$\frac{\sqrt{c(a-bx)} \left(210a^{5/2}b\sqrt{a-bx} \sqrt{\frac{bx}{a}} + 1 \sin^{-1} \left(\frac{\sqrt{a-bx}}{\sqrt{2}\sqrt{a}} \right) (a^4f^2(Bf+3Ce) + A(6a^2b^2ef^2 + 8b^4e^3) + 2a^2b^2e^2(3Bf + \dots) \right)}{\dots}$$

$$^6)*e^3 + 3*(C*a^4*b^2 + 2*A*a^2*b^4)*e*f^2)*x)*\text{sqrt}(-b*c*x + a*c)*\text{sqrt}(b*x + a))/b^6]$$

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*(C*x^2+B*x+A)*(b*x+a)^(1/2)*(-b*c*x+a*c)^(1/2),x, algorithm="giac")

[Out] Timed out

maple [B] time = 0.04, size = 1446, normalized size = 2.45

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^3*(C*x^2+B*x+A)*(b*x+a)^(1/2)*(-b*c*x+a*c)^(1/2),x)

[Out]
$$\begin{aligned} & 1/1680*(b*x+a)^{(1/2)}*(-c*(b*x-a))^{(1/2)}*(-630*B*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*x*a^2*b^4*e^2*f+105*B*\arctan((b^2*c)^{(1/2)}*x/(-(b^2*x^2-a^2)*c)^{(1/2)})*a^6*b^2*c*f^3+240*C*x^6*b^6*f^3*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}+280*B*x^5*b^6*f^3*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}+336*A*x^4*b^6*f^3*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}+420*C*x^3*b^6*e^3*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}+560*B*x^2*b^6*e^3*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}-224*A*a^4*b^2*f^3*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}-560*B*a^2*b^4*e^3*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}+210*C*\arctan((b^2*c)^{(1/2)}*x/(-(b^2*x^2-a^2)*c)^{(1/2)})*a^4*b^4*c*e^3+840*A*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*x*b^6*e^3+840*A*\arctan((b^2*c)^{(1/2)}*x/(-(b^2*x^2-a^2)*c)^{(1/2)})*a^2*b^6*c*e^3-128*C*a^6*f^3*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}-112*A*x^2*a^2*b^4*f^3*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}+1680*A*x^2*b^6*e^2*f*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}-64*C*x^2*a^4*b^2*f^3*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}-1680*A*a^2*b^4*e^2*f*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}-672*B*a^4*b^2*e*f^2*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}-672*C*a^4*b^2*e^2*f*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}+630*A*\arctan((b^2*c)^{(1/2)}*x/(-(b^2*x^2-a^2)*c)^{(1/2)})*a^4*b^4*c*e*f^2+630*B*\arctan((b^2*c)^{(1/2)}*x/(-(b^2*x^2-a^2)*c)^{(1/2)})*a^4*b^4*c*e^2*f-105*B*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*x*a^4*b^2*f^3-210*C*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*x*a^2*b^4*e^3+1008*C*x^4*b^6*e^2*f*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}+1260*A*x^3*b^6*e*f^2*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}-70*B*x^3*a^2*b^4*f^3*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}+1260*B*x^3*b^6*e^2*f*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}-315*C*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*x*a^4*b^2*e*f^2-630*A*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*x*a^2*b^4*e*f^2-21 \end{aligned}$$

$0 * C * x^3 * a^2 * b^4 * e * f^2 * (b^2 * c)^{(1/2)} * (- (b^2 * x^2 - a^2) * c)^{(1/2)} - 336 * B * x^2 * a^2 * b^4 * e * f^2 * (b^2 * c)^{(1/2)} * (- (b^2 * x^2 - a^2) * c)^{(1/2)} - 336 * C * x^2 * a^2 * b^4 * e^2 * f * (b^2 * c)^{(1/2)} * (- (b^2 * x^2 - a^2) * c)^{(1/2)} + 315 * C * \arctan((b^2 * c)^{(1/2)} * x / (- (b^2 * x^2 - a^2) * c)^{(1/2)}) * a^6 * b^2 * c * e * f^2 + 840 * C * x^5 * b^6 * e * f^2 * (b^2 * c)^{(1/2)} * (- (b^2 * x^2 - a^2) * c)^{(1/2)} + 1008 * B * x^4 * b^6 * e * f^2 * (b^2 * c)^{(1/2)} * (- (b^2 * x^2 - a^2) * c)^{(1/2)} - 48 * C * x^4 * a^2 * b^4 * f^3 * (b^2 * c)^{(1/2)} * (- (b^2 * x^2 - a^2) * c)^{(1/2)} / (- (b^2 * x^2 - a^2) * c)^{(1/2)} / b^6 / (b^2 * c)^{(1/2)}$

maxima [A] time = 1.46, size = 584, normalized size = 0.99

$$-\frac{(-b^2cx^2 + a^2c)^{\frac{3}{2}}Cf^3x^4}{7b^2c} + \frac{Aa^2\sqrt{c}e^3\arcsin\left(\frac{bx}{a}\right)}{2b} + \frac{1}{2}\sqrt{-b^2cx^2 + a^2c}Ae^3x - \frac{4(-b^2cx^2 + a^2c)^{\frac{3}{2}}Ca^2f^3x^2}{35b^4c} + \frac{(3Cef^2 + \dots)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*(C*x^2+B*x+A)*(b*x+a)^(1/2)*(-b*c*x+a*c)^(1/2),x, algorithm="maxima")

[Out] $-1/7 * (-b^2 * c * x^2 + a^2 * c)^{(3/2)} * C * f^3 * x^4 / (b^2 * c) + 1/2 * A * a^2 * \sqrt{c} * e^3 * a * \arcsin(b * x / a) / b + 1/2 * \sqrt{-b^2 * c * x^2 + a^2 * c} * A * e^3 * x - 4/35 * (-b^2 * c * x^2 + a^2 * c)^{(3/2)} * C * a^2 * f^3 * x^2 / (b^4 * c) + 1/16 * (3 * C * e * f^2 + B * f^3) * a^6 * \sqrt{c} * a * \arcsin(b * x / a) / b^5 + 1/8 * (C * e^3 + 3 * B * e^2 * f + 3 * A * e * f^2) * a^4 * \sqrt{c} * \arcsin(b * x / a) / b^3 - 1/3 * (-b^2 * c * x^2 + a^2 * c)^{(3/2)} * B * e^3 / (b^2 * c) - (-b^2 * c * x^2 + a^2 * c)^{(3/2)} * A * e^2 * f / (b^2 * c) - 8/105 * (-b^2 * c * x^2 + a^2 * c)^{(3/2)} * C * a^4 * f^3 / (b^6 * c) + 1/16 * \sqrt{-b^2 * c * x^2 + a^2 * c} * (3 * C * e * f^2 + B * f^3) * a^4 * x / b^4 + 1/8 * \sqrt{-b^2 * c * x^2 + a^2 * c} * (C * e^3 + 3 * B * e^2 * f + 3 * A * e * f^2) * a^2 * x / b^2 - 1/6 * (-b^2 * c * x^2 + a^2 * c)^{(3/2)} * (3 * C * e * f^2 + B * f^3) * x^3 / (b^2 * c) - 1/5 * (-b^2 * c * x^2 + a^2 * c)^{(3/2)} * (3 * C * e^2 * f + 3 * B * e * f^2 + A * f^3) * x^2 / (b^2 * c) - 1/8 * (-b^2 * c * x^2 + a^2 * c)^{(3/2)} * (3 * C * e * f^2 + B * f^3) * a^2 * x / (b^4 * c) - 1/4 * (-b^2 * c * x^2 + a^2 * c)^{(3/2)} * (C * e^3 + 3 * B * e^2 * f + 3 * A * e * f^2) * x / (b^2 * c) - 2/15 * (-b^2 * c * x^2 + a^2 * c)^{(3/2)} * (3 * C * e^2 * f + 3 * B * e * f^2 + A * f^3) * a^2 / (b^4 * c)$

mupad [F(-1)] time = 0.00, size = -1, normalized size = -0.00

Hanged

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e + f*x)^3*(a*c - b*c*x)^(1/2)*(a + b*x)^(1/2)*(A + B*x + C*x^2),x)

[Out] \text{Hanged}

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate((f*x+e)**3*(C*x**2+B*x+A)*(b*x+a)**(1/2)*(-b*c*x+a*c)**(1/2),x)
```

```
[Out] Timed out
```

3.21 $\int \sqrt{a+bx} \sqrt{ac-bcx} (e+fx)^2 (A+Bx+Cx^2) dx$

Optimal. Leaf size=451

$$\frac{\sqrt{a+bx} (a^2 - b^2x^2) \sqrt{ac-bcx} (3fx (5a^2Cf^2 - b^2 (2Ce^2 - 2f(5Af + 2Be))) + 8 (2a^2f^2(Bf + 2Ce) - b^2e (Ce^2 - b^2x^2)))}{120b^4f}$$

[Out] 1/16*(2*A*(a^2*b^2*f^2+4*b^4*e^2)+a^2*(a^2*C*f^2+2*b^2*e*(2*B*f+C*e)))*x*(b*x+a)^(1/2)*(-b*c*x+a*c)^(1/2)/b^4+1/10*(-2*B*f+C*e)*(f*x+e)^2*(-b^2*x^2+a^2)*(b*x+a)^(1/2)*(-b*c*x+a*c)^(1/2)/b^2/f-1/6*C*(f*x+e)^3*(-b^2*x^2+a^2)*(b*x+a)^(1/2)*(-b*c*x+a*c)^(1/2)/b^2/f-1/120*(16*a^2*f^2*(B*f+2*C*e)-8*b^2*e*(C*e^2-2*f*(5*A*f+B*e))+3*f*(5*a^2*C*f^2-b^2*(2*C*e^2-2*f*(5*A*f+2*B*e))))*x*(-b^2*x^2+a^2)*(b*x+a)^(1/2)*(-b*c*x+a*c)^(1/2)/b^4/f+1/16*a^2*(2*A*(a^2*b^2*f^2+4*b^4*e^2)+a^2*(a^2*C*f^2+2*b^2*e*(2*B*f+C*e)))*arctan(b*x*c^(1/2)/(-b^2*c*x^2+a^2*c)^(1/2))*c^(1/2)*(b*x+a)^(1/2)*(-b*c*x+a*c)^(1/2)/b^5/(-b^2*c*x^2+a^2*c)^(1/2)

Rubi [A] time = 1.01, antiderivative size = 450, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.175$, Rules used = {1610, 1654, 833, 780, 195, 217, 203}

$$\frac{\sqrt{a+bx} (a^2 - b^2x^2) \sqrt{ac-bcx} (3fx (5a^2Cf^2 - b^2 (2Ce^2 - 2f(5Af + 2Be))) + 8 (2a^2f^2(Bf + 2Ce) - \frac{1}{8}b^2 (8Ce^2 - b^2x^2)))}{120b^4f}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)^2*(A + B*x + C*x^2), x]

[Out] ((a^4*C*f^2 + 2*a^2*b^2*e*(C*e + 2*B*f) + 2*A*(4*b^4*e^2 + a^2*b^2*f^2))*x*Sqrt[a + b*x]*Sqrt[a*c - b*c*x])/(16*b^4) + ((C*e - 2*B*f)*Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)^2*(a^2 - b^2*x^2))/(10*b^2*f) - (C*Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)^3*(a^2 - b^2*x^2))/(6*b^2*f) - (Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(8*(2*a^2*f^2*(2*C*e + B*f) - (b^2*(8*C*e^3 - 16*e*f*(B*e + 5*A*f))))/8) + 3*f*(5*a^2*C*f^2 - b^2*(2*C*e^2 - 2*f*(2*B*e + 5*A*f)))*x*(a^2 - b^2*x^2))/(120*b^4*f) + (a^2*Sqrt[c]*(a^4*C*f^2 + 2*a^2*b^2*e*(C*e + 2*B*f) + 2*A*(4*b^4*e^2 + a^2*b^2*f^2))*Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*ArcTan[(b*Sqrt[c]*x)/Sqrt[a^2*c - b^2*c*x^2]])/(16*b^5*Sqrt[a^2*c - b^2*c*x^2])

Rule 195

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^p)/(n*p + 1), x] + Dist[(a*n*p)/(n*p + 1), Int[(a + b*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2*p] || (EqQ[n, 2] &&

IntegerQ[4*p]) || (EqQ[n, 2] && IntegerQ[3*p]) || LtQ[Denominator[p + 1/n],
Denominator[p]])

Rule 203

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])

Rule 217

Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 780

Int[((d_) + (e_)*(x_))*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p_), x
_Symbol] := Simp[(((e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x)*(a + c*x^2)^(p
+ 1))/(2*c*(p + 1)*(2*p + 3)), x] - Dist[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p
+ 3)), Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !Le
Q[p, -1]

Rule 833

Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := Simp[(g*(d + e*x)^m*(a + c*x^2)^(p + 1))/(c*(m + 2*p + 2
) , x] + Dist[1/(c*(m + 2*p + 2)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^p*Simp[
c*d*f*(m + 2*p + 2) - a*e*g*m + c*(e*f*(m + 2*p + 2) + d*g*m)*x, x], x]
/; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[m, 0] &
& NeQ[m + 2*p + 2, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p]
) && !(IGtQ[m, 0] && EqQ[f, 0])

Rule 1610

Int[(Px_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_
)*(x))^(p_), x_Symbol] := Dist[((a + b*x)^FracPart[m]*(c + d*x)^FracPart[
m])/(a*c + b*d*x^2)^FracPart[m], Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x],
x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*
d, 0] && EqQ[m, n] && !IntegerQ[m]

Rule 1654

Int[(Pq_)*((d_) + (e_)*(x_))^(m_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :
> With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x
)^(m + q - 1)*(a + c*x^2)^(p + 1))/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Di

```

st[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + c*x^2)^p*ExpandToSum[
c*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - f*(d + e*x)
^(q - 2)*(a*e^2*(m + q - 1) - c*d^2*(m + q + 2*p + 1) - 2*c*d*e*(m + q + p)
*x), x], x], x] /; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0]] /; FreeQ[{a, c, d,
e, m, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && !(EqQ[d, 0] && T
rue) && !(IGtQ[m, 0] && RationalQ[a, c, d, e] && (IntegerQ[p] || ILtQ[p +
1/2, 0]))

```

Rubi steps

$$\begin{aligned}
\int \sqrt{a+bx} \sqrt{ac-bcx} (e+fx)^2 (A+Bx+Cx^2) dx &= \frac{(\sqrt{a+bx} \sqrt{ac-bcx}) \int (e+fx)^2 \sqrt{a^2c-b^2cx^2} (A+Bx+Cx^2) dx}{\sqrt{a^2c-b^2cx^2}} \\
&= -\frac{C\sqrt{a+bx} \sqrt{ac-bcx} (e+fx)^3 (a^2-b^2x^2)}{6b^2f} - \frac{(\sqrt{a+bx} \sqrt{ac-bcx}) \int (e+fx)^2 \sqrt{a^2c-b^2cx^2} (A+Bx+Cx^2) dx}{10b^2f} \\
&= \frac{(Ce-2Bf)\sqrt{a+bx} \sqrt{ac-bcx} (e+fx)^2 (a^2-b^2x^2)}{10b^2f} - \frac{C\sqrt{a+bx} \sqrt{ac-bcx} \int (e+fx)^2 \sqrt{a^2c-b^2cx^2} (A+Bx+Cx^2) dx}{10b^2f} \\
&= \frac{(a^4Cf^2 + 2a^2b^2e(Ce+2Bf) + 2A(4b^4e^2 + a^2b^2f^2)) x \sqrt{a+bx} \sqrt{ac-bcx}}{16b^4} \\
&= \frac{(a^4Cf^2 + 2a^2b^2e(Ce+2Bf) + 2A(4b^4e^2 + a^2b^2f^2)) x \sqrt{a+bx} \sqrt{ac-bcx}}{16b^4} \\
&= \frac{(a^4Cf^2 + 2a^2b^2e(Ce+2Bf) + 2A(4b^4e^2 + a^2b^2f^2)) x \sqrt{a+bx} \sqrt{ac-bcx}}{16b^4}
\end{aligned}$$

Mathematica [A] time = 1.02, size = 311, normalized size = 0.69

$$\frac{\sqrt{c(a-bx)} \left(b(a^2-b^2x^2) (a^4f(32Bf+64Ce+15Cfx) + 2a^2b^2(5Af(16e+3fx) + B(40e^2+30efx+8f^2x^2)) + \dots \right)}{16b^4}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)^2*(A + B*x + C*x^2), x]
```

```
[Out] (Sqrt[c*(a - b*x)]*(b*(a^2 - b^2*x^2)*(a^4*f*(64*C*e + 32*B*f + 15*C*f*x) +
  2*a^2*b^2*(5*A*f*(16*e + 3*f*x) + C*x*(15*e^2 + 16*e*f*x + 5*f^2*x^2) + B*
  (40*e^2 + 30*e*f*x + 8*f^2*x^2)) - 4*b^4*x*(5*A*(6*e^2 + 8*e*f*x + 3*f^2*x^
  2) + x*(2*B*(10*e^2 + 15*e*f*x + 6*f^2*x^2) + C*x*(15*e^2 + 24*e*f*x + 10*f
  ^2*x^2)))) + 30*a^(5/2)*(a^4*C*f^2 + 2*a^2*b^2*e*(C*e + 2*B*f) + 2*A*(4*b^4
  *e^2 + a^2*b^2*f^2))*Sqrt[a - b*x]*Sqrt[1 + (b*x)/a]*ArcSin[Sqrt[a - b*x]/(
  Sqrt[2]*Sqrt[a])])/(240*b^5*(-a + b*x)*Sqrt[a + b*x])
```

fricas [A] time = 1.02, size = 703, normalized size = 1.56

$$\left[\frac{15(4Ba^4b^2ef + 2(Ca^4b^2 + 4Aa^2b^4)e^2 + (Ca^6 + 2Aa^4b^2)f^2)\sqrt{-c} \log(2b^2cx^2 + 2\sqrt{-bcx + ac}\sqrt{bx + a}b\sqrt{-c}}{\right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^2*(C*x^2+B*x+A)*(b*x+a)^(1/2)*(-b*c*x+a*c)^(1/2),x, algor
ithm="fricas")
```

```
[Out] [1/480*(15*(4*B*a^4*b^2*e*f + 2*(C*a^4*b^2 + 4*A*a^2*b^4)*e^2 + (C*a^6 + 2*
A*a^4*b^2)*f^2)*sqrt(-c)*log(2*b^2*c*x^2 + 2*sqrt(-b*c*x + a*c)*sqrt(b*x +
a)*b*sqrt(-c)*x - a^2*c) + 2*(40*C*b^5*f^2*x^5 - 80*B*a^2*b^3*e^2 - 32*B*a^
4*b*f^2 + 48*(2*C*b^5*e*f + B*b^5*f^2)*x^4 + 10*(6*C*b^5*e^2 + 12*B*b^5*e*f
- (C*a^2*b^3 - 6*A*b^5)*f^2)*x^3 - 32*(2*C*a^4*b + 5*A*a^2*b^3)*e*f + 16*(
5*B*b^5*e^2 - B*a^2*b^3*f^2 - 2*(C*a^2*b^3 - 5*A*b^5)*e*f)*x^2 - 15*(4*B*a^
2*b^3*e*f + 2*(C*a^2*b^3 - 4*A*b^5)*e^2 + (C*a^4*b + 2*A*a^2*b^3)*f^2)*x)*s
qrt(-b*c*x + a*c)*sqrt(b*x + a))/b^5, -1/240*(15*(4*B*a^4*b^2*e*f + 2*(C*a^
4*b^2 + 4*A*a^2*b^4)*e^2 + (C*a^6 + 2*A*a^4*b^2)*f^2)*sqrt(c)*arctan(sqrt(-
b*c*x + a*c)*sqrt(b*x + a)*b*sqrt(c)*x/(b^2*c*x^2 - a^2*c)) - (40*C*b^5*f^2
*x^5 - 80*B*a^2*b^3*e^2 - 32*B*a^4*b*f^2 + 48*(2*C*b^5*e*f + B*b^5*f^2)*x^4
+ 10*(6*C*b^5*e^2 + 12*B*b^5*e*f - (C*a^2*b^3 - 6*A*b^5)*f^2)*x^3 - 32*(2*
C*a^4*b + 5*A*a^2*b^3)*e*f + 16*(5*B*b^5*e^2 - B*a^2*b^3*f^2 - 2*(C*a^2*b^3
- 5*A*b^5)*e*f)*x^2 - 15*(4*B*a^2*b^3*e*f + 2*(C*a^2*b^3 - 4*A*b^5)*e^2 +
(C*a^4*b + 2*A*a^2*b^3)*f^2)*x)*sqrt(-b*c*x + a*c)*sqrt(b*x + a))/b^5]
```

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^2*(C*x^2+B*x+A)*(b*x+a)^(1/2)*(-b*c*x+a*c)^(1/2),x, algor
ithm="giac")
```

```
[Out] Timed out
```

maple [B] time = 0.02, size = 987, normalized size = 2.19

$$\sqrt{bx+a} \sqrt{-(bx-a)c} \left(40\sqrt{-(b^2x^2-a^2)c} \sqrt{b^2c} C b^4 f^2 x^5 + 30A a^4 b^2 c f^2 \arctan\left(\frac{\sqrt{b^2c} x}{\sqrt{-(b^2x^2-a^2)c}}\right) + 120A a^2 b^4 c e \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^2*(C*x^2+B*x+A)*(b*x+a)^(1/2)*(-b*c*x+a*c)^(1/2),x)

[Out] 1/240*(b*x+a)^(1/2)*(-b*x-a)*c)^(1/2)*(40*C*x^5*b^4*f^2*(-(b^2*x^2-a^2)*c)^(1/2)*(b^2*c)^(1/2)+48*B*x^4*b^4*f^2*(-(b^2*x^2-a^2)*c)^(1/2)*(b^2*c)^(1/2)+60*A*x^3*b^4*f^2*(-(b^2*x^2-a^2)*c)^(1/2)*(b^2*c)^(1/2)+60*C*x^3*b^4*e^2*(-(b^2*x^2-a^2)*c)^(1/2)*(b^2*c)^(1/2)+80*B*x^2*b^4*e^2*(-(b^2*x^2-a^2)*c)^(1/2)*(b^2*c)^(1/2)-80*B*a^2*b^2*e^2*(-(b^2*x^2-a^2)*c)^(1/2)*(b^2*c)^(1/2)-60*B*(b^2*c)^(1/2)*(-b^2*x^2-a^2)*c)^(1/2)*x*a^2*b^2*e*f+15*C*arctan((b^2*c)^(1/2)/(-b^2*x^2-a^2)*c)^(1/2)*x)*a^6*c*f^2-32*B*a^4*f^2*(-(b^2*x^2-a^2)*c)^(1/2)*(b^2*c)^(1/2)-64*C*a^4*e*f*(-(b^2*x^2-a^2)*c)^(1/2)*(b^2*c)^(1/2)+30*A*arctan((b^2*c)^(1/2)/(-b^2*x^2-a^2)*c)^(1/2)*x)*a^4*b^2*c*f^2+120*A*arctan((b^2*c)^(1/2)/(-b^2*x^2-a^2)*c)^(1/2)*x)*a^2*b^4*c*e^2+30*C*arctan((b^2*c)^(1/2)/(-b^2*x^2-a^2)*c)^(1/2)*x)*a^4*b^2*c*e^2+120*A*(b^2*c)^(1/2)*(-b^2*x^2-a^2)*c)^(1/2)*x*b^4*e^2-15*C*(b^2*c)^(1/2)*(-b^2*x^2-a^2)*c)^(1/2)*x*a^4*f^2-32*C*x^2*a^2*b^2*e*f*(-(b^2*x^2-a^2)*c)^(1/2)*(b^2*c)^(1/2)-30*A*(b^2*c)^(1/2)*(-b^2*x^2-a^2)*c)^(1/2)*x*a^2*b^2*f^2-30*C*(b^2*c)^(1/2)*(-b^2*x^2-a^2)*c)^(1/2)*x*a^2*b^2*e^2-10*C*x^3*a^2*b^2*f^2*(-(b^2*x^2-a^2)*c)^(1/2)*(b^2*c)^(1/2)+160*A*x^2*b^4*e*f*(-(b^2*x^2-a^2)*c)^(1/2)*(b^2*c)^(1/2)-16*B*x^2*a^2*b^2*f^2*(-(b^2*x^2-a^2)*c)^(1/2)*(b^2*c)^(1/2)-160*A*a^2*b^2*e*f*(-(b^2*x^2-a^2)*c)^(1/2)*(b^2*c)^(1/2)+60*B*arctan((b^2*c)^(1/2)/(-b^2*x^2-a^2)*c)^(1/2)*x)*a^4*b^2*c*e*f+96*C*x^4*b^4*e*f*(-(b^2*x^2-a^2)*c)^(1/2)*(b^2*c)^(1/2)+120*B*x^3*b^4*e*f*(-(b^2*x^2-a^2)*c)^(1/2)*(b^2*c)^(1/2))/(-b^2*x^2-a^2)*c)^(1/2)/b^4/(b^2*c)^(1/2)

maxima [A] time = 2.07, size = 417, normalized size = 0.92

$$\frac{Aa^2\sqrt{c}e^2\arcsin\left(\frac{bx}{a}\right)}{2b} + \frac{Ca^6\sqrt{c}f^2\arcsin\left(\frac{bx}{a}\right)}{16b^5} + \frac{1}{2}\sqrt{-b^2cx^2+a^2c}Ae^2x + \frac{\sqrt{-b^2cx^2+a^2c}Ca^4f^2x}{16b^4} - \frac{(-b^2cx^2+a^2c)^{\frac{3}{2}}}{6b^2c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*(C*x^2+B*x+A)*(b*x+a)^(1/2)*(-b*c*x+a*c)^(1/2),x, algorithm="maxima")

[Out] 1/2*A*a^2*sqrt(c)*e^2*arcsin(b*x/a)/b + 1/16*C*a^6*sqrt(c)*f^2*arcsin(b*x/a)/b^5 + 1/2*sqrt(-b^2*c*x^2 + a^2*c)*A*e^2*x + 1/16*sqrt(-b^2*c*x^2 + a^2*c)

$$\begin{aligned}
&) * C * a^4 * f^2 * x / b^4 - 1/6 * (-b^2 * c * x^2 + a^2 * c)^{(3/2)} * C * f^2 * x^3 / (b^2 * c) + 1/8 * \\
& (C * e^2 + 2 * B * e * f + A * f^2) * a^4 * \sqrt{c} * \arcsin(b * x / a) / b^3 + 1/8 * \sqrt{-b^2 * c * x^2 + a^2 * c} * \\
& (C * e^2 + 2 * B * e * f + A * f^2) * a^2 * x / b^2 - 1/8 * (-b^2 * c * x^2 + a^2 * c)^{(3/2)} * C * a^2 * f^2 * x / (b^4 * c) \\
& - 1/3 * (-b^2 * c * x^2 + a^2 * c)^{(3/2)} * B * e^2 / (b^2 * c) - 2/3 * (-b^2 * c * x^2 + a^2 * c)^{(3/2)} * A * e * f / (b^2 * c) \\
& - 1/5 * (-b^2 * c * x^2 + a^2 * c)^{(3/2)} * (2 * C * e * f + B * f^2) * x^2 / (b^2 * c) - 1/4 * (-b^2 * c * x^2 + a^2 * c)^{(3/2)} * \\
& (C * e^2 + 2 * B * e * f + A * f^2) * x / (b^2 * c) - 2/15 * (-b^2 * c * x^2 + a^2 * c)^{(3/2)} * (2 * C * e * f + B * f^2) * a^2 / (b^4 * c)
\end{aligned}$$

mupad [F(-1)] time = 0.00, size = -1, normalized size = -0.00

Hanged

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e + f*x)^2*(a*c - b*c*x)^(1/2)*(a + b*x)^(1/2)*(A + B*x + C*x^2),x)

[Out] \text{Hanged}

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**2*(C*x**2+B*x+A)*(b*x+a)**(1/2)*(-b*c*x+a*c)**(1/2),x)

[Out] Timed out

3.22 $\int \sqrt{a + bx} \sqrt{ac - bcx} (e + fx) (A + Bx + Cx^2) dx$

Optimal. Leaf size=300

$$\frac{x\sqrt{a+bx}\sqrt{ac-bcx}(a^2(Bf+Ce)+4Ab^2e)}{8b^2} - \frac{\sqrt{a+bx}(a^2-b^2x^2)\sqrt{ac-bcx}(4(2a^2Cf^2-b^2(3Ce^2-5f(Af+Be))) - 3b^2fx(3Ce-5Bf))}{60b^4f} + \frac{a^2\sqrt{c}\sqrt{a+bx}\sqrt{ac-bcx}}{60b^4f}$$

[Out] $\frac{1}{8}*(4*A*b^2*e+a^2*(B*f+C*e))*x*(b*x+a)^{(1/2)}*(-b*c*x+a*c)^{(1/2)}/b^2-1/5*C*(f*x+e)^2*(-b^2*x^2+a^2)*(b*x+a)^{(1/2)}*(-b*c*x+a*c)^{(1/2)}/b^2/f-1/60*(8*a^2*C*f^2-4*b^2*(3*C*e^2-5*f*(A*f+B*e))-3*b^2*f*(-5*B*f+3*C*e)*x)*(-b^2*x^2+a^2)*(b*x+a)^{(1/2)}*(-b*c*x+a*c)^{(1/2)}/b^4/f+1/8*a^2*(4*A*b^2*e+a^2*(B*f+C*e))*\arctan(b*x*c^{(1/2)}/(-b^2*c*x^2+a^2*c)^{(1/2)})*c^{(1/2)}*(b*x+a)^{(1/2)}*(-b*c*x+a*c)^{(1/2)}/b^3/(-b^2*c*x^2+a^2*c)^{(1/2)}$

Rubi [A] time = 0.45, antiderivative size = 297, normalized size of antiderivative = 0.99, number of steps used = 6, number of rules used = 6, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {1610, 1654, 780, 195, 217, 203}

$$\frac{\sqrt{a+bx}(a^2-b^2x^2)\sqrt{ac-bcx}(4(2a^2Cf^2-b^2(3Ce^2-5f(Af+Be))) - 3b^2fx(3Ce-5Bf))}{60b^4f} + \frac{a^2\sqrt{c}\sqrt{a+bx}\sqrt{ac-bcx}}{60b^4f}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)*(A + B*x + C*x^2), x]

[Out] $((4*A*e + (a^2*(C*e + B*f))/b^2)*x*\sqrt{a + b*x}*\sqrt{a*c - b*c*x})/8 - (C*\sqrt{a + b*x}*\sqrt{a*c - b*c*x}*(e + f*x)^2*(a^2 - b^2*x^2))/(5*b^2*f) - (\sqrt{a + b*x}*\sqrt{a*c - b*c*x}*(4*(2*a^2*C*f^2 - b^2*(3*C*e^2 - 5*f*(B*e + A*f)))) - 3*b^2*f*(3*C*e - 5*B*f)*x*(a^2 - b^2*x^2))/(60*b^4*f) + (a^2*\sqrt{c}*(4*A*b^2*e + a^2*(C*e + B*f))*\sqrt{a + b*x}*\sqrt{a*c - b*c*x}*\text{ArcTan}[(b*\sqrt{c}*\sqrt{a + b*x})/\sqrt{a^2*c - b^2*c*x^2}])/(8*b^3*\sqrt{a^2*c - b^2*c*x^2})$

Rule 195

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^p)/(n*p + 1), x] + Dist[(a*n*p)/(n*p + 1), Int[(a + b*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2*p] || (EqQ[n, 2] && IntegerQ[4*p]) || (EqQ[n, 2] && IntegerQ[3*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[Rt[b, 2]*x]/Rt[a, 2])]/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a

, 0] || GtQ[b, 0])

Rule 217

Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 780

Int[((d_.) + (e_.)*(x_))*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[(((e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x)*(a + c*x^2)^(p + 1))/(2*c*(p + 1)*(2*p + 3)), x] - Dist[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p + 3)), Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !LeQ[p, -1]

Rule 1610

Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] := Dist[((a + b*x)^FracPart[m]*(c + d*x)^FracPart[m])/((a*c + b*d*x^2)^FracPart[m]), Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*d, 0] && EqQ[m, n] && !IntegerQ[m]

Rule 1654

Int[(Pq_)*((d_) + (e_.)*(x_))^(m_)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x)^(m + q - 1)*(a + c*x^2)^(p + 1))/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Dist[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + c*x^2)^p*ExpandToSum[c*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - f*(d + e*x)^(q - 2)*(a*e^2*(m + q - 1) - c*d^2*(m + q + 2*p + 1) - 2*c*d*e*(m + q + p)*x), x], x] /; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0] /; FreeQ[{a, c, d, e, m, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && !(EqQ[d, 0] && True) && !(IGtQ[m, 0] && RationalQ[a, c, d, e] && (IntegerQ[p] || ILtQ[p + 1/2, 0]))

Rubi steps

$$\begin{aligned}
\int \sqrt{a+bx} \sqrt{ac-bcx} (e+fx) (A+Bx+Cx^2) dx &= \frac{(\sqrt{a+bx} \sqrt{ac-bcx}) \int (e+fx) \sqrt{a^2c-b^2cx^2} (A+Bx+Cx^2) dx}{\sqrt{a^2c-b^2cx^2}} \\
&= -\frac{C\sqrt{a+bx} \sqrt{ac-bcx} (e+fx)^2 (a^2-b^2x^2)}{5b^2f} - \frac{(\sqrt{a+bx} \sqrt{ac-bcx}) \int (e+fx) \sqrt{a^2c-b^2cx^2} dx}{5b^2f} \\
&= -\frac{C\sqrt{a+bx} \sqrt{ac-bcx} (e+fx)^2 (a^2-b^2x^2)}{5b^2f} - \frac{\sqrt{a+bx} \sqrt{ac-bcx} (4Ae + \frac{a^2(Ce+Bf)}{b^2}) x}{8} \\
&= \frac{1}{8} \left(4Ae + \frac{a^2(Ce+Bf)}{b^2} \right) x \sqrt{a+bx} \sqrt{ac-bcx} - \frac{C\sqrt{a+bx} \sqrt{ac-bcx} (e+fx)^2 (a^2-b^2x^2)}{5b^2f} \\
&= \frac{1}{8} \left(4Ae + \frac{a^2(Ce+Bf)}{b^2} \right) x \sqrt{a+bx} \sqrt{ac-bcx} - \frac{C\sqrt{a+bx} \sqrt{ac-bcx} (e+fx)^2 (a^2-b^2x^2)}{5b^2f} \\
&= \frac{1}{8} \left(4Ae + \frac{a^2(Ce+Bf)}{b^2} \right) x \sqrt{a+bx} \sqrt{ac-bcx} - \frac{C\sqrt{a+bx} \sqrt{ac-bcx} (e+fx)^2 (a^2-b^2x^2)}{5b^2f}
\end{aligned}$$

Mathematica [A] time = 0.68, size = 200, normalized size = 0.67

$$\frac{c \left(30a^{5/2} b \sqrt{a-bx} \sqrt{\frac{bx}{a} + 1} \sin^{-1} \left(\frac{\sqrt{a-bx}}{\sqrt{2}\sqrt{a}} \right) (a^2(Bf + Ce) + 4Ab^2e) + (a^2 - b^2x^2) (16a^4Cf + a^2b^2(40Af + 5B(8e + 3fx))) + Cx^2(15e + 8fx)) - 2b^4x(10A(3e + 2fx) + x(5B(4e + 3fx) + 3Cx(5e + 4fx))) + 30a^{5/2} b (4Ab^2e + a^2(Ce + Bf)) \sqrt{a-bx} \sqrt{1 + (bx)/a} \operatorname{ArcSin} \left[\frac{\sqrt{a-bx}}{\sqrt{2}\sqrt{a}} \right] \right)}{120b^4 \sqrt{a+bx} \sqrt{c(a-bx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)*(A + B*x + C*x^2), x]

[Out] -1/120*(c*((a^2 - b^2*x^2)*(16*a^4*C*f + a^2*b^2*(40*A*f + 5*B*(8*e + 3*f*x)) + C*x*(15*e + 8*f*x)) - 2*b^4*x*(10*A*(3*e + 2*f*x) + x*(5*B*(4*e + 3*f*x) + 3*C*x*(5*e + 4*f*x)))) + 30*a^(5/2)*b*(4*A*b^2*e + a^2*(C*e + B*f))*Sqrt[a - b*x]*Sqrt[1 + (b*x)/a]*ArcSin[Sqrt[a - b*x]/(Sqrt[2]*Sqrt[a])])/(b^4*Sqrt[c*(a - b*x)]*Sqrt[a + b*x])

fricas [A] time = 0.97, size = 441, normalized size = 1.47

$$\left[\frac{15 (Ba^4bf + (Ca^4b + 4Aa^2b^3)e) \sqrt{-c} \log(2b^2cx^2 + 2\sqrt{-bcx + ac} \sqrt{bx + a} b \sqrt{-c} x - a^2c) + 2(24Cb^4fx^4 - 40B(8e + 3fx)Cx^2 + 10A(3e + 2fx)Cx + 15eC)x}{120b^4 \sqrt{a+bx} \sqrt{c(a-bx)}} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*(C*x^2+B*x+A)*(b*x+a)^(1/2)*(-b*c*x+a*c)^(1/2),x, algorithm="fricas")

[Out] [1/240*(15*(B*a^4*b*f + (C*a^4*b + 4*A*a^2*b^3)*e)*sqrt(-c)*log(2*b^2*c*x^2 + 2*sqrt(-b*c*x + a*c)*sqrt(b*x + a)*b*sqrt(-c)*x - a^2*c) + 2*(24*C*b^4*f*x^4 - 40*B*a^2*b^2*e + 30*(C*b^4*e + B*b^4*f)*x^3 + 8*(5*B*b^4*e - (C*a^2*b^2 - 5*A*b^4)*f)*x^2 - 8*(2*C*a^4 + 5*A*a^2*b^2)*f - 15*(B*a^2*b^2*f + (C*a^2*b^2 - 4*A*b^4)*e)*x)*sqrt(-b*c*x + a*c)*sqrt(b*x + a))/b^4, -1/120*(15*(B*a^4*b*f + (C*a^4*b + 4*A*a^2*b^3)*e)*sqrt(c)*arctan(sqrt(-b*c*x + a*c)*sqrt(b*x + a)*b*sqrt(c)*x/(b^2*c*x^2 - a^2*c)) - (24*C*b^4*f*x^4 - 40*B*a^2*b^2*e + 30*(C*b^4*e + B*b^4*f)*x^3 + 8*(5*B*b^4*e - (C*a^2*b^2 - 5*A*b^4)*f)*x^2 - 8*(2*C*a^4 + 5*A*a^2*b^2)*f - 15*(B*a^2*b^2*f + (C*a^2*b^2 - 4*A*b^4)*e)*x)*sqrt(-b*c*x + a*c)*sqrt(b*x + a))/b^4]

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*(C*x^2+B*x+A)*(b*x+a)^(1/2)*(-b*c*x+a*c)^(1/2),x, algorithm="giac")

[Out] Timed out

maple [B] time = 0.01, size = 588, normalized size = 1.96

$$\sqrt{bx+a} \sqrt{-(bx-a)c} \left(60A a^2 b^4 c e \arctan \left(\frac{\sqrt{b^2 c} x}{\sqrt{-(b^2 x^2 - a^2) c}} \right) + 15B a^4 b^2 c f \arctan \left(\frac{\sqrt{b^2 c} x}{\sqrt{-(b^2 x^2 - a^2) c}} \right) + 15C a^4 b^2 c e \arctan \left(\frac{\sqrt{b^2 c} x}{\sqrt{-(b^2 x^2 - a^2) c}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)*(C*x^2+B*x+A)*(b*x+a)^(1/2)*(-b*c*x+a*c)^(1/2),x)

[Out] 1/120*(b*x+a)^(1/2)*(-(b*x-a)*c)^(1/2)*(24*C*x^4*b^4*f*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)+30*B*x^3*b^4*f*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)+30*C*x^3*b^4*e*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)+60*A*arctan((b^2*c)^(1/2)/(-(b^2*x^2-a^2)*c)^(1/2)*x)*a^2*b^4*c*e+40*A*x^2*b^4*f*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)+15*B*arctan((b^2*c)^(1/2)/(-(b^2*x^2-a^2)*c)^(1/2)*x)*a^4*b^2*c*e-8*C*x^2*a^2*b^2*f*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)+60*A*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*x*b^4*e-15*B*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*x*a^2*b^2*f-15*C*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*x*a^2*b^2*e-40*A*a^2*b^2*f*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*x*a^2*b^2*f-15*C*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*x*a^2*b^2*e

$$\left)^{(1/2)} * \left(- (b^2 * x^2 - a^2) * c\right)^{(1/2)} - 40 * B * a^2 * b^2 * e * (b^2 * c)^{(1/2)} * \left(- (b^2 * x^2 - a^2) * c\right)^{(1/2)} - 16 * C * a^4 * f * (b^2 * c)^{(1/2)} * \left(- (b^2 * x^2 - a^2) * c\right)^{(1/2)} / \left(- (b^2 * x^2 - a^2) * c\right)^{(1/2)} / b^4 / (b^2 * c)^{(1/2)}$$

maxima [A] time = 2.25, size = 248, normalized size = 0.83

$$\frac{Aa^2\sqrt{c}e\arcsin\left(\frac{bx}{a}\right)}{2b} + \frac{1}{2}\sqrt{-b^2cx^2+a^2c}Aex + \frac{(Ce+Bf)a^4\sqrt{c}\arcsin\left(\frac{bx}{a}\right)}{8b^3} + \frac{\sqrt{-b^2cx^2+a^2c}(Ce+Bf)a^2x}{8b^2} - \frac{(-b^2c}{8b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*(C*x^2+B*x+A)*(b*x+a)^(1/2)*(-b*c*x+a*c)^(1/2),x, algorithm="maxima")

[Out] 1/2*A*a^2*sqrt(c)*e*arcsin(b*x/a)/b + 1/2*sqrt(-b^2*c*x^2 + a^2*c)*A*e*x + 1/8*(C*e + B*f)*a^4*sqrt(c)*arcsin(b*x/a)/b^3 + 1/8*sqrt(-b^2*c*x^2 + a^2*c)*(C*e + B*f)*a^2*x/b^2 - 1/5*(-b^2*c*x^2 + a^2*c)^(3/2)*C*f*x^2/(b^2*c) - 1/3*(-b^2*c*x^2 + a^2*c)^(3/2)*B*e/(b^2*c) - 2/15*(-b^2*c*x^2 + a^2*c)^(3/2)*C*a^2*f/(b^4*c) - 1/3*(-b^2*c*x^2 + a^2*c)^(3/2)*A*f/(b^2*c) - 1/4*(-b^2*c*x^2 + a^2*c)^(3/2)*(C*e + B*f)*x/(b^2*c)

mupad [B] time = 30.58, size = 1765, normalized size = 5.88

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e + f*x)*(a*c - b*c*x)^(1/2)*(a + b*x)^(1/2)*(A + B*x + C*x^2),x)

[Out] ((B*a^4*c^8*f*((a*c - b*c*x)^(1/2) - (a*c)^(1/2)))/(2*((a + b*x)^(1/2) - a^(1/2))) - (B*a^4*c*f*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^15)/(2*((a + b*x)^(1/2) - a^(1/2))^15) - (35*B*a^4*c^7*f*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^3)/(2*((a + b*x)^(1/2) - a^(1/2))^3) + (273*B*a^4*c^6*f*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^5)/(2*((a + b*x)^(1/2) - a^(1/2))^5) - (715*B*a^4*c^5*f*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^7)/(2*((a + b*x)^(1/2) - a^(1/2))^7) + (715*B*a^4*c^4*f*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^9)/(2*((a + b*x)^(1/2) - a^(1/2))^9) - (273*B*a^4*c^3*f*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^11)/(2*((a + b*x)^(1/2) - a^(1/2))^11) + (35*B*a^4*c^2*f*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^13)/(2*((a + b*x)^(1/2) - a^(1/2))^13)/(b^3*c^8 + (b^3*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^16)/((a + b*x)^(1/2) - a^(1/2))^16 + (8*b^3*c^7*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^2)/((a + b*x)^(1/2) - a^(1/2))^2 + (28*b^3*c^6*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^4)/((a + b*x)^(1/2) - a^(1/2))^4 + (56*b^3*c^5*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^6)/((a + b*x)^(1/2) - a^(1/2))^6 + (70*b^3*c^4*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^8)/((a + b*x)^(1/2) - a^(1/2))^8 + (56*b^3*c^3*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^10)/((a + b*x)^(1/2) - a^(1/2))^10 + (28*b^3*c^2*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^12)/((a + b*x)^(1/2) - a^(1/2))^12

$$2))^{12} / ((a + b*x)^{1/2} - a^{1/2})^{12} + (8*b^3*c*((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^{14} / ((a + b*x)^{1/2} - a^{1/2})^{14} - (a*c - b*c*x)^{1/2} * ((2*C*a^4*f*(a + b*x)^{1/2}) / (15*b^4) - (C*f*x^4*(a + b*x)^{1/2}) / 5 + (C*a^2*f*x^2*(a + b*x)^{1/2}) / (15*b^2)) + ((C*a^4*c^8*e*((a*c - b*c*x)^{1/2} - (a*c)^{1/2})) / (2*((a + b*x)^{1/2} - a^{1/2}))) - (C*a^4*c*e*((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^{15} / (2*((a + b*x)^{1/2} - a^{1/2})^{15} - (35*C*a^4*c^7*e*((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^3) / (2*((a + b*x)^{1/2} - a^{1/2})^3) + (273*C*a^4*c^6*e*((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^5) / (2*((a + b*x)^{1/2} - a^{1/2})^5) - (715*C*a^4*c^5*e*((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^7) / (2*((a + b*x)^{1/2} - a^{1/2})^7) + (715*C*a^4*c^4*e*((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^9) / (2*((a + b*x)^{1/2} - a^{1/2})^9) - (273*C*a^4*c^3*e*((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^{11}) / (2*((a + b*x)^{1/2} - a^{1/2})^{11}) + (35*C*a^4*c^2*e*((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^{13}) / (2*((a + b*x)^{1/2} - a^{1/2})^{13})) / (b^3*c^8 + (b^3*((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^{16}) / ((a + b*x)^{1/2} - a^{1/2})^{16} + (8*b^3*c^7*((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^2) / ((a + b*x)^{1/2} - a^{1/2})^2 + (28*b^3*c^6*((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^4) / ((a + b*x)^{1/2} - a^{1/2})^4 + (56*b^3*c^5*((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^6) / ((a + b*x)^{1/2} - a^{1/2})^6 + (70*b^3*c^4*((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^8) / ((a + b*x)^{1/2} - a^{1/2})^8 + (56*b^3*c^3*((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^{10}) / ((a + b*x)^{1/2} - a^{1/2})^{10} + (28*b^3*c^2*((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^{12}) / ((a + b*x)^{1/2} - a^{1/2})^{12} + (8*b^3*c*((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^{14}) / ((a + b*x)^{1/2} - a^{1/2})^{14} + (A*e*x*(a*c - b*c*x)^{1/2}*(a + b*x)^{1/2}) / 2 - (A*f*(a^2 - b^2*x^2)*(a*c - b*c*x)^{1/2}*(a + b*x)^{1/2}) / (3*b^2) - (B*e*(a^2 - b^2*x^2)*(a*c - b*c*x)^{1/2}*(a + b*x)^{1/2}) / (3*b^2) - (B*a^4*c^{1/2}*f*atan(((a*c - b*c*x)^{1/2} - (a*c)^{1/2}) / (c^{1/2}*((a + b*x)^{1/2} - a^{1/2})))) / (2*b^3) - (C*a^4*c^{1/2}*e*atan(((a*c - b*c*x)^{1/2} - (a*c)^{1/2}) / (c^{1/2}*((a + b*x)^{1/2} - a^{1/2})))) / (2*b^3) - (A*a^2*b^{1/2}*c^2*e*log((-b*c)^{1/2}*(c*(a - b*x))^{1/2}*(a + b*x)^{1/2} - b^{3/2}*c*x)) / (2*(-b*c)^{3/2})$$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{-c(-a + bx)} \sqrt{a + bx} (e + fx) (A + Bx + Cx^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*(C*x**2+B*x+A)*(b*x+a)**(1/2)*(-b*c*x+a*c)**(1/2), x)

[Out] Integral(sqrt(-c*(-a + b*x))*sqrt(a + b*x)*(e + f*x)*(A + B*x + C*x**2), x)

3.23 $\int \sqrt{a + bx} \sqrt{ac - bcx} (A + Bx + Cx^2) dx$

Optimal. Leaf size=221

$$\frac{1}{8}x\sqrt{a + bx} \left(\frac{a^2C}{b^2} + 4A \right) \sqrt{ac - bcx} + \frac{a^2\sqrt{c} \sqrt{a + bx} (a^2C + 4Ab^2) \sqrt{ac - bcx} \tan^{-1} \left(\frac{b\sqrt{c}x}{\sqrt{a^2c - b^2cx^2}} \right) - B\sqrt{a + bx} (a^2 - bcx)}{8b^3\sqrt{a^2c - b^2cx^2}}$$

[Out] $1/8*(4*A+a^2*C/b^2)*x*(b*x+a)^{(1/2)}*(-b*c*x+a*c)^{(1/2)}-1/3*B*(-b^2*x^2+a^2)*(b*x+a)^{(1/2)}*(-b*c*x+a*c)^{(1/2)}/b^2-1/4*C*x*(-b^2*x^2+a^2)*(b*x+a)^{(1/2)}*(-b*c*x+a*c)^{(1/2)}/b^2+1/8*a^2*(4*A*b^2+C*a^2)*\arctan(b*x*c^{(1/2)}/(-b^2*c*x^2+a^2*c)^{(1/2)})*c^{(1/2)}*(b*x+a)^{(1/2)}*(-b*c*x+a*c)^{(1/2)}/b^3/(-b^2*c*x^2+a^2*c)^{(1/2)}$

Rubi [A] time = 0.15, antiderivative size = 221, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {901, 1815, 641, 195, 217, 203}

$$\frac{a^2\sqrt{c} \sqrt{a + bx} (a^2C + 4Ab^2) \sqrt{ac - bcx} \tan^{-1} \left(\frac{b\sqrt{c}x}{\sqrt{a^2c - b^2cx^2}} \right) + \frac{1}{8}x\sqrt{a + bx} \left(\frac{a^2C}{b^2} + 4A \right) \sqrt{ac - bcx} - \frac{B\sqrt{a + bx} (a^2 - bcx)}{8b^3\sqrt{a^2c - b^2cx^2}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(A + B*x + C*x^2), x]

[Out] $((4*A + (a^2*C)/b^2)*x*\text{Sqrt}[a + b*x]*\text{Sqrt}[a*c - b*c*x])/8 - (B*\text{Sqrt}[a + b*x]*\text{Sqrt}[a*c - b*c*x]*(a^2 - b^2*x^2))/(3*b^2) - (C*x*\text{Sqrt}[a + b*x]*\text{Sqrt}[a*c - b*c*x]*(a^2 - b^2*x^2))/(4*b^2) + (a^2*\text{Sqrt}[c]*(4*A*b^2 + a^2*C)*\text{Sqrt}[a + b*x]*\text{Sqrt}[a*c - b*c*x]*\text{ArcTan}[(b*\text{Sqrt}[c]*x)/\text{Sqrt}[a^2*c - b^2*c*x^2]])/(8*b^3*\text{Sqrt}[a^2*c - b^2*c*x^2])$

Rule 195

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^p)/(n*p + 1), x] + Dist[(a*n*p)/(n*p + 1), Int[(a + b*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2*p] || (EqQ[n, 2] && IntegerQ[4*p]) || (EqQ[n, 2] && IntegerQ[3*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 641

```
Int[((d_) + (e_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Simp[(e*(
a + c*x^2)^(p + 1))/(2*c*(p + 1)), x] + Dist[d, Int[(a + c*x^2)^p, x], x] /
; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]
```

Rule 901

```
Int[((d_) + (e_.)*(x_))^(m_)*((f_) + (g_.)*(x_))^(n_)*((a_.) + (b_.)*(x_) +
(c_.)*(x_)^2)^(p_.), x_Symbol] := Dist[((d + e*x)^FracPart[m]*(f + g*x)^Fr
acPart[m])/(d*f + e*g*x^2)^FracPart[m], Int[(d*f + e*g*x^2)^m*(a + b*x + c
x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && EqQ[m - n, 0]
&& EqQ[e*f + d*g, 0]
```

Rule 1815

```
Int[(Pq_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[{q = Expon[Pq, x],
e = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(e*x^(q - 1)*(a + b*x^2)^(p + 1))/(b*
(q + 2*p + 1)), x] + Dist[1/(b*(q + 2*p + 1)), Int[(a + b*x^2)^p*ExpandToSu
m[b*(q + 2*p + 1)*Pq - a*e*(q - 1)*x^(q - 2) - b*e*(q + 2*p + 1)*x^q, x], x
], x]] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && !LeQ[p, -1]
```

Rubi steps

$$\begin{aligned}
\int \sqrt{a+bx} \sqrt{ac-bcx} (A+Bx+Cx^2) dx &= \frac{(\sqrt{a+bx} \sqrt{ac-bcx}) \int \sqrt{a^2c-b^2cx^2} (A+Bx+Cx^2) dx}{\sqrt{a^2c-b^2cx^2}} \\
&= -\frac{Cx\sqrt{a+bx} \sqrt{ac-bcx} (a^2-b^2x^2)}{4b^2} - \frac{(\sqrt{a+bx} \sqrt{ac-bcx}) \int (-c)}{4b^2} \\
&= -\frac{B\sqrt{a+bx} \sqrt{ac-bcx} (a^2-b^2x^2)}{3b^2} - \frac{Cx\sqrt{a+bx} \sqrt{ac-bcx} (a^2-b^2x^2)}{4b^2} \\
&= \frac{1}{8} \left(4A + \frac{a^2C}{b^2}\right) x\sqrt{a+bx} \sqrt{ac-bcx} - \frac{B\sqrt{a+bx} \sqrt{ac-bcx} (a^2-b^2x^2)}{3b^2} \\
&= \frac{1}{8} \left(4A + \frac{a^2C}{b^2}\right) x\sqrt{a+bx} \sqrt{ac-bcx} - \frac{B\sqrt{a+bx} \sqrt{ac-bcx} (a^2-b^2x^2)}{3b^2} \\
&= \frac{1}{8} \left(4A + \frac{a^2C}{b^2}\right) x\sqrt{a+bx} \sqrt{ac-bcx} - \frac{B\sqrt{a+bx} \sqrt{ac-bcx} (a^2-b^2x^2)}{3b^2}
\end{aligned}$$

Mathematica [A] time = 0.41, size = 142, normalized size = 0.64

$$\frac{c \left(b \left(b^2 x^2 - a^2 \right) \left(2 b^2 x \left(6 A + 4 B x + 3 C x^2 \right) - a^2 \left(8 B + 3 C x \right) \right) + 6 a^{5/2} \sqrt{a - b x} \sqrt{\frac{b x}{a} + 1} \left(a^2 C + 4 A b^2 \right) \sin^{-1} \left(\frac{\sqrt{a - b x}}{\sqrt{2} \sqrt{a}} \right) \right)}{24 b^3 \sqrt{a + b x} \sqrt{c(a - b x)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(A + B*x + C*x^2), x]

[Out] -1/24*(c*(b*(-a^2 + b^2*x^2))*(-(a^2*(8*B + 3*C*x)) + 2*b^2*x*(6*A + 4*B*x + 3*C*x^2)) + 6*a^(5/2)*(4*A*b^2 + a^2*C)*Sqrt[a - b*x]*Sqrt[1 + (b*x)/a]*ArcSin[Sqrt[a - b*x]/(Sqrt[2]*Sqrt[a])])/(b^3*Sqrt[c*(a - b*x)]*Sqrt[a + b*x])

fricas [A] time = 0.89, size = 265, normalized size = 1.20

$$\left[\frac{3 \left(C a^4 + 4 A a^2 b^2 \right) \sqrt{-c} \log \left(2 b^2 c x^2 + 2 \sqrt{-b c x + a c} \sqrt{b x + a} b \sqrt{-c} x - a^2 c \right) + 2 \left(6 C b^3 x^3 + 8 B b^3 x^2 - 8 B a^2 b - 3 \right)}{48 b^3} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)*(b*x+a)^(1/2)*(-b*c*x+a*c)^(1/2),x, algorithm="fricas")

[Out] [1/48*(3*(C*a^4 + 4*A*a^2*b^2)*sqrt(-c)*log(2*b^2*c*x^2 + 2*sqrt(-b*c*x + a*c)*sqrt(b*x + a)*b*sqrt(-c)*x - a^2*c) + 2*(6*C*b^3*x^3 + 8*B*b^3*x^2 - 8*B*a^2*b - 3*(C*a^2*b - 4*A*b^3)*x)*sqrt(-b*c*x + a*c)*sqrt(b*x + a))/b^3, - 1/24*(3*(C*a^4 + 4*A*a^2*b^2)*sqrt(c)*arctan(sqrt(-b*c*x + a*c)*sqrt(b*x + a)*b*sqrt(c)*x/(b^2*c*x^2 - a^2*c)) - (6*C*b^3*x^3 + 8*B*b^3*x^2 - 8*B*a^2*b - 3*(C*a^2*b - 4*A*b^3)*x)*sqrt(-b*c*x + a*c)*sqrt(b*x + a))/b^3]

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)*(b*x+a)^(1/2)*(-b*c*x+a*c)^(1/2),x, algorithm="giac")

[Out] Timed out

maple [A] time = 0.01, size = 287, normalized size = 1.30

$$\frac{\sqrt{bx+a} \sqrt{-(bx-a)c} \left(12A a^2 b^2 c \arctan\left(\frac{\sqrt{b^2 c} x}{\sqrt{-(b^2 x^2 - a^2)c}}\right) + 3C a^4 c \arctan\left(\frac{\sqrt{b^2 c} x}{\sqrt{-(b^2 x^2 - a^2)c}}\right) + 6\sqrt{-(b^2 x^2 - a^2)c} \sqrt{bx+a} \right)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C*x^2+B*x+A)*(b*x+a)^(1/2)*(-b*c*x+a*c)^(1/2),x)

[Out] 1/24*(b*x+a)^(1/2)*(-(b*x-a)*c)^(1/2)*(6*C*x^3*b^2*(-(b^2*x^2-a^2)*c)^(1/2)*(b^2*c)^(1/2)+12*A*arctan((b^2*c)^(1/2)/(-(b^2*x^2-a^2)*c)^(1/2)*x)*a^2*b^2*c+8*B*x^2*b^2*(-(b^2*x^2-a^2)*c)^(1/2)*(b^2*c)^(1/2)+3*C*arctan((b^2*c)^(1/2)/(-(b^2*x^2-a^2)*c)^(1/2)*x)*a^4*c+12*A*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*x*b^2-3*C*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*x*a^2-8*B*a^2*(-(b^2*x^2-a^2)*c)^(1/2)*(b^2*c)^(1/2))/(-(b^2*x^2-a^2)*c)^(1/2)/b^2/(b^2*c)^(1/2)

maxima [A] time = 2.03, size = 140, normalized size = 0.63

$$\frac{Ca^4\sqrt{c} \arcsin\left(\frac{bx}{a}\right)}{8b^3} + \frac{Aa^2\sqrt{c} \arcsin\left(\frac{bx}{a}\right)}{2b} + \frac{1}{2} \sqrt{-b^2cx^2 + a^2c} Ax + \frac{\sqrt{-b^2cx^2 + a^2c} Ca^2x}{8b^2} - \frac{(-b^2cx^2 + a^2c)^{\frac{3}{2}}Cx}{4b^2c} - \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)*(b*x+a)^(1/2)*(-b*c*x+a*c)^(1/2),x, algorithm="maxima")

[Out] $\frac{1}{8}C a^4 \sqrt{c} \arcsin(bx/a)/b^3 + \frac{1}{2}A a^2 \sqrt{c} \arcsin(bx/a)/b + \frac{1}{2} \sqrt{-b^2 c x^2 + a^2 c} A x + \frac{1}{8} \sqrt{-b^2 c x^2 + a^2 c} C a^2 x/b^2 - \frac{1}{4} (-b^2 c x^2 + a^2 c)^{3/2} C x/(b^2 c) - \frac{1}{3} (-b^2 c x^2 + a^2 c)^{3/2} B/(b^2 c)$

mupad [B] time = 16.52, size = 876, normalized size = 3.96

$$\frac{C a^4 c^8 (\sqrt{ac-bcx}-\sqrt{ac})}{2(\sqrt{a+bx}-\sqrt{a})} - \frac{C a^4 c (\sqrt{ac-bcx}-\sqrt{ac})^{15}}{2(\sqrt{a+bx}-\sqrt{a})^{15}} - \frac{35 C a^4 c^7 (\sqrt{ac-bcx}-\sqrt{ac})^3}{2(\sqrt{a+bx}-\sqrt{a})^3} + \frac{273 C a^4 c^6 (\sqrt{ac-bcx}-\sqrt{ac})^5}{2(\sqrt{a+bx}-\sqrt{a})^5} - \frac{715 C a^4 c^5 (\sqrt{ac-bcx}-\sqrt{ac})^7}{2(\sqrt{a+bx}-\sqrt{a})^7} + \frac{715 C a^4 c^4 (\sqrt{ac-bcx}-\sqrt{ac})^9}{2(\sqrt{a+bx}-\sqrt{a})^9} - \frac{273 C a^4 c^3 (\sqrt{ac-bcx}-\sqrt{ac})^{11}}{2(\sqrt{a+bx}-\sqrt{a})^{11}} + \frac{35 C a^4 c^2 (\sqrt{ac-bcx}-\sqrt{ac})^{13}}{2(\sqrt{a+bx}-\sqrt{a})^{13}} - \frac{C a^4 c (\sqrt{ac-bcx}-\sqrt{ac})^{15}}{2(\sqrt{a+bx}-\sqrt{a})^{15}} + \frac{8 b^3 c^7 (\sqrt{ac-bcx}-\sqrt{ac})^2}{(\sqrt{a+bx}-\sqrt{a})^2} + \frac{28 b^3 c^6 (\sqrt{ac-bcx}-\sqrt{ac})^4}{(\sqrt{a+bx}-\sqrt{a})^4} + \frac{56 b^3 c^5 (\sqrt{ac-bcx}-\sqrt{ac})^6}{(\sqrt{a+bx}-\sqrt{a})^6} + \frac{70 b^3 c^4 (\sqrt{ac-bcx}-\sqrt{ac})^8}{(\sqrt{a+bx}-\sqrt{a})^8} + \frac{56 b^3 c^3 (\sqrt{ac-bcx}-\sqrt{ac})^{10}}{(\sqrt{a+bx}-\sqrt{a})^{10}} + \frac{28 b^3 c^2 (\sqrt{ac-bcx}-\sqrt{ac})^{12}}{(\sqrt{a+bx}-\sqrt{a})^{12}} + \frac{8 b^3 c (\sqrt{ac-bcx}-\sqrt{ac})^{14}}{(\sqrt{a+bx}-\sqrt{a})^{14}} + \frac{A x (\sqrt{ac-bcx}-\sqrt{ac}) (a+bx)^{1/2}}{2} - \frac{B (a^2 - b^2 x^2) (\sqrt{ac-bcx}-\sqrt{ac}) (a+bx)^{1/2}}{(3 b^2)^{1/2}} - \frac{C a^2 (\sqrt{ac-bcx}-\sqrt{ac}) \operatorname{atan}\left(\frac{\sqrt{ac-bcx}-\sqrt{ac}}{c^{1/2} (a+bx)^{1/2}}\right)}{(2 b^3)^{1/2}} - \frac{A a^2 b^{1/2} c^2 \log\left(\frac{(-b c)^{1/2} (c(a-bx))^{1/2} (a+bx)^{1/2} - b^{3/2} c x}{2(-b c)^{3/2}}\right)}{(2(-b c)^{3/2})^{1/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a*c - b*c*x)^(1/2)*(a + b*x)^(1/2)*(A + B*x + C*x^2),x)

[Out] $((C a^4 c^8 ((a c - b c x)^{1/2} - (a c)^{1/2})) / (2 ((a + b x)^{1/2} - a^{1/2})) - (C a^4 c ((a c - b c x)^{1/2} - (a c)^{1/2})^{15} / (2 ((a + b x)^{1/2} - a^{1/2})^{15}) - (35 C a^4 c^7 ((a c - b c x)^{1/2} - (a c)^{1/2})^3 / (2 ((a + b x)^{1/2} - a^{1/2})^3) + (273 C a^4 c^6 ((a c - b c x)^{1/2} - (a c)^{1/2})^5 / (2 ((a + b x)^{1/2} - a^{1/2})^5) - (715 C a^4 c^5 ((a c - b c x)^{1/2} - (a c)^{1/2})^7 / (2 ((a + b x)^{1/2} - a^{1/2})^7) + (715 C a^4 c^4 ((a c - b c x)^{1/2} - (a c)^{1/2})^9 / (2 ((a + b x)^{1/2} - a^{1/2})^9) - (273 C a^4 c^3 ((a c - b c x)^{1/2} - (a c)^{1/2})^{11} / (2 ((a + b x)^{1/2} - a^{1/2})^{11}) + (35 C a^4 c^2 ((a c - b c x)^{1/2} - (a c)^{1/2})^{13} / (2 ((a + b x)^{1/2} - a^{1/2})^{13}) / (b^3 c^8 + (b^3 ((a c - b c x)^{1/2} - (a c)^{1/2})^{16} / ((a + b x)^{1/2} - a^{1/2})^{16} + (8 b^3 c^7 ((a c - b c x)^{1/2} - (a c)^{1/2})^2 / ((a + b x)^{1/2} - a^{1/2})^2 + (28 b^3 c^6 ((a c - b c x)^{1/2} - (a c)^{1/2})^4 / ((a + b x)^{1/2} - a^{1/2})^4 + (56 b^3 c^5 ((a c - b c x)^{1/2} - (a c)^{1/2})^6 / ((a + b x)^{1/2} - a^{1/2})^6 + (70 b^3 c^4 ((a c - b c x)^{1/2} - (a c)^{1/2})^8 / ((a + b x)^{1/2} - a^{1/2})^8 + (56 b^3 c^3 ((a c - b c x)^{1/2} - (a c)^{1/2})^{10} / ((a + b x)^{1/2} - a^{1/2})^{10} + (28 b^3 c^2 ((a c - b c x)^{1/2} - (a c)^{1/2})^{12} / ((a + b x)^{1/2} - a^{1/2})^{12} + (8 b^3 c ((a c - b c x)^{1/2} - (a c)^{1/2})^{14} / ((a + b x)^{1/2} - a^{1/2})^{14}) + (A x (a c - b c x)^{1/2} (a + b x)^{1/2}) / 2 - (B (a^2 - b^2 x^2) (a c - b c x)^{1/2} (a + b x)^{1/2}) / (3 b^2) - (C a^2 c^{1/2} \operatorname{atan}\left(\frac{(a c - b c x)^{1/2} - (a c)^{1/2}}{c^{1/2} (a + b x)^{1/2}}\right)) / (2 b^3) - (A a^2 b^{1/2} c^2 \log\left(\frac{(-b c)^{1/2} (c(a - b x))^{1/2} (a + b x)^{1/2} - b^{3/2} c x}{2(-b c)^{3/2}}\right)) / (2(-b c)^{3/2})$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{-c(-a+bx)} \sqrt{a+bx} (A+Bx+Cx^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x**2+B*x+A)*(b*x+a)**(1/2)*(-b*c*x+a*c)**(1/2),x)
```

```
[Out] Integral(sqrt(-c*(-a + b*x))*sqrt(a + b*x)*(A + B*x + C*x**2), x)
```

$$3.24 \quad \int \frac{A+Bx+Cx^2}{\sqrt{a+bx} \sqrt{ac-bcx} (e+fx)} dx$$

Optimal. Leaf size=278

$$\frac{\sqrt{a^2c - b^2cx^2} (Af^2 - Bef + Ce^2) \tan^{-1} \left(\frac{\sqrt{c}(a^2f + b^2ex)}{\sqrt{a^2c - b^2cx^2} \sqrt{b^2e^2 - a^2f^2}} \right) - \sqrt{a^2c - b^2cx^2} (Ce - Bf) \tan^{-1} \left(\frac{b\sqrt{c}x}{\sqrt{a^2c - b^2cx^2}} \right)}{\sqrt{c} f^2 \sqrt{a + bx} \sqrt{ac - bcx} \sqrt{b^2e^2 - a^2f^2} - b\sqrt{c} f^2 \sqrt{a + bx} \sqrt{ac - bcx} - b^2 f \sqrt{c} \sqrt{a + bx} \sqrt{ac - bcx}}$$

[Out] $-C*(-b^2*x^2+a^2)/b^2/f/(b*x+a)^{(1/2)}/(-b*c*x+a*c)^{(1/2)}-(-B*f+C*e)*\arctan(b*x*c^{(1/2)}/(-b^2*c*x^2+a^2*c)^{(1/2)})*(-b^2*c*x^2+a^2*c)^{(1/2)}/b/f^2/c^{(1/2)}/(b*x+a)^{(1/2)}/(-b*c*x+a*c)^{(1/2)}+(A*f^2-B*e*f+C*e^2)*\arctan((b^2*e*x+a^2*f)*c^{(1/2)}/(-a^2*f^2+b^2*e^2)^{(1/2)}/(-b^2*c*x^2+a^2*c)^{(1/2)})*(-b^2*c*x^2+a^2*c)^{(1/2)}/f^2/c^{(1/2)}/(-a^2*f^2+b^2*e^2)^{(1/2)}/(b*x+a)^{(1/2)}/(-b*c*x+a*c)^{(1/2)}$

Rubi [A] time = 0.49, antiderivative size = 278, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.175$, Rules used = {1610, 1654, 844, 217, 203, 725, 204}

$$\frac{\sqrt{a^2c - b^2cx^2} (Af^2 - Bef + Ce^2) \tan^{-1} \left(\frac{\sqrt{c}(a^2f + b^2ex)}{\sqrt{a^2c - b^2cx^2} \sqrt{b^2e^2 - a^2f^2}} \right) - \sqrt{a^2c - b^2cx^2} (Ce - Bf) \tan^{-1} \left(\frac{b\sqrt{c}x}{\sqrt{a^2c - b^2cx^2}} \right)}{\sqrt{c} f^2 \sqrt{a + bx} \sqrt{ac - bcx} \sqrt{b^2e^2 - a^2f^2} - b\sqrt{c} f^2 \sqrt{a + bx} \sqrt{ac - bcx} - b^2 f \sqrt{c} \sqrt{a + bx} \sqrt{ac - bcx}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*x + C*x^2)/(Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)), x]

[Out] $-((C*(a^2 - b^2*x^2))/(b^2*f*Sqrt[a + b*x]*Sqrt[a*c - b*c*x])) - ((C*e - B*f)*Sqrt[a^2*c - b^2*c*x^2]*ArcTan[(b*Sqrt[c]*x)/Sqrt[a^2*c - b^2*c*x^2]])/(b*Sqrt[c]*f^2*Sqrt[a + b*x]*Sqrt[a*c - b*c*x]) + ((C*e^2 - B*e*f + A*f^2)*Sqrt[a^2*c - b^2*c*x^2]*ArcTan[(Sqrt[c]*(a^2*f + b^2*e*x))/(Sqrt[b^2*e^2 - a^2*f^2]*Sqrt[a^2*c - b^2*c*x^2]])/(Sqrt[c]*f^2*Sqrt[b^2*e^2 - a^2*f^2]*Sqrt[a + b*x]*Sqrt[a*c - b*c*x])$

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[

a, 0] || LtQ[b, 0])

Rule 217

Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 725

Int[1/(((d_) + (e_)*(x_))*Sqrt[(a_) + (c_)*(x_)^2]), x_Symbol] := -Subst[
Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ
[{a, c, d, e}, x]

Rule 844

Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]

Rule 1610

Int[(Px_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_
)*(x))^(p_), x_Symbol] := Dist[((a + b*x)^FracPart[m]*(c + d*x)^FracPart[
m])/(a*c + b*d*x^2)^FracPart[m], Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x],
x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*
d, 0] && EqQ[m, n] && !IntegerQ[m]

Rule 1654

Int[(Pq_)*((d_) + (e_)*(x_))^(m_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :
> With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x
)^(m + q - 1)*(a + c*x^2)^(p + 1))/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Di
st[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + c*x^2)^p*ExpandToSum[c
e^q(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - f*(d + e*x)
)^(q - 2)*(a*e^2*(m + q - 1) - c*d^2*(m + q + 2*p + 1) - 2*c*d*e*(m + q + p
)*x), x], x] /; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0] /; FreeQ[{a, c, d,
e, m, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && !(EqQ[d, 0] && T
rue) && !(IGtQ[m, 0] && RationalQ[a, c, d, e] && (IntegerQ[p] || ILtQ[p +
1/2, 0]))

Rubi steps

$$\begin{aligned}
\int \frac{A + Bx + Cx^2}{\sqrt{a + bx} \sqrt{ac - bcx} (e + fx)} dx &= \frac{\sqrt{a^2c - b^2cx^2} \int \frac{A+Bx+Cx^2}{(e+fx)\sqrt{a^2c-b^2cx^2}} dx}{\sqrt{a + bx} \sqrt{ac - bcx}} \\
&= \frac{C(a^2 - b^2x^2)}{b^2 f \sqrt{a + bx} \sqrt{ac - bcx}} - \frac{\sqrt{a^2c - b^2cx^2} \int \frac{-Ab^2cf^2 + b^2cf(Ce - Bf)x}{(e+fx)\sqrt{a^2c-b^2cx^2}} dx}{b^2cf^2 \sqrt{a + bx} \sqrt{ac - bcx}} \\
&= \frac{C(a^2 - b^2x^2)}{b^2 f \sqrt{a + bx} \sqrt{ac - bcx}} - \frac{\left((Ce - Bf) \sqrt{a^2c - b^2cx^2} \right) \int \frac{1}{\sqrt{a^2c - b^2cx^2}} dx}{f^2 \sqrt{a + bx} \sqrt{ac - bcx}} + \frac{\left((Ce - Bf) \sqrt{a^2c - b^2cx^2} \right) \int \frac{1}{\sqrt{a^2c - b^2cx^2}} dx}{f^2 \sqrt{a + bx} \sqrt{ac - bcx}} \\
&= \frac{C(a^2 - b^2x^2)}{b^2 f \sqrt{a + bx} \sqrt{ac - bcx}} - \frac{\left((Ce - Bf) \sqrt{a^2c - b^2cx^2} \right) \text{Subst} \left(\int \frac{1}{1+b^2cx^2} dx, x, \sqrt{a^2c - b^2cx^2} \right)}{f^2 \sqrt{a + bx} \sqrt{ac - bcx}} \\
&= \frac{C(a^2 - b^2x^2)}{b^2 f \sqrt{a + bx} \sqrt{ac - bcx}} - \frac{(Ce - Bf) \sqrt{a^2c - b^2cx^2} \tan^{-1} \left(\frac{b\sqrt{c}x}{\sqrt{a^2c - b^2cx^2}} \right)}{b\sqrt{c} f^2 \sqrt{a + bx} \sqrt{ac - bcx}} + \frac{\left((Ce - Bf) \sqrt{a^2c - b^2cx^2} \right) \int \frac{1}{\sqrt{a^2c - b^2cx^2}} dx}{f^2 \sqrt{a + bx} \sqrt{ac - bcx}}
\end{aligned}$$

Mathematica [A] time = 0.77, size = 225, normalized size = 0.81

$$\frac{\sqrt{a - bx} \left(\frac{2(f(Af - Be) + Ce^2) \tanh^{-1} \left(\frac{\sqrt{a - bx} \sqrt{be - af}}{\sqrt{a + bx} \sqrt{-af - be}} \right)}{\sqrt{-af - be} \sqrt{be - af}} + \frac{2 \tan^{-1} \left(\frac{\sqrt{a - bx}}{\sqrt{a + bx}} \right) (aCf - bBf + bCe)}{b^2} + \frac{Cf \sqrt{a + bx} \left(-\sqrt{a - bx} - \frac{2\sqrt{a} \sin^{-1} \left(\frac{\sqrt{a - bx}}{\sqrt{2} \sqrt{a}} \right)}{\sqrt{\frac{bx}{a} + 1}} \right)}{b^2} \right)}{f^2 \sqrt{c(a - bx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*x + C*x^2)/(Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)),x]

[Out] (Sqrt[a - b*x]*((C*f*Sqrt[a + b*x]*(-Sqrt[a - b*x] - (2*Sqrt[a]*ArcSin[Sqrt[a - b*x]/(Sqrt[2]*Sqrt[a])])/Sqrt[1 + (b*x)/a]))/b^2 + (2*(b*C*e - b*B*f + a*C*f)*ArcTan[Sqrt[a - b*x]/Sqrt[a + b*x]])/b^2 + (2*(C*e^2 + f*(-(B*e) + A*f))*ArcTanh[(Sqrt[b*e - a*f]*Sqrt[a - b*x])/(Sqrt[-(b*e) - a*f]*Sqrt[a + b*x])])/(Sqrt[-(b*e) - a*f]*Sqrt[b*e - a*f]))/(f^2*Sqrt[c*(a - b*x)])

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)/(f*x+e)/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x, algorithm="fricas")

[Out] Timed out

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)/(f*x+e)/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x, algorithm="giac")

[Out] Timed out

maple [B] time = 0.07, size = 503, normalized size = 1.81

$$\left(-\sqrt{b^2c} A b^2c f^2 \ln \left(\frac{2b^2cex+2a^2cf+2\sqrt{\frac{(a^2f^2-b^2e^2)c}{f^2}} \sqrt{-(b^2x^2-a^2)}cf}{fx+e} \right) + \sqrt{b^2c} B b^2cef \ln \left(\frac{2b^2cex+2a^2cf+2\sqrt{\frac{(a^2f^2-b^2e^2)c}{f^2}} \sqrt{-(b^2x^2-a^2)}}{fx+e} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C*x^2+B*x+A)/(f*x+e)/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x)

[Out] $(-A \ln(2(b^2cex+a^2cf+(c(a^2f^2-b^2e^2)/f^2)^{1/2}*(-(b^2x^2-a^2)*c)^{1/2}*f)/(f*x+e))*b^2c*f^2*(b^2c)^{1/2}+B \ln(2(b^2cex+a^2cf+(c(a^2f^2-b^2e^2)/f^2)^{1/2}*(-(b^2x^2-a^2)*c)^{1/2}*f)/(f*x+e))*b^2c*ef*(b^2c)^{1/2}+B \arctan((b^2c)^{1/2}/(-(b^2x^2-a^2)*c)^{1/2}*x))*b^2c*f^2*(c(a^2f^2-b^2e^2)/f^2)^{1/2}-C \ln(2(b^2cex+a^2cf+(c(a^2f^2-b^2e^2)/f^2)^{1/2}*(-(b^2x^2-a^2)*c)^{1/2}*f)/(f*x+e))*b^2c*ef^2*(b^2c)^{1/2}-C \arctan((b^2c)^{1/2}/(-(b^2x^2-a^2)*c)^{1/2}*x))*b^2c*ef*(c(a^2f^2-b^2e^2)/f^2)^{1/2}-C*f^2*(b^2c)^{1/2}*(c(a^2f^2-b^2e^2)/f^2)^{1/2}*(-(b^2x^2-a^2)*c)^{1/2}*(b*x+a)^{1/2}*(-(b*x-a)*c)^{1/2}/(c(a^2f^2-b^2e^2)/f^2)^{1/2}/f^3/(b^2c)^{1/2}/b^2/c/(-(b^2x^2-a^2)*c)^{1/2}$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)/(f*x+e)/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume((4*b^2*c>0)', see `assume?` for more details)Is (4*b^2*c*(a^2*c-(b^2*c*e^2)/f^2)) /f^2 + (4*b^4*c^2*e^2)/f^4 zero or nonzero?

mupad [B] time = 44.56, size = 9298, normalized size = 33.45

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*x + C*x^2)/((e + f*x)*(a*c - b*c*x)^(1/2)*(a + b*x)^(1/2)),x)

[Out] (B*a*e*atan(((B*a*e*((4096*(32*B^3*a^(17/2)*c^3*e*f^2*(a*c)^(5/2) + 24*B^3*a^(15/2)*b^2*c^4*e^3*(a*c)^(3/2)))/(a^6*b^8*e^6) - (4096*(32*B^3*a^(17/2)*c^2*e*f^2*(a*c)^(5/2) - 96*B^3*a^(15/2)*b^2*c^3*e^3*(a*c)^(3/2))*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^2)/(a^6*b^8*e^6*((a + b*x)^(1/2) - a^(1/2))^2) - (B*a*e*((4096*(16*B^2*a^12*c^6*f^4 + 9*B^2*a^8*b^4*c^6*e^4))/(a^6*b^8*e^6) + (B*a*e*((4096*(24*B*a^(17/2)*b^2*c^4*e*f^4*(a*c)^(5/2) - 30*B*a^(15/2)*b^4*c^5*e^3*f^2*(a*c)^(3/2)))/(a^6*b^8*e^6) + (16384*(20*B*a^12*c^6*f^5 - 22*B*a^10*b^2*c^6*e^2*f^3))*((a*c - b*c*x)^(1/2) - (a*c)^(1/2)))/(a^6*b^7*e^6*((a + b*x)^(1/2) - a^(1/2))) + (B*a*e*((4096*(9*a^8*b^6*c^7*e^4*f^2 - 7*a^10*b^4*c^7*e^2*f^4))/(a^6*b^8*e^6) + (4096*(9*a^8*b^6*c^6*e^4*f^2 - 11*a^10*b^4*c^6*e^2*f^4))*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^2)/(a^6*b^8*e^6*((a + b*x)^(1/2) - a^(1/2))^2) - (16384*(5*a^(17/2)*b^2*c^4*e*f^5*(a*c)^(5/2) - 6*a^(15/2)*b^4*c^5*e^3*f^3*(a*c)^(3/2))*((a*c - b*c*x)^(1/2) - (a*c)^(1/2)))/(a^6*b^7*e^6*((a + b*x)^(1/2) - a^(1/2)))))/(f*(a^4*c*f^2 - a^2*b^2*c*e^2)^(1/2)) + (4096*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^2*(96*B*a^(17/2)*b^2*c^3*e*f^4*(a*c)^(5/2) - 90*B*a^(15/2)*b^4*c^4*e^3*f^2*(a*c)^(3/2)))/(a^6*b^8*e^6*((a + b*x)^(1/2) - a^(1/2))^2)))/(f*(a^4*c*f^2 - a^2*b^2*c*e^2)^(1/2)) + (16384*(8*B^2*a^(17/2)*c^3*e*f^3*(a*c)^(5/2) + 3*B^2*a^(15/2)*b^2*c^4*e^3*f*(a*c)^(3/2))*((a*c - b*c*x)^(1/2) - (a*c)^(1/2)))/(a^6*b^7*e^6*((a + b*x)^(1/2) - a^(1/2))) + (4096*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^2*(9*B^2*a^8*b^4*c^5*e^4 - 144*B^2*a^12*c^5*f^4 + 128*B^2*a^10*b^2*c^5*e^2*f^2))/(a^6*b^8*e^6*((a + b*x)^(1/2) - a^(1/2))^2)))/(f*(a^4*c*f^2 - a^2*b^2*c*e^2)^(1/2)) + (458752*B^3*a^4*c^5*f*((a*c - b*c*x)^(1/2) - (a*c)^(1/2)))/(b^7*e^4*((a + b*x)^(1/2) - a^(1/2))))*1i)/(f*(a^4*c*f^2 - a^2*b^2*c*e^2)^(1/2)) + (B*a*e*((4096*(32*B^3*a^(17/2)*c^3*e*f^2*(a*c)^(5/2) + 24*B^3*a^(15/2)*b^2*c^4*e^3*(a*c)^(3/2)))/(a^6*b^8*e^6) - (4096*(32*B^3*a^(17/2)*c^2*e*f^2*(a*c)^(5/2) - 96*B^3*a^(15/2)*b^2*c^3*e^3*(a*c)^(3/2))*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^2)/(a^6*b^8*e^6*((a + b*x)^(1/2) - a^(1/2))^2) + (B*a*e*((4096*(16*B^2*a^12*c^6*f^4 + 9*B^2*a^8*b^4*c^6*e^4))/(a^6*b^8*e^6) - (B*a*e*((4096*(24*B*a^(17/2)*b^2*c^4*e*f^4*(a*c)^(5/2) - 30*B*a^(15/2)*b^4*c^5*e^3*f^2*(a*c)^(3/2)))/(a^6*b^8*e^6) + (16384*(20*B*a^12*c^6*f^5 - 22*B*a^10*b^2*c^6*e^2*f^3))*((a*c - b*c*x)^(1/2) - (a*c)^(1/2)))/(a^6*b^7*e^6*((a + b*x)^(1/2) -

$$\begin{aligned}
& a^{(1/2)}) - (B*a*e*((4096*(9*a^8*b^6*c^7*e^4*f^2 - 7*a^10*b^4*c^7*e^2*f^4)) \\
& / (a^6*b^8*e^6) + (4096*(9*a^8*b^6*c^6*e^4*f^2 - 11*a^10*b^4*c^6*e^2*f^4)*((\\
& a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2) / (a^6*b^8*e^6*((a + b*x)^{(1/2)} - a^{(1/2)} \\
&))^2 - (16384*(5*a^{(17/2)}*b^2*c^4*e*f^5*(a*c)^{(5/2)} - 6*a^{(15/2)}*b^4*c^5*e \\
& ^3*f^3*(a*c)^{(3/2)})*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})) / (a^6*b^7*e^6*((a + \\
& b*x)^{(1/2)} - a^{(1/2)}))) / (f*(a^4*c*f^2 - a^2*b^2*c*e^2)^{(1/2)}) + (4096*((a \\
& *c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2*(96*B*a^{(17/2)}*b^2*c^3*e*f^4*(a*c)^{(5/2)} \\
& - 90*B*a^{(15/2)}*b^4*c^4*e^3*f^2*(a*c)^{(3/2)})) / (a^6*b^8*e^6*((a + b*x)^{(1/2)} \\
&) - a^{(1/2)})^2)) / (f*(a^4*c*f^2 - a^2*b^2*c*e^2)^{(1/2)}) + (16384*(8*B^2*a^{(\\
& 17/2)}*c^3*e*f^3*(a*c)^{(5/2)} + 3*B^2*a^{(15/2)}*b^2*c^4*e^3*f*(a*c)^{(3/2)}))*((a \\
& *c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})) / (a^6*b^7*e^6*((a + b*x)^{(1/2)} - a^{(1/2)})) \\
& + (4096*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2*(9*B^2*a^8*b^4*c^5*e^4 - 144 \\
& *B^2*a^12*c^5*f^4 + 128*B^2*a^10*b^2*c^5*e^2*f^2)) / (a^6*b^8*e^6*((a + b*x)^{(\\
& 1/2)} - a^{(1/2)})^2)) / (f*(a^4*c*f^2 - a^2*b^2*c*e^2)^{(1/2)}) + (458752*B^3*a \\
& ^4*c^5*f*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})) / (b^7*e^4*((a + b*x)^{(1/2)} - a \\
& ^{(1/2)})))*1i) / (f*(a^4*c*f^2 - a^2*b^2*c*e^2)^{(1/2)}) / ((131072*B^4*a^4*c^5) / \\
& (b^8*e^4) - (B*a*e*((4096*(32*B^3*a^{(17/2)}*c^3*e*f^2*(a*c)^{(5/2)} + 24*B^3*a \\
& ^{(15/2)}*b^2*c^4*e^3*(a*c)^{(3/2)})) / (a^6*b^8*e^6) - (4096*(32*B^3*a^{(17/2)}*c^ \\
& 2*e*f^2*(a*c)^{(5/2)} - 96*B^3*a^{(15/2)}*b^2*c^3*e^3*(a*c)^{(3/2)}))*((a*c - b*c* \\
& x)^{(1/2)} - (a*c)^{(1/2)})^2) / (a^6*b^8*e^6*((a + b*x)^{(1/2)} - a^{(1/2)})^2) - (B \\
& *a*e*((4096*(16*B^2*a^12*c^6*f^4 + 9*B^2*a^8*b^4*c^6*e^4)) / (a^6*b^8*e^6) + \\
& (B*a*e*((4096*(24*B*a^{(17/2)}*b^2*c^4*e*f^4*(a*c)^{(5/2)} - 30*B*a^{(15/2)}*b^4*c \\
& ^5*e^3*f^2*(a*c)^{(3/2)})) / (a^6*b^8*e^6) + (16384*(20*B*a^12*c^6*f^5 - 22*B \\
& a^10*b^2*c^6*e^2*f^3))*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})) / (a^6*b^7*e^6*((a \\
& + b*x)^{(1/2)} - a^{(1/2)})) + (B*a*e*((4096*(9*a^8*b^6*c^7*e^4*f^2 - 7*a^10*b \\
& ^4*c^7*e^2*f^4)) / (a^6*b^8*e^6) + (4096*(9*a^8*b^6*c^6*e^4*f^2 - 11*a^10*b^4 \\
& *c^6*e^2*f^4))*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2) / (a^6*b^8*e^6*((a + b*x \\
&)^{(1/2)} - a^{(1/2)})^2) - (16384*(5*a^{(17/2)}*b^2*c^4*e*f^5*(a*c)^{(5/2)} - 6*a^{ \\
& (15/2)}*b^4*c^5*e^3*f^3*(a*c)^{(3/2)}))*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})) / (a \\
& ^6*b^7*e^6*((a + b*x)^{(1/2)} - a^{(1/2)}))) / (f*(a^4*c*f^2 - a^2*b^2*c*e^2)^{(1 \\
& /2)}) + (4096*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2*(96*B*a^{(17/2)}*b^2*c^3*e \\
& *f^4*(a*c)^{(5/2)} - 90*B*a^{(15/2)}*b^4*c^4*e^3*f^2*(a*c)^{(3/2)})) / (a^6*b^8*e^6 \\
& *((a + b*x)^{(1/2)} - a^{(1/2)})^2)) / (f*(a^4*c*f^2 - a^2*b^2*c*e^2)^{(1/2)}) + (\\
& 16384*(8*B^2*a^{(17/2)}*c^3*e*f^3*(a*c)^{(5/2)} + 3*B^2*a^{(15/2)}*b^2*c^4*e^3*f* \\
& (a*c)^{(3/2)}))*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})) / (a^6*b^7*e^6*((a + b*x)^{(\\
& 1/2)} - a^{(1/2)})) + (4096*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2*(9*B^2*a^8*b \\
& ^4*c^5*e^4 - 144*B^2*a^12*c^5*f^4 + 128*B^2*a^10*b^2*c^5*e^2*f^2)) / (a^6*b^8 \\
& *e^6*((a + b*x)^{(1/2)} - a^{(1/2)})^2)) / (f*(a^4*c*f^2 - a^2*b^2*c*e^2)^{(1/2)}) \\
& + (458752*B^3*a^4*c^5*f*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})) / (b^7*e^4*((a \\
& + b*x)^{(1/2)} - a^{(1/2)}))) / (f*(a^4*c*f^2 - a^2*b^2*c*e^2)^{(1/2)}) + (B*a*e*((\\
& 4096*(32*B^3*a^{(17/2)}*c^3*e*f^2*(a*c)^{(5/2)} + 24*B^3*a^{(15/2)}*b^2*c^4*e^3* \\
& (a*c)^{(3/2)})) / (a^6*b^8*e^6) - (4096*(32*B^3*a^{(17/2)}*c^2*e*f^2*(a*c)^{(5/2)} \\
& - 96*B^3*a^{(15/2)}*b^2*c^3*e^3*(a*c)^{(3/2)}))*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/ \\
& 2)})^2) / (a^6*b^8*e^6*((a + b*x)^{(1/2)} - a^{(1/2)})^2) + (B*a*e*((4096*(16*B^2* \\
& a^12*c^6*f^4 + 9*B^2*a^8*b^4*c^6*e^4)) / (a^6*b^8*e^6) - (B*a*e*((4096*(24*B
\end{aligned}$$

$$\begin{aligned}
& a^{(17/2)} * b^2 * c^4 * e * f^4 * (a * c)^{(5/2)} - 30 * B * a^{(15/2)} * b^4 * c^5 * e^3 * f^2 * (a * c)^{(3/2)} \\
&) / (a^6 * b^8 * e^6) + (16384 * (20 * B * a^{12} * c^6 * f^5 - 22 * B * a^{10} * b^2 * c^6 * e^2 * f^3) * ((a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)})) / (a^6 * b^7 * e^6 * ((a + b * x)^{(1/2)} - a^{(1/2)})) \\
&) - (B * a * e * ((4096 * (9 * a^8 * b^6 * c^7 * e^4 * f^2 - 7 * a^{10} * b^4 * c^7 * e^2 * f^4)) / (a^6 * b^8 * e^6) + (4096 * (9 * a^8 * b^6 * c^6 * e^4 * f^2 - 11 * a^{10} * b^4 * c^6 * e^2 * f^4) * ((a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)}))^2) / (a^6 * b^8 * e^6 * ((a + b * x)^{(1/2)} - a^{(1/2)})^2) \\
&) - (16384 * (5 * a^{(17/2)} * b^2 * c^4 * e * f^5 * (a * c)^{(5/2)} - 6 * a^{(15/2)} * b^4 * c^5 * e^3 * f^3 * (a * c)^{(3/2)}) * ((a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)})) / (a^6 * b^7 * e^6 * ((a + b * x)^{(1/2)} - a^{(1/2)})) \\
&)) / (f * (a^4 * c * f^2 - a^2 * b^2 * c * e^2)^{(1/2)} + (4096 * ((a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)})^2 * (96 * B * a^{(17/2)} * b^2 * c^3 * e * f^4 * (a * c)^{(5/2)} - 90 * B * a^{(15/2)} * b^4 * c^4 * e^3 * f^2 * (a * c)^{(3/2)})) / (a^6 * b^8 * e^6 * ((a + b * x)^{(1/2)} - a^{(1/2)})^2)) \\
&) / (f * (a^4 * c * f^2 - a^2 * b^2 * c * e^2)^{(1/2)} + (16384 * (8 * B^2 * a^{(17/2)} * c^3 * e * f^3 * (a * c)^{(5/2)} + 3 * B^2 * a^{(15/2)} * b^2 * c^4 * e^3 * f * (a * c)^{(3/2)}) * ((a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)})) / (a^6 * b^7 * e^6 * ((a + b * x)^{(1/2)} - a^{(1/2)})) + (4096 * ((a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)})^2 * (9 * B^2 * a^8 * b^4 * c^5 * e^4 - 144 * B^2 * a^{12} * c^5 * f^4 + 128 * B^2 * a^{10} * b^2 * c^5 * e^2 * f^2)) / (a^6 * b^8 * e^6 * ((a + b * x)^{(1/2)} - a^{(1/2)})^2)) \\
&) / (f * (a^4 * c * f^2 - a^2 * b^2 * c * e^2)^{(1/2)} + (458752 * B^3 * a^4 * c^5 * f * ((a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)})) / (b^7 * e^4 * ((a + b * x)^{(1/2)} - a^{(1/2)}))) \\
&) / (f * (a^4 * c * f^2 - a^2 * b^2 * c * e^2)^{(1/2)} + (917504 * B^4 * a^4 * c^4 * ((a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)})^2) / (b^8 * e^4 * ((a + b * x)^{(1/2)} - a^{(1/2)})^2))) * 2i \\
&) / (f * (a^4 * c * f^2 - a^2 * b^2 * c * e^2)^{(1/2)} - (C * e^2 * atan(((C * e^2 * ((4096 * (32 * C^3 * a^{(5/2)} * c^3 * e^2 * f^3 * (a * c)^{(5/2)} + 24 * C^3 * a^{(3/2)} * b^2 * c^4 * e^4 * f * (a * c)^{(3/2)})) / (b^8 * e^4 * f^4) + (C * e^2 * ((4096 * (16 * C^2 * a^6 * c^6 * f^6 + 9 * C^2 * a^2 * b^4 * c^6 * e^4 * f^2)) / (b^8 * e^4 * f^4) - (C * e^2 * ((4096 * (24 * C * a^{(5/2)} * b^2 * c^4 * f^7 * (a * c)^{(5/2)} - 30 * C * a^{(3/2)} * b^4 * c^5 * e^2 * f^5 * (a * c)^{(3/2)})) / (b^8 * e^4 * f^4) + (C * e^2 * ((4096 * (7 * a^4 * b^4 * c^7 * f^8 - 9 * a^2 * b^6 * c^7 * e^2 * f^6)) / (b^8 * e^4 * f^4) + (16384 * ((a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)}) * (5 * a^{(5/2)} * b^2 * c^4 * f^7 * (a * c)^{(5/2)} - 6 * a^{(3/2)} * b^4 * c^5 * e^2 * f^5 * (a * c)^{(3/2)})) / (b^7 * e^5 * f^2 * ((a + b * x)^{(1/2)} - a^{(1/2)}))) + (4096 * ((a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)})^2 * (11 * a^4 * b^4 * c^6 * f^8 - 9 * a^2 * b^6 * c^6 * e^2 * f^6)) / (b^8 * e^4 * f^4 * ((a + b * x)^{(1/2)} - a^{(1/2)})^2)) / (f^2 * (a^2 * c * f^2 - b^2 * c * e^2)^{(1/2)} + (16384 * (20 * C * a^6 * c^6 * f^6 - 22 * C * a^4 * b^2 * c^6 * e^2 * f^4) * ((a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)})) / (b^7 * e^5 * f^2 * ((a + b * x)^{(1/2)} - a^{(1/2)})) + (4096 * (96 * C * a^{(5/2)} * b^2 * c^3 * f^7 * (a * c)^{(5/2)} - 90 * C * a^{(3/2)} * b^4 * c^4 * e^2 * f^5 * (a * c)^{(3/2)}) * ((a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)})^2) / (b^8 * e^4 * f^4 * ((a + b * x)^{(1/2)} - a^{(1/2)})^2)) / (f^2 * (a^2 * c * f^2 - b^2 * c * e^2)^{(1/2)} + (4096 * ((a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)})^2 * (9 * C^2 * a^2 * b^4 * c^5 * e^4 * f^2 - 144 * C^2 * a^6 * c^5 * f^6 + 128 * C^2 * a^4 * b^2 * c^5 * e^2 * f^4)) / (b^8 * e^4 * f^4 * ((a + b * x)^{(1/2)} - a^{(1/2)})^2) + (16384 * ((a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)}) * (8 * C^2 * a^{(5/2)} * c^3 * e^2 * f^3 * (a * c)^{(5/2)} + 3 * C^2 * a^{(3/2)} * b^2 * c^4 * e^4 * f * (a * c)^{(3/2)})) / (b^7 * e^5 * f^2 * ((a + b * x)^{(1/2)} - a^{(1/2)}))) / (f^2 * (a^2 * c * f^2 - b^2 * c * e^2)^{(1/2)} - (4096 * ((a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)})^2 * (32 * C^3 * a^{(5/2)} * c^2 * e^2 * f^3 * (a * c)^{(5/2)} - 96 * C^3 * a^{(3/2)} * b^2 * c^3 * e^4 * f * (a * c)^{(3/2)})) / (b^8 * e^4 * f^4 * ((a + b * x)^{(1/2)} - a^{(1/2)})^2) + (458752 * C^3 * a^4 * c^5 * ((a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)})) / (b^7 * e * f^2 * ((a + b * x)^{(1/2)} - a^{(1/2)}))) * 1i) / (f^2 * (a^2 * c * f^2 - b^2 * c * e^2)^{(1/2)} + (C * e^2 * ((4096 * (32 * C^3 * a^{(5/2)} * c^3 * e^2 * f^3 * (a * c)^{(5/2)} + 24 * C
\end{aligned}$$

$$\begin{aligned}
& \sqrt[3]{a^{3/2} b^2 c^4 e^4 f (a c)^{3/2}} / (b^8 e^4 f^4) - (C e^2 ((4096 (16 C^2 a^6 c^6 f^6 + 9 C^2 a^2 b^4 c^6 e^4 f^2)) / (b^8 e^4 f^4) + (C e^2 ((4096 (24 C a^{5/2} b^2 c^4 f^7 (a c)^{5/2} - 30 C a^{3/2} b^4 c^5 e^2 f^5 (a c)^{3/2})) / (b^8 e^4 f^4) - (C e^2 ((4096 (7 a^4 b^4 c^7 f^8 - 9 a^2 b^6 c^7 e^2 f^6)) / (b^8 e^4 f^4) + (16384 ((a c - b c x)^{1/2} - (a c)^{1/2}) (5 a^{5/2} b^2 c^4 f^7 (a c)^{5/2} - 6 a^{3/2} b^4 c^5 e^2 f^5 (a c)^{3/2})) / (b^7 e^5 f^2 ((a + b x)^{1/2} - a^{1/2}))) + (4096 ((a c - b c x)^{1/2} - (a c)^{1/2})^2 (11 a^4 b^4 c^6 f^8 - 9 a^2 b^6 c^6 e^2 f^6)) / (b^8 e^4 f^4 ((a + b x)^{1/2} - a^{1/2})^2)) / (f^2 (a^2 c f^2 - b^2 c e^2)^{1/2}) + (16384 (20 C a^6 c^6 f^6 - 22 C a^4 b^2 c^6 e^2 f^4) ((a c - b c x)^{1/2} - (a c)^{1/2})) / (b^7 e^5 f^2 ((a + b x)^{1/2} - a^{1/2})) + (4096 (96 C a^{5/2} b^2 c^3 f^7 (a c)^{5/2} - 90 C a^{3/2} b^4 c^4 e^2 f^5 (a c)^{3/2}) ((a c - b c x)^{1/2} - (a c)^{1/2})^2) / (b^8 e^4 f^4 ((a + b x)^{1/2} - a^{1/2})^2)) / (f^2 (a^2 c f^2 - b^2 c e^2)^{1/2}) + (4096 ((a c - b c x)^{1/2} - (a c)^{1/2})^2 (9 C^2 a^2 b^4 c^5 e^4 f^2 - 144 C^2 a^6 c^5 f^6 + 128 C^2 a^4 b^2 c^5 e^2 f^4)) / (b^8 e^4 f^4 ((a + b x)^{1/2} - a^{1/2})^2) + (16384 ((a c - b c x)^{1/2} - (a c)^{1/2}) (8 C^2 a^{5/2} c^3 e^2 f^3 (a c)^{5/2} + 3 C^2 a^{3/2} b^2 c^4 e^4 f (a c)^{3/2})) / (b^7 e^5 f^2 ((a + b x)^{1/2} - a^{1/2}))) / (f^2 (a^2 c f^2 - b^2 c e^2)^{1/2}) - (4096 ((a c - b c x)^{1/2} - (a c)^{1/2})^2 (32 C^3 a^{5/2} c^2 e^2 f^3 (a c)^{5/2} - 96 C^3 a^{3/2} b^2 c^3 e^4 f (a c)^{3/2})) / (b^8 e^4 f^4 ((a + b x)^{1/2} - a^{1/2})^2) + (458752 C^3 a^4 c^5 ((a c - b c x)^{1/2} - (a c)^{1/2})) / (b^7 e f^2 ((a + b x)^{1/2} - a^{1/2}))) * i) / (f^2 (a^2 c f^2 - b^2 c e^2)^{1/2}) / ((131072 C^4 a^4 c^5) / (b^8 f^4) + (C e^2 ((4096 (32 C^3 a^{5/2} c^3 e^2 f^3 (a c)^{5/2} + 24 C^3 a^{3/2} b^2 c^4 e^4 f (a c)^{3/2})) / (b^8 e^4 f^4) + (C e^2 ((4096 (16 C^2 a^6 c^6 f^6 + 9 C^2 a^2 b^4 c^6 e^4 f^2)) / (b^8 e^4 f^4) - (C e^2 ((4096 (24 C a^{5/2} b^2 c^4 f^7 (a c)^{5/2} - 30 C a^{3/2} b^4 c^5 e^2 f^5 (a c)^{3/2})) / (b^8 e^4 f^4) + (C e^2 ((4096 (7 a^4 b^4 c^7 f^8 - 9 a^2 b^6 c^7 e^2 f^6)) / (b^8 e^4 f^4) + (16384 ((a c - b c x)^{1/2} - (a c)^{1/2}) (5 a^{5/2} b^2 c^4 f^7 (a c)^{5/2} - 6 a^{3/2} b^4 c^5 e^2 f^5 (a c)^{3/2})) / (b^7 e^5 f^2 ((a + b x)^{1/2} - a^{1/2}))) + (4096 ((a c - b c x)^{1/2} - (a c)^{1/2})^2 (11 a^4 b^4 c^6 f^8 - 9 a^2 b^6 c^6 e^2 f^6)) / (b^8 e^4 f^4 ((a + b x)^{1/2} - a^{1/2})^2)) / (f^2 (a^2 c f^2 - b^2 c e^2)^{1/2}) + (16384 (20 C a^6 c^6 f^6 - 22 C a^4 b^2 c^6 e^2 f^4) ((a c - b c x)^{1/2} - (a c)^{1/2})) / (b^7 e^5 f^2 ((a + b x)^{1/2} - a^{1/2}))) + (4096 (96 C a^{5/2} b^2 c^3 f^7 (a c)^{5/2} - 90 C a^{3/2} b^4 c^4 e^2 f^5 (a c)^{3/2}) ((a c - b c x)^{1/2} - (a c)^{1/2})^2) / (b^8 e^4 f^4 ((a + b x)^{1/2} - a^{1/2})^2)) / (f^2 (a^2 c f^2 - b^2 c e^2)^{1/2}) + (4096 ((a c - b c x)^{1/2} - (a c)^{1/2})^2 (9 C^2 a^2 b^4 c^5 e^4 f^2 - 144 C^2 a^6 c^5 f^6 + 128 C^2 a^4 b^2 c^5 e^2 f^4)) / (b^8 e^4 f^4 ((a + b x)^{1/2} - a^{1/2})^2) + (16384 ((a c - b c x)^{1/2} - (a c)^{1/2}) (8 C^2 a^{5/2} c^3 e^2 f^3 (a c)^{5/2} + 3 C^2 a^{3/2} b^2 c^4 e^4 f (a c)^{3/2})) / (b^7 e^5 f^2 ((a + b x)^{1/2} - a^{1/2}))) / (f^2 (a^2 c f^2 - b^2 c e^2)^{1/2}) - (4096 ((a c - b c x)^{1/2} - (a c)^{1/2})^2 (32 C^3 a^{5/2} c^2 e^2 f^3 (a c)^{5/2} - 96 C^3 a^{3/2} b^2 c^3 e^4 f (a c)^{3/2})) / (b^8 e^4 f^4 ((a + b x)^{1/2} - a^{1/2})^2) + (458752 C^3 a^4 c^5 ((
\end{aligned}$$

$$\begin{aligned}
& a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})) / (b^7*e*f^2*((a + b*x)^{(1/2)} - a^{(1/2)})) \\
&) / (f^2*(a^2*c*f^2 - b^2*c*e^2)^{(1/2)}) - (C*e^2*((4096*(32*C^3*a^{(5/2)}*c^3*e \\
& ^2*f^3*(a*c)^{(5/2)} + 24*C^3*a^{(3/2)}*b^2*c^4*e^4*f*(a*c)^{(3/2)})) / (b^8*e^4*f^ \\
& 4) - (C*e^2*((4096*(16*C^2*a^6*c^6*f^6 + 9*C^2*a^2*b^4*c^6*e^4*f^2)) / (b^8*e \\
& ^4*f^4) + (C*e^2*((4096*(24*C*a^{(5/2)}*b^2*c^4*f^7*(a*c)^{(5/2)} - 30*C*a^{(3/2)} \\
&)*b^4*c^5*e^2*f^5*(a*c)^{(3/2)})) / (b^8*e^4*f^4) - (C*e^2*((4096*(7*a^4*b^4*c^ \\
& 7*f^8 - 9*a^2*b^6*c^7*e^2*f^6)) / (b^8*e^4*f^4) + (16384*((a*c - b*c*x)^{(1/2)} \\
& - (a*c)^{(1/2)})*(5*a^{(5/2)}*b^2*c^4*f^7*(a*c)^{(5/2)} - 6*a^{(3/2)}*b^4*c^5*e^2* \\
& f^5*(a*c)^{(3/2)})) / (b^7*e^5*f^2*((a + b*x)^{(1/2)} - a^{(1/2)})) + (4096*((a*c - \\
& b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2*(11*a^4*b^4*c^6*f^8 - 9*a^2*b^6*c^6*e^2*f^6) \\
&) / (b^8*e^4*f^4*((a + b*x)^{(1/2)} - a^{(1/2)})^2)) / (f^2*(a^2*c*f^2 - b^2*c*e^2 \\
&)^2)^{(1/2)} + (16384*(20*C*a^6*c^6*f^6 - 22*C*a^4*b^2*c^6*e^2*f^4)*((a*c - b*c \\
& *x)^{(1/2)} - (a*c)^{(1/2)})) / (b^7*e^5*f^2*((a + b*x)^{(1/2)} - a^{(1/2)})) + (4096 \\
& *(96*C*a^{(5/2)}*b^2*c^3*f^7*(a*c)^{(5/2)} - 90*C*a^{(3/2)}*b^4*c^4*e^2*f^5*(a*c) \\
& ^{(3/2)})*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2) / (b^8*e^4*f^4*((a + b*x)^{(1/2)} \\
& - a^{(1/2)})^2)) / (f^2*(a^2*c*f^2 - b^2*c*e^2)^{(1/2)}) + (4096*((a*c - b*c*x) \\
&)^2)^{(1/2)} - (a*c)^{(1/2)})^2*(9*C^2*a^2*b^4*c^5*e^4*f^2 - 144*C^2*a^6*c^5*f^6 + \\
& 128*C^2*a^4*b^2*c^5*e^2*f^4)) / (b^8*e^4*f^4*((a + b*x)^{(1/2)} - a^{(1/2)})^2) \\
& + (16384*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})*(8*C^2*a^{(5/2)}*c^3*e^2*f^3*(a* \\
& c)^{(5/2)} + 3*C^2*a^{(3/2)}*b^2*c^4*e^4*f*(a*c)^{(3/2)})) / (b^7*e^5*f^2*((a + b*x) \\
&)^2)^{(1/2)} - a^{(1/2)})) / (f^2*(a^2*c*f^2 - b^2*c*e^2)^{(1/2)}) - (4096*((a*c - b \\
& *c*x)^{(1/2)} - (a*c)^{(1/2)})^2*(32*C^3*a^{(5/2)}*c^2*e^2*f^3*(a*c)^{(5/2)} - 96*C \\
& ^3*a^{(3/2)}*b^2*c^3*e^4*f*(a*c)^{(3/2)})) / (b^8*e^4*f^4*((a + b*x)^{(1/2)} - a^{(1 \\
& /2)})^2) + (458752*C^3*a^4*c^5*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})) / (b^7*e*f \\
& ^2*((a + b*x)^{(1/2)} - a^{(1/2)})) / (f^2*(a^2*c*f^2 - b^2*c*e^2)^{(1/2)}) + (91 \\
& 7504*C^4*a^4*c^4*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2) / (b^8*f^4*((a + b*x) \\
&)^2)^{(1/2)} - a^{(1/2)})^2)) * 2i) / (f^2*(a^2*c*f^2 - b^2*c*e^2)^{(1/2)}) - (4*B*atan(\\
& (67108864*B^5*a^16*c^7*f^4*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})) / (((a + b*x) \\
&)^2)^{(1/2)} - a^{(1/2)})*(67108864*B^5*a^16*c^{(15/2)}*f^4 + 37748736*B^5*a^12*b^4*c \\
& ^{(15/2)}*e^4 - 100663296*B^5*a^14*b^2*c^{(15/2)}*e^2*f^2) + (37748736*B^5*a^1 \\
& 2*b^4*c^7*e^4*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})) / (((a + b*x)^{(1/2)} - a^{(1 \\
& /2)})*(67108864*B^5*a^16*c^{(15/2)}*f^4 + 37748736*B^5*a^12*b^4*c^{(15/2)}*e^4 - \\
& 100663296*B^5*a^14*b^2*c^{(15/2)}*e^2*f^2)) - (100663296*B^5*a^14*b^2*c^7*e^ \\
& 2*f^2*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})) / (((a + b*x)^{(1/2)} - a^{(1/2)})*(67 \\
& 108864*B^5*a^16*c^{(15/2)}*f^4 + 37748736*B^5*a^12*b^4*c^{(15/2)}*e^4 - 1006632 \\
& 96*B^5*a^14*b^2*c^{(15/2)}*e^2*f^2)) / (b*c^{(1/2)}*f) - (A*a*atan((a*c*(a*c - \\
& b*c*x)^{(1/2)}*(a^4*c*f^2 - a^2*b^2*c*e^2)^{(1/2)}*2i - (a*c)^{(3/2)}*(a^4*c*f^2 \\
& - a^2*b^2*c*e^2)^{(1/2)}*1i + a*c*(a*c)^{(1/2)}*(a^4*c*f^2 - a^2*b^2*c*e^2)^{(1/ \\
& 2)}*1i + b*c*x*(a*c)^{(1/2)}*(a^4*c*f^2 - a^2*b^2*c*e^2)^{(1/2)}*2i - a^{(1/2)}*c* \\
& (a*c)^{(1/2)}*(a^4*c*f^2 - a^2*b^2*c*e^2)^{(1/2)}*(a + b*x)^{(1/2)}*2i) / (2*a^{(5/2)} \\
&)*b*c^2*e - 2*a^3*c^2*f*(a + b*x)^{(1/2)} - 2*a^2*b*c^2*e*(a + b*x)^{(1/2)} + 2 \\
& *a^{(5/2)}*b*c^2*f*x + 2*a^{(5/2)}*c*f*(a*c - b*c*x)^{(1/2)}*(a*c)^{(1/2)} - 2*a^{(3 \\
& /2)}*b*c*e*(a*c - b*c*x)^{(1/2)}*(a*c)^{(1/2)} + 2*a*b*c*e*(a*c - b*c*x)^{(1/2)}*(\\
& a*c)^{(1/2)}*(a + b*x)^{(1/2)})) * 2i) / (a^4*c*f^2 - a^2*b^2*c*e^2)^{(1/2)} + (4*C*e \\
& *atan((67108864*C^5*a^8*c^7*f^4*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})) / (((a +
\end{aligned}$$

$$\begin{aligned} & (b*x)^{(1/2)} - a^{(1/2)}) * (67108864 * C^5 * a^8 * c^{(15/2)} * f^4 + 37748736 * C^5 * a^4 * b^4 * c^{(15/2)} * e^4 - 100663296 * C^5 * a^6 * b^2 * c^{(15/2)} * e^2 * f^2) + (37748736 * C^5 * a^4 * b^4 * c^7 * e^4 * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})) / (((a + b*x)^{(1/2)} - a^{(1/2)}) * (67108864 * C^5 * a^8 * c^{(15/2)} * f^4 + 37748736 * C^5 * a^4 * b^4 * c^{(15/2)} * e^4 - 100663296 * C^5 * a^6 * b^2 * c^{(15/2)} * e^2 * f^2)) - (100663296 * C^5 * a^6 * b^2 * c^7 * e^2 * f^2 * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})) / (((a + b*x)^{(1/2)} - a^{(1/2)}) * (67108864 * C^5 * a^8 * c^{(15/2)} * f^4 + 37748736 * C^5 * a^4 * b^4 * c^{(15/2)} * e^4 - 100663296 * C^5 * a^6 * b^2 * c^{(15/2)} * e^2 * f^2))) / (b*c^{(1/2)} * f^2) - (8 * C * a^{(1/2)} * (a*c)^{(1/2)} * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2) / (b^2 * f * ((a + b*x)^{(1/2)} - a^{(1/2)})^2 * (((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^4 / ((a + b*x)^{(1/2)} - a^{(1/2)})^4 + c^2 + (2 * c * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2) / ((a + b*x)^{(1/2)} - a^{(1/2)})^2)) \end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x**2+B*x+A)/(f*x+e)/(b*x+a)**(1/2)/(-b*c*x+a*c)**(1/2),x)

[Out] Timed out

$$3.25 \quad \int \frac{A+Bx+Cx^2}{\sqrt{a+bx} \sqrt{ac-bcx} (e+fx)^2} dx$$

Optimal. Leaf size=322

$$\frac{f(a^2 - b^2x^2) \left(A + \frac{e(Ce-Bf)}{f^2} \right) \sqrt{a^2c - b^2cx^2} (a^2f^2(2Ce - Bf) - b^2(Ce^3 - Aef^2)) \tan^{-1} \left(\frac{\sqrt{c}(a^2f + \sqrt{a^2c - b^2cx^2})}{\sqrt{a^2c - b^2cx^2}} \right)}{\sqrt{a+bx} (e+fx) \sqrt{ac-bcx} (b^2e^2 - a^2f^2)} + \frac{\sqrt{a^2c - b^2cx^2} (a^2f^2(2Ce - Bf) - b^2(Ce^3 - Aef^2)) \tan^{-1} \left(\frac{\sqrt{c}(a^2f + \sqrt{a^2c - b^2cx^2})}{\sqrt{a^2c - b^2cx^2}} \right)}{\sqrt{c} f^2 \sqrt{a+bx} \sqrt{ac-bcx} (b^2e^2 - a^2f^2)^{3/2}}$$

[Out] f*(A+e*(-B*f+C*e)/f^2)*(-b^2*x^2+a^2)/(-a^2*f^2+b^2*e^2)/(f*x+e)/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2)+C*arctan(b*x*c^(1/2)/(-b^2*c*x^2+a^2*c)^(1/2))*(-b^2*c*x^2+a^2*c)^(1/2)/b/f^2/c^(1/2)/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2)+(a^2*f^2*(-B*f+2*C*e)-b^2*(-A*e*f^2+C*e^3))*arctan((b^2*e*x+a^2*f)*c^(1/2)/(-a^2*f^2+b^2*e^2)^(1/2)/(-b^2*c*x^2+a^2*c)^(1/2))*(-b^2*c*x^2+a^2*c)^(1/2)/f^2/(-a^2*f^2+b^2*e^2)^(3/2)/c^(1/2)/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2)

Rubi [A] time = 0.58, antiderivative size = 322, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.175$, Rules used = {1610, 1651, 844, 217, 203, 725, 204}

$$\frac{f(a^2 - b^2x^2) \left(A + \frac{e(Ce-Bf)}{f^2} \right) \sqrt{a^2c - b^2cx^2} (a^2f^2(2Ce - Bf) - b^2(Ce^3 - Aef^2)) \tan^{-1} \left(\frac{\sqrt{c}(a^2f + \sqrt{a^2c - b^2cx^2})}{\sqrt{a^2c - b^2cx^2}} \right)}{\sqrt{a+bx} (e+fx) \sqrt{ac-bcx} (b^2e^2 - a^2f^2)} + \frac{\sqrt{a^2c - b^2cx^2} (a^2f^2(2Ce - Bf) - b^2(Ce^3 - Aef^2)) \tan^{-1} \left(\frac{\sqrt{c}(a^2f + \sqrt{a^2c - b^2cx^2})}{\sqrt{a^2c - b^2cx^2}} \right)}{\sqrt{c} f^2 \sqrt{a+bx} \sqrt{ac-bcx} (b^2e^2 - a^2f^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*x + C*x^2)/(Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)^2), x]

[Out] (f*(A + (e*(C*e - B*f))/f^2)*(a^2 - b^2*x^2))/((b^2*e^2 - a^2*f^2)*Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)) + (C*Sqrt[a^2*c - b^2*c*x^2]*ArcTan[(b*Sqrt[c]*x)/Sqrt[a^2*c - b^2*c*x^2]])/(b*Sqrt[c]*f^2*Sqrt[a + b*x]*Sqrt[a*c - b*c*x]) + ((a^2*f^2*(2*C*e - B*f) - b^2*(C*e^3 - A*e*f^2))*Sqrt[a^2*c - b^2*c*x^2]*ArcTan[(Sqrt[c]*(a^2*f + b^2*e*x))/(Sqrt[b^2*e^2 - a^2*f^2]*Sqrt[a^2*c - b^2*c*x^2])])/(Sqrt[c]*f^2*(b^2*e^2 - a^2*f^2)^(3/2)*Sqrt[a + b*x]*Sqrt[a*c - b*c*x])

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 725

```
Int[1/(((d_) + (e_.)*(x_))*Sqrt[(a_) + (c_.)*(x_)^2]), x_Symbol] := -Subst[Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ[{a, c, d, e}, x]
```

Rule 844

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 1610

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := Dist[((a + b*x)^FracPart[m]*(c + d*x)^FracPart[m])/(a*c + b*d*x^2)^FracPart[m], Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*d, 0] && EqQ[m, n] && !IntegerQ[m]
```

Rule 1651

```
Int[(Pq_)*((d_) + (e_.)*(x_))^(m_)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := With[{Q = PolynomialQuotient[Pq, d + e*x, x], R = PolynomialRemainder[Pq, d + e*x, x]}, Simp[(e*R*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/((m + 1)*(c*d^2 + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p*ExpandToSum[(m + 1)*(c*d^2 + a*e^2)*Q + c*d*R*(m + 1) - c*e*R*(m + 2*p + 3)*x, x], x]] /; FreeQ[{a, c, d, e, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && LtQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + Bx + Cx^2}{\sqrt{a + bx} \sqrt{ac - bcx} (e + fx)^2} dx &= \frac{\sqrt{a^2c - b^2cx^2} \int \frac{A+Bx+Cx^2}{(e+fx)^2 \sqrt{a^2c - b^2cx^2}} dx}{\sqrt{a + bx} \sqrt{ac - bcx}} \\
&= \frac{f \left(A + \frac{e(Ce-Bf)}{f^2} \right) (a^2 - b^2x^2)}{(b^2e^2 - a^2f^2) \sqrt{a + bx} \sqrt{ac - bcx} (e + fx)} + \frac{\sqrt{a^2c - b^2cx^2} \int \frac{c(Ab^2e+a^2(Ce-Bf))}{(e+fx)\sqrt{a^2c - b^2cx^2}} dx}{c(b^2e^2 - a^2f^2) \sqrt{a + bx} \sqrt{ac - bcx}} \\
&= \frac{f \left(A + \frac{e(Ce-Bf)}{f^2} \right) (a^2 - b^2x^2)}{(b^2e^2 - a^2f^2) \sqrt{a + bx} \sqrt{ac - bcx} (e + fx)} + \frac{\left(C \left(\frac{b^2e^2}{f} - a^2f \right) \sqrt{a^2c - b^2cx^2} \right)}{f(b^2e^2 - a^2f^2) \sqrt{a + bx} \sqrt{ac - bcx}} \\
&= \frac{f \left(A + \frac{e(Ce-Bf)}{f^2} \right) (a^2 - b^2x^2)}{(b^2e^2 - a^2f^2) \sqrt{a + bx} \sqrt{ac - bcx} (e + fx)} + \frac{\left(C \left(\frac{b^2e^2}{f} - a^2f \right) \sqrt{a^2c - b^2cx^2} \right)}{f(b^2e^2 - a^2f^2) \sqrt{a + bx} \sqrt{ac - bcx}} \\
&= \frac{f \left(A + \frac{e(Ce-Bf)}{f^2} \right) (a^2 - b^2x^2)}{(b^2e^2 - a^2f^2) \sqrt{a + bx} \sqrt{ac - bcx} (e + fx)} + \frac{C\sqrt{a^2c - b^2cx^2} \tan^{-1} \left(\frac{b\sqrt{cx}}{\sqrt{a^2c - b^2cx^2}} \right)}{b\sqrt{c} f^2 \sqrt{a + bx} \sqrt{ac - bcx}}
\end{aligned}$$

Mathematica [A] time = 0.85, size = 309, normalized size = 0.96

$$\frac{2b^2e\sqrt{a-bx}(f(Af-Be)+Ce^2)\tanh^{-1}\left(\frac{\sqrt{a-bx}\sqrt{be-af}}{\sqrt{a+bx}\sqrt{-af-be}}\right)}{(-af-be)^{3/2}(be-af)^{3/2}} + \frac{f(bx-a)\sqrt{a+bx}(f(Af-Be)+Ce^2)}{(e+fx)(af-be)(af+be)} - \frac{2\sqrt{a-bx}(2Ce-Bf)\tanh^{-1}\left(\frac{\sqrt{a-bx}\sqrt{be-af}}{\sqrt{a+bx}\sqrt{-af-be}}\right)}{\sqrt{-af-be}\sqrt{be-af}} - \frac{2C\sqrt{a-bx}}{f^2\sqrt{c}(a-bx)}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*x + C*x^2)/(Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)^2), x]

[Out] ((f*(C*e^2 + f*(-(B*e) + A*f))*(-a + b*x)*Sqrt[a + b*x])/((-b*e) + a*f)*(b*e + a*f)*(e + f*x)) - (2*C*Sqrt[a - b*x]*ArcTan[Sqrt[a - b*x]/Sqrt[a + b*x]])/b - (2*(2*C*e - B*f)*Sqrt[a - b*x]*ArcTanh[(Sqrt[b*e - a*f]*Sqrt[a - b*x])/(Sqrt[-(b*e) - a*f]*Sqrt[a + b*x])])/(Sqrt[-(b*e) - a*f]*Sqrt[b*e - a*f]) - (2*b^2*e*(C*e^2 + f*(-(B*e) + A*f))*Sqrt[a - b*x]*ArcTanh[(Sqrt[b*e - a*f]*Sqrt[a - b*x])/(Sqrt[-(b*e) - a*f]*Sqrt[a + b*x])])/((-b*e) - a*f)^(3/2)*(b*e - a*f)^(3/2))/(f^2*Sqrt[c*(a - b*x)])

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(f*x+e)^2/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x, algorithm="fricas")
```

```
[Out] Timed out
```

```
giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(f*x+e)^2/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x, algorithm="giac")
```

```
[Out] Timed out
```

```
maple [B] time = 0.04, size = 1200, normalized size = 3.73
```

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((C*x^2+B*x+A)/(f*x+e)^2/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x)
```

```
[Out] (A*ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^(1/2))*(-(b^2*x^2-a^2)*c)^(1/2)*f)/(f*x+e))*x*b^2*c*e*f^3*(b^2*c)^(1/2)-B*ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^(1/2))*(-(b^2*x^2-a^2)*c)^(1/2)*f)/(f*x+e))*x*a^2*c*f^4*(b^2*c)^(1/2)+2*C*ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^(1/2))*(-(b^2*x^2-a^2)*c)^(1/2)*f)/(f*x+e))*x*a^2*c*e*f^3*(b^2*c)^(1/2)-C*ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^(1/2))*(-(b^2*x^2-a^2)*c)^(1/2)*f)/(f*x+e))*x*b^2*c*e^3*f*(b^2*c)^(1/2)+C*arctan((b^2*c)^(1/2)/(-(b^2*x^2-a^2)*c)^(1/2)*x)*x*a^2*c*f^4*((a^2*f^2-b^2*e^2)*c/f^2)^(1/2)-C*arctan((b^2*c)^(1/2)/(-(b^2*x^2-a^2)*c)^(1/2)*x)*x*b^2*c*e^2*f^2*((a^2*f^2-b^2*e^2)*c/f^2)^(1/2)+A*ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^(1/2))*(-(b^2*x^2-a^2)*c)^(1/2)*f)/(f*x+e))*b^2*c*e^2*f^2*(b^2*c)^(1/2)-B*ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^(1/2))*(-(b^2*x^2-a^2)*c)^(1/2)*f)/(f*x+e))*a^2*c*e*f^3*(b^2*c)^(1/2)+2*C*ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^(1/2))*(-(b^2*x^2-a^2)*c)^(1/2)*f)/(f*x+e))*a^2*c*e^2*f^2*(b^2*c)^(1/2)-C*ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^(1/2))*(-(b^2*x^2-a^2)*c)^(1/2)*f)/(f*x+e))*b^2*c*e^4*(b^2*c)^(1/2)+C*arctan((b^2*c)^(1/2)/(-(b^2*x^2-a^2)*c)^(1/2)*x)*a^2*c*e*f^3*((a^2*f^2-b^2*e^2)*c/f^2)^(1/2)-C*arctan((b^2*c)^(1/2)/(-(b^2*x^2-a^2)*c)^(1/2)*x)*b^2*c*e^3*f*((a^2*f^2-b^2*e^2)*c/f^2)^(1/2)-A*f^4*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*((a^2*f^2-b^2*e^2)*c/f^2)^(1/2)+B*e*f^3*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*((a^2*f^2-b^2*e^2)*c/f^2)^(1/2)-C*e^2*f^2*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*((a^2
```

$$\frac{(f^2 - b^2 e^2) c / f^2)^{1/2}}{c (-b x - a) c^{1/2} (b x + a)^{1/2} / (-b^2 x^2 - a^2) c^{1/2}} \frac{1}{(a f - b e) / (b^2 c)^{1/2} (a f + b e) / (f x + e) / ((a^2 f^2 - b^2 e^2) c / f^2)^{1/2} / f^3}$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)/(f*x+e)^2/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume((4*b^2*c > 0))', see `assume?` for more details) Is (4*b^2*c * (a^2*c - (b^2*c*e^2) / f^2)) / f^2 + (4*b^4*c^2*e^2) / f^4 zero or nonzero?

mupad [F(-1)] time = 0.00, size = -1, normalized size = -0.00

Hanged

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*x + C*x^2)/((e + f*x)^2*(a*c - b*c*x)^(1/2)*(a + b*x)^(1/2)),x)

[Out] \text{Hanged}

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x**2+B*x+A)/(f*x+e)**2/(b*x+a)**(1/2)/(-b*c*x+a*c)**(1/2),x)

[Out] Timed out

$$3.26 \quad \int \frac{A+Bx+Cx^2}{\sqrt{a+bx} \sqrt{ac-bcx} (e+fx)^3} dx$$

Optimal. Leaf size=363

$$\frac{(a^2 - b^2x^2)(2a^2f^2(2Ce - Bf) - b^2e(f(Be - 3Af) + Ce^2))}{2f\sqrt{a+bx}(e+fx)\sqrt{ac-bcx}(b^2e^2 - a^2f^2)^2} + \frac{f(a^2 - b^2x^2)\left(A + \frac{e(Ce-Bf)}{f^2}\right)}{2\sqrt{a+bx}(e+fx)^2\sqrt{ac-bcx}(b^2e^2 - a^2f^2)} + \frac{\sqrt{a^2c}}{\dots}$$

[Out] 1/2*f*(A+e*(-B*f+C*e)/f^2)*(-b^2*x^2+a^2)/(-a^2*f^2+b^2*e^2)/(f*x+e)^2/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2)+1/2*(2*a^2*f^2*(-B*f+2*C*e)-b^2*e*(C*e^2+f*(-3*A*f+B*e)))*(-b^2*x^2+a^2)/f/(-a^2*f^2+b^2*e^2)^2/(f*x+e)/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2)+1/2*(A*(a^2*b^2*f^2+2*b^4*e^2)+a^2*(2*a^2*C*f^2+b^2*e*(-3*B*f+C*e)))*arctan((b^2*e*x+a^2*f)*c^(1/2)/(-a^2*f^2+b^2*e^2)^(1/2)/(-b^2*c*x^2+a^2*c)^(1/2))*(-b^2*c*x^2+a^2*c)^(1/2)/(-a^2*f^2+b^2*e^2)^(5/2)/c^(1/2)/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2)

Rubi [A] time = 0.68, antiderivative size = 361, normalized size of antiderivative = 0.99, number of steps used = 5, number of rules used = 5, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {1610, 1651, 807, 725, 204}

$$\frac{(a^2 - b^2x^2)(2a^2f^2(2Ce - Bf) - b^2(ef(Be - 3Af) + Ce^3))}{2f\sqrt{a+bx}(e+fx)\sqrt{ac-bcx}(b^2e^2 - a^2f^2)^2} + \frac{f(a^2 - b^2x^2)\left(A + \frac{e(Ce-Bf)}{f^2}\right)}{2\sqrt{a+bx}(e+fx)^2\sqrt{ac-bcx}(b^2e^2 - a^2f^2)} + \frac{\sqrt{a^2c}}{\dots}$$

Antiderivative was successfully verified.

[In] Int[(A + B*x + C*x^2)/(Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)^3), x]

[Out] (f*(A + (e*(C*e - B*f))/f^2)*(a^2 - b^2*x^2))/(2*(b^2*e^2 - a^2*f^2)*Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)^2) + ((2*a^2*f^2*(2*C*e - B*f) - b^2*(C*e^3 + e*f*(B*e - 3*A*f)))*(a^2 - b^2*x^2))/(2*f*(b^2*e^2 - a^2*f^2)^2*Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)) + ((2*a^4*C*f^2 + a^2*b^2*e*(C*e - 3*B*f) + A*(2*b^4*e^2 + a^2*b^2*f^2))*Sqrt[a^2*c - b^2*c*x^2]*ArcTan[(Sqrt[c]*(a^2*f + b^2*e*x))/(Sqrt[b^2*e^2 - a^2*f^2]*Sqrt[a^2*c - b^2*c*x^2])])/(2*Sqrt[c]*(b^2*e^2 - a^2*f^2)^(5/2)*Sqrt[a + b*x]*Sqrt[a*c - b*c*x])

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 725

```
Int[1/(((d_) + (e_)*(x_))*Sqrt[(a_) + (c_)*(x_)^2]), x_Symbol] :> -Subst[
Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ
[{a, c, d, e}, x]
```

Rule 807

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] :> -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))
/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), In
t[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}
, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

Rule 1610

```
Int[(Px_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_
)*(x_))^(p_), x_Symbol] :> Dist[((a + b*x)^FracPart[m]*(c + d*x)^FracPart[
m])/(a*c + b*d*x^2)^FracPart[m], Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x],
x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*
d, 0] && EqQ[m, n] && !IntegerQ[m]
```

Rule 1651

```
Int[(Pq_)*((d_) + (e_)*(x_))^(m_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :>
With[{Q = PolynomialQuotient[Pq, d + e*x, x], R = PolynomialRemainder[Pq,
d + e*x, x]}, Simp[(e*R*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/((m + 1)*(c*
d^2 + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 1)
*(a + c*x^2)^p*ExpandToSum[(m + 1)*(c*d^2 + a*e^2)*Q + c*d*R*(m + 1) - c*e*
R*(m + 2*p + 3)*x, x], x]] /; FreeQ[{a, c, d, e, p}, x] && PolyQ[Pq, x]
&& NeQ[c*d^2 + a*e^2, 0] && LtQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + Bx + Cx^2}{\sqrt{a + bx} \sqrt{ac - bcx} (e + fx)^3} dx &= \frac{\sqrt{a^2c - b^2cx^2} \int \frac{A+Bx+Cx^2}{(e+fx)^3 \sqrt{a^2c - b^2cx^2}} dx}{\sqrt{a + bx} \sqrt{ac - bcx}} \\
&= \frac{f \left(A + \frac{e(Ce - Bf)}{f^2} \right) (a^2 - b^2x^2)}{2 (b^2e^2 - a^2f^2) \sqrt{a + bx} \sqrt{ac - bcx} (e + fx)^2} + \frac{\sqrt{a^2c - b^2cx^2} \int \frac{2c(Ab^2e + a^2)}{2c(b^2e^2 - a^2f^2)} dx}{2c(b^2e^2 - a^2f^2)} \\
&= \frac{f \left(A + \frac{e(Ce - Bf)}{f^2} \right) (a^2 - b^2x^2)}{2 (b^2e^2 - a^2f^2) \sqrt{a + bx} \sqrt{ac - bcx} (e + fx)^2} + \frac{(2a^2f^2(2Ce - Bf) - b^2(Ce - Bf)) \sqrt{a - bx}}{2f(b^2e^2 - a^2f^2)^2 \sqrt{a - bx}} \\
&= \frac{f \left(A + \frac{e(Ce - Bf)}{f^2} \right) (a^2 - b^2x^2)}{2 (b^2e^2 - a^2f^2) \sqrt{a + bx} \sqrt{ac - bcx} (e + fx)^2} + \frac{(2a^2f^2(2Ce - Bf) - b^2(Ce - Bf)) \sqrt{a - bx}}{2f(b^2e^2 - a^2f^2)^2 \sqrt{a - bx}} \\
&= \frac{f \left(A + \frac{e(Ce - Bf)}{f^2} \right) (a^2 - b^2x^2)}{2 (b^2e^2 - a^2f^2) \sqrt{a + bx} \sqrt{ac - bcx} (e + fx)^2} + \frac{(2a^2f^2(2Ce - Bf) - b^2(Ce - Bf)) \sqrt{a - bx}}{2f(b^2e^2 - a^2f^2)^2 \sqrt{a - bx}}
\end{aligned}$$

Mathematica [A] time = 1.79, size = 492, normalized size = 1.36

$$\frac{b^2 \sqrt{a-bx} (f(Af - Be) + Ce^2) \left(2(e+fx)(a^2f^2 + 2b^2e^2) \tanh^{-1} \left(\frac{\sqrt{a-bx} \sqrt{be-af}}{\sqrt{a+bx} \sqrt{-af-be}} \right) + 3ef \sqrt{a-bx} \sqrt{a+bx} \sqrt{-af-be} \sqrt{be-af} \right)}{(e+fx)(-af-be)^{5/2} (be-af)^{5/2}} + \frac{2f(bx-a) \sqrt{a+bx} (Bf - 2Ce)}{(e+fx)(a^2f^2 - b^2e^2)} + \frac{2f^2 \sqrt{c(a-bx)}}{2f^2 \sqrt{c(a-bx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*x + C*x^2)/(Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)^3), x]

[Out] ((f*(C*e^2 + f*(-(B*e) + A*f))*(-a + b*x)*Sqrt[a + b*x])/((- (b*e) + a*f)*(b*e + a*f)*(e + f*x)^2) + (2*f*(-2*C*e + B*f))*(-a + b*x)*Sqrt[a + b*x])/((- (b^2*e^2) + a^2*f^2)*(e + f*x)) + (4*C*Sqrt[a - b*x]*ArcTanh[(Sqrt[b*e - a*f]*Sqrt[a - b*x])/(Sqrt[-(b*e) - a*f]*Sqrt[a + b*x])])/(Sqrt[-(b*e) - a*f]*Sqrt[b*e - a*f]) + (4*b^2*e*(2*C*e - B*f)*Sqrt[a - b*x]*ArcTanh[(Sqrt[b*e - a*f]*Sqrt[a - b*x])/(Sqrt[-(b*e) - a*f]*Sqrt[a + b*x])])/((- (b*e) - a*f)^(3/2)*(b*e - a*f)^(3/2)) + (b^2*(C*e^2 + f*(-(B*e) + A*f))*Sqrt[a - b*x]*(3*e*f*Sqrt[-(b*e) - a*f]*Sqrt[b*e - a*f]*Sqrt[a - b*x]*Sqrt[a + b*x] + 2*(2*b^2*e^2 + a^2*f^2)*(e + f*x)*ArcTanh[(Sqrt[b*e - a*f]*Sqrt[a - b*x])/(Sqrt[-(b*e) - a*f]*Sqrt[a + b*x])]))/((- (b*e) - a*f)^(5/2)*(b*e - a*f)^(5/2)*(e + f*x)))/(2*f^2*Sqrt[c*(a - b*x)])

fricas [A] time = 147.15, size = 1355, normalized size = 3.73

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)/(f*x+e)^3/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x, algorithm="fricas")

[Out] [1/4*((3*B*a^2*b^2*e^3*f - (C*a^2*b^2 + 2*A*b^4)*e^4 - (2*C*a^4 + A*a^2*b^2)*e^2*f^2 + (3*B*a^2*b^2*e*f^3 - (C*a^2*b^2 + 2*A*b^4)*e^2*f^2 - (2*C*a^4 + A*a^2*b^2)*f^4)*x^2 + 2*(3*B*a^2*b^2*e^2*f^2 - (C*a^2*b^2 + 2*A*b^4)*e^3*f - (2*C*a^4 + A*a^2*b^2)*e*f^3)*x)*sqrt(-b^2*c*e^2 + a^2*c*f^2)*log((2*a^2*b^2*c*e*f*x - a^2*b^2*c*e^2 + 2*a^4*c*f^2 + (2*b^4*c*e^2 - a^2*b^2*c*f^2)*x^2 - 2*sqrt(-b^2*c*e^2 + a^2*c*f^2)*(b^2*e*x + a^2*f)*sqrt(-b*c*x + a*c)*sqrt(b*x + a))/(f^2*x^2 + 2*e*f*x + e^2)) - 2*(2*B*b^4*e^5 - B*a^2*b^2*e^3*f^2 - B*a^4*e*f^4 - A*a^4*f^5 - (3*C*a^2*b^2 + 4*A*b^4)*e^4*f + (3*C*a^4 + 5*A*a^2*b^2)*e^2*f^3 + (C*b^4*e^5 + B*b^4*e^4*f + B*a^2*b^2*e^2*f^3 - 2*B*a^4*f^5 - (5*C*a^2*b^2 + 3*A*b^4)*e^3*f^2 + (4*C*a^4 + 3*A*a^2*b^2)*e*f^4)*x)*sqrt(-b*c*x + a*c)*sqrt(b*x + a)/(b^6*c*e^8 - 3*a^2*b^4*c*e^6*f^2 + 3*a^4*b^2*c*e^4*f^4 - a^6*c*e^2*f^6 + (b^6*c*e^6*f^2 - 3*a^2*b^4*c*e^4*f^4 + 3*a^4*b^2*c*e^2*f^6 - a^6*c*f^8)*x^2 + 2*(b^6*c*e^7*f - 3*a^2*b^4*c*e^5*f^3 + 3*a^4*b^2*c*e^3*f^5 - a^6*c*e*f^7)*x), -1/2*((3*B*a^2*b^2*e^3*f - (C*a^2*b^2 + 2*A*b^4)*e^4 - (2*C*a^4 + A*a^2*b^2)*e^2*f^2 + (3*B*a^2*b^2*e*f^3 - (C*a^2*b^2 + 2*A*b^4)*e^2*f^2 - (2*C*a^4 + A*a^2*b^2)*f^4)*x^2 + 2*(3*B*a^2*b^2*e^2*f^2 - (C*a^2*b^2 + 2*A*b^4)*e^3*f - (2*C*a^4 + A*a^2*b^2)*e*f^3)*x)*sqrt(b^2*c*e^2 - a^2*c*f^2)*arctan(sqrt(b^2*c*e^2 - a^2*c*f^2)*(b^2*e*x + a^2*f)*sqrt(-b*c*x + a*c)*sqrt(b*x + a)/(a^2*b^2*c*e^2 - a^4*c*f^2 - (b^4*c*e^2 - a^2*b^2*c*f^2)*x^2)) + (2*B*b^4*e^5 - B*a^2*b^2*e^3*f^2 - B*a^4*e*f^4 - A*a^4*f^5 - (3*C*a^2*b^2 + 4*A*b^4)*e^4*f + (3*C*a^4 + 5*A*a^2*b^2)*e^2*f^3 + (C*b^4*e^5 + B*b^4*e^4*f + B*a^2*b^2*e^2*f^3 - 2*B*a^4*f^5 - (5*C*a^2*b^2 + 3*A*b^4)*e^3*f^2 + (4*C*a^4 + 3*A*a^2*b^2)*e*f^4)*x)*sqrt(-b*c*x + a*c)*sqrt(b*x + a)/(b^6*c*e^8 - 3*a^2*b^4*c*e^6*f^2 + 3*a^4*b^2*c*e^4*f^4 - a^6*c*e^2*f^6 + (b^6*c*e^6*f^2 - 3*a^2*b^4*c*e^4*f^4 + 3*a^4*b^2*c*e^2*f^6 - a^6*c*f^8)*x^2 + 2*(b^6*c*e^7*f - 3*a^2*b^4*c*e^5*f^3 + 3*a^4*b^2*c*e^3*f^5 - a^6*c*e*f^7)*x)]

giac [B] time = 7.02, size = 1658, normalized size = 4.57

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)/(f*x+e)^3/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x, algorithm="giac")

```
[Out] -(2*C*a^4*sqrt(-c)*c^2*f^2 + A*a^2*b^2*sqrt(-c)*c^2*f^2 - 3*B*a^2*b^2*sqrt(-c)*c^2*f*e + C*a^2*b^2*sqrt(-c)*c^2*e^2 + 2*A*b^4*sqrt(-c)*c^2*e^2)*arctan(1/2*(2*b*c^2*e + (sqrt(-b*c*x + a*c))*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^2*f)/(sqrt(a^2*f^2 - b^2*e^2)*c^2)/((a^4*f^4*abs(c) - 2*a^2*b^2*f^2*abs(c)*e^2 + b^4*abs(c)*e^4)*sqrt(a^2*f^2 - b^2*e^2)*c^2) + 2*(16*B*a^6*b*sqrt(-c)*c^8*f^5 - 32*C*a^6*b*sqrt(-c)*c^8*f^4*e - 24*A*a^4*b^3*sqrt(-c)*c^8*f^4*e + 4*A*a^4*b^2*(sqrt(-b*c*x + a*c))*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^2*sqrt(-c)*c^6*f^5 + 8*B*a^4*b^3*sqrt(-c)*c^8*f^3*e^2 + 20*B*a^4*b^2*(sqrt(-b*c*x + a*c))*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^2*sqrt(-c)*c^6*f^4*e + 4*B*a^4*b*(sqrt(-b*c*x + a*c))*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^4*sqrt(-c)*c^4*f^5 + 8*C*a^4*b^3*sqrt(-c)*c^8*f^2*e^3 - 44*C*a^4*b^2*(sqrt(-b*c*x + a*c))*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^2*sqrt(-c)*c^6*f^3*e^2 - 40*A*a^2*b^4*(sqrt(-b*c*x + a*c))*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^2*sqrt(-c)*c^6*f^3*e^2 - 8*C*a^4*b*(sqrt(-b*c*x + a*c))*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^4*sqrt(-c)*c^4*f^4*e - 6*A*a^2*b^3*(sqrt(-b*c*x + a*c))*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^4*sqrt(-c)*c^4*f^4*e - A*a^2*b^2*(sqrt(-b*c*x + a*c))*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^6*sqrt(-c)*c^2*f^5 + 16*B*a^2*b^4*(sqrt(-b*c*x + a*c))*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^2*sqrt(-c)*c^6*f^2*e^3 + 10*B*a^2*b^3*(sqrt(-b*c*x + a*c))*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^4*sqrt(-c)*c^4*f^3*e^2 + 3*B*a^2*b^2*(sqrt(-b*c*x + a*c))*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^6*sqrt(-c)*c^2*f^4*e + 8*C*a^2*b^4*(sqrt(-b*c*x + a*c))*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^2*sqrt(-c)*c^6*f*e^4 - 14*C*a^2*b^3*(sqrt(-b*c*x + a*c))*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^4*sqrt(-c)*c^4*f^2*e^3 - 12*A*b^5*(sqrt(-b*c*x + a*c))*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^4*sqrt(-c)*c^4*f^2*e^3 - 5*C*a^2*b^2*(sqrt(-b*c*x + a*c))*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^6*sqrt(-c)*c^2*f^3*e^2 - 2*A*b^4*(sqrt(-b*c*x + a*c))*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^6*sqrt(-c)*c^2*f^3*e^2 + 4*B*b^5*(sqrt(-b*c*x + a*c))*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^4*sqrt(-c)*c^4*f*e^4 + 4*C*b^5*(sqrt(-b*c*x + a*c))*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^4*sqrt(-c)*c^4*e^5 + 2*C*b^4*(sqrt(-b*c*x + a*c))*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^6*sqrt(-c)*c^2*f*e^4)/(a^4*f^6*abs(c) - 2*a^2*b^2*f^4*abs(c)*e^2 + b^4*f^2*abs(c)*e^4)*(4*a^2*c^4*f + 4*b*(sqrt(-b*c*x + a*c))*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^2*c^2*e + (sqrt(-b*c*x + a*c))*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^4*f)^2)
```

maple [B] time = 0.06, size = 1848, normalized size = 5.09

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((C*x^2+B*x+A)/(f*x+e)^3/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x)
```

```
[Out] -1/2*(C*ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^(1/2))*(-(b^2*x^2-
```

$$\begin{aligned}
& a^2 * c)^{(1/2) * f) / (f * x + e)) * x^2 * a^2 * b^2 * c * e^2 * f^2 + 2 * A * \ln(2 * (b^2 * c * e * x + a^2 * c * f \\
& + ((a^2 * f^2 - b^2 * e^2) * c / f^2)^{(1/2) * (- (b^2 * x^2 - a^2) * c)^{(1/2) * f) / (f * x + e)) * x * a^2 \\
& * b^2 * c * e * f^3 + 2 * A * \ln(2 * (b^2 * c * e * x + a^2 * c * f + ((a^2 * f^2 - b^2 * e^2) * c / f^2)^{(1/2) * (- \\
& (b^2 * x^2 - a^2) * c)^{(1/2) * f) / (f * x + e)) * b^4 * c * e^4 + 2 * C * \ln(2 * (b^2 * c * e * x + a^2 * c * f + ((\\
& a^2 * f^2 - b^2 * e^2) * c / f^2)^{(1/2) * (- (b^2 * x^2 - a^2) * c)^{(1/2) * f) / (f * x + e)) * x^2 * a^4 * \\
& c * f^4 + 2 * C * \ln(2 * (b^2 * c * e * x + a^2 * c * f + ((a^2 * f^2 - b^2 * e^2) * c / f^2)^{(1/2) * (- (b^2 * x^2 \\
& - a^2) * c)^{(1/2) * f) / (f * x + e)) * a^4 * c * e^2 * f^2 + C * \ln(2 * (b^2 * c * e * x + a^2 * c * f + ((a^2 * f^2 \\
& - b^2 * e^2) * c / f^2)^{(1/2) * (- (b^2 * x^2 - a^2) * c)^{(1/2) * f) / (f * x + e)) * a^2 * b^2 * c * e^4 \\
& + 2 * B * x * a^2 * f^4 * ((a^2 * f^2 - b^2 * e^2) * c / f^2)^{(1/2) * (- (b^2 * x^2 - a^2) * c)^{(1/2) - 4 * A \\
& * b^2 * e^2 * f^2 * ((a^2 * f^2 - b^2 * e^2) * c / f^2)^{(1/2) * (- (b^2 * x^2 - a^2) * c)^{(1/2) + B * a^2 \\
& * e * f^3 * ((a^2 * f^2 - b^2 * e^2) * c / f^2)^{(1/2) * (- (b^2 * x^2 - a^2) * c)^{(1/2) + 2 * B * b^2 * e^3 \\
& * f * ((a^2 * f^2 - b^2 * e^2) * c / f^2)^{(1/2) * (- (b^2 * x^2 - a^2) * c)^{(1/2) - 3 * C * a^2 * e^2 * f^2 \\
& * ((a^2 * f^2 - b^2 * e^2) * c / f^2)^{(1/2) * (- (b^2 * x^2 - a^2) * c)^{(1/2) - 3 * B * \ln(2 * (b^2 * c * e \\
& * x + a^2 * c * f + ((a^2 * f^2 - b^2 * e^2) * c / f^2)^{(1/2) * (- (b^2 * x^2 - a^2) * c)^{(1/2) * f) / (f * x \\
& + e)) * x^2 * a^2 * b^2 * c * e * f^3 + A * a^2 * f^4 * ((a^2 * f^2 - b^2 * e^2) * c / f^2)^{(1/2) * (- (b^2 * x^2 \\
& - a^2) * c)^{(1/2) - 6 * B * \ln(2 * (b^2 * c * e * x + a^2 * c * f + ((a^2 * f^2 - b^2 * e^2) * c / f^2)^{(1/2) \\
&) * (- (b^2 * x^2 - a^2) * c)^{(1/2) * f) / (f * x + e)) * x * a^2 * b^2 * c * e^2 * f^2 + 2 * C * \ln(2 * (b^2 * c * \\
& e * x + a^2 * c * f + ((a^2 * f^2 - b^2 * e^2) * c / f^2)^{(1/2) * (- (b^2 * x^2 - a^2) * c)^{(1/2) * f) / (f * \\
& x + e)) * x * a^2 * b^2 * c * e^3 * f - 4 * C * x * a^2 * e * f^3 * ((a^2 * f^2 - b^2 * e^2) * c / f^2)^{(1/2) * (- (\\
& b^2 * x^2 - a^2) * c)^{(1/2) + A * \ln(2 * (b^2 * c * e * x + a^2 * c * f + ((a^2 * f^2 - b^2 * e^2) * c / f^2)^{(\\
& 1/2) * (- (b^2 * x^2 - a^2) * c)^{(1/2) * f) / (f * x + e)) * x^2 * a^2 * b^2 * c * f^4 + 2 * A * \ln(2 * (b^2 * c \\
& * e * x + a^2 * c * f + ((a^2 * f^2 - b^2 * e^2) * c / f^2)^{(1/2) * (- (b^2 * x^2 - a^2) * c)^{(1/2) * f) / (f \\
& * x + e)) * x^2 * b^4 * c * e^2 * f^2 + 4 * A * \ln(2 * (b^2 * c * e * x + a^2 * c * f + ((a^2 * f^2 - b^2 * e^2) * c / f \\
& ^2)^{(1/2) * (- (b^2 * x^2 - a^2) * c)^{(1/2) * f) / (f * x + e)) * x * b^4 * c * e^3 * f + 4 * C * \ln(2 * (b^2 * \\
& c * e * x + a^2 * c * f + ((a^2 * f^2 - b^2 * e^2) * c / f^2)^{(1/2) * (- (b^2 * x^2 - a^2) * c)^{(1/2) * f) / (\\
& f * x + e)) * x * a^4 * c * e * f^3 + A * \ln(2 * (b^2 * c * e * x + a^2 * c * f + ((a^2 * f^2 - b^2 * e^2) * c / f^2)^{(\\
& 1/2) * (- (b^2 * x^2 - a^2) * c)^{(1/2) * f) / (f * x + e)) * a^2 * b^2 * c * e^2 * f^2 - 3 * B * \ln(2 * (b^2 * c \\
& * e * x + a^2 * c * f + ((a^2 * f^2 - b^2 * e^2) * c / f^2)^{(1/2) * (- (b^2 * x^2 - a^2) * c)^{(1/2) * f) / (f \\
& * x + e)) * a^2 * b^2 * c * e^3 * f + C * x * b^2 * e^3 * f * ((a^2 * f^2 - b^2 * e^2) * c / f^2)^{(1/2) * (- (b^2 \\
& * x^2 - a^2) * c)^{(1/2) - 3 * A * x * b^2 * e * f^3 * ((a^2 * f^2 - b^2 * e^2) * c / f^2)^{(1/2) * (- (b^2 * x^2 \\
& - a^2) * c)^{(1/2) + B * x * b^2 * e^2 * f^2 * ((a^2 * f^2 - b^2 * e^2) * c / f^2)^{(1/2) * (- (b^2 * x^2 \\
& - a^2) * c)^{(1/2) / c * (- (b * x - a) * c)^{(1/2) * (b * x + a)^{(1/2) / (- (b^2 * x^2 - a^2) * c)^{(1/2) \\
& / (a * f - b * e) / (a * f + b * e) / (a^2 * f^2 - b^2 * e^2) / (f * x + e)^2 / ((a^2 * f^2 - b^2 * e^2) * c / f^2)^{(\\
& 1/2) / f
\end{aligned}$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)/(f*x+e)^3/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* h

elp (example of legal syntax is 'assume(a*f-b*e>0)', see `assume?` for more details) Is a*f-b*e positive, negative or zero?

mupad [B] time = 86.67, size = 9344, normalized size = 25.74

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A + B*x + C*x^2)/((e + f*x)^3*(a*c - b*c*x)^(1/2)*(a + b*x)^(1/2)),x)
[Out] (((((a*c - b*c*x)^(1/2) - (a*c)^(1/2))*(4*C*a^4*c^3*f^2 + 2*C*a^2*b^2*c^3*e^2)))/(((a + b*x)^(1/2) - a^(1/2))*(b^5*e^5 - 2*a^2*b^3*e^3*f^2 + a^4*b*e*f^4)) + (((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^3*(68*C*a^4*c^2*f^2 - 14*C*a^2*b^2*c^2*e^2))/(((a + b*x)^(1/2) - a^(1/2))^3*(b^5*e^5 - 2*a^2*b^3*e^3*f^2 + a^4*b*e*f^4)) - ((68*C*a^4*c*f^2 - 14*C*a^2*b^2*c*e^2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^5)/(((a + b*x)^(1/2) - a^(1/2))^5*(b^5*e^5 - 2*a^2*b^3*e^3*f^2 + a^4*b*e*f^4)) - ((4*C*a^4*f^2 + 2*C*a^2*b^2*e^2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^7)/(((a + b*x)^(1/2) - a^(1/2))^7*(b^5*e^5 - 2*a^2*b^3*e^3*f^2 + a^4*b*e*f^4)) - (a^(1/2)*(a*c)^(1/2)*(48*C*a^4*c*f^3 - 24*C*a^2*b^2*c*e^2*f)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^4)/(((a + b*x)^(1/2) - a^(1/2))^4*(b^6*e^6 - 2*a^2*b^4*e^4*f^2 + a^4*b^2*e^2*f^4)) + (a^(1/2)*(a*c)^(1/2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^6*(24*C*a^4*f^3 + 12*C*a^2*b^2*e^2*f))/(((a + b*x)^(1/2) - a^(1/2))^6*(b^6*e^6 - 2*a^2*b^4*e^4*f^2 + a^4*b^2*e^2*f^4)) + (a^(1/2)*(a*c)^(1/2)*(24*C*a^4*c^2*f^3 + 12*C*a^2*b^2*c^2*e^2*f)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^2)/(((a + b*x)^(1/2) - a^(1/2))^2*(b^6*e^6 - 2*a^2*b^4*e^4*f^2 + a^4*b^2*e^2*f^4)))/(((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^8)/(((a + b*x)^(1/2) - a^(1/2))^8 + c^4 + (((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^6*(16*a^2*c*f^2 + 4*b^2*c*e^2))/((b^2*e^2*((a + b*x)^(1/2) - a^(1/2)))^6) + ((16*a^2*c^3*f^2 + 4*b^2*c^3*e^2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^2)/((b^2*e^2*((a + b*x)^(1/2) - a^(1/2)))^2) - ((32*a^2*c^2*f^2 - 6*b^2*c^2*e^2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^4)/((b^2*e^2*((a + b*x)^(1/2) - a^(1/2)))^4) - (8*a^(1/2)*f*(a*c)^(1/2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^7)/(b*e*((a + b*x)^(1/2) - a^(1/2))^7) + (8*a^(1/2)*c^3*f*(a*c)^(1/2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2)))/(b*e*((a + b*x)^(1/2) - a^(1/2))) - (8*a^(1/2)*c*f*(a*c)^(1/2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^5)/(b*e*((a + b*x)^(1/2) - a^(1/2))^5) + (8*a^(1/2)*c^2*f*(a*c)^(1/2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^3)/(b*e*((a + b*x)^(1/2) - a^(1/2))^3)) + (((4*A*a^4*f^4 - 10*A*a^2*b^2*e^2*f^2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^7)/(((a + b*x)^(1/2) - a^(1/2))^7*(b^5*e^7 + a^4*b*e^3*f^4 - 2*a^2*b^3*e^5*f^2)) - ((4*A*a^4*c^3*f^4 - 10*A*a^2*b^2*c^3*e^2*f^2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2)))/(((a + b*x)^(1/2) - a^(1/2))*(b^5*e^7 + a^4*b*e^3*f^4 - 2*a^2*b^3*e^5*f^2)) - ((4*A*a^4*c^2*f^4 - 58*A*a^2*b^2*c^2*e^2*f^2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^3)/(((a + b*x)^(1/2) - a^(1/2))^3*(b^5*e^7 + a^4*b*e^3*f^4 - 2*a^2*b^3*e^5*f^2)) + (((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^5*(4*A*a^4*c*f^4 - 58*A*a^2*b^2*c*e^2*f^2))/(((a + b*x)^(1/2) - a^(1/2))^5*(b^5*e^7 + a^4*b*e^3*f^4 - 2*a
```

$$\begin{aligned}
& ^2*b^3*e^5*f^2)) + (a^{(1/2)}*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}) \\
& ^6*(16*A*b^4*e^4*f - 8*A*a^4*f^5 + 28*A*a^2*b^2*e^2*f^3))/((a + b*x)^{(1/2)} \\
& - a^{(1/2)})^6*(b^6*e^8 - 2*a^2*b^4*e^6*f^2 + a^4*b^2*e^4*f^4)) + (a^{(1/2)}*(\\
& a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^4*(16*A*a^4*c*f^5 + 32*A*b^4 \\
& *c*e^4*f - 72*A*a^2*b^2*c*e^2*f^3))/((a + b*x)^{(1/2)} - a^{(1/2)})^4*(b^6*e^8 \\
& - 2*a^2*b^4*e^6*f^2 + a^4*b^2*e^4*f^4)) + (a^{(1/2)}*(a*c)^{(1/2)}*((a*c - b*c \\
& *x)^{(1/2)} - (a*c)^{(1/2)})^2*(16*A*b^4*c^2*e^4*f - 8*A*a^4*c^2*f^5 + 28*A*a^2 \\
& *b^2*c^2*e^2*f^3))/((a + b*x)^{(1/2)} - a^{(1/2)})^2*(b^6*e^8 - 2*a^2*b^4*e^6*f^2 \\
& + a^4*b^2*e^4*f^4))/((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^8/((a + b*x)^{(1/2)} \\
& - a^{(1/2)})^8 + c^4 + (((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^6*(16*a^2*c \\
& *f^2 + 4*b^2*c*e^2))/(b^2*e^2*((a + b*x)^{(1/2)} - a^{(1/2)})^6) + ((16*a^2*c^3 \\
& *f^2 + 4*b^2*c^3*e^2)*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2)/(b^2*e^2*((a + \\
& b*x)^{(1/2)} - a^{(1/2)})^2) - ((32*a^2*c^2*f^2 - 6*b^2*c^2*e^2)*((a*c - b*c*x) \\
&)^{(1/2)} - (a*c)^{(1/2)})^4)/(b^2*e^2*((a + b*x)^{(1/2)} - a^{(1/2)})^4) - (8*a^{(1/2)} \\
& *f*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^7)/(b*e*((a + b*x)^{(1/2)} \\
& - a^{(1/2)})^7) + (8*a^{(1/2)}*c^3*f*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a* \\
& c)^{(1/2)}))/((b*e*((a + b*x)^{(1/2)} - a^{(1/2)}))) - (8*a^{(1/2)}*c*f*(a*c)^{(1/2)}*(\\
& (a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^5)/(b*e*((a + b*x)^{(1/2)} - a^{(1/2)})^5) + \\
& (8*a^{(1/2)}*c^2*f*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^3)/(b*e*((\\
& a + b*x)^{(1/2)} - a^{(1/2)})^3) - (((32*B*a^4*c^2*f^3 + 22*B*a^2*b^2*c^2*e^2 \\
& *f)*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^3)/(((a + b*x)^{(1/2)} - a^{(1/2)})^3*(\\
& b^5*e^6 + a^4*b*e^2*f^4 - 2*a^2*b^3*e^4*f^2)) - ((32*B*a^4*c*f^3 + 22*B*a^2 \\
& *b^2*c*e^2*f)*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^5)/(((a + b*x)^{(1/2)} - a^{(1/2)})^5*(\\
& b^5*e^6 + a^4*b*e^2*f^4 - 2*a^2*b^3*e^4*f^2)) + (a^{(1/2)}*(a*c)^{(1/2)}*(a^{(1/2)}*(a*c)^{(1/2)} \\
& *((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2*(8*B*a^4*c^2*f^4 + 8*B*b^4*c^2*e^4 \\
& + 20*B*a^2*b^2*c^2*e^2*f^2))/(((a + b*x)^{(1/2)} - a^{(1/2)})^2*(b^6*e^7 - 2* \\
& a^2*b^4*e^5*f^2 + a^4*b^2*e^3*f^4)) + (a^{(1/2)}*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} \\
& - (a*c)^{(1/2)})^6*(8*B*a^4*f^4 + 8*B*b^4*e^4 + 20*B*a^2*b^2*e^2*f^2))/((\\
& (a + b*x)^{(1/2)} - a^{(1/2)})^6*(b^6*e^7 - 2*a^2*b^4*e^5*f^2 + a^4*b^2*e^3*f^4) \\
& - (a^{(1/2)}*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^4*(16*B*a^4*c \\
& *f^4 - 16*B*b^4*c*e^4 + 24*B*a^2*b^2*c*e^2*f^2))/(((a + b*x)^{(1/2)} - a^{(1/2)})^4*(\\
& b^6*e^7 - 2*a^2*b^4*e^5*f^2 + a^4*b^2*e^3*f^4)) - (6*B*a^2*b*f*((a*c \\
& - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^7)/(((a + b*x)^{(1/2)} - a^{(1/2)})^7*(a^4*f^4 + \\
& b^4*e^4 - 2*a^2*b^2*e^2*f^2)) + (6*B*a^2*b*c^3*f*((a*c - b*c*x)^{(1/2)} - (a \\
& *c)^{(1/2)}))/(((a + b*x)^{(1/2)} - a^{(1/2)})*(a^4*f^4 + b^4*e^4 - 2*a^2*b^2*e^2 \\
& *f^2))/(((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^8/((a + b*x)^{(1/2)} - a^{(1/2)})^8 \\
& + c^4 + (((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^6*(16*a^2*c*f^2 + 4*b^2*c*e^2) \\
&)/(b^2*e^2*((a + b*x)^{(1/2)} - a^{(1/2)})^6) + ((16*a^2*c^3*f^2 + 4*b^2*c^3* \\
& e^2)*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2)/(b^2*e^2*((a + b*x)^{(1/2)} - a^{(1/2)})^2) \\
& - ((32*a^2*c^2*f^2 - 6*b^2*c^2*e^2)*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^4)/(b^2*e^2*((a + b*x)^{(1/2)} - a^{(1/2)})^4) \\
& - (8*a^{(1/2)}*f*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^7)/(b*e*((a + b*x)^{(1/2)} - a^{(1/2)})^7) \\
& + (8*a^{(1/2)}*c^3*f*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}))/((b*e*((\\
& a + b*x)^{(1/2)} - a^{(1/2)}))) - (8*a^{(1/2)}*c*f*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} \\
& - (a*c)^{(1/2)})^5)/(b*e*((a + b*x)^{(1/2)} - a^{(1/2)})^5) + (8*a^{(1/2)}*c^2*f
\end{aligned}$$

$$\begin{aligned}
& * (a*c)^{(1/2)} * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^3 / (b*e * ((a + b*x)^{(1/2)} - a^{(1/2)})^3) + (C*a^2 * (2*a^2*f^2 + b^2*e^2) * (2*atan((((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}) * (a^2*c*f^2 - b^2*c*e^2)) / ((a + b*x)^{(1/2)} - a^{(1/2)}) - (a^2*c*f^2 * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)))) / ((a + b*x)^{(1/2)} - a^{(1/2)}) + 2*a^{(1/2)} * b*c*e*f * (a*c)^{(1/2)}) / (2*b*c*e * (b^2*c*e^2 - a^2*c*f^2)^{(1/2)})) + 2*atan(((((((4*(4*C^2*a^8*f^4 + C^2*a^4*b^4*e^4 + 4*C^2*a^6*b^2*e^2*f^2)) / (b^10*e^10 - 4*a^2*b^8*e^8*f^2 + 6*a^4*b^6*e^6*f^4 - 4*a^6*b^4*e^4*f^6 + a^8*b^2*e^2*f^8) - (C^2*a^4*(2*a^2*f^2 + b^2*e^2))^2 * (12*a^10*c*f^10 - 4*b^10*c*e^10 + 28*a^2*b^8*c*e^8*f^2 - 72*a^4*b^6*c*e^6*f^4 + 88*a^6*b^4*c*e^4*f^6 - 52*a^8*b^2*c*e^2*f^8)) / ((a*f + b*e)^4 * (a*f - b*e)^4 * (a^2*c*f^2 - b^2*c*e^2) * (b^10*e^10 - 4*a^2*b^8*e^8*f^2 + 6*a^4*b^6*e^6*f^4 - 4*a^6*b^4*e^4*f^6 + a^8*b^2*e^2*f^8)))) / (4*b*c^2*e * (b^2*c*e^2 - a^2*c*f^2)^{(1/2)}) + (C*a^{(3/2)} * (2*a^2*f^2 + b^2*e^2) * (8*C*a^{(17/2)} * f^7 * (a*c)^{(1/2)} - 12*C*a^{(13/2)} * b^2*e^2*f^5 * (a*c)^{(1/2)} + 4*C*a^{(5/2)} * b^6*e^6*f * (a*c)^{(1/2)})) / (2*b*c^2*e * f * (a*c)^{(1/2)} * (a*f + b*e)^2 * (a*f - b*e)^2 * (b^2*c*e^2 - a^2*c*f^2)^{(1/2)} * (b^10*e^10 - 4*a^2*b^8*e^8*f^2 + 6*a^4*b^6*e^6*f^4 - 4*a^6*b^4*e^4*f^6 + a^8*b^2*e^2*f^8))) * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^3 / ((a + b*x)^{(1/2)} - a^{(1/2)})^3 + (((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}) * (((4*(4*C^2*a^8*c*f^4 + C^2*a^4*b^4*c*e^4 + 4*C^2*a^6*b^2*c*e^2*f^2)) / (b^10*e^10 - 4*a^2*b^8*e^8*f^2 + 6*a^4*b^6*e^6*f^4 - 4*a^6*b^4*e^4*f^6 + a^8*b^2*e^2*f^8) + (C^2*a^4*(2*a^2*f^2 + b^2*e^2))^2 * (4*a^10*c^2*f^10 + 4*b^10*c^2*e^10 - 12*a^2*b^8*c^2*e^8*f^2 + 8*a^4*b^6*c^2*e^6*f^4 + 8*a^6*b^4*c^2*e^4*f^6 - 12*a^8*b^2*c^2*e^2*f^8)) / ((a*f + b*e)^4 * (a*f - b*e)^4 * (a^2*c*f^2 - b^2*c*e^2) * (b^10*e^10 - 4*a^2*b^8*e^8*f^2 + 6*a^4*b^6*e^6*f^4 - 4*a^6*b^4*e^4*f^6 + a^8*b^2*e^2*f^8))) / (4*b*c^2*e * (b^2*c*e^2 - a^2*c*f^2)^{(1/2)}) + (8*C^2*a^4*(2*a^2*f^2 + b^2*e^2)^2) / (b*e * (a*f + b*e)^4 * (a*f - b*e)^4 * (b^2*c*e^2 - a^2*c*f^2)^{(3/2)}) - (C*a^{(3/2)} * (2*a^2*f^2 + b^2*e^2) * (8*C*a^{(17/2)} * c*f^7 * (a*c)^{(1/2)} + 4*C*a^{(5/2)} * b^6*c*e^6*f * (a*c)^{(1/2)} - 12*C*a^{(13/2)} * b^2*c*e^2*f^5 * (a*c)^{(1/2)})) / (2*b*c^2*e * f * (a*c)^{(1/2)} * (a*f + b*e)^2 * (a*f - b*e)^2 * (b^2*c*e^2 - a^2*c*f^2)^{(1/2)} * (b^10*e^10 - 4*a^2*b^8*e^8*f^2 + 6*a^4*b^6*e^6*f^4 - 4*a^6*b^4*e^4*f^6 + a^8*b^2*e^2*f^8))) / ((a + b*x)^{(1/2)} - a^{(1/2)}) - (((4*(4*C^2*a^8*f^4 + C^2*a^4*b^4*e^4 + 4*C^2*a^6*b^2*e^2*f^2)) / (b^10*e^10 - 4*a^2*b^8*e^8*f^2 + 6*a^4*b^6*e^6*f^4 - 4*a^6*b^4*e^4*f^6 + a^8*b^2*e^2*f^8) - (C^2*a^4*(2*a^2*f^2 + b^2*e^2))^2 * (12*a^10*c*f^10 - 4*b^10*c*e^10 + 28*a^2*b^8*c*e^8*f^2 - 72*a^4*b^6*c*e^6*f^4 + 88*a^6*b^4*c*e^4*f^6 - 52*a^8*b^2*c*e^2*f^8)) / ((a*f + b*e)^4 * (a*f - b*e)^4 * (a^2*c*f^2 - b^2*c*e^2) * (b^10*e^10 - 4*a^2*b^8*e^8*f^2 + 6*a^4*b^6*e^6*f^4 - 4*a^6*b^4*e^4*f^6 + a^8*b^2*e^2*f^8))) / (2*a^{(1/2)} * c * f * (a*c)^{(1/2)} * (b^2*c*e^2 - a^2*c*f^2)^{(1/2)}) + (4*C^2*a^{(9/2)} * f * (a*c)^{(1/2)} * (2*a^2*f^2 + b^2*e^2)^2) / (b^2*c*e^2 * (a*f + b*e)^4 * (a*f - b*e)^4 * (b^2*c*e^2 - a^2*c*f^2)^{(3/2)})) * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2 / (((a + b*x)^{(1/2)} - a^{(1/2)})^2 - ((4*(4*C^2*a^8*c*f^4 + C^2*a^4*b^4*c*e^4 + 4*C^2*a^6*b^2*c*e^2*f^2)) / (b^10*e^10 - 4*a^2*b^8*e^8*f^2 + 6*a^4*b^6*e^6*f^4 - 4*a^6*b^4*e^4*f^6 + a^8*b^2*e^2*f^8) + (C^2*a^4*(2*a^2*f^2 + b^2*e^2))^2 * (4*a^10*c^2*f^10 + 4*b^10*c^2*e^10 - 12*a^2*b^8*c^2*e^8*f^2 + 8*a^4*b^6*c^2*e^6*f^4 + 8*a^6*b^4*c^2*e^4*f^6 - 12*a^8*b^2*c^2*e^2*f^8)) / ((a*f + b*e)^4 * (a*f - b*e)^4 * (a^2*c*f^2 - b^2*c*e^2))
\end{aligned}$$

$$\begin{aligned}
& 2*c*e^2)*(b^{10}*e^{10} - 4*a^2*b^8*e^8*f^2 + 6*a^4*b^6*e^6*f^4 - 4*a^6*b^4*e^4*f^6 + a^8*b^2*e^2*f^8))/((2*a^{(1/2)}*c*f*(a*c)^{(1/2)}*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)}))*(b^{10}*e^{10}*(a^2*c*f^2 - b^2*c*e^2) - 4*a^2*b^8*e^8*f^2*(a^2*c*f^2 - b^2*c*e^2) + 6*a^4*b^6*e^6*f^4*(a^2*c*f^2 - b^2*c*e^2) - 4*a^6*b^4*e^4*f^6*(a^2*c*f^2 - b^2*c*e^2) + a^8*b^2*e^2*f^8*(a^2*c*f^2 - b^2*c*e^2)))/(16*C^2*a^8*f^4 + 4*C^2*a^4*b^4*e^4 + 16*C^2*a^6*b^2*e^2*f^2)))/(2*(a*f + b*e)^2*(a*f - b*e)^2*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)}) + (A*b^2*(a^2*f^2 + 2*b^2*e^2)*(2*atan((((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})*(a^2*c*f^2 - b^2*c*e^2)))/((a + b*x)^{(1/2)} - a^{(1/2)}) - (a^2*c*f^2*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})))/((a + b*x)^{(1/2)} - a^{(1/2)}) + 2*a^{(1/2)}*b*c*e*f*(a*c)^{(1/2)})/(2*b*c*e*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)})) + 2*atan((((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}))*(((4*(4*A^2*b^8*c*e^4 + A^2*a^4*b^4*c*f^4 + 4*A^2*a^2*b^6*c*e^2*f^2)))/(b^{10}*e^{10} - 4*a^2*b^8*e^8*f^2 + 6*a^4*b^6*e^6*f^4 - 4*a^6*b^4*e^4*f^6 + a^8*b^2*e^2*f^8) + (A^2*b^4*(a^2*f^2 + 2*b^2*e^2)^2*(4*a^{10}*c^2*f^{10} + 4*b^{10}*c^2*e^{10} - 12*a^2*b^8*c^2*e^8*f^2 + 8*a^4*b^6*c^2*e^6*f^4 + 8*a^6*b^4*c^2*e^4*f^6 - 12*a^8*b^2*c^2*e^2*f^8)))/((a*f + b*e)^4*(a*f - b*e)^4*(a^2*c*f^2 - b^2*c*e^2)*(b^{10}*e^{10} - 4*a^2*b^8*e^8*f^2 + 6*a^4*b^6*e^6*f^4 - 4*a^6*b^4*e^4*f^6 + a^8*b^2*e^2*f^8)))/(4*b*c^2*e*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)}) + (8*A^2*b^3*(a^2*f^2 + 2*b^2*e^2)^2)/(e*(a*f + b*e)^4*(a*f - b*e)^4*(b^2*c*e^2 - a^2*c*f^2)^{(3/2)}) - (A*b*(a^2*f^2 + 2*b^2*e^2)*(4*A*a^{(13/2)}*b^2*c*f^7*(a*c)^{(1/2)} + 8*A*a^{(1/2)}*b^8*c*e^6*f*(a*c)^{(1/2)} - 12*A*a^{(5/2)}*b^6*c*e^4*f^3*(a*c)^{(1/2)}))/((2*a^{(1/2)}*c^2*e*f*(a*c)^{(1/2)}*(a*f + b*e)^2*(a*f - b*e)^2*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)}*(b^{10}*e^{10} - 4*a^2*b^8*e^8*f^2 + 6*a^4*b^6*e^6*f^4 - 4*a^6*b^4*e^4*f^6 + a^8*b^2*e^2*f^8)))/((a + b*x)^{(1/2)} - a^{(1/2)}) + (((4*(4*A^2*b^8*e^4 + A^2*a^4*b^4*f^4 + 4*A^2*a^2*b^6*e^2*f^2)))/(b^{10}*e^{10} - 4*a^2*b^8*e^8*f^2 + 6*a^4*b^6*e^6*f^4 - 4*a^6*b^4*e^4*f^6 + a^8*b^2*e^2*f^8) - (A^2*b^4*(a^2*f^2 + 2*b^2*e^2)^2*(12*a^{10}*c*f^{10} - 4*b^{10}*c*e^{10} + 28*a^2*b^8*c*e^8*f^2 - 72*a^4*b^6*c*e^6*f^4 + 88*a^6*b^4*c*e^4*f^6 - 52*a^8*b^2*c*e^2*f^8)))/((a*f + b*e)^4*(a*f - b*e)^4*(a^2*c*f^2 - b^2*c*e^2)*(b^{10}*e^{10} - 4*a^2*b^8*e^8*f^2 + 6*a^4*b^6*e^6*f^4 - 4*a^6*b^4*e^4*f^6 + a^8*b^2*e^2*f^8)))/(4*b*c^2*e*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)}) + (A*b*(a^2*f^2 + 2*b^2*e^2)*(4*A*a^{(13/2)}*b^2*f^7*(a*c)^{(1/2)} - 12*A*a^{(5/2)}*b^6*e^4*f^3*(a*c)^{(1/2)} + 8*A*a^{(1/2)}*b^8*e^6*f*(a*c)^{(1/2)}))/((2*a^{(1/2)}*c^2*e*f*(a*c)^{(1/2)}*(a*f + b*e)^2*(a*f - b*e)^2*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)}*(b^{10}*e^{10} - 4*a^2*b^8*e^8*f^2 + 6*a^4*b^6*e^6*f^4 - 4*a^6*b^4*e^4*f^6 + a^8*b^2*e^2*f^8)))*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^3)/((a + b*x)^{(1/2)} - a^{(1/2)})^3 - (((4*(4*A^2*b^8*e^4 + A^2*a^4*b^4*f^4 + 4*A^2*a^2*b^6*e^2*f^2)))/(b^{10}*e^{10} - 4*a^2*b^8*e^8*f^2 + 6*a^4*b^6*e^6*f^4 - 4*a^6*b^4*e^4*f^6 + a^8*b^2*e^2*f^8) - (A^2*b^4*(a^2*f^2 + 2*b^2*e^2)^2*(12*a^{10}*c*f^{10} - 4*b^{10}*c*e^{10} + 28*a^2*b^8*c*e^8*f^2 - 72*a^4*b^6*c*e^6*f^4 + 88*a^6*b^4*c*e^4*f^6 - 52*a^8*b^2*c*e^2*f^8)))/((a*f + b*e)^4*(a*f - b*e)^4*(a^2*c*f^2 - b^2*c*e^2)*(b^{10}*e^{10} - 4*a^2*b^8*e^8*f^2 + 6*a^4*b^6*e^6*f^4 - 4*a^6*b^4*e^4*f^6 + a^8*b^2*e^2*f^8)))/(2*a^{(1/2)}*c*f*(a*c)^{(1/2)}*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)}) + (4*A^2*a^{(1/2)}*b^2*f*(a*c)^{(1/2)}*(a^2*f^2 + 2*b^2*e^2)^2)/(c*e^2*(a*f + b*e)^4*(a*f - b*e)^4*(b^2*c*e^2 - a^2*c*f^2)^{(3/2)}))*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})
\end{aligned}$$

$$\begin{aligned} & /2))^{2})/((a + b*x)^{(1/2)} - a^{(1/2)})^{2} - ((4*(4*A^{2}*b^{8}*c*e^{4} + A^{2}*a^{4}*b^{4}* \\ & c*f^{4} + 4*A^{2}*a^{2}*b^{6}*c*e^{2}*f^{2}))/ (b^{10}*e^{10} - 4*a^{2}*b^{8}*e^{8}*f^{2} + 6*a^{4}*b^{6} \\ & *e^{6}*f^{4} - 4*a^{6}*b^{4}*e^{4}*f^{6} + a^{8}*b^{2}*e^{2}*f^{8}) + (A^{2}*b^{4}*(a^{2}*f^{2} + 2*b^{2} \\ & *e^{2}))^{2}*(4*a^{10}*c^{2}*f^{10} + 4*b^{10}*c^{2}*e^{10} - 12*a^{2}*b^{8}*c^{2}*e^{8}*f^{2} + 8*a^{4} \\ & *b^{6}*c^{2}*e^{6}*f^{4} + 8*a^{6}*b^{4}*c^{2}*e^{4}*f^{6} - 12*a^{8}*b^{2}*c^{2}*e^{2}*f^{8}))/((a*f \\ & + b*e)^{4}*(a*f - b*e)^{4}*(a^{2}*c*f^{2} - b^{2}*c*e^{2})*(b^{10}*e^{10} - 4*a^{2}*b^{8}*e^{8}*f \\ & ^{2} + 6*a^{4}*b^{6}*e^{6}*f^{4} - 4*a^{6}*b^{4}*e^{4}*f^{6} + a^{8}*b^{2}*e^{2}*f^{8}))/ (2*a^{(1/2)}* \\ & c*f*(a*c)^{(1/2)}*(b^{2}*c*e^{2} - a^{2}*c*f^{2})^{(1/2)}))*(b^{8}*e^{10}*(a^{2}*c*f^{2} - b^{2}* \\ & c*e^{2}) + a^{8}*e^{2}*f^{8}*(a^{2}*c*f^{2} - b^{2}*c*e^{2}) - 4*a^{2}*b^{6}*e^{8}*f^{2}*(a^{2}*c*f^{2} \\ & - b^{2}*c*e^{2}) + 6*a^{4}*b^{4}*e^{6}*f^{4}*(a^{2}*c*f^{2} - b^{2}*c*e^{2}) - 4*a^{6}*b^{2}*e^{4}*f \\ & ^{6}*(a^{2}*c*f^{2} - b^{2}*c*e^{2}))/ (16*A^{2}*b^{6}*e^{4} + 4*A^{2}*a^{4}*b^{2}*f^{4} + 16*A^{2}*a \\ & ^{2}*b^{4}*e^{2}*f^{2}))))/ (2*(a*f + b*e)^{2}*(a*f - b*e)^{2}*(b^{2}*c*e^{2} - a^{2}*c*f^{2})^{(\\ & 1/2)} + (3*B*a^{2}*b^{2}*e*f*(2*atan(((2*b^{3}*c^{3}*e^{3} + 2*b*c^{2}*e*(a^{2}*c*f^{2} - b^{2} \\ & *c*e^{2}) + 2*a^{2}*b*c^{3}*e*f^{2} + (3*a^{(3/2)}*f^{3}*(a*c)^{(3/2)}*((a*c - b*c*x)^{(1 \\ & /2)} - (a*c)^{(1/2)}))^{3}))/ ((a + b*x)^{(1/2)} - a^{(1/2)})^{3} + (2*b^{3}*c^{2}*e^{3}*((a*c \\ & - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^{2}))/ ((a + b*x)^{(1/2)} - a^{(1/2)})^{2} - (3*a^{(1/2)} \\ & *f*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^{3}*(a^{2}*c*f^{2} - b^{2}*c*e^{2} \\ &)))/ ((a + b*x)^{(1/2)} - a^{(1/2)})^{3} - (a^{(3/2)}*c*f^{3}*(a*c)^{(3/2)}*((a*c - b*c*x) \\ &)^{(1/2)} - (a*c)^{(1/2)}))/ ((a + b*x)^{(1/2)} - a^{(1/2)}) + (2*b*c*e*((a*c - b*c*x) \\ &)^{(1/2)} - (a*c)^{(1/2)})^{2}*(a^{2}*c*f^{2} - b^{2}*c*e^{2}))/ ((a + b*x)^{(1/2)} - a^{(1/ \\ & 2)})^{2} + (a^{(1/2)}*c*f*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})*(a^{2}*c \\ & *f^{2} - b^{2}*c*e^{2}))/ ((a + b*x)^{(1/2)} - a^{(1/2)}) - (10*a^{2}*b*c^{2}*e*f^{2}*((a*c \\ & - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^{2}))/ ((a + b*x)^{(1/2)} - a^{(1/2)})^{2} + (7*a^{(1/2)} \\ & *b^{2}*c^{2}*e^{2}*f*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}))/ ((a + b*x)^{(\\ & 1/2)} - a^{(1/2)}) - (a^{(1/2)}*b^{2}*c*e^{2}*f*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - \\ & (a*c)^{(1/2)})^{3}))/ ((a + b*x)^{(1/2)} - a^{(1/2)})^{3} / (4*a^{(1/2)}*b*c^{2}*e*f*(a*c)^{(\\ & 1/2)}*(b^{2}*c*e^{2} - a^{2}*c*f^{2})^{(1/2)})) - 2*atan((((a*c - b*c*x)^{(1/2)} - (a*c) \\ &)^{(1/2)})*(a^{2}*c*f^{2} - b^{2}*c*e^{2}))/ ((a + b*x)^{(1/2)} - a^{(1/2)}) - (a^{2}*c*f^{2} \\ & ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}))/ ((a + b*x)^{(1/2)} - a^{(1/2)}) + 2*a^{(1/2)} \\ &)*b*c*e*f*(a*c)^{(1/2))/ (2*b*c*e*(b^{2}*c*e^{2} - a^{2}*c*f^{2})^{(1/2)})))/ (2*(a*f + \\ & b*e)^{2}*(a*f - b*e)^{2}*(b^{2}*c*e^{2} - a^{2}*c*f^{2})^{(1/2)}) \end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x**2+B*x+A)/(f*x+e)**3/(b*x+a)**(1/2)/(-b*c*x+a*c)**(1/2),x)

[Out] Timed out

$$3.27 \quad \int \frac{(e+fx)^3(A+Bx+Cx^2)}{\sqrt{a+bx}\sqrt{ac-bcx}} dx$$

Optimal. Leaf size=501

$$\frac{(a^2 - b^2x^2)(e + fx)^2(16a^2Cf^2 - b^2(3Ce^2 - 5f(4Af + 3Be)))}{60b^4f\sqrt{a + bx}\sqrt{ac - bcx}} + \frac{\sqrt{a^2c - b^2cx^2} \tan^{-1}\left(\frac{b\sqrt{c}x}{\sqrt{a^2c - b^2cx^2}}\right)(4A(3a^2b^2ef^2 - b^2c^2) + 4B(3a^2bf^2 - b^2c^2) + 4C(3a^2e^2 - b^2c^2))}{8b^5\sqrt{c}\sqrt{a + bx}\sqrt{ac - bcx}}$$

[Out] $-1/60*(16*a^2*C*f^2 - b^2*(3*C*e^2 - 5*f*(4*A*f + 3*B*e)))*(f*x + e)^2*(-b^2*x^2 + a^2)/b^4/f/(b*x + a)^{(1/2)}/(-b*c*x + a*c)^{(1/2)} + 1/20*(-5*B*f + C*e)*(f*x + e)^3*(-b^2*x^2 + a^2)/b^2/f/(b*x + a)^{(1/2)}/(-b*c*x + a*c)^{(1/2)} - 1/5*C*(f*x + e)^4*(-b^2*x^2 + a^2)/b^2/f/(b*x + a)^{(1/2)}/(-b*c*x + a*c)^{(1/2)} - 1/120*(64*a^4*C*f^4 + 16*a^2*b^2*f^2*(13*C*e^2 + 5*f*(A*f + 3*B*e)) - 4*b^4*e^2*(3*C*e^2 - 5*f*(16*A*f + 3*B*e)) + b^2*f*(a^2*f^2*(45*B*f + 71*C*e) - 2*b^2*e*(3*C*e^2 - 5*f*(10*A*f + 3*B*e))))*x*(-b^2*x^2 + a^2)/b^6/f/(b*x + a)^{(1/2)}/(-b*c*x + a*c)^{(1/2)} + 1/8*(4*A*(3*a^2*b^2*e*f^2 + 2*b^4*e^3) + a^2*(3*a^2*f^2*(B*f + 3*C*e) + 4*b^2*e^2*(3*B*f + C*e)))*\arctan(b*x*c^{(1/2)}/(-b^2*c*x^2 + a^2*c)^{(1/2)})*(-b^2*c*x^2 + a^2*c)^{(1/2)}/b^5/c^{(1/2)}/(b*x + a)^{(1/2)}/(-b*c*x + a*c)^{(1/2)}$

Rubi [A] time = 1.28, antiderivative size = 496, normalized size of antiderivative = 0.99, number of steps used = 7, number of rules used = 6, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.150$, Rules used = {1610, 1654, 833, 780, 217, 203}

$$\frac{(a^2 - b^2x^2)(e + fx)^2\left(-\frac{16a^2Cf^2}{b^2} - 5f(4Af + 3Be) + 3Ce^2\right)}{60b^2f\sqrt{a + bx}\sqrt{ac - bcx}} - \frac{(a^2 - b^2x^2)(b^2fx(a^2f^2(45Bf + 71Ce) - b^2(6Ce^3 - 10ef(3Be + 10Af)) + 4a^2f^2(71Ce + 45Bf) - b^2(6Ce^3 - 10ef(3Be + 10Af))))*x*(a^2 - b^2x^2)}{(120*b^6*f*\sqrt{a + bx}*\sqrt{a*c - b*c*x}) + ((3*a^4*f^2*(3*C*e + B*f) + 4*a^2*b^2*e^2*(C*e + 3*B*f) + 4*A*(2*b^4*e^3 + 3*a^2*b^2*e*f^2))*\sqrt{a^2*c - b^2*c*x^2}*\text{ArcTan}[(b*\sqrt{c}*x)/\sqrt{a^2*c - b^2*c*x^2}])/(8*b^5*\sqrt{c}*\sqrt{a + bx}*\sqrt{a*c - b*c*x})}$$

Antiderivative was successfully verified.

[In] Int[((e + f*x)^3*(A + B*x + C*x^2))/(Sqrt[a + b*x]*Sqrt[a*c - b*c*x]), x]

[Out] $((3*C*e^2 - (16*a^2*C*f^2)/b^2 - 5*f*(3*B*e + 4*A*f))*(e + f*x)^2*(a^2 - b^2*x^2))/(60*b^2*f*\sqrt{a + b*x}*\sqrt{a*c - b*c*x}) + ((C*e - 5*B*f)*(e + f*x)^3*(a^2 - b^2*x^2))/(20*b^2*f*\sqrt{a + b*x}*\sqrt{a*c - b*c*x}) - (C*(e + f*x)^4*(a^2 - b^2*x^2))/(5*b^2*f*\sqrt{a + b*x}*\sqrt{a*c - b*c*x}) - ((4*(16*a^4*C*f^4 + 4*a^2*b^2*f^2*(13*C*e^2 + 5*f*(3*B*e + A*f)) - b^4*e^2*(3*C*e^2 - 5*f*(3*B*e + 16*A*f))) + b^2*f*(a^2*f^2*(71*C*e + 45*B*f) - b^2*(6*C*e^3 - 10*e*f*(3*B*e + 10*A*f))))*x*(a^2 - b^2*x^2))/(120*b^6*f*\sqrt{a + b*x}*\sqrt{a*c - b*c*x}) + ((3*a^4*f^2*(3*C*e + B*f) + 4*a^2*b^2*e^2*(C*e + 3*B*f) + 4*A*(2*b^4*e^3 + 3*a^2*b^2*e*f^2))*\sqrt{a^2*c - b^2*c*x^2}*\text{ArcTan}[(b*\sqrt{c}*x)/\sqrt{a^2*c - b^2*c*x^2}])/(8*b^5*\sqrt{c}*\sqrt{a + b*x}*\sqrt{a*c - b*c*x})$

Rule 203

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 780

```
Int[((d_) + (e_)*(x_))*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] := Simp[((e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x)*(a + c*x^2)^(p + 1))/(2*c*(p + 1)*(2*p + 3)), x] - Dist[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p + 3)), Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !LeQ[p, -1]
```

Rule 833

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] := Simp[(g*(d + e*x)^m*(a + c*x^2)^(p + 1))/(c*(m + 2*p + 2)), x] + Dist[1/(c*(m + 2*p + 2)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^p*Simp[c*d*f*(m + 2*p + 2) - a*e*g*m + c*(e*f*(m + 2*p + 2) + d*g*m)*x, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[m, 0] && NeQ[m + 2*p + 2, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p]) && !(IGtQ[m, 0] && EqQ[f, 0])
```

Rule 1610

```
Int[(Px_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := Dist[((a + b*x)^FracPart[m]*(c + d*x)^FracPart[m])/(a*c + b*d*x^2)^FracPart[m], Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*d, 0] && EqQ[m, n] && !IntegerQ[m]
```

Rule 1654

```
Int[(Pq_)*((d_) + (e_)*(x_))^(m_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] := With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x)^(m + q - 1)*(a + c*x^2)^(p + 1))/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Dist[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + c*x^2)^p*ExpandToSum[c*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - f*(d + e*x)^(q - 2)*(a*e^2*(m + q - 1) - c*d^2*(m + q + 2*p + 1) - 2*c*d*e*(m + q + p)*x), x], x] /; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0] /; FreeQ[{a, c, d, e, m, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && !(EqQ[d, 0] && T
```

rue) && !(IGtQ[m, 0] && RationalQ[a, c, d, e] && (IntegerQ[p] || ILtQ[p + 1/2, 0]))

Rubi steps

$$\begin{aligned}
 \int \frac{(e + fx)^3 (A + Bx + Cx^2)}{\sqrt{a + bx} \sqrt{ac - bcx}} dx &= \frac{\sqrt{a^2c - b^2cx^2} \int \frac{(e+fx)^3(A+Bx+Cx^2)}{\sqrt{a^2c-b^2cx^2}} dx}{\sqrt{a + bx} \sqrt{ac - bcx}} \\
 &= -\frac{C(e + fx)^4 (a^2 - b^2x^2)}{5b^2f\sqrt{a + bx} \sqrt{ac - bcx}} - \frac{\sqrt{a^2c - b^2cx^2} \int \frac{(e+fx)^3(-c(5Ab^2+4a^2C)f^2+b^2cf(Ce-5Bf))}{\sqrt{a^2c-b^2cx^2}}}{5b^2cf^2\sqrt{a + bx} \sqrt{ac - bcx}} \\
 &= \frac{(Ce - 5Bf)(e + fx)^3 (a^2 - b^2x^2)}{20b^2f\sqrt{a + bx} \sqrt{ac - bcx}} - \frac{C(e + fx)^4 (a^2 - b^2x^2)}{5b^2f\sqrt{a + bx} \sqrt{ac - bcx}} + \frac{\sqrt{a^2c - b^2cx^2} \int}{20b^2f\sqrt{a + bx} \sqrt{ac - bcx}} \\
 &= -\frac{(16a^2Cf^2 - b^2(3Ce^2 - 5f(3Be + 4Af)))(e + fx)^2 (a^2 - b^2x^2)}{60b^4f\sqrt{a + bx} \sqrt{ac - bcx}} + \frac{(Ce - 5Bf)}{20b^2f\sqrt{a + bx} \sqrt{ac - bcx}} \\
 &= -\frac{(16a^2Cf^2 - b^2(3Ce^2 - 5f(3Be + 4Af)))(e + fx)^2 (a^2 - b^2x^2)}{60b^4f\sqrt{a + bx} \sqrt{ac - bcx}} + \frac{(Ce - 5Bf)}{20b^2f\sqrt{a + bx} \sqrt{ac - bcx}} \\
 &= -\frac{(16a^2Cf^2 - b^2(3Ce^2 - 5f(3Be + 4Af)))(e + fx)^2 (a^2 - b^2x^2)}{60b^4f\sqrt{a + bx} \sqrt{ac - bcx}} + \frac{(Ce - 5Bf)}{20b^2f\sqrt{a + bx} \sqrt{ac - bcx}} \\
 &= -\frac{(16a^2Cf^2 - b^2(3Ce^2 - 5f(3Be + 4Af)))(e + fx)^2 (a^2 - b^2x^2)}{60b^4f\sqrt{a + bx} \sqrt{ac - bcx}} + \frac{(Ce - 5Bf)}{20b^2f\sqrt{a + bx} \sqrt{ac - bcx}}
 \end{aligned}$$

Mathematica [A] time = 4.90, size = 727, normalized size = 1.45

$$\frac{-120\sqrt{a - bx} \sqrt{a + bx} (be - af)^2 \left(\sqrt{a - bx} \sqrt{\frac{bx}{a}} + 1 + 2\sqrt{a} \sin^{-1} \left(\frac{\sqrt{a - bx}}{\sqrt{2}\sqrt{a}} \right) \right) (5a^2Cf - 2ab(2Bf + Ce) + b^2(3Af + 2Be))}{60b^4f\sqrt{a + bx} \sqrt{ac - bcx}} + \frac{(Ce - 5Bf)}{20b^2f\sqrt{a + bx} \sqrt{ac - bcx}}$$

Antiderivative was successfully verified.

[In] Integrate[((e + f*x)^3*(A + B*x + C*x^2))/(Sqrt[a + b*x]*Sqrt[a*c - b*c*x]), x]

[Out] (-120*(b*e - a*f)^2*(5*a^2*C*f + b^2*(B*e + 3*A*f) - 2*a*b*(C*e + 2*B*f))*Sqrt[a - b*x]*Sqrt[a + b*x]*(Sqrt[a - b*x]*Sqrt[1 + (b*x)/a] + 2*Sqrt[a]*Arc


```

Sin[Sqrt[a - b*x]/(Sqrt[2]*Sqrt[a])] - 60*(b*e - a*f)*(10*a^2*C*f^2 - 2*a*
b*f*(4*C*e + 3*B*f) + b^2*(C*e^2 + 3*f*(B*e + A*f)))*Sqrt[a - b*x]*Sqrt[a +
b*x]*(Sqrt[a - b*x]*(4*a + b*x)*Sqrt[1 + (b*x)/a] + 6*a^(3/2)*ArcSin[Sqrt[
a - b*x]/(Sqrt[2]*Sqrt[a])]) - 20*f*(10*a^2*C*f^2 - 4*a*b*f*(3*C*e + B*f) +
b^2*(3*C*e^2 + f*(3*B*e + A*f)))*Sqrt[a - b*x]*Sqrt[a + b*x]*(Sqrt[a - b*x]
]*Sqrt[1 + (b*x)/a]*(22*a^2 + 9*a*b*x + 2*b^2*x^2) + 30*a^(5/2)*ArcSin[Sqrt
[a - b*x]/(Sqrt[2]*Sqrt[a])] - 5*f^2*(3*b*C*e + b*B*f - 5*a*C*f)*Sqrt[a -
b*x]*Sqrt[a + b*x]*(Sqrt[a - b*x]*Sqrt[1 + (b*x)/a]*(160*a^3 + 81*a^2*b*x +
32*a*b^2*x^2 + 6*b^3*x^3) + 210*a^(7/2)*ArcSin[Sqrt[a - b*x]/(Sqrt[2]*Sqrt
[a])]) - 3*C*f^3*Sqrt[a + b*x]*((a - b*x)*Sqrt[1 + (b*x)/a]*(488*a^4 + 275*
a^3*b*x + 144*a^2*b^2*x^2 + 50*a*b^3*x^3 + 8*b^4*x^4) + 630*a^(9/2)*Sqrt[a
- b*x]*ArcSin[Sqrt[a - b*x]/(Sqrt[2]*Sqrt[a])]) - 240*(A*b^2 + a*(-(b*B) +
a*C))*(b*e - a*f)^3*Sqrt[a - b*x]*Sqrt[1 + (b*x)/a]*ArcTan[Sqrt[a - b*x]/Sq
rt[a + b*x]]/(120*b^6*Sqrt[c*(a - b*x)]*Sqrt[1 + (b*x)/a])

```

fricas [A] time = 0.78, size = 700, normalized size = 1.40

$$\frac{15 \left(12 B a^2 b^3 e^2 f + 3 B a^4 b f^3 + 4 \left(C a^2 b^3 + 2 A b^5 \right) e^3 + 3 \left(3 C a^4 b + 4 A a^2 b^3 \right) e f^2 \right) \sqrt{-c} \log \left(2 b^2 c x^2 - 2 \sqrt{-b c x + a c} \right)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((f*x+e)^3*(C*x^2+B*x+A)/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x, algor
ithm="fricas")

```

```

[Out] [-1/240*(15*(12*B*a^2*b^3*e^2*f + 3*B*a^4*b*f^3 + 4*(C*a^2*b^3 + 2*A*b^5)*e
^3 + 3*(3*C*a^4*b + 4*A*a^2*b^3)*e*f^2)*sqrt(-c)*log(2*b^2*c*x^2 - 2*sqrt(-
b*c*x + a*c)*sqrt(b*x + a)*b*sqrt(-c)*x - a^2*c) + 2*(24*C*b^4*f^3*x^4 + 12
0*B*b^4*e^3 + 240*B*a^2*b^2*e*f^2 + 120*(2*C*a^2*b^2 + 3*A*b^4)*e^2*f + 16*
(4*C*a^4 + 5*A*a^2*b^2)*f^3 + 30*(3*C*b^4*e*f^2 + B*b^4*f^3)*x^3 + 8*(15*C*
b^4*e^2*f + 15*B*b^4*e*f^2 + (4*C*a^2*b^2 + 5*A*b^4)*f^3)*x^2 + 15*(4*C*b^4
*e^3 + 12*B*b^4*e^2*f + 3*B*a^2*b^2*f^3 + 3*(3*C*a^2*b^2 + 4*A*b^4)*e*f^2)*
x)*sqrt(-b*c*x + a*c)*sqrt(b*x + a))/(b^6*c), -1/120*(15*(12*B*a^2*b^3*e^2*
f + 3*B*a^4*b*f^3 + 4*(C*a^2*b^3 + 2*A*b^5)*e^3 + 3*(3*C*a^4*b + 4*A*a^2*b^
3)*e*f^2)*sqrt(c)*arctan(sqrt(-b*c*x + a*c)*sqrt(b*x + a)*b*sqrt(c)*x/(b^2*
c*x^2 - a^2*c)) + (24*C*b^4*f^3*x^4 + 120*B*b^4*e^3 + 240*B*a^2*b^2*e*f^2 +
120*(2*C*a^2*b^2 + 3*A*b^4)*e^2*f + 16*(4*C*a^4 + 5*A*a^2*b^2)*f^3 + 30*(3
*C*b^4*e*f^2 + B*b^4*f^3)*x^3 + 8*(15*C*b^4*e^2*f + 15*B*b^4*e*f^2 + (4*C*a
^2*b^2 + 5*A*b^4)*f^3)*x^2 + 15*(4*C*b^4*e^3 + 12*B*b^4*e^2*f + 3*B*a^2*b^2
*f^3 + 3*(3*C*a^2*b^2 + 4*A*b^4)*e*f^2)*x)*sqrt(-b*c*x + a*c)*sqrt(b*x + a)
)/(b^6*c)]

```

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*(C*x^2+B*x+A)/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x, algorith="giac")

[Out] Timed out

maple [B] time = 0.03, size = 965, normalized size = 1.93

$$\sqrt{bx+a} \sqrt{-(bx-a)c} \left(180A a^2 b^4 c e f^2 \arctan\left(\frac{\sqrt{b^2 c} x}{\sqrt{-(b^2 x^2 - a^2)c}}\right) + 120A b^6 c e^3 \arctan\left(\frac{\sqrt{b^2 c} x}{\sqrt{-(b^2 x^2 - a^2)c}}\right) + 45B a^4 b^2 c f^3 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^3*(C*x^2+B*x+A)/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x)

[Out] $\frac{1}{120}(b*x+a)^{(1/2)}*(-(b*x-a)*c)^{(1/2)}/c*(-24*C*x^4*b^4*f^3*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}-30*B*x^3*b^4*f^3*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}-90*C*x^3*b^4*e*f^2*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}+180*A*\arctan((b^2*c)^{(1/2)}/(-(b^2*x^2-a^2)*c)^{(1/2)}*x)*a^2*b^4*c*e*f^2+120*A*\arctan((b^2*c)^{(1/2)}/(-(b^2*x^2-a^2)*c)^{(1/2)}*x)*b^6*c*e^3-40*A*x^2*b^4*f^3*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}+45*B*\arctan((b^2*c)^{(1/2)}/(-(b^2*x^2-a^2)*c)^{(1/2)}*x)*a^4*b^2*c*f^3+180*B*\arctan((b^2*c)^{(1/2)}/(-(b^2*x^2-a^2)*c)^{(1/2)}*x)*a^2*b^4*c*e^2*f-120*B*x^2*b^4*e*f^2*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}+135*C*\arctan((b^2*c)^{(1/2)}/(-(b^2*x^2-a^2)*c)^{(1/2)}*x)*a^4*b^2*c*e*f^2+60*C*\arctan((b^2*c)^{(1/2)}/(-(b^2*x^2-a^2)*c)^{(1/2)}*x)*a^2*b^4*c*e^3-32*C*x^2*a^2*b^2*f^3*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}-120*C*x^2*b^4*e^2*f*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}-180*A*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*x*b^4*e*f^2-45*B*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*x*a^2*b^2*f^3-180*B*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*x*b^4*e^2*f-135*C*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*x*a^2*b^2*e*f^2-60*C*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*x*b^4*e^3-80*A*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*a^2*b^2*f^3-360*A*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*b^4*e^2*f-240*B*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*a^2*b^2*e*f^2-120*B*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*b^4*e^3-64*C*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*a^4*f^3-240*C*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*a^2*b^2*e^2*f)/b^6/(-(b^2*x^2-a^2)*c)^{(1/2)}/(b^2*c)^{(1/2)}$

maxima [A] time = 1.97, size = 471, normalized size = 0.94

$$\frac{\sqrt{-b^2cx^2+a^2c}Cf^3x^4}{5b^2c} - \frac{4\sqrt{-b^2cx^2+a^2c}Ca^2f^3x^2}{15b^4c} + \frac{Ae^3\arcsin\left(\frac{bx}{a}\right)}{b\sqrt{c}} - \frac{\sqrt{-b^2cx^2+a^2c}Be^3}{b^2c} - \frac{3\sqrt{-b^2cx^2+a^2c}Ae^2}{b^2c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*(C*x^2+B*x+A)/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x, algorithm="maxima")

[Out]
$$-1/5\sqrt{-b^2cx^2 + a^2c}Cf^3x^4/(b^2c) - 4/15\sqrt{-b^2cx^2 + a^2c}Ca^2f^3x^2/(b^4c) + Ae^3\arcsin(bx/a)/(b\sqrt{c}) - \sqrt{-b^2cx^2 + a^2c}Be^3/(b^2c) - 3\sqrt{-b^2cx^2 + a^2c}Ae^2f/(b^2c) - 8/15\sqrt{-b^2cx^2 + a^2c}Ca^4f^3/(b^6c) - 1/4\sqrt{-b^2cx^2 + a^2c}(3Ce^2f + 3Be^2f + Af^3)x^3/(b^2c) - 1/3\sqrt{-b^2cx^2 + a^2c}(3Ce^2f + 3Be^2f + Af^3)x^2/(b^2c) + 3/8(3Ce^2f + 3Be^2f + Af^3)a^4\arcsin(bx/a)/(b^5\sqrt{c}) + 1/2(Ce^3 + 3Be^2f + 3Ae^2f)a^2\arcsin(bx/a)/(b^3\sqrt{c}) - 3/8\sqrt{-b^2cx^2 + a^2c}(3Ce^2f + 3Be^2f + Af^3)a^2x/(b^4c) - 1/2\sqrt{-b^2cx^2 + a^2c}(Ce^3 + 3Be^2f + 3Ae^2f)x/(b^2c) - 2/3\sqrt{-b^2cx^2 + a^2c}(3Ce^2f + 3Be^2f + Af^3)a^2/(b^4c)$$

mupad [B] time = 161.43, size = 4167, normalized size = 8.32

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((e + f*x)^3*(A + B*x + C*x^2))/((a*c - b*c*x)^(1/2)*(a + b*x)^(1/2)),x)

[Out]
$$-(((23Ba^4cf^3)/2 - 18Ba^2b^2ce^2f)((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^{13}/(b^5((a + b*x)^{1/2} - a^{1/2})^{13}) + (((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^{15}((3Ba^4f^3)/2 + 6Ba^2b^2e^2f))/(b^5((a + b*x)^{1/2} - a^{1/2})^{15}) - (((3Ba^4c^7f^3)/2 + 6Ba^2b^2c^7e^2f)((a*c - b*c*x)^{1/2} - (a*c)^{1/2}))/((b^5((a + b*x)^{1/2} - a^{1/2}))) - (((23Ba^4c^6f^3)/2 - 18Ba^2b^2c^6e^2f)((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^3)/(b^5((a + b*x)^{1/2} - a^{1/2})^3) + (((333Ba^4c^5f^3)/2 + 90Ba^2b^2c^5e^2f)((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^5)/(b^5((a + b*x)^{1/2} - a^{1/2})^5) - (((333Ba^4c^2f^3)/2 + 90Ba^2b^2c^2e^2f)((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^11)/(b^5((a + b*x)^{1/2} - a^{1/2})^11) - (((671Ba^4c^4f^3)/2 - 66Ba^2b^2c^4e^2f)((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^7)/(b^5((a + b*x)^{1/2} - a^{1/2})^7) + (((671Ba^4c^3f^3)/2 - 66Ba^2b^2c^3e^2f)((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^9)/(b^5((a + b*x)^{1/2} - a^{1/2})^9) + (a^{1/2}(a*c)^{1/2}(48Bb^2c^5e^3 + 192Ba^2c^5ef^2)((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^4)/(b^4((a + b*x)^{1/2} - a^{1/2})^4) + (a^{1/2}(a*c)^{1/2}(160Bb^2c^3e^3 + 128Ba^2c^3ef^2)((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^8)/(b^4((a + b*x)^{1/2} - a^{1/2})^8) + (a^{1/2}(a*c)^{1/2}(120Bb^2c^4e^3 + 256Ba^2c^4ef^2)((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^6)/(b^4((a + b*x)^{1/2} - a^{1/2})^6) + (a^{1/2}(a*c)^{1/2}(120Bb^2c^2e^3 + 256Ba^2c^2ef^2)((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^10)/(b^4((a + b*x)^{1/2} - a^{1/2})^10) + (a^{1/2}(a*c)^{1/2}((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^12(48Bb^2c^5e^3 + 192Ba^2c^5ef^2))/(b^4((a + b*x)^{1/2} - a^{1/2})^12) + (8Ba^{1/2}e^3(a*c)^{1/2})$$

$$\begin{aligned}
& 2)*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^{14}/(b^2*((a + b*x)^{(1/2)} - a^{(1/2)})^{14} + (8*B*a^{(1/2)}*c^6*e^3*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2)/b^2*((a + b*x)^{(1/2)} - a^{(1/2)})^2)/(((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^{16}/((a + b*x)^{(1/2)} - a^{(1/2)})^{16} + c^8 + (8*c*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^{14})/((a + b*x)^{(1/2)} - a^{(1/2)})^{14} + (8*c^7*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2)/((a + b*x)^{(1/2)} - a^{(1/2)})^2 + (28*c^6*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^4)/((a + b*x)^{(1/2)} - a^{(1/2)})^4 + (56*c^5*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^6)/((a + b*x)^{(1/2)} - a^{(1/2)})^6 + (70*c^4*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^8)/((a + b*x)^{(1/2)} - a^{(1/2)})^8 + (56*c^3*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^{10})/((a + b*x)^{(1/2)} - a^{(1/2)})^{10} + (28*c^2*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^{12})/((a + b*x)^{(1/2)} - a^{(1/2)})^{12} - ((a^{(1/2)}*(a*c)^{(1/2)}*(64*A*a^2*c^3*f^3 + 96*A*b^2*c^3*e^2*f))*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^4)/b^4*((a + b*x)^{(1/2)} - a^{(1/2)})^4 - (a^{(1/2)}*(a*c)^{(1/2)}*((128*A*a^2*c^2*f^3)/3 - 144*A*b^2*c^2*e^2*f))*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^6)/b^4*((a + b*x)^{(1/2)} - a^{(1/2)})^6 + (a^{(1/2)}*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^8*(64*A*a^2*c*f^3 + 96*A*b^2*c*e^2*f))/b^4*((a + b*x)^{(1/2)} - a^{(1/2)})^8 + (6*A*a^2*e*f^2*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^{11})/b^3*((a + b*x)^{(1/2)} - a^{(1/2)})^{11} - (6*A*a^2*c^5*e*f^2*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}))/b^3*((a + b*x)^{(1/2)} - a^{(1/2)})^3 - (30*A*a^2*c*e*f^2*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^9)/b^3*((a + b*x)^{(1/2)} - a^{(1/2)})^9 + (24*A*a^{(1/2)}*e^2*f*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^{10})/b^2*((a + b*x)^{(1/2)} - a^{(1/2)})^{10} + (30*A*a^2*c^4*e*f^2*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^3)/b^3*((a + b*x)^{(1/2)} - a^{(1/2)})^3 + (36*A*a^2*c^3*e*f^2*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^5)/b^3*((a + b*x)^{(1/2)} - a^{(1/2)})^5 - (36*A*a^2*c^2*e*f^2*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^7)/b^3*((a + b*x)^{(1/2)} - a^{(1/2)})^7 + (24*A*a^{(1/2)}*c^4*e^2*f*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2)/b^2*((a + b*x)^{(1/2)} - a^{(1/2)})^2)/(((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^{12}/((a + b*x)^{(1/2)} - a^{(1/2)})^{12} + c^6 + (6*c*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^{10})/((a + b*x)^{(1/2)} - a^{(1/2)})^{10} + (6*c^5*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2)/((a + b*x)^{(1/2)} - a^{(1/2)})^2 + (15*c^4*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^4)/((a + b*x)^{(1/2)} - a^{(1/2)})^4 + (20*c^3*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^6)/((a + b*x)^{(1/2)} - a^{(1/2)})^6 + (15*c^2*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^8)/((a + b*x)^{(1/2)} - a^{(1/2)})^8 - (((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^{19}*((9*C*a^4*e*f^2)/2 + 2*C*a^2*b^2*e^3))/b^5*((a + b*x)^{(1/2)} - a^{(1/2)})^{19} - (((2*C*a^2*b^2*c*e^3 - (87*C*a^4*c*e*f^2)/2))*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^{17})/b^5*((a + b*x)^{(1/2)} - a^{(1/2)})^{17} - (((9*C*a^4*c^9*e*f^2)/2 + 2*C*a^2*b^2*c^9*e^3))*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}))/b^5*((a + b*x)^{(1/2)} - a^{(1/2)})^5 - (((87*C*a^4*c^8*e*f^2)/2 - 2*C*a^2*b^2*c^8*e^3))*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^3)/b^5*((a + b*x)^{(1/2)} - a^{(1/2)})^3 - ((42*C*a^4*c^6*e*f^2 - 88*C*a^2*b^2*c^6*e^3))*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^7)/b^5*((a + b*x)^{(1/2)} - a^{(1/2)})^7 + ((42*C*a^4*c^3*e*f^2 - 88*C*a^2*b^2*c^3*e^3))*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^{13})/b^5*((a + b*x)^{(1/2)} - a^{(1/2)})^{13} + ((426*C*a^4*c^7*e*f^2 + 40*C*a^2*b^2*c^7*e^3))*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^5)/b^5*((a + b*x)^{(1/2)} - a^{(1/2)})^5 - ((426*C*
\end{aligned}$$

$$\begin{aligned}
& a^4 c^2 e f^2 + 40 C a^2 b^2 c^2 e^3 * ((a c - b c x)^{(1/2)} - (a c)^{(1/2)})^{15} / (b^5 * ((a + b x)^{(1/2)} - a^{(1/2)})^{15}) - ((507 C a^4 c^5 e f^2 - 52 C a^2 b^2 c^5 e^3) * ((a c - b c x)^{(1/2)} - (a c)^{(1/2)})^9) / (b^5 * ((a + b x)^{(1/2)} - a^{(1/2)})^9) + ((507 C a^4 c^4 e f^2 - 52 C a^2 b^2 c^4 e^3) * ((a c - b c x)^{(1/2)} - (a c)^{(1/2)})^{11}) / (b^5 * ((a + b x)^{(1/2)} - a^{(1/2)})^{11}) + (a^{(1/2)} * (a c)^{(1/2)} * ((2048 C a^4 c^6 f^3) / 3 + 640 C a^2 b^2 c^6 e^2 f) * ((a c - b c x)^{(1/2)} - (a c)^{(1/2)})^6) / (b^6 * ((a + b x)^{(1/2)} - a^{(1/2)})^6) + (a^{(1/2)} * (a c)^{(1/2)} * ((2048 C a^4 c^2 f^3) / 3 + 640 C a^2 b^2 c^2 e^2 f) * ((a c - b c x)^{(1/2)} - (a c)^{(1/2)})^{14}) / (b^6 * ((a + b x)^{(1/2)} - a^{(1/2)})^{14}) - (a^{(1/2)} * (a c)^{(1/2)} * ((4096 C a^4 c^5 f^3) / 3 - 832 C a^2 b^2 c^5 e^2 f) * ((a c - b c x)^{(1/2)} - (a c)^{(1/2)})^8) / (b^6 * ((a + b x)^{(1/2)} - a^{(1/2)})^8) - (a^{(1/2)} * (a c)^{(1/2)} * ((4096 C a^4 c^3 f^3) / 3 - 832 C a^2 b^2 c^3 e^2 f) * ((a c - b c x)^{(1/2)} - (a c)^{(1/2)})^{12}) / (b^6 * ((a + b x)^{(1/2)} - a^{(1/2)})^{12}) + (a^{(1/2)} * (a c)^{(1/2)} * ((12288 C a^4 c^4 f^3) / 5 + 768 C a^2 b^2 c^4 e^2 f) * ((a c - b c x)^{(1/2)} - (a c)^{(1/2)})^{10}) / (b^6 * ((a + b x)^{(1/2)} - a^{(1/2)})^{10}) + (192 C a^{(5/2)} * c * e^2 * f * (a c)^{(1/2)} * ((a c - b c x)^{(1/2)} - (a c)^{(1/2)})^{16}) / (b^4 * ((a + b x)^{(1/2)} - a^{(1/2)})^{16}) + (192 C a^{(5/2)} * c^7 * e^2 * f * (a c)^{(1/2)} * ((a c - b c x)^{(1/2)} - (a c)^{(1/2)})^4) / (b^4 * ((a + b x)^{(1/2)} - a^{(1/2)})^4) / (((a c - b c x)^{(1/2)} - (a c)^{(1/2)})^{20} / ((a + b x)^{(1/2)} - a^{(1/2)})^{20} + c^{10} + (10 * c * ((a c - b c x)^{(1/2)} - (a c)^{(1/2)})^{18}) / ((a + b x)^{(1/2)} - a^{(1/2)})^{18} + (10 * c^9 * ((a c - b c x)^{(1/2)} - (a c)^{(1/2)})^2) / ((a + b x)^{(1/2)} - a^{(1/2)})^2 + (45 * c^8 * ((a c - b c x)^{(1/2)} - (a c)^{(1/2)})^4) / ((a + b x)^{(1/2)} - a^{(1/2)})^4 + (120 * c^7 * ((a c - b c x)^{(1/2)} - (a c)^{(1/2)})^6) / ((a + b x)^{(1/2)} - a^{(1/2)})^6 + (210 * c^6 * ((a c - b c x)^{(1/2)} - (a c)^{(1/2)})^8) / ((a + b x)^{(1/2)} - a^{(1/2)})^8 + (252 * c^5 * ((a c - b c x)^{(1/2)} - (a c)^{(1/2)})^{10}) / ((a + b x)^{(1/2)} - a^{(1/2)})^{10} + (210 * c^4 * ((a c - b c x)^{(1/2)} - (a c)^{(1/2)})^{12}) / ((a + b x)^{(1/2)} - a^{(1/2)})^{12} + (120 * c^3 * ((a c - b c x)^{(1/2)} - (a c)^{(1/2)})^{14}) / ((a + b x)^{(1/2)} - a^{(1/2)})^{14} + (45 * c^2 * ((a c - b c x)^{(1/2)} - (a c)^{(1/2)})^{16}) / ((a + b x)^{(1/2)} - a^{(1/2)})^{16}) - (2 * A * e * atan((A * e * (3 * a^2 * f^2 + 2 * b^2 * e^2) * ((a c - b c x)^{(1/2)} - (a c)^{(1/2)})) / (c^{(1/2)} * (2 * A * b^2 * e^3 + 3 * A * a^2 * e * f^2) * ((a + b x)^{(1/2)} - a^{(1/2)}))) * (3 * a^2 * f^2 + 2 * b^2 * e^2)) / (b^3 * c^{(1/2)}) - (3 * B * a^2 * f * atan((B * a^2 * f * (a^2 * f^2 + 4 * b^2 * e^2) * ((a c - b c x)^{(1/2)} - (a c)^{(1/2)})) / (c^{(1/2)} * (B * a^4 * f^3 + 4 * B * a^2 * b^2 * e^2 * f) * ((a + b x)^{(1/2)} - a^{(1/2)}))) * (a^2 * f^2 + 4 * b^2 * e^2)) / (2 * b^5 * c^{(1/2)}) - (C * a^2 * e * atan((C * a^2 * e * (9 * a^2 * f^2 + 4 * b^2 * e^2) * ((a c - b c x)^{(1/2)} - (a c)^{(1/2)})) / (c^{(1/2)} * (9 * C * a^4 * e * f^2 + 4 * C * a^2 * b^2 * e^3) * ((a + b x)^{(1/2)} - a^{(1/2)}))) * (9 * a^2 * f^2 + 4 * b^2 * e^2)) / (2 * b^5 * c^{(1/2)})
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**3*(C*x**2+B*x+A)/(b*x+a)**(1/2)/(-b*c*x+a*c)**(1/2),x)

[Out] Timed out

$$3.28 \quad \int \frac{(e+fx)^2(A+Bx+Cx^2)}{\sqrt{a+bx}\sqrt{ac-bcx}} dx$$

Optimal. Leaf size=368

$$\frac{(a^2 - b^2x^2) \left(fx(9a^2Cf^2 - b^2(2Ce^2 - 4f(3Af + 2Be))) + 4(4a^2f^2(Bf + 2Ce) - b^2e(Ce^2 - 4f(3Af + Be))) \right)}{24b^4f\sqrt{a+bx}\sqrt{ac-bcx}}$$

[Out] $1/12*(-4*B*f+C*e)*(f*x+e)^2*(-b^2*x^2+a^2)/b^2/f/(b*x+a)^{(1/2)/(-b*c*x+a*c)^{(1/2)}-1/4*C*(f*x+e)^3*(-b^2*x^2+a^2)/b^2/f/(b*x+a)^{(1/2)/(-b*c*x+a*c)^{(1/2)}}-1/24*(16*a^2*f^2*(B*f+2*C*e)-4*b^2*e*(C*e^2-4*f*(3*A*f+B*e))+f*(9*a^2*C*f^2-b^2*(2*C*e^2-4*f*(3*A*f+2*B*e)))*x*(-b^2*x^2+a^2)/b^4/f/(b*x+a)^{(1/2)/(-b*c*x+a*c)^{(1/2)}+1/8*(4*A*(a^2*b^2*f^2+2*b^4*e^2)+a^2*(3*a^2*C*f^2+4*b^2*e*(2*B*f+C*e)))*\arctan(b*x*c^{(1/2)/(-b^2*c*x^2+a^2*c)^{(1/2)}}*(-b^2*c*x^2+a^2*c)^{(1/2)}/b^5/c^{(1/2)/(b*x+a)^{(1/2)/(-b*c*x+a*c)^{(1/2)}}}$

Rubi [A] time = 0.88, antiderivative size = 369, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.150$, Rules used = {1610, 1654, 833, 780, 217, 203}

$$\frac{(a^2 - b^2x^2) \left(fx(9a^2Cf^2 - b^2(2Ce^2 - 4f(3Af + 2Be))) + 4(4a^2f^2(Bf + 2Ce) - \frac{1}{4}b^2(4Ce^3 - 16ef(3Af + Be))) \right)}{24b^4f\sqrt{a+bx}\sqrt{ac-bcx}}$$

Antiderivative was successfully verified.

[In] Int[((e + f*x)^2*(A + B*x + C*x^2))/(Sqrt[a + b*x]*Sqrt[a*c - b*c*x]),x]

[Out] $((C*e - 4*B*f)*(e + f*x)^2*(a^2 - b^2*x^2))/(12*b^2*f*Sqrt[a + b*x]*Sqrt[a*c - b*c*x]) - (C*(e + f*x)^3*(a^2 - b^2*x^2))/(4*b^2*f*Sqrt[a + b*x]*Sqrt[a*c - b*c*x]) - ((4*(4*a^2*f^2*(2*C*e + B*f) - (b^2*(4*C*e^3 - 16*e*f*(B*e + 3*A*f))))/4) + f*(9*a^2*C*f^2 - b^2*(2*C*e^2 - 4*f*(2*B*e + 3*A*f)))*x*(a^2 - b^2*x^2)/(24*b^4*f*Sqrt[a + b*x]*Sqrt[a*c - b*c*x]) + ((3*a^4*C*f^2 + 4*a^2*b^2*e*(C*e + 2*B*f) + 4*A*(2*b^4*e^2 + a^2*b^2*f^2))*Sqrt[a^2*c - b^2*c*x^2]*ArcTan[(b*Sqrt[c]*x)/Sqrt[a^2*c - b^2*c*x^2]]/(8*b^5*Sqrt[c]*Sqrt[a + b*x]*Sqrt[a*c - b*c*x])$

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 780

```
Int[((d_) + (e_)*(x_))*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p_), x
_Symbol] := Simp[(((e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x)*(a + c*x^2)^(p
+ 1))/(2*c*(p + 1)*(2*p + 3)), x] - Dist[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p
+ 3)), Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !Le
Q[p, -1]
```

Rule 833

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := Simp[(g*(d + e*x)^m*(a + c*x^2)^(p + 1))/(c*(m + 2*p + 2
), x] + Dist[1/(c*(m + 2*p + 2)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^p*Simp[
c*d*f*(m + 2*p + 2) - a*e*g*m + c*(e*f*(m + 2*p + 2) + d*g*m)*x, x], x]
/; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[m, 0] &
& NeQ[m + 2*p + 2, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p]
) && !(IGtQ[m, 0] && EqQ[f, 0])
```

Rule 1610

```
Int[(Px_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_
.)*(x_))^(p_), x_Symbol] := Dist[((a + b*x)^FracPart[m]*(c + d*x)^FracPart[
m])/(a*c + b*d*x^2)^FracPart[m], Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x],
x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*
d, 0] && EqQ[m, n] && !IntegerQ[m]
```

Rule 1654

```
Int[(Pq_)*((d_) + (e_)*(x_))^(m_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :
> With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x
)^(m + q - 1)*(a + c*x^2)^(p + 1))/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Di
st[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + c*x^2)^p*ExpandToSum[c
*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - f*(d + e*x)
^(q - 2)*(a*e^2*(m + q - 1) - c*d^2*(m + q + 2*p + 1) - 2*c*d*e*(m + q + p)
*x), x], x], x] /; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0]] /; FreeQ[{a, c, d,
e, m, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && !(EqQ[d, 0] && T
rue) && !(IGtQ[m, 0] && RationalQ[a, c, d, e] && (IntegerQ[p] || ILtQ[p +
1/2, 0]))
```

Rubi steps

$$\begin{aligned}
\int \frac{(e+fx)^2(A+Bx+Cx^2)}{\sqrt{a+bx}\sqrt{ac-bcx}} dx &= \frac{\sqrt{a^2c-b^2cx^2} \int \frac{(e+fx)^2(A+Bx+Cx^2)}{\sqrt{a^2c-b^2cx^2}} dx}{\sqrt{a+bx}\sqrt{ac-bcx}} \\
&= \frac{C(e+fx)^3(a^2-b^2x^2)}{4b^2f\sqrt{a+bx}\sqrt{ac-bcx}} - \frac{\sqrt{a^2c-b^2cx^2} \int \frac{(e+fx)^2(-c(4Ab^2+3a^2C)f^2+b^2cf(Ce-4Bf))}{\sqrt{a^2c-b^2cx^2}} dx}{4b^2cf^2\sqrt{a+bx}\sqrt{ac-bcx}} \\
&= \frac{(Ce-4Bf)(e+fx)^2(a^2-b^2x^2)}{12b^2f\sqrt{a+bx}\sqrt{ac-bcx}} - \frac{C(e+fx)^3(a^2-b^2x^2)}{4b^2f\sqrt{a+bx}\sqrt{ac-bcx}} + \frac{\sqrt{a^2c-b^2cx^2}}{4b^2cf^2\sqrt{a+bx}\sqrt{ac-bcx}} \\
&= \frac{(Ce-4Bf)(e+fx)^2(a^2-b^2x^2)}{12b^2f\sqrt{a+bx}\sqrt{ac-bcx}} - \frac{C(e+fx)^3(a^2-b^2x^2)}{4b^2f\sqrt{a+bx}\sqrt{ac-bcx}} - \frac{4(4a^2f^2(2Cf-ab(3Bf+2Ce))+b^2(2Af+1))}{4b^2cf^2\sqrt{a+bx}\sqrt{ac-bcx}} \\
&= \frac{(Ce-4Bf)(e+fx)^2(a^2-b^2x^2)}{12b^2f\sqrt{a+bx}\sqrt{ac-bcx}} - \frac{C(e+fx)^3(a^2-b^2x^2)}{4b^2f\sqrt{a+bx}\sqrt{ac-bcx}} - \frac{4(4a^2f^2(2Cf-ab(3Bf+2Ce))+b^2(2Af+1))}{4b^2cf^2\sqrt{a+bx}\sqrt{ac-bcx}} \\
&= \frac{(Ce-4Bf)(e+fx)^2(a^2-b^2x^2)}{12b^2f\sqrt{a+bx}\sqrt{ac-bcx}} - \frac{C(e+fx)^3(a^2-b^2x^2)}{4b^2f\sqrt{a+bx}\sqrt{ac-bcx}} - \frac{4(4a^2f^2(2Cf-ab(3Bf+2Ce))+b^2(2Af+1))}{4b^2cf^2\sqrt{a+bx}\sqrt{ac-bcx}}
\end{aligned}$$

Mathematica [A] time = 2.68, size = 555, normalized size = 1.51

$$\frac{-24\sqrt{a-bx}\sqrt{a+bx}(be-af)\left(\sqrt{a-bx}\sqrt{\frac{bx}{a}}+1+2\sqrt{a}\sin^{-1}\left(\frac{\sqrt{a-bx}}{\sqrt{2}\sqrt{a}}\right)\right)\left(4a^2Cf-ab(3Bf+2Ce)+b^2(2Af+1)\right)}{4b^2cf^2\sqrt{a+bx}\sqrt{ac-bcx}}$$

Antiderivative was successfully verified.

[In] Integrate[((e + f*x)^2*(A + B*x + C*x^2))/(Sqrt[a + b*x]*Sqrt[a*c - b*c*x]), x]

[Out] (-24*(b*e - a*f)*(4*a^2*C*f + b^2*(B*e + 2*A*f) - a*b*(2*C*e + 3*B*f))*Sqrt[a - b*x]*Sqrt[a + b*x]*(Sqrt[a - b*x]*Sqrt[1 + (b*x)/a] + 2*Sqrt[a]*ArcSin[Sqrt[a - b*x]/(Sqrt[2]*Sqrt[a])]) - 12*(6*a^2*C*f^2 - 3*a*b*f*(2*C*e + B*f) + b^2*(C*e^2 + f*(2*B*e + A*f)))*Sqrt[a - b*x]*Sqrt[a + b*x]*(Sqrt[a - b*x]*(4*a + b*x)*Sqrt[1 + (b*x)/a] + 6*a^(3/2)*ArcSin[Sqrt[a - b*x]/(Sqrt[2]*Sqrt[a])]) - 4*f*(2*b*C*e + b*B*f - 4*a*C*f)*Sqrt[a - b*x]*Sqrt[a + b*x]*(Sqrt[a - b*x]*Sqrt[1 + (b*x)/a]*(22*a^2 + 9*a*b*x + 2*b^2*x^2) + 30*a^(5/2)*ArcSin[Sqrt[a - b*x]/(Sqrt[2]*Sqrt[a])]) - C*f^2*Sqrt[a + b*x]*((a - b*x)*Sqrt[1 + (b*x)/a]*(160*a^3 + 81*a^2*b*x + 32*a*b^2*x^2 + 6*b^3*x^3) + 210*a^

$(7/2)*\text{Sqrt}[a - b*x]*\text{ArcSin}[\text{Sqrt}[a - b*x]/(\text{Sqrt}[2]*\text{Sqrt}[a])] - 48*(A*b^2 + a*(-(b*B) + a*C))*(b*e - a*f)^2*\text{Sqrt}[a - b*x]*\text{Sqrt}[1 + (b*x)/a]*\text{ArcTan}[\text{Sqrt}[a - b*x]/\text{Sqrt}[a + b*x]]/(24*b^5*\text{Sqrt}[c*(a - b*x)]*\text{Sqrt}[1 + (b*x)/a])$

fricas [A] time = 1.04, size = 482, normalized size = 1.31

$$\left[\frac{3 \left(8 B a^2 b^2 e f + 4 \left(C a^2 b^2 + 2 A b^4 \right) e^2 + \left(3 C a^4 + 4 A a^2 b^2 \right) f^2 \right) \sqrt{-c} \log \left(2 b^2 c x^2 - 2 \sqrt{-b c x + a c} \sqrt{b x + a} b \sqrt{-c} x \right)}{\dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*(C*x^2+B*x+A)/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x, algorithm="fricas")

[Out] $[-1/48*(3*(8*B*a^2*b^2*e*f + 4*(C*a^2*b^2 + 2*A*b^4)*e^2 + (3*C*a^4 + 4*A*a^2*b^2)*f^2)*\text{sqrt}(-c)*\log(2*b^2*c*x^2 - 2*\text{sqrt}(-b*c*x + a*c)*\text{sqrt}(b*x + a)*b*\text{sqrt}(-c)*x - a^2*c) + 2*(6*C*b^3*f^2*x^3 + 24*B*b^3*e^2 + 16*B*a^2*b*f^2 + 16*(2*C*a^2*b + 3*A*b^3)*e*f + 8*(2*C*b^3*e*f + B*b^3*f^2)*x^2 + 3*(4*C*b^3*e^2 + 8*B*b^3*e*f + (3*C*a^2*b + 4*A*b^3)*f^2)*x)*\text{sqrt}(-b*c*x + a*c)*\text{sqrt}(b*x + a))/(b^5*c), -1/24*(3*(8*B*a^2*b^2*e*f + 4*(C*a^2*b^2 + 2*A*b^4)*e^2 + (3*C*a^4 + 4*A*a^2*b^2)*f^2)*\text{sqrt}(c)*\text{arctan}(\text{sqrt}(-b*c*x + a*c)*\text{sqrt}(b*x + a)*b*\text{sqrt}(c)*x/(b^2*c*x^2 - a^2*c)) + (6*C*b^3*f^2*x^3 + 24*B*b^3*e^2 + 16*B*a^2*b*f^2 + 16*(2*C*a^2*b + 3*A*b^3)*e*f + 8*(2*C*b^3*e*f + B*b^3*f^2)*x^2 + 3*(4*C*b^3*e^2 + 8*B*b^3*e*f + (3*C*a^2*b + 4*A*b^3)*f^2)*x)*\text{sqrt}(-b*c*x + a*c)*\text{sqrt}(b*x + a))/(b^5*c)]$

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*(C*x^2+B*x+A)/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x, algorithm="giac")

[Out] Timed out

maple [A] time = 0.03, size = 635, normalized size = 1.73

$$\frac{\sqrt{b x + a} \sqrt{-(b x - a) c} \left(12 A a^2 b^2 c f^2 \arctan \left(\frac{\sqrt{b^2 c} x}{\sqrt{-(b^2 x^2 - a^2) c}} \right) + 24 A b^4 c e^2 \arctan \left(\frac{\sqrt{b^2 c} x}{\sqrt{-(b^2 x^2 - a^2) c}} \right) + 24 B a^2 b^2 c e f \arctan \left(\frac{\sqrt{b^2 c} x}{\sqrt{-(b^2 x^2 - a^2) c}} \right) \right)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^2*(C*x^2+B*x+A)/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x)

[Out] $\frac{1}{24}(b*x+a)^{(1/2)}*(-(b*x-a)*c)^{(1/2)}/c*(-6*C*x^3*b^2*f^2*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}+12*A*\arctan((b^2*c)^{(1/2)}/(-(b^2*x^2-a^2)*c)^{(1/2)}*x)*a^2*b^2*c*f^2+24*A*\arctan((b^2*c)^{(1/2)}/(-(b^2*x^2-a^2)*c)^{(1/2)}*x)*b^4*c*e^2+24*B*\arctan((b^2*c)^{(1/2)}/(-(b^2*x^2-a^2)*c)^{(1/2)}*x)*a^2*b^2*c*e*f-8*B*x^2*b^2*f^2*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}+9*C*\arctan((b^2*c)^{(1/2)}/(-(b^2*x^2-a^2)*c)^{(1/2)}*x)*a^4*c*f^2+12*C*\arctan((b^2*c)^{(1/2)}/(-(b^2*x^2-a^2)*c)^{(1/2)}*x)*a^2*b^2*c*e^2-16*C*x^2*b^2*e*f*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}-12*A*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*x*b^2*f^2-24*B*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*x*b^2*e*f-9*C*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*x*a^2*f^2-12*C*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*x*b^2*e^2-48*A*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*b^2*e*f-16*B*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*a^2*f^2-24*B*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*b^2*e^2-32*C*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*a^2*e*f)/b^4/(-(b^2*x^2-a^2)*c)^{(1/2)}/(b^2*c)^{(1/2)}$

maxima [A] time = 2.02, size = 317, normalized size = 0.86

$$\frac{\sqrt{-b^2cx^2 + a^2c} C f^2 x^3}{4b^2c} + \frac{Ae^2 \arcsin\left(\frac{bx}{a}\right)}{b\sqrt{c}} + \frac{3Ca^4f^2 \arcsin\left(\frac{bx}{a}\right)}{8b^5\sqrt{c}} - \frac{3\sqrt{-b^2cx^2 + a^2c} Ca^2f^2x}{8b^4c} - \frac{\sqrt{-b^2cx^2 + a^2c} Be^2}{b^2c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*(C*x^2+B*x+A)/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x, algorithm="maxima")

[Out] $-1/4*\sqrt{-b^2*c*x^2 + a^2*c}*C*f^2*x^3/(b^2*c) + A*e^2*\arcsin(b*x/a)/(b*\sqrt{c}) + 3/8*C*a^4*f^2*\arcsin(b*x/a)/(b^5*\sqrt{c}) - 3/8*\sqrt{-b^2*c*x^2 + a^2*c}*C*a^2*f^2*x/(b^4*c) - \sqrt{-b^2*c*x^2 + a^2*c}*B*e^2/(b^2*c) - 2*\sqrt{-b^2*c*x^2 + a^2*c}*A*e*f/(b^2*c) - 1/3*\sqrt{-b^2*c*x^2 + a^2*c}*(2*C*e*f + B*f^2)*x^2/(b^2*c) + 1/2*(C*e^2 + 2*B*e*f + A*f^2)*a^2*\arcsin(b*x/a)/(b^3*\sqrt{c}) - 1/2*\sqrt{-b^2*c*x^2 + a^2*c}*(C*e^2 + 2*B*e*f + A*f^2)*x/(b^2*c) - 2/3*\sqrt{-b^2*c*x^2 + a^2*c}*(2*C*e*f + B*f^2)*a^2/(b^4*c)$

mupad [B] time = 81.65, size = 2799, normalized size = 7.61

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((e + f*x)^2*(A + B*x + C*x^2))/((a*c - b*c*x)^(1/2)*(a + b*x)^(1/2)),x)

[Out] $-((a^{(1/2)}*(a*c)^{(1/2)}*(64*B*a^2*c*f^2 + 32*B*b^2*c*e^2))*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2}))^8)/(b^4*((a + b*x)^{(1/2)} - a^{(1/2)})^8) + (a^{(1/2)}*(a*c)^{(1/2)}*(64*B*a^2*c*f^2 + 32*B*b^2*c*e^2))/b^4/((a + b*x)^{(1/2)} - a^{(1/2)})^8$

$$\begin{aligned}
& (1/2)*(64*B*a^2*c^3*f^2 + 32*B*b^2*c^3*e^2)*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^4 / (b^4*((a + b*x)^{(1/2)} - a^{(1/2)})^4 - (a^{(1/2)}*a*c)^{(1/2)}*((128*B*a^2*c^2*f^2)/3 - 48*B*b^2*c^2*e^2)*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^6) / (b^4*((a + b*x)^{(1/2)} - a^{(1/2)})^6) + (4*B*a^2*e*f*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^{11}) / (b^3*((a + b*x)^{(1/2)} - a^{(1/2)})^{11}) + (8*B*a^{(1/2)}*e^2*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^{10}) / (b^2*((a + b*x)^{(1/2)} - a^{(1/2)})^{10}) + (20*B*a^2*c^4*e*f*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^3) / (b^3*((a + b*x)^{(1/2)} - a^{(1/2)})^3) + (24*B*a^2*c^3*e*f*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^5) / (b^3*((a + b*x)^{(1/2)} - a^{(1/2)})^5) - (24*B*a^2*c^2*e*f*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^7) / (b^3*((a + b*x)^{(1/2)} - a^{(1/2)})^7) + (8*B*a^{(1/2)}*c^4*e^2*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2) / (b^2*((a + b*x)^{(1/2)} - a^{(1/2)})^2) - (4*B*a^2*c^5*e*f*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})) / (b^3*((a + b*x)^{(1/2)} - a^{(1/2)})) - (20*B*a^2*c*e*f*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^9) / (b^3*((a + b*x)^{(1/2)} - a^{(1/2)})^9) / (((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^{12} / ((a + b*x)^{(1/2)} - a^{(1/2)})^{12} + c^6 + (6*c*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^{10}) / ((a + b*x)^{(1/2)} - a^{(1/2)})^{10} + (6*c^5*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2) / ((a + b*x)^{(1/2)} - a^{(1/2)})^2 + (15*c^4*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^4) / ((a + b*x)^{(1/2)} - a^{(1/2)})^4 + (20*c^3*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^6) / ((a + b*x)^{(1/2)} - a^{(1/2)})^6 + (15*c^2*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^8) / ((a + b*x)^{(1/2)} - a^{(1/2)})^8 - ((2*A*a^2*f^2*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^7) / (b^3*((a + b*x)^{(1/2)} - a^{(1/2)})^7) + (14*A*a^2*c^2*f^2*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^3) / (b^3*((a + b*x)^{(1/2)} - a^{(1/2)})^3) - (2*A*a^2*c^3*f^2*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})) / (b^3*((a + b*x)^{(1/2)} - a^{(1/2)})) - (14*A*a^2*c*f^2*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^5) / (b^3*((a + b*x)^{(1/2)} - a^{(1/2)})^5) + (16*A*a^{(1/2)}*e*f*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^6) / (b^2*((a + b*x)^{(1/2)} - a^{(1/2)})^6) + (32*A*a^{(1/2)}*c*e*f*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^4) / (b^2*((a + b*x)^{(1/2)} - a^{(1/2)})^4) + (16*A*a^{(1/2)}*c^2*e*f*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2) / (b^2*((a + b*x)^{(1/2)} - a^{(1/2)})^2) / (((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^8 / ((a + b*x)^{(1/2)} - a^{(1/2)})^8 + c^4 + (4*c*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^6) / ((a + b*x)^{(1/2)} - a^{(1/2)})^6 + (4*c^3*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2) / ((a + b*x)^{(1/2)} - a^{(1/2)})^2 + (6*c^2*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^4) / ((a + b*x)^{(1/2)} - a^{(1/2)})^4 - (((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^5 * ((333*C*a^4*c^5*f^2)/2 + 30*C*a^2*b^2*c^5*e^2)) / (b^5*((a + b*x)^{(1/2)} - a^{(1/2)})^5) - (((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^3 * ((23*C*a^4*c^6*f^2)/2 - 6*C*a^2*b^2*c^6*e^2)) / (b^5*((a + b*x)^{(1/2)} - a^{(1/2)})^3) - (((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}) * ((3*C*a^4*c^7*f^2)/2 + 2*C*a^2*b^2*c^7*e^2)) / (b^5*((a + b*x)^{(1/2)} - a^{(1/2)})) - (((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^{11} * ((333*C*a^4*c^2*f^2)/2 + 30*C*a^2*b^2*c^2*e^2)) / (b^5*((a + b*x)^{(1/2)} - a^{(1/2)})^{11}) - (((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^7 * ((671*C*a^4*c^4*f^2)/2 - 22*C*a^2*b^2*c^4*e^2)) / (b^5*((a + b*x)^{(1/2)} - a^{(1/2)})^7) + (((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^9 * ((671*C*a^4*c^3*f^2)/2 - 22*C*a^2*b^2*c^3*e^2)) / (b^5*((a + b*x)^{(1/2)} - a^{(1/2)})^9) + (((23*C*a^4*c*f^2)/2 - 6*C*a^2*b^2*c*e^2) * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^{13}) / (b^5*((a + b*x)^{(1/2)} - a^{(1/2)}))
\end{aligned}$$

$$\begin{aligned}
& ^{13}) + (((3*C*a^4*f^2)/2 + 2*C*a^2*b^2*e^2)*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^{15}) / (b^5*((a + b*x)^{(1/2)} - a^{(1/2)})^{15}) + (128*C*a^{(5/2)}*c*e*f*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^{12}) / (b^4*((a + b*x)^{(1/2)} - a^{(1/2)})^{12}) + (128*C*a^{(5/2)}*c^5*e*f*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^4) / (b^4*((a + b*x)^{(1/2)} - a^{(1/2)})^4) + (512*C*a^{(5/2)}*c^4*e*f*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^6) / (3*b^4*((a + b*x)^{(1/2)} - a^{(1/2)})^6) + (256*C*a^{(5/2)}*c^3*e*f*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^8) / (3*b^4*((a + b*x)^{(1/2)} - a^{(1/2)})^8) + (512*C*a^{(5/2)}*c^2*e*f*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^{10}) / (3*b^4*((a + b*x)^{(1/2)} - a^{(1/2)})^{10}) / (((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^{16} / ((a + b*x)^{(1/2)} - a^{(1/2)})^{16} + c^8 + (8*c*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^{14}) / ((a + b*x)^{(1/2)} - a^{(1/2)})^{14} + (8*c^7*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2) / ((a + b*x)^{(1/2)} - a^{(1/2)})^2 + (28*c^6*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^4) / ((a + b*x)^{(1/2)} - a^{(1/2)})^4 + (56*c^5*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^6) / ((a + b*x)^{(1/2)} - a^{(1/2)})^6 + (70*c^4*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^8) / ((a + b*x)^{(1/2)} - a^{(1/2)})^8 + (56*c^3*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^{10}) / ((a + b*x)^{(1/2)} - a^{(1/2)})^{10} + (28*c^2*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^{12}) / ((a + b*x)^{(1/2)} - a^{(1/2)})^{12}) - (2*A*atan((A*(a^2*f^2 + 2*b^2*e^2)*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}))) / (c^{(1/2)}*(A*a^2*f^2 + 2*A*b^2*e^2)*((a + b*x)^{(1/2)} - a^{(1/2)}))) * (a^2*f^2 + 2*b^2*e^2) / (b^3*c^{(1/2)}) - (C*a^2*atan((C*a^2*(3*a^2*f^2 + 4*b^2*e^2)*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}))) / (c^{(1/2)}*(3*C*a^4*f^2 + 4*C*a^2*b^2*e^2)*((a + b*x)^{(1/2)} - a^{(1/2)}))) * (3*a^2*f^2 + 4*b^2*e^2) / (2*b^5*c^{(1/2)}) - (4*B*a^2*e*f*atan(((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}) / (c^{(1/2)}*((a + b*x)^{(1/2)} - a^{(1/2)})))) / (b^3*c^{(1/2)})
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**2*(C*x**2+B*x+A)/(b*x+a)**(1/2)/(-b*c*x+a*c)**(1/2),x)

[Out] Timed out

$$3.29 \quad \int \frac{(e+fx)(A+Bx+Cx^2)}{\sqrt{a+bx} \sqrt{ac-bcx}} dx$$

Optimal. Leaf size=246

$$-\frac{(a^2 - b^2x^2) \left(2(2a^2Cf^2 - b^2(Ce^2 - 3f(Af + Be))) - b^2fx(Ce - 3Bf) \right) \sqrt{a^2c - b^2cx^2} \tan^{-1} \left(\frac{b\sqrt{c}x}{\sqrt{a^2c - b^2cx^2}} \right) (a^2(Bf + Ce) + b^2Cx)}{6b^4f\sqrt{a+bx}\sqrt{ac-bcx}} + \frac{\sqrt{a^2c - b^2cx^2} \tan^{-1} \left(\frac{b\sqrt{c}x}{\sqrt{a^2c - b^2cx^2}} \right) (a^2(Bf + Ce) + b^2Cx)}{2b^3\sqrt{c}\sqrt{a+bx}\sqrt{ac-bcx}}$$

[Out] $-1/3*C*(f*x+e)^2*(-b^2*x^2+a^2)/b^2/f/(b*x+a)^{(1/2)}/(-b*c*x+a*c)^{(1/2)}-1/6*(4*a^2*C*f^2-2*b^2*(C*e^2-3*f*(A*f+B*e))-b^2*f*(-3*B*f+C*e)*x)*(-b^2*x^2+a^2)/b^4/f/(b*x+a)^{(1/2)}/(-b*c*x+a*c)^{(1/2)}+1/2*(2*A*b^2*e+a^2*(B*f+C*e))*\arctan(b*x*c^{(1/2)}/(-b^2*c*x^2+a^2*c)^{(1/2)})*(-b^2*c*x^2+a^2*c)^{(1/2)}/b^3/c^{(1/2)}/(b*x+a)^{(1/2)}/(-b*c*x+a*c)^{(1/2)}$

Rubi [A] time = 0.40, antiderivative size = 249, normalized size of antiderivative = 1.01, number of steps used = 5, number of rules used = 5, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.132$, Rules used = {1610, 1654, 780, 217, 203}

$$-\frac{(a^2 - b^2x^2) \left(2 \left(2a^2Cf^2 - \frac{1}{2}b^2(2Ce^2 - 6f(Af + Be)) \right) - b^2fx(Ce - 3Bf) \right) \sqrt{a^2c - b^2cx^2} \tan^{-1} \left(\frac{b\sqrt{c}x}{\sqrt{a^2c - b^2cx^2}} \right) (a^2(Bf + Ce) + b^2Cx)}{6b^4f\sqrt{a+bx}\sqrt{ac-bcx}} + \frac{\sqrt{a^2c - b^2cx^2} \tan^{-1} \left(\frac{b\sqrt{c}x}{\sqrt{a^2c - b^2cx^2}} \right) (a^2(Bf + Ce) + b^2Cx)}{2b^3\sqrt{c}\sqrt{a+bx}\sqrt{ac-bcx}}$$

Antiderivative was successfully verified.

[In] Int[((e + f*x)*(A + B*x + C*x^2))/(Sqrt[a + b*x]*Sqrt[a*c - b*c*x]),x]

[Out] $-(C*(e + f*x)^2*(a^2 - b^2*x^2))/(3*b^2*f*Sqrt[a + b*x]*Sqrt[a*c - b*c*x]) - ((2*(2*a^2*C*f^2 - (b^2*(2*C*e^2 - 6*f*(B*e + A*f)))/2) - b^2*f*(C*e - 3*B*f)*x)*(a^2 - b^2*x^2)/(6*b^4*f*Sqrt[a + b*x]*Sqrt[a*c - b*c*x]) + ((2*A*b^2*e + a^2*(C*e + B*f))*Sqrt[a^2*c - b^2*c*x^2]*ArcTan[(b*Sqrt[c]*x)/Sqrt[a^2*c - b^2*c*x^2]])/(2*b^3*Sqrt[c]*Sqrt[a + b*x]*Sqrt[a*c - b*c*x])$

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 780

```
Int[((d_.) + (e_.)*(x_))*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_), x
_Symbol] := Simp[(((e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x)*(a + c*x^2)^(p
+ 1))/(2*c*(p + 1)*(2*p + 3)), x] - Dist[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p
+ 3)), Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !Le
Q[p, -1]
```

Rule 1610

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.
)*(x_))^(p_), x_Symbol] := Dist[((a + b*x)^FracPart[m]*(c + d*x)^FracPart[
m])/(a*c + b*d*x^2)^FracPart[m], Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x],
x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*
d, 0] && EqQ[m, n] && !IntegerQ[m]
```

Rule 1654

```
Int[(Pq_)*((d_) + (e_.)*(x_))^(m_)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] :
> With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x
)^(m + q - 1)*(a + c*x^2)^(p + 1))/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Di
st[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + c*x^2)^p*ExpandToSum[c
*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - f*(d + e*x)
^(q - 2)*(a*e^2*(m + q - 1) - c*d^2*(m + q + 2*p + 1) - 2*c*d*e*(m + q + p)
*x), x], x] /; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0] /; FreeQ[{a, c, d,
e, m, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && !(EqQ[d, 0] && T
rue) && !(IGtQ[m, 0] && RationalQ[a, c, d, e] && (IntegerQ[p] || ILtQ[p +
1/2, 0]))
```

Rubi steps

$$\begin{aligned}
\int \frac{(e+fx)(A+Bx+Cx^2)}{\sqrt{a+bx}\sqrt{ac-bcx}} dx &= \frac{\sqrt{a^2c-b^2cx^2} \int \frac{(e+fx)(A+Bx+Cx^2)}{\sqrt{a^2c-b^2cx^2}} dx}{\sqrt{a+bx}\sqrt{ac-bcx}} \\
&= \frac{C(e+fx)^2(a^2-b^2x^2)}{3b^2f\sqrt{a+bx}\sqrt{ac-bcx}} - \frac{\sqrt{a^2c-b^2cx^2} \int \frac{(e+fx)(-c(3Ab^2+2a^2C)f^2+b^2cf(Ce-3Bf)x)}{\sqrt{a^2c-b^2cx^2}}}{3b^2cf^2\sqrt{a+bx}\sqrt{ac-bcx}} \\
&= \frac{C(e+fx)^2(a^2-b^2x^2)}{3b^2f\sqrt{a+bx}\sqrt{ac-bcx}} - \frac{\left(2\left(2a^2Cf^2 - \frac{1}{2}b^2(2Ce^2 - 6f(Be+Af))\right) - b^2f(Ce-3Bf)x\right)}{6b^4f\sqrt{a+bx}\sqrt{ac-bcx}} \\
&= \frac{C(e+fx)^2(a^2-b^2x^2)}{3b^2f\sqrt{a+bx}\sqrt{ac-bcx}} - \frac{\left(2\left(2a^2Cf^2 - \frac{1}{2}b^2(2Ce^2 - 6f(Be+Af))\right) - b^2f(Ce-3Bf)x\right)}{6b^4f\sqrt{a+bx}\sqrt{ac-bcx}} \\
&= \frac{C(e+fx)^2(a^2-b^2x^2)}{3b^2f\sqrt{a+bx}\sqrt{ac-bcx}} - \frac{\left(2\left(2a^2Cf^2 - \frac{1}{2}b^2(2Ce^2 - 6f(Be+Af))\right) - b^2f(Ce-3Bf)x\right)}{6b^4f\sqrt{a+bx}\sqrt{ac-bcx}}
\end{aligned}$$

Mathematica [A] time = 1.43, size = 390, normalized size = 1.59

$$3\sqrt{a-bx}\sqrt{a+bx} \left(6a^{3/2} \sin^{-1} \left(\frac{\sqrt{a-bx}}{\sqrt{2}\sqrt{a}} \right) + \sqrt{a-bx}(4a+bx)\sqrt{\frac{bx}{a}+1} \right) (-3aCf + bBf + bCe) + 6\sqrt{a-bx}\sqrt{a+bx}$$

Antiderivative was successfully verified.

[In] Integrate[((e + f*x)*(A + B*x + C*x^2))/(Sqrt[a + b*x]*Sqrt[a*c - b*c*x]), x]

[Out] -1/6*(6*(3*a^2*C*f + b^2*(B*e + A*f) - 2*a*b*(C*e + B*f))*Sqrt[a - b*x]*Sqrt[a + b*x]*(Sqrt[a - b*x]*Sqrt[1 + (b*x)/a] + 2*Sqrt[a]*ArcSin[Sqrt[a - b*x]/(Sqrt[2]*Sqrt[a])]) + 3*(b*C*e + b*B*f - 3*a*C*f)*Sqrt[a - b*x]*Sqrt[a + b*x]*(Sqrt[a - b*x]*(4*a + b*x)*Sqrt[1 + (b*x)/a] + 6*a^(3/2)*ArcSin[Sqrt[a - b*x]/(Sqrt[2]*Sqrt[a])]) + C*f*Sqrt[a + b*x]*((a - b*x)*Sqrt[1 + (b*x)/a]*(22*a^2 + 9*a*b*x + 2*b^2*x^2) + 30*a^(5/2)*Sqrt[a - b*x]*ArcSin[Sqrt[a - b*x]/(Sqrt[2]*Sqrt[a])]) + 12*(A*b^2 + a*(-(b*B) + a*C))*(b*e - a*f)*Sqrt[a - b*x]*Sqrt[1 + (b*x)/a]*ArcTan[Sqrt[a - b*x]/Sqrt[a + b*x]]/(b^4*Sqrt[c*(a - b*x)]*Sqrt[1 + (b*x)/a])

fricas [A] time = 0.75, size = 302, normalized size = 1.23

$$\left[\frac{3(Ba^2bf + (Ca^2b + 2Ab^3)e)\sqrt{-c} \log(2b^2cx^2 - 2\sqrt{-bcx + ac}\sqrt{bx + a}b\sqrt{-c}x - a^2c) + 2(2Cb^2fx^2 + 6Bb^2e)}{12b^4c} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*(C*x^2+B*x+A)/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x, algorithm="fricas")

[Out]
$$\begin{aligned} & [-1/12*(3*(B*a^2*b*f + (C*a^2*b + 2*A*b^3)*e)*\sqrt{-c}*\log(2*b^2*c*x^2 - 2*\sqrt{-b*c*x + a*c}*\sqrt{b*x + a}*b*\sqrt{-c}*x - a^2*c) + 2*(2*C*b^2*f*x^2 + 6*B*b^2*e + 2*(2*C*a^2 + 3*A*b^2)*f + 3*(C*b^2*e + B*b^2*f)*x)*\sqrt{-b*c*x + a*c}*\sqrt{b*x + a})/(b^4*c), \\ & -1/6*(3*(B*a^2*b*f + (C*a^2*b + 2*A*b^3)*e)*\sqrt{c}*\arctan(\sqrt{-b*c*x + a*c}*\sqrt{b*x + a}*b*\sqrt{c}*x/(b^2*c*x^2 - a^2*c)) + (2*C*b^2*f*x^2 + 6*B*b^2*e + 2*(2*C*a^2 + 3*A*b^2)*f + 3*(C*b^2*e + B*b^2*f)*x)*\sqrt{-b*c*x + a*c}*\sqrt{b*x + a})/(b^4*c)] \end{aligned}$$

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*(C*x^2+B*x+A)/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x, algorithm="giac")

[Out] Timed out

maple [A] time = 0.03, size = 365, normalized size = 1.48

$$\frac{\sqrt{bx+a} \sqrt{-(bx-a)c}}{\sqrt{-(b^2x^2-a^2)c}} \left(6A b^4 c e \arctan\left(\frac{\sqrt{b^2c} x}{\sqrt{-(b^2x^2-a^2)c}}\right) + 3B a^2 b^2 c f \arctan\left(\frac{\sqrt{b^2c} x}{\sqrt{-(b^2x^2-a^2)c}}\right) + 3C a^2 b^2 c e \arctan\left(\frac{\sqrt{b^2c} x}{\sqrt{-(b^2x^2-a^2)c}}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)*(C*x^2+B*x+A)/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x)

[Out]
$$\begin{aligned} & 1/6*(b*x+a)^(1/2)*(-(b*x-a)*c)^(1/2)/c*(6*A*\arctan((b^2*c)^(1/2)/(-(b^2*x^2-a^2)*c)^(1/2)*x)*b^4*c*e+3*B*\arctan((b^2*c)^(1/2)/(-(b^2*x^2-a^2)*c)^(1/2)*x)*a^2*b^2*c*f+3*C*\arctan((b^2*c)^(1/2)/(-(b^2*x^2-a^2)*c)^(1/2)*x)*a^2*b^2*c*e-2*C*x^2*b^2*f*(-(b^2*x^2-a^2)*c)^(1/2)*(b^2*c)^(1/2)-3*B*(-(b^2*x^2-a^2)*c)^(1/2)*(b^2*c)^(1/2)*x*b^2*f-3*C*(-(b^2*x^2-a^2)*c)^(1/2)*(b^2*c)^(1/2)*x*b^2*e-6*A*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*b^2*f-6*B*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*b^2*e-4*C*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*a^2*f)/(-(b^2*x^2-a^2)*c)^(1/2)/b^4/(b^2*c)^(1/2) \end{aligned}$$

maxima [A] time = 2.05, size = 189, normalized size = 0.77

$$\frac{\sqrt{-b^2cx^2 + a^2c} C f x^2}{3 b^2 c} + \frac{A e \arcsin\left(\frac{bx}{a}\right)}{b \sqrt{c}} + \frac{(C e + B f) a^2 \arcsin\left(\frac{bx}{a}\right)}{2 b^3 \sqrt{c}} - \frac{\sqrt{-b^2cx^2 + a^2c} B e}{b^2 c} - \frac{2 \sqrt{-b^2cx^2 + a^2c} C a^2 f}{3 b^4 c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*(C*x^2+B*x+A)/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x, algorithm="maxima")

[Out] $-\frac{1}{3}\sqrt{-b^2cx^2 + a^2c}Cf x^2/(b^2c) + A e \arcsin(bx/a)/(b\sqrt{c}) + \frac{1}{2}(C e + B f)a^2 \arcsin(bx/a)/(b^3\sqrt{c}) - \sqrt{-b^2cx^2 + a^2c}B e/(b^2c) - \frac{2}{3}\sqrt{-b^2cx^2 + a^2c}C a^2 f/(b^4c) - \sqrt{-b^2cx^2 + a^2c}A f/(b^2c) - \frac{1}{2}\sqrt{-b^2cx^2 + a^2c}(C e + B f)x/(b^2c)$

mupad [B] time = 30.74, size = 1011, normalized size = 4.11

$$\frac{\frac{2Ba^2f(\sqrt{ac-bcx}-\sqrt{ac})^7}{(\sqrt{a+bx}-\sqrt{a})^7} - \frac{2Ba^2c^3f(\sqrt{ac-bcx}-\sqrt{ac})}{\sqrt{a+bx}-\sqrt{a}} - \frac{14Ba^2cf(\sqrt{ac-bcx}-\sqrt{ac})^5}{(\sqrt{a+bx}-\sqrt{a})^5} + \frac{14Ba^2c^2f(\sqrt{ac-bcx}-\sqrt{ac})^3}{(\sqrt{a+bx}-\sqrt{a})^3} - \frac{2Ca^2e(\sqrt{a+bx}-\sqrt{a})}{(\sqrt{a+bx}-\sqrt{a})}}{b^3c^4 + \frac{b^3(\sqrt{ac-bcx}-\sqrt{ac})^8}{(\sqrt{a+bx}-\sqrt{a})^8} + \frac{4b^3c^3(\sqrt{ac-bcx}-\sqrt{ac})^2}{(\sqrt{a+bx}-\sqrt{a})^2} + \frac{6b^3c^2(\sqrt{ac-bcx}-\sqrt{ac})^4}{(\sqrt{a+bx}-\sqrt{a})^4} + \frac{4b^3c(\sqrt{ac-bcx}-\sqrt{ac})^6}{(\sqrt{a+bx}-\sqrt{a})^6} - b^3c^4 + \dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((e + f*x)*(A + B*x + C*x^2))/((a*c - b*c*x)^(1/2)*(a + b*x)^(1/2)),x)

[Out] $-\frac{((2Ba^2f((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^7)/((a + b*x)^{1/2} - a^{1/2})^7 - (2Ba^2c^3f((a*c - b*c*x)^{1/2} - (a*c)^{1/2}))/((a + b*x)^{1/2} - a^{1/2}) - (14Ba^2cf((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^5)/((a + b*x)^{1/2} - a^{1/2})^5 + (14Ba^2c^2f((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^3)/((a + b*x)^{1/2} - a^{1/2})^3)/(b^3c^4 + (b^3((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^8)/((a + b*x)^{1/2} - a^{1/2})^8 + (4b^3c^3((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^2)/((a + b*x)^{1/2} - a^{1/2})^2 + (6b^3c^2((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^4)/((a + b*x)^{1/2} - a^{1/2})^4 + (4b^3c((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^6)/((a + b*x)^{1/2} - a^{1/2})^6 - ((2Ca^2e((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^7)/((a + b*x)^{1/2} - a^{1/2})^7 - (2Ca^2c^3e((a*c - b*c*x)^{1/2} - (a*c)^{1/2}))/((a + b*x)^{1/2} - a^{1/2})^5 + (14Ca^2c^2e((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^3)/((a + b*x)^{1/2} - a^{1/2})^3)/(b^3c^4 + (b^3((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^8)/((a + b*x)^{1/2} - a^{1/2})^8 + (4b^3c^3((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^2)/((a + b*x)^{1/2} - a^{1/2})^2 + (6b^3c^2((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^4)/((a + b*x)^{1/2} - a^{1/2})^4 + (4b^3c((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^6)/((a + b*x)^{1/2} - a^{1/2})^6 - ((a*c - b*c*x)^{1/2} * ((2Ca^3f)/(3b^4c) + (Cf*x^3)/(3b*c) + (Caf*x^2)/(3b^2c) + (2Ca^2f*x)/(3b^3c)))/(a + b*x)^{1/2} - (4Ae*atan((b*((a*c - b*c*x)^{1/2} - (a*c)^{1/2}))/((b^2c)^{1/2}*(a + b*x)^{1/2} - a^{1/2}))) / (b^2c)^{1/2} - (Af*(a*c - b*c*x)^{1/2}*(a + b*x)^{1/2}) / (b^2c) - (Be*(a*c - b*c*x)^{1/2}*(a + b*x)^{1/2}) / (b^2c) - (2Ba^2f*atan(((a*c - b*c*x)^{1/2} - (a*c)^{1/2}) / ((b^2c)^{1/2}*(a + b*x)^{1/2} - a^{1/2}))) / (b^2c)^{1/2}$

$$\frac{\sqrt{ac} - (ac)^{1/2}}{c^{1/2}((a + bx)^{1/2} - a^{1/2})} \Big/ (b^3 c^{1/2}) - (2 * C * a^2 * e * \operatorname{atan}\left(\frac{(ac - bcx)^{1/2} - (ac)^{1/2}}{c^{1/2}((a + bx)^{1/2} - a^{1/2})}\right)) \Big/ (b^3 c^{1/2})$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*(C*x**2+B*x+A)/(b*x+a)**(1/2)/(-b*c*x+a*c)**(1/2),x)

[Out] Timed out

$$3.30 \quad \int \frac{A+Bx+Cx^2}{\sqrt{a+bx} \sqrt{ac-bcx}} dx$$

Optimal. Leaf size=177

$$\frac{(a^2C + 2Ab^2) \sqrt{a^2c - b^2cx^2} \tan^{-1}\left(\frac{b\sqrt{c}x}{\sqrt{a^2c - b^2cx^2}}\right)}{2b^3\sqrt{c} \sqrt{a+bx} \sqrt{ac-bcx}} - \frac{B(a^2 - b^2x^2)}{b^2\sqrt{a+bx} \sqrt{ac-bcx}} - \frac{Cx(a^2 - b^2x^2)}{2b^2\sqrt{a+bx} \sqrt{ac-bcx}}$$

[Out] $-B*(-b^2*x^2+a^2)/b^2/(b*x+a)^{(1/2)/(-b*c*x+a*c)^{(1/2)}-1/2*C*x*(-b^2*x^2+a^2)/b^2/(b*x+a)^{(1/2)/(-b*c*x+a*c)^{(1/2)}+1/2*(2*A*b^2+C*a^2)*\arctan(b*x*c^{(1/2)/(-b^2*c*x^2+a^2*c)^{(1/2)}}*(-b^2*c*x^2+a^2*c)^{(1/2)}/b^3/c^{(1/2)/(b*x+a)^{(1/2)/(-b*c*x+a*c)^{(1/2)}}$

Rubi [A] time = 0.12, antiderivative size = 177, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {901, 1815, 641, 217, 203}

$$\frac{(a^2C + 2Ab^2) \sqrt{a^2c - b^2cx^2} \tan^{-1}\left(\frac{b\sqrt{c}x}{\sqrt{a^2c - b^2cx^2}}\right)}{2b^3\sqrt{c} \sqrt{a+bx} \sqrt{ac-bcx}} - \frac{B(a^2 - b^2x^2)}{b^2\sqrt{a+bx} \sqrt{ac-bcx}} - \frac{Cx(a^2 - b^2x^2)}{2b^2\sqrt{a+bx} \sqrt{ac-bcx}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*x + C*x^2)/(Sqrt[a + b*x]*Sqrt[a*c - b*c*x]),x]

[Out] $-((B*(a^2 - b^2*x^2))/(b^2*\text{Sqrt}[a + b*x]*\text{Sqrt}[a*c - b*c*x])) - (C*x*(a^2 - b^2*x^2))/(2*b^2*\text{Sqrt}[a + b*x]*\text{Sqrt}[a*c - b*c*x]) + ((2*A*b^2 + a^2*C)*\text{Sqrt}[a^2*c - b^2*c*x^2]*\text{ArcTan}[(b*\text{Sqrt}[c]*x)/\text{Sqrt}[a^2*c - b^2*c*x^2]])/(2*b^3*\text{Sqrt}[c]*\text{Sqrt}[a + b*x]*\text{Sqrt}[a*c - b*c*x])$

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 641

Int[((d_) + (e_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Simp[(e*(a + c*x^2)^(p + 1))/(2*c*(p + 1)), x] + Dist[d, Int[(a + c*x^2)^p, x], x] /

; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]

Rule 901

Int[((d_) + (e_)*(x_)^(m_))*((f_) + (g_)*(x_)^(n_))*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] := Dist[((d + e*x)^FracPart[m]*(f + g*x)^FracPart[m])/(d*f + e*g*x^2)^FracPart[m], Int[(d*f + e*g*x^2)^m*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && EqQ[m - n, 0] && EqQ[e*f + d*g, 0]

Rule 1815

Int[(Pq_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := With[{q = Expon[Pq, x], e = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(e*x^(q - 1)*(a + b*x^2)^(p + 1))/(b*(q + 2*p + 1)), x] + Dist[1/(b*(q + 2*p + 1)), Int[(a + b*x^2)^p*ExpandToSum[b*(q + 2*p + 1)*Pq - a*e*(q - 1)*x^(q - 2) - b*e*(q + 2*p + 1)*x^q, x], x], x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && !LeQ[p, -1]

Rubi steps

$$\begin{aligned} \int \frac{A + Bx + Cx^2}{\sqrt{a + bx} \sqrt{ac - bcx}} dx &= \frac{\sqrt{a^2c - b^2cx^2} \int \frac{A + Bx + Cx^2}{\sqrt{a^2c - b^2cx^2}} dx}{\sqrt{a + bx} \sqrt{ac - bcx}} \\ &= -\frac{Cx(a^2 - b^2x^2)}{2b^2\sqrt{a + bx} \sqrt{ac - bcx}} - \frac{\sqrt{a^2c - b^2cx^2} \int \frac{-c(2Ab^2 + a^2C) - 2b^2Bcx}{\sqrt{a^2c - b^2cx^2}} dx}{2b^2c\sqrt{a + bx} \sqrt{ac - bcx}} \\ &= -\frac{B(a^2 - b^2x^2)}{b^2\sqrt{a + bx} \sqrt{ac - bcx}} - \frac{Cx(a^2 - b^2x^2)}{2b^2\sqrt{a + bx} \sqrt{ac - bcx}} + \frac{\left((2Ab^2 + a^2C) \sqrt{a^2c - b^2cx^2}\right)}{2b^2\sqrt{a + bx} \sqrt{ac - bcx}} \\ &= -\frac{B(a^2 - b^2x^2)}{b^2\sqrt{a + bx} \sqrt{ac - bcx}} - \frac{Cx(a^2 - b^2x^2)}{2b^2\sqrt{a + bx} \sqrt{ac - bcx}} + \frac{\left((2Ab^2 + a^2C) \sqrt{a^2c - b^2cx^2}\right)}{2b^2\sqrt{a + bx} \sqrt{ac - bcx}} \\ &= -\frac{B(a^2 - b^2x^2)}{b^2\sqrt{a + bx} \sqrt{ac - bcx}} - \frac{Cx(a^2 - b^2x^2)}{2b^2\sqrt{a + bx} \sqrt{ac - bcx}} + \frac{(2Ab^2 + a^2C) \sqrt{a^2c - b^2cx^2}}{2b^3\sqrt{c} \sqrt{a + bx} \sqrt{ac - bcx}} \end{aligned}$$

Mathematica [A] time = 0.44, size = 169, normalized size = 0.95

$$\frac{\sqrt{a - bx} \left(\sqrt{\frac{bx}{a}} + 1 \left(4 \tan^{-1} \left(\frac{\sqrt{a - bx}}{\sqrt{a + bx}} \right) (a(aC - bB) + Ab^2) + b\sqrt{a - bx} \sqrt{a + bx} (2B + Cx) \right) - 2\sqrt{a} \sqrt{a + bx} (aC - bB)}{2b^3 \sqrt{\frac{bx}{a}} + 1 \sqrt{c(a - bx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*x + C*x^2)/(Sqrt[a + b*x]*Sqrt[a*c - b*c*x]), x]

[Out]
$$-1/2*(\text{Sqrt}[a - b*x]*(-2*\text{Sqrt}[a]*(-2*b*B + a*C)*\text{Sqrt}[a + b*x]*\text{ArcSin}[\text{Sqrt}[a - b*x]/(\text{Sqrt}[2]*\text{Sqrt}[a])]) + \text{Sqrt}[1 + (b*x)/a]*(b*\text{Sqrt}[a - b*x]*\text{Sqrt}[a + b*x]*(2*B + C*x) + 4*(A*b^2 + a*(-(b*B) + a*C))*\text{ArcTan}[\text{Sqrt}[a - b*x]/\text{Sqrt}[a + b*x]])))/(b^3*\text{Sqrt}[c*(a - b*x)]*\text{Sqrt}[1 + (b*x)/a])$$

fricas [A] time = 0.90, size = 196, normalized size = 1.11

$$\left[\frac{(Ca^2 + 2Ab^2)\sqrt{-c} \log(2b^2cx^2 - 2\sqrt{-bcx + ac}\sqrt{bx + a}b\sqrt{-c}x - a^2c) + 2(Cbx + 2Bb)\sqrt{-bcx + ac}\sqrt{bx + a}}{4b^3c}, \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2), x, algorithm="fricas")

[Out]
$$[-1/4*((C*a^2 + 2*A*b^2)*\text{sqrt}(-c)*\log(2*b^2*c*x^2 - 2*\text{sqrt}(-b*c*x + a*c)*\text{sqrt}(b*x + a)*b*\text{sqrt}(-c)*x - a^2*c) + 2*(C*b*x + 2*B*b)*\text{sqrt}(-b*c*x + a*c)*\text{sqrt}(b*x + a))/(b^3*c), -1/2*((C*a^2 + 2*A*b^2)*\text{sqrt}(c)*\text{arctan}(\text{sqrt}(-b*c*x + a*c)*\text{sqrt}(b*x + a)*b*\text{sqrt}(c)*x/(b^2*c*x^2 - a^2*c)) + (C*b*x + 2*B*b)*\text{sqrt}(-b*c*x + a*c)*\text{sqrt}(b*x + a))/(b^3*c)]$$

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2), x, algorithm="giac")

[Out] Timed out

maple [A] time = 0.02, size = 180, normalized size = 1.02

$$\frac{\sqrt{bx + a} \sqrt{-(bx - a)c} \left(2A b^2 c \arctan\left(\frac{\sqrt{b^2 c} x}{\sqrt{-(b^2 x^2 - a^2)c}}\right) + C a^2 c \arctan\left(\frac{\sqrt{b^2 c} x}{\sqrt{-(b^2 x^2 - a^2)c}}\right) - \sqrt{b^2 c} \sqrt{-(b^2 x^2 - a^2)c} C x \right)}{2\sqrt{-(b^2 x^2 - a^2)c} \sqrt{b^2 c} b^2 c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C*x^2+B*x+A)/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2), x)

[Out] $\frac{1}{2}*(b*x+a)^{(1/2)}*(-(b*x-a)*c)^{(1/2)}/b^2*(2*A*\arctan((b^2*c)^{(1/2)}/(-(b^2*x^2-a^2)*c)^{(1/2)}*x)*b^2*c+C*\arctan((b^2*c)^{(1/2)}/(-(b^2*x^2-a^2)*c)^{(1/2)}*x)*a^2*c-C*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*x-2*B*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)})/(-(b^2*x^2-a^2)*c)^{(1/2)}/c/(b^2*c)^{(1/2)}$

maxima [A] time = 2.50, size = 88, normalized size = 0.50

$$\frac{Ca^2 \arcsin\left(\frac{bx}{a}\right)}{2b^3\sqrt{c}} + \frac{A \arcsin\left(\frac{bx}{a}\right)}{b\sqrt{c}} - \frac{\sqrt{-b^2cx^2 + a^2c} Cx}{2b^2c} - \frac{\sqrt{-b^2cx^2 + a^2c} B}{b^2c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x, algorithm="maxima")

[Out] $\frac{1}{2}*C*a^2*\arcsin(b*x/a)/(b^3*\sqrt{c}) + A*\arcsin(b*x/a)/(b*\sqrt{c}) - \frac{1}{2}*x*\sqrt{-b^2*c*x^2 + a^2*c}*C/x/(b^2*c) - \sqrt{-b^2*c*x^2 + a^2*c}*B/(b^2*c)$

mupad [B] time = 14.95, size = 489, normalized size = 2.76

$$\frac{\frac{2Ca^2(\sqrt{ac-bcx}-\sqrt{ac})^7}{(\sqrt{a+bx}-\sqrt{a})^7} - \frac{2Ca^2c^3(\sqrt{ac-bcx}-\sqrt{ac})}{\sqrt{a+bx}-\sqrt{a}} - \frac{14Ca^2c(\sqrt{ac-bcx}-\sqrt{ac})^5}{(\sqrt{a+bx}-\sqrt{a})^5} + \frac{14Ca^2c^2(\sqrt{ac-bcx}-\sqrt{ac})^3}{(\sqrt{a+bx}-\sqrt{a})^3}}{b^3c^4 + \frac{b^3(\sqrt{ac-bcx}-\sqrt{ac})^8}{(\sqrt{a+bx}-\sqrt{a})^8} + \frac{4b^3c^3(\sqrt{ac-bcx}-\sqrt{ac})^2}{(\sqrt{a+bx}-\sqrt{a})^2} + \frac{6b^3c^2(\sqrt{ac-bcx}-\sqrt{ac})^4}{(\sqrt{a+bx}-\sqrt{a})^4} + \frac{4b^3c(\sqrt{ac-bcx}-\sqrt{ac})^6}{(\sqrt{a+bx}-\sqrt{a})^6}} - \frac{4A \operatorname{atan}\left(\frac{b(\sqrt{ac-bcx}-\sqrt{ac})}{\sqrt{a+bx}-\sqrt{a}}\right)}{\sqrt{a+bx}-\sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*x + C*x^2)/((a*c - b*c*x)^(1/2)*(a + b*x)^(1/2)),x)

[Out] $-\frac{((2*C*a^2*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^7)/((a + b*x)^{(1/2)} - a^{(1/2)})^7 - (2*C*a^2*c^3*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}))/((a + b*x)^{(1/2)} - a^{(1/2)}) - (14*C*a^2*c*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^5)/((a + b*x)^{(1/2)} - a^{(1/2)})^5 + (14*C*a^2*c^2*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^3)/((a + b*x)^{(1/2)} - a^{(1/2)})^3)/(b^3*c^4 + (b^3*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^8)/((a + b*x)^{(1/2)} - a^{(1/2)})^8 + (4*b^3*c^3*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2)/((a + b*x)^{(1/2)} - a^{(1/2)})^2 + (6*b^3*c^2*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^4)/((a + b*x)^{(1/2)} - a^{(1/2)})^4 + (4*b^3*c*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^6)/((a + b*x)^{(1/2)} - a^{(1/2)})^6) - (4*A*\operatorname{atan}((b*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}))/((b^2*c)^{(1/2)}*((a + b*x)^{(1/2)} - a^{(1/2)}))))/(b^2*c)^{(1/2)} - (2*C*a^2*\operatorname{atan}(((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})/(c^{(1/2)}*((a + b*x)^{(1/2)} - a^{(1/2)}))))/(b^3*c)^{(1/2)} - (B*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})/(b^2*c))$

sympy [C] time = 56.83, size = 338, normalized size = 1.91

$$\frac{iAG_{6,6}^{6,2} \left(\begin{matrix} \frac{1}{4}, \frac{3}{4} & \frac{1}{2}, \frac{1}{2}, 1, 1 \\ 0, \frac{1}{4}, \frac{1}{2}, \frac{3}{4}, 1, 0 \end{matrix} \middle| \frac{a^2}{b^2 x^2} \right) + AG_{6,6}^{2,6} \left(\begin{matrix} -\frac{1}{2}, -\frac{1}{4}, 0, \frac{1}{4}, \frac{1}{2}, 1 \\ -\frac{1}{4}, \frac{1}{4} & -\frac{1}{2}, 0, 0, 0 \end{matrix} \middle| \frac{a^2 e^{-2i\pi}}{b^2 x^2} \right) + iBaG_{6,6}^{6,2} \left(\begin{matrix} -\frac{1}{4}, \frac{1}{4} \\ -\frac{1}{2}, -\frac{1}{4}, 0, \frac{1}{4}, \frac{1}{2}, 0 \end{matrix} \right)}{4\pi^{\frac{3}{2}} b \sqrt{c} + 4\pi^{\frac{3}{2}} b \sqrt{c} + 4\pi^{\frac{3}{2}} b^2 \sqrt{c}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x**2+B*x+A)/(b*x+a)**(1/2)/(-b*c*x+a*c)**(1/2),x)

[Out] $-I*A*meijerg(((1/4, 3/4), (1/2, 1/2, 1, 1)), ((0, 1/4, 1/2, 3/4, 1, 0), ()), a**2/(b**2*x**2))/(4*pi**(3/2)*b*sqrt(c)) + A*meijerg(((1/4, 1/2, 1), ()), ((-1/4, 1/4), (-1/2, 0, 0, 0)), a**2*exp_polar(-2*I*pi)/(b**2*x**2))/(4*pi**(3/2)*b*sqrt(c)) - I*B*a*meijerg(((1/4, 1/4), (0, 0, 1/2, 1)), ((-1/2, -1/4, 0, 1/4, 1/2, 0), ()), a**2/(b**2*x**2))/(4*pi**(3/2)*b**2*sqrt(c)) - B*a*meijerg((-1, -3/4, -1/2, -1/4, 0, 1), ()), ((-3/4, -1/4), (-1, -1/2, -1/2, 0)), a**2*exp_polar(-2*I*pi)/(b**2*x**2))/(4*pi**(3/2)*b**2*sqrt(c)) - I*C*a**2*meijerg((-3/4, -1/4), (-1/2, -1/2, 0, 1), ((-1, -3/4, -1/2, -1/4, 0, 0), ()), a**2/(b**2*x**2))/(4*pi**(3/2)*b**3*sqrt(c)) + C*a**2*meijerg((-3/2, -5/4, -1, -3/4, -1/2, 1), ()), ((-5/4, -3/4), (-3/2, -1, -1, 0)), a**2*exp_polar(-2*I*pi)/(b**2*x**2))/(4*pi**(3/2)*b**3*sqrt(c))$

$$3.31 \quad \int \frac{A+Bx+Cx^2}{\sqrt{a+bx} \sqrt{ac-bcx} (e+fx)} dx$$

Optimal. Leaf size=278

$$\frac{\sqrt{a^2c - b^2cx^2} (Af^2 - Bef + Ce^2) \tan^{-1} \left(\frac{\sqrt{c}(a^2f + b^2ex)}{\sqrt{a^2c - b^2cx^2} \sqrt{b^2e^2 - a^2f^2}} \right)}{\sqrt{c} f^2 \sqrt{a + bx} \sqrt{ac - bcx} \sqrt{b^2e^2 - a^2f^2}} - \frac{\sqrt{a^2c - b^2cx^2} (Ce - Bf) \tan^{-1} \left(\frac{b\sqrt{c}x}{\sqrt{a^2c - b^2cx^2}} \right)}{b\sqrt{c} f^2 \sqrt{a + bx} \sqrt{ac - bcx}} - \frac{b^2 f}{b^2 f}$$

[Out] $-C*(-b^2*x^2+a^2)/b^2/f/(b*x+a)^{(1/2)/(-b*c*x+a*c)^{(1/2)}-(-B*f+C*e)*\arctan(b*x*c^{(1/2)/(-b^2*c*x^2+a^2*c)^{(1/2)}}*(-b^2*c*x^2+a^2*c)^{(1/2)}/b/f^2/c^{(1/2)})/(b*x+a)^{(1/2)/(-b*c*x+a*c)^{(1/2)}+(A*f^2-B*e*f+C*e^2)*\arctan((b^2*e*x+a^2*f)*c^{(1/2)/(-a^2*f^2+b^2*e^2)^{(1/2)/(-b^2*c*x^2+a^2*c)^{(1/2)}}*(-b^2*c*x^2+a^2*c)^{(1/2)}/f^2/c^{(1/2)/(-a^2*f^2+b^2*e^2)^{(1/2)}/(b*x+a)^{(1/2)/(-b*c*x+a*c)^{(1/2)})}$

Rubi [A] time = 0.46, antiderivative size = 278, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.175$, Rules used = {1610, 1654, 844, 217, 203, 725, 204}

$$\frac{\sqrt{a^2c - b^2cx^2} (Af^2 - Bef + Ce^2) \tan^{-1} \left(\frac{\sqrt{c}(a^2f + b^2ex)}{\sqrt{a^2c - b^2cx^2} \sqrt{b^2e^2 - a^2f^2}} \right)}{\sqrt{c} f^2 \sqrt{a + bx} \sqrt{ac - bcx} \sqrt{b^2e^2 - a^2f^2}} - \frac{\sqrt{a^2c - b^2cx^2} (Ce - Bf) \tan^{-1} \left(\frac{b\sqrt{c}x}{\sqrt{a^2c - b^2cx^2}} \right)}{b\sqrt{c} f^2 \sqrt{a + bx} \sqrt{ac - bcx}} - \frac{b^2 f}{b^2 f}$$

Antiderivative was successfully verified.

[In] Int[(A + B*x + C*x^2)/(Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)),x]

[Out] $-((C*(a^2 - b^2*x^2))/(b^2*f*Sqrt[a + b*x]*Sqrt[a*c - b*c*x])) - ((C*e - B*f)*Sqrt[a^2*c - b^2*c*x^2]*ArcTan[(b*Sqrt[c]*x)/Sqrt[a^2*c - b^2*c*x^2]])/(b*Sqrt[c]*f^2*Sqrt[a + b*x]*Sqrt[a*c - b*c*x]) + ((C*e^2 - B*e*f + A*f^2)*Sqrt[a^2*c - b^2*c*x^2]*ArcTan[(Sqrt[c]*(a^2*f + b^2*e*x))/(Sqrt[b^2*e^2 - a^2*f^2]*Sqrt[a^2*c - b^2*c*x^2]])/(Sqrt[c]*f^2*Sqrt[b^2*e^2 - a^2*f^2]*Sqrt[a + b*x]*Sqrt[a*c - b*c*x])$

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[

a, 0] || LtQ[b, 0])

Rule 217

Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 725

Int[1/(((d_) + (e_)*(x_))*Sqrt[(a_) + (c_)*(x_)^2]), x_Symbol] := -Subst[Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ[{a, c, d, e}, x]

Rule 844

Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]

Rule 1610

Int[(Px)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := Dist[((a + b*x)^FracPart[m]*(c + d*x)^FracPart[m])/(a*c + b*d*x^2)^FracPart[m], Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*d, 0] && EqQ[m, n] && !IntegerQ[m]

Rule 1654

Int[(Pq)*((d_) + (e_)*(x_))^(m_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] := With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x)^(m + q - 1)*(a + c*x^2)^(p + 1))/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Dist[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + c*x^2)^p*ExpandToSum[c*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - f*(d + e*x)^(q - 2)*(a*e^2*(m + q - 1) - c*d^2*(m + q + 2*p + 1) - 2*c*d*e*(m + q + p)*x), x], x], x] /; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0] /; FreeQ[{a, c, d, e, m, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && !(EqQ[d, 0] && True) && !(IGtQ[m, 0] && RationalQ[a, c, d, e] && (IntegerQ[p] || ILtQ[p + 1/2, 0]))

Rubi steps

$$\begin{aligned}
\int \frac{A + Bx + Cx^2}{\sqrt{a + bx} \sqrt{ac - bcx} (e + fx)} dx &= \frac{\sqrt{a^2c - b^2cx^2} \int \frac{A+Bx+Cx^2}{(e+fx)\sqrt{a^2c-b^2cx^2}} dx}{\sqrt{a + bx} \sqrt{ac - bcx}} \\
&= -\frac{C(a^2 - b^2x^2)}{b^2f\sqrt{a + bx} \sqrt{ac - bcx}} - \frac{\sqrt{a^2c - b^2cx^2} \int \frac{-Ab^2cf^2 + b^2cf(Ce - Bf)x}{(e+fx)\sqrt{a^2c-b^2cx^2}} dx}{b^2cf^2\sqrt{a + bx} \sqrt{ac - bcx}} \\
&= -\frac{C(a^2 - b^2x^2)}{b^2f\sqrt{a + bx} \sqrt{ac - bcx}} - \frac{\left((Ce - Bf)\sqrt{a^2c - b^2cx^2}\right) \int \frac{1}{\sqrt{a^2c - b^2cx^2}} dx}{f^2\sqrt{a + bx} \sqrt{ac - bcx}} + \dots \\
&= -\frac{C(a^2 - b^2x^2)}{b^2f\sqrt{a + bx} \sqrt{ac - bcx}} - \frac{\left((Ce - Bf)\sqrt{a^2c - b^2cx^2}\right) \text{Subst}\left(\int \frac{1}{1+b^2cx^2} dx, x, \sqrt{\frac{a-bx}{a+bx}}\right)}{f^2\sqrt{a + bx} \sqrt{ac - bcx}} \\
&= -\frac{C(a^2 - b^2x^2)}{b^2f\sqrt{a + bx} \sqrt{ac - bcx}} - \frac{(Ce - Bf)\sqrt{a^2c - b^2cx^2} \tan^{-1}\left(\frac{b\sqrt{cx}}{\sqrt{a^2c - b^2cx^2}}\right)}{b\sqrt{c} f^2\sqrt{a + bx} \sqrt{ac - bcx}} + \dots
\end{aligned}$$

Mathematica [A] time = 0.71, size = 225, normalized size = 0.81

$$\frac{\sqrt{a - bx} \left(\frac{2(f(Af - Be) + Ce^2) \tanh^{-1}\left(\frac{\sqrt{a-bx} \sqrt{be-af}}{\sqrt{a+bx} \sqrt{af-be}}\right)}{\sqrt{-af-be} \sqrt{be-af}} + \frac{2 \tan^{-1}\left(\frac{\sqrt{a-bx}}{\sqrt{a+bx}}\right) (aCf - bBf + bCe)}{b^2} + \frac{Cf \sqrt{a+bx} \left(-\sqrt{a-bx} - \frac{2\sqrt{a} \sin^{-1}\left(\frac{\sqrt{a-bx}}{\sqrt{2}\sqrt{a}}\right)}{\sqrt{\frac{bx}{a} + 1}} \right)}{b^2} \right)}{f^2 \sqrt{c(a - bx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*x + C*x^2)/(Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)),x]

[Out] (Sqrt[a - b*x]*((C*f*Sqrt[a + b*x]*(-Sqrt[a - b*x] - (2*Sqrt[a]*ArcSin[Sqrt[a - b*x]/(Sqrt[2]*Sqrt[a])]))/Sqrt[1 + (b*x)/a]))/b^2 + (2*(b*C*e - b*B*f + a*C*f)*ArcTan[Sqrt[a - b*x]/Sqrt[a + b*x]])/b^2 + (2*(C*e^2 + f*(-(B*e) + A*f))*ArcTanh[(Sqrt[b*e - a*f]*Sqrt[a - b*x])/(Sqrt[-(b*e) - a*f]*Sqrt[a + b*x])])/(Sqrt[-(b*e) - a*f]*Sqrt[b*e - a*f]))/(f^2*Sqrt[c*(a - b*x)])

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)/(f*x+e)/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x, algorithm="fricas")

[Out] Timed out

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)/(f*x+e)/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x, algorithm="giac")

[Out] Timed out

maple [B] time = 0.00, size = 503, normalized size = 1.81

$$\left(-\sqrt{b^2c} A b^2c f^2 \ln \left(\frac{2b^2cex+2a^2cf+2\sqrt{\frac{(a^2f^2-b^2e^2)c}{f^2}} \sqrt{-(b^2x^2-a^2)}cf}{fx+e} \right) + \sqrt{b^2c} B b^2cef \ln \left(\frac{2b^2cex+2a^2cf+2\sqrt{\frac{(a^2f^2-b^2e^2)c}{f^2}} \sqrt{-(b^2x^2-a^2)}}{fx+e} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C*x^2+B*x+A)/(f*x+e)/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x)

[Out] $(-(b^2c)^{(1/2)}*A*b^2*c*f^2*\ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*f)/(f*x+e))+ (b^2c)^{(1/2)}*B*b^2*c*e*f*\ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*f)/(f*x+e))+ ((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}*B*b^2*c*f^2*\arctan((b^2*c)^{(1/2)/(- (b^2*x^2-a^2)*c)^{(1/2)}*x)-(b^2*c)^{(1/2)}*C*b^2*c*e^2*\ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*f)/(f*x+e)))-((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}*C*b^2*c*e*f*\arctan((b^2*c)^{(1/2)/(- (b^2*x^2-a^2)*c)^{(1/2)}*x)-(b^2*c)^{(1/2)}*((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*C*f^2*(b*x+a)^{(1/2)}*(-(b*x-a)*c)^{(1/2)/((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)/(b^2*c)^{(1/2)/(- (b^2*x^2-a^2)*c)^{(1/2)/b^2/c/f^3}}$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)/(f*x+e)/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume((4*b^2*c>0)', see `assume?` for more details)Is $(4*b^2*c^2*(a^2*c - (b^2*c*e^2)/f^2))/f^2 + (4*b^4*c^2*e^2)/f^4$ zero or nonzero?

mupad [B] time = 0.01, size = 9298, normalized size = 33.45

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A + B*x + C*x^2)/((e + f*x)*(a*c - b*c*x)^{(1/2)}*(a + b*x)^{(1/2)}), x)$

[Out] $(B*a*e*\text{atan}(((B*a*e*((4096*(32*B^3*a^{(17/2)}*c^3*e*f^2*(a*c)^{(5/2)} + 24*B^3*a^{(15/2)}*b^2*c^4*e^3*(a*c)^{(3/2)}))/a^{6*b^8*e^6} - (4096*(32*B^3*a^{(17/2)}*c^2*e*f^2*(a*c)^{(5/2)} - 96*B^3*a^{(15/2)}*b^2*c^3*e^3*(a*c)^{(3/2)})*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2)/a^{6*b^8*e^6}*((a + b*x)^{(1/2)} - a^{(1/2)})^2) - (B*a*e*((4096*(16*B^2*a^{12}*c^6*f^4 + 9*B^2*a^8*b^4*c^6*e^4))/a^{6*b^8*e^6} + (B*a*e*((4096*(24*B*a^{(17/2)}*b^2*c^4*e*f^4*(a*c)^{(5/2)} - 30*B*a^{(15/2)}*b^4*c^5*e^3*f^2*(a*c)^{(3/2)}))/a^{6*b^8*e^6} + (16384*(20*B*a^{12}*c^6*f^5 - 22*B*a^{10}*b^2*c^6*e^2*f^3)*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}))/a^{6*b^7*e^6}*((a + b*x)^{(1/2)} - a^{(1/2)})) + (B*a*e*((4096*(9*a^8*b^6*c^7*e^4*f^2 - 7*a^{10}*b^4*c^7*e^2*f^4))/a^{6*b^8*e^6} + (4096*(9*a^8*b^6*c^6*e^4*f^2 - 11*a^{10}*b^4*c^6*e^2*f^4)*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2)/a^{6*b^8*e^6}*((a + b*x)^{(1/2)} - a^{(1/2)})^2) - (16384*(5*a^{(17/2)}*b^2*c^4*e*f^5*(a*c)^{(5/2)} - 6*a^{(15/2)}*b^4*c^5*e^3*f^3*(a*c)^{(3/2)})*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}))/a^{6*b^7*e^6}*((a + b*x)^{(1/2)} - a^{(1/2)})))/f*(a^4*c*f^2 - a^2*b^2*c*e^2)^{(1/2)} + (4096*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2*(96*B*a^{(17/2)}*b^2*c^3*e*f^4*(a*c)^{(5/2)} - 90*B*a^{(15/2)}*b^4*c^4*e^3*f^2*(a*c)^{(3/2)}))/a^{6*b^8*e^6}*((a + b*x)^{(1/2)} - a^{(1/2)})^2))/f*(a^4*c*f^2 - a^2*b^2*c*e^2)^{(1/2)} + (16384*(8*B^2*a^{(17/2)}*c^3*e*f^3*(a*c)^{(5/2)} + 3*B^2*a^{(15/2)}*b^2*c^4*e^3*f*(a*c)^{(3/2)})*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}))/a^{6*b^7*e^6}*((a + b*x)^{(1/2)} - a^{(1/2)})) + (4096*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2*(9*B^2*a^8*b^4*c^5*e^4 - 144*B^2*a^{12}*c^5*f^4 + 128*B^2*a^{10}*b^2*c^5*e^2*f^2))/a^{6*b^8*e^6}*((a + b*x)^{(1/2)} - a^{(1/2)})^2))/f*(a^4*c*f^2 - a^2*b^2*c*e^2)^{(1/2)} + (458752*B^3*a^4*c^5*f*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}))/b^7*e^4*((a + b*x)^{(1/2)} - a^{(1/2)})))*i)/f*(a^4*c*f^2 - a^2*b^2*c*e^2)^{(1/2)} + (B*a*e*((4096*(32*B^3*a^{(17/2)}*c^3*e*f^2*(a*c)^{(5/2)} + 24*B^3*a^{(15/2)}*b^2*c^4*e^3*(a*c)^{(3/2)}))/a^{6*b^8*e^6} - (4096*(32*B^3*a^{(17/2)}*c^2*e*f^2*(a*c)^{(5/2)} - 96*B^3*a^{(15/2)}*b^2*c^3*e^3*(a*c)^{(3/2)})*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2)/a^{6*b^8*e^6}*((a + b*x)^{(1/2)} - a^{(1/2)})^2) + (B*a*e*((4096*(16*B^2*a^{12}*c^6*f^4 + 9*B^2*a^8*b^4*c^6*e^4))/a^{6*b^8*e^6} - (B*a*e*((4096*(24*B*a^{(17/2)}*b^2*c^4*e*f^4*(a*c)^{(5/2)} - 30*B*a^{(15/2)}*b^4*c^5*e^3*f^2*(a*c)^{(3/2)}))/a^{6*b^8*e^6} + (16384*(20*B*a^{12}*c^6*f^5 - 22*B*a^{10}*b^2*c^6*e^2*f^3)*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}))/a^{6*b^7*e^6}*((a + b*x)^{(1/2)} -$

$$\begin{aligned}
& a^{(1/2)}) - (B*a*e*((4096*(9*a^8*b^6*c^7*e^4*f^2 - 7*a^10*b^4*c^7*e^2*f^4)) \\
& / (a^6*b^8*e^6) + (4096*(9*a^8*b^6*c^6*e^4*f^2 - 11*a^10*b^4*c^6*e^2*f^4)*((\\
& a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2) / (a^6*b^8*e^6*((a + b*x)^{(1/2)} - a^{(1/2)} \\
&))^2) - (16384*(5*a^{(17/2)}*b^2*c^4*e*f^5*(a*c)^{(5/2)} - 6*a^{(15/2)}*b^4*c^5*e \\
& ^3*f^3*(a*c)^{(3/2)})*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}) / (a^6*b^7*e^6*((a + \\
& b*x)^{(1/2)} - a^{(1/2)}))) / (f*(a^4*c*f^2 - a^2*b^2*c*e^2)^{(1/2)}) + (4096*((a \\
& *c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2*(96*B*a^{(17/2)}*b^2*c^3*e*f^4*(a*c)^{(5/2)} \\
& - 90*B*a^{(15/2)}*b^4*c^4*e^3*f^2*(a*c)^{(3/2)})) / (a^6*b^8*e^6*((a + b*x)^{(1/2)} \\
&) - a^{(1/2)})^2)) / (f*(a^4*c*f^2 - a^2*b^2*c*e^2)^{(1/2)}) + (16384*(8*B^2*a^{(\\
& 17/2)}*c^3*e*f^3*(a*c)^{(5/2)} + 3*B^2*a^{(15/2)}*b^2*c^4*e^3*f*(a*c)^{(3/2)})*((a \\
& *c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}) / (a^6*b^7*e^6*((a + b*x)^{(1/2)} - a^{(1/2)})) \\
& + (4096*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2*(9*B^2*a^8*b^4*c^5*e^4 - 144 \\
& *B^2*a^12*c^5*f^4 + 128*B^2*a^10*b^2*c^5*e^2*f^2)) / (a^6*b^8*e^6*((a + b*x)^{(\\
& 1/2)} - a^{(1/2)})^2)) / (f*(a^4*c*f^2 - a^2*b^2*c*e^2)^{(1/2)}) + (458752*B^3*a \\
& ^4*c^5*f*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}) / (b^7*e^4*((a + b*x)^{(1/2)} - a \\
& ^{(1/2)}))) * i) / (f*(a^4*c*f^2 - a^2*b^2*c*e^2)^{(1/2)}) / ((131072*B^4*a^4*c^5) / \\
& (b^8*e^4) - (B*a*e*((4096*(32*B^3*a^{(17/2)}*c^3*e*f^2*(a*c)^{(5/2)} + 24*B^3*a \\
& ^{(15/2)}*b^2*c^4*e^3*(a*c)^{(3/2)})) / (a^6*b^8*e^6) - (4096*(32*B^3*a^{(17/2)}*c^ \\
& 2*e*f^2*(a*c)^{(5/2)} - 96*B^3*a^{(15/2)}*b^2*c^3*e^3*(a*c)^{(3/2)})*((a*c - b*c* \\
& x)^{(1/2)} - (a*c)^{(1/2)})^2) / (a^6*b^8*e^6*((a + b*x)^{(1/2)} - a^{(1/2)})^2) - (B \\
& *a*e*((4096*(16*B^2*a^12*c^6*f^4 + 9*B^2*a^8*b^4*c^6*e^4)) / (a^6*b^8*e^6) + \\
& (B*a*e*((4096*(24*B*a^{(17/2)}*b^2*c^4*e*f^4*(a*c)^{(5/2)} - 30*B*a^{(15/2)}*b^4* \\
& c^5*e^3*f^2*(a*c)^{(3/2)})) / (a^6*b^8*e^6) + (16384*(20*B*a^12*c^6*f^5 - 22*B* \\
& a^10*b^2*c^6*e^2*f^3))*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}) / (a^6*b^7*e^6*((a \\
& + b*x)^{(1/2)} - a^{(1/2)})) + (B*a*e*((4096*(9*a^8*b^6*c^7*e^4*f^2 - 7*a^10*b \\
& ^4*c^7*e^2*f^4)) / (a^6*b^8*e^6) + (4096*(9*a^8*b^6*c^6*e^4*f^2 - 11*a^10*b^4 \\
& *c^6*e^2*f^4))*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2) / (a^6*b^8*e^6*((a + b*x \\
&)^{(1/2)} - a^{(1/2)})^2) - (16384*(5*a^{(17/2)}*b^2*c^4*e*f^5*(a*c)^{(5/2)} - 6*a^{ \\
& (15/2)}*b^4*c^5*e^3*f^3*(a*c)^{(3/2)})*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}) / (a \\
& ^6*b^7*e^6*((a + b*x)^{(1/2)} - a^{(1/2)}))) / (f*(a^4*c*f^2 - a^2*b^2*c*e^2)^{(1 \\
& /2)}) + (4096*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2*(96*B*a^{(17/2)}*b^2*c^3*e \\
& *f^4*(a*c)^{(5/2)} - 90*B*a^{(15/2)}*b^4*c^4*e^3*f^2*(a*c)^{(3/2)})) / (a^6*b^8*e^6 \\
& *((a + b*x)^{(1/2)} - a^{(1/2)})^2)) / (f*(a^4*c*f^2 - a^2*b^2*c*e^2)^{(1/2)}) + (\\
& 16384*(8*B^2*a^{(17/2)}*c^3*e*f^3*(a*c)^{(5/2)} + 3*B^2*a^{(15/2)}*b^2*c^4*e^3*f* \\
& (a*c)^{(3/2)})*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}) / (a^6*b^7*e^6*((a + b*x)^{(\\
& 1/2)} - a^{(1/2)})) + (4096*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2*(9*B^2*a^8*b \\
& ^4*c^5*e^4 - 144*B^2*a^12*c^5*f^4 + 128*B^2*a^10*b^2*c^5*e^2*f^2)) / (a^6*b^8 \\
& *e^6*((a + b*x)^{(1/2)} - a^{(1/2)})^2)) / (f*(a^4*c*f^2 - a^2*b^2*c*e^2)^{(1/2)}) \\
& + (458752*B^3*a^4*c^5*f*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}) / (b^7*e^4*((a \\
& + b*x)^{(1/2)} - a^{(1/2)}))) / (f*(a^4*c*f^2 - a^2*b^2*c*e^2)^{(1/2)}) + (B*a*e*(\\
& (4096*(32*B^3*a^{(17/2)}*c^3*e*f^2*(a*c)^{(5/2)} + 24*B^3*a^{(15/2)}*b^2*c^4*e^3* \\
& (a*c)^{(3/2)})) / (a^6*b^8*e^6) - (4096*(32*B^3*a^{(17/2)}*c^2*e*f^2*(a*c)^{(5/2)} \\
& - 96*B^3*a^{(15/2)}*b^2*c^3*e^3*(a*c)^{(3/2)})*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/ \\
& 2)})^2) / (a^6*b^8*e^6*((a + b*x)^{(1/2)} - a^{(1/2)})^2) + (B*a*e*((4096*(16*B^2* \\
& a^12*c^6*f^4 + 9*B^2*a^8*b^4*c^6*e^4)) / (a^6*b^8*e^6) - (B*a*e*((4096*(24*B*
\end{aligned}$$

$$\begin{aligned}
& a^{(17/2)} * b^2 * c^4 * e * f^4 * (a * c)^{(5/2)} - 30 * B * a^{(15/2)} * b^4 * c^5 * e^3 * f^2 * (a * c)^{(3/2)}) / (a^6 * b^8 * e^6) + (16384 * (20 * B * a^{12} * c^6 * f^5 - 22 * B * a^{10} * b^2 * c^6 * e^2 * f^3) * ((a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)})) / (a^6 * b^7 * e^6 * ((a + b * x)^{(1/2)} - a^{(1/2)})) - (B * a * e * ((4096 * (9 * a^8 * b^6 * c^7 * e^4 * f^2 - 7 * a^{10} * b^4 * c^7 * e^2 * f^4)) / (a^6 * b^8 * e^6) + (4096 * (9 * a^8 * b^6 * c^6 * e^4 * f^2 - 11 * a^{10} * b^4 * c^6 * e^2 * f^4)) * ((a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)})^2) / (a^6 * b^8 * e^6 * ((a + b * x)^{(1/2)} - a^{(1/2)})^2) - (16384 * (5 * a^{(17/2)} * b^2 * c^4 * e * f^5 * (a * c)^{(5/2)} - 6 * a^{(15/2)} * b^4 * c^5 * e^3 * f^3 * (a * c)^{(3/2)}) * ((a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)})) / (a^6 * b^7 * e^6 * ((a + b * x)^{(1/2)} - a^{(1/2)}))) / (f * (a^4 * c * f^2 - a^2 * b^2 * c * e^2)^{(1/2)}) + (4096 * ((a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)})^2 * (96 * B * a^{(17/2)} * b^2 * c^3 * e * f^4 * (a * c)^{(5/2)} - 90 * B * a^{(15/2)} * b^4 * c^4 * e^3 * f^2 * (a * c)^{(3/2)})) / (a^6 * b^8 * e^6 * ((a + b * x)^{(1/2)} - a^{(1/2)})^2)) / (f * (a^4 * c * f^2 - a^2 * b^2 * c * e^2)^{(1/2)}) + (16384 * (8 * B^2 * a^{(17/2)} * c^3 * e * f^3 * (a * c)^{(5/2)} + 3 * B^2 * a^{(15/2)} * b^2 * c^4 * e^3 * f * (a * c)^{(3/2)}) * ((a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)})) / (a^6 * b^7 * e^6 * ((a + b * x)^{(1/2)} - a^{(1/2)})) + (4096 * ((a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)})^2 * (9 * B^2 * a^8 * b^4 * c^5 * e^4 - 144 * B^2 * a^{12} * c^5 * f^4 + 128 * B^2 * a^{10} * b^2 * c^5 * e^2 * f^2)) / (a^6 * b^8 * e^6 * ((a + b * x)^{(1/2)} - a^{(1/2)})^2)) / (f * (a^4 * c * f^2 - a^2 * b^2 * c * e^2)^{(1/2)}) + (458752 * B^3 * a^4 * c^5 * f * ((a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)})) / (b^7 * e^4 * ((a + b * x)^{(1/2)} - a^{(1/2)})) / (f * (a^4 * c * f^2 - a^2 * b^2 * c * e^2)^{(1/2)}) + (917504 * B^4 * a^4 * c^4 * ((a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)})^2) / (b^8 * e^4 * ((a + b * x)^{(1/2)} - a^{(1/2)})^2)) * 2i) / (f * (a^4 * c * f^2 - a^2 * b^2 * c * e^2)^{(1/2)}) - (C * e^2 * atan(((C * e^2 * ((4096 * (32 * C^3 * a^{(5/2)} * c^3 * e^2 * f^3 * (a * c)^{(5/2)} + 24 * C^3 * a^{(3/2)} * b^2 * c^4 * e^4 * f * (a * c)^{(3/2)})) / (b^8 * e^4 * f^4) + (C * e^2 * ((4096 * (16 * C^2 * a^6 * c^6 * f^6 + 9 * C^2 * a^2 * b^4 * c^6 * e^4 * f^2)) / (b^8 * e^4 * f^4) - (C * e^2 * ((4096 * (24 * C * a^{(5/2)} * b^2 * c^4 * f^7 * (a * c)^{(5/2)} - 30 * C * a^{(3/2)} * b^4 * c^5 * e^2 * f^5 * (a * c)^{(3/2)})) / (b^8 * e^4 * f^4) + (C * e^2 * ((4096 * (7 * a^4 * b^4 * c^7 * f^8 - 9 * a^2 * b^6 * c^7 * e^2 * f^6)) / (b^8 * e^4 * f^4) + (16384 * ((a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)}) * (5 * a^{(5/2)} * b^2 * c^4 * f^7 * (a * c)^{(5/2)} - 6 * a^{(3/2)} * b^4 * c^5 * e^2 * f^5 * (a * c)^{(3/2)})) / (b^7 * e^5 * f^2 * ((a + b * x)^{(1/2)} - a^{(1/2)}))) + (4096 * ((a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)})^2 * (11 * a^4 * b^4 * c^6 * f^8 - 9 * a^2 * b^6 * c^6 * e^2 * f^6)) / (b^8 * e^4 * f^4 * ((a + b * x)^{(1/2)} - a^{(1/2)})^2)) / (f^2 * (a^2 * c * f^2 - b^2 * c * e^2)^{(1/2)}) + (16384 * (20 * C * a^6 * c^6 * f^6 - 22 * C * a^4 * b^2 * c^6 * e^2 * f^4) * ((a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)})) / (b^7 * e^5 * f^2 * ((a + b * x)^{(1/2)} - a^{(1/2)})) + (4096 * (96 * C * a^{(5/2)} * b^2 * c^3 * f^7 * (a * c)^{(5/2)} - 90 * C * a^{(3/2)} * b^4 * c^4 * e^2 * f^5 * (a * c)^{(3/2)}) * ((a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)})^2) / (b^8 * e^4 * f^4 * ((a + b * x)^{(1/2)} - a^{(1/2)})^2)) / (f^2 * (a^2 * c * f^2 - b^2 * c * e^2)^{(1/2)}) + (4096 * ((a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)})^2 * (9 * C^2 * a^2 * b^4 * c^5 * e^4 * f^2 - 144 * C^2 * a^6 * c^5 * f^6 + 128 * C^2 * a^4 * b^2 * c^5 * e^2 * f^4)) / (b^8 * e^4 * f^4 * ((a + b * x)^{(1/2)} - a^{(1/2)})^2) + (16384 * ((a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)}) * (8 * C^2 * a^{(5/2)} * c^3 * e^2 * f^3 * (a * c)^{(5/2)} + 3 * C^2 * a^{(3/2)} * b^2 * c^4 * e^4 * f * (a * c)^{(3/2)})) / (b^7 * e^5 * f^2 * ((a + b * x)^{(1/2)} - a^{(1/2)}))) / (f^2 * (a^2 * c * f^2 - b^2 * c * e^2)^{(1/2)}) - (4096 * ((a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)})^2 * (32 * C^3 * a^{(5/2)} * c^2 * e^2 * f^3 * (a * c)^{(5/2)} - 96 * C^3 * a^{(3/2)} * b^2 * c^3 * e^4 * f * (a * c)^{(3/2)})) / (b^8 * e^4 * f^4 * ((a + b * x)^{(1/2)} - a^{(1/2)})^2) + (458752 * C^3 * a^4 * c^5 * ((a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)})) / (b^7 * e * f^2 * ((a + b * x)^{(1/2)} - a^{(1/2)})) * 1i) / (f^2 * (a^2 * c * f^2 - b^2 * c * e^2)^{(1/2)}) + (C * e^2 * ((4096 * (32 * C^3 * a^{(5/2)} * c^3 * e^2 * f^3 * (a * c)^{(5/2)} + 24 * C
\end{aligned}$$

$$\begin{aligned}
& a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})) / (b^7*e*f^2*((a + b*x)^{(1/2)} - a^{(1/2)})) \\
&) / (f^2*(a^2*c*f^2 - b^2*c*e^2)^{(1/2)}) - (C*e^2*((4096*(32*C^3*a^{(5/2)}*c^3*e \\
& ^2*f^3*(a*c)^{(5/2)} + 24*C^3*a^{(3/2)}*b^2*c^4*e^4*f*(a*c)^{(3/2)})) / (b^8*e^4*f^4 \\
& - (C*e^2*((4096*(16*C^2*a^6*c^6*f^6 + 9*C^2*a^2*b^4*c^6*e^4*f^2)) / (b^8*e \\
& ^4*f^4) + (C*e^2*((4096*(24*C*a^{(5/2)}*b^2*c^4*f^7*(a*c)^{(5/2)} - 30*C*a^{(3/2)} \\
&)*b^4*c^5*e^2*f^5*(a*c)^{(3/2)})) / (b^8*e^4*f^4) - (C*e^2*((4096*(7*a^4*b^4*c^ \\
& 7*f^8 - 9*a^2*b^6*c^7*e^2*f^6)) / (b^8*e^4*f^4) + (16384*((a*c - b*c*x)^{(1/2)} \\
& - (a*c)^{(1/2)})*(5*a^{(5/2)}*b^2*c^4*f^7*(a*c)^{(5/2)} - 6*a^{(3/2)}*b^4*c^5*e^2* \\
& f^5*(a*c)^{(3/2)})) / (b^7*e^5*f^2*((a + b*x)^{(1/2)} - a^{(1/2)})) + (4096*((a*c - \\
& b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2*(11*a^4*b^4*c^6*f^8 - 9*a^2*b^6*c^6*e^2*f^6) \\
&) / (b^8*e^4*f^4*((a + b*x)^{(1/2)} - a^{(1/2)})^2)) / (f^2*(a^2*c*f^2 - b^2*c*e^2) \\
&)^{(1/2)} + (16384*(20*C*a^6*c^6*f^6 - 22*C*a^4*b^2*c^6*e^2*f^4))*((a*c - b*c \\
& *x)^{(1/2)} - (a*c)^{(1/2)}) / (b^7*e^5*f^2*((a + b*x)^{(1/2)} - a^{(1/2)})) + (4096 \\
& *(96*C*a^{(5/2)}*b^2*c^3*f^7*(a*c)^{(5/2)} - 90*C*a^{(3/2)}*b^4*c^4*e^2*f^5*(a*c) \\
& ^{(3/2)}))*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2 / (b^8*e^4*f^4*((a + b*x)^{(1/2)} \\
& - a^{(1/2)})^2)) / (f^2*(a^2*c*f^2 - b^2*c*e^2)^{(1/2)} + (4096*((a*c - b*c*x \\
&)^{(1/2)} - (a*c)^{(1/2)})^2*(9*C^2*a^2*b^4*c^5*e^4*f^2 - 144*C^2*a^6*c^5*f^6 + \\
& 128*C^2*a^4*b^2*c^5*e^2*f^4)) / (b^8*e^4*f^4*((a + b*x)^{(1/2)} - a^{(1/2)})^2) \\
& + (16384*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})*(8*C^2*a^{(5/2)}*c^3*e^2*f^3*(a* \\
& c)^{(5/2)} + 3*C^2*a^{(3/2)}*b^2*c^4*e^4*f*(a*c)^{(3/2)})) / (b^7*e^5*f^2*((a + b*x \\
&)^{(1/2)} - a^{(1/2)})) / (f^2*(a^2*c*f^2 - b^2*c*e^2)^{(1/2)} - (4096*((a*c - b \\
& *c*x)^{(1/2)} - (a*c)^{(1/2)})^2*(32*C^3*a^{(5/2)}*c^2*e^2*f^3*(a*c)^{(5/2)} - 96*C \\
& ^3*a^{(3/2)}*b^2*c^3*e^4*f*(a*c)^{(3/2)})) / (b^8*e^4*f^4*((a + b*x)^{(1/2)} - a^{(1 \\
& /2)})^2) + (458752*C^3*a^4*c^5*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})) / (b^7*e*f \\
& ^2*((a + b*x)^{(1/2)} - a^{(1/2)})) / (f^2*(a^2*c*f^2 - b^2*c*e^2)^{(1/2)} + (91 \\
& 7504*C^4*a^4*c^4*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2 / (b^8*f^4*((a + b*x) \\
& ^{(1/2)} - a^{(1/2)})^2)) * 2i) / (f^2*(a^2*c*f^2 - b^2*c*e^2)^{(1/2)} - (4*B*atan(\\
& (67108864*B^5*a^16*c^7*f^4*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})) / (((a + b*x) \\
& ^{(1/2)} - a^{(1/2)})*(67108864*B^5*a^16*c^{(15/2)}*f^4 + 37748736*B^5*a^12*b^4*c \\
& ^{(15/2)}*e^4 - 100663296*B^5*a^14*b^2*c^{(15/2)}*e^2*f^2)) + (37748736*B^5*a^1 \\
& 2*b^4*c^7*e^4*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})) / (((a + b*x)^{(1/2)} - a^{(1 \\
& /2)})*(67108864*B^5*a^16*c^{(15/2)}*f^4 + 37748736*B^5*a^12*b^4*c^{(15/2)}*e^4 - \\
& 100663296*B^5*a^14*b^2*c^{(15/2)}*e^2*f^2)) - (100663296*B^5*a^14*b^2*c^7*e^ \\
& 2*f^2*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})) / (((a + b*x)^{(1/2)} - a^{(1/2)})*(67 \\
& 108864*B^5*a^16*c^{(15/2)}*f^4 + 37748736*B^5*a^12*b^4*c^{(15/2)}*e^4 - 1006632 \\
& 96*B^5*a^14*b^2*c^{(15/2)}*e^2*f^2)) / (b*c^{(1/2)}*f) - (A*a*atan((a*c*(a*c - \\
& b*c*x)^{(1/2)}*(a^4*c*f^2 - a^2*b^2*c*e^2)^{(1/2)}*2i - (a*c)^{(3/2)}*(a^4*c*f^2 \\
& - a^2*b^2*c*e^2)^{(1/2)}*1i + a*c*(a*c)^{(1/2)}*(a^4*c*f^2 - a^2*b^2*c*e^2)^{(1/ \\
& 2)}*1i + b*c*x*(a*c)^{(1/2)}*(a^4*c*f^2 - a^2*b^2*c*e^2)^{(1/2)}*2i - a^{(1/2)}*c* \\
& (a*c)^{(1/2)}*(a^4*c*f^2 - a^2*b^2*c*e^2)^{(1/2)}*(a + b*x)^{(1/2)}*2i) / (2*a^{(5/2)} \\
&)*b*c^2*e - 2*a^3*c^2*f*(a + b*x)^{(1/2)} - 2*a^2*b*c^2*e*(a + b*x)^{(1/2)} + 2 \\
& *a^{(5/2)}*b*c^2*f*x + 2*a^{(5/2)}*c*f*(a*c - b*c*x)^{(1/2)}*(a*c)^{(1/2)} - 2*a^{(3 \\
& /2)}*b*c*e*(a*c - b*c*x)^{(1/2)}*(a*c)^{(1/2)} + 2*a*b*c*e*(a*c - b*c*x)^{(1/2)}*(\\
& a*c)^{(1/2)}*(a + b*x)^{(1/2)})) * 2i) / (a^4*c*f^2 - a^2*b^2*c*e^2)^{(1/2)} + (4*C*e \\
& *atan((67108864*C^5*a^8*c^7*f^4*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})) / (((a +
\end{aligned}$$

```

b*x)^(1/2) - a^(1/2))*(67108864*C^5*a^8*c^(15/2)*f^4 + 37748736*C^5*a^4*b^
4*c^(15/2)*e^4 - 100663296*C^5*a^6*b^2*c^(15/2)*e^2*f^2)) + (37748736*C^5*a
^4*b^4*c^7*e^4*((a*c - b*c*x)^(1/2) - (a*c)^(1/2)))/(((a + b*x)^(1/2) - a^(
1/2))*(67108864*C^5*a^8*c^(15/2)*f^4 + 37748736*C^5*a^4*b^4*c^(15/2)*e^4 -
100663296*C^5*a^6*b^2*c^(15/2)*e^2*f^2)) - (100663296*C^5*a^6*b^2*c^7*e^2*f
^2*((a*c - b*c*x)^(1/2) - (a*c)^(1/2)))/(((a + b*x)^(1/2) - a^(1/2))*(67108
864*C^5*a^8*c^(15/2)*f^4 + 37748736*C^5*a^4*b^4*c^(15/2)*e^4 - 100663296*C
^5*a^6*b^2*c^(15/2)*e^2*f^2)))/((b*c^(1/2)*f^2) - (8*C*a^(1/2)*(a*c)^(1/2)*(
(a*c - b*c*x)^(1/2) - (a*c)^(1/2))^2)/(b^2*f*((a + b*x)^(1/2) - a^(1/2))^2*
(((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^4/((a + b*x)^(1/2) - a^(1/2))^4 + c^2
+ (2*c*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^2)/((a + b*x)^(1/2) - a^(1/2))^2
))

```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x**2+B*x+A)/(f*x+e)/(b*x+a)**(1/2)/(-b*c*x+a*c)**(1/2),x)

[Out] Timed out

$$3.32 \quad \int \frac{A+Bx+Cx^2}{\sqrt{a+bx} \sqrt{ac-bcx} (e+fx)^2} dx$$

Optimal. Leaf size=322

$$\frac{f(a^2 - b^2x^2) \left(A + \frac{e(Ce-Bf)}{f^2} \right) \sqrt{a^2c - b^2cx^2} (a^2f^2(2Ce - Bf) - b^2(Ce^3 - Aef^2)) \tan^{-1} \left(\frac{\sqrt{c}(a^2)}{\sqrt{a^2c - b^2cx^2}} \right)}{\sqrt{a+bx}(e+fx)\sqrt{ac-bcx} (b^2e^2 - a^2f^2)} + \frac{\sqrt{c} f^2 \sqrt{a+bx} \sqrt{ac-bcx} (b^2e^2 - a^2f^2)^{3/2}}{\sqrt{c} f^2 \sqrt{a+bx} \sqrt{ac-bcx} (b^2e^2 - a^2f^2)^{3/2}}$$

[Out] $f*(A+e*(-B*f+C*e)/f^2)*(-b^2*x^2+a^2)/(-a^2*f^2+b^2*e^2)/(f*x+e)/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2)+C*\arctan(b*x*c^(1/2)/(-b^2*c*x^2+a^2*c)^(1/2))*(-b^2*c*x^2+a^2*c)^(1/2)/b/f^2/c^(1/2)/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2)+(a^2*f^2*(-B*f+2*C*e)-b^2*(-A*e*f^2+C*e^3))*\arctan((b^2*e*x+a^2*f)*c^(1/2)/(-a^2*f^2+b^2*e^2)^(1/2)/(-b^2*c*x^2+a^2*c)^(1/2))*(-b^2*c*x^2+a^2*c)^(1/2)/f^2/(-a^2*f^2+b^2*e^2)^(3/2)/c^(1/2)/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2)$

Rubi [A] time = 0.53, antiderivative size = 322, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.175$, Rules used = {1610, 1651, 844, 217, 203, 725, 204}

$$\frac{f(a^2 - b^2x^2) \left(A + \frac{e(Ce-Bf)}{f^2} \right) \sqrt{a^2c - b^2cx^2} (a^2f^2(2Ce - Bf) - b^2(Ce^3 - Aef^2)) \tan^{-1} \left(\frac{\sqrt{c}(a^2)}{\sqrt{a^2c - b^2cx^2}} \right)}{\sqrt{a+bx}(e+fx)\sqrt{ac-bcx} (b^2e^2 - a^2f^2)} + \frac{\sqrt{c} f^2 \sqrt{a+bx} \sqrt{ac-bcx} (b^2e^2 - a^2f^2)^{3/2}}{\sqrt{c} f^2 \sqrt{a+bx} \sqrt{ac-bcx} (b^2e^2 - a^2f^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*x + C*x^2)/(Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)^2), x]

[Out] $(f*(A + (e*(C*e - B*f))/f^2)*(a^2 - b^2*x^2))/((b^2*e^2 - a^2*f^2)*\text{Sqrt}[a + b*x]*\text{Sqrt}[a*c - b*c*x]*(e + f*x)) + (C*\text{Sqrt}[a^2*c - b^2*c*x^2]*\text{ArcTan}[(b*\text{Sqrt}[c]*x)/\text{Sqrt}[a^2*c - b^2*c*x^2]])/(b*\text{Sqrt}[c]*f^2*\text{Sqrt}[a + b*x]*\text{Sqrt}[a*c - b*c*x]) + ((a^2*f^2*(2*C*e - B*f) - b^2*(C*e^3 - A*e*f^2))*\text{Sqrt}[a^2*c - b^2*c*x^2]*\text{ArcTan}[(\text{Sqrt}[c]*(a^2*f + b^2*e*x))/(\text{Sqrt}[b^2*e^2 - a^2*f^2]*\text{Sqrt}[a^2*c - b^2*c*x^2])])/(f^2*(b^2*e^2 - a^2*f^2)^(3/2)*\text{Sqrt}[a + b*x]*\text{Sqrt}[a*c - b*c*x])$

Rule 203

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[Rt[b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 725

```
Int[1/(((d_) + (e_)*(x_))*Sqrt[(a_) + (c_)*(x_)^2]), x_Symbol] := -Subst[Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ[{a, c, d, e}, x]
```

Rule 844

```
Int[((d_) + (e_)*(x_)^m)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^p, x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 1610

```
Int[(Px)*((a_) + (b_)*(x_)^m)*((c_) + (d_)*(x_)^n)*((e_) + (f_)*(x_)^p), x_Symbol] := Dist[((a + b*x)^FracPart[m]*(c + d*x)^FracPart[m])/(a*c + b*d*x^2)^FracPart[m], Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*d, 0] && EqQ[m, n] && !IntegerQ[m]
```

Rule 1651

```
Int[(Pq)*((d_) + (e_)*(x_)^m)*((a_) + (c_)*(x_)^2)^p, x_Symbol] := With[{Q = PolynomialQuotient[Pq, d + e*x, x], R = PolynomialRemainder[Pq, d + e*x, x]}, Simp[(e*R*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/((m + 1)*(c*d^2 + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p*ExpandToSum[(m + 1)*(c*d^2 + a*e^2)*Q + c*d*R*(m + 1) - c*e*R*(m + 2*p + 3)*x, x], x]] /; FreeQ[{a, c, d, e, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && LtQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + Bx + Cx^2}{\sqrt{a + bx} \sqrt{ac - bcx} (e + fx)^2} dx &= \frac{\sqrt{a^2c - b^2cx^2} \int \frac{A+Bx+Cx^2}{(e+fx)^2 \sqrt{a^2c - b^2cx^2}} dx}{\sqrt{a + bx} \sqrt{ac - bcx}} \\
&= \frac{f \left(A + \frac{e(Ce-Bf)}{f^2} \right) (a^2 - b^2x^2)}{(b^2e^2 - a^2f^2) \sqrt{a + bx} \sqrt{ac - bcx} (e + fx)} + \frac{\sqrt{a^2c - b^2cx^2} \int \frac{c(Ab^2e+a^2(Ce-Bf))}{(e+fx)^2}}{c(b^2e^2 - a^2f^2) \sqrt{a + bx}} \\
&= \frac{f \left(A + \frac{e(Ce-Bf)}{f^2} \right) (a^2 - b^2x^2)}{(b^2e^2 - a^2f^2) \sqrt{a + bx} \sqrt{ac - bcx} (e + fx)} + \frac{\left(C \left(\frac{b^2e^2}{f} - a^2f \right) \sqrt{a^2c - b^2cx^2}}{f(b^2e^2 - a^2f^2) \sqrt{a + bx}} \right)}{f(b^2e^2 - a^2f^2)} \\
&= \frac{f \left(A + \frac{e(Ce-Bf)}{f^2} \right) (a^2 - b^2x^2)}{(b^2e^2 - a^2f^2) \sqrt{a + bx} \sqrt{ac - bcx} (e + fx)} + \frac{\left(C \left(\frac{b^2e^2}{f} - a^2f \right) \sqrt{a^2c - b^2cx^2}}{f(b^2e^2 - a^2f^2)} \right)}{f(b^2e^2 - a^2f^2)} \\
&= \frac{f \left(A + \frac{e(Ce-Bf)}{f^2} \right) (a^2 - b^2x^2)}{(b^2e^2 - a^2f^2) \sqrt{a + bx} \sqrt{ac - bcx} (e + fx)} + \frac{C\sqrt{a^2c - b^2cx^2} \tan^{-1} \left(\frac{b\sqrt{c}}{\sqrt{a^2c - b^2cx^2}} \right)}{b\sqrt{c} f^2 \sqrt{a + bx} \sqrt{ac - bcx}}
\end{aligned}$$

Mathematica [A] time = 0.79, size = 309, normalized size = 0.96

$$\frac{2b^2e\sqrt{a-bx}(f(Af-Be)+Ce^2)\tanh^{-1}\left(\frac{\sqrt{a-bx}\sqrt{be-af}}{\sqrt{a+bx}\sqrt{-af-be}}\right)}{(-af-be)^{3/2}(be-af)^{3/2}} + \frac{f(bx-a)\sqrt{a+bx}(f(Af-Be)+Ce^2)}{(e+fx)(af-be)(af+be)} - \frac{2\sqrt{a-bx}(2Ce-Bf)\tanh^{-1}\left(\frac{\sqrt{a-bx}\sqrt{be-af}}{\sqrt{a+bx}\sqrt{-af-be}}\right)}{\sqrt{-af-be}\sqrt{be-af}} - \frac{2C\sqrt{a-bx}}{f^2\sqrt{c(a-bx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*x + C*x^2)/(Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)^2), x]

[Out] (((f*(C*e^2 + f*(-(B*e) + A*f))*(-a + b*x)*Sqrt[a + b*x])/((-b*e) + a*f)*(b*e + a*f)*(e + f*x)) - (2*C*Sqrt[a - b*x]*ArcTan[Sqrt[a - b*x]/Sqrt[a + b*x]])/b - (2*(2*C*e - B*f)*Sqrt[a - b*x]*ArcTanh[(Sqrt[b*e - a*f]*Sqrt[a - b*x])/(Sqrt[-(b*e) - a*f]*Sqrt[a + b*x])])/(Sqrt[-(b*e) - a*f]*Sqrt[b*e - a*f]) - (2*b^2*e*(C*e^2 + f*(-(B*e) + A*f))*Sqrt[a - b*x]*ArcTanh[(Sqrt[b*e - a*f]*Sqrt[a - b*x])/(Sqrt[-(b*e) - a*f]*Sqrt[a + b*x])])/((-(b*e) - a*f)^(3/2)*(b*e - a*f)^(3/2)))/(f^2*Sqrt[c*(a - b*x)])

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

$$\frac{(2) * c / f^2)^{(1/2)} * C * e^{2 * f^2} * (- (b * x - a) * c)^{(1/2)} * (b * x + a)^{(1/2)} / (- (b^2 * x^2 - a^2) * c)^{(1/2)} / (a * f - b * e) / (b^2 * c)^{(1/2)} / (a * f + b * e) / (f * x + e) / ((a^2 * f^2 - b^2 * e^2) * c / f^2)^{(1/2)} / c / f^3$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)/(f*x+e)^2/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x, algorith="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume((4*b^2*c>0)', see `assume?` for more details)Is (4*b^2*c * (a^2*c - (b^2*c*e^2) / f^2) / f^2 + (4*b^4*c^2*e^2) / f^4 zero or nonzero?

mupad [B] time = 19.40, size = 106511, normalized size = 330.78

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*x + C*x^2)/((e + f*x)^2*(a*c - b*c*x)^(1/2)*(a + b*x)^(1/2)),x)

[Out] ((4*B*a^2*f*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^3)/(((a + b*x)^(1/2) - a^(1/2))^3*(b^3*e^3 - a^2*b*e*f^2)) + (8*B*a^(1/2)*(a*c)^(1/2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^2)/((a^2*f^2 - b^2*e^2)*((a + b*x)^(1/2) - a^(1/2))^2) - (4*B*a^2*c*f*((a*c - b*c*x)^(1/2) - (a*c)^(1/2)))/(((a + b*x)^(1/2) - a^(1/2))* (b^3*e^3 - a^2*b*e*f^2)))/(((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^4/((a + b*x)^(1/2) - a^(1/2))^4 + c^2 + (2*c*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^2)/((a + b*x)^(1/2) - a^(1/2))^2 - (4*a^(1/2)*f*(a*c)^(1/2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^3)/(b*e*((a + b*x)^(1/2) - a^(1/2))^3) + (4*a^(1/2)*c*f*(a*c)^(1/2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2)))/ (b*e*((a + b*x)^(1/2) - a^(1/2)))) - ((4*C*a^2*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^3)/((b^3*e^2 - a^2*b*f^2)*((a + b*x)^(1/2) - a^(1/2))^3) - (4*C*a^2*c*((a*c - b*c*x)^(1/2) - (a*c)^(1/2)))/((b^3*e^2 - a^2*b*f^2)*((a + b*x)^(1/2) - a^(1/2)))) + (8*C*a^(1/2)*e*(a*c)^(1/2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^2)/((a^2*f^3 - b^2*e^2*f)*((a + b*x)^(1/2) - a^(1/2))^2))/(((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^4/((a + b*x)^(1/2) - a^(1/2))^4 + c^2 + (2*c*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^2)/((a + b*x)^(1/2) - a^(1/2))^2 - (4*a^(1/2)*f*(a*c)^(1/2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^3)/(b*e*((a + b*x)^(1/2) - a^(1/2))^3) + (4*a^(1/2)*c*f*(a*c)^(1/2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2)))/ (b*e*((a + b*x)^(1/2) - a^(1/2)))) + ((4*A*a^2*c*f^2*((a*c - b*c*x)^(1/2) - (a*c)^(1/2)))/ ((b^3*e^4 - a^2*b*e^2*f^2)*((a + b*x)^(1/2) - a^(1/2))) - (4*A*a^2*f^2*((a*c

$$\begin{aligned}
& \left. \right) \left. \right) \left. \right) / \left((a*f + b*e) * (a*f - b*e) * (b^2*c*e^2 - a^2*c*f^2)^{(1/2)} \right) - \left(C*e * (2*a^2*f^2 - b^2*e^2) * (2*\operatorname{atan}(\left((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)} \right)^2 * \left((8*a^4*b^6*c^4*e^6*f^4 * \left((4096*C^3*e^3*(2*a^2*f^2 - b^2*e^2)^3 * (136*C*a^{(21/2)}*b^2*c^3*e*f^{15}*(a*c)^{(5/2)} - 90*C*a^{(3/2)}*b^{12}*c^4*e^{11}*f^5*(a*c)^{(3/2)} + 96*C*a^{(5/2)}*b^{10}*c^3*e^9*f^7*(a*c)^{(5/2)} + 394*C*a^{(7/2)}*b^{10}*c^4*e^9*f^7*(a*c)^{(3/2)} \right) - 424*C*a^{(9/2)}*b^8*c^3*e^7*f^9*(a*c)^{(5/2)} - 642*C*a^{(11/2)}*b^8*c^4*e^7*f^9*(a*c)^{(3/2)} + 696*C*a^{(13/2)}*b^6*c^3*e^5*f^{11}*(a*c)^{(5/2)} + 462*C*a^{(15/2)}*b^6*c^4*e^5*f^{11}*(a*c)^{(3/2)} - 504*C*a^{(17/2)}*b^4*c^3*e^3*f^{13}*(a*c)^{(5/2)} - 124*C*a^{(19/2)}*b^4*c^4*e^3*f^{13}*(a*c)^{(3/2)} \right) \right) / \left(f^6 * (a*f + b*e)^3 * (a*f - b*e)^3 * (b^2*c*e^2 - a^2*c*f^2)^{(3/2)} * (b^{16}*e^{14}*f^4 - 4*a^2*b^{14}*e^{12}*f^6 + 6*a^4*b^{12}*e^{10}*f^8 - 4*a^6*b^{10}*e^8*f^{10} + a^8*b^8*e^6*f^{12}) \right) - \left(4096 * C*e * (2*a^2*f^2 - b^2*e^2) * (64*C^3*a^{(21/2)}*c^2*e*f^{11}*(a*c)^{(5/2)} + 32*C^3*a^{(5/2)}*b^8*c^2*e^9*f^3*(a*c)^{(5/2)} + 600*C^3*a^{(7/2)}*b^8*c^3*e^9*f^3*(a*c)^{(3/2)} - 160*C^3*a^{(9/2)}*b^6*c^2*e^7*f^5*(a*c)^{(5/2)} - 1376*C^3*a^{(11/2)}*b^6*c^3*e^7*f^5*(a*c)^{(3/2)} + 288*C^3*a^{(13/2)}*b^4*c^2*e^5*f^7*(a*c)^{(5/2)} + 1368*C^3*a^{(15/2)}*b^4*c^3*e^5*f^7*(a*c)^{(3/2)} - 224*C^3*a^{(17/2)}*b^2*c^2*e^3*f^9*(a*c)^{(5/2)} - 496*C^3*a^{(19/2)}*b^2*c^3*e^3*f^9*(a*c)^{(3/2)} - 96*C^3*a^{(3/2)}*b^{10}*c^3*e^{11}*f*(a*c)^{(3/2)} \right) \right) / \left(f^2 * (a*f + b*e) * (a*f - b*e) * (b^2*c*e^2 - a^2*c*f^2)^{(1/2)} * (b^{16}*e^{14}*f^4 - 4*a^2*b^{14}*e^{12}*f^6 + 6*a^4*b^{12}*e^{10}*f^8 - 4*a^6*b^{10}*e^8*f^{10} + a^8*b^8*e^6*f^{12}) \right) * \left(4*a^2*c*f^2 - 3*b^2*c*e^2 \right) * \left(4*a^6*c*f^6 - 3*b^6*c*e^6 + 8*a^2*b^4*c*e^4*f^2 - 8*a^4*b^2*c*e^2*f^4 \right)^4 / \left(164025*b^{46}*c^{13}*e^{46} + 885735*b^{44}*c^{12}*e^{44}*(a^2*c*f^2 - b^2*c*e^2) + 117440512*a^{30}*c^5*f^{30}*(a^2*c*f^2 - b^2*c*e^2)^8 - 385875968*a^{32}*c^6*f^{32}*(a^2*c*f^2 - b^2*c*e^2)^7 + 419430400*a^{34}*c^7*f^{34}*(a^2*c*f^2 - b^2*c*e^2)^6 - 150994944*a^{36}*c^8*f^{36}*(a^2*c*f^2 - b^2*c*e^2)^5 + 236196*b^{36}*c^8*e^{36}*(a^2*c*f^2 - b^2*c*e^2)^5 + 1102248*b^{38}*c^9*e^{38}*(a^2*c*f^2 - b^2*c*e^2)^4 + 2053593*b^{40}*c^{10}*e^{40}*(a^2*c*f^2 - b^2*c*e^2)^3 + 1909251*b^{42}*c^{11}*e^{42}*(a^2*c*f^2 - b^2*c*e^2)^2 - 3937329*a^2*b^{44}*c^{13}*e^{44}*f^2 + 43893819*a^4*b^{42}*c^{13}*e^{42}*f^4 - 301507155*a^6*b^{40}*c^{13}*e^{40}*f^6 + 1427514656*a^8*b^{38}*c^{13}*e^{38}*f^8 - 4936911112*a^{10}*b^{36}*c^{13}*e^{36}*f^{10} + 12893273616*a^{12}*b^{34}*c^{13}*e^{34}*f^{12} - 25921630432*a^{14}*b^{32}*c^{13}*e^{32}*f^{14} + 40519286096*a^{16}*b^{30}*c^{13}*e^{30}*f^{16} - 49376608256*a^{18}*b^{28}*c^{13}*e^{28}*f^{18} + 46721401856*a^{20}*b^{26}*c^{13}*e^{26}*f^{20} - 33946324736*a^{22}*b^{24}*c^{13}*e^{24}*f^{22} + 18556579328*a^{24}*b^{22}*c^{13}*e^{22}*f^{24} - 7375276032*a^{26}*b^{20}*c^{13}*e^{20}*f^{26} + 2009817088*a^{28}*b^{18}*c^{13}*e^{18}*f^{28} - 335642624*a^{30}*b^{16}*c^{13}*e^{16}*f^{30} + 25907200*a^{32}*b^{14}*c^{13}*e^{14}*f^{32} - 21130794*a^2*b^{42}*c^{12}*e^{42}*f^2*(a^2*c*f^2 - b^2*c*e^2) + 234399015*a^4*b^{40}*c^{12}*e^{40}*f^4*(a^2*c*f^2 - b^2*c*e^2) - 1604168280*a^6*b^{38}*c^{12}*e^{38}*f^6*(a^2*c*f^2 - b^2*c*e^2) + 7579098492*a^8*b^{36}*c^{12}*e^{36}*f^8*(a^2*c*f^2 - b^2*c*e^2) - 26212380172*a^{10}*b^{34}*c^{12}*e^{34}*f^{10}*(a^2*c*f^2 - b^2*c*e^2) + 68672994096*a^{12}*b^{32}*c^{12}*e^{32}*f^{12}*(a^2*c*f^2 - b^2*c*e^2) - 139160589504*a^{14}*b^{30}*c^{12}*e^{30}*f^{14}*(a^2*c*f^2 - b^2*c*e^2) + 220859191808*a^{16}*b^{28}*c^{12}*e^{28}*f^{16}*(a^2*c*f^2 - b^2*c*e^2) - 276344315328*a^{18}*b^{26}*c^{12}*e^{26}*f^{18}*(a^2*c*f^2 - b^2*c*e^2) + 273130561984*a^{20}*b^{24}*c^{12}*e^{24}*f^{20}*(a^2*c*f^2 - b^2*c*e^2) - 212730002688*a^{22}*b^{22}*c^{12}*e^{22}*f^{22}*(a^2*c*f^2 - b^2*c*e^2) + 129574234368*a^{24}*b^{20}*c^{12}*e^{20}*f^{24}*(a^2*c*f^2 - b^2*c*e^2) \right)
\end{aligned}$$

$$\begin{aligned}
& 24*(a^2*c*f^2 - b^2*c*e^2) - 60770569216*a^26*b^18*c^12*e^18*f^26*(a^2*c*f^2 - b^2*c*e^2) + 21304706048*a^28*b^16*c^12*e^16*f^28*(a^2*c*f^2 - b^2*c*e^2) - 5272965120*a^30*b^14*c^12*e^14*f^30*(a^2*c*f^2 - b^2*c*e^2) + 819441664*a^32*b^12*c^12*e^12*f^32*(a^2*c*f^2 - b^2*c*e^2) - 59392000*a^34*b^10*c^12*e^10*f^34*(a^2*c*f^2 - b^2*c*e^2) + 9289728*a^6*b^24*c^5*e^24*f^6*(a^2*c*f^2 - b^2*c*e^2)^8 - 36884480*a^8*b^22*c^5*e^22*f^8*(a^2*c*f^2 - b^2*c*e^2)^8 - 278604800*a^10*b^20*c^5*e^20*f^10*(a^2*c*f^2 - b^2*c*e^2)^8 + 2774483200*a^12*b^18*c^5*e^18*f^12*(a^2*c*f^2 - b^2*c*e^2)^8 - 10869657600*a^14*b^16*c^5*e^16*f^14*(a^2*c*f^2 - b^2*c*e^2)^8 + 25237416960*a^16*b^14*c^5*e^14*f^16*(a^2*c*f^2 - b^2*c*e^2)^8 - 38348909568*a^18*b^12*c^5*e^12*f^18*(a^2*c*f^2 - b^2*c*e^2)^8 + 39084659712*a^20*b^10*c^5*e^10*f^20*(a^2*c*f^2 - b^2*c*e^2)^8 - 26118635520*a^22*b^8*c^5*e^8*f^22*(a^2*c*f^2 - b^2*c*e^2)^8 + 10414620672*a^24*b^6*c^5*e^6*f^24*(a^2*c*f^2 - b^2*c*e^2)^8 - 1708654592*a^26*b^4*c^5*e^4*f^26*(a^2*c*f^2 - b^2*c*e^2)^8 - 276561920*a^28*b^2*c^5*e^2*f^28*(a^2*c*f^2 - b^2*c*e^2)^8 - 9704448*a^4*b^28*c^6*e^28*f^4*(a^2*c*f^2 - b^2*c*e^2)^7 + 260614656*a^6*b^26*c^6*e^26*f^6*(a^2*c*f^2 - b^2*c*e^2)^7 - 2166022464*a^8*b^24*c^6*e^24*f^8*(a^2*c*f^2 - b^2*c*e^2)^7 + 8626147840*a^10*b^22*c^6*e^22*f^10*(a^2*c*f^2 - b^2*c*e^2)^7 - 16771503616*a^12*b^20*c^6*e^20*f^12*(a^2*c*f^2 - b^2*c*e^2)^7 + 3301800960*a^14*b^18*c^6*e^18*f^14*(a^2*c*f^2 - b^2*c*e^2)^7 + 67337715968*a^16*b^16*c^6*e^16*f^16*(a^2*c*f^2 - b^2*c*e^2)^7 - 189857873920*a^18*b^14*c^6*e^14*f^18*(a^2*c*f^2 - b^2*c*e^2)^7 + 286100259840*a^20*b^12*c^6*e^12*f^20*(a^2*c*f^2 - b^2*c*e^2)^7 - 275789894656*a^22*b^10*c^6*e^10*f^22*(a^2*c*f^2 - b^2*c*e^2)^7 + 173716537344*a^24*b^8*c^6*e^8*f^24*(a^2*c*f^2 - b^2*c*e^2)^7 - 67416424448*a^26*b^6*c^6*e^6*f^26*(a^2*c*f^2 - b^2*c*e^2)^7 + 12831686656*a^28*b^4*c^6*e^4*f^28*(a^2*c*f^2 - b^2*c*e^2)^7 + 222560256*a^30*b^2*c^6*e^2*f^30*(a^2*c*f^2 - b^2*c*e^2)^7 + 2099520*a^2*b^32*c^7*e^32*f^2*(a^2*c*f^2 - b^2*c*e^2)^6 - 107014608*a^4*b^30*c^7*e^30*f^4*(a^2*c*f^2 - b^2*c*e^2)^6 + 1848335616*a^6*b^28*c^7*e^28*f^6*(a^2*c*f^2 - b^2*c*e^2)^6 - 15200005312*a^8*b^26*c^7*e^26*f^8*(a^2*c*f^2 - b^2*c*e^2)^6 + 72612273792*a^10*b^24*c^7*e^24*f^10*(a^2*c*f^2 - b^2*c*e^2)^6 - 221855779968*a^12*b^22*c^7*e^22*f^12*(a^2*c*f^2 - b^2*c*e^2)^6 + 450717857536*a^14*b^20*c^7*e^20*f^14*(a^2*c*f^2 - b^2*c*e^2)^6 - 600578910208*a^16*b^18*c^7*e^18*f^16*(a^2*c*f^2 - b^2*c*e^2)^6 + 459464530688*a^18*b^16*c^7*e^16*f^18*(a^2*c*f^2 - b^2*c*e^2)^6 - 33638947840*a^20*b^14*c^7*e^14*f^20*(a^2*c*f^2 - b^2*c*e^2)^6 - 376299926528*a^22*b^12*c^7*e^12*f^22*(a^2*c*f^2 - b^2*c*e^2)^6 + 488874068992*a^24*b^10*c^7*e^10*f^24*(a^2*c*f^2 - b^2*c*e^2)^6 - 333407809536*a^26*b^8*c^7*e^8*f^26*(a^2*c*f^2 - b^2*c*e^2)^6 + 134140313600*a^28*b^6*c^7*e^6*f^28*(a^2*c*f^2 - b^2*c*e^2)^6 - 28220915712*a^30*b^4*c^7*e^4*f^30*(a^2*c*f^2 - b^2*c*e^2)^6 + 1230503936*a^32*b^2*c^7*e^2*f^32*(a^2*c*f^2 - b^2*c*e^2)^6 + 3335904*a^2*b^34*c^8*e^34*f^2*(a^2*c*f^2 - b^2*c*e^2)^5 - 290521728*a^4*b^32*c^8*e^32*f^4*(a^2*c*f^2 - b^2*c*e^2)^5 + 4865684544*a^6*b^30*c^8*e^30*f^6*(a^2*c*f^2 - b^2*c*e^2)^5 - 40437394528*a^8*b^28*c^8*e^28*f^8*(a^2*c*f^2 - b^2*c*e^2)^5 + 205602254656*a^10*b^26*c^8*e^26*f^10*(a^2*c*f^2 - b^2*c*e^2)^5 - 703885344192*a^12*b^24*c^8*e^24*f^12*(a^2*c*f^2 - b^2*c*e^2)^5 + 1709253482624*a^14*b^22*c^8*e^22*f^14*(a
\end{aligned}$$

$$\begin{aligned}
& ^2*c*f^2 - b^2*c*e^2)^5 - 3029282695168*a^16*b^20*c^8*e^20*f^16*(a^2*c*f^2 \\
& - b^2*c*e^2)^5 + 3966230827520*a^18*b^18*c^8*e^18*f^18*(a^2*c*f^2 - b^2*c*e \\
& ^2)^5 - 3822339813632*a^20*b^16*c^8*e^16*f^20*(a^2*c*f^2 - b^2*c*e^2)^5 + 2 \\
& 640438056960*a^22*b^14*c^8*e^14*f^22*(a^2*c*f^2 - b^2*c*e^2)^5 - 1208501415 \\
& 936*a^24*b^12*c^8*e^12*f^24*(a^2*c*f^2 - b^2*c*e^2)^5 + 269338092544*a^26*b \\
& ^10*c^8*e^10*f^26*(a^2*c*f^2 - b^2*c*e^2)^5 + 53783212032*a^28*b^8*c^8*e^8* \\
& f^28*(a^2*c*f^2 - b^2*c*e^2)^5 - 60985360384*a^30*b^6*c^8*e^6*f^30*(a^2*c*f \\
& ^2 - b^2*c*e^2)^5 + 17917083648*a^32*b^4*c^8*e^4*f^32*(a^2*c*f^2 - b^2*c*e^ \\
& 2)^5 - 1558708224*a^34*b^2*c^8*e^2*f^34*(a^2*c*f^2 - b^2*c*e^2)^5 - 1191769 \\
& 2*a^2*b^36*c^9*e^36*f^2*(a^2*c*f^2 - b^2*c*e^2)^4 - 224907516*a^4*b^34*c^9* \\
& e^34*f^4*(a^2*c*f^2 - b^2*c*e^2)^4 + 5303932560*a^6*b^32*c^9*e^32*f^6*(a^2* \\
& c*f^2 - b^2*c*e^2)^4 - 48206418480*a^8*b^30*c^9*e^30*f^8*(a^2*c*f^2 - b^2*c \\
& *e^2)^4 + 261450609120*a^10*b^28*c^9*e^28*f^10*(a^2*c*f^2 - b^2*c*e^2)^4 - \\
& 962361040256*a^12*b^26*c^9*e^26*f^12*(a^2*c*f^2 - b^2*c*e^2)^4 + 2558559358 \\
& 080*a^14*b^24*c^9*e^24*f^14*(a^2*c*f^2 - b^2*c*e^2)^4 - 5091804150656*a^16* \\
& b^22*c^9*e^22*f^16*(a^2*c*f^2 - b^2*c*e^2)^4 + 7750806514944*a^18*b^20*c^9* \\
& e^20*f^18*(a^2*c*f^2 - b^2*c*e^2)^4 - 9137207485952*a^20*b^18*c^9*e^18*f^20 \\
& *(a^2*c*f^2 - b^2*c*e^2)^4 + 8384563280128*a^22*b^16*c^9*e^16*f^22*(a^2*c*f \\
& ^2 - b^2*c*e^2)^4 - 5975281259520*a^24*b^14*c^9*e^14*f^24*(a^2*c*f^2 - b^2* \\
& c*e^2)^4 + 3269297268736*a^26*b^12*c^9*e^12*f^26*(a^2*c*f^2 - b^2*c*e^2)^4 \\
& - 1339171540992*a^28*b^10*c^9*e^10*f^28*(a^2*c*f^2 - b^2*c*e^2)^4 + 3912501 \\
& 94432*a^30*b^8*c^9*e^8*f^30*(a^2*c*f^2 - b^2*c*e^2)^4 - 74114154496*a^32*b^ \\
& 6*c^9*e^6*f^32*(a^2*c*f^2 - b^2*c*e^2)^4 + 7299203072*a^34*b^4*c^9*e^4*f^34 \\
& *(a^2*c*f^2 - b^2*c*e^2)^4 - 148635648*a^36*b^2*c^9*e^2*f^36*(a^2*c*f^2 - b \\
& ^2*c*e^2)^4 - 38704068*a^2*b^38*c^10*e^38*f^2*(a^2*c*f^2 - b^2*c*e^2)^3 + 1 \\
& 88845992*a^4*b^36*c^10*e^36*f^4*(a^2*c*f^2 - b^2*c*e^2)^3 + 1157124204*a^6* \\
& b^34*c^10*e^34*f^6*(a^2*c*f^2 - b^2*c*e^2)^3 - 20586361424*a^8*b^32*c^10*e^ \\
& 32*f^8*(a^2*c*f^2 - b^2*c*e^2)^3 + 135395499200*a^10*b^30*c^10*e^30*f^10*(a \\
& ^2*c*f^2 - b^2*c*e^2)^3 - 555513858464*a^12*b^28*c^10*e^28*f^12*(a^2*c*f^2 \\
& - b^2*c*e^2)^3 + 1608776388864*a^14*b^26*c^10*e^26*f^14*(a^2*c*f^2 - b^2*c* \\
& e^2)^3 - 3473989271488*a^16*b^24*c^10*e^24*f^16*(a^2*c*f^2 - b^2*c*e^2)^3 + \\
& 5766181411456*a^18*b^22*c^10*e^22*f^18*(a^2*c*f^2 - b^2*c*e^2)^3 - 7493983 \\
& 209472*a^20*b^20*c^10*e^20*f^20*(a^2*c*f^2 - b^2*c*e^2)^3 + 7713917084672*a \\
& ^22*b^18*c^10*e^18*f^22*(a^2*c*f^2 - b^2*c*e^2)^3 - 6328467293184*a^24*b^16 \\
& *c^10*e^16*f^24*(a^2*c*f^2 - b^2*c*e^2)^3 + 4142950034432*a^26*b^14*c^10*e^ \\
& 14*f^26*(a^2*c*f^2 - b^2*c*e^2)^3 - 2152681536512*a^28*b^12*c^10*e^12*f^28* \\
& (a^2*c*f^2 - b^2*c*e^2)^3 + 874199511040*a^30*b^10*c^10*e^10*f^30*(a^2*c*f^ \\
& 2 - b^2*c*e^2)^3 - 268759150592*a^32*b^8*c^10*e^8*f^32*(a^2*c*f^2 - b^2*c*e \\
& ^2)^3 + 58872545280*a^34*b^6*c^10*e^6*f^34*(a^2*c*f^2 - b^2*c*e^2)^3 - 8151 \\
& 957504*a^36*b^4*c^10*e^4*f^36*(a^2*c*f^2 - b^2*c*e^2)^3 + 530841600*a^38*b^ \\
& 2*c^10*e^2*f^38*(a^2*c*f^2 - b^2*c*e^2)^3 - 42743457*a^2*b^40*c^11*e^40*f^2 \\
& *(a^2*c*f^2 - b^2*c*e^2)^2 + 411055884*a^4*b^38*c^11*e^38*f^4*(a^2*c*f^2 - \\
& b^2*c*e^2)^2 - 2180887236*a^6*b^36*c^11*e^36*f^6*(a^2*c*f^2 - b^2*c*e^2)^2 \\
& + 6404946508*a^8*b^34*c^11*e^34*f^8*(a^2*c*f^2 - b^2*c*e^2)^2 - 5434005264* \\
& a^10*b^32*c^11*e^32*f^10*(a^2*c*f^2 - b^2*c*e^2)^2 - 38868373520*a^12*b^30*
\end{aligned}$$

$$\begin{aligned}
& c^{11}e^{30}f^{12}(a^2c^*f^2 - b^2c^*e^2)^2 + 208447613600a^{14}b^{28}c^{11}e^{28} \\
& *f^{14}(a^2c^*f^2 - b^2c^*e^2)^2 - 579674999104a^{16}b^{26}c^{11}e^{26}f^{16}(a^2 \\
& *c^*f^2 - b^2c^*e^2)^2 + 1104967566592a^{18}b^{24}c^{11}e^{24}f^{18}(a^2c^*f^2 \\
& - b^2c^*e^2)^2 - 1554566531328a^{20}b^{22}c^{11}e^{22}f^{20}(a^2c^*f^2 - b^2c^* \\
& e^2)^2 + 1659734381312a^{22}b^{20}c^{11}e^{20}f^{22}(a^2c^*f^2 - b^2c^*e^2)^2 - \\
& 1356361512192a^{24}b^{18}c^{11}e^{18}f^{24}(a^2c^*f^2 - b^2c^*e^2)^2 + 8453313 \\
& 59744a^{26}b^{16}c^{11}e^{16}f^{26}(a^2c^*f^2 - b^2c^*e^2)^2 - 395676895232a^2 \\
& 8b^{14}c^{11}e^{14}f^{28}(a^2c^*f^2 - b^2c^*e^2)^2 + 134902689792a^{30}b^{12}c^ \\
& 11e^{12}f^{30}(a^2c^*f^2 - b^2c^*e^2)^2 - 31670587392a^{32}b^{10}c^{11}e^{10}f^ \\
& 32(a^2c^*f^2 - b^2c^*e^2)^2 + 4584669184a^{34}b^8c^{11}e^8f^{34}(a^2c^*f^2 \\
& - b^2c^*e^2)^2 - 309657600a^{36}b^6c^{11}e^6f^{36}(a^2c^*f^2 - b^2c^*e^2)^ \\
& 2) + (2a^4b^5c^3e^5f^4(4a^2c^*f^2 - 3b^2c^*e^2)^2((16384(12C^4a \\
& ^{7/2})b^4c^3e^7(a^c)^{3/2} + 48C^4a^{15/2}c^3e^3f^4(a^c)^{3/2} - \\
& 48C^4a^{11/2}b^2c^3e^5f^2(a^c)^{3/2}))/b^{13}e^{12}f^3 - 3a^2b^{11}e^ \\
& ^{10}f^5 + 3a^4b^9e^8f^7 - a^6b^7e^6f^9) + (16384C^4e^4(2a^2f^2 \\
& - b^2e^2)^4(5a^{17/2}b^2c^4e^5f^{14}(a^c)^{5/2} + 6a^{3/2}b^{10}c^5e^ \\
& 9f^6(a^c)^{3/2} - 5a^{5/2}b^8c^4e^7f^8(a^c)^{5/2} - 18a^{7/2}b^8c^ \\
& ^5e^7f^8(a^c)^{3/2} + 15a^{9/2}b^6c^4e^5f^{10}(a^c)^{5/2} + 18a^{1 \\
& 1/2}b^6c^5e^5f^{10}(a^c)^{3/2} - 15a^{13/2}b^4c^4e^3f^{12}(a^c)^{5/2} \\
&) - 6a^{15/2}b^4c^5e^3f^{12}(a^c)^{3/2}))/f^8(a^f + b^e)^4(a^f - b^e \\
&)^4(a^2c^*f^2 - b^2c^*e^2)^2(b^{13}e^{12}f^3 - 3a^2b^{11}e^{10}f^5 + 3a^4b^ \\
& ^9e^8f^7 - a^6b^7e^6f^9) - (16384C^2e^2(2a^2f^2 - b^2e^2)^2(2 \\
& 0C^2a^{17/2}c^3e^5f^{10}(a^c)^{5/2} - 3C^2a^{3/2}b^8c^4e^9f^2(a^c) \\
& ^{3/2} - 8C^2a^{5/2}b^6c^3e^7f^4(a^c)^{5/2} + 11C^2a^{7/2}b^6c^4 \\
& *e^7f^4(a^c)^{3/2} + 36C^2a^{9/2}b^4c^3e^5f^6(a^c)^{5/2} - 20C^2* \\
& a^{11/2}b^4c^4e^5f^6(a^c)^{3/2} - 48C^2a^{13/2}b^2c^3e^3f^8(a^c \\
&)^{5/2} + 12C^2a^{15/2}b^2c^4e^3f^8(a^c)^{3/2}))/f^4(a^f + b^e)^2* \\
& (a^f - b^e)^2(a^2c^*f^2 - b^2c^*e^2)(b^{13}e^{12}f^3 - 3a^2b^{11}e^{10}f^5 \\
& + 3a^4b^9e^8f^7 - a^6b^7e^6f^9))*(4a^6c^*f^6 - 3b^6c^*e^6 + 8a^2 \\
& *b^4c^*e^4f^2 - 8a^4b^2c^*e^2f^4)^4)/((b^2c^*e^2 - a^2c^*f^2)^{1/2})(16 \\
& 4025b^{46}c^{13}e^{46} + 885735b^{44}c^{12}e^{44}(a^2c^*f^2 - b^2c^*e^2) + 11744 \\
& 0512a^{30}c^5f^{30}(a^2c^*f^2 - b^2c^*e^2)^8 - 385875968a^{32}c^6f^{32}(a^2 \\
& *c^*f^2 - b^2c^*e^2)^7 + 419430400a^{34}c^7f^{34}(a^2c^*f^2 - b^2c^*e^2)^6 - \\
& 150994944a^{36}c^8f^{36}(a^2c^*f^2 - b^2c^*e^2)^5 + 236196b^{36}c^8e^36*(\\
& a^2c^*f^2 - b^2c^*e^2)^5 + 1102248b^{38}c^9e^38(a^2c^*f^2 - b^2c^*e^2)^4 \\
& + 2053593b^{40}c^{10}e^{40}(a^2c^*f^2 - b^2c^*e^2)^3 + 1909251b^{42}c^{11}e^{42} \\
& *(a^2c^*f^2 - b^2c^*e^2)^2 - 3937329a^2b^{44}c^{13}e^{44}f^2 + 43893819a^4* \\
& b^{42}c^{13}e^{42}f^4 - 301507155a^6b^{40}c^{13}e^{40}f^6 + 1427514656a^8b^{38} \\
& *c^{13}e^{38}f^8 - 4936911112a^{10}b^{36}c^{13}e^{36}f^{10} + 12893273616a^{12}b^3 \\
& 4c^{13}e^{34}f^{12} - 25921630432a^{14}b^{32}c^{13}e^{32}f^{14} + 40519286096a^{16} \\
& b^{30}c^{13}e^{30}f^{16} - 49376608256a^{18}b^{28}c^{13}e^{28}f^{18} + 46721401856a^ \\
& 20b^{26}c^{13}e^{26}f^{20} - 33946324736a^{22}b^{24}c^{13}e^{24}f^{22} + 18556579328 \\
& *a^{24}b^{22}c^{13}e^{22}f^{24} - 7375276032a^{26}b^{20}c^{13}e^{20}f^{26} + 200981708 \\
& 8a^{28}b^{18}c^{13}e^{18}f^{28} - 335642624a^{30}b^{16}c^{13}e^{16}f^{30} + 25907200* \\
& a^{32}b^{14}c^{13}e^{14}f^{32} - 21130794a^2b^{42}c^{12}e^{42}f^2(a^2c^*f^2 - b^2
\end{aligned}$$

$$\begin{aligned}
& *c*e^2) + 234399015*a^4*b^40*c^12*e^40*f^4*(a^2*c*f^2 - b^2*c*e^2) - 160416 \\
& 8280*a^6*b^38*c^12*e^38*f^6*(a^2*c*f^2 - b^2*c*e^2) + 7579098492*a^8*b^36*c \\
& ^12*e^36*f^8*(a^2*c*f^2 - b^2*c*e^2) - 26212380172*a^10*b^34*c^12*e^34*f^10 \\
& *(a^2*c*f^2 - b^2*c*e^2) + 68672994096*a^12*b^32*c^12*e^32*f^12*(a^2*c*f^2 \\
& - b^2*c*e^2) - 139160589504*a^14*b^30*c^12*e^30*f^14*(a^2*c*f^2 - b^2*c*e^2 \\
&) + 220859191808*a^16*b^28*c^12*e^28*f^16*(a^2*c*f^2 - b^2*c*e^2) - 2763443 \\
& 15328*a^18*b^26*c^12*e^26*f^18*(a^2*c*f^2 - b^2*c*e^2) + 273130561984*a^20* \\
& b^24*c^12*e^24*f^20*(a^2*c*f^2 - b^2*c*e^2) - 212730002688*a^22*b^22*c^12*e \\
& ^22*f^22*(a^2*c*f^2 - b^2*c*e^2) + 129574234368*a^24*b^20*c^12*e^20*f^24*(a \\
& ^2*c*f^2 - b^2*c*e^2) - 60770569216*a^26*b^18*c^12*e^18*f^26*(a^2*c*f^2 - b \\
& ^2*c*e^2) + 21304706048*a^28*b^16*c^12*e^16*f^28*(a^2*c*f^2 - b^2*c*e^2) - \\
& 5272965120*a^30*b^14*c^12*e^14*f^30*(a^2*c*f^2 - b^2*c*e^2) + 819441664*a^3 \\
& 2*b^12*c^12*e^12*f^32*(a^2*c*f^2 - b^2*c*e^2) - 59392000*a^34*b^10*c^12*e^1 \\
& 0*f^34*(a^2*c*f^2 - b^2*c*e^2) + 9289728*a^6*b^24*c^5*e^24*f^6*(a^2*c*f^2 - \\
& b^2*c*e^2)^8 - 36884480*a^8*b^22*c^5*e^22*f^8*(a^2*c*f^2 - b^2*c*e^2)^8 - \\
& 278604800*a^10*b^20*c^5*e^20*f^10*(a^2*c*f^2 - b^2*c*e^2)^8 + 2774483200*a^ \\
& 12*b^18*c^5*e^18*f^12*(a^2*c*f^2 - b^2*c*e^2)^8 - 10869657600*a^14*b^16*c^5 \\
& *e^16*f^14*(a^2*c*f^2 - b^2*c*e^2)^8 + 25237416960*a^16*b^14*c^5*e^14*f^16* \\
& (a^2*c*f^2 - b^2*c*e^2)^8 - 38348909568*a^18*b^12*c^5*e^12*f^18*(a^2*c*f^2 \\
& - b^2*c*e^2)^8 + 39084659712*a^20*b^10*c^5*e^10*f^20*(a^2*c*f^2 - b^2*c*e^2 \\
&)^8 - 26118635520*a^22*b^8*c^5*e^8*f^22*(a^2*c*f^2 - b^2*c*e^2)^8 + 1041462 \\
& 0672*a^24*b^6*c^5*e^6*f^24*(a^2*c*f^2 - b^2*c*e^2)^8 - 1708654592*a^26*b^4* \\
& c^5*e^4*f^26*(a^2*c*f^2 - b^2*c*e^2)^8 - 276561920*a^28*b^2*c^5*e^2*f^28*(a \\
& ^2*c*f^2 - b^2*c*e^2)^8 - 9704448*a^4*b^28*c^6*e^28*f^4*(a^2*c*f^2 - b^2*c* \\
& e^2)^7 + 260614656*a^6*b^26*c^6*e^26*f^6*(a^2*c*f^2 - b^2*c*e^2)^7 - 216602 \\
& 2464*a^8*b^24*c^6*e^24*f^8*(a^2*c*f^2 - b^2*c*e^2)^7 + 8626147840*a^10*b^22 \\
& *c^6*e^22*f^10*(a^2*c*f^2 - b^2*c*e^2)^7 - 16771503616*a^12*b^20*c^6*e^20*f \\
& ^12*(a^2*c*f^2 - b^2*c*e^2)^7 + 3301800960*a^14*b^18*c^6*e^18*f^14*(a^2*c*f \\
& ^2 - b^2*c*e^2)^7 + 67337715968*a^16*b^16*c^6*e^16*f^16*(a^2*c*f^2 - b^2*c* \\
& e^2)^7 - 189857873920*a^18*b^14*c^6*e^14*f^18*(a^2*c*f^2 - b^2*c*e^2)^7 + 2 \\
& 86100259840*a^20*b^12*c^6*e^12*f^20*(a^2*c*f^2 - b^2*c*e^2)^7 - 27578989465 \\
& 6*a^22*b^10*c^6*e^10*f^22*(a^2*c*f^2 - b^2*c*e^2)^7 + 173716537344*a^24*b^8 \\
& *c^6*e^8*f^24*(a^2*c*f^2 - b^2*c*e^2)^7 - 67416424448*a^26*b^6*c^6*e^6*f^26 \\
& *(a^2*c*f^2 - b^2*c*e^2)^7 + 12831686656*a^28*b^4*c^6*e^4*f^28*(a^2*c*f^2 - \\
& b^2*c*e^2)^7 + 222560256*a^30*b^2*c^6*e^2*f^30*(a^2*c*f^2 - b^2*c*e^2)^7 + \\
& 2099520*a^2*b^32*c^7*e^32*f^2*(a^2*c*f^2 - b^2*c*e^2)^6 - 107014608*a^4*b^ \\
& 30*c^7*e^30*f^4*(a^2*c*f^2 - b^2*c*e^2)^6 + 1848335616*a^6*b^28*c^7*e^28*f^ \\
& 6*(a^2*c*f^2 - b^2*c*e^2)^6 - 15200005312*a^8*b^26*c^7*e^26*f^8*(a^2*c*f^2 \\
& - b^2*c*e^2)^6 + 72612273792*a^10*b^24*c^7*e^24*f^10*(a^2*c*f^2 - b^2*c*e^2 \\
&)^6 - 221855779968*a^12*b^22*c^7*e^22*f^12*(a^2*c*f^2 - b^2*c*e^2)^6 + 4507 \\
& 17857536*a^14*b^20*c^7*e^20*f^14*(a^2*c*f^2 - b^2*c*e^2)^6 - 600578910208*a \\
& ^16*b^18*c^7*e^18*f^16*(a^2*c*f^2 - b^2*c*e^2)^6 + 459464530688*a^18*b^16*c \\
& ^7*e^16*f^18*(a^2*c*f^2 - b^2*c*e^2)^6 - 33638947840*a^20*b^14*c^7*e^14*f^2 \\
& 0*(a^2*c*f^2 - b^2*c*e^2)^6 - 376299926528*a^22*b^12*c^7*e^12*f^22*(a^2*c*f \\
& ^2 - b^2*c*e^2)^6 + 488874068992*a^24*b^10*c^7*e^10*f^24*(a^2*c*f^2 - b^2*c
\end{aligned}$$

$$\begin{aligned}
& *e^2)^6 - 333407809536*a^{26}*b^8*c^7*e^8*f^{26}*(a^2*c*f^2 - b^2*c*e^2)^6 + 13 \\
& 4140313600*a^{28}*b^6*c^7*e^6*f^{28}*(a^2*c*f^2 - b^2*c*e^2)^6 - 28220915712*a^ \\
& 30*b^4*c^7*e^4*f^{30}*(a^2*c*f^2 - b^2*c*e^2)^6 + 1230503936*a^{32}*b^2*c^7*e^2 \\
& *f^{32}*(a^2*c*f^2 - b^2*c*e^2)^6 + 3335904*a^2*b^{34}*c^8*e^{34}*f^2*(a^2*c*f^2 \\
& - b^2*c*e^2)^5 - 290521728*a^4*b^{32}*c^8*e^{32}*f^4*(a^2*c*f^2 - b^2*c*e^2)^5 \\
& + 4865684544*a^6*b^{30}*c^8*e^{30}*f^6*(a^2*c*f^2 - b^2*c*e^2)^5 - 40437394528* \\
& a^8*b^{28}*c^8*e^{28}*f^8*(a^2*c*f^2 - b^2*c*e^2)^5 + 205602254656*a^{10}*b^{26}*c^ \\
& 8*e^{26}*f^{10}*(a^2*c*f^2 - b^2*c*e^2)^5 - 703885344192*a^{12}*b^{24}*c^8*e^{24}*f^{1 \\
& 2}*(a^2*c*f^2 - b^2*c*e^2)^5 + 1709253482624*a^{14}*b^{22}*c^8*e^{22}*f^{14}*(a^2*c* \\
& f^2 - b^2*c*e^2)^5 - 3029282695168*a^{16}*b^{20}*c^8*e^{20}*f^{16}*(a^2*c*f^2 - b^2 \\
& *c*e^2)^5 + 3966230827520*a^{18}*b^{18}*c^8*e^{18}*f^{18}*(a^2*c*f^2 - b^2*c*e^2)^5 \\
& - 3822339813632*a^{20}*b^{16}*c^8*e^{16}*f^{20}*(a^2*c*f^2 - b^2*c*e^2)^5 + 264043 \\
& 8056960*a^{22}*b^{14}*c^8*e^{14}*f^{22}*(a^2*c*f^2 - b^2*c*e^2)^5 - 1208501415936*a \\
& ^{24}*b^{12}*c^8*e^{12}*f^{24}*(a^2*c*f^2 - b^2*c*e^2)^5 + 269338092544*a^{26}*b^{10}*c \\
& ^8*e^{10}*f^{26}*(a^2*c*f^2 - b^2*c*e^2)^5 + 53783212032*a^{28}*b^8*c^8*e^8*f^{28} \\
& (a^2*c*f^2 - b^2*c*e^2)^5 - 60985360384*a^{30}*b^6*c^8*e^6*f^{30}*(a^2*c*f^2 - \\
& b^2*c*e^2)^5 + 17917083648*a^{32}*b^4*c^8*e^4*f^{32}*(a^2*c*f^2 - b^2*c*e^2)^5 \\
& - 1558708224*a^{34}*b^2*c^8*e^2*f^{34}*(a^2*c*f^2 - b^2*c*e^2)^5 - 11917692*a^2 \\
& *b^{36}*c^9*e^{36}*f^2*(a^2*c*f^2 - b^2*c*e^2)^4 - 224907516*a^4*b^{34}*c^9*e^{34} \\
& f^4*(a^2*c*f^2 - b^2*c*e^2)^4 + 5303932560*a^6*b^{32}*c^9*e^{32}*f^6*(a^2*c*f^2 \\
& - b^2*c*e^2)^4 - 48206418480*a^8*b^{30}*c^9*e^{30}*f^8*(a^2*c*f^2 - b^2*c*e^2) \\
& ^4 + 261450609120*a^{10}*b^{28}*c^9*e^{28}*f^{10}*(a^2*c*f^2 - b^2*c*e^2)^4 - 96236 \\
& 1040256*a^{12}*b^{26}*c^9*e^{26}*f^{12}*(a^2*c*f^2 - b^2*c*e^2)^4 + 2558559358080*a \\
& ^{14}*b^{24}*c^9*e^{24}*f^{14}*(a^2*c*f^2 - b^2*c*e^2)^4 - 5091804150656*a^{16}*b^{22} \\
& c^9*e^{22}*f^{16}*(a^2*c*f^2 - b^2*c*e^2)^4 + 7750806514944*a^{18}*b^{20}*c^9*e^{20} \\
& f^{18}*(a^2*c*f^2 - b^2*c*e^2)^4 - 9137207485952*a^{20}*b^{18}*c^9*e^{18}*f^{20}*(a^2 \\
& *c*f^2 - b^2*c*e^2)^4 + 8384563280128*a^{22}*b^{16}*c^9*e^{16}*f^{22}*(a^2*c*f^2 - \\
& b^2*c*e^2)^4 - 5975281259520*a^{24}*b^{14}*c^9*e^{14}*f^{24}*(a^2*c*f^2 - b^2*c*e^2 \\
&)^4 + 3269297268736*a^{26}*b^{12}*c^9*e^{12}*f^{26}*(a^2*c*f^2 - b^2*c*e^2)^4 - 133 \\
& 9171540992*a^{28}*b^{10}*c^9*e^{10}*f^{28}*(a^2*c*f^2 - b^2*c*e^2)^4 + 391250194432 \\
& *a^{30}*b^8*c^9*e^8*f^{30}*(a^2*c*f^2 - b^2*c*e^2)^4 - 74114154496*a^{32}*b^6*c^9 \\
& *e^6*f^{32}*(a^2*c*f^2 - b^2*c*e^2)^4 + 7299203072*a^{34}*b^4*c^9*e^4*f^{34}*(a^2 \\
& *c*f^2 - b^2*c*e^2)^4 - 148635648*a^{36}*b^2*c^9*e^2*f^{36}*(a^2*c*f^2 - b^2*c* \\
& e^2)^4 - 38704068*a^2*b^{38}*c^{10}*e^{38}*f^2*(a^2*c*f^2 - b^2*c*e^2)^3 + 188845 \\
& 992*a^4*b^{36}*c^{10}*e^{36}*f^4*(a^2*c*f^2 - b^2*c*e^2)^3 + 1157124204*a^6*b^{34} \\
& c^{10}*e^{34}*f^6*(a^2*c*f^2 - b^2*c*e^2)^3 - 20586361424*a^8*b^{32}*c^{10}*e^{32}*f^ \\
& 8*(a^2*c*f^2 - b^2*c*e^2)^3 + 135395499200*a^{10}*b^{30}*c^{10}*e^{30}*f^{10}*(a^2*c* \\
& f^2 - b^2*c*e^2)^3 - 555513858464*a^{12}*b^{28}*c^{10}*e^{28}*f^{12}*(a^2*c*f^2 - b^2 \\
& *c*e^2)^3 + 1608776388864*a^{14}*b^{26}*c^{10}*e^{26}*f^{14}*(a^2*c*f^2 - b^2*c*e^2)^ \\
& 3 - 3473989271488*a^{16}*b^{24}*c^{10}*e^{24}*f^{16}*(a^2*c*f^2 - b^2*c*e^2)^3 + 5766 \\
& 181411456*a^{18}*b^{22}*c^{10}*e^{22}*f^{18}*(a^2*c*f^2 - b^2*c*e^2)^3 - 749398320947 \\
& 2*a^{20}*b^{20}*c^{10}*e^{20}*f^{20}*(a^2*c*f^2 - b^2*c*e^2)^3 + 7713917084672*a^{22}*b \\
& ^{18}*c^{10}*e^{18}*f^{22}*(a^2*c*f^2 - b^2*c*e^2)^3 - 6328467293184*a^{24}*b^{16}*c^{10} \\
& *e^{16}*f^{24}*(a^2*c*f^2 - b^2*c*e^2)^3 + 4142950034432*a^{26}*b^{14}*c^{10}*e^{14}*f^ \\
& 26*(a^2*c*f^2 - b^2*c*e^2)^3 - 2152681536512*a^{28}*b^{12}*c^{10}*e^{12}*f^{28}*(a^2*
\end{aligned}$$

$$\begin{aligned}
& ^2*(a^2*c*f^2 - b^2*c*e^2) + 234399015*a^4*b^40*c^12*e^40*f^4*(a^2*c*f^2 - \\
& b^2*c*e^2) - 1604168280*a^6*b^38*c^12*e^38*f^6*(a^2*c*f^2 - b^2*c*e^2) + 75 \\
& 79098492*a^8*b^36*c^12*e^36*f^8*(a^2*c*f^2 - b^2*c*e^2) - 26212380172*a^10* \\
& b^34*c^12*e^34*f^10*(a^2*c*f^2 - b^2*c*e^2) + 68672994096*a^12*b^32*c^12*e^ \\
& 32*f^12*(a^2*c*f^2 - b^2*c*e^2) - 139160589504*a^14*b^30*c^12*e^30*f^14*(a^ \\
& 2*c*f^2 - b^2*c*e^2) + 220859191808*a^16*b^28*c^12*e^28*f^16*(a^2*c*f^2 - b \\
& ^2*c*e^2) - 276344315328*a^18*b^26*c^12*e^26*f^18*(a^2*c*f^2 - b^2*c*e^2) + \\
& 273130561984*a^20*b^24*c^12*e^24*f^20*(a^2*c*f^2 - b^2*c*e^2) - 2127300026 \\
& 88*a^22*b^22*c^12*e^22*f^22*(a^2*c*f^2 - b^2*c*e^2) + 129574234368*a^24*b^2 \\
& 0*c^12*e^20*f^24*(a^2*c*f^2 - b^2*c*e^2) - 60770569216*a^26*b^18*c^12*e^18* \\
& f^26*(a^2*c*f^2 - b^2*c*e^2) + 21304706048*a^28*b^16*c^12*e^16*f^28*(a^2*c* \\
& f^2 - b^2*c*e^2) - 5272965120*a^30*b^14*c^12*e^14*f^30*(a^2*c*f^2 - b^2*c*e \\
& ^2) + 819441664*a^32*b^12*c^12*e^12*f^32*(a^2*c*f^2 - b^2*c*e^2) - 59392000 \\
& *a^34*b^10*c^12*e^10*f^34*(a^2*c*f^2 - b^2*c*e^2) + 9289728*a^6*b^24*c^5*e^ \\
& 24*f^6*(a^2*c*f^2 - b^2*c*e^2)^8 - 36884480*a^8*b^22*c^5*e^22*f^8*(a^2*c*f^ \\
& 2 - b^2*c*e^2)^8 - 278604800*a^10*b^20*c^5*e^20*f^10*(a^2*c*f^2 - b^2*c*e^2 \\
&)^8 + 2774483200*a^12*b^18*c^5*e^18*f^12*(a^2*c*f^2 - b^2*c*e^2)^8 - 108696 \\
& 57600*a^14*b^16*c^5*e^16*f^14*(a^2*c*f^2 - b^2*c*e^2)^8 + 25237416960*a^16* \\
& b^14*c^5*e^14*f^16*(a^2*c*f^2 - b^2*c*e^2)^8 - 38348909568*a^18*b^12*c^5*e^ \\
& 12*f^18*(a^2*c*f^2 - b^2*c*e^2)^8 + 39084659712*a^20*b^10*c^5*e^10*f^20*(a^ \\
& 2*c*f^2 - b^2*c*e^2)^8 - 26118635520*a^22*b^8*c^5*e^8*f^22*(a^2*c*f^2 - b^2 \\
& *c*e^2)^8 + 10414620672*a^24*b^6*c^5*e^6*f^24*(a^2*c*f^2 - b^2*c*e^2)^8 - 1 \\
& 708654592*a^26*b^4*c^5*e^4*f^26*(a^2*c*f^2 - b^2*c*e^2)^8 - 276561920*a^28* \\
& b^2*c^5*e^2*f^28*(a^2*c*f^2 - b^2*c*e^2)^8 - 9704448*a^4*b^28*c^6*e^28*f^4* \\
& (a^2*c*f^2 - b^2*c*e^2)^7 + 260614656*a^6*b^26*c^6*e^26*f^6*(a^2*c*f^2 - b^ \\
& 2*c*e^2)^7 - 2166022464*a^8*b^24*c^6*e^24*f^8*(a^2*c*f^2 - b^2*c*e^2)^7 + 8 \\
& 626147840*a^10*b^22*c^6*e^22*f^10*(a^2*c*f^2 - b^2*c*e^2)^7 - 16771503616*a \\
& ^12*b^20*c^6*e^20*f^12*(a^2*c*f^2 - b^2*c*e^2)^7 + 3301800960*a^14*b^18*c^6 \\
& *e^18*f^14*(a^2*c*f^2 - b^2*c*e^2)^7 + 67337715968*a^16*b^16*c^6*e^16*f^16* \\
& (a^2*c*f^2 - b^2*c*e^2)^7 - 189857873920*a^18*b^14*c^6*e^14*f^18*(a^2*c*f^2 \\
& - b^2*c*e^2)^7 + 286100259840*a^20*b^12*c^6*e^12*f^20*(a^2*c*f^2 - b^2*c*e \\
& ^2)^7 - 275789894656*a^22*b^10*c^6*e^10*f^22*(a^2*c*f^2 - b^2*c*e^2)^7 + 17 \\
& 3716537344*a^24*b^8*c^6*e^8*f^24*(a^2*c*f^2 - b^2*c*e^2)^7 - 67416424448*a^ \\
& 26*b^6*c^6*e^6*f^26*(a^2*c*f^2 - b^2*c*e^2)^7 + 12831686656*a^28*b^4*c^6*e^ \\
& 4*f^28*(a^2*c*f^2 - b^2*c*e^2)^7 + 222560256*a^30*b^2*c^6*e^2*f^30*(a^2*c*f \\
& ^2 - b^2*c*e^2)^7 + 2099520*a^2*b^32*c^7*e^32*f^2*(a^2*c*f^2 - b^2*c*e^2)^6 \\
& - 107014608*a^4*b^30*c^7*e^30*f^4*(a^2*c*f^2 - b^2*c*e^2)^6 + 1848335616*a \\
& ^6*b^28*c^7*e^28*f^6*(a^2*c*f^2 - b^2*c*e^2)^6 - 15200005312*a^8*b^26*c^7*e \\
& ^26*f^8*(a^2*c*f^2 - b^2*c*e^2)^6 + 72612273792*a^10*b^24*c^7*e^24*f^10*(a^ \\
& 2*c*f^2 - b^2*c*e^2)^6 - 221855779968*a^12*b^22*c^7*e^22*f^12*(a^2*c*f^2 - \\
& b^2*c*e^2)^6 + 450717857536*a^14*b^20*c^7*e^20*f^14*(a^2*c*f^2 - b^2*c*e^2) \\
& ^6 - 600578910208*a^16*b^18*c^7*e^18*f^16*(a^2*c*f^2 - b^2*c*e^2)^6 + 45946 \\
& 4530688*a^18*b^16*c^7*e^16*f^18*(a^2*c*f^2 - b^2*c*e^2)^6 - 33638947840*a^2 \\
& 0*b^14*c^7*e^14*f^20*(a^2*c*f^2 - b^2*c*e^2)^6 - 376299926528*a^22*b^12*c^7 \\
& *e^12*f^22*(a^2*c*f^2 - b^2*c*e^2)^6 + 488874068992*a^24*b^10*c^7*e^10*f^24
\end{aligned}$$

$$\begin{aligned}
&*(a^2*c*f^2 - b^2*c*e^2)^6 - 333407809536*a^26*b^8*c^7*e^8*f^26*(a^2*c*f^2 \\
&- b^2*c*e^2)^6 + 134140313600*a^28*b^6*c^7*e^6*f^28*(a^2*c*f^2 - b^2*c*e^2) \\
&^6 - 28220915712*a^30*b^4*c^7*e^4*f^30*(a^2*c*f^2 - b^2*c*e^2)^6 + 12305039 \\
&36*a^32*b^2*c^7*e^2*f^32*(a^2*c*f^2 - b^2*c*e^2)^6 + 3335904*a^2*b^34*c^8*e \\
&^34*f^2*(a^2*c*f^2 - b^2*c*e^2)^5 - 290521728*a^4*b^32*c^8*e^32*f^4*(a^2*c* \\
&f^2 - b^2*c*e^2)^5 + 4865684544*a^6*b^30*c^8*e^30*f^6*(a^2*c*f^2 - b^2*c*e^ \\
&2)^5 - 40437394528*a^8*b^28*c^8*e^28*f^8*(a^2*c*f^2 - b^2*c*e^2)^5 + 205602 \\
&254656*a^10*b^26*c^8*e^26*f^10*(a^2*c*f^2 - b^2*c*e^2)^5 - 703885344192*a^1 \\
&2*b^24*c^8*e^24*f^12*(a^2*c*f^2 - b^2*c*e^2)^5 + 1709253482624*a^14*b^22*c^ \\
&8*e^22*f^14*(a^2*c*f^2 - b^2*c*e^2)^5 - 3029282695168*a^16*b^20*c^8*e^20*f^ \\
&16*(a^2*c*f^2 - b^2*c*e^2)^5 + 3966230827520*a^18*b^18*c^8*e^18*f^18*(a^2*c \\
&*f^2 - b^2*c*e^2)^5 - 3822339813632*a^20*b^16*c^8*e^16*f^20*(a^2*c*f^2 - b^ \\
&2*c*e^2)^5 + 2640438056960*a^22*b^14*c^8*e^14*f^22*(a^2*c*f^2 - b^2*c*e^2)^ \\
&5 - 1208501415936*a^24*b^12*c^8*e^12*f^24*(a^2*c*f^2 - b^2*c*e^2)^5 + 26933 \\
&8092544*a^26*b^10*c^8*e^10*f^26*(a^2*c*f^2 - b^2*c*e^2)^5 + 53783212032*a^2 \\
&8*b^8*c^8*e^8*f^28*(a^2*c*f^2 - b^2*c*e^2)^5 - 60985360384*a^30*b^6*c^8*e^6 \\
&*f^30*(a^2*c*f^2 - b^2*c*e^2)^5 + 17917083648*a^32*b^4*c^8*e^4*f^32*(a^2*c* \\
&f^2 - b^2*c*e^2)^5 - 1558708224*a^34*b^2*c^8*e^2*f^34*(a^2*c*f^2 - b^2*c*e^ \\
&2)^5 - 11917692*a^2*b^36*c^9*e^36*f^2*(a^2*c*f^2 - b^2*c*e^2)^4 - 224907516 \\
&*a^4*b^34*c^9*e^34*f^4*(a^2*c*f^2 - b^2*c*e^2)^4 + 5303932560*a^6*b^32*c^9* \\
&e^32*f^6*(a^2*c*f^2 - b^2*c*e^2)^4 - 48206418480*a^8*b^30*c^9*e^30*f^8*(a^2 \\
&*c*f^2 - b^2*c*e^2)^4 + 261450609120*a^10*b^28*c^9*e^28*f^10*(a^2*c*f^2 - b \\
&^2*c*e^2)^4 - 962361040256*a^12*b^26*c^9*e^26*f^12*(a^2*c*f^2 - b^2*c*e^2)^ \\
&4 + 2558559358080*a^14*b^24*c^9*e^24*f^14*(a^2*c*f^2 - b^2*c*e^2)^4 - 50918 \\
&04150656*a^16*b^22*c^9*e^22*f^16*(a^2*c*f^2 - b^2*c*e^2)^4 + 7750806514944* \\
&a^18*b^20*c^9*e^20*f^18*(a^2*c*f^2 - b^2*c*e^2)^4 - 9137207485952*a^20*b^18 \\
&*c^9*e^18*f^20*(a^2*c*f^2 - b^2*c*e^2)^4 + 8384563280128*a^22*b^16*c^9*e^16 \\
&*f^22*(a^2*c*f^2 - b^2*c*e^2)^4 - 5975281259520*a^24*b^14*c^9*e^14*f^24*(a^ \\
&2*c*f^2 - b^2*c*e^2)^4 + 3269297268736*a^26*b^12*c^9*e^12*f^26*(a^2*c*f^2 - \\
&b^2*c*e^2)^4 - 1339171540992*a^28*b^10*c^9*e^10*f^28*(a^2*c*f^2 - b^2*c*e^ \\
&2)^4 + 391250194432*a^30*b^8*c^9*e^8*f^30*(a^2*c*f^2 - b^2*c*e^2)^4 - 74114 \\
&154496*a^32*b^6*c^9*e^6*f^32*(a^2*c*f^2 - b^2*c*e^2)^4 + 7299203072*a^34*b^ \\
&4*c^9*e^4*f^34*(a^2*c*f^2 - b^2*c*e^2)^4 - 148635648*a^36*b^2*c^9*e^2*f^36* \\
&(a^2*c*f^2 - b^2*c*e^2)^4 - 38704068*a^2*b^38*c^10*e^38*f^2*(a^2*c*f^2 - b^ \\
&2*c*e^2)^3 + 188845992*a^4*b^36*c^10*e^36*f^4*(a^2*c*f^2 - b^2*c*e^2)^3 + 1 \\
&157124204*a^6*b^34*c^10*e^34*f^6*(a^2*c*f^2 - b^2*c*e^2)^3 - 20586361424*a^ \\
&8*b^32*c^10*e^32*f^8*(a^2*c*f^2 - b^2*c*e^2)^3 + 135395499200*a^10*b^30*c^1 \\
&0*e^30*f^10*(a^2*c*f^2 - b^2*c*e^2)^3 - 555513858464*a^12*b^28*c^10*e^28*f^ \\
&12*(a^2*c*f^2 - b^2*c*e^2)^3 + 1608776388864*a^14*b^26*c^10*e^26*f^14*(a^2* \\
&c*f^2 - b^2*c*e^2)^3 - 3473989271488*a^16*b^24*c^10*e^24*f^16*(a^2*c*f^2 - \\
&b^2*c*e^2)^3 + 5766181411456*a^18*b^22*c^10*e^22*f^18*(a^2*c*f^2 - b^2*c*e^ \\
&2)^3 - 7493983209472*a^20*b^20*c^10*e^20*f^20*(a^2*c*f^2 - b^2*c*e^2)^3 + 7 \\
&713917084672*a^22*b^18*c^10*e^18*f^22*(a^2*c*f^2 - b^2*c*e^2)^3 - 632846729 \\
&3184*a^24*b^16*c^10*e^16*f^24*(a^2*c*f^2 - b^2*c*e^2)^3 + 4142950034432*a^2 \\
&6*b^14*c^10*e^14*f^26*(a^2*c*f^2 - b^2*c*e^2)^3 - 2152681536512*a^28*b^12*c
\end{aligned}$$

$$\begin{aligned}
& ^{10}e^{12}f^{28}(a^2cf^2 - b^2c^2e^2)^3 + 874199511040a^{30}b^{10}c^{10}e^{10}f^{30}(a^2cf^2 - b^2c^2e^2)^3 - 268759150592a^{32}b^8c^{10}e^8f^{32}(a^2cf^2 - b^2c^2e^2)^3 + 58872545280a^{34}b^6c^{10}e^6f^{34}(a^2cf^2 - b^2c^2e^2)^3 - 8151957504a^{36}b^4c^{10}e^4f^{36}(a^2cf^2 - b^2c^2e^2)^3 + 530841600a^{38}b^2c^{10}e^2f^{38}(a^2cf^2 - b^2c^2e^2)^3 - 42743457a^2b^40c^{11}e^{40}f^{40}(a^2cf^2 - b^2c^2e^2)^2 + 411055884a^4b^38c^{11}e^{38}f^{40}(a^2cf^2 - b^2c^2e^2)^2 - 2180887236a^6b^36c^{11}e^{36}f^{40}(a^2cf^2 - b^2c^2e^2)^2 + 6404946508a^8b^34c^{11}e^{34}f^{40}(a^2cf^2 - b^2c^2e^2)^2 - 5434005264a^{10}b^32c^{11}e^{32}f^{40}(a^2cf^2 - b^2c^2e^2)^2 - 38868373520a^{12}b^30c^{11}e^{30}f^{40}(a^2cf^2 - b^2c^2e^2)^2 + 208447613600a^{14}b^{28}c^{11}e^{28}f^{40}(a^2cf^2 - b^2c^2e^2)^2 - 579674999104a^{16}b^{26}c^{11}e^{26}f^{40}(a^2cf^2 - b^2c^2e^2)^2 + 1104967566592a^{18}b^{24}c^{11}e^{24}f^{40}(a^2cf^2 - b^2c^2e^2)^2 - 1554566531328a^{20}b^{22}c^{11}e^{22}f^{40}(a^2cf^2 - b^2c^2e^2)^2 + 1659734381312a^{22}b^{20}c^{11}e^{20}f^{40}(a^2cf^2 - b^2c^2e^2)^2 - 1356361512192a^{24}b^{18}c^{11}e^{18}f^{40}(a^2cf^2 - b^2c^2e^2)^2 + 845331359744a^{26}b^{16}c^{11}e^{16}f^{40}(a^2cf^2 - b^2c^2e^2)^2 - 395676895232a^{28}b^{14}c^{11}e^{14}f^{40}(a^2cf^2 - b^2c^2e^2)^2 + 134902689792a^{30}b^{12}c^{11}e^{12}f^{40}(a^2cf^2 - b^2c^2e^2)^2 - 31670587392a^{32}b^{10}c^{11}e^{10}f^{40}(a^2cf^2 - b^2c^2e^2)^2 + 4584669184a^{34}b^8c^{11}e^8f^{40}(a^2cf^2 - b^2c^2e^2)^2 - 309657600a^{36}b^6c^{11}e^6f^{40}(a^2cf^2 - b^2c^2e^2)^2 - (4a^{(3/2)}b^6c^2e^6f^3(ac)^{(3/2)}(2a^2cf^2 - b^2c^2e^2)(4a^2cf^2 - 3b^2c^2e^2)((4096(112C^4a^4b^8c^4e^{10} + 448C^4a^{12}c^4e^2f^8 - 668C^4a^6b^6c^4e^8f^2 + 1440C^4a^8b^4c^4e^6f^4 - 1328C^4a^{10}b^2c^4e^4f^6)))/(b^{16}e^{14}f^4 - 4a^2b^{14}e^{12}f^6 + 6a^4b^{12}e^{10}f^8 - 4a^6b^{10}e^8f^{10} + a^8b^8e^6f^{12}) + (4096C^4e^4(2a^2f^2 - b^2e^2)^4(9a^2b^{14}c^6e^{12}f^6 - 47a^4b^{12}c^6e^{10}f^8 + 98a^6b^{10}c^6e^8f^{10} - 102a^8b^8c^6e^6f^{12} + 53a^{10}b^6c^6e^4f^{14} - 11a^{12}b^4c^6e^2f^{16}))/((f^8(a^2cf^2 - b^2c^2e^2)^2(b^{16}e^{14}f^4 - 4a^2b^{14}e^{12}f^6 + 6a^4b^{12}e^{10}f^8 - 4a^6b^{10}e^8f^{10} + a^8b^8e^6f^{12})) + (4096C^2e^2(2a^2f^2 - b^2e^2)^2(9C^2a^2b^{12}c^5e^{12}f^2 - 144C^2a^{14}c^5f^{14} + 74C^2a^4b^{10}c^5e^{10}f^4 - 519C^2a^6b^8c^5e^8f^6 + 1168C^2a^8b^6c^5e^6f^8 - 1264C^2a^{10}b^4c^5e^4f^{10} + 676C^2a^{12}b^2c^5e^2f^{12}))/((f^4(a^2cf^2 - b^2c^2e^2)^2(a^2cf^2 - b^2c^2e^2)(b^{16}e^{14}f^4 - 4a^2b^{14}e^{12}f^6 + 6a^4b^{12}e^{10}f^8 - 4a^6b^{10}e^8f^{10} + a^8b^8e^6f^{12}))) * (4a^6cf^6 - 3b^6c^2e^6 + 8a^2b^4c^2e^4f^2 - 8a^4b^2c^2e^2f^4)^4 / ((b^2c^2e^2 - a^2cf^2)^{(1/2)} * (164025b^{46}c^{13}e^{46} + 885735b^{44}c^{12}e^{44}(a^2cf^2 - b^2c^2e^2) + 117440512a^{30}c^5f^{30}(a^2cf^2 - b^2c^2e^2)^8 - 385875968a^{32}c^6f^{32}(a^2cf^2 - b^2c^2e^2)^7 + 419430400a^{34}c^7f^{34}(a^2cf^2 - b^2c^2e^2)^6 - 150994944a^{36}c^8f^36(a^2cf^2 - b^2c^2e^2)^5 + 236196b^{36}c^8e^{36}(a^2cf^2 - b^2c^2e^2)^5 + 1102248b^{38}c^9e^{38}(a^2cf^2 - b^2c^2e^2)^4 + 2053593b^{40}c^{10}e^{40}(a^2cf^2 - b^2c^2e^2)^3 + 1909251b^{42}c^{11}e^{42}(a^2cf^2 - b^2c^2e^2)^2 - 3937329a^2b^{44}c^{13}e^{44}f^2 + 43893819a^4b^{42}c^{13}e^{42}f^4 - 301507155a^6b^{40}c^{13}e^{40}f^6 + 1427514656a^8b^{38}c^{13}e^{38}f^8 - 493691
\end{aligned}$$

$$\begin{aligned}
& 1112*a^{10}*b^{36}*c^{13}*e^{36}*f^{10} + 12893273616*a^{12}*b^{34}*c^{13}*e^{34}*f^{12} - 2592 \\
& 1630432*a^{14}*b^{32}*c^{13}*e^{32}*f^{14} + 40519286096*a^{16}*b^{30}*c^{13}*e^{30}*f^{16} - 4 \\
& 9376608256*a^{18}*b^{28}*c^{13}*e^{28}*f^{18} + 46721401856*a^{20}*b^{26}*c^{13}*e^{26}*f^{20} \\
& - 33946324736*a^{22}*b^{24}*c^{13}*e^{24}*f^{22} + 18556579328*a^{24}*b^{22}*c^{13}*e^{22}*f^{24} \\
& - 7375276032*a^{26}*b^{20}*c^{13}*e^{20}*f^{26} + 2009817088*a^{28}*b^{18}*c^{13}*e^{18}*f^{28} \\
& - 335642624*a^{30}*b^{16}*c^{13}*e^{16}*f^{30} + 25907200*a^{32}*b^{14}*c^{13}*e^{14}*f^{32} \\
& - 21130794*a^{2}*b^{42}*c^{12}*e^{42}*f^{2}*(a^{2}*c*f^{2} - b^{2}*c*e^{2}) + 234399015*a^{4} \\
& *b^{40}*c^{12}*e^{40}*f^{4}*(a^{2}*c*f^{2} - b^{2}*c*e^{2}) - 1604168280*a^{6}*b^{38}*c^{12}*e^{38} \\
& *f^{6}*(a^{2}*c*f^{2} - b^{2}*c*e^{2}) + 7579098492*a^{8}*b^{36}*c^{12}*e^{36}*f^{8}*(a^{2}*c*f^{2} \\
& - b^{2}*c*e^{2}) - 26212380172*a^{10}*b^{34}*c^{12}*e^{34}*f^{10}*(a^{2}*c*f^{2} - b^{2}*c*e^{2} \\
&) + 68672994096*a^{12}*b^{32}*c^{12}*e^{32}*f^{12}*(a^{2}*c*f^{2} - b^{2}*c*e^{2}) - 13916058 \\
& 9504*a^{14}*b^{30}*c^{12}*e^{30}*f^{14}*(a^{2}*c*f^{2} - b^{2}*c*e^{2}) + 220859191808*a^{16}*b^{28} \\
& *c^{12}*e^{28}*f^{16}*(a^{2}*c*f^{2} - b^{2}*c*e^{2}) - 276344315328*a^{18}*b^{26}*c^{12}*e^{26} \\
& *f^{18}*(a^{2}*c*f^{2} - b^{2}*c*e^{2}) + 273130561984*a^{20}*b^{24}*c^{12}*e^{24}*f^{20}*(a^{2} \\
& *c*f^{2} - b^{2}*c*e^{2}) - 212730002688*a^{22}*b^{22}*c^{12}*e^{22}*f^{22}*(a^{2}*c*f^{2} - b^{2} \\
& *c*e^{2}) + 129574234368*a^{24}*b^{20}*c^{12}*e^{20}*f^{24}*(a^{2}*c*f^{2} - b^{2}*c*e^{2}) - \\
& 60770569216*a^{26}*b^{18}*c^{12}*e^{18}*f^{26}*(a^{2}*c*f^{2} - b^{2}*c*e^{2}) + 21304706048 \\
& *a^{28}*b^{16}*c^{12}*e^{16}*f^{28}*(a^{2}*c*f^{2} - b^{2}*c*e^{2}) - 5272965120*a^{30}*b^{14}*c^{12} \\
& *e^{14}*f^{30}*(a^{2}*c*f^{2} - b^{2}*c*e^{2}) + 819441664*a^{32}*b^{12}*c^{12}*e^{12}*f^{32}*(\\
& a^{2}*c*f^{2} - b^{2}*c*e^{2}) - 59392000*a^{34}*b^{10}*c^{12}*e^{10}*f^{34}*(a^{2}*c*f^{2} - b^{2} \\
& *c*e^{2}) + 9289728*a^{6}*b^{24}*c^{5}*e^{24}*f^{6}*(a^{2}*c*f^{2} - b^{2}*c*e^{2})^8 - 3688448 \\
& 0*a^{8}*b^{22}*c^{5}*e^{22}*f^{8}*(a^{2}*c*f^{2} - b^{2}*c*e^{2})^8 - 278604800*a^{10}*b^{20}*c^{5} \\
& *e^{20}*f^{10}*(a^{2}*c*f^{2} - b^{2}*c*e^{2})^8 + 2774483200*a^{12}*b^{18}*c^{5}*e^{18}*f^{12}*(\\
& a^{2}*c*f^{2} - b^{2}*c*e^{2})^8 - 10869657600*a^{14}*b^{16}*c^{5}*e^{16}*f^{14}*(a^{2}*c*f^{2} - \\
& b^{2}*c*e^{2})^8 + 25237416960*a^{16}*b^{14}*c^{5}*e^{14}*f^{16}*(a^{2}*c*f^{2} - b^{2}*c*e^{2}) \\
& ^8 - 38348909568*a^{18}*b^{12}*c^{5}*e^{12}*f^{18}*(a^{2}*c*f^{2} - b^{2}*c*e^{2})^8 + 390846 \\
& 59712*a^{20}*b^{10}*c^{5}*e^{10}*f^{20}*(a^{2}*c*f^{2} - b^{2}*c*e^{2})^8 - 26118635520*a^{22} \\
& *b^{8}*c^{5}*e^{8}*f^{22}*(a^{2}*c*f^{2} - b^{2}*c*e^{2})^8 + 10414620672*a^{24}*b^{6}*c^{5}*e^{6}*f \\
& ^24*(a^{2}*c*f^{2} - b^{2}*c*e^{2})^8 - 1708654592*a^{26}*b^{4}*c^{5}*e^{4}*f^{26}*(a^{2}*c*f^{2} \\
& - b^{2}*c*e^{2})^8 - 276561920*a^{28}*b^{2}*c^{5}*e^{2}*f^{28}*(a^{2}*c*f^{2} - b^{2}*c*e^{2})^8 \\
& - 9704448*a^{4}*b^{28}*c^{6}*e^{28}*f^{4}*(a^{2}*c*f^{2} - b^{2}*c*e^{2})^7 + 260614656*a^{6} \\
& *b^{26}*c^{6}*e^{26}*f^{6}*(a^{2}*c*f^{2} - b^{2}*c*e^{2})^7 - 2166022464*a^{8}*b^{24}*c^{6}*e^{24} \\
& *f^{8}*(a^{2}*c*f^{2} - b^{2}*c*e^{2})^7 + 8626147840*a^{10}*b^{22}*c^{6}*e^{22}*f^{10}*(a^{2}*c*f \\
& ^2 - b^{2}*c*e^{2})^7 - 16771503616*a^{12}*b^{20}*c^{6}*e^{20}*f^{12}*(a^{2}*c*f^{2} - b^{2}*c \\
& *e^{2})^7 + 3301800960*a^{14}*b^{18}*c^{6}*e^{18}*f^{14}*(a^{2}*c*f^{2} - b^{2}*c*e^{2})^7 + 673 \\
& 37715968*a^{16}*b^{16}*c^{6}*e^{16}*f^{16}*(a^{2}*c*f^{2} - b^{2}*c*e^{2})^7 - 189857873920*a \\
& ^{18}*b^{14}*c^{6}*e^{14}*f^{18}*(a^{2}*c*f^{2} - b^{2}*c*e^{2})^7 + 286100259840*a^{20}*b^{12} \\
& *c^{6}*e^{12}*f^{20}*(a^{2}*c*f^{2} - b^{2}*c*e^{2})^7 - 275789894656*a^{22}*b^{10}*c^{6}*e^{10} \\
& *f^{22}*(a^{2}*c*f^{2} - b^{2}*c*e^{2})^7 + 173716537344*a^{24}*b^{8}*c^{6}*e^{8}*f^{24}*(a^{2}*c*f \\
& ^2 - b^{2}*c*e^{2})^7 - 67416424448*a^{26}*b^{6}*c^{6}*e^{6}*f^{26}*(a^{2}*c*f^{2} - b^{2}*c \\
& *e^{2})^7 + 12831686656*a^{28}*b^{4}*c^{6}*e^{4}*f^{28}*(a^{2}*c*f^{2} - b^{2}*c*e^{2})^7 + 2225602 \\
& 56*a^{30}*b^{2}*c^{6}*e^{2}*f^{30}*(a^{2}*c*f^{2} - b^{2}*c*e^{2})^7 + 2099520*a^{2}*b^{32} \\
& *c^{7}*e^{32}*f^{2}*(a^{2}*c*f^{2} - b^{2}*c*e^{2})^6 - 107014608*a^{4}*b^{30} \\
& *c^{7}*e^{30}*f^{4}*(a^{2}*c*f^{2} - b^{2}*c*e^{2})^6 + 1848335616*a^{6}*b^{28} \\
& *c^{7}*e^{28}*f^{6}*(a^{2}*c*f^{2} - b^{2}*c*e^{2})^6 - 15200005312*a^{8} \\
& *b^{26}*c^{7}*e^{26}*f^{8}*(a^{2}*c*f^{2} - b^{2}*c*e^{2})^6 + 726122
\end{aligned}$$

$$\begin{aligned}
& 73792a^{10}b^{24}c^7e^{24}f^{10}(a^2cf^2 - b^2ce^2)^6 - 221855779968a^{12} \\
& *b^{22}c^7e^{22}f^{12}(a^2cf^2 - b^2ce^2)^6 + 450717857536a^{14}b^{20}c^7* \\
& e^{20}f^{14}(a^2cf^2 - b^2ce^2)^6 - 600578910208a^{16}b^{18}c^7e^{18}f^{16}* \\
& (a^2cf^2 - b^2ce^2)^6 + 459464530688a^{18}b^{16}c^7e^{16}f^{18}(a^2cf^2 \\
& - b^2ce^2)^6 - 33638947840a^{20}b^{14}c^7e^{14}f^{20}(a^2cf^2 - b^2ce^2 \\
&)^6 - 376299926528a^{22}b^{12}c^7e^{12}f^{22}(a^2cf^2 - b^2ce^2)^6 + 488 \\
& 874068992a^{24}b^{10}c^7e^{10}f^{24}(a^2cf^2 - b^2ce^2)^6 - 333407809536* \\
& a^{26}b^8c^7e^8f^{26}(a^2cf^2 - b^2ce^2)^6 + 134140313600a^{28}b^6c^7 \\
& *e^6f^{28}(a^2cf^2 - b^2ce^2)^6 - 28220915712a^{30}b^4c^7e^4f^{30}(a^ \\
& 2cf^2 - b^2ce^2)^6 + 1230503936a^{32}b^2c^7e^2f^{32}(a^2cf^2 - b^2* \\
& ce^2)^6 + 3335904a^2b^{34}c^8e^34f^{2}(a^2cf^2 - b^2ce^2)^5 - 290521 \\
& 728a^4b^{32}c^8e^32f^4(a^2cf^2 - b^2ce^2)^5 + 4865684544a^6b^{30}c \\
& ^8e^30f^6(a^2cf^2 - b^2ce^2)^5 - 40437394528a^8b^{28}c^8e^28f^8*(\\
& a^2cf^2 - b^2ce^2)^5 + 205602254656a^{10}b^{26}c^8e^26f^{10}(a^2cf^2 \\
& - b^2ce^2)^5 - 703885344192a^{12}b^{24}c^8e^24f^{12}(a^2cf^2 - b^2*ce^ \\
& 2)^5 + 1709253482624a^{14}b^{22}c^8e^{22}f^{14}(a^2cf^2 - b^2ce^2)^5 - 30 \\
& 29282695168a^{16}b^{20}c^8e^{20}f^{16}(a^2cf^2 - b^2ce^2)^5 + 39662308275 \\
& 20a^{18}b^{18}c^8e^{18}f^{18}(a^2cf^2 - b^2ce^2)^5 - 3822339813632a^{20}b \\
& ^{16}c^8e^{16}f^{20}(a^2cf^2 - b^2ce^2)^5 + 2640438056960a^{22}b^{14}c^8e \\
& ^{14}f^{22}(a^2cf^2 - b^2ce^2)^5 - 1208501415936a^{24}b^{12}c^8e^{12}f^{24}* \\
& (a^2cf^2 - b^2ce^2)^5 + 269338092544a^{26}b^{10}c^8e^{10}f^{26}(a^2cf^2 \\
& - b^2ce^2)^5 + 53783212032a^{28}b^8c^8e^8f^{28}(a^2cf^2 - b^2ce^2) \\
& ^5 - 60985360384a^{30}b^6c^8e^6f^{30}(a^2cf^2 - b^2ce^2)^5 + 17917083 \\
& 648a^{32}b^4c^8e^4f^{32}(a^2cf^2 - b^2ce^2)^5 - 1558708224a^{34}b^2c \\
& ^8e^2f^{34}(a^2cf^2 - b^2ce^2)^5 - 11917692a^{2}b^{36}c^9e^{36}f^2(a^2 \\
& *cf^2 - b^2ce^2)^4 - 224907516a^4b^{34}c^9e^{34}f^4(a^2cf^2 - b^2*c* \\
& e^2)^4 + 5303932560a^6b^{32}c^9e^{32}f^6(a^2cf^2 - b^2ce^2)^4 - 48206 \\
& 418480a^8b^{30}c^9e^{30}f^8(a^2cf^2 - b^2ce^2)^4 + 261450609120a^{10}* \\
& b^{28}c^9e^{28}f^{10}(a^2cf^2 - b^2ce^2)^4 - 962361040256a^{12}b^{26}c^9e \\
& ^{26}f^{12}(a^2cf^2 - b^2ce^2)^4 + 2558559358080a^{14}b^{24}c^9e^{24}f^{14}* \\
& (a^2cf^2 - b^2ce^2)^4 - 5091804150656a^{16}b^{22}c^9e^{22}f^{16}(a^2*cf^ \\
& 2 - b^2ce^2)^4 + 7750806514944a^{18}b^{20}c^9e^{20}f^{18}(a^2cf^2 - b^2*c \\
& *e^2)^4 - 9137207485952a^{20}b^{18}c^9e^{18}f^{20}(a^2cf^2 - b^2ce^2)^4 + \\
& 8384563280128a^{22}b^{16}c^9e^{16}f^{22}(a^2cf^2 - b^2ce^2)^4 - 59752812 \\
& 59520a^{24}b^{14}c^9e^{14}f^{24}(a^2cf^2 - b^2ce^2)^4 + 3269297268736a^{2} \\
& 6b^{12}c^9e^{12}f^{26}(a^2cf^2 - b^2ce^2)^4 - 1339171540992a^{28}b^{10}c^ \\
& 9e^{10}f^{28}(a^2cf^2 - b^2ce^2)^4 + 391250194432a^{30}b^8c^9e^8f^{30}* \\
& (a^2cf^2 - b^2ce^2)^4 - 74114154496a^{32}b^6c^9e^6f^{32}(a^2cf^2 - \\
& b^2ce^2)^4 + 7299203072a^{34}b^4c^9e^4f^{34}(a^2cf^2 - b^2ce^2)^4 - \\
& 148635648a^{36}b^2c^9e^2f^{36}(a^2cf^2 - b^2ce^2)^4 - 38704068a^2b \\
& ^{38}c^{10}e^{38}f^2(a^2cf^2 - b^2ce^2)^3 + 188845992a^4b^{36}c^{10}e^{36}* \\
& f^4(a^2cf^2 - b^2ce^2)^3 + 1157124204a^6b^{34}c^{10}e^{34}f^6(a^2*cf^ \\
& 2 - b^2ce^2)^3 - 20586361424a^8b^{32}c^{10}e^{32}f^8(a^2cf^2 - b^2*c*e^ \\
& 2)^3 + 135395499200a^{10}b^{30}c^{10}e^{30}f^{10}(a^2cf^2 - b^2ce^2)^3 - 55 \\
& 5513858464a^{12}b^{28}c^{10}e^{28}f^{12}(a^2cf^2 - b^2ce^2)^3 + 16087763888
\end{aligned}$$

$$\begin{aligned}
& 64a^{14}b^{26}c^{10}e^{26}f^{14}(a^2c^2f^2 - b^2c^2e^2)^3 - 3473989271488a^{16}b^{24}c^{10}e^{24}f^{16}(a^2c^2f^2 - b^2c^2e^2)^3 + 5766181411456a^{18}b^{22}c^{10}e^{22}f^{18}(a^2c^2f^2 - b^2c^2e^2)^3 - 7493983209472a^{20}b^{20}c^{10}e^{20}f^{20}(a^2c^2f^2 - b^2c^2e^2)^3 + 7713917084672a^{22}b^{18}c^{10}e^{18}f^{22}(a^2c^2f^2 - b^2c^2e^2)^3 - 6328467293184a^{24}b^{16}c^{10}e^{16}f^{24}(a^2c^2f^2 - b^2c^2e^2)^3 + 4142950034432a^{26}b^{14}c^{10}e^{14}f^{26}(a^2c^2f^2 - b^2c^2e^2)^3 - 2152681536512a^{28}b^{12}c^{10}e^{12}f^{28}(a^2c^2f^2 - b^2c^2e^2)^3 + 874199511040a^{30}b^{10}c^{10}e^{10}f^{30}(a^2c^2f^2 - b^2c^2e^2)^3 - 268759150592a^{32}b^8c^{10}e^8f^{32}(a^2c^2f^2 - b^2c^2e^2)^3 + 58872545280a^{34}b^6c^{10}e^6f^{34}(a^2c^2f^2 - b^2c^2e^2)^3 - 8151957504a^{36}b^4c^{10}e^4f^36(a^2c^2f^2 - b^2c^2e^2)^3 + 530841600a^{38}b^2c^{10}e^2f^{38}(a^2c^2f^2 - b^2c^2e^2)^3 - 42743457a^{40}b^0c^{11}e^{40}f^{40}(a^2c^2f^2 - b^2c^2e^2)^2 + 411055884a^4b^38c^{11}e^{38}f^{40}(a^2c^2f^2 - b^2c^2e^2)^2 - 2180887236a^6b^36c^{11}e^{36}f^{40}(a^2c^2f^2 - b^2c^2e^2)^2 + 6404946508a^8b^34c^{11}e^{34}f^{40}(a^2c^2f^2 - b^2c^2e^2)^2 - 5434005264a^{10}b^32c^{11}e^{32}f^{40}(a^2c^2f^2 - b^2c^2e^2)^2 - 38868373520a^{12}b^30c^{11}e^{30}f^{40}(a^2c^2f^2 - b^2c^2e^2)^2 + 208447613600a^{14}b^28c^{11}e^{28}f^{40}(a^2c^2f^2 - b^2c^2e^2)^2 - 579674999104a^{16}b^26c^{11}e^{26}f^{40}(a^2c^2f^2 - b^2c^2e^2)^2 + 1104967566592a^{18}b^24c^{11}e^{24}f^{40}(a^2c^2f^2 - b^2c^2e^2)^2 - 1554566531328a^{20}b^22c^{11}e^{22}f^{40}(a^2c^2f^2 - b^2c^2e^2)^2 + 1659734381312a^{22}b^20c^{11}e^{20}f^{40}(a^2c^2f^2 - b^2c^2e^2)^2 - 1356361512192a^{24}b^18c^{11}e^{18}f^{40}(a^2c^2f^2 - b^2c^2e^2)^2 + 845331359744a^{26}b^16c^{11}e^{16}f^{40}(a^2c^2f^2 - b^2c^2e^2)^2 - 395676895232a^{28}b^14c^{11}e^{14}f^{40}(a^2c^2f^2 - b^2c^2e^2)^2 + 134902689792a^{30}b^12c^{11}e^{12}f^{40}(a^2c^2f^2 - b^2c^2e^2)^2 - 31670587392a^{32}b^10c^{11}e^{10}f^{40}(a^2c^2f^2 - b^2c^2e^2)^2 + 4584669184a^{34}b^8c^{11}e^8f^{40}(a^2c^2f^2 - b^2c^2e^2)^2 - 309657600a^{36}b^6c^{11}e^6f^{40}(a^2c^2f^2 - b^2c^2e^2)^2)))(b^{16}e^{12}f^6(a^2c^2f^2 - b^2c^2e^2)^2 - 4a^2b^{14}e^{10}f^8(a^2c^2f^2 - b^2c^2e^2)^2 + 6a^4b^{12}e^8f^{10}(a^2c^2f^2 - b^2c^2e^2)^2 - 4a^6b^{10}e^6f^{12}(a^2c^2f^2 - b^2c^2e^2)^2 + a^8b^8e^4f^{14}(a^2c^2f^2 - b^2c^2e^2)^2))/(((a + b*x)^{(1/2)} - a^{(1/2)})^2*(16384C^4a^6c^3f^4 + 4096C^4a^2b^4c^3e^4 - 16384C^4a^4b^2c^3e^2f^2)) + (((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^3*((2a^4b^5c^3e^5f^4*(4a^2c^2f^2 - 3b^2c^2e^2)^2*((4096*(112C^4a^4b^8c^4e^10 + 448C^4a^12c^4e^2f^8 - 668C^4a^6b^6c^4e^8f^2 + 1440C^4a^8b^4c^4e^6f^4 - 1328C^4a^10b^2c^4e^4f^6)))/(b^16e^{14}f^4 - 4a^2b^14e^{12}f^6 + 6a^4b^{12}e^{10}f^8 - 4a^6b^{10}e^8f^{10} + a^8b^8e^6f^{12}) + (4096C^4e^4*(2a^2f^2 - b^2e^2)^4*(9a^2b^{14}c^6e^{12}f^6 - 47a^4b^{12}c^6e^{10}f^8 + 98a^6b^{10}c^6e^8f^{10} - 102a^8b^8c^6e^6f^{12} + 53a^{10}b^6c^6e^4f^{14} - 11a^{12}b^4c^6e^2f^{16}))/((f^8*(a*f + b*e)^4*(a*f - b*e)^4*(a^2c^2f^2 - b^2c^2e^2)^2*(b^{16}e^{14}f^4 - 4a^2b^{14}e^{12}f^6 + 6a^4b^{12}e^{10}f^8 - 4a^6b^{10}e^8f^{10} + a^8b^8e^6f^{12})) + (4096C^2e^2*(2a^2f^2 - b^2e^2)^2*(9C^2a^2b^{12}c^5e^{12}f^2 - 144C^2a^{14}c^5f^{14} + 74C^2a^4b^{10}c^5e^{10}f^4 - 519C^2a^6b^8c^5e^8f^6 + 1168C^2a^8b^6c^5e^6f^8 - 1264C^2a^{10}b^4c^5e^4f^{10} + 676C^2a^{12}b^2c^5e^2f^{12}))/((f^4*(a*f + b*e)^2*(a*f - b*e)^2*(a^2c^2f^2 - b^2c^2e^2)*(b^
\end{aligned}$$

$$\begin{aligned}
& 16e^{14}f^4 - 4a^2b^{14}e^{12}f^6 + 6a^4b^{12}e^{10}f^8 - 4a^6b^{10}e^8f^{10} \\
& + a^8b^8e^6f^{12})) \cdot (4a^6c^2f^6 - 3b^6c^2e^6 + 8a^2b^4c^2e^4f^2 - 8a^4b^2c^2e^2f^4)^4 / ((b^2c^2e^2 - a^2c^2f^2)^{(1/2)} \cdot (164025b^{46}c^{13}e^{46} \\
& + 885735b^{44}c^{12}e^{44}(a^2c^2f^2 - b^2c^2e^2) + 117440512a^{30}c^5f^{30}(a^2c^2f^2 - b^2c^2e^2)^8 \\
& - 385875968a^{32}c^6f^{32}(a^2c^2f^2 - b^2c^2e^2)^7 + 419430400a^{34}c^7f^{34}(a^2c^2f^2 - b^2c^2e^2)^6 \\
& - 150994944a^{36}c^8f^{36}(a^2c^2f^2 - b^2c^2e^2)^5 + 236196b^{36}c^8e^{36}(a^2c^2f^2 - b^2c^2e^2)^5 \\
& + 1102248b^{38}c^9e^{38}(a^2c^2f^2 - b^2c^2e^2)^4 + 2053593b^{40}c^{10}e^{40}(a^2c^2f^2 - b^2c^2e^2)^3 \\
& + 1909251b^{42}c^{11}e^{42}(a^2c^2f^2 - b^2c^2e^2)^2 - 3937329a^2b^{44}c^{13}e^{44}f^2 + 43893819a^4b^{42}c^{13}e^{42}f^4 \\
& - 301507155a^6b^{40}c^{13}e^{40}f^6 + 1427514656a^8b^{38}c^{13}e^{38}f^8 - 4936911112a^{10}b^{36}c^{13}e^{36}f^{10} \\
& + 12893273616a^{12}b^{34}c^{13}e^{34}f^{12} - 25921630432a^{14}b^{32}c^{13}e^{32}f^{14} + 40519286096a^{16}b^{30}c^{13}e^{30}f^{16} \\
& - 49376608256a^{18}b^{28}c^{13}e^{28}f^{18} + 46721401856a^{20}b^{26}c^{13}e^{26}f^{20} - 33946324736a^{22}b^{24}c^{13}e^{24}f^{22} \\
& + 18556579328a^{24}b^{22}c^{13}e^{22}f^{24} - 7375276032a^{26}b^{20}c^{13}e^{20}f^{26} + 2009817088a^{28}b^{18}c^{13}e^{18}f^{28} \\
& - 335642624a^{30}b^{16}c^{13}e^{16}f^{30} + 25907200a^{32}b^{14}c^{13}e^{14}f^{32} - 21130794a^2b^{42}c^{12}e^{42}f^2 \cdot (a^2c^2f^2 - b^2c^2e^2) \\
& + 234399015a^4b^{40}c^{12}e^{40}f^4 \cdot (a^2c^2f^2 - b^2c^2e^2) - 1604168280a^6b^{38}c^{12}e^{38}f^6 \cdot (a^2c^2f^2 - b^2c^2e^2) \\
& + 7579098492a^8b^{36}c^{12}e^{36}f^8 \cdot (a^2c^2f^2 - b^2c^2e^2) - 26212380172a^{10}b^{34}c^{12}e^{34}f^{10} \cdot (a^2c^2f^2 - b^2c^2e^2) \\
& + 68672994096a^{12}b^{32}c^{12}e^{32}f^{12} \cdot (a^2c^2f^2 - b^2c^2e^2) - 139160589504a^{14}b^{30}c^{12}e^{30}f^{14} \cdot (a^2c^2f^2 - b^2c^2e^2) \\
& + 220859191808a^{16}b^{28}c^{12}e^{28}f^{16} \cdot (a^2c^2f^2 - b^2c^2e^2) - 276344315328a^{18}b^{26}c^{12}e^{26}f^{18} \cdot (a^2c^2f^2 - b^2c^2e^2) \\
& + 273130561984a^{20}b^{24}c^{12}e^{24}f^{20} \cdot (a^2c^2f^2 - b^2c^2e^2) - 212730002688a^{22}b^{22}c^{12}e^{22}f^{22} \cdot (a^2c^2f^2 - b^2c^2e^2) \\
& + 129574234368a^{24}b^{20}c^{12}e^{20}f^{24} \cdot (a^2c^2f^2 - b^2c^2e^2) - 60770569216a^{26}b^{18}c^{12}e^{18}f^{26} \cdot (a^2c^2f^2 - b^2c^2e^2) \\
& + 21304706048a^{28}b^{16}c^{12}e^{16}f^{28} \cdot (a^2c^2f^2 - b^2c^2e^2) - 5272965120a^{30}b^{14}c^{12}e^{14}f^{30} \cdot (a^2c^2f^2 - b^2c^2e^2) \\
& + 819441664a^{32}b^{12}c^{12}e^{12}f^{32} \cdot (a^2c^2f^2 - b^2c^2e^2) - 59392000a^{34}b^{10}c^{12}e^{10}f^{34} \cdot (a^2c^2f^2 - b^2c^2e^2) \\
& + 9289728a^6b^{24}c^5e^{24}f^6 \cdot (a^2c^2f^2 - b^2c^2e^2)^8 - 36884480a^8b^{22}c^5e^{22}f^8 \cdot (a^2c^2f^2 - b^2c^2e^2)^8 \\
& - 278604800a^{10}b^{20}c^5e^{20}f^{10} \cdot (a^2c^2f^2 - b^2c^2e^2)^8 + 2774483200a^{12}b^{18}c^5e^{18}f^{12} \cdot (a^2c^2f^2 - b^2c^2e^2)^8 \\
& - 10869657600a^{14}b^{16}c^5e^{16}f^{14} \cdot (a^2c^2f^2 - b^2c^2e^2)^8 + 25237416960a^{16}b^{14}c^5e^{14}f^{16} \cdot (a^2c^2f^2 - b^2c^2e^2)^8 \\
& - 38348909568a^{18}b^{12}c^5e^{12}f^{18} \cdot (a^2c^2f^2 - b^2c^2e^2)^8 + 39084659712a^{20}b^{10}c^5e^{10}f^{20} \cdot (a^2c^2f^2 - b^2c^2e^2)^8 \\
& - 26118635520a^{22}b^8c^5e^8f^{22} \cdot (a^2c^2f^2 - b^2c^2e^2)^8 + 10414620672a^{24}b^6c^5e^6f^{24} \cdot (a^2c^2f^2 - b^2c^2e^2)^8 \\
& - 1708654592a^{26}b^4c^5e^4f^{26} \cdot (a^2c^2f^2 - b^2c^2e^2)^8 - 276561920a^{28}b^2c^5e^2f^{28} \cdot (a^2c^2f^2 - b^2c^2e^2)^8 \\
& - 9704448a^4b^{28}c^6e^{28}f^4 \cdot (a^2c^2f^2 - b^2c^2e^2)^7 + 260614656a^6b^{26}c^6e^{26}f^6 \cdot (a^2c^2f^2 - b^2c^2e^2)^7 \\
& - 2166022464a^8b^{24}c^6e^{24}f^8 \cdot (a^2c^2f^2 - b^2c^2e^2)^7 + 8626147840a^{10}b^{22}c^6e^{22}f^{10} \cdot (a^2c^2f^2 - b^2c^2e^2)^7 \\
& - 16771503616a^{12}b^{20}c^6e^{20}f^{12} \cdot (a^2c^2f^2 - b^2c^2e^2)^7 - 16771503616a^{12}b^{20}c^6e^{20}f^{12} \cdot (a^2c^2f^2 - b^2c^2e^2)^7
\end{aligned}$$

$$\begin{aligned}
& b^2*c*e^2)^7 + 3301800960*a^{14}*b^{18}*c^6*e^{18}*f^{14}*(a^2*c*f^2 - b^2*c*e^2)^7 \\
& + 67337715968*a^{16}*b^{16}*c^6*e^{16}*f^{16}*(a^2*c*f^2 - b^2*c*e^2)^7 - 1898578 \\
& 73920*a^{18}*b^{14}*c^6*e^{14}*f^{18}*(a^2*c*f^2 - b^2*c*e^2)^7 + 286100259840*a^{20} \\
& *b^{12}*c^6*e^{12}*f^{20}*(a^2*c*f^2 - b^2*c*e^2)^7 - 275789894656*a^{22}*b^{10}*c^6* \\
& e^{10}*f^{22}*(a^2*c*f^2 - b^2*c*e^2)^7 + 173716537344*a^{24}*b^8*c^6*e^8*f^{24}*(a \\
& ^2*c*f^2 - b^2*c*e^2)^7 - 67416424448*a^{26}*b^6*c^6*e^6*f^{26}*(a^2*c*f^2 - b^ \\
& 2*c*e^2)^7 + 12831686656*a^{28}*b^4*c^6*e^4*f^{28}*(a^2*c*f^2 - b^2*c*e^2)^7 + \\
& 222560256*a^{30}*b^2*c^6*e^2*f^{30}*(a^2*c*f^2 - b^2*c*e^2)^7 + 2099520*a^2*b^3 \\
& 2*c^7*e^32*f^2*(a^2*c*f^2 - b^2*c*e^2)^6 - 107014608*a^4*b^30*c^7*e^30*f^4* \\
& (a^2*c*f^2 - b^2*c*e^2)^6 + 1848335616*a^6*b^28*c^7*e^28*f^6*(a^2*c*f^2 - b \\
& ^2*c*e^2)^6 - 15200005312*a^8*b^26*c^7*e^26*f^8*(a^2*c*f^2 - b^2*c*e^2)^6 + \\
& 72612273792*a^{10}*b^{24}*c^7*e^24*f^{10}*(a^2*c*f^2 - b^2*c*e^2)^6 - 2218557799 \\
& 68*a^{12}*b^{22}*c^7*e^22*f^{12}*(a^2*c*f^2 - b^2*c*e^2)^6 + 450717857536*a^{14}*b^ \\
& 20*c^7*e^20*f^{14}*(a^2*c*f^2 - b^2*c*e^2)^6 - 600578910208*a^{16}*b^{18}*c^7*e^1 \\
& 8*f^{16}*(a^2*c*f^2 - b^2*c*e^2)^6 + 459464530688*a^{18}*b^{16}*c^7*e^16*f^{18}*(a^ \\
& 2*c*f^2 - b^2*c*e^2)^6 - 33638947840*a^{20}*b^{14}*c^7*e^14*f^{20}*(a^2*c*f^2 - b \\
& ^2*c*e^2)^6 - 376299926528*a^{22}*b^{12}*c^7*e^12*f^{22}*(a^2*c*f^2 - b^2*c*e^2)^ \\
& 6 + 488874068992*a^{24}*b^{10}*c^7*e^10*f^{24}*(a^2*c*f^2 - b^2*c*e^2)^6 - 333407 \\
& 809536*a^{26}*b^8*c^7*e^8*f^{26}*(a^2*c*f^2 - b^2*c*e^2)^6 + 134140313600*a^{28}* \\
& b^6*c^7*e^6*f^{28}*(a^2*c*f^2 - b^2*c*e^2)^6 - 28220915712*a^{30}*b^4*c^7*e^4*f \\
& ^30*(a^2*c*f^2 - b^2*c*e^2)^6 + 1230503936*a^{32}*b^2*c^7*e^2*f^{32}*(a^2*c*f^2 \\
& - b^2*c*e^2)^6 + 3335904*a^2*b^34*c^8*e^34*f^2*(a^2*c*f^2 - b^2*c*e^2)^5 - \\
& 290521728*a^4*b^32*c^8*e^32*f^4*(a^2*c*f^2 - b^2*c*e^2)^5 + 4865684544*a^6 \\
& *b^30*c^8*e^30*f^6*(a^2*c*f^2 - b^2*c*e^2)^5 - 40437394528*a^8*b^28*c^8*e^2 \\
& 8*f^8*(a^2*c*f^2 - b^2*c*e^2)^5 + 205602254656*a^{10}*b^26*c^8*e^26*f^{10}*(a^2 \\
& *c*f^2 - b^2*c*e^2)^5 - 703885344192*a^{12}*b^{24}*c^8*e^24*f^{12}*(a^2*c*f^2 - b \\
& ^2*c*e^2)^5 + 1709253482624*a^{14}*b^{22}*c^8*e^22*f^{14}*(a^2*c*f^2 - b^2*c*e^2) \\
& ^5 - 3029282695168*a^{16}*b^{20}*c^8*e^20*f^{16}*(a^2*c*f^2 - b^2*c*e^2)^5 + 3966 \\
& 230827520*a^{18}*b^{18}*c^8*e^18*f^{18}*(a^2*c*f^2 - b^2*c*e^2)^5 - 3822339813632 \\
& *a^{20}*b^{16}*c^8*e^16*f^{20}*(a^2*c*f^2 - b^2*c*e^2)^5 + 2640438056960*a^{22}*b^{1 \\
& 4}*c^8*e^14*f^{22}*(a^2*c*f^2 - b^2*c*e^2)^5 - 1208501415936*a^{24}*b^{12}*c^8*e^1 \\
& 2*f^{24}*(a^2*c*f^2 - b^2*c*e^2)^5 + 269338092544*a^{26}*b^{10}*c^8*e^10*f^{26}*(a^ \\
& 2*c*f^2 - b^2*c*e^2)^5 + 53783212032*a^{28}*b^8*c^8*e^8*f^{28}*(a^2*c*f^2 - b^2 \\
& *c*e^2)^5 - 60985360384*a^{30}*b^6*c^8*e^6*f^{30}*(a^2*c*f^2 - b^2*c*e^2)^5 + 1 \\
& 7917083648*a^{32}*b^4*c^8*e^4*f^{32}*(a^2*c*f^2 - b^2*c*e^2)^5 - 1558708224*a^3 \\
& 4*b^2*c^8*e^2*f^{34}*(a^2*c*f^2 - b^2*c*e^2)^5 - 11917692*a^2*b^36*c^9*e^36*f \\
& ^2*(a^2*c*f^2 - b^2*c*e^2)^4 - 224907516*a^4*b^34*c^9*e^34*f^4*(a^2*c*f^2 - \\
& b^2*c*e^2)^4 + 5303932560*a^6*b^32*c^9*e^32*f^6*(a^2*c*f^2 - b^2*c*e^2)^4 \\
& - 48206418480*a^8*b^30*c^9*e^30*f^8*(a^2*c*f^2 - b^2*c*e^2)^4 + 26145060912 \\
& 0*a^{10}*b^{28}*c^9*e^28*f^{10}*(a^2*c*f^2 - b^2*c*e^2)^4 - 962361040256*a^{12}*b^2 \\
& 6*c^9*e^26*f^{12}*(a^2*c*f^2 - b^2*c*e^2)^4 + 2558559358080*a^{14}*b^{24}*c^9*e^2 \\
& 4*f^{14}*(a^2*c*f^2 - b^2*c*e^2)^4 - 5091804150656*a^{16}*b^{22}*c^9*e^22*f^{16}*(a \\
& ^2*c*f^2 - b^2*c*e^2)^4 + 7750806514944*a^{18}*b^{20}*c^9*e^20*f^{18}*(a^2*c*f^2 \\
& - b^2*c*e^2)^4 - 9137207485952*a^{20}*b^{18}*c^9*e^18*f^{20}*(a^2*c*f^2 - b^2*c*e \\
& ^2)^4 + 8384563280128*a^{22}*b^{16}*c^9*e^16*f^{22}*(a^2*c*f^2 - b^2*c*e^2)^4 - 5
\end{aligned}$$

$$\begin{aligned}
& 975281259520*a^{24}*b^{14}*c^9*e^{14}*f^{24}*(a^2*c*f^2 - b^2*c*e^2)^4 + 3269297268 \\
& 736*a^{26}*b^{12}*c^9*e^{12}*f^{26}*(a^2*c*f^2 - b^2*c*e^2)^4 - 1339171540992*a^{28}* \\
& b^{10}*c^9*e^{10}*f^{28}*(a^2*c*f^2 - b^2*c*e^2)^4 + 391250194432*a^{30}*b^8*c^9*e^ \\
& 8*f^{30}*(a^2*c*f^2 - b^2*c*e^2)^4 - 741141544496*a^{32}*b^6*c^9*e^6*f^{32}*(a^2*c \\
& *f^2 - b^2*c*e^2)^4 + 7299203072*a^{34}*b^4*c^9*e^4*f^{34}*(a^2*c*f^2 - b^2*c*e \\
& ^2)^4 - 148635648*a^{36}*b^2*c^9*e^2*f^{36}*(a^2*c*f^2 - b^2*c*e^2)^4 - 3870406 \\
& 8*a^2*b^38*c^{10}*e^38*f^2*(a^2*c*f^2 - b^2*c*e^2)^3 + 188845992*a^4*b^36*c^1 \\
& 0*e^36*f^4*(a^2*c*f^2 - b^2*c*e^2)^3 + 1157124204*a^6*b^34*c^{10}*e^34*f^6*(a \\
& ^2*c*f^2 - b^2*c*e^2)^3 - 20586361424*a^8*b^32*c^{10}*e^32*f^8*(a^2*c*f^2 - b \\
& ^2*c*e^2)^3 + 135395499200*a^{10}*b^30*c^{10}*e^30*f^{10}*(a^2*c*f^2 - b^2*c*e^2) \\
& ^3 - 555513858464*a^{12}*b^28*c^{10}*e^28*f^{12}*(a^2*c*f^2 - b^2*c*e^2)^3 + 1608 \\
& 776388864*a^{14}*b^26*c^{10}*e^26*f^{14}*(a^2*c*f^2 - b^2*c*e^2)^3 - 347398927148 \\
& 8*a^{16}*b^24*c^{10}*e^24*f^{16}*(a^2*c*f^2 - b^2*c*e^2)^3 + 5766181411456*a^{18}*b \\
& ^22*c^{10}*e^22*f^{18}*(a^2*c*f^2 - b^2*c*e^2)^3 - 7493983209472*a^{20}*b^20*c^{10} \\
& *e^20*f^{20}*(a^2*c*f^2 - b^2*c*e^2)^3 + 7713917084672*a^{22}*b^18*c^{10}*e^18*f^ \\
& 22*(a^2*c*f^2 - b^2*c*e^2)^3 - 6328467293184*a^{24}*b^16*c^{10}*e^16*f^{24}*(a^2* \\
& c*f^2 - b^2*c*e^2)^3 + 4142950034432*a^{26}*b^14*c^{10}*e^14*f^{26}*(a^2*c*f^2 - \\
& b^2*c*e^2)^3 - 2152681536512*a^{28}*b^12*c^{10}*e^12*f^{28}*(a^2*c*f^2 - b^2*c*e^ \\
& 2)^3 + 874199511040*a^{30}*b^10*c^{10}*e^10*f^{30}*(a^2*c*f^2 - b^2*c*e^2)^3 - 26 \\
& 8759150592*a^{32}*b^8*c^{10}*e^8*f^{32}*(a^2*c*f^2 - b^2*c*e^2)^3 + 58872545280*a \\
& ^34*b^6*c^{10}*e^6*f^{34}*(a^2*c*f^2 - b^2*c*e^2)^3 - 8151957504*a^{36}*b^4*c^{10}* \\
& e^4*f^{36}*(a^2*c*f^2 - b^2*c*e^2)^3 + 530841600*a^{38}*b^2*c^{10}*e^2*f^{38}*(a^2* \\
& c*f^2 - b^2*c*e^2)^3 - 42743457*a^2*b^40*c^{11}*e^40*f^2*(a^2*c*f^2 - b^2*c*e \\
& ^2)^2 + 411055884*a^4*b^38*c^{11}*e^38*f^4*(a^2*c*f^2 - b^2*c*e^2)^2 - 218088 \\
& 7236*a^6*b^36*c^{11}*e^36*f^6*(a^2*c*f^2 - b^2*c*e^2)^2 + 6404946508*a^8*b^34 \\
& *c^{11}*e^34*f^8*(a^2*c*f^2 - b^2*c*e^2)^2 - 5434005264*a^{10}*b^32*c^{11}*e^32*f \\
& ^10*(a^2*c*f^2 - b^2*c*e^2)^2 - 38868373520*a^{12}*b^30*c^{11}*e^30*f^{12}*(a^2*c \\
& *f^2 - b^2*c*e^2)^2 + 208447613600*a^{14}*b^28*c^{11}*e^28*f^{14}*(a^2*c*f^2 - b^ \\
& 2*c*e^2)^2 - 579674999104*a^{16}*b^26*c^{11}*e^26*f^{16}*(a^2*c*f^2 - b^2*c*e^2)^ \\
& 2 + 1104967566592*a^{18}*b^24*c^{11}*e^24*f^{18}*(a^2*c*f^2 - b^2*c*e^2)^2 - 1554 \\
& 566531328*a^{20}*b^22*c^{11}*e^22*f^{20}*(a^2*c*f^2 - b^2*c*e^2)^2 + 165973438131 \\
& 2*a^{22}*b^20*c^{11}*e^20*f^{22}*(a^2*c*f^2 - b^2*c*e^2)^2 - 1356361512192*a^{24}*b \\
& ^18*c^{11}*e^18*f^{24}*(a^2*c*f^2 - b^2*c*e^2)^2 + 845331359744*a^{26}*b^16*c^{11}* \\
& e^16*f^{26}*(a^2*c*f^2 - b^2*c*e^2)^2 - 395676895232*a^{28}*b^14*c^{11}*e^14*f^{28} \\
& *(a^2*c*f^2 - b^2*c*e^2)^2 + 134902689792*a^{30}*b^12*c^{11}*e^12*f^{30}*(a^2*c*f \\
& ^2 - b^2*c*e^2)^2 - 31670587392*a^{32}*b^10*c^{11}*e^10*f^{32}*(a^2*c*f^2 - b^2*c \\
& *e^2)^2 + 4584669184*a^{34}*b^8*c^{11}*e^8*f^{34}*(a^2*c*f^2 - b^2*c*e^2)^2 - 309 \\
& 657600*a^{36}*b^6*c^{11}*e^6*f^{36}*(a^2*c*f^2 - b^2*c*e^2)^2)) - (2*a^{(3/2)}*b^5* \\
& c*e^5*f^3*((4096*C^3*e^3*(2*a^2*f^2 - b^2*e^2)^3*(136*C*a^{(21/2)}*b^2*c^3*e* \\
& f^{15}*(a*c)^{(5/2)} - 90*C*a^{(3/2)}*b^12*c^4*e^{11}*f^5*(a*c)^{(3/2)} + 96*C*a^{(5/2)} \\
&)*b^{10}*c^3*e^9*f^7*(a*c)^{(5/2)} + 394*C*a^{(7/2)}*b^{10}*c^4*e^9*f^7*(a*c)^{(3/2)} \\
& - 424*C*a^{(9/2)}*b^8*c^3*e^7*f^9*(a*c)^{(5/2)} - 642*C*a^{(11/2)}*b^8*c^4*e^7*f \\
& ^9*(a*c)^{(3/2)} + 696*C*a^{(13/2)}*b^6*c^3*e^5*f^11*(a*c)^{(5/2)} + 462*C*a^{(15/ \\
& 2)}*b^6*c^4*e^5*f^11*(a*c)^{(3/2)} - 504*C*a^{(17/2)}*b^4*c^3*e^3*f^13*(a*c)^{(5/ \\
& 2)} - 124*C*a^{(19/2)}*b^4*c^4*e^3*f^13*(a*c)^{(3/2)}))/((f^6*(a*f + b*e)^3*(a*f
\end{aligned}$$

$$\begin{aligned}
& - b^3 e^3 (b^2 c e^2 - a^2 c f^2)^{3/2} (b^{16} e^{14} f^4 - 4 a^2 b^{14} e^{12} f^6 \\
& + 6 a^4 b^{12} e^{10} f^8 - 4 a^6 b^{10} e^8 f^{10} + a^8 b^8 e^6 f^{12}) - (4096 C \\
& * e^2 (2 a^2 f^2 - b^2 e^2) (64 C^3 a^{21/2} c^2 e f^{11} (a c)^{5/2} + 32 C^3 a \\
& ^{5/2} b^8 c^2 e^9 f^3 (a c)^{5/2} + 600 C^3 a^{7/2} b^8 c^3 e^9 f^3 (a c)^{3/2} - 160 C^3 a^{9/2} b^6 c^2 e^7 f^5 (a c)^{5/2} - 1376 C^3 a^{11/2} b^6 \\
& * c^3 e^7 f^5 (a c)^{3/2} + 288 C^3 a^{13/2} b^4 c^2 e^5 f^7 (a c)^{5/2} + 1 \\
& 368 C^3 a^{15/2} b^4 c^3 e^5 f^7 (a c)^{3/2} - 224 C^3 a^{17/2} b^2 c^2 e^3 \\
& * f^9 (a c)^{5/2} - 496 C^3 a^{19/2} b^2 c^3 e^3 f^9 (a c)^{3/2} - 96 C^3 a^{3/2} \\
& * b^{10} c^3 e^{11} f (a c)^{3/2}) / (f^2 (a f + b e) (a f - b e) (b^2 c e^2 \\
& - a^2 c f^2)^{1/2} (b^{16} e^{14} f^4 - 4 a^2 b^{14} e^{12} f^6 + 6 a^4 b^{12} e^{10} \\
& f^8 - 4 a^6 b^{10} e^8 f^{10} + a^8 b^8 e^6 f^{12})) * (a c)^{3/2} (4 a^2 c f^2 - \\
& b^2 c e^2) * (4 a^2 c f^2 - 3 b^2 c e^2) * (4 a^6 c f^6 - 3 b^6 c e^6 + 8 a^2 b \\
& ^4 c e^4 f^2 - 8 a^4 b^2 c e^2 f^4)^4 / (164025 b^{46} c^{13} e^{46} + 885735 b^{44} \\
& * c^{12} e^{44} (a^2 c f^2 - b^2 c e^2) + 117440512 a^{30} c^5 f^{30} (a^2 c f^2 - b \\
& ^2 c e^2)^8 - 385875968 a^{32} c^6 f^{32} (a^2 c f^2 - b^2 c e^2)^7 + 419430400 \\
& * a^{34} c^7 f^{34} (a^2 c f^2 - b^2 c e^2)^6 - 150994944 a^{36} c^8 f^{36} (a^2 c f \\
& ^2 - b^2 c e^2)^5 + 236196 b^{36} c^8 e^{36} (a^2 c f^2 - b^2 c e^2)^5 + 110224 \\
& 8 b^{38} c^9 e^{38} (a^2 c f^2 - b^2 c e^2)^4 + 2053593 b^{40} c^{10} e^{40} (a^2 c f \\
& ^2 - b^2 c e^2)^3 + 1909251 b^{42} c^{11} e^{42} (a^2 c f^2 - b^2 c e^2)^2 - 3937 \\
& 329 a^2 b^{44} c^{13} e^{44} f^2 + 43893819 a^4 b^{42} c^{13} e^{42} f^4 - 301507155 a^6 \\
& b^{40} c^{13} e^{40} f^6 + 1427514656 a^8 b^{38} c^{13} e^{38} f^8 - 4936911112 a^{10} \\
& b^{36} c^{13} e^{36} f^{10} + 12893273616 a^{12} b^{34} c^{13} e^{34} f^{12} - 25921630432 a^{14} \\
& b^{32} c^{13} e^{32} f^{14} + 40519286096 a^{16} b^{30} c^{13} e^{30} f^{16} - 49376608256 \\
& * a^{18} b^{28} c^{13} e^{28} f^{18} + 46721401856 a^{20} b^{26} c^{13} e^{26} f^{20} - 33946324 \\
& 736 a^{22} b^{24} c^{13} e^{24} f^{22} + 18556579328 a^{24} b^{22} c^{13} e^{22} f^{24} - 73752 \\
& 76032 a^{26} b^{20} c^{13} e^{20} f^{26} + 2009817088 a^{28} b^{18} c^{13} e^{18} f^{28} - 3356 \\
& 42624 a^{30} b^{16} c^{13} e^{16} f^{30} + 25907200 a^{32} b^{14} c^{13} e^{14} f^{32} - 211307 \\
& 94 a^2 b^{42} c^{12} e^{42} f^2 * (a^2 c f^2 - b^2 c e^2) + 234399015 a^4 b^{40} c^{12} \\
& * e^{40} f^4 * (a^2 c f^2 - b^2 c e^2) - 1604168280 a^6 b^{38} c^{12} e^{38} f^6 * (a^2 c \\
& * f^2 - b^2 c e^2) + 7579098492 a^8 b^{36} c^{12} e^{36} f^8 * (a^2 c f^2 - b^2 c e \\
& ^2) - 26212380172 a^{10} b^{34} c^{12} e^{34} f^{10} * (a^2 c f^2 - b^2 c e^2) + 686729 \\
& 94096 a^{12} b^{32} c^{12} e^{32} f^{12} * (a^2 c f^2 - b^2 c e^2) - 139160589504 a^{14} \\
& b^{30} c^{12} e^{30} f^{14} * (a^2 c f^2 - b^2 c e^2) + 220859191808 a^{16} b^{28} c^{12} e \\
& ^{28} f^{16} * (a^2 c f^2 - b^2 c e^2) - 276344315328 a^{18} b^{26} c^{12} e^{26} f^{18} * (a \\
& ^2 c f^2 - b^2 c e^2) + 273130561984 a^{20} b^{24} c^{12} e^{24} f^{20} * (a^2 c f^2 - \\
& b^2 c e^2) - 212730002688 a^{22} b^{22} c^{12} e^{22} f^{22} * (a^2 c f^2 - b^2 c e^2) \\
& + 129574234368 a^{24} b^{20} c^{12} e^{20} f^{24} * (a^2 c f^2 - b^2 c e^2) - 607705692 \\
& 16 a^{26} b^{18} c^{12} e^{18} f^{26} * (a^2 c f^2 - b^2 c e^2) + 21304706048 a^{28} b^{16} \\
& * c^{12} e^{16} f^{28} * (a^2 c f^2 - b^2 c e^2) - 5272965120 a^{30} b^{14} c^{12} e^{14} f^{30} \\
& * (a^2 c f^2 - b^2 c e^2) + 819441664 a^{32} b^{12} c^{12} e^{12} f^{32} * (a^2 c f^2 \\
& - b^2 c e^2) - 59392000 a^{34} b^{10} c^{12} e^{10} f^{34} * (a^2 c f^2 - b^2 c e^2) + \\
& 9289728 a^6 b^{24} c^5 e^{24} f^6 * (a^2 c f^2 - b^2 c e^2)^8 - 36884480 a^8 b^{22} \\
& * c^5 e^{22} f^8 * (a^2 c f^2 - b^2 c e^2)^8 - 278604800 a^{10} b^{20} c^5 e^{20} f^{10} \\
& * (a^2 c f^2 - b^2 c e^2)^8 + 2774483200 a^{12} b^{18} c^5 e^{18} f^{12} * (a^2 c f^2 \\
& - b^2 c e^2)^8 - 10869657600 a^{14} b^{16} c^5 e^{16} f^{14} * (a^2 c f^2 - b^2 c e^2)^8
\end{aligned}$$

$$\begin{aligned}
&)^8 + 25237416960*a^{16}*b^{14}*c^5*e^{14}*f^{16}*(a^2*c*f^2 - b^2*c*e^2)^8 - 38348 \\
& 909568*a^{18}*b^{12}*c^5*e^{12}*f^{18}*(a^2*c*f^2 - b^2*c*e^2)^8 + 39084659712*a^{20} \\
& *b^{10}*c^5*e^{10}*f^{20}*(a^2*c*f^2 - b^2*c*e^2)^8 - 26118635520*a^{22}*b^8*c^5*e^ \\
& 8*f^{22}*(a^2*c*f^2 - b^2*c*e^2)^8 + 10414620672*a^{24}*b^6*c^5*e^6*f^{24}*(a^2*c \\
& *f^2 - b^2*c*e^2)^8 - 1708654592*a^{26}*b^4*c^5*e^4*f^{26}*(a^2*c*f^2 - b^2*c*e \\
& ^2)^8 - 276561920*a^{28}*b^2*c^5*e^2*f^{28}*(a^2*c*f^2 - b^2*c*e^2)^8 - 9704448 \\
& *a^4*b^{28}*c^6*e^{28}*f^4*(a^2*c*f^2 - b^2*c*e^2)^7 + 260614656*a^6*b^{26}*c^6*e \\
& ^{26}*f^6*(a^2*c*f^2 - b^2*c*e^2)^7 - 2166022464*a^8*b^{24}*c^6*e^{24}*f^8*(a^2*c \\
& *f^2 - b^2*c*e^2)^7 + 8626147840*a^{10}*b^{22}*c^6*e^{22}*f^{10}*(a^2*c*f^2 - b^2*c \\
& *e^2)^7 - 16771503616*a^{12}*b^{20}*c^6*e^{20}*f^{12}*(a^2*c*f^2 - b^2*c*e^2)^7 + 3 \\
& 301800960*a^{14}*b^{18}*c^6*e^{18}*f^{14}*(a^2*c*f^2 - b^2*c*e^2)^7 + 67337715968*a \\
& ^{16}*b^{16}*c^6*e^{16}*f^{16}*(a^2*c*f^2 - b^2*c*e^2)^7 - 189857873920*a^{18}*b^{14}*c \\
& ^6*e^{14}*f^{18}*(a^2*c*f^2 - b^2*c*e^2)^7 + 286100259840*a^{20}*b^{12}*c^6*e^{12}*f^ \\
& 20*(a^2*c*f^2 - b^2*c*e^2)^7 - 275789894656*a^{22}*b^{10}*c^6*e^{10}*f^{22}*(a^2*c* \\
& f^2 - b^2*c*e^2)^7 + 173716537344*a^{24}*b^8*c^6*e^8*f^{24}*(a^2*c*f^2 - b^2*c* \\
& e^2)^7 - 67416424448*a^{26}*b^6*c^6*e^6*f^{26}*(a^2*c*f^2 - b^2*c*e^2)^7 + 1283 \\
& 1686656*a^{28}*b^4*c^6*e^4*f^{28}*(a^2*c*f^2 - b^2*c*e^2)^7 + 222560256*a^{30}*b^ \\
& 2*c^6*e^2*f^{30}*(a^2*c*f^2 - b^2*c*e^2)^7 + 2099520*a^2*b^{32}*c^7*e^{32}*f^2*(a \\
& ^2*c*f^2 - b^2*c*e^2)^6 - 107014608*a^4*b^{30}*c^7*e^{30}*f^4*(a^2*c*f^2 - b^2* \\
& c*e^2)^6 + 1848335616*a^6*b^{28}*c^7*e^{28}*f^6*(a^2*c*f^2 - b^2*c*e^2)^6 - 152 \\
& 00005312*a^8*b^{26}*c^7*e^{26}*f^8*(a^2*c*f^2 - b^2*c*e^2)^6 + 72612273792*a^{10} \\
& *b^{24}*c^7*e^{24}*f^{10}*(a^2*c*f^2 - b^2*c*e^2)^6 - 221855779968*a^{12}*b^{22}*c^7* \\
& e^{22}*f^{12}*(a^2*c*f^2 - b^2*c*e^2)^6 + 450717857536*a^{14}*b^{20}*c^7*e^{20}*f^{14} \\
& (a^2*c*f^2 - b^2*c*e^2)^6 - 600578910208*a^{16}*b^{18}*c^7*e^{18}*f^{16}*(a^2*c*f^2 \\
& - b^2*c*e^2)^6 + 459464530688*a^{18}*b^{16}*c^7*e^{16}*f^{18}*(a^2*c*f^2 - b^2*c*e \\
& ^2)^6 - 33638947840*a^{20}*b^{14}*c^7*e^{14}*f^{20}*(a^2*c*f^2 - b^2*c*e^2)^6 - 376 \\
& 299926528*a^{22}*b^{12}*c^7*e^{12}*f^{22}*(a^2*c*f^2 - b^2*c*e^2)^6 + 488874068992* \\
& a^{24}*b^{10}*c^7*e^{10}*f^{24}*(a^2*c*f^2 - b^2*c*e^2)^6 - 333407809536*a^{26}*b^8*c \\
& ^7*e^8*f^{26}*(a^2*c*f^2 - b^2*c*e^2)^6 + 134140313600*a^{28}*b^6*c^7*e^6*f^{28} \\
& (a^2*c*f^2 - b^2*c*e^2)^6 - 28220915712*a^{30}*b^4*c^7*e^4*f^{30}*(a^2*c*f^2 - \\
& b^2*c*e^2)^6 + 1230503936*a^{32}*b^2*c^7*e^2*f^{32}*(a^2*c*f^2 - b^2*c*e^2)^6 + \\
& 3335904*a^2*b^{34}*c^8*e^{34}*f^2*(a^2*c*f^2 - b^2*c*e^2)^5 - 290521728*a^4*b^ \\
& 32*c^8*e^{32}*f^4*(a^2*c*f^2 - b^2*c*e^2)^5 + 4865684544*a^6*b^{30}*c^8*e^{30}*f^ \\
& 6*(a^2*c*f^2 - b^2*c*e^2)^5 - 40437394528*a^8*b^{28}*c^8*e^{28}*f^8*(a^2*c*f^2 \\
& - b^2*c*e^2)^5 + 205602254656*a^{10}*b^{26}*c^8*e^{26}*f^{10}*(a^2*c*f^2 - b^2*c*e^ \\
& 2)^5 - 703885344192*a^{12}*b^{24}*c^8*e^{24}*f^{12}*(a^2*c*f^2 - b^2*c*e^2)^5 + 170 \\
& 9253482624*a^{14}*b^{22}*c^8*e^{22}*f^{14}*(a^2*c*f^2 - b^2*c*e^2)^5 - 302928269516 \\
& 8*a^{16}*b^{20}*c^8*e^{20}*f^{16}*(a^2*c*f^2 - b^2*c*e^2)^5 + 3966230827520*a^{18}*b^ \\
& 18*c^8*e^{18}*f^{18}*(a^2*c*f^2 - b^2*c*e^2)^5 - 3822339813632*a^{20}*b^{16}*c^8*e^ \\
& 16*f^{20}*(a^2*c*f^2 - b^2*c*e^2)^5 + 2640438056960*a^{22}*b^{14}*c^8*e^{14}*f^{22}*(\\
& a^2*c*f^2 - b^2*c*e^2)^5 - 1208501415936*a^{24}*b^{12}*c^8*e^{12}*f^{24}*(a^2*c*f^2 \\
& - b^2*c*e^2)^5 + 269338092544*a^{26}*b^{10}*c^8*e^{10}*f^{26}*(a^2*c*f^2 - b^2*c*e \\
& ^2)^5 + 53783212032*a^{28}*b^8*c^8*e^8*f^{28}*(a^2*c*f^2 - b^2*c*e^2)^5 - 60985 \\
& 360384*a^{30}*b^6*c^8*e^6*f^{30}*(a^2*c*f^2 - b^2*c*e^2)^5 + 17917083648*a^{32}*b \\
& ^4*c^8*e^4*f^{32}*(a^2*c*f^2 - b^2*c*e^2)^5 - 1558708224*a^{34}*b^2*c^8*e^2*f^3
\end{aligned}$$

$$\begin{aligned}
& 4*(a^2*c*f^2 - b^2*c*e^2)^5 - 11917692*a^2*b^36*c^9*e^36*f^2*(a^2*c*f^2 - b^2*c*e^2)^4 - 224907516*a^4*b^34*c^9*e^34*f^4*(a^2*c*f^2 - b^2*c*e^2)^4 + 5 \\
& 303932560*a^6*b^32*c^9*e^32*f^6*(a^2*c*f^2 - b^2*c*e^2)^4 - 48206418480*a^8 \\
& *b^30*c^9*e^30*f^8*(a^2*c*f^2 - b^2*c*e^2)^4 + 261450609120*a^10*b^28*c^9*e^28*f^10*(a^2*c*f^2 - b^2*c*e^2)^4 - 962361040256*a^12*b^26*c^9*e^26*f^12*(\\
& a^2*c*f^2 - b^2*c*e^2)^4 + 2558559358080*a^14*b^24*c^9*e^24*f^14*(a^2*c*f^2 \\
& - b^2*c*e^2)^4 - 5091804150656*a^16*b^22*c^9*e^22*f^16*(a^2*c*f^2 - b^2*c* \\
& e^2)^4 + 7750806514944*a^18*b^20*c^9*e^20*f^18*(a^2*c*f^2 - b^2*c*e^2)^4 - \\
& 9137207485952*a^20*b^18*c^9*e^18*f^20*(a^2*c*f^2 - b^2*c*e^2)^4 + 838456328 \\
& 0128*a^22*b^16*c^9*e^16*f^22*(a^2*c*f^2 - b^2*c*e^2)^4 - 5975281259520*a^24 \\
& *b^14*c^9*e^14*f^24*(a^2*c*f^2 - b^2*c*e^2)^4 + 3269297268736*a^26*b^12*c^9 \\
& *e^12*f^26*(a^2*c*f^2 - b^2*c*e^2)^4 - 1339171540992*a^28*b^10*c^9*e^10*f^2 \\
& 8*(a^2*c*f^2 - b^2*c*e^2)^4 + 391250194432*a^30*b^8*c^9*e^8*f^30*(a^2*c*f^2 \\
& - b^2*c*e^2)^4 - 74114154496*a^32*b^6*c^9*e^6*f^32*(a^2*c*f^2 - b^2*c*e^2) \\
& ^4 + 7299203072*a^34*b^4*c^9*e^4*f^34*(a^2*c*f^2 - b^2*c*e^2)^4 - 148635648 \\
& *a^36*b^2*c^9*e^2*f^36*(a^2*c*f^2 - b^2*c*e^2)^4 - 38704068*a^2*b^38*c^10*e^ \\
& ^38*f^2*(a^2*c*f^2 - b^2*c*e^2)^3 + 188845992*a^4*b^36*c^10*e^36*f^4*(a^2*c \\
& *f^2 - b^2*c*e^2)^3 + 1157124204*a^6*b^34*c^10*e^34*f^6*(a^2*c*f^2 - b^2*c* \\
& e^2)^3 - 20586361424*a^8*b^32*c^10*e^32*f^8*(a^2*c*f^2 - b^2*c*e^2)^3 + 135 \\
& 395499200*a^10*b^30*c^10*e^30*f^10*(a^2*c*f^2 - b^2*c*e^2)^3 - 555513858464 \\
& *a^12*b^28*c^10*e^28*f^12*(a^2*c*f^2 - b^2*c*e^2)^3 + 1608776388864*a^14*b^ \\
& 26*c^10*e^26*f^14*(a^2*c*f^2 - b^2*c*e^2)^3 - 3473989271488*a^16*b^24*c^10* \\
& e^24*f^16*(a^2*c*f^2 - b^2*c*e^2)^3 + 5766181411456*a^18*b^22*c^10*e^22*f^1 \\
& 8*(a^2*c*f^2 - b^2*c*e^2)^3 - 7493983209472*a^20*b^20*c^10*e^20*f^20*(a^2*c \\
& *f^2 - b^2*c*e^2)^3 + 7713917084672*a^22*b^18*c^10*e^18*f^22*(a^2*c*f^2 - b \\
& ^2*c*e^2)^3 - 6328467293184*a^24*b^16*c^10*e^16*f^24*(a^2*c*f^2 - b^2*c*e^2 \\
&)^3 + 4142950034432*a^26*b^14*c^10*e^14*f^26*(a^2*c*f^2 - b^2*c*e^2)^3 - 21 \\
& 52681536512*a^28*b^12*c^10*e^12*f^28*(a^2*c*f^2 - b^2*c*e^2)^3 + 8741995110 \\
& 40*a^30*b^10*c^10*e^10*f^30*(a^2*c*f^2 - b^2*c*e^2)^3 - 268759150592*a^32*b^ \\
& ^8*c^10*e^8*f^32*(a^2*c*f^2 - b^2*c*e^2)^3 + 58872545280*a^34*b^6*c^10*e^6* \\
& f^34*(a^2*c*f^2 - b^2*c*e^2)^3 - 8151957504*a^36*b^4*c^10*e^4*f^36*(a^2*c*f \\
& ^2 - b^2*c*e^2)^3 + 530841600*a^38*b^2*c^10*e^2*f^38*(a^2*c*f^2 - b^2*c*e^2 \\
&)^3 - 42743457*a^2*b^40*c^11*e^40*f^2*(a^2*c*f^2 - b^2*c*e^2)^2 + 411055884 \\
& *a^4*b^38*c^11*e^38*f^4*(a^2*c*f^2 - b^2*c*e^2)^2 - 2180887236*a^6*b^36*c^1 \\
& 1*e^36*f^6*(a^2*c*f^2 - b^2*c*e^2)^2 + 6404946508*a^8*b^34*c^11*e^34*f^8*(a \\
& ^2*c*f^2 - b^2*c*e^2)^2 - 5434005264*a^10*b^32*c^11*e^32*f^10*(a^2*c*f^2 - \\
& b^2*c*e^2)^2 - 38868373520*a^12*b^30*c^11*e^30*f^12*(a^2*c*f^2 - b^2*c*e^2) \\
& ^2 + 208447613600*a^14*b^28*c^11*e^28*f^14*(a^2*c*f^2 - b^2*c*e^2)^2 - 5796 \\
& 74999104*a^16*b^26*c^11*e^26*f^16*(a^2*c*f^2 - b^2*c*e^2)^2 + 1104967566592 \\
& *a^18*b^24*c^11*e^24*f^18*(a^2*c*f^2 - b^2*c*e^2)^2 - 1554566531328*a^20*b^ \\
& 22*c^11*e^22*f^20*(a^2*c*f^2 - b^2*c*e^2)^2 + 1659734381312*a^22*b^20*c^11* \\
& e^20*f^22*(a^2*c*f^2 - b^2*c*e^2)^2 - 1356361512192*a^24*b^18*c^11*e^18*f^2 \\
& 4*(a^2*c*f^2 - b^2*c*e^2)^2 + 845331359744*a^26*b^16*c^11*e^16*f^26*(a^2*c* \\
& f^2 - b^2*c*e^2)^2 - 395676895232*a^28*b^14*c^11*e^14*f^28*(a^2*c*f^2 - b^2 \\
& *c*e^2)^2 + 134902689792*a^30*b^12*c^11*e^12*f^30*(a^2*c*f^2 - b^2*c*e^2)^2
\end{aligned}$$

$$\begin{aligned}
& - 31670587392*a^{32}*b^{10}*c^{11}*e^{10}*f^{32}*(a^2*c*f^2 - b^2*c*e^2)^2 + 4584669 \\
& 184*a^{34}*b^8*c^{11}*e^8*f^{34}*(a^2*c*f^2 - b^2*c*e^2)^2 - 309657600*a^{36}*b^6*c \\
& ^{11}*e^6*f^{36}*(a^2*c*f^2 - b^2*c*e^2)^2)*(b^{16}*e^{12}*f^6*(a^2*c*f^2 - b^2*c* \\
& e^2)^2 - 4*a^2*b^{14}*e^{10}*f^8*(a^2*c*f^2 - b^2*c*e^2)^2 + 6*a^4*b^{12}*e^8*f^1 \\
& 0*(a^2*c*f^2 - b^2*c*e^2)^2 - 4*a^6*b^{10}*e^6*f^{12}*(a^2*c*f^2 - b^2*c*e^2)^2 \\
& + a^8*b^8*e^4*f^{14}*(a^2*c*f^2 - b^2*c*e^2)^2))/(((a + b*x)^{(1/2)} - a^{(1/2)} \\
&)^3*(16384*C^4*a^6*c^3*f^4 + 4096*C^4*a^2*b^4*c^3*e^4 - 16384*C^4*a^4*b^2*c \\
& ^3*e^2*f^2)) - (((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})*((8*a^4*b^6*c^4*e^6*f^4 \\
& *((16384*C^3*e^3*(2*a^2*f^2 - b^2*e^2)^3*(20*C*a^{12}*c^6*f^{13} + 22*C*a^4*b^8 \\
& *c^6*e^8*f^5 - 88*C*a^6*b^6*c^6*e^6*f^7 + 130*C*a^8*b^4*c^6*e^4*f^9 - 84*C* \\
& a^{10}*b^2*c^6*e^2*f^{11}))/f^6*(a*f + b*e)^3*(a*f - b*e)^3*(b^2*c*e^2 - a^2*c \\
& *f^2)^{(3/2)}*(b^{13}*e^{12}*f^3 - 3*a^2*b^{11}*e^{10}*f^5 + 3*a^4*b^9*e^8*f^7 - a^6* \\
& b^7*e^6*f^9)) + (16384*C*e*(2*a^2*f^2 - b^2*e^2)*(96*C^3*a^{10}*c^5*e^2*f^7 - \\
& 28*C^3*a^4*b^6*c^5*e^8*f + 132*C^3*a^6*b^4*c^5*e^6*f^3 - 200*C^3*a^8*b^2*c \\
& ^5*e^4*f^5))/f^2*(a*f + b*e)*(a*f - b*e)*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)}*(b^ \\
& 13*e^{12}*f^3 - 3*a^2*b^{11}*e^{10}*f^5 + 3*a^4*b^9*e^8*f^7 - a^6*b^7*e^6*f^9)))* \\
& (4*a^2*c*f^2 - 3*b^2*c*e^2)*(4*a^6*c*f^6 - 3*b^6*c*e^6 + 8*a^2*b^4*c*e^4*f^ \\
& 2 - 8*a^4*b^2*c*e^2*f^4)^4)/(164025*b^46*c^13*e^46 + 885735*b^44*c^12*e^44* \\
& (a^2*c*f^2 - b^2*c*e^2) + 117440512*a^30*c^5*f^30*(a^2*c*f^2 - b^2*c*e^2)^8 \\
& - 385875968*a^32*c^6*f^32*(a^2*c*f^2 - b^2*c*e^2)^7 + 419430400*a^34*c^7*f \\
& ^34*(a^2*c*f^2 - b^2*c*e^2)^6 - 150994944*a^36*c^8*f^36*(a^2*c*f^2 - b^2*c* \\
& e^2)^5 + 236196*b^36*c^8*e^36*(a^2*c*f^2 - b^2*c*e^2)^5 + 1102248*b^38*c^9* \\
& e^38*(a^2*c*f^2 - b^2*c*e^2)^4 + 2053593*b^40*c^10*e^40*(a^2*c*f^2 - b^2*c* \\
& e^2)^3 + 1909251*b^42*c^11*e^42*(a^2*c*f^2 - b^2*c*e^2)^2 - 3937329*a^2*b^4 \\
& 4*c^13*e^44*f^2 + 43893819*a^4*b^42*c^13*e^42*f^4 - 301507155*a^6*b^40*c^13 \\
& *e^40*f^6 + 1427514656*a^8*b^38*c^13*e^38*f^8 - 4936911112*a^10*b^36*c^13*e \\
& ^36*f^10 + 12893273616*a^12*b^34*c^13*e^34*f^12 - 25921630432*a^14*b^32*c^1 \\
& 3*e^32*f^14 + 40519286096*a^16*b^30*c^13*e^30*f^16 - 49376608256*a^18*b^28* \\
& c^13*e^28*f^18 + 46721401856*a^20*b^26*c^13*e^26*f^20 - 33946324736*a^22*b^ \\
& 24*c^13*e^24*f^22 + 18556579328*a^24*b^22*c^13*e^22*f^24 - 7375276032*a^26* \\
& b^20*c^13*e^20*f^26 + 2009817088*a^28*b^18*c^13*e^18*f^28 - 335642624*a^30* \\
& b^16*c^13*e^16*f^30 + 25907200*a^32*b^14*c^13*e^14*f^32 - 21130794*a^2*b^42 \\
& *c^12*e^42*f^2*(a^2*c*f^2 - b^2*c*e^2) + 234399015*a^4*b^40*c^12*e^40*f^4*(\\
& a^2*c*f^2 - b^2*c*e^2) - 1604168280*a^6*b^38*c^12*e^38*f^6*(a^2*c*f^2 - b^2 \\
& *c*e^2) + 7579098492*a^8*b^36*c^12*e^36*f^8*(a^2*c*f^2 - b^2*c*e^2) - 26212 \\
& 380172*a^10*b^34*c^12*e^34*f^10*(a^2*c*f^2 - b^2*c*e^2) + 68672994096*a^12* \\
& b^32*c^12*e^32*f^12*(a^2*c*f^2 - b^2*c*e^2) - 139160589504*a^14*b^30*c^12*e \\
& ^30*f^14*(a^2*c*f^2 - b^2*c*e^2) + 220859191808*a^16*b^28*c^12*e^28*f^16*(a \\
& ^2*c*f^2 - b^2*c*e^2) - 276344315328*a^18*b^26*c^12*e^26*f^18*(a^2*c*f^2 - \\
& b^2*c*e^2) + 273130561984*a^20*b^24*c^12*e^24*f^20*(a^2*c*f^2 - b^2*c*e^2) \\
& - 212730002688*a^22*b^22*c^12*e^22*f^22*(a^2*c*f^2 - b^2*c*e^2) + 129574234 \\
& 368*a^24*b^20*c^12*e^20*f^24*(a^2*c*f^2 - b^2*c*e^2) - 60770569216*a^26*b^1 \\
& 8*c^12*e^18*f^26*(a^2*c*f^2 - b^2*c*e^2) + 21304706048*a^28*b^16*c^12*e^16* \\
& f^28*(a^2*c*f^2 - b^2*c*e^2) - 5272965120*a^30*b^14*c^12*e^14*f^30*(a^2*c*f \\
& ^2 - b^2*c*e^2) + 819441664*a^32*b^12*c^12*e^12*f^32*(a^2*c*f^2 - b^2*c*e^2)
\end{aligned}$$

$$\begin{aligned}
&) - 59392000*a^{34}*b^{10}*c^{12}*e^{10}*f^{34}*(a^2*c*f^2 - b^2*c*e^2) + 9289728*a^6 \\
& *b^{24}*c^5*e^{24}*f^6*(a^2*c*f^2 - b^2*c*e^2)^8 - 36884480*a^8*b^{22}*c^5*e^{22}*f \\
& ^8*(a^2*c*f^2 - b^2*c*e^2)^8 - 278604800*a^{10}*b^{20}*c^5*e^{20}*f^{10}*(a^2*c*f^2 \\
& - b^2*c*e^2)^8 + 2774483200*a^{12}*b^{18}*c^5*e^{18}*f^{12}*(a^2*c*f^2 - b^2*c*e^2 \\
&)^8 - 10869657600*a^{14}*b^{16}*c^5*e^{16}*f^{14}*(a^2*c*f^2 - b^2*c*e^2)^8 + 25237 \\
& 416960*a^{16}*b^{14}*c^5*e^{14}*f^{16}*(a^2*c*f^2 - b^2*c*e^2)^8 - 38348909568*a^{18} \\
& *b^{12}*c^5*e^{12}*f^{18}*(a^2*c*f^2 - b^2*c*e^2)^8 + 39084659712*a^{20}*b^{10}*c^5*e \\
& ^{10}*f^{20}*(a^2*c*f^2 - b^2*c*e^2)^8 - 26118635520*a^{22}*b^8*c^5*e^8*f^{22}*(a^2 \\
& *c*f^2 - b^2*c*e^2)^8 + 10414620672*a^{24}*b^6*c^5*e^6*f^{24}*(a^2*c*f^2 - b^2*c \\
& *e^2)^8 - 1708654592*a^{26}*b^4*c^5*e^4*f^{26}*(a^2*c*f^2 - b^2*c*e^2)^8 - 276 \\
& 561920*a^{28}*b^2*c^5*e^2*f^{28}*(a^2*c*f^2 - b^2*c*e^2)^8 - 9704448*a^4*b^{28}*c \\
& ^6*e^{28}*f^4*(a^2*c*f^2 - b^2*c*e^2)^7 + 260614656*a^6*b^{26}*c^6*e^{26}*f^6*(a^ \\
& 2*c*f^2 - b^2*c*e^2)^7 - 2166022464*a^8*b^{24}*c^6*e^{24}*f^8*(a^2*c*f^2 - b^2*c \\
& *e^2)^7 + 8626147840*a^{10}*b^{22}*c^6*e^{22}*f^{10}*(a^2*c*f^2 - b^2*c*e^2)^7 - 1 \\
& 6771503616*a^{12}*b^{20}*c^6*e^{20}*f^{12}*(a^2*c*f^2 - b^2*c*e^2)^7 + 3301800960*a \\
& ^{14}*b^{18}*c^6*e^{18}*f^{14}*(a^2*c*f^2 - b^2*c*e^2)^7 + 67337715968*a^{16}*b^{16}*c^ \\
& 6*e^{16}*f^{16}*(a^2*c*f^2 - b^2*c*e^2)^7 - 189857873920*a^{18}*b^{14}*c^6*e^{14}*f^{1 \\
& 8}*(a^2*c*f^2 - b^2*c*e^2)^7 + 286100259840*a^{20}*b^{12}*c^6*e^{12}*f^{20}*(a^2*c*f \\
& ^2 - b^2*c*e^2)^7 - 275789894656*a^{22}*b^{10}*c^6*e^{10}*f^{22}*(a^2*c*f^2 - b^2*c \\
& *e^2)^7 + 173716537344*a^{24}*b^8*c^6*e^8*f^{24}*(a^2*c*f^2 - b^2*c*e^2)^7 - 67 \\
& 416424448*a^{26}*b^6*c^6*e^6*f^{26}*(a^2*c*f^2 - b^2*c*e^2)^7 + 12831686656*a^{2 \\
& 8}*b^4*c^6*e^4*f^{28}*(a^2*c*f^2 - b^2*c*e^2)^7 + 222560256*a^{30}*b^2*c^6*e^2*f \\
& ^{30}*(a^2*c*f^2 - b^2*c*e^2)^7 + 2099520*a^2*b^{32}*c^7*e^{32}*f^2*(a^2*c*f^2 - \\
& b^2*c*e^2)^6 - 107014608*a^4*b^{30}*c^7*e^{30}*f^4*(a^2*c*f^2 - b^2*c*e^2)^6 + \\
& 1848335616*a^6*b^{28}*c^7*e^{28}*f^6*(a^2*c*f^2 - b^2*c*e^2)^6 - 15200005312*a^ \\
& 8*b^{26}*c^7*e^{26}*f^8*(a^2*c*f^2 - b^2*c*e^2)^6 + 72612273792*a^{10}*b^{24}*c^7*e \\
& ^{24}*f^{10}*(a^2*c*f^2 - b^2*c*e^2)^6 - 221855779968*a^{12}*b^{22}*c^7*e^{22}*f^{12}*(\\
& a^2*c*f^2 - b^2*c*e^2)^6 + 450717857536*a^{14}*b^{20}*c^7*e^{20}*f^{14}*(a^2*c*f^2 \\
& - b^2*c*e^2)^6 - 600578910208*a^{16}*b^{18}*c^7*e^{18}*f^{16}*(a^2*c*f^2 - b^2*c*e^ \\
& 2)^6 + 459464530688*a^{18}*b^{16}*c^7*e^{16}*f^{18}*(a^2*c*f^2 - b^2*c*e^2)^6 - 336 \\
& 38947840*a^{20}*b^{14}*c^7*e^{14}*f^{20}*(a^2*c*f^2 - b^2*c*e^2)^6 - 376299926528*a \\
& ^{22}*b^{12}*c^7*e^{12}*f^{22}*(a^2*c*f^2 - b^2*c*e^2)^6 + 488874068992*a^{24}*b^{10}*c \\
& ^7*e^{10}*f^{24}*(a^2*c*f^2 - b^2*c*e^2)^6 - 333407809536*a^{26}*b^8*c^7*e^8*f^{26} \\
& *(a^2*c*f^2 - b^2*c*e^2)^6 + 134140313600*a^{28}*b^6*c^7*e^6*f^{28}*(a^2*c*f^2 \\
& - b^2*c*e^2)^6 - 28220915712*a^{30}*b^4*c^7*e^4*f^{30}*(a^2*c*f^2 - b^2*c*e^2)^ \\
& 6 + 1230503936*a^{32}*b^2*c^7*e^2*f^{32}*(a^2*c*f^2 - b^2*c*e^2)^6 + 3335904*a^ \\
& 2*b^{34}*c^8*e^{34}*f^2*(a^2*c*f^2 - b^2*c*e^2)^5 - 290521728*a^4*b^{32}*c^8*e^{32} \\
& *f^4*(a^2*c*f^2 - b^2*c*e^2)^5 + 4865684544*a^6*b^{30}*c^8*e^{30}*f^6*(a^2*c*f^ \\
& 2 - b^2*c*e^2)^5 - 40437394528*a^8*b^{28}*c^8*e^{28}*f^8*(a^2*c*f^2 - b^2*c*e^2 \\
&)^5 + 205602254656*a^{10}*b^{26}*c^8*e^{26}*f^{10}*(a^2*c*f^2 - b^2*c*e^2)^5 - 7038 \\
& 85344192*a^{12}*b^{24}*c^8*e^{24}*f^{12}*(a^2*c*f^2 - b^2*c*e^2)^5 + 1709253482624* \\
& a^{14}*b^{22}*c^8*e^{22}*f^{14}*(a^2*c*f^2 - b^2*c*e^2)^5 - 3029282695168*a^{16}*b^{20} \\
& *c^8*e^{20}*f^{16}*(a^2*c*f^2 - b^2*c*e^2)^5 + 3966230827520*a^{18}*b^{18}*c^8*e^{18} \\
& *f^{18}*(a^2*c*f^2 - b^2*c*e^2)^5 - 3822339813632*a^{20}*b^{16}*c^8*e^{16}*f^{20}*(a^ \\
& 2*c*f^2 - b^2*c*e^2)^5 + 2640438056960*a^{22}*b^{14}*c^8*e^{14}*f^{22}*(a^2*c*f^2 -
\end{aligned}$$

$$\begin{aligned}
& b^2*c*e^2)^5 - 1208501415936*a^{24}*b^{12}*c^8*e^{12}*f^{24}*(a^2*c*f^2 - b^2*c*e^2)^5 + 269338092544*a^{26}*b^{10}*c^8*e^{10}*f^{26}*(a^2*c*f^2 - b^2*c*e^2)^5 + 537 \\
& 83212032*a^{28}*b^8*c^8*e^8*f^{28}*(a^2*c*f^2 - b^2*c*e^2)^5 - 60985360384*a^{30} \\
& *b^6*c^8*e^6*f^{30}*(a^2*c*f^2 - b^2*c*e^2)^5 + 17917083648*a^{32}*b^4*c^8*e^4* \\
& f^{32}*(a^2*c*f^2 - b^2*c*e^2)^5 - 1558708224*a^{34}*b^2*c^8*e^2*f^{34}*(a^2*c*f^2 \\
& - b^2*c*e^2)^5 - 11917692*a^2*b^36*c^9*e^36*f^2*(a^2*c*f^2 - b^2*c*e^2)^4 \\
& - 224907516*a^4*b^34*c^9*e^34*f^4*(a^2*c*f^2 - b^2*c*e^2)^4 + 5303932560*a \\
& ^6*b^32*c^9*e^32*f^6*(a^2*c*f^2 - b^2*c*e^2)^4 - 48206418480*a^8*b^30*c^9*e \\
& ^30*f^8*(a^2*c*f^2 - b^2*c*e^2)^4 + 261450609120*a^{10}*b^28*c^9*e^28*f^10*(a \\
& ^2*c*f^2 - b^2*c*e^2)^4 - 962361040256*a^{12}*b^26*c^9*e^26*f^12*(a^2*c*f^2 - \\
& b^2*c*e^2)^4 + 2558559358080*a^{14}*b^24*c^9*e^24*f^14*(a^2*c*f^2 - b^2*c*e^ \\
& 2)^4 - 5091804150656*a^{16}*b^22*c^9*e^22*f^16*(a^2*c*f^2 - b^2*c*e^2)^4 + 77 \\
& 50806514944*a^{18}*b^20*c^9*e^20*f^18*(a^2*c*f^2 - b^2*c*e^2)^4 - 91372074859 \\
& 52*a^{20}*b^18*c^9*e^18*f^20*(a^2*c*f^2 - b^2*c*e^2)^4 + 8384563280128*a^{22}*b \\
& ^16*c^9*e^16*f^22*(a^2*c*f^2 - b^2*c*e^2)^4 - 5975281259520*a^{24}*b^14*c^9*e \\
& ^14*f^24*(a^2*c*f^2 - b^2*c*e^2)^4 + 3269297268736*a^{26}*b^12*c^9*e^12*f^26* \\
& (a^2*c*f^2 - b^2*c*e^2)^4 - 1339171540992*a^{28}*b^10*c^9*e^10*f^28*(a^2*c*f^ \\
& 2 - b^2*c*e^2)^4 + 391250194432*a^{30}*b^8*c^9*e^8*f^30*(a^2*c*f^2 - b^2*c*e^ \\
& 2)^4 - 74114154496*a^{32}*b^6*c^9*e^6*f^32*(a^2*c*f^2 - b^2*c*e^2)^4 + 729920 \\
& 3072*a^{34}*b^4*c^9*e^4*f^34*(a^2*c*f^2 - b^2*c*e^2)^4 - 148635648*a^36*b^2*c \\
& ^9*e^2*f^36*(a^2*c*f^2 - b^2*c*e^2)^4 - 38704068*a^2*b^38*c^10*e^38*f^2*(a^ \\
& 2*c*f^2 - b^2*c*e^2)^3 + 188845992*a^4*b^36*c^10*e^36*f^4*(a^2*c*f^2 - b^2* \\
& c*e^2)^3 + 1157124204*a^6*b^34*c^10*e^34*f^6*(a^2*c*f^2 - b^2*c*e^2)^3 - 20 \\
& 586361424*a^8*b^32*c^10*e^32*f^8*(a^2*c*f^2 - b^2*c*e^2)^3 + 135395499200*a \\
& ^10*b^30*c^10*e^30*f^10*(a^2*c*f^2 - b^2*c*e^2)^3 - 555513858464*a^12*b^28* \\
& c^10*e^28*f^12*(a^2*c*f^2 - b^2*c*e^2)^3 + 1608776388864*a^14*b^26*c^10*e^2 \\
& 6*f^14*(a^2*c*f^2 - b^2*c*e^2)^3 - 3473989271488*a^16*b^24*c^10*e^24*f^16*(\\
& a^2*c*f^2 - b^2*c*e^2)^3 + 5766181411456*a^18*b^22*c^10*e^22*f^18*(a^2*c*f^ \\
& 2 - b^2*c*e^2)^3 - 7493983209472*a^20*b^20*c^10*e^20*f^20*(a^2*c*f^2 - b^2* \\
& c*e^2)^3 + 7713917084672*a^22*b^18*c^10*e^18*f^22*(a^2*c*f^2 - b^2*c*e^2)^3 \\
& - 6328467293184*a^24*b^16*c^10*e^16*f^24*(a^2*c*f^2 - b^2*c*e^2)^3 + 41429 \\
& 50034432*a^26*b^14*c^10*e^14*f^26*(a^2*c*f^2 - b^2*c*e^2)^3 - 2152681536512 \\
& *a^28*b^12*c^10*e^12*f^28*(a^2*c*f^2 - b^2*c*e^2)^3 + 874199511040*a^30*b^1 \\
& 0*c^10*e^10*f^30*(a^2*c*f^2 - b^2*c*e^2)^3 - 268759150592*a^32*b^8*c^10*e^8 \\
& *f^32*(a^2*c*f^2 - b^2*c*e^2)^3 + 58872545280*a^34*b^6*c^10*e^6*f^34*(a^2*c \\
& *f^2 - b^2*c*e^2)^3 - 8151957504*a^36*b^4*c^10*e^4*f^36*(a^2*c*f^2 - b^2*c* \\
& e^2)^3 + 530841600*a^38*b^2*c^10*e^2*f^38*(a^2*c*f^2 - b^2*c*e^2)^3 - 42743 \\
& 457*a^2*b^40*c^11*e^40*f^2*(a^2*c*f^2 - b^2*c*e^2)^2 + 411055884*a^4*b^38*c \\
& ^11*e^38*f^4*(a^2*c*f^2 - b^2*c*e^2)^2 - 2180887236*a^6*b^36*c^11*e^36*f^6* \\
& (a^2*c*f^2 - b^2*c*e^2)^2 + 6404946508*a^8*b^34*c^11*e^34*f^8*(a^2*c*f^2 - \\
& b^2*c*e^2)^2 - 5434005264*a^10*b^32*c^11*e^32*f^10*(a^2*c*f^2 - b^2*c*e^2)^ \\
& 2 - 38868373520*a^12*b^30*c^11*e^30*f^12*(a^2*c*f^2 - b^2*c*e^2)^2 + 208447 \\
& 613600*a^14*b^28*c^11*e^28*f^14*(a^2*c*f^2 - b^2*c*e^2)^2 - 579674999104*a^ \\
& 16*b^26*c^11*e^26*f^16*(a^2*c*f^2 - b^2*c*e^2)^2 + 1104967566592*a^18*b^24* \\
& c^11*e^24*f^18*(a^2*c*f^2 - b^2*c*e^2)^2 - 1554566531328*a^20*b^22*c^11*e^2
\end{aligned}$$

$$\begin{aligned}
& 2*f^{20}*(a^2*c*f^2 - b^2*c*e^2)^2 + 1659734381312*a^{22}*b^{20}*c^{11}*e^{20}*f^{22}*(\\
& a^2*c*f^2 - b^2*c*e^2)^2 - 1356361512192*a^{24}*b^{18}*c^{11}*e^{18}*f^{24}*(a^2*c*f^2 \\
& - b^2*c*e^2)^2 + 845331359744*a^{26}*b^{16}*c^{11}*e^{16}*f^{26}*(a^2*c*f^2 - b^2*c \\
& *e^2)^2 - 395676895232*a^{28}*b^{14}*c^{11}*e^{14}*f^{28}*(a^2*c*f^2 - b^2*c*e^2)^2 + \\
& 134902689792*a^{30}*b^{12}*c^{11}*e^{12}*f^{30}*(a^2*c*f^2 - b^2*c*e^2)^2 - 31670587 \\
& 392*a^{32}*b^{10}*c^{11}*e^{10}*f^{32}*(a^2*c*f^2 - b^2*c*e^2)^2 + 4584669184*a^{34}*b^ \\
& 8*c^{11}*e^8*f^{34}*(a^2*c*f^2 - b^2*c*e^2)^2 - 309657600*a^{36}*b^6*c^{11}*e^6*f^3 \\
& 6*(a^2*c*f^2 - b^2*c*e^2)^2 - (2*a^4*b^5*c^3*e^5*f^4*(4*a^2*c*f^2 - 3*b^2*c \\
& *e^2)^2*((4096*(16*C^4*a^4*b^8*c^5*e^10 + 64*C^4*a^12*c^5*e^2*f^8 - 92*C^4 \\
& *a^6*b^6*c^5*e^8*f^2 + 192*C^4*a^8*b^4*c^5*e^6*f^4 - 176*C^4*a^10*b^2*c^5*e \\
& ^4*f^6)))/(b^16*e^14*f^4 - 4*a^2*b^14*e^12*f^6 + 6*a^4*b^12*e^10*f^8 - 4*a^6 \\
& *b^10*e^8*f^10 + a^8*b^8*e^6*f^12) + (4096*C^4*e^4*(2*a^2*f^2 - b^2*e^2)^4*(\\
& 9*a^2*b^14*c^7*e^12*f^6 - 43*a^4*b^12*c^7*e^10*f^8 + 82*a^6*b^10*c^7*e^8*f \\
& ^10 - 78*a^8*b^8*c^7*e^6*f^12 + 37*a^10*b^6*c^7*e^4*f^14 - 7*a^12*b^4*c^7*e \\
& ^2*f^16))/(f^8*(a*f + b*e)^4*(a*f - b*e)^4*(a^2*c*f^2 - b^2*c*e^2)^2*(b^16 \\
& e^14*f^4 - 4*a^2*b^14*e^12*f^6 + 6*a^4*b^12*e^10*f^8 - 4*a^6*b^10*e^8*f^10 \\
& + a^8*b^8*e^6*f^12)) + (4096*C^2*e^2*(2*a^2*f^2 - b^2*e^2)^2*(16*C^2*a^14*c \\
& ^6*f^14 + 9*C^2*a^2*b^12*c^6*e^12*f^2 - 54*C^2*a^4*b^10*c^6*e^10*f^4 + 121* \\
& C^2*a^6*b^8*c^6*e^8*f^6 - 128*C^2*a^8*b^6*c^6*e^6*f^8 + 80*C^2*a^10*b^4*c^6 \\
& *e^4*f^10 - 44*C^2*a^12*b^2*c^6*e^2*f^12))/(f^4*(a*f + b*e)^2*(a*f - b*e)^2 \\
& *(a^2*c*f^2 - b^2*c*e^2)*(b^16*e^14*f^4 - 4*a^2*b^14*e^12*f^6 + 6*a^4*b^12* \\
& e^10*f^8 - 4*a^6*b^10*e^8*f^10 + a^8*b^8*e^6*f^12))*(4*a^6*c*f^6 - 3*b^6*c \\
& *e^6 + 8*a^2*b^4*c*e^4*f^2 - 8*a^4*b^2*c*e^2*f^4)^4)/((b^2*c*e^2 - a^2*c*f^2) \\
& ^{(1/2)}*(164025*b^46*c^13*e^46 + 885735*b^44*c^12*e^44*(a^2*c*f^2 - b^2*c* \\
& e^2) + 117440512*a^30*c^5*f^30*(a^2*c*f^2 - b^2*c*e^2)^8 - 385875968*a^32*c \\
& ^6*f^32*(a^2*c*f^2 - b^2*c*e^2)^7 + 419430400*a^34*c^7*f^34*(a^2*c*f^2 - b^ \\
& 2*c*e^2)^6 - 150994944*a^36*c^8*f^36*(a^2*c*f^2 - b^2*c*e^2)^5 + 236196*b^3 \\
& 6*c^8*e^36*(a^2*c*f^2 - b^2*c*e^2)^5 + 1102248*b^38*c^9*e^38*(a^2*c*f^2 - b \\
& ^2*c*e^2)^4 + 2053593*b^40*c^10*e^40*(a^2*c*f^2 - b^2*c*e^2)^3 + 1909251*b^ \\
& 42*c^11*e^42*(a^2*c*f^2 - b^2*c*e^2)^2 - 3937329*a^2*b^44*c^13*e^44*f^2 + 4 \\
& 3893819*a^4*b^42*c^13*e^42*f^4 - 301507155*a^6*b^40*c^13*e^40*f^6 + 1427514 \\
& 656*a^8*b^38*c^13*e^38*f^8 - 4936911112*a^10*b^36*c^13*e^36*f^10 + 12893273 \\
& 616*a^12*b^34*c^13*e^34*f^12 - 25921630432*a^14*b^32*c^13*e^32*f^14 + 40519 \\
& 286096*a^16*b^30*c^13*e^30*f^16 - 49376608256*a^18*b^28*c^13*e^28*f^18 + 46 \\
& 721401856*a^20*b^26*c^13*e^26*f^20 - 33946324736*a^22*b^24*c^13*e^24*f^22 + \\
& 18556579328*a^24*b^22*c^13*e^22*f^24 - 7375276032*a^26*b^20*c^13*e^20*f^26 \\
& + 2009817088*a^28*b^18*c^13*e^18*f^28 - 335642624*a^30*b^16*c^13*e^16*f^30 \\
& + 25907200*a^32*b^14*c^13*e^14*f^32 - 21130794*a^2*b^42*c^12*e^42*f^2*(a^2 \\
& *c*f^2 - b^2*c*e^2) + 234399015*a^4*b^40*c^12*e^40*f^4*(a^2*c*f^2 - b^2*c*e \\
& ^2) - 1604168280*a^6*b^38*c^12*e^38*f^6*(a^2*c*f^2 - b^2*c*e^2) + 757909849 \\
& 2*a^8*b^36*c^12*e^36*f^8*(a^2*c*f^2 - b^2*c*e^2) - 26212380172*a^10*b^34*c^ \\
& 12*e^34*f^10*(a^2*c*f^2 - b^2*c*e^2) + 68672994096*a^12*b^32*c^12*e^32*f^12 \\
& *(a^2*c*f^2 - b^2*c*e^2) - 139160589504*a^14*b^30*c^12*e^30*f^14*(a^2*c*f^2 \\
& - b^2*c*e^2) + 220859191808*a^16*b^28*c^12*e^28*f^16*(a^2*c*f^2 - b^2*c*e^ \\
& 2) - 276344315328*a^18*b^26*c^12*e^26*f^18*(a^2*c*f^2 - b^2*c*e^2) + 273130
\end{aligned}$$

$$\begin{aligned}
& 561984*a^{20}*b^{24}*c^{12}*e^{24}*f^{20}*(a^2*c*f^2 - b^2*c*e^2) - 212730002688*a^{22} \\
& *b^{22}*c^{12}*e^{22}*f^{22}*(a^2*c*f^2 - b^2*c*e^2) + 129574234368*a^{24}*b^{20}*c^{12}* \\
& e^{20}*f^{24}*(a^2*c*f^2 - b^2*c*e^2) - 60770569216*a^{26}*b^{18}*c^{12}*e^{18}*f^{26}*(a \\
& ^2*c*f^2 - b^2*c*e^2) + 21304706048*a^{28}*b^{16}*c^{12}*e^{16}*f^{28}*(a^2*c*f^2 - b \\
& ^2*c*e^2) - 5272965120*a^{30}*b^{14}*c^{12}*e^{14}*f^{30}*(a^2*c*f^2 - b^2*c*e^2) + 8 \\
& 19441664*a^{32}*b^{12}*c^{12}*e^{12}*f^{32}*(a^2*c*f^2 - b^2*c*e^2) - 59392000*a^{34}*b \\
& ^{10}*c^{12}*e^{10}*f^{34}*(a^2*c*f^2 - b^2*c*e^2) + 9289728*a^6*b^{24}*c^5*e^{24}*f^6* \\
& (a^2*c*f^2 - b^2*c*e^2)^8 - 36884480*a^8*b^{22}*c^5*e^{22}*f^8*(a^2*c*f^2 - b^2 \\
& *c*e^2)^8 - 278604800*a^{10}*b^{20}*c^5*e^{20}*f^{10}*(a^2*c*f^2 - b^2*c*e^2)^8 + 2 \\
& 774483200*a^{12}*b^{18}*c^5*e^{18}*f^{12}*(a^2*c*f^2 - b^2*c*e^2)^8 - 10869657600*a \\
& ^{14}*b^{16}*c^5*e^{16}*f^{14}*(a^2*c*f^2 - b^2*c*e^2)^8 + 25237416960*a^{16}*b^{14}*c^ \\
& 5*e^{14}*f^{16}*(a^2*c*f^2 - b^2*c*e^2)^8 - 38348909568*a^{18}*b^{12}*c^5*e^{12}*f^{18} \\
& *(a^2*c*f^2 - b^2*c*e^2)^8 + 39084659712*a^{20}*b^{10}*c^5*e^{10}*f^{20}*(a^2*c*f^2 \\
& - b^2*c*e^2)^8 - 26118635520*a^{22}*b^8*c^5*e^8*f^{22}*(a^2*c*f^2 - b^2*c*e^2) \\
& ^8 + 10414620672*a^{24}*b^6*c^5*e^6*f^{24}*(a^2*c*f^2 - b^2*c*e^2)^8 - 17086545 \\
& 92*a^{26}*b^4*c^5*e^4*f^{26}*(a^2*c*f^2 - b^2*c*e^2)^8 - 276561920*a^{28}*b^2*c^5 \\
& *e^2*f^{28}*(a^2*c*f^2 - b^2*c*e^2)^8 - 9704448*a^4*b^{28}*c^6*e^{28}*f^4*(a^2*c* \\
& f^2 - b^2*c*e^2)^7 + 260614656*a^6*b^{26}*c^6*e^{26}*f^6*(a^2*c*f^2 - b^2*c*e^2 \\
&)^7 - 2166022464*a^8*b^{24}*c^6*e^{24}*f^8*(a^2*c*f^2 - b^2*c*e^2)^7 + 86261478 \\
& 40*a^{10}*b^{22}*c^6*e^{22}*f^{10}*(a^2*c*f^2 - b^2*c*e^2)^7 - 16771503616*a^{12}*b^2 \\
& 0*c^6*e^{20}*f^{12}*(a^2*c*f^2 - b^2*c*e^2)^7 + 3301800960*a^{14}*b^{18}*c^6*e^{18}*f \\
& ^{14}*(a^2*c*f^2 - b^2*c*e^2)^7 + 67337715968*a^{16}*b^{16}*c^6*e^{16}*f^{16}*(a^2*c* \\
& f^2 - b^2*c*e^2)^7 - 189857873920*a^{18}*b^{14}*c^6*e^{14}*f^{18}*(a^2*c*f^2 - b^2* \\
& c*e^2)^7 + 286100259840*a^{20}*b^{12}*c^6*e^{12}*f^{20}*(a^2*c*f^2 - b^2*c*e^2)^7 - \\
& 275789894656*a^{22}*b^{10}*c^6*e^{10}*f^{22}*(a^2*c*f^2 - b^2*c*e^2)^7 + 173716537 \\
& 344*a^{24}*b^8*c^6*e^8*f^{24}*(a^2*c*f^2 - b^2*c*e^2)^7 - 67416424448*a^{26}*b^6* \\
& c^6*e^6*f^{26}*(a^2*c*f^2 - b^2*c*e^2)^7 + 12831686656*a^{28}*b^4*c^6*e^4*f^{28}* \\
& (a^2*c*f^2 - b^2*c*e^2)^7 + 222560256*a^{30}*b^2*c^6*e^2*f^{30}*(a^2*c*f^2 - b^ \\
& 2*c*e^2)^7 + 2099520*a^2*b^{32}*c^7*e^{32}*f^2*(a^2*c*f^2 - b^2*c*e^2)^6 - 1070 \\
& 14608*a^4*b^{30}*c^7*e^{30}*f^4*(a^2*c*f^2 - b^2*c*e^2)^6 + 1848335616*a^6*b^{28} \\
& *c^7*e^{28}*f^6*(a^2*c*f^2 - b^2*c*e^2)^6 - 15200005312*a^8*b^{26}*c^7*e^{26}*f^8 \\
& *(a^2*c*f^2 - b^2*c*e^2)^6 + 72612273792*a^{10}*b^{24}*c^7*e^{24}*f^{10}*(a^2*c*f^2 \\
& - b^2*c*e^2)^6 - 221855779968*a^{12}*b^{22}*c^7*e^{22}*f^{12}*(a^2*c*f^2 - b^2*c*e \\
& ^2)^6 + 450717857536*a^{14}*b^{20}*c^7*e^{20}*f^{14}*(a^2*c*f^2 - b^2*c*e^2)^6 - 60 \\
& 0578910208*a^{16}*b^{18}*c^7*e^{18}*f^{16}*(a^2*c*f^2 - b^2*c*e^2)^6 + 459464530688 \\
& *a^{18}*b^{16}*c^7*e^{16}*f^{18}*(a^2*c*f^2 - b^2*c*e^2)^6 - 33638947840*a^{20}*b^{14}* \\
& c^7*e^{14}*f^{20}*(a^2*c*f^2 - b^2*c*e^2)^6 - 376299926528*a^{22}*b^{12}*c^7*e^{12}*f \\
& ^{22}*(a^2*c*f^2 - b^2*c*e^2)^6 + 488874068992*a^{24}*b^{10}*c^7*e^{10}*f^{24}*(a^2*c \\
& *f^2 - b^2*c*e^2)^6 - 333407809536*a^{26}*b^8*c^7*e^8*f^{26}*(a^2*c*f^2 - b^2*c \\
& *e^2)^6 + 134140313600*a^{28}*b^6*c^7*e^6*f^{28}*(a^2*c*f^2 - b^2*c*e^2)^6 - 28 \\
& 220915712*a^{30}*b^4*c^7*e^4*f^{30}*(a^2*c*f^2 - b^2*c*e^2)^6 + 1230503936*a^{32} \\
& *b^2*c^7*e^2*f^{32}*(a^2*c*f^2 - b^2*c*e^2)^6 + 3335904*a^2*b^{34}*c^8*e^{34}*f^2 \\
& *(a^2*c*f^2 - b^2*c*e^2)^5 - 290521728*a^4*b^{32}*c^8*e^{32}*f^4*(a^2*c*f^2 - b \\
& ^2*c*e^2)^5 + 4865684544*a^6*b^{30}*c^8*e^{30}*f^6*(a^2*c*f^2 - b^2*c*e^2)^5 - \\
& 40437394528*a^8*b^{28}*c^8*e^{28}*f^8*(a^2*c*f^2 - b^2*c*e^2)^5 + 205602254656*
\end{aligned}$$

$$\begin{aligned}
& a^{10}b^{26}c^8e^{26}f^{10}(a^2c^*f^2 - b^2c^*e^2)^5 - 703885344192a^{12}b^{24}c^8e^{24}f^{12}(a^2c^*f^2 - b^2c^*e^2)^5 + 1709253482624a^{14}b^{22}c^8e^{22}f^{14}(a^2c^*f^2 - b^2c^*e^2)^5 - 3029282695168a^{16}b^{20}c^8e^{20}f^{16}(a^2c^*f^2 - b^2c^*e^2)^5 + 3966230827520a^{18}b^{18}c^8e^{18}f^{18}(a^2c^*f^2 - b^2c^*e^2)^5 - 3822339813632a^{20}b^{16}c^8e^{16}f^{20}(a^2c^*f^2 - b^2c^*e^2)^5 + 2640438056960a^{22}b^{14}c^8e^{14}f^{22}(a^2c^*f^2 - b^2c^*e^2)^5 - 1208501415936a^{24}b^{12}c^8e^{12}f^{24}(a^2c^*f^2 - b^2c^*e^2)^5 + 269338092544a^{26}b^{10}c^8e^{10}f^{26}(a^2c^*f^2 - b^2c^*e^2)^5 + 53783212032a^{28}b^8c^8e^8f^{28}(a^2c^*f^2 - b^2c^*e^2)^5 - 60985360384a^{30}b^6c^8e^6f^{30}(a^2c^*f^2 - b^2c^*e^2)^5 + 17917083648a^{32}b^4c^8e^4f^{32}(a^2c^*f^2 - b^2c^*e^2)^5 - 1558708224a^{34}b^2c^8e^2f^{34}(a^2c^*f^2 - b^2c^*e^2)^5 - 11917692a^2b^{36}c^9e^{36}f^2(a^2c^*f^2 - b^2c^*e^2)^4 - 224907516a^4b^{34}c^9e^{34}f^4(a^2c^*f^2 - b^2c^*e^2)^4 + 5303932560a^6b^{32}c^9e^{32}f^6(a^2c^*f^2 - b^2c^*e^2)^4 - 48206418480a^8b^{30}c^9e^{30}f^8(a^2c^*f^2 - b^2c^*e^2)^4 + 261450609120a^{10}b^{28}c^9e^{28}f^{10}(a^2c^*f^2 - b^2c^*e^2)^4 - 962361040256a^{12}b^{26}c^9e^{26}f^{12}(a^2c^*f^2 - b^2c^*e^2)^4 + 2558559358080a^{14}b^{24}c^9e^{24}f^{14}(a^2c^*f^2 - b^2c^*e^2)^4 - 5091804150656a^{16}b^{22}c^9e^{22}f^{16}(a^2c^*f^2 - b^2c^*e^2)^4 + 7750806514944a^{18}b^{20}c^9e^{20}f^{18}(a^2c^*f^2 - b^2c^*e^2)^4 - 9137207485952a^{20}b^{18}c^9e^{18}f^{20}(a^2c^*f^2 - b^2c^*e^2)^4 + 8384563280128a^{22}b^{16}c^9e^{16}f^{22}(a^2c^*f^2 - b^2c^*e^2)^4 - 5975281259520a^{24}b^{14}c^9e^{14}f^{24}(a^2c^*f^2 - b^2c^*e^2)^4 + 3269297268736a^{26}b^{12}c^9e^{12}f^{26}(a^2c^*f^2 - b^2c^*e^2)^4 - 1339171540992a^{28}b^{10}c^9e^{10}f^{28}(a^2c^*f^2 - b^2c^*e^2)^4 + 391250194432a^{30}b^8c^9e^8f^{30}(a^2c^*f^2 - b^2c^*e^2)^4 - 74114154496a^{32}b^6c^9e^6f^{32}(a^2c^*f^2 - b^2c^*e^2)^4 + 7299203072a^{34}b^4c^9e^4f^{34}(a^2c^*f^2 - b^2c^*e^2)^4 - 148635648a^{36}b^2c^9e^2f^{36}(a^2c^*f^2 - b^2c^*e^2)^4 - 38704068a^2b^{38}c^{10}e^{38}f^2(a^2c^*f^2 - b^2c^*e^2)^3 + 188845992a^4b^{36}c^{10}e^{36}f^4(a^2c^*f^2 - b^2c^*e^2)^3 + 1157124204a^6b^{34}c^{10}e^{34}f^6(a^2c^*f^2 - b^2c^*e^2)^3 - 20586361424a^8b^{32}c^{10}e^{32}f^8(a^2c^*f^2 - b^2c^*e^2)^3 + 135395499200a^{10}b^{30}c^{10}e^{30}f^{10}(a^2c^*f^2 - b^2c^*e^2)^3 - 555513858464a^{12}b^{28}c^{10}e^{28}f^{12}(a^2c^*f^2 - b^2c^*e^2)^3 + 1608776388864a^{14}b^{26}c^{10}e^{26}f^{14}(a^2c^*f^2 - b^2c^*e^2)^3 - 3473989271488a^{16}b^{24}c^{10}e^{24}f^{16}(a^2c^*f^2 - b^2c^*e^2)^3 + 5766181411456a^{18}b^{22}c^{10}e^{22}f^{18}(a^2c^*f^2 - b^2c^*e^2)^3 - 7493983209472a^{20}b^{20}c^{10}e^{20}f^{20}(a^2c^*f^2 - b^2c^*e^2)^3 + 7713917084672a^{22}b^{18}c^{10}e^{18}f^{22}(a^2c^*f^2 - b^2c^*e^2)^3 - 6328467293184a^{24}b^{16}c^{10}e^{16}f^{24}(a^2c^*f^2 - b^2c^*e^2)^3 + 4142950034432a^{26}b^{14}c^{10}e^{14}f^{26}(a^2c^*f^2 - b^2c^*e^2)^3 - 2152681536512a^{28}b^{12}c^{10}e^{12}f^{28}(a^2c^*f^2 - b^2c^*e^2)^3 + 874199511040a^{30}b^{10}c^{10}e^{10}f^{30}(a^2c^*f^2 - b^2c^*e^2)^3 - 268759150592a^{32}b^8c^{10}e^8f^{32}(a^2c^*f^2 - b^2c^*e^2)^3 + 58872545280a^{34}b^6c^{10}e^6f^{34}(a^2c^*f^2 - b^2c^*e^2)^3 - 8151957504a^{36}b^4c^{10}e^4f^{36}(a^2c^*f^2 - b^2c^*e^2)^3 + 530841600a^{38}b^2c^{10}e^2f^{38}(a^2c^*f^2 - b^2c^*e^2)^3 - 42743457a^2b^{40}c^{11}e^{40}f^2(a^2c^*f^2 - b^2c^*e^2)^2 + 411055884a^4b^{38}c^{11}e^{38}f^4(a^2c^*f^2 - b^2c^*e^2)^2 - 2180887236a^6b^{36}c^{11}e^{36}f^6(a^2c^*f^2 - b^2c^*e^2)^2
\end{aligned}$$

$$\begin{aligned}
& e^2)^2 + 6404946508*a^8*b^34*c^11*e^34*f^8*(a^2*c*f^2 - b^2*c*e^2)^2 - 5434 \\
& 005264*a^10*b^32*c^11*e^32*f^10*(a^2*c*f^2 - b^2*c*e^2)^2 - 38868373520*a^1 \\
& 2*b^30*c^11*e^30*f^12*(a^2*c*f^2 - b^2*c*e^2)^2 + 208447613600*a^14*b^28*c^ \\
& 11*e^28*f^14*(a^2*c*f^2 - b^2*c*e^2)^2 - 579674999104*a^16*b^26*c^11*e^26*f \\
& ^16*(a^2*c*f^2 - b^2*c*e^2)^2 + 1104967566592*a^18*b^24*c^11*e^24*f^18*(a^2 \\
& *c*f^2 - b^2*c*e^2)^2 - 1554566531328*a^20*b^22*c^11*e^22*f^20*(a^2*c*f^2 - \\
& b^2*c*e^2)^2 + 1659734381312*a^22*b^20*c^11*e^20*f^22*(a^2*c*f^2 - b^2*c*e \\
& ^2)^2 - 1356361512192*a^24*b^18*c^11*e^18*f^24*(a^2*c*f^2 - b^2*c*e^2)^2 + \\
& 845331359744*a^26*b^16*c^11*e^16*f^26*(a^2*c*f^2 - b^2*c*e^2)^2 - 395676895 \\
& 232*a^28*b^14*c^11*e^14*f^28*(a^2*c*f^2 - b^2*c*e^2)^2 + 134902689792*a^30* \\
& b^12*c^11*e^12*f^30*(a^2*c*f^2 - b^2*c*e^2)^2 - 31670587392*a^32*b^10*c^11* \\
& e^10*f^32*(a^2*c*f^2 - b^2*c*e^2)^2 + 4584669184*a^34*b^8*c^11*e^8*f^34*(a^ \\
& 2*c*f^2 - b^2*c*e^2)^2 - 309657600*a^36*b^6*c^11*e^6*f^36*(a^2*c*f^2 - b^2* \\
& c*e^2)^2)) + (2*a^(3/2)*b^5*c*e^5*f^3*((4096*C^3*e^3*(2*a^2*f^2 - b^2*e^2)^ \\
& 3*(24*C*a^(21/2)*b^2*c^4*e*f^15*(a*c)^(5/2) - 30*C*a^(3/2)*b^12*c^5*e^11*f^ \\
& 5*(a*c)^(3/2) + 24*C*a^(5/2)*b^10*c^4*e^9*f^7*(a*c)^(5/2) + 126*C*a^(7/2)*b \\
& ^10*c^5*e^9*f^7*(a*c)^(3/2) - 96*C*a^(9/2)*b^8*c^4*e^7*f^9*(a*c)^(5/2) - 19 \\
& 8*C*a^(11/2)*b^8*c^5*e^7*f^9*(a*c)^(3/2) + 144*C*a^(13/2)*b^6*c^4*e^5*f^11* \\
& (a*c)^(5/2) + 138*C*a^(15/2)*b^6*c^5*e^5*f^11*(a*c)^(3/2) - 96*C*a^(17/2)*b \\
& ^4*c^4*e^3*f^13*(a*c)^(5/2) - 36*C*a^(19/2)*b^4*c^5*e^3*f^13*(a*c)^(3/2)))/ \\
& (f^6*(a*f + b*e)^3*(a*f - b*e)^3*(b^2*c*e^2 - a^2*c*f^2)^(3/2)*(b^16*e^14*f \\
& ^4 - 4*a^2*b^14*e^12*f^6 + 6*a^4*b^12*e^10*f^8 - 4*a^6*b^10*e^8*f^10 + a^8* \\
& b^8*e^6*f^12)) + (4096*C*e*(2*a^2*f^2 - b^2*e^2)*(64*C^3*a^(21/2)*c^3*e*f^1 \\
& 1*(a*c)^(5/2) + 32*C^3*a^(5/2)*b^8*c^3*e^9*f^3*(a*c)^(5/2) - 160*C^3*a^(7/2 \\
&)*b^8*c^4*e^9*f^3*(a*c)^(3/2) - 160*C^3*a^(9/2)*b^6*c^3*e^7*f^5*(a*c)^(5/2) \\
& + 384*C^3*a^(11/2)*b^6*c^4*e^7*f^5*(a*c)^(3/2) + 288*C^3*a^(13/2)*b^4*c^3* \\
& e^5*f^7*(a*c)^(5/2) - 392*C^3*a^(15/2)*b^4*c^4*e^5*f^7*(a*c)^(3/2) - 224*C^ \\
& 3*a^(17/2)*b^2*c^3*e^3*f^9*(a*c)^(5/2) + 144*C^3*a^(19/2)*b^2*c^4*e^3*f^9*(\\
& a*c)^(3/2) + 24*C^3*a^(3/2)*b^10*c^4*e^11*f*(a*c)^(3/2)))/(f^2*(a*f + b*e)* \\
& (a*f - b*e)*(b^2*c*e^2 - a^2*c*f^2)^(1/2)*(b^16*e^14*f^4 - 4*a^2*b^14*e^12* \\
& f^6 + 6*a^4*b^12*e^10*f^8 - 4*a^6*b^10*e^8*f^10 + a^8*b^8*e^6*f^12)))*(a*c) \\
& ^{(3/2)*(4*a^2*c*f^2 - b^2*c*e^2)*(4*a^2*c*f^2 - 3*b^2*c*e^2)*(4*a^6*c*f^6 - \\
& 3*b^6*c*e^6 + 8*a^2*b^4*c*e^4*f^2 - 8*a^4*b^2*c*e^2*f^4)^4)/(164025*b^46*c \\
& ^13*e^46 + 885735*b^44*c^12*e^44*(a^2*c*f^2 - b^2*c*e^2) + 117440512*a^30*c \\
& ^5*f^30*(a^2*c*f^2 - b^2*c*e^2)^8 - 385875968*a^32*c^6*f^32*(a^2*c*f^2 - b^ \\
& 2*c*e^2)^7 + 419430400*a^34*c^7*f^34*(a^2*c*f^2 - b^2*c*e^2)^6 - 150994944* \\
& a^36*c^8*f^36*(a^2*c*f^2 - b^2*c*e^2)^5 + 236196*b^36*c^8*e^36*(a^2*c*f^2 - \\
& b^2*c*e^2)^5 + 1102248*b^38*c^9*e^38*(a^2*c*f^2 - b^2*c*e^2)^4 + 2053593*b \\
& ^40*c^10*e^40*(a^2*c*f^2 - b^2*c*e^2)^3 + 1909251*b^42*c^11*e^42*(a^2*c*f^2 \\
& - b^2*c*e^2)^2 - 3937329*a^2*b^44*c^13*e^44*f^2 + 43893819*a^4*b^42*c^13*e \\
& ^42*f^4 - 301507155*a^6*b^40*c^13*e^40*f^6 + 1427514656*a^8*b^38*c^13*e^38* \\
& f^8 - 4936911112*a^10*b^36*c^13*e^36*f^10 + 12893273616*a^12*b^34*c^13*e^34 \\
& *f^12 - 25921630432*a^14*b^32*c^13*e^32*f^14 + 40519286096*a^16*b^30*c^13*e \\
& ^30*f^16 - 49376608256*a^18*b^28*c^13*e^28*f^18 + 46721401856*a^20*b^26*c^1 \\
& 3*e^26*f^20 - 33946324736*a^22*b^24*c^13*e^24*f^22 + 18556579328*a^24*b^22*
\end{aligned}$$

$$\begin{aligned}
& c^{13}e^{22}f^{24} - 7375276032a^{26}b^{20}c^{13}e^{20}f^{26} + 2009817088a^{28}b^{18} \\
& *c^{13}e^{18}f^{28} - 335642624a^{30}b^{16}c^{13}e^{16}f^{30} + 25907200a^{32}b^{14}c^{13}e^{14}f^{32} - 21130794a^{2}b^{42}c^{12}e^{42}f^{2}(a^2*c*f^2 - b^2*c*e^2) + 2 \\
& 34399015a^4*b^40*c^12*e^40*f^4*(a^2*c*f^2 - b^2*c*e^2) - 1604168280a^6*b^38*c^12*e^38*f^6*(a^2*c*f^2 - b^2*c*e^2) + 7579098492a^8*b^36*c^12*e^36*f^8*(a^2*c*f^2 - b^2*c*e^2) - 26212380172a^{10}b^{34}c^{12}e^{34}f^{10}(a^2*c*f^2 \\
& - b^2*c*e^2) + 68672994096a^{12}b^{32}c^{12}e^{32}f^{12}(a^2*c*f^2 - b^2*c*e^2) \\
&) - 139160589504a^{14}b^{30}c^{12}e^{30}f^{14}(a^2*c*f^2 - b^2*c*e^2) + 220859191808a^{16}b^{28}c^{12}e^{28}f^{16}(a^2*c*f^2 - b^2*c*e^2) - 276344315328a^{18}b^{26}c^{12}e^{26}f^{18}(a^2*c*f^2 - b^2*c*e^2) + 273130561984a^{20}b^{24}c^{12}e^{24}f^{20}(a^2*c*f^2 - b^2*c*e^2) - 212730002688a^{22}b^{22}c^{12}e^{22}f^{22}(a^2*c*f^2 - b^2*c*e^2) + 129574234368a^{24}b^{20}c^{12}e^{20}f^{24}(a^2*c*f^2 - b^2*c*e^2) - 60770569216a^{26}b^{18}c^{12}e^{18}f^{26}(a^2*c*f^2 - b^2*c*e^2) + 21304706048a^{28}b^{16}c^{12}e^{16}f^{28}(a^2*c*f^2 - b^2*c*e^2) - 5272965120a^{30}b^{14}c^{12}e^{14}f^{30}(a^2*c*f^2 - b^2*c*e^2) + 819441664a^{32}b^{12}c^{12}e^{12}f^{32}(a^2*c*f^2 - b^2*c*e^2) - 59392000a^{34}b^{10}c^{12}e^{10}f^{34}(a^2*c*f^2 - b^2*c*e^2) + 9289728a^6*b^24*c^5*e^24*f^6*(a^2*c*f^2 - b^2*c*e^2)^8 - 36884480a^8*b^22*c^5*e^22*f^8*(a^2*c*f^2 - b^2*c*e^2)^8 - 278604800a^{10}b^{20}c^5*e^20*f^10*(a^2*c*f^2 - b^2*c*e^2)^8 + 2774483200a^{12}b^{18}c^5*e^18*f^12*(a^2*c*f^2 - b^2*c*e^2)^8 - 10869657600a^{14}b^{16}c^5*e^16*f^14*(a^2*c*f^2 - b^2*c*e^2)^8 + 25237416960a^{16}b^{14}c^5*e^14*f^16*(a^2*c*f^2 - b^2*c*e^2)^8 - 38348909568a^{18}b^{12}c^5*e^12*f^18*(a^2*c*f^2 - b^2*c*e^2)^8 + 39084659712a^{20}b^{10}c^5*e^10*f^20*(a^2*c*f^2 - b^2*c*e^2)^8 - 26118635520a^{22}b^8*c^5*e^8*f^22*(a^2*c*f^2 - b^2*c*e^2)^8 + 10414620672a^{24}b^6*c^5*e^6*f^24*(a^2*c*f^2 - b^2*c*e^2)^8 - 1708654592a^{26}b^4*c^5*e^4*f^26*(a^2*c*f^2 - b^2*c*e^2)^8 - 276561920a^{28}b^2*c^5*e^2*f^28*(a^2*c*f^2 - b^2*c*e^2)^8 - 9704448a^4*b^28*c^6*e^28*f^4*(a^2*c*f^2 - b^2*c*e^2)^7 + 260614656a^6*b^26*c^6*e^26*f^6*(a^2*c*f^2 - b^2*c*e^2)^7 - 2166022464a^8*b^24*c^6*e^24*f^8*(a^2*c*f^2 - b^2*c*e^2)^7 + 8626147840a^{10}b^22*c^6*e^22*f^10*(a^2*c*f^2 - b^2*c*e^2)^7 - 16771503616a^{12}b^20*c^6*e^20*f^12*(a^2*c*f^2 - b^2*c*e^2)^7 + 3301800960a^{14}b^18*c^6*e^18*f^14*(a^2*c*f^2 - b^2*c*e^2)^7 + 67337715968a^{16}b^16*c^6*e^16*f^16*(a^2*c*f^2 - b^2*c*e^2)^7 - 189857873920a^{18}b^14*c^6*e^14*f^18*(a^2*c*f^2 - b^2*c*e^2)^7 + 286100259840a^{20}b^12*c^6*e^12*f^20*(a^2*c*f^2 - b^2*c*e^2)^7 - 275789894656a^{22}b^10*c^6*e^10*f^22*(a^2*c*f^2 - b^2*c*e^2)^7 + 173716537344a^{24}b^8*c^6*e^8*f^24*(a^2*c*f^2 - b^2*c*e^2)^7 - 67416424448a^{26}b^6*c^6*e^6*f^26*(a^2*c*f^2 - b^2*c*e^2)^7 + 12831686656a^{28}b^4*c^6*e^4*f^28*(a^2*c*f^2 - b^2*c*e^2)^7 + 222560256a^{30}b^2*c^6*e^2*f^30*(a^2*c*f^2 - b^2*c*e^2)^7 + 2099520a^{2}b^32*c^7*e^32*f^2*(a^2*c*f^2 - b^2*c*e^2)^6 - 107014608a^4*b^30*c^7*e^30*f^4*(a^2*c*f^2 - b^2*c*e^2)^6 + 1848335616a^6*b^28*c^7*e^28*f^6*(a^2*c*f^2 - b^2*c*e^2)^6 - 15200005312a^8*b^26*c^7*e^26*f^8*(a^2*c*f^2 - b^2*c*e^2)^6 + 72612273792a^{10}b^24*c^7*e^24*f^10*(a^2*c*f^2 - b^2*c*e^2)^6 - 221855779968a^{12}b^22*c^7*e^22*f^12*(a^2*c*f^2 - b^2*c*e^2)^6 + 450717857536a^{14}b^20*c^7*e^20*f^14*(a^2*c*f^2 - b^2*c*e^2)^6 - 600578910208a^{16}b^18*c^7*e^18*f^16*(a^2*c*f^2 - b^2*c*e^2)^6 + 459464530688a^{18}b^16*c^7*e^16*f^1
\end{aligned}$$

$$\begin{aligned}
& 8*(a^2*c*f^2 - b^2*c*e^2)^6 - 33638947840*a^20*b^14*c^7*e^14*f^20*(a^2*c*f^2 - b^2*c*e^2)^6 - 376299926528*a^22*b^12*c^7*e^12*f^22*(a^2*c*f^2 - b^2*c*e^2)^6 + 488874068992*a^24*b^10*c^7*e^10*f^24*(a^2*c*f^2 - b^2*c*e^2)^6 - 333407809536*a^26*b^8*c^7*e^8*f^26*(a^2*c*f^2 - b^2*c*e^2)^6 + 134140313600*a^28*b^6*c^7*e^6*f^28*(a^2*c*f^2 - b^2*c*e^2)^6 - 28220915712*a^30*b^4*c^7*e^4*f^30*(a^2*c*f^2 - b^2*c*e^2)^6 + 1230503936*a^32*b^2*c^7*e^2*f^32*(a^2*c*f^2 - b^2*c*e^2)^6 + 3335904*a^2*b^34*c^8*e^34*f^2*(a^2*c*f^2 - b^2*c*e^2)^5 - 290521728*a^4*b^32*c^8*e^32*f^4*(a^2*c*f^2 - b^2*c*e^2)^5 + 4865684544*a^6*b^30*c^8*e^30*f^6*(a^2*c*f^2 - b^2*c*e^2)^5 - 40437394528*a^8*b^28*c^8*e^28*f^8*(a^2*c*f^2 - b^2*c*e^2)^5 + 205602254656*a^10*b^26*c^8*e^26*f^10*(a^2*c*f^2 - b^2*c*e^2)^5 - 703885344192*a^12*b^24*c^8*e^24*f^12*(a^2*c*f^2 - b^2*c*e^2)^5 + 1709253482624*a^14*b^22*c^8*e^22*f^14*(a^2*c*f^2 - b^2*c*e^2)^5 - 3029282695168*a^16*b^20*c^8*e^20*f^16*(a^2*c*f^2 - b^2*c*e^2)^5 + 3966230827520*a^18*b^18*c^8*e^18*f^18*(a^2*c*f^2 - b^2*c*e^2)^5 - 3822339813632*a^20*b^16*c^8*e^16*f^20*(a^2*c*f^2 - b^2*c*e^2)^5 + 2640438056960*a^22*b^14*c^8*e^14*f^22*(a^2*c*f^2 - b^2*c*e^2)^5 - 1208501415936*a^24*b^12*c^8*e^12*f^24*(a^2*c*f^2 - b^2*c*e^2)^5 + 269338092544*a^26*b^10*c^8*e^10*f^26*(a^2*c*f^2 - b^2*c*e^2)^5 + 53783212032*a^28*b^8*c^8*e^8*f^28*(a^2*c*f^2 - b^2*c*e^2)^5 - 60985360384*a^30*b^6*c^8*e^6*f^30*(a^2*c*f^2 - b^2*c*e^2)^5 + 17917083648*a^32*b^4*c^8*e^4*f^32*(a^2*c*f^2 - b^2*c*e^2)^5 - 1558708224*a^34*b^2*c^8*e^2*f^34*(a^2*c*f^2 - b^2*c*e^2)^5 - 11917692*a^2*b^36*c^9*e^36*f^2*(a^2*c*f^2 - b^2*c*e^2)^4 - 224907516*a^4*b^34*c^9*e^34*f^4*(a^2*c*f^2 - b^2*c*e^2)^4 + 5303932560*a^6*b^32*c^9*e^32*f^6*(a^2*c*f^2 - b^2*c*e^2)^4 - 48206418480*a^8*b^30*c^9*e^30*f^8*(a^2*c*f^2 - b^2*c*e^2)^4 + 261450609120*a^10*b^28*c^9*e^28*f^10*(a^2*c*f^2 - b^2*c*e^2)^4 - 962361040256*a^12*b^26*c^9*e^26*f^12*(a^2*c*f^2 - b^2*c*e^2)^4 + 2558559358080*a^14*b^24*c^9*e^24*f^14*(a^2*c*f^2 - b^2*c*e^2)^4 - 5091804150656*a^16*b^22*c^9*e^22*f^16*(a^2*c*f^2 - b^2*c*e^2)^4 + 7750806514944*a^18*b^20*c^9*e^20*f^18*(a^2*c*f^2 - b^2*c*e^2)^4 - 9137207485952*a^20*b^18*c^9*e^18*f^20*(a^2*c*f^2 - b^2*c*e^2)^4 + 8384563280128*a^22*b^16*c^9*e^16*f^22*(a^2*c*f^2 - b^2*c*e^2)^4 - 5975281259520*a^24*b^14*c^9*e^14*f^24*(a^2*c*f^2 - b^2*c*e^2)^4 + 3269297268736*a^26*b^12*c^9*e^12*f^26*(a^2*c*f^2 - b^2*c*e^2)^4 - 1339171540992*a^28*b^10*c^9*e^10*f^28*(a^2*c*f^2 - b^2*c*e^2)^4 + 391250194432*a^30*b^8*c^9*e^8*f^30*(a^2*c*f^2 - b^2*c*e^2)^4 - 74114154496*a^32*b^6*c^9*e^6*f^32*(a^2*c*f^2 - b^2*c*e^2)^4 + 7299203072*a^34*b^4*c^9*e^4*f^34*(a^2*c*f^2 - b^2*c*e^2)^4 - 148635648*a^36*b^2*c^9*e^2*f^36*(a^2*c*f^2 - b^2*c*e^2)^4 - 38704068*a^2*b^38*c^10*e^38*f^2*(a^2*c*f^2 - b^2*c*e^2)^3 + 188845992*a^4*b^36*c^10*e^36*f^4*(a^2*c*f^2 - b^2*c*e^2)^3 + 1157124204*a^6*b^34*c^10*e^34*f^6*(a^2*c*f^2 - b^2*c*e^2)^3 - 20586361424*a^8*b^32*c^10*e^32*f^8*(a^2*c*f^2 - b^2*c*e^2)^3 + 135395499200*a^10*b^30*c^10*e^30*f^10*(a^2*c*f^2 - b^2*c*e^2)^3 - 555513858464*a^12*b^28*c^10*e^28*f^12*(a^2*c*f^2 - b^2*c*e^2)^3 + 1608776388864*a^14*b^26*c^10*e^26*f^14*(a^2*c*f^2 - b^2*c*e^2)^3 - 3473989271488*a^16*b^24*c^10*e^24*f^16*(a^2*c*f^2 - b^2*c*e^2)^3 + 5766181411456*a^18*b^22*c^10*e^22*f^18*(a^2*c*f^2 - b^2*c*e^2)^3 - 7493983209472*a^20*b^20*c^10*e^20*f^20*(a^2*c*f^2 - b^2*c*e^2)^3 + 7713917084672*a^22*b^18*c^10*e^
\end{aligned}$$

$$\begin{aligned}
& 18f^{22}(a^2c^2f^2 - b^2c^2e^2)^3 - 6328467293184a^{24}b^{16}c^{10}e^{16}f^{24} \\
& (a^2c^2f^2 - b^2c^2e^2)^3 + 4142950034432a^{26}b^{14}c^{10}e^{14}f^{26}(a^2c^2f^2 \\
& - b^2c^2e^2)^3 - 2152681536512a^{28}b^{12}c^{10}e^{12}f^{28}(a^2c^2f^2 - b^2 \\
& c^2e^2)^3 + 874199511040a^{30}b^{10}c^{10}e^{10}f^{30}(a^2c^2f^2 - b^2c^2e^2)^3 \\
& - 268759150592a^{32}b^8c^{10}e^8f^{32}(a^2c^2f^2 - b^2c^2e^2)^3 + 58872545 \\
& 280a^{34}b^6c^{10}e^6f^{34}(a^2c^2f^2 - b^2c^2e^2)^3 - 8151957504a^{36}b^4c^{10} \\
& e^4f^{36}(a^2c^2f^2 - b^2c^2e^2)^3 + 530841600a^{38}b^2c^{10}e^2f^{38} \\
& (a^2c^2f^2 - b^2c^2e^2)^3 - 42743457a^{40}b^0c^{11}e^40f^{40}(a^2c^2f^2 - b^2 \\
& c^2e^2)^2 + 411055884a^{42}b^2c^{11}e^38f^{42}(a^2c^2f^2 - b^2c^2e^2)^2 - 2 \\
& 180887236a^{44}b^4c^{11}e^36f^{44}(a^2c^2f^2 - b^2c^2e^2)^2 + 6404946508a^{46} \\
& b^6c^{11}e^34f^{46}(a^2c^2f^2 - b^2c^2e^2)^2 - 5434005264a^{48}b^8c^{11}e^32 \\
& f^{48}(a^2c^2f^2 - b^2c^2e^2)^2 - 38868373520a^{50}b^{10}c^{11}e^30f^{50}(\\
& a^2c^2f^2 - b^2c^2e^2)^2 + 208447613600a^{52}b^{12}c^{11}e^28f^{52}(a^2c^2f^2 \\
& - b^2c^2e^2)^2 - 579674999104a^{54}b^{14}c^{11}e^26f^{54}(a^2c^2f^2 - b^2c^2 \\
& e^2)^2 + 1104967566592a^{56}b^{16}c^{11}e^24f^{56}(a^2c^2f^2 - b^2c^2e^2)^2 - \\
& 1554566531328a^{58}b^{18}c^{11}e^22f^{58}(a^2c^2f^2 - b^2c^2e^2)^2 + 1659734 \\
& 381312a^{60}b^{20}c^{11}e^20f^{60}(a^2c^2f^2 - b^2c^2e^2)^2 - 1356361512192a^{62} \\
& b^{22}c^{11}e^18f^{62}(a^2c^2f^2 - b^2c^2e^2)^2 + 845331359744a^{64}b^{24}c^{11} \\
& e^16f^{64}(a^2c^2f^2 - b^2c^2e^2)^2 - 395676895232a^{66}b^{26}c^{11}e^14 \\
& f^{66}(a^2c^2f^2 - b^2c^2e^2)^2 + 134902689792a^{68}b^{28}c^{11}e^12f^{68}(a^2 \\
& c^2f^2 - b^2c^2e^2)^2 - 31670587392a^{70}b^{30}c^{11}e^10f^{70}(a^2c^2f^2 - \\
& b^2c^2e^2)^2 + 4584669184a^{72}b^{32}c^{11}e^8f^{72}(a^2c^2f^2 - b^2c^2e^2)^2 \\
& - 309657600a^{74}b^{34}c^{11}e^6f^{74}(a^2c^2f^2 - b^2c^2e^2)^2 + (4a^{(3/2)} \\
& b^6c^2e^6f^3(a^2c^2f^2 - b^2c^2e^2)^2 + 48a^{(15/2)}c^3e^3f^4(a^2c^2f^2 - \\
& b^2c^2e^2)^2 + 48a^{(11/2)}b^2c^3e^5f^2(a^2c^2f^2 - b^2c^2e^2)^2) / (b^{13} \\
& e^{12}f^3 - 3a^2b^{11}e^{10}f^5 + 3a^4b^9e^8f^7 - a^6b^7e^6f^9) + (1 \\
& 6384C^4e^4(2a^2f^2 - b^2e^2)^4(5a^{(17/2)}b^2c^4e^5f^{14}(a^2c^2f^2 - \\
& b^2c^2e^2)^2 + 6a^{(3/2)}b^{10}c^5e^9f^6(a^2c^2f^2 - b^2c^2e^2)^2 - 5a^{(5/2)} \\
& b^8c^4e^7f^8(a^2c^2f^2 - b^2c^2e^2)^2 - 18a^{(7/2)}b^8c^5e^7f^8(a^2c^2f^2 - \\
& b^2c^2e^2)^2 + 15a^{(9/2)}b^6c^4e^5f^{10}(a^2c^2f^2 - b^2c^2e^2)^2 + 18a^{(11/2)} \\
& b^6c^5e^5f^{10}(a^2c^2f^2 - b^2c^2e^2)^2 - 15a^{(13/2)}b^4 \\
& c^4e^3f^{12}(a^2c^2f^2 - b^2c^2e^2)^2 - 6a^{(15/2)}b^4c^5e^3f^{12}(a^2c^2f^2 - \\
& b^2c^2e^2)^2) / (f^8(a^2c^2f^2 - b^2c^2e^2)^2(b^{13}e^{12}f^3 - 3a^2 \\
& b^{11}e^{10}f^5 + 3a^4b^9e^8f^7 - a^6b^7e^6f^9)) - (16384C^2e^2(2 \\
& a^2f^2 - b^2e^2)^2(20C^2a^{(17/2)}c^3e^5f^{10}(a^2c^2f^2 - b^2c^2e^2)^2 - 3C^2 \\
& a^{(3/2)}b^8c^4e^9f^2(a^2c^2f^2 - b^2c^2e^2)^2 - 8C^2a^{(5/2)}b^6c^3e^7f^4(a^2 \\
& c^2f^2 - b^2c^2e^2)^2 + 11C^2a^{(7/2)}b^6c^4e^7f^4(a^2c^2f^2 - b^2c^2e^2)^2 + \\
& 36C^2a^{(9/2)}b^4c^3e^5f^6(a^2c^2f^2 - b^2c^2e^2)^2 - 20C^2a^{(11/2)}b^4c^4 \\
& e^5f^6(a^2c^2f^2 - b^2c^2e^2)^2 - 48C^2a^{(13/2)}b^2c^3e^3f^8(a^2c^2f^2 - \\
& b^2c^2e^2)^2 + 12C^2a^{(15/2)}b^2c^4e^3f^8(a^2c^2f^2 - b^2c^2e^2)^2) / (f^4 \\
& (a^2c^2f^2 - b^2c^2e^2)^2(b^{13}e^{12}f^3 - 3a^2b^{11}e^{10}f^5 + 3a^4b^9e^8f^7 - \\
& a^6b^7e^6f^9)) * (4a^6c^2f^6 - 3b^6c^2e^6 + 8a^2b^4c^2e^4f^2 - 8a^4b^2c^2e^2 \\
& f^4)^2 / ((b^2c^2e^2 - a^2c^2f^2)^{(1/2)}(164025b^46c^13e^46 + 885735b^44c^12e^44 \\
& (a^2c^2f^2 - b^2c^2e^2) + 117440512a^30c^5f^30(a^2c^2f^2 - b^2c^2e^2)^8 - 3858 \\
& 75968a^32c^6f^32(a^2c^2f^2 - b^2c^2e^2)^7 + 419430400a^34c^7f^34(a^2
\end{aligned}$$

$$\begin{aligned}
& 2*c*f^2 - b^2*c*e^2)^6 - 150994944*a^36*c^8*f^36*(a^2*c*f^2 - b^2*c*e^2)^5 \\
& + 236196*b^36*c^8*e^36*(a^2*c*f^2 - b^2*c*e^2)^5 + 1102248*b^38*c^9*e^38*(a \\
& ^2*c*f^2 - b^2*c*e^2)^4 + 2053593*b^40*c^10*e^40*(a^2*c*f^2 - b^2*c*e^2)^3 \\
& + 1909251*b^42*c^11*e^42*(a^2*c*f^2 - b^2*c*e^2)^2 - 3937329*a^2*b^44*c^13* \\
& e^44*f^2 + 43893819*a^4*b^42*c^13*e^42*f^4 - 301507155*a^6*b^40*c^13*e^40*f \\
& ^6 + 1427514656*a^8*b^38*c^13*e^38*f^8 - 4936911112*a^10*b^36*c^13*e^36*f^1 \\
& 0 + 12893273616*a^12*b^34*c^13*e^34*f^12 - 25921630432*a^14*b^32*c^13*e^32* \\
& f^14 + 40519286096*a^16*b^30*c^13*e^30*f^16 - 49376608256*a^18*b^28*c^13*e^ \\
& 28*f^18 + 46721401856*a^20*b^26*c^13*e^26*f^20 - 33946324736*a^22*b^24*c^13 \\
& *e^24*f^22 + 18556579328*a^24*b^22*c^13*e^22*f^24 - 7375276032*a^26*b^20*c^ \\
& 13*e^20*f^26 + 2009817088*a^28*b^18*c^13*e^18*f^28 - 335642624*a^30*b^16*c^ \\
& 13*e^16*f^30 + 25907200*a^32*b^14*c^13*e^14*f^32 - 21130794*a^2*b^42*c^12*e \\
& ^42*f^2*(a^2*c*f^2 - b^2*c*e^2) + 234399015*a^4*b^40*c^12*e^40*f^4*(a^2*c*f \\
& ^2 - b^2*c*e^2) - 1604168280*a^6*b^38*c^12*e^38*f^6*(a^2*c*f^2 - b^2*c*e^2) \\
& + 7579098492*a^8*b^36*c^12*e^36*f^8*(a^2*c*f^2 - b^2*c*e^2) - 26212380172* \\
& a^10*b^34*c^12*e^34*f^10*(a^2*c*f^2 - b^2*c*e^2) + 68672994096*a^12*b^32*c^ \\
& 12*e^32*f^12*(a^2*c*f^2 - b^2*c*e^2) - 139160589504*a^14*b^30*c^12*e^30*f^1 \\
& 4*(a^2*c*f^2 - b^2*c*e^2) + 220859191808*a^16*b^28*c^12*e^28*f^16*(a^2*c*f^ \\
& 2 - b^2*c*e^2) - 276344315328*a^18*b^26*c^12*e^26*f^18*(a^2*c*f^2 - b^2*c*e \\
& ^2) + 273130561984*a^20*b^24*c^12*e^24*f^20*(a^2*c*f^2 - b^2*c*e^2) - 21273 \\
& 0002688*a^22*b^22*c^12*e^22*f^22*(a^2*c*f^2 - b^2*c*e^2) + 129574234368*a^2 \\
& 4*b^20*c^12*e^20*f^24*(a^2*c*f^2 - b^2*c*e^2) - 60770569216*a^26*b^18*c^12* \\
& e^18*f^26*(a^2*c*f^2 - b^2*c*e^2) + 21304706048*a^28*b^16*c^12*e^16*f^28*(a \\
& ^2*c*f^2 - b^2*c*e^2) - 5272965120*a^30*b^14*c^12*e^14*f^30*(a^2*c*f^2 - b^ \\
& 2*c*e^2) + 819441664*a^32*b^12*c^12*e^12*f^32*(a^2*c*f^2 - b^2*c*e^2) - 593 \\
& 92000*a^34*b^10*c^12*e^10*f^34*(a^2*c*f^2 - b^2*c*e^2) + 9289728*a^6*b^24*c \\
& ^5*e^24*f^6*(a^2*c*f^2 - b^2*c*e^2)^8 - 36884480*a^8*b^22*c^5*e^22*f^8*(a^2 \\
& *c*f^2 - b^2*c*e^2)^8 - 278604800*a^10*b^20*c^5*e^20*f^10*(a^2*c*f^2 - b^2* \\
& c*e^2)^8 + 2774483200*a^12*b^18*c^5*e^18*f^12*(a^2*c*f^2 - b^2*c*e^2)^8 - 1 \\
& 0869657600*a^14*b^16*c^5*e^16*f^14*(a^2*c*f^2 - b^2*c*e^2)^8 + 25237416960* \\
& a^16*b^14*c^5*e^14*f^16*(a^2*c*f^2 - b^2*c*e^2)^8 - 38348909568*a^18*b^12*c \\
& ^5*e^12*f^18*(a^2*c*f^2 - b^2*c*e^2)^8 + 39084659712*a^20*b^10*c^5*e^10*f^2 \\
& 0*(a^2*c*f^2 - b^2*c*e^2)^8 - 26118635520*a^22*b^8*c^5*e^8*f^22*(a^2*c*f^2 \\
& - b^2*c*e^2)^8 + 10414620672*a^24*b^6*c^5*e^6*f^24*(a^2*c*f^2 - b^2*c*e^2)^ \\
& 8 - 1708654592*a^26*b^4*c^5*e^4*f^26*(a^2*c*f^2 - b^2*c*e^2)^8 - 276561920* \\
& a^28*b^2*c^5*e^2*f^28*(a^2*c*f^2 - b^2*c*e^2)^8 - 9704448*a^4*b^28*c^6*e^28 \\
& *f^4*(a^2*c*f^2 - b^2*c*e^2)^7 + 260614656*a^6*b^26*c^6*e^26*f^6*(a^2*c*f^2 \\
& - b^2*c*e^2)^7 - 2166022464*a^8*b^24*c^6*e^24*f^8*(a^2*c*f^2 - b^2*c*e^2)^ \\
& 7 + 8626147840*a^10*b^22*c^6*e^22*f^10*(a^2*c*f^2 - b^2*c*e^2)^7 - 16771503 \\
& 616*a^12*b^20*c^6*e^20*f^12*(a^2*c*f^2 - b^2*c*e^2)^7 + 3301800960*a^14*b^1 \\
& 8*c^6*e^18*f^14*(a^2*c*f^2 - b^2*c*e^2)^7 + 67337715968*a^16*b^16*c^6*e^16* \\
& f^16*(a^2*c*f^2 - b^2*c*e^2)^7 - 189857873920*a^18*b^14*c^6*e^14*f^18*(a^2* \\
& c*f^2 - b^2*c*e^2)^7 + 286100259840*a^20*b^12*c^6*e^12*f^20*(a^2*c*f^2 - b^ \\
& 2*c*e^2)^7 - 275789894656*a^22*b^10*c^6*e^10*f^22*(a^2*c*f^2 - b^2*c*e^2)^7 \\
& + 173716537344*a^24*b^8*c^6*e^8*f^24*(a^2*c*f^2 - b^2*c*e^2)^7 - 674164244
\end{aligned}$$

$$\begin{aligned}
& 48a^{26}b^6c^6e^6f^{26}(a^2c^*f^2 - b^2c^*e^2)^7 + 12831686656a^{28}b^4c^6e^4f^{28}(a^2c^*f^2 - b^2c^*e^2)^7 + 222560256a^{30}b^2c^6e^2f^{30}(a^2c^*f^2 - b^2c^*e^2)^7 + 2099520a^2b^{32}c^7e^{32}f^2(a^2c^*f^2 - b^2c^*e^2)^6 - 107014608a^4b^{30}c^7e^{30}f^4(a^2c^*f^2 - b^2c^*e^2)^6 + 1848335616a^6b^{28}c^7e^{28}f^6(a^2c^*f^2 - b^2c^*e^2)^6 - 15200005312a^8b^{26}c^7e^{26}f^8(a^2c^*f^2 - b^2c^*e^2)^6 + 72612273792a^{10}b^{24}c^7e^{24}f^{10}(a^2c^*f^2 - b^2c^*e^2)^6 - 221855779968a^{12}b^{22}c^7e^{22}f^{12}(a^2c^*f^2 - b^2c^*e^2)^6 + 450717857536a^{14}b^{20}c^7e^{20}f^{14}(a^2c^*f^2 - b^2c^*e^2)^6 - 600578910208a^{16}b^{18}c^7e^{18}f^{16}(a^2c^*f^2 - b^2c^*e^2)^6 + 459464530688a^{18}b^{16}c^7e^{16}f^{18}(a^2c^*f^2 - b^2c^*e^2)^6 - 33638947840a^{20}b^{14}c^7e^{14}f^{20}(a^2c^*f^2 - b^2c^*e^2)^6 - 376299926528a^{22}b^{12}c^7e^{12}f^{22}(a^2c^*f^2 - b^2c^*e^2)^6 + 488874068992a^{24}b^{10}c^7e^{10}f^{24}(a^2c^*f^2 - b^2c^*e^2)^6 - 333407809536a^{26}b^8c^7e^8f^{26}(a^2c^*f^2 - b^2c^*e^2)^6 + 134140313600a^{28}b^6c^7e^6f^{28}(a^2c^*f^2 - b^2c^*e^2)^6 - 28220915712a^{30}b^4c^7e^4f^{30}(a^2c^*f^2 - b^2c^*e^2)^6 + 1230503936a^{32}b^2c^7e^2f^{32}(a^2c^*f^2 - b^2c^*e^2)^6 + 3335904a^2b^{34}c^8e^{34}f^2(a^2c^*f^2 - b^2c^*e^2)^5 - 290521728a^4b^{32}c^8e^{32}f^4(a^2c^*f^2 - b^2c^*e^2)^5 + 4865684544a^6b^{30}c^8e^{30}f^6(a^2c^*f^2 - b^2c^*e^2)^5 - 40437394528a^8b^{28}c^8e^{28}f^8(a^2c^*f^2 - b^2c^*e^2)^5 + 205602254656a^{10}b^{26}c^8e^{26}f^{10}(a^2c^*f^2 - b^2c^*e^2)^5 - 703885344192a^{12}b^{24}c^8e^{24}f^{12}(a^2c^*f^2 - b^2c^*e^2)^5 + 1709253482624a^{14}b^{22}c^8e^{22}f^{14}(a^2c^*f^2 - b^2c^*e^2)^5 - 3029282695168a^{16}b^{20}c^8e^{20}f^{16}(a^2c^*f^2 - b^2c^*e^2)^5 + 3966230827520a^{18}b^{18}c^8e^{18}f^{18}(a^2c^*f^2 - b^2c^*e^2)^5 - 3822339813632a^{20}b^{16}c^8e^{16}f^{20}(a^2c^*f^2 - b^2c^*e^2)^5 + 2640438056960a^{22}b^{14}c^8e^{14}f^{22}(a^2c^*f^2 - b^2c^*e^2)^5 - 1208501415936a^{24}b^{12}c^8e^{12}f^{24}(a^2c^*f^2 - b^2c^*e^2)^5 + 269338092544a^{26}b^{10}c^8e^{10}f^{26}(a^2c^*f^2 - b^2c^*e^2)^5 + 53783212032a^{28}b^8c^8e^8f^{28}(a^2c^*f^2 - b^2c^*e^2)^5 - 60985360384a^{30}b^6c^8e^6f^{30}(a^2c^*f^2 - b^2c^*e^2)^5 + 17917083648a^{32}b^4c^8e^4f^{32}(a^2c^*f^2 - b^2c^*e^2)^5 - 1558708224a^{34}b^2c^8e^2f^{34}(a^2c^*f^2 - b^2c^*e^2)^5 - 11917692a^2b^{36}c^9e^{36}f^2(a^2c^*f^2 - b^2c^*e^2)^4 - 224907516a^4b^{34}c^9e^{34}f^4(a^2c^*f^2 - b^2c^*e^2)^4 + 5303932560a^6b^{32}c^9e^{32}f^6(a^2c^*f^2 - b^2c^*e^2)^4 - 48206418480a^8b^{30}c^9e^{30}f^8(a^2c^*f^2 - b^2c^*e^2)^4 + 261450609120a^{10}b^{28}c^9e^{28}f^{10}(a^2c^*f^2 - b^2c^*e^2)^4 - 962361040256a^{12}b^{26}c^9e^{26}f^{12}(a^2c^*f^2 - b^2c^*e^2)^4 + 2558559358080a^{14}b^{24}c^9e^{24}f^{14}(a^2c^*f^2 - b^2c^*e^2)^4 - 5091804150656a^{16}b^{22}c^9e^{22}f^{16}(a^2c^*f^2 - b^2c^*e^2)^4 + 7750806514944a^{18}b^{20}c^9e^{20}f^{18}(a^2c^*f^2 - b^2c^*e^2)^4 - 9137207485952a^{20}b^{18}c^9e^{18}f^{20}(a^2c^*f^2 - b^2c^*e^2)^4 + 8384563280128a^{22}b^{16}c^9e^{16}f^{22}(a^2c^*f^2 - b^2c^*e^2)^4 - 5975281259520a^{24}b^{14}c^9e^{14}f^{24}(a^2c^*f^2 - b^2c^*e^2)^4 + 3269297268736a^{26}b^{12}c^9e^{12}f^{26}(a^2c^*f^2 - b^2c^*e^2)^4 - 1339171540992a^{28}b^{10}c^9e^{10}f^{28}(a^2c^*f^2 - b^2c^*e^2)^4 + 391250194432a^{30}b^8c^9e^8f^{30}(a^2c^*f^2 - b^2c^*e^2)^4 - 74114154496a^{32}b^6c^9e^6f^{32}(a^2c^*f^2 - b^2c^*e^2)^4 + 7299203072a^{34}b^4c^9e^4f^{34}(a^2c^*f^2 - b^2c^*e^2)^4 - 148635648a^{36}b^2c^9e^2
\end{aligned}$$

$$\begin{aligned}
& f^{36}(a^2*c*f^2 - b^2*c*e^2)^4 - 38704068*a^2*b^{38}*c^{10}*e^{38}*f^2*(a^2*c*f^2 \\
& - b^2*c*e^2)^3 + 188845992*a^4*b^{36}*c^{10}*e^{36}*f^4*(a^2*c*f^2 - b^2*c*e^2)^3 - 205863614 \\
& 24*a^8*b^{32}*c^{10}*e^{32}*f^8*(a^2*c*f^2 - b^2*c*e^2)^3 + 135395499200*a^{10}*b^3 \\
& 0*c^{10}*e^{30}*f^{10}*(a^2*c*f^2 - b^2*c*e^2)^3 - 555513858464*a^{12}*b^{28}*c^{10}*e^{28} \\
& *f^{12}*(a^2*c*f^2 - b^2*c*e^2)^3 + 1608776388864*a^{14}*b^{26}*c^{10}*e^{26}*f^{14} \\
& (a^2*c*f^2 - b^2*c*e^2)^3 - 3473989271488*a^{16}*b^{24}*c^{10}*e^{24}*f^{16}*(a^2*c*f \\
& ^2 - b^2*c*e^2)^3 + 5766181411456*a^{18}*b^{22}*c^{10}*e^{22}*f^{18}*(a^2*c*f^2 - b^2 \\
& *c*e^2)^3 - 7493983209472*a^{20}*b^{20}*c^{10}*e^{20}*f^{20}*(a^2*c*f^2 - b^2*c*e^2)^3 \\
& + 7713917084672*a^{22}*b^{18}*c^{10}*e^{18}*f^{22}*(a^2*c*f^2 - b^2*c*e^2)^3 - 6328 \\
& 467293184*a^{24}*b^{16}*c^{10}*e^{16}*f^{24}*(a^2*c*f^2 - b^2*c*e^2)^3 + 414295003443 \\
& 2*a^{26}*b^{14}*c^{10}*e^{14}*f^{26}*(a^2*c*f^2 - b^2*c*e^2)^3 - 2152681536512*a^{28}*b \\
& ^{12}*c^{10}*e^{12}*f^{28}*(a^2*c*f^2 - b^2*c*e^2)^3 + 874199511040*a^{30}*b^{10}*c^{10} \\
& e^{10}*f^{30}*(a^2*c*f^2 - b^2*c*e^2)^3 - 268759150592*a^{32}*b^8*c^{10}*e^8*f^{32}*(\\
& a^2*c*f^2 - b^2*c*e^2)^3 + 58872545280*a^{34}*b^6*c^{10}*e^6*f^{34}*(a^2*c*f^2 - \\
& b^2*c*e^2)^3 - 8151957504*a^{36}*b^4*c^{10}*e^4*f^{36}*(a^2*c*f^2 - b^2*c*e^2)^3 \\
& + 530841600*a^{38}*b^2*c^{10}*e^2*f^{38}*(a^2*c*f^2 - b^2*c*e^2)^3 - 42743457*a^2 \\
& *b^{40}*c^{11}*e^{40}*f^2*(a^2*c*f^2 - b^2*c*e^2)^2 + 411055884*a^4*b^{38}*c^{11}*e^3 \\
& 8*f^4*(a^2*c*f^2 - b^2*c*e^2)^2 - 2180887236*a^6*b^{36}*c^{11}*e^{36}*f^6*(a^2*c* \\
& f^2 - b^2*c*e^2)^2 + 6404946508*a^8*b^{34}*c^{11}*e^{34}*f^8*(a^2*c*f^2 - b^2*c*e \\
& ^2)^2 - 5434005264*a^{10}*b^{32}*c^{11}*e^{32}*f^{10}*(a^2*c*f^2 - b^2*c*e^2)^2 - 388 \\
& 68373520*a^{12}*b^{30}*c^{11}*e^{30}*f^{12}*(a^2*c*f^2 - b^2*c*e^2)^2 + 208447613600* \\
& a^{14}*b^{28}*c^{11}*e^{28}*f^{14}*(a^2*c*f^2 - b^2*c*e^2)^2 - 579674999104*a^{16}*b^{26} \\
& *c^{11}*e^{26}*f^{16}*(a^2*c*f^2 - b^2*c*e^2)^2 + 1104967566592*a^{18}*b^{24}*c^{11}*e^{24} \\
& *f^{18}*(a^2*c*f^2 - b^2*c*e^2)^2 - 1554566531328*a^{20}*b^{22}*c^{11}*e^{22}*f^{20} \\
& (a^2*c*f^2 - b^2*c*e^2)^2 + 1659734381312*a^{22}*b^{20}*c^{11}*e^{20}*f^{22}*(a^2*c*f \\
& ^2 - b^2*c*e^2)^2 - 1356361512192*a^{24}*b^{18}*c^{11}*e^{18}*f^{24}*(a^2*c*f^2 - b^2 \\
& *c*e^2)^2 + 845331359744*a^{26}*b^{16}*c^{11}*e^{16}*f^{26}*(a^2*c*f^2 - b^2*c*e^2)^2 \\
& - 395676895232*a^{28}*b^{14}*c^{11}*e^{14}*f^{28}*(a^2*c*f^2 - b^2*c*e^2)^2 + 134902 \\
& 689792*a^{30}*b^{12}*c^{11}*e^{12}*f^{30}*(a^2*c*f^2 - b^2*c*e^2)^2 - 31670587392*a^3 \\
& 2*b^{10}*c^{11}*e^{10}*f^{32}*(a^2*c*f^2 - b^2*c*e^2)^2 + 4584669184*a^{34}*b^8*c^{11} \\
& e^8*f^{34}*(a^2*c*f^2 - b^2*c*e^2)^2 - 309657600*a^{36}*b^6*c^{11}*e^6*f^{36}*(a^2* \\
& c*f^2 - b^2*c*e^2)^2))*(b^{16}*e^{12}*f^6*(a^2*c*f^2 - b^2*c*e^2)^2 - 4*a^2*b^ \\
& 14*e^{10}*f^8*(a^2*c*f^2 - b^2*c*e^2)^2 + 6*a^4*b^{12}*e^8*f^{10}*(a^2*c*f^2 - b^ \\
& 2*c*e^2)^2 - 4*a^6*b^{10}*e^6*f^{12}*(a^2*c*f^2 - b^2*c*e^2)^2 + a^8*b^8*e^4*f^ \\
& 14*(a^2*c*f^2 - b^2*c*e^2)^2)/(((a + b*x)^{(1/2)} - a^{(1/2)})*(16384*C^4*a^6* \\
& c^3*f^4 + 4096*C^4*a^2*b^4*c^3*e^4 - 16384*C^4*a^4*b^2*c^3*e^2*f^2)) + (8*a \\
& ^4*b^6*c^4*e^6*f^4*((4096*C^3*e^3*(2*a^2*f^2 - b^2*e^2)^3*(24*C*a^{(21/2)}*b^ \\
& 2*c^4*e*f^{15}*(a*c)^{(5/2)} - 30*C*a^{(3/2)}*b^{12}*c^5*e^{11}*f^5*(a*c)^{(3/2)} + 24* \\
& C*a^{(5/2)}*b^{10}*c^4*e^9*f^7*(a*c)^{(5/2)} + 126*C*a^{(7/2)}*b^{10}*c^5*e^9*f^7*(a \\
& c)^{(3/2)} - 96*C*a^{(9/2)}*b^8*c^4*e^7*f^9*(a*c)^{(5/2)} - 198*C*a^{(11/2)}*b^8*c^ \\
& 5*e^7*f^9*(a*c)^{(3/2)} + 144*C*a^{(13/2)}*b^6*c^4*e^5*f^{11}*(a*c)^{(5/2)} + 138*C \\
& *a^{(15/2)}*b^6*c^5*e^5*f^{11}*(a*c)^{(3/2)} - 96*C*a^{(17/2)}*b^4*c^4*e^3*f^{13}*(a \\
& c)^{(5/2)} - 36*C*a^{(19/2)}*b^4*c^5*e^3*f^{13}*(a*c)^{(3/2)}))/((f^6*(a*f + b*e)^3* \\
& (a*f - b*e)^3*(b^2*c*e^2 - a^2*c*f^2)^{(3/2)}*(b^{16}*e^{14}*f^4 - 4*a^2*b^{14}*e^1
\end{aligned}$$

$$\begin{aligned}
& 2*f^6 + 6*a^4*b^{12}*e^{10}*f^8 - 4*a^6*b^{10}*e^8*f^{10} + a^8*b^8*e^6*f^{12})) + (4 \\
& 096*C*e*(2*a^2*f^2 - b^2*e^2)*(64*C^3*a^{(21/2)}*c^3*e*f^{11}*(a*c)^{(5/2)} + 32* \\
& C^3*a^{(5/2)}*b^8*c^3*e^9*f^3*(a*c)^{(5/2)} - 160*C^3*a^{(7/2)}*b^8*c^4*e^9*f^3*(\\
& a*c)^{(3/2)} - 160*C^3*a^{(9/2)}*b^6*c^3*e^7*f^5*(a*c)^{(5/2)} + 384*C^3*a^{(11/2)} \\
& *b^6*c^4*e^7*f^5*(a*c)^{(3/2)} + 288*C^3*a^{(13/2)}*b^4*c^3*e^5*f^7*(a*c)^{(5/2)} \\
& - 392*C^3*a^{(15/2)}*b^4*c^4*e^5*f^7*(a*c)^{(3/2)} - 224*C^3*a^{(17/2)}*b^2*c^3* \\
& e^3*f^9*(a*c)^{(5/2)} + 144*C^3*a^{(19/2)}*b^2*c^4*e^3*f^9*(a*c)^{(3/2)} + 24*C^3 \\
& *a^{(3/2)}*b^{10}*c^4*e^{11}*f*(a*c)^{(3/2)})) / (f^2*(a*f + b*e)*(a*f - b*e)*(b^2*c* \\
& e^2 - a^2*c*f^2)^{(1/2)}*(b^{16}*e^{14}*f^4 - 4*a^2*b^{14}*e^{12}*f^6 + 6*a^4*b^{12}*e^{10} \\
& *f^8 - 4*a^6*b^{10}*e^8*f^{10} + a^8*b^8*e^6*f^{12}))*(4*a^2*c*f^2 - 3*b^2*c*e \\
& ^2)*(4*a^6*c*f^6 - 3*b^6*c*e^6 + 8*a^2*b^4*c*e^4*f^2 - 8*a^4*b^2*c*e^2*f^4) \\
& ^4*(b^{16}*e^{12}*f^6*(a^2*c*f^2 - b^2*c*e^2)^2 - 4*a^2*b^{14}*e^{10}*f^8*(a^2*c*f^2 \\
& - b^2*c*e^2)^2 + 6*a^4*b^{12}*e^8*f^{10}*(a^2*c*f^2 - b^2*c*e^2)^2 - 4*a^6*b^{10} \\
& *e^6*f^{12}*(a^2*c*f^2 - b^2*c*e^2)^2 + a^8*b^8*e^4*f^{14}*(a^2*c*f^2 - b^2*c \\
& *e^2)^2)) / ((16384*C^4*a^6*c^3*f^4 + 4096*C^4*a^2*b^4*c^3*e^4 - 16384*C^4*a^ \\
& 4*b^2*c^3*e^2*f^2)*(164025*b^46*c^13*e^46 + 885735*b^44*c^12*e^44*(a^2*c*f^2 \\
& - b^2*c*e^2) + 117440512*a^30*c^5*f^30*(a^2*c*f^2 - b^2*c*e^2)^8 - 385875 \\
& 968*a^32*c^6*f^32*(a^2*c*f^2 - b^2*c*e^2)^7 + 419430400*a^34*c^7*f^34*(a^2* \\
& c*f^2 - b^2*c*e^2)^6 - 150994944*a^36*c^8*f^36*(a^2*c*f^2 - b^2*c*e^2)^5 + \\
& 236196*b^36*c^8*e^36*(a^2*c*f^2 - b^2*c*e^2)^5 + 1102248*b^38*c^9*e^38*(a^2 \\
& *c*f^2 - b^2*c*e^2)^4 + 2053593*b^40*c^10*e^40*(a^2*c*f^2 - b^2*c*e^2)^3 + \\
& 1909251*b^42*c^11*e^42*(a^2*c*f^2 - b^2*c*e^2)^2 - 3937329*a^2*b^44*c^13*e^ \\
& 44*f^2 + 43893819*a^4*b^42*c^13*e^42*f^4 - 301507155*a^6*b^40*c^13*e^40*f^6 \\
& + 1427514656*a^8*b^38*c^13*e^38*f^8 - 4936911112*a^10*b^36*c^13*e^36*f^10 \\
& + 12893273616*a^12*b^34*c^13*e^34*f^12 - 25921630432*a^14*b^32*c^13*e^32*f^ \\
& 14 + 40519286096*a^16*b^30*c^13*e^30*f^16 - 49376608256*a^18*b^28*c^13*e^28 \\
& *f^18 + 46721401856*a^20*b^26*c^13*e^26*f^20 - 33946324736*a^22*b^24*c^13*e \\
& ^24*f^22 + 18556579328*a^24*b^22*c^13*e^22*f^24 - 7375276032*a^26*b^20*c^13 \\
& *e^20*f^26 + 2009817088*a^28*b^18*c^13*e^18*f^28 - 335642624*a^30*b^16*c^13 \\
& *e^16*f^30 + 25907200*a^32*b^14*c^13*e^14*f^32 - 21130794*a^2*b^42*c^12*e^4 \\
& 2*f^2*(a^2*c*f^2 - b^2*c*e^2) + 234399015*a^4*b^40*c^12*e^40*f^4*(a^2*c*f^2 \\
& - b^2*c*e^2) - 1604168280*a^6*b^38*c^12*e^38*f^6*(a^2*c*f^2 - b^2*c*e^2) + \\
& 7579098492*a^8*b^36*c^12*e^36*f^8*(a^2*c*f^2 - b^2*c*e^2) - 26212380172*a^ \\
& 10*b^34*c^12*e^34*f^10*(a^2*c*f^2 - b^2*c*e^2) + 68672994096*a^12*b^32*c^12 \\
& *e^32*f^12*(a^2*c*f^2 - b^2*c*e^2) - 139160589504*a^14*b^30*c^12*e^30*f^14* \\
& (a^2*c*f^2 - b^2*c*e^2) + 220859191808*a^16*b^28*c^12*e^28*f^16*(a^2*c*f^2 \\
& - b^2*c*e^2) - 276344315328*a^18*b^26*c^12*e^26*f^18*(a^2*c*f^2 - b^2*c*e^2 \\
&) + 273130561984*a^20*b^24*c^12*e^24*f^20*(a^2*c*f^2 - b^2*c*e^2) - 2127300 \\
& 02688*a^22*b^22*c^12*e^22*f^22*(a^2*c*f^2 - b^2*c*e^2) + 129574234368*a^24* \\
& b^20*c^12*e^20*f^24*(a^2*c*f^2 - b^2*c*e^2) - 60770569216*a^26*b^18*c^12*e^ \\
& 18*f^26*(a^2*c*f^2 - b^2*c*e^2) + 21304706048*a^28*b^16*c^12*e^16*f^28*(a^2 \\
& *c*f^2 - b^2*c*e^2) - 5272965120*a^30*b^14*c^12*e^14*f^30*(a^2*c*f^2 - b^2* \\
& c*e^2) + 819441664*a^32*b^12*c^12*e^12*f^32*(a^2*c*f^2 - b^2*c*e^2) - 59392 \\
& 000*a^34*b^10*c^12*e^10*f^34*(a^2*c*f^2 - b^2*c*e^2) + 9289728*a^6*b^24*c^5 \\
& *e^24*f^6*(a^2*c*f^2 - b^2*c*e^2)^8 - 36884480*a^8*b^22*c^5*e^22*f^8*(a^2*c
\end{aligned}$$

$$\begin{aligned}
& *f^2 - b^2*c*e^2)^8 - 278604800*a^{10}*b^{20}*c^5*e^{20}*f^{10}*(a^2*c*f^2 - b^2*c* \\
& e^2)^8 + 2774483200*a^{12}*b^{18}*c^5*e^{18}*f^{12}*(a^2*c*f^2 - b^2*c*e^2)^8 - 108 \\
& 69657600*a^{14}*b^{16}*c^5*e^{16}*f^{14}*(a^2*c*f^2 - b^2*c*e^2)^8 + 25237416960*a^{16} \\
& *b^{14}*c^5*e^{14}*f^{16}*(a^2*c*f^2 - b^2*c*e^2)^8 - 38348909568*a^{18}*b^{12}*c^5 \\
& *e^{12}*f^{18}*(a^2*c*f^2 - b^2*c*e^2)^8 + 39084659712*a^{20}*b^{10}*c^5*e^{10}*f^{20} \\
& *(a^2*c*f^2 - b^2*c*e^2)^8 - 26118635520*a^{22}*b^8*c^5*e^8*f^{22}*(a^2*c*f^2 - \\
& b^2*c*e^2)^8 + 10414620672*a^{24}*b^6*c^5*e^6*f^{24}*(a^2*c*f^2 - b^2*c*e^2)^8 \\
& - 1708654592*a^{26}*b^4*c^5*e^4*f^{26}*(a^2*c*f^2 - b^2*c*e^2)^8 - 276561920*a^{28} \\
& *b^2*c^5*e^2*f^{28}*(a^2*c*f^2 - b^2*c*e^2)^8 - 9704448*a^4*b^{28}*c^6*e^{28}*f \\
& ^4*(a^2*c*f^2 - b^2*c*e^2)^7 + 260614656*a^6*b^{26}*c^6*e^{26}*f^6*(a^2*c*f^2 - \\
& b^2*c*e^2)^7 - 2166022464*a^8*b^{24}*c^6*e^{24}*f^8*(a^2*c*f^2 - b^2*c*e^2)^7 \\
& + 8626147840*a^{10}*b^{22}*c^6*e^{22}*f^{10}*(a^2*c*f^2 - b^2*c*e^2)^7 - 1677150361 \\
& 6*a^{12}*b^{20}*c^6*e^{20}*f^{12}*(a^2*c*f^2 - b^2*c*e^2)^7 + 3301800960*a^{14}*b^{18} \\
& *c^6*e^{18}*f^{14}*(a^2*c*f^2 - b^2*c*e^2)^7 + 67337715968*a^{16}*b^{16}*c^6*e^{16}*f^{16} \\
& *(a^2*c*f^2 - b^2*c*e^2)^7 - 189857873920*a^{18}*b^{14}*c^6*e^{14}*f^{18}*(a^2*c* \\
& f^2 - b^2*c*e^2)^7 + 286100259840*a^{20}*b^{12}*c^6*e^{12}*f^{20}*(a^2*c*f^2 - b^2* \\
& c*e^2)^7 - 275789894656*a^{22}*b^{10}*c^6*e^{10}*f^{22}*(a^2*c*f^2 - b^2*c*e^2)^7 + \\
& 173716537344*a^{24}*b^8*c^6*e^8*f^{24}*(a^2*c*f^2 - b^2*c*e^2)^7 - 67416424448 \\
& *a^{26}*b^6*c^6*e^6*f^{26}*(a^2*c*f^2 - b^2*c*e^2)^7 + 12831686656*a^{28}*b^4*c^6 \\
& *e^4*f^{28}*(a^2*c*f^2 - b^2*c*e^2)^7 + 222560256*a^{30}*b^2*c^6*e^2*f^{30}*(a^2* \\
& c*f^2 - b^2*c*e^2)^7 + 2099520*a^{2}*b^{32}*c^7*e^{32}*f^{2}*(a^2*c*f^2 - b^2*c*e^2 \\
&)^6 - 107014608*a^4*b^{30}*c^7*e^{30}*f^4*(a^2*c*f^2 - b^2*c*e^2)^6 + 184833561 \\
& 6*a^6*b^{28}*c^7*e^{28}*f^6*(a^2*c*f^2 - b^2*c*e^2)^6 - 15200005312*a^8*b^{26}*c^7 \\
& *e^{26}*f^8*(a^2*c*f^2 - b^2*c*e^2)^6 + 72612273792*a^{10}*b^{24}*c^7*e^{24}*f^{10} \\
& *(a^2*c*f^2 - b^2*c*e^2)^6 - 221855779968*a^{12}*b^{22}*c^7*e^{22}*f^{12}*(a^2*c*f^2 \\
& - b^2*c*e^2)^6 + 450717857536*a^{14}*b^{20}*c^7*e^{20}*f^{14}*(a^2*c*f^2 - b^2*c*e \\
& ^2)^6 - 600578910208*a^{16}*b^{18}*c^7*e^{18}*f^{16}*(a^2*c*f^2 - b^2*c*e^2)^6 + 45 \\
& 9464530688*a^{18}*b^{16}*c^7*e^{16}*f^{18}*(a^2*c*f^2 - b^2*c*e^2)^6 - 33638947840* \\
& a^{20}*b^{14}*c^7*e^{14}*f^{20}*(a^2*c*f^2 - b^2*c*e^2)^6 - 376299926528*a^{22}*b^{12} \\
& *c^7*e^{12}*f^{22}*(a^2*c*f^2 - b^2*c*e^2)^6 + 488874068992*a^{24}*b^{10}*c^7*e^{10}*f \\
& ^24*(a^2*c*f^2 - b^2*c*e^2)^6 - 333407809536*a^{26}*b^8*c^7*e^8*f^{26}*(a^2*c*f \\
& ^2 - b^2*c*e^2)^6 + 134140313600*a^{28}*b^6*c^7*e^6*f^{28}*(a^2*c*f^2 - b^2*c*e \\
& ^2)^6 - 28220915712*a^{30}*b^4*c^7*e^4*f^{30}*(a^2*c*f^2 - b^2*c*e^2)^6 + 12305 \\
& 03936*a^{32}*b^2*c^7*e^2*f^{32}*(a^2*c*f^2 - b^2*c*e^2)^6 + 3335904*a^{2}*b^{34}*c^8 \\
& *e^{34}*f^2*(a^2*c*f^2 - b^2*c*e^2)^5 - 290521728*a^4*b^{32}*c^8*e^{32}*f^4*(a^2 \\
& *c*f^2 - b^2*c*e^2)^5 + 4865684544*a^6*b^{30}*c^8*e^{30}*f^6*(a^2*c*f^2 - b^2*c \\
& *e^2)^5 - 40437394528*a^8*b^{28}*c^8*e^{28}*f^8*(a^2*c*f^2 - b^2*c*e^2)^5 + 205 \\
& 602254656*a^{10}*b^{26}*c^8*e^{26}*f^{10}*(a^2*c*f^2 - b^2*c*e^2)^5 - 703885344192* \\
& a^{12}*b^{24}*c^8*e^{24}*f^{12}*(a^2*c*f^2 - b^2*c*e^2)^5 + 1709253482624*a^{14}*b^{22} \\
& *c^8*e^{22}*f^{14}*(a^2*c*f^2 - b^2*c*e^2)^5 - 3029282695168*a^{16}*b^{20}*c^8*e^{20} \\
& *f^{16}*(a^2*c*f^2 - b^2*c*e^2)^5 + 3966230827520*a^{18}*b^{18}*c^8*e^{18}*f^{18}*(a^ \\
& 2*c*f^2 - b^2*c*e^2)^5 - 3822339813632*a^{20}*b^{16}*c^8*e^{16}*f^{20}*(a^2*c*f^2 - \\
& b^2*c*e^2)^5 + 2640438056960*a^{22}*b^{14}*c^8*e^{14}*f^{22}*(a^2*c*f^2 - b^2*c*e \\
& ^2)^5 - 1208501415936*a^{24}*b^{12}*c^8*e^{12}*f^{24}*(a^2*c*f^2 - b^2*c*e^2)^5 + 26 \\
& 9338092544*a^{26}*b^{10}*c^8*e^{10}*f^{26}*(a^2*c*f^2 - b^2*c*e^2)^5 + 53783212032*
\end{aligned}$$

$$\begin{aligned}
& a^{28}b^8c^8e^8f^{28}(a^2cf^2 - b^2ce^2)^5 - 60985360384a^{30}b^6c^8e^6f^{30}(a^2cf^2 - b^2ce^2)^5 + 17917083648a^{32}b^4c^8e^4f^{32}(a^2cf^2 - b^2ce^2)^5 - 1558708224a^{34}b^2c^8e^2f^{34}(a^2cf^2 - b^2ce^2)^5 - 11917692a^2b^36c^9e^36f^{36}(a^2cf^2 - b^2ce^2)^4 - 224907516a^4b^34c^9e^34f^{34}(a^2cf^2 - b^2ce^2)^4 + 5303932560a^6b^32c^9e^32f^{32}(a^2cf^2 - b^2ce^2)^4 - 48206418480a^8b^30c^9e^30f^{30}(a^2cf^2 - b^2ce^2)^4 + 261450609120a^{10}b^28c^9e^28f^{28}(a^2cf^2 - b^2ce^2)^4 - 962361040256a^{12}b^26c^9e^26f^{26}(a^2cf^2 - b^2ce^2)^4 + 2558559358080a^{14}b^24c^9e^24f^{24}(a^2cf^2 - b^2ce^2)^4 - 5091804150656a^{16}b^22c^9e^22f^{22}(a^2cf^2 - b^2ce^2)^4 + 7750806514944a^{18}b^20c^9e^20f^{20}(a^2cf^2 - b^2ce^2)^4 - 9137207485952a^{20}b^18c^9e^18f^{18}(a^2cf^2 - b^2ce^2)^4 + 8384563280128a^{22}b^16c^9e^16f^{16}(a^2cf^2 - b^2ce^2)^4 - 5975281259520a^{24}b^14c^9e^14f^{14}(a^2cf^2 - b^2ce^2)^4 + 3269297268736a^{26}b^12c^9e^12f^{12}(a^2cf^2 - b^2ce^2)^4 - 1339171540992a^{28}b^10c^9e^10f^{10}(a^2cf^2 - b^2ce^2)^4 + 391250194432a^{30}b^8c^9e^8f^8(a^2cf^2 - b^2ce^2)^4 - 74114154496a^{32}b^6c^9e^6f^6(a^2cf^2 - b^2ce^2)^4 + 7299203072a^{34}b^4c^9e^4f^4(a^2cf^2 - b^2ce^2)^4 - 148635648a^{36}b^2c^9e^2f^2(a^2cf^2 - b^2ce^2)^4 - 38704068a^2b^38c^10e^38f^{38}(a^2cf^2 - b^2ce^2)^3 + 188845992a^4b^36c^10e^36f^{36}(a^2cf^2 - b^2ce^2)^3 + 1157124204a^6b^34c^10e^34f^{34}(a^2cf^2 - b^2ce^2)^3 - 20586361424a^8b^32c^10e^32f^{32}(a^2cf^2 - b^2ce^2)^3 + 135395499200a^{10}b^30c^10e^30f^{30}(a^2cf^2 - b^2ce^2)^3 - 555513858464a^{12}b^28c^10e^28f^{28}(a^2cf^2 - b^2ce^2)^3 + 1608776388864a^{14}b^26c^10e^26f^{26}(a^2cf^2 - b^2ce^2)^3 - 3473989271488a^{16}b^24c^10e^24f^{24}(a^2cf^2 - b^2ce^2)^3 + 5766181411456a^{18}b^22c^10e^22f^{22}(a^2cf^2 - b^2ce^2)^3 - 7493983209472a^{20}b^20c^10e^20f^{20}(a^2cf^2 - b^2ce^2)^3 + 7713917084672a^{22}b^18c^10e^18f^{18}(a^2cf^2 - b^2ce^2)^3 - 6328467293184a^{24}b^16c^10e^16f^{16}(a^2cf^2 - b^2ce^2)^3 + 4142950034432a^{26}b^14c^10e^14f^{14}(a^2cf^2 - b^2ce^2)^3 - 2152681536512a^{28}b^12c^10e^12f^{12}(a^2cf^2 - b^2ce^2)^3 + 874199511040a^{30}b^10c^10e^10f^{10}(a^2cf^2 - b^2ce^2)^3 - 268759150592a^{32}b^8c^10e^8f^8(a^2cf^2 - b^2ce^2)^3 + 58872545280a^{34}b^6c^10e^6f^6(a^2cf^2 - b^2ce^2)^3 - 8151957504a^{36}b^4c^10e^4f^4(a^2cf^2 - b^2ce^2)^3 + 530841600a^{38}b^2c^10e^2f^2(a^2cf^2 - b^2ce^2)^3 - 42743457a^2b^40c^11e^40f^{40}(a^2cf^2 - b^2ce^2)^2 + 411055884a^4b^38c^11e^38f^{38}(a^2cf^2 - b^2ce^2)^2 - 2180887236a^6b^36c^11e^36f^{36}(a^2cf^2 - b^2ce^2)^2 + 6404946508a^8b^34c^11e^34f^{34}(a^2cf^2 - b^2ce^2)^2 - 5434005264a^{10}b^32c^11e^32f^{32}(a^2cf^2 - b^2ce^2)^2 - 38868373520a^{12}b^30c^11e^30f^{30}(a^2cf^2 - b^2ce^2)^2 + 208447613600a^{14}b^28c^11e^28f^{28}(a^2cf^2 - b^2ce^2)^2 - 579674999104a^{16}b^26c^11e^26f^{26}(a^2cf^2 - b^2ce^2)^2 + 1104967566592a^{18}b^24c^11e^24f^{24}(a^2cf^2 - b^2ce^2)^2 - 1554566531328a^{20}b^22c^11e^22f^{22}(a^2cf^2 - b^2ce^2)^2 + 1659734381312a^{22}b^20c^11e^20f^{20}(a^2cf^2 - b^2ce^2)^2 - 1356361512192a^{24}b^18c^11e^18f^{18}(a^2cf^2 - b^2ce^2)^2 - 1356361512192a^{24}b^18c^11e^18f^{18}(a^2cf^2 - b^2ce^2)^2
\end{aligned}$$

$$\begin{aligned}
& *e^2)^2 + 845331359744*a^{26}*b^{16}*c^{11}*e^{16}*f^{26}*(a^2*c*f^2 - b^2*c*e^2)^2 - \\
& 395676895232*a^{28}*b^{14}*c^{11}*e^{14}*f^{28}*(a^2*c*f^2 - b^2*c*e^2)^2 + 13490268 \\
& 9792*a^{30}*b^{12}*c^{11}*e^{12}*f^{30}*(a^2*c*f^2 - b^2*c*e^2)^2 - 31670587392*a^{32}* \\
& b^{10}*c^{11}*e^{10}*f^{32}*(a^2*c*f^2 - b^2*c*e^2)^2 + 4584669184*a^{34}*b^8*c^{11}*e^8* \\
& f^{34}*(a^2*c*f^2 - b^2*c*e^2)^2 - 309657600*a^{36}*b^6*c^{11}*e^6*f^{36}*(a^2*c* \\
& f^2 - b^2*c*e^2)^2) - (4*a^{(3/2)}*b^6*c^2*e^6*f^3*(a*c)^{(3/2)}*(2*a^2*c*f^2 \\
& - b^2*c*e^2)*(4*a^2*c*f^2 - 3*b^2*c*e^2)*((4096*(16*C^4*a^4*b^8*c^5*e^{10} + \\
& 64*C^4*a^{12}*c^5*e^2*f^8 - 92*C^4*a^6*b^6*c^5*e^8*f^2 + 192*C^4*a^8*b^4*c^5* \\
& e^6*f^4 - 176*C^4*a^{10}*b^2*c^5*e^4*f^6)))/(b^{16}*e^{14}*f^4 - 4*a^2*b^{14}*e^{12}*f^6 \\
& + 6*a^4*b^{12}*e^{10}*f^8 - 4*a^6*b^{10}*e^8*f^{10} + a^8*b^8*e^6*f^{12}) + (4096* \\
& C^4*e^4*(2*a^2*f^2 - b^2*e^2)^4*(9*a^2*b^{14}*c^7*e^{12}*f^6 - 43*a^4*b^{12}*c^7* \\
& e^{10}*f^8 + 82*a^6*b^{10}*c^7*e^8*f^{10} - 78*a^8*b^8*c^7*e^6*f^{12} + 37*a^{10}*b^6 \\
& *c^7*e^4*f^{14} - 7*a^{12}*b^4*c^7*e^2*f^{16}))/((f^8*(a*f + b*e)^4*(a*f - b*e)^4* \\
& (a^2*c*f^2 - b^2*c*e^2)^2*(b^{16}*e^{14}*f^4 - 4*a^2*b^{14}*e^{12}*f^6 + 6*a^4*b^{12} \\
& *e^{10}*f^8 - 4*a^6*b^{10}*e^8*f^{10} + a^8*b^8*e^6*f^{12})) + (4096*C^2*e^2*(2*a^2 \\
& *f^2 - b^2*e^2)^2*(16*C^2*a^{14}*c^6*f^{14} + 9*C^2*a^2*b^{12}*c^6*e^{12}*f^2 - 54* \\
& C^2*a^4*b^{10}*c^6*e^{10}*f^4 + 121*C^2*a^6*b^8*c^6*e^8*f^6 - 128*C^2*a^8*b^6*c^6* \\
& e^6*f^8 + 80*C^2*a^{10}*b^4*c^6*e^4*f^{10} - 44*C^2*a^{12}*b^2*c^6*e^2*f^{12}))/ \\
& (f^4*(a*f + b*e)^2*(a*f - b*e)^2*(a^2*c*f^2 - b^2*c*e^2)*(b^{16}*e^{14}*f^4 - 4 \\
& *a^2*b^{14}*e^{12}*f^6 + 6*a^4*b^{12}*e^{10}*f^8 - 4*a^6*b^{10}*e^8*f^{10} + a^8*b^8*e^6* \\
& f^{12}))*((4*a^6*c*f^6 - 3*b^6*c*e^6 + 8*a^2*b^4*c*e^4*f^2 - 8*a^4*b^2*c*e^2* \\
& f^4)^4*(b^{16}*e^{12}*f^6*(a^2*c*f^2 - b^2*c*e^2)^2 - 4*a^2*b^{14}*e^{10}*f^8*(a^2* \\
& c*f^2 - b^2*c*e^2)^2 + 6*a^4*b^{12}*e^8*f^{10}*(a^2*c*f^2 - b^2*c*e^2)^2 - 4* \\
& a^6*b^{10}*e^6*f^{12}*(a^2*c*f^2 - b^2*c*e^2)^2 + a^8*b^8*e^4*f^{14}*(a^2*c*f^2 - \\
& b^2*c*e^2)^2))/((b^2*c*e^2 - a^2*c*f^2)^{(1/2)}*(16384*C^4*a^6*c^3*f^4 + 409 \\
& 6*C^4*a^2*b^4*c^3*e^4 - 16384*C^4*a^4*b^2*c^3*e^2*f^2)*(164025*b^46*c^{13}*e^ \\
& 46 + 885735*b^{44}*c^{12}*e^{44}*(a^2*c*f^2 - b^2*c*e^2) + 117440512*a^{30}*c^5*f^3 \\
& 0*(a^2*c*f^2 - b^2*c*e^2)^8 - 385875968*a^{32}*c^6*f^{32}*(a^2*c*f^2 - b^2*c*e^2)^7 \\
& + 419430400*a^{34}*c^7*f^{34}*(a^2*c*f^2 - b^2*c*e^2)^6 - 150994944*a^{36}*c^8* \\
& f^{36}*(a^2*c*f^2 - b^2*c*e^2)^5 + 236196*b^{36}*c^8*e^{36}*(a^2*c*f^2 - b^2*c* \\
& e^2)^5 + 1102248*b^{38}*c^9*e^{38}*(a^2*c*f^2 - b^2*c*e^2)^4 + 2053593*b^{40}*c^ \\
& 10*e^{40}*(a^2*c*f^2 - b^2*c*e^2)^3 + 1909251*b^{42}*c^{11}*e^{42}*(a^2*c*f^2 - b^2 \\
& *c*e^2)^2 - 3937329*a^2*b^{44}*c^{13}*e^{44}*f^2 + 43893819*a^4*b^{42}*c^{13}*e^{42}*f^4 \\
& - 301507155*a^6*b^{40}*c^{13}*e^{40}*f^6 + 1427514656*a^8*b^{38}*c^{13}*e^{38}*f^8 - \\
& 4936911112*a^{10}*b^{36}*c^{13}*e^{36}*f^{10} + 12893273616*a^{12}*b^{34}*c^{13}*e^{34}*f^{12} \\
& - 25921630432*a^{14}*b^{32}*c^{13}*e^{32}*f^{14} + 40519286096*a^{16}*b^{30}*c^{13}*e^{30}*f^{16} \\
& - 49376608256*a^{18}*b^{28}*c^{13}*e^{28}*f^{18} + 46721401856*a^{20}*b^{26}*c^{13}*e^{26} \\
& *f^{20} - 33946324736*a^{22}*b^{24}*c^{13}*e^{24}*f^{22} + 18556579328*a^{24}*b^{22}*c^{13}*e^{22} \\
& *f^{24} - 7375276032*a^{26}*b^{20}*c^{13}*e^{20}*f^{26} + 2009817088*a^{28}*b^{18}*c^{13}* \\
& e^{18}*f^{28} - 335642624*a^{30}*b^{16}*c^{13}*e^{16}*f^{30} + 25907200*a^{32}*b^{14}*c^{13}*e^{14} \\
& *f^{32} - 21130794*a^2*b^{42}*c^{12}*e^{42}*f^2*(a^2*c*f^2 - b^2*c*e^2) + 2343990 \\
& 15*a^4*b^{40}*c^{12}*e^{40}*f^4*(a^2*c*f^2 - b^2*c*e^2) - 1604168280*a^6*b^{38}*c^{12} \\
& *e^{38}*f^6*(a^2*c*f^2 - b^2*c*e^2) + 7579098492*a^8*b^{36}*c^{12}*e^{36}*f^8*(a^2 \\
& *c*f^2 - b^2*c*e^2) - 26212380172*a^{10}*b^{34}*c^{12}*e^{34}*f^{10}*(a^2*c*f^2 - b^2 \\
& *c*e^2) + 68672994096*a^{12}*b^{32}*c^{12}*e^{32}*f^{12}*(a^2*c*f^2 - b^2*c*e^2) - 13
\end{aligned}$$

$$\begin{aligned}
& 9160589504*a^{14}*b^{30}*c^{12}*e^{30}*f^{14}*(a^2*c*f^2 - b^2*c*e^2) + 220859191808* \\
& a^{16}*b^{28}*c^{12}*e^{28}*f^{16}*(a^2*c*f^2 - b^2*c*e^2) - 276344315328*a^{18}*b^{26}*c \\
& ^{12}*e^{26}*f^{18}*(a^2*c*f^2 - b^2*c*e^2) + 273130561984*a^{20}*b^{24}*c^{12}*e^{24}*f^{20} \\
& *(a^2*c*f^2 - b^2*c*e^2) - 212730002688*a^{22}*b^{22}*c^{12}*e^{22}*f^{22}*(a^2*c*f \\
& ^2 - b^2*c*e^2) + 129574234368*a^{24}*b^{20}*c^{12}*e^{20}*f^{24}*(a^2*c*f^2 - b^2*c* \\
& e^2) - 60770569216*a^{26}*b^{18}*c^{12}*e^{18}*f^{26}*(a^2*c*f^2 - b^2*c*e^2) + 21304 \\
& 706048*a^{28}*b^{16}*c^{12}*e^{16}*f^{28}*(a^2*c*f^2 - b^2*c*e^2) - 5272965120*a^{30}*b \\
& ^{14}*c^{12}*e^{14}*f^{30}*(a^2*c*f^2 - b^2*c*e^2) + 819441664*a^{32}*b^{12}*c^{12}*e^{12} \\
& f^{32}*(a^2*c*f^2 - b^2*c*e^2) - 59392000*a^{34}*b^{10}*c^{12}*e^{10}*f^{34}*(a^2*c*f^2 \\
& - b^2*c*e^2) + 9289728*a^6*b^{24}*c^5*e^{24}*f^6*(a^2*c*f^2 - b^2*c*e^2)^8 - 3 \\
& 6884480*a^8*b^{22}*c^5*e^{22}*f^8*(a^2*c*f^2 - b^2*c*e^2)^8 - 278604800*a^{10}*b^{20} \\
& *c^5*e^{20}*f^{10}*(a^2*c*f^2 - b^2*c*e^2)^8 + 2774483200*a^{12}*b^{18}*c^5*e^{18} \\
& f^{12}*(a^2*c*f^2 - b^2*c*e^2)^8 - 10869657600*a^{14}*b^{16}*c^5*e^{16}*f^{14}*(a^2*c \\
& *f^2 - b^2*c*e^2)^8 + 25237416960*a^{16}*b^{14}*c^5*e^{14}*f^{16}*(a^2*c*f^2 - b^2*c \\
& *e^2)^8 - 38348909568*a^{18}*b^{12}*c^5*e^{12}*f^{18}*(a^2*c*f^2 - b^2*c*e^2)^8 + \\
& 39084659712*a^{20}*b^{10}*c^5*e^{10}*f^{20}*(a^2*c*f^2 - b^2*c*e^2)^8 - 26118635520 \\
& *a^{22}*b^8*c^5*e^8*f^{22}*(a^2*c*f^2 - b^2*c*e^2)^8 + 10414620672*a^{24}*b^6*c^5 \\
& *e^6*f^{24}*(a^2*c*f^2 - b^2*c*e^2)^8 - 1708654592*a^{26}*b^4*c^5*e^4*f^{26}*(a^2 \\
& *c*f^2 - b^2*c*e^2)^8 - 276561920*a^{28}*b^2*c^5*e^2*f^{28}*(a^2*c*f^2 - b^2*c* \\
& e^2)^8 - 9704448*a^4*b^{28}*c^6*e^{28}*f^4*(a^2*c*f^2 - b^2*c*e^2)^7 + 26061465 \\
& 6*a^6*b^{26}*c^6*e^{26}*f^6*(a^2*c*f^2 - b^2*c*e^2)^7 - 2166022464*a^8*b^{24}*c^6 \\
& *e^{24}*f^8*(a^2*c*f^2 - b^2*c*e^2)^7 + 8626147840*a^{10}*b^{22}*c^6*e^{22}*f^{10}*(a \\
& ^2*c*f^2 - b^2*c*e^2)^7 - 16771503616*a^{12}*b^{20}*c^6*e^{20}*f^{12}*(a^2*c*f^2 - \\
& b^2*c*e^2)^7 + 3301800960*a^{14}*b^{18}*c^6*e^{18}*f^{14}*(a^2*c*f^2 - b^2*c*e^2)^7 \\
& + 67337715968*a^{16}*b^{16}*c^6*e^{16}*f^{16}*(a^2*c*f^2 - b^2*c*e^2)^7 - 18985787 \\
& 3920*a^{18}*b^{14}*c^6*e^{14}*f^{18}*(a^2*c*f^2 - b^2*c*e^2)^7 + 286100259840*a^{20} \\
& *b^{12}*c^6*e^{12}*f^{20}*(a^2*c*f^2 - b^2*c*e^2)^7 - 275789894656*a^{22}*b^{10}*c^6*e \\
& ^{10}*f^{22}*(a^2*c*f^2 - b^2*c*e^2)^7 + 173716537344*a^{24}*b^8*c^6*e^8*f^{24}*(a^ \\
& 2*c*f^2 - b^2*c*e^2)^7 - 67416424448*a^{26}*b^6*c^6*e^6*f^{26}*(a^2*c*f^2 - b^2 \\
& *c*e^2)^7 + 12831686656*a^{28}*b^4*c^6*e^4*f^{28}*(a^2*c*f^2 - b^2*c*e^2)^7 + 2 \\
& 22560256*a^{30}*b^2*c^6*e^2*f^{30}*(a^2*c*f^2 - b^2*c*e^2)^7 + 2099520*a^2*b^32 \\
& *c^7*e^{32}*f^2*(a^2*c*f^2 - b^2*c*e^2)^6 - 107014608*a^4*b^30*c^7*e^{30}*f^4*(\\
& a^2*c*f^2 - b^2*c*e^2)^6 + 1848335616*a^6*b^28*c^7*e^{28}*f^6*(a^2*c*f^2 - b^ \\
& 2*c*e^2)^6 - 15200005312*a^8*b^26*c^7*e^{26}*f^8*(a^2*c*f^2 - b^2*c*e^2)^6 + \\
& 72612273792*a^{10}*b^24*c^7*e^{24}*f^{10}*(a^2*c*f^2 - b^2*c*e^2)^6 - 22185577996 \\
& 8*a^{12}*b^{22}*c^7*e^{22}*f^{12}*(a^2*c*f^2 - b^2*c*e^2)^6 + 450717857536*a^{14}*b^{20} \\
& *c^7*e^{20}*f^{14}*(a^2*c*f^2 - b^2*c*e^2)^6 - 600578910208*a^{16}*b^{18}*c^7*e^{18} \\
& *f^{16}*(a^2*c*f^2 - b^2*c*e^2)^6 + 459464530688*a^{18}*b^{16}*c^7*e^{16}*f^{18}*(a^2 \\
& *c*f^2 - b^2*c*e^2)^6 - 33638947840*a^{20}*b^{14}*c^7*e^{14}*f^{20}*(a^2*c*f^2 - b^ \\
& 2*c*e^2)^6 - 376299926528*a^{22}*b^{12}*c^7*e^{12}*f^{22}*(a^2*c*f^2 - b^2*c*e^2)^6 \\
& + 488874068992*a^{24}*b^{10}*c^7*e^{10}*f^{24}*(a^2*c*f^2 - b^2*c*e^2)^6 - 3334078 \\
& 09536*a^{26}*b^8*c^7*e^8*f^{26}*(a^2*c*f^2 - b^2*c*e^2)^6 + 134140313600*a^{28}*b^ \\
& ^6*c^7*e^6*f^{28}*(a^2*c*f^2 - b^2*c*e^2)^6 - 28220915712*a^{30}*b^4*c^7*e^4*f^ \\
& 30*(a^2*c*f^2 - b^2*c*e^2)^6 + 1230503936*a^{32}*b^2*c^7*e^2*f^{32}*(a^2*c*f^2 \\
& - b^2*c*e^2)^6 + 3335904*a^2*b^34*c^8*e^{34}*f^2*(a^2*c*f^2 - b^2*c*e^2)^5 -
\end{aligned}$$

$$\begin{aligned}
& 290521728a^4b^{32}c^8e^{32}f^4(a^2cf^2 - b^2ce^2)^5 + 4865684544a^6b^{30}c^8e^{30}f^6(a^2cf^2 - b^2ce^2)^5 - 40437394528a^8b^{28}c^8e^{28}f^8(a^2cf^2 - b^2ce^2)^5 + 205602254656a^{10}b^{26}c^8e^{26}f^{10}(a^2cf^2 - b^2ce^2)^5 - 703885344192a^{12}b^{24}c^8e^{24}f^{12}(a^2cf^2 - b^2ce^2)^5 + 1709253482624a^{14}b^{22}c^8e^{22}f^{14}(a^2cf^2 - b^2ce^2)^5 - 3029282695168a^{16}b^{20}c^8e^{20}f^{16}(a^2cf^2 - b^2ce^2)^5 + 3966230827520a^{18}b^{18}c^8e^{18}f^{18}(a^2cf^2 - b^2ce^2)^5 - 3822339813632a^{20}b^{16}c^8e^{16}f^{20}(a^2cf^2 - b^2ce^2)^5 + 2640438056960a^{22}b^{14}c^8e^{14}f^{22}(a^2cf^2 - b^2ce^2)^5 - 1208501415936a^{24}b^{12}c^8e^{12}f^{24}(a^2cf^2 - b^2ce^2)^5 + 269338092544a^{26}b^{10}c^8e^{10}f^{26}(a^2cf^2 - b^2ce^2)^5 + 53783212032a^{28}b^8c^8e^8f^{28}(a^2cf^2 - b^2ce^2)^5 - 60985360384a^{30}b^6c^8e^6f^{30}(a^2cf^2 - b^2ce^2)^5 + 17917083648a^{32}b^4c^8e^4f^{32}(a^2cf^2 - b^2ce^2)^5 - 1558708224a^{34}b^2c^8e^2f^{34}(a^2cf^2 - b^2ce^2)^5 - 11917692a^2b^{36}c^9e^{36}f^2(a^2cf^2 - b^2ce^2)^4 - 224907516a^4b^{34}c^9e^{34}f^4(a^2cf^2 - b^2ce^2)^4 + 5303932560a^6b^{32}c^9e^{32}f^6(a^2cf^2 - b^2ce^2)^4 - 48206418480a^8b^{30}c^9e^{30}f^8(a^2cf^2 - b^2ce^2)^4 + 261450609120a^{10}b^{28}c^9e^{28}f^{10}(a^2cf^2 - b^2ce^2)^4 - 962361040256a^{12}b^{26}c^9e^{26}f^{12}(a^2cf^2 - b^2ce^2)^4 + 2558559358080a^{14}b^{24}c^9e^{24}f^{14}(a^2cf^2 - b^2ce^2)^4 - 5091804150656a^{16}b^{22}c^9e^{22}f^{16}(a^2cf^2 - b^2ce^2)^4 + 7750806514944a^{18}b^{20}c^9e^{20}f^{18}(a^2cf^2 - b^2ce^2)^4 - 9137207485952a^{20}b^{18}c^9e^{18}f^{20}(a^2cf^2 - b^2ce^2)^4 + 8384563280128a^{22}b^{16}c^9e^{16}f^{22}(a^2cf^2 - b^2ce^2)^4 - 5975281259520a^{24}b^{14}c^9e^{14}f^{24}(a^2cf^2 - b^2ce^2)^4 + 3269297268736a^{26}b^{12}c^9e^{12}f^{26}(a^2cf^2 - b^2ce^2)^4 - 1339171540992a^{28}b^{10}c^9e^{10}f^{28}(a^2cf^2 - b^2ce^2)^4 + 391250194432a^{30}b^8c^9e^8f^{30}(a^2cf^2 - b^2ce^2)^4 - 74114154496a^{32}b^6c^9e^6f^{32}(a^2cf^2 - b^2ce^2)^4 + 7299203072a^{34}b^4c^9e^4f^{34}(a^2cf^2 - b^2ce^2)^4 - 148635648a^{36}b^2c^9e^2f^{36}(a^2cf^2 - b^2ce^2)^4 - 38704068a^2b^{38}c^{10}e^{38}f^2(a^2cf^2 - b^2ce^2)^3 + 188845992a^4b^{36}c^{10}e^{36}f^4(a^2cf^2 - b^2ce^2)^3 + 1157124204a^6b^{34}c^{10}e^{34}f^6(a^2cf^2 - b^2ce^2)^3 - 20586361424a^8b^{32}c^{10}e^{32}f^8(a^2cf^2 - b^2ce^2)^3 + 135395499200a^{10}b^{30}c^{10}e^{30}f^{10}(a^2cf^2 - b^2ce^2)^3 - 555513858464a^{12}b^{28}c^{10}e^{28}f^{12}(a^2cf^2 - b^2ce^2)^3 + 1608776388864a^{14}b^{26}c^{10}e^{26}f^{14}(a^2cf^2 - b^2ce^2)^3 - 3473989271488a^{16}b^{24}c^{10}e^{24}f^{16}(a^2cf^2 - b^2ce^2)^3 + 5766181411456a^{18}b^{22}c^{10}e^{22}f^{18}(a^2cf^2 - b^2ce^2)^3 - 7493983209472a^{20}b^{20}c^{10}e^{20}f^{20}(a^2cf^2 - b^2ce^2)^3 + 7713917084672a^{22}b^{18}c^{10}e^{18}f^{22}(a^2cf^2 - b^2ce^2)^3 - 6328467293184a^{24}b^{16}c^{10}e^{16}f^{24}(a^2cf^2 - b^2ce^2)^3 + 4142950034432a^{26}b^{14}c^{10}e^{14}f^{26}(a^2cf^2 - b^2ce^2)^3 - 2152681536512a^{28}b^{12}c^{10}e^{12}f^{28}(a^2cf^2 - b^2ce^2)^3 + 874199511040a^{30}b^{10}c^{10}e^{10}f^{30}(a^2cf^2 - b^2ce^2)^3 - 268759150592a^{32}b^8c^{10}e^8f^{32}(a^2cf^2 - b^2ce^2)^3 + 58872545280a^{34}b^6c^{10}e^6f^{34}(a^2cf^2 - b^2ce^2)^3 - 8151957504a^{36}b^4c^{10}e^4f^{36}(a^2cf^2 - b^2ce^2)^3 + 530841600a^{38}b^2c^{10}e^2f^{38}(a^2c
\end{aligned}$$

$$\begin{aligned}
& *f^2 - b^2*c*e^2)^3 - 42743457*a^2*b^40*c^11*e^40*f^2*(a^2*c*f^2 - b^2*c*e^2)^2 + 411055884*a^4*b^38*c^11*e^38*f^4*(a^2*c*f^2 - b^2*c*e^2)^2 - 2180887 \\
& 236*a^6*b^36*c^11*e^36*f^6*(a^2*c*f^2 - b^2*c*e^2)^2 + 6404946508*a^8*b^34*c^11*e^34*f^8*(a^2*c*f^2 - b^2*c*e^2)^2 - 5434005264*a^10*b^32*c^11*e^32*f^ \\
& 10*(a^2*c*f^2 - b^2*c*e^2)^2 - 38868373520*a^12*b^30*c^11*e^30*f^12*(a^2*c*f^2 - b^2*c*e^2)^2 + 208447613600*a^14*b^28*c^11*e^28*f^14*(a^2*c*f^2 - b^2 \\
& *c*e^2)^2 - 579674999104*a^16*b^26*c^11*e^26*f^16*(a^2*c*f^2 - b^2*c*e^2)^2 + 1104967566592*a^18*b^24*c^11*e^24*f^18*(a^2*c*f^2 - b^2*c*e^2)^2 - 15545 \\
& 66531328*a^20*b^22*c^11*e^22*f^20*(a^2*c*f^2 - b^2*c*e^2)^2 + 1659734381312 \\
& *a^22*b^20*c^11*e^20*f^22*(a^2*c*f^2 - b^2*c*e^2)^2 - 1356361512192*a^24*b^ \\
& 18*c^11*e^18*f^24*(a^2*c*f^2 - b^2*c*e^2)^2 + 845331359744*a^26*b^16*c^11*e \\
& ^16*f^26*(a^2*c*f^2 - b^2*c*e^2)^2 - 395676895232*a^28*b^14*c^11*e^14*f^28* \\
& (a^2*c*f^2 - b^2*c*e^2)^2 + 134902689792*a^30*b^12*c^11*e^12*f^30*(a^2*c*f^ \\
& 2 - b^2*c*e^2)^2 - 31670587392*a^32*b^10*c^11*e^10*f^32*(a^2*c*f^2 - b^2*c* \\
& e^2)^2 + 4584669184*a^34*b^8*c^11*e^8*f^34*(a^2*c*f^2 - b^2*c*e^2)^2 - 3096 \\
& 57600*a^36*b^6*c^11*e^6*f^36*(a^2*c*f^2 - b^2*c*e^2)^2)) - 2*atan((((a^ \\
& (3/2)*f^3*(a*c)^(3/2)*(4*a^2*c*f^2 - b^2*c*e^2)^2*(4*a^2*c*f^2 - 3*b^2*c*e^2 \\
&)*(4*a^6*c*f^6 - 3*b^6*c*e^6 + 8*a^2*b^4*c*e^4*f^2 - 8*a^4*b^2*c*e^2*f^4)^4 \\
&))/(c^2*(164025*b^46*c^13*e^46 + 885735*b^44*c^12*e^44*(a^2*c*f^2 - b^2*c*e^ \\
& 2) + 117440512*a^30*c^5*f^30*(a^2*c*f^2 - b^2*c*e^2)^8 - 385875968*a^32*c^6 \\
& *f^32*(a^2*c*f^2 - b^2*c*e^2)^7 + 419430400*a^34*c^7*f^34*(a^2*c*f^2 - b^2* \\
& c*e^2)^6 - 150994944*a^36*c^8*f^36*(a^2*c*f^2 - b^2*c*e^2)^5 + 236196*b^36* \\
& c^8*e^36*(a^2*c*f^2 - b^2*c*e^2)^5 + 1102248*b^38*c^9*e^38*(a^2*c*f^2 - b^2 \\
& *c*e^2)^4 + 2053593*b^40*c^10*e^40*(a^2*c*f^2 - b^2*c*e^2)^3 + 1909251*b^42 \\
& *c^11*e^42*(a^2*c*f^2 - b^2*c*e^2)^2 - 3937329*a^2*b^44*c^13*e^44*f^2 + 438 \\
& 93819*a^4*b^42*c^13*e^42*f^4 - 301507155*a^6*b^40*c^13*e^40*f^6 + 142751465 \\
& 6*a^8*b^38*c^13*e^38*f^8 - 4936911112*a^10*b^36*c^13*e^36*f^10 + 1289327361 \\
& 6*a^12*b^34*c^13*e^34*f^12 - 25921630432*a^14*b^32*c^13*e^32*f^14 + 4051928 \\
& 6096*a^16*b^30*c^13*e^30*f^16 - 49376608256*a^18*b^28*c^13*e^28*f^18 + 4672 \\
& 1401856*a^20*b^26*c^13*e^26*f^20 - 33946324736*a^22*b^24*c^13*e^24*f^22 + 1 \\
& 8556579328*a^24*b^22*c^13*e^22*f^24 - 7375276032*a^26*b^20*c^13*e^20*f^26 + \\
& 2009817088*a^28*b^18*c^13*e^18*f^28 - 335642624*a^30*b^16*c^13*e^16*f^30 + \\
& 25907200*a^32*b^14*c^13*e^14*f^32 - 21130794*a^2*b^42*c^12*e^42*f^2*(a^2*c \\
& *f^2 - b^2*c*e^2) + 234399015*a^4*b^40*c^12*e^40*f^4*(a^2*c*f^2 - b^2*c*e^2 \\
&) - 1604168280*a^6*b^38*c^12*e^38*f^6*(a^2*c*f^2 - b^2*c*e^2) + 7579098492* \\
& a^8*b^36*c^12*e^36*f^8*(a^2*c*f^2 - b^2*c*e^2) - 26212380172*a^10*b^34*c^12 \\
& *e^34*f^10*(a^2*c*f^2 - b^2*c*e^2) + 68672994096*a^12*b^32*c^12*e^32*f^12*(\\
& a^2*c*f^2 - b^2*c*e^2) - 139160589504*a^14*b^30*c^12*e^30*f^14*(a^2*c*f^2 - \\
& b^2*c*e^2) + 220859191808*a^16*b^28*c^12*e^28*f^16*(a^2*c*f^2 - b^2*c*e^2) \\
& - 276344315328*a^18*b^26*c^12*e^26*f^18*(a^2*c*f^2 - b^2*c*e^2) + 27313056 \\
& 1984*a^20*b^24*c^12*e^24*f^20*(a^2*c*f^2 - b^2*c*e^2) - 212730002688*a^22*b \\
& ^22*c^12*e^22*f^22*(a^2*c*f^2 - b^2*c*e^2) + 129574234368*a^24*b^20*c^12*e^ \\
& 20*f^24*(a^2*c*f^2 - b^2*c*e^2) - 60770569216*a^26*b^18*c^12*e^18*f^26*(a^2 \\
& *c*f^2 - b^2*c*e^2) + 21304706048*a^28*b^16*c^12*e^16*f^28*(a^2*c*f^2 - b^2 \\
& *c*e^2) - 5272965120*a^30*b^14*c^12*e^14*f^30*(a^2*c*f^2 - b^2*c*e^2) + 819
\end{aligned}$$

$$\begin{aligned}
& 441664a^{32}b^{12}c^{12}e^{12}f^{32}(a^2c^2f^2 - b^2c^2e^2) - 59392000a^{34}b^{10}c^{12}e^{10}f^{34}(a^2c^2f^2 - b^2c^2e^2) + 9289728a^6b^{24}c^5e^{24}f^6(a^2c^2f^2 - b^2c^2e^2)^8 - 36884480a^8b^{22}c^5e^{22}f^8(a^2c^2f^2 - b^2c^2e^2)^8 - 278604800a^{10}b^{20}c^5e^{20}f^{10}(a^2c^2f^2 - b^2c^2e^2)^8 + 2774483200a^{12}b^{18}c^5e^{18}f^{12}(a^2c^2f^2 - b^2c^2e^2)^8 - 10869657600a^{14}b^{16}c^5e^{16}f^{14}(a^2c^2f^2 - b^2c^2e^2)^8 + 25237416960a^{16}b^{14}c^5e^{14}f^{16}(a^2c^2f^2 - b^2c^2e^2)^8 - 38348909568a^{18}b^{12}c^5e^{12}f^{18}(a^2c^2f^2 - b^2c^2e^2)^8 + 39084659712a^{20}b^{10}c^5e^{10}f^{20}(a^2c^2f^2 - b^2c^2e^2)^8 - 26118635520a^{22}b^8c^5e^8f^{22}(a^2c^2f^2 - b^2c^2e^2)^8 + 10414620672a^{24}b^6c^5e^6f^{24}(a^2c^2f^2 - b^2c^2e^2)^8 - 1708654592a^{26}b^4c^5e^4f^{26}(a^2c^2f^2 - b^2c^2e^2)^8 - 276561920a^{28}b^2c^5e^2f^{28}(a^2c^2f^2 - b^2c^2e^2)^8 - 9704448a^4b^{28}c^6e^{28}f^4(a^2c^2f^2 - b^2c^2e^2)^7 + 260614656a^6b^{26}c^6e^{26}f^6(a^2c^2f^2 - b^2c^2e^2)^7 - 2166022464a^8b^{24}c^6e^{24}f^8(a^2c^2f^2 - b^2c^2e^2)^7 + 8626147840a^{10}b^{22}c^6e^{22}f^{10}(a^2c^2f^2 - b^2c^2e^2)^7 - 16771503616a^{12}b^{20}c^6e^{20}f^{12}(a^2c^2f^2 - b^2c^2e^2)^7 + 3301800960a^{14}b^{18}c^6e^{18}f^{14}(a^2c^2f^2 - b^2c^2e^2)^7 + 67337715968a^{16}b^{16}c^6e^{16}f^{16}(a^2c^2f^2 - b^2c^2e^2)^7 - 189857873920a^{18}b^{14}c^6e^{14}f^{18}(a^2c^2f^2 - b^2c^2e^2)^7 + 286100259840a^{20}b^{12}c^6e^{12}f^{20}(a^2c^2f^2 - b^2c^2e^2)^7 - 275789894656a^{22}b^{10}c^6e^{10}f^{22}(a^2c^2f^2 - b^2c^2e^2)^7 + 173716537344a^{24}b^8c^6e^8f^{24}(a^2c^2f^2 - b^2c^2e^2)^7 - 67416424448a^{26}b^6c^6e^6f^{26}(a^2c^2f^2 - b^2c^2e^2)^7 + 12831686656a^{28}b^4c^6e^4f^{28}(a^2c^2f^2 - b^2c^2e^2)^7 + 222560256a^{30}b^2c^6e^2f^{30}(a^2c^2f^2 - b^2c^2e^2)^7 + 2099520a^{32}b^2c^7e^{32}f^2(a^2c^2f^2 - b^2c^2e^2)^6 - 107014608a^4b^{30}c^7e^{30}f^4(a^2c^2f^2 - b^2c^2e^2)^6 + 1848335616a^6b^{28}c^7e^{28}f^6(a^2c^2f^2 - b^2c^2e^2)^6 - 15200005312a^8b^{26}c^7e^{26}f^8(a^2c^2f^2 - b^2c^2e^2)^6 + 72612273792a^{10}b^{24}c^7e^{24}f^{10}(a^2c^2f^2 - b^2c^2e^2)^6 - 221855779968a^{12}b^{22}c^7e^{22}f^{12}(a^2c^2f^2 - b^2c^2e^2)^6 + 450717857536a^{14}b^{20}c^7e^{20}f^{14}(a^2c^2f^2 - b^2c^2e^2)^6 - 600578910208a^{16}b^{18}c^7e^{18}f^{16}(a^2c^2f^2 - b^2c^2e^2)^6 + 459464530688a^{18}b^{16}c^7e^{16}f^{18}(a^2c^2f^2 - b^2c^2e^2)^6 - 33638947840a^{20}b^{14}c^7e^{14}f^{20}(a^2c^2f^2 - b^2c^2e^2)^6 - 376299926528a^{22}b^{12}c^7e^{12}f^{22}(a^2c^2f^2 - b^2c^2e^2)^6 + 488874068992a^{24}b^{10}c^7e^{10}f^{24}(a^2c^2f^2 - b^2c^2e^2)^6 - 333407809536a^{26}b^8c^7e^8f^{26}(a^2c^2f^2 - b^2c^2e^2)^6 + 134140313600a^{28}b^6c^7e^6f^{28}(a^2c^2f^2 - b^2c^2e^2)^6 - 28220915712a^{30}b^4c^7e^4f^{30}(a^2c^2f^2 - b^2c^2e^2)^6 + 1230503936a^{32}b^2c^7e^2f^{32}(a^2c^2f^2 - b^2c^2e^2)^6 + 3335904a^2b^{34}c^8e^{34}f^2(a^2c^2f^2 - b^2c^2e^2)^5 - 290521728a^4b^{32}c^8e^{32}f^4(a^2c^2f^2 - b^2c^2e^2)^5 + 4865684544a^6b^{30}c^8e^{30}f^6(a^2c^2f^2 - b^2c^2e^2)^5 - 40437394528a^8b^{28}c^8e^{28}f^8(a^2c^2f^2 - b^2c^2e^2)^5 + 205602254656a^{10}b^{26}c^8e^{26}f^{10}(a^2c^2f^2 - b^2c^2e^2)^5 - 703885344192a^{12}b^{24}c^8e^{24}f^{12}(a^2c^2f^2 - b^2c^2e^2)^5 + 1709253482624a^{14}b^{22}c^8e^{22}f^{14}(a^2c^2f^2 - b^2c^2e^2)^5 - 3029282695168a^{16}b^{20}c^8e^{20}f^{16}(a^2c^2f^2 - b^2c^2e^2)^5 + 3966230827520a^{18}b^{18}c^8e^{18}f^{18}(a^2c^2f^2 - b^2c^2e^2)^5 - 3822339813632a^{20}b^{16}c^8e^{16}f^{20}(a^2c^2f^2 - b^2c^2e^2)^5
\end{aligned}$$

$$\begin{aligned}
& 5 + 2640438056960*a^{22}*b^{14}*c^8*e^{14}*f^{22}*(a^2*c*f^2 - b^2*c*e^2)^5 - 12085 \\
& 01415936*a^{24}*b^{12}*c^8*e^{12}*f^{24}*(a^2*c*f^2 - b^2*c*e^2)^5 + 269338092544*a \\
& ^{26}*b^{10}*c^8*e^{10}*f^{26}*(a^2*c*f^2 - b^2*c*e^2)^5 + 53783212032*a^{28}*b^8*c^8 \\
& *e^8*f^{28}*(a^2*c*f^2 - b^2*c*e^2)^5 - 60985360384*a^{30}*b^6*c^8*e^6*f^{30}*(a^ \\
& 2*c*f^2 - b^2*c*e^2)^5 + 17917083648*a^{32}*b^4*c^8*e^4*f^{32}*(a^2*c*f^2 - b^2 \\
& *c*e^2)^5 - 1558708224*a^{34}*b^2*c^8*e^2*f^{34}*(a^2*c*f^2 - b^2*c*e^2)^5 - 11 \\
& 917692*a^2*b^36*c^9*e^36*f^2*(a^2*c*f^2 - b^2*c*e^2)^4 - 224907516*a^4*b^34 \\
& *c^9*e^34*f^4*(a^2*c*f^2 - b^2*c*e^2)^4 + 5303932560*a^6*b^32*c^9*e^32*f^6* \\
& (a^2*c*f^2 - b^2*c*e^2)^4 - 48206418480*a^8*b^30*c^9*e^30*f^8*(a^2*c*f^2 - \\
& b^2*c*e^2)^4 + 261450609120*a^{10}*b^28*c^9*e^28*f^{10}*(a^2*c*f^2 - b^2*c*e^2) \\
& ^4 - 962361040256*a^{12}*b^26*c^9*e^26*f^{12}*(a^2*c*f^2 - b^2*c*e^2)^4 + 25585 \\
& 59358080*a^{14}*b^24*c^9*e^24*f^{14}*(a^2*c*f^2 - b^2*c*e^2)^4 - 5091804150656* \\
& a^{16}*b^{22}*c^9*e^{22}*f^{16}*(a^2*c*f^2 - b^2*c*e^2)^4 + 7750806514944*a^{18}*b^{20} \\
& *c^9*e^{20}*f^{18}*(a^2*c*f^2 - b^2*c*e^2)^4 - 9137207485952*a^{20}*b^{18}*c^9*e^{18} \\
& *f^{20}*(a^2*c*f^2 - b^2*c*e^2)^4 + 8384563280128*a^{22}*b^{16}*c^9*e^{16}*f^{22}*(a^ \\
& 2*c*f^2 - b^2*c*e^2)^4 - 5975281259520*a^{24}*b^{14}*c^9*e^{14}*f^{24}*(a^2*c*f^2 - \\
& b^2*c*e^2)^4 + 3269297268736*a^{26}*b^{12}*c^9*e^{12}*f^{26}*(a^2*c*f^2 - b^2*c*e^ \\
& 2)^4 - 1339171540992*a^{28}*b^{10}*c^9*e^{10}*f^{28}*(a^2*c*f^2 - b^2*c*e^2)^4 + 39 \\
& 1250194432*a^{30}*b^8*c^9*e^8*f^{30}*(a^2*c*f^2 - b^2*c*e^2)^4 - 74114154496*a^ \\
& 32*b^6*c^9*e^6*f^{32}*(a^2*c*f^2 - b^2*c*e^2)^4 + 7299203072*a^{34}*b^4*c^9*e^4 \\
& *f^{34}*(a^2*c*f^2 - b^2*c*e^2)^4 - 148635648*a^{36}*b^2*c^9*e^2*f^{36}*(a^2*c*f^ \\
& 2 - b^2*c*e^2)^4 - 38704068*a^2*b^38*c^{10}*e^{38}*f^2*(a^2*c*f^2 - b^2*c*e^2)^ \\
& 3 + 188845992*a^4*b^36*c^{10}*e^{36}*f^4*(a^2*c*f^2 - b^2*c*e^2)^3 + 1157124204 \\
& *a^6*b^34*c^{10}*e^{34}*f^6*(a^2*c*f^2 - b^2*c*e^2)^3 - 20586361424*a^8*b^32*c^ \\
& 10*e^{32}*f^8*(a^2*c*f^2 - b^2*c*e^2)^3 + 135395499200*a^{10}*b^30*c^{10}*e^{30}*f^ \\
& 10*(a^2*c*f^2 - b^2*c*e^2)^3 - 555513858464*a^{12}*b^28*c^{10}*e^{28}*f^{12}*(a^2*c \\
& *f^2 - b^2*c*e^2)^3 + 1608776388864*a^{14}*b^26*c^{10}*e^{26}*f^{14}*(a^2*c*f^2 - b \\
& ^2*c*e^2)^3 - 3473989271488*a^{16}*b^24*c^{10}*e^{24}*f^{16}*(a^2*c*f^2 - b^2*c*e^2 \\
&)^3 + 5766181411456*a^{18}*b^{22}*c^{10}*e^{22}*f^{18}*(a^2*c*f^2 - b^2*c*e^2)^3 - 74 \\
& 93983209472*a^{20}*b^{20}*c^{10}*e^{20}*f^{20}*(a^2*c*f^2 - b^2*c*e^2)^3 + 7713917084 \\
& 672*a^{22}*b^{18}*c^{10}*e^{18}*f^{22}*(a^2*c*f^2 - b^2*c*e^2)^3 - 6328467293184*a^{24} \\
& *b^{16}*c^{10}*e^{16}*f^{24}*(a^2*c*f^2 - b^2*c*e^2)^3 + 4142950034432*a^{26}*b^{14}*c^ \\
& 10*e^{14}*f^{26}*(a^2*c*f^2 - b^2*c*e^2)^3 - 2152681536512*a^{28}*b^{12}*c^{10}*e^{12} \\
& *f^{28}*(a^2*c*f^2 - b^2*c*e^2)^3 + 874199511040*a^{30}*b^{10}*c^{10}*e^{10}*f^{30}*(a^2 \\
& *c*f^2 - b^2*c*e^2)^3 - 268759150592*a^{32}*b^8*c^{10}*e^8*f^{32}*(a^2*c*f^2 - b^ \\
& 2*c*e^2)^3 + 58872545280*a^{34}*b^6*c^{10}*e^6*f^{34}*(a^2*c*f^2 - b^2*c*e^2)^3 - \\
& 8151957504*a^{36}*b^4*c^{10}*e^4*f^{36}*(a^2*c*f^2 - b^2*c*e^2)^3 + 530841600*a^ \\
& 38*b^2*c^{10}*e^2*f^{38}*(a^2*c*f^2 - b^2*c*e^2)^3 - 42743457*a^2*b^40*c^{11}*e^4 \\
& 0*f^2*(a^2*c*f^2 - b^2*c*e^2)^2 + 411055884*a^4*b^38*c^{11}*e^38*f^4*(a^2*c*f \\
& ^2 - b^2*c*e^2)^2 - 2180887236*a^6*b^36*c^{11}*e^36*f^6*(a^2*c*f^2 - b^2*c*e^ \\
& 2)^2 + 6404946508*a^8*b^34*c^{11}*e^34*f^8*(a^2*c*f^2 - b^2*c*e^2)^2 - 543400 \\
& 5264*a^{10}*b^32*c^{11}*e^32*f^{10}*(a^2*c*f^2 - b^2*c*e^2)^2 - 38868373520*a^{12} \\
& *b^30*c^{11}*e^30*f^{12}*(a^2*c*f^2 - b^2*c*e^2)^2 + 208447613600*a^{14}*b^28*c^{11} \\
& *e^28*f^{14}*(a^2*c*f^2 - b^2*c*e^2)^2 - 579674999104*a^{16}*b^26*c^{11}*e^26*f^{16} \\
& 6*(a^2*c*f^2 - b^2*c*e^2)^2 + 1104967566592*a^{18}*b^24*c^{11}*e^24*f^{18}*(a^2*c
\end{aligned}$$

$$\begin{aligned}
& *f^2 - b^2*c*e^2)^2 - 1554566531328*a^{20}*b^{22}*c^{11}*e^{22}*f^{20}*(a^2*c*f^2 - b^2*c*e^2)^2 + 1659734381312*a^{22}*b^{20}*c^{11}*e^{20}*f^{22}*(a^2*c*f^2 - b^2*c*e^2)^2 - 1356361512192*a^{24}*b^{18}*c^{11}*e^{18}*f^{24}*(a^2*c*f^2 - b^2*c*e^2)^2 + 845331359744*a^{26}*b^{16}*c^{11}*e^{16}*f^{26}*(a^2*c*f^2 - b^2*c*e^2)^2 - 395676895232*a^{28}*b^{14}*c^{11}*e^{14}*f^{28}*(a^2*c*f^2 - b^2*c*e^2)^2 + 134902689792*a^{30}*b^{12}*c^{11}*e^{12}*f^{30}*(a^2*c*f^2 - b^2*c*e^2)^2 - 31670587392*a^{32}*b^{10}*c^{11}*e^{10}*f^{32}*(a^2*c*f^2 - b^2*c*e^2)^2 + 4584669184*a^{34}*b^8*c^{11}*e^8*f^{34}*(a^2*c*f^2 - b^2*c*e^2)^2 - 309657600*a^{36}*b^6*c^{11}*e^6*f^{36}*(a^2*c*f^2 - b^2*c*e^2)^2)) - (a^{(5/2)}*f^5*(a*c)^{(5/2)}*(4*a^2*c*f^2 - 3*b^2*c*e^2)^3*(4*a^6*c*f^6 - 3*b^6*c*e^6 + 8*a^2*b^4*c*e^4*f^2 - 8*a^4*b^2*c*e^2*f^4)^4)/(c^2*(a^2*c*f^2 - b^2*c*e^2)*(164025*b^46*c^13*e^46 + 885735*b^44*c^12*e^44*(a^2*c*f^2 - b^2*c*e^2) + 117440512*a^30*c^5*f^30*(a^2*c*f^2 - b^2*c*e^2)^8 - 385875968*a^32*c^6*f^32*(a^2*c*f^2 - b^2*c*e^2)^7 + 419430400*a^34*c^7*f^34*(a^2*c*f^2 - b^2*c*e^2)^6 - 150994944*a^36*c^8*f^36*(a^2*c*f^2 - b^2*c*e^2)^5 + 236196*b^36*c^8*e^36*(a^2*c*f^2 - b^2*c*e^2)^5 + 1102248*b^38*c^9*e^38*(a^2*c*f^2 - b^2*c*e^2)^4 + 2053593*b^40*c^10*e^40*(a^2*c*f^2 - b^2*c*e^2)^3 + 1909251*b^42*c^11*e^42*(a^2*c*f^2 - b^2*c*e^2)^2 - 3937329*a^2*b^44*c^13*e^44*f^2 + 43893819*a^4*b^42*c^13*e^42*f^4 - 301507155*a^6*b^40*c^13*e^40*f^6 + 1427514656*a^8*b^38*c^13*e^38*f^8 - 4936911112*a^10*b^36*c^13*e^36*f^10 + 12893273616*a^12*b^34*c^13*e^34*f^12 - 25921630432*a^14*b^32*c^13*e^32*f^14 + 40519286096*a^16*b^30*c^13*e^30*f^16 - 49376608256*a^18*b^28*c^13*e^28*f^18 + 46721401856*a^20*b^26*c^13*e^26*f^20 - 33946324736*a^22*b^24*c^13*e^24*f^22 + 18556579328*a^24*b^22*c^13*e^22*f^24 - 7375276032*a^26*b^20*c^13*e^20*f^26 + 2009817088*a^28*b^18*c^13*e^18*f^28 - 335642624*a^30*b^16*c^13*e^16*f^30 + 25907200*a^32*b^14*c^13*e^14*f^32 - 21130794*a^2*b^42*c^12*e^42*f^2*(a^2*c*f^2 - b^2*c*e^2) + 234399015*a^4*b^40*c^12*e^40*f^4*(a^2*c*f^2 - b^2*c*e^2) - 1604168280*a^6*b^38*c^12*e^38*f^6*(a^2*c*f^2 - b^2*c*e^2) + 7579098492*a^8*b^36*c^12*e^36*f^8*(a^2*c*f^2 - b^2*c*e^2) - 26212380172*a^10*b^34*c^12*e^34*f^10*(a^2*c*f^2 - b^2*c*e^2) + 68672994096*a^12*b^32*c^12*e^32*f^12*(a^2*c*f^2 - b^2*c*e^2) - 139160589504*a^14*b^30*c^12*e^30*f^14*(a^2*c*f^2 - b^2*c*e^2) + 220859191808*a^16*b^28*c^12*e^28*f^16*(a^2*c*f^2 - b^2*c*e^2) - 276344315328*a^18*b^26*c^12*e^26*f^18*(a^2*c*f^2 - b^2*c*e^2) + 273130561984*a^20*b^24*c^12*e^24*f^20*(a^2*c*f^2 - b^2*c*e^2) - 212730002688*a^22*b^22*c^12*e^22*f^22*(a^2*c*f^2 - b^2*c*e^2) + 129574234368*a^24*b^20*c^12*e^20*f^24*(a^2*c*f^2 - b^2*c*e^2) - 60770569216*a^26*b^18*c^12*e^18*f^26*(a^2*c*f^2 - b^2*c*e^2) + 21304706048*a^28*b^16*c^12*e^16*f^28*(a^2*c*f^2 - b^2*c*e^2) - 5272965120*a^30*b^14*c^12*e^14*f^30*(a^2*c*f^2 - b^2*c*e^2) + 819441664*a^32*b^12*c^12*e^12*f^32*(a^2*c*f^2 - b^2*c*e^2) - 59392000*a^34*b^10*c^12*e^10*f^34*(a^2*c*f^2 - b^2*c*e^2) + 9289728*a^6*b^24*c^5*e^24*f^6*(a^2*c*f^2 - b^2*c*e^2)^8 - 36884480*a^8*b^22*c^5*e^22*f^8*(a^2*c*f^2 - b^2*c*e^2)^8 - 278604800*a^10*b^20*c^5*e^20*f^10*(a^2*c*f^2 - b^2*c*e^2)^8 + 2774483200*a^12*b^18*c^5*e^18*f^12*(a^2*c*f^2 - b^2*c*e^2)^8 - 10869657600*a^14*b^16*c^5*e^16*f^14*(a^2*c*f^2 - b^2*c*e^2)^8 + 25237416960*a^16*b^14*c^5*e^14*f^16*(a^2*c*f^2 - b^2*c*e^2)^8 - 38348909568*a^18*b^12*c^5*e^12*f^18*(a^2*c*f^2 - b^2*c*e^2)^8 + 39084659712*a^20*b^10*c^5*e^10*f^20
\end{aligned}$$

$$\begin{aligned}
&*(a^2*c*f^2 - b^2*c*e^2)^8 - 26118635520*a^{22}*b^8*c^5*e^8*f^{22}*(a^2*c*f^2 - \\
&b^2*c*e^2)^8 + 10414620672*a^{24}*b^6*c^5*e^6*f^{24}*(a^2*c*f^2 - b^2*c*e^2)^8 \\
&- 1708654592*a^{26}*b^4*c^5*e^4*f^{26}*(a^2*c*f^2 - b^2*c*e^2)^8 - 276561920*a \\
&^{28}*b^2*c^5*e^2*f^{28}*(a^2*c*f^2 - b^2*c*e^2)^8 - 9704448*a^4*b^{28}*c^6*e^{28} \\
&f^4*(a^2*c*f^2 - b^2*c*e^2)^7 + 260614656*a^6*b^{26}*c^6*e^{26}*f^6*(a^2*c*f^2 \\
&- b^2*c*e^2)^7 - 2166022464*a^8*b^{24}*c^6*e^{24}*f^8*(a^2*c*f^2 - b^2*c*e^2)^7 \\
&+ 8626147840*a^{10}*b^{22}*c^6*e^{22}*f^{10}*(a^2*c*f^2 - b^2*c*e^2)^7 - 167715036 \\
&16*a^{12}*b^{20}*c^6*e^{20}*f^{12}*(a^2*c*f^2 - b^2*c*e^2)^7 + 3301800960*a^{14}*b^{18} \\
&*c^6*e^{18}*f^{14}*(a^2*c*f^2 - b^2*c*e^2)^7 + 67337715968*a^{16}*b^{16}*c^6*e^{16}*f \\
&^{16}*(a^2*c*f^2 - b^2*c*e^2)^7 - 189857873920*a^{18}*b^{14}*c^6*e^{14}*f^{18}*(a^2*c \\
&*f^2 - b^2*c*e^2)^7 + 286100259840*a^{20}*b^{12}*c^6*e^{12}*f^{20}*(a^2*c*f^2 - b^2 \\
&*c*e^2)^7 - 275789894656*a^{22}*b^{10}*c^6*e^{10}*f^{22}*(a^2*c*f^2 - b^2*c*e^2)^7 \\
&+ 173716537344*a^{24}*b^8*c^6*e^8*f^{24}*(a^2*c*f^2 - b^2*c*e^2)^7 - 6741642444 \\
&8*a^{26}*b^6*c^6*e^6*f^{26}*(a^2*c*f^2 - b^2*c*e^2)^7 + 12831686656*a^{28}*b^4*c^ \\
&6*e^4*f^{28}*(a^2*c*f^2 - b^2*c*e^2)^7 + 222560256*a^{30}*b^2*c^6*e^2*f^{30}*(a^2 \\
&*c*f^2 - b^2*c*e^2)^7 + 2099520*a^2*b^{32}*c^7*e^{32}*f^2*(a^2*c*f^2 - b^2*c*e^ \\
&2)^6 - 107014608*a^4*b^{30}*c^7*e^{30}*f^4*(a^2*c*f^2 - b^2*c*e^2)^6 + 18483356 \\
&16*a^6*b^{28}*c^7*e^{28}*f^6*(a^2*c*f^2 - b^2*c*e^2)^6 - 15200005312*a^8*b^{26}*c \\
&^7*e^{26}*f^8*(a^2*c*f^2 - b^2*c*e^2)^6 + 72612273792*a^{10}*b^{24}*c^7*e^{24}*f^{10} \\
&*(a^2*c*f^2 - b^2*c*e^2)^6 - 221855779968*a^{12}*b^{22}*c^7*e^{22}*f^{12}*(a^2*c*f^ \\
&2 - b^2*c*e^2)^6 + 450717857536*a^{14}*b^{20}*c^7*e^{20}*f^{14}*(a^2*c*f^2 - b^2*c* \\
&e^2)^6 - 600578910208*a^{16}*b^{18}*c^7*e^{18}*f^{16}*(a^2*c*f^2 - b^2*c*e^2)^6 + 4 \\
&59464530688*a^{18}*b^{16}*c^7*e^{16}*f^{18}*(a^2*c*f^2 - b^2*c*e^2)^6 - 33638947840 \\
&*a^{20}*b^{14}*c^7*e^{14}*f^{20}*(a^2*c*f^2 - b^2*c*e^2)^6 - 376299926528*a^{22}*b^{12} \\
&*c^7*e^{12}*f^{22}*(a^2*c*f^2 - b^2*c*e^2)^6 + 488874068992*a^{24}*b^{10}*c^7*e^{10} \\
&f^{24}*(a^2*c*f^2 - b^2*c*e^2)^6 - 333407809536*a^{26}*b^8*c^7*e^8*f^{26}*(a^2*c* \\
&f^2 - b^2*c*e^2)^6 + 134140313600*a^{28}*b^6*c^7*e^6*f^{28}*(a^2*c*f^2 - b^2*c* \\
&e^2)^6 - 28220915712*a^{30}*b^4*c^7*e^4*f^{30}*(a^2*c*f^2 - b^2*c*e^2)^6 + 1230 \\
&503936*a^{32}*b^2*c^7*e^2*f^{32}*(a^2*c*f^2 - b^2*c*e^2)^6 + 3335904*a^2*b^{34}*c \\
&^8*e^{34}*f^2*(a^2*c*f^2 - b^2*c*e^2)^5 - 290521728*a^4*b^{32}*c^8*e^{32}*f^4*(a^ \\
&2*c*f^2 - b^2*c*e^2)^5 + 4865684544*a^6*b^{30}*c^8*e^{30}*f^6*(a^2*c*f^2 - b^2* \\
&c*e^2)^5 - 40437394528*a^8*b^{28}*c^8*e^{28}*f^8*(a^2*c*f^2 - b^2*c*e^2)^5 + 20 \\
&5602254656*a^{10}*b^{26}*c^8*e^{26}*f^{10}*(a^2*c*f^2 - b^2*c*e^2)^5 - 703885344192 \\
&*a^{12}*b^{24}*c^8*e^{24}*f^{12}*(a^2*c*f^2 - b^2*c*e^2)^5 + 1709253482624*a^{14}*b^{2 \\
&2}*c^8*e^{22}*f^{14}*(a^2*c*f^2 - b^2*c*e^2)^5 - 3029282695168*a^{16}*b^{20}*c^8*e^ \\
&20*f^{16}*(a^2*c*f^2 - b^2*c*e^2)^5 + 3966230827520*a^{18}*b^{18}*c^8*e^{18}*f^{18}*(a \\
&^2*c*f^2 - b^2*c*e^2)^5 - 3822339813632*a^{20}*b^{16}*c^8*e^{16}*f^{20}*(a^2*c*f^2 \\
&- b^2*c*e^2)^5 + 2640438056960*a^{22}*b^{14}*c^8*e^{14}*f^{22}*(a^2*c*f^2 - b^2*c*e \\
&^2)^5 - 1208501415936*a^{24}*b^{12}*c^8*e^{12}*f^{24}*(a^2*c*f^2 - b^2*c*e^2)^5 + 2 \\
&69338092544*a^{26}*b^{10}*c^8*e^{10}*f^{26}*(a^2*c*f^2 - b^2*c*e^2)^5 + 53783212032 \\
&*a^{28}*b^8*c^8*e^8*f^{28}*(a^2*c*f^2 - b^2*c*e^2)^5 - 60985360384*a^{30}*b^6*c^8 \\
&*e^6*f^{30}*(a^2*c*f^2 - b^2*c*e^2)^5 + 17917083648*a^{32}*b^4*c^8*e^4*f^{32}*(a^ \\
&2*c*f^2 - b^2*c*e^2)^5 - 1558708224*a^{34}*b^2*c^8*e^2*f^{34}*(a^2*c*f^2 - b^2* \\
&c*e^2)^5 - 11917692*a^2*b^{36}*c^9*e^{36}*f^2*(a^2*c*f^2 - b^2*c*e^2)^4 - 22490 \\
&7516*a^4*b^{34}*c^9*e^{34}*f^4*(a^2*c*f^2 - b^2*c*e^2)^4 + 5303932560*a^6*b^{32}*
\end{aligned}$$

$$\begin{aligned}
& c^9 e^{32} f^6 (a^2 c f^2 - b^2 c e^2)^4 - 48206418480 a^8 b^{30} c^9 e^{30} f^8 \\
& (a^2 c f^2 - b^2 c e^2)^4 + 261450609120 a^{10} b^{28} c^9 e^{28} f^{10} (a^2 c f^2 \\
& - b^2 c e^2)^4 - 962361040256 a^{12} b^{26} c^9 e^{26} f^{12} (a^2 c f^2 - b^2 c e^2)^4 + 2558559358080 a^{14} b^{24} c^9 e^{24} f^{14} (a^2 c f^2 - b^2 c e^2)^4 - 5 \\
& 091804150656 a^{16} b^{22} c^9 e^{22} f^{16} (a^2 c f^2 - b^2 c e^2)^4 + 7750806514 \\
& 944 a^{18} b^{20} c^9 e^{20} f^{18} (a^2 c f^2 - b^2 c e^2)^4 - 9137207485952 a^{20} \\
& b^{18} c^9 e^{18} f^{20} (a^2 c f^2 - b^2 c e^2)^4 + 8384563280128 a^{22} b^{16} c^9 e^{16} f^{22} (a^2 c f^2 - b^2 c e^2)^4 - 5975281259520 a^{24} b^{14} c^9 e^{14} f^{24} \\
& (a^2 c f^2 - b^2 c e^2)^4 + 3269297268736 a^{26} b^{12} c^9 e^{12} f^{26} (a^2 c f^2 - b^2 c e^2)^4 - 1339171540992 a^{28} b^{10} c^9 e^{10} f^{28} (a^2 c f^2 - b^2 c \\
& e^2)^4 + 391250194432 a^{30} b^8 c^9 e^8 f^{30} (a^2 c f^2 - b^2 c e^2)^4 - 7 \\
& 4114154496 a^{32} b^6 c^9 e^6 f^{32} (a^2 c f^2 - b^2 c e^2)^4 + 7299203072 a^3 \\
& 4 b^4 c^9 e^4 f^{34} (a^2 c f^2 - b^2 c e^2)^4 - 148635648 a^{36} b^2 c^9 e^2 f^{36} (a^2 c f^2 - b^2 c e^2)^4 - 38704068 a^2 b^{38} c^{10} e^{38} f^2 (a^2 c f^2 \\
& - b^2 c e^2)^3 + 188845992 a^4 b^{36} c^{10} e^{36} f^4 (a^2 c f^2 - b^2 c e^2)^3 \\
& + 1157124204 a^6 b^{34} c^{10} e^{34} f^6 (a^2 c f^2 - b^2 c e^2)^3 - 2058636142 \\
& 4 a^8 b^{32} c^{10} e^{32} f^8 (a^2 c f^2 - b^2 c e^2)^3 + 135395499200 a^{10} b^{30} \\
& c^{10} e^{30} f^{10} (a^2 c f^2 - b^2 c e^2)^3 - 555513858464 a^{12} b^{28} c^{10} e^{28} \\
& 8 f^{12} (a^2 c f^2 - b^2 c e^2)^3 + 1608776388864 a^{14} b^{26} c^{10} e^{26} f^{14} (\\
& a^2 c f^2 - b^2 c e^2)^3 - 3473989271488 a^{16} b^{24} c^{10} e^{24} f^{16} (a^2 c f^2 \\
& - b^2 c e^2)^3 + 5766181411456 a^{18} b^{22} c^{10} e^{22} f^{18} (a^2 c f^2 - b^2 c \\
& e^2)^3 - 7493983209472 a^{20} b^{20} c^{10} e^{20} f^{20} (a^2 c f^2 - b^2 c e^2)^3 \\
& + 7713917084672 a^{22} b^{18} c^{10} e^{18} f^{22} (a^2 c f^2 - b^2 c e^2)^3 - 63284 \\
& 67293184 a^{24} b^{16} c^{10} e^{16} f^{24} (a^2 c f^2 - b^2 c e^2)^3 + 4142950034432 \\
& a^{26} b^{14} c^{10} e^{14} f^{26} (a^2 c f^2 - b^2 c e^2)^3 - 2152681536512 a^{28} b^{12} \\
& c^{10} e^{12} f^{28} (a^2 c f^2 - b^2 c e^2)^3 + 874199511040 a^{30} b^{10} c^{10} e^{10} \\
& f^{30} (a^2 c f^2 - b^2 c e^2)^3 - 268759150592 a^{32} b^8 c^{10} e^8 f^{32} (a \\
& ^2 c f^2 - b^2 c e^2)^3 + 58872545280 a^{34} b^6 c^{10} e^6 f^{34} (a^2 c f^2 - b \\
& ^2 c e^2)^3 - 8151957504 a^{36} b^4 c^{10} e^4 f^{36} (a^2 c f^2 - b^2 c e^2)^3 + \\
& 530841600 a^{38} b^2 c^{10} e^2 f^{38} (a^2 c f^2 - b^2 c e^2)^3 - 42743457 a^2 \\
& b^{40} c^{11} e^{40} f^2 (a^2 c f^2 - b^2 c e^2)^2 + 411055884 a^4 b^{38} c^{11} e^{38} \\
& f^4 (a^2 c f^2 - b^2 c e^2)^2 - 2180887236 a^6 b^{36} c^{11} e^{36} f^6 (a^2 c f \\
& ^2 - b^2 c e^2)^2 + 6404946508 a^8 b^{34} c^{11} e^{34} f^8 (a^2 c f^2 - b^2 c e^ \\
& 2)^2 - 5434005264 a^{10} b^{32} c^{11} e^{32} f^{10} (a^2 c f^2 - b^2 c e^2)^2 - 3886 \\
& 8373520 a^{12} b^{30} c^{11} e^{30} f^{12} (a^2 c f^2 - b^2 c e^2)^2 + 208447613600 a \\
& ^{14} b^{28} c^{11} e^{28} f^{14} (a^2 c f^2 - b^2 c e^2)^2 - 579674999104 a^{16} b^{26} \\
& c^{11} e^{26} f^{16} (a^2 c f^2 - b^2 c e^2)^2 + 1104967566592 a^{18} b^{24} c^{11} e^{24} \\
& 4 f^{18} (a^2 c f^2 - b^2 c e^2)^2 - 1554566531328 a^{20} b^{22} c^{11} e^{22} f^{20} (\\
& a^2 c f^2 - b^2 c e^2)^2 + 1659734381312 a^{22} b^{20} c^{11} e^{20} f^{22} (a^2 c f^ \\
& 2 - b^2 c e^2)^2 - 1356361512192 a^{24} b^{18} c^{11} e^{18} f^{24} (a^2 c f^2 - b^2 \\
& c e^2)^2 + 845331359744 a^{26} b^{16} c^{11} e^{16} f^{26} (a^2 c f^2 - b^2 c e^2)^2 \\
& - 395676895232 a^{28} b^{14} c^{11} e^{14} f^{28} (a^2 c f^2 - b^2 c e^2)^2 + 1349026 \\
& 89792 a^{30} b^{12} c^{11} e^{12} f^{30} (a^2 c f^2 - b^2 c e^2)^2 - 31670587392 a^{32} \\
& b^{10} c^{11} e^{10} f^{32} (a^2 c f^2 - b^2 c e^2)^2 + 4584669184 a^{34} b^8 c^{11} e^ \\
& ^8 f^{34} (a^2 c f^2 - b^2 c e^2)^2 - 309657600 a^{36} b^6 c^{11} e^6 f^{36} (a^2 c
\end{aligned}$$

$$\begin{aligned}
& *f^2 - b^2*c*e^2)^2)) * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})) / ((a + b*x)^{(1/2)} \\
&) - a^{(1/2)}) - (4*a^4*b*c*e*f^4*(4*a^2*c*f^2 - b^2*c*e^2)*(4*a^2*c*f^2 - 3* \\
& b^2*c*e^2)*(4*a^6*c*f^6 - 3*b^6*c*e^6 + 8*a^2*b^4*c*e^4*f^2 - 8*a^4*b^2*c*e \\
& ^2*f^4)^4) / (164025*b^46*c^13*e^46 + 885735*b^44*c^12*e^44*(a^2*c*f^2 - b^2* \\
& c*e^2) + 117440512*a^30*c^5*f^30*(a^2*c*f^2 - b^2*c*e^2)^8 - 385875968*a^32 \\
& *c^6*f^32*(a^2*c*f^2 - b^2*c*e^2)^7 + 419430400*a^34*c^7*f^34*(a^2*c*f^2 - \\
& b^2*c*e^2)^6 - 150994944*a^36*c^8*f^36*(a^2*c*f^2 - b^2*c*e^2)^5 + 236196*b \\
& ^36*c^8*e^36*(a^2*c*f^2 - b^2*c*e^2)^5 + 1102248*b^38*c^9*e^38*(a^2*c*f^2 - \\
& b^2*c*e^2)^4 + 2053593*b^40*c^10*e^40*(a^2*c*f^2 - b^2*c*e^2)^3 + 1909251* \\
& b^42*c^11*e^42*(a^2*c*f^2 - b^2*c*e^2)^2 - 3937329*a^2*b^44*c^13*e^44*f^2 + \\
& 43893819*a^4*b^42*c^13*e^42*f^4 - 301507155*a^6*b^40*c^13*e^40*f^6 + 14275 \\
& 14656*a^8*b^38*c^13*e^38*f^8 - 4936911112*a^10*b^36*c^13*e^36*f^10 + 128932 \\
& 73616*a^12*b^34*c^13*e^34*f^12 - 25921630432*a^14*b^32*c^13*e^32*f^14 + 405 \\
& 19286096*a^16*b^30*c^13*e^30*f^16 - 49376608256*a^18*b^28*c^13*e^28*f^18 + \\
& 46721401856*a^20*b^26*c^13*e^26*f^20 - 33946324736*a^22*b^24*c^13*e^24*f^22 \\
& + 18556579328*a^24*b^22*c^13*e^22*f^24 - 7375276032*a^26*b^20*c^13*e^20*f^ \\
& 26 + 2009817088*a^28*b^18*c^13*e^18*f^28 - 335642624*a^30*b^16*c^13*e^16*f^ \\
& 30 + 25907200*a^32*b^14*c^13*e^14*f^32 - 21130794*a^2*b^42*c^12*e^42*f^2*(a \\
& ^2*c*f^2 - b^2*c*e^2) + 234399015*a^4*b^40*c^12*e^40*f^4*(a^2*c*f^2 - b^2*c \\
& *e^2) - 1604168280*a^6*b^38*c^12*e^38*f^6*(a^2*c*f^2 - b^2*c*e^2) + 7579098 \\
& 492*a^8*b^36*c^12*e^36*f^8*(a^2*c*f^2 - b^2*c*e^2) - 26212380172*a^10*b^34* \\
& c^12*e^34*f^10*(a^2*c*f^2 - b^2*c*e^2) + 68672994096*a^12*b^32*c^12*e^32*f^ \\
& 12*(a^2*c*f^2 - b^2*c*e^2) - 139160589504*a^14*b^30*c^12*e^30*f^14*(a^2*c*f \\
& ^2 - b^2*c*e^2) + 220859191808*a^16*b^28*c^12*e^28*f^16*(a^2*c*f^2 - b^2*c* \\
& e^2) - 276344315328*a^18*b^26*c^12*e^26*f^18*(a^2*c*f^2 - b^2*c*e^2) + 2731 \\
& 30561984*a^20*b^24*c^12*e^24*f^20*(a^2*c*f^2 - b^2*c*e^2) - 212730002688*a^ \\
& 22*b^22*c^12*e^22*f^22*(a^2*c*f^2 - b^2*c*e^2) + 129574234368*a^24*b^20*c^1 \\
& 2*e^20*f^24*(a^2*c*f^2 - b^2*c*e^2) - 60770569216*a^26*b^18*c^12*e^18*f^26* \\
& (a^2*c*f^2 - b^2*c*e^2) + 21304706048*a^28*b^16*c^12*e^16*f^28*(a^2*c*f^2 - \\
& b^2*c*e^2) - 5272965120*a^30*b^14*c^12*e^14*f^30*(a^2*c*f^2 - b^2*c*e^2) + \\
& 819441664*a^32*b^12*c^12*e^12*f^32*(a^2*c*f^2 - b^2*c*e^2) - 59392000*a^34 \\
& *b^10*c^12*e^10*f^34*(a^2*c*f^2 - b^2*c*e^2) + 9289728*a^6*b^24*c^5*e^24*f^ \\
& 6*(a^2*c*f^2 - b^2*c*e^2)^8 - 36884480*a^8*b^22*c^5*e^22*f^8*(a^2*c*f^2 - b \\
& ^2*c*e^2)^8 - 278604800*a^10*b^20*c^5*e^20*f^10*(a^2*c*f^2 - b^2*c*e^2)^8 + \\
& 2774483200*a^12*b^18*c^5*e^18*f^12*(a^2*c*f^2 - b^2*c*e^2)^8 - 10869657600 \\
& *a^14*b^16*c^5*e^16*f^14*(a^2*c*f^2 - b^2*c*e^2)^8 + 25237416960*a^16*b^14* \\
& c^5*e^14*f^16*(a^2*c*f^2 - b^2*c*e^2)^8 - 38348909568*a^18*b^12*c^5*e^12*f^ \\
& 18*(a^2*c*f^2 - b^2*c*e^2)^8 + 39084659712*a^20*b^10*c^5*e^10*f^20*(a^2*c*f \\
& ^2 - b^2*c*e^2)^8 - 26118635520*a^22*b^8*c^5*e^8*f^22*(a^2*c*f^2 - b^2*c*e^ \\
& 2)^8 + 10414620672*a^24*b^6*c^5*e^6*f^24*(a^2*c*f^2 - b^2*c*e^2)^8 - 170865 \\
& 4592*a^26*b^4*c^5*e^4*f^26*(a^2*c*f^2 - b^2*c*e^2)^8 - 276561920*a^28*b^2*c \\
& ^5*e^2*f^28*(a^2*c*f^2 - b^2*c*e^2)^8 - 9704448*a^4*b^28*c^6*e^28*f^4*(a^2* \\
& c*f^2 - b^2*c*e^2)^7 + 260614656*a^6*b^26*c^6*e^26*f^6*(a^2*c*f^2 - b^2*c*e \\
& ^2)^7 - 2166022464*a^8*b^24*c^6*e^24*f^8*(a^2*c*f^2 - b^2*c*e^2)^7 + 862614 \\
& 7840*a^10*b^22*c^6*e^22*f^10*(a^2*c*f^2 - b^2*c*e^2)^7 - 16771503616*a^12*b
\end{aligned}$$

$$\begin{aligned}
& ^{20}c^6e^{20}f^{12}(a^2cf^2 - b^2ce^2)^7 + 3301800960a^{14}b^{18}c^6e^{18} \\
& *f^{14}(a^2cf^2 - b^2ce^2)^7 + 67337715968a^{16}b^{16}c^6e^{16}f^{16}(a^2c \\
& cf^2 - b^2ce^2)^7 - 189857873920a^{18}b^{14}c^6e^{14}f^{18}(a^2cf^2 - b^ \\
& 2ce^2)^7 + 286100259840a^{20}b^{12}c^6e^{12}f^{20}(a^2cf^2 - b^2ce^2)^7 \\
& - 275789894656a^{22}b^{10}c^6e^{10}f^{22}(a^2cf^2 - b^2ce^2)^7 + 1737165 \\
& 37344a^{24}b^8c^6e^8f^{24}(a^2cf^2 - b^2ce^2)^7 - 67416424448a^{26}b^ \\
& 6c^6e^6f^{26}(a^2cf^2 - b^2ce^2)^7 + 12831686656a^{28}b^4c^6e^4f^{28} \\
& 8(a^2cf^2 - b^2ce^2)^7 + 222560256a^{30}b^2c^6e^2f^{30}(a^2cf^2 - \\
& b^2ce^2)^7 + 2099520a^{32}b^0c^7e^0f^{32}(a^2cf^2 - b^2ce^2)^6 - 10 \\
& 7014608a^4b^{30}c^7e^{30}f^4(a^2cf^2 - b^2ce^2)^6 + 1848335616a^6b^ \\
& 28c^7e^{28}f^6(a^2cf^2 - b^2ce^2)^6 - 15200005312a^8b^{26}c^7e^{26}f \\
& ^8(a^2cf^2 - b^2ce^2)^6 + 72612273792a^{10}b^{24}c^7e^{24}f^{10}(a^2cf \\
& ^2 - b^2ce^2)^6 - 221855779968a^{12}b^{22}c^7e^{22}f^{12}(a^2cf^2 - b^2c \\
& e^2)^6 + 450717857536a^{14}b^{20}c^7e^{20}f^{14}(a^2cf^2 - b^2ce^2)^6 - \\
& 600578910208a^{16}b^{18}c^7e^{18}f^{16}(a^2cf^2 - b^2ce^2)^6 + 4594645306 \\
& 88a^{18}b^{16}c^7e^{16}f^{18}(a^2cf^2 - b^2ce^2)^6 - 33638947840a^{20}b^{14} \\
& c^7e^{14}f^{20}(a^2cf^2 - b^2ce^2)^6 - 376299926528a^{22}b^{12}c^7e^{12} \\
& f^{22}(a^2cf^2 - b^2ce^2)^6 + 488874068992a^{24}b^{10}c^7e^{10}f^{24}(a^2 \\
& cf^2 - b^2ce^2)^6 - 333407809536a^{26}b^8c^7e^8f^{26}(a^2cf^2 - b^2 \\
& ce^2)^6 + 134140313600a^{28}b^6c^7e^6f^{28}(a^2cf^2 - b^2ce^2)^6 - \\
& 28220915712a^{30}b^4c^7e^4f^{30}(a^2cf^2 - b^2ce^2)^6 + 1230503936a^ \\
& 32b^2c^7e^2f^{32}(a^2cf^2 - b^2ce^2)^6 + 3335904a^2b^{34}c^8e^34f \\
& ^2(a^2cf^2 - b^2ce^2)^5 - 290521728a^4b^{32}c^8e^32f^4(a^2cf^2 - \\
& b^2ce^2)^5 + 4865684544a^6b^{30}c^8e^30f^6(a^2cf^2 - b^2ce^2)^5 \\
& - 40437394528a^8b^{28}c^8e^{28}f^8(a^2cf^2 - b^2ce^2)^5 + 20560225465 \\
& 6a^{10}b^{26}c^8e^{26}f^{10}(a^2cf^2 - b^2ce^2)^5 - 703885344192a^{12}b^{24} \\
& c^8e^{24}f^{12}(a^2cf^2 - b^2ce^2)^5 + 1709253482624a^{14}b^{22}c^8e^{22} \\
& f^{14}(a^2cf^2 - b^2ce^2)^5 - 3029282695168a^{16}b^{20}c^8e^{20}f^{16}(a \\
& ^2cf^2 - b^2ce^2)^5 + 3966230827520a^{18}b^{18}c^8e^{18}f^{18}(a^2cf^2 \\
& - b^2ce^2)^5 - 3822339813632a^{20}b^{16}c^8e^{16}f^{20}(a^2cf^2 - b^2c \\
& e^2)^5 + 2640438056960a^{22}b^{14}c^8e^{14}f^{22}(a^2cf^2 - b^2ce^2)^5 - 1 \\
& 208501415936a^{24}b^{12}c^8e^{12}f^{24}(a^2cf^2 - b^2ce^2)^5 + 2693380925 \\
& 44a^{26}b^{10}c^8e^{10}f^{26}(a^2cf^2 - b^2ce^2)^5 + 53783212032a^{28}b^8 \\
& c^8e^8f^{28}(a^2cf^2 - b^2ce^2)^5 - 60985360384a^{30}b^6c^8e^6f^{30} \\
& (a^2cf^2 - b^2ce^2)^5 + 17917083648a^{32}b^4c^8e^4f^{32}(a^2cf^2 - \\
& b^2ce^2)^5 - 1558708224a^{34}b^2c^8e^2f^{34}(a^2cf^2 - b^2ce^2)^5 \\
& - 11917692a^2b^{36}c^9e^36f^2(a^2cf^2 - b^2ce^2)^4 - 224907516a^4b \\
& ^{34}c^9e^34f^4(a^2cf^2 - b^2ce^2)^4 + 5303932560a^6b^{32}c^9e^32f \\
& ^6(a^2cf^2 - b^2ce^2)^4 - 48206418480a^8b^{30}c^9e^30f^8(a^2cf^2 \\
& - b^2ce^2)^4 + 261450609120a^{10}b^{28}c^9e^{28}f^{10}(a^2cf^2 - b^2c \\
& e^2)^4 - 962361040256a^{12}b^{26}c^9e^{26}f^{12}(a^2cf^2 - b^2ce^2)^4 + 2 \\
& 558559358080a^{14}b^{24}c^9e^{24}f^{14}(a^2cf^2 - b^2ce^2)^4 - 5091804150 \\
& 656a^{16}b^{22}c^9e^{22}f^{16}(a^2cf^2 - b^2ce^2)^4 + 7750806514944a^{18} \\
& b^{20}c^9e^{20}f^{18}(a^2cf^2 - b^2ce^2)^4 - 9137207485952a^{20}b^{18}c^9 \\
& e^{18}f^{20}(a^2cf^2 - b^2ce^2)^4 + 8384563280128a^{22}b^{16}c^9e^{16}f^{22}
\end{aligned}$$

$$\begin{aligned}
& * (a^2 * c * f^2 - b^2 * c * e^2)^4 - 5975281259520 * a^{24} * b^{14} * c^9 * e^{14} * f^{24} * (a^2 * c * f^2 - b^2 * c * e^2)^4 + 3269297268736 * a^{26} * b^{12} * c^9 * e^{12} * f^{26} * (a^2 * c * f^2 - b^2 * c * e^2)^4 - 1339171540992 * a^{28} * b^{10} * c^9 * e^{10} * f^{28} * (a^2 * c * f^2 - b^2 * c * e^2)^4 + 391250194432 * a^{30} * b^8 * c^9 * e^8 * f^{30} * (a^2 * c * f^2 - b^2 * c * e^2)^4 - 74114154496 * a^{32} * b^6 * c^9 * e^6 * f^{32} * (a^2 * c * f^2 - b^2 * c * e^2)^4 + 7299203072 * a^{34} * b^4 * c^9 * e^4 * f^{34} * (a^2 * c * f^2 - b^2 * c * e^2)^4 - 148635648 * a^{36} * b^2 * c^9 * e^2 * f^{36} * (a^2 * c * f^2 - b^2 * c * e^2)^4 - 38704068 * a^2 * b^{38} * c^{10} * e^{38} * f^2 * (a^2 * c * f^2 - b^2 * c * e^2)^3 + 188845992 * a^4 * b^{36} * c^{10} * e^{36} * f^4 * (a^2 * c * f^2 - b^2 * c * e^2)^3 + 1157124204 * a^6 * b^{34} * c^{10} * e^{34} * f^6 * (a^2 * c * f^2 - b^2 * c * e^2)^3 - 20586361424 * a^8 * b^32 * c^{10} * e^{32} * f^8 * (a^2 * c * f^2 - b^2 * c * e^2)^3 + 135395499200 * a^{10} * b^{30} * c^{10} * e^{30} * f^{10} * (a^2 * c * f^2 - b^2 * c * e^2)^3 - 555513858464 * a^{12} * b^{28} * c^{10} * e^{28} * f^{12} * (a^2 * c * f^2 - b^2 * c * e^2)^3 + 1608776388864 * a^{14} * b^{26} * c^{10} * e^{26} * f^{14} * (a^2 * c * f^2 - b^2 * c * e^2)^3 - 3473989271488 * a^{16} * b^{24} * c^{10} * e^{24} * f^{16} * (a^2 * c * f^2 - b^2 * c * e^2)^3 + 5766181411456 * a^{18} * b^{22} * c^{10} * e^{22} * f^{18} * (a^2 * c * f^2 - b^2 * c * e^2)^3 - 7493983209472 * a^{20} * b^{20} * c^{10} * e^{20} * f^{20} * (a^2 * c * f^2 - b^2 * c * e^2)^3 + 7713917084672 * a^{22} * b^{18} * c^{10} * e^{18} * f^{22} * (a^2 * c * f^2 - b^2 * c * e^2)^3 - 6328467293184 * a^{24} * b^{16} * c^{10} * e^{16} * f^{24} * (a^2 * c * f^2 - b^2 * c * e^2)^3 + 4142950034432 * a^{26} * b^{14} * c^{10} * e^{14} * f^{26} * (a^2 * c * f^2 - b^2 * c * e^2)^3 - 2152681536512 * a^{28} * b^{12} * c^{10} * e^{12} * f^{28} * (a^2 * c * f^2 - b^2 * c * e^2)^3 + 874199511040 * a^{30} * b^{10} * c^{10} * e^{10} * f^{30} * (a^2 * c * f^2 - b^2 * c * e^2)^3 - 268759150592 * a^{32} * b^8 * c^{10} * e^8 * f^{32} * (a^2 * c * f^2 - b^2 * c * e^2)^3 + 58872545280 * a^{34} * b^6 * c^{10} * e^6 * f^{34} * (a^2 * c * f^2 - b^2 * c * e^2)^3 - 8151957504 * a^{36} * b^4 * c^{10} * e^4 * f^{36} * (a^2 * c * f^2 - b^2 * c * e^2)^3 + 530841600 * a^{38} * b^2 * c^{10} * e^2 * f^{38} * (a^2 * c * f^2 - b^2 * c * e^2)^3 - 42743457 * a^2 * b^{40} * c^{11} * e^{40} * f^2 * (a^2 * c * f^2 - b^2 * c * e^2)^2 + 411055884 * a^4 * b^{38} * c^{11} * e^{38} * f^4 * (a^2 * c * f^2 - b^2 * c * e^2)^2 - 2180887236 * a^6 * b^{36} * c^{11} * e^{36} * f^6 * (a^2 * c * f^2 - b^2 * c * e^2)^2 + 6404946508 * a^8 * b^{34} * c^{11} * e^{34} * f^8 * (a^2 * c * f^2 - b^2 * c * e^2)^2 - 5434005264 * a^{10} * b^{32} * c^{11} * e^{32} * f^{10} * (a^2 * c * f^2 - b^2 * c * e^2)^2 - 38868373520 * a^{12} * b^{30} * c^{11} * e^{30} * f^{12} * (a^2 * c * f^2 - b^2 * c * e^2)^2 + 208447613600 * a^{14} * b^{28} * c^{11} * e^{28} * f^{14} * (a^2 * c * f^2 - b^2 * c * e^2)^2 - 579674999104 * a^{16} * b^{26} * c^{11} * e^{26} * f^{16} * (a^2 * c * f^2 - b^2 * c * e^2)^2 + 1104967566592 * a^{18} * b^{24} * c^{11} * e^{24} * f^{18} * (a^2 * c * f^2 - b^2 * c * e^2)^2 - 1554566531328 * a^{20} * b^{22} * c^{11} * e^{22} * f^{20} * (a^2 * c * f^2 - b^2 * c * e^2)^2 + 1659734381312 * a^{22} * b^{20} * c^{11} * e^{20} * f^{22} * (a^2 * c * f^2 - b^2 * c * e^2)^2 - 1356361512192 * a^{24} * b^{18} * c^{11} * e^{18} * f^{24} * (a^2 * c * f^2 - b^2 * c * e^2)^2 + 845331359744 * a^{26} * b^{16} * c^{11} * e^{16} * f^{26} * (a^2 * c * f^2 - b^2 * c * e^2)^2 - 395676895232 * a^{28} * b^{14} * c^{11} * e^{14} * f^{28} * (a^2 * c * f^2 - b^2 * c * e^2)^2 + 134902689792 * a^{30} * b^{12} * c^{11} * e^{12} * f^{30} * (a^2 * c * f^2 - b^2 * c * e^2)^2 - 31670587392 * a^{32} * b^{10} * c^{11} * e^{10} * f^{32} * (a^2 * c * f^2 - b^2 * c * e^2)^2 + 4584669184 * a^{34} * b^8 * c^{11} * e^8 * f^{34} * (a^2 * c * f^2 - b^2 * c * e^2)^2 - 309657600 * a^{36} * b^6 * c^{11} * e^6 * f^{36} * (a^2 * c * f^2 - b^2 * c * e^2)^2 + (2 * a^4 * b * c * e * f^4 * (2 * a^2 * c * f^2 - b^2 * c * e^2) * (4 * a^2 * c * f^2 - 3 * b^2 * c * e^2)^2 * (4 * a^6 * c * f^6 - 3 * b^6 * c * e^6 + 8 * a^2 * b^4 * c * e^4 * f^2 - 8 * a^4 * b^2 * c * e^2 * f^4)^4) / ((a^2 * c * f^2 - b^2 * c * e^2) * (164025 * b^46 * c^13 * e^46 + 885735 * b^44 * c^12 * e^44 * (a^2 * c * f^2 - b^2 * c * e^2) + 117440512 * a^30 * c^5 * f^30 * (a^2 * c * f^2 - b^2 * c * e^2)^8 - 385875968 * a^32 * c^6 * f^32 * (a^2 * c * f^2 - b^2 * c * e^2)^7 + 419430400 * a^34 * c^7 * f^34 * (a^2 * c * f^2 - b^2 * c * e^2)^6 - 150994944 * a^36 * c^8 * f^36 * (a^2 * c * f^2 - b^2 * c * e^2)^5 + 236196 * b^36 * c^8 * e^36 * (a^2 * c * f^2 - b^2 * c * e^2)^5 + 1102248 *
\end{aligned}$$

$$\begin{aligned}
& b^{38}c^9e^{38}(a^2cf^2 - b^2ce^2)^4 + 2053593b^{40}c^{10}e^{40}(a^2cf^2 \\
& - b^2ce^2)^3 + 1909251b^{42}c^{11}e^{42}(a^2cf^2 - b^2ce^2)^2 - 393732 \\
& 9a^2b^{44}c^{13}e^{44}f^2 + 43893819a^4b^{42}c^{13}e^{42}f^4 - 301507155a^6b^{40}c^{13}e^{40}f^6 + 1427514656a^8b^{38}c^{13}e^{38}f^8 - 4936911112a^{10}b^{36}c^{13}e^{36}f^{10} + 12893273616a^{12}b^{34}c^{13}e^{34}f^{12} - 25921630432a^{14}b^{32}c^{13}e^{32}f^{14} + 40519286096a^{16}b^{30}c^{13}e^{30}f^{16} - 49376608256a^{18}b^{28}c^{13}e^{28}f^{18} + 46721401856a^{20}b^{26}c^{13}e^{26}f^{20} - 33946324736a^{22}b^{24}c^{13}e^{24}f^{22} + 18556579328a^{24}b^{22}c^{13}e^{22}f^{24} - 7375276032a^{26}b^{20}c^{13}e^{20}f^{26} + 2009817088a^{28}b^{18}c^{13}e^{18}f^{28} - 335642624a^{30}b^{16}c^{13}e^{16}f^{30} + 25907200a^{32}b^{14}c^{13}e^{14}f^{32} - 21130794a^2b^{42}c^{12}e^{42}f^2(a^2cf^2 - b^2ce^2) + 234399015a^4b^{40}c^{12}e^{40}f^4(a^2cf^2 - b^2ce^2) - 1604168280a^6b^{38}c^{12}e^{38}f^6(a^2cf^2 - b^2ce^2) + 7579098492a^8b^{36}c^{12}e^{36}f^8(a^2cf^2 - b^2ce^2) - 26212380172a^{10}b^{34}c^{12}e^{34}f^{10}(a^2cf^2 - b^2ce^2) + 68672994096a^{12}b^{32}c^{12}e^{32}f^{12}(a^2cf^2 - b^2ce^2) - 139160589504a^{14}b^{30}c^{12}e^{30}f^{14}(a^2cf^2 - b^2ce^2) + 220859191808a^{16}b^{28}c^{12}e^{28}f^{16}(a^2cf^2 - b^2ce^2) - 276344315328a^{18}b^{26}c^{12}e^{26}f^{18}(a^2cf^2 - b^2ce^2) + 273130561984a^{20}b^{24}c^{12}e^{24}f^{20}(a^2cf^2 - b^2ce^2) - 212730002688a^{22}b^{22}c^{12}e^{22}f^{22}(a^2cf^2 - b^2ce^2) + 129574234368a^{24}b^{20}c^{12}e^{20}f^{24}(a^2cf^2 - b^2ce^2) - 60770569216a^{26}b^{18}c^{12}e^{18}f^{26}(a^2cf^2 - b^2ce^2) + 21304706048a^{28}b^{16}c^{12}e^{16}f^{28}(a^2cf^2 - b^2ce^2) - 5272965120a^{30}b^{14}c^{12}e^{14}f^{30}(a^2cf^2 - b^2ce^2) + 819441664a^{32}b^{12}c^{12}e^{12}f^{32}(a^2cf^2 - b^2ce^2) - 59392000a^{34}b^{10}c^{12}e^{10}f^{34}(a^2cf^2 - b^2ce^2) + 9289728a^6b^{24}c^5e^{24}f^6(a^2cf^2 - b^2ce^2)^8 - 36884480a^8b^{22}c^5e^{22}f^8(a^2cf^2 - b^2ce^2)^8 - 278604800a^{10}b^{20}c^5e^{20}f^{10}(a^2cf^2 - b^2ce^2)^8 + 2774483200a^{12}b^{18}c^5e^{18}f^{12}(a^2cf^2 - b^2ce^2)^8 - 10869657600a^{14}b^{16}c^5e^{16}f^{14}(a^2cf^2 - b^2ce^2)^8 + 25237416960a^{16}b^{14}c^5e^{14}f^{16}(a^2cf^2 - b^2ce^2)^8 - 38348909568a^{18}b^{12}c^5e^{12}f^{18}(a^2cf^2 - b^2ce^2)^8 + 39084659712a^{20}b^{10}c^5e^{10}f^{20}(a^2cf^2 - b^2ce^2)^8 - 26118635520a^{22}b^8c^5e^8f^{22}(a^2cf^2 - b^2ce^2)^8 + 10414620672a^{24}b^6c^5e^6f^{24}(a^2cf^2 - b^2ce^2)^8 - 1708654592a^{26}b^4c^5e^4f^{26}(a^2cf^2 - b^2ce^2)^8 - 276561920a^{28}b^2c^5e^2f^{28}(a^2cf^2 - b^2ce^2)^8 - 9704448a^4b^{28}c^6e^{28}f^4(a^2cf^2 - b^2ce^2)^7 + 260614656a^6b^{26}c^6e^26f^6(a^2cf^2 - b^2ce^2)^7 - 2166022464a^8b^{24}c^6e^24f^8(a^2cf^2 - b^2ce^2)^7 + 8626147840a^{10}b^{22}c^6e^22f^{10}(a^2cf^2 - b^2ce^2)^7 - 16771503616a^{12}b^{20}c^6e^20f^{12}(a^2cf^2 - b^2ce^2)^7 + 3301800960a^{14}b^{18}c^6e^{18}f^{14}(a^2cf^2 - b^2ce^2)^7 + 67337715968a^{16}b^{16}c^6e^{16}f^{16}(a^2cf^2 - b^2ce^2)^7 - 189857873920a^{18}b^{14}c^6e^{14}f^{18}(a^2cf^2 - b^2ce^2)^7 + 286100259840a^{20}b^{12}c^6e^{12}f^{20}(a^2cf^2 - b^2ce^2)^7 - 275789894656a^{22}b^{10}c^6e^{10}f^{22}(a^2cf^2 - b^2ce^2)^7 + 173716537344a^{24}b^8c^6e^8f^{24}(a^2cf^2 - b^2ce^2)^7 - 67416424448a^{26}b^6c^6e^6f^{26}(a^2cf^2 - b^2ce^2)^7 + 12831686656a^{28}b^4c^6e^4f^{28}(a^2cf^2 - b^2ce^2)^7 + 222560256a^{30}b^2c^6e^2f^{30}(a^2cf^2 - b^2ce^2)^7
\end{aligned}$$

$$\begin{aligned}
& c^6 e^2 f^{30} (a^2 c f^2 - b^2 c e^2)^7 + 2099520 a^2 b^{32} c^7 e^{32} f^2 (a^2 c f^2 - b^2 c e^2)^6 - 107014608 a^4 b^{30} c^7 e^{30} f^4 (a^2 c f^2 - b^2 c e^2)^6 + 1848335616 a^6 b^{28} c^7 e^{28} f^6 (a^2 c f^2 - b^2 c e^2)^6 - 1520005312 a^8 b^{26} c^7 e^{26} f^8 (a^2 c f^2 - b^2 c e^2)^6 + 72612273792 a^{10} b^{24} c^7 e^{24} f^{10} (a^2 c f^2 - b^2 c e^2)^6 - 221855779968 a^{12} b^{22} c^7 e^{22} f^{12} (a^2 c f^2 - b^2 c e^2)^6 + 450717857536 a^{14} b^{20} c^7 e^{20} f^{14} (a^2 c f^2 - b^2 c e^2)^6 - 600578910208 a^{16} b^{18} c^7 e^{18} f^{16} (a^2 c f^2 - b^2 c e^2)^6 + 459464530688 a^{18} b^{16} c^7 e^{16} f^{18} (a^2 c f^2 - b^2 c e^2)^6 - 33638947840 a^{20} b^{14} c^7 e^{14} f^{20} (a^2 c f^2 - b^2 c e^2)^6 - 376299926528 a^{22} b^{12} c^7 e^{12} f^{22} (a^2 c f^2 - b^2 c e^2)^6 + 488874068992 a^{24} b^{10} c^7 e^{10} f^{24} (a^2 c f^2 - b^2 c e^2)^6 - 333407809536 a^{26} b^8 c^7 e^8 f^{26} (a^2 c f^2 - b^2 c e^2)^6 + 134140313600 a^{28} b^6 c^7 e^6 f^{28} (a^2 c f^2 - b^2 c e^2)^6 - 28220915712 a^{30} b^4 c^7 e^4 f^{30} (a^2 c f^2 - b^2 c e^2)^6 + 1230503936 a^{32} b^2 c^7 e^2 f^{32} (a^2 c f^2 - b^2 c e^2)^6 + 3335904 a^2 b^{34} c^8 e^{34} f^2 (a^2 c f^2 - b^2 c e^2)^5 - 290521728 a^4 b^{32} c^8 e^{32} f^4 (a^2 c f^2 - b^2 c e^2)^5 + 4865684544 a^6 b^{30} c^8 e^{30} f^6 (a^2 c f^2 - b^2 c e^2)^5 - 40437394528 a^8 b^{28} c^8 e^{28} f^8 (a^2 c f^2 - b^2 c e^2)^5 + 205602254656 a^{10} b^{26} c^8 e^{26} f^{10} (a^2 c f^2 - b^2 c e^2)^5 - 703885344192 a^{12} b^{24} c^8 e^{24} f^{12} (a^2 c f^2 - b^2 c e^2)^5 + 1709253482624 a^{14} b^{22} c^8 e^{22} f^{14} (a^2 c f^2 - b^2 c e^2)^5 - 3029282695168 a^{16} b^{20} c^8 e^{20} f^{16} (a^2 c f^2 - b^2 c e^2)^5 + 3966230827520 a^{18} b^{18} c^8 e^{18} f^{18} (a^2 c f^2 - b^2 c e^2)^5 - 3822339813632 a^{20} b^{16} c^8 e^{16} f^{20} (a^2 c f^2 - b^2 c e^2)^5 + 2640438056960 a^{22} b^{14} c^8 e^{14} f^{22} (a^2 c f^2 - b^2 c e^2)^5 - 1208501415936 a^{24} b^{12} c^8 e^{12} f^{24} (a^2 c f^2 - b^2 c e^2)^5 + 269338092544 a^{26} b^{10} c^8 e^{10} f^{26} (a^2 c f^2 - b^2 c e^2)^5 + 53783212032 a^{28} b^8 c^8 e^8 f^{28} (a^2 c f^2 - b^2 c e^2)^5 - 60985360384 a^{30} b^6 c^8 e^6 f^{30} (a^2 c f^2 - b^2 c e^2)^5 + 17917083648 a^{32} b^4 c^8 e^4 f^{32} (a^2 c f^2 - b^2 c e^2)^5 - 1558708224 a^{34} b^2 c^8 e^2 f^{34} (a^2 c f^2 - b^2 c e^2)^5 - 11917692 a^2 b^{36} c^9 e^{36} f^2 (a^2 c f^2 - b^2 c e^2)^4 - 224907516 a^4 b^{34} c^9 e^{34} f^4 (a^2 c f^2 - b^2 c e^2)^4 + 5303932560 a^6 b^{32} c^9 e^{32} f^6 (a^2 c f^2 - b^2 c e^2)^4 - 48206418480 a^8 b^{30} c^9 e^{30} f^8 (a^2 c f^2 - b^2 c e^2)^4 + 261450609120 a^{10} b^{28} c^9 e^{28} f^{10} (a^2 c f^2 - b^2 c e^2)^4 - 962361040256 a^{12} b^{26} c^9 e^{26} f^{12} (a^2 c f^2 - b^2 c e^2)^4 + 2558559358080 a^{14} b^{24} c^9 e^{24} f^{14} (a^2 c f^2 - b^2 c e^2)^4 - 5091804150656 a^{16} b^{22} c^9 e^{22} f^{16} (a^2 c f^2 - b^2 c e^2)^4 + 7750806514944 a^{18} b^{20} c^9 e^{20} f^{18} (a^2 c f^2 - b^2 c e^2)^4 - 9137207485952 a^{20} b^{18} c^9 e^{18} f^{20} (a^2 c f^2 - b^2 c e^2)^4 + 8384563280128 a^{22} b^{16} c^9 e^{16} f^{22} (a^2 c f^2 - b^2 c e^2)^4 - 5975281259520 a^{24} b^{14} c^9 e^{14} f^{24} (a^2 c f^2 - b^2 c e^2)^4 + 3269297268736 a^{26} b^{12} c^9 e^{12} f^{26} (a^2 c f^2 - b^2 c e^2)^4 - 1339171540992 a^{28} b^{10} c^9 e^{10} f^{28} (a^2 c f^2 - b^2 c e^2)^4 + 391250194432 a^{30} b^8 c^9 e^8 f^{30} (a^2 c f^2 - b^2 c e^2)^4 - 74114154496 a^{32} b^6 c^9 e^6 f^{32} (a^2 c f^2 - b^2 c e^2)^4 + 7299203072 a^{34} b^4 c^9 e^4 f^{34} (a^2 c f^2 - b^2 c e^2)^4 - 148635648 a^{36} b^2 c^9 e^2 f^{36} (a^2 c f^2 - b^2 c e^2)^4 - 38704068 a^2 b^{38} c^{10} e^3 8 f^2 (a^2 c f^2 - b^2 c e^2)^3 + 188845992 a^4 b^{36} c^{10} e^{36} f^4 (a^2 c f^2 - b^2 c e^2)^3
\end{aligned}$$

$$\begin{aligned}
& \cdot^2 - b^2 \cdot c \cdot e^2)^3 + 1157124204 \cdot a^6 \cdot b^{34} \cdot c^{10} \cdot e^{34} \cdot f^6 \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^3 - 20586361424 \cdot a^8 \cdot b^{32} \cdot c^{10} \cdot e^{32} \cdot f^8 \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^3 + 13539 \\
& 5499200 \cdot a^{10} \cdot b^{30} \cdot c^{10} \cdot e^{30} \cdot f^{10} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^3 - 555513858464 \cdot a^{12} \cdot b^{28} \cdot c^{10} \cdot e^{28} \cdot f^{12} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^3 + 1608776388864 \cdot a^{14} \cdot b^{26} \\
& \cdot c^{10} \cdot e^{26} \cdot f^{14} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^3 - 3473989271488 \cdot a^{16} \cdot b^{24} \cdot c^{10} \cdot e^{24} \cdot f^{16} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^3 + 5766181411456 \cdot a^{18} \cdot b^{22} \cdot c^{10} \cdot e^{22} \cdot f^{18} \cdot \\
& (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^3 - 7493983209472 \cdot a^{20} \cdot b^{20} \cdot c^{10} \cdot e^{20} \cdot f^{20} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^3 + 7713917084672 \cdot a^{22} \cdot b^{18} \cdot c^{10} \cdot e^{18} \cdot f^{22} \cdot (a^2 \cdot c \cdot f^2 - b^2 \\
& \cdot c \cdot e^2)^3 - 6328467293184 \cdot a^{24} \cdot b^{16} \cdot c^{10} \cdot e^{16} \cdot f^{24} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^3 + 4142950034432 \cdot a^{26} \cdot b^{14} \cdot c^{10} \cdot e^{14} \cdot f^{26} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^3 - 2152 \\
& 681536512 \cdot a^{28} \cdot b^{12} \cdot c^{10} \cdot e^{12} \cdot f^{28} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^3 + 874199511040 \cdot a^{30} \cdot b^{10} \cdot c^{10} \cdot e^{10} \cdot f^{30} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^3 - 268759150592 \cdot a^{32} \cdot b^8 \\
& \cdot c^{10} \cdot e^8 \cdot f^{32} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^3 + 58872545280 \cdot a^{34} \cdot b^6 \cdot c^{10} \cdot e^6 \cdot f^{34} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^3 - 8151957504 \cdot a^{36} \cdot b^4 \cdot c^{10} \cdot e^4 \cdot f^{36} \cdot (a^2 \cdot c \cdot f^2 \\
& - b^2 \cdot c \cdot e^2)^3 + 530841600 \cdot a^{38} \cdot b^2 \cdot c^{10} \cdot e^2 \cdot f^{38} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^3 - 42743457 \cdot a^2 \cdot b^{40} \cdot c^{11} \cdot e^{40} \cdot f^2 \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^2 + 411055884 \cdot a^4 \\
& \cdot b^{38} \cdot c^{11} \cdot e^{38} \cdot f^4 \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^2 - 2180887236 \cdot a^6 \cdot b^{36} \cdot c^{11} \cdot e^{36} \cdot f^6 \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^2 + 6404946508 \cdot a^8 \cdot b^{34} \cdot c^{11} \cdot e^{34} \cdot f^8 \cdot (a^2 \\
& \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^2 - 5434005264 \cdot a^{10} \cdot b^{32} \cdot c^{11} \cdot e^{32} \cdot f^{10} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^2 - 38868373520 \cdot a^{12} \cdot b^{30} \cdot c^{11} \cdot e^{30} \cdot f^{12} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^2 \\
& + 208447613600 \cdot a^{14} \cdot b^{28} \cdot c^{11} \cdot e^{28} \cdot f^{14} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^2 - 579674999104 \cdot a^{16} \cdot b^{26} \cdot c^{11} \cdot e^{26} \cdot f^{16} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^2 + 1104967566592 \cdot a^{18} \cdot b^{24} \cdot c^{11} \cdot e^{24} \cdot f^{18} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^2 - 1554566531328 \cdot a^{20} \cdot b^{22} \\
& \cdot c^{11} \cdot e^{22} \cdot f^{20} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^2 + 1659734381312 \cdot a^{22} \cdot b^{20} \cdot c^{11} \cdot e^{20} \cdot f^{22} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^2 - 1356361512192 \cdot a^{24} \cdot b^{18} \cdot c^{11} \cdot e^{18} \cdot f^{24} \cdot \\
& (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^2 + 845331359744 \cdot a^{26} \cdot b^{16} \cdot c^{11} \cdot e^{16} \cdot f^{26} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^2 - 395676895232 \cdot a^{28} \cdot b^{14} \cdot c^{11} \cdot e^{14} \cdot f^{28} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \\
& \cdot e^2)^2 + 134902689792 \cdot a^{30} \cdot b^{12} \cdot c^{11} \cdot e^{12} \cdot f^{30} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^2 - 31670587392 \cdot a^{32} \cdot b^{10} \cdot c^{11} \cdot e^{10} \cdot f^{32} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^2 + 458466918 \\
& 4 \cdot a^{34} \cdot b^8 \cdot c^{11} \cdot e^8 \cdot f^{34} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^2 - 309657600 \cdot a^{36} \cdot b^6 \cdot c^{11} \cdot e^6 \cdot f^{36} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^2) \cdot (236196 \cdot b^{36} \cdot c^8 \cdot e^{36} \cdot (b^2 \cdot c \cdot e^2 - \\
& a^2 \cdot c \cdot f^2)^{(11/2)} - 385875968 \cdot a^{32} \cdot c^6 \cdot f^{32} \cdot (b^2 \cdot c \cdot e^2 - a^2 \cdot c \cdot f^2)^{(15/2)} - 419430400 \cdot a^{34} \cdot c^7 \cdot f^{34} \cdot (b^2 \cdot c \cdot e^2 - a^2 \cdot c \cdot f^2)^{(13/2)} - 150994944 \cdot a^{36} \cdot c^8 \\
& \cdot f^{36} \cdot (b^2 \cdot c \cdot e^2 - a^2 \cdot c \cdot f^2)^{(11/2)} - 117440512 \cdot a^{30} \cdot c^5 \cdot f^{30} \cdot (b^2 \cdot c \cdot e^2 - a^2 \cdot c \cdot f^2)^{(17/2)} - 1102248 \cdot b^{38} \cdot c^9 \cdot e^{38} \cdot (b^2 \cdot c \cdot e^2 - a^2 \cdot c \cdot f^2)^{(9/2)} \\
& + 2053593 \cdot b^{40} \cdot c^{10} \cdot e^{40} \cdot (b^2 \cdot c \cdot e^2 - a^2 \cdot c \cdot f^2)^{(7/2)} - 1909251 \cdot b^{42} \cdot c^{11} \cdot e^{42} \cdot (b^2 \cdot c \cdot e^2 - a^2 \cdot c \cdot f^2)^{(5/2)} + 885735 \cdot b^{44} \cdot c^{12} \cdot e^{44} \cdot (b^2 \cdot c \cdot e^2 - a^2 \\
& \cdot c \cdot f^2)^{(3/2)} - 164025 \cdot b^{46} \cdot c^{13} \cdot e^{46} \cdot (b^2 \cdot c \cdot e^2 - a^2 \cdot c \cdot f^2)^{(1/2)} - 9289728 \cdot a^6 \cdot b^{24} \cdot c^5 \cdot e^{24} \cdot f^6 \cdot (b^2 \cdot c \cdot e^2 - a^2 \cdot c \cdot f^2)^{(17/2)} + 36884480 \cdot a^8 \cdot b^{22} \\
& \cdot c^5 \cdot e^{22} \cdot f^8 \cdot (b^2 \cdot c \cdot e^2 - a^2 \cdot c \cdot f^2)^{(17/2)} + 278604800 \cdot a^{10} \cdot b^{20} \cdot c^5 \cdot e^{20} \cdot f^{10} \cdot (b^2 \cdot c \cdot e^2 - a^2 \cdot c \cdot f^2)^{(17/2)} - 2774483200 \cdot a^{12} \cdot b^{18} \cdot c^5 \cdot e^{18} \cdot f^{12} \cdot (\\
& b^2 \cdot c \cdot e^2 - a^2 \cdot c \cdot f^2)^{(17/2)} + 10869657600 \cdot a^{14} \cdot b^{16} \cdot c^5 \cdot e^{16} \cdot f^{14} \cdot (b^2 \cdot c \cdot e^2 - a^2 \cdot c \cdot f^2)^{(17/2)} - 25237416960 \cdot a^{16} \cdot b^{14} \cdot c^5 \cdot e^{14} \cdot f^{16} \cdot (b^2 \cdot c \cdot e^2 - \\
& a^2 \cdot c \cdot f^2)^{(17/2)} + 38348909568 \cdot a^{18} \cdot b^{12} \cdot c^5 \cdot e^{12} \cdot f^{18} \cdot (b^2 \cdot c \cdot e^2 - a^2 \cdot c \cdot f^2)^{(17/2)} - 39084659712 \cdot a^{20} \cdot b^{10} \cdot c^5 \cdot e^{10} \cdot f^{20} \cdot (b^2 \cdot c \cdot e^2 - a^2 \cdot c \cdot f^2)^{(17/2)}
\end{aligned}$$

$$\begin{aligned}
& 17/2) + 26118635520*a^{22}*b^8*c^5*e^8*f^{22}*(b^2*c*e^2 - a^2*c*f^2)^{(17/2)} - \\
& 10414620672*a^{24}*b^6*c^5*e^6*f^{24}*(b^2*c*e^2 - a^2*c*f^2)^{(17/2)} + 17086545 \\
& 92*a^{26}*b^4*c^5*e^4*f^{26}*(b^2*c*e^2 - a^2*c*f^2)^{(17/2)} + 276561920*a^{28}*b^ \\
& 2*c^5*e^2*f^{28}*(b^2*c*e^2 - a^2*c*f^2)^{(17/2)} - 9704448*a^4*b^{28}*c^6*e^{28}*f \\
& ^4*(b^2*c*e^2 - a^2*c*f^2)^{(15/2)} + 260614656*a^6*b^{26}*c^6*e^{26}*f^6*(b^2*c* \\
& e^2 - a^2*c*f^2)^{(15/2)} - 2166022464*a^8*b^{24}*c^6*e^{24}*f^8*(b^2*c*e^2 - a^2 \\
& *c*f^2)^{(15/2)} + 8626147840*a^{10}*b^{22}*c^6*e^{22}*f^{10}*(b^2*c*e^2 - a^2*c*f^2) \\
& ^{(15/2)} - 16771503616*a^{12}*b^{20}*c^6*e^{20}*f^{12}*(b^2*c*e^2 - a^2*c*f^2)^{(15/2)} \\
&) + 3301800960*a^{14}*b^{18}*c^6*e^{18}*f^{14}*(b^2*c*e^2 - a^2*c*f^2)^{(15/2)} + 673 \\
& 37715968*a^{16}*b^{16}*c^6*e^{16}*f^{16}*(b^2*c*e^2 - a^2*c*f^2)^{(15/2)} - 189857873 \\
& 920*a^{18}*b^{14}*c^6*e^{14}*f^{18}*(b^2*c*e^2 - a^2*c*f^2)^{(15/2)} + 286100259840*a \\
& ^{20}*b^{12}*c^6*e^{12}*f^{20}*(b^2*c*e^2 - a^2*c*f^2)^{(15/2)} - 275789894656*a^{22}*b \\
& ^{10}*c^6*e^{10}*f^{22}*(b^2*c*e^2 - a^2*c*f^2)^{(15/2)} + 173716537344*a^{24}*b^8*c^ \\
& 6*e^8*f^{24}*(b^2*c*e^2 - a^2*c*f^2)^{(15/2)} - 67416424448*a^{26}*b^6*c^6*e^6*f^ \\
& 26*(b^2*c*e^2 - a^2*c*f^2)^{(15/2)} + 12831686656*a^{28}*b^4*c^6*e^4*f^{28}*(b^2* \\
& c*e^2 - a^2*c*f^2)^{(15/2)} + 222560256*a^{30}*b^2*c^6*e^2*f^{30}*(b^2*c*e^2 - a^ \\
& 2*c*f^2)^{(15/2)} - 2099520*a^2*b^{32}*c^7*e^{32}*f^2*(b^2*c*e^2 - a^2*c*f^2)^{(13 \\
& /2)} + 107014608*a^4*b^{30}*c^7*e^{30}*f^4*(b^2*c*e^2 - a^2*c*f^2)^{(13/2)} - 1848 \\
& 335616*a^6*b^{28}*c^7*e^{28}*f^6*(b^2*c*e^2 - a^2*c*f^2)^{(13/2)} + 15200005312*a \\
& ^8*b^{26}*c^7*e^{26}*f^8*(b^2*c*e^2 - a^2*c*f^2)^{(13/2)} - 72612273792*a^{10}*b^{24} \\
& *c^7*e^{24}*f^{10}*(b^2*c*e^2 - a^2*c*f^2)^{(13/2)} + 221855779968*a^{12}*b^{22}*c^7* \\
& e^{22}*f^{12}*(b^2*c*e^2 - a^2*c*f^2)^{(13/2)} - 450717857536*a^{14}*b^{20}*c^7*e^{20} \\
& f^{14}*(b^2*c*e^2 - a^2*c*f^2)^{(13/2)} + 600578910208*a^{16}*b^{18}*c^7*e^{18}*f^{16} \\
& (b^2*c*e^2 - a^2*c*f^2)^{(13/2)} - 459464530688*a^{18}*b^{16}*c^7*e^{16}*f^{18}*(b^2* \\
& c*e^2 - a^2*c*f^2)^{(13/2)} + 33638947840*a^{20}*b^{14}*c^7*e^{14}*f^{20}*(b^2*c*e^2 \\
& - a^2*c*f^2)^{(13/2)} + 376299926528*a^{22}*b^{12}*c^7*e^{12}*f^{22}*(b^2*c*e^2 - a^2 \\
& *c*f^2)^{(13/2)} - 488874068992*a^{24}*b^{10}*c^7*e^{10}*f^{24}*(b^2*c*e^2 - a^2*c*f^ \\
& 2)^{(13/2)} + 333407809536*a^{26}*b^8*c^7*e^8*f^{26}*(b^2*c*e^2 - a^2*c*f^2)^{(13/ \\
& 2)} - 134140313600*a^{28}*b^6*c^7*e^6*f^{28}*(b^2*c*e^2 - a^2*c*f^2)^{(13/2)} + 28 \\
& 220915712*a^{30}*b^4*c^7*e^4*f^{30}*(b^2*c*e^2 - a^2*c*f^2)^{(13/2)} - 1230503936 \\
& *a^{32}*b^2*c^7*e^2*f^{32}*(b^2*c*e^2 - a^2*c*f^2)^{(13/2)} + 3335904*a^2*b^{34}*c^ \\
& 8*e^{34}*f^2*(b^2*c*e^2 - a^2*c*f^2)^{(11/2)} - 290521728*a^4*b^{32}*c^8*e^{32}*f^4 \\
& *(b^2*c*e^2 - a^2*c*f^2)^{(11/2)} + 4865684544*a^6*b^{30}*c^8*e^{30}*f^6*(b^2*c*e \\
& ^2 - a^2*c*f^2)^{(11/2)} - 40437394528*a^8*b^{28}*c^8*e^{28}*f^8*(b^2*c*e^2 - a^2 \\
& *c*f^2)^{(11/2)} + 205602254656*a^{10}*b^{26}*c^8*e^{26}*f^{10}*(b^2*c*e^2 - a^2*c*f^ \\
& 2)^{(11/2)} - 703885344192*a^{12}*b^{24}*c^8*e^{24}*f^{12}*(b^2*c*e^2 - a^2*c*f^2)^{(1 \\
& 1/2)} + 1709253482624*a^{14}*b^{22}*c^8*e^{22}*f^{14}*(b^2*c*e^2 - a^2*c*f^2)^{(11/2)} \\
& - 3029282695168*a^{16}*b^{20}*c^8*e^{20}*f^{16}*(b^2*c*e^2 - a^2*c*f^2)^{(11/2)} + 3 \\
& 966230827520*a^{18}*b^{18}*c^8*e^{18}*f^{18}*(b^2*c*e^2 - a^2*c*f^2)^{(11/2)} - 38223 \\
& 39813632*a^{20}*b^{16}*c^8*e^{16}*f^{20}*(b^2*c*e^2 - a^2*c*f^2)^{(11/2)} + 264043805 \\
& 6960*a^{22}*b^{14}*c^8*e^{14}*f^{22}*(b^2*c*e^2 - a^2*c*f^2)^{(11/2)} - 1208501415936 \\
& *a^{24}*b^{12}*c^8*e^{12}*f^{24}*(b^2*c*e^2 - a^2*c*f^2)^{(11/2)} + 269338092544*a^{26} \\
& *b^{10}*c^8*e^{10}*f^{26}*(b^2*c*e^2 - a^2*c*f^2)^{(11/2)} + 53783212032*a^{28}*b^8*c \\
& ^8*e^8*f^{28}*(b^2*c*e^2 - a^2*c*f^2)^{(11/2)} - 60985360384*a^{30}*b^6*c^8*e^6*f \\
& ^30*(b^2*c*e^2 - a^2*c*f^2)^{(11/2)} + 17917083648*a^{32}*b^4*c^8*e^4*f^{32}*(b^2
\end{aligned}$$

$$\begin{aligned}
& *c^2 - a^2 * c^2)^{(11/2)} - 1558708224 * a^{34} * b^2 * c^8 * e^2 * f^{34} * (b^2 * c^2 - a^2 * c^2)^{(11/2)} + 11917692 * a^2 * b^{36} * c^9 * e^{36} * f^2 * (b^2 * c^2 - a^2 * c^2)^{(9/2)} \\
& + 224907516 * a^4 * b^{34} * c^9 * e^{34} * f^4 * (b^2 * c^2 - a^2 * c^2)^{(9/2)} - 5303932560 * a^6 * b^{32} * c^9 * e^{32} * f^6 * (b^2 * c^2 - a^2 * c^2)^{(9/2)} + 48206418480 * a^8 * b^{30} * c^9 * e^{30} * f^8 * (b^2 * c^2 - a^2 * c^2)^{(9/2)} \\
& - 261450609120 * a^{10} * b^{28} * c^9 * e^{28} * f^{10} * (b^2 * c^2 - a^2 * c^2)^{(9/2)} + 962361040256 * a^{12} * b^{26} * c^9 * e^{26} * f^{12} * (b^2 * c^2 - a^2 * c^2)^{(9/2)} \\
& - 2558559358080 * a^{14} * b^{24} * c^9 * e^{24} * f^{14} * (b^2 * c^2 - a^2 * c^2)^{(9/2)} + 5091804150656 * a^{16} * b^{22} * c^9 * e^{22} * f^{16} * (b^2 * c^2 - a^2 * c^2)^{(9/2)} \\
& - 7750806514944 * a^{18} * b^{20} * c^9 * e^{20} * f^{18} * (b^2 * c^2 - a^2 * c^2)^{(9/2)} + 9137207485952 * a^{20} * b^{18} * c^9 * e^{18} * f^{20} * (b^2 * c^2 - a^2 * c^2)^{(9/2)} \\
& - 8384563280128 * a^{22} * b^{16} * c^9 * e^{16} * f^{22} * (b^2 * c^2 - a^2 * c^2)^{(9/2)} + 5975281259520 * a^{24} * b^{14} * c^9 * e^{14} * f^{24} * (b^2 * c^2 - a^2 * c^2)^{(9/2)} \\
& - 3269297268736 * a^{26} * b^{12} * c^9 * e^{12} * f^{26} * (b^2 * c^2 - a^2 * c^2)^{(9/2)} + 1339171540992 * a^{28} * b^{10} * c^9 * e^{10} * f^{28} * (b^2 * c^2 - a^2 * c^2)^{(9/2)} \\
& - 391250194432 * a^{30} * b^8 * c^9 * e^8 * f^{30} * (b^2 * c^2 - a^2 * c^2)^{(9/2)} + 74114154496 * a^{32} * b^6 * c^9 * e^6 * f^{32} * (b^2 * c^2 - a^2 * c^2)^{(9/2)} \\
& - 7299203072 * a^{34} * b^4 * c^9 * e^4 * f^{34} * (b^2 * c^2 - a^2 * c^2)^{(9/2)} + 148635648 * a^{36} * b^2 * c^9 * e^2 * f^{36} * (b^2 * c^2 - a^2 * c^2)^{(9/2)} \\
& - 38704068 * a^2 * b^{38} * c^{10} * e^{38} * f^2 * (b^2 * c^2 - a^2 * c^2)^{(7/2)} + 188845992 * a^4 * b^{36} * c^{10} * e^{36} * f^4 * (b^2 * c^2 - a^2 * c^2)^{(7/2)} \\
& + 1157124204 * a^6 * b^{34} * c^{10} * e^{34} * f^6 * (b^2 * c^2 - a^2 * c^2)^{(7/2)} - 20586361424 * a^8 * b^{32} * c^{10} * e^{32} * f^8 * (b^2 * c^2 - a^2 * c^2)^{(7/2)} \\
& + 135395499200 * a^{10} * b^{30} * c^{10} * e^{30} * f^{10} * (b^2 * c^2 - a^2 * c^2)^{(7/2)} - 555513858464 * a^{12} * b^{28} * c^{10} * e^{28} * f^{12} * (b^2 * c^2 - a^2 * c^2)^{(7/2)} \\
& + 1608776388864 * a^{14} * b^{26} * c^{10} * e^{26} * f^{14} * (b^2 * c^2 - a^2 * c^2)^{(7/2)} - 3473989271488 * a^{16} * b^{24} * c^{10} * e^{24} * f^{16} * (b^2 * c^2 - a^2 * c^2)^{(7/2)} \\
& + 5766181411456 * a^{18} * b^{22} * c^{10} * e^{22} * f^{18} * (b^2 * c^2 - a^2 * c^2)^{(7/2)} - 7493983209472 * a^{20} * b^{20} * c^{10} * e^{20} * f^{20} * (b^2 * c^2 - a^2 * c^2)^{(7/2)} \\
& + 7713917084672 * a^{22} * b^{18} * c^{10} * e^{18} * f^{22} * (b^2 * c^2 - a^2 * c^2)^{(7/2)} - 6328467293184 * a^{24} * b^{16} * c^{10} * e^{16} * f^{24} * (b^2 * c^2 - a^2 * c^2)^{(7/2)} \\
& + 4142950034432 * a^{26} * b^{14} * c^{10} * e^{14} * f^{26} * (b^2 * c^2 - a^2 * c^2)^{(7/2)} - 2152681536512 * a^{28} * b^{12} * c^{10} * e^{12} * f^{28} * (b^2 * c^2 - a^2 * c^2)^{(7/2)} \\
& + 874199511040 * a^{30} * b^{10} * c^{10} * e^{10} * f^{30} * (b^2 * c^2 - a^2 * c^2)^{(7/2)} - 268759150592 * a^{32} * b^8 * c^{10} * e^8 * f^{32} * (b^2 * c^2 - a^2 * c^2)^{(7/2)} \\
& + 58872545280 * a^{34} * b^6 * c^{10} * e^6 * f^{34} * (b^2 * c^2 - a^2 * c^2)^{(7/2)} - 8151957504 * a^{36} * b^4 * c^{10} * e^4 * f^{36} * (b^2 * c^2 - a^2 * c^2)^{(7/2)} \\
& + 530841600 * a^{38} * b^2 * c^{10} * e^2 * f^{38} * (b^2 * c^2 - a^2 * c^2)^{(7/2)} + 42743457 * a^2 * b^{40} * c^{11} * e^{40} * f^2 * (b^2 * c^2 - a^2 * c^2)^{(5/2)} \\
& - 411055884 * a^4 * b^38 * c^{11} * e^{38} * f^4 * (b^2 * c^2 - a^2 * c^2)^{(5/2)} + 2180887236 * a^6 * b^{36} * c^{11} * e^{36} * f^6 * (b^2 * c^2 - a^2 * c^2)^{(5/2)} \\
& - 6404946508 * a^8 * b^{34} * c^{11} * e^{34} * f^8 * (b^2 * c^2 - a^2 * c^2)^{(5/2)} + 5434005264 * a^{10} * b^{32} * c^{11} * e^{32} * f^{10} * (b^2 * c^2 - a^2 * c^2)^{(5/2)} \\
& + 38868373520 * a^{12} * b^{30} * c^{11} * e^{30} * f^{12} * (b^2 * c^2 - a^2 * c^2)^{(5/2)} - 208447613600 * a^{14} * b^{28} * c^{11} * e^{28} * f^{14} * (b^2 * c^2 - a^2 * c^2)^{(5/2)} \\
& + 579674999104 * a^{16} * b^{26} * c^{11} * e^{26} * f^{16} * (b^2 * c^2 - a^2 * c^2)^{(5/2)} - 1104967566592 * a^{18} * b^{24} * c^{11} * e^{24} * f^{18} * (b^2 * c^2 - a^2 * c^2)^{(5/2)} \\
& + 1554566531328 * a^{20} * b^{22} * c^{11} * e^{22} * f^{20} * (b^2 * c^2 - a^2 * c^2)^{(5/2)} - 1659734381312 * a^{22} * b^{20} * c^{11} * e^{20} * f^{22} * (b^2 * c^2 - a^2 * c^2)^{(5/2)} + 13563
\end{aligned}$$

$$\begin{aligned}
& 61512192*a^{24}*b^{18}*c^{11}*e^{18}*f^{24}*(b^2*c*e^2 - a^2*c*f^2)^{(5/2)} - 845331359 \\
& 744*a^{26}*b^{16}*c^{11}*e^{16}*f^{26}*(b^2*c*e^2 - a^2*c*f^2)^{(5/2)} + 395676895232*a \\
& ^{28}*b^{14}*c^{11}*e^{14}*f^{28}*(b^2*c*e^2 - a^2*c*f^2)^{(5/2)} - 134902689792*a^{30}*b \\
& ^{12}*c^{11}*e^{12}*f^{30}*(b^2*c*e^2 - a^2*c*f^2)^{(5/2)} + 31670587392*a^{32}*b^{10}*c^{11} \\
& *e^{10}*f^{32}*(b^2*c*e^2 - a^2*c*f^2)^{(5/2)} - 4584669184*a^{34}*b^8*c^{11}*e^8*f \\
& ^{34}*(b^2*c*e^2 - a^2*c*f^2)^{(5/2)} + 309657600*a^{36}*b^6*c^{11}*e^6*f^{36}*(b^2*c \\
& *e^2 - a^2*c*f^2)^{(5/2)} - 21130794*a^{2}*b^{42}*c^{12}*e^{42}*f^{42}*(b^2*c*e^2 - a^2*c \\
& *f^2)^{(3/2)} + 234399015*a^4*b^{40}*c^{12}*e^{40}*f^{40}*(b^2*c*e^2 - a^2*c*f^2)^{(3/2)} \\
& - 1604168280*a^6*b^{38}*c^{12}*e^{38}*f^{38}*(b^2*c*e^2 - a^2*c*f^2)^{(3/2)} + 7579 \\
& 098492*a^8*b^{36}*c^{12}*e^{36}*f^{36}*(b^2*c*e^2 - a^2*c*f^2)^{(3/2)} - 26212380172*a \\
& ^{10}*b^{34}*c^{12}*e^{34}*f^{34}*(b^2*c*e^2 - a^2*c*f^2)^{(3/2)} + 68672994096*a^{12}*b^{32} \\
& *c^{12}*e^{32}*f^{32}*(b^2*c*e^2 - a^2*c*f^2)^{(3/2)} - 139160589504*a^{14}*b^{30}*c^{12} \\
& *e^{30}*f^{30}*(b^2*c*e^2 - a^2*c*f^2)^{(3/2)} + 220859191808*a^{16}*b^{28}*c^{12}*e^{28} \\
& *f^{28}*(b^2*c*e^2 - a^2*c*f^2)^{(3/2)} - 276344315328*a^{18}*b^{26}*c^{12}*e^{26}*f^{26} \\
& *(b^2*c*e^2 - a^2*c*f^2)^{(3/2)} + 273130561984*a^{20}*b^{24}*c^{12}*e^{24}*f^{24}*(b^2*c \\
& *e^2 - a^2*c*f^2)^{(3/2)} - 212730002688*a^{22}*b^{22}*c^{12}*e^{22}*f^{22}*(b^2*c* \\
& e^2 - a^2*c*f^2)^{(3/2)} + 129574234368*a^{24}*b^{20}*c^{12}*e^{20}*f^{20}*(b^2*c*e^2 - \\
& a^2*c*f^2)^{(3/2)} - 60770569216*a^{26}*b^{18}*c^{12}*e^{18}*f^{18}*(b^2*c*e^2 - a^2*c \\
& *f^2)^{(3/2)} + 21304706048*a^{28}*b^{16}*c^{12}*e^{16}*f^{16}*(b^2*c*e^2 - a^2*c*f^2)^{(3/2)} \\
& - 5272965120*a^{30}*b^{14}*c^{12}*e^{14}*f^{14}*(b^2*c*e^2 - a^2*c*f^2)^{(3/2)} + \\
& 819441664*a^{32}*b^{12}*c^{12}*e^{12}*f^{12}*(b^2*c*e^2 - a^2*c*f^2)^{(3/2)} - 5939200 \\
& 0*a^{34}*b^{10}*c^{12}*e^{10}*f^{10}*(b^2*c*e^2 - a^2*c*f^2)^{(3/2)} + 3937329*a^{2}*b^{44} \\
& *c^{13}*e^{44}*f^{44}*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)} - 43893819*a^4*b^{42}*c^{13}*e^{42} \\
& *f^{42}*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)} + 301507155*a^6*b^{40}*c^{13}*e^{40}*f^{40}*(b^2*c \\
& *e^2 - a^2*c*f^2)^{(1/2)} - 1427514656*a^8*b^{38}*c^{13}*e^{38}*f^{38}*(b^2*c*e^2 - a^2 \\
& *c*f^2)^{(1/2)} + 4936911112*a^{10}*b^{36}*c^{13}*e^{36}*f^{36}*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)} \\
&)^{(1/2)} - 12893273616*a^{12}*b^{34}*c^{13}*e^{34}*f^{34}*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)} \\
&) + 25921630432*a^{14}*b^{32}*c^{13}*e^{32}*f^{32}*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)} - 40 \\
& 519286096*a^{16}*b^{30}*c^{13}*e^{30}*f^{30}*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)} + 49376608 \\
& 256*a^{18}*b^{28}*c^{13}*e^{28}*f^{28}*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)} - 46721401856*a^{20} \\
& *b^{26}*c^{13}*e^{26}*f^{26}*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)} + 33946324736*a^{22}*b^{24} \\
& *c^{13}*e^{24}*f^{24}*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)} - 18556579328*a^{24}*b^{22}*c^{13} \\
& *e^{22}*f^{22}*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)} + 7375276032*a^{26}*b^{20}*c^{13}*e^{20}*f^{20} \\
& ^{26}*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)} - 2009817088*a^{28}*b^{18}*c^{13}*e^{18}*f^{18}*(b^2 \\
& *c*e^2 - a^2*c*f^2)^{(1/2)} + 335642624*a^{30}*b^{16}*c^{13}*e^{16}*f^{16}*(b^2*c*e^2 \\
& - a^2*c*f^2)^{(1/2)} - 25907200*a^{32}*b^{14}*c^{13}*e^{14}*f^{14}*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)} \\
&)^{(1/2)})/(16384*a^{(17/2)}*b^{19}*c*e^{19}*f^{15}*(a*c)^{(13/2)} - 2048*a^{(13/2)}*b \\
& ^{21}*c*e^{21}*f^{13}*(a*c)^{(13/2)} - 57344*a^{(21/2)}*b^{17}*c*e^{17}*f^{17}*(a*c)^{(13/2)} \\
& + 114688*a^{(25/2)}*b^{15}*c*e^{15}*f^{19}*(a*c)^{(13/2)} - 143360*a^{(29/2)}*b^{13}*c*e \\
& ^{13}*f^{21}*(a*c)^{(13/2)} + 114688*a^{(33/2)}*b^{11}*c*e^{11}*f^{23}*(a*c)^{(13/2)} - 573 \\
& 44*a^{(37/2)}*b^9*c*e^9*f^{25}*(a*c)^{(13/2)} + 16384*a^{(41/2)}*b^7*c*e^7*f^{27}*(a \\
& c)^{(13/2)} - 2048*a^{(45/2)}*b^5*c*e^5*f^{29}*(a*c)^{(13/2)} + 486*a^{(3/2)}*b^{31}*c^6 \\
& *e^{31}*f^3*(a*c)^{(3/2)} - 3240*a^{(5/2)}*b^{29}*c^5*e^{29}*f^5*(a*c)^{(5/2)} + 8640* \\
& a^{(7/2)}*b^{27}*c^4*e^{27}*f^7*(a*c)^{(7/2)} - 2592*a^{(7/2)}*b^{29}*c^6*e^{29}*f^5*(a*c \\
&)^{(3/2)} - 11520*a^{(9/2)}*b^{25}*c^3*e^{25}*f^9*(a*c)^{(9/2)} + 19008*a^{(9/2)}*b^{27}*
\end{aligned}$$

$$\begin{aligned}
& c^5 e^{27} f^7 (a*c)^{(5/2)} + 7680 a^{(11/2)} b^{23} c^2 e^{23} f^{11} (a*c)^{(11/2)} - \\
& 55296 a^{(11/2)} b^{25} c^4 e^{25} f^9 (a*c)^{(7/2)} + 5184 a^{(11/2)} b^{27} c^6 e^{27} f^7 (a*c)^{(3/2)} + 79872 a^{(13/2)} b^{23} c^3 e^{23} f^{11} (a*c)^{(9/2)} - 44064 a^{(13/2)} b^{25} c^5 e^{25} f^9 (a*c)^{(5/2)} - 57344 a^{(15/2)} b^{21} c^2 e^{21} f^{13} (a*c)^{(11/2)} + 145152 a^{(15/2)} b^{23} c^4 e^{23} f^{11} (a*c)^{(7/2)} - 4608 a^{(15/2)} b^{25} c^6 e^{25} f^9 (a*c)^{(3/2)} - 233472 a^{(17/2)} b^{21} c^3 e^{21} f^{13} (a*c)^{(9/2)} + 50304 a^{(17/2)} b^{23} c^5 e^{23} f^{11} (a*c)^{(5/2)} + 184320 a^{(19/2)} b^{19} c^2 e^{19} f^{15} (a*c)^{(11/2)} - 199424 a^{(19/2)} b^{21} c^4 e^{21} f^{13} (a*c)^{(7/2)} + 1536 a^{(19/2)} b^{23} c^6 e^{23} f^{11} (a*c)^{(3/2)} + 371712 a^{(21/2)} b^{19} c^3 e^{19} f^{15} (a*c)^{(9/2)} - 28160 a^{(21/2)} b^{21} c^5 e^{21} f^{13} (a*c)^{(5/2)} - 331776 a^{(23/2)} b^{17} c^2 e^{17} f^{17} (a*c)^{(11/2)} + 150592 a^{(23/2)} b^{19} c^4 e^{19} f^{15} (a*c)^{(7/2)} - 346368 a^{(25/2)} b^{17} c^3 e^{17} f^{17} (a*c)^{(9/2)} + 6144 a^{(25/2)} b^{19} c^5 e^{19} f^{15} (a*c)^{(5/2)} + 363520 a^{(27/2)} b^{15} c^2 e^{15} f^{19} (a*c)^{(11/2)} - 58880 a^{(27/2)} b^{17} c^4 e^{17} f^{17} (a*c)^{(7/2)} + 187392 a^{(29/2)} b^{15} c^3 e^{15} f^{19} (a*c)^{(9/2)} - 245760 a^{(31/2)} b^{13} c^2 e^{13} f^{21} (a*c)^{(11/2)} + 9216 a^{(31/2)} b^{15} c^4 e^{15} f^{19} (a*c)^{(7/2)} - 53760 a^{(33/2)} b^{13} c^3 e^{13} f^{21} (a*c)^{(9/2)} + 98304 a^{(35/2)} b^{11} c^2 e^{11} f^{23} (a*c)^{(11/2)} + 6144 a^{(37/2)} b^{11} c^3 e^{11} f^{23} (a*c)^{(9/2)} - 20480 a^{(39/2)} b^9 c^2 e^9 f^{25} (a*c)^{(11/2)} + 1536 a^{(43/2)} b^7 c^2 e^7 f^{27} (a*c)^{(11/2)})) / (f^2 * (a*f + b*e) * (a*f - b*e) * (b^2 * c * e^2 - a^2 * c * f^2)^(1/2))
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x**2+B*x+A)/(f*x+e)**2/(b*x+a)**(1/2)/(-b*c*x+a*c)**(1/2),x)

[Out] Timed out

$$3.33 \quad \int \frac{A+Bx+Cx^2}{\sqrt{a+bx} \sqrt{ac-bcx} (e+fx)^3} dx$$

Optimal. Leaf size=363

$$\frac{(a^2 - b^2x^2)(2a^2f^2(2Ce - Bf) - b^2e(f(Be - 3Af) + Ce^2))}{2f\sqrt{a+bx}(e+fx)\sqrt{ac-bcx}(b^2e^2 - a^2f^2)^2} + \frac{f(a^2 - b^2x^2)\left(A + \frac{e(Ce-Bf)}{f^2}\right)}{2\sqrt{a+bx}(e+fx)^2\sqrt{ac-bcx}(b^2e^2 - a^2f^2)} + \frac{\sqrt{a^2c}}{\dots}$$

[Out] $1/2*f*(A+e*(-B*f+C*e)/f^2)*(-b^2*x^2+a^2)/(-a^2*f^2+b^2*e^2)/(f*x+e)^2/(b*x+a)^{(1/2)}/(-b*c*x+a*c)^{(1/2)}+1/2*(2*a^2*f^2*(-B*f+2*C*e)-b^2*e*(C*e^2+f*(-3*A*f+B*e)))*(-b^2*x^2+a^2)/f/(-a^2*f^2+b^2*e^2)^2/(f*x+e)/(b*x+a)^{(1/2)}/(-b*c*x+a*c)^{(1/2)}+1/2*(A*(a^2*b^2*f^2+2*b^4*e^2)+a^2*(2*a^2*C*f^2+b^2*e*(-3*B*f+C*e)))*\arctan((b^2*e*x+a^2*f)*c^{(1/2)}/(-a^2*f^2+b^2*e^2)^{(1/2)}/(-b^2*c*x^2+a^2*c)^{(1/2)})*(-b^2*c*x^2+a^2*c)^{(1/2)}/(-a^2*f^2+b^2*e^2)^{(5/2)}/c^{(1/2)}/(b*x+a)^{(1/2)}/(-b*c*x+a*c)^{(1/2)}$

Rubi [A] time = 0.59, antiderivative size = 361, normalized size of antiderivative = 0.99, number of steps used = 5, number of rules used = 5, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {1610, 1651, 807, 725, 204}

$$\frac{(a^2 - b^2x^2)(2a^2f^2(2Ce - Bf) - b^2(e f(Be - 3Af) + Ce^3))}{2f\sqrt{a+bx}(e+fx)\sqrt{ac-bcx}(b^2e^2 - a^2f^2)^2} + \frac{f(a^2 - b^2x^2)\left(A + \frac{e(Ce-Bf)}{f^2}\right)}{2\sqrt{a+bx}(e+fx)^2\sqrt{ac-bcx}(b^2e^2 - a^2f^2)} + \frac{\sqrt{a^2c}}{\dots}$$

Antiderivative was successfully verified.

[In] Int[(A + B*x + C*x^2)/(Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)^3), x]

[Out] $(f*(A + (e*(C*e - B*f))/f^2)*(a^2 - b^2*x^2))/(2*(b^2*e^2 - a^2*f^2)*\text{Sqrt}[a + b*x]*\text{Sqrt}[a*c - b*c*x]*(e + f*x)^2) + ((2*a^2*f^2*(2*C*e - B*f) - b^2*(C*e^3 + e*f*(B*e - 3*A*f)))*(a^2 - b^2*x^2))/(2*f*(b^2*e^2 - a^2*f^2)^2*\text{Sqrt}[a + b*x]*\text{Sqrt}[a*c - b*c*x]*(e + f*x)) + ((2*a^4*C*f^2 + a^2*b^2*e*(C*e - 3*B*f) + A*(2*b^4*e^2 + a^2*b^2*f^2))*\text{Sqrt}[a^2*c - b^2*c*x^2]*\text{ArcTan}[(\text{Sqrt}[c]*(a^2*f + b^2*e*x))/(\text{Sqrt}[b^2*e^2 - a^2*f^2]*\text{Sqrt}[a^2*c - b^2*c*x^2])])/(2*\text{Sqrt}[c]*(b^2*e^2 - a^2*f^2)^{(5/2)}*\text{Sqrt}[a + b*x]*\text{Sqrt}[a*c - b*c*x])$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :- Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 725

```
Int[1/(((d_) + (e_)*(x_))*Sqrt[(a_) + (c_)*(x_)^2]), x_Symbol] :> -Subst[
Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ
[{a, c, d, e}, x]
```

Rule 807

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] :> -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))
/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), In
t[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}
, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

Rule 1610

```
Int[(Px_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_
)*(x_))^(p_), x_Symbol] :> Dist[((a + b*x)^FracPart[m]*(c + d*x)^FracPart[
m])/(a*c + b*d*x^2)^FracPart[m], Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x],
x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*
d, 0] && EqQ[m, n] && !IntegerQ[m]
```

Rule 1651

```
Int[(Pq_)*((d_) + (e_)*(x_))^(m_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :>
With[{Q = PolynomialQuotient[Pq, d + e*x, x], R = PolynomialRemainder[Pq,
d + e*x, x]}, Simp[(e*R*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/((m + 1)*(c*
d^2 + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 1)
*(a + c*x^2)^p*ExpandToSum[(m + 1)*(c*d^2 + a*e^2)*Q + c*d*R*(m + 1) - c*e*
R*(m + 2*p + 3)*x, x], x]] /; FreeQ[{a, c, d, e, p}, x] && PolyQ[Pq, x]
&& NeQ[c*d^2 + a*e^2, 0] && LtQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + Bx + Cx^2}{\sqrt{a + bx} \sqrt{ac - bcx} (e + fx)^3} dx &= \frac{\sqrt{a^2c - b^2cx^2} \int \frac{A+Bx+Cx^2}{(e+fx)^3 \sqrt{a^2c - b^2cx^2}} dx}{\sqrt{a + bx} \sqrt{ac - bcx}} \\
&= \frac{f \left(A + \frac{e(Ce - Bf)}{f^2} \right) (a^2 - b^2x^2)}{2 (b^2e^2 - a^2f^2) \sqrt{a + bx} \sqrt{ac - bcx} (e + fx)^2} + \frac{\sqrt{a^2c - b^2cx^2} \int \frac{2c(Ab^2e + a^2)}{2c(b^2e^2 - a^2f^2)} dx}{2c(b^2e^2 - a^2f^2)} \\
&= \frac{f \left(A + \frac{e(Ce - Bf)}{f^2} \right) (a^2 - b^2x^2)}{2 (b^2e^2 - a^2f^2) \sqrt{a + bx} \sqrt{ac - bcx} (e + fx)^2} + \frac{(2a^2f^2(2Ce - Bf) - b^2(Ce - Bf)) \sqrt{a^2c - b^2cx^2}}{2f(b^2e^2 - a^2f^2)^2 \sqrt{a + bx} \sqrt{ac - bcx}} \\
&= \frac{f \left(A + \frac{e(Ce - Bf)}{f^2} \right) (a^2 - b^2x^2)}{2 (b^2e^2 - a^2f^2) \sqrt{a + bx} \sqrt{ac - bcx} (e + fx)^2} + \frac{(2a^2f^2(2Ce - Bf) - b^2(Ce - Bf)) \sqrt{a^2c - b^2cx^2}}{2f(b^2e^2 - a^2f^2)^2 \sqrt{a + bx} \sqrt{ac - bcx}} \\
&= \frac{f \left(A + \frac{e(Ce - Bf)}{f^2} \right) (a^2 - b^2x^2)}{2 (b^2e^2 - a^2f^2) \sqrt{a + bx} \sqrt{ac - bcx} (e + fx)^2} + \frac{(2a^2f^2(2Ce - Bf) - b^2(Ce - Bf)) \sqrt{a^2c - b^2cx^2}}{2f(b^2e^2 - a^2f^2)^2 \sqrt{a + bx} \sqrt{ac - bcx}}
\end{aligned}$$

Mathematica [A] time = 1.31, size = 492, normalized size = 1.36

$$\frac{b^2 \sqrt{a-bx} (f(Af - Be) + Ce^2) \left(2(e+fx)(a^2f^2 + 2b^2e^2) \tanh^{-1} \left(\frac{\sqrt{a-bx} \sqrt{be-af}}{\sqrt{a+bx} \sqrt{-af-be}} \right) + 3ef \sqrt{a-bx} \sqrt{a+bx} \sqrt{-af-be} \sqrt{be-af} \right)}{(e+fx)(-af-be)^{5/2} (be-af)^{5/2}} + \frac{2f(bx-a) \sqrt{a+bx} (Bf - 2Ce)}{(e+fx)(a^2f^2 - b^2e^2)} + \frac{2f^2 \sqrt{c(a-bx)}}{2f^2 \sqrt{c(a-bx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*x + C*x^2)/(Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)^3), x]

[Out] ((f*(C*e^2 + f*(-(B*e) + A*f))*(-a + b*x)*Sqrt[a + b*x])/((- (b*e) + a*f)*(b*e + a*f)*(e + f*x)^2) + (2*f*(-2*C*e + B*f)*(-a + b*x)*Sqrt[a + b*x])/((- (b^2*e^2) + a^2*f^2)*(e + f*x)) + (4*C*Sqrt[a - b*x]*ArcTanh[(Sqrt[b*e - a*f]*Sqrt[a - b*x])/(Sqrt[-(b*e) - a*f]*Sqrt[a + b*x])])/(Sqrt[-(b*e) - a*f]*Sqrt[b*e - a*f]) + (4*b^2*e*(2*C*e - B*f)*Sqrt[a - b*x]*ArcTanh[(Sqrt[b*e - a*f]*Sqrt[a - b*x])/(Sqrt[-(b*e) - a*f]*Sqrt[a + b*x])])/(Sqrt[-(b*e) - a*f]^3/2*(b*e - a*f)^3/2) + (b^2*(C*e^2 + f*(-(B*e) + A*f))*Sqrt[a - b*x]*(3*e*f*Sqrt[-(b*e) - a*f]*Sqrt[b*e - a*f]*Sqrt[a - b*x]*Sqrt[a + b*x] + 2*(2*b^2*e^2 + a^2*f^2)*(e + f*x)*ArcTanh[(Sqrt[b*e - a*f]*Sqrt[a - b*x])/(Sqrt[-(b*e) - a*f]*Sqrt[a + b*x])])/(Sqrt[-(b*e) - a*f]^5/2*(b*e - a*f)^5/2*(e + f*x)))/(2*f^2*Sqrt[c*(a - b*x)])

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(f*x+e)^3/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x, algorithm="fricas")
```

[Out] Timed out

giac [B] time = 9.49, size = 1658, normalized size = 4.57

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(f*x+e)^3/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x, algorithm="giac")
```

```
[Out] -(2*C*a^4*sqrt(-c)*c^2*f^2 + A*a^2*b^2*sqrt(-c)*c^2*f^2 - 3*B*a^2*b^2*sqrt(-c)*c^2*f*e + C*a^2*b^2*sqrt(-c)*c^2*e^2 + 2*A*b^4*sqrt(-c)*c^2*e^2)*arctan(1/2*(2*b*c^2*e + (sqrt(-b*c*x + a*c))*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^2*f)/(sqrt(a^2*f^2 - b^2*e^2)*c^2)/((a^4*f^4*abs(c) - 2*a^2*b^2*f^2*abs(c)*e^2 + b^4*abs(c)*e^4)*sqrt(a^2*f^2 - b^2*e^2)*c^2) + 2*(16*B*a^6*b*sqrt(-c)*c^8*f^5 - 32*C*a^6*b*sqrt(-c)*c^8*f^4*e - 24*A*a^4*b^3*sqrt(-c)*c^8*f^4*e + 4*A*a^4*b^2*(sqrt(-b*c*x + a*c))*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^2*sqrt(-c)*c^6*f^5 + 8*B*a^4*b^3*sqrt(-c)*c^8*f^3*e^2 + 20*B*a^4*b^2*(sqrt(-b*c*x + a*c))*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^2*sqrt(-c)*c^6*f^4*e + 4*B*a^4*b*(sqrt(-b*c*x + a*c))*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^4*sqrt(-c)*c^4*f^5 + 8*C*a^4*b^3*sqrt(-c)*c^8*f^2*e^3 - 44*C*a^4*b^2*(sqrt(-b*c*x + a*c))*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^2*sqrt(-c)*c^6*f^3*e^2 - 40*A*a^2*b^4*(sqrt(-b*c*x + a*c))*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^2*sqrt(-c)*c^6*f^3*e^2 - 8*C*a^4*b*(sqrt(-b*c*x + a*c))*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^4*sqrt(-c)*c^4*f^4*e - 6*A*a^2*b^3*(sqrt(-b*c*x + a*c))*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^4*sqrt(-c)*c^4*f^4*e - A*a^2*b^2*(sqrt(-b*c*x + a*c))*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^6*sqrt(-c)*c^2*f^5 + 16*B*a^2*b^4*(sqrt(-b*c*x + a*c))*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^2*sqrt(-c)*c^6*f^2*e^3 + 10*B*a^2*b^3*(sqrt(-b*c*x + a*c))*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^4*sqrt(-c)*c^4*f^3*e^2 + 3*B*a^2*b^2*(sqrt(-b*c*x + a*c))*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^6*sqrt(-c)*c^2*f^4*e + 8*C*a^2*b^4*(sqrt(-b*c*x + a*c))*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^2*sqrt(-c)*c^6*f*e^4 - 14*C*a^2*b^3*(sqrt(-b*c*x + a*c))*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^4*sqrt(-c)*c^4*f^2*e^3 - 12*A*b^5*(sqrt(-b*c*x + a*c))*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^4*sqrt(-c)*c^4*f^2*e^3 - 5*C*a^2*b^2*(sqrt(-b*c*x + a*c))
```

```
*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^6*sqrt(-c)*c^2*f^3*e^2 - 2*A*b
^4*(sqrt(-b*c*x + a*c)*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^6*sqrt(-
c)*c^2*f^3*e^2 + 4*B*b^5*(sqrt(-b*c*x + a*c)*sqrt(-c) - sqrt(2*a*c^2 + (b*c
*x - a*c)*c))^4*sqrt(-c)*c^4*f*e^4 + 4*C*b^5*(sqrt(-b*c*x + a*c)*sqrt(-c) -
sqrt(2*a*c^2 + (b*c*x - a*c)*c))^4*sqrt(-c)*c^4*e^5 + 2*C*b^4*(sqrt(-b*c*x
+ a*c)*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^6*sqrt(-c)*c^2*f*e^4)/(
(a^4*f^6*abs(c) - 2*a^2*b^2*f^4*abs(c)*e^2 + b^4*f^2*abs(c)*e^4)*(4*a^2*c^4
*f + 4*b*(sqrt(-b*c*x + a*c)*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^2*
c^2*e + (sqrt(-b*c*x + a*c)*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^4*f
)^2)
```

maple [B] time = 0.00, size = 1848, normalized size = 5.09

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((C*x^2+B*x+A)/(f*x+e)^3/(b*x+a)^{(1/2)/(-b*c*x+a*c)^{(1/2)}, x)$

[Out]
$$-1/2*(A*a^2*b^2*c*f^4*x^2*\ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*f)/(f*x+e))+2*A*b^4*c*e^2*f^2*x^2*\ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*f)/(f*x+e))-3*B*a^2*b^2*c*e*f^3*x^2*\ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*f)/(f*x+e))+2*C*a^4*c*f^4*x^2*\ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*f)/(f*x+e))+C*a^2*b^2*c*e^2*f^2*x^2*\ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*f)/(f*x+e))+2*A*a^2*b^2*c*e*f^3*x*\ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*f)/(f*x+e))+4*A*b^4*c*e^3*f*x*\ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*f)/(f*x+e))-6*B*a^2*b^2*c*e^2*f^2*x*\ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*f)/(f*x+e))+4*C*a^4*c*e*f^3*x*\ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*f)/(f*x+e))+2*C*a^2*b^2*c*e^3*f*x*\ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*f)/(f*x+e))+A*a^2*b^2*c*e^2*f^2*\ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*f)/(f*x+e))+2*A*b^4*c*e^4*\ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*f)/(f*x+e))-3*B*a^2*b^2*c*e^3*f*\ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*f)/(f*x+e))+2*C*a^4*c*e^2*f^2*\ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*f)/(f*x+e))+C*a^2*b^2*c*e^4*\ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*f)/(f*x+e))-3*((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*A*b^2*e*f^3*x+2*((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*B*b^2*e^2*f^2*x-4*((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*C*a^2*e*f^3*x+((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}*(-$$

$$(b^2*x^2-a^2)*c)^{(1/2)}*C*b^2*e^3*f*x+((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*A*a^2*f^4-4*((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*A*b^2*e^2*f^2+((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*B*a^2*e*f^3+2*((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*B*b^2*e^3*f-3*((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*C*a^2*e^2*f^2)*(-(b*x-a)*c)^{(1/2)}*(b*x+a)^{(1/2)}/(-(b^2*x^2-a^2)*c)^{(1/2)}/(a*f-b*e)/(a*f+b*e)/(a^2*f^2-b^2*e^2)/(f*x+e)^2/((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}/c/f$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)/(f*x+e)^3/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(a*f-b*e>0)', see `assume?` for more details)Is a*f-b*e positive, negative or zero?

mupad [B] time = 0.01, size = 9344, normalized size = 25.74

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*x + C*x^2)/((e + f*x)^3*(a*c - b*c*x)^(1/2)*(a + b*x)^(1/2)),x)

[Out] (((a*c - b*c*x)^(1/2) - (a*c)^(1/2))*(4*C*a^4*c^3*f^2 + 2*C*a^2*b^2*c^3*e^2))/(((a + b*x)^(1/2) - a^(1/2))*(b^5*e^5 - 2*a^2*b^3*e^3*f^2 + a^4*b*e*f^4)) + (((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^3*(68*C*a^4*c^2*f^2 - 14*C*a^2*b^2*c^2*e^2))/(((a + b*x)^(1/2) - a^(1/2))^3*(b^5*e^5 - 2*a^2*b^3*e^3*f^2 + a^4*b*e*f^4)) - ((68*C*a^4*c*f^2 - 14*C*a^2*b^2*c*e^2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^5)/(((a + b*x)^(1/2) - a^(1/2))^5*(b^5*e^5 - 2*a^2*b^3*e^3*f^2 + a^4*b*e*f^4)) - ((4*C*a^4*f^2 + 2*C*a^2*b^2*e^2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^7)/(((a + b*x)^(1/2) - a^(1/2))^7*(b^5*e^5 - 2*a^2*b^3*e^3*f^2 + a^4*b*e*f^4)) - (a^(1/2)*(a*c)^(1/2)*(48*C*a^4*c*f^3 - 24*C*a^2*b^2*c*e^2*f)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^4)/(((a + b*x)^(1/2) - a^(1/2))^4*(b^6*e^6 - 2*a^2*b^4*e^4*f^2 + a^4*b^2*e^2*f^4)) + (a^(1/2)*(a*c)^(1/2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^6*(24*C*a^4*f^3 + 12*C*a^2*b^2*e^2*f))/(((a + b*x)^(1/2) - a^(1/2))^6*(b^6*e^6 - 2*a^2*b^4*e^4*f^2 + a^4*b^2*e^2*f^4)) + (a^(1/2)*(a*c)^(1/2)*(24*C*a^4*c^2*f^3 + 12*C*a^2*b^2*c^2*e^2*f)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^2)/(((a + b*x)^(1/2) - a^(1/2))^2*(b^6*e^6 - 2*a^2*b^4*e^4*f^2 + a^4*b^2*e^2*f^4))/(((a*c - b*c*x)^(1/2) - (a*c)^(1/2))

$$\begin{aligned}
&))^{8/((a + b*x)^{(1/2)} - a^{(1/2)})^8 + c^4 + (((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^6*(16*a^2*c*f^2 + 4*b^2*c*e^2))/(b^2*e^2*((a + b*x)^{(1/2)} - a^{(1/2)})^6) \\
&+ (((16*a^2*c^3*f^2 + 4*b^2*c^3*e^2)*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2)/(b^2*e^2*((a + b*x)^{(1/2)} - a^{(1/2)})^2) - ((32*a^2*c^2*f^2 - 6*b^2*c^2*e^2)*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^4)/(b^2*e^2*((a + b*x)^{(1/2)} - a^{(1/2)})^4) - (8*a^{(1/2)}*f*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^7)/(b \\
&*e*((a + b*x)^{(1/2)} - a^{(1/2)})^7) + (8*a^{(1/2)}*c^3*f*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}))/((b*e*((a + b*x)^{(1/2)} - a^{(1/2)}))) - (8*a^{(1/2)}*c \\
&*f*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^5)/(b*e*((a + b*x)^{(1/2)} - a^{(1/2)})^5) + (8*a^{(1/2)}*c^2*f*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^3)/(b*e*((a + b*x)^{(1/2)} - a^{(1/2)})^3) + (((4*A*a^4*f^4 - 10*A*a^2* \\
&b^2*e^2*f^2)*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^7)/(((a + b*x)^{(1/2)} - a^{(1/2)})^7*(b^5*e^7 + a^4*b*e^3*f^4 - 2*a^2*b^3*e^5*f^2)) - ((4*A*a^4*c^3*f^4 - 10*A*a^2*b^2*c^3*e^2*f^2)*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}))/(((a + b*x) \\
&)^{(1/2)} - a^{(1/2)})*(b^5*e^7 + a^4*b*e^3*f^4 - 2*a^2*b^3*e^5*f^2)) - ((4*A*a^4*c^2*f^4 - 58*A*a^2*b^2*c^2*e^2*f^2)*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^3)/(((a + b*x)^{(1/2)} - a^{(1/2)})^3*(b^5*e^7 + a^4*b*e^3*f^4 - 2*a^2*b^3*e^5* \\
&f^2)) + (((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^5*(4*A*a^4*c*f^4 - 58*A*a^2*b^2*c*e^2*f^2))/(((a + b*x)^{(1/2)} - a^{(1/2)})^5*(b^5*e^7 + a^4*b*e^3*f^4 - 2*a^2*b^3*e^5*f^2)) + (a^{(1/2)}*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}) \\
&^6*(16*A*b^4*e^4*f - 8*A*a^4*f^5 + 28*A*a^2*b^2*e^2*f^3))/(((a + b*x)^{(1/2)} - a^{(1/2)})^6*(b^6*e^8 - 2*a^2*b^4*e^6*f^2 + a^4*b^2*e^4*f^4)) + (a^{(1/2)}*(\\
&a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^4*(16*A*a^4*c*f^5 + 32*A*b^4 \\
&*c*e^4*f - 72*A*a^2*b^2*c*e^2*f^3))/(((a + b*x)^{(1/2)} - a^{(1/2)})^4*(b^6*e^8 - 2*a^2*b^4*e^6*f^2 + a^4*b^2*e^4*f^4)) + (a^{(1/2)}*(a*c)^{(1/2)}*((a*c - b*c \\
&*x)^{(1/2)} - (a*c)^{(1/2)})^2*(16*A*b^4*c^2*e^4*f - 8*A*a^4*c^2*f^5 + 28*A*a^2 \\
&*b^2*c^2*e^2*f^3))/(((a + b*x)^{(1/2)} - a^{(1/2)})^2*(b^6*e^8 - 2*a^2*b^4*e^6* \\
&f^2 + a^4*b^2*e^4*f^4)))/(((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^8/((a + b*x)^{(1/2)} - a^{(1/2)})^8 + c^4 + (((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^6*(16*a^2*c \\
&*f^2 + 4*b^2*c*e^2))/(b^2*e^2*((a + b*x)^{(1/2)} - a^{(1/2)})^6) + ((16*a^2*c^3 \\
&*f^2 + 4*b^2*c^3*e^2)*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2)/(b^2*e^2*((a + \\
&b*x)^{(1/2)} - a^{(1/2)})^2) - ((32*a^2*c^2*f^2 - 6*b^2*c^2*e^2)*((a*c - b*c*x) \\
&)^{(1/2)} - (a*c)^{(1/2)})^4)/(b^2*e^2*((a + b*x)^{(1/2)} - a^{(1/2)})^4) - (8*a^{(1/2)}*f*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^7)/(b*e*((a + b*x)^{(1/2)} - a^{(1/2)})^7) + (8*a^{(1/2)}*c^3*f*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}))/((b*e*((a + b*x)^{(1/2)} - a^{(1/2)}))) - (8*a^{(1/2)}*c*f*(a*c)^{(1/2)}*(\\
&(a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^5)/(b*e*((a + b*x)^{(1/2)} - a^{(1/2)})^5) + \\
&(8*a^{(1/2)}*c^2*f*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^3)/(b*e*((a + b*x)^{(1/2)} - a^{(1/2)})^3) - (((32*B*a^4*c^2*f^3 + 22*B*a^2*b^2*c^2*e^2 \\
&*f)*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^3)/(((a + b*x)^{(1/2)} - a^{(1/2)})^3*(\\
&b^5*e^6 + a^4*b*e^2*f^4 - 2*a^2*b^3*e^4*f^2)) - ((32*B*a^4*c*f^3 + 22*B*a^2 \\
&*b^2*c*e^2*f)*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^5)/(((a + b*x)^{(1/2)} - a^{(1/2)})^5*(b^5*e^6 + a^4*b*e^2*f^4 - 2*a^2*b^3*e^4*f^2)) + (a^{(1/2)}*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2*(8*B*a^4*c^2*f^4 + 8*B*b^4*c^2*e^ \\
&4 + 20*B*a^2*b^2*c^2*e^2*f^2))/(((a + b*x)^{(1/2)} - a^{(1/2)})^2*(b^6*e^7 - 2*
\end{aligned}$$

$$\begin{aligned}
& a^2 b^4 e^5 f^2 + a^4 b^2 e^3 f^4) + (a^{(1/2)}(ac)^{(1/2)}((ac - b^2 x)^{(1/2)} - (ac)^{(1/2)})^6(8B^2 a^4 f^4 + 8B^2 b^4 e^4 + 20B^2 a^2 b^2 e^2 f^2))/ \\
& ((a + b^2 x)^{(1/2)} - a^{(1/2)})^6(b^6 e^7 - 2a^2 b^4 e^5 f^2 + a^4 b^2 e^3 f^4) - (a^{(1/2)}(ac)^{(1/2)}((ac - b^2 x)^{(1/2)} - (ac)^{(1/2)})^4(16B^2 a^4 c f^4 - \\
& 16B^2 b^4 c e^4 + 24B^2 a^2 b^2 c e^2 f^2))/(((a + b^2 x)^{(1/2)} - a^{(1/2)})^4(b^6 e^7 - 2a^2 b^4 e^5 f^2 + a^4 b^2 e^3 f^4)) - (6B^2 a^2 b^2 f((ac - b^2 x)^{(1/2)} - (ac)^{(1/2)})^7)/ \\
& (((a + b^2 x)^{(1/2)} - a^{(1/2)})^7(a^4 f^4 + b^4 e^4 - 2a^2 b^2 e^2 f^2)) + (6B^2 a^2 b^2 c^3 f((ac - b^2 x)^{(1/2)} - (ac)^{(1/2)}))/ \\
& (((a + b^2 x)^{(1/2)} - a^{(1/2)})^8((a^4 f^4 + b^4 e^4 - 2a^2 b^2 e^2 f^2)))/(((ac - b^2 x)^{(1/2)} - (ac)^{(1/2)})^8((a + b^2 x)^{(1/2)} - a^{(1/2)})^8 + c^4 + \\
& (((ac - b^2 x)^{(1/2)} - (ac)^{(1/2)})^6(16a^2 c f^2 + 4b^2 c e^2)))/(b^2 e^2((a + b^2 x)^{(1/2)} - a^{(1/2)})^6) + ((16a^2 c^3 f^2 + 4b^2 c^3 e^2)((ac - b^2 x)^{(1/2)} - (ac)^{(1/2)})^2)/ \\
& (b^2 e^2((a + b^2 x)^{(1/2)} - a^{(1/2)})^2) - ((32a^2 c^2 f^2 - 6b^2 c^2 e^2)((ac - b^2 x)^{(1/2)} - (ac)^{(1/2)})^4)/(b^2 e^2((a + b^2 x)^{(1/2)} - a^{(1/2)})^4) - (8a^{(1/2)} f(ac)^{(1/2)} \\
& ((ac - b^2 x)^{(1/2)} - (ac)^{(1/2)})^7)/(b^2 e^2((a + b^2 x)^{(1/2)} - a^{(1/2)})^7) + (8a^{(1/2)} c^3 f(ac)^{(1/2)}((ac - b^2 x)^{(1/2)} - (ac)^{(1/2)}))/ \\
& (b^2 e^2((a + b^2 x)^{(1/2)} - a^{(1/2)})) - (8a^{(1/2)} c f(ac)^{(1/2)}((ac - b^2 x)^{(1/2)} - (ac)^{(1/2)})^5)/(b^2 e^2((a + b^2 x)^{(1/2)} - a^{(1/2)})^5) + (8a^{(1/2)} c^2 f \\
& (ac)^{(1/2)}((ac - b^2 x)^{(1/2)} - (ac)^{(1/2)})^3)/(b^2 e^2((a + b^2 x)^{(1/2)} - a^{(1/2)})^3) + (C^2 a^2(2a^2 f^2 + b^2 e^2)(2 \operatorname{atan}(((ac - b^2 x)^{(1/2)} - (ac)^{(1/2)}) \\
& (a^2 c f^2 - b^2 c e^2)))/((a + b^2 x)^{(1/2)} - a^{(1/2)}) - (a^2 c f^2((ac - b^2 x)^{(1/2)} - (ac)^{(1/2)}))/((a + b^2 x)^{(1/2)} - a^{(1/2)}) + 2 \\
& a^{(1/2)} b^2 c e f(ac)^{(1/2)}/(2b^2 c e^2(b^2 c e^2 - a^2 c f^2)^{(1/2)}) + 2 \operatorname{atan}((((4(4C^2 a^8 f^4 + C^2 a^4 b^4 e^4 + 4C^2 a^6 b^2 e^2 f^2))/(b^{10} e^{10} - 4a^2 b^8 e^8 f^2 + 6a^4 b^6 e^6 f^4 - 4a^6 b^4 e^4 f^6 + a^8 b^2 e^2 f^8) - \\
& (C^2 a^4(2a^2 f^2 + b^2 e^2))^2(12a^{10} c f^{10} - 4b^{10} c e^{10} + 28a^2 b^8 c e^8 f^2 - 72a^4 b^6 c e^6 f^4 + 88a^6 b^4 c e^4 f^6 - 52a^8 b^2 c e^2 f^8)))/((af + b^2 e)^4(af - b^2 e)^4(a^2 c f^2 - b^2 c e^2) \\
& (b^{10} e^{10} - 4a^2 b^8 e^8 f^2 + 6a^4 b^6 e^6 f^4 - 4a^6 b^4 e^4 f^6 + a^8 b^2 e^2 f^8)))/(4b^2 c e^2(b^2 c e^2 - a^2 c f^2)^{(1/2)}) + (C^2 a^{(3/2)}(2a^2 f^2 + b^2 e^2)(8C^2 a^{(17/2)} f^7(ac)^{(1/2)} - 12C^2 a^{(13/2)} b^2 e^2 f^5(ac)^{(1/2)} + 4C^2 a^{(5/2)} b^6 e^6 f(ac)^{(1/2)}))/ \\
& (2b^2 c e^2 f(ac)^{(1/2)}(af + b^2 e)^2(af - b^2 e)^2(b^2 c e^2 - a^2 c f^2)^{(1/2)}(b^{10} e^{10} - 4a^2 b^8 e^8 f^2 + 6a^4 b^6 e^6 f^4 - 4a^6 b^4 e^4 f^6 + a^8 b^2 e^2 f^8)) \\
& ((ac - b^2 x)^{(1/2)} - (ac)^{(1/2)})^3)/((a + b^2 x)^{(1/2)} - a^{(1/2)})^3 + ((ac - b^2 x)^{(1/2)} - (ac)^{(1/2)})^4(4(4C^2 a^8 c f^4 + C^2 a^4 b^4 c e^4 + 4C^2 a^6 b^2 c e^2 f^2))/ \\
& (b^{10} e^{10} - 4a^2 b^8 e^8 f^2 + 6a^4 b^6 e^6 f^4 - 4a^6 b^4 e^4 f^6 + a^8 b^2 e^2 f^8) + (C^2 a^4(2a^2 f^2 + b^2 e^2))^2(4a^{10} c^2 f^{10} + 4b^{10} c^2 e^{10} - 12a^2 b^8 c^2 e^8 f^2 + 8a^4 b^6 c^2 e^6 f^4 + 8a^6 b^4 c^2 e^4 f^6 - 12a^8 b^2 c^2 e^2 f^8))/ \\
& ((af + b^2 e)^4(af - b^2 e)^4(a^2 c f^2 - b^2 c e^2)(b^{10} e^{10} - 4a^2 b^8 e^8 f^2 + 6a^4 b^6 e^6 f^4 - 4a^6 b^4 e^4 f^6 + a^8 b^2 e^2 f^8)))/(4b^2 c e^2(b^2 c e^2 - a^2 c f^2)^{(1/2)}) + (8C^2 a^4(2a^2 f^2 + b^2 e^2)^2)/(b^2 e^2(af + b^2 e)^4(af - b^2 e)^4(b^2 c e^2 - a^2 c f^2)^{(3/2)}) - (C^2 a^{(3/2)}(2a^2 c
\end{aligned}$$

$$\begin{aligned}
& f^2 + b^2 e^2) * (8 * C * a^{(17/2)} * c * f^7 * (a * c)^{(1/2)} + 4 * C * a^{(5/2)} * b^6 * c * e^6 * f * (a * c)^{(1/2)} - 12 * C * a^{(13/2)} * b^2 * c * e^2 * f^5 * (a * c)^{(1/2)}) / (2 * b * c^2 * e * f * (a * c)^{(1/2)} * (a * f + b * e)^2 * (a * f - b * e)^2 * (b^2 * c * e^2 - a^2 * c * f^2)^{(1/2)} * (b^{10} * e^{10} - 4 * a^2 * b^8 * e^8 * f^2 + 6 * a^4 * b^6 * e^6 * f^4 - 4 * a^6 * b^4 * e^4 * f^6 + a^8 * b^2 * e^2 * f^8)) / ((a + b * x)^{(1/2)} - a^{(1/2)}) - (((4 * (4 * C^2 * a^8 * f^4 + C^2 * a^4 * b^4 * e^4 + 4 * C^2 * a^6 * b^2 * e^2 * f^2)) / (b^{10} * e^{10} - 4 * a^2 * b^8 * e^8 * f^2 + 6 * a^4 * b^6 * e^6 * f^4 - 4 * a^6 * b^4 * e^4 * f^6 + a^8 * b^2 * e^2 * f^8) - (C^2 * a^4 * (2 * a^2 * f^2 + b^2 * e^2)^2 * (12 * a^{10} * c * f^{10} - 4 * b^{10} * c * e^{10} + 28 * a^2 * b^8 * c * e^8 * f^2 - 72 * a^4 * b^6 * c * e^6 * f^4 + 88 * a^6 * b^4 * c * e^4 * f^6 - 52 * a^8 * b^2 * c * e^2 * f^8)) / ((a * f + b * e)^4 * (a * f - b * e)^4 * (a^2 * c * f^2 - b^2 * c * e^2) * (b^{10} * e^{10} - 4 * a^2 * b^8 * e^8 * f^2 + 6 * a^4 * b^6 * e^6 * f^4 - 4 * a^6 * b^4 * e^4 * f^6 + a^8 * b^2 * e^2 * f^8))) / (2 * a^{(1/2)} * c * f * (a * c)^{(1/2)} * (b^2 * c * e^2 - a^2 * c * f^2)^{(1/2)}) + (4 * C^2 * a^{(9/2)} * f * (a * c)^{(1/2)} * (2 * a^2 * f^2 + b^2 * e^2)^2) / (b^2 * c * e^2 * (a * f + b * e)^4 * (a * f - b * e)^4 * (b^2 * c * e^2 - a^2 * c * f^2)^{(3/2)})) * ((a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)})^2 / ((a + b * x)^{(1/2)} - a^{(1/2)})^2 - ((4 * (4 * C^2 * a^8 * c * f^4 + C^2 * a^4 * b^4 * c * e^4 + 4 * C^2 * a^6 * b^2 * c * e^2 * f^2)) / (b^{10} * e^{10} - 4 * a^2 * b^8 * e^8 * f^2 + 6 * a^4 * b^6 * e^6 * f^4 - 4 * a^6 * b^4 * e^4 * f^6 + a^8 * b^2 * e^2 * f^8) + (C^2 * a^4 * (2 * a^2 * f^2 + b^2 * e^2)^2 * (4 * a^{10} * c^2 * f^{10} + 4 * b^{10} * c^2 * e^{10} - 12 * a^2 * b^8 * c^2 * e^8 * f^2 + 8 * a^4 * b^6 * c^2 * e^6 * f^4 + 8 * a^6 * b^4 * c^2 * e^4 * f^6 - 12 * a^8 * b^2 * c^2 * e^2 * f^8)) / ((a * f + b * e)^4 * (a * f - b * e)^4 * (a^2 * c * f^2 - b^2 * c * e^2) * (b^{10} * e^{10} - 4 * a^2 * b^8 * e^8 * f^2 + 6 * a^4 * b^6 * e^6 * f^4 - 4 * a^6 * b^4 * e^4 * f^6 + a^8 * b^2 * e^2 * f^8))) / (2 * a^{(1/2)} * c * f * (a * c)^{(1/2)} * (b^2 * c * e^2 - a^2 * c * f^2)^{(1/2)})) * (b^{10} * e^{10} * (a^2 * c * f^2 - b^2 * c * e^2) - 4 * a^2 * b^8 * e^8 * f^2 * (a^2 * c * f^2 - b^2 * c * e^2) + 6 * a^4 * b^6 * e^6 * f^4 * (a^2 * c * f^2 - b^2 * c * e^2) - 4 * a^6 * b^4 * e^4 * f^6 * (a^2 * c * f^2 - b^2 * c * e^2) + a^8 * b^2 * e^2 * f^8 * (a^2 * c * f^2 - b^2 * c * e^2)) / (16 * C^2 * a^8 * f^4 + 4 * C^2 * a^4 * b^4 * e^4 + 16 * C^2 * a^6 * b^2 * e^2 * f^2)) / (2 * (a * f + b * e)^2 * (a * f - b * e)^2 * (b^2 * c * e^2 - a^2 * c * f^2)^{(1/2)}) + (A * b^2 * (a^2 * f^2 + 2 * b^2 * e^2) * (2 * atan((((a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)}) * (a^2 * c * f^2 - b^2 * c * e^2)) / ((a + b * x)^{(1/2)} - a^{(1/2)}) - (a^2 * c * f^2 * ((a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)))) / ((a + b * x)^{(1/2)} - a^{(1/2)}) + 2 * a^{(1/2)} * b * c * e * f * (a * c)^{(1/2)}) / (2 * b * c * e * (b^2 * c * e^2 - a^2 * c * f^2)^{(1/2)})) + 2 * atan((((a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)}) * (((4 * (4 * A^2 * b^8 * c * e^4 + A^2 * a^4 * b^4 * c * f^4 + 4 * A^2 * a^2 * b^6 * c * e^2 * f^2)) / (b^{10} * e^{10} - 4 * a^2 * b^8 * e^8 * f^2 + 6 * a^4 * b^6 * e^6 * f^4 - 4 * a^6 * b^4 * e^4 * f^6 + a^8 * b^2 * e^2 * f^8) + (A^2 * b^4 * (a^2 * f^2 + 2 * b^2 * e^2)^2 * (4 * a^{10} * c^2 * f^{10} + 4 * b^{10} * c^2 * e^{10} - 12 * a^2 * b^8 * c^2 * e^8 * f^2 + 8 * a^4 * b^6 * c^2 * e^6 * f^4 + 8 * a^6 * b^4 * c^2 * e^4 * f^6 - 12 * a^8 * b^2 * c^2 * e^2 * f^8)) / ((a * f + b * e)^4 * (a * f - b * e)^4 * (a^2 * c * f^2 - b^2 * c * e^2) * (b^{10} * e^{10} - 4 * a^2 * b^8 * e^8 * f^2 + 6 * a^4 * b^6 * e^6 * f^4 - 4 * a^6 * b^4 * e^4 * f^6 + a^8 * b^2 * e^2 * f^8))) / (4 * b * c^2 * e * (b^2 * c * e^2 - a^2 * c * f^2)^{(1/2)}) + (8 * A^2 * b^3 * (a^2 * f^2 + 2 * b^2 * e^2)^2) / (e * (a * f + b * e)^4 * (a * f - b * e)^4 * (b^2 * c * e^2 - a^2 * c * f^2)^{(3/2)}) - (A * b * (a^2 * f^2 + 2 * b^2 * e^2) * (4 * A * a^{(13/2)} * b^2 * c * f^7 * (a * c)^{(1/2)} + 8 * A * a^{(1/2)} * b^8 * c * e^6 * f * (a * c)^{(1/2)} - 12 * A * a^{(5/2)} * b^6 * c * e^4 * f^3 * (a * c)^{(1/2)})) / (2 * a^{(1/2)} * c^2 * e * f * (a * c)^{(1/2)} * (a * f + b * e)^2 * (a * f - b * e)^2 * (b^2 * c * e^2 - a^2 * c * f^2)^{(1/2)} * (b^{10} * e^{10} - 4 * a^2 * b^8 * e^8 * f^2 + 6 * a^4 * b^6 * e^6 * f^4 - 4 * a^6 * b^4 * e^4 * f^6 + a^8 * b^2 * e^2 * f^8))) / ((a + b * x)^{(1/2)} - a^{(1/2)}) + (((4 * (4 * A^2 * b^8 * e^4 + A^2 * a^4 * b^4 * f^4 + 4 * A^2 * a^2 * b^6 * e^2 * f^2)) / (b^{10} * e^{10} - 4 * a^2 * b^8 * e^8 * f^2 + 6 * a^4 * b^6 * e^6 * f^4 - 4 * a^6 * b^4 * e^4 * f^6 + a^8 * b^2 * e^2 * f^8)
\end{aligned}$$

$$\begin{aligned}
& ^2*f^8) - (A^2*b^4*(a^2*f^2 + 2*b^2*e^2)^2*(12*a^10*c*f^10 - 4*b^10*c*e^10 \\
& + 28*a^2*b^8*c*e^8*f^2 - 72*a^4*b^6*c*e^6*f^4 + 88*a^6*b^4*c*e^4*f^6 - 52*a \\
& ^8*b^2*c*e^2*f^8))/((a*f + b*e)^4*(a*f - b*e)^4*(a^2*c*f^2 - b^2*c*e^2)*(b^ \\
& 10*e^10 - 4*a^2*b^8*e^8*f^2 + 6*a^4*b^6*e^6*f^4 - 4*a^6*b^4*e^4*f^6 + a^8*b \\
& ^2*e^2*f^8)))/(4*b*c^2*e*(b^2*c*e^2 - a^2*c*f^2)^(1/2)) + (A*b*(a^2*f^2 + 2 \\
& *b^2*e^2)*(4*A*a^(13/2)*b^2*f^7*(a*c)^(1/2) - 12*A*a^(5/2)*b^6*e^4*f^3*(a*c \\
&)^(1/2) + 8*A*a^(1/2)*b^8*e^6*f*(a*c)^(1/2)))/(2*a^(1/2)*c^2*e*f*(a*c)^(1/2 \\
&)*(a*f + b*e)^2*(a*f - b*e)^2*(b^2*c*e^2 - a^2*c*f^2)^(1/2)*(b^10*e^10 - 4* \\
& a^2*b^8*e^8*f^2 + 6*a^4*b^6*e^6*f^4 - 4*a^6*b^4*e^4*f^6 + a^8*b^2*e^2*f^8)) \\
&)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^3)/((a + b*x)^(1/2) - a^(1/2))^3 - ((\\
& ((4*(4*A^2*b^8*e^4 + A^2*a^4*b^4*f^4 + 4*A^2*a^2*b^6*e^2*f^2)))/(b^10*e^10 - \\
& 4*a^2*b^8*e^8*f^2 + 6*a^4*b^6*e^6*f^4 - 4*a^6*b^4*e^4*f^6 + a^8*b^2*e^2*f^ \\
& 8) - (A^2*b^4*(a^2*f^2 + 2*b^2*e^2)^2*(12*a^10*c*f^10 - 4*b^10*c*e^10 + 28* \\
& a^2*b^8*c*e^8*f^2 - 72*a^4*b^6*c*e^6*f^4 + 88*a^6*b^4*c*e^4*f^6 - 52*a^8*b^ \\
& 2*c*e^2*f^8)))/((a*f + b*e)^4*(a*f - b*e)^4*(a^2*c*f^2 - b^2*c*e^2)*(b^10*e^ \\
& 10 - 4*a^2*b^8*e^8*f^2 + 6*a^4*b^6*e^6*f^4 - 4*a^6*b^4*e^4*f^6 + a^8*b^2*e^ \\
& 2*f^8)))/(2*a^(1/2)*c*f*(a*c)^(1/2)*(b^2*c*e^2 - a^2*c*f^2)^(1/2)) + (4*A^2 \\
& *a^(1/2)*b^2*f*(a*c)^(1/2)*(a^2*f^2 + 2*b^2*e^2)^2)/(c*e^2*(a*f + b*e)^4*(a \\
& *f - b*e)^4*(b^2*c*e^2 - a^2*c*f^2)^(3/2)))*((a*c - b*c*x)^(1/2) - (a*c)^(1 \\
& /2))^2)/((a + b*x)^(1/2) - a^(1/2))^2 - ((4*(4*A^2*b^8*c*e^4 + A^2*a^4*b^4* \\
& c*f^4 + 4*A^2*a^2*b^6*c*e^2*f^2)))/(b^10*e^10 - 4*a^2*b^8*e^8*f^2 + 6*a^4*b^ \\
& 6*e^6*f^4 - 4*a^6*b^4*e^4*f^6 + a^8*b^2*e^2*f^8) + (A^2*b^4*(a^2*f^2 + 2*b^ \\
& 2*e^2)^2*(4*a^10*c^2*f^10 + 4*b^10*c^2*e^10 - 12*a^2*b^8*c^2*e^8*f^2 + 8*a^ \\
& 4*b^6*c^2*e^6*f^4 + 8*a^6*b^4*c^2*e^4*f^6 - 12*a^8*b^2*c^2*e^2*f^8)))/((a*f \\
& + b*e)^4*(a*f - b*e)^4*(a^2*c*f^2 - b^2*c*e^2)*(b^10*e^10 - 4*a^2*b^8*e^8*f \\
& ^2 + 6*a^4*b^6*e^6*f^4 - 4*a^6*b^4*e^4*f^6 + a^8*b^2*e^2*f^8)))/(2*a^(1/2)* \\
& c*f*(a*c)^(1/2)*(b^2*c*e^2 - a^2*c*f^2)^(1/2)))*(b^8*e^10*(a^2*c*f^2 - b^2* \\
& c*e^2) + a^8*e^2*f^8*(a^2*c*f^2 - b^2*c*e^2) - 4*a^2*b^6*e^8*f^2*(a^2*c*f^2 \\
& - b^2*c*e^2) + 6*a^4*b^4*e^6*f^4*(a^2*c*f^2 - b^2*c*e^2) - 4*a^6*b^2*e^4*f \\
& ^6*(a^2*c*f^2 - b^2*c*e^2)))/(16*A^2*b^6*e^4 + 4*A^2*a^4*b^2*f^4 + 16*A^2*a \\
& ^2*b^4*e^2*f^2)))/(2*(a*f + b*e)^2*(a*f - b*e)^2*(b^2*c*e^2 - a^2*c*f^2)^(\\
& 1/2)) + (3*B*a^2*b^2*e*f*(2*atan((2*b^3*c^3*e^3 + 2*b*c^2*e*(a^2*c*f^2 - b^ \\
& 2*c*e^2) + 2*a^2*b*c^3*e*f^2 + (3*a^(3/2)*f^3*(a*c)^(3/2)*((a*c - b*c*x)^(1 \\
& /2) - (a*c)^(1/2))^3)/((a + b*x)^(1/2) - a^(1/2))^3 + (2*b^3*c^2*e^3*((a*c \\
& - b*c*x)^(1/2) - (a*c)^(1/2))^2)/((a + b*x)^(1/2) - a^(1/2))^2 - (3*a^(1/2) \\
& *f*(a*c)^(1/2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^3*(a^2*c*f^2 - b^2*c*e^2 \\
&)))/((a + b*x)^(1/2) - a^(1/2))^3 - (a^(3/2)*c*f^3*(a*c)^(3/2)*((a*c - b*c*x) \\
&)^(1/2) - (a*c)^(1/2)))/((a + b*x)^(1/2) - a^(1/2)) + (2*b*c*e*((a*c - b*c* \\
& x)^(1/2) - (a*c)^(1/2))^2*(a^2*c*f^2 - b^2*c*e^2))/((a + b*x)^(1/2) - a^(1/ \\
& 2))^2 + (a^(1/2)*c*f*(a*c)^(1/2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))*(a^2*c \\
& *f^2 - b^2*c*e^2))/((a + b*x)^(1/2) - a^(1/2)) - (10*a^2*b*c^2*e*f^2*((a*c \\
& - b*c*x)^(1/2) - (a*c)^(1/2))^2)/((a + b*x)^(1/2) - a^(1/2))^2 + (7*a^(1/2) \\
& *b^2*c^2*e^2*f*(a*c)^(1/2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2)))/((a + b*x)^(\\
& 1/2) - a^(1/2)) - (a^(1/2)*b^2*c*e^2*f*(a*c)^(1/2)*((a*c - b*c*x)^(1/2) - \\
& (a*c)^(1/2))^3)/((a + b*x)^(1/2) - a^(1/2))^3)/(4*a^(1/2)*b*c^2*e*f*(a*c)^(
\end{aligned}$$

$$\frac{1}{2}*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)}) - 2*\operatorname{atan}\left(\frac{((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})*(a^2*c*f^2 - b^2*c*e^2)}{((a + b*x)^{(1/2)} - a^{(1/2)}) - (a^2*c*f^2*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})) / ((a + b*x)^{(1/2)} - a^{(1/2)}) + 2*a^{(1/2)}*b*c*e*f*(a*c)^{(1/2)}) / (2*b*c*e*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)})}\right) / (2*(a*f + b*e)^2*(a*f - b*e)^2*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)})$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x**2+B*x+A)/(f*x+e)**3/(b*x+a)**(1/2)/(-b*c*x+a*c)**(1/2),x)

[Out] Timed out

$$3.34 \quad \int \frac{x(a+bx+cx^2)}{\sqrt{-1+dx} \sqrt{1+dx}} dx$$

Optimal. Leaf size=87

$$\frac{\sqrt{dx-1} \sqrt{dx+1} (2(3ad^2+2c)+3bd^2x)}{6d^4} + \frac{b \cosh^{-1}(dx)}{2d^3} + \frac{cx^2 \sqrt{dx-1} \sqrt{dx+1}}{3d^2}$$

[Out] $1/2*b*\operatorname{arccosh}(d*x)/d^3+1/3*c*x^2*(d*x-1)^{(1/2)}*(d*x+1)^{(1/2)}/d^2+1/6*(3*b*d^2*x+6*a*d^2+4*c)*(d*x-1)^{(1/2)}*(d*x+1)^{(1/2)}/d^4$

Rubi [A] time = 0.15, antiderivative size = 151, normalized size of antiderivative = 1.74, number of steps used = 5, number of rules used = 5, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {1610, 1809, 780, 217, 206}

$$-\frac{(1-d^2x^2)(2(3ad^2+2c)+3bd^2x)}{6d^4\sqrt{dx-1}\sqrt{dx+1}} + \frac{b\sqrt{d^2x^2-1} \tanh^{-1}\left(\frac{dx}{\sqrt{d^2x^2-1}}\right)}{2d^3\sqrt{dx-1}\sqrt{dx+1}} - \frac{cx^2(1-d^2x^2)}{3d^2\sqrt{dx-1}\sqrt{dx+1}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(x*(a + b*x + c*x^2))/(\operatorname{Sqrt}[-1 + d*x]*\operatorname{Sqrt}[1 + d*x]), x]$

[Out] $-(c*x^2*(1 - d^2*x^2))/(3*d^2*\operatorname{Sqrt}[-1 + d*x]*\operatorname{Sqrt}[1 + d*x]) - ((2*(2*c + 3*a*d^2) + 3*b*d^2*x)*(1 - d^2*x^2))/(6*d^4*\operatorname{Sqrt}[-1 + d*x]*\operatorname{Sqrt}[1 + d*x]) + (b*\operatorname{Sqrt}[-1 + d^2*x^2]*\operatorname{ArcTanh}[(d*x)/\operatorname{Sqrt}[-1 + d^2*x^2]])/(2*d^3*\operatorname{Sqrt}[-1 + d*x]*\operatorname{Sqrt}[1 + d*x])$

Rule 206

$\operatorname{Int}[(a_) + (b_)*(x_)^2]^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(1*\operatorname{ArcTanh}[\operatorname{Rt}[-b, 2]*x]/\operatorname{Rt}[a, 2])]/(\operatorname{Rt}[a, 2]*\operatorname{Rt}[-b, 2]), x] /; \operatorname{FreeQ}\{a, b\}, x \ \&\& \ \operatorname{NegQ}[a/b] \ \&\& \ (\operatorname{GtQ}[a, 0] \ || \ \operatorname{LtQ}[b, 0])$

Rule 217

$\operatorname{Int}[1/\operatorname{Sqrt}[(a_) + (b_)*(x_)^2], x_Symbol] \rightarrow \operatorname{Subst}[\operatorname{Int}[1/(1 - b*x^2), x], x, x/\operatorname{Sqrt}[a + b*x^2]] /; \operatorname{FreeQ}\{a, b\}, x \ \&\& \ !\operatorname{GtQ}[a, 0]$

Rule 780

$\operatorname{Int}[(d_)+(e_)*(x_)]*((f_)+(g_)*(x_))*((a_)+(c_)*(x_)^2)^{p_}, x_Symbol] \rightarrow \operatorname{Simp}[(e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x*(a + c*x^2)^{p+1}]/(2*c*(p + 1)*(2*p + 3)), x] - \operatorname{Dist}[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p + 3)), \operatorname{Int}[(a + c*x^2)^p, x], x] /; \operatorname{FreeQ}\{a, c, d, e, f, g, p\}, x \ \&\& \ !\operatorname{Le}$

Q[p, -1]

Rule 1610

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)
)*(x_)^(p_), x_Symbol] := Dist[((a + b*x)^FracPart[m]*(c + d*x)^FracPart[
m])/(a*c + b*d*x^2)^FracPart[m], Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x],
x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*
d, 0] && EqQ[m, n] && !IntegerQ[m]
```

Rule 1809

```
Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[
{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(c*x)^(m + q -
1)*(a + b*x^2)^(p + 1))/(b*c^(q - 1)*(m + q + 2*p + 1)), x] + Dist[1/(b*(m
+ q + 2*p + 1)), Int[(c*x)^m*(a + b*x^2)^p*ExpandToSum[b*(m + q + 2*p + 1)*
Pq - b*f*(m + q + 2*p + 1)*x^q - a*f*(m + q - 1)*x^(q - 2), x], x], x] /; G
tQ[q, 1] && NeQ[m + q + 2*p + 1, 0] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[
Pq, x] && (!IGtQ[m, 0] || IGtQ[p + 1/2, -1])
```

Rubi steps

$$\begin{aligned}
\int \frac{x(a+bx+cx^2)}{\sqrt{-1+dx}\sqrt{1+dx}} dx &= \frac{\sqrt{-1+d^2x^2} \int \frac{x(a+bx+cx^2)}{\sqrt{-1+d^2x^2}} dx}{\sqrt{-1+dx}\sqrt{1+dx}} \\
&= -\frac{cx^2(1-d^2x^2)}{3d^2\sqrt{-1+dx}\sqrt{1+dx}} + \frac{\sqrt{-1+d^2x^2} \int \frac{x(2c+3ad^2+3bd^2x)}{\sqrt{-1+d^2x^2}} dx}{3d^2\sqrt{-1+dx}\sqrt{1+dx}} \\
&= -\frac{cx^2(1-d^2x^2)}{3d^2\sqrt{-1+dx}\sqrt{1+dx}} - \frac{(2(2c+3ad^2)+3bd^2x)(1-d^2x^2)}{6d^4\sqrt{-1+dx}\sqrt{1+dx}} + \frac{(b\sqrt{-1+d^2x^2}) \int}{2d^2\sqrt{-1+dx}} \\
&= -\frac{cx^2(1-d^2x^2)}{3d^2\sqrt{-1+dx}\sqrt{1+dx}} - \frac{(2(2c+3ad^2)+3bd^2x)(1-d^2x^2)}{6d^4\sqrt{-1+dx}\sqrt{1+dx}} + \frac{(b\sqrt{-1+d^2x^2}) \text{St}}{2d^2\sqrt{-1+dx}} \\
&= -\frac{cx^2(1-d^2x^2)}{3d^2\sqrt{-1+dx}\sqrt{1+dx}} - \frac{(2(2c+3ad^2)+3bd^2x)(1-d^2x^2)}{6d^4\sqrt{-1+dx}\sqrt{1+dx}} + \frac{b\sqrt{-1+d^2x^2} \tan^{-1}}{2d^3\sqrt{-1+dx}}
\end{aligned}$$

Mathematica [A] time = 0.36, size = 149, normalized size = 1.71

$$\frac{\sqrt{-(dx-1)^2} \sqrt{dx+1} \left(3d^2(2a+bx) + 2c(d^2x^2+2) \right) + 6\sqrt{dx-1} \sin^{-1}\left(\frac{\sqrt{1-dx}}{\sqrt{2}}\right) (d(2ad-b) + 2c) - 12\sqrt{1-dx} \operatorname{arctan}\left(\frac{\sqrt{1-dx}}{\sqrt{2}}\right)}{6d^4\sqrt{1-dx}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x*(a + b*x + c*x^2))/(Sqrt[-1 + d*x]*Sqrt[1 + d*x]),x]

[Out] (Sqrt[-(-1 + d*x)^2]*Sqrt[1 + d*x]*(3*d^2*(2*a + b*x) + 2*c*(2 + d^2*x^2)) + 6*(2*c + d*(-b + 2*a*d))*Sqrt[-1 + d*x]*ArcSin[Sqrt[1 - d*x]/Sqrt[2]] - 12*(c + d*(-b + a*d))*Sqrt[1 - d*x]*ArcTanh[Sqrt[(-1 + d*x)/(1 + d*x)]])/(6*d^4*Sqrt[1 - d*x])

fricas [A] time = 1.45, size = 73, normalized size = 0.84

$$\frac{3bd \log(-dx + \sqrt{dx+1} \sqrt{dx-1}) - (2cd^2x^2 + 3bd^2x + 6ad^2 + 4c)\sqrt{dx+1} \sqrt{dx-1}}{6d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(c*x^2+b*x+a)/(d*x-1)^(1/2)/(d*x+1)^(1/2),x, algorithm="fricas")

[Out] -1/6*(3*b*d*log(-d*x + sqrt(d*x + 1)*sqrt(d*x - 1)) - (2*c*d^2*x^2 + 3*b*d^2*x + 6*a*d^2 + 4*c)*sqrt(d*x + 1)*sqrt(d*x - 1))/d^4

giac [A] time = 1.46, size = 105, normalized size = 1.21

$$\frac{\sqrt{dx+1} \sqrt{dx-1} \left((dx+1) \left(\frac{2(dx+1)c}{d^3} + \frac{3bd^{10}-4cd^9}{d^{12}} \right) + \frac{3(2ad^{11}-bd^{10}+2cd^9)}{d^{12}} \right) - \frac{6b \log(\sqrt{dx+1} - \sqrt{dx-1})}{d^2}}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(c*x^2+b*x+a)/(d*x-1)^(1/2)/(d*x+1)^(1/2),x, algorithm="giac")

[Out] 1/6*(sqrt(d*x + 1)*sqrt(d*x - 1)*((d*x + 1)*(2*(d*x + 1)*c/d^3 + (3*b*d^10 - 4*c*d^9)/d^12) + 3*(2*a*d^11 - b*d^10 + 2*c*d^9)/d^12) - 6*b*log(sqrt(d*x + 1) - sqrt(d*x - 1))/d^2)/d

maple [C] time = 0.00, size = 137, normalized size = 1.57

$$\frac{\sqrt{dx-1} \sqrt{dx+1} \left(2\sqrt{d^2x^2-1} c d^2x^2 \operatorname{csgn}(d) + 3\sqrt{d^2x^2-1} b d^2x \operatorname{csgn}(d) + 6\sqrt{d^2x^2-1} a d^2 \operatorname{csgn}(d) + 3bd \ln\left(\left(\frac{\sqrt{d^2x^2-1} + \sqrt{d^2x^2+1}}{\sqrt{d^2x^2-1} - \sqrt{d^2x^2+1}}\right)^{1/2}\right) \right)}{6\sqrt{d^2x^2-1} d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x*(c*x^2+b*x+a)/(d*x-1)^{(1/2)}/(d*x+1)^{(1/2)}, x)$

[Out] $\frac{1}{6}*(d*x-1)^{(1/2)}*(d*x+1)^{(1/2)}*(2*(d^2*x^2-1)^{(1/2)}*c*d^2*x^2*\text{csgn}(d)+3*(d^2*x^2-1)^{(1/2)}*b*d^2*x*\text{csgn}(d)+6*(d^2*x^2-1)^{(1/2)}*a*d^2*\text{csgn}(d)+3*b*d*\ln((d*x+(d^2*x^2-1)^{(1/2)}*\text{csgn}(d))*\text{csgn}(d))+4*(d^2*x^2-1)^{(1/2)}*c*\text{csgn}(d))/(d^2*x^2-1)^{(1/2)}/d^4*\text{csgn}(d)$

maxima [A] time = 1.02, size = 100, normalized size = 1.15

$$\frac{\sqrt{d^2x^2-1}cx^2}{3d^2} + \frac{\sqrt{d^2x^2-1}bx}{2d^2} + \frac{\sqrt{d^2x^2-1}a}{d^2} + \frac{b \log\left(2d^2x + 2\sqrt{d^2x^2-1}d\right)}{2d^3} + \frac{2\sqrt{d^2x^2-1}c}{3d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x*(c*x^2+b*x+a)/(d*x-1)^{(1/2)}/(d*x+1)^{(1/2)}, x, \text{algorithm}="maxima")$

[Out] $\frac{1}{3}*\text{sqrt}(d^2*x^2-1)*c*x^2/d^2 + \frac{1}{2}*\text{sqrt}(d^2*x^2-1)*b*x/d^2 + \text{sqrt}(d^2*x^2-1)*a/d^2 + \frac{1}{2}*b*\log(2*d^2*x + 2*\text{sqrt}(d^2*x^2-1)*d)/d^3 + \frac{2}{3}*\text{sqrt}(d^2*x^2-1)*c/d^4$

mupad [B] time = 14.76, size = 318, normalized size = 3.66

$$\frac{\sqrt{dx-1} \left(\frac{2c}{3d^4} + \frac{cx^3}{3d} + \frac{cx^2}{3d^2} + \frac{2cx}{3d^3} \right)}{\sqrt{dx+1}} + \frac{2b \operatorname{atanh}\left(\frac{\sqrt{dx-1}-i}{\sqrt{dx+1}-1}\right)}{d^3} - \frac{\frac{14b(\sqrt{dx-1}-i)^3}{(\sqrt{dx+1}-1)^3} + \frac{14b(\sqrt{dx-1}-i)^5}{(\sqrt{dx+1}-1)^5} + \frac{2b(\sqrt{dx-1}-i)^7}{(\sqrt{dx+1}-1)^7} + 2}{d^3 - \frac{4d^3(\sqrt{dx-1}-i)^2}{(\sqrt{dx+1}-1)^2} + \frac{6d^3(\sqrt{dx-1}-i)^4}{(\sqrt{dx+1}-1)^4} - \frac{4d^3(\sqrt{dx-1}-i)^6}{(\sqrt{dx+1}-1)^6}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((x*(a + b*x + c*x^2))/((d*x - 1)^{(1/2)}*(d*x + 1)^{(1/2)}), x)$

[Out] $(2*b*\operatorname{atanh}(((d*x - 1)^{(1/2)} - 1i)/((d*x + 1)^{(1/2)} - 1i)))/d^3 - ((14*b*((d*x - 1)^{(1/2)} - 1i)^3)/((d*x + 1)^{(1/2)} - 1)^3 + (14*b*((d*x - 1)^{(1/2)} - 1i)^5)/((d*x + 1)^{(1/2)} - 1)^5 + (2*b*((d*x - 1)^{(1/2)} - 1i)^7)/((d*x + 1)^{(1/2)} - 1)^7 + (2*b*((d*x - 1)^{(1/2)} - 1i))/((d*x + 1)^{(1/2)} - 1))/d^3 - (4*d^3*((d*x - 1)^{(1/2)} - 1i)^2)/((d*x + 1)^{(1/2)} - 1)^2 + (6*d^3*((d*x - 1)^{(1/2)} - 1i)^4)/((d*x + 1)^{(1/2)} - 1)^4 - (4*d^3*((d*x - 1)^{(1/2)} - 1i)^6)/((d*x + 1)^{(1/2)} - 1)^6 + (d^3*((d*x - 1)^{(1/2)} - 1i)^8)/((d*x + 1)^{(1/2)} - 1)^8 + ((d*x - 1)^{(1/2)}*((2*c)/(3*d^4) + (c*x^3)/(3*d) + (c*x^2)/(3*d^2) + (2*c*x)/(3*d^3)))/((d*x + 1)^{(1/2)} + (a*(d*x - 1)^{(1/2)}*(d*x + 1)^{(1/2)))/d^2$

sympy [C] time = 80.46, size = 308, normalized size = 3.54

$$\frac{aG_{6,6}^{6,2} \left(\begin{matrix} -\frac{1}{4}, \frac{1}{4} & 0, 0, \frac{1}{2}, 1 \\ -\frac{1}{2}, -\frac{1}{4}, 0, \frac{1}{4}, \frac{1}{2}, 0 \end{matrix} \middle| \frac{1}{d^2 x^2} \right)}{4\pi^2 d^2} + \frac{iaG_{6,6}^{2,6} \left(\begin{matrix} -1, -\frac{3}{4}, -\frac{1}{2}, -\frac{1}{4}, 0, 1 \\ -\frac{3}{4}, -\frac{1}{4} \end{matrix} \middle| \frac{e^{2i\pi}}{d^2 x^2} \right)}{4\pi^2 d^2} + \frac{bG_{6,6}^{6,2} \left(\begin{matrix} -\frac{3}{4}, -\frac{1}{4} \\ -1, -\frac{3}{4}, -\frac{1}{2}, -\frac{1}{4} \end{matrix} \right)}{4\pi^2 d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(c*x**2+b*x+a)/(d*x-1)**(1/2)/(d*x+1)**(1/2),x)

[Out] a*meijerg(((−1/4, 1/4), (0, 0, 1/2, 1)), ((−1/2, −1/4, 0, 1/4, 1/2, 0), ()), 1/(d**2*x**2))/(4*pi**(3/2)*d**2) + I*a*meijerg(((−1, −3/4, −1/2, −1/4, 0, 1), ()), ((−3/4, −1/4), (−1, −1/2, −1/2, 0)), exp_polar(2*I*pi)/(d**2*x**2))/(4*pi**(3/2)*d**2) + b*meijerg(((−3/4, −1/4), (−1/2, −1/2, 0, 1)), ((−1, −3/4, −1/2, −1/4, 0, 0), ()), 1/(d**2*x**2))/(4*pi**(3/2)*d**3) − I*b*meijerg(((−3/2, −5/4, −1, −3/4, −1/2, 1), ()), ((−5/4, −3/4), (−3/2, −1, −1, 0)), exp_polar(2*I*pi)/(d**2*x**2))/(4*pi**(3/2)*d**3) + c*meijerg(((−5/4, −3/4), (−1, −1, −1/2, 1)), ((−3/2, −5/4, −1, −3/4, −1/2, 0), ()), 1/(d**2*x**2))/(4*pi**(3/2)*d**4) + I*c*meijerg(((−2, −7/4, −3/2, −5/4, −1, 1), ()), ((−7/4, −5/4), (−2, −3/2, −3/2, 0)), exp_polar(2*I*pi)/(d**2*x**2))/(4*pi**(3/2)*d**4)

$$3.35 \quad \int \frac{a+bx+cx^2}{\sqrt{-1+dx} \sqrt{1+dx}} dx$$

Optimal. Leaf size=52

$$\frac{(2ad^2 + c) \cosh^{-1}(dx)}{2d^3} + \frac{\sqrt{dx-1} \sqrt{dx+1} (2b + cx)}{2d^2}$$

[Out] 1/2*(2*a*d^2+c)*arccosh(d*x)/d^3+1/2*(c*x+2*b)*(d*x-1)^(1/2)*(d*x+1)^(1/2)/d^2

Rubi [B] time = 0.07, antiderivative size = 135, normalized size of antiderivative = 2.60, number of steps used = 5, number of rules used = 5, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$, Rules used = {901, 1815, 641, 217, 206}

$$\frac{\sqrt{d^2x^2-1} (2ad^2 + c) \tanh^{-1}\left(\frac{dx}{\sqrt{d^2x^2-1}}\right)}{2d^3 \sqrt{dx-1} \sqrt{dx+1}} - \frac{b(1-d^2x^2)}{d^2 \sqrt{dx-1} \sqrt{dx+1}} - \frac{cx(1-d^2x^2)}{2d^2 \sqrt{dx-1} \sqrt{dx+1}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x + c*x^2)/(Sqrt[-1 + d*x]*Sqrt[1 + d*x]), x]

[Out] -((b*(1 - d^2*x^2))/(d^2*Sqrt[-1 + d*x]*Sqrt[1 + d*x])) - (c*x*(1 - d^2*x^2))/(2*d^2*Sqrt[-1 + d*x]*Sqrt[1 + d*x]) + ((c + 2*a*d^2)*Sqrt[-1 + d^2*x^2]*ArcTanh[(d*x)/Sqrt[-1 + d^2*x^2]])/(2*d^3*Sqrt[-1 + d*x]*Sqrt[1 + d*x])

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 641

Int[((d_) + (e_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Simp[(e*(a + c*x^2)^(p + 1))/(2*c*(p + 1)), x] + Dist[d, Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]

Rule 901

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_) +
(c_)*(x_)^2)^(p_), x_Symbol] := Dist[((d + e*x)^FracPart[m]*(f + g*x)^Fr
acPart[m])/(d*f + e*g*x^2)^FracPart[m], Int[(d*f + e*g*x^2)^m*(a + b*x + c*
x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && EqQ[m - n, 0]
&& EqQ[e*f + d*g, 0]
```

Rule 1815

```
Int[(Pq_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := With[{q = Expon[Pq, x],
e = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(e*x^(q - 1)*(a + b*x^2)^(p + 1))/(b*
(q + 2*p + 1)), x] + Dist[1/(b*(q + 2*p + 1)), Int[(a + b*x^2)^p*ExpandToSu
m[b*(q + 2*p + 1)*Pq - a*e*(q - 1)*x^(q - 2) - b*e*(q + 2*p + 1)*x^q, x], x
], x]] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && !LeQ[p, -1]
```

Rubi steps

$$\begin{aligned} \int \frac{a + bx + cx^2}{\sqrt{-1 + dx} \sqrt{1 + dx}} dx &= \frac{\sqrt{-1 + d^2x^2} \int \frac{a+bx+cx^2}{\sqrt{-1+d^2x^2}} dx}{\sqrt{-1 + dx} \sqrt{1 + dx}} \\ &= -\frac{cx(1 - d^2x^2)}{2d^2\sqrt{-1 + dx} \sqrt{1 + dx}} + \frac{\sqrt{-1 + d^2x^2} \int \frac{c+2ad^2+2bd^2x}{\sqrt{-1+d^2x^2}} dx}{2d^2\sqrt{-1 + dx} \sqrt{1 + dx}} \\ &= -\frac{b(1 - d^2x^2)}{d^2\sqrt{-1 + dx} \sqrt{1 + dx}} - \frac{cx(1 - d^2x^2)}{2d^2\sqrt{-1 + dx} \sqrt{1 + dx}} + \frac{\left((c + 2ad^2) \sqrt{-1 + d^2x^2}\right) \int \frac{1}{\sqrt{-1+dx}} dx}{2d^2\sqrt{-1 + dx} \sqrt{1 + dx}} \\ &= -\frac{b(1 - d^2x^2)}{d^2\sqrt{-1 + dx} \sqrt{1 + dx}} - \frac{cx(1 - d^2x^2)}{2d^2\sqrt{-1 + dx} \sqrt{1 + dx}} + \frac{\left((c + 2ad^2) \sqrt{-1 + d^2x^2}\right) \text{Subst}\left(\frac{1}{\sqrt{-1+dx}}, dx, \frac{1-dx}{\sqrt{2}}\right)}{2d^2\sqrt{-1 + dx} \sqrt{1 + dx}} \\ &= -\frac{b(1 - d^2x^2)}{d^2\sqrt{-1 + dx} \sqrt{1 + dx}} - \frac{cx(1 - d^2x^2)}{2d^2\sqrt{-1 + dx} \sqrt{1 + dx}} + \frac{(c + 2ad^2) \sqrt{-1 + d^2x^2} \tanh^{-1}\left(\frac{\sqrt{1-dx}}{\sqrt{2}}\right)}{2d^3\sqrt{-1 + dx} \sqrt{1 + dx}} \end{aligned}$$

Mathematica [B] time = 0.22, size = 126, normalized size = 2.42

$$\frac{4\sqrt{1 - dx} \tanh^{-1}\left(\sqrt{\frac{dx-1}{dx+1}}\right) (d(ad - b) + c) + d\sqrt{-(dx - 1)^2} \sqrt{dx + 1} (2b + cx) + 2\sqrt{dx - 1} (2bd - c) \sin^{-1}\left(\frac{\sqrt{1-dx}}{\sqrt{2}}\right)}{2d^3\sqrt{1 - dx}}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(a + b*x + c*x^2)/(Sqrt[-1 + d*x]*Sqrt[1 + d*x]), x]
```


[Out] $(d*(2*b + c*x)*\text{Sqrt}[(-(-1 + d*x)^2)*\text{Sqrt}[1 + d*x] + 2*(-c + 2*b*d)*\text{Sqrt}[-1 + d*x]*\text{ArcSin}[\text{Sqrt}[1 - d*x]/\text{Sqrt}[2]] + 4*(c + d*(-b + a*d))*\text{Sqrt}[1 - d*x]*\text{ArcTanh}[\text{Sqrt}[(-1 + d*x)/(1 + d*x)])]/(2*d^3*\text{Sqrt}[1 - d*x])$

fricas [A] time = 1.28, size = 61, normalized size = 1.17

$$\frac{(cdx + 2bd)\sqrt{dx+1}\sqrt{dx-1} - (2ad^2 + c)\log(-dx + \sqrt{dx+1}\sqrt{dx-1})}{2d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^2+b*x+a)/(d*x-1)^(1/2)/(d*x+1)^(1/2),x, algorithm="fricas")`

[Out] $1/2*((c*d*x + 2*b*d)*\text{sqrt}(d*x + 1)*\text{sqrt}(d*x - 1) - (2*a*d^2 + c)*\log(-d*x + \text{sqrt}(d*x + 1)*\text{sqrt}(d*x - 1)))/d^3$

giac [A] time = 1.39, size = 80, normalized size = 1.54

$$\frac{\sqrt{dx+1}\sqrt{dx-1}\left(\frac{(dx+1)c}{d^2} + \frac{2bd^5 - cd^4}{d^6}\right) - \frac{2(2ad^2+c)\log(\sqrt{dx+1}-\sqrt{dx-1})}{d^2}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^2+b*x+a)/(d*x-1)^(1/2)/(d*x+1)^(1/2),x, algorithm="giac")`

[Out] $1/2*(\text{sqrt}(d*x + 1)*\text{sqrt}(d*x - 1)*((d*x + 1)*c/d^2 + (2*b*d^5 - c*d^4)/d^6) - 2*(2*a*d^2 + c)*\log(\text{sqrt}(d*x + 1) - \text{sqrt}(d*x - 1))/d^2)/d$

maple [C] time = 0.00, size = 120, normalized size = 2.31

$$\frac{\sqrt{dx-1}\sqrt{dx+1}\left(2ad^2\ln\left(\left(dx + \sqrt{d^2x^2-1}\text{csgn}(d)\right)\text{csgn}(d)\right) + \sqrt{d^2x^2-1}cdx\text{csgn}(d) + 2\sqrt{d^2x^2-1}bd\text{csgn}(d)\right)}{2\sqrt{d^2x^2-1}d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c*x^2+b*x+a)/(d*x-1)^(1/2)/(d*x+1)^(1/2),x)`

[Out] $1/2*(d*x-1)^(1/2)*(d*x+1)^(1/2)*(2*a*d^2*\ln((d*x+(d^2*x^2-1)^(1/2))*\text{csgn}(d))*\text{csgn}(d)+(d^2*x^2-1)^(1/2)*c*d*x*\text{csgn}(d)+2*(d^2*x^2-1)^(1/2)*b*d*\text{csgn}(d)+c*\ln((d*x+(d^2*x^2-1)^(1/2))*\text{csgn}(d))*\text{csgn}(d))/((d^2*x^2-1)^(1/2)/d^3*\text{csgn}(d))$

maxima [B] time = 1.11, size = 90, normalized size = 1.73

$$\frac{a\log\left(2d^2x + 2\sqrt{d^2x^2-1}d\right)}{d} + \frac{\sqrt{d^2x^2-1}cx}{2d^2} + \frac{\sqrt{d^2x^2-1}b}{d^2} + \frac{c\log\left(2d^2x + 2\sqrt{d^2x^2-1}d\right)}{2d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)/(d*x-1)^(1/2)/(d*x+1)^(1/2),x, algorithm="maxima")

[Out] a*log(2*d^2*x + 2*sqrt(d^2*x^2 - 1)*d)/d + 1/2*sqrt(d^2*x^2 - 1)*c*x/d^2 + sqrt(d^2*x^2 - 1)*b/d^2 + 1/2*c*log(2*d^2*x + 2*sqrt(d^2*x^2 - 1)*d)/d^3

mupad [B] time = 14.59, size = 312, normalized size = 6.00

$$\frac{b\sqrt{dx-1}\sqrt{dx+1}}{d^2} + \frac{2c \operatorname{atanh}\left(\frac{\sqrt{dx-1}-i}{\sqrt{dx+1}-1}\right)}{d^3} - \frac{4a \operatorname{atan}\left(\frac{d(\sqrt{dx-1}-i)}{(\sqrt{dx+1}-1)\sqrt{-d^2}}\right)}{\sqrt{-d^2}} - \frac{\frac{14c(\sqrt{dx-1}-i)^3}{(\sqrt{dx+1}-1)^3} + \frac{14c(\sqrt{dx-1}-i)^5}{(\sqrt{dx+1}-1)^5} + \frac{2c(\sqrt{dx-1}-i)^7}{(\sqrt{dx+1}-1)^7}}{d^3} - \frac{4d^3(\sqrt{dx-1}-i)^2}{(\sqrt{dx+1}-1)^2} + \frac{6d^3(\sqrt{dx-1}-i)^4}{(\sqrt{dx+1}-1)^4} - \frac{4d^3(\sqrt{dx-1}-i)^6}{(\sqrt{dx+1}-1)^6} + \frac{2d^3(\sqrt{dx-1}-i)^8}{(\sqrt{dx+1}-1)^8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x + c*x^2)/((d*x - 1)^(1/2)*(d*x + 1)^(1/2)),x)

[Out] (2*c*atanh(((d*x - 1)^(1/2) - 1i)/((d*x + 1)^(1/2) - 1)))/d^3 - ((14*c*((d*x - 1)^(1/2) - 1i)^3)/((d*x + 1)^(1/2) - 1)^3 + (14*c*((d*x - 1)^(1/2) - 1i)^5)/((d*x + 1)^(1/2) - 1)^5 + (2*c*((d*x - 1)^(1/2) - 1i)^7)/((d*x + 1)^(1/2) - 1)^7 + (2*c*((d*x - 1)^(1/2) - 1i))/((d*x + 1)^(1/2) - 1))/d^3 - (4*d^3*((d*x - 1)^(1/2) - 1i)^2)/((d*x + 1)^(1/2) - 1)^2 + (6*d^3*((d*x - 1)^(1/2) - 1i)^4)/((d*x + 1)^(1/2) - 1)^4 - (4*d^3*((d*x - 1)^(1/2) - 1i)^6)/((d*x + 1)^(1/2) - 1)^6 + (d^3*((d*x - 1)^(1/2) - 1i)^8)/((d*x + 1)^(1/2) - 1)^8 - (4*a*atan((d*((d*x - 1)^(1/2) - 1i))/((d*x + 1)^(1/2) - 1)*(-d^2)^(1/2)))/(-d^2)^(1/2) + (b*(d*x - 1)^(1/2)*(d*x + 1)^(1/2))/d^2

sympy [C] time = 48.76, size = 277, normalized size = 5.33

$$\frac{aG_{6,6}^{6,2} \left(\begin{matrix} \frac{1}{4}, \frac{3}{4} \\ 0, \frac{1}{4}, \frac{1}{2}, \frac{3}{4}, 1, 0 \end{matrix} \middle| \frac{1}{d^2 x^2} \right) + iaG_{6,6}^{2,6} \left(\begin{matrix} -\frac{1}{2}, -\frac{1}{4}, 0, \frac{1}{4}, \frac{1}{2}, 1 \\ -\frac{1}{4}, \frac{1}{4} \end{matrix} \middle| \frac{e^{2i\pi}}{d^2 x^2} \right) + bG_{6,6}^{6,2} \left(\begin{matrix} -\frac{1}{4}, \frac{1}{4} \\ -\frac{1}{2}, -\frac{1}{4}, 0, \frac{1}{4}, \frac{1}{2}, 0 \end{matrix} \right)}{4\pi^{\frac{3}{2}}d} + \frac{4\pi^{\frac{3}{2}}d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x**2+b*x+a)/(d*x-1)**(1/2)/(d*x+1)**(1/2),x)

[Out] a*meijerg(((1/4, 3/4), (1/2, 1/2, 1, 1)), ((0, 1/4, 1/2, 3/4, 1, 0), ()), 1/(d**2*x**2))/(4*pi**(3/2)*d) - I*a*meijerg((-1/2, -1/4, 0, 1/4, 1/2, 1), ((-1/4, 1/4), (-1/2, 0, 0, 0)), exp_polar(2*I*pi)/(d**2*x**2))/(4*pi**(3/2)*d) + b*meijerg((-1/4, 1/4), (0, 0, 1/2, 1)), ((-1/2, -1/4, 0, 1/4, 1/2, 0), ()), 1/(d**2*x**2))/(4*pi**(3/2)*d**2) + I*b*meijerg((-1, -3/4, -1/2, 1/4), (0, 0, 1/2, 1)), ((-1/2, -1/4, 0, 1/4, 1/2, 0), ()), 1/(d**2*x**2))/(4*pi**(3/2)*d**2)

$/2, -1/4, 0, 1), ()), ((-3/4, -1/4), (-1, -1/2, -1/2, 0)), \exp_polar(2*I*pi) / (d**2*x**2)) / (4*pi**(3/2)*d**2) + c*meijerg(((-3/4, -1/4), (-1/2, -1/2, 0, 1)), ((-1, -3/4, -1/2, -1/4, 0, 0), ()), 1/(d**2*x**2)) / (4*pi**(3/2)*d**3) - I*c*meijerg(((-3/2, -5/4, -1, -3/4, -1/2, 1), ()), ((-5/4, -3/4), (-3/2, -1, -1, 0)), \exp_polar(2*I*pi) / (d**2*x**2)) / (4*pi**(3/2)*d**3)$

$$3.36 \quad \int \frac{a+bx+cx^2}{x\sqrt{-1+dx}\sqrt{1+dx}} dx$$

Optimal. Leaf size=55

$$a \tan^{-1}\left(\sqrt{dx-1}\sqrt{dx+1}\right) + \frac{b \cosh^{-1}(dx)}{d} + \frac{c\sqrt{dx-1}\sqrt{dx+1}}{d^2}$$

[Out] b*arccosh(d*x)/d+a*arctan((d*x-1)^(1/2)*(d*x+1)^(1/2))+c*(d*x-1)^(1/2)*(d*x+1)^(1/2)/d^2

Rubi [B] time = 0.18, antiderivative size = 135, normalized size of antiderivative = 2.45, number of steps used = 8, number of rules used = 8, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {1610, 1809, 844, 217, 206, 266, 63, 205}

$$\frac{a\sqrt{d^2x^2-1} \tan^{-1}\left(\sqrt{d^2x^2-1}\right)}{\sqrt{dx-1}\sqrt{dx+1}} + \frac{b\sqrt{d^2x^2-1} \tanh^{-1}\left(\frac{dx}{\sqrt{d^2x^2-1}}\right)}{d\sqrt{dx-1}\sqrt{dx+1}} - \frac{c(1-d^2x^2)}{d^2\sqrt{dx-1}\sqrt{dx+1}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x + c*x^2)/(x*Sqrt[-1 + d*x]*Sqrt[1 + d*x]), x]

[Out] -((c*(1 - d^2*x^2))/(d^2*Sqrt[-1 + d*x]*Sqrt[1 + d*x])) + (a*Sqrt[-1 + d^2*x^2]*ArcTan[Sqrt[-1 + d^2*x^2]]/(Sqrt[-1 + d*x]*Sqrt[1 + d*x]) + (b*Sqrt[-1 + d^2*x^2]*ArcTanh[(d*x)/Sqrt[-1 + d^2*x^2]]/(d*Sqrt[-1 + d*x]*Sqrt[1 + d*x]))

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt

$Q[a, 0] \parallel LtQ[b, 0]$

Rule 217

$Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[\{a, b\}, x] \&\& !GtQ[a, 0]$

Rule 266

$Int[(x_)^{(m_)}*((a_) + (b_)*(x_)^{(n_)})^{(p_)}, x_Symbol] := Dist[1/n, Subst[Int[x^{(Simplify[(m + 1)/n] - 1)*(a + b*x)^p}, x], x, x^n], x] /; FreeQ[\{a, b, m, n, p\}, x] \&\& IntegerQ[Simplify[(m + 1)/n]]$

Rule 844

$Int[((d_) + (e_)*(x_))^{(m_)}*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^{(p_)}, x_Symbol] := Dist[g/e, Int[(d + e*x)^{(m + 1)}*(a + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[\{a, c, d, e, f, g, m, p\}, x] \&\& NeQ[c*d^2 + a*e^2, 0] \&\& !IGtQ[m, 0]$

Rule 1610

$Int[(Px_)*((a_) + (b_)*(x_))^{(m_)}*((c_) + (d_)*(x_))^{(n_)}*((e_) + (f_)*(x_))^{(p_)}, x_Symbol] := Dist[((a + b*x)^{FracPart[m]}*(c + d*x)^{FracPart[m]})/(a*c + b*d*x^2)^{FracPart[m]}, Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x], x] /; FreeQ[\{a, b, c, d, e, f, m, n, p\}, x] \&\& PolyQ[Px, x] \&\& EqQ[b*c + a*d, 0] \&\& EqQ[m, n] \&\& !IntegerQ[m]$

Rule 1809

$Int[(Pq_)*((c_)*(x_))^{(m_)}*((a_) + (b_)*(x_)^2)^{(p_)}, x_Symbol] := With[\{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]\}, Simp[(f*(c*x)^{(m + q - 1)}*(a + b*x^2)^{(p + 1)})/(b*c^{(q - 1)}*(m + q + 2*p + 1)), x] + Dist[1/(b*(m + q + 2*p + 1)), Int[(c*x)^m*(a + b*x^2)^p*ExpandToSum[b*(m + q + 2*p + 1)*Pq - b*f*(m + q + 2*p + 1)*x^q - a*f*(m + q - 1)*x^{(q - 2)}, x], x], x] /; GtQ[q, 1] \&\& NeQ[m + q + 2*p + 1, 0] /; FreeQ[\{a, b, c, m, p\}, x] \&\& PolyQ[Pq, x] \&\& (!IGtQ[m, 0] || IGtQ[p + 1/2, -1])$

Rubi steps

$$\begin{aligned}
\int \frac{a + bx + cx^2}{x\sqrt{-1 + dx}\sqrt{1 + dx}} dx &= \frac{\sqrt{-1 + d^2x^2} \int \frac{a+bx+cx^2}{x\sqrt{-1+d^2x^2}} dx}{\sqrt{-1 + dx}\sqrt{1 + dx}} \\
&= -\frac{c(1 - d^2x^2)}{d^2\sqrt{-1 + dx}\sqrt{1 + dx}} + \frac{\sqrt{-1 + d^2x^2} \int \frac{ad^2+bd^2x}{x\sqrt{-1+d^2x^2}} dx}{d^2\sqrt{-1 + dx}\sqrt{1 + dx}} \\
&= -\frac{c(1 - d^2x^2)}{d^2\sqrt{-1 + dx}\sqrt{1 + dx}} + \frac{(a\sqrt{-1 + d^2x^2}) \int \frac{1}{x\sqrt{-1+d^2x^2}} dx}{\sqrt{-1 + dx}\sqrt{1 + dx}} + \frac{(b\sqrt{-1 + d^2x^2}) \int \frac{1}{\sqrt{-1+d^2x^2}} dx}{\sqrt{-1 + dx}\sqrt{1 + dx}} \\
&= -\frac{c(1 - d^2x^2)}{d^2\sqrt{-1 + dx}\sqrt{1 + dx}} + \frac{(a\sqrt{-1 + d^2x^2}) \text{Subst}\left(\int \frac{1}{x\sqrt{-1+d^2x^2}} dx, x, x^2\right)}{2\sqrt{-1 + dx}\sqrt{1 + dx}} + \frac{(b\sqrt{-1 + d^2x^2}) \text{Subst}\left(\int \frac{1}{\sqrt{-1+d^2x^2}} dx, x, x^2\right)}{d^2\sqrt{-1 + dx}\sqrt{1 + dx}} \\
&= -\frac{c(1 - d^2x^2)}{d^2\sqrt{-1 + dx}\sqrt{1 + dx}} + \frac{b\sqrt{-1 + d^2x^2} \tanh^{-1}\left(\frac{dx}{\sqrt{-1+d^2x^2}}\right)}{d\sqrt{-1 + dx}\sqrt{1 + dx}} + \frac{(a\sqrt{-1 + d^2x^2}) \text{Subst}\left(\int \frac{1}{\sqrt{-1+d^2x^2}} dx, x, x^2\right)}{d^2\sqrt{-1 + dx}\sqrt{1 + dx}} \\
&= -\frac{c(1 - d^2x^2)}{d^2\sqrt{-1 + dx}\sqrt{1 + dx}} + \frac{a\sqrt{-1 + d^2x^2} \tan^{-1}\left(\sqrt{-1 + d^2x^2}\right)}{\sqrt{-1 + dx}\sqrt{1 + dx}} + \frac{b\sqrt{-1 + d^2x^2} \tanh^{-1}\left(\frac{dx}{\sqrt{-1+d^2x^2}}\right)}{d\sqrt{-1 + dx}\sqrt{1 + dx}}
\end{aligned}$$

Mathematica [B] time = 0.42, size = 128, normalized size = 2.33

$$\frac{ad^2\sqrt{d^2x^2-1} \tan^{-1}\left(\sqrt{d^2x^2-1}\right) + cd^2x^2 - 2c\sqrt{1-d^2x^2} \sin^{-1}\left(\frac{\sqrt{1-dx}}{\sqrt{2}}\right) - c}{\sqrt{dx-1}\sqrt{dx+1}} - 2(c - bd) \tanh^{-1}\left(\sqrt{\frac{dx-1}{dx+1}}\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*x + c*x^2)/(x*Sqrt[-1 + d*x]*Sqrt[1 + d*x]),x]

[Out] ((-c + c*d^2*x^2 - 2*c*Sqrt[1 - d^2*x^2]*ArcSin[Sqrt[1 - d*x]/Sqrt[2]]) + a*d^2*Sqrt[-1 + d^2*x^2]*ArcTan[Sqrt[-1 + d^2*x^2]])/(Sqrt[-1 + d*x]*Sqrt[1 + d*x]) - 2*(c - b*d)*ArcTanh[Sqrt[(-1 + d*x)/(1 + d*x)]]/d^2

fricas [A] time = 1.67, size = 73, normalized size = 1.33

$$\frac{2ad^2 \arctan\left(-dx + \sqrt{dx+1}\sqrt{dx-1}\right) - bd \log\left(-dx + \sqrt{dx+1}\sqrt{dx-1}\right) + \sqrt{dx+1}\sqrt{dx-1}c}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)/x/(d*x-1)^(1/2)/(d*x+1)^(1/2),x, algorithm="fricas")

[Out] (2*a*d^2*arctan(-d*x + sqrt(d*x + 1)*sqrt(d*x - 1)) - b*d*log(-d*x + sqrt(d*x + 1)*sqrt(d*x - 1)) + sqrt(d*x + 1)*sqrt(d*x - 1)*c)/d^2

giac [A] time = 1.37, size = 71, normalized size = 1.29

$$-2a \arctan\left(\frac{1}{2}\left(\sqrt{dx+1} - \sqrt{dx-1}\right)^2\right) - \frac{b \log\left(\left(\sqrt{dx+1} - \sqrt{dx-1}\right)^2\right)}{d} + \frac{\sqrt{dx+1} \sqrt{dx-1} c}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)/x/(d*x-1)^(1/2)/(d*x+1)^(1/2),x, algorithm="giac")

[Out] -2*a*arctan(1/2*(sqrt(d*x + 1) - sqrt(d*x - 1))^2) - b*log((sqrt(d*x + 1) - sqrt(d*x - 1))^2)/d + sqrt(d*x + 1)*sqrt(d*x - 1)*c/d^2

maple [C] time = 0.00, size = 95, normalized size = 1.73

$$\frac{\left(-a d^2 \arctan\left(\frac{1}{\sqrt{d^2 x^2 - 1}}\right) \operatorname{csgn}(d) + b d \ln\left(\left(dx + \sqrt{(dx+1)(dx-1)} \operatorname{csgn}(d)\right) \operatorname{csgn}(d)\right) + \sqrt{d^2 x^2 - 1} c \operatorname{csgn}(d)\right) \sqrt{d^2 x^2 - 1}}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^2+b*x+a)/x/(d*x-1)^(1/2)/(d*x+1)^(1/2),x)

[Out] (-a*d^2*arctan(1/(d^2*x^2-1)^(1/2))*csgn(d)+b*d*ln((d*x+((d*x+1)*(d*x-1))^(1/2))*csgn(d))*csgn(d)+(d^2*x^2-1)^(1/2)*c*csgn(d))*(d*x-1)^(1/2)*(d*x+1)^(1/2)/(d^2*x^2-1)^(1/2)/d^2*csgn(d)

maxima [A] time = 2.34, size = 56, normalized size = 1.02

$$-a \arcsin\left(\frac{1}{d|x|}\right) + \frac{b \log\left(2 d^2 x + 2 \sqrt{d^2 x^2 - 1} d\right)}{d} + \frac{\sqrt{d^2 x^2 - 1} c}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)/x/(d*x-1)^(1/2)/(d*x+1)^(1/2),x, algorithm="maxima")

[Out] -a*arcsin(1/(d*abs(x))) + b*log(2*d^2*x + 2*sqrt(d^2*x^2 - 1)*d)/d + sqrt(d^2*x^2 - 1)*c/d^2

mupad [B] time = 5.39, size = 118, normalized size = 2.15

$$\frac{c\sqrt{dx-1}\sqrt{dx+1}}{d^2} - \frac{4b \operatorname{atan}\left(\frac{d(\sqrt{dx-1}-i)}{(\sqrt{dx+1}-1)\sqrt{-d^2}}\right)}{\sqrt{-d^2}} - a \left(\ln\left(\frac{(\sqrt{dx-1}-i)^2}{(\sqrt{dx+1}-1)^2} + 1\right) - \ln\left(\frac{\sqrt{dx-1}-i}{\sqrt{dx+1}-1}\right) \right) i$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x + c*x^2)/(x*(d*x - 1)^(1/2)*(d*x + 1)^(1/2)),x)`

[Out] `(c*(d*x - 1)^(1/2)*(d*x + 1)^(1/2))/d^2 - (4*b*atan((d*((d*x - 1)^(1/2) - 1i))/((d*x + 1)^(1/2) - 1)*(-d^2)^(1/2)))/(-d^2)^(1/2) - a*(log(((d*x - 1)^(1/2) - 1i)^2/((d*x + 1)^(1/2) - 1)^2 + 1) - log(((d*x - 1)^(1/2) - 1i)/((d*x + 1)^(1/2) - 1))) * 1i`

sympy [C] time = 47.37, size = 240, normalized size = 4.36

$$\frac{{}_aG_{6,6}^{5,3} \left(\begin{matrix} \frac{3}{4}, \frac{5}{4}, 1 \\ \frac{1}{2}, \frac{3}{4}, 1, \frac{5}{4}, \frac{3}{2} \end{matrix} \middle| \frac{1}{d^2 x^2} \right) + i {}_aG_{6,6}^{2,6} \left(\begin{matrix} 0, \frac{1}{4}, \frac{1}{2}, \frac{3}{4}, 1, 1 \\ \frac{1}{4}, \frac{3}{4} \end{matrix} \middle| \frac{e^{2i\pi}}{d^2 x^2} \right) + b {}_bG_{6,6}^{6,2} \left(\begin{matrix} \frac{1}{4}, \frac{3}{4} \\ 0, \frac{1}{4}, \frac{1}{2}, \frac{3}{4}, 1, 0 \end{matrix} \middle| \frac{1}{d^2 x^2} \right)}{4\pi^{\frac{3}{2}} + 4\pi^{\frac{3}{2}} + 4\pi^{\frac{3}{2}} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x**2+b*x+a)/x/(d*x-1)**(1/2)/(d*x+1)**(1/2),x)`

[Out] `-a*meijerg(((3/4, 5/4, 1), (1, 1, 3/2)), ((1/2, 3/4, 1, 5/4, 3/2), (0,)), 1/(d**2*x**2))/(4*pi**(3/2)) + I*a*meijerg(((0, 1/4, 1/2, 3/4, 1, 1), ()), ((1/4, 3/4), (0, 1/2, 1/2, 0)), exp_polar(2*I*pi)/(d**2*x**2))/(4*pi**(3/2)) + b*meijerg(((1/4, 3/4), (1/2, 1/2, 1, 1)), ((0, 1/4, 1/2, 3/4, 1, 0), ()), 1/(d**2*x**2))/(4*pi**(3/2)*d) - I*b*meijerg((((-1/2, -1/4, 0, 1/4, 1/2, 1), ()), ((-1/4, 1/4), (-1/2, 0, 0, 0)), exp_polar(2*I*pi)/(d**2*x**2))/(4*pi**(3/2)*d) + c*meijerg((((-1/4, 1/4), (0, 0, 1/2, 1)), ((-1/2, -1/4, 0, 1/4, 1/2, 0), ()), 1/(d**2*x**2))/(4*pi**(3/2)*d**2) + I*c*meijerg((((-1, -3/4, -1/2, -1/4, 0, 1), ()), ((-3/4, -1/4), (-1, -1/2, -1/2, 0)), exp_polar(2*I*pi)/(d**2*x**2))/(4*pi**(3/2)*d**2)`

$$3.37 \quad \int \frac{a+bx+cx^2}{x^2 \sqrt{-1+dx} \sqrt{1+dx}} dx$$

Optimal. Leaf size=55

$$\frac{a\sqrt{dx-1}\sqrt{dx+1}}{x} + b \tan^{-1}\left(\sqrt{dx-1}\sqrt{dx+1}\right) + \frac{c \cosh^{-1}(dx)}{d}$$

[Out] c*arccosh(d*x)/d+b*arctan((d*x-1)^(1/2)*(d*x+1)^(1/2))+a*(d*x-1)^(1/2)*(d*x+1)^(1/2)/x

Rubi [B] time = 0.18, antiderivative size = 135, normalized size of antiderivative = 2.45, number of steps used = 8, number of rules used = 8, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {1610, 1807, 844, 217, 206, 266, 63, 205}

$$-\frac{a(1-d^2x^2)}{x\sqrt{dx-1}\sqrt{dx+1}} + \frac{b\sqrt{d^2x^2-1} \tan^{-1}\left(\sqrt{d^2x^2-1}\right)}{\sqrt{dx-1}\sqrt{dx+1}} + \frac{c\sqrt{d^2x^2-1} \tanh^{-1}\left(\frac{dx}{\sqrt{d^2x^2-1}}\right)}{d\sqrt{dx-1}\sqrt{dx+1}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x + c*x^2)/(x^2*Sqrt[-1 + d*x]*Sqrt[1 + d*x]), x]

[Out] -((a*(1 - d^2*x^2))/(x*Sqrt[-1 + d*x]*Sqrt[1 + d*x])) + (b*Sqrt[-1 + d^2*x^2]*ArcTan[Sqrt[-1 + d^2*x^2]])/(Sqrt[-1 + d*x]*Sqrt[1 + d*x]) + (c*Sqrt[-1 + d^2*x^2]*ArcTanh[(d*x)/Sqrt[-1 + d^2*x^2]])/(d*Sqrt[-1 + d*x]*Sqrt[1 + d*x])

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt

$Q[a, 0] \parallel \text{LtQ}[b, 0]$)

Rule 217

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^2], x_Symbol] \rightarrow \text{Subst}[\text{Int}[1/(1 - b*x^2), x], x, x/\text{Sqrt}[a + b*x^2]] \text{ /; FreeQ}[\{a, b\}, x] \ \&\& \ !\text{GtQ}[a, 0]$

Rule 266

$\text{Int}[(x_)^{(m_)}*((a_) + (b_)*(x_)^{(n_)})^{(p_)}, x_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1)*(a + b*x)^p}, x], x, x^n], x] \text{ /; FreeQ}[\{a, b, m, n, p\}, x] \ \&\& \ \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

Rule 844

$\text{Int}[(d_ + (e_)*(x_))^{(m_)}*((f_ + (g_)*(x_))*(a_ + (c_)*(x_)^2)^{(p_)}), x_Symbol] \rightarrow \text{Dist}[g/e, \text{Int}[(d + e*x)^{(m + 1)}*(a + c*x^2)^p, x], x] + \text{Dist}[(e*f - d*g)/e, \text{Int}[(d + e*x)^m*(a + c*x^2)^p, x], x] \text{ /; FreeQ}[\{a, c, d, e, f, g, m, p\}, x] \ \&\& \ \text{NeQ}[c*d^2 + a*e^2, 0] \ \&\& \ !\text{IGtQ}[m, 0]$

Rule 1610

$\text{Int}[(P_x)*((a_ + (b_)*(x_))^{(m_)}*((c_ + (d_)*(x_))^{(n_)}*((e_ + (f_)*(x_))^{(p_)}), x_Symbol] \rightarrow \text{Dist}[(a + b*x)^{\text{FracPart}[m]}*(c + d*x)^{\text{FracPart}[m]}]/(a*c + b*d*x^2)^{\text{FracPart}[m]}, \text{Int}[P_x*(a*c + b*d*x^2)^m*(e + f*x)^p, x], x] \text{ /; FreeQ}[\{a, b, c, d, e, f, m, n, p\}, x] \ \&\& \ \text{PolyQ}[P_x, x] \ \&\& \ \text{EqQ}[b*c + a*d, 0] \ \&\& \ \text{EqQ}[m, n] \ \&\& \ !\text{IntegerQ}[m]$

Rule 1807

$\text{Int}[(P_q)*((c_)*(x_))^{(m_)}*((a_ + (b_)*(x_)^2)^{(p_)}), x_Symbol] \rightarrow \text{With}[\{Q = \text{PolynomialQuotient}[P_q, c*x, x], R = \text{PolynomialRemainder}[P_q, c*x, x]\}, \text{Simp}[(R*(c*x)^{(m + 1)}*(a + b*x^2)^{(p + 1)})/(a*c*(m + 1)), x] + \text{Dist}[1/(a*c*(m + 1)), \text{Int}[(c*x)^{(m + 1)}*(a + b*x^2)^p*\text{ExpandToSum}[a*c*(m + 1)*Q - b*R*(m + 2*p + 3)*x, x], x]] \text{ /; FreeQ}[\{a, b, c, p\}, x] \ \&\& \ \text{PolyQ}[P_q, x] \ \&\& \ \text{LtQ}[m, -1] \ \&\& \ (\text{IntegerQ}[2*p] \parallel \text{NeQ}[\text{Expon}[P_q, x], 1])$

Rubi steps

$$\begin{aligned}
\int \frac{a + bx + cx^2}{x^2 \sqrt{-1 + dx} \sqrt{1 + dx}} dx &= \frac{\sqrt{-1 + d^2 x^2} \int \frac{a + bx + cx^2}{x^2 \sqrt{-1 + d^2 x^2}} dx}{\sqrt{-1 + dx} \sqrt{1 + dx}} \\
&= -\frac{a(1 - d^2 x^2)}{x \sqrt{-1 + dx} \sqrt{1 + dx}} + \frac{\sqrt{-1 + d^2 x^2} \int \frac{b + cx}{x \sqrt{-1 + d^2 x^2}} dx}{\sqrt{-1 + dx} \sqrt{1 + dx}} \\
&= -\frac{a(1 - d^2 x^2)}{x \sqrt{-1 + dx} \sqrt{1 + dx}} + \frac{(b \sqrt{-1 + d^2 x^2}) \int \frac{1}{x \sqrt{-1 + d^2 x^2}} dx}{\sqrt{-1 + dx} \sqrt{1 + dx}} + \frac{(c \sqrt{-1 + d^2 x^2}) \int \frac{1}{\sqrt{-1 + d^2 x^2}} dx}{\sqrt{-1 + dx} \sqrt{1 + dx}} \\
&= -\frac{a(1 - d^2 x^2)}{x \sqrt{-1 + dx} \sqrt{1 + dx}} + \frac{(b \sqrt{-1 + d^2 x^2}) \text{Subst}\left(\int \frac{1}{x \sqrt{-1 + d^2 x}} dx, x, x^2\right)}{2 \sqrt{-1 + dx} \sqrt{1 + dx}} + \frac{(c \sqrt{-1 + d^2 x^2}) \text{Subst}\left(\int \frac{1}{\sqrt{-1 + d^2 x}} dx, x, x^2\right)}{2 \sqrt{-1 + dx} \sqrt{1 + dx}} \\
&= -\frac{a(1 - d^2 x^2)}{x \sqrt{-1 + dx} \sqrt{1 + dx}} + \frac{c \sqrt{-1 + d^2 x^2} \tanh^{-1}\left(\frac{dx}{\sqrt{-1 + d^2 x^2}}\right)}{d \sqrt{-1 + dx} \sqrt{1 + dx}} + \frac{(b \sqrt{-1 + d^2 x^2}) \text{Subst}\left(\int \frac{1}{x \sqrt{-1 + d^2 x}} dx, x, x^2\right)}{d^2 \sqrt{-1 + dx} \sqrt{1 + dx}} \\
&= -\frac{a(1 - d^2 x^2)}{x \sqrt{-1 + dx} \sqrt{1 + dx}} + \frac{b \sqrt{-1 + d^2 x^2} \tan^{-1}\left(\sqrt{-1 + d^2 x^2}\right)}{\sqrt{-1 + dx} \sqrt{1 + dx}} + \frac{c \sqrt{-1 + d^2 x^2} \tanh^{-1}\left(\frac{dx}{\sqrt{-1 + d^2 x^2}}\right)}{d \sqrt{-1 + dx} \sqrt{1 + dx}}
\end{aligned}$$

Mathematica [A] time = 0.18, size = 89, normalized size = 1.62

$$\frac{a(d^2 x^2 - 1) + bx \sqrt{d^2 x^2 - 1} \tan^{-1}\left(\sqrt{d^2 x^2 - 1}\right)}{x \sqrt{dx - 1} \sqrt{dx + 1}} + \frac{2c \tanh^{-1}\left(\sqrt{\frac{dx-1}{dx+1}}\right)}{d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*x + c*x^2)/(x^2*Sqrt[-1 + d*x]*Sqrt[1 + d*x]),x]

[Out] (a*(-1 + d^2*x^2) + b*x*Sqrt[-1 + d^2*x^2]*ArcTan[Sqrt[-1 + d^2*x^2]])/(x*Sqrt[-1 + d*x]*Sqrt[1 + d*x]) + (2*c*ArcTanh[Sqrt[(-1 + d*x)/(1 + d*x)]])/d

fricas [A] time = 1.12, size = 82, normalized size = 1.49

$$\frac{ad^2x + 2bdx \arctan\left(-dx + \sqrt{dx + 1} \sqrt{dx - 1}\right) + \sqrt{dx + 1} \sqrt{dx - 1} ad - cx \log\left(-dx + \sqrt{dx + 1} \sqrt{dx - 1}\right)}{dx}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)/x^2/(d*x-1)^(1/2)/(d*x+1)^(1/2),x, algorithm="fricas")

[Out] $(a*d^2*x + 2*b*d*x*\arctan(-d*x + \sqrt{d*x + 1})*\sqrt{d*x - 1}) + \sqrt{d*x + 1}*\sqrt{d*x - 1}*a*d - c*x*\log(-d*x + \sqrt{d*x + 1}*\sqrt{d*x - 1}))/d$

giac [A] time = 1.52, size = 83, normalized size = 1.51

$$\frac{2bd \arctan\left(\frac{1}{2}(\sqrt{dx+1} - \sqrt{dx-1})^2\right) - \frac{8ad^2}{(\sqrt{dx+1}-\sqrt{dx-1})^4+4} + c \log\left((\sqrt{dx+1} - \sqrt{dx-1})^2\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^2+b*x+a)/x^2/(d*x-1)^(1/2)/(d*x+1)^(1/2),x, algorithm="giac")`

[Out] $-(2*b*d*\arctan(1/2*(\sqrt{d*x + 1} - \sqrt{d*x - 1})^2) - 8*a*d^2/((\sqrt{d*x + 1} - \sqrt{d*x - 1})^4 + 4) + c*\log((\sqrt{d*x + 1} - \sqrt{d*x - 1})^2))/d$

maple [C] time = 0.00, size = 96, normalized size = 1.75

$$\frac{\left(-bdx \arctan\left(\frac{1}{\sqrt{d^2x^2-1}}\right) \operatorname{csgn}(d) + \sqrt{d^2x^2-1} ad \operatorname{csgn}(d) + cx \ln\left(\left(dx + \sqrt{d^2x^2-1} \operatorname{csgn}(d)\right) \operatorname{csgn}(d)\right)\right) \sqrt{dx-1}}{\sqrt{d^2x^2-1} dx}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c*x^2+b*x+a)/x^2/(d*x-1)^(1/2)/(d*x+1)^(1/2),x)`

[Out] $(-b*d*x*\arctan(1/(d^2*x^2-1)^(1/2))*\operatorname{csgn}(d)+(d^2*x^2-1)^(1/2)*a*d*\operatorname{csgn}(d)+c*x*\ln((d*x+(d^2*x^2-1)^(1/2))*\operatorname{csgn}(d))*\operatorname{csgn}(d))/(d*x*\operatorname{csgn}(d))$

maxima [A] time = 2.35, size = 56, normalized size = 1.02

$$-b \arcsin\left(\frac{1}{d|x|}\right) + \frac{c \log\left(2d^2x + 2\sqrt{d^2x^2-1}d\right)}{d} + \frac{\sqrt{d^2x^2-1}a}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^2+b*x+a)/x^2/(d*x-1)^(1/2)/(d*x+1)^(1/2),x, algorithm="maxima")`

[Out] $-b*\arcsin(1/(d*abs(x))) + c*\log(2*d^2*x + 2*\sqrt{d^2*x^2 - 1}*d)/d + \sqrt{d^2*x^2 - 1}*a/x$

mapad [B] time = 5.15, size = 118, normalized size = 2.15

$$\frac{a \sqrt{dx-1} \sqrt{dx+1}}{x} - \frac{4c \operatorname{atan}\left(\frac{d(\sqrt{dx-1}-i)}{(\sqrt{dx+1}-1)\sqrt{-d^2}}\right)}{\sqrt{-d^2}} - b \left(\ln\left(\frac{(\sqrt{dx-1}-i)^2}{(\sqrt{dx+1}-1)^2} + 1\right) - \ln\left(\frac{\sqrt{dx-1}-i}{\sqrt{dx+1}-1}\right) \right) 1i$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x + c*x^2)/(x^2*(d*x - 1)^(1/2)*(d*x + 1)^(1/2)),x)`

[Out] $(a*(d*x - 1)^{(1/2)}*(d*x + 1)^{(1/2)})/x - (4*c*atan((d*((d*x - 1)^{(1/2)} - 1i)))/(((d*x + 1)^{(1/2)} - 1)*(-d^2)^{(1/2)}))/(-d^2)^{(1/2)} - b*(log(((d*x - 1)^{(1/2)} - 1i)^2/((d*x + 1)^{(1/2)} - 1)^2 + 1) - log(((d*x - 1)^{(1/2)} - 1i)/((d*x + 1)^{(1/2)} - 1)))*1i$

sympy [C] time = 45.81, size = 216, normalized size = 3.93

$$\frac{adG_{6,6}^{5,3} \left(\begin{array}{c} \frac{5}{4}, \frac{7}{4}, 1 \\ 1, \frac{5}{4}, \frac{3}{2}, \frac{7}{4}, 2 \\ \frac{3}{2}, \frac{3}{2}, 2 \end{array} \middle| \frac{1}{d^2x^2} \right) - iadG_{6,6}^{2,6} \left(\begin{array}{c} \frac{1}{2}, \frac{3}{4}, 1, \frac{5}{4}, \frac{3}{2}, 1 \\ \frac{3}{4}, \frac{5}{4} \\ \frac{1}{2}, 1, 1, 0 \end{array} \middle| \frac{e^{2i\pi}}{d^2x^2} \right) - bG_{6,6}^{5,3} \left(\begin{array}{c} \frac{3}{4}, \frac{5}{4}, 1 \\ \frac{1}{2}, \frac{3}{4}, 1, \frac{5}{4}, \frac{3}{2} \\ 1, 1, \frac{3}{2} \end{array} \middle| \frac{1}{d^2x^2} \right)}{4\pi^{\frac{3}{2}} - 4\pi^{\frac{3}{2}} - 4\pi^{\frac{3}{2}}} + ib$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x**2+b*x+a)/x**2/(d*x-1)**(1/2)/(d*x+1)**(1/2),x)`

[Out] $-a*d*meijerg(((5/4, 7/4, 1), (3/2, 3/2, 2)), ((1, 5/4, 3/2, 7/4, 2), (0,)), 1/(d**2*x**2))/(4*pi**(3/2)) - I*a*d*meijerg(((1/2, 3/4, 1, 5/4, 3/2, 1), ()), ((3/4, 5/4), (1/2, 1, 1, 0)), exp_polar(2*I*pi)/(d**2*x**2))/(4*pi**(3/2)) - b*meijerg(((3/4, 5/4, 1), (1, 1, 3/2)), ((1/2, 3/4, 1, 5/4, 3/2), (0,)), 1/(d**2*x**2))/(4*pi**(3/2)) + I*b*meijerg(((0, 1/4, 1/2, 3/4, 1, 1), ()), ((1/4, 3/4), (0, 1/2, 1/2, 0)), exp_polar(2*I*pi)/(d**2*x**2))/(4*pi**(3/2)) + c*meijerg(((1/4, 3/4), (1/2, 1/2, 1, 1)), ((0, 1/4, 1/2, 3/4, 1, 0), ()), 1/(d**2*x**2))/(4*pi**(3/2)*d) - I*c*meijerg(((1/2, -1/4, 0, 1/4, 1/2, 1), ()), ((-1/4, 1/4), (-1/2, 0, 0, 0)), exp_polar(2*I*pi)/(d**2*x**2))/(4*pi**(3/2)*d)$

$$3.38 \quad \int \frac{a+bx+cx^2}{x^3 \sqrt{-1+dx} \sqrt{1+dx}} dx$$

Optimal. Leaf size=83

$$\frac{1}{2} (ad^2 + 2c) \tan^{-1} \left(\sqrt{dx-1} \sqrt{dx+1} \right) + \frac{a\sqrt{dx-1} \sqrt{dx+1}}{2x^2} + \frac{b\sqrt{dx-1} \sqrt{dx+1}}{x}$$

[Out] 1/2*(a*d^2+2*c)*arctan((d*x-1)^(1/2)*(d*x+1)^(1/2))+1/2*a*(d*x-1)^(1/2)*(d*x+1)^(1/2)/x^2+b*(d*x-1)^(1/2)*(d*x+1)^(1/2)/x

Rubi [A] time = 0.19, antiderivative size = 129, normalized size of antiderivative = 1.55, number of steps used = 6, number of rules used = 6, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.188$, Rules used = {1610, 1807, 807, 266, 63, 205}

$$\frac{\sqrt{d^2x^2-1} (ad^2 + 2c) \tan^{-1} \left(\sqrt{d^2x^2-1} \right)}{2\sqrt{dx-1} \sqrt{dx+1}} - \frac{a(1-d^2x^2)}{2x^2\sqrt{dx-1} \sqrt{dx+1}} - \frac{b(1-d^2x^2)}{x\sqrt{dx-1} \sqrt{dx+1}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x + c*x^2)/(x^3*Sqrt[-1 + d*x]*Sqrt[1 + d*x]),x]

[Out] -(a*(1 - d^2*x^2))/(2*x^2*Sqrt[-1 + d*x]*Sqrt[1 + d*x]) - (b*(1 - d^2*x^2))/(x*Sqrt[-1 + d*x]*Sqrt[1 + d*x]) + ((2*c + a*d^2)*Sqrt[-1 + d^2*x^2]*ArcTan[Sqrt[-1 + d^2*x^2]])/(2*Sqrt[-1 + d*x]*Sqrt[1 + d*x])

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 266

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 807

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

Rule 1610

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := Dist[((a + b*x)^FracPart[m]*(c + d*x)^FracPart[m])/(a*c + b*d*x^2)^FracPart[m], Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*d, 0] && EqQ[m, n] && !IntegerQ[m]
```

Rule 1807

```
Int[(Pq_)*((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[{Q = PolynomialQuotient[Pq, c*x, x], R = PolynomialRemainder[Pq, c*x, x]}, Simp[(R*(c*x)^(m + 1)*(a + b*x^2)^(p + 1))/(a*c*(m + 1)), x] + Dist[1/(a*c*(m + 1)), Int[(c*x)^(m + 1)*(a + b*x^2)^p*ExpandToSum[a*c*(m + 1)*Q - b*R*(m + 2*p + 3)*x, x], x], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && LtQ[m, -1] && (IntegerQ[2*p] || NeQ[Expon[Pq, x], 1])
```

Rubi steps

$$\begin{aligned}
\int \frac{a + bx + cx^2}{x^3 \sqrt{-1 + dx} \sqrt{1 + dx}} dx &= \frac{\sqrt{-1 + d^2 x^2} \int \frac{a + bx + cx^2}{x^3 \sqrt{-1 + d^2 x^2}} dx}{\sqrt{-1 + dx} \sqrt{1 + dx}} \\
&= -\frac{a(1 - d^2 x^2)}{2x^2 \sqrt{-1 + dx} \sqrt{1 + dx}} + \frac{\sqrt{-1 + d^2 x^2} \int \frac{2b + (2c + ad^2)x}{x^2 \sqrt{-1 + d^2 x^2}} dx}{2\sqrt{-1 + dx} \sqrt{1 + dx}} \\
&= -\frac{a(1 - d^2 x^2)}{2x^2 \sqrt{-1 + dx} \sqrt{1 + dx}} - \frac{b(1 - d^2 x^2)}{x\sqrt{-1 + dx} \sqrt{1 + dx}} + \frac{\left((2c + ad^2) \sqrt{-1 + d^2 x^2}\right) \int \frac{1}{x\sqrt{-1 + d^2 x^2}} dx}{2\sqrt{-1 + dx} \sqrt{1 + dx}} \\
&= -\frac{a(1 - d^2 x^2)}{2x^2 \sqrt{-1 + dx} \sqrt{1 + dx}} - \frac{b(1 - d^2 x^2)}{x\sqrt{-1 + dx} \sqrt{1 + dx}} + \frac{\left((2c + ad^2) \sqrt{-1 + d^2 x^2}\right) \text{Subst}}{4\sqrt{-1 + dx} \sqrt{1 + dx}} \\
&= -\frac{a(1 - d^2 x^2)}{2x^2 \sqrt{-1 + dx} \sqrt{1 + dx}} - \frac{b(1 - d^2 x^2)}{x\sqrt{-1 + dx} \sqrt{1 + dx}} + \frac{\left((2c + ad^2) \sqrt{-1 + d^2 x^2}\right) \text{Subst}}{2d^2 \sqrt{-1 + dx} \sqrt{1 + dx}} \\
&= -\frac{a(1 - d^2 x^2)}{2x^2 \sqrt{-1 + dx} \sqrt{1 + dx}} - \frac{b(1 - d^2 x^2)}{x\sqrt{-1 + dx} \sqrt{1 + dx}} + \frac{(2c + ad^2) \sqrt{-1 + d^2 x^2} \tan^{-1}\left(\sqrt{\frac{d^2 x^2 - 1}{d^2 x^2 + 1}}\right)}{2\sqrt{-1 + dx} \sqrt{1 + dx}}
\end{aligned}$$

Mathematica [A] time = 0.12, size = 82, normalized size = 0.99

$$\frac{(d^2 x^2 - 1)(a + 2bx) + x^2 \sqrt{d^2 x^2 - 1} (ad^2 + 2c) \tan^{-1}\left(\sqrt{\frac{d^2 x^2 - 1}{d^2 x^2 + 1}}\right)}{2x^2 \sqrt{dx - 1} \sqrt{dx + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x + c*x^2)/(x^3*Sqrt[-1 + d*x]*Sqrt[1 + d*x]),x]

[Out] ((a + 2*b*x)*(-1 + d^2*x^2) + (2*c + a*d^2)*x^2*Sqrt[-1 + d^2*x^2]*ArcTan[Sqrt[-1 + d^2*x^2]])/(2*x^2*Sqrt[-1 + d*x]*Sqrt[1 + d*x])

fricas [A] time = 1.12, size = 69, normalized size = 0.83

$$\frac{2bdx^2 + 2(ad^2 + 2c)x^2 \arctan\left(-dx + \sqrt{dx + 1} \sqrt{dx - 1}\right) + (2bx + a)\sqrt{dx + 1} \sqrt{dx - 1}}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)/x^3/(d*x-1)^(1/2)/(d*x+1)^(1/2),x, algorithm="fricas")

[Out] $\frac{1}{2}*(2*b*d*x^2 + 2*(a*d^2 + 2*c)*x^2*\arctan(-d*x + \sqrt{d*x + 1})*\sqrt{d*x - 1}) + (2*b*x + a)*\sqrt{d*x + 1}*\sqrt{d*x - 1})/x^2$

giac [B] time = 1.44, size = 145, normalized size = 1.75

$$\frac{(ad^3 + 2cd) \arctan\left(\frac{1}{2}(\sqrt{dx+1} - \sqrt{dx-1})^2\right) + \frac{2(ad^3(\sqrt{dx+1}-\sqrt{dx-1})^6 - 4bd^2(\sqrt{dx+1}-\sqrt{dx-1})^4 - 4ad^3(\sqrt{dx+1}-\sqrt{dx-1})^2 - 4bd^2(\sqrt{dx+1}-\sqrt{dx-1})^4 + 4a^2d^2)}{((\sqrt{dx+1}-\sqrt{dx-1})^4 + 4)^2}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^2+b*x+a)/x^3/(d*x-1)^(1/2)/(d*x+1)^(1/2),x, algorithm="giac")`

[Out] $-\frac{((a*d^3 + 2*c*d)*\arctan(1/2*(\sqrt{d*x + 1} - \sqrt{d*x - 1})^2) + 2*(a*d^3*(\sqrt{d*x + 1} - \sqrt{d*x - 1})^6 - 4*b*d^2*(\sqrt{d*x + 1} - \sqrt{d*x - 1})^4 - 4*a*d^3*(\sqrt{d*x + 1} - \sqrt{d*x - 1})^2 - 16*b*d^2)/((\sqrt{d*x + 1} - \sqrt{d*x - 1})^4 + 4)^2)}{d}$

maple [C] time = 0.00, size = 103, normalized size = 1.24

$$\frac{\sqrt{dx-1} \sqrt{dx+1} \left(a d^2 x^2 \arctan\left(\frac{1}{\sqrt{d^2 x^2 - 1}}\right) + 2c x^2 \arctan\left(\frac{1}{\sqrt{d^2 x^2 - 1}}\right) - 2\sqrt{d^2 x^2 - 1} b x - \sqrt{d^2 x^2 - 1} a \right) \operatorname{csgn}(d)}{2\sqrt{d^2 x^2 - 1} x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c*x^2+b*x+a)/x^3/(d*x-1)^(1/2)/(d*x+1)^(1/2),x)`

[Out] $-\frac{1}{2}*(d*x-1)^(1/2)*(d*x+1)^(1/2)*(a*d^2*x^2*\arctan(1/(d^2*x^2-1)^(1/2))+2*c*x^2*\arctan(1/(d^2*x^2-1)^(1/2))-2*(d^2*x^2-1)^(1/2)*b*x-(d^2*x^2-1)^(1/2)*a)/(d^2*x^2-1)^(1/2)/x^2*\operatorname{csgn}(d)^2$

maxima [A] time = 2.47, size = 61, normalized size = 0.73

$$-\frac{1}{2}ad^2 \arcsin\left(\frac{1}{d|x|}\right) - c \arcsin\left(\frac{1}{d|x|}\right) + \frac{\sqrt{d^2x^2-1}b}{x} + \frac{\sqrt{d^2x^2-1}a}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^2+b*x+a)/x^3/(d*x-1)^(1/2)/(d*x+1)^(1/2),x, algorithm="maxima")`

[Out] $-\frac{1}{2}*a*d^2*\arcsin(1/(d*\operatorname{abs}(x))) - c*\arcsin(1/(d*\operatorname{abs}(x))) + \sqrt{d^2*x^2 - 1}*b/x + 1/2*\sqrt{d^2*x^2 - 1}*a/x^2$

mupad [B] time = 12.77, size = 316, normalized size = 3.81

$$\frac{\frac{ad^2 1i}{32} + \frac{ad^2(\sqrt{dx-1}-i)^2 1i}{16(\sqrt{dx+1}-1)^2} - \frac{ad^2(\sqrt{dx-1}-i)^4 15i}{32(\sqrt{dx+1}-1)^4}}{\frac{(\sqrt{dx-1}-i)^2}{(\sqrt{dx+1}-1)^2} + \frac{2(\sqrt{dx-1}-i)^4}{(\sqrt{dx+1}-1)^4} + \frac{(\sqrt{dx-1}-i)^6}{(\sqrt{dx+1}-1)^6}} - c \left(\ln \left(\frac{(\sqrt{dx-1}-i)^2}{(\sqrt{dx+1}-1)^2} + 1 \right) - \ln \left(\frac{\sqrt{dx-1}-i}{\sqrt{dx+1}-1} \right) \right) 1i - \frac{ad^2 \ln \left(\frac{(\sqrt{dx-1}-i)}{(\sqrt{dx+1}-1)} \right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x + c*x^2)/(x^3*(d*x - 1)^(1/2)*(d*x + 1)^(1/2)),x)`

[Out] $((a*d^2*1i)/32 + (a*d^2*((d*x - 1)^{(1/2)} - 1i)^2*1i)/(16*((d*x + 1)^{(1/2)} - 1)^2) - (a*d^2*((d*x - 1)^{(1/2)} - 1i)^4*15i)/(32*((d*x + 1)^{(1/2)} - 1)^4)) / (((d*x - 1)^{(1/2)} - 1i)^2/((d*x + 1)^{(1/2)} - 1)^2 + (2*((d*x - 1)^{(1/2)} - 1i)^4)/((d*x + 1)^{(1/2)} - 1)^4 + ((d*x - 1)^{(1/2)} - 1i)^6/((d*x + 1)^{(1/2)} - 1)^6) - c*(\log(((d*x - 1)^{(1/2)} - 1i)^2/((d*x + 1)^{(1/2)} - 1)^2 + 1) - \log(((d*x - 1)^{(1/2)} - 1i)/((d*x + 1)^{(1/2)} - 1))) * 1i - (a*d^2*\log(((d*x - 1)^{(1/2)} - 1i)^2/((d*x + 1)^{(1/2)} - 1)^2 + 1)*1i)/2 + (a*d^2*\log(((d*x - 1)^{(1/2)} - 1i)/((d*x + 1)^{(1/2)} - 1))*1i)/2 + (b*(d*x - 1)^{(1/2)*(d*x + 1)^{(1/2)})/x + (a*d^2*((d*x - 1)^{(1/2)} - 1i)^2*1i)/(32*((d*x + 1)^{(1/2)} - 1)^2)$

sympy [C] time = 75.51, size = 212, normalized size = 2.55

$$\frac{ad^2 G_{6,6}^{5,3} \left(\begin{matrix} \frac{7}{4}, \frac{9}{4}, 1 \\ \frac{3}{2}, \frac{7}{4}, 2, \frac{9}{4}, \frac{5}{2} \end{matrix} \middle| \begin{matrix} 2, 2, \frac{5}{2} \\ \frac{1}{d^2 x^2} \end{matrix} \right) + iad^2 G_{6,6}^{2,6} \left(\begin{matrix} 1, \frac{5}{4}, \frac{3}{2}, \frac{7}{4}, 2, 1 \\ \frac{5}{4}, \frac{7}{4} \end{matrix} \middle| \begin{matrix} 1, \frac{3}{2}, \frac{3}{2}, 0 \\ \frac{e^{2i\pi}}{d^2 x^2} \end{matrix} \right) + bd G_{6,6}^{5,3} \left(\begin{matrix} \frac{5}{4}, \frac{7}{4}, 1 \\ \frac{5}{4}, \frac{3}{2}, \frac{7}{4}, 2 \end{matrix} \middle| \begin{matrix} \frac{3}{2}, \frac{3}{2}, 2 \\ \frac{1}{d^2 x^2} \end{matrix} \right)}{4\pi^{\frac{3}{2}} + 4\pi^{\frac{3}{2}} + 4\pi^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x**2+b*x+a)/x**3/(d*x-1)**(1/2)/(d*x+1)**(1/2),x)`

[Out] $-a*d**2*meijerg(((7/4, 9/4, 1), (2, 2, 5/2)), ((3/2, 7/4, 2, 9/4, 5/2), (0,)), 1/(d**2*x**2))/(4*pi**(3/2)) + I*a*d**2*meijerg(((1, 5/4, 3/2, 7/4, 2, 1), ()), ((5/4, 7/4), (1, 3/2, 3/2, 0)), \exp_polar(2*I*pi)/(d**2*x**2))/(4*pi**(3/2)) - b*d*meijerg(((5/4, 7/4, 1), (3/2, 3/2, 2)), ((1, 5/4, 3/2, 7/4, 2), (0,)), 1/(d**2*x**2))/(4*pi**(3/2)) - I*b*d*meijerg(((1/2, 3/4, 1, 5/4, 3/2, 1), ()), ((3/4, 5/4), (1/2, 1, 1, 0)), \exp_polar(2*I*pi)/(d**2*x**2))/(4*pi**(3/2)) - c*meijerg(((3/4, 5/4, 1), (1, 1, 3/2)), ((1/2, 3/4, 1, 5/4, 3/2), (0,)), 1/(d**2*x**2))/(4*pi**(3/2)) + I*c*meijerg(((0, 1/4, 1/2, 3/4, 1, 1), ()), ((1/4, 3/4), (0, 1/2, 1/2, 0)), \exp_polar(2*I*pi)/(d**2*x**2))/(4*pi**(3/2))$

$$3.39 \quad \int \frac{a+bx+cx^2}{x^4 \sqrt{-1+dx} \sqrt{1+dx}} dx$$

Optimal. Leaf size=116

$$\frac{\sqrt{dx-1} \sqrt{dx+1} (2ad^2 + 3c)}{3x} + \frac{a\sqrt{dx-1} \sqrt{dx+1}}{3x^3} + \frac{1}{2}bd^2 \tan^{-1}(\sqrt{dx-1} \sqrt{dx+1}) + \frac{b\sqrt{dx-1} \sqrt{dx+1}}{2x^2}$$

[Out] $1/2*b*d^2*\arctan((d*x-1)^{(1/2)}*(d*x+1)^{(1/2)})+1/3*a*(d*x-1)^{(1/2)}*(d*x+1)^{(1/2)}/x^3+1/2*b*(d*x-1)^{(1/2)}*(d*x+1)^{(1/2)}/x^2+1/3*(2*a*d^2+3*c)*(d*x-1)^{(1/2)}*(d*x+1)^{(1/2)}/x$

Rubi [A] time = 0.22, antiderivative size = 171, normalized size of antiderivative = 1.47, number of steps used = 7, number of rules used = 7, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.219$, Rules used = {1610, 1807, 835, 807, 266, 63, 205}

$$\frac{(1-d^2x^2)(2ad^2+3c)}{3x\sqrt{dx-1}\sqrt{dx+1}} - \frac{a(1-d^2x^2)}{3x^3\sqrt{dx-1}\sqrt{dx+1}} - \frac{b(1-d^2x^2)}{2x^2\sqrt{dx-1}\sqrt{dx+1}} + \frac{bd^2\sqrt{d^2x^2-1}\tan^{-1}(\sqrt{d^2x^2-1})}{2\sqrt{dx-1}\sqrt{dx+1}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x + c*x^2)/(x^4*sqrt[-1 + d*x]*sqrt[1 + d*x]),x]

[Out] $-(a*(1-d^2*x^2))/(3*x^3*\text{sqrt}[-1+d*x]*\text{sqrt}[1+d*x]) - (b*(1-d^2*x^2))/(2*x^2*\text{sqrt}[-1+d*x]*\text{sqrt}[1+d*x]) - ((3*c+2*a*d^2)*(1-d^2*x^2))/(3*x*\text{sqrt}[-1+d*x]*\text{sqrt}[1+d*x]) + (b*d^2*\text{sqrt}[-1+d^2*x^2]*\text{ArcTan}[\text{sqrt}[-1+d^2*x^2]])/(2*\text{sqrt}[-1+d*x]*\text{sqrt}[1+d*x])$

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m+1)-1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 205

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 266

Int[(x_)^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m+1)/n]-1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b

, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 807

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

Rule 835

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/((m + 1)*(c*d^2 + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p*Simp[(c*d*f + a*e*g)*(m + 1) - c*(e*f - d*g)*(m + 2*p + 3)*x, x], x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 + a*e^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])
```

Rule 1610

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := Dist[((a + b*x)^FracPart[m]*(c + d*x)^FracPart[m])/(a*c + b*d*x^2)^FracPart[m], Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*d, 0] && EqQ[m, n] && !IntegerQ[m]
```

Rule 1807

```
Int[(Pq_)*((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[{Q = PolynomialQuotient[Pq, c*x, x], R = PolynomialRemainder[Pq, c*x, x]}, Simp[(R*(c*x)^(m + 1)*(a + b*x^2)^(p + 1))/(a*c*(m + 1)), x] + Dist[1/(a*c*(m + 1)), Int[(c*x)^(m + 1)*(a + b*x^2)^p*ExpandToSum[a*c*(m + 1)*Q - b*R*(m + 2*p + 3)*x, x], x], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && LtQ[m, -1] && (IntegerQ[2*p] || NeQ[Expon[Pq, x], 1])
```

Rubi steps

$$\begin{aligned}
\int \frac{a + bx + cx^2}{x^4 \sqrt{-1 + dx} \sqrt{1 + dx}} dx &= \frac{\sqrt{-1 + d^2 x^2} \int \frac{a + bx + cx^2}{x^4 \sqrt{-1 + d^2 x^2}} dx}{\sqrt{-1 + dx} \sqrt{1 + dx}} \\
&= -\frac{a(1 - d^2 x^2)}{3x^3 \sqrt{-1 + dx} \sqrt{1 + dx}} + \frac{\sqrt{-1 + d^2 x^2} \int \frac{3b + (3c + 2ad^2)x}{x^3 \sqrt{-1 + d^2 x^2}} dx}{3\sqrt{-1 + dx} \sqrt{1 + dx}} \\
&= -\frac{a(1 - d^2 x^2)}{3x^3 \sqrt{-1 + dx} \sqrt{1 + dx}} - \frac{b(1 - d^2 x^2)}{2x^2 \sqrt{-1 + dx} \sqrt{1 + dx}} + \frac{\sqrt{-1 + d^2 x^2} \int \frac{2(3c + 2ad^2) + 3bd}{x^2 \sqrt{-1 + d^2 x^2}} dx}{6\sqrt{-1 + dx} \sqrt{1 + dx}} \\
&= -\frac{a(1 - d^2 x^2)}{3x^3 \sqrt{-1 + dx} \sqrt{1 + dx}} - \frac{b(1 - d^2 x^2)}{2x^2 \sqrt{-1 + dx} \sqrt{1 + dx}} - \frac{(3c + 2ad^2)(1 - d^2 x^2)}{3x \sqrt{-1 + dx} \sqrt{1 + dx}} + \frac{bd}{3x \sqrt{-1 + dx} \sqrt{1 + dx}} \\
&= -\frac{a(1 - d^2 x^2)}{3x^3 \sqrt{-1 + dx} \sqrt{1 + dx}} - \frac{b(1 - d^2 x^2)}{2x^2 \sqrt{-1 + dx} \sqrt{1 + dx}} - \frac{(3c + 2ad^2)(1 - d^2 x^2)}{3x \sqrt{-1 + dx} \sqrt{1 + dx}} + \frac{bd}{3x \sqrt{-1 + dx} \sqrt{1 + dx}} \\
&= -\frac{a(1 - d^2 x^2)}{3x^3 \sqrt{-1 + dx} \sqrt{1 + dx}} - \frac{b(1 - d^2 x^2)}{2x^2 \sqrt{-1 + dx} \sqrt{1 + dx}} - \frac{(3c + 2ad^2)(1 - d^2 x^2)}{3x \sqrt{-1 + dx} \sqrt{1 + dx}} + \frac{bd}{3x \sqrt{-1 + dx} \sqrt{1 + dx}}
\end{aligned}$$

Mathematica [A] time = 0.12, size = 94, normalized size = 0.81

$$\frac{(d^2 x^2 - 1) (a (4d^2 x^2 + 2) + 3x(b + 2cx)) + 3bd^2 x^3 \sqrt{d^2 x^2 - 1} \tan^{-1}(\sqrt{d^2 x^2 - 1})}{6x^3 \sqrt{dx - 1} \sqrt{dx + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x + c*x^2)/(x^4*Sqrt[-1 + d*x]*Sqrt[1 + d*x]),x]

[Out] ((-1 + d^2*x^2)*(3*x*(b + 2*c*x) + a*(2 + 4*d^2*x^2)) + 3*b*d^2*x^3*Sqrt[-1 + d^2*x^2]*ArcTan[Sqrt[-1 + d^2*x^2]])/(6*x^3*Sqrt[-1 + d*x]*Sqrt[1 + d*x])

fricas [A] time = 0.64, size = 90, normalized size = 0.78

$$\frac{6bd^2x^3 \arctan(-dx + \sqrt{dx+1} \sqrt{dx-1}) + 2(2ad^3 + 3cd)x^3 + (2(2ad^2 + 3c)x^2 + 3bx + 2a)\sqrt{dx+1} \sqrt{dx-1}}{6x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)/x^4/(d*x-1)^(1/2)/(d*x+1)^(1/2),x, algorithm="fricas")

[Out] 1/6*(6*b*d^2*x^3*arctan(-d*x + sqrt(d*x + 1)*sqrt(d*x - 1)) + 2*(2*a*d^3 + 3*c*d)*x^3 + (2*(2*a*d^2 + 3*c)*x^2 + 3*b*x + 2*a)*sqrt(d*x + 1)*sqrt(d*x - 1))/x^3

giac [B] time = 1.40, size = 197, normalized size = 1.70

$$\frac{3bd^3 \arctan\left(\frac{1}{2}(\sqrt{dx+1} - \sqrt{dx-1})^2\right) + \frac{2\left(3bd^3(\sqrt{dx+1} - \sqrt{dx-1})^{10} - 12cd^2(\sqrt{dx+1} - \sqrt{dx-1})^8 - 96ad^4(\sqrt{dx+1} - \sqrt{dx-1})^4 - 96cd^2\right)}{\left((\sqrt{dx+1} - \sqrt{dx-1})^4 + 4\right)^3}}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)/x^4/(d*x-1)^(1/2)/(d*x+1)^(1/2),x, algorithm="giac")

[Out] -1/3*(3*b*d^3*arctan(1/2*(sqrt(d*x + 1) - sqrt(d*x - 1))^2) + 2*(3*b*d^3*(sqrt(d*x + 1) - sqrt(d*x - 1))^10 - 12*c*d^2*(sqrt(d*x + 1) - sqrt(d*x - 1))^8 - 96*a*d^4*(sqrt(d*x + 1) - sqrt(d*x - 1))^4 - 96*c*d^2*(sqrt(d*x + 1) - sqrt(d*x - 1))^4 - 48*b*d^3*(sqrt(d*x + 1) - sqrt(d*x - 1))^2 - 128*a*d^4 - 192*c*d^2)/((sqrt(d*x + 1) - sqrt(d*x - 1))^4 + 4)^3/d

maple [C] time = 0.00, size = 123, normalized size = 1.06

$$\frac{\sqrt{dx-1} \sqrt{dx+1} \left(3bd^2x^3 \arctan\left(\frac{1}{\sqrt{d^2x^2-1}}\right) - 4\sqrt{d^2x^2-1} ad^2x^2 - 6\sqrt{d^2x^2-1} cx^2 - 3\sqrt{d^2x^2-1} bx - 2\sqrt{d^2x^2-1} a\right)}{6\sqrt{d^2x^2-1} x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^2+b*x+a)/x^4/(d*x-1)^(1/2)/(d*x+1)^(1/2),x)

[Out] -1/6*(d*x-1)^(1/2)*(d*x+1)^(1/2)*(3*b*d^2*x^3*arctan(1/(d^2*x^2-1)^(1/2))-4*(d^2*x^2-1)^(1/2)*a*d^2*x^2-6*(d^2*x^2-1)^(1/2)*c*x^2-3*(d^2*x^2-1)^(1/2)*b*x-2*(d^2*x^2-1)^(1/2)*a)/(d^2*x^2-1)^(1/2)/x^3*csgn(d)^2

maxima [A] time = 3.05, size = 86, normalized size = 0.74

$$-\frac{1}{2}bd^2 \arcsin\left(\frac{1}{d|x|}\right) + \frac{2\sqrt{d^2x^2-1}ad^2}{3x} + \frac{\sqrt{d^2x^2-1}c}{x} + \frac{\sqrt{d^2x^2-1}b}{2x^2} + \frac{\sqrt{d^2x^2-1}a}{3x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)/x^4/(d*x-1)^(1/2)/(d*x+1)^(1/2),x, algorithm="maxima")

[Out] $-1/2*b*d^2*\arcsin(1/(d*abs(x))) + 2/3*\sqrt{d^2*x^2 - 1}*a*d^2/x + \sqrt{d^2*x^2 - 1}*c/x + 1/2*\sqrt{d^2*x^2 - 1}*b/x^2 + 1/3*\sqrt{d^2*x^2 - 1}*a/x^3$

mupad [B] time = 11.82, size = 304, normalized size = 2.62

$$\frac{\frac{bd^2 \operatorname{li} + \frac{bd^2 (\sqrt{dx-1}-i)^2 \operatorname{li}}{16(\sqrt{dx+1}-1)^2} - \frac{bd^2 (\sqrt{dx-1}-i)^4 \operatorname{li}}{32(\sqrt{dx+1}-1)^4}}{\frac{(\sqrt{dx-1}-i)^2}{(\sqrt{dx+1}-1)^2} + \frac{2(\sqrt{dx-1}-i)^4}{(\sqrt{dx+1}-1)^4} + \frac{(\sqrt{dx-1}-i)^6}{(\sqrt{dx+1}-1)^6}} - \frac{bd^2 \ln\left(\frac{(\sqrt{dx-1}-i)^2}{(\sqrt{dx+1}-1)^2} + 1\right) \operatorname{li}}{2} + \frac{bd^2 \ln\left(\frac{\sqrt{dx-1}-i}{\sqrt{dx+1}-1}\right) \operatorname{li}}{2} + \frac{c \sqrt{dx-1} \sqrt{dx+1}}{x}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x + c*x^2)/(x^4*(d*x - 1)^(1/2)*(d*x + 1)^(1/2)),x)

[Out] $((b*d^2*1i)/32 + (b*d^2*((d*x - 1)^(1/2) - 1i)^2*1i)/(16*((d*x + 1)^(1/2) - 1)^2) - (b*d^2*((d*x - 1)^(1/2) - 1i)^4*15i)/(32*((d*x + 1)^(1/2) - 1)^4)) / (((d*x - 1)^(1/2) - 1i)^2/((d*x + 1)^(1/2) - 1)^2 + (2*((d*x - 1)^(1/2) - 1i)^4)/((d*x + 1)^(1/2) - 1)^4 + ((d*x - 1)^(1/2) - 1i)^6/((d*x + 1)^(1/2) - 1)^6) - (b*d^2*\log(((d*x - 1)^(1/2) - 1i)^2/((d*x + 1)^(1/2) - 1)^2 + 1)*1i)/2 + (b*d^2*\log(((d*x - 1)^(1/2) - 1i)/((d*x + 1)^(1/2) - 1))*1i)/2 + (c*(d*x - 1)^(1/2)*(d*x + 1)^(1/2))/x + ((d*x - 1)^(1/2)*(a/3 + (2*a*d^2*x^2)/3 + (2*a*d^3*x^3)/3 + (a*d*x)/3))/((x^3*(d*x + 1)^(1/2)) + (b*d^2*((d*x - 1)^(1/2) - 1i)^2*1i)/(32*((d*x + 1)^(1/2) - 1)^2))$

sympy [C] time = 128.74, size = 219, normalized size = 1.89

$$\frac{ad^3 G_{6,6}^{5,3} \left(\begin{matrix} \frac{9}{4}, \frac{11}{4}, 1 \\ 2, \frac{9}{4}, \frac{5}{2}, \frac{11}{4}, 3 \end{matrix} \middle| \frac{1}{d^2 x^2} \right)}{4\pi^{\frac{3}{2}}} - \frac{iad^3 G_{6,6}^{2,6} \left(\begin{matrix} \frac{3}{2}, \frac{7}{4}, 2, \frac{9}{4}, \frac{5}{2}, 1 \\ \frac{7}{4}, \frac{9}{4}, \frac{3}{2}, 2, 2, 0 \end{matrix} \middle| \frac{e^{2i\pi}}{d^2 x^2} \right)}{4\pi^{\frac{3}{2}}} + \frac{bd^2 G_{6,6}^{5,3} \left(\begin{matrix} \frac{7}{4}, \frac{9}{4}, 1 \\ \frac{3}{2}, \frac{7}{4}, 2, \frac{9}{4}, \frac{5}{2} \end{matrix} \middle| \frac{1}{d^2 x} \right)}{4\pi^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x**2+b*x+a)/x**4/(d*x-1)**(1/2)/(d*x+1)**(1/2),x)

[Out] $-a*d**3*\operatorname{meijerg}((9/4, 11/4, 1), (5/2, 5/2, 3)), ((2, 9/4, 5/2, 11/4, 3), (0,)), 1/(d**2*x**2))/(4*\pi**(3/2)) - I*a*d**3*\operatorname{meijerg}((3/2, 7/4, 2, 9/4, 5/2, 1), ()), ((7/4, 9/4), (3/2, 2, 2, 0)), \exp_polar(2*I*\pi)/(d**2*x**2))/(4*\pi**(3/2)) - b*d**2*\operatorname{meijerg}((7/4, 9/4, 1), (2, 2, 5/2)), ((3/2, 7/4, 2, 9/4, 5/2), (0,)), 1/(d**2*x**2))/(4*\pi**(3/2)) + I*b*d**2*\operatorname{meijerg}((1, 5/4, 3/2, 7/4, 2, 1), ()), ((5/4, 7/4), (1, 3/2, 3/2, 0)), \exp_polar(2*I*\pi)/(d$

```

**2*x**2))/(4*pi**(3/2)) - c*d*meijerg(((5/4, 7/4, 1), (3/2, 3/2, 2)), ((1,
  5/4, 3/2, 7/4, 2), (0,)), 1/(d**2*x**2))/(4*pi**(3/2)) - I*c*d*meijerg(((1
/2, 3/4, 1, 5/4, 3/2, 1), ()), ((3/4, 5/4), (1/2, 1, 1, 0)), exp_polar(2*I*
pi)/(d**2*x**2))/(4*pi**(3/2))

```


$$3.40 \quad \int \frac{a+bx+cx^2}{\sqrt{-1+x} \sqrt{1+x} (d+ex)^3} dx$$

Optimal. Leaf size=199

$$\frac{\sqrt{x-1} \sqrt{x+1} (ae^2 - bde + cd^2)}{2e(d^2 - e^2)(d + ex)^2} + \frac{\tanh^{-1}\left(\frac{\sqrt{x+1} \sqrt{d+e}}{\sqrt{x-1} \sqrt{d-e}}\right) (d^2(2a+c) + e^2(a+2c) - 3bde)}{(d-e)^{5/2}(d+e)^{5/2}} + \frac{\sqrt{x-1} \sqrt{x+1} (-de^2)}{2e(d^2 - e^2)(d + ex)^2}$$

[Out] $((2*a+c)*d^2-3*b*d*e+(a+2*c)*e^2)*\operatorname{arctanh}((d+e)^{(1/2)}*(1+x)^{(1/2)}/(d-e)^{(1/2)}/(-1+x)^{(1/2)})/(d-e)^{(5/2)}/(d+e)^{(5/2)}-1/2*(a*e^2-b*d*e+c*d^2)*(-1+x)^{(1/2)}*(1+x)^{(1/2)}/e/(d^2-e^2)/(e*x+d)^2+1/2*(c*d^3+b*d^2*e-(3*a+4*c)*d*e^2+2*b*e^3)*(-1+x)^{(1/2)}*(1+x)^{(1/2)}/e/(d^2-e^2)^2/(e*x+d)$

Rubi [A] time = 0.33, antiderivative size = 242, normalized size of antiderivative = 1.22, number of steps used = 5, number of rules used = 5, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.156$, Rules used = {1610, 1651, 807, 725, 206}

$$\frac{(1-x^2)(c(d^3-4de^2)-e(3ade-b(d^2+2e^2)))}{2e\sqrt{x-1}\sqrt{x+1}(d^2-e^2)^2(d+ex)} + \frac{(1-x^2)(ae^2-bde+cd^2)}{2e\sqrt{x-1}\sqrt{x+1}(d^2-e^2)(d+ex)^2} - \frac{\sqrt{x^2-1} \tanh^{-1}\left(\frac{\sqrt{x-1}\sqrt{x+1}}{\sqrt{x^2-1}}\right)}{2e\sqrt{x-1}\sqrt{x+1}(d^2-e^2)(d+ex)^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x + c*x^2)/(Sqrt[-1 + x]*Sqrt[1 + x]*(d + e*x)^3), x]

[Out] $((c*d^2 - b*d*e + a*e^2)*(1 - x^2))/(2*e*(d^2 - e^2)*\operatorname{Sqrt}[-1 + x]*\operatorname{Sqrt}[1 + x]*(d + e*x)^2) - ((c*(d^3 - 4*d*e^2) - e*(3*a*d*e - b*(d^2 + 2*e^2)))*(1 - x^2))/(2*e*(d^2 - e^2)^2*\operatorname{Sqrt}[-1 + x]*\operatorname{Sqrt}[1 + x]*(d + e*x)) - ((3*b*d*e - a*(2*d^2 + e^2) - c*(d^2 + 2*e^2))*\operatorname{Sqrt}[-1 + x^2]*\operatorname{ArcTanh}[(e + d*x)/(\operatorname{Sqrt}[d^2 - e^2]*\operatorname{Sqrt}[-1 + x^2])])/(2*(d^2 - e^2)^{(5/2)}*\operatorname{Sqrt}[-1 + x]*\operatorname{Sqrt}[1 + x])$

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 725

Int[1/(((d_) + (e_.)*(x_))*Sqrt[(a_) + (c_.)*(x_)^2]), x_Symbol] := -Subst[Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ[{a, c, d, e}, x]

Rule 807

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

Rule 1610

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := Dist[((a + b*x)^FracPart[m]*(c + d*x)^FracPart[m])/(a*c + b*d*x^2)^FracPart[m], Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*d, 0] && EqQ[m, n] && !IntegerQ[m]
```

Rule 1651

```
Int[(Pq_)*((d_) + (e_.)*(x_))^(m_)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := With[{Q = PolynomialQuotient[Pq, d + e*x, x], R = PolynomialRemainder[Pq, d + e*x, x]}, Simp[(e*R*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/((m + 1)*(c*d^2 + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p*ExpandToSum[(m + 1)*(c*d^2 + a*e^2)*Q + c*d*R*(m + 1) - c*e*R*(m + 2*p + 3)*x, x], x], x] /; FreeQ[{a, c, d, e, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && LtQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{a + bx + cx^2}{\sqrt{-1+x}\sqrt{1+x}(d+ex)^3} dx &= \frac{\sqrt{-1+x^2} \int \frac{a+bx+cx^2}{(d+ex)^3\sqrt{-1+x^2}} dx}{\sqrt{-1+x}\sqrt{1+x}} \\
&= \frac{(cd^2 - bde + ae^2)(1-x^2)}{2e(d^2 - e^2)\sqrt{-1+x}\sqrt{1+x}(d+ex)^2} - \frac{\sqrt{-1+x^2} \int \frac{-2(ad+cd-be) - \left(bd + \frac{cd^2}{e} - ae - 2c\right)}{(d+ex)^2\sqrt{-1+x^2}}}{2(d^2 - e^2)\sqrt{-1+x}\sqrt{1+x}} \\
&= \frac{(cd^2 - bde + ae^2)(1-x^2)}{2e(d^2 - e^2)\sqrt{-1+x}\sqrt{1+x}(d+ex)^2} - \frac{(c(d^3 - 4de^2) - e(3ade - b(d^2 + 2e^2)))}{2e(d^2 - e^2)^2\sqrt{-1+x}\sqrt{1+x}} \\
&= \frac{(cd^2 - bde + ae^2)(1-x^2)}{2e(d^2 - e^2)\sqrt{-1+x}\sqrt{1+x}(d+ex)^2} - \frac{(c(d^3 - 4de^2) - e(3ade - b(d^2 + 2e^2)))}{2e(d^2 - e^2)^2\sqrt{-1+x}\sqrt{1+x}} \\
&= \frac{(cd^2 - bde + ae^2)(1-x^2)}{2e(d^2 - e^2)\sqrt{-1+x}\sqrt{1+x}(d+ex)^2} - \frac{(c(d^3 - 4de^2) - e(3ade - b(d^2 + 2e^2)))}{2e(d^2 - e^2)^2\sqrt{-1+x}\sqrt{1+x}}
\end{aligned}$$

Mathematica [A] time = 0.76, size = 343, normalized size = 1.72

$$\frac{-(d+ex) \left(3de\sqrt{x-1}\sqrt{x+1}\sqrt{d-e}\sqrt{d+e} - 2(2d^2+e^2)(d+ex) \tanh^{-1} \left(\frac{\sqrt{\frac{x-1}{x+1}}\sqrt{d-e}}{\sqrt{d+e}} \right) \right) (e(ae-bd) + cd^2) - e\sqrt{-1+x}\sqrt{1+x}}{(d+ex)^3\sqrt{-1+x}\sqrt{1+x}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*x + c*x^2)/(Sqrt[-1 + x]*Sqrt[1 + x]*(d + e*x)^3), x]

[Out] $(-((d - e)^{(3/2)}e*(d + e)^{(3/2)}*(c*d^2 + e*(-(b*d) + a*e))*Sqrt[-1 + x]*Sqrt[1 + x]) + 2*(d - e)^{(3/2)}e*(d + e)^{(3/2)}*(2*c*d - b*e)*Sqrt[-1 + x]*Sqrt[1 + x]*(d + e*x) + 4*c*(d - e)^2*(d + e)^2*(d + e*x)^2*ArcTanh[(Sqrt[d - e]*Sqrt[(-1 + x)/(1 + x)])/Sqrt[d + e]] - 4*d*(d - e)*(d + e)*(2*c*d - b*e)*(d + e*x)^2*ArcTanh[(Sqrt[d - e]*Sqrt[(-1 + x)/(1 + x)])/Sqrt[d + e]] - (c*d^2 + e*(-(b*d) + a*e))*(d + e*x)*(3*d*Sqrt[d - e]*e*Sqrt[d + e]*Sqrt[-1 + x]*Sqrt[1 + x] - 2*(2*d^2 + e^2)*(d + e*x)*ArcTanh[(Sqrt[d - e]*Sqrt[(-1 + x)/(1 + x)])/Sqrt[d + e]]))/(2*(d - e)^{(5/2)}e^2*(d + e)^{(5/2)}*(d + e*x)^2)$

fricas [B] time = 1.06, size = 1186, normalized size = 5.96

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)/(e*x+d)^3/(-1+x)^(1/2)/(1+x)^(1/2),x, algorithm="fricas")

[Out] [1/2*(c*d^7 + b*d^6*e - (3*a + 5*c)*d^5*e^2 + b*d^4*e^3 + (3*a + 4*c)*d^3*e^4 - 2*b*d^2*e^5 + (c*d^5*e^2 + b*d^4*e^3 - (3*a + 5*c)*d^3*e^4 + b*d^2*e^5 + (3*a + 4*c)*d*e^6 - 2*b*e^7)*x^2 + ((2*a + c)*d^4*e^2 - 3*b*d^3*e^3 + (a + 2*c)*d^2*e^4 + ((2*a + c)*d^2*e^4 - 3*b*d*e^5 + (a + 2*c)*e^6)*x^2 + 2*((2*a + c)*d^3*e^3 - 3*b*d^2*e^4 + (a + 2*c)*d*e^5)*x)*sqrt(d^2 - e^2)*log((d^2*x + d*e + (d^2 - e^2 + sqrt(d^2 - e^2)*d)*sqrt(x + 1)*sqrt(x - 1) + sqrt(d^2 - e^2)*(d*x + e))/(e*x + d)) + (2*b*d^5*e^2 - (4*a + 3*c)*d^4*e^3 - b*d^3*e^4 + (5*a + 3*c)*d^2*e^5 - b*d*e^6 - a*e^7 + (c*d^5*e^2 + b*d^4*e^3 - (3*a + 5*c)*d^3*e^4 + b*d^2*e^5 + (3*a + 4*c)*d*e^6 - 2*b*e^7)*x)*sqrt(x + 1)*sqrt(x - 1) + 2*(c*d^6*e + b*d^5*e^2 - (3*a + 5*c)*d^4*e^3 + b*d^3*e^4 + (3*a + 4*c)*d^2*e^5 - 2*b*d*e^6)*x)/(d^8*e^2 - 3*d^6*e^4 + 3*d^4*e^6 - d^2*e^8 + (d^6*e^4 - 3*d^4*e^6 + 3*d^2*e^8 - e^10)*x^2 + 2*(d^7*e^3 - 3*d^5*e^5 + 3*d^3*e^7 - d*e^9)*x), 1/2*(c*d^7 + b*d^6*e - (3*a + 5*c)*d^5*e^2 + b*d^4*e^3 + (3*a + 4*c)*d^3*e^4 - 2*b*d^2*e^5 + (c*d^5*e^2 + b*d^4*e^3 - (3*a + 5*c)*d^3*e^4 + b*d^2*e^5 + (3*a + 4*c)*d*e^6 - 2*b*e^7)*x^2 - 2*((2*a + c)*d^4*e^2 - 3*b*d^3*e^3 + (a + 2*c)*d^2*e^4 + ((2*a + c)*d^2*e^4 - 3*b*d*e^5 + (a + 2*c)*e^6)*x^2 + 2*((2*a + c)*d^3*e^3 - 3*b*d^2*e^4 + (a + 2*c)*d*e^5)*x)*sqrt(-d^2 + e^2)*arctan(-(sqrt(-d^2 + e^2)*e*sqrt(x + 1)*sqrt(x - 1) - sqrt(-d^2 + e^2)*(e*x + d))/(d^2 - e^2)) + (2*b*d^5*e^2 - (4*a + 3*c)*d^4*e^3 - b*d^3*e^4 + (5*a + 3*c)*d^2*e^5 - b*d*e^6 - a*e^7 + (c*d^5*e^2 + b*d^4*e^3 - (3*a + 5*c)*d^3*e^4 + b*d^2*e^5 + (3*a + 4*c)*d*e^6 - 2*b*e^7)*x)*sqrt(x + 1)*sqrt(x - 1) + 2*(c*d^6*e + b*d^5*e^2 - (3*a + 5*c)*d^4*e^3 + b*d^3*e^4 + (3*a + 4*c)*d^2*e^5 - 2*b*d*e^6)*x)/(d^8*e^2 - 3*d^6*e^4 + 3*d^4*e^6 - d^2*e^8 + (d^6*e^4 - 3*d^4*e^6 + 3*d^2*e^8 - e^10)*x^2 + 2*(d^7*e^3 - 3*d^5*e^5 + 3*d^3*e^7 - d*e^9)*x)]

giac [B] time = 3.24, size = 605, normalized size = 3.04

$$\frac{(2ad^2 + cd^2 - 3bde + ae^2 + 2ce^2) \arctan\left(\frac{(\sqrt{x+1} - \sqrt{x-1})^2 e + 2d}{2\sqrt{-d^2 + e^2}}\right)}{(d^4 - 2d^2e^2 + e^4)\sqrt{-d^2 + e^2}} + \frac{2\left(2cd^4(\sqrt{x+1} - \sqrt{x-1})^6 e + 4cd^5(\sqrt{x+1} - \sqrt{x-1})^6\right)}{(d^4 - 2d^2e^2 + e^4)\sqrt{-d^2 + e^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)/(e*x+d)^3/(-1+x)^(1/2)/(1+x)^(1/2),x, algorithm="giac")

[Out] -(2*a*d^2 + c*d^2 - 3*b*d*e + a*e^2 + 2*c*e^2)*arctan(1/2*((sqrt(x + 1) - sqrt(x - 1))^2*e + 2*d)/sqrt(-d^2 + e^2))/((d^4 - 2*d^2*e^2 + e^4)*sqrt(-d^2 + e^2)) + 2*(2*c*d^4*(sqrt(x + 1) - sqrt(x - 1))^6*e + 4*c*d^5*(sqrt(x + 1) - sqrt(x - 1))^6)/((d^4 - 2*d^2*e^2 + e^4)*sqrt(-d^2 + e^2))

) - sqrt(x - 1))^4 - 2*a*d^2*(sqrt(x + 1) - sqrt(x - 1))^6*e^3 - 5*c*d^2*(sqrt(x + 1) - sqrt(x - 1))^6*e^3 + 4*b*d^4*(sqrt(x + 1) - sqrt(x - 1))^4*e + 3*b*d*(sqrt(x + 1) - sqrt(x - 1))^6*e^4 - 12*a*d^3*(sqrt(x + 1) - sqrt(x - 1))^4*e^2 - 14*c*d^3*(sqrt(x + 1) - sqrt(x - 1))^4*e^2 - a*(sqrt(x + 1) - sqrt(x - 1))^6*e^5 + 10*b*d^2*(sqrt(x + 1) - sqrt(x - 1))^4*e^3 + 8*c*d^4*(sqrt(x + 1) - sqrt(x - 1))^2*e - 6*a*d*(sqrt(x + 1) - sqrt(x - 1))^4*e^4 - 8*c*d*(sqrt(x + 1) - sqrt(x - 1))^4*e^4 + 16*b*d^3*(sqrt(x + 1) - sqrt(x - 1))^2*e^2 + 4*b*(sqrt(x + 1) - sqrt(x - 1))^4*e^5 - 40*a*d^2*(sqrt(x + 1) - sqrt(x - 1))^2*e^3 - 44*c*d^2*(sqrt(x + 1) - sqrt(x - 1))^2*e^3 + 20*b*d*(sqrt(x + 1) - sqrt(x - 1))^2*e^4 + 8*c*d^3*e^2 + 4*a*(sqrt(x + 1) - sqrt(x - 1))^2*e^5 + 8*b*d^2*e^3 - 24*a*d*e^4 - 32*c*d*e^4 + 16*b*e^5)/((d^4*e^2 - 2*d^2*e^4 + e^6)*((sqrt(x + 1) - sqrt(x - 1))^4*e + 4*d*(sqrt(x + 1) - sqrt(x - 1))^2 + 4*e)^2)

maple [B] time = 0.05, size = 1095, normalized size = 5.50

$$\left(2a d^2 e^2 x^2 \ln \left(-\frac{2 \left(dx - \sqrt{\frac{d^2 - e^2}{e^2}} \sqrt{x^2 - 1} e + e \right)}{ex + d} \right) + a e^4 x^2 \ln \left(-\frac{2 \left(dx - \sqrt{\frac{d^2 - e^2}{e^2}} \sqrt{x^2 - 1} e + e \right)}{ex + d} \right) - 3bd e^3 x^2 \ln \left(-\frac{2 \left(dx - \sqrt{\frac{d^2 - e^2}{e^2}} \sqrt{x^2 - 1} e + e \right)}{ex + d} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^2+b*x+a)/(e*x+d)^3/(x-1)^(1/2)/(x+1)^(1/2), x)

[Out]
$$-1/2*(3*x*a*d*e^3*((d^2-e^2)/e^2)^(1/2)*(x^2-1)^(1/2)-2*x*b*e^4*((d^2-e^2)/e^2)^(1/2)*(x^2-1)^(1/2)+2*\ln(-2*(-((d^2-e^2)/e^2)^(1/2)*(x^2-1)^(1/2)*e+d*x+e)/(e*x+d))*c*d^2*e^2-a*e^4*((d^2-e^2)/e^2)^(1/2)*(x^2-1)^(1/2)+\ln(-2*(-((d^2-e^2)/e^2)^(1/2)*(x^2-1)^(1/2)*e+d*x+e)/(e*x+d))*x^2*a*e^4+2*\ln(-2*(-((d^2-e^2)/e^2)^(1/2)*(x^2-1)^(1/2)*e+d*x+e)/(e*x+d))*x^2*c*e^4+\ln(-2*(-((d^2-e^2)/e^2)^(1/2)*(x^2-1)^(1/2)*e+d*x+e)/(e*x+d))*a*d^2*e^2-3*\ln(-2*(-((d^2-e^2)/e^2)^(1/2)*(x^2-1)^(1/2)*e+d*x+e)/(e*x+d))*b*d^3*e^2+2*\ln(-2*(-((d^2-e^2)/e^2)^(1/2)*(x^2-1)^(1/2)*e+d*x+e)/(e*x+d))*a*d^4+\ln(-2*(-((d^2-e^2)/e^2)^(1/2)*(x^2-1)^(1/2)*e+d*x+e)/(e*x+d))*c*d^4-x*b*d^2*e^2*((d^2-e^2)/e^2)^(1/2)*(x^2-1)^(1/2)-x*c*d^3*e*((d^2-e^2)/e^2)^(1/2)*(x^2-1)^(1/2)+4*x*c*d*e^3*((d^2-e^2)/e^2)^(1/2)*(x^2-1)^(1/2)+4*a*d^2*e^2*((d^2-e^2)/e^2)^(1/2)*(x^2-1)^(1/2)-2*b*d^3*e*((d^2-e^2)/e^2)^(1/2)*(x^2-1)^(1/2)-b*d*e^3*((d^2-e^2)/e^2)^(1/2)*(x^2-1)^(1/2)+3*c*d^2*e^2*((d^2-e^2)/e^2)^(1/2)*(x^2-1)^(1/2)+2*\ln(-2*(-((d^2-e^2)/e^2)^(1/2)*(x^2-1)^(1/2)*e+d*x+e)/(e*x+d))*x^2*a*d^2*e^2-3*\ln(-2*(-((d^2-e^2)/e^2)^(1/2)*(x^2-1)^(1/2)*e+d*x+e)/(e*x+d))*x^2*b*d*e^3+\ln(-2*(-((d^2-e^2)/e^2)^(1/2)*(x^2-1)^(1/2)*e+d*x+e)/(e*x+d))*x^2*c*d^2*e^2+4*\ln(-2*(-((d^2-e^2)/e^2)^(1/2)*(x^2-1)^(1/2)*e+d*x+e)/(e*x+d))*x*a*d^3*e^2+2*\ln(-2*(-((d^2-e^2)/e^2)^(1/2)*(x^2-1)^(1/2)*e+d*x+e)/(e*x+d))*x*a*d*e^3-6*\ln(-2*(-((d^2-e^2)/e^2)^(1/2)*(x^2-1)^(1/2)*e+d*x+e)/(e*x+d))*x*b*d^2*e^2$$

$$+2*\ln(-2*(-((d^2-e^2)/e^2)^{(1/2)}*(x^2-1)^{(1/2)}*e+d*x+e)/(e*x+d))*x*c*d^3*e+4*\ln(-2*(-((d^2-e^2)/e^2)^{(1/2)}*(x^2-1)^{(1/2)}*e+d*x+e)/(e*x+d))*x*c*d*e^3*(x+1)^{(1/2)}*(x-1)^{(1/2)}/(x^2-1)^{(1/2)}/(d-e)/(d+e)/((d^2-e^2)/e^2)^{(1/2)}/(d^2-e^2)/(e*x+d)^2/e$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)/(e*x+d)^3/(-1+x)^(1/2)/(1+x)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(e-d>0)', see `assume?` for more details)Is e-d positive, negative or zero?

mupad [B] time = 66.85, size = 7235, normalized size = 36.36

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x + c*x^2)/((x - 1)^(1/2)*(x + 1)^(1/2)*(d + e*x)^3),x)

[Out] (((((x - 1)^(1/2) - 1i)^2*(2*c*e^3 + c*d^2*e)*12i)/(d^2*((x + 1)^(1/2) - 1)^2*(d^4 + e^4 - 2*d^2*e^2)) - (2*(7*c*d^4 + 14*c*d^2*e^2)*((x - 1)^(1/2) - 1i))/(7*d^3*((x + 1)^(1/2) - 1)*(d^4 + e^4 - 2*d^2*e^2)) + (((x - 1)^(1/2) - 1i)^4*(2*c*e^3 - c*d^2*e)*24i)/(d^2*((x + 1)^(1/2) - 1)^4*(d^4 + e^4 - 2*d^2*e^2)) - (2*(21*c*d^4 - 102*c*d^2*e^2)*((x - 1)^(1/2) - 1i)^5)/(3*d^3*((x + 1)^(1/2) - 1)^5*(d^4 + e^4 - 2*d^2*e^2)) - (2*(35*c*d^4 - 170*c*d^2*e^2)*((x - 1)^(1/2) - 1i)^3)/(5*d^3*((x + 1)^(1/2) - 1)^3*(d^4 + e^4 - 2*d^2*e^2)) + (c*((x - 1)^(1/2) - 1i)^7*(d^2*1i + e^2*2i)*2i)/(d*((x + 1)^(1/2) - 1)^7*(d^4 + e^4 - 2*d^2*e^2)) + (12*c*e*((x - 1)^(1/2) - 1i)^6*(d^2*1i + e^2*2i))/(d^2*((x + 1)^(1/2) - 1)^6*(d^4 + e^4 - 2*d^2*e^2)))/(((x - 1)^(1/2) - 1i)^8/((x + 1)^(1/2) - 1)^8 - (e*((x - 1)^(1/2) - 1i)*8i)/(d*((x + 1)^(1/2) - 1)) + (e*((x - 1)^(1/2) - 1i)^3*8i)/(d*((x + 1)^(1/2) - 1)^3) + (e*((x - 1)^(1/2) - 1i)^5*8i)/(d*((x + 1)^(1/2) - 1)^5) - (e*((x - 1)^(1/2) - 1i)^7*8i)/(d*((x + 1)^(1/2) - 1)^7) - (((x - 1)^(1/2) - 1i)^2*(4*d^2 + 16*e^2))/(d^2*((x + 1)^(1/2) - 1)^2) - (((x - 1)^(1/2) - 1i)^6*(4*d^2 + 16*e^2))/(d^2*((x + 1)^(1/2) - 1)^6) + (((x - 1)^(1/2) - 1i)^4*(6*d^2 - 32*e^2))/(d^2*((x + 1)^(1/2) - 1)^4) + 1) - ((2*((x - 1)^(1/2) - 1i)^3*(16*b*e^3 + 11*b*d^2*e))/(d^2*((x + 1)^(1/2) - 1)^3*(d^4 + e^4 - 2*d^2*e^2)) - (6*b*e*((x - 1)^(1/2) - 1i)^7)/(((x + 1)^(1/2) - 1)^7*(d^4 + e^4 - 2*d^2*e^2)) - (6*b*e*((x - 1)^(1/2) - 1i))/(((x + 1)^(1/2) - 1)*(d^4 + e^4 - 2*d^2*e^2)) + (((x

$$\begin{aligned}
& - 1)^{(1/2)} - 1i)^4(2*b*e^4 - 2*b*d^4 + 3*b*d^2*e^2)*8i)/(d^3*((x + 1)^{(1/2)} \\
&) - 1)^4*(d^4 + e^4 - 2*d^2*e^2)) + (b*((x - 1)^{(1/2)} - 1i)^2*(2*d^4 + 2*e^4 \\
& 4 + 5*d^2*e^2)*4i)/(d^3*((x + 1)^{(1/2)} - 1)^2*(d^4 + e^4 - 2*d^2*e^2)) + (b \\
& *((x - 1)^{(1/2)} - 1i)^6*(2*d^4 + 2*e^4 + 5*d^2*e^2)*4i)/(d^3*((x + 1)^{(1/2)} \\
& - 1)^6*(d^4 + e^4 - 2*d^2*e^2)) + (2*b*e*((x - 1)^{(1/2)} - 1i)^5*(11*d^2 + \\
& 16*e^2))/(d^2*((x + 1)^{(1/2)} - 1)^5*(d^4 + e^4 - 2*d^2*e^2)))/(((x - 1)^{(1/2)} \\
& - 1i)^8/((x + 1)^{(1/2)} - 1)^8 - (e*((x - 1)^{(1/2)} - 1i)*8i)/(d*((x + 1)^{(1/2)} \\
& (1/2) - 1)) + (e*((x - 1)^{(1/2)} - 1i)^3*8i)/(d*((x + 1)^{(1/2)} - 1)^3) + (e* \\
& ((x - 1)^{(1/2)} - 1i)^5*8i)/(d*((x + 1)^{(1/2)} - 1)^5) - (e*((x - 1)^{(1/2)} - \\
& 1i)^7*8i)/(d*((x + 1)^{(1/2)} - 1)^7) - (((x - 1)^{(1/2)} - 1i)^2*(4*d^2 + 16*e^2))/(\\
& d^2*((x + 1)^{(1/2)} - 1)^2) - (((x - 1)^{(1/2)} - 1i)^6*(4*d^2 + 16*e^2)) \\
&)/(d^2*((x + 1)^{(1/2)} - 1)^6) + (((x - 1)^{(1/2)} - 1i)^4*(6*d^2 - 32*e^2))/(\\
& d^2*((x + 1)^{(1/2)} - 1)^4) + 1) + ((2*(2*a*e^4 - 5*a*d^2*e^2)*((x - 1)^{(1/2)} \\
&) - 1i))/(d^3*((x + 1)^{(1/2)} - 1)*(d^4 + e^4 - 2*d^2*e^2)) - (((x - 1)^{(1/2)} \\
&) - 1i)^4*(2*a*e^5 - 9*a*d^2*e^3 + 4*a*d^4*e)*8i)/(d^4*((x + 1)^{(1/2)} - 1)^ \\
& 4*(d^4 + e^4 - 2*d^2*e^2)) + (2*(2*a*e^4 - 5*a*d^2*e^2)*((x - 1)^{(1/2)} - 1i) \\
&)^7)/(d^3*((x + 1)^{(1/2)} - 1)^7*(d^4 + e^4 - 2*d^2*e^2)) - (2*(2*a*e^4 - 29 \\
& *a*d^2*e^2)*((x - 1)^{(1/2)} - 1i)^3)/(d^3*((x + 1)^{(1/2)} - 1)^3*(d^4 + e^4 - \\
& 2*d^2*e^2)) - (2*(2*a*e^4 - 29*a*d^2*e^2)*((x - 1)^{(1/2)} - 1i)^5)/(d^3*((x \\
& + 1)^{(1/2)} - 1)^5*(d^4 + e^4 - 2*d^2*e^2)) + (e*((x - 1)^{(1/2)} - 1i)^2*(4* \\
& a*d^4 - 2*a*e^4 + 7*a*d^2*e^2)*4i)/(d^4*((x + 1)^{(1/2)} - 1)^2*(d^4 + e^4 - \\
& 2*d^2*e^2)) + (e*((x - 1)^{(1/2)} - 1i)^6*(4*a*d^4 - 2*a*e^4 + 7*a*d^2*e^2)*4 \\
& i)/(d^4*((x + 1)^{(1/2)} - 1)^6*(d^4 + e^4 - 2*d^2*e^2)))/(((x - 1)^{(1/2)} - 1 \\
& i)^8/((x + 1)^{(1/2)} - 1)^8 - (e*((x - 1)^{(1/2)} - 1i)*8i)/(d*((x + 1)^{(1/2)} \\
& - 1)) + (e*((x - 1)^{(1/2)} - 1i)^3*8i)/(d*((x + 1)^{(1/2)} - 1)^3) + (e*((x - \\
& 1)^{(1/2)} - 1i)^5*8i)/(d*((x + 1)^{(1/2)} - 1)^5) - (e*((x - 1)^{(1/2)} - 1i)^7* \\
& 8i)/(d*((x + 1)^{(1/2)} - 1)^7) - (((x - 1)^{(1/2)} - 1i)^2*(4*d^2 + 16*e^2))/(\\
& d^2*((x + 1)^{(1/2)} - 1)^2) - (((x - 1)^{(1/2)} - 1i)^6*(4*d^2 + 16*e^2))/(d^2 \\
& *((x + 1)^{(1/2)} - 1)^6) + (((x - 1)^{(1/2)} - 1i)^4*(6*d^2 - 32*e^2))/(d^2*((\\
& x + 1)^{(1/2)} - 1)^4) + 1) - (c*atan(((c*(d^2 + 2*e^2)*((4*(c*e^7*8i - c*d^2 \\
& *e^5*12i + c*d^6*e*4i))/(d^10 + d^2*e^8 - 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8*e^2 \\
&) + 4*((x - 1)^{(1/2)} - 1i)^2*(c*e^7*8i - c*d^2*e^5*12i + c*d^6*e*4i)))/((x \\
& + 1)^{(1/2)} - 1)^2*(d^10 + d^2*e^8 - 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8*e^2)) - \\
& (c*(d^2 + 2*e^2)*((e*((x - 1)^{(1/2)} - 1i)*64i)/(d*((x + 1)^{(1/2)} - 1)) - (4 \\
& *(4*d^10 + 4*e^10 - 12*d^2*e^8 + 8*d^4*e^6 + 8*d^6*e^4 - 12*d^8*e^2))/(d^10 \\
& + d^2*e^8 - 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8*e^2) + (4*((x - 1)^{(1/2)} - 1i)^2 \\
& *(4*d^10 - 12*e^10 + 52*d^2*e^8 - 88*d^4*e^6 + 72*d^6*e^4 - 28*d^8*e^2)))/((\\
& (x + 1)^{(1/2)} - 1)^2*(d^10 + d^2*e^8 - 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8*e^2))) \\
&)/(2*(d + e)^(5/2)*(d - e)^(5/2))*1i)/(2*(d + e)^(5/2)*(d - e)^(5/2)) + (c \\
& *(d^2 + 2*e^2)*((4*(c*e^7*8i - c*d^2*e^5*12i + c*d^6*e*4i))/(d^10 + d^2*e^8 \\
& - 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8*e^2) + (4*((x - 1)^{(1/2)} - 1i)^2*(c*e^7*8i \\
& - c*d^2*e^5*12i + c*d^6*e*4i)))/(((x + 1)^{(1/2)} - 1)^2*(d^10 + d^2*e^8 - 4* \\
& d^4*e^6 + 6*d^6*e^4 - 4*d^8*e^2)) + (c*(d^2 + 2*e^2)*((e*((x - 1)^{(1/2)} - 1 \\
& i)*64i)/(d*((x + 1)^{(1/2)} - 1)) - (4*(4*d^10 + 4*e^10 - 12*d^2*e^8 + 8*d^4* \\
& e^6 + 8*d^6*e^4 - 12*d^8*e^2))/(d^10 + d^2*e^8 - 4*d^4*e^6 + 6*d^6*e^4 - 4*
\end{aligned}$$

$$\begin{aligned}
& d^8 e^2) + (4*((x-1)^{1/2} - 1i)^2*(4*d^{10} - 12*e^{10} + 52*d^2*e^8 - 88*d^4*e^6 + 72*d^6*e^4 - 28*d^8*e^2))/(((x+1)^{1/2} - 1)^2*(d^{10} + d^2*e^8 - 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8*e^2)))/(2*(d+e)^{5/2}*(d-e)^{5/2})) * 1i) / \\
& (2*(d+e)^{5/2}*(d-e)^{5/2}))/((8*(c^2*d^4 + 4*c^2*e^4 + 4*c^2*d^2*e^2)) / (d^{10} + d^2*e^8 - 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8*e^2) - (8*((x-1)^{1/2} - 1i)^2*(c^2*d^4 + 4*c^2*e^4 + 4*c^2*d^2*e^2)) / (((x+1)^{1/2} - 1)^2*(d^{10} + d^2*e^8 - 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8*e^2)) - (c*(d^2 + 2*e^2)*((4*(c*e^7*8i - c*d^2*e^5*12i + c*d^6*e*4i)) / (d^{10} + d^2*e^8 - 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8*e^2) + (4*((x-1)^{1/2} - 1i)^2*(c*e^7*8i - c*d^2*e^5*12i + c*d^6*e*4i)) / (((x+1)^{1/2} - 1)^2*(d^{10} + d^2*e^8 - 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8*e^2)) - (c*(d^2 + 2*e^2)*((e*((x-1)^{1/2} - 1i)*64i) / (d*((x+1)^{1/2} - 1)) - (4*(4*d^{10} + 4*e^{10} - 12*d^2*e^8 + 8*d^4*e^6 + 8*d^6*e^4 - 12*d^8*e^2)) / (d^{10} + d^2*e^8 - 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8*e^2) + (4*((x-1)^{1/2} - 1i)^2*(4*d^{10} - 12*e^{10} + 52*d^2*e^8 - 88*d^4*e^6 + 72*d^6*e^4 - 28*d^8*e^2)) / (((x+1)^{1/2} - 1)^2*(d^{10} + d^2*e^8 - 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8*e^2)))) / (2*(d+e)^{5/2}*(d-e)^{5/2}))) / (2*(d+e)^{5/2}*(d-e)^{5/2})) + (c*(d^2 + 2*e^2)*((4*(c*e^7*8i - c*d^2*e^5*12i + c*d^6*e*4i)) / (d^{10} + d^2*e^8 - 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8*e^2) + (4*((x-1)^{1/2} - 1i)^2*(c*e^7*8i - c*d^2*e^5*12i + c*d^6*e*4i)) / (((x+1)^{1/2} - 1)^2*(d^{10} + d^2*e^8 - 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8*e^2)) + (c*(d^2 + 2*e^2)*((e*((x-1)^{1/2} - 1i)*64i) / (d*((x+1)^{1/2} - 1)) - (4*(4*d^{10} + 4*e^{10} - 12*d^2*e^8 + 8*d^4*e^6 + 8*d^6*e^4 - 12*d^8*e^2)) / (d^{10} + d^2*e^8 - 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8*e^2) + (4*((x-1)^{1/2} - 1i)^2*(4*d^{10} - 12*e^{10} + 52*d^2*e^8 - 88*d^4*e^6 + 72*d^6*e^4 - 28*d^8*e^2)) / (((x+1)^{1/2} - 1)^2*(d^{10} + d^2*e^8 - 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8*e^2)))) / (2*(d+e)^{5/2}*(d-e)^{5/2}))) / (2*(d+e)^{5/2}*(d-e)^{5/2})) * (d^2 + 2*e^2) * 1i) / ((d+e)^{5/2}*(d-e)^{5/2}) - (a*atan(((a*(2*d^2 + e^2)*((4*(a*e^7*4i - a*d^4*e^3*12i + a*d^6*e*8i)) / (d^{10} + d^2*e^8 - 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8*e^2) + (4*((x-1)^{1/2} - 1i)^2*(a*e^7*4i - a*d^4*e^3*12i + a*d^6*e*8i)) / (((x+1)^{1/2} - 1)^2*(d^{10} + d^2*e^8 - 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8*e^2)) - (a*(2*d^2 + e^2)*((e*((x-1)^{1/2} - 1i)*64i) / (d*((x+1)^{1/2} - 1)) - (4*(4*d^{10} + 4*e^{10} - 12*d^2*e^8 + 8*d^4*e^6 + 8*d^6*e^4 - 12*d^8*e^2)) / (d^{10} + d^2*e^8 - 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8*e^2) + (4*((x-1)^{1/2} - 1i)^2*(4*d^{10} - 12*e^{10} + 52*d^2*e^8 - 88*d^4*e^6 + 72*d^6*e^4 - 28*d^8*e^2)) / (((x+1)^{1/2} - 1)^2*(d^{10} + d^2*e^8 - 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8*e^2)))) / (2*(d+e)^{5/2}*(d-e)^{5/2}))) * 1i) / (2*(d+e)^{5/2}*(d-e)^{5/2})) + (a*(2*d^2 + e^2)*((4*(a*e^7*4i - a*d^4*e^3*12i + a*d^6*e*8i)) / (d^{10} + d^2*e^8 - 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8*e^2) + (4*((x-1)^{1/2} - 1i)^2*(a*e^7*4i - a*d^4*e^3*12i + a*d^6*e*8i)) / (((x+1)^{1/2} - 1)^2*(d^{10} + d^2*e^8 - 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8*e^2)) + (a*(2*d^2 + e^2)*((e*((x-1)^{1/2} - 1i)*64i) / (d*((x+1)^{1/2} - 1)) - (4*(4*d^{10} + 4*e^{10} - 12*d^2*e^8 + 8*d^4*e^6 + 8*d^6*e^4 - 12*d^8*e^2)) / (d^{10} + d^2*e^8 - 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8*e^2) + (4*((x-1)^{1/2} - 1i)^2*(4*d^{10} - 12*e^{10} + 52*d^2*e^8 - 88*d^4*e^6 + 72*d^6*e^4 - 28*d^8*e^2)) / (((x+1)^{1/2} - 1)^2*(d^{10} + d^2*e^8 - 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8*e^2)))) / (2*(d+e)^{5/2}*(d-e)^{5/2}))) * 1i) / (2*(d+e)^{5/2}*(d-e)^{5/2}))
\end{aligned}$$

$$\begin{aligned}
& \frac{5/2 * (d - e)^{(5/2)}}{((8 * (4 * a^2 * d^4 + a^2 * e^4 + 4 * a^2 * d^2 * e^2)) / (d^{10} + d^2 * e^8 - 4 * d^4 * e^6 + 6 * d^6 * e^4 - 4 * d^8 * e^2)) - (8 * ((x - 1)^{(1/2)} - 1i)^2 * (4 * a^2 * d^4 + a^2 * e^4 + 4 * a^2 * d^2 * e^2)) / (((x + 1)^{(1/2)} - 1)^2 * (d^{10} + d^2 * e^8 - 4 * d^4 * e^6 + 6 * d^6 * e^4 - 4 * d^8 * e^2)) - (a * (2 * d^2 + e^2) * ((4 * (a * e^7 * 4i - a * d^4 * e^3 * 12i + a * d^6 * e * 8i)) / (d^{10} + d^2 * e^8 - 4 * d^4 * e^6 + 6 * d^6 * e^4 - 4 * d^8 * e^2)) + (4 * ((x - 1)^{(1/2)} - 1i)^2 * (a * e^7 * 4i - a * d^4 * e^3 * 12i + a * d^6 * e * 8i))) / (((x + 1)^{(1/2)} - 1)^2 * (d^{10} + d^2 * e^8 - 4 * d^4 * e^6 + 6 * d^6 * e^4 - 4 * d^8 * e^2)) - (a * (2 * d^2 + e^2) * ((e * ((x - 1)^{(1/2)} - 1i) * 64i) / (d * ((x + 1)^{(1/2)} - 1))) - (4 * (4 * d^{10} + 4 * e^{10} - 12 * d^2 * e^8 + 8 * d^4 * e^6 + 8 * d^6 * e^4 - 12 * d^8 * e^2)) / (d^{10} + d^2 * e^8 - 4 * d^4 * e^6 + 6 * d^6 * e^4 - 4 * d^8 * e^2) + (4 * ((x - 1)^{(1/2)} - 1i)^2 * (4 * d^{10} - 12 * e^{10} + 52 * d^2 * e^8 - 88 * d^4 * e^6 + 72 * d^6 * e^4 - 28 * d^8 * e^2)) / (((x + 1)^{(1/2)} - 1)^2 * (d^{10} + d^2 * e^8 - 4 * d^4 * e^6 + 6 * d^6 * e^4 - 4 * d^8 * e^2))))) / (2 * (d + e)^{(5/2)} * (d - e)^{(5/2)})) / (2 * (d + e)^{(5/2)} * (d - e)^{(5/2)}) + (a * (2 * d^2 + e^2) * ((4 * (a * e^7 * 4i - a * d^4 * e^3 * 12i + a * d^6 * e * 8i)) / (d^{10} + d^2 * e^8 - 4 * d^4 * e^6 + 6 * d^6 * e^4 - 4 * d^8 * e^2) + (4 * ((x - 1)^{(1/2)} - 1i)^2 * (a * e^7 * 4i - a * d^4 * e^3 * 12i + a * d^6 * e * 8i))) / (((x + 1)^{(1/2)} - 1)^2 * (d^{10} + d^2 * e^8 - 4 * d^4 * e^6 + 6 * d^6 * e^4 - 4 * d^8 * e^2)) + (a * (2 * d^2 + e^2) * ((e * ((x - 1)^{(1/2)} - 1i) * 64i) / (d * ((x + 1)^{(1/2)} - 1))) - (4 * (4 * d^{10} + 4 * e^{10} - 12 * d^2 * e^8 + 8 * d^4 * e^6 + 8 * d^6 * e^4 - 12 * d^8 * e^2)) / (d^{10} + d^2 * e^8 - 4 * d^4 * e^6 + 6 * d^6 * e^4 - 4 * d^8 * e^2) + (4 * ((x - 1)^{(1/2)} - 1i)^2 * (4 * d^{10} - 12 * e^{10} + 52 * d^2 * e^8 - 88 * d^4 * e^6 + 72 * d^6 * e^4 - 28 * d^8 * e^2)) / (((x + 1)^{(1/2)} - 1)^2 * (d^{10} + d^2 * e^8 - 4 * d^4 * e^6 + 6 * d^6 * e^4 - 4 * d^8 * e^2)))) / (2 * (d + e)^{(5/2)} * (d - e)^{(5/2)})) / (2 * (d + e)^{(5/2)} * (d - e)^{(5/2)}) * (2 * d^2 + e^2) * 1i) / ((d + e)^{(5/2)} * (d - e)^{(5/2)}) + (b * d * e * atan(((b * d * e * ((4 * (b * d^5 * e^2 * 12i - b * d^3 * e^4 * 24i + b * d * e^6 * 12i)) / (d^{10} + d^2 * e^8 - 4 * d^4 * e^6 + 6 * d^6 * e^4 - 4 * d^8 * e^2) + (4 * ((x - 1)^{(1/2)} - 1i)^2 * (b * d^5 * e^2 * 12i - b * d^3 * e^4 * 24i + b * d * e^6 * 12i))) / (((x + 1)^{(1/2)} - 1)^2 * (d^{10} + d^2 * e^8 - 4 * d^4 * e^6 + 6 * d^6 * e^4 - 4 * d^8 * e^2)) - (3 * b * d * e * ((e * ((x - 1)^{(1/2)} - 1i) * 64i) / (d * ((x + 1)^{(1/2)} - 1))) - (4 * (4 * d^{10} + 4 * e^{10} - 12 * d^2 * e^8 + 8 * d^4 * e^6 + 8 * d^6 * e^4 - 12 * d^8 * e^2)) / (d^{10} + d^2 * e^8 - 4 * d^4 * e^6 + 6 * d^6 * e^4 - 4 * d^8 * e^2) + (4 * ((x - 1)^{(1/2)} - 1i)^2 * (4 * d^{10} - 12 * e^{10} + 52 * d^2 * e^8 - 88 * d^4 * e^6 + 72 * d^6 * e^4 - 28 * d^8 * e^2)) / (((x + 1)^{(1/2)} - 1)^2 * (d^{10} + d^2 * e^8 - 4 * d^4 * e^6 + 6 * d^6 * e^4 - 4 * d^8 * e^2)))) / (2 * (d + e)^{(5/2)} * (d - e)^{(5/2)}) * 3i) / (2 * (d + e)^{(5/2)} * (d - e)^{(5/2)}) + (b * d * e * ((4 * (b * d^5 * e^2 * 12i - b * d^3 * e^4 * 24i + b * d * e^6 * 12i)) / (d^{10} + d^2 * e^8 - 4 * d^4 * e^6 + 6 * d^6 * e^4 - 4 * d^8 * e^2) + (4 * ((x - 1)^{(1/2)} - 1i)^2 * (b * d^5 * e^2 * 12i - b * d^3 * e^4 * 24i + b * d * e^6 * 12i))) / (((x + 1)^{(1/2)} - 1)^2 * (d^{10} + d^2 * e^8 - 4 * d^4 * e^6 + 6 * d^6 * e^4 - 4 * d^8 * e^2)) + (3 * b * d * e * ((e * ((x - 1)^{(1/2)} - 1i) * 64i) / (d * ((x + 1)^{(1/2)} - 1))) - (4 * (4 * d^{10} + 4 * e^{10} - 12 * d^2 * e^8 + 8 * d^4 * e^6 + 8 * d^6 * e^4 - 12 * d^8 * e^2)) / (d^{10} + d^2 * e^8 - 4 * d^4 * e^6 + 6 * d^6 * e^4 - 4 * d^8 * e^2) + (4 * ((x - 1)^{(1/2)} - 1i)^2 * (4 * d^{10} - 12 * e^{10} + 52 * d^2 * e^8 - 88 * d^4 * e^6 + 72 * d^6 * e^4 - 28 * d^8 * e^2)) / (((x + 1)^{(1/2)} - 1)^2 * (d^{10} + d^2 * e^8 - 4 * d^4 * e^6 + 6 * d^6 * e^4 - 4 * d^8 * e^2)))) / (2 * (d + e)^{(5/2)} * (d - e)^{(5/2)}) * 3i) / (2 * (d + e)^{(5/2)} * (d - e)^{(5/2)}) / ((72 * b^2 * d^2 * e^2) / (d^{10} + d^2 * e^8 - 4 * d^4 * e^6 + 6 * d^6 * e^4 - 4 * d^8 * e^2) - (72 * b^2 * d^2 * e^2 * ((x - 1)^{(1/2)} - 1i)^2) / (((x + 1)^{(1/2)} - 1)^2 * (d^{10} + d^2 * e^8 - 4 * d^4 * e^6 + 6 * d^6 * e^4 - 4 * d^8 * e^2)) - (3 * b * d * e * ((4 * (b * d^5 * e^2 * 12i - b *
\end{aligned}$$

$$\begin{aligned} & d^3 e^{4*24i} + b*d*e^6*12i)) / (d^{10} + d^2*e^8 - 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8 \\ & *e^2) + (4*((x - 1)^{(1/2)} - 1i)^2*(b*d^5*e^2*12i - b*d^3*e^4*24i + b*d*e^6* \\ & 12i)) / (((x + 1)^{(1/2)} - 1)^2*(d^{10} + d^2*e^8 - 4*d^4*e^6 + 6*d^6*e^4 - 4*d^ \\ & 8*e^2)) - (3*b*d*e*((e*((x - 1)^{(1/2)} - 1i)*64i) / (d*((x + 1)^{(1/2)} - 1)) - \\ & (4*(4*d^{10} + 4*e^{10} - 12*d^2*e^8 + 8*d^4*e^6 + 8*d^6*e^4 - 12*d^8*e^2)) / (d^ \\ & 10 + d^2*e^8 - 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8*e^2) + (4*((x - 1)^{(1/2)} - 1i) \\ & ^2*(4*d^{10} - 12*e^{10} + 52*d^2*e^8 - 88*d^4*e^6 + 72*d^6*e^4 - 28*d^8*e^2)) / \\ & (((x + 1)^{(1/2)} - 1)^2*(d^{10} + d^2*e^8 - 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8*e^2) \\ &)) / (2*(d + e)^{(5/2)}*(d - e)^{(5/2)})) / (2*(d + e)^{(5/2)}*(d - e)^{(5/2)}) + (3* \\ & b*d*e*((4*(b*d^5*e^2*12i - b*d^3*e^4*24i + b*d*e^6*12i)) / (d^{10} + d^2*e^8 - \\ & 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8*e^2) + (4*((x - 1)^{(1/2)} - 1i)^2*(b*d^5*e^2*1 \\ & 2i - b*d^3*e^4*24i + b*d*e^6*12i)) / (((x + 1)^{(1/2)} - 1)^2*(d^{10} + d^2*e^8 - \\ & 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8*e^2)) + (3*b*d*e*((e*((x - 1)^{(1/2)} - 1i)*64 \\ & i) / (d*((x + 1)^{(1/2)} - 1)) - (4*(4*d^{10} + 4*e^{10} - 12*d^2*e^8 + 8*d^4*e^6 + \\ & 8*d^6*e^4 - 12*d^8*e^2)) / (d^{10} + d^2*e^8 - 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8*e \\ & ^2) + (4*((x - 1)^{(1/2)} - 1i)^2*(4*d^{10} - 12*e^{10} + 52*d^2*e^8 - 88*d^4*e^6 \\ & + 72*d^6*e^4 - 28*d^8*e^2)) / (((x + 1)^{(1/2)} - 1)^2*(d^{10} + d^2*e^8 - 4*d^4 \\ & *e^6 + 6*d^6*e^4 - 4*d^8*e^2)))) / (2*(d + e)^{(5/2)}*(d - e)^{(5/2)})) / (2*(d + \\ & e)^{(5/2)}*(d - e)^{(5/2)})) * 3i) / ((d + e)^{(5/2)}*(d - e)^{(5/2)}) \end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x**2+b*x+a)/(e*x+d)**3/(-1+x)**(1/2)/(1+x)**(1/2),x)

[Out] Timed out

3.41 $\int (a+bx)^2 \sqrt{c+dx} \sqrt{e+fx} (A+Bx+Cx^2) dx$

Optimal. Leaf size=1348

$$\frac{C(c+dx)^{3/2}(e+fx)^{3/2}(a+bx)^3}{6bdf} - \frac{(2aCdf - b(4Bdf - 3C(de+cf)))(c+dx)^{3/2}(e+fx)^{3/2}(a+bx)^2}{20bd^2f^2} - \frac{(c+dx)^{3/2}(e+fx)^{3/2}(a+bx)^3}{6bdf}$$

```
[Out] -1/20*(2*a*C*d*f-b*(4*B*d*f-3*C*(c*f+d*e)))*(b*x+a)^2*(d*x+c)^(3/2)*(f*x+e)^(3/2)/b/d^2/f^2+1/6*C*(b*x+a)^3*(d*x+c)^(3/2)*(f*x+e)^(3/2)/b/d/f-1/960*(d*x+c)^(3/2)*(f*x+e)^(3/2)*(64*a^3*C*d^3*f^3-8*a^2*b*d^2*f^2*(16*B*d*f-7*C*(c*f+d*e))-8*a*b^2*d*f*(C*(35*c^2*f^2+38*c*d*e*f+35*d^2*e^2)+10*d*f*(8*A*d*f-5*B*(c*f+d*e)))+b^3*(7*C*(15*c^3*f^3+17*c^2*d*e*f^2+17*c*d^2*e^2*f+15*d^3*e^3)+4*d*f*(50*A*d*f*(c*f+d*e)-B*(35*c^2*f^2+38*c*d*e*f+35*d^2*e^2)))+6*b*d*f*(10*b*d*f*(-4*A*b*d*f+C*a*c*f+C*a*d*e+2*C*b*c*e)+(4*a*d*f-7*b*(c*f+d*e)))*(2*a*C*d*f-b*(4*B*d*f-3*C*(c*f+d*e))))*x)/b/d^4/f^4-1/512*(-c*f+d*e)^2*(8*a^2*d^2*f^2*(C*(5*c^2*f^2+6*c*d*e*f+5*d^2*e^2)+8*d*f*(2*A*d*f-B*(c*f+d*e)))-8*a*b*d*f*(C*(7*c^3*f^3+9*c^2*d*e*f^2+9*c*d^2*e^2*f+7*d^3*e^3)+2*d*f*(8*A*d*f*(c*f+d*e)-B*(5*c^2*f^2+6*c*d*e*f+5*d^2*e^2)))+b^2*(C*(21*c^4*f^4+28*c^3*d*e*f^3+30*c^2*d^2*e^2*f^2+28*c*d^3*e^3*f+21*d^4*e^4)+4*d*f*(2*A*d*f*(5*c^2*f^2+6*c*d*e*f+5*d^2*e^2)-B*(7*c^3*f^3+9*c^2*d*e*f^2+9*c*d^2*e^2*f+7*d^3*e^3)))))*arctanh(f^(1/2)*(d*x+c)^(1/2)/d^(1/2)/(f*x+e)^(1/2))/d^(11/2)/f^(11/2)+1/256*(8*a^2*d^2*f^2*(C*(5*c^2*f^2+6*c*d*e*f+5*d^2*e^2)+8*d*f*(2*A*d*f-B*(c*f+d*e)))-8*a*b*d*f*(C*(7*c^3*f^3+9*c^2*d*e*f^2+9*c*d^2*e^2*f+7*d^3*e^3)+2*d*f*(8*A*d*f*(c*f+d*e)-B*(5*c^2*f^2+6*c*d*e*f+5*d^2*e^2)))+b^2*(C*(21*c^4*f^4+28*c^3*d*e*f^3+30*c^2*d^2*e^2*f^2+28*c*d^3*e^3*f+21*d^4*e^4)+4*d*f*(2*A*d*f*(5*c^2*f^2+6*c*d*e*f+5*d^2*e^2)-B*(7*c^3*f^3+9*c^2*d*e*f^2+9*c*d^2*e^2*f+7*d^3*e^3))))*(d*x+c)^(3/2)*(f*x+e)^(1/2)/d^5/f^4+1/512*(-c*f+d*e)*(8*a^2*d^2*f^2*(C*(5*c^2*f^2+6*c*d*e*f+5*d^2*e^2)+8*d*f*(2*A*d*f-B*(c*f+d*e)))-8*a*b*d*f*(C*(7*c^3*f^3+9*c^2*d*e*f^2+9*c*d^2*e^2*f+7*d^3*e^3)+2*d*f*(8*A*d*f*(c*f+d*e)-B*(5*c^2*f^2+6*c*d*e*f+5*d^2*e^2)))+b^2*(C*(21*c^4*f^4+28*c^3*d*e*f^3+30*c^2*d^2*e^2*f^2+28*c*d^3*e^3*f+21*d^4*e^4)+4*d*f*(2*A*d*f*(5*c^2*f^2+6*c*d*e*f+5*d^2*e^2)-B*(7*c^3*f^3+9*c^2*d*e*f^2+9*c*d^2*e^2*f+7*d^3*e^3))))*(d*x+c)^(1/2)*(f*x+e)^(1/2)/d^5/f^5
```

Rubi [A] time = 2.37, antiderivative size = 1345, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {1615, 153, 147, 50, 63, 217, 206}

$$\frac{C(c+dx)^{3/2}(e+fx)^{3/2}(a+bx)^3}{6bdf} + \frac{(4bBdf - 2aCdf - 3bC(de+cf))(c+dx)^{3/2}(e+fx)^{3/2}(a+bx)^2}{20bd^2f^2} - \frac{(c+dx)^{3/2}(e+fx)^{3/2}(a+bx)^3}{6bdf}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x)^2*sqrt[c + d*x]*sqrt[e + f*x]*(A + B*x + C*x^2), x]

[Out] ((d*e - c*f)*(8*a^2*d^2*f^2*(C*(5*d^2*e^2 + 6*c*d*e*f + 5*c^2*f^2) + 8*d*f*(2*A*d*f - B*(d*e + c*f))) - 8*a*b*d*f*(C*(7*d^3*e^3 + 9*c*d^2*e^2*f + 9*c^2*d*e*f^2 + 7*c^3*f^3) + 2*d*f*(8*A*d*f*(d*e + c*f) - B*(5*d^2*e^2 + 6*c*d*e*f + 5*c^2*f^2))) + b^2*(C*(21*d^4*e^4 + 28*c*d^3*e^3*f + 30*c^2*d^2*e^2*f^2 + 28*c^3*d*e*f^3 + 21*c^4*f^4) + 4*d*f*(2*A*d*f*(5*d^2*e^2 + 6*c*d*e*f + 5*c^2*f^2) - B*(7*d^3*e^3 + 9*c*d^2*e^2*f + 9*c^2*d*e*f^2 + 7*c^3*f^3))))*sqrt[c + d*x]*sqrt[e + f*x]/(512*d^5*f^5) + ((8*a^2*d^2*f^2*(C*(5*d^2*e^2 + 6*c*d*e*f + 5*c^2*f^2) + 8*d*f*(2*A*d*f - B*(d*e + c*f))) - 8*a*b*d*f*(C*(7*d^3*e^3 + 9*c*d^2*e^2*f + 9*c^2*d*e*f^2 + 7*c^3*f^3) + 2*d*f*(8*A*d*f*(d*e + c*f) - B*(5*d^2*e^2 + 6*c*d*e*f + 5*c^2*f^2))) + b^2*(C*(21*d^4*e^4 + 28*c*d^3*e^3*f + 30*c^2*d^2*e^2*f^2 + 28*c^3*d*e*f^3 + 21*c^4*f^4) + 4*d*f*(2*A*d*f*(5*d^2*e^2 + 6*c*d*e*f + 5*c^2*f^2) - B*(7*d^3*e^3 + 9*c*d^2*e^2*f + 9*c^2*d*e*f^2 + 7*c^3*f^3))))*(c + d*x)^(3/2)*sqrt[e + f*x]/(256*d^5*f^4) + ((4*b*B*d*f - 2*a*C*d*f - 3*b*C*(d*e + c*f))*(a + b*x)^2*(c + d*x)^(3/2)*(e + f*x)^(3/2))/(20*b*d^2*f^2) + (C*(a + b*x)^3*(c + d*x)^(3/2)*(e + f*x)^(3/2))/(6*b*d*f) - ((c + d*x)^(3/2)*(e + f*x)^(3/2)*(64*a^3*C*d^3*f^3 - 8*a^2*b*d^2*f^2*(16*B*d*f - 7*C*(d*e + c*f)) - 8*a*b^2*d*f*(C*(35*d^2*e^2 + 38*c*d*e*f + 35*c^2*f^2) + 10*d*f*(8*A*d*f - 5*B*(d*e + c*f))) + b^3*(7*C*(15*d^3*e^3 + 17*c*d^2*e^2*f + 17*c^2*d*e*f^2 + 15*c^3*f^3) + 4*d*f*(50*A*d*f*(d*e + c*f) - B*(35*d^2*e^2 + 38*c*d*e*f + 35*c^2*f^2))) + 6*b*d*f*(10*b*d*f*(2*b*c*C*e + a*C*d*e + a*c*C*f - 4*A*b*d*f) - (4*a*d*f - 7*b*(d*e + c*f))*(4*b*B*d*f - 2*a*C*d*f - 3*b*C*(d*e + c*f)))*x)/(960*b*d^4*f^4) - ((d*e - c*f)^2*(8*a^2*d^2*f^2*(C*(5*d^2*e^2 + 6*c*d*e*f + 5*c^2*f^2) + 8*d*f*(2*A*d*f - B*(d*e + c*f))) - 8*a*b*d*f*(C*(7*d^3*e^3 + 9*c*d^2*e^2*f + 9*c^2*d*e*f^2 + 7*c^3*f^3) + 2*d*f*(8*A*d*f*(d*e + c*f) - B*(5*d^2*e^2 + 6*c*d*e*f + 5*c^2*f^2))) + b^2*(C*(21*d^4*e^4 + 28*c*d^3*e^3*f + 30*c^2*d^2*e^2*f^2 + 28*c^3*d*e*f^3 + 21*c^4*f^4) + 4*d*f*(2*A*d*f*(5*d^2*e^2 + 6*c*d*e*f + 5*c^2*f^2) - B*(7*d^3*e^3 + 9*c*d^2*e^2*f + 9*c^2*d*e*f^2 + 7*c^3*f^3))))*ArcTanh[(sqrt[f]*sqrt[c + d*x])/(sqrt[d]*sqrt[e + f*x])]/(512*d^(11/2)*f^(11/2))

Rule 50

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/
(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b,
c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ
[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n
+ 2, 0] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
```

$(d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}, x]] /; \text{FreeQ}\{a, b, c, d\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{LtQ}[-1, m, 0] \&\& \text{LeQ}[-1, n, 0] \&\& \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \&\& \text{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 147

$\text{Int}[(a_. + (b_.)*(x_))^{(m_.)*((c_.) + (d_.)*(x_))^{(n_.)*((e_.) + (f_.)*(x_))^{(g_.) + (h_.)*(x_)}}, x_Symbol] \rightarrow -\text{Simp}[(a*d*f*h*(n + 2) + b*c*f*h*(m + 2) - b*d*(f*g + e*h)*(m + n + 3) - b*d*f*h*(m + n + 2)*x)*(a + b*x)^{(m + 1)*(c + d*x)^{(n + 1)}}/(b^2*d^2*(m + n + 2)*(m + n + 3)), x] + \text{Dist}[(a^2*d^2*f*h*(n + 1)*(n + 2) + a*b*d*(n + 1)*(2*c*f*h*(m + 1) - d*(f*g + e*h)*(m + n + 3)) + b^2*(c^2*f*h*(m + 1)*(m + 2) - c*d*(f*g + e*h)*(m + 1)*(m + n + 3) + d^2*e*g*(m + n + 2)*(m + n + 3)))/(b^2*d^2*(m + n + 2)*(m + n + 3)), \text{Int}[(a + b*x)^m*(c + d*x)^n, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, h, m, n\}, x] \&\& \text{NeQ}[m + n + 2, 0] \&\& \text{NeQ}[m + n + 3, 0]$

Rule 153

$\text{Int}[(a_. + (b_.)*(x_))^{(m_.)*((c_.) + (d_.)*(x_))^{(n_.)*((e_.) + (f_.)*(x_))^{(p_.)*((g_.) + (h_.)*(x_)}}, x_Symbol] \rightarrow \text{Simp}[(h*(a + b*x)^m*(c + d*x)^{(n + 1)*(e + f*x)^{(p + 1)}}/(d*f*(m + n + p + 2)), x] + \text{Dist}[1/(d*f*(m + n + p + 2)), \text{Int}[(a + b*x)^{(m - 1)*(c + d*x)^n*(e + f*x)^p*\text{Simp}[a*d*f*g*(m + n + p + 2) - h*(b*c*e*m + a*(d*e*(n + 1) + c*f*(p + 1))] + (b*d*f*g*(m + n + p + 2) + h*(a*d*f*m - b*(d*e*(m + n + 1) + c*f*(m + p + 1)))]*x, x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, h, n, p\}, x] \&\& \text{GtQ}[m, 0] \&\& \text{NeQ}[m + n + p + 2, 0] \&\& \text{IntegerQ}[m]$

Rule 206

$\text{Int}[(a_. + (b_.)*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTanh}[\text{Rt}[-b, 2]*x]/\text{Rt}[a, 2])]/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{NegQ}[a/b] \&\& (\text{GtQ}[a, 0] \parallel \text{LtQ}[b, 0])$

Rule 217

$\text{Int}[1/\text{Sqrt}[(a_. + (b_.)*(x_)^2], x_Symbol] \rightarrow \text{Subst}[\text{Int}[1/(1 - b*x^2), x], x, x/\text{Sqrt}[a + b*x^2]] /; \text{FreeQ}\{a, b\}, x] \&\& !\text{GtQ}[a, 0]$

Rule 1615

$\text{Int}[(P_x)*((a_.) + (b_.)*(x_))^{(m_.)*((c_.) + (d_.)*(x_))^{(n_.)*((e_.) + (f_.)*(x_))^{(p_.)}}, x_Symbol] \rightarrow \text{With}\{q = \text{Expon}[P_x, x], k = \text{Coeff}[P_x, x, \text{Expon}[P_x, x]]\}, \text{Simp}[(k*(a + b*x)^{(m + q - 1)*(c + d*x)^{(n + 1)*(e + f*x)^{(p + 1)}})/(d*f*b^{(q - 1)*(m + n + p + q + 1)}), x] + \text{Dist}[1/(d*f*b^q*(m + n + p + q + 1)), \text{Int}[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p*\text{ExpandToSum}[d*f*b^q*(m + n$

```

+ p + q + 1)*Px - d*f*k*(m + n + p + q + 1)*(a + b*x)^q + k*(a + b*x)^(q -
2)*(a^2*d*f*(m + n + p + q + 1) - b*(b*c*e*(m + q - 1) + a*(d*e*(n + 1) +
c*f*(p + 1))) + b*(a*d*f*(2*(m + q) + n + p) - b*(d*e*(m + q + n) + c*f*(m
+ q + p)))*x), x], x], x] /; NeQ[m + n + p + q + 1, 0]] /; FreeQ[{a, b, c,
d, e, f, m, n, p}, x] && PolyQ[Px, x] && IntegersQ[2*m, 2*n, 2*p]

```

Rubi steps

$$\begin{aligned}
\int (a + bx)^2 \sqrt{c + dx} \sqrt{e + fx} (A + Bx + Cx^2) dx &= \frac{C(a + bx)^3 (c + dx)^{3/2} (e + fx)^{3/2}}{6bdf} + \frac{\int (a + bx)^2 \sqrt{c + dx} \sqrt{e + fx} dx}{6bdf} \\
&= \frac{(4bBdf - 2aCdf - 3bC(de + cf))(a + bx)^2 (c + dx)^{3/2} (e + fx)^{3/2}}{20bd^2 f^2} \\
&= \frac{(4bBdf - 2aCdf - 3bC(de + cf))(a + bx)^2 (c + dx)^{3/2} (e + fx)^{3/2}}{20bd^2 f^2} \\
&= \frac{(8a^2 d^2 f^2 (C(5d^2 e^2 + 6cdef + 5c^2 f^2) + 8df(2Adf - B(de + cf)))}{20bd^2 f^2} \\
&= \frac{(de - cf)(8a^2 d^2 f^2 (C(5d^2 e^2 + 6cdef + 5c^2 f^2) + 8df(2Adf - B(de + cf)))}{20bd^2 f^2} \\
&= \frac{(de - cf)(8a^2 d^2 f^2 (C(5d^2 e^2 + 6cdef + 5c^2 f^2) + 8df(2Adf - B(de + cf)))}{20bd^2 f^2} \\
&= \frac{(de - cf)(8a^2 d^2 f^2 (C(5d^2 e^2 + 6cdef + 5c^2 f^2) + 8df(2Adf - B(de + cf)))}{20bd^2 f^2} \\
&= \frac{(de - cf)(8a^2 d^2 f^2 (C(5d^2 e^2 + 6cdef + 5c^2 f^2) + 8df(2Adf - B(de + cf)))}{20bd^2 f^2}
\end{aligned}$$

Mathematica [B] time = 7.13, size = 3599, normalized size = 2.67

Result too large to show

Antiderivative was successfully verified.

[In] Integrate[(a + b*x)^2*Sqrt[c + d*x]*Sqrt[e + f*x]*(A + B*x + C*x^2),x]

[Out] $(2*b^2*C*(d*e - c*f)^4*(c + d*x)^{(3/2)}*Sqrt[e + f*x]*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^{(11/2)}*((63/(128*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^5) + 21/(32*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^4) + 63/(80*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^3) + 9/(10*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^2) + (1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^{(-1)})/4 + (63*(d*e - c*f)^2*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))^2*((2*d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))) - (2*Sqrt[d]*Sqrt[f]*Sqrt[c + d*x]*ArcSinh[(Sqrt[d]*Sqrt[f]*Sqrt[c + d*x])/(Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)])])/(Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)]*Sqrt[1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))])))/(2048*d^2*f^2*(c + d*x)^2*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^5)))/(3*d^5*f^4*(d/((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))^{(9/2)}*Sqrt[(d*(e + f*x))/(d*e - c*f]) + (2*b*(d*e - c*f)^3*(-4*b*C*e + b*B*f + 2*a*C*f)*(c + d*x)^{(3/2)}*Sqrt[e + f*x]*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^{(9/2)}*((3*(35/(64*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^4) + 35/(48*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^3) + 7/(8*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^2) + (1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^{(-1)})/10 + (21*(d*e - c*f)^2*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))^2*((2*d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))) - (2*Sqrt[d]*Sqrt[f]*Sqrt[c + d*x]*ArcSinh[(Sqrt[d]*Sqrt[f]*Sqrt[c + d*x])/(Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)])])/(Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)]*Sqrt[1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))])))/(512*d^2*f^2*(c + d*x)^2*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^4)))/(3*d^4*f^4*(d/((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))^{(7/2)}*Sqrt[(d*(e + f*x))/(d*e - c*f]) + (2*(d*e - c*f)^2*(6*b^2*C*e^2 - 3*b^2*B*e*f - 6*a*b*C*e*f + A*b^2*f^2 + 2*a*b*B*f^2 + a^2*C*f^2)*(c + d*x)^{(3/2)}*Sqrt[e + f*x]*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^{(7/2)}*((3*(5/(8*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^3) + 5/(6*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^2) + (1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^{(-1)})/8 + (15*(d*e - c*f)^2*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))^2*((2*d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))) - (2*Sqrt[d]*Sqrt[f]*Sqrt[c + d*x]*ArcSinh[(Sqrt[d]*Sqrt[f]*Sqrt[c + d*x])/(Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)])])/(Sqrt[d*e - c*f]*Sqrt[(d$

$$\begin{aligned} & \frac{d^2 e}{d^2 e - c f} - \frac{c d f}{d^2 e - c f} \sqrt{1 + \frac{d f (c + d x)}{(d^2 e - c f) \left(\frac{d^2 e}{d^2 e - c f} - \frac{c d f}{d^2 e - c f} \right)}} \Big/ \left(\frac{d^2 e}{d^2 e - c f} - \frac{c d f}{d^2 e - c f} \right) \Big/ (256 d^2 f^2 (c + d x)^2 (1 + \frac{d f (c + d x)}{(d^2 e - c f) \left(\frac{d^2 e}{d^2 e - c f} - \frac{c d f}{d^2 e - c f} \right)}))^3 \Big/ (3 d^3 f^4 (d / \left(\frac{d^2 e}{d^2 e - c f} - \frac{c d f}{d^2 e - c f} \right))^5 / 2) \sqrt{\frac{d (e + f x)}{d^2 e - c f}} + (2 (-b e) + a f) (d^2 e - c f) (4 b C e^2 - 3 b B e f - 2 a C e f + 2 A b f^2 + a B f^2) (c + d x)^{3/2} \sqrt{e + f x} (1 + \frac{d f (c + d x)}{(d^2 e - c f) \left(\frac{d^2 e}{d^2 e - c f} - \frac{c d f}{d^2 e - c f} \right)})^{5/2} \left(\frac{3}{4} (1 + \frac{d f (c + d x)}{(d^2 e - c f) \left(\frac{d^2 e}{d^2 e - c f} - \frac{c d f}{d^2 e - c f} \right)})^2 + (1 + \frac{d f (c + d x)}{(d^2 e - c f) \left(\frac{d^2 e}{d^2 e - c f} - \frac{c d f}{d^2 e - c f} \right)})^{-1} \right) / 2 + (3 (d^2 e - c f)^2 \left(\frac{d^2 e}{d^2 e - c f} - \frac{c d f}{d^2 e - c f} \right)^2 \left(\frac{2 d f (c + d x)}{(d^2 e - c f) \left(\frac{d^2 e}{d^2 e - c f} - \frac{c d f}{d^2 e - c f} \right)} - (2 \sqrt{d} \sqrt{f} \sqrt{c + d x} \operatorname{ArcSinh}[\sqrt{d} \sqrt{f} \sqrt{c + d x}] / (\sqrt{d^2 e - c f} \sqrt{\frac{d^2 e}{d^2 e - c f} - \frac{c d f}{d^2 e - c f}}]) / (\sqrt{d^2 e - c f} \sqrt{\frac{d^2 e}{d^2 e - c f} - \frac{c d f}{d^2 e - c f}}] \sqrt{1 + \frac{d f (c + d x)}{(d^2 e - c f) \left(\frac{d^2 e}{d^2 e - c f} - \frac{c d f}{d^2 e - c f} \right)}}) \Big/ (32 d^2 f^2 (c + d x)^2 (1 + \frac{d f (c + d x)}{(d^2 e - c f) \left(\frac{d^2 e}{d^2 e - c f} - \frac{c d f}{d^2 e - c f} \right)})^2) \Big/ (3 d^2 f^4 (d / \left(\frac{d^2 e}{d^2 e - c f} - \frac{c d f}{d^2 e - c f} \right))^3 / 2) \sqrt{\frac{d (e + f x)}{d^2 e - c f}} + (2 (-b e) + a f)^2 (C e^2 - B e f + A f^2) (c + d x)^{3/2} \sqrt{e + f x} (1 + \frac{d f (c + d x)}{(d^2 e - c f) \left(\frac{d^2 e}{d^2 e - c f} - \frac{c d f}{d^2 e - c f} \right)})^{3/2} \left(\frac{3}{4} (1 + \frac{d f (c + d x)}{(d^2 e - c f) \left(\frac{d^2 e}{d^2 e - c f} - \frac{c d f}{d^2 e - c f} \right)}) + (3 (d^2 e - c f)^2 \left(\frac{d^2 e}{d^2 e - c f} - \frac{c d f}{d^2 e - c f} \right)^2 \left(\frac{2 d f (c + d x)}{(d^2 e - c f) \left(\frac{d^2 e}{d^2 e - c f} - \frac{c d f}{d^2 e - c f} \right)} - (2 \sqrt{d} \sqrt{f} \sqrt{c + d x} \operatorname{ArcSinh}[\sqrt{d} \sqrt{f} \sqrt{c + d x}] / (\sqrt{d^2 e - c f} \sqrt{\frac{d^2 e}{d^2 e - c f} - \frac{c d f}{d^2 e - c f}}]) / (\sqrt{d^2 e - c f} \sqrt{\frac{d^2 e}{d^2 e - c f} - \frac{c d f}{d^2 e - c f}}] \sqrt{1 + \frac{d f (c + d x)}{(d^2 e - c f) \left(\frac{d^2 e}{d^2 e - c f} - \frac{c d f}{d^2 e - c f} \right)}}) \Big/ (16 d^2 f^2 (c + d x)^2 (1 + \frac{d f (c + d x)}{(d^2 e - c f) \left(\frac{d^2 e}{d^2 e - c f} - \frac{c d f}{d^2 e - c f} \right)}) \Big/ (3 d f^4 \sqrt{d / \left(\frac{d^2 e}{d^2 e - c f} - \frac{c d f}{d^2 e - c f} \right)} \sqrt{\frac{d (e + f x)}{d^2 e - c f}}] \Big] \end{aligned}$$

fricas [A] time = 6.80, size = 3096, normalized size = 2.30

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^2*(C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2),x, algorithm="fricas")

[Out] [1/30720*(15*(21*C*b^2*d^6*e^6 - 14*(C*b^2*c*d^5 + 2*(2*C*a*b + B*b^2)*d^6)*e^5*f - 5*(C*b^2*c^2*d^4 - 4*(2*C*a*b + B*b^2)*c*d^5 - 8*(C*a^2 + 2*B*a*b + A*b^2)*d^6)*e^4*f^2 - 4*(C*b^2*c^3*d^3 - 2*(2*C*a*b + B*b^2)*c^2*d^4 + 8*(C*a^2 + 2*B*a*b + A*b^2)*c*d^5 + 16*(B*a^2 + 2*A*a*b)*d^6)*e^3*f^3 - (5*C*b^2*c^4*d^2 - 128*A*a^2*d^6 - 8*(2*C*a*b + B*b^2)*c^3*d^3 + 16*(C*a^2 + 2*B

$$\begin{aligned}
& *a*b + A*b^2)*c^2*d^4 - 64*(B*a^2 + 2*A*a*b)*c*d^5)*e^2*f^4 - 2*(7*C*b^2*c^5*d + 128*A*a^2*c*d^5 - 10*(2*C*a*b + B*b^2)*c^4*d^2 + 16*(C*a^2 + 2*B*a*b + A*b^2)*c^3*d^3 - 32*(B*a^2 + 2*A*a*b)*c^2*d^4)*e*f^5 + (21*C*b^2*c^6 + 128*A*a^2*c^2*d^4 - 28*(2*C*a*b + B*b^2)*c^5*d + 40*(C*a^2 + 2*B*a*b + A*b^2)*c^4*d^2 - 64*(B*a^2 + 2*A*a*b)*c^3*d^3)*f^6)*\sqrt{d*f}*\log(8*d^2*f^2*x^2 + d^2*e^2 + 6*c*d*e*f + c^2*f^2 - 4*(2*d*f*x + d*e + c*f)*\sqrt{d*f}*\sqrt{d*x + c})*\sqrt{f*x + e} + 8*(d^2*e*f + c*d*f^2)*x) + 4*(1280*C*b^2*d^6*f^6*x^5 + 315*C*b^2*d^6*e^5*f - 105*(C*b^2*c*d^5 + 4*(2*C*a*b + B*b^2)*d^6)*e^4*f^2 - 2*(41*C*b^2*c^2*d^4 - 80*(2*C*a*b + B*b^2)*c*d^5 - 300*(C*a^2 + 2*B*a*b + A*b^2)*d^6)*e^3*f^3 - 2*(41*C*b^2*c^3*d^3 - 68*(2*C*a*b + B*b^2)*c^2*d^4 + 140*(C*a^2 + 2*B*a*b + A*b^2)*c*d^5 + 480*(B*a^2 + 2*A*a*b)*d^6)*e^2*f^4 - 5*(21*C*b^2*c^4*d^2 - 384*A*a^2*d^6 - 32*(2*C*a*b + B*b^2)*c^3*d^3 + 56*(C*a^2 + 2*B*a*b + A*b^2)*c^2*d^4 - 128*(B*a^2 + 2*A*a*b)*c*d^5)*e*f^5 + 15*(21*C*b^2*c^5*d + 128*A*a^2*c*d^5 - 28*(2*C*a*b + B*b^2)*c^4*d^2 + 40*(C*a^2 + 2*B*a*b + A*b^2)*c^3*d^3 - 64*(B*a^2 + 2*A*a*b)*c^2*d^4)*f^6 + 128*(C*b^2*d^6*e*f^5 + (C*b^2*c*d^5 + 12*(2*C*a*b + B*b^2)*d^6)*f^6)*x^4 - 16*(9*C*b^2*d^6*e^2*f^4 - 2*(C*b^2*c*d^5 + 6*(2*C*a*b + B*b^2)*d^6)*e*f^5 + 3*(3*C*b^2*c^2*d^4 - 4*(2*C*a*b + B*b^2)*c*d^5 - 40*(C*a^2 + 2*B*a*b + A*b^2)*d^6)*f^6)*x^3 + 8*(21*C*b^2*d^6*e^3*f^3 - (5*C*b^2*c*d^5 + 28*(2*C*a*b + B*b^2)*d^6)*e^2*f^4 - (5*C*b^2*c^2*d^4 - 8*(2*C*a*b + B*b^2)*c*d^5 - 40*(C*a^2 + 2*B*a*b + A*b^2)*d^6)*e*f^5 + (21*C*b^2*c^3*d^3 - 28*(2*C*a*b + B*b^2)*c^2*d^4 + 40*(C*a^2 + 2*B*a*b + A*b^2)*c*d^5 + 320*(B*a^2 + 2*A*a*b)*d^6)*f^6)*x^2 - 2*(105*C*b^2*d^6*e^4*f^2 - 28*(C*b^2*c*d^5 + 5*(2*C*a*b + B*b^2)*d^6)*e^3*f^3 - 2*(13*C*b^2*c^2*d^4 - 22*(2*C*a*b + B*b^2)*c*d^5 - 100*(C*a^2 + 2*B*a*b + A*b^2)*d^6)*e^2*f^4 - 4*(7*C*b^2*c^3*d^3 - 11*(2*C*a*b + B*b^2)*c^2*d^4 + 20*(C*a^2 + 2*B*a*b + A*b^2)*c*d^5 + 80*(B*a^2 + 2*A*a*b)*d^6)*e*f^5 + 5*(21*C*b^2*c^4*d^2 - 384*A*a^2*d^6 - 28*(2*C*a*b + B*b^2)*c^3*d^3 + 40*(C*a^2 + 2*B*a*b + A*b^2)*c^2*d^4 - 64*(B*a^2 + 2*A*a*b)*c*d^5)*f^6)*x)*\sqrt{d*x + c}*\sqrt{f*x + e})/(d^6*f^6), 1/15360*(15*(21*C*b^2*d^6*e^6 - 14*(C*b^2*c*d^5 + 2*(2*C*a*b + B*b^2)*d^6)*e^5*f - 5*(C*b^2*c^2*d^4 - 4*(2*C*a*b + B*b^2)*c*d^5 - 8*(C*a^2 + 2*B*a*b + A*b^2)*d^6)*e^4*f^2 - 4*(C*b^2*c^3*d^3 - 2*(2*C*a*b + B*b^2)*c^2*d^4 + 8*(C*a^2 + 2*B*a*b + A*b^2)*c*d^5 + 16*(B*a^2 + 2*A*a*b)*d^6)*e^3*f^3 - (5*C*b^2*c^4*d^2 - 128*A*a^2*d^6 - 8*(2*C*a*b + B*b^2)*c^3*d^3 + 16*(C*a^2 + 2*B*a*b + A*b^2)*c^2*d^4 - 64*(B*a^2 + 2*A*a*b)*c*d^5)*e^2*f^4 - 2*(7*C*b^2*c^5*d + 128*A*a^2*c*d^5 - 10*(2*C*a*b + B*b^2)*c^4*d^2 + 16*(C*a^2 + 2*B*a*b + A*b^2)*c^3*d^3 - 32*(B*a^2 + 2*A*a*b)*c^2*d^4)*e*f^5 + (21*C*b^2*c^6 + 128*A*a^2*c^2*d^4 - 28*(2*C*a*b + B*b^2)*c^5*d + 40*(C*a^2 + 2*B*a*b + A*b^2)*c^4*d^2 - 64*(B*a^2 + 2*A*a*b)*c^3*d^3)*f^6)*\sqrt{-d*f}*\arctan(1/2*(2*d*f*x + d*e + c*f)*\sqrt{-d*f}*\sqrt{d*x + c})*\sqrt{f*x + e})/(d^2*f^2*x^2 + c*d*e*f + (d^2*e*f + c*d*f^2)*x)) + 2*(1280*C*b^2*d^6*f^6*x^5 + 315*C*b^2*d^6*e^5*f - 105*(C*b^2*c*d^5 + 4*(2*C*a*b + B*b^2)*d^6)*e^4*f^2 - 2*(41*C*b^2*c^2*d^4 - 80*(2*C*a*b + B*b^2)*c*d^5 - 300*(C*a^2 + 2*B*a*b + A*b^2)*d^6)*e^3*f^3 - 2*(41*C*b^2*c^3*d^3 - 68*(2*C*a*b + B*b^2)*c^2*d^4 + 140*(C*a^2 + 2*B*a*b + A*b^2)*c*d^5 + 480*(B*a^2 + 2*A*a*b)*d^6)*e^2*f^4 - 5*(21*C*b^2*c^4*d^2 - 384*A*a^2*d^6 - 32*(2*C*a*b + B*
\end{aligned}$$

$$\begin{aligned}
& b^2)c^3d^3 + 56(Ca^2 + 2B*ab + Ab^2)c^2d^4 - 128(Ba^2 + 2A*ab) \\
& *c*d^5)*e*f^5 + 15*(21Cb^2*c^5*d + 128A*a^2*c*d^5 - 28*(2C*ab + B*b^2) \\
& *c^4*d^2 + 40*(Ca^2 + 2B*ab + Ab^2)c^3*d^3 - 64*(Ba^2 + 2A*ab)*c^2* \\
& d^4)*f^6 + 128*(Cb^2*d^6*e*f^5 + (Cb^2*c*d^5 + 12*(2C*ab + B*b^2)*d^6)* \\
& f^6)*x^4 - 16*(9Cb^2*d^6*e^2*f^4 - 2*(Cb^2*c*d^5 + 6*(2C*ab + B*b^2)*d^ \\
& 6)*e*f^5 + 3*(3Cb^2*c^2*d^4 - 4*(2C*ab + B*b^2)*c*d^5 - 40*(Ca^2 + 2 \\
& B*ab + Ab^2)*d^6)*f^6)*x^3 + 8*(21Cb^2*d^6*e^3*f^3 - (5Cb^2*c*d^5 + 2 \\
& 8*(2C*ab + B*b^2)*d^6)*e^2*f^4 - (5Cb^2*c^2*d^4 - 8*(2C*ab + B*b^2)*c \\
& *d^5 - 40*(Ca^2 + 2B*ab + Ab^2)*d^6)*e*f^5 + (21Cb^2*c^3*d^3 - 28*(2C \\
& *ab + B*b^2)*c^2*d^4 + 40*(Ca^2 + 2B*ab + Ab^2)*c*d^5 + 320*(Ba^2 + \\
& 2A*ab)*d^6)*f^6)*x^2 - 2*(105Cb^2*d^6*e^4*f^2 - 28*(Cb^2*c*d^5 + 5*(2C \\
& *ab + B*b^2)*d^6)*e^3*f^3 - 2*(13Cb^2*c^2*d^4 - 22*(2C*ab + B*b^2)*c* \\
& d^5 - 100*(Ca^2 + 2B*ab + Ab^2)*d^6)*e^2*f^4 - 4*(7Cb^2*c^3*d^3 - 11* \\
& (2C*ab + B*b^2)*c^2*d^4 + 20*(Ca^2 + 2B*ab + Ab^2)*c*d^5 + 80*(Ba^2 \\
& + 2A*ab)*d^6)*e*f^5 + 5*(21Cb^2*c^4*d^2 - 384A*a^2*d^6 - 28*(2C*ab + \\
& B*b^2)*c^3*d^3 + 40*(Ca^2 + 2B*ab + Ab^2)*c^2*d^4 - 64*(Ba^2 + 2A*ab) \\
& *c*d^5)*f^6)*x)*sqrt(d*x + c)*sqrt(f*x + e))/(d^6*f^6)]
\end{aligned}$$

giac [B] time = 6.33, size = 4708, normalized size = 3.49

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^2*(C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2),x, algorithm="giac")

[Out] 1/7680*(7680*((c*d*f - d^2*e)*log(abs(-sqrt(d*f)*sqrt(d*x + c) + sqrt((d*x + c)*d*f - c*d*f + d^2*e)))/sqrt(d*f) + sqrt((d*x + c)*d*f - c*d*f + d^2*e)*sqrt(d*x + c))*A*a^2*c*abs(d)/d^2 + 320*(sqrt((d*x + c)*d*f - c*d*f + d^2*e)*sqrt(d*x + c)*(2*(d*x + c)*(4*(d*x + c)/d^2 - (13*c*d^5*f^4 - d^6*f^3*e)/(d^7*f^4)) + 3*(11*c^2*d^5*f^4 - 2*c*d^6*f^3*e - d^7*f^2*e^2)/(d^7*f^4)) + 3*(5*c^3*f^3 - 3*c^2*d*f^2*e - c*d^2*f*e^2 - d^3*e^3)*log(abs(-sqrt(d*f)*sqrt(d*x + c) + sqrt((d*x + c)*d*f - c*d*f + d^2*e)))/(sqrt(d*f)*d*f^2))*C*a^2*c*abs(d)/d^2 + 640*(sqrt((d*x + c)*d*f - c*d*f + d^2*e)*sqrt(d*x + c)*(2*(d*x + c)*(4*(d*x + c)/d^2 - (13*c*d^5*f^4 - d^6*f^3*e)/(d^7*f^4)) + 3*(11*c^2*d^5*f^4 - 2*c*d^6*f^3*e - d^7*f^2*e^2)/(d^7*f^4)) + 3*(5*c^3*f^3 - 3*c^2*d*f^2*e - c*d^2*f*e^2 - d^3*e^3)*log(abs(-sqrt(d*f)*sqrt(d*x + c) + sqrt((d*x + c)*d*f - c*d*f + d^2*e)))/(sqrt(d*f)*d*f^2))*B*a*b*c*abs(d)/d^2 + 80*(sqrt((d*x + c)*d*f - c*d*f + d^2*e)*(2*(d*x + c)*(4*(d*x + c)*(6*(d*x + c)/d^3 - (25*c*d^11*f^6 - d^12*f^5*e)/(d^14*f^6)) + (163*c^2*d^11*f^6 - 14*c*d^12*f^5*e - 5*d^13*f^4*e^2)/(d^14*f^6)) - 3*(93*c^3*d^11*f^6 - 15*c^2*d^12*f^5*e - 9*c*d^13*f^4*e^2 - 5*d^14*f^3*e^3)/(d^14*f^6))*sqrt(d*x + c) - 3*(35*c^4*f^4 - 20*c^3*d*f^3*e - 6*c^2*d^2*f^2*e^2 - 4*c*d^3*f*e^3 - 5*d^4*e^4)*log(abs(-sqrt(d*f)*sqrt(d*x + c) + sqrt((d*x + c)*d*f - c*d*f + d^2*e)))/(sqrt(d*f)*d^2*f^3))*C*a*b*c*abs(d)/d^2 + 320*(sqrt((d*x + c)*d*f - c*d*f

+ d^2e)*sqrt(dx + c)*(2*(dx + c)*(4*(dx + c)/d^2 - (13*c*d^5*f^4 - d^6*f^3e)/(d^7*f^4)) + 3*(11*c^2*d^5*f^4 - 2*c*d^6*f^3e - d^7*f^2*e^2)/(d^7*f^4)) + 3*(5*c^3*f^3 - 3*c^2*d*f^2e - c*d^2*f*e^2 - d^3*e^3)*log(abs(-sqrt(dx)*sqrt(dx + c) + sqrt((dx + c)*d*f - c*d*f + d^2e)))/(sqrt(dx)*d*f^2))*A*b^2*c*abs(d)/d^2 + 40*(sqrt((dx + c)*d*f - c*d*f + d^2e))*(2*(dx + c)*(4*(dx + c)*(6*(dx + c)/d^3 - (25*c*d^11*f^6 - d^12*f^5e)/(d^14*f^6)) + (163*c^2*d^11*f^6 - 14*c*d^12*f^5e - 5*d^13*f^4*e^2)/(d^14*f^6)) - 3*(93*c^3*d^11*f^6 - 15*c^2*d^12*f^5e - 9*c*d^13*f^4*e^2 - 5*d^14*f^3*e^3)/(d^14*f^6))*sqrt(dx + c) - 3*(35*c^4*f^4 - 20*c^3*d*f^3e - 6*c^2*d^2*f^2e^2 - 4*c*d^3*f*e^3 - 5*d^4*e^4)*log(abs(-sqrt(dx)*sqrt(dx + c) + sqrt((dx + c)*d*f - c*d*f + d^2e)))/(sqrt(dx)*d^2*f^3))*B*b^2*c*abs(d)/d^2 + 4*(sqrt((dx + c)*d*f - c*d*f + d^2e))*(2*(4*(dx + c)*(6*(dx + c)*(8*(dx + c)/d^4 - (41*c*d^19*f^8 - d^20*f^7e)/(d^23*f^8)) + (513*c^2*d^19*f^8 - 26*c*d^20*f^7e - 7*d^21*f^6*e^2)/(d^23*f^8)) - 5*(447*c^3*d^19*f^8 - 37*c^2*d^20*f^7e - 19*c*d^21*f^6*e^2 - 7*d^22*f^5*e^3)/(d^23*f^8))*(dx + c) + 15*(193*c^4*d^19*f^8 - 28*c^3*d^20*f^7e - 18*c^2*d^21*f^6*e^2 - 12*c*d^22*f^5*e^3 - 7*d^23*f^4*e^4)/(d^23*f^8))*sqrt(dx + c) + 15*(63*c^5*f^5 - 35*c^4*d*f^4e - 10*c^3*d^2*f^3e^2 - 6*c^2*d^3*f^2e^3 - 5*c*d^4*f*e^4 - 7*d^5*e^5)*log(abs(-sqrt(dx)*sqrt(dx + c) + sqrt((dx + c)*d*f - c*d*f + d^2e)))/(sqrt(dx)*d^3*f^4))*C*b^2*c*abs(d)/d^2 + 320*(sqrt((dx + c)*d*f - c*d*f + d^2e)*sqrt(dx + c)*(2*(dx + c)*(4*(dx + c)/d^2 - (13*c*d^5*f^4 - d^6*f^3e)/(d^7*f^4)) + 3*(11*c^2*d^5*f^4 - 2*c*d^6*f^3e - d^7*f^2*e^2)/(d^7*f^4)) + 3*(5*c^3*f^3 - 3*c^2*d*f^2e - c*d^2*f*e^2 - d^3*e^3)*log(abs(-sqrt(dx)*sqrt(dx + c) + sqrt((dx + c)*d*f - c*d*f + d^2e)))/(sqrt(dx)*d*f^2))*B*a^2*abs(d)/d + 40*(sqrt((dx + c)*d*f - c*d*f + d^2e))*(2*(dx + c)*(4*(dx + c)*(6*(dx + c)/d^3 - (25*c*d^11*f^6 - d^12*f^5e)/(d^14*f^6)) + (163*c^2*d^11*f^6 - 14*c*d^12*f^5e - 5*d^13*f^4*e^2)/(d^14*f^6)) - 3*(93*c^3*d^11*f^6 - 15*c^2*d^12*f^5e - 9*c*d^13*f^4*e^2 - 5*d^14*f^3*e^3)/(d^14*f^6))*sqrt(dx + c) - 3*(35*c^4*f^4 - 20*c^3*d*f^3e - 6*c^2*d^2*f^2e^2 - 4*c*d^3*f*e^3 - 5*d^4*e^4)*log(abs(-sqrt(dx)*sqrt(dx + c) + sqrt((dx + c)*d*f - c*d*f + d^2e)))/(sqrt(dx)*d^2*f^3))*C*a^2*abs(d)/d + 640*(sqrt((dx + c)*d*f - c*d*f + d^2e)*sqrt(dx + c)*(2*(dx + c)*(4*(dx + c)/d^2 - (13*c*d^5*f^4 - d^6*f^3e)/(d^7*f^4)) + 3*(11*c^2*d^5*f^4 - 2*c*d^6*f^3e - d^7*f^2*e^2)/(d^7*f^4)) + 3*(5*c^3*f^3 - 3*c^2*d*f^2e - c*d^2*f*e^2 - d^3*e^3)*log(abs(-sqrt(dx)*sqrt(dx + c) + sqrt((dx + c)*d*f - c*d*f + d^2e)))/(sqrt(dx)*d*f^2))*A*a*b*abs(d)/d + 80*(sqrt((dx + c)*d*f - c*d*f + d^2e))*(2*(dx + c)*(4*(dx + c)*(6*(dx + c)/d^3 - (25*c*d^11*f^6 - d^12*f^5e)/(d^14*f^6)) + (163*c^2*d^11*f^6 - 14*c*d^12*f^5e - 5*d^13*f^4*e^2)/(d^14*f^6)) - 3*(93*c^3*d^11*f^6 - 15*c^2*d^12*f^5e - 9*c*d^13*f^4*e^2 - 5*d^14*f^3*e^3)/(d^14*f^6))*sqrt(dx + c) - 3*(35*c^4*f^4 - 20*c^3*d*f^3e - 6*c^2*d^2*f^2e^2 - 4*c*d^3*f*e^3 - 5*d^4*e^4)*log(abs(-sqrt(dx)*sqrt(dx + c) + sqrt((dx + c)*d*f - c*d*f + d^2e)))/(sqrt(dx)*d^2*f^3))*B*a*b*abs(d)/d + 8*(sqrt((dx + c)*d*f - c*d*f + d^2e))*(2*(4*(dx + c)*(6*(dx + c)*(8*(dx + c)/d^4 - (41*c*d^19*f^8 - d^20*f^7e)/(d^23*f^8)) + (513*c^2*d^19*f^8 - 26*c*d^20*f^7e - 7*d^21*f^6*e^2)/(d^23*f^8)) - 5*(447*c^3*d^19*f^8 - 37*

$$\begin{aligned}
& c^2d^{20}f^7e - 19c^3d^{21}f^6e^2 - 7d^{22}f^5e^3)/(d^{23}f^8))(dx + c) \\
& + 15*(193c^4d^{19}f^8 - 28c^3d^{20}f^7e - 18c^2d^{21}f^6e^2 - 12c^2d^{22}f^5e^3 - 7d^{23}f^4e^4)/(d^{23}f^8))*\sqrt{dx + c} + 15*(63c^5f^5 - 35 \\
& *c^4d^4f^4e - 10c^3d^2f^3e^2 - 6c^2d^3f^2e^3 - 5c^2d^4f^4e^4 - 7d^5e^5)*\log(\text{abs}(-\sqrt{df})\sqrt{dx + c} + \sqrt{((dx + c)df - cdf + d^2e)})))/(\sqrt{df})d^3f^4)*C^2a^2b^2\text{abs}(d)/d + 40*(\sqrt{((dx + c)df - cdf + d^2e)} \\
& *(2*(dx + c)*(4*(dx + c)*(6*(dx + c)/d^3 - (25c^2d^{11}f^6 - d^{12}f^5e)/(d^{14}f^6)) + (163c^2d^{11}f^6 - 14c^2d^{12}f^5e - 5d^{13}f^4e^2)/(d^{14}f^6)) - 3*(93c^3d^{11}f^6 - 15c^2d^{12}f^5e - 9c^2d^{13}f^4e^2 - 5d^{14}f^3e^3)/(d^{14}f^6))*\sqrt{dx + c} - 3*(35c^4f^4 - 20c^3d^2f^3e - 6c^2d^2f^2e^2 - 4c^2d^3f^4e^3 - 5d^4e^4)*\log(\text{abs}(-\sqrt{df})\sqrt{dx + c} + \sqrt{((dx + c)df - cdf + d^2e)})))/(\sqrt{df})d^2f^3)*A^2b^2\text{abs}(d)/d + 4*(\sqrt{((dx + c)df - cdf + d^2e)}*(2*(4*(dx + c)*(6*(dx + c)*(8*(dx + c)/d^4 - (41c^2d^{19}f^8 - d^{20}f^7e)/(d^{23}f^8)) + (513c^2d^{19}f^8 - 26c^2d^{20}f^7e - 7d^{21}f^6e^2)/(d^{23}f^8)) - 5*(447c^3d^{19}f^8 - 37c^2d^{20}f^7e - 19c^2d^{21}f^6e^2 - 7d^{22}f^5e^3)/(d^{23}f^8)))*(dx + c) + 15*(193c^4d^{19}f^8 - 28c^3d^{20}f^7e - 18c^2d^{21}f^6e^2 - 12c^2d^{22}f^5e^3 - 7d^{23}f^4e^4)/(d^{23}f^8))*\sqrt{dx + c} + 15*(63c^5f^5 - 35c^4d^4f^4e - 10c^3d^2f^3e^2 - 6c^2d^3f^2e^3 - 5c^2d^4f^4e^4 - 7d^5e^5)*\log(\text{abs}(-\sqrt{df})\sqrt{dx + c} + \sqrt{((dx + c)df - cdf + d^2e)})))/(\sqrt{df})d^3f^4)*B^2b^2\text{abs}(d)/d + (\sqrt{((dx + c)df - cdf + d^2e)}*(2*(4*(2*(dx + c)*(8*(dx + c)*(10*(dx + c)/d^5 - (61c^2d^{29}f^{10} - d^{30}f^9e)/(d^{34}f^{10})) + 3*(417c^2d^{29}f^{10} - 14c^2d^{30}f^9e - 3d^{31}f^8e^2)/(d^{34}f^{10})) - (3481c^3d^{29}f^{10} - 183c^2d^{30}f^9e - 77c^2d^{31}f^8e^2 - 21d^{32}f^7e^3)/(d^{34}f^{10}))* (dx + c) + 5*(2279c^4d^{29}f^{10} - 176c^3d^{30}f^9e - 106c^2d^{31}f^8e^2 - 56c^2d^{32}f^7e^3 - 21d^{33}f^6e^4)/(d^{34}f^{10}))* (dx + c) - 15*(793c^5d^{29}f^{10} - 105c^4d^{30}f^9e - 70c^3d^{31}f^8e^2 - 50c^2d^{32}f^7e^3 - 35c^2d^{33}f^6e^4 - 21d^{34}f^5e^5)/(d^{34}f^{10}))*\sqrt{dx + c} - 15*(231c^6f^6 - 126c^5d^2f^5e - 35c^4d^2f^4e^2 - 20c^3d^3f^3e^3 - 15c^2d^4f^2e^4 - 14c^2d^5f^5e^5 - 21d^6e^6)*\log(\text{abs}(-\sqrt{df})\sqrt{dx + c} + \sqrt{((dx + c)df - cdf + d^2e)})))/(\sqrt{df})d^4f^5)*C^2b^2\text{abs}(d)/d + 1920*(\sqrt{((dx + c)df - cdf + d^2e)}*(2*d^2x + 2*c - (5c^2f^2 - df^2e)/f^2))*\sqrt{dx + c} - (3c^2d^2f^2 - 2c^2d^2f^2e - d^3e^2)*\log(\text{abs}(-\sqrt{df})\sqrt{dx + c} + \sqrt{((dx + c)df - cdf + d^2e)})))/(\sqrt{df})f)*B^2a^2c^2\text{abs}(d)/d^3 + 3840*(\sqrt{((dx + c)df - cdf + d^2e)}*(2*d^2x + 2*c - (5c^2f^2 - df^2e)/f^2))*\sqrt{dx + c} - (3c^2d^2f^2 - 2c^2d^2f^2e - d^3e^2)*\log(\text{abs}(-\sqrt{df})\sqrt{dx + c} + \sqrt{((dx + c)df - cdf + d^2e)})))/(\sqrt{df})f)*A^2a^2b^2c^2\text{abs}(d)/d^3 + 1920*(\sqrt{((dx + c)df - cdf + d^2e)}*(2*d^2x + 2*c - (5c^2f^2 - df^2e)/f^2))*\sqrt{dx + c} - (3c^2d^2f^2 - 2c^2d^2f^2e - d^3e^2)*\log(\text{abs}(-\sqrt{df})\sqrt{dx + c} + \sqrt{((dx + c)df - cdf + d^2e)})))/(\sqrt{df})f)*A^2a^2\text{abs}(d)/d^2)/d
\end{aligned}$$

maple [B] time = 0.05, size = 6728, normalized size = 4.99

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((b*x+a)^2*(C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2),x)
```

```
[Out] result too large to display
```

```
maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00
```

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x+a)^2*(C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError >> Computation failed since Maxima requested a
dditional constraints; using the 'assume' command before evaluation *may* h
elp (example of legal syntax is 'assume(c*f-d*e>0)', see `assume?` for more
details)Is c*f-d*e zero or nonzero?
```

```
mupad [F(-1)] time = 0.00, size = -1, normalized size = -0.00
```

Hanged

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((e + f*x)^(1/2)*(a + b*x)^2*(c + d*x)^(1/2)*(A + B*x + C*x^2),x)
```

```
[Out] \text{Hanged}
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x+a)**2*(C*x**2+B*x+A)*(d*x+c)**(1/2)*(f*x+e)**(1/2),x)
```

```
[Out] Timed out
```

3.42 $\int (a+bx)\sqrt{c+dx}\sqrt{e+fx} (A+Bx+Cx^2) dx$

Optimal. Leaf size=721

$$\frac{(c+dx)^{3/2}(e+fx)^{3/2}(48a^2Cd^2f^2+6bdfx(6aCdf-b(10Bdf-7C(cf+de)))-10abdf(8Bdf-5C(cf+de))-240bd^3f^3)}{240bd^3f^3}$$

[Out] $\frac{1}{5}C(bx+a)^2(dx+c)^{3/2}(fx+e)^{3/2}/bdf-1/240(dx+c)^{3/2}(fx+e)^{3/2}(48a^2Cd^2f^2-10abdfx(8Bdf-5C(cf+de))-b^2(C(35c^2f^2+38cd^2ef+35d^2e^2)+10d^2f(8A^2df-5B(cf+de)))+6b^2d^2f(6a^2C^2df-b(10Bdf-7C(cf+de)))x)/b^2d^3f^3-1/128(-c^2f^2+6cd^2ef+5d^2e^2)+8d^2f(2A^2df-B(cf+de))-b(C(7c^3f^3+9c^2d^2ef^2+9cd^2e^2f+7d^3e^3)+2d^2f(8A^2df-C(5c^2f^2+6cd^2ef+5d^2e^2)))\operatorname{arctanh}(f^{1/2}(dx+c)^{1/2}/d^{1/2}/(fx+e)^{1/2})/d^{9/2}/f^{9/2}+1/64(2a^2d^2f(C(5c^2f^2+6cd^2ef+5d^2e^2)+8d^2f(2A^2df-B(cf+de)))-b(C(7c^3f^3+9c^2d^2ef^2+9cd^2e^2f+7d^3e^3)+2d^2f(8A^2df-C(5c^2f^2+6cd^2ef+5d^2e^2))))(dx+c)^{3/2}(fx+e)^{1/2}/d^4/f^3+1/128(-c^2f^2+6cd^2ef+5d^2e^2)+8d^2f(2A^2df-B(cf+de))-b(C(7c^3f^3+9c^2d^2ef^2+9cd^2e^2f+7d^3e^3)+2d^2f(8A^2df-C(5c^2f^2+6cd^2ef+5d^2e^2))))(dx+c)^{1/2}(fx+e)^{1/2}/d^4/f^4$

Rubi [A] time = 0.96, antiderivative size = 719, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.176$, Rules used = {1615, 147, 50, 63, 217, 206}

$$\frac{(c+dx)^{3/2}(e+fx)^{3/2}(48a^2Cd^2f^2-6bdfx(-6aCdf+10bBdf-7bC(cf+de))-10abdf(8Bdf-5C(cf+de))-240bd^3f^3)}{240bd^3f^3}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a+bx)\sqrt{c+dx}\sqrt{e+fx}(A+Bx+Cx^2), x]$

[Out] $((d^2e-c^2f)(2a^2d^2f(C(5d^2e^2+6cd^2ef+5c^2f^2)+8d^2f(2A^2df-B(d^2e+c^2f)))-b(C(7d^3e^3+9cd^2e^2f+9c^2d^2ef^2+7c^3f^3)+2d^2f(8A^2df(d^2e+c^2f)-B(5d^2e^2+6cd^2ef+5c^2f^2))))\sqrt{c+dx}\sqrt{e+fx})/(128d^4f^4)+((2a^2d^2f(C(5d^2e^2+6cd^2ef+5c^2f^2)+8d^2f(2A^2df-B(d^2e+c^2f)))-b(C(7d^3e^3+9cd^2e^2f+9c^2d^2ef^2+7c^3f^3)+2d^2f(8A^2df(d^2e+c^2f)-B(5d^2e^2+6cd^2ef+5c^2f^2))))(c+dx)^{3/2}\sqrt{e+fx})/(64d^4f^3)+(C(a+bx)^2(c+dx)^{3/2}(e+fx)^{3/2})/(5b^2d^2f)-((c+dx)^{3/2}(e+fx)^{3/2}(48a^2Cd^2f^2-10abdfx(8Bdf-5C(cf+de))-240bd^3f^3)$

$$5*C*(d*e + c*f)) - b^2*(C*(35*d^2*e^2 + 38*c*d*e*f + 35*c^2*f^2) + 10*d*f*(8*A*d*f - 5*B*(d*e + c*f))) - 6*b*d*f*(10*b*B*d*f - 6*a*C*d*f - 7*b*C*(d*e + c*f))*x)/(240*b*d^3*f^3) - ((d*e - c*f)^2*(2*a*d*f*(C*(5*d^2*e^2 + 6*c*d*e*f + 5*c^2*f^2) + 8*d*f*(2*A*d*f - B*(d*e + c*f))) - b*(C*(7*d^3*e^3 + 9*c*d^2*e^2*f + 9*c^2*d*e*f^2 + 7*c^3*f^3) + 2*d*f*(8*A*d*f*(d*e + c*f) - B*(5*d^2*e^2 + 6*c*d*e*f + 5*c^2*f^2))))*ArcTanh[(Sqrt[f]*Sqrt[c + d*x])/(Sqrt[d]*Sqrt[e + f*x])]/(128*d^(9/2)*f^(9/2))$$

Rule 50

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/
(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b,
c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ
[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n
+ 2, 0] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 147

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_
))*((g_.) + (h_.)*(x_)), x_Symbol] := -Simp[((a*d*f*h*(n + 2) + b*c*f*h*(m
+ 2) - b*d*(f*g + e*h)*(m + n + 3) - b*d*f*h*(m + n + 2)*x)*(a + b*x)^(m +
1)*(c + d*x)^(n + 1))/(b^2*d^2*(m + n + 2)*(m + n + 3)), x] + Dist[(a^2*d^2
*f*h*(n + 1)*(n + 2) + a*b*d*(n + 1)*(2*c*f*h*(m + 1) - d*(f*g + e*h)*(m +
n + 3)) + b^2*(c^2*f*h*(m + 1)*(m + 2) - c*d*(f*g + e*h)*(m + 1)*(m + n + 3
) + d^2*e*g*(m + n + 2)*(m + n + 3)))/(b^2*d^2*(m + n + 2)*(m + n + 3)), In
t[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, m, n},
x] && NeQ[m + n + 2, 0] && NeQ[m + n + 3, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
```

$x, x/\text{Sqrt}[a + b*x^2]] /; \text{FreeQ}[\{a, b\}, x] \&\& !\text{GtQ}[a, 0]$

Rule 1615

$\text{Int}[(\text{Px}_.) * ((a_.) + (b_.) * (x_.))^{\text{m}_.} * ((c_.) + (d_.) * (x_.))^{\text{n}_.} * ((e_.) + (f_.) * (x_.))^{\text{p}_.}, x_Symbol] := \text{With}[\{q = \text{Expon}[\text{Px}, x], k = \text{Coeff}[\text{Px}, x, \text{Expon}[\text{Px}, x]]\}, \text{Simp}[(k * (a + b*x)^{\text{m} + q - 1} * (c + d*x)^{\text{n} + 1} * (e + f*x)^{\text{p} + 1}) / (d*f*b^{q-1} * (m + n + p + q + 1)), x] + \text{Dist}[1 / (d*f*b^q * (m + n + p + q + 1)), \text{Int}[(a + b*x)^m * (c + d*x)^n * (e + f*x)^p * \text{ExpandToSum}[d*f*b^q * (m + n + p + q + 1) * \text{Px} - d*f*k * (m + n + p + q + 1) * (a + b*x)^q + k * (a + b*x)^{q-2} * (a^2*d*f * (m + n + p + q + 1) - b*(b*c*e * (m + q - 1) + a*(d*e * (n + 1) + c*f * (p + 1))) + b*(a*d*f * (2*(m + q) + n + p) - b*(d*e * (m + q + n) + c*f * (m + q + p))) * x], x], x] /; \text{NeQ}[m + n + p + q + 1, 0]] /; \text{FreeQ}[\{a, b, c, d, e, f, m, n, p\}, x] \&\& \text{PolyQ}[\text{Px}, x] \&\& \text{IntegersQ}[2*m, 2*n, 2*p]$

Rubi steps

$$\begin{aligned} \int (a + bx)\sqrt{c + dx}\sqrt{e + fx} (A + Bx + Cx^2) dx &= \frac{C(a + bx)^2(c + dx)^{3/2}(e + fx)^{3/2}}{5bdf} + \frac{\int (a + bx)\sqrt{c + dx}\sqrt{e + fx}}{5bdf} \\ &= \frac{C(a + bx)^2(c + dx)^{3/2}(e + fx)^{3/2}}{5bdf} - \frac{(c + dx)^{3/2}(e + fx)^{3/2}(48a^2)}{5bdf} \\ &= \frac{(2adf(C(5d^2e^2 + 6cdef + 5c^2f^2) + 8df(2Adf - B(de + cf)))}{5bdf} \\ &= \frac{(de - cf)(2adf(C(5d^2e^2 + 6cdef + 5c^2f^2) + 8df(2Adf - B(de + cf)))}{5bdf} \\ &= \frac{(de - cf)(2adf(C(5d^2e^2 + 6cdef + 5c^2f^2) + 8df(2Adf - B(de + cf)))}{5bdf} \\ &= \frac{(de - cf)(2adf(C(5d^2e^2 + 6cdef + 5c^2f^2) + 8df(2Adf - B(de + cf)))}{5bdf} \\ &= \frac{(de - cf)(2adf(C(5d^2e^2 + 6cdef + 5c^2f^2) + 8df(2Adf - B(de + cf)))}{5bdf} \end{aligned}$$

Mathematica [B] time = 6.61, size = 2722, normalized size = 3.78

Result too large to show

Antiderivative was successfully verified.

[In] Integrate[(a + b*x)*Sqrt[c + d*x]*Sqrt[e + f*x]*(A + B*x + C*x^2),x]

[Out] $(2*b*C*(d*e - c*f)^3*(c + d*x)^{(3/2)}*Sqrt[e + f*x]*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^{(9/2)}*((3*(35/(64*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^4) + 35/(48*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^3) + 7/(8*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^2) + (1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^{(-1)})/10 + (21*(d*e - c*f)^2*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))^2*((2*d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))) - (2*Sqrt[d]*Sqrt[f]*Sqrt[c + d*x]*ArcSinh[(Sqrt[d]*Sqrt[f]*Sqrt[c + d*x])/(Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)])])/(Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)]*Sqrt[1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))])))/(512*d^2*f^2*(c + d*x)^2*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^4)/((3*d^4*f^3*(d/((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))^{(7/2)}*Sqrt[(d*(e + f*x))/(d*e - c*f]) + (2*(d*e - c*f)^2*(-3*b*C*e + b*B*f + a*C*f)*(c + d*x)^{(3/2)}*Sqrt[e + f*x]*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^{(7/2)}*((3*(5/(8*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^3) + 5/(6*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^2) + (1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^{(-1)})/8 + (15*(d*e - c*f)^2*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))^2*((2*d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))) - (2*Sqrt[d]*Sqrt[f]*Sqrt[c + d*x]*ArcSinh[(Sqrt[d]*Sqrt[f]*Sqrt[c + d*x])/(Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)])])/(Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)]*Sqrt[1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))])))/(256*d^2*f^2*(c + d*x)^2*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^3)/((3*d^3*f^3*(d/((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))^{(5/2)}*Sqrt[(d*(e + f*x))/(d*e - c*f]) + (2*(d*e - c*f)*(3*b*C*e^2 - 2*b*B*e*f - 2*a*C*e*f + A*b*f^2 + a*B*f^2)*(c + d*x)^{(3/2)}*Sqrt[e + f*x]*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^{(5/2)}*((3/(4*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^2) + (1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^{(-1)})/2 + (3*(d*e - c*f)^2*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))^2*((2*d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))) - (2*Sqrt[d]*Sqrt[f]*Sqrt[c +$

$$d*x]*ArcSinh[(Sqrt[d]*Sqrt[f]*Sqrt[c + d*x])/(Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)])]/(Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)]*Sqrt[1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))])))/(32*d^2*f^2*(c + d*x)^2*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^2))/((3*d^2*f^3*(d/((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))^(3/2)*Sqrt[(d*(e + f*x))/(d*e - c*f)] + (2*(-(b*e) + a*f)*(C*e^2 - B*e*f + A*f^2)*(c + d*x)^(3/2)*Sqrt[e + f*x]*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^(3/2)*(3/(4*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))))) + (3*(d*e - c*f)^2*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))^2*((2*d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))) - (2*Sqrt[d]*Sqrt[f]*Sqrt[c + d*x]*ArcSinh[(Sqrt[d]*Sqrt[f]*Sqrt[c + d*x])/(Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)])]/(Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)]*Sqrt[1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))])))/(16*d^2*f^2*(c + d*x)^2*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))))))/(3*d*f^3*Sqrt[d/((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))*Sqrt[(d*(e + f*x))/(d*e - c*f)])]$$

fricas [A] time = 2.72, size = 1620, normalized size = 2.25

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)*(C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2),x, algorithm="fricas")

[Out] [-1/7680*(15*(7*C*b*d^5*e^5 - 5*(C*b*c*d^4 + 2*(C*a + B*b)*d^5)*e^4*f - 2*(C*b*c^2*d^3 - 4*(C*a + B*b)*c*d^4 - 8*(B*a + A*b)*d^5)*e^3*f^2 - 2*(C*b*c^3*d^2 + 16*A*a*d^5 - 2*(C*a + B*b)*c^2*d^3 + 8*(B*a + A*b)*c*d^4)*e^2*f^3 - (5*C*b*c^4*d - 64*A*a*c*d^4 - 8*(C*a + B*b)*c^3*d^2 + 16*(B*a + A*b)*c^2*d^3)*e*f^4 + (7*C*b*c^5 - 32*A*a*c^2*d^3 - 10*(C*a + B*b)*c^4*d + 16*(B*a + A*b)*c^3*d^2)*f^5)*sqrt(d*f)*log(8*d^2*f^2*x^2 + d^2*e^2 + 6*c*d*e*f + c^2*f^2 - 4*(2*d*f*x + d*e + c*f)*sqrt(d*f)*sqrt(d*x + c)*sqrt(f*x + e) + 8*(d^2*e*f + c*d*f^2)*x) - 4*(384*C*b*d^5*f^5*x^4 - 105*C*b*d^5*e^4*f + 10*(4*C*b*c*d^4 + 15*(C*a + B*b)*d^5)*e^3*f^2 + 2*(17*C*b*c^2*d^3 - 35*(C*a + B*b)*c*d^4 - 120*(B*a + A*b)*d^5)*e^2*f^3 + 10*(4*C*b*c^3*d^2 + 48*A*a*d^5 - 7*(C*a + B*b)*c^2*d^3 + 16*(B*a + A*b)*c*d^4)*e*f^4 - 15*(7*C*b*c^4*d - 32*A*a*c*d^4 - 10*(C*a + B*b)*c^3*d^2 + 16*(B*a + A*b)*c^2*d^3)*f^5 + 48*(C*b*d^5*e*f^4 + (C*b*c*d^4 + 10*(C*a + B*b)*d^5)*f^5)*x^3 - 8*(7*C*b*d^5*e^2*f^3 - 2*(C*b*c*d^4 + 5*(C*a + B*b)*d^5)*e*f^4 + (7*C*b*c^2*d^3 - 10*(C*a + B*b)*c*d^4 - 80*(B*a + A*b)*d^5)*f^5)*x^2 + 2*(35*C*b*d^5*e^3*f^2 - (11*C*b*c*d^4 + 50*(C*a + B*b)*d^5)*e^2*f^3 - (11*C*b*c^2*d^3 - 20*(C*a + B*b)*c*d^4 - 80*(B*a + A*b)*d^5)*e*f^4 + 5*(7*C*b*c^3*d^2 + 96*A*a*d^5 - 10*(C*a + B*b)*c

$$\begin{aligned} &^2*d^3 + 16*(B*a + A*b)*c*d^4)*f^5)*x)*\sqrt{d*x + c)*\sqrt{f*x + e))/(d^5*f^5), \\ &-1/3840*(15*(7*C*b*d^5*e^5 - 5*(C*b*c*d^4 + 2*(C*a + B*b)*d^5)*e^4*f - \\ &2*(C*b*c^2*d^3 - 4*(C*a + B*b)*c*d^4 - 8*(B*a + A*b)*d^5)*e^3*f^2 - 2*(C*b*c^3*d^2 + \\ &16*A*a*d^5 - 2*(C*a + B*b)*c^2*d^3 + 8*(B*a + A*b)*c*d^4)*e^2*f^3 - \\ &(5*C*b*c^4*d - 64*A*a*c*d^4 - 8*(C*a + B*b)*c^3*d^2 + 16*(B*a + A*b)*c^2*d^3)*e*f^4 + \\ &(7*C*b*c^5 - 32*A*a*c^2*d^3 - 10*(C*a + B*b)*c^4*d + 16*(B*a + A*b)*c^3*d^2)*f^5)*\sqrt{-d*f)*\arctan(1/2*(2*d*f*x + d*e + c*f)*\sqrt{-d*f}) \\ &*\sqrt{d*x + c)*\sqrt{f*x + e))/(d^2*f^2*x^2 + c*d*e*f + (d^2*e*f + c*d*f^2)*x)} \\ &- 2*(384*C*b*d^5*f^5*x^4 - 105*C*b*d^5*e^4*f + 10*(4*C*b*c*d^4 + 15*(C*a + B*b)*d^5)*e^3*f^2 + \\ &2*(17*C*b*c^2*d^3 - 35*(C*a + B*b)*c*d^4 - 120*(B*a + A*b)*d^5)*e^2*f^3 + 10*(4*C*b*c^3*d^2 + \\ &48*A*a*d^5 - 7*(C*a + B*b)*c^2*d^3 + 16*(B*a + A*b)*c*d^4)*e*f^4 - 15*(7*C*b*c^4*d - 32*A*a*c*d^4 - \\ &10*(C*a + B*b)*c^3*d^2 + 16*(B*a + A*b)*c^2*d^3)*f^5 + 48*(C*b*d^5*e*f^4 + (C*b*c*d^4 + 10*(C*a + B*b)*d^5)*f^5)*x^3 - \\ &8*(7*C*b*d^5*e^2*f^3 - 2*(C*b*c*d^4 + 5*(C*a + B*b)*d^5)*e*f^4 + (7*C*b*c^2*d^3 - 10*(C*a + B*b)*c*d^4 - 80*(B*a + A*b)*d^5)*f^5)*x^2 + \\ &2*(35*C*b*d^5*e^3*f^2 - (11*C*b*c*d^4 + 50*(C*a + B*b)*d^5)*e^2*f^3 - (11*C*b*c^2*d^3 - 20*(C*a + B*b)*c*d^4 - \\ &80*(B*a + A*b)*d^5)*e*f^4 + 5*(7*C*b*c^3*d^2 + 96*A*a*d^5 - 10*(C*a + B*b)*c^2*d^3 + 16*(B*a + A*b)*c*d^4)*f^5)*x)*\sqrt{d*x + c)*\sqrt{f*x + e))/(d^5*f^5)] \end{aligned}$$

giac [B] time = 3.39, size = 2643, normalized size = 3.67

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)*(C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2),x, algorithm="giac")

[Out]
$$\begin{aligned} &1/1920*(1920*((c*d*f - d^2*e)*\log(\text{abs}(-\sqrt{d*f})\sqrt{d*x + c}) + \sqrt{(d*x + c)*d*f - c*d*f + d^2*e}))/\sqrt{d*f} + \sqrt{(d*x + c)*d*f - c*d*f + d^2*e} \\ &*\sqrt{d*x + c})*A*a*c*\text{abs}(d)/d^2 + 80*(\sqrt{(d*x + c)*d*f - c*d*f + d^2*e})*\sqrt{d*x + c}*(2*(d*x + c)*(4*(d*x + c)/d^2 - (13*c*d^5*f^4 - d^6*f^3*e)/(d^7*f^4)) + \\ &3*(11*c^2*d^5*f^4 - 2*c*d^6*f^3*e - d^7*f^2*e^2)/(d^7*f^4)) + 3*(5*c^3*f^3 - 3*c^2*d*f^2*e - c*d^2*f*e^2 - d^3*e^3)*\log(\text{abs}(-\sqrt{d*f})\sqrt{d*x + c}) + \sqrt{(d*x + c)*d*f - c*d*f + d^2*e}))/(\sqrt{d*f}*d*f^2))*C*a*c*\text{abs}(d)/d^2 + \\ &80*(\sqrt{(d*x + c)*d*f - c*d*f + d^2*e})*\sqrt{d*x + c}*(2*(d*x + c)*(4*(d*x + c)/d^2 - (13*c*d^5*f^4 - d^6*f^3*e)/(d^7*f^4)) + 3*(11*c^2*d^5*f^4 - 2*c*d^6*f^3*e - d^7*f^2*e^2)/(d^7*f^4)) + 3*(5*c^3*f^3 - 3*c^2*d*f^2*e - c*d^2*f*e^2 - d^3*e^3)*\log(\text{abs}(-\sqrt{d*f})\sqrt{d*x + c}) + \sqrt{(d*x + c)*d*f - c*d*f + d^2*e}))/(\sqrt{d*f}*d*f^2))*B*b*c*\text{abs}(d)/d^2 + \\ &10*(\sqrt{(d*x + c)*d*f - c*d*f + d^2*e}*(2*(d*x + c)*(4*(d*x + c)*(6*(d*x + c)/d^3 - (25*c*d^11*f^6 - d^12*f^5*e)/(d^14*f^6)) + (163*c^2*d^11*f^6 - 14*c*d^12*f^5*e - 5*d^13*f^4*e^2)/(d^14*f^6)) - 3*(93*c^3*d^11*f^6 - 15*c^2*d^12*f^5*e - 9*c*d^13*f^4*e^2 - 5*d^14*f^3*e^3)/(d^14*f^6))*\sqrt{d*x + c} - 3*(35*c^4*f^4 - 20*c^3*d*f^3*e - 6*c^2*d^2*f^2*e^2 - 4*c*d^3*f*e^3 - 5*d^4*e^4)*\log(\end{aligned}$$

$$\begin{aligned}
& \text{abs}(-\sqrt{d*f})*\sqrt{d*x + c} + \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})/(\sqrt{(d*f)*d^2*f^3}) * C*b*c*\text{abs}(d)/d^2 + 80*(\sqrt{((d*x + c)*d*f - c*d*f + d^2*e)}*\sqrt{d*x + c}*(2*(d*x + c)*(4*(d*x + c)/d^2 - (13*c*d^5*f^4 - d^6*f^3*e)/(d^7*f^4)) + 3*(11*c^2*d^5*f^4 - 2*c*d^6*f^3*e - d^7*f^2*e^2)/(d^7*f^4)) + 3*(5*c^3*f^3 - 3*c^2*d*f^2*e - c*d^2*f*e^2 - d^3*e^3)*\log(\text{abs}(-\sqrt{d*f})*\sqrt{d*x + c} + \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)}))/(\sqrt{d*f}*d*f^2)*B*a*\text{abs}(d)/d + 10*(\sqrt{((d*x + c)*d*f - c*d*f + d^2*e)}*(2*(d*x + c)*(4*(d*x + c)*(6*(d*x + c)/d^3 - (25*c*d^11*f^6 - d^12*f^5*e)/(d^14*f^6)) + (163*c^2*d^11*f^6 - 14*c*d^12*f^5*e - 5*d^13*f^4*e^2)/(d^14*f^6)) - 3*(93*c^3*d^11*f^6 - 15*c^2*d^12*f^5*e - 9*c*d^13*f^4*e^2 - 5*d^14*f^3*e^3)/(d^14*f^6))*\sqrt{d*x + c} - 3*(35*c^4*f^4 - 20*c^3*d*f^3*e - 6*c^2*d^2*f^2*e^2 - 4*c*d^3*f*e^3 - 5*d^4*e^4)*\log(\text{abs}(-\sqrt{d*f})*\sqrt{d*x + c} + \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)}))/(\sqrt{d*f}*d^2*f^3))*C*a*\text{abs}(d)/d + 80*(\sqrt{((d*x + c)*d*f - c*d*f + d^2*e)}*\sqrt{d*x + c}*(2*(d*x + c)*(4*(d*x + c)/d^2 - (13*c*d^5*f^4 - d^6*f^3*e)/(d^7*f^4)) + 3*(11*c^2*d^5*f^4 - 2*c*d^6*f^3*e - d^7*f^2*e^2)/(d^7*f^4)) + 3*(5*c^3*f^3 - 3*c^2*d*f^2*e - c*d^2*f*e^2 - d^3*e^3)*\log(\text{abs}(-\sqrt{d*f})*\sqrt{d*x + c} + \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)}))/(\sqrt{d*f}*d*f^2)*A*b*\text{abs}(d)/d + 10*(\sqrt{((d*x + c)*d*f - c*d*f + d^2*e)}*(2*(d*x + c)*(4*(d*x + c)*(6*(d*x + c)/d^3 - (25*c*d^11*f^6 - d^12*f^5*e)/(d^14*f^6)) + (163*c^2*d^11*f^6 - 14*c*d^12*f^5*e - 5*d^13*f^4*e^2)/(d^14*f^6)) - 3*(93*c^3*d^11*f^6 - 15*c^2*d^12*f^5*e - 9*c*d^13*f^4*e^2 - 5*d^14*f^3*e^3)/(d^14*f^6))*\sqrt{d*x + c} - 3*(35*c^4*f^4 - 20*c^3*d*f^3*e - 6*c^2*d^2*f^2*e^2 - 4*c*d^3*f*e^3 - 5*d^4*e^4)*\log(\text{abs}(-\sqrt{d*f})*\sqrt{d*x + c} + \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)}))/(\sqrt{d*f}*d^2*f^3))*B*b*\text{abs}(d)/d + (\sqrt{((d*x + c)*d*f - c*d*f + d^2*e)}*(2*(4*(d*x + c)*(6*(d*x + c)*(8*(d*x + c)/d^4 - (41*c*d^19*f^8 - d^20*f^7*e)/(d^23*f^8)) + (513*c^2*d^19*f^8 - 26*c*d^20*f^7*e - 7*d^21*f^6*e^2)/(d^23*f^8)) - 5*(447*c^3*d^19*f^8 - 37*c^2*d^20*f^7*e - 19*c*d^21*f^6*e^2 - 7*d^22*f^5*e^3)/(d^23*f^8)))*(d*x + c) + 15*(193*c^4*d^19*f^8 - 28*c^3*d^20*f^7*e - 18*c^2*d^21*f^6*e^2 - 12*c*d^22*f^5*e^3 - 7*d^23*f^4*e^4)/(d^23*f^8))*\sqrt{d*x + c} + 15*(63*c^5*f^5 - 35*c^4*d*f^4*e - 10*c^3*d^2*f^3*e^2 - 6*c^2*d^3*f^2*e^3 - 5*c*d^4*f*e^4 - 7*d^5*e^5)*\log(\text{abs}(-\sqrt{d*f})*\sqrt{d*x + c} + \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)}))/(\sqrt{d*f}*d^3*f^4))*C*b*\text{abs}(d)/d + 480*(\sqrt{((d*x + c)*d*f - c*d*f + d^2*e)}*(2*d*x + 2*c - (5*c*f^2 - d*f*e)/f^2)*\sqrt{d*x + c} - (3*c^2*d*f^2 - 2*c*d^2*f*e - d^3*e^2)*\log(\text{abs}(-\sqrt{d*f})*\sqrt{d*x + c} + \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)}))/(\sqrt{d*f}*f))*B*a*c*\text{abs}(d)/d^3 + 480*(\sqrt{((d*x + c)*d*f - c*d*f + d^2*e)}*(2*d*x + 2*c - (5*c*f^2 - d*f*e)/f^2)*\sqrt{d*x + c} - (3*c^2*d*f^2 - 2*c*d^2*f*e - d^3*e^2)*\log(\text{abs}(-\sqrt{d*f})*\sqrt{d*x + c} + \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)}))/(\sqrt{d*f}*f))*A*b*c*\text{abs}(d)/d^3 + 480*(\sqrt{((d*x + c)*d*f - c*d*f + d^2*e)}*(2*d*x + 2*c - (5*c*f^2 - d*f*e)/f^2)*\sqrt{d*x + c} - (3*c^2*d*f^2 - 2*c*d^2*f*e - d^3*e^2)*\log(\text{abs}(-\sqrt{d*f})*\sqrt{d*x + c} + \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)}))/(\sqrt{d*f}*f))*A*a*\text{abs}(d)/d^2)/d
\end{aligned}$$

maple [B] time = 0.02, size = 3571, normalized size = 4.95

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((b*x+a)*(C*x^2+B*x+A)*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)},x)$

[Out]
$$\begin{aligned} & -1/3840*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}*(150*B*\ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x \\ & +d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)+c*f+d*e})/(d*f)^{(1/2)})*b*d^5*e^4*f+480*A*\ln(1/ \\ & 2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)+c*f+d*e})/(d*f)^{(1/ \\ & 2)))*a*c^2*d^3*f^5+150*C*\ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(\\ & d*f)^{(1/2)+c*f+d*e})/(d*f)^{(1/2)})*a*c^4*d*f^5+150*C*\ln(1/2*(2*d*f*x+2*(d*f*x \\ & ^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)+c*f+d*e})/(d*f)^{(1/2)})*a*d^5*e^4*f+210 \\ & *C*(d*f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*b*c^4*f^4+210*C*(d*f)^{(1/2)}* \\ & (d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*b*d^4*e^4-240*A*\ln(1/2*(2*d*f*x+2*(d*f*x^2+ \\ & c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)+c*f+d*e})/(d*f)^{(1/2)})*b*d^5*e^3*f^2-240* \\ & B*\ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)+c*f+d*e})/(d \\ & *f)^{(1/2)})*a*c^3*d^2*f^5-240*B*\ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^{(\\ & 1/2)}*(d*f)^{(1/2)+c*f+d*e})/(d*f)^{(1/2)})*a*d^5*e^3*f^2+150*B*\ln(1/2*(2*d*f*x \\ & +2*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)+c*f+d*e})/(d*f)^{(1/2)})*b*c^4* \\ & d*f^5+480*A*\ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)+c \\ & *f+d*e})/(d*f)^{(1/2)})*a*d^5*e^2*f^3-240*A*\ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d \\ & *e*x+c*e)^{(1/2)}*(d*f)^{(1/2)+c*f+d*e})/(d*f)^{(1/2)})*b*c^3*d^2*f^5-105*C*\ln(1/ \\ & 2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)+c*f+d*e})/(d*f)^{(1/ \\ & 2)})*b*c^5*f^5-105*C*\ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f) \\ & ^{(1/2)+c*f+d*e})/(d*f)^{(1/2)})*b*d^5*e^5-96*C*x^3*b*c*d^3*f^4*(d*f*x^2+c*f*x+ \\ & d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)}-96*C*x^3*b*d^4*e*f^3*(d*f*x^2+c*f*x+d*e*x+c*e) \\ & ^{(1/2)}*(d*f)^{(1/2)}-160*B*x^2*b*c*d^3*f^4*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d \\ & *f)^{(1/2)}-1920*A*(d*f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*x*a*d^4*f^4+24 \\ & 0*B*\ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)+c*f+d*e})/ \\ & (d*f)^{(1/2)})*a*c^2*d^3*e*f^4+240*B*\ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c \\ & *e)^{(1/2)}*(d*f)^{(1/2)+c*f+d*e})/(d*f)^{(1/2)})*a*c*d^4*e^2*f^3-120*B*\ln(1/2*(2 \\ & *d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)+c*f+d*e})/(d*f)^{(1/2)})* \\ & b*c^3*d^2*e*f^4-60*B*\ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f) \\ &)^{(1/2)+c*f+d*e})/(d*f)^{(1/2)})*b*c^2*d^3*e^2*f^3-960*A*\ln(1/2*(2*d*f*x+2*(d \\ & f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)+c*f+d*e})/(d*f)^{(1/2)})*a*c*d^4*e*f^ \\ & 4+240*A*\ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)+c*f+d \\ & *e})/(d*f)^{(1/2)})*b*c^2*d^3*e*f^4+240*A*\ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d \\ & *e*x+c*e)^{(1/2)}*(d*f)^{(1/2)+c*f+d*e})/(d*f)^{(1/2)})*b*c*d^4*e^2*f^3-120*C*\ln(1/ \\ & 2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)+c*f+d*e})/(d*f)^{(1/ \\ & 2)})*a*c^3*d^2*e*f^4-60*C*\ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}* \\ & (d*f)^{(1/2)+c*f+d*e})/(d*f)^{(1/2)})*a*c^2*d^3*e^2*f^3-120*C*\ln(1/2*(2*d*f*x+2 \\ & *(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)+c*f+d*e})/(d*f)^{(1/2)})*a*c*d^4* \\ & e^3*f^2+75*C*\ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)+ \\ & c*f+d*e})/(d*f)^{(1/2)})*b*c^4*d*e*f^4+30*C*\ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d \\ & *e*x+c*e)^{(1/2)}*(d*f)^{(1/2)+c*f+d*e})/(d*f)^{(1/2)})*b*c^3*d^2*e^2*f^3+44*C*(d \\ & *f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*x*b*c*d^3*e^2*f^2-80*B*(d*f)^{(1/2)} \\ & *(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*x*b*c*d^3*e*f^3-80*C*(d*f)^{(1/2)}*(d*f*x^2 \end{aligned}$$

$$\begin{aligned}
& +c*f*x+d*e*x+c*e)^{(1/2)}*x*a*c*d^3*e*f^3+44*C*(d*f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*x*b*c^2*d^2*e*f^3-32*C*x^2*b*c*d^3*e*f^3*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)}+200*C*(d*f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*x*a*c^2*d^2*f^4+200*C*(d*f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*x*a*d^4*e^2*f^2-140*C*(d*f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*x*b*c^3*d*f^4-140*C*(d*f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*x*b*d^4*e^3*f-320*A*(d*f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*b*c*d^3*e*f^3-320*B*(d*f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*a*c*d^3*e*f^3+140*C*(d*f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*a*c^2*d^2*e*f^3-320*A*(d*f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*x*b*c*d^3*f^4-320*A*(d*f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*x*b*d^4*e*f^3-320*B*(d*f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*x*a*c*d^3*f^4-320*B*(d*f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*x*a*d^4*e*f^3-80*C*(d*f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*b*c*d^3*e^3*f+200*B*(d*f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*x*b*c^2*d^2*f^4+200*B*(d*f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*x*b*d^4*e^2*f^2+140*B*(d*f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*b*c^2*d^2*e*f^3+140*C*(d*f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*a*c*d^3*e^2*f^2-80*C*(d*f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*b*c^3*d*e*f^3-68*C*(d*f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*b*c^2*d^2*e^2*f^2+140*B*(d*f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*b*c*d^3*e^2*f^2-160*B*x^2*b*d^4*e*f^3*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)}-160*C*x^2*a*c*d^3*f^4*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)}-160*C*x^2*a*d^4*e*f^3*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)}+112*C*x^2*b*c^2*d^2*f^4*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)}+112*C*x^2*b*d^4*e^2*f^2*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)}-768*C*x^4*b*d^4*f^4*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)}-960*B*x^3*b*d^4*f^4*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)}-960*C*x^3*a*d^4*f^4*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)}-1280*A*x^2*b*d^4*f^4*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)}-1280*B*x^2*a*d^4*f^4*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)}-120*B*ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)}+c*f+d*e)/(d*f)^{(1/2)})*b*c*d^4*e^3*f^2+30*C*ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)}+c*f+d*e)/(d*f)^{(1/2)})*b*c^2*d^3*e^3*f^2+75*C*ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)}+c*f+d*e)/(d*f)^{(1/2)})*b*c*d^4*e^4*f-960*A*(d*f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*a*c*d^3*f^4-960*A*(d*f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*a*d^4*e*f^3+480*A*(d*f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*b*c^2*d^2*f^4+480*A*(d*f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*b*d^4*e^2*f^2+480*B*(d*f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*a*c^2*d^2*f^4+480*B*(d*f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*a*d^4*e^2*f^2-300*B*(d*f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*b*c^3*d*f^4-300*B*(d*f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*b*d^4*e^3*f-300*C*(d*f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*a*c^3*d*f^4-300*C*(d*f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*a*d^4*e^3*f)/(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}/d^4/f^4/(d*f)^{(1/2)}
\end{aligned}$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x+a)*(C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(c*f-d*e>0)', see `assume?` for more details)Is c*f-d*e zero or nonzero?
```

mupad [F(-1)] time = 0.00, size = -1, normalized size = -0.00

Hanged

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((e + f*x)^(1/2)*(a + b*x)*(c + d*x)^(1/2)*(A + B*x + C*x^2),x)
```

```
[Out] \text{Hanged}
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + bx) \sqrt{c + dx} \sqrt{e + fx} (A + Bx + Cx^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x+a)*(C*x**2+B*x+A)*(d*x+c)**(1/2)*(f*x+e)**(1/2),x)
```

```
[Out] Integral((a + b*x)*sqrt(c + d*x)*sqrt(e + f*x)*(A + B*x + C*x**2), x)
```

3.43 $\int \sqrt{c + dx} \sqrt{e + fx} (A + Bx + Cx^2) dx$

Optimal. Leaf size=330

$$\frac{(de - cf)^2 \tanh^{-1} \left(\frac{\sqrt{f} \sqrt{c+dx}}{\sqrt{d} \sqrt{e+fx}} \right) (8df(2Adf - B(cf + de)) + C(5c^2f^2 + 6cdef + 5d^2e^2))}{64d^{7/2}f^{7/2}} + \frac{(c + dx)^{3/2} \sqrt{e + fx} (8d^3f^2 + (c + dx)^{3/2} \sqrt{e + fx} (de - cf) (8df(2Adf - B(cf + de)) + C(5c^2f^2 + 6cdef + 5d^2e^2)))}{32d^3f^2}$$

[Out] $-1/24*(-8*B*d*f+11*C*c*f+5*C*d*e)*(d*x+c)^{(3/2)}*(f*x+e)^{(3/2)}/d^2/f^2+1/4*C*(d*x+c)^{(5/2)}*(f*x+e)^{(3/2)}/d^2/f-1/64*(-c*f+d*e)^2*(C*(5*c^2*f^2+6*c*d*e*f+5*d^2*e^2)+8*d*f*(2*A*d*f-B*(c*f+d*e)))*\operatorname{arctanh}(f^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)}/(f*x+e)^{(1/2)})/d^{(7/2)}/f^{(7/2)}+1/32*(C*(5*c^2*f^2+6*c*d*e*f+5*d^2*e^2)+8*d*f*(2*A*d*f-B*(c*f+d*e)))*(d*x+c)^{(3/2)}*(f*x+e)^{(1/2)}/d^3/f^2+1/64*(-c*f+d*e)*(C*(5*c^2*f^2+6*c*d*e*f+5*d^2*e^2)+8*d*f*(2*A*d*f-B*(c*f+d*e)))*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/d^3/f^3$

Rubi [A] time = 0.30, antiderivative size = 330, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$, Rules used = {951, 80, 50, 63, 217, 206}

$$\frac{(c + dx)^{3/2} \sqrt{e + fx} (8df(2Adf - B(cf + de)) + C(5c^2f^2 + 6cdef + 5d^2e^2))}{32d^3f^2} + \frac{\sqrt{c + dx} \sqrt{e + fx} (de - cf) (8df(2Adf - B(cf + de)) + C(5c^2f^2 + 6cdef + 5d^2e^2))}{32d^3f^2}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Sqrt}[c + d*x]*\text{Sqrt}[e + f*x]*(A + B*x + C*x^2), x]$

[Out] $((d*e - c*f)*(C*(5*d^2*e^2 + 6*c*d*e*f + 5*c^2*f^2) + 8*d*f*(2*A*d*f - B*(d*e + c*f)))*\text{Sqrt}[c + d*x]*\text{Sqrt}[e + f*x])/((64*d^3*f^3) + ((C*(5*d^2*e^2 + 6*c*d*e*f + 5*c^2*f^2) + 8*d*f*(2*A*d*f - B*(d*e + c*f)))*(c + d*x)^{(3/2)}*\text{Sqrt}[e + f*x])/((32*d^3*f^2) - ((5*C*d*e + 11*c*C*f - 8*B*d*f)*(c + d*x)^{(3/2)}*(e + f*x)^{(3/2)})/(24*d^2*f^2) + (C*(c + d*x)^{(5/2)}*(e + f*x)^{(3/2)})/(4*d^2*f) - ((d*e - c*f)^2*(C*(5*d^2*e^2 + 6*c*d*e*f + 5*c^2*f^2) + 8*d*f*(2*A*d*f - B*(d*e + c*f)))*\text{ArcTanh}[(\text{Sqrt}[f]*\text{Sqrt}[c + d*x])/(\text{Sqrt}[d]*\text{Sqrt}[e + f*x])])/(64*d^{(7/2)}*f^{(7/2)})$

Rule 50

$\text{Int}[(a_. + (b_.)*(x_.))^{(m_.)}*((c_.) + (d_.)*(x_.))^{(n_.)}, x_Symbol] \rightarrow \text{Simp}[(a + b*x)^{(m + 1)}*(c + d*x)^n/(b*(m + n + 1)), x] + \text{Dist}[(n*(b*c - a*d))/(b*(m + n + 1)), \text{Int}[(a + b*x)^m*(c + d*x)^{(n - 1)}, x], x] /; \text{FreeQ}\{a, b, c, d\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{GtQ}[n, 0] \ \&\& \ \text{NeQ}[m + n + 1, 0] \ \&\& \ !(\text{IGtQ}[m, 0] \ \&\& \ (!\text{IntegerQ}[n] \ || \ (\text{GtQ}[m, 0] \ \&\& \ \text{LtQ}[m - n, 0]))) \ \&\& \ !\text{ILtQ}[m + n + 2, 0] \ \&\& \ \text{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 80

```
Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p
_.), x_Symbol] := Simp[(b*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(n + p
+ 2)), x] + Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(d*f*(
n + p + 2)), Int[(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f
, n, p}, x] && NeQ[n + p + 2, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 951

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_.) + (b_.)*(x_)
+ (c_.)*(x_)^2)^(p_.), x_Symbol] := Simp[(c^p*(d + e*x)^(m + 2*p)*(f + g*x
)^(n + 1))/(g*e^(2*p)*(m + n + 2*p + 1)), x] + Dist[1/(g*e^(2*p)*(m + n + 2
*p + 1)), Int[(d + e*x)^m*(f + g*x)^n*ExpandToSum[g*(m + n + 2*p + 1)*(e^(2
*p)*(a + b*x + c*x^2)^p - c^p*(d + e*x)^(2*p)) - c^p*(e*f - d*g)*(m + 2*p)*
(d + e*x)^(2*p - 1), x], x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e
*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGt
Q[p, 0] && NeQ[m + n + 2*p + 1, 0] && (IntegerQ[n] || !IntegerQ[m])
```

Rubi steps

$$\begin{aligned}
\int \sqrt{c+dx} \sqrt{e+fx} (A+Bx+Cx^2) dx &= \frac{C(c+dx)^{5/2}(e+fx)^{3/2}}{4d^2f} + \frac{\int \sqrt{c+dx} \sqrt{e+fx} \left(\frac{1}{2}(-5cCde-3c^2Cf+\right.}{4d^2} \\
&= -\frac{(5Cde+11cCf-8Bdf)(c+dx)^{3/2}(e+fx)^{3/2}}{24d^2f^2} + \frac{C(c+dx)^{5/2}(e+fx)^{3/2}}{4d^2f} \\
&= \frac{(C(5d^2e^2+6cdef+5c^2f^2)+8df(2Adf-B(de+cf)))(c+dx)^{3/2}\sqrt{e+fx}}{32d^3f^2} \\
&= \frac{(de-cf)(C(5d^2e^2+6cdef+5c^2f^2)+8df(2Adf-B(de+cf)))\sqrt{e+fx}}{64d^3f^3} \\
&= \frac{(de-cf)(C(5d^2e^2+6cdef+5c^2f^2)+8df(2Adf-B(de+cf)))\sqrt{c}}{64d^3f^3} \\
&= \frac{(de-cf)(C(5d^2e^2+6cdef+5c^2f^2)+8df(2Adf-B(de+cf)))\sqrt{c}}{64d^3f^3} \\
&= \frac{(de-cf)(C(5d^2e^2+6cdef+5c^2f^2)+8df(2Adf-B(de+cf)))\sqrt{c}}{64d^3f^3}
\end{aligned}$$

Mathematica [A] time = 1.72, size = 306, normalized size = 0.93

$$d\sqrt{f}\sqrt{c+dx}(e+fx)(8df(6Adf(cf+d(e+2fx))+B(-3c^2f^2+2cdf(e+fx)+d^2(-3e^2+2efx+8f^2x^2)))) +$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[c + d*x]*Sqrt[e + f*x]*(A + B*x + C*x^2), x]

[Out] (d*Sqrt[f]*Sqrt[c + d*x]*(e + f*x)*(C*(15*c^3*f^3 - c^2*d*f^2*(7*e + 10*f*x) + c*d^2*f*(-7*e^2 + 4*e*f*x + 8*f^2*x^2) + d^3*(15*e^3 - 10*e^2*f*x + 8*e*f^2*x^2 + 48*f^3*x^3)) + 8*d*f*(6*A*d*f*(c*f + d*(e + 2*f*x)) + B*(-3*c^2*f^2 + 2*c*d*f*(e + f*x) + d^2*(-3*e^2 + 2*e*f*x + 8*f^2*x^2)))) - 3*(d*e - c*f)^(5/2)*(C*(5*d^2*e^2 + 6*c*d*e*f + 5*c^2*f^2) + 8*d*f*(2*A*d*f - B*(d*e + c*f)))*Sqrt[(d*(e + f*x))/(d*e - c*f)]*ArcSinh[(Sqrt[f]*Sqrt[c + d*x])/Sqrt[d*e - c*f]]/(192*d^4*f^(7/2)*Sqrt[e + f*x])

$$\begin{aligned}
& d^2 + 8*(\sqrt{(d*x + c)*d*f - c*d*f + d^2*e})*\sqrt{d*x + c}*(2*(d*x + c)*(4*(d*x + c)/d^2 - (13*c*d^5*f^4 - d^6*f^3*e)/(d^7*f^4)) + 3*(11*c^2*d^5*f^4 - 2*c*d^6*f^3*e - d^7*f^2*e^2)/(d^7*f^4)) + 3*(5*c^3*f^3 - 3*c^2*d*f^2*e - c*d^2*f*e^2 - d^3*e^3)*\log(\text{abs}(-\sqrt{d*f})*\sqrt{d*x + c} + \sqrt{(d*x + c)*d*f - c*d*f + d^2*e}))/(\sqrt{d*f}*d*f^2))*B*\text{abs}(d)/d + (\sqrt{(d*x + c)*d*f - c*d*f + d^2*e})*(2*(d*x + c)*(4*(d*x + c)*(6*(d*x + c)/d^3 - (25*c*d^11*f^6 - d^12*f^5*e)/(d^14*f^6)) + (163*c^2*d^11*f^6 - 14*c*d^12*f^5*e - 5*d^13*f^4*e^2)/(d^14*f^6)) - 3*(93*c^3*d^11*f^6 - 15*c^2*d^12*f^5*e - 9*c*d^13*f^4*e^2 - 5*d^14*f^3*e^3)/(d^14*f^6))*\sqrt{d*x + c} - 3*(35*c^4*f^4 - 20*c^3*d*f^3*e - 6*c^2*d^2*f^2*e^2 - 4*c*d^3*f*e^3 - 5*d^4*e^4)*\log(\text{abs}(-\sqrt{d*f})*\sqrt{d*x + c} + \sqrt{(d*x + c)*d*f - c*d*f + d^2*e}))/(\sqrt{d*f}*d^2*f^3))*C*\text{abs}(d)/d + 48*(\sqrt{(d*x + c)*d*f - c*d*f + d^2*e})*(2*d*x + 2*c - (5*c*f^2 - d*f*e)/f^2)*\sqrt{d*x + c} - (3*c^2*d*f^2 - 2*c*d^2*f*e - d^3*e^2)*\log(\text{abs}(-\sqrt{d*f})*\sqrt{d*x + c} + \sqrt{(d*x + c)*d*f - c*d*f + d^2*e}))/(\sqrt{d*f}*f))*B*c*\text{abs}(d)/d^3 + 48*(\sqrt{(d*x + c)*d*f - c*d*f + d^2*e})*(2*d*x + 2*c - (5*c*f^2 - d*f*e)/f^2)*\sqrt{d*x + c} - (3*c^2*d*f^2 - 2*c*d^2*f*e - d^3*e^2)*\log(\text{abs}(-\sqrt{d*f})*\sqrt{d*x + c} + \sqrt{(d*x + c)*d*f - c*d*f + d^2*e}))/(\sqrt{d*f}*f))*A*\text{abs}(d)/d^2)/d
\end{aligned}$$

maple [B] time = 0.02, size = 1431, normalized size = 4.34

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((C*x^2+B*x+A)*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}, x)$

[Out]
$$\begin{aligned}
& -1/384*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}*(48*B*(d*f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*d^3*e^2*f+48*A*\ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)+c*f+d*e}/(d*f)^{(1/2)})*d^4*e^2*f^2+15*C*\ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)+c*f+d*e}/(d*f)^{(1/2)})*c^4*f^4+15*C*\ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)+c*f+d*e}/(d*f)^{(1/2)})*d^4*e^4+48*B*(d*f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*c^2*d*f^3-12*C*\ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)+c*f+d*e}/(d*f)^{(1/2)})*c^3*d*e*f^3-6*C*\ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)+c*f+d*e}/(d*f)^{(1/2)})*c^2*d^2*e^2*f^2-12*C*\ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)+c*f+d*e}/(d*f)^{(1/2)})*c*d^3*e^3*f-96*A*(d*f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*c*d^2*f^3-96*A*(d*f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*d^3*e*f^2-96*A*\ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)+c*f+d*e}/(d*f)^{(1/2)})*c*d^3*e*f^3-192*A*(d*f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*x*d^3*f^3+24*B*\ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)+c*f+d*e}/(d*f)^{(1/2)})*c^2*d^2*e*f^3+24*B*\ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)+c*f+d*e}/(d*f)^{(1/2)})*c*d^3*e^2*f^2-96*C*x^3*d^3*f^3*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)}-24*B*\ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)+c*f+d*e}/(d*f)^{(1/2)})*c^3*d*f^4-24*B*\ln(1/2*(2*d*f*x+2*(d
\end{aligned}$$

```

*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*(d*f)^(1/2)+c*f+d*e)/(d*f)^(1/2))*d^4*e^3*f-3
0*C*(d*f)^(1/2)*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*c^3*f^3-30*C*(d*f)^(1/2)*(d
*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*d^3*e^3+48*A*ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x
+d*e*x+c*e)^(1/2)*(d*f)^(1/2)+c*f+d*e)/(d*f)^(1/2))*c^2*d^2*f^4-128*B*x^2*d
^3*f^3*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*(d*f)^(1/2)-8*C*(d*f)^(1/2)*(d*f*x^2
+c*f*x+d*e*x+c*e)^(1/2)*x*c*d^2*e*f^2-32*B*(d*f)^(1/2)*(d*f*x^2+c*f*x+d*e*x
+c*e)^(1/2)*x*c*d^2*f^3-32*B*(d*f)^(1/2)*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*x*
d^3*e*f^2+20*C*(d*f)^(1/2)*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*x*c^2*d*f^3+20*C
*(d*f)^(1/2)*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*x*d^3*e^2*f-32*B*(d*f)^(1/2)*(
d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*c*d^2*e*f^2+14*C*(d*f)^(1/2)*(d*f*x^2+c*f*x+
d*e*x+c*e)^(1/2)*c^2*d*e*f^2+14*C*(d*f)^(1/2)*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/
2)*c*d^2*e^2*f-16*C*x^2*c*d^2*f^3*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*(d*f)^(1/
2)-16*C*x^2*d^3*e*f^2*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*(d*f)^(1/2))/(d*f*x^2
+c*f*x+d*e*x+c*e)^(1/2)/d^3/f^3/(d*f)^(1/2)

```

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError >> Computation failed since Maxima requested a
dditional constraints; using the 'assume' command before evaluation *may* h
elp (example of legal syntax is 'assume(c*f-d*e>0)', see `assume?` for more
details)Is c*f-d*e zero or nonzero?
```

mupad [F(-1)] time = 0.00, size = -1, normalized size = -0.00

Hanged

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((e + f*x)^(1/2)*(c + d*x)^(1/2)*(A + B*x + C*x^2),x)
```

```
[Out] \text{Hanged}
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{c + dx} \sqrt{e + fx} (A + Bx + Cx^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x**2+B*x+A)*(d*x+c)**(1/2)*(f*x+e)**(1/2),x)
```

```
[Out] Integral(sqrt(c + d*x)*sqrt(e + f*x)*(A + B*x + C*x**2), x)
```

$$3.44 \quad \int \frac{\sqrt{c+dx} \sqrt{e+fx} (A+Bx+Cx^2)}{a+bx} dx$$

Optimal. Leaf size=450

$$\frac{\tanh^{-1}\left(\frac{\sqrt{f}\sqrt{c+dx}}{\sqrt{d}\sqrt{e+fx}}\right)\left(16a^3Cd^3f^3 - 8a^2bd^2f^2(2Bdf + cCf + Cde) - 2ab^2df\left(C(de - cf)^2 - 4df(2Adf + Bcf + B\right.\right.}{8b^4d^{5/2}f^{5/2}}$$

[Out] $1/3*C*(d*x+c)^{(3/2)}*(f*x+e)^{(3/2)}/b/d/f-1/8*(16*a^3*C*d^3*f^3-8*a^2*b*d^2*f^2*(2*B*d*f+C*c*f+C*d*e)-2*a*b^2*d*f*(C*(-c*f+d*e)^2-4*d*f*(2*A*d*f+B*c*f+B*d*e))-b^3*(C*(-c*f+d*e)^2*(c*f+d*e)-2*d*f*(B*(-c*f+d*e)^2-4*A*d*f*(c*f+d*e))))*\operatorname{arctanh}(f^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)}/(f*x+e)^{(1/2)})/b^4/d^{(5/2)}/f^{(5/2)}-2*(A*b^2-a*(B*b-C*a))*\operatorname{arctanh}((-a*f+b*e)^{(1/2)}*(d*x+c)^{(1/2)}/(-a*d+b*c)^{(1/2)}/(f*x+e)^{(1/2)})*(-a*d+b*c)^{(1/2)}*(-a*f+b*e)^{(1/2)}/b^4-1/4*(2*a*C*d*f+b*(-2*B*d*f+C*c*f+C*d*e))*(f*x+e)^{(3/2)}*(d*x+c)^{(1/2)}/b^2/d/f^2+1/8*(4*b*d*f*(2*A*b*d*f-a*C*(c*f+d*e))+4*a*d*f-b*c*f+b*d*e)*(2*a*C*d*f+b*(-2*B*d*f+C*c*f+C*d*e)))*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/b^3/d^2/f^2$

Rubi [A] time = 1.37, antiderivative size = 453, normalized size of antiderivative = 1.01, number of steps used = 9, number of rules used = 8, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {1615, 154, 157, 63, 217, 206, 93, 208}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{f}\sqrt{c+dx}}{\sqrt{d}\sqrt{e+fx}}\right)\left(-8a^2bd^2f^2(2Bdf + cCf + Cde) + 16a^3Cd^3f^3 - 2ab^2df\left(C(de - cf)^2 - 4df(2Adf + Bcf + B\right.\right.}{8b^4d^{5/2}f^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[c + d*x]*Sqrt[e + f*x]*(A + B*x + C*x^2))/(a + b*x), x]

[Out] $((8*A*b*d*f - 4*a*C*(d*e + c*f) + ((b*d*e - b*c*f + 4*a*d*f)*(2*a*C*d*f + b*(C*d*e + c*C*f - 2*B*d*f)))/(b*d*f))*\operatorname{Sqrt}[c + d*x]*\operatorname{Sqrt}[e + f*x])/((8*b^2*d*f) - ((2*a*C*d*f + b*(C*d*e + c*C*f - 2*B*d*f))*\operatorname{Sqrt}[c + d*x]*(e + f*x)^{(3/2)})/(4*b^2*d*f^2) + (C*(c + d*x)^{(3/2)}*(e + f*x)^{(3/2)})/(3*b*d*f) - ((16*a^3*C*d^3*f^3 - 8*a^2*b*d^2*f^2*(C*d*e + c*C*f + 2*B*d*f) - 2*a*b^2*d*f*(C*(d*e - c*f)^2 - 4*d*f*(B*d*e + B*c*f + 2*A*d*f)) - b^3*(C*(d*e - c*f)^2*(d*e + c*f) - 2*d*f*(B*(d*e - c*f)^2 - 4*A*d*f*(d*e + c*f))))*\operatorname{ArcTanh}[(\operatorname{Sqrt}[f]*\operatorname{Sqrt}[c + d*x])/(\operatorname{Sqrt}[d]*\operatorname{Sqrt}[e + f*x])])/(8*b^4*d^{(5/2)}*f^{(5/2)}) - (2*(A*b^2 - a*(b*B - a*C))*\operatorname{Sqrt}[b*c - a*d]*\operatorname{Sqrt}[b*e - a*f]*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b*e - a*f]*\operatorname{Sqrt}[c + d*x])/(\operatorname{Sqrt}[b*c - a*d]*\operatorname{Sqrt}[e + f*x])])/b^4$

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +

$(d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}, x]] /;$ FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 93

Int[(((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

Rule 154

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[(h*(a + b*x)^m*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(m + n + p + 2)), x] + Dist[1/(d*f*(m + n + p + 2)), Int[(a + b*x)^(m - 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*g*(m + n + p + 2) - h*(b*c*e*m + a*(d*e*(n + 1) + c*f*(p + 1))) + (b*d*f*g*(m + n + p + 2) + h*(a*d*f*m - b*(d*e*(m + n + 1) + c*f*(m + p + 1)))]*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p + 2, 0] && IntegersQ[2*m, 2*n, 2*p]

Rule 157

Int[(((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)))/((a_.) + (b_.)*(x_)), x_Symbol] := Dist[h/b, Int[(c + d*x)^n*(e + f*x)^p, x], x] + Dist[(b*g - a*h)/b, Int[((c + d*x)^n*(e + f*x)^p)/(a + b*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 1615

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := With[{q = Expon[Px, x], k = Coeff[Px, x, Expon[Px, x]]}, Simp[(k*(a + b*x)^(m + q - 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*b^(q - 1)*(m + n + p + q + 1)), x] + Dist[1/(d*f*b^q*(m + n + p + q + 1)), Int[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p*ExpandToSum[d*f*b^q*(m + n + p + q + 1)*Px - d*f*k*(m + n + p + q + 1)*(a + b*x)^q + k*(a + b*x)^(q - 2)*(a^2*d*f*(m + n + p + q + 1) - b*(b*c*e*(m + q - 1) + a*(d*e*(n + 1) + c*f*(p + 1))) + b*(a*d*f*(2*(m + q) + n + p) - b*(d*e*(m + q + n) + c*f*(m + q + p)))*x), x], x] /; NeQ[m + n + p + q + 1, 0] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && IntegersQ[2*m, 2*n, 2*p]
```

Rubi steps

$$\begin{aligned}
 \int \frac{\sqrt{c+dx} \sqrt{e+fx} (A+Bx+Cx^2)}{a+bx} dx &= \frac{C(c+dx)^{3/2}(e+fx)^{3/2}}{3bdf} + \int \frac{\sqrt{c+dx} \sqrt{e+fx} \left(\frac{3}{2}b(2Abdf - aC(de+cf)) - \frac{3}{2}b(2aCdf + b(Cde + cCf - 2Bdf)) \right)}{a+bx} dx \\
 &= -\frac{(2aCdf + b(Cde + cCf - 2Bdf))\sqrt{c+dx}(e+fx)^{3/2}}{4b^2df^2} + \frac{C(c+dx)^{3/2}}{3bd} \\
 &= \frac{(4bdf(2Abdf - aC(de+cf)) + (bde - bcf + 4adf)(2aCdf + b(Cde + cCf - 2Bdf)))\sqrt{c+dx}(e+fx)^{3/2}}{8b^3d^2f^2} \\
 &= \frac{(4bdf(2Abdf - aC(de+cf)) + (bde - bcf + 4adf)(2aCdf + b(Cde + cCf - 2Bdf)))\sqrt{c+dx}(e+fx)^{3/2}}{8b^3d^2f^2} \\
 &= \frac{(4bdf(2Abdf - aC(de+cf)) + (bde - bcf + 4adf)(2aCdf + b(Cde + cCf - 2Bdf)))\sqrt{c+dx}(e+fx)^{3/2}}{8b^3d^2f^2} \\
 &= \frac{(4bdf(2Abdf - aC(de+cf)) + (bde - bcf + 4adf)(2aCdf + b(Cde + cCf - 2Bdf)))\sqrt{c+dx}(e+fx)^{3/2}}{8b^3d^2f^2} \\
 &= \frac{(4bdf(2Abdf - aC(de+cf)) + (bde - bcf + 4adf)(2aCdf + b(Cde + cCf - 2Bdf)))\sqrt{c+dx}(e+fx)^{3/2}}{8b^3d^2f^2}
 \end{aligned}$$

Mathematica [B] time = 6.21, size = 1936, normalized size = 4.30

result too large to display

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[c + d*x]*Sqrt[e + f*x]*(A + B*x + C*x^2))/(a + b*x),x]

[Out]
$$\begin{aligned} & (2*(A*b^2 - a*b*B + a^2*C)*\text{Sqrt}[c + d*x]*\text{Sqrt}[e + f*x]*(1 + (d*f*(c + d*x)) \\ & /((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^{(3/2)}*(1/(2*(1 \\ & + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))) \\ &)) + (\text{Sqrt}[d*e - c*f]*\text{Sqrt}[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)]*\text{ArcSi} \\ & \text{nh}[(\text{Sqrt}[d]*\text{Sqrt}[f]*\text{Sqrt}[c + d*x])/(\text{Sqrt}[d*e - c*f]*\text{Sqrt}[(d^2*e)/(d*e - c*f] \\ &) - (c*d*f)/(d*e - c*f))]/(2*\text{Sqrt}[d]*\text{Sqrt}[f]*\text{Sqrt}[c + d*x]*(1 + (d*f*(c + \\ & d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^{(3/2)}))/ \\ & (b^3*\text{Sqrt}[d/((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))*\text{Sqrt}[(d*(e + f*x)) \\ & /((d*e - c*f))] + (2*C*(d*e - c*f)*(c + d*x)^{(3/2)}*\text{Sqrt}[e + f*x]*(1 + (d*f*(c \\ & + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^{(5/2)}* \\ & ((3/(4*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e \\ & e - c*f))))^2) + (1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (\\ & c*d*f)/(d*e - c*f))))^{(-1)}/2 + (3*(d*e - c*f)^2*((d^2*e)/(d*e - c*f) - (c* \\ & d*f)/(d*e - c*f))^2*((2*d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - \\ & (c*d*f)/(d*e - c*f))) - (2*\text{Sqrt}[d]*\text{Sqrt}[f]*\text{Sqrt}[c + d*x]*\text{ArcSinh}[(\text{Sqrt}[d]*\text{S} \\ & \text{qrt}[f]*\text{Sqrt}[c + d*x])/(\text{Sqrt}[d*e - c*f]*\text{Sqrt}[(d^2*e)/(d*e - c*f) - (c*d*f)/(\\ & d*e - c*f)])]/(\text{Sqrt}[d*e - c*f]*\text{Sqrt}[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c \\ & *f)]*\text{Sqrt}[1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(\\ & d*e - c*f)))])))/(32*d^2*f^2*(c + d*x)^2*(1 + (d*f*(c + d*x))/((d*e - c*f)* \\ & ((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^2))/(3*b*d^2*f*(d/((d^2*e)/(\\ & d*e - c*f) - (c*d*f)/(d*e - c*f)))^{(3/2)}*\text{Sqrt}[(d*(e + f*x))/((d*e - c*f))] + \\ & (2*(-(b*C*e) + b*B*f - a*C*f)*(c + d*x)^{(3/2)}*\text{Sqrt}[e + f*x]*(1 + (d*f*(c + \\ & d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^{(3/2)}*(3/ \\ & (4*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - \\ & c*f)))))) + (3*(d*e - c*f)^2*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))^2*(\\ & (2*d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))) \\ & - (2*\text{Sqrt}[d]*\text{Sqrt}[f]*\text{Sqrt}[c + d*x]*\text{ArcSinh}[(\text{Sqrt}[d]*\text{Sqrt}[f]*\text{Sqrt}[c + d*x]) \\ & /(\text{Sqrt}[d*e - c*f]*\text{Sqrt}[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)])]/(\text{Sqrt}[\\ & d*e - c*f]*\text{Sqrt}[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)]*\text{Sqrt}[1 + (d*f*(c \\ & + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))])))/(16* \\ & d^2*f^2*(c + d*x)^2*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) \\ & - (c*d*f)/(d*e - c*f)))))))/(3*b^2*d*f*\text{Sqrt}[d/((d^2*e)/(d*e - c*f) - (c*d*f) \\ &)/(d*e - c*f)]*\text{Sqrt}[(d*(e + f*x))/((d*e - c*f))] - ((A*b^2 - a*b*B + a^2*C) \\ & *(-(b*c) + a*d)*((2*\text{Sqrt}[f]*\text{Sqrt}[d*e - c*f]*\text{Sqrt}[d/((d^2*e)/(d*e - c*f) - (\\ & c*d*f)/(d*e - c*f)])*\text{Sqrt}[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)]*\text{Sqrt}[(\\ & d*(e + f*x))/((d*e - c*f)]*\text{ArcSinh}[(\text{Sqrt}[d]*\text{Sqrt}[f]*\text{Sqrt}[c + d*x])/(\text{Sqrt}[d*e \\ & - c*f]*\text{Sqrt}[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)])]/(b*d^{(3/2)}*\text{Sqrt}[\end{aligned}$$

$$\begin{aligned}
& (1/2)*b-a*c*f-a*d*e+2*b*c*e)/(b*x+a))*a*b^3*d^3*e*f^2+48*B*(d*f)^(1/2)*\ln((\\
& -2*a*d*f*x+b*c*f*x+b*d*e*x+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)* \\
& (d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*b-a*c*f-a*d*e+2*b*c*e)/(b*x+a))*a^2*b^2*d^3 \\
& *e*f^2-24*B*(d*f)^(1/2)*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)*(d*f* \\
& x^2+c*f*x+d*e*x+c*e)^(1/2)*x*b^4*d^2*f^2+24*B*\ln(1/2*(2*d*f*x+c*f+d*e+2*(d \\
& f*x^2+c*f*x+d*e*x+c*e)^(1/2)*(d*f)^(1/2))/(d*f)^(1/2))*((a^2*d*f-a*b*c*f-a \\
& b*d*e+b^2*c*e)/b^2)^(1/2)*a*b^3*c*d^2*f^3+24*B*\ln(1/2*(2*d*f*x+c*f+d*e+2*(d \\
& f*x^2+c*f*x+d*e*x+c*e)^(1/2)*(d*f)^(1/2))/(d*f)^(1/2))*((a^2*d*f-a*b*c*f-a \\
& b*d*e+b^2*c*e)/b^2)^(1/2)*a*b^3*d^3*e*f^2-16*C*x^2*b^4*d^2*f^2*(d*f*x^2+c \\
& f*x+d*e*x+c*e)^(1/2)*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)*(d*f)^(1 \\
& /2)-24*C*\ln(1/2*(2*d*f*x+c*f+d*e+2*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*(d*f)^(1 \\
& /2))/(d*f)^(1/2))*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)*a^2*b^2*d^3 \\
& *e*f^2-6*C*\ln(1/2*(2*d*f*x+c*f+d*e+2*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*(d*f)^(\\
& 1/2))/(d*f)^(1/2))*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)*a*b^3*c^2 \\
& *d*f^3+48*B*(d*f)^(1/2)*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)*(d*f* \\
& x^2+c*f*x+d*e*x+c*e)^(1/2)*a*b^3*d^2*f^2-12*B*(d*f)^(1/2)*((a^2*d*f-a*b*c*f \\
& -a*b*d*e+b^2*c*e)/b^2)^(1/2)*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*b^4*c*d*f^2-12 \\
& *B*(d*f)^(1/2)*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)*(d*f*x^2+c*f*x \\
& +d*e*x+c*e)^(1/2)*b^4*d^2*e*f-48*C*(d*f)^(1/2)*((a^2*d*f-a*b*c*f-a*b*d*e+b^ \\
& 2*c*e)/b^2)^(1/2)*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*a^2*b^2*d^2*f^2-6*C*\ln(1/ \\
& 2*(2*d*f*x+c*f+d*e+2*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*(d*f)^(1/2))/(d*f)^(1/ \\
& 2))*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)*a*b^3*d^3*e^2*f+3*C*\ln(1/ \\
& 2*(2*d*f*x+c*f+d*e+2*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*(d*f)^(1/2))/(d*f)^(1/ \\
& 2))*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)*b^4*c^2*d*e*f^2+3*C*\ln(1/ \\
& 2*(2*d*f*x+c*f+d*e+2*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*(d*f)^(1/2))/(d*f)^(1/ \\
& 2))*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)*b^4*c*d^2*e^2*f-12*B*\ln(1 \\
& /2*(2*d*f*x+c*f+d*e+2*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*(d*f)^(1/2))/(d*f)^(1 \\
& /2))*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)*b^4*c*d^2*e*f^2-48*C*(d \\
& f)^(1/2)*\ln((-2*a*d*f*x+b*c*f*x+b*d*e*x+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e) \\
&)/b^2)^(1/2)*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*b-a*c*f-a*d*e+2*b*c*e)/(b*x+a) \\
&)*a^3*b*c*d^2*f^3-48*C*(d*f)^(1/2)*\ln((-2*a*d*f*x+b*c*f*x+b*d*e*x+2*((a^2*d \\
& f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*b-a \\
& c*f-a*d*e+2*b*c*e)/(b*x+a))*a^3*b*d^3*e*f^2-24*C*\ln(1/2*(2*d*f*x+c*f+d*e+2* \\
& (d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*(d*f)^(1/2))/(d*f)^(1/2))*((a^2*d*f-a*b*c*f \\
& -a*b*d*e+b^2*c*e)/b^2)^(1/2)*a^2*b^2*c*d^2*f^3+48*A*(d*f)^(1/2)*\ln((-2*a*d \\
& f*x+b*c*f*x+b*d*e*x+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)*(d*f*x^ \\
& 2+c*f*x+d*e*x+c*e)^(1/2)*b-a*c*f-a*d*e+2*b*c*e)/(b*x+a))*a^2*b^2*d^3*f^3+48 \\
& *A*\ln(1/2*(2*d*f*x+c*f+d*e+2*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*(d*f)^(1/2))/(\\
& d*f)^(1/2))*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)*a*b^3*d^3*f^3-24* \\
& A*\ln(1/2*(2*d*f*x+c*f+d*e+2*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*(d*f)^(1/2))/(d \\
& f)^(1/2))*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)*b^4*c*d^2*f^3-24*A \\
& *\ln(1/2*(2*d*f*x+c*f+d*e+2*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*(d*f)^(1/2))/(d \\
& f)^(1/2))*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)*b^4*d^3*e*f^2-48*B* \\
& (d*f)^(1/2)*\ln((-2*a*d*f*x+b*c*f*x+b*d*e*x+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2* \\
& c*e)/b^2)^(1/2)*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*b-a*c*f-a*d*e+2*b*c*e)/(b*x
\end{aligned}$$

$$\begin{aligned}
& +a)) * a^3 * b^d^3 * f^3 - 48 * B * \ln(1/2 * (2 * d * f * x + c * f + d * e + 2 * (d * f * x^2 + c * f * x + d * e * x + c * e) \\
& ^{(1/2)} * (d * f)^{(1/2)}) / (d * f)^{(1/2)}) * ((a^2 * d * f - a * b * c * f - a * b * d * e + b^2 * c * e) / b^2)^{(1/2)} \\
& / 2 * a^2 * b^2 * d^3 * f^3 + 6 * B * \ln(1/2 * (2 * d * f * x + c * f + d * e + 2 * (d * f * x^2 + c * f * x + d * e * x + c * e) \\
& ^{(1/2)} * (d * f)^{(1/2)}) / (d * f)^{(1/2)}) * ((a^2 * d * f - a * b * c * f - a * b * d * e + b^2 * c * e) / b^2)^{(1/2)} \\
& / 2 * b^4 * c^2 * d * f^3 + 6 * B * \ln(1/2 * (2 * d * f * x + c * f + d * e + 2 * (d * f * x^2 + c * f * x + d * e * x + c * e) \\
& ^{(1/2)} * (d * f)^{(1/2)}) / (d * f)^{(1/2)}) * ((a^2 * d * f - a * b * c * f - a * b * d * e + b^2 * c * e) / b^2)^{(1/2)} \\
&) * b^4 * d^3 * e^2 * f + 48 * A * (d * f)^{(1/2)} * \ln((-2 * a * d * f * x + b * c * f * x + b * d * e * x + 2 * ((a^2 * d * f \\
& - a * b * c * f - a * b * d * e + b^2 * c * e) / b^2)^{(1/2)} * (d * f * x^2 + c * f * x + d * e * x + c * e)^{(1/2)} * b - a * c * \\
& f - a * d * e + 2 * b * c * e) / (b * x + a)) * b^4 * c * d^2 * e * f^2 + 48 * C * \ln(1/2 * (2 * d * f * x + c * f + d * e + 2 * (d \\
& * f * x^2 + c * f * x + d * e * x + c * e)^{(1/2)} * (d * f)^{(1/2)}) / (d * f)^{(1/2)}) * ((a^2 * d * f - a * b * c * f - a \\
& * b * d * e + b^2 * c * e) / b^2)^{(1/2)} * a^3 * b * d^3 * f^3 - 48 * A * (d * f)^{(1/2)} * ((a^2 * d * f - a * b * c * f \\
& - a * b * d * e + b^2 * c * e) / b^2)^{(1/2)} * (d * f * x^2 + c * f * x + d * e * x + c * e)^{(1/2)} * b^4 * d^2 * f^2 + 6 * \\
& C * (d * f)^{(1/2)} * ((a^2 * d * f - a * b * c * f - a * b * d * e + b^2 * c * e) / b^2)^{(1/2)} * (d * f * x^2 + c * f * x + \\
& d * e * x + c * e)^{(1/2)} * b^4 * c^2 * f^2 + 6 * C * (d * f)^{(1/2)} * ((a^2 * d * f - a * b * c * f - a * b * d * e + b^2 * \\
& c * e) / b^2)^{(1/2)} * (d * f * x^2 + c * f * x + d * e * x + c * e)^{(1/2)} * b^4 * d^2 * e^2 - 4 * C * (d * f)^{(1/2)} \\
& * ((a^2 * d * f - a * b * c * f - a * b * d * e + b^2 * c * e) / b^2)^{(1/2)} * (d * f * x^2 + c * f * x + d * e * x + c * e)^{(1/2)} \\
&) * b^4 * c * d * e * f - 4 * C * (d * f)^{(1/2)} * ((a^2 * d * f - a * b * c * f - a * b * d * e + b^2 * c * e) / b^2)^{(1/2)} \\
& * (d * f * x^2 + c * f * x + d * e * x + c * e)^{(1/2)} * x * b^4 * c * d * f^2 - 4 * C * (d * f)^{(1/2)} * ((a^2 * d * f - \\
& a * b * c * f - a * b * d * e + b^2 * c * e) / b^2)^{(1/2)} * (d * f * x^2 + c * f * x + d * e * x + c * e)^{(1/2)} * x * b^4 * d \\
& ^2 * e * f + 12 * C * \ln(1/2 * (2 * d * f * x + c * f + d * e + 2 * (d * f * x^2 + c * f * x + d * e * x + c * e)^{(1/2)} * (d * f) \\
& ^{(1/2)}) / (d * f)^{(1/2)}) * ((a^2 * d * f - a * b * c * f - a * b * d * e + b^2 * c * e) / b^2)^{(1/2)} * a * b^3 * c * \\
& d^2 * e * f^2 + 12 * C * (d * f)^{(1/2)} * ((a^2 * d * f - a * b * c * f - a * b * d * e + b^2 * c * e) / b^2)^{(1/2)} * (d \\
& * f * x^2 + c * f * x + d * e * x + c * e)^{(1/2)} * a * b^3 * c * d * f^2 + 12 * C * (d * f)^{(1/2)} * ((a^2 * d * f - a * b * \\
& c * f - a * b * d * e + b^2 * c * e) / b^2)^{(1/2)} * (d * f * x^2 + c * f * x + d * e * x + c * e)^{(1/2)} * a * b^3 * d^2 * e \\
& * f + 48 * C * (d * f)^{(1/2)} * \ln((-2 * a * d * f * x + b * c * f * x + b * d * e * x + 2 * ((a^2 * d * f - a * b * c * f - a * b * \\
& d * e + b^2 * c * e) / b^2)^{(1/2)} * (d * f * x^2 + c * f * x + d * e * x + c * e)^{(1/2)} * b - a * c * f - a * d * e + 2 * b * c \\
& * e) / (b * x + a)) * a^2 * b^2 * c * d^2 * e * f^2 + 24 * C * (d * f)^{(1/2)} * ((a^2 * d * f - a * b * c * f - a * b * d * e \\
& + b^2 * c * e) / b^2)^{(1/2)} * (d * f * x^2 + c * f * x + d * e * x + c * e)^{(1/2)} * x * a * b^3 * d^2 * f^2 - 48 * B * (\\
& d * f)^{(1/2)} * \ln((-2 * a * d * f * x + b * c * f * x + b * d * e * x + 2 * ((a^2 * d * f - a * b * c * f - a * b * d * e + b^2 * c \\
& * e) / b^2)^{(1/2)} * (d * f * x^2 + c * f * x + d * e * x + c * e)^{(1/2)} * b - a * c * f - a * d * e + 2 * b * c * e) / (b * x + \\
& a)) * a * b^3 * c * d^2 * e * f^2) / (d * f * x^2 + c * f * x + d * e * x + c * e)^{(1/2)} / b^5 / d^2 / f^2 / (d * f)^{(1/2)} \\
& / ((a^2 * d * f - a * b * c * f - a * b * d * e + b^2 * c * e) / b^2)^{(1/2)}
\end{aligned}$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2)/(b*x+a),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(2*a*d*f-b*c*f>0)', see `assume?` fo

r more details) Is $2* a * d * f - b * c * f$
 $* e$ zero or nonzero?

$-b*d$

mupad [F(-1)] time = 0.00, size = -1, normalized size = -0.00

Hanged

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((e + f*x)^(1/2)*(c + d*x)^(1/2)*(A + B*x + C*x^2))/(a + b*x), x)`

[Out] `\text{Hanged}`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{c + dx} \sqrt{e + fx} (A + Bx + Cx^2)}{a + bx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x**2+B*x+A)*(d*x+c)**(1/2)*(f*x+e)**(1/2)/(b*x+a), x)`

[Out] `Integral(sqrt(c + d*x)*sqrt(e + f*x)*(A + B*x + C*x**2)/(a + b*x), x)`

$$3.45 \quad \int \frac{\sqrt{c+dx} \sqrt{e+fx} (A+Bx+Cx^2)}{(a+bx)^2} dx$$

Optimal. Leaf size=521

$$\frac{\sqrt{c+dx} (e+fx)^{3/2} (3a^2Cdf - ab(2Bdf + cCf + Cde) + b^2(2Adf + cCe)) \tanh^{-1} \left(\frac{\sqrt{f} \sqrt{c+dx}}{\sqrt{d} \sqrt{e+fx}} \right) (24a^2Cd^2f^2 - 8abdf(2Bdf + cCf + Cde) + b^2(2Adf + cCe))}{2b^2f(bc - ad)(be - af)}$$

[Out] $-(A*b^2 - a*(B*b - C*a))*(d*x+c)^{(3/2)}*(f*x+e)^{(3/2)}/b/(-a*d+b*c)/(-a*f+b*e)/(b*x+a)+1/4*(24*a^2*C*d^2*f^2-8*a*b*d*f*(2*B*d*f+C*c*f+C*d*e)-b^2*(C*(-c*f+d*e)^2-4*d*f*(2*A*d*f+B*c*f+B*d*e)))*\operatorname{arctanh}(f^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)}/(f*x+e)^{(1/2)})/b^4/d^{(3/2)}/f^{(3/2)}+(6*a^3*C*d*f-b^3*(A*c*f+A*d*e+2*B*c*e)+a*b^2*(2*A*d*f+3*B*c*f+3*B*d*e+4*C*c*e)-a^2*b*(4*B*d*f+5*C*(c*f+d*e)))*\operatorname{arctanh}((-a*f+b*e)^{(1/2)}*(d*x+c)^{(1/2)}/(-a*d+b*c)^{(1/2)}/(f*x+e)^{(1/2)})/b^4/(-a*d+b*c)^{(1/2)}/(-a*f+b*e)^{(1/2)}+1/2*(3*a^2*C*d*f+b^2*(2*A*d*f+C*c*e)-a*b*(2*B*d*f+C*c*f+C*d*e))*(f*x+e)^{(3/2)}*(d*x+c)^{(1/2)}/b^2/(-a*d+b*c)/f/(-a*f+b*e)+1/4*(12*a^2*C*d*f^2-a*b*f*(8*B*d*f+C*c*f+7*C*d*e)+b^2*(4*d*f*(A*f+B*e)-C*e*(-c*f+d*e)))*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/b^3/d/f/(-a*f+b*e)$

Rubi [A] time = 1.70, antiderivative size = 521, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {1613, 154, 157, 63, 217, 206, 93, 208}

$$\frac{\tanh^{-1} \left(\frac{\sqrt{f} \sqrt{c+dx}}{\sqrt{d} \sqrt{e+fx}} \right) (24a^2Cd^2f^2 - 8abdf(2Bdf + cCf + Cde) + b^2(- (C(de - cf)^2 - 4df(2Adf + Bcf + Bde))))}{4b^4d^{3/2}f^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[c + d*x]*Sqrt[e + f*x]*(A + B*x + C*x^2))/(a + b*x)^2, x]

[Out] $((12*a^2*C*d*f^2 - a*b*f*(7*C*d*e + c*C*f + 8*B*d*f) + b^2*(4*d*f*(B*e + A*f) - C*e*(d*e - c*f)))*\operatorname{Sqrt}[c + d*x]*\operatorname{Sqrt}[e + f*x])/((4*b^3*d*f*(b*e - a*f)) + ((3*a^2*C*d*f + b^2*(c*C*e + 2*A*d*f) - a*b*(C*d*e + c*C*f + 2*B*d*f))*\operatorname{Sqrt}[c + d*x]*(e + f*x)^{(3/2)})/(2*b^2*(b*c - a*d)*f*(b*e - a*f)) - ((A*b^2 - a*(b*B - a*C))*(c + d*x)^{(3/2)}*(e + f*x)^{(3/2)})/(b*(b*c - a*d)*(b*e - a*f)*(a + b*x)) + ((24*a^2*C*d^2*f^2 - 8*a*b*d*f*(C*d*e + c*C*f + 2*B*d*f) - b^2*(C*(d*e - c*f)^2 - 4*d*f*(B*d*e + B*c*f + 2*A*d*f)))*\operatorname{ArcTanh}[(\operatorname{Sqrt}[f]*\operatorname{Sqrt}[c + d*x])/(\operatorname{Sqrt}[d]*\operatorname{Sqrt}[e + f*x])])/(4*b^4*d^{(3/2)}*f^{(3/2)}) + ((6*a^3*C*d*f - b^3*(2*B*c*e + A*d*e + A*c*f) + a*b^2*(4*c*C*e + 3*B*d*e + 3*B*c*f + 2*A*d*f) - a^2*b*(4*B*d*f + 5*C*(d*e + c*f)))*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b*e - a*f]*\operatorname{Sqrt}[c + d*x])/(\operatorname{Sqrt}[b*c - a*d]*\operatorname{Sqrt}[e + f*x])])/(b^4*\operatorname{Sqrt}[b*c - a*d]*\operatorname{Sqrt}[b*e - a*f])$

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 93

```
Int[(((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x
_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 154

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_)
)^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[(h*(a + b*x)^m*(c + d*x)^(n
+ 1)*(e + f*x)^(p + 1))/(d*f*(m + n + p + 2)), x] + Dist[1/(d*f*(m + n + p
+ 2)), Int[(a + b*x)^(m - 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*g*(m + n +
p + 2) - h*(b*c*e*m + a*(d*e*(n + 1) + c*f*(p + 1))) + (b*d*f*g*(m + n + p
+ 2) + h*(a*d*f*m - b*(d*e*(m + n + 1) + c*f*(m + p + 1)))]*x, x], x] /
; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p +
2, 0] && IntegersQ[2*m, 2*n, 2*p]
```

Rule 157

```
Int[(((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_
))))/((a_.) + (b_.)*(x_)), x_Symbol] := Dist[h/b, Int[(c + d*x)^n*(e + f*x)^
p, x], x] + Dist[(b*g - a*h)/b, Int[((c + d*x)^n*(e + f*x)^p)/(a + b*x), x]
, x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x]
```

Rule 206

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 208

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 1613

```
Int[(Px_)*((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_))*((e_.) + (f_
.)*(x_)^(p_.), x_Symbol] := With[{Qx = PolynomialQuotient[Px, a + b*x, x],
R = PolynomialRemainder[Px, a + b*x, x]}, Simp[(b*R*(a + b*x)^(m + 1)*(c +
d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Di
st[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(
e + f*x)^p*ExpandToSum[(m + 1)*(b*c - a*d)*(b*e - a*f)*Qx + a*d*f*R*(m + 1)
- b*R*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*R*(m + n + p + 3)*x, x],
x]] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && PolyQ[Px, x] && ILtQ[m, -
1] && IntegersQ[2*m, 2*n, 2*p]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{c+dx} \sqrt{e+fx} (A+Bx+Cx^2)}{(a+bx)^2} dx &= -\frac{(Ab^2 - a(bB - aC))(c+dx)^{3/2}(e+fx)^{3/2}}{b(bc-ad)(be-af)(a+bx)} - \int \frac{\sqrt{c+dx} \sqrt{e+fx} \left(-\frac{3a^2Cde+}{\dots}\right)}{\dots} \\
&= \frac{(3a^2Cdf + b^2(cCe + 2Adf) - ab(Cde + cCf + 2Bdf)) \sqrt{c+dx} (e+)}{2b^2(bc-ad)f(be-af)} \\
&= \frac{(12a^2Cdf^2 - abf(7Cde + cCf + 8Bdf) + b^2(4df(Be + Af) - Ce(de}}{4b^3df(be-af)} \\
&= \frac{(12a^2Cdf^2 - abf(7Cde + cCf + 8Bdf) + b^2(4df(Be + Af) - Ce(de}}{4b^3df(be-af)} \\
&= \frac{(12a^2Cdf^2 - abf(7Cde + cCf + 8Bdf) + b^2(4df(Be + Af) - Ce(de}}{4b^3df(be-af)} \\
&= \frac{(12a^2Cdf^2 - abf(7Cde + cCf + 8Bdf) + b^2(4df(Be + Af) - Ce(de}}{4b^3df(be-af)} \\
&= \frac{(12a^2Cdf^2 - abf(7Cde + cCf + 8Bdf) + b^2(4df(Be + Af) - Ce(de}}{4b^3df(be-af)} \\
&= \frac{(12a^2Cdf^2 - abf(7Cde + cCf + 8Bdf) + b^2(4df(Be + Af) - Ce(de}}{4b^3df(be-af)}
\end{aligned}$$

Mathematica [B] time = 6.37, size = 2532, normalized size = 4.86

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Sqrt[c + d*x]*Sqrt[e + f*x]*(A + B*x + C*x^2))/(a + b*x)^2,x]
[Out] -(((A*b^2 - a*(b*B - a*C))*(c + d*x)^(3/2)*(e + f*x)^(3/2))/(b*(b*c - a*d)*
(b*e - a*f)*(a + b*x))) + (2*(b*B - 2*a*C)*Sqrt[c + d*x]*Sqrt[e + f*x]*(1 +
(d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))
^(3/2)*(1/(2*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*
f)/(d*e - c*f)))))) + (Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d
*e - c*f)]*ArcSinh[(Sqrt[d]*Sqrt[f]*Sqrt[c + d*x])/(Sqrt[d*e - c*f]*Sqrt[(d
```

$$\begin{aligned}
& \left[\frac{(d^2e)/(de - cf) - (c*df)/(de - cf)}{(2*\text{Sqrt}[d]*\text{Sqrt}[f]*\text{Sqrt}[c + dx] \right. \\
& \left. *(1 + (df*(c + dx))/((d^2e)/(de - cf) - (c*df)/(de - c \right. \\
& \left. *f))))^{(3/2)}}{(b^3*\text{Sqrt}[d/((d^2e)/(de - cf) - (c*df)/(de - c \right. \\
& \left. *f))]*\text{Sqrt}[(d*(e + f*x))/(de - cf)] + (2*C*(c + dx)^{(3/2)}*\text{Sqrt}[e + f*x]*(1 + (d \right. \\
& \left. *f*(c + dx))/((d^2e)/(de - cf) - (c*df)/(de - c \right. \\
& \left. *f))))^{(3/2)}*(3/(4*(1 + (df*(c + dx))/((d^2e)/(de - cf) - (c*df)/(\right. \\
& \left. (de - cf)))) + (3*(d^2e - cf)^2*((d^2e)/(de - cf) - (c*df)/(de - c \right. \\
& \left. f))^{(2)}*((2*df*(c + dx))/((d^2e)/(de - cf) - (c*df)/(de - \right. \\
& \left. cf))) - (2*\text{Sqrt}[d]*\text{Sqrt}[f]*\text{Sqrt}[c + dx]*\text{ArcSinh}[(\text{Sqrt}[d]*\text{Sqrt}[f]*\text{Sqrt}[c \right. \\
& \left. + dx])/(\text{Sqrt}[d^2e - cf]*\text{Sqrt}[(d^2e)/(de - cf) - (c*df)/(de - c \right. \\
& \left. *f)])]/(\text{Sqrt}[d^2e - cf]*\text{Sqrt}[(d^2e)/(de - cf) - (c*df)/(de - c \right. \\
& \left. *f)]*\text{Sqrt}[1 + (df*(c + dx))/((d^2e)/(de - cf) - (c*df)/(de - c \right. \\
& \left. *f)))])/(16*d^2*f^2*(c + dx)^2*(1 + (df*(c + dx))/((d^2e)/(de \right. \\
& \left. - cf) - (c*df)/(de - cf)))))]/(3*b^2*d*\text{Sqrt}[d/((d^2e)/(de - cf) - (\right. \\
& \left. c*df)/(de - cf)]*\text{Sqrt}[(d*(e + f*x))/(de - cf)] + (2*(b*B - 2*a*C)*(b \right. \\
& \left. *c - a*d)*((\text{Sqrt}[f]*\text{Sqrt}[d^2e - cf]*\text{Sqrt}[(d*(e + f*x))/(de - cf)]*\text{ArcSinh} \right. \\
& \left. [(\text{Sqrt}[f]*\text{Sqrt}[c + dx])/(\text{Sqrt}[d^2e - cf])]/(b*d*\text{Sqrt}[e + f*x]) - (\text{Sqrt}[-(b \right. \\
& \left. *e) + a*f]*\text{ArcTanh}[(\text{Sqrt}[-(b*e) + a*f]*\text{Sqrt}[c + dx])/(\text{Sqrt}[-(b*c) + a*d]*\text{Sq} \right. \\
& \left. \text{rt}[e + f*x])])/(b*\text{Sqrt}[-(b*c) + a*d])))/b^3 - ((A*b^2 - a*b*B + a^2*C)*((-4 \right. \\
& \left. *f*(c + dx)^{(3/2)}*\text{Sqrt}[e + f*x]*(1 + (df*(c + dx))/((d^2e)/(de - cf) - (c*df)/(de - c \right. \\
& \left. *f))))^{(3/2)}*(3/(4*(1 + (df*(c + dx))/((d^2e)/(de - cf) - (c*df)/(de - c \right. \\
& \left. *f)))) + (3*(d^2e - cf)^2*((d^2e)/(de - cf) - (c*df)/(de - c \right. \\
& \left. *f))^{(2)}*((2*df*(c + dx))/((d^2e)/(de - cf) - (c*df)/(de - c \right. \\
& \left. *f))) - (2*\text{Sqrt}[d]*\text{Sqrt}[f]*\text{Sqrt}[c \right. \\
& \left. + dx]*\text{ArcSinh}[(\text{Sqrt}[d]*\text{Sqrt}[f]*\text{Sqrt}[c + dx])/(\text{Sqrt}[d^2e - cf]*\text{Sqrt}[(d^2 \right. \\
& \left. e)/(de - cf) - (c*df)/(de - cf)])]/(\text{Sqrt}[d^2e - cf]*\text{Sqrt}[(d^2e)/(de \right. \\
& \left. - cf) - (c*df)/(de - cf)]*\text{Sqrt}[1 + (df*(c + dx))/((d^2e)/(de - cf) - (c*df)/(de - c \right. \\
& \left. *f)))])/(16*d^2*f^2*(c + dx)^2*(1 + (d \right. \\
& \left. *f*(c + dx))/((d^2e)/(de - cf) - (c*df)/(de - cf)))))]/(\right. \\
& \left. (3*\text{Sqrt}[d/((d^2e)/(de - cf) - (c*df)/(de - cf)]*\text{Sqrt}[(d*(e + f*x))/(\right. \\
& \left. de - cf)] + ((2*a*b*df + (b*(-2*a*d*df - b*(de + cf)))/2)*((2*\text{Sqrt}[c + \right. \\
& \left. dx]*\text{Sqrt}[e + f*x]*(1 + (df*(c + dx))/((d^2e)/(de - cf) \right. \\
& \left. - (c*df)/(de - cf))))^{(3/2)}*(1/(2*(1 + (df*(c + dx))/((d^2e)/(de - cf) - (c*df)/(de - c \right. \\
& \left. *f)))) + (\text{Sqrt}[d^2e - cf]*\text{Sqrt}[(d^2e)/(\right. \\
& \left. (de - cf) - (c*df)/(de - cf)]*\text{ArcSinh}[(\text{Sqrt}[d]*\text{Sqrt}[f]*\text{Sqrt}[c + dx])/ \right. \\
& \left. (\text{Sqrt}[d^2e - cf]*\text{Sqrt}[(d^2e)/(de - cf) - (c*df)/(de - cf)])]/(2*\text{Sqrt} \right. \\
& \left. [d]*\text{Sqrt}[f]*\text{Sqrt}[c + dx]*(1 + (df*(c + dx))/((d^2e)/(de - cf) - (c*df)/(de - c \right. \\
& \left. *f))))^{(3/2)}))/(b*\text{Sqrt}[d/((d^2e)/(de - cf) - (c \right. \\
& \left. *df)/(de - cf)]*\text{Sqrt}[(d*(e + f*x))/(de - cf)] - ((-(b*c) + a*d)*((2* \right. \\
& \left. \text{Sqrt}[f]*\text{Sqrt}[d^2e - cf]*\text{Sqrt}[d/((d^2e)/(de - cf) - (c*df)/(de - c \right. \\
& \left. *f)]*\text{Sqrt}[(d^2e)/(de - cf) - (c*df)/(de - cf)]*\text{Sqrt}[(d*(e + f*x))/(de - \right. \\
& \left. cf)]*\text{ArcSinh}[(\text{Sqrt}[d]*\text{Sqrt}[f]*\text{Sqrt}[c + dx])/(\text{Sqrt}[d^2e - cf]*\text{Sqrt}[(d^2e) \right. \\
& \left. /((de - cf) - (c*df)/(de - cf))])]/(b*d^{(3/2)}*\text{Sqrt}[e + f*x]) - (2*\text{Sqrt}[\right. \\
& \left. -(b*e) + a*f]*\text{ArcTanh}[(\text{Sqrt}[-(b*e) + a*f]*\text{Sqrt}[c + dx])/(\text{Sqrt}[-(b*c) + a*d] \right. \\
& \left. *\text{Sqrt}[e + f*x])])/(b*\text{Sqrt}[-(b*c) + a*d])))/b)/b)/(b^2*(b*c - a*d)*(b*e -
\end{aligned}$$

a*f))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2)/(b*x+a)^2,x, algorithm="fricas")

[Out] Timed out

giac [B] time = 13.12, size = 1585, normalized size = 3.04

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2)/(b*x+a)^2,x, algorithm="giac")

[Out]
$$\frac{1}{4} \sqrt{(d*x + c)*d*f - c*d*f + d^2*e} \sqrt{d*x + c} (2*(d*x + c)*C*abs(d) / (b^2*d^3) - (C*b^7*c*d^3*f^2*abs(d) + 8*C*a*b^6*d^4*f^2*abs(d) - 4*B*b^7*d^4*f^2*abs(d) - C*b^7*d^4*f*abs(d)*e) / (b^9*d^6*f^2)) - (5*\sqrt{d*f}*C*a^2*b*c*f*abs(d) - 3*\sqrt{d*f}*B*a*b^2*c*f*abs(d) + \sqrt{d*f}*A*b^3*c*f*abs(d) - 6*\sqrt{d*f}*C*a^3*d*f*abs(d) + 4*\sqrt{d*f}*B*a^2*b*d*f*abs(d) - 2*\sqrt{d*f}) * A*a*b^2*d*f*abs(d) - 4*\sqrt{d*f}*C*a*b^2*c*abs(d)*e + 2*\sqrt{d*f}*B*b^3*c*abs(d)*e + 5*\sqrt{d*f}*C*a^2*b*d*abs(d)*e - 3*\sqrt{d*f}*B*a*b^2*d*abs(d)*e + \sqrt{d*f}*A*b^3*d*abs(d)*e) * \arctan(-1/2*(b*c*d*f - 2*a*d^2*f + b*d^2*e - (\sqrt{d*f}*\sqrt{d*x + c} - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e})^2*b) / (\sqrt{a*b*c*d*f^2 - a^2*d^2*f^2 - b^2*c*d*f*e + a*b*d^2*f*e}*d)) / (\sqrt{a*b*c*d*f^2 - a^2*d^2*f^2 - b^2*c*d*f*e + a*b*d^2*f*e}) * b^4*d) - 2*(\sqrt{d*f}*C*a^2*b*c^2*d*f^2*abs(d) - \sqrt{d*f}*B*a*b^2*c^2*d*f^2*abs(d) + \sqrt{d*f}*A*b^3*c^2*d*f^2*abs(d) - 2*\sqrt{d*f}*C*a^2*b*c*d^2*f*abs(d)*e + 2*\sqrt{d*f}*B*a*b^2*c*d^2*f*abs(d)*e - 2*\sqrt{d*f}*A*b^3*c*d^2*f*abs(d)*e - \sqrt{d*f}*(\sqrt{d*f}*\sqrt{d*x + c} - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e})^2*C*a^2*b*c*f*abs(d) + \sqrt{d*f}*(\sqrt{d*f}*\sqrt{d*x + c} - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e})^2*B*a*b^2*c*f*abs(d) - \sqrt{d*f}*(\sqrt{d*f}*\sqrt{d*x + c} - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e})^2*A*b^3*c*f*abs(d) + 2*\sqrt{d*f}*(\sqrt{d*f}*\sqrt{d*x + c} - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e})^2*C*a^3*d*f*abs(d) - 2*\sqrt{d*f}*(\sqrt{d*f}*\sqrt{d*x + c} - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e})^2*B*a^2*b*d*f*abs(d) + 2*\sqrt{d*f}*(\sqrt{d*f}*\sqrt{d*x + c} - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e})^2*A*a*b^2*d*f*abs(d) + \sqrt{d*f}*C*a^2*b*d^3*abs(d)*e^2 - \sqrt{d*f}*B*a*b^2*d^3*abs(d)*e^2 + \sqrt{d*f}*A*b^3*d^3*abs(d)*e^2 - \sqrt{d*f}*(\sqrt{d*f}*\sqrt{d*x + c} - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e})^2*C*a^2*b*d*abs(d)*e + \sqrt{d*f}*(\sqrt{d*f}*\sqrt{d*x + c} - \sqrt{(d*x + c)*d*f - c$$

$$\begin{aligned} & *d*f + d^2*e))^2*B*a*b^2*d*abs(d)*e - \text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \\ & \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e))^2*A*b^3*d*abs(d)*e)/((b*c^2*d^2*f^2 - \\ & 2*b*c*d^3*f*e - 2*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d \\ & ^2*e))^2*b*c*d*f + 4*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f \\ & + d^2*e))^2*a*d^2*f + b*d^4*e^2 - 2*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + \\ & c)*d*f - c*d*f + d^2*e))^2*b*d^2*e + (\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + \\ & c)*d*f - c*d*f + d^2*e))^4*b)*b^4) + 1/8*(\text{sqrt}(d*f)*C*b^2*c^2*f^2*abs(d) + \\ & 8*\text{sqrt}(d*f)*C*a*b*c*d*f^2*abs(d) - 4*\text{sqrt}(d*f)*B*b^2*c*d*f^2*abs(d) - 24*s \\ & \text{qrt}(d*f)*C*a^2*d^2*f^2*abs(d) + 16*\text{sqrt}(d*f)*B*a*b*d^2*f^2*abs(d) - 8*\text{sqrt}(\\ & d*f)*A*b^2*d^2*f^2*abs(d) - 2*\text{sqrt}(d*f)*C*b^2*c*d*f*abs(d)*e + 8*\text{sqrt}(d*f)* \\ & C*a*b*d^2*f*abs(d)*e - 4*\text{sqrt}(d*f)*B*b^2*d^2*f*abs(d)*e + \text{sqrt}(d*f)*C*b^2*d \\ & ^2*abs(d)*e^2)*\log((\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + \\ & d^2*e))^2)/(b^4*d^3*f^2) \end{aligned}$$

maple [B] time = 0.05, size = 5051, normalized size = 9.69

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2)/(b*x+a)^2,x)`

[Out] result too large to display

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2)/(b*x+a)^2,x, algorithm="maxima")`

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(2*a*d*f-b*c*f>0)', see `assume?` for more details)Is 2*a*d*f-b*c*f -b*d
*e zero or nonzero?

mupad [F(-1)] time = 0.00, size = -1, normalized size = -0.00

Hanged

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((e + f*x)^(1/2)*(c + d*x)^(1/2)*(A + B*x + C*x^2))/(a + b*x)^2,x)`

[Out] `\text{Hanged}`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x**2+B*x+A)*(d*x+c)**(1/2)*(f*x+e)**(1/2)/(b*x+a)**2,x)

[Out] Timed out

$$3.46 \quad \int \frac{\sqrt{c+dx} \sqrt{e+fx} (A+Bx+Cx^2)}{(a+bx)^3} dx$$

Optimal. Leaf size=658

$$\frac{\sqrt{c+dx} \sqrt{e+fx} (12a^3 C d f^2 - a^2 b f (4 B d f + 11 c C f + 17 C d e) + a b^2 (B f (3 c f + 5 d e) + 4 C e (4 c f + d e)) - b^3 (c - a d))}{4 b^3 (b c - a d) (b e - a f)^2}$$

[Out] $-1/2*(A*b^2-a*(B*b-C*a))*(d*x+c)^{(3/2)}*(f*x+e)^{(3/2)}/b/(-a*d+b*c)/(-a*f+b*e)/(b*x+a)^2-1/4*(24*a^4*C*d^2*f^2-3*a*b^3*(B*d^2*e^2+c^2*f*(B*f+8*C*e))+2*c*d*e*(3*B*f+4*C*e))-8*a^3*b*d*f*(B*d*f+5*C*(c*f+d*e))-b^4*(A*d^2*e^2-2*c*d*e*(A*f+2*B*e)-c^2*(-A*f^2+4*B*e*f+8*C*e^2))+3*a^2*b^2*(4*B*d*f*(c*f+d*e)+C*(5*c^2*f^2+22*c*d*e*f+5*d^2*e^2))*\operatorname{arctanh}((-a*f+b*e)^{(1/2)}*(d*x+c)^{(1/2)}/(-a*d+b*c)^{(1/2)}/(f*x+e)^{(1/2)})/b^4/(-a*d+b*c)^{(3/2)}/(-a*f+b*e)^{(3/2)}-(6*a*C*d*f-b*(2*B*d*f+C*c*f+C*d*e))*\operatorname{arctanh}(f^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)}/(f*x+e)^{(1/2)})/b^4/d^{(1/2)}/f^{(1/2)}+1/4*(6*a^3*C*d*f-b^3*(-A*c*f-A*d*e+4*B*c*e)+a*b^2*(-2*A*d*f+3*B*c*f+3*B*d*e+8*C*c*e)-a^2*b*(2*B*d*f+7*C*(c*f+d*e)))*(f*x+e)^{(3/2)}*(d*x+c)^{(1/2)}/b^2/(-a*d+b*c)/(-a*f+b*e)^2/(b*x+a)-1/4*(12*a^3*C*d*f^2-a^2*b*f*(4*B*d*f+11*C*c*f+17*C*d*e)+a*b^2*(B*f*(3*c*f+5*d*e)+4*C*e*(4*c*f+d*e))-b^3*(A*d*e*f+c*(-A*f^2+4*B*e*f+4*C*e^2)))*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/b^3/(-a*d+b*c)/(-a*f+b*e)^2$

Rubi [A] time = 2.68, antiderivative size = 657, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {1613, 149, 154, 157, 63, 217, 206, 93, 208}

$$\tanh^{-1} \left(\frac{\sqrt{c+dx} \sqrt{be-af}}{\sqrt{e+fx} \sqrt{bc-ad}} \right) (3a^2 b^2 (4Bdf(cf+de) + C(5c^2 f^2 + 22cdef + 5d^2 e^2)) - 8a^3 bdf(Bdf + 5C(cf+de)) + 2$$

$4b^4($

Antiderivative was successfully verified.

[In] Int[(Sqrt[c + d*x]*Sqrt[e + f*x]*(A + B*x + C*x^2))/(a + b*x)^3,x]

[Out] $-((12*a^3*C*d*f^2 - a^2*b*f*(17*C*d*e + 11*c*C*f + 4*B*d*f) - b^3*(4*c*C*e^2 + A*d*e*f + c*f*(4*B*e - A*f)) + a*b^2*(B*f*(5*d*e + 3*c*f) + 4*C*e*(d*e + 4*c*f)))*\operatorname{Sqrt}[c + d*x]*\operatorname{Sqrt}[e + f*x])/((4*b^3*(b*c - a*d)*(b*e - a*f)^2 + ((6*a^3*C*d*f - b^3*(4*B*c*e - A*d*e - A*c*f) + a*b^2*(8*c*C*e + 3*B*d*e + 3*B*c*f - 2*A*d*f) - a^2*b*(2*B*d*f + 7*C*(d*e + c*f)))*\operatorname{Sqrt}[c + d*x]*(e + f*x)^{(3/2)})/(4*b^2*(b*c - a*d)*(b*e - a*f)^2*(a + b*x)) - ((A*b^2 - a*(b*B - a*C))*(c + d*x)^{(3/2)}*(e + f*x)^{(3/2)})/(2*b*(b*c - a*d)*(b*e - a*f)*(a + b*x)^2) - ((6*a*C*d*f - b*(C*d*e + c*C*f + 2*B*d*f))*\operatorname{ArcTanh}[(\operatorname{Sqrt}[f]*\operatorname{Sqrt}[c + d*x])/(\operatorname{Sqrt}[d]*\operatorname{Sqrt}[e + f*x])])/(b^4*\operatorname{Sqrt}[d]*\operatorname{Sqrt}[f]) - ((24*a^4*C*d^2$

$$\begin{aligned} & *f^2 - 3*a*b^3*(B*d^2*e^2 + c^2*f*(8*C*e + B*f) + 2*c*d*e*(4*C*e + 3*B*f)) \\ & - 8*a^3*b*d*f*(B*d*f + 5*C*(d*e + c*f)) - b^4*(A*d^2*e^2 - 2*c*d*e*(2*B*e + \\ & A*f) - c^2*(8*C*e^2 + 4*B*e*f - A*f^2)) + 3*a^2*b^2*(4*B*d*f*(d*e + c*f) + \\ & C*(5*d^2*e^2 + 22*c*d*e*f + 5*c^2*f^2))*ArcTanh[(Sqrt[b*e - a*f]*Sqrt[c + \\ & d*x])/(Sqrt[b*c - a*d]*Sqrt[e + f*x])]/(4*b^4*(b*c - a*d)^(3/2)*(b*e - a* \\ & f)^(3/2)) \end{aligned}$$

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 93

```
Int[(((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x
_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 149

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_)
)^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[((b*g - a*h)*(a + b*x)^(m +
1)*(c + d*x)^n*(e + f*x)^(p + 1))/(b*(b*e - a*f)*(m + 1)), x] - Dist[1/(b*(
b*e - a*f)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^(n - 1)*(e + f*x)^p*Si
mp[b*c*(f*g - e*h)*(m + 1) + (b*g - a*h)*(d*e*n + c*f*(p + 1)) + d*(b*(f*g
- e*h)*(m + 1) + f*(b*g - a*h)*(n + p + 1))*x, x], x] /; FreeQ[{a, b, c
, d, e, f, g, h, p}, x] && LtQ[m, -1] && GtQ[n, 0] && IntegerQ[m]
```

Rule 154

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_)
)^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[(h*(a + b*x)^m*(c + d*x)^(n
+ 1)*(e + f*x)^(p + 1))/(d*f*(m + n + p + 2)), x] + Dist[1/(d*f*(m + n + p
+ 2)), Int[(a + b*x)^(m - 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*g*(m + n +
p + 2) - h*(b*c*e*m + a*(d*e*(n + 1) + c*f*(p + 1))) + (b*d*f*g*(m + n + p
+ 2) + h*(a*d*f*m - b*(d*e*(m + n + 1) + c*f*(m + p + 1)))]*x, x], x] /
; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p +
2, 0] && IntegersQ[2*m, 2*n, 2*p]
```

Rule 157

```
Int[(((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)))/((a_.) + (b_.)*(x_)), x_Symbol] := Dist[h/b, Int[(c + d*x)^n*(e + f*x)^p, x], x] + Dist[(b*g - a*h)/b, Int[((c + d*x)^n*(e + f*x)^p)/(a + b*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 1613

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] := With[{Qx = PolynomialQuotient[Px, a + b*x, x], R = PolynomialRemainder[Px, a + b*x, x]}, Simp[(b*R*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*ExpandToSum[(m + 1)*(b*c - a*d)*(b*e - a*f)*Qx + a*d*f*R*(m + 1) - b*R*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*R*(m + n + p + 3)*x, x], x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && PolyQ[Px, x] && ILtQ[m, -1] && IntegersQ[2*m, 2*n, 2*p]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{c+dx} \sqrt{e+fx} (A+Bx+Cx^2)}{(a+bx)^3} dx &= -\frac{(Ab^2 - a(bB - aC))(c+dx)^{3/2}(e+fx)^{3/2}}{2b(bc-ad)(be-af)(a+bx)^2} - \int \frac{\sqrt{c+dx} \sqrt{e+fx} \left(-\frac{3a^2C(de+)}{\dots}\right)}{\dots} \\
&= \frac{(6a^3Cdf - b^3(4Bce - Ade - Acf) + ab^2(8cCe + 3Bde + 3Bcf - 2Aa)}{4b^2(bc-ad)(be-af)^2} \\
&= -\frac{(12a^3Cdf^2 - a^2bf(17Cde + 11cCf + 4Bdf) - b^3(4cCe^2 + Adef + \dots)}{4b^3(bc - \dots)} \\
&= -\frac{(12a^3Cdf^2 - a^2bf(17Cde + 11cCf + 4Bdf) - b^3(4cCe^2 + Adef + \dots)}{4b^3(bc - \dots)} \\
&= -\frac{(12a^3Cdf^2 - a^2bf(17Cde + 11cCf + 4Bdf) - b^3(4cCe^2 + Adef + \dots)}{4b^3(bc - \dots)} \\
&= -\frac{(12a^3Cdf^2 - a^2bf(17Cde + 11cCf + 4Bdf) - b^3(4cCe^2 + Adef + \dots)}{4b^3(bc - \dots)} \\
&= -\frac{(12a^3Cdf^2 - a^2bf(17Cde + 11cCf + 4Bdf) - b^3(4cCe^2 + Adef + \dots)}{4b^3(bc - \dots)}
\end{aligned}$$

Mathematica [B] time = 6.44, size = 2150, normalized size = 3.27

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(Sqrt[c + d*x]*Sqrt[e + f*x]*(A + B*x + C*x^2))/(a + b*x)^3,x]

[Out] $-1/2*((A*b^2 - a*(b*B - a*C))*Sqrt[c + d*x]*(e + f*x)^{(3/2)})/(b^2*(b*e - a*f)*(a + b*x)^2) - ((b*B - 2*a*C)*(c + d*x)^{(3/2)}*(e + f*x)^{(3/2)})/(b*(b*c - a*d)*(b*e - a*f)*(a + b*x)) + (2*C*Sqrt[c + d*x]*Sqrt[e + f*x]*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^{(3/2)}*(1/(2*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))))) + (Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)])$

$$\begin{aligned}
& f)] * \text{ArcSinh}[\frac{\sqrt{d} * \sqrt{f} * \sqrt{c + d * x}}{(\sqrt{d * e - c * f} * \sqrt{(d^2 * e) / (d * e - c * f) - (c * d * f) / (d * e - c * f)})}] / (2 * \sqrt{d} * \sqrt{f} * \sqrt{c + d * x} * (1 + \\
& (d * f * (c + d * x)) / ((d * e - c * f) * ((d^2 * e) / (d * e - c * f) - (c * d * f) / (d * e - c * f))))^{(3/2)})) / (b^3 * \sqrt{d / ((d^2 * e) / (d * e - c * f) - (c * d * f) / (d * e - c * f))} * \sqrt{(d * (e + f * x)) / (d * e - c * f)}) + (2 * C * (b * c - a * d) * ((\sqrt{f} * \sqrt{d * e - c * f} * \sqrt{(d * (e + f * x)) / (d * e - c * f)}) * \text{ArcSinh}[\frac{\sqrt{f} * \sqrt{c + d * x}}{\sqrt{d * e - c * f}}]) \\
& / (b * d * \sqrt{e + f * x}) - (\sqrt{-(b * e) + a * f} * \text{ArcTanh}[\frac{\sqrt{-(b * e) + a * f} * \sqrt{c + d * x}}{(\sqrt{-(b * c) + a * d} * \sqrt{e + f * x})}]) / (b * \sqrt{-(b * c) + a * d}))) / b^3 - ((A * b^2 - a * (b * B - a * C)) * (d * e - c * f) * ((\sqrt{c + d * x} * \sqrt{e + f * x}) / ((b * c - a * d) * (a + b * x)) - ((d * e - c * f) * \text{ArcTanh}[\frac{\sqrt{-(b * e) + a * f} * \sqrt{c + d * x}}{(\sqrt{-(b * c) + a * d} * \sqrt{e + f * x})}]) / ((-(b * c) + a * d)^{(3/2)} * \sqrt{-(b * e) + a * f}))) / (4 * b^2 * (b * e - a * f)) - ((b * B - 2 * a * C) * ((-4 * f * (c + d * x))^{(3/2)} * \sqrt{e + f * x} * (1 + (d * f * (c + d * x)) / ((d * e - c * f) * ((d^2 * e) / (d * e - c * f) - (c * d * f) / (d * e - c * f))))^{(3/2)} * (3 / (4 * (1 + (d * f * (c + d * x)) / ((d * e - c * f) * ((d^2 * e) / (d * e - c * f) - (c * d * f) / (d * e - c * f)))))) + (3 * (d * e - c * f)^2 * ((d^2 * e) / (d * e - c * f) - (c * d * f) / (d * e - c * f))^2 * ((2 * d * f * (c + d * x)) / ((d * e - c * f) * ((d^2 * e) / (d * e - c * f) - (c * d * f) / (d * e - c * f))) - (2 * \sqrt{d} * \sqrt{f} * \sqrt{c + d * x} * \text{ArcSinh}[\frac{\sqrt{d} * \sqrt{f} * \sqrt{c + d * x}}{(\sqrt{d * e - c * f} * \sqrt{(d^2 * e) / (d * e - c * f) - (c * d * f) / (d * e - c * f)})}] / (\sqrt{d * e - c * f} * \sqrt{(d^2 * e) / (d * e - c * f) - (c * d * f) / (d * e - c * f)}) * \sqrt{1 + (d * f * (c + d * x)) / ((d * e - c * f) * ((d^2 * e) / (d * e - c * f) - (c * d * f) / (d * e - c * f))})) / (16 * d^2 * f^2 * (c + d * x)^2 * (1 + (d * f * (c + d * x)) / ((d * e - c * f) * ((d^2 * e) / (d * e - c * f) - (c * d * f) / (d * e - c * f))))) / (3 * \sqrt{d / ((d^2 * e) / (d * e - c * f) - (c * d * f) / (d * e - c * f))} * \sqrt{(d * (e + f * x)) / (d * e - c * f)}) + ((2 * a * b * d * f + (b * (-2 * a * d * f - b * (d * e + c * f))) / 2) * ((2 * \sqrt{c + d * x} * \sqrt{e + f * x} * (1 + (d * f * (c + d * x)) / ((d * e - c * f) * ((d^2 * e) / (d * e - c * f) - (c * d * f) / (d * e - c * f))))^{(3/2)} * (1 / (2 * (1 + (d * f * (c + d * x)) / ((d * e - c * f) * ((d^2 * e) / (d * e - c * f) - (c * d * f) / (d * e - c * f))))) + (\sqrt{d * e - c * f} * \sqrt{(d^2 * e) / (d * e - c * f) - (c * d * f) / (d * e - c * f)}) * \text{ArcSinh}[\frac{\sqrt{d} * \sqrt{f} * \sqrt{c + d * x}}{(\sqrt{d * e - c * f} * \sqrt{(d^2 * e) / (d * e - c * f) - (c * d * f) / (d * e - c * f)})}] / (2 * \sqrt{d} * \sqrt{f} * \sqrt{c + d * x} * (1 + (d * f * (c + d * x)) / ((d * e - c * f) * ((d^2 * e) / (d * e - c * f) - (c * d * f) / (d * e - c * f))))^{(3/2)})) / (b * \sqrt{d / ((d^2 * e) / (d * e - c * f) - (c * d * f) / (d * e - c * f))} * \sqrt{(d * (e + f * x)) / (d * e - c * f)}) - ((-(b * c) + a * d) * ((2 * \sqrt{f} * \sqrt{d * e - c * f} * \sqrt{d / ((d^2 * e) / (d * e - c * f) - (c * d * f) / (d * e - c * f))} * \sqrt{(d^2 * e) / (d * e - c * f) - (c * d * f) / (d * e - c * f)} * \sqrt{(d * (e + f * x)) / (d * e - c * f)}) * \text{ArcSinh}[\frac{\sqrt{d} * \sqrt{f} * \sqrt{c + d * x}}{(\sqrt{d * e - c * f} * \sqrt{(d^2 * e) / (d * e - c * f) - (c * d * f) / (d * e - c * f)})}] / (b * d^{(3/2)} * \sqrt{e + f * x}) - (2 * \sqrt{-(b * e) + a * f} * \text{ArcTanh}[\frac{\sqrt{-(b * e) + a * f} * \sqrt{c + d * x}}{(\sqrt{-(b * c) + a * d} * \sqrt{e + f * x})}]) / (b * \sqrt{-(b * c) + a * d}))) / b)) / b)) / (b^2 * (b * c - a * d) * (b * e - a * f))
\end{aligned}$$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2)/(b*x+a)^3,x, algorithm=

"fricas")

[Out] Timed out

giac [B] time = 39.57, size = 8347, normalized size = 12.69

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2)/(b*x+a)^3,x, algorithm="giac")

[Out]
$$\frac{1}{4} \cdot (15 \sqrt{d \cdot f} \cdot C \cdot a^2 \cdot b^2 \cdot c^2 \cdot f^2 \cdot \text{abs}(d) - 3 \sqrt{d \cdot f} \cdot B \cdot a \cdot b^3 \cdot c^2 \cdot f^2 \cdot \text{abs}(d) - \sqrt{d \cdot f} \cdot A \cdot b^4 \cdot c^2 \cdot f^2 \cdot \text{abs}(d) - 40 \sqrt{d \cdot f} \cdot C \cdot a^3 \cdot b \cdot c \cdot d \cdot f^2 \cdot \text{abs}(d) + 12 \sqrt{d \cdot f} \cdot B \cdot a^2 \cdot b^2 \cdot c \cdot d \cdot f^2 \cdot \text{abs}(d) + 24 \sqrt{d \cdot f} \cdot C \cdot a^4 \cdot d^2 \cdot f^2 \cdot \text{abs}(d) - 8 \sqrt{d \cdot f} \cdot B \cdot a^3 \cdot b \cdot d^2 \cdot f^2 \cdot \text{abs}(d) - 24 \sqrt{d \cdot f} \cdot C \cdot a \cdot b^3 \cdot c^2 \cdot f \cdot \text{abs}(d) \cdot e + 4 \sqrt{d \cdot f} \cdot B \cdot b^4 \cdot c^2 \cdot f \cdot \text{abs}(d) \cdot e + 66 \sqrt{d \cdot f} \cdot C \cdot a^2 \cdot b^2 \cdot c \cdot d \cdot f \cdot \text{abs}(d) \cdot e - 18 \sqrt{d \cdot f} \cdot B \cdot a \cdot b^3 \cdot c \cdot d \cdot f \cdot \text{abs}(d) \cdot e + 2 \sqrt{d \cdot f} \cdot A \cdot b^4 \cdot c \cdot d \cdot f \cdot \text{abs}(d) \cdot e - 40 \sqrt{d \cdot f} \cdot C \cdot a^3 \cdot b \cdot d^2 \cdot f \cdot \text{abs}(d) \cdot e + 12 \sqrt{d \cdot f} \cdot B \cdot a^2 \cdot b^2 \cdot d^2 \cdot f \cdot \text{abs}(d) \cdot e + 8 \sqrt{d \cdot f} \cdot C \cdot b^4 \cdot c^2 \cdot \text{abs}(d) \cdot e^2 - 24 \sqrt{d \cdot f} \cdot C \cdot a \cdot b^3 \cdot c \cdot d \cdot \text{abs}(d) \cdot e^2 + 4 \sqrt{d \cdot f} \cdot B \cdot b^4 \cdot c \cdot d \cdot \text{abs}(d) \cdot e^2 + 15 \sqrt{d \cdot f} \cdot C \cdot a^2 \cdot b^2 \cdot d^2 \cdot \text{abs}(d) \cdot e^2 - 3 \sqrt{d \cdot f} \cdot B \cdot a \cdot b^3 \cdot d^2 \cdot \text{abs}(d) \cdot e^2 - \sqrt{d \cdot f} \cdot A \cdot b^4 \cdot d^2 \cdot \text{abs}(d) \cdot e^2) \cdot \arctan\left(\frac{-1/2 \cdot (b \cdot c \cdot d \cdot f - 2 \cdot a \cdot d^2 \cdot f + b \cdot d^2 \cdot e - (\sqrt{d \cdot f} \cdot \sqrt{d \cdot x + c}) - \sqrt{(d \cdot x + c) \cdot d \cdot f - c \cdot d \cdot f + d^2 \cdot e})^2 \cdot b)}{(\sqrt{a \cdot b \cdot c \cdot d \cdot f^2 - a^2 \cdot d^2 \cdot f^2 - b^2 \cdot c \cdot d \cdot f \cdot e + a \cdot b \cdot d^2 \cdot f \cdot e}) \cdot d}\right) / ((a \cdot b^5 \cdot c \cdot f - a^2 \cdot b^4 \cdot d \cdot f - b^6 \cdot c \cdot e + a \cdot b^5 \cdot d \cdot e) \cdot \sqrt{a \cdot b \cdot c \cdot d \cdot f^2 - a^2 \cdot d^2 \cdot f^2 - b^2 \cdot c \cdot d \cdot f \cdot e + a \cdot b \cdot d^2 \cdot f \cdot e}) \cdot d) + 1/2 \cdot (9 \sqrt{d \cdot f} \cdot C \cdot a^2 \cdot b^3 \cdot c^5 \cdot d^3 \cdot f^5 \cdot \text{abs}(d) - 5 \sqrt{d \cdot f} \cdot B \cdot a \cdot b^4 \cdot c^5 \cdot d^3 \cdot f^5 \cdot \text{abs}(d) + \sqrt{d \cdot f} \cdot A \cdot b^5 \cdot c^5 \cdot d^3 \cdot f^5 \cdot \text{abs}(d) - 10 \sqrt{d \cdot f} \cdot C \cdot a^3 \cdot b^2 \cdot c^4 \cdot d^4 \cdot f^5 \cdot \text{abs}(d) + 6 \sqrt{d \cdot f} \cdot B \cdot a^2 \cdot b^3 \cdot c^4 \cdot d^4 \cdot f^5 \cdot \text{abs}(d) - 2 \sqrt{d \cdot f} \cdot A \cdot a \cdot b^4 \cdot c^4 \cdot d^4 \cdot f^5 \cdot \text{abs}(d) - 8 \sqrt{d \cdot f} \cdot C \cdot a \cdot b^4 \cdot c^5 \cdot d^3 \cdot f^4 \cdot \text{abs}(d) \cdot e + 4 \sqrt{d \cdot f} \cdot B \cdot b^5 \cdot c^5 \cdot d^3 \cdot f^4 \cdot \text{abs}(d) \cdot e - 27 \sqrt{d \cdot f} \cdot C \cdot a^2 \cdot b^3 \cdot c^4 \cdot d^4 \cdot f^4 \cdot \text{abs}(d) \cdot e + 15 \sqrt{d \cdot f} \cdot B \cdot a \cdot b^4 \cdot c^4 \cdot d^4 \cdot f^4 \cdot \text{abs}(d) \cdot e - 3 \sqrt{d \cdot f} \cdot A \cdot b^5 \cdot c^4 \cdot d^4 \cdot f^4 \cdot \text{abs}(d) \cdot e + 40 \sqrt{d \cdot f} \cdot C \cdot a^3 \cdot b^2 \cdot c^3 \cdot d^5 \cdot f^4 \cdot \text{abs}(d) \cdot e - 24 \sqrt{d \cdot f} \cdot B \cdot a^2 \cdot b^3 \cdot c^3 \cdot d^5 \cdot f^4 \cdot \text{abs}(d) \cdot e + 8 \sqrt{d \cdot f} \cdot A \cdot a \cdot b^4 \cdot c^3 \cdot d^5 \cdot f^4 \cdot \text{abs}(d) \cdot e - 27 \sqrt{d \cdot f} \cdot (\sqrt{d \cdot f} \cdot \sqrt{d \cdot x + c}) - \sqrt{(d \cdot x + c) \cdot d \cdot f - c \cdot d \cdot f + d^2 \cdot e})^2 \cdot C \cdot a^2 \cdot b^3 \cdot c^4 \cdot d^2 \cdot f^4 \cdot \text{abs}(d) + 15 \sqrt{d \cdot f} \cdot (\sqrt{d \cdot f} \cdot \sqrt{d \cdot x + c}) - \sqrt{(d \cdot x + c) \cdot d \cdot f - c \cdot d \cdot f + d^2 \cdot e})^2 \cdot B \cdot a \cdot b^4 \cdot c^4 \cdot d^2 \cdot f^4 \cdot \text{abs}(d) - 3 \sqrt{d \cdot f} \cdot (\sqrt{d \cdot f} \cdot \sqrt{d \cdot x + c}) - \sqrt{(d \cdot x + c) \cdot d \cdot f - c \cdot d \cdot f + d^2 \cdot e})^2 \cdot A \cdot b^5 \cdot c^4 \cdot d^2 \cdot f^4 \cdot \text{abs}(d) + 80 \sqrt{d \cdot f} \cdot (\sqrt{d \cdot f} \cdot \sqrt{d \cdot x + c}) - \sqrt{(d \cdot x + c) \cdot d \cdot f - c \cdot d \cdot f + d^2 \cdot e})^2 \cdot C \cdot a^3 \cdot b^2 \cdot c^3 \cdot d^3 \cdot f^4 \cdot \text{abs}(d) - 44 \sqrt{d \cdot f} \cdot (\sqrt{d \cdot f} \cdot \sqrt{d \cdot x + c}) - \sqrt{(d \cdot x + c) \cdot d \cdot f - c \cdot d \cdot f + d^2 \cdot e})^2 \cdot B \cdot a^2 \cdot b^3 \cdot c^3 \cdot d^3 \cdot f^4 \cdot \text{abs}(d) + 8 \sqrt{d \cdot f} \cdot (\sqrt{d \cdot f} \cdot \sqrt{d \cdot x + c}) - \sqrt{(d \cdot x + c) \cdot d \cdot f - c \cdot d \cdot f + d^2 \cdot e})^2 \cdot A \cdot a \cdot b^4 \cdot c^3 \cdot d^3 \cdot f^4 \cdot \text{abs}(d) - 56 \sqrt{d \cdot f} \cdot (\sqrt{d \cdot f} \cdot \sqrt{d \cdot x + c}) - \sqrt{(d \cdot x + c) \cdot d \cdot f - c \cdot d \cdot f + d^2 \cdot e})^2 \cdot C \cdot a^4 \cdot b \cdot c^2 \cdot d^4 \cdot f^4 \cdot \text{abs}(d) + 32 \sqrt{d \cdot f} \cdot (\sqrt{d \cdot f} \cdot \sqrt{d \cdot x + c}) - \sqrt{(d \cdot x + c) \cdot d \cdot f - c \cdot d \cdot f + d^2 \cdot e})^2$$

$$\begin{aligned}
& e))^{2*B*a^3*b^2*c^2*d^4*f^4*abs(d) - 8*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - \\
& \quad sqrt((d*x + c)*d*f - c*d*f + d^2*e))^{2*A*a^2*b^3*c^2*d^4*f^4*abs(d) + 32*s \\
& \quad qrt(d*f)*C*a*b^4*c^4*d^4*f^3*abs(d)*e^2 - 16*sqrt(d*f)*B*b^5*c^4*d^4*f^3*ab \\
& \quad s(d)*e^2 + 18*sqrt(d*f)*C*a^2*b^3*c^3*d^5*f^3*abs(d)*e^2 - 10*sqrt(d*f)*B*a \\
& \quad *b^4*c^3*d^5*f^3*abs(d)*e^2 + 2*sqrt(d*f)*A*b^5*c^3*d^5*f^3*abs(d)*e^2 - 60 \\
& \quad *sqrt(d*f)*C*a^3*b^2*c^2*d^6*f^3*abs(d)*e^2 + 36*sqrt(d*f)*B*a^2*b^3*c^2*d^ \\
& \quad 6*f^3*abs(d)*e^2 - 12*sqrt(d*f)*A*a*b^4*c^2*d^6*f^3*abs(d)*e^2 + 24*sqrt(d* \\
& \quad f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^{2*C*a*b^ \\
& \quad 4*c^4*d^2*f^3*abs(d)*e - 12*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x \\
& \quad + c)*d*f - c*d*f + d^2*e))^{2*B*b^5*c^4*d^2*f^3*abs(d)*e - 44*sqrt(d*f)*(sqr \\
& \quad t(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^{2*C*a^2*b^3*c^3 \\
& \quad *d^3*f^3*abs(d)*e + 20*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)* \\
& \quad d*f - c*d*f + d^2*e))^{2*B*a*b^4*c^3*d^3*f^3*abs(d)*e + 4*sqrt(d*f)*(sqrt(d* \\
& \quad f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^{2*A*b^5*c^3*d^3*f^3 \\
& \quad *abs(d)*e - 80*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c* \\
& \quad d*f + d^2*e))^{2*C*a^3*b^2*c^2*d^4*f^3*abs(d)*e + 44*sqrt(d*f)*(sqrt(d*f)*sq \\
& \quad rt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^{2*B*a^2*b^3*c^2*d^4*f^3* \\
& \quad abs(d)*e - 8*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d* \\
& \quad f + d^2*e))^{2*A*a*b^4*c^2*d^4*f^3*abs(d)*e + 112*sqrt(d*f)*(sqrt(d*f)*sqrt(\\
& \quad d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^{2*C*a^4*b*c*d^5*f^3*abs(d)* \\
& \quad e - 64*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^ \\
& \quad 2*e))^{2*B*a^3*b^2*c*d^5*f^3*abs(d)*e + 16*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c \\
& \quad) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^{2*A*a^2*b^3*c*d^5*f^3*abs(d)*e + 2 \\
& \quad 7*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e)) \\
& \quad ^4*C*a^2*b^3*c^3*d*f^3*abs(d) - 15*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqr \\
& \quad t((d*x + c)*d*f - c*d*f + d^2*e))^{4*B*a*b^4*c^3*d*f^3*abs(d) + 3*sqrt(d*f)* \\
& \quad (sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^{4*A*b^5*c^3 \\
& \quad *d*f^3*abs(d) - 102*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f \\
& \quad - c*d*f + d^2*e))^{4*C*a^3*b^2*c^2*d^2*f^3*abs(d) + 58*sqrt(d*f)*(sqrt(d*f) \\
& \quad *sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^{4*B*a^2*b^3*c^2*d^2*f \\
& \quad ^3*abs(d) - 14*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c* \\
& \quad d*f + d^2*e))^{4*A*a*b^4*c^2*d^2*f^3*abs(d) + 152*sqrt(d*f)*(sqrt(d*f)*sqrt(\\
& \quad d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^{4*C*a^4*b*c*d^3*f^3*abs(d) \\
& \quad - 88*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2* \\
& \quad e))^{4*B*a^3*b^2*c*d^3*f^3*abs(d) + 24*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - \\
& \quad sqrt((d*x + c)*d*f - c*d*f + d^2*e))^{4*A*a^2*b^3*c*d^3*f^3*abs(d) - 80*sqrt \\
& \quad (d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^{4*C*a \\
& \quad ^5*d^4*f^3*abs(d) + 48*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)* \\
& \quad d*f - c*d*f + d^2*e))^{4*B*a^4*b*d^4*f^3*abs(d) - 16*sqrt(d*f)*(sqrt(d*f)*sq \\
& \quad rt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^{4*A*a^3*b^2*d^4*f^3*abs(\\
& \quad d) - 48*sqrt(d*f)*C*a*b^4*c^3*d^5*f^2*abs(d)*e^3 + 24*sqrt(d*f)*B*b^5*c^3*d \\
& \quad ^5*f^2*abs(d)*e^3 + 18*sqrt(d*f)*C*a^2*b^3*c^2*d^6*f^2*abs(d)*e^3 - 10*sqrt \\
& \quad (d*f)*B*a*b^4*c^2*d^6*f^2*abs(d)*e^3 + 2*sqrt(d*f)*A*b^5*c^2*d^6*f^2*abs(d) \\
& \quad *e^3 + 40*sqrt(d*f)*C*a^3*b^2*c*d^7*f^2*abs(d)*e^3 - 24*sqrt(d*f)*B*a^2*b^3 \\
& \quad *c*d^7*f^2*abs(d)*e^3 + 8*sqrt(d*f)*A*a*b^4*c*d^7*f^2*abs(d)*e^3 - 24*sqrt(
\end{aligned}$$

$$\begin{aligned}
& d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2*C*a* \\
& b^4*c^3*d^3*f^2*abs(d)*e^2 + 12*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((\\
& d*x + c)*d*f - c*d*f + d^2*e))^2*B*b^5*c^3*d^3*f^2*abs(d)*e^2 + 142*sqrt(d* \\
& f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2*C*a^2* \\
& b^3*c^2*d^4*f^2*abs(d)*e^2 - 70*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((\\
& d*x + c)*d*f - c*d*f + d^2*e))^2*B*a*b^4*c^2*d^4*f^2*abs(d)*e^2 - 2*sqrt(d* \\
& f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2*A*b^5* \\
& c^2*d^4*f^2*abs(d)*e^2 - 80*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x \\
& + c)*d*f - c*d*f + d^2*e))^2*C*a^3*b^2*c*d^5*f^2*abs(d)*e^2 + 44*sqrt(d*f)* \\
& (sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2*B*a^2*b^3 \\
& *c*d^5*f^2*abs(d)*e^2 - 8*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + \\
& c)*d*f - c*d*f + d^2*e))^2*A*a*b^4*c*d^5*f^2*abs(d)*e^2 - 56*sqrt(d*f)*(sqr \\
& t(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2*C*a^4*b*d^6*f \\
& ^2*abs(d)*e^2 + 32*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f \\
& - c*d*f + d^2*e))^2*B*a^3*b^2*d^6*f^2*abs(d)*e^2 - 8*sqrt(d*f)*(sqrt(d*f)*s \\
& qrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2*A*a^2*b^3*d^6*f^2*abs \\
& (d)*e^2 - 24*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d* \\
& f + d^2*e))^4*C*a*b^4*c^3*d*f^2*abs(d)*e + 12*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x \\
& + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^4*B*b^5*c^3*d*f^2*abs(d)*e + 1 \\
& 09*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e) \\
&)^4*C*a^2*b^3*c^2*d^2*f^2*abs(d)*e - 57*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) \\
& - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^4*B*a*b^4*c^2*d^2*f^2*abs(d)*e + 5*s \\
& qrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^4* \\
& A*b^5*c^2*d^2*f^2*abs(d)*e - 228*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt(\\
& (d*x + c)*d*f - c*d*f + d^2*e))^4*C*a^3*b^2*c*d^3*f^2*abs(d)*e + 124*sqrt(d \\
& *f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^4*B*a^2 \\
& *b^3*c*d^3*f^2*abs(d)*e - 20*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x \\
& + c)*d*f - c*d*f + d^2*e))^4*A*a*b^4*c*d^3*f^2*abs(d)*e + 152*sqrt(d*f)*(s \\
& qrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^4*C*a^4*b*d^4 \\
& *f^2*abs(d)*e - 88*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f \\
& - c*d*f + d^2*e))^4*B*a^3*b^2*d^4*f^2*abs(d)*e + 24*sqrt(d*f)*(sqrt(d*f)*sq \\
& rt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^4*A*a^2*b^3*d^4*f^2*abs(\\
& d)*e - 9*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + \\
& d^2*e))^6*C*a^2*b^3*c^2*f^2*abs(d) + 5*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - \\
& sqrt((d*x + c)*d*f - c*d*f + d^2*e))^6*B*a*b^4*c^2*f^2*abs(d) - sqrt(d*f)* \\
& (sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^6*A*b^5*c^2 \\
& *f^2*abs(d) + 32*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - \\
& c*d*f + d^2*e))^6*C*a^3*b^2*c*d*f^2*abs(d) - 20*sqrt(d*f)*(sqrt(d*f)*sqrt(d \\
& *x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^6*B*a^2*b^3*c*d*f^2*abs(d) + \\
& 8*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e) \\
&)^6*A*a*b^4*c*d*f^2*abs(d) - 24*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((\\
& d*x + c)*d*f - c*d*f + d^2*e))^6*C*a^4*b*d^2*f^2*abs(d) + 16*sqrt(d*f)*(sqr \\
& t(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^6*B*a^3*b^2*d^2 \\
& *f^2*abs(d) - 8*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c \\
& *d*f + d^2*e))^6*A*a^2*b^3*d^2*f^2*abs(d) + 32*sqrt(d*f)*C*a*b^4*c^2*d^6*f*
\end{aligned}$$

$$\begin{aligned}
& \text{abs}(d)*e^4 - 16*\text{sqrt}(d*f)*B*b^5*c^2*d^6*f*\text{abs}(d)*e^4 - 27*\text{sqrt}(d*f)*C*a^2*b \\
& ^3*c*d^7*f*\text{abs}(d)*e^4 + 15*\text{sqrt}(d*f)*B*a*b^4*c*d^7*f*\text{abs}(d)*e^4 - 3*\text{sqrt}(d* \\
& f)*A*b^5*c*d^7*f*\text{abs}(d)*e^4 - 10*\text{sqrt}(d*f)*C*a^3*b^2*d^8*f*\text{abs}(d)*e^4 + 6*s \\
& \text{qrt}(d*f)*B*a^2*b^3*d^8*f*\text{abs}(d)*e^4 - 2*\text{sqrt}(d*f)*A*a*b^4*d^8*f*\text{abs}(d)*e^4 \\
& - 24*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2* \\
& e))^2*C*a*b^4*c^2*d^4*f*\text{abs}(d)*e^3 + 12*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) \\
& - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e))^2*B*b^5*c^2*d^4*f*\text{abs}(d)*e^3 - 44*\text{sq} \\
& \text{rt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e))^2*C \\
& *a^2*b^3*c*d^5*f*\text{abs}(d)*e^3 + 20*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt} \\
& (d*x + c)*d*f - c*d*f + d^2*e))^2*B*a*b^4*c*d^5*f*\text{abs}(d)*e^3 + 4*\text{sqrt}(d*f)* \\
& (\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e))^2*A*b^5*c*d \\
& ^5*f*\text{abs}(d)*e^3 + 80*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d* \\
& f - c*d*f + d^2*e))^2*C*a^3*b^2*d^6*f*\text{abs}(d)*e^3 - 44*\text{sqrt}(d*f)*(\text{sqrt}(d*f)* \\
& \text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e))^2*B*a^2*b^3*d^6*f*\text{abs} \\
& (d)*e^3 + 8*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f \\
& + d^2*e))^2*A*a*b^4*d^6*f*\text{abs}(d)*e^3 - 16*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c \\
&) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e))^4*C*a*b^4*c^2*d^2*f*\text{abs}(d)*e^2 + 8 \\
& *\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e))^ \\
& 4*B*b^5*c^2*d^2*f*\text{abs}(d)*e^2 + 109*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sq} \\
& \text{rt}((d*x + c)*d*f - c*d*f + d^2*e))^4*C*a^2*b^3*c*d^3*f*\text{abs}(d)*e^2 - 57*\text{sqrt} \\
& (d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e))^4*B*a* \\
& b^4*c*d^3*f*\text{abs}(d)*e^2 + 5*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + \\
& c)*d*f - c*d*f + d^2*e))^4*A*b^5*c*d^3*f*\text{abs}(d)*e^2 - 102*\text{sqrt}(d*f)*(\text{sqrt} \\
& (d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e))^4*C*a^3*b^2*d^4*f \\
& *\text{abs}(d)*e^2 + 58*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - \\
& c*d*f + d^2*e))^4*B*a^2*b^3*d^4*f*\text{abs}(d)*e^2 - 14*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt} \\
& (d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e))^4*A*a*b^4*d^4*f*\text{abs}(d)*e^2 \\
& + 8*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2* \\
& e))^6*C*a*b^4*c^2*f*\text{abs}(d)*e - 4*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt} \\
& (d*x + c)*d*f - c*d*f + d^2*e))^6*B*b^5*c^2*f*\text{abs}(d)*e - 38*\text{sqrt}(d*f)*(\text{sqrt} \\
& (d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e))^6*C*a^2*b^3*c*d* \\
& f*\text{abs}(d)*e + 22*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c \\
& *d*f + d^2*e))^6*B*a*b^4*c*d*f*\text{abs}(d)*e - 6*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + \\
& c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e))^6*A*b^5*c*d*f*\text{abs}(d)*e + 32*\text{sqrt} \\
& (d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e))^6*C*a \\
& ^3*b^2*d^2*f*\text{abs}(d)*e - 20*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + \\
& c)*d*f - c*d*f + d^2*e))^6*B*a^2*b^3*d^2*f*\text{abs}(d)*e + 8*\text{sqrt}(d*f)*(\text{sqrt}(d* \\
& f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e))^6*A*a*b^4*d^2*f*\text{abs} \\
& (d)*e - 8*\text{sqrt}(d*f)*C*a*b^4*c*d^7*\text{abs}(d)*e^5 + 4*\text{sqrt}(d*f)*B*b^5*c*d^7*\text{abs} \\
& (d)*e^5 + 9*\text{sqrt}(d*f)*C*a^2*b^3*d^8*\text{abs}(d)*e^5 - 5*\text{sqrt}(d*f)*B*a*b^4*d^8*\text{abs} \\
& (d)*e^5 + \text{sqrt}(d*f)*A*b^5*d^8*\text{abs}(d)*e^5 + 24*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x \\
& + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e))^2*C*a*b^4*c*d^5*\text{abs}(d)*e^4 - 1 \\
& 2*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e)) \\
& ^2*B*b^5*c*d^5*\text{abs}(d)*e^4 - 27*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d \\
& *x + c)*d*f - c*d*f + d^2*e))^2*C*a^2*b^3*d^6*\text{abs}(d)*e^4 + 15*\text{sqrt}(d*f)*(sq
\end{aligned}$$

$$\begin{aligned} & \text{rt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e))^2*B*a*b^4*d^6* \\ & \text{abs}(d)*e^4 - 3*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c* \\ & d*f + d^2*e))^2*A*b^5*d^6*\text{abs}(d)*e^4 - 24*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) \\ &) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e))^4*C*a*b^4*c*d^3*\text{abs}(d)*e^3 + 12*\text{sq} \\ & \text{rt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e))^4*B \\ & *b^5*c*d^3*\text{abs}(d)*e^3 + 27*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + \\ & c)*d*f - c*d*f + d^2*e))^4*C*a^2*b^3*d^4*\text{abs}(d)*e^3 - 15*\text{sqrt}(d*f)*(\text{sqrt}(d \\ & *f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e))^4*B*a*b^4*d^4*\text{abs}(\\ & d)*e^3 + 3*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f \\ & + d^2*e))^4*A*b^5*d^4*\text{abs}(d)*e^3 + 8*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - s \\ & \text{qrt}((d*x + c)*d*f - c*d*f + d^2*e))^6*C*a*b^4*c*d*\text{abs}(d)*e^2 - 4*\text{sqrt}(d*f)* \\ & (\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e))^6*B*b^5*c*d \\ & *\text{abs}(d)*e^2 - 9*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c \\ & *d*f + d^2*e))^6*C*a^2*b^3*d^2*\text{abs}(d)*e^2 + 5*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x \\ & + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e))^6*B*a*b^4*d^2*\text{abs}(d)*e^2 - \text{sqr} \\ & \text{t}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e))^6*A* \\ & b^5*d^2*\text{abs}(d)*e^2)/((a*b^5*c*f - a^2*b^4*d*f - b^6*c*e + a*b^5*d*e)*(b*c^2 \\ & *d^2*f^2 - 2*b*c*d^3*f*e - 2*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f \\ & - c*d*f + d^2*e))^2*b*c*d*f + 4*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d \\ & *f - c*d*f + d^2*e))^2*a*d^2*f + b*d^4*e^2 - 2*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - s \\ & \text{qrt}((d*x + c)*d*f - c*d*f + d^2*e))^2*b*d^2*e + (\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \\ & \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e))^4*b^2) + \text{sqrt}((d*x + c)*d*f - c*d*f + \\ & d^2*e)*\text{sqrt}(d*x + c)*C*\text{abs}(d)/(b^3*d^2) - 1/2*(\text{sqrt}(d*f)*C*b*c*f*\text{abs}(d) - \\ & 6*\text{sqrt}(d*f)*C*a*d*f*\text{abs}(d) + 2*\text{sqrt}(d*f)*B*b*d*f*\text{abs}(d) + \text{sqrt}(d*f)*C*b*d*a \\ & \text{bs}(d)*e)*\log((\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e) \\ &)^2)/(b^4*d^2*f) \end{aligned}$$

maple [B] time = 0.07, size = 12065, normalized size = 18.34

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((C*x^2+B*x+A)*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/(b*x+a)^3,x)$

[Out] result too large to display

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((C*x^2+B*x+A)*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/(b*x+a)^3,x, \text{algorithm}=\text{"maxima"})$

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume((a*d-b*c)>0)', see `assume?` for more details)Is (a*d-b*c) *(a*f-b*e) zero or nonzero?

mupad [F(-1)] time = 0.00, size = -1, normalized size = -0.00

Hanged

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(((e + f*x)^{(1/2)}*(c + d*x)^{(1/2)}*(A + B*x + C*x^2))/(a + b*x)^3, x)$

[Out] \text{Hanged}

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((C*x**2+B*x+A)*(d*x+c)**(1/2)*(f*x+e)**(1/2)/(b*x+a)**3, x)$

[Out] Timed out

$$3.47 \quad \int \frac{(a+bx)^2 \sqrt{c+dx} (A+Bx+Cx^2)}{\sqrt{e+fx}} dx$$

Optimal. Leaf size=1032

$$\frac{C(c+dx)^{3/2} \sqrt{e+fx} (a+bx)^3}{5bdf} - \frac{(4aCdf + b(9Cde + 7cCf - 10Bdf))(c+dx)^{3/2} \sqrt{e+fx} (a+bx)^2}{40bd^2 f^2} - \frac{(c+dx)^{3/2} \sqrt{e+fx}}{40bd^2 f^2}$$

[Out] $\frac{1}{128}(-c*f+d*e)*(16*a^2*d^2*f^2*(2*d*f*(-4*A*d*f+B*c*f+3*B*d*e)-C*(c^2*f^2+2*c*d*e*f+5*d^2*e^2))+4*a*b*d*f*(C*(5*c^3*f^3+9*c^2*d*e*f^2+15*c*d^2*e^2*f+35*d^3*e^3)+8*d*f*(2*A*d*f*(c*f+3*d*e)-B*(c^2*f^2+2*c*d*e*f+5*d^2*e^2)))-b^2*(C*(7*c^4*f^4+12*c^3*d*e*f^3+18*c^2*d^2*e^2*f^2+28*c*d^3*e^3*f+63*d^4*e^4)+2*d*f*(8*A*d*f*(c^2*f^2+2*c*d*e*f+5*d^2*e^2)-B*(5*c^3*f^3+9*c^2*d*e*f^2+15*c*d^2*e^2*f+35*d^3*e^3)))*\operatorname{arctanh}(f^{1/2}*(d*x+c)^{1/2}/d^{1/2}/(f*x+e)^{1/2})/d^{9/2}/f^{11/2}-1/40*(4*a*C*d*f+b*(-10*B*d*f+7*C*c*f+9*C*d*e))*(b*x+a)^2*(d*x+c)^{3/2}*(f*x+e)^{1/2}/b/d^2/f^2+1/5*C*(b*x+a)^3*(d*x+c)^{3/2}*(f*x+e)^{1/2}/b/d/f-1/960*(d*x+c)^{3/2}*(96*a^3*C*d^3*f^3+8*a^2*b*d^2*f^2*(-30*B*d*f+9*C*c*f+23*C*d*e)+20*a*b^2*d*f*(8*d*f*(-6*A*d*f+3*B*c*f+5*B*d*e)-C*(15*c^2*f^2+22*c*d*e*f+35*d^2*e^2))+b^3*(C*(105*c^3*f^3+145*c^2*d*e*f^2+203*c*d^2*e^2*f+315*d^3*e^3)+10*d*f*(8*A*d*f*(3*c*f+5*d*e)-B*(15*c^2*f^2+22*c*d*e*f+35*d^2*e^2)))+4*b*d*f*(8*b*d*f*(-10*A*b*d*f+C*a*c*f+3*C*a*d*e+6*C*b*c*e)-(-4*a*d*f+5*b*c*f+7*b*d*e)*(4*a*C*d*f+b*(-10*B*d*f+7*C*c*f+9*C*d*e)))*x*(f*x+e)^{1/2}/b/d^4/f^4-1/128*(16*a^2*d^2*f^2*(2*d*f*(-4*A*d*f+B*c*f+3*B*d*e)-C*(c^2*f^2+2*c*d*e*f+5*d^2*e^2))+4*a*b*d*f*(C*(5*c^3*f^3+9*c^2*d*e*f^2+15*c*d^2*e^2*f+35*d^3*e^3)+8*d*f*(2*A*d*f*(c*f+3*d*e)-B*(c^2*f^2+2*c*d*e*f+5*d^2*e^2)))-b^2*(C*(7*c^4*f^4+12*c^3*d*e*f^3+18*c^2*d^2*e^2*f^2+28*c*d^3*e^3*f+63*d^4*e^4)+2*d*f*(8*A*d*f*(c^2*f^2+2*c*d*e*f+5*d^2*e^2)-B*(5*c^3*f^3+9*c^2*d*e*f^2+15*c*d^2*e^2*f+35*d^3*e^3)))*\operatorname{arctanh}(f^{1/2}*(d*x+c)^{1/2}/d^{1/2}/(f*x+e)^{1/2})/d^4/f^5$

Rubi [A] time = 1.79, antiderivative size = 1032, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {1615, 153, 147, 50, 63, 217, 206}

$$\frac{C(c+dx)^{3/2} \sqrt{e+fx} (a+bx)^3}{5bdf} - \frac{(4aCdf + b(9Cde + 7cCf - 10Bdf))(c+dx)^{3/2} \sqrt{e+fx} (a+bx)^2}{40bd^2 f^2} - \frac{(c+dx)^{3/2} \sqrt{e+fx}}{40bd^2 f^2}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a+b*x)^2 \operatorname{Sqrt}[c+d*x]*(A+B*x+C*x^2)]/\operatorname{Sqrt}[e+f*x], x]$

[Out] $-((16*a^2*d^2*f^2*(2*d*f*(3*B*d*e + B*c*f - 4*A*d*f) - C*(5*d^2*e^2 + 2*c*d*e*f + c^2*f^2)) + 4*a*b*d*f*(C*(35*d^3*e^3 + 15*c*d^2*e^2*f + 9*c^2*d*e*f^2 + 35*d^3*e^3) + 8*d*f*(2*A*d*f*(c*f+3*d*e) - B*(c^2*f^2+2*c*d*e*f+5*d^2*e^2)))-b^2*(C*(7*c^4*f^4+12*c^3*d*e*f^3+18*c^2*d^2*e^2*f^2+28*c*d^3*e^3*f+63*d^4*e^4)+2*d*f*(8*A*d*f*(c^2*f^2+2*c*d*e*f+5*d^2*e^2)-B*(5*c^3*f^3+9*c^2*d*e*f^2+15*c*d^2*e^2*f+35*d^3*e^3)))*\operatorname{arctanh}(f^{1/2}*(d*x+c)^{1/2}/d^{1/2}/(f*x+e)^{1/2})/d^4/f^5$

$$\begin{aligned}
& 2 + 5*c^3*f^3) + 8*d*f*(2*A*d*f*(3*d*e + c*f) - B*(5*d^2*e^2 + 2*c*d*e*f + \\
& c^2*f^2)) - b^2*(C*(63*d^4*e^4 + 28*c*d^3*e^3*f + 18*c^2*d^2*e^2*f^2 + 12* \\
& c^3*d*e*f^3 + 7*c^4*f^4) + 2*d*f*(8*A*d*f*(5*d^2*e^2 + 2*c*d*e*f + c^2*f^2) \\
& - B*(35*d^3*e^3 + 15*c*d^2*e^2*f + 9*c^2*d*e*f^2 + 5*c^3*f^3)))*\text{Sqrt}[c + \\
& d*x]*\text{Sqrt}[e + f*x]]/(128*d^4*f^5) - ((4*a*C*d*f + b*(9*C*d*e + 7*c*C*f - 10 \\
& *B*d*f))*(a + b*x)^2*(c + d*x)^(3/2)*\text{Sqrt}[e + f*x]]/(40*b*d^2*f^2) + (C*(a \\
& + b*x)^3*(c + d*x)^(3/2)*\text{Sqrt}[e + f*x]]/(5*b*d*f) - ((c + d*x)^(3/2)*\text{Sqrt}[e \\
& + f*x]*(96*a^3*C*d^3*f^3 + 8*a^2*b*d^2*f^2*(23*C*d*e + 9*c*C*f - 30*B*d*f) \\
& + 20*a*b^2*d*f*(8*d*f*(5*B*d*e + 3*B*c*f - 6*A*d*f) - C*(35*d^2*e^2 + 22*c \\
& *d*e*f + 15*c^2*f^2)) + b^3*(C*(315*d^3*e^3 + 203*c*d^2*e^2*f + 145*c^2*d*e \\
& *f^2 + 105*c^3*f^3) + 10*d*f*(8*A*d*f*(5*d*e + 3*c*f) - B*(35*d^2*e^2 + 22* \\
& c*d*e*f + 15*c^2*f^2))) + 4*b*d*f*(8*b*d*f*(6*b*c*C*e + 3*a*C*d*e + a*c*C*f \\
& - 10*A*b*d*f) - (7*b*d*e + 5*b*c*f - 4*a*d*f)*(4*a*C*d*f + b*(9*C*d*e + 7* \\
& c*C*f - 10*B*d*f)))*x))/(960*b*d^4*f^4) + ((d*e - c*f)*(16*a^2*d^2*f^2*(2*d \\
& *f*(3*B*d*e + B*c*f - 4*A*d*f) - C*(5*d^2*e^2 + 2*c*d*e*f + c^2*f^2)) + 4*a \\
& *b*d*f*(C*(35*d^3*e^3 + 15*c*d^2*e^2*f + 9*c^2*d*e*f^2 + 5*c^3*f^3) + 8*d*f \\
& *(2*A*d*f*(3*d*e + c*f) - B*(5*d^2*e^2 + 2*c*d*e*f + c^2*f^2))) - b^2*(C*(6 \\
& 3*d^4*e^4 + 28*c*d^3*e^3*f + 18*c^2*d^2*e^2*f^2 + 12*c^3*d*e*f^3 + 7*c^4*f^ \\
& 4) + 2*d*f*(8*A*d*f*(5*d^2*e^2 + 2*c*d*e*f + c^2*f^2) - B*(35*d^3*e^3 + 15* \\
& c*d^2*e^2*f + 9*c^2*d*e*f^2 + 5*c^3*f^3)))*\text{ArcTanh}[\text{Sqrt}[f]*\text{Sqrt}[c + d*x]] \\
& /(\text{Sqrt}[d]*\text{Sqrt}[e + f*x]])/(128*d^(9/2)*f^(11/2))
\end{aligned}$$

Rule 50

```

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/
(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b,
c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ
[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n
+ 2, 0] && IntLinearQ[a, b, c, d, m, n, x]

```

Rule 63

```

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

```

Rule 147

```

Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_
))*(g_.) + (h_.)*(x_)), x_Symbol] := -Simp[((a*d*f*h*(n + 2) + b*c*f*h*(m
+ 2) - b*d*(f*g + e*h)*(m + n + 3) - b*d*f*h*(m + n + 2)*x)*(a + b*x)^(m +
1)*(c + d*x)^(n + 1))/(b^2*d^2*(m + n + 2)*(m + n + 3)), x] + Dist[(a^2*d^2
*f*h*(n + 1)*(n + 2) + a*b*d*(n + 1)*(2*c*f*h*(m + 1) - d*(f*g + e*h)*(m +

```

```

n + 3)) + b^2*(c^2*f*h*(m + 1)*(m + 2) - c*d*(f*g + e*h)*(m + 1)*(m + n + 3)
) + d^2*e*g*(m + n + 2)*(m + n + 3))/(b^2*d^2*(m + n + 2)*(m + n + 3)), In
t[(a + b*x)^m*(c + d*x)^n, x] /; FreeQ[{a, b, c, d, e, f, g, h, m, n},
x] && NeQ[m + n + 2, 0] && NeQ[m + n + 3, 0]

```

Rule 153

```

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_
))^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[(h*(a + b*x)^m*(c + d*x)^(n
+ 1)*(e + f*x)^(p + 1))/(d*f*(m + n + p + 2)), x] + Dist[1/(d*f*(m + n + p
+ 2)), Int[(a + b*x)^(m - 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*g*(m + n +
p + 2) - h*(b*c*e*m + a*(d*e*(n + 1) + c*f*(p + 1))) + (b*d*f*g*(m + n + p
+ 2) + h*(a*d*f*m - b*(d*e*(m + n + 1) + c*f*(m + p + 1)))]*x, x], x] /
; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p +
2, 0] && IntegerQ[m]

```

Rule 206

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])

```

Rule 217

```

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

```

Rule 1615

```

Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f
_.)*(x_))^(p_), x_Symbol] := With[{q = Expon[Px, x], k = Coeff[Px, x, Expo
n[Px, x]]}, Simp[(k*(a + b*x)^(m + q - 1)*(c + d*x)^(n + 1)*(e + f*x)^(p +
1))/(d*f*b^(q - 1)*(m + n + p + q + 1)), x] + Dist[1/(d*f*b^q*(m + n + p +
q + 1)), Int[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p*ExpandToSum[d*f*b^q*(m + n
+ p + q + 1)*Px - d*f*k*(m + n + p + q + 1)*(a + b*x)^q + k*(a + b*x)^(q -
2)*(a^2*d*f*(m + n + p + q + 1) - b*(b*c*e*(m + q - 1) + a*(d*e*(n + 1) +
c*f*(p + 1))) + b*(a*d*f*(2*(m + q) + n + p) - b*(d*e*(m + q + n) + c*f*(m
+ q + p))]*x), x], x] /; NeQ[m + n + p + q + 1, 0]] /; FreeQ[{a, b, c,
d, e, f, m, n, p}, x] && PolyQ[Px, x] && IntegersQ[2*m, 2*n, 2*p]

```

Rubi steps

$$\begin{aligned}
\int \frac{(a+bx)^2 \sqrt{c+dx} (A+Bx+Cx^2)}{\sqrt{e+fx}} dx &= \frac{C(a+bx)^3 (c+dx)^{3/2} \sqrt{e+fx}}{5bdf} + \int \frac{(a+bx)^2 \sqrt{c+dx} \left(-\frac{1}{2}b(6bcCe+3aCde+acCf-1\right)}{\sqrt{e+fx}} dx \\
&= -\frac{(4aCdf + b(9Cde + 7cCf - 10Bdf))(a+bx)^2 (c+dx)^{3/2} \sqrt{e+fx}}{40bd^2 f^2} + \\
&= -\frac{(4aCdf + b(9Cde + 7cCf - 10Bdf))(a+bx)^2 (c+dx)^{3/2} \sqrt{e+fx}}{40bd^2 f^2} + \\
&= -\frac{(16a^2 d^2 f^2 (2df(3Bde + Bcf - 4Adf) - C(5d^2 e^2 + 2cdef + c^2 f^2))}{40bd^2 f^2} \\
&= -\frac{(16a^2 d^2 f^2 (2df(3Bde + Bcf - 4Adf) - C(5d^2 e^2 + 2cdef + c^2 f^2))}{40bd^2 f^2} \\
&= -\frac{(16a^2 d^2 f^2 (2df(3Bde + Bcf - 4Adf) - C(5d^2 e^2 + 2cdef + c^2 f^2))}{40bd^2 f^2} \\
&= -\frac{(16a^2 d^2 f^2 (2df(3Bde + Bcf - 4Adf) - C(5d^2 e^2 + 2cdef + c^2 f^2))}{40bd^2 f^2}
\end{aligned}$$

Mathematica [B] time = 6.70, size = 3220, normalized size = 3.12

Result too large to show

Antiderivative was successfully verified.

[In] Integrate[((a + b*x)^2*Sqrt[c + d*x]*(A + B*x + C*x^2))/Sqrt[e + f*x],x]

[Out] ((-(b*e) + a*f)^2*(d*e - c*f)^2*(C*e^2 - B*e*f + A*f^2)*Sqrt[d/((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))]*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))^2*Sqrt[(d*(e + f*x))/(d*e - c*f)]*Sqrt[1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))]*((2*d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))) - (2*Sqrt[d]*Sqrt[f]*Sqrt[c + d*x]*ArcSinh[(Sqrt[d]*Sqrt[f]*Sqrt[c + d*x])/((Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)])])]/(Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)]))

$$\begin{aligned}
& - c*f) - (c*d*f)/(d*e - c*f)]*Sqrt[1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e) \\
&)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))])))/(2*d^3*f^6*Sqrt[c + d*x]*Sqrt[e + \\
& f*x]) + (2*b^2*C*(d*e - c*f)^3*(c + d*x)^(3/2)*Sqrt[e + f*x]*(1 + (d*f*(c \\
& + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^(9/2)*((\\
& 3*(35/(64*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/ \\
& (d*e - c*f))))^4) + 35/(48*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e \\
& - c*f) - (c*d*f)/(d*e - c*f))))^3) + 7/(8*(1 + (d*f*(c + d*x))/((d*e - c*f) \\
& *((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^2) + (1 + (d*f*(c + d*x))/((\\
& d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^(-1)))/10 + (21*(d \\
& *e - c*f)^2*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))^2*((2*d*f*(c + d*x) \\
&)/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))) - (2*Sqrt[d]*Sq \\
& rt[f]*Sqrt[c + d*x]*ArcSinh[(Sqrt[d]*Sqrt[f]*Sqrt[c + d*x])/(Sqrt[d*e - c*f] \\
&)*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)])))/(Sqrt[d*e - c*f]*Sqrt[\\
& (d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)]*Sqrt[1 + (d*f*(c + d*x))/((d*e - \\
& c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))])))/(512*d^2*f^2*(c + d* \\
& x)^2*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e \\
& - c*f))))^4))/((3*d^4*f^4*(d/((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))^(\\
& 7/2)*Sqrt[(d*(e + f*x))/(d*e - c*f)]) + (2*b*(d*e - c*f)^2*(-4*b*C*e + b*B* \\
& f + 2*a*C*f)*(c + d*x)^(3/2)*Sqrt[e + f*x]*(1 + (d*f*(c + d*x))/((d*e - c*f) \\
&)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^(7/2)*((3*(5/(8*(1 + (d*f*(\\
& c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^3) + 5 \\
& /((6*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - \\
& c*f))))^2) + (1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d \\
& *f)/(d*e - c*f))))^(-1)))/8 + (15*(d*e - c*f)^2*((d^2*e)/(d*e - c*f) - (c*d \\
& *f)/(d*e - c*f))^2*((2*d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (\\
& c*d*f)/(d*e - c*f))) - (2*Sqrt[d]*Sqrt[f]*Sqrt[c + d*x]*ArcSinh[(Sqrt[d]*Sq \\
& rt[f]*Sqrt[c + d*x])/(Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d \\
& *e - c*f)])))/(Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c* \\
& f)]*Sqrt[1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d \\
& *e - c*f)))])))/(256*d^2*f^2*(c + d*x)^2*(1 + (d*f*(c + d*x))/((d*e - c*f)* \\
& ((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^3))/((3*d^3*f^4*(d/((d^2*e)/(\\
& d*e - c*f) - (c*d*f)/(d*e - c*f)))^(5/2)*Sqrt[(d*(e + f*x))/(d*e - c*f)]) + \\
& (2*(d*e - c*f)*(6*b^2*C*e^2 - 3*b^2*B*e*f - 6*a*b*C*e*f + A*b^2*f^2 + 2*a* \\
& b*B*f^2 + a^2*C*f^2)*(c + d*x)^(3/2)*Sqrt[e + f*x]*(1 + (d*f*(c + d*x))/((d \\
& *e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^(5/2)*((3/(4*(1 + (\\
& d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^2 \\
&) + (1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - \\
& c*f))))^(-1))/2 + (3*(d*e - c*f)^2*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c \\
& *f))^2*((2*d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e \\
& - c*f))) - (2*Sqrt[d]*Sqrt[f]*Sqrt[c + d*x]*ArcSinh[(Sqrt[d]*Sqrt[f]*Sqrt[c \\
& + d*x])/(Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)])) \\
&)/(Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)]*Sqrt[1 + \\
& (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))] \\
&)))/(32*d^2*f^2*(c + d*x)^2*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e \\
& - c*f) - (c*d*f)/(d*e - c*f))))^2))/((3*d^2*f^4*(d/((d^2*e)/(d*e - c*f) -
\end{aligned}$$

$$\begin{aligned} & ((c*d*f)/(d*e - c*f))^{3/2} * \text{Sqrt}[(d*(e + f*x))/(d*e - c*f)] + (2*(-(b*e) + \\ & a*f)*(4*b*C*e^2 - 3*b*B*e*f - 2*a*C*e*f + 2*A*b*f^2 + a*B*f^2)*(c + d*x)^{3/2} * \\ & \text{Sqrt}[e + f*x]*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - \\ & (c*d*f)/(d*e - c*f))))^{3/2} * (3/(4*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2 \\ & *e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))))) + (3*(d*e - c*f)^2*((d^2*e)/(d*e \\ & - c*f) - (c*d*f)/(d*e - c*f))^2*((2*d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d \\ & *e - c*f) - (c*d*f)/(d*e - c*f))) - (2*\text{Sqrt}[d]*\text{Sqrt}[f]*\text{Sqrt}[c + d*x]*\text{ArcSin} \\ & h[(\text{Sqrt}[d]*\text{Sqrt}[f]*\text{Sqrt}[c + d*x])/(\text{Sqrt}[d*e - c*f]*\text{Sqrt}[(d^2*e)/(d*e - c*f) \\ & - (c*d*f)/(d*e - c*f)])]/(\text{Sqrt}[d*e - c*f]*\text{Sqrt}[(d^2*e)/(d*e - c*f) - (c*d \\ & *f)/(d*e - c*f)]*\text{Sqrt}[1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) \\ & - (c*d*f)/(d*e - c*f))])))))/(16*d^2*f^2*(c + d*x)^2*(1 + (d*f*(c + d*x))/ \\ & ((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))))))/(3*d*f^4*\text{Sqrt}[\\ & d/((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))*\text{Sqrt}[(d*(e + f*x))/(d*e - c \\ & f)]) \end{aligned}$$

fricas [A] time = 15.24, size = 2176, normalized size = 2.11

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x+a)^2*(C*x^2+B*x+A)*(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm=
"fricas")
```

```
[Out] [-1/7680*(15*(63*C*b^2*d^5*e^5 - 35*(C*b^2*c*d^4 + 2*(2*C*a*b + B*b^2)*d^5)
*e^4*f - 10*(C*b^2*c^2*d^3 - 4*(2*C*a*b + B*b^2)*c*d^4 - 8*(C*a^2 + 2*B*a*b
+ A*b^2)*d^5)*e^3*f^2 - 6*(C*b^2*c^3*d^2 - 2*(2*C*a*b + B*b^2)*c^2*d^3 + 8
*(C*a^2 + 2*B*a*b + A*b^2)*c*d^4 + 16*(B*a^2 + 2*A*a*b)*d^5)*e^2*f^3 - (5*C
*b^2*c^4*d - 128*A*a^2*d^5 - 8*(2*C*a*b + B*b^2)*c^3*d^2 + 16*(C*a^2 + 2*B
*a*b + A*b^2)*c^2*d^3 - 64*(B*a^2 + 2*A*a*b)*c*d^4)*e*f^4 - (7*C*b^2*c^5 + 1
28*A*a^2*c*d^4 - 10*(2*C*a*b + B*b^2)*c^4*d + 16*(C*a^2 + 2*B*a*b + A*b^2)*
c^3*d^2 - 32*(B*a^2 + 2*A*a*b)*c^2*d^3)*f^5)*sqrt(d*f)*log(8*d^2*f^2*x^2 +
d^2*e^2 + 6*c*d*e*f + c^2*f^2 + 4*(2*d*f*x + d*e + c*f)*sqrt(d*f)*sqrt(d*x
+ c)*sqrt(f*x + e) + 8*(d^2*e*f + c*d*f^2)*x) - 4*(384*C*b^2*d^5*f^5*x^4 +
945*C*b^2*d^5*e^4*f - 210*(C*b^2*c*d^4 + 5*(2*C*a*b + B*b^2)*d^5)*e^3*f^2 -
2*(68*C*b^2*c^2*d^3 - 125*(2*C*a*b + B*b^2)*c*d^4 - 600*(C*a^2 + 2*B*a*b +
A*b^2)*d^5)*e^2*f^3 - 10*(11*C*b^2*c^3*d^2 - 17*(2*C*a*b + B*b^2)*c^2*d^3
+ 32*(C*a^2 + 2*B*a*b + A*b^2)*c*d^4 + 144*(B*a^2 + 2*A*a*b)*d^5)*e*f^4 - 1
5*(7*C*b^2*c^4*d - 128*A*a^2*d^5 - 10*(2*C*a*b + B*b^2)*c^3*d^2 + 16*(C*a^2
+ 2*B*a*b + A*b^2)*c^2*d^3 - 32*(B*a^2 + 2*A*a*b)*c*d^4)*f^5 - 48*(9*C*b^2
*d^5*e*f^4 - (C*b^2*c*d^4 + 10*(2*C*a*b + B*b^2)*d^5)*f^5)*x^3 + 8*(63*C*b^
2*d^5*e^2*f^3 - 2*(4*C*b^2*c*d^4 + 35*(2*C*a*b + B*b^2)*d^5)*e*f^4 - (7*C*b
^2*c^2*d^3 - 10*(2*C*a*b + B*b^2)*c*d^4 - 80*(C*a^2 + 2*B*a*b + A*b^2)*d^5)
*f^5)*x^2 - 2*(315*C*b^2*d^5*e^3*f^2 - 7*(7*C*b^2*c*d^4 + 50*(2*C*a*b + B*b
^2)*d^5)*e^2*f^3 - (39*C*b^2*c^2*d^3 - 60*(2*C*a*b + B*b^2)*c*d^4 - 400*(C
a^2 + 2*B*a*b + A*b^2)*d^5)*e*f^4 - 5*(7*C*b^2*c^3*d^2 - 10*(2*C*a*b + B*b^
```

```

2)*c^2*d^3 + 16*(C*a^2 + 2*B*a*b + A*b^2)*c*d^4 + 96*(B*a^2 + 2*A*a*b)*d^5)
*f^5)*x)*sqrt(d*x + c)*sqrt(f*x + e))/(d^5*f^6), 1/3840*(15*(63*C*b^2*d^5*e
^5 - 35*(C*b^2*c*d^4 + 2*(2*C*a*b + B*b^2)*d^5)*e^4*f - 10*(C*b^2*c^2*d^3 -
4*(2*C*a*b + B*b^2)*c*d^4 - 8*(C*a^2 + 2*B*a*b + A*b^2)*d^5)*e^3*f^2 - 6*(
C*b^2*c^3*d^2 - 2*(2*C*a*b + B*b^2)*c^2*d^3 + 8*(C*a^2 + 2*B*a*b + A*b^2)*c
*d^4 + 16*(B*a^2 + 2*A*a*b)*d^5)*e^2*f^3 - (5*C*b^2*c^4*d - 128*A*a^2*d^5 -
8*(2*C*a*b + B*b^2)*c^3*d^2 + 16*(C*a^2 + 2*B*a*b + A*b^2)*c^2*d^3 - 64*(B
*a^2 + 2*A*a*b)*c*d^4)*e*f^4 - (7*C*b^2*c^5 + 128*A*a^2*c*d^4 - 10*(2*C*a*b
+ B*b^2)*c^4*d + 16*(C*a^2 + 2*B*a*b + A*b^2)*c^3*d^2 - 32*(B*a^2 + 2*A*a
*b)*c^2*d^3)*f^5)*sqrt(-d*f)*arctan(1/2*(2*d*f*x + d*e + c*f)*sqrt(-d*f)*sqr
t(d*x + c)*sqrt(f*x + e)/(d^2*f^2*x^2 + c*d*e*f + (d^2*e*f + c*d*f^2)*x)) +
2*(384*C*b^2*d^5*f^5*x^4 + 945*C*b^2*d^5*e^4*f - 210*(C*b^2*c*d^4 + 5*(2*C
*a*b + B*b^2)*d^5)*e^3*f^2 - 2*(68*C*b^2*c^2*d^3 - 125*(2*C*a*b + B*b^2)*c
*d^4 - 600*(C*a^2 + 2*B*a*b + A*b^2)*d^5)*e^2*f^3 - 10*(11*C*b^2*c^3*d^2 - 1
7*(2*C*a*b + B*b^2)*c^2*d^3 + 32*(C*a^2 + 2*B*a*b + A*b^2)*c*d^4 + 144*(B*a
^2 + 2*A*a*b)*d^5)*e*f^4 - 15*(7*C*b^2*c^4*d - 128*A*a^2*d^5 - 10*(2*C*a*b
+ B*b^2)*c^3*d^2 + 16*(C*a^2 + 2*B*a*b + A*b^2)*c^2*d^3 - 32*(B*a^2 + 2*A*a
*b)*c*d^4)*f^5 - 48*(9*C*b^2*d^5*e*f^4 - (C*b^2*c*d^4 + 10*(2*C*a*b + B*b^2
)*d^5)*f^5)*x^3 + 8*(63*C*b^2*d^5*e^2*f^3 - 2*(4*C*b^2*c*d^4 + 35*(2*C*a*b
+ B*b^2)*d^5)*e*f^4 - (7*C*b^2*c^2*d^3 - 10*(2*C*a*b + B*b^2)*c*d^4 - 80*(C
*a^2 + 2*B*a*b + A*b^2)*d^5)*f^5)*x^2 - 2*(315*C*b^2*d^5*e^3*f^2 - 7*(7*C*b
^2*c*d^4 + 50*(2*C*a*b + B*b^2)*d^5)*e^2*f^3 - (39*C*b^2*c^2*d^3 - 60*(2*C
*a*b + B*b^2)*c*d^4 - 400*(C*a^2 + 2*B*a*b + A*b^2)*d^5)*e*f^4 - 5*(7*C*b^2
*c^3*d^2 - 10*(2*C*a*b + B*b^2)*c^2*d^3 + 16*(C*a^2 + 2*B*a*b + A*b^2)*c*d^4
+ 96*(B*a^2 + 2*A*a*b)*d^5)*f^5)*x)*sqrt(d*x + c)*sqrt(f*x + e))/(d^5*f^6)
]

```

giac [A] time = 2.76, size = 1505, normalized size = 1.46

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x+a)^2*(C*x^2+B*x+A)*(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm=
"giac")
```

```
[Out] 1/1920*(sqrt((d*x + c)*d*f - c*d*f + d^2*e)*(2*(4*(d*x + c)*(6*(d*x + c)*(8
*(d*x + c)*C*b^2/(d^5*f) - (31*C*b^2*c*d^20*f^8 - 20*C*a*b*d^21*f^8 - 10*B*
b^2*d^21*f^8 + 9*C*b^2*d^21*f^7*e))/(d^25*f^9)) + (263*C*b^2*c^2*d^20*f^8 -
340*C*a*b*c*d^21*f^8 - 170*B*b^2*c*d^21*f^8 + 80*C*a^2*d^22*f^8 + 160*B*a*b
*d^22*f^8 + 80*A*b^2*d^22*f^8 + 154*C*b^2*c*d^21*f^7*e - 140*C*a*b*d^22*f^7
*e - 70*B*b^2*d^22*f^7*e + 63*C*b^2*d^22*f^6*e^2)/(d^25*f^9)) - 5*(121*C*b^
2*c^3*d^20*f^8 - 236*C*a*b*c^2*d^21*f^8 - 118*B*b^2*c^2*d^21*f^8 + 112*C*a^
2*c*d^22*f^8 + 224*B*a*b*c*d^22*f^8 + 112*A*b^2*c*d^22*f^8 - 96*B*a^2*d^23*
f^8 - 192*A*a*b*d^23*f^8 + 109*C*b^2*c^2*d^21*f^7*e - 200*C*a*b*c*d^22*f^7*
e - 100*B*b^2*c*d^22*f^7*e + 80*C*a^2*d^23*f^7*e + 160*B*a*b*d^23*f^7*e + 8
```

$$\begin{aligned}
& 0*A*b^2*d^{23}*f^7*e + 91*C*b^2*c*d^{22}*f^6*e^2 - 140*C*a*b*d^{23}*f^6*e^2 - 70* \\
& B*b^2*d^{23}*f^6*e^2 + 63*C*b^2*d^{23}*f^5*e^3)/(d^{25}*f^9))*(d*x + c) + 15*(7*C \\
& *b^2*c^4*d^{20}*f^8 - 20*C*a*b*c^3*d^{21}*f^8 - 10*B*b^2*c^3*d^{21}*f^8 + 16*C*a^ \\
& 2*c^2*d^{22}*f^8 + 32*B*a*b*c^2*d^{22}*f^8 + 16*A*b^2*c^2*d^{22}*f^8 - 32*B*a^2*c \\
& *d^{23}*f^8 - 64*A*a*b*c*d^{23}*f^8 + 128*A*a^2*d^{24}*f^8 + 12*C*b^2*c^3*d^{21}*f^ \\
& 7*e - 36*C*a*b*c^2*d^{22}*f^7*e - 18*B*b^2*c^2*d^{22}*f^7*e + 32*C*a^2*c*d^{23}*f \\
& ^7*e + 64*B*a*b*c*d^{23}*f^7*e + 32*A*b^2*c*d^{23}*f^7*e - 96*B*a^2*d^{24}*f^7*e \\
& - 192*A*a*b*d^{24}*f^7*e + 18*C*b^2*c^2*d^{22}*f^6*e^2 - 60*C*a*b*c*d^{23}*f^6*e^ \\
& 2 - 30*B*b^2*c*d^{23}*f^6*e^2 + 80*C*a^2*d^{24}*f^6*e^2 + 160*B*a*b*d^{24}*f^6*e^ \\
& 2 + 80*A*b^2*d^{24}*f^6*e^2 + 28*C*b^2*c*d^{23}*f^5*e^3 - 140*C*a*b*d^{24}*f^5*e^ \\
& 3 - 70*B*b^2*d^{24}*f^5*e^3 + 63*C*b^2*d^{24}*f^4*e^4)/(d^{25}*f^9))*sqrt(d*x + c \\
&) - 15*(7*C*b^2*c^5*f^5 - 20*C*a*b*c^4*d*f^5 - 10*B*b^2*c^4*d*f^5 + 16*C*a^ \\
& 2*c^3*d^2*f^5 + 32*B*a*b*c^3*d^2*f^5 + 16*A*b^2*c^3*d^2*f^5 - 32*B*a^2*c^2* \\
& d^3*f^5 - 64*A*a*b*c^2*d^3*f^5 + 128*A*a^2*c*d^4*f^5 + 5*C*b^2*c^4*d*f^4*e \\
& - 16*C*a*b*c^3*d^2*f^4*e - 8*B*b^2*c^3*d^2*f^4*e + 16*C*a^2*c^2*d^3*f^4*e + \\
& 32*B*a*b*c^2*d^3*f^4*e + 16*A*b^2*c^2*d^3*f^4*e - 64*B*a^2*c*d^4*f^4*e - 1 \\
& 28*A*a*b*c*d^4*f^4*e - 128*A*a^2*d^5*f^4*e + 6*C*b^2*c^3*d^2*f^3*e^2 - 24*C \\
& *a*b*c^2*d^3*f^3*e^2 - 12*B*b^2*c^2*d^3*f^3*e^2 + 48*C*a^2*c*d^4*f^3*e^2 + \\
& 96*B*a*b*c*d^4*f^3*e^2 + 48*A*b^2*c*d^4*f^3*e^2 + 96*B*a^2*d^5*f^3*e^2 + 19 \\
& 2*A*a*b*d^5*f^3*e^2 + 10*C*b^2*c^2*d^3*f^2*e^3 - 80*C*a*b*c*d^4*f^2*e^3 - 4 \\
& 0*B*b^2*c*d^4*f^2*e^3 - 80*C*a^2*d^5*f^2*e^3 - 160*B*a*b*d^5*f^2*e^3 - 80*A \\
& *b^2*d^5*f^2*e^3 + 35*C*b^2*c*d^4*f*e^4 + 140*C*a*b*d^5*f*e^4 + 70*B*b^2*d^ \\
& 5*f*e^4 - 63*C*b^2*d^5*e^5)*log(abs(-sqrt(d*f))*sqrt(d*x + c) + sqrt((d*x + \\
& c)*d*f - c*d*f + d^2*e)))/(sqrt(d*f)*d^4*f^5))*d/abs(d)
\end{aligned}$$

maple [B] time = 0.05, size = 3958, normalized size = 3.84

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((b*x+a)^2*(C*x^2+B*x+A)*(d*x+c)^{(1/2)}/(f*x+e)^{(1/2)},x)$

[Out] $\begin{aligned}
& 1/3840*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}*(1440*B*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+ \\
& e))^{(1/2)}*(d*f)^{(1/2)}+c*f+d*e)/(d*f)^{(1/2)})*a^2*d^5*e^2*f^3+1280*C*x^2*a^2* \\
& d^4*f^4*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)}-2880*B*(d*f)^{(1/2)}*((d*x+c)*(f* \\
& x+e))^{(1/2)}*a^2*d^4*e*f^3-2100*B*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b^2*d^ \\
& 4*e^3*f+2400*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*a^2*d^4*e^2*f^2+2880*A*\ln \\
& (1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)}+c*f+d*e)/(d*f)^{(1/2)})* \\
& a*b*d^5*e^2*f^3+720*A*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)} \\
& +c*f+d*e)/(d*f)^{(1/2)})*b^2*c*d^4*e^2*f^3-960*B*\ln(1/2*(2*d*f*x+2*((d*x+c)*(\\
& f*x+e))^{(1/2)}*(d*f)^{(1/2)}+c*f+d*e)/(d*f)^{(1/2)})*a^2*c*d^4*e*f^4-2400*B*\ln(\\
& 1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)}+c*f+d*e)/(d*f)^{(1/2)})*a*b \\
& *d^5*e^3*f^2-600*B*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)}+c* \\
& f+d*e)/(d*f)^{(1/2)})*b^2*c*d^4*e^3*f^2+720*C*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x \\
& +e))^{(1/2)}*(d*f)^{(1/2)}+c*f+d*e)/(d*f)^{(1/2)})*a^2*c*d^4*e^2*f^3+2100*C*\ln(1/
\end{aligned}$

$$\begin{aligned}
& 2*(2*d*f*x+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)+c*f+d*e)/(d*f)^(1/2))*a*b* \\
& d^5*e^4*f+525*C*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)+c*f+d \\
& *e)/(d*f)^(1/2))*b^2*c*d^4*e^4*f+2400*A*(d*f)^(1/2)*((d*x+c)*(f*x+e))^(1/2) \\
& *b^2*d^4*e^2*f^2-960*A*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2) \\
&)+c*f+d*e)/(d*f)^(1/2))*a*b*c^2*d^3*f^5+105*C*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f \\
& *x+e))^(1/2)*(d*f)^(1/2)+c*f+d*e)/(d*f)^(1/2))*b^2*c^5*f^5-420*C*(d*f)^(1/2) \\
&)*((d*x+c)*(f*x+e))^(1/2)*b^2*c*d^3*e^3*f-5760*A*(d*f)^(1/2)*((d*x+c)*(f*x+ \\
& e))^(1/2)*a*b*d^4*e*f^3+4800*B*(d*f)^(1/2)*((d*x+c)*(f*x+e))^(1/2)*a*b*d^4* \\
& e^2*f^2-4200*C*(d*f)^(1/2)*((d*x+c)*(f*x+e))^(1/2)*a*b*d^4*e^3*f-1200*C*\ln(\\
& 1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)+c*f+d*e)/(d*f)^(1/2))*a* \\
& b*c*d^4*e^3*f^2-360*C*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2) \\
&)+c*f+d*e)/(d*f)^(1/2))*a*b*c^2*d^3*e^2*f^3+1440*B*\ln(1/2*(2*d*f*x+2*((d*x+c) \\
&)*(f*x+e))^(1/2)*(d*f)^(1/2)+c*f+d*e)/(d*f)^(1/2))*a*b*c*d^4*e^2*f^3-1920*A \\
& *\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)+c*f+d*e)/(d*f)^(1/2) \\
&)*a*b*c*d^4*e*f^4-1200*C*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1 \\
& /2)+c*f+d*e)/(d*f)^(1/2))*a^2*d^5*e^3*f^2-150*B*\ln(1/2*(2*d*f*x+2*((d*x+c)* \\
& (f*x+e))^(1/2)*(d*f)^(1/2)+c*f+d*e)/(d*f)^(1/2))*b^2*c^4*d*f^5+240*C*\ln(1/2 \\
& *(2*d*f*x+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)+c*f+d*e)/(d*f)^(1/2))*a^2*c \\
& ^3*d^2*f^5+240*A*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)+c*f+ \\
& d*e)/(d*f)^(1/2))*b^2*c^3*d^2*f^5-480*B*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e)) \\
& ^1/2)*(d*f)^(1/2)+c*f+d*e)/(d*f)^(1/2))*a^2*c^2*d^3*f^5+3840*A*(d*f)^(1/2) \\
& *((d*x+c)*(f*x+e))^(1/2)*a^2*d^4*f^4+1920*A*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x \\
& +e))^(1/2)*(d*f)^(1/2)+c*f+d*e)/(d*f)^(1/2))*a^2*c*d^4*f^5-1920*A*\ln(1/2*(2 \\
& *d*f*x+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)+c*f+d*e)/(d*f)^(1/2))*a^2*d^5* \\
& e*f^4-1200*A*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)+c*f+d*e) \\
& /d*f)^(1/2))*b^2*d^5*e^3*f^2-210*C*(d*f)^(1/2)*((d*x+c)*(f*x+e))^(1/2)*b^2 \\
& *c^4*f^4+1890*C*(d*f)^(1/2)*((d*x+c)*(f*x+e))^(1/2)*b^2*d^4*e^4-945*C*\ln(1/ \\
& 2*(2*d*f*x+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)+c*f+d*e)/(d*f)^(1/2))*b^2* \\
& d^5*e^5+1050*B*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)+c*f+d* \\
& e)/(d*f)^(1/2))*b^2*d^5*e^4*f+768*C*x^4*b^2*d^4*f^4*((d*x+c)*(f*x+e))^(1/2) \\
& *(d*f)^(1/2)+960*B*x^3*b^2*d^4*f^4*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)+1280 \\
& *A*x^2*b^2*d^4*f^4*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)+960*B*(d*f)^(1/2)*((\\
& d*x+c)*(f*x+e))^(1/2)*a^2*c*d^3*f^4+300*B*(d*f)^(1/2)*((d*x+c)*(f*x+e))^(1/ \\
& 2)*b^2*c^3*d*f^4-480*C*(d*f)^(1/2)*((d*x+c)*(f*x+e))^(1/2)*a^2*c^2*d^2*f^4+ \\
& 1920*B*(d*f)^(1/2)*((d*x+c)*(f*x+e))^(1/2)*x*a^2*d^4*f^4+480*B*\ln(1/2*(2*d* \\
& f*x+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)+c*f+d*e)/(d*f)^(1/2))*a*b*c^3*d^2 \\
& *f^5-120*B*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)+c*f+d*e)/(\\
& d*f)^(1/2))*b^2*c^3*d^2*e*f^4-180*B*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^(1/ \\
& 2)*(d*f)^(1/2)+c*f+d*e)/(d*f)^(1/2))*b^2*c^2*d^3*e^2*f^3+240*C*\ln(1/2*(2*d* \\
& f*x+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)+c*f+d*e)/(d*f)^(1/2))*a^2*c^2*d^3 \\
& *e*f^4-300*C*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)+c*f+d*e) \\
& /d*f)^(1/2))*a*b*c^4*d*f^5+75*C*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^(1/2)* \\
& (d*f)^(1/2)+c*f+d*e)/(d*f)^(1/2))*b^2*c^4*d*e*f^4+90*C*\ln(1/2*(2*d*f*x+2*((\\
& d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)+c*f+d*e)/(d*f)^(1/2))*b^2*c^3*d^2*e^2*f^3 \\
& +150*C*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)+c*f+d*e)/(d*f)
\end{aligned}$$

$$\begin{aligned}
& \wedge(1/2)) * b^2 * c^2 * d^3 * e^3 * f^2 - 480 * A * (d * f)^{(1/2)} * ((d * x + c) * (f * x + e))^{\wedge(1/2)} * b^2 * c^2 * d^2 * f^4 + 240 * A * \ln(1/2 * (2 * d * f * x + 2 * ((d * x + c) * (f * x + e))^{\wedge(1/2)} * (d * f)^{(1/2)} + c * f + d * e) / (d * f)^{(1/2)}) * b^2 * c^2 * d^3 * e * f^4 + 680 * C * (d * f)^{(1/2)} * ((d * x + c) * (f * x + e))^{\wedge(1/2)} * a * b * c^2 * d^2 * e * f^3 + 640 * B * (d * f)^{(1/2)} * ((d * x + c) * (f * x + e))^{\wedge(1/2)} * x * a * b * c * d^3 * f^4 - 3200 * B * (d * f)^{(1/2)} * ((d * x + c) * (f * x + e))^{\wedge(1/2)} * x * a * b * d^4 * e * f^3 + 1000 * C * (d * f)^{(1/2)} * ((d * x + c) * (f * x + e))^{\wedge(1/2)} * a * b * c * d^3 * e^2 * f^2 + 320 * C * x^2 * a * b * c * d^3 * f^4 * ((d * x + c) * (f * x + e))^{\wedge(1/2)} * (d * f)^{(1/2)} - 2240 * C * x^2 * a * b * d^4 * e * f^3 * ((d * x + c) * (f * x + e))^{\wedge(1/2)} * (d * f)^{(1/2)} - 128 * C * x^2 * b^2 * c * d^3 * e * f^3 * ((d * x + c) * (f * x + e))^{\wedge(1/2)} * (d * f)^{(1/2)} - 240 * B * (d * f)^{(1/2)} * ((d * x + c) * (f * x + e))^{\wedge(1/2)} * x * b^2 * c * d^3 * e * f^3 - 400 * C * (d * f)^{(1/2)} * ((d * x + c) * (f * x + e))^{\wedge(1/2)} * x * a * b * c^2 * d^2 * f^4 + 2800 * C * (d * f)^{(1/2)} * ((d * x + c) * (f * x + e))^{\wedge(1/2)} * x * a * b * d^4 * e^2 * f^2 + 156 * C * (d * f)^{(1/2)} * ((d * x + c) * (f * x + e))^{\wedge(1/2)} * x * b^2 * c^2 * d^2 * e * f^3 + 196 * C * (d * f)^{(1/2)} * ((d * x + c) * (f * x + e))^{\wedge(1/2)} * x * b^2 * c * d^3 * e^2 * f^2 - 1280 * B * (d * f)^{(1/2)} * ((d * x + c) * (f * x + e))^{\wedge(1/2)} * a * b * c * d^3 * e * f^3 - 200 * B * (d * f)^{(1/2)} * ((d * x + c) * (f * x + e))^{\wedge(1/2)} * x * b^2 * c^2 * d^2 * f^4 + 1400 * B * (d * f)^{(1/2)} * ((d * x + c) * (f * x + e))^{\wedge(1/2)} * x * b^2 * d^4 * e^2 * f^2 + 3840 * A * (d * f)^{(1/2)} * ((d * x + c) * (f * x + e))^{\wedge(1/2)} * x * a * b * d^4 * f^4 + 320 * A * (d * f)^{(1/2)} * ((d * x + c) * (f * x + e))^{\wedge(1/2)} * x * b^2 * c * d^3 * f^4 - 1600 * A * (d * f)^{(1/2)} * ((d * x + c) * (f * x + e))^{\wedge(1/2)} * x * b^2 * d^4 * e * f^3 + 1920 * C * x^3 * a * b * d^4 * f^4 * ((d * x + c) * (f * x + e))^{\wedge(1/2)} * (d * f)^{(1/2)} + 96 * C * x^3 * b^2 * c * d^3 * f^4 * ((d * x + c) * (f * x + e))^{\wedge(1/2)} * (d * f)^{(1/2)} - 240 * C * \ln(1/2 * (2 * d * f * x + 2 * ((d * x + c) * (f * x + e))^{\wedge(1/2)} * (d * f)^{(1/2)} + c * f + d * e) / (d * f)^{(1/2)}) * a * b * c^3 * d^2 * e * f^4 + 480 * B * \ln(1/2 * (2 * d * f * x + 2 * ((d * x + c) * (f * x + e))^{\wedge(1/2)} * (d * f)^{(1/2)} + c * f + d * e) / (d * f)^{(1/2)}) * a * b * c^2 * d^3 * e * f^4 - 864 * C * x^3 * b^2 * d^4 * e * f^3 * ((d * x + c) * (f * x + e))^{\wedge(1/2)} * (d * f)^{(1/2)} + 2560 * B * x^2 * a * b * d^4 * f^4 * ((d * x + c) * (f * x + e))^{\wedge(1/2)} * (d * f)^{(1/2)} + 160 * B * x^2 * b^2 * c * d^3 * f^4 * ((d * x + c) * (f * x + e))^{\wedge(1/2)} * (d * f)^{(1/2)} - 1120 * B * x^2 * b^2 * d^4 * e * f^3 * ((d * x + c) * (f * x + e))^{\wedge(1/2)} * (d * f)^{(1/2)} - 112 * C * x^2 * b^2 * c^2 * d^2 * f^4 * ((d * x + c) * (f * x + e))^{\wedge(1/2)} * (d * f)^{(1/2)} + 1008 * C * x^2 * b^2 * d^4 * e^2 * f^2 * ((d * x + c) * (f * x + e))^{\wedge(1/2)} * (d * f)^{(1/2)} + 320 * C * (d * f)^{(1/2)} * ((d * x + c) * (f * x + e))^{\wedge(1/2)} * x * a^2 * c * d^3 * f^4 - 1600 * C * (d * f)^{(1/2)} * ((d * x + c) * (f * x + e))^{\wedge(1/2)} * x * a^2 * d^4 * e * f^3 + 140 * C * (d * f)^{(1/2)} * ((d * x + c) * (f * x + e))^{\wedge(1/2)} * x * b^2 * c^3 * d * f^4 - 1260 * C * (d * f)^{(1/2)} * ((d * x + c) * (f * x + e))^{\wedge(1/2)} * x * b^2 * d^4 * e^3 * f + 1920 * A * (d * f)^{(1/2)} * ((d * x + c) * (f * x + e))^{\wedge(1/2)} * a * b * c * d^3 * f^4 - 640 * A * (d * f)^{(1/2)} * ((d * x + c) * (f * x + e))^{\wedge(1/2)} * b^2 * c * d^3 * e * f^3 - 960 * B * (d * f)^{(1/2)} * ((d * x + c) * (f * x + e))^{\wedge(1/2)} * a * b * c^2 * d^2 * f^4 + 340 * B * (d * f)^{(1/2)} * ((d * x + c) * (f * x + e))^{\wedge(1/2)} * b^2 * c^2 * d^2 * e * f^3 + 500 * B * (d * f)^{(1/2)} * ((d * x + c) * (f * x + e))^{\wedge(1/2)} * b^2 * c * d^3 * e^2 * f^2 - 640 * C * (d * f)^{(1/2)} * ((d * x + c) * (f * x + e))^{\wedge(1/2)} * a^2 * c * d^3 * e * f^3 + 600 * C * (d * f)^{(1/2)} * ((d * x + c) * (f * x + e))^{\wedge(1/2)} * a * b * c^3 * d * f^4 - 220 * C * (d * f)^{(1/2)} * ((d * x + c) * (f * x + e))^{\wedge(1/2)} * b^2 * c^2 * d^2 * e^2 * f^2 - 480 * C * (d * f)^{(1/2)} * ((d * x + c) * (f * x + e))^{\wedge(1/2)} * x * a * b * c * d^3 * e * f^3 / ((d * x + c) * (f * x + e))^{\wedge(1/2)} / f^5 / d^4 / (d * f)^{(1/2)}
\end{aligned}$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^2*(C*x^2+B*x+A)*(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm=

"maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(c*f-d*e>0)', see `assume?` for more details) Is c*f-d*e zero or nonzero?

mupad [F(-1)] time = 0.00, size = -1, normalized size = -0.00

Hanged

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(((a + b*x)^2*(c + d*x)^{(1/2)}*(A + B*x + C*x^2))/(e + f*x)^{(1/2)}, x)$

[Out] `\text{Hanged}`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((b*x+a)**2*(C*x**2+B*x+A)*(d*x+c)**(1/2)/(f*x+e)**(1/2), x)$

[Out] Timed out

$$3.48 \quad \int \frac{(a+bx)\sqrt{c+dx}(A+Bx+Cx^2)}{\sqrt{e+fx}} dx$$

Optimal. Leaf size=540

$$\frac{(c+dx)^{3/2}\sqrt{e+fx}(24a^2Cd^2f^2+4bdfx(4aCdf+b(-8Bdf+5cCf+7Cde))+8abdf(-6Bdf+3cCf+5Cde))}{96bd^3f^3}$$

[Out] $\frac{1}{64}(-c*f+d*e)*(8*a*d*f*(2*d*f*(-4*A*d*f+B*c*f+3*B*d*e)-C*(c^2*f^2+2*c*d*e*f+5*d^2*e^2))+b*(C*(5*c^3*f^3+9*c^2*d*e*f^2+15*c*d^2*e^2*f+35*d^3*e^3)+8*d*f*(2*A*d*f*(c*f+3*d*e)-B*(c^2*f^2+2*c*d*e*f+5*d^2*e^2))))*\operatorname{arctanh}(f^{1/2}*(d*x+c)^{1/2}/d^{1/2}/(f*x+e)^{1/2})/d^{7/2}/f^{9/2}+1/4*C*(b*x+a)^2*(d*x+c)^{3/2}*(f*x+e)^{1/2}/b/d/f-1/96*(d*x+c)^{3/2}*(24*a^2*C*d^2*f^2+8*a*b*d*f*(-6*B*d*f+3*C*c*f+5*C*d*e)+b^2*(8*d*f*(-6*A*d*f+3*B*c*f+5*B*d*e)-C*(15*c^2*f^2+22*c*d*e*f+35*d^2*e^2))+4*b*d*f*(4*a*C*d*f+b*(-8*B*d*f+5*C*c*f+7*C*d*e))*x*(f*x+e)^{1/2}/b/d^3/f^3-1/64*(8*a*d*f*(2*d*f*(-4*A*d*f+B*c*f+3*B*d*e)-C*(c^2*f^2+2*c*d*e*f+5*d^2*e^2))+b*(C*(5*c^3*f^3+9*c^2*d*e*f^2+15*c*d^2*e^2*f+35*d^3*e^3)+8*d*f*(2*A*d*f*(c*f+3*d*e)-B*(c^2*f^2+2*c*d*e*f+5*d^2*e^2))))*(d*x+c)^{1/2}*(f*x+e)^{1/2}/d^3/f^4$

Rubi [A] time = 0.71, antiderivative size = 540, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.176$, Rules used = {1615, 147, 50, 63, 217, 206}

$$\frac{(c+dx)^{3/2}\sqrt{e+fx}(24a^2Cd^2f^2+4bdfx(4aCdf+b(-8Bdf+5cCf+7Cde))+8abdf(-6Bdf+3cCf+5Cde))}{96bd^3f^3}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a+b*x)*\operatorname{Sqrt}[c+d*x]*(A+B*x+C*x^2)/\operatorname{Sqrt}[e+f*x],x]$

[Out] $-\left(\left(8*a*d*f*(2*d*f*(3*B*d*e+B*c*f-4*A*d*f))-C*(5*d^2*e^2+2*c*d*e*f+c^2*f^2)\right)+b*(C*(35*d^3*e^3+15*c*d^2*e^2*f+9*c^2*d*e*f^2+5*c^3*f^3)+8*d*f*(2*A*d*f*(3*d*e+c*f)-B*(5*d^2*e^2+2*c*d*e*f+c^2*f^2)))\right)*\operatorname{Sqrt}[c+d*x]*\operatorname{Sqrt}[e+f*x]/(64*d^3*f^4)+(C*(a+b*x)^2*(c+d*x)^{3/2}*\operatorname{Sqrt}[e+f*x])/(4*b*d*f)-((c+d*x)^{3/2}*\operatorname{Sqrt}[e+f*x]*(24*a^2*C*d^2*f^2+8*a*b*d*f*(5*C*d*e+3*c*C*f-6*B*d*f)+b^2*(8*d*f*(5*B*d*e+3*B*c*f-6*A*d*f)-C*(35*d^2*e^2+22*c*d*e*f+15*c^2*f^2))+4*b*d*f*(4*a*C*d*f+b*(7*C*d*e+5*c*C*f-8*B*d*f))*x)/(96*b*d^3*f^3)+((d*e-c*f)*(8*a*d*f*(2*d*f*(3*B*d*e+B*c*f-4*A*d*f)-C*(5*d^2*e^2+2*c*d*e*f+c^2*f^2))+b*(C*(35*d^3*e^3+15*c*d^2*e^2*f+9*c^2*d*e*f^2+5*c^3*f^3)+8*d*f*(2*A*d*f*(3*d*e+c*f)-B*(5*d^2*e^2+2*c*d*e*f+c^2*f^2))))*\operatorname{ArcTanh}[(\operatorname{Sqrt}[f]*\operatorname{Sqrt}[c+d*x])/(\operatorname{Sqrt}[d]*\operatorname{Sqrt}[e+f*x])]/(64*d^{7/2}*f^{9/2})$

Rule 50

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/
(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b,
c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ
[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n
+ 2, 0] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 147

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_
))*((g_.) + (h_.)*(x_)), x_Symbol] := -Simp[((a*d*f*h*(n + 2) + b*c*f*h*(m
+ 2) - b*d*(f*g + e*h)*(m + n + 3) - b*d*f*h*(m + n + 2)*x)*(a + b*x)^(m +
1)*(c + d*x)^(n + 1))/(b^2*d^2*(m + n + 2)*(m + n + 3)), x] + Dist[(a^2*d^2
*f*h*(n + 1)*(n + 2) + a*b*d*(n + 1)*(2*c*f*h*(m + 1) - d*(f*g + e*h)*(m +
n + 3)) + b^2*(c^2*f*h*(m + 1)*(m + 2) - c*d*(f*g + e*h)*(m + 1)*(m + n + 3
) + d^2*e*g*(m + n + 2)*(m + n + 3)))/(b^2*d^2*(m + n + 2)*(m + n + 3)), In
t[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, m, n},
x] && NeQ[m + n + 2, 0] && NeQ[m + n + 3, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 1615

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f
_.)*(x_))^(p_.), x_Symbol] := With[{q = Expon[Px, x], k = Coeff[Px, x, Expo
n[Px, x]]}, Simp[(k*(a + b*x)^(m + q - 1)*(c + d*x)^(n + 1)*(e + f*x)^(p +
```

1))/(d*f*b^(q - 1)*(m + n + p + q + 1)), x] + Dist[1/(d*f*b^q*(m + n + p + q + 1)), Int[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p*ExpandToSum[d*f*b^q*(m + n + p + q + 1)*Px - d*f*k*(m + n + p + q + 1)*(a + b*x)^q + k*(a + b*x)^(q - 2)*(a^2*d*f*(m + n + p + q + 1) - b*(b*c*e*(m + q - 1) + a*(d*e*(n + 1) + c*f*(p + 1))) + b*(a*d*f*(2*(m + q) + n + p) - b*(d*e*(m + q + n) + c*f*(m + q + p)))*x), x], x] /; NeQ[m + n + p + q + 1, 0]] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && IntegersQ[2*m, 2*n, 2*p]

Rubi steps

$$\int \frac{(a + bx)\sqrt{c + dx} (A + Bx + Cx^2)}{\sqrt{e + fx}} dx = \frac{C(a + bx)^2(c + dx)^{3/2}\sqrt{e + fx}}{4bdf} + \frac{\int \frac{(a+bx)\sqrt{c+dx} \left(-\frac{1}{2}b(4bcCe+3aCde+acCf-8Ade)\right)}{\sqrt{e+fx}} dx}{4b^2c}$$

$$= \frac{C(a + bx)^2(c + dx)^{3/2}\sqrt{e + fx}}{4bdf} - \frac{(c + dx)^{3/2}\sqrt{e + fx} (24a^2Cd^2f^2 + 8a^2Cdf^2 + 8a^2Cde)}{4b^2c}$$

$$= -\frac{(8adf(2df(3Bde + Bcf - 4Adf) - C(5d^2e^2 + 2cdef + c^2f^2)) + b(C(24a^2Cd^2f^2 + 8a^2Cdf^2 + 8a^2Cde) - C(5d^2e^2 + 2cdef + c^2f^2)))}{4b^2c}$$

$$= -\frac{(8adf(2df(3Bde + Bcf - 4Adf) - C(5d^2e^2 + 2cdef + c^2f^2)) + b(C(24a^2Cd^2f^2 + 8a^2Cdf^2 + 8a^2Cde) - C(5d^2e^2 + 2cdef + c^2f^2)))}{4b^2c}$$

$$= -\frac{(8adf(2df(3Bde + Bcf - 4Adf) - C(5d^2e^2 + 2cdef + c^2f^2)) + b(C(24a^2Cd^2f^2 + 8a^2Cdf^2 + 8a^2Cde) - C(5d^2e^2 + 2cdef + c^2f^2)))}{4b^2c}$$

Mathematica [A] time = 3.54, size = 478, normalized size = 0.89

$$\frac{d\sqrt{f}\sqrt{c+dx}(e+fx)(8adf(6df(4Adf+B(cf-3de+2dfx))+C(-3c^2f^2+2cdf(fx-2e)+d^2(15e^2-10efx))))}{4b^2c}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x)*Sqrt[c + d*x]*(A + B*x + C*x^2))/Sqrt[e + f*x],x]

[Out] (d*Sqrt[f]*Sqrt[c + d*x]*(e + f*x)*(8*a*d*f*(6*d*f*(4*A*d*f + B*(-3*d*e + c*f + 2*d*f*x)) + C*(-3*c^2*f^2 + 2*c*d*f*(-2*e + f*x) + d^2*(15*e^2 - 10*e*f*x + 8*f^2*x^2))) + b*(C*(15*c^3*f^3 + c^2*d*f^2*(17*e - 10*f*x) + c*d^2*f*(25*e^2 - 12*e*f*x + 8*f^2*x^2) + d^3*(-105*e^3 + 70*e^2*f*x - 56*e*f^2*x^2 + 48*f^3*x^3)) + 8*d*f*(6*A*d*f*(-3*d*e + c*f + 2*d*f*x) + B*(-3*c^2*f^2 + 2*c*d*f*(-2*e + f*x) + d^2*(15*e^2 - 10*e*f*x + 8*f^2*x^2)))) + 3*(d*e - c*f)^(3/2)*(-8*a*d*f*(2*d*f*(-3*B*d*e - B*c*f + 4*A*d*f) + C*(5*d^2*e^2 + 2*c*d*e*f + c^2*f^2)) + b*(C*(35*d^3*e^3 + 15*c*d^2*e^2*f + 9*c^2*d*e*f^2 + 5*c^3*f^3) + 8*d*f*(2*A*d*f*(3*d*e + c*f) - B*(5*d^2*e^2 + 2*c*d*e*f + c^2*f^2))))*Sqrt[(d*(e + f*x))/(d*e - c*f)]*ArcSinh[(Sqrt[f]*Sqrt[c + d*x])/Sqrt[d*e - c*f]]/(192*d^4*f^(9/2)*Sqrt[e + f*x])

fricas [A] time = 3.38, size = 1114, normalized size = 2.06

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)*(C*x^2+B*x+A)*(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="fricas")

[Out] [1/768*(3*(35*C*b*d^4*e^4 - 20*(C*b*c*d^3 + 2*(C*a + B*b)*d^4)*e^3*f - 6*(C*b*c^2*d^2 - 4*(C*a + B*b)*c*d^3 - 8*(B*a + A*b)*d^4)*e^2*f^2 - 4*(C*b*c^3*d + 16*A*a*d^4 - 2*(C*a + B*b)*c^2*d^2 + 8*(B*a + A*b)*c*d^3)*e*f^3 - (5*C*b*c^4 - 64*A*a*c*d^3 - 8*(C*a + B*b)*c^3*d + 16*(B*a + A*b)*c^2*d^2)*f^4)*sqrt(d*f)*log(8*d^2*f^2*x^2 + d^2*e^2 + 6*c*d*e*f + c^2*f^2 + 4*(2*d*f*x + d*e + c*f)*sqrt(d*f)*sqrt(d*x + c)*sqrt(f*x + e) + 8*(d^2*e*f + c*d*f^2)*x) + 4*(48*C*b*d^4*f^4*x^3 - 105*C*b*d^4*e^3*f + 5*(5*C*b*c*d^3 + 24*(C*a + B*b)*d^4)*e^2*f^2 + (17*C*b*c^2*d^2 - 32*(C*a + B*b)*c*d^3 - 144*(B*a + A*b)*d^4)*e*f^3 + 3*(5*C*b*c^3*d + 64*A*a*d^4 - 8*(C*a + B*b)*c^2*d^2 + 16*(B*a + A*b)*c*d^3)*f^4 - 8*(7*C*b*d^4*e*f^3 - (C*b*c*d^3 + 8*(C*a + B*b)*d^4)*f^4)*x^2 + 2*(35*C*b*d^4*e^2*f^2 - 2*(3*C*b*c*d^3 + 20*(C*a + B*b)*d^4)*e*f^3 - (5*C*b*c^2*d^2 - 8*(C*a + B*b)*c*d^3 - 48*(B*a + A*b)*d^4)*f^4)*x)*sqrt(d*x + c)*sqrt(f*x + e)/(d^4*f^5), -1/384*(3*(35*C*b*d^4*e^4 - 20*(C*b*c*d^3 + 2*(C*a + B*b)*d^4)*e^3*f - 6*(C*b*c^2*d^2 - 4*(C*a + B*b)*c*d^3 - 8*(B*a + A*b)*d^4)*e^2*f^2 - 4*(C*b*c^3*d + 16*A*a*d^4 - 2*(C*a + B*b)*c^2*d^2 + 8*(B*a + A*b)*c*d^3)*e*f^3 - (5*C*b*c^4 - 64*A*a*c*d^3 - 8*(C*a + B*b)*c^3*d + 16*(B*a + A*b)*c^2*d^2)*f^4)*sqrt(-d*f)*arctan(1/2*(2*d*f*x + d*e + c*f)*sqrt(-d*f)*sqrt(d*x + c)*sqrt(f*x + e)/(d^2*f^2*x^2 + c*d*e*f + (d^2*e*f + c*d*f^2)*x)) - 2*(48*C*b*d^4*f^4*x^3 - 105*C*b*d^4*e^3*f + 5*(5*C*b*c*d^3 + 24*(C*a + B*b)*d^4)*e^2*f^2 + (17*C*b*c^2*d^2 - 32*(C*a + B*b)*c*d^3 - 144*(B*a + A*b)*d^4)*e*f^3 + 3*(5*C*b*c^3*d + 64*A*a*d^4 - 8*(C*a + B*b)*c^2*d^2 + 16*(B*a + A*b)*c*d^3)*f^4 - 8*(7*C*b*d^4*e*f^3 - (C*b*c*d^3 + 8*(C*a + B*b)*d^4)*f^4)*x^2 + 2*(35*C*b*d^4*e^2*f^2 - 2*(3*C*b*c*d^3 + 20*(C*a + B*b)*d^4)*e*f^3 - (5*C*b*c^2*d^2 - 8*(C*a + B*b)*c*d^3 - 48*(B*a + A*b)*d^4)*f^4)*x)*sqrt(d*x + c)*sqrt(f*x + e)/(d^4*f^5), -1/384*(3*(35*C*b*d^4*e^4 - 20*(C*b*c*d^3 + 2*(C*a + B*b)*d^4)*e^3*f - 6*(C*b*c^2*d^2 - 4*(C*a + B*b)*c*d^3 - 8*(B*a + A*b)*d^4)*e^2*f^2 - 4*(C*b*c^3*d + 16*A*a*d^4 - 2*(C*a + B*b)*c^2*d^2 + 8*(B*a + A*b)*c*d^3)*e*f^3 - (5*C*b*c^4 - 64*A*a*c*d^3 - 8*(C*a + B*b)*c^3*d + 16*(B*a + A*b)*c^2*d^2)*f^4)*sqrt(-d*f)*arctan(1/2*(2*d*f*x + d*e + c*f)*sqrt(-d*f)*sqrt(d*x + c)*sqrt(f*x + e)/(d^2*f^2*x^2 + c*d*e*f + (d^2*e*f + c*d*f^2)*x)) - 2*(48*C*b*d^4*f^4*x^3 - 105*C*b*d^4*e^3*f + 5*(5*C*b*c*d^3 + 24*(C*a + B*b)*d^4)*e^2*f^2 + (17*C*b*c^2*d^2 - 32*(C*a + B*b)*c*d^3 - 144*(B*a + A*b)*d^4)*e*f^3 + 3*(5*C*b*c^3*d + 64*A*a*d^4 - 8*(C*a + B*b)*c^2*d^2 + 16*(B*a + A*b)*c*d^3)*f^4 - 8*(7*C*b*d^4*e*f^3 - (C*b*c*d^3 + 8*(C*a + B*b)*d^4)*f^4)*x^2 + 2*(35*C*b*d^4*e^2*f^2 - 2*(3*C*b*c*d^3 + 20*(C*a + B*b)*d^4)*e*f^3 - (5*C*b*c^2*d^2 - 8*(C*a + B*b)*c*d^3 - 48*(B*a + A*b)*d^4)*f^4)*x)*sqrt(d*x + c)*sqrt(f*x + e)/(d^4*f^5), -1/384*(3*(35*C*b*d^4*e^4 - 20*(C*b*c*d^3 + 2*(C*a + B*b)*d^4)*e^3*f - 6*(C*b*c^2*d^2 - 4*(C*a + B*b)*c*d^3 - 8*(B*a + A*b)*d^4)*e^2*f^2 - 4*(C*b*c^3*d + 16*A*a*d^4 - 2*(C*a + B*b)*c^2*d^2 + 8*(B*a + A*b)*c*d^3)*e*f^3 - (5*C*b*c^4 - 64*A*a*c*d^3 - 8*(C*a + B*b)*c^3*d + 16*(B*a + A*b)*c^2*d^2)*f^4)*sqrt(-d*f)*arctan(1/2*(2*d*f*x + d*e + c*f)*sqrt(-d*f)*sqrt(d*x + c)*sqrt(f*x + e)/(d^2*f^2*x^2 + c*d*e*f + (d^2*e*f + c*d*f^2)*x)) - 2*(48*C*b*d^4*f^4*x^3 - 105*C*b*d^4*e^3*f + 5*(5*C*b*c*d^3 + 24*(C*a + B*b)*d^4)*e^2*f^2 + (17*C*b*c^2*d^2 - 32*(C*a + B*b)*c*d^3 - 144*(B*a + A*b)*d^4)*e*f^3 + 3*(5*C*b*c^3*d + 64*A*a*d^4 - 8*(C*a + B*b)*c^2*d^2 + 16*(B*a + A*b)*c*d^3)*f^4 - 8*(7*C*b*d^4*e*f^3 - (C*b*c*d^3 + 8*(C*a + B*b)*d^4)*f^4)*x^2 + 2*(35*C*b*d^4*e^2*f^2 - 2*(3*C*b*c*d^3 + 20*(C*a + B*b)*d^4)*e*f^3 - (5*C*b*c^2*d^2 - 8*(C*a + B*b)*c*d^3 - 48*(B*a + A*b)*d^4)*f^4)*x)*sqrt(d*x + c)*sqrt(f*x + e)/(d^4*f^5)

$(B*b)*d^4)*e*f^3 - (5*C*b*c^2*d^2 - 8*(C*a + B*b)*c*d^3 - 48*(B*a + A*b)*d^4)*f^4)*x)*\text{sqrt}(d*x + c)*\text{sqrt}(f*x + e))/(d^4*f^5)]$

giac [A] time = 1.82, size = 736, normalized size = 1.36

$$\left(\sqrt{(dx+c)df - cdf + d^2e} \left(2(dx+c) \left(4(dx+c) \left(\frac{6(dx+c)Cb}{d^4f} - \frac{17Cbc d^{12} f^6 - 8Cad^{13} f^6 - 8Bbd^{13} f^6 + 7Cbd^{13} f^5 e}{d^{16} f^7} \right) \right) + \frac{59Cbc^2 d^{12} f^6 - \dots}{\dots} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)*(C*x^2+B*x+A)*(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="giac")

[Out] $\frac{1}{192}(\text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e)*(2*(d*x + c)*(4*(d*x + c)*(6*(d*x + c)*C*b/(d^4*f) - (17*C*b*c*d^{12}*f^6 - 8*C*a*d^{13}*f^6 - 8*B*b*d^{13}*f^6 + 7*C*b*d^{13}*f^5*e)/(d^{16}*f^7)) + (59*C*b*c^2*d^{12}*f^6 - 56*C*a*c*d^{13}*f^6 - 56*B*b*c*d^{13}*f^6 + 48*B*a*d^{14}*f^6 + 48*A*b*d^{14}*f^6 + 50*C*b*c*d^{13}*f^5*e - 40*C*a*d^{14}*f^5*e - 40*B*b*d^{14}*f^5*e + 35*C*b*d^{14}*f^4*e^2)/(d^{16}*f^7)) - 3*(5*C*b*c^3*d^{12}*f^6 - 8*C*a*c^2*d^{13}*f^6 - 8*B*b*c^2*d^{13}*f^6 + 16*B*a*c*d^{14}*f^6 + 16*A*b*c*d^{14}*f^6 - 64*A*a*d^{15}*f^6 + 9*C*b*c^2*d^{13}*f^5*e - 16*C*a*c*d^{14}*f^5*e - 16*B*b*c*d^{14}*f^5*e + 48*B*a*d^{15}*f^5*e + 48*A*b*d^{15}*f^5*e + 15*C*b*c*d^{14}*f^4*e^2 - 40*C*a*d^{15}*f^4*e^2 - 40*B*b*d^{15}*f^4*e^2 + 35*C*b*d^{15}*f^3*e^3)/(d^{16}*f^7))*\text{sqrt}(d*x + c) + 3*(5*C*b*c^4*f^4 - 8*C*a*c^3*d*f^4 - 8*B*b*c^3*d*f^4 + 16*B*a*c^2*d^2*f^4 + 16*A*b*c^2*d^2*f^4 - 64*A*a*c*d^3*f^4 + 4*C*b*c^3*d*f^3*e - 8*C*a*c^2*d^2*f^3*e - 8*B*b*c^2*d^2*f^3*e + 32*B*a*c*d^3*f^3*e + 32*A*b*c*d^3*f^3*e + 64*A*a*d^4*f^3*e + 6*C*b*c^2*d^2*f^2*e^2 - 24*C*a*c*d^3*f^2*e^2 - 24*B*b*c*d^3*f^2*e^2 - 48*B*a*d^4*f^2*e^2 - 48*A*b*d^4*f^2*e^2 + 20*C*b*c*d^3*f*e^3 + 40*C*a*d^4*f*e^3 + 40*B*b*d^4*f*e^3 - 35*C*b*d^4*e^4)*\text{log}(\text{abs}(-\text{sqrt}(d*f)*\text{sqrt}(d*x + c) + \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e)))/(\text{sqrt}(d*f)*d^3*f^4))*d/\text{abs}(d)$

maple [B] time = 0.03, size = 2002, normalized size = 3.71

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x+a)*(C*x^2+B*x+A)*(d*x+c)^(1/2)/(f*x+e)^(1/2),x)

[Out] $\frac{1}{384}(d*x+c)^{1/2}(f*x+e)^{1/2}*(192*A*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^{1/2}*(d*f)^{1/2}+c*f+d*e)/(d*f)^{1/2}))*a*c*d^3*f^4+105*C*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^{1/2}*(d*f)^{1/2}+c*f+d*e)/(d*f)^{1/2}))*b*d^4*e^4-24*C*(d*f)^{1/2}*((d*x+c)*(f*x+e))^{1/2}*x*b*c*d^2*e*f^2-15*C*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^{1/2}*(d*f)^{1/2}+c*f+d*e)/(d*f)^{1/2}))*b*c^4*f^4-96*B*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^{1/2}*(d*f)^{1/2}+c*f+d*e)/(d*f)^{1/2}))*$

$$\begin{aligned}
& a*c*d^3*e*f^3+72*B*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)+c*f+d*e)/(d*f)^(1/2))*b*c*d^3*e^2*f^2+72*C*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)+c*f+d*e)/(d*f)^(1/2))*a*c*d^3*e^2*f^2-60*C*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)+c*f+d*e)/(d*f)^(1/2))*b*c*d^3*e^3*f-288*A*(d*f)^(1/2)*((d*x+c)*(f*x+e))^(1/2)*b*d^3*e*f^2-96*A*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)+c*f+d*e)/(d*f)^(1/2))*b*c*d^3*e*f^3+24*B*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)+c*f+d*e)/(d*f)^(1/2))*b*c^2*d^2*e*f^3+24*C*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)+c*f+d*e)/(d*f)^(1/2))*a*c^2*d^2*e*f^3-12*C*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)+c*f+d*e)/(d*f)^(1/2))*b*c^3*d*e*f^3-192*A*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)+c*f+d*e)/(d*f)^(1/2))*a*d^4*e*f^3+144*B*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)+c*f+d*e)/(d*f)^(1/2))*a*d^4*e^2*f^2-120*B*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)+c*f+d*e)/(d*f)^(1/2))*b*d^4*e^3*f-120*C*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)+c*f+d*e)/(d*f)^(1/2))*a*d^4*e^3*f+384*A*(d*f)^(1/2)*((d*x+c)*(f*x+e))^(1/2)*a*d^3*f^3-210*C*(d*f)^(1/2)*((d*x+c)*(f*x+e))^(1/2)*b*d^3*e^3-48*A*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)+c*f+d*e)/(d*f)^(1/2))*b*c^2*d^2*f^4+24*C*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)+c*f+d*e)/(d*f)^(1/2))*a*c^3*d*f^4+24*B*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)+c*f+d*e)/(d*f)^(1/2))*b*c^3*d*f^4-48*B*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)+c*f+d*e)/(d*f)^(1/2))*a*c^2*d^2*f^4+144*A*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)+c*f+d*e)/(d*f)^(1/2))*b*d^4*e^2*f^2+30*C*(d*f)^(1/2)*((d*x+c)*(f*x+e))^(1/2)*b*c^3*f^3+192*B*(d*f)^(1/2)*((d*x+c)*(f*x+e))^(1/2)*x*a*d^3*f^3+96*A*(d*f)^(1/2)*((d*x+c)*(f*x+e))^(1/2)*b*c*d^2*f^3+192*A*(d*f)^(1/2)*((d*x+c)*(f*x+e))^(1/2)*x*b*d^3*f^3+240*C*(d*f)^(1/2)*((d*x+c)*(f*x+e))^(1/2)*a*d^3*e^2*f+96*C*x^3*b*d^3*f^3*(d*f)^(1/2)*((d*x+c)*(f*x+e))^(1/2)+128*B*x^2*b*d^3*f^3*(d*f)^(1/2)*((d*x+c)*(f*x+e))^(1/2)+128*C*x^2*a*d^3*f^3*(d*f)^(1/2)*((d*x+c)*(f*x+e))^(1/2)-18*C*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)+c*f+d*e)/(d*f)^(1/2))*b*c^2*d^2*e^2*f^2-288*B*(d*f)^(1/2)*((d*x+c)*(f*x+e))^(1/2)*a*d^3*e*f^2+240*B*(d*f)^(1/2)*((d*x+c)*(f*x+e))^(1/2)*b*d^3*e^2*f-48*C*(d*f)^(1/2)*((d*x+c)*(f*x+e))^(1/2)*a*c^2*d*f^3+96*B*(d*f)^(1/2)*((d*x+c)*(f*x+e))^(1/2)*a*c*d^2*f^3-48*B*(d*f)^(1/2)*((d*x+c)*(f*x+e))^(1/2)*b*c^2*d*f^3-64*C*(d*f)^(1/2)*((d*x+c)*(f*x+e))^(1/2)*a*c*d^2*e*f^2+34*C*(d*f)^(1/2)*((d*x+c)*(f*x+e))^(1/2)*b*c^2*d*e*f^2+50*C*(d*f)^(1/2)*((d*x+c)*(f*x+e))^(1/2)*b*c*d^2*e^2*f+32*B*(d*f)^(1/2)*((d*x+c)*(f*x+e))^(1/2)*x*b*c*d^2*f^3-160*B*(d*f)^(1/2)*((d*x+c)*(f*x+e))^(1/2)*x*b*d^3*e*f^2+32*C*(d*f)^(1/2)*((d*x+c)*(f*x+e))^(1/2)*x*a*c*d^2*f^3-160*C*(d*f)^(1/2)*((d*x+c)*(f*x+e))^(1/2)*x*b*c^2*d*f^3+140*C*(d*f)^(1/2)*((d*x+c)*(f*x+e))^(1/2)*x*b*d^3*e^2*f-64*B*(d*f)^(1/2)*((d*x+c)*(f*x+e))^(1/2)*b*c*d^2*e*f^2+16*C*x^2*b*c*d^2*f^3*(d*f)^(1/2)*((d*x+c)*(f*x+e))^(1/2)-112*C*x^2*b*d^3*e*f^2*(d*f)^(1/2)*((d*x+c)*(f*x+e))^(1/2)/f^4/((d*x+c)*(f*x+e))^(1/2)/d^3/(d*f)^(1/2)
\end{aligned}$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)*(C*x^2+B*x+A)*(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(c*f-d*e>0)', see `assume?` for more details)Is c*f-d*e zero or nonzero?

mupad [F(-1)] time = 0.00, size = -1, normalized size = -0.00

Hanged

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x)*(c + d*x)^(1/2)*(A + B*x + C*x^2))/(e + f*x)^(1/2),x)

[Out] \text{Hanged}

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)*(C*x**2+B*x+A)*(d*x+c)**(1/2)/(f*x+e)**(1/2),x)

[Out] Timed out

$$3.49 \quad \int \frac{\sqrt{c+dx} (A+Bx+Cx^2)}{\sqrt{e+fx}} dx$$

Optimal. Leaf size=246

$$\frac{\sqrt{c+dx} \sqrt{e+fx} (2df(4Adf - B(cf + 3de)) + C(c^2f^2 + 2cdef + 5d^2e^2))}{8d^2f^3} - \frac{(de - cf) \tanh^{-1}\left(\frac{\sqrt{f} \sqrt{c+dx}}{\sqrt{d} \sqrt{e+fx}}\right) (2df(4$$

[Out] $-1/8*(-c*f+d*e)*(C*(c^2*f^2+2*c*d*e*f+5*d^2*e^2)+2*d*f*(4*A*d*f-B*(c*f+3*d*e)))*\operatorname{arctanh}(f^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)}/(f*x+e)^{(1/2)})/d^{(5/2)}/f^{(7/2)}-1/12*(-6*B*d*f+7*C*c*f+5*C*d*e)*(d*x+c)^{(3/2)}*(f*x+e)^{(1/2)}/d^2/f^2+1/3*C*(d*x+c)^{(5/2)}*(f*x+e)^{(1/2)}/d^2/f+1/8*(C*(c^2*f^2+2*c*d*e*f+5*d^2*e^2)+2*d*f*(4*A*d*f-B*(c*f+3*d*e)))*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/d^2/f^3$

Rubi [A] time = 0.23, antiderivative size = 246, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$, Rules used = {951, 80, 50, 63, 217, 206}

$$\frac{\sqrt{c+dx} \sqrt{e+fx} (2df(4Adf - B(cf + 3de)) + C(c^2f^2 + 2cdef + 5d^2e^2))}{8d^2f^3} - \frac{(de - cf) \tanh^{-1}\left(\frac{\sqrt{f} \sqrt{c+dx}}{\sqrt{d} \sqrt{e+fx}}\right) (2df(4$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(\operatorname{Sqrt}[c + d*x]*(A + B*x + C*x^2))/\operatorname{Sqrt}[e + f*x], x]$

[Out] $((C*(5*d^2*e^2 + 2*c*d*e*f + c^2*f^2) + 2*d*f*(4*A*d*f - B*(3*d*e + c*f)))*\operatorname{Sqrt}[c + d*x]*\operatorname{Sqrt}[e + f*x])/(8*d^2*f^3) - ((5*C*d*e + 7*c*C*f - 6*B*d*f)*(c + d*x)^{(3/2)}*\operatorname{Sqrt}[e + f*x])/(12*d^2*f^2) + (C*(c + d*x)^{(5/2)}*\operatorname{Sqrt}[e + f*x])/(3*d^2*f) - ((d*e - c*f)*(C*(5*d^2*e^2 + 2*c*d*e*f + c^2*f^2) + 2*d*f*(4*A*d*f - B*(3*d*e + c*f)))*\operatorname{ArcTanh}[(\operatorname{Sqrt}[f]*\operatorname{Sqrt}[c + d*x])/(\operatorname{Sqrt}[d]*\operatorname{Sqrt}[e + f*x])])/(8*d^{(5/2)}*f^{(7/2)})$

Rule 50

$\operatorname{Int}[(a_. + (b_.)*(x_.))^{(m_.)}*((c_.) + (d_.)*(x_.))^{(n_.)}, x_Symbol] \rightarrow \operatorname{Simp}[(a + b*x)^{(m+1)}*(c + d*x)^{(n)}/(b*(m+n+1)), x] + \operatorname{Dist}[(n*(b*c - a*d))/(b*(m+n+1)), \operatorname{Int}[(a + b*x)^m*(c + d*x)^{(n-1)}, x], x] /;$ FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m+n+1, 0] && !(IGtQ[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m-n, 0]))) && !ILtQ[m+n+2, 0] && IntLinearQ[a, b, c, d, m, n, x]

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 80

```
Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p
_.), x_Symbol] := Simp[(b*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(n + p
+ 2)), x] + Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(d*f*(
n + p + 2)), Int[(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f
, n, p}, x] && NeQ[n + p + 2, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 951

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_.) + (b_.)*(x_)
+ (c_.)*(x_)^2)^(p_.), x_Symbol] := Simp[(c^p*(d + e*x)^(m + 2*p)*(f + g*x
)^(n + 1))/(g*e^(2*p)*(m + n + 2*p + 1)), x] + Dist[1/(g*e^(2*p)*(m + n + 2
*p + 1)), Int[(d + e*x)^m*(f + g*x)^n*ExpandToSum[g*(m + n + 2*p + 1)*(e^(2
*p)*(a + b*x + c*x^2)^p - c^p*(d + e*x)^(2*p)) - c^p*(e*f - d*g)*(m + 2*p)*
(d + e*x)^(2*p - 1), x], x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e
*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGt
Q[p, 0] && NeQ[m + n + 2*p + 1, 0] && (IntegerQ[n] || !IntegerQ[m])
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{c+dx} (A+Bx+Cx^2)}{\sqrt{e+fx}} dx &= \frac{C(c+dx)^{5/2} \sqrt{e+fx}}{3d^2 f} + \frac{\int \frac{\sqrt{c+dx} \left(\frac{1}{2}(-5cCde - c^2 Cf + 6Ad^2 f) - \frac{1}{2}d(5Cde + 7cCf - 6Bdf)x \right)}{\sqrt{e+fx}} dx}{3d^2 f} \\
&= -\frac{(5Cde + 7cCf - 6Bdf)(c+dx)^{3/2} \sqrt{e+fx}}{12d^2 f^2} + \frac{C(c+dx)^{5/2} \sqrt{e+fx}}{3d^2 f} + \frac{C(5d^2 e^2 + 2cdef + c^2 f^2)}{8d^2 f^3} \\
&= \frac{(C(5d^2 e^2 + 2cdef + c^2 f^2) + 2df(4Adf - B(3de + cf))) \sqrt{c+dx} \sqrt{e+fx}}{8d^2 f^3} \\
&= \frac{(C(5d^2 e^2 + 2cdef + c^2 f^2) + 2df(4Adf - B(3de + cf))) \sqrt{c+dx} \sqrt{e+fx}}{8d^2 f^3} \\
&= \frac{(C(5d^2 e^2 + 2cdef + c^2 f^2) + 2df(4Adf - B(3de + cf))) \sqrt{c+dx} \sqrt{e+fx}}{8d^2 f^3} \\
&= \frac{(C(5d^2 e^2 + 2cdef + c^2 f^2) + 2df(4Adf - B(3de + cf))) \sqrt{c+dx} \sqrt{e+fx}}{8d^2 f^3}
\end{aligned}$$

Mathematica [A] time = 1.07, size = 225, normalized size = 0.91

$$\frac{-d\sqrt{f}\sqrt{c+dx}(e+fx)\left(C(3c^2f^2-2cdf(fx-2e)+d^2(-15e^2+10efx-8f^2x^2))\right)-6df(4Adf+B(cf-3de+2d^2fx))}{24d^3f^{7/2}\sqrt{e+fx}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[c + d*x]*(A + B*x + C*x^2))/Sqrt[e + f*x], x]

[Out] $(-(d\sqrt{f}\sqrt{c+dx}(e+fx)(-6d^2f(4Adf+B(-3de+cf+2d^2fx))+C(3c^2f^2-2cdf(fx-2e)+d^2(-15e^2+10efx-8f^2x^2))))-3(d^2e-cf)^{3/2}(C(5d^2e^2+2cdef+c^2f^2)+2d^2f(4Adf-B(3de+cf))))\sqrt{((d(e+fx))/(d^2e-cf))}\text{ArcSinh}[\sqrt{f}\sqrt{c+dx}]/\sqrt{d^2e-cf}]/(24d^3f^{7/2}\sqrt{e+fx})$

fricas [A] time = 1.47, size = 576, normalized size = 2.34

$$\frac{3(5Cd^3e^3 - 3(Ccd^2 + 2Bd^3)e^2f - (C^2d - 4Bcd^2 - 8Ad^3)ef^2 - (Cc^3 - 2Bc^2d + 8Acd^2)f^3)\sqrt{df} \log(8d^2f^2)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="fricas")

[Out] [-1/96*(3*(5*C*d^3*e^3 - 3*(C*c*d^2 + 2*B*d^3)*e^2*f - (C*c^2*d - 4*B*c*d^2 - 8*A*d^3)*e*f^2 - (C*c^3 - 2*B*c^2*d + 8*A*c*d^2)*f^3)*sqrt(d*f)*log(8*d^2*f^2*x^2 + d^2*e^2 + 6*c*d*e*f + c^2*f^2 + 4*(2*d*f*x + d*e + c*f)*sqrt(d*f)*sqrt(d*x + c)*sqrt(f*x + e) + 8*(d^2*e*f + c*d*f^2)*x) - 4*(8*C*d^3*f^3*x^2 + 15*C*d^3*e^2*f - 2*(2*C*c*d^2 + 9*B*d^3)*e*f^2 - 3*(C*c^2*d - 2*B*c*d^2 - 8*A*d^3)*f^3 - 2*(5*C*d^3*e*f^2 - (C*c*d^2 + 6*B*d^3)*f^3)*x)*sqrt(d*x + c)*sqrt(f*x + e))/(d^3*f^4), 1/48*(3*(5*C*d^3*e^3 - 3*(C*c*d^2 + 2*B*d^3)*e^2*f - (C*c^2*d - 4*B*c*d^2 - 8*A*d^3)*e*f^2 - (C*c^3 - 2*B*c^2*d + 8*A*c*d^2)*f^3)*sqrt(-d*f)*arctan(1/2*(2*d*f*x + d*e + c*f)*sqrt(-d*f)*sqrt(d*x + c)*sqrt(f*x + e)/(d^2*f^2*x^2 + c*d*e*f + (d^2*e*f + c*d*f^2)*x)) + 2*(8*C*d^3*f^3*x^2 + 15*C*d^3*e^2*f - 2*(2*C*c*d^2 + 9*B*d^3)*e*f^2 - 3*(C*c^2*d - 2*B*c*d^2 - 8*A*d^3)*f^3 - 2*(5*C*d^3*e*f^2 - (C*c*d^2 + 6*B*d^3)*f^3)*x)*sqrt(d*x + c)*sqrt(f*x + e))/(d^3*f^4)]

giac [A] time = 1.35, size = 315, normalized size = 1.28

$$\frac{\left(\sqrt{(dx+c)df - cdf + d^2e} \sqrt{dx+c} \left(2(dx+c) \left(\frac{4(dx+c)C}{d^3f} - \frac{7Ccd^6f^4 - 6Bd^7f^4 + 5Cd^7f^3e}{d^9f^5}\right) + \frac{3(Cc^2d^6f^4 - 2Bcd^7f^4 + 8Ad^8f^4 + 2Ccd^7f^3e - 6Bd^8f^3e + 5C*d^8*f^2*e^2)}{d^9f^5}\right) - 3(Cc^3f^3 - 2Bc^2d*f^3 + 8A*c*d^2*f^3 + Cc^2*d*f^2*e - 4B*c*d^2*f^2*e - 8A*d^3*f^2*e + 3C*c*d^2*f*e^2 + 6B*d^3*f*e^2 - 5C*d^3*e^3) \log(\text{abs}(-\sqrt{d*f})\sqrt{d*x+c}) + \sqrt{(d*x+c)*d*f - c*d*f + d^2*e})\right)}{\sqrt{d*f}*d^2*f^3} \cdot d/\text{abs}(d)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="giac")

[Out] 1/24*(sqrt((d*x + c)*d*f - c*d*f + d^2*e)*sqrt(d*x + c)*(2*(d*x + c)*(4*(d*x + c)*C/(d^3*f) - (7*C*c*d^6*f^4 - 6*B*d^7*f^4 + 5*C*d^7*f^3*e)/(d^9*f^5)) + 3*(C*c^2*d^6*f^4 - 2*B*c*d^7*f^4 + 8*A*d^8*f^4 + 2*C*c*d^7*f^3*e - 6*B*d^8*f^3*e + 5*C*d^8*f^2*e^2)/(d^9*f^5)) - 3*(C*c^3*f^3 - 2*B*c^2*d*f^3 + 8*A*c*d^2*f^3 + C*c^2*d*f^2*e - 4*B*c*d^2*f^2*e - 8*A*d^3*f^2*e + 3*C*c*d^2*f*e^2 + 6*B*d^3*f*e^2 - 5*C*d^3*e^3)*log(abs(-sqrt(d*f))*sqrt(d*x + c) + sqrt((d*x + c)*d*f - c*d*f + d^2*e)))/(sqrt(d*f)*d^2*f^3))*d/abs(d)

maple [B] time = 0.02, size = 763, normalized size = 3.10

$$\sqrt{dx+c} \sqrt{fx+e} \left(24Ac d^2 f^3 \ln \left(\frac{2dfx+cf+de+2\sqrt{(dx+c)(fx+e)} \sqrt{df}}{2\sqrt{df}} \right) - 24A d^3 e f^2 \ln \left(\frac{2dfx+cf+de+2\sqrt{(dx+c)(fx+e)} \sqrt{df}}{2\sqrt{df}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((C*x^2+B*x+A)*(d*x+c)^(1/2)/(f*x+e)^(1/2),x)`

[Out] $\frac{1}{48}(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}*(16*C*x^2*d^2*f^2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)}+24*A*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)))/(d*f)^{(1/2)})*c*d^2*f^3-24*A*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)))/(d*f)^{(1/2)})*d^3*e*f^2-6*B*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)))/(d*f)^{(1/2)})*c^2*d*f^3-12*B*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)))/(d*f)^{(1/2)})*c*d^2*e*f^2+18*B*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)))/(d*f)^{(1/2)})*d^3*e^2*f+24*B*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*x*d^2*f^2+3*C*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)))/(d*f)^{(1/2)})*c^2*d*e*f^2+9*C*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)))/(d*f)^{(1/2)})*c*d^2*e^2*f-15*C*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)))/(d*f)^{(1/2)})*d^3*e^3+4*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*x*c*d*f^2-20*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*x*d^2*e*f+48*A*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*d^2*f^2+12*B*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*c*d*f^2-36*B*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*d^2*e*f-6*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*c^2*f^2-8*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*c*d*e*f+30*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*d^2*e^2)/f^3/((d*x+c)*(f*x+e))^{(1/2)}/d^2/(d*f)^{(1/2)}$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(c*f-d*e>0)', see `assume?` for more details)Is c*f-d*e zero or nonzero?

mupad [B] time = 90.55, size = 1832, normalized size = 7.45

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(((c + d*x)^{(1/2)}*(A + B*x + C*x^2))/(e + f*x)^{(1/2)},x)$

[Out]
$$\begin{aligned} & (((c + d*x)^{(1/2)} - c^{(1/2)})*(2*A*d^2*e + 2*A*c*d*f))/(f^3*((e + f*x)^{(1/2)} - e^{(1/2)})) \\ & + ((2*A*c*f + 2*A*d*e)*((c + d*x)^{(1/2)} - c^{(1/2)})^3)/(f^2*((e + f*x)^{(1/2)} - e^{(1/2)})^3) \\ & - (8*A*c^{(1/2)}*d*e^{(1/2)}*((c + d*x)^{(1/2)} - c^{(1/2)})^2)/(f^2*((e + f*x)^{(1/2)} - e^{(1/2)})^2) \\ & /(((c + d*x)^{(1/2)} - c^{(1/2)})^4/((e + f*x)^{(1/2)} - e^{(1/2)})^4 + d^2/f^2 - (2*d*((c + d*x)^{(1/2)} - c^{(1/2)}))^2)/(f*((e + f*x)^{(1/2)} - e^{(1/2)})^2) \\ & - (((c + d*x)^{(1/2)} - c^{(1/2)})*(C*c^3*d^3*f^3)/4 - (5*C*d^6*e^3)/4 + (C*c^2*d^4*e*f^2)/4 + (3*C*c*d^5*e^2*f)/4) \\ & /((f^9*((e + f*x)^{(1/2)} - e^{(1/2)})) - (((c + d*x)^{(1/2)} - c^{(1/2)})^5*((33*C*d^4*e^3)/2 + (19*C*c^3*d*f^3)/2 + (275*C*c^2*d^2*e*f^2)/2 + (313*C*c*d^3*e^2*f)/2)) \\ & /((f^7*((e + f*x)^{(1/2)} - e^{(1/2)})^5) - (((c + d*x)^{(1/2)} - c^{(1/2)})^7*((19*C*c^3*f^3)/2 + (33*C*d^3*e^3)/2 + (313*C*c*d^2*e^2*f)/2 + (275*C*c^2*d*e*f^2)/2)) \\ & /((f^6*((e + f*x)^{(1/2)} - e^{(1/2)})^7) - (((c + d*x)^{(1/2)} - c^{(1/2)})^3*((17*C*c^3*d^2*f^3)/12 - (85*C*d^5*e^3)/12 + (91*C*c^2*d^3*e*f^2)/4 + (17*C*c*d^4*e^2*f)/4)) \\ & /((f^8*((e + f*x)^{(1/2)} - e^{(1/2)})^3) + (((c + d*x)^{(1/2)} - c^{(1/2)})^11*((C*c^3*f^3)/4 - (5*C*d^3*e^3)/4 + (3*C*c*d^2*e^2*f)/4 + (C*c^2*d*e*f^2)/4)) \\ & /((d^2*f^4*((e + f*x)^{(1/2)} - e^{(1/2)})^11) - (((c + d*x)^{(1/2)} - c^{(1/2)})^9*((17*C*c^3*f^3)/12 - (85*C*d^3*e^3)/12 + (17*C*c*d^2*e^2*f)/4 + (91*C*c^2*d*e*f^2)/4)) \\ & /((d*f^5*((e + f*x)^{(1/2)} - e^{(1/2)})^9) + (c^{(1/2)}*e^{(1/2)}*((c + d*x)^{(1/2)} - c^{(1/2)})^8*(32*C*c^2*f + 96*C*c*d*e)) \\ & /((f^4*((e + f*x)^{(1/2)} - e^{(1/2)})^8) + (c^{(1/2)}*e^{(1/2)}*(96*C*c*d^3*e + 32*C*c^2*d^2*f)*((c + d*x)^{(1/2)} - c^{(1/2)})^4) \\ & /((f^6*((e + f*x)^{(1/2)} - e^{(1/2)})^4) + (c^{(1/2)}*e^{(1/2)}*((c + d*x)^{(1/2)} - c^{(1/2)})^6*(128*C*d^3*e^2 + 64*C*c^2*d*f^2 + (704*C*c*d^2*e*f)/3)) \\ & /((f^6*((e + f*x)^{(1/2)} - e^{(1/2)})^6)) /(((c + d*x)^{(1/2)} - c^{(1/2)})^12/((e + f*x)^{(1/2)} - e^{(1/2)})^12 + d^6/f^6 - (6*d*((c + d*x)^{(1/2)} - c^{(1/2)})^10)/(f*((e + f*x)^{(1/2)} - e^{(1/2)})^10) - (6*d^5*((c + d*x)^{(1/2)} - c^{(1/2)})^2)/(f^5*((e + f*x)^{(1/2)} - e^{(1/2)})^2) + (15*d^4*((c + d*x)^{(1/2)} - c^{(1/2)})^4)/(f^4*((e + f*x)^{(1/2)} - e^{(1/2)})^4) - (20*d^3*((c + d*x)^{(1/2)} - c^{(1/2)})^6)/(f^3*((e + f*x)^{(1/2)} - e^{(1/2)})^6) + (15*d^2*((c + d*x)^{(1/2)} - c^{(1/2)})^8)/(f^2*((e + f*x)^{(1/2)} - e^{(1/2)})^8) + (((c + d*x)^{(1/2)} - c^{(1/2)})*(B*c^2*d^2*f^2)/2 - (3*B*d^4*e^2)/2 + B*c*d^3*e*f)) /((f^6*((e + f*x)^{(1/2)} - e^{(1/2)})) + (((c + d*x)^{(1/2)} - c^{(1/2)})^3*((11*B*d^3*e^2)/2 + (7*B*c^2*d*f^2)/2 + 23*B*c*d^2*e*f)) /((f^5*((e + f*x)^{(1/2)} - e^{(1/2)})^3) + (((c + d*x)^{(1/2)} - c^{(1/2)})^5*((7*B*c^2*f^2)/2 + (11*B*d^2*e^2)/2 + 23*B*c*d*e*f)) /((f^4*((e + f*x)^{(1/2)} - e^{(1/2)})^5) + (((c + d*x)^{(1/2)} - c^{(1/2)})^7*((B*c^2*f^2)/2 - (3*B*d^2*e^2)/2 + B*c*d*e*f)) /((d*f^3*((e + f*x)^{(1/2)} - e^{(1/2)})^7) - (c^{(1/2)}*e^{(1/2)}*((c + d*x)^{(1/2)} - c^{(1/2)})^4*(32*B*d^2*e + 16*B*c*d*f)) /((f^4*((e + f*x)^{(1/2)} - e^{(1/2)})^4) - (8*B*c^{(3/2)}*e^{(1/2)}*((c + d*x)^{(1/2)} - c^{(1/2)})^6)/(f^2*((e + f*x)^{(1/2)} - e^{(1/2)})^6) - (8*B*c^{(3/2)}*d^2*e^{(1/2)}*((c + d*x)^{(1/2)} - c^{(1/2)})^2)/(f^4*((e + f*x)^{(1/2)} - e^{(1/2)})^2) /(((c + d*x)^{(1/2)} - c^{(1/2)})^8/((e + f*x)^{(1/2)} - e^{(1/2)})^8 + d^4/f^4 - (4*d*((c + d*x)^{(1/2)} - c^{(1/2)})^6)/(f*($$

$$\begin{aligned}
& ((e + f*x)^{(1/2)} - e^{(1/2)})^6 - (4*d^3*((c + d*x)^{(1/2)} - c^{(1/2)})^2)/(f^3* \\
& ((e + f*x)^{(1/2)} - e^{(1/2)})^2) + (6*d^2*((c + d*x)^{(1/2)} - c^{(1/2)})^4)/(f^2 \\
& *((e + f*x)^{(1/2)} - e^{(1/2)})^4) + (2*A*atanh((f^{(1/2)}*((c + d*x)^{(1/2)} - c \\
& ^{(1/2)})))/(d^{(1/2)}*((e + f*x)^{(1/2)} - e^{(1/2)})))*(c*f - d*e)/(d^{(1/2)}*f^{(3/ \\
& 2)) + (C*atanh((f^{(1/2)}*((c + d*x)^{(1/2)} - c^{(1/2)})))/(d^{(1/2)}*((e + f*x)^{(1 \\
& /2)} - e^{(1/2)})))*(c*f - d*e)*(c^2*f^2 + 5*d^2*e^2 + 2*c*d*e*f)/(4*d^{(5/2)}* \\
& f^{(7/2)}) - (B*atanh((f^{(1/2)}*((c + d*x)^{(1/2)} - c^{(1/2)})))/(d^{(1/2)}*((e + f* \\
& x)^{(1/2)} - e^{(1/2)})))*(c*f - d*e)*(c*f + 3*d*e)/(2*d^{(3/2)}*f^{(5/2)})
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x**2+B*x+A)*(d*x+c)**(1/2)/(f*x+e)**(1/2),x)

[Out] Timed out

$$3.50 \quad \int \frac{\sqrt{c+dx}(A+Bx+Cx^2)}{(a+bx)\sqrt{e+fx}} dx$$

Optimal. Leaf size=290

$$\frac{\tanh^{-1}\left(\frac{\sqrt{f}\sqrt{c+dx}}{\sqrt{d}\sqrt{e+fx}}\right)(2bdf(4Abdf - aC(cf + 3de)) + (2adf - bcf + bde)(4aCdf + b(-4Bdf + cCf + 3Cde)))}{4b^3d^{3/2}f^{5/2}}$$

[Out] 1/4*(2*b*d*f*(4*A*b*d*f-a*C*(c*f+3*d*e)))+(2*a*d*f-b*c*f+b*d*e)*(4*a*C*d*f+b*(-4*B*d*f+C*c*f+3*C*d*e))*arctanh(f^(1/2)*(d*x+c)^(1/2)/d^(1/2)/(f*x+e)^(1/2))/b^3/d^(3/2)/f^(5/2)-2*(A*b^2-a*(B*b-C*a))*arctanh((-a*f+b*e)^(1/2)*(d*x+c)^(1/2)/(-a*d+b*c)^(1/2)/(f*x+e)^(1/2))*(-a*d+b*c)^(1/2)/b^3/(-a*f+b*e)^(1/2)+1/2*C*(d*x+c)^(3/2)*(f*x+e)^(1/2)/b/d/f-1/4*(4*a*C*d*f+b*(-4*B*d*f+C*c*f+3*C*d*e))*(d*x+c)^(1/2)*(f*x+e)^(1/2)/b^2/d/f^2

Rubi [A] time = 0.67, antiderivative size = 290, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {1615, 154, 157, 63, 217, 206, 93, 208}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{f}\sqrt{c+dx}}{\sqrt{d}\sqrt{e+fx}}\right)(2bdf(4Abdf - aC(cf + 3de)) + (2adf - bcf + bde)(4aCdf + b(-4Bdf + cCf + 3Cde)))}{4b^3d^{3/2}f^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[c + d*x]*(A + B*x + C*x^2))/((a + b*x)*Sqrt[e + f*x]),x]

[Out] -((4*a*C*d*f + b*(3*C*d*e + c*C*f - 4*B*d*f))*Sqrt[c + d*x]*Sqrt[e + f*x])/(4*b^2*d*f^2) + (C*(c + d*x)^(3/2)*Sqrt[e + f*x])/(2*b*d*f) + ((2*b*d*f*(4*A*b*d*f - a*C*(3*d*e + c*f)) + (b*d*e - b*c*f + 2*a*d*f)*(4*a*C*d*f + b*(3*C*d*e + c*C*f - 4*B*d*f)))*ArcTanh[(Sqrt[f]*Sqrt[c + d*x])/(Sqrt[d]*Sqrt[e + f*x])]/(4*b^3*d^(3/2)*f^(5/2)) - (2*(A*b^2 - a*(b*B - a*C))*Sqrt[b*c - a*d]*ArcTanh[(Sqrt[b*e - a*f]*Sqrt[c + d*x])/(Sqrt[b*c - a*d]*Sqrt[e + f*x])])/(b^3*Sqrt[b*e - a*f])

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 93

```
Int[(((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 154

```
Int[(((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[(h*(a + b*x)^(m*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(m + n + p + 2)), x] + Dist[1/(d*f*(m + n + p + 2)), Int[(a + b*x)^(m - 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*g*(m + n + p + 2) - h*(b*c*e*m + a*(d*e*(n + 1) + c*f*(p + 1))) + (b*d*f*g*(m + n + p + 2) + h*(a*d*f*m - b*(d*e*(m + n + 1) + c*f*(m + p + 1)))]*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p + 2, 0] && IntegersQ[2*m, 2*n, 2*p]
```

Rule 157

```
Int[(((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)))/((a_.) + (b_.)*(x_)), x_Symbol] := Dist[h/b, Int[(c + d*x)^n*(e + f*x)^p, x], x] + Dist[(b*g - a*h)/b, Int[((c + d*x)^n*(e + f*x)^p)/(a + b*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x]
```

Rule 206

```
Int[(((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rule 208

```
Int[(((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 1615

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f
```

```

_.)*(x_)^(p_), x_Symbol] := With[{q = Expon[Px, x], k = Coeff[Px, x, Expo
n[Px, x]]}, Simp[(k*(a + b*x)^(m + q - 1)*(c + d*x)^(n + 1)*(e + f*x)^(p +
1))/(d*f*b^(q - 1)*(m + n + p + q + 1)), x] + Dist[1/(d*f*b^q*(m + n + p +
q + 1)), Int[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p*ExpandToSum[d*f*b^q*(m + n
+ p + q + 1)*Px - d*f*k*(m + n + p + q + 1)*(a + b*x)^q + k*(a + b*x)^(q -
2)*(a^2*d*f*(m + n + p + q + 1) - b*(b*c*e*(m + q - 1) + a*(d*e*(n + 1) +
c*f*(p + 1))) + b*(a*d*f*(2*(m + q) + n + p) - b*(d*e*(m + q + n) + c*f*(m
+ q + p)))*x), x], x] /; NeQ[m + n + p + q + 1, 0]] /; FreeQ[{a, b, c,
d, e, f, m, n, p}, x] && PolyQ[Px, x] && IntegersQ[2*m, 2*n, 2*p]

```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{c+dx} (A+Bx+Cx^2)}{(a+bx)\sqrt{e+fx}} dx &= \frac{C(c+dx)^{3/2}\sqrt{e+fx}}{2bdf} + \int \frac{\sqrt{c+dx} \left(\frac{1}{2}b(4Abdf - aC(3de+cf)) - \frac{1}{2}b(4aCdf + b(3Cde + cCf - 4Bdf)) \right) x}{(a+bx)\sqrt{e+fx}} dx \\
&= -\frac{(4aCdf + b(3Cde + cCf - 4Bdf))\sqrt{c+dx}\sqrt{e+fx}}{4b^2df^2} + \frac{C(c+dx)^{3/2}\sqrt{e+fx}}{2bdf} \\
&= -\frac{(4aCdf + b(3Cde + cCf - 4Bdf))\sqrt{c+dx}\sqrt{e+fx}}{4b^2df^2} + \frac{C(c+dx)^{3/2}\sqrt{e+fx}}{2bdf} \\
&= -\frac{(4aCdf + b(3Cde + cCf - 4Bdf))\sqrt{c+dx}\sqrt{e+fx}}{4b^2df^2} + \frac{C(c+dx)^{3/2}\sqrt{e+fx}}{2bdf} \\
&= -\frac{(4aCdf + b(3Cde + cCf - 4Bdf))\sqrt{c+dx}\sqrt{e+fx}}{4b^2df^2} + \frac{C(c+dx)^{3/2}\sqrt{e+fx}}{2bdf} \\
&= -\frac{(4aCdf + b(3Cde + cCf - 4Bdf))\sqrt{c+dx}\sqrt{e+fx}}{4b^2df^2} + \frac{C(c+dx)^{3/2}\sqrt{e+fx}}{2bdf}
\end{aligned}$$

Mathematica [A] time = 3.45, size = 465, normalized size = 1.60

$$\frac{8\sqrt{de-cf}(a(aC-bB)+Ab^2)\sqrt{\frac{d(e+fx)}{de-cf}}\sinh^{-1}\left(\frac{\sqrt{f}\sqrt{c+dx}}{\sqrt{de-cf}}\right)}{\sqrt{f}\sqrt{e+fx}} - \frac{8\sqrt{ad-bc}(a(aC-bB)+Ab^2)\tanh^{-1}\left(\frac{\sqrt{c+dx}\sqrt{af-be}}{\sqrt{e+fx}\sqrt{ad-bc}}\right)}{\sqrt{af-be}} + \frac{4b\sqrt{e+fx}(aCf-bBf+bCe)\left(\sqrt{c+dx}\right)}{4b^3}$$

$4b^3$

Antiderivative was successfully verified.

```
[In] Integrate[(Sqrt[c + d*x]*(A + B*x + C*x^2))/((a + b*x)*Sqrt[e + f*x]),x]
[Out] ((8*(A*b^2 + a*(-(b*B) + a*C))*Sqrt[d*e - c*f]*Sqrt[(d*(e + f*x))/(d*e - c*f)]*ArcSinh[(Sqrt[f]*Sqrt[c + d*x])/Sqrt[d*e - c*f]])/(Sqrt[f]*Sqrt[e + f*x]) + (4*b*(b*C*e - b*B*f + a*C*f)*Sqrt[e + f*x]*(-(Sqrt[f]*Sqrt[d*e - c*f]*(c + d*x)*Sqrt[(d*(e + f*x))/(d*e - c*f]]) + (d*e - c*f)*Sqrt[c + d*x]*ArcSinh[(Sqrt[f]*Sqrt[c + d*x])/Sqrt[d*e - c*f]]))/(f^(5/2)*Sqrt[d*e - c*f]*Sqrt[c + d*x]*Sqrt[(d*(e + f*x))/(d*e - c*f]]) + (b^2*C*Sqrt[e + f*x]*(Sqrt[f]*Sqrt[c + d*x]*(c*f + d*(e + 2*f*x)) - ((d*e - c*f)^(3/2)*ArcSinh[(Sqrt[f]*Sqrt[c + d*x])/Sqrt[d*e - c*f]]))/Sqrt[(d*(e + f*x))/(d*e - c*f]]))/(d*f^(5/2)) - (8*(A*b^2 + a*(-(b*B) + a*C))*Sqrt[-(b*c) + a*d]*ArcTanh[(Sqrt[-(b*e) + a*f]*Sqrt[c + d*x])/Sqrt[-(b*c) + a*d]*Sqrt[e + f*x]])/Sqrt[-(b*e) + a*f])/(4*b^3)
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)/(b*x+a)/(f*x+e)^(1/2),x, algorithm="fricas")
```

```
[Out] Timed out
```

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)/(b*x+a)/(f*x+e)^(1/2),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x);;OUTPUT:Evaluation time: 0.47
```

maple [B] time = 0.04, size = 1822, normalized size = 6.28

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((C*x^2+B*x+A)*(d*x+c)^{(1/2)}/(b*x+a)/(f*x+e)^{(1/2)}, x)$

[Out] $\frac{1}{8}(8A \ln(1/2(2dfx+cf+de+2((dxc)(fxe))^{1/2})(df)^{1/2}))/((df)^{1/2}) * b^3 d^2 f^2 ((a^2 df - a b c f - a b d e + b^2 c e)/b^2)^{(1/2)} + 8A \ln((-2a d f x + b c f x + b d e x + 2((a^2 df - a b c f - a b d e + b^2 c e)/b^2)^{(1/2)} * ((dxc)(fxe))^{1/2}) * b - a c f - a d e + 2 b c e)/(bxa) * a b^2 d^2 f^2 (df)^{(1/2)} - 8A \ln((-2a d f x + b c f x + b d e x + 2((a^2 df - a b c f - a b d e + b^2 c e)/b^2)^{(1/2)} * ((dxc)(fxe))^{1/2}) * b - a c f - a d e + 2 b c e)/(bxa) * b^3 c d f^2 (df)^{(1/2)} - 8B \ln(1/2(2dfx+cf+de+2((dxc)(fxe))^{1/2})(df)^{(1/2}))/((df)^{(1/2})) * a b^2 d^2 f^2 ((a^2 df - a b c f - a b d e + b^2 c e)/b^2)^{(1/2)} + 4B \ln(1/2(2dfx+cf+de+2((dxc)(fxe))^{1/2})(df)^{(1/2}))/((df)^{(1/2})) * b^3 c d f^2 ((a^2 df - a b c f - a b d e + b^2 c e)/b^2)^{(1/2)} - 4B \ln(1/2(2dfx+cf+de+2((dxc)(fxe))^{1/2})(df)^{(1/2}))/((df)^{(1/2})) * b^3 c d e f ((a^2 df - a b c f - a b d e + b^2 c e)/b^2)^{(1/2)} - 8B \ln((-2a d f x + b c f x + b d e x + 2((a^2 df - a b c f - a b d e + b^2 c e)/b^2)^{(1/2)} * ((dxc)(fxe))^{1/2}) * b - a c f - a d e + 2 b c e)/(bxa) * a^2 b d^2 f^2 (df)^{(1/2)} + 8B \ln((-2a d f x + b c f x + b d e x + 2((a^2 df - a b c f - a b d e + b^2 c e)/b^2)^{(1/2)} * ((dxc)(fxe))^{1/2}) * b - a c f - a d e + 2 b c e)/(bxa) * a b^2 c d f^2 (df)^{(1/2)} + 8C \ln(1/2(2dfx+cf+de+2((dxc)(fxe))^{1/2})(df)^{(1/2}))/((df)^{(1/2})) * a^2 b d^2 f^2 ((a^2 df - a b c f - a b d e + b^2 c e)/b^2)^{(1/2)} - 4C \ln(1/2(2dfx+cf+de+2((dxc)(fxe))^{1/2})(df)^{(1/2}))/((df)^{(1/2})) * a b^2 c d f^2 ((a^2 df - a b c f - a b d e + b^2 c e)/b^2)^{(1/2)} + 4C \ln(1/2(2dfx+cf+de+2((dxc)(fxe))^{1/2})(df)^{(1/2}))/((df)^{(1/2})) * a b^2 d^2 e f ((a^2 df - a b c f - a b d e + b^2 c e)/b^2)^{(1/2)} - C \ln(1/2(2dfx+cf+de+2((dxc)(fxe))^{1/2})(df)^{(1/2}))/((df)^{(1/2})) * b^3 c^2 f^2 ((a^2 df - a b c f - a b d e + b^2 c e)/b^2)^{(1/2)} - 2C \ln(1/2(2dfx+cf+de+2((dxc)(fxe))^{1/2})(df)^{(1/2}))/((df)^{(1/2})) * b^3 c d e f ((a^2 df - a b c f - a b d e + b^2 c e)/b^2)^{(1/2)} + 3C \ln(1/2(2dfx+cf+de+2((dxc)(fxe))^{1/2})(df)^{(1/2}))/((df)^{(1/2})) * b^3 d^2 e^2 ((a^2 df - a b c f - a b d e + b^2 c e)/b^2)^{(1/2)} + 8C \ln((-2a d f x + b c f x + b d e x + 2((a^2 df - a b c f - a b d e + b^2 c e)/b^2)^{(1/2)} * ((dxc)(fxe))^{1/2}) * b - a c f - a d e + 2 b c e)/(bxa) * a^3 d^2 f^2 (df)^{(1/2)} - 8C \ln((-2a d f x + b c f x + b d e x + 2((a^2 df - a b c f - a b d e + b^2 c e)/b^2)^{(1/2)} * ((dxc)(fxe))^{1/2}) * b - a c f - a d e + 2 b c e)/(bxa) * a^2 b c d f^2 (df)^{(1/2)} + 4C x b^3 d f ((dxc)(fxe))^{1/2} (df)^{(1/2)} * ((a^2 df - a b c f - a b d e + b^2 c e)/b^2)^{(1/2)} + 8B b^3 d f ((dxc)(fxe))^{1/2} (df)^{(1/2)} * ((a^2 df - a b c f - a b d e + b^2 c e)/b^2)^{(1/2)} - 8C a b^2 d f ((dxc)(fxe))^{1/2} (df)^{(1/2)} * ((a^2 df - a b c f - a b d e + b^2 c e)/b^2)^{(1/2)} + 2C b^3 c f ((dxc)(fxe))^{1/2} (df)^{(1/2)} * ((a^2 df - a b c f - a b d e + b^2 c e)/b^2)^{(1/2)} - 6C b^3 d e ((dxc)$

$$\frac{c \cdot (f \cdot x + e)^{1/2} \cdot (d \cdot f)^{1/2} \cdot ((a^2 \cdot d \cdot f - a \cdot b \cdot c \cdot f - a \cdot b \cdot d \cdot e + b^2 \cdot c \cdot e) / b^2)^{1/2}}{(f \cdot x + e)^{1/2} \cdot (d \cdot x + c)^{1/2} \cdot ((a^2 \cdot d \cdot f - a \cdot b \cdot c \cdot f - a \cdot b \cdot d \cdot e + b^2 \cdot c \cdot e) / b^2)^{1/2}} \cdot \frac{1}{(d \cdot f)^{1/2} / d / f^2 / b^4 / ((d \cdot x + c) \cdot (f \cdot x + e))^{1/2}}$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)/(b*x+a)/(f*x+e)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(((-(2*a*d*f)/b^2)>0)', see `assume?` for more details) Is ((-(2*a*d*f)/b^2) + (c*f)/b + (d*e)/b)^2 - (4*d*f * ((a^2*d*f)/b^2 - (a*c*f)/b - (a*d*e)/b + c*e)) / b^2 zero or nonzero?

mupad [F(-1)] time = 0.00, size = -1, normalized size = -0.00

Hanged

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((c + d*x)^(1/2)*(A + B*x + C*x^2))/((e + f*x)^(1/2)*(a + b*x)),x)

[Out] \text{Hanged}

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{c + dx} (A + Bx + Cx^2)}{(a + bx) \sqrt{e + fx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x**2+B*x+A)*(d*x+c)**(1/2)/(b*x+a)/(f*x+e)**(1/2),x)

[Out] Integral(sqrt(c + d*x)*(A + B*x + C*x**2)/((a + b*x)*sqrt(e + f*x)), x)

$$3.51 \quad \int \frac{\sqrt{c+dx} (A+Bx+Cx^2)}{(a+bx)^2 \sqrt{e+fx}} dx$$

Optimal. Leaf size=364

$$\frac{\sqrt{c+dx} \sqrt{e+fx} (2a^2 Cdf - ab(Bdf + cCf + Cde) + b^2(Adf + cCe))}{b^2 f(bc - ad)(be - af)} + \frac{\tanh^{-1} \left(\frac{\sqrt{c+dx} \sqrt{be-af}}{\sqrt{e+fx} \sqrt{bc-ad}} \right) (4a^3 Cdf - a^2 b(2Bdf + 3cCf + Cde))}{b^2 f(bc - ad)(be - af)}$$

[Out] $-(4*a*C*d*f+b*(-2*B*d*f-C*c*f+C*d*e))*\operatorname{arctanh}(f^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)}/(f*x+e)^{(1/2)})/b^3/f^{(3/2)}/d^{(1/2)}+(4*a^3*C*d*f-b^3*(-A*c*f+A*d*e+2*B*c*e)+a*b^2*(B*c*f+3*B*d*e+4*C*c*e)-a^2*b*(2*B*d*f+3*C*c*f+5*C*d*e))*\operatorname{arctanh}((-a*f+b*e)^{(1/2)}*(d*x+c)^{(1/2)}/(-a*d+b*c)^{(1/2)}/(f*x+e)^{(1/2)})/b^3/(-a*f+b*e)^{(3/2)}/(-a*d+b*c)^{(1/2)}-(A*b^2-a*(B*b-C*a))*(d*x+c)^{(3/2)}*(f*x+e)^{(1/2)}/b/(-a*d+b*c)/(-a*f+b*e)/(b*x+a)+(2*a^2*C*d*f+b^2*(A*d*f+C*c*e)-a*b*(B*d*f+C*c*f+C*d*e))*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/b^2/(-a*d+b*c)/f/(-a*f+b*e)$

Rubi [A] time = 1.10, antiderivative size = 364, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {1613, 154, 157, 63, 217, 206, 93, 208}

$$\frac{\sqrt{c+dx} \sqrt{e+fx} (2a^2 Cdf - ab(Bdf + cCf + Cde) + b^2(Adf + cCe))}{b^2 f(bc - ad)(be - af)} + \frac{\tanh^{-1} \left(\frac{\sqrt{c+dx} \sqrt{be-af}}{\sqrt{e+fx} \sqrt{bc-ad}} \right) (-a^2 b(2Bdf + 3cCf + Cde))}{b^2 f(bc - ad)(be - af)}$$

Antiderivative was successfully verified.

[In] `Int[(Sqrt[c + d*x]*(A + B*x + C*x^2))/((a + b*x)^2*Sqrt[e + f*x]),x]`

[Out] $((2*a^2*C*d*f + b^2*(c*C*e + A*d*f) - a*b*(C*d*e + c*C*f + B*d*f))*\operatorname{Sqrt}[c + d*x]*\operatorname{Sqrt}[e + f*x])/(b^2*(b*c - a*d)*f*(b*e - a*f)) - ((A*b^2 - a*(b*B - a*C))*(c + d*x)^{(3/2)}*\operatorname{Sqrt}[e + f*x])/(b*(b*c - a*d)*(b*e - a*f)*(a + b*x)) - ((4*a*C*d*f + b*(C*d*e - c*C*f - 2*B*d*f))*\operatorname{ArcTan}[\operatorname{Sqrt}[f]*\operatorname{Sqrt}[c + d*x])/\operatorname{Sqrt}[d]*\operatorname{Sqrt}[e + f*x]])/(b^3*\operatorname{Sqrt}[d]*f^{(3/2)}) + ((4*a^3*C*d*f - b^3*(2*B*c*e + A*d*e - A*c*f) + a*b^2*(4*c*C*e + 3*B*d*e + B*c*f) - a^2*b*(5*C*d*e + 3*c*C*f + 2*B*d*f))*\operatorname{ArcTan}[\operatorname{Sqrt}[b*e - a*f]*\operatorname{Sqrt}[c + d*x])/\operatorname{Sqrt}[b*c - a*d]*\operatorname{Sqrt}[e + f*x]])/(b^3*\operatorname{Sqrt}[b*c - a*d]*(b*e - a*f)^{(3/2)})$

Rule 63

`Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den`

ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 93

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

Rule 154

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[(h*(a + b*x)^(m*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(m + n + p + 2)), x] + Dist[1/(d*f*(m + n + p + 2)), Int[(a + b*x)^(m - 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*g*(m + n + p + 2) - h*(b*c*e*m + a*(d*e*(n + 1) + c*f*(p + 1))) + (b*d*f*g*(m + n + p + 2) + h*(a*d*f*m - b*(d*e*(m + n + 1) + c*f*(m + p + 1)))]*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p + 2, 0] && IntegersQ[2*m, 2*n, 2*p]

Rule 157

Int[((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)))/((a_.) + (b_.)*(x_)), x_Symbol] := Dist[h/b, Int[(c + d*x)^n*(e + f*x)^p, x], x] + Dist[(b*g - a*h)/b, Int[((c + d*x)^n*(e + f*x)^p)/(a + b*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 1613

```

Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)
*(x_))^(p_), x_Symbol] := With[{Qx = PolynomialQuotient[Px, a + b*x, x],
R = PolynomialRemainder[Px, a + b*x, x]}, Simp[(b*R*(a + b*x)^(m + 1)*(c +
d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Di
st[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^(n*(
e + f*x)^p*ExpandToSum[(m + 1)*(b*c - a*d)*(b*e - a*f)*Qx + a*d*f*R*(m + 1)
- b*R*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*R*(m + n + p + 3)*x, x],
x], x]] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && PolyQ[Px, x] && ILtQ[m, -
1] && IntegersQ[2*m, 2*n, 2*p]

```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{c+dx} (A+Bx+Cx^2)}{(a+bx)^2 \sqrt{e+fx}} dx &= -\frac{(Ab^2 - a(bB - aC))(c+dx)^{3/2} \sqrt{e+fx}}{b(bc-ad)(be-af)(a+bx)} - \int \frac{\sqrt{c+dx} \left(-\frac{a^2C(3de+cf)+b^2(2Bce+Ade-Acf)-ab^3}{2b} \right)}{b(bc-ad)(be-af)(a+bx)} dx \\
&= \frac{(2a^2Cdf + b^2(cCe + Adf) - ab(Cde + cCf + Bdf)) \sqrt{c+dx} \sqrt{e+fx}}{b^2(bc-ad)f(be-af)} - \frac{(Ab^2)}{b^2(bc-ad)f(be-af)} \\
&= \frac{(2a^2Cdf + b^2(cCe + Adf) - ab(Cde + cCf + Bdf)) \sqrt{c+dx} \sqrt{e+fx}}{b^2(bc-ad)f(be-af)} - \frac{(Ab^2)}{b^2(bc-ad)f(be-af)} \\
&= \frac{(2a^2Cdf + b^2(cCe + Adf) - ab(Cde + cCf + Bdf)) \sqrt{c+dx} \sqrt{e+fx}}{b^2(bc-ad)f(be-af)} - \frac{(Ab^2)}{b^2(bc-ad)f(be-af)} \\
&= \frac{(2a^2Cdf + b^2(cCe + Adf) - ab(Cde + cCf + Bdf)) \sqrt{c+dx} \sqrt{e+fx}}{b^2(bc-ad)f(be-af)} - \frac{(Ab^2)}{b^2(bc-ad)f(be-af)} \\
&= \frac{(2a^2Cdf + b^2(cCe + Adf) - ab(Cde + cCf + Bdf)) \sqrt{c+dx} \sqrt{e+fx}}{b^2(bc-ad)f(be-af)} - \frac{(Ab^2)}{b^2(bc-ad)f(be-af)}
\end{aligned}$$

Mathematica [A] time = 2.40, size = 417, normalized size = 1.15

$$\frac{\frac{2b\sqrt{c+dx}\sqrt{e+fx}(a(aC-bB)+Ab^2)}{(a+bx)(be-af)} + \frac{2b(cf-de)(a(aC-bB)+Ab^2)\tanh^{-1}\left(\frac{\sqrt{c+dx}\sqrt{af-be}}{\sqrt{e+fx}\sqrt{ad-bc}}\right)}{\sqrt{ad-bc}(af-be)^{3/2}} + \frac{4(bB-2aC)\sqrt{de-cf}\sqrt{\frac{d(e+fx)}{de-cf}}\sinh^{-1}\left(\frac{\sqrt{f}\sqrt{c+dx}}{\sqrt{de-cf}}\right)}{\sqrt{f}\sqrt{e+fx}}}{2b^3}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sqrt[c + d*x]*(A + B*x + C*x^2))/((a + b*x)^2*Sqrt[e + f*x]),x]
[Out] ((-2*b*(A*b^2 + a*(-(b*B) + a*C))*Sqrt[c + d*x]*Sqrt[e + f*x])/((b*e - a*f)
*(a + b*x)) + (4*(b*B - 2*a*C)*Sqrt[d*e - c*f]*Sqrt[(d*(e + f*x))/(d*e - c*
f)]*ArcSinh[(Sqrt[f]*Sqrt[c + d*x])/Sqrt[d*e - c*f]])/(Sqrt[f]*Sqrt[e + f*x
]) + (2*b*C*Sqrt[e + f*x]*(Sqrt[f]*Sqrt[c + d*x] - (Sqrt[d*e - c*f]*ArcSinh
[(Sqrt[f]*Sqrt[c + d*x])/Sqrt[d*e - c*f]]))/Sqrt[(d*(e + f*x))/(d*e - c*f)])
)/f^(3/2) - (4*(b*B - 2*a*C)*Sqrt[-(b*c) + a*d]*ArcTanh[(Sqrt[-(b*e) + a*f]
*Sqrt[c + d*x])/(Sqrt[-(b*c) + a*d]*Sqrt[e + f*x])])/Sqrt[-(b*e) + a*f] + (
2*b*(A*b^2 + a*(-(b*B) + a*C))*(-(d*e) + c*f)*ArcTanh[(Sqrt[-(b*e) + a*f]*S
qrt[c + d*x])/(Sqrt[-(b*c) + a*d]*Sqrt[e + f*x])])/Sqrt[-(b*c) + a*d]*(-(b
*e) + a*f)^(3/2)))/(2*b^3)
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)/(b*x+a)^2/(f*x+e)^(1/2),x, algorithm=
"fricas")
```

```
[Out] Timed out
```

giac [B] time = 10.82, size = 1388, normalized size = 3.81

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)/(b*x+a)^2/(f*x+e)^(1/2),x, algorithm=
"giac")
```

```
[Out] (3*sqrt(d*f)*C*a^2*b*c*d^2*f - sqrt(d*f)*B*a*b^2*c*d^2*f - sqrt(d*f)*A*b^3*
c*d^2*f - 4*sqrt(d*f)*C*a^3*d^3*f + 2*sqrt(d*f)*B*a^2*b*d^3*f - 4*sqrt(d*f)
*C*a*b^2*c*d^2*e + 2*sqrt(d*f)*B*b^3*c*d^2*e + 5*sqrt(d*f)*C*a^2*b*d^3*e -
3*sqrt(d*f)*B*a*b^2*d^3*e + sqrt(d*f)*A*b^3*d^3*e)*arctan(-1/2*(b*c*d*f - 2
```

```

*a*d^2*f + b*d^2*e - (sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f
+ d^2*e))^2*b)/(sqrt(a*b*c*d*f^2 - a^2*d^2*f^2 - b^2*c*d*f*e + a*b*d^2*f*e)
*d))/(sqrt(a*b*c*d*f^2 - a^2*d^2*f^2 - b^2*c*d*f*e + a*b*d^2*f*e)*(a*b^3*f*
abs(d) - b^4*abs(d)*e)*d) + 2*(sqrt(d*f)*C*a^2*b*c^2*d^3*f^2 - sqrt(d*f)*B*
a*b^2*c^2*d^3*f^2 + sqrt(d*f)*A*b^3*c^2*d^3*f^2 - 2*sqrt(d*f)*C*a^2*b*c*d^4
*f*e + 2*sqrt(d*f)*B*a*b^2*c*d^4*f*e - 2*sqrt(d*f)*A*b^3*c*d^4*f*e - sqrt(d
*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2*C*a^2
*b*c*d^2*f + sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*
f + d^2*e))^2*B*a*b^2*c*d^2*f - sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((
d*x + c)*d*f - c*d*f + d^2*e))^2*A*b^3*c*d^2*f + 2*sqrt(d*f)*(sqrt(d*f)*sq
rt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2*C*a^3*d^3*f - 2*sqrt(d*
f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2*B*a^2*
b*d^3*f + 2*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f
+ d^2*e))^2*A*a*b^2*d^3*f + sqrt(d*f)*C*a^2*b*d^5*e^2 - sqrt(d*f)*B*a*b^2*
d^5*e^2 + sqrt(d*f)*A*b^3*d^5*e^2 - sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sq
rt((d*x + c)*d*f - c*d*f + d^2*e))^2*C*a^2*b*d^3*e + sqrt(d*f)*(sqrt(d*f)*s
qrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2*B*a*b^2*d^3*e - sqrt(
d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2*A*b^
3*d^3*e)/((b*c^2*d^2*f^2 - 2*b*c*d^3*f*e - 2*(sqrt(d*f)*sqrt(d*x + c) - sqr
t((d*x + c)*d*f - c*d*f + d^2*e))^2*b*c*d*f + 4*(sqrt(d*f)*sqrt(d*x + c) -
sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2*a*d^2*f + b*d^4*e^2 - 2*(sqrt(d*f)*s
qrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2*b*d^2*e + (sqrt(d*f)*
sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^4*b)*(a*b^3*f*abs(d) -
b^4*abs(d)*e) + sqrt((d*x + c)*d*f - c*d*f + d^2*e)*sqrt(d*x + c)*C*abs(d)
)/(b^2*d^2*f) - 1/2*(sqrt(d*f)*C*b*c*f - 4*sqrt(d*f)*C*a*d*f + 2*sqrt(d*f)*
B*b*d*f - sqrt(d*f)*C*b*d*e)*log((sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*
d*f - c*d*f + d^2*e))^2)/(b^3*f^2*abs(d))

```

maple [B] time = 0.05, size = 3670, normalized size = 10.08

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((C*x^2+B*x+A)*(d*x+c)^{(1/2)}/(b*x+a)^2/(f*x+e)^{(1/2)}, x)$

[Out] $-1/2*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}*(-2*A*b^4*f*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)}+4*C*\ln((-2*a*d*f*x+b*c*f*x+b*d*e*x-a*c*f-a*d*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b)/(b*x+a))*a^4*d*f^2*(d*f)^{(1/2)}+B*\ln((-2*a*d*f*x+b*c*f*x+b*d*e*x-a*c*f-a*d*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b)/(b*x+a))*a^2*b^2*c*f^2*(d*f)^{(1/2)}-2*B*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)}))/(d*f)^{(1/2))*a^2*b^2*d*f^2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)}-3*C*\ln((-2*a*d*f*x+b*c*f*x+b*d*e*x-a*c*f-a*d*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b)/(b*x+a))*a^3*b*c*f^2*(d*f)^{(1$

$$\begin{aligned}
& /2)+4*C*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2))/(d*f) \\
&)^(1/2))*a^3*b*d*f^2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)-C*\ln(1/2 \\
& *(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2))/(d*f)^(1/2))*a^2*b \\
& ^2*c*f^2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)-C*\ln(1/2*(2*d*f*x+c \\
& f+d*e+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2))/(d*f)^(1/2))*a*b^3*d*e^2*((a^2 \\
& *d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)+2*B*a*b^3*f*((a^2*d*f-a*b*c*f-a*b* \\
& d*e+b^2*c*e)/b^2)^(1/2)*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)+2*C*x*b^4*e*((a \\
& ^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1 \\
& /2)-4*C*a^2*b^2*f*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)*((d*x+c)*(f \\
& *x+e))^(1/2)*(d*f)^(1/2)+2*C*a*b^3*e*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2 \\
&)^(1/2)*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)+A*\ln((-2*a*d*f*x+b*c*f*x+b*d*e*x \\
& x-a*c*f-a*d*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)*((d*x \\
& +c)*(f*x+e))^(1/2)*b)/(b*x+a))*x*b^4*c*f^2*(d*f)^(1/2)-C*\ln(1/2*(2*d*f*x+c \\
& f+d*e+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2))/(d*f)^(1/2))*x*b^4*d*e^2*((a^2 \\
& *d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)+A*\ln((-2*a*d*f*x+b*c*f*x+b*d*e*x-a \\
& *c*f-a*d*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)*((d*x+c) \\
& *(f*x+e))^(1/2)*b)/(b*x+a))*a*b^3*c*f^2*(d*f)^(1/2)-2*B*\ln((-2*a*d*f*x+b*c \\
& f*x+b*d*e*x-a*c*f-a*d*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(\\
& 1/2)*((d*x+c)*(f*x+e))^(1/2)*b)/(b*x+a))*a^3*b*d*f^2*(d*f)^(1/2)-2*B*\ln((-2 \\
& *a*d*f*x+b*c*f*x+b*d*e*x-a*c*f-a*d*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^ \\
& 2*c*e)/b^2)^(1/2)*((d*x+c)*(f*x+e))^(1/2)*b)/(b*x+a))*x*b^4*c*e*f*(d*f)^(1/ \\
& 2)+4*C*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2))/(d*f) \\
& ^1/2))*x*a^2*b^2*d*f^2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)-C*\ln(\\
& 1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2))/(d*f)^(1/2))*x* \\
& a*b^3*c*f^2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)+C*\ln(1/2*(2*d*f*x \\
& +c*f+d*e+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2))/(d*f)^(1/2))*x*b^4*c*e*f*((\\
& a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)-A*\ln((-2*a*d*f*x+b*c*f*x+b*d*e*x \\
& x-a*c*f-a*d*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)*((d*x \\
& +c)*(f*x+e))^(1/2)*b)/(b*x+a))*a*b^3*d*e*f*(d*f)^(1/2)+3*B*\ln((-2*a*d*f*x+b \\
& *c*f*x+b*d*e*x-a*c*f-a*d*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2 \\
&)^(1/2)*((d*x+c)*(f*x+e))^(1/2)*b)/(b*x+a))*a^2*b^2*d*e*f*(d*f)^(1/2)-2*B*\ln \\
& ((-2*a*d*f*x+b*c*f*x+b*d*e*x-a*c*f-a*d*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b*d \\
& *e+b^2*c*e)/b^2)^(1/2)*((d*x+c)*(f*x+e))^(1/2)*b)/(b*x+a))*a*b^3*c*e*f*(d*f \\
&)^(1/2)+2*B*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2))/ \\
& (d*f)^(1/2))*a*b^3*d*e*f*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)-5*C* \\
& \ln((-2*a*d*f*x+b*c*f*x+b*d*e*x-a*c*f-a*d*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b* \\
& d*e+b^2*c*e)/b^2)^(1/2)*((d*x+c)*(f*x+e))^(1/2)*b)/(b*x+a))*a^3*b*d*e*f*(d* \\
& f)^(1/2)+4*C*\ln((-2*a*d*f*x+b*c*f*x+b*d*e*x-a*c*f-a*d*e+2*b*c*e+2*((a^2*d*f \\
& -a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)*((d*x+c)*(f*x+e))^(1/2)*b)/(b*x+a))*a^ \\
& 2*b^2*c*e*f*(d*f)^(1/2)-3*C*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^(1/ \\
& 2)*(d*f)^(1/2))/(d*f)^(1/2))*a^2*b^2*d*e*f*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c* \\
& e)/b^2)^(1/2)+C*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/ \\
& 2))/(d*f)^(1/2))*a*b^3*c*e*f*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)- \\
& 2*C*x*a*b^3*f*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)*((d*x+c)*(f*x+e \\
&))^(1/2)*(d*f)^(1/2)-A*\ln((-2*a*d*f*x+b*c*f*x+b*d*e*x-a*c*f-a*d*e+2*b*c*e+2
\end{aligned}$$

```

*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)*((d*x+c)*(f*x+e))^(1/2)*b/(
b*x+a))*x*b^4*d*e*f*(d*f)^(1/2)-2*B*ln((-2*a*d*f*x+b*c*f*x+b*d*e*x-a*c*f-a*
d*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)*((d*x+c)*(f*x+e
))^(1/2)*b)/(b*x+a))*x*a^2*b^2*d*f^2*(d*f)^(1/2)+B*ln((-2*a*d*f*x+b*c*f*x+b
*d*e*x-a*c*f-a*d*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)*
((d*x+c)*(f*x+e))^(1/2)*b)/(b*x+a))*x*a*b^3*c*f^2*(d*f)^(1/2)-2*B*ln(1/2*(2
*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2))/(d*f)^(1/2))*x*a*b^3*
d*f^2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)+2*B*ln(1/2*(2*d*f*x+c*f
+d*e+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2))/(d*f)^(1/2))*x*b^4*d*e*f*((a^2*
d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)+4*C*ln((-2*a*d*f*x+b*c*f*x+b*d*e*x-
a*c*f-a*d*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)*((d*x+c
)*(f*x+e))^(1/2)*b)/(b*x+a))*x*a^3*b*d*f^2*(d*f)^(1/2)-3*C*ln((-2*a*d*f*x+b
*c*f*x+b*d*e*x-a*c*f-a*d*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2
)^(1/2)*((d*x+c)*(f*x+e))^(1/2)*b)/(b*x+a))*x*a^2*b^2*c*f^2*(d*f)^(1/2)+3*B
*ln((-2*a*d*f*x+b*c*f*x+b*d*e*x-a*c*f-a*d*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b
*d*e+b^2*c*e)/b^2)^(1/2)*((d*x+c)*(f*x+e))^(1/2)*b)/(b*x+a))*x*a*b^3*d*e*f*
(d*f)^(1/2)-5*C*ln((-2*a*d*f*x+b*c*f*x+b*d*e*x-a*c*f-a*d*e+2*b*c*e+2*((a^2*
d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)*((d*x+c)*(f*x+e))^(1/2)*b)/(b*x+a))
*x*a^2*b^2*d*e*f*(d*f)^(1/2)+4*C*ln((-2*a*d*f*x+b*c*f*x+b*d*e*x-a*c*f-a*d*e
+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)*((d*x+c)*(f*x+e))^(
1/2)*b)/(b*x+a))*x*a*b^3*c*e*f*(d*f)^(1/2)-3*C*ln(1/2*(2*d*f*x+c*f+d*e+2*(
(d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2))/(d*f)^(1/2))*x*a*b^3*d*e*f*((a^2*d*f-a*
b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2))/((d*x+c)*(f*x+e))^(1/2)/(a*f-b*e)/(b*x+a
)/(d*f)^(1/2)/((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)/f/b^4

```

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)/(b*x+a)^2/(f*x+e)^(1/2),x, algorithm=
"maxima")
```

```
[Out] Exception raised: ValueError >> Computation failed since Maxima requested a
dditional constraints; using the 'assume' command before evaluation *may* h
elp (example of legal syntax is 'assume(((-(2*a*d*f)/b^2)>0)', see `assume?
` for more details)Is ((-(2*a*d*f)/b^2) + (c*f)/b + (d*e)/b)^2 -
(4*d*f * ((a^2*d*f)/b^2 - (a*c*f)/b - (a*d*e)/b + c*
e)) /b^2 zero or nonzero?
```

mupad [F(-1)] time = 0.00, size = -1, normalized size = -0.00

Hanged

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((c + d*x)^(1/2)*(A + B*x + C*x^2))/((e + f*x)^(1/2)*(a + b*x)^2),x)
```

```
[Out] \text{Hanged}
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x**2+B*x+A)*(d*x+c)**(1/2)/(b*x+a)**2/(f*x+e)**(1/2),x)
```

```
[Out] Timed out
```

$$3.52 \quad \int \frac{\sqrt{c+dx}(A+Bx+Cx^2)}{(a+bx)^3 \sqrt{e+fx}} dx$$

Optimal. Leaf size=484

$$\frac{\sqrt{c+dx} \sqrt{e+fx} (4a^3 C d f - a^2 b C (5c f + 7d e) + a b^2 (-4A d f + B c f + 3B d e + 8c C e) - b^3 (-3A c f - A d e + 4B c e))}{4b^2 (a + b x) (b c - a d) (b e - a f)^2}$$

[Out] $-1/4*(8*a^4*C*d^2*f^2-4*a^3*b*C*d*f*(3*c*f+5*d*e)+3*a^2*b^2*C*(c^2*f^2+10*c*d*e*f+5*d^2*e^2)-a*b^3*(d^2*e*(-4*A*f+3*B*e)+c^2*f*(-B*f+8*C*e)+2*c*d*(2*A*f^2-B*e*f+12*C*e^2))-b^4*(A*d^2*e^2-2*c*d*e*(-A*f+2*B*e)-c^2*(3*A*f^2-4*B*e*f+8*C*e^2))$
 $*\operatorname{arctanh}((-a*f+b*e)^{(1/2)}*(d*x+c)^{(1/2)}/(-a*d+b*c)^{(1/2)}/(f*x+e)^{(1/2)})/b^3/(-a*d+b*c)^{(3/2)}/(-a*f+b*e)^{(5/2)}+2*C*\operatorname{arctanh}(f^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)}/(f*x+e)^{(1/2)})*d^{(1/2)}/b^3/f^{(1/2)}-1/2*(A*b^2-a*(B*b-C*a))*$
 $(d*x+c)^{(3/2)}*(f*x+e)^{(1/2)}/b/(-a*d+b*c)/(-a*f+b*e)/(b*x+a)^2+1/4*(4*a^3*C*d*f-a^2*b*C*(5*c*f+7*d*e)-b^3*(-3*A*c*f-A*d*e+4*B*c*e)+a*b^2*(-4*A*d*f+B*c*f+3*B*d*e+8*C*c*e))*$
 $(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/b^2/(-a*d+b*c)/(-a*f+b*e)^2/(b*x+a)$

Rubi [A] time = 1.56, antiderivative size = 484, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {1613, 149, 157, 63, 217, 206, 93, 208}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{c+dx} \sqrt{be-af}}{\sqrt{e+fx} \sqrt{bc-ad}}\right) (3a^2 b^2 C (c^2 f^2 + 10c d e f + 5d^2 e^2) - 4a^3 b C d f (3c f + 5d e) + 8a^4 C d^2 f^2 - a b^3 (2c d (2A f^2 - 4B e f + 12C e^2) - b^3 (-3A c f - A d e + 4B c e)))}{4b^3 (b c - a d) (b e - a f)^2}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[c + d*x]*(A + B*x + C*x^2))/((a + b*x)^3*Sqrt[e + f*x]),x]

[Out] $((4*a^3*C*d*f - a^2*b*C*(7*d*e + 5*c*f) - b^3*(4*B*c*e - A*d*e - 3*A*c*f) + a*b^2*(8*c*C*e + 3*B*d*e + B*c*f - 4*A*d*f))*\operatorname{Sqrt}[c + d*x]*\operatorname{Sqrt}[e + f*x])/$
 $(4*b^2*(b*c - a*d)*(b*e - a*f)^2*(a + b*x)) - ((A*b^2 - a*(b*B - a*C))*(c + d*x)^{(3/2)}*\operatorname{Sqrt}[e + f*x])/$
 $(2*b*(b*c - a*d)*(b*e - a*f)*(a + b*x)^2) + (2*C*\operatorname{Sqrt}[d]*\operatorname{ArcTanh}[(\operatorname{Sqrt}[f]*\operatorname{Sqrt}[c + d*x])/(\operatorname{Sqrt}[d]*\operatorname{Sqrt}[e + f*x])])/$
 $(b^3*\operatorname{Sqrt}[f]) - ((8*a^4*C*d^2*f^2 - 4*a^3*b*C*d*f*(5*d*e + 3*c*f) + 3*a^2*b^2*C*(5*d^2*e^2 + 10*c*d*e*f + c^2*f^2) - a*b^3*(d^2*e*(3*B*e - 4*A*f) + c^2*f*(8*C*e - B*f) + 2*c*d*(12*C*e^2 - B*e*f + 2*A*f^2)) - b^4*(A*d^2*e^2 - 2*c*d*e*(2*B*e - A*f) - c^2*(8*C*e^2 - 4*B*e*f + 3*A*f^2)))*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b*e - a*f]*\operatorname{Sqrt}[c + d*x])/(\operatorname{Sqrt}[b*c - a*d]*\operatorname{Sqrt}[e + f*x])])/$
 $(4*b^3*(b*c - a*d)^{(3/2)}*(b*e - a*f)^{(5/2)})$

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 93

```
Int[(((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x
_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 149

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_
))^p)*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[((b*g - a*h)*(a + b*x)^(m +
1)*(c + d*x)^n*(e + f*x)^(p + 1))/(b*(b*e - a*f)*(m + 1)), x] - Dist[1/(b*(
b*e - a*f)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^(n - 1)*(e + f*x)^p*Si
mp[b*c*(f*g - e*h)*(m + 1) + (b*g - a*h)*(d*e*n + c*f*(p + 1)) + d*(b*(f*g
- e*h)*(m + 1) + f*(b*g - a*h)*(n + p + 1))*x, x], x] /; FreeQ[{a, b, c
, d, e, f, g, h, p}, x] && LtQ[m, -1] && GtQ[n, 0] && IntegerQ[m]
```

Rule 157

```
Int[(((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_
))))/((a_.) + (b_.)*(x_)), x_Symbol] := Dist[h/b, Int[(c + d*x)^n*(e + f*x)^
p, x], x] + Dist[(b*g - a*h)/b, Int[((c + d*x)^n*(e + f*x)^p)/(a + b*x), x]
, x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x]
```

Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 208

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 217

Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 1613

Int[(Px_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*
(x_))^(p_), x_Symbol] := With[{Qx = PolynomialQuotient[Px, a + b*x, x],
R = PolynomialRemainder[Px, a + b*x, x]}, Simp[(b*R*(a + b*x)^(m + 1)*(c +
d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Di
st[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(
e + f*x)^p*ExpandToSum[(m + 1)*(b*c - a*d)*(b*e - a*f)*Qx + a*d*f*R*(m + 1)
- b*R*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*R*(m + n + p + 3)*x, x],
x], x]] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && PolyQ[Px, x] && ILtQ[m, -
1] && IntegersQ[2*m, 2*n, 2*p]

Rubi steps

$$\int \frac{\sqrt{c+dx} (A+Bx+Cx^2)}{(a+bx)^3 \sqrt{e+fx}} dx = -\frac{(Ab^2 - a(bB - aC))(c+dx)^{3/2} \sqrt{e+fx}}{2b(bc-ad)(be-af)(a+bx)^2} - \int \frac{\sqrt{c+dx} \left(-\frac{a^2C(3de+cf)+b^2(4Bce-Ade-3Acf)-ab}{2b} \right)}{(a+bx)^2} dx$$

$$= \frac{(4a^3Cdf - a^2bC(7de + 5cf) - b^3(4Bce - Ade - 3Acf) + ab^2(8cCe + 3Bde + B))}{4b^2(bc-ad)(be-af)^2(a+bx)}$$

$$= \frac{(4a^3Cdf - a^2bC(7de + 5cf) - b^3(4Bce - Ade - 3Acf) + ab^2(8cCe + 3Bde + B))}{4b^2(bc-ad)(be-af)^2(a+bx)}$$

$$= \frac{(4a^3Cdf - a^2bC(7de + 5cf) - b^3(4Bce - Ade - 3Acf) + ab^2(8cCe + 3Bde + B))}{4b^2(bc-ad)(be-af)^2(a+bx)}$$

$$= \frac{(4a^3Cdf - a^2bC(7de + 5cf) - b^3(4Bce - Ade - 3Acf) + ab^2(8cCe + 3Bde + B))}{4b^2(bc-ad)(be-af)^2(a+bx)}$$

$$= \frac{(4a^3Cdf - a^2bC(7de + 5cf) - b^3(4Bce - Ade - 3Acf) + ab^2(8cCe + 3Bde + B))}{4b^2(bc-ad)(be-af)^2(a+bx)}$$

Mathematica [A] time = 5.67, size = 523, normalized size = 1.08

$$\frac{2b^2(c+dx)^{3/2}\sqrt{e+fx}(a(c-bB)+Ab^2)}{(a+bx)^2(bc-ad)(be-af)} + \frac{b(a(c-bB)+Ab^2)(-4adf+3bcf+bde)\left(\sqrt{c+dx}\sqrt{e+fx}\sqrt{ad-bc}\sqrt{af-be}-(a+bx)(de-cf)\tanh^{-1}\left(\frac{\sqrt{c+dx}\sqrt{e+fx}}{\sqrt{e+fx}\sqrt{c+dx}}\right)\right)}{(a+bx)(ad-bc)^{3/2}(af-be)^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[c + d*x]*(A + B*x + C*x^2))/((a + b*x)^3*Sqrt[e + f*x]),x]

[Out]
$$-1/4*((4*b*(b*B - 2*a*C)*Sqrt[c + d*x]*Sqrt[e + f*x])/((b*e - a*f)*(a + b*x)) + (2*b^2*(A*b^2 + a*(-(b*B) + a*C))*(c + d*x)^{(3/2)}*Sqrt[e + f*x])/((b*c - a*d)*(b*e - a*f)*(a + b*x)^2) - (8*C*Sqrt[d*e - c*f]*Sqrt[(d*(e + f*x))/(d*e - c*f)]*ArcSinh[(Sqrt[f]*Sqrt[c + d*x])/Sqrt[d*e - c*f]])/(Sqrt[f]*Sqrt[e + f*x]) + (8*C*Sqrt[-(b*c) + a*d]*ArcTanh[(Sqrt[-(b*e) + a*f]*Sqrt[c + d*x])/Sqrt[-(b*c) + a*d]*Sqrt[e + f*x]])/Sqrt[-(b*e) + a*f] - (4*b*(b*B - 2*a*C)*(-(d*e) + c*f)*ArcTanh[(Sqrt[-(b*e) + a*f]*Sqrt[c + d*x])/Sqrt[-(b*c) + a*d]*Sqrt[e + f*x]])/(Sqrt[-(b*c) + a*d]*(-(b*e) + a*f)^{(3/2)}) + (b*(A*b^2 + a*(-(b*B) + a*C))*(b*d*e + 3*b*c*f - 4*a*d*f)*(Sqrt[-(b*c) + a*d]*Sqrt[-(b*e) + a*f]*Sqrt[c + d*x]*Sqrt[e + f*x] - (d*e - c*f)*(a + b*x)*ArcTanh[(Sqrt[-(b*e) + a*f]*Sqrt[c + d*x])/Sqrt[-(b*c) + a*d]*Sqrt[e + f*x]]))/((- (b*c) + a*d)^{(3/2)}*(-(b*e) + a*f)^{(5/2)}*(a + b*x)))/b^3$$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)/(b*x+a)^3/(f*x+e)^(1/2),x, algorithm="fricas")

[Out] Timed out

giac [B] time = 134.87, size = 8004, normalized size = 16.54

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)/(b*x+a)^3/(f*x+e)^(1/2),x, algorithm="giac")

[Out]
$$-1/4*(3*\text{sqrt}(d*f)*C*a^2*b^2*c^2*d^2*f^2 + \text{sqrt}(d*f)*B*a*b^3*c^2*d^2*f^2 + 3*\text{sqrt}(d*f)*A*b^4*c^2*d^2*f^2 - 12*\text{sqrt}(d*f)*C*a^3*b*c*d^3*f^2 - 4*\text{sqrt}(d*f)*A*a*b^3*c*d^3*f^2 + 8*\text{sqrt}(d*f)*C*a^4*d^4*f^2 - 8*\text{sqrt}(d*f)*C*a*b^3*c^2*d^2*f^2)$$

$$\begin{aligned}
& 2*f*e - 4*\sqrt{d*f}*B*b^4*c^2*d^2*f*e + 30*\sqrt{d*f}*C*a^2*b^2*c*d^3*f*e + \\
& 2*\sqrt{d*f}*B*a*b^3*c*d^3*f*e - 2*\sqrt{d*f}*A*b^4*c*d^3*f*e - 20*\sqrt{d*f}* \\
& C*a^3*b^4*f*e + 4*\sqrt{d*f}*A*a*b^3*d^4*f*e + 8*\sqrt{d*f}*C*b^4*c^2*d^2*e \\
& ^2 - 24*\sqrt{d*f}*C*a*b^3*c*d^3*e^2 + 4*\sqrt{d*f}*B*b^4*c*d^3*e^2 + 15*\sqrt{ \\
& (d*f)*C*a^2*b^2*d^4*e^2 - 3*\sqrt{d*f}*B*a*b^3*d^4*e^2 - \sqrt{d*f}*A*b^4*d^4 \\
& *e^2)*\arctan(-1/2*(b*c*d*f - 2*a*d^2*f + b*d^2*e - (\sqrt{d*f})*\sqrt{d*x + c} \\
& - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e))^2*b})/(\sqrt{a*b*c*d*f^2 - a^2*d^2*f^ \\
& 2 - b^2*c*d*f*e + a*b*d^2*f*e}*d)/((a^2*b^4*c*f^2*abs(d) - a^3*b^3*d*f^2*a \\
& bs(d) - 2*a*b^5*c*f*abs(d)*e + 2*a^2*b^4*d*f*abs(d)*e + b^6*c*abs(d)*e^2 - \\
& a*b^5*d*abs(d)*e^2)*\sqrt{a*b*c*d*f^2 - a^2*d^2*f^2 - b^2*c*d*f*e + a*b*d^2* \\
& f*e}*d) - \sqrt{d*f}*C*d*\log((\sqrt{d*f})*\sqrt{d*x + c} - \sqrt{((d*x + c)*d*f - \\
& c*d*f + d^2*e))^2)/(b^3*f*abs(d)) - 1/2*(5*\sqrt{d*f}*C*a^2*b^3*c^5*d^5*f^5 \\
& - \sqrt{d*f}*B*a*b^4*c^5*d^5*f^5 - 3*\sqrt{d*f}*A*b^5*c^5*d^5*f^5 - 6*\sqrt{(d \\
& *f)*C*a^3*b^2*c^4*d^6*f^5 + 2*\sqrt{d*f}*B*a^2*b^3*c^4*d^6*f^5 + 2*\sqrt{d*f} \\
& *A*a*b^4*c^4*d^6*f^5 - 8*\sqrt{d*f}*C*a*b^4*c^5*d^5*f^4*e + 4*\sqrt{d*f}*B*b^ \\
& 5*c^5*d^5*f^4*e - 11*\sqrt{d*f}*C*a^2*b^3*c^4*d^6*f^4*e - \sqrt{d*f}*B*a*b^4* \\
& c^4*d^6*f^4*e + 13*\sqrt{d*f}*A*b^5*c^4*d^6*f^4*e + 24*\sqrt{d*f}*C*a^3*b^2*c \\
& ^3*d^7*f^4*e - 8*\sqrt{d*f}*B*a^2*b^3*c^3*d^7*f^4*e - 8*\sqrt{d*f}*A*a*b^4*c^ \\
& 3*d^7*f^4*e - 15*\sqrt{d*f}*(\sqrt{d*f})*\sqrt{d*x + c} - \sqrt{((d*x + c)*d*f - \\
& c*d*f + d^2*e))^2*C*a^2*b^3*c^4*d^4*f^4 + 3*\sqrt{d*f}*(\sqrt{d*f})*\sqrt{d*x + \\
& c} - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e))^2*B*a*b^4*c^4*d^4*f^4 + 9*\sqrt{(d \\
& *f)*(\sqrt{d*f})*\sqrt{d*x + c} - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e))^2*A*b^5 \\
& *c^4*d^4*f^4 + 44*\sqrt{d*f}*(\sqrt{d*f})*\sqrt{d*x + c} - \sqrt{((d*x + c)*d*f - \\
& c*d*f + d^2*e))^2*C*a^3*b^2*c^3*d^5*f^4 - 8*\sqrt{d*f}*(\sqrt{d*f})*\sqrt{d*x \\
& + c} - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e))^2*B*a^2*b^3*c^3*d^5*f^4 - 28*\sqrt{ \\
& (d*f)*(\sqrt{d*f})*\sqrt{d*x + c} - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e))^2*A \\
& *a*b^4*c^3*d^5*f^4 - 32*\sqrt{d*f}*(\sqrt{d*f})*\sqrt{d*x + c} - \sqrt{((d*x + c) \\
& *d*f - c*d*f + d^2*e))^2*C*a^4*b*c^2*d^6*f^4 + 8*\sqrt{d*f}*(\sqrt{d*f})*\sqrt{(\\
& d*x + c) - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e))^2*B*a^3*b^2*c^2*d^6*f^4 + 1 \\
& 6*\sqrt{d*f}*(\sqrt{d*f})*\sqrt{d*x + c} - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)) \\
& ^2*A*a^2*b^3*c^2*d^6*f^4 + 32*\sqrt{d*f}*C*a*b^4*c^4*d^6*f^3*e^2 - 16*\sqrt{(d \\
& *f)*B*b^5*c^4*d^6*f^3*e^2 - 6*\sqrt{d*f}*C*a^2*b^3*c^3*d^7*f^3*e^2 + 14*\sqrt{ \\
& (d*f)*B*a*b^4*c^3*d^7*f^3*e^2 - 22*\sqrt{d*f}*A*b^5*c^3*d^7*f^3*e^2 - 36*\sqrt{ \\
& (d*f)*C*a^3*b^2*c^2*d^8*f^3*e^2 + 12*\sqrt{d*f}*B*a^2*b^3*c^2*d^8*f^3*e^2 + \\
& 12*\sqrt{d*f}*A*a*b^4*c^2*d^8*f^3*e^2 + 24*\sqrt{d*f}*(\sqrt{d*f})*\sqrt{d*x + \\
& c} - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e))^2*C*a*b^4*c^4*d^4*f^3*e - 12*\sqrt{ \\
& (d*f)*(\sqrt{d*f})*\sqrt{d*x + c} - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e))^2*B*b \\
& ^5*c^4*d^4*f^3*e - 56*\sqrt{d*f}*(\sqrt{d*f})*\sqrt{d*x + c} - \sqrt{((d*x + c)*d \\
& *f - c*d*f + d^2*e))^2*C*a^2*b^3*c^3*d^5*f^3*e + 32*\sqrt{d*f}*(\sqrt{d*f})*\sqrt{ \\
& (d*x + c) - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e))^2*B*a*b^4*c^3*d^5*f^3*e \\
& - 8*\sqrt{d*f}*(\sqrt{d*f})*\sqrt{d*x + c} - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e \\
&)^2*A*b^5*c^3*d^5*f^3*e - 20*\sqrt{d*f}*(\sqrt{d*f})*\sqrt{d*x + c} - \sqrt{((d* \\
& x + c)*d*f - c*d*f + d^2*e))^2*C*a^3*b^2*c^2*d^6*f^3*e - 16*\sqrt{d*f}*(\sqrt{ \\
& (d*f)*\sqrt{d*x + c} - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e))^2*B*a^2*b^3*c^2* \\
& d^6*f^3*e + 52*\sqrt{d*f}*(\sqrt{d*f})*\sqrt{d*x + c} - \sqrt{((d*x + c)*d*f - c*
\end{aligned}$$

$$\begin{aligned}
& d*f + d^2*e))^{2*A*a*b^4*c^2*d^6*f^3*e} + 64*\sqrt{d*f}*(\sqrt{d*f})*\sqrt{d*x + c} - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e))^{2*C*a^4*b*c*d^7*f^3*e} - 16*\sqrt{d*f}*(\sqrt{d*f})*\sqrt{d*x + c} - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e))^{2*B*a^3*b^2*c*d^7*f^3*e} - 32*\sqrt{d*f}*(\sqrt{d*f})*\sqrt{d*x + c} - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e))^{2*A*a^2*b^3*c*d^7*f^3*e} + 15*\sqrt{d*f}*(\sqrt{d*f})*\sqrt{d*x + c} - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e))^{4*C*a^2*b^3*c^3*d^3*f^3} - 3*\sqrt{d*f}*(\sqrt{d*f})*\sqrt{d*x + c} - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e))^{4*B*a*b^4*c^3*d^3*f^3} - 9*\sqrt{d*f}*(\sqrt{d*f})*\sqrt{d*x + c} - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e))^{4*A*b^5*c^3*d^3*f^3} - 58*\sqrt{d*f}*(\sqrt{d*f})*\sqrt{d*x + c} - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e))^{4*C*a^3*b^2*c^2*d^4*f^3} + 14*\sqrt{d*f}*(\sqrt{d*f})*\sqrt{d*x + c} - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e))^{4*B*a^2*b^3*c^2*d^4*f^3} + 30*\sqrt{d*f}*(\sqrt{d*f})*\sqrt{d*x + c} - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e))^{4*A*a*b^4*c^2*d^4*f^3} + 88*\sqrt{d*f}*(\sqrt{d*f})*\sqrt{d*x + c} - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e))^{4*C*a^4*b*c*d^5*f^3} - 24*\sqrt{d*f}*(\sqrt{d*f})*\sqrt{d*x + c} - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e))^{4*B*a^3*b^2*c*d^5*f^3} - 40*\sqrt{d*f}*(\sqrt{d*f})*\sqrt{d*x + c} - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e))^{4*A*a^2*b^3*c*d^5*f^3} - 48*\sqrt{d*f}*(\sqrt{d*f})*\sqrt{d*x + c} - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e))^{4*C*a^5*d^6*f^3} + 16*\sqrt{d*f}*(\sqrt{d*f})*\sqrt{d*x + c} - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e))^{4*B*a^4*b*d^6*f^3} + 16*\sqrt{d*f}*(\sqrt{d*f})*\sqrt{d*x + c} - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e))^{4*A*a^3*b^2*d^6*f^3} - 48*\sqrt{d*f}*C*a*b^4*c^3*d^7*f^2*e^3 + 24*\sqrt{d*f}*B*b^5*c^3*d^7*f^2*e^3 + 34*\sqrt{d*f}*C*a^2*b^3*c^2*d^8*f^2*e^3 - 26*\sqrt{d*f}*B*a*b^4*c^2*d^8*f^2*e^3 + 18*\sqrt{d*f}*A*b^5*c^2*d^8*f^2*e^3 + 24*\sqrt{d*f}*C*a^3*b^2*c*d^9*f^2*e^3 - 8*\sqrt{d*f}*B*a^2*b^3*c*d^9*f^2*e^3 - 8*\sqrt{d*f}*A*a*b^4*c*d^9*f^2*e^3 - 24*\sqrt{d*f}*(\sqrt{d*f})*\sqrt{d*x + c} - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e))^{2*C*a*b^4*c^3*d^5*f^2*e^2} + 12*\sqrt{d*f}*(\sqrt{d*f})*\sqrt{d*x + c} - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e))^{2*B*b^5*c^3*d^5*f^2*e^2} + 130*\sqrt{d*f}*(\sqrt{d*f})*\sqrt{d*x + c} - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e))^{2*C*a^2*b^3*c^2*d^6*f^2*e^2} - 58*\sqrt{d*f}*(\sqrt{d*f})*\sqrt{d*x + c} - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e))^{2*B*a*b^4*c^2*d^6*f^2*e^2} - 14*\sqrt{d*f}*(\sqrt{d*f})*\sqrt{d*x + c} - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e))^{2*A*b^5*c^2*d^6*f^2*e^2} - 92*\sqrt{d*f}*(\sqrt{d*f})*\sqrt{d*x + c} - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e))^{2*C*a^3*b^2*c*d^7*f^2*e^2} + 56*\sqrt{d*f}*(\sqrt{d*f})*\sqrt{d*x + c} - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e))^{2*B*a^2*b^3*c*d^7*f^2*e^2} - 20*\sqrt{d*f}*(\sqrt{d*f})*\sqrt{d*x + c} - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e))^{2*A*a*b^4*c*d^7*f^2*e^2} - 32*\sqrt{d*f}*(\sqrt{d*f})*\sqrt{d*x + c} - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e))^{2*C*a^4*b*d^8*f^2*e^2} + 8*\sqrt{d*f}*(\sqrt{d*f})*\sqrt{d*x + c} - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e))^{2*B*a^3*b^2*d^8*f^2*e^2} + 16*\sqrt{d*f}*(\sqrt{d*f})*\sqrt{d*x + c} - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e))^{2*A*a^2*b^3*d^8*f^2*e^2} - 24*\sqrt{d*f}*(\sqrt{d*f})*\sqrt{d*x + c} - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e))^{4*C*a*b^4*c^3*d^3*f^2*e} + 12*\sqrt{d*f}*(\sqrt{d*f})*\sqrt{d*x + c} - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e))^{4*B*b^5*c^3*d^3*f^2*e} + 101*\sqrt{d*f}*(\sqrt{d*f})*\sqrt{d*x + c} - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e))^{4*C*a^2*b^3*c^2*d^4*f^2*e} - 49*\sqrt{d*f}*(\sqrt{d*f})*\sqrt{d*x + c} - \sqrt{((d*x + c)*d*f - c*d*f +
\end{aligned}$$

$$\begin{aligned}
& d^2e))^{4*B*a*b^4*c^2*d^4*f^2*e} - 3*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2e))^{4*A*b^5*c^2*d^4*f^2*e} - 188*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2e))^{4*C*a^3*b^2*c*d^5*f^2*e} + 84*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2e))^{4*B*a^2*b^3*c*d^5*f^2*e} + 20*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2e))^{4*A*a*b^4*c*d^5*f^2*e} + 120*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2e))^{4*C*a^4*b*d^6*f^2*e} - 56*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2e))^{4*B*a^3*b^2*d^6*f^2*e} - 8*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2e))^{4*A*a^2*b^3*d^6*f^2*e} - 5*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2e))^{6*C*a^2*b^3*c^2*d^2*f^2} + \text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2e))^{6*B*a*b^4*c^2*d^2*f^2} + 3*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2e))^{6*A*b^5*c^2*d^2*f^2} + 20*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2e))^{6*C*a^3*b^2*c*d^3*f^2} - 8*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2e))^{6*B*a^2*b^3*c*d^3*f^2} - 4*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2e))^{6*A*a*b^4*c*d^3*f^2} - 16*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2e))^{6*C*a^4*b*d^4*f^2} + 8*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2e))^{6*B*a^3*b^2*d^4*f^2} + 32*\text{sqrt}(d*f)*C*a*b^4*c^2*d^8*f*e^4 - 16*\text{sqrt}(d*f)*B*b^5*c^2*d^8*f*e^4 - 31*\text{sqrt}(d*f)*C*a^2*b^3*c*d^9*f*e^4 + 19*\text{sqrt}(d*f)*B*a*b^4*c*d^9*f*e^4 - 7*\text{sqrt}(d*f)*A*b^5*c*d^9*f*e^4 - 6*\text{sqrt}(d*f)*C*a^3*b^2*d^10*f*e^4 + 2*\text{sqrt}(d*f)*B*a^2*b^3*d^10*f*e^4 + 2*\text{sqrt}(d*f)*A*a*b^4*d^10*f*e^4 - 24*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2e))^{2*C*a*b^4*c^2*d^6*f*e^3} + 12*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2e))^{2*B*b^5*c^2*d^6*f*e^3} - 32*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2e))^{2*C*a^2*b^3*c*d^7*f*e^3} + 8*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2e))^{2*B*a*b^4*c*d^7*f*e^3} + 16*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2e))^{2*A*b^5*c*d^7*f*e^3} + 68*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2e))^{2*C*a^3*b^2*d^8*f*e^3} - 32*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2e))^{2*B*a^2*b^3*d^8*f*e^3} - 4*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2e))^{2*A*a*b^4*d^8*f*e^3} - 16*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2e))^{4*C*a*b^4*c^2*d^4*f*e^2} + 8*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2e))^{4*B*b^5*c^2*d^4*f*e^2} + 97*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2e))^{4*C*a^2*b^3*c*d^5*f*e^2} - 45*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2e))^{4*B*a*b^4*c*d^5*f*e^2} - 7*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2e))^{4*A*b^5*c*d^5*f*e^2} - 90*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2e))^{4*C*a^3*b^2*d^6*f*e^2} + 46*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2e))^{4*B*a^2*b^3*d^6*f*e^2} - 2*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x
\end{aligned}$$

$$\begin{aligned}
& + c) * d * f - c * d * f + d^2 * e))^4 * A * a * b^4 * d^6 * f * e^2 + 8 * \sqrt{d * f} * (\sqrt{d * f} * \sqrt{d * x + c} - \sqrt{(d * x + c) * d * f - c * d * f + d^2 * e}))^6 * C * a * b^4 * c^2 * d^2 * f * e - \\
& 4 * \sqrt{d * f} * (\sqrt{d * f} * \sqrt{d * x + c} - \sqrt{(d * x + c) * d * f - c * d * f + d^2 * e}))^6 * B * b^5 * c^2 * d^2 * f * e - 34 * \sqrt{d * f} * (\sqrt{d * f} * \sqrt{d * x + c} - \sqrt{(d * x + c) * d * f - c * d * f + d^2 * e}))^6 * C * a^2 * b^3 * c * d^3 * f * e + 18 * \sqrt{d * f} * (\sqrt{d * f} * \sqrt{d * x + c} - \sqrt{(d * x + c) * d * f - c * d * f + d^2 * e}))^6 * B * a * b^4 * c * d^3 * f * e - 2 * \\
& \sqrt{d * f} * (\sqrt{d * f} * \sqrt{d * x + c} - \sqrt{(d * x + c) * d * f - c * d * f + d^2 * e}))^6 * A * b^5 * c * d^3 * f * e + 28 * \sqrt{d * f} * (\sqrt{d * f} * \sqrt{d * x + c} - \sqrt{(d * x + c) * d * f - c * d * f + d^2 * e}))^6 * C * a^3 * b^2 * d^4 * f * e - 16 * \sqrt{d * f} * (\sqrt{d * f} * \sqrt{d * x + c} - \sqrt{(d * x + c) * d * f - c * d * f + d^2 * e}))^6 * B * a^2 * b^3 * d^4 * f * e + 4 * \sqrt{d * f} * (\sqrt{d * f} * \sqrt{d * x + c} - \sqrt{(d * x + c) * d * f - c * d * f + d^2 * e}))^6 * A * a * b^4 * d^4 * f * e - 8 * \sqrt{d * f} * C * a * b^4 * c * d^9 * e^5 + 4 * \sqrt{d * f} * B * b^5 * c * d^9 * e^5 + \\
& 9 * \sqrt{d * f} * C * a^2 * b^3 * d^10 * e^5 - 5 * \sqrt{d * f} * B * a * b^4 * d^10 * e^5 + \sqrt{d * f} * A * b^5 * d^10 * e^5 + 24 * \sqrt{d * f} * (\sqrt{d * f} * \sqrt{d * x + c} - \sqrt{(d * x + c) * d * f - c * d * f + d^2 * e}))^2 * C * a * b^4 * c * d^7 * e^4 - 12 * \sqrt{d * f} * (\sqrt{d * f} * \sqrt{d * x + c} - \sqrt{(d * x + c) * d * f - c * d * f + d^2 * e}))^2 * B * b^5 * c * d^7 * e^4 - 27 * \sqrt{d * f} * (\sqrt{d * f} * \sqrt{d * x + c} - \sqrt{(d * x + c) * d * f - c * d * f + d^2 * e}))^2 * C * a^2 * b^3 * d^8 * e^4 + 15 * \sqrt{d * f} * (\sqrt{d * f} * \sqrt{d * x + c} - \sqrt{(d * x + c) * d * f - c * d * f + d^2 * e}))^2 * B * a * b^4 * d^8 * e^4 - 3 * \sqrt{d * f} * (\sqrt{d * f} * \sqrt{d * x + c} - \sqrt{(d * x + c) * d * f - c * d * f + d^2 * e}))^2 * A * b^5 * d^8 * e^4 - 24 * \sqrt{d * f} * (\sqrt{d * f} * \sqrt{d * x + c} - \sqrt{(d * x + c) * d * f - c * d * f + d^2 * e}))^4 * C * a * b^4 * c * d^5 * e^3 + \\
& 12 * \sqrt{d * f} * (\sqrt{d * f} * \sqrt{d * x + c} - \sqrt{(d * x + c) * d * f - c * d * f + d^2 * e}))^4 * B * b^5 * c * d^5 * e^3 + 27 * \sqrt{d * f} * (\sqrt{d * f} * \sqrt{d * x + c} - \sqrt{(d * x + c) * d * f - c * d * f + d^2 * e}))^4 * C * a^2 * b^3 * d^6 * e^3 - 15 * \sqrt{d * f} * (\sqrt{d * f} * \sqrt{d * x + c} - \sqrt{(d * x + c) * d * f - c * d * f + d^2 * e}))^4 * B * a * b^4 * d^6 * e^3 + 3 * \sqrt{d * f} * (\sqrt{d * f} * \sqrt{d * x + c} - \sqrt{(d * x + c) * d * f - c * d * f + d^2 * e}))^4 * A * b^5 * d^6 * e^3 + 8 * \sqrt{d * f} * (\sqrt{d * f} * \sqrt{d * x + c} - \sqrt{(d * x + c) * d * f - c * d * f + d^2 * e}))^6 * C * a * b^4 * c * d^3 * e^2 - 4 * \sqrt{d * f} * (\sqrt{d * f} * \sqrt{d * x + c} - \sqrt{(d * x + c) * d * f - c * d * f + d^2 * e}))^6 * B * b^5 * c * d^3 * e^2 - 9 * \sqrt{d * f} * (\sqrt{d * f} * \sqrt{d * x + c} - \sqrt{(d * x + c) * d * f - c * d * f + d^2 * e}))^6 * C * a^2 * b^3 * d^4 * e^2 + 5 * \sqrt{d * f} * (\sqrt{d * f} * \sqrt{d * x + c} - \sqrt{(d * x + c) * d * f - c * d * f + d^2 * e}))^6 * B * a * b^4 * d^4 * e^2 - \sqrt{d * f} * (\sqrt{d * f} * \sqrt{d * x + c} - \sqrt{(d * x + c) * d * f - c * d * f + d^2 * e}))^6 * A * b^5 * d^4 * e^2) / ((a^2 * b^4 * c * f^2 * \text{abs}(d) - a^3 * b^3 * d * f^2 * \text{abs}(d) - 2 * a * b^5 * c * f * \text{abs}(d) * e + 2 * a^2 * b^4 * d * f * \text{abs}(d) * e + b^6 * c * \text{abs}(d) * e^2 - a * b^5 * d * \text{abs}(d) * e^2) * (b * c^2 * d^2 * f^2 - 2 * b * c * d^3 * f * e - 2 * (\sqrt{d * f} * \sqrt{d * x + c} - \sqrt{(d * x + c) * d * f - c * d * f + d^2 * e}))^2 * b * c * d * f + 4 * (\sqrt{d * f} * \sqrt{d * x + c} - \sqrt{(d * x + c) * d * f - c * d * f + d^2 * e}))^2 * a * d^2 * f + b * d^4 * e^2 - 2 * (\sqrt{d * f} * \sqrt{d * x + c} - \sqrt{(d * x + c) * d * f - c * d * f + d^2 * e}))^2 * b * d^2 * e + (\sqrt{d * f} * \sqrt{d * x + c} - \sqrt{(d * x + c) * d * f - c * d * f + d^2 * e}))^4 * b^2)
\end{aligned}$$

maple [B] time = 0.10, size = 9100, normalized size = 18.80

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((C*x^2+B*x+A)*(d*x+c)^(1/2)/(b*x+a)^3/(f*x+e)^(1/2),x)
```

```
[Out] result too large to display
```

```
maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00
```

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)/(b*x+a)^3/(f*x+e)^(1/2),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(((-(2*a*d*f)/b^2)>0)', see `assume?` for more details)Is ((-(2*a*d*f)/b^2) + (c*f)/b + (d*e)/b)^2 - (4*d*f*((a^2*d*f)/b^2 - (a*c*f)/b - (a*d*e)/b) + c*e) /b^2 zero or nonzero?
```

```
mupad [F(-1)] time = 0.00, size = -1, normalized size = -0.00
```

Hanged

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((c + d*x)^(1/2)*(A + B*x + C*x^2))/((e + f*x)^(1/2)*(a + b*x)^3),x)
```

```
[Out] \text{Hanged}
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x**2+B*x+A)*(d*x+c)**(1/2)/(b*x+a)**3/(f*x+e)**(1/2),x)
```

```
[Out] Timed out
```


$$3.53 \quad \int \frac{\sqrt{c+dx} (A+Bx+Cx^2)}{(a+bx)^4 \sqrt{e+fx}} dx$$

Optimal. Leaf size=685

$$(de - cf) \tanh^{-1} \left(\frac{\sqrt{c+dx} \sqrt{be-af}}{\sqrt{e+fx} \sqrt{bc-ad}} \right) \left(- \left(a^2 (2df(-4Adf + Bcf + 3Bde) - C(c^2f^2 + 2cdef + 5d^2e^2)) \right) \right) + ab(-2cd$$

8(bc -

[Out] $-1/8*(-c*f+d*e)*(b^2*(A*d^2*e^2-2*c*d*e*(-A*f+B*e)+c^2*(5*A*f^2-6*B*e*f+8*C*e^2))+a*b*(d^2*e*(-4*A*f+B*e)-c^2*f*(-B*f+4*C*e)-2*c*d*(6*A*f^2-7*B*e*f+6*C*e^2))-a^2*(2*d*f*(-4*A*d*f+B*c*f+3*B*d*e)-C*(c^2*f^2+2*c*d*e*f+5*d^2*e^2))$
 $*\operatorname{arctanh}(((-a*f+b*e)^(1/2)*(d*x+c)^(1/2)/(-a*d+b*c)^(1/2)/(f*x+e)^(1/2)))/((-a*d+b*c)^(5/2)/(-a*f+b*e)^(7/2)-1/3*(A*b^2-a*(B*b-C*a))*(d*x+c)^(3/2)*(f*x+e)^(1/2)/b/(-a*d+b*c)/(-a*f+b*e)/(b*x+a)^3+1/12*(4*a^3*C*d*f-b^3*(-5*A*c*f-3*A*d*e+6*B*c*e)+a*b^2*(-8*A*d*f+B*c*f+3*B*d*e+12*C*c*e)-a^2*b*(-2*B*d*f+7*C*c*f+9*C*d*e))*(d*x+c)^(1/2)*(f*x+e)^(1/2)/b^2/(-a*d+b*c)/(-a*f+b*e)^2/(b*x+a)^2-1/24*(8*a^4*C*d^2*f^2-2*a^3*b*d*f*(-2*B*d*f+7*C*c*f+13*C*d*e)-b^4*(3*A*d^2*e^2-2*c*d*e*(-2*A*f+3*B*e)-3*c^2*(5*A*f^2-6*B*e*f+8*C*e^2))-a*b^3*(d^2*e*(-10*A*f+3*B*e)+3*c^2*f*(-B*f+4*C*e)+2*c*d*(13*A*f^2-14*B*e*f+30*C*e^2))-a^2*b^2*(4*d*f*(-2*A*d*f+B*c*f+4*B*d*e)-C*(3*c^2*f^2+44*c*d*e*f+33*d^2*e^2))$
 $*(d*x+c)^(1/2)*(f*x+e)^(1/2)/b^2/(-a*d+b*c)^2/(-a*f+b*e)^3/(b*x+a)$

Rubi [A] time = 1.78, antiderivative size = 685, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {1613, 149, 151, 12, 93, 208}

$$\frac{\sqrt{c+dx} \sqrt{e+fx} \left(-a^2 b^2 (4df(-2Adf + Bcf + 4Bde) - C(3c^2f^2 + 44cdef + 33d^2e^2)) - 2a^3 bdf(-2Bdf + 7c$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[c + d*x]*(A + B*x + C*x^2))/((a + b*x)^4*Sqrt[e + f*x]),x]

[Out] $((4*a^3*C*d*f - b^3*(6*B*c*e - 3*A*d*e - 5*A*c*f) + a*b^2*(12*c*C*e + 3*B*d*e + B*c*f - 8*A*d*f) - a^2*b*(9*C*d*e + 7*c*C*f - 2*B*d*f))*\operatorname{Sqrt}[c + d*x]*\operatorname{Sqrt}[e + f*x])/(12*b^2*(b*c - a*d)*(b*e - a*f)^2*(a + b*x)^2 - ((8*a^4*C*d^2*f^2 - 2*a^3*b*d*f*(13*C*d*e + 7*c*C*f - 2*B*d*f) - b^4*(3*A*d^2*e^2 - 2*c*d*e*(3*B*e - 2*A*f) - 3*c^2*(8*C*e^2 - 6*B*e*f + 5*A*f^2)) - a*b^3*(d^2*e*(3*B*e - 10*A*f) + 3*c^2*f*(4*C*e - B*f) + 2*c*d*(30*C*e^2 - 14*B*e*f + 13*A*f^2)) - a^2*b^2*(4*d*f*(4*B*d*e + B*c*f - 2*A*d*f) - C*(33*d^2*e^2 + 44*c*d*e*f + 3*c^2*f^2)))*\operatorname{Sqrt}[c + d*x]*\operatorname{Sqrt}[e + f*x])/(24*b^2*(b*c - a*d)^2*(b*e - a*f)^3*(a + b*x)) - ((A*b^2 - a*(b*B - a*C))*(c + d*x)^(3/2)*\operatorname{Sqrt}[e +$

$$\frac{f*x]}{(3*b*(b*c - a*d)*(b*e - a*f)*(a + b*x)^3) - ((d*e - c*f)*(b^2*(A*d^2 *e^2 - 2*c*d*e*(B*e - A*f) + c^2*(8*C*e^2 - 6*B*e*f + 5*A*f^2)) + a*b*(d^2 *e*(B*e - 4*A*f) - c^2*f*(4*C*e - B*f) - 2*c*d*(6*C*e^2 - 7*B*e*f + 6*A*f^2)) - a^2*(2*d*f*(3*B*d*e + B*c*f - 4*A*d*f) - C*(5*d^2*e^2 + 2*c*d*e*f + c^2 *f^2)))*ArcTanh[(Sqrt[b*e - a*f]*Sqrt[c + d*x])/(Sqrt[b*c - a*d]*Sqrt[e + f *x])]}{(8*(b*c - a*d)^(5/2)*(b*e - a*f)^(7/2))}$$
Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 93

```
Int[(((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x
_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 149

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_
))^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[((b*g - a*h)*(a + b*x)^(m +
1)*(c + d*x)^n*(e + f*x)^(p + 1))/(b*(b*e - a*f)*(m + 1)), x] - Dist[1/(b*(
b*e - a*f)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^(n - 1)*(e + f*x)^p*Si
mp[b*c*(f*g - e*h)*(m + 1) + (b*g - a*h)*(d*e*n + c*f*(p + 1)) + d*(b*(f*g
- e*h)*(m + 1) + f*(b*g - a*h)*(n + p + 1))*x, x], x] /; FreeQ[{a, b, c
, d, e, f, g, h, p}, x] && LtQ[m, -1] && GtQ[n, 0] && IntegerQ[m]
```

Rule 151

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_
))^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[((b*g - a*h)*(a + b*x)^(m +
1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)),
x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d
*x)^n*(e + f*x)^p*Simp[(a*d*f*g - b*(d*e + c*f)*g + b*c*e*h)*(m + 1) - (b*g
- a*h)*(d*e*(n + 1) + c*f*(p + 1)) - d*f*(b*g - a*h)*(m + n + p + 3)*x, x]
, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && LtQ[m, -1] && Integ
erQ[m]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 1613

```

Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)
*(x_))^(p_), x_Symbol] := With[{Qx = PolynomialQuotient[Px, a + b*x, x],
R = PolynomialRemainder[Px, a + b*x, x]}, Simp[(b*R*(a + b*x)^(m + 1)*(c +
d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Di
st[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^(n*(
e + f*x)^p*ExpandToSum[(m + 1)*(b*c - a*d)*(b*e - a*f)*Qx + a*d*f*R*(m + 1)
- b*R*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*R*(m + n + p + 3)*x, x],
x]] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && PolyQ[Px, x] && ILtQ[m, -
1] && IntegersQ[2*m, 2*n, 2*p]

```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{c+dx} (A+Bx+Cx^2)}{(a+bx)^4 \sqrt{e+fx}} dx &= -\frac{(Ab^2 - a(bB - aC))(c+dx)^{3/2} \sqrt{e+fx}}{3b(bc-ad)(be-af)(a+bx)^3} - \int \frac{\sqrt{c+dx} \left(-\frac{a^2C(3de+cf)+b^2(6Bce-3Ade-5Acf)}{2b} \right)}{\dots} \\
&= \frac{(4a^3Cdf - b^3(6Bce - 3Ade - 5Acf) + ab^2(12cCe + 3Bde + Bcf - 8Adf) - a}{12b^2(bc-ad)(be-af)^2(a+bx)^2} \\
&= \frac{(4a^3Cdf - b^3(6Bce - 3Ade - 5Acf) + ab^2(12cCe + 3Bde + Bcf - 8Adf) - a}{12b^2(bc-ad)(be-af)^2(a+bx)^2} \\
&= \frac{(4a^3Cdf - b^3(6Bce - 3Ade - 5Acf) + ab^2(12cCe + 3Bde + Bcf - 8Adf) - a}{12b^2(bc-ad)(be-af)^2(a+bx)^2} \\
&= \frac{(4a^3Cdf - b^3(6Bce - 3Ade - 5Acf) + ab^2(12cCe + 3Bde + Bcf - 8Adf) - a}{12b^2(bc-ad)(be-af)^2(a+bx)^2} \\
&= \frac{(4a^3Cdf - b^3(6Bce - 3Ade - 5Acf) + ab^2(12cCe + 3Bde + Bcf - 8Adf) - a}{12b^2(bc-ad)(be-af)^2(a+bx)^2}
\end{aligned}$$

Mathematica [A] time = 6.34, size = 729, normalized size = 1.06

$$(a^2C - abB + Ab^2) \left[\frac{3(8a^2d^2f^2 - 4abdf(3cf + de) + b^2(5c^2f^2 + 2cdef + d^2e^2)) \left(\frac{\sqrt{c+dx} \sqrt{e+fx}}{(a+bx)(af-be)} - \frac{(de-cf) \tanh^{-1} \left(\frac{\sqrt{c+dx} \sqrt{af-be}}{\sqrt{e+fx} \sqrt{ad-bc}} \right)}{\sqrt{ad-bc} (af-be)^{3/2}} \right)}{8(bc-ad)(be-af)} - \frac{(c+dx)^{3/2} \sqrt{e+fx}}{2(a+bx)^2} \right]}{3b^2(bc-ad)(be-af)}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[c + d*x]*(A + B*x + C*x^2))/((a + b*x)^4*Sqrt[e + f*x]),x]

[Out] $-\left(\frac{C \sqrt{c+dx} \sqrt{e+fx}}{b^2(b^2e - a^2f)(a+bx)} - \frac{(A b^2 - a(bB - aC))(c+dx)^{3/2} \sqrt{e+fx}}{3b^2(b^2c - a^2d)(b^2e - a^2f)(a+bx)^3} - \frac{(bB - 2aC)(c+dx)^{3/2} \sqrt{e+fx}}{2b^2(b^2c - a^2d)(b^2e - a^2f)(a+bx)^2} - \frac{C(d^2e - c^2f) \operatorname{ArcTanh}\left(\frac{\sqrt{-(b^2e + a^2f)} \sqrt{c+dx}}{\sqrt{-(b^2c + a^2d)} \sqrt{e+fx}}\right)}{b^2 \sqrt{-(b^2c + a^2d)} (-(b^2e + a^2f)^{3/2})} + \frac{(bB - 2aC)(b^2d^2e + 3b^2c^2f - 4a^2d^2f)}{(c+dx) \sqrt{e+fx} (b^2e - a^2f)(a+bx)} + \frac{(d^2e - c^2f) \operatorname{ArcTanh}\left(\frac{\sqrt{-(b^2e + a^2f)} \sqrt{c+dx}}{\sqrt{-(b^2c + a^2d)} \sqrt{e+fx}}\right)}{(c+dx) \sqrt{e+fx} (b^2e - a^2f)(a+bx)} - \frac{(A b^2 - a(bB - aC))(-1/2((-(a^2b^2d^2f) + (b^2(3b^2d^2e + 5b^2c^2f - 6a^2d^2f))/2)(c+dx)^{3/2} \sqrt{e+fx})}{(b^2c - a^2d)(b^2e - a^2f)(a+bx)^2} - \frac{3(8a^2d^2f^2 - 4a^2b^2d^2f(d^2e + 3c^2f) + b^2(d^2e^2 + 2c^2d^2e^2f + 5c^2d^2f^2)) \operatorname{ArcTanh}\left(\frac{\sqrt{-(b^2e + a^2f)} \sqrt{c+dx}}{\sqrt{-(b^2c + a^2d)} \sqrt{e+fx}}\right)}{(c+dx) \sqrt{e+fx} (b^2e - a^2f)(a+bx)} - \frac{(d^2e - c^2f) \operatorname{ArcTanh}\left(\frac{\sqrt{-(b^2e + a^2f)} \sqrt{c+dx}}{\sqrt{-(b^2c + a^2d)} \sqrt{e+fx}}\right)}{(c+dx) \sqrt{e+fx} (b^2e - a^2f)(a+bx)}\right)$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)/(b*x+a)^4/(f*x+e)^(1/2),x, algorithm="fricas")

[Out] Timed out

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)/(b*x+a)^4/(f*x+e)^(1/2),x, algorithm="giac")

[Out] Timed out

maple [B] time = 0.16, size = 15990, normalized size = 23.34

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C*x^2+B*x+A)*(d*x+c)^(1/2)/(b*x+a)^4/(f*x+e)^(1/2),x)

[Out] result too large to display

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)/(b*x+a)^4/(f*x+e)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume((a*d-b*c)>0)', see `assume?` for more details)Is (a*d-b*c) *(a*f-b*e) positive, negative or zero?

mupad [F(-1)] time = 0.00, size = -1, normalized size = -0.00

Hanged

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((c + d*x)^(1/2)*(A + B*x + C*x^2))/((e + f*x)^(1/2)*(a + b*x)^4),x)

[Out] \text{Hanged}

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x**2+B*x+A)*(d*x+c)**(1/2)/(b*x+a)**4/(f*x+e)**(1/2),x)

[Out] Timed out

$$3.54 \quad \int \frac{(a+bx)^2(A+Bx+Cx^2)}{\sqrt{c+dx}\sqrt{e+fx}} dx$$

Optimal. Leaf size=718

$$\tanh^{-1}\left(\frac{\sqrt{f}\sqrt{c+dx}}{\sqrt{d}\sqrt{e+fx}}\right)\left(16a^2d^2f^2(4df(2Adf-B(cf+de))+C(3c^2f^2+2cdef+3d^2e^2))-16abdf(2df(4Adf(cf+de)+2d^2e^2)+2d^2e^2)+2d^2e^2)+b^2(C(35c^4f^4+20c^3d^2e^2f^2+18c^2d^2e^2f^2+20c^2d^3e^3f+35d^4e^4)+8d^2f(2Ad^2f(3c^2f^2+2cd^2e^2)-B(5c^3f^3+3c^2d^2e^2f+5d^3e^3)))\right)\operatorname{arctanh}\left(\frac{f^{1/2}(dx+c)^{1/2}}{d^{1/2}(fx+e)^{1/2}}\right)\frac{d^{9/2}}{f^{9/2}}-1/24(2aCd^2f-b(8Bd^2f-7C(cf+de)))(b^2x+a)^2(dx+c)^{1/2}(fx+e)^{1/2}/b/d^2/f^2+1/4C(b^2x+a)^3(dx+c)^{1/2}(fx+e)^{1/2}/b/d/f-1/192(32a^3Cd^3f^3-8a^2b^2d^2f^2(16Bd^2f-11C(cf+de))-16a^2b^2d^2f(C(15c^2f^2+14cd^2e^2f+15d^2e^2)+6d^2f(4Ad^2f-3B(cf+de)))+b^3(5C(21c^3f^3+19c^2d^2e^2f^2+19cd^2e^2f+21d^3e^3)+8d^2f(18Ad^2f(cf+de)-B(15c^2f^2+14cd^2e^2f+15d^2e^2))+2b^2d^2f(6b^2d^2f(-8Ab^2d^2f+Cac^2f+Cad^2e+6Cbc^2e)+(4ad^2f-5b^2(cf+de))*(2aCd^2f-b(8Bd^2f-7C(cf+de)))))*x)(dx+c)^{1/2}(fx+e)^{1/2}/b/d^4/f^4$$

[Out] 1/64*(16*a^2*d^2*f^2*(C*(3*c^2*f^2+2*c*d*e*f+3*d^2*e^2)+4*d*f*(2*A*d*f-B*(c*f+d*e)))-16*a*b*d*f*(C*(5*c^3*f^3+3*c^2*d*e*f^2+3*c*d^2*e^2*f+5*d^3*e^3)+2*d*f*(4*A*d*f*(c*f+d*e)-B*(3*c^2*f^2+2*c*d*e*f+3*d^2*e^2)))+b^2*(C*(35*c^4*f^4+20*c^3*d^2*e^2*f^2+18*c^2*d^2*e^2*f^2+20*c^2*d^3*e^3*f+35*d^4*e^4)+8*d^2*f*(2*A*d*f*(3*c^2*f^2+2*c*d*e*f+3*d^2*e^2)-B*(5*c^3*f^3+3*c^2*d^2*e^2*f+5*d^3*e^3)))\operatorname{arctanh}(f^{1/2}*(d*x+c)^{1/2}/d^{1/2}/(f*x+e)^{1/2})/d^{9/2}/f^{9/2}-1/24*(2*a*C*d^2*f-b*(8*B*d^2*f-7*C*(c*f+d*e)))*(b*x+a)^2*(d*x+c)^{1/2}*(f*x+e)^{1/2}/b/d^2/f^2+1/4*C*(b*x+a)^3*(d*x+c)^{1/2}*(f*x+e)^{1/2}/b/d/f-1/192*(32*a^3*C*d^3*f^3-8*a^2*b^2*d^2*f^2*(16*B*d^2*f-11*C*(c*f+d*e))-16*a^2*b^2*d^2*f*(C*(15*c^2*f^2+14*c*d*e*f+15*d^2*e^2)+6*d^2*f*(4*A*d*f-3*B*(c*f+d*e)))+b^3*(5*C*(21*c^3*f^3+19*c^2*d^2*e^2*f^2+19*c*d^2*e^2*f+21*d^3*e^3)+8*d^2*f*(18*A*d^2*f*(c*f+d*e)-B*(15*c^2*f^2+14*c*d*e*f+15*d^2*e^2))+2*b^2*d^2*f*(6*b^2*d^2*f*(-8*A*b^2*d^2*f+C*a*c^2*f+C*a*d^2*e+6*C*b*c^2e)+(4*a*d^2*f-5*b^2*(c*f+d*e))*(2*a*C*d^2*f-b*(8*B*d^2*f-7*C*(c*f+d*e))))*x)*(d*x+c)^{1/2}*(f*x+e)^{1/2}/b/d^4/f^4

Rubi [A] time = 1.34, antiderivative size = 715, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {1615, 153, 147, 63, 217, 206}

$$\frac{\sqrt{c+dx}\sqrt{e+fx}\left(-8a^2bd^2f^2(16Bdf-11C(cf+de))+32a^3Cd^3f^3-16ab^2df(6df(4Adf-3B(cf+de))+C(4Adf(cf+de)+2d^2e^2)+2d^2e^2)+2d^2e^2)+b^2(C(35c^4f^4+20c^3d^2e^2f^2+18c^2d^2e^2f^2+20c^2d^3e^3f+35d^4e^4)+8d^2f(2Ad^2f(3c^2f^2+2cd^2e^2)-B(5c^3f^3+3c^2d^2e^2f+5d^3e^3)))\right)\operatorname{arctanh}\left(\frac{f^{1/2}(dx+c)^{1/2}}{d^{1/2}(fx+e)^{1/2}}\right)\frac{d^{9/2}}{f^{9/2}}-1/24(2aCd^2f-b(8Bd^2f-7C(cf+de)))(b^2x+a)^2(dx+c)^{1/2}(fx+e)^{1/2}/b/d^2/f^2+1/4C(b^2x+a)^3(dx+c)^{1/2}(fx+e)^{1/2}/b/d/f-1/192(32a^3Cd^3f^3-8a^2b^2d^2f^2(16Bd^2f-11C(cf+de))-16a^2b^2d^2f(C(15c^2f^2+14cd^2e^2f+15d^2e^2)+6d^2f(4Ad^2f-3B(cf+de)))+b^3(5C(21c^3f^3+19c^2d^2e^2f^2+19cd^2e^2f+21d^3e^3)+8d^2f(18Ad^2f(cf+de)-B(15c^2f^2+14cd^2e^2f+15d^2e^2))+2b^2d^2f(6b^2d^2f(-8Ab^2d^2f+Cac^2f+Cad^2e+6Cbc^2e)+(4ad^2f-5b^2(cf+de))*(2aCd^2f-b(8Bd^2f-7C(cf+de)))))*x)(dx+c)^{1/2}(fx+e)^{1/2}/b/d^4/f^4$$

Antiderivative was successfully verified.

[In] Int[((a + b*x)^2*(A + B*x + C*x^2))/(Sqrt[c + d*x]*Sqrt[e + f*x]),x]

[Out] ((8*b*B*d*f - 2*a*C*d*f - 7*b*C*(d*e + c*f))*(a + b*x)^2*Sqrt[c + d*x]*Sqrt[e + f*x])/(24*b*d^2*f^2) + (C*(a + b*x)^3*Sqrt[c + d*x]*Sqrt[e + f*x])/(4*b*d*f) - (Sqrt[c + d*x]*Sqrt[e + f*x]*(32*a^3*C*d^3*f^3 - 8*a^2*b^2*d^2*f^2*(16*B*d^2*f - 11*C*(d*e + c*f)) - 16*a^2*b^2*d^2*f*(C*(15*d^2*e^2 + 14*c*d*e*f + 15*c^2*f^2) + 6*d^2*f*(4*A*d*f - 3*B*(d*e + c*f)))) + b^3*(5*C*(21*d^3*e^3 + 19*c*d^2*e^2*f + 19*c^2*d^2*e^2*f^2 + 21*c^3*f^3) + 8*d^2*f*(18*A*d^2*f*(d*e + c*f) - B*(15*d^2*e^2 + 14*c*d*e*f + 15*c^2*f^2))) + 2*b^2*d^2*f*(6*b^2*d^2*f*(6*b*c*C*e + a*C*d*e + a*c*C*f - 8*A*b*d*f) - (4*a*d^2*f - 5*b^2*(d*e + c*f))*(8*b*B*d^2*f -

$$\frac{2*a*C*d*f - 7*b*C*(d*e + c*f))*x)/(192*b*d^4*f^4) + ((16*a^2*d^2*f^2*(C*(3*d^2*e^2 + 2*c*d*e*f + 3*c^2*f^2) + 4*d*f*(2*A*d*f - B*(d*e + c*f))) - 16*a*b*d*f*(C*(5*d^3*e^3 + 3*c*d^2*e^2*f + 3*c^2*d*e*f^2 + 5*c^3*f^3) + 2*d*f*(4*A*d*f*(d*e + c*f) - B*(3*d^2*e^2 + 2*c*d*e*f + 3*c^2*f^2))) + b^2*(C*(35*d^4*e^4 + 20*c*d^3*e^3*f + 18*c^2*d^2*e^2*f^2 + 20*c^3*d*e*f^3 + 35*c^4*f^4) + 8*d*f*(2*A*d*f*(3*d^2*e^2 + 2*c*d*e*f + 3*c^2*f^2) - B*(5*d^3*e^3 + 3*c*d^2*e^2*f + 3*c^2*d*e*f^2 + 5*c^3*f^3))))*ArcTanh[(Sqrt[f]*Sqrt[c + d*x])/(Sqrt[d]*Sqrt[e + f*x])]/(64*d^(9/2)*f^(9/2))$$

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 147

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_
))*((g_.) + (h_.)*(x_)), x_Symbol] := -Simp[((a*d*f*h*(n + 2) + b*c*f*h*(m
+ 2) - b*d*(f*g + e*h)*(m + n + 3) - b*d*f*h*(m + n + 2)*x)*(a + b*x)^(m +
1)*(c + d*x)^(n + 1))/(b^2*d^2*(m + n + 2)*(m + n + 3)), x] + Dist[(a^2*d^2
*f*h*(n + 1)*(n + 2) + a*b*d*(n + 1)*(2*c*f*h*(m + 1) - d*(f*g + e*h)*(m +
n + 3)) + b^2*(c^2*f*h*(m + 1)*(m + 2) - c*d*(f*g + e*h)*(m + 1)*(m + n + 3
) + d^2*e*g*(m + n + 2)*(m + n + 3)))/(b^2*d^2*(m + n + 2)*(m + n + 3)), In
t[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, m, n},
x] && NeQ[m + n + 2, 0] && NeQ[m + n + 3, 0]
```

Rule 153

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_)
)^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[(h*(a + b*x)^m*(c + d*x)^(n
+ 1)*(e + f*x)^(p + 1))/(d*f*(m + n + p + 2)), x] + Dist[1/(d*f*(m + n + p
+ 2)), Int[(a + b*x)^(m - 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*g*(m + n +
p + 2) - h*(b*c*e*m + a*(d*e*(n + 1) + c*f*(p + 1))) + (b*d*f*g*(m + n + p
+ 2) + h*(a*d*f*m - b*(d*e*(m + n + 1) + c*f*(m + p + 1)))]*x, x], x] /
; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p +
2, 0] && IntegerQ[m]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 217

Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 1615

Int[(Px_)*((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_))*((e_) + (f_)*(x_)^(p_)), x_Symbol] := With[{q = Expon[Px, x], k = Coeff[Px, x, Expon[Px, x]]}, Simp[(k*(a + b*x)^(m + q - 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*b^(q - 1)*(m + n + p + q + 1)), x] + Dist[1/(d*f*b^q*(m + n + p + q + 1)), Int[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p*ExpandToSum[d*f*b^q*(m + n + p + q + 1)*Px - d*f*k*(m + n + p + q + 1)*(a + b*x)^q + k*(a + b*x)^(q - 2)*(a^2*d*f*(m + n + p + q + 1) - b*(b*c*e*(m + q - 1) + a*(d*e*(n + 1) + c*f*(p + 1))) + b*(a*d*f*(2*(m + q) + n + p) - b*(d*e*(m + q + n) + c*f*(m + q + p)))*x), x], x] /; NeQ[m + n + p + q + 1, 0] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && IntegersQ[2*m, 2*n, 2*p]

Rubi steps

$$\int \frac{(a + bx)^2 (A + Bx + Cx^2)}{\sqrt{c + dx} \sqrt{e + fx}} dx = \frac{C(a + bx)^3 \sqrt{c + dx} \sqrt{e + fx}}{4bdf} + \frac{\int \frac{(a + bx)^2 \left(-\frac{1}{2}b(6bcCe + aCde + acCf - 8Abdf) + \frac{1}{2}b(8bBdf - 2aCdf) \right)}{\sqrt{c + dx} \sqrt{e + fx}} dx}{4b^2df}$$

$$= \frac{(8bBdf - 2aCdf - 7bC(de + cf))(a + bx)^2 \sqrt{c + dx} \sqrt{e + fx}}{24bd^2f^2} + \frac{C(a + bx)^3 \sqrt{c + dx} \sqrt{e + fx}}{4b^2df}$$

$$= \frac{(8bBdf - 2aCdf - 7bC(de + cf))(a + bx)^2 \sqrt{c + dx} \sqrt{e + fx}}{24bd^2f^2} + \frac{C(a + bx)^3 \sqrt{c + dx} \sqrt{e + fx}}{4b^2df}$$

$$= \frac{(8bBdf - 2aCdf - 7bC(de + cf))(a + bx)^2 \sqrt{c + dx} \sqrt{e + fx}}{24bd^2f^2} + \frac{C(a + bx)^3 \sqrt{c + dx} \sqrt{e + fx}}{4b^2df}$$

$$= \frac{(8bBdf - 2aCdf - 7bC(de + cf))(a + bx)^2 \sqrt{c + dx} \sqrt{e + fx}}{24bd^2f^2} + \frac{C(a + bx)^3 \sqrt{c + dx} \sqrt{e + fx}}{4b^2df}$$

$$= \frac{(8bBdf - 2aCdf - 7bC(de + cf))(a + bx)^2 \sqrt{c + dx} \sqrt{e + fx}}{24bd^2f^2} + \frac{C(a + bx)^3 \sqrt{c + dx} \sqrt{e + fx}}{4b^2df}$$

Mathematica [B] time = 6.49, size = 2195, normalized size = 3.06

Result too large to show

Antiderivative was successfully verified.

```
[In] Integrate[((a + b*x)^2*(A + B*x + C*x^2))/(Sqrt[c + d*x]*Sqrt[e + f*x]),x]
[Out] (2*(b*e - a*f)^2*Sqrt[d*e - c*f]*(C*e^2 - f*(B*e - A*f))*Sqrt[(d*(e + f*x))
/(d*e - c*f)]*ArcSinh[(Sqrt[f]*Sqrt[c + d*x])/Sqrt[d*e - c*f]])/(d*f^(9/2)*
Sqrt[e + f*x]) + (2*b^2*C*(d*e - c*f)^3*Sqrt[c + d*x]*Sqrt[e + f*x]*(1 + (d
*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^(9
/2)*((35/(16*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*
f)/(d*e - c*f))))^4) + 35/(24*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d
*e - c*f) - (c*d*f)/(d*e - c*f))))^3) + 7/(6*(1 + (d*f*(c + d*x))/((d*e - c
*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^2) + (1 + (d*f*(c + d*x))
/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^(-1))/8 + (35*S
qrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)]*ArcSinh[(Sqr
t[d]*Sqrt[f]*Sqrt[c + d*x])/(Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*
d*f)/(d*e - c*f)])])/(128*Sqrt[d]*Sqrt[f]*Sqrt[c + d*x]*(1 + (d*f*(c + d*x)
)/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^(9/2)))/(d^4*f
^4*(d/((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))^(7/2)*Sqrt[(d*(e + f*x)
)/(d*e - c*f)]) + (2*b*(d*e - c*f)^2*(-4*b*C*e + b*B*f + 2*a*C*f)*Sqrt[c +
d*x]*Sqrt[e + f*x]*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) -
(c*d*f)/(d*e - c*f))))^(7/2)*((15/(8*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d
^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^3) + 5/(4*(1 + (d*f*(c + d*x))/
(d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^2) + (1 + (d*f*(c
+ d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^(-1))/6
+ (5*Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)]*ArcSi
nh[(Sqrt[d]*Sqrt[f]*Sqrt[c + d*x])/(Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f)
- (c*d*f)/(d*e - c*f)])])/(16*Sqrt[d]*Sqrt[f]*Sqrt[c + d*x]*(1 + (d*f*(c
+ d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^(7/2)))/
(d^3*f^4*(d/((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))^(5/2)*Sqrt[(d*(e
+ f*x))/(d*e - c*f)]) + (2*(d*e - c*f)*(6*b^2*C*e^2 - 3*b^2*B*e*f - 6*a*b*C
*e*f + A*b^2*f^2 + 2*a*b*B*f^2 + a^2*C*f^2)*Sqrt[c + d*x]*Sqrt[e + f*x]*(1
+ (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))
)^(5/2)*((3/(2*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*
d*f)/(d*e - c*f))))^2) + (1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e -
c*f) - (c*d*f)/(d*e - c*f))))^(-1))/4 + (3*Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*
e - c*f) - (c*d*f)/(d*e - c*f)]*ArcSinh[(Sqrt[d]*Sqrt[f]*Sqrt[c + d*x])/(Sq
rt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)])])/(8*Sqrt[d]
*Sqrt[f]*Sqrt[c + d*x]*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*
f) - (c*d*f)/(d*e - c*f))))^(5/2)))/(d^2*f^4*(d/((d^2*e)/(d*e - c*f) - (c*
d*f)/(d*e - c*f)))^(3/2)*Sqrt[(d*(e + f*x))/(d*e - c*f)]) + (2*(-(b*e) + a*
f)*(4*b*C*e^2 - 3*b*B*e*f - 2*a*C*e*f + 2*A*b*f^2 + a*B*f^2)*Sqrt[c + d*x]*
```

$$\text{Sqrt}[e + f*x]*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^{(3/2)}*(1/(2*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))) + (\text{Sqrt}[d*e - c*f]*\text{Sqrt}[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)]*\text{ArcSinh}[(\text{Sqrt}[d]*\text{Sqrt}[f]*\text{Sqrt}[c + d*x])/(\text{Sqrt}[d*e - c*f]*\text{Sqrt}[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)])])/(2*\text{Sqrt}[d]*\text{Sqrt}[f]*\text{Sqrt}[c + d*x]*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^{(3/2)}))/((d*f^4*\text{Sqrt}[d/((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))]*\text{Sqrt}[(d*(e + f*x))/(d*e - c*f)])$$

fricas [A] time = 6.27, size = 1436, normalized size = 2.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^2*(C*x^2+B*x+A)/(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="fricas")

[Out] [1/768*(3*(35*C*b^2*d^4*e^4 + 20*(C*b^2*c*d^3 - 2*(2*C*a*b + B*b^2)*d^4)*e^3*f + 6*(3*C*b^2*c^2*d^2 - 4*(2*C*a*b + B*b^2)*c*d^3 + 8*(C*a^2 + 2*B*a*b + A*b^2)*d^4)*e^2*f^2 + 4*(5*C*b^2*c^3*d - 6*(2*C*a*b + B*b^2)*c^2*d^2 + 8*(C*a^2 + 2*B*a*b + A*b^2)*c*d^3 - 16*(B*a^2 + 2*A*a*b)*d^4)*e*f^3 + (35*C*b^2*c^4 + 128*A*a^2*d^4 - 40*(2*C*a*b + B*b^2)*c^3*d + 48*(C*a^2 + 2*B*a*b + A*b^2)*c^2*d^2 - 64*(B*a^2 + 2*A*a*b)*c*d^3)*f^4)*sqrt(d*f)*log(8*d^2*f^2*x^2 + d^2*e^2 + 6*c*d*e*f + c^2*f^2 + 4*(2*d*f*x + d*e + c*f)*sqrt(d*f)*sqrt(d*x + c)*sqrt(f*x + e) + 8*(d^2*e*f + c*d*f^2)*x) + 4*(48*C*b^2*d^4*f^4*x^3 - 105*C*b^2*d^4*e^3*f - 5*(19*C*b^2*c*d^3 - 24*(2*C*a*b + B*b^2)*d^4)*e^2*f^2 - (95*C*b^2*c^2*d^2 - 112*(2*C*a*b + B*b^2)*c*d^3 + 144*(C*a^2 + 2*B*a*b + A*b^2)*d^4)*e*f^3 - 3*(35*C*b^2*c^3*d - 40*(2*C*a*b + B*b^2)*c^2*d^2 + 48*(C*a^2 + 2*B*a*b + A*b^2)*c*d^3 - 64*(B*a^2 + 2*A*a*b)*d^4)*f^4 - 8*(7*C*b^2*d^4*e*f^3 + (7*C*b^2*c*d^3 - 8*(2*C*a*b + B*b^2)*d^4)*f^4)*x^2 + 2*(35*C*b^2*d^4*e^2*f^2 + 2*(17*C*b^2*c*d^3 - 20*(2*C*a*b + B*b^2)*d^4)*e*f^3 + (35*C*b^2*c^2*d^2 - 40*(2*C*a*b + B*b^2)*c*d^3 + 48*(C*a^2 + 2*B*a*b + A*b^2)*d^4)*f^4)*x)*sqrt(d*x + c)*sqrt(f*x + e))/(d^5*f^5), -1/384*(3*(35*C*b^2*d^4*e^4 + 20*(C*b^2*c*d^3 - 2*(2*C*a*b + B*b^2)*d^4)*e^3*f + 6*(3*C*b^2*c^2*d^2 - 4*(2*C*a*b + B*b^2)*c*d^3 + 8*(C*a^2 + 2*B*a*b + A*b^2)*d^4)*e^2*f^2 + 4*(5*C*b^2*c^3*d - 6*(2*C*a*b + B*b^2)*c^2*d^2 + 8*(C*a^2 + 2*B*a*b + A*b^2)*c*d^3 - 16*(B*a^2 + 2*A*a*b)*d^4)*e*f^3 + (35*C*b^2*c^4 + 128*A*a^2*d^4 - 40*(2*C*a*b + B*b^2)*c^3*d + 48*(C*a^2 + 2*B*a*b + A*b^2)*c^2*d^2 - 64*(B*a^2 + 2*A*a*b)*c*d^3)*f^4)*sqrt(-d*f)*arctan(1/2*(2*d*f*x + d*e + c*f)*sqrt(-d*f)*sqrt(d*x + c)*sqrt(f*x + e)/(d^2*f^2*x^2 + c*d*e*f + (d^2*e*f + c*d*f^2)*x)) - 2*(48*C*b^2*d^4*f^4*x^3 - 105*C*b^2*d^4*e^3*f - 5*(19*C*b^2*c*d^3 - 24*(2*C*a*b + B*b^2)*d^4)*e^2*f^2 - (95*C*b^2*c^2*d^2 - 112*(2*C*a*b + B*b^2)*c*d^3 + 144*(C*a^2 + 2*B*a*b + A*b^2)*d^4)*e*f^3 - 3*(35*C*b^2*c^3*d - 40*(2*C*a*b + B*b^2)*c^2*d^2 + 48*(C*a^2 + 2*B*a*b + A*b^2)*c*d^3 - 64*(B*a^2 + 2*A*a*b)*d^4)*f^4 - 8*(7*C*b^2*d^4*e*f^3 + (7*C*b^2*c*d^3 - 8*

$$(2C*ab + B*b^2)*d^4*f^4*x^2 + 2*(35C*b^2*d^4*e^2*f^2 + 2*(17C*b^2*c*d^3 - 20*(2C*ab + B*b^2)*d^4)*e*f^3 + (35C*b^2*c^2*d^2 - 40*(2C*ab + B*b^2)*c*d^3 + 48*(C*a^2 + 2B*ab + A*b^2)*d^4)*f^4)*x)*sqrt(dx + c)*sqrt(f*x + e)/(d^5*f^5]$$

giac [A] time = 2.51, size = 951, normalized size = 1.32

$$\left(\sqrt{(dx+c)df - cdf + d^2e} \left(2(dx+c) \left(4(dx+c) \left(\frac{6(dx+c)Cb^2}{d^5f} - \frac{25Cb^2cd^{19}f^6 - 16Cab d^{20}f^6 - 8Bb^2d^{20}f^6 + 7Cb^2d^{20}f^5e}{d^{24}f^7} \right) \right) + \frac{163Cb^2cd^{19}f^6 - 16Cab d^{20}f^6 - 8Bb^2d^{20}f^6 + 7Cb^2d^{20}f^5e}{d^{24}f^7} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^2*(C*x^2+B*x+A)/(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="giac")

[Out] 1/192*(sqrt((d*x + c)*d*f - c*d*f + d^2*e)*(2*(d*x + c)*(4*(d*x + c)*(6*(d*x + c)*C*b^2/(d^5*f) - (25*C*b^2*c*d^19*f^6 - 16*C*a*b*d^20*f^6 - 8*B*b^2*d^20*f^6 + 7*C*b^2*d^20*f^5*e)/(d^24*f^7)) + (163*C*b^2*c^2*d^19*f^6 - 208*C*a*b*c*d^20*f^6 - 104*B*b^2*c*d^20*f^6 + 48*C*a^2*d^21*f^6 + 96*B*a*b*d^21*f^6 + 48*A*b^2*d^21*f^6 + 90*C*b^2*c*d^20*f^5*e - 80*C*a*b*d^21*f^5*e - 40*B*b^2*d^21*f^5*e + 35*C*b^2*d^21*f^4*e^2)/(d^24*f^7)) - 3*(93*C*b^2*c^3*d^19*f^6 - 176*C*a*b*c^2*d^20*f^6 - 88*B*b^2*c^2*d^20*f^6 + 80*C*a^2*c*d^21*f^6 + 160*B*a*b*c*d^21*f^6 + 80*A*b^2*c*d^21*f^6 - 64*B*a^2*d^22*f^6 - 128*A*a*b*d^22*f^6 + 73*C*b^2*c^2*d^20*f^5*e - 128*C*a*b*c*d^21*f^5*e - 64*B*b^2*c*d^21*f^5*e + 48*C*a^2*d^22*f^5*e + 96*B*a*b*d^22*f^5*e + 48*A*b^2*d^22*f^5*e + 55*C*b^2*c*d^21*f^4*e^2 - 80*C*a*b*d^22*f^4*e^2 - 40*B*b^2*d^22*f^4*e^2 + 35*C*b^2*d^22*f^3*e^3)/(d^24*f^7))*sqrt(d*x + c) - 3*(35*C*b^2*c^4*f^4 - 80*C*a*b*c^3*d*f^4 - 40*B*b^2*c^3*d*f^4 + 48*C*a^2*c^2*d^2*f^4 + 96*B*a*b*c^2*d^2*f^4 + 48*A*b^2*c^2*d^2*f^4 - 64*B*a^2*c*d^3*f^4 - 128*A*a*b*c*d^3*f^4 + 128*A*a^2*d^4*f^4 + 20*C*b^2*c^3*d*f^3*e - 48*C*a*b*c^2*d^2*f^3*e - 24*B*b^2*c^2*d^2*f^3*e + 32*C*a^2*c*d^3*f^3*e + 64*B*a*b*c*d^3*f^3*e + 32*A*b^2*c*d^3*f^3*e - 64*B*a^2*d^4*f^3*e - 128*A*a*b*d^4*f^3*e + 18*C*b^2*c^2*d^2*f^2*e^2 - 48*C*a*b*c*d^3*f^2*e^2 - 24*B*b^2*c*d^3*f^2*e^2 + 48*C*a^2*d^4*f^2*e^2 + 96*B*a*b*d^4*f^2*e^2 + 48*A*b^2*d^4*f^2*e^2 + 20*C*b^2*c*d^3*f*e^3 - 80*C*a*b*d^4*f*e^3 - 40*B*b^2*d^4*f*e^3 + 35*C*b^2*d^4*e^4)*log(abs(-sqrt(d*f)*sqrt(d*x + c) + sqrt((d*x + c)*d*f - c*d*f + d^2*e)))/(sqrt(d*f)*d^4*f^4))*d/abs(d)

maple [B] time = 0.05, size = 2528, normalized size = 3.52

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x+a)^2*(C*x^2+B*x+A)/(d*x+c)^(1/2)/(f*x+e)^(1/2),x)

$$\frac{((d*x+c)*(f*x+e))^{1/2}*(d*f)^{1/2}}{(d*f)^{1/2}}*a*b*c*d^3*e^2*f^2+192*B*ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{1/2}*(d*f)^{1/2}))*a*b*c*d^3*e*f^3-144*C*ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{1/2}*(d*f)^{1/2}))*a*b*c^2*d^2*e*f^3-576*B*(d*f)^{1/2}*((d*x+c)*(f*x+e))^{1/2}*a*b*c*d^2*f^3-576*B*(d*f)^{1/2}*((d*x+c)*(f*x+e))^{1/2}*a*b*d^3*e*f^2+224*B*(d*f)^{1/2}*((d*x+c)*(f*x+e))^{1/2}*b^2*c*d^2*e*f^2+480*C*(d*f)^{1/2}*((d*x+c)*(f*x+e))^{1/2}*a*b*c^2*d*f^3+140*C*(d*f)^{1/2}*((d*x+c)*(f*x+e))^{1/2}*x*b^2*d^3*e^2*f+256*C*x^2*a*b*d^3*f^3*(d*f)^{1/2}*((d*x+c)*(f*x+e))^{1/2}-112*C*x^2*b^2*c*d^2*f^3*(d*f)^{1/2}*((d*x+c)*(f*x+e))^{1/2}-112*C*x^2*b^2*d^3*e*f^2*(d*f)^{1/2}*((d*x+c)*(f*x+e))^{1/2}+384*B*(d*f)^{1/2}*((d*x+c)*(f*x+e))^{1/2}*x*a*b*d^3*f^3-160*B*(d*f)^{1/2}*((d*x+c)*(f*x+e))^{1/2}*x*b^2*c*d^2*f^3+480*C*(d*f)^{1/2}*((d*x+c)*(f*x+e))^{1/2}*a*b*d^3*e^2*f+448*C*(d*f)^{1/2}*((d*x+c)*(f*x+e))^{1/2}*a*b*c*d^2*e*f^2-320*C*(d*f)^{1/2}*((d*x+c)*(f*x+e))^{1/2}*x*a*b*c*d^2*f^3-320*C*(d*f)^{1/2}*((d*x+c)*(f*x+e))^{1/2}*x*a*b*d^3*e*f^2+136*C*(d*f)^{1/2}*((d*x+c)*(f*x+e))^{1/2}*x*b^2*c*d^2*e*f^2*(d*x+c)^{1/2}*(f*x+e)^{1/2}/(d*f)^{1/2}/f^4/d^4/((d*x+c)*(f*x+e))^{1/2}$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^2*(C*x^2+B*x+A)/(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(c*f-d*e>0)', see `assume?` for more details)Is c*f-d*e zero or nonzero?

mupad [F(-1)] time = 0.00, size = -1, normalized size = -0.00

Hanged

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x)^2*(A + B*x + C*x^2))/((e + f*x)^(1/2)*(c + d*x)^(1/2)),x)

[Out] \text{Hanged}

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x+a)**2*(C*x**2+B*x+A)/(d*x+c)**(1/2)/(f*x+e)**(1/2),x)
```

```
[Out] Timed out
```

$$3.55 \quad \int \frac{(a+bx)(A+Bx+Cx^2)}{\sqrt{c+dx} \sqrt{e+fx}} dx$$

Optimal. Leaf size=371

$$\frac{\sqrt{c+dx} \sqrt{e+fx} (8a^2Cd^2f^2 + 2bdfx(2aCdf - b(6Bdf - 5C(cf + de))) - 6abdf(4Bdf - 3C(cf + de)) - (b^2 ($$

$$24bd^3f^3$$

[Out] 1/8*(2*a*d*f*(C*(3*c^2*f^2+2*c*d*e*f+3*d^2*e^2)+4*d*f*(2*A*d*f-B*(c*f+d*e)))-b*(C*(5*c^3*f^3+3*c^2*d*e*f^2+3*c*d^2*e^2*f+5*d^3*e^3)+2*d*f*(4*A*d*f*(c*f+d*e)-B*(3*c^2*f^2+2*c*d*e*f+3*d^2*e^2))))*arctanh(f^(1/2)*(d*x+c)^(1/2)/d^(1/2)/(f*x+e)^(1/2))/d^(7/2)/f^(7/2)+1/3*C*(b*x+a)^2*(d*x+c)^(1/2)*(f*x+e)^(1/2)/b/d/f-1/24*(8*a^2*C*d^2*f^2-6*a*b*d*f*(4*B*d*f-3*C*(c*f+d*e))-b^2*(C*(15*c^2*f^2+14*c*d*e*f+15*d^2*e^2)+6*d*f*(4*A*d*f-3*B*(c*f+d*e)))+2*b*d*f*(2*a*C*d*f-b*(6*B*d*f-5*C*(c*f+d*e)))*x*(d*x+c)^(1/2)*(f*x+e)^(1/2)/b/d^3/f^3

Rubi [A] time = 0.51, antiderivative size = 369, normalized size of antiderivative = 0.99, number of steps used = 5, number of rules used = 5, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.147$, Rules used = {1615, 147, 63, 217, 206}

$$\frac{\sqrt{c+dx} \sqrt{e+fx} (8a^2Cd^2f^2 - 2bdfx(-2aCdf + 6bBdf - 5bC(cf + de)) - 6abdf(4Bdf - 3C(cf + de)) + b^2 ($$

$$24bd^3f^3$$

Antiderivative was successfully verified.

[In] Int[((a + b*x)*(A + B*x + C*x^2))/(Sqrt[c + d*x]*Sqrt[e + f*x]),x]

[Out] (C*(a + b*x)^2*Sqrt[c + d*x]*Sqrt[e + f*x])/(3*b*d*f) - (Sqrt[c + d*x]*Sqrt[e + f*x]*(8*a^2*C*d^2*f^2 - 6*a*b*d*f*(4*B*d*f - 3*C*(d*e + c*f)) - b^2*(C*(15*d^2*e^2 + 14*c*d*e*f + 15*c^2*f^2) + 6*d*f*(4*A*d*f - 3*B*(d*e + c*f))) - 2*b*d*f*(6*b*B*d*f - 2*a*C*d*f - 5*b*C*(d*e + c*f))*x))/(24*b*d^3*f^3) + ((2*a*d*f*(C*(3*d^2*e^2 + 2*c*d*e*f + 3*c^2*f^2) + 4*d*f*(2*A*d*f - B*(d*e + c*f))) - b*(C*(5*d^3*e^3 + 3*c*d^2*e^2*f + 3*c^2*d*e*f^2 + 5*c^3*f^3) + 2*d*f*(4*A*d*f*(d*e + c*f) - B*(3*d^2*e^2 + 2*c*d*e*f + 3*c^2*f^2))))*ArcTanh[(Sqrt[f]*Sqrt[c + d*x])/(Sqrt[d]*Sqrt[e + f*x])]/(8*d^(7/2)*f^(7/2))

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den

ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 147

Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))*((g_.) + (h_.)*(x_)), x_Symbol] := -Simp[((a*d*f*h*(n + 2) + b*c*f*h*(m + 2) - b*d*(f*g + e*h)*(m + n + 3) - b*d*f*h*(m + n + 2)*x)*(a + b*x)^(m + 1)*(c + d*x)^(n + 1))/(b^2*d^2*(m + n + 2)*(m + n + 3)), x] + Dist[(a^2*d^2*f*h*(n + 1)*(n + 2) + a*b*d*(n + 1)*(2*c*f*h*(m + 1) - d*(f*g + e*h)*(m + n + 3)) + b^2*(c^2*f*h*(m + 1)*(m + 2) - c*d*(f*g + e*h)*(m + 1)*(m + n + 3) + d^2*e*g*(m + n + 2)*(m + n + 3)))/(b^2*d^2*(m + n + 2)*(m + n + 3)), Int[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, m, n}, x] && NeQ[m + n + 2, 0] && NeQ[m + n + 3, 0]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[Rt[-b, 2]*x]/Rt[a, 2])]/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 1615

Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := With[{q = Expon[Px, x], k = Coeff[Px, x, Expon[Px, x]]}, Simp[(k*(a + b*x)^(m + q - 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*b^(q - 1)*(m + n + p + q + 1)), x] + Dist[1/(d*f*b^q*(m + n + p + q + 1)), Int[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p*ExpandToSum[d*f*b^q*(m + n + p + q + 1)*Px - d*f*k*(m + n + p + q + 1)*(a + b*x)^q + k*(a + b*x)^(q - 2)*(a^2*d*f*(m + n + p + q + 1) - b*(b*c*e*(m + q - 1) + a*(d*e*(n + 1) + c*f*(p + 1))) + b*(a*d*f*(2*(m + q) + n + p) - b*(d*e*(m + q + n) + c*f*(m + q + p)))*x], x], x] /; NeQ[m + n + p + q + 1, 0] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && IntegersQ[2*m, 2*n, 2*p]

Rubi steps

$$\begin{aligned}
\int \frac{(a+bx)(A+Bx+Cx^2)}{\sqrt{c+dx}\sqrt{e+fx}} dx &= \frac{C(a+bx)^2\sqrt{c+dx}\sqrt{e+fx}}{3bdf} + \frac{\int \frac{(a+bx)\left(-\frac{1}{2}b(4bcCe+aCde+acCf-6Abdf)+\frac{1}{2}b(6bBdf-2aC\right)}{\sqrt{c+dx}\sqrt{e+fx}}}{3b^2df} \\
&= \frac{C(a+bx)^2\sqrt{c+dx}\sqrt{e+fx}}{3bdf} - \frac{\sqrt{c+dx}\sqrt{e+fx}(8a^2Cd^2f^2-6abdf(4Bdf-2aC))}{3b^2df} \\
&= \frac{C(a+bx)^2\sqrt{c+dx}\sqrt{e+fx}}{3bdf} - \frac{\sqrt{c+dx}\sqrt{e+fx}(8a^2Cd^2f^2-6abdf(4Bdf-2aC))}{3b^2df} \\
&= \frac{C(a+bx)^2\sqrt{c+dx}\sqrt{e+fx}}{3bdf} - \frac{\sqrt{c+dx}\sqrt{e+fx}(8a^2Cd^2f^2-6abdf(4Bdf-2aC))}{3b^2df} \\
&= \frac{C(a+bx)^2\sqrt{c+dx}\sqrt{e+fx}}{3bdf} - \frac{\sqrt{c+dx}\sqrt{e+fx}(8a^2Cd^2f^2-6abdf(4Bdf-2aC))}{3b^2df}
\end{aligned}$$

Mathematica [A] time = 1.96, size = 379, normalized size = 1.02

$$\sqrt{e+fx} \left(3\sqrt{de-cf} \sinh^{-1} \left(\frac{\sqrt{f}\sqrt{c+dx}}{\sqrt{de-cf}} \right) (b(2df(4Adf(cf+de) - B(3c^2f^2 + 2cdef + 3d^2e^2)) + C(5c^3f^3 + 3c^2df^2 + 3cde^2))) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x)*(A + B*x + C*x^2))/(Sqrt[c + d*x]*Sqrt[e + f*x]),x]

[Out] (Sqrt[e + f*x]*(-(d*Sqrt[f]*Sqrt[c + d*x]*(e + f*x)*(6*a*d*f*(4*B*d*f + C*(-3*d*e - 3*c*f + 2*d*f*x)) + b*(6*d*f*(4*A*d*f + B*(-3*d*e - 3*c*f + 2*d*f*x)) + C*(15*c^2*f^2 + 2*c*d*f*(7*e - 5*f*x) + d^2*(15*e^2 - 10*e*f*x + 8*f^2*x^2)))))/Sqrt[(d*(e + f*x))/(d*e - c*f)]) + 3*Sqrt[d*e - c*f]*(-2*a*d*f*(C*(3*d^2*e^2 + 2*c*d*e*f + 3*c^2*f^2) + 4*d*f*(2*A*d*f - B*(d*e + c*f))) + b*(C*(5*d^3*e^3 + 3*c*d^2*e^2*f + 3*c^2*d*e*f^2 + 5*c^3*f^3) + 2*d*f*(4*A*d*f*(d*e + c*f) - B*(3*d^2*e^2 + 2*c*d*e*f + 3*c^2*f^2))))*ArcSinh[(Sqrt[f]*Sqrt[c + d*x])/Sqrt[d*e - c*f]])/(24*d^3*f^(7/2)*(-(d*e) + c*f)*Sqrt[(d*(e + f*x))/(d*e - c*f)])

fricas [A] time = 1.59, size = 720, normalized size = 1.94

$$\left[\frac{3 \left(5 C b d^3 e^3 + 3 \left(C b c d^2 - 2 (C a + B b) d^3 \right) e^2 f + \left(3 C b c^2 d - 4 (C a + B b) c d^2 + 8 (B a + A b) d^3 \right) e f^2 + \left(5 C b c^3 - 16 \right. \right. \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)*(C*x^2+B*x+A)/(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="fricas")

[Out] [-1/96*(3*(5*C*b*d^3*e^3 + 3*(C*b*c*d^2 - 2*(C*a + B*b)*d^3)*e^2*f + (3*C*b*c^2*d - 4*(C*a + B*b)*c*d^2 + 8*(B*a + A*b)*d^3)*e*f^2 + (5*C*b*c^3 - 16*A*a*d^3 - 6*(C*a + B*b)*c^2*d + 8*(B*a + A*b)*c*d^2)*f^3)*sqrt(d*f)*log(8*d^2*f^2*x^2 + d^2*e^2 + 6*c*d*e*f + c^2*f^2 + 4*(2*d*f*x + d*e + c*f)*sqrt(d*f)*sqrt(d*x + c)*sqrt(f*x + e) + 8*(d^2*e*f + c*d*f^2)*x) - 4*(8*C*b*d^3*f^3*x^2 + 15*C*b*d^3*e^2*f + 2*(7*C*b*c*d^2 - 9*(C*a + B*b)*d^3)*e*f^2 + 3*(5*C*b*c^2*d - 6*(C*a + B*b)*c*d^2 + 8*(B*a + A*b)*d^3)*f^3 - 2*(5*C*b*d^3*e*f^2 + (5*C*b*c*d^2 - 6*(C*a + B*b)*d^3)*f^3)*x)*sqrt(d*x + c)*sqrt(f*x + e)/(d^4*f^4), 1/48*(3*(5*C*b*d^3*e^3 + 3*(C*b*c*d^2 - 2*(C*a + B*b)*d^3)*e^2*f + (3*C*b*c^2*d - 4*(C*a + B*b)*c*d^2 + 8*(B*a + A*b)*d^3)*e*f^2 + (5*C*b*c^3 - 16*A*a*d^3 - 6*(C*a + B*b)*c^2*d + 8*(B*a + A*b)*c*d^2)*f^3)*sqrt(-d*f)*arctan(1/2*(2*d*f*x + d*e + c*f)*sqrt(-d*f)*sqrt(d*x + c)*sqrt(f*x + e)/(d^2*f^2*x^2 + c*d*e*f + (d^2*e*f + c*d*f^2)*x)) + 2*(8*C*b*d^3*f^3*x^2 + 15*C*b*d^3*e^2*f + 2*(7*C*b*c*d^2 - 9*(C*a + B*b)*d^3)*e*f^2 + 3*(5*C*b*c^2*d - 6*(C*a + B*b)*c*d^2 + 8*(B*a + A*b)*d^3)*f^3 - 2*(5*C*b*d^3*e*f^2 + (5*C*b*c*d^2 - 6*(C*a + B*b)*d^3)*f^3)*x)*sqrt(d*x + c)*sqrt(f*x + e)/(d^4*f^4)]

giac [A] time = 1.97, size = 447, normalized size = 1.20

$$\left(\sqrt{(dx+c)df - cdf + d^2e} \sqrt{dx+c} \left(2(dx+c) \left(\frac{4(dx+c)Cb}{d^4f} - \frac{13Cbcd^{11}f^4 - 6Cad^{12}f^4 - 6Bbd^{12}f^4 + 5Cbd^{12}f^3e}{d^{15}f^5} \right) \right) + \frac{3(11Cbc^2d^{11}f^4 - \dots}{\dots} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)*(C*x^2+B*x+A)/(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="giac")

[Out] 1/24*(sqrt((d*x + c)*d*f - c*d*f + d^2*e)*sqrt(d*x + c)*(2*(d*x + c)*(4*(d*x + c)*C*b/(d^4*f) - (13*C*b*c*d^11*f^4 - 6*C*a*d^12*f^4 - 6*B*b*d^12*f^4 + 5*C*b*d^12*f^3*e)/(d^15*f^5)) + 3*(11*C*b*c^2*d^11*f^4 - 10*C*a*c*d^12*f^4 - 10*B*b*c*d^12*f^4 + 8*B*a*d^13*f^4 + 8*A*b*d^13*f^4 + 8*C*b*c*d^12*f^3*e

$$- 6*C*a*d^{13}*f^3*e - 6*B*b*d^{13}*f^3*e + 5*C*b*d^{13}*f^2*e^2)/(d^{15}*f^5)) + 3*(5*C*b*c^3*f^3 - 6*C*a*c^2*d*f^3 - 6*B*b*c^2*d*f^3 + 8*B*a*c*d^2*f^3 + 8*A*b*c*d^2*f^3 - 16*A*a*d^3*f^3 + 3*C*b*c^2*d*f^2*e - 4*C*a*c*d^2*f^2*e - 4*B*b*c*d^2*f^2*e + 8*B*a*d^3*f^2*e + 8*A*b*d^3*f^2*e + 3*C*b*c*d^2*f*e^2 - 6*C*a*d^3*f*e^2 - 6*B*b*d^3*f*e^2 + 5*C*b*d^3*e^3)*\log(\text{abs}(-\text{sqrt}(d*f)*\text{sqrt}(d*x + c) + \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e)))/(\text{sqrt}(d*f)*d^3*f^3))*d/\text{abs}(d)$$

maple [B] time = 0.03, size = 1199, normalized size = 3.23

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((b*x+a)*(C*x^2+B*x+A)/(d*x+c)^{(1/2)}/(f*x+e)^{(1/2)}, x)$

[Out] $\frac{1}{48}*(18*C*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)}))/((d*f)^{(1/2)})*a*d^3*e^2*f+48*A*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b*d^2*f^2+48*B*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*a*d^2*f^2+30*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b*c^2*f^2+30*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b*d^2*e^2-24*A*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)}))/((d*f)^{(1/2)})*b*c*d^2*f^3-24*A*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)}))/((d*f)^{(1/2)})*b*d^3*e*f^2-24*B*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)}))/((d*f)^{(1/2)})*a*c*d^2*f^3-24*B*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)}))/((d*f)^{(1/2)})*a*d^3*e*f^2+18*B*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)}))/((d*f)^{(1/2)})*b*c^2*d*f^3+18*B*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)}))/((d*f)^{(1/2)})*b*d^3*e^2*f+18*C*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)}))/((d*f)^{(1/2)})*a*c^2*d*f^3+48*A*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)}))/((d*f)^{(1/2)})*a*d^3*f^3+16*C*x^2*b*d^2*f^2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)}+12*B*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)}))/((d*f)^{(1/2)})*b*c*d^2*e*f^2+12*C*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)}))/((d*f)^{(1/2)})*a*c*d^2*e*f^2-9*C*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)}))/((d*f)^{(1/2)})*b*c^2*d*e*f^2-9*C*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)}))/((d*f)^{(1/2)})*b*c*d^2*e^2*f+24*B*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*x*b*d^2*f^2+24*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*x*a*d^2*f^2-36*B*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b*c*d*f^2-36*B*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b*d^2*e*f-36*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*a*c*d*f^2-36*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*a*d^2*e*f-15*C*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)}))/((d*f)^{(1/2)})*b*d^3*e^3+28*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b*c*d*e*f-20*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*x*b*d^2*e*f-20*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*x*b*c*d*f^2*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/f^3/d^3/(d*f)^{(1/2)}/((d*x+c)*(f*x+e))^{(1/2)}$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)*(C*x^2+B*x+A)/(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(c*f-d*e>0)', see `assume?` for more details)Is c*f-d*e zero or nonzero?

mupad [B] time = 105.19, size = 2621, normalized size = 7.06

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x)*(A + B*x + C*x^2))/((e + f*x)^(1/2)*(c + d*x)^(1/2)),x)

[Out] (((c + d*x)^(1/2) - c^(1/2))*(2*A*b*c*f + 2*A*b*d*e))/(f^3*((e + f*x)^(1/2) - e^(1/2))) + (((c + d*x)^(1/2) - c^(1/2))^3*(2*A*b*c*f + 2*A*b*d*e))/(d*f^2*((e + f*x)^(1/2) - e^(1/2))^3) - (8*A*b*c^(1/2)*e^(1/2)*((c + d*x)^(1/2) - c^(1/2))^2)/(f^2*((e + f*x)^(1/2) - e^(1/2))^2)/(((c + d*x)^(1/2) - c^(1/2))^4/((e + f*x)^(1/2) - e^(1/2))^4 + d^2/f^2 - (2*d*((c + d*x)^(1/2) - c^(1/2))^2)/(f*((e + f*x)^(1/2) - e^(1/2))^2)) - (((c + d*x)^(1/2) - c^(1/2))^2)*((3*C*a*d^3*e^2)/2 + (3*C*a*c^2*d*f^2)/2 + C*a*c*d^2*e*f)/(f^6*((e + f*x)^(1/2) - e^(1/2))) - (((c + d*x)^(1/2) - c^(1/2))^3*((11*C*a*c^2*f^2)/2 + (11*C*a*d^2*e^2)/2 + 25*C*a*c*d*e*f))/(f^5*((e + f*x)^(1/2) - e^(1/2))^3) + (((c + d*x)^(1/2) - c^(1/2))^7*((3*C*a*c^2*f^2)/2 + (3*C*a*d^2*e^2)/2 + C*a*c*d*e*f))/(d^2*f^3*((e + f*x)^(1/2) - e^(1/2))^7) - (((c + d*x)^(1/2) - c^(1/2))^5*((11*C*a*c^2*f^2)/2 + (11*C*a*d^2*e^2)/2 + 25*C*a*c*d*e*f))/(d*f^4*((e + f*x)^(1/2) - e^(1/2))^5) + (c^(1/2)*e^(1/2)*((c + d*x)^(1/2) - c^(1/2))^4*(32*C*a*c*f + 32*C*a*d*e))/(f^4*((e + f*x)^(1/2) - e^(1/2))^4)/(((c + d*x)^(1/2) - c^(1/2))^8/((e + f*x)^(1/2) - e^(1/2))^8 + d^4/f^4 - (4*d*((c + d*x)^(1/2) - c^(1/2))^6)/(f*((e + f*x)^(1/2) - e^(1/2))^6) - (4*d^3*((c + d*x)^(1/2) - c^(1/2))^2)/(f^3*((e + f*x)^(1/2) - e^(1/2))^2) + (6*d^2*((c + d*x)^(1/2) - c^(1/2))^4)/(f^2*((e + f*x)^(1/2) - e^(1/2))^4)) - (((c + d*x)^(1/2) - c^(1/2))^3*((85*C*b*d^4*e^3)/12 + (85*C*b*c^3*d*f^3)/12 + (17*C*b*c*d^3*e^2*f)/4 + (17*C*b*c^2*d^2*e*f^2)/4))/(f^8*((e + f*x)^(1/2) - e^(1/2))^3) - (((c + d*x)^(1/2) - c^(1/2))*((5*C*b*d^5*e^3)/4 + (5*C*b*c^3*d^2*f^3)/4 + (3*C*b*c*d^4*e^2*f)/4 + (3*C*b*c^2*d^3*e*f^2)/4))/(f^9*((e + f*x)^(1/2) - e^(1/2))) - (((c + d*x)^(1/2) - c^(1/2))^5*((33*C*b*c^3*f^3)/2 + (33*C*b*d^3*e^3)/2 + (327*C*b*c*d^2*e^2*f)/2 + (327*C*b*c^2*d*e*f^2)/2))

$$\begin{aligned}
& / (f^7 * ((e + f*x)^{(1/2)} - e^{(1/2)})^5) - (((c + d*x)^{(1/2)} - c^{(1/2)})^{11} * ((5 * \\
& C*b*c^3*f^3)/4 + (5*C*b*d^3*e^3)/4 + (3*C*b*c*d^2*e^2*f)/4 + (3*C*b*c^2*d*e \\
& *f^2)/4)) / (d^3*f^4 * ((e + f*x)^{(1/2)} - e^{(1/2)})^{11}) + (((c + d*x)^{(1/2)} - c^{(1/2)})^9 * ((85 * C*b*c^3*f^3)/12 + (85 * C*b*d^3*e^3)/12 + (17 * C*b*c*d^2*e^2*f)/ \\
& 4 + (17 * C*b*c^2*d*e*f^2)/4)) / (d^2*f^5 * ((e + f*x)^{(1/2)} - e^{(1/2)})^9) - (((c \\
& + d*x)^{(1/2)} - c^{(1/2)})^7 * ((33 * C*b*c^3*f^3)/2 + (33 * C*b*d^3*e^3)/2 + (327 * \\
& C*b*c*d^2*e^2*f)/2 + (327 * C*b*c^2*d*e*f^2)/2)) / (d*f^6 * ((e + f*x)^{(1/2)} - e^{(1/2)})^7) + (c^{(1/2)} * e^{(1/2)} * ((c + d*x)^{(1/2)} - c^{(1/2)})^6 * (128 * C*b*c^2*f^2 \\
& + 128 * C*b*d^2*e^2 + (896 * C*b*c*d*e*f)/3)) / (f^6 * ((e + f*x)^{(1/2)} - e^{(1/2)})^6) + (64 * C*b*c^{(3/2)} * e^{(3/2)} * ((c + d*x)^{(1/2)} - c^{(1/2)})^8) / (f^4 * ((e + f*x) \\
&)^{(1/2)} - e^{(1/2)})^8) + (64 * C*b*c^{(3/2)} * d^2 * e^{(3/2)} * ((c + d*x)^{(1/2)} - c^{(1/2)})^4) / (f^6 * ((e + f*x)^{(1/2)} - e^{(1/2)})^4)) / (((c + d*x)^{(1/2)} - c^{(1/2)})^1 \\
& 2 / ((e + f*x)^{(1/2)} - e^{(1/2)})^{12} + d^6/f^6 - (6*d * ((c + d*x)^{(1/2)} - c^{(1/2)})^{10}) / (f * ((e + f*x)^{(1/2)} - e^{(1/2)})^{10}) - (6*d^5 * ((c + d*x)^{(1/2)} - c^{(1/2)})^2) / (f^5 * ((e + f*x)^{(1/2)} - e^{(1/2)})^2) + (15*d^4 * ((c + d*x)^{(1/2)} - c^{(1/2)})^4) / (f^4 * ((e + f*x)^{(1/2)} - e^{(1/2)})^4) - (20*d^3 * ((c + d*x)^{(1/2)} - c^{(1/2)})^6) / (f^3 * ((e + f*x)^{(1/2)} - e^{(1/2)})^6) + (15*d^2 * ((c + d*x)^{(1/2)} - c^{(1/2)})^8) / (f^2 * ((e + f*x)^{(1/2)} - e^{(1/2)})^8)) - (((c + d*x)^{(1/2)} - c^{(1/2)}) * ((3*B*b*d^3*e^2)/2 + (3*B*b*c^2*d*f^2)/2 + B*b*c*d^2*e*f)) / (f^6 * ((e \\
& + f*x)^{(1/2)} - e^{(1/2)})) - (((c + d*x)^{(1/2)} - c^{(1/2)})^3 * ((11*B*b*c^2*f^2) \\
& /2 + (11*B*b*d^2*e^2)/2 + 25*B*b*c*d*e*f)) / (f^5 * ((e + f*x)^{(1/2)} - e^{(1/2)})^3) + (((c + d*x)^{(1/2)} - c^{(1/2)})^7 * ((3*B*b*c^2*f^2)/2 + (3*B*b*d^2*e^2)/2 \\
& + B*b*c*d*e*f)) / (d^2*f^3 * ((e + f*x)^{(1/2)} - e^{(1/2)})^7) - (((c + d*x)^{(1/2)} \\
&) - c^{(1/2)})^5 * ((11*B*b*c^2*f^2)/2 + (11*B*b*d^2*e^2)/2 + 25*B*b*c*d*e*f)) / \\
& (d*f^4 * ((e + f*x)^{(1/2)} - e^{(1/2)})^5) + (c^{(1/2)} * e^{(1/2)} * ((c + d*x)^{(1/2)} - \\
& c^{(1/2)})^4 * (32*B*b*c*f + 32*B*b*d*e)) / (f^4 * ((e + f*x)^{(1/2)} - e^{(1/2)})^4)) \\
& / (((c + d*x)^{(1/2)} - c^{(1/2)})^8 / ((e + f*x)^{(1/2)} - e^{(1/2)})^8 + d^4/f^4 - (\\
& 4*d * ((c + d*x)^{(1/2)} - c^{(1/2)})^6) / (f * ((e + f*x)^{(1/2)} - e^{(1/2)})^6) - (4*d \\
& ^3 * ((c + d*x)^{(1/2)} - c^{(1/2)})^2) / (f^3 * ((e + f*x)^{(1/2)} - e^{(1/2)})^2) + (6 * \\
& d^2 * ((c + d*x)^{(1/2)} - c^{(1/2)})^4) / (f^2 * ((e + f*x)^{(1/2)} - e^{(1/2)})^4)) + (\\
& (((c + d*x)^{(1/2)} - c^{(1/2)}) * (2*B*a*c*f + 2*B*a*d*e)) / (f^3 * ((e + f*x)^{(1/2)} \\
& - e^{(1/2)})) + (((c + d*x)^{(1/2)} - c^{(1/2)})^3 * (2*B*a*c*f + 2*B*a*d*e)) / (d*f \\
& ^2 * ((e + f*x)^{(1/2)} - e^{(1/2)})^3) - (8*B*a*c^{(1/2)} * e^{(1/2)} * ((c + d*x)^{(1/2)} \\
& - c^{(1/2)})^2) / (f^2 * ((e + f*x)^{(1/2)} - e^{(1/2)})^2)) / (((c + d*x)^{(1/2)} - c^{(1/2)})^4 / ((e + f*x)^{(1/2)} - e^{(1/2)})^4 + d^2/f^2 - (2*d * ((c + d*x)^{(1/2)} - c^{(1/2)})^2) / (f * ((e + f*x)^{(1/2)} - e^{(1/2)})^2)) - (4*A*a*atanh((d * ((e + f*x)^{(1/2)} - e^{(1/2)})) / ((-d*f)^{(1/2)} * ((c + d*x)^{(1/2)} - c^{(1/2)})))) / ((-d*f)^{(1/2)} \\
& + (B*b*atanh((f^{(1/2)} * ((c + d*x)^{(1/2)} - c^{(1/2)})) / (d^{(1/2)} * ((e + f*x)^{(1/2)} \\
&) - e^{(1/2)}))) * (3*c^2*f^2 + 3*d^2*e^2 + 2*c*d*e*f)) / (2*d^{(5/2)} * f^{(5/2)}) + (\\
& C*a*atanh((f^{(1/2)} * ((c + d*x)^{(1/2)} - c^{(1/2)})) / (d^{(1/2)} * ((e + f*x)^{(1/2)} - \\
& e^{(1/2)}))) * (3*c^2*f^2 + 3*d^2*e^2 + 2*c*d*e*f)) / (2*d^{(5/2)} * f^{(5/2)}) - (2*A \\
& *b*atanh((f^{(1/2)} * ((c + d*x)^{(1/2)} - c^{(1/2)})) / (d^{(1/2)} * ((e + f*x)^{(1/2)} - \\
& e^{(1/2)}))) * (c*f + d*e)) / (d^{(3/2)} * f^{(3/2)}) - (2*B*a*atanh((f^{(1/2)} * ((c + d*x) \\
&)^{(1/2)} - c^{(1/2)})) / (d^{(1/2)} * ((e + f*x)^{(1/2)} - e^{(1/2)}))) * (c*f + d*e)) / (d^{(3/2)} * f^{(3/2)}) - (C*b*atanh((f^{(1/2)} * ((c + d*x)^{(1/2)} - c^{(1/2)})) / (d^{(1/2)} *
\end{aligned}$$

```
((e + f*x)^(1/2) - e^(1/2)))*(c*f + d*e)*(5*c^2*f^2 + 5*d^2*e^2 - 2*c*d*e*f)/(4*d^(7/2)*f^(7/2))
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx)(A + Bx + Cx^2)}{\sqrt{c + dx}\sqrt{e + fx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x+a)*(C*x**2+B*x+A)/(d*x+c)**(1/2)/(f*x+e)**(1/2),x)
```

```
[Out] Integral((a + b*x)*(A + B*x + C*x**2)/(sqrt(c + d*x)*sqrt(e + f*x)), x)
```

$$3.56 \quad \int \frac{A+Bx+Cx^2}{\sqrt{c+dx} \sqrt{e+fx}} dx$$

Optimal. Leaf size=164

$$\frac{\tanh^{-1}\left(\frac{\sqrt{f}\sqrt{c+dx}}{\sqrt{d}\sqrt{e+fx}}\right)\left(4df(2Adf - B(cf + de)) + C(3c^2f^2 + 2cdef + 3d^2e^2)\right)}{4d^{5/2}f^{5/2}} - \frac{\sqrt{c+dx}\sqrt{e+fx}(-4Bdf + 5cCf)}{4d^2f^2}$$

[Out] 1/4*(C*(3*c^2*f^2+2*c*d*e*f+3*d^2*e^2)+4*d*f*(2*A*d*f-B*(c*f+d*e)))*arctanh(f^(1/2)*(d*x+c)^(1/2)/d^(1/2)/(f*x+e)^(1/2))/d^(5/2)/f^(5/2)+1/2*C*(d*x+c)^(3/2)*(f*x+e)^(1/2)/d^2/f-1/4*(-4*B*d*f+5*C*c*f+3*C*d*e)*(d*x+c)^(1/2)*(f*x+e)^(1/2)/d^2/f^2

Rubi [A] time = 0.15, antiderivative size = 164, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$, Rules used = {951, 80, 63, 217, 206}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{f}\sqrt{c+dx}}{\sqrt{d}\sqrt{e+fx}}\right)\left(4df(2Adf - B(cf + de)) + C(3c^2f^2 + 2cdef + 3d^2e^2)\right)}{4d^{5/2}f^{5/2}} - \frac{\sqrt{c+dx}\sqrt{e+fx}(-4Bdf + 5cCf)}{4d^2f^2}$$

Antiderivative was successfully verified.

[In] Int[(A + B*x + C*x^2)/(Sqrt[c + d*x]*Sqrt[e + f*x]),x]

[Out] -((3*C*d*e + 5*c*C*f - 4*B*d*f)*Sqrt[c + d*x]*Sqrt[e + f*x])/(4*d^2*f^2) + (C*(c + d*x)^(3/2)*Sqrt[e + f*x])/(2*d^2*f) + ((C*(3*d^2*e^2 + 2*c*d*e*f + 3*c^2*f^2) + 4*d*f*(2*A*d*f - B*(d*e + c*f)))*ArcTanh[(Sqrt[f]*Sqrt[c + d*x])/(Sqrt[d]*Sqrt[e + f*x])])/(4*d^(5/2)*f^(5/2))

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 80

Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := Simp[(b*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(n + p + 2)), x] + Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(d*f*(n + p + 2)), Int[(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f

, n, p}, x] && NeQ[n + p + 2, 0]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[Rt[-b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 951

Int[((d_.) + (e_.)*(x_)^(m_))*((f_.) + (g_.)*(x_)^(n_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Simp[(c^p*(d + e*x)^(m + 2*p)*(f + g*x)^(n + 1))/(g*e^(2*p)*(m + n + 2*p + 1)), x] + Dist[1/(g*e^(2*p)*(m + n + 2*p + 1)), Int[(d + e*x)^m*(f + g*x)^n*ExpandToSum[g*(m + n + 2*p + 1)*(e^(2*p)*(a + b*x + c*x^2)^p - c^p*(d + e*x)^(2*p)) - c^p*(e*f - d*g)*(m + 2*p)*(d + e*x)^(2*p - 1), x], x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[p, 0] && NeQ[m + n + 2*p + 1, 0] && (IntegerQ[n] || !IntegerQ[m])

Rubi steps

$$\begin{aligned}
\int \frac{A + Bx + Cx^2}{\sqrt{c + dx} \sqrt{e + fx}} dx &= \frac{C(c + dx)^{3/2} \sqrt{e + fx}}{2d^2 f} + \frac{\int \frac{\frac{1}{2}(-3cCde - c^2 Cf + 4Ad^2 f) - \frac{1}{2}d(3Cde + 5cCf - 4Bdf)x}{\sqrt{c + dx} \sqrt{e + fx}} dx}{2d^2 f} \\
&= -\frac{(3Cde + 5cCf - 4Bdf)\sqrt{c + dx} \sqrt{e + fx}}{4d^2 f^2} + \frac{C(c + dx)^{3/2} \sqrt{e + fx}}{2d^2 f} + \frac{(C(3d^2 e^2 + 2cde f + c^2 f^2))\sqrt{d} \sqrt{f} \sqrt{c + dx}}{4d^3 f^{5/2} \sqrt{e + fx}} \\
&= -\frac{(3Cde + 5cCf - 4Bdf)\sqrt{c + dx} \sqrt{e + fx}}{4d^2 f^2} + \frac{C(c + dx)^{3/2} \sqrt{e + fx}}{2d^2 f} + \frac{(C(3d^2 e^2 + 2cde f + c^2 f^2))\sqrt{d} \sqrt{f} \sqrt{c + dx}}{4d^3 f^{5/2} \sqrt{e + fx}} \\
&= -\frac{(3Cde + 5cCf - 4Bdf)\sqrt{c + dx} \sqrt{e + fx}}{4d^2 f^2} + \frac{C(c + dx)^{3/2} \sqrt{e + fx}}{2d^2 f} + \frac{(C(3d^2 e^2 + 2cde f + c^2 f^2))\sqrt{d} \sqrt{f} \sqrt{c + dx}}{4d^3 f^{5/2} \sqrt{e + fx}} \\
&= -\frac{(3Cde + 5cCf - 4Bdf)\sqrt{c + dx} \sqrt{e + fx}}{4d^2 f^2} + \frac{C(c + dx)^{3/2} \sqrt{e + fx}}{2d^2 f} + \frac{(C(3d^2 e^2 + 2cde f + c^2 f^2))\sqrt{d} \sqrt{f} \sqrt{c + dx}}{4d^3 f^{5/2} \sqrt{e + fx}}
\end{aligned}$$

Mathematica [A] time = 0.79, size = 173, normalized size = 1.05

$$\frac{\sqrt{de - cf} \sqrt{\frac{d(e+fx)}{de - cf}} \sinh^{-1}\left(\frac{\sqrt{f} \sqrt{c+dx}}{\sqrt{de - cf}}\right) (4df(2Adf - B(cf + de)) + C(3c^2 f^2 + 2cdef + 3d^2 e^2)) + d\sqrt{f} \sqrt{c + dx}}{4d^3 f^{5/2} \sqrt{e + fx}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*x + C*x^2)/(Sqrt[c + d*x]*Sqrt[e + f*x]),x]

[Out] (d*Sqrt[f]*Sqrt[c + d*x]*(e + f*x)*(4*B*d*f + C*(-3*d*e - 3*c*f + 2*d*f*x)) + Sqrt[d*e - c*f]*(C*(3*d^2*e^2 + 2*c*d*e*f + 3*c^2*f^2) + 4*d*f*(2*A*d*f - B*(d*e + c*f)))*Sqrt[(d*(e + f*x))/(d*e - c*f)]*ArcSinh[(Sqrt[f]*Sqrt[c + d*x])/Sqrt[d*e - c*f]])/(4*d^3*f^(5/2)*Sqrt[e + f*x])

fricas [A] time = 0.81, size = 380, normalized size = 2.32

$$\left[\frac{(3Cd^2e^2 + 2(Ccd - 2Bd^2)ef + (3Cc^2 - 4Bcd + 8Ad^2)f^2)\sqrt{df} \log(8d^2f^2x^2 + d^2e^2 + 6cdef + c^2f^2 + 4(2d^2e^2 + 2cde f + c^2 f^2))}{4d^3 f^{5/2} \sqrt{e + fx}} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)/(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="fricas")

[Out] [1/16*((3*C*d^2*e^2 + 2*(C*c*d - 2*B*d^2)*e*f + (3*C*c^2 - 4*B*c*d + 8*A*d^2)*f^2)*sqrt(d*f)*log(8*d^2*f^2*x^2 + d^2*e^2 + 6*c*d*e*f + c^2*f^2 + 4*(2*d*f*x + d*e + c*f)*sqrt(d*f)*sqrt(d*x + c)*sqrt(f*x + e) + 8*(d^2*e*f + c*d*f^2)*x) + 4*(2*C*d^2*f^2*x - 3*C*d^2*e*f - (3*C*c*d - 4*B*d^2)*f^2)*sqrt(d*x + c)*sqrt(f*x + e))/(d^3*f^3), -1/8*((3*C*d^2*e^2 + 2*(C*c*d - 2*B*d^2)*e*f + (3*C*c^2 - 4*B*c*d + 8*A*d^2)*f^2)*sqrt(-d*f)*arctan(1/2*(2*d*f*x + d*e + c*f)*sqrt(-d*f)*sqrt(d*x + c)*sqrt(f*x + e)/(d^2*f^2*x^2 + c*d*e*f + (d^2*e*f + c*d*f^2)*x)) - 2*(2*C*d^2*f^2*x - 3*C*d^2*e*f - (3*C*c*d - 4*B*d^2)*f^2)*sqrt(d*x + c)*sqrt(f*x + e))/(d^3*f^3)]

giac [A] time = 1.22, size = 194, normalized size = 1.18

$$\frac{\left(\sqrt{(dx+c)df - cdf + d^2e} \sqrt{dx+c} \left(\frac{2(dx+c)C}{d^3f} - \frac{5Ccd^5f^2 - 4Bd^6f^2 + 3Cd^6fe}{d^8f^3}\right) - \frac{(3Cc^2f^2 - 4Bcdf^2 + 8Ad^2f^2 + 2Ccdf e - 4Bd^2fe + 3Cd^2f^2)}{\sqrt{df} d^2f}\right)}{4|d|}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)/(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="giac")

[Out] 1/4*(sqrt((d*x + c)*d*f - c*d*f + d^2*e)*sqrt(d*x + c)*(2*(d*x + c)*C/(d^3*f) - (5*C*c*d^5*f^2 - 4*B*d^6*f^2 + 3*C*d^6*f*e)/(d^8*f^3)) - (3*C*c^2*f^2 - 4*B*c*d*f^2 + 8*A*d^2*f^2 + 2*C*c*d*f*e - 4*B*d^2*f*e + 3*C*d^2*e^2)*log(abs(-sqrt(d*f)*sqrt(d*x + c) + sqrt((d*x + c)*d*f - c*d*f + d^2*e)))/(sqrt(d*f)*d^2*f^2))*d/abs(d)

maple [B] time = 0.02, size = 425, normalized size = 2.59

$$\frac{\left(8A d^2 f^2 \ln\left(\frac{2dfx+cf+de+2\sqrt{(dx+c)(fx+e)} \sqrt{df}}{2\sqrt{df}}\right) - 4Bcd f^2 \ln\left(\frac{2dfx+cf+de+2\sqrt{(dx+c)(fx+e)} \sqrt{df}}{2\sqrt{df}}\right) - 4B d^2 e f \ln\left(\frac{2dfx+cf+de+2\sqrt{(dx+c)(fx+e)} \sqrt{df}}{2\sqrt{df}}\right)\right)}{4|d|}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C*x^2+B*x+A)/(d*x+c)^(1/2)/(f*x+e)^(1/2),x)

[Out] 1/8*(8*A*ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)))/(d*f)^(1/2))*d^2*f^2-4*B*ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)))/(d*f)^(1/2))*c*d*f^2-4*B*ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)))/(d*f)^(1/2))*d^2*e*f+3*C*ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)))/(d*f)^(1/2))*c^2*f^2+2*C*ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)))/(d*f)^(1/2))*c*d*e*f+3*C*ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)))/(d*f)^(1/2))*

$$d^2 e^2 + 4 C (d f)^{1/2} ((d x + c) (f x + e))^{1/2} x d f + 8 B (d f)^{1/2} ((d x + c) (f x + e))^{1/2} d f - 6 C (d f)^{1/2} ((d x + c) (f x + e))^{1/2} c f - 6 C (d f)^{1/2} ((d x + c) (f x + e))^{1/2} d e * (d x + c)^{1/2} (f x + e)^{1/2} / (d f)^{1/2} / f^2 / d^2 / ((d x + c) (f x + e))^{1/2}$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)/(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(c*f-d*e>0)', see `assume?` for more details) Is c*f-d*e zero or nonzero?

mupad [B] time = 25.89, size = 833, normalized size = 5.08

$$\frac{(2Bcf+2Bde)(\sqrt{c+dx}-\sqrt{c})}{f^3(\sqrt{e+fx}-\sqrt{e})} + \frac{(2Bcf+2Bde)(\sqrt{c+dx}-\sqrt{c})^3}{df^2(\sqrt{e+fx}-\sqrt{e})^3} - \frac{8B\sqrt{c}\sqrt{e}(\sqrt{c+dx}-\sqrt{c})^2}{f^2(\sqrt{e+fx}-\sqrt{e})^2} - \frac{(\sqrt{c+dx}-\sqrt{c})\left(\frac{3C^2df^2}{2} + Ccd^2ef + \frac{3Cd^3e^2}{2}\right)}{f^6(\sqrt{e+fx}-\sqrt{e})}$$

$$\frac{(\sqrt{c+dx}-\sqrt{c})^4}{(\sqrt{e+fx}-\sqrt{e})^4} + \frac{d^2}{f^2} - \frac{2d(\sqrt{c+dx}-\sqrt{c})^2}{f(\sqrt{e+fx}-\sqrt{e})^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*x + C*x^2)/((e + f*x)^(1/2)*(c + d*x)^(1/2)),x)

[Out] (((2*B*c*f + 2*B*d*e)*((c + d*x)^(1/2) - c^(1/2)))/(f^3*((e + f*x)^(1/2) - e^(1/2))) + ((2*B*c*f + 2*B*d*e)*((c + d*x)^(1/2) - c^(1/2))^3)/(d*f^2*((e + f*x)^(1/2) - e^(1/2))^3) - (8*B*c^(1/2)*e^(1/2)*((c + d*x)^(1/2) - c^(1/2))^2)/(f^2*((e + f*x)^(1/2) - e^(1/2))^2))/(((c + d*x)^(1/2) - c^(1/2))^4/((e + f*x)^(1/2) - e^(1/2))^4 + d^2/f^2 - (2*d*((c + d*x)^(1/2) - c^(1/2))^2)/(f*((e + f*x)^(1/2) - e^(1/2))^2)) - (((c + d*x)^(1/2) - c^(1/2))*((3*C*d^3*e^2)/2 + (3*C*c^2*d*f^2)/2 + C*c*d^2*e*f))/(f^6*((e + f*x)^(1/2) - e^(1/2))) - (((c + d*x)^(1/2) - c^(1/2))^3*((11*C*c^2*f^2)/2 + (11*C*d^2*e^2)/2 + 25*C*c*d*e*f))/(f^5*((e + f*x)^(1/2) - e^(1/2))^3) + (((c + d*x)^(1/2) - c^(1/2))^7*((3*C*c^2*f^2)/2 + (3*C*d^2*e^2)/2 + C*c*d*e*f))/(d^2*f^3*((e + f*x)^(1/2) - e^(1/2))^7) - (((c + d*x)^(1/2) - c^(1/2))^5*((11*C*c^2*f^2)/2 + (11*C*d^2*e^2)/2 + 25*C*c*d*e*f))/(d*f^4*((e + f*x)^(1/2) - e^(1/2))^5) + (c^(1/2)*e^(1/2)*(32*C*c*f + 32*C*d*e)*((c + d*x)^(1/2) - c^(1/2))^4)/(f^4*((e + f*x)^(1/2) - e^(1/2))^4))/(((c + d*x)^(1/2) - c^(1/2))^8/((e + f*x)^(1/2) - e^(1/2))^8 + d^4/f^4 - (4*d*((c + d*x)^(1/2) - c^(1/2))^6)/(f*((e + f*x)^(1/2) - e^(1/2))^6) - (4*d^3*((c + d*x)^(1/2) - c^(1/2))^2)/(f^3*((e + f*x)^(1/2) - e^(1/2))^3))

```

e + f*x)^(1/2) - e^(1/2))2) + (6*d^2*((c + d*x)^(1/2) - c^(1/2))4)/(f^2*(
(e + f*x)^(1/2) - e^(1/2))4) - (4*A*atan((d*((e + f*x)^(1/2) - e^(1/2)))/
((-d*f)^(1/2)*((c + d*x)^(1/2) - c^(1/2))))) / (-d*f)^(1/2) - (2*B*atanh((f^(
1/2)*((c + d*x)^(1/2) - c^(1/2)))/(d^(1/2)*((e + f*x)^(1/2) - e^(1/2))))*(c
*f + d*e))/(d^(3/2)*f^(3/2)) + (C*atanh((f^(1/2)*((c + d*x)^(1/2) - c^(1/2)
)))/(d^(1/2)*((e + f*x)^(1/2) - e^(1/2))))*(3*c^2*f^2 + 3*d^2*e^2 + 2*c*d*e*
f))/(2*d^(5/2)*f^(5/2))

```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{A + Bx + Cx^2}{\sqrt{c + dx} \sqrt{e + fx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x**2+B*x+A)/(d*x+c)**(1/2)/(f*x+e)**(1/2),x)

[Out] Integral((A + B*x + C*x**2)/(sqrt(c + d*x)*sqrt(e + f*x)), x)

$$3.57 \quad \int \frac{A+Bx+Cx^2}{(a+bx)\sqrt{c+dx}\sqrt{e+fx}} dx$$

Optimal. Leaf size=188

$$\frac{2(Ab^2 - a(bB - aC)) \tanh^{-1}\left(\frac{\sqrt{c+dx}\sqrt{be-af}}{\sqrt{e+fx}\sqrt{bc-ad}}\right) \tanh^{-1}\left(\frac{\sqrt{f}\sqrt{c+dx}}{\sqrt{d}\sqrt{e+fx}}\right) (2aCdf + b(-2Bdf + cCf + Cde))}{b^2\sqrt{bc-ad}\sqrt{be-af}} + \frac{C\sqrt{c+dx}}{b^2d^{3/2}f^{3/2}}$$

[Out] $-(2*a*C*d*f+b*(-2*B*d*f+C*c*f+C*d*e))*\operatorname{arctanh}(f^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)}/(f*x+e)^{(1/2)})/b^2/d^{(3/2)}/f^{(3/2)}-2*(A*b^2-a*(B*b-C*a))*\operatorname{arctanh}((-a*f+b*e)^{(1/2)}*(d*x+c)^{(1/2)}/(-a*d+b*c)^{(1/2)}/(f*x+e)^{(1/2)})/b^2/(-a*d+b*c)^{(1/2)}/(-a*f+b*e)^{(1/2)}+C*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/b/d/f$

Rubi [A] time = 0.34, antiderivative size = 188, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {1615, 157, 63, 217, 206, 93, 208}

$$\frac{2(Ab^2 - a(bB - aC)) \tanh^{-1}\left(\frac{\sqrt{c+dx}\sqrt{be-af}}{\sqrt{e+fx}\sqrt{bc-ad}}\right) \tanh^{-1}\left(\frac{\sqrt{f}\sqrt{c+dx}}{\sqrt{d}\sqrt{e+fx}}\right) (2aCdf + b(-2Bdf + cCf + Cde))}{b^2\sqrt{bc-ad}\sqrt{be-af}} + \frac{C\sqrt{c+dx}}{b^2d^{3/2}f^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*x + C*x^2)/((a + b*x)*Sqrt[c + d*x]*Sqrt[e + f*x]),x]

[Out] $(C*\operatorname{Sqrt}[c + d*x]*\operatorname{Sqrt}[e + f*x])/(b*d*f) - (((2*a*C*d*f + b*(C*d*e + c*C*f - 2*B*d*f))*\operatorname{ArcTanh}[(\operatorname{Sqrt}[f]*\operatorname{Sqrt}[c + d*x])]/(\operatorname{Sqrt}[d]*\operatorname{Sqrt}[e + f*x]))/(b^2*d^{(3/2)}*f^{(3/2)}) - (2*(A*b^2 - a*(b*B - a*C))*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b*e - a*f]*\operatorname{Sqrt}[c + d*x])]/(\operatorname{Sqrt}[b*c - a*d]*\operatorname{Sqrt}[e + f*x]))/(b^2*\operatorname{Sqrt}[b*c - a*d]*\operatorname{Sqrt}[b*e - a*f])$

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 93

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)/((e_.) + (f_.)*(x_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)]

], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

Rule 157

Int[(((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)))/((a_.) + (b_.)*(x_)), x_Symbol] := Dist[h/b, Int[(c + d*x)^n*(e + f*x)^p, x], x] + Dist[(b*g - a*h)/b, Int[((c + d*x)^n*(e + f*x)^p)/(a + b*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 1615

Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := With[{q = Expon[Px, x], k = Coeff[Px, x, Expon[Px, x]]}, Simp[(k*(a + b*x)^(m + q - 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*b^(q - 1)*(m + n + p + q + 1)), x] + Dist[1/(d*f*b^q*(m + n + p + q + 1)), Int[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p*ExpandToSum[d*f*b^q*(m + n + p + q + 1)*Px - d*f*k*(m + n + p + q + 1)*(a + b*x)^q + k*(a + b*x)^(q - 2)*(a^2*d*f*(m + n + p + q + 1) - b*(b*c*e*(m + q - 1) + a*(d*e*(n + 1) + c*f*(p + 1))) + b*(a*d*f*(2*(m + q) + n + p) - b*(d*e*(m + q + n) + c*f*(m + q + p)))*x), x], x] /; NeQ[m + n + p + q + 1, 0]] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && IntegersQ[2*m, 2*n, 2*p]

Rubi steps

$$\begin{aligned}
\int \frac{A + Bx + Cx^2}{(a + bx)\sqrt{c + dx}\sqrt{e + fx}} dx &= \frac{C\sqrt{c + dx}\sqrt{e + fx}}{bdf} + \frac{\int \frac{\frac{1}{2}b(2Abdf - aC(de + cf)) - \frac{1}{2}b(2aCdf + b(Cde + cCf - 2Bdf))x}{(a + bx)\sqrt{c + dx}\sqrt{e + fx}} dx}{b^2df} \\
&= \frac{C\sqrt{c + dx}\sqrt{e + fx}}{bdf} + \left(A - \frac{a(bB - aC)}{b^2}\right) \int \frac{1}{(a + bx)\sqrt{c + dx}\sqrt{e + fx}} dx + \dots \\
&= \frac{C\sqrt{c + dx}\sqrt{e + fx}}{bdf} + \left(2\left(A - \frac{a(bB - aC)}{b^2}\right)\right) \text{Subst}\left(\int \frac{1}{-bc + ad - (-be + af)} dx, \dots\right) \\
&= \frac{C\sqrt{c + dx}\sqrt{e + fx}}{bdf} - \frac{2\left(A - \frac{a(bB - aC)}{b^2}\right) \tanh^{-1}\left(\frac{\sqrt{be - af}\sqrt{c + dx}}{\sqrt{bc - ad}\sqrt{e + fx}}\right)}{\sqrt{bc - ad}\sqrt{be - af}} + \dots \\
&= \frac{C\sqrt{c + dx}\sqrt{e + fx}}{bdf} - \frac{(2aCdf + b(Cde + cCf - 2Bdf)) \tanh^{-1}\left(\frac{\sqrt{f}\sqrt{c + dx}}{\sqrt{d}\sqrt{e + fx}}\right)}{b^2d^{3/2}f^{3/2}}
\end{aligned}$$

Mathematica [A] time = 0.94, size = 304, normalized size = 1.62

$$\frac{2 \left(\frac{(a(cB - bB) + Ab^2) \tanh^{-1}\left(\frac{\sqrt{c+dx}\sqrt{af-be}}{\sqrt{e+fx}\sqrt{ad-bc}}\right)}{\sqrt{ad-bc}\sqrt{af-be}} - \frac{\sqrt{e+fx}(aCf - bBf + bCe) \sinh^{-1}\left(\frac{\sqrt{f}\sqrt{c+dx}}{\sqrt{de-cf}}\right)}{f^{3/2}\sqrt{de-cf}\sqrt{\frac{d(e+fx)}{de-cf}}} + \frac{bC\sqrt{e+fx}\left(\sqrt{f}\sqrt{c+dx}\sqrt{\frac{d(e+fx)}{de-cf}} + \sqrt{de-cf}\sinh^{-1}\left(\frac{\sqrt{f}\sqrt{c+dx}}{\sqrt{d}\sqrt{e+fx}}\right)\right)}{2df^{3/2}\sqrt{\frac{d(e+fx)}{de-cf}}}}{b^2}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*x + C*x^2)/((a + b*x)*Sqrt[c + d*x]*Sqrt[e + f*x]),x]

[Out] (2*(-(((b*C*e - b*B*f + a*C*f)*Sqrt[e + f*x]*ArcSinh[(Sqrt[f]*Sqrt[c + d*x])/Sqrt[d*e - c*f]])/(f^(3/2)*Sqrt[d*e - c*f]*Sqrt[(d*(e + f*x))/(d*e - c*f])) + (b*C*Sqrt[e + f*x]*(Sqrt[f]*Sqrt[c + d*x]*Sqrt[(d*(e + f*x))/(d*e - c*f)] + Sqrt[d*e - c*f]*ArcSinh[(Sqrt[f]*Sqrt[c + d*x])/Sqrt[d*e - c*f]]))/(2*d*f^(3/2)*Sqrt[(d*(e + f*x))/(d*e - c*f]] + ((A*b^2 + a*(-(b*B) + a*C))*ArcTanh[(Sqrt[-(b*e) + a*f]*Sqrt[c + d*x])/(Sqrt[-(b*c) + a*d]*Sqrt[e + f*x])])/(Sqrt[-(b*c) + a*d]*Sqrt[-(b*e) + a*f])))/b^2

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(b*x+a)/(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="f
ricas")
```

```
[Out] Timed out
```

```
giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00
```

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(b*x+a)/(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="g
iac")
```

```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x)::OUTPUT:
```

```
maple [B] time = 0.03, size = 746, normalized size = 3.97
```

$$\left(2\sqrt{df} A b^2 df \ln \left(\frac{-2adf_x + bcf_x + bdx - acf - ade + 2bce + 2\sqrt{\frac{a^2df - abcf - abde + b^2ce}{b^2}} \sqrt{(dx+c)(fx+e)} b}{bx+a} \right) - 2\sqrt{df} B abdf \ln \left(\frac{-2adf_x + bcf_x}{bx+a} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((C*x^2+B*x+A)/(b*x+a)/(d*x+c)^(1/2)/(f*x+e)^(1/2),x)
```

```
[Out] -1/2*(2*A*ln((-2*a*d*f*x+b*c*f*x+b*d*e*x-a*c*f-a*d*e+2*b*c*e+2*((a^2*d*f-a*
b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)*((d*x+c)*(f*x+e))^(1/2)*b)/(b*x+a))*b^2*d
*f*(d*f)^(1/2)-2*B*ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(
1/2)))/(d*f)^(1/2))*b^2*d*f*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)-2
*B*ln((-2*a*d*f*x+b*c*f*x+b*d*e*x-a*c*f-a*d*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a
*b*d*e+b^2*c*e)/b^2)^(1/2)*((d*x+c)*(f*x+e))^(1/2)*b)/(b*x+a))*a*b*d*f*(d*f
)^(1/2)+2*C*ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)))/
(d*f)^(1/2))*a*b*d*f*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)+C*ln(1/2
*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)))/(d*f)^(1/2))*b^2*c
*f*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)+C*ln(1/2*(2*d*f*x+c*f+d*e+
2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)))/(d*f)^(1/2))*b^2*d*e*((a^2*d*f-a*b*c
*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)+2*C*ln((-2*a*d*f*x+b*c*f*x+b*d*e*x-a*c*f-a*d
*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)*((d*x+c)*(f*x+e)
)^(1/2)*b)/(b*x+a))*a^2*d*f*(d*f)^(1/2)-2*C*b^2*((d*x+c)*(f*x+e))^(1/2)*(d*
f)^(1/2)*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)*(f*x+e)^(1/2)*(d*x+
```


$c)^{(1/2)} / ((d*x+c)*(f*x+e))^{(1/2)} / d / (d*f)^{(1/2)} / b^3 / ((a^2*d*f - a*b*c*f - a*b*d*e + b^2*c*e) / b^2)^{(1/2)} / f$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)/(b*x+a)/(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(((-(2*a*d*f)/b^2)>0)', see `assume?` for more details)Is ((-(2*a*d*f)/b^2) + (c*f)/b + (d*e)/b)^2 - (4*d*f * ((a^2*d*f)/b^2 - (a*c*f)/b - (a*d*e)/b + c*e)) / b^2 zero or nonzero?

mupad [F(-1)] time = 0.00, size = -1, normalized size = -0.01

Hanged

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*x + C*x^2)/((e + f*x)^(1/2)*(a + b*x)*(c + d*x)^(1/2)),x)

[Out] \text{Hanged}

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{A + Bx + Cx^2}{(a + bx) \sqrt{c + dx} \sqrt{e + fx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x**2+B*x+A)/(b*x+a)/(d*x+c)**(1/2)/(f*x+e)**(1/2),x)

[Out] Integral((A + B*x + C*x**2)/((a + b*x)*sqrt(c + d*x)*sqrt(e + f*x)), x)

$$3.58 \quad \int \frac{A+Bx+Cx^2}{(a+bx)^2 \sqrt{c+dx} \sqrt{e+fx}} dx$$

Optimal. Leaf size=254

$$\frac{\tanh^{-1}\left(\frac{\sqrt{c+dx}\sqrt{be-af}}{\sqrt{e+fx}\sqrt{bc-ad}}\right)\left(2a^3Cdf - 3a^2bC(cf+de) + ab^2(-2Adf + Bcf + Bde + 4cCe) - b^3(-Acf - Ade + 2Bce)\right)}{b^2(bc-ad)^{3/2}(be-af)^{3/2}}$$

[Out] (2*a^3*C*d*f-3*a^2*b*C*(c*f+d*e)-b^3*(-A*c*f-A*d*e+2*B*c*e)+a*b^2*(-2*A*d*f+B*c*f+B*d*e+4*C*c*e))*arctanh((-a*f+b*e)^(1/2)*(d*x+c)^(1/2)/(-a*d+b*c)^(1/2)/(f*x+e)^(1/2))/b^2/(-a*d+b*c)^(3/2)/(-a*f+b*e)^(3/2)+2*C*arctanh(f^(1/2)*(d*x+c)^(1/2)/d^(1/2)/(f*x+e)^(1/2))/b^2/d^(1/2)/f^(1/2)-(A*b^2-a*(B*b-C*a))*(d*x+c)^(1/2)*(f*x+e)^(1/2)/b/(-a*d+b*c)/(-a*f+b*e)/(b*x+a)

Rubi [A] time = 0.64, antiderivative size = 254, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {1613, 157, 63, 217, 206, 93, 208}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{c+dx}\sqrt{be-af}}{\sqrt{e+fx}\sqrt{bc-ad}}\right)\left(-3a^2bC(cf+de) + 2a^3Cdf + ab^2(-2Adf + Bcf + Bde + 4cCe) - b^3(-Acf - Ade + 2Bce)\right)}{b^2(bc-ad)^{3/2}(be-af)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*x + C*x^2)/((a + b*x)^2*Sqrt[c + d*x]*Sqrt[e + f*x]),x]

[Out] -(((A*b^2 - a*(b*B - a*C))*Sqrt[c + d*x]*Sqrt[e + f*x])/(b*(b*c - a*d)*(b*e - a*f)*(a + b*x))) + (2*C*ArcTanh[(Sqrt[f]*Sqrt[c + d*x])/(Sqrt[d]*Sqrt[e + f*x])])/(b^2*Sqrt[d]*Sqrt[f]) + ((2*a^3*C*d*f - 3*a^2*b*C*(d*e + c*f) - b^3*(2*B*c*e - A*d*e - A*c*f) + a*b^2*(4*c*C*e + B*d*e + B*c*f - 2*A*d*f))*ArcTanh[(Sqrt[b*e - a*f]*Sqrt[c + d*x])/(Sqrt[b*c - a*d]*Sqrt[e + f*x])])/(b^2*(b*c - a*d)^(3/2)*(b*e - a*f)^(3/2))

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 93

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)/((e_.) + (f_.)*(x_)), x_Symbol] :> With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)*(c + d*x)^n, x], x, (a + b*x)^(1/q)], x]] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[e + f*x, 0] && IntLinearQ[a, b, c, d, m, n, x]

```

- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

```

Rule 157

```

Int[(((c_.) + (d_.)*(x_)^(n_))*((e_.) + (f_.)*(x_)^(p_))*((g_.) + (h_.)*(x_
))))/((a_.) + (b_.)*(x_)), x_Symbol] := Dist[h/b, Int[(c + d*x)^n*(e + f*x)^
p, x], x] + Dist[(b*g - a*h)/b, Int[((c + d*x)^n*(e + f*x)^p)/(a + b*x), x]
, x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x]

```

Rule 206

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])

```

Rule 208

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

```

Rule 217

```

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

```

Rule 1613

```

Int[(Px_)*((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_))*((e_.) + (f_
.)*(x_)^(p_.), x_Symbol] := With[{Qx = PolynomialQuotient[Px, a + b*x, x],
R = PolynomialRemainder[Px, a + b*x, x]}, Simp[(b*R*(a + b*x)^(m + 1)*(c +
d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Di
st[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(
e + f*x)^p*ExpandToSum[(m + 1)*(b*c - a*d)*(b*e - a*f)*Qx + a*d*f*R*(m + 1)
- b*R*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*R*(m + n + p + 3)*x, x],
x], x]] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && PolyQ[Px, x] && ILtQ[m, -
1] && IntegersQ[2*m, 2*n, 2*p]

```

Rubi steps

$$\begin{aligned}
\int \frac{A + Bx + Cx^2}{(a + bx)^2 \sqrt{c + dx} \sqrt{e + fx}} dx &= -\frac{(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{b(bc - ad)(be - af)(a + bx)} - \int \frac{-\frac{a^2C(de+cf)+b^2(2Bce-Ade-Acf)-ab(2cCe+Bde+1)}{2b}}{(a+bx)\sqrt{c+dx}\sqrt{e+fx}} dx \\
&= -\frac{(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{b(bc - ad)(be - af)(a + bx)} + \frac{C \int \frac{1}{\sqrt{c+dx}\sqrt{e+fx}} dx}{b^2} - \frac{(2a^3Cdf - 3a^2bC(de + cf) - b^3(2Bce - Ade - Acf) - ab(2cCe + Bde + 1))}{b^2d} \\
&= -\frac{(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{b(bc - ad)(be - af)(a + bx)} + \frac{(2C) \text{Subst} \left(\int \frac{1}{\sqrt{e - \frac{cf}{d} + \frac{fx^2}{d}}} dx, x, \sqrt{c + dx} \right)}{b^2d} \\
&= -\frac{(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{b(bc - ad)(be - af)(a + bx)} + \frac{(2a^3Cdf - 3a^2bC(de + cf) - b^3(2Bce - Ade - Acf) - ab(2cCe + Bde + 1))}{b^2d} \\
&= -\frac{(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{b(bc - ad)(be - af)(a + bx)} + \frac{2C \tanh^{-1} \left(\frac{\sqrt{f} \sqrt{c+dx}}{\sqrt{d} \sqrt{e+fx}} \right)}{b^2 \sqrt{d} \sqrt{f}} + \frac{(2a^3Cdf - 3a^2bC(de + cf) - b^3(2Bce - Ade - Acf) - ab(2cCe + Bde + 1))}{b^2d}
\end{aligned}$$

Mathematica [A] time = 1.86, size = 325, normalized size = 1.28

$$\frac{b\sqrt{c+dx}\sqrt{e+fx}(a(aC-bB)+Ab^2)}{(a+bx)(bc-ad)(be-af)} - \frac{(a(aC-bB)+Ab^2)(-2adf+bcf+bde)\tanh^{-1}\left(\frac{\sqrt{c+dx}\sqrt{af-be}}{\sqrt{e+fx}\sqrt{ad-bc}}\right)}{(ad-bc)^{3/2}(af-be)^{3/2}} + \frac{2(bB-2aC)\tanh^{-1}\left(\frac{\sqrt{c+dx}\sqrt{af-be}}{\sqrt{e+fx}\sqrt{ad-bc}}\right)}{\sqrt{ad-bc}\sqrt{af-be}} + \frac{2C\sqrt{e+fx}}{\sqrt{f}}$$

$$b^2$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*x + C*x^2)/((a + b*x)^2*sqrt[c + d*x]*sqrt[e + f*x]),x]

[Out] (-((b*(A*b^2 + a*(-(b*B) + a*C))*sqrt[c + d*x]*sqrt[e + f*x])/((b*c - a*d)*(b*e - a*f)*(a + b*x))) + (2*C*sqrt[e + f*x]*ArcSinh[(sqrt[f]*sqrt[c + d*x])/sqrt[d*e - c*f]])/(sqrt[f]*sqrt[d*e - c*f]*sqrt[(d*(e + f*x))/(d*e - c*f)]) + (2*(b*B - 2*a*C)*ArcTanh[(sqrt[-(b*e) + a*f]*sqrt[c + d*x])/sqrt[-(b*c) + a*d]*sqrt[e + f*x]])/(sqrt[-(b*c) + a*d]*sqrt[-(b*e) + a*f]) - ((A*b^2 + a*(-(b*B) + a*C))*(b*d*e + b*c*f - 2*a*d*f)*ArcTanh[(sqrt[-(b*e) + a*f]*sqrt[c + d*x])/sqrt[-(b*c) + a*d]*sqrt[e + f*x]])/((-b*c) + a*d)^(3/2)*(-(b*e) + a*f)^(3/2))/b^2

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(b*x+a)^2/(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="fricas")
```

```
[Out] Timed out
```

```
giac [B] time = 9.37, size = 1356, normalized size = 5.34
```

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(b*x+a)^2/(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="giac")
```

```
[Out] (3*sqrt(d*f)*C*a^2*b*c*d^2*f - sqrt(d*f)*B*a*b^2*c*d^2*f - sqrt(d*f)*A*b^3*c*d^2*f - 2*sqrt(d*f)*C*a^3*d^3*f + 2*sqrt(d*f)*A*a*b^2*d^3*f - 4*sqrt(d*f)*C*a*b^2*c*d^2*e + 2*sqrt(d*f)*B*b^3*c*d^2*e + 3*sqrt(d*f)*C*a^2*b*d^3*e - sqrt(d*f)*B*a*b^2*d^3*e - sqrt(d*f)*A*b^3*d^3*e)*arctan(-1/2*(b*c*d*f - 2*a*d^2*f + b*d^2*e - (sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2*b)/(sqrt(a*b*c*d*f^2 - a^2*d^2*f^2 - b^2*c*d*f*e + a*b*d^2*f*e)*d))/((a*b^3*c*f*abs(d) - a^2*b^2*d*f*abs(d) - b^4*c*abs(d)*e + a*b^3*d*abs(d)*e)*sqrt(a*b*c*d*f^2 - a^2*d^2*f^2 - b^2*c*d*f*e + a*b*d^2*f*e)*d) + 2*(sqrt(d*f)*C*a^2*b*c^2*d^3*f^2 - sqrt(d*f)*B*a*b^2*c^2*d^3*f^2 + sqrt(d*f)*A*b^3*c^2*d^3*f^2 - 2*sqrt(d*f)*C*a^2*b*c*d^4*f*e + 2*sqrt(d*f)*B*a*b^2*c*d^4*f*e - 2*sqrt(d*f)*A*b^3*c*d^4*f*e - sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2*C*a^2*b*c*d^2*f + sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2*B*a*b^2*c*d^2*f - sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2*A*b^3*c*d^2*f + 2*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2*C*a^3*d^3*f - 2*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2*B*a^2*b*d^3*f + 2*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2*A*a*b^2*d^3*f + sqrt(d*f)*C*a^2*b*d^5*e^2 - sqrt(d*f)*B*a*b^2*d^5*e^2 + sqrt(d*f)*A*b^3*d^5*e^2 - sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2*C*a^2*b*d^3*e + sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2*B*a*b^2*d^3*e - sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2*A*b^3*d^3*e)/((b*c^2*d^2*f^2 - 2*b*c*d^3*f*e - 2*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2*b*c*d*f + 4*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2*a*d^2*f + b*d^4*e^2 - 2*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2*b*d^2*e + (sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^4*b)*(a*b^3*c*f*abs(d) - a^2*b^2*d*f*abs(d) - b^4*c*abs(d)*e + a*b^3*d*abs(d)*e)) - sqrt(d*f)*C*log((sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2)/(b^2*f*abs(d))
```

maple [B] time = 0.06, size = 2973, normalized size = 11.70

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((C*x^2+B*x+A)/(b*x+a)^2/(d*x+c)^{(1/2)}/(f*x+e)^{(1/2)}, x)$

[Out]
$$\begin{aligned} & -1/2*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}*(-2*B*a*b^3*(d*f)^{(1/2)}*((a^2*d*f-a*b*c*f- \\ & a*b*d*e+b^2*c*e)/b^2)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}+2*A*b^4*(d*f)^{(1/2)}*((a \\ & ^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}-B*\ln((-2 \\ & *a*d*f*x+b*c*f*x+b*d*e*x-a*c*f-a*d*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^ \\ & 2*c*e)/b^2)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)*b}/(b*x+a))*x*a*b^3*d*e*(d*f)^{(1/ \\ & 2)}-2*C*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)})) \\ & /((d*f)^{(1/2)}))*x*a^2*b^2*d*f*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)}+2*C*\ln \\ & (1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)})) \\ & /((d*f)^{(1/2)}))*x*a*b^3*c*f*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)}+2*C*\ln \\ & (1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)})) \\ & /((d*f)^{(1/2)}))*x*a*b^3*d*e*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)}-2*C*\ln \\ & ((-2*a*d*f*x+b*c*f*x+b*d*e*x-a*c*f-a*d*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b*d \\ & e+b^2*c*e)/b^2)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)*b}/(b*x+a))*x*a^3*b*d*f*(d*f)^{(1/2)} \\ & +3*C*\ln((-2*a*d*f*x+b*c*f*x+b*d*e*x-a*c*f-a*d*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a \\ & b*d*e+b^2*c*e)/b^2)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)*b}/(b*x+a))*x*a^2*b^2*c*f \\ & *(d*f)^{(1/2)}+3*C*\ln((-2*a*d*f*x+b*c*f*x+b*d*e*x-a*c*f-a*d*e+2*b*c*e+2*((a^2 \\ & *d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)*b}/(b*x+a)) \\ & *x*a^2*b^2*d*e*(d*f)^{(1/2)}-4*C*\ln((-2*a*d*f*x+b*c*f*x+b*d*e*x-a*c*f-a*d \\ & e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)*b} \\ & /((b*x+a))*x*a*b^3*c*e*(d*f)^{(1/2)}+2*A*\ln((-2*a*d*f*x+b*c*f*x+b*d \\ & e*x-a*c*f-a*d*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)}*((d*x+c) \\ & *(f*x+e))^{(1/2)*b}/(b*x+a))*x*a*b^3*d*f*(d*f)^{(1/2)}-B*\ln((-2*a*d*f*x+b \\ & c*f*x+b*d*e*x-a*c*f-a*d*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)} \\ & *((d*x+c)*(f*x+e))^{(1/2)*b}/(b*x+a))*x*a^2*b^2*(d*f)^{(1/2)}*((a^2*d*f-a*b*c \\ & f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}-2*C*\ln((-2*a*d*f*x \\ & +b*c*f*x+b*d*e*x-a*c*f-a*d*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c \\ & e)/b^2)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)*b}/(b*x+a))*a^4*d*f*(d*f)^{(1/2)} \\ & -A*\ln((-2*a*d*f*x+b*c*f*x+b*d*e*x-a*c*f-a*d*e+2*b*c*e+2*((a^2*d*f-a*b*c \\ & f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)*b}/(b*x+a))*x*b^4*c*f \\ & *(d*f)^{(1/2)}-A*\ln((-2*a*d*f*x+b*c*f*x+b*d*e*x-a*c*f-a*d*e+2*b*c*e+2*((a^2 \\ & *d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)*b}/(b*x+a)) \\ & *x*b^4*d*e*(d*f)^{(1/2)}+2*B*\ln((-2*a*d*f*x+b*c*f*x+b*d*e*x-a*c*f-a*d \\ & e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)*b} \\ & /((b*x+a))*x*b^4*c*e*(d*f)^{(1/2)}-2*C*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c) \\ & *(f*x+e))^{(1/2)}*(d*f)^{(1/2)})) \\ & /((d*f)^{(1/2)}))*x*b^4*c*e*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)}+2*A*\ln \\ & ((-2*a*d*f*x+b*c*f*x+b*d*e*x-a*c*f-a*d*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a \\ & b*d*e+b^2*c*e)/b^2)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)*b}/(b*x+c) \end{aligned}$$

$$\begin{aligned}
& (x+a) \cdot a^2 \cdot b^2 \cdot d \cdot f \cdot (d \cdot f)^{1/2} - A \cdot \ln\left(\frac{-2 \cdot a \cdot d \cdot f \cdot x + b \cdot c \cdot f \cdot x + b \cdot d \cdot e \cdot x - a \cdot c \cdot f - a \cdot d \cdot e + 2 \cdot b \cdot c \cdot e + 2 \cdot (a^2 \cdot d \cdot f - a \cdot b \cdot c \cdot f - a \cdot b \cdot d \cdot e + b^2 \cdot c \cdot e)}{b^2}\right)^{1/2} \cdot ((d \cdot x + c) \cdot (f \cdot x + e))^{1/2} \cdot b / (b \cdot x + a) \\
& \cdot a \cdot b^3 \cdot c \cdot f \cdot (d \cdot f)^{1/2} - A \cdot \ln\left(\frac{-2 \cdot a \cdot d \cdot f \cdot x + b \cdot c \cdot f \cdot x + b \cdot d \cdot e \cdot x - a \cdot c \cdot f - a \cdot d \cdot e + 2 \cdot b \cdot c \cdot e + 2 \cdot (a^2 \cdot d \cdot f - a \cdot b \cdot c \cdot f - a \cdot b \cdot d \cdot e + b^2 \cdot c \cdot e)}{b^2}\right)^{1/2} \cdot ((d \cdot x + c) \cdot (f \cdot x + e))^{1/2} \cdot b / (b \cdot x + a) \\
& \cdot a \cdot b^3 \cdot d \cdot e \cdot (d \cdot f)^{1/2} - B \cdot \ln\left(\frac{-2 \cdot a \cdot d \cdot f \cdot x + b \cdot c \cdot f \cdot x + b \cdot d \cdot e \cdot x - a \cdot c \cdot f - a \cdot d \cdot e + 2 \cdot b \cdot c \cdot e + 2 \cdot (a^2 \cdot d \cdot f - a \cdot b \cdot c \cdot f - a \cdot b \cdot d \cdot e + b^2 \cdot c \cdot e)}{b^2}\right)^{1/2} \cdot ((d \cdot x + c) \cdot (f \cdot x + e))^{1/2} \cdot b / (b \cdot x + a) \\
& \cdot a^2 \cdot b^2 \cdot c \cdot f \cdot (d \cdot f)^{1/2} - B \cdot \ln\left(\frac{-2 \cdot a \cdot d \cdot f \cdot x + b \cdot c \cdot f \cdot x + b \cdot d \cdot e \cdot x - a \cdot c \cdot f - a \cdot d \cdot e + 2 \cdot b \cdot c \cdot e + 2 \cdot (a^2 \cdot d \cdot f - a \cdot b \cdot c \cdot f - a \cdot b \cdot d \cdot e + b^2 \cdot c \cdot e)}{b^2}\right)^{1/2} \cdot ((d \cdot x + c) \cdot (f \cdot x + e))^{1/2} \cdot b / (b \cdot x + a) \\
& \cdot a^2 \cdot b^2 \cdot d \cdot e \cdot (d \cdot f)^{1/2} + 2 \cdot B \cdot \ln\left(\frac{-2 \cdot a \cdot d \cdot f \cdot x + b \cdot c \cdot f \cdot x + b \cdot d \cdot e \cdot x - a \cdot c \cdot f - a \cdot d \cdot e + 2 \cdot b \cdot c \cdot e + 2 \cdot (a^2 \cdot d \cdot f - a \cdot b \cdot c \cdot f - a \cdot b \cdot d \cdot e + b^2 \cdot c \cdot e)}{b^2}\right)^{1/2} \cdot ((d \cdot x + c) \cdot (f \cdot x + e))^{1/2} \cdot b / (b \cdot x + a) \\
& \cdot a \cdot b^3 \cdot c \cdot e \cdot (d \cdot f)^{1/2} - 2 \cdot C \cdot \ln\left(\frac{1}{2} \cdot (2 \cdot d \cdot f \cdot x + c \cdot f + d \cdot e + 2 \cdot ((d \cdot x + c) \cdot (f \cdot x + e))^{1/2} \cdot (d \cdot f)^{1/2})\right) / (d \cdot f)^{1/2} \\
& \cdot a^3 \cdot b \cdot d \cdot f \cdot (a^2 \cdot d \cdot f - a \cdot b \cdot c \cdot f - a \cdot b \cdot d \cdot e + b^2 \cdot c \cdot e) / b^2 + 2 \cdot C \cdot \ln\left(\frac{1}{2} \cdot (2 \cdot d \cdot f \cdot x + c \cdot f + d \cdot e + 2 \cdot ((d \cdot x + c) \cdot (f \cdot x + e))^{1/2} \cdot (d \cdot f)^{1/2})\right) / (d \cdot f)^{1/2} \\
& \cdot a^2 \cdot b^2 \cdot c \cdot f \cdot (a^2 \cdot d \cdot f - a \cdot b \cdot c \cdot f - a \cdot b \cdot d \cdot e + b^2 \cdot c \cdot e) / b^2 + 2 \cdot C \cdot \ln\left(\frac{1}{2} \cdot (2 \cdot d \cdot f \cdot x + c \cdot f + d \cdot e + 2 \cdot ((d \cdot x + c) \cdot (f \cdot x + e))^{1/2} \cdot (d \cdot f)^{1/2})\right) / (d \cdot f)^{1/2} \\
& \cdot a^2 \cdot b^2 \cdot d \cdot e \cdot (a^2 \cdot d \cdot f - a \cdot b \cdot c \cdot f - a \cdot b \cdot d \cdot e + b^2 \cdot c \cdot e) / b^2 - 2 \cdot C \cdot \ln\left(\frac{1}{2} \cdot (2 \cdot d \cdot f \cdot x + c \cdot f + d \cdot e + 2 \cdot ((d \cdot x + c) \cdot (f \cdot x + e))^{1/2} \cdot (d \cdot f)^{1/2})\right) / (d \cdot f)^{1/2} \\
& \cdot a \cdot b^3 \cdot c \cdot e \cdot (a^2 \cdot d \cdot f - a \cdot b \cdot c \cdot f - a \cdot b \cdot d \cdot e + b^2 \cdot c \cdot e) / b^2 + 3 \cdot C \cdot \ln\left(\frac{-2 \cdot a \cdot d \cdot f \cdot x + b \cdot c \cdot f \cdot x + b \cdot d \cdot e \cdot x - a \cdot c \cdot f - a \cdot d \cdot e + 2 \cdot b \cdot c \cdot e + 2 \cdot (a^2 \cdot d \cdot f - a \cdot b \cdot c \cdot f - a \cdot b \cdot d \cdot e + b^2 \cdot c \cdot e)}{b^2}\right)^{1/2} \cdot ((d \cdot x + c) \cdot (f \cdot x + e))^{1/2} \cdot b / (b \cdot x + a) \\
& \cdot a^3 \cdot b \cdot c \cdot f \cdot (d \cdot f)^{1/2} + 3 \cdot C \cdot \ln\left(\frac{-2 \cdot a \cdot d \cdot f \cdot x + b \cdot c \cdot f \cdot x + b \cdot d \cdot e \cdot x - a \cdot c \cdot f - a \cdot d \cdot e + 2 \cdot b \cdot c \cdot e + 2 \cdot (a^2 \cdot d \cdot f - a \cdot b \cdot c \cdot f - a \cdot b \cdot d \cdot e + b^2 \cdot c \cdot e)}{b^2}\right)^{1/2} \cdot ((d \cdot x + c) \cdot (f \cdot x + e))^{1/2} \cdot b / (b \cdot x + a) \\
& \cdot a^3 \cdot b \cdot d \cdot e \cdot (d \cdot f)^{1/2} - 4 \cdot C \cdot \ln\left(\frac{-2 \cdot a \cdot d \cdot f \cdot x + b \cdot c \cdot f \cdot x + b \cdot d \cdot e \cdot x - a \cdot c \cdot f - a \cdot d \cdot e + 2 \cdot b \cdot c \cdot e + 2 \cdot (a^2 \cdot d \cdot f - a \cdot b \cdot c \cdot f - a \cdot b \cdot d \cdot e + b^2 \cdot c \cdot e)}{b^2}\right)^{1/2} \cdot ((d \cdot x + c) \cdot (f \cdot x + e))^{1/2} \cdot b / (b \cdot x + a) \\
& \cdot a^2 \cdot b^2 \cdot c \cdot e \cdot (d \cdot f)^{1/2} / ((d \cdot x + c) \cdot (f \cdot x + e))^{1/2} / (a \cdot d - b \cdot c) / (a \cdot f - b \cdot e) / (b \cdot x + a) / (d \cdot f)^{1/2} / ((a^2 \cdot d \cdot f - a \cdot b \cdot c \cdot f - a \cdot b \cdot d \cdot e + b^2 \cdot c \cdot e) / b^2)^{1/2} / b^3
\end{aligned}$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)/(b*x+a)^2/(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(((-(2*a*d*f)/b^2)>0)', see `assume?` for more details)Is ((-(2*a*d*f)/b^2) + (c*f)/b + (d*e)/b)^2 - (4*d*f * ((a^2*d*f)/b^2 - (a*c*f)/b - (a*d*e)/b + c*e)) / b^2 zero or nonzero?

mupad [F(-1)] time = 0.00, size = -1, normalized size = -0.00

Hanged

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A + B*x + C*x^2)/((e + f*x)^(1/2)*(a + b*x)^2*(c + d*x)^(1/2)),x)
```

```
[Out] \text{Hanged}
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x**2+B*x+A)/(b*x+a)**2/(d*x+c)**(1/2)/(f*x+e)**(1/2),x)
```

```
[Out] Timed out
```


$$3.59 \quad \int \frac{A+Bx+Cx^2}{(a+bx)^3 \sqrt{c+dx} \sqrt{e+fx}} dx$$

Optimal. Leaf size=424

$$\frac{\tanh^{-1}\left(\frac{\sqrt{c+dx}\sqrt{be-af}}{\sqrt{e+fx}\sqrt{bc-ad}}\right)\left(a^2\left(4df(2Adf-B(cf+de))+C\left(3c^2f^2+2cdef+3d^2e^2\right)\right)+ab\left(-2cd\left(4Af^2-7Bef\right)\right)\right)}{4(bc-ad)^{5/2}}$$

[Out] $-1/4*(b^2*(3*A*d^2*e^2-2*c*d*e*(-A*f+2*B*e))+c^2*(3*A*f^2-4*B*e*f+8*C*e^2))+a*b*(d^2*e*(-8*A*f+B*e)-c^2*f*(-B*f+8*C*e)-2*c*d*(4*A*f^2-7*B*e*f+4*C*e^2))+a^2*(C*(3*c^2*f^2+2*c*d*e*f+3*d^2*e^2)+4*d*f*(2*A*d*f-B*(c*f+d*e)))*\arctan\left(\frac{(-a*f+b*e)^{1/2}*(d*x+c)^{1/2}}{(-a*d+b*c)^{1/2}*(f*x+e)^{1/2}}\right)/(-a*d+b*c)^{5/2}/(-a*f+b*e)^{5/2}-1/2*(A*b^2-a*(B*b-C*a))*(d*x+c)^{1/2}*(f*x+e)^{1/2}/b/(-a*d+b*c)/(-a*f+b*e)/(b*x+a)^2+1/4*(2*a^3*C*d*f+a*b^2*(-6*A*d*f+B*c*f+B*d*e+8*C*c*e)-b^3*(4*B*c*e-3*A*(c*f+d*e))+a^2*b*(2*B*d*f-5*C*(c*f+d*e)))*(d*x+c)^{1/2}*(f*x+e)^{1/2}/b/(-a*d+b*c)^2/(-a*f+b*e)^2/(b*x+a)$

Rubi [A] time = 0.97, antiderivative size = 424, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.139$, Rules used = {1613, 151, 12, 93, 208}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{c+dx}\sqrt{be-af}}{\sqrt{e+fx}\sqrt{bc-ad}}\right)\left(a^2\left(4df(2Adf-B(cf+de))+C\left(3c^2f^2+2cdef+3d^2e^2\right)\right)+ab\left(-2cd\left(4Af^2-7Bef\right)\right)\right)}{4(bc-ad)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*x + C*x^2)/((a + b*x)^3*sqrt[c + d*x]*sqrt[e + f*x]),x]

[Out] $-((A*b^2 - a*(b*B - a*C))*\text{sqrt}[c + d*x]*\text{sqrt}[e + f*x])/(2*b*(b*c - a*d)*(b*e - a*f)*(a + b*x)^2) + ((2*a^3*C*d*f + a*b^2*(8*c*C*e + B*d*e + B*c*f - 6*A*d*f) - b^3*(4*B*c*e - 3*A*(d*e + c*f)) + a^2*b*(2*B*d*f - 5*C*(d*e + c*f)))*\text{sqrt}[c + d*x]*\text{sqrt}[e + f*x]/(4*b*(b*c - a*d)^2*(b*e - a*f)^2*(a + b*x)) - ((b^2*(3*A*d^2*e^2 - 2*c*d*e*(2*B*e - A*f)) + c^2*(8*C*e^2 - 4*B*e*f + 3*A*f^2)) + a*b*(d^2*e*(B*e - 8*A*f) - c^2*f*(8*C*e - B*f) - 2*c*d*(4*C*e^2 - 7*B*e*f + 4*A*f^2)) + a^2*(C*(3*d^2*e^2 + 2*c*d*e*f + 3*c^2*f^2) + 4*d*f*(2*A*d*f - B*(d*e + c*f)))*\text{ArcTanh}[\frac{\text{sqrt}[b*e - a*f]*\text{sqrt}[c + d*x]}{\text{sqrt}[b*c - a*d]*\text{sqrt}[e + f*x]}]/(4*(b*c - a*d)^{5/2}*(b*e - a*f)^{5/2})$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 93

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)/((e_.) + (f_.)*(x_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 151

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[((b*g - a*h)*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*Simp[(a*d*f*g - b*(d*e + c*f)*g + b*c*e*h]*(m + 1) - (b*g - a*h)*(d*e*(n + 1) + c*f*(p + 1)) - d*f*(b*g - a*h)*(m + n + p + 3)*x, x], x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && LtQ[m, -1] && IntegerQ[m]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 1613

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] := With[{Qx = PolynomialQuotient[Px, a + b*x, x], R = PolynomialRemainder[Px, a + b*x, x]}, Simp[(b*R*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*ExpandToSum[(m + 1)*(b*c - a*d)*(b*e - a*f)*Qx + a*d*f*R*(m + 1) - b*R*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*R*(m + n + p + 3)*x, x], x], x]] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && PolyQ[Px, x] && ILtQ[m, -1] && IntegersQ[2*m, 2*n, 2*p]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + Bx + Cx^2}{(a + bx)^3 \sqrt{c + dx} \sqrt{e + fx}} dx &= -\frac{(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{2b(bc - ad)(be - af)(a + bx)^2} - \int \frac{\frac{a^2C(de+cf) - ab(4cCe + Bde + Bcf - 4Adf) + b^2(4Bc^2d + 3Cde + 3Cdf)}{2b}}{(a + bx)^3 \sqrt{c + dx} \sqrt{e + fx}} dx \\
&= -\frac{(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{2b(bc - ad)(be - af)(a + bx)^2} + \frac{(2a^3Cdf + ab^2(8cCe + Bde + Bcf))}{2b(bc - ad)(be - af)(a + bx)^2} \\
&= -\frac{(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{2b(bc - ad)(be - af)(a + bx)^2} + \frac{(2a^3Cdf + ab^2(8cCe + Bde + Bcf))}{2b(bc - ad)(be - af)(a + bx)^2} \\
&= -\frac{(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{2b(bc - ad)(be - af)(a + bx)^2} + \frac{(2a^3Cdf + ab^2(8cCe + Bde + Bcf))}{2b(bc - ad)(be - af)(a + bx)^2} \\
&= -\frac{(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{2b(bc - ad)(be - af)(a + bx)^2} + \frac{(2a^3Cdf + ab^2(8cCe + Bde + Bcf))}{2b(bc - ad)(be - af)(a + bx)^2}
\end{aligned}$$

Mathematica [A] time = 2.09, size = 512, normalized size = 1.21

$$\frac{(a(aC - bB) + Ab^2) \left(\frac{(8a^2d^2f^2 - 8abdf(cf + de) + b^2(3c^2f^2 + 2cdef + 3d^2e^2)) \tanh^{-1} \left(\frac{\sqrt{c+dx} \sqrt{af-be}}{\sqrt{e+fx} \sqrt{ad-bc}} \right) + \frac{3b \sqrt{c+dx} \sqrt{e+fx} (-2adf + bcf + bde)}{(a+bx)(bc-ad)(be-af)}}{(ad-bc)^{3/2}(af-be)^{3/2}} \right)}{(bc-ad)(be-af)} - \frac{2b \sqrt{c+dx} \sqrt{e+fx} (a(aC - bB) + Ab^2)}{(a+bx)^2 (bc-ad)(be-af)}$$

$4b^2$

Antiderivative was successfully verified.

[In] Integrate[(A + B*x + C*x^2)/((a + b*x)^3*sqrt[c + d*x]*sqrt[e + f*x]),x]

[Out] ((-2*b*(A*b^2 + a*(-(b*B) + a*C))*sqrt[c + d*x]*sqrt[e + f*x])/((b*c - a*d)*(b*e - a*f)*(a + b*x)^2) - (4*b*(b*B - 2*a*C)*sqrt[c + d*x]*sqrt[e + f*x])/((b*c - a*d)*(b*e - a*f)*(a + b*x)) + (8*C*ArcTanh[(sqrt[-(b*e) + a*f]*sqrt[c + d*x])/(sqrt[-(b*c) + a*d]*sqrt[e + f*x])])/(sqrt[-(b*c) + a*d]*sqrt[-(b*e) + a*f]) - (4*(b*B - 2*a*C)*(b*d*e + b*c*f - 2*a*d*f)*ArcTanh[(sqrt[-(b*e) + a*f]*sqrt[c + d*x])/(sqrt[-(b*c) + a*d]*sqrt[e + f*x])])/(sqrt[-(b*c) + a*d]^3/2*(-(b*e) + a*f)^3/2) + ((A*b^2 + a*(-(b*B) + a*C))*((3*b*(b*d*e + b*c*f - 2*a*d*f)*sqrt[c + d*x]*sqrt[e + f*x])/((b*c - a*d)*(b*e - a*f)*(a + b*x)) + ((8*a^2*d^2*f^2 - 8*a*b*d*f*(d*e + c*f) + b^2*(3*d^2*e^2 + 2*c*d*e*f + 3*c^2*f^2))*ArcTanh[(sqrt[-(b*e) + a*f]*sqrt[c + d*x])/(sqrt[-(b*c) + a*d]*sqrt[e + f*x])])/(sqrt[-(b*c) + a*d]^3/2*(-(b*e) + a*f)^3/2)))/(b*c - a*d)*(b*e - a*f))/(4*b^2)

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(b*x+a)^3/(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="fricas")
```

[Out] Timed out

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(b*x+a)^3/(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="giac")
```

[Out] Timed out

maple [B] time = 0.13, size = 7119, normalized size = 16.79

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((C*x^2+B*x+A)/(b*x+a)^3/(d*x+c)^(1/2)/(f*x+e)^(1/2),x)
```

[Out] result too large to display

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(b*x+a)^3/(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="maxima")
```

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume((a*d-b*c)>0)', see `assume?` for more details)Is (a*d-b*c) *(a*f-b*e) positive, negative or zero?

mupad [F(-1)] time = 0.00, size = -1, normalized size = -0.00

Hanged

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A + B*x + C*x^2)/((e + f*x)^(1/2)*(a + b*x)^3*(c + d*x)^(1/2)),x)
```

```
[Out] \text{Hanged}
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x**2+B*x+A)/(b*x+a)**3/(d*x+c)**(1/2)/(f*x+e)**(1/2),x)
```

```
[Out] Timed out
```

$$3.60 \quad \int \frac{A+Bx+Cx^2}{(a+bx)^4 \sqrt{c+dx} \sqrt{e+fx}} dx$$

Optimal. Leaf size=826

$$\frac{\sqrt{c+dx} \sqrt{e+fx} (Ab^2 - a(bB - aC))}{3b(bc - ad)(be - af)(a + bx)^3} + \frac{(-2df (C(3d^2e^2 + 2cdf e + 3c^2f^2) + 4df(2Adf - B(de + cf))) a^3 + b ($$

[Out] $\frac{1}{8} (b^3 (5A^2d^3e^3 - 3c^2d^2e^2(-Af + 2Be) + c^2d^2e(3A^2f^2 - 4B^2ef + 8C^2e^2) + c^3f^2(5A^2f^2 - 6B^2ef + 8C^2e^2)) + a^2b^2(d^3e^2(-18A^2f + B^2e) - c^3f^2(-B^2f + 4C^2e) - c^2d^2e(12A^2f^2 - 23B^2ef + 4C^2e^2) - c^2d^2f(18A^2f^2 - 23B^2ef + 40C^2e^2)) - 2a^3d^2f(C(3c^2f^2 + 2c^2d^2ef + 3d^2e^2) + 4d^2f(2A^2d^2f - B^2(c^2f + d^2e))) + a^2b(C(c^3f^3 + 23c^2d^2ef^2 + 23c^2d^2e^2f + d^3e^3) + 4d^2f(6A^2d^2f(c^2f + d^2e) - B^2(c^2f^2 + 10c^2d^2ef + d^2e^2))) * \operatorname{arctanh}((-af + b^2e)^{(1/2)}(dx + c)^{(1/2)} / (-ad + b^2c)^{(1/2)} / (fx + e)^{(1/2)} / (-ad + b^2c)^{(7/2)} / (-af + b^2e)^{(7/2)} - 1/3(A^2b^2 - a(B^2b - C^2a)) * (dx + c)^{(1/2)} * (fx + e)^{(1/2)} / b / (-ad + b^2c) / (-af + b^2e) / (bx + a)^3 + 1/12(2a^3C^2d^2f + a^2b^2(-10A^2d^2f + B^2c^2f + B^2d^2e + 12C^2c^2e) - b^3(6B^2c^2e - 5A^2(c^2f + d^2e)) + a^2b(4B^2d^2f - 7C^2(c^2f + d^2e))) * (dx + c)^{(1/2)} * (fx + e)^{(1/2)} / b / (-ad + b^2c)^2 / (-af + b^2e)^2 / (bx + a)^2 + 1/24(4a^4C^2d^2f^2 + 8a^3b^2d^2f(B^2d^2f - 2C^2(c^2f + d^2e)) - b^4(15A^2d^2e^2 - 2c^2d^2e(-7A^2f + 9B^2e) + 3c^2(5A^2f^2 - 6B^2ef + 8C^2e^2)) - a^2b^3(d^2e^2(-44A^2f + 3B^2e) - 3c^2f^2(-B^2f + 4C^2e) - 2c^2d^2(22A^2f^2 - 29B^2ef + 6C^2e^2)) - a^2b^2(C(3c^2f^2 - 34c^2d^2ef + 3d^2e^2) + 2d^2f(22A^2d^2f - 5B^2(c^2f + d^2e)))) * (dx + c)^{(1/2)} * (fx + e)^{(1/2)} / b / (-ad + b^2c)^3 / (-af + b^2e)^3 / (bx + a)$

Rubi [A] time = 2.43, antiderivative size = 826, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.139$, Rules used = {1613, 151, 12, 93, 208}

$$\frac{\sqrt{c+dx} \sqrt{e+fx} (Ab^2 - a(bB - aC))}{3b(bc - ad)(be - af)(a + bx)^3} + \frac{(-2df (C(3d^2e^2 + 2cdf e + 3c^2f^2) + 4df(2Adf - B(de + cf))) a^3 + b ($$

Antiderivative was successfully verified.

[In] Int[(A + B*x + C*x^2)/((a + b*x)^4*Sqrt[c + d*x]*Sqrt[e + f*x]),x]

[Out] $-\frac{((A^2b^2 - a(bB - aC)) * \operatorname{Sqrt}[c + d*x] * \operatorname{Sqrt}[e + f*x]) / (3b^2(b^2c - a^2d) * (b^2e - a^2f) * (a + b*x)^3) + ((2a^3C^2d^2f + a^2b^2(12c^2C^2e + B^2d^2e + B^2c^2f - 10A^2d^2f) - b^3(6B^2c^2e - 5A^2(d^2e + c^2f)) + a^2b^2(4B^2d^2f - 7C^2(d^2e + c^2f))) * \operatorname{Sqrt}[c + d*x] * \operatorname{Sqrt}[e + f*x]) / (12b^2(b^2c - a^2d)^2 * (b^2e - a^2f)^2 * (a + b*x)^2) + ((4a^4C^2d^2f^2 + 8a^3b^2d^2f(B^2d^2f - 2C^2(d^2e + c^2f)) - b^4(15A^2d^2e^2 - 2c^2d^2e(9B^2e - 7A^2f) + 3c^2(8C^2e^2 - 6B^2ef + 5A^2f^2))$

$$\begin{aligned}
& - a*b^3*(d^2*e*(3*B*e - 44*A*f) - 3*c^2*f*(4*C*e - B*f) - 2*c*d*(6*C*e^2 - \\
& 29*B*e*f + 22*A*f^2)) - a^2*b^2*(C*(3*d^2*e^2 - 34*c*d*e*f + 3*c^2*f^2) + \\
& 2*d*f*(22*A*d*f - 5*B*(d*e + c*f))) * \text{Sqrt}[c + d*x] * \text{Sqrt}[e + f*x] / (24*b*(b* \\
& c - a*d)^3*(b*e - a*f)^3*(a + b*x)) + ((b^3*(5*A*d^3*e^3 - 3*c*d^2*e^2*(2*B \\
& *e - A*f) + c^2*d*e*(8*C*e^2 - 4*B*e*f + 3*A*f^2) + c^3*f*(8*C*e^2 - 6*B*e* \\
& f + 5*A*f^2)) + a*b^2*(d^3*e^2*(B*e - 18*A*f) - c^3*f^2*(4*C*e - B*f) - c*d \\
& ^2*e*(4*C*e^2 - 23*B*e*f + 12*A*f^2) - c^2*d*f*(40*C*e^2 - 23*B*e*f + 18*A* \\
& f^2)) - 2*a^3*d*f*(C*(3*d^2*e^2 + 2*c*d*e*f + 3*c^2*f^2) + 4*d*f*(2*A*d*f - \\
& B*(d*e + c*f))) + a^2*b*(C*(d^3*e^3 + 23*c*d^2*e^2*f + 23*c^2*d*e*f^2 + c^ \\
& 3*f^3) + 4*d*f*(6*A*d*f*(d*e + c*f) - B*(d^2*e^2 + 10*c*d*e*f + c^2*f^2)))) \\
& * \text{ArcTanh}[(\text{Sqrt}[b*e - a*f] * \text{Sqrt}[c + d*x]) / (\text{Sqrt}[b*c - a*d] * \text{Sqrt}[e + f*x])] / \\
& (8*(b*c - a*d)^{(7/2)} * (b*e - a*f)^{(7/2)})
\end{aligned}$$

Rule 12

`Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]`

Rule 93

`Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)] / ((e_.) + (f_.)*(x_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]`

Rule 151

`Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[((b*g - a*h)*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1)) / ((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Dist[1 / ((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*Simp[(a*d*f*g - b*(d*e + c*f)*g + b*c*e*h]*(m + 1) - (b*g - a*h)*(d*e*(n + 1) + c*f*(p + 1)) - d*f*(b*g - a*h)*(m + n + p + 3)*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && LtQ[m, -1] && IntegerQ[m]`

Rule 208

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]`

Rule 1613

`Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] := With[{Qx = PolynomialQuotient[Px, a + b*x, x],`

```

R = PolynomialRemainder[Px, a + b*x, x], Simp[(b*R*(a + b*x)^(m + 1)*(c +
d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Di
st[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(
e + f*x)^p*ExpandToSum[(m + 1)*(b*c - a*d)*(b*e - a*f)*Qx + a*d*f*R*(m + 1)
- b*R*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*R*(m + n + p + 3)*x, x],
x], x]] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && PolyQ[Px, x] && ILtQ[m, -
1] && IntegersQ[2*m, 2*n, 2*p]

```

Rubi steps

$$\begin{aligned}
\int \frac{A + Bx + Cx^2}{(a + bx)^4 \sqrt{c + dx} \sqrt{e + fx}} dx &= -\frac{(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{3b(bc - ad)(be - af)(a + bx)^3} - \int \frac{-\frac{a^2 C(de + cf) - ab(6cCe + Bde + Bcf - 6Adf) + b^2(6Bce - a^2 C)}{2b}}{(a + bx)^4 \sqrt{c + dx} \sqrt{e + fx}} dx \\
&= -\frac{(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{3b(bc - ad)(be - af)(a + bx)^3} + \frac{(2a^3 Cdf + ab^2(12cCe + Bde + Bcf - 6Adf)) \sqrt{c + dx} \sqrt{e + fx}}{3b(bc - ad)(be - af)(a + bx)^3} \\
&= -\frac{(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{3b(bc - ad)(be - af)(a + bx)^3} + \frac{(2a^3 Cdf + ab^2(12cCe + Bde + Bcf - 6Adf)) \sqrt{c + dx} \sqrt{e + fx}}{3b(bc - ad)(be - af)(a + bx)^3} \\
&= -\frac{(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{3b(bc - ad)(be - af)(a + bx)^3} + \frac{(2a^3 Cdf + ab^2(12cCe + Bde + Bcf - 6Adf)) \sqrt{c + dx} \sqrt{e + fx}}{3b(bc - ad)(be - af)(a + bx)^3} \\
&= -\frac{(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{3b(bc - ad)(be - af)(a + bx)^3} + \frac{(2a^3 Cdf + ab^2(12cCe + Bde + Bcf - 6Adf)) \sqrt{c + dx} \sqrt{e + fx}}{3b(bc - ad)(be - af)(a + bx)^3} \\
&= -\frac{(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{3b(bc - ad)(be - af)(a + bx)^3} + \frac{(2a^3 Cdf + ab^2(12cCe + Bde + Bcf - 6Adf)) \sqrt{c + dx} \sqrt{e + fx}}{3b(bc - ad)(be - af)(a + bx)^3}
\end{aligned}$$

Mathematica [A] time = 6.11, size = 794, normalized size = 0.96

$$\frac{(a(aC - bB) + Ab^2) \left(\frac{b \sqrt{c + dx} \sqrt{e + fx} (44a^2 d^2 f^2 - 44abd f(c f + de) + b^2 (15c^2 f^2 + 14cdef + 15d^2 e^2))}{(a + bx)(bc - ad)(be - af)} + \frac{3(8a^2 d^2 f^2 - 8abd f(c f + de) + b^2 (5c^2 f^2 - 2cdef + 5d^2 e^2))(-2adf + bcf + bde) \tanh^{-1}\left(\frac{\sqrt{c + dx} \sqrt{e + fx}}{a + bx}\right)}{(ad - bc)^{3/2} (af - be)^{3/2}} \right)}{2(bc - ad)^2 (be - af)^2}$$

Antiderivative was successfully verified.


```
[In] Integrate[(A + B*x + C*x^2)/((a + b*x)^4*Sqrt[c + d*x]*Sqrt[e + f*x]),x]
[Out] -1/12*((4*b*(A*b^2 + a*(-(b*B) + a*C))*Sqrt[c + d*x]*Sqrt[e + f*x])/((b*c -
a*d)*(b*e - a*f)*(a + b*x)^3) + (6*b*(b*B - 2*a*C)*Sqrt[c + d*x]*Sqrt[e +
f*x])/((b*c - a*d)*(b*e - a*f)*(a + b*x)^2) + (12*b*C*Sqrt[c + d*x]*Sqrt[e
+ f*x])/((b*c - a*d)*(b*e - a*f)*(a + b*x)) + (12*C*(b*d*e + b*c*f - 2*a*d*
f)*ArcTanh[(Sqrt[-(b*e) + a*f]*Sqrt[c + d*x])/((Sqrt[-(b*c) + a*d]*Sqrt[e +
f*x])])]/((-b*c) + a*d)^(3/2)*(-(b*e) + a*f)^(3/2)) - (3*(b*B - 2*a*C)*((3*
b*(b*d*e + b*c*f - 2*a*d*f)*Sqrt[c + d*x]*Sqrt[e + f*x])/((b*c - a*d)*(b*e
- a*f)*(a + b*x)) + ((8*a^2*d^2*f^2 - 8*a*b*d*f*(d*e + c*f) + b^2*(3*d^2*e^
2 + 2*c*d*e*f + 3*c^2*f^2))*ArcTanh[(Sqrt[-(b*e) + a*f]*Sqrt[c + d*x])/((Sqr
t[-(b*c) + a*d]*Sqrt[e + f*x])])]/((-b*c) + a*d)^(3/2)*(-(b*e) + a*f)^(3/2)
)))/((b*c - a*d)*(b*e - a*f)) + ((A*b^2 + a*(-(b*B) + a*C))*((-10*b*(b*d*e
+ b*c*f - 2*a*d*f)*Sqrt[c + d*x]*Sqrt[e + f*x])/(a + b*x)^2 + (b*(44*a^2*d^
2*f^2 - 44*a*b*d*f*(d*e + c*f) + b^2*(15*d^2*e^2 + 14*c*d*e*f + 15*c^2*f^2)
)*Sqrt[c + d*x]*Sqrt[e + f*x])/((b*c - a*d)*(b*e - a*f)*(a + b*x)) + (3*(b*
d*e + b*c*f - 2*a*d*f)*(8*a^2*d^2*f^2 - 8*a*b*d*f*(d*e + c*f) + b^2*(5*d^2*
e^2 - 2*c*d*e*f + 5*c^2*f^2))*ArcTanh[(Sqrt[-(b*e) + a*f]*Sqrt[c + d*x])/((S
qrt[-(b*c) + a*d]*Sqrt[e + f*x])])]/((-b*c) + a*d)^(3/2)*(-(b*e) + a*f)^(3/
2))))/(2*(b*c - a*d)^2*(b*e - a*f)^2))/b^2
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(b*x+a)^4/(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm=
"fricas")
```

```
[Out] Timed out
```

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(b*x+a)^4/(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm=
"giac")
```

```
[Out] Timed out
```

maple [B] time = 0.31, size = 18802, normalized size = 22.76

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((C*x^2+B*x+A)/(b*x+a)^4/(d*x+c)^{(1/2)}/(f*x+e)^{(1/2)},x)$

[Out] result too large to display

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((C*x^2+B*x+A)/(b*x+a)^4/(d*x+c)^{(1/2)}/(f*x+e)^{(1/2)},x, \text{algorithm}="maxima")$

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume((a*d-b*c)>0)', see `assume?` for more details)Is (a*d-b*c) *(a*f-b*e) positive, negative or zero?

mupad [F(-1)] time = 0.00, size = -1, normalized size = -0.00

Hanged

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A + B*x + C*x^2)/((e + f*x)^{(1/2)}*(a + b*x)^4*(c + d*x)^{(1/2)}),x)$

[Out] \text{Hanged}

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((C*x**2+B*x+A)/(b*x+a)**4/(d*x+c)**(1/2)/(f*x+e)**(1/2),x)$

[Out] Timed out

3.61 $\int \sqrt{a + bx} \sqrt{c + dx} \sqrt{e + fx} (A + Bx + Cx^2) dx$

Optimal. Leaf size=1182

$$\frac{2C(a + bx)^{3/2}(c + dx)^{3/2}(e + fx)^{3/2}}{9bdf} - \frac{2(2aCdf - b(3Bdf - 2C(de + cf)))\sqrt{a + bx}(c + dx)^{3/2}(e + fx)^{3/2}}{21bd^2f^2} - \frac{2(7bdf}{$$

[Out] $2/9 * C * (b * x + a)^{(3/2)} * (d * x + c)^{(3/2)} * (f * x + e)^{(3/2)} / b / d / f - 2/21 * (2 * a * C * d * f - b * (3 * B * d * f - 2 * C * (c * f + d * e))) * (d * x + c)^{(3/2)} * (f * x + e)^{(3/2)} * (b * x + a)^{(1/2)} / b / d^2 / f^2 - 2 / 105 * (7 * b * d * f * (-3 * A * b * d * f + C * a * c * f + C * a * d * e + C * b * c * e) + (a * d * f - 4 * b * (c * f + d * e))) * (2 * a * C * d * f - b * (3 * B * d * f - 2 * C * (c * f + d * e))) * (f * x + e)^{(3/2)} * (b * x + a)^{(1/2)} * (d * x + c)^{(1/2)} / b^2 / d^2 / f^3 + 2/315 * (8 * a^3 * C * d^3 * f^3 + 3 * a^2 * b * d^2 * f^2 * (-4 * B * d * f - C * c * f + C * d * e) - 3 * a * b^2 * d * f^2 * ((-7 * A * d^2 + C * c^2) * f + B * d * (-2 * c * f + d * e)) - b^3 * (C * (-8 * c^3 * f^3 - 3 * c^2 * d * e * f^2 + 16 * d^3 * e^3) + 3 * d * f * (7 * A * d * f * (-c * f + 2 * d * e) - B * (-4 * c^2 * f^2 - c * d * e * f + 8 * d^2 * e^2)))) * (b * x + a)^{(1/2)} * (d * x + c)^{(1/2)} * (f * x + e)^{(1/2)} / b^3 / d^3 / f^3 - 2/315 * (16 * a^4 * C * d^4 * f^4 - 8 * a^3 * b * d^3 * f^3 * (3 * B * d * f + C * c * f + C * d * e) + 3 * a^2 * b^2 * d^2 * f^2 * (d * f * (14 * A * d * f + 5 * B * c * f + 5 * B * d * e) - 2 * C * (c^2 * f^2 - c * d * e * f + d^2 * e^2)) - a * b^3 * d * f * (C * (8 * c^3 * f^3 - 6 * c^2 * d * e * f^2 - 6 * c * d^2 * e^2 * f + 8 * d^3 * e^3) + 3 * d * f * (14 * A * d * f * (c * f + d * e) - B * (5 * c^2 * f^2 - 6 * c * d * e * f + 5 * d^2 * e^2))) + b^4 * (2 * C * (8 * c^4 * f^4 - 4 * c^3 * d * e * f^3 - 3 * c^2 * d^2 * e^2 * f^2 - 4 * c * d^3 * e^3 * f + 8 * d^4 * e^4) + 3 * d * f * (14 * A * d * f * (c^2 * f^2 - c * d * e * f + d^2 * e^2) - B * (8 * c^3 * f^3 - 5 * c^2 * d * e * f^2 - 5 * c * d^2 * e^2 * f + 8 * d^3 * e^3)))) * EllipticE(d^(1/2) * (b * x + a)^(1/2) / (a * d - b * c)^(1/2), ((-a * d + b * c) * f / d / (-a * f + b * e))^(1/2)) * (a * d - b * c)^(1/2) * (b * (d * x + c) / (-a * d + b * c))^(1/2) * (f * x + e)^(1/2) / b^4 / d^(7/2) / f^4 / (d * x + c)^(1/2) / (b * (f * x + e) / (-a * f + b * e))^(1/2) - 2/315 * (-a * f + b * e) * (-c * f + d * e) * (8 * a^3 * C * d^3 * f^3 + 3 * a^2 * b * d^2 * f^2 * (-4 * B * d * f - C * c * f + C * d * e) - 3 * a * b^2 * d * f^2 * ((-7 * A * d^2 + C * c^2) * f + B * d * (-2 * c * f + d * e)) - b^3 * (C * (-8 * c^3 * f^3 - 3 * c^2 * d * e * f^2 + 16 * d^3 * e^3) + 3 * d * f * (7 * A * d * f * (-c * f + 2 * d * e) - B * (-4 * c^2 * f^2 - c * d * e * f + 8 * d^2 * e^2)))) * EllipticF(d^(1/2) * (b * x + a)^(1/2) / (a * d - b * c)^(1/2), ((-a * d + b * c) * f / d / (-a * f + b * e))^(1/2)) * (a * d - b * c)^(1/2) * (b * (d * x + c) / (-a * d + b * c))^(1/2) * (b * (f * x + e) / (-a * f + b * e))^(1/2) / b^4 / d^(7/2) / f^4 / (d * x + c)^(1/2) / (f * x + e)^(1/2)$

Rubi [A] time = 4.17, antiderivative size = 1154, normalized size of antiderivative = 0.98, number of steps used = 10, number of rules used = 7, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.184$, Rules used = {1615, 154, 158, 114, 113, 121, 120}

$$\frac{2C(a + bx)^{3/2}(c + dx)^{3/2}(e + fx)^{3/2}}{9bdf} + \frac{2(3bBdf - 2aCdf - 2bC(de + cf))\sqrt{a + bx}(c + dx)^{3/2}(e + fx)^{3/2}}{21bd^2f^2} - \frac{2(7bdf}{$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + b*x]*Sqrt[c + d*x]*Sqrt[e + f*x]*(A + B*x + C*x^2),x]

[Out] $(2*((8*a^3*C*d*f)/b - 3*a*b*(B*d*e - 2*B*c*f + (c^2*C*f)/d - 7*A*d*f) + 3*a^2*(C*d*e - c*C*f - 4*B*d*f) + b^2*((3*c^2*C*e)/d - 42*A*d*e - (16*C*d*e^3)/f^2 + 21*A*c*f + (8*c^3*C*f)/d^2 - B*(3*c*e - (24*d*e^2)/f + (12*c^2*f)/d)) * \text{Sqrt}[a + b*x] * \text{Sqrt}[c + d*x] * \text{Sqrt}[e + f*x]) / (315*b^2*d*f) - (2*(7*b*d*f*(b*c*C*e + a*C*d*e + a*c*C*f - 3*A*b*d*f) - (a*d*f - 4*b*(d*e + c*f))*(3*b*B*d*f - 2*a*C*d*f - 2*b*C*(d*e + c*f))) * \text{Sqrt}[a + b*x] * \text{Sqrt}[c + d*x] * (e + f*x)^{(3/2)}) / (105*b^2*d^2*f^3) + (2*(3*b*B*d*f - 2*a*C*d*f - 2*b*C*(d*e + c*f)) * \text{Sqrt}[a + b*x] * (c + d*x)^{(3/2)} * (e + f*x)^{(3/2)}) / (21*b*d^2*f^2) + (2*C*(a + b*x)^{(3/2)} * (c + d*x)^{(3/2)} * (e + f*x)^{(3/2)}) / (9*b*d*f) - (2*\text{Sqrt}[-(b*c) + a*d] * (16*a^4*C*d^4*f^4 - 8*a^3*b*d^3*f^3*(C*d*e + c*C*f + 3*B*d*f) + 3*a^2*b^2*d^2*f^2*(d*f*(5*B*d*e + 5*B*c*f + 14*A*d*f) - 2*C*(d^2*e^2 - c*d*e*f + c^2*f^2)) - a*b^3*d*f*(C*(8*d^3*e^3 - 6*c*d^2*e^2*f - 6*c^2*d*e*f^2 + 8*c^3*f^3) + 3*d*f*(14*A*d*f*(d*e + c*f) - B*(5*d^2*e^2 - 6*c*d*e*f + 5*c^2*f^2))) + b^4*(2*C*(8*d^4*e^4 - 4*c*d^3*e^3*f - 3*c^2*d^2*e^2*f^2 - 4*c^3*d*e*f^3 + 8*c^4*f^4) + 3*d*f*(14*A*d*f*(d^2*e^2 - c*d*e*f + c^2*f^2) - B*(8*d^3*e^3 - 5*c*d^2*e^2*f - 5*c^2*d*e*f^2 + 8*c^3*f^3)))) * \text{Sqrt}[(b*(c + d*x))/(b*c - a*d)] * \text{Sqrt}[e + f*x] * \text{EllipticE}[\text{ArcSin}[(\text{Sqrt}[d] * \text{Sqrt}[a + b*x]) / \text{Sqrt}[-(b*c) + a*d]], ((b*c - a*d)*f) / (d*(b*e - a*f)))] / (315*b^4*d^(7/2)*f^4*\text{Sqrt}[c + d*x] * \text{Sqrt}[(b*(e + f*x))/(b*e - a*f)]) - (2*\text{Sqrt}[-(b*c) + a*d] * (b*e - a*f) * (d*e - c*f) * (8*a^3*C*d^3*f^3 + 3*a^2*b*d^2*f^2*(C*d*e - c*C*f - 4*B*d*f) - 3*a*b^2*d*f^2*((c^2*C - 7*A*d^2)*f + B*d*(d*e - 2*c*f)) - b^3*(C*(16*d^3*e^3 - 3*c^2*d*e*f^2 - 8*c^3*f^3) + 3*d*f*(7*A*d*f*(2*d*e - c*f) - B*(8*d^2*e^2 - c*d*e*f - 4*c^2*f^2)))) * \text{Sqrt}[(b*(c + d*x))/(b*c - a*d)] * \text{Sqrt}[(b*(e + f*x))/(b*e - a*f)]) * \text{EllipticF}[\text{ArcSin}[(\text{Sqrt}[d] * \text{Sqrt}[a + b*x]) / \text{Sqrt}[-(b*c) + a*d]], ((b*c - a*d)*f) / (d*(b*e - a*f)))] / (315*b^4*d^(7/2)*f^4*\text{Sqrt}[c + d*x] * \text{Sqrt}[e + f*x])$

Rule 113

Int[Sqrt[(e_.) + (f_.)*(x_.)]/(Sqrt[(a_.) + (b_.)*(x_.)]*Sqrt[(c_.) + (d_.)*(x_.)]), x_Symbol] :> Simp[(2*Rt[-((b*e - a*f)/d), 2]*EllipticE[ArcSin[Sqrt[a + b*x]/Rt[-((b*c - a*d)/d), 2]], (f*(b*c - a*d))/(d*(b*e - a*f)))]/b, x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[b/(b*c - a*d), 0] && GtQ[b/(b*e - a*f), 0] && !LtQ[-((b*c - a*d)/d), 0] && !(SimplerQ[c + d*x, a + b*x] && GtQ[-(d/(b*c - a*d)), 0] && GtQ[d/(d*e - c*f), 0] && !LtQ[(b*c - a*d)/b, 0])

Rule 114

Int[Sqrt[(e_.) + (f_.)*(x_.)]/(Sqrt[(a_.) + (b_.)*(x_.)]*Sqrt[(c_.) + (d_.)*(x_.)]), x_Symbol] :> Dist[(Sqrt[e + f*x]*Sqrt[(b*(c + d*x))/(b*c - a*d)])/(Sqrt[c + d*x]*Sqrt[(b*(e + f*x))/(b*e - a*f)]), Int[Sqrt[(b*e)/(b*e - a*f) + (b*f*x)/(b*e - a*f)]/(Sqrt[a + b*x]*Sqrt[(b*c)/(b*c - a*d) + (b*d*x)/(b*c - a*d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !(GtQ[b/(b*c - a*d), 0] && GtQ[b/(b*e - a*f), 0]) && !LtQ[-((b*c - a*d)/d), 0]

Rule 120

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)]*Sqrt[(c_) + (d_.)*(x_)]*Sqrt[(e_) + (f_.)*(x_)]), x_Symbol] := Simp[(2*Rt[-(b/d), 2]*EllipticF[ArcSin[Sqrt[a + b*x]/(Rt[-(b/d), 2]*Sqrt[(b*c - a*d)/b])], (f*(b*c - a*d))/(d*(b*e - a*f)))]/(b*Sqrt[(b*e - a*f)/b]), x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[b/(b*c - a*d), 0] && GtQ[b/(b*e - a*f), 0] && SimplerQ[a + b*x, c + d*x] && SimplerQ[a + b*x, e + f*x] && (PosQ[-((b*c - a*d)/d)] || NegQ[-((b*e - a*f)/f)])
```

Rule 121

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)]*Sqrt[(c_) + (d_.)*(x_)]*Sqrt[(e_) + (f_.)*(x_)]), x_Symbol] := Dist[Sqrt[(b*(c + d*x))/(b*c - a*d)]/Sqrt[c + d*x], Int[1/(Sqrt[a + b*x]*Sqrt[(b*c)/(b*c - a*d) + (b*d*x)/(b*c - a*d)]*Sqrt[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[(b*c - a*d)/b, 0] && SimplerQ[a + b*x, c + d*x] && SimplerQ[a + b*x, e + f*x]
```

Rule 154

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[(h*(a + b*x)^m*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(m + n + p + 2)), x] + Dist[1/(d*f*(m + n + p + 2)), Int[(a + b*x)^(m - 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*g*(m + n + p + 2) - h*(b*c*e*m + a*(d*e*(n + 1) + c*f*(p + 1)) + (b*d*f*g*(m + n + p + 2) + h*(a*d*f*m - b*(d*e*(m + n + 1) + c*f*(m + p + 1)))]*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p + 2, 0] && IntegersQ[2*m, 2*n, 2*p]
```

Rule 158

```
Int[((g_.) + (h_.)*(x_))/(Sqrt[(a_.) + (b_.)*(x_)]*Sqrt[(c_) + (d_.)*(x_)]*Sqrt[(e_) + (f_.)*(x_)]), x_Symbol] := Dist[h/f, Int[Sqrt[e + f*x]/(Sqrt[a + b*x]*Sqrt[c + d*x]), x], x] + Dist[(f*g - e*h)/f, Int[1/(Sqrt[a + b*x]*Sqrt[c + d*x]*Sqrt[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && SimplerQ[a + b*x, e + f*x] && SimplerQ[c + d*x, e + f*x]
```

Rule 1615

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := With[{q = Expon[Px, x], k = Coeff[Px, x, Expon[Px, x]]}, Simp[(k*(a + b*x)^(m + q - 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*b^(q - 1)*(m + n + p + q + 1)), x] + Dist[1/(d*f*b^q*(m + n + p + q + 1)), Int[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p*ExpandToSum[d*f*b^q*(m + n + p + q + 1)*Px - d*f*k*(m + n + p + q + 1)*(a + b*x)^q + k*(a + b*x)^(q -
```


Mathematica [C] time = 17.30, size = 11933, normalized size = 10.10

Result too large to show

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + b*x]*Sqrt[c + d*x]*Sqrt[e + f*x]*(A + B*x + C*x^2), x]

[Out] Result too large to show

fricas [F] time = 0.95, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(Cx^2 + Bx + A\right)\sqrt{bx + a}\sqrt{dx + c}\sqrt{fx + e}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^(1/2)*(C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2), x, algorithm="fricas")

[Out] integral((C*x^2 + B*x + A)*sqrt(b*x + a)*sqrt(d*x + c)*sqrt(f*x + e), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (Cx^2 + Bx + A)\sqrt{bx + a}\sqrt{dx + c}\sqrt{fx + e} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^(1/2)*(C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2), x, algorithm="giac")

[Out] integrate((C*x^2 + B*x + A)*sqrt(b*x + a)*sqrt(d*x + c)*sqrt(f*x + e), x)

maple [B] time = 0.09, size = 14778, normalized size = 12.50

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x+a)^(1/2)*(C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2), x)

[Out] result too large to display

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (Cx^2 + Bx + A)\sqrt{bx + a}\sqrt{dx + c}\sqrt{fx + e} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^(1/2)*(C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2),x, algorithm="maxima")

[Out] integrate((C*x^2 + B*x + A)*sqrt(b*x + a)*sqrt(d*x + c)*sqrt(f*x + e), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \sqrt{e + f x} \sqrt{a + b x} \sqrt{c + d x} (C x^2 + B x + A) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e + f*x)^(1/2)*(a + b*x)^(1/2)*(c + d*x)^(1/2)*(A + B*x + C*x^2),x)

[Out] int((e + f*x)^(1/2)*(a + b*x)^(1/2)*(c + d*x)^(1/2)*(A + B*x + C*x^2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{a + b x} \sqrt{c + d x} \sqrt{e + f x} (A + B x + C x^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)**(1/2)*(C*x**2+B*x+A)*(d*x+c)**(1/2)*(f*x+e)**(1/2),x)

[Out] Integral(sqrt(a + b*x)*sqrt(c + d*x)*sqrt(e + f*x)*(A + B*x + C*x**2), x)

$$3.62 \quad \int \frac{\sqrt{c+dx} \sqrt{e+fx} (A+Bx+Cx^2)}{\sqrt{a+bx}} dx$$

Optimal. Leaf size=774

$$\frac{2\sqrt{ad-bc}(be-af)(de-cf)\sqrt{\frac{b(c+dx)}{bc-ad}}\sqrt{\frac{b(e+fx)}{be-af}}(24a^2Cd^2f^2+abdf(-28Bdf-5cCf+13Cde)-b^2(7df(-5d^2f^2+2df+e)))}{105b^4d^{5/2}f^3\sqrt{c+dx}\sqrt{e+fx}}$$

[Out] $2/7*C*(d*x+c)^{(3/2)}*(f*x+e)^{(3/2)}*(b*x+a)^{(1/2)}/b/d/f-2/35*(6*a*C*d*f-b*(7*B*d*f-4*C*(c*f+d*e)))*(f*x+e)^{(3/2)}*(b*x+a)^{(1/2)}*(d*x+c)^{(1/2)}/b^2/d/f^2-2/105*(5*b*d*f*(3*a*C*(c*f+d*e)+b*(-7*A*d*f+C*c*e))-(4*a*d*f-b*c*f+2*b*d*e)*(6*a*C*d*f-b*(7*B*d*f-4*C*(c*f+d*e))))*(b*x+a)^{(1/2)}*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/b^3/d^2/f^2-2/105*(3*b*d*f*(5*b*c*f*(3*a*C*(c*f+d*e)+b*(-7*A*d*f+C*c*e))-(3*a*c*f+a*d*e+b*c*e)*(6*a*C*d*f-b*(7*B*d*f-4*C*(c*f+d*e))))+2*(1/2*b*d*e-(a*d+b*c)*f)*(5*b*d*f*(3*a*C*(c*f+d*e)+b*(-7*A*d*f+C*c*e))-(4*a*d*f-b*c*f+2*b*d*e)*(6*a*C*d*f-b*(7*B*d*f-4*C*(c*f+d*e))))*EllipticE(d^(1/2)*(b*x+a)^(1/2)/(a*d-b*c)^(1/2),((-a*d+b*c)*f/d/(-a*f+b*e))^(1/2))*(a*d-b*c)^(1/2)*(b*(d*x+c)/(-a*d+b*c))^(1/2)*(f*x+e)^(1/2)/b^4/d^(5/2)/f^3/(d*x+c)^(1/2)/(b*(f*x+e)/(-a*f+b*e))^(1/2)-2/105*(-a*f+b*e)*(-c*f+d*e)*(24*a^2*C*d^2*f^2+a*b*d*f*(-28*B*d*f-5*C*c*f+13*C*d*e)-b^2*(7*d*f*(-5*A*d*f-B*c*f+2*B*d*e)-C*(-4*c^2*f^2-c*d*e*f+8*d^2*e^2)))*EllipticF(d^(1/2)*(b*x+a)^(1/2)/(a*d-b*c)^(1/2),((-a*d+b*c)*f/d/(-a*f+b*e))^(1/2))*(a*d-b*c)^(1/2)*(b*(d*x+c)/(-a*d+b*c))^(1/2)*(b*(f*x+e)/(-a*f+b*e))^(1/2)/b^4/d^(5/2)/f^3/(d*x+c)^(1/2)/(f*x+e)^(1/2)$

Rubi [A] time = 2.23, antiderivative size = 769, normalized size of antiderivative = 0.99, number of steps used = 9, number of rules used = 7, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.184$, Rules used = {1615, 154, 158, 114, 113, 121, 120}

$$\frac{2\sqrt{ad-bc}(be-af)(de-cf)\sqrt{\frac{b(c+dx)}{bc-ad}}\sqrt{\frac{b(e+fx)}{be-af}}(24a^2Cd^2f^2+abdf(-28Bdf-5cCf+13Cde)+b^2(-7df(-5d^2f^2+2df+e)))}{105b^4d^{5/2}f^3\sqrt{c+dx}\sqrt{e+fx}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[c + d*x]*Sqrt[e + f*x]*(A + B*x + C*x^2))/Sqrt[a + b*x], x]

[Out] $(-2*(((2*b*d*e - b*c*f + 4*a*d*f)*(7*b*B*d*f - 6*a*C*d*f - 4*b*C*(d*e + c*f)))/b*d*f + 5*(3*a*C*(d*e + c*f) + b*(c*C*e - 7*A*d*f)))*Sqrt[a + b*x]*Sqrt[c + d*x]*Sqrt[e + f*x])/(105*b^2*d*f) + (2*(7*b*B*d*f - 6*a*C*d*f - 4*b*C*(d*e + c*f))*Sqrt[a + b*x]*Sqrt[c + d*x]*(e + f*x)^(3/2))/(35*b^2*d*f^2)$

$$\begin{aligned}
& + (2*C*\text{Sqrt}[a + b*x]*(c + d*x)^{(3/2)}*(e + f*x)^{(3/2)})/(7*b*d*f) - (2*\text{Sqrt}[- \\
& (b*c) + a*d]*(3*b*d*f*((b*c*e + a*d*e + 3*a*c*f)*(7*b*B*d*f - 6*a*C*d*f - 4 \\
& *b*C*(d*e + c*f)) + 5*b*c*f*(3*a*C*(d*e + c*f) + b*(c*C*e - 7*A*d*f))) + 2* \\
& ((b*d*e)/2 - (b*c + a*d)*f)*((2*b*d*e - b*c*f + 4*a*d*f)*(7*b*B*d*f - 6*a*C \\
& *d*f - 4*b*C*(d*e + c*f)) + 5*b*d*f*(3*a*C*(d*e + c*f) + b*(c*C*e - 7*A*d*f \\
&)))*\text{Sqrt}[(b*(c + d*x))/(b*c - a*d)]*\text{Sqrt}[e + f*x]*\text{EllipticE}[\text{ArcSin}[(\text{Sqrt}[d \\
&]*\text{Sqrt}[a + b*x])/(\text{Sqrt}[-(b*c) + a*d]), ((b*c - a*d)*f)/(d*(b*e - a*f)))]/(10 \\
& 5*b^4*d^{(5/2)}*f^3*\text{Sqrt}[c + d*x]*\text{Sqrt}[(b*(e + f*x))/(b*e - a*f)]) - (2*\text{Sqrt}[- \\
& (b*c) + a*d]*(b*e - a*f)*(d*e - c*f)*(24*a^2*C*d^2*f^2 + a*b*d*f*(13*C*d*e \\
& - 5*c*C*f - 28*B*d*f) - b^2*(7*d*f*(2*B*d*e - B*c*f - 5*A*d*f) - C*(8*d^2* \\
& e^2 - c*d*e*f - 4*c^2*f^2)))*\text{Sqrt}[(b*(c + d*x))/(b*c - a*d)]*\text{Sqrt}[(b*(e + f \\
& *x))/(b*e - a*f)]*\text{EllipticF}[\text{ArcSin}[(\text{Sqrt}[d]*\text{Sqrt}[a + b*x])/(\text{Sqrt}[-(b*c) + a \\
& d]), ((b*c - a*d)*f)/(d*(b*e - a*f)))]/(105*b^4*d^{(5/2)}*f^3*\text{Sqrt}[c + d*x]*\text{S} \\
& \text{qrt}[e + f*x])
\end{aligned}$$

Rule 113

```

Int[Sqrt[(e_.) + (f_.)*(x_.)]/(Sqrt[(a_.) + (b_.)*(x_.)]*Sqrt[(c_.) + (d_.)*(x_.
)]), x_Symbol] := Simp[(2*Rt[-((b*e - a*f)/d), 2]*EllipticE[ArcSin[Sqrt[a +
b*x]/Rt[-((b*c - a*d)/d), 2]], (f*(b*c - a*d))/(d*(b*e - a*f))]/b, x] /;
FreeQ[{a, b, c, d, e, f}, x] && GtQ[b/(b*c - a*d), 0] && GtQ[b/(b*e - a*f),
0] && !LtQ[-((b*c - a*d)/d), 0] && !(SimplerQ[c + d*x, a + b*x] && GtQ[-
(d/(b*c - a*d)), 0] && GtQ[d/(d*e - c*f), 0] && !LtQ[(b*c - a*d)/b, 0])

```

Rule 114

```

Int[Sqrt[(e_.) + (f_.)*(x_.)]/(Sqrt[(a_.) + (b_.)*(x_.)]*Sqrt[(c_.) + (d_.)*(x_.
)]), x_Symbol] := Dist[(Sqrt[e + f*x]*Sqrt[(b*(c + d*x))/(b*c - a*d)])/(Sqr
t[c + d*x]*Sqrt[(b*(e + f*x))/(b*e - a*f)]), Int[Sqrt[(b*e)/(b*e - a*f) + (
b*f*x)/(b*e - a*f)]/(Sqrt[a + b*x]*Sqrt[(b*c)/(b*c - a*d) + (b*d*x)/(b*c -
a*d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !(GtQ[b/(b*c - a*d), 0]
&& GtQ[b/(b*e - a*f), 0]) && !LtQ[-((b*c - a*d)/d), 0]

```

Rule 120

```

Int[1/(Sqrt[(a_.) + (b_.)*(x_.)]*Sqrt[(c_.) + (d_.)*(x_.)]*Sqrt[(e_.) + (f_.)*(x
_.)]), x_Symbol] := Simp[(2*Rt[-(b/d), 2]*EllipticF[ArcSin[Sqrt[a + b*x]/(Rt
[-(b/d), 2]*Sqrt[(b*c - a*d)/b])], (f*(b*c - a*d))/(d*(b*e - a*f)))]/(b*Sqr
t[(b*e - a*f)/b]), x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[b/(b*c - a*d),
0] && GtQ[b/(b*e - a*f), 0] && SimplerQ[a + b*x, c + d*x] && SimplerQ[a +
b*x, e + f*x] && (PosQ[-((b*c - a*d)/d)] || NegQ[-((b*e - a*f)/f)])

```

Rule 121

```

Int[1/(Sqrt[(a_.) + (b_.)*(x_.)]*Sqrt[(c_.) + (d_.)*(x_.)]*Sqrt[(e_.) + (f_.)*(x
_.)]), x_Symbol] := Dist[Sqrt[(b*(c + d*x))/(b*c - a*d)]/Sqrt[c + d*x], Int[

```

```
1/(Sqrt[a + b*x]*Sqrt[(b*c)/(b*c - a*d) + (b*d*x)/(b*c - a*d)]*Sqrt[e + f*x
]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[(b*c - a*d)/b, 0] && Si
mplerQ[a + b*x, c + d*x] && SimplerQ[a + b*x, e + f*x]
```

Rule 154

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_
))^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[(h*(a + b*x)^m*(c + d*x)^(n
+ 1)*(e + f*x)^(p + 1))/(d*f*(m + n + p + 2)), x] + Dist[1/(d*f*(m + n + p
+ 2)), Int[(a + b*x)^(m - 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*g*(m + n +
p + 2) - h*(b*c*e*m + a*(d*e*(n + 1) + c*f*(p + 1))) + (b*d*f*g*(m + n + p
+ 2) + h*(a*d*f*m - b*(d*e*(m + n + 1) + c*f*(m + p + 1)))]*x, x], x] /
; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p +
2, 0] && IntegersQ[2*m, 2*n, 2*p]
```

Rule 158

```
Int[((g_.) + (h_.)*(x_))/(Sqrt[(a_.) + (b_.)*(x_)]*Sqrt[(c_.) + (d_.)*(x_)]*
Sqrt[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[h/f, Int[Sqrt[e + f*x]/(Sqrt[a
+ b*x]*Sqrt[c + d*x]), x], x] + Dist[(f*g - e*h)/f, Int[1/(Sqrt[a + b*x]*Sq
rt[c + d*x]*Sqrt[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] &&
SimplerQ[a + b*x, e + f*x] && SimplerQ[c + d*x, e + f*x]
```

Rule 1615

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f
_.)*(x_))^(p_), x_Symbol] := With[{q = Expon[Px, x], k = Coeff[Px, x, Expo
n[Px, x]]}, Simp[(k*(a + b*x)^(m + q - 1)*(c + d*x)^(n + 1)*(e + f*x)^(p +
1))/(d*f*b^(q - 1)*(m + n + p + q + 1)), x] + Dist[1/(d*f*b^q*(m + n + p +
q + 1)), Int[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p*ExpandToSum[d*f*b^q*(m + n
+ p + q + 1)*Px - d*f*k*(m + n + p + q + 1)*(a + b*x)^q + k*(a + b*x)^(q -
2)*(a^2*d*f*(m + n + p + q + 1) - b*(b*c*e*(m + q - 1) + a*(d*e*(n + 1) +
c*f*(p + 1))) + b*(a*d*f*(2*(m + q) + n + p) - b*(d*e*(m + q + n) + c*f*(m
+ q + p)))*x), x], x], x] /; NeQ[m + n + p + q + 1, 0] /; FreeQ[{a, b, c,
d, e, f, m, n, p}, x] && PolyQ[Px, x] && IntegersQ[2*m, 2*n, 2*p]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{c+dx} \sqrt{e+fx} (A+Bx+Cx^2)}{\sqrt{a+bx}} dx &= \frac{2C\sqrt{a+bx}(c+dx)^{3/2}(e+fx)^{3/2}}{7bdf} + \frac{2 \int \frac{\sqrt{c+dx} \sqrt{e+fx} \left(-\frac{1}{2}b(3aC(de+cf)+b(cC\right)}{7bdf}}{7bdf}}{7bdf} \\
&= \frac{2(7bBdf - 6aCdf - 4bC(de+cf))\sqrt{a+bx} \sqrt{c+dx} (e+fx)^{3/2}}{35b^2df^2} + \frac{2C}{7bdf} \\
&= -\frac{2((2bde - bcf + 4adf)(7bBdf - 6aCdf - 4bC(de+cf)) + 5bdf(3aC))}{105b^3d^2f^2} \\
&= -\frac{2((2bde - bcf + 4adf)(7bBdf - 6aCdf - 4bC(de+cf)) + 5bdf(3aC))}{105b^3d^2f^2} \\
&= -\frac{2((2bde - bcf + 4adf)(7bBdf - 6aCdf - 4bC(de+cf)) + 5bdf(3aC))}{105b^3d^2f^2} \\
&= -\frac{2((2bde - bcf + 4adf)(7bBdf - 6aCdf - 4bC(de+cf)) + 5bdf(3aC))}{105b^3d^2f^2} \\
&= -\frac{2((2bde - bcf + 4adf)(7bBdf - 6aCdf - 4bC(de+cf)) + 5bdf(3aC))}{105b^3d^2f^2} \\
&= -\frac{2((2bde - bcf + 4adf)(7bBdf - 6aCdf - 4bC(de+cf)) + 5bdf(3aC))}{105b^3d^2f^2}
\end{aligned}$$

Mathematica [C] time = 13.39, size = 917, normalized size = 1.18

$$\frac{2 \left(\sqrt{\frac{bc}{d}} - a \left((C(-8d^3e^3 + 5cd^2fe^2 + 5c^2df^2e - 8c^3f^3)) - 7df(5Adf(de+cf) - 2B(d^2e^2 - cdfe + c^2f^2)) \right) \right) b^3 + \dots}{\dots}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[c + d*x]*Sqrt[e + f*x]*(A + B*x + C*x^2))/Sqrt[a + b*x],x]

```
[Out] (-2*(b^2*Sqrt[-a + (b*c)/d]*(48*a^3*C*d^3*f^3 - 8*a^2*b*d^2*f^2*(7*B*d*f +
2*C*(d*e + c*f)) + a*b^2*d*f*(7*d*f*(3*B*d*e + 3*B*c*f + 10*A*d*f) + C*(-9*
d^2*e^2 + 8*c*d*e*f - 9*c^2*f^2)) + b^3*(C*(-8*d^3*e^3 + 5*c*d^2*e^2*f + 5*
c^2*d*e*f^2 - 8*c^3*f^3) - 7*d*f*(5*A*d*f*(d*e + c*f) - 2*B*(d^2*e^2 - c*d*
e*f + c^2*f^2))))*(c + d*x)*(e + f*x) + b^2*Sqrt[-a + (b*c)/d]*d*f*(a + b*x
)*(c + d*x)*(e + f*x)*(-24*a^2*C*d^2*f^2 + a*b*d*f*(28*B*d*f + C*(5*d*e + 5
*c*f + 18*d*f*x)) + b^2*(-7*d*f*(B*c*f + 5*A*d*f + B*d*(e + 3*f*x)) + C*(4*
c^2*f^2 - c*d*f*(2*e + 3*f*x) + d^2*(4*e^2 - 3*e*f*x - 15*f^2*x^2)))) + I*(
b*c - a*d)*f*(48*a^3*C*d^3*f^3 - 8*a^2*b*d^2*f^2*(7*B*d*f + 2*C*(d*e + c*f)
) + a*b^2*d*f*(7*d*f*(3*B*d*e + 3*B*c*f + 10*A*d*f) + C*(-9*d^2*e^2 + 8*c*d
*e*f - 9*c^2*f^2)) + b^3*(C*(-8*d^3*e^3 + 5*c*d^2*e^2*f + 5*c^2*d*e*f^2 - 8
*c^3*f^3) - 7*d*f*(5*A*d*f*(d*e + c*f) - 2*B*(d^2*e^2 - c*d*e*f + c^2*f^2)
))* (a + b*x)^(3/2)*Sqrt[(b*(c + d*x))/(d*(a + b*x))]*Sqrt[(b*(e + f*x))/(f*
(a + b*x))]*EllipticE[I*ArcSinh[Sqrt[-a + (b*c)/d]/Sqrt[a + b*x]], (b*d*e -
a*d*f)/(b*c*f - a*d*f)] - I*b*(b*c - a*d)*f*(d*e - c*f)*(24*a^2*C*d^2*f^2
+ a*b*d*f*(-5*C*d*e + 13*c*C*f - 28*B*d*f) + b^2*(7*d*f*(B*d*e - 2*B*c*f +
5*A*d*f) - C*(4*d^2*e^2 + c*d*e*f - 8*c^2*f^2)))*(a + b*x)^(3/2)*Sqrt[(b*(c
+ d*x))/(d*(a + b*x))]*Sqrt[(b*(e + f*x))/(f*(a + b*x))]*EllipticF[I*ArcSi
nh[Sqrt[-a + (b*c)/d]/Sqrt[a + b*x]], (b*d*e - a*d*f)/(b*c*f - a*d*f)))/(1
05*b^5*Sqrt[-a + (b*c)/d]*d^3*f^3*Sqrt[a + b*x]*Sqrt[c + d*x]*Sqrt[e + f*x]
)
```

fricas [F] time = 0.82, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(Cx^2 + Bx + A)\sqrt{dx + c}\sqrt{fx + e}}{\sqrt{bx + a}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2)/(b*x+a)^(1/2),x, algori
thm="fricas")
```

```
[Out] integral((C*x^2 + B*x + A)*sqrt(d*x + c)*sqrt(f*x + e)/sqrt(b*x + a), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Cx^2 + Bx + A)\sqrt{dx + c}\sqrt{fx + e}}{\sqrt{bx + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2)/(b*x+a)^(1/2),x, algori
thm="giac")
```

```
[Out] integrate((C*x^2 + B*x + A)*sqrt(d*x + c)*sqrt(f*x + e)/sqrt(b*x + a), x)
```

maple [B] time = 0.05, size = 10268, normalized size = 13.27

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2)/(b*x+a)^(1/2),x)`

[Out] result too large to display

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Cx^2 + Bx + A)\sqrt{dx + c}\sqrt{fx + e}}{\sqrt{bx + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2)/(b*x+a)^(1/2),x, algorithm="maxima")`

[Out] `integrate((C*x^2 + B*x + A)*sqrt(d*x + c)*sqrt(f*x + e)/sqrt(b*x + a), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{e + fx} \sqrt{c + dx} (Cx^2 + Bx + A)}{\sqrt{a + bx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((e + f*x)^(1/2)*(c + d*x)^(1/2)*(A + B*x + C*x^2))/(a + b*x)^(1/2),x)`

[Out] `int(((e + f*x)^(1/2)*(c + d*x)^(1/2)*(A + B*x + C*x^2))/(a + b*x)^(1/2), x)`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x**2+B*x+A)*(d*x+c)**(1/2)*(f*x+e)**(1/2)/(b*x+a)**(1/2),x)`

[Out] Timed out

$$3.63 \quad \int \frac{\sqrt{c+dx} \sqrt{e+fx} (A+Bx+Cx^2)}{(a+bx)^{3/2}} dx$$

Optimal. Leaf size=706

$$\frac{2\sqrt{ad-bc}(de-cf)\sqrt{\frac{b(c+dx)}{bc-ad}}\sqrt{\frac{b(e+fx)}{be-af}}(24a^2Cdf^2-abf(20Bdf+cCf+7Cde)+b^2(5df(3Af+Be)-Ce(2de-cf))}{15b^4d^{3/2}f^2\sqrt{c+dx}\sqrt{e+fx}}$$

[Out] $-2*(A*b^2-a*(B*b-C*a))*(d*x+c)^{(3/2)}*(f*x+e)^{(3/2)}/b/(-a*d+b*c)/(-a*f+b*e)/(b*x+a)^{(1/2)}+2/5*(6*a^2*C*d*f+b^2*(5*A*d*f+C*c*e)-a*b*(5*B*d*f+C*c*f+C*d*e))*(f*x+e)^{(3/2)}*(b*x+a)^{(1/2)}*(d*x+c)^{(1/2)}/b^2/(-a*d+b*c)/f/(-a*f+b*e)+2/15*(24*a^2*C*d*f^2-a*b*f*(20*B*d*f+C*c*f+7*C*d*e)+b^2*(5*d*f*(3*A*f+B*e)-C*e*(-c*f+2*d*e)))*(b*x+a)^{(1/2)}*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/b^3/d/f/(-a*f+b*e)+2/15*(48*a^2*C*d^2*f^2-8*a*b*d*f*(5*B*d*f+C*c*f+C*d*e)+b^2*(5*d*f*(6*A*d*f+B*c*f+B*d*e)-2*C*(c^2*f^2-c*d*e*f+d^2*e^2)))*EllipticE(d^{(1/2)}*(b*x+a)^{(1/2)}/(a*d-b*c)^{(1/2)},((-a*d+b*c)*f/d/(-a*f+b*e))^{(1/2)})*(a*d-b*c)^{(1/2)}*(b*(d*x+c)/(-a*d+b*c))^{(1/2)}*(f*x+e)^{(1/2)}/b^4/d^{(3/2)}/f^2/(d*x+c)^{(1/2)}/(b*(f*x+e)/(-a*f+b*e))^{(1/2)}-2/15*(-c*f+d*e)*(24*a^2*C*d*f^2-a*b*f*(20*B*d*f+C*c*f+7*C*d*e)+b^2*(5*d*f*(3*A*f+B*e)-C*e*(-c*f+2*d*e)))*EllipticF(d^{(1/2)}*(b*x+a)^{(1/2)}/(a*d-b*c)^{(1/2)},((-a*d+b*c)*f/d/(-a*f+b*e))^{(1/2)})*(a*d-b*c)^{(1/2)}*(b*(d*x+c)/(-a*d+b*c))^{(1/2)}*(b*(f*x+e)/(-a*f+b*e))^{(1/2)}/b^4/d^{(3/2)}/f^2/(d*x+c)^{(1/2)}/(f*x+e)^{(1/2)}$

Rubi [A] time = 1.84, antiderivative size = 706, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.184$, Rules used = {1614, 154, 158, 114, 113, 121, 120}

$$\frac{2\sqrt{e+fx}\sqrt{ad-bc}\sqrt{\frac{b(c+dx)}{bc-ad}}(48a^2Cd^2f^2-8abdf(5Bdf+cCf+Cde)+b^2(5df(6Adf+Bcf+Bde)-2C(c^2d^2+e^2))}{15b^4d^{3/2}f^2\sqrt{c+dx}\sqrt{\frac{b(e+fx)}{be-af}}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[c + d*x]*Sqrt[e + f*x]*(A + B*x + C*x^2))/(a + b*x)^(3/2), x]

[Out] $(2*(24*a^2*C*d*f^2-a*b*f*(7*C*d*e+c*C*f+20*B*d*f)+b^2*(5*d*f*(B*e+3*A*f)-C*e*(2*d*e-c*f)))*Sqrt[a+b*x]*Sqrt[c+d*x]*Sqrt[e+f*x]/(15*b^3*d*f*(b*e-a*f))+2*(6*a^2*C*d*f+b^2*(c*C*e+5*A*d*f)-a*b*(C*d*e+c*C*f+5*B*d*f))*Sqrt[a+b*x]*Sqrt[c+d*x]*(e+f*x)^{(3/2)}/(5*b^2*(b*c-a*d)*f*(b*e-a*f)-(2*(A*b^2-a*(b*B-a*C))*(c+d*x)^{(3/2)}*(e+f*x)^{(3/2)})/(b*(b*c-a*d)*(b*e-a*f)*Sqrt[a+b*x])+(2*Sqrt[-(b*c)+$

```

a*d]*(48*a^2*C*d^2*f^2 - 8*a*b*d*f*(C*d*e + c*C*f + 5*B*d*f) + b^2*(5*d*f*(
B*d*e + B*c*f + 6*A*d*f) - 2*C*(d^2*e^2 - c*d*e*f + c^2*f^2))*Sqrt[(b*(c +
d*x))/(b*c - a*d)]*Sqrt[e + f*x]*EllipticE[ArcSin[(Sqrt[d]*Sqrt[a + b*x])/
Sqrt[-(b*c) + a*d]], ((b*c - a*d)*f)/(d*(b*e - a*f))]/(15*b^4*d^(3/2)*f^2*
Sqrt[c + d*x]*Sqrt[(b*(e + f*x))/(b*e - a*f)]) - (2*Sqrt[-(b*c) + a*d]*(d*e
- c*f)*(24*a^2*C*d*f^2 - a*b*f*(7*C*d*e + c*C*f + 20*B*d*f) + b^2*(5*d*f*(
B*e + 3*A*f) - C*e*(2*d*e - c*f)))*Sqrt[(b*(c + d*x))/(b*c - a*d)]*Sqrt[(b*
(e + f*x))/(b*e - a*f)]*EllipticF[ArcSin[(Sqrt[d]*Sqrt[a + b*x])/Sqrt[-(b*c
) + a*d]], ((b*c - a*d)*f)/(d*(b*e - a*f))]/(15*b^4*d^(3/2)*f^2*Sqrt[c + d
*x]*Sqrt[e + f*x])

```

Rule 113

```

Int[Sqrt[(e_.) + (f_.)*(x_.)]/(Sqrt[(a_.) + (b_.)*(x_.)]*Sqrt[(c_.) + (d_.)*(x_
.))], x_Symbol] := Simp[(2*Rt[-((b*e - a*f)/d), 2]*EllipticE[ArcSin[Sqrt[a +
b*x]/Rt[-((b*c - a*d)/d), 2]], (f*(b*c - a*d))/(d*(b*e - a*f))]/b, x] /;
FreeQ[{a, b, c, d, e, f}, x] && GtQ[b/(b*c - a*d), 0] && GtQ[b/(b*e - a*f),
0] && !LtQ[-((b*c - a*d)/d), 0] && !(SimplerQ[c + d*x, a + b*x] && GtQ[-
(d/(b*c - a*d)), 0] && GtQ[d/(d*e - c*f), 0] && !LtQ[(b*c - a*d)/b, 0])

```

Rule 114

```

Int[Sqrt[(e_.) + (f_.)*(x_.)]/(Sqrt[(a_.) + (b_.)*(x_.)]*Sqrt[(c_.) + (d_.)*(x_
.))], x_Symbol] := Dist[(Sqrt[e + f*x]*Sqrt[(b*(c + d*x))/(b*c - a*d)])/(Sqr
t[c + d*x]*Sqrt[(b*(e + f*x))/(b*e - a*f)]), Int[Sqrt[(b*e)/(b*e - a*f) + (
b*f*x)/(b*e - a*f)]/(Sqrt[a + b*x]*Sqrt[(b*c)/(b*c - a*d) + (b*d*x)/(b*c -
a*d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !(GtQ[b/(b*c - a*d), 0]
&& GtQ[b/(b*e - a*f), 0]) && !LtQ[-((b*c - a*d)/d), 0]

```

Rule 120

```

Int[1/(Sqrt[(a_.) + (b_.)*(x_.)]*Sqrt[(c_.) + (d_.)*(x_.)]*Sqrt[(e_.) + (f_.)*(x
_.)]), x_Symbol] := Simp[(2*Rt[-(b/d), 2]*EllipticF[ArcSin[Sqrt[a + b*x]/(Rt
[-(b/d), 2]*Sqrt[(b*c - a*d)/b])], (f*(b*c - a*d))/(d*(b*e - a*f)))]/(b*Sqr
t[(b*e - a*f)/b]), x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[b/(b*c - a*d),
0] && GtQ[b/(b*e - a*f), 0] && SimplerQ[a + b*x, c + d*x] && SimplerQ[a +
b*x, e + f*x] && (PosQ[-((b*c - a*d)/d)] || NegQ[-((b*e - a*f)/f)])

```

Rule 121

```

Int[1/(Sqrt[(a_.) + (b_.)*(x_.)]*Sqrt[(c_.) + (d_.)*(x_.)]*Sqrt[(e_.) + (f_.)*(x
_.)]), x_Symbol] := Dist[Sqrt[(b*(c + d*x))/(b*c - a*d)]/Sqrt[c + d*x], Int[
1/(Sqrt[a + b*x]*Sqrt[(b*c)/(b*c - a*d) + (b*d*x)/(b*c - a*d)]*Sqrt[e + f*x
]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[(b*c - a*d)/b, 0] && Si
mplerQ[a + b*x, c + d*x] && SimplerQ[a + b*x, e + f*x]

```


Rule 154

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[(h*(a + b*x)^m*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(m + n + p + 2)), x] + Dist[1/(d*f*(m + n + p + 2)), Int[(a + b*x)^(m - 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*g*(m + n + p + 2) - h*(b*c*e*m + a*(d*e*(n + 1) + c*f*(p + 1))) + (b*d*f*g*(m + n + p + 2) + h*(a*d*f*m - b*(d*e*(m + n + 1) + c*f*(m + p + 1)))]*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p + 2, 0] && IntegersQ[2*m, 2*n, 2*p]
```

Rule 158

```
Int[((g_.) + (h_.)*(x_))/(Sqrt[(a_.) + (b_.)*(x_)]*Sqrt[(c_.) + (d_.)*(x_)]*Sqrt[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[h/f, Int[Sqrt[e + f*x]/(Sqrt[a + b*x]*Sqrt[c + d*x]), x], x] + Dist[(f*g - e*h)/f, Int[1/(Sqrt[a + b*x]*Sqrt[c + d*x]*Sqrt[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && SimplerQ[a + b*x, e + f*x] && SimplerQ[c + d*x, e + f*x]
```

Rule 1614

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] := With[{Qx = PolynomialQuotient[Px, a + b*x, x], R = PolynomialRemainder[Px, a + b*x, x]}, Simp[(b*R*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*ExpandToSum[(m + 1)*(b*c - a*d)*(b*e - a*f)*Qx + a*d*f*R*(m + 1) - b*R*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*R*(m + n + p + 3)*x, x], x]] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && PolyQ[Px, x] && LtQ[m, -1] && IntegersQ[2*m, 2*n, 2*p]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{c+dx} \sqrt{e+fx} (A+Bx+Cx^2)}{(a+bx)^{3/2}} dx &= -\frac{2(Ab^2 - a(bB - aC))(c+dx)^{3/2}(e+fx)^{3/2}}{b(bc-ad)(be-af)\sqrt{a+bx}} - 2 \int \frac{\sqrt{c+dx} \sqrt{e+fx} \left(-\frac{3a^2C(a+bx)}{2}\right)}{(a+bx)^{3/2}} dx \\
&= \frac{2(6a^2Cdf + b^2(cCe + 5Adf) - ab(Cde + cCf + 5Bdf)) \sqrt{a+bx} \sqrt{c+dx} \sqrt{e+fx}}{5b^2(bc-ad)f(be-af)} \\
&= \frac{2(24a^2Cdf^2 - abf(7Cde + cCf + 20Bdf) + b^2(5df(Be + 3Af) - Cef)) \sqrt{a+bx} \sqrt{c+dx} \sqrt{e+fx}}{15b^3df(be-af)} \\
&= \frac{2(24a^2Cdf^2 - abf(7Cde + cCf + 20Bdf) + b^2(5df(Be + 3Af) - Cef)) \sqrt{a+bx} \sqrt{c+dx} \sqrt{e+fx}}{15b^3df(be-af)} \\
&= \frac{2(24a^2Cdf^2 - abf(7Cde + cCf + 20Bdf) + b^2(5df(Be + 3Af) - Cef)) \sqrt{a+bx} \sqrt{c+dx} \sqrt{e+fx}}{15b^3df(be-af)} \\
&= \frac{2(24a^2Cdf^2 - abf(7Cde + cCf + 20Bdf) + b^2(5df(Be + 3Af) - Cef)) \sqrt{a+bx} \sqrt{c+dx} \sqrt{e+fx}}{15b^3df(be-af)} \\
&= \frac{2(24a^2Cdf^2 - abf(7Cde + cCf + 20Bdf) + b^2(5df(Be + 3Af) - Cef)) \sqrt{a+bx} \sqrt{c+dx} \sqrt{e+fx}}{15b^3df(be-af)} \\
&= \frac{2(24a^2Cdf^2 - abf(7Cde + cCf + 20Bdf) + b^2(5df(Be + 3Af) - Cef)) \sqrt{a+bx} \sqrt{c+dx} \sqrt{e+fx}}{15b^3df(be-af)}
\end{aligned}$$

Mathematica [C] time = 8.13, size = 633, normalized size = 0.90

$$2 \left(-ibf(a+bx)^{3/2}(de-cf) \sqrt{\frac{b(c+dx)}{d(a+bx)}} \sqrt{\frac{b(e+fx)}{f(a+bx)}} (24a^2Cd^2f - abd(20Bdf + 7cCf + Cde) + b^2(15Ad^2f + cd(5Bf
\right.$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[c + d*x]*Sqrt[e + f*x]*(A + B*x + C*x^2))/(a + b*x)^(3/2), x]

[Out] $(-2*(-(b^2\sqrt{-a + (b*c)/d})*(48*a^2*C*d^2*f^2 - 8*a*b*d*f*(C*d*e + c*C*f + 5*B*d*f) + b^2*(5*d*f*(B*d*e + B*c*f + 6*A*d*f) - 2*C*(d^2*e^2 - c*d*e*f + c^2*f^2)))*(c + d*x)*(e + f*x)) + b^2*\sqrt{-a + (b*c)/d}*d*f*(c + d*x)*(e + f*x)*(15*(A*b^2 + a*(-(b*B) + a*C))*d*f - (-9*a*C*d*f + b*(C*d*e + c*C*f + 5*B*d*f))*(a + b*x) - 3*b*C*d*f*x*(a + b*x)) - I*(b*c - a*d)*f*(48*a^2*C*d^2*f^2 - 8*a*b*d*f*(C*d*e + c*C*f + 5*B*d*f) + b^2*(5*d*f*(B*d*e + B*c*f + 6*A*d*f) - 2*C*(d^2*e^2 - c*d*e*f + c^2*f^2)))*(a + b*x)^{(3/2)}*\sqrt{(b*(c + d*x))/(d*(a + b*x))}*\sqrt{(b*(e + f*x))/(f*(a + b*x))}*\text{EllipticE}[I*\text{ArcSinh}[\sqrt{-a + (b*c)/d}/\sqrt{a + b*x}], (b*d*e - a*d*f)/(b*c*f - a*d*f)] - I*b*f*(d*e - c*f)*(24*a^2*C*d^2*f - a*b*d*(C*d*e + 7*c*C*f + 20*B*d*f) + b^2*(-2*c^2*C*f + 15*A*d^2*f + c*d*(C*e + 5*B*f)))*(a + b*x)^{(3/2)}*\sqrt{(b*(c + d*x))/(d*(a + b*x))}*\sqrt{(b*(e + f*x))/(f*(a + b*x))}*\text{EllipticF}[I*\text{ArcSinh}[\sqrt{-a + (b*c)/d}/\sqrt{a + b*x}], (b*d*e - a*d*f)/(b*c*f - a*d*f)])))/(15*b^5*\sqrt{-a + (b*c)/d}*d^2*f^2*\sqrt{a + b*x}*\sqrt{c + d*x}*\sqrt{e + f*x})$

fricas [F] time = 0.87, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(Cx^2 + Bx + A)\sqrt{bx + a}\sqrt{dx + c}\sqrt{fx + e}}{b^2x^2 + 2abx + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2)/(b*x+a)^(3/2),x, algorithm="fricas")

[Out] integral((C*x^2 + B*x + A)*sqrt(b*x + a)*sqrt(d*x + c)*sqrt(f*x + e)/(b^2*x^2 + 2*a*b*x + a^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Cx^2 + Bx + A)\sqrt{dx + c}\sqrt{fx + e}}{(bx + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2)/(b*x+a)^(3/2),x, algorithm="giac")

[Out] integrate((C*x^2 + B*x + A)*sqrt(d*x + c)*sqrt(f*x + e)/(b*x + a)^(3/2), x)

maple [B] time = 0.06, size = 6265, normalized size = 8.87

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2)/(b*x+a)^(3/2),x)`

[Out] result too large to display

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Cx^2 + Bx + A)\sqrt{dx + c}\sqrt{fx + e}}{(bx + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2)/(b*x+a)^(3/2),x, algorithm="maxima")`

[Out] `integrate((C*x^2 + B*x + A)*sqrt(d*x + c)*sqrt(f*x + e)/(b*x + a)^(3/2), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{e + fx} \sqrt{c + dx} (Cx^2 + Bx + A)}{(a + bx)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((e + f*x)^(1/2)*(c + d*x)^(1/2)*(A + B*x + C*x^2))/(a + b*x)^(3/2),x)`

[Out] `int(((e + f*x)^(1/2)*(c + d*x)^(1/2)*(A + B*x + C*x^2))/(a + b*x)^(3/2), x)`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x**2+B*x+A)*(d*x+c)**(1/2)*(f*x+e)**(1/2)/(b*x+a)**(3/2),x)`

[Out] Timed out

$$3.64 \quad \int \frac{\sqrt{c+dx} \sqrt{e+fx} (A+Bx+Cx^2)}{(a+bx)^{5/2}} dx$$

Optimal. Leaf size=687

$$\frac{2(de - cf) \sqrt{\frac{b(c+dx)}{bc-ad}} \sqrt{\frac{b(e+fx)}{be-af}} (8a^2 Cdf - ab(4Bdf + 7cCf + Cde) + b^2(Adf + 3Bcf + cCe)) \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{c+dx} \sqrt{e+fx}}{\sqrt{ad-bc}}\right)\right)}{3b^4 \sqrt{d} f \sqrt{c+dx} \sqrt{e+fx} \sqrt{ad-bc}}$$

[Out] $-2/3*(A*b^2-a*(B*b-C*a))*(d*x+c)^{(3/2)}*(f*x+e)^{(3/2)}/b/(-a*d+b*c)/(-a*f+b*e)/(b*x+a)^{(3/2)}-2*(B*b-2*C*a)*(f*x+e)^{(3/2)}*(d*x+c)^{(1/2)}/b^2/(-a*f+b*e)/(b*x+a)^{(1/2)}+2/3*(8*a^2*C*d*f+b^2*(A*d*f+3*B*c*f+C*c*e)-a*b*(4*B*d*f+7*C*c*f+C*d*e))*(b*x+a)^{(1/2)}*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/b^3/(-a*d+b*c)/(-a*f+b*e)+2/3*(16*a^3*C*d^2*f^2-8*a^2*b*d*f*(B*d*f+2*C*(c*f+d*e))-b^3*(c^2*C*e*f+A*d^2*e*f+c*d*(A*f^2+6*B*e*f+C*e^2))+a*b^2*(d*f*(2*A*d*f+7*B*c*f+7*B*d*e)+C*(c^2*f^2+16*c*d*e*f+d^2*e^2))*\text{EllipticE}(d^{(1/2)}*(b*x+a)^{(1/2)}/(a*d-b*c)^{(1/2)},((-a*d+b*c)*f/d/(-a*f+b*e))^{(1/2)}*(b*(d*x+c)/(-a*d+b*c))^{(1/2)}*(f*x+e)^{(1/2)}/b^4/f/(-a*f+b*e)/d^{(1/2)}/(a*d-b*c)^{(1/2)}/(d*x+c)^{(1/2)}/(b*(f*x+e)/(-a*f+b*e))^{(1/2)}+2/3*(-c*f+d*e)*(8*a^2*C*d*f+b^2*(A*d*f+3*B*c*f+C*c*e)-a*b*(4*B*d*f+7*C*c*f+C*d*e))*\text{EllipticF}(d^{(1/2)}*(b*x+a)^{(1/2)}/(a*d-b*c)^{(1/2)},((-a*d+b*c)*f/d/(-a*f+b*e))^{(1/2)}*(b*(d*x+c)/(-a*d+b*c))^{(1/2)}*(b*(f*x+e)/(-a*f+b*e))^{(1/2)}/b^4/f/d^{(1/2)}/(a*d-b*c)^{(1/2)}/(d*x+c)^{(1/2)}/(f*x+e)^{(1/2)}$

Rubi [A] time = 1.90, antiderivative size = 687, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.210$, Rules used = {1614, 150, 154, 158, 114, 113, 121, 120}

$$\frac{2\sqrt{e+fx} \sqrt{\frac{b(c+dx)}{bc-ad}} (-8a^2 bdf(Bdf + 2C(cf + de)) + 16a^3 Cd^2 f^2 + ab^2 (df(2Adf + 7Bcf + 7Bde) + C(c^2 f^2 + 16cde + 6Bde + A^2))) \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{c+dx} \sqrt{e+fx}}{\sqrt{ad-bc}}\right)\right)}{3b^4 \sqrt{d} f \sqrt{c+dx} \sqrt{ad-bc} (be - af)}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[c + d*x]*Sqrt[e + f*x]*(A + B*x + C*x^2))/(a + b*x)^(5/2), x]

[Out] $(2*(8*a^2*C*d*f + b^2*(c*C*e + 3*B*c*f + A*d*f) - a*b*(C*d*e + 7*c*C*f + 4*B*d*f))*\text{Sqrt}[a + b*x]*\text{Sqrt}[c + d*x]*\text{Sqrt}[e + f*x]/(3*b^3*(b*c - a*d)*(b*e - a*f)) - (2*(b*B - 2*a*C)*\text{Sqrt}[c + d*x]*(e + f*x)^{(3/2)})/(b^2*(b*e - a*f)*\text{Sqrt}[a + b*x]) - (2*(A*b^2 - a*(b*B - a*C))*(c + d*x)^{(3/2)}*(e + f*x)^{(3/2)})/(3*b*(b*c - a*d)*(b*e - a*f)*(a + b*x)^{(3/2)}) + (2*(16*a^3*C*d^2*f^2 - 8*a^2*b*d*f*(B*d*f + 2*C*(d*e + c*f)) - b^3*(c^2*C*e*f + A*d^2*e*f + c*d*(C*e^2 + 6*B*e*f + A*f^2)) + a*b^2*(d*f*(7*B*d*e + 7*B*c*f + 2*A*d*f) + C*(d^2*f^2 + 16*c*d*e*f + d^2*e^2)))/b^4$

```
e^2 + 16*c*d*e*f + c^2*f^2)))*Sqrt[(b*(c + d*x))/(b*c - a*d)]*Sqrt[e + f*x]
*EllipticE[ArcSin[(Sqrt[d]*Sqrt[a + b*x])/Sqrt[-(b*c) + a*d]], ((b*c - a*d)
*f)/(d*(b*e - a*f)))]/(3*b^4*Sqrt[d]*Sqrt[-(b*c) + a*d]*f*(b*e - a*f)*Sqrt[
c + d*x]*Sqrt[(b*(e + f*x))/(b*e - a*f)]) + (2*(d*e - c*f)*(8*a^2*C*d*f + b
^2*(c*C*e + 3*B*c*f + A*d*f) - a*b*(C*d*e + 7*c*C*f + 4*B*d*f))*Sqrt[(b*(c
+ d*x))/(b*c - a*d)]*Sqrt[(b*(e + f*x))/(b*e - a*f)]*EllipticF[ArcSin[(Sqrt
[d]*Sqrt[a + b*x])/Sqrt[-(b*c) + a*d]], ((b*c - a*d)*f)/(d*(b*e - a*f)))]/(
3*b^4*Sqrt[d]*Sqrt[-(b*c) + a*d]*f*Sqrt[c + d*x]*Sqrt[e + f*x])
```

Rule 113

```
Int[Sqrt[(e_.) + (f_.)*(x_)]/(Sqrt[(a_) + (b_.)*(x_)]*Sqrt[(c_) + (d_.)*(x_
)]), x_Symbol] := Simp[(2*Rt[-((b*e - a*f)/d), 2]*EllipticE[ArcSin[Sqrt[a +
b*x]/Rt[-((b*c - a*d)/d), 2]], (f*(b*c - a*d))/(d*(b*e - a*f)))]/b, x] /;
FreeQ[{a, b, c, d, e, f}, x] && GtQ[b/(b*c - a*d), 0] && GtQ[b/(b*e - a*f),
0] && !LtQ[-((b*c - a*d)/d), 0] && !(SimplerQ[c + d*x, a + b*x] && GtQ[-
(d/(b*c - a*d)), 0] && GtQ[d/(d*e - c*f), 0] && !LtQ[(b*c - a*d)/b, 0])
```

Rule 114

```
Int[Sqrt[(e_.) + (f_.)*(x_)]/(Sqrt[(a_) + (b_.)*(x_)]*Sqrt[(c_) + (d_.)*(x_
)]), x_Symbol] := Dist[(Sqrt[e + f*x]*Sqrt[(b*(c + d*x))/(b*c - a*d)])/(Sqr
t[c + d*x]*Sqrt[(b*(e + f*x))/(b*e - a*f)]), Int[Sqrt[(b*e)/(b*e - a*f) + (
b*f*x)/(b*e - a*f)]/(Sqrt[a + b*x]*Sqrt[(b*c)/(b*c - a*d) + (b*d*x)/(b*c -
a*d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !(GtQ[b/(b*c - a*d), 0]
&& GtQ[b/(b*e - a*f), 0]) && !LtQ[-((b*c - a*d)/d), 0]
```

Rule 120

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)]*Sqrt[(c_) + (d_.)*(x_)]*Sqrt[(e_) + (f_.)*(x
_)]), x_Symbol] := Simp[(2*Rt[-(b/d), 2]*EllipticF[ArcSin[Sqrt[a + b*x]/(Rt
[-(b/d), 2]*Sqrt[(b*c - a*d)/b])], (f*(b*c - a*d))/(d*(b*e - a*f)))]/(b*Sqr
t[(b*e - a*f)/b]), x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[b/(b*c - a*d),
0] && GtQ[b/(b*e - a*f), 0] && SimplerQ[a + b*x, c + d*x] && SimplerQ[a +
b*x, e + f*x] && (PosQ[-((b*c - a*d)/d)] || NegQ[-((b*e - a*f)/f)])
```

Rule 121

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)]*Sqrt[(c_) + (d_.)*(x_)]*Sqrt[(e_) + (f_.)*(x
_)]), x_Symbol] := Dist[Sqrt[(b*(c + d*x))/(b*c - a*d)]/Sqrt[c + d*x], Int[
1/(Sqrt[a + b*x]*Sqrt[(b*c)/(b*c - a*d) + (b*d*x)/(b*c - a*d)]*Sqrt[e + f*x
]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[(b*c - a*d)/b, 0] && Si
mplerQ[a + b*x, c + d*x] && SimplerQ[a + b*x, e + f*x]
```

Rule 150

```

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[((b*g - a*h)*(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^(p + 1))/(b*(b*e - a*f)*(m + 1)), x] - Dist[1/(b*(b*e - a*f)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^(n - 1)*(e + f*x)^p*Simp[b*c*(f*g - e*h)*(m + 1) + (b*g - a*h)*(d*e*n + c*f*(p + 1)) + d*(b*(f*g - e*h)*(m + 1) + f*(b*g - a*h)*(n + p + 1))*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, p}, x] && LtQ[m, -1] && GtQ[n, 0] && IntegersQ[2*m, 2*n, 2*p]

```

Rule 154

```

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[(h*(a + b*x)^m*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(m + n + p + 2)), x] + Dist[1/(d*f*(m + n + p + 2)), Int[(a + b*x)^(m - 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*g*(m + n + p + 2) - h*(b*c*e*m + a*(d*e*(n + 1) + c*f*(p + 1))) + (b*d*f*g*(m + n + p + 2) + h*(a*d*f*m - b*(d*e*(m + n + 1) + c*f*(m + p + 1)))]*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p + 2, 0] && IntegersQ[2*m, 2*n, 2*p]

```

Rule 158

```

Int[((g_.) + (h_.)*(x_))/(Sqrt[(a_.) + (b_.)*(x_)]*Sqrt[(c_.) + (d_.)*(x_)]*Sqrt[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[h/f, Int[Sqrt[e + f*x]/(Sqrt[a + b*x]*Sqrt[c + d*x]), x], x] + Dist[(f*g - e*h)/f, Int[1/(Sqrt[a + b*x]*Sqrt[c + d*x]*Sqrt[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && SimplifierQ[a + b*x, e + f*x] && SimplifierQ[c + d*x, e + f*x]

```

Rule 1614

```

Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] := With[{Qx = PolynomialQuotient[Px, a + b*x, x], R = PolynomialRemainder[Px, a + b*x, x]}, Simp[(b*R*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*ExpandToSum[(m + 1)*(b*c - a*d)*(b*e - a*f)*Qx + a*d*f*R*(m + 1) - b*R*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*R*(m + n + p + 3)*x, x], x]] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && PolyQ[Px, x] && LtQ[m, -1] && IntegersQ[2*m, 2*n, 2*p]

```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{c+dx} \sqrt{e+fx} (A+Bx+Cx^2)}{(a+bx)^{5/2}} dx &= -\frac{2(Ab^2 - a(bB - aC))(c+dx)^{3/2}(e+fx)^{3/2}}{3b(bc-ad)(be-af)(a+bx)^{3/2}} - \frac{2 \int \frac{\sqrt{c+dx} \sqrt{e+fx} \left(-\frac{3(b^2Bc}{(a+bx)^2}\right)}{(a+bx)^{3/2}} dx}{3b(bc-ad)(be-af)(a+bx)^{3/2}} \\
&= -\frac{2(bB - 2aC)\sqrt{c+dx}(e+fx)^{3/2}}{b^2(be-af)\sqrt{a+bx}} - \frac{2(Ab^2 - a(bB - aC))(c+dx)^{3/2}}{3b(bc-ad)(be-af)(a+bx)^{3/2}} \\
&= \frac{2(8a^2Cdf + b^2(cCe + 3Bcf + Adf) - ab(Cde + 7cCf + 4Bdf))\sqrt{a+bx}}{3b^3(bc-ad)(be-af)} \\
&= \frac{2(8a^2Cdf + b^2(cCe + 3Bcf + Adf) - ab(Cde + 7cCf + 4Bdf))\sqrt{a+bx}}{3b^3(bc-ad)(be-af)} \\
&= \frac{2(8a^2Cdf + b^2(cCe + 3Bcf + Adf) - ab(Cde + 7cCf + 4Bdf))\sqrt{a+bx}}{3b^3(bc-ad)(be-af)} \\
&= \frac{2(8a^2Cdf + b^2(cCe + 3Bcf + Adf) - ab(Cde + 7cCf + 4Bdf))\sqrt{a+bx}}{3b^3(bc-ad)(be-af)} \\
&= \frac{2(8a^2Cdf + b^2(cCe + 3Bcf + Adf) - ab(Cde + 7cCf + 4Bdf))\sqrt{a+bx}}{3b^3(bc-ad)(be-af)} \\
&= \frac{2(8a^2Cdf + b^2(cCe + 3Bcf + Adf) - ab(Cde + 7cCf + 4Bdf))\sqrt{a+bx}}{3b^3(bc-ad)(be-af)} \\
&= \frac{2(8a^2Cdf + b^2(cCe + 3Bcf + Adf) - ab(Cde + 7cCf + 4Bdf))\sqrt{a+bx}}{3b^3(bc-ad)(be-af)}
\end{aligned}$$

Mathematica [C] time = 13.30, size = 938, normalized size = 1.37

$$\sqrt{a+bx} \sqrt{c+dx} \sqrt{e+fx} \left(\frac{2C}{3b^3} - \frac{2(-8Cdfa^3 + 7bCdea^2 + 7bcCfa^2 + 5bBdfa^2 - 6b^2cCea - 4b^2Bdea - 4b^2Bcf)}{3b^3(bc-ad)(be-af)(a+bx)} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[c + d*x]*Sqrt[e + f*x]*(A + B*x + C*x^2))/(a + b*x)^(5/2), x]

[Out] Sqrt[a + b*x]*Sqrt[c + d*x]*Sqrt[e + f*x]*((2*C)/(3*b^3) - (2*(A*b^2 - a*b*B + a^2*C))/(3*b^3*(a + b*x)^2) - (2*(3*b^3*B*c*e - 6*a*b^2*c*C*e + A*b^3*d*e - 4*a*b^2*B*d*e + 7*a^2*b*C*d*e + A*b^3*c*f - 4*a*b^2*B*c*f + 7*a^2*b*c*C*f - 2*a*A*b^2*d*f + 5*a^2*b*B*d*f - 8*a^3*C*d*f))/(3*b^3*(b*c - a*d)*(b*e - a*f)*(a + b*x)) - (2*(a + b*x)^(3/2)*(-(Sqrt[-a + (b*c)/d]*(-16*a^3*C*d^2*f^2 + 8*a^2*b*d*f*(B*d*f + 2*C*(d*e + c*f)) + b^3*(c^2*C*e*f + A*d^2*e*f + c*d*(C*e^2 + 6*B*e*f + A*f^2)) - a*b^2*(d*f*(7*B*d*e + 7*B*c*f + 2*A*d*f) + C*(d^2*e^2 + 16*c*d*e*f + c^2*f^2)))*(d + (b*c)/(a + b*x) - (a*d)/(a + b*x))*(f + (b*e)/(a + b*x) - (a*f)/(a + b*x))) + (I*(-(b*c) + a*d)*f*(-16*a^3*C*d^2*f^2 + 8*a^2*b*d*f*(B*d*f + 2*C*(d*e + c*f)) + b^3*(c^2*C*e*f + A*d^2*e*f + c*d*(C*e^2 + 6*B*e*f + A*f^2)) - a*b^2*(d*f*(7*B*d*e + 7*B*c*f + 2*A*d*f) + C*(d^2*e^2 + 16*c*d*e*f + c^2*f^2)))*Sqrt[1 - a/(a + b*x) + (b*c)/(d*(a + b*x))]*Sqrt[1 - a/(a + b*x) + (b*e)/(f*(a + b*x))]*EllipticE[I*ArcSinh[Sqrt[-a + (b*c)/d]/Sqrt[a + b*x]], (b*d*e - a*d*f)/(b*c*f - a*d*f)]/Sqrt[a + b*x] + (I*b*(-(b*c) + a*d)*f*(d*e - c*f)*(8*a^2*C*d*f + b^2*(c*C*e + 3*B*d*e + A*d*f) - a*b*(7*C*d*e + c*C*f + 4*B*d*f))*Sqrt[1 - a/(a + b*x) + (b*c)/(d*(a + b*x))]*Sqrt[1 - a/(a + b*x) + (b*e)/(f*(a + b*x))]*EllipticF[I*ArcSinh[Sqrt[-a + (b*c)/d]/Sqrt[a + b*x]], (b*d*e - a*d*f)/(b*c*f - a*d*f)]/Sqrt[a + b*x))/(3*b^5*Sqrt[-a + (b*c)/d]*d*(b*c - a*d)*f*(b*e - a*f)*Sqrt[c + ((a + b*x)*(d - (a*d)/(a + b*x)))/b]*Sqrt[e + ((a + b*x)*(f - (a*f)/(a + b*x)))/b])

fricas [F] time = 0.91, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(Cx^2 + Bx + A)\sqrt{bx + a}\sqrt{dx + c}\sqrt{fx + e}}{b^3x^3 + 3ab^2x^2 + 3a^2bx + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2)/(b*x+a)^(5/2), x, algorithm="fricas")

[Out] integral((C*x^2 + B*x + A)*sqrt(b*x + a)*sqrt(d*x + c)*sqrt(f*x + e)/(b^3*x^3 + 3*a*b^2*x^2 + 3*a^2*b*x + a^3), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Cx^2 + Bx + A)\sqrt{dx + c}\sqrt{fx + e}}{(bx + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2)/(b*x+a)^(5/2),x, algorithm="giac")

[Out] integrate((C*x^2 + B*x + A)*sqrt(d*x + c)*sqrt(f*x + e)/(b*x + a)^(5/2), x)

maple [B] time = 0.11, size = 16172, normalized size = 23.54

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2)/(b*x+a)^(5/2),x)

[Out] result too large to display

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Cx^2 + Bx + A)\sqrt{dx + c}\sqrt{fx + e}}{(bx + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2)/(b*x+a)^(5/2),x, algorithm="maxima")

[Out] integrate((C*x^2 + B*x + A)*sqrt(d*x + c)*sqrt(f*x + e)/(b*x + a)^(5/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{e + fx} \sqrt{c + dx} (Cx^2 + Bx + A)}{(a + bx)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((e + f*x)^(1/2)*(c + d*x)^(1/2)*(A + B*x + C*x^2))/(a + b*x)^(5/2),x)

[Out] int(((e + f*x)^(1/2)*(c + d*x)^(1/2)*(A + B*x + C*x^2))/(a + b*x)^(5/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x**2+B*x+A)*(d*x+c)**(1/2)*(f*x+e)**(1/2)/(b*x+a)**(5/2),x)

[Out] Timed out

$$3.65 \quad \int \frac{\sqrt{c+dx} \sqrt{e+fx} (A+Bx+Cx^2)}{(a+bx)^{7/2}} dx$$

Optimal. Leaf size=964

$$\frac{2(Ab^2 - a(bB - aC))(c + dx)^{3/2}(e + fx)^{3/2}}{5b(bc - ad)(be - af)(a + bx)^{5/2}} + \frac{2(6Cdfa^3 - b(Bdf + 8C(de + cf))a^2 + b^2(10cCe + 3Bde + 3Bcf - a^2))}{15b^2(bc - ad)(be - af)(a + bx)^{5/2}}$$

[Out] $-2/5*(A*b^2 - a*(B*b - C*a))*(d*x+c)^{(3/2)}*(f*x+e)^{(3/2)}/b/(-a*d+b*c)/(-a*f+b*e)/(b*x+a)^{(5/2)} + 2/15*(6*a^3*C*d*f + a*b^2*(-4*A*d*f + 3*B*c*f + 3*B*d*e + 10*C*c*e) - b^3*(5*B*c*e - 2*A*(c*f+d*e)) - a^2*b*(B*d*f + 8*C*(c*f+d*e)))*(f*x+e)^{(3/2)}*(d*x+c)^{(1/2)}/b^2/(-a*d+b*c)/(-a*f+b*e)^2/(b*x+a)^{(3/2)} + 2/15*(24*a^3*C*d^2*f - a^2*b*d*(4*B*d*f + 41*C*c*f + 23*C*d*e) - b^3*(15*c^2*C*e - 2*A*d^2*e + c*d*(A*f + 5*B*e)) + a*b^2*(15*c^2*C*f + d^2*(-A*f + 3*B*e) + c*(6*B*d*f + 40*C*d*e)))*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/b^3/(-a*d+b*c)^2/(-a*f+b*e)/(b*x+a)^{(1/2)} + 2/15*(48*a^4*C*d^2*f^2 - 8*a^3*b*d*f*(B*d*f + 11*C*(c*f+d*e)) - b^4*(2*A*d^2*e^2 - c*d*e*(2*A*f + 5*B*e)) - c^2*(-2*A*f^2 + 5*B*e*f + 30*C*e^2)) - a*b^3*(d^2*e*(-2*A*f + 3*B*e) + c^2*f*(3*B*f + 70*C*e) + 2*c*d*(-A*f^2 + 11*B*e*f + 35*C*e^2)) + a^2*b^2*(2*C*(19*c^2*f^2 + 81*c*d*e*f + 19*d^2*e^2) - d*f*(2*A*d*f - 13*B*(c*f+d*e))) * EllipticE(d^(1/2)*(b*x+a)^(1/2)/(a*d-b*c)^(1/2), ((-a*d+b*c)*f/d/(-a*f+b*e))^(1/2)) * d^(1/2)*(b*(d*x+c)/(-a*d+b*c))^(1/2)*(f*x+e)^(1/2)/b^4/(a*d-b*c)^(3/2)/(-a*f+b*e)^2/(d*x+c)^(1/2)/(b*(f*x+e)/(-a*f+b*e))^(1/2) + 2/15*(-c*f+d*e)*(24*a^3*C*d^2*f - a^2*b*d*(4*B*d*f + 41*C*c*f + 23*C*d*e) - b^3*(15*c^2*C*e - 2*A*d^2*e + c*d*(A*f + 5*B*e)) + a*b^2*(15*c^2*C*f + d^2*(-A*f + 3*B*e) + c*(6*B*d*f + 40*C*d*e))) * EllipticF(d^(1/2)*(b*x+a)^(1/2)/(a*d-b*c)^(1/2), ((-a*d+b*c)*f/d/(-a*f+b*e))^(1/2)) * (b*(d*x+c)/(-a*d+b*c))^(1/2)*(b*(f*x+e)/(-a*f+b*e))^(1/2)/b^4/(a*d-b*c)^(3/2)/(-a*f+b*e)/d^(1/2)/(d*x+c)^(1/2)/(f*x+e)^(1/2)$

Rubi [A] time = 3.12, antiderivative size = 964, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.184$, Rules used = {1614, 150, 158, 114, 113, 121, 120}

$$\frac{2(Ab^2 - a(bB - aC))(c + dx)^{3/2}(e + fx)^{3/2}}{5b(bc - ad)(be - af)(a + bx)^{5/2}} + \frac{2(6Cdfa^3 - b(Bdf + 8C(de + cf))a^2 + b^2(10cCe + 3Bde + 3Bcf - a^2))}{15b^2(bc - ad)(be - af)(a + bx)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[c + d*x]*Sqrt[e + f*x]*(A + B*x + C*x^2))/(a + b*x)^(7/2), x]

[Out] $(2*(24*a^3*C*d^2*f - a^2*b*d*(23*C*d*e + 41*c*C*f + 4*B*d*f) - b^3*(15*c^2*C*e - 2*A*d^2*e + c*d*(5*B*e + A*f)) + a*b^2*(15*c^2*C*f + d^2*(3*B*e - A*f))$

$$\begin{aligned}
&) + c*(40*C*d*e + 6*B*d*f))*\text{Sqrt}[c + d*x]*\text{Sqrt}[e + f*x]]/(15*b^3*(b*c - a*d)^2*(b*e - a*f)*\text{Sqrt}[a + b*x]) + (2*(6*a^3*C*d*f + a*b^2*(10*c*C*e + 3*B*d*e + 3*B*c*f - 4*A*d*f) - b^3*(5*B*c*e - 2*A*(d*e + c*f)) - a^2*b*(B*d*f + 8*C*(d*e + c*f)))*\text{Sqrt}[c + d*x]*(e + f*x)^(3/2))/(15*b^2*(b*c - a*d)*(b*e - a*f)^2*(a + b*x)^(3/2)) - (2*(A*b^2 - a*(b*B - a*C))*(c + d*x)^(3/2)*(e + f*x)^(3/2))/(5*b*(b*c - a*d)*(b*e - a*f)*(a + b*x)^(5/2)) + (2*\text{Sqrt}[d]*(48*a^4*C*d^2*f^2 - 8*a^3*b*d*f*(B*d*f + 11*C*(d*e + c*f)) - b^4*(2*A*d^2*e^2 - c*d*e*(5*B*e + 2*A*f) - c^2*(30*C*e^2 + 5*B*e*f - 2*A*f^2)) - a*b^3*(d^2*e*(3*B*e - 2*A*f) + c^2*f*(70*C*e + 3*B*f) + 2*c*d*(35*C*e^2 + 11*B*e*f - A*f^2)) + a^2*b^2*(2*C*(19*d^2*e^2 + 81*c*d*e*f + 19*c^2*f^2) - d*f*(2*A*d*f - 13*B*(d*e + c*f)))*\text{Sqrt}[(b*(c + d*x))/(b*c - a*d)]*\text{Sqrt}[e + f*x]*\text{EllipticE}[\text{ArcSin}[(\text{Sqrt}[d]*\text{Sqrt}[a + b*x])/(\text{Sqrt}[-(b*c) + a*d]], ((b*c - a*d)*f)/(d*(b*e - a*f)))]/(15*b^4*(-(b*c) + a*d)^(3/2)*(b*e - a*f)^2*\text{Sqrt}[c + d*x]*\text{Sqrt}[(b*(e + f*x))/(b*e - a*f)]) + (2*(d*e - c*f)*(24*a^3*C*d^2*f - a^2*b*d*(23*C*d*e + 41*c*C*f + 4*B*d*f) - b^3*(15*c^2*C*e - 2*A*d^2*e + c*d*(5*B*e + A*f)) + a*b^2*(15*c^2*C*f + d^2*(3*B*e - A*f) + c*(40*C*d*e + 6*B*d*f)))*\text{Sqrt}[(b*(c + d*x))/(b*c - a*d)]*\text{Sqrt}[(b*(e + f*x))/(b*e - a*f)]*\text{EllipticF}[\text{ArcSin}[(\text{Sqrt}[d]*\text{Sqrt}[a + b*x])/(\text{Sqrt}[-(b*c) + a*d]], ((b*c - a*d)*f)/(d*(b*e - a*f)))]/(15*b^4*\text{Sqrt}[d]*(-(b*c) + a*d)^(3/2)*(b*e - a*f)*\text{Sqrt}[c + d*x]*\text{Sqrt}[e + f*x])
\end{aligned}$$

Rule 113

```

Int[Sqrt[(e_) + (f_)*(x_)]/(Sqrt[(a_) + (b_)*(x_)]*Sqrt[(c_) + (d_)*(x_)]), x_Symbol] := Simp[(2*Rt[-((b*e - a*f)/d), 2]*EllipticE[ArcSin[Sqrt[a + b*x]/Rt[-((b*c - a*d)/d), 2]], (f*(b*c - a*d))/(d*(b*e - a*f))]/b, x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[b/(b*c - a*d), 0] && GtQ[b/(b*e - a*f), 0] && !LtQ[-((b*c - a*d)/d), 0] && !(SimplerQ[c + d*x, a + b*x] && GtQ[-(d/(b*c - a*d)), 0] && GtQ[d/(d*e - c*f), 0] && !LtQ[(b*c - a*d)/b, 0])

```

Rule 114

```

Int[Sqrt[(e_) + (f_)*(x_)]/(Sqrt[(a_) + (b_)*(x_)]*Sqrt[(c_) + (d_)*(x_)]), x_Symbol] := Dist[(Sqrt[e + f*x]*Sqrt[(b*(c + d*x))/(b*c - a*d)])/(Sqrt[c + d*x]*Sqrt[(b*(e + f*x))/(b*e - a*f)]), Int[Sqrt[(b*e)/(b*e - a*f) + (b*f*x)/(b*e - a*f)]/(Sqrt[a + b*x]*Sqrt[(b*c)/(b*c - a*d) + (b*d*x)/(b*c - a*d)]), x, x] /; FreeQ[{a, b, c, d, e, f}, x] && !(GtQ[b/(b*c - a*d), 0] && GtQ[b/(b*e - a*f), 0]) && !LtQ[-((b*c - a*d)/d), 0]

```

Rule 120

```

Int[1/(Sqrt[(a_) + (b_)*(x_)]*Sqrt[(c_) + (d_)*(x_)]*Sqrt[(e_) + (f_)*(x_)]), x_Symbol] := Simp[(2*Rt[-(b/d), 2]*EllipticF[ArcSin[Sqrt[a + b*x]/Rt[-(b/d), 2]*Sqrt[(b*c - a*d)/b]]), (f*(b*c - a*d))/(d*(b*e - a*f))]/(b*Sqrt[(b*e - a*f)/b]), x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[b/(b*c - a*d), 0] && GtQ[b/(b*e - a*f), 0] && SimplerQ[a + b*x, c + d*x] && SimplerQ[a +

```

$b*x, e + f*x]$ && (PosQ[-((b*c - a*d)/d)] || NegQ[-((b*e - a*f)/f)])

Rule 121

Int[1/(Sqrt[(a_) + (b_.)*(x_)]*Sqrt[(c_) + (d_.)*(x_)]*Sqrt[(e_) + (f_.)*(x_)]), x_Symbol] := Dist[Sqrt[(b*(c + d*x))/(b*c - a*d)]/Sqrt[c + d*x], Int[1/(Sqrt[a + b*x]*Sqrt[(b*c)/(b*c - a*d) + (b*d*x)/(b*c - a*d)]*Sqrt[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[(b*c - a*d)/b, 0] && SimplerQ[a + b*x, c + d*x] && SimplerQ[a + b*x, e + f*x]

Rule 150

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[((b*g - a*h)*(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^(p + 1))/(b*(b*e - a*f)*(m + 1)), x] - Dist[1/(b*(b*e - a*f)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^(n - 1)*(e + f*x)^p*Simp[b*c*(f*g - e*h)*(m + 1) + (b*g - a*h)*(d*e*n + c*f*(p + 1)) + d*(b*(f*g - e*h)*(m + 1) + f*(b*g - a*h)*(n + p + 1))*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, p}, x] && LtQ[m, -1] && GtQ[n, 0] && IntegersQ[2*m, 2*n, 2*p]

Rule 158

Int[((g_.) + (h_.)*(x_))/(Sqrt[(a_.) + (b_.)*(x_)]*Sqrt[(c_) + (d_.)*(x_)]*Sqrt[(e_) + (f_.)*(x_)]), x_Symbol] := Dist[h/f, Int[Sqrt[e + f*x]/(Sqrt[a + b*x]*Sqrt[c + d*x]), x], x] + Dist[(f*g - e*h)/f, Int[1/(Sqrt[a + b*x]*Sqrt[c + d*x]*Sqrt[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && SimplerQ[a + b*x, e + f*x] && SimplerQ[c + d*x, e + f*x]

Rule 1614

Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] := With[{Qx = PolynomialQuotient[Px, a + b*x, x], R = PolynomialRemainder[Px, a + b*x, x]}, Simp[(b*R*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*ExpandToSum[(m + 1)*(b*c - a*d)*(b*e - a*f)*Qx + a*d*f*R*(m + 1) - b*R*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*R*(m + n + p + 3)*x, x], x]] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && PolyQ[Px, x] && LtQ[m, -1] && IntegersQ[2*m, 2*n, 2*p]

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{c+dx} \sqrt{e+fx} (A+Bx+Cx^2)}{(a+bx)^{7/2}} dx &= -\frac{2(Ab^2 - a(bB - aC))(c+dx)^{3/2}(e+fx)^{3/2}}{5b(bc-ad)(be-af)(a+bx)^{5/2}} - 2 \int \frac{\sqrt{c+dx} \sqrt{e+fx} \left(-\frac{3a^2C(a+bx)}{5b(bc-ad)(be-af)}\right)}{(a+bx)^{5/2}} dx \\
&= \frac{2(6a^3Cdf + ab^2(10cCe + 3Bde + 3Bcf - 4Adf) - b^3(5Bce - 2A(de + 2cd)))}{15b^2(bc-ad)(be-af)^2(a+bx)^{3/2}} \\
&= \frac{2(24a^3Cd^2f - a^2bd(23Cde + 41cCf + 4Bdf) - b^3(15c^2Ce - 2Ad^2e + 2cd^2))}{15b^3(bc-ad)(be-af)(a+bx)^{3/2}} \\
&= \frac{2(24a^3Cd^2f - a^2bd(23Cde + 41cCf + 4Bdf) - b^3(15c^2Ce - 2Ad^2e + 2cd^2))}{15b^3(bc-ad)(be-af)(a+bx)^{3/2}} \\
&= \frac{2(24a^3Cd^2f - a^2bd(23Cde + 41cCf + 4Bdf) - b^3(15c^2Ce - 2Ad^2e + 2cd^2))}{15b^3(bc-ad)(be-af)(a+bx)^{3/2}} \\
&= \frac{2(24a^3Cd^2f - a^2bd(23Cde + 41cCf + 4Bdf) - b^3(15c^2Ce - 2Ad^2e + 2cd^2))}{15b^3(bc-ad)(be-af)(a+bx)^{3/2}} \\
&= \frac{2(24a^3Cd^2f - a^2bd(23Cde + 41cCf + 4Bdf) - b^3(15c^2Ce - 2Ad^2e + 2cd^2))}{15b^3(bc-ad)(be-af)(a+bx)^{3/2}} \\
&= \frac{2(24a^3Cd^2f - a^2bd(23Cde + 41cCf + 4Bdf) - b^3(15c^2Ce - 2Ad^2e + 2cd^2))}{15b^3(bc-ad)(be-af)(a+bx)^{3/2}}
\end{aligned}$$

Mathematica [C] time = 16.42, size = 9529, normalized size = 9.88

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Sqrt[c + d*x]*Sqrt[e + f*x]*(A + B*x + C*x^2))/(a + b*x)^(7/2), x]
```

[Out] Result too large to show

fricas [F] time = 1.04, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(Cx^2 + Bx + A)\sqrt{bx + a}\sqrt{dx + c}\sqrt{fx + e}}{b^4x^4 + 4ab^3x^3 + 6a^2b^2x^2 + 4a^3bx + a^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2)/(b*x+a)^(7/2),x, algorithm="fricas")

[Out] integral((C*x^2 + B*x + A)*sqrt(b*x + a)*sqrt(d*x + c)*sqrt(f*x + e)/(b^4*x^4 + 4*a*b^3*x^3 + 6*a^2*b^2*x^2 + 4*a^3*b*x + a^4), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Cx^2 + Bx + A)\sqrt{dx + c}\sqrt{fx + e}}{(bx + a)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2)/(b*x+a)^(7/2),x, algorithm="giac")

[Out] integrate((C*x^2 + B*x + A)*sqrt(d*x + c)*sqrt(f*x + e)/(b*x + a)^(7/2), x)

maple [B] time = 0.24, size = 34389, normalized size = 35.67

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2)/(b*x+a)^(7/2),x)

[Out] result too large to display

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Cx^2 + Bx + A)\sqrt{dx + c}\sqrt{fx + e}}{(bx + a)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2)/(b*x+a)^(7/2),x, algorithm="maxima")

[Out] integrate((C*x^2 + B*x + A)*sqrt(d*x + c)*sqrt(f*x + e)/(b*x + a)^(7/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{e + f x} \sqrt{c + d x} (C x^2 + B x + A)}{(a + b x)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((e + f*x)^(1/2)*(c + d*x)^(1/2)*(A + B*x + C*x^2))/(a + b*x)^(7/2), x)

[Out] int(((e + f*x)^(1/2)*(c + d*x)^(1/2)*(A + B*x + C*x^2))/(a + b*x)^(7/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x**2+B*x+A)*(d*x+c)**(1/2)*(f*x+e)**(1/2)/(b*x+a)**(7/2), x)

[Out] Timed out

$$3.66 \quad \int \frac{\sqrt{c+dx} \sqrt{e+fx} (A+Bx+Cx^2)}{(a+bx)^{9/2}} dx$$

Optimal. Leaf size=1716

$$\frac{2(Ab^2 - a(bB - aC))(c + dx)^{3/2}(e + fx)^{3/2}}{7b(bc - ad)(be - af)(a + bx)^{7/2}} + \frac{2(6Cdfa^3 + b(Bdf - 10C(de + cf))a^2 + b^2(14cCe + 3Bde + 3Bc))}{35b^2(bc - ad)(be - af)(a + bx)^{7/2}}$$

[Out] $-2/7*(A*b^2-a*(B*b-C*a))*(d*x+c)^{(3/2)}*(f*x+e)^{(3/2)}/b/(-a*d+b*c)/(-a*f+b*e)/(b*x+a)^{(7/2)}+2/35*(6*a^3*C*d*f+a*b^2*(-8*A*d*f+3*B*c*f+3*B*d*e+14*C*c*e)-b^3*(7*B*c*e-4*A*(c*f+d*e))+a^2*b*(B*d*f-10*C*(c*f+d*e)))*(f*x+e)^{(3/2)}*(d*x+c)^{(1/2)}/b^2/(-a*d+b*c)/(-a*f+b*e)^2/(b*x+a)^{(5/2)}-2/105*(24*a^4*C*d^2*f^2-a^3*b*d*f*(-4*B*d*f+43*C*c*f+61*C*d*e)-3*a*b^3*(d^2*e*(-3*A*f+B*e)+2*c^2*f*(-B*f+7*C*e)+c*d*(5*A*f^2-5*B*e*f+28*C*e^2))-b^4*(4*A*d^2*e^2-c*d*e*(-A*f+7*B*e)-c^2*(8*A*f^2-14*B*e*f+35*C*e^2))-3*a^2*b^2*(d*f*(-A*d*f+2*B*c*f+3*B*d*e)-C*(5*c^2*f^2+37*c*d*e*f+15*d^2*e^2)))*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/b^3/(-a*d+b*c)^2/(-a*f+b*e)^2/(b*x+a)^{(3/2)}+2/105*(48*a^5*C*d^3*f^3+8*a^4*b*d^2*f^2*(B*d*f-16*C*(c*f+d*e))-b^5*(8*A*d^3*e^3-c*d^2*e^2*(5*A*f+14*B*e))+c^2*d*e*(-5*A*f^2+14*B*e*f+35*C*e^2)+c^3*f*(8*A*f^2-14*B*e*f+35*C*e^2))-a*b^4*(d^3*e^2*(-19*A*f+6*B*e)-6*c^3*f^2*(-B*f+7*C*e)-c^2*d*f*(238*C*e^2-19*f*(-A*f+B*e))-c*d^2*e*(42*C*e^2-f*(20*A*f+19*B*e)))+a^3*b^2*d*f*(C*(103*c^2*f^2+344*c*d*e*f+103*d^2*e^2)+d*f*(6*A*d*f-19*B*(c*f+d*e)))-3*a^2*b^3*(C*(5*c^3*f^3+94*c^2*d*e*f^2+94*c*d^2*e^2*f+5*d^3*e^3)+d*f*(3*A*d*f*(c*f+d*e)-B*(3*c^2*f^2+16*c*d*e*f+3*d^2*e^2)))*EllipticE(d^(1/2)*(b*x+a)^(1/2)/(a*d-b*c)^(1/2),((-a*d+b*c)*f/d/(-a*f+b*e))^(1/2))*d^(1/2)*(b*(d*x+c)/(-a*d+b*c))^(1/2)*(f*x+e)^(1/2)/b^4/(a*d-b*c)^(5/2)/(-a*f+b*e)^3/(d*x+c)^(1/2)/(b*(f*x+e)/(-a*f+b*e))^(1/2)+2/105*(-c*f+d*e)*(24*a^4*C*d^2*f^2-a^3*b*d*f*(-4*B*d*f+61*C*c*f+43*C*d*e)+b^4*(8*A*d^2*e^2-c*d*e*(A*f+14*B*e))+c^2*(-4*A*f^2+7*B*e*f+35*C*e^2))+3*a*b^3*(d^2*e*(-5*A*f+2*B*e)-c^2*f*(B*f+28*C*e)-c*d*(-3*A*f^2-5*B*e*f+14*C*e^2))-3*a^2*b^2*(d*f*(-A*d*f+3*B*c*f+2*B*d*e)-C*(15*c^2*f^2+37*c*d*e*f+5*d^2*e^2))*EllipticF(d^(1/2)*(b*x+a)^(1/2)/(a*d-b*c)^(1/2),((-a*d+b*c)*f/d/(-a*f+b*e))^(1/2))*d^(1/2)*(b*(d*x+c)/(-a*d+b*c))^(1/2)*(b*(f*x+e)/(-a*f+b*e))^(1/2)/b^4/(a*d-b*c)^(5/2)/(-a*f+b*e)^2/(d*x+c)^(1/2)/(f*x+e)^(1/2)$

Rubi [A] time = 7.05, antiderivative size = 1716, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.210$, Rules used = {1614, 150, 152, 158, 114, 113, 121, 120}

result too large to display

Antiderivative was successfully verified.

[In] Int[(Sqrt[c + d*x]*Sqrt[e + f*x]*(A + B*x + C*x^2))/(a + b*x)^(9/2),x]

[Out]
$$\begin{aligned} & (-2*(24*a^4*C*d^2*f^2 - a^3*b*d*f*(61*C*d*e + 43*c*C*f - 4*B*d*f) - 3*a*b^3 \\ & *(d^2*e*(B*e - 3*A*f) + 2*c^2*f*(7*C*e - B*f) + c*d*(28*C*e^2 - 5*B*e*f + 5 \\ & *A*f^2)) - b^4*(4*A*d^2*e^2 - c*d*e*(7*B*e - A*f) - c^2*(35*C*e^2 - 14*B*e*f \\ & + 8*A*f^2)) - 3*a^2*b^2*(d*f*(3*B*d*e + 2*B*c*f - A*d*f) - C*(15*d^2*e^2 \\ & + 37*c*d*e*f + 5*c^2*f^2)))*Sqrt[c + d*x]*Sqrt[e + f*x])/((105*b^3*(b*c - a*d) \\ & ^2*(b*e - a*f)^2*(a + b*x)^(3/2)) + (2*(48*a^5*C*d^3*f^3 + 8*a^4*b*d^2*f^2 \\ & *(B*d*f - 16*C*(d*e + c*f)) - b^5*(8*A*d^3*e^3 - c*d^2*e^2*(14*B*e + 5*A*f) \\ &) + c^2*d*e*(35*C*e^2 + 14*B*e*f - 5*A*f^2) + c^3*f*(35*C*e^2 - 14*B*e*f + \\ & 8*A*f^2)) - a*b^4*(d^3*e^2*(6*B*e - 19*A*f) - 6*c^3*f^2*(7*C*e - B*f) - c^2 \\ & *d*f*(238*C*e^2 - 19*f*(B*e - A*f)) - c*d^2*e*(42*C*e^2 - f*(19*B*e + 20*A*f) \\ &)) + a^3*b^2*d*f*(C*(103*d^2*e^2 + 344*c*d*e*f + 103*c^2*f^2) + d*f*(6*A*d*f \\ & - 19*B*(d*e + c*f))) - 3*a^2*b^3*(C*(5*d^3*e^3 + 94*c*d^2*e^2*f + 94*c^2 \\ & *d*e*f^2 + 5*c^3*f^3) + d*f*(3*A*d*f*(d*e + c*f) - B*(3*d^2*e^2 + 16*c*d*e \\ & *f + 3*c^2*f^2))))*Sqrt[c + d*x]*Sqrt[e + f*x])/((105*b^3*(b*c - a*d)^3*(b*e \\ & - a*f)^3*Sqrt[a + b*x]) + (2*(6*a^3*C*d*f + a*b^2*(14*c*C*e + 3*B*d*e + 3*B \\ & *c*f - 8*A*d*f) - b^3*(7*B*c*e - 4*A*(d*e + c*f)) + a^2*b*(B*d*f - 10*C*(d \\ & *e + c*f)))*Sqrt[c + d*x]*(e + f*x)^(3/2))/(35*b^2*(b*c - a*d)*(b*e - a*f)^2 \\ & *(a + b*x)^(5/2)) - (2*(A*b^2 - a*(b*B - a*C))*(c + d*x)^(3/2)*(e + f*x)^(3 \\ & /2))/(7*b*(b*c - a*d)*(b*e - a*f)*(a + b*x)^(7/2)) + (2*Sqrt[d]*(48*a^5*C \\ & d^3*f^3 + 8*a^4*b*d^2*f^2*(B*d*f - 16*C*(d*e + c*f)) - b^5*(8*A*d^3*e^3 - c \\ & *d^2*e^2*(14*B*e + 5*A*f) + c^2*d*e*(35*C*e^2 + 14*B*e*f - 5*A*f^2) + c^3*f \\ & *(35*C*e^2 - 14*B*e*f + 8*A*f^2)) - a*b^4*(d^3*e^2*(6*B*e - 19*A*f) - 6*c^3 \\ & *f^2*(7*C*e - B*f) - c^2*d*f*(238*C*e^2 - 19*f*(B*e - A*f)) - c*d^2*e*(42*C \\ & *e^2 - f*(19*B*e + 20*A*f))) + a^3*b^2*d*f*(C*(103*d^2*e^2 + 344*c*d*e*f + \\ & 103*c^2*f^2) + d*f*(6*A*d*f - 19*B*(d*e + c*f))) - 3*a^2*b^3*(C*(5*d^3*e^3 \\ & + 94*c*d^2*e^2*f + 94*c^2*d*e*f^2 + 5*c^3*f^3) + d*f*(3*A*d*f*(d*e + c*f) - \\ & B*(3*d^2*e^2 + 16*c*d*e*f + 3*c^2*f^2))))*Sqrt[(b*(c + d*x))/(b*c - a*d)]* \\ & Sqrt[e + f*x]*EllipticE[ArcSin[(Sqrt[d]*Sqrt[a + b*x])/Sqrt[-(b*c) + a*d]], \\ & ((b*c - a*d)*f)/(d*(b*e - a*f)))]/(105*b^4*(-(b*c) + a*d)^(5/2)*(b*e - a*f) \\ &)^3*Sqrt[c + d*x]*Sqrt[(b*(e + f*x))/(b*e - a*f))] + (2*Sqrt[d]*(d*e - c*f) \\ & *(24*a^4*C*d^2*f^2 - a^3*b*d*f*(43*C*d*e + 61*c*C*f - 4*B*d*f) + b^4*(8*A*d \\ & ^2*e^2 - c*d*e*(14*B*e + A*f) + c^2*(35*C*e^2 + 7*B*e*f - 4*A*f^2)) + 3*a*b \\ & ^3*(d^2*e*(2*B*e - 5*A*f) - c^2*f*(28*C*e + B*f) - c*d*(14*C*e^2 - 5*B*e*f \\ & - 3*A*f^2)) - 3*a^2*b^2*(d*f*(2*B*d*e + 3*B*c*f - A*d*f) - C*(5*d^2*e^2 + 3 \\ & 7*c*d*e*f + 15*c^2*f^2)))*Sqrt[(b*(c + d*x))/(b*c - a*d)]*Sqrt[(b*(e + f*x) \\ &)] \end{aligned}$$

```
)/(b*e - a*f)]*EllipticF[ArcSin[(Sqrt[d]*Sqrt[a + b*x])/Sqrt[-(b*c) + a*d]]
, ((b*c - a*d)*f)/(d*(b*e - a*f))]/(105*b^4*(-(b*c) + a*d)^(5/2)*(b*e - a*
f)^2*Sqrt[c + d*x]*Sqrt[e + f*x])
```

Rule 113

```
Int[Sqrt[(e_) + (f_)*(x_)]/(Sqrt[(a_) + (b_)*(x_)]*Sqrt[(c_) + (d_)*(x_
)]), x_Symbol] :> Simp[(2*Rt[-((b*e - a*f)/d), 2]*EllipticE[ArcSin[Sqrt[a +
b*x]/Rt[-((b*c - a*d)/d), 2]], (f*(b*c - a*d))/(d*(b*e - a*f))]/b, x] /;
FreeQ[{a, b, c, d, e, f}, x] && GtQ[b/(b*c - a*d), 0] && GtQ[b/(b*e - a*f),
0] && !LtQ[-((b*c - a*d)/d), 0] && !(SimplerQ[c + d*x, a + b*x] && GtQ[-
(d/(b*c - a*d)), 0] && GtQ[d/(d*e - c*f), 0] && !LtQ[(b*c - a*d)/b, 0])
```

Rule 114

```
Int[Sqrt[(e_) + (f_)*(x_)]/(Sqrt[(a_) + (b_)*(x_)]*Sqrt[(c_) + (d_)*(x_
)]), x_Symbol] :> Dist[(Sqrt[e + f*x]*Sqrt[(b*(c + d*x))/(b*c - a*d)])/Sqr
t[c + d*x]*Sqrt[(b*(e + f*x))/(b*e - a*f)]), Int[Sqrt[(b*e)/(b*e - a*f) + (
b*f*x)/(b*e - a*f)]/(Sqrt[a + b*x]*Sqrt[(b*c)/(b*c - a*d) + (b*d*x)/(b*c -
a*d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !(GtQ[b/(b*c - a*d), 0]
&& GtQ[b/(b*e - a*f), 0]) && !LtQ[-((b*c - a*d)/d), 0]
```

Rule 120

```
Int[1/(Sqrt[(a_) + (b_)*(x_)]*Sqrt[(c_) + (d_)*(x_)]*Sqrt[(e_) + (f_)*(x
_)]), x_Symbol] :> Simp[(2*Rt[-(b/d), 2]*EllipticF[ArcSin[Sqrt[a + b*x]/(Rt
[-(b/d), 2]*Sqrt[(b*c - a*d)/b]]], (f*(b*c - a*d))/(d*(b*e - a*f))]/(b*Sqr
t[(b*e - a*f)/b]), x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[b/(b*c - a*d),
0] && GtQ[b/(b*e - a*f), 0] && SimplerQ[a + b*x, c + d*x] && SimplerQ[a +
b*x, e + f*x] && (PosQ[-((b*c - a*d)/d)] || NegQ[-((b*e - a*f)/f)])
```

Rule 121

```
Int[1/(Sqrt[(a_) + (b_)*(x_)]*Sqrt[(c_) + (d_)*(x_)]*Sqrt[(e_) + (f_)*(x
_)]), x_Symbol] :> Dist[Sqrt[(b*(c + d*x))/(b*c - a*d)]/Sqrt[c + d*x], Int[
1/(Sqrt[a + b*x]*Sqrt[(b*c)/(b*c - a*d) + (b*d*x)/(b*c - a*d)]*Sqrt[e + f*x
]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[(b*c - a*d)/b, 0] && Si
mplerQ[a + b*x, c + d*x] && SimplerQ[a + b*x, e + f*x]
```

Rule 150

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))
^(p_)*((g_) + (h_)*(x_)), x_Symbol] :> Simp[((b*g - a*h)*(a + b*x)^(m +
1)*(c + d*x)^n*(e + f*x)^(p + 1))/(b*(b*e - a*f)*(m + 1)), x] - Dist[1/(b*(
b*e - a*f)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^(n - 1)*(e + f*x)^p*Si
mp[b*c*(f*g - e*h)*(m + 1) + (b*g - a*h)*(d*e*n + c*f*(p + 1)) + d*(b*(f*g
```

$- e*h)*(m + 1) + f*(b*g - a*h)*(n + p + 1))*x, x], x] /;$ FreeQ[{a, b, c, d, e, f, g, h, p}, x] && LtQ[m, -1] && GtQ[n, 0] && IntegersQ[2*m, 2*n, 2*p]

Rule 152

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[((b*g - a*h)*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*Simp[(a*d*f*g - b*(d*e + c*f)*g + b*c*e*h)*(m + 1) - (b*g - a*h)*(d*e*(n + 1) + c*f*(p + 1)) - d*f*(b*g - a*h)*(m + n + p + 3)*x, x], x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && LtQ[m, -1] && IntegersQ[2*m, 2*n, 2*p]

Rule 158

Int[((g_.) + (h_.)*(x_))/(Sqrt[(a_.) + (b_.)*(x_)]*Sqrt[(c_.) + (d_.)*(x_)]*Sqrt[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[h/f, Int[Sqrt[e + f*x]/(Sqrt[a + b*x]*Sqrt[c + d*x]), x], x] + Dist[(f*g - e*h)/f, Int[1/(Sqrt[a + b*x]*Sqrt[c + d*x]*Sqrt[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && SimplifierQ[a + b*x, e + f*x] && SimplifierQ[c + d*x, e + f*x]

Rule 1614

Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] := With[{Qx = PolynomialQuotient[Px, a + b*x, x], R = PolynomialRemainder[Px, a + b*x, x]}, Simp[(b*R*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*ExpandToSum[(m + 1)*(b*c - a*d)*(b*e - a*f)*Qx + a*d*f*R*(m + 1) - b*R*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*R*(m + n + p + 3)*x, x], x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && PolyQ[Px, x] && LtQ[m, -1] && IntegersQ[2*m, 2*n, 2*p]

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{c+dx} \sqrt{e+fx} (A+Bx+Cx^2)}{(a+bx)^{9/2}} dx &= -\frac{2(Ab^2 - a(bB - aC))(c+dx)^{3/2}(e+fx)^{3/2}}{7b(bc-ad)(be-af)(a+bx)^{7/2}} - 2 \int \frac{\sqrt{c+dx} \sqrt{e+fx} \left(-\frac{3a^2C}{a+bx}\right)}{(a+bx)^{9/2}} dx \\
&= \frac{2(6a^3Cdf + ab^2(14cCe + 3Bde + 3Bcf - 8Adf) - b^3(7Bce - 4A(de+ef)))}{35b^2(bc-ad)(be-af)^2} \\
&= -\frac{2(24a^4Cd^2f^2 - a^3bdf(61Cde + 43cCf - 4Bdf) - 3ab^3(d^2e(Be - 3Cde) + d^2f(Ce - 3Bdf)))}{35b^2(bc-ad)(be-af)^2} \\
&= -\frac{2(24a^4Cd^2f^2 - a^3bdf(61Cde + 43cCf - 4Bdf) - 3ab^3(d^2e(Be - 3Cde) + d^2f(Ce - 3Bdf)))}{35b^2(bc-ad)(be-af)^2} \\
&= -\frac{2(24a^4Cd^2f^2 - a^3bdf(61Cde + 43cCf - 4Bdf) - 3ab^3(d^2e(Be - 3Cde) + d^2f(Ce - 3Bdf)))}{35b^2(bc-ad)(be-af)^2} \\
&= -\frac{2(24a^4Cd^2f^2 - a^3bdf(61Cde + 43cCf - 4Bdf) - 3ab^3(d^2e(Be - 3Cde) + d^2f(Ce - 3Bdf)))}{35b^2(bc-ad)(be-af)^2} \\
&= -\frac{2(24a^4Cd^2f^2 - a^3bdf(61Cde + 43cCf - 4Bdf) - 3ab^3(d^2e(Be - 3Cde) + d^2f(Ce - 3Bdf)))}{35b^2(bc-ad)(be-af)^2} \\
&= -\frac{2(24a^4Cd^2f^2 - a^3bdf(61Cde + 43cCf - 4Bdf) - 3ab^3(d^2e(Be - 3Cde) + d^2f(Ce - 3Bdf)))}{35b^2(bc-ad)(be-af)^2}
\end{aligned}$$

Mathematica [C] time = 18.56, size = 15719, normalized size = 9.16

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(Sqrt[c + d*x]*Sqrt[e + f*x]*(A + B*x + C*x^2))/(a + b*x)^(9/2), x]

[Out] Result too large to show

fricas [F] time = 0.94, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(Cx^2 + Bx + A)\sqrt{bx + a}\sqrt{dx + c}\sqrt{fx + e}}{b^5x^5 + 5ab^4x^4 + 10a^2b^3x^3 + 10a^3b^2x^2 + 5a^4bx + a^5}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2)/(b*x+a)^(9/2), x, algorithm="fricas")

[Out] integral((C*x^2 + B*x + A)*sqrt(b*x + a)*sqrt(d*x + c)*sqrt(f*x + e)/(b^5*x^5 + 5*a*b^4*x^4 + 10*a^2*b^3*x^3 + 10*a^3*b^2*x^2 + 5*a^4*b*x + a^5), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Cx^2 + Bx + A)\sqrt{dx + c}\sqrt{fx + e}}{(bx + a)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2)/(b*x+a)^(9/2), x, algorithm="giac")

[Out] integrate((C*x^2 + B*x + A)*sqrt(d*x + c)*sqrt(f*x + e)/(b*x + a)^(9/2), x)

maple [B] time = 0.40, size = 68345, normalized size = 39.83

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2)/(b*x+a)^(9/2), x)

[Out] result too large to display

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Cx^2 + Bx + A)\sqrt{dx + c}\sqrt{fx + e}}{(bx + a)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2)/(b*x+a)^(9/2),x, algorithm="maxima")

[Out] integrate((C*x^2 + B*x + A)*sqrt(d*x + c)*sqrt(f*x + e)/(b*x + a)^(9/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{e + f x} \sqrt{c + d x} (C x^2 + B x + A)}{(a + b x)^{9/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((e + f*x)^(1/2)*(c + d*x)^(1/2)*(A + B*x + C*x^2))/(a + b*x)^(9/2),x)

[Out] int(((e + f*x)^(1/2)*(c + d*x)^(1/2)*(A + B*x + C*x^2))/(a + b*x)^(9/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x**2+B*x+A)*(d*x+c)**(1/2)*(f*x+e)**(1/2)/(b*x+a)**(9/2),x)

[Out] Timed out

$$3.67 \quad \int \frac{(a+bx)^{3/2} \sqrt{c+dx} (A+Bx+Cx^2)}{\sqrt{e+fx}} dx$$

Optimal. Leaf size=1235

$$\frac{2C(c+dx)^{3/2} \sqrt{e+fx} (a+bx)^{5/2}}{9bdf} - \frac{2(4aCdf + b(8Cde + 6cCf - 9Bdf))(c+dx)^{3/2} \sqrt{e+fx} (a+bx)^{3/2}}{63bd^2 f^2} - \frac{2(7bdf(5$$

[Out] $-2/63*(4*a*C*d*f+b*(-9*B*d*f+6*C*c*f+8*C*d*e))*(b*x+a)^{(3/2)}*(d*x+c)^{(3/2)}*(f*x+e)^{(1/2)}/b/d^2/f^2+2/9*C*(b*x+a)^{(5/2)}*(d*x+c)^{(3/2)}*(f*x+e)^{(1/2)}/b/d/f-2/315*(7*b*d*f*(-9*A*b*d*f+C*a*c*f+3*C*a*d*e+5*C*b*c*e)-(-3*a*d*f+4*b*c*f+6*b*d*e)*(4*a*C*d*f+b*(-9*B*d*f+6*C*c*f+8*C*d*e)))*(d*x+c)^{(3/2)}*(b*x+a)^{(1/2)}*(f*x+e)^{(1/2)}/b/d^3/f^3-2/945*(5*b*d*f*(7*a*d*f*(-9*A*b*d*f+C*a*c*f+3*C*a*d*e+5*C*b*c*e)-(a*c*f+3*a*d*e+3*b*c*e))*(4*a*C*d*f+b*(-9*B*d*f+6*C*c*f+8*C*d*e)))+2*(1/2*a*d*f-b*(c*f+2*d*e))*(7*b*d*f*(-9*A*b*d*f+C*a*c*f+3*C*a*d*e+5*C*b*c*e)-(-3*a*d*f+4*b*c*f+6*b*d*e)*(4*a*C*d*f+b*(-9*B*d*f+6*C*c*f+8*C*d*e)))*(b*x+a)^{(1/2)}*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/b^2/d^3/f^4+2/315*(8*a^4*C*d^4*f^4+a^3*b*d^3*f^3*(-18*B*d*f-7*C*c*f+11*C*d*e)-3*a^2*b^2*d^2*f^2*(3*d*f*(-7*A*d*f-3*B*c*f+4*B*d*e)-C*(-3*c^2*f^2-5*c*d*e*f+9*d^2*e^2))-a*b^3*d*f*(2*C*(-16*c^3*f^3-18*c^2*d*e*f^2-33*c*d^2*e^2*f+92*d^3*e^3)+3*d*f*(7*A*d*f*(-7*c*f+13*d*e)-B*(-19*c^2*f^2-29*c*d*e*f+72*d^2*e^2)))+b^4*(C*(-16*c^4*f^4-16*c^3*d*e*f^3-21*c^2*d^2*e^2*f^2-40*c*d^3*e^3*f+128*d^4*e^4)+3*d*f*(7*A*d*f*(-2*c^2*f^2-3*c*d*e*f+8*d^2*e^2)-B*(-8*c^3*f^3-9*c^2*d*e*f^2-16*c*d^2*e^2*f+48*d^3*e^3)))*EllipticE(d^(1/2)*(b*x+a)^(1/2)/(a*d-b*c)^(1/2),((-a*d+b*c)*f/d/(-a*f+b*e))^(1/2))*(a*d-b*c)^(1/2)*(b*(d*x+c)/(-a*d+b*c))^(1/2)*(f*x+e)^(1/2)/b^3/d^(7/2)/f^5/(d*x+c)^(1/2)/(b*(f*x+e)/(-a*f+b*e))^(1/2)+2/315*(-a*f+b*e)*(-c*f+d*e)*(4*a^3*C*d^3*f^3+3*a^2*b*d^2*f^2*(-3*B*d*f-C*c*f+3*C*d*e)-3*a*b^2*d*f*(3*d*f*(-21*A*d*f+3*B*c*f+16*B*d*e)-5*C*(c^2*f^2+2*c*d*e*f+8*d^2*e^2))-b^3*(C*(8*c^3*f^3+15*c^2*d*e*f^2+24*c*d^2*e^2*f+128*d^3*e^3)+3*d*f*(7*A*d*f*(c*f+8*d*e)-4*B*(c^2*f^2+2*c*d*e*f+12*d^2*e^2)))*EllipticF(d^(1/2)*(b*x+a)^(1/2)/(a*d-b*c)^(1/2),((-a*d+b*c)*f/d/(-a*f+b*e))^(1/2))*(a*d-b*c)^(1/2)*(b*(d*x+c)/(-a*d+b*c))^(1/2)*(b*(f*x+e)/(-a*f+b*e))^(1/2)/b^3/d^(7/2)/f^5/(d*x+c)^(1/2)/(f*x+e)^(1/2)$

Rubi [A] time = 4.40, antiderivative size = 1235, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 7, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.184$, Rules used = {1615, 154, 158, 114, 113, 121, 120}

$$\frac{2C(c+dx)^{3/2} \sqrt{e+fx} (a+bx)^{5/2}}{9bdf} - \frac{2(4aCdf + b(8Cde + 6cCf - 9Bdf))(c+dx)^{3/2} \sqrt{e+fx} (a+bx)^{3/2}}{63bd^2 f^2} - \frac{2(7bdf(5$$

Antiderivative was successfully verified.

[In] Int[((a + b*x)^(3/2)*Sqrt[c + d*x]*(A + B*x + C*x^2))/Sqrt[e + f*x],x]

[Out]
$$\begin{aligned} & (-2*(5*b*d*f*(7*a*d*f*(5*b*c*C*e + 3*a*C*d*e + a*c*C*f - 9*A*b*d*f) - (3*b*c*e + 3*a*d*e + a*c*f)*(4*a*C*d*f + b*(8*C*d*e + 6*c*C*f - 9*B*d*f))) + 2*((a*d*f)/2 - b*(2*d*e + c*f))*(7*b*d*f*(5*b*c*C*e + 3*a*C*d*e + a*c*C*f - 9*A*b*d*f) - (6*b*d*e + 4*b*c*f - 3*a*d*f)*(4*a*C*d*f + b*(8*C*d*e + 6*c*C*f - 9*B*d*f))))*Sqrt[a + b*x]*Sqrt[c + d*x]*Sqrt[e + f*x]/(945*b^2*d^3*f^4) \\ & - (2*(7*b*d*f*(5*b*c*C*e + 3*a*C*d*e + a*c*C*f - 9*A*b*d*f) - (6*b*d*e + 4*b*c*f - 3*a*d*f)*(4*a*C*d*f + b*(8*C*d*e + 6*c*C*f - 9*B*d*f))))*Sqrt[a + b*x]*(c + d*x)^(3/2)*Sqrt[e + f*x]/(315*b*d^3*f^3) - (2*(4*a*C*d*f + b*(8*C*d*e + 6*c*C*f - 9*B*d*f))*(a + b*x)^(3/2)*(c + d*x)^(3/2)*Sqrt[e + f*x])/((63*b*d^2*f^2) + (2*C*(a + b*x)^(5/2)*(c + d*x)^(3/2)*Sqrt[e + f*x]))/(9*b*d*f) \\ & + (2*Sqrt[-(b*c) + a*d]*(8*a^4*C*d^4*f^4 + a^3*b*d^3*f^3*(11*C*d*e - 7*c*C*f - 18*B*d*f) - 3*a^2*b^2*d^2*f^2*(3*d*f*(4*B*d*e - 3*B*c*f - 7*A*d*f) - C*(9*d^2*e^2 - 5*c*d*e*f - 3*c^2*f^2)) - a*b^3*d*f*(2*C*(92*d^3*e^3 - 33*c*d^2*e^2*f - 18*c^2*d*e*f^2 - 16*c^3*f^3) + 3*d*f*(7*A*d*f*(13*d*e - 7*c*f) - B*(72*d^2*e^2 - 29*c*d*e*f - 19*c^2*f^2))) + b^4*(C*(128*d^4*e^4 - 40*c*d^3*e^3*f - 21*c^2*d^2*e^2*f^2 - 16*c^3*d*e*f^3 - 16*c^4*f^4) + 3*d*f*(7*A*d*f*(8*d^2*e^2 - 3*c*d*e*f - 2*c^2*f^2) - B*(48*d^3*e^3 - 16*c*d^2*e^2*f - 9*c^2*d*e*f^2 - 8*c^3*f^3))))*Sqrt[(b*(c + d*x))/(b*c - a*d)]*Sqrt[e + f*x]*EllipticE[ArcSin[(Sqrt[d]*Sqrt[a + b*x])/Sqrt[-(b*c) + a*d]], ((b*c - a*d)*f)/(d*(b*e - a*f)))]/(315*b^3*d^(7/2)*f^5*Sqrt[c + d*x]*Sqrt[(b*(e + f*x))/(b*e - a*f)]) + (2*Sqrt[-(b*c) + a*d]*(b*e - a*f)*(d*e - c*f)*(4*a^3*C*d^3*f^3 + 3*a^2*b*d^2*f^2*(3*C*d*e - c*C*f - 3*B*d*f) - 3*a*b^2*d*f*(3*d*f*(16*B*d*e + 3*B*c*f - 21*A*d*f) - 5*C*(8*d^2*e^2 + 2*c*d*e*f + c^2*f^2)) - b^3*(C*(128*d^3*e^3 + 24*c*d^2*e^2*f + 15*c^2*d*e*f^2 + 8*c^3*f^3) + 3*d*f*(7*A*d*f*(8*d*e + c*f) - 4*B*(12*d^2*e^2 + 2*c*d*e*f + c^2*f^2))))*Sqrt[(b*(c + d*x))/(b*c - a*d)]*Sqrt[(b*(e + f*x))/(b*e - a*f)]*EllipticF[ArcSin[(Sqrt[d]*Sqrt[a + b*x])/Sqrt[-(b*c) + a*d]], ((b*c - a*d)*f)/(d*(b*e - a*f)))]/(315*b^3*d^(7/2)*f^5*Sqrt[c + d*x]*Sqrt[e + f*x]) \end{aligned}$$

Rule 113

Int[Sqrt[(e_) + (f_)*(x_)]/(Sqrt[(a_) + (b_)*(x_)]*Sqrt[(c_) + (d_)*(x_)])], x_Symbol] := Simp[(2*Rt[-((b*e - a*f)/d), 2]*EllipticE[ArcSin[Sqrt[a + b*x]/Rt[-((b*c - a*d)/d), 2]], (f*(b*c - a*d))/(d*(b*e - a*f))]/b, x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[b/(b*c - a*d), 0] && GtQ[b/(b*e - a*f), 0] && !LtQ[-((b*c - a*d)/d), 0] && !(SimplerQ[c + d*x, a + b*x] && GtQ[-(d/(b*c - a*d)), 0] && GtQ[d/(d*e - c*f), 0] && !LtQ[(b*c - a*d)/b, 0])

Rule 114

Int[Sqrt[(e_) + (f_)*(x_)]/(Sqrt[(a_) + (b_)*(x_)]*Sqrt[(c_) + (d_)*(x_)])], x_Symbol] := Dist[(Sqrt[e + f*x]*Sqrt[(b*(c + d*x))/(b*c - a*d)])/Sqrt[c + d*x]*Sqrt[(b*(e + f*x))/(b*e - a*f)]), Int[Sqrt[(b*e)/(b*e - a*f)] + (

```
b*f*x)/(b*e - a*f)]/(Sqrt[a + b*x]*Sqrt[(b*c)/(b*c - a*d) + (b*d*x)/(b*c - a*d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !(GtQ[b/(b*c - a*d), 0] && GtQ[b/(b*e - a*f), 0]) && !LtQ[-((b*c - a*d)/d), 0]
```

Rule 120

```
Int[1/(Sqrt[(a_) + (b_)*(x_)]*Sqrt[(c_) + (d_)*(x_)]*Sqrt[(e_) + (f_)*(x_)]), x_Symbol] := Simp[(2*Rt[-(b/d), 2]*EllipticF[ArcSin[Sqrt[a + b*x]/(Rt[-(b/d), 2]*Sqrt[(b*c - a*d)/b])], (f*(b*c - a*d))/(d*(b*e - a*f)))]/(b*Sqrt[(b*e - a*f)/b]), x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[b/(b*c - a*d), 0] && GtQ[b/(b*e - a*f), 0] && SimplerQ[a + b*x, c + d*x] && SimplerQ[a + b*x, e + f*x] && (PosQ[-((b*c - a*d)/d)] || NegQ[-((b*e - a*f)/f)])
```

Rule 121

```
Int[1/(Sqrt[(a_) + (b_)*(x_)]*Sqrt[(c_) + (d_)*(x_)]*Sqrt[(e_) + (f_)*(x_)]), x_Symbol] := Dist[Sqrt[(b*(c + d*x))/(b*c - a*d)]/Sqrt[c + d*x], Int[1/(Sqrt[a + b*x]*Sqrt[(b*c)/(b*c - a*d) + (b*d*x)/(b*c - a*d)]*Sqrt[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[(b*c - a*d)/b, 0] && SimplerQ[a + b*x, c + d*x] && SimplerQ[a + b*x, e + f*x]
```

Rule 154

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_)*((g_) + (h_)*(x_)), x_Symbol] := Simp[(h*(a + b*x)^(m*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(m + n + p + 2)), x] + Dist[1/(d*f*(m + n + p + 2)), Int[(a + b*x)^(m - 1)*(c + d*x)^(n*(e + f*x)^p*Simp[a*d*f*g*(m + n + p + 2) - h*(b*c*e*m + a*(d*e*(n + 1) + c*f*(p + 1))] + (b*d*f*g*(m + n + p + 2) + h*(a*d*f*m - b*(d*e*(m + n + 1) + c*f*(m + p + 1)))]*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p + 2, 0] && IntegersQ[2*m, 2*n, 2*p]
```

Rule 158

```
Int[((g_) + (h_)*(x_))/(Sqrt[(a_) + (b_)*(x_)]*Sqrt[(c_) + (d_)*(x_)]*Sqrt[(e_) + (f_)*(x_)]), x_Symbol] := Dist[h/f, Int[Sqrt[e + f*x]/(Sqrt[a + b*x]*Sqrt[c + d*x]), x], x] + Dist[(f*g - e*h)/f, Int[1/(Sqrt[a + b*x]*Sqrt[c + d*x]*Sqrt[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && SimplerQ[a + b*x, e + f*x] && SimplerQ[c + d*x, e + f*x]
```

Rule 1615

```
Int[(Px_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := With[{q = Expon[Px, x], k = Coeff[Px, x, Expon[Px, x]]}, Simp[(k*(a + b*x)^(m + q - 1)*(c + d*x)^(n + 1)*(e + f*x)^(p +
```

```

1)))/(d*f*b^(q - 1)*(m + n + p + q + 1)), x] + Dist[1/(d*f*b^q*(m + n + p +
q + 1)), Int[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p*ExpandToSum[d*f*b^q*(m + n
+ p + q + 1)*Px - d*f*k*(m + n + p + q + 1)*(a + b*x)^q + k*(a + b*x)^(q -
2)*(a^2*d*f*(m + n + p + q + 1) - b*(b*c*e*(m + q - 1) + a*(d*e*(n + 1) +
c*f*(p + 1))) + b*(a*d*f*(2*(m + q) + n + p) - b*(d*e*(m + q + n) + c*f*(m
+ q + p)))*x), x], x], x] /; NeQ[m + n + p + q + 1, 0]] /; FreeQ[{a, b, c,
d, e, f, m, n, p}, x] && PolyQ[Px, x] && IntegersQ[2*m, 2*n, 2*p]

```

Rubi steps

$$\begin{aligned}
\int \frac{(a+bx)^{3/2} \sqrt{c+dx} (A+Bx+Cx^2)}{\sqrt{e+fx}} dx &= \frac{2C(a+bx)^{5/2}(c+dx)^{3/2} \sqrt{e+fx}}{9bdf} + \frac{2 \int \frac{(a+bx)^{3/2} \sqrt{c+dx} \left(-\frac{1}{2}b(5bcCe+3aCde)\right)}{\sqrt{e+fx}} dx}{9bdf} \\
&= -\frac{2(4aCdf + b(8Cde + 6cCf - 9Bdf))(a+bx)^{3/2}(c+dx)^{3/2} \sqrt{e+fx}}{63bd^2 f^2} \\
&= -\frac{2(7bdf(5bcCe + 3aCde + acCf - 9Abdf) - (6bde + 4bcf - 3adf))}{315ba} \\
&= -\frac{2\left(5bdf(7adf(5bcCe + 3aCde + acCf - 9Abdf) - (3bce + 3ade + \dots))\right)}{\dots} \\
&= -\frac{2\left(5bdf(7adf(5bcCe + 3aCde + acCf - 9Abdf) - (3bce + 3ade + \dots))\right)}{\dots} \\
&= -\frac{2\left(5bdf(7adf(5bcCe + 3aCde + acCf - 9Abdf) - (3bce + 3ade + \dots))\right)}{\dots} \\
&= -\frac{2\left(5bdf(7adf(5bcCe + 3aCde + acCf - 9Abdf) - (3bce + 3ade + \dots))\right)}{\dots} \\
&= -\frac{2\left(5bdf(7adf(5bcCe + 3aCde + acCf - 9Abdf) - (3bce + 3ade + \dots))\right)}{\dots}
\end{aligned}$$

Mathematica [C] time = 17.63, size = 12483, normalized size = 10.11

Result too large to show

Antiderivative was successfully verified.

```
[In] Integrate[((a + b*x)^(3/2)*Sqrt[c + d*x]*(A + B*x + C*x^2))/Sqrt[e + f*x], x]
```

[Out] Result too large to show

fricas [F] time = 1.07, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(Cbx^3 + (Ca + Bb)x^2 + Aa + (Ba + Ab)x)\sqrt{bx + a}\sqrt{dx + c}}{\sqrt{fx + e}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^(3/2)*(C*x^2+B*x+A)*(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="fricas")

[Out] integral((C*b*x^3 + (C*a + B*b)*x^2 + A*a + (B*a + A*b)*x)*sqrt(b*x + a)*sqrt(d*x + c)/sqrt(f*x + e), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Cx^2 + Bx + A)(bx + a)^{\frac{3}{2}}\sqrt{dx + c}}{\sqrt{fx + e}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^(3/2)*(C*x^2+B*x+A)*(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="giac")

[Out] integrate((C*x^2 + B*x + A)*(b*x + a)^(3/2)*sqrt(d*x + c)/sqrt(f*x + e), x)

maple [B] time = 0.07, size = 15855, normalized size = 12.84

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x+a)^(3/2)*(C*x^2+B*x+A)*(d*x+c)^(1/2)/(f*x+e)^(1/2),x)

[Out] result too large to display

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Cx^2 + Bx + A)(bx + a)^{\frac{3}{2}}\sqrt{dx + c}}{\sqrt{fx + e}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^(3/2)*(C*x^2+B*x+A)*(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="maxima")

[Out] integrate((C*x^2 + B*x + A)*(b*x + a)^(3/2)*sqrt(d*x + c)/sqrt(f*x + e), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(a + bx)^{3/2} \sqrt{c + dx} (Cx^2 + Bx + A)}{\sqrt{e + fx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x)^(3/2)*(c + d*x)^(1/2)*(A + B*x + C*x^2))/(e + f*x)^(1/2), x)

[Out] int(((a + b*x)^(3/2)*(c + d*x)^(1/2)*(A + B*x + C*x^2))/(e + f*x)^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx)^{\frac{3}{2}} \sqrt{c + dx} (A + Bx + Cx^2)}{\sqrt{e + fx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)**(3/2)*(C*x**2+B*x+A)*(d*x+c)**(1/2)/(f*x+e)**(1/2), x)

[Out] Integral((a + b*x)**(3/2)*sqrt(c + d*x)*(A + B*x + C*x**2)/sqrt(e + f*x), x)

$$3.68 \quad \int \frac{\sqrt{a+bx} \sqrt{c+dx} (A+Bx+Cx^2)}{\sqrt{e+fx}} dx$$

Optimal. Leaf size=766

$$\frac{2\sqrt{ad-bc}(be-af)(de-cf)\sqrt{\frac{b(c+dx)}{bc-ad}}\sqrt{\frac{b(e+fx)}{be-af}}(4a^2Cd^2f^2+abdf(-7Bdf-2cCf+8Cde)-b^2(7df(-10Adf+4Bdf+4Ccf+6Cde)))}{105b^3d^{5/2}f^4\sqrt{c+dx}\sqrt{e+fx}}$$

[Out] $2/7*C*(b*x+a)^{(3/2)}*(d*x+c)^{(3/2)}*(f*x+e)^{(1/2)}/b/d/f-2/35*(4*a*C*d*f+b*(-7*B*d*f+4*C*c*f+6*C*d*e))*(d*x+c)^{(3/2)}*(b*x+a)^{(1/2)}*(f*x+e)^{(1/2)}/b/d^2/f^2-2/105*(5*b*d*f*(-7*A*b*d*f+C*a*c*f+3*C*a*d*e+3*C*b*c*e)+(a*d*f-2*b*(c*f+2*d*e))*(4*a*C*d*f+b*(-7*B*d*f+4*C*c*f+6*C*d*e)))*(b*x+a)^{(1/2)}*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/b^2/d^2/f^3-2/105*(3*b*d*f*(5*a*d*f*(-7*A*b*d*f+C*a*c*f+3*C*a*d*e+3*C*b*c*e)-(a*c*f+3*a*d*e+b*c*e))*(4*a*C*d*f+b*(-7*B*d*f+4*C*c*f+6*C*d*e)))+2*(1/2*b*c*f-d*(a*f+b*e))*(5*b*d*f*(-7*A*b*d*f+C*a*c*f+3*C*a*d*e+3*C*b*c*e)+(a*d*f-2*b*(c*f+2*d*e))*(4*a*C*d*f+b*(-7*B*d*f+4*C*c*f+6*C*d*e)))*EllipticE(d^{(1/2)}*(b*x+a)^{(1/2)}/(a*d-b*c)^{(1/2)},((-a*d+b*c)*f/d/(-a*f+b*e))^{(1/2)})*(a*d-b*c)^{(1/2)}*(b*(d*x+c)/(-a*d+b*c))^{(1/2)}*(f*x+e)^{(1/2)}/b^3/d^{(5/2)}/f^4/(d*x+c)^{(1/2)}/(b*(f*x+e)/(-a*f+b*e))^{(1/2)}+2/105*(-a*f+b*e)*(-c*f+d*e)*(4*a^2*C*d^2*f^2+a*b*d*f*(-7*B*d*f-2*C*c*f+8*C*d*e)-b^2*(7*d*f*(-10*A*d*f+B*c*f+8*B*d*e)-4*C*(c^2*f^2+2*c*d*e*f+12*d^2*e^2)))*EllipticF(d^{(1/2)}*(b*x+a)^{(1/2)}/(a*d-b*c)^{(1/2)},((-a*d+b*c)*f/d/(-a*f+b*e))^{(1/2)})*(a*d-b*c)^{(1/2)}*(b*(d*x+c)/(-a*d+b*c))^{(1/2)}*(b*(f*x+e)/(-a*f+b*e))^{(1/2)}/b^3/d^{(5/2)}/f^4/(d*x+c)^{(1/2)}/(f*x+e)^{(1/2)}$

Rubi [A] time = 2.06, antiderivative size = 766, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.184$, Rules used = {1615, 154, 158, 114, 113, 121, 120}

$$\frac{2\sqrt{ad-bc}(be-af)(de-cf)\sqrt{\frac{b(c+dx)}{bc-ad}}\sqrt{\frac{b(e+fx)}{be-af}}(4a^2Cd^2f^2+abdf(-7Bdf-2cCf+8Cde)+b^2(-7df(-10Adf+4Bdf+4Ccf+6Cde)))}{105b^3d^{5/2}f^4\sqrt{c+dx}\sqrt{e+fx}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a + b*x]*Sqrt[c + d*x]*(A + B*x + C*x^2))/Sqrt[e + f*x], x]

[Out] $(-2*(5*b*d*f*(3*b*c*C*e+3*a*C*d*e+a*c*C*f-7*A*b*d*f)+(a*d*f-2*b*(2*d*e+c*f))*(4*a*C*d*f+b*(6*C*d*e+4*c*C*f-7*B*d*f)))*Sqrt[a+b*x]*Sqrt[c+d*x]*Sqrt[e+f*x])/(105*b^2*d^2*f^3)-(2*(4*a*C*d*f+b*(6*C*d*e+4*c*C*f-7*B*d*f))*Sqrt[a+b*x]*(c+d*x)^{(3/2)}*Sqrt[e+f*x])/(35*b*d$

$$\begin{aligned} & \sqrt{2f^2} + (2C(a + bx)^{3/2}(c + dx)^{3/2}\sqrt{e + fx})/(7bdf) - (\\ & 2\sqrt{-(bc) + ad}(3bdf(5adf(3bcC^2e + 3aCde + aC^2f - 7 \\ & Abdf) - (bce + 3ade + acf))(4aCdf + b(6Cde + 4C^2f - 7 \\ & Bdf))) + 2((bcf)/2 - d(be + af))(5bdf(3bcC^2e + 3aCde + \\ & aC^2f - 7Abdf) + (adf - 2b(2de + cf))(4aCdf + b(6Cde \\ & + 4C^2f - 7Bdf))))\sqrt{(b(c + dx))/(b^2c - a^2d)}\sqrt{e + fx}\text{EllipticE} \\ & [\text{ArcSin}[(\sqrt{d}\sqrt{a + bx})/\sqrt{-(bc) + ad}], ((bc - a^2d)f)/(\\ & d(b^2e - a^2f))]/(105b^3d^{5/2}f^4\sqrt{c + dx}\sqrt{(b(e + fx))/(b^2e \\ & - a^2f)}) + (2\sqrt{-(bc) + ad}(b^2e - a^2f)(de - cf)(4a^2C^2d^2f^2 \\ & + abdf(8Cde - 2C^2f - 7Bdf) - b^2(7df(8Bde + Bcf - 10A \\ & df) - 4C(12d^2e^2 + 2cde + c^2f^2)))\sqrt{(b(c + dx))/(b^2c - \\ & a^2d)}\sqrt{(b(e + fx))/(b^2e - a^2f)}\text{EllipticF}[\text{ArcSin}[(\sqrt{d}\sqrt{a + b \\ & x})/\sqrt{-(bc) + ad}], ((bc - a^2d)f)/(d(b^2e - a^2f))]/(105b^3d^{5/2} \\ &)f^4\sqrt{c + dx}\sqrt{e + fx}] \end{aligned}$$

Rule 113

```
Int[Sqrt[(e_.) + (f_.)*(x_.)]/(Sqrt[(a_.) + (b_.)*(x_.)]*Sqrt[(c_.) + (d_.)*(x_.)]), x_Symbol] := Simp[(2*Rt[-((b*e - a*f)/d), 2]*EllipticE[ArcSin[Sqrt[a + b*x]/Rt[-((b*c - a*d)/d), 2]], (f*(b*c - a*d))/(d*(b^2e - a^2f))]/b, x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[b/(b*c - a*d), 0] && GtQ[b/(b^2e - a^2f), 0] && !LtQ[-((b*c - a*d)/d), 0] && !(SimplerQ[c + d*x, a + b*x] && GtQ[-(d/(b*c - a*d)), 0] && GtQ[d/(d*e - c*f), 0] && !LtQ[(b*c - a*d)/b, 0])
```

Rule 114

```
Int[Sqrt[(e_.) + (f_.)*(x_.)]/(Sqrt[(a_.) + (b_.)*(x_.)]*Sqrt[(c_.) + (d_.)*(x_.)]), x_Symbol] := Dist[(Sqrt[e + f*x]*Sqrt[(b*(c + d*x))/(b^2c - a^2d)])/Sqrt[c + d*x]*Sqrt[(b*(e + f*x))/(b^2e - a^2f)]), Int[Sqrt[(b^2e)/(b^2e - a^2f) + (b*f*x)/(b^2e - a^2f)]/Sqrt[a + b*x]*Sqrt[(b^2c)/(b^2c - a^2d) + (b*d*x)/(b^2c - a^2d)], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !(GtQ[b/(b*c - a*d), 0] && GtQ[b/(b^2e - a^2f), 0]) && !LtQ[-((b*c - a*d)/d), 0]
```

Rule 120

```
Int[1/(Sqrt[(a_.) + (b_.)*(x_.)]*Sqrt[(c_.) + (d_.)*(x_.)]*Sqrt[(e_.) + (f_.)*(x_.)]), x_Symbol] := Simp[(2*Rt[-(b/d), 2]*EllipticF[ArcSin[Sqrt[a + b*x]/Rt[-(b/d), 2]*Sqrt[(b^2c - a^2d)/b]]], (f*(b*c - a*d))/(d*(b^2e - a^2f))]/(b*Sqrt[(b^2e - a^2f)/b]), x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[b/(b*c - a*d), 0] && GtQ[b/(b^2e - a^2f), 0] && SimplerQ[a + b*x, c + d*x] && SimplerQ[a + b*x, e + f*x] && (PosQ[-((b*c - a*d)/d)] || NegQ[-((b^2e - a^2f)/f)])
```

Rule 121

```
Int[1/(Sqrt[(a_.) + (b_.)*(x_.)]*Sqrt[(c_.) + (d_.)*(x_.)]*Sqrt[(e_.) + (f_.)*(x_.)]), x_Symbol] := Dist[Sqrt[(b*(c + d*x))/(b^2c - a^2d)]/Sqrt[c + d*x], Int[
```



```
1/(Sqrt[a + b*x]*Sqrt[(b*c)/(b*c - a*d) + (b*d*x)/(b*c - a*d)]*Sqrt[e + f*x
]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[(b*c - a*d)/b, 0] && Si
mplerQ[a + b*x, c + d*x] && SimplerQ[a + b*x, e + f*x]
```

Rule 154

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_
))^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[(h*(a + b*x)^m*(c + d*x)^(n
+ 1)*(e + f*x)^(p + 1))/(d*f*(m + n + p + 2)), x] + Dist[1/(d*f*(m + n + p
+ 2)), Int[(a + b*x)^(m - 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*g*(m + n +
p + 2) - h*(b*c*e*m + a*(d*e*(n + 1) + c*f*(p + 1))) + (b*d*f*g*(m + n + p
+ 2) + h*(a*d*f*m - b*(d*e*(m + n + 1) + c*f*(m + p + 1)))]*x, x], x] /
; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p +
2, 0] && IntegersQ[2*m, 2*n, 2*p]
```

Rule 158

```
Int[((g_.) + (h_.)*(x_))/(Sqrt[(a_.) + (b_.)*(x_)]*Sqrt[(c_.) + (d_.)*(x_)]*
Sqrt[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[h/f, Int[Sqrt[e + f*x]/(Sqrt[a
+ b*x]*Sqrt[c + d*x]), x], x] + Dist[(f*g - e*h)/f, Int[1/(Sqrt[a + b*x]*Sq
rt[c + d*x]*Sqrt[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] &&
SimplerQ[a + b*x, e + f*x] && SimplerQ[c + d*x, e + f*x]
```

Rule 1615

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f
_.)*(x_))^(p_), x_Symbol] := With[{q = Expon[Px, x], k = Coeff[Px, x, Expo
n[Px, x]]}, Simp[(k*(a + b*x)^(m + q - 1)*(c + d*x)^(n + 1)*(e + f*x)^(p +
1))/(d*f*b^(q - 1)*(m + n + p + q + 1)), x] + Dist[1/(d*f*b^q*(m + n + p +
q + 1)), Int[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p*ExpandToSum[d*f*b^q*(m + n
+ p + q + 1)*Px - d*f*k*(m + n + p + q + 1)*(a + b*x)^q + k*(a + b*x)^(q -
2)*(a^2*d*f*(m + n + p + q + 1) - b*(b*c*e*(m + q - 1) + a*(d*e*(n + 1) +
c*f*(p + 1))) + b*(a*d*f*(2*(m + q) + n + p) - b*(d*e*(m + q + n) + c*f*(m
+ q + p)))*x), x], x] /; NeQ[m + n + p + q + 1, 0] /; FreeQ[{a, b, c,
d, e, f, m, n, p}, x] && PolyQ[Px, x] && IntegersQ[2*m, 2*n, 2*p]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{a+bx} \sqrt{c+dx} (A+Bx+Cx^2)}{\sqrt{e+fx}} dx &= \frac{2C(a+bx)^{3/2}(c+dx)^{3/2}\sqrt{e+fx}}{7bdf} + \frac{2 \int \frac{\sqrt{a+bx} \sqrt{c+dx} \left(-\frac{1}{2}b(3bcCe+3aCde+acCf)\right)}{\sqrt{e+fx}} dx}{7bdf} \\
&= -\frac{2(4aCdf + b(6Cde + 4cCf - 7Bdf))\sqrt{a+bx}(c+dx)^{3/2}\sqrt{e+fx}}{35bd^2f^2} + \frac{2 \int \frac{\sqrt{a+bx} \sqrt{c+dx} \left(-\frac{1}{2}b(3bcCe+3aCde+acCf)\right)}{\sqrt{e+fx}} dx}{7bdf} \\
&= -\frac{2(5bdf(3bcCe + 3aCde + acCf - 7Abdf) + (adf - 2b(2de + cf))(4aCdf + b(6Cde + 4cCf - 7Bdf)))\sqrt{a+bx}(c+dx)^{3/2}\sqrt{e+fx}}{105b^2d^2f^2} + \frac{2 \int \frac{\sqrt{a+bx} \sqrt{c+dx} \left(-\frac{1}{2}b(3bcCe+3aCde+acCf)\right)}{\sqrt{e+fx}} dx}{7bdf} \\
&= -\frac{2(5bdf(3bcCe + 3aCde + acCf - 7Abdf) + (adf - 2b(2de + cf))(4aCdf + b(6Cde + 4cCf - 7Bdf)))\sqrt{a+bx}(c+dx)^{3/2}\sqrt{e+fx}}{105b^2d^2f^2} + \frac{2 \int \frac{\sqrt{a+bx} \sqrt{c+dx} \left(-\frac{1}{2}b(3bcCe+3aCde+acCf)\right)}{\sqrt{e+fx}} dx}{7bdf} \\
&= -\frac{2(5bdf(3bcCe + 3aCde + acCf - 7Abdf) + (adf - 2b(2de + cf))(4aCdf + b(6Cde + 4cCf - 7Bdf)))\sqrt{a+bx}(c+dx)^{3/2}\sqrt{e+fx}}{105b^2d^2f^2} + \frac{2 \int \frac{\sqrt{a+bx} \sqrt{c+dx} \left(-\frac{1}{2}b(3bcCe+3aCde+acCf)\right)}{\sqrt{e+fx}} dx}{7bdf} \\
&= -\frac{2(5bdf(3bcCe + 3aCde + acCf - 7Abdf) + (adf - 2b(2de + cf))(4aCdf + b(6Cde + 4cCf - 7Bdf)))\sqrt{a+bx}(c+dx)^{3/2}\sqrt{e+fx}}{105b^2d^2f^2} + \frac{2 \int \frac{\sqrt{a+bx} \sqrt{c+dx} \left(-\frac{1}{2}b(3bcCe+3aCde+acCf)\right)}{\sqrt{e+fx}} dx}{7bdf} \\
&= -\frac{2(5bdf(3bcCe + 3aCde + acCf - 7Abdf) + (adf - 2b(2de + cf))(4aCdf + b(6Cde + 4cCf - 7Bdf)))\sqrt{a+bx}(c+dx)^{3/2}\sqrt{e+fx}}{105b^2d^2f^2} + \frac{2 \int \frac{\sqrt{a+bx} \sqrt{c+dx} \left(-\frac{1}{2}b(3bcCe+3aCde+acCf)\right)}{\sqrt{e+fx}} dx}{7bdf} \\
&= -\frac{2(5bdf(3bcCe + 3aCde + acCf - 7Abdf) + (adf - 2b(2de + cf))(4aCdf + b(6Cde + 4cCf - 7Bdf)))\sqrt{a+bx}(c+dx)^{3/2}\sqrt{e+fx}}{105b^2d^2f^2} + \frac{2 \int \frac{\sqrt{a+bx} \sqrt{c+dx} \left(-\frac{1}{2}b(3bcCe+3aCde+acCf)\right)}{\sqrt{e+fx}} dx}{7bdf}
\end{aligned}$$

Mathematica [C] time = 12.91, size = 922, normalized size = 1.20

$$\frac{2 \left(\sqrt{\frac{bc}{d}} - a \left((C(-48d^3e^3 + 16cd^2fe^2 + 9c^2df^2e + 8c^3f^3)) + 7df(5Adf(cf - 2de) + B(8d^2e^2 - 3cdf e - 2c^2f^2)) \right) \right)}{\sqrt{e+fx}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a + b*x]*Sqrt[c + d*x]*(A + B*x + C*x^2))/Sqrt[e + f*x],x]

```
[Out] (2*(b^2*Sqrt[-a + (b*c)/d]*(8*a^3*C*d^3*f^3 + a^2*b*d^2*f^2*(9*C*d*e - 5*c*
C*f - 14*B*d*f) + a*b^2*d*f*(7*d*f*(-3*B*d*e + 2*B*c*f + 5*A*d*f) + C*(16*d
^2*e^2 - 8*c*d*e*f - 5*c^2*f^2)) + b^3*(C*(-48*d^3*e^3 + 16*c*d^2*e^2*f + 9
*c^2*d*e*f^2 + 8*c^3*f^3) + 7*d*f*(5*A*d*f*(-2*d*e + c*f) + B*(8*d^2*e^2 -
3*c*d*e*f - 2*c^2*f^2))))*(c + d*x)*(e + f*x) + b^2*Sqrt[-a + (b*c)/d]*d*f*
(a + b*x)*(c + d*x)*(e + f*x)*(-4*a^2*C*d^2*f^2 + a*b*d*f*(7*B*d*f + C*(-5*
d*e + 2*c*f + 3*d*f*x)) + b^2*(7*d*f*(5*A*d*f + B*(-4*d*e + c*f + 3*d*f*x))
+ C*(-4*c^2*f^2 + c*d*f*(-5*e + 3*f*x) + 3*d^2*(8*e^2 - 6*e*f*x + 5*f^2*x^
2)))) + I*(b*c - a*d)*f*(8*a^3*C*d^3*f^3 + a^2*b*d^2*f^2*(9*C*d*e - 5*c*C*f
- 14*B*d*f) + a*b^2*d*f*(7*d*f*(-3*B*d*e + 2*B*c*f + 5*A*d*f) + C*(16*d^2*
e^2 - 8*c*d*e*f - 5*c^2*f^2)) + b^3*(C*(-48*d^3*e^3 + 16*c*d^2*e^2*f + 9*c^
2*d*e*f^2 + 8*c^3*f^3) + 7*d*f*(5*A*d*f*(-2*d*e + c*f) + B*(8*d^2*e^2 - 3*c
*d*e*f - 2*c^2*f^2))))*(a + b*x)^(3/2)*Sqrt[(b*(c + d*x))/(d*(a + b*x))]*Sq
rt[(b*(e + f*x))/(f*(a + b*x))]*EllipticE[I*ArcSinh[Sqrt[-a + (b*c)/d]/Sqrt
[a + b*x]], (b*d*e - a*d*f)/(b*c*f - a*d*f)] - I*b*(b*c - a*d)*f*(d*e - c*f
)*(4*a^2*C*d^2*f^2 + a*b*d*f*(5*C*d*e + c*C*f - 7*B*d*f) - b^2*(7*d*f*(-4*B
*d*e - 2*B*c*f + 5*A*d*f) + C*(24*d^2*e^2 + 13*c*d*e*f + 8*c^2*f^2)))*(a +
b*x)^(3/2)*Sqrt[(b*(c + d*x))/(d*(a + b*x))]*Sqrt[(b*(e + f*x))/(f*(a + b*x
))]*EllipticF[I*ArcSinh[Sqrt[-a + (b*c)/d]/Sqrt[a + b*x]], (b*d*e - a*d*f)/
(b*c*f - a*d*f)))/(105*b^4*Sqrt[-a + (b*c)/d]*d^3*f^4*Sqrt[a + b*x]*Sqrt[c
+ d*x]*Sqrt[e + f*x])
```

fricas [F] time = 0.85, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(Cx^2 + Bx + A)\sqrt{bx + a}\sqrt{dx + c}}{\sqrt{fx + e}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x+a)^(1/2)*(C*x^2+B*x+A)*(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algori
thm="fricas")
```

```
[Out] integral((C*x^2 + B*x + A)*sqrt(b*x + a)*sqrt(d*x + c)/sqrt(f*x + e), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Cx^2 + Bx + A)\sqrt{bx + a}\sqrt{dx + c}}{\sqrt{fx + e}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x+a)^(1/2)*(C*x^2+B*x+A)*(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algori
thm="giac")
```

```
[Out] integrate((C*x^2 + B*x + A)*sqrt(b*x + a)*sqrt(d*x + c)/sqrt(f*x + e), x)
```

maple [B] time = 0.04, size = 9543, normalized size = 12.46

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*x+a)^(1/2)*(C*x^2+B*x+A)*(d*x+c)^(1/2)/(f*x+e)^(1/2),x)`

[Out] result too large to display

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Cx^2 + Bx + A)\sqrt{bx + a}\sqrt{dx + c}}{\sqrt{fx + e}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x+a)^(1/2)*(C*x^2+B*x+A)*(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="maxima")`

[Out] `integrate((C*x^2 + B*x + A)*sqrt(b*x + a)*sqrt(d*x + c)/sqrt(f*x + e), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{a + bx} \sqrt{c + dx} (Cx^2 + Bx + A)}{\sqrt{e + fx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((a + b*x)^(1/2)*(c + d*x)^(1/2)*(A + B*x + C*x^2))/(e + f*x)^(1/2),x)`

[Out] `int(((a + b*x)^(1/2)*(c + d*x)^(1/2)*(A + B*x + C*x^2))/(e + f*x)^(1/2), x)`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x+a)**(1/2)*(C*x**2+B*x+A)*(d*x+c)**(1/2)/(f*x+e)**(1/2),x)`

[Out] Timed out

$$3.69 \quad \int \frac{\sqrt{c+dx} (A+Bx+Cx^2)}{\sqrt{a+bx} \sqrt{e+fx}} dx$$

Optimal. Leaf size=527

$$\frac{2\sqrt{ad-bc}(de-cf)\sqrt{\frac{b(c+dx)}{bc-ad}}\sqrt{\frac{b(e+fx)}{be-af}}(4a^2Cdf^2+abf(-5Bdf-cCf+3Cde)-\left(b^2(5df(2Be-3Af)-Ce(cf\right. \\ \left.15b^3d^{3/2}f^3\sqrt{c+dx}\sqrt{e+fx}$$

[Out] $2/5*C*(d*x+c)^{(3/2)}*(b*x+a)^{(1/2)}*(f*x+e)^{(1/2)}/b/d/f-2/15*(4*a*C*d*f+b*(-5*B*d*f+2*C*c*f+4*C*d*e))*(b*x+a)^{(1/2)}*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/b^2/d/f^2-2/15*(3*b*d*f*(-5*A*b*d*f+C*a*c*f+3*C*a*d*e+C*b*c*e)-(2*a*d*f-b*c*f+2*b*d*e)*(4*a*C*d*f+b*(-5*B*d*f+2*C*c*f+4*C*d*e)))*\text{EllipticE}(d^{(1/2)}*(b*x+a)^{(1/2)}/(a*d-b*c)^{(1/2)},((-a*d+b*c)*f/d/(-a*f+b*e))^{(1/2)}*(a*d-b*c)^{(1/2)}*(b*(d*x+c)/(-a*d+b*c))^{(1/2)}*(f*x+e)^{(1/2)}/b^3/d^{(3/2)}/f^3/(d*x+c)^{(1/2)}/(b*(f*x+e)/(-a*f+b*e))^{(1/2)}-2/15*(-c*f+d*e)*(4*a^2*C*d*f^2+a*b*f*(-5*B*d*f-C*c*f+3*C*d*e)-b^2*(5*d*f*(-3*A*f+2*B*e)-C*e*(c*f+8*d*e)))*\text{EllipticF}(d^{(1/2)}*(b*x+a)^{(1/2)}/(a*d-b*c)^{(1/2)},((-a*d+b*c)*f/d/(-a*f+b*e))^{(1/2)}*(a*d-b*c)^{(1/2)}*(b*(d*x+c)/(-a*d+b*c))^{(1/2)}*(b*(f*x+e)/(-a*f+b*e))^{(1/2)}/b^3/d^{(3/2)}/f^3/(d*x+c)^{(1/2)}/(f*x+e)^{(1/2)}$

Rubi [A] time = 0.98, antiderivative size = 527, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.184$, Rules used = {1615, 154, 158, 114, 113, 121, 120}

$$\frac{2\sqrt{ad-bc}(de-cf)\sqrt{\frac{b(c+dx)}{bc-ad}}\sqrt{\frac{b(e+fx)}{be-af}}(4a^2Cdf^2+abf(-5Bdf-cCf+3Cde)+b^2(-5df(2Be-3Af)-Ce(c \\ \left.15b^3d^{3/2}f^3\sqrt{c+dx}\sqrt{e+fx}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[c + d*x]*(A + B*x + C*x^2))/(Sqrt[a + b*x]*Sqrt[e + f*x]),x]

[Out] $(-2*(4*a*C*d*f+b*(4*C*d*e+2*c*C*f-5*B*d*f))*\text{Sqrt}[a+b*x]*\text{Sqrt}[c+d*x]*\text{Sqrt}[e+f*x])/(15*b^2*d*f^2)+(2*C*\text{Sqrt}[a+b*x]*(c+d*x)^{(3/2)}*\text{Sqrt}[e+f*x])/(5*b*d*f)-(2*\text{Sqrt}[-(b*c)+a*d]*(3*b*d*f*(b*c*C*e+3*a*C*d*e+a*c*C*f-5*A*b*d*f)-(2*b*d*e-b*c*f+2*a*d*f)*(4*a*C*d*f+b*(4*C*d*e+2*c*C*f-5*B*d*f)))*\text{Sqrt}[(b*(c+d*x))/(b*c-a*d)]*\text{Sqrt}[e+f*x]*\text{EllipticE}[\text{ArcSin}[(\text{Sqrt}[d]*\text{Sqrt}[a+b*x])/\text{Sqrt}[-(b*c)+a*d]],((b*c-a*d)*f)/(d*(b*e-a*f)))]/(15*b^3*d^{(3/2)}*f^3*\text{Sqrt}[c+d*x]*\text{Sqrt}[(b*(e+f*x))/(b*e-a*f)])-(2*\text{Sqrt}[-(b*c)+a*d]*(d*e-c*f)*(4*a^2*C*d*f^2+a*b*f*(3*C*d*e$

$$- c^2 C f - 5 B d f) - b^2 (5 d f (2 B e - 3 A f) - C e (8 d e + c f)) \sqrt{\frac{b(c + dx)}{b^2 c - a^2 d}} \sqrt{\frac{b(e + fx)}{b^2 e - a^2 f}} \text{EllipticF}\left[\text{ArcSin}\left[\frac{\sqrt{d} \sqrt{a + bx}}{\sqrt{-(b^2 c - a^2 d)}}\right], \frac{(b^2 c - a^2 d) f}{d(b^2 e - a^2 f)}\right] / (15 b^3 d^{3/2} f^3 \sqrt{c + dx} \sqrt{e + fx})$$

Rule 113

$$\text{Int}[\sqrt{(e_.) + (f_.)x} / (\sqrt{(a_.) + (b_.)x} \sqrt{(c_.) + (d_.)x})], x_Symbol] \rightarrow \text{Simp}[(2 \text{Rt}[-(b^2 e - a^2 f)/d], 2) \text{EllipticE}[\text{ArcSin}[\sqrt{a + bx}]/\text{Rt}[-(b^2 c - a^2 d)/d], 2], (f(b^2 c - a^2 d))/(d(b^2 e - a^2 f))]/b, x] /;$$

$\text{FreeQ}\{a, b, c, d, e, f\}, x\} \ \&\& \ \text{GtQ}[b/(b^2 c - a^2 d), 0] \ \&\& \ \text{GtQ}[b/(b^2 e - a^2 f), 0] \ \&\& \ !\text{LtQ}[-(b^2 c - a^2 d)/d, 0] \ \&\& \ !(\text{SimplerQ}[c + dx, a + bx] \ \&\& \ \text{GtQ}[-(d/(b^2 c - a^2 d)), 0] \ \&\& \ \text{GtQ}[d/(d^2 e - c^2 f), 0] \ \&\& \ !\text{LtQ}[(b^2 c - a^2 d)/b, 0])$

Rule 114

$$\text{Int}[\sqrt{(e_.) + (f_.)x} / (\sqrt{(a_.) + (b_.)x} \sqrt{(c_.) + (d_.)x})], x_Symbol] \rightarrow \text{Dist}[\sqrt{e + fx} \sqrt{\frac{b(c + dx)}{b^2 c - a^2 d}} / (\sqrt{c + dx} \sqrt{\frac{b(e + fx)}{b^2 e - a^2 f}})], \text{Int}[\sqrt{\frac{b^2 e}{b^2 e - a^2 f}} + \frac{b^2 f x}{b^2 e - a^2 f} / (\sqrt{a + bx} \sqrt{\frac{b^2 c}{b^2 c - a^2 d}} + \frac{b^2 d x}{b^2 c - a^2 d})], x], x] /;$$

$\text{FreeQ}\{a, b, c, d, e, f\}, x\} \ \&\& \ !(\text{GtQ}[b/(b^2 c - a^2 d), 0] \ \&\& \ \text{GtQ}[b/(b^2 e - a^2 f), 0]) \ \&\& \ !\text{LtQ}[-(b^2 c - a^2 d)/d, 0]$

Rule 120

$$\text{Int}[1/(\sqrt{(a_.) + (b_.)x} \sqrt{(c_.) + (d_.)x}) \sqrt{(e_.) + (f_.)x}], x_Symbol] \rightarrow \text{Simp}[(2 \text{Rt}[-(b/d)], 2) \text{EllipticF}[\text{ArcSin}[\sqrt{a + bx}]/\text{Rt}[-(b/d)], 2] \sqrt{\frac{b^2 c - a^2 d}{b}}], (f(b^2 c - a^2 d))/(d(b^2 e - a^2 f))]/(b \sqrt{\frac{b^2 e - a^2 f}{b}}), x] /;$$

$\text{FreeQ}\{a, b, c, d, e, f\}, x\} \ \&\& \ \text{GtQ}[b/(b^2 c - a^2 d), 0] \ \&\& \ \text{GtQ}[b/(b^2 e - a^2 f), 0] \ \&\& \ \text{SimplerQ}[a + bx, c + dx] \ \&\& \ \text{SimplerQ}[a + bx, e + fx] \ \&\& \ (\text{PosQ}[-(b^2 c - a^2 d)/d] \ || \ \text{NegQ}[-(b^2 e - a^2 f)/f])$

Rule 121

$$\text{Int}[1/(\sqrt{(a_.) + (b_.)x} \sqrt{(c_.) + (d_.)x}) \sqrt{(e_.) + (f_.)x}], x_Symbol] \rightarrow \text{Dist}[\sqrt{\frac{b(c + dx)}{b^2 c - a^2 d}} / \sqrt{c + dx}, \text{Int}[1/(\sqrt{a + bx} \sqrt{\frac{b^2 c}{b^2 c - a^2 d}} + \frac{b^2 d x}{b^2 c - a^2 d}) \sqrt{e + fx}], x], x] /;$$

$\text{FreeQ}\{a, b, c, d, e, f\}, x\} \ \&\& \ !\text{GtQ}[(b^2 c - a^2 d)/b, 0] \ \&\& \ \text{SimplerQ}[a + bx, c + dx] \ \&\& \ \text{SimplerQ}[a + bx, e + fx]$

Rule 154

$$\text{Int}[(a_.) + (b_.)x)^{m_1} ((c_.) + (d_.)x)^{n_1} ((e_.) + (f_.)x)^{p_1} ((g_.) + (h_.)x)^{q_1}, x_Symbol] \rightarrow \text{Simp}[(h(a + bx)^m (c + dx)^{n+1} (e + fx)^{p+1}) / (d^m f^{m+n+p+2}), x] + \text{Dist}[1/(d^m f^{m+n+p+2}), \text{Int}[(a + bx)^{m-1} (c + dx)^n (e + fx)^p \text{Simp}[a d f g^{m+n+1}]]]$$

```
p + 2) - h*(b*c*e*m + a*(d*e*(n + 1) + c*f*(p + 1))) + (b*d*f*g*(m + n + p
+ 2) + h*(a*d*f*m - b*(d*e*(m + n + 1) + c*f*(m + p + 1))))*x, x], x] /
; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p +
2, 0] && IntegersQ[2*m, 2*n, 2*p]
```

Rule 158

```
Int[((g_.) + (h_.)*(x_))/(Sqrt[(a_.) + (b_.)*(x_)]*Sqrt[(c_.) + (d_.)*(x_)]*
Sqrt[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[h/f, Int[Sqrt[e + f*x]/(Sqrt[a
+ b*x]*Sqrt[c + d*x]), x], x] + Dist[(f*g - e*h)/f, Int[1/(Sqrt[a + b*x]*Sq
rt[c + d*x]*Sqrt[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] &&
SimplerQ[a + b*x, e + f*x] && SimplerQ[c + d*x, e + f*x]
```

Rule 1615

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f
_.)*(x_))^(p_.), x_Symbol] := With[{q = Expon[Px, x], k = Coeff[Px, x, Expo
n[Px, x]]}, Simp[(k*(a + b*x)^(m + q - 1)*(c + d*x)^(n + 1)*(e + f*x)^(p +
1))/(d*f*b^(q - 1)*(m + n + p + q + 1)), x] + Dist[1/(d*f*b^q*(m + n + p +
q + 1)), Int[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p*ExpandToSum[d*f*b^q*(m + n
+ p + q + 1)*Px - d*f*k*(m + n + p + q + 1)*(a + b*x)^q + k*(a + b*x)^(q -
2)*(a^2*d*f*(m + n + p + q + 1) - b*(b*c*e*(m + q - 1) + a*(d*e*(n + 1) +
c*f*(p + 1))) + b*(a*d*f*(2*(m + q) + n + p) - b*(d*e*(m + q + n) + c*f*(m
+ q + p)))*x), x], x] /; NeQ[m + n + p + q + 1, 0] /; FreeQ[{a, b, c,
d, e, f, m, n, p}, x] && PolyQ[Px, x] && IntegersQ[2*m, 2*n, 2*p]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{c+dx} (A+Bx+Cx^2)}{\sqrt{a+bx} \sqrt{e+fx}} dx &= \frac{2C\sqrt{a+bx} (c+dx)^{3/2} \sqrt{e+fx}}{5bdf} + \frac{2 \int \frac{\sqrt{c+dx} \left(-\frac{1}{2}b(bcCe+3aCde+acCf-5A bdf) - \frac{1}{2}b(4aCd) \right)}{\sqrt{a+bx} \sqrt{e+fx}}}{5b^2df} \\
&= -\frac{2(4aCdf + b(4Cde + 2cCf - 5Bdf))\sqrt{a+bx} \sqrt{c+dx} \sqrt{e+fx}}{15b^2df^2} + \frac{2C\sqrt{a+bx}}{5b^2df} \\
&= -\frac{2(4aCdf + b(4Cde + 2cCf - 5Bdf))\sqrt{a+bx} \sqrt{c+dx} \sqrt{e+fx}}{15b^2df^2} + \frac{2C\sqrt{a+bx}}{5b^2df} \\
&= -\frac{2(4aCdf + b(4Cde + 2cCf - 5Bdf))\sqrt{a+bx} \sqrt{c+dx} \sqrt{e+fx}}{15b^2df^2} + \frac{2C\sqrt{a+bx}}{5b^2df} \\
&= -\frac{2(4aCdf + b(4Cde + 2cCf - 5Bdf))\sqrt{a+bx} \sqrt{c+dx} \sqrt{e+fx}}{15b^2df^2} + \frac{2C\sqrt{a+bx}}{5b^2df} \\
&= -\frac{2(4aCdf + b(4Cde + 2cCf - 5Bdf))\sqrt{a+bx} \sqrt{c+dx} \sqrt{e+fx}}{15b^2df^2} + \frac{2C\sqrt{a+bx}}{5b^2df}
\end{aligned}$$

Mathematica [C] time = 9.63, size = 562, normalized size = 1.07

$$2\sqrt{a+bx} \left(ibdf\sqrt{a+bx} \sqrt{\frac{bc}{d} - a} (de - cf) \sqrt{\frac{b(c+dx)}{d(a+bx)}} \sqrt{\frac{b(e+fx)}{f(a+bx)}} (-4aCdf + 5bBdf - 2bC(cf + 2de)) \text{EllipticF} \left(i \sin \right. \right.$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sqrt[c + d*x]*(A + B*x + C*x^2))/(Sqrt[a + b*x]*Sqrt[e + f*x]),x
]
```



```
[Out] (2*Sqrt[a + b*x]*((b^2*(8*a^2*C*d^2*f^2 + a*b*d*f*(7*C*d*e - 3*c*C*f - 10*B*d*f) + b^2*(5*d*f*(-2*B*d*e + B*c*f + 3*A*d*f) + C*(8*d^2*e^2 - 3*c*d*e*f - 2*c^2*f^2)))*(c + d*x)*(e + f*x))/(a + b*x) + b^2*d*f*(c + d*x)*(e + f*x)*(5*b*B*d*f - 4*a*C*d*f + b*C*(-4*d*e + c*f + 3*d*f*x)) + (I*(b*c - a*d)*f*(8*a^2*C*d^2*f^2 + a*b*d*f*(7*C*d*e - 3*c*C*f - 10*B*d*f) + b^2*(5*d*f*(-2*B*d*e + B*c*f + 3*A*d*f) + C*(8*d^2*e^2 - 3*c*d*e*f - 2*c^2*f^2)))*Sqrt[a + b*x]*Sqrt[(b*(c + d*x))/(d*(a + b*x))]*Sqrt[(b*(e + f*x))/(f*(a + b*x))]*EllipticE[I*ArcSinh[Sqrt[-a + (b*c)/d]/Sqrt[a + b*x]], (b*d*e - a*d*f)/(b*c*f - a*d*f)]/Sqrt[-a + (b*c)/d] + I*b*Sqrt[-a + (b*c)/d]*d*f*(d*e - c*f)*(5*b*B*d*f - 4*a*C*d*f - 2*b*C*(2*d*e + c*f))*Sqrt[a + b*x]*Sqrt[(b*(c + d*x))/(d*(a + b*x))]*Sqrt[(b*(e + f*x))/(f*(a + b*x))]*EllipticF[I*ArcSinh[Sqrt[-a + (b*c)/d]/Sqrt[a + b*x]], (b*d*e - a*d*f)/(b*c*f - a*d*f)))/(15*b^4*d^2*f^3*Sqrt[c + d*x]*Sqrt[e + f*x])
```

fricas [F] time = 0.94, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(Cx^2 + Bx + A)\sqrt{bx + a}\sqrt{dx + c}\sqrt{fx + e}}{bfx^2 + ae + (be + af)x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)/(b*x+a)^(1/2)/(f*x+e)^(1/2),x, algorithm="fricas")
```

```
[Out] integral((C*x^2 + B*x + A)*sqrt(b*x + a)*sqrt(d*x + c)*sqrt(f*x + e)/(b*f*x^2 + a*e + (b*e + a*f)*x), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Cx^2 + Bx + A)\sqrt{dx + c}}{\sqrt{bx + a}\sqrt{fx + e}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)/(b*x+a)^(1/2)/(f*x+e)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*x^2 + B*x + A)*sqrt(d*x + c)/(sqrt(b*x + a)*sqrt(f*x + e)), x)
```

maple [B] time = 0.04, size = 6049, normalized size = 11.48

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((C*x^2+B*x+A)*(d*x+c)^(1/2)/(b*x+a)^(1/2)/(f*x+e)^(1/2),x)
```

[Out] result too large to display

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Cx^2 + Bx + A)\sqrt{dx + c}}{\sqrt{bx + a}\sqrt{fx + e}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)/(b*x+a)^(1/2)/(f*x+e)^(1/2),x, algorithm="maxima")

[Out] integrate((C*x^2 + B*x + A)*sqrt(d*x + c)/(sqrt(b*x + a)*sqrt(f*x + e)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{c + dx} (C x^2 + B x + A)}{\sqrt{e + fx} \sqrt{a + bx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((c + d*x)^(1/2)*(A + B*x + C*x^2))/((e + f*x)^(1/2)*(a + b*x)^(1/2)),x)

[Out] int(((c + d*x)^(1/2)*(A + B*x + C*x^2))/((e + f*x)^(1/2)*(a + b*x)^(1/2)),x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{c + dx} (A + Bx + Cx^2)}{\sqrt{a + bx}\sqrt{e + fx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x**2+B*x+A)*(d*x+c)**(1/2)/(b*x+a)**(1/2)/(f*x+e)**(1/2),x)

[Out] Integral(sqrt(c + d*x)*(A + B*x + C*x**2)/(sqrt(a + b*x)*sqrt(e + f*x)), x)

$$3.70 \quad \int \frac{\sqrt{c+dx} (A+Bx+Cx^2)}{(a+bx)^{3/2} \sqrt{e+fx}} dx$$

Optimal. Leaf size=540

$$\frac{2\sqrt{ad-bc}(de-cf)\sqrt{\frac{b(c+dx)}{bc-ad}}\sqrt{\frac{b(e+fx)}{be-af}}(4aCf-3bBf+2bCe)\operatorname{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{d}\sqrt{a+bx}}{\sqrt{ad-bc}}\right),\frac{f(bc-ad)}{d(be-af)}\right)}{3b^3\sqrt{d}f^2\sqrt{c+dx}\sqrt{e+fx}} + \frac{2\sqrt{a+bx}}{}$$

[Out] $-2*(A*b^2-a*(B*b-C*a))*(d*x+c)^{(3/2)}*(f*x+e)^{(1/2)}/b/(-a*d+b*c)/(-a*f+b*e)/(b*x+a)^{(1/2)}+2/3*(4*a^2*C*d*f+b^2*(3*A*d*f+C*c*e)-a*b*(3*B*d*f+C*c*f+C*d*e))*(b*x+a)^{(1/2)}*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/b^2/(-a*d+b*c)/f/(-a*f+b*e)+2/3*(8*a^2*C*d*f^2-a*b*f*(6*B*d*f+C*c*f+3*C*d*e)+b^2*(3*d*f*(A*f+B*e)-C*e*(-c*f+2*d*e)))*\operatorname{EllipticE}(d^{(1/2)}*(b*x+a)^{(1/2)}/(a*d-b*c)^{(1/2)},((-a*d+b*c)*f/d/(-a*f+b*e))^{(1/2)})*(a*d-b*c)^{(1/2)}*(b*(d*x+c)/(-a*d+b*c))^{(1/2)}*(f*x+e)^{(1/2)}/b^3/f^2/(-a*f+b*e)/d^{(1/2)}/(d*x+c)^{(1/2)}/(b*(f*x+e)/(-a*f+b*e))^{(1/2)}+2/3*(-c*f+d*e)*(-3*B*b*f+4*C*a*f+2*C*b*e)*\operatorname{EllipticF}(d^{(1/2)}*(b*x+a)^{(1/2)}/(a*d-b*c)^{(1/2)},((-a*d+b*c)*f/d/(-a*f+b*e))^{(1/2)})*(a*d-b*c)^{(1/2)}*(b*(d*x+c)/(-a*d+b*c))^{(1/2)}*(b*(f*x+e)/(-a*f+b*e))^{(1/2)}/b^3/f^2/d^{(1/2)}/(d*x+c)^{(1/2)}/(f*x+e)^{(1/2)}$

Rubi [A] time = 1.11, antiderivative size = 540, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.184$, Rules used = {1614, 154, 158, 114, 113, 121, 120}

$$\frac{2\sqrt{e+fx}\sqrt{ad-bc}\sqrt{\frac{b(c+dx)}{bc-ad}}(8a^2Cdf^2-abf(6Bdf+cCf+3Cde)+b^2(3df(Af+Be)-Ce(2de-cf)))E\left(\sin^{-1}\left(\frac{\sqrt{d}\sqrt{a+bx}}{\sqrt{ad-bc}}\right),\frac{f(bc-ad)}{d(be-af)}\right)}{3b^3\sqrt{d}f^2\sqrt{c+dx}(be-af)\sqrt{\frac{b(e+fx)}{be-af}}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(\operatorname{Sqrt}[c+d*x]*(A+B*x+C*x^2))/((a+b*x)^{(3/2)}*\operatorname{Sqrt}[e+f*x]),x]$

[Out] $(2*(4*a^2*C*d*f+b^2*(c*C*e+3*A*d*f)-a*b*(C*d*e+c*C*f+3*B*d*f))*\operatorname{Sqrt}[a+b*x]*\operatorname{Sqrt}[c+d*x]*\operatorname{Sqrt}[e+f*x])/((3*b^2*(b*c-a*d)*f*(b*e-a*f))-2*(A*b^2-a*(b*B-a*C))*(c+d*x)^{(3/2)}*\operatorname{Sqrt}[e+f*x])/((b*(b*c-a*d)*(b*e-a*f)*\operatorname{Sqrt}[a+b*x])+(2*\operatorname{Sqrt}[-(b*c)+a*d]*(8*a^2*C*d*f^2-a*b*f*(3*C*d*e+c*C*f+6*B*d*f)+b^2*(3*d*f*(B*e+A*f)-C*e*(2*d*e-c*f)))*\operatorname{Sqrt}[(b*(c+d*x))/(b*c-a*d)]*\operatorname{Sqrt}[e+f*x]*\operatorname{EllipticE}[\operatorname{ArcSin}[(\operatorname{Sqrt}[d]*\operatorname{Sqrt}[a+b*x])/(\operatorname{Sqrt}[-(b*c)+a*d])],((b*c-a*d)*f)/(d*(b*e-a*f)))]/(3*b^3*\operatorname{Sqrt}[d]*f^2*(b*e-a*f)*\operatorname{Sqrt}[c+d*x]*\operatorname{Sqrt}[(b*(e+f*x))/(b*e-a*f)])+(2*\operatorname{Sqrt}[-(b*c)+a*d]*(d*e-c*f)*(2*b*C*e-3*b*B*f+4*a*C*f)*\operatorname{Sqrt}[(b*(c+d*x))/(b*c-a*d)])$

$x)/((b*c - a*d))*\text{Sqrt}[(b*(e + f*x))/(b*e - a*f)]*\text{EllipticF}[\text{ArcSin}[(\text{Sqrt}[d]*\text{Sqrt}[a + b*x])/\text{Sqrt}[-(b*c) + a*d]], ((b*c - a*d)*f)/(d*(b*e - a*f))]/(3*b^3*\text{Sqrt}[d]*f^2*\text{Sqrt}[c + d*x]*\text{Sqrt}[e + f*x])$

Rule 113

$\text{Int}[\text{Sqrt}[(e_.) + (f_.)*(x_.)]/(\text{Sqrt}[(a_.) + (b_.)*(x_.)]*\text{Sqrt}[(c_.) + (d_.)*(x_.)]), x_Symbol] \rightarrow \text{Simp}[(2*\text{Rt}[-((b*e - a*f)/d), 2]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*x]/\text{Rt}[-((b*c - a*d)/d), 2]], (f*(b*c - a*d))/(d*(b*e - a*f))]/b, x] /;$
 $\text{FreeQ}\{a, b, c, d, e, f\}, x\} \&\& \text{GtQ}[b/(b*c - a*d), 0] \&\& \text{GtQ}[b/(b*e - a*f), 0] \&\& \text{!LtQ}[-((b*c - a*d)/d), 0] \&\& \text{!(SimplerQ}[c + d*x, a + b*x] \&\& \text{GtQ}[-(d/(b*c - a*d)), 0] \&\& \text{GtQ}[d/(d*e - c*f), 0] \&\& \text{!LtQ}[(b*c - a*d)/b, 0])$

Rule 114

$\text{Int}[\text{Sqrt}[(e_.) + (f_.)*(x_.)]/(\text{Sqrt}[(a_.) + (b_.)*(x_.)]*\text{Sqrt}[(c_.) + (d_.)*(x_.)]), x_Symbol] \rightarrow \text{Dist}[(\text{Sqrt}[e + f*x]*\text{Sqrt}[(b*(c + d*x))/(b*c - a*d)])/(\text{Sqrt}[c + d*x]*\text{Sqrt}[(b*(e + f*x))/(b*e - a*f)]), \text{Int}[\text{Sqrt}[(b*e)/(b*e - a*f) + (b*f*x)/(b*e - a*f)]/(\text{Sqrt}[a + b*x]*\text{Sqrt}[(b*c)/(b*c - a*d) + (b*d*x)/(b*c - a*d)]), x], x] /;$
 $\text{FreeQ}\{a, b, c, d, e, f\}, x\} \&\& \text{!(GtQ}[b/(b*c - a*d), 0] \&\& \text{GtQ}[b/(b*e - a*f), 0]) \&\& \text{!LtQ}[-((b*c - a*d)/d), 0]$

Rule 120

$\text{Int}[1/(\text{Sqrt}[(a_.) + (b_.)*(x_.)]*\text{Sqrt}[(c_.) + (d_.)*(x_.)]*\text{Sqrt}[(e_.) + (f_.)*(x_.)]), x_Symbol] \rightarrow \text{Simp}[(2*\text{Rt}[-(b/d), 2]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*x]/(\text{Rt}[-(b/d), 2]*\text{Sqrt}[(b*c - a*d)/b])], (f*(b*c - a*d))/(d*(b*e - a*f))]/(b*\text{Sqrt}[(b*e - a*f)/b]), x] /;$
 $\text{FreeQ}\{a, b, c, d, e, f\}, x\} \&\& \text{GtQ}[b/(b*c - a*d), 0] \&\& \text{GtQ}[b/(b*e - a*f), 0] \&\& \text{SimplerQ}[a + b*x, c + d*x] \&\& \text{SimplerQ}[a + b*x, e + f*x] \&\& (\text{PosQ}[-((b*c - a*d)/d)] \text{||} \text{NegQ}[-((b*e - a*f)/f)])$

Rule 121

$\text{Int}[1/(\text{Sqrt}[(a_.) + (b_.)*(x_.)]*\text{Sqrt}[(c_.) + (d_.)*(x_.)]*\text{Sqrt}[(e_.) + (f_.)*(x_.)]), x_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[(b*(c + d*x))/(b*c - a*d)]/\text{Sqrt}[c + d*x], \text{Int}[1/(\text{Sqrt}[a + b*x]*\text{Sqrt}[(b*c)/(b*c - a*d) + (b*d*x)/(b*c - a*d)]*\text{Sqrt}[e + f*x]), x], x] /;$
 $\text{FreeQ}\{a, b, c, d, e, f\}, x\} \&\& \text{!GtQ}[(b*c - a*d)/b, 0] \&\& \text{SimplerQ}[a + b*x, c + d*x] \&\& \text{SimplerQ}[a + b*x, e + f*x]$

Rule 154

$\text{Int}[(a_. + (b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_.)*((e_.) + (f_.)*(x_.))^(p_.)*((g_.) + (h_.)*(x_.)), x_Symbol] \rightarrow \text{Simp}[(h*(a + b*x)^m*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(m + n + p + 2)), x] + \text{Dist}[1/(d*f*(m + n + p + 2)), \text{Int}[(a + b*x)^(m - 1)*(c + d*x)^n*(e + f*x)^p*\text{Simp}[a*d*f*g*(m + n + p + 2) - h*(b*c*e*m + a*(d*e*(n + 1) + c*f*(p + 1))] + (b*d*f*g*(m + n + p$

```
+ 2) + h*(a*d*f*m - b*(d*e*(m + n + 1) + c*f*(m + p + 1))))*x, x], x] /
; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p +
2, 0] && IntegersQ[2*m, 2*n, 2*p]
```

Rule 158

```
Int[((g_.) + (h_.)*(x_))/(Sqrt[(a_.) + (b_.)*(x_)]*Sqrt[(c_.) + (d_.)*(x_)]*
Sqrt[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[h/f, Int[Sqrt[e + f*x]/(Sqrt[a
+ b*x]*Sqrt[c + d*x]), x], x] + Dist[(f*g - e*h)/f, Int[1/(Sqrt[a + b*x]*Sq
rt[c + d*x]*Sqrt[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] &&
SimplerQ[a + b*x, e + f*x] && SimplerQ[c + d*x, e + f*x]
```

Rule 1614

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_
.)*(x_))^(p_), x_Symbol] := With[{Qx = PolynomialQuotient[Px, a + b*x, x],
R = PolynomialRemainder[Px, a + b*x, x]}, Simp[(b*R*(a + b*x)^(m + 1)*(c +
d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Di
st[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(
e + f*x)^p*ExpandToSum[(m + 1)*(b*c - a*d)*(b*e - a*f)*Qx + a*d*f*R*(m + 1)
- b*R*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*R*(m + n + p + 3)*x, x],
x], x]] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && PolyQ[Px, x] && LtQ[m, -1
] && IntegersQ[2*m, 2*n, 2*p]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{c+dx} (A+Bx+Cx^2)}{(a+bx)^{3/2} \sqrt{e+fx}} dx &= -\frac{2(Ab^2 - a(bB - aC))(c+dx)^{3/2} \sqrt{e+fx}}{b(bc-ad)(be-af)\sqrt{a+bx}} - 2 \int \frac{\sqrt{c+dx} \left(-\frac{b^2(Bc+2Ad)e+a^2C(3de+cf)-ab(c+dx)}{2b} \right)}{(a+bx)^{3/2} \sqrt{e+fx}} dx \\
&= \frac{2(4a^2Cdf + b^2(cCe + 3Adf) - ab(Cde + cCf + 3Bdf)) \sqrt{a+bx} \sqrt{c+dx} \sqrt{e+fx}}{3b^2(bc-ad)f(be-af)} \\
&= \frac{2(4a^2Cdf + b^2(cCe + 3Adf) - ab(Cde + cCf + 3Bdf)) \sqrt{a+bx} \sqrt{c+dx} \sqrt{e+fx}}{3b^2(bc-ad)f(be-af)} \\
&= \frac{2(4a^2Cdf + b^2(cCe + 3Adf) - ab(Cde + cCf + 3Bdf)) \sqrt{a+bx} \sqrt{c+dx} \sqrt{e+fx}}{3b^2(bc-ad)f(be-af)} \\
&= \frac{2(4a^2Cdf + b^2(cCe + 3Adf) - ab(Cde + cCf + 3Bdf)) \sqrt{a+bx} \sqrt{c+dx} \sqrt{e+fx}}{3b^2(bc-ad)f(be-af)} \\
&= \frac{2(4a^2Cdf + b^2(cCe + 3Adf) - ab(Cde + cCf + 3Bdf)) \sqrt{a+bx} \sqrt{c+dx} \sqrt{e+fx}}{3b^2(bc-ad)f(be-af)}
\end{aligned}$$

Mathematica [C] time = 6.74, size = 551, normalized size = 1.02

$$2 \left(-ibf(a+bx)^{3/2}(de-cf) \sqrt{\frac{b(c+dx)}{d(a+bx)}} \sqrt{\frac{b(e+fx)}{f(a+bx)}} (4a^2Cdf - ab(3Bdf + cCf + Cde) + b^2(3Adf + cCe)) \text{EllipticF} \left(\frac{\sqrt{c+dx} \sqrt{e+fx}}{\sqrt{a+bx}}, \frac{b^2}{b^2 - d^2} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[c + d*x]*(A + B*x + C*x^2))/((a + b*x)^(3/2)*Sqrt[e + f*x]), x]

[Out] (-2*(b^2*Sqrt[-a + (b*c)/d]*(-8*a^2*C*d*f^2 + a*b*f*(3*C*d*e + c*C*f + 6*B*d*f) + b^2*(-3*d*f*(B*e + A*f) + C*e*(2*d*e - c*f)))*(c + d*x)*(e + f*x) +

$$b^2 \sqrt{-a + (b*c)/d} * d * f * (c + d*x) * (e + f*x) * (3*(A*b^2 + a*(-(b*B) + a*C)) * f - C*(b*e - a*f)*(a + b*x)) - I*(b*c - a*d)*f*(8*a^2*C*d*f^2 - a*b*f*(3*C*d*e + c*C*f + 6*B*d*f) + b^2*(3*d*f*(B*e + A*f) + C*e*(-2*d*e + c*f)) * (a + b*x)^{(3/2)} * \sqrt{(b*(c + d*x))/(d*(a + b*x))} * \sqrt{(b*(e + f*x))/(f*(a + b*x))} * \text{EllipticE}[I*\text{ArcSinh}[\sqrt{-a + (b*c)/d}/\sqrt{a + b*x}], (b*d*e - a*d*f)/(b*c*f - a*d*f)] - I*b*f*(d*e - c*f)*(4*a^2*C*d*f + b^2*(c*C*e + 3*A*d*f) - a*b*(C*d*e + c*C*f + 3*B*d*f)) * (a + b*x)^{(3/2)} * \sqrt{(b*(c + d*x))/(d*(a + b*x))} * \sqrt{(b*(e + f*x))/(f*(a + b*x))} * \text{EllipticF}[I*\text{ArcSinh}[\sqrt{-a + (b*c)/d}/\sqrt{a + b*x}], (b*d*e - a*d*f)/(b*c*f - a*d*f)])/(3*b^4*\sqrt{-a + (b*c)/d} * d*f^2*(b*e - a*f)*\sqrt{a + b*x}*\sqrt{c + d*x}*\sqrt{e + f*x})$$

fricas [F] time = 0.67, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(Cx^2 + Bx + A)\sqrt{bx + a}\sqrt{dx + c}\sqrt{fx + e}}{b^2fx^3 + a^2e + (b^2e + 2abf)x^2 + (2abe + a^2f)x}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)/(b*x+a)^(3/2)/(f*x+e)^(1/2),x, algorithm="fricas")

[Out] integral((C*x^2 + B*x + A)*sqrt(b*x + a)*sqrt(d*x + c)*sqrt(f*x + e)/(b^2*f*x^3 + a^2*e + (b^2*e + 2*a*b*f)*x^2 + (2*a*b*e + a^2*f)*x), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Cx^2 + Bx + A)\sqrt{dx + c}}{(bx + a)^{\frac{3}{2}}\sqrt{fx + e}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)/(b*x+a)^(3/2)/(f*x+e)^(1/2),x, algorithm="giac")

[Out] integrate((C*x^2 + B*x + A)*sqrt(d*x + c)/((b*x + a)^(3/2)*sqrt(f*x + e)), x)

maple [B] time = 0.05, size = 4732, normalized size = 8.76

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C*x^2+B*x+A)*(d*x+c)^(1/2)/(b*x+a)^(3/2)/(f*x+e)^(1/2),x)

[Out] $2/3*(C*x^3*a*b^3*d^2*f^3+13*C*EllipticE(((b*x+a)/(a*d-b*c)*d)^{(1/2)},((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2)})*a^2*b^2*c*d*e*f^2*((b*x+a)/(a*d-b*c)*d)^{(1/2)}*(-(f*x+e)/(a*f-b*e)*b)^{(1/2)}*(-(d*x+c)/(a*d-b*c)*b)^{(1/2)}-2*C*EllipticE(((b*x+a)/(a*d-b*c)*d)^{(1/2)},((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2)})*a*b^3*c*d*e^2*f*((b*x+a)/(a*d-b*c)*d)^{(1/2)}*(-(f*x+e)/(a*f-b*e)*b)^{(1/2)}*(-(d*x+c)/(a*d-b*c)*b)^{(1/2)}+4*C*x^2*a^2*b^2*d^2*f^3-3*A*EllipticE(((b*x+a)/(a*d-b*c)*d)^{(1/2)},((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2)})*a*b^3*d^2*e*f^2*((b*x+a)/(a*d-b*c)*d)^{(1/2)}*(-(f*x+e)/(a*f-b*e)*b)^{(1/2)}*(-(d*x+c)/(a*d-b*c)*b)^{(1/2)}+3*A*EllipticE(((b*x+a)/(a*d-b*c)*d)^{(1/2)},((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2)})*b^4*c*d*e*f^2*((b*x+a)/(a*d-b*c)*d)^{(1/2)}*(-(f*x+e)/(a*f-b*e)*b)^{(1/2)}*(-(d*x+c)/(a*d-b*c)*b)^{(1/2)}+6*B*EllipticE(((b*x+a)/(a*d-b*c)*d)^{(1/2)},((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2)})*a^2*b^2*c*d*f^3*((b*x+a)/(a*d-b*c)*d)^{(1/2)}*(-(f*x+e)/(a*f-b*e)*b)^{(1/2)}*(-(d*x+c)/(a*d-b*c)*b)^{(1/2)}-2*C*EllipticF(((b*x+a)/(a*d-b*c)*d)^{(1/2)},((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2)})*a^2*b^2*d^2*e^2*f*((b*x+a)/(a*d-b*c)*d)^{(1/2)}*(-(f*x+e)/(a*f-b*e)*b)^{(1/2)}*(-(d*x+c)/(a*d-b*c)*b)^{(1/2)}-2*C*EllipticF(((b*x+a)/(a*d-b*c)*d)^{(1/2)},((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2)})*a*b^3*c^2*e*f^2*((b*x+a)/(a*d-b*c)*d)^{(1/2)}*(-(f*x+e)/(a*f-b*e)*b)^{(1/2)}*(-(d*x+c)/(a*d-b*c)*b)^{(1/2)}-3*B*EllipticF(((b*x+a)/(a*d-b*c)*d)^{(1/2)},((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2)})*a^2*b^2*d^2*e*f^2*((b*x+a)/(a*d-b*c)*d)^{(1/2)}*(-(f*x+e)/(a*f-b*e)*b)^{(1/2)}*(-(d*x+c)/(a*d-b*c)*b)^{(1/2)}+3*B*EllipticF(((b*x+a)/(a*d-b*c)*d)^{(1/2)},((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2)})*a*b^3*d^2*e^2*f*((b*x+a)/(a*d-b*c)*d)^{(1/2)}*(-(f*x+e)/(a*f-b*e)*b)^{(1/2)}*(-(d*x+c)/(a*d-b*c)*b)^{(1/2)}-3*B*EllipticF(((b*x+a)/(a*d-b*c)*d)^{(1/2)},((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2)})*b^4*c*d*e^2*f*((b*x+a)/(a*d-b*c)*d)^{(1/2)}*(-(f*x+e)/(a*f-b*e)*b)^{(1/2)}*(-(d*x+c)/(a*d-b*c)*b)^{(1/2)}+3*A*x^2*b^4*d^2*f^3-3*A*EllipticE(((b*x+a)/(a*d-b*c)*d)^{(1/2)},((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2)})*a*b^3*c*d*f^3*((b*x+a)/(a*d-b*c)*d)^{(1/2)}*(-(f*x+e)/(a*f-b*e)*b)^{(1/2)}*(-(d*x+c)/(a*d-b*c)*b)^{(1/2)}-9*C*EllipticE(((b*x+a)/(a*d-b*c)*d)^{(1/2)},((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2)})*a^3*b*c*d*f^3*((b*x+a)/(a*d-b*c)*d)^{(1/2)}*(-(f*x+e)/(a*f-b*e)*b)^{(1/2)}*(-(d*x+c)/(a*d-b*c)*b)^{(1/2)}-11*C*EllipticE(((b*x+a)/(a*d-b*c)*d)^{(1/2)},((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2)})*a^3*b*d^2*e*f^2*((b*x+a)/(a*d-b*c)*d)^{(1/2)}*(-(f*x+e)/(a*f-b*e)*b)^{(1/2)}*(-(d*x+c)/(a*d-b*c)*b)^{(1/2)}+C*EllipticE(((b*x+a)/(a*d-b*c)*d)^{(1/2)},((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2)})*a^2*b^2*d^2*e^2*f*((b*x+a)/(a*d-b*c)*d)^{(1/2)}*(-(f*x+e)/(a*f-b*e)*b)^{(1/2)}*(-(d*x+c)/(a*d-b*c)*b)^{(1/2)}+9*B*EllipticE(((b*x+a)/(a*d-b*c)*d)^{(1/2)},((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2)})*a^2*b^2*d^2*e*f^2*((b*x+a)/(a*d-b*c)*d)^{(1/2)}*(-(f*x+e)/(a*f-b*e)*b)^{(1/2)}*(-(d*x+c)/(a*d-b*c)*b)^{(1/2)}+C*x^2*a*b^3*c*d*f^3-C*x^2*b^4*c*d*e*f^2-3*B*x*a*b^3*c*d*f^3-3*B*x*a*b^3*d^2*e*f^2+4*C*x*a^2*b^2*c*d*f^3+4*C*x*a^2*b^2*d^2*e*f^2-C*x*a*b^3*d^2*e^2*f-C*x*b^4*c*d*e^2*f-3*B*EllipticE(((b*x+a)/(a*d-b*c)*d)^{(1/2)},((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2)})*a*b^3*d^2*e^2*f*((b*x+a)/(a*d-b*c)*d)^{(1/2)}*(-(f*x+e)/(a*f-b*e)*b)^{(1/2)}*(-(d*x+c)/(a*d-b*c)*b)^{(1/2)}+3*B*EllipticE(((b*x+a)/(a*d-b*c)*d)^{(1/2)},((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2)})*b^4*c*d*e^2*f*((b*x+a)/(a*d-b*c)*d)^{(1/2)}*(-(f*x+e)/(a*f-b*e)*b)^{(1/2)}*(-(d*x+c)/(a*d-b*c)*b)^{(1/2)}+3*B*EllipticF(((b*x+a)/(a*d-b*c)*d)^{(1/2)},((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2)})*a^2*b^2*c*d*f^3*((b*x+a)/(a*d-b*c)*d)^{(1/2)}*(-(f*x+e)/(a$

$$\begin{aligned}
& (f-b*e)*b)^{(1/2)}*(-(d*x+c)/(a*d-b*c)*b)^{(1/2)}-2*C*EllipticE(((b*x+a)/(a*d-b \\
& *c)*d)^{(1/2)},((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2)})*a*b^3*c^2*e*f^2*((b*x+a)/(a*d \\
& -b*c)*d)^{(1/2)}*(-(f*x+e)/(a*f-b*e)*b)^{(1/2)}*(-(d*x+c)/(a*d-b*c)*b)^{(1/2)}-4* \\
& C*EllipticF(((b*x+a)/(a*d-b*c)*d)^{(1/2)},((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2)})*a^ \\
& 3*b*c*d*f^3*((b*x+a)/(a*d-b*c)*d)^{(1/2)}*(-(f*x+e)/(a*f-b*e)*b)^{(1/2)}*(-(d*x \\
& +c)/(a*d-b*c)*b)^{(1/2)}+4*C*EllipticF(((b*x+a)/(a*d-b*c)*d)^{(1/2)},((a*d-b*c) \\
& /((a*f-b*e)/d*f)^{(1/2)})*a^3*b*d^2*e*f^2*((b*x+a)/(a*d-b*c)*d)^{(1/2)}*(-(f*x+e) \\
&)/(a*f-b*e)*b)^{(1/2)}*(-(d*x+c)/(a*d-b*c)*b)^{(1/2)}+3*A*b^4*c*d*e*f^2+3*B*Ell \\
& ipticF(((b*x+a)/(a*d-b*c)*d)^{(1/2)},((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2)})*b^4*c^2 \\
& *e*f^2*((b*x+a)/(a*d-b*c)*d)^{(1/2)}*(-(f*x+e)/(a*f-b*e)*b)^{(1/2)}*(-(d*x+c)/(\\
& a*d-b*c)*b)^{(1/2)}+C*EllipticE(((b*x+a)/(a*d-b*c)*d)^{(1/2)},((a*d-b*c)/(a*f-b \\
& *e)/d*f)^{(1/2)})*a^2*b^2*c^2*f^3*((b*x+a)/(a*d-b*c)*d)^{(1/2)}*(-(f*x+e)/(a*f- \\
& b*e)*b)^{(1/2)}*(-(d*x+c)/(a*d-b*c)*b)^{(1/2)}+2*C*EllipticE(((b*x+a)/(a*d-b*c) \\
& *d)^{(1/2)},((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2)})*a*b^3*d^2*e^3*((b*x+a)/(a*d-b*c) \\
& *d)^{(1/2)}*(-(f*x+e)/(a*f-b*e)*b)^{(1/2)}*(-(d*x+c)/(a*d-b*c)*b)^{(1/2)}+C*Ellip \\
& ticE(((b*x+a)/(a*d-b*c)*d)^{(1/2)},((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2)})*b^4*c^2*e \\
& ^2*f*((b*x+a)/(a*d-b*c)*d)^{(1/2)}*(-(f*x+e)/(a*f-b*e)*b)^{(1/2)}*(-(d*x+c)/(a* \\
& d-b*c)*b)^{(1/2)}-2*C*EllipticE(((b*x+a)/(a*d-b*c)*d)^{(1/2)},((a*d-b*c)/(a*f-b \\
& *e)/d*f)^{(1/2)})*b^4*c*d*e^3*((b*x+a)/(a*d-b*c)*d)^{(1/2)}*(-(f*x+e)/(a*f-b*e) \\
& *b)^{(1/2)}*(-(d*x+c)/(a*d-b*c)*b)^{(1/2)}+4*C*EllipticF(((b*x+a)/(a*d-b*c)*d)^ \\
& (1/2),((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2)})*a^2*b^2*c^2*f^3*((b*x+a)/(a*d-b*c)*d \\
&)^{(1/2)}*(-(f*x+e)/(a*f-b*e)*b)^{(1/2)}*(-(d*x+c)/(a*d-b*c)*b)^{(1/2)}-2*C*Ellip \\
& ticF(((b*x+a)/(a*d-b*c)*d)^{(1/2)},((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2)})*a*b^3*d^2 \\
& *e^3*((b*x+a)/(a*d-b*c)*d)^{(1/2)}*(-(f*x+e)/(a*f-b*e)*b)^{(1/2)}*(-(d*x+c)/(a* \\
& d-b*c)*b)^{(1/2)}-2*C*EllipticF(((b*x+a)/(a*d-b*c)*d)^{(1/2)},((a*d-b*c)/(a*f-b \\
& *e)/d*f)^{(1/2)})*b^4*c^2*e^2*f*((b*x+a)/(a*d-b*c)*d)^{(1/2)}*(-(f*x+e)/(a*f-b* \\
& e)*b)^{(1/2)}*(-(d*x+c)/(a*d-b*c)*b)^{(1/2)}+2*C*EllipticF(((b*x+a)/(a*d-b*c)*d \\
&)^{(1/2)},((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2)})*b^4*c*d*e^3*((b*x+a)/(a*d-b*c)*d)^ \\
& (1/2)*(-f*x+e)/(a*f-b*e)*b)^{(1/2)}*(-(d*x+c)/(a*d-b*c)*b)^{(1/2)}-2*C*Ellipti \\
& cF(((b*x+a)/(a*d-b*c)*d)^{(1/2)},((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2)})*a^2*b^2*c*d \\
& *e*f^2*((b*x+a)/(a*d-b*c)*d)^{(1/2)}*(-(f*x+e)/(a*f-b*e)*b)^{(1/2)}*(-(d*x+c)/(\\
& a*d-b*c)*b)^{(1/2)}+4*C*EllipticF(((b*x+a)/(a*d-b*c)*d)^{(1/2)},((a*d-b*c)/(a*f \\
& -b*e)/d*f)^{(1/2)})*a*b^3*c*d*e^2*f*((b*x+a)/(a*d-b*c)*d)^{(1/2)}*(-(f*x+e)/(a* \\
& f-b*e)*b)^{(1/2)}*(-(d*x+c)/(a*d-b*c)*b)^{(1/2)}-C*x^2*b^4*d^2*e^2*f+3*A*x*b^4* \\
& c*d*f^3+3*A*x*b^4*d^2*e*f^2-C*x^3*b^4*d^2*e*f^2-3*B*x^2*a*b^3*d^2*f^3+3*A*E \\
& llipticE(((b*x+a)/(a*d-b*c)*d)^{(1/2)},((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2)})*a^2*b \\
& ^2*d^2*f^3*((b*x+a)/(a*d-b*c)*d)^{(1/2)}*(-(f*x+e)/(a*f-b*e)*b)^{(1/2)}*(-(d*x+ \\
& c)/(a*d-b*c)*b)^{(1/2)}-6*B*EllipticE(((b*x+a)/(a*d-b*c)*d)^{(1/2)},((a*d-b*c)/ \\
& (a*f-b*e)/d*f)^{(1/2)})*a^3*b*d^2*f^3*((b*x+a)/(a*d-b*c)*d)^{(1/2)}*(-(f*x+e)/(\\
& a*f-b*e)*b)^{(1/2)}*(-(d*x+c)/(a*d-b*c)*b)^{(1/2)}-3*B*EllipticF(((b*x+a)/(a*d- \\
& b*c)*d)^{(1/2)},((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2)})*a*b^3*c^2*f^3*((b*x+a)/(a*d- \\
& b*c)*d)^{(1/2)}*(-(f*x+e)/(a*f-b*e)*b)^{(1/2)}*(-(d*x+c)/(a*d-b*c)*b)^{(1/2)}+8*C \\
& *EllipticE(((b*x+a)/(a*d-b*c)*d)^{(1/2)},((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2)})*a^4 \\
& *d^2*f^3*((b*x+a)/(a*d-b*c)*d)^{(1/2)}*(-(f*x+e)/(a*f-b*e)*b)^{(1/2)}*(-(d*x+c) \\
& /((a*d-b*c)*b)^{(1/2)}-3*B*a*b^3*c*d*e*f^2+4*C*a^2*b^2*c*d*e*f^2-C*a*b^3*c*d*e
\end{aligned}$$

$\int \frac{(Cx^2 + Bx + A)\sqrt{dx + c}}{(bx + a)^{\frac{3}{2}}\sqrt{fx + e}} dx$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Cx^2 + Bx + A)\sqrt{dx + c}}{(bx + a)^{\frac{3}{2}}\sqrt{fx + e}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)/(b*x+a)^(3/2)/(f*x+e)^(1/2),x, algorithm="maxima")

[Out] integrate((C*x^2 + B*x + A)*sqrt(d*x + c)/((b*x + a)^(3/2)*sqrt(f*x + e)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{c + dx} (Cx^2 + Bx + A)}{\sqrt{e + fx} (a + bx)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((c + d*x)^(1/2)*(A + B*x + C*x^2))/((e + f*x)^(1/2)*(a + b*x)^(3/2)),x)

[Out] int(((c + d*x)^(1/2)*(A + B*x + C*x^2))/((e + f*x)^(1/2)*(a + b*x)^(3/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{c + dx} (A + Bx + Cx^2)}{(a + bx)^{\frac{3}{2}}\sqrt{e + fx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x**2+B*x+A)*(d*x+c)**(1/2)/(b*x+a)**(3/2)/(f*x+e)**(1/2),x)

[Out] Integral(sqrt(c + d*x)*(A + B*x + C*x**2)/((a + b*x)**(3/2)*sqrt(e + f*x)), x)

$$3.71 \quad \int \frac{\sqrt{c+dx} (A+Bx+Cx^2)}{(a+bx)^{5/2} \sqrt{e+fx}} dx$$

Optimal. Leaf size=597

$$\frac{2(de - cf) \sqrt{\frac{b(c+dx)}{bc-ad}} \sqrt{\frac{b(e+fx)}{be-af}} (4a^2 Cdf - ab(Bdf + 3C(cf + de)) + b^2(Adf + 3cCe)) \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{d} \sqrt{a+bx}}{\sqrt{ad-bc}}\right)\right)}{3b^3 \sqrt{d} f \sqrt{c+dx} \sqrt{e+fx} \sqrt{ad-bc} (be-af)}$$

[Out] $-2/3*(A*b^2-a*(B*b-C*a))*(d*x+c)^{(3/2)}*(f*x+e)^{(1/2)}/b/(-a*d+b*c)/(-a*f+b*e)/(b*x+a)^{(3/2)}-2/3*(4*a^2*C*f+b^2*(-2*A*f+3*B*e)-a*b*(B*f+6*C*e))*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/b^2/(-a*f+b*e)^2/(b*x+a)^{(1/2)}+2/3*(8*a^3*C*d*f^2-a^2*b*f*(2*B*d*f+7*C*c*f+13*C*d*e)+a*b^2*(3*C*e*(4*c*f+d*e)+f*(-A*d*f+B*c*f+4*B*d*e))-b^3*(A*d*e*f+c*(-2*A*f^2+3*B*e*f+3*C*e^2)))*\text{EllipticE}(d^{(1/2)}*(b*x+a)^{(1/2)}/(a*d-b*c)^{(1/2)},((-a*d+b*c)*f/d/(-a*f+b*e))^{(1/2)})*d^{(1/2)}*(b*(d*x+c)/(-a*d+b*c))^{(1/2)}*(f*x+e)^{(1/2)}/b^3/f/(-a*f+b*e)^2/(a*d-b*c)^{(1/2)}/(d*x+c)^{(1/2)}/(b*(f*x+e)/(-a*f+b*e))^{(1/2)}+2/3*(-c*f+d*e)*(4*a^2*C*d*f+b^2*(A*d*f+3*C*c*e)-a*b*(B*d*f+3*C*(c*f+d*e)))*\text{EllipticF}(d^{(1/2)}*(b*x+a)^{(1/2)}/(a*d-b*c)^{(1/2)},((-a*d+b*c)*f/d/(-a*f+b*e))^{(1/2)})*(b*(d*x+c)/(-a*d+b*c))^{(1/2)}*(b*(f*x+e)/(-a*f+b*e))^{(1/2)}/b^3/f/(-a*f+b*e)/d^{(1/2)}/(a*d-b*c)^{(1/2)}/(d*x+c)^{(1/2)}/(f*x+e)^{(1/2)}$

Rubi [A] time = 1.36, antiderivative size = 596, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.184$, Rules used = {1614, 150, 158, 114, 113, 121, 120}

$$\frac{2\sqrt{d} \sqrt{e+fx} \sqrt{\frac{b(c+dx)}{bc-ad}} (-a^2bf(2Bdf + 7cCf + 13Cde) + 8a^3Cdf^2 + ab^2(f(-Adf + Bcf + 4Bde) + 3Ce(4cf + c^2)))}{3b^3 f \sqrt{c+dx} \sqrt{ad-bc} (be-af)^2 \sqrt{\frac{b(e+fx)}{be-af}}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[c + d*x]*(A + B*x + C*x^2))/((a + b*x)^(5/2)*Sqrt[e + f*x]),x]

[Out] $(-2*(4*a^2*C*f + b^2*(3*B*e - 2*A*f)) - a*b*(6*C*e + B*f))*\text{Sqrt}[c + d*x]*\text{Sqrt}[e + f*x]/(3*b^2*(b*e - a*f)^2*\text{Sqrt}[a + b*x]) - (2*(A*b^2 - a*(b*B - a*C))*(c + d*x)^{(3/2)}*\text{Sqrt}[e + f*x])/((3*b*(b*c - a*d)*(b*e - a*f)*(a + b*x))^{(3/2)}) + (2*\text{Sqrt}[d]*(8*a^3*C*d*f^2 - a^2*b*f*(13*C*d*e + 7*c*C*f + 2*B*d*f) - b^3*(3*c*C*e^2 + A*d*e*f + c*f*(3*B*e - 2*A*f)) + a*b^2*(3*C*e*(d*e + 4*c*f) + f*(4*B*d*e + B*c*f - A*d*f)))*\text{Sqrt}[(b*(c + d*x))/(b*c - a*d)]*\text{Sqrt}[e + f*x]*\text{EllipticE}[\text{ArcSin}[(\text{Sqrt}[d]*\text{Sqrt}[a + b*x])/(\text{Sqrt}[-(b*c) + a*d])], ((b*c - a*d)*f)/((d*(b*e - a*f)))]/(3*b^3*\text{Sqrt}[-(b*c) + a*d]*f*(b*e - a*f)^2*\text{Sqrt}[c$

+ d*x]*Sqrt[(b*(e + f*x))/(b*e - a*f))] + (2*(d*e - c*f)*(4*a^2*C*d*f + b^2*(3*c*C*e + A*d*f) - a*b*(B*d*f + 3*C*(d*e + c*f)))*Sqrt[(b*(c + d*x))/(b*c - a*d)]*Sqrt[(b*(e + f*x))/(b*e - a*f)]*EllipticF[ArcSin[(Sqrt[d]*Sqrt[a + b*x])/Sqrt[-(b*c) + a*d]], ((b*c - a*d)*f)/(d*(b*e - a*f))]/(3*b^3*Sqrt[d]*Sqrt[-(b*c) + a*d]*f*(b*e - a*f)*Sqrt[c + d*x]*Sqrt[e + f*x])

Rule 113

Int[Sqrt[(e_.) + (f_.)*(x_.)]/(Sqrt[(a_.) + (b_.)*(x_.)]*Sqrt[(c_.) + (d_.)*(x_.)]), x_Symbol] :> Simp[(2*Rt[-((b*e - a*f)/d), 2]*EllipticE[ArcSin[Sqrt[a + b*x]/Rt[-((b*c - a*d)/d), 2]], (f*(b*c - a*d))/(d*(b*e - a*f))]/b, x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[b/(b*c - a*d), 0] && GtQ[b/(b*e - a*f), 0] && !LtQ[-((b*c - a*d)/d), 0] && !(SimplerQ[c + d*x, a + b*x] && GtQ[-(d/(b*c - a*d)), 0] && GtQ[d/(d*e - c*f), 0] && !LtQ[(b*c - a*d)/b, 0])

Rule 114

Int[Sqrt[(e_.) + (f_.)*(x_.)]/(Sqrt[(a_.) + (b_.)*(x_.)]*Sqrt[(c_.) + (d_.)*(x_.)]), x_Symbol] :> Dist[(Sqrt[e + f*x]*Sqrt[(b*(c + d*x))/(b*c - a*d)])/Sqrt[c + d*x]*Sqrt[(b*(e + f*x))/(b*e - a*f)]], Int[Sqrt[(b*e)/(b*e - a*f) + (b*f*x)/(b*e - a*f)]/(Sqrt[a + b*x]*Sqrt[(b*c)/(b*c - a*d) + (b*d*x)/(b*c - a*d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !(GtQ[b/(b*c - a*d), 0] && GtQ[b/(b*e - a*f), 0]) && !LtQ[-((b*c - a*d)/d), 0]

Rule 120

Int[1/(Sqrt[(a_.) + (b_.)*(x_.)]*Sqrt[(c_.) + (d_.)*(x_.)]*Sqrt[(e_.) + (f_.)*(x_.)]), x_Symbol] :> Simp[(2*Rt[-(b/d), 2]*EllipticF[ArcSin[Sqrt[a + b*x]/Rt[-(b/d), 2]*Sqrt[(b*c - a*d)/b]], (f*(b*c - a*d))/(d*(b*e - a*f))]/(b*Sqrt[(b*e - a*f)/b]), x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[b/(b*c - a*d), 0] && GtQ[b/(b*e - a*f), 0] && SimplerQ[a + b*x, c + d*x] && SimplerQ[a + b*x, e + f*x] && (PosQ[-((b*c - a*d)/d)] || NegQ[-((b*e - a*f)/f)])

Rule 121

Int[1/(Sqrt[(a_.) + (b_.)*(x_.)]*Sqrt[(c_.) + (d_.)*(x_.)]*Sqrt[(e_.) + (f_.)*(x_.)]), x_Symbol] :> Dist[Sqrt[(b*(c + d*x))/(b*c - a*d)]/Sqrt[c + d*x], Int[1/(Sqrt[a + b*x]*Sqrt[(b*c)/(b*c - a*d) + (b*d*x)/(b*c - a*d)]*Sqrt[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[(b*c - a*d)/b, 0] && SimplerQ[a + b*x, c + d*x] && SimplerQ[a + b*x, e + f*x]

Rule 150

Int[((a_.) + (b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_.)*((e_.) + (f_.)*(x_.))^(p_.)*((g_.) + (h_.)*(x_.)), x_Symbol] :> Simp[((b*g - a*h)*(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^(p + 1))/(b*(b*e - a*f)*(m + 1)), x] - Dist[1/(b*(

```
b*e - a*f)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^(n - 1)*(e + f*x)^p*Simp[b*c*(f*g - e*h)*(m + 1) + (b*g - a*h)*(d*e*n + c*f*(p + 1)) + d*(b*(f*g - e*h)*(m + 1) + f*(b*g - a*h)*(n + p + 1))*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, p}, x] && LtQ[m, -1] && GtQ[n, 0] && IntegersQ[2*m, 2*n, 2*p]
```

Rule 158

```
Int[((g_.) + (h_.)*(x_))/(Sqrt[(a_.) + (b_.)*(x_)]*Sqrt[(c_.) + (d_.)*(x_)]*Sqrt[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[h/f, Int[Sqrt[e + f*x]/(Sqrt[a + b*x]*Sqrt[c + d*x]), x], x] + Dist[(f*g - e*h)/f, Int[1/(Sqrt[a + b*x]*Sqrt[c + d*x]*Sqrt[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && SimplifierQ[a + b*x, e + f*x] && SimplifierQ[c + d*x, e + f*x]
```

Rule 1614

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] := With[{Qx = PolynomialQuotient[Px, a + b*x, x], R = PolynomialRemainder[Px, a + b*x, x]}, Simp[(b*R*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*ExpandToSum[(m + 1)*(b*c - a*d)*(b*e - a*f)*Qx + a*d*f*R*(m + 1) - b*R*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*R*(m + n + p + 3)*x, x], x]] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && PolyQ[Px, x] && LtQ[m, -1] && IntegersQ[2*m, 2*n, 2*p]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{c+dx} (A+Bx+Cx^2)}{(a+bx)^{5/2} \sqrt{e+fx}} dx &= -\frac{2(Ab^2 - a(bB - aC))(c+dx)^{3/2} \sqrt{e+fx}}{3b(bc-ad)(be-af)(a+bx)^{3/2}} - 2 \int \frac{\sqrt{c+dx} \left(-\frac{a^2C(3de+cf)+b^2(3Bce-2Acf)-ab(6Ce+Bf)}{2b} \right)}{(a+bx)^{5/2} \sqrt{e+fx}} dx \\
&= -\frac{2(4a^2Cf + b^2(3Be - 2Af) - ab(6Ce + Bf)) \sqrt{c+dx} \sqrt{e+fx}}{3b^2(be-af)^2 \sqrt{a+bx}} - \frac{2(Ab^2 - a(bB - aC)) \sqrt{c+dx} \sqrt{e+fx}}{3b(bc-ad)(be-af)(a+bx)^{3/2}} \\
&= -\frac{2(4a^2Cf + b^2(3Be - 2Af) - ab(6Ce + Bf)) \sqrt{c+dx} \sqrt{e+fx}}{3b^2(be-af)^2 \sqrt{a+bx}} - \frac{2(Ab^2 - a(bB - aC)) \sqrt{c+dx} \sqrt{e+fx}}{3b(bc-ad)(be-af)(a+bx)^{3/2}} \\
&= -\frac{2(4a^2Cf + b^2(3Be - 2Af) - ab(6Ce + Bf)) \sqrt{c+dx} \sqrt{e+fx}}{3b^2(be-af)^2 \sqrt{a+bx}} - \frac{2(Ab^2 - a(bB - aC)) \sqrt{c+dx} \sqrt{e+fx}}{3b(bc-ad)(be-af)(a+bx)^{3/2}} \\
&= -\frac{2(4a^2Cf + b^2(3Be - 2Af) - ab(6Ce + Bf)) \sqrt{c+dx} \sqrt{e+fx}}{3b^2(be-af)^2 \sqrt{a+bx}} - \frac{2(Ab^2 - a(bB - aC)) \sqrt{c+dx} \sqrt{e+fx}}{3b(bc-ad)(be-af)(a+bx)^{3/2}} \\
&= -\frac{2(4a^2Cf + b^2(3Be - 2Af) - ab(6Ce + Bf)) \sqrt{c+dx} \sqrt{e+fx}}{3b^2(be-af)^2 \sqrt{a+bx}} - \frac{2(Ab^2 - a(bB - aC)) \sqrt{c+dx} \sqrt{e+fx}}{3b(bc-ad)(be-af)(a+bx)^{3/2}}
\end{aligned}$$

Mathematica [C] time = 11.76, size = 724, normalized size = 1.21

$$2 \left(b^2 f(c+dx)(e+fx) \sqrt{\frac{bc}{d} - a} \left((a+bx) (-5a^3 Cdf + a^2 b(2Bdf + 4Cf + 7Cde)) - ab^2(-Adf + Bcf + 4Bde + C) \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[c + d*x]*(A + B*x + C*x^2))/((a + b*x)^(5/2)*Sqrt[e + f*x]), x]

[Out] (-2*(b^2*Sqrt[-a + (b*c)/d]*f*(c + d*x)*(e + f*x)*((A*b^2 + a*(-(b*B) + a*C)))*(b*c - a*d)*(b*e - a*f) + (-5*a^3*C*d*f + b^3*(3*B*c*e + A*d*e - 2*A*c*f

) - a*b^2*(6*c*C*e + 4*B*d*e + B*c*f - A*d*f) + a^2*b*(7*C*d*e + 4*c*C*f + 2*B*d*f)*(a + b*x)) + (a + b*x)*(b^2*sqrt[-a + (b*c)/d]*(8*a^3*C*d*f^2 - a^2*b*f*(13*C*d*e + 7*c*C*f + 2*B*d*f) - b^3*(3*c*C*e^2 + A*d*e*f + c*f*(3*B*e - 2*A*f)) + a*b^2*(3*C*e*(d*e + 4*c*f) + f*(4*B*d*e + B*c*f - A*d*f)))*(c + d*x)*(e + f*x) + I*(b*c - a*d)*f*(8*a^3*C*d*f^2 - a^2*b*f*(13*C*d*e + 7*c*C*f + 2*B*d*f) - b^3*(3*c*C*e^2 + A*d*e*f + c*f*(3*B*e - 2*A*f)) + a*b^2*(3*C*e*(d*e + 4*c*f) + f*(4*B*d*e + B*c*f - A*d*f)))*(a + b*x)^(3/2)*sqrt[(b*(c + d*x))/(d*(a + b*x))]*sqrt[(b*(e + f*x))/(f*(a + b*x))]*EllipticE[I*ArcSinh[Sqrt[-a + (b*c)/d]/Sqrt[a + b*x]], (b*d*e - a*d*f)/(b*c*f - a*d*f)] + I*b*(b*c - a*d)*f*(d*e - c*f)*(-4*a^2*C*f + b^2*(-3*B*e + 2*A*f) + a*b*(6*C*e + B*f))*(a + b*x)^(3/2)*sqrt[(b*(c + d*x))/(d*(a + b*x))]*sqrt[(b*(e + f*x))/(f*(a + b*x))]*EllipticF[I*ArcSinh[Sqrt[-a + (b*c)/d]/Sqrt[a + b*x]], (b*d*e - a*d*f)/(b*c*f - a*d*f)))/(3*b^4*sqrt[-a + (b*c)/d]*(b*c - a*d)*f*(b*e - a*f)^2*(a + b*x)^(3/2)*sqrt[c + d*x]*sqrt[e + f*x])

fricas [F] time = 0.61, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(Cx^2 + Bx + A)\sqrt{bx + a}\sqrt{dx + c}\sqrt{fx + e}}{b^3fx^4 + a^3e + (b^3e + 3ab^2f)x^3 + 3(ab^2e + a^2bf)x^2 + (3a^2be + a^3f)x}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)/(b*x+a)^(5/2)/(f*x+e)^(1/2),x, algorithm="fricas")

[Out] integral((C*x^2 + B*x + A)*sqrt(b*x + a)*sqrt(d*x + c)*sqrt(f*x + e)/(b^3*f*x^4 + a^3*e + (b^3*e + 3*a*b^2*f)*x^3 + 3*(a*b^2*e + a^2*b*f)*x^2 + (3*a^2*b*e + a^3*f)*x), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Cx^2 + Bx + A)\sqrt{dx + c}}{(bx + a)^{\frac{5}{2}}\sqrt{fx + e}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)/(b*x+a)^(5/2)/(f*x+e)^(1/2),x, algorithm="giac")

[Out] integrate((C*x^2 + B*x + A)*sqrt(d*x + c)/((b*x + a)^(5/2)*sqrt(f*x + e)), x)

maple [B] time = 0.11, size = 13614, normalized size = 22.80

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((C*x^2+B*x+A)*(d*x+c)^(1/2)/(b*x+a)^(5/2)/(f*x+e)^(1/2),x)`

[Out] result too large to display

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Cx^2 + Bx + A)\sqrt{dx + c}}{(bx + a)^{\frac{5}{2}}\sqrt{fx + e}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)/(b*x+a)^(5/2)/(f*x+e)^(1/2),x, algorithm="maxima")`

[Out] `integrate((C*x^2 + B*x + A)*sqrt(d*x + c)/((b*x + a)^(5/2)*sqrt(f*x + e)),x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{c + dx} (Cx^2 + Bx + A)}{\sqrt{e + fx} (a + bx)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((c + d*x)^(1/2)*(A + B*x + C*x^2))/((e + f*x)^(1/2)*(a + b*x)^(5/2)),x)`

[Out] `int(((c + d*x)^(1/2)*(A + B*x + C*x^2))/((e + f*x)^(1/2)*(a + b*x)^(5/2)),x)`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x**2+B*x+A)*(d*x+c)**(1/2)/(b*x+a)**(5/2)/(f*x+e)**(1/2),x)`

[Out] Timed out

$$3.72 \quad \int \frac{\sqrt{c+dx} (A+Bx+Cx^2)}{(a+bx)^{7/2} \sqrt{e+fx}} dx$$

Optimal. Leaf size=1034

$$\frac{2(Ab^2 - a(bB - aC))\sqrt{e+fx}(c+dx)^{3/2}}{5b(bc-ad)(be-af)(a+bx)^{5/2}} - \frac{2(8Cd^2f^2a^4 - bdf(23Cde + 13Ccf - 2Bdf)a^3 - b^2(df(7Bde + 2B$$

[Out] $-2/5*(A*b^2-a*(B*b-C*a))*(d*x+c)^{(3/2)}*(f*x+e)^{(1/2)}/b/(-a*d+b*c)/(-a*f+b*e)/(b*x+a)^{(5/2)}+2/15*(4*a^3*C*d*f-b^3*(-4*A*c*f-2*A*d*e+5*B*c*e)+a*b^2*(-6*A*d*f+B*c*f+3*B*d*e+10*C*c*e)-a^2*b*(-B*d*f+6*C*c*f+8*C*d*e))*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/b^2/(-a*d+b*c)/(-a*f+b*e)^2/(b*x+a)^{(3/2)}-2/15*(8*a^4*C*d^2*f^2-a^3*b*d*f*(-2*B*d*f+13*C*c*f+23*C*d*e)-b^4*(2*A*d^2*e^2-c*d*e*(-3*A*f+5*B*e)-c^2*(8*A*f^2-10*B*e*f+15*C*e^2))-a^2*b^2*(d*f*(-3*A*d*f+2*B*c*f+7*B*d*e)-C*(3*c^2*f^2+37*c*d*e*f+23*d^2*e^2))-a*b^3*(d^2*e*(-7*A*f+3*B*e)+2*c^2*f*(-B*f+5*C*e)+c*d*(40*C*e^2-13*f*(-A*f+B*e)))*EllipticE(d^(1/2)*(b*x+a)^(1/2)/(a*d-b*c)^(1/2),((-a*d+b*c)*f/d/(-a*f+b*e))^(1/2))*d^(1/2)*(b*(d*x+c)/(-a*d+b*c))^(1/2)*(f*x+e)^(1/2)/b^3/(a*d-b*c)^(3/2)/(-a*f+b*e)^3/(d*x+c)^(1/2)/(b*(f*x+e)/(-a*f+b*e))^(1/2)+2/15*(-c*f+d*e)*(4*a^3*C*d*f-b^3*(-4*A*c*f-2*A*d*e+5*B*c*e)+a*b^2*(-6*A*d*f+B*c*f+3*B*d*e+10*C*c*e)-a^2*b*(-B*d*f+6*C*c*f+8*C*d*e))*EllipticF(d^(1/2)*(b*x+a)^(1/2)/(a*d-b*c)^(1/2),((-a*d+b*c)*f/d/(-a*f+b*e))^(1/2))*d^(1/2)*(b*(d*x+c)/(-a*d+b*c))^(1/2)*(b*(f*x+e)/(-a*f+b*e))^(1/2)/b^3/(a*d-b*c)^(3/2)/(-a*f+b*e)^2/(d*x+c)^(1/2)/(f*x+e)^(1/2)$

Rubi [A] time = 3.16, antiderivative size = 1034, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.210$, Rules used = {1614, 150, 152, 158, 114, 113, 121, 120}

$$\frac{2(Ab^2 - a(bB - aC))\sqrt{e+fx}(c+dx)^{3/2}}{5b(bc-ad)(be-af)(a+bx)^{5/2}} - \frac{2(8Cd^2f^2a^4 - bdf(23Cde + 13Ccf - 2Bdf)a^3 - b^2(df(7Bde + 2B$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[c + d*x]*(A + B*x + C*x^2))/((a + b*x)^(7/2)*Sqrt[e + f*x]),x]

```
[Out] (2*(4*a^3*C*d*f - b^3*(5*B*c*e - 2*A*d*e - 4*A*c*f) + a*b^2*(10*c*C*e + 3*B
*d*e + B*c*f - 6*A*d*f) - a^2*b*(8*C*d*e + 6*c*C*f - B*d*f))*Sqrt[c + d*x]*
Sqrt[e + f*x))/(15*b^2*(b*c - a*d)*(b*e - a*f)^2*(a + b*x)^(3/2)) - (2*(8*a
^4*C*d^2*f^2 - a^3*b*d*f*(23*C*d*e + 13*c*C*f - 2*B*d*f) - b^4*(2*A*d^2*e^2
- c*d*e*(5*B*e - 3*A*f) - c^2*(15*C*e^2 - 10*B*e*f + 8*A*f^2)) - a^2*b^2*(
d*f*(7*B*d*e + 2*B*c*f - 3*A*d*f) - C*(23*d^2*e^2 + 37*c*d*e*f + 3*c^2*f^2)
) - a*b^3*(d^2*e*(3*B*e - 7*A*f) + 2*c^2*f*(5*C*e - B*f) + c*d*(40*C*e^2 -
13*f*(B*e - A*f))))*Sqrt[c + d*x]*Sqrt[e + f*x))/(15*b^2*(b*c - a*d)^2*(b*e
- a*f)^3*Sqrt[a + b*x]) - (2*(A*b^2 - a*(b*B - a*C))*(c + d*x)^(3/2)*Sqrt[
e + f*x))/(5*b*(b*c - a*d)*(b*e - a*f)*(a + b*x)^(5/2)) + (2*Sqrt[d]*(8*a^4
*C*d^2*f^2 - a^3*b*d*f*(23*C*d*e + 13*c*C*f - 2*B*d*f) - b^4*(2*A*d^2*e^2 -
c*d*e*(5*B*e - 3*A*f) - c^2*(15*C*e^2 - 10*B*e*f + 8*A*f^2)) - a^2*b^2*(d*
f*(7*B*d*e + 2*B*c*f - 3*A*d*f) - C*(23*d^2*e^2 + 37*c*d*e*f + 3*c^2*f^2)
) - a*b^3*(d^2*e*(3*B*e - 7*A*f) + 2*c^2*f*(5*C*e - B*f) + c*d*(40*C*e^2 - 13
*f*(B*e - A*f))))*Sqrt[(b*(c + d*x))/(b*c - a*d)]*Sqrt[e + f*x]*EllipticE[A
rcSin[(Sqrt[d]*Sqrt[a + b*x])/Sqrt[-(b*c) + a*d]], ((b*c - a*d)*f)/(d*(b*e
- a*f)))]/(15*b^3*(-(b*c) + a*d)^(3/2)*(b*e - a*f)^3*Sqrt[c + d*x]*Sqrt[(b*
(e + f*x))/(b*e - a*f)]) + (2*Sqrt[d]*(d*e - c*f)*(4*a^3*C*d*f - b^3*(5*B*c
*e - 2*A*d*e - 4*A*c*f) + a*b^2*(10*c*C*e + 3*B*d*e + B*c*f - 6*A*d*f) - a^
2*b*(8*C*d*e + 6*c*C*f - B*d*f))*Sqrt[(b*(c + d*x))/(b*c - a*d)]*Sqrt[(b*(e
+ f*x))/(b*e - a*f)]*EllipticF[ArcSin[(Sqrt[d]*Sqrt[a + b*x])/Sqrt[-(b*c)
+ a*d]], ((b*c - a*d)*f)/(d*(b*e - a*f)))]/(15*b^3*(-(b*c) + a*d)^(3/2)*(b*
e - a*f)^2*Sqrt[c + d*x]*Sqrt[e + f*x])
```

Rule 113

```
Int[Sqrt[(e_.) + (f_.)*(x_)]/(Sqrt[(a_) + (b_.)*(x_)]*Sqrt[(c_) + (d_.)*(x_
)]), x_Symbol] := Simp[(2*Rt[-((b*e - a*f)/d), 2]*EllipticE[ArcSin[Sqrt[a +
b*x]/Rt[-((b*c - a*d)/d), 2]], (f*(b*c - a*d))/(d*(b*e - a*f)))]/b, x] /;
FreeQ[{a, b, c, d, e, f}, x] && GtQ[b/(b*c - a*d), 0] && GtQ[b/(b*e - a*f),
0] && !LtQ[-((b*c - a*d)/d), 0] && !(SimplerQ[c + d*x, a + b*x] && GtQ[-
(d/(b*c - a*d)), 0] && GtQ[d/(d*e - c*f), 0] && !LtQ[(b*c - a*d)/b, 0])
```

Rule 114

```
Int[Sqrt[(e_.) + (f_.)*(x_)]/(Sqrt[(a_) + (b_.)*(x_)]*Sqrt[(c_) + (d_.)*(x_
)]), x_Symbol] := Dist[(Sqrt[e + f*x]*Sqrt[(b*(c + d*x))/(b*c - a*d)])/(Sqr
t[c + d*x]*Sqrt[(b*(e + f*x))/(b*e - a*f)]), Int[Sqrt[(b*e)/(b*e - a*f) + (
b*f*x)/(b*e - a*f)]/(Sqrt[a + b*x]*Sqrt[(b*c)/(b*c - a*d) + (b*d*x)/(b*c -
a*d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !(GtQ[b/(b*c - a*d), 0]
&& GtQ[b/(b*e - a*f), 0]) && !LtQ[-((b*c - a*d)/d), 0]
```

Rule 120

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)]*Sqrt[(c_) + (d_.)*(x_)]*Sqrt[(e_) + (f_.)*(x
_)]), x_Symbol] := Simp[(2*Rt[-(b/d), 2]*EllipticF[ArcSin[Sqrt[a + b*x]/(Rt
```

```
[-(b/d), 2]*Sqrt[(b*c - a*d)/b]], (f*(b*c - a*d))/(d*(b*e - a*f)))]/(b*Sqr
t[(b*e - a*f)/b], x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[b/(b*c - a*d),
  0] && GtQ[b/(b*e - a*f), 0] && SimplerQ[a + b*x, c + d*x] && SimplerQ[a +
b*x, e + f*x] && (PosQ[-((b*c - a*d)/d)] || NegQ[-((b*e - a*f)/f)])
```

Rule 121

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)]*Sqrt[(c_) + (d_.)*(x_)]*Sqrt[(e_) + (f_.)*(x
_)]), x_Symbol] :> Dist[Sqrt[(b*(c + d*x))/(b*c - a*d)]/Sqrt[c + d*x], Int[
1/(Sqrt[a + b*x]*Sqrt[(b*c)/(b*c - a*d) + (b*d*x)/(b*c - a*d)]*Sqrt[e + f*x
]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[(b*c - a*d)/b, 0] && Si
mplerQ[a + b*x, c + d*x] && SimplerQ[a + b*x, e + f*x]
```

Rule 150

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_
))^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] :> Simp[((b*g - a*h)*(a + b*x)^(m +
1)*(c + d*x)^n*(e + f*x)^(p + 1))/(b*(b*e - a*f)*(m + 1)), x] - Dist[1/(b*(
b*e - a*f)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^(n - 1)*(e + f*x)^pSi
mp[b*c*(f*g - e*h)*(m + 1) + (b*g - a*h)*(d*e*n + c*f*(p + 1)) + d*(b*(f*g
- e*h)*(m + 1) + f*(b*g - a*h)*(n + p + 1))*x, x], x] /; FreeQ[{a, b, c
, d, e, f, g, h, p}, x] && LtQ[m, -1] && GtQ[n, 0] && IntegersQ[2*m, 2*n, 2
*p]
```

Rule 152

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_
))^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] :> Simp[((b*g - a*h)*(a + b*x)^(m +
1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)),
x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d
*x)^n*(e + f*x)^pSimp[(a*d*f*g - b*(d*e + c*f)*g + b*c*e*h)*(m + 1) - (b*g
- a*h)*(d*e*(n + 1) + c*f*(p + 1)) - d*f*(b*g - a*h)*(m + n + p + 3)*x, x]
, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && LtQ[m, -1] && Integ
ersQ[2*m, 2*n, 2*p]
```

Rule 158

```
Int[((g_.) + (h_.)*(x_))/(Sqrt[(a_.) + (b_.)*(x_)]*Sqrt[(c_) + (d_.)*(x_)]*
Sqrt[(e_) + (f_.)*(x_)]), x_Symbol] :> Dist[h/f, Int[Sqrt[e + f*x]/(Sqrt[a
+ b*x]*Sqrt[c + d*x]), x], x] + Dist[(f*g - e*h)/f, Int[1/(Sqrt[a + b*x]*Sq
rt[c + d*x]*Sqrt[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] &&
SimplerQ[a + b*x, e + f*x] && SimplerQ[c + d*x, e + f*x]
```

Rule 1614

```

Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_
.)*(x_))^(p_), x_Symbol] :=> With[{Qx = PolynomialQuotient[Px, a + b*x, x],
R = PolynomialRemainder[Px, a + b*x, x]}, Simp[(b*R*(a + b*x)^(m + 1)*(c +
d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Di
st[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(
e + f*x)^p*ExpandToSum[(m + 1)*(b*c - a*d)*(b*e - a*f)*Qx + a*d*f*R*(m + 1)
- b*R*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*R*(m + n + p + 3)*x, x],
x]] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && PolyQ[Px, x] && LtQ[m, -1
] && IntegersQ[2*m, 2*n, 2*p]

```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{c+dx} (A+Bx+Cx^2)}{(a+bx)^{7/2} \sqrt{e+fx}} dx &= -\frac{2(Ab^2 - a(bB - aC))(c+dx)^{3/2} \sqrt{e+fx}}{5b(bc-ad)(be-af)(a+bx)^{5/2}} - 2 \int \frac{\sqrt{c+dx} \left(-\frac{a^2C(3de+cf)+b^2(5Bce-2Ade-4Acf)}{15b^2(bc-ad)(be-af)^2(a+bx)^3} \right)}{15b^2(bc-ad)(be-af)^2(a+bx)^3} dx \\
&= \frac{2(4a^3Cdf - b^3(5Bce - 2Ade - 4Acf) + ab^2(10cCe + 3Bde + Bcf - 6Adf) - \dots)}{15b^2(bc-ad)(be-af)^2(a+bx)^3} \\
&= \frac{2(4a^3Cdf - b^3(5Bce - 2Ade - 4Acf) + ab^2(10cCe + 3Bde + Bcf - 6Adf) - \dots)}{15b^2(bc-ad)(be-af)^2(a+bx)^3} \\
&= \frac{2(4a^3Cdf - b^3(5Bce - 2Ade - 4Acf) + ab^2(10cCe + 3Bde + Bcf - 6Adf) - \dots)}{15b^2(bc-ad)(be-af)^2(a+bx)^3} \\
&= \frac{2(4a^3Cdf - b^3(5Bce - 2Ade - 4Acf) + ab^2(10cCe + 3Bde + Bcf - 6Adf) - \dots)}{15b^2(bc-ad)(be-af)^2(a+bx)^3} \\
&= \frac{2(4a^3Cdf - b^3(5Bce - 2Ade - 4Acf) + ab^2(10cCe + 3Bde + Bcf - 6Adf) - \dots)}{15b^2(bc-ad)(be-af)^2(a+bx)^3} \\
&= \frac{2(4a^3Cdf - b^3(5Bce - 2Ade - 4Acf) + ab^2(10cCe + 3Bde + Bcf - 6Adf) - \dots)}{15b^2(bc-ad)(be-af)^2(a+bx)^3} \\
&= \frac{2(4a^3Cdf - b^3(5Bce - 2Ade - 4Acf) + ab^2(10cCe + 3Bde + Bcf - 6Adf) - \dots)}{15b^2(bc-ad)(be-af)^2(a+bx)^3}
\end{aligned}$$

Mathematica [C] time = 16.09, size = 9186, normalized size = 8.88

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Sqrt[c + d*x]*(A + B*x + C*x^2))/((a + b*x)^(7/2)*Sqrt[e + f*x]), x]
```

```
[Out] Result too large to show
```

fricas [F] time = 0.61, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(Cx^2 + Bx + A)\sqrt{bx + a}\sqrt{dx + c}\sqrt{fx + e}}{b^4fx^5 + a^4e + (b^4e + 4ab^3f)x^4 + 2(2ab^3e + 3a^2b^2f)x^3 + 2(3a^2b^2e + 2a^3bf)x^2 + (4a^3be + a^4f)x}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)/(b*x+a)^(7/2)/(f*x+e)^(1/2),x, algorithm="fricas")

[Out] integral((C*x^2 + B*x + A)*sqrt(b*x + a)*sqrt(d*x + c)*sqrt(f*x + e)/(b^4*f*x^5 + a^4*e + (b^4*e + 4*a*b^3*f)*x^4 + 2*(2*a*b^3*e + 3*a^2*b^2*f)*x^3 + 2*(3*a^2*b^2*e + 2*a^3*b*f)*x^2 + (4*a^3*b*e + a^4*f)*x), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Cx^2 + Bx + A)\sqrt{dx + c}}{(bx + a)^{\frac{7}{2}}\sqrt{fx + e}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)/(b*x+a)^(7/2)/(f*x+e)^(1/2),x, algorithm="giac")

[Out] integrate((C*x^2 + B*x + A)*sqrt(d*x + c)/((b*x + a)^(7/2)*sqrt(f*x + e)), x)

maple [B] time = 0.32, size = 33007, normalized size = 31.92

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C*x^2+B*x+A)*(d*x+c)^(1/2)/(b*x+a)^(7/2)/(f*x+e)^(1/2),x)

[Out] result too large to display

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Cx^2 + Bx + A)\sqrt{dx + c}}{(bx + a)^{\frac{7}{2}}\sqrt{fx + e}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)/(b*x+a)^(7/2)/(f*x+e)^(1/2),x, algorithm="maxima")

[Out] integrate((C*x^2 + B*x + A)*sqrt(d*x + c)/((b*x + a)^(7/2)*sqrt(f*x + e)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{c+dx} (Cx^2 + Bx + A)}{\sqrt{e+fx} (a+bx)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((c + d*x)^(1/2)*(A + B*x + C*x^2))/((e + f*x)^(1/2)*(a + b*x)^(7/2)), x)

[Out] int(((c + d*x)^(1/2)*(A + B*x + C*x^2))/((e + f*x)^(1/2)*(a + b*x)^(7/2)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x**2+B*x+A)*(d*x+c)**(1/2)/(b*x+a)**(7/2)/(f*x+e)**(1/2), x)

[Out] Timed out

$$3.73 \quad \int \frac{(a+bx)^{3/2}(A+Bx+Cx^2)}{\sqrt{c+dx} \sqrt{e+fx}} dx$$

Optimal. Leaf size=838

$$\frac{2C\sqrt{c+dx}\sqrt{e+fx}(a+bx)^{5/2}}{7bdf} - \frac{2(2aCdf - b(7Bdf - 6C(de+cf)))\sqrt{c+dx}\sqrt{e+fx}(a+bx)^{3/2}}{35bd^2f^2} - \frac{2(5bdf(5bcCe$$

[Out] $-2/35*(2*a*C*d*f-b*(7*B*d*f-6*C*(c*f+d*e)))*(b*x+a)^{(3/2)}*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/b/d^2/f^2+2/7*C*(b*x+a)^{(5/2)}*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/b/d/f-2/105*(5*b*d*f*(-7*A*b*d*f+C*a*c*f+C*a*d*e+5*C*b*c*e)+(3*a*d*f-4*b*(c*f+d*e)))*(2*a*C*d*f-b*(7*B*d*f-6*C*(c*f+d*e)))*(b*x+a)^{(1/2)}*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/b/d^3/f^3-2/105*(3*b*d*f*(5*a*d*f*(-7*A*b*d*f+C*a*c*f+C*a*d*e+5*C*b*c*e)-(a*c*f+a*d*e+3*b*c*e)*(2*a*C*d*f-b*(7*B*d*f-6*C*(c*f+d*e))))+2*(1/2*a*d*f-b*(c*f+d*e))*(5*b*d*f*(-7*A*b*d*f+C*a*c*f+C*a*d*e+5*C*b*c*e)+(3*a*d*f-4*b*(c*f+d*e))*(2*a*C*d*f-b*(7*B*d*f-6*C*(c*f+d*e))))*EllipticE(d^(1/2)*(b*x+a)^(1/2)/(a*d-b*c)^(1/2),((-a*d+b*c)*f/d/(-a*f+b*e))^(1/2))*(a*d-b*c)^(1/2)*(b*(d*x+c)/(-a*d+b*c))^(1/2)*(f*x+e)^(1/2)/b^2/d^(7/2)/f^4/(d*x+c)^(1/2)/(b*(f*x+e)/(-a*f+b*e))^(1/2)-2/105*(-a*f+b*e)*(3*a^2*C*d^2*f^2*(-c*f+d*e)-3*a*b*d*f*(7*d*f*(-5*A*d*f+2*B*c*f+3*B*d*e)-C*(11*c^2*f^2+8*c*d*e*f+16*d^2*e^2))-b^2*(C*(24*c^3*f^3+17*c^2*d*e*f^2+16*c*d^2*e^2*f+48*d^3*e^3)+7*d*f*(5*A*d*f*(c*f+2*d*e)-B*(4*c^2*f^2+3*c*d*e*f+8*d^2*e^2))))*EllipticF(d^(1/2)*(b*x+a)^(1/2)/(a*d-b*c)^(1/2),((-a*d+b*c)*f/d/(-a*f+b*e))^(1/2))*(a*d-b*c)^(1/2)*(b*(d*x+c)/(-a*d+b*c))^(1/2)*(b*(f*x+e)/(-a*f+b*e))^(1/2)/b^2/d^(7/2)/f^4/(d*x+c)^(1/2)/(f*x+e)^(1/2)$

Rubi [A] time = 2.17, antiderivative size = 831, normalized size of antiderivative = 0.99, number of steps used = 9, number of rules used = 7, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.184$, Rules used = {1615, 154, 158, 114, 113, 121, 120}

$$\frac{2C\sqrt{c+dx}\sqrt{e+fx}(a+bx)^{5/2}}{7bdf} + \frac{2(7bBdf - 2aCdf - 6bC(de+cf))\sqrt{c+dx}\sqrt{e+fx}(a+bx)^{3/2}}{35bd^2f^2} - \frac{2(5bdf(5bcCe$$

Antiderivative was successfully verified.

[In] Int[((a + b*x)^(3/2)*(A + B*x + C*x^2))/(Sqrt[c + d*x]*Sqrt[e + f*x]),x]

[Out] $(-2*(5*b*d*f*(5*b*c*C*e + a*C*d*e + a*c*C*f - 7*A*b*d*f) - (3*a*d*f - 4*b*(d*e + c*f)))*(7*b*B*d*f - 2*a*C*d*f - 6*b*C*(d*e + c*f))*Sqrt[a + b*x]*Sqrt[c + d*x]*Sqrt[e + f*x])/(105*b*d^3*f^3) + (2*(7*b*B*d*f - 2*a*C*d*f - 6*b*$

$$\begin{aligned}
& C*(d*e + c*f)*(a + b*x)^{(3/2)}*Sqrt[c + d*x]*Sqrt[e + f*x])/(35*b*d^2*f^2) \\
& + (2*C*(a + b*x)^{(5/2)}*Sqrt[c + d*x]*Sqrt[e + f*x])/(7*b*d*f) - (2*Sqrt[-(b \\
& *c) + a*d]*(3*b*d*f*(5*a*d*f*(5*b*c*C*e + a*C*d*e + a*c*C*f - 7*A*b*d*f) + \\
& (3*b*c*e + a*d*e + a*c*f)*(7*b*B*d*f - 2*a*C*d*f - 6*b*C*(d*e + c*f))) + 2* \\
& ((a*d*f)/2 - b*(d*e + c*f))*(5*b*d*f*(5*b*c*C*e + a*C*d*e + a*c*C*f - 7*A*b \\
& *d*f) - (3*a*d*f - 4*b*(d*e + c*f))*(7*b*B*d*f - 2*a*C*d*f - 6*b*C*(d*e + c \\
& *f))))*Sqrt[(b*(c + d*x))/(b*c - a*d)]*Sqrt[e + f*x]*EllipticE[ArcSin[(Sqrt \\
& [d]*Sqrt[a + b*x])/Sqrt[-(b*c) + a*d]], ((b*c - a*d)*f)/(d*(b*e - a*f)))]/(\\
& 105*b^2*d^{(7/2)}*f^4*Sqrt[c + d*x]*Sqrt[(b*(e + f*x))/(b*e - a*f)]) - (2*Sqr \\
& t[-(b*c) + a*d]*(b*e - a*f)*(3*a^2*C*d^2*f^2*(d*e - c*f) - 3*a*b*d*f*(7*d*f \\
& *(3*B*d*e + 2*B*c*f - 5*A*d*f) - C*(16*d^2*e^2 + 8*c*d*e*f + 11*c^2*f^2)) - \\
& b^2*(C*(48*d^3*e^3 + 16*c*d^2*e^2*f + 17*c^2*d*e*f^2 + 24*c^3*f^3) + 7*d*f \\
& *(5*A*d*f*(2*d*e + c*f) - B*(8*d^2*e^2 + 3*c*d*e*f + 4*c^2*f^2))))*Sqrt[(b* \\
& (c + d*x))/(b*c - a*d)]*Sqrt[(b*(e + f*x))/(b*e - a*f)]*EllipticF[ArcSin[(S \\
& qrt[d]*Sqrt[a + b*x])/Sqrt[-(b*c) + a*d]], ((b*c - a*d)*f)/(d*(b*e - a*f))] \\
&)/(105*b^2*d^{(7/2)}*f^4*Sqrt[c + d*x]*Sqrt[e + f*x])
\end{aligned}$$

Rule 113

```

Int[Sqrt[(e_) + (f_)*(x_)]/(Sqrt[(a_) + (b_)*(x_)]*Sqrt[(c_) + (d_)*(x_
)]), x_Symbol] := Simp[(2*Rt[-((b*e - a*f)/d), 2]*EllipticE[ArcSin[Sqrt[a +
b*x]/Rt[-((b*c - a*d)/d), 2]], (f*(b*c - a*d))/(d*(b*e - a*f))]/b, x] /;
FreeQ[{a, b, c, d, e, f}, x] && GtQ[b/(b*c - a*d), 0] && GtQ[b/(b*e - a*f),
0] && !LtQ[-((b*c - a*d)/d), 0] && !SimplerQ[c + d*x, a + b*x] && GtQ[-
(d/(b*c - a*d)), 0] && GtQ[d/(d*e - c*f), 0] && !LtQ[(b*c - a*d)/b, 0]

```

Rule 114

```

Int[Sqrt[(e_) + (f_)*(x_)]/(Sqrt[(a_) + (b_)*(x_)]*Sqrt[(c_) + (d_)*(x_
)]), x_Symbol] := Dist[(Sqrt[e + f*x]*Sqrt[(b*(c + d*x))/(b*c - a*d)])/(Sqr
t[c + d*x]*Sqrt[(b*(e + f*x))/(b*e - a*f)]), Int[Sqrt[(b*e)/(b*e - a*f) + (
b*f*x)/(b*e - a*f)]/(Sqrt[a + b*x]*Sqrt[(b*c)/(b*c - a*d) + (b*d*x)/(b*c -
a*d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !(GtQ[b/(b*c - a*d), 0]
&& GtQ[b/(b*e - a*f), 0]) && !LtQ[-((b*c - a*d)/d), 0]

```

Rule 120

```

Int[1/(Sqrt[(a_) + (b_)*(x_)]*Sqrt[(c_) + (d_)*(x_)]*Sqrt[(e_) + (f_)*(x
_)]), x_Symbol] := Simp[(2*Rt[-(b/d), 2]*EllipticF[ArcSin[Sqrt[a + b*x]/(Rt
[-(b/d), 2]*Sqrt[(b*c - a*d)/b]]], (f*(b*c - a*d))/(d*(b*e - a*f)))]/(b*Sqr
t[(b*e - a*f)/b]), x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[b/(b*c - a*d),
0] && GtQ[b/(b*e - a*f), 0] && SimplerQ[a + b*x, c + d*x] && SimplerQ[a +
b*x, e + f*x] && (PosQ[-((b*c - a*d)/d)] || NegQ[-((b*e - a*f)/f)])

```

Rule 121

```
Int[1/(Sqrt[(a_) + (b_)*(x_)]*Sqrt[(c_) + (d_)*(x_)]*Sqrt[(e_) + (f_)*(x_)]), x_Symbol] := Dist[Sqrt[(b*(c + d*x))/(b*c - a*d)]/Sqrt[c + d*x], Int[1/(Sqrt[a + b*x]*Sqrt[(b*c)/(b*c - a*d) + (b*d*x)/(b*c - a*d)]*Sqrt[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[(b*c - a*d)/b, 0] && SimplerQ[a + b*x, c + d*x] && SimplerQ[a + b*x, e + f*x]
```

Rule 154

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_)*((g_) + (h_)*(x_)), x_Symbol] := Simp[(h*(a + b*x)^(m*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(m + n + p + 2)), x] + Dist[1/(d*f*(m + n + p + 2)), Int[(a + b*x)^(m - 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*g*(m + n + p + 2) - h*(b*c*e*m + a*(d*e*(n + 1) + c*f*(p + 1))) + (b*d*f*g*(m + n + p + 2) + h*(a*d*f*m - b*(d*e*(m + n + 1) + c*f*(m + p + 1)))]*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p + 2, 0] && IntegersQ[2*m, 2*n, 2*p]
```

Rule 158

```
Int[((g_) + (h_)*(x_))/(Sqrt[(a_) + (b_)*(x_)]*Sqrt[(c_) + (d_)*(x_)]*Sqrt[(e_) + (f_)*(x_)]), x_Symbol] := Dist[h/f, Int[Sqrt[e + f*x]/(Sqrt[a + b*x]*Sqrt[c + d*x]), x], x] + Dist[(f*g - e*h)/f, Int[1/(Sqrt[a + b*x]*Sqrt[c + d*x]*Sqrt[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && SimplerQ[a + b*x, e + f*x] && SimplerQ[c + d*x, e + f*x]
```

Rule 1615

```
Int[(Px_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := With[{q = Expon[Px, x], k = Coeff[Px, x, Expon[Px, x]]}, Simp[(k*(a + b*x)^(m + q - 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*b^(q - 1)*(m + n + p + q + 1)), x] + Dist[1/(d*f*b^q*(m + n + p + q + 1)), Int[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p*ExpandToSum[d*f*b^q*(m + n + p + q + 1)*Px - d*f*k*(m + n + p + q + 1)*(a + b*x)^q + k*(a + b*x)^(q - 2)*(a^2*d*f*(m + n + p + q + 1) - b*(b*c*e*(m + q - 1) + a*(d*e*(n + 1) + c*f*(p + 1))) + b*(a*d*f*(2*(m + q) + n + p) - b*(d*e*(m + q + n) + c*f*(m + q + p)))]*x, x], x] /; NeQ[m + n + p + q + 1, 0] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && IntegersQ[2*m, 2*n, 2*p]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a+bx)^{3/2}(A+Bx+Cx^2)}{\sqrt{c+dx}\sqrt{e+fx}} dx &= \frac{2C(a+bx)^{5/2}\sqrt{c+dx}\sqrt{e+fx}}{7bdf} + \frac{2 \int \frac{(a+bx)^{3/2} \left(-\frac{1}{2}b(5bcCe+aCde+acCf-7Abdf) + \frac{1}{2}b \right)}{\sqrt{c+dx}\sqrt{e+fx}}}{7b^2df} \\
&= \frac{2(7bBdf - 2aCdf - 6bC(de+cf))(a+bx)^{3/2}\sqrt{c+dx}\sqrt{e+fx}}{35bd^2f^2} + \frac{2C(a+b)}{7b^2df} \\
&= -\frac{2(5bdf(5bcCe+aCde+acCf-7Abdf) - (3adf-4b(de+cf))(7bBdf-2aCdf-6bC(de+cf)))}{105bd^3f^3} \\
&= -\frac{2(5bdf(5bcCe+aCde+acCf-7Abdf) - (3adf-4b(de+cf))(7bBdf-2aCdf-6bC(de+cf)))}{105bd^3f^3} \\
&= -\frac{2(5bdf(5bcCe+aCde+acCf-7Abdf) - (3adf-4b(de+cf))(7bBdf-2aCdf-6bC(de+cf)))}{105bd^3f^3} \\
&= -\frac{2(5bdf(5bcCe+aCde+acCf-7Abdf) - (3adf-4b(de+cf))(7bBdf-2aCdf-6bC(de+cf)))}{105bd^3f^3} \\
&= -\frac{2(5bdf(5bcCe+aCde+acCf-7Abdf) - (3adf-4b(de+cf))(7bBdf-2aCdf-6bC(de+cf)))}{105bd^3f^3} \\
&= -\frac{2(5bdf(5bcCe+aCde+acCf-7Abdf) - (3adf-4b(de+cf))(7bBdf-2aCdf-6bC(de+cf)))}{105bd^3f^3}
\end{aligned}$$

Mathematica [C] time = 13.87, size = 1000, normalized size = 1.19

$$2 \left(-\sqrt{\frac{bc}{d}} - a \left((8C(6d^3e^3 + 5cd^2fe^2 + 5c^2df^2e + 6c^3f^3) + 7df(10Adf(de+cf) - B(8d^2e^2 + 7cdf e + 8c^2f^2))) \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x)^(3/2)*(A + B*x + C*x^2))/(Sqrt[c + d*x]*Sqrt[e + f*x]),x]

```
[Out] (2*(-(b^2*Sqrt[-a + (b*c)/d]*(6*a^3*C*d^3*f^3 + 3*a^2*b*d^2*f^2*(-7*B*d*f +
4*C*(d*e + c*f)) - a*b^2*d*f*(C*(72*d^2*e^2 + 62*c*d*e*f + 72*c^2*f^2) + 7
*d*f*(20*A*d*f - 13*B*(d*e + c*f))) + b^3*(8*C*(6*d^3*e^3 + 5*c*d^2*e^2*f +
5*c^2*d*e*f^2 + 6*c^3*f^3) + 7*d*f*(10*A*d*f*(d*e + c*f) - B*(8*d^2*e^2 +
7*c*d*e*f + 8*c^2*f^2))))*(c + d*x)*(e + f*x)) + b^2*Sqrt[-a + (b*c)/d]*d*f
*(a + b*x)*(c + d*x)*(e + f*x)*(3*a^2*C*d^2*f^2 + 3*a*b*d*f*(14*B*d*f + C*(
-11*d*e - 11*c*f + 8*d*f*x)) + b^2*(7*d*f*(5*A*d*f + B*(-4*d*e - 4*c*f + 3*
d*f*x)) + C*(24*c^2*f^2 + c*d*f*(23*e - 18*f*x) + 3*d^2*(8*e^2 - 6*e*f*x +
5*f^2*x^2)))) - I*(b*c - a*d)*f*(6*a^3*C*d^3*f^3 + 3*a^2*b*d^2*f^2*(-7*B*d*
f + 4*C*(d*e + c*f)) - a*b^2*d*f*(C*(72*d^2*e^2 + 62*c*d*e*f + 72*c^2*f^2)
+ 7*d*f*(20*A*d*f - 13*B*(d*e + c*f))) + b^3*(8*C*(6*d^3*e^3 + 5*c*d^2*e^2*
f + 5*c^2*d*e*f^2 + 6*c^3*f^3) + 7*d*f*(10*A*d*f*(d*e + c*f) - B*(8*d^2*e^2
+ 7*c*d*e*f + 8*c^2*f^2))))*(a + b*x)^(3/2)*Sqrt[(b*(c + d*x))/(d*(a + b*x
))]*Sqrt[(b*(e + f*x))/(f*(a + b*x))]*EllipticE[I*ArcSinh[Sqrt[-a + (b*c)/d
]/Sqrt[a + b*x]], (b*d*e - a*d*f)/(b*c*f - a*d*f)] + I*b*(b*c - a*d)*f*(3*a
^2*C*d^2*f^2*(d*e - c*f) - 3*a*b*d*f*(7*d*f*(-2*B*d*e - 3*B*c*f + 5*A*d*f)
+ C*(11*d^2*e^2 + 8*c*d*e*f + 16*c^2*f^2)) + b^2*(C*(24*d^3*e^3 + 17*c*d^2*
e^2*f + 16*c^2*d*e*f^2 + 48*c^3*f^3) + 7*d*f*(5*A*d*f*(d*e + 2*c*f) - B*(4*
d^2*e^2 + 3*c*d*e*f + 8*c^2*f^2))))*(a + b*x)^(3/2)*Sqrt[(b*(c + d*x))/(d*(
a + b*x))]*Sqrt[(b*(e + f*x))/(f*(a + b*x))]*EllipticF[I*ArcSinh[Sqrt[-a +
(b*c)/d]/Sqrt[a + b*x]], (b*d*e - a*d*f)/(b*c*f - a*d*f)))/(105*b^3*Sqrt[-
a + (b*c)/d]*d^4*f^4*Sqrt[a + b*x]*Sqrt[c + d*x]*Sqrt[e + f*x])
```

fricas [F] time = 0.58, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\left(Cbx^3 + (Ca + Bb)x^2 + Aa + (Ba + Ab)x \right) \sqrt{bx + a} \sqrt{dx + c} \sqrt{fx + e}}{dfx^2 + ce + (de + cf)x}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x+a)^(3/2)*(C*x^2+B*x+A)/(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algori
thm="fricas")
```

```
[Out] integral((C*b*x^3 + (C*a + B*b)*x^2 + A*a + (B*a + A*b)*x)*sqrt(b*x + a)*sq
rt(d*x + c)*sqrt(f*x + e)/(d*f*x^2 + c*e + (d*e + c*f)*x), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Cx^2 + Bx + A)(bx + a)^{\frac{3}{2}}}{\sqrt{dx + c} \sqrt{fx + e}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x+a)^(3/2)*(C*x^2+B*x+A)/(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algori
thm="giac")
```

[Out] integrate((C*x^2 + B*x + A)*(b*x + a)^(3/2)/(sqrt(d*x + c)*sqrt(f*x + e)), x)

maple [B] time = 0.07, size = 10546, normalized size = 12.58

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x+a)^(3/2)*(C*x^2+B*x+A)/(d*x+c)^(1/2)/(f*x+e)^(1/2),x)

[Out] result too large to display

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Cx^2 + Bx + A)(bx + a)^{\frac{3}{2}}}{\sqrt{dx + c} \sqrt{fx + e}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^(3/2)*(C*x^2+B*x+A)/(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="maxima")

[Out] integrate((C*x^2 + B*x + A)*(b*x + a)^(3/2)/(sqrt(d*x + c)*sqrt(f*x + e)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(a + bx)^{3/2} (Cx^2 + Bx + A)}{\sqrt{e + fx} \sqrt{c + dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x)^(3/2)*(A + B*x + C*x^2))/((e + f*x)^(1/2)*(c + d*x)^(1/2)),x)

[Out] int(((a + b*x)^(3/2)*(A + B*x + C*x^2))/((e + f*x)^(1/2)*(c + d*x)^(1/2)),x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)**(3/2)*(C*x**2+B*x+A)/(d*x+c)**(1/2)/(f*x+e)**(1/2),x)

[Out] Timed out

$$3.74 \quad \int \frac{\sqrt{a+bx}(A+Bx+Cx^2)}{\sqrt{c+dx}\sqrt{e+fx}} dx$$

Optimal. Leaf size=528

$$\frac{2\sqrt{ad-bc}(be-af)\sqrt{\frac{b(c+dx)}{bc-ad}}\sqrt{\frac{b(e+fx)}{be-af}}(aCdf(de-cf)-b(5df(-3Adf+Bcf+2Bde)-C(4c^2f^2+3cdef+8d^2e^2)))+bC(4c^2f^2+3cdef+8d^2e^2)}{15b^2d^{5/2}f^3\sqrt{c+dx}\sqrt{e+fx}}$$

[Out] $2/5*C*(b*x+a)^{(3/2)}*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/b/d/f-2/15*(2*a*C*d*f-b*(5*B*d*f-4*C*(c*f+d*e)))*(b*x+a)^{(1/2)}*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/b/d^2/f^2-2/15*(3*b*d*f*(-5*A*b*d*f+C*a*c*f+C*a*d*e+3*C*b*c*e)+(a*d*f-2*b*(c*f+d*e))*(2*a*C*d*f-b*(5*B*d*f-4*C*(c*f+d*e)))*EllipticE(d^{(1/2)}*(b*x+a)^{(1/2)}/(a*d-b*c)^{(1/2)},((-a*d+b*c)*f/d/(-a*f+b*e))^{(1/2)}*(a*d-b*c)^{(1/2)}*(b*(d*x+c)/(-a*d+b*c))^{(1/2)}*(f*x+e)^{(1/2)}/b^2/d^{(5/2)}/f^3/(d*x+c)^{(1/2)}/(b*(f*x+e)/(-a*f+b*e))^{(1/2)}-2/15*(-a*f+b*e)*(a*C*d*f*(-c*f+d*e)-b*(5*d*f*(-3*A*d*f+B*c*f+2*B*d*e)-C*(4*c^2*f^2+3*c*d*e*f+8*d^2*e^2)))*EllipticF(d^{(1/2)}*(b*x+a)^{(1/2)}/(a*d-b*c)^{(1/2)},((-a*d+b*c)*f/d/(-a*f+b*e))^{(1/2)}*(a*d-b*c)^{(1/2)}*(b*(d*x+c)/(-a*d+b*c))^{(1/2)}*(b*(f*x+e)/(-a*f+b*e))^{(1/2)}/b^2/d^{(5/2)}/f^3/(d*x+c)^{(1/2)}/(f*x+e)^{(1/2)}$

Rubi [A] time = 1.03, antiderivative size = 524, normalized size of antiderivative = 0.99, number of steps used = 8, number of rules used = 7, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.184$, Rules used = {1615, 154, 158, 114, 113, 121, 120}

$$\frac{2\sqrt{ad-bc}(be-af)\sqrt{\frac{b(c+dx)}{bc-ad}}\sqrt{\frac{b(e+fx)}{be-af}}(aCdf(de-cf)+5bdf(3Adf-B(cf+2de))+bC(4c^2f^2+3cdef+8d^2e^2)))+bC(4c^2f^2+3cdef+8d^2e^2)}{15b^2d^{5/2}f^3\sqrt{c+dx}\sqrt{e+fx}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a + b*x]*(A + B*x + C*x^2))/(Sqrt[c + d*x]*Sqrt[e + f*x]),x]

[Out] $(2*(5*b*B*d*f-2*a*C*d*f-4*b*C*(d*e+c*f))*Sqrt[a+b*x]*Sqrt[c+d*x]*Sqrt[e+f*x])/(15*b*d^2*f^2)+(2*C*(a+b*x)^{(3/2)}*Sqrt[c+d*x]*Sqrt[e+f*x])/(5*b*d*f)-(2*Sqrt[-(b*c)+a*d]*(3*b*d*f*(3*b*c*C*e+a*C*d*e+a*c*C*f-5*A*b*d*f)-(a*d*f-2*b*(d*e+c*f))*(5*b*B*d*f-2*a*C*d*f-4*b*C*(d*e+c*f)))*Sqrt[(b*(c+d*x))/(b*c-a*d)]*Sqrt[e+f*x]*EllipticE[ArcSin[(Sqrt[d]*Sqrt[a+b*x])/Sqrt[-(b*c)+a*d]],((b*c-a*d)*f)/(d*(b*e-a*f)))]/(15*b^2*d^{(5/2)}*f^3*Sqrt[c+d*x]*Sqrt[(b*(e+f*x))/(b*e-a*f)])-(2*Sqrt[-(b*c)+a*d]*(b*e-a*f)*(a*C*d*f*(d*e-c*f)+b*C*(8*d^2*e^2)))/15b^2d^{5/2}f^3sqrt{c+dx}sqrt{e+fx}$

$+ 3*c*d*e*f + 4*c^2*f^2) + 5*b*d*f*(3*A*d*f - B*(2*d*e + c*f))*\text{Sqrt}[(b*(c + d*x))/(b*c - a*d)]*\text{Sqrt}[(b*(e + f*x))/(b*e - a*f)]*\text{EllipticF}[\text{ArcSin}[(\text{Sqrt}[d]*\text{Sqrt}[a + b*x])/\text{Sqrt}[-(b*c) + a*d]], ((b*c - a*d)*f)/(d*(b*e - a*f)))]/(15*b^2*d^(5/2)*f^3*\text{Sqrt}[c + d*x]*\text{Sqrt}[e + f*x])$

Rule 113

$\text{Int}[\text{Sqrt}[(e_.) + (f_.)*(x_.)]/(\text{Sqrt}[(a_.) + (b_.)*(x_.)]*\text{Sqrt}[(c_.) + (d_.)*(x_.)])], x_Symbol] \rightarrow \text{Simp}[(2*\text{Rt}[-((b*e - a*f)/d), 2]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*x]/\text{Rt}[-((b*c - a*d)/d), 2]], (f*(b*c - a*d))/(d*(b*e - a*f)))]/b, x] /;$
 $\text{FreeQ}\{a, b, c, d, e, f\}, x\} \&\& \text{GtQ}[b/(b*c - a*d), 0] \&\& \text{GtQ}[b/(b*e - a*f), 0] \&\& \text{!LtQ}[-((b*c - a*d)/d), 0] \&\& \text{!(SimplerQ}[c + d*x, a + b*x] \&\& \text{GtQ}[-(d/(b*c - a*d)), 0] \&\& \text{GtQ}[d/(d*e - c*f), 0] \&\& \text{!LtQ}[(b*c - a*d)/b, 0])$

Rule 114

$\text{Int}[\text{Sqrt}[(e_.) + (f_.)*(x_.)]/(\text{Sqrt}[(a_.) + (b_.)*(x_.)]*\text{Sqrt}[(c_.) + (d_.)*(x_.)])], x_Symbol] \rightarrow \text{Dist}[(\text{Sqrt}[e + f*x]*\text{Sqrt}[(b*(c + d*x))/(b*c - a*d)])/(\text{Sqrt}[c + d*x]*\text{Sqrt}[(b*(e + f*x))/(b*e - a*f)]), \text{Int}[\text{Sqrt}[(b*e)/(b*e - a*f) + (b*f*x)/(b*e - a*f)]/(\text{Sqrt}[a + b*x]*\text{Sqrt}[(b*c)/(b*c - a*d) + (b*d*x)/(b*c - a*d)]), x], x] /;$
 $\text{FreeQ}\{a, b, c, d, e, f\}, x\} \&\& \text{!(GtQ}[b/(b*c - a*d), 0] \&\& \text{GtQ}[b/(b*e - a*f), 0]) \&\& \text{!LtQ}[-((b*c - a*d)/d), 0]$

Rule 120

$\text{Int}[1/(\text{Sqrt}[(a_.) + (b_.)*(x_.)]*\text{Sqrt}[(c_.) + (d_.)*(x_.)]*\text{Sqrt}[(e_.) + (f_.)*(x_.)]), x_Symbol] \rightarrow \text{Simp}[(2*\text{Rt}[-(b/d), 2]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*x]/\text{Rt}[-(b/d), 2]*\text{Sqrt}[(b*c - a*d)/b]], (f*(b*c - a*d))/(d*(b*e - a*f)))]/(b*\text{Sqrt}[(b*e - a*f)/b]), x] /;$
 $\text{FreeQ}\{a, b, c, d, e, f\}, x\} \&\& \text{GtQ}[b/(b*c - a*d), 0] \&\& \text{GtQ}[b/(b*e - a*f), 0] \&\& \text{SimplerQ}[a + b*x, c + d*x] \&\& \text{SimplerQ}[a + b*x, e + f*x] \&\& (\text{PosQ}[-((b*c - a*d)/d)] \parallel \text{NegQ}[-((b*e - a*f)/f)])$

Rule 121

$\text{Int}[1/(\text{Sqrt}[(a_.) + (b_.)*(x_.)]*\text{Sqrt}[(c_.) + (d_.)*(x_.)]*\text{Sqrt}[(e_.) + (f_.)*(x_.)]), x_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[(b*(c + d*x))/(b*c - a*d)]/\text{Sqrt}[c + d*x], \text{Int}[1/(\text{Sqrt}[a + b*x]*\text{Sqrt}[(b*c)/(b*c - a*d) + (b*d*x)/(b*c - a*d)]*\text{Sqrt}[e + f*x]), x], x] /;$
 $\text{FreeQ}\{a, b, c, d, e, f\}, x\} \&\& \text{!GtQ}[(b*c - a*d)/b, 0] \&\& \text{SimplerQ}[a + b*x, c + d*x] \&\& \text{SimplerQ}[a + b*x, e + f*x]$

Rule 154

$\text{Int}[(a_. + (b_.)*(x_.))^m*((c_.) + (d_.)*(x_.))^n*((e_.) + (f_.)*(x_.))^p*((g_.) + (h_.)*(x_.)), x_Symbol] \rightarrow \text{Simp}[(h*(a + b*x)^m*(c + d*x)^n*(e + f*x)^p*(g + h*x)^{p+1})/(d*f*(m + n + p + 2)), x] + \text{Dist}[1/(d*f*(m + n + p + 2)), \text{Int}[(a + b*x)^{m-1}*(c + d*x)^n*(e + f*x)^p*\text{Simp}[a*d*f*g*(m + n +$

```
p + 2) - h*(b*c*e*m + a*(d*e*(n + 1) + c*f*(p + 1))) + (b*d*f*g*(m + n + p
+ 2) + h*(a*d*f*m - b*(d*e*(m + n + 1) + c*f*(m + p + 1))))*x, x], x] /
; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p +
2, 0] && IntegersQ[2*m, 2*n, 2*p]
```

Rule 158

```
Int[((g_.) + (h_.)*(x_))/(Sqrt[(a_.) + (b_.)*(x_)]*Sqrt[(c_.) + (d_.)*(x_)]*
Sqrt[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[h/f, Int[Sqrt[e + f*x]/(Sqrt[a
+ b*x]*Sqrt[c + d*x]), x], x] + Dist[(f*g - e*h)/f, Int[1/(Sqrt[a + b*x]*Sqr
t[c + d*x]*Sqrt[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] &&
SimplerQ[a + b*x, e + f*x] && SimplerQ[c + d*x, e + f*x]
```

Rule 1615

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f
_.)*(x_))^(p_.), x_Symbol] := With[{q = Expon[Px, x], k = Coeff[Px, x, Expo
n[Px, x]]}, Simp[(k*(a + b*x)^(m + q - 1)*(c + d*x)^(n + 1)*(e + f*x)^(p +
1))/(d*f*b^(q - 1)*(m + n + p + q + 1)), x] + Dist[1/(d*f*b^q*(m + n + p +
q + 1)), Int[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p*ExpandToSum[d*f*b^q*(m + n
+ p + q + 1)*Px - d*f*k*(m + n + p + q + 1)*(a + b*x)^q + k*(a + b*x)^(q -
2)*(a^2*d*f*(m + n + p + q + 1) - b*(b*c*e*(m + q - 1) + a*(d*e*(n + 1) +
c*f*(p + 1))) + b*(a*d*f*(2*(m + q) + n + p) - b*(d*e*(m + q + n) + c*f*(m
+ q + p)))*x), x], x] /; NeQ[m + n + p + q + 1, 0] /; FreeQ[{a, b, c,
d, e, f, m, n, p}, x] && PolyQ[Px, x] && IntegersQ[2*m, 2*n, 2*p]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{a+bx}(A+Bx+Cx^2)}{\sqrt{c+dx}\sqrt{e+fx}} dx &= \frac{2C(a+bx)^{3/2}\sqrt{c+dx}\sqrt{e+fx}}{5bdf} + \frac{2\int \frac{\sqrt{a+bx}\left(-\frac{1}{2}b(3bcCe+aCde+acCf-5Abdf)+\frac{1}{2}b(5bB\right)}{\sqrt{c+dx}\sqrt{e+fx}}}{5b^2df} \\
&= \frac{2(5bBdf-2aCdf-4bC(de+cf))\sqrt{a+bx}\sqrt{c+dx}\sqrt{e+fx}}{15bd^2f^2} + \frac{2C(a+bx)^{3/2}}{5b^2df} \\
&= \frac{2(5bBdf-2aCdf-4bC(de+cf))\sqrt{a+bx}\sqrt{c+dx}\sqrt{e+fx}}{15bd^2f^2} + \frac{2C(a+bx)^{3/2}}{5b^2df} \\
&= \frac{2(5bBdf-2aCdf-4bC(de+cf))\sqrt{a+bx}\sqrt{c+dx}\sqrt{e+fx}}{15bd^2f^2} + \frac{2C(a+bx)^{3/2}}{5b^2df} \\
&= \frac{2(5bBdf-2aCdf-4bC(de+cf))\sqrt{a+bx}\sqrt{c+dx}\sqrt{e+fx}}{15bd^2f^2} + \frac{2C(a+bx)^{3/2}}{5b^2df} \\
&= \frac{2(5bBdf-2aCdf-4bC(de+cf))\sqrt{a+bx}\sqrt{c+dx}\sqrt{e+fx}}{15bd^2f^2} + \frac{2C(a+bx)^{3/2}}{5b^2df}
\end{aligned}$$

Mathematica [C] time = 8.03, size = 615, normalized size = 1.16

$$2 \left(ibf(a+bx)^{3/2}(bc-ad)\sqrt{\frac{b(c+dx)}{d(a+bx)}}\sqrt{\frac{b(e+fx)}{f(a+bx)}}(aCdf(cf-de)+5bdf(3Adf-B(2cf+de))+bC(8c^2f^2+3cde) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a + b*x]*(A + B*x + C*x^2))/(Sqrt[c + d*x]*Sqrt[e + f*x]), x]

[Out] (-2*(b^2*Sqrt[-a + (b*c)/d]*(2*a^2*C*d^2*f^2 + a*b*d*f*(-5*B*d*f + 3*C*(d*e + c*f)) - b^2*(C*(8*d^2*e^2 + 7*c*d*e*f + 8*c^2*f^2) + 5*d*f*(3*A*d*f - 2*

$$\begin{aligned}
& B*(d*e + c*f)))*(c + d*x)*(e + f*x) - b^2*\text{Sqrt}[-a + (b*c)/d]*d*f*(a + b*x) \\
& *(c + d*x)*(e + f*x)*(5*b*B*d*f + a*C*d*f + b*C*(-4*d*e - 4*c*f + 3*d*f*x)) \\
& + I*(b*c - a*d)*f*(2*a^2*C*d^2*f^2 + a*b*d*f*(-5*B*d*f + 3*C*(d*e + c*f)) \\
& - b^2*(C*(8*d^2*e^2 + 7*c*d*e*f + 8*c^2*f^2) + 5*d*f*(3*A*d*f - 2*B*(d*e + \\
& c*f))))*(a + b*x)^(3/2)*\text{Sqrt}[(b*(c + d*x))/(d*(a + b*x))]*\text{Sqrt}[(b*(e + f*x)) \\
&)/(f*(a + b*x))]*\text{EllipticE}[I*\text{ArcSinh}[\text{Sqrt}[-a + (b*c)/d]/\text{Sqrt}[a + b*x]], (b* \\
& d*e - a*d*f)/(b*c*f - a*d*f)] + I*b*(b*c - a*d)*f*(a*C*d*f*(-(d*e) + c*f) + \\
& b*C*(4*d^2*e^2 + 3*c*d*e*f + 8*c^2*f^2) + 5*b*d*f*(3*A*d*f - B*(d*e + 2*c* \\
& f)))*(a + b*x)^(3/2)*\text{Sqrt}[(b*(c + d*x))/(d*(a + b*x))]*\text{Sqrt}[(b*(e + f*x))/(\\
& f*(a + b*x))]*\text{EllipticF}[I*\text{ArcSinh}[\text{Sqrt}[-a + (b*c)/d]/\text{Sqrt}[a + b*x]], (b*d*e \\
& - a*d*f)/(b*c*f - a*d*f)))/(15*b^3*\text{Sqrt}[-a + (b*c)/d]*d^3*f^3*\text{Sqrt}[a + b \\
& x]*\text{Sqrt}[c + d*x]*\text{Sqrt}[e + f*x])
\end{aligned}$$

fricas [F] time = 0.56, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(Cx^2 + Bx + A)\sqrt{bx + a}\sqrt{dx + c}\sqrt{fx + e}}{dfx^2 + ce + (de + cf)x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^(1/2)*(C*x^2+B*x+A)/(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="fricas")

[Out] integral((C*x^2 + B*x + A)*sqrt(b*x + a)*sqrt(d*x + c)*sqrt(f*x + e)/(d*f*x^2 + c*e + (d*e + c*f)*x), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Cx^2 + Bx + A)\sqrt{bx + a}}{\sqrt{dx + c}\sqrt{fx + e}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^(1/2)*(C*x^2+B*x+A)/(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="giac")

[Out] integrate((C*x^2 + B*x + A)*sqrt(b*x + a)/(sqrt(d*x + c)*sqrt(f*x + e)), x)

maple [B] time = 0.04, size = 6174, normalized size = 11.69

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x+a)^(1/2)*(C*x^2+B*x+A)/(d*x+c)^(1/2)/(f*x+e)^(1/2),x)

[Out] result too large to display

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Cx^2 + Bx + A)\sqrt{bx + a}}{\sqrt{dx + c}\sqrt{fx + e}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^(1/2)*(C*x^2+B*x+A)/(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="maxima")

[Out] integrate((C*x^2 + B*x + A)*sqrt(b*x + a)/(sqrt(d*x + c)*sqrt(f*x + e)), x)

muPAD [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{a + bx} (Cx^2 + Bx + A)}{\sqrt{e + fx} \sqrt{c + dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x)^(1/2)*(A + B*x + C*x^2))/((e + f*x)^(1/2)*(c + d*x)^(1/2)), x)

[Out] int(((a + b*x)^(1/2)*(A + B*x + C*x^2))/((e + f*x)^(1/2)*(c + d*x)^(1/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a + bx} (A + Bx + Cx^2)}{\sqrt{c + dx} \sqrt{e + fx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)**(1/2)*(C*x**2+B*x+A)/(d*x+c)**(1/2)/(f*x+e)**(1/2),x)

[Out] Integral(sqrt(a + b*x)*(A + B*x + C*x**2)/(sqrt(c + d*x)*sqrt(e + f*x)), x)

$$3.75 \quad \int \frac{A+Bx+Cx^2}{\sqrt{a+bx} \sqrt{c+dx} \sqrt{e+fx}} dx$$

Optimal. Leaf size=387

$$\frac{2\sqrt{ad-bc} \sqrt{\frac{b(c+dx)}{bc-ad}} \sqrt{\frac{b(e+fx)}{be-af}} (aCf(de-cf) - b(3df(Be-Af) - Ce(cf+2de))) \operatorname{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{d}\sqrt{a+bx}}{\sqrt{ad-bc}}\right), \frac{f(bc-ad)}{d(be-af)}\right)}{3b^2d^{3/2}f^2\sqrt{c+dx}\sqrt{e+fx}}$$

[Out] $2/3*C*(b*x+a)^{(1/2)}*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/b/d/f-2/3*(2*a*C*d*f-b*(3*B*d*f-2*C*(c*f+d*e)))*\operatorname{EllipticE}(d^{(1/2)}*(b*x+a)^{(1/2)}/(a*d-b*c)^{(1/2)}, ((-a*d+b*c)*f/d/(-a*f+b*e))^{(1/2)}*(a*d-b*c)^{(1/2)}*(b*(d*x+c)/(-a*d+b*c))^{(1/2)}*(f*x+e)^{(1/2)}/b^2/d^{(3/2)}/f^2/(d*x+c)^{(1/2)}/(b*(f*x+e)/(-a*f+b*e))^{(1/2)}+2/3*(a*C*f*(-c*f+d*e)-b*(3*d*f*(-A*f+B*e)-C*e*(c*f+2*d*e)))*\operatorname{EllipticF}(d^{(1/2)}*(b*x+a)^{(1/2)}/(a*d-b*c)^{(1/2)}, ((-a*d+b*c)*f/d/(-a*f+b*e))^{(1/2)}*(a*d-b*c)^{(1/2)}*(b*(d*x+c)/(-a*d+b*c))^{(1/2)}*(b*(f*x+e)/(-a*f+b*e))^{(1/2)}/b^2/d^{(3/2)}/f^2/(d*x+c)^{(1/2)}/(f*x+e)^{(1/2)}$

Rubi [A] time = 0.51, antiderivative size = 384, normalized size of antiderivative = 0.99, number of steps used = 7, number of rules used = 6, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {1615, 158, 114, 113, 121, 120}

$$\frac{2\sqrt{ad-bc} \sqrt{\frac{b(c+dx)}{bc-ad}} \sqrt{\frac{b(e+fx)}{be-af}} (-aCf(de-cf) + 3bdf(Be-Af) - bCe(cf+2de)) F\left(\sin^{-1}\left(\frac{\sqrt{d}\sqrt{a+bx}}{\sqrt{ad-bc}}\right), \frac{(bc-ad)f}{d(be-af)}\right)}{3b^2d^{3/2}f^2\sqrt{c+dx}\sqrt{e+fx}} +$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(A + B*x + C*x^2)/(\operatorname{Sqrt}[a + b*x]*\operatorname{Sqrt}[c + d*x]*\operatorname{Sqrt}[e + f*x]), x]$

[Out] $(2*C*\operatorname{Sqrt}[a + b*x]*\operatorname{Sqrt}[c + d*x]*\operatorname{Sqrt}[e + f*x])/(3*b*d*f) + (2*\operatorname{Sqrt}[-(b*c) + a*d]*(3*b*B*d*f - 2*a*C*d*f - 2*b*C*(d*e + c*f))*\operatorname{Sqrt}[(b*(c + d*x))/(b*c - a*d)]*\operatorname{Sqrt}[e + f*x]*\operatorname{EllipticE}[\operatorname{ArcSin}[(\operatorname{Sqrt}[d]*\operatorname{Sqrt}[a + b*x])/\operatorname{Sqrt}[-(b*c) + a*d]], ((b*c - a*d)*f)/(d*(b*e - a*f))]/(3*b^2*d^{(3/2)}*f^2*\operatorname{Sqrt}[c + d*x]*\operatorname{Sqrt}[(b*(e + f*x))/(b*e - a*f)]) - (2*\operatorname{Sqrt}[-(b*c) + a*d]*(3*b*d*f*(B*e - A*f) - a*C*f*(d*e - c*f) - b*C*e*(2*d*e + c*f))*\operatorname{Sqrt}[(b*(c + d*x))/(b*c - a*d)]*\operatorname{Sqrt}[(b*(e + f*x))/(b*e - a*f)]*\operatorname{EllipticF}[\operatorname{ArcSin}[(\operatorname{Sqrt}[d]*\operatorname{Sqrt}[a + b*x])/\operatorname{Sqrt}[-(b*c) + a*d]], ((b*c - a*d)*f)/(d*(b*e - a*f))]/(3*b^2*d^{(3/2)}*f^2*\operatorname{Sqrt}[c + d*x]*\operatorname{Sqrt}[e + f*x])$

Rule 113

$\operatorname{Int}[\operatorname{Sqrt}[(e_.) + (f_.)*(x_.)]/(\operatorname{Sqrt}[(a_.) + (b_.)*(x_.)]*\operatorname{Sqrt}[(c_.) + (d_.)*(x_.)]), x_Symbol] \rightarrow \operatorname{Simp}[(2*\operatorname{Rt}[-(b*e - a*f)/d], 2)*\operatorname{EllipticE}[\operatorname{ArcSin}[\operatorname{Sqrt}[a +$

```

b*x]/Rt[-((b*c - a*d)/d), 2]], (f*(b*c - a*d))/(d*(b*e - a*f))]/b, x] /;
FreeQ[{a, b, c, d, e, f}, x] && GtQ[b/(b*c - a*d), 0] && GtQ[b/(b*e - a*f),
0] && !LtQ[-((b*c - a*d)/d), 0] && !(SimplerQ[c + d*x, a + b*x] && GtQ[-
(d/(b*c - a*d)), 0] && GtQ[d/(d*e - c*f), 0] && !LtQ[(b*c - a*d)/b, 0])

```

Rule 114

```

Int[Sqrt[(e_.) + (f_.)*(x_)]/(Sqrt[(a_.) + (b_.)*(x_)]*Sqrt[(c_.) + (d_.)*(x_
)]), x_Symbol] := Dist[(Sqrt[e + f*x]*Sqrt[(b*(c + d*x))/(b*c - a*d)])/(Sqr
t[c + d*x]*Sqrt[(b*(e + f*x))/(b*e - a*f)]), Int[Sqrt[(b*e)/(b*e - a*f) + (
b*f*x)/(b*e - a*f)]/(Sqrt[a + b*x]*Sqrt[(b*c)/(b*c - a*d) + (b*d*x)/(b*c -
a*d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !(GtQ[b/(b*c - a*d), 0]
&& GtQ[b/(b*e - a*f), 0]) && !LtQ[-((b*c - a*d)/d), 0]

```

Rule 120

```

Int[1/(Sqrt[(a_.) + (b_.)*(x_)]*Sqrt[(c_.) + (d_.)*(x_)]*Sqrt[(e_.) + (f_.)*(x
_)]), x_Symbol] := Simp[(2*Rt[-(b/d), 2]*EllipticF[ArcSin[Sqrt[a + b*x]/(Rt
[-(b/d), 2]*Sqrt[(b*c - a*d)/b]])], (f*(b*c - a*d))/(d*(b*e - a*f))]/(b*Sqr
t[(b*e - a*f)/b]), x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[b/(b*c - a*d),
0] && GtQ[b/(b*e - a*f), 0] && SimplerQ[a + b*x, c + d*x] && SimplerQ[a +
b*x, e + f*x] && (PosQ[-((b*c - a*d)/d)] || NegQ[-((b*e - a*f)/f)])

```

Rule 121

```

Int[1/(Sqrt[(a_.) + (b_.)*(x_)]*Sqrt[(c_.) + (d_.)*(x_)]*Sqrt[(e_.) + (f_.)*(x
_)]), x_Symbol] := Dist[Sqrt[(b*(c + d*x))/(b*c - a*d)]/Sqrt[c + d*x], Int[
1/(Sqrt[a + b*x]*Sqrt[(b*c)/(b*c - a*d) + (b*d*x)/(b*c - a*d)]*Sqrt[e + f*x
]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[(b*c - a*d)/b, 0] && Si
mplerQ[a + b*x, c + d*x] && SimplerQ[a + b*x, e + f*x]

```

Rule 158

```

Int[((g_.) + (h_.)*(x_))/(Sqrt[(a_.) + (b_.)*(x_)]*Sqrt[(c_.) + (d_.)*(x_)]*
Sqrt[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[h/f, Int[Sqrt[e + f*x]/(Sqrt[a
+ b*x]*Sqrt[c + d*x]), x], x] + Dist[(f*g - e*h)/f, Int[1/(Sqrt[a + b*x]*Sq
rt[c + d*x]*Sqrt[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] &&
SimplerQ[a + b*x, e + f*x] && SimplerQ[c + d*x, e + f*x]

```

Rule 1615

```

Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f
_.)*(x_))^(p_.), x_Symbol] := With[{q = Expon[Px, x], k = Coeff[Px, x, Expo
n[Px, x]]}, Simp[(k*(a + b*x)^(m + q - 1)*(c + d*x)^(n + 1)*(e + f*x)^(p +
1))/(d*f*b^(q - 1)*(m + n + p + q + 1)), x] + Dist[1/(d*f*b^q*(m + n + p +

```

$q + 1))$, Int[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p*ExpandToSum[d*f*b^q*(m + n + p + q + 1)*Px - d*f*k*(m + n + p + q + 1)*(a + b*x)^q + k*(a + b*x)^(q - 2)*(a^2*d*f*(m + n + p + q + 1) - b*(b*c*e*(m + q - 1) + a*(d*e*(n + 1) + c*f*(p + 1))) + b*(a*d*f*(2*(m + q) + n + p) - b*(d*e*(m + q + n) + c*f*(m + q + p)))*x), x], x], x] /; NeQ[m + n + p + q + 1, 0] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && IntegersQ[2*m, 2*n, 2*p]

Rubi steps

$$\begin{aligned}
 \int \frac{A + Bx + Cx^2}{\sqrt{a + bx} \sqrt{c + dx} \sqrt{e + fx}} dx &= \frac{2C\sqrt{a + bx} \sqrt{c + dx} \sqrt{e + fx}}{3bdf} + \frac{2 \int \frac{-\frac{1}{2}b(bcCe + aCde + acCf - 3Abdf) + \frac{1}{2}b(3bBdf - 2aCdf - 2)}{\sqrt{a + bx} \sqrt{c + dx} \sqrt{e + fx}}}{3b^2df} \\
 &= \frac{2C\sqrt{a + bx} \sqrt{c + dx} \sqrt{e + fx}}{3bdf} + \frac{(3bBdf - 2aCdf - 2bC(de + cf)) \int \frac{\sqrt{e + fx}}{\sqrt{a + bx} \sqrt{c + dx}}}{3bdf^2} \\
 &= \frac{2C\sqrt{a + bx} \sqrt{c + dx} \sqrt{e + fx}}{3bdf} - \frac{\left((3bdf(Be - Af) - aCf(de - cf) - bCe(2de - 2cf)) \int \frac{\sqrt{e + fx}}{\sqrt{a + bx} \sqrt{c + dx}} \right)}{3bdf^2 \sqrt{c + dx}} \\
 &= \frac{2C\sqrt{a + bx} \sqrt{c + dx} \sqrt{e + fx}}{3bdf} + \frac{2\sqrt{-bc + ad} (3bBdf - 2aCdf - 2bC(de + cf))}{3b^2d^{3/2}f^2\sqrt{c + dx}} \\
 &= \frac{2C\sqrt{a + bx} \sqrt{c + dx} \sqrt{e + fx}}{3bdf} + \frac{2\sqrt{-bc + ad} (3bBdf - 2aCdf - 2bC(de + cf))}{3b^2d^{3/2}f^2\sqrt{c + dx}}
 \end{aligned}$$

Mathematica [C] time = 6.07, size = 418, normalized size = 1.08

$$\sqrt{a + bx} \left(\frac{2ibf\sqrt{a + bx} \sqrt{\frac{b(c + dx)}{d(a + bx)}} \sqrt{\frac{b(e + fx)}{f(a + bx)}} (aCd(cf - de) + b(3Ad^2f + cd(Ce - 3Bf) + 2c^2Cf)) \text{EllipticF}\left(i \sinh^{-1}\left(\frac{\sqrt{\frac{bc}{d} - a}}{\sqrt{a + bx}}\right), \frac{bde - adf}{bcf - adf}\right)}{\sqrt{\frac{bc}{d} - a}} - \frac{2b^2(c + dx)(e + fx)}{3b^2d^{3/2}f^2\sqrt{c + dx}} \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*x + C*x^2)/(Sqrt[a + b*x]*Sqrt[c + d*x]*Sqrt[e + f*x]),x]
```

```
[Out] (Sqrt[a + b*x]*(2*b^2*C*d*f*(c + d*x)*(e + f*x) - (2*b^2*(-3*b*B*d*f + 2*a*
C*d*f + 2*b*C*(d*e + c*f))*(c + d*x)*(e + f*x))/(a + b*x) + (2*I)*Sqrt[-a +
(b*c)/d]*d*f*(3*b*B*d*f - 2*a*C*d*f - 2*b*C*(d*e + c*f))*Sqrt[a + b*x]*Sqr
t[(b*(c + d*x))/(d*(a + b*x))]*Sqrt[(b*(e + f*x))/(f*(a + b*x))]*EllipticE[
I*ArcSinh[Sqrt[-a + (b*c)/d]/Sqrt[a + b*x]], (b*d*e - a*d*f)/(b*c*f - a*d*f
)] + ((2*I)*b*f*(a*C*d*(-(d*e) + c*f) + b*(2*c^2*C*f + 3*A*d^2*f + c*d*(C*e
- 3*B*f)))*Sqrt[a + b*x]*Sqrt[(b*(c + d*x))/(d*(a + b*x))]*Sqrt[(b*(e + f*
x))/(f*(a + b*x))]*EllipticF[I*ArcSinh[Sqrt[-a + (b*c)/d]/Sqrt[a + b*x]], (
b*d*e - a*d*f)/(b*c*f - a*d*f)]/Sqrt[-a + (b*c)/d]))/(3*b^3*d^2*f^2*Sqrt[c
+ d*x]*Sqrt[e + f*x])
```

fricas [F] time = 0.53, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(Cx^2 + Bx + A)\sqrt{bx + a}\sqrt{dx + c}\sqrt{fx + e}}{bdfx^3 + ace + (bde + (bc + ad)f)x^2 + (acf + (bc + ad)e)x}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(b*x+a)^(1/2)/(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algori
thm="fricas")
```

```
[Out] integral((C*x^2 + B*x + A)*sqrt(b*x + a)*sqrt(d*x + c)*sqrt(f*x + e)/(b*d*f
*x^3 + a*c*e + (b*d*e + (b*c + a*d)*f)*x^2 + (a*c*f + (b*c + a*d)*e)*x), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{Cx^2 + Bx + A}{\sqrt{bx + a}\sqrt{dx + c}\sqrt{fx + e}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(b*x+a)^(1/2)/(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algori
thm="giac")
```

```
[Out] integrate((C*x^2 + B*x + A)/(sqrt(b*x + a)*sqrt(d*x + c)*sqrt(f*x + e)), x)
```

maple [B] time = 0.04, size = 2497, normalized size = 6.45

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((C*x^2+B*x+A)/(b*x+a)^(1/2)/(d*x+c)^(1/2)/(f*x+e)^(1/2),x)
```


$f)^{(1/2)} * a * b^2 * c * d * e * f + 2 * C * ((b * x + a) / (a * d - b * c) * d)^{(1/2)} * (- (f * x + e) / (a * f - b * e) * b)^{(1/2)} * (- (d * x + c) / (a * d - b * c) * b)^{(1/2)} * \text{EllipticE}(((b * x + a) / (a * d - b * c) * d)^{(1/2)}, ((a * d - b * c) / (a * f - b * e) / d * f)^{(1/2)}) * a^3 * d^2 * f^2 + C * x * a * b^2 * d^2 * e * f + C * x * b^3 * c * d * e * f + C * x * a * b^2 * c * d * f^2) * (b * x + a)^{(1/2)} * (d * x + c)^{(1/2)} * (f * x + e)^{(1/2)} / f^2 / b^3 / d^2 / (b * d * f * x^3 + a * d * f * x^2 + b * c * f * x^2 + b * d * e * x^2 + a * c * f * x + a * d * e * x + b * c * e * x + a * c * e)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{Cx^2 + Bx + A}{\sqrt{bx + a} \sqrt{dx + c} \sqrt{fx + e}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)/(b*x+a)^(1/2)/(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="maxima")

[Out] integrate((C*x^2 + B*x + A)/(sqrt(b*x + a)*sqrt(d*x + c)*sqrt(f*x + e)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{Cx^2 + Bx + A}{\sqrt{e + fx} \sqrt{a + bx} \sqrt{c + dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*x + C*x^2)/((e + f*x)^(1/2)*(a + b*x)^(1/2)*(c + d*x)^(1/2)),x)

[Out] int((A + B*x + C*x^2)/((e + f*x)^(1/2)*(a + b*x)^(1/2)*(c + d*x)^(1/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{A + Bx + Cx^2}{\sqrt{a + bx} \sqrt{c + dx} \sqrt{e + fx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x**2+B*x+A)/(b*x+a)**(1/2)/(d*x+c)**(1/2)/(f*x+e)**(1/2),x)

[Out] Integral((A + B*x + C*x**2)/(sqrt(a + b*x)*sqrt(c + d*x)*sqrt(e + f*x)), x)

$$3.76 \quad \int \frac{A+Bx+Cx^2}{(a+bx)^{3/2} \sqrt{c+dx} \sqrt{e+fx}} dx$$

Optimal. Leaf size=422

$$\frac{2\sqrt{\frac{b(c+dx)}{bc-ad}} \sqrt{\frac{b(e+fx)}{be-af}} (aC(de-cf) - b(Adf - Bcf + cCe)) \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{d}\sqrt{a+bx}}{\sqrt{ad-bc}}\right), \frac{f(bc-ad)}{d(be-af)}\right) 2\sqrt{e+fx} \sqrt{\frac{b(c+dx)}{bc-ad}}}{b^2\sqrt{d}f\sqrt{c+dx}\sqrt{e+fx}\sqrt{ad-bc}}$$

[Out] $-2*(A*b^2 - a*(B*b - C*a))*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/b/(-a*d+b*c)/(-a*f+b*e)/(b*x+a)^{(1/2)} - 2*(2*a^2*C*d*f + b^2*(A*d*f + C*c*e) - a*b*(B*d*f + C*c*f + C*d*e))*\text{EllipticE}(d^{(1/2)}*(b*x+a)^{(1/2)}/(a*d-b*c)^{(1/2)}, ((-a*d+b*c)*f/d/(-a*f+b*e))^{(1/2)})*(b*(d*x+c)/(-a*d+b*c))^{(1/2)}*(f*x+e)^{(1/2)}/b^2/f/(-a*f+b*e)/d^{(1/2)}/(a*d-b*c)^{(1/2)}/(d*x+c)^{(1/2)}/(b*(f*x+e)/(-a*f+b*e))^{(1/2)} - 2*(a*C*(-c*f+d*e) - b*(A*d*f - B*c*f + C*c*e))*\text{EllipticF}(d^{(1/2)}*(b*x+a)^{(1/2)}/(a*d-b*c)^{(1/2)}, ((-a*d+b*c)*f/d/(-a*f+b*e))^{(1/2)})*(b*(d*x+c)/(-a*d+b*c))^{(1/2)}*(b*(f*x+e)/(-a*f+b*e))^{(1/2)}/b^2/f/d^{(1/2)}/(a*d-b*c)^{(1/2)}/(d*x+c)^{(1/2)}/(f*x+e)^{(1/2)}$

Rubi [A] time = 0.69, antiderivative size = 422, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {1614, 158, 114, 113, 121, 120}

$$\frac{2\sqrt{e+fx} \sqrt{\frac{b(c+dx)}{bc-ad}} (2a^2Cdf - ab(Bdf + cCf + Cde) + b^2(Adf + cCe)) E\left(\sin^{-1}\left(\frac{\sqrt{d}\sqrt{a+bx}}{\sqrt{ad-bc}}\right) \middle| \frac{(bc-ad)f}{d(be-af)}\right) 2\sqrt{c+dx}}{b^2\sqrt{d}f\sqrt{c+dx}\sqrt{ad-bc}(be-af)\sqrt{\frac{b(e+fx)}{be-af}}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*x + C*x^2)/((a + b*x)^(3/2)*Sqrt[c + d*x]*Sqrt[e + f*x]),x]

[Out] $(-2*(A*b^2 - a*(b*B - a*C))*\text{Sqrt}[c + d*x]*\text{Sqrt}[e + f*x])/(b*(b*c - a*d)*(b*e - a*f)*\text{Sqrt}[a + b*x]) - (2*(2*a^2*C*d*f + b^2*(c*C*e + A*d*f) - a*b*(C*d*e + c*C*f + B*d*f))*\text{Sqrt}[(b*(c + d*x))/(b*c - a*d)]*\text{Sqrt}[e + f*x]*\text{EllipticE}[\text{ArcSin}[(\text{Sqrt}[d]*\text{Sqrt}[a + b*x])/\text{Sqrt}[-(b*c) + a*d]], ((b*c - a*d)*f)/(d*(b*e - a*f)))]/(b^2*\text{Sqrt}[d]*\text{Sqrt}[-(b*c) + a*d]*f*(b*e - a*f)*\text{Sqrt}[c + d*x]*\text{Sqrt}[(b*(e + f*x))/(b*e - a*f)]) - (2*(a*C*(d*e - c*f) - b*(c*C*e - B*c*f + A*d*f))*\text{Sqrt}[(b*(c + d*x))/(b*c - a*d)]*\text{Sqrt}[(b*(e + f*x))/(b*e - a*f)]*\text{EllipticF}[\text{ArcSin}[(\text{Sqrt}[d]*\text{Sqrt}[a + b*x])/\text{Sqrt}[-(b*c) + a*d]], ((b*c - a*d)*f)/(d*(b*e - a*f)))]/(b^2*\text{Sqrt}[d]*\text{Sqrt}[-(b*c) + a*d]*f*\text{Sqrt}[c + d*x]*\text{Sqrt}[e + f*x])$

Rule 113

```
Int[Sqrt[(e_) + (f_)*(x_)]/(Sqrt[(a_) + (b_)*(x_)]*Sqrt[(c_) + (d_)*(x_)]), x_Symbol] := Simp[(2*Rt[-((b*e - a*f)/d), 2]*EllipticE[ArcSin[Sqrt[a + b*x]/Rt[-((b*c - a*d)/d), 2]], (f*(b*c - a*d))/(d*(b*e - a*f))]/b, x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[b/(b*c - a*d), 0] && GtQ[b/(b*e - a*f), 0] && !LtQ[-((b*c - a*d)/d), 0] && !(SimplerQ[c + d*x, a + b*x] && GtQ[-(d/(b*c - a*d)), 0] && GtQ[d/(d*e - c*f), 0] && !LtQ[(b*c - a*d)/b, 0])
```

Rule 114

```
Int[Sqrt[(e_) + (f_)*(x_)]/(Sqrt[(a_) + (b_)*(x_)]*Sqrt[(c_) + (d_)*(x_)]), x_Symbol] := Dist[(Sqrt[e + f*x]*Sqrt[(b*(c + d*x))/(b*c - a*d)])/(Sqrt[c + d*x]*Sqrt[(b*(e + f*x))/(b*e - a*f)]), Int[Sqrt[(b*e)/(b*e - a*f)] + (b*f*x)/(b*e - a*f)]/(Sqrt[a + b*x]*Sqrt[(b*c)/(b*c - a*d) + (b*d*x)/(b*c - a*d)]), x] /; FreeQ[{a, b, c, d, e, f}, x] && !(GtQ[b/(b*c - a*d), 0] && GtQ[b/(b*e - a*f), 0]) && !LtQ[-((b*c - a*d)/d), 0]
```

Rule 120

```
Int[1/(Sqrt[(a_) + (b_)*(x_)]*Sqrt[(c_) + (d_)*(x_)]*Sqrt[(e_) + (f_)*(x_)]), x_Symbol] := Simp[(2*Rt[-(b/d), 2]*EllipticF[ArcSin[Sqrt[a + b*x]/(Rt[-(b/d), 2]*Sqrt[(b*c - a*d)/b])], (f*(b*c - a*d))/(d*(b*e - a*f))]/(b*Sqrt[(b*e - a*f)/b]), x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[b/(b*c - a*d), 0] && GtQ[b/(b*e - a*f), 0] && SimplerQ[a + b*x, c + d*x] && SimplerQ[a + b*x, e + f*x] && (PosQ[-((b*c - a*d)/d)] || NegQ[-((b*e - a*f)/f)])
```

Rule 121

```
Int[1/(Sqrt[(a_) + (b_)*(x_)]*Sqrt[(c_) + (d_)*(x_)]*Sqrt[(e_) + (f_)*(x_)]), x_Symbol] := Dist[Sqrt[(b*(c + d*x))/(b*c - a*d)]/Sqrt[c + d*x], Int[1/(Sqrt[a + b*x]*Sqrt[(b*c)/(b*c - a*d) + (b*d*x)/(b*c - a*d)]*Sqrt[e + f*x]), x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[(b*c - a*d)/b, 0] && SimplerQ[a + b*x, c + d*x] && SimplerQ[a + b*x, e + f*x]
```

Rule 158

```
Int[((g_) + (h_)*(x_))/(Sqrt[(a_) + (b_)*(x_)]*Sqrt[(c_) + (d_)*(x_)]*Sqrt[(e_) + (f_)*(x_)]), x_Symbol] := Dist[h/f, Int[Sqrt[e + f*x]/(Sqrt[a + b*x]*Sqrt[c + d*x]), x] + Dist[(f*g - e*h)/f, Int[1/(Sqrt[a + b*x]*Sqrt[c + d*x]*Sqrt[e + f*x]), x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && SimplerQ[a + b*x, e + f*x] && SimplerQ[c + d*x, e + f*x]
```

Rule 1614

```
Int[(Px_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := With[{Qx = PolynomialQuotient[Px, a + b*x, x],
```

```

R = PolynomialRemainder[Px, a + b*x, x], Simp[(b*R*(a + b*x)^(m + 1)*(c +
d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Di
st[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(
e + f*x)^p*ExpandToSum[(m + 1)*(b*c - a*d)*(b*e - a*f)*Qx + a*d*f*R*(m + 1)
- b*R*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*R*(m + n + p + 3)*x, x],
x], x]] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && PolyQ[Px, x] && LtQ[m, -1
] && IntegersQ[2*m, 2*n, 2*p]

```

Rubi steps

$$\begin{aligned}
\int \frac{A + Bx + Cx^2}{(a + bx)^{3/2} \sqrt{c + dx} \sqrt{e + fx}} dx &= -\frac{2 \left(Ab^2 - a(bB - aC) \right) \sqrt{c + dx} \sqrt{e + fx}}{b(bc - ad)(be - af)\sqrt{a + bx}} - 2 \int \frac{\frac{-b^2 Bce + a^2 C(de + cf) - ab(cCe + Bde + Bcf - Aa)}{2b}}{\sqrt{a + bx}} dx \\
&= -\frac{2 \left(Ab^2 - a(bB - aC) \right) \sqrt{c + dx} \sqrt{e + fx}}{b(bc - ad)(be - af)\sqrt{a + bx}} + \frac{(aC(de - cf) - b(cCe - Bcf + Aa))}{b(bc - ad)} \\
&= -\frac{2 \left(Ab^2 - a(bB - aC) \right) \sqrt{c + dx} \sqrt{e + fx}}{b(bc - ad)(be - af)\sqrt{a + bx}} + \frac{\left((aC(de - cf) - b(cCe - Bcf + Aa)) \right)}{b(bc - ad)} \\
&= -\frac{2 \left(Ab^2 - a(bB - aC) \right) \sqrt{c + dx} \sqrt{e + fx}}{b(bc - ad)(be - af)\sqrt{a + bx}} - \frac{2 \left(2a^2 Cdf + b^2(cCe + Adf) - ab(Bde + Bcf - Aa) \right)}{b^2 \sqrt{a + bx}} \\
&= -\frac{2 \left(Ab^2 - a(bB - aC) \right) \sqrt{c + dx} \sqrt{e + fx}}{b(bc - ad)(be - af)\sqrt{a + bx}} - \frac{2 \left(2a^2 Cdf + b^2(cCe + Adf) - ab(Bde + Bcf - Aa) \right)}{b^2 \sqrt{a + bx}}
\end{aligned}$$

Mathematica [C] time = 5.44, size = 477, normalized size = 1.13

$$2 \left(\frac{ib(a+bx)^{3/2}(ad-bc) \sqrt{\frac{b(c+dx)}{d(a+bx)}} \sqrt{\frac{b(e+fx)}{f(a+bx)}} (aC(de-cf)+b(Adf-Bde+cCe)) \operatorname{EllipticF} \left(i \sinh^{-1} \left(\frac{\sqrt{\frac{bc}{d}-a}}{\sqrt{a+bx}} \right), \frac{bde-adf}{bcf-adf} \right)}{d \sqrt{\frac{bc}{d}-a}} + \frac{b^2(c+dx)(e+fx)(2a^2Cdf-ab(Bdf-Bde+Bcf-Aa))}{df} \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*x + C*x^2)/((a + b*x)^(3/2)*Sqrt[c + d*x]*Sqrt[e + f*x]),x]
```

```
[Out] (2*(-(b^2*(A*b^2 + a*(-(b*B) + a*C))*(c + d*x)*(e + f*x)) + (b^2*(2*a^2*C*d*f + b^2*(c*C*e + A*d*f) - a*b*(C*d*e + c*C*f + B*d*f))*(c + d*x)*(e + f*x))/(d*f) + (I*(b*c - a*d)*(2*a^2*C*d*f + b^2*(c*C*e + A*d*f) - a*b*(C*d*e + c*C*f + B*d*f))*(a + b*x)^(3/2)*Sqrt[(b*(c + d*x))/(d*(a + b*x))]*Sqrt[(b*(e + f*x))/(f*(a + b*x))]*EllipticE[I*ArcSinh[Sqrt[-a + (b*c)/d]/Sqrt[a + b*x]], (b*d*e - a*d*f)/(b*c*f - a*d*f)))/(Sqrt[-a + (b*c)/d]*d) + (I*b*(-(b*c) + a*d)*(a*C*(d*e - c*f) + b*(c*C*e - B*d*e + A*d*f))*(a + b*x)^(3/2)*Sqrt[(b*(c + d*x))/(d*(a + b*x))]*Sqrt[(b*(e + f*x))/(f*(a + b*x))]*EllipticF[I*ArcSinh[Sqrt[-a + (b*c)/d]/Sqrt[a + b*x]], (b*d*e - a*d*f)/(b*c*f - a*d*f)))/(Sqrt[-a + (b*c)/d]*d))/(b^3*(b*c - a*d)*(b*e - a*f)*Sqrt[a + b*x]*Sqrt[c + d*x]*Sqrt[e + f*x])
```

fricas [F] time = 0.55, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(Cx^2 + Bx + A)\sqrt{bx + a}\sqrt{dx + c}\sqrt{fx + e}}{b^2dfx^4 + a^2ce + (b^2de + (b^2c + 2abd)f)x^3 + ((b^2c + 2abd)e + (2abc + a^2d)f)x^2 + (a^2cf + (2abc + a^2d)e)x}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(b*x+a)^(3/2)/(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="fricas")
```

```
[Out] integral((C*x^2 + B*x + A)*sqrt(b*x + a)*sqrt(d*x + c)*sqrt(f*x + e)/(b^2*d*f*x^4 + a^2*c*e + (b^2*d*e + (b^2*c + 2*a*b*d)*f)*x^3 + ((b^2*c + 2*a*b*d)*e + (2*a*b*c + a^2*d)*f)*x^2 + (a^2*c*f + (2*a*b*c + a^2*d)*e)*x), x)
```

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(b*x+a)^(3/2)/(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="giac")
```

```
[Out] Exception raised: AttributeError >> type
```

maple [B] time = 0.05, size = 3984, normalized size = 9.44

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((C*x^2+B*x+A)/(b*x+a)^{(3/2)}/(d*x+c)^{(1/2)}/(f*x+e)^{(1/2)}, x)$

[Out] $2*(B*x^2*a*b^3*d^2*f^2+B*x*a*b^3*c*d*f^2+B*x*a*b^3*d^2*e*f-C*x*a^2*b^2*c*d*f^2-C*x*a^2*b^2*d^2*e*f-2*C*\text{EllipticE}(((b*x+a)/(a*d-b*c)*d)^{(1/2)}, ((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2}))*a^4*d^2*f^2*((b*x+a)/(a*d-b*c)*d)^{(1/2)}*(-(f*x+e)/(a*f-b*e)*b)^{(1/2)}*(-(d*x+c)/(a*d-b*c)*b)^{(1/2)}-C*\text{EllipticE}(((b*x+a)/(a*d-b*c)*d)^{(1/2)}, ((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2}))*b^4*c^2*e^2*((b*x+a)/(a*d-b*c)*d)^{(1/2)}*(-(f*x+e)/(a*f-b*e)*b)^{(1/2)}*(-(d*x+c)/(a*d-b*c)*b)^{(1/2)}+B*\text{EllipticF}(((b*x+a)/(a*d-b*c)*d)^{(1/2)}, ((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2}))*a*b^3*c*d*e*f*((b*x+a)/(a*d-b*c)*d)^{(1/2)}*(-(f*x+e)/(a*f-b*e)*b)^{(1/2)}*(-(d*x+c)/(a*d-b*c)*b)^{(1/2)}+B*\text{EllipticE}(((b*x+a)/(a*d-b*c)*d)^{(1/2)}, ((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2}))*a*b^3*c*d*e*f*((b*x+a)/(a*d-b*c)*d)^{(1/2)}*(-(f*x+e)/(a*f-b*e)*b)^{(1/2)}*(-(d*x+c)/(a*d-b*c)*b)^{(1/2)}+C*\text{EllipticF}(((b*x+a)/(a*d-b*c)*d)^{(1/2)}, ((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2}))*a^2*b^2*c*d*e*f*((b*x+a)/(a*d-b*c)*d)^{(1/2)}*(-(f*x+e)/(a*f-b*e)*b)^{(1/2)}*(-(d*x+c)/(a*d-b*c)*b)^{(1/2)}-5*C*\text{EllipticE}(((b*x+a)/(a*d-b*c)*d)^{(1/2)}, ((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2}))*a^2*b^2*c*d*e*f*((b*x+a)/(a*d-b*c)*d)^{(1/2)}*(-(f*x+e)/(a*f-b*e)*b)^{(1/2)}*(-(d*x+c)/(a*d-b*c)*b)^{(1/2)}+A*\text{EllipticF}(((b*x+a)/(a*d-b*c)*d)^{(1/2)}, ((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2}))*a^2*b^2*d^2*f^2*((b*x+a)/(a*d-b*c)*d)^{(1/2)}*(-(f*x+e)/(a*f-b*e)*b)^{(1/2)}*(-(d*x+c)/(a*d-b*c)*b)^{(1/2)}-A*\text{EllipticE}(((b*x+a)/(a*d-b*c)*d)^{(1/2)}, ((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2}))*a^2*b^2*d^2*f^2*((b*x+a)/(a*d-b*c)*d)^{(1/2)}*(-(f*x+e)/(a*f-b*e)*b)^{(1/2)}*(-(d*x+c)/(a*d-b*c)*b)^{(1/2)}+B*\text{EllipticF}(((b*x+a)/(a*d-b*c)*d)^{(1/2)}, ((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2}))*a*b^3*c^2*f^2*((b*x+a)/(a*d-b*c)*d)^{(1/2)}*(-(f*x+e)/(a*f-b*e)*b)^{(1/2)}*(-(d*x+c)/(a*d-b*c)*b)^{(1/2)}-B*\text{EllipticF}(((b*x+a)/(a*d-b*c)*d)^{(1/2)}, ((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2}))*b^4*c^2*e*f*((b*x+a)/(a*d-b*c)*d)^{(1/2)}*(-(f*x+e)/(a*f-b*e)*b)^{(1/2)}*(-(d*x+c)/(a*d-b*c)*b)^{(1/2)}+B*\text{EllipticE}(((b*x+a)/(a*d-b*c)*d)^{(1/2)}, ((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2}))*a^3*b*d^2*f^2*((b*x+a)/(a*d-b*c)*d)^{(1/2)}*(-(f*x+e)/(a*f-b*e)*b)^{(1/2)}*(-(d*x+c)/(a*d-b*c)*b)^{(1/2)}-C*\text{EllipticF}(((b*x+a)/(a*d-b*c)*d)^{(1/2)}, ((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2}))*a^2*b^2*c^2*f^2*((b*x+a)/(a*d-b*c)*d)^{(1/2)}*(-(f*x+e)/(a*f-b*e)*b)^{(1/2)}*(-(d*x+c)/(a*d-b*c)*b)^{(1/2)}+C*\text{EllipticF}(((b*x+a)/(a*d-b*c)*d)^{(1/2)}, ((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2}))*a^2*b^2*d^2*e^2*((b*x+a)/(a*d-b*c)*d)^{(1/2)}*(-(f*x+e)/(a*f-b*e)*b)^{(1/2)}*(-(d*x+c)/(a*d-b*c)*b)^{(1/2)}-C*\text{EllipticE}(((b*x+a)/(a*d-b*c)*d)^{(1/2)}, ((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2}))*a^2*b^2*c^2*f^2*((b*x+a)/(a*d-b*c)*d)^{(1/2)}*(-(f*x+e)/(a*f-b*e)*b)^{(1/2)}*(-(d*x+c)/(a*d-b*c)*b)^{(1/2)}-C*\text{EllipticE}(((b*x+a)/(a*d-b*c)*d)^{(1/2)}, ((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2}))*a^2*b^2*d^2*e^2*((b*x+a)/(a*d-b*c)*d)^{(1/2)}*(-(f*x+e)/(a*f-b*e)*b)^{(1/2)}*(-(d*x+c)/(a*d-b*c)*b)^{(1/2)}-A*x^2*b^4*d^2*f^2-C*a^2*b^2*c*d*e*f+B*a*b^3*c*d*e*f+3*C*\text{EllipticE}(((b*x+a)/(a*d-b*c)*d)^{(1/2)}, ((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2}))*a^3*b*d^2*e*f*((b*x+a)/(a*d-b*c)*d)^{(1/2)}*(-(f*x+e)/(a*f-b*e)*b)^{(1/2)}*(-(d*x+c)/(a*d-b*c)*b)^{(1/2)}+2*C*\text{EllipticE}(((b*x+a)/(a*d-b*c)*d)^{(1/2)}, ((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2}))*a*b^3*c^2*e*f*((b*x+a)/(a*d-b*c)*d)^{(1/2)}*(-(f*x+e)/(a*f-b*e)*b)^{(1/2)}*(-(d*x+c)/(a*d-b*c)*b)^{(1/2)}+2*C*\text{EllipticE}(((b*x+a)/(a*d-b*c)*d)^{(1/2)}, ((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2}))*a*b^3*c*d*e^2*((b*x+a)/(a*d-b*c)*d)^{(1/2)}$

$$\begin{aligned}
& *(-f*x+e)/(a*f-b*e)*b^{(1/2)}*(-d*x+c)/(a*d-b*c)*b^{(1/2)}+A*EllipticE(((b*x+a)/(a*d-b*c)*d)^{(1/2)},((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2)})*a*b^3*c*d*f^2*((b*x+a)/(a*d-b*c)*d)^{(1/2)}*(-f*x+e)/(a*f-b*e)*b^{(1/2)}*(-d*x+c)/(a*d-b*c)*b^{(1/2)}+A*EllipticE(((b*x+a)/(a*d-b*c)*d)^{(1/2)},((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2)})*a*b^3*d^2*e*f*((b*x+a)/(a*d-b*c)*d)^{(1/2)}*(-f*x+e)/(a*f-b*e)*b^{(1/2)}*(-d*x+c)/(a*d-b*c)*b^{(1/2)}-A*EllipticE(((b*x+a)/(a*d-b*c)*d)^{(1/2)},((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2)})*b^4*c*d*e*f*((b*x+a)/(a*d-b*c)*d)^{(1/2)}*(-f*x+e)/(a*f-b*e)*b^{(1/2)}*(-d*x+c)/(a*d-b*c)*b^{(1/2)}-B*EllipticF(((b*x+a)/(a*d-b*c)*d)^{(1/2)},((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2)})*a^2*b^2*c*d*f^2*((b*x+a)/(a*d-b*c)*d)^{(1/2)}*(-f*x+e)/(a*f-b*e)*b^{(1/2)}*(-d*x+c)/(a*d-b*c)*b^{(1/2)}-B*EllipticE(((b*x+a)/(a*d-b*c)*d)^{(1/2)},((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2)})*a^2*b^2*c*d*f^2*((b*x+a)/(a*d-b*c)*d)^{(1/2)}*(-f*x+e)/(a*f-b*e)*b^{(1/2)}*(-d*x+c)/(a*d-b*c)*b^{(1/2)}-B*EllipticE(((b*x+a)/(a*d-b*c)*d)^{(1/2)},((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2)})*a^2*b^2*d^2*e*f*((b*x+a)/(a*d-b*c)*d)^{(1/2)}*(-f*x+e)/(a*f-b*e)*b^{(1/2)}*(-d*x+c)/(a*d-b*c)*b^{(1/2)}+C*EllipticF(((b*x+a)/(a*d-b*c)*d)^{(1/2)},((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2)})*a^3*b*c*d*f^2*((b*x+a)/(a*d-b*c)*d)^{(1/2)}*(-f*x+e)/(a*f-b*e)*b^{(1/2)}*(-d*x+c)/(a*d-b*c)*b^{(1/2)}-A*b^4*c*d*e*f-C*x^2*a^2*b^2*d^2*f^2-A*x*b^4*c*d*f^2-A*x*b^4*d^2*e*f-C*EllipticF(((b*x+a)/(a*d-b*c)*d)^{(1/2)},((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2)})*a^3*b*d^2*e*f*((b*x+a)/(a*d-b*c)*d)^{(1/2)}*(-f*x+e)/(a*f-b*e)*b^{(1/2)}*(-d*x+c)/(a*d-b*c)*b^{(1/2)}-2*C*EllipticF(((b*x+a)/(a*d-b*c)*d)^{(1/2)},((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2)})*a*b^3*c*d*e^2*((b*x+a)/(a*d-b*c)*d)^{(1/2)}*(-f*x+e)/(a*f-b*e)*b^{(1/2)}*(-d*x+c)/(a*d-b*c)*b^{(1/2)}+3*C*EllipticE(((b*x+a)/(a*d-b*c)*d)^{(1/2)},((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2)})*a^3*b*c*d*f^2*((b*x+a)/(a*d-b*c)*d)^{(1/2)}*(-f*x+e)/(a*f-b*e)*b^{(1/2)}*(-d*x+c)/(a*d-b*c)*b^{(1/2)}-A*EllipticF(((b*x+a)/(a*d-b*c)*d)^{(1/2)},((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2)})*a*b^3*c*d*f^2*((b*x+a)/(a*d-b*c)*d)^{(1/2)}*(-f*x+e)/(a*f-b*e)*b^{(1/2)}*(-d*x+c)/(a*d-b*c)*b^{(1/2)}-A*EllipticF(((b*x+a)/(a*d-b*c)*d)^{(1/2)},((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2)})*a*b^3*d^2*e*f*((b*x+a)/(a*d-b*c)*d)^{(1/2)}*(-f*x+e)/(a*f-b*e)*b^{(1/2)}*(-d*x+c)/(a*d-b*c)*b^{(1/2)}+A*EllipticF(((b*x+a)/(a*d-b*c)*d)^{(1/2)},((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2)})*b^4*c*d*e*f*((b*x+a)/(a*d-b*c)*d)^{(1/2)}*(-f*x+e)/(a*f-b*e)*b^{(1/2)}*(-d*x+c)/(a*d-b*c)*b^{(1/2)}+C*EllipticF(((b*x+a)/(a*d-b*c)*d)^{(1/2)},((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2)})*b^4*c^2*e^2*((b*x+a)/(a*d-b*c)*d)^{(1/2)}*(-f*x+e)/(a*f-b*e)*b^{(1/2)}*(-d*x+c)/(a*d-b*c)*b^{(1/2)}*(f*x+e)^{(1/2)}*(d*x+c)^{(1/2)}*(b*x+a)^{(1/2)}/f/d/b^3/(a*f-b*e)/(a*d-b*c)/(b*d*f*x^3+a*d*f*x^2+b*c*f*x^2+b*d*e*x^2+a*c*f*x+a*d*e*x+b*c*e*x+a*c*e)
\end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{Cx^2 + Bx + A}{(bx + a)^{\frac{3}{2}} \sqrt{dx + c} \sqrt{fx + e}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)/(b*x+a)^(3/2)/(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algori

thm="maxima")

[Out] integrate((C*x^2 + B*x + A)/((b*x + a)^(3/2)*sqrt(d*x + c)*sqrt(f*x + e)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{C x^2 + B x + A}{\sqrt{e + f x} (a + b x)^{3/2} \sqrt{c + d x}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*x + C*x^2)/((e + f*x)^(1/2)*(a + b*x)^(3/2)*(c + d*x)^(1/2)), x)

[Out] int((A + B*x + C*x^2)/((e + f*x)^(1/2)*(a + b*x)^(3/2)*(c + d*x)^(1/2)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x**2+B*x+A)/(b*x+a)**(3/2)/(d*x+c)**(1/2)/(f*x+e)**(1/2), x)

[Out] Timed out

$$3.77 \quad \int \frac{A+Bx+Cx^2}{(a+bx)^{5/2} \sqrt{c+dx} \sqrt{e+fx}} dx$$

Optimal. Leaf size=642

$$\frac{2\sqrt{\frac{b(c+dx)}{bc-ad}} \sqrt{\frac{b(e+fx)}{be-af}} \left(a^2Cd(de-cf) + ab \left(3f \left(Ad^2 + c^2C \right) - Bd(2cf+de) \right) - b^2 \left(Acdf + 2Ad^2e - 3Bcde + 3c^2 \right) \right)}{3b^2\sqrt{d} \sqrt{c+dx} \sqrt{e+fx} (ad-bc)^{3/2} (be-af)}$$

[Out] $-2/3*(A*b^2-a*(B*b-C*a))*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/b/(-a*d+b*c)/(-a*f+b*e)/(b*x+a)^{(3/2)}+2/3*(2*a^3*C*d*f+a*b^2*(-4*A*d*f+B*c*f+B*d*e+6*C*c*e)-b^3*(3*B*c*e-2*A*(c*f+d*e))+a^2*b*(B*d*f-4*C*(c*f+d*e)))*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/b/(-a*d+b*c)^2/(-a*f+b*e)^2/(b*x+a)^{(1/2)}-2/3*(2*a^3*C*d*f+a*b^2*(-4*A*d*f+B*c*f+B*d*e+6*C*c*e)-b^3*(3*B*c*e-2*A*(c*f+d*e))+a^2*b*(B*d*f-4*C*(c*f+d*e)))*EllipticE(d^{(1/2)}*(b*x+a)^{(1/2)}/(a*d-b*c)^{(1/2)},((-a*d+b*c)*f/d/(-a*f+b*e))^{(1/2)})*d^{(1/2)}*(b*(d*x+c)/(-a*d+b*c))^{(1/2)}*(f*x+e)^{(1/2)}/b^2/(a*d-b*c)^{(3/2)}/(-a*f+b*e)^2/(d*x+c)^{(1/2)}/(b*(f*x+e)/(-a*f+b*e))^{(1/2)}-2/3*(a^2*C*d*(-c*f+d*e)-b^2*(A*c*d*f+2*A*d^2*e-3*B*c*d*e+3*C*c^2*e)+a*b*(3*(A*d^2+C*c^2)*f-B*d*(2*c*f+d*e)))*EllipticF(d^{(1/2)}*(b*x+a)^{(1/2)}/(a*d-b*c)^{(1/2)},((-a*d+b*c)*f/d/(-a*f+b*e))^{(1/2)})*(b*(d*x+c)/(-a*d+b*c))^{(1/2)}*(b*(f*x+e)/(-a*f+b*e))^{(1/2)}/b^2/(a*d-b*c)^{(3/2)}/(-a*f+b*e)/d^{(1/2)}/(d*x+c)^{(1/2)}/(f*x+e)^{(1/2)}$

Rubi [A] time = 1.52, antiderivative size = 642, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.184$, Rules used = {1614, 152, 158, 114, 113, 121, 120}

$$\frac{2\sqrt{\frac{b(c+dx)}{bc-ad}} \sqrt{\frac{b(e+fx)}{be-af}} \left(a^2Cd(de-cf) + ab \left(3f \left(Ad^2 + c^2C \right) - Bd(2cf+de) \right) - b^2 \left(Acdf + 2Ad^2e - 3Bcde + 3c^2 \right) \right)}{3b^2\sqrt{d} \sqrt{c+dx} \sqrt{e+fx} (ad-bc)^{3/2} (be-af)}$$

Antiderivative was successfully verified.

[In] Int[(A + B*x + C*x^2)/((a + b*x)^(5/2)*Sqrt[c + d*x]*Sqrt[e + f*x]),x]

[Out] $(-2*(A*b^2 - a*(b*B - a*C))*Sqrt[c + d*x]*Sqrt[e + f*x])/(3*b*(b*c - a*d)*(b*e - a*f)*(a + b*x)^{(3/2)}) + (2*(2*a^3*C*d*f + a*b^2*(6*c*C*e + B*d*e + B*c*f - 4*A*d*f) - b^3*(3*B*c*e - 2*A*(d*e + c*f)) + a^2*b*(B*d*f - 4*C*(d*e + c*f)))*Sqrt[c + d*x]*Sqrt[e + f*x])/(3*b*(b*c - a*d)^2*(b*e - a*f)^2*Sqrt[a + b*x]) - (2*Sqrt[d]*(2*a^3*C*d*f + a*b^2*(6*c*C*e + B*d*e + B*c*f - 4*A*d*f) - b^3*(3*B*c*e - 2*A*(d*e + c*f)) + a^2*b*(B*d*f - 4*C*(d*e + c*f)))*Sqrt[(b*(c + d*x))/(b*c - a*d)]*Sqrt[e + f*x]*EllipticE[ArcSin[(Sqrt[d]*Sqr$

```
t[a + b*x])/Sqrt[-(b*c) + a*d]], ((b*c - a*d)*f)/(d*(b*e - a*f)))]/(3*b^2*(
-(b*c) + a*d)^(3/2)*(b*e - a*f)^2*Sqrt[c + d*x]*Sqrt[(b*(e + f*x))/(b*e - a
*f)]) - (2*(a^2*C*d*(d*e - c*f) - b^2*(3*c^2*C*e - 3*B*c*d*e + 2*A*d^2*e +
A*c*d*f) + a*b*(3*(c^2*C + A*d^2)*f - B*d*(d*e + 2*c*f)))*Sqrt[(b*(c + d*x)
)/(b*c - a*d)]*Sqrt[(b*(e + f*x))/(b*e - a*f)]*EllipticF[ArcSin[(Sqrt[d]*Sqr
t[a + b*x])/Sqrt[-(b*c) + a*d]], ((b*c - a*d)*f)/(d*(b*e - a*f)))]/(3*b^2*
Sqrt[d]*(-(b*c) + a*d)^(3/2)*(b*e - a*f)*Sqrt[c + d*x]*Sqrt[e + f*x])
```

Rule 113

```
Int[Sqrt[(e_) + (f_)*(x_)]/(Sqrt[(a_) + (b_)*(x_)]*Sqrt[(c_) + (d_)*(x_
)]), x_Symbol] := Simp[(2*Rt[-((b*e - a*f)/d), 2]*EllipticE[ArcSin[Sqrt[a +
b*x]/Rt[-((b*c - a*d)/d), 2]], (f*(b*c - a*d))/(d*(b*e - a*f))]/b, x] /;
FreeQ[{a, b, c, d, e, f}, x] && GtQ[b/(b*c - a*d), 0] && GtQ[b/(b*e - a*f),
0] && !LtQ[-((b*c - a*d)/d), 0] && (SimplerQ[c + d*x, a + b*x] && GtQ[-
(d/(b*c - a*d)), 0] && GtQ[d/(d*e - c*f), 0] && !LtQ[(b*c - a*d)/b, 0])
```

Rule 114

```
Int[Sqrt[(e_) + (f_)*(x_)]/(Sqrt[(a_) + (b_)*(x_)]*Sqrt[(c_) + (d_)*(x_
)]), x_Symbol] := Dist[(Sqrt[e + f*x]*Sqrt[(b*(c + d*x))/(b*c - a*d)])/(Sqr
t[c + d*x]*Sqrt[(b*(e + f*x))/(b*e - a*f)]), Int[Sqrt[(b*e)/(b*e - a*f) + (
b*f*x)/(b*e - a*f)]/(Sqrt[a + b*x]*Sqrt[(b*c)/(b*c - a*d) + (b*d*x)/(b*c -
a*d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !(GtQ[b/(b*c - a*d), 0]
&& GtQ[b/(b*e - a*f), 0]) && !LtQ[-((b*c - a*d)/d), 0]
```

Rule 120

```
Int[1/(Sqrt[(a_) + (b_)*(x_)]*Sqrt[(c_) + (d_)*(x_)]*Sqrt[(e_) + (f_)*(x
_)]), x_Symbol] := Simp[(2*Rt[-(b/d), 2]*EllipticF[ArcSin[Sqrt[a + b*x]/(Rt
[-(b/d), 2]*Sqrt[(b*c - a*d)/b])], (f*(b*c - a*d))/(d*(b*e - a*f)))]/(b*Sqr
t[(b*e - a*f)/b]), x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[b/(b*c - a*d),
0] && GtQ[b/(b*e - a*f), 0] && SimplerQ[a + b*x, c + d*x] && SimplerQ[a +
b*x, e + f*x] && (PosQ[-((b*c - a*d)/d)] || NegQ[-((b*e - a*f)/f)])
```

Rule 121

```
Int[1/(Sqrt[(a_) + (b_)*(x_)]*Sqrt[(c_) + (d_)*(x_)]*Sqrt[(e_) + (f_)*(x
_)]), x_Symbol] := Dist[Sqrt[(b*(c + d*x))/(b*c - a*d)]/Sqrt[c + d*x], Int[
1/(Sqrt[a + b*x]*Sqrt[(b*c)/(b*c - a*d) + (b*d*x)/(b*c - a*d)]*Sqrt[e + f*x
]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[(b*c - a*d)/b, 0] && Si
mplerQ[a + b*x, c + d*x] && SimplerQ[a + b*x, e + f*x]
```

Rule 152

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_)
```

```

)^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[((b*g - a*h)*(a + b*x)^(m +
1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)),
x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d
*x)^(n)*(e + f*x)^p*Simp[(a*d*f*g - b*(d*e + c*f)*g + b*c*e*h)*(m + 1) - (b*g
- a*h)*(d*e*(n + 1) + c*f*(p + 1)) - d*f*(b*g - a*h)*(m + n + p + 3)*x, x]
, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && LtQ[m, -1] && Integ
ersQ[2*m, 2*n, 2*p]

```

Rule 158

```

Int[((g_.) + (h_.)*(x_))/(Sqrt[(a_.) + (b_.)*(x_)]*Sqrt[(c_.) + (d_.)*(x_)]*
Sqrt[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[h/f, Int[Sqrt[e + f*x]/(Sqrt[a
+ b*x]*Sqrt[c + d*x]), x], x] + Dist[(f*g - e*h)/f, Int[1/(Sqrt[a + b*x]*Sq
rt[c + d*x]*Sqrt[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] &&
SimplerQ[a + b*x, e + f*x] && SimplerQ[c + d*x, e + f*x]

```

Rule 1614

```

Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_
.)*(x_))^(p_), x_Symbol] := With[{Qx = PolynomialQuotient[Px, a + b*x, x],
R = PolynomialRemainder[Px, a + b*x, x]}, Simp[(b*R*(a + b*x)^(m + 1)*(c +
d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Di
st[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^(n*(
e + f*x)^p*ExpandToSum[(m + 1)*(b*c - a*d)*(b*e - a*f)*Qx + a*d*f*R*(m + 1)
- b*R*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*R*(m + n + p + 3)*x, x],
x], x]] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && PolyQ[Px, x] && LtQ[m, -1
] && IntegersQ[2*m, 2*n, 2*p]

```

Rubi steps

$$\begin{aligned}
\int \frac{A + Bx + Cx^2}{(a + bx)^{5/2} \sqrt{c + dx} \sqrt{e + fx}} dx &= -\frac{2(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{3b(bc - ad)(be - af)(a + bx)^{3/2}} - \frac{2 \int \frac{-a^2C(de+cf) - ab(3cCe + Bde + Bcf - 3Adf) + b^2C^2}{2b} dx}{(a + bx)^{5/2} \sqrt{c + dx} \sqrt{e + fx}} \\
&= -\frac{2(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{3b(bc - ad)(be - af)(a + bx)^{3/2}} + \frac{2(2a^3Cdf + ab^2(6cCe + Bde + Bcf - 3Adf))}{(a + bx)^{5/2} \sqrt{c + dx} \sqrt{e + fx}} \\
&= -\frac{2(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{3b(bc - ad)(be - af)(a + bx)^{3/2}} + \frac{2(2a^3Cdf + ab^2(6cCe + Bde + Bcf - 3Adf))}{(a + bx)^{5/2} \sqrt{c + dx} \sqrt{e + fx}} \\
&= -\frac{2(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{3b(bc - ad)(be - af)(a + bx)^{3/2}} + \frac{2(2a^3Cdf + ab^2(6cCe + Bde + Bcf - 3Adf))}{(a + bx)^{5/2} \sqrt{c + dx} \sqrt{e + fx}} \\
&= -\frac{2(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{3b(bc - ad)(be - af)(a + bx)^{3/2}} + \frac{2(2a^3Cdf + ab^2(6cCe + Bde + Bcf - 3Adf))}{(a + bx)^{5/2} \sqrt{c + dx} \sqrt{e + fx}} \\
&= -\frac{2(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{3b(bc - ad)(be - af)(a + bx)^{3/2}} + \frac{2(2a^3Cdf + ab^2(6cCe + Bde + Bcf - 3Adf))}{(a + bx)^{5/2} \sqrt{c + dx} \sqrt{e + fx}}
\end{aligned}$$

Mathematica [C] time = 10.91, size = 699, normalized size = 1.09

$$\frac{2 \left(b^2(c + dx)(e + fx) \sqrt{\frac{bc}{d} - a} ((a + bx) (-2a^3Cdf + a^2b(4C(cf + de) - Bdf) - ab^2(-4Adf + Bcf + Bde + 6cCe))) \right)}{(a + bx)^{5/2} \sqrt{c + dx} \sqrt{e + fx}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*x + C*x^2)/((a + b*x)^(5/2)*Sqrt[c + d*x]*Sqrt[e + f*x]), x]

[Out] (-2*(b^2*Sqrt[-a + (b*c)/d]*(c + d*x)*(e + f*x)*((A*b^2 + a*(-(b*B) + a*C)) * (b*c - a*d)*(b*e - a*f) + (-2*a^3*C*d*f - a*b^2*(6*c*C*e + B*d*e + B*c*f -

$$4*A*d*f) + b^3*(3*B*c*e - 2*A*(d*e + c*f)) + a^2*b*(-(B*d*f) + 4*C*(d*e + c*f))*(a + b*x)) + (a + b*x)*(b^2*sqrt[-a + (b*c)/d]*(2*a^3*C*d*f + a*b^2*(6*c*C*e + B*d*e + B*c*f - 4*A*d*f) + b^3*(-3*B*c*e + 2*A*(d*e + c*f)) + a^2*b*(B*d*f - 4*C*(d*e + c*f)))*(c + d*x)*(e + f*x) + I*(b*c - a*d)*f*(2*a^3*C*d*f + a*b^2*(6*c*C*e + B*d*e + B*c*f - 4*A*d*f) + b^3*(-3*B*c*e + 2*A*(d*e + c*f)) + a^2*b*(B*d*f - 4*C*(d*e + c*f)))*(a + b*x)^(3/2)*sqrt[(b*(c + d*x))/(d*(a + b*x))]*sqrt[(b*(e + f*x))/(f*(a + b*x))]*EllipticE[I*ArcSinh[Sqrt[-a + (b*c)/d]/sqrt[a + b*x]], (b*d*e - a*d*f)/(b*c*f - a*d*f)] - I*b*(b*c - a*d)*(a^2*C*f*(d*e - c*f) + b^2*(3*c*C*e^2 + A*d*e*f + c*f*(-3*B*e + 2*A*f)) + a*b*(-3*C*d*e^2 + f*(2*B*d*e + B*c*f - 3*A*d*f)))*(a + b*x)^(3/2)*sqrt[(b*(c + d*x))/(d*(a + b*x))]*sqrt[(b*(e + f*x))/(f*(a + b*x))]*EllipticF[I*ArcSinh[Sqrt[-a + (b*c)/d]/sqrt[a + b*x]], (b*d*e - a*d*f)/(b*c*f - a*d*f)))/(3*b^3*sqrt[-a + (b*c)/d]*(b*c - a*d)^2*(b*e - a*f)^2*(a + b*x)^(3/2)*sqrt[c + d*x]*sqrt[e + f*x])$$

fricas [F] time = 0.59, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(Cx^2 + Bx + A)\sqrt{bx + a}\sqrt{dx + c}\sqrt{fx + e}}{b^3dfx^5 + a^3ce + (b^3de + (b^3c + 3ab^2d)f)x^4 + ((b^3c + 3ab^2d)e + 3(ab^2c + a^2bd)f)x^3 + (3(ab^2c + a^2bd)e + (b^3c + 3ab^2d)f)x^2 + (a^3c + 3ab^2d)e)x + a^3ce}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(b*x+a)^(5/2)/(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="fricas")
```

```
[Out] integral((C*x^2 + B*x + A)*sqrt(b*x + a)*sqrt(d*x + c)*sqrt(f*x + e)/(b^3*d*f*x^5 + a^3*c*e + (b^3*d*e + (b^3*c + 3*a*b^2*d)*f)*x^4 + ((b^3*c + 3*a*b^2*d)*e + 3*(a*b^2*c + a^2*b*d)*f)*x^3 + (3*(a*b^2*c + a^2*b*d)*e + (3*a^2*b*c + a^3*d)*f)*x^2 + (a^3*c*f + (3*a^2*b*c + a^3*d)*e)*x), x)
```

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(b*x+a)^(5/2)/(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="giac")
```

```
[Out] Timed out
```

maple [B] time = 0.14, size = 12988, normalized size = 20.23

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((C*x^2+B*x+A)/(b*x+a)^(5/2)/(d*x+c)^(1/2)/(f*x+e)^(1/2),x)`

[Out] result too large to display

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{Cx^2 + Bx + A}{(bx + a)^{\frac{5}{2}} \sqrt{dx + c} \sqrt{fx + e}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x^2+B*x+A)/(b*x+a)^(5/2)/(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="maxima")`

[Out] `integrate((C*x^2 + B*x + A)/((b*x + a)^(5/2)*sqrt(d*x + c)*sqrt(f*x + e)), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{Cx^2 + Bx + A}{\sqrt{e + fx} (a + bx)^{5/2} \sqrt{c + dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A + B*x + C*x^2)/((e + f*x)^(1/2)*(a + b*x)^(5/2)*(c + d*x)^(1/2)),x)`

[Out] `int((A + B*x + C*x^2)/((e + f*x)^(1/2)*(a + b*x)^(5/2)*(c + d*x)^(1/2)), x)`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x**2+B*x+A)/(b*x+a)**(5/2)/(d*x+c)**(1/2)/(f*x+e)**(1/2),x)`

[Out] Timed out

$$3.78 \quad \int \frac{A+Bx+Cx^2}{(a+bx)^{7/2} \sqrt{c+dx} \sqrt{e+fx}} dx$$

Optimal. Leaf size=1116

$$\frac{2\sqrt{c+dx} \sqrt{e+fx} (Ab^2 - a(bB - aC))}{5b(bc - ad)(be - af)(a + bx)^{5/2}} + \frac{2\sqrt{d} (2Cd^2 f^2 a^4 + bdf(3Bdf - 7C(de + cf))a^3 - b^2 (C(3d^2 e^2 - 13cd$$

[Out] $-2/5*(A*b^2-a*(B*b-C*a))*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/b/(-a*d+b*c)/(-a*f+b*e)/(b*x+a)^{(5/2)}+2/15*(2*a^3*C*d*f+a*b^2*(-8*A*d*f+B*c*f+B*d*e+10*C*c*e)-b^3*(5*B*c*e-4*A*(c*f+d*e))+3*a^2*b*(B*d*f-2*C*(c*f+d*e)))*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/b/(-a*d+b*c)^2/(-a*f+b*e)^2/(b*x+a)^{(3/2)}+2/15*(2*a^4*C*d^2*f^2+a^3*b*d*f*(3*B*d*f-7*C*(c*f+d*e))-b^4*(8*A*d^2*e^2-c*d*e*(-7*A*f+10*B*e)+c^2*(8*A*f^2-10*B*e*f+15*C*e^2))-a*b^3*(d^2*e*(-23*A*f+2*B*e)-2*c^2*f*(-B*f+5*C*e)-c*d*(23*A*f^2-33*B*e*f+10*C*e^2))-a^2*b^2*(C*(3*c^2*f^2-13*c*d*e*f+3*d^2*e^2)+d*f*(23*A*d*f-7*B*(c*f+d*e)))*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/b/(-a*d+b*c)^3/(-a*f+b*e)^3/(b*x+a)^{(1/2)}+2/15*(2*a^4*C*d^2*f^2+a^3*b*d*f*(3*B*d*f-7*C*(c*f+d*e))-b^4*(8*A*d^2*e^2-c*d*e*(-7*A*f+10*B*e)+c^2*(8*A*f^2-10*B*e*f+15*C*e^2))-a*b^3*(d^2*e*(-23*A*f+2*B*e)-2*c^2*f*(-B*f+5*C*e)-c*d*(23*A*f^2-33*B*e*f+10*C*e^2))-a^2*b^2*(C*(3*c^2*f^2-13*c*d*e*f+3*d^2*e^2)+d*f*(23*A*d*f-7*B*(c*f+d*e)))*EllipticE(d^(1/2)*(b*x+a)^(1/2)/(a*d-b*c)^(1/2),((-a*d+b*c)*f/d/(-a*f+b*e))^(1/2))*d^(1/2)*(b*(d*x+c)/(-a*d+b*c))^(1/2)*(f*x+e)^(1/2)/b^2/(a*d-b*c)^(5/2)/(-a*f+b*e)^3/(d*x+c)^(1/2)/(b*(f*x+e)/(-a*f+b*e))^(1/2)+2/15*(a^3*C*d*f*(-c*f+d*e)+b^3*(8*A*d^2*e^2-c*d*e*(-3*A*f+10*B*e)+c^2*(4*A*f^2-5*B*e*f+15*C*e^2))+a*b^2*(d^2*e*(-19*A*f+2*B*e)-c^2*f*(-B*f+20*C*e)-c*d*(11*A*f^2-27*B*e*f+10*C*e^2))-3*a^2*b*(d*f*(-5*A*d*f+3*B*c*f+2*B*d*e)-C*(3*c^2*f^2+c*d*e*f+d^2*e^2))*EllipticF(d^(1/2)*(b*x+a)^(1/2)/(a*d-b*c)^(1/2),((-a*d+b*c)*f/d/(-a*f+b*e))^(1/2))*d^(1/2)*(b*(d*x+c)/(-a*d+b*c))^(1/2)*(b*(f*x+e)/(-a*f+b*e))^(1/2)/b^2/(a*d-b*c)^(5/2)/(-a*f+b*e)^2/(d*x+c)^(1/2)/(f*x+e)^(1/2)$

Rubi [A] time = 3.34, antiderivative size = 1116, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.184$, Rules used = {1614, 152, 158, 114, 113, 121, 120}

$$\frac{2\sqrt{c+dx} \sqrt{e+fx} (Ab^2 - a(bB - aC))}{5b(bc - ad)(be - af)(a + bx)^{5/2}} + \frac{2\sqrt{d} (2Cd^2 f^2 a^4 + bdf(3Bdf - 7C(de + cf))a^3 - b^2 (C(3d^2 e^2 - 13cd$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*x + C*x^2)/((a + b*x)^(7/2)*Sqrt[c + d*x]*Sqrt[e + f*x]),x]
[Out] (-2*(A*b^2 - a*(b*B - a*C))*Sqrt[c + d*x]*Sqrt[e + f*x])/(5*b*(b*c - a*d)*(
b*e - a*f)*(a + b*x)^(5/2)) + (2*(2*a^3*C*d*f + a*b^2*(10*c*C*e + B*d*e + B
*c*f - 8*A*d*f) - b^3*(5*B*c*e - 4*A*(d*e + c*f)) + 3*a^2*b*(B*d*f - 2*C*(d
*e + c*f)))*Sqrt[c + d*x]*Sqrt[e + f*x])/(15*b*(b*c - a*d)^2*(b*e - a*f)^2*
(a + b*x)^(3/2)) + (2*(2*a^4*C*d^2*f^2 + a^3*b*d*f*(3*B*d*f - 7*C*(d*e + c
f)) - b^4*(8*A*d^2*e^2 - c*d*e*(10*B*e - 7*A*f) + c^2*(15*C*e^2 - 10*B*e*f
+ 8*A*f^2)) - a*b^3*(d^2*e*(2*B*e - 23*A*f) - 2*c^2*f*(5*C*e - B*f) - c*d*(
10*C*e^2 - 33*B*e*f + 23*A*f^2)) - a^2*b^2*(C*(3*d^2*e^2 - 13*c*d*e*f + 3*c
^2*f^2) + d*f*(23*A*d*f - 7*B*(d*e + c*f))))*Sqrt[c + d*x]*Sqrt[e + f*x])/(
15*b*(b*c - a*d)^3*(b*e - a*f)^3*Sqrt[a + b*x]) + (2*Sqrt[d]*(2*a^4*C*d^2*f
^2 + a^3*b*d*f*(3*B*d*f - 7*C*(d*e + c*f)) - b^4*(8*A*d^2*e^2 - c*d*e*(10*B
*e - 7*A*f) + c^2*(15*C*e^2 - 10*B*e*f + 8*A*f^2)) - a*b^3*(d^2*e*(2*B*e -
23*A*f) - 2*c^2*f*(5*C*e - B*f) - c*d*(10*C*e^2 - 33*B*e*f + 23*A*f^2)) - a
^2*b^2*(C*(3*d^2*e^2 - 13*c*d*e*f + 3*c^2*f^2) + d*f*(23*A*d*f - 7*B*(d*e +
c*f))))*Sqrt[(b*(c + d*x))/(b*c - a*d)]*Sqrt[e + f*x]*EllipticE[ArcSin[(Sqr
t[d]*Sqrt[a + b*x])/Sqrt[-(b*c) + a*d]], ((b*c - a*d)*f)/(d*(b*e - a*f)))]
/(15*b^2*(-(b*c) + a*d)^(5/2)*(b*e - a*f)^3*Sqrt[c + d*x]*Sqrt[(b*(e + f*x)
)/(b*e - a*f)]) + (2*Sqrt[d]*(a^3*C*d*f*(d*e - c*f) + b^3*(8*A*d^2*e^2 - c*
d*e*(10*B*e - 3*A*f) + c^2*(15*C*e^2 - 5*B*e*f + 4*A*f^2)) + a*b^2*(d^2*e*(
2*B*e - 19*A*f) - c^2*f*(20*C*e - B*f) - c*d*(10*C*e^2 - 27*B*e*f + 11*A*f^
2)) - 3*a^2*b*(d*f*(2*B*d*e + 3*B*c*f - 5*A*d*f) - C*(d^2*e^2 + c*d*e*f + 3
*c^2*f^2)))*Sqrt[(b*(c + d*x))/(b*c - a*d)]*Sqrt[(b*(e + f*x))/(b*e - a*f)]
*EllipticF[ArcSin[(Sqrt[d]*Sqrt[a + b*x])/Sqrt[-(b*c) + a*d]], ((b*c - a*d)
*f)/(d*(b*e - a*f)))]/(15*b^2*(-(b*c) + a*d)^(5/2)*(b*e - a*f)^2*Sqrt[c + d
*x]*Sqrt[e + f*x])
```

Rule 113

```
Int[Sqrt[(e_.) + (f_.)*(x_)]/(Sqrt[(a_) + (b_.)*(x_)]*Sqrt[(c_) + (d_.)*(x_
)]), x_Symbol] :> Simp[(2*Rt[-((b*e - a*f)/d), 2]*EllipticE[ArcSin[Sqrt[a +
b*x]/Rt[-((b*c - a*d)/d), 2]], (f*(b*c - a*d))/(d*(b*e - a*f))]/b, x] /;
FreeQ[{a, b, c, d, e, f}, x] && GtQ[b/(b*c - a*d), 0] && GtQ[b/(b*e - a*f),
0] && !LtQ[-((b*c - a*d)/d), 0] && !(SimplerQ[c + d*x, a + b*x] && GtQ[-
(d/(b*c - a*d)), 0] && GtQ[d/(d*e - c*f), 0] && !LtQ[(b*c - a*d)/b, 0])
```

Rule 114

```
Int[Sqrt[(e_.) + (f_.)*(x_)]/(Sqrt[(a_) + (b_.)*(x_)]*Sqrt[(c_) + (d_.)*(x_
)]), x_Symbol] :> Dist[(Sqrt[e + f*x]*Sqrt[(b*(c + d*x))/(b*c - a*d)])/(Sqr
t[c + d*x]*Sqrt[(b*(e + f*x))/(b*e - a*f)]), Int[Sqrt[(b*e)/(b*e - a*f) + (
b*f*x)/(b*e - a*f)]/(Sqrt[a + b*x]*Sqrt[(b*c)/(b*c - a*d) + (b*d*x)/(b*c -
a*d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !(GtQ[b/(b*c - a*d), 0]
&& GtQ[b/(b*e - a*f), 0]) && !LtQ[-((b*c - a*d)/d), 0]
```


Rule 120

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)]*Sqrt[(c_) + (d_.)*(x_)]*Sqrt[(e_) + (f_.)*(x_)]), x_Symbol] := Simp[(2*Rt[-(b/d), 2]*EllipticF[ArcSin[Sqrt[a + b*x]/(Rt[-(b/d), 2]*Sqrt[(b*c - a*d)/b])], (f*(b*c - a*d))/(d*(b*e - a*f)))]/(b*Sqrt[(b*e - a*f)/b]), x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[b/(b*c - a*d), 0] && GtQ[b/(b*e - a*f), 0] && SimplerQ[a + b*x, c + d*x] && SimplerQ[a + b*x, e + f*x] && (PosQ[-((b*c - a*d)/d)] || NegQ[-((b*e - a*f)/f)])
```

Rule 121

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)]*Sqrt[(c_) + (d_.)*(x_)]*Sqrt[(e_) + (f_.)*(x_)]), x_Symbol] := Dist[Sqrt[(b*(c + d*x))/(b*c - a*d)]/Sqrt[c + d*x], Int[1/(Sqrt[a + b*x]*Sqrt[(b*c)/(b*c - a*d) + (b*d*x)/(b*c - a*d)]*Sqrt[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[(b*c - a*d)/b, 0] && SimplerQ[a + b*x, c + d*x] && SimplerQ[a + b*x, e + f*x]
```

Rule 152

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[((b*g - a*h)*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*Simp[(a*d*f*g - b*(d*e + c*f)*g + b*c*e*h)*(m + 1) - (b*g - a*h)*(d*e*(n + 1) + c*f*(p + 1)) - d*f*(b*g - a*h)*(m + n + p + 3)*x, x], x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && LtQ[m, -1] && IntegersQ[2*m, 2*n, 2*p]
```

Rule 158

```
Int[((g_.) + (h_.)*(x_))/(Sqrt[(a_.) + (b_.)*(x_)]*Sqrt[(c_) + (d_.)*(x_)]*Sqrt[(e_) + (f_.)*(x_)]), x_Symbol] := Dist[h/f, Int[Sqrt[e + f*x]/(Sqrt[a + b*x]*Sqrt[c + d*x]), x], x] + Dist[(f*g - e*h)/f, Int[1/(Sqrt[a + b*x]*Sqrt[c + d*x]*Sqrt[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && SimplerQ[a + b*x, e + f*x] && SimplerQ[c + d*x, e + f*x]
```

Rule 1614

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] := With[{Qx = PolynomialQuotient[Px, a + b*x, x], R = PolynomialRemainder[Px, a + b*x, x]}, Simp[(b*R*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*ExpandToSum[(m + 1)*(b*c - a*d)*(b*e - a*f)*Qx + a*d*f*R*(m + 1) - b*R*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*R*(m + n + p + 3)*x, x], x], x]
```

x], x]] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && PolyQ[Px, x] && LtQ[m, -1]
] && IntegersQ[2*m, 2*n, 2*p]

Rubi steps

$$\int \frac{A + Bx + Cx^2}{(a + bx)^{7/2} \sqrt{c + dx} \sqrt{e + fx}} dx = -\frac{2(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{5b(bc - ad)(be - af)(a + bx)^{5/2}} - \frac{2 \int \frac{-a^2C(de+cf) - ab(5cCe + Bde + Bcf - 5Adf) + b^2C^2}{2b} dx}{(a + bx)^{5/2} \sqrt{c + dx} \sqrt{e + fx}}$$

$$= -\frac{2(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{5b(bc - ad)(be - af)(a + bx)^{5/2}} + \frac{2(2a^3Cdf + ab^2(10cCe + Bde + Bcf - 5Adf) + b^2C^2)}{(a + bx)^{5/2} \sqrt{c + dx} \sqrt{e + fx}}$$

$$= -\frac{2(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{5b(bc - ad)(be - af)(a + bx)^{5/2}} + \frac{2(2a^3Cdf + ab^2(10cCe + Bde + Bcf - 5Adf) + b^2C^2)}{(a + bx)^{5/2} \sqrt{c + dx} \sqrt{e + fx}}$$

$$= -\frac{2(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{5b(bc - ad)(be - af)(a + bx)^{5/2}} + \frac{2(2a^3Cdf + ab^2(10cCe + Bde + Bcf - 5Adf) + b^2C^2)}{(a + bx)^{5/2} \sqrt{c + dx} \sqrt{e + fx}}$$

$$= -\frac{2(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{5b(bc - ad)(be - af)(a + bx)^{5/2}} + \frac{2(2a^3Cdf + ab^2(10cCe + Bde + Bcf - 5Adf) + b^2C^2)}{(a + bx)^{5/2} \sqrt{c + dx} \sqrt{e + fx}}$$

$$= -\frac{2(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{5b(bc - ad)(be - af)(a + bx)^{5/2}} + \frac{2(2a^3Cdf + ab^2(10cCe + Bde + Bcf - 5Adf) + b^2C^2)}{(a + bx)^{5/2} \sqrt{c + dx} \sqrt{e + fx}}$$

$$= -\frac{2(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{5b(bc - ad)(be - af)(a + bx)^{5/2}} + \frac{2(2a^3Cdf + ab^2(10cCe + Bde + Bcf - 5Adf) + b^2C^2)}{(a + bx)^{5/2} \sqrt{c + dx} \sqrt{e + fx}}$$

Mathematica [C] time = 16.22, size = 8844, normalized size = 7.92

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*x + C*x^2)/((a + b*x)^(7/2)*Sqrt[c + d*x]*Sqrt[e + f*x]),x
]

[Out] Result too large to show

fricas [F] time = 0.60, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(Cx^2 + Bx + A)}{b^4 d f x^6 + a^4 c e + (b^4 d e + (b^4 c + 4 a b^3 d) f) x^5 + ((b^4 c + 4 a b^3 d) e + 2 (2 a b^3 c + 3 a^2 b^2 d) f) x^4 + 2 ((2 a b^3 c + 3 a^2 b^2 d) e + (3 a^2 b^2 c + 2 a^3 b d) f) x^3 + (2 (3 a^2 b^2 c + 2 a^3 b d) e + (4 a^3 b c + a^4 d) f) x^2 + (a^4 c f + (4 a^3 b c + a^4 d) e) x}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)/(b*x+a)^(7/2)/(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="fricas")

[Out] integral((C*x^2 + B*x + A)*sqrt(b*x + a)*sqrt(d*x + c)*sqrt(f*x + e)/(b^4*d*f*x^6 + a^4*c*e + (b^4*d*e + (b^4*c + 4*a*b^3*d)*f)*x^5 + ((b^4*c + 4*a*b^3*d)*e + 2*(2*a*b^3*c + 3*a^2*b^2*d)*f)*x^4 + 2*((2*a*b^3*c + 3*a^2*b^2*d)*e + (3*a^2*b^2*c + 2*a^3*b*d)*f)*x^3 + (2*(3*a^2*b^2*c + 2*a^3*b*d)*e + (4*a^3*b*c + a^4*d)*f)*x^2 + (a^4*c*f + (4*a^3*b*c + a^4*d)*e)*x), x)

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)/(b*x+a)^(7/2)/(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="giac")

[Out] Timed out

maple [B] time = 0.35, size = 34102, normalized size = 30.56

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C*x^2+B*x+A)/(b*x+a)^(7/2)/(d*x+c)^(1/2)/(f*x+e)^(1/2),x)

[Out] result too large to display

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{Cx^2 + Bx + A}{(bx + a)^{\frac{7}{2}} \sqrt{dx + c} \sqrt{fx + e}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)/(b*x+a)^(7/2)/(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="maxima")

[Out] integrate((C*x^2 + B*x + A)/((b*x + a)^(7/2)*sqrt(d*x + c)*sqrt(f*x + e)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{C x^2 + B x + A}{\sqrt{e + f x} (a + b x)^{7/2} \sqrt{c + d x}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*x + C*x^2)/((e + f*x)^(1/2)*(a + b*x)^(7/2)*(c + d*x)^(1/2)),x)

[Out] int((A + B*x + C*x^2)/((e + f*x)^(1/2)*(a + b*x)^(7/2)*(c + d*x)^(1/2)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x**2+B*x+A)/(b*x+a)**(7/2)/(d*x+c)**(1/2)/(f*x+e)**(1/2),x)

[Out] Timed out

Chapter 4

Listing of Grading functions

The following are the current version of the grading functions used for grading the quality of the antiderivative with reference to the optimal antiderivative included in the test suite.

There is a version for Maple and for Mathematica/Rubi. There is a version for grading Sympy and version for use with Sagemath.

The following are links to the current source code.

The following are the listings of source code of the grading functions.

4.0.1 Mathematica and Rubi grading function

```
(* Original version thanks to Albert Rich emailed on 03/21/2017 *)
(* ::Package:: *)

(* ::Subsection:: *)
(*GradeAntiderivative[result,optimal]*)

(* ::Text:: *)
(*If result and optimal are mathematical expressions, *)
(*      GradeAntiderivative[result,optimal] returns*)
(* "F" if the result fails to integrate an expression that*)
(*      is integrable*)
(* "C" if result involves higher level functions than necessary*)
(* "B" if result is more than twice the size of the optimal*)
(*      antiderivative*)
(* "A" if result can be considered optimal*)

GradeAntiderivative[result_,optimal_] :=
  If[ExpnType[result]<=ExpnType[optimal],
```

```

If[FreeQ[result,Complex] || Not[FreeQ[optimal,Complex]],
  If[LeafCount[result]<=2*LeafCount[optimal],
    "A",
    "B"],
  "C"],
If[FreeQ[result,Integrate] && FreeQ[result,Int],
  "C",
"F"]]

```

```
(* ::Text:: *)
```

```
(*The following summarizes the type number assigned an *)
```

```
(*expression based on the functions it involves*)
```

```
(*1 = rational function*)
```

```
(*2 = algebraic function*)
```

```
(*3 = elementary function*)
```

```
(*4 = special function*)
```

```
(*5 = hyperpergeometric function*)
```

```
(*6 = appell function*)
```

```
(*7 = rootsum function*)
```

```
(*8 = integrate function*)
```

```
(*9 = unknown function*)
```

```
ExpnType[expn_] :=
```

```
  If[AtomQ[expn],
```

```
    1,
```

```
  If[ListQ[expn],
```

```
    Max[Map[ExpnType,expn]],
```

```
  If[Head[expn]===Power,
```

```
    If[IntegerQ[expn[[2]]],
```

```
      ExpnType[expn[[1]],
```

```
    If[Head[expn[[2]]]===Rational,
```

```
      If[IntegerQ[expn[[1]]] || Head[expn[[1]]]===Rational,
```

```
        1,
```

```
        Max[ExpnType[expn[[1]],2]],
```

```
      Max[ExpnType[expn[[1]],ExpnType[expn[[2]],3]]],
```

```
  If[Head[expn]===Plus || Head[expn]===Times,
```

```
    Max[ExpnType[First[expn],ExpnType[Rest[expn]]],
```

```
  If[ElementaryFunctionQ[Head[expn]],
```

```
    Max[3,ExpnType[expn[[1]]],
```

```
  If[SpecialFunctionQ[Head[expn]],
```

```
    Apply[Max,Append[Map[ExpnType,Apply[List,expn]],4]],
```

```
  If[HypergeometricFunctionQ[Head[expn]],
```

```
    Apply[Max,Append[Map[ExpnType,Apply[List,expn]],5]],
```

```
  If[AppellFunctionQ[Head[expn]],
```

```
    Apply[Max,Append[Map[ExpnType,Apply[List,expn]],6]],
```

```

If[Head[expn]===RootSum,
  Apply[Max,Append[Map[ExpnType,Apply[List,expn]],7]],
If[Head[expn]===Integrate || Head[expn]===Int,
  Apply[Max,Append[Map[ExpnType,Apply[List,expn]],8]],
9]]]]]]]]]]

ElementaryFunctionQ[func_] :=
MemberQ[{
  Exp,Log,
  Sin,Cos,Tan,Cot,Sec,Csc,
  ArcSin,ArcCos,ArcTan,ArcCot,ArcSec,ArcCsc,
  Sinh,Cosh,Tanh,Coth,Sech,Csch,
  ArcSinh,ArcCosh,ArcTanh,ArcCoth,ArcSech,ArcCsch
},func]

SpecialFunctionQ[func_] :=
MemberQ[{
  Erf, Erfc, Erfi,
  FresnelS, FresnelC,
  ExpIntegralE, ExpIntegralEi, LogIntegral,
  SinIntegral, CosIntegral, SinhIntegral, CoshIntegral,
  Gamma, LogGamma, PolyGamma,
  Zeta, PolyLog, ProductLog,
  EllipticF, EllipticE, EllipticPi
},func]

HypergeometricFunctionQ[func_] :=
MemberQ[{Hypergeometric1F1,Hypergeometric2F1,HypergeometricPFQ},func]

AppellFunctionQ[func_] :=
MemberQ[{AppellF1},func]

```

4.0.2 Maple grading function

```

# File: GradeAntiderivative.mpl
# Original version thanks to Albert Rich emailed on 03/21/2017

#Nasser 03/22/2017 Use Maple leaf count instead since buildin
#Nasser 03/23/2017 missing 'ln' for ElementaryFunctionQ added
#Nasser 03/24/2017 corrected the check for complex result
#Nasser 10/27/2017 check for leafsize and do not call ExpnType()
#
# if leaf size is "too large". Set at 500,000

```

```

#Nasser 12/22/2019 Added debug flag, added 'dilog' to special functions
# see problem 156, file Apostol_Problems

GradeAntiderivative := proc(result,optimal)
local leaf_count_result, leaf_count_optimal,ExpnType_result,ExpnType_optimal,
    debug:=false;

    leaf_count_result:=leafcount(result);
    #do NOT call ExpnType() if leaf size is too large. Recursion problem
    if leaf_count_result > 500000 then
        return "B";
    fi;

    leaf_count_optimal:=leafcount(optimal);

    ExpnType_result:=ExpnType(result);
    ExpnType_optimal:=ExpnType(optimal);

    if debug then
        print("ExpnType_result",ExpnType_result," ExpnType_optimal=",
            ExpnType_optimal);
    fi;

# If result and optimal are mathematical expressions,
# GradeAntiderivative[result,optimal] returns
# "F" if the result fails to integrate an expression that
# is integrable
# "C" if result involves higher level functions than necessary
# "B" if result is more than twice the size of the optimal
# antiderivative
# "A" if result can be considered optimal

#This check below actually is not needed, since I only
#call this grading only for passed integrals. i.e. I check
#for "F" before calling this. But no harm of keeping it here.
#just in case.

if not type(result,freeof('int')) then
    return "F";
end if;

if ExpnType_result<=ExpnType_optimal then
    if debug then
        print("ExpnType_result<=ExpnType_optimal");
    fi;

```



```

if is_contains_complex(result) then
  if is_contains_complex(optimal) then
    if debug then
      print("both result and optimal complex");
    fi;
    #both result and optimal complex
    if leaf_count_result<=2*leaf_count_optimal then
      return "A";
    else
      return "B";
    end if
  else #result contains complex but optimal is not
    if debug then
      print("result contains complex but optimal is not");
    fi;
    return "C";
  end if
else # result do not contain complex
  # this assumes optimal do not as well
  if debug then
    print("result do not contain complex, this assumes optimal do not
as well");
  fi;
  if leaf_count_result<=2*leaf_count_optimal then
    if debug then
      print("leaf_count_result<=2*leaf_count_optimal");
    fi;
    return "A";
  else
    if debug then
      print("leaf_count_result>2*leaf_count_optimal");
    fi;
    return "B";
  end if
end if
else #ExpnType(result) > ExpnType(optimal)
  if debug then
    print("ExpnType(result) > ExpnType(optimal)");
  fi;
  return "C";
end if

end proc:

#
# is_contains_complex(result)
# takes expressions and returns true if it contains "I" else false

```

```

#
#Nasser 032417
is_contains_complex:= proc(expression)
  return (has(expression,I));
end proc:

# The following summarizes the type number assigned an expression
# based on the functions it involves
# 1 = rational function
# 2 = algebraic function
# 3 = elementary function
# 4 = special function
# 5 = hyperpergeometric function
# 6 = appell function
# 7 = rootsum function
# 8 = integrate function
# 9 = unknown function

ExpnType := proc(expn)
  if type(expn,'atomic') then
    1
  elif type(expn,'list') then
    apply(max,map(ExpnType,expn))
  elif type(expn,'sqrt') then
    if type(op(1,expn),'rational') then
      1
    else
      max(2,ExpnType(op(1,expn)))
    end if
  elif type(expn,'^^') then
    if type(op(2,expn),'integer') then
      ExpnType(op(1,expn))
    elif type(op(2,expn),'rational') then
      if type(op(1,expn),'rational') then
        1
      else
        max(2,ExpnType(op(1,expn)))
      end if
    else
      max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    end if
  elif type(expn,'`+`') or type(expn,'`*`') then
    max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
  elif ElementaryFunctionQ(op(0,expn)) then
    max(3,ExpnType(op(1,expn)))
  elif SpecialFunctionQ(op(0,expn)) then
    max(4,apply(max,map(ExpnType,[op(expn)])))
  end if
end proc:

```

```

elif HypergeometricFunctionQ(op(0,expn)) then
  max(5,apply(max,map(ExpnType,[op(expn)])))
elif AppellFunctionQ(op(0,expn)) then
  max(6,apply(max,map(ExpnType,[op(expn)])))
elif op(0,expn)='int' then
  max(8,apply(max,map(ExpnType,[op(expn)]))) else
  9
end if
end proc:

ElementaryFunctionQ := proc(func)
  member(func,[
    exp,log,ln,
    sin,cos,tan,cot,sec,csc,
    arcsin,arccos,arctan,arccot,arcsec,arccsc,
    sinh,cosh,tanh,coth,sech,csch,
    arcsinh,arccosh,arctanh,arccoth,arcsech,arccsch])
end proc:

SpecialFunctionQ := proc(func)
  member(func,[
    erf,erfc,erfi,
    FresnelS,FresnelC,
    Ei,Ei,Li,Si,Ci,Shi,Chi,
    GAMMA,lnGAMMA,Psi,Zeta,polylog,dilog,LambertW,
    EllipticF,EllipticE,EllipticPi])
end proc:

HypergeometricFunctionQ := proc(func)
  member(func,[Hypergeometric1F1,hypergeom,HypergeometricPFQ])
end proc:

AppellFunctionQ := proc(func)
  member(func,[AppellF1])
end proc:

# u is a sum or product. rest(u) returns all but the
# first term or factor of u.
rest := proc(u) local v;
  if nops(u)=2 then
    op(2,u)
  else
    apply(op(0,u),op(2..nops(u),u))
  end if
end proc:

```

```
#leafcount(u) returns the number of nodes in u.
#Nasser 3/23/17 Replaced by build-in leafCount from package in Maple
leafcount := proc(u)
    MmaTranslator[Mma][LeafCount](u);
end proc:
```

4.0.3 Sympy grading function

```
#Dec 24, 2019. Nasser M. Abbasi:
#           Port of original Maple grading function by
#           Albert Rich to use with Sympy/Python
#Dec 27, 2019 Nasser. Added `RootSum`. See problem 177, Timofeev file
#           added 'exp_polar'
from sympy import *

def leaf_count(expr):
    #sympy do not have leaf count function. This is approximation
    return round(1.7*count_ops(expr))

def is_sqrt(expr):
    if isinstance(expr,Pow):
        if expr.args[1] == Rational(1,2):
            return True
        else:
            return False
    else:
        return False

def is_elementary_function(func):
    return func in [exp,log,ln,sin,cos,tan,cot,sec,csc,
        asin,acos,atan,acot,asec,acsc,sinh,cosh,tanh,coth,sech,csch,
        asinh,acosh,atanh,acoth,asech,acsch
        ]

def is_special_function(func):
    return func in [ erf,erfc,erfi,
        fresnels,fresnelc,Ei,Ei,Li,Si,Ci,Shi,Chi,
        gamma,loggamma,digamma,zeta,polylog,LambertW,
        elliptic_f,elliptic_e,elliptic_pi,exp_polar
        ]

def is_hypergeometric_function(func):
    return func in [hyper]

def is_appell_function(func):
    return func in [appellf1]
```

```

def is_atom(expn):
    try:
        if expn.isAtom or isinstance(expn,int) or isinstance(expn,float):
            return True
        else:
            return False

    except AttributeError as error:
        return False

def expnType(expn):
    debug=False
    if debug:
        print("expn=",expn,"type(expn)=",type(expn))

    if is_atom(expn):
        return 1
    elif isinstance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
            return 1
        else:
            return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
    elif isinstance(expn,Pow): #type(expn,'`^`')
        if isinstance(expn.args[1],Integer): #type(op(2,expn),'integer')
            return expnType(expn.args[0]) #ExpnType(op(1,expn))
        elif isinstance(expn.args[1],Rational): #type(op(2,expn),'rational')
            if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
                return 1
            else:
                return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)
    ))
    else:
        return max(3,expnType(expn.args[0]),expnType(expn.args[1])) #max(3,
    ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    elif isinstance(expn,Add) or isinstance(expn,Mul): #type(expn,'`+`') or type
    (expn,'`*`')
        m1 = expnType(expn.args[0])
        m2 = expnType(list(expn.args[1:]))
        return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
    elif is_elementary_function(expn.func): #ElementaryFunctionQ(op(0,expn))
        return max(3,expnType(expn.args[0])) #max(3,ExpnType(op(1,expn)))
    elif is_special_function(expn.func): #SpecialFunctionQ(op(0,expn))
        m1 = max(map(expnType, list(expn.args)))
        return max(4,m1) #max(4,apply(max,map(ExpnType,[op(expn)])))

```

```

elif is_hypergeometric_function(expn.func): #HypergeometricFunctionQ(op(0,
expn))
    m1 = max(map(expnType, list(expn.args)))
    return max(5,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
elif is_appell_function(expn.func):
    m1 = max(map(expnType, list(expn.args)))
    return max(6,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
elif isinstance(expn,RootSum):
    m1 = max(map(expnType, list(expn.args))) #Apply[Max,Append[Map[ExpnType,
Apply[List,expn]],7]],
    return max(7,m1)
elif str(expn).find("Integral") != -1:
    m1 = max(map(expnType, list(expn.args)))
    return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
else:
    return 9

#main function
def grade_antiderivative(result,optimal):

    leaf_count_result = leaf_count(result)
    leaf_count_optimal = leaf_count(optimal)

    expnType_result = expnType(result)
    expnType_optimal = expnType(optimal)

    if str(result).find("Integral") != -1:
        return "F"

    if expnType_result <= expnType_optimal:
        if result.has(I):
            if optimal.has(I): #both result and optimal complex
                if leaf_count_result <= 2*leaf_count_optimal:
                    return "A"
                else:
                    return "B"
            else: #result contains complex but optimal is not
                return "C"
        else: # result do not contain complex, this assumes optimal do not as
well
            if leaf_count_result <= 2*leaf_count_optimal:
                return "A"
            else:
                return "B"
    else:
        return "C"

```

4.0.4 SageMath grading function

```

#Dec 24, 2019. Nasser: Ported original Maple grading function by
#           Albert Rich to use with Sagemath. This is used to
#           grade Fracas, Giac and Maxima results.
#Dec 24, 2019. Nasser: Added 'exp_integral_e' and 'sng', 'sin_integral'
#           'arctan2', 'floor', 'abs', 'log_integral'

from sage.all import *
from sage.symbolic.operators import add_vararg, mul_vararg

debug=False;

def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)

def is_sqrt(expr):
    if expr.operator() == operator.pow: #isinstance(expr,Pow):
        if expr.operands()[1]==1/2: #expr.args[1] == Rational(1,2):
            if debug: print ("expr is sqrt")
            return True
        else:
            return False
    else:
        return False

def is_elementary_function(func):
    debug=False
    m = func.name() in ['exp','log','ln',
        'sin','cos','tan','cot','sec','csc',
        'arcsin','arccos','arctan','arccot','arcsec','arccsc',
        'sinh','cosh','tanh','coth','sech','csch',
        'arcsinh','arccosh','arctanh','arccoth','arcsech','arccsch','sgn',
        'arctan2','floor','abs'
    ]
    if debug:
        if m:

```

```

        print ("func ", func , " is elementary_function")
    else:
        print ("func ", func , " is NOT elementary_function")

    return m

def is_special_function(func):
    debug=False
    if debug: print ("type(func)=", type(func))

    m= func.name() in ['erf','erfc','erfi','fresnel_sin','fresnel_cos','Ei',
        'Ei','Li','Si','sin_integral','Ci','cos_integral','Shi','
sinh_integral'
        'Chi','cosh_integral','gamma','log_gamma','psi,zeta',
        'polylog','lambert_w','elliptic_f','elliptic_e',
        'elliptic_pi','exp_integral_e','log_integral']

    if debug:
        print ("m=",m)
        if m:
            print ("func ", func ," is special_function")
        else:
            print ("func ", func ," is NOT special_function")

    return m

def is_hypergeometric_function(func):
    return func.name() in ['hypergeometric','hypergeometric_M','hypergeometric_U
']

def is_appell_function(func):
    return func.name() in ['hypergeometric']    #[appellf1] can't find this in
sagemath

def is_atom(expn):

    debug=False
    if debug: print ("Enter is_atom")

    #thanks to answer at https://ask.sagemath.org/question/49179/what-is-sagemath-equivalent-to-atomic-type-in-maple/
    try:
        if expn.parent() is SR:

```



```

        return expn.operator() is None
    if expn.parent() in (ZZ, QQ, AA, QQbar):
        return expn in expn.parent() # Should always return True
    if hasattr(expn.parent(), "base_ring") and hasattr(expn.parent(), "gens"):
        return expn in expn.parent().base_ring() or expn in expn.parent().
gens()
    return False

except AttributeError as error:
    return False

def expnType(expn):

    if debug:
        print (">>>>Enter expnType, expn=", expn)
        print (">>>>is_atom(expn)=", is_atom(expn))

    if is_atom(expn):
        return 1
    elif type(expn)==list: #instance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if type(expn.operands()[0])==Rational: #type(instance(expn.args[0],
Rational):
            return 1
        else:
            return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.
args[0]))
    elif expn.operator() == operator.pow: #instance(expn,Pow)
        if type(expn.operands()[1])==Integer: #instance(expn.args[1],Integer)
            return expnType(expn.operands()[0]) #expnType(expn.args[0])
        elif type(expn.operands()[1])==Rational: #instance(expn.args[1],
Rational)
            if type(expn.operands()[0])==Rational: #instance(expn.args[0],
Rational)
                return 1
            else:
                return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.
args[0]))
        else:
            return max(3,expnType(expn.operands()[0]),expnType(expn.operands()
[1])) #max(3,expnType(expn.operands()[0]),expnType(expn.operands()[1]))
    elif expn.operator() == add_vararg or expn.operator() == mul_vararg: #
instance(expn,Add) or instance(expn,Mul)
        m1 = expnType(expn.operands()[0]) #expnType(expn.args[0])
        m2 = expnType(expn.operands()[1:]) #expnType(list(expn.args[1:]))

```

```

    return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
elif is_elementary_function(expn.operator()): #is_elementary_function(expn.
func)
    return max(3,expnType(expn.operands()[0]))
elif is_special_function(expn.operator()): #is_special_function(expn.func)
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
    return max(4,m1) #max(4,m1)
elif is_hypergeometric_function(expn.operator()): #
is_hypergeometric_function(expn.func)
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
    return max(5,m1) #max(5,m1)
elif is_appell_function(expn.operator()):
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
    return max(6,m1) #max(6,m1)
elif str(expn).find("Integral") != -1: #this will never happen, since it
#is checked before calling the grading function that is passed.
#but kept it here.
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
    return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
else:
    return 9

```

```
#main function
```

```
def grade_antiderivative(result,optimal):
```

```

    if debug: print ("Enter grade_antiderivative for sagemath")

    leaf_count_result = tree_size(result) #leaf_count(result)
    leaf_count_optimal = tree_size(optimal) #leaf_count(optimal)

    if debug: print ("leaf_count_result=", leaf_count_result, "
leaf_count_optimal=",leaf_count_optimal)

```

```

    expnType_result = expnType(result)
    expnType_optimal = expnType(optimal)

```

```

    if debug: print ("expnType_result=", expnType_result, "expnType_optimal=",
expnType_optimal)

```

```

    if expnType_result <= expnType_optimal:
        if result.has(I):
            if optimal.has(I): #both result and optimal complex

```

```
        if leaf_count_result <= 2*leaf_count_optimal:
            return "A"
        else:
            return "B"
    else: #result contains complex but optimal is not
        return "C"
else: # result do not contain complex, this assumes optimal do not as
well
    if leaf_count_result <= 2*leaf_count_optimal:
        return "A"
    else:
        return "B"
else:
    return "C"
```