

# Computer algebra independent integration tests

1-Algebraic-functions/1.1-Binomial-products/1.1.1-Linear/1.1.1.6-P-x-a+b-x-^m-c+d-x-^n-e+f-x-^p

Nasser M. Abbasi

June 28, 2021

Compiled on June 28, 2021 at 6:43pm

## Contents

<b>1</b>	<b>Introduction</b>	<b>3</b>
1.1	Listing of CAS systems tested . . . . .	3
1.2	Results . . . . .	3
1.3	Performance . . . . .	7
1.4	list of integrals that has no closed form antiderivative . . . . .	8
1.5	list of integrals solved by CAS but has no known antiderivative . . . . .	8
1.6	list of integrals solved by CAS but failed verification . . . . .	8
1.7	Timing . . . . .	9
1.8	Verification . . . . .	9
1.9	Important notes about some of the results . . . . .	9
1.9.1	Important note about Maxima results . . . . .	9
1.9.2	Important note about FriCAS and Giac/XCAS results . . . . .	10
1.9.3	Important note about finding leaf size of antiderivative . . . . .	10
1.9.4	Important note about Mupad results . . . . .	11
1.10	Design of the test system . . . . .	11
<b>2</b>	<b>detailed summary tables of results</b>	<b>13</b>
2.1	List of integrals sorted by grade for each CAS . . . . .	13
2.1.1	Rubi . . . . .	13
2.1.2	Mathematica . . . . .	13
2.1.3	Maple . . . . .	13
2.1.4	Maxima . . . . .	13
2.1.5	FriCAS . . . . .	14
2.1.6	Sympy . . . . .	14
2.1.7	Giac . . . . .	14
2.1.8	Mupad . . . . .	14
2.2	Detailed conclusion table per each integral for all CAS systems . . . . .	15
2.3	Detailed conclusion table specific for Rubi results . . . . .	28
<b>3</b>	<b>Listing of integrals</b>	<b>31</b>
3.1	$\int \sqrt{1-dx} \sqrt{1+dx} (e+fx)^3 (A+Bx+Cx^2) dx$ . . . . .	31
3.2	$\int \sqrt{1-dx} \sqrt{1+dx} (e+fx)^2 (A+Bx+Cx^2) dx$ . . . . .	39
3.3	$\int \sqrt{1-dx} \sqrt{1+dx} (e+fx) (A+Bx+Cx^2) dx$ . . . . .	45
3.4	$\int \sqrt{1-dx} \sqrt{1+dx} (A+Bx+Cx^2) dx$ . . . . .	49

3.5	$\int \frac{A+Bx+Cx^2}{\sqrt{1-dx} \sqrt{1+dx} (e+fx)} dx$	52
3.6	$\int \frac{A+Bx+Cx^2}{\sqrt{1-dx} \sqrt{1+dx} (e+fx)^2} dx$	58
3.7	$\int \frac{A+Bx+Cx^2}{\sqrt{1-dx} \sqrt{1+dx} (e+fx)^3} dx$	67
3.8	$\int \frac{(e+fx)^3 (A+Bx+Cx^2)}{\sqrt{1-dx} \sqrt{1+dx}} dx$	75
3.9	$\int \frac{(e+fx)^2 (A+Bx+Cx^2)}{\sqrt{1-dx} \sqrt{1+dx}} dx$	80
3.10	$\int \frac{(e+fx) (A+Bx+Cx^2)}{\sqrt{1-dx} \sqrt{1+dx}} dx$	85
3.11	$\int \frac{A+Bx+Cx^2}{\sqrt{1-dx} \sqrt{1+dx}} dx$	89
3.12	$\int \frac{A+Bx+Cx^2}{\sqrt{1-dx} \sqrt{1+dx} (e+fx)} dx$	92
3.13	$\int \frac{A+Bx+Cx^2}{\sqrt{1-dx} \sqrt{1+dx} (e+fx)^2} dx$	98
3.14	$\int \frac{A+Bx+Cx^2}{\sqrt{1-dx} \sqrt{1+dx} (e+fx)^3} dx$	107
3.15	$\int \frac{x(a+bx+cx^2)}{\sqrt{1-dx} \sqrt{1+dx}} dx$	115
3.16	$\int \frac{a+bx+cx^2}{\sqrt{1-dx} \sqrt{1+dx}} dx$	118
3.17	$\int \frac{a+bx+cx^2}{x\sqrt{1-dx} \sqrt{1+dx}} dx$	121
3.18	$\int \frac{a+bx+cx^2}{x^2\sqrt{1-dx} \sqrt{1+dx}} dx$	125
3.19	$\int \frac{a+bx+cx^2}{x^3\sqrt{1-dx} \sqrt{1+dx}} dx$	129
3.20	$\int \sqrt{a+bx} \sqrt{ac-bcx} (e+fx)^3 (A+Bx+Cx^2) dx$	133
3.21	$\int \sqrt{a+bx} \sqrt{ac-bcx} (e+fx)^2 (A+Bx+Cx^2) dx$	138
3.22	$\int \sqrt{a+bx} \sqrt{ac-bcx} (e+fx) (A+Bx+Cx^2) dx$	143
3.23	$\int \sqrt{a+bx} \sqrt{ac-bcx} (A+Bx+Cx^2) dx$	148
3.24	$\int \frac{A+Bx+Cx^2}{\sqrt{a+bx} \sqrt{ac-bcx} (e+fx)} dx$	152
3.25	$\int \frac{A+Bx+Cx^2}{\sqrt{a+bx} \sqrt{ac-bcx} (e+fx)^2} dx$	160
3.26	$\int \frac{A+Bx+Cx^2}{\sqrt{a+bx} \sqrt{ac-bcx} (e+fx)^3} dx$	164
3.27	$\int \frac{(e+fx)^3 (A+Bx+Cx^2)}{\sqrt{a+bx} \sqrt{ac-bcx}} dx$	173
3.28	$\int \frac{(e+fx)^2 (A+Bx+Cx^2)}{\sqrt{a+bx} \sqrt{ac-bcx}} dx$	180
3.29	$\int \frac{(e+fx) (A+Bx+Cx^2)}{\sqrt{a+bx} \sqrt{ac-bcx}} dx$	186
3.30	$\int \frac{A+Bx+Cx^2}{\sqrt{a+bx} \sqrt{ac-bcx}} dx$	190
3.31	$\int \frac{A+Bx+Cx^2}{\sqrt{a+bx} \sqrt{ac-bcx} (e+fx)} dx$	194
3.32	$\int \frac{A+Bx+Cx^2}{\sqrt{a+bx} \sqrt{ac-bcx} (e+fx)^2} dx$	202
3.33	$\int \frac{A+Bx+Cx^2}{\sqrt{a+bx} \sqrt{ac-bcx} (e+fx)^3} dx$	248
3.34	$\int \frac{x(a+bx+cx^2)}{\sqrt{-1+dx} \sqrt{1+dx}} dx$	256
3.35	$\int \frac{a+bx+cx^2}{\sqrt{-1+dx} \sqrt{1+dx}} dx$	260
3.36	$\int \frac{a+bx+cx^2}{x\sqrt{-1+dx} \sqrt{1+dx}} dx$	264
3.37	$\int \frac{a+bx+cx^2}{x^2\sqrt{-1+dx} \sqrt{1+dx}} dx$	268
3.38	$\int \frac{a+bx+cx^2}{x^3\sqrt{-1+dx} \sqrt{1+dx}} dx$	272

3.39	$\int \frac{a+bx+cx^2}{x^4\sqrt{-1+dx}\sqrt{1+dx}} dx$	276
3.40	$\int \frac{a+bx+cx^2}{\sqrt{-1+x}\sqrt{1+x}(d+ex)^3} dx$	280
3.41	$\int (a+bx)^2\sqrt{c+dx}\sqrt{e+fx}(A+Bx+Cx^2) dx$	288
3.42	$\int (a+bx)\sqrt{c+dx}\sqrt{e+fx}(A+Bx+Cx^2) dx$	297
3.43	$\int \sqrt{c+dx}\sqrt{e+fx}(A+Bx+Cx^2) dx$	305
3.44	$\int \frac{\sqrt{c+dx}\sqrt{e+fx}(A+Bx+Cx^2)}{a+bx} dx$	310
3.45	$\int \frac{\sqrt{c+dx}\sqrt{e+fx}(A+Bx+Cx^2)}{(a+bx)^2} dx$	316
3.46	$\int \frac{\sqrt{c+dx}\sqrt{e+fx}(A+Bx+Cx^2)}{(a+bx)^3} dx$	322
3.47	$\int \frac{(a+bx)^2\sqrt{c+dx}(A+Bx+Cx^2)}{\sqrt{e+fx}} dx$	330
3.48	$\int \frac{(a+bx)\sqrt{c+dx}(A+Bx+Cx^2)}{\sqrt{e+fx}} dx$	338
3.49	$\int \frac{\sqrt{c+dx}(A+Bx+Cx^2)}{\sqrt{e+fx}} dx$	344
3.50	$\int \frac{\sqrt{c+dx}(A+Bx+Cx^2)}{(a+bx)\sqrt{e+fx}} dx$	349
3.51	$\int \frac{\sqrt{c+dx}(A+Bx+Cx^2)}{(a+bx)^2\sqrt{e+fx}} dx$	354
3.52	$\int \frac{\sqrt{c+dx}(A+Bx+Cx^2)}{(a+bx)^3\sqrt{e+fx}} dx$	360
3.53	$\int \frac{\sqrt{c+dx}(A+Bx+Cx^2)}{(a+bx)^4\sqrt{e+fx}} dx$	367
3.54	$\int \frac{(a+bx)^2(A+Bx+Cx^2)}{\sqrt{c+dx}\sqrt{e+fx}} dx$	371
3.55	$\int \frac{(a+bx)(A+Bx+Cx^2)}{\sqrt{c+dx}\sqrt{e+fx}} dx$	378
3.56	$\int \frac{A+Bx+Cx^2}{\sqrt{c+dx}\sqrt{e+fx}} dx$	384
3.57	$\int \frac{A+Bx+Cx^2}{(a+bx)\sqrt{c+dx}\sqrt{e+fx}} dx$	388
3.58	$\int \frac{A+Bx+Cx^2}{(a+bx)^2\sqrt{c+dx}\sqrt{e+fx}} dx$	392
3.59	$\int \frac{A+Bx+Cx^2}{(a+bx)^3\sqrt{c+dx}\sqrt{e+fx}} dx$	397
3.60	$\int \frac{A+Bx+Cx^2}{(a+bx)^4\sqrt{c+dx}\sqrt{e+fx}} dx$	401
3.61	$\int \sqrt{a+bx}\sqrt{c+dx}\sqrt{e+fx}(A+Bx+Cx^2) dx$	405
3.62	$\int \frac{\sqrt{c+dx}\sqrt{e+fx}(A+Bx+Cx^2)}{\sqrt{a+bx}} dx$	410
3.63	$\int \frac{\sqrt{c+dx}\sqrt{e+fx}(A+Bx+Cx^2)}{(a+bx)^{3/2}} dx$	415
3.64	$\int \frac{\sqrt{c+dx}\sqrt{e+fx}(A+Bx+Cx^2)}{(a+bx)^{5/2}} dx$	420
3.65	$\int \frac{\sqrt{c+dx}\sqrt{e+fx}(A+Bx+Cx^2)}{(a+bx)^{7/2}} dx$	425
3.66	$\int \frac{\sqrt{c+dx}\sqrt{e+fx}(A+Bx+Cx^2)}{(a+bx)^{9/2}} dx$	430
3.67	$\int \frac{(a+bx)^{3/2}\sqrt{c+dx}(A+Bx+Cx^2)}{\sqrt{e+fx}} dx$	435
3.68	$\int \frac{\sqrt{a+bx}\sqrt{c+dx}(A+Bx+Cx^2)}{\sqrt{e+fx}} dx$	440
3.69	$\int \frac{\sqrt{c+dx}(A+Bx+Cx^2)}{\sqrt{a+bx}\sqrt{e+fx}} dx$	445
3.70	$\int \frac{\sqrt{c+dx}(A+Bx+Cx^2)}{(a+bx)^{3/2}\sqrt{e+fx}} dx$	450

3.71	$\int \frac{\sqrt{c+dx}(A+Bx+Cx^2)}{(a+bx)^{5/2}\sqrt{e+fx}} dx$	456
3.72	$\int \frac{\sqrt{c+dx}(A+Bx+Cx^2)}{(a+bx)^{7/2}\sqrt{e+fx}} dx$	461
3.73	$\int \frac{(a+bx)^{3/2}(A+Bx+Cx^2)}{\sqrt{c+dx}\sqrt{e+fx}} dx$	466
3.74	$\int \frac{\sqrt{a+bx}(A+Bx+Cx^2)}{\sqrt{c+dx}\sqrt{e+fx}} dx$	471
3.75	$\int \frac{A+Bx+Cx^2}{\sqrt{a+bx}\sqrt{c+dx}\sqrt{e+fx}} dx$	475
3.76	$\int \frac{A+Bx+Cx^2}{(a+bx)^{3/2}\sqrt{c+dx}\sqrt{e+fx}} dx$	480
3.77	$\int \frac{A+Bx+Cx^2}{(a+bx)^{5/2}\sqrt{c+dx}\sqrt{e+fx}} dx$	486
3.78	$\int \frac{A+Bx+Cx^2}{(a+bx)^{7/2}\sqrt{c+dx}\sqrt{e+fx}} dx$	491
<b>4</b>	<b>Listing of Grading functions</b>	<b>497</b>
4.0.1	Mathematica and Rubi grading function	497
4.0.2	Maple grading function	499
4.0.3	Sympy grading function	502
4.0.4	SageMath grading function	504

# Chapter 1

## Introduction

This report gives the result of running the computer algebra independent integration problems. The listing of the problems are maintained by and can be downloaded from <https://rulebasedintegration.org>

The number of integrals in this report is [ 78 ]. This is test number [ 17 ].

### 1.1 Listing of CAS systems tested

The following systems were tested at this time.

1. Mathematica 12.3 (64 bit) on windows 10.
2. Rubi 4.16.1 in Mathematica 12.1 on windows 10.
3. Maple 2021.1 (64 bit) on windows 10.
4. Maxima 5.44 on Linux. (via sagemath 9.3)
5. Fricas 1.3.7 on Linux (via sagemath 9.3)
6. Giac/Xcas 1.7 on Linux. (via sagemath 9.3)
7. Sympy 1.8 under Python 3.8.8 using Anaconda distribution on Ubuntu.
8. Mupad using Matlab 2021a with Symbolic Math Toolbox Version 8.7 under windows 10 (64 bit)

Maxima, Fricas and Giac/Xcas were called from inside SageMath. This was done using SageMath integrate command by changing the name of the algorithm to use the different CAS systems.

Sympy was called directly using Python.

### 1.2 Results

Important note: A number of problems in this test suite have no antiderivative in closed form. This means the antiderivative of these integrals can not be expressed in terms of elementary, special functions or Hypergeometric<sub>2</sub>F<sub>1</sub> functions. RootSum and RootOf are not allowed.

If a CAS returns the above integral unevaluated within the time limit, then the result is counted as passed and assigned an A grade.

However, if CAS times out, then it is assigned an F grade even if the integral is not integrable, as this implies CAS could not determine that the integral is not integrable in the time limit.

If a CAS returns an antiderivative to such an integral, it is assigned an A grade automatically and this special result is listed in the introduction section of each individual test report to make it easy to identify as this can be important result to investigate.

The results given in in the table below reflects the above.

System	solved	Failed
Rubi	% 100.00 ( 78 )	% 0.00 ( 0 )
Mathematica	% 100.00 ( 78 )	% 0.00 ( 0 )
Maple	% 100.00 ( 78 )	% 0.00 ( 0 )
Maxima	% 34.62 ( 27 )	% 65.38 ( 51 )
Fricas	% 56.41 ( 44 )	% 43.59 ( 34 )
Sympy	% 17.95 ( 14 )	% 82.05 ( 64 )
Giac	% 42.31 ( 33 )	% 57.69 ( 45 )
Mupad	% 51.28 ( 40 )	% 48.72 ( 38 )

Table 1.1: Percentage solved for each CAS

The table below gives additional break down of the grading of quality of the antiderivatives generated by each CAS. The grading is given using the letters A,B,C and F with A being the best quality. The grading is accomplished by comparing the antiderivative generated with the optimal antiderivatives included in the test suite. The following table describes the meaning of these grades.

grade	description
A	Integral was solved and antiderivative is optimal in quality and leaf size.
B	Integral was solved and antiderivative is optimal in quality but leaf size is larger than twice the optimal antiderivatives leaf size.
C	Integral was solved and antiderivative is non-optimal in quality. This can be due to one or more of the following reasons <ol style="list-style-type: none"> <li>1. antiderivative contains a hypergeometric function and the optimal antiderivative does not.</li> <li>2. antiderivative contains a special function and the optimal antiderivative does not.</li> <li>3. antiderivative contains the imaginary unit and the optimal antiderivative does not.</li> </ol>
F	Integral was not solved. Either the integral was returned unevaluated within the time limit, or it timed out, or CAS hanged or crashed or an exception was raised.


Table 1.2: Description of grading applied to integration result

Grading is implemented for all CAS systems. Based on the above, the following table summarizes the grading for this test suite.


System	% A grade	% B grade	% C grade	% F grade
Rubi	96.15	3.85	0.00	0.00
Mathematica	65.38	11.54	23.08	0.00
Maple	5.13	62.82	32.05	0.00
Maxima	33.33	1.28	0.00	65.38
Fricas	47.44	8.97	0.00	43.59
Sympy	0.00	0.00	17.95	82.05
Giac	20.51	21.79	0.00	57.69
Mupad	0.00	51.28	0.00	48.72

Table 1.3: Antiderivative Grade distribution of each CAS

The following is a Bar chart illustration of the data in the above table.



The figure below compares the CAS systems for each grade level.



The following table shows the distribution of the different types of failure for each CAS. There are 3 types of reasons why it can fail. The first is when CAS returns back the input within the time limit, which means it could not solve it. This the typical normal failure F .

The second is due to time out. CAS could not solve the integral within the 3 minutes time limit which is assigned F(-1).

The third is due to an exception generated. Assigned F(-2). This most likely indicates an interface problem between sagemath and the CAS (applicable only to FriCAS, Maxima and Giac) or it could be an indication of an internal error in CAS. This type of error requires more investigations to determine the cause.

System	Number failed	Percentage normal failure	Percentage time-out failure	Percentage exception failure
Rubi	0	0.00 %	0.00 %	0.00 %
Mathematica	0	0.00 %	0.00 %	0.00 %
Maple	0	0.00 %	0.00 %	0.00 %
Maxima	51	35.29 %	0.00 %	64.71 %
Fricas	34	52.94 %	47.06 %	0.00 %
Sympy	64	23.44 %	76.56 %	0.00 %
Giac	45	33.33 %	37.78 %	28.89 %
Mupad	38	47.37 %	52.63 %	0.00 %

Table 1.4: Time and leaf size performance for each CAS




## 1.3 Performance


The table below summarizes the performance of each CAS system in terms of CPU time and leaf size of results.

System	Mean time (sec)	Mean size	Normalized mean	Median size	Normalized median
Rubi	1.05	438.29	1.08	350.50	1.00
Mathematica	4.26	1396.40	1.96	367.00	1.09
Maple	0.06	5530.67	7.88	1315.50	3.90
Maxima	1.64	187.07	0.99	100.00	1.01
Fricas	8.30	618.57	2.14	393.00	1.48
Sympy	72.14	284.86	3.85	261.00	4.16
Giac	8.41	1314.55	3.20	605.00	1.70
Mupad	29.97	5830.02	22.96	1748.50	6.53

Table 1.5: Time and leaf size performance for each CAS

The following are bar charts for the normalized leafsize and time used columns from the above table.





## 1.4 list of integrals that has no closed form antiderivative

{}

## 1.5 list of integrals solved by CAS but has no known antiderivative

Rubi {}

Mathematica {}

Maple {}

Maxima {}

Fricas {}

Sympy {}

Giac {}

Mupad {}

## 1.6 list of integrals solved by CAS but failed verification

The following are integrals solved by CAS but the verification phase failed to verify the anti-derivative produced is correct. This does not mean necessarily that the anti-derivative is wrong, as additional methods of verification might be needed, or more time is needed (3 minutes time limit was used). These integrals are listed here to make it easier to do further investigation to determine why it was not possible to verify the result produced.

Rubi {}

Mathematica {34, 35, 36, 37, 40, 45, 46, 65, 66, 72, 78}

Maple Verification phase not implemented yet.

Maxima Verification phase not implemented yet.

Fricas Verification phase not implemented yet.

**Sympy** Verification phase not implemented yet.

**Giac** Verification phase not implemented yet.

**Mupad** Verification phase not implemented yet.

## 1.7 Timing

The command `AbsoluteTiming[]` was used in Mathematica to obtain the elapsed time for each integrate call. In Maple, the command `Usage` was used as in the following example

```
cpu_time := Usage(assign ('result_of _int',int(expr,x)),output='realtime')
```

For all other CAS systems, the elapsed time to complete each integral was found by taking the difference between the time after the call has completed from the time before the call was made. This was done using Python's `time.time()` call.

All elapsed times shown are in seconds. A time limit of 3 minutes was used for each integral. If the integrate command did not complete within this time limit, the integral was aborted and considered to have failed and assigned an F grade. The time used by failed integrals due to time out is not counted in the final statistics.

## 1.8 Verification

A verification phase was applied on the result of integration for Rubi and Mathematica. Future version of this report will implement verification for the other CAS systems. For the integrals whose result was not run through a verification phase, it is assumed that the antiderivative produced was correct.

Verification phase has 3 minutes time out. An integral whose result was not verified could still be correct. Further investigation is needed on those integrals which failed verifications. Such integrals are marked in the summary table below and also in each integral separate section so they are easy to identify and locate.

## 1.9 Important notes about some of the results

### 1.9.1 Important note about Maxima results

Since these integrals are run in a batch mode, using an automated script, and by using `sagemath` (SageMath uses Maxima), then any integral where Maxima needs an interactive response from the user to answer a question during evaluation of the integral in order to complete the integration, will fail and is counted as failed.

The exception raised is `ValueError`. Therefore Maxima result below is lower than what could result if Maxima was run directly and each question Maxima asks was answered correctly.

The percentage of such failures were not counted for each test file, but for an example, for the Timofeev test file, there were about 14 such integrals out of total 705, or about 2 percent. This percentage can be higher or lower depending on the specific input test file.

Such integrals can be identified by looking at the output of the integration in each section for Maxima. The exception message will indicate of the error is due to the interactive question being asked or not.

Maxima integrate was run using SageMath with the following settings set by default

```
'besselexpand : true'
'display2d : false'
'domain : complex'
'keepfloat : true'
```

```
'load(to_poly_solve)'
'load(simplify_sum)'
'load(abs_integrate)' 'load(diag)'
```

SageMath loading of Maxima `abs_integrate` was found to cause some problem. So the following code was added to disable this effect.

```
from sage.interfaces.maxima_lib import maxima_lib
maxima_lib.set('extra_definite_integration_methods', '[]')
maxima_lib.set('extra_integration_methods', '[]')
```

See <https://ask.sagemath.org/question/43088/integrate-results-that-are-different-from-using-maxima/> for reference.

## 1.9.2 Important note about FriCAS and Giac/X-CAS results

There are Few integrals which failed due to SageMath not able to translate the result back to SageMath syntax and not because these CAS system were not able to do the integrations.

These will fail With error `Exception raised: NotImplementedError`

The number of such cases seems to be very small. About 1 or 2 percent of all integrals.

Hopefully the next version of SageMath will have complete translation of FriCAS and XCAS syntax and I will re-run all the tests again when this happens.

## 1.9.3 Important note about finding leaf size of antiderivative

For Mathematica, Rubi and Maple, the builtin system function `LeafSize` is used to find the leaf size of each antiderivative.

The other CAS systems (SageMath and Sympy) do not have special builtin function for this purpose at this time. Therefore the leaf size for Fricas and Sympy and Giac antiderivatives is determined using the following function, thanks to user `slelievre` at [https://ask.sagemath.org/question/57123/could-we-have-a-leaf\\_count-function-in-base-sagemath/](https://ask.sagemath.org/question/57123/could-we-have-a-leaf_count-function-in-base-sagemath/)

```
def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)
```

For Sympy, which is called directly from Python, the following code is used to obtain the leafsize of its result

```
try:
    # 1.7 is a fudge factor since it is low side from actual leaf count
    leafCount = round(1.7*count_ops(anti))

except Exception as ee:
    leafCount = 1
```

## 1.9.4 Important note about Mupad results

Matlab's symbolic toolbox does not have a leaf count function to measure the size of the antiderivative, Maple was used to determine the leaf size of Mupad output by post processing.

Currently no grading of the antiderivative for Mupad is implemented. If it can integrate the problem, it was assigned a B grade automatically as a placeholder. In the future, when grading function is implemented for Mupad, the tests will be rerun again.


The following is an example of using Matlab's symbolic toolbox (Mupad) to solve an integral

```
integrand = evalin(symengine,'cos(x)*sin(x)')
the_variable = evalin(symengine,'x')
anti = int(integrand,the_variable)
```

Which gives  $\sin(x)^2/2$

## 1.10 Design of the test system

The following diagram gives a high level view of the current test build system.



**One record (line) per one integral result. The line is CSV comma separated. This is description of each record**

1. integer. the problem number.
2. integer. 0 for failed, 1 for passed, -1 for timeout, -2 for CAS specific exception. (this is not the grade field)
3. integer. Leaf size of result.
4. integer. Leaf size of the optimal antiderivative.
5. number. CPU time used to solve this integral. 0 if failed.
6. string. The integral in Latex format
7. string. The input used in CAS own syntax.
8. string. The result (antiderivative) produced by CAS in Latex format
9. string. The optimal antiderivative in Latex format.
10. integer. 0 or 1. Indicates if problem has known antiderivative or not
11. String. The result (antiderivative) in CAS own syntax.
12. String. The grade of the antiderivative. Can be "A", "B", "C", or "F"
- The following field present only in Rubi and Mathematica Tables*
13. integer. 1 if result was verified or 0 if not verified.
- The following fields present only in Rubi Tables*
14. integer. Number of rules used.
15. integer. Integrand leaf size.
16. real number. Ratio of field 14 over field 15
17. integer. 1 if result was verified or 0 if not verified.
18. String of form "{n,n,..}" which is list of the rules used by Rubi

**High level overview of the CAS independent integration test build system**



# Chapter 2

## detailed summary tables of results

### 2.1 List of integrals sorted by grade for each CAS

#### 2.1.1 Rubi

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78 }

B grade: { 35, 36, 37 }

C grade: { }

F grade: { }

#### 2.1.2 Mathematica

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 37, 38, 39, 40, 43, 48, 49, 50, 51, 52, 53, 55, 56, 57, 58, 59, 60 }

B grade: { 35, 36, 41, 42, 44, 45, 46, 47, 54 }

C grade: { 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78 }

F grade: { }

#### 2.1.3 Maple

A grade: { 23, 28, 29, 30 }

B grade: { 20, 21, 22, 24, 25, 26, 27, 31, 32, 33, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78 }

C grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 34, 35, 36, 37, 38, 39 }

F grade: { }

#### 2.1.4 Maxima

A grade: { 1, 2, 3, 4, 8, 9, 10, 11, 15, 16, 17, 18, 19, 20, 21, 22, 23, 27, 28, 29, 30, 34, 36, 37, 38, 39 }

B grade: { 35 }

C grade: { }

F grade: { 5, 6, 7, 12, 13, 14, 24, 25, 26, 31, 32, 33, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78 }

## 2.1.5 FriCAS

A grade: { 1, 2, 3, 4, 8, 9, 10, 11, 15, 16, 17, 18, 19, 20, 21, 22, 23, 26, 27, 28, 29, 30, 34, 35, 36, 37, 38, 39, 41, 42, 43, 47, 48, 49, 54, 55, 56 }

B grade: { 5, 6, 7, 12, 13, 14, 40 }

C grade: { }

F grade: { 24, 25, 31, 32, 33, 44, 45, 46, 50, 51, 52, 53, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78 }

## 2.1.6 Sympy

A grade: { }

B grade: { }

C grade: { 10, 11, 15, 16, 17, 18, 19, 30, 34, 35, 36, 37, 38, 39 }

F grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 12, 13, 14, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 31, 32, 33, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78 }

## 2.1.7 Giac

A grade: { 8, 9, 10, 11, 15, 16, 34, 35, 36, 37, 47, 48, 49, 54, 55, 56 }

B grade: { 1, 2, 3, 4, 26, 33, 38, 39, 40, 41, 42, 43, 45, 46, 51, 52, 58 }

C grade: { }

F grade: { 5, 6, 7, 12, 13, 14, 17, 18, 19, 20, 21, 22, 23, 24, 25, 27, 28, 29, 30, 31, 32, 44, 50, 53, 57, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78 }

## 2.1.8 Mupad

A grade: { }

B grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 23, 24, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 49, 55, 56 }

C grade: { }

F grade: { 20, 21, 25, 41, 42, 43, 44, 45, 46, 47, 48, 50, 51, 52, 53, 54, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78 }



## 2.2 Detailed conclusion table per each integral for all CAS systems

Detailed conclusion table per each integral is given by table below. The elapsed time is in seconds. For failed result it is given as F(-1) if the failure was due to timeout. It is given as F(-2) if the failure was due to an exception being raised, which could indicate a bug in the system. If the failure was due to integral not being evaluated within the time limit, then it is given just an F.

In this table, the column **normalized size** is defined as  $\frac{\text{antiderivative leaf size}}{\text{optimal antiderivative leaf size}}$

Problem 1	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	A	A	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	415	415	355	959	444	406	0	1948	3993
normalized size	1	1.00	0.86	2.31	1.07	0.98	0.00	4.69	9.62
time (sec)	N/A	0.673	0.544	0.035	1.002	1.193	0.000	3.113	47.789
Problem 2	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	A	A	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	286	286	244	652	307	279	0	1327	2920
normalized size	1	1.00	0.85	2.28	1.07	0.98	0.00	4.64	10.21
time (sec)	N/A	0.563	0.349	0.018	1.006	0.995	0.000	2.581	36.028
Problem 3	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	A	A	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	168	170	141	377	174	170	0	782	736
normalized size	1	1.01	0.84	2.24	1.04	1.01	0.00	4.65	4.38
time (sec)	N/A	0.250	0.212	0.013	1.070	0.905	0.000	1.996	12.065
Problem 4	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	A	A	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	95	95	71	185	93	95	0	336	361
normalized size	1	1.00	0.75	1.95	0.98	1.00	0.00	3.54	3.80
time (sec)	N/A	0.073	0.064	0.012	0.981	0.954	0.000	1.536	7.209
Problem 5	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F(-2)	B	F(-1)	F(-2)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	122	122	117	373	0	493	0	0	5803
normalized size	1	1.00	0.96	3.06	0.00	4.04	0.00	0.00	47.57
time (sec)	N/A	0.311	0.150	0.049	0.000	15.087	0.000	0.000	25.801

Problem 6	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F(-2)	B	F(-1)	F(-2)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	163	163	211	899	0	1025	0	0	10198
normalized size	1	1.00	1.29	5.52	0.00	6.29	0.00	0.00	62.56
time (sec)	N/A	0.331	0.473	0.039	0.000	58.600	0.000	0.000	52.173
Problem 7	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F(-2)	B	F(-1)	F(-2)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	248	248	273	1449	0	1580	0	0	9097
normalized size	1	1.00	1.10	5.84	0.00	6.37	0.00	0.00	36.68
time (sec)	N/A	0.355	0.416	0.050	0.000	1.073	0.000	0.000	59.182
Problem 8	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	340	340	241	643	355	286	0	427	2606
normalized size	1	1.00	0.71	1.89	1.04	0.84	0.00	1.26	7.66
time (sec)	N/A	0.633	0.392	0.029	1.045	1.120	0.000	1.819	35.295
Problem 9	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	228	228	160	423	231	192	0	277	1732
normalized size	1	1.00	0.70	1.86	1.01	0.84	0.00	1.21	7.60
time (sec)	N/A	0.493	0.221	0.028	1.273	0.777	0.000	1.643	33.636
Problem 10	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	A	A	C	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	130	133	88	235	131	114	617	146	492
normalized size	1	1.02	0.68	1.81	1.01	0.88	4.75	1.12	3.78
time (sec)	N/A	0.230	0.104	0.023	1.315	0.635	158.075	1.310	12.857
Problem 11	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	A	A	C	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	63	63	45	117	57	67	282	76	232
normalized size	1	1.00	0.71	1.86	0.90	1.06	4.48	1.21	3.68
time (sec)	N/A	0.061	0.036	0.017	1.416	0.946	49.744	1.286	7.525

Problem 12	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F(-2)	B	F(-1)	F(-2)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	122	122	117	373	0	493	0	0	5803
normalized size	1	1.00	0.96	3.06	0.00	4.04	0.00	0.00	47.57
time (sec)	N/A	0.283	0.131	0.000	0.000	15.017	0.000	0.000	0.005
Problem 13	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F(-2)	B	F(-1)	F(-2)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	163	163	211	899	0	1025	0	0	10198
normalized size	1	1.00	1.29	5.52	0.00	6.29	0.00	0.00	62.56
time (sec)	N/A	0.295	0.431	0.000	0.000	59.963	0.000	0.000	0.008
Problem 14	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F(-2)	B	F(-1)	F(-2)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	248	248	273	1449	0	1580	0	0	9097
normalized size	1	1.00	1.10	5.84	0.00	6.37	0.00	0.00	36.68
time (sec)	N/A	0.329	0.384	0.000	0.000	0.866	0.000	0.000	0.007
Problem 15	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	A	A	C	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	79	79	57	139	87	78	313	101	244
normalized size	1	1.00	0.72	1.76	1.10	0.99	3.96	1.28	3.09
time (sec)	N/A	0.139	0.068	0.000	1.270	0.805	82.521	1.305	7.606
Problem 16	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	A	A	C	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	63	63	45	117	57	67	282	76	232
normalized size	1	1.00	0.71	1.86	0.90	1.06	4.48	1.21	3.68
time (sec)	N/A	0.061	0.034	0.000	1.281	0.917	49.685	1.324	7.411
Problem 17	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	A	A	C	F(-2)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	48	48	48	96	57	81	245	0	122
normalized size	1	1.00	1.00	2.00	1.19	1.69	5.10	0.00	2.54
time (sec)	N/A	0.183	0.055	0.001	1.275	0.847	55.715	0.000	4.331

Problem 18	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	A	A	C	F(-2)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	48	48	48	97	57	84	221	0	114
normalized size	1	1.00	1.00	2.02	1.19	1.75	4.60	0.00	2.38
time (sec)	N/A	0.176	0.061	0.000	1.325	0.952	50.054	0.000	4.266
Problem 19	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	A	A	C	F(-2)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	71	71	56	108	98	65	218	0	312
normalized size	1	1.00	0.79	1.52	1.38	0.92	3.07	0.00	4.39
time (sec)	N/A	0.184	0.049	0.000	1.285	0.975	80.629	0.000	6.304
Problem 20	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	591	584	427	1446	584	1001	0	0	-1
normalized size	1	0.99	0.72	2.45	0.99	1.69	0.00	0.00	-0.00
time (sec)	N/A	1.517	1.463	0.043	1.461	1.043	0.000	0.000	0.000
Problem 21	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	451	450	311	987	417	703	0	0	-1
normalized size	1	1.00	0.69	2.19	0.92	1.56	0.00	0.00	-0.00
time (sec)	N/A	1.010	1.016	0.018	2.067	1.015	0.000	0.000	0.000
Problem 22	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	F	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	300	297	200	588	248	441	0	0	1765
normalized size	1	0.99	0.67	1.96	0.83	1.47	0.00	0.00	5.88
time (sec)	N/A	0.446	0.682	0.014	2.255	0.973	0.000	0.000	30.577
Problem 23	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	221	221	142	287	140	265	0	0	876
normalized size	1	1.00	0.64	1.30	0.63	1.20	0.00	0.00	3.96
time (sec)	N/A	0.147	0.408	0.013	2.028	0.895	0.000	0.000	16.517

Problem 24	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	F(-1)	F(-1)	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	278	278	225	503	0	0	0	0	9298
normalized size	1	1.00	0.81	1.81	0.00	0.00	0.00	0.00	33.45
time (sec)	N/A	0.490	0.768	0.069	0.000	0.000	0.000	0.000	44.562
Problem 25	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	F(-1)	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	322	322	309	1200	0	0	0	0	-1
normalized size	1	1.00	0.96	3.73	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.579	0.852	0.044	0.000	0.000	0.000	0.000	0.000
Problem 26	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	A	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	363	361	492	1848	0	1355	0	1658	9344
normalized size	1	0.99	1.36	5.09	0.00	3.73	0.00	4.57	25.74
time (sec)	N/A	0.677	1.795	0.057	0.000	147.153	0.000	7.021	86.666
Problem 27	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	F(-1)	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	501	496	727	965	471	700	0	0	4167
normalized size	1	0.99	1.45	1.93	0.94	1.40	0.00	0.00	8.32
time (sec)	N/A	1.281	4.902	0.031	1.972	0.780	0.000	0.000	161.428
Problem 28	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	368	369	555	635	317	482	0	0	2799
normalized size	1	1.00	1.51	1.73	0.86	1.31	0.00	0.00	7.61
time (sec)	N/A	0.875	2.684	0.029	2.021	1.040	0.000	0.000	81.648
Problem 29	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	246	249	390	365	189	302	0	0	1011
normalized size	1	1.01	1.59	1.48	0.77	1.23	0.00	0.00	4.11
time (sec)	N/A	0.400	1.429	0.026	2.055	0.750	0.000	0.000	30.743

Problem 30	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	C	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	177	177	169	180	88	196	338	0	489
normalized size	1	1.00	0.95	1.02	0.50	1.11	1.91	0.00	2.76
time (sec)	N/A	0.124	0.437	0.020	2.501	0.898	56.834	0.000	14.952
Problem 31	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	F(-1)	F(-1)	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	278	278	225	503	0	0	0	0	9298
normalized size	1	1.00	0.81	1.81	0.00	0.00	0.00	0.00	33.45
time (sec)	N/A	0.464	0.711	0.000	0.000	0.000	0.000	0.000	0.008
Problem 32	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	F(-1)	F(-1)	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	322	322	309	1200	0	0	0	0	106511
normalized size	1	1.00	0.96	3.73	0.00	0.00	0.00	0.00	330.78
time (sec)	N/A	0.530	0.794	0.000	0.000	0.000	0.000	0.000	19.397
Problem 33	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	F(-1)	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	363	361	492	1848	0	0	0	1658	9344
normalized size	1	0.99	1.36	5.09	0.00	0.00	0.00	4.57	25.74
time (sec)	N/A	0.588	1.310	0.000	0.000	0.000	0.000	9.490	0.008
Problem 34	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	A	A	C	A	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	87	151	149	137	100	73	308	105	318
normalized size	1	1.74	1.71	1.57	1.15	0.84	3.54	1.21	3.66
time (sec)	N/A	0.146	0.358	0.000	1.020	1.445	80.462	1.457	14.762
Problem 35	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	B	B	C	B	A	C	A	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	52	135	126	120	90	61	277	80	312
normalized size	1	2.60	2.42	2.31	1.73	1.17	5.33	1.54	6.00
time (sec)	N/A	0.071	0.222	0.000	1.107	1.277	48.757	1.386	14.587

Problem 36	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	B	B	C	A	A	C	A	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	55	135	128	95	56	73	240	71	118
normalized size	1	2.45	2.33	1.73	1.02	1.33	4.36	1.29	2.15
time (sec)	N/A	0.185	0.421	0.000	2.343	1.666	47.371	1.366	5.391
Problem 37	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	B	A	C	A	A	C	A	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	55	135	89	96	56	82	216	83	118
normalized size	1	2.45	1.62	1.75	1.02	1.49	3.93	1.51	2.15
time (sec)	N/A	0.180	0.182	0.001	2.348	1.117	45.808	1.517	5.151
Problem 38	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	A	A	C	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	83	129	82	103	61	69	212	145	316
normalized size	1	1.55	0.99	1.24	0.73	0.83	2.55	1.75	3.81
time (sec)	N/A	0.191	0.125	0.000	2.468	1.122	75.514	1.442	12.773
Problem 39	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	A	A	C	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	116	171	94	123	86	90	219	197	304
normalized size	1	1.47	0.81	1.06	0.74	0.78	1.89	1.70	2.62
time (sec)	N/A	0.217	0.124	0.000	3.046	0.640	128.739	1.403	11.819
Problem 40	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	B	F(-1)	B	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	199	242	343	1095	0	1186	0	605	7235
normalized size	1	1.22	1.72	5.50	0.00	5.96	0.00	3.04	36.36
time (sec)	N/A	0.328	0.761	0.053	0.000	1.062	0.000	3.245	66.847
Problem 41	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	F(-2)	A	F(-1)	B	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	1348	1345	3599	6728	0	3096	0	4708	-1
normalized size	1	1.00	2.67	4.99	0.00	2.30	0.00	3.49	-0.00
time (sec)	N/A	2.366	7.131	0.053	0.000	6.800	0.000	6.328	0.000

Problem 42	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	F(-2)	A	F	B	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	721	719	2722	3571	0	1620	0	2643	-1
normalized size	1	1.00	3.78	4.95	0.00	2.25	0.00	3.67	-0.00
time (sec)	N/A	0.963	6.606	0.024	0.000	2.724	0.000	3.389	0.000
Problem 43	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	A	F	B	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	330	330	306	1431	0	840	0	1103	-1
normalized size	1	1.00	0.93	4.34	0.00	2.55	0.00	3.34	-0.00
time (sec)	N/A	0.298	1.716	0.020	0.000	1.411	0.000	2.334	0.000
Problem 44	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	F(-2)	F(-1)	F	F(-2)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	450	453	1936	4227	0	0	0	0	-1
normalized size	1	1.01	4.30	9.39	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.369	6.215	0.051	0.000	0.000	0.000	0.000	0.000
Problem 45	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	F(-2)	F(-1)	F(-1)	B	F(-1)
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	521	521	2532	5051	0	0	0	1585	-1
normalized size	1	1.00	4.86	9.69	0.00	0.00	0.00	3.04	-0.00
time (sec)	N/A	1.696	6.375	0.048	0.000	0.000	0.000	13.122	0.000
Problem 46	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	F(-2)	F(-1)	F(-1)	B	F(-1)
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	658	657	2150	12065	0	0	0	8347	-1
normalized size	1	1.00	3.27	18.34	0.00	0.00	0.00	12.69	-0.00
time (sec)	N/A	2.680	6.443	0.072	0.000	0.000	0.000	39.569	0.000
Problem 47	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	F(-2)	A	F(-1)	A	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	1032	1032	3220	3958	0	2176	0	1505	-1
normalized size	1	1.00	3.12	3.84	0.00	2.11	0.00	1.46	-0.00
time (sec)	N/A	1.788	6.702	0.046	0.000	15.238	0.000	2.759	0.000



Problem 48	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	A	F(-1)	A	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	540	540	478	2002	0	1114	0	736	-1
normalized size	1	1.00	0.89	3.71	0.00	2.06	0.00	1.36	-0.00
time (sec)	N/A	0.713	3.539	0.030	0.000	3.381	0.000	1.819	0.000
Problem 49	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	246	246	225	763	0	576	0	315	1832
normalized size	1	1.00	0.91	3.10	0.00	2.34	0.00	1.28	7.45
time (sec)	N/A	0.230	1.070	0.024	0.000	1.472	0.000	1.348	90.550
Problem 50	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	F(-1)	F	F(-2)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	290	290	465	1822	0	0	0	0	-1
normalized size	1	1.00	1.60	6.28	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.672	3.449	0.039	0.000	0.000	0.000	0.000	0.000
Problem 51	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	F(-1)	F(-1)	B	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	364	364	417	3670	0	0	0	1388	-1
normalized size	1	1.00	1.15	10.08	0.00	0.00	0.00	3.81	-0.00
time (sec)	N/A	1.097	2.396	0.049	0.000	0.000	0.000	10.820	0.000
Problem 52	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	F(-1)	F(-1)	B	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	484	484	523	9100	0	0	0	8004	-1
normalized size	1	1.00	1.08	18.80	0.00	0.00	0.00	16.54	-0.00
time (sec)	N/A	1.563	5.675	0.095	0.000	0.000	0.000	134.872	0.000
Problem 53	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	F(-1)	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	685	685	729	15990	0	0	0	0	-1
normalized size	1	1.00	1.06	23.34	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.778	6.336	0.159	0.000	0.000	0.000	0.000	0.000

Problem 54	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	F(-2)	A	F(-1)	A	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	718	715	2195	2528	0	1436	0	951	-1
normalized size	1	1.00	3.06	3.52	0.00	2.00	0.00	1.32	-0.00
time (sec)	N/A	1.336	6.487	0.046	0.000	6.271	0.000	2.512	0.000
Problem 55	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	A	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	371	369	379	1199	0	720	0	447	2621
normalized size	1	0.99	1.02	3.23	0.00	1.94	0.00	1.20	7.06
time (sec)	N/A	0.509	1.963	0.033	0.000	1.594	0.000	1.968	105.189
Problem 56	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	A	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	164	164	173	425	0	380	0	194	833
normalized size	1	1.00	1.05	2.59	0.00	2.32	0.00	1.18	5.08
time (sec)	N/A	0.149	0.792	0.023	0.000	0.807	0.000	1.216	25.888
Problem 57	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	F(-1)	F	F(-2)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	188	188	304	746	0	0	0	0	-1
normalized size	1	1.00	1.62	3.97	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.341	0.938	0.034	0.000	0.000	0.000	0.000	0.000
Problem 58	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	F(-1)	F(-1)	B	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	254	254	325	2973	0	0	0	1356	-1
normalized size	1	1.00	1.28	11.70	0.00	0.00	0.00	5.34	-0.00
time (sec)	N/A	0.638	1.863	0.059	0.000	0.000	0.000	9.374	0.000
Problem 59	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	F(-1)	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	424	424	512	7119	0	0	0	0	-1
normalized size	1	1.00	1.21	16.79	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.967	2.090	0.130	0.000	0.000	0.000	0.000	0.000

Problem 60	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	F(-1)	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	826	826	794	18802	0	0	0	0	-1
normalized size	1	1.00	0.96	22.76	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	2.433	6.107	0.312	0.000	0.000	0.000	0.000	0.000
Problem 61	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	1182	1154	11933	14778	0	0	0	0	-1
normalized size	1	0.98	10.10	12.50	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	4.166	17.301	0.094	0.000	0.952	0.000	0.000	0.000
Problem 62	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	774	769	917	10268	0	0	0	0	-1
normalized size	1	0.99	1.18	13.27	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	2.230	13.389	0.050	0.000	0.818	0.000	0.000	0.000
Problem 63	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	706	706	633	6265	0	0	0	0	-1
normalized size	1	1.00	0.90	8.87	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.845	8.125	0.060	0.000	0.872	0.000	0.000	0.000
Problem 64	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	687	687	938	16172	0	0	0	0	-1
normalized size	1	1.00	1.37	23.54	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.903	13.300	0.111	0.000	0.913	0.000	0.000	0.000
Problem 65	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	964	964	9529	34389	0	0	0	0	-1
normalized size	1	1.00	9.88	35.67	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	3.116	16.421	0.235	0.000	1.044	0.000	0.000	0.000

Problem 66	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	1716	1716	15719	68345	0	0	0	0	-1
normalized size	1	1.00	9.16	39.83	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	7.045	18.556	0.398	0.000	0.944	0.000	0.000	0.000
Problem 67	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	1235	1235	12483	15855	0	0	0	0	-1
normalized size	1	1.00	10.11	12.84	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	4.395	17.635	0.069	0.000	1.069	0.000	0.000	0.000
Problem 68	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	766	766	922	9543	0	0	0	0	-1
normalized size	1	1.00	1.20	12.46	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	2.061	12.907	0.045	0.000	0.846	0.000	0.000	0.000
Problem 69	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	527	527	562	6049	0	0	0	0	-1
normalized size	1	1.00	1.07	11.48	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.980	9.627	0.038	0.000	0.943	0.000	0.000	0.000
Problem 70	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	540	540	551	4732	0	0	0	0	-1
normalized size	1	1.00	1.02	8.76	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.111	6.735	0.049	0.000	0.666	0.000	0.000	0.000
Problem 71	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	597	596	724	13614	0	0	0	0	-1
normalized size	1	1.00	1.21	22.80	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.359	11.757	0.108	0.000	0.605	0.000	0.000	0.000

Problem 72	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	1034	1034	9186	33007	0	0	0	0	-1
normalized size	1	1.00	8.88	31.92	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	3.160	16.094	0.315	0.000	0.611	0.000	0.000	0.000
Problem 73	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	838	831	1000	10546	0	0	0	0	-1
normalized size	1	0.99	1.19	12.58	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	2.167	13.872	0.068	0.000	0.579	0.000	0.000	0.000
Problem 74	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	528	524	615	6174	0	0	0	0	-1
normalized size	1	0.99	1.16	11.69	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.028	8.033	0.039	0.000	0.556	0.000	0.000	0.000
Problem 75	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	387	384	418	2497	0	0	0	0	-1
normalized size	1	0.99	1.08	6.45	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.505	6.072	0.035	0.000	0.534	0.000	0.000	0.000
Problem 76	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	422	422	477	3984	0	0	0	0	-1
normalized size	1	1.00	1.13	9.44	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.691	5.442	0.052	0.000	0.552	0.000	0.000	0.000
Problem 77	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	642	642	699	12988	0	0	0	0	-1
normalized size	1	1.00	1.09	20.23	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.517	10.908	0.140	0.000	0.585	0.000	0.000	0.000

Problem 78	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	1116	1116	8844	34102	0	0	0	0	-1
normalized size	1	1.00	7.92	30.56	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	3.342	16.224	0.354	0.000	0.601	0.000	0.000	0.000

## 2.3 Detailed conclusion table specific for Rubi results

The following table is specific to Rubi. It gives additional statistics for each integral. the column **steps** is the number of steps used by Rubi to obtain the antiderivative. The **rules** column is the number of unique rules used. The **integrand size** column is the leaf size of the integrand. Finally the ratio  $\frac{\text{number of rules}}{\text{integrand size}}$  is given. The larger this ratio is, the harder the integral was to solve. In this test, problem number [36] had the largest ratio of [.2500]

Table 2.1: Rubi specific breakdown of results for each integral

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
1	A	7	6	1.00	37	0.162
2	A	6	6	1.00	37	0.162
3	A	5	5	1.01	35	0.143
4	A	5	5	1.00	30	0.167
5	A	6	6	1.00	37	0.162
6	A	6	6	1.00	37	0.162
7	A	5	5	1.00	37	0.135
8	A	6	5	1.00	37	0.135
9	A	5	5	1.00	37	0.135
10	A	4	4	1.02	35	0.114
11	A	4	4	1.00	30	0.133
12	A	6	6	1.00	37	0.162
13	A	6	6	1.00	37	0.162
14	A	5	5	1.00	37	0.135
15	A	4	4	1.00	31	0.129
16	A	4	4	1.00	30	0.133
17	A	7	7	1.00	33	0.212
18	A	7	7	1.00	33	0.212
19	A	6	6	1.00	33	0.182
20	A	8	7	0.99	40	0.175

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
21	A	7	7	1.00	40	0.175
22	A	6	6	0.99	38	0.158
23	A	6	6	1.00	33	0.182
24	A	7	7	1.00	40	0.175
25	A	7	7	1.00	40	0.175
26	A	5	5	0.99	40	0.125
27	A	7	6	0.99	40	0.150
28	A	6	6	1.00	40	0.150
29	A	5	5	1.01	38	0.132
30	A	5	5	1.00	33	0.152
31	A	7	7	1.00	40	0.175
32	A	7	7	1.00	40	0.175
33	A	5	5	0.99	40	0.125
34	A	5	5	1.74	30	0.167
35	B	5	5	2.60	29	0.172
36	B	8	8	2.45	32	0.250
37	B	8	8	2.45	32	0.250
38	A	6	6	1.55	32	0.188
39	A	7	7	1.47	32	0.219
40	A	5	5	1.22	32	0.156
41	A	8	7	1.00	36	0.194
42	A	7	6	1.00	34	0.176
43	A	7	6	1.00	29	0.207
44	A	9	8	1.01	36	0.222
45	A	9	8	1.00	36	0.222
46	A	9	9	1.00	36	0.250
47	A	7	7	1.00	36	0.194
48	A	6	6	1.00	34	0.176
49	A	6	6	1.00	29	0.207
50	A	8	8	1.00	36	0.222
51	A	8	8	1.00	36	0.222
52	A	8	8	1.00	36	0.222
53	A	6	6	1.00	36	0.167
54	A	6	6	1.00	36	0.167
55	A	5	5	0.99	34	0.147
56	A	5	5	1.00	29	0.172

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
57	A	7	7	1.00	36	0.194
58	A	7	7	1.00	36	0.194
59	A	5	5	1.00	36	0.139
60	A	6	5	1.00	36	0.139
61	A	10	7	0.98	38	0.184
62	A	9	7	0.99	38	0.184
63	A	9	7	1.00	38	0.184
64	A	9	8	1.00	38	0.210
65	A	9	7	1.00	38	0.184
66	A	10	8	1.00	38	0.210
67	A	10	7	1.00	38	0.184
68	A	9	7	1.00	38	0.184
69	A	8	7	1.00	38	0.184
70	A	8	7	1.00	38	0.184
71	A	8	7	1.00	38	0.184
72	A	9	8	1.00	38	0.210
73	A	9	7	0.99	38	0.184
74	A	8	7	0.99	38	0.184
75	A	7	6	0.99	38	0.158
76	A	7	6	1.00	38	0.158
77	A	8	7	1.00	38	0.184
78	A	9	7	1.00	38	0.184



# Chapter 3

## Listing of integrals

$$3.1 \quad \int \sqrt{1-dx} \sqrt{1+dx} (e+fx)^3 (A+Bx+Cx^2) dx$$

Optimal. Leaf size=415

$$\frac{(1-d^2x^2)^{3/2} (e+fx)^2 (7d^2f(2Af+Be) - C(3d^2e^2 - 8f^2))}{70d^4f} + \frac{x\sqrt{1-d^2x^2} (8Ad^4e^3 + 6Ad^2ef^2 + 6Bd^2e^2f + 6Cd^2e^2f^2)}{16d^4}$$

[Out]  $-1/70*(7*d^2*f*(2*A*f+B*e)-C*(3*d^2*e^2-8*f^2))*(f*x+e)^2*(-d^2*x^2+1)^{(3/2)}/d^4/f+1/42*(-7*B*f+3*C*e)*(f*x+e)^3*(-d^2*x^2+1)^{(3/2)}/d^2/f-1/7*C*(f*x+e)^4*(-d^2*x^2+1)^{(3/2)}/d^2/f+1/840*(8*C*(3*d^4*e^4-30*d^2*e^2*f^2-8*f^4)-56*d^2*f*(2*A*f*(6*d^2*e^2+f^2)+B*(d^2*e^3+6*e*f^2))+3*d^2*f*(-98*A*d^2*e*f^2-14*B*d^2*e^2*f+6*C*d^2*e^3-35*B*f^3-41*C*e*f^2)*x*(-d^2*x^2+1)^{(3/2)}/d^6/f+1/16*(8*A*d^4*e^3+6*A*d^2*e*f^2+6*B*d^2*e^2*f+2*C*d^2*e^3+B*f^3+3*C*e*f^2)*\arcsin(dx)/d^5+1/16*(8*A*d^4*e^3+6*A*d^2*e*f^2+6*B*d^2*e^2*f+2*C*d^2*e^3+B*f^3+3*C*e*f^2)*x*(-d^2*x^2+1)^{(1/2)}/d^4$

Rubi [A] time = 0.67, antiderivative size = 415, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 37,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.162$ , Rules used = {1609, 1654, 833, 780, 195, 216}

$$\frac{(1-d^2x^2)^{3/2} (e+fx)^2 (7d^2f(2Af+Be) - C(3d^2e^2 - 8f^2))}{70d^4f} + \frac{(1-d^2x^2)^{3/2} (3d^2fx(-98Ad^2ef^2 - 14Bd^2e^2f + 6Cd^2e^2f^2))}{16d^4}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[1-d\*x]\*Sqrt[1+d\*x]\*(e+f\*x)^3\*(A+B\*x+C\*x^2),x]

[Out]  $((2*C*d^2*e^3 + 8*A*d^4*e^3 + 6*B*d^2*e^2*f + 3*C*e*f^2 + 6*A*d^2*e*f^2 + B*f^3)*x*\sqrt{1-d^2*x^2})/(16*d^4) - ((7*d^2*f*(B*e + 2*A*f) - C*(3*d^2*e^2 - 8*f^2))*(e + f*x)^2*(1 - d^2*x^2)^{(3/2)})/(70*d^4*f) + ((3*C*e - 7*B*f)*(e + f*x)^3*(1 - d^2*x^2)^{(3/2)})/(42*d^2*f) - (C*(e + f*x)^4*(1 - d^2*x^2)^{(3/2)})/(7*d^2*f) + ((8*(C*(3*d^4*e^4 - 30*d^2*e^2*f^2 - 8*f^4) - 7*d^2*f*(2*A*f*(6*d^2*e^2 + f^2) + B*(d^2*e^3 + 6*e*f^2))) + 3*d^2*f*(6*C*d^2*e^3 - 14*B*d^2*e^2*f - 41*C*e*f^2 - 98*A*d^2*e*f^2 - 35*B*f^3)*x)*(1 - d^2*x^2)^{(3/2)})/(840*d^6*f) + ((2*C*d^2*e^3 + 8*A*d^4*e^3 + 6*B*d^2*e^2*f + 3*C*e*f^2 + 6*A*d^2*e*f^2 + B*f^3)*ArcSin[d*x])/(16*d^5)$

Rule 195

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x\*(a + b\*x^n)^p)/(n\*p + 1), x] + Dist[(a\*n\*p)/(n\*p + 1), Int[(a + b\*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2\*p] || (EqQ[n, 2] && IntegerQ[4\*p]) || (EqQ[n, 2] && IntegerQ[3\*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

Rule 216

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

Rule 780

```
Int[((d_) + (e_)*(x_))*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] := Simp[(((e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x)*(a + c*x^2)^(p + 1))/(2*c*(p + 1)*(2*p + 3)), x] - Dist[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p + 3)), Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !LeQ[p, -1]
```

Rule 833

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] := Simp[(g*(d + e*x)^m*(a + c*x^2)^(p + 1))/(c*(m + 2*p + 2)), x] + Dist[1/(c*(m + 2*p + 2)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^p*Simp[c*d*f*(m + 2*p + 2) - a*e*g*m + c*(e*f*(m + 2*p + 2) + d*g*m)*x, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[m, 0] && NeQ[m + 2*p + 2, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p]) && !(IGtQ[m, 0] && EqQ[f, 0])
```

Rule 1609

```
Int[(Px_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*d, 0] && EqQ[m, n] && (IntegerQ[m] || (GtQ[a, 0] && GtQ[c, 0]))
```

Rule 1654

```
Int[(Pq_)*((d_) + (e_)*(x_))^(m_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] := With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x)^(m + q - 1)*(a + c*x^2)^(p + 1))/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Dist[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + c*x^2)^p*ExpandToSum[c*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - f*(d + e*x)^(q - 2)*(a*e^2*(m + q - 1) - c*d^2*(m + q + 2*p + 1) - 2*c*d*e*(m + q + p)*x), x], x] /; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0] /; FreeQ[{a, c, d, e, m, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && !(EqQ[d, 0] && True) && !(IGtQ[m, 0] && RationalQ[a, c, d, e] && (IntegerQ[p] || ILtQ[p + 1/2, 0]))
```

Rubi steps

$$\begin{aligned}
\int \sqrt{1-dx} \sqrt{1+dx} (e+fx)^3 (A+Bx+Cx^2) dx &= \int (e+fx)^3 (A+Bx+Cx^2) \sqrt{1-d^2x^2} dx \\
&= -\frac{C(e+fx)^4 (1-d^2x^2)^{3/2}}{7d^2f} - \frac{\int (e+fx)^3 (- (4C+7Ad^2) f)}{7d^2f} \\
&= \frac{(3Ce-7Bf)(e+fx)^3 (1-d^2x^2)^{3/2}}{42d^2f} - \frac{C(e+fx)^4 (1-d^2x^2)^{3/2}}{7d^2f} \\
&= -\frac{(7d^2f(Be+2Af)-C(3d^2e^2-8f^2))(e+fx)^2 (1-d^2x^2)^{3/2}}{70d^4f} \\
&= -\frac{(7d^2f(Be+2Af)-C(3d^2e^2-8f^2))(e+fx)^2 (1-d^2x^2)^{3/2}}{70d^4f} \\
&= \frac{(2Cd^2e^3+8Ad^4e^3+6Bd^2e^2f+3Cef^2+6Ad^2ef^2+Bf^3)}{16d^4} \\
&= \frac{(2Cd^2e^3+8Ad^4e^3+6Bd^2e^2f+3Cef^2+6Ad^2ef^2+Bf^3)}{16d^4}
\end{aligned}$$

**Mathematica [A]** time = 0.54, size = 355, normalized size = 0.86

$$105d \sin^{-1}(dx) (8Ad^4e^3 + 6Ad^2ef^2 + 6Bd^2e^2f + Bf^3 + 2Cd^2e^3 + 3Cef^2) + \sqrt{1-d^2x^2} (14Ad^2 (6d^4x (10e^3 + 2$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[1 - d*x]*Sqrt[1 + d*x]*(e + f*x)^3*(A + B*x + C*x^2), x]
[Out] (Sqrt[1 - d^2*x^2]*(14*A*d^2*(-16*f^3 - d^2*f*(120*e^2 + 45*e*f*x + 8*f^2*x^2) + 6*d^4*x*(10*e^3 + 20*e^2*f*x + 15*e*f^2*x^2 + 4*f^3*x^3)) + 7*B*(-3*d^2*f^2*(32*e + 5*f*x) - 2*d^4*(40*e^3 + 45*e^2*f*x + 24*e*f^2*x^2 + 5*f^3*x^3) + 4*d^6*x^2*(20*e^3 + 45*e^2*f*x + 36*e*f^2*x^2 + 10*f^3*x^3)) - C*(128*f^3 + d^2*f*(672*e^2 + 315*e*f*x + 64*f^2*x^2) + 6*d^4*x*(35*e^3 + 56*e^2*f*x + 35*e*f^2*x^2 + 8*f^3*x^3) - 12*d^6*x^3*(35*e^3 + 84*e^2*f*x + 70*e*f^2*x^2 + 20*f^3*x^3))) + 105*d*(2*C*d^2*e^3 + 8*A*d^4*e^3 + 6*B*d^2*e^2*f + 3*C*e*f^2 + 6*A*d^2*e*f^2 + B*f^3)*ArcSin[d*x])/(1680*d^6)
```

**fricas [A]** time = 1.19, size = 406, normalized size = 0.98

$$(240 Cd^6 f^3 x^6 - 560 Bd^4 e^3 - 672 Bd^2 e^2 f^2 + 280 (3 Cd^6 e f^2 + Bd^6 f^3) x^5 + 48 (21 Cd^6 e^2 f + 21 Bd^6 e f^2 + (7 Ad^6$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^3*(C*x^2+B*x+A)*(-d*x+1)^(1/2)*(d*x+1)^(1/2), x, algorithm="fricas")
[Out] 1/1680*((240*C*d^6*f^3*x^6 - 560*B*d^4*e^3 - 672*B*d^2*e*f^2 + 280*(3*C*d^6*e*f^2 + B*d^6*f^3)*x^5 + 48*(21*C*d^6*e^2*f + 21*B*d^6*e*f^2 + (7*A*d^6 - C*d^4)*f^3)*x^4 - 336*(5*A*d^4 + 2*C*d^2)*e^2*f - 32*(7*A*d^2 + 4*C)*f^3 + 70*(6*C*d^6*e^3 + 18*B*d^6*e^2*f - B*d^4*f^3 + 3*(6*A*d^6 - C*d^4)*e*f^2)*x^3 + 16*(35*B*d^6*e^3 - 21*B*d^4*e*f^2 + 21*(5*A*d^6 - C*d^4)*e^2*f - (7*A*d^4 + 4*C*d^2)*f^3)*x^2 - 105*(6*B*d^4*e^2*f + B*d^2*f^3 - 2*(4*A*d^6 - C*d^4)*e^3 + 3*(2*A*d^4 + C*d^2)*e*f^2)*x)*sqrt(d*x + 1)*sqrt(-d*x + 1) - 210*(6*B*d^3*e^2*f + B*d*f^3 + 2*(4*A*d^5 + C*d^3)*e^3 + 3*(2*A*d^3 + C*d)*e*f^2)*arctan((sqrt(d*x + 1)*sqrt(-d*x + 1) - 1)/(d*x))/d^6
```



**maple [C]** time = 0.04, size = 959, normalized size = 2.31

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x+e)^3*(C*x^2+B*x+A)*(-d*x+1)^(1/2)*(d*x+1)^(1/2),x)`

[Out] 
$$\frac{1}{1680}(-d^2x^2+1)^{3/2}(d^2x^2+1)^{1/2}(-128C\operatorname{csgn}(d)(-d^2x^2+1)^{1/2}f^3+840A\arctan(1/(-d^2x^2+1)^{1/2})d^2x\operatorname{csgn}(d)d^5e^3+210C\arctan(1/(-d^2x^2+1)^{1/2})d^2x\operatorname{csgn}(d)d^3e^3+105B\arctan(1/(-d^2x^2+1)^{1/2})d^2x\operatorname{csgn}(d)d^2f^3-560B\operatorname{csgn}(d)(-d^2x^2+1)^{1/2}d^4e^3-224A\operatorname{csgn}(d)(-d^2x^2+1)^{1/2}d^2f^3+630A\arctan(1/(-d^2x^2+1)^{1/2})d^2x\operatorname{csgn}(d)d^3e^2f+315C\arctan(1/(-d^2x^2+1)^{1/2})d^2x\operatorname{csgn}(d)d^2e^2f+336A\operatorname{csgn}(d)x^4d^6f^3(-d^2x^2+1)^{1/2}+420C\operatorname{csgn}(d)x^3d^6e^3(-d^2x^2+1)^{1/2}+560B\operatorname{csgn}(d)x^2d^6e^3(-d^2x^2+1)^{1/2}-48C\operatorname{csgn}(d)(-d^2x^2+1)^{1/2}x^4d^4f^3-70B\operatorname{csgn}(d)(-d^2x^2+1)^{1/2}x^3d^4f^3-112A\operatorname{csgn}(d)(-d^2x^2+1)^{1/2}x^2d^4f^3-1680A\operatorname{csgn}(d)(-d^2x^2+1)^{1/2}d^4e^2f-64C\operatorname{csgn}(d)(-d^2x^2+1)^{1/2}x^2d^2f^3+840A\operatorname{csgn}(d)(-d^2x^2+1)^{1/2}x^2d^6e^3-210C\operatorname{csgn}(d)(-d^2x^2+1)^{1/2}x^2d^4e^3-105B\operatorname{csgn}(d)(-d^2x^2+1)^{1/2}x^2d^2f^3-672B\operatorname{csgn}(d)(-d^2x^2+1)^{1/2}d^2e^2f-672C\operatorname{csgn}(d)(-d^2x^2+1)^{1/2}d^2e^2f+240C\operatorname{csgn}(d)x^6d^6f^3(-d^2x^2+1)^{1/2}+280B\operatorname{csgn}(d)x^5d^6f^3(-d^2x^2+1)^{1/2}-630A\operatorname{csgn}(d)(-d^2x^2+1)^{1/2}x^2d^4e^2f-630B\operatorname{csgn}(d)(-d^2x^2+1)^{1/2}x^2d^4e^2f-315C\operatorname{csgn}(d)(-d^2x^2+1)^{1/2}x^2d^2e^2f+840C\operatorname{csgn}(d)x^5d^6e^2f(-d^2x^2+1)^{1/2}+1008B\operatorname{csgn}(d)x^4d^6e^2f(-d^2x^2+1)^{1/2}+1008C\operatorname{csgn}(d)x^4d^6e^2f(-d^2x^2+1)^{1/2}+1260A\operatorname{csgn}(d)x^3d^6e^2f(-d^2x^2+1)^{1/2}+1260B\operatorname{csgn}(d)x^3d^6e^2f(-d^2x^2+1)^{1/2}+1680A\operatorname{csgn}(d)x^2d^6e^2f(-d^2x^2+1)^{1/2}-210C\operatorname{csgn}(d)(-d^2x^2+1)^{1/2}x^3d^4e^2f-336B\operatorname{csgn}(d)(-d^2x^2+1)^{1/2}x^2d^4e^2f)*\operatorname{csgn}(d)/d^6/(-d^2x^2+1)^{1/2}$$

**maxima [A]** time = 1.00, size = 444, normalized size = 1.07

$$\frac{(-d^2x^2+1)^{3/2}Cf^3x^4}{7d^2} + \frac{1}{2}\sqrt{-d^2x^2+1}Ae^3x + \frac{Ae^3\arcsin(dx)}{2d} - \frac{(-d^2x^2+1)^{3/2}Be^3}{3d^2} - \frac{(-d^2x^2+1)^{3/2}Ae^2f}{d^2} - \frac{4(-d^2x^2+1)^{3/2}Cf^3x^4}{7d^2} + \frac{1}{2}\sqrt{-d^2x^2+1}Ae^3x + \frac{Ae^3\arcsin(dx)}{2d} - \frac{(-d^2x^2+1)^{3/2}Be^3}{3d^2} - \frac{(-d^2x^2+1)^{3/2}Ae^2f}{d^2} - \frac{4(-d^2x^2+1)^{3/2}Cf^3x^4}{7d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)^3*(C*x^2+B*x+A)*(-d*x+1)^(1/2)*(d*x+1)^(1/2),x, algorithm="maxima")`

[Out] 
$$-1/7(-d^2x^2+1)^{3/2}Cf^3x^4/d^2 + 1/2\sqrt{-d^2x^2+1}Ae^3x + 1/2Ae^3\arcsin(dx)/d - 1/3(-d^2x^2+1)^{3/2}Be^3/d^2 - (-d^2x^2+1)^{3/2}Ae^2f/d^2 - 4/35(-d^2x^2+1)^{3/2}Cf^3x^2/d^4 - 1/6(3Cef^2+Bf^3)(-d^2x^2+1)^{3/2}x^3/d^2 - 1/5(3Cef^2+3Bef^2+Aef^3)(-d^2x^2+1)^{3/2}x^2/d^2 - 1/4(Ce^3+3Bef^2+3Aef^2)(-d^2x^2+1)^{3/2}x/d^2 + 1/8(Ce^3+3Bef^2+3Aef^2)\sqrt{-d^2x^2+1}x/d^2 - 8/105(-d^2x^2+1)^{3/2}Cf^3/d^6 - 1/8(3Cef^2+Bf^3)(-d^2x^2+1)^{3/2}x/d^4 + 1/8(Ce^3+3Bef^2+3Aef^2)\arcsin(dx)/d^3 - 2/15(3Cef^2+3Bef^2+Aef^3)(-d^2x^2+1)^{3/2}/d^4 + 1/16(3Cef^2+Bf^3)\sqrt{-d^2x^2+1}x/d^4 + 1/16(3Cef^2+Bf^3)\arcsin(dx)/d^5$$

**mupad [B]** time = 47.79, size = 3993, normalized size = 9.62

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((e + f*x)^3*(1 - d*x)^{(1/2)}*(d*x + 1)^{(1/2)}*(A + B*x + C*x^2), x)$

[Out] 
$$- \left( \frac{((2048*C*f^3)/3 - 640*C*d^2*e^2*f)*((1 - d*x)^{(1/2)} - 1)^6}{((d*x + 1)^{(1/2)} - 1)^6} + \frac{((2048*C*f^3)/3 - 640*C*d^2*e^2*f)*((1 - d*x)^{(1/2)} - 1)^{22}}{((d*x + 1)^{(1/2)} - 1)^{22}} - \frac{((20480*C*f^3)/3 - 448*C*d^2*e^2*f)*((1 - d*x)^{(1/2)} - 1)^8}{((d*x + 1)^{(1/2)} - 1)^8} - \frac{((20480*C*f^3)/3 - 448*C*d^2*e^2*f)*((1 - d*x)^{(1/2)} - 1)^{20}}{((d*x + 1)^{(1/2)} - 1)^{20}} + \frac{((458752*C*f^3)/15 + (27136*C*d^2*e^2*f)/5)*((1 - d*x)^{(1/2)} - 1)^{10}}{((d*x + 1)^{(1/2)} - 1)^{10}} + \frac{((458752*C*f^3)/15 + (27136*C*d^2*e^2*f)/5)*((1 - d*x)^{(1/2)} - 1)^{18}}{((d*x + 1)^{(1/2)} - 1)^{18}} - \frac{((1011712*C*f^3)/15 - (13184*C*d^2*e^2*f)/5)*((1 - d*x)^{(1/2)} - 1)^{12}}{((d*x + 1)^{(1/2)} - 1)^{12}} - \frac{((1011712*C*f^3)/15 - (13184*C*d^2*e^2*f)/5)*((1 - d*x)^{(1/2)} - 1)^{16}}{((d*x + 1)^{(1/2)} - 1)^{16}} + \frac{((9293824*C*f^3)/105 - (15104*C*d^2*e^2*f)/5)*((1 - d*x)^{(1/2)} - 1)^{14}}{((d*x + 1)^{(1/2)} - 1)^{14}} + \frac{((1 - d*x)^{(1/2)} - 1)^3*((29*C*d^3*e^3)/2 - (41*C*d*e*f^2)/4)}{((d*x + 1)^{(1/2)} - 1)^3} - \frac{((1 - d*x)^{(1/2)} - 1)^{25}*((29*C*d^3*e^3)/2 - (41*C*d*e*f^2)/4)}{((d*x + 1)^{(1/2)} - 1)^{25}} - \frac{((1 - d*x)^{(1/2)} - 1)^5*((39*C*d^3*e^3 - (1099*C*d*e*f^2)/2))}{((d*x + 1)^{(1/2)} - 1)^5} + \frac{((1 - d*x)^{(1/2)} - 1)^{23}*((39*C*d^3*e^3 - (1099*C*d*e*f^2)/2))}{((d*x + 1)^{(1/2)} - 1)^{23}} - \frac{((1 - d*x)^{(1/2)} - 1)^7*((209*C*d^3*e^3 + (8755*C*d*e*f^2)/2))}{((d*x + 1)^{(1/2)} - 1)^7} + \frac{((1 - d*x)^{(1/2)} - 1)^{21}*((209*C*d^3*e^3 + (8755*C*d*e*f^2)/2))}{((d*x + 1)^{(1/2)} - 1)^{21}} + \frac{((1 - d*x)^{(1/2)} - 1)^{11}*((1767*C*d^3*e^3)/2 - (8267*C*d*e*f^2)/4)}{((d*x + 1)^{(1/2)} - 1)^{11}} - \frac{((1 - d*x)^{(1/2)} - 1)^{17}*((1767*C*d^3*e^3)/2 - (8267*C*d*e*f^2)/4)}{((d*x + 1)^{(1/2)} - 1)^{17}} + \frac{((1 - d*x)^{(1/2)} - 1)^{13}*((646*C*d^3*e^3 - 17527*C*d*e*f^2))}{((d*x + 1)^{(1/2)} - 1)^{13}} - \frac{((1 - d*x)^{(1/2)} - 1)^{15}*((646*C*d^3*e^3 - 17527*C*d*e*f^2))}{((d*x + 1)^{(1/2)} - 1)^{15}} + \frac{((1 - d*x)^{(1/2)} - 1)^9*((165*C*d^3*e^3)/2 + (42095*C*d*e*f^2)/4)}{((d*x + 1)^{(1/2)} - 1)^9} - \frac{((1 - d*x)^{(1/2)} - 1)^{19}*((165*C*d^3*e^3)/2 + (42095*C*d*e*f^2)/4)}{((d*x + 1)^{(1/2)} - 1)^{19}} - \frac{d*(2*C*d^2*e^3 + 3*C*e*f^2)*((1 - d*x)^{(1/2)} - 1)}{4*((d*x + 1)^{(1/2)} - 1)} + \frac{d*(2*C*d^2*e^3 + 3*C*e*f^2)*((1 - d*x)^{(1/2)} - 1)^{27}}{4*((d*x + 1)^{(1/2)} - 1)^{27}} + \frac{192*C*d^2*e^2*f*((1 - d*x)^{(1/2)} - 1)^4}{((d*x + 1)^{(1/2)} - 1)^4} + \frac{192*C*d^2*e^2*f*((1 - d*x)^{(1/2)} - 1)^{24}}{((d*x + 1)^{(1/2)} - 1)^{24}} \Big/ \left( d^6 + (14*d^6*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 + (91*d^6*((1 - d*x)^{(1/2)} - 1)^4)/((d*x + 1)^{(1/2)} - 1)^4 + (364*d^6*((1 - d*x)^{(1/2)} - 1)^6)/((d*x + 1)^{(1/2)} - 1)^6 + (1001*d^6*((1 - d*x)^{(1/2)} - 1)^8)/((d*x + 1)^{(1/2)} - 1)^8 + (2002*d^6*((1 - d*x)^{(1/2)} - 1)^{10})/((d*x + 1)^{(1/2)} - 1)^{10} + (3003*d^6*((1 - d*x)^{(1/2)} - 1)^{12})/((d*x + 1)^{(1/2)} - 1)^{12} + (3432*d^6*((1 - d*x)^{(1/2)} - 1)^{14})/((d*x + 1)^{(1/2)} - 1)^{14} + (3003*d^6*((1 - d*x)^{(1/2)} - 1)^{16})/((d*x + 1)^{(1/2)} - 1)^{16} + (2002*d^6*((1 - d*x)^{(1/2)} - 1)^{18})/((d*x + 1)^{(1/2)} - 1)^{18} + (1001*d^6*((1 - d*x)^{(1/2)} - 1)^{20})/((d*x + 1)^{(1/2)} - 1)^{20} + (364*d^6*((1 - d*x)^{(1/2)} - 1)^{22})/((d*x + 1)^{(1/2)} - 1)^{22} + (91*d^6*((1 - d*x)^{(1/2)} - 1)^{24})/((d*x + 1)^{(1/2)} - 1)^{24} + (14*d^6*((1 - d*x)^{(1/2)} - 1)^{26})/((d*x + 1)^{(1/2)} - 1)^{26} + (d^6*((1 - d*x)^{(1/2)} - 1)^{28})/((d*x + 1)^{(1/2)} - 1)^{28} - \left( \frac{((4928*A*f^3)/3 + 512*A*d^2*e^2*f)*((1 - d*x)^{(1/2)} - 1)^8}{((d*x + 1)^{(1/2)} - 1)^8} - \frac{((1408*A*f^3)/3 - 32*A*d^2*e^2*f)*((1 - d*x)^{(1/2)} - 1)^{14}}{((d*x + 1)^{(1/2)} - 1)^{14}} - \frac{((1408*A*f^3)/3 - 32*A*d^2*e^2*f)*((1 - d*x)^{(1/2)} - 1)^6}{((d*x + 1)^{(1/2)} - 1)^6} + \frac{((4928*A*f^3)/3 + 512*A*d^2*e^2*f)*((1 - d*x)^{(1/2)} - 1)^{12}}{((d*x + 1)^{(1/2)} - 1)^{12}} - \frac{((11008*A*f^3)/5 - 912*A*d^2*e^2*f)*((1 - d*x)^{(1/2)} - 1)^{10}}{((d*x + 1)^{(1/2)} - 1)^{10}} + \frac{((1 - d*x)^{(1/2)} - 1)*((2*A*d^3*e^3 - (3*A*d*e*f^2)/2))}{((d*x + 1)^{(1/2)} - 1)} - \frac{((1 - d*x)^{(1/2)} - 1)^{19}*((2*A*d^3*e^3 - (3*A*d*e*f^2)/2))}{((d*x + 1)^{(1/2)} - 1)^{19}} - \frac{((1 - d*x)^{(1/2)} - 1)^3*((2*A*d^3*e^3 - (99*A*d*e*f^2)/2))}{((d*x + 1)^{(1/2)} - 1)^3} + \frac{((1 - d*x)^{(1/2)} - 1)^{17}*((2*A*d^3*e^3 - (99*A*d*e*f^2)/2))}{((d*x + 1)^{(1/2)} - 1)^{17}} - \frac{((1 - d*x)^{(1/2)} - 1)^5*((40*A*d^3*e^3 + 306*A*d*e*f^2))}{((d*x + 1)^{(1/2)} - 1)^5} + \frac{((1 - d*x)^{(1/2)} - 1)^{15}*((40*A*d^3*e^3 + 306*A*d*e*f^2))}{((d*x + 1)^{(1/2)} - 1)^{15}} - \frac{((1 - d*x)^{(1/2)} - 1)^7*((88*A*d^3*e^3 - 306*A*d*e*f^2))}{((d*x + 1)^{(1/2)} - 1)^7} + \frac{((1 - d*x)^{(1/2)} - 1)^{13}*((88*A*d^3*e^3 - 306*A*d*e*f^2))}{((d*x + 1)^{(1/2)} - 1)^{13}} - \frac{((1 - d*x)^{(1/2)} - 1)^9*((52*A*d^3*e^3 - 663*A*d*e*f^2))}{((d*x + 1)^{(1/2)} - 1)^9} + \frac{((1 - d*x)^{(1/2)} - 1)^{11}*((52*A*d$$

$$\begin{aligned} & \left( \frac{3e^3 - 663Ade^2f}{(dx+1)^{1/2} - 1} \right)^{11} + (64A^3f^3((dx+1)^{1/2} - 1)^4) / ((dx+1)^{1/2} - 1)^4 + (64A^3f^3((dx+1)^{1/2} - 1)^{16}) / ((dx+1)^{1/2} - 1)^{16} + (24A^2d^2e^2f^2((dx+1)^{1/2} - 1)^2) / ((dx+1)^{1/2} - 1)^2 + (24A^2d^2e^2f^2((dx+1)^{1/2} - 1)^{18}) / ((dx+1)^{1/2} - 1)^{18} / (d^4 + (10d^4((dx+1)^{1/2} - 1)^2) / ((dx+1)^{1/2} - 1)^2 + (45d^4((dx+1)^{1/2} - 1)^4) / ((dx+1)^{1/2} - 1)^4 + (120d^4((dx+1)^{1/2} - 1)^6) / ((dx+1)^{1/2} - 1)^6 + (210d^4((dx+1)^{1/2} - 1)^8) / ((dx+1)^{1/2} - 1)^8 + (252d^4((dx+1)^{1/2} - 1)^{10}) / ((dx+1)^{1/2} - 1)^{10} + (210d^4((dx+1)^{1/2} - 1)^{12}) / ((dx+1)^{1/2} - 1)^{12} + (120d^4((dx+1)^{1/2} - 1)^{14}) / ((dx+1)^{1/2} - 1)^{14} + (45d^4((dx+1)^{1/2} - 1)^{16}) / ((dx+1)^{1/2} - 1)^{16} + (10d^4((dx+1)^{1/2} - 1)^{18}) / ((dx+1)^{1/2} - 1)^{18} + (d^4((dx+1)^{1/2} - 1)^{20}) / ((dx+1)^{1/2} - 1)^{20} - (((B^3f^3)/4 + (3B^2d^2e^2f)/2)((dx+1)^{1/2} - 1)^{23}) / ((dx+1)^{1/2} - 1)^{23} - (((35B^3f^3)/12 - (93B^2d^2e^2f)/2)((dx+1)^{1/2} - 1)^3) / ((dx+1)^{1/2} - 1)^3 + (((35B^3f^3)/12 - (93B^2d^2e^2f)/2)((dx+1)^{1/2} - 1)^{21}) / ((dx+1)^{1/2} - 1)^{21} + (((757B^3f^3)/4 - (417B^2d^2e^2f)/2)((dx+1)^{1/2} - 1)^5) / ((dx+1)^{1/2} - 1)^5 - (((757B^3f^3)/4 - (417B^2d^2e^2f)/2)((dx+1)^{1/2} - 1)^{19}) / ((dx+1)^{1/2} - 1)^{19} - (((7339B^3f^3)/4 + (513B^2d^2e^2f)/2)((dx+1)^{1/2} - 1)^7) / ((dx+1)^{1/2} - 1)^7 + (((7339B^3f^3)/4 + (513B^2d^2e^2f)/2)((dx+1)^{1/2} - 1)^{17}) / ((dx+1)^{1/2} - 1)^{17} - (((25661B^3f^3)/2 - 969B^2d^2e^2f)((dx+1)^{1/2} - 1)^{11}) / ((dx+1)^{1/2} - 1)^{11} + (((25661B^3f^3)/2 - 969B^2d^2e^2f)((dx+1)^{1/2} - 1)^{13}) / ((dx+1)^{1/2} - 1)^{13} + (((41929B^3f^3)/6 + 969B^2d^2e^2f)((dx+1)^{1/2} - 1)^9) / ((dx+1)^{1/2} - 1)^9 - (((41929B^3f^3)/6 + 969B^2d^2e^2f)((dx+1)^{1/2} - 1)^{15}) / ((dx+1)^{1/2} - 1)^{15} + (((1-dx)^{1/2} - 1)^4(16B^3d^3e^3 + 192B^2d^2e^2f)) / ((dx+1)^{1/2} - 1)^4 + (((1-dx)^{1/2} - 1)^{20}(16B^3d^3e^3 + 192B^2d^2e^2f)) / ((dx+1)^{1/2} - 1)^{20} + (((1-dx)^{1/2} - 1)^6((56B^3d^3e^3)/3 - 1024B^2d^2e^2f)) / ((dx+1)^{1/2} - 1)^6 + (((1-dx)^{1/2} - 1)^{18}((56B^3d^3e^3)/3 - 1024B^2d^2e^2f)) / ((dx+1)^{1/2} - 1)^{18} + (((1-dx)^{1/2} - 1)^8(192B^3d^3e^3 + 2304B^2d^2e^2f)) / ((dx+1)^{1/2} - 1)^8 + (((1-dx)^{1/2} - 1)^{16}(192B^3d^3e^3 + 2304B^2d^2e^2f)) / ((dx+1)^{1/2} - 1)^{16} + (((1-dx)^{1/2} - 1)^{10}(656B^3d^3e^3 + (9216B^2d^2e^2f)/5)) / ((dx+1)^{1/2} - 1)^{10} + (((1-dx)^{1/2} - 1)^{14}(656B^3d^3e^3 + (9216B^2d^2e^2f)/5)) / ((dx+1)^{1/2} - 1)^{14} + (((1-dx)^{1/2} - 1)^{12}((2848B^3d^3e^3)/3 - (16768B^2d^2e^2f)/5)) / ((dx+1)^{1/2} - 1)^{12} - (((B^3f^3)/4 + (3B^2d^2e^2f)/2)((dx+1)^{1/2} - 1)) / ((dx+1)^{1/2} - 1) + (8B^3d^3e^3((dx+1)^{1/2} - 1)^2) / ((dx+1)^{1/2} - 1)^2 + (8B^3d^3e^3((dx+1)^{1/2} - 1)^{22}) / ((dx+1)^{1/2} - 1)^{22} / (d^5 + (12d^5((dx+1)^{1/2} - 1)^2) / ((dx+1)^{1/2} - 1)^2 + (66d^5((dx+1)^{1/2} - 1)^4) / ((dx+1)^{1/2} - 1)^4 + (220d^5((dx+1)^{1/2} - 1)^6) / ((dx+1)^{1/2} - 1)^6 + (495d^5((dx+1)^{1/2} - 1)^8) / ((dx+1)^{1/2} - 1)^8 + (792d^5((dx+1)^{1/2} - 1)^{10}) / ((dx+1)^{1/2} - 1)^{10} + (924d^5((dx+1)^{1/2} - 1)^{12}) / ((dx+1)^{1/2} - 1)^{12} + (792d^5((dx+1)^{1/2} - 1)^{14}) / ((dx+1)^{1/2} - 1)^{14} + (495d^5((dx+1)^{1/2} - 1)^{16}) / ((dx+1)^{1/2} - 1)^{16} + (220d^5((dx+1)^{1/2} - 1)^{18}) / ((dx+1)^{1/2} - 1)^{18} + (66d^5((dx+1)^{1/2} - 1)^{20}) / ((dx+1)^{1/2} - 1)^{20} + (12d^5((dx+1)^{1/2} - 1)^{22}) / ((dx+1)^{1/2} - 1)^{22} + (d^5((dx+1)^{1/2} - 1)^{24}) / ((dx+1)^{1/2} - 1)^{24} - (B^3f^3 + 6B^2d^2e^2f) * atan(B^3f^3 + 6B^2d^2e^2f) / (4d^5) - (A^3e^3 + 4A^2d^2e^2f) * atan(A^3e^3 + 4A^2d^2e^2f) / (4A^2d^2e^2f + 3A^3e^3) * ((dx+1)^{1/2} - 1) * (3f^2 + 4d^2e^2) / ((2C^3d^3e^3 + 3C^2d^2e^2f) * ((dx+1)^{1/2} - 1)) * (3f^2 + 2d^2e^2) / (4d^5) \end{aligned}$$

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)**3*(C*x**2+B*x+A)*(-d*x+1)**(1/2)*(d*x+1)**(1/2),x)
```

```
[Out] Timed out
```



### 3.2 $\int \sqrt{1-dx} \sqrt{1+dx} (e+fx)^2 (A+Bx+Cx^2) dx$

**Optimal.** Leaf size=286

$$\frac{\sin^{-1}(dx) \left( 2d^2 (A(4d^2e^2 + f^2) + 2Bef) + C(2d^2e^2 + f^2) \right)}{16d^5} + \frac{x\sqrt{1-d^2x^2} \left( 2d^2 (A(4d^2e^2 + f^2) + 2Bef) + C(2d^2e^2 + f^2) \right)}{16d^4}$$

[Out]  $1/10*(-2*B*f+C*e)*(f*x+e)^2*(-d^2*x^2+1)^{(3/2)}/d^2/f-1/6*C*(f*x+e)^3*(-d^2*x^2+1)^{(3/2)}/d^2/f+1/120*(8*C*(d^2*e^3-4*e*f^2)-16*f*(5*A*d^2*e*f+B*(d^2*e^2+f^2))-3*f*(5*(2*A*d^2+C)*f^2-2*d^2*e*(-2*B*f+C*e))*x*(-d^2*x^2+1)^{(3/2)}/d^4/f+1/16*(C*(2*d^2*e^2+f^2)+2*d^2*(2*B*e*f+A*(4*d^2*e^2+f^2)))*\arcsin(dx)/d^5+1/16*(C*(2*d^2*e^2+f^2)+2*d^2*(2*B*e*f+A*(4*d^2*e^2+f^2)))*x*(-d^2*x^2+1)^{(1/2)}/d^4$

**Rubi [A]** time = 0.56, antiderivative size = 286, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 37,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.162$ , Rules used = {1609, 1654, 833, 780, 195, 216}

$$\frac{(1-d^2x^2)^{3/2} \left( 8(C(d^2e^3 - 4ef^2) - 2f(5Ad^2ef + B(d^2e^2 + f^2))) - 3fx(5f^2(2Ad^2 + C) - 2d^2e(Ce - 2Bf)) \right)}{120d^4f}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[1 - d\*x]\*Sqrt[1 + d\*x]\*(e + f\*x)^2\*(A + B\*x + C\*x^2), x]

[Out]  $((C*(2*d^2*e^2 + f^2) + 2*d^2*(2*B*e*f + A*(4*d^2*e^2 + f^2)))*x*\text{Sqrt}[1 - d^2*x^2])/(16*d^4) + ((C*e - 2*B*f)*(e + f*x)^2*(1 - d^2*x^2)^{(3/2)})/(10*d^2*f) - (C*(e + f*x)^3*(1 - d^2*x^2)^{(3/2)})/(6*d^2*f) + ((8*(C*(d^2*e^3 - 4*e*f^2) - 2*f*(5*A*d^2*e*f + B*(d^2*e^2 + f^2))) - 3*f*(5*(C + 2*A*d^2)*f^2 - 2*d^2*e*(C*e - 2*B*f))*x)*(1 - d^2*x^2)^{(3/2)})/(120*d^4*f) + ((C*(2*d^2*e^2 + f^2) + 2*d^2*(2*B*e*f + A*(4*d^2*e^2 + f^2)))*\text{ArcSin}[d*x])/(16*d^5)$

#### Rule 195

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x\*(a + b\*x^n)^p)/(n\*p + 1), x] + Dist[(a\*n\*p)/(n\*p + 1), Int[(a + b\*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2\*p] || (EqQ[n, 2] && IntegerQ[4\*p]) || (EqQ[n, 2] && IntegerQ[3\*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rule 780

Int[((d\_.) + (e\_.)\*(x\_))\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(((e\*f + d\*g)\*(2\*p + 3) + 2\*e\*g\*(p + 1)\*x)\*(a + c\*x^2)^(p + 1))/(2\*c\*(p + 1)\*(2\*p + 3)), x] - Dist[(a\*e\*g - c\*d\*f\*(2\*p + 3))/(c\*(2\*p + 3)), Int[(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !LeQ[p, -1]

#### Rule 833

Int[((d\_.) + (e\_.)\*(x\_)^(m\_))\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[(g\*(d + e\*x)^m\*(a + c\*x^2)^(p + 1))/(c\*(m + 2\*p + 2)), x] + Dist[1/(c\*(m + 2\*p + 2)), Int[(d + e\*x)^(m - 1)\*(a + c\*x^2)^p\*Simp[c\*d\*f\*(m + 2\*p + 2) - a\*e\*g\*m + c\*(e\*f\*(m + 2\*p + 2) + d\*g\*m)\*x, x], x], x]

```

/; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[m, 0] &
& NeQ[m + 2*p + 2, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p]
) && !(IGtQ[m, 0] && EqQ[f, 0])

```

### Rule 1609

```

Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f
_.)*(x_))^(p_.), x_Symbol] :> Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x] /; F
reeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*d, 0] &
& EqQ[m, n] && (IntegerQ[m] || (GtQ[a, 0] && GtQ[c, 0]))

```

### Rule 1654

```

Int[(Pq_)*((d_) + (e_.)*(x_))^(m_.)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] :
> With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x
)^(m + q - 1)*(a + c*x^2)^(p + 1))/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Di
st[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + c*x^2)^p*ExpandToSum[c
*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - f*(d + e*x)
^(q - 2)*(a*e^2*(m + q - 1) - c*d^2*(m + q + 2*p + 1) - 2*c*d*e*(m + q + p)
*x), x], x] /; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0] /; FreeQ[{a, c, d,
e, m, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && !(EqQ[d, 0] && T
rue) && !(IGtQ[m, 0] && RationalQ[a, c, d, e] && (IntegerQ[p] || ILtQ[p +
1/2, 0]))

```

### Rubi steps

$$\begin{aligned}
\int \sqrt{1-dx} \sqrt{1+dx} (e+fx)^2 (A+Bx+Cx^2) dx &= \int (e+fx)^2 (A+Bx+Cx^2) \sqrt{1-d^2x^2} dx \\
&= -\frac{C(e+fx)^3 (1-d^2x^2)^{3/2}}{6d^2f} - \frac{\int (e+fx)^2 (-3(C+2Ad^2)f^2 + 6d^2(A+Bx+Cx^2)) dx}{6d^2f} \\
&= \frac{(Ce-2Bf)(e+fx)^2 (1-d^2x^2)^{3/2}}{10d^2f} - \frac{C(e+fx)^3 (1-d^2x^2)^{3/2}}{6d^2f} \\
&= \frac{(Ce-2Bf)(e+fx)^2 (1-d^2x^2)^{3/2}}{10d^2f} - \frac{C(e+fx)^3 (1-d^2x^2)^{3/2}}{6d^2f} \\
&= \frac{(C(2d^2e^2+f^2) + 2d^2(2Bef + A(4d^2e^2+f^2)))x\sqrt{1-d^2x^2}}{16d^4} \\
&= \frac{(C(2d^2e^2+f^2) + 2d^2(2Bef + A(4d^2e^2+f^2)))x\sqrt{1-d^2x^2}}{16d^4}
\end{aligned}$$

**Mathematica [A]** time = 0.35, size = 244, normalized size = 0.85

$$\frac{15 \sin^{-1}(dx) \left( 2d^2 \left( A(4d^2e^2 + f^2) + 2Bef \right) + C(2d^2e^2 + f^2) \right) + d\sqrt{1-d^2x^2} \left( 10Ad^2(12d^2e^2x + 16ef(d^2x^2 - 1)) + \dots \right)}{16d^4}$$

Antiderivative was successfully verified.

```

[In] Integrate[Sqrt[1 - d*x]*Sqrt[1 + d*x]*(e + f*x)^2*(A + B*x + C*x^2), x]

```

```

[Out] (d*Sqrt[1 - d^2*x^2]*(10*A*d^2*(12*d^2*e^2*x + 16*e*f*(-1 + d^2*x^2) + 3*f^
2*x*(-1 + 2*d^2*x^2)) + 4*B*(-8*f^2 - d^2*(20*e^2 + 15*e*f*x + 4*f^2*x^2) +
2*d^4*x^2*(10*e^2 + 15*e*f*x + 6*f^2*x^2)) + C*(30*d^2*e^2*x*(-1 + 2*d^2*x
^2) + 32*e*f*(-2 - d^2*x^2 + 3*d^4*x^4) + 5*f^2*x*(-3 - 2*d^2*x^2 + 8*d^4*x

```



$\text{csin}(1/2*\sqrt{2}*\sqrt{d*x + 1})/d^2)*C*e^2 + 240*(\sqrt{d*x + 1}*(d*x - 2)*\sqrt{-d*x + 1} - 2*\arcsin(1/2*\sqrt{2}*\sqrt{d*x + 1}))*A*f*e/d + 120*(\sqrt{d*x + 1}*(d*x - 2)*\sqrt{-d*x + 1} - 2*\arcsin(1/2*\sqrt{2}*\sqrt{d*x + 1}))*B*e^2/d)/d$

**maple [C]** time = 0.02, size = 652, normalized size = 2.28

$$\sqrt{-dx+1} \sqrt{dx+1} \left( 40\sqrt{-d^2x^2+1} C d^5 f^2 x^5 \text{csgn}(d) + 48\sqrt{-d^2x^2+1} B d^5 f^2 x^4 \text{csgn}(d) + 96\sqrt{-d^2x^2+1} C d^5 e f \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x+e)^2*(C*x^2+B*x+A)*(-d*x+1)^(1/2)*(d*x+1)^(1/2),x)`

[Out]  $1/240*(-d*x+1)^{(1/2)}*(d*x+1)^{(1/2)}*(-160*A*\text{csgn}(d)*d^3*(-d^2*x^2+1)^{(1/2)}*e*f-64*C*\text{csgn}(d)*d*(-d^2*x^2+1)^{(1/2)}*e*f+40*C*\text{csgn}(d)*x^5*d^5*f^2*(-d^2*x^2+1)^{(1/2)}+48*B*\text{csgn}(d)*x^4*d^5*f^2*(-d^2*x^2+1)^{(1/2)}+60*A*\text{csgn}(d)*x^3*d^5*f^2*(-d^2*x^2+1)^{(1/2)}+60*C*\text{csgn}(d)*x^3*d^5*e^2*(-d^2*x^2+1)^{(1/2)}+30*A*\arctan(1/(-d^2*x^2+1)^{(1/2)}*d*x*\text{csgn}(d))*d^2*f^2+30*C*\arctan(1/(-d^2*x^2+1)^{(1/2)}*d*x*\text{csgn}(d))*d^2*e^2+120*A*\arctan(1/(-d^2*x^2+1)^{(1/2)}*d*x*\text{csgn}(d))*d^4*e^2+15*C*\arctan(1/(-d^2*x^2+1)^{(1/2)}*d*x*\text{csgn}(d))*f^2+60*B*\arctan(1/(-d^2*x^2+1)^{(1/2)}*d*x*\text{csgn}(d))*d^2*e*f+80*B*\text{csgn}(d)*x^2*d^5*e^2*(-d^2*x^2+1)^{(1/2)}-32*B*\text{csgn}(d)*d*(-d^2*x^2+1)^{(1/2)}*f^2-80*B*\text{csgn}(d)*d^3*(-d^2*x^2+1)^{(1/2)}*e^2-10*C*\text{csgn}(d)*d^3*(-d^2*x^2+1)^{(1/2)}*x^3*f^2-16*B*\text{csgn}(d)*d^3*(-d^2*x^2+1)^{(1/2)}*x^2*f^2-30*C*\text{csgn}(d)*d^3*(-d^2*x^2+1)^{(1/2)}*x*e^2-30*A*\text{csgn}(d)*d^3*(-d^2*x^2+1)^{(1/2)}*x*f^2+120*A*\text{csgn}(d)*d^5*(-d^2*x^2+1)^{(1/2)}*x*e^2-15*C*\text{csgn}(d)*d*(-d^2*x^2+1)^{(1/2)}*x*f^2+160*A*\text{csgn}(d)*x^2*d^5*e*f*(-d^2*x^2+1)^{(1/2)}-60*B*\text{csgn}(d)*d^3*(-d^2*x^2+1)^{(1/2)}*x*e*f-32*C*\text{csgn}(d)*d^3*(-d^2*x^2+1)^{(1/2)}*x^2*e*f+96*C*\text{csgn}(d)*x^4*d^5*e*f*(-d^2*x^2+1)^{(1/2)}+120*B*\text{csgn}(d)*x^3*d^5*e*f*(-d^2*x^2+1)^{(1/2)})*\text{csgn}(d)/(-d^2*x^2+1)^{(1/2)}/d^5$

**maxima [A]** time = 1.01, size = 307, normalized size = 1.07

$$-\frac{(-d^2x^2+1)^{\frac{3}{2}}Cf^2x^3}{6d^2} + \frac{1}{2}\sqrt{-d^2x^2+1}Ae^2x + \frac{Ae^2\arcsin(dx)}{2d} - \frac{(-d^2x^2+1)^{\frac{3}{2}}Be^2}{3d^2} - \frac{2(-d^2x^2+1)^{\frac{3}{2}}Aef}{3d^2} - \frac{(-d^2x^2+1)^{\frac{3}{2}}Cf^2x^3}{6d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)^2*(C*x^2+B*x+A)*(-d*x+1)^(1/2)*(d*x+1)^(1/2),x, algorithm="maxima")`

[Out]  $-1/6*(-d^2*x^2 + 1)^{(3/2)}*C*f^2*x^3/d^2 + 1/2*\sqrt{-d^2*x^2 + 1}*A*e^2*x + 1/2*A*e^2*\arcsin(d*x)/d - 1/3*(-d^2*x^2 + 1)^{(3/2)}*B*e^2/d^2 - 2/3*(-d^2*x^2 + 1)^{(3/2)}*A*e*f/d^2 - 1/5*(-d^2*x^2 + 1)^{(3/2)}*(2*C*e*f + B*f^2)*x^2/d^2 - 1/4*(-d^2*x^2 + 1)^{(3/2)}*(C*e^2 + 2*B*e*f + A*f^2)*x/d^2 - 1/8*(-d^2*x^2 + 1)^{(3/2)}*C*f^2*x/d^4 + 1/8*\sqrt{-d^2*x^2 + 1}*(C*e^2 + 2*B*e*f + A*f^2)*x/d^2 + 1/16*\sqrt{-d^2*x^2 + 1}*C*f^2*x/d^4 + 1/8*(C*e^2 + 2*B*e*f + A*f^2)*\arcsin(d*x)/d^3 + 1/16*C*f^2*\arcsin(d*x)/d^5 - 2/15*(-d^2*x^2 + 1)^{(3/2)}*(2*C*e*f + B*f^2)/d^4$

**mupad [B]** time = 36.03, size = 2920, normalized size = 10.21

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e + f*x)^2*(1 - d*x)^(1/2)*(d*x + 1)^(1/2)*(A + B*x + C*x^2),x)`

[Out]  $-(((1 - d*x)^{(1/2)} - 1)^8*((4928*B*f^2)/3 + (512*B*d^2*e^2)/3))/((d*x + 1)^{(1/2)} - 1)^8 - (((1 - d*x)^{(1/2)} - 1)^{14}*((1408*B*f^2)/3 - (32*B*d^2*e^2)/3))/((d*x + 1)^{(1/2)} - 1)^{14} - (((1 - d*x)^{(1/2)} - 1)^6*((1408*B*f^2)/3 -$

$$\begin{aligned}
& ((32*B*d^2*e^2)/3)/((d*x + 1)^{(1/2)} - 1)^6 + (((1 - d*x)^{(1/2)} - 1)^{12}*((49 \\
& 28*B*f^2)/3 + (512*B*d^2*e^2)/3))/((d*x + 1)^{(1/2)} - 1)^{12} - (((1 - d*x)^{(1/2)} - 1)^{10}*((11008*B*f^2)/5 - 304*B*d^2*e^2))/((d*x + 1)^{(1/2)} - 1)^{10} + ( \\
& 64*B*f^2*((1 - d*x)^{(1/2)} - 1)^4)/((d*x + 1)^{(1/2)} - 1)^4 + (64*B*f^2*((1 - \\
& d*x)^{(1/2)} - 1)^{16})/((d*x + 1)^{(1/2)} - 1)^{16} + (8*B*d^2*e^2*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 + (8*B*d^2*e^2*((1 - d*x)^{(1/2)} - 1)^{18}) \\
& /((d*x + 1)^{(1/2)} - 1)^{18} + (33*B*d*e*f*((1 - d*x)^{(1/2)} - 1)^3)/((d*x + 1)^{(1/2)} - 1)^3 - (204*B*d*e*f*((1 - d*x)^{(1/2)} - 1)^5)/((d*x + 1)^{(1/2)} - 1)^5 + (204*B*d*e*f*((1 - d*x)^{(1/2)} - 1)^7)/((d*x + 1)^{(1/2)} - 1)^7 + (442*B \\
& *d*e*f*((1 - d*x)^{(1/2)} - 1)^9)/((d*x + 1)^{(1/2)} - 1)^9 - (442*B*d*e*f*((1 - \\
& d*x)^{(1/2)} - 1)^{11})/((d*x + 1)^{(1/2)} - 1)^{11} - (204*B*d*e*f*((1 - d*x)^{(1/2)} - 1)^{13})/((d*x + 1)^{(1/2)} - 1)^{13} + (204*B*d*e*f*((1 - d*x)^{(1/2)} - 1)^{15})/((d*x + 1)^{(1/2)} - 1)^{15} - (33*B*d*e*f*((1 - d*x)^{(1/2)} - 1)^{17})/((d*x \\
& + 1)^{(1/2)} - 1)^{17} + (B*d*e*f*((1 - d*x)^{(1/2)} - 1)^{19})/((d*x + 1)^{(1/2)} - 1)^{19} - (B*d*e*f*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1))/(d^4 + (10*d \\
& ^4*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 + (45*d^4*((1 - d*x)^{(1/2)} - 1)^4)/((d*x + 1)^{(1/2)} - 1)^4 + (120*d^4*((1 - d*x)^{(1/2)} - 1)^6)/((d \\
& *x + 1)^{(1/2)} - 1)^6 + (210*d^4*((1 - d*x)^{(1/2)} - 1)^8)/((d*x + 1)^{(1/2)} - 1)^8 + (252*d^4*((1 - d*x)^{(1/2)} - 1)^{10})/((d*x + 1)^{(1/2)} - 1)^{10} + (210* \\
& d^4*((1 - d*x)^{(1/2)} - 1)^{12})/((d*x + 1)^{(1/2)} - 1)^{12} + (120*d^4*((1 - d*x \\
& )^{(1/2)} - 1)^{14})/((d*x + 1)^{(1/2)} - 1)^{14} + (45*d^4*((1 - d*x)^{(1/2)} - 1)^{16})/((d*x + 1)^{(1/2)} - 1)^{16} + (10*d^4*((1 - d*x)^{(1/2)} - 1)^{18})/((d*x + 1)^{(1/2)} - 1)^{18} + (d^4*((1 - d*x)^{(1/2)} - 1)^{20})/((d*x + 1)^{(1/2)} - 1)^{20} - \\
& (((1 - d*x)^{(1/2)} - 1)^{15}*((A*f^2)/2 - 2*A*d^2*e^2))/((d*x + 1)^{(1/2)} - 1)^{15} - (((1 - d*x)^{(1/2)} - 1)*((A*f^2)/2 - 2*A*d^2*e^2))/((d*x + 1)^{(1/2)} - 1) + (((1 - d*x)^{(1/2)} - 1)^3*((35*A*f^2)/2 - 6*A*d^2*e^2))/((d*x + 1)^{(1/2)} - 1)^3 - (((1 - d*x)^{(1/2)} - 1)^{13}*((35*A*f^2)/2 - 6*A*d^2*e^2))/((d*x + 1)^{(1/2)} - 1)^{13} - (((1 - d*x)^{(1/2)} - 1)^5*((273*A*f^2)/2 + 30*A*d^2*e^2))/((d*x + 1)^{(1/2)} - 1)^5 + (((1 - d*x)^{(1/2)} - 1)^{11}*((273*A*f^2)/2 + 30*A*d^2*e^2))/((d*x + 1)^{(1/2)} - 1)^{11} + (((1 - d*x)^{(1/2)} - 1)^7*((715*A*f^2)/2 - 22*A*d^2*e^2))/((d*x + 1)^{(1/2)} - 1)^7 - (((1 - d*x)^{(1/2)} - 1)^9*((715 *A*f^2)/2 - 22*A*d^2*e^2))/((d*x + 1)^{(1/2)} - 1)^9 + (16*A*d*e*f*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 - (32*A*d*e*f*((1 - d*x)^{(1/2)} - 1)^4)/((d*x + 1)^{(1/2)} - 1)^4 + (208*A*d*e*f*((1 - d*x)^{(1/2)} - 1)^6)/(3*((d*x + 1)^{(1/2)} - 1)^6) + (704*A*d*e*f*((1 - d*x)^{(1/2)} - 1)^8)/(3*((d*x + 1)^{(1/2)} - 1)^8) + (208*A*d*e*f*((1 - d*x)^{(1/2)} - 1)^{10})/(3*((d*x + 1)^{(1/2)} - 1)^{10}) - (32*A*d*e*f*((1 - d*x)^{(1/2)} - 1)^{12})/((d*x + 1)^{(1/2)} - 1)^{12} + (16*A*d*e*f*((1 - d*x)^{(1/2)} - 1)^{14})/((d*x + 1)^{(1/2)} - 1)^{14})/(d^3 + (8*d^3*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 + (28*d^3*((1 - d*x)^{(1/2)} - 1)^4)/((d*x + 1)^{(1/2)} - 1)^4 + (56*d^3*((1 - d*x)^{(1/2)} - 1)^6)/((d*x + 1)^{(1/2)} - 1)^6 + (70*d^3*((1 - d*x)^{(1/2)} - 1)^8)/((d*x + 1)^{(1/2)} - 1)^8 + (56*d^3*((1 - d*x)^{(1/2)} - 1)^{10})/((d*x + 1)^{(1/2)} - 1)^{10} + (28*d^3*((1 - d*x)^{(1/2)} - 1)^{12})/((d*x + 1)^{(1/2)} - 1)^{12} + (8*d^3*((1 - d*x)^{(1/2)} - 1)^{14})/((d*x + 1)^{(1/2)} - 1)^{14} + (d^3*((1 - d*x)^{(1/2)} - 1)^{16})/((d*x + 1)^{(1/2)} - 1)^{16} - (((1 - d*x)^{(1/2)} - 1)^{23}*((C*f^2)/4 + (C*d^2*e^2)/2))/((d*x + 1)^{(1/2)} - 1)^{23} - (((1 - d*x)^{(1/2)} - 1)*((C*f^2)/4 + (C*d^2*e^2)/2))/((d*x + 1)^{(1/2)} - 1) - (((1 - d*x)^{(1/2)} - 1)^3*((35*C*f^2)/12 - (31*C*d^2*e^2)/2))/((d*x + 1)^{(1/2)} - 1)^3 + (((1 - d*x)^{(1/2)} - 1)^{21}*((35*C*f^2)/12 - (31*C*d^2*e^2)/2))/((d*x + 1)^{(1/2)} - 1)^{21} + (((1 - d*x)^{(1/2)} - 1)^5*((757*C*f^2)/4 - (139*C*d^2*e^2)/2))/((d*x + 1)^{(1/2)} - 1)^5 - (((1 - d*x)^{(1/2)} - 1)^{19}*((757*C*f^2)/4 - (139*C*d^2*e^2)/2))/((d*x + 1)^{(1/2)} - 1)^{19} - (((1 - d*x)^{(1/2)} - 1)^7*((7339*C*f^2)/4 + (171*C*d^2*e^2)/2))/((d*x + 1)^{(1/2)} - 1)^7 + (((1 - d*x)^{(1/2)} - 1)^{17}*((7339*C*f^2)/4 + (171*C*d^2*e^2)/2))/((d*x + 1)^{(1/2)} - 1)^{17} - (((1 - d*x)^{(1/2)} - 1)^{11}*((25661*C*f^2)/2 - 323*C*d^2*e^2))/((d*x + 1)^{(1/2)} - 1)^{11} + (((1 - d*x)^{(1/2)} - 1)^{13}*((25661*C*f^2)/2 - 323*C*d^2*e^2))/((d*x + 1)^{(1/2)} - 1)^{13} + (((1 - d*x)^{(1/2)} - 1)^9*((41929*C*f^2)/6 + 323*C*d^2*e^2))/((d*x + 1)^{(1/2)} - 1)^9 - (((1 - d*x)^{(1/2)} - 1)^{15}*((41929*C*f^2)/6 + 323*C*d^2*e^2))/((d*x + 1)^{(1/2)} - 1)^{15} + (128*C*d*e*f*((1 - d*x)^{(1/2)} - 1)^4)/((d*x + 1)^{(1/2)} - 1)^4
\end{aligned}$$

$$4 - (2048*C*d*e*f*((1 - d*x)^{(1/2)} - 1)^6)/(3*((d*x + 1)^{(1/2)} - 1)^6) + (1536*C*d*e*f*((1 - d*x)^{(1/2)} - 1)^8)/((d*x + 1)^{(1/2)} - 1)^8 + (6144*C*d*e*f*((1 - d*x)^{(1/2)} - 1)^{10})/(5*((d*x + 1)^{(1/2)} - 1)^{10}) - (33536*C*d*e*f*((1 - d*x)^{(1/2)} - 1)^{12})/(15*((d*x + 1)^{(1/2)} - 1)^{12}) + (6144*C*d*e*f*((1 - d*x)^{(1/2)} - 1)^{14})/(5*((d*x + 1)^{(1/2)} - 1)^{14}) + (1536*C*d*e*f*((1 - d*x)^{(1/2)} - 1)^{16})/((d*x + 1)^{(1/2)} - 1)^{16} - (2048*C*d*e*f*((1 - d*x)^{(1/2)} - 1)^{18})/(3*((d*x + 1)^{(1/2)} - 1)^{18}) + (128*C*d*e*f*((1 - d*x)^{(1/2)} - 1)^{20})/((d*x + 1)^{(1/2)} - 1)^{20}/(d^5 + (12*d^5*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 + (66*d^5*((1 - d*x)^{(1/2)} - 1)^4)/((d*x + 1)^{(1/2)} - 1)^4 + (220*d^5*((1 - d*x)^{(1/2)} - 1)^6)/((d*x + 1)^{(1/2)} - 1)^6 + (495*d^5*((1 - d*x)^{(1/2)} - 1)^8)/((d*x + 1)^{(1/2)} - 1)^8 + (792*d^5*((1 - d*x)^{(1/2)} - 1)^{10})/((d*x + 1)^{(1/2)} - 1)^{10} + (924*d^5*((1 - d*x)^{(1/2)} - 1)^{12})/((d*x + 1)^{(1/2)} - 1)^{12} + (792*d^5*((1 - d*x)^{(1/2)} - 1)^{14})/((d*x + 1)^{(1/2)} - 1)^{14} + (495*d^5*((1 - d*x)^{(1/2)} - 1)^{16})/((d*x + 1)^{(1/2)} - 1)^{16} + (220*d^5*((1 - d*x)^{(1/2)} - 1)^{18})/((d*x + 1)^{(1/2)} - 1)^{18} + (66*d^5*((1 - d*x)^{(1/2)} - 1)^{20})/((d*x + 1)^{(1/2)} - 1)^{20} + (12*d^5*((1 - d*x)^{(1/2)} - 1)^{22})/((d*x + 1)^{(1/2)} - 1)^{22} + (d^5*((1 - d*x)^{(1/2)} - 1)^{24})/((d*x + 1)^{(1/2)} - 1)^{24} - (A*atan((A*(f^2 + 4*d^2*e^2)*((1 - d*x)^{(1/2)} - 1)))/((d*x + 1)^{(1/2)} - 1)*(A*f^2 + 4*A*d^2*e^2))*(f^2 + 4*d^2*e^2)/(2*d^3) - (C*atan((C*(f^2 + 2*d^2*e^2)*((1 - d*x)^{(1/2)} - 1)))/((d*x + 1)^{(1/2)} - 1)*(C*f^2 + 2*C*d^2*e^2))*(f^2 + 2*d^2*e^2)/(4*d^5) - (B*e*f*atan(((1 - d*x)^{(1/2)} - 1)/((d*x + 1)^{(1/2)} - 1)))/d^3$$

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x+e)\*\*2\*(C\*x\*\*2+B\*x+A)\*(-d\*x+1)\*\*(1/2)\*(d\*x+1)\*\*(1/2),x)

[Out] Timed out

### 3.3 $\int \sqrt{1-dx} \sqrt{1+dx} (e+fx) (A+Bx+Cx^2) dx$

**Optimal.** Leaf size=168

$$\frac{x\sqrt{1-d^2x^2} (4Ad^2e + Bf + Ce)}{8d^2} - \frac{(1-d^2x^2)^{3/2} (4(5d^2f(Af + Be) - C(3d^2e^2 - 2f^2)) - 3d^2fx(3Ce - 5Bf))}{60d^4f}$$

[Out]  $-1/5*C*(f*x+e)^2*(-d^2*x^2+1)^{(3/2)}/d^2/f-1/60*(20*d^2*f*(A*f+B*e)-4*C*(3*d^2*e^2-2*f^2)-3*d^2*f*(-5*B*f+3*C*e)*x)*(-d^2*x^2+1)^{(3/2)}/d^4/f+1/8*(4*A*d^2*e+B*f+C*e)*\arcsin(d*x)/d^3+1/8*(4*A*d^2*e+B*f+C*e)*x*(-d^2*x^2+1)^{(1/2)}/d^2$

**Rubi [A]** time = 0.25, antiderivative size = 170, normalized size of antiderivative = 1.01, number of steps used = 5, number of rules used = 5, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {1609, 1654, 780, 195, 216}

$$\frac{(1-d^2x^2)^{3/2} \left( 4 \left( 5d^2f(Af + Be) - \frac{1}{4}C(12d^2e^2 - 8f^2) \right) - 3d^2fx(3Ce - 5Bf) \right)}{60d^4f} + \frac{x\sqrt{1-d^2x^2} (4Ad^2e + Bf + C)}{8d^2}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[1 - d\*x]\*Sqrt[1 + d\*x]\*(e + f\*x)\*(A + B\*x + C\*x^2), x]

[Out]  $((C*e + 4*A*d^2*e + B*f)*x*\text{Sqrt}[1 - d^2*x^2])/(8*d^2) - (C*(e + f*x)^2*(1 - d^2*x^2)^{(3/2)})/(5*d^2*f) - ((4*(5*d^2*f*(B*e + A*f) - (C*(12*d^2*e^2 - 8*f^2))/4) - 3*d^2*f*(3*C*e - 5*B*f)*x)*(1 - d^2*x^2)^{(3/2)})/(60*d^4*f) + ((C*e + 4*A*d^2*e + B*f)*\text{ArcSin}[d*x])/(8*d^3)$

#### Rule 195

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x\*(a + b\*x^n)^p)/(n\*p + 1), x] + Dist[(a\*n\*p)/(n\*p + 1), Int[(a + b\*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2\*p] || (EqQ[n, 2] && IntegerQ[4\*p]) || (EqQ[n, 2] && IntegerQ[3\*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rule 780

Int[((d\_.) + (e\_.)\*(x\_))\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((e\*f + d\*g)\*(2\*p + 3) + 2\*e\*g\*(p + 1)\*x)\*(a + c\*x^2)^(p + 1))/(2\*c\*(p + 1)\*(2\*p + 3)), x] - Dist[(a\*e\*g - c\*d\*f\*(2\*p + 3))/(c\*(2\*p + 3)), Int[(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !LeQ[p, -1]

#### Rule 1609

Int[(Px\_)\*((a\_.) + (b\_.)\*(x\_)^(m\_.))\*((c\_.) + (d\_.)\*(x\_)^(n\_.))\*((e\_.) + (f\_.)\*(x\_)^(p\_.)), x\_Symbol] := Int[Px\*(a\*c + b\*d\*x^2)^m\*(e + f\*x)^p, x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b\*c + a\*d, 0] && EqQ[m, n] && (IntegerQ[m] || (GtQ[a, 0] && GtQ[c, 0]))

#### Rule 1654

Int[(Pq\_)\*((d\_.) + (e\_.)\*(x\_)^(m\_.))\*((a\_.) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f\*(d + e\*x

```
)^(m + q - 1)*(a + c*x^2)^(p + 1))/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Dist[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + c*x^2)^p*ExpandToSum[c*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - f*(d + e*x)^(q - 2)*(a*e^2*(m + q - 1) - c*d^2*(m + q + 2*p + 1) - 2*c*d*e*(m + q + p)*x), x], x] /; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0]] /; FreeQ[{a, c, d, e, m, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && !(EqQ[d, 0] && True) && !(IGtQ[m, 0] && RationalQ[a, c, d, e] && (IntegerQ[p] || ILtQ[p + 1/2, 0]))
```

### Rubi steps

$$\begin{aligned} \int \sqrt{1-dx} \sqrt{1+dx} (e+fx) (A+Bx+Cx^2) dx &= \int (e+fx) (A+Bx+Cx^2) \sqrt{1-d^2x^2} dx \\ &= -\frac{C(e+fx)^2 (1-d^2x^2)^{3/2}}{5d^2f} - \frac{\int (e+fx) (- (2C+5Ad^2) f^2 + d^2)}{5d^2} \\ &= -\frac{C(e+fx)^2 (1-d^2x^2)^{3/2}}{5d^2f} - \frac{\left(4 \left(5d^2f(Be+Af) - \frac{1}{4}C(12d^2e^2)\right)}{5d^2f} \right)}{5d^2f} \\ &= \frac{(Ce+4Ad^2e+Bf)x\sqrt{1-d^2x^2}}{8d^2} - \frac{C(e+fx)^2 (1-d^2x^2)^{3/2}}{5d^2f} \\ &= \frac{(Ce+4Ad^2e+Bf)x\sqrt{1-d^2x^2}}{8d^2} - \frac{C(e+fx)^2 (1-d^2x^2)^{3/2}}{5d^2f} \end{aligned}$$

**Mathematica [A]** time = 0.21, size = 141, normalized size = 0.84

$$\frac{15d \sin^{-1}(dx) (4Ad^2e + Bf + Ce) + \sqrt{1-d^2x^2} (60Ad^4ex + 40Ad^2f(d^2x^2 - 1) + 5Bd^2(8d^2ex^2 + 6d^2fx^3 - 8e - 3))}{120d^4}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[1 - d*x]*Sqrt[1 + d*x]*(e + f*x)*(A + B*x + C*x^2), x]
```

```
[Out] (Sqrt[1 - d^2*x^2]*(60*A*d^4*e*x + 40*A*d^2*f*(-1 + d^2*x^2) + 15*C*d^2*e*x*(-1 + 2*d^2*x^2) + 5*B*d^2*(-8*e - 3*f*x + 8*d^2*e*x^2 + 6*d^2*f*x^3) + 8*C*f*(-2 - d^2*x^2 + 3*d^4*x^4)) + 15*d*(C*e + 4*A*d^2*e + B*f)*ArcSin[d*x])/(120*d^4)
```

**fricas [A]** time = 0.91, size = 170, normalized size = 1.01

$$\frac{(24Cd^4fx^4 - 40Bd^2e + 30(Cd^4e + Bd^4f)x^3 + 8(5Bd^4e + (5Ad^4 - Cd^2)f)x^2 - 8(5Ad^2 + 2C)f - 15(Bd^2f - C))}{120d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)*(C*x^2+B*x+A)*(-d*x+1)^(1/2)*(d*x+1)^(1/2), x, algorithm="fricas")
```

```
[Out] 1/120*((24*C*d^4*f*x^4 - 40*B*d^2*e + 30*(C*d^4*e + B*d^4*f)*x^3 + 8*(5*B*d^4*e + (5*A*d^4 - C*d^2)*f)*x^2 - 8*(5*A*d^2 + 2*C)*f - 15*(B*d^2*f - (4*A*d^4 - C*d^2)*e)*x)*sqrt(d*x + 1)*sqrt(-d*x + 1) - 30*(B*d*f + (4*A*d^3 + C*d)*e)*arctan((sqrt(d*x + 1)*sqrt(-d*x + 1) - 1)/(d*x))/d^4
```

**giac [B]** time = 2.00, size = 782, normalized size = 4.65

result too large to display



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x+e)\*(C\*x^2+B\*x+A)\*(-d\*x+1)^(1/2)\*(d\*x+1)^(1/2),x, algorithm="giac")

[Out]  $\frac{1}{120} \cdot (20 \cdot (\sqrt{d \cdot x + 1}) \cdot \sqrt{-d \cdot x + 1} \cdot ((d \cdot x + 1) \cdot (2 \cdot (d \cdot x + 1) / d^2 - 7 / d^2) + 9 / d^2) + 6 \cdot \arcsin(1/2 \cdot \sqrt{2} \cdot \sqrt{d \cdot x + 1}) / d^2) \cdot A \cdot d \cdot f + 5 \cdot (((d \cdot x + 1) \cdot (2 \cdot (d \cdot x + 1) \cdot (3 \cdot (d \cdot x + 1) / d^3 - 13 / d^3) + 43 / d^3) - 39 / d^3) \cdot \sqrt{d \cdot x + 1} \cdot \sqrt{-d \cdot x + 1} - 18 \cdot \arcsin(1/2 \cdot \sqrt{2} \cdot \sqrt{d \cdot x + 1}) / d^3) \cdot B \cdot d \cdot f + (((2 \cdot (d \cdot x + 1) \cdot (3 \cdot (d \cdot x + 1) \cdot (4 \cdot (d \cdot x + 1) / d^4 - 21 / d^4) + 133 / d^4) - 295 / d^4) \cdot (d \cdot x + 1) + 195 / d^4) \cdot \sqrt{d \cdot x + 1} \cdot \sqrt{-d \cdot x + 1} + 90 \cdot \arcsin(1/2 \cdot \sqrt{2} \cdot \sqrt{d \cdot x + 1}) / d^4) \cdot C \cdot d \cdot f + 20 \cdot (\sqrt{d \cdot x + 1}) \cdot \sqrt{-d \cdot x + 1} \cdot ((d \cdot x + 1) \cdot (2 \cdot (d \cdot x + 1) / d^2 - 7 / d^2) + 9 / d^2) + 6 \cdot \arcsin(1/2 \cdot \sqrt{2} \cdot \sqrt{d \cdot x + 1}) / d^2) \cdot B \cdot d \cdot e + 5 \cdot (((d \cdot x + 1) \cdot (2 \cdot (d \cdot x + 1) \cdot (3 \cdot (d \cdot x + 1) / d^3 - 13 / d^3) + 43 / d^3) - 39 / d^3) \cdot \sqrt{d \cdot x + 1} \cdot \sqrt{-d \cdot x + 1} - 18 \cdot \arcsin(1/2 \cdot \sqrt{2} \cdot \sqrt{d \cdot x + 1}) / d^3) \cdot C \cdot d \cdot e + 20 \cdot (\sqrt{d \cdot x + 1}) \cdot \sqrt{-d \cdot x + 1} \cdot ((d \cdot x + 1) \cdot (2 \cdot (d \cdot x + 1) / d^2 - 7 / d^2) + 9 / d^2) + 6 \cdot \arcsin(1/2 \cdot \sqrt{2} \cdot \sqrt{d \cdot x + 1}) / d^2) \cdot B \cdot f + 5 \cdot (((d \cdot x + 1) \cdot (2 \cdot (d \cdot x + 1) \cdot (3 \cdot (d \cdot x + 1) / d^3 - 13 / d^3) + 43 / d^3) - 39 / d^3) \cdot \sqrt{d \cdot x + 1} \cdot \sqrt{-d \cdot x + 1} - 18 \cdot \arcsin(1/2 \cdot \sqrt{2} \cdot \sqrt{d \cdot x + 1}) / d^3) \cdot C \cdot f + 60 \cdot (\sqrt{d \cdot x + 1}) \cdot (d \cdot x - 2) \cdot \sqrt{-d \cdot x + 1} - 2 \cdot \arcsin(1/2 \cdot \sqrt{2} \cdot \sqrt{d \cdot x + 1})) \cdot A \cdot e + 120 \cdot (\sqrt{d \cdot x + 1}) \cdot \sqrt{-d \cdot x + 1} + 2 \cdot \arcsin(1/2 \cdot \sqrt{2} \cdot \sqrt{d \cdot x + 1})) \cdot A \cdot e + 20 \cdot (\sqrt{d \cdot x + 1}) \cdot \sqrt{-d \cdot x + 1} \cdot ((d \cdot x + 1) \cdot (2 \cdot (d \cdot x + 1) / d^2 - 7 / d^2) + 9 / d^2) + 6 \cdot \arcsin(1/2 \cdot \sqrt{2} \cdot \sqrt{d \cdot x + 1}) / d^2) \cdot C \cdot e + 60 \cdot (\sqrt{d \cdot x + 1}) \cdot (d \cdot x - 2) \cdot \sqrt{-d \cdot x + 1} - 2 \cdot \arcsin(1/2 \cdot \sqrt{2} \cdot \sqrt{d \cdot x + 1})) \cdot A \cdot f / d + 60 \cdot (\sqrt{d \cdot x + 1}) \cdot (d \cdot x - 2) \cdot \sqrt{-d \cdot x + 1} - 2 \cdot \arcsin(1/2 \cdot \sqrt{2} \cdot \sqrt{d \cdot x + 1})) \cdot B \cdot e / d) / d$

**maple** [C] time = 0.01, size = 377, normalized size = 2.24

$$\frac{\sqrt{-dx+1} \sqrt{dx+1} \left( 24\sqrt{-d^2x^2+1} C d^4 f x^4 \operatorname{csgn}(d) + 30\sqrt{-d^2x^2+1} B d^4 f x^3 \operatorname{csgn}(d) + 30\sqrt{-d^2x^2+1} C d^4 e \right)}{d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f\*x+e)\*(C\*x^2+B\*x+A)\*(-d\*x+1)^(1/2)\*(d\*x+1)^(1/2),x)

[Out]  $\frac{1}{120} \cdot (-d \cdot x + 1)^{(1/2)} \cdot (d \cdot x + 1)^{(1/2)} \cdot (24 \cdot C \cdot \operatorname{csgn}(d) \cdot x^4 \cdot d^4 \cdot f \cdot (-d^2 \cdot x^2 + 1)^{(1/2)} + 30 \cdot B \cdot \operatorname{csgn}(d) \cdot x^3 \cdot d^4 \cdot f \cdot (-d^2 \cdot x^2 + 1)^{(1/2)} + 30 \cdot C \cdot \operatorname{csgn}(d) \cdot x^3 \cdot d^4 \cdot e \cdot (-d^2 \cdot x^2 + 1)^{(1/2)} + 40 \cdot A \cdot \operatorname{csgn}(d) \cdot x^2 \cdot d^4 \cdot f \cdot (-d^2 \cdot x^2 + 1)^{(1/2)} + 40 \cdot B \cdot \operatorname{csgn}(d) \cdot x^2 \cdot d^4 \cdot e \cdot (-d^2 \cdot x^2 + 1)^{(1/2)} + 60 \cdot A \cdot \operatorname{csgn}(d) \cdot (-d^2 \cdot x^2 + 1)^{(1/2)} \cdot x \cdot d^4 \cdot e - 8 \cdot C \cdot \operatorname{csgn}(d) \cdot (-d^2 \cdot x^2 + 1)^{(1/2)} \cdot x^2 \cdot d^2 \cdot f - 15 \cdot B \cdot \operatorname{csgn}(d) \cdot (-d^2 \cdot x^2 + 1)^{(1/2)} \cdot x \cdot d^2 \cdot f - 15 \cdot C \cdot \operatorname{csgn}(d) \cdot (-d^2 \cdot x^2 + 1)^{(1/2)} \cdot x \cdot d^2 \cdot e - 40 \cdot A \cdot \operatorname{csgn}(d) \cdot (-d^2 \cdot x^2 + 1)^{(1/2)} \cdot d^2 \cdot f + 60 \cdot A \cdot \arctan(1 / (-d^2 \cdot x^2 + 1)^{(1/2)}) \cdot d \cdot x \cdot \operatorname{csgn}(d) \cdot d^3 \cdot e - 40 \cdot B \cdot \operatorname{csgn}(d) \cdot (-d^2 \cdot x^2 + 1)^{(1/2)} \cdot d^2 \cdot e + 15 \cdot B \cdot \arctan(1 / (-d^2 \cdot x^2 + 1)^{(1/2)}) \cdot d \cdot x \cdot \operatorname{csgn}(d) \cdot d \cdot f - 16 \cdot C \cdot \operatorname{csgn}(d) \cdot (-d^2 \cdot x^2 + 1)^{(1/2)} \cdot f + 15 \cdot C \cdot \arctan(1 / (-d^2 \cdot x^2 + 1)^{(1/2)}) \cdot d \cdot x \cdot \operatorname{csgn}(d) \cdot d \cdot e) \cdot \operatorname{csgn}(d) / d^4 / (-d^2 \cdot x^2 + 1)^{(1/2)}$

**maxima** [A] time = 1.07, size = 174, normalized size = 1.04

$$\frac{1}{2} \sqrt{-d^2x^2+1} A e x - \frac{(-d^2x^2+1)^{\frac{3}{2}} C f x^2}{5 d^2} + \frac{A e \arcsin(dx)}{2 d} - \frac{(-d^2x^2+1)^{\frac{3}{2}} B e}{3 d^2} - \frac{(-d^2x^2+1)^{\frac{3}{2}} A f}{3 d^2} - \frac{(-d^2x^2+1)^{\frac{3}{2}} (C e + B f)}{4 d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x+e)\*(C\*x^2+B\*x+A)\*(-d\*x+1)^(1/2)\*(d\*x+1)^(1/2),x, algorithm="maxima")

[Out]  $\frac{1}{2} \cdot \sqrt{-d^2 \cdot x^2 + 1} \cdot A \cdot e \cdot x - \frac{1}{5} \cdot (-d^2 \cdot x^2 + 1)^{(3/2)} \cdot C \cdot f \cdot x^2 / d^2 + \frac{1}{2} \cdot A \cdot e \cdot \arcsin(d \cdot x) / d - \frac{1}{3} \cdot (-d^2 \cdot x^2 + 1)^{(3/2)} \cdot B \cdot e / d^2 - \frac{1}{3} \cdot (-d^2 \cdot x^2 + 1)^{(3/2)} \cdot A \cdot f / d^2 - \frac{1}{4} \cdot (-d^2 \cdot x^2 + 1)^{(3/2)} \cdot (C \cdot e + B \cdot f) \cdot x / d^2 + \frac{1}{8} \cdot \sqrt{-d^2 \cdot x^2 + 1} \cdot (C \cdot e + B \cdot f) \cdot x / d^2$

$2 + 1) * (C * e + B * f) * x / d^2 - 2 / 15 * (-d^2 * x^2 + 1)^{(3/2)} * C * f / d^4 + 1 / 8 * (C * e + B * f) * \arcsin(d * x) / d^3$

**mupad [B]** time = 12.06, size = 736, normalized size = 4.38

$$\frac{B f(\sqrt{1-dx-1})}{2(\sqrt{dx+1}-1)} - \frac{35 B f(\sqrt{1-dx-1})^3}{2(\sqrt{dx+1}-1)^3} + \frac{273 B f(\sqrt{1-dx-1})^5}{2(\sqrt{dx+1}-1)^5} - \frac{715 B f(\sqrt{1-dx-1})^7}{2(\sqrt{dx+1}-1)^7} + \frac{715 B f(\sqrt{1-dx-1})^9}{2(\sqrt{dx+1}-1)^9} - \frac{273 B f(\sqrt{1-dx-1})^{11}}{2(\sqrt{dx+1}-1)^{11}} + \frac{35 B f(\sqrt{1-dx-1})^{13}}{2(\sqrt{dx+1}-1)^{13}} - \frac{B f(\sqrt{1-dx-1})^{15}}{2(\sqrt{dx+1}-1)^{15}}}{d^3 \left( \frac{(\sqrt{1-dx-1})^2}{(\sqrt{dx+1}-1)^2} + 1 \right)^8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e + f\*x)\*(1 - d\*x)^(1/2)\*(d\*x + 1)^(1/2)\*(A + B\*x + C\*x^2), x)

[Out] ((B\*f\*((1 - d\*x)^(1/2) - 1))/(2\*((d\*x + 1)^(1/2) - 1)) - (35\*B\*f\*((1 - d\*x)^(1/2) - 1)^3)/(2\*((d\*x + 1)^(1/2) - 1)^3) + (273\*B\*f\*((1 - d\*x)^(1/2) - 1)^5)/(2\*((d\*x + 1)^(1/2) - 1)^5) - (715\*B\*f\*((1 - d\*x)^(1/2) - 1)^7)/(2\*((d\*x + 1)^(1/2) - 1)^7) + (715\*B\*f\*((1 - d\*x)^(1/2) - 1)^9)/(2\*((d\*x + 1)^(1/2) - 1)^9) - (273\*B\*f\*((1 - d\*x)^(1/2) - 1)^11)/(2\*((d\*x + 1)^(1/2) - 1)^11) + (35\*B\*f\*((1 - d\*x)^(1/2) - 1)^13)/(2\*((d\*x + 1)^(1/2) - 1)^13) - (B\*f\*((1 - d\*x)^(1/2) - 1)^15)/(2\*((d\*x + 1)^(1/2) - 1)^15))/(d^3\*((1 - d\*x)^(1/2) - 1)^2/((d\*x + 1)^(1/2) - 1)^2 + 1)^8) - (1 - d\*x)^(1/2)\*((2\*C\*f\*(d\*x + 1)^(1/2))/(15\*d^4) - (C\*f\*x^4\*(d\*x + 1)^(1/2))/5 + (C\*f\*x^2\*(d\*x + 1)^(1/2))/(15\*d^2)) + ((C\*e\*((1 - d\*x)^(1/2) - 1))/(2\*((d\*x + 1)^(1/2) - 1)) - (35\*C\*e\*((1 - d\*x)^(1/2) - 1)^3)/(2\*((d\*x + 1)^(1/2) - 1)^3) + (273\*C\*e\*((1 - d\*x)^(1/2) - 1)^5)/(2\*((d\*x + 1)^(1/2) - 1)^5) - (715\*C\*e\*((1 - d\*x)^(1/2) - 1)^7)/(2\*((d\*x + 1)^(1/2) - 1)^7) + (715\*C\*e\*((1 - d\*x)^(1/2) - 1)^9)/(2\*((d\*x + 1)^(1/2) - 1)^9) - (273\*C\*e\*((1 - d\*x)^(1/2) - 1)^11)/(2\*((d\*x + 1)^(1/2) - 1)^11) + (35\*C\*e\*((1 - d\*x)^(1/2) - 1)^13)/(2\*((d\*x + 1)^(1/2) - 1)^13) - (C\*e\*((1 - d\*x)^(1/2) - 1)^15)/(2\*((d\*x + 1)^(1/2) - 1)^15))/(d^3\*((1 - d\*x)^(1/2) - 1)^2/((d\*x + 1)^(1/2) - 1)^2 + 1)^8) - (B\*f\*atan(((1 - d\*x)^(1/2) - 1)/((d\*x + 1)^(1/2) - 1)))/(2\*d^3) - (C\*e\*atan(((1 - d\*x)^(1/2) - 1)/((d\*x + 1)^(1/2) - 1)))/(2\*d^3) + (A\*e\*x\*(1 - d\*x)^(1/2)\*(d\*x + 1)^(1/2))/2 - (A\*d^(1/2)\*e\*log((-d)^(1/2)\*(1 - d\*x)^(1/2)\*(d\*x + 1)^(1/2) - d^(3/2)\*x))/(2\*(-d)^(3/2)) + (A\*f\*(d^2\*x^2 - 1)\*(1 - d\*x)^(1/2)\*(d\*x + 1)^(1/2))/(3\*d^2) + (B\*e\*(d^2\*x^2 - 1)\*(1 - d\*x)^(1/2)\*(d\*x + 1)^(1/2))/(3\*d^2)

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x+e)\*(C\*x\*\*2+B\*x+A)\*(-d\*x+1)\*\*(1/2)\*(d\*x+1)\*\*(1/2), x)

[Out] Timed out

### 3.4 $\int \sqrt{1-dx} \sqrt{1+dx} (A+Bx+Cx^2) dx$

**Optimal.** Leaf size=95

$$\frac{x\sqrt{1-d^2x^2}(4Ad^2+C)}{8d^2} + \frac{(4Ad^2+C)\sin^{-1}(dx)}{8d^3} - \frac{B(1-d^2x^2)^{3/2}}{3d^2} - \frac{Cx(1-d^2x^2)^{3/2}}{4d^2}$$

[Out]  $-1/3*B*(-d^2*x^2+1)^{(3/2)}/d^2-1/4*C*x*(-d^2*x^2+1)^{(3/2)}/d^2+1/8*(4*A*d^2+C)*\arcsin(d*x)/d^3+1/8*(4*A*d^2+C)*x*(-d^2*x^2+1)^{(1/2)}/d^2$

**Rubi [A]** time = 0.07, antiderivative size = 95, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {899, 1815, 641, 195, 216}

$$\frac{x\sqrt{1-d^2x^2}(4Ad^2+C)}{8d^2} + \frac{(4Ad^2+C)\sin^{-1}(dx)}{8d^3} - \frac{B(1-d^2x^2)^{3/2}}{3d^2} - \frac{Cx(1-d^2x^2)^{3/2}}{4d^2}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[1-d\*x]\*Sqrt[1+d\*x]\*(A+B\*x+C\*x^2),x]

[Out]  $((C+4*A*d^2)*x*\text{Sqrt}[1-d^2*x^2])/(8*d^2) - (B*(1-d^2*x^2)^{(3/2)})/(3*d^2) - (C*x*(1-d^2*x^2)^{(3/2)})/(4*d^2) + ((C+4*A*d^2)*\text{ArcSin}[d*x])/(8*d^3)$

#### Rule 195

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Simp[(x\*(a + b\*x^n)^p)/(n\*p + 1), x] + Dist[(a\*n\*p)/(n\*p + 1), Int[(a + b\*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2\*p] || (EqQ[n, 2] && IntegerQ[4\*p]) || (EqQ[n, 2] && IntegerQ[3\*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] :> Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rule 641

Int[((d\_) + (e\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[(e\*(a + c\*x^2)^(p + 1))/(2\*c\*(p + 1)), x] + Dist[d, Int[(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]

#### Rule 899

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((f\_) + (g\_.)\*(x\_))^(n\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Int[(d\*f + e\*g\*x^2)^m\*(a + b\*x + c\*x^2)^p, x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && EqQ[m - n, 0] && EqQ[e\*f + d\*g, 0] && (IntegerQ[m] || (GtQ[d, 0] && GtQ[f, 0]))

#### Rule 1815

Int[(Pq\_)\*((a\_) + (b\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> With[{q = Expon[Pq, x], e = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(e\*x^(q - 1)\*(a + b\*x^2)^(p + 1))/(b\*(q + 2\*p + 1)), x] + Dist[1/(b\*(q + 2\*p + 1)), Int[(a + b\*x^2)^p\*ExpandToSum[b\*(q + 2\*p + 1)\*Pq - a\*e\*(q - 1)\*x^(q - 2) - b\*e\*(q + 2\*p + 1)\*x^q, x], x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && !LeQ[p, -1]

Rubi steps

$$\begin{aligned}
\int \sqrt{1-dx} \sqrt{1+dx} (A+Bx+Cx^2) dx &= \int (A+Bx+Cx^2) \sqrt{1-d^2x^2} dx \\
&= -\frac{Cx(1-d^2x^2)^{3/2}}{4d^2} - \frac{\int (-C-4Ad^2-4Bd^2x) \sqrt{1-d^2x^2} dx}{4d^2} \\
&= -\frac{B(1-d^2x^2)^{3/2}}{3d^2} - \frac{Cx(1-d^2x^2)^{3/2}}{4d^2} - \frac{(-C-4Ad^2) \int \sqrt{1-d^2x^2} dx}{4d^2} \\
&= \frac{(C+4Ad^2)x\sqrt{1-d^2x^2}}{8d^2} - \frac{B(1-d^2x^2)^{3/2}}{3d^2} - \frac{Cx(1-d^2x^2)^{3/2}}{4d^2} + \frac{(C+4Ad^2) \int \sqrt{1-d^2x^2} dx}{4d^2} \\
&= \frac{(C+4Ad^2)x\sqrt{1-d^2x^2}}{8d^2} - \frac{B(1-d^2x^2)^{3/2}}{3d^2} - \frac{Cx(1-d^2x^2)^{3/2}}{4d^2} + \frac{(C+4Ad^2) \int \sqrt{1-d^2x^2} dx}{4d^2}
\end{aligned}$$

**Mathematica [A]** time = 0.06, size = 71, normalized size = 0.75

$$\frac{d\sqrt{1-d^2x^2} (12Ad^2x + 8Bd^2x^2 - 8B + 6Cd^2x^3 - 3Cx) + 3(4Ad^2 + C) \sin^{-1}(dx)}{24d^3}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[1 - d\*x]\*Sqrt[1 + d\*x]\*(A + B\*x + C\*x^2), x]

[Out] (d\*Sqrt[1 - d^2\*x^2]\*(-8\*B - 3\*C\*x + 12\*A\*d^2\*x + 8\*B\*d^2\*x^2 + 6\*C\*d^2\*x^3) + 3\*(C + 4\*A\*d^2)\*ArcSin[d\*x])/(24\*d^3)

**fricas [A]** time = 0.95, size = 95, normalized size = 1.00

$$\frac{(6Cd^3x^3 + 8Bd^3x^2 - 8Bd + 3(4Ad^3 - Cd)x)\sqrt{dx+1}\sqrt{-dx+1} - 6(4Ad^2 + C) \arctan\left(\frac{\sqrt{dx+1}\sqrt{-dx+1}-1}{dx}\right)}{24d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(-d\*x+1)^(1/2)\*(d\*x+1)^(1/2), x, algorithm="fricas")

[Out] 1/24\*((6\*C\*d^3\*x^3 + 8\*B\*d^3\*x^2 - 8\*B\*d + 3\*(4\*A\*d^3 - C\*d)\*x)\*sqrt(d\*x + 1)\*sqrt(-d\*x + 1) - 6\*(4\*A\*d^2 + C)\*arctan((sqrt(d\*x + 1)\*sqrt(-d\*x + 1) - 1)/(d\*x)))/d^3

**giac [B]** time = 1.54, size = 336, normalized size = 3.54

$$4 \left( \sqrt{dx+1} \sqrt{-dx+1} \left( (dx+1) \left( \frac{2(dx+1)}{d^2} - \frac{7}{d^2} \right) + \frac{9}{d^2} \right) + \frac{6 \arcsin\left(\frac{1}{2} \sqrt{2} \sqrt{dx+1}\right)}{d^2} \right) Bd + \left( (dx+1) \left( 2(dx+1) \left( \frac{3(dx+1)}{d^3} - \frac{13}{d^3} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(-d\*x+1)^(1/2)\*(d\*x+1)^(1/2), x, algorithm="giac")

[Out] 1/24\*(4\*(sqrt(d\*x + 1)\*sqrt(-d\*x + 1))\*((d\*x + 1)\*(2\*(d\*x + 1)/d^2 - 7/d^2) + 9/d^2) + 6\*arcsin(1/2\*sqrt(2)\*sqrt(d\*x + 1))/d^2)\*B\*d + (((d\*x + 1)\*(2\*(d\*x + 1)\*(3\*(d\*x + 1)/d^3 - 13/d^3) + 43/d^3) - 39/d^3)\*sqrt(d\*x + 1)\*sqrt(-d\*x + 1) - 18\*arcsin(1/2\*sqrt(2)\*sqrt(d\*x + 1))/d^3)\*C\*d + 12\*(sqrt(d\*x + 1)\*(d\*x - 2)\*sqrt(-d\*x + 1) - 2\*arcsin(1/2\*sqrt(2)\*sqrt(d\*x + 1)))\*A + 24\*(sqrt(d\*x + 1)\*sqrt(-d\*x + 1) + 2\*arcsin(1/2\*sqrt(2)\*sqrt(d\*x + 1)))\*A + 4\*(sqrt(d\*x + 1)\*sqrt(-d\*x + 1))\*((d\*x + 1)\*(2\*(d\*x + 1)/d^2 - 7/d^2) + 9/d^2) +

$6*\arcsin(1/2*\sqrt{2}*\sqrt{d*x + 1})/d^2)*C + 12*(\sqrt{d*x + 1}*(d*x - 2)*\sqrt{-d*x + 1} - 2*\arcsin(1/2*\sqrt{2}*\sqrt{d*x + 1}))*B/d)/d$

**maple [C]** time = 0.01, size = 185, normalized size = 1.95

$\sqrt{-dx + 1} \sqrt{dx + 1} \left( 6\sqrt{-d^2x^2 + 1} C d^3x^3 \operatorname{csgn}(d) + 8\sqrt{-d^2x^2 + 1} B d^3x^2 \operatorname{csgn}(d) + 12\sqrt{-d^2x^2 + 1} A d^3x \operatorname{csgn}(d) \right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((C*x^2+B*x+A)*(-d*x+1)^(1/2)*(d*x+1)^(1/2), x)`

[Out]  $\frac{1}{24}*(-d*x+1)^{(1/2)}*(d*x+1)^{(1/2)}*(6*C*\operatorname{csgn}(d)*x^3*d^3*(-d^2*x^2+1)^{(1/2)}+8*B*\operatorname{csgn}(d)*x^2*d^3*(-d^2*x^2+1)^{(1/2)}+12*A*\operatorname{csgn}(d)*d^3*(-d^2*x^2+1)^{(1/2)}*x-3*C*\operatorname{csgn}(d)*d*(-d^2*x^2+1)^{(1/2)}*x+12*A*\arctan(1/(-d^2*x^2+1)^{(1/2)}*d*x*\operatorname{csgn}(d))*d^2-8*B*(-d^2*x^2+1)^{(1/2)}*\operatorname{csgn}(d)*d+3*C*\arctan(1/(-d^2*x^2+1)^{(1/2)}*d*x*\operatorname{csgn}(d)))*\operatorname{csgn}(d)/(-d^2*x^2+1)^{(1/2)}/d^3$

**maxima [A]** time = 0.98, size = 93, normalized size = 0.98

$\frac{1}{2} \sqrt{-d^2x^2 + 1} Ax - \frac{(-d^2x^2 + 1)^{\frac{3}{2}} Cx}{4d^2} + \frac{A \arcsin(dx)}{2d} - \frac{(-d^2x^2 + 1)^{\frac{3}{2}} B}{3d^2} + \frac{\sqrt{-d^2x^2 + 1} Cx}{8d^2} + \frac{C \arcsin(dx)}{8d^3}$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x^2+B*x+A)*(-d*x+1)^(1/2)*(d*x+1)^(1/2), x, algorithm="maxima")`

[Out]  $\frac{1}{2}*\sqrt{-d^2*x^2 + 1}*A*x - \frac{1}{4}*(-d^2*x^2 + 1)^{(3/2)}*C*x/d^2 + \frac{1}{2}*A*\arcsin(d*x)/d - \frac{1}{3}*(-d^2*x^2 + 1)^{(3/2)}*B/d^2 + \frac{1}{8}*\sqrt{-d^2*x^2 + 1}*C*x/d^2 + \frac{1}{8}*C*\arcsin(d*x)/d^3$

**mupad [B]** time = 7.21, size = 361, normalized size = 3.80

$Ax \sqrt{1-dx} \sqrt{dx+1} - \frac{35C(\sqrt{1-dx}-1)^3}{2(\sqrt{dx+1}-1)^3} - \frac{273C(\sqrt{1-dx}-1)^5}{2(\sqrt{dx+1}-1)^5} + \frac{715C(\sqrt{1-dx}-1)^7}{2(\sqrt{dx+1}-1)^7} - \frac{715C(\sqrt{1-dx}-1)^9}{2(\sqrt{dx+1}-1)^9} + \frac{273C(\sqrt{1-dx}-1)^{11}}{2(\sqrt{dx+1}-1)^{11}} - \frac{d^3 \left( \frac{(\sqrt{1-dx}-1)^2}{(\sqrt{dx+1}-1)^2} + 1 \right)^8}{d^3 \left( \frac{(\sqrt{1-dx}-1)^2}{(\sqrt{dx+1}-1)^2} + 1 \right)^8}$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((1 - d*x)^(1/2)*(d*x + 1)^(1/2)*(A + B*x + C*x^2), x)`

[Out]  $(A*x*(1 - d*x)^{(1/2)}*(d*x + 1)^{(1/2)})/2 - ((35*C*((1 - d*x)^{(1/2)} - 1)^3)/(2*((d*x + 1)^{(1/2)} - 1)^3) - (273*C*((1 - d*x)^{(1/2)} - 1)^5)/(2*((d*x + 1)^{(1/2)} - 1)^5) + (715*C*((1 - d*x)^{(1/2)} - 1)^7)/(2*((d*x + 1)^{(1/2)} - 1)^7) - (715*C*((1 - d*x)^{(1/2)} - 1)^9)/(2*((d*x + 1)^{(1/2)} - 1)^9) + (273*C*((1 - d*x)^{(1/2)} - 1)^{11})/(2*((d*x + 1)^{(1/2)} - 1)^{11}) - (35*C*((1 - d*x)^{(1/2)} - 1)^{13})/(2*((d*x + 1)^{(1/2)} - 1)^{13}) + (C*((1 - d*x)^{(1/2)} - 1)^{15})/(2*((d*x + 1)^{(1/2)} - 1)^{15}) - (C*((1 - d*x)^{(1/2)} - 1))/((2*((d*x + 1)^{(1/2)} - 1)))/((d^3*((1 - d*x)^{(1/2)} - 1)^2/((d*x + 1)^{(1/2)} - 1)^2 + 1)^8 - (C*\operatorname{atan}(((1 - d*x)^{(1/2)} - 1)/((d*x + 1)^{(1/2)} - 1)))/(2*d^3) - (A*d^{(1/2)}*\log((-d)^{(1/2)}*(1 - d*x)^{(1/2)}*(d*x + 1)^{(1/2)} - d^{(3/2)}*x))/(2*(-d)^{(3/2)}) + (B*(d^2*x^2 - 1)*(1 - d*x)^{(1/2)}*(d*x + 1)^{(1/2)})/(3*d^2)$

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x**2+B*x+A)*(-d*x+1)**(1/2)*(d*x+1)**(1/2), x)`

[Out] Timed out

$$3.5 \quad \int \frac{A+Bx+Cx^2}{\sqrt{1-dx} \sqrt{1+dx} (e+fx)} dx$$

**Optimal.** Leaf size=122

$$\frac{(Af^2 - Bef + Ce^2) \tan^{-1}\left(\frac{d^2ex+f}{\sqrt{1-d^2x^2} \sqrt{d^2e^2-f^2}}\right)}{f^2 \sqrt{d^2e^2 - f^2}} - \frac{\sin^{-1}(dx)(Ce - Bf)}{df^2} - \frac{C\sqrt{1-d^2x^2}}{d^2f}$$

[Out]  $-(B*f+C*e)*\arcsin(d*x)/d/f^2+(A*f^2-B*e*f+C*e^2)*\arctan((d^2*e*x+f)/(d^2*e^2-f^2)^{(1/2)}/(-d^2*x^2+1)^{(1/2)})/f^2/(d^2*e^2-f^2)^{(1/2)}-C*(-d^2*x^2+1)^{(1/2)}/d^2/f$

**Rubi [A]** time = 0.31, antiderivative size = 122, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 37,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.162$ , Rules used = {1609, 1654, 844, 216, 725, 204}

$$\frac{(Af^2 - Bef + Ce^2) \tan^{-1}\left(\frac{d^2ex+f}{\sqrt{1-d^2x^2} \sqrt{d^2e^2-f^2}}\right)}{f^2 \sqrt{d^2e^2 - f^2}} - \frac{\sin^{-1}(dx)(Ce - Bf)}{df^2} - \frac{C\sqrt{1-d^2x^2}}{d^2f}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*x + C\*x^2)/(Sqrt[1 - d\*x]\*Sqrt[1 + d\*x]\*(e + f\*x)), x]

[Out]  $-((C*\text{Sqrt}[1 - d^2*x^2])/(d^2*f)) - ((C*e - B*f)*\text{ArcSin}[d*x])/(d*f^2) + ((C*e^2 - B*e*f + A*f^2)*\text{ArcTan}[(f + d^2*e*x)/(\text{Sqrt}[d^2*e^2 - f^2]*\text{Sqrt}[1 - d^2*x^2])])/(f^2*\text{Sqrt}[d^2*e^2 - f^2])$

#### Rule 204

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTan[Rt[-b, 2]\*x]/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[Rt[-b, 2]\*x]/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rule 725

Int[1/(((d\_) + (e\_.)\*(x\_))\*Sqrt[(a\_) + (c\_.)\*(x\_)^2]), x\_Symbol] := -Subst[Int[1/(c\*d^2 + a\*e^2 - x^2), x], x, (a\*e - c\*d\*x)/Sqrt[a + c\*x^2]] /; FreeQ[{a, c, d, e}, x]

#### Rule 844

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Dist[g/e, Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^p, x], x] + Dist[(e\*f - d\*g)/e, Int[(d + e\*x)^m\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c\*d^2 + a\*e^2, 0] && !IGtQ[m, 0]

#### Rule 1609

Int[(Px\_)\*((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] := Int[Px\*(a\*c + b\*d\*x^2)^m\*(e + f\*x)^p, x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b\*c + a\*d, 0] && EqQ[m, n] && (IntegerQ[m] || (GtQ[a, 0] && GtQ[c, 0]))

Rule 1654

```
Int[(Pq_)*((d_) + (e_)*(x_))^(m_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :
> With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x)
)^(m + q - 1)*(a + c*x^2)^(p + 1)/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Di
st[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + c*x^2)^p*ExpandToSum[c
*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - f*(d + e*x)
^(q - 2)*(a*e^2*(m + q - 1) - c*d^2*(m + q + 2*p + 1) - 2*c*d*e*(m + q + p)
*x), x], x] /; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0]] /; FreeQ[{a, c, d,
e, m, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && !(EqQ[d, 0] && T
rue) && !(IGtQ[m, 0] && RationalQ[a, c, d, e] && (IntegerQ[p] || ILtQ[p +
1/2, 0]))
```

Rubi steps

$$\begin{aligned} \int \frac{A + Bx + Cx^2}{\sqrt{1 - dx} \sqrt{1 + dx} (e + fx)} dx &= \int \frac{A + Bx + Cx^2}{(e + fx) \sqrt{1 - d^2 x^2}} dx \\ &= -\frac{C \sqrt{1 - d^2 x^2}}{d^2 f} - \frac{\int \frac{-Ad^2 f^2 + d^2 f(Ce - Bf)x}{(e + fx) \sqrt{1 - d^2 x^2}} dx}{d^2 f^2} \\ &= -\frac{C \sqrt{1 - d^2 x^2}}{d^2 f} - \frac{(Ce - Bf) \int \frac{1}{\sqrt{1 - d^2 x^2}} dx}{f^2} + \frac{(Ce^2 - Bef + Af^2) \int \frac{1}{(e + fx) \sqrt{1 - d^2 x^2}} dx}{f^2} \\ &= -\frac{C \sqrt{1 - d^2 x^2}}{d^2 f} - \frac{(Ce - Bf) \sin^{-1}(dx)}{df^2} - \frac{(Ce^2 - Bef + Af^2) \text{Subst}\left(\int \frac{1}{-d^2 e^2 + \dots}\right)}{f^2} \\ &= -\frac{C \sqrt{1 - d^2 x^2}}{d^2 f} - \frac{(Ce - Bf) \sin^{-1}(dx)}{df^2} + \frac{(Ce^2 - Bef + Af^2) \tan^{-1}\left(\frac{f + a}{\sqrt{d^2 e^2 - f^2}}\right)}{f^2 \sqrt{d^2 e^2 - f^2}} \end{aligned}$$

**Mathematica [A]** time = 0.15, size = 117, normalized size = 0.96

$$\frac{(f(Af - Be) + Ce^2) \tan^{-1}\left(\frac{d^2 ex + f}{\sqrt{1 - d^2 x^2} \sqrt{d^2 e^2 - f^2}}\right)}{\sqrt{d^2 e^2 - f^2}} + \frac{\sin^{-1}(dx)(Bf - Ce)}{d} - \frac{Cf \sqrt{1 - d^2 x^2}}{d^2}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*x + C\*x^2)/(Sqrt[1 - d\*x]\*Sqrt[1 + d\*x]\*(e + f\*x)),x]

[Out] (-((C\*f\*Sqrt[1 - d^2\*x^2])/d^2) + ((-(C\*e) + B\*f)\*ArcSin[d\*x])/d + ((C\*e^2 + f\*(-(B\*e) + A\*f))\*ArcTan[(f + d^2\*e\*x)/(Sqrt[d^2\*e^2 - f^2]\*Sqrt[1 - d^2\*x^2])])/Sqrt[d^2\*e^2 - f^2])/f^2

**fricas [B]** time = 15.09, size = 493, normalized size = 4.04

$$\left[ \frac{(Cd^2 e^2 - Bd^2 ef + Ad^2 f^2) \sqrt{-d^2 e^2 + f^2} \log\left(\frac{d^2 ef x + f^2 - \sqrt{-d^2 e^2 + f^2} (d^2 ex + f) - (\sqrt{-d^2 e^2 + f^2} \sqrt{-dx + 1} f + (d^2 e^2 - f^2) \sqrt{-dx + 1})}{fx + e}\right)}{d^4 e^2 f^2} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)/(f\*x+e)/(-d\*x+1)^(1/2)/(d\*x+1)^(1/2),x, algorithm="fricas")

```
[Out] [-(C*d^2*e^2 - B*d^2*e*f + A*d^2*f^2)*sqrt(-d^2*e^2 + f^2)*log((d^2*e*f*x
+ f^2 - sqrt(-d^2*e^2 + f^2)*(d^2*e*x + f) - (sqrt(-d^2*e^2 + f^2)*sqrt(-d*
x + 1)*f + (d^2*e^2 - f^2)*sqrt(-d*x + 1))*sqrt(d*x + 1))/(f*x + e)) + (C*d
^2*e^2*f - C*f^3)*sqrt(d*x + 1)*sqrt(-d*x + 1) - 2*(C*d^3*e^3 - B*d^3*e^2*f
- C*d*e*f^2 + B*d*f^3)*arctan((sqrt(d*x + 1)*sqrt(-d*x + 1) - 1)/(d*x)))/(
d^4*e^2*f^2 - d^2*f^4), (2*(C*d^2*e^2 - B*d^2*e*f + A*d^2*f^2)*sqrt(d^2*e^2
- f^2)*arctan(-(sqrt(d^2*e^2 - f^2)*sqrt(d*x + 1)*sqrt(-d*x + 1)*e - sqrt(
d^2*e^2 - f^2)*(f*x + e))/((d^2*e^2 - f^2)*x)) - (C*d^2*e^2*f - C*f^3)*sqrt
(d*x + 1)*sqrt(-d*x + 1) + 2*(C*d^3*e^3 - B*d^3*e^2*f - C*d*e*f^2 + B*d*f^3
)*arctan((sqrt(d*x + 1)*sqrt(-d*x + 1) - 1)/(d*x)))/(d^4*e^2*f^2 - d^2*f^4)
]
```

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(f*x+e)/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="
giac")
```

```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x);;OUTPUT:Undef/Unsigned Inf encountered in limit
```

**maple** [C] time = 0.05, size = 373, normalized size = 3.06

$$\left( -A d^2 f^2 \operatorname{csgn}(d) \ln \left( \frac{2d^2 e x + 2\sqrt{-d^2 x^2 + 1} \sqrt{\frac{d^2 e^2 - f^2}{f^2}} f + 2f}{f x + e} \right) + B d^2 e f \operatorname{csgn}(d) \ln \left( \frac{2d^2 e x + 2\sqrt{-d^2 x^2 + 1} \sqrt{\frac{d^2 e^2 - f^2}{f^2}} f + 2f}{f x + e} \right) - C d^2 e \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((C*x^2+B*x+A)/(f*x+e)/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x)
```

```
[Out] (-A*csgn(d)*ln(2*(d^2*e*x+(-d^2*x^2+1)^(1/2)*(-d^2*e^2-f^2)/f^2)^(1/2)*f+f
)/(f*x+e))*d^2*f^2+B*csgn(d)*ln(2*(d^2*e*x+(-d^2*x^2+1)^(1/2)*(-d^2*e^2-f^
2)/f^2)^(1/2)*f+f)/(f*x+e))*d^2*e*f-C*csgn(d)*ln(2*(d^2*e*x+(-d^2*x^2+1)^(1
/2)*(-d^2*e^2-f^2)/f^2)^(1/2)*f+f)/(f*x+e))*d^2*e^2+B*arctan(1/(-d^2*x^2+1
)^(1/2)*d*x*csgn(d))*d*f^2*(-(d^2*e^2-f^2)/f^2)^(1/2)-C*csgn(d)*f^2*(-d^2*x
^2+1)^(1/2)*(-d^2*e^2-f^2)/f^2)^(1/2)-C*arctan(1/(-d^2*x^2+1)^(1/2)*d*x*cs
gn(d))*d*e*f*(-(d^2*e^2-f^2)/f^2)^(1/2))*(-d*x+1)^(1/2)*(d*x+1)^(1/2)*csgn(
d)/(-d^2*e^2-f^2)/f^2)^(1/2)/f^3/(-d^2*x^2+1)^(1/2)/d^2
```

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(f*x+e)/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="
maxima")
```

```
[Out] Exception raised: ValueError >> Computation failed since Maxima requested a
dditional constraints; using the 'assume' command before evaluation *may* h
elp (example of legal syntax is 'assume(f-d*e>0)', see `assume?` for more d
etails)Is f-d*e positive, negative or zero?
```

**mupad** [B] time = 25.80, size = 5803, normalized size = 47.57

result too large to display





$$\begin{aligned}
& *((1 - dx)^{(1/2)} - 1) * (8C^2e^4f^3 + 3C^2d^2e^6f) / (f^2 * ((dx + 1)^{(1/2)} - 1)) + (4096 * ((1 - dx)^{(1/2)} - 1)^2 * (128C^2d^2e^5f^4 - 144C^2e^3f^6 + 9C^2d^4e^7f^2)) / (df^4 * ((dx + 1)^{(1/2)} - 1)^2) - (C^2e^2 * ((4096 * (24C^2d^2e^3f^7 - 30C^2d^4e^5f^5)) / (df^4) + (16384 * ((1 - dx)^{(1/2)} - 1) * (20C^2e^2f^6 - 22C^2d^2e^4f^4)) / (f^2 * ((dx + 1)^{(1/2)} - 1)) + (4096 * (96C^2d^2e^3f^7 - 90C^2d^4e^5f^5)) * ((1 - dx)^{(1/2)} - 1)^2) / (df^4 * ((dx + 1)^{(1/2)} - 1)^2) + (C^2e^2 * ((4096 * (7d^4e^3f^8 - 9d^6e^5f^6)) / (df^4) + (16384 * ((1 - dx)^{(1/2)} - 1) * (5d^2e^2f^7 - 6d^4e^4f^5)) / (f^2 * ((dx + 1)^{(1/2)} - 1)) + (4096 * ((1 - dx)^{(1/2)} - 1)^2 * (11d^4e^3f^8 - 9d^6e^5f^6)) / (df^4 * ((dx + 1)^{(1/2)} - 1)^2))) / (f^2 * (f + d^2e)^{(1/2)} * (f - d^2e)^{(1/2)})) / (f^2 * (f + d^2e)^{(1/2)} * (f - d^2e)^{(1/2)})) - (C^2e^2 * ((4096 * (32C^3e^5f^3 + 24C^3d^2e^7f)) / (df^4) - (4096 * ((1 - dx)^{(1/2)} - 1)^2 * (32C^3e^5f^3 - 96C^3d^2e^7f)) / (df^4 * ((dx + 1)^{(1/2)} - 1)^2) + (458752 * C^3e^6 * ((1 - dx)^{(1/2)} - 1)) / (f^2 * ((dx + 1)^{(1/2)} - 1)) - (C^2e^2 * ((4096 * (16C^2e^3f^6 + 9C^2d^4e^7f^2)) / (df^4) + (16384 * ((1 - dx)^{(1/2)} - 1) * (8C^2e^4f^3 + 3C^2d^2e^6f)) / (f^2 * ((dx + 1)^{(1/2)} - 1)) + (4096 * ((1 - dx)^{(1/2)} - 1)^2 * (128C^2d^2e^5f^4 - 144C^2e^3f^6 + 9C^2d^4e^7f^2)) / (df^4 * ((dx + 1)^{(1/2)} - 1)^2) + (C^2e^2 * ((4096 * (24C^2d^2e^3f^7 - 30C^2d^4e^5f^5)) / (df^4) + (16384 * ((1 - dx)^{(1/2)} - 1) * (20C^2e^2f^6 - 22C^2d^2e^4f^4)) / (f^2 * ((dx + 1)^{(1/2)} - 1)) + (4096 * (96C^2d^2e^3f^7 - 90C^2d^4e^5f^5)) * ((1 - dx)^{(1/2)} - 1)^2) / (df^4 * ((dx + 1)^{(1/2)} - 1)^2) - (C^2e^2 * ((4096 * (7d^4e^3f^8 - 9d^6e^5f^6)) / (df^4) + (16384 * ((1 - dx)^{(1/2)} - 1) * (5d^2e^2f^7 - 6d^4e^4f^5)) / (f^2 * ((dx + 1)^{(1/2)} - 1)) + (4096 * ((1 - dx)^{(1/2)} - 1)^2 * (11d^4e^3f^8 - 9d^6e^5f^6)) / (df^4 * ((dx + 1)^{(1/2)} - 1)^2))) / (f^2 * (f + d^2e)^{(1/2)} * (f - d^2e)^{(1/2)})) / (f^2 * (f + d^2e)^{(1/2)} * (f - d^2e)^{(1/2)})) - (C^2e^2 * ((4096 * (7d^4e^3f^8 - 9d^6e^5f^6)) / (df^4) + (16384 * ((1 - dx)^{(1/2)} - 1) * (5d^2e^2f^7 - 6d^4e^4f^5)) / (f^2 * ((dx + 1)^{(1/2)} - 1)) + (4096 * ((1 - dx)^{(1/2)} - 1)^2 * (11d^4e^3f^8 - 9d^6e^5f^6)) / (df^4 * ((dx + 1)^{(1/2)} - 1)^2))) / (f^2 * (f + d^2e)^{(1/2)} * (f - d^2e)^{(1/2)})) / (f^2 * (f + d^2e)^{(1/2)} * (f - d^2e)^{(1/2)})) + (917504 * C^4e^7 * ((1 - dx)^{(1/2)} - 1)^2) / (df^4 * ((dx + 1)^{(1/2)} - 1)^2)) * i) / (f^2 * (f + d^2e)^{(1/2)} * (f - d^2e)^{(1/2)})) + (B^2e * atan((B^2e * ((4096 * (24B^3d^2e^4 + 32B^3e^2f^2)) / d + (4096 * ((1 - dx)^{(1/2)} - 1)^2 * (96B^3d^2e^4 - 32B^3e^2f^2)) / (d * ((dx + 1)^{(1/2)} - 1)^2) + (458752 * B^3e^3 * ((1 - dx)^{(1/2)} - 1)) / ((dx + 1)^{(1/2)} - 1) + (B^2e * ((4096 * (16B^2e^2f^4 + 9B^2d^4e^5)) / d + (((1 - dx)^{(1/2)} - 1) * (131072 * B^2e^2 * f^3 + 49152 * B^2 * d^2 * e^4 * f)) / ((dx + 1)^{(1/2)} - 1) + (4096 * ((1 - dx)^{(1/2)} - 1)^2 * (9B^2 * d^4 * e^5 - 144 * B^2 * e^2 * f^4 + 128 * B^2 * d^2 * e^3 * f^2)) / (d * ((dx + 1)^{(1/2)} - 1)^2) - (B^2e * ((4096 * (24 * B * d^2 * e^2 * f^4 - 30 * B * d^4 * e^4 * f^2)) / d + ((327680 * B * e * f^5 - 360448 * B * d^2 * e^3 * f^3) * ((1 - dx)^{(1/2)} - 1)) / ((dx + 1)^{(1/2)} - 1) + (4096 * (96 * B * d^2 * e^2 * f^4 - 90 * B * d^4 * e^4 * f^2)) * ((1 - dx)^{(1/2)} - 1)^2) / (d * ((dx + 1)^{(1/2)} - 1)^2) + (B^2e * ((4096 * (7 * d^4 * e^3 * f^4 - 9 * d^6 * e^5 * f^2)) / d + (((1 - dx)^{(1/2)} - 1) * (81920 * d^2 * e^2 * f^5 - 98304 * d^4 * e^4 * f^3)) / ((dx + 1)^{(1/2)} - 1) + (4096 * ((1 - dx)^{(1/2)} - 1)^2 * (11 * d^4 * e^3 * f^4 - 9 * d^6 * e^5 * f^2)) / (d * ((dx + 1)^{(1/2)} - 1)^2))) / (f * (f + d^2e)^{(1/2)} * (f - d^2e)^{(1/2)})) / (f * (f + d^2e)^{(1/2)} * (f - d^2e)^{(1/2)})) * i) / (f * (f + d^2e)^{(1/2)} * (f - d^2e)^{(1/2)})) + (B^2e * ((4096 * (24 * B^3 * d^2 * e^4 + 32 * B^3 * e^2 * f^2)) / d + (4096 * ((1 - dx)^{(1/2)} - 1)^2 * (96 * B^3 * d^2 * e^4 - 32 * B^3 * e^2 * f^2)) / (d * ((dx + 1)^{(1/2)} - 1)^2) + (458752 * B^3 * e^3 * ((1 - dx)^{(1/2)} - 1)) / ((dx + 1)^{(1/2)} - 1) - (B^2e * ((4096 * (16 * B^2 * e^2 * f^4 + 9 * B^2 * d^4 * e^5)) / d + (((1 - dx)^{(1/2)} - 1) * (131072 * B^2 * e^2 * f^3 + 49152 * B^2 * d^2 * e^4 * f)) / ((dx + 1)^{(1/2)} - 1) + (4096 * ((1 - dx)^{(1/2)} - 1)^2 * (9 * B^2 * d^4 * e^5 - 144 * B^2 * e^2 * f^4 + 128 * B^2 * d^2 * e^3 * f^2)) / (d * ((dx + 1)^{(1/2)} - 1)^2) + (B^2e * ((4096 * (24 * B * d^2 * e^2 * f^4 - 30 * B * d^4 * e^4 * f^2)) / d + ((327680 * B * e * f^5 - 360448 * B * d^2 * e^3 * f^3) * ((1 - dx)^{(1/2)} - 1)) / ((dx + 1)^{(1/2)} - 1) + (4096 * (96 * B * d^2 * e^2 * f^4 - 90 * B * d^4 * e^4 * f^2)) * ((1 - dx)^{(1/2)} - 1)^2) / (d * ((dx + 1)^{(1/2)} - 1)^2) - (B^2e * ((4096 * (7 * d^4 * e^3 * f^4 - 9 * d^6 * e^5 * f^2)) / d + (((1 - dx)^{(1/2)} - 1) * (81920 * d^2 * e^2 * f^5 - 98304 * d^4 * e^4 * f^3)) / ((dx + 1)^{(1/2)} - 1) + (4096 * ((1 - dx)^{(1/2)} - 1)^2 * (11 * d^4 * e^3 * f^4 - 9 * d^6 * e^5 * f^2)) / (d * ((dx + 1)^{(1/2)} - 1)^2))) / (f * (f + d^2e)^{(1/2)} * (f - d^2e)^{(1/2)})) / (f * (f + d^2e)^{(1/2)} * (f - d^2e)^{(1/2)})) * i) / (f * (f + d^2e)^{(1/2)} * (f - d^2e)^{(1/2)})) / ((131072 * B^4 * e^3) / d + (917504 * B^4 * e^3 * ((1 - dx)^{(1/2)} - 1)
\end{aligned}$$



$$3.6 \quad \int \frac{A+Bx+Cx^2}{\sqrt{1-dx} \sqrt{1+dx} (e+fx)^2} dx$$

**Optimal.** Leaf size=163

$$\frac{\sqrt{1-d^2x^2} (Af^2 - Bef + Ce^2)}{f(d^2e^2 - f^2)(e + fx)} - \frac{\tan^{-1}\left(\frac{d^2ex+f}{\sqrt{1-d^2x^2} \sqrt{d^2e^2-f^2}}\right) (-Ad^2ef^2 + Bf^3 + Cd^2e^3 - 2Cef^2)}{f^2(d^2e^2 - f^2)^{3/2}} + \frac{C \sin^{-1}(dx)}{df^2}$$

[Out] C\*arcsin(d\*x)/d/f^2-(-A\*d^2\*e\*f^2+C\*d^2\*e^3+B\*f^3-2\*C\*e\*f^2)\*arctan((d^2\*e\*x+f)/(d^2\*e^2-f^2)^(1/2)/(-d^2\*x^2+1)^(1/2))/f^2/(d^2\*e^2-f^2)^(3/2)+(A\*f^2-B\*e\*f+C\*e^2)\*(-d^2\*x^2+1)^(1/2)/f/(d^2\*e^2-f^2)/(f\*x+e)

**Rubi [A]** time = 0.33, antiderivative size = 163, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 37,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.162$ , Rules used = {1609, 1651, 844, 216, 725, 204}

$$\frac{\sqrt{1-d^2x^2} (Af^2 - Bef + Ce^2)}{f(d^2e^2 - f^2)(e + fx)} - \frac{\tan^{-1}\left(\frac{d^2ex+f}{\sqrt{1-d^2x^2} \sqrt{d^2e^2-f^2}}\right) (-Ad^2ef^2 + Bf^3 + Cd^2e^3 - 2Cef^2)}{f^2(d^2e^2 - f^2)^{3/2}} + \frac{C \sin^{-1}(dx)}{df^2}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*x + C\*x^2)/(Sqrt[1 - d\*x]\*Sqrt[1 + d\*x]\*(e + f\*x)^2), x]

[Out] ((C\*e^2 - B\*e\*f + A\*f^2)\*Sqrt[1 - d^2\*x^2])/(f\*(d^2\*e^2 - f^2)\*(e + f\*x)) + (C\*ArcSin[d\*x])/(d\*f^2) - ((C\*d^2\*e^3 - 2\*C\*e\*f^2 - A\*d^2\*e\*f^2 + B\*f^3)\*ArcTan[(f + d^2\*e\*x)/(Sqrt[d^2\*e^2 - f^2]\*Sqrt[1 - d^2\*x^2]])/(f^2\*(d^2\*e^2 - f^2)^(3/2))

#### Rule 204

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] :> Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rule 725

Int[1/(((d\_) + (e\_.)\*(x\_))\*Sqrt[(a\_) + (c\_.)\*(x\_)^2]), x\_Symbol] :> -Subst[Int[1/(c\*d^2 + a\*e^2 - x^2), x], x, (a\*e - c\*d\*x)/Sqrt[a + c\*x^2]] /; FreeQ[{a, c, d, e}, x]

#### Rule 844

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Dist[g/e, Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^p, x], x] + Dist[(e\*f - d\*g)/e, Int[(d + e\*x)^m\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c\*d^2 + a\*e^2, 0] && !IGtQ[m, 0]

#### Rule 1609

Int[(Px\_)\*((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] :> Int[Px\*(a\*c + b\*d\*x^2)^m\*(e + f\*x)^p, x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b\*c + a\*d, 0] &

& EqQ[m, n] && (IntegerQ[m] || (GtQ[a, 0] && GtQ[c, 0]))

### Rule 1651

```
Int[(Pq_)*((d_) + (e_)*(x_))^(m_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :=
  With[{Q = PolynomialQuotient[Pq, d + e*x, x], R = PolynomialRemainder[Pq,
    d + e*x, x]}, Simp[(e*R*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/((m + 1)*(c*
    d^2 + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 1)
    *(a + c*x^2)^p*ExpandToSum[(m + 1)*(c*d^2 + a*e^2)*Q + c*d*R*(m + 1) - c*e*
    R*(m + 2*p + 3)*x, x], x]] /; FreeQ[{a, c, d, e, p}, x] && PolyQ[Pq, x]
  && NeQ[c*d^2 + a*e^2, 0] && LtQ[m, -1]
```

### Rubi steps

$$\begin{aligned} \int \frac{A + Bx + Cx^2}{\sqrt{1-dx}\sqrt{1+dx}(e+fx)^2} dx &= \int \frac{A + Bx + Cx^2}{(e+fx)^2\sqrt{1-d^2x^2}} dx \\ &= \frac{(Ce^2 - Bef + Af^2)\sqrt{1-d^2x^2}}{f(d^2e^2 - f^2)(e+fx)} + \frac{\int \frac{Ce + Ad^2e - Bf + C\left(\frac{d^2e^2}{f} - f\right)x}{(e+fx)\sqrt{1-d^2x^2}} dx}{d^2e^2 - f^2} \\ &= \frac{(Ce^2 - Bef + Af^2)\sqrt{1-d^2x^2}}{f(d^2e^2 - f^2)(e+fx)} + \frac{C \int \frac{1}{\sqrt{1-d^2x^2}} dx}{f^2} + \frac{\left(2Ce + Ad^2e - \frac{Cd^2e^3}{f^2} - Bf\right)}{d^2e^2 - f^2} \\ &= \frac{(Ce^2 - Bef + Af^2)\sqrt{1-d^2x^2}}{f(d^2e^2 - f^2)(e+fx)} + \frac{C \sin^{-1}(dx)}{df^2} - \frac{\left(2Ce + Ad^2e - \frac{Cd^2e^3}{f^2} - Bf\right)}{d^2e^2 - f^2} \\ &= \frac{(Ce^2 - Bef + Af^2)\sqrt{1-d^2x^2}}{f(d^2e^2 - f^2)(e+fx)} + \frac{C \sin^{-1}(dx)}{df^2} + \frac{\left(2Ce + Ad^2e - \frac{Cd^2e^3}{f^2} - Bf\right)}{(d^2e^2 - f^2)(e+fx)} \end{aligned}$$

**Mathematica [A]** time = 0.47, size = 211, normalized size = 1.29

$$\frac{\frac{f\sqrt{1-d^2x^2}(f(Af-Be)+Ce^2)}{(f^2-d^2e^2)(e+fx)} - \frac{\log\left(\sqrt{1-d^2x^2}\sqrt{f^2-d^2e^2}+d^2ex+f\right)(-Ad^2ef^2+Bf^3+Cd^2e^3-2Cef^2)}{(f^2-d^2e^2)^{3/2}}}{f^2} + \frac{\log(e+fx)(-Ad^2ef^2+Bf^3+Cd^2e^3-2Cef^2)}{(f^2-d^2e^2)^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*x + C*x^2)/(Sqrt[1 - d*x]*Sqrt[1 + d*x]*(e + f*x)^2), x]
[Out] (-((f*(C*e^2 + f*(-(B*e) + A*f))*Sqrt[1 - d^2*x^2])/((-d^2*e^2) + f^2)*(e
+ f*x)) + (C*ArcSin[d*x])/d + ((C*d^2*e^3 - 2*C*e*f^2 - A*d^2*e*f^2 + B*f^
3)*Log[e + f*x])/((-d^2*e^2) + f^2)^(3/2) - ((C*d^2*e^3 - 2*C*e*f^2 - A*d^
2*e*f^2 + B*f^3)*Log[f + d^2*e*x + Sqrt[-(d^2*e^2) + f^2]*Sqrt[1 - d^2*x^2]
)/((-d^2*e^2) + f^2)^(3/2))/f^2
```

**fricas [B]** time = 58.60, size = 1025, normalized size = 6.29

$$\left[ \frac{Cd^3e^5f - Bd^3e^4f^2 + Bde^2f^4 - Adef^5 + (Ad^3 - Cd)e^3f^3 - (Cd^3e^5 + Bde^2f^3 - (Ad^3 + 2Cd)e^3f^2 + (Cd^3e^4f -$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)/(f\*x+e)^2/(-d\*x+1)^(1/2)/(d\*x+1)^(1/2),x, algorithm="fricas")

[Out] [(C\*d^3\*e^5\*f - B\*d^3\*e^4\*f^2 + B\*d\*e^2\*f^4 - A\*d\*e\*f^5 + (A\*d^3 - C\*d)\*e^3\*f^3 - (C\*d^3\*e^5 + B\*d\*e^2\*f^3 - (A\*d^3 + 2\*C\*d)\*e^3\*f^2 + (C\*d^3\*e^4\*f + B\*d\*e\*f^4 - (A\*d^3 + 2\*C\*d)\*e^2\*f^3)\*x)\*sqrt(-d^2\*e^2 + f^2)\*log((d^2\*e\*f\*x + f^2 + sqrt(-d^2\*e^2 + f^2)\*(d^2\*e\*x + f) + (sqrt(-d^2\*e^2 + f^2)\*sqrt(-d\*x + 1)\*f - (d^2\*e^2 - f^2)\*sqrt(-d\*x + 1))\*sqrt(d\*x + 1))/(f\*x + e)) + (C\*d^3\*e^5\*f - B\*d^3\*e^4\*f^2 + B\*d\*e^2\*f^4 - A\*d\*e\*f^5 + (A\*d^3 - C\*d)\*e^3\*f^3)\*sqrt(d\*x + 1)\*sqrt(-d\*x + 1) + (C\*d^3\*e^4\*f^2 - B\*d^3\*e^3\*f^3 + B\*d\*e\*f^5 - A\*d\*f^6 + (A\*d^3 - C\*d)\*e^2\*f^4)\*x - 2\*(C\*d^4\*e^6 - 2\*C\*d^2\*e^4\*f^2 + C\*e^2\*f^4 + (C\*d^4\*e^5\*f - 2\*C\*d^2\*e^3\*f^3 + C\*e\*f^5)\*x)\*arctan((sqrt(d\*x + 1)\*sqrt(-d\*x + 1) - 1)/(d\*x)))/(d^5\*e^6\*f^2 - 2\*d^3\*e^4\*f^4 + d\*e^2\*f^6 + (d^5\*e^5\*f^3 - 2\*d^3\*e^3\*f^5 + d\*e\*f^7)\*x), (C\*d^3\*e^5\*f - B\*d^3\*e^4\*f^2 + B\*d\*e^2\*f^4 - A\*d\*e\*f^5 + (A\*d^3 - C\*d)\*e^3\*f^3 - 2\*(C\*d^3\*e^5 + B\*d\*e^2\*f^3 - (A\*d^3 + 2\*C\*d)\*e^3\*f^2 + (C\*d^3\*e^4\*f + B\*d\*e\*f^4 - (A\*d^3 + 2\*C\*d)\*e^2\*f^3)\*x)\*sqrt(d^2\*e^2 - f^2)\*arctan(-(sqrt(d^2\*e^2 - f^2)\*sqrt(d\*x + 1)\*sqrt(-d\*x + 1)\*e - sqrt(d^2\*e^2 - f^2)\*(f\*x + e))/((d^2\*e^2 - f^2)\*x)) + (C\*d^3\*e^5\*f - B\*d^3\*e^4\*f^2 + B\*d\*e^2\*f^4 - A\*d\*e\*f^5 + (A\*d^3 - C\*d)\*e^3\*f^3)\*sqrt(d\*x + 1)\*sqrt(-d\*x + 1) + (C\*d^3\*e^4\*f^2 - B\*d^3\*e^3\*f^3 + B\*d\*e\*f^5 - A\*d\*f^6 + (A\*d^3 - C\*d)\*e^2\*f^4)\*x - 2\*(C\*d^4\*e^6 - 2\*C\*d^2\*e^4\*f^2 + C\*e^2\*f^4 + (C\*d^4\*e^5\*f - 2\*C\*d^2\*e^3\*f^3 + C\*e\*f^5)\*x)\*arctan((sqrt(d\*x + 1)\*sqrt(-d\*x + 1) - 1)/(d\*x)))/(d^5\*e^6\*f^2 - 2\*d^3\*e^4\*f^4 + d\*e^2\*f^6 + (d^5\*e^5\*f^3 - 2\*d^3\*e^3\*f^5 + d\*e\*f^7)\*x)]

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)/(f\*x+e)^2/(-d\*x+1)^(1/2)/(d\*x+1)^(1/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);OUTPUT:Undef/Unsigned Inf encountered in limit

**maple** [C] time = 0.04, size = 899, normalized size = 5.52

$$\left( -A d^3 e f^3 x \operatorname{csgn}(d) \ln \left( \frac{2d^2 e x + 2\sqrt{-d^2 x^2 + 1} \sqrt{\frac{d^2 e^2 - f^2}{f^2}} f + 2f}{f x + e} \right) + C d^3 e^3 f x \operatorname{csgn}(d) \ln \left( \frac{2d^2 e x + 2\sqrt{-d^2 x^2 + 1} \sqrt{\frac{d^2 e^2 - f^2}{f^2}} f + 2f}{f x + e} \right) \right) -$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C\*x^2+B\*x+A)/(f\*x+e)^2/(-d\*x+1)^(1/2)/(d\*x+1)^(1/2),x)

[Out] (-A\*csgn(d)\*ln(2\*(d^2\*e\*x+(-d^2\*x^2+1)^(1/2))\*(-d^2\*e^2-f^2)/f^2)^(1/2)\*f+f)/(f\*x+e))\*x\*d^3\*e\*f^3+C\*csgn(d)\*ln(2\*(d^2\*e\*x+(-d^2\*x^2+1)^(1/2))\*(-d^2\*e^2-f^2)/f^2)^(1/2)\*f+f)/(f\*x+e))\*x\*d^3\*e^3\*f-A\*csgn(d)\*ln(2\*(d^2\*e\*x+(-d^2\*x^2+1)^(1/2))\*(-d^2\*e^2-f^2)/f^2)^(1/2)\*f+f)/(f\*x+e))\*d^3\*e^2\*f^2+C\*csgn(d)\*ln(2\*(d^2\*e\*x+(-d^2\*x^2+1)^(1/2))\*(-d^2\*e^2-f^2)/f^2)^(1/2)\*f+f)/(f\*x+e))\*d^3\*e^4+C\*arctan(1/(-d^2\*x^2+1)^(1/2)\*d\*x\*csgn(d))\*x\*d^2\*e^2\*f^2\*(-d^2\*e^2-f^2)/f^2)^(1/2)+A\*csgn(d)\*d\*f^4\*(-d^2\*x^2+1)^(1/2)\*(-d^2\*e^2-f^2)/f^2)^(1/2)+B\*csgn(d)\*ln(2\*(d^2\*e\*x+(-d^2\*x^2+1)^(1/2))\*(-d^2\*e^2-f^2)/f^2)^(1/2)\*f+f)/(f\*x+e))\*x\*d\*f^4-B\*csgn(d)\*d\*e\*f^3\*(-d^2\*x^2+1)^(1/2)\*(-d^2\*e^2-f^2)/f^2)^(1/2)-2\*C\*csgn(d)\*ln(2\*(d^2\*e\*x+(-d^2\*x^2+1)^(1/2))\*(-d^2\*e^2-f^2)/f^2)^(1/2)\*f+f)/(f\*x+e))\*x\*d\*e\*f^3+C\*csgn(d)\*d\*e^2\*f^2\*(-d^2\*x^2+1)^(1/2)\*(-d^2\*e^2-f^2)/f^2)^(1/2)+C\*arctan(1/(-d^2\*x^2+1)^(1/2)\*d\*x\*csgn(d))\*d^2\*e^3\*f\*(



$$\begin{aligned}
& - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i)/((d*x + 1)^{(1/2)} - 1)^2)/(f^3 - \\
& d^2*e^2*f - (f^3*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 - (2*d^3* \\
& e^3*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (2*d*e*f^2*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (d^2*e^2*f*((1 - d*x)^{(1/2)} - 1)^2)/((d*x \\
& + 1)^{(1/2)} - 1)^2))*((1 - d*x)^{(1/2)} - 1)^3*8i)/((d*x + 1)^{(1/2)} - 1)^3 - \\
& (A*d^3*e^3*f^2*atan(((f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i - (((1 - d*x)^{(1/2)} \\
& - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i)/((d*x + 1)^{(1/2)} - 1)^2)/(f^3 - \\
& d^2*e^2*f - (f^3*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 - (2*d^3* \\
& e^3*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (2*d*e*f^2*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (d^2*e^2*f*((1 - d*x)^{(1/2)} - 1)^2)/((d* \\
& x + 1)^{(1/2)} - 1)^2))*((1 - d*x)^{(1/2)} - 1)^4*2i)/((d*x + 1)^{(1/2)} - 1)^4 + \\
& (A*d^4*e^4*f*atan(((f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i - (((1 - d*x)^{(1/2)} \\
& - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i)/((d*x + 1)^{(1/2)} - 1)^2)/(f^3 - \\
& d^2*e^2*f - (f^3*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 - (2*d^3* \\
& e^3*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (2*d*e*f^2*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (d^2*e^2*f*((1 - d*x)^{(1/2)} - 1)^2)/((d* \\
& x + 1)^{(1/2)} - 1)^2))*((1 - d*x)^{(1/2)} - 1)*8i)/((d*x + 1)^{(1/2)} - 1) - (A*d^2* \\
& e^2*f^3*atan(((f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i - (((1 - d*x)^{(1/2)} - 1 \\
& )^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i)/((d*x + 1)^{(1/2)} - 1)^2)/(f^3 - d^2 \\
& *e^2*f - (f^3*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 - (2*d^3*e^3 \\
& *((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (2*d*e*f^2*((1 - d*x)^{(1/2)} \\
& - 1))/((d*x + 1)^{(1/2)} - 1) + (d^2*e^2*f*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + \\
& 1)^{(1/2)} - 1)^2))*((1 - d*x)^{(1/2)} - 1)*8i)/((d*x + 1)^{(1/2)} - 1) - (A*d^4* \\
& e^4*f*atan(((f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i - (((1 - d*x)^{(1/2)} - 1)^2*( \\
& f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i)/((d*x + 1)^{(1/2)} - 1)^2)/(f^3 - d^2*e^2* \\
& f - (f^3*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 - (2*d^3*e^3*((1 \\
& - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (2*d*e*f^2*((1 - d*x)^{(1/2)} - 1 \\
& ))/((d*x + 1)^{(1/2)} - 1) + (d^2*e^2*f*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} \\
& - 1)^2))*((1 - d*x)^{(1/2)} - 1)^3*8i)/((d*x + 1)^{(1/2)} - 1)^3 + (8*A*d*e \\
& *f*((1 - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)))/((d*x + 1)^{(1/2)} \\
& - 1)^2)/(d^3*e^4*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)} - d*e^2*f^2*(f + d*e)^{(3/2)} \\
& *(f - d*e)^{(3/2)} - (4*e*f^3*((1 - d*x)^{(1/2)} - 1)*(f + d*e)^{(3/2)}*(f - d \\
& *e)^{(3/2)))/((d*x + 1)^{(1/2)} - 1) + (4*e*f^3*((1 - d*x)^{(1/2)} - 1)^3*(f + d* \\
& e)^{(3/2)}*(f - d*e)^{(3/2)))/((d*x + 1)^{(1/2)} - 1)^3 + (2*d^3*e^4*((1 - d*x)^{( \\
& 1/2)} - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)))/((d*x + 1)^{(1/2)} - 1)^2 + (d^3 \\
& *e^4*((1 - d*x)^{(1/2)} - 1)^4*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)))/((d*x + 1)^{(1/2)} \\
& - 1)^4 - (2*d*e^2*f^2*((1 - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(3/2)}*(f - d*e) \\
& ^{(3/2)))/((d*x + 1)^{(1/2)} - 1)^2 - (4*d^2*e^3*f*((1 - d*x)^{(1/2)} - 1)^3*(f + \\
& d*e)^{(3/2)}*(f - d*e)^{(3/2)))/((d*x + 1)^{(1/2)} - 1)^3 - (d*e^2*f^2*((1 - d*x \\
& )^{(1/2)} - 1)^4*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)))/((d*x + 1)^{(1/2)} - 1)^4 + ( \\
& 4*d^2*e^3*f*((1 - d*x)^{(1/2)} - 1)*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)))/((d*x + \\
& 1)^{(1/2)} - 1) - (B*d^3*e^3*f*atan(((f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i - (( \\
& (1 - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i)/((d*x + 1)^{(1/2)} \\
& - 1)^2)/(f^3 - d^2*e^2*f - (f^3*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} \\
& - 1)^2 - (2*d^3*e^3*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (2*d*e*f \\
& ^2*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (d^2*e^2*f*((1 - d*x)^{(1/2)} \\
& - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2))*2i - (B*f^4*atan(((f + d*e)^{(3/2)}*(f - \\
& d*e)^{(3/2)}*1i - (((1 - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1 \\
& i)/((d*x + 1)^{(1/2)} - 1)^2)/(f^3 - d^2*e^2*f - (f^3*((1 - d*x)^{(1/2)} - 1)^2 \\
& )/((d*x + 1)^{(1/2)} - 1)^2 - (2*d^3*e^3*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} \\
& - 1) + (2*d*e*f^2*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (d^2*e \\
& ^2*f*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2))*((1 - d*x)^{(1/2)} - \\
& 1)*8i)/((d*x + 1)^{(1/2)} - 1) + (B*f^4*atan(((f + d*e)^{(3/2)}*(f - d*e)^{(3/2)} \\
& *1i - (((1 - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i)/((d*x + \\
& 1)^{(1/2)} - 1)^2)/(f^3 - d^2*e^2*f - (f^3*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1) \\
& )^{(1/2)} - 1)^2 - (2*d^3*e^3*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + \\
& (2*d*e*f^2*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (d^2*e^2*f*((1 - \\
& d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2))*((1 - d*x)^{(1/2)} - 1)^3*8i)/(( \\
& d*x + 1)^{(1/2)} - 1)^3 - B*d*e*f^3*atan(((f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i
\end{aligned}$$





$$\begin{aligned}
& 4*d*f*((1 - d*x)^{(1/2)} - 1)^3)/((d*x + 1)^{(1/2)} - 1)^3 + (2*d^2*e*((1 - d*x) \\
& )^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 + (d^2*e*((1 - d*x)^{(1/2)} - 1)^4)/ \\
& ((d*x + 1)^{(1/2)} - 1)^4) + (4*C*atan((((((1 - d*x)^{(1/2)} - 1)*((2097152*(288 \\
& *e^3*f^{11} - 6*d^{10}*e^{13}*f - 912*d^2*e^5*f^9 + 1048*d^4*e^7*f^7 - 532*d^6*e^ \\
& 9*f^5 + 112*d^8*e^{11}*f^3)))/(d*f^2*(d*f^{13} - 4*d^3*e^2*f^{11} + 6*d^5*e^4*f^9 \\
& - 4*d^7*e^6*f^7 + d^9*e^8*f^5)) - (33554432*(20*d^2*e*f^{21} - 103*d^4*e^3*f^ \\
& 19 + 215*d^6*e^5*f^{17} - 230*d^8*e^7*f^{15} + 130*d^{10}*e^9*f^{13} - 35*d^{12}*e^{11} \\
& *f^{11} + 3*d^{14}*e^{13}*f^9)))/(d^5*f^{10}*(d*f^{13} - 4*d^3*e^2*f^{11} + 6*d^5*e^4*f^ \\
& 9 - 4*d^7*e^6*f^7 + d^9*e^8*f^5)) + (8388608*(72*e*f^{17} - 452*d^2*e^3*f^{15} \\
& + 1024*d^4*e^5*f^{13} - 1106*d^6*e^7*f^{11} + 597*d^8*e^9*f^9 - 144*d^{10}*e^{11}*f \\
& ^7 + 9*d^{12}*e^{13}*f^5)))/(d^3*f^6*(d*f^{13} - 4*d^3*e^2*f^{11} + 6*d^5*e^4*f^9 - \\
& 4*d^7*e^6*f^7 + d^9*e^8*f^5))))/((d*x + 1)^{(1/2)} - 1) - (33554432*(7*d^2*e^ \\
& 2*f^{19} - 35*d^4*e^4*f^{17} + 70*d^6*e^6*f^{15} - 70*d^8*e^8*f^{13} + 35*d^{10}*e^{10} \\
& *f^{11} - 7*d^{12}*e^{12}*f^9))/(d^5*f^{10}*(f^{12} - 4*d^2*e^2*f^{10} + 6*d^4*e^4*f^8 \\
& - 4*d^6*e^6*f^6 + d^8*e^8*f^4)) + (2097152*(112*e^4*f^9 + 28*d^8*e^{12}*f - 3 \\
& 36*d^2*e^6*f^7 + 364*d^4*e^8*f^5 - 168*d^6*e^{10}*f^3))/(d*f^2*(f^{12} - 4*d^2* \\
& e^2*f^{10} + 6*d^4*e^4*f^8 - 4*d^6*e^6*f^6 + d^8*e^8*f^4)) + (8388608*(28*e^2 \\
& *f^{15} - 168*d^2*e^4*f^{13} + 364*d^4*e^6*f^{11} - 371*d^6*e^8*f^9 + 182*d^8*e^{10} \\
& *f^7 - 35*d^{10}*e^{12}*f^5))/(d^3*f^6*(f^{12} - 4*d^2*e^2*f^{10} + 6*d^4*e^4*f^8 \\
& - 4*d^6*e^6*f^6 + d^8*e^8*f^4)))*(d^4*f^{14} - 4*d^6*e^2*f^{12} + 6*d^8*e^4*f^{10} \\
& - 4*d^{10}*e^6*f^8 + d^{12}*e^8*f^6))/(67108864*e*f^{12} + 37748736*d^{12}*e^{13} - \\
& 268435456*d^2*e^3*f^{10} + 536870912*d^4*e^5*f^8 - 637534208*d^6*e^7*f^6 + 4 \\
& 69762048*d^8*e^9*f^4 - 201326592*d^{10}*e^{11}*f^2)))/(d*f^2) + (log(16*f^{15} - \\
& 9*d^{14}*e^{14}*f - (16*f^{15}*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 - \\
& 92*d^2*e^2*f^{13} + 236*d^4*e^4*f^{11} - 352*d^6*e^6*f^9 + 329*d^8*e^8*f^7 - 1 \\
& 91*d^{10}*e^{10}*f^5 + 63*d^{12}*e^{12}*f^3 + 16*f^6*(f + d*e)^{(9/2)}*(f - d*e)^{(9/2)} \\
& ) + 12*d^6*e^6*(f + d*e)^{(9/2)}*(f - d*e)^{(9/2)} + 15*d^{12}*e^{12}*(f + d*e)^{(3/2)} \\
& *(f - d*e)^{(3/2)} - (6*d^{15}*e^{15}*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - \\
& 1) + (16*d*e*f^{14}*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (92*d^2*e \\
& ^2*f^{13}*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 - (236*d^4*e^4*f^{11} \\
& *((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 + (352*d^6*e^6*f^9*((1 - \\
& d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 - (329*d^8*e^8*f^7*((1 - d*x)^{( \\
& 1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 + (191*d^{10}*e^{10}*f^5*((1 - d*x)^{(1/2)} \\
& - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 - (63*d^{12}*e^{12}*f^3*((1 - d*x)^{(1/2)} - 1)^2 \\
& )/((d*x + 1)^{(1/2)} - 1)^2 - (16*f^6*((1 - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(9/2)} \\
& *(f - d*e)^{(9/2)))/((d*x + 1)^{(1/2)} - 1)^2 - 24*d^2*e^2*f^{10}*(f + d*e)^{(3/2)} \\
& *(f - d*e)^{(3/2)} + 120*d^4*e^4*f^8*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)} - 228*d^ \\
& 6*e^6*f^6*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)} + 4*d^2*e^2*f^4*(f + d*e)^{(9/2)}*( \\
& f - d*e)^{(9/2)} + 207*d^8*e^8*f^4*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)} - 28*d^4*e \\
& ^4*f^2*(f + d*e)^{(9/2)}*(f - d*e)^{(9/2)} - 90*d^{10}*e^{10}*f^2*(f + d*e)^{(3/2)}*( \\
& f - d*e)^{(3/2)} - (88*d^3*e^3*f^{12}*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - \\
& 1) + (216*d^5*e^5*f^{10}*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) - (308 \\
& *d^7*e^7*f^8*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (274*d^9*e^9*f^ \\
& 6*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) - (150*d^{11}*e^{11}*f^4*((1 - d \\
& *x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (46*d^{13}*e^{13}*f^2*((1 - d*x)^{(1/2)} \\
& - 1))/((d*x + 1)^{(1/2)} - 1) + (9*d^{14}*e^{14}*f*((1 - d*x)^{(1/2)} - 1)^2)/((d*x \\
& + 1)^{(1/2)} - 1)^2 + (48*d^6*e^6*((1 - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(9/2)}*(f \\
& - d*e)^{(9/2)))/((d*x + 1)^{(1/2)} - 1)^2 + (45*d^{12}*e^{12}*((1 - d*x)^{(1/2)} - 1 \\
& )^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)))/((d*x + 1)^{(1/2)} - 1)^2 + (376*d^3*e^3 \\
& *f^9*((1 - d*x)^{(1/2)} - 1)*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)))/((d*x + 1)^{(1/2)} \\
& ) - 1) - (688*d^5*e^5*f^7*((1 - d*x)^{(1/2)} - 1)*(f + d*e)^{(3/2)}*(f - d*e)^{( \\
& 3/2)))/((d*x + 1)^{(1/2)} - 1) + (612*d^7*e^7*f^5*((1 - d*x)^{(1/2)} - 1)*(f + d \\
& *e)^{(3/2)}*(f - d*e)^{(3/2)))/((d*x + 1)^{(1/2)} - 1) - (152*d^3*e^3*f^3*((1 - d \\
& *x)^{(1/2)} - 1)*(f + d*e)^{(9/2)}*(f - d*e)^{(9/2)))/((d*x + 1)^{(1/2)} - 1) - (26 \\
& 4*d^9*e^9*f^3*((1 - d*x)^{(1/2)} - 1)*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)))/((d*x \\
& + 1)^{(1/2)} - 1) - (80*d*e*f^{11}*((1 - d*x)^{(1/2)} - 1)*(f + d*e)^{(3/2)}*(f - d \\
& *e)^{(3/2)))/((d*x + 1)^{(1/2)} - 1) + (96*d*e*f^5*((1 - d*x)^{(1/2)} - 1)*(f + d \\
& *e)^{(9/2)}*(f - d*e)^{(9/2)))/((d*x + 1)^{(1/2)} - 1) - (136*d^2*e^2*f^{10}*((1 - \\
& d*x)^{(1/2)} - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)))/((d*x + 1)^{(1/2)} - 1)^2
\end{aligned}$$

$$\begin{aligned}
& + (560*d^4*e^4*f^8*((1 - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}) \\
& /((d*x + 1)^{(1/2)} - 1)^2 - (912*d^6*e^6*f^6*((1 - d*x)^{(1/2)} - 1)^2*(f + d* \\
& e)^{(3/2)}*(f - d*e)^{(3/2)})/((d*x + 1)^{(1/2)} - 1)^2 + (156*d^2*e^2*f^4*((1 - \\
& d*x)^{(1/2)} - 1)^2*(f + d*e)^{(9/2)}*(f - d*e)^{(9/2)})/((d*x + 1)^{(1/2)} - 1)^2 \\
& + (733*d^8*e^8*f^4*((1 - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}) \\
& /((d*x + 1)^{(1/2)} - 1)^2 - (172*d^4*e^4*f^2*((1 - d*x)^{(1/2)} - 1)^2*(f + d* \\
& e)^{(9/2)}*(f - d*e)^{(9/2)})/((d*x + 1)^{(1/2)} - 1)^2 - (290*d^10*e^10*f^2*((1 - \\
& d*x)^{(1/2)} - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)})/((d*x + 1)^{(1/2)} - 1)^2 \\
& + (56*d^5*e^5*f*((1 - d*x)^{(1/2)} - 1)*(f + d*e)^{(9/2)}*(f - d*e)^{(9/2)})/(( \\
& d*x + 1)^{(1/2)} - 1) + (44*d^11*e^11*f*((1 - d*x)^{(1/2)} - 1)*(f + d*e)^{(3/2)} \\
& *(f - d*e)^{(3/2)})/((d*x + 1)^{(1/2)} - 1)*(C*d^2*e^3 - 2*C*e*f^2)/(f^2*(f + \\
& d*e)^{(3/2)}*(f - d*e)^{(3/2)}) + (C*e*log(9*d^14*e^14*f - 16*f^15 + (16*f^15* \\
& ((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 + 92*d^2*e^2*f^13 - 236*d^ \\
& 4*e^4*f^11 + 352*d^6*e^6*f^9 - 329*d^8*e^8*f^7 + 191*d^10*e^10*f^5 - 63*d^1 \\
& 2*e^12*f^3 + 16*f^6*(f + d*e)^{(9/2)}*(f - d*e)^{(9/2)} + 12*d^6*e^6*(f + d*e)^ \\
& (9/2)*(f - d*e)^{(9/2)} + 15*d^12*e^12*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)} + (6*d \\
& ^15*e^15*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) - (16*d*e*f^14*((1 - \\
& d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) - (92*d^2*e^2*f^13*((1 - d*x)^{(1/2)} \\
& - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 + (236*d^4*e^4*f^11*((1 - d*x)^{(1/2)} - 1)^2 \\
& )/((d*x + 1)^{(1/2)} - 1)^2 - (352*d^6*e^6*f^9*((1 - d*x)^{(1/2)} - 1)^2)/((d*x \\
& + 1)^{(1/2)} - 1)^2 + (329*d^8*e^8*f^7*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{( \\
& 1/2)} - 1)^2 - (191*d^10*e^10*f^5*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2) \\
& - 1)^2 + (63*d^12*e^12*f^3*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 \\
& - (16*f^6*((1 - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(9/2)}*(f - d*e)^{(9/2)})/((d*x + \\
& 1)^{(1/2)} - 1)^2 - 24*d^2*e^2*f^10*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)} + 120*d^ \\
& 4*e^4*f^8*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)} - 228*d^6*e^6*f^6*(f + d*e)^{(3/2)} \\
& *(f - d*e)^{(3/2)} + 4*d^2*e^2*f^4*(f + d*e)^{(9/2)}*(f - d*e)^{(9/2)} + 207*d^8* \\
& e^8*f^4*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)} - 28*d^4*e^4*f^2*(f + d*e)^{(9/2)}*(f \\
& - d*e)^{(9/2)} - 90*d^10*e^10*f^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)} + (88*d^3* \\
& e^3*f^12*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) - (216*d^5*e^5*f^10*( \\
& (1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (308*d^7*e^7*f^8*((1 - d*x)^{( \\
& 1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) - (274*d^9*e^9*f^6*((1 - d*x)^{(1/2)} - 1))/ \\
& ((d*x + 1)^{(1/2)} - 1) + (150*d^11*e^11*f^4*((1 - d*x)^{(1/2)} - 1))/((d*x + 1 \\
& )^{(1/2)} - 1) - (46*d^13*e^13*f^2*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - \\
& 1) - (9*d^14*e^14*f*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 + (48* \\
& d^6*e^6*((1 - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(9/2)}*(f - d*e)^{(9/2)})/((d*x + 1) \\
& ^{(1/2)} - 1)^2 + (45*d^12*e^12*((1 - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(3/2)}*(f - \\
& d*e)^{(3/2)})/((d*x + 1)^{(1/2)} - 1)^2 + (376*d^3*e^3*f^9*((1 - d*x)^{(1/2)} - 1 \\
& )*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)})/((d*x + 1)^{(1/2)} - 1) - (688*d^5*e^5*f^7 \\
& *((1 - d*x)^{(1/2)} - 1)*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)})/((d*x + 1)^{(1/2)} - \\
& 1) + (612*d^7*e^7*f^5*((1 - d*x)^{(1/2)} - 1)*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)} \\
& )/((d*x + 1)^{(1/2)} - 1) - (152*d^3*e^3*f^3*((1 - d*x)^{(1/2)} - 1)*(f + d*e)^ \\
& (9/2)*f - d*e)^{(9/2)})/((d*x + 1)^{(1/2)} - 1) - (264*d^9*e^9*f^3*((1 - d*x)^ \\
& (1/2)} - 1)*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)})/((d*x + 1)^{(1/2)} - 1) - (80*d*e \\
& *f^11*((1 - d*x)^{(1/2)} - 1)*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)})/((d*x + 1)^{(1/ \\
& 2)} - 1) + (96*d*e*f^5*((1 - d*x)^{(1/2)} - 1)*(f + d*e)^{(9/2)}*(f - d*e)^{(9/2)} \\
& )/((d*x + 1)^{(1/2)} - 1) - (136*d^2*e^2*f^10*((1 - d*x)^{(1/2)} - 1)^2*(f + d* \\
& e)^{(3/2)}*(f - d*e)^{(3/2)})/((d*x + 1)^{(1/2)} - 1)^2 + (560*d^4*e^4*f^8*((1 - \\
& d*x)^{(1/2)} - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)})/((d*x + 1)^{(1/2)} - 1)^2 \\
& - (912*d^6*e^6*f^6*((1 - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}) \\
& /((d*x + 1)^{(1/2)} - 1)^2 + (156*d^2*e^2*f^4*((1 - d*x)^{(1/2)} - 1)^2*(f + d* \\
& e)^{(9/2)}*(f - d*e)^{(9/2)})/((d*x + 1)^{(1/2)} - 1)^2 + (733*d^8*e^8*f^4*((1 - \\
& d*x)^{(1/2)} - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)})/((d*x + 1)^{(1/2)} - 1)^2 \\
& - (172*d^4*e^4*f^2*((1 - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(9/2)}*(f - d*e)^{(9/2)}) \\
& /((d*x + 1)^{(1/2)} - 1)^2 - (290*d^10*e^10*f^2*((1 - d*x)^{(1/2)} - 1)^2*(f + \\
& d*e)^{(3/2)}*(f - d*e)^{(3/2)})/((d*x + 1)^{(1/2)} - 1)^2 + (56*d^5*e^5*f*((1 - d \\
& *x)^{(1/2)} - 1)*(f + d*e)^{(9/2)}*(f - d*e)^{(9/2)})/((d*x + 1)^{(1/2)} - 1) + (44 \\
& *d^11*e^11*f*((1 - d*x)^{(1/2)} - 1)*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)})/((d*x + \\
& 1)^{(1/2)} - 1))*(2*f^2 - d^2*e^2)/(f^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)})
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x\*\*2+B\*x+A)/(f\*x+e)\*\*2/(-d\*x+1)\*\*(1/2)/(d\*x+1)\*\*(1/2),x)

[Out] Timed out

$$3.7 \quad \int \frac{A+Bx+Cx^2}{\sqrt{1-dx} \sqrt{1+dx} (e+fx)^3} dx$$

**Optimal.** Leaf size=248

$$\frac{\sqrt{1-d^2x^2} (Af^2 - Bef + Ce^2)}{2f(d^2e^2 - f^2)(e+fx)^2} + \frac{\tan^{-1}\left(\frac{d^2ex+f}{\sqrt{1-d^2x^2}\sqrt{d^2e^2-f^2}}\right) (C(d^2e^2 + 2f^2) - d^2(3Bef - A(2d^2e^2 + f^2)))}{2(d^2e^2 - f^2)^{5/2}} - \frac{\sqrt{1-d^2x^2}}{2f(d^2e^2 - f^2)(e+fx)^2}$$

[Out] 1/2\*(C\*(d^2\*e^2+2\*f^2)-d^2\*(3\*B\*e\*f-A\*(2\*d^2\*e^2+f^2)))\*arctan((d^2\*e\*x+f)/(d^2\*e^2-f^2)^(1/2)/(-d^2\*x^2+1)^(1/2))/(d^2\*e^2-f^2)^(5/2)+1/2\*(A\*f^2-B\*e\*f+C\*e^2)\*(-d^2\*x^2+1)^(1/2)/f/(d^2\*e^2-f^2)/(f\*x+e)^2-1/2\*(-3\*A\*d^2\*e\*f^2+B\*d^2\*e^2\*f+C\*d^2\*e^3+2\*B\*f^3-4\*C\*e\*f^2)\*(-d^2\*x^2+1)^(1/2)/f/(d^2\*e^2-f^2)^2/(f\*x+e)

**Rubi [A]** time = 0.36, antiderivative size = 248, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 37,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.135$ , Rules used = {1609, 1651, 807, 725, 204}

$$\frac{\sqrt{1-d^2x^2} (Af^2 - Bef + Ce^2)}{2f(d^2e^2 - f^2)(e+fx)^2} - \frac{\sqrt{1-d^2x^2} (-3Ad^2ef^2 + Bd^2e^2f + 2Bf^3 + Cd^2e^3 - 4Cef^2)}{2f(d^2e^2 - f^2)^2(e+fx)} + \frac{\tan^{-1}\left(\frac{d^2ex+f}{\sqrt{1-d^2x^2}\sqrt{d^2e^2-f^2}}\right)}{2f(d^2e^2 - f^2)(e+fx)^2}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*x + C\*x^2)/(Sqrt[1 - d\*x]\*Sqrt[1 + d\*x]\*(e + f\*x)^3), x]

[Out] ((C\*e^2 - B\*e\*f + A\*f^2)\*Sqrt[1 - d^2\*x^2])/(2\*f\*(d^2\*e^2 - f^2)\*(e + f\*x)^2) - ((C\*d^2\*e^3 + B\*d^2\*e^2\*f - 4\*C\*e\*f^2 - 3\*A\*d^2\*e\*f^2 + 2\*B\*f^3)\*Sqrt[1 - d^2\*x^2])/(2\*f\*(d^2\*e^2 - f^2)^2\*(e + f\*x)) + ((C\*(d^2\*e^2 + 2\*f^2) - d^2\*(3\*B\*e\*f - A\*(2\*d^2\*e^2 + f^2)))\*ArcTan[(f + d^2\*e\*x)/(Sqrt[d^2\*e^2 - f^2]\*Sqrt[1 - d^2\*x^2]])/(2\*(d^2\*e^2 - f^2)^(5/2))

#### Rule 204

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

#### Rule 725

Int[1/(((d\_) + (e\_.)\*(x\_))\*Sqrt[(a\_) + (c\_.)\*(x\_)^2]), x\_Symbol] := -Subst[Int[1/(c\*d^2 + a\*e^2 - x^2), x], x, (a\*e - c\*d\*x)/Sqrt[a + c\*x^2]] /; FreeQ[{a, c, d, e}, x]

#### Rule 807

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := -Simp[((e\*f - d\*g)\*(d + e\*x)^(m + 1)\*(a + c\*x^2)^(p + 1))/(2\*(p + 1)\*(c\*d^2 + a\*e^2)), x] + Dist[(c\*d\*f + a\*e\*g)/(c\*d^2 + a\*e^2), Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c\*d^2 + a\*e^2, 0] && EqQ[Simplify[m + 2\*p + 3], 0]

#### Rule 1609

Int[(Px\_)\*((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] := Int[Px\*(a\*c + b\*d\*x^2)^m\*(e + f\*x)^p, x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b\*c + a\*d, 0] && EqQ[m, n] && (IntegerQ[m] || (GtQ[a, 0] && GtQ[c, 0]))

## Rule 1651

```
Int[(Pq_)*((d_) + (e_.)*(x_))^(m_)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] :=
  With[{Q = PolynomialQuotient[Pq, d + e*x, x], R = PolynomialRemainder[Pq,
    d + e*x, x]}, Simp[(e*R*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/((m + 1)*(c*
    d^2 + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 1)
    *(a + c*x^2)^p*ExpandToSum[(m + 1)*(c*d^2 + a*e^2)*Q + c*d*R*(m + 1) - c*e*
    R*(m + 2*p + 3)*x, x], x]] /; FreeQ[{a, c, d, e, p}, x] && PolyQ[Pq, x]
  && NeQ[c*d^2 + a*e^2, 0] && LtQ[m, -1]
```

## Rubi steps

$$\int \frac{A + Bx + Cx^2}{\sqrt{1-dx}\sqrt{1+dx}(e+fx)^3} dx = \int \frac{A + Bx + Cx^2}{(e+fx)^3\sqrt{1-d^2x^2}} dx$$

$$= \frac{(Ce^2 - Bef + Af^2)\sqrt{1-d^2x^2}}{2f(d^2e^2 - f^2)(e+fx)^2} + \frac{\int \frac{2(Ce+Ad^2e-Bf)+\left(Bd^2e+\frac{Cd^2e^2}{f}-2Cf-Ad^2f\right)x}{(e+fx)^2\sqrt{1-d^2x^2}} dx}{2(d^2e^2 - f^2)}$$

$$= \frac{(Ce^2 - Bef + Af^2)\sqrt{1-d^2x^2}}{2f(d^2e^2 - f^2)(e+fx)^2} - \frac{(Cd^2e^3 + Bd^2e^2f - 4Cef^2 - 3Ad^2ef^2 + 2Bd^2ef^2)}{2f(d^2e^2 - f^2)^2(e+fx)}$$

$$= \frac{(Ce^2 - Bef + Af^2)\sqrt{1-d^2x^2}}{2f(d^2e^2 - f^2)(e+fx)^2} - \frac{(Cd^2e^3 + Bd^2e^2f - 4Cef^2 - 3Ad^2ef^2 + 2Bd^2ef^2)}{2f(d^2e^2 - f^2)^2(e+fx)}$$

$$= \frac{(Ce^2 - Bef + Af^2)\sqrt{1-d^2x^2}}{2f(d^2e^2 - f^2)(e+fx)^2} - \frac{(Cd^2e^3 + Bd^2e^2f - 4Cef^2 - 3Ad^2ef^2 + 2Bd^2ef^2)}{2f(d^2e^2 - f^2)^2(e+fx)}$$

**Mathematica [A]** time = 0.42, size = 273, normalized size = 1.10

$$\frac{1}{2} \left( \frac{\log\left(\sqrt{1-d^2x^2}\sqrt{f^2-d^2e^2} + d^2ex + f\right)\left(d^2\left(A\left(2d^2e^2 + f^2\right) - 3Bef\right) + C\left(d^2e^2 + 2f^2\right)\right)}{\left(f^2 - d^2e^2\right)^{5/2}} + \frac{\log(e+fx)\left(d^2\left(A\left(2d^2e^2 + f^2\right) - 3Bef\right) + C\left(d^2e^2 + 2f^2\right)\right)}{\left(f^2 - d^2e^2\right)^{5/2}} \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*x + C*x^2)/(Sqrt[1 - d*x]*Sqrt[1 + d*x]*(e + f*x)^3), x]
```

```
[Out] (-((Sqrt[1 - d^2*x^2]*(A*f^3 + B*d^2*e^2*(2*e + f*x) + B*f^2*(e + 2*f*x) -
A*d^2*e*f*(4*e + 3*f*x) + C*e*(-3*e*f + d^2*e^2*x - 4*f^2*x)))/((-d^2*e^2)
+ f^2)^2*(e + f*x)^2)) + ((C*(d^2*e^2 + 2*f^2) + d^2*(-3*B*e*f + A*(2*d^2*
e^2 + f^2)))*Log[e + f*x])/(-d^2*e^2) + f^2)^(5/2) - ((C*(d^2*e^2 + 2*f^2)
+ d^2*(-3*B*e*f + A*(2*d^2*e^2 + f^2)))*Log[f + d^2*e*x + Sqrt[-(d^2*e^2)
+ f^2]*Sqrt[1 - d^2*x^2]])/(-d^2*e^2) + f^2)^(5/2))/2
```

**fricas [B]** time = 1.07, size = 1580, normalized size = 6.37

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(f*x+e)^3/(-d*x+1)^(1/2)/(d*x+1)^(1/2), x, algorithm
="fricas")
```

```
[Out] [-1/2*(2*B*d^4*e^7 - B*d^2*e^5*f^2 - (4*A*d^4 + 3*C*d^2)*e^6*f + (5*A*d^2 +
3*C)*e^4*f^3 - B*e^3*f^4 - A*e^2*f^5 + (2*B*d^4*e^5*f^2 - B*d^2*e^3*f^4 -
```



```

)*(-(d^2*e^2-f^2)/f^2)^(1/2)*f+f)/(f*x+e))*x*d^2*e^2*f^2+C*ln(2*(d^2*e*x+(-
d^2*x^2+1)^(1/2)*(-(d^2*e^2-f^2)/f^2)^(1/2)*f+f)/(f*x+e))*x^2*d^2*e^2*f^2-3
*B*ln(2*(d^2*e*x+(-d^2*x^2+1)^(1/2)*(-(d^2*e^2-f^2)/f^2)^(1/2)*f+f)/(f*x+e)
)*x^2*d^2*e*f^3+2*A*ln(2*(d^2*e*x+(-d^2*x^2+1)^(1/2)*(-(d^2*e^2-f^2)/f^2)^(
1/2)*f+f)/(f*x+e))*x^2*d^4*e^2*f^2+4*A*ln(2*(d^2*e*x+(-d^2*x^2+1)^(1/2)*(-(
d^2*e^2-f^2)/f^2)^(1/2)*f+f)/(f*x+e))*x*d^4*e^3*f-4*C*x*e*f^3*(-(d^2*e^2-f^
2)/f^2)^(1/2)*(-d^2*x^2+1)^(1/2)+4*C*ln(2*(d^2*e*x+(-d^2*x^2+1)^(1/2)*(-(d^
2*e^2-f^2)/f^2)^(1/2)*f+f)/(f*x+e))*x*e*f^3+2*B*x*f^4*(-(d^2*e^2-f^2)/f^2)^(
1/2)*(-d^2*x^2+1)^(1/2)+B*e*f^3*(-(d^2*e^2-f^2)/f^2)^(1/2)*(-d^2*x^2+1)^(1
/2)-3*C*e^2*f^2*(-(d^2*e^2-f^2)/f^2)^(1/2)*(-d^2*x^2+1)^(1/2)+A*ln(2*(d^2*e
*x+(-d^2*x^2+1)^(1/2)*(-(d^2*e^2-f^2)/f^2)^(1/2)*f+f)/(f*x+e))*x^2*d^2*f^4+
A*ln(2*(d^2*e*x+(-d^2*x^2+1)^(1/2)*(-(d^2*e^2-f^2)/f^2)^(1/2)*f+f)/(f*x+e))
*d^2*e^2*f^2-3*A*x*d^2*e*f^3*(-(d^2*e^2-f^2)/f^2)^(1/2)*(-d^2*x^2+1)^(1/2)+
B*x*d^2*e^2*f^2*(-(d^2*e^2-f^2)/f^2)^(1/2)*(-d^2*x^2+1)^(1/2)+C*x*d^2*e^3*f
*(-(d^2*e^2-f^2)/f^2)^(1/2)*(-d^2*x^2+1)^(1/2))*csgn(d)^2*(d*x+1)^(1/2)*(-d
*x+1)^(1/2)/(-d^2*x^2+1)^(1/2)/(d*e+f)/(d*e-f)/(d^2*e^2-f^2)/(f*x+e)^2/(-(d
^2*e^2-f^2)/f^2)^(1/2)/f

```

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(f*x+e)^3/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm
="maxima")
```

```
[Out] Exception raised: ValueError >> Computation failed since Maxima requested a
dditional constraints; using the 'assume' command before evaluation *may* h
elp (example of legal syntax is 'assume(f-d*e>0)', see `assume?` for more d
etails)Is f-d*e positive, negative or zero?
```

**mupad** [B] time = 59.18, size = 9097, normalized size = 36.68

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A + B*x + C*x^2)/((e + f*x)^3*(1 - d*x)^(1/2)*(d*x + 1)^(1/2)),x)
```

```
[Out] ((12*(2*C*f^3 + C*d^2*e^2*f)*((1 - d*x)^(1/2) - 1)^2)/(((d*x + 1)^(1/2) - 1
)^2*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) - (24*(2*C*f^3 - C*d^2*e^2*f)*((1 - d*
x)^(1/2) - 1)^4)/(((d*x + 1)^(1/2) - 1)^4*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2))
+ (12*(2*C*f^3 + C*d^2*e^2*f)*((1 - d*x)^(1/2) - 1)^6)/(((d*x + 1)^(1/2) -
1)^6*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) - (2*((1 - d*x)^(1/2) - 1)^7*(C*d^3*e
^3 + 2*C*d*e*f^2))/(((d*x + 1)^(1/2) - 1)^7*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)
) - (2*((1 - d*x)^(1/2) - 1)^3*(7*C*d^3*e^3 - 34*C*d*e*f^2))/(((d*x + 1)^(1
/2) - 1)^3*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) + (2*((1 - d*x)^(1/2) - 1)^5*(7
*C*d^3*e^3 - 34*C*d*e*f^2))/(((d*x + 1)^(1/2) - 1)^5*(f^4 + d^4*e^4 - 2*d^2
*e^2*f^2)) + (2*d*e*((1 - d*x)^(1/2) - 1)*(2*C*f^2 + C*d^2*e^2))/(((d*x + 1
)^(1/2) - 1)*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)))/(d^2*e^2 + (((1 - d*x)^(1/2)
- 1)^2*(16*f^2 + 4*d^2*e^2))/((d*x + 1)^(1/2) - 1)^2 + (((1 - d*x)^(1/2) -
1)^6*(16*f^2 + 4*d^2*e^2))/((d*x + 1)^(1/2) - 1)^6 - (((1 - d*x)^(1/2) - 1
)^4*(32*f^2 - 6*d^2*e^2))/((d*x + 1)^(1/2) - 1)^4 + (d^2*e^2*((1 - d*x)^(1/
2) - 1)^8)/(((d*x + 1)^(1/2) - 1)^8 + (8*d*e*f*((1 - d*x)^(1/2) - 1)^3)/((d*
x + 1)^(1/2) - 1)^3 - (8*d*e*f*((1 - d*x)^(1/2) - 1)^5)/((d*x + 1)^(1/2) -
1)^5 - (8*d*e*f*((1 - d*x)^(1/2) - 1)^7)/((d*x + 1)^(1/2) - 1)^7 + (8*d*e*f
*((1 - d*x)^(1/2) - 1))/((d*x + 1)^(1/2) - 1) + ((4*((1 - d*x)^(1/2) - 1)^
2*(4*A*d^4*e^4*f - 2*A*f^5 + 7*A*d^2*e^2*f^3))/(e^2*((d*x + 1)^(1/2) - 1)^2
*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) + (8*((1 - d*x)^(1/2) - 1)^4*(2*A*f^5 + 4
*A*d^4*e^4*f - 9*A*d^2*e^2*f^3))/(e^2*((d*x + 1)^(1/2) - 1)^4*(f^4 + d^4*e^
4 - 2*d^2*e^2*f^2)) + (4*((1 - d*x)^(1/2) - 1)^6*(4*A*d^4*e^4*f - 2*A*f^5 +
```



$$\begin{aligned}
& 7A*d^2*e^2*f^3)/(e^2*((d*x + 1)^{(1/2)} - 1)^6*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) + (2*f*((1 - d*x)^{(1/2)} - 1)^7*(2*A*d*f^3 - 5*A*d^3*e^2*f))/(e*((d*x + 1)^{(1/2)} - 1)^7*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) - (2*f*((1 - d*x)^{(1/2)} - 1)^3*(2*A*d*f^3 - 29*A*d^3*e^2*f))/(e*((d*x + 1)^{(1/2)} - 1)^3*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) + (2*f*((1 - d*x)^{(1/2)} - 1)^5*(2*A*d*f^3 - 29*A*d^3*e^2*f))/(e*((d*x + 1)^{(1/2)} - 1)^5*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) - (2*d*f*(2*A*f^3 - 5*A*d^2*e^2*f)*((1 - d*x)^{(1/2)} - 1))/(e*((d*x + 1)^{(1/2)} - 1)*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)))/(d^2*e^2 + (((1 - d*x)^{(1/2)} - 1)^2*(16*f^2 + 4*d^2*e^2)))/((d*x + 1)^{(1/2)} - 1)^2 + (((1 - d*x)^{(1/2)} - 1)^6*(16*f^2 + 4*d^2*e^2)))/((d*x + 1)^{(1/2)} - 1)^6 - (((1 - d*x)^{(1/2)} - 1)^4*(32*f^2 - 6*d^2*e^2)))/((d*x + 1)^{(1/2)} - 1)^4 + (d^2*e^2*((1 - d*x)^{(1/2)} - 1)^8)/((d*x + 1)^{(1/2)} - 1)^8 + (8*d*e*f*((1 - d*x)^{(1/2)} - 1)^3)/((d*x + 1)^{(1/2)} - 1)^3 - (8*d*e*f*((1 - d*x)^{(1/2)} - 1)^5)/((d*x + 1)^{(1/2)} - 1)^5 - (8*d*e*f*((1 - d*x)^{(1/2)} - 1)^7)/((d*x + 1)^{(1/2)} - 1)^7 + (8*d*e*f*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) - ((4*((1 - d*x)^{(1/2)} - 1)^2*(2*B*f^4 + 2*B*d^4*e^4 + 5*B*d^2*e^2*f^2))/(e*((d*x + 1)^{(1/2)} - 1)^2*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) - (8*((1 - d*x)^{(1/2)} - 1)^4*(2*B*f^4 - 2*B*d^4*e^4 + 3*B*d^2*e^2*f^2))/(e*((d*x + 1)^{(1/2)} - 1)^4*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) + (4*((1 - d*x)^{(1/2)} - 1)^6*(2*B*f^4 + 2*B*d^4*e^4 + 5*B*d^2*e^2*f^2))/(e*((d*x + 1)^{(1/2)} - 1)^6*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) + (2*f*(11*B*d^3*e^2 + 16*B*d*f^2)*((1 - d*x)^{(1/2)} - 1)^3)/(((d*x + 1)^{(1/2)} - 1)^3*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) - (2*f*(11*B*d^3*e^2 + 16*B*d*f^2)*((1 - d*x)^{(1/2)} - 1)^5)/(((d*x + 1)^{(1/2)} - 1)^5*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) - (6*B*d^3*e^2*f*((1 - d*x)^{(1/2)} - 1)^7)/(((d*x + 1)^{(1/2)} - 1)^7*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) + (6*B*d^3*e^2*f*((1 - d*x)^{(1/2)} - 1))/(((d*x + 1)^{(1/2)} - 1)*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)))/(d^2*e^2 + (((1 - d*x)^{(1/2)} - 1)^2*(16*f^2 + 4*d^2*e^2)))/((d*x + 1)^{(1/2)} - 1)^2 + (((1 - d*x)^{(1/2)} - 1)^6*(16*f^2 + 4*d^2*e^2)))/((d*x + 1)^{(1/2)} - 1)^6 - (((1 - d*x)^{(1/2)} - 1)^4*(32*f^2 - 6*d^2*e^2)))/((d*x + 1)^{(1/2)} - 1)^4 + (d^2*e^2*((1 - d*x)^{(1/2)} - 1)^8)/((d*x + 1)^{(1/2)} - 1)^8 + (8*d*e*f*((1 - d*x)^{(1/2)} - 1)^3)/((d*x + 1)^{(1/2)} - 1)^3 - (8*d*e*f*((1 - d*x)^{(1/2)} - 1)^5)/((d*x + 1)^{(1/2)} - 1)^5 - (8*d*e*f*((1 - d*x)^{(1/2)} - 1)^7)/((d*x + 1)^{(1/2)} - 1)^7 + (8*d*e*f*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (C*atan(((C*(2*f^2 + d^2*e^2))*((4*((1 - d*x)^{(1/2)} - 1)^2*(8*C*d*e*f^7 + 4*C*d^7*e^7*f - 12*C*d^3*e^3*f^5)))/(((d*x + 1)^{(1/2)} - 1)^2*(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2)) - (4*(8*C*d*e*f^7 + 4*C*d^7*e^7*f - 12*C*d^3*e^3*f^5)))/(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2) + (C*(2*f^2 + d^2*e^2))*((4*(4*d^11*e^11 - 12*d^3*e^3*f^8 + 8*d^5*e^5*f^6 + 8*d^7*e^7*f^4 - 12*d^9*e^9*f^2 + 4*d*e*f^10)))/(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2) + (4*((1 - d*x)^{(1/2)} - 1)^2*(4*d^11*e^11 + 52*d^3*e^3*f^8 - 88*d^5*e^5*f^6 + 72*d^7*e^7*f^4 - 28*d^9*e^9*f^2 - 12*d*e*f^10)))/(((d*x + 1)^{(1/2)} - 1)^2*(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2)) + (64*d^2*e^2*f*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1)))/(2*(f + d*e)^(5/2)*(f - d*e)^(5/2))*1i)/(2*(f + d*e)^(5/2)*(f - d*e)^(5/2)) - (C*(2*f^2 + d^2*e^2))*((4*(8*C*d*e*f^7 + 4*C*d^7*e^7*f - 12*C*d^3*e^3*f^5)))/(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2) - (4*((1 - d*x)^{(1/2)} - 1)^2*(8*C*d*e*f^7 + 4*C*d^7*e^7*f - 12*C*d^3*e^3*f^5)))/(((d*x + 1)^{(1/2)} - 1)^2*(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2)) + (C*(2*f^2 + d^2*e^2))*((4*(4*d^11*e^11 - 12*d^3*e^3*f^8 + 8*d^5*e^5*f^6 + 8*d^7*e^7*f^4 - 12*d^9*e^9*f^2 + 4*d*e*f^10)))/(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2) + (4*((1 - d*x)^{(1/2)} - 1)^2*(4*d^11*e^11 + 52*d^3*e^3*f^8 - 88*d^5*e^5*f^6 + 72*d^7*e^7*f^4 - 28*d^9*e^9*f^2 - 12*d*e*f^10)))/(((d*x + 1)^{(1/2)} - 1)^2*(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2)) + (64*d^2*e^2*f*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1)))/(2*(f + d*e)^(5/2)*(f - d*e)^(5/2))*1i)/(2*(f + d*e)^(5/2)*(f - d*e)^(5/2)))/((8*(C^2*d^5*e^5 + 4*C^2*d^3*e^3*f^2 + 4*C^2*d*e*f^4))/(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2) + (8*((1 - d*x)^{(1/2)} - 1)^2*(C^2*d^5*e^5 + 4*C^2*d^3*e^3*f^2 + 4*C^2*d*e*f^4)))/(((d*x + 1)^{(1/2)} - 1)^2*(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 -
\end{aligned}$$





$$\frac{(((d*x + 1)^{(1/2)} - 1)^2 * (f^8 + d^8 * e^8 - 4 * d^2 * e^2 * f^6 + 6 * d^4 * e^4 * f^4 - 4 * d^6 * e^6 * f^2)) + (64 * d^2 * e^2 * f * ((1 - d*x)^{(1/2)} - 1)) / ((d*x + 1)^{(1/2)} - 1)) / (2 * (f + d*e)^{(5/2)} * (f - d*e)^{(5/2))}) / (2 * (f + d*e)^{(5/2)} * (f - d*e)^{(5/2))} + (72 * B^2 * d^5 * e^3 * f^2 * ((1 - d*x)^{(1/2)} - 1)^2) / (((d*x + 1)^{(1/2)} - 1)^2 * (f^8 + d^8 * e^8 - 4 * d^2 * e^2 * f^6 + 6 * d^4 * e^4 * f^4 - 4 * d^6 * e^6 * f^2))) * 3i) / ((f + d*e)^{(5/2)} * (f - d*e)^{(5/2))}$$

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x\*\*2+B\*x+A)/(f\*x+e)\*\*3/(-d\*x+1)\*\*(1/2)/(d\*x+1)\*\*(1/2),x)

[Out] Timed out

$$3.8 \quad \int \frac{(e+fx)^3(A+Bx+Cx^2)}{\sqrt{1-dx}\sqrt{1+dx}} dx$$

**Optimal.** Leaf size=340

$$\frac{\sqrt{1-d^2x^2}(e+fx)^2(4f^2(5Ad^2+4C)-3d^2e(Ce-5Bf))}{60d^4f} + \frac{\sqrt{1-d^2x^2}(d^2fx(-100Ad^2ef^2-30Bd^2e^2f-45Bf^2))}{60d^4f}$$

[Out] 1/8\*(8\*A\*d^4\*e^3+12\*A\*d^2\*e\*f^2+12\*B\*d^2\*e^2\*f+4\*C\*d^2\*e^3+3\*B\*f^3+9\*C\*e\*f^2)\*arcsin(d\*x)/d^5-1/60\*(4\*(5\*A\*d^2+4\*C)\*f^2-3\*d^2\*e\*(-5\*B\*f+C\*e))\*(f\*x+e)^2\*(-d^2\*x^2+1)^(1/2)/d^4/f+1/20\*(-5\*B\*f+C\*e)\*(f\*x+e)^3\*(-d^2\*x^2+1)^(1/2)/d^2/f-1/5\*C\*(f\*x+e)^4\*(-d^2\*x^2+1)^(1/2)/d^2/f+1/120\*(4\*C\*(3\*d^4\*e^4-52\*d^2\*e^2\*f^2-16\*f^4)-20\*d^2\*f\*(4\*A\*f\*(4\*d^2\*e^2+f^2)+3\*B\*(d^2\*e^3+4\*e\*f^2))+d^2\*f\*(-100\*A\*d^2\*e\*f^2-30\*B\*d^2\*e^2\*f+6\*C\*d^2\*e^3-45\*B\*f^3-71\*C\*e\*f^2)\*x\*(-d^2\*x^2+1)^(1/2)/d^6/f

**Rubi [A]** time = 0.63, antiderivative size = 340, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 37,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.135$ , Rules used = {1609, 1654, 833, 780, 216}

$$\frac{\sqrt{1-d^2x^2}(e+fx)^2\left(5f(4Af+3Be)-C\left(3e^2-\frac{16f^2}{d^2}\right)\right)}{60d^2f} + \frac{\sqrt{1-d^2x^2}(d^2fx(-100Ad^2ef^2-30Bd^2e^2f-45Bf^2))}{60d^2f}$$

Antiderivative was successfully verified.

[In] Int[((e + f\*x)^3\*(A + B\*x + C\*x^2))/(Sqrt[1 - d\*x]\*Sqrt[1 + d\*x]),x]

[Out] -((5\*f\*(3\*B\*e + 4\*A\*f) - C\*(3\*e^2 - (16\*f^2)/d^2))\*(e + f\*x)^2\*Sqrt[1 - d^2\*x^2])/(60\*d^2\*f) + ((C\*e - 5\*B\*f)\*(e + f\*x)^3\*Sqrt[1 - d^2\*x^2])/(20\*d^2\*f) - (C\*(e + f\*x)^4\*Sqrt[1 - d^2\*x^2])/(5\*d^2\*f) + ((4\*(C\*(3\*d^4\*e^4 - 52\*d^2\*e^2\*f^2 - 16\*f^4) - 5\*d^2\*f\*(4\*A\*f\*(4\*d^2\*e^2 + f^2) + 3\*B\*(d^2\*e^3 + 4\*e\*f^2))) + d^2\*f\*(6\*C\*d^2\*e^3 - 30\*B\*d^2\*e^2\*f - 71\*C\*e\*f^2 - 100\*A\*d^2\*e\*f^2 - 45\*B\*f^3)\*x)\*Sqrt[1 - d^2\*x^2])/(120\*d^6\*f) + ((4\*C\*d^2\*e^3 + 8\*A\*d^4\*e^3 + 12\*B\*d^2\*e^2\*f + 9\*C\*e\*f^2 + 12\*A\*d^2\*e\*f^2 + 3\*B\*f^3)\*ArcSin[d\*x])/(8\*d^5)

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rule 780

Int[((d\_.) + (e\_.)\*(x\_.))\*((f\_.) + (g\_.)\*(x\_.))\*((a\_.) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(((e\*f + d\*g)\*(2\*p + 3) + 2\*e\*g\*(p + 1)\*x)\*(a + c\*x^2)^(p + 1))/(2\*c\*(p + 1)\*(2\*p + 3)), x] - Dist[(a\*e\*g - c\*d\*f\*(2\*p + 3))/(c\*(2\*p + 3)), Int[(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !LeQ[p, -1]

#### Rule 833

Int[((d\_.) + (e\_.)\*(x\_.))^(m\_)\*((f\_.) + (g\_.)\*(x\_.))\*((a\_.) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[(g\*(d + e\*x)^m\*(a + c\*x^2)^(p + 1))/(c\*(m + 2\*p + 2)), x] + Dist[1/(c\*(m + 2\*p + 2)), Int[(d + e\*x)^(m - 1)\*(a + c\*x^2)^p\*Simp[c\*d\*f\*(m + 2\*p + 2) - a\*e\*g\*m + c\*(e\*f\*(m + 2\*p + 2) + d\*g\*m)\*x, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c\*d^2 + a\*e^2, 0] && GtQ[m, 0] && NeQ[m + 2\*p + 2, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2\*m, 2\*p]) && !(IGtQ[m, 0] && EqQ[f, 0])



**fricas** [A] time = 1.12, size = 286, normalized size = 0.84

$$(24 Cd^4 f^3 x^4 + 120 Bd^4 e^3 + 240 Bd^2 e f^2 + 120 (3 Ad^4 + 2 Cd^2) e^2 f + 16 (5 Ad^2 + 4 C) f^3 + 30 (3 Cd^4 e f^2 + B$$


---

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x+e)^3\*(C\*x^2+B\*x+A)/(-d\*x+1)^(1/2)/(d\*x+1)^(1/2),x, algorithm="fricas")

[Out] -1/120\*((24\*C\*d^4\*f^3\*x^4 + 120\*B\*d^4\*e^3 + 240\*B\*d^2\*e\*f^2 + 120\*(3\*A\*d^4 + 2\*C\*d^2)\*e^2\*f + 16\*(5\*A\*d^2 + 4\*C)\*f^3 + 30\*(3\*C\*d^4\*e\*f^2 + B\*d^4\*f^3)\*x^3 + 8\*(15\*C\*d^4\*e^2\*f + 15\*B\*d^4\*e\*f^2 + (5\*A\*d^4 + 4\*C\*d^2)\*f^3)\*x^2 + 15\*(4\*C\*d^4\*e^3 + 12\*B\*d^4\*e^2\*f + 3\*B\*d^2\*f^3 + 3\*(4\*A\*d^4 + 3\*C\*d^2)\*e\*f^2)\*x)\*sqrt(d\*x + 1)\*sqrt(-d\*x + 1) + 30\*(12\*B\*d^3\*e^2\*f + 3\*B\*d\*f^3 + 4\*(2\*A\*d^5 + C\*d^3)\*e^3 + 3\*(4\*A\*d^3 + 3\*C\*d)\*e\*f^2)\*arctan((sqrt(d\*x + 1)\*sqrt(-d\*x + 1) - 1)/(d\*x))/d^6

**giac** [A] time = 1.82, size = 427, normalized size = 1.26

$$\left( \left( 2(dx+1) \left( 3(dx+1) \left( \frac{4(dx+1)Cf^3}{d^5} + \frac{5Bd^{26}f^3 + 15Cd^{26}f^2e - 16Cd^{25}f^3}{d^{30}} \right) + \frac{20Ad^{27}f^3 + 60Bd^{27}f^2e - 45Bd^{26}f^3 + 60Cd^{27}f^2e^2 - 135Ca}{d^{30}} \right) \right) \right)$$


---

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x+e)^3\*(C\*x^2+B\*x+A)/(-d\*x+1)^(1/2)/(d\*x+1)^(1/2),x, algorithm="giac")

[Out] -1/120\*(((2\*(d\*x + 1)\*(3\*(d\*x + 1)\*(4\*(d\*x + 1)\*C\*f^3/d^5 + (5\*B\*d^26\*f^3 + 15\*C\*d^26\*f^2\*e - 16\*C\*d^25\*f^3)/d^30) + (20\*A\*d^27\*f^3 + 60\*B\*d^27\*f^2\*e - 45\*B\*d^26\*f^3 + 60\*C\*d^27\*f\*e^2 - 135\*C\*d^26\*f^2\*e + 88\*C\*d^25\*f^3)/d^30) + 5\*(36\*A\*d^28\*f^2\*e - 16\*A\*d^27\*f^3 + 36\*B\*d^28\*f\*e^2 - 48\*B\*d^27\*f^2\*e + 27\*B\*d^26\*f^3 + 12\*C\*d^28\*e^3 - 48\*C\*d^27\*f\*e^2 + 81\*C\*d^26\*f^2\*e - 32\*C\*d^25\*f^3)/d^30)\*(d\*x + 1) + 15\*(24\*A\*d^29\*f\*e^2 - 12\*A\*d^28\*f^2\*e + 8\*A\*d^27\*f^3 + 8\*B\*d^29\*e^3 - 12\*B\*d^28\*f\*e^2 + 24\*B\*d^27\*f^2\*e - 5\*B\*d^26\*f^3 - 4\*C\*d^28\*e^3 + 24\*C\*d^27\*f\*e^2 - 15\*C\*d^26\*f^2\*e + 8\*C\*d^25\*f^3)/d^30)\*sqrt(d\*x + 1)\*sqrt(-d\*x + 1) - 30\*(8\*A\*d^4\*e^3 + 12\*A\*d^2\*f^2\*e + 12\*B\*d^2\*f\*e^2 + 3\*B\*f^3 + 4\*C\*d^2\*e^3 + 9\*C\*f^2\*e)\*arcsin(1/2\*sqrt(2)\*sqrt(d\*x + 1))/d^4)/d

**maple** [C] time = 0.03, size = 643, normalized size = 1.89

$$\sqrt{-dx+1} \sqrt{dx+1} \left( 24\sqrt{-d^2x^2+1} C d^4 f^3 x^4 \operatorname{csgn}(d) + 30\sqrt{-d^2x^2+1} B d^4 f^3 x^3 \operatorname{csgn}(d) + 90\sqrt{-d^2x^2+1} C \right)$$


---

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f\*x+e)^3\*(C\*x^2+B\*x+A)/(-d\*x+1)^(1/2)/(d\*x+1)^(1/2),x)

[Out] -1/120\*(-d\*x+1)^(1/2)\*(d\*x+1)^(1/2)\*(24\*(-d^2\*x^2+1)^(1/2)\*C\*d^4\*f^3\*x^4\*csgn(d)+30\*(-d^2\*x^2+1)^(1/2)\*B\*d^4\*f^3\*x^3\*csgn(d)+90\*(-d^2\*x^2+1)^(1/2)\*C\*d^4\*e\*f^2\*x^3\*csgn(d)+40\*(-d^2\*x^2+1)^(1/2)\*A\*d^4\*f^3\*x^2\*csgn(d)+120\*(-d^2\*x^2+1)^(1/2)\*B\*d^4\*e\*f^2\*x^2\*csgn(d)+120\*(-d^2\*x^2+1)^(1/2)\*C\*d^4\*e^2\*f\*x^2\*csgn(d)+180\*(-d^2\*x^2+1)^(1/2)\*A\*d^4\*e\*f^2\*x\*csgn(d)+180\*(-d^2\*x^2+1)^(1/2)\*B\*d^4\*e^2\*f\*x\*csgn(d)+60\*(-d^2\*x^2+1)^(1/2)\*C\*d^4\*e^3\*x\*csgn(d)+360\*(-d^2\*x^2+1)^(1/2)\*A\*d^4\*e^2\*f\*csgn(d)-120\*A\*d^5\*e^3\*arctan(1/(-d^2\*x^2+1)^(1/2)\*d\*x\*csgn(d))+120\*(-d^2\*x^2+1)^(1/2)\*B\*d^4\*e^3\*csgn(d)+32\*(-d^2\*x^2+1)^(1/2)\*C\*d^2\*f^3\*x^2\*csgn(d)+45\*(-d^2\*x^2+1)^(1/2)\*B\*d^2\*f^3\*x\*csgn(d)+135\*(-d^2\*x^2+1)^(1/2)\*C\*d^2\*e\*f^2\*x\*csgn(d)+80\*(-d^2\*x^2+1)^(1/2)\*A\*d^2\*f^3\*csgn(d)

$-180*A*d^3*e*f^2*\arctan(1/(-d^2*x^2+1)^{(1/2)}*d*x*csgn(d))+240*(-d^2*x^2+1)^{(1/2)}*B*d^2*e*f^2*csgn(d)-180*B*d^3*e^2*f*\arctan(1/(-d^2*x^2+1)^{(1/2)}*d*x*csgn(d))+240*(-d^2*x^2+1)^{(1/2)}*C*d^2*e^2*f*csgn(d)-60*C*d^3*e^3*\arctan(1/(-d^2*x^2+1)^{(1/2)}*d*x*csgn(d))-45*B*d*f^3*\arctan(1/(-d^2*x^2+1)^{(1/2)}*d*x*csgn(d))+64*(-d^2*x^2+1)^{(1/2)}*C*f^3*csgn(d)-135*C*d*e*f^2*\arctan(1/(-d^2*x^2+1)^{(1/2)}*d*x*csgn(d)))*csgn(d)/d^6/(-d^2*x^2+1)^{(1/2)}$

**maxima [A]** time = 1.05, size = 355, normalized size = 1.04

$$\frac{\sqrt{-d^2x^2+1}Cf^3x^4}{5d^2} + \frac{Ae^3 \arcsin(dx)}{d} - \frac{\sqrt{-d^2x^2+1}Be^3}{d^2} - \frac{3\sqrt{-d^2x^2+1}Ae^2f}{d^2} - \frac{4\sqrt{-d^2x^2+1}Cf^3x^2}{15d^4} - \frac{(3Cef^2 + B)}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x+e)^3\*(C\*x^2+B\*x+A)/(-d\*x+1)^(1/2)/(d\*x+1)^(1/2),x, algorithm="maxima")

[Out]  $-1/5*\sqrt{-d^2*x^2+1}*C*f^3*x^4/d^2 + A*e^3*\arcsin(d*x)/d - \sqrt{-d^2*x^2+1}*B*e^3/d^2 - 3*\sqrt{-d^2*x^2+1}*A*e^2*f/d^2 - 4/15*\sqrt{-d^2*x^2+1}*C*f^3*x^2/d^4 - 1/4*(3*C*e*f^2 + B*f^3)*\sqrt{-d^2*x^2+1}*x^3/d^2 - 1/3*(3*C*e^2*f + 3*B*e*f^2 + A*f^3)*\sqrt{-d^2*x^2+1}*x^2/d^2 - 1/2*(C*e^3 + 3*B*e^2*f + 3*A*e*f^2)*\sqrt{-d^2*x^2+1}*x/d^2 + 1/2*(C*e^3 + 3*B*e^2*f + 3*A*e*f^2)*\arcsin(d*x)/d^3 - 8/15*\sqrt{-d^2*x^2+1}*C*f^3/d^6 - 3/8*(3*C*e*f^2 + B*f^3)*\sqrt{-d^2*x^2+1}*x/d^4 - 2/3*(3*C*e^2*f + 3*B*e*f^2 + A*f^3)*\sqrt{-d^2*x^2+1}/d^4 + 3/8*(3*C*e*f^2 + B*f^3)*\arcsin(d*x)/d^5$

**mupad [B]** time = 35.29, size = 2606, normalized size = 7.66

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((e + f\*x)^3\*(A + B\*x + C\*x^2))/((1 - d\*x)^(1/2)\*(d\*x + 1)^(1/2)),x)

[Out]  $-(((2048*C*f^3)/3 + 640*C*d^2*e^2*f)*((1 - d*x)^(1/2) - 1)^6)/((d*x + 1)^(1/2) - 1)^6 + (((2048*C*f^3)/3 + 640*C*d^2*e^2*f)*((1 - d*x)^(1/2) - 1)^14)/((d*x + 1)^(1/2) - 1)^14 - (((4096*C*f^3)/3 - 832*C*d^2*e^2*f)*((1 - d*x)^(1/2) - 1)^8)/((d*x + 1)^(1/2) - 1)^8 - (((4096*C*f^3)/3 - 832*C*d^2*e^2*f)*((1 - d*x)^(1/2) - 1)^12)/((d*x + 1)^(1/2) - 1)^12 + (((12288*C*f^3)/5 + 768*C*d^2*e^2*f)*((1 - d*x)^(1/2) - 1)^10)/((d*x + 1)^(1/2) - 1)^10 + (((1 - d*x)^(1/2) - 1)^3*(2*C*d^3*e^3 - (87*C*d*e*f^2)/2))/((d*x + 1)^(1/2) - 1)^3 - (((1 - d*x)^(1/2) - 1)^17*(2*C*d^3*e^3 - (87*C*d*e*f^2)/2))/((d*x + 1)^(1/2) - 1)^17 + (((1 - d*x)^(1/2) - 1)^7*(88*C*d^3*e^3 - 42*C*d*e*f^2))/((d*x + 1)^(1/2) - 1)^7 - (((1 - d*x)^(1/2) - 1)^13*(88*C*d^3*e^3 - 42*C*d*e*f^2))/((d*x + 1)^(1/2) - 1)^13 + (((1 - d*x)^(1/2) - 1)^5*(40*C*d^3*e^3 + 426*C*d*e*f^2))/((d*x + 1)^(1/2) - 1)^5 - (((1 - d*x)^(1/2) - 1)^15*(40*C*d^3*e^3 + 426*C*d*e*f^2))/((d*x + 1)^(1/2) - 1)^15 + (((1 - d*x)^(1/2) - 1)^9*(52*C*d^3*e^3 - 507*C*d*e*f^2))/((d*x + 1)^(1/2) - 1)^9 - (((1 - d*x)^(1/2) - 1)^11*(52*C*d^3*e^3 - 507*C*d*e*f^2))/((d*x + 1)^(1/2) - 1)^11 - (d*(4*C*d^2*e^3 + 9*C*e*f^2)*((1 - d*x)^(1/2) - 1))/((d*x + 1)^(1/2) - 1) + (d*(4*C*d^2*e^3 + 9*C*e*f^2)*((1 - d*x)^(1/2) - 1)^19)/((d*x + 1)^(1/2) - 1)^19 + (192*C*d^2*e^2*f*((1 - d*x)^(1/2) - 1)^4)/((d*x + 1)^(1/2) - 1)^4 + (192*C*d^2*e^2*f*((1 - d*x)^(1/2) - 1)^16)/((d*x + 1)^(1/2) - 1)^16/(d^6 + (10*d^6*((1 - d*x)^(1/2) - 1)^2)/((d*x + 1)^(1/2) - 1)^2 + (45*d^6*((1 - d*x)^(1/2) - 1)^4)/((d*x + 1)^(1/2) - 1)^4 + (120*d^6*((1 - d*x)^(1/2) - 1)^6)/((d*x + 1)^(1/2) - 1)^6 + (210*d^6*((1 - d*x)^(1/2) - 1)^8)/((d*x + 1)^(1/2) - 1)^8 + (252*d^6*((1 - d*x)^(1/2) - 1)^10)/((d*x + 1)^(1/2) - 1)^10 + (210*d^6*((1 - d*x)^(1/2) - 1)^12)/((d*x + 1)^(1/2) - 1)^12 + (120*d^6*((1 - d*x)^(1/2) - 1)^14)/((d*x + 1)^(1/2) - 1)^14 + (45*d^6*((1 - d*x)^(1/2) - 1)^16)/((d*x + 1)^(1/2) - 1)^16 + (10*d^6*((1 - d*x)^(1/2) - 1)^18)/((d*x + 1)^(1/2) - 1)^18 + (d^6*((1 - d*x)^(1/2) - 1)^20)/((d*x + 1)^(1/2) - 1)^20$



$$\begin{aligned}
& 1)^{20} - (((64*A*f^3 + 96*A*d^2*e^2*f)*((1 - d*x)^{(1/2)} - 1)^4)/((d*x + 1)^{(1/2)} - 1)^4 + ((64*A*f^3 + 96*A*d^2*e^2*f)*((1 - d*x)^{(1/2)} - 1)^8)/((d*x + 1)^{(1/2)} - 1)^8 - (((128*A*f^3)/3 - 144*A*d^2*e^2*f)*((1 - d*x)^{(1/2)} - 1)^6)/((d*x + 1)^{(1/2)} - 1)^6 + (24*A*d^2*e^2*f*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 + (24*A*d^2*e^2*f*((1 - d*x)^{(1/2)} - 1)^10)/((d*x + 1)^{(1/2)} - 1)^10 - (6*A*d*e*f^2*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (30*A*d*e*f^2*((1 - d*x)^{(1/2)} - 1)^3)/((d*x + 1)^{(1/2)} - 1)^3 + (36*A*d*e*f^2*((1 - d*x)^{(1/2)} - 1)^5)/((d*x + 1)^{(1/2)} - 1)^5 - (36*A*d*e*f^2*((1 - d*x)^{(1/2)} - 1)^7)/((d*x + 1)^{(1/2)} - 1)^7 - (30*A*d*e*f^2*((1 - d*x)^{(1/2)} - 1)^9)/((d*x + 1)^{(1/2)} - 1)^9 + (6*A*d*e*f^2*((1 - d*x)^{(1/2)} - 1)^11)/((d*x + 1)^{(1/2)} - 1)^11)/(d^4 + (6*d^4*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 + (15*d^4*((1 - d*x)^{(1/2)} - 1)^4)/((d*x + 1)^{(1/2)} - 1)^4 + (20*d^4*((1 - d*x)^{(1/2)} - 1)^6)/((d*x + 1)^{(1/2)} - 1)^6 + (15*d^4*((1 - d*x)^{(1/2)} - 1)^8)/((d*x + 1)^{(1/2)} - 1)^8 + (6*d^4*((1 - d*x)^{(1/2)} - 1)^10)/((d*x + 1)^{(1/2)} - 1)^10 + (d^4*((1 - d*x)^{(1/2)} - 1)^12)/((d*x + 1)^{(1/2)} - 1)^12) - (((3*B*f^3)/2 + 6*B*d^2*e^2*f)*((1 - d*x)^{(1/2)} - 1)^15)/((d*x + 1)^{(1/2)} - 1)^15 - (((23*B*f^3)/2 - 18*B*d^2*e^2*f)*((1 - d*x)^{(1/2)} - 1)^3)/((d*x + 1)^{(1/2)} - 1)^3 + (((23*B*f^3)/2 - 18*B*d^2*e^2*f)*((1 - d*x)^{(1/2)} - 1)^13)/((d*x + 1)^{(1/2)} - 1)^13 + (((333*B*f^3)/2 + 90*B*d^2*e^2*f)*((1 - d*x)^{(1/2)} - 1)^5)/((d*x + 1)^{(1/2)} - 1)^5 - (((333*B*f^3)/2 + 90*B*d^2*e^2*f)*((1 - d*x)^{(1/2)} - 1)^11)/((d*x + 1)^{(1/2)} - 1)^11 - (((671*B*f^3)/2 - 66*B*d^2*e^2*f)*((1 - d*x)^{(1/2)} - 1)^7)/((d*x + 1)^{(1/2)} - 1)^7 + (((671*B*f^3)/2 - 66*B*d^2*e^2*f)*((1 - d*x)^{(1/2)} - 1)^9)/((d*x + 1)^{(1/2)} - 1)^9 + (((1 - d*x)^{(1/2)} - 1)^4*(48*B*d^3*e^3 + 192*B*d*e*f^2))/((d*x + 1)^{(1/2)} - 1)^4 + (((1 - d*x)^{(1/2)} - 1)^12*(48*B*d^3*e^3 + 192*B*d*e*f^2))/((d*x + 1)^{(1/2)} - 1)^12 + (((1 - d*x)^{(1/2)} - 1)^8*(160*B*d^3*e^3 + 128*B*d*e*f^2))/((d*x + 1)^{(1/2)} - 1)^8 + (((1 - d*x)^{(1/2)} - 1)^6*(120*B*d^3*e^3 + 256*B*d*e*f^2))/((d*x + 1)^{(1/2)} - 1)^6 + (((1 - d*x)^{(1/2)} - 1)^10*(120*B*d^3*e^3 + 256*B*d*e*f^2))/((d*x + 1)^{(1/2)} - 1)^10 - (((3*B*f^3)/2 + 6*B*d^2*e^2*f)*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (8*B*d^3*e^3*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 + (8*B*d^3*e^3*((1 - d*x)^{(1/2)} - 1)^14)/((d*x + 1)^{(1/2)} - 1)^14)/(d^5 + (8*d^5*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 + (28*d^5*((1 - d*x)^{(1/2)} - 1)^4)/((d*x + 1)^{(1/2)} - 1)^4 + (56*d^5*((1 - d*x)^{(1/2)} - 1)^6)/((d*x + 1)^{(1/2)} - 1)^6 + (70*d^5*((1 - d*x)^{(1/2)} - 1)^8)/((d*x + 1)^{(1/2)} - 1)^8 + (56*d^5*((1 - d*x)^{(1/2)} - 1)^10)/((d*x + 1)^{(1/2)} - 1)^10 + (28*d^5*((1 - d*x)^{(1/2)} - 1)^12)/((d*x + 1)^{(1/2)} - 1)^12 + (8*d^5*((1 - d*x)^{(1/2)} - 1)^14)/((d*x + 1)^{(1/2)} - 1)^14 + (d^5*((1 - d*x)^{(1/2)} - 1)^16)/((d*x + 1)^{(1/2)} - 1)^16) - (3*B*f*atan((B*f*(f^2 + 4*d^2*e^2)*((1 - d*x)^{(1/2)} - 1)))/((B*f^3 + 4*B*d^2*e^2*f)*((d*x + 1)^{(1/2)} - 1)))*(f^2 + 4*d^2*e^2)/(2*d^5) - (2*A*e*atan((A*e*((1 - d*x)^{(1/2)} - 1)*(3*f^2 + 2*d^2*e^2))/((2*A*d^2*e^3 + 3*A*e*f^2)*((d*x + 1)^{(1/2)} - 1)))*(3*f^2 + 2*d^2*e^2)/d^3 - (C*e*atan((C*e*((1 - d*x)^{(1/2)} - 1)*(9*f^2 + 4*d^2*e^2))/((4*C*d^2*e^3 + 9*C*e*f^2)*((d*x + 1)^{(1/2)} - 1)))*(9*f^2 + 4*d^2*e^2)/(2*d^5)
\end{aligned}$$

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x+e)\*\*3\*(C\*x\*\*2+B\*x+A)/(-d\*x+1)\*\*(1/2)/(d\*x+1)\*\*(1/2),x)

[Out] Timed out

$$3.9 \quad \int \frac{(e+fx)^2(A+Bx+Cx^2)}{\sqrt{1-dx}\sqrt{1+dx}} dx$$

**Optimal.** Leaf size=228

$$\frac{\sin^{-1}(dx) \left( 4d^2 \left( A \left( 2d^2e^2 + f^2 \right) + 2Bef \right) + C \left( 4d^2e^2 + 3f^2 \right) \right)}{8d^5} + \frac{\sqrt{1-d^2x^2} \left( 4 \left( C \left( d^2e^3 - 8ef^2 \right) - 4f \left( 3Ad^2ef + B \left( d^2e^2 + f^2 \right) \right) \right) - fx \left( 3f^2 \left( 4Ad^2 + 3C \right) - 2d^2e(Ce - 4Bf) \right) \right)}{24d^4f}$$

[Out] 1/8\*(C\*(4\*d^2\*e^2+3\*f^2)+4\*d^2\*(2\*B\*e\*f+A\*(2\*d^2\*e^2+f^2)))\*arcsin(d\*x)/d^5+1/12\*(-4\*B\*f+C\*e)\*(f\*x+e)^2\*(-d^2\*x^2+1)^(1/2)/d^2/f-1/4\*C\*(f\*x+e)^3\*(-d^2\*x^2+1)^(1/2)/d^2/f+1/24\*(4\*C\*(d^2\*e^3-8\*e\*f^2)-16\*f\*(3\*A\*d^2\*e\*f+B\*(d^2\*e^2+f^2))-f\*(3\*(4\*A\*d^2+3\*C)\*f^2-2\*d^2\*e\*(-4\*B\*f+C\*e))\*x\*(-d^2\*x^2+1)^(1/2)/d^4/f

**Rubi [A]** time = 0.49, antiderivative size = 228, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 37,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.135$ , Rules used = {1609, 1654, 833, 780, 216}

$$\frac{\sqrt{1-d^2x^2} \left( 4 \left( C \left( d^2e^3 - 8ef^2 \right) - 4f \left( 3Ad^2ef + B \left( d^2e^2 + f^2 \right) \right) \right) - fx \left( 3f^2 \left( 4Ad^2 + 3C \right) - 2d^2e(Ce - 4Bf) \right) \right)}{24d^4f} + \sin^{-1}(dx)$$

Antiderivative was successfully verified.

[In] Int[((e + f\*x)^2\*(A + B\*x + C\*x^2))/(Sqrt[1 - d\*x]\*Sqrt[1 + d\*x]),x]

[Out] ((C\*e - 4\*B\*f)\*(e + f\*x)^2\*Sqrt[1 - d^2\*x^2])/(12\*d^2\*f) - (C\*(e + f\*x)^3\*Sqrt[1 - d^2\*x^2])/(4\*d^2\*f) + ((4\*(C\*(d^2\*e^3 - 8\*e\*f^2) - 4\*f\*(3\*A\*d^2\*e\*f + B\*(d^2\*e^2 + f^2))) - f\*(3\*(3\*C + 4\*A\*d^2)\*f^2 - 2\*d^2\*e\*(C\*e - 4\*B\*f))\*x)\*Sqrt[1 - d^2\*x^2]/(24\*d^4\*f) + ((C\*(4\*d^2\*e^2 + 3\*f^2) + 4\*d^2\*(2\*B\*e\*f + A\*(2\*d^2\*e^2 + f^2)))\*ArcSin[d\*x])/(8\*d^5)

### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[Rt[-b, 2]\*x]/Sqrt[a]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

### Rule 780

Int[((d\_.) + (e\_.)\*(x\_))\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(((e\*f + d\*g)\*(2\*p + 3) + 2\*e\*g\*(p + 1)\*x)\*(a + c\*x^2)^(p + 1))/(2\*c\*(p + 1)\*(2\*p + 3)), x] - Dist[(a\*e\*g - c\*d\*f\*(2\*p + 3))/(c\*(2\*p + 3)), Int[(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !LeQ[p, -1]

### Rule 833

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[(g\*(d + e\*x)^m\*(a + c\*x^2)^(p + 1))/(c\*(m + 2\*p + 2)), x] + Dist[1/(c\*(m + 2\*p + 2)), Int[(d + e\*x)^(m - 1)\*(a + c\*x^2)^p\*Simp[c\*d\*f\*(m + 2\*p + 2) - a\*e\*g\*m + c\*(e\*f\*(m + 2\*p + 2) + d\*g\*m)\*x, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c\*d^2 + a\*e^2, 0] && GtQ[m, 0] && NeQ[m + 2\*p + 2, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2\*m, 2\*p]) && !(IGtQ[m, 0] && EqQ[f, 0])

### Rule 1609

Int[(Px\_)\*((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] := Int[Px\*(a\*c + b\*d\*x^2)^m\*(e + f\*x)^p, x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b\*c + a\*d, 0] &

& EqQ[m, n] && (IntegerQ[m] || (GtQ[a, 0] && GtQ[c, 0]))

### Rule 1654

```
Int[(Pq_)*((d_) + (e_)*(x_))^(m_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :
> With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x)
)^(m + q - 1)*(a + c*x^2)^(p + 1))/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Di
st[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + c*x^2)^p*ExpandToSum[c
*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - f*(d + e*x)
^(q - 2)*(a*e^2*(m + q - 1) - c*d^2*(m + q + 2*p + 1) - 2*c*d*e*(m + q + p)
*x), x], x], x] /; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0]] /; FreeQ[{a, c, d,
e, m, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && !(EqQ[d, 0] && T
rue) && !(IGtQ[m, 0] && RationalQ[a, c, d, e] && (IntegerQ[p] || ILtQ[p +
1/2, 0]))
```

### Rubi steps

$$\begin{aligned} \int \frac{(e+fx)^2(A+Bx+Cx^2)}{\sqrt{1-dx}\sqrt{1+dx}} dx &= \int \frac{(e+fx)^2(A+Bx+Cx^2)}{\sqrt{1-d^2x^2}} dx \\ &= -\frac{C(e+fx)^3\sqrt{1-d^2x^2}}{4d^2f} - \frac{\int \frac{(e+fx)^2(-3C+4Ad^2)f^2+d^2f(Ce-4Bf)x}{\sqrt{1-d^2x^2}} dx}{4d^2f^2} \\ &= \frac{(Ce-4Bf)(e+fx)^2\sqrt{1-d^2x^2}}{12d^2f} - \frac{C(e+fx)^3\sqrt{1-d^2x^2}}{4d^2f} + \frac{\int \frac{(e+fx)(d^2f^2(7Ce-4Bf)x)}{\sqrt{1-d^2x^2}} dx}{4d^2f^2} \\ &= \frac{(Ce-4Bf)(e+fx)^2\sqrt{1-d^2x^2}}{12d^2f} - \frac{C(e+fx)^3\sqrt{1-d^2x^2}}{4d^2f} + \frac{4(C(d^2e^3-8eBf))\sqrt{1-d^2x^2}}{4d^2f} \\ &= \frac{(Ce-4Bf)(e+fx)^2\sqrt{1-d^2x^2}}{12d^2f} - \frac{C(e+fx)^3\sqrt{1-d^2x^2}}{4d^2f} + \frac{4(C(d^2e^3-8eBf))\sqrt{1-d^2x^2}}{4d^2f} \end{aligned}$$

**Mathematica [A]** time = 0.22, size = 160, normalized size = 0.70

$$\frac{3 \sin^{-1}(dx) \left( 4d^2 \left( A \left( 2d^2e^2 + f^2 \right) + 2Bef \right) + C \left( 4d^2e^2 + 3f^2 \right) \right) - d\sqrt{1-d^2x^2} \left( 12Ad^2f(4e+fx) + 8B \left( d^2 \left( 3e^2 + f^2 \right) \right) \right)}{24d^5}$$

Antiderivative was successfully verified.

```
[In] Integrate[((e + f*x)^2*(A + B*x + C*x^2))/(Sqrt[1 - d*x]*Sqrt[1 + d*x]),x]
[Out] (- (d*Sqrt[1 - d^2*x^2]*(12*A*d^2*f*(4*e + f*x) + C*(12*d^2*e^2*x + 16*e*f*(
2 + d^2*x^2) + 3*f^2*x*(3 + 2*d^2*x^2)) + 8*B*(2*f^2 + d^2*(3*e^2 + 3*e*f*x
+ f^2*x^2)))) + 3*(C*(4*d^2*e^2 + 3*f^2) + 4*d^2*(2*B*e*f + A*(2*d^2*e^2 +
f^2)))*ArcSin[d*x])/(24*d^5)
```

**fricas [A]** time = 0.78, size = 192, normalized size = 0.84

$$\frac{(6Cd^3f^2x^3 + 24Bd^3e^2 + 16Bdf^2 + 16(3Ad^3 + 2Cd)ef + 8(2Cd^3ef + Bd^3f^2)x^2 + 3(4Cd^3e^2 + 8Bd^3ef + 3d^2f^2))\sqrt{1-d^2x^2}}{24d^5}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^2*(C*x^2+B*x+A)/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm
="fricas")
```

[Out] 
$$-1/24*((6*C*d^3*f^2*x^3 + 24*B*d^3*e^2 + 16*B*d*f^2 + 16*(3*A*d^3 + 2*C*d)*e*f + 8*(2*C*d^3*e*f + B*d^3*f^2)*x^2 + 3*(4*C*d^3*e^2 + 8*B*d^3*e*f + (4*A*d^3 + 3*C*d)*f^2)*x)*\sqrt{d*x + 1}*\sqrt{-d*x + 1} + 6*(8*B*d^2*e*f + 4*(2*A*d^4 + C*d^2)*e^2 + (4*A*d^2 + 3*C)*f^2)*\arctan((\sqrt{d*x + 1}*\sqrt{-d*x + 1} - 1)/(d*x))/d^5$$

**giac** [A] time = 1.64, size = 277, normalized size = 1.21

$$\frac{\left( (dx + 1) \left( 2(dx + 1) \left( \frac{3(dx+1)Cf^2}{d^4} + \frac{4Bd^{17}f^2 + 8Cd^{17}fe - 9Cd^{16}f^2}{d^{20}} \right) + \frac{12Ad^{18}f^2 + 24Bd^{18}fe - 16Bd^{17}f^2 + 12Cd^{18}e^2 - 32Cd^{17}fe + 27Cd^{16}f^2}{d^{20}} \right) \right)}{d^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x+e)^2\*(C\*x^2+B\*x+A)/(-d\*x+1)^(1/2)/(d\*x+1)^(1/2),x, algorithm="giac")

[Out] 
$$-1/24*(((d*x + 1)*(2*(d*x + 1)*(3*(d*x + 1)*C*f^2/d^4 + (4*B*d^{17}*f^2 + 8*C*d^{17}*f*e - 9*C*d^{16}*f^2)/d^{20}) + (12*A*d^{18}*f^2 + 24*B*d^{18}*f*e - 16*B*d^{17}*f^2 + 12*C*d^{18}*e^2 - 32*C*d^{17}*f*e + 27*C*d^{16}*f^2)/d^{20}) + 3*(16*A*d^{19}*f*e - 4*A*d^{18}*f^2 + 8*B*d^{19}*e^2 - 8*B*d^{18}*f*e + 8*B*d^{17}*f^2 - 4*C*d^{18}*e^2 + 16*C*d^{17}*f*e - 5*C*d^{16}*f^2)/d^{20})*\sqrt{d*x + 1}*\sqrt{-d*x + 1} - 6*(8*A*d^4*e^2 + 4*A*d^2*f^2 + 8*B*d^2*f*e + 4*C*d^2*e^2 + 3*C*f^2)*\arcsin(1/2*\sqrt{2}*\sqrt{d*x + 1}))/d^4)/d$$

**maple** [C] time = 0.03, size = 423, normalized size = 1.86

$$\frac{\sqrt{-dx+1} \sqrt{dx+1} \left( 6\sqrt{-d^2x^2+1} C d^3 f^2 x^3 \operatorname{csgn}(d) + 8\sqrt{-d^2x^2+1} B d^3 f^2 x^2 \operatorname{csgn}(d) + 16\sqrt{-d^2x^2+1} C d^3 e f \right)}{d^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f\*x+e)^2\*(C\*x^2+B\*x+A)/(-d\*x+1)^(1/2)/(d\*x+1)^(1/2),x)

[Out] 
$$-1/24*(-d*x+1)^{(1/2)}*(d*x+1)^{(1/2)}*(6*(-d^2*x^2+1)^{(1/2)}*C*d^3*f^2*x^3*\operatorname{csgn}(d)+8*(-d^2*x^2+1)^{(1/2)}*B*d^3*f^2*x^2*\operatorname{csgn}(d)+16*(-d^2*x^2+1)^{(1/2)}*C*d^3*e*f*x^2*\operatorname{csgn}(d)+12*(-d^2*x^2+1)^{(1/2)}*A*d^3*f^2*x*\operatorname{csgn}(d)+24*(-d^2*x^2+1)^{(1/2)}*B*d^3*e*f*x*\operatorname{csgn}(d)+12*(-d^2*x^2+1)^{(1/2)}*C*d^3*e^2*x*\operatorname{csgn}(d)+48*(-d^2*x^2+1)^{(1/2)}*A*d^3*e*f*\operatorname{csgn}(d)-24*A*d^4*e^2*\arctan(1/(-d^2*x^2+1)^{(1/2)}*d*x*\operatorname{csgn}(d))+24*(-d^2*x^2+1)^{(1/2)}*B*d^3*e^2*\operatorname{csgn}(d)+9*(-d^2*x^2+1)^{(1/2)}*C*d*f^2*x*\operatorname{csgn}(d)-12*A*d^2*f^2*\arctan(1/(-d^2*x^2+1)^{(1/2)}*d*x*\operatorname{csgn}(d))+16*(-d^2*x^2+1)^{(1/2)}*B*d*f^2*\operatorname{csgn}(d)-24*B*d^2*e*f*\arctan(1/(-d^2*x^2+1)^{(1/2)}*d*x*\operatorname{csgn}(d))+32*(-d^2*x^2+1)^{(1/2)}*C*d*e*f*\operatorname{csgn}(d)-12*C*d^2*e^2*\arctan(1/(-d^2*x^2+1)^{(1/2)}*d*x*\operatorname{csgn}(d))-9*C*f^2*\arctan(1/(-d^2*x^2+1)^{(1/2)}*d*x*\operatorname{csgn}(d)))*\operatorname{csgn}(d)/d^5/(-d^2*x^2+1)^{(1/2)}$$

**maxima** [A] time = 1.27, size = 231, normalized size = 1.01

$$\frac{\sqrt{-d^2x^2+1} C f^2 x^3}{4 d^2} + \frac{A e^2 \arcsin(dx)}{d} - \frac{\sqrt{-d^2x^2+1} B e^2}{d^2} - \frac{2 \sqrt{-d^2x^2+1} A e f}{d^2} - \frac{\sqrt{-d^2x^2+1} (2 C e f + B f^2) x^2}{3 d^2} - \frac{\sqrt{-d^2x^2+1} (2 C e f + B f^2) x^2}{3 d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x+e)^2\*(C\*x^2+B\*x+A)/(-d\*x+1)^(1/2)/(d\*x+1)^(1/2),x, algorithm="maxima")

[Out] 
$$-1/4*\sqrt{-d^2*x^2 + 1}*C*f^2*x^3/d^2 + A*e^2*\arcsin(d*x)/d - \sqrt{-d^2*x^2 + 1}*B*e^2/d^2 - 2*\sqrt{-d^2*x^2 + 1}*A*e*f/d^2 - 1/3*\sqrt{-d^2*x^2 + 1}*(2*C*e*f + B*f^2)*x^2/d^2 - 1/2*\sqrt{-d^2*x^2 + 1}*(C*e^2 + 2*B*e*f + A*f^2)*x/d^2 - 3/8*\sqrt{-d^2*x^2 + 1}*C*f^2*x/d^4 + 1/2*(C*e^2 + 2*B*e*f + A*f^2)$$

$\arcsin(dx)/d^3 + 3/8*C*f^2*\arcsin(dx)/d^5 - 2/3*\sqrt{-d^2*x^2 + 1}*(2*C*e*f + B*f^2)/d^4$

mupad [B] time = 33.64, size = 1732, normalized size = 7.60

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((e + f*x)^2*(A + B*x + C*x^2))/((1 - d*x)^(1/2)*(d*x + 1)^(1/2)),x)
[Out] - ((14*A*f^2*((1 - d*x)^(1/2) - 1)^3)/((d*x + 1)^(1/2) - 1)^3 - (2*A*f^2*((1 - d*x)^(1/2) - 1))/((d*x + 1)^(1/2) - 1) - (14*A*f^2*((1 - d*x)^(1/2) - 1)^5)/((d*x + 1)^(1/2) - 1)^5 + (2*A*f^2*((1 - d*x)^(1/2) - 1)^7)/((d*x + 1)^(1/2) - 1)^7 + (16*A*d*e*f*((1 - d*x)^(1/2) - 1)^2)/((d*x + 1)^(1/2) - 1)^2 + (32*A*d*e*f*((1 - d*x)^(1/2) - 1)^4)/((d*x + 1)^(1/2) - 1)^4 + (16*A*d*e*f*((1 - d*x)^(1/2) - 1)^6)/((d*x + 1)^(1/2) - 1)^6/(d^3 + (4*d^3*((1 - d*x)^(1/2) - 1)^2)/((d*x + 1)^(1/2) - 1)^2 + (6*d^3*((1 - d*x)^(1/2) - 1)^4)/((d*x + 1)^(1/2) - 1)^4 + (4*d^3*((1 - d*x)^(1/2) - 1)^6)/((d*x + 1)^(1/2) - 1)^6 + (d^3*((1 - d*x)^(1/2) - 1)^8)/((d*x + 1)^(1/2) - 1)^8 - (((1 - d*x)^(1/2) - 1)^4*(64*B*f^2 + 32*B*d^2*e^2))/((d*x + 1)^(1/2) - 1)^4 + (((1 - d*x)^(1/2) - 1)^8*(64*B*f^2 + 32*B*d^2*e^2))/((d*x + 1)^(1/2) - 1)^8 - (((1 - d*x)^(1/2) - 1)^6*((128*B*f^2)/3 - 48*B*d^2*e^2))/((d*x + 1)^(1/2) - 1)^6 + (8*B*d^2*e^2*((1 - d*x)^(1/2) - 1)^2)/((d*x + 1)^(1/2) - 1)^2 + (8*B*d^2*e^2*((1 - d*x)^(1/2) - 1)^10)/((d*x + 1)^(1/2) - 1)^10 + (20*B*d*e*f*((1 - d*x)^(1/2) - 1)^3)/((d*x + 1)^(1/2) - 1)^3 + (24*B*d*e*f*((1 - d*x)^(1/2) - 1)^5)/((d*x + 1)^(1/2) - 1)^5 - (24*B*d*e*f*((1 - d*x)^(1/2) - 1)^7)/((d*x + 1)^(1/2) - 1)^7 - (20*B*d*e*f*((1 - d*x)^(1/2) - 1)^9)/((d*x + 1)^(1/2) - 1)^9 + (4*B*d*e*f*((1 - d*x)^(1/2) - 1)^11)/((d*x + 1)^(1/2) - 1)^11 - (4*B*d*e*f*((1 - d*x)^(1/2) - 1))/((d*x + 1)^(1/2) - 1)/(d^4 + (6*d^4*((1 - d*x)^(1/2) - 1)^2)/((d*x + 1)^(1/2) - 1)^2 + (15*d^4*((1 - d*x)^(1/2) - 1)^4)/((d*x + 1)^(1/2) - 1)^4 + (20*d^4*((1 - d*x)^(1/2) - 1)^6)/((d*x + 1)^(1/2) - 1)^6 + (15*d^4*((1 - d*x)^(1/2) - 1)^8)/((d*x + 1)^(1/2) - 1)^8 + (6*d^4*((1 - d*x)^(1/2) - 1)^10)/((d*x + 1)^(1/2) - 1)^10 + (d^4*((1 - d*x)^(1/2) - 1)^12)/((d*x + 1)^(1/2) - 1)^12 - (((1 - d*x)^(1/2) - 1)^15*((3*C*f^2)/2 + 2*C*d^2*e^2))/((d*x + 1)^(1/2) - 1)^15 - (((1 - d*x)^(1/2) - 1)^3*((23*C*f^2)/2 - 6*C*d^2*e^2))/((d*x + 1)^(1/2) - 1)^3 - (((1 - d*x)^(1/2) - 1)*((3*C*f^2)/2 + 2*C*d^2*e^2))/((d*x + 1)^(1/2) - 1) + (((1 - d*x)^(1/2) - 1)^13*((23*C*f^2)/2 - 6*C*d^2*e^2))/((d*x + 1)^(1/2) - 1)^13 + (((1 - d*x)^(1/2) - 1)^5*((333*C*f^2)/2 + 30*C*d^2*e^2))/((d*x + 1)^(1/2) - 1)^5 - (((1 - d*x)^(1/2) - 1)^11*((333*C*f^2)/2 + 30*C*d^2*e^2))/((d*x + 1)^(1/2) - 1)^11 - (((1 - d*x)^(1/2) - 1)^7*((671*C*f^2)/2 - 22*C*d^2*e^2))/((d*x + 1)^(1/2) - 1)^7 + (((1 - d*x)^(1/2) - 1)^9*((671*C*f^2)/2 - 22*C*d^2*e^2))/((d*x + 1)^(1/2) - 1)^9 + (128*C*d*e*f*((1 - d*x)^(1/2) - 1)^4)/((d*x + 1)^(1/2) - 1)^4 + (512*C*d*e*f*((1 - d*x)^(1/2) - 1)^6)/(3*((d*x + 1)^(1/2) - 1)^6) + (256*C*d*e*f*((1 - d*x)^(1/2) - 1)^8)/(3*((d*x + 1)^(1/2) - 1)^8) + (512*C*d*e*f*((1 - d*x)^(1/2) - 1)^10)/(3*((d*x + 1)^(1/2) - 1)^10) + (128*C*d*e*f*((1 - d*x)^(1/2) - 1)^12)/((d*x + 1)^(1/2) - 1)^12/(d^5 + (8*d^5*((1 - d*x)^(1/2) - 1)^2)/((d*x + 1)^(1/2) - 1)^2 + (28*d^5*((1 - d*x)^(1/2) - 1)^4)/((d*x + 1)^(1/2) - 1)^4 + (56*d^5*((1 - d*x)^(1/2) - 1)^6)/((d*x + 1)^(1/2) - 1)^6 + (70*d^5*((1 - d*x)^(1/2) - 1)^8)/((d*x + 1)^(1/2) - 1)^8 + (56*d^5*((1 - d*x)^(1/2) - 1)^10)/((d*x + 1)^(1/2) - 1)^10 + (28*d^5*((1 - d*x)^(1/2) - 1)^12)/((d*x + 1)^(1/2) - 1)^12 + (8*d^5*((1 - d*x)^(1/2) - 1)^14)/((d*x + 1)^(1/2) - 1)^14 + (d^5*((1 - d*x)^(1/2) - 1)^16)/((d*x + 1)^(1/2) - 1)^16 - (C*atan((C*((1 - d*x)^(1/2) - 1)*(3*f^2 + 4*d^2*e^2)))/(((d*x + 1)^(1/2) - 1)*(3*C*f^2 + 4*C*d^2*e^2)))*(3*f^2 + 4*d^2*e^2)/(2*d^5) - (2*A*atan((A*(f^2 + 2*d^2*e^2))*((1 - d*x)^(1/2) - 1)))/(((d*x + 1)^(1/2) - 1)*(A*f^2 + 2*A*d^2*e^2))*(f^2 + 2*d^2*e^2)/d^3 - (4*B*e*f*atan(((1 - d*x)^(1/2) - 1)/((d*x + 1)^(1/2) - 1)))/d^3
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x+e)\*\*2\*(C\*x\*\*2+B\*x+A)/(-d\*x+1)\*\*(1/2)/(d\*x+1)\*\*(1/2),x)

[Out] Timed out

$$3.10 \quad \int \frac{(e+fx)(A+Bx+Cx^2)}{\sqrt{1-dx}\sqrt{1+dx}} dx$$

**Optimal.** Leaf size=130

$$\frac{\sqrt{1-d^2x^2} \left( 2 \left( 3d^2f(Af+Be) - C(d^2e^2-2f^2) \right) - d^2fx(Ce-3Bf) \right)}{6d^4f} + \frac{\sin^{-1}(dx) \left( 2Ad^2e + Bf + Ce \right)}{2d^3} - \frac{C\sqrt{1-d^2x^2}}{2d^3}$$

[Out] 1/2\*(2\*A\*d^2\*e+B\*f+C\*e)\*arcsin(d\*x)/d^3-1/3\*C\*(f\*x+e)^2\*(-d^2\*x^2+1)^(1/2)/d^2/f-1/6\*(6\*d^2\*f\*(A\*f+B\*e)-2\*C\*(d^2\*e^2-2\*f^2)-d^2\*f\*(-3\*B\*f+C\*e)\*x)\*(-d^2\*x^2+1)^(1/2)/d^4/f

**Rubi [A]** time = 0.23, antiderivative size = 133, normalized size of antiderivative = 1.02, number of steps used = 4, number of rules used = 4, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$ , Rules used = {1609, 1654, 780, 216}

$$\frac{\sqrt{1-d^2x^2} \left( 2 \left( 3d^2f(Af+Be) - \frac{1}{2}C(2d^2e^2-4f^2) \right) - d^2fx(Ce-3Bf) \right)}{6d^4f} + \frac{\sin^{-1}(dx) \left( 2Ad^2e + Bf + Ce \right)}{2d^3} - \frac{C\sqrt{1-d^2x^2}}{2d^3}$$

Antiderivative was successfully verified.

[In] Int[((e + f\*x)\*(A + B\*x + C\*x^2))/(Sqrt[1 - d\*x]\*Sqrt[1 + d\*x]),x]

[Out] -(C\*(e + f\*x)^2\*Sqrt[1 - d^2\*x^2])/((3\*d^2\*f) - ((2\*(3\*d^2\*f\*(B\*e + A\*f) - (C\*(2\*d^2\*e^2 - 4\*f^2))/2) - d^2\*f\*(C\*e - 3\*B\*f)\*x)\*Sqrt[1 - d^2\*x^2])/(6\*d^4\*f) + ((C\*e + 2\*A\*d^2\*e + B\*f)\*ArcSin[d\*x])/(2\*d^3)

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rule 780

Int[((d\_.) + (e\_.)\*(x\_))\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(((e\*f + d\*g)\*(2\*p + 3) + 2\*e\*g\*(p + 1)\*x)\*(a + c\*x^2)^(p + 1))/(2\*c\*(p + 1)\*(2\*p + 3)), x] - Dist[(a\*e\*g - c\*d\*f\*(2\*p + 3))/(c\*(2\*p + 3)), Int[(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !LeQ[p, -1]

#### Rule 1609

Int[(Px\_)\*((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] := Int[Px\*(a\*c + b\*d\*x^2)^m\*(e + f\*x)^p, x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b\*c + a\*d, 0] && EqQ[m, n] && (IntegerQ[m] || (GtQ[a, 0] && GtQ[c, 0]))

#### Rule 1654

Int[(Pq\_)\*((d\_.) + (e\_.)\*(x\_))^(m\_.)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f\*(d + e\*x)^(m + q - 1)\*(a + c\*x^2)^(p + 1))/(c\*e^(q - 1)\*(m + q + 2\*p + 1)), x] + Dist[1/(c\*e^q\*(m + q + 2\*p + 1)), Int[(d + e\*x)^m\*(a + c\*x^2)^p\*ExpandToSum[c\*e^q\*(m + q + 2\*p + 1)\*Pq - c\*f\*(m + q + 2\*p + 1)\*(d + e\*x)^q - f\*(d + e\*x)^(q - 2)\*(a\*e^2\*(m + q - 1) - c\*d^2\*(m + q + 2\*p + 1) - 2\*c\*d\*e\*(m + q + p)\*x), x], x] /; GtQ[q, 1] && NeQ[m + q + 2\*p + 1, 0] /; FreeQ[{a, c, d, e, m, p}, x] && PolyQ[Pq, x] && NeQ[c\*d^2 + a\*e^2, 0] && !(EqQ[d, 0] && True) && !(IGtQ[m, 0] && RationalQ[a, c, d, e] && (IntegerQ[p] || ILtQ[p + 1/2, 0]))

Rubi steps

$$\begin{aligned}
\int \frac{(e+fx)(A+Bx+Cx^2)}{\sqrt{1-dx}\sqrt{1+dx}} dx &= \int \frac{(e+fx)(A+Bx+Cx^2)}{\sqrt{1-d^2x^2}} dx \\
&= -\frac{C(e+fx)^2\sqrt{1-d^2x^2}}{3d^2f} - \frac{\int \frac{(e+fx)(-(2C+3Ad^2)f^2+d^2f(Ce-3Bf)x)}{\sqrt{1-d^2x^2}} dx}{3d^2f^2} \\
&= -\frac{C(e+fx)^2\sqrt{1-d^2x^2}}{3d^2f} - \frac{\left(2\left(3d^2f(Be+Af) - \frac{1}{2}C(2d^2e^2-4f^2)\right) - d^2f(Ce-3Bf)x\right)}{6d^4f} \\
&= -\frac{C(e+fx)^2\sqrt{1-d^2x^2}}{3d^2f} - \frac{\left(2\left(3d^2f(Be+Af) - \frac{1}{2}C(2d^2e^2-4f^2)\right) - d^2f(Ce-3Bf)x\right)}{6d^4f}
\end{aligned}$$

**Mathematica [A]** time = 0.10, size = 88, normalized size = 0.68

$$\frac{3d \sin^{-1}(dx) (2Ad^2e + Bf + Ce) - \sqrt{1-d^2x^2} (6Ad^2f + 3Bd^2(2e + fx) + C(3d^2ex + 2d^2fx^2 + 4f))}{6d^4}$$

Antiderivative was successfully verified.

[In] Integrate[((e + f\*x)\*(A + B\*x + C\*x^2))/(Sqrt[1 - d\*x]\*Sqrt[1 + d\*x]),x]

[Out] (-(Sqrt[1 - d^2\*x^2]\*(6\*A\*d^2\*f + 3\*B\*d^2\*(2\*e + f\*x) + C\*(4\*f + 3\*d^2\*e\*x + 2\*d^2\*f\*x^2))) + 3\*d\*(C\*e + 2\*A\*d^2\*e + B\*f)\*ArcSin[d\*x])/(6\*d^4)

**fricas [A]** time = 0.64, size = 114, normalized size = 0.88

$$\frac{(2Cd^2fx^2 + 6Bd^2e + 2(3Ad^2 + 2C)f + 3(Cd^2e + Bd^2f)x)\sqrt{dx+1}\sqrt{-dx+1} + 6(Bdf + (2Ad^3 + Cd)e) \arcsin\left(\frac{dx}{\sqrt{dx+1}\sqrt{-dx+1}}\right)}{6d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x+e)\*(C\*x^2+B\*x+A)/(-d\*x+1)^(1/2)/(d\*x+1)^(1/2),x, algorithm="fricas")

[Out] -1/6\*((2\*C\*d^2\*f\*x^2 + 6\*B\*d^2\*e + 2\*(3\*A\*d^2 + 2\*C)\*f + 3\*(C\*d^2\*e + B\*d^2\*f)\*x)\*sqrt(d\*x + 1)\*sqrt(-d\*x + 1) + 6\*(B\*d\*f + (2\*A\*d^3 + C\*d)\*e)\*arctan((sqrt(d\*x + 1)\*sqrt(-d\*x + 1) - 1)/(d\*x)))/d^4

**giac [A]** time = 1.31, size = 146, normalized size = 1.12

$$\frac{\sqrt{dx+1}\sqrt{-dx+1}\left((dx+1)\left(\frac{2(dx+1)Cf}{d^3} + \frac{3Bd^{10}f+3Cd^{10}e-4Cd^9f}{d^{12}}\right) + \frac{3(2Ad^{11}f+2Bd^{11}e-Bd^{10}f-Cd^{10}e+2Cd^9f)}{d^{12}}\right) - \frac{6(2Ad^2e+Bd^2f)}{d}}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x+e)\*(C\*x^2+B\*x+A)/(-d\*x+1)^(1/2)/(d\*x+1)^(1/2),x, algorithm="giac")

[Out] -1/6\*(sqrt(d\*x + 1)\*sqrt(-d\*x + 1))\*((d\*x + 1)\*(2\*(d\*x + 1)\*C\*f/d^3 + (3\*B\*d^10\*f + 3\*C\*d^10\*e - 4\*C\*d^9\*f)/d^12) + 3\*(2\*A\*d^11\*f + 2\*B\*d^11\*e - B\*d^10\*f - C\*d^10\*e + 2\*C\*d^9\*f)/d^12) - 6\*(2\*A\*d^2\*e + B\*f + C\*e)\*arcsin(1/2\*sqrt(2)\*sqrt(d\*x + 1))/d^2)/d



**maple [C]** time = 0.02, size = 235, normalized size = 1.81

$$\frac{\sqrt{-dx+1} \sqrt{dx+1} \left( 2\sqrt{-d^2x^2+1} C d^2 f x^2 \operatorname{csgn}(d) - 6A d^3 e \arctan\left(\frac{dx \operatorname{csgn}(d)}{\sqrt{-d^2x^2+1}}\right) + 3\sqrt{-d^2x^2+1} B d^2 f x \operatorname{csgn}(d) \right)}{d^4 \sqrt{-d^2x^2+1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x+e)*(C*x^2+B*x+A)/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x)`

[Out] 
$$-1/6*(-d*x+1)^{(1/2)}*(d*x+1)^{(1/2)}*(2*(-d^2*x^2+1)^{(1/2)}*C*d^2*f*x^2*\operatorname{csgn}(d) + 3*(-d^2*x^2+1)^{(1/2)}*B*d^2*f*x*\operatorname{csgn}(d) + 3*(-d^2*x^2+1)^{(1/2)}*C*d^2*e*x*\operatorname{csgn}(d) + 6*(-d^2*x^2+1)^{(1/2)}*A*d^2*f*\operatorname{csgn}(d) - 6*A*d^3*e*\arctan(1/(-d^2*x^2+1)^{(1/2)}*d*x*\operatorname{csgn}(d)) + 6*(-d^2*x^2+1)^{(1/2)}*B*d^2*e*\operatorname{csgn}(d) - 3*B*d*f*\arctan(1/(-d^2*x^2+1)^{(1/2)}*d*x*\operatorname{csgn}(d)) + 4*(-d^2*x^2+1)^{(1/2)}*C*f*\operatorname{csgn}(d) - 3*C*d*e*\arctan(1/(-d^2*x^2+1)^{(1/2)}*d*x*\operatorname{csgn}(d))) * \operatorname{csgn}(d) / d^4 / (-d^2*x^2+1)^{(1/2)}$$

**maxima [A]** time = 1.31, size = 131, normalized size = 1.01

$$\frac{\sqrt{-d^2x^2+1} C f x^2}{3d^2} + \frac{A e \arcsin(dx)}{d} - \frac{\sqrt{-d^2x^2+1} B e}{d^2} - \frac{\sqrt{-d^2x^2+1} A f}{d^2} - \frac{\sqrt{-d^2x^2+1} (C e + B f) x}{2d^2} + \frac{(C e + B f) a}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)*(C*x^2+B*x+A)/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="maxima")`

[Out] 
$$-1/3*\operatorname{sqrt}(-d^2*x^2+1)*C*f*x^2/d^2 + A*e*\arcsin(d*x)/d - \operatorname{sqrt}(-d^2*x^2+1)*B*e/d^2 - \operatorname{sqrt}(-d^2*x^2+1)*A*f/d^2 - 1/2*\operatorname{sqrt}(-d^2*x^2+1)*(C*e+B*f)*x/d^2 + 1/2*(C*e+B*f)*\arcsin(d*x)/d^3 - 2/3*\operatorname{sqrt}(-d^2*x^2+1)*C*f/d^4$$

**mupad [B]** time = 12.86, size = 492, normalized size = 3.78

$$\frac{\frac{2Bf(\sqrt{1-dx}-1)}{\sqrt{dx+1}-1} - \frac{14Bf(\sqrt{1-dx}-1)^3}{(\sqrt{dx+1}-1)^3} + \frac{14Bf(\sqrt{1-dx}-1)^5}{(\sqrt{dx+1}-1)^5} - \frac{2Bf(\sqrt{1-dx}-1)^7}{(\sqrt{dx+1}-1)^7}}{d^3 \left( \frac{(\sqrt{1-dx}-1)^2}{(\sqrt{dx+1}-1)^2} + 1 \right)^4} - \frac{\sqrt{1-dx} \left( \frac{2Cf}{3d^4} + \frac{2Cfx}{3d^3} + \frac{Cfx^3}{3d} + \frac{Cfx^2}{3d^2} \right)}{\sqrt{dx+1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((e+f*x)*(A+B*x+C*x^2))/((1-d*x)^(1/2)*(d*x+1)^(1/2)),x)`

[Out] 
$$\left( \frac{(2*B*f*((1-d*x)^{(1/2)}-1))/((d*x+1)^{(1/2)}-1) - (14*B*f*((1-d*x)^{(1/2)}-1)^3)/((d*x+1)^{(1/2)}-1)^3 + (14*B*f*((1-d*x)^{(1/2)}-1)^5)/((d*x+1)^{(1/2)}-1)^5 - (2*B*f*((1-d*x)^{(1/2)}-1)^7)/((d*x+1)^{(1/2)}-1)^7}{(d^3*((1-d*x)^{(1/2)}-1)^2/((d*x+1)^{(1/2)}-1)^2+1)^4} + \frac{((2*C*f)/((3*d^4)+((2*C*f*x)/(3*d^3)+(C*f*x^3)/(3*d)+(C*f*x^2)/(3*d^2))))/(d*x+1)^{(1/2)} + ((2*C*e*((1-d*x)^{(1/2)}-1))/((d*x+1)^{(1/2)}-1) - (14*C*e*((1-d*x)^{(1/2)}-1)^3)/((d*x+1)^{(1/2)}-1)^3 + (14*C*e*((1-d*x)^{(1/2)}-1)^5)/((d*x+1)^{(1/2)}-1)^5 - (2*C*e*((1-d*x)^{(1/2)}-1)^7)/((d*x+1)^{(1/2)}-1)^7}{(d^3*((1-d*x)^{(1/2)}-1)^2/((d*x+1)^{(1/2)}-1)^2+1)^4} - \left( \frac{(A*f)/d^2 + (A*f*x)/d}{(d*x+1)^{(1/2)} - ((B*e)/d^2 + (B*e*x)/d)*(1-d*x)^{(1/2)}} \right) / (d*x+1)^{(1/2)} - \left( \frac{4*A*e*\operatorname{atan}((d*((1-d*x)^{(1/2)}-1))/((d*x+1)^{(1/2)}-1)*(d^2)^{(1/2))}}{d^2} \right) / (d^2)^{(1/2)} - \left( \frac{2*B*f*\operatorname{atan}(((1-d*x)^{(1/2)}-1)/((d*x+1)^{(1/2)}-1))}{d^3} - \left( \frac{2*C*e*\operatorname{atan}(((1-d*x)^{(1/2)}-1)/((d*x+1)^{(1/2)}-1))}{d^3} \right) \right)$$

**sympy [C]** time = 158.08, size = 617, normalized size = 4.75

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x+e)\*(C\*x\*\*2+B\*x+A)/(-d\*x+1)\*\*(1/2)/(d\*x+1)\*\*(1/2),x)

[Out]  $-I*A*e*meijerg\left(\left(\frac{1}{4}, \frac{3}{4}\right), \left(\frac{1}{2}, \frac{1}{2}, 1, 1\right), \left(\left(0, \frac{1}{4}, \frac{1}{2}, \frac{3}{4}, 1, 0\right), \left(\frac{1}{d^2*x^2}\right)/\left(4*\pi^{3/2}*d\right) + A*e*meijerg\left(\left(-\frac{1}{2}, -\frac{1}{4}, 0, \frac{1}{4}, \frac{1}{2}, 1\right), \left(\left(-\frac{1}{4}, \frac{1}{4}\right), \left(-\frac{1}{2}, 0, 0, 0\right)\right), \exp\_polar\left(-2*I*\pi\right)/\left(d^2*x^2\right)/\left(4*\pi^{3/2}*d\right) - I*A*f*meijerg\left(\left(-\frac{1}{4}, \frac{1}{4}\right), \left(0, 0, \frac{1}{2}, 1\right), \left(\left(-\frac{1}{2}, -\frac{1}{4}, 0, \frac{1}{4}, \frac{1}{2}, 0\right), \left(\frac{1}{d^2*x^2}\right)/\left(4*\pi^{3/2}*d^2\right) - A*f*meijerg\left(\left(-1, -\frac{3}{4}, -\frac{1}{2}, -\frac{1}{4}, 0, 1\right), \left(\left(-\frac{3}{4}, -\frac{1}{4}\right), \left(-1, -\frac{1}{2}, -\frac{1}{2}, 0\right)\right), \exp\_polar\left(-2*I*\pi\right)/\left(d^2*x^2\right)/\left(4*\pi^{3/2}*d^2\right) - I*B*e*meijerg\left(\left(-\frac{1}{4}, \frac{1}{4}\right), \left(0, 0, \frac{1}{2}, 1\right), \left(\left(-\frac{1}{2}, -\frac{1}{4}, 0, \frac{1}{4}, \frac{1}{2}, 0\right), \left(\frac{1}{d^2*x^2}\right)/\left(4*\pi^{3/2}*d^2\right) - B*e*meijerg\left(\left(-1, -\frac{3}{4}, -\frac{1}{2}, -\frac{1}{4}, 0, 1\right), \left(\left(-\frac{3}{4}, -\frac{1}{4}\right), \left(-1, -\frac{1}{2}, -\frac{1}{2}, 0\right)\right), \exp\_polar\left(-2*I*\pi\right)/\left(d^2*x^2\right)/\left(4*\pi^{3/2}*d^2\right) - I*B*f*meijerg\left(\left(-\frac{3}{4}, -\frac{1}{4}\right), \left(-\frac{1}{2}, -\frac{1}{2}, 0, 1\right), \left(\left(-1, -\frac{3}{4}, -\frac{1}{2}, -\frac{1}{4}, 0, 0\right), \left(\frac{1}{d^2*x^2}\right)/\left(4*\pi^{3/2}*d^3\right) + B*f*meijerg\left(\left(-\frac{3}{2}, -\frac{5}{4}, -1, -\frac{3}{4}, -\frac{1}{2}, 1\right), \left(\left(-\frac{5}{4}, -\frac{3}{4}\right), \left(-\frac{3}{2}, -1, -1, 0\right)\right), \exp\_polar\left(-2*I*\pi\right)/\left(d^2*x^2\right)/\left(4*\pi^{3/2}*d^3\right) - I*C*e*meijerg\left(\left(-\frac{3}{4}, -\frac{1}{4}\right), \left(-\frac{1}{2}, -\frac{1}{2}, 0, 1\right), \left(\left(-1, -\frac{3}{4}, -\frac{1}{2}, -\frac{1}{4}, 0, 0\right), \left(\frac{1}{d^2*x^2}\right)/\left(4*\pi^{3/2}*d^3\right) + C*e*meijerg\left(\left(-\frac{3}{2}, -\frac{5}{4}, -1, -\frac{3}{4}, -\frac{1}{2}, 1\right), \left(\left(-\frac{5}{4}, -\frac{3}{4}\right), \left(-\frac{3}{2}, -1, -1, 0\right)\right), \exp\_polar\left(-2*I*\pi\right)/\left(d^2*x^2\right)/\left(4*\pi^{3/2}*d^3\right) - I*C*f*meijerg\left(\left(-\frac{5}{4}, -\frac{3}{4}\right), \left(-1, -1, -\frac{1}{2}, 1\right), \left(\left(-\frac{3}{2}, -\frac{5}{4}, -1, -\frac{3}{4}, -\frac{1}{2}, 0\right), \left(\frac{1}{d^2*x^2}\right)/\left(4*\pi^{3/2}*d^4\right) - C*f*meijerg\left(\left(-2, -\frac{7}{4}, -\frac{3}{2}, -\frac{5}{4}, -1, 1\right), \left(\left(-\frac{7}{4}, -\frac{5}{4}\right), \left(-2, -\frac{3}{2}, -\frac{3}{2}, 0\right)\right), \exp\_polar\left(-2*I*\pi\right)/\left(d^2*x^2\right)/\left(4*\pi^{3/2}*d^4\right)\right)$

$$3.11 \quad \int \frac{A+Bx+Cx^2}{\sqrt{1-dx}\sqrt{1+dx}} dx$$

Optimal. Leaf size=63

$$\frac{(2Ad^2 + C) \sin^{-1}(dx)}{2d^3} - \frac{B\sqrt{1-d^2x^2}}{d^2} - \frac{Cx\sqrt{1-d^2x^2}}{2d^2}$$

[Out] 1/2\*(2\*A\*d^2+C)\*arcsin(d\*x)/d^3-B\*(-d^2\*x^2+1)^(1/2)/d^2-1/2\*C\*x\*(-d^2\*x^2+1)^(1/2)/d^2

**Rubi [A]** time = 0.06, antiderivative size = 63, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$ , Rules used = {899, 1815, 641, 216}

$$\frac{(2Ad^2 + C) \sin^{-1}(dx)}{2d^3} - \frac{B\sqrt{1-d^2x^2}}{d^2} - \frac{Cx\sqrt{1-d^2x^2}}{2d^2}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*x + C\*x^2)/(Sqrt[1 - d\*x]\*Sqrt[1 + d\*x]),x]

[Out] -((B\*Sqrt[1 - d^2\*x^2])/d^2) - (C\*x\*Sqrt[1 - d^2\*x^2])/(2\*d^2) + ((C + 2\*A\*d^2)\*ArcSin[d\*x])/(2\*d^3)

Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 641

Int[((d\_) + (e\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[(e\*(a + c\*x^2)^(p + 1))/(2\*c\*(p + 1)), x] + Dist[d, Int[(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]

Rule 899

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((f\_) + (g\_.)\*(x\_))^(n\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Int[(d\*f + e\*g\*x^2)^m\*(a + b\*x + c\*x^2)^p, x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && EqQ[m - n, 0] && EqQ[e\*f + d\*g, 0] && (IntegerQ[m] || (GtQ[d, 0] && GtQ[f, 0]))

Rule 1815

Int[(Pq\_)\*((a\_) + (b\_.)\*(x\_)^2)^(p\_), x\_Symbol] := With[{q = Expon[Pq, x], e = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(e\*x^(q - 1)\*(a + b\*x^2)^(p + 1))/(b\*(q + 2\*p + 1)), x] + Dist[1/(b\*(q + 2\*p + 1)), Int[(a + b\*x^2)^p\*ExpandToSum[b\*(q + 2\*p + 1)\*Pq - a\*e\*(q - 1)\*x^(q - 2) - b\*e\*(q + 2\*p + 1)\*x^q, x], x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && !LeQ[p, -1]

Rubi steps

$$\begin{aligned}
\int \frac{A + Bx + Cx^2}{\sqrt{1-dx}\sqrt{1+dx}} dx &= \int \frac{A + Bx + Cx^2}{\sqrt{1-d^2x^2}} dx \\
&= -\frac{Cx\sqrt{1-d^2x^2}}{2d^2} - \frac{\int \frac{-C-2Ad^2-2Bd^2x}{\sqrt{1-d^2x^2}} dx}{2d^2} \\
&= -\frac{B\sqrt{1-d^2x^2}}{d^2} - \frac{Cx\sqrt{1-d^2x^2}}{2d^2} - \frac{(-C-2Ad^2) \int \frac{1}{\sqrt{1-d^2x^2}} dx}{2d^2} \\
&= -\frac{B\sqrt{1-d^2x^2}}{d^2} - \frac{Cx\sqrt{1-d^2x^2}}{2d^2} + \frac{(C+2Ad^2) \sin^{-1}(dx)}{2d^3}
\end{aligned}$$

**Mathematica** [A] time = 0.04, size = 45, normalized size = 0.71

$$\frac{(2Ad^2 + C) \sin^{-1}(dx) - d\sqrt{1-d^2x^2}(2B + Cx)}{2d^3}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*x + C\*x^2)/(Sqrt[1 - d\*x]\*Sqrt[1 + d\*x]), x]

[Out]  $(-(d*(2*B + C*x)*\text{Sqrt}[1 - d^2*x^2]) + (C + 2*A*d^2)*\text{ArcSin}[d*x])/(2*d^3)$

**fricas** [A] time = 0.95, size = 67, normalized size = 1.06

$$\frac{(Cdx + 2Bd)\sqrt{dx+1}\sqrt{-dx+1} + 2(2Ad^2 + C) \arctan\left(\frac{\sqrt{dx+1}\sqrt{-dx+1}-1}{dx}\right)}{2d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)/(-d\*x+1)^(1/2)/(d\*x+1)^(1/2), x, algorithm="fricas")

[Out]  $-1/2*((C*d*x + 2*B*d)*\text{sqrt}(d*x + 1)*\text{sqrt}(-d*x + 1) + 2*(2*A*d^2 + C)*\text{arctan}((\text{sqrt}(d*x + 1)*\text{sqrt}(-d*x + 1) - 1)/(d*x)))/d^3$

**giac** [A] time = 1.29, size = 76, normalized size = 1.21

$$\frac{\sqrt{dx+1}\sqrt{-dx+1}\left(\frac{(dx+1)C}{d^2} + \frac{2Bd^5 - Cd^4}{d^6}\right) - \frac{2(2Ad^2+C) \arcsin\left(\frac{1}{2}\sqrt{2}\sqrt{dx+1}\right)}{d^2}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)/(-d\*x+1)^(1/2)/(d\*x+1)^(1/2), x, algorithm="giac")

[Out]  $-1/2*(\text{sqrt}(d*x + 1)*\text{sqrt}(-d*x + 1)*((d*x + 1)*C/d^2 + (2*B*d^5 - C*d^4)/d^6) - 2*(2*A*d^2 + C)*\text{arcsin}(1/2*\text{sqrt}(2)*\text{sqrt}(d*x + 1))/d^2)/d$

**maple** [C] time = 0.02, size = 117, normalized size = 1.86

$$\frac{\sqrt{-dx+1}\sqrt{dx+1}\left(2Ad^2 \arctan\left(\frac{dx \operatorname{csgn}(d)}{\sqrt{-d^2x^2+1}}\right) - \sqrt{-d^2x^2+1} Cdx \operatorname{csgn}(d) - 2\sqrt{-d^2x^2+1} Bd \operatorname{csgn}(d) + C \arctan\left(\frac{dx \operatorname{csgn}(d)}{\sqrt{-d^2x^2+1}}\right)\right)}{2\sqrt{-d^2x^2+1} d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C\*x^2+B\*x+A)/(-d\*x+1)^(1/2)/(d\*x+1)^(1/2), x)

[Out]  $\frac{1}{2}(-d*x+1)^{(1/2)}*(d*x+1)^{(1/2)}/d^3*(2*A*d^2*\arctan(1/(-d^2*x^2+1)^{(1/2)}*d*x*\operatorname{csgn}(d))-(-d^2*x^2+1)^{(1/2)}*C*d*x*\operatorname{csgn}(d)-2*(-d^2*x^2+1)^{(1/2)}*B*d*\operatorname{csgn}(d)+C*\arctan(1/(-d^2*x^2+1)^{(1/2)}*d*x*\operatorname{csgn}(d)))/(-d^2*x^2+1)^{(1/2)}*\operatorname{csgn}(d)$

**maxima** [A] time = 1.42, size = 57, normalized size = 0.90

$$\frac{A \arcsin(dx)}{d} - \frac{\sqrt{-d^2x^2+1}Cx}{2d^2} - \frac{\sqrt{-d^2x^2+1}B}{d^2} + \frac{C \arcsin(dx)}{2d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)/(-d\*x+1)^(1/2)/(d\*x+1)^(1/2),x, algorithm="maxima")

[Out]  $A*\arcsin(d*x)/d - 1/2*\sqrt{-d^2*x^2 + 1}*C*x/d^2 - \sqrt{-d^2*x^2 + 1}*B/d^2 + 1/2*C*\arcsin(d*x)/d^3$

**mupad** [B] time = 7.53, size = 232, normalized size = 3.68

$$\frac{\frac{14C(\sqrt{1-dx}-1)^3}{(\sqrt{dx+1}-1)^3} - \frac{14C(\sqrt{1-dx}-1)^5}{(\sqrt{dx+1}-1)^5} + \frac{2C(\sqrt{1-dx}-1)^7}{(\sqrt{dx+1}-1)^7} - \frac{2C(\sqrt{1-dx}-1)}{\sqrt{dx+1}}}{d^3 \left( \frac{(\sqrt{1-dx}-1)^2}{(\sqrt{dx+1}-1)^2} + 1 \right)^4} - \frac{4A \operatorname{atan}\left(\frac{d(\sqrt{1-dx}-1)}{(\sqrt{dx+1}-1)\sqrt{d^2}}\right)}{\sqrt{d^2}} - \frac{2C \operatorname{atan}\left(\frac{\sqrt{1-dx}}{\sqrt{dx+1}}\right)}{d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B\*x + C\*x^2)/((1 - d\*x)^(1/2)\*(d\*x + 1)^(1/2)),x)

[Out]  $-\left(\frac{14*C*((1-d*x)^{(1/2)}-1)^3}{((d*x+1)^{(1/2)}-1)^3} - \frac{14*C*((1-d*x)^{(1/2)}-1)^5}{((d*x+1)^{(1/2)}-1)^5} + \frac{2*C*((1-d*x)^{(1/2)}-1)^7}{((d*x+1)^{(1/2)}-1)^7} - \frac{2*C*((1-d*x)^{(1/2)}-1)}{((d*x+1)^{(1/2)}-1)}\right)/\left(d^3*\frac{((1-d*x)^{(1/2)}-1)^2}{((d*x+1)^{(1/2)}-1)^2} + 1\right)^4 - \frac{4*A*\operatorname{atan}\left(\frac{d*((1-d*x)^{(1/2)}-1)}{((d*x+1)^{(1/2)}-1)*(d^2)^{(1/2)}}\right)}{(d^2)^{(1/2)}} - \frac{2*C*\operatorname{atan}\left(\frac{(1-d*x)^{(1/2)}-1}{(d*x+1)^{(1/2)}-1}\right)}{d^3} - \frac{((1-d*x)^{(1/2)}*(B/d^2 + (B*x)/d))/((d*x+1)^{(1/2)})}{d^3}$

**sympy** [C] time = 49.74, size = 282, normalized size = 4.48

$$\frac{iAG_{6,6}^{6,2}\left(\begin{matrix} \frac{1}{4}, \frac{3}{4} \\ \frac{1}{2}, \frac{1}{2}, 1, 1 \end{matrix} \middle| \frac{1}{d^2x^2}\right)}{4\pi^2 d} + \frac{AG_{6,6}^{2,6}\left(\begin{matrix} -\frac{1}{2}, -\frac{1}{4}, 0, \frac{1}{4}, \frac{1}{2}, 1 \\ -\frac{1}{4}, \frac{1}{4} \end{matrix} \middle| \frac{e^{-2i\pi}}{d^2x^2}\right)}{4\pi^2 d} - \frac{iBG_{6,6}^{6,2}\left(\begin{matrix} -\frac{1}{4}, \frac{1}{4} \\ -\frac{1}{2}, -\frac{1}{4}, 0, \frac{1}{4}, \frac{1}{2}, 0 \end{matrix}\right)}{4\pi^2 d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x\*\*2+B\*x+A)/(-d\*x+1)\*\*(1/2)/(d\*x+1)\*\*(1/2),x)

[Out]  $-I*A*\operatorname{meijerg}\left(\left(\frac{1}{4}, \frac{3}{4}\right), \left(\frac{1}{2}, \frac{1}{2}, 1, 1\right), \left(\left(0, \frac{1}{4}, \frac{1}{2}, \frac{3}{4}, 1, 0\right), \left(\frac{1}{d^2*x^2}\right)\right)\right)/(4*\pi**\left(\frac{3}{2}\right)*d) + A*\operatorname{meijerg}\left(\left(-\frac{1}{2}, -\frac{1}{4}, 0, \frac{1}{4}, \frac{1}{2}, 1\right), \left(\left(-\frac{1}{4}, \frac{1}{4}\right), \left(-\frac{1}{2}, 0, 0, 0\right)\right), \operatorname{exp\_polar}\left(-2*I*\pi\right)/\left(d^2*x^2\right)\right)/(4*\pi**\left(\frac{3}{2}\right)*d) - I*B*\operatorname{meijerg}\left(\left(-\frac{1}{4}, \frac{1}{4}\right), \left(0, 0, \frac{1}{2}, 1\right), \left(\left(-\frac{1}{2}, -\frac{1}{4}, 0, \frac{1}{4}, \frac{1}{2}, 0\right), \left(\frac{1}{d^2*x^2}\right)\right)\right)/(4*\pi**\left(\frac{3}{2}\right)*d^2) - B*\operatorname{meijerg}\left(\left(-1, -\frac{3}{4}, -\frac{1}{2}, -\frac{1}{4}, 0, 1\right), \left(\left(-\frac{3}{4}, -\frac{1}{4}\right), \left(-1, -\frac{1}{2}, -\frac{1}{2}, 0\right)\right), \operatorname{exp\_polar}\left(-2*I*\pi\right)/\left(d^2*x^2\right)\right)/(4*\pi**\left(\frac{3}{2}\right)*d^2) - I*C*\operatorname{meijerg}\left(\left(-\frac{3}{4}, -\frac{1}{4}\right), \left(-\frac{1}{2}, -\frac{1}{2}, 0, 1\right), \left(\left(-1, -\frac{3}{4}, -\frac{1}{2}, -\frac{1}{4}, 0, 0\right), \left(\frac{1}{d^2*x^2}\right)\right)\right)/(4*\pi**\left(\frac{3}{2}\right)*d^3) + C*\operatorname{meijerg}\left(\left(-\frac{3}{2}, -\frac{5}{4}, -1, -\frac{3}{4}, -\frac{1}{2}, 1\right), \left(\left(-\frac{5}{4}, -\frac{3}{4}\right), \left(-\frac{3}{2}, -1, -1, 0\right)\right), \operatorname{exp\_polar}\left(-2*I*\pi\right)/\left(d^2*x^2\right)\right)/(4*\pi**\left(\frac{3}{2}\right)*d^3)$

$$3.12 \quad \int \frac{A+Bx+Cx^2}{\sqrt{1-dx} \sqrt{1+dx} (e+fx)} dx$$

**Optimal.** Leaf size=122

$$\frac{(Af^2 - Bef + Ce^2) \tan^{-1}\left(\frac{d^2ex+f}{\sqrt{1-d^2x^2} \sqrt{d^2e^2-f^2}}\right)}{f^2\sqrt{d^2e^2-f^2}} - \frac{\sin^{-1}(dx)(Ce - Bf)}{df^2} - \frac{C\sqrt{1-d^2x^2}}{d^2f}$$

[Out]  $-(B*f+C*e)*\arcsin(d*x)/d/f^2+(A*f^2-B*e*f+C*e^2)*\arctan((d^2*e*x+f)/(d^2*e^2-f^2)^{(1/2)}/(-d^2*x^2+1)^{(1/2)})/f^2/(d^2*e^2-f^2)^{(1/2)}-C*(-d^2*x^2+1)^{(1/2)}/d^2/f$

**Rubi [A]** time = 0.28, antiderivative size = 122, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 37,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.162$ , Rules used = {1609, 1654, 844, 216, 725, 204}

$$\frac{(Af^2 - Bef + Ce^2) \tan^{-1}\left(\frac{d^2ex+f}{\sqrt{1-d^2x^2} \sqrt{d^2e^2-f^2}}\right)}{f^2\sqrt{d^2e^2-f^2}} - \frac{\sin^{-1}(dx)(Ce - Bf)}{df^2} - \frac{C\sqrt{1-d^2x^2}}{d^2f}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*x + C\*x^2)/(Sqrt[1 - d\*x]\*Sqrt[1 + d\*x]\*(e + f\*x)), x]

[Out]  $-((C*\text{Sqrt}[1 - d^2*x^2])/(d^2*f)) - ((C*e - B*f)*\text{ArcSin}[d*x])/(d*f^2) + ((C*e^2 - B*e*f + A*f^2)*\text{ArcTan}[(f + d^2*e*x)/(\text{Sqrt}[d^2*e^2 - f^2]*\text{Sqrt}[1 - d^2*x^2])])/(f^2*\text{Sqrt}[d^2*e^2 - f^2])$

#### Rule 204

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> -Simp[ArcTan[Rt[-b, 2]\*x]/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] :> Simp[ArcSin[Rt[-b, 2]\*x]/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rule 725

Int[1/(((d\_) + (e\_.)\*(x\_))\*Sqrt[(a\_) + (c\_.)\*(x\_)^2]), x\_Symbol] :> -Subst[Int[1/(c\*d^2 + a\*e^2 - x^2), x], x, (a\*e - c\*d\*x)/Sqrt[a + c\*x^2]] /; FreeQ[{a, c, d, e}, x]

#### Rule 844

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Dist[g/e, Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^p, x], x] + Dist[(e\*f - d\*g)/e, Int[(d + e\*x)^m\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c\*d^2 + a\*e^2, 0] && !IGtQ[m, 0]

#### Rule 1609

Int[(Px\_)\*((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] :> Int[Px\*(a\*c + b\*d\*x^2)^m\*(e + f\*x)^p, x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b\*c + a\*d, 0] && EqQ[m, n] && (IntegerQ[m] || (GtQ[a, 0] && GtQ[c, 0]))

Rule 1654

```
Int[(Pq_)*((d_) + (e_)*(x_))^(m_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :
> With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x)
)^(m + q - 1)*(a + c*x^2)^(p + 1)/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Di
st[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + c*x^2)^p*ExpandToSum[c
*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - f*(d + e*x)
^(q - 2)*(a*e^2*(m + q - 1) - c*d^2*(m + q + 2*p + 1) - 2*c*d*e*(m + q + p)
*x), x], x], x] /; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0]] /; FreeQ[{a, c, d,
e, m, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && !(EqQ[d, 0] && T
rue) && !(IGtQ[m, 0] && RationalQ[a, c, d, e] && (IntegerQ[p] || ILtQ[p +
1/2, 0]))
```

Rubi steps

$$\begin{aligned} \int \frac{A + Bx + Cx^2}{\sqrt{1 - dx} \sqrt{1 + dx} (e + fx)} dx &= \int \frac{A + Bx + Cx^2}{(e + fx) \sqrt{1 - d^2x^2}} dx \\ &= -\frac{C\sqrt{1 - d^2x^2}}{d^2f} - \frac{\int \frac{-Ad^2f^2 + d^2f(Ce - Bf)x}{(e + fx)\sqrt{1 - d^2x^2}} dx}{d^2f^2} \\ &= -\frac{C\sqrt{1 - d^2x^2}}{d^2f} - \frac{(Ce - Bf) \int \frac{1}{\sqrt{1 - d^2x^2}} dx}{f^2} + \frac{(Ce^2 - Bef + Af^2) \int \frac{1}{(e + fx)\sqrt{1 - d^2x^2}} dx}{f^2} \\ &= -\frac{C\sqrt{1 - d^2x^2}}{d^2f} - \frac{(Ce - Bf) \sin^{-1}(dx)}{df^2} - \frac{(Ce^2 - Bef + Af^2) \text{Subst}\left(\int \frac{1}{-d^2e^2 + \dots}\right)}{f^2} \\ &= -\frac{C\sqrt{1 - d^2x^2}}{d^2f} - \frac{(Ce - Bf) \sin^{-1}(dx)}{df^2} + \frac{(Ce^2 - Bef + Af^2) \tan^{-1}\left(\frac{f + a}{\sqrt{d^2e^2 - f^2}}\right)}{f^2 \sqrt{d^2e^2 - f^2}} \end{aligned}$$

**Mathematica [A]** time = 0.13, size = 117, normalized size = 0.96

$$\frac{(f(Af - Be) + Ce^2) \tan^{-1}\left(\frac{d^2ex + f}{\sqrt{1 - d^2x^2} \sqrt{d^2e^2 - f^2}}\right)}{\sqrt{d^2e^2 - f^2}} + \frac{\sin^{-1}(dx)(Bf - Ce)}{d} - \frac{Cf\sqrt{1 - d^2x^2}}{d^2}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*x + C\*x^2)/(Sqrt[1 - d\*x]\*Sqrt[1 + d\*x]\*(e + f\*x)), x]

[Out] (-((C\*f\*Sqrt[1 - d^2\*x^2])/d^2) + ((-(C\*e) + B\*f)\*ArcSin[d\*x])/d + ((C\*e^2 + f\*(-(B\*e) + A\*f))\*ArcTan[(f + d^2\*e\*x)/(Sqrt[d^2\*e^2 - f^2]\*Sqrt[1 - d^2\*x^2])]) / Sqrt[d^2\*e^2 - f^2])/f^2

**fricas [B]** time = 15.02, size = 493, normalized size = 4.04

$$\left[ \frac{(Cd^2e^2 - Bd^2ef + Ad^2f^2)\sqrt{-d^2e^2 + f^2} \log\left(\frac{d^2efx + f^2 - \sqrt{-d^2e^2 + f^2}(d^2ex + f) - (\sqrt{-d^2e^2 + f^2} \sqrt{-dx + 1} f + (d^2e^2 - f^2)\sqrt{-dx + 1})}{fx + e}\right)}{d^4e^2f^2} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)/(f\*x+e)/(-d\*x+1)^(1/2)/(d\*x+1)^(1/2), x, algorithm="fricas")

```
[Out] [-(C*d^2*e^2 - B*d^2*e*f + A*d^2*f^2)*sqrt(-d^2*e^2 + f^2)*log((d^2*e*f*x
+ f^2 - sqrt(-d^2*e^2 + f^2)*(d^2*e*x + f) - (sqrt(-d^2*e^2 + f^2)*sqrt(-d*
x + 1)*f + (d^2*e^2 - f^2)*sqrt(-d*x + 1))*sqrt(d*x + 1))/(f*x + e)) + (C*d
^2*e^2*f - C*f^3)*sqrt(d*x + 1)*sqrt(-d*x + 1) - 2*(C*d^3*e^3 - B*d^3*e^2*f
- C*d*e*f^2 + B*d*f^3)*arctan((sqrt(d*x + 1)*sqrt(-d*x + 1) - 1)/(d*x)))/(
d^4*e^2*f^2 - d^2*f^4), (2*(C*d^2*e^2 - B*d^2*e*f + A*d^2*f^2)*sqrt(d^2*e^2
- f^2)*arctan(-(sqrt(d^2*e^2 - f^2)*sqrt(d*x + 1)*sqrt(-d*x + 1)*e - sqrt(
d^2*e^2 - f^2)*(f*x + e))/((d^2*e^2 - f^2)*x)) - (C*d^2*e^2*f - C*f^3)*sqrt
(d*x + 1)*sqrt(-d*x + 1) + 2*(C*d^3*e^3 - B*d^3*e^2*f - C*d*e*f^2 + B*d*f^3
)*arctan((sqrt(d*x + 1)*sqrt(-d*x + 1) - 1)/(d*x)))/(d^4*e^2*f^2 - d^2*f^4)
]
```

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(f*x+e)/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="
giac")
```

```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x);;OUTPUT:Undef/Unsigned Inf encountered in limit
```

**maple** [C] time = 0.00, size = 373, normalized size = 3.06

$$\left( -A d^2 f^2 \operatorname{csgn}(d) \ln \left( \frac{2d^2 e x + 2\sqrt{-d^2 x^2 + 1} \sqrt{\frac{d^2 e^2 - f^2}{f^2}} f + 2f}{f x + e} \right) + B d^2 e f \operatorname{csgn}(d) \ln \left( \frac{2d^2 e x + 2\sqrt{-d^2 x^2 + 1} \sqrt{\frac{d^2 e^2 - f^2}{f^2}} f + 2f}{f x + e} \right) - C d^2 e \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((C*x^2+B*x+A)/(f*x+e)/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x)
```

```
[Out] (-A*d^2*f^2*csgn(d)*ln(2*(d^2*e*x+(-d^2*x^2+1)^(1/2))*(-(d^2*e^2-f^2)/f^2)^(
1/2)*f+f)/(f*x+e))+B*d^2*e*f*csgn(d)*ln(2*(d^2*e*x+(-d^2*x^2+1)^(1/2))*(-(d^
2*e^2-f^2)/f^2)^(1/2)*f+f)/(f*x+e))-C*d^2*e^2*csgn(d)*ln(2*(d^2*e*x+(-d^2*x
^2+1)^(1/2))*(-(d^2*e^2-f^2)/f^2)^(1/2)*f+f)/(f*x+e))+(-(d^2*e^2-f^2)/f^2)^(
1/2)*B*d*f^2*arctan(1/(-d^2*x^2+1)^(1/2)*d*x*csgn(d))-(-(d^2*e^2-f^2)/f^2)^(
1/2)*C*d*e*f*arctan(1/(-d^2*x^2+1)^(1/2)*d*x*csgn(d))-(-(d^2*x^2+1)^(1/2))*
(-(d^2*e^2-f^2)/f^2)^(1/2)*C*f^2*csgn(d))*(-d*x+1)^(1/2)*(d*x+1)^(1/2)/(-d^
2*e^2-f^2)/f^2)^(1/2)/(-d^2*x^2+1)^(1/2)/d^2/f^3*csgn(d)
```

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(f*x+e)/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="
maxima")
```

```
[Out] Exception raised: ValueError >> Computation failed since Maxima requested a
dditional constraints; using the 'assume' command before evaluation *may* h
elp (example of legal syntax is 'assume(f-d*e>0)', see `assume?` for more d
etails)Is f-d*e positive, negative or zero?
```

**mupad** [B] time = 0.01, size = 5803, normalized size = 47.57

result too large to display





$$\begin{aligned}
& *((1 - dx)^{(1/2)} - 1) * (8C^2e^4f^3 + 3C^2d^2e^6f) / (f^2 * ((dx + 1)^{(1/2)} - 1)) + (4096 * ((1 - dx)^{(1/2)} - 1)^2 * (128C^2d^2e^5f^4 - 144C^2e^3f^6 + 9C^2d^4e^7f^2)) / (df^4 * ((dx + 1)^{(1/2)} - 1)^2) - (C^2e^2 * ((4096 * (24C^2d^2e^3f^7 - 30C^2d^4e^5f^5)) / (df^4) + (16384 * ((1 - dx)^{(1/2)} - 1) * (20C^2e^2f^6 - 22C^2d^2e^4f^4)) / (f^2 * ((dx + 1)^{(1/2)} - 1)) + (4096 * (96C^2d^2e^3f^7 - 90C^2d^4e^5f^5)) * ((1 - dx)^{(1/2)} - 1)^2) / (df^4 * ((dx + 1)^{(1/2)} - 1)^2) + (C^2e^2 * ((4096 * (7d^4e^3f^8 - 9d^6e^5f^6)) / (df^4) + (16384 * ((1 - dx)^{(1/2)} - 1) * (5d^2e^2f^7 - 6d^4e^4f^5)) / (f^2 * ((dx + 1)^{(1/2)} - 1)) + (4096 * ((1 - dx)^{(1/2)} - 1)^2 * (11d^4e^3f^8 - 9d^6e^5f^6)) / (df^4 * ((dx + 1)^{(1/2)} - 1)^2))) / (f^2 * (f + d*e)^{(1/2)} * (f - d*e)^{(1/2)})) / (f^2 * (f + d*e)^{(1/2)} * (f - d*e)^{(1/2)})) / (f^2 * (f + d*e)^{(1/2)} * (f - d*e)^{(1/2)})) / (f^2 * (f + d*e)^{(1/2)} * (f - d*e)^{(1/2)})) - (C^2e^2 * ((4096 * (32C^3e^5f^3 + 24C^3d^2e^7f)) / (df^4) - (4096 * ((1 - dx)^{(1/2)} - 1)^2 * (32C^3e^5f^3 - 96C^3d^2e^7f)) / (df^4 * ((dx + 1)^{(1/2)} - 1)^2) + (458752 * C^3e^6 * ((1 - dx)^{(1/2)} - 1)) / (f^2 * ((dx + 1)^{(1/2)} - 1)) - (C^2e^2 * ((4096 * (16C^2e^3f^6 + 9C^2d^4e^7f^2)) / (df^4) + (16384 * ((1 - dx)^{(1/2)} - 1) * (8C^2e^4f^3 + 3C^2d^2e^6f)) / (f^2 * ((dx + 1)^{(1/2)} - 1)) + (4096 * ((1 - dx)^{(1/2)} - 1)^2 * (128C^2d^2e^5f^4 - 144C^2e^3f^6 + 9C^2d^4e^7f^2)) / (df^4 * ((dx + 1)^{(1/2)} - 1)^2) + (C^2e^2 * ((4096 * (24C^2d^2e^3f^7 - 30C^2d^4e^5f^5)) / (df^4) + (16384 * ((1 - dx)^{(1/2)} - 1) * (20C^2e^2f^6 - 22C^2d^2e^4f^4)) / (f^2 * ((dx + 1)^{(1/2)} - 1)) + (4096 * (96C^2d^2e^3f^7 - 90C^2d^4e^5f^5)) * ((1 - dx)^{(1/2)} - 1)^2) / (df^4 * ((dx + 1)^{(1/2)} - 1)^2) - (C^2e^2 * ((4096 * (7d^4e^3f^8 - 9d^6e^5f^6)) / (df^4) + (16384 * ((1 - dx)^{(1/2)} - 1) * (5d^2e^2f^7 - 6d^4e^4f^5)) / (f^2 * ((dx + 1)^{(1/2)} - 1)) + (4096 * ((1 - dx)^{(1/2)} - 1)^2 * (11d^4e^3f^8 - 9d^6e^5f^6)) / (df^4 * ((dx + 1)^{(1/2)} - 1)^2))) / (f^2 * (f + d*e)^{(1/2)} * (f - d*e)^{(1/2)})) / (f^2 * (f + d*e)^{(1/2)} * (f - d*e)^{(1/2)})) / (f^2 * (f + d*e)^{(1/2)} * (f - d*e)^{(1/2)})) / (f^2 * (f + d*e)^{(1/2)} * (f - d*e)^{(1/2)})) + (917504 * C^4e^7 * ((1 - dx)^{(1/2)} - 1)^2) / (df^4 * ((dx + 1)^{(1/2)} - 1)^2)) * i) / (f^2 * (f + d*e)^{(1/2)} * (f - d*e)^{(1/2)}) + (B*e*atan((B*e*((4096*(24*B^3*d^2*e^4 + 32*B^3*e^2*f^2))/d + (4096*((1 - dx)^{(1/2)} - 1)^2*(96*B^3*d^2*e^4 - 32*B^3*e^2*f^2))/(d*((dx + 1)^{(1/2)} - 1)^2) + (458752*B^3*e^3*f*((1 - dx)^{(1/2)} - 1))/((dx + 1)^{(1/2)} - 1) + (B*e*((4096*(16*B^2*e*f^4 + 9*B^2*d^4*e^5))/d + (((1 - dx)^{(1/2)} - 1)*(131072*B^2*e^2*f^3 + 49152*B^2*d^2*e^4*f)) / ((dx + 1)^{(1/2)} - 1) + (4096*((1 - dx)^{(1/2)} - 1)^2*(9*B^2*d^4*e^5 - 144*B^2*e*f^4 + 128*B^2*d^2*e^3*f^2)) / (d*((dx + 1)^{(1/2)} - 1)^2) - (B*e*((4096*(24*B*d^2*e^2*f^4 - 30*B*d^4*e^4*f^2)) / d + ((327680*B*e*f^5 - 360448*B*d^2*e^3*f^3) * ((1 - dx)^{(1/2)} - 1)) / ((dx + 1)^{(1/2)} - 1) + (4096*(96*B*d^2*e^2*f^4 - 90*B*d^4*e^4*f^2) * ((1 - dx)^{(1/2)} - 1)^2) / (d*((dx + 1)^{(1/2)} - 1)^2) + (B*e*((4096*(7*d^4*e^3*f^4 - 9*d^6*e^5*f^2)) / d + (((1 - dx)^{(1/2)} - 1) * (81920*d^2*e^2*f^5 - 98304*d^4*e^4*f^3)) / ((dx + 1)^{(1/2)} - 1) + (4096*((1 - dx)^{(1/2)} - 1)^2 * (11*d^4*e^3*f^4 - 9*d^6*e^5*f^2)) / (d*((dx + 1)^{(1/2)} - 1)^2))) / (f*(f + d*e)^{(1/2)} * (f - d*e)^{(1/2)})) / (f*(f + d*e)^{(1/2)} * (f - d*e)^{(1/2)})) / (f*(f + d*e)^{(1/2)} * (f - d*e)^{(1/2)})) * i) / (f*(f + d*e)^{(1/2)} * (f - d*e)^{(1/2)}) + (B*e*((4096*(24*B^3*d^2*e^4 + 32*B^3*e^2*f^2))/d + (4096*((1 - dx)^{(1/2)} - 1)^2*(96*B^3*d^2*e^4 - 32*B^3*e^2*f^2))/(d*((dx + 1)^{(1/2)} - 1)^2) + (458752*B^3*e^3*f*((1 - dx)^{(1/2)} - 1))/((dx + 1)^{(1/2)} - 1) - (B*e*((4096*(16*B^2*e*f^4 + 9*B^2*d^4*e^5))/d + (((1 - dx)^{(1/2)} - 1) * (131072*B^2*e^2*f^3 + 49152*B^2*d^2*e^4*f)) / ((dx + 1)^{(1/2)} - 1) + (4096*((1 - dx)^{(1/2)} - 1)^2*(9*B^2*d^4*e^5 - 144*B^2*e*f^4 + 128*B^2*d^2*e^3*f^2)) / (d*((dx + 1)^{(1/2)} - 1)^2) + (B*e*((4096*(24*B*d^2*e^2*f^4 - 30*B*d^4*e^4*f^2)) / d + ((327680*B*e*f^5 - 360448*B*d^2*e^3*f^3) * ((1 - dx)^{(1/2)} - 1)) / ((dx + 1)^{(1/2)} - 1) + (4096*(96*B*d^2*e^2*f^4 - 90*B*d^4*e^4*f^2) * ((1 - dx)^{(1/2)} - 1)^2) / (d*((dx + 1)^{(1/2)} - 1)^2) - (B*e*((4096*(7*d^4*e^3*f^4 - 9*d^6*e^5*f^2)) / d + (((1 - dx)^{(1/2)} - 1) * (81920*d^2*e^2*f^5 - 98304*d^4*e^4*f^3)) / ((dx + 1)^{(1/2)} - 1) + (4096*((1 - dx)^{(1/2)} - 1)^2 * (11*d^4*e^3*f^4 - 9*d^6*e^5*f^2)) / (d*((dx + 1)^{(1/2)} - 1)^2))) / (f*(f + d*e)^{(1/2)} * (f - d*e)^{(1/2)})) / (f*(f + d*e)^{(1/2)} * (f - d*e)^{(1/2)})) * i) / (f*(f + d*e)^{(1/2)} * (f - d*e)^{(1/2)}) / ((131072*B^4*e^3)/d + (917504*B^4*e^3 * ((1 - dx)^{(1/2)} - 1)
\end{aligned}$$



$$3.13 \quad \int \frac{A+Bx+Cx^2}{\sqrt{1-dx} \sqrt{1+dx} (e+fx)^2} dx$$

**Optimal.** Leaf size=163

$$\frac{\sqrt{1-d^2x^2} (Af^2 - Bef + Ce^2)}{f(d^2e^2 - f^2)(e + fx)} - \frac{\tan^{-1}\left(\frac{d^2ex+f}{\sqrt{1-d^2x^2} \sqrt{d^2e^2-f^2}}\right) (-Ad^2ef^2 + Bf^3 + Cd^2e^3 - 2Cef^2)}{f^2(d^2e^2 - f^2)^{3/2}} + \frac{C \sin^{-1}(dx)}{df^2}$$

[Out] C\*arcsin(d\*x)/d/f^2-(-A\*d^2\*e\*f^2+C\*d^2\*e^3+B\*f^3-2\*C\*e\*f^2)\*arctan((d^2\*e\*x+f)/(d^2\*e^2-f^2)^(1/2)/(-d^2\*x^2+1)^(1/2))/f^2/(d^2\*e^2-f^2)^(3/2)+(A\*f^2-B\*e\*f+C\*e^2)\*(-d^2\*x^2+1)^(1/2)/f/(d^2\*e^2-f^2)/(f\*x+e)

**Rubi [A]** time = 0.30, antiderivative size = 163, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 37,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.162$ , Rules used = {1609, 1651, 844, 216, 725, 204}

$$\frac{\sqrt{1-d^2x^2} (Af^2 - Bef + Ce^2)}{f(d^2e^2 - f^2)(e + fx)} - \frac{\tan^{-1}\left(\frac{d^2ex+f}{\sqrt{1-d^2x^2} \sqrt{d^2e^2-f^2}}\right) (-Ad^2ef^2 + Bf^3 + Cd^2e^3 - 2Cef^2)}{f^2(d^2e^2 - f^2)^{3/2}} + \frac{C \sin^{-1}(dx)}{df^2}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*x + C\*x^2)/(Sqrt[1 - d\*x]\*Sqrt[1 + d\*x]\*(e + f\*x)^2), x]

[Out] ((C\*e^2 - B\*e\*f + A\*f^2)\*Sqrt[1 - d^2\*x^2])/(f\*(d^2\*e^2 - f^2)\*(e + f\*x)) + (C\*ArcSin[d\*x])/(d\*f^2) - ((C\*d^2\*e^3 - 2\*C\*e\*f^2 - A\*d^2\*e\*f^2 + B\*f^3)\*ArcTan[(f + d^2\*e\*x)/(Sqrt[d^2\*e^2 - f^2]\*Sqrt[1 - d^2\*x^2])])/(f^2\*(d^2\*e^2 - f^2)^(3/2))

#### Rule 204

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rule 725

Int[1/(((d\_) + (e\_.)\*(x\_))\*Sqrt[(a\_) + (c\_.)\*(x\_)^2]), x\_Symbol] := -Subst[Int[1/(c\*d^2 + a\*e^2 - x^2), x], x, (a\*e - c\*d\*x)/Sqrt[a + c\*x^2]] /; FreeQ[{a, c, d, e}, x]

#### Rule 844

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Dist[g/e, Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^p, x], x] + Dist[(e\*f - d\*g)/e, Int[(d + e\*x)^m\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c\*d^2 + a\*e^2, 0] && !IGtQ[m, 0]

#### Rule 1609

Int[(Px\_)\*((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] := Int[Px\*(a\*c + b\*d\*x^2)^m\*(e + f\*x)^p, x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b\*c + a\*d, 0] &

& EqQ[m, n] && (IntegerQ[m] || (GtQ[a, 0] && GtQ[c, 0]))

### Rule 1651

```
Int[(Pq_)*((d_) + (e_.)*(x_))^(m_)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] :=
  With[{Q = PolynomialQuotient[Pq, d + e*x, x], R = PolynomialRemainder[Pq,
    d + e*x, x]}, Simp[(e*R*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/((m + 1)*(c*
    d^2 + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 1)
    *(a + c*x^2)^p*ExpandToSum[(m + 1)*(c*d^2 + a*e^2)*Q + c*d*R*(m + 1) - c*e*
    R*(m + 2*p + 3)*x, x], x]] /; FreeQ[{a, c, d, e, p}, x] && PolyQ[Pq, x]
  && NeQ[c*d^2 + a*e^2, 0] && LtQ[m, -1]
```

### Rubi steps

$$\begin{aligned} \int \frac{A + Bx + Cx^2}{\sqrt{1-dx}\sqrt{1+dx}(e+fx)^2} dx &= \int \frac{A + Bx + Cx^2}{(e+fx)^2\sqrt{1-d^2x^2}} dx \\ &= \frac{(Ce^2 - Bef + Af^2)\sqrt{1-d^2x^2}}{f(d^2e^2 - f^2)(e+fx)} + \frac{\int \frac{Ce + Ad^2e - Bf + C\left(\frac{d^2e^2}{f} - f\right)x}{(e+fx)\sqrt{1-d^2x^2}} dx}{d^2e^2 - f^2} \\ &= \frac{(Ce^2 - Bef + Af^2)\sqrt{1-d^2x^2}}{f(d^2e^2 - f^2)(e+fx)} + \frac{C \int \frac{1}{\sqrt{1-d^2x^2}} dx}{f^2} + \frac{\left(2Ce + Ad^2e - \frac{Cd^2e^3}{f^2} - Bf\right)}{d^2e^2 - f^2} \\ &= \frac{(Ce^2 - Bef + Af^2)\sqrt{1-d^2x^2}}{f(d^2e^2 - f^2)(e+fx)} + \frac{C \sin^{-1}(dx)}{df^2} - \frac{\left(2Ce + Ad^2e - \frac{Cd^2e^3}{f^2} - Bf\right)}{d^2e^2 - f^2} \\ &= \frac{(Ce^2 - Bef + Af^2)\sqrt{1-d^2x^2}}{f(d^2e^2 - f^2)(e+fx)} + \frac{C \sin^{-1}(dx)}{df^2} + \frac{\left(2Ce + Ad^2e - \frac{Cd^2e^3}{f^2} - Bf\right)}{(d^2e^2 - f^2)(e+fx)} \end{aligned}$$

**Mathematica [A]** time = 0.43, size = 211, normalized size = 1.29

$$\frac{\frac{f\sqrt{1-d^2x^2}(f(Af-Be)+Ce^2)}{(f^2-d^2e^2)(e+fx)} - \frac{\log\left(\sqrt{1-d^2x^2}\sqrt{f^2-d^2e^2}+d^2ex+f\right)(-Ad^2ef^2+Bf^3+Cd^2e^3-2Cef^2)}{(f^2-d^2e^2)^{3/2}}}{f^2} + \frac{\log(e+fx)(-Ad^2ef^2+Bf^3+Cd^2e^3-2Cef^2)}{(f^2-d^2e^2)^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*x + C*x^2)/(Sqrt[1 - d*x]*Sqrt[1 + d*x]*(e + f*x)^2), x]
[Out] (-((f*(C*e^2 + f*(-(B*e) + A*f))*Sqrt[1 - d^2*x^2])/((-d^2*e^2) + f^2)*(e
+ f*x)) + (C*ArcSin[d*x])/d + ((C*d^2*e^3 - 2*C*e*f^2 - A*d^2*e*f^2 + B*f^
3)*Log[e + f*x])/((-d^2*e^2) + f^2)^(3/2) - ((C*d^2*e^3 - 2*C*e*f^2 - A*d^
2*e*f^2 + B*f^3)*Log[f + d^2*e*x + Sqrt[-(d^2*e^2) + f^2]*Sqrt[1 - d^2*x^2]
)/((-d^2*e^2) + f^2)^(3/2))/f^2
```

**fricas [B]** time = 59.96, size = 1025, normalized size = 6.29

$$\left[ \frac{Cd^3e^5f - Bd^3e^4f^2 + Bde^2f^4 - Adef^5 + (Ad^3 - Cd)e^3f^3 - (Cd^3e^5 + Bde^2f^3 - (Ad^3 + 2Cd)e^3f^2 + (Cd^3e^4f -$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)/(f\*x+e)^2/(-d\*x+1)^(1/2)/(d\*x+1)^(1/2),x, algorithm="fricas")

[Out] [(C\*d^3\*e^5\*f - B\*d^3\*e^4\*f^2 + B\*d\*e^2\*f^4 - A\*d\*e\*f^5 + (A\*d^3 - C\*d)\*e^3\*f^3 - (C\*d^3\*e^5 + B\*d\*e^2\*f^3 - (A\*d^3 + 2\*C\*d)\*e^3\*f^2 + (C\*d^3\*e^4\*f + B\*d\*e\*f^4 - (A\*d^3 + 2\*C\*d)\*e^2\*f^3)\*x)\*sqrt(-d^2\*e^2 + f^2)\*log((d^2\*e\*f\*x + f^2 + sqrt(-d^2\*e^2 + f^2)\*(d^2\*e\*x + f) + (sqrt(-d^2\*e^2 + f^2)\*sqrt(-d\*x + 1)\*f - (d^2\*e^2 - f^2)\*sqrt(-d\*x + 1))\*sqrt(d\*x + 1))/(f\*x + e)) + (C\*d^3\*e^5\*f - B\*d^3\*e^4\*f^2 + B\*d\*e^2\*f^4 - A\*d\*e\*f^5 + (A\*d^3 - C\*d)\*e^3\*f^3)\*sqrt(d\*x + 1)\*sqrt(-d\*x + 1) + (C\*d^3\*e^4\*f^2 - B\*d^3\*e^3\*f^3 + B\*d\*e\*f^5 - A\*d\*f^6 + (A\*d^3 - C\*d)\*e^2\*f^4)\*x - 2\*(C\*d^4\*e^6 - 2\*C\*d^2\*e^4\*f^2 + C\*e^2\*f^4 + (C\*d^4\*e^5\*f - 2\*C\*d^2\*e^3\*f^3 + C\*e\*f^5)\*x)\*arctan((sqrt(d\*x + 1)\*sqrt(-d\*x + 1) - 1)/(d\*x)))/(d^5\*e^6\*f^2 - 2\*d^3\*e^4\*f^4 + d\*e^2\*f^6 + (d^5\*e^5\*f^3 - 2\*d^3\*e^3\*f^5 + d\*e\*f^7)\*x), (C\*d^3\*e^5\*f - B\*d^3\*e^4\*f^2 + B\*d\*e^2\*f^4 - A\*d\*e\*f^5 + (A\*d^3 - C\*d)\*e^3\*f^3 - 2\*(C\*d^3\*e^5 + B\*d\*e^2\*f^3 - (A\*d^3 + 2\*C\*d)\*e^3\*f^2 + (C\*d^3\*e^4\*f + B\*d\*e\*f^4 - (A\*d^3 + 2\*C\*d)\*e^2\*f^3)\*x)\*sqrt(d^2\*e^2 - f^2)\*arctan(-(sqrt(d^2\*e^2 - f^2)\*sqrt(d\*x + 1)\*sqrt(-d\*x + 1)\*e - sqrt(d^2\*e^2 - f^2)\*(f\*x + e))/((d^2\*e^2 - f^2)\*x)) + (C\*d^3\*e^5\*f - B\*d^3\*e^4\*f^2 + B\*d\*e^2\*f^4 - A\*d\*e\*f^5 + (A\*d^3 - C\*d)\*e^3\*f^3)\*sqrt(d\*x + 1)\*sqrt(-d\*x + 1) + (C\*d^3\*e^4\*f^2 - B\*d^3\*e^3\*f^3 + B\*d\*e\*f^5 - A\*d\*f^6 + (A\*d^3 - C\*d)\*e^2\*f^4)\*x - 2\*(C\*d^4\*e^6 - 2\*C\*d^2\*e^4\*f^2 + C\*e^2\*f^4 + (C\*d^4\*e^5\*f - 2\*C\*d^2\*e^3\*f^3 + C\*e\*f^5)\*x)\*arctan((sqrt(d\*x + 1)\*sqrt(-d\*x + 1) - 1)/(d\*x)))/(d^5\*e^6\*f^2 - 2\*d^3\*e^4\*f^4 + d\*e^2\*f^6 + (d^5\*e^5\*f^3 - 2\*d^3\*e^3\*f^5 + d\*e\*f^7)\*x)]

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)/(f\*x+e)^2/(-d\*x+1)^(1/2)/(d\*x+1)^(1/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);OUTPUT:Undef/Unsigned Inf encountered in limit

**maple** [C] time = 0.00, size = 899, normalized size = 5.52

$$\left( -A d^3 e f^3 x \operatorname{csgn}(d) \ln \left( \frac{2d^2 e x + 2\sqrt{-d^2 x^2 + 1} \sqrt{\frac{d^2 e^2 - f^2}{f^2}} f + 2f}{f x + e} \right) + C d^3 e^3 f x \operatorname{csgn}(d) \ln \left( \frac{2d^2 e x + 2\sqrt{-d^2 x^2 + 1} \sqrt{\frac{d^2 e^2 - f^2}{f^2}} f + 2f}{f x + e} \right) \right) -$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C\*x^2+B\*x+A)/(f\*x+e)^2/(-d\*x+1)^(1/2)/(d\*x+1)^(1/2),x)

[Out] (-A\*d^3\*e\*f^3\*x\*csgn(d)\*ln(2\*(d^2\*e\*x+(-d^2\*x^2+1)^(1/2))\*(-d^2\*e^2-f^2)/f^2)^(1/2)\*f+f)/(f\*x+e))+C\*d^3\*e^3\*f\*x\*csgn(d)\*ln(2\*(d^2\*e\*x+(-d^2\*x^2+1)^(1/2))\*(-d^2\*e^2-f^2)/f^2)^(1/2)\*f+f)/(f\*x+e))-A\*d^3\*e^2\*f^2\*csgn(d)\*ln(2\*(d^2\*e\*x+(-d^2\*x^2+1)^(1/2))\*(-d^2\*e^2-f^2)/f^2)^(1/2)\*f+f)/(f\*x+e))+C\*d^3\*e^4\*csgn(d)\*ln(2\*(d^2\*e\*x+(-d^2\*x^2+1)^(1/2))\*(-d^2\*e^2-f^2)/f^2)^(1/2)\*f+f)/(f\*x+e))+B\*d\*f^4\*x\*csgn(d)\*ln(2\*(d^2\*e\*x+(-d^2\*x^2+1)^(1/2))\*(-d^2\*e^2-f^2)/f^2)^(1/2)\*f+f)/(f\*x+e))+(-d^2\*e^2-f^2)/f^2)^(1/2)\*C\*d^2\*e^2\*f^2\*x\*arctan(1/(-d^2\*x^2+1)^(1/2)\*d\*x\*csgn(d))-2\*C\*d\*e\*f^3\*x\*csgn(d)\*ln(2\*(d^2\*e\*x+(-d^2\*x^2+1)^(1/2))\*(-d^2\*e^2-f^2)/f^2)^(1/2)\*f+f)/(f\*x+e))+B\*d\*e\*f^3\*csgn(d)\*ln(2\*(d^2\*e\*x+(-d^2\*x^2+1)^(1/2))\*(-d^2\*e^2-f^2)/f^2)^(1/2)\*f+f)/(f\*x+e))+(-d^2\*e^2-f^2)/f^2)^(1/2)\*C\*d^2\*e^3\*f\*arctan(1/(-d^2\*x^2+1)^(1/2)\*d\*x\*csgn(d))-2\*C\*d\*e^2\*f^2\*csgn(d)\*ln(2\*(d^2\*e\*x+(-d^2\*x^2+1)^(1/2))\*(-d^2\*e^2-f^2)/f^2)^(1/2)\*f+f)/(f\*x+e))



$$\begin{aligned}
& - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i)/((d*x + 1)^{(1/2)} - 1)^2)/(f^3 - \\
& d^2*e^2*f - (f^3*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 - (2*d^3* \\
& e^3*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (2*d*e*f^2*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (d^2*e^2*f*((1 - d*x)^{(1/2)} - 1)^2)/((d*x \\
& + 1)^{(1/2)} - 1)^2))*((1 - d*x)^{(1/2)} - 1)^3*8i)/((d*x + 1)^{(1/2)} - 1)^3 - \\
& (A*d^3*e^3*f^2*atan(((f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i - (((1 - d*x)^{(1/2)} \\
& - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i)/((d*x + 1)^{(1/2)} - 1)^2)/(f^3 - \\
& d^2*e^2*f - (f^3*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 - (2*d^3* \\
& e^3*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (2*d*e*f^2*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (d^2*e^2*f*((1 - d*x)^{(1/2)} - 1)^2)/((d* \\
& x + 1)^{(1/2)} - 1)^2))*((1 - d*x)^{(1/2)} - 1)^4*2i)/((d*x + 1)^{(1/2)} - 1)^4 + \\
& (A*d^4*e^4*f*atan(((f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i - (((1 - d*x)^{(1/2)} \\
& - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i)/((d*x + 1)^{(1/2)} - 1)^2)/(f^3 - \\
& d^2*e^2*f - (f^3*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 - (2*d^3* \\
& e^3*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (2*d*e*f^2*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (d^2*e^2*f*((1 - d*x)^{(1/2)} - 1)^2)/((d* \\
& x + 1)^{(1/2)} - 1)^2))*((1 - d*x)^{(1/2)} - 1)*8i)/((d*x + 1)^{(1/2)} - 1) - (A*d \\
& ^2*e^2*f^3*atan(((f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i - (((1 - d*x)^{(1/2)} - 1 \\
& )^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i)/((d*x + 1)^{(1/2)} - 1)^2)/(f^3 - d^2 \\
& *e^2*f - (f^3*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 - (2*d^3*e^3 \\
& *((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (2*d*e*f^2*((1 - d*x)^{(1/2)} \\
& - 1))/((d*x + 1)^{(1/2)} - 1) + (d^2*e^2*f*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + \\
& 1)^{(1/2)} - 1)^2))*((1 - d*x)^{(1/2)} - 1)*8i)/((d*x + 1)^{(1/2)} - 1) - (A*d^4* \\
& e^4*f*atan(((f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i - (((1 - d*x)^{(1/2)} - 1)^2*( \\
& f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i)/((d*x + 1)^{(1/2)} - 1)^2)/(f^3 - d^2*e^2* \\
& f - (f^3*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 - (2*d^3*e^3*((1 \\
& - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (2*d*e*f^2*((1 - d*x)^{(1/2)} - 1 \\
& ))/((d*x + 1)^{(1/2)} - 1) + (d^2*e^2*f*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1 \\
& /2)} - 1)^2))*((1 - d*x)^{(1/2)} - 1)^3*8i)/((d*x + 1)^{(1/2)} - 1)^3 + (8*A*d*e \\
& *f*((1 - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)))/((d*x + 1)^{(1/2 \\
& ) - 1)^2)/(d^3*e^4*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)} - d*e^2*f^2*(f + d*e)^{(3 \\
& /2)}*(f - d*e)^{(3/2)} - (4*e*f^3*((1 - d*x)^{(1/2)} - 1)*(f + d*e)^{(3/2)}*(f - d \\
& *e)^{(3/2)))/((d*x + 1)^{(1/2)} - 1) + (4*e*f^3*((1 - d*x)^{(1/2)} - 1)^3*(f + d* \\
& e)^{(3/2)}*(f - d*e)^{(3/2)))/((d*x + 1)^{(1/2)} - 1)^3 + (2*d^3*e^4*((1 - d*x)^{( \\
& 1/2)} - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)))/((d*x + 1)^{(1/2)} - 1)^2 + (d^3 \\
& *e^4*((1 - d*x)^{(1/2)} - 1)^4*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)))/((d*x + 1)^{(1 \\
& /2)} - 1)^4 - (2*d*e^2*f^2*((1 - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(3/2)}*(f - d*e) \\
& ^{(3/2)))/((d*x + 1)^{(1/2)} - 1)^2 - (4*d^2*e^3*f*((1 - d*x)^{(1/2)} - 1)^3*(f + \\
& d*e)^{(3/2)}*(f - d*e)^{(3/2)))/((d*x + 1)^{(1/2)} - 1)^3 - (d*e^2*f^2*((1 - d*x \\
& )^{(1/2)} - 1)^4*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)))/((d*x + 1)^{(1/2)} - 1)^4 + ( \\
& 4*d^2*e^3*f*((1 - d*x)^{(1/2)} - 1)*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)))/((d*x + \\
& 1)^{(1/2)} - 1) - (B*d^3*e^3*f*atan(((f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i - (( \\
& (1 - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i)/((d*x + 1)^{(1/2) \\
& - 1)^2)/(f^3 - d^2*e^2*f - (f^3*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2) \\
& - 1)^2 - (2*d^3*e^3*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (2*d*e*f \\
& ^2*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (d^2*e^2*f*((1 - d*x)^{(1/ \\
& 2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2))*2i - (B*f^4*atan(((f + d*e)^{(3/2)}*(f - \\
& d*e)^{(3/2)}*1i - (((1 - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1 \\
& i)/((d*x + 1)^{(1/2)} - 1)^2)/(f^3 - d^2*e^2*f - (f^3*((1 - d*x)^{(1/2)} - 1)^2 \\
& )/((d*x + 1)^{(1/2)} - 1)^2 - (2*d^3*e^3*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1 \\
& /2)} - 1) + (2*d*e*f^2*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (d^2*e \\
& ^2*f*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2))*((1 - d*x)^{(1/2)} - \\
& 1)*8i)/((d*x + 1)^{(1/2)} - 1) + (B*f^4*atan(((f + d*e)^{(3/2)}*(f - d*e)^{(3/2) \\
& }*1i - (((1 - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i)/((d*x + \\
& 1)^{(1/2)} - 1)^2)/(f^3 - d^2*e^2*f - (f^3*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1 \\
& )^{(1/2)} - 1)^2 - (2*d^3*e^3*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + \\
& (2*d*e*f^2*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (d^2*e^2*f*((1 - \\
& d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2))*((1 - d*x)^{(1/2)} - 1)^3*8i)/(( \\
& d*x + 1)^{(1/2)} - 1)^3 - B*d*e*f^3*atan(((f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}*1i
\end{aligned}$$





$$\begin{aligned}
& 4*d*f*((1 - d*x)^{(1/2)} - 1)^3)/((d*x + 1)^{(1/2)} - 1)^3 + (2*d^2*e*((1 - d*x) \\
& )^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 + (d^2*e*((1 - d*x)^{(1/2)} - 1)^4)/ \\
& ((d*x + 1)^{(1/2)} - 1)^4) + (4*C*atan((((((1 - d*x)^{(1/2)} - 1)*((2097152*(288 \\
& *e^3*f^{11} - 6*d^{10}*e^{13}*f - 912*d^2*e^5*f^9 + 1048*d^4*e^7*f^7 - 532*d^6*e^ \\
& 9*f^5 + 112*d^8*e^{11}*f^3)))/(d*f^2*(d*f^{13} - 4*d^3*e^2*f^{11} + 6*d^5*e^4*f^9 \\
& - 4*d^7*e^6*f^7 + d^9*e^8*f^5)) - (33554432*(20*d^2*e*f^{21} - 103*d^4*e^3*f^ \\
& 19 + 215*d^6*e^5*f^{17} - 230*d^8*e^7*f^{15} + 130*d^{10}*e^9*f^{13} - 35*d^{12}*e^{11} \\
& *f^{11} + 3*d^{14}*e^{13}*f^9)))/(d^5*f^{10}*(d*f^{13} - 4*d^3*e^2*f^{11} + 6*d^5*e^4*f^ \\
& 9 - 4*d^7*e^6*f^7 + d^9*e^8*f^5)) + (8388608*(72*e*f^{17} - 452*d^2*e^3*f^{15} \\
& + 1024*d^4*e^5*f^{13} - 1106*d^6*e^7*f^{11} + 597*d^8*e^9*f^9 - 144*d^{10}*e^{11}*f \\
& ^7 + 9*d^{12}*e^{13}*f^5)))/(d^3*f^6*(d*f^{13} - 4*d^3*e^2*f^{11} + 6*d^5*e^4*f^9 - \\
& 4*d^7*e^6*f^7 + d^9*e^8*f^5))))/((d*x + 1)^{(1/2)} - 1) - (33554432*(7*d^2*e^ \\
& 2*f^{19} - 35*d^4*e^4*f^{17} + 70*d^6*e^6*f^{15} - 70*d^8*e^8*f^{13} + 35*d^{10}*e^{10} \\
& *f^{11} - 7*d^{12}*e^{12}*f^9))/(d^5*f^{10}*(f^{12} - 4*d^2*e^2*f^{10} + 6*d^4*e^4*f^8 \\
& - 4*d^6*e^6*f^6 + d^8*e^8*f^4)) + (2097152*(112*e^4*f^9 + 28*d^8*e^{12}*f - 3 \\
& 36*d^2*e^6*f^7 + 364*d^4*e^8*f^5 - 168*d^6*e^{10}*f^3))/(d*f^2*(f^{12} - 4*d^2* \\
& e^2*f^{10} + 6*d^4*e^4*f^8 - 4*d^6*e^6*f^6 + d^8*e^8*f^4)) + (8388608*(28*e^2 \\
& *f^{15} - 168*d^2*e^4*f^{13} + 364*d^4*e^6*f^{11} - 371*d^6*e^8*f^9 + 182*d^8*e^{10} \\
& *f^7 - 35*d^{10}*e^{12}*f^5))/(d^3*f^6*(f^{12} - 4*d^2*e^2*f^{10} + 6*d^4*e^4*f^8 \\
& - 4*d^6*e^6*f^6 + d^8*e^8*f^4))*((d^4*f^{14} - 4*d^6*e^2*f^{12} + 6*d^8*e^4*f^{10} \\
& - 4*d^{10}*e^6*f^8 + d^{12}*e^8*f^6))/(67108864*e*f^{12} + 37748736*d^{12}*e^{13} - \\
& 268435456*d^2*e^3*f^{10} + 536870912*d^4*e^5*f^8 - 637534208*d^6*e^7*f^6 + 4 \\
& 69762048*d^8*e^9*f^4 - 201326592*d^{10}*e^{11}*f^2)))/(d*f^2) + (log(16*f^{15} - \\
& 9*d^{14}*e^{14}*f - (16*f^{15}*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 - \\
& 92*d^2*e^2*f^{13} + 236*d^4*e^4*f^{11} - 352*d^6*e^6*f^9 + 329*d^8*e^8*f^7 - 1 \\
& 91*d^{10}*e^{10}*f^5 + 63*d^{12}*e^{12}*f^3 + 16*f^6*(f + d*e)^{(9/2)}*(f - d*e)^{(9/2)} \\
& ) + 12*d^6*e^6*(f + d*e)^{(9/2)}*(f - d*e)^{(9/2)} + 15*d^{12}*e^{12}*(f + d*e)^{(3/2)} \\
& *(f - d*e)^{(3/2)} - (6*d^{15}*e^{15}*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - \\
& 1) + (16*d*e*f^{14}*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (92*d^2*e \\
& ^2*f^{13}*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 - (236*d^4*e^4*f^{11} \\
& *((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 + (352*d^6*e^6*f^9*((1 - \\
& d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 - (329*d^8*e^8*f^7*((1 - d*x)^{( \\
& 1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 + (191*d^{10}*e^{10}*f^5*((1 - d*x)^{(1/2)} \\
& - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 - (63*d^{12}*e^{12}*f^3*((1 - d*x)^{(1/2)} - 1)^2 \\
& )/((d*x + 1)^{(1/2)} - 1)^2 - (16*f^6*((1 - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(9/2)} \\
& *(f - d*e)^{(9/2)))/((d*x + 1)^{(1/2)} - 1)^2 - 24*d^2*e^2*f^{10}*(f + d*e)^{(3/2)} \\
& *(f - d*e)^{(3/2)} + 120*d^4*e^4*f^8*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)} - 228*d^ \\
& 6*e^6*f^6*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)} + 4*d^2*e^2*f^4*(f + d*e)^{(9/2)}*( \\
& f - d*e)^{(9/2)} + 207*d^8*e^8*f^4*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)} - 28*d^4*e \\
& ^4*f^2*(f + d*e)^{(9/2)}*(f - d*e)^{(9/2)} - 90*d^{10}*e^{10}*f^2*(f + d*e)^{(3/2)}*( \\
& f - d*e)^{(3/2)} - (88*d^3*e^3*f^{12}*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - \\
& 1) + (216*d^5*e^5*f^{10}*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) - (308 \\
& *d^7*e^7*f^8*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (274*d^9*e^9*f^ \\
& 6*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) - (150*d^{11}*e^{11}*f^4*((1 - d \\
& *x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (46*d^{13}*e^{13}*f^2*((1 - d*x)^{(1/2)} \\
& - 1))/((d*x + 1)^{(1/2)} - 1) + (9*d^{14}*e^{14}*f*((1 - d*x)^{(1/2)} - 1)^2)/((d*x \\
& + 1)^{(1/2)} - 1)^2 + (48*d^6*e^6*((1 - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(9/2)}*(f \\
& - d*e)^{(9/2)))/((d*x + 1)^{(1/2)} - 1)^2 + (45*d^{12}*e^{12}*((1 - d*x)^{(1/2)} - 1 \\
& )^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)))/((d*x + 1)^{(1/2)} - 1)^2 + (376*d^3*e^3 \\
& *f^9*((1 - d*x)^{(1/2)} - 1)*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)))/((d*x + 1)^{(1/2)} \\
& ) - 1) - (688*d^5*e^5*f^7*((1 - d*x)^{(1/2)} - 1)*(f + d*e)^{(3/2)}*(f - d*e)^{( \\
& 3/2)))/((d*x + 1)^{(1/2)} - 1) + (612*d^7*e^7*f^5*((1 - d*x)^{(1/2)} - 1)*(f + d \\
& *e)^{(3/2)}*(f - d*e)^{(3/2)))/((d*x + 1)^{(1/2)} - 1) - (152*d^3*e^3*f^3*((1 - d \\
& *x)^{(1/2)} - 1)*(f + d*e)^{(9/2)}*(f - d*e)^{(9/2)))/((d*x + 1)^{(1/2)} - 1) - (26 \\
& 4*d^9*e^9*f^3*((1 - d*x)^{(1/2)} - 1)*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)))/((d*x \\
& + 1)^{(1/2)} - 1) - (80*d*e*f^{11}*((1 - d*x)^{(1/2)} - 1)*(f + d*e)^{(3/2)}*(f - d \\
& *e)^{(3/2)))/((d*x + 1)^{(1/2)} - 1) + (96*d*e*f^5*((1 - d*x)^{(1/2)} - 1)*(f + d \\
& *e)^{(9/2)}*(f - d*e)^{(9/2)))/((d*x + 1)^{(1/2)} - 1) - (136*d^2*e^2*f^{10}*((1 - \\
& d*x)^{(1/2)} - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)))/((d*x + 1)^{(1/2)} - 1)^2
\end{aligned}$$

$$\begin{aligned}
& + (560*d^4*e^4*f^8*((1 - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}) \\
& /((d*x + 1)^{(1/2)} - 1)^2 - (912*d^6*e^6*f^6*((1 - d*x)^{(1/2)} - 1)^2*(f + d* \\
& e)^{(3/2)}*(f - d*e)^{(3/2)})/((d*x + 1)^{(1/2)} - 1)^2 + (156*d^2*e^2*f^4*((1 - \\
& d*x)^{(1/2)} - 1)^2*(f + d*e)^{(9/2)}*(f - d*e)^{(9/2)})/((d*x + 1)^{(1/2)} - 1)^2 \\
& + (733*d^8*e^8*f^4*((1 - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}) \\
& /((d*x + 1)^{(1/2)} - 1)^2 - (172*d^4*e^4*f^2*((1 - d*x)^{(1/2)} - 1)^2*(f + d* \\
& e)^{(9/2)}*(f - d*e)^{(9/2)})/((d*x + 1)^{(1/2)} - 1)^2 - (290*d^10*e^10*f^2*((1 - \\
& d*x)^{(1/2)} - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)})/((d*x + 1)^{(1/2)} - 1)^2 \\
& + (56*d^5*e^5*f*((1 - d*x)^{(1/2)} - 1)*(f + d*e)^{(9/2)}*(f - d*e)^{(9/2)})/(( \\
& d*x + 1)^{(1/2)} - 1) + (44*d^11*e^11*f*((1 - d*x)^{(1/2)} - 1)*(f + d*e)^{(3/2)} \\
& *(f - d*e)^{(3/2)})/((d*x + 1)^{(1/2)} - 1)*(C*d^2*e^3 - 2*C*e*f^2)/(f^2*(f + \\
& d*e)^{(3/2)}*(f - d*e)^{(3/2)}) + (C*e*log(9*d^14*e^14*f - 16*f^15 + (16*f^15* \\
& ((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 + 92*d^2*e^2*f^13 - 236*d^ \\
& 4*e^4*f^11 + 352*d^6*e^6*f^9 - 329*d^8*e^8*f^7 + 191*d^10*e^10*f^5 - 63*d^1 \\
& 2*e^12*f^3 + 16*f^6*(f + d*e)^{(9/2)}*(f - d*e)^{(9/2)} + 12*d^6*e^6*(f + d*e)^ \\
& (9/2)*(f - d*e)^{(9/2)} + 15*d^12*e^12*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)} + (6*d \\
& ^15*e^15*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) - (16*d*e*f^14*((1 - \\
& d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) - (92*d^2*e^2*f^13*((1 - d*x)^{(1/2)} \\
& - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 + (236*d^4*e^4*f^11*((1 - d*x)^{(1/2)} - 1)^2 \\
& )/((d*x + 1)^{(1/2)} - 1)^2 - (352*d^6*e^6*f^9*((1 - d*x)^{(1/2)} - 1)^2)/((d*x \\
& + 1)^{(1/2)} - 1)^2 + (329*d^8*e^8*f^7*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{( \\
& 1/2)} - 1)^2 - (191*d^10*e^10*f^5*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} \\
& - 1)^2 + (63*d^12*e^12*f^3*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 \\
& - (16*f^6*((1 - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(9/2)}*(f - d*e)^{(9/2)})/((d*x + \\
& 1)^{(1/2)} - 1)^2 - 24*d^2*e^2*f^10*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)} + 120*d^ \\
& 4*e^4*f^8*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)} - 228*d^6*e^6*f^6*(f + d*e)^{(3/2)} \\
& *(f - d*e)^{(3/2)} + 4*d^2*e^2*f^4*(f + d*e)^{(9/2)}*(f - d*e)^{(9/2)} + 207*d^8* \\
& e^8*f^4*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)} - 28*d^4*e^4*f^2*(f + d*e)^{(9/2)}*(f \\
& - d*e)^{(9/2)} - 90*d^10*e^10*f^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)} + (88*d^3* \\
& e^3*f^12*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) - (216*d^5*e^5*f^10*( \\
& (1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (308*d^7*e^7*f^8*((1 - d*x)^{( \\
& 1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) - (274*d^9*e^9*f^6*((1 - d*x)^{(1/2)} - 1))/ \\
& ((d*x + 1)^{(1/2)} - 1) + (150*d^11*e^11*f^4*((1 - d*x)^{(1/2)} - 1))/((d*x + 1 \\
& )^{(1/2)} - 1) - (46*d^13*e^13*f^2*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - \\
& 1) - (9*d^14*e^14*f*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 + (48* \\
& d^6*e^6*((1 - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(9/2)}*(f - d*e)^{(9/2)})/((d*x + 1) \\
& ^{(1/2)} - 1)^2 + (45*d^12*e^12*((1 - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(3/2)}*(f - \\
& d*e)^{(3/2)})/((d*x + 1)^{(1/2)} - 1)^2 + (376*d^3*e^3*f^9*((1 - d*x)^{(1/2)} - 1 \\
& )*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)})/((d*x + 1)^{(1/2)} - 1) - (688*d^5*e^5*f^7 \\
& *((1 - d*x)^{(1/2)} - 1)*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)})/((d*x + 1)^{(1/2)} - \\
& 1) + (612*d^7*e^7*f^5*((1 - d*x)^{(1/2)} - 1)*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)} \\
& )/((d*x + 1)^{(1/2)} - 1) - (152*d^3*e^3*f^3*((1 - d*x)^{(1/2)} - 1)*(f + d*e)^ \\
& (9/2)*f - d*e)^{(9/2)})/((d*x + 1)^{(1/2)} - 1) - (264*d^9*e^9*f^3*((1 - d*x)^ \\
& (1/2)} - 1)*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)})/((d*x + 1)^{(1/2)} - 1) - (80*d*e \\
& *f^11*((1 - d*x)^{(1/2)} - 1)*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)})/((d*x + 1)^{(1/ \\
& 2)} - 1) + (96*d*e*f^5*((1 - d*x)^{(1/2)} - 1)*(f + d*e)^{(9/2)}*(f - d*e)^{(9/2)} \\
& )/((d*x + 1)^{(1/2)} - 1) - (136*d^2*e^2*f^10*((1 - d*x)^{(1/2)} - 1)^2*(f + d* \\
& e)^{(3/2)}*(f - d*e)^{(3/2)})/((d*x + 1)^{(1/2)} - 1)^2 + (560*d^4*e^4*f^8*((1 - \\
& d*x)^{(1/2)} - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)})/((d*x + 1)^{(1/2)} - 1)^2 \\
& - (912*d^6*e^6*f^6*((1 - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}) \\
& /((d*x + 1)^{(1/2)} - 1)^2 + (156*d^2*e^2*f^4*((1 - d*x)^{(1/2)} - 1)^2*(f + d* \\
& e)^{(9/2)}*(f - d*e)^{(9/2)})/((d*x + 1)^{(1/2)} - 1)^2 + (733*d^8*e^8*f^4*((1 - \\
& d*x)^{(1/2)} - 1)^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)})/((d*x + 1)^{(1/2)} - 1)^2 \\
& - (172*d^4*e^4*f^2*((1 - d*x)^{(1/2)} - 1)^2*(f + d*e)^{(9/2)}*(f - d*e)^{(9/2)}) \\
& /((d*x + 1)^{(1/2)} - 1)^2 - (290*d^10*e^10*f^2*((1 - d*x)^{(1/2)} - 1)^2*(f + \\
& d*e)^{(3/2)}*(f - d*e)^{(3/2)})/((d*x + 1)^{(1/2)} - 1)^2 + (56*d^5*e^5*f*((1 - d \\
& *x)^{(1/2)} - 1)*(f + d*e)^{(9/2)}*(f - d*e)^{(9/2)})/((d*x + 1)^{(1/2)} - 1) + (44 \\
& *d^11*e^11*f*((1 - d*x)^{(1/2)} - 1)*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)})/((d*x + \\
& 1)^{(1/2)} - 1))*(2*f^2 - d^2*e^2)/(f^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)})
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x\*\*2+B\*x+A)/(f\*x+e)\*\*2/(-d\*x+1)\*\*(1/2)/(d\*x+1)\*\*(1/2),x)

[Out] Timed out

$$3.14 \quad \int \frac{A+Bx+Cx^2}{\sqrt{1-dx} \sqrt{1+dx} (e+fx)^3} dx$$

**Optimal.** Leaf size=248

$$\frac{\sqrt{1-d^2x^2} (Af^2 - Bef + Ce^2)}{2f(d^2e^2 - f^2)(e+fx)^2} + \frac{\tan^{-1}\left(\frac{d^2ex+f}{\sqrt{1-d^2x^2}\sqrt{d^2e^2-f^2}}\right) (C(d^2e^2 + 2f^2) - d^2(3Bef - A(2d^2e^2 + f^2)))}{2(d^2e^2 - f^2)^{5/2}} - \frac{\sqrt{1-d^2x^2}}{2f(d^2e^2 - f^2)(e+fx)^2}$$

[Out] 1/2\*(C\*(d^2\*e^2+2\*f^2)-d^2\*(3\*B\*e\*f-A\*(2\*d^2\*e^2+f^2)))\*arctan((d^2\*e\*x+f)/(d^2\*e^2-f^2)^(1/2)/(-d^2\*x^2+1)^(1/2))/(d^2\*e^2-f^2)^(5/2)+1/2\*(A\*f^2-B\*e\*f+C\*e^2)\*(-d^2\*x^2+1)^(1/2)/f/(d^2\*e^2-f^2)/(f\*x+e)^2-1/2\*(-3\*A\*d^2\*e\*f^2+B\*d^2\*e^2\*f+C\*d^2\*e^3+2\*B\*f^3-4\*C\*e\*f^2)\*(-d^2\*x^2+1)^(1/2)/f/(d^2\*e^2-f^2)^2/(f\*x+e)

**Rubi [A]** time = 0.33, antiderivative size = 248, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 37,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.135$ , Rules used = {1609, 1651, 807, 725, 204}

$$\frac{\sqrt{1-d^2x^2} (Af^2 - Bef + Ce^2)}{2f(d^2e^2 - f^2)(e+fx)^2} - \frac{\sqrt{1-d^2x^2} (-3Ad^2ef^2 + Bd^2e^2f + 2Bf^3 + Cd^2e^3 - 4Cef^2)}{2f(d^2e^2 - f^2)^2(e+fx)} + \frac{\tan^{-1}\left(\frac{d^2ex+f}{\sqrt{1-d^2x^2}\sqrt{d^2e^2-f^2}}\right)}{2f(d^2e^2 - f^2)(e+fx)}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*x + C\*x^2)/(Sqrt[1 - d\*x]\*Sqrt[1 + d\*x]\*(e + f\*x)^3), x]

[Out] ((C\*e^2 - B\*e\*f + A\*f^2)\*Sqrt[1 - d^2\*x^2])/(2\*f\*(d^2\*e^2 - f^2)\*(e + f\*x)^2) - ((C\*d^2\*e^3 + B\*d^2\*e^2\*f - 4\*C\*e\*f^2 - 3\*A\*d^2\*e\*f^2 + 2\*B\*f^3)\*Sqrt[1 - d^2\*x^2])/(2\*f\*(d^2\*e^2 - f^2)^2\*(e + f\*x)) + ((C\*(d^2\*e^2 + 2\*f^2) - d^2\*(3\*B\*e\*f - A\*(2\*d^2\*e^2 + f^2)))\*ArcTan[(f + d^2\*e\*x)/(Sqrt[d^2\*e^2 - f^2]\*Sqrt[1 - d^2\*x^2]])/(2\*(d^2\*e^2 - f^2)^(5/2))

#### Rule 204

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

#### Rule 725

Int[1/(((d\_) + (e\_.)\*(x\_))\*Sqrt[(a\_) + (c\_.)\*(x\_)^2]), x\_Symbol] := -Subst[Int[1/(c\*d^2 + a\*e^2 - x^2), x], x, (a\*e - c\*d\*x)/Sqrt[a + c\*x^2]] /; FreeQ[{a, c, d, e}, x]

#### Rule 807

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := -Simp[((e\*f - d\*g)\*(d + e\*x)^(m + 1)\*(a + c\*x^2)^(p + 1))/(2\*(p + 1)\*(c\*d^2 + a\*e^2)), x] + Dist[(c\*d\*f + a\*e\*g)/(c\*d^2 + a\*e^2), Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c\*d^2 + a\*e^2, 0] && EqQ[Simplify[m + 2\*p + 3], 0]

#### Rule 1609

Int[(Px\_)\*((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] := Int[Px\*(a\*c + b\*d\*x^2)^m\*(e + f\*x)^p, x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b\*c + a\*d, 0] && EqQ[m, n] && (IntegerQ[m] || (GtQ[a, 0] && GtQ[c, 0]))

## Rule 1651

```
Int[(Pq_)*((d_) + (e_)*(x_))^(m_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :=
  With[{Q = PolynomialQuotient[Pq, d + e*x, x], R = PolynomialRemainder[Pq,
    d + e*x, x]}, Simp[(e*R*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/((m + 1)*(c*
    d^2 + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 1)
    *(a + c*x^2)^p*ExpandToSum[(m + 1)*(c*d^2 + a*e^2)*Q + c*d*R*(m + 1) - c*e*
    R*(m + 2*p + 3)*x, x], x]] /; FreeQ[{a, c, d, e, p}, x] && PolyQ[Pq, x]
  && NeQ[c*d^2 + a*e^2, 0] && LtQ[m, -1]
```

## Rubi steps

$$\int \frac{A + Bx + Cx^2}{\sqrt{1 - dx} \sqrt{1 + dx} (e + fx)^3} dx = \int \frac{A + Bx + Cx^2}{(e + fx)^3 \sqrt{1 - d^2 x^2}} dx$$

$$= \frac{(Ce^2 - Bef + Af^2) \sqrt{1 - d^2 x^2}}{2f(d^2 e^2 - f^2)(e + fx)^2} + \frac{\int \frac{2(Ce + Ad^2 e - Bf) + \left(Bd^2 e + \frac{Cd^2 e^2}{f} - 2Cf - Ad^2 f\right)x}{(e + fx)^2 \sqrt{1 - d^2 x^2}} dx}{2(d^2 e^2 - f^2)}$$

$$= \frac{(Ce^2 - Bef + Af^2) \sqrt{1 - d^2 x^2}}{2f(d^2 e^2 - f^2)(e + fx)^2} - \frac{(Cd^2 e^3 + Bd^2 e^2 f - 4Cef^2 - 3Ad^2 ef^2 + 2Bd^2 f^3)}{2f(d^2 e^2 - f^2)^2 (e + fx)}$$

$$= \frac{(Ce^2 - Bef + Af^2) \sqrt{1 - d^2 x^2}}{2f(d^2 e^2 - f^2)(e + fx)^2} - \frac{(Cd^2 e^3 + Bd^2 e^2 f - 4Cef^2 - 3Ad^2 ef^2 + 2Bd^2 f^3)}{2f(d^2 e^2 - f^2)^2 (e + fx)}$$

$$= \frac{(Ce^2 - Bef + Af^2) \sqrt{1 - d^2 x^2}}{2f(d^2 e^2 - f^2)(e + fx)^2} - \frac{(Cd^2 e^3 + Bd^2 e^2 f - 4Cef^2 - 3Ad^2 ef^2 + 2Bd^2 f^3)}{2f(d^2 e^2 - f^2)^2 (e + fx)}$$

**Mathematica [A]** time = 0.38, size = 273, normalized size = 1.10

$$\frac{1}{2} \left( \frac{\log\left(\sqrt{1 - d^2 x^2} \sqrt{f^2 - d^2 e^2} + d^2 e x + f\right) \left(d^2 \left(A \left(2d^2 e^2 + f^2\right) - 3Bef\right) + C \left(d^2 e^2 + 2f^2\right)\right)}{\left(f^2 - d^2 e^2\right)^{5/2}} + \frac{\log(e + fx) \left(d^2 \left(A \left(2d^2 e^2 + f^2\right) - 3Bef\right) + C \left(d^2 e^2 + 2f^2\right)\right)}{\left(f^2 - d^2 e^2\right)^{5/2}} \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*x + C*x^2)/(Sqrt[1 - d*x]*Sqrt[1 + d*x]*(e + f*x)^3), x]
```

```
[Out] (-((Sqrt[1 - d^2*x^2]*(A*f^3 + B*d^2*e^2*(2*e + f*x) + B*f^2*(e + 2*f*x) -
A*d^2*e*f*(4*e + 3*f*x) + C*e*(-3*e*f + d^2*e^2*x - 4*f^2*x)))/((-d^2*e^2)
+ f^2)^2*(e + f*x)^2)) + ((C*(d^2*e^2 + 2*f^2) + d^2*(-3*B*e*f + A*(2*d^2*
e^2 + f^2)))*Log[e + f*x])/(-d^2*e^2) + f^2)^(5/2) - ((C*(d^2*e^2 + 2*f^2)
+ d^2*(-3*B*e*f + A*(2*d^2*e^2 + f^2)))*Log[f + d^2*e*x + Sqrt[-(d^2*e^2)
+ f^2]*Sqrt[1 - d^2*x^2]])/(-d^2*e^2) + f^2)^(5/2))/2
```

**fricas [B]** time = 0.87, size = 1580, normalized size = 6.37

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(f*x+e)^3/(-d*x+1)^(1/2)/(d*x+1)^(1/2), x, algorithm
="fricas")
```

```
[Out] [-1/2*(2*B*d^4*e^7 - B*d^2*e^5*f^2 - (4*A*d^4 + 3*C*d^2)*e^6*f + (5*A*d^2 +
3*C)*e^4*f^3 - B*e^3*f^4 - A*e^2*f^5 + (2*B*d^4*e^5*f^2 - B*d^2*e^3*f^4 -
```



```
*e^2*f^2*ln(2*(d^2*e*x+(-d^2*x^2+1)^(1/2))*(-d^2*e^2-f^2)/f^2)^(1/2)*f+f)/(
f*x+e))-3*(-(d^2*e^2-f^2)/f^2)^(1/2)*(-d^2*x^2+1)^(1/2)*A*d^2*e*f^3*x-3*B*d
^2*e^3*f*ln(2*(d^2*e*x+(-d^2*x^2+1)^(1/2))*(-d^2*e^2-f^2)/f^2)^(1/2)*f+f)/(
f*x+e))+(-d^2*e^2-f^2)/f^2)^(1/2)*(-d^2*x^2+1)^(1/2)*B*d^2*e^2*f^2*x+C*d^2
*e^4*ln(2*(d^2*e*x+(-d^2*x^2+1)^(1/2))*(-d^2*e^2-f^2)/f^2)^(1/2)*f+f)/(f*x+
e))+(-d^2*e^2-f^2)/f^2)^(1/2)*(-d^2*x^2+1)^(1/2)*C*d^2*e^3*f*x+2*C*f^4*x^2
*ln(2*(d^2*e*x+(-d^2*x^2+1)^(1/2))*(-d^2*e^2-f^2)/f^2)^(1/2)*f+f)/(f*x+e))-
4*(-(d^2*e^2-f^2)/f^2)^(1/2)*(-d^2*x^2+1)^(1/2)*A*d^2*e^2*f^2+2*(-(d^2*e^2-
f^2)/f^2)^(1/2)*(-d^2*x^2+1)^(1/2)*B*d^2*e^3*f+4*C*e*f^3*x*ln(2*(d^2*e*x+(-
d^2*x^2+1)^(1/2))*(-d^2*e^2-f^2)/f^2)^(1/2)*f+f)/(f*x+e))+2*(-(d^2*e^2-f^2)
/f^2)^(1/2)*(-d^2*x^2+1)^(1/2)*B*f^4*x+2*C*e^2*f^2*ln(2*(d^2*e*x+(-d^2*x^2+
1)^(1/2))*(-d^2*e^2-f^2)/f^2)^(1/2)*f+f)/(f*x+e))-4*(-(d^2*e^2-f^2)/f^2)^(1
/2)*(-d^2*x^2+1)^(1/2)*C*e*f^3*x+(-d^2*e^2-f^2)/f^2)^(1/2)*(-d^2*x^2+1)^(1
/2)*A*f^4+(-d^2*e^2-f^2)/f^2)^(1/2)*(-d^2*x^2+1)^(1/2)*B*e*f^3-3*(-(d^2*e^
2-f^2)/f^2)^(1/2)*(-d^2*x^2+1)^(1/2)*C*e^2*f^2)*(d*x+1)^(1/2)*(-d*x+1)^(1/2
)/(-d^2*x^2+1)^(1/2)/(d*e+f)/(d*e-f)/(d^2*e^2-f^2)/(f*x+e)^2/(-(d^2*e^2-f^2
)/f^2)^(1/2)/f*csgn(d)^2
```

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(f*x+e)^3/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm
="maxima")
```

```
[Out] Exception raised: ValueError >> Computation failed since Maxima requested a
dditional constraints; using the 'assume' command before evaluation *may* h
elp (example of legal syntax is 'assume(f-d*e>0)', see `assume?` for more d
etails)Is f-d*e positive, negative or zero?
```

**mupad** [B] time = 0.01, size = 9097, normalized size = 36.68

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A + B*x + C*x^2)/((e + f*x)^3*(1 - d*x)^(1/2)*(d*x + 1)^(1/2)),x)
```

```
[Out] ((12*(2*C*f^3 + C*d^2*e^2*f)*((1 - d*x)^(1/2) - 1)^2)/(((d*x + 1)^(1/2) - 1
)^2*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) - (24*(2*C*f^3 - C*d^2*e^2*f)*((1 - d*
x)^(1/2) - 1)^4)/(((d*x + 1)^(1/2) - 1)^4*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2))
+ (12*(2*C*f^3 + C*d^2*e^2*f)*((1 - d*x)^(1/2) - 1)^6)/(((d*x + 1)^(1/2) -
1)^6*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) - (2*((1 - d*x)^(1/2) - 1)^7*(C*d^3*e
^3 + 2*C*d*e*f^2))/(((d*x + 1)^(1/2) - 1)^7*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)
) - (2*((1 - d*x)^(1/2) - 1)^3*(7*C*d^3*e^3 - 34*C*d*e*f^2))/(((d*x + 1)^(1
/2) - 1)^3*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) + (2*((1 - d*x)^(1/2) - 1)^5*(7
*C*d^3*e^3 - 34*C*d*e*f^2))/(((d*x + 1)^(1/2) - 1)^5*(f^4 + d^4*e^4 - 2*d^2
*e^2*f^2)) + (2*d*e*((1 - d*x)^(1/2) - 1)*(2*C*f^2 + C*d^2*e^2))/(((d*x + 1
)^(1/2) - 1)*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)))/(d^2*e^2 + (((1 - d*x)^(1/2)
- 1)^2*(16*f^2 + 4*d^2*e^2))/((d*x + 1)^(1/2) - 1)^2 + (((1 - d*x)^(1/2) -
1)^6*(16*f^2 + 4*d^2*e^2))/((d*x + 1)^(1/2) - 1)^6 - (((1 - d*x)^(1/2) - 1
)^4*(32*f^2 - 6*d^2*e^2))/((d*x + 1)^(1/2) - 1)^4 + (d^2*e^2*((1 - d*x)^(1/
2) - 1)^8)/(((d*x + 1)^(1/2) - 1)^8 + (8*d*e*f*((1 - d*x)^(1/2) - 1)^3)/((d*
x + 1)^(1/2) - 1)^3 - (8*d*e*f*((1 - d*x)^(1/2) - 1)^5)/((d*x + 1)^(1/2) -
1)^5 - (8*d*e*f*((1 - d*x)^(1/2) - 1)^7)/((d*x + 1)^(1/2) - 1)^7 + (8*d*e*f
*((1 - d*x)^(1/2) - 1))/((d*x + 1)^(1/2) - 1) + ((4*((1 - d*x)^(1/2) - 1)^
2*(4*A*d^4*e^4*f - 2*A*f^5 + 7*A*d^2*e^2*f^3))/(e^2*((d*x + 1)^(1/2) - 1)^2
*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) + (8*((1 - d*x)^(1/2) - 1)^4*(2*A*f^5 + 4
*A*d^4*e^4*f - 9*A*d^2*e^2*f^3))/(e^2*((d*x + 1)^(1/2) - 1)^4*(f^4 + d^4*e^
4 - 2*d^2*e^2*f^2)) + (4*((1 - d*x)^(1/2) - 1)^6*(4*A*d^4*e^4*f - 2*A*f^5 +
```



$$\begin{aligned}
& 7A*d^2*e^2*f^3)/(e^2*((d*x + 1)^{(1/2)} - 1)^6*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) + (2*f*((1 - d*x)^{(1/2)} - 1)^7*(2*A*d*f^3 - 5*A*d^3*e^2*f))/(e*((d*x + 1)^{(1/2)} - 1)^7*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) - (2*f*((1 - d*x)^{(1/2)} - 1)^3*(2*A*d*f^3 - 29*A*d^3*e^2*f))/(e*((d*x + 1)^{(1/2)} - 1)^3*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) + (2*f*((1 - d*x)^{(1/2)} - 1)^5*(2*A*d*f^3 - 29*A*d^3*e^2*f))/(e*((d*x + 1)^{(1/2)} - 1)^5*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) - (2*d*f*(2*A*f^3 - 5*A*d^2*e^2*f)*((1 - d*x)^{(1/2)} - 1))/(e*((d*x + 1)^{(1/2)} - 1)*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)))/(d^2*e^2 + (((1 - d*x)^{(1/2)} - 1)^2*(16*f^2 + 4*d^2*e^2)))/((d*x + 1)^{(1/2)} - 1)^2 + (((1 - d*x)^{(1/2)} - 1)^6*(16*f^2 + 4*d^2*e^2)))/((d*x + 1)^{(1/2)} - 1)^6 - (((1 - d*x)^{(1/2)} - 1)^4*(32*f^2 - 6*d^2*e^2)))/((d*x + 1)^{(1/2)} - 1)^4 + (d^2*e^2*((1 - d*x)^{(1/2)} - 1)^8)/((d*x + 1)^{(1/2)} - 1)^8 + (8*d*e*f*((1 - d*x)^{(1/2)} - 1)^3)/((d*x + 1)^{(1/2)} - 1)^3 - (8*d*e*f*((1 - d*x)^{(1/2)} - 1)^5)/((d*x + 1)^{(1/2)} - 1)^5 - (8*d*e*f*((1 - d*x)^{(1/2)} - 1)^7)/((d*x + 1)^{(1/2)} - 1)^7 + (8*d*e*f*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) - ((4*((1 - d*x)^{(1/2)} - 1)^2*(2*B*f^4 + 2*B*d^4*e^4 + 5*B*d^2*e^2*f^2))/(e*((d*x + 1)^{(1/2)} - 1)^2*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) - (8*((1 - d*x)^{(1/2)} - 1)^4*(2*B*f^4 - 2*B*d^4*e^4 + 3*B*d^2*e^2*f^2))/(e*((d*x + 1)^{(1/2)} - 1)^4*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) + (4*((1 - d*x)^{(1/2)} - 1)^6*(2*B*f^4 + 2*B*d^4*e^4 + 5*B*d^2*e^2*f^2))/(e*((d*x + 1)^{(1/2)} - 1)^6*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) + (2*f*(11*B*d^3*e^2 + 16*B*d*f^2)*((1 - d*x)^{(1/2)} - 1)^3)/(((d*x + 1)^{(1/2)} - 1)^3*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) - (2*f*(11*B*d^3*e^2 + 16*B*d*f^2)*((1 - d*x)^{(1/2)} - 1)^5)/(((d*x + 1)^{(1/2)} - 1)^5*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) - (6*B*d^3*e^2*f*((1 - d*x)^{(1/2)} - 1)^7)/(((d*x + 1)^{(1/2)} - 1)^7*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) + (6*B*d^3*e^2*f*((1 - d*x)^{(1/2)} - 1))/(((d*x + 1)^{(1/2)} - 1)*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)))/(d^2*e^2 + (((1 - d*x)^{(1/2)} - 1)^2*(16*f^2 + 4*d^2*e^2)))/((d*x + 1)^{(1/2)} - 1)^2 + (((1 - d*x)^{(1/2)} - 1)^6*(16*f^2 + 4*d^2*e^2)))/((d*x + 1)^{(1/2)} - 1)^6 - (((1 - d*x)^{(1/2)} - 1)^4*(32*f^2 - 6*d^2*e^2)))/((d*x + 1)^{(1/2)} - 1)^4 + (d^2*e^2*((1 - d*x)^{(1/2)} - 1)^8)/((d*x + 1)^{(1/2)} - 1)^8 + (8*d*e*f*((1 - d*x)^{(1/2)} - 1)^3)/((d*x + 1)^{(1/2)} - 1)^3 - (8*d*e*f*((1 - d*x)^{(1/2)} - 1)^5)/((d*x + 1)^{(1/2)} - 1)^5 - (8*d*e*f*((1 - d*x)^{(1/2)} - 1)^7)/((d*x + 1)^{(1/2)} - 1)^7 + (8*d*e*f*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (C*atan(((C*(2*f^2 + d^2*e^2))*((4*((1 - d*x)^{(1/2)} - 1)^2*(8*C*d*e*f^7 + 4*C*d^7*e^7*f - 12*C*d^3*e^3*f^5)))/(((d*x + 1)^{(1/2)} - 1)^2*(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2)) - (4*(8*C*d*e*f^7 + 4*C*d^7*e^7*f - 12*C*d^3*e^3*f^5)))/(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2) + (C*(2*f^2 + d^2*e^2))*((4*(4*d^11*e^11 - 12*d^3*e^3*f^8 + 8*d^5*e^5*f^6 + 8*d^7*e^7*f^4 - 12*d^9*e^9*f^2 + 4*d*e*f^10)))/(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2) + (4*((1 - d*x)^{(1/2)} - 1)^2*(4*d^11*e^11 + 52*d^3*e^3*f^8 - 88*d^5*e^5*f^6 + 72*d^7*e^7*f^4 - 28*d^9*e^9*f^2 - 12*d*e*f^10)))/(((d*x + 1)^{(1/2)} - 1)^2*(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2)) + (64*d^2*e^2*f*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1)))/(2*(f + d*e)^(5/2)*(f - d*e)^(5/2))*1i)/(2*(f + d*e)^(5/2)*(f - d*e)^(5/2)) - (C*(2*f^2 + d^2*e^2))*((4*(8*C*d*e*f^7 + 4*C*d^7*e^7*f - 12*C*d^3*e^3*f^5)))/(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2) - (4*((1 - d*x)^{(1/2)} - 1)^2*(8*C*d*e*f^7 + 4*C*d^7*e^7*f - 12*C*d^3*e^3*f^5)))/(((d*x + 1)^{(1/2)} - 1)^2*(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2)) + (C*(2*f^2 + d^2*e^2))*((4*(4*d^11*e^11 - 12*d^3*e^3*f^8 + 8*d^5*e^5*f^6 + 8*d^7*e^7*f^4 - 12*d^9*e^9*f^2 + 4*d*e*f^10)))/(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2) + (4*((1 - d*x)^{(1/2)} - 1)^2*(4*d^11*e^11 + 52*d^3*e^3*f^8 - 88*d^5*e^5*f^6 + 72*d^7*e^7*f^4 - 28*d^9*e^9*f^2 - 12*d*e*f^10)))/(((d*x + 1)^{(1/2)} - 1)^2*(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2)) + (64*d^2*e^2*f*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1)))/(2*(f + d*e)^(5/2)*(f - d*e)^(5/2))*1i)/(2*(f + d*e)^(5/2)*(f - d*e)^(5/2)))/((8*(C^2*d^5*e^5 + 4*C^2*d^3*e^3*f^2 + 4*C^2*d*e*f^4))/(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2) + (8*((1 - d*x)^{(1/2)} - 1)^2*(C^2*d^5*e^5 + 4*C^2*d^3*e^3*f^2 + 4*C^2*d*e*f^4)))/(((d*x + 1)^{(1/2)} - 1)^2*(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 -
\end{aligned}$$





$$\frac{(((d*x + 1)^{(1/2)} - 1)^2 * (f^8 + d^8 * e^8 - 4 * d^2 * e^2 * f^6 + 6 * d^4 * e^4 * f^4 - 4 * d^6 * e^6 * f^2)) + (64 * d^2 * e^2 * f * ((1 - d*x)^{(1/2)} - 1)) / (((d*x + 1)^{(1/2)} - 1)) / (2 * (f + d*e)^{(5/2)} * (f - d*e)^{(5/2))}}{(2 * (f + d*e)^{(5/2)} * (f - d*e)^{(5/2))} + (72 * B^2 * d^5 * e^3 * f^2 * ((1 - d*x)^{(1/2)} - 1)^2) / (((d*x + 1)^{(1/2)} - 1)^2 * (f^8 + d^8 * e^8 - 4 * d^2 * e^2 * f^6 + 6 * d^4 * e^4 * f^4 - 4 * d^6 * e^6 * f^2))} * 3i) / ((f + d*e)^{(5/2)} * (f - d*e)^{(5/2)})$$

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x\*\*2+B\*x+A)/(f\*x+e)\*\*3/(-d\*x+1)\*\*(1/2)/(d\*x+1)\*\*(1/2),x)

[Out] Timed out

$$3.15 \quad \int \frac{x(a+bx+cx^2)}{\sqrt{1-dx}\sqrt{1+dx}} dx$$

Optimal. Leaf size=79

$$-\frac{\sqrt{1-d^2x^2} (2(3ad^2+2c)+3bd^2x)}{6d^4} + \frac{b \sin^{-1}(dx)}{2d^3} - \frac{cx^2\sqrt{1-d^2x^2}}{3d^2}$$

[Out] 1/2\*b\*arcsin(d\*x)/d^3-1/3\*c\*x^2\*(-d^2\*x^2+1)^(1/2)/d^2-1/6\*(3\*b\*d^2\*x+6\*a\*d^2+4\*c)\*(-d^2\*x^2+1)^(1/2)/d^4

**Rubi [A]** time = 0.14, antiderivative size = 79, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$ , Rules used = {1609, 1809, 780, 216}

$$-\frac{\sqrt{1-d^2x^2} (2(3ad^2+2c)+3bd^2x)}{6d^4} + \frac{b \sin^{-1}(dx)}{2d^3} - \frac{cx^2\sqrt{1-d^2x^2}}{3d^2}$$

Antiderivative was successfully verified.

[In] Int[(x\*(a + b\*x + c\*x^2))/(Sqrt[1 - d\*x]\*Sqrt[1 + d\*x]),x]

[Out] -(c\*x^2\*Sqrt[1 - d^2\*x^2])/(3\*d^2) - ((2\*(2\*c + 3\*a\*d^2) + 3\*b\*d^2\*x)\*Sqrt[1 - d^2\*x^2])/(6\*d^4) + (b\*ArcSin[d\*x])/(2\*d^3)

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rule 780

Int[((d\_.) + (e\_.)\*(x\_))\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(((e\*f + d\*g)\*(2\*p + 3) + 2\*e\*g\*(p + 1)\*x)\*(a + c\*x^2)^(p + 1))/(2\*c\*(p + 1)\*(2\*p + 3)), x] - Dist[(a\*e\*g - c\*d\*f\*(2\*p + 3))/(c\*(2\*p + 3)), Int[(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !LeQ[p, -1]

#### Rule 1609

Int[(Px\_)\*((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] := Int[Px\*(a\*c + b\*d\*x^2)^m\*(e + f\*x)^p, x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b\*c + a\*d, 0] && EqQ[m, n] && (IntegerQ[m] || (GtQ[a, 0] && GtQ[c, 0]))

#### Rule 1809

Int[(Pq\_)\*((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^2)^(p\_), x\_Symbol] := With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f\*(c\*x)^(m + q - 1)\*(a + b\*x^2)^(p + 1))/(b\*c^(q - 1)\*(m + q + 2\*p + 1)), x] + Dist[1/(b\*(m + q + 2\*p + 1)), Int[(c\*x)^m\*(a + b\*x^2)^p\*ExpandToSum[b\*(m + q + 2\*p + 1)\*Pq - b\*f\*(m + q + 2\*p + 1)\*x^q - a\*f\*(m + q - 1)\*x^(q - 2), x], x], x] /; GtQ[q, 1] && NeQ[m + q + 2\*p + 1, 0] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && (!IGtQ[m, 0] || IGtQ[p + 1/2, -1])

#### Rubi steps

$$\begin{aligned}
\int \frac{x(a+bx+cx^2)}{\sqrt{1-dx}\sqrt{1+dx}} dx &= \int \frac{x(a+bx+cx^2)}{\sqrt{1-d^2x^2}} dx \\
&= -\frac{cx^2\sqrt{1-d^2x^2}}{3d^2} - \frac{\int \frac{x(-2c-3ad^2-3bd^2x)}{\sqrt{1-d^2x^2}} dx}{3d^2} \\
&= -\frac{cx^2\sqrt{1-d^2x^2}}{3d^2} - \frac{(2(2c+3ad^2)+3bd^2x)\sqrt{1-d^2x^2}}{6d^4} + \frac{b \int \frac{1}{\sqrt{1-d^2x^2}} dx}{2d^2} \\
&= -\frac{cx^2\sqrt{1-d^2x^2}}{3d^2} - \frac{(2(2c+3ad^2)+3bd^2x)\sqrt{1-d^2x^2}}{6d^4} + \frac{b \sin^{-1}(dx)}{2d^3}
\end{aligned}$$

**Mathematica [A]** time = 0.07, size = 57, normalized size = 0.72

$$\frac{3bd \sin^{-1}(dx) - \sqrt{1-d^2x^2} (3d^2(2a+bx) + 2c(d^2x^2+2))}{6d^4}$$

Antiderivative was successfully verified.

[In] Integrate[(x\*(a + b\*x + c\*x^2))/(Sqrt[1 - d\*x]\*Sqrt[1 + d\*x]),x]

[Out] (-(Sqrt[1 - d^2\*x^2]\*(3\*d^2\*(2\*a + b\*x) + 2\*c\*(2 + d^2\*x^2))) + 3\*b\*d\*ArcSin[d\*x])/(6\*d^4)

**fricas [A]** time = 0.81, size = 78, normalized size = 0.99

$$\frac{6bd \arctan\left(\frac{\sqrt{dx+1}\sqrt{-dx+1}-1}{dx}\right) + (2cd^2x^2 + 3bd^2x + 6ad^2 + 4c)\sqrt{dx+1}\sqrt{-dx+1}}{6d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(c\*x^2+b\*x+a)/(-d\*x+1)^(1/2)/(d\*x+1)^(1/2),x, algorithm="fricas")

[Out] -1/6\*(6\*b\*d\*arctan((sqrt(d\*x + 1)\*sqrt(-d\*x + 1) - 1)/(d\*x)) + (2\*c\*d^2\*x^2 + 3\*b\*d^2\*x + 6\*a\*d^2 + 4\*c)\*sqrt(d\*x + 1)\*sqrt(-d\*x + 1))/d^4

**giac [A]** time = 1.31, size = 101, normalized size = 1.28

$$\frac{\sqrt{dx+1}\sqrt{-dx+1}\left((dx+1)\left(\frac{2(dx+1)c}{d^3} + \frac{3bd^{10}-4cd^9}{d^{12}}\right) + \frac{3(2ad^{11}-bd^{10}+2cd^9)}{d^{12}}\right) - \frac{6b \arcsin\left(\frac{1}{2}\sqrt{2}\sqrt{dx+1}\right)}{d^2}}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(c\*x^2+b\*x+a)/(-d\*x+1)^(1/2)/(d\*x+1)^(1/2),x, algorithm="giac")

[Out] -1/6\*(sqrt(d\*x + 1)\*sqrt(-d\*x + 1)\*((d\*x + 1)\*(2\*(d\*x + 1)\*c/d^3 + (3\*b\*d^10 - 4\*c\*d^9)/d^12) + 3\*(2\*a\*d^11 - b\*d^10 + 2\*c\*d^9)/d^12) - 6\*b\*arcsin(1/2\*sqrt(2)\*sqrt(d\*x + 1))/d^2)/d

**maple [C]** time = 0.00, size = 139, normalized size = 1.76

$$\frac{\sqrt{-dx+1}\sqrt{dx+1}\left(2\sqrt{-d^2x^2+1}cd^2x^2\text{csgn}(d) + 3\sqrt{-d^2x^2+1}bd^2x\text{csgn}(d) + 6\sqrt{-d^2x^2+1}ad^2\text{csgn}(d) - 3\right)}{6\sqrt{-d^2x^2+1}d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(c\*x^2+b\*x+a)/(-d\*x+1)^(1/2)/(d\*x+1)^(1/2),x)

[Out]  $-1/6*(-d*x+1)^{(1/2)}*(d*x+1)^{(1/2)}*(2*(-d^2*x^2+1)^{(1/2)}*c*d^2*x^2*csgn(d)+3*(-d^2*x^2+1)^{(1/2)}*b*d^2*x*csgn(d)+6*(-d^2*x^2+1)^{(1/2)}*a*d^2*csgn(d)-3*b*d*arctan(1/(-d^2*x^2+1)^{(1/2)}*d*x*csgn(d))+4*(-d^2*x^2+1)^{(1/2)}*c*csgn(d))/(-d^2*x^2+1)^{(1/2)}/d^4*csgn(d)$

**maxima** [A] time = 1.27, size = 87, normalized size = 1.10

$$-\frac{\sqrt{-d^2x^2+1}cx^2}{3d^2} - \frac{\sqrt{-d^2x^2+1}bx}{2d^2} - \frac{\sqrt{-d^2x^2+1}a}{d^2} + \frac{b \arcsin(dx)}{2d^3} - \frac{2\sqrt{-d^2x^2+1}c}{3d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(c\*x^2+b\*x+a)/(-d\*x+1)^(1/2)/(d\*x+1)^(1/2),x, algorithm="maxima")

[Out]  $-1/3*\sqrt{-d^2*x^2+1}*c*x^2/d^2 - 1/2*\sqrt{-d^2*x^2+1}*b*x/d^2 - \sqrt{-d^2*x^2+1}*a/d^2 + 1/2*b*arcsin(d*x)/d^3 - 2/3*\sqrt{-d^2*x^2+1}*c/d^4$

**mupad** [B] time = 7.61, size = 244, normalized size = 3.09

$$\frac{\sqrt{1-dx} \left( \frac{a}{d^2} + \frac{ax}{d} \right) - 2b \operatorname{atan} \left( \frac{\sqrt{1-dx}-1}{\sqrt{dx+1}-1} \right) - \frac{14b(\sqrt{1-dx}-1)^3}{(\sqrt{dx+1}-1)^3} - \frac{14b(\sqrt{1-dx}-1)^5}{(\sqrt{dx+1}-1)^5} + \frac{2b(\sqrt{1-dx}-1)^7}{(\sqrt{dx+1}-1)^7} - \frac{2b(\sqrt{1-dx}-1)}{\sqrt{dx+1}-1}}{d^3 \left( \frac{(\sqrt{1-dx}-1)^2}{(\sqrt{dx+1}-1)^2} + 1 \right)^4} - \sqrt{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x\*(a + b\*x + c\*x^2))/((1 - d\*x)^(1/2)\*(d\*x + 1)^(1/2)),x)

[Out]  $-((1-d*x)^{(1/2)}*(a/d^2+(a*x)/d))/(d*x+1)^{(1/2)} - (2*b*atan(((1-d*x)^{(1/2)}-1)/((d*x+1)^{(1/2)}-1)))/d^3 - ((14*b*((1-d*x)^{(1/2)}-1)^3)/((d*x+1)^{(1/2)}-1)^3 - (14*b*((1-d*x)^{(1/2)}-1)^5)/((d*x+1)^{(1/2)}-1)^5 + (2*b*((1-d*x)^{(1/2)}-1)^7)/((d*x+1)^{(1/2)}-1)^7 - (2*b*((1-d*x)^{(1/2)}-1)))/((d*x+1)^{(1/2)}-1))/d^3 * (((1-d*x)^{(1/2)}-1)^2/((d*x+1)^{(1/2)}-1)^2 + 1)^4 - ((1-d*x)^{(1/2)}*((2*c)/(3*d^4) + (c*x^3)/(3*d) + (c*x^2)/(3*d^2) + (2*c*x)/(3*d^3)))/(d*x+1)^{(1/2)}$

**sympy** [C] time = 82.52, size = 313, normalized size = 3.96

$$\frac{iaG_{6,6}^{6,2} \left( \begin{matrix} -\frac{1}{4}, \frac{1}{4} \\ -\frac{1}{2}, -\frac{1}{4}, 0, \frac{1}{4}, \frac{1}{2}, 0 \end{matrix} \middle| \begin{matrix} 0, 0, \frac{1}{2}, 1 \\ \frac{1}{d^2x^2} \end{matrix} \right) aG_{6,6}^{2,6} \left( \begin{matrix} -1, -\frac{3}{4}, -\frac{1}{2}, -\frac{1}{4}, 0, 1 \\ -\frac{3}{4}, -\frac{1}{4} \end{matrix} \middle| \begin{matrix} -1, -\frac{1}{2}, -\frac{1}{2}, 0 \\ \frac{e^{-2i\pi}}{d^2x^2} \end{matrix} \right) ibG_{6,6}^{6,2} \left( \begin{matrix} -\frac{3}{4} \\ -1, -\frac{3}{4}, -\frac{1}{2} \end{matrix} \right)}{4\pi^{\frac{3}{2}}d^2} - \frac{\dots}{4\pi^{\frac{3}{2}}d^2} - \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(c\*x\*\*2+b\*x+a)/(-d\*x+1)\*\*(1/2)/(d\*x+1)\*\*(1/2),x)

[Out]  $-I*a*meijerg(((1/4, 1/4), (0, 0, 1/2, 1)), ((-1/2, -1/4, 0, 1/4, 1/2, 0), ()), 1/(d**2*x**2))/(4*pi**(3/2)*d**2) - a*meijerg(((1, -3/4, -1/2, -1/4), (0, 1), ()), ((-3/4, -1/4), (-1, -1/2, -1/2, 0)), exp_polar(-2*I*pi)/(d**2*x**2))/(4*pi**(3/2)*d**2) - I*b*meijerg(((3/4, -1/4), (-1/2, -1/2, 0, 1)), ((-1, -3/4, -1/2, -1/4, 0, 0), ()), 1/(d**2*x**2))/(4*pi**(3/2)*d**3) + b*meijerg(((3/2, -5/4, -1, -3/4, -1/2, 1), ()), ((-5/4, -3/4), (-3/2, -1, -1, 0)), exp_polar(-2*I*pi)/(d**2*x**2))/(4*pi**(3/2)*d**3) - I*c*meijerg(((5/4, -3/4), (-1, -1, -1/2, 1)), ((-3/2, -5/4, -1, -3/4, -1/2, 0), ()), 1/(d**2*x**2))/(4*pi**(3/2)*d**4) - c*meijerg(((2, -7/4, -3/2, -5/4, -1, 1), ()), ((-7/4, -5/4), (-2, -3/2, -3/2, 0)), exp_polar(-2*I*pi)/(d**2*x**2))/(4*pi**(3/2)*d**4)$

$$3.16 \quad \int \frac{a+bx+cx^2}{\sqrt{1-dx}\sqrt{1+dx}} dx$$

Optimal. Leaf size=63

$$\frac{(2ad^2 + c) \sin^{-1}(dx)}{2d^3} - \frac{b\sqrt{1-d^2x^2}}{d^2} - \frac{cx\sqrt{1-d^2x^2}}{2d^2}$$

[Out]  $1/2*(2*a*d^2+c)*\arcsin(d*x)/d^3-b*(-d^2*x^2+1)^{(1/2)}/d^2-1/2*c*x*(-d^2*x^2+1)^{(1/2)}/d^2$

**Rubi [A]** time = 0.06, antiderivative size = 63, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$ , Rules used = {899, 1815, 641, 216}

$$\frac{(2ad^2 + c) \sin^{-1}(dx)}{2d^3} - \frac{b\sqrt{1-d^2x^2}}{d^2} - \frac{cx\sqrt{1-d^2x^2}}{2d^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*x + c\*x^2)/(Sqrt[1 - d\*x]\*Sqrt[1 + d\*x]),x]

[Out]  $-(b*\text{Sqrt}[1 - d^2*x^2])/d^2 - (c*x*\text{Sqrt}[1 - d^2*x^2])/(2*d^2) + ((c + 2*a*d^2)*\text{ArcSin}[d*x])/(2*d^3)$

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rule 641

Int[((d\_) + (e\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(e\*(a + c\*x^2)^(p + 1))/(2\*c\*(p + 1)), x] + Dist[d, Int[(a + c\*x^2)^p, x] /; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]

#### Rule 899

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((f\_) + (g\_.)\*(x\_))^(n\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Int[(d\*f + e\*g\*x^2)^m\*(a + b\*x + c\*x^2)^p, x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && EqQ[m - n, 0] && EqQ[e\*f + d\*g, 0] && (IntegerQ[m] || (GtQ[d, 0] && GtQ[f, 0]))

#### Rule 1815

Int[(Pq\_)\*((a\_) + (b\_.)\*(x\_)^2)^(p\_), x\_Symbol] := With[{q = Expon[Pq, x], e = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(e\*x^(q - 1)\*(a + b\*x^2)^(p + 1))/(b\*(q + 2\*p + 1)), x] + Dist[1/(b\*(q + 2\*p + 1)), Int[(a + b\*x^2)^p\*ExpandToSum[b\*(q + 2\*p + 1)\*Pq - a\*e\*(q - 1)\*x^(q - 2) - b\*e\*(q + 2\*p + 1)\*x^q, x], x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && !LeQ[p, -1]

#### Rubi steps



$$\begin{aligned}
\int \frac{a + bx + cx^2}{\sqrt{1 - dx} \sqrt{1 + dx}} dx &= \int \frac{a + bx + cx^2}{\sqrt{1 - d^2x^2}} dx \\
&= -\frac{cx\sqrt{1 - d^2x^2}}{2d^2} - \frac{\int \frac{-c - 2ad^2 - 2bd^2x}{\sqrt{1 - d^2x^2}} dx}{2d^2} \\
&= -\frac{b\sqrt{1 - d^2x^2}}{d^2} - \frac{cx\sqrt{1 - d^2x^2}}{2d^2} - \frac{(-c - 2ad^2) \int \frac{1}{\sqrt{1 - d^2x^2}} dx}{2d^2} \\
&= -\frac{b\sqrt{1 - d^2x^2}}{d^2} - \frac{cx\sqrt{1 - d^2x^2}}{2d^2} + \frac{(c + 2ad^2) \sin^{-1}(dx)}{2d^3}
\end{aligned}$$

**Mathematica [A]** time = 0.03, size = 45, normalized size = 0.71

$$\frac{(2ad^2 + c) \sin^{-1}(dx) - d\sqrt{1 - d^2x^2} (2b + cx)}{2d^3}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*x + c\*x^2)/(Sqrt[1 - d\*x]\*Sqrt[1 + d\*x]),x]

[Out]  $(-(d*(2*b + c*x)*\text{Sqrt}[1 - d^2*x^2]) + (c + 2*a*d^2)*\text{ArcSin}[d*x])/(2*d^3)$

**fricas [A]** time = 0.92, size = 67, normalized size = 1.06

$$\frac{(cdx + 2bd)\sqrt{dx + 1} \sqrt{-dx + 1} + 2(2ad^2 + c) \arctan\left(\frac{\sqrt{dx+1} \sqrt{-dx+1} - 1}{dx}\right)}{2d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)/(-d\*x+1)^(1/2)/(d\*x+1)^(1/2),x, algorithm="fricas")

[Out]  $-1/2*((c*d*x + 2*b*d)*\text{sqrt}(d*x + 1)*\text{sqrt}(-d*x + 1) + 2*(2*a*d^2 + c)*\text{arctan}((\text{sqrt}(d*x + 1)*\text{sqrt}(-d*x + 1) - 1)/(d*x)))/d^3$

**giac [A]** time = 1.32, size = 76, normalized size = 1.21

$$\frac{\sqrt{dx + 1} \sqrt{-dx + 1} \left( \frac{(dx+1)c}{d^2} + \frac{2bd^5 - cd^4}{d^6} \right) - \frac{2(2ad^2 + c) \arcsin\left(\frac{1}{2} \sqrt{2} \sqrt{dx+1}\right)}{d^2}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)/(-d\*x+1)^(1/2)/(d\*x+1)^(1/2),x, algorithm="giac")

[Out]  $-1/2*(\text{sqrt}(d*x + 1)*\text{sqrt}(-d*x + 1)*((d*x + 1)*c/d^2 + (2*b*d^5 - c*d^4)/d^6) - 2*(2*a*d^2 + c)*\text{arcsin}(1/2*\text{sqrt}(2)*\text{sqrt}(d*x + 1))/d^2)/d$

**maple [C]** time = 0.00, size = 117, normalized size = 1.86

$$\frac{\sqrt{-dx + 1} \sqrt{dx + 1} \left( -2a d^2 \arctan\left(\frac{dx \text{csgn}(d)}{\sqrt{-d^2x^2 + 1}}\right) + \sqrt{-d^2x^2 + 1} cdx \text{csgn}(d) + 2\sqrt{-d^2x^2 + 1} bd \text{csgn}(d) - c \arcsin\left(\frac{dx}{\sqrt{-d^2x^2 + 1}}\right) \right)}{2\sqrt{-d^2x^2 + 1} d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*x^2+b\*x+a)/(-d\*x+1)^(1/2)/(d\*x+1)^(1/2),x)

[Out]  $-1/2*(-d*x+1)^{(1/2)}*(d*x+1)^{(1/2)}*(-2*a*d^2*\arctan(1/(-d^2*x^2+1)^{(1/2)}*d*x*csgn(d))+(-d^2*x^2+1)^{(1/2)}*c*d*x*csgn(d)+2*(-d^2*x^2+1)^{(1/2)}*b*d*csgn(d)-c*\arctan(1/(-d^2*x^2+1)^{(1/2)}*d*x*csgn(d)))/(-d^2*x^2+1)^{(1/2)}/d^3*csgn(d)$

**maxima** [A] time = 1.28, size = 57, normalized size = 0.90

$$\frac{a \arcsin(dx)}{d} - \frac{\sqrt{-d^2x^2+1} cx}{2d^2} - \frac{\sqrt{-d^2x^2+1} b}{d^2} + \frac{c \arcsin(dx)}{2d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^2+b*x+a)/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="maxima")`

[Out]  $a*\arcsin(d*x)/d - 1/2*\sqrt{-d^2*x^2+1}*c*x/d^2 - \sqrt{-d^2*x^2+1}*b/d^2 + 1/2*c*\arcsin(d*x)/d^3$

**mupad** [B] time = 7.41, size = 232, normalized size = 3.68

$$\frac{\sqrt{1-dx} \left( \frac{b}{d^2} + \frac{bx}{d} \right)}{\sqrt{dx+1}} - \frac{4a \operatorname{atan} \left( \frac{d(\sqrt{1-dx}-1)}{(\sqrt{dx+1}-1)\sqrt{d^2}} \right)}{\sqrt{d^2}} - \frac{2c \operatorname{atan} \left( \frac{\sqrt{1-dx}-1}{\sqrt{dx+1}-1} \right)}{d^3} - \frac{14c(\sqrt{1-dx}-1)^3}{(\sqrt{dx+1}-1)^3} - \frac{14c(\sqrt{1-dx}-1)^5}{(\sqrt{dx+1}-1)^5} + \frac{2c(\sqrt{1-dx}-1)}{(\sqrt{dx+1}-1)} - \frac{d^3 \left( \frac{(\sqrt{1-dx}-1)^2}{(\sqrt{dx+1}-1)^2} + 1 \right)^4}{d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x + c*x^2)/((1 - d*x)^(1/2)*(d*x + 1)^(1/2)),x)`

[Out]  $-((1-d*x)^{(1/2)}*(b/d^2+(b*x)/d))/(d*x+1)^{(1/2)} - (4*a*\operatorname{atan}((d*((1-d*x)^{(1/2)}-1))/((d*x+1)^{(1/2)}-1)*(d^2)^{(1/2)}))/(d^2)^{(1/2)} - (2*c*a*\tan(((1-d*x)^{(1/2)}-1)/((d*x+1)^{(1/2)}-1)))/d^3 - ((14*c*((1-d*x)^{(1/2)}-1)^3)/((d*x+1)^{(1/2)}-1)^3 - (14*c*((1-d*x)^{(1/2)}-1)^5)/((d*x+1)^{(1/2)}-1)^5 + (2*c*((1-d*x)^{(1/2)}-1)^7)/((d*x+1)^{(1/2)}-1)^7 - (2*c*((1-d*x)^{(1/2)}-1))/((d*x+1)^{(1/2)}-1))/(d^3*((1-d*x)^{(1/2)}-1)^2/((d*x+1)^{(1/2)}-1)^2+1)^4$

**sympy** [C] time = 49.68, size = 282, normalized size = 4.48

$$\frac{iaG_{6,6}^{6,2} \left( \begin{matrix} \frac{1}{4}, \frac{3}{4} \\ \frac{1}{2}, \frac{1}{2}, 1, 1 \end{matrix} \middle| \frac{1}{d^2x^2} \right)}{4\pi^{\frac{3}{2}}d} + \frac{aG_{6,6}^{2,6} \left( \begin{matrix} -\frac{1}{2}, -\frac{1}{4}, 0, \frac{1}{4}, \frac{1}{2}, 1 \\ -\frac{1}{4}, \frac{1}{4} \end{matrix} \middle| \frac{e^{-2i\pi}}{d^2x^2} \right)}{4\pi^{\frac{3}{2}}d} - \frac{ibG_{6,6}^{6,2} \left( \begin{matrix} -\frac{1}{4}, \frac{1}{4} \\ -\frac{1}{2}, -\frac{1}{4}, 0, \frac{1}{4}, \frac{1}{2}, 0 \end{matrix} \right)}{4\pi^{\frac{3}{2}}d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x**2+b*x+a)/(-d*x+1)**(1/2)/(d*x+1)**(1/2),x)`

[Out]  $-I*a*\operatorname{meijerg}(((1/4, 3/4), (1/2, 1/2, 1, 1)), ((0, 1/4, 1/2, 3/4, 1, 0), ()), 1/(d**2*x**2))/(4*pi**(3/2)*d) + a*\operatorname{meijerg}((-1/2, -1/4, 0, 1/4, 1/2, 1), ((-1/4, 1/4), (-1/2, 0, 0, 0)), \exp\_polar(-2*I*pi)/(d**2*x**2))/(4*pi**(3/2)*d) - I*b*\operatorname{meijerg}((-1/4, 1/4), (0, 0, 1/2, 1)), ((-1/2, -1/4, 0, 1/4, 1/2, 0), ()), 1/(d**2*x**2))/(4*pi**(3/2)*d**2) - b*\operatorname{meijerg}((-1, -3/4, -1/2, -1/4, 0, 1), ((-3/4, -1/4), (-1, -1/2, -1/2, 0)), \exp\_polar(-2*I*pi)/(d**2*x**2))/(4*pi**(3/2)*d**2) - I*c*\operatorname{meijerg}((-3/4, -1/4), (-1/2, -1/2, 0, 1)), ((-1, -3/4, -1/2, -1/4, 0, 0), ()), 1/(d**2*x**2))/(4*pi**(3/2)*d**3) + c*\operatorname{meijerg}((-3/2, -5/4, -1, -3/4, -1/2, 1), ((-5/4, -3/4), (-3/2, -1, -1, 0)), \exp\_polar(-2*I*pi)/(d**2*x**2))/(4*pi**(3/2)*d**3)$

$$3.17 \quad \int \frac{a+bx+cx^2}{x\sqrt{1-dx}\sqrt{1+dx}} dx$$

Optimal. Leaf size=48

$$-a \tanh^{-1}\left(\sqrt{1-d^2x^2}\right) + \frac{b \sin^{-1}(dx)}{d} - \frac{c\sqrt{1-d^2x^2}}{d^2}$$

[Out] b\*arcsin(d\*x)/d-a\*arctanh((-d^2\*x^2+1)^(1/2))-c\*(-d^2\*x^2+1)^(1/2)/d^2

**Rubi [A]** time = 0.18, antiderivative size = 48, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$ , Rules used = {1609, 1809, 844, 216, 266, 63, 208}

$$-a \tanh^{-1}\left(\sqrt{1-d^2x^2}\right) + \frac{b \sin^{-1}(dx)}{d} - \frac{c\sqrt{1-d^2x^2}}{d^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*x + c\*x^2)/(x\*Sqrt[1 - d\*x]\*Sqrt[1 + d\*x]),x]

[Out] -((c\*Sqrt[1 - d^2\*x^2])/d^2) + (b\*ArcSin[d\*x])/d - a\*ArcTanh[Sqrt[1 - d^2\*x^2]]

#### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

#### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] :> Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rule 266

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

#### Rule 844

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Dist[g/e, Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^p, x], x] + Dist[(e\*f - d\*g)/e, Int[(d + e\*x)^m\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c\*d^2 + a\*e^2, 0] && !IGtQ[m, 0]

#### Rule 1609

Int[(Px\_)\*((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] :> Int[Px\*(a\*c + b\*d\*x^2)^m\*(e + f\*x)^p, x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b\*c + a\*d, 0] &

& EqQ[m, n] && (IntegerQ[m] || (GtQ[a, 0] && GtQ[c, 0]))

### Rule 1809

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] :> With[
{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(c*x)^(m + q -
1)*(a + b*x^2)^(p + 1))/(b*c^(q - 1)*(m + q + 2*p + 1)), x] + Dist[1/(b*(m
+ q + 2*p + 1)), Int[(c*x)^(m*(a + b*x^2)^p*ExpandToSum[b*(m + q + 2*p + 1)*
Pq - b*f*(m + q + 2*p + 1)*x^q - a*f*(m + q - 1)*x^(q - 2), x], x] /; G
tQ[q, 1] && NeQ[m + q + 2*p + 1, 0]] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[
Pq, x] && (!IGtQ[m, 0] || IGtQ[p + 1/2, -1])
```

### Rubi steps

$$\begin{aligned} \int \frac{a + bx + cx^2}{x\sqrt{1-dx}\sqrt{1+dx}} dx &= \int \frac{a + bx + cx^2}{x\sqrt{1-d^2x^2}} dx \\ &= -\frac{c\sqrt{1-d^2x^2}}{d^2} - \frac{\int \frac{-ad^2-bd^2x}{x\sqrt{1-d^2x^2}} dx}{d^2} \\ &= -\frac{c\sqrt{1-d^2x^2}}{d^2} + a \int \frac{1}{x\sqrt{1-d^2x^2}} dx + b \int \frac{1}{\sqrt{1-d^2x^2}} dx \\ &= -\frac{c\sqrt{1-d^2x^2}}{d^2} + \frac{b \sin^{-1}(dx)}{d} + \frac{1}{2} a \operatorname{Subst} \left( \int \frac{1}{x\sqrt{1-d^2x}} dx, x, x^2 \right) \\ &= -\frac{c\sqrt{1-d^2x^2}}{d^2} + \frac{b \sin^{-1}(dx)}{d} - \frac{a \operatorname{Subst} \left( \int \frac{1}{\frac{1}{d^2} - \frac{x^2}{d^2}} dx, x, \sqrt{1-d^2x^2} \right)}{d^2} \\ &= -\frac{c\sqrt{1-d^2x^2}}{d^2} + \frac{b \sin^{-1}(dx)}{d} - a \tanh^{-1} \left( \sqrt{1-d^2x^2} \right) \end{aligned}$$

**Mathematica** [A] time = 0.05, size = 48, normalized size = 1.00

$$-a \tanh^{-1} \left( \sqrt{1-d^2x^2} \right) + \frac{b \sin^{-1}(dx)}{d} - \frac{c\sqrt{1-d^2x^2}}{d^2}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*x + c\*x^2)/(x\*Sqrt[1 - d\*x]\*Sqrt[1 + d\*x]), x]

[Out] -((c\*Sqrt[1 - d^2\*x^2])/d^2) + (b\*ArcSin[d\*x])/d - a\*ArcTanh[Sqrt[1 - d^2\*x^2]]

**fricas** [A] time = 0.85, size = 81, normalized size = 1.69

$$\frac{ad^2 \log \left( \frac{\sqrt{dx+1} \sqrt{-dx+1} - 1}{x} \right) - 2bd \arctan \left( \frac{\sqrt{dx+1} \sqrt{-dx+1} - 1}{dx} \right) - \sqrt{dx+1} \sqrt{-dx+1} c}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)/x/(-d\*x+1)^(1/2)/(d\*x+1)^(1/2), x, algorithm="fricas")

[Out] (a\*d^2\*log((sqrt(d\*x + 1)\*sqrt(-d\*x + 1) - 1)/x) - 2\*b\*d\*arctan((sqrt(d\*x + 1)\*sqrt(-d\*x + 1) - 1)/(d\*x)) - sqrt(d\*x + 1)\*sqrt(-d\*x + 1)\*c)/d^2

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)/x/(-d\*x+1)^(1/2)/(d\*x+1)^(1/2),x, algorithm="giac")

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: Warning, choosing root of [1,0,-4,0,%%{4,[2,2]%%}] at parameters values [70,22] Warning, choosing root of [1,0,-4,0,%%{4,[2,2]%%}] at parameters values [42,56] -a\*ln(abs(2\*sqrt(d\*x+1)/(-2\*sqrt(-d\*x+1)+2\*sqrt(2))+2-1/2\*(-2\*sqrt(-d\*x+1)+2\*sqrt(2))/sqrt(d\*x+1)))+a\*ln(abs(2\*sqrt(d\*x+1)/(-2\*sqrt(-d\*x+1)+2\*sqrt(2))-2-1/2\*(-2\*sqrt(-d\*x+1)+2\*sqrt(2))/sqrt(d\*x+1)))-2\*b\*(-1/2\*pi-atan(sqrt(d\*x+1)\*((-1/2\*(-2\*sqrt(-d\*x+1)+2\*sqrt(2))/sqrt(d\*x+1))^2-1)/(-2\*sqrt(-d\*x+1)+2\*sqrt(2))))/d-2\*c\*d^2/2/d^4\*sqrt(d\*x+1)\*sqrt(-d\*x+1)

**maple** [C] time = 0.00, size = 96, normalized size = 2.00

$$\frac{\left(-a d^2 \operatorname{arctanh}\left(\frac{1}{\sqrt{-d^2 x^2+1}}\right) \operatorname{csgn}(d)+b d \arctan\left(\frac{d x \operatorname{csgn}(d)}{\sqrt{-(d x+1)(d x-1)}}\right)-\sqrt{-d^2 x^2+1} c \operatorname{csgn}(d)\right) \sqrt{-d x+1} \sqrt{d x+1}}{\sqrt{-d^2 x^2+1} d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*x^2+b\*x+a)/x/(-d\*x+1)^(1/2)/(d\*x+1)^(1/2),x)

[Out] (-csgn(d)\*arctanh(1/(-d^2\*x^2+1)^(1/2))\*a\*d^2-(-d^2\*x^2+1)^(1/2)\*c\*csgn(d)+b\*d\*arctan(1/(-(d\*x+1)\*(d\*x-1))^(1/2)\*d\*x\*csgn(d)))\*(-d\*x+1)^(1/2)\*(d\*x+1)^(1/2)/d^2\*csgn(d)/(-d^2\*x^2+1)^(1/2)

**maxima** [A] time = 1.27, size = 57, normalized size = 1.19

$$-a \log\left(\frac{2 \sqrt{-d^2 x^2+1}}{|x|} + \frac{2}{|x|}\right) + \frac{b \arcsin(dx)}{d} - \frac{\sqrt{-d^2 x^2+1} c}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)/x/(-d\*x+1)^(1/2)/(d\*x+1)^(1/2),x, algorithm="maxima")

[Out] -a\*log(2\*sqrt(-d^2\*x^2 + 1)/abs(x) + 2/abs(x)) + b\*arcsin(d\*x)/d - sqrt(-d^2\*x^2 + 1)\*c/d^2

**mupad** [B] time = 4.33, size = 122, normalized size = 2.54

$$a \left( \ln \left( \frac{(\sqrt{1-dx}-1)^2}{(\sqrt{dx+1}-1)^2} - 1 \right) - \ln \left( \frac{\sqrt{1-dx}-1}{\sqrt{dx+1}-1} \right) \right) - \frac{\sqrt{1-dx} \left( \frac{c}{d^2} + \frac{cx}{d} \right)}{\sqrt{dx+1}} - \frac{4b \operatorname{atan} \left( \frac{d(\sqrt{1-dx}-1)}{(\sqrt{dx+1}-1)\sqrt{d^2}} \right)}{\sqrt{d^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*x + c\*x^2)/(x\*(1 - d\*x)^(1/2)\*(d\*x + 1)^(1/2)),x)

[Out] a\*(log(((1 - d\*x)^(1/2) - 1)^2/((d\*x + 1)^(1/2) - 1)^2 - 1) - log(((1 - d\*x)^(1/2) - 1)/((d\*x + 1)^(1/2) - 1))) - ((1 - d\*x)^(1/2)\*(c/d^2 + (c\*x)/d))/((d\*x + 1)^(1/2) - (4\*b\*atan((d\*((1 - d\*x)^(1/2) - 1))/((d\*x + 1)^(1/2) - 1)\*(d^2)^(1/2))))/(d^2)^(1/2)

sympy [C] time = 55.72, size = 245, normalized size = 5.10

$$\frac{iaG_{6,6}^{5,3} \left( \begin{matrix} \frac{3}{4}, \frac{5}{4}, 1 & 1, 1, \frac{3}{2} \\ \frac{1}{2}, \frac{3}{4}, 1, \frac{5}{4}, \frac{3}{2} & 0 \end{matrix} \middle| \frac{1}{d^2 x^2} \right)}{4\pi^{\frac{3}{2}}} - \frac{aG_{6,6}^{2,6} \left( \begin{matrix} 0, \frac{1}{4}, \frac{1}{2}, \frac{3}{4}, 1, 1 \\ \frac{1}{4}, \frac{3}{4} \end{matrix} \middle| \frac{e^{-2i\pi}}{d^2 x^2} \right)}{4\pi^{\frac{3}{2}}} - \frac{ibG_{6,6}^{6,2} \left( \begin{matrix} \frac{1}{4}, \frac{3}{4} & \frac{1}{2}, \frac{1}{2}, 1, 1 \\ 0, \frac{1}{4}, \frac{1}{2}, \frac{3}{4}, 1, 0 \end{matrix} \middle| \frac{1}{d^2 x^2} \right)}{4\pi^{\frac{3}{2}} d} + b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x\*\*2+b\*x+a)/x/(-d\*x+1)\*\*(1/2)/(d\*x+1)\*\*(1/2),x)

[Out] I\*a\*meijerg(((3/4, 5/4, 1), (1, 1, 3/2)), ((1/2, 3/4, 1, 5/4, 3/2), (0,)), 1/(d\*\*2\*x\*\*2))/(4\*pi\*\*(3/2)) - a\*meijerg(((0, 1/4, 1/2, 3/4, 1, 1), ()), ((1/4, 3/4), (0, 1/2, 1/2, 0)), exp\_polar(-2\*I\*pi)/(d\*\*2\*x\*\*2))/(4\*pi\*\*(3/2)) - I\*b\*meijerg(((1/4, 3/4), (1/2, 1/2, 1, 1)), ((0, 1/4, 1/2, 3/4, 1, 0), ()), 1/(d\*\*2\*x\*\*2))/(4\*pi\*\*(3/2)\*d) + b\*meijerg(((1/4, 3/4), (1/2, 1/2, 1, 1)), ((0, 1/4, 1/2, 3/4, 1, 0), ()), 1/(d\*\*2\*x\*\*2))/(4\*pi\*\*(3/2)\*d) + b\*meijerg(((1/4, 3/4), (1/2, 1/2, 1, 1)), ((0, 1/4, 1/2, 3/4, 1, 0), ()), 1/(d\*\*2\*x\*\*2))/(4\*pi\*\*(3/2)\*d) - I\*c\*meijerg(((1/4, 1/4), (0, 0, 1/2, 1)), ((1/2, -1/4, 0, 1/4, 1/2, 0), ()), 1/(d\*\*2\*x\*\*2))/(4\*pi\*\*(3/2)\*d\*\*2) - c\*meijerg(((1, -3/4, -1/2, -1/4, 0, 1), ()), ((-3/4, -1/4), (-1, -1/2, -1/2, 0)), exp\_polar(-2\*I\*pi)/(d\*\*2\*x\*\*2))/(4\*pi\*\*(3/2)\*d\*\*2)

$$3.18 \quad \int \frac{a+bx+cx^2}{x^2 \sqrt{1-dx} \sqrt{1+dx}} dx$$

Optimal. Leaf size=48

$$-\frac{a\sqrt{1-d^2x^2}}{x} - b \tanh^{-1}\left(\sqrt{1-d^2x^2}\right) + \frac{c \sin^{-1}(dx)}{d}$$

[Out] c\*arcsin(d\*x)/d-b\*arctanh((-d^2\*x^2+1)^(1/2))-a\*(-d^2\*x^2+1)^(1/2)/x

**Rubi [A]** time = 0.18, antiderivative size = 48, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$ , Rules used = {1609, 1807, 844, 216, 266, 63, 208}

$$-\frac{a\sqrt{1-d^2x^2}}{x} - b \tanh^{-1}\left(\sqrt{1-d^2x^2}\right) + \frac{c \sin^{-1}(dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*x + c\*x^2)/(x^2\*Sqrt[1 - d\*x]\*Sqrt[1 + d\*x]),x]

[Out] -((a\*Sqrt[1 - d^2\*x^2])/x) + (c\*ArcSin[d\*x])/d - b\*ArcTanh[Sqrt[1 - d^2\*x^2]]

#### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

#### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] :> Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rule 266

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

#### Rule 844

Int[((d\_.) + (e\_.)\*(x\_)^(m\_))\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Dist[g/e, Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^p, x], x] + Dist[(e\*f - d\*g)/e, Int[(d + e\*x)^m\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c\*d^2 + a\*e^2, 0] && !IGtQ[m, 0]

#### Rule 1609

Int[(Px\_)\*((a\_.) + (b\_.)\*(x\_)^(m\_.))\*((c\_.) + (d\_.)\*(x\_)^(n\_.))\*((e\_.) + (f\_.)\*(x\_)^(p\_.), x\_Symbol] :> Int[Px\*(a\*c + b\*d\*x^2)^m\*(e + f\*x)^p, x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b\*c + a\*d, 0] &

& EqQ[m, n] && (IntegerQ[m] || (GtQ[a, 0] && GtQ[c, 0]))

### Rule 1807

```
Int[(Pq_)*((c_.)*(x_)^(m_))*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[{
Q = PolynomialQuotient[Pq, c*x, x], R = PolynomialRemainder[Pq, c*x, x]}, S
imp[(R*(c*x)^(m + 1)*(a + b*x^2)^(p + 1))/(a*c*(m + 1)), x] + Dist[1/(a*c*(
m + 1)), Int[(c*x)^(m + 1)*(a + b*x^2)^p*ExpandToSum[a*c*(m + 1)*Q - b*R*(m
+ 2*p + 3)*x, x], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && LtQ
[m, -1] && (IntegerQ[2*p] || NeQ[Expon[Pq, x], 1])
```

### Rubi steps

$$\begin{aligned} \int \frac{a + bx + cx^2}{x^2 \sqrt{1 - dx} \sqrt{1 + dx}} dx &= \int \frac{a + bx + cx^2}{x^2 \sqrt{1 - d^2 x^2}} dx \\ &= -\frac{a\sqrt{1 - d^2 x^2}}{x} - \int \frac{-b - cx}{x\sqrt{1 - d^2 x^2}} dx \\ &= -\frac{a\sqrt{1 - d^2 x^2}}{x} + b \int \frac{1}{x\sqrt{1 - d^2 x^2}} dx + c \int \frac{1}{\sqrt{1 - d^2 x^2}} dx \\ &= -\frac{a\sqrt{1 - d^2 x^2}}{x} + \frac{c \sin^{-1}(dx)}{d} + \frac{1}{2} b \operatorname{Subst} \left( \int \frac{1}{x\sqrt{1 - d^2 x}} dx, x, x^2 \right) \\ &= -\frac{a\sqrt{1 - d^2 x^2}}{x} + \frac{c \sin^{-1}(dx)}{d} - \frac{b \operatorname{Subst} \left( \int \frac{1}{\frac{1}{d^2} \frac{x^2}{d^2}} dx, x, \sqrt{1 - d^2 x^2} \right)}{d^2} \\ &= -\frac{a\sqrt{1 - d^2 x^2}}{x} + \frac{c \sin^{-1}(dx)}{d} - b \tanh^{-1} \left( \sqrt{1 - d^2 x^2} \right) \end{aligned}$$

**Mathematica** [A] time = 0.06, size = 48, normalized size = 1.00

$$-\frac{a\sqrt{1 - d^2 x^2}}{x} - b \tanh^{-1} \left( \sqrt{1 - d^2 x^2} \right) + \frac{c \sin^{-1}(dx)}{d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*x + c*x^2)/(x^2*Sqrt[1 - d*x]*Sqrt[1 + d*x]), x]
```

```
[Out] -((a*Sqrt[1 - d^2*x^2])/x) + (c*ArcSin[d*x])/d - b*ArcTanh[Sqrt[1 - d^2*x^2]]
```

**fricas** [A] time = 0.95, size = 84, normalized size = 1.75

$$\frac{bdx \log \left( \frac{\sqrt{dx+1} \sqrt{-dx+1} - 1}{x} \right) - \sqrt{dx+1} \sqrt{-dx+1} ad - 2cx \arctan \left( \frac{\sqrt{dx+1} \sqrt{-dx+1} - 1}{dx} \right)}{dx}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*x^2+b*x+a)/x^2/(-d*x+1)^(1/2)/(d*x+1)^(1/2), x, algorithm="fricas")
```

```
[Out] (b*d*x*log((sqrt(d*x + 1)*sqrt(-d*x + 1) - 1)/x) - sqrt(d*x + 1)*sqrt(-d*x + 1)*a*d - 2*c*x*arctan((sqrt(d*x + 1)*sqrt(-d*x + 1) - 1)/(d*x)))/(d*x)
```

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)/x^2/(-d\*x+1)^(1/2)/(d\*x+1)^(1/2),x, algorithm="giac")

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: Warning, choosing root of [1,0,-4,0,%%{4,[2,2]%%}] at parameters values [70,22] Warning, choosing root of [1,0,-4,0,%%{4,[2,2]%%}] at parameters values [42,56] 1/d\*(-2\*c\*(-1/2\*pi-atan(sqrt(d\*x+1)\*((-1/2\*(-2\*sqrt(-d\*x+1)+2\*sqrt(2)))/sqrt(d\*x+1))^2-1)/(-2\*sqrt(-d\*x+1)+2\*sqrt(2)))-b\*d\*ln(abs(2\*sqrt(d\*x+1)/(-2\*sqrt(-d\*x+1)+2\*sqrt(2))+2-1/2\*(-2\*sqrt(-d\*x+1)+2\*sqrt(2))/sqrt(d\*x+1))+b\*d\*ln(abs(2\*sqrt(d\*x+1)/(-2\*sqrt(-d\*x+1)+2\*sqrt(2))-2-1/2\*(-2\*sqrt(-d\*x+1)+2\*sqrt(2))/sqrt(d\*x+1))-4\*a\*d^2\*(2\*sqrt(d\*x+1)/(-2\*sqrt(-d\*x+1)+2\*sqrt(2))-1/2\*(-2\*sqrt(-d\*x+1)+2\*sqrt(2))/sqrt(d\*x+1))/(-2\*sqrt(d\*x+1)/(-2\*sqrt(-d\*x+1)+2\*sqrt(2))-1/2\*(-2\*sqrt(-d\*x+1)+2\*sqrt(2))/sqrt(d\*x+1))^2+4))

**maple** [C] time = 0.00, size = 97, normalized size = 2.02

$$\frac{\left(-bdx \operatorname{arctanh}\left(\frac{1}{\sqrt{-d^2x^2+1}}\right) \operatorname{csgn}(d) - \sqrt{-d^2x^2+1} ad \operatorname{csgn}(d) + cx \operatorname{arctan}\left(\frac{dx \operatorname{csgn}(d)}{\sqrt{-d^2x^2+1}}\right)\right) \sqrt{-dx+1} \sqrt{dx+1} \operatorname{csgn}(d)}{\sqrt{-d^2x^2+1} dx}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*x^2+b\*x+a)/x^2/(-d\*x+1)^(1/2)/(d\*x+1)^(1/2),x)

[Out] (-csgn(d)\*d\*arctanh(1/(-d^2\*x^2+1)^(1/2))\*x\*b-(-d^2\*x^2+1)^(1/2)\*a\*d\*csgn(d)+c\*x\*arctan(1/(-d^2\*x^2+1)^(1/2)\*d\*x\*csgn(d)))\*(-d\*x+1)^(1/2)\*(d\*x+1)^(1/2)\*csgn(d)/(-d^2\*x^2+1)^(1/2)/x/d

**maxima** [A] time = 1.32, size = 57, normalized size = 1.19

$$-b \log\left(\frac{2\sqrt{-d^2x^2+1}}{|x|} + \frac{2}{|x|}\right) + \frac{c \arcsin(dx)}{d} - \frac{\sqrt{-d^2x^2+1} a}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)/x^2/(-d\*x+1)^(1/2)/(d\*x+1)^(1/2),x, algorithm="maxima")

[Out] -b\*log(2\*sqrt(-d^2\*x^2 + 1)/abs(x) + 2/abs(x)) + c\*arcsin(d\*x)/d - sqrt(-d^2\*x^2 + 1)\*a/x

**mupad** [B] time = 4.27, size = 114, normalized size = 2.38

$$b \left( \ln \left( \frac{(\sqrt{1-dx}-1)^2}{(\sqrt{dx+1}-1)^2} - 1 \right) - \ln \left( \frac{\sqrt{1-dx}-1}{\sqrt{dx+1}-1} \right) \right) - \frac{4c \operatorname{atan} \left( \frac{d(\sqrt{1-dx}-1)}{(\sqrt{dx+1}-1)\sqrt{d^2}} \right)}{\sqrt{d^2}} - \frac{a\sqrt{1-dx}\sqrt{dx+1}}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*x + c\*x^2)/(x^2\*(1 - d\*x)^(1/2)\*(d\*x + 1)^(1/2)),x)

[Out] b\*(log(((1 - d\*x)^(1/2) - 1)^2/((d\*x + 1)^(1/2) - 1)^2 - 1) - log(((1 - d\*x)^(1/2) - 1)/((d\*x + 1)^(1/2) - 1))) - (4\*c\*atan((d\*((1 - d\*x)^(1/2) - 1))/((d\*x + 1)^(1/2) - 1)\*(d^2)^(1/2)))/((d^2)^(1/2) - (a\*(1 - d\*x)^(1/2)\*(d\*x + 1)^(1/2))/x)

sympy [C] time = 50.05, size = 221, normalized size = 4.60

$$\frac{iadG_{6,6}^{5,3} \left( \begin{array}{c} \frac{5}{4}, \frac{7}{4}, 1 \\ 1, \frac{5}{4}, \frac{3}{2}, \frac{7}{4}, 2 \\ 0 \end{array} \middle| \frac{1}{d^2 x^2} \right) + adG_{6,6}^{2,6} \left( \begin{array}{c} \frac{1}{2}, \frac{3}{4}, 1, \frac{5}{4}, \frac{3}{2}, 1 \\ \frac{3}{4}, \frac{5}{4} \\ \frac{1}{2}, 1, 1, 0 \end{array} \middle| \frac{e^{-2i\pi}}{d^2 x^2} \right) + ibG_{6,6}^{5,3} \left( \begin{array}{c} \frac{3}{4}, \frac{5}{4}, 1 \\ \frac{1}{2}, \frac{3}{4}, 1, \frac{5}{4}, \frac{3}{2} \\ 0 \end{array} \middle| \frac{1}{d^2 x^2} \right) + bG_{6,6}^{2,6} \left( \begin{array}{c} \frac{1}{2}, \frac{3}{4}, 1, \frac{5}{4}, \frac{3}{2}, 1 \\ \frac{3}{4}, \frac{5}{4} \\ \frac{1}{2}, 1, 1, 0 \end{array} \middle| \frac{e^{-2i\pi}}{d^2 x^2} \right)}{4\pi^{\frac{3}{2}} + 4\pi^{\frac{3}{2}} + 4\pi^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x\*\*2+b\*x+a)/x\*\*2/(-d\*x+1)\*\*(1/2)/(d\*x+1)\*\*(1/2),x)

[Out] I\*a\*d\*meijerg(((5/4, 7/4, 1), (3/2, 3/2, 2)), ((1, 5/4, 3/2, 7/4, 2), (0,)), 1/(d\*\*2\*x\*\*2))/(4\*pi\*\*(3/2)) + a\*d\*meijerg(((1/2, 3/4, 1, 5/4, 3/2, 1), ()), ((3/4, 5/4), (1/2, 1, 1, 0)), exp\_polar(-2\*I\*pi)/(d\*\*2\*x\*\*2))/(4\*pi\*\*(3/2)) + I\*b\*meijerg(((3/4, 5/4, 1), (1, 1, 3/2)), ((1/2, 3/4, 1, 5/4, 3/2), (0,)), 1/(d\*\*2\*x\*\*2))/(4\*pi\*\*(3/2)) - b\*meijerg(((0, 1/4, 1/2, 3/4, 1, 1), ()), ((1/4, 3/4), (0, 1/2, 1/2, 0)), exp\_polar(-2\*I\*pi)/(d\*\*2\*x\*\*2))/(4\*pi\*\*(3/2)) - I\*c\*meijerg(((1/4, 3/4), (1/2, 1/2, 1, 1)), ((0, 1/4, 1/2, 3/4, 1, 0), ()), 1/(d\*\*2\*x\*\*2))/(4\*pi\*\*(3/2)\*d) + c\*meijerg((-1/2, -1/4, 0, 1/4, 1/2, 1), ()), ((-1/4, 1/4), (-1/2, 0, 0, 0)), exp\_polar(-2\*I\*pi)/(d\*\*2\*x\*\*2))/(4\*pi\*\*(3/2)\*d)

$$3.19 \quad \int \frac{a+bx+cx^2}{x^3 \sqrt{1-dx} \sqrt{1+dx}} dx$$

Optimal. Leaf size=71

$$-\frac{1}{2}(ad^2 + 2c) \tanh^{-1}\left(\sqrt{1-d^2x^2}\right) - \frac{a\sqrt{1-d^2x^2}}{2x^2} - \frac{b\sqrt{1-d^2x^2}}{x}$$

[Out]  $-1/2*(a*d^2+2*c)*\operatorname{arctanh}((-d^2*x^2+1)^{(1/2)})-1/2*a*(-d^2*x^2+1)^{(1/2)}/x^2-b*(-d^2*x^2+1)^{(1/2)}/x$

**Rubi [A]** time = 0.18, antiderivative size = 71, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {1609, 1807, 807, 266, 63, 208}

$$-\frac{1}{2}(ad^2 + 2c) \tanh^{-1}\left(\sqrt{1-d^2x^2}\right) - \frac{a\sqrt{1-d^2x^2}}{2x^2} - \frac{b\sqrt{1-d^2x^2}}{x}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*x + c\*x^2)/(x^3\*sqrt[1 - d\*x]\*sqrt[1 + d\*x]),x]

[Out]  $-(a*\operatorname{sqrt}[1 - d^2*x^2])/(2*x^2) - (b*\operatorname{sqrt}[1 - d^2*x^2])/x - ((2*c + a*d^2)*\operatorname{ArcTanh}[\operatorname{sqrt}[1 - d^2*x^2]])/2$

#### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

#### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

#### Rule 266

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_.))^(p\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

#### Rule 807

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := -Simp[((e\*f - d\*g)\*(d + e\*x)^(m + 1)\*(a + c\*x^2)^(p + 1))/(2\*(p + 1)\*(c\*d^2 + a\*e^2)), x] + Dist[(c\*d\*f + a\*e\*g)/(c\*d^2 + a\*e^2), Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c\*d^2 + a\*e^2, 0] && EqQ[Simplify[m + 2\*p + 3], 0]

#### Rule 1609

Int[(Px\_)\*((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] := Int[Px\*(a\*c + b\*d\*x^2)^m\*(e + f\*x)^p, x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b\*c + a\*d, 0] && EqQ[m, n] && (IntegerQ[m] || (GtQ[a, 0] && GtQ[c, 0]))

#### Rule 1807

```
Int[(Pq_)*((c_.)*(x_)^(m_))*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[{
Q = PolynomialQuotient[Pq, c*x, x], R = PolynomialRemainder[Pq, c*x, x]}, S
imp[(R*(c*x)^(m + 1)*(a + b*x^2)^(p + 1))/(a*c*(m + 1)), x] + Dist[1/(a*c*(
m + 1)), Int[(c*x)^(m + 1)*(a + b*x^2)^p*ExpandToSum[a*c*(m + 1)*Q - b*R*(m
+ 2*p + 3)*x, x], x]] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && LtQ
[m, -1] && (IntegerQ[2*p] || NeQ[Expon[Pq, x], 1])
```

### Rubi steps

$$\begin{aligned}
\int \frac{a + bx + cx^2}{x^3 \sqrt{1 - dx} \sqrt{1 + dx}} dx &= \int \frac{a + bx + cx^2}{x^3 \sqrt{1 - d^2 x^2}} dx \\
&= -\frac{a\sqrt{1 - d^2 x^2}}{2x^2} - \frac{1}{2} \int \frac{-2b - (2c + ad^2)x}{x^2 \sqrt{1 - d^2 x^2}} dx \\
&= -\frac{a\sqrt{1 - d^2 x^2}}{2x^2} - \frac{b\sqrt{1 - d^2 x^2}}{x} - \frac{1}{2}(-2c - ad^2) \int \frac{1}{x\sqrt{1 - d^2 x^2}} dx \\
&= -\frac{a\sqrt{1 - d^2 x^2}}{2x^2} - \frac{b\sqrt{1 - d^2 x^2}}{x} - \frac{1}{4}(-2c - ad^2) \text{Subst}\left(\int \frac{1}{x\sqrt{1 - d^2 x}} dx, x, x^2\right) \\
&= -\frac{a\sqrt{1 - d^2 x^2}}{2x^2} - \frac{b\sqrt{1 - d^2 x^2}}{x} - \frac{1}{2}\left(a + \frac{2c}{d^2}\right) \text{Subst}\left(\int \frac{1}{\frac{1}{d^2} - \frac{x^2}{d^2}} dx, x, \sqrt{1 - d^2 x^2}\right) \\
&= -\frac{a\sqrt{1 - d^2 x^2}}{2x^2} - \frac{b\sqrt{1 - d^2 x^2}}{x} - \frac{1}{2}(2c + ad^2) \tanh^{-1}\left(\sqrt{1 - d^2 x^2}\right)
\end{aligned}$$

**Mathematica** [A] time = 0.05, size = 56, normalized size = 0.79

$$-\frac{\sqrt{1 - d^2 x^2} (a + 2bx)}{2x^2} - \frac{1}{2} (ad^2 + 2c) \tanh^{-1}\left(\sqrt{1 - d^2 x^2}\right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*x + c\*x^2)/(x^3\*Sqrt[1 - d\*x]\*Sqrt[1 + d\*x]), x]

[Out] -1/2\*((a + 2\*b\*x)\*Sqrt[1 - d^2\*x^2])/x^2 - ((2\*c + a\*d^2)\*ArcTanh[Sqrt[1 - d^2\*x^2]])/2

**fricas** [A] time = 0.98, size = 65, normalized size = 0.92

$$\frac{(ad^2 + 2c)x^2 \log\left(\frac{\sqrt{dx+1} \sqrt{-dx+1} - 1}{x}\right) - (2bx + a)\sqrt{dx+1} \sqrt{-dx+1}}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)/x^3/(-d\*x+1)^(1/2)/(d\*x+1)^(1/2), x, algorithm="fricas")

[Out] 1/2\*((a\*d^2 + 2\*c)\*x^2\*log((sqrt(d\*x + 1)\*sqrt(-d\*x + 1) - 1)/x) - (2\*b\*x + a)\*sqrt(d\*x + 1)\*sqrt(-d\*x + 1))/x^2

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)/x^3/(-d\*x+1)^(1/2)/(d\*x+1)^(1/2),x, algorithm="giac")

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: Warning, choosing root of [1,0,-4,0,%%{4,[2,2]%%}] at parameters values [70,22] Warning, choosing root of [1,0,-4,0,%%{4,[2,2]%%}] at parameters values [42,56] 
$$\frac{1}{d}(-\frac{1}{2}(a d^3 + 2 c d) \ln(\frac{2 \sqrt{d x + 1}}{-2 \sqrt{-d x + 1} + 2 \sqrt{2}}) + 2 - \frac{1}{2}(-2 \sqrt{-d x + 1} + 2 \sqrt{2}) / \sqrt{d x + 1}) + \frac{1}{2}(a d^3 + 2 c d) \ln(\frac{2 \sqrt{d x + 1}}{-2 \sqrt{-d x + 1} + 2 \sqrt{2}}) - 2 - \frac{1}{2}(-2 \sqrt{-d x + 1} + 2 \sqrt{2}) / \sqrt{d x + 1}) - (2 a d^3 (2 \sqrt{d x + 1}) / (-2 \sqrt{-d x + 1} + 2 \sqrt{2}) - \frac{1}{2}(-2 \sqrt{-d x + 1} + 2 \sqrt{2}) / \sqrt{d x + 1})^3 - 4 b d^2 (2 \sqrt{d x + 1}) / (-2 \sqrt{-d x + 1} + 2 \sqrt{2}) - \frac{1}{2}(-2 \sqrt{-d x + 1} + 2 \sqrt{2}) / \sqrt{d x + 1})^3 + 8 a d^3 (2 \sqrt{d x + 1}) / (-2 \sqrt{-d x + 1} + 2 \sqrt{2}) - \frac{1}{2}(-2 \sqrt{-d x + 1} + 2 \sqrt{2}) / \sqrt{d x + 1}) + 16 b d^2 (2 \sqrt{d x + 1}) / (-2 \sqrt{-d x + 1} + 2 \sqrt{2}) - \frac{1}{2}(-2 \sqrt{-d x + 1} + 2 \sqrt{2}) / \sqrt{d x + 1}) / ((2 \sqrt{d x + 1}) / (-2 \sqrt{-d x + 1} + 2 \sqrt{2}) - \frac{1}{2}(-2 \sqrt{-d x + 1} + 2 \sqrt{2}) / \sqrt{d x + 1})^2 - 4)^2$$

**maple** [C] time = 0.00, size = 108, normalized size = 1.52

$$\frac{\sqrt{-dx+1} \sqrt{dx+1} \left( a d^2 x^2 \operatorname{arctanh}\left(\frac{1}{\sqrt{-d^2 x^2 + 1}}\right) + 2 c x^2 \operatorname{arctanh}\left(\frac{1}{\sqrt{-d^2 x^2 + 1}}\right) + 2 \sqrt{-d^2 x^2 + 1} b x + \sqrt{-d^2 x^2 + 1} a \right)}{2 \sqrt{-d^2 x^2 + 1} x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*x^2+b\*x+a)/x^3/(-d\*x+1)^(1/2)/(d\*x+1)^(1/2),x)

[Out] 
$$-\frac{1}{2}(-d x + 1)^{(1/2)}(d x + 1)^{(1/2)} \operatorname{csgn}(d)^2 (\operatorname{arctanh}(1/(-d^2 x^2 + 1)^{(1/2)})) x^2 + a d^2 + 2 \operatorname{arctanh}(1/(-d^2 x^2 + 1)^{(1/2)}) x^2 c + 2(-d^2 x^2 + 1)^{(1/2)} b x + (-d^2 x^2 + 1)^{(1/2)} a / (-d^2 x^2 + 1)^{(1/2)} / x^2$$

**maxima** [A] time = 1.28, size = 98, normalized size = 1.38

$$-\frac{1}{2} a d^2 \log\left(\frac{2 \sqrt{-d^2 x^2 + 1}}{|x|} + \frac{2}{|x|}\right) - c \log\left(\frac{2 \sqrt{-d^2 x^2 + 1}}{|x|} + \frac{2}{|x|}\right) - \frac{\sqrt{-d^2 x^2 + 1} b}{x} - \frac{\sqrt{-d^2 x^2 + 1} a}{2 x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)/x^3/(-d\*x+1)^(1/2)/(d\*x+1)^(1/2),x, algorithm="maxima")

[Out] 
$$-\frac{1}{2} a d^2 \log(2 \sqrt{-d^2 x^2 + 1} / \operatorname{abs}(x) + 2 / \operatorname{abs}(x)) - c \log(2 \sqrt{-d^2 x^2 + 1} / \operatorname{abs}(x) + 2 / \operatorname{abs}(x)) - \sqrt{-d^2 x^2 + 1} b / x - \frac{1}{2} \sqrt{-d^2 x^2 + 1} a / x^2$$

**mupad** [B] time = 6.30, size = 312, normalized size = 4.39

$$c \left( \ln\left(\frac{(\sqrt{1-dx}-1)^2}{(\sqrt{dx+1}-1)^2} - 1\right) - \ln\left(\frac{\sqrt{1-dx}-1}{\sqrt{dx+1}-1}\right) \right) - \frac{\frac{a d^2 (\sqrt{1-dx}-1)^2}{(\sqrt{dx+1}-1)^2} - \frac{a d^2}{2} + \frac{15 a d^2 (\sqrt{1-dx}-1)^4}{2 (\sqrt{dx+1}-1)^4}}{\frac{16 (\sqrt{1-dx}-1)^2}{(\sqrt{dx+1}-1)^2} - \frac{32 (\sqrt{1-dx}-1)^4}{(\sqrt{dx+1}-1)^4} + \frac{16 (\sqrt{1-dx}-1)^6}{(\sqrt{dx+1}-1)^6}} + \frac{a d^2 \ln\left(\frac{(\sqrt{1-dx}-1)}{(\sqrt{dx+1}-1)}\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*x + c\*x^2)/(x^3\*(1 - d\*x)^(1/2)\*(d\*x + 1)^(1/2)),x)

[Out] 
$$c * (\log(((1 - d x)^{(1/2)} - 1)^2 / ((d x + 1)^{(1/2)} - 1)^2 - 1) - \log(((1 - d x)^{(1/2)} - 1) / ((d x + 1)^{(1/2)} - 1))) - ((a d^2 ((1 - d x)^{(1/2)} - 1)^2) / ((d x + 1)^{(1/2)} - 1)^2 - (a d^2) / 2 + (15 a d^2 ((1 - d x)^{(1/2)} - 1)^4) / (2 * ((d x + 1)^{(1/2)} - 1)^4)) / ((16 * ((1 - d x)^{(1/2)} - 1)^2) / ((d x + 1)^{(1/2)} - 1)^2 - (32 * ((1 - d x)^{(1/2)} - 1)^4) / ((d x + 1)^{(1/2)} - 1)^4 + (16 * ((1 - d x)^{(1/2)} - 1)^6) / ((d x + 1)^{(1/2)} - 1)^6)$$

$$\frac{(1/2 - 1)^6}{((d*x + 1)^{1/2} - 1)^6} + (a*d^2*\log(((1 - d*x)^{1/2} - 1)^2 / ((d*x + 1)^{1/2} - 1)^2 - 1))/2 - (a*d^2*\log(((1 - d*x)^{1/2} - 1) / ((d*x + 1)^{1/2} - 1)))/2 - (b*(1 - d*x)^{1/2}*(d*x + 1)^{1/2})/x + (a*d^2*((1 - d*x)^{1/2} - 1)^2)/(32*((d*x + 1)^{1/2} - 1)^2)$$

**sympy** [C] time = 80.63, size = 218, normalized size = 3.07

$$\frac{iad^2G_{6,6}^{5,3} \left( \begin{matrix} \frac{7}{4}, \frac{9}{4}, 1 \\ \frac{3}{2}, \frac{7}{4}, 2, \frac{9}{4}, \frac{5}{2} \end{matrix} \middle| \begin{matrix} 2, 2, \frac{5}{2} \\ 0 \\ \frac{1}{d^2x^2} \end{matrix} \right)}{4\pi^{\frac{3}{2}}} - \frac{ad^2G_{6,6}^{2,6} \left( \begin{matrix} 1, \frac{5}{4}, \frac{3}{2}, \frac{7}{4}, 2, 1 \\ \frac{5}{4}, \frac{7}{4} \end{matrix} \middle| \begin{matrix} \frac{e^{-2i\pi}}{d^2x^2} \\ 1, \frac{3}{2}, \frac{3}{2}, 0 \end{matrix} \right)}{4\pi^{\frac{3}{2}}} + \frac{ibdG_{6,6}^{5,3} \left( \begin{matrix} \frac{5}{4}, \frac{7}{4}, 1 \\ \frac{3}{2}, \frac{3}{2}, 2 \end{matrix} \middle| \begin{matrix} \frac{1}{d^2x^2} \\ 1, \frac{5}{4}, \frac{3}{2}, \frac{7}{4}, 2, 0 \end{matrix} \right)}{4\pi^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x\*\*2+b\*x+a)/x\*\*3/(-d\*x+1)\*\*(1/2)/(d\*x+1)\*\*(1/2),x)

[Out] I\*a\*d\*\*2\*meijerg(((7/4, 9/4, 1), (2, 2, 5/2)), ((3/2, 7/4, 2, 9/4, 5/2), (0,)), 1/(d\*\*2\*x\*\*2))/(4\*pi\*\*(3/2)) - a\*d\*\*2\*meijerg(((1, 5/4, 3/2, 7/4, 2, 1), ()), ((5/4, 7/4), (1, 3/2, 3/2, 0)), exp\_polar(-2\*I\*pi)/(d\*\*2\*x\*\*2))/(4\*pi\*\*(3/2)) + I\*b\*d\*meijerg(((5/4, 7/4, 1), (3/2, 3/2, 2)), ((1, 5/4, 3/2, 7/4, 2), (0,)), 1/(d\*\*2\*x\*\*2))/(4\*pi\*\*(3/2)) + b\*d\*meijerg(((1/2, 3/4, 1, 5/4, 3/2, 1), ()), ((3/4, 5/4), (1/2, 1, 1, 0)), exp\_polar(-2\*I\*pi)/(d\*\*2\*x\*\*2))/(4\*pi\*\*(3/2)) + I\*c\*meijerg(((3/4, 5/4, 1), (1, 1, 3/2)), ((1/2, 3/4, 1, 5/4, 3/2), (0,)), 1/(d\*\*2\*x\*\*2))/(4\*pi\*\*(3/2)) - c\*meijerg(((0, 1/4, 1/2, 3/4, 1, 1), ()), ((1/4, 3/4), (0, 1/2, 1/2, 0)), exp\_polar(-2\*I\*pi)/(d\*\*2\*x\*\*2))/(4\*pi\*\*(3/2))

### 3.20 $\int \sqrt{a + bx} \sqrt{ac - bcx} (e + fx)^3 (A + Bx + Cx^2) dx$

**Optimal.** Leaf size=591

$$\frac{\sqrt{a + bx} (a^2 - b^2x^2) (e + fx)^2 \sqrt{ac - bcx} (8a^2Cf^2 - b^2(3Ce^2 - 7f(2Af + Be)))}{70b^4f} + \frac{x\sqrt{a + bx} \sqrt{ac - bcx} (A(6$$

```
[Out] 1/16*(A*(6*a^2*b^2*e*f^2+8*b^4*e^3)+a^2*(a^2*f^2*(B*f+3*C*e)+2*b^2*e^2*(3*B*f+C*e)))*x*(b*x+a)^(1/2)*(-b*c*x+a*c)^(1/2)/b^4-1/70*(8*a^2*C*f^2-b^2*(3*C*e^2-7*f*(2*A*f+B*e)))*(f*x+e)^2*(-b^2*x^2+a^2)*(b*x+a)^(1/2)*(-b*c*x+a*c)^(1/2)/b^4/f+1/42*(-7*B*f+3*C*e)*(f*x+e)^3*(-b^2*x^2+a^2)*(b*x+a)^(1/2)*(-b*c*x+a*c)^(1/2)/b^2/f-1/7*C*(f*x+e)^4*(-b^2*x^2+a^2)*(b*x+a)^(1/2)*(-b*c*x+a*c)^(1/2)/b^2/f-1/840*(64*a^4*C*f^4+16*a^2*b^2*f^2*(15*C*e^2+7*f*(A*f+3*B*e))-8*b^4*e^2*(3*C*e^2-7*f*(12*A*f+B*e))+3*b^2*f*(a^2*f^2*(35*B*f+41*C*e)-2*b^2*e*(3*C*e^2-7*f*(7*A*f+B*e)))*x*(-b^2*x^2+a^2)*(b*x+a)^(1/2)*(-b*c*x+a*c)^(1/2)/b^6/f+1/16*a^2*(A*(6*a^2*b^2*e*f^2+8*b^4*e^3)+a^2*(a^2*f^2*(B*f+3*C*e)+2*b^2*e^2*(3*B*f+C*e)))*arctan(b*x*c^(1/2)/(-b^2*c*x^2+a^2*c)^(1/2))*c^(1/2)*(b*x+a)^(1/2)*(-b*c*x+a*c)^(1/2)/b^5/(-b^2*c*x^2+a^2*c)^(1/2)
```

**Rubi [A]** time = 1.52, antiderivative size = 584, normalized size of antiderivative = 0.99, number of steps used = 8, number of rules used = 7, integrand size = 40,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.175$ , Rules used = {1610, 1654, 833, 780, 195, 217, 203}

$$\frac{\sqrt{a + bx} (a^2 - b^2x^2) (e + fx)^2 \sqrt{ac - bcx} \left(-\frac{8a^2Cf^2}{b^2} - 7f(2Af + Be) + 3Ce^2\right)}{70b^2f} - \frac{\sqrt{a + bx} (a^2 - b^2x^2) \sqrt{ac - bcx} (A(6$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)^3*(A + B*x + C*x^2), x]
```

```
[Out] ((a^4*f^2*(3*C*e + B*f) + 2*a^2*b^2*e^2*(C*e + 3*B*f) + A*(8*b^4*e^3 + 6*a^2*b^2*e*f^2))*x*Sqrt[a + b*x]*Sqrt[a*c - b*c*x])/(16*b^4) + ((3*C*e^2 - (8*a^2*C*f^2)/b^2 - 7*f*(B*e + 2*A*f))*Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)^2*(a^2 - b^2*x^2))/(70*b^2*f) + ((3*C*e - 7*B*f)*Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)^3*(a^2 - b^2*x^2))/(42*b^2*f) - (C*Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)^4*(a^2 - b^2*x^2))/(7*b^2*f) - (Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(8*(8*a^4*C*f^4 + 2*a^2*b^2*f^2*(15*C*e^2 + 7*f*(3*B*e + A*f)) - b^4*(3*C*e^4 - 7*e^2*f*(B*e + 12*A*f))) + 3*b^2*f*(a^2*f^2*(41*C*e + 35*B*f) - b^2*(6*C*e^3 - 14*e*f*(B*e + 7*A*f))))*x*(a^2 - b^2*x^2))/(840*b^6*f) + (a^2*Sqrt[c]*(a^4*f^2*(3*C*e + B*f) + 2*a^2*b^2*e^2*(C*e + 3*B*f) + A*(8*b^4*e^3 + 6*a^2*b^2*e*f^2))*Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*ArcTan[(b*Sqrt[c]*x)/Sqrt[a^2*c - b^2*c*x^2]])/(16*b^5*Sqrt[a^2*c - b^2*c*x^2])
```

#### Rule 195

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(x*(a + b*x^n)^p)/(n*p + 1), x] + Dist[(a*n*p)/(n*p + 1), Int[(a + b*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2*p] || (EqQ[n, 2] && IntegerQ[4*p]) || (EqQ[n, 2] && IntegerQ[3*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])
```

#### Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

#### Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

### Rule 780

```
Int[((d_) + (e_)*(x_))*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p_), x
_Symbol] := Simp[(((e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x)*(a + c*x^2)^(p
+ 1))/(2*c*(p + 1)*(2*p + 3)), x] - Dist[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p
+ 3)), Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !Le
Q[p, -1]
```

### Rule 833

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := Simp[(g*(d + e*x)^m*(a + c*x^2)^(p + 1))/(c*(m + 2*p + 2
), x] + Dist[1/(c*(m + 2*p + 2)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^p*Simp[
c*d*f*(m + 2*p + 2) - a*e*g*m + c*(e*f*(m + 2*p + 2) + d*g*m)*x, x], x]
/; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[m, 0] &
& NeQ[m + 2*p + 2, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p]
) && !(IGtQ[m, 0] && EqQ[f, 0])
```

### Rule 1610

```
Int[(Px_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_
_)*(x_))^(p_), x_Symbol] := Dist[((a + b*x)^FracPart[m]*(c + d*x)^FracPart[
m])/(a*c + b*d*x^2)^FracPart[m], Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x],
x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*
d, 0] && EqQ[m, n] && !IntegerQ[m]
```

### Rule 1654

```
Int[(Pq_)*((d_) + (e_)*(x_))^(m_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :
> With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x
)^(m + q - 1)*(a + c*x^2)^(p + 1))/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Di
st[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + c*x^2)^p*ExpandToSum[c
*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - f*(d + e*x)
^(q - 2)*(a*e^2*(m + q - 1) - c*d^2*(m + q + 2*p + 1) - 2*c*d*e*(m + q + p)
*x), x], x], x] /; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0]] /; FreeQ[{a, c, d,
e, m, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && !(EqQ[d, 0] && T
rue) && !(IGtQ[m, 0] && RationalQ[a, c, d, e] && (IntegerQ[p] || ILtQ[p +
1/2, 0]))
```

### Rubi steps



$$\begin{aligned}
\int \sqrt{a+bx} \sqrt{ac-bcx} (e+fx)^3 (A+Bx+Cx^2) dx &= \frac{(\sqrt{a+bx} \sqrt{ac-bcx}) \int (e+fx)^3 \sqrt{a^2c-b^2cx^2} (A+Bx) dx}{\sqrt{a^2c-b^2cx^2}} \\
&= -\frac{C\sqrt{a+bx} \sqrt{ac-bcx} (e+fx)^4 (a^2-b^2x^2)}{7b^2f} - \frac{(\sqrt{a+bx} \sqrt{ac-bcx}) \int (e+fx)^3 \sqrt{a^2c-b^2cx^2} dx}{7b^2f} \\
&= \frac{(3Ce-7Bf)\sqrt{a+bx} \sqrt{ac-bcx} (e+fx)^3 (a^2-b^2x^2)}{42b^2f} - \frac{(\sqrt{a+bx} \sqrt{ac-bcx}) \int (e+fx)^3 \sqrt{a^2c-b^2cx^2} dx}{70b^4f} \\
&= -\frac{(8a^2Cf^2 - b^2(3Ce^2 - 7f(Be + 2Af))) \sqrt{a+bx} \sqrt{ac-bcx}}{70b^4f} \\
&= -\frac{(8a^2Cf^2 - b^2(3Ce^2 - 7f(Be + 2Af))) \sqrt{a+bx} \sqrt{ac-bcx}}{70b^4f} \\
&= \frac{(a^4f^2(3Ce+Bf) + 2a^2b^2e^2(Ce+3Bf) + A(8b^4e^3 + 6ab^3e^2 + 3a^2b^2e)) \sqrt{a+bx} \sqrt{ac-bcx}}{16b^4} \\
&= \frac{(a^4f^2(3Ce+Bf) + 2a^2b^2e^2(Ce+3Bf) + A(8b^4e^3 + 6ab^3e^2 + 3a^2b^2e)) \sqrt{a+bx} \sqrt{ac-bcx}}{16b^4} \\
&= \frac{(a^4f^2(3Ce+Bf) + 2a^2b^2e^2(Ce+3Bf) + A(8b^4e^3 + 6ab^3e^2 + 3a^2b^2e)) \sqrt{a+bx} \sqrt{ac-bcx}}{16b^4}
\end{aligned}$$

**Mathematica [A]** time = 1.46, size = 427, normalized size = 0.72

$$\frac{\sqrt{c(a-bx)} \left( 210a^{5/2}b\sqrt{a-bx} \sqrt{\frac{bx}{a} + 1} \sin^{-1} \left( \frac{\sqrt{a-bx}}{\sqrt{2}\sqrt{a}} \right) (a^4f^2(Bf+3Ce) + A(6a^2b^2ef^2 + 8b^4e^3) + 2a^2b^2e^2(3Bf + 2Ae)) \right)}{16b^4}$$

Antiderivative was successfully verified.

```

[In] Integrate[Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)^3*(A + B*x + C*x^2), x]
[Out] (Sqrt[c*(a - b*x)]*((a^2 - b^2*x^2)*(128*a^6*C*f^3 + a^4*b^2*f*(7*f*(96*B*e
+ 32*A*f + 15*B*f*x) + C*(672*e^2 + 315*e*f*x + 64*f^2*x^2)) + 2*a^2*b^4*(
7*A*f*(120*e^2 + 45*e*f*x + 8*f^2*x^2) + 7*B*(40*e^3 + 45*e^2*f*x + 24*e*f^
2*x^2 + 5*f^3*x^3) + 3*C*x*(35*e^3 + 56*e^2*f*x + 35*e*f^2*x^2 + 8*f^3*x^3)
) - 4*b^6*x*(21*A*(10*e^3 + 20*e^2*f*x + 15*e*f^2*x^2 + 4*f^3*x^3) + x*(7*B
*(20*e^3 + 45*e^2*f*x + 36*e*f^2*x^2 + 10*f^3*x^3) + 3*C*x*(35*e^3 + 84*e^2
*f*x + 70*e*f^2*x^2 + 20*f^3*x^3)))) + 210*a^(5/2)*b*(a^4*f^2*(3*C*e + B*f)
+ 2*a^2*b^2*e^2*(C*e + 3*B*f) + A*(8*b^4*e^3 + 6*a^2*b^2*e*f^2))*Sqrt[a -
b*x]*Sqrt[1 + (b*x)/a]*ArcSin[Sqrt[a - b*x]/(Sqrt[2]*Sqrt[a])])/(1680*b^6*
(-a + b*x)*Sqrt[a + b*x])

```

**fricas [A]** time = 1.04, size = 1001, normalized size = 1.69

$$\frac{105 \left( 6Ba^4b^3e^2f + Ba^6bf^3 + 2(Ca^4b^3 + 4Aa^2b^5)e^3 + 3(Ca^6b + 2Aa^4b^3)ef^2 \right) \sqrt{-c} \log \left( 2b^2cx^2 + 2\sqrt{-bcx} + \dots \right)}{16b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((f*x+e)^3*(C*x^2+B*x+A)*(b*x+a)^(1/2)*(-b*c*x+a*c)^(1/2), x, algor
ithm="fricas")

```

```
[Out] [1/3360*(105*(6*B*a^4*b^3*e^2*f + B*a^6*b*f^3 + 2*(C*a^4*b^3 + 4*A*a^2*b^5)
*e^3 + 3*(C*a^6*b + 2*A*a^4*b^3)*e*f^2)*sqrt(-c)*log(2*b^2*c*x^2 + 2*sqrt(-
b*c*x + a*c)*sqrt(b*x + a)*b*sqrt(-c)*x - a^2*c) + 2*(240*C*b^6*f^3*x^6 - 5
60*B*a^2*b^4*e^3 - 672*B*a^4*b^2*e*f^2 + 280*(3*C*b^6*e*f^2 + B*b^6*f^3)*x^
5 + 48*(21*C*b^6*e^2*f + 21*B*b^6*e*f^2 - (C*a^2*b^4 - 7*A*b^6)*f^3)*x^4 -
336*(2*C*a^4*b^2 + 5*A*a^2*b^4)*e^2*f - 32*(4*C*a^6 + 7*A*a^4*b^2)*f^3 + 70
*(6*C*b^6*e^3 + 18*B*b^6*e^2*f - B*a^2*b^4*f^3 - 3*(C*a^2*b^4 - 6*A*b^6)*e*
f^2)*x^3 + 16*(35*B*b^6*e^3 - 21*B*a^2*b^4*e*f^2 - 21*(C*a^2*b^4 - 5*A*b^6)
*e^2*f - (4*C*a^4*b^2 + 7*A*a^2*b^4)*f^3)*x^2 - 105*(6*B*a^2*b^4*e^2*f + B*
a^4*b^2*f^3 + 2*(C*a^2*b^4 - 4*A*b^6)*e^3 + 3*(C*a^4*b^2 + 2*A*a^2*b^4)*e*f
^2)*x)*sqrt(-b*c*x + a*c)*sqrt(b*x + a))/b^6, -1/1680*(105*(6*B*a^4*b^3*e^2
*f + B*a^6*b*f^3 + 2*(C*a^4*b^3 + 4*A*a^2*b^5)*e^3 + 3*(C*a^6*b + 2*A*a^4*b
^3)*e*f^2)*sqrt(c)*arctan(sqrt(-b*c*x + a*c)*sqrt(b*x + a)*b*sqrt(c)*x/(b^2
*c*x^2 - a^2*c)) - (240*C*b^6*f^3*x^6 - 560*B*a^2*b^4*e^3 - 672*B*a^4*b^2*e
*f^2 + 280*(3*C*b^6*e*f^2 + B*b^6*f^3)*x^5 + 48*(21*C*b^6*e^2*f + 21*B*b^6*
e*f^2 - (C*a^2*b^4 - 7*A*b^6)*f^3)*x^4 - 336*(2*C*a^4*b^2 + 5*A*a^2*b^4)*e^
2*f - 32*(4*C*a^6 + 7*A*a^4*b^2)*f^3 + 70*(6*C*b^6*e^3 + 18*B*b^6*e^2*f - B
*a^2*b^4*f^3 - 3*(C*a^2*b^4 - 6*A*b^6)*e*f^2)*x^3 + 16*(35*B*b^6*e^3 - 21*B
*a^2*b^4*e*f^2 - 21*(C*a^2*b^4 - 5*A*b^6)*e^2*f - (4*C*a^4*b^2 + 7*A*a^2*b^
4)*f^3)*x^2 - 105*(6*B*a^2*b^4*e^2*f + B*a^4*b^2*f^3 + 2*(C*a^2*b^4 - 4*A*b
^6)*e^3 + 3*(C*a^4*b^2 + 2*A*a^2*b^4)*e*f^2)*x)*sqrt(-b*c*x + a*c)*sqrt(b*x
+ a))/b^6]
```

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^3*(C*x^2+B*x+A)*(b*x+a)^(1/2)*(-b*c*x+a*c)^(1/2),x, algor
ithm="giac")
```

[Out] Timed out

**maple** [B] time = 0.04, size = 1446, normalized size = 2.45

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f*x+e)^3*(C*x^2+B*x+A)*(b*x+a)^(1/2)*(-b*c*x+a*c)^(1/2),x)
```

```
[Out] 1/1680*(b*x+a)^(1/2)*(-c*(b*x-a))^(1/2)*(-630*B*(b^2*c)^(1/2)*(-(b^2*x^2-a^
2)*c)^(1/2)*x*a^2*b^4*e^2*f+105*B*arctan((b^2*c)^(1/2)*x/(-(b^2*x^2-a^2)*c)
^(1/2)))*a^6*b^2*c*f^3+240*C*x^6*b^6*f^3*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1
/2)+280*B*x^5*b^6*f^3*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)+336*A*x^4*b^6*
f^3*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)+420*C*x^3*b^6*e^3*(b^2*c)^(1/2)*
(-(b^2*x^2-a^2)*c)^(1/2)+560*B*x^2*b^6*e^3*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)
^(1/2)-224*A*a^4*b^2*f^3*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)-560*B*a^2*b
^4*e^3*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)+210*C*arctan((b^2*c)^(1/2)*x/
(-(b^2*x^2-a^2)*c)^(1/2))*a^4*b^4*c*e^3+840*A*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)
*c)^(1/2)*x*b^6*e^3+840*A*arctan((b^2*c)^(1/2)*x/(-(b^2*x^2-a^2)*c)^(1/2))*
a^2*b^6*c*e^3-128*C*a^6*f^3*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)-112*A*x^
2*a^2*b^4*f^3*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)+1680*A*x^2*b^6*e^2*f*(
b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)-64*C*x^2*a^4*b^2*f^3*(b^2*c)^(1/2)*(-
(b^2*x^2-a^2)*c)^(1/2)-1680*A*a^2*b^4*e^2*f*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)
^(1/2)-672*B*a^4*b^2*e*f^2*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)-672*C*a^
4*b^2*e^2*f*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)+630*A*arctan((b^2*c)^(1/
2)*x/(-(b^2*x^2-a^2)*c)^(1/2))*a^4*b^4*c*e^2*f+630*B*arctan((b^2*c)^(1/2)*x
/(-(b^2*x^2-a^2)*c)^(1/2))*a^4*b^4*c*e^2*f-105*B*(b^2*c)^(1/2)*(-(b^2*x^2-a
^2)*c)^(1/2)*x*a^4*b^2*f^3-210*C*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*x*a
```

$$\begin{aligned} &^2*b^4*e^3+1008*C*x^4*b^6*e^2*f*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}+1260 \\ &*A*x^3*b^6*e*f^2*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}-70*B*x^3*a^2*b^4*f^3 \\ &*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}+1260*B*x^3*b^6*e^2*f*(b^2*c)^{(1/2)} \\ &*(-(b^2*x^2-a^2)*c)^{(1/2)}-315*C*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*x*a^4 \\ &*b^2*e*f^2-630*A*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*x*a^2*b^4*e*f^2-21 \\ &0*C*x^3*a^2*b^4*e*f^2*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}-336*B*x^2*a^2* \\ &b^4*e*f^2*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}-336*C*x^2*a^2*b^4*e^2*f*(b \\ &^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}+315*C*arctan((b^2*c)^{(1/2)}*x/(-(b^2*x^2 \\ &-a^2)*c)^{(1/2)})*a^6*b^2*c*e*f^2+840*C*x^5*b^6*e*f^2*(b^2*c)^{(1/2)}*(-(b^2*x \\ &^2-a^2)*c)^{(1/2)}+1008*B*x^4*b^6*e*f^2*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)} \\ &-48*C*x^4*a^2*b^4*f^3*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)})/(-(b^2*x^2-a \\ &^2)*c)^{(1/2)}/b^6/(b^2*c)^{(1/2)} \end{aligned}$$

**maxima** [A] time = 1.46, size = 584, normalized size = 0.99

$$-\frac{(-b^2cx^2 + a^2c)^{\frac{3}{2}}Cf^3x^4}{7b^2c} + \frac{Aa^2\sqrt{c}e^3 \arcsin\left(\frac{bx}{a}\right)}{2b} + \frac{1}{2}\sqrt{-b^2cx^2 + a^2c}Ae^3x - \frac{4(-b^2cx^2 + a^2c)^{\frac{3}{2}}Ca^2f^3x^2}{35b^4c} + \frac{(3Cef^3x^2 + Aa^2e^3x^2)}{35b^4c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x+e)^3\*(C\*x^2+B\*x+A)\*(b\*x+a)^(1/2)\*(-b\*c\*x+a\*c)^(1/2),x, algorithm="maxima")

[Out] 
$$\begin{aligned} &-1/7*(-b^2*c*x^2 + a^2*c)^{(3/2)}*C*f^3*x^4/(b^2*c) + 1/2*A*a^2*\sqrt{c}*e^3*a \\ &\arcsin(b*x/a)/b + 1/2*\sqrt{-b^2*c*x^2 + a^2*c}*A*e^3*x - 4/35*(-b^2*c*x^2 + \\ &a^2*c)^{(3/2)}*C*a^2*f^3*x^2/(b^4*c) + 1/16*(3*C*e*f^2 + B*f^3)*a^6*\sqrt{c}*a \\ &\arcsin(b*x/a)/b^5 + 1/8*(C*e^3 + 3*B*e^2*f + 3*A*e*f^2)*a^4*\sqrt{c}*arcsin(b \\ &*x/a)/b^3 - 1/3*(-b^2*c*x^2 + a^2*c)^{(3/2)}*B*e^3/(b^2*c) - (-b^2*c*x^2 + a^2 \\ &^2*c)^{(3/2)}*A*e^2*f/(b^2*c) - 8/105*(-b^2*c*x^2 + a^2*c)^{(3/2)}*C*a^4*f^3/(b^6 \\ &^6*c) + 1/16*\sqrt{-b^2*c*x^2 + a^2*c}*(3*C*e*f^2 + B*f^3)*a^4*x/b^4 + 1/8*\sqrt{ \\ &rt(-b^2*c*x^2 + a^2*c)}*(C*e^3 + 3*B*e^2*f + 3*A*e*f^2)*a^2*x/b^2 - 1/6*(-b^2 \\ &^2*c*x^2 + a^2*c)^{(3/2)}*(3*C*e*f^2 + B*f^3)*x^3/(b^2*c) - 1/5*(-b^2*c*x^2 + \\ &a^2*c)^{(3/2)}*(3*C*e^2*f + 3*B*e*f^2 + A*f^3)*x^2/(b^2*c) - 1/8*(-b^2*c*x^2 \\ &+ a^2*c)^{(3/2)}*(3*C*e*f^2 + B*f^3)*a^2*x/(b^4*c) - 1/4*(-b^2*c*x^2 + a^2*c) \\ &^{(3/2)}*(C*e^3 + 3*B*e^2*f + 3*A*e*f^2)*x/(b^2*c) - 2/15*(-b^2*c*x^2 + a^2*c) \\ &^{(3/2)}*(3*C*e^2*f + 3*B*e*f^2 + A*f^3)*a^2/(b^4*c) \end{aligned}$$

**mupad** [F(-1)] time = 0.00, size = -1, normalized size = -0.00

Hanged

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e + f\*x)^3\*(a\*c - b\*c\*x)^(1/2)\*(a + b\*x)^(1/2)\*(A + B\*x + C\*x^2),x)

[Out] \text{Hanged}

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x+e)\*\*3\*(C\*x\*\*2+B\*x+A)\*(b\*x+a)\*\*(1/2)\*(-b\*c\*x+a\*c)\*\*(1/2),x)

[Out] Timed out

### 3.21 $\int \sqrt{a + bx} \sqrt{ac - bcx} (e + fx)^2 (A + Bx + Cx^2) dx$

**Optimal.** Leaf size=451

$$\frac{\sqrt{a + bx} (a^2 - b^2x^2) \sqrt{ac - bcx} (3fx (5a^2Cf^2 - b^2 (2Ce^2 - 2f(5Af + 2Be))) + 8 (2a^2f^2(Bf + 2Ce) - b^2e (Ce^2 - b^2x^2)))}{120b^4f}$$

[Out] 1/16\*(2\*A\*(a^2\*b^2\*f^2+4\*b^4\*e^2)+a^2\*(a^2\*C\*f^2+2\*b^2\*e\*(2\*B\*f+C\*e)))\*x\*(b\*x+a)^(1/2)\*(-b\*c\*x+a\*c)^(1/2)/b^4+1/10\*(-2\*B\*f+C\*e)\*(f\*x+e)^2\*(-b^2\*x^2+a^2)\*(b\*x+a)^(1/2)\*(-b\*c\*x+a\*c)^(1/2)/b^2/f-1/6\*C\*(f\*x+e)^3\*(-b^2\*x^2+a^2)\*(b\*x+a)^(1/2)\*(-b\*c\*x+a\*c)^(1/2)/b^2/f-1/120\*(16\*a^2\*f^2\*(B\*f+2\*C\*e)-8\*b^2\*e\*(C\*e^2-2\*f\*(5\*A\*f+B\*e))+3\*f\*(5\*a^2\*C\*f^2-b^2\*(2\*C\*e^2-2\*f\*(5\*A\*f+2\*B\*e))))\*x\*(-b^2\*x^2+a^2)\*(b\*x+a)^(1/2)\*(-b\*c\*x+a\*c)^(1/2)/b^4/f+1/16\*a^2\*(2\*A\*(a^2\*b^2\*f^2+4\*b^4\*e^2)+a^2\*(a^2\*C\*f^2+2\*b^2\*e\*(2\*B\*f+C\*e)))\*arctan(b\*x\*c^(1/2)/(-b^2\*c\*x^2+a^2\*c)^(1/2))\*c^(1/2)\*(b\*x+a)^(1/2)\*(-b\*c\*x+a\*c)^(1/2)/b^5/(-b^2\*c\*x^2+a^2\*c)^(1/2)

**Rubi [A]** time = 1.01, antiderivative size = 450, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 40,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.175$ , Rules used = {1610, 1654, 833, 780, 195, 217, 203}

$$\frac{\sqrt{a + bx} (a^2 - b^2x^2) \sqrt{ac - bcx} (3fx (5a^2Cf^2 - b^2 (2Ce^2 - 2f(5Af + 2Be))) + 8 (2a^2f^2(Bf + 2Ce) - \frac{1}{8}b^2 (8Ce^2 - b^2x^2)))}{120b^4f}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + b\*x]\*Sqrt[a\*c - b\*c\*x]\*(e + f\*x)^2\*(A + B\*x + C\*x^2), x]

[Out] ((a^4\*C\*f^2 + 2\*a^2\*b^2\*e\*(C\*e + 2\*B\*f) + 2\*A\*(4\*b^4\*e^2 + a^2\*b^2\*f^2))\*x\*Sqrt[a + b\*x]\*Sqrt[a\*c - b\*c\*x])/(16\*b^4) + ((C\*e - 2\*B\*f)\*Sqrt[a + b\*x]\*Sqrt[a\*c - b\*c\*x]\*(e + f\*x)^2\*(a^2 - b^2\*x^2))/(10\*b^2\*f) - (C\*Sqrt[a + b\*x]\*Sqrt[a\*c - b\*c\*x]\*(e + f\*x)^3\*(a^2 - b^2\*x^2))/(6\*b^2\*f) - (Sqrt[a + b\*x]\*Sqrt[a\*c - b\*c\*x]\*(8\*(2\*a^2\*f^2\*(2\*C\*e + B\*f) - (b^2\*(8\*C\*e^3 - 16\*e\*f\*(B\*e + 5\*A\*f))))/8) + 3\*f\*(5\*a^2\*C\*f^2 - b^2\*(2\*C\*e^2 - 2\*f\*(2\*B\*e + 5\*A\*f)))\*x\*(a^2 - b^2\*x^2))/(120\*b^4\*f) + (a^2\*Sqrt[c]\*(a^4\*C\*f^2 + 2\*a^2\*b^2\*e\*(C\*e + 2\*B\*f) + 2\*A\*(4\*b^4\*e^2 + a^2\*b^2\*f^2))\*Sqrt[a + b\*x]\*Sqrt[a\*c - b\*c\*x]\*ArcTan[(b\*Sqrt[c]\*x)/Sqrt[a^2\*c - b^2\*c\*x^2]])/(16\*b^5\*Sqrt[a^2\*c - b^2\*c\*x^2])

#### Rule 195

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x\*(a + b\*x^n)^p)/(n\*p + 1), x] + Dist[(a\*n\*p)/(n\*p + 1), Int[(a + b\*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2\*p] || (EqQ[n, 2] && IntegerQ[4\*p]) || (EqQ[n, 2] && IntegerQ[3\*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

#### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[Rt[b, 2]\*x]/Rt[a, 2])]/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 780

```
Int[((d_.) + (e_.)*(x_.))*((f_.) + (g_.)*(x_.))*((a_) + (c_.)*(x_)^2)^(p_), x
_Symbol] := Simp[(((e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x)*(a + c*x^2)^(p
+ 1))/(2*c*(p + 1)*(2*p + 3)), x] - Dist[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p
+ 3)), Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !Le
Q[p, -1]
```

Rule 833

```
Int[((d_.) + (e_.)*(x_.))^(m_)*((f_.) + (g_.)*(x_.))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Simp[(g*(d + e*x)^m*(a + c*x^2)^(p + 1))/(c*(m + 2*p + 2)
), x] + Dist[1/(c*(m + 2*p + 2)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^p*Simp[
c*d*f*(m + 2*p + 2) - a*e*g*m + c*(e*f*(m + 2*p + 2) + d*g*m)*x, x], x]
/; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[m, 0] &
& NeQ[m + 2*p + 2, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p]
) && !(IGtQ[m, 0] && EqQ[f, 0])
```

Rule 1610

```
Int[(Px_)*((a_.) + (b_.)*(x_.))^(m_)*((c_.) + (d_.)*(x_.))^(n_)*((e_.) + (f_.
.)*(x_.))^(p_.), x_Symbol] := Dist[((a + b*x)^FracPart[m]*(c + d*x)^FracPart[
m])/(a*c + b*d*x^2)^FracPart[m], Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x],
x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*
d, 0] && EqQ[m, n] && !IntegerQ[m]
```

Rule 1654

```
Int[(Pq_)*((d_.) + (e_.)*(x_.))^(m_.)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] :
> With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x)
)^(m + q - 1)*(a + c*x^2)^(p + 1))/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Di
st[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + c*x^2)^p*ExpandToSum[c
*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - f*(d + e*x)
^(q - 2)*(a*e^2*(m + q - 1) - c*d^2*(m + q + 2*p + 1) - 2*c*d*e*(m + q + p)
*x), x], x], x] /; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0] /; FreeQ[{a, c, d,
e, m, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && !(EqQ[d, 0] && T
rue) && !(IGtQ[m, 0] && RationalQ[a, c, d, e] && (IntegerQ[p] || ILtQ[p +
1/2, 0]))
```

Rubi steps



$$2*b^3*e*f + 2*(C*a^2*b^3 - 4*A*b^5)*e^2 + (C*a^4*b + 2*A*a^2*b^3)*f^2)*x)*\sqrt{-b*c*x + a*c}*\sqrt{b*x + a})/b^5, -1/240*(15*(4*B*a^4*b^2*e*f + 2*(C*a^4*b^2 + 4*A*a^2*b^4)*e^2 + (C*a^6 + 2*A*a^4*b^2)*f^2)*\sqrt{c}*\arctan(\sqrt{-b*c*x + a*c}*\sqrt{b*x + a})*b*\sqrt{c})*x/(b^2*c*x^2 - a^2*c)) - (40*C*b^5*f^2*x^5 - 80*B*a^2*b^3*e^2 - 32*B*a^4*b*f^2 + 48*(2*C*b^5*e*f + B*b^5*f^2)*x^4 + 10*(6*C*b^5*e^2 + 12*B*b^5*e*f - (C*a^2*b^3 - 6*A*b^5)*f^2)*x^3 - 32*(2*C*a^4*b + 5*A*a^2*b^3)*e*f + 16*(5*B*b^5*e^2 - B*a^2*b^3*f^2 - 2*(C*a^2*b^3 - 5*A*b^5)*e*f)*x^2 - 15*(4*B*a^2*b^3*e*f + 2*(C*a^2*b^3 - 4*A*b^5)*e^2 + (C*a^4*b + 2*A*a^2*b^3)*f^2)*x)*\sqrt{-b*c*x + a*c}*\sqrt{b*x + a})/b^5]$$

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x+e)^2\*(C\*x^2+B\*x+A)\*(b\*x+a)^(1/2)\*(-b\*c\*x+a\*c)^(1/2), x, algorith="giac")

[Out] Timed out

**maple** [B] time = 0.02, size = 987, normalized size = 2.19

$$\sqrt{bx+a} \sqrt{-(bx-a)c} \left( 40\sqrt{-(b^2x^2-a^2)c} \sqrt{b^2c} C b^4 f^2 x^5 + 30A a^4 b^2 c f^2 \arctan\left(\frac{\sqrt{b^2c} x}{\sqrt{-(b^2x^2-a^2)c}}\right) + 120A a^2 b^2 c \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f\*x+e)^2\*(C\*x^2+B\*x+A)\*(b\*x+a)^(1/2)\*(-b\*c\*x+a\*c)^(1/2), x)

[Out] 
$$\frac{1}{240}(b*x+a)^{(1/2)}*(-(b*x-a)*c)^{(1/2)}*(40*C*x^5*b^4*f^2*(-(b^2*x^2-a^2)*c)^{(1/2)}*(b^2*c)^{(1/2)}+48*B*x^4*b^4*f^2*(-(b^2*x^2-a^2)*c)^{(1/2)}*(b^2*c)^{(1/2)}+60*A*x^3*b^4*f^2*(-(b^2*x^2-a^2)*c)^{(1/2)}*(b^2*c)^{(1/2)}+60*C*x^3*b^4*e^2*(-(b^2*x^2-a^2)*c)^{(1/2)}*(b^2*c)^{(1/2)}+80*B*x^2*b^4*e^2*(-(b^2*x^2-a^2)*c)^{(1/2)}*(b^2*c)^{(1/2)}-80*B*a^2*b^2*e^2*(-(b^2*x^2-a^2)*c)^{(1/2)}*(b^2*c)^{(1/2)}-60*B*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*x*a^2*b^2*e*f+15*C*\arctan((b^2*c)^{(1/2)}/(-(b^2*x^2-a^2)*c)^{(1/2)})*x)*a^6*c*f^2-32*B*a^4*f^2*(-(b^2*x^2-a^2)*c)^{(1/2)}*(b^2*c)^{(1/2)}-64*C*a^4*e*f*(-(b^2*x^2-a^2)*c)^{(1/2)}*(b^2*c)^{(1/2)}+30*A*\arctan((b^2*c)^{(1/2)}/(-(b^2*x^2-a^2)*c)^{(1/2)})*x)*a^4*b^2*c*f^2+120*A*\arctan((b^2*c)^{(1/2)}/(-(b^2*x^2-a^2)*c)^{(1/2)})*x)*a^2*b^4*c*e^2+30*C*\arctan((b^2*c)^{(1/2)}/(-(b^2*x^2-a^2)*c)^{(1/2)})*x)*a^4*b^2*c*e^2+120*A*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*x*b^4*e^2-15*C*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*x*a^4*f^2-32*C*x^2*a^2*b^2*e*f*(-(b^2*x^2-a^2)*c)^{(1/2)}*(b^2*c)^{(1/2)}-30*A*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*x*a^2*b^2*f^2-30*C*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*x*a^2*b^2*e^2-10*C*x^3*a^2*b^2*f^2*(-(b^2*x^2-a^2)*c)^{(1/2)}*(b^2*c)^{(1/2)}+160*A*x^2*b^4*e*f*(-(b^2*x^2-a^2)*c)^{(1/2)}*(b^2*c)^{(1/2)}-16*B*x^2*a^2*b^2*f^2*(-(b^2*x^2-a^2)*c)^{(1/2)}*(b^2*c)^{(1/2)}-160*A*a^2*b^2*e*f*(-(b^2*x^2-a^2)*c)^{(1/2)}*(b^2*c)^{(1/2)}+60*B*\arctan((b^2*c)^{(1/2)}/(-(b^2*x^2-a^2)*c)^{(1/2)})*x)*a^4*b^2*c*e*f+96*C*x^4*b^4*e*f*(-(b^2*x^2-a^2)*c)^{(1/2)}*(b^2*c)^{(1/2)}+120*B*x^3*b^4*e*f*(-(b^2*x^2-a^2)*c)^{(1/2)}*(b^2*c)^{(1/2)}/(-(b^2*x^2-a^2)*c)^{(1/2)}/b^4/(b^2*c)^{(1/2)}$$

**maxima** [A] time = 2.07, size = 417, normalized size = 0.92

$$\frac{Aa^2\sqrt{c}e^2\arcsin\left(\frac{bx}{a}\right)}{2b} + \frac{Ca^6\sqrt{c}f^2\arcsin\left(\frac{bx}{a}\right)}{16b^5} + \frac{1}{2}\sqrt{-b^2cx^2+a^2c}Ae^2x + \frac{\sqrt{-b^2cx^2+a^2c}Ca^4f^2x}{16b^4} - \frac{(-b^2cx^2+a^2c)}{6b^2c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x+e)^2\*(C\*x^2+B\*x+A)\*(b\*x+a)^(1/2)\*(-b\*c\*x+a\*c)^(1/2),x, algorithm="maxima")

[Out]  $\frac{1}{2}Aa^2\sqrt{c}e^2\arcsin(bx/a)/b + \frac{1}{16}Ca^6\sqrt{c}f^2\arcsin(bx/a)/b^5 + \frac{1}{2}\sqrt{-b^2cx^2 + a^2c}Ae^{2x} + \frac{1}{16}\sqrt{-b^2cx^2 + a^2c}Cf^2x^3/(b^2c) + \frac{1}{8}(Ce^2 + 2Be^2f + Af^2)a^4\sqrt{c}\arcsin(bx/a)/b^3 + \frac{1}{8}\sqrt{-b^2cx^2 + a^2c}(Ce^2 + 2Be^2f + Af^2)a^2x/b^2 - \frac{1}{8}(-b^2cx^2 + a^2c)^{3/2}Ca^2f^2x/(b^4c) - \frac{1}{3}(-b^2cx^2 + a^2c)^{3/2}Be^2/(b^2c) - \frac{2}{3}(-b^2cx^2 + a^2c)^{3/2}Ae^2f/(b^2c) - \frac{1}{5}(-b^2cx^2 + a^2c)^{3/2}(2Ce^2f + Bf^2)x^2/(b^2c) - \frac{1}{4}(-b^2cx^2 + a^2c)^{3/2}(Ce^2 + 2Be^2f + Af^2)x/(b^2c) - \frac{2}{15}(-b^2cx^2 + a^2c)^{3/2}(2Ce^2f + Bf^2)a^2/(b^4c)$

**mupad** [F(-1)] time = 0.00, size = -1, normalized size = -0.00

Hanged

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e + f\*x)^2\*(a\*c - b\*c\*x)^(1/2)\*(a + b\*x)^(1/2)\*(A + B\*x + C\*x^2),x)

[Out] \text{Hanged}

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x+e)\*\*2\*(C\*x\*\*2+B\*x+A)\*(b\*x+a)\*\*(1/2)\*(-b\*c\*x+a\*c)\*\*(1/2),x)

[Out] Timed out



### 3.22 $\int \sqrt{a+bx} \sqrt{ac-bcx} (e+fx) (A+Bx+Cx^2) dx$

**Optimal.** Leaf size=300

$$\frac{x\sqrt{a+bx} \sqrt{ac-bcx} (a^2(Bf+Ce) + 4Ab^2e)}{8b^2} - \frac{\sqrt{a+bx} (a^2 - b^2x^2) \sqrt{ac-bcx} (4(2a^2Cf^2 - b^2(3Ce^2 - 5f(Af+Be))) - 3b^2fx(3Ce - 5Bf))}{60b^4f} + \frac{a^2\sqrt{c}\sqrt{a+bx}}{60b^4f}$$

[Out]  $\frac{1}{8}*(4*A*b^2*e+a^2*(B*f+C*e))*x*(b*x+a)^{(1/2)}*(-b*c*x+a*c)^{(1/2)}/b^2-1/5*C*(f*x+e)^2*(-b^2*x^2+a^2)*(b*x+a)^{(1/2)}*(-b*c*x+a*c)^{(1/2)}/b^2/f-1/60*(8*a^2*C*f^2-4*b^2*(3*C*e^2-5*f*(A*f+B*e))-3*b^2*f*(-5*B*f+3*C*e)*x)*(-b^2*x^2+a^2)*(b*x+a)^{(1/2)}*(-b*c*x+a*c)^{(1/2)}/b^4/f+1/8*a^2*(4*A*b^2*e+a^2*(B*f+C*e))*\arctan(b*x*c^{(1/2)}/(-b^2*c*x^2+a^2*c)^{(1/2)})*c^{(1/2)}*(b*x+a)^{(1/2)}*(-b*c*x+a*c)^{(1/2)}/b^3/(-b^2*c*x^2+a^2*c)^{(1/2)}$

**Rubi [A]** time = 0.45, antiderivative size = 297, normalized size of antiderivative = 0.99, number of steps used = 6, number of rules used = 6, integrand size = 38,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$ , Rules used = {1610, 1654, 780, 195, 217, 203}

$$\frac{\sqrt{a+bx} (a^2 - b^2x^2) \sqrt{ac-bcx} (4(2a^2Cf^2 - b^2(3Ce^2 - 5f(Af+Be))) - 3b^2fx(3Ce - 5Bf))}{60b^4f} + \frac{a^2\sqrt{c}\sqrt{a+bx}}{60b^4f}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + b\*x]\*Sqrt[a\*c - b\*c\*x]\*(e + f\*x)\*(A + B\*x + C\*x^2), x]

[Out]  $((4*A*e + (a^2*(C*e + B*f))/b^2)*x*\text{Sqrt}[a + b*x]*\text{Sqrt}[a*c - b*c*x])/8 - (C*\text{Sqrt}[a + b*x]*\text{Sqrt}[a*c - b*c*x]*(e + f*x)^2*(a^2 - b^2*x^2))/(5*b^2*f) - (\text{Sqrt}[a + b*x]*\text{Sqrt}[a*c - b*c*x]*(4*(2*a^2*C*f^2 - b^2*(3*C*e^2 - 5*f*(B*e + A*f))) - 3*b^2*f*(3*C*e - 5*B*f)*x)*(a^2 - b^2*x^2))/(60*b^4*f) + (a^2*\text{Sqrt}[c]*(4*A*b^2*e + a^2*(C*e + B*f))*\text{Sqrt}[a + b*x]*\text{Sqrt}[a*c - b*c*x]*\text{ArcTan}[(b*\text{Sqrt}[c]*x)/\text{Sqrt}[a^2*c - b^2*c*x^2]])/(8*b^3*\text{Sqrt}[a^2*c - b^2*c*x^2])$

#### Rule 195

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x\*(a + b\*x^n)^p)/(n\*p + 1), x] + Dist[(a\*n\*p)/(n\*p + 1), Int[(a + b\*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2\*p] || (EqQ[n, 2] && IntegerQ[4\*p]) || (EqQ[n, 2] && IntegerQ[3\*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

#### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

#### Rule 780

Int[((d\_) + (e\_.)\*(x\_))\*((f\_) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((e\*f + d\*g)\*(2\*p + 3) + 2\*e\*g\*(p + 1)\*x)\*(a + c\*x^2)^(p + 1)/(2\*c\*(p + 1)\*(2\*p + 3)), x] - Dist[(a\*e\*g - c\*d\*f\*(2\*p + 3))/(c\*(2\*p + 3)), Int[(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !LeQ[p, -1]

Rule 1610

```
Int[(Px_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_
)*(x_))^(p_), x_Symbol] := Dist[((a + b*x)^FracPart[m]*(c + d*x)^FracPart[
m])/(a*c + b*d*x^2)^FracPart[m], Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x],
x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*
d, 0] && EqQ[m, n] && !IntegerQ[m]
```

Rule 1654

```
Int[(Pq_)*((d_) + (e_)*(x_))^(m_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :
> With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x
)^(m + q - 1)*(a + c*x^2)^(p + 1))/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Di
st[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + c*x^2)^p*ExpandToSum[c
*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - f*(d + e*x)
^(q - 2)*(a*e^2*(m + q - 1) - c*d^2*(m + q + 2*p + 1) - 2*c*d*e*(m + q + p)
*x), x], x] /; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0] /; FreeQ[{a, c, d,
e, m, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && !(EqQ[d, 0] && T
rue) && !(IGtQ[m, 0] && RationalQ[a, c, d, e] && (IntegerQ[p] || ILtQ[p +
1/2, 0]))
```

Rubi steps

$$\begin{aligned} \int \sqrt{a+bx} \sqrt{ac-bcx} (e+fx) (A+Bx+Cx^2) dx &= \frac{(\sqrt{a+bx} \sqrt{ac-bcx}) \int (e+fx) \sqrt{a^2c-b^2cx^2} (A+Bx+Cx^2) dx}{\sqrt{a^2c-b^2cx^2}} \\ &= -\frac{C\sqrt{a+bx} \sqrt{ac-bcx} (e+fx)^2 (a^2-b^2x^2)}{5b^2f} - \frac{(\sqrt{a+bx} \sqrt{ac-bcx}) \int (e+fx) \sqrt{a^2c-b^2cx^2} dx}{5b^2f} \\ &= -\frac{C\sqrt{a+bx} \sqrt{ac-bcx} (e+fx)^2 (a^2-b^2x^2)}{5b^2f} - \frac{\sqrt{a+bx} \sqrt{ac-bcx} \int (e+fx) \sqrt{a^2c-b^2cx^2} dx}{5b^2f} \\ &= \frac{1}{8} \left( 4Ae + \frac{a^2(Ce+Bf)}{b^2} \right) x \sqrt{a+bx} \sqrt{ac-bcx} - \frac{C\sqrt{a+bx} \sqrt{ac-bcx} \int (e+fx) \sqrt{a^2c-b^2cx^2} dx}{5b^2f} \\ &= \frac{1}{8} \left( 4Ae + \frac{a^2(Ce+Bf)}{b^2} \right) x \sqrt{a+bx} \sqrt{ac-bcx} - \frac{C\sqrt{a+bx} \sqrt{ac-bcx} \int (e+fx) \sqrt{a^2c-b^2cx^2} dx}{5b^2f} \\ &= \frac{1}{8} \left( 4Ae + \frac{a^2(Ce+Bf)}{b^2} \right) x \sqrt{a+bx} \sqrt{ac-bcx} - \frac{C\sqrt{a+bx} \sqrt{ac-bcx} \int (e+fx) \sqrt{a^2c-b^2cx^2} dx}{5b^2f} \end{aligned}$$

**Mathematica** [A] time = 0.68, size = 200, normalized size = 0.67

$$\frac{c \left( 30a^{5/2} b \sqrt{a-bx} \sqrt{\frac{bx}{a} + 1} \sin^{-1} \left( \frac{\sqrt{a-bx}}{\sqrt{2}\sqrt{a}} \right) (a^2(Bf + Ce) + 4Ab^2e) + (a^2 - b^2x^2) (16a^4Cf + a^2b^2(40Af + 5B(8e + 3f*x) + C*x*(15e + 8f*x)) - 2*b^4*x*(10*A*(3e + 2f*x) + x*(5*B*(4e + 3f*x) + 3*C*x*(5e + 4f*x)))) + 30*a^(5/2)*b*(4*A*b^2*e + a^2*(C*e + B*f))*Sqrt[a - b*x]*Sqrt[1 + (b*x)/a]*ArcSin[Sqrt[a - b*x]/(Sqrt[2]*Sqrt[a])]}{120b^4\sqrt{a+bx}\sqrt{c(a-bx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)*(A + B*x + C*x^2), x]
```

```
[Out] -1/120*(c*((a^2 - b^2*x^2)*(16*a^4*C*f + a^2*b^2*(40*A*f + 5*B*(8*e + 3*f*x)
) + C*x*(15*e + 8*f*x)) - 2*b^4*x*(10*A*(3*e + 2*f*x) + x*(5*B*(4*e + 3*f*x)
) + 3*C*x*(5*e + 4*f*x)))) + 30*a^(5/2)*b*(4*A*b^2*e + a^2*(C*e + B*f))*Sqr
t[a - b*x]*Sqrt[1 + (b*x)/a]*ArcSin[Sqrt[a - b*x]/(Sqrt[2]*Sqrt[a])])/(b^4
*Sqrt[c*(a - b*x)]*Sqrt[a + b*x])
```

**fricas** [A] time = 0.97, size = 441, normalized size = 1.47

$$\frac{15 \left( B a^4 b f + (C a^4 b + 4 A a^2 b^3) e \right) \sqrt{-c} \log \left( 2 b^2 c x^2 + 2 \sqrt{-b c x + a c} \sqrt{b x + a} b \sqrt{-c} x - a^2 c \right) + 2 \left( 24 C b^4 f x^4 - 40 B a^2 b^2 e + 30 (C b^4 e + B b^4 f) x^3 + 8 (5 B b^4 e - (C a^2 b^2 - 5 A b^4) f) x^2 - 8 (2 C a^4 + 5 A a^2 b^2) f - 15 (B a^2 b^2 f + (C a^2 b^2 - 4 A b^4) e) x \right) \sqrt{-b c x + a c} \sqrt{b x + a}}{b^4} - \frac{1}{120} \left( 15 (B a^4 b f + (C a^4 b + 4 A a^2 b^3) e) \sqrt{c} \arctan \left( \frac{\sqrt{-b c x + a c} \sqrt{b x + a}}{\sqrt{b^2 c x^2 - a^2 c}} \right) - (24 C b^4 f x^4 - 40 B a^2 b^2 e + 30 (C b^4 e + B b^4 f) x^3 + 8 (5 B b^4 e - (C a^2 b^2 - 5 A b^4) f) x^2 - 8 (2 C a^4 + 5 A a^2 b^2) f - 15 (B a^2 b^2 f + (C a^2 b^2 - 4 A b^4) e) x \right) \sqrt{-b c x + a c} \sqrt{b x + a}}{b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x+e)\*(C\*x^2+B\*x+A)\*(b\*x+a)^(1/2)\*(-b\*c\*x+a\*c)^(1/2),x, algorithm="fricas")

[Out] [1/240\*(15\*(B\*a^4\*b\*f + (C\*a^4\*b + 4\*A\*a^2\*b^3)\*e)\*sqrt(-c)\*log(2\*b^2\*c\*x^2 + 2\*sqrt(-b\*c\*x + a\*c)\*sqrt(b\*x + a)\*b\*sqrt(-c)\*x - a^2\*c) + 2\*(24\*C\*b^4\*f\*x^4 - 40\*B\*a^2\*b^2\*e + 30\*(C\*b^4\*e + B\*b^4\*f)\*x^3 + 8\*(5\*B\*b^4\*e - (C\*a^2\*b^2 - 5\*A\*b^4)\*f)\*x^2 - 8\*(2\*C\*a^4 + 5\*A\*a^2\*b^2)\*f - 15\*(B\*a^2\*b^2\*f + (C\*a^2\*b^2 - 4\*A\*b^4)\*e)\*x)\*sqrt(-b\*c\*x + a\*c)\*sqrt(b\*x + a))/b^4, -1/120\*(15\*(B\*a^4\*b\*f + (C\*a^4\*b + 4\*A\*a^2\*b^3)\*e)\*sqrt(c)\*arctan(sqrt(-b\*c\*x + a\*c)\*sqrt(b\*x + a)\*b\*sqrt(c)\*x/(b^2\*c\*x^2 - a^2\*c)) - (24\*C\*b^4\*f\*x^4 - 40\*B\*a^2\*b^2\*e + 30\*(C\*b^4\*e + B\*b^4\*f)\*x^3 + 8\*(5\*B\*b^4\*e - (C\*a^2\*b^2 - 5\*A\*b^4)\*f)\*x^2 - 8\*(2\*C\*a^4 + 5\*A\*a^2\*b^2)\*f - 15\*(B\*a^2\*b^2\*f + (C\*a^2\*b^2 - 4\*A\*b^4)\*e)\*x)\*sqrt(-b\*c\*x + a\*c)\*sqrt(b\*x + a))/b^4]

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x+e)\*(C\*x^2+B\*x+A)\*(b\*x+a)^(1/2)\*(-b\*c\*x+a\*c)^(1/2),x, algorithm="giac")

[Out] Timed out

**maple** [B] time = 0.01, size = 588, normalized size = 1.96

$$\frac{\sqrt{b x + a} \sqrt{-(b x - a) c} \left( 60 A a^2 b^4 c e \arctan \left( \frac{\sqrt{b^2 c} x}{\sqrt{-(b^2 x^2 - a^2) c}} \right) + 15 B a^4 b^2 c f \arctan \left( \frac{\sqrt{b^2 c} x}{\sqrt{-(b^2 x^2 - a^2) c}} \right) + 15 C a^4 b^2 c e \arcsin \left( \frac{b x}{a} \right) \right)}{2 b} + \frac{1}{2} \sqrt{-b^2 c x^2 + a^2 c} A e x + \frac{(C e + B f) a^4 \sqrt{c} \arcsin \left( \frac{b x}{a} \right)}{8 b^3} + \frac{\sqrt{-b^2 c x^2 + a^2 c} (C e + B f) a^2 x}{8 b^2} - \frac{(C e + B f) a^4 \sqrt{c} \arcsin \left( \frac{b x}{a} \right)}{8 b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f\*x+e)\*(C\*x^2+B\*x+A)\*(b\*x+a)^(1/2)\*(-b\*c\*x+a\*c)^(1/2),x)

[Out] 1/120\*(b\*x+a)^(1/2)\*(-(b\*x-a)\*c)^(1/2)\*(24\*C\*x^4\*b^4\*f\*(b^2\*c)^(1/2)\*(-(b^2\*x^2-a^2)\*c)^(1/2)+30\*B\*x^3\*b^4\*f\*(b^2\*c)^(1/2)\*(-(b^2\*x^2-a^2)\*c)^(1/2)+30\*C\*x^3\*b^4\*e\*(b^2\*c)^(1/2)\*(-(b^2\*x^2-a^2)\*c)^(1/2)+60\*A\*arctan((b^2\*c)^(1/2)/(-(b^2\*x^2-a^2)\*c)^(1/2)\*x)\*a^2\*b^4\*c\*e+40\*A\*x^2\*b^4\*f\*(b^2\*c)^(1/2)\*(-(b^2\*x^2-a^2)\*c)^(1/2)+15\*B\*arctan((b^2\*c)^(1/2)/(-(b^2\*x^2-a^2)\*c)^(1/2)\*x)\*a^4\*b^2\*c\*f+40\*B\*x^2\*b^4\*e\*(b^2\*c)^(1/2)\*(-(b^2\*x^2-a^2)\*c)^(1/2)+15\*C\*arctan((b^2\*c)^(1/2)/(-(b^2\*x^2-a^2)\*c)^(1/2)\*x)\*a^4\*b^2\*c\*e-8\*C\*x^2\*a^2\*b^2\*f\*(b^2\*c)^(1/2)\*(-(b^2\*x^2-a^2)\*c)^(1/2)+60\*A\*(b^2\*c)^(1/2)\*(-(b^2\*x^2-a^2)\*c)^(1/2)\*x\*b^4\*e-15\*B\*(b^2\*c)^(1/2)\*(-(b^2\*x^2-a^2)\*c)^(1/2)\*x\*a^2\*b^2\*f-15\*C\*(b^2\*c)^(1/2)\*(-(b^2\*x^2-a^2)\*c)^(1/2)\*x\*a^2\*b^2\*e-40\*A\*a^2\*b^2\*f\*(b^2\*c)^(1/2)\*(-(b^2\*x^2-a^2)\*c)^(1/2)-40\*B\*a^2\*b^2\*e\*(b^2\*c)^(1/2)\*(-(b^2\*x^2-a^2)\*c)^(1/2)-16\*C\*a^4\*f\*(b^2\*c)^(1/2)\*(-(b^2\*x^2-a^2)\*c)^(1/2))/(-(b^2\*x^2-a^2)\*c)^(1/2)/b^4/(b^2\*c)^(1/2)

**maxima** [A] time = 2.25, size = 248, normalized size = 0.83

$$\frac{A a^2 \sqrt{c} e \arcsin \left( \frac{b x}{a} \right)}{2 b} + \frac{1}{2} \sqrt{-b^2 c x^2 + a^2 c} A e x + \frac{(C e + B f) a^4 \sqrt{c} \arcsin \left( \frac{b x}{a} \right)}{8 b^3} + \frac{\sqrt{-b^2 c x^2 + a^2 c} (C e + B f) a^2 x}{8 b^2} - \frac{(C e + B f) a^4 \sqrt{c} \arcsin \left( \frac{b x}{a} \right)}{8 b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x+e)\*(C\*x^2+B\*x+A)\*(b\*x+a)^(1/2)\*(-b\*c\*x+a\*c)^(1/2),x, algorithm="maxima")

[Out]  $\frac{1}{2}Aa^2\sqrt{c}e\arcsin(bx/a)/b + \frac{1}{2}\sqrt{-b^2cx^2 + a^2c}Aex + \frac{1}{8}(Ce + Bf)a^4\sqrt{c}\arcsin(bx/a)/b^3 + \frac{1}{8}\sqrt{-b^2cx^2 + a^2c}(Ce + Bf)a^2x/b^2 - \frac{1}{5}(-b^2cx^2 + a^2c)^{3/2}Cf^2x^2/(b^2c) - \frac{1}{3}(-b^2cx^2 + a^2c)^{3/2}Bef/(b^2c) - \frac{2}{15}(-b^2cx^2 + a^2c)^{3/2}Ca^2f/(b^4c) - \frac{1}{3}(-b^2cx^2 + a^2c)^{3/2}Af/(b^2c) - \frac{1}{4}(-b^2cx^2 + a^2c)^{3/2}(Ce + Bf)x/(b^2c)$

**mupad [B]** time = 30.58, size = 1765, normalized size = 5.88

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e + f\*x)\*(a\*c - b\*c\*x)^(1/2)\*(a + b\*x)^(1/2)\*(A + B\*x + C\*x^2),x)

[Out]  $((B*a^4*c^8*f*((a*c - b*c*x)^{1/2} - (a*c)^{1/2}))/((2*((a + b*x)^{1/2} - a^{1/2})) - (B*a^4*c*f*((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^{15}))/((2*((a + b*x)^{1/2} - a^{1/2}))^{15} - (35*B*a^4*c^7*f*((a*c - b*c*x)^{1/2} - (a*c)^{1/2}))^3)/((2*((a + b*x)^{1/2} - a^{1/2}))^3) + (273*B*a^4*c^6*f*((a*c - b*c*x)^{1/2} - (a*c)^{1/2}))^5)/((2*((a + b*x)^{1/2} - a^{1/2}))^5) - (715*B*a^4*c^5*f*((a*c - b*c*x)^{1/2} - (a*c)^{1/2}))^7)/((2*((a + b*x)^{1/2} - a^{1/2}))^7) + (715*B*a^4*c^4*f*((a*c - b*c*x)^{1/2} - (a*c)^{1/2}))^9)/((2*((a + b*x)^{1/2} - a^{1/2}))^9) - (273*B*a^4*c^3*f*((a*c - b*c*x)^{1/2} - (a*c)^{1/2}))^{11}))/((2*((a + b*x)^{1/2} - a^{1/2}))^{11} + (35*B*a^4*c^2*f*((a*c - b*c*x)^{1/2} - (a*c)^{1/2}))^{13}))/((2*((a + b*x)^{1/2} - a^{1/2}))^{13}))/((b^3*c^8 + (b^3*((a*c - b*c*x)^{1/2} - (a*c)^{1/2}))^{16}))/((a + b*x)^{1/2} - a^{1/2})^{16} + (8*b^3*c^7*((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^2)/((a + b*x)^{1/2} - a^{1/2})^2 + (28*b^3*c^6*((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^4)/((a + b*x)^{1/2} - a^{1/2})^4 + (56*b^3*c^5*((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^6)/((a + b*x)^{1/2} - a^{1/2})^6 + (70*b^3*c^4*((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^8)/((a + b*x)^{1/2} - a^{1/2})^8 + (56*b^3*c^3*((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^{10}))/((a + b*x)^{1/2} - a^{1/2})^{10} + (28*b^3*c^2*((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^{12}))/((a + b*x)^{1/2} - a^{1/2})^{12} + (8*b^3*c*((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^{14}))/((a + b*x)^{1/2} - a^{1/2})^{14} - (a*c - b*c*x)^{1/2}*((2*Ca^4*f*(a + b*x)^{1/2}))/((15*b^4) - (Cf*x^4*(a + b*x)^{1/2}))/5 + (Ca^2*f*x^2*(a + b*x)^{1/2}))/((15*b^2)) + ((Ca^4*c^8*e*((a*c - b*c*x)^{1/2} - (a*c)^{1/2}))/((2*((a + b*x)^{1/2} - a^{1/2}))) - (Ca^4*c*e*((a*c - b*c*x)^{1/2} - (a*c)^{1/2}))^{15}))/((2*((a + b*x)^{1/2} - a^{1/2}))^{15} - (35*Ca^4*c^7*e*((a*c - b*c*x)^{1/2} - (a*c)^{1/2}))^3)/((2*((a + b*x)^{1/2} - a^{1/2}))^3) + (273*Ca^4*c^6*e*((a*c - b*c*x)^{1/2} - (a*c)^{1/2}))^5)/((2*((a + b*x)^{1/2} - a^{1/2}))^5) - (715*Ca^4*c^5*e*((a*c - b*c*x)^{1/2} - (a*c)^{1/2}))^7)/((2*((a + b*x)^{1/2} - a^{1/2}))^7) + (715*Ca^4*c^4*e*((a*c - b*c*x)^{1/2} - (a*c)^{1/2}))^9)/((2*((a + b*x)^{1/2} - a^{1/2}))^9) - (273*Ca^4*c^3*e*((a*c - b*c*x)^{1/2} - (a*c)^{1/2}))^{11}))/((2*((a + b*x)^{1/2} - a^{1/2}))^{11} + (35*Ca^4*c^2*e*((a*c - b*c*x)^{1/2} - (a*c)^{1/2}))^{13}))/((b^3*c^8 + (b^3*((a*c - b*c*x)^{1/2} - (a*c)^{1/2}))^{16}))/((a + b*x)^{1/2} - a^{1/2})^{16} + (8*b^3*c^7*((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^2)/((a + b*x)^{1/2} - a^{1/2})^2 + (28*b^3*c^6*((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^4)/((a + b*x)^{1/2} - a^{1/2})^4 + (56*b^3*c^5*((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^6)/((a + b*x)^{1/2} - a^{1/2})^6 + (70*b^3*c^4*((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^8)/((a + b*x)^{1/2} - a^{1/2})^8 + (56*b^3*c^3*((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^{10}))/((a + b*x)^{1/2} - a^{1/2})^{10} + (28*b^3*c^2*((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^{12}))/((a + b*x)^{1/2} - a^{1/2})^{12} + (8*b^3*c*((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^{14}))/((a + b*x)^{1/2} - a^{1/2})^{14} + (A*e*x*(a*c - b*c*x)^{1/2}*(a + b*x)^{1/2}))/2 - (A*f*(a^2 - b^2*x^2)*(a*c - b*c*x)^{1/2}*(a + b*x)^{1/2}))/((3*b^2) - (B*e*(a^2 - b^2*x^2)*(a*c - b$

```
*c*x)^(1/2)*(a + b*x)^(1/2))/(3*b^2) - (B*a^4*c^(1/2)*f*atan(((a*c - b*c*x)
^(1/2) - (a*c)^(1/2))/(c^(1/2)*((a + b*x)^(1/2) - a^(1/2)))))/(2*b^3) - (C*
a^4*c^(1/2)*e*atan(((a*c - b*c*x)^(1/2) - (a*c)^(1/2))/(c^(1/2)*((a + b*x)^(
1/2) - a^(1/2)))))/(2*b^3) - (A*a^2*b^(1/2)*c^2*e*log((-b*c)^(1/2)*(c*(a -
b*x))^(1/2)*(a + b*x)^(1/2) - b^(3/2)*c*x))/(2*(-b*c)^(3/2))
```

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{-c(-a + bx)} \sqrt{a + bx} (e + fx) (A + Bx + Cx^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)*(C*x**2+B*x+A)*(b*x+a)**(1/2)*(-b*c*x+a*c)**(1/2),x)
```

```
[Out] Integral(sqrt(-c*(-a + b*x))*sqrt(a + b*x)*(e + f*x)*(A + B*x + C*x**2), x)
```

### 3.23 $\int \sqrt{a + bx} \sqrt{ac - bcx} (A + Bx + Cx^2) dx$

**Optimal.** Leaf size=221

$$\frac{1}{8}x\sqrt{a + bx} \left( \frac{a^2C}{b^2} + 4A \right) \sqrt{ac - bcx} + \frac{a^2\sqrt{c} \sqrt{a + bx} (a^2C + 4Ab^2) \sqrt{ac - bcx} \tan^{-1} \left( \frac{b\sqrt{c}x}{\sqrt{a^2c - b^2cx^2}} \right) - B\sqrt{a + bx} (a^2 - bcx)}{8b^3\sqrt{a^2c - b^2cx^2}}$$

[Out]  $1/8*(4*A+a^2*C/b^2)*x*(b*x+a)^{(1/2)}*(-b*c*x+a*c)^{(1/2)}-1/3*B*(-b^2*x^2+a^2)*(b*x+a)^{(1/2)}*(-b*c*x+a*c)^{(1/2)}/b^2-1/4*C*x*(-b^2*x^2+a^2)*(b*x+a)^{(1/2)}*(-b*c*x+a*c)^{(1/2)}/b^2+1/8*a^2*(4*A*b^2+C*a^2)*\arctan(b*x*c^{(1/2)}/(-b^2*c*x^2+a^2*c)^{(1/2)})*c^{(1/2)}*(b*x+a)^{(1/2)}*(-b*c*x+a*c)^{(1/2)}/b^3/(-b^2*c*x^2+a^2*c)^{(1/2)}$

**Rubi [A]** time = 0.15, antiderivative size = 221, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {901, 1815, 641, 195, 217, 203}

$$\frac{a^2\sqrt{c} \sqrt{a + bx} (a^2C + 4Ab^2) \sqrt{ac - bcx} \tan^{-1} \left( \frac{b\sqrt{c}x}{\sqrt{a^2c - b^2cx^2}} \right) + \frac{1}{8}x\sqrt{a + bx} \left( \frac{a^2C}{b^2} + 4A \right) \sqrt{ac - bcx} - \frac{B\sqrt{a + bx} (a^2 - bcx)}{8b^3\sqrt{a^2c - b^2cx^2}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + b\*x]\*Sqrt[a\*c - b\*c\*x]\*(A + B\*x + C\*x^2), x]

[Out]  $((4*A + (a^2*C)/b^2)*x*\text{Sqrt}[a + b*x]*\text{Sqrt}[a*c - b*c*x])/8 - (B*\text{Sqrt}[a + b*x]*\text{Sqrt}[a*c - b*c*x]*(a^2 - b^2*x^2))/(3*b^2) - (C*x*\text{Sqrt}[a + b*x]*\text{Sqrt}[a*c - b*c*x]*(a^2 - b^2*x^2))/(4*b^2) + (a^2*\text{Sqrt}[c]*(4*A*b^2 + a^2*C)*\text{Sqrt}[a + b*x]*\text{Sqrt}[a*c - b*c*x]*\text{ArcTan}[(b*\text{Sqrt}[c]*x)/\text{Sqrt}[a^2*c - b^2*c*x^2]])/(8*b^3*\text{Sqrt}[a^2*c - b^2*c*x^2])$

#### Rule 195

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x\*(a + b\*x^n)^p)/(n\*p + 1), x] + Dist[(a\*n\*p)/(n\*p + 1), Int[(a + b\*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2\*p] || (EqQ[n, 2] && IntegerQ[4\*p]) || (EqQ[n, 2] && IntegerQ[3\*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

#### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

#### Rule 641

Int[((d\_) + (e\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(e\*(a + c\*x^2)^(p + 1))/(2\*c\*(p + 1)), x] + Dist[d, Int[(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]

#### Rule 901

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((f\_) + (g\_.)\*(x\_))^(n\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Dist[((d + e\*x)^FracPart[m]\*(f + g\*x)^Fr

acPart[m]/(d\*f + e\*g\*x^2)^FracPart[m], Int[(d\*f + e\*g\*x^2)^m\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && EqQ[m - n, 0] && EqQ[e\*f + d\*g, 0]

### Rule 1815

Int[(Pq\_)\*((a\_) + (b\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> With[{q = Expon[Pq, x], e = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(e\*x^(q - 1)\*(a + b\*x^2)^(p + 1))/(b\*(q + 2\*p + 1)), x] + Dist[1/(b\*(q + 2\*p + 1)), Int[(a + b\*x^2)^p\*ExpandToSum[b\*(q + 2\*p + 1)\*Pq - a\*e\*(q - 1)\*x^(q - 2) - b\*e\*(q + 2\*p + 1)\*x^q, x], x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && !LeQ[p, -1]

### Rubi steps

$$\begin{aligned} \int \sqrt{a + bx} \sqrt{ac - bcx} (A + Bx + Cx^2) dx &= \frac{(\sqrt{a + bx} \sqrt{ac - bcx}) \int \sqrt{a^2c - b^2cx^2} (A + Bx + Cx^2) dx}{\sqrt{a^2c - b^2cx^2}} \\ &= -\frac{Cx\sqrt{a + bx} \sqrt{ac - bcx} (a^2 - b^2x^2)}{4b^2} - \frac{(\sqrt{a + bx} \sqrt{ac - bcx}) \int (-}{4b^2} \\ &= -\frac{B\sqrt{a + bx} \sqrt{ac - bcx} (a^2 - b^2x^2)}{3b^2} - \frac{Cx\sqrt{a + bx} \sqrt{ac - bcx} (a^2 -}{4b^2} \\ &= \frac{1}{8} \left(4A + \frac{a^2C}{b^2}\right) x\sqrt{a + bx} \sqrt{ac - bcx} - \frac{B\sqrt{a + bx} \sqrt{ac - bcx} (a^2 -}{3b^2} \\ &= \frac{1}{8} \left(4A + \frac{a^2C}{b^2}\right) x\sqrt{a + bx} \sqrt{ac - bcx} - \frac{B\sqrt{a + bx} \sqrt{ac - bcx} (a^2 -}{3b^2} \\ &= \frac{1}{8} \left(4A + \frac{a^2C}{b^2}\right) x\sqrt{a + bx} \sqrt{ac - bcx} - \frac{B\sqrt{a + bx} \sqrt{ac - bcx} (a^2 -}{3b^2} \end{aligned}$$

**Mathematica [A]** time = 0.41, size = 142, normalized size = 0.64

$$\frac{c \left( b(b^2x^2 - a^2) (2b^2x(6A + 4Bx + 3Cx^2) - a^2(8B + 3Cx)) + 6a^{5/2}\sqrt{a - bx} \sqrt{\frac{bx}{a} + 1} (a^2C + 4Ab^2) \sin^{-1} \left( \frac{\sqrt{a}}{\sqrt{2}} \right) \right)}{24b^3\sqrt{a + bx} \sqrt{c(a - bx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + b\*x]\*Sqrt[a\*c - b\*c\*x]\*(A + B\*x + C\*x^2), x]

[Out] -1/24\*(c\*(b\*(-a^2 + b^2\*x^2)\*(-a^2\*(8\*B + 3\*C\*x)) + 2\*b^2\*x\*(6\*A + 4\*B\*x + 3\*C\*x^2)) + 6\*a^(5/2)\*(4\*A\*b^2 + a^2\*C)\*Sqrt[a - b\*x]\*Sqrt[1 + (b\*x)/a]\*ArcSin[Sqrt[a - b\*x]/(Sqrt[2]\*Sqrt[a])])/(b^3\*Sqrt[c\*(a - b\*x)]\*Sqrt[a + b\*x])

**fricas [A]** time = 0.89, size = 265, normalized size = 1.20

$$\left[ \frac{3(Ca^4 + 4Aa^2b^2)\sqrt{-c} \log(2b^2cx^2 + 2\sqrt{-bcx + ac}\sqrt{bx + a}b\sqrt{-c}x - a^2c) + 2(6Cb^3x^3 + 8Bb^3x^2 - 8Ba^2b}{48b^3} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(b\*x+a)^(1/2)\*(-b\*c\*x+a\*c)^(1/2), x, algorithm="fricas")

[Out]  $[1/48*(3*(C*a^4 + 4*A*a^2*b^2)*\sqrt{-c}*\log(2*b^2*c*x^2 + 2*\sqrt{-b*c*x + a*c})*\sqrt{b*x + a}*b*\sqrt{-c}*x - a^2*c) + 2*(6*C*b^3*x^3 + 8*B*b^3*x^2 - 8*B*a^2*b - 3*(C*a^2*b - 4*A*b^3)*x)*\sqrt{-b*c*x + a*c}*\sqrt{b*x + a})/b^3, -1/24*(3*(C*a^4 + 4*A*a^2*b^2)*\sqrt{c}*\arctan(\sqrt{-b*c*x + a*c})*\sqrt{b*x + a}*b*\sqrt{c}*x/(b^2*c*x^2 - a^2*c)) - (6*C*b^3*x^3 + 8*B*b^3*x^2 - 8*B*a^2*b - 3*(C*a^2*b - 4*A*b^3)*x)*\sqrt{-b*c*x + a*c}*\sqrt{b*x + a})/b^3]$

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x^2+B*x+A)*(b*x+a)^(1/2)*(-b*c*x+a*c)^(1/2),x, algorithm="giac")`

[Out] Timed out

**maple** [A] time = 0.01, size = 287, normalized size = 1.30

$$\frac{\sqrt{bx+a} \sqrt{-(bx-a)c} \left( 12A a^2 b^2 c \arctan\left(\frac{\sqrt{b^2 c} x}{\sqrt{-(b^2 x^2 - a^2)c}}\right) + 3C a^4 c \arctan\left(\frac{\sqrt{b^2 c} x}{\sqrt{-(b^2 x^2 - a^2)c}}\right) + 6\sqrt{-(b^2 x^2 - a^2)c} \sqrt{b^2 c} \right)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((C*x^2+B*x+A)*(b*x+a)^(1/2)*(-b*c*x+a*c)^(1/2),x)`

[Out]  $1/24*(b*x+a)^(1/2)*(-b*x-a)*c)^(1/2)*(6*C*x^3*b^2*(-(b^2*x^2-a^2)*c)^(1/2)*(b^2*c)^(1/2)+12*A*\arctan((b^2*c)^(1/2)/(-(b^2*x^2-a^2)*c)^(1/2)*x)*a^2*b^2*c+8*B*x^2*b^2*(-(b^2*x^2-a^2)*c)^(1/2)*(b^2*c)^(1/2)+3*C*\arctan((b^2*c)^(1/2)/(-(b^2*x^2-a^2)*c)^(1/2)*x)*a^4*c+12*A*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*x*b^2-3*C*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*x*a^2-8*B*a^2*(-(b^2*x^2-a^2)*c)^(1/2)*(b^2*c)^(1/2))/(-(b^2*x^2-a^2)*c)^(1/2)/b^2/(b^2*c)^(1/2)$

**maxima** [A] time = 2.03, size = 140, normalized size = 0.63

$$\frac{Ca^4\sqrt{c} \arcsin\left(\frac{bx}{a}\right)}{8b^3} + \frac{Aa^2\sqrt{c} \arcsin\left(\frac{bx}{a}\right)}{2b} + \frac{1}{2} \sqrt{-b^2cx^2 + a^2c} Ax + \frac{\sqrt{-b^2cx^2 + a^2c} Ca^2x}{8b^2} - \frac{(-b^2cx^2 + a^2c)^{\frac{3}{2}} Cx}{4b^2c} - \frac{(-b^2cx^2 + a^2c)^{\frac{3}{2}} Cx}{4b^2c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x^2+B*x+A)*(b*x+a)^(1/2)*(-b*c*x+a*c)^(1/2),x, algorithm="maxima")`

[Out]  $1/8*C*a^4*\sqrt{c}*\arcsin(b*x/a)/b^3 + 1/2*A*a^2*\sqrt{c}*\arcsin(b*x/a)/b + 1/2*\sqrt{-b^2*c*x^2 + a^2*c}*A*x + 1/8*\sqrt{-b^2*c*x^2 + a^2*c}*C*a^2*x/b^2 - 1/4*(-b^2*c*x^2 + a^2*c)^(3/2)*C*x/(b^2*c) - 1/3*(-b^2*c*x^2 + a^2*c)^(3/2)*B/(b^2*c)$

**mupad** [B] time = 16.52, size = 876, normalized size = 3.96

$$\frac{Ca^4c^8(\sqrt{ac-bcx}-\sqrt{ac})}{2(\sqrt{a+bx}-\sqrt{a})} - \frac{Ca^4c(\sqrt{ac-bcx}-\sqrt{ac})^{15}}{2(\sqrt{a+bx}-\sqrt{a})^{15}} - \frac{35Ca^4c^7(\sqrt{ac-bcx}-\sqrt{ac})^3}{2(\sqrt{a+bx}-\sqrt{a})^3} + \frac{273Ca^4c^6(\sqrt{ac-bcx}-\sqrt{ac})^5}{2(\sqrt{a+bx}-\sqrt{a})^5} - \frac{715Ca^4c^5(\sqrt{ac-bcx}-\sqrt{ac})^7}{2(\sqrt{a+bx}-\sqrt{a})^7} + \frac{b^3c^8}{(\sqrt{a+bx}-\sqrt{a})^{16}} + \frac{8b^3c^7(\sqrt{ac-bcx}-\sqrt{ac})^2}{(\sqrt{a+bx}-\sqrt{a})^2} + \frac{28b^3c^6(\sqrt{ac-bcx}-\sqrt{ac})^4}{(\sqrt{a+bx}-\sqrt{a})^4} + \frac{56b^3c^5(\sqrt{ac-bcx}-\sqrt{ac})^6}{(\sqrt{a+bx}-\sqrt{a})^6} + \frac{70b^3c^4(\sqrt{ac-bcx}-\sqrt{ac})^8}{(\sqrt{a+bx}-\sqrt{a})^8}$$

Verification of antiderivative is not currently implemented for this CAS.



[In] `int((a*c - b*c*x)^(1/2)*(a + b*x)^(1/2)*(A + B*x + C*x^2),x)`

[Out] 
$$\begin{aligned} & ((C*a^4*c^8*((a*c - b*c*x)^(1/2) - (a*c)^(1/2)))/(2*((a + b*x)^(1/2) - a^(1/2))) - (C*a^4*c*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^(15)/(2*((a + b*x)^(1/2) - a^(1/2))^(15)) - (35*C*a^4*c^7*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^(3)/(2*((a + b*x)^(1/2) - a^(1/2))^(3)) + (273*C*a^4*c^6*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^(5)/(2*((a + b*x)^(1/2) - a^(1/2))^(5)) - (715*C*a^4*c^5*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^(7)/(2*((a + b*x)^(1/2) - a^(1/2))^(7)) + (715*C*a^4*c^4*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^(9)/(2*((a + b*x)^(1/2) - a^(1/2))^(9)) - (273*C*a^4*c^3*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^(11)/(2*((a + b*x)^(1/2) - a^(1/2))^(11)) + (35*C*a^4*c^2*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^(13)/(2*((a + b*x)^(1/2) - a^(1/2))^(13)))/(b^3*c^8 + (b^3*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^(16))/((a + b*x)^(1/2) - a^(1/2))^(16) + (8*b^3*c^7*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^(2))/((a + b*x)^(1/2) - a^(1/2))^(2) + (28*b^3*c^6*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^(4))/((a + b*x)^(1/2) - a^(1/2))^(4) + (56*b^3*c^5*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^(6))/((a + b*x)^(1/2) - a^(1/2))^(6) + (70*b^3*c^4*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^(8))/((a + b*x)^(1/2) - a^(1/2))^(8) + (56*b^3*c^3*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^(10))/((a + b*x)^(1/2) - a^(1/2))^(10) + (28*b^3*c^2*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^(12))/((a + b*x)^(1/2) - a^(1/2))^(12) + (8*b^3*c*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^(14))/((a + b*x)^(1/2) - a^(1/2))^(14) + (A*x*(a*c - b*c*x)^(1/2)*(a + b*x)^(1/2))/2 - (B*(a^2 - b^2*x^2)*(a*c - b*c*x)^(1/2)*(a + b*x)^(1/2))/(3*b^2) - (C*a^4*c^(1/2)*atan(((a*c - b*c*x)^(1/2) - (a*c)^(1/2))/(c^(1/2)*((a + b*x)^(1/2) - a^(1/2)))))/(2*b^3) - (A*a^2*b^(1/2)*c^2*log((-b*c)^(1/2)*(c*(a - b*x))^(1/2)*(a + b*x)^(1/2) - b^(3/2)*c*x))/(2*(-b*c)^(3/2)) \end{aligned}$$

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{-c(-a + bx)} \sqrt{a + bx} (A + Bx + Cx^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x**2+B*x+A)*(b*x+a)**(1/2)*(-b*c*x+a*c)**(1/2),x)`

[Out] `Integral(sqrt(-c*(-a + b*x))*sqrt(a + b*x)*(A + B*x + C*x**2), x)`

$$3.24 \quad \int \frac{A+Bx+Cx^2}{\sqrt{a+bx} \sqrt{ac-bcx} (e+fx)} dx$$

**Optimal.** Leaf size=278

$$\frac{\sqrt{a^2c - b^2cx^2} (Af^2 - Bef + Ce^2) \tan^{-1} \left( \frac{\sqrt{c}(a^2f + b^2ex)}{\sqrt{a^2c - b^2cx^2} \sqrt{b^2e^2 - a^2f^2}} \right) \sqrt{a^2c - b^2cx^2} (Ce - Bf) \tan^{-1} \left( \frac{b\sqrt{c}x}{\sqrt{a^2c - b^2cx^2}} \right)}{\sqrt{c} f^2 \sqrt{a + bx} \sqrt{ac - bcx} \sqrt{b^2e^2 - a^2f^2} - b\sqrt{c} f^2 \sqrt{a + bx} \sqrt{ac - bcx} - b^2 f \sqrt{c} \sqrt{a + bx} \sqrt{ac - bcx}}$$

[Out]  $-C*(-b^2*x^2+a^2)/b^2/f/(b*x+a)^{(1/2)}/(-b*c*x+a*c)^{(1/2)}-(-B*f+C*e)*\arctan(b*x*c^{(1/2)}/(-b^2*c*x^2+a^2*c)^{(1/2)})*(-b^2*c*x^2+a^2*c)^{(1/2)}/b/f^2/c^{(1/2)}/(b*x+a)^{(1/2)}/(-b*c*x+a*c)^{(1/2)}+(A*f^2-B*e*f+C*e^2)*\arctan((b^2*e*x+a^2*f)*c^{(1/2)}/(-a^2*f^2+b^2*e^2)^{(1/2)}/(-b^2*c*x^2+a^2*c)^{(1/2)})*(-b^2*c*x^2+a^2*c)^{(1/2)}/f^2/c^{(1/2)}/(-a^2*f^2+b^2*e^2)^{(1/2)}/(b*x+a)^{(1/2)}/(-b*c*x+a*c)^{(1/2)}$

**Rubi [A]** time = 0.49, antiderivative size = 278, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 40,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.175$ , Rules used = {1610, 1654, 844, 217, 203, 725, 204}

$$\frac{\sqrt{a^2c - b^2cx^2} (Af^2 - Bef + Ce^2) \tan^{-1} \left( \frac{\sqrt{c}(a^2f + b^2ex)}{\sqrt{a^2c - b^2cx^2} \sqrt{b^2e^2 - a^2f^2}} \right) \sqrt{a^2c - b^2cx^2} (Ce - Bf) \tan^{-1} \left( \frac{b\sqrt{c}x}{\sqrt{a^2c - b^2cx^2}} \right)}{\sqrt{c} f^2 \sqrt{a + bx} \sqrt{ac - bcx} \sqrt{b^2e^2 - a^2f^2} - b\sqrt{c} f^2 \sqrt{a + bx} \sqrt{ac - bcx} - b^2 f \sqrt{c} \sqrt{a + bx} \sqrt{ac - bcx}}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*x + C\*x^2)/(Sqrt[a + b\*x]\*Sqrt[a\*c - b\*c\*x]\*(e + f\*x)),x]

[Out]  $-((C*(a^2 - b^2*x^2))/(b^2*f*Sqrt[a + b*x]*Sqrt[a*c - b*c*x])) - ((C*e - B*f)*Sqrt[a^2*c - b^2*c*x^2]*ArcTan[(b*Sqrt[c]*x)/Sqrt[a^2*c - b^2*c*x^2]])/(b*Sqrt[c]*f^2*Sqrt[a + b*x]*Sqrt[a*c - b*c*x]) + ((C*e^2 - B*e*f + A*f^2)*Sqrt[a^2*c - b^2*c*x^2]*ArcTan[(Sqrt[c]*(a^2*f + b^2*e*x))/(Sqrt[b^2*e^2 - a^2*f^2]*Sqrt[a^2*c - b^2*c*x^2]])/(Sqrt[c]*f^2*Sqrt[b^2*e^2 - a^2*f^2]*Sqrt[a + b*x]*Sqrt[a*c - b*c*x])$

#### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[Rt[b, 2]\*x]/Rt[a, 2])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rule 204

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

#### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

#### Rule 725

Int[1/(((d\_) + (e\_.)\*(x\_))\*Sqrt[(a\_) + (c\_.)\*(x\_)^2]), x\_Symbol] := -Subst[Int[1/(c\*d^2 + a\*e^2 - x^2), x], x, (a\*e - c\*d\*x)/Sqrt[a + c\*x^2]] /; FreeQ[{a, c, d, e}, x]

#### Rule 844

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

### Rule 1610

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_
.)*(x_))^(p_.), x_Symbol] := Dist[((a + b*x)^FracPart[m]*(c + d*x)^FracPart[
m])/(a*c + b*d*x^2)^FracPart[m], Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x],
x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*
d, 0] && EqQ[m, n] && !IntegerQ[m]
```

### Rule 1654

```
Int[(Pq_)*((d_.) + (e_.)*(x_))^(m_.)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] :
> With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x)
)^(m + q - 1)*(a + c*x^2)^(p + 1))/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Di
st[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + c*x^2)^p*ExpandToSum[c
*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - f*(d + e*x)
^(q - 2)*(a*e^2*(m + q - 1) - c*d^2*(m + q + 2*p + 1) - 2*c*d*e*(m + q + p)
*x), x], x], x] /; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0] /; FreeQ[{a, c, d,
e, m, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && !(EqQ[d, 0] && T
rue) && !(IGtQ[m, 0] && RationalQ[a, c, d, e] && (IntegerQ[p] || ILtQ[p +
1/2, 0]))
```

### Rubi steps

$$\begin{aligned} \int \frac{A + Bx + Cx^2}{\sqrt{a + bx} \sqrt{ac - bcx} (e + fx)} dx &= \frac{\sqrt{a^2c - b^2cx^2} \int \frac{A + Bx + Cx^2}{(e + fx) \sqrt{a^2c - b^2cx^2}} dx}{\sqrt{a + bx} \sqrt{ac - bcx}} \\ &= -\frac{C(a^2 - b^2x^2)}{b^2f\sqrt{a + bx} \sqrt{ac - bcx}} - \frac{\sqrt{a^2c - b^2cx^2} \int \frac{-Ab^2cf^2 + b^2cf(Ce - Bf)x}{(e + fx) \sqrt{a^2c - b^2cx^2}} dx}{b^2cf^2\sqrt{a + bx} \sqrt{ac - bcx}} \\ &= -\frac{C(a^2 - b^2x^2)}{b^2f\sqrt{a + bx} \sqrt{ac - bcx}} - \frac{\left((Ce - Bf)\sqrt{a^2c - b^2cx^2}\right) \int \frac{1}{\sqrt{a^2c - b^2cx^2}} dx}{f^2\sqrt{a + bx} \sqrt{ac - bcx}} + \left( \right. \\ &= -\frac{C(a^2 - b^2x^2)}{b^2f\sqrt{a + bx} \sqrt{ac - bcx}} - \frac{\left((Ce - Bf)\sqrt{a^2c - b^2cx^2}\right) \text{Subst}\left(\int \frac{1}{1 + b^2cx^2} dx\right)}{f^2\sqrt{a + bx} \sqrt{ac - bcx}} \\ &= -\frac{C(a^2 - b^2x^2)}{b^2f\sqrt{a + bx} \sqrt{ac - bcx}} - \frac{(Ce - Bf)\sqrt{a^2c - b^2cx^2} \tan^{-1}\left(\frac{b\sqrt{c}x}{\sqrt{a^2c - b^2cx^2}}\right)}{b\sqrt{c}f^2\sqrt{a + bx} \sqrt{ac - bcx}} + \end{aligned}$$

**Mathematica [A]** time = 0.77, size = 225, normalized size = 0.81

$$\frac{\sqrt{a - bx} \left( \frac{2(f(Af - Be) + Ce^2) \tanh^{-1}\left(\frac{\sqrt{a - bx} \sqrt{be - af}}{\sqrt{a + bx} \sqrt{-af - be}}\right)}{\sqrt{-af - be} \sqrt{be - af}} + \frac{2 \tan^{-1}\left(\frac{\sqrt{a - bx}}{\sqrt{a + bx}}\right) (aCf - bBf + bCe)}{b^2} + \frac{Cf\sqrt{a + bx} \left( -\sqrt{a - bx} - \frac{2\sqrt{a} \sin^{-1}\left(\frac{\sqrt{a - bx}}{\sqrt{2}\sqrt{a}}\right)}{\sqrt{\frac{bx}{a} + 1}} \right)}{b^2} \right)}{f^2\sqrt{c}(a - bx)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*x + C*x^2)/(Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)),x]
[Out] (Sqrt[a - b*x]*((C*f*Sqrt[a + b*x]*(-Sqrt[a - b*x] - (2*Sqrt[a]*ArcSin[Sqrt[a - b*x]/(Sqrt[2]*Sqrt[a])]))/Sqrt[1 + (b*x)/a]))/b^2 + (2*(b*C*e - b*B*f + a*C*f)*ArcTan[Sqrt[a - b*x]/Sqrt[a + b*x]])/b^2 + (2*(C*e^2 + f*(-(B*e) + A*f))*ArcTanh[(Sqrt[b*e - a*f]*Sqrt[a - b*x])/(Sqrt[-(b*e) - a*f]*Sqrt[a + b*x])])/(Sqrt[-(b*e) - a*f]*Sqrt[b*e - a*f]))/(f^2*Sqrt[c*(a - b*x)])
fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(f*x+e)/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x, algorithm="fricas")
[Out] Timed out
giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(f*x+e)/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x, algorithm="giac")
[Out] Timed out
maple [B] time = 0.07, size = 503, normalized size = 1.81
```

$$\left( -\sqrt{b^2c} A b^2c f^2 \ln \left( \frac{2b^2cex+2a^2cf+2\sqrt{\frac{(a^2f^2-b^2e^2)c}{f^2}} \sqrt{-(b^2x^2-a^2)c} f}{fx+e} \right) + \sqrt{b^2c} B b^2cef \ln \left( \frac{2b^2cex+2a^2cf+2\sqrt{\frac{(a^2f^2-b^2e^2)c}{f^2}} \sqrt{-(b^2x^2-a^2)c}}{fx+e} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((C*x^2+B*x+A)/(f*x+e)/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x)
[Out] (-A*ln(2*(b^2*c*e*x+a^2*c*f+(c*(a^2*f^2-b^2*e^2)/f^2)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*f)/(f*x+e))*b^2*c*f^2*(b^2*c)^(1/2)+B*ln(2*(b^2*c*e*x+a^2*c*f+(c*(a^2*f^2-b^2*e^2)/f^2)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*f)/(f*x+e))*b^2*c*e*f*(b^2*c)^(1/2)+B*arctan((b^2*c)^(1/2)/(-(b^2*x^2-a^2)*c)^(1/2)*x)*b^2*c*f^2*(c*(a^2*f^2-b^2*e^2)/f^2)^(1/2)-C*ln(2*(b^2*c*e*x+a^2*c*f+(c*(a^2*f^2-b^2*e^2)/f^2)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*f)/(f*x+e))*b^2*c*e^2*(b^2*c)^(1/2)-C*arctan((b^2*c)^(1/2)/(-(b^2*x^2-a^2)*c)^(1/2)*x)*b^2*c*e*f*(c*(a^2*f^2-b^2*e^2)/f^2)^(1/2)-C*f^2*(b^2*c)^(1/2)*(c*(a^2*f^2-b^2*e^2)/f^2)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2))*(b*x+a)^(1/2)*(-(b*x-a)*c)^(1/2)/(c*(a^2*f^2-b^2*e^2)/f^2)^(1/2)/f^3/(b^2*c)^(1/2)/b^2/c/(-(b^2*x^2-a^2)*c)^(1/2)
maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00
```

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(f*x+e)/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x, algorithm="maxima")
```

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume((4\*b^2\*c>0)', see `assume?` for more details)Is  $(4*b^2*c^2*(a^2*c-(b^2*c*e^2)/f^2))/f^2 + (4*b^4*c^2*e^2)/f^4$  zero or nonzero?

**mupad [B]** time = 44.56, size = 9298, normalized size = 33.45

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((A + B*x + C*x^2)/((e + f*x)*(a*c - b*c*x)^{1/2}*(a + b*x)^{1/2}), x)$

[Out]  $(B*a*e*\text{atan}(((B*a*e*((4096*(32*B^3*a^{17/2})c^3*e*f^2*(a*c)^{5/2} + 24*B^3*a^{15/2})b^2*c^4*e^3*(a*c)^{3/2}))/a^6*b^8*e^6 - (4096*(32*B^3*a^{17/2})c^2*e*f^2*(a*c)^{5/2} - 96*B^3*a^{15/2})b^2*c^3*e^3*(a*c)^{3/2})*((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^2)/(a^6*b^8*e^6*((a + b*x)^{1/2} - a^{1/2})^2) - (B*a*e*((4096*(16*B^2*a^{12}c^6*f^4 + 9*B^2*a^8*b^4*c^6*e^4))/a^6*b^8*e^6) + (B*a*e*((4096*(24*B*a^{17/2})b^2*c^4*e*f^4*(a*c)^{5/2} - 30*B*a^{15/2})b^4*c^5*e^3*f^2*(a*c)^{3/2}))/a^6*b^8*e^6 + (16384*(20*B*a^{12}c^6*f^5 - 22*B*a^{10}b^2*c^6*e^2*f^3)*((a*c - b*c*x)^{1/2} - (a*c)^{1/2}))/a^6*b^7*e^6*((a + b*x)^{1/2} - a^{1/2})) + (B*a*e*((4096*(9*a^8*b^6*c^7*e^4*f^2 - 7*a^{10}b^4*c^7*e^2*f^4))/a^6*b^8*e^6) + (4096*(9*a^8*b^6*c^6*e^4*f^2 - 11*a^{10}b^4*c^6*e^2*f^4)*((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^2)/(a^6*b^8*e^6*((a + b*x)^{1/2} - a^{1/2})^2) - (16384*(5*a^{17/2})b^2*c^4*e*f^5*(a*c)^{5/2} - 6*a^{15/2})b^4*c^5*e^3*f^3*(a*c)^{3/2})*((a*c - b*c*x)^{1/2} - (a*c)^{1/2}))/a^6*b^7*e^6*((a + b*x)^{1/2} - a^{1/2}))))/(f*(a^4*c*f^2 - a^2*b^2*c*e^2)^{1/2}) + (4096*((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^2*(96*B*a^{17/2})b^2*c^3*e*f^4*(a*c)^{5/2} - 90*B*a^{15/2})b^4*c^4*e^3*f^2*(a*c)^{3/2}))/a^6*b^8*e^6*((a + b*x)^{1/2} - a^{1/2})^2))/f*(a^4*c*f^2 - a^2*b^2*c*e^2)^{1/2}) + (16384*(8*B^2*a^{17/2})c^3*e*f^3*(a*c)^{5/2} + 3*B^2*a^{15/2})b^2*c^4*e^3*f*(a*c)^{3/2})*((a*c - b*c*x)^{1/2} - (a*c)^{1/2}))/a^6*b^7*e^6*((a + b*x)^{1/2} - a^{1/2})) + (4096*((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^2*(9*B^2*a^8*b^4*c^5*e^4 - 144*B^2*a^{12}c^5*f^4 + 128*B^2*a^{10}b^2*c^5*e^2*f^2))/a^6*b^8*e^6*((a + b*x)^{1/2} - a^{1/2})^2))/f*(a^4*c*f^2 - a^2*b^2*c*e^2)^{1/2}) + (458752*B^3*a^4*c^5*f*((a*c - b*c*x)^{1/2} - (a*c)^{1/2}))/b^7*e^4*((a + b*x)^{1/2} - a^{1/2}))*1i)/f*(a^4*c*f^2 - a^2*b^2*c*e^2)^{1/2}) + (B*a*e*((4096*(32*B^3*a^{17/2})c^3*e*f^2*(a*c)^{5/2} + 24*B^3*a^{15/2})b^2*c^4*e^3*(a*c)^{3/2}))/a^6*b^8*e^6 - (4096*(32*B^3*a^{17/2})c^2*e*f^2*(a*c)^{5/2} - 96*B^3*a^{15/2})b^2*c^3*e^3*(a*c)^{3/2})*((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^2)/(a^6*b^8*e^6*((a + b*x)^{1/2} - a^{1/2})^2) + (B*a*e*((4096*(16*B^2*a^{12}c^6*f^4 + 9*B^2*a^8*b^4*c^6*e^4))/a^6*b^8*e^6) - (B*a*e*((4096*(24*B*a^{17/2})b^2*c^4*e*f^4*(a*c)^{5/2} - 30*B*a^{15/2})b^4*c^5*e^3*f^2*(a*c)^{3/2}))/a^6*b^8*e^6 + (16384*(20*B*a^{12}c^6*f^5 - 22*B*a^{10}b^2*c^6*e^2*f^3)*((a*c - b*c*x)^{1/2} - (a*c)^{1/2}))/a^6*b^7*e^6*((a + b*x)^{1/2} - a^{1/2})) - (B*a*e*((4096*(9*a^8*b^6*c^7*e^4*f^2 - 7*a^{10}b^4*c^7*e^2*f^4))/a^6*b^8*e^6) + (4096*(9*a^8*b^6*c^6*e^4*f^2 - 11*a^{10}b^4*c^6*e^2*f^4)*((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^2)/(a^6*b^8*e^6*((a + b*x)^{1/2} - a^{1/2})^2) - (16384*(5*a^{17/2})b^2*c^4*e*f^5*(a*c)^{5/2} - 6*a^{15/2})b^4*c^5*e^3*f^3*(a*c)^{3/2})*((a*c - b*c*x)^{1/2} - (a*c)^{1/2}))/a^6*b^7*e^6*((a + b*x)^{1/2} - a^{1/2}))))/(f*(a^4*c*f^2 - a^2*b^2*c*e^2)^{1/2}) + (4096*((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^2*(96*B*a^{17/2})b^2*c^3*e*f^4*(a*c)^{5/2} - 90*B*a^{15/2})b^4*c^4*e^3*f^2*(a*c)^{3/2}))/a^6*b^8*e^6*((a + b*x)^{1/2} - a^{1/2})^2))/f*(a^4*c*f^2 - a^2*b^2*c*e^2)^{1/2}) + (16384*(8*B^2*a^{17/2})c^3*e*f^3*(a*c)^{5/2} + 3*B^2*a^{15/2})b^2*c^4*e^3*f*(a*c)^{3/2})*((a*c - b*c*x)^{1/2} - (a*c)^{1/2}))/a^6*b^7*e^6*((a + b*x)^{1/2} - a^{1/2})) + (4096*((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^2*(9*B^2*a^8*b^4*c^5*e^4 - 144*B^2*a^{12}c^5*f^4 + 128*B^2*a^{10}b^2*c^5*e^2*f^2))/a^6*b^8*e^6*((a + b*x)^{1/2} - a^{1/2})^2))/f*(a^4*c*f^2 - a^2*b^2*c*e^2)^{1/2}) + (458752*B^3*a^4*c^5*f*((a*c - b*c*x)^{1/2} - (a*c)^{1/2}))/b^7*e^4*((a + b*x)^{1/2} - a^{1/2}))$





$$\begin{aligned}
& *C^3*a^{(5/2)}*c^2*e^2*f^3*(a*c)^{(5/2)} - 96*C^3*a^{(3/2)}*b^2*c^3*e^4*f*(a*c)^{(3/2)})/(b^8*e^4*f^4*((a + b*x)^{(1/2)} - a^{(1/2)})^2) + (458752*C^3*a^4*c^5*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}))/(b^7*e*f^2*((a + b*x)^{(1/2)} - a^{(1/2)})))/ \\
& (f^2*(a^2*c*f^2 - b^2*c*e^2)^{(1/2)}) - (C*e^2*((4096*(32*C^3*a^{(5/2)}*c^3*e^2*f^3*(a*c)^{(5/2)} + 24*C^3*a^{(3/2)}*b^2*c^4*e^4*f*(a*c)^{(3/2)}))/(b^8*e^4*f^4) - \\
& (C*e^2*((4096*(16*C^2*a^6*c^6*f^6 + 9*C^2*a^2*b^4*c^6*e^4*f^2))/(b^8*e^4*f^4) + (C*e^2*((4096*(24*C*a^{(5/2)}*b^2*c^4*f^7*(a*c)^{(5/2)} - 30*C*a^{(3/2)}*b^4*c^5*e^2*f^5*(a*c)^{(3/2)}))/(b^8*e^4*f^4) - \\
& (C*e^2*((4096*(7*a^4*b^4*c^7*f^8 - 9*a^2*b^6*c^7*e^2*f^6))/(b^8*e^4*f^4) + (16384*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})* \\
& (5*a^{(5/2)}*b^2*c^4*f^7*(a*c)^{(5/2)} - 6*a^{(3/2)}*b^4*c^5*e^2*f^5*(a*c)^{(3/2)}))/(b^7*e^5*f^2*((a + b*x)^{(1/2)} - a^{(1/2)})) + (4096*((a*c - b*c*x)^{(1/2)} - \\
& (a*c)^{(1/2)})^2*(11*a^4*b^4*c^6*f^8 - 9*a^2*b^6*c^6*e^2*f^6))/(b^8*e^4*f^4*((a + b*x)^{(1/2)} - a^{(1/2)})^2)))/ \\
& (f^2*(a^2*c*f^2 - b^2*c*e^2)^{(1/2)}) + (16384*(20*C*a^6*c^6*f^6 - 22*C*a^4*b^2*c^6*e^2*f^4)*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}))/(b^7*e^5*f^2*((a + b*x)^{(1/2)} - a^{(1/2)})) + \\
& (4096*(96*C*a^{(5/2)}*b^2*c^3*f^7*(a*c)^{(5/2)} - 90*C*a^{(3/2)}*b^4*c^4*e^2*f^5*(a*c)^{(3/2)})*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2)/(b^8*e^4*f^4*((a + b*x)^{(1/2)} - a^{(1/2)})^2)))/ \\
& (f^2*(a^2*c*f^2 - b^2*c*e^2)^{(1/2)}) + (4096*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2*(9*C^2*a^2*b^4*c^5*e^4*f^2 - 144*C^2*a^6*c^5*f^6 + 128*C^2*a^4*b^2*c^5*e^2*f^4))/(b^8*e^4*f^4*((a + b*x)^{(1/2)} - a^{(1/2)})^2) \\
& + (16384*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})*(8*C^2*a^{(5/2)}*c^3*e^2*f^3*(a*c)^{(5/2)} + 3*C^2*a^{(3/2)}*b^2*c^4*e^4*f*(a*c)^{(3/2)}))/(b^7*e^5*f^2*((a + b*x)^{(1/2)} - a^{(1/2)})))/ \\
& (f^2*(a^2*c*f^2 - b^2*c*e^2)^{(1/2)}) - (4096*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2*(32*C^3*a^{(5/2)}*c^2*e^2*f^3*(a*c)^{(5/2)} - 96*C^3*a^{(3/2)}*b^2*c^3*e^4*f*(a*c)^{(3/2)}))/(b^8*e^4*f^4*((a + b*x)^{(1/2)} - a^{(1/2)})^2) + \\
& (458752*C^3*a^4*c^5*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}))/(b^7*e*f^2*((a + b*x)^{(1/2)} - a^{(1/2)})))/ \\
& (f^2*(a^2*c*f^2 - b^2*c*e^2)^{(1/2)}) + (917504*C^4*a^4*c^4*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2)/(b^8*f^4*((a + b*x)^{(1/2)} - a^{(1/2)})^2)))*2i)/(f^2*(a^2*c*f^2 - b^2*c*e^2)^{(1/2)}) - (4*B*atan(67108864*B^5*a^16*c^7*f^4*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}))/(((a + b*x)^{(1/2)} - a^{(1/2)})*(67108864*B^5*a^16*c^{(15/2)}*f^4 + 37748736*B^5*a^12*b^4*c^{(15/2)}*e^4 - 100663296*B^5*a^14*b^2*c^{(15/2)}*e^2*f^2)) + (37748736*B^5*a^12*b^4*c^7*e^4*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}))/(((a + b*x)^{(1/2)} - a^{(1/2)})*(67108864*B^5*a^16*c^{(15/2)}*f^4 + 37748736*B^5*a^12*b^4*c^{(15/2)}*e^4 - 100663296*B^5*a^14*b^2*c^{(15/2)}*e^2*f^2)) - (100663296*B^5*a^14*b^2*c^7*e^2*f^2*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}))/(((a + b*x)^{(1/2)} - a^{(1/2)})*(67108864*B^5*a^16*c^{(15/2)}*f^4 + 37748736*B^5*a^12*b^4*c^{(15/2)}*e^4 - 100663296*B^5*a^14*b^2*c^{(15/2)}*e^2*f^2)))/ \\
& (b*c^{(1/2)}*f) - (A*a*atan((a*c*(a*c - b*c*x)^{(1/2)}*(a^4*c*f^2 - a^2*b^2*c*e^2)^{(1/2)}*2i - (a*c)^{(3/2)}*(a^4*c*f^2 - a^2*b^2*c*e^2)^{(1/2)}*1i + a*c*(a*c)^{(1/2)}*(a^4*c*f^2 - a^2*b^2*c*e^2)^{(1/2)}*1i + b*c*x*(a*c)^{(1/2)}*(a^4*c*f^2 - a^2*b^2*c*e^2)^{(1/2)}*2i - a^{(1/2)}*c*(a*c)^{(1/2)}*(a^4*c*f^2 - a^2*b^2*c*e^2)^{(1/2)}*(a + b*x)^{(1/2)}*2i)/(2*a^{(5/2)}*b*c^2*e - 2*a^3*c^2*f*(a + b*x)^{(1/2)} - 2*a^2*b*c^2*e*(a + b*x)^{(1/2)} + 2*a^{(5/2)}*b*c^2*f*x + 2*a^{(5/2)}*c*f*(a*c - b*c*x)^{(1/2)}*(a*c)^{(1/2)} - 2*a^{(3/2)}*b*c*e*(a*c - b*c*x)^{(1/2)}*(a*c)^{(1/2)} + 2*a*b*c*e*(a*c - b*c*x)^{(1/2)}*(a*c)^{(1/2)}*(a + b*x)^{(1/2)})))*2i)/(a^4*c*f^2 - a^2*b^2*c*e^2)^{(1/2)} + (4*C*e*atan((67108864*C^5*a^8*c^7*f^4*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}))/(((a + b*x)^{(1/2)} - a^{(1/2)})*(67108864*C^5*a^8*c^{(15/2)}*f^4 + 37748736*C^5*a^4*b^4*c^{(15/2)}*e^4 - 100663296*C^5*a^6*b^2*c^{(15/2)}*e^2*f^2)) + (37748736*C^5*a^4*b^4*c^7*e^4*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}))/(((a + b*x)^{(1/2)} - a^{(1/2)})*(67108864*C^5*a^8*c^{(15/2)}*f^4 + 37748736*C^5*a^4*b^4*c^{(15/2)}*e^4 - 100663296*C^5*a^6*b^2*c^{(15/2)}*e^2*f^2)) - (100663296*C^5*a^6*b^2*c^7*e^2*f^2*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}))/(((a + b*x)^{(1/2)} - a^{(1/2)})*(67108864*C^5*a^8*c^{(15/2)}*f^4 + 37748736*C^5*a^4*b^4*c^{(15/2)}*e^4 - 100663296*C^5*a^6*b^2*c^{(15/2)}*e^2*f^2)))/ \\
& (b*c^{(1/2)}*f^2) - (8*C*a^{(1/2)}*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2)/(b^2*f*((a + b*x)^{(1/2)} - a^{(1/2)})^2*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^4/((a + b*x)^{(1/2)} - a^{(1/2)})^4 + c^2 + (2*c*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2)/((a + b*x)^{(1/2)} - a^{(1/2)})^2))
\end{aligned}$$



sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x\*\*2+B\*x+A)/(f\*x+e)/(b\*x+a)\*\*(1/2)/(-b\*c\*x+a\*c)\*\*(1/2),x)

[Out] Timed out

$$3.25 \quad \int \frac{A+Bx+Cx^2}{\sqrt{a+bx} \sqrt{ac-bcx} (e+fx)^2} dx$$

**Optimal.** Leaf size=322

$$\frac{f(a^2 - b^2x^2) \left( A + \frac{e(Ce-Bf)}{f^2} \right) \sqrt{a^2c - b^2cx^2} (a^2f^2(2Ce - Bf) - b^2(Ce^3 - Aef^2)) \tan^{-1} \left( \frac{\sqrt{c}(a^2f + \sqrt{a^2c - b^2cx^2})}{\sqrt{a+bx} \sqrt{ac-bcx}} \right)}{\sqrt{a+bx} (e+fx) \sqrt{ac-bcx} (b^2e^2 - a^2f^2)} + \frac{\sqrt{c} f^2 \sqrt{a+bx} \sqrt{ac-bcx} (b^2e^2 - a^2f^2)^{3/2}}{\sqrt{a+bx} (e+fx) \sqrt{ac-bcx} (b^2e^2 - a^2f^2)}$$

[Out] f\*(A+e\*(-B\*f+C\*e)/f^2)\*(-b^2\*x^2+a^2)/(-a^2\*f^2+b^2\*e^2)/(f\*x+e)/(b\*x+a)^(1/2)/(-b\*c\*x+a\*c)^(1/2)+C\*arctan(b\*x\*c^(1/2)/(-b^2\*c\*x^2+a^2\*c)^(1/2))\*(-b^2\*c\*x^2+a^2\*c)^(1/2)/b/f^2/c^(1/2)/(b\*x+a)^(1/2)/(-b\*c\*x+a\*c)^(1/2)+(a^2\*f^2\*(-B\*f+2\*C\*e)-b^2\*(-A\*e\*f^2+C\*e^3))\*arctan((b^2\*e\*x+a^2\*f)\*c^(1/2)/(-a^2\*f^2+b^2\*e^2)^(1/2)/(-b^2\*c\*x^2+a^2\*c)^(1/2))\*(-b^2\*c\*x^2+a^2\*c)^(1/2)/f^2/(-a^2\*f^2+b^2\*e^2)^(3/2)/c^(1/2)/(b\*x+a)^(1/2)/(-b\*c\*x+a\*c)^(1/2)

**Rubi [A]** time = 0.58, antiderivative size = 322, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 40,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.175$ , Rules used = {1610, 1651, 844, 217, 203, 725, 204}

$$\frac{f(a^2 - b^2x^2) \left( A + \frac{e(Ce-Bf)}{f^2} \right) \sqrt{a^2c - b^2cx^2} (a^2f^2(2Ce - Bf) - b^2(Ce^3 - Aef^2)) \tan^{-1} \left( \frac{\sqrt{c}(a^2f + \sqrt{a^2c - b^2cx^2})}{\sqrt{a+bx} \sqrt{ac-bcx}} \right)}{\sqrt{a+bx} (e+fx) \sqrt{ac-bcx} (b^2e^2 - a^2f^2)} + \frac{\sqrt{c} f^2 \sqrt{a+bx} \sqrt{ac-bcx} (b^2e^2 - a^2f^2)^{3/2}}{\sqrt{a+bx} (e+fx) \sqrt{ac-bcx} (b^2e^2 - a^2f^2)}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*x + C\*x^2)/(Sqrt[a + b\*x]\*Sqrt[a\*c - b\*c\*x]\*(e + f\*x)^2), x]

[Out] (f\*(A + (e\*(C\*e - B\*f))/f^2)\*(a^2 - b^2\*x^2))/((b^2\*e^2 - a^2\*f^2)\*Sqrt[a + b\*x]\*Sqrt[a\*c - b\*c\*x]\*(e + f\*x)) + (C\*Sqrt[a^2\*c - b^2\*c\*x^2]\*ArcTan[(b\*Sqrt[c]\*x)/Sqrt[a^2\*c - b^2\*c\*x^2]])/(b\*Sqrt[c]\*f^2\*Sqrt[a + b\*x]\*Sqrt[a\*c - b\*c\*x]) + ((a^2\*f^2\*(2\*C\*e - B\*f) - b^2\*(C\*e^3 - A\*e\*f^2))\*Sqrt[a^2\*c - b^2\*c\*x^2]\*ArcTan[(Sqrt[c]\*(a^2\*f + b^2\*e\*x))/(Sqrt[b^2\*e^2 - a^2\*f^2]\*Sqrt[a^2\*c - b^2\*c\*x^2]])/(Sqrt[c]\*f^2\*(b^2\*e^2 - a^2\*f^2)^(3/2)\*Sqrt[a + b\*x]\*Sqrt[a\*c - b\*c\*x])

**Rule 203**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

**Rule 204**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

**Rule 217**

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

**Rule 725**

Int[1/(((d\_) + (e\_.)\*(x\_))\*Sqrt[(a\_) + (c\_.)\*(x\_)^2]), x\_Symbol] := -Subst[Int[1/(c\*d^2 + a\*e^2 - x^2), x], x, (a\*e - c\*d\*x)/Sqrt[a + c\*x^2]] /; FreeQ[{a, c, d, e}, x]

Rule 844

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Dist[g/e, Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^p, x], x] + Dist[(e\*f - d\*g)/e, Int[(d + e\*x)^m\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c\*d^2 + a\*e^2, 0] && !IGtQ[m, 0]

Rule 1610

Int[(Px\_)\*((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] := Dist[((a + b\*x)^FracPart[m]\*(c + d\*x)^FracPart[m])/(a\*c + b\*d\*x^2)^FracPart[m], Int[Px\*(a\*c + b\*d\*x^2)^m\*(e + f\*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b\*c + a\*d, 0] && EqQ[m, n] && !IntegerQ[m]

Rule 1651

Int[(Pq\_)\*((d\_.) + (e\_.)\*(x\_))^(m\_)\*((a\_.) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := With[{Q = PolynomialQuotient[Pq, d + e\*x, x], R = PolynomialRemainder[Pq, d + e\*x, x]}, Simp[(e\*R\*(d + e\*x)^(m + 1)\*(a + c\*x^2)^(p + 1))/((m + 1)\*(c\*d^2 + a\*e^2)), x] + Dist[1/((m + 1)\*(c\*d^2 + a\*e^2)), Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^p\*ExpandToSum[(m + 1)\*(c\*d^2 + a\*e^2)\*Q + c\*d\*R\*(m + 1) - c\*e\*R\*(m + 2\*p + 3)\*x, x], x]] /; FreeQ[{a, c, d, e, p}, x] && PolyQ[Pq, x] && NeQ[c\*d^2 + a\*e^2, 0] && LtQ[m, -1]

Rubi steps

$$\begin{aligned} \int \frac{A + Bx + Cx^2}{\sqrt{a + bx} \sqrt{ac - bcx} (e + fx)^2} dx &= \frac{\sqrt{a^2c - b^2cx^2} \int \frac{A + Bx + Cx^2}{(e + fx)^2 \sqrt{a^2c - b^2cx^2}} dx}{\sqrt{a + bx} \sqrt{ac - bcx}} \\ &= \frac{f \left( A + \frac{e(Ce - Bf)}{f^2} \right) (a^2 - b^2x^2)}{(b^2e^2 - a^2f^2) \sqrt{a + bx} \sqrt{ac - bcx} (e + fx)} + \frac{\sqrt{a^2c - b^2cx^2} \int \frac{c(Ab^2e + a^2(Ce - Bf))}{(e + fx)^2 \sqrt{a^2c - b^2cx^2}} dx}{c(b^2e^2 - a^2f^2) \sqrt{a + bx} \sqrt{ac - bcx}} \\ &= \frac{f \left( A + \frac{e(Ce - Bf)}{f^2} \right) (a^2 - b^2x^2)}{(b^2e^2 - a^2f^2) \sqrt{a + bx} \sqrt{ac - bcx} (e + fx)} + \frac{\left( C \left( \frac{b^2e^2}{f} - a^2f \right) \sqrt{a^2c - b^2cx^2} \right)}{f(b^2e^2 - a^2f^2) \sqrt{a + bx} \sqrt{ac - bcx}} \\ &= \frac{f \left( A + \frac{e(Ce - Bf)}{f^2} \right) (a^2 - b^2x^2)}{(b^2e^2 - a^2f^2) \sqrt{a + bx} \sqrt{ac - bcx} (e + fx)} + \frac{\left( C \left( \frac{b^2e^2}{f} - a^2f \right) \sqrt{a^2c - b^2cx^2} \right)}{f(b^2e^2 - a^2f^2) \sqrt{a + bx} \sqrt{ac - bcx}} \\ &= \frac{f \left( A + \frac{e(Ce - Bf)}{f^2} \right) (a^2 - b^2x^2)}{(b^2e^2 - a^2f^2) \sqrt{a + bx} \sqrt{ac - bcx} (e + fx)} + \frac{C \sqrt{a^2c - b^2cx^2} \tan^{-1} \left( \frac{bx}{\sqrt{a^2c - b^2cx^2}} \right)}{b \sqrt{c} f^2 \sqrt{a + bx} \sqrt{ac - bcx}} \end{aligned}$$

**Mathematica [A]** time = 0.85, size = 309, normalized size = 0.96

$$\frac{2b^2e\sqrt{a-bx}(f(Af-Be)+Ce^2)\tanh^{-1}\left(\frac{\sqrt{a-bx}\sqrt{be-af}}{\sqrt{a+bx}\sqrt{-af-be}}\right)}{(-af-be)^{3/2}(be-af)^{3/2}} + \frac{f(bx-a)\sqrt{a+bx}(f(Af-Be)+Ce^2)}{(e+fx)(af-be)(af+be)} - \frac{2\sqrt{a-bx}(2Ce-Bf)\tanh^{-1}\left(\frac{\sqrt{a-bx}\sqrt{be-af}}{\sqrt{a+bx}\sqrt{-af-be}}\right)}{\sqrt{-af-be}\sqrt{be-af}}}{f^2\sqrt{c(a-bx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*x + C\*x^2)/(Sqrt[a + b\*x]\*Sqrt[a\*c - b\*c\*x]\*(e + f\*x)^2), x]

```
[Out] ((f*(C*e^2 + f*(-(B*e) + A*f))*(-a + b*x)*Sqrt[a + b*x])/((-b*e) + a*f)*(b
*e + a*f)*(e + f*x)) - (2*C*Sqrt[a - b*x]*ArcTan[Sqrt[a - b*x]/Sqrt[a + b*x
]])/b - (2*(2*C*e - B*f)*Sqrt[a - b*x]*ArcTanh[(Sqrt[b*e - a*f]*Sqrt[a - b*
x])/(Sqrt[-(b*e) - a*f]*Sqrt[a + b*x])])/(Sqrt[-(b*e) - a*f]*Sqrt[b*e - a*f
]) - (2*b^2*e*(C*e^2 + f*(-(B*e) + A*f))*Sqrt[a - b*x]*ArcTanh[(Sqrt[b*e -
a*f]*Sqrt[a - b*x])/(Sqrt[-(b*e) - a*f]*Sqrt[a + b*x])])/((-(b*e) - a*f)^(3
/2)*(b*e - a*f)^(3/2)))/(f^2*Sqrt[c*(a - b*x)])
```

**fricas** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(f*x+e)^2/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x, algor
ithm="fricas")
```

[Out] Timed out

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(f*x+e)^2/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x, algor
ithm="giac")
```

[Out] Timed out

**maple** [B] time = 0.04, size = 1200, normalized size = 3.73

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((C*x^2+B*x+A)/(f*x+e)^2/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x)
```

```
[Out] (A*ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^(1/2)*(-(b^2*x^2-a^2)*
c)^(1/2)*f)/(f*x+e))*x*b^2*c*e*f^3*(b^2*c)^(1/2)-B*ln(2*(b^2*c*e*x+a^2*c*f+
((a^2*f^2-b^2*e^2)*c/f^2)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*f)/(f*x+e))*x*a^2*
c*f^4*(b^2*c)^(1/2)+2*C*ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^(
1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*f)/(f*x+e))*x*a^2*c*e*f^3*(b^2*c)^(1/2)-C*ln(
2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/
2)*f)/(f*x+e))*x*b^2*c*e^3*f*(b^2*c)^(1/2)+C*arctan((b^2*c)^(1/2)/(-(b^2*x^
2-a^2)*c)^(1/2)*x)*x*a^2*c*f^4*((a^2*f^2-b^2*e^2)*c/f^2)^(1/2)-C*arctan((b^
2*c)^(1/2)/(-(b^2*x^2-a^2)*c)^(1/2)*x)*x*b^2*c*e^2*f^2*((a^2*f^2-b^2*e^2)*c
/f^2)^(1/2)+A*ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^(1/2)*(-(b^
2*x^2-a^2)*c)^(1/2)*f)/(f*x+e))*b^2*c*e^2*f^2*(b^2*c)^(1/2)-B*ln(2*(b^2*c*e
*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*f)/(f*x
+e))*a^2*c*e*f^3*(b^2*c)^(1/2)+2*C*ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^
2)*c/f^2)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*f)/(f*x+e))*a^2*c*e^2*f^2*(b^2*c)^(
1/2)-C*ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^(1/2)*(-(b^2*x^2-
a^2)*c)^(1/2)*f)/(f*x+e))*b^2*c*e^4*(b^2*c)^(1/2)+C*arctan((b^2*c)^(1/2)/(-
(b^2*x^2-a^2)*c)^(1/2)*x)*a^2*c*e*f^3*((a^2*f^2-b^2*e^2)*c/f^2)^(1/2)-C*arc
tan((b^2*c)^(1/2)/(-(b^2*x^2-a^2)*c)^(1/2)*x)*b^2*c*e^3*f*((a^2*f^2-b^2*e^2
)*c/f^2)^(1/2)-A*f^4*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*((a^2*f^2-b^2*e
^2)*c/f^2)^(1/2)+B*e*f^3*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*((a^2*f^2-b
^2*e^2)*c/f^2)^(1/2)-C*e^2*f^2*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*((a^2
*f^2-b^2*e^2)*c/f^2)^(1/2))/c*(-(b*x-a)*c)^(1/2)*(b*x+a)^(1/2)/(-(b^2*x^2-a
^2)*c)^(1/2)/(a*f-b*e)/(b^2*c)^(1/2)/(a*f+b*e)/(f*x+e)/((a^2*f^2-b^2*e^2)*c
/f^2)^(1/2)/f^3
```

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(f*x+e)^2/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume((4*b^2*c>0)')', see `assume?` for more details)Is (4*b^2*c      *(a^2*c-(b^2*c*e^2)
 /f^2))      /f^2      +(4*b^4*c^2*e^2)/f^4      zero or nonzero?
```

**mupad** [F(-1)] time = 0.00, size = -1, normalized size = -0.00

Hanged

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A + B*x + C*x^2)/((e + f*x)^2*(a*c - b*c*x)^(1/2)*(a + b*x)^(1/2)),x)
```

```
[Out] \text{Hanged}
```

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x**2+B*x+A)/(f*x+e)**2/(b*x+a)**(1/2)/(-b*c*x+a*c)**(1/2),x)
```

```
[Out] Timed out
```

$$3.26 \quad \int \frac{A+Bx+Cx^2}{\sqrt{a+bx} \sqrt{ac-bcx} (e+fx)^3} dx$$

Optimal. Leaf size=363

$$\frac{(a^2 - b^2x^2) (2a^2f^2(2Ce - Bf) - b^2e (f(Be - 3Af) + Ce^2))}{2f\sqrt{a+bx} (e+fx)\sqrt{ac-bcx} (b^2e^2 - a^2f^2)^2} + \frac{f(a^2 - b^2x^2) \left( A + \frac{e(Ce-Bf)}{f^2} \right)}{2\sqrt{a+bx} (e+fx)^2\sqrt{ac-bcx} (b^2e^2 - a^2f^2)} + \frac{\sqrt{a^2c - b^2x^2}}{\dots}$$

[Out] 1/2\*f\*(A+e\*(-B\*f+C\*e)/f^2)\*(-b^2\*x^2+a^2)/(-a^2\*f^2+b^2\*e^2)/(f\*x+e)^2/(b\*x+a)^(1/2)/(-b\*c\*x+a\*c)^(1/2)+1/2\*(2\*a^2\*f^2\*(-B\*f+2\*C\*e)-b^2\*e\*(C\*e^2+f\*(-3\*A\*f+B\*e)))\*(-b^2\*x^2+a^2)/f/(-a^2\*f^2+b^2\*e^2)^2/(f\*x+e)/(b\*x+a)^(1/2)/(-b\*c\*x+a\*c)^(1/2)+1/2\*(A\*(a^2\*b^2\*f^2+2\*b^4\*e^2)+a^2\*(2\*a^2\*C\*f^2+b^2\*e\*(-3\*B\*f+C\*e)))\*arctan((b^2\*e\*x+a^2\*f)\*c^(1/2)/(-a^2\*f^2+b^2\*e^2)^(1/2)/(-b^2\*c\*x^2+a^2\*c)^(1/2))\*(-b^2\*c\*x^2+a^2\*c)^(1/2)/(-a^2\*f^2+b^2\*e^2)^(5/2)/c^(1/2)/(b\*x+a)^(1/2)/(-b\*c\*x+a\*c)^(1/2)

**Rubi [A]** time = 0.68, antiderivative size = 361, normalized size of antiderivative = 0.99, number of steps used = 5, number of rules used = 5, integrand size = 40,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {1610, 1651, 807, 725, 204}

$$\frac{(a^2 - b^2x^2) (2a^2f^2(2Ce - Bf) - b^2 (ef(Be - 3Af) + Ce^3))}{2f\sqrt{a+bx} (e+fx)\sqrt{ac-bcx} (b^2e^2 - a^2f^2)^2} + \frac{f(a^2 - b^2x^2) \left( A + \frac{e(Ce-Bf)}{f^2} \right)}{2\sqrt{a+bx} (e+fx)^2\sqrt{ac-bcx} (b^2e^2 - a^2f^2)} + \frac{\sqrt{a^2c - b^2x^2}}{\dots}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*x + C\*x^2)/(Sqrt[a + b\*x]\*Sqrt[a\*c - b\*c\*x]\*(e + f\*x)^3), x]

[Out] (f\*(A + (e\*(C\*e - B\*f))/f^2)\*(a^2 - b^2\*x^2))/(2\*(b^2\*e^2 - a^2\*f^2)\*Sqrt[a + b\*x]\*Sqrt[a\*c - b\*c\*x]\*(e + f\*x)^2) + ((2\*a^2\*f^2\*(2\*C\*e - B\*f) - b^2\*(C\*e^3 + e\*f\*(B\*e - 3\*A\*f)))\*(a^2 - b^2\*x^2))/(2\*f\*(b^2\*e^2 - a^2\*f^2)^2\*Sqrt[a + b\*x]\*Sqrt[a\*c - b\*c\*x]\*(e + f\*x)) + ((2\*a^4\*C\*f^2 + a^2\*b^2\*e\*(C\*e - 3\*B\*f) + A\*(2\*b^4\*e^2 + a^2\*b^2\*f^2))\*Sqrt[a^2\*c - b^2\*c\*x^2]\*ArcTan[(Sqrt[c]\*(a^2\*f + b^2\*e\*x))/(Sqrt[b^2\*e^2 - a^2\*f^2]\*Sqrt[a^2\*c - b^2\*c\*x^2])])/(2\*Sqrt[c]\*(b^2\*e^2 - a^2\*f^2)^(5/2)\*Sqrt[a + b\*x]\*Sqrt[a\*c - b\*c\*x])

#### Rule 204

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

#### Rule 725

Int[1/(((d\_) + (e\_)\*(x\_))\*Sqrt[(a\_) + (c\_)\*(x\_)^2]), x\_Symbol] := -Subst[Int[1/(c\*d^2 + a\*e^2 - x^2), x], x, (a\*e - c\*d\*x)/Sqrt[a + c\*x^2]] /; FreeQ[{a, c, d, e}, x]

#### Rule 807

Int[((d\_) + (e\_)\*(x\_)^(m\_))\*((f\_) + (g\_)\*(x\_))\*((a\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[((e\*f - d\*g)\*(d + e\*x)^(m+1)\*(a + c\*x^2)^(p+1))/(2\*(p+1)\*(c\*d^2 + a\*e^2)), x] + Dist[(c\*d\*f + a\*e\*g)/(c\*d^2 + a\*e^2), Int[(d + e\*x)^(m+1)\*(a + c\*x^2)^p, x]] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c\*d^2 + a\*e^2, 0] && EqQ[Simplify[m + 2\*p + 3], 0]

#### Rule 1610

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)
)*(x_))^(p_.), x_Symbol] := Dist[((a + b*x)^FracPart[m]*(c + d*x)^FracPart[
m])/(a*c + b*d*x^2)^FracPart[m], Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x],
x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*
d, 0] && EqQ[m, n] && !IntegerQ[m]
```

### Rule 1651

```
Int[(Pq_)*((d_) + (e_.)*(x_))^(m_)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] :=
With[{Q = PolynomialQuotient[Pq, d + e*x, x], R = PolynomialRemainder[Pq,
d + e*x, x]}, Simp[(e*R*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/((m + 1)*(c*
d^2 + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 1)
*(a + c*x^2)^p*ExpandToSum[(m + 1)*(c*d^2 + a*e^2)*Q + c*d*R*(m + 1) - c*e*
R*(m + 2*p + 3)*x, x], x]] /; FreeQ[{a, c, d, e, p}, x] && PolyQ[Pq, x]
&& NeQ[c*d^2 + a*e^2, 0] && LtQ[m, -1]
```

### Rubi steps

$$\int \frac{A + Bx + Cx^2}{\sqrt{a + bx} \sqrt{ac - bcx} (e + fx)^3} dx = \frac{\sqrt{a^2c - b^2cx^2} \int \frac{A+Bx+Cx^2}{(e+fx)^3 \sqrt{a^2c - b^2cx^2}} dx}{\sqrt{a + bx} \sqrt{ac - bcx}}$$

$$= \frac{f \left( A + \frac{e(Ce-Bf)}{f^2} \right) (a^2 - b^2x^2)}{2(b^2e^2 - a^2f^2) \sqrt{a + bx} \sqrt{ac - bcx} (e + fx)^2} + \frac{\sqrt{a^2c - b^2cx^2} \int \frac{2c(Ab^2e+a^2c)}{2c(b^2e^2 - a^2f^2)} dx}{2c(b^2e^2 - a^2f^2)}$$

$$= \frac{f \left( A + \frac{e(Ce-Bf)}{f^2} \right) (a^2 - b^2x^2)}{2(b^2e^2 - a^2f^2) \sqrt{a + bx} \sqrt{ac - bcx} (e + fx)^2} + \frac{(2a^2f^2(2Ce - Bf) - b^2c)}{2f(b^2e^2 - a^2f^2)}$$

$$= \frac{f \left( A + \frac{e(Ce-Bf)}{f^2} \right) (a^2 - b^2x^2)}{2(b^2e^2 - a^2f^2) \sqrt{a + bx} \sqrt{ac - bcx} (e + fx)^2} + \frac{(2a^2f^2(2Ce - Bf) - b^2c)}{2f(b^2e^2 - a^2f^2)}$$

$$= \frac{f \left( A + \frac{e(Ce-Bf)}{f^2} \right) (a^2 - b^2x^2)}{2(b^2e^2 - a^2f^2) \sqrt{a + bx} \sqrt{ac - bcx} (e + fx)^2} + \frac{(2a^2f^2(2Ce - Bf) - b^2c)}{2f(b^2e^2 - a^2f^2)}$$

**Mathematica [A]** time = 1.79, size = 492, normalized size = 1.36

$$\frac{b^2\sqrt{a-bx} \left( f(Af-Be)+Ce^2 \right) \left( 2(e+fx)(a^2f^2+2b^2e^2) \tanh^{-1} \left( \frac{\sqrt{a-bx} \sqrt{be-af}}{\sqrt{a+bx} \sqrt{-af-be}} \right) + 3ef\sqrt{a-bx} \sqrt{a+bx} \sqrt{-af-be} \sqrt{be-af} \right)}{(e+fx)(-af-be)^{5/2}(be-af)^{5/2}} + \frac{2f(bx-a)\sqrt{a+bx}(Bf-2Ce)}{(e+fx)(a^2f^2-b^2e^2)}$$


---


$$2f^2\sqrt{c(a-bx)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*x + C*x^2)/(Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)^3), x]
```

```
[Out] ((f*(C*e^2 + f*(-(B*e) + A*f))*(-a + b*x)*Sqrt[a + b*x])/((-b*e) + a*f)*(b
*e + a*f)*(e + f*x)^2) + (2*f*(-2*C*e + B*f)*(-a + b*x)*Sqrt[a + b*x])/((-b
^2*e^2) + a^2*f^2)*(e + f*x)) + (4*C*Sqrt[a - b*x]*ArcTanh[(Sqrt[b*e - a*f
]*Sqrt[a - b*x])/(Sqrt[-(b*e) - a*f]*Sqrt[a + b*x])])/(Sqrt[-(b*e) - a*f]*S
qrt[b*e - a*f]) + (4*b^2*e*(2*C*e - B*f)*Sqrt[a - b*x]*ArcTanh[(Sqrt[b*e -
a*f]*Sqrt[a - b*x])/(Sqrt[-(b*e) - a*f]*Sqrt[a + b*x])])/((-(b*e) - a*f)^(3
/2)*(b*e - a*f)^(3/2)) + (b^2*(C*e^2 + f*(-(B*e) + A*f))*Sqrt[a - b*x]*(3*e
```

$$*f*\text{Sqrt}[-(b*e) - a*f]*\text{Sqrt}[b*e - a*f]*\text{Sqrt}[a - b*x]*\text{Sqrt}[a + b*x] + 2*(2*b^2*e^2 + a^2*f^2)*(e + f*x)*\text{ArcTanh}[(\text{Sqrt}[b*e - a*f]*\text{Sqrt}[a - b*x])/(\text{Sqrt}[-(b*e) - a*f]*\text{Sqrt}[a + b*x])]/((-(b*e) - a*f)^{(5/2)}*(b*e - a*f)^{(5/2)}*(e + f*x))/((2*f^2*\text{Sqrt}[c*(a - b*x)]))$$

**fricas [A]** time = 147.15, size = 1355, normalized size = 3.73

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)/(f\*x+e)^3/(b\*x+a)^(1/2)/(-b\*c\*x+a\*c)^(1/2),x, algorith="fricas")

[Out]  $[1/4*((3*B*a^2*b^2*e^3*f - (C*a^2*b^2 + 2*A*b^4)*e^4 - (2*C*a^4 + A*a^2*b^2)*e^2*f^2 + (3*B*a^2*b^2*e*f^3 - (C*a^2*b^2 + 2*A*b^4)*e^2*f^2 - (2*C*a^4 + A*a^2*b^2)*f^4)*x^2 + 2*(3*B*a^2*b^2*e^2*f^2 - (C*a^2*b^2 + 2*A*b^4)*e^3*f - (2*C*a^4 + A*a^2*b^2)*e*f^3)*x)*\text{sqrt}(-b^2*c*e^2 + a^2*c*f^2)*\log((2*a^2*b^2*c*e*f*x - a^2*b^2*c*e^2 + 2*a^4*c*f^2 + (2*b^4*c*e^2 - a^2*b^2*c*f^2)*x^2 - 2*\text{sqrt}(-b^2*c*e^2 + a^2*c*f^2)*(b^2*e*x + a^2*f)*\text{sqrt}(-b*c*x + a*c)*\text{sqrt}(b*x + a))/(f^2*x^2 + 2*e*f*x + e^2)) - 2*(2*B*b^4*e^5 - B*a^2*b^2*e^3*f^2 - B*a^4*e*f^4 - A*a^4*f^5 - (3*C*a^2*b^2 + 4*A*b^4)*e^4*f + (3*C*a^4 + 5*A*a^2*b^2)*e^2*f^3 + (C*b^4*e^5 + B*b^4*e^4*f + B*a^2*b^2*e^2*f^3 - 2*B*a^4*f^5 - (5*C*a^2*b^2 + 3*A*b^4)*e^3*f^2 + (4*C*a^4 + 3*A*a^2*b^2)*e*f^4)*x)*\text{sqrt}(-b*c*x + a*c)*\text{sqrt}(b*x + a))/(b^6*c*e^8 - 3*a^2*b^4*c*e^6*f^2 + 3*a^4*b^2*c*e^4*f^4 - a^6*c*e^2*f^6 + (b^6*c*e^6*f^2 - 3*a^2*b^4*c*e^4*f^4 + 3*a^4*b^2*c*e^2*f^6 - a^6*c*f^8)*x^2 + 2*(b^6*c*e^7*f - 3*a^2*b^4*c*e^5*f^3 + 3*a^4*b^2*c*e^3*f^5 - a^6*c*e*f^7)*x), -1/2*((3*B*a^2*b^2*e^3*f - (C*a^2*b^2 + 2*A*b^4)*e^4 - (2*C*a^4 + A*a^2*b^2)*e^2*f^2 + (3*B*a^2*b^2*e*f^3 - (C*a^2*b^2 + 2*A*b^4)*e^2*f^2 - (2*C*a^4 + A*a^2*b^2)*f^4)*x^2 + 2*(3*B*a^2*b^2*e^2*f^2 - (C*a^2*b^2 + 2*A*b^4)*e^3*f - (2*C*a^4 + A*a^2*b^2)*e*f^3)*x)*\text{sqrt}(b^2*c*e^2 - a^2*c*f^2)*\text{arctan}(\text{sqrt}(b^2*c*e^2 - a^2*c*f^2)*(b^2*e*x + a^2*f)*\text{sqrt}(-b*c*x + a*c)*\text{sqrt}(b*x + a))/(a^2*b^2*c*e^2 - a^4*c*f^2 - (b^4*c*e^2 - a^2*b^2*c*f^2)*x^2) + (2*B*b^4*e^5 - B*a^2*b^2*e^3*f^2 - B*a^4*e*f^4 - A*a^4*f^5 - (3*C*a^2*b^2 + 4*A*b^4)*e^4*f + (3*C*a^4 + 5*A*a^2*b^2)*e^2*f^3 + (C*b^4*e^5 + B*b^4*e^4*f + B*a^2*b^2*e^2*f^3 - 2*B*a^4*f^5 - (5*C*a^2*b^2 + 3*A*b^4)*e^3*f^2 + (4*C*a^4 + 3*A*a^2*b^2)*e*f^4)*x)*\text{sqrt}(-b*c*x + a*c)*\text{sqrt}(b*x + a))/(b^6*c*e^8 - 3*a^2*b^4*c*e^6*f^2 + 3*a^4*b^2*c*e^4*f^4 - a^6*c*e^2*f^6 + (b^6*c*e^6*f^2 - 3*a^2*b^4*c*e^4*f^4 + 3*a^4*b^2*c*e^2*f^6 - a^6*c*f^8)*x^2 + 2*(b^6*c*e^7*f - 3*a^2*b^4*c*e^5*f^3 + 3*a^4*b^2*c*e^3*f^5 - a^6*c*e*f^7)*x)]$

**giac [B]** time = 7.02, size = 1658, normalized size = 4.57

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)/(f\*x+e)^3/(b\*x+a)^(1/2)/(-b\*c\*x+a\*c)^(1/2),x, algorith="giac")

[Out]  $-(2*C*a^4*\text{sqrt}(-c)*c^2*f^2 + A*a^2*b^2*\text{sqrt}(-c)*c^2*f^2 - 3*B*a^2*b^2*\text{sqrt}(-c)*c^2*f*e + C*a^2*b^2*\text{sqrt}(-c)*c^2*e^2 + 2*A*b^4*\text{sqrt}(-c)*c^2*e^2)*\text{arctan}(1/2*(2*b*c^2*e + (\text{sqrt}(-b*c*x + a*c)*\text{sqrt}(-c) - \text{sqrt}(2*a*c^2 + (b*c*x - a*c)*c))^2*f)/(\text{sqrt}(a^2*f^2 - b^2*e^2)*c^2))/((a^4*f^4*\text{abs}(c) - 2*a^2*b^2*f^2*\text{abs}(c)*e^2 + b^4*\text{abs}(c)*e^4)*\text{sqrt}(a^2*f^2 - b^2*e^2)*c^2) + 2*(16*B*a^6*b*\text{sqrt}(-c)*c^8*f^5 - 32*C*a^6*b*\text{sqrt}(-c)*c^8*f^4*e - 24*A*a^4*b^3*\text{sqrt}(-c)*c^8*f^4*e + 4*A*a^4*b^2*(\text{sqrt}(-b*c*x + a*c)*\text{sqrt}(-c) - \text{sqrt}(2*a*c^2 + (b*c*x - a*c)*c))^2*\text{sqrt}(-c)*c^6*f^5 + 8*B*a^4*b^3*\text{sqrt}(-c)*c^8*f^3*e^2 + 20*B*a^4*b^2*(\text{sqrt}(-b*c*x + a*c)*\text{sqrt}(-c) - \text{sqrt}(2*a*c^2 + (b*c*x - a*c)*c))^2*\text{sqrt}(-c)*c^6*f^4*e + 4*B*a^4*b*(\text{sqrt}(-b*c*x + a*c)*\text{sqrt}(-c) - \text{sqrt}(2*a*c^2 + (b*c*x - a*c)*c))^4*\text{sqrt}(-c)*c^4*f^5 + 8*C*a^4*b^3*\text{sqrt}(-c)*c^8*f^2*e^3 - 44*$





$$\frac{1}{2} * (- (b^2 * x^2 - a^2) * c)^{(1/2)} * f / (f * x + e) * a^2 * b^2 * c * e^2 * f^2 - 3 * B * \ln(2 * (b^2 * c * e * x + a^2 * c * f + ((a^2 * f^2 - b^2 * e^2) * c / f^2)^{(1/2)} * (- (b^2 * x^2 - a^2) * c)^{(1/2)} * f) / (f * x + e)) * a^2 * b^2 * c * e^3 * f + C * x * b^2 * e^3 * f * ((a^2 * f^2 - b^2 * e^2) * c / f^2)^{(1/2)} * (- (b^2 * x^2 - a^2) * c)^{(1/2)} - 3 * A * x * b^2 * e * f^3 * ((a^2 * f^2 - b^2 * e^2) * c / f^2)^{(1/2)} * (- (b^2 * x^2 - a^2) * c)^{(1/2)} + B * x * b^2 * e^2 * f^2 * ((a^2 * f^2 - b^2 * e^2) * c / f^2)^{(1/2)} * (- (b^2 * x^2 - a^2) * c)^{(1/2)} / c * (- (b * x - a) * c)^{(1/2)} * (b * x + a)^{(1/2)} / (- (b^2 * x^2 - a^2) * c)^{(1/2)} / (a * f - b * e) / (a * f + b * e) / (a^2 * f^2 - b^2 * e^2) / (f * x + e)^2 / ((a^2 * f^2 - b^2 * e^2) * c / f^2)^{(1/2)} / f$$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)/(f\*x+e)^3/(b\*x+a)^(1/2)/(-b\*c\*x+a\*c)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(a\*f-b\*e>0)', see `assume?` for more details)Is a\*f-b\*e positive, negative or zero?

**mupad** [B] time = 86.67, size = 9344, normalized size = 25.74

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B\*x + C\*x^2)/((e + f\*x)^3\*(a\*c - b\*c\*x)^(1/2)\*(a + b\*x)^(1/2)),x)

[Out] (((((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2))\*(4\*C\*a^4\*c^3\*f^2 + 2\*C\*a^2\*b^2\*c^3\*e^2))/(((a + b\*x)^(1/2) - a^(1/2))\*(b^5\*e^5 - 2\*a^2\*b^3\*e^3\*f^2 + a^4\*b\*e\*f^4)) + (((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2))^3\*(68\*C\*a^4\*c^2\*f^2 - 14\*C\*a^2\*b^2\*c^2\*e^2))/(((a + b\*x)^(1/2) - a^(1/2))^3\*(b^5\*e^5 - 2\*a^2\*b^3\*e^3\*f^2 + a^4\*b\*e\*f^4)) - ((68\*C\*a^4\*c\*f^2 - 14\*C\*a^2\*b^2\*c\*e^2)\*((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2))^5)/(((a + b\*x)^(1/2) - a^(1/2))^5\*(b^5\*e^5 - 2\*a^2\*b^3\*e^3\*f^2 + a^4\*b\*e\*f^4)) - ((4\*C\*a^4\*f^2 + 2\*C\*a^2\*b^2\*e^2)\*((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2))^7)/(((a + b\*x)^(1/2) - a^(1/2))^7\*(b^5\*e^5 - 2\*a^2\*b^3\*e^3\*f^2 + a^4\*b\*e\*f^4)) - (a^(1/2)\*(a\*c)^(1/2)\*(48\*C\*a^4\*c\*f^3 - 24\*C\*a^2\*b^2\*c\*e^2\*f)\*((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2))^4)/(((a + b\*x)^(1/2) - a^(1/2))^4\*(b^6\*e^6 - 2\*a^2\*b^4\*e^4\*f^2 + a^4\*b^2\*e^2\*f^4)) + (a^(1/2)\*(a\*c)^(1/2)\*((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2))^6\*(24\*C\*a^4\*f^3 + 12\*C\*a^2\*b^2\*e^2\*f))/(((a + b\*x)^(1/2) - a^(1/2))^6\*(b^6\*e^6 - 2\*a^2\*b^4\*e^4\*f^2 + a^4\*b^2\*e^2\*f^4)) + (a^(1/2)\*(a\*c)^(1/2)\*(24\*C\*a^4\*c^2\*f^3 + 12\*C\*a^2\*b^2\*c^2\*e^2\*f)\*((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2))^2)/(((a + b\*x)^(1/2) - a^(1/2))^2\*(b^6\*e^6 - 2\*a^2\*b^4\*e^4\*f^2 + a^4\*b^2\*e^2\*f^4)))/(((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2))^8/(c^4 + (((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2))^6\*(16\*a^2\*c\*f^2 + 4\*b^2\*c\*e^2))/(b^2\*e^2\*((a + b\*x)^(1/2) - a^(1/2))^6) + ((16\*a^2\*c^3\*f^2 + 4\*b^2\*c^3\*e^2)\*((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2))^2)/(b^2\*e^2\*((a + b\*x)^(1/2) - a^(1/2))^2) - ((32\*a^2\*c^2\*f^2 - 6\*b^2\*c^2\*e^2)\*((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2))^4)/(b^2\*e^2\*((a + b\*x)^(1/2) - a^(1/2))^4) - (8\*a^(1/2)\*f\*(a\*c)^(1/2)\*((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2))^7)/(b\*e\*((a + b\*x)^(1/2) - a^(1/2))^7) + (8\*a^(1/2)\*c^3\*f\*(a\*c)^(1/2)\*((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2)))/(b\*e\*((a + b\*x)^(1/2) - a^(1/2))) - (8\*a^(1/2)\*c\*f\*(a\*c)^(1/2)\*((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2))^5)/(b\*e\*((a + b\*x)^(1/2) - a^(1/2))^5) + (8\*a^(1/2)\*c^2\*f\*(a\*c)^(1/2)\*((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2))^3)/(b\*e\*((a + b\*x)^(1/2) - a^(1/2))^3)) + (((4\*A\*a^4\*f^4 - 10\*A\*a^2\*b^2\*e^2\*f^2)\*((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2))^7)/(((a + b\*x)^(1/2) - a^(1/2))^7\*(b^5\*e^7 + a^4\*b\*e^3\*f^4 - 2\*a^2\*b^3\*e^5\*f^2)) - ((4\*A\*a^4\*c^3\*f^4 - 10\*A\*a^2\*b^2\*c^3\*e^2\*f^2)\*((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2)))/(((a + b\*x)^(1/2) - a^(1/2))\*(b^5\*e^7 + a^4\*b\*e^3\*f^4 - 2\*a^2\*b^3\*e^5\*f^2)) - ((4\*A\*a

$$\begin{aligned}
& ^4c^2f^4 - 58Aa^2b^2c^2e^2f^2) * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^3 / (((a + b*x)^{(1/2)} - a^{(1/2)})^3 * (b^5e^7 + a^4b^3e^5f^2)) + (((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^5 * (4Aa^4c^4f^4 - 58Aa^2b^2c^2e^2f^2)) / (((a + b*x)^{(1/2)} - a^{(1/2)})^5 * (b^5e^7 + a^4b^3e^5f^2)) + (a^{(1/2)} * (a*c)^{(1/2)} * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^6 * (16Aa^4b^4e^4f - 8Aa^4f^5 + 28Aa^2b^2e^2f^3)) / (((a + b*x)^{(1/2)} - a^{(1/2)})^6 * (b^6e^8 - 2a^2b^4e^6f^2 + a^4b^2e^4f^4)) + (a^{(1/2)} * (a*c)^{(1/2)} * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^4 * (16Aa^4c^4f^5 + 32Aa^4b^4c^4e^4f - 72Aa^2b^2c^2e^2f^3)) / (((a + b*x)^{(1/2)} - a^{(1/2)})^4 * (b^6e^8 - 2a^2b^4e^6f^2 + a^4b^2e^4f^4)) + (a^{(1/2)} * (a*c)^{(1/2)} * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2 * (16Aa^4b^4c^2e^4f - 8Aa^4c^2f^5 + 28Aa^2b^2c^2e^2f^3)) / (((a + b*x)^{(1/2)} - a^{(1/2)})^2 * (b^6e^8 - 2a^2b^4e^6f^2 + a^4b^2e^4f^4)) / (((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^8 / ((a + b*x)^{(1/2)} - a^{(1/2)})^8 + c^4 + (((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^6 * (16a^2c^3f^2 + 4b^2c^3e^2)) / (b^2e^2 * ((a + b*x)^{(1/2)} - a^{(1/2)})^6) + ((16a^2c^3f^2 + 4b^2c^3e^2) * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2) / (b^2e^2 * ((a + b*x)^{(1/2)} - a^{(1/2)})^2) - ((32a^2c^2f^2 - 6b^2c^2e^2) * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^4) / (b^2e^2 * ((a + b*x)^{(1/2)} - a^{(1/2)})^4) - (8a^{(1/2)} * f * (a*c)^{(1/2)} * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^7) / (b * e * ((a + b*x)^{(1/2)} - a^{(1/2)})^7) + (8a^{(1/2)} * c^3 * f * (a*c)^{(1/2)} * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})) / (b * e * ((a + b*x)^{(1/2)} - a^{(1/2)})) - (8a^{(1/2)} * c * f * (a*c)^{(1/2)} * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^5) / (b * e * ((a + b*x)^{(1/2)} - a^{(1/2)})^5) + (8a^{(1/2)} * c^2 * f * (a*c)^{(1/2)} * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^3) / (b * e * ((a + b*x)^{(1/2)} - a^{(1/2)})^3) - (((32Ba^4c^2f^3 + 22Ba^2b^2c^2e^2f) * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^3) / (((a + b*x)^{(1/2)} - a^{(1/2)})^3 * (b^5e^6 + a^4b^3e^4f^2)) - ((32Ba^4c^2f^3 + 22Ba^2b^2c^2e^2f) * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^5) / (((a + b*x)^{(1/2)} - a^{(1/2)})^5 * (b^5e^6 + a^4b^3e^4f^2)) + (a^{(1/2)} * (a*c)^{(1/2)} * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2 * (8Ba^4c^2f^4 + 8Bb^4c^2e^4 + 20Ba^2b^2c^2e^2f^2)) / (((a + b*x)^{(1/2)} - a^{(1/2)})^2 * (b^6e^7 - 2a^2b^4e^5f^2 + a^4b^2e^3f^4)) + (a^{(1/2)} * (a*c)^{(1/2)} * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^6 * (8Ba^4f^4 + 8Bb^4e^4 + 20Ba^2b^2e^2f^2)) / (((a + b*x)^{(1/2)} - a^{(1/2)})^6 * (b^6e^7 - 2a^2b^4e^5f^2 + a^4b^2e^3f^4)) - (a^{(1/2)} * (a*c)^{(1/2)} * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^4 * (16Ba^4c^4f^4 - 16Bb^4c^4e^4 + 24Ba^2b^2c^2e^2f^2)) / (((a + b*x)^{(1/2)} - a^{(1/2)})^4 * (b^6e^7 - 2a^2b^4e^5f^2 + a^4b^2e^3f^4)) - (6Ba^2b^4 * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^7) / (((a + b*x)^{(1/2)} - a^{(1/2)})^7 * (a^4f^4 + b^4e^4 - 2a^2b^2e^2f^2)) + (6Ba^2b^4 * c^3 * f * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})) / (((a + b*x)^{(1/2)} - a^{(1/2)}) * (a^4f^4 + b^4e^4 - 2a^2b^2e^2f^2)) / (((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^8 / ((a + b*x)^{(1/2)} - a^{(1/2)})^8 + c^4 + (((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^6 * (16a^2c^3f^2 + 4b^2c^3e^2)) / (b^2e^2 * ((a + b*x)^{(1/2)} - a^{(1/2)})^6) + ((16a^2c^3f^2 + 4b^2c^3e^2) * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2) / (b^2e^2 * ((a + b*x)^{(1/2)} - a^{(1/2)})^2) - ((32a^2c^2f^2 - 6b^2c^2e^2) * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^4) / (b^2e^2 * ((a + b*x)^{(1/2)} - a^{(1/2)})^4) - (8a^{(1/2)} * f * (a*c)^{(1/2)} * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^7) / (b * e * ((a + b*x)^{(1/2)} - a^{(1/2)})^7) + (8a^{(1/2)} * c^3 * f * (a*c)^{(1/2)} * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})) / (b * e * ((a + b*x)^{(1/2)} - a^{(1/2)})) - (8a^{(1/2)} * c * f * (a*c)^{(1/2)} * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^5) / (b * e * ((a + b*x)^{(1/2)} - a^{(1/2)})^5) + (8a^{(1/2)} * c^2 * f * (a*c)^{(1/2)} * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^3) / (b * e * ((a + b*x)^{(1/2)} - a^{(1/2)})^3) + (Ca^2 * (2a^2f^2 + b^2e^2) * (2 * atan((((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}) * (a^2c^2f^2 - b^2c^2e^2)) / ((a + b*x)^{(1/2)} - a^{(1/2)}) - (a^2c^2f^2 * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})) / ((a + b*x)^{(1/2)} - a^{(1/2)}) + 2 * a^{(1/2)} * b * c * e * f * (a*c)^{(1/2)})) / (2 * b * c * e * (b^2c^2e^2 - a^2c^2f^2)^{(1/2)})) + 2 * atan(((((((4 * (4C^2a^8f^4 + C^2a^4b^4e^4 + 4C^2a^6b^2e^2f^2)) / (b^10e^10 - 4a^2b^8e^8f^2 + 6a^4b^6e^6f^4 - 4a^6b^4e^4f^6 + a^8b^2e^2f^8) - (C^2a^4 * (2a^2f^2 + b^2e^2))^2 * (12a^10c^4f^10 - 4b^10c^4e^10 + 28a^2b^8c^4e^8f^2 - 72a^4b^6c^4e^6f^4 + 88a^6b^4c^4e^4f^6 - 52a^8b^2c^4e^2f^8)) / ((a*f + b*e)^4 * (a*f - b*e)^4 * (a^2c^2f^2 - b^2c^2e^2))
\end{aligned}$$



$$\begin{aligned}
& + \left( \frac{((4*(4*A^2*b^8*e^4 + A^2*a^4*b^4*f^4 + 4*A^2*a^2*b^6*e^2*f^2)))/(b^{10}*e^{10} - 4*a^2*b^8*e^8*f^2 + 6*a^4*b^6*e^6*f^4 - 4*a^6*b^4*e^4*f^6 + a^8*b^2*e^2*f^8) - (A^2*b^4*(a^2*f^2 + 2*b^2*e^2)^2*(12*a^{10}*c*f^{10} - 4*b^{10}*c*e^{10} + 28*a^2*b^8*c*e^8*f^2 - 72*a^4*b^6*c*e^6*f^4 + 88*a^6*b^4*c*e^4*f^6 - 52*a^8*b^2*c*e^2*f^8))}{(a*f + b*e)^4*(a*f - b*e)^4*(a^2*c*f^2 - b^2*c*e^2)*(b^{10}*e^{10} - 4*a^2*b^8*e^8*f^2 + 6*a^4*b^6*e^6*f^4 - 4*a^6*b^4*e^4*f^6 + a^8*b^2*e^2*f^8)} \right) / (4*b*c^2*e*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)}) + (A*b*(a^2*f^2 + 2*b^2*e^2)*(4*A*a^{(13/2)}*b^2*f^7*(a*c)^{(1/2)} - 12*A*a^{(5/2)}*b^6*e^4*f^3*(a*c)^{(1/2)} + 8*A*a^{(1/2)}*b^8*e^6*f*(a*c)^{(1/2)})) / (2*a^{(1/2)}*c^2*e*f*(a*c)^{(1/2)}*(a*f + b*e)^2*(a*f - b*e)^2*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)}*(b^{10}*e^{10} - 4*a^2*b^8*e^8*f^2 + 6*a^4*b^6*e^6*f^4 - 4*a^6*b^4*e^4*f^6 + a^8*b^2*e^2*f^8)) * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^3 / ((a + b*x)^{(1/2)} - a^{(1/2)})^3 - ((4*(4*A^2*b^8*e^4 + A^2*a^4*b^4*f^4 + 4*A^2*a^2*b^6*e^2*f^2)))/(b^{10}*e^{10} - 4*a^2*b^8*e^8*f^2 + 6*a^4*b^6*e^6*f^4 - 4*a^6*b^4*e^4*f^6 + a^8*b^2*e^2*f^8) - (A^2*b^4*(a^2*f^2 + 2*b^2*e^2)^2*(12*a^{10}*c*f^{10} - 4*b^{10}*c*e^{10} + 28*a^2*b^8*c*e^8*f^2 - 72*a^4*b^6*c*e^6*f^4 + 88*a^6*b^4*c*e^4*f^6 - 52*a^8*b^2*c*e^2*f^8)) / ((a*f + b*e)^4*(a*f - b*e)^4*(a^2*c*f^2 - b^2*c*e^2)*(b^{10}*e^{10} - 4*a^2*b^8*e^8*f^2 + 6*a^4*b^6*e^6*f^4 - 4*a^6*b^4*e^4*f^6 + a^8*b^2*e^2*f^8)) / (2*a^{(1/2)}*c*f*(a*c)^{(1/2)}*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)}) + (4*A^2*a^{(1/2)}*b^2*f*(a*c)^{(1/2)}*(a^2*f^2 + 2*b^2*e^2)^2) / (c*e^2*(a*f + b*e)^4*(a*f - b*e)^4*(b^2*c*e^2 - a^2*c*f^2)^{(3/2)}) * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2 / ((a + b*x)^{(1/2)} - a^{(1/2)})^2 - ((4*(4*A^2*b^8*c*e^4 + A^2*a^4*b^4*c*f^4 + 4*A^2*a^2*b^6*c*e^2*f^2)))/(b^{10}*e^{10} - 4*a^2*b^8*e^8*f^2 + 6*a^4*b^6*e^6*f^4 - 4*a^6*b^4*e^4*f^6 + a^8*b^2*e^2*f^8) + (A^2*b^4*(a^2*f^2 + 2*b^2*e^2)^2*(4*a^{10}*c^2*f^{10} + 4*b^{10}*c^2*e^{10} - 12*a^2*b^8*c^2*e^8*f^2 + 8*a^4*b^6*c^2*e^6*f^4 + 8*a^6*b^4*c^2*e^4*f^6 - 12*a^8*b^2*c^2*e^2*f^8)) / ((a*f + b*e)^4*(a*f - b*e)^4*(a^2*c*f^2 - b^2*c*e^2)*(b^{10}*e^{10} - 4*a^2*b^8*e^8*f^2 + 6*a^4*b^6*e^6*f^4 - 4*a^6*b^4*e^4*f^6 + a^8*b^2*e^2*f^8)) / (2*a^{(1/2)}*c*f*(a*c)^{(1/2)}*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)}) * (b^8*e^{10}*(a^2*c*f^2 - b^2*c*e^2) + a^8*e^{2*f^8}*(a^2*c*f^2 - b^2*c*e^2) - 4*a^2*b^6*e^8*f^2*(a^2*c*f^2 - b^2*c*e^2) + 6*a^4*b^4*e^6*f^4*(a^2*c*f^2 - b^2*c*e^2) - 4*a^6*b^2*e^4*f^6*(a^2*c*f^2 - b^2*c*e^2)) / (16*A^2*b^6*e^4 + 4*A^2*a^4*b^2*f^4 + 16*A^2*a^2*b^4*e^2*f^2)) / (2*(a*f + b*e)^2*(a*f - b*e)^2*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)}) + (3*B*a^2*b^2*e*f*(2*atan((2*b^3*c^3*e^3 + 2*b*c^2*e*(a^2*c*f^2 - b^2*c*e^2) + 2*a^2*b*c^3*e*f^2 + (3*a^{(3/2)}*f^3*(a*c)^{(3/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^3) / ((a + b*x)^{(1/2)} - a^{(1/2)})^3 + (2*b^3*c^2*e^3*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2) / ((a + b*x)^{(1/2)} - a^{(1/2)})^2 - (3*a^{(1/2)}*f*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^3*(a^2*c*f^2 - b^2*c*e^2)) / ((a + b*x)^{(1/2)} - a^{(1/2)})^3 - (a^{(3/2)}*c*f^3*(a*c)^{(3/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})) / ((a + b*x)^{(1/2)} - a^{(1/2)}) + (2*b*c*e*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2*(a^2*c*f^2 - b^2*c*e^2)) / ((a + b*x)^{(1/2)} - a^{(1/2)})^2 + (a^{(1/2)}*c*f*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})*(a^2*c*f^2 - b^2*c*e^2)) / ((a + b*x)^{(1/2)} - a^{(1/2)}) - (10*a^2*b*c^2*e*f^2*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2) / ((a + b*x)^{(1/2)} - a^{(1/2)})^2 + (7*a^{(1/2)}*b^2*c^2*e^2*f*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})) / ((a + b*x)^{(1/2)} - a^{(1/2)}) - (a^{(1/2)}*b^2*c*e^2*f*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^3) / ((a + b*x)^{(1/2)} - a^{(1/2)})^3) / (4*a^{(1/2)}*b*c^2*e*f*(a*c)^{(1/2)}*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)})) - 2*atan((((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})*(a^2*c*f^2 - b^2*c*e^2)) / ((a + b*x)^{(1/2)} - a^{(1/2)}) - (a^2*c*f^2*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})) / ((a + b*x)^{(1/2)} - a^{(1/2)}) + 2*a^{(1/2)}*b*c*e*f*(a*c)^{(1/2)} / (2*b*c*e*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)}))) / (2*(a*f + b*e)^2*(a*f - b*e)^2*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)})
\end{aligned}$$

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x\*\*2+B\*x+A)/(f\*x+e)\*\*3/(b\*x+a)\*\*(1/2)/(-b\*c\*x+a\*c)\*\*(1/2), x)

[Out] Timed out

$$3.27 \quad \int \frac{(e+fx)^3(A+Bx+Cx^2)}{\sqrt{a+bx}\sqrt{ac-bcx}} dx$$

**Optimal.** Leaf size=501

$$\frac{(a^2 - b^2x^2)(e + fx)^2 (16a^2Cf^2 - b^2(3Ce^2 - 5f(4Af + 3Be)))}{60b^4f\sqrt{a + bx}\sqrt{ac - bcx}} + \frac{\sqrt{a^2c - b^2cx^2} \tan^{-1}\left(\frac{b\sqrt{c}x}{\sqrt{a^2c - b^2cx^2}}\right) (4A(3a^2b^2 - b^2x^2))}{8b^5\sqrt{c}}$$

[Out]  $-1/60*(16*a^2*C*f^2-b^2*(3*C*e^2-5*f*(4*A*f+3*B*e)))*(f*x+e)^2*(-b^2*x^2+a^2)/b^4/f/(b*x+a)^{(1/2)}/(-b*c*x+a*c)^{(1/2)}+1/20*(-5*B*f+C*e)*(f*x+e)^3*(-b^2*x^2+a^2)/b^2/f/(b*x+a)^{(1/2)}/(-b*c*x+a*c)^{(1/2)}-1/5*C*(f*x+e)^4*(-b^2*x^2+a^2)/b^2/f/(b*x+a)^{(1/2)}/(-b*c*x+a*c)^{(1/2)}-1/120*(64*a^4*C*f^4+16*a^2*b^2*f^2*(13*C*e^2+5*f*(A*f+3*B*e))-4*b^4*e^2*(3*C*e^2-5*f*(16*A*f+3*B*e))+b^2*f*(a^2*f^2*(45*B*f+71*C*e)-2*b^2*e*(3*C*e^2-5*f*(10*A*f+3*B*e))))*x*(-b^2*x^2+a^2)/b^6/f/(b*x+a)^{(1/2)}/(-b*c*x+a*c)^{(1/2)}+1/8*(4*A*(3*a^2*b^2*e*f^2+2*b^4*e^3)+a^2*(3*a^2*f^2*(B*f+3*C*e)+4*b^2*e^2*(3*B*f+C*e)))*\arctan(b*x*c^{(1/2)}/(-b^2*c*x^2+a^2*c)^{(1/2)})*(-b^2*c*x^2+a^2*c)^{(1/2)}/b^5/c^{(1/2)}/(b*x+a)^{(1/2)}/(-b*c*x+a*c)^{(1/2)}$

**Rubi [A]** time = 1.28, antiderivative size = 496, normalized size of antiderivative = 0.99, number of steps used = 7, number of rules used = 6, integrand size = 40,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.150$ , Rules used = {1610, 1654, 833, 780, 217, 203}

$$\frac{(a^2 - b^2x^2)(e + fx)^2 \left( -\frac{16a^2Cf^2}{b^2} - 5f(4Af + 3Be) + 3Ce^2 \right)}{60b^2f\sqrt{a + bx}\sqrt{ac - bcx}} \frac{(a^2 - b^2x^2)(b^2fx(a^2f^2(45Bf + 71Ce) - b^2(6Ce^3 - b^2x^2)))}{8b^5\sqrt{c}}$$

Antiderivative was successfully verified.

[In] Int[((e + f\*x)^3\*(A + B\*x + C\*x^2))/(Sqrt[a + b\*x]\*Sqrt[a\*c - b\*c\*x]), x]

[Out]  $((3*C*e^2 - (16*a^2*C*f^2)/b^2 - 5*f*(3*B*e + 4*A*f))*(e + f*x)^2*(a^2 - b^2*x^2))/(60*b^2*f*Sqrt[a + b*x]*Sqrt[a*c - b*c*x]) + ((C*e - 5*B*f)*(e + f*x)^3*(a^2 - b^2*x^2))/(20*b^2*f*Sqrt[a + b*x]*Sqrt[a*c - b*c*x]) - (C*(e + f*x)^4*(a^2 - b^2*x^2))/(5*b^2*f*Sqrt[a + b*x]*Sqrt[a*c - b*c*x]) - ((4*(16*a^4*C*f^4 + 4*a^2*b^2*f^2*(13*C*e^2 + 5*f*(3*B*e + A*f)) - b^4*e^2*(3*C*e^2 - 5*f*(3*B*e + 16*A*f))) + b^2*f*(a^2*f^2*(71*C*e + 45*B*f) - b^2*(6*C*e^3 - 10*e*f*(3*B*e + 10*A*f))))*x*(a^2 - b^2*x^2)/(120*b^6*f*Sqrt[a + b*x]*Sqrt[a*c - b*c*x]) + ((3*a^4*f^2*(3*C*e + B*f) + 4*a^2*b^2*e^2*(C*e + 3*B*f) + 4*A*(2*b^4*e^3 + 3*a^2*b^2*e*f^2))*Sqrt[a^2*c - b^2*c*x^2]*ArcTan[(b*Sqrt[c]*x)/Sqrt[a^2*c - b^2*c*x^2]])/(8*b^5*Sqrt[c]*Sqrt[a + b*x]*Sqrt[a*c - b*c*x])$

**Rule 203**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

**Rule 217**

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] :> Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

**Rule 780**

Int[((d\_.) + (e\_.)\*(x\_))\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[(((e\*f + d\*g)\*(2\*p + 3) + 2\*e\*g\*(p + 1)\*x)\*(a + c\*x^2)^(p + 1))/(2\*c\*(p + 1)\*(2\*p + 3)), x] - Dist[(a\*e\*g - c\*d\*f\*(2\*p + 3))/(c\*(2\*p + 3)), Int[(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !Le

Q[p, -1]

### Rule 833

```
Int[((d_.) + (e_.)*(x_))^(m_.)*((f_.) + (g_.)*(x_))*((a_.) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Simp[(g*(d + e*x)^m*(a + c*x^2)^(p + 1))/(c*(m + 2*p + 2)), x] + Dist[1/(c*(m + 2*p + 2)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^p*Simp[c*d*f*(m + 2*p + 2) - a*e*g*m + c*(e*f*(m + 2*p + 2) + d*g*m)*x, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[m, 0] && NeQ[m + 2*p + 2, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p]) && !(IGtQ[m, 0] && EqQ[f, 0])
```

### Rule 1610

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] :> Dist[((a + b*x)^FracPart[m]*(c + d*x)^FracPart[m])/(a*c + b*d*x^2)^FracPart[m], Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*d, 0] && EqQ[m, n] && !IntegerQ[m]
```

### Rule 1654

```
Int[(Pq_)*((d_.) + (e_.)*(x_))^(m_.)*((a_.) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x)^(m + q - 1)*(a + c*x^2)^(p + 1))/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Dist[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + c*x^2)^p*ExpandToSum[c*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - f*(d + e*x)^(q - 2)*(a*e^2*(m + q - 1) - c*d^2*(m + q + 2*p + 1) - 2*c*d*e*(m + q + p)*x), x], x] /; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0] /; FreeQ[{a, c, d, e, m, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && !(EqQ[d, 0] && True) && !(IGtQ[m, 0] && RationalQ[a, c, d, e] && (IntegerQ[p] || ILtQ[p + 1/2, 0]))
```

### Rubi steps



$$\begin{aligned}
\int \frac{(e+fx)^3(A+Bx+Cx^2)}{\sqrt{a+bx}\sqrt{ac-bcx}} dx &= \frac{\sqrt{a^2c-b^2cx^2} \int \frac{(e+fx)^3(A+Bx+Cx^2)}{\sqrt{a^2c-b^2cx^2}} dx}{\sqrt{a+bx}\sqrt{ac-bcx}} \\
&= \frac{C(e+fx)^4(a^2-b^2x^2)}{5b^2f\sqrt{a+bx}\sqrt{ac-bcx}} - \frac{\sqrt{a^2c-b^2cx^2} \int \frac{(e+fx)^3(-c(5Ab^2+4a^2C)f^2+b^2cf(Ce-5Bf))}{\sqrt{a^2c-b^2cx^2}} dx}{5b^2cf^2\sqrt{a+bx}\sqrt{ac-bcx}} \\
&= \frac{(Ce-5Bf)(e+fx)^3(a^2-b^2x^2)}{20b^2f\sqrt{a+bx}\sqrt{ac-bcx}} - \frac{C(e+fx)^4(a^2-b^2x^2)}{5b^2f\sqrt{a+bx}\sqrt{ac-bcx}} + \frac{\sqrt{a^2c-b^2cx^2}}{20b^2} \\
&= -\frac{(16a^2Cf^2-b^2(3Ce^2-5f(3Be+4Af)))(e+fx)^2(a^2-b^2x^2)}{60b^4f\sqrt{a+bx}\sqrt{ac-bcx}} + \frac{(Ce-5Bf)(e+fx)^3(a^2-b^2x^2)}{20b^2f\sqrt{a+bx}\sqrt{ac-bcx}} \\
&= -\frac{(16a^2Cf^2-b^2(3Ce^2-5f(3Be+4Af)))(e+fx)^2(a^2-b^2x^2)}{60b^4f\sqrt{a+bx}\sqrt{ac-bcx}} + \frac{(Ce-5Bf)(e+fx)^3(a^2-b^2x^2)}{20b^2f\sqrt{a+bx}\sqrt{ac-bcx}} \\
&= -\frac{(16a^2Cf^2-b^2(3Ce^2-5f(3Be+4Af)))(e+fx)^2(a^2-b^2x^2)}{60b^4f\sqrt{a+bx}\sqrt{ac-bcx}} + \frac{(Ce-5Bf)(e+fx)^3(a^2-b^2x^2)}{20b^2f\sqrt{a+bx}\sqrt{ac-bcx}} \\
&= -\frac{(16a^2Cf^2-b^2(3Ce^2-5f(3Be+4Af)))(e+fx)^2(a^2-b^2x^2)}{60b^4f\sqrt{a+bx}\sqrt{ac-bcx}} + \frac{(Ce-5Bf)(e+fx)^3(a^2-b^2x^2)}{20b^2f\sqrt{a+bx}\sqrt{ac-bcx}}
\end{aligned}$$

**Mathematica [A]** time = 4.90, size = 727, normalized size = 1.45

$$-120\sqrt{a-bx}\sqrt{a+bx}(be-af)^2\left(\sqrt{a-bx}\sqrt{\frac{bx}{a}}+1+2\sqrt{a}\sin^{-1}\left(\frac{\sqrt{a-bx}}{\sqrt{2}\sqrt{a}}\right)\right)(5a^2Cf-2ab(2Bf+Ce)+b^2(3Ae-5Bf))$$

Antiderivative was successfully verified.

[In] Integrate[((e + f\*x)^3\*(A + B\*x + C\*x^2))/(Sqrt[a + b\*x]\*Sqrt[a\*c - b\*c\*x]), x]

[Out] (-120\*(b\*e - a\*f)^2\*(5\*a^2\*C\*f + b^2\*(B\*e + 3\*A\*f) - 2\*a\*b\*(C\*e + 2\*B\*f))\*Sqrt[a - b\*x]\*Sqrt[a + b\*x]\*(Sqrt[a - b\*x]\*Sqrt[1 + (b\*x)/a] + 2\*Sqrt[a]\*ArcSin[Sqrt[a - b\*x]/(Sqrt[2]\*Sqrt[a])]) - 60\*(b\*e - a\*f)\*(10\*a^2\*C\*f^2 - 2\*a\*b\*f\*(4\*C\*e + 3\*B\*f) + b^2\*(C\*e^2 + 3\*f\*(B\*e + A\*f)))\*Sqrt[a - b\*x]\*Sqrt[a + b\*x]\*(Sqrt[a - b\*x]\*(4\*a + b\*x)\*Sqrt[1 + (b\*x)/a] + 6\*a^(3/2)\*ArcSin[Sqrt[a - b\*x]/(Sqrt[2]\*Sqrt[a])]) - 20\*f\*(10\*a^2\*C\*f^2 - 4\*a\*b\*f\*(3\*C\*e + B\*f) + b^2\*(3\*C\*e^2 + f\*(3\*B\*e + A\*f)))\*Sqrt[a - b\*x]\*Sqrt[a + b\*x]\*(Sqrt[a - b\*x]\*Sqrt[1 + (b\*x)/a]\*(22\*a^2 + 9\*a\*b\*x + 2\*b^2\*x^2) + 30\*a^(5/2)\*ArcSin[Sqrt[a - b\*x]/(Sqrt[2]\*Sqrt[a])]) - 5\*f^2\*(3\*b\*C\*e + b\*B\*f - 5\*a\*C\*f)\*Sqrt[a - b\*x]\*Sqrt[a + b\*x]\*(Sqrt[a - b\*x]\*Sqrt[1 + (b\*x)/a]\*(160\*a^3 + 81\*a^2\*b\*x + 32\*a\*b^2\*x^2 + 6\*b^3\*x^3) + 210\*a^(7/2)\*ArcSin[Sqrt[a - b\*x]/(Sqrt[2]\*Sqrt[a])]) - 3\*C\*f^3\*Sqrt[a + b\*x]\*((a - b\*x)\*Sqrt[1 + (b\*x)/a]\*(488\*a^4 + 275\*a^3\*b\*x + 144\*a^2\*b^2\*x^2 + 50\*a\*b^3\*x^3 + 8\*b^4\*x^4) + 630\*a^(9/2)\*Sqrt[a - b\*x]\*ArcSin[Sqrt[a - b\*x]/(Sqrt[2]\*Sqrt[a])]) - 240\*(A\*b^2 + a\*(-(b\*B) + a\*C))\*(b\*e - a\*f)^3\*Sqrt[a - b\*x]\*Sqrt[1 + (b\*x)/a]\*ArcTan[Sqrt[a - b\*x]/Sqrt[a + b\*x]]/(120\*b^6\*Sqrt[c\*(a - b\*x)]\*Sqrt[1 + (b\*x)/a])

**fricas [A]** time = 0.78, size = 700, normalized size = 1.40

$$\frac{15(12Ba^2b^3e^2f + 3Ba^4bf^3 + 4(Ca^2b^3 + 2Ab^5)e^3 + 3(3Ca^4b + 4Aa^2b^3)ef^2)\sqrt{-c}\log(2b^2cx^2 - 2\sqrt{-bcx})}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x+e)^3\*(C\*x^2+B\*x+A)/(b\*x+a)^(1/2)/(-b\*c\*x+a\*c)^(1/2),x, algorithm="fricas")

[Out] [-1/240\*(15\*(12\*B\*a^2\*b^3\*e^2\*f + 3\*B\*a^4\*b\*f^3 + 4\*(C\*a^2\*b^3 + 2\*A\*b^5)\*e^3 + 3\*(3\*C\*a^4\*b + 4\*A\*a^2\*b^3)\*e\*f^2)\*sqrt(-c)\*log(2\*b^2\*c\*x^2 - 2\*sqrt(-b\*c\*x + a\*c)\*sqrt(b\*x + a)\*b\*sqrt(-c)\*x - a^2\*c) + 2\*(24\*C\*b^4\*f^3\*x^4 + 120\*B\*b^4\*e^3 + 240\*B\*a^2\*b^2\*e\*f^2 + 120\*(2\*C\*a^2\*b^2 + 3\*A\*b^4)\*e^2\*f + 16\*(4\*C\*a^4 + 5\*A\*a^2\*b^2)\*f^3 + 30\*(3\*C\*b^4\*e\*f^2 + B\*b^4\*f^3)\*x^3 + 8\*(15\*C\*b^4\*e^2\*f + 15\*B\*b^4\*e\*f^2 + (4\*C\*a^2\*b^2 + 5\*A\*b^4)\*f^3)\*x^2 + 15\*(4\*C\*b^4\*e^3 + 12\*B\*b^4\*e^2\*f + 3\*B\*a^2\*b^2\*f^3 + 3\*(3\*C\*a^2\*b^2 + 4\*A\*b^4)\*e\*f^2)\*x)\*sqrt(-b\*c\*x + a\*c)\*sqrt(b\*x + a))/(b^6\*c), -1/120\*(15\*(12\*B\*a^2\*b^3\*e^2\*f + 3\*B\*a^4\*b\*f^3 + 4\*(C\*a^2\*b^3 + 2\*A\*b^5)\*e^3 + 3\*(3\*C\*a^4\*b + 4\*A\*a^2\*b^3)\*e\*f^2)\*sqrt(c)\*arctan(sqrt(-b\*c\*x + a\*c)\*sqrt(b\*x + a)\*b\*sqrt(c)\*x/(b^2\*c\*x^2 - a^2\*c)) + (24\*C\*b^4\*f^3\*x^4 + 120\*B\*b^4\*e^3 + 240\*B\*a^2\*b^2\*e\*f^2 + 120\*(2\*C\*a^2\*b^2 + 3\*A\*b^4)\*e^2\*f + 16\*(4\*C\*a^4 + 5\*A\*a^2\*b^2)\*f^3 + 30\*(3\*C\*b^4\*e\*f^2 + B\*b^4\*f^3)\*x^3 + 8\*(15\*C\*b^4\*e^2\*f + 15\*B\*b^4\*e\*f^2 + (4\*C\*a^2\*b^2 + 5\*A\*b^4)\*f^3)\*x^2 + 15\*(4\*C\*b^4\*e^3 + 12\*B\*b^4\*e^2\*f + 3\*B\*a^2\*b^2\*f^3 + 3\*(3\*C\*a^2\*b^2 + 4\*A\*b^4)\*e\*f^2)\*x)\*sqrt(-b\*c\*x + a\*c)\*sqrt(b\*x + a))/(b^6\*c)]

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x+e)^3\*(C\*x^2+B\*x+A)/(b\*x+a)^(1/2)/(-b\*c\*x+a\*c)^(1/2),x, algorithm="giac")

[Out] Timed out

**maple** [B] time = 0.03, size = 965, normalized size = 1.93

$$\sqrt{bx+a} \sqrt{-(bx-a)c} \left( 180A a^2 b^4 c e f^2 \arctan \left( \frac{\sqrt{b^2 c} x}{\sqrt{-(b^2 x^2 - a^2) c}} \right) + 120A b^6 c e^3 \arctan \left( \frac{\sqrt{b^2 c} x}{\sqrt{-(b^2 x^2 - a^2) c}} \right) + 45B a^4 b^2 c f^3 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f\*x+e)^3\*(C\*x^2+B\*x+A)/(b\*x+a)^(1/2)/(-b\*c\*x+a\*c)^(1/2),x)

[Out] 1/120\*(b\*x+a)^(1/2)\*(-b\*x-a)\*c)^(1/2)/c\*(-24\*C\*x^4\*b^4\*f^3\*(b^2\*c)^(1/2)\*(-(b^2\*x^2-a^2)\*c)^(1/2)-30\*B\*x^3\*b^4\*f^3\*(b^2\*c)^(1/2)\*(-(b^2\*x^2-a^2)\*c)^(1/2)-90\*C\*x^3\*b^4\*e\*f^2\*(b^2\*c)^(1/2)\*(-(b^2\*x^2-a^2)\*c)^(1/2)+180\*A\*arctan((b^2\*c)^(1/2)/(-(b^2\*x^2-a^2)\*c)^(1/2)\*x)\*a^2\*b^4\*c\*e\*f^2+120\*A\*arctan((b^2\*c)^(1/2)/(-(b^2\*x^2-a^2)\*c)^(1/2)\*x)\*b^6\*c\*e^3-40\*A\*x^2\*b^4\*f^3\*(b^2\*c)^(1/2)\*(-(b^2\*x^2-a^2)\*c)^(1/2)+45\*B\*arctan((b^2\*c)^(1/2)/(-(b^2\*x^2-a^2)\*c)^(1/2)\*x)\*a^4\*b^2\*c\*f^3+180\*B\*arctan((b^2\*c)^(1/2)/(-(b^2\*x^2-a^2)\*c)^(1/2)\*x)\*a^2\*b^4\*c\*e^2\*f-120\*B\*x^2\*b^4\*e\*f^2\*(b^2\*c)^(1/2)\*(-(b^2\*x^2-a^2)\*c)^(1/2)+135\*C\*arctan((b^2\*c)^(1/2)/(-(b^2\*x^2-a^2)\*c)^(1/2)\*x)\*a^4\*b^2\*c\*e\*f^2+60\*C\*arctan((b^2\*c)^(1/2)/(-(b^2\*x^2-a^2)\*c)^(1/2)\*x)\*a^2\*b^4\*c\*e^3-32\*C\*x^2\*a^2\*b^2\*f^3\*(b^2\*c)^(1/2)\*(-(b^2\*x^2-a^2)\*c)^(1/2)-120\*C\*x^2\*b^4\*e^2\*f\*(b^2\*c)^(1/2)\*(-(b^2\*x^2-a^2)\*c)^(1/2)-180\*A\*(b^2\*c)^(1/2)\*(-(b^2\*x^2-a^2)\*c)^(1/2)\*x\*b^4\*e\*f^2-45\*B\*(b^2\*c)^(1/2)\*(-(b^2\*x^2-a^2)\*c)^(1/2)\*x\*a^2\*b^2\*f^3-180\*B\*(b^2\*c)^(1/2)\*(-(b^2\*x^2-a^2)\*c)^(1/2)\*x\*b^4\*e^2\*f-135\*C\*(b^2\*c)^(1/2)\*(-(b^2\*x^2-a^2)\*c)^(1/2)\*x\*a^2\*b^2\*e\*f^2-60\*C\*(b^2\*c)^(1/2)\*(-(b^2\*x^2-a^2)\*c)^(1/2)\*x\*b^4\*e^3-80\*A\*(b^2\*c)^(1/2)\*(-(b^2\*x^2-a^2)\*c)^(1/2)\*a^2\*b^2\*f^3-360\*A\*(b^2\*c)^(1/2)\*(-(b^2\*x^2-a^2)\*c)^(1/2)\*b^4\*e^2\*f-240\*B\*(b^2\*c)^(1/2)

$$\frac{1}{2} * (- (b^2 * x^2 - a^2) * c)^{(1/2)} * a^2 * b^2 * e * f^2 - 120 * B * (b^2 * c)^{(1/2)} * (- (b^2 * x^2 - a^2) * c)^{(1/2)} * b^4 * e^3 - 64 * C * (b^2 * c)^{(1/2)} * (- (b^2 * x^2 - a^2) * c)^{(1/2)} * a^4 * f^3 - 240 * C * (b^2 * c)^{(1/2)} * (- (b^2 * x^2 - a^2) * c)^{(1/2)} * a^2 * b^2 * e^2 * f / b^6 / (- (b^2 * x^2 - a^2) * c)^{(1/2)} / (b^2 * c)^{(1/2)}$$

**maxima** [A] time = 1.97, size = 471, normalized size = 0.94

$$\frac{\sqrt{-b^2cx^2 + a^2c} C f^3 x^4}{5 b^2 c} - \frac{4 \sqrt{-b^2cx^2 + a^2c} C a^2 f^3 x^2}{15 b^4 c} + \frac{A e^3 \arcsin\left(\frac{bx}{a}\right)}{b \sqrt{c}} - \frac{\sqrt{-b^2cx^2 + a^2c} B e^3}{b^2 c} - \frac{3 \sqrt{-b^2cx^2 + a^2c} A}{b^2 c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x+e)^3\*(C\*x^2+B\*x+A)/(b\*x+a)^(1/2)/(-b\*c\*x+a\*c)^(1/2),x, algorithm="maxima")

[Out] 
$$-1/5 * \sqrt{-b^2 * c * x^2 + a^2 * c} * C * f^3 * x^4 / (b^2 * c) - 4/15 * \sqrt{-b^2 * c * x^2 + a^2 * c} * C * a^2 * f^3 * x^2 / (b^4 * c) + A * e^3 * \arcsin(b * x / a) / (b * \sqrt{c}) - \sqrt{-b^2 * c * x^2 + a^2 * c} * B * e^3 / (b^2 * c) - 3 * \sqrt{-b^2 * c * x^2 + a^2 * c} * A * e^2 * f / (b^2 * c) - 8/15 * \sqrt{-b^2 * c * x^2 + a^2 * c} * C * a^4 * f^3 / (b^6 * c) - 1/4 * \sqrt{-b^2 * c * x^2 + a^2 * c} * (3 * C * e * f^2 + B * f^3) * x^3 / (b^2 * c) - 1/3 * \sqrt{-b^2 * c * x^2 + a^2 * c} * (3 * C * e^2 * f + 3 * B * e * f^2 + A * f^3) * x^2 / (b^2 * c) + 3/8 * (3 * C * e * f^2 + B * f^3) * a^4 * \arcsin(b * x / a) / (b^5 * \sqrt{c}) + 1/2 * (C * e^3 + 3 * B * e^2 * f + 3 * A * e * f^2) * a^2 * \arcsin(b * x / a) / (b^3 * \sqrt{c}) - 3/8 * \sqrt{-b^2 * c * x^2 + a^2 * c} * (3 * C * e * f^2 + B * f^3) * a^2 * x / (b^4 * c) - 1/2 * \sqrt{-b^2 * c * x^2 + a^2 * c} * (C * e^3 + 3 * B * e^2 * f + 3 * A * e * f^2) * x / (b^2 * c) - 2/3 * \sqrt{-b^2 * c * x^2 + a^2 * c} * (3 * C * e^2 * f + 3 * B * e * f^2 + A * f^3) * a^2 / (b^4 * c)$$

**mupad** [B] time = 161.43, size = 4167, normalized size = 8.32

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((e + f\*x)^3\*(A + B\*x + C\*x^2))/((a\*c - b\*c\*x)^(1/2)\*(a + b\*x)^(1/2)),x)

[Out] 
$$- \left( \left( \left( \frac{23 * B * a^4 * c * f^3}{2} - 18 * B * a^2 * b^2 * c * e^2 * f \right) * \left( (a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)} \right)^{13} \right) / (b^5 * \left( (a + b * x)^{(1/2)} - a^{(1/2)} \right)^{13} + \left( (a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)} \right)^{15} * \left( \frac{3 * B * a^4 * f^3}{2} + 6 * B * a^2 * b^2 * e^2 * f \right) / (b^5 * \left( (a + b * x)^{(1/2)} - a^{(1/2)} \right)^{15} - \left( \left( \frac{3 * B * a^4 * c^7 * f^3}{2} + 6 * B * a^2 * b^2 * c^7 * e^2 * f \right) * \left( (a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)} \right) \right) / (b^5 * \left( (a + b * x)^{(1/2)} - a^{(1/2)} \right)) - \left( \left( \frac{23 * B * a^4 * c^6 * f^3}{2} - 18 * B * a^2 * b^2 * c^6 * e^2 * f \right) * \left( (a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)} \right)^3 \right) / (b^5 * \left( (a + b * x)^{(1/2)} - a^{(1/2)} \right)^3 + \left( \left( \frac{333 * B * a^4 * c^5 * f^3}{2} + 90 * B * a^2 * b^2 * c^5 * e^2 * f \right) * \left( (a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)} \right)^5 \right) / (b^5 * \left( (a + b * x)^{(1/2)} - a^{(1/2)} \right)^5 - \left( \left( \frac{333 * B * a^4 * c^2 * f^3}{2} + 90 * B * a^2 * b^2 * c^2 * e^2 * f \right) * \left( (a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)} \right)^{11} \right) / (b^5 * \left( (a + b * x)^{(1/2)} - a^{(1/2)} \right)^{11} - \left( \left( \frac{671 * B * a^4 * c^4 * f^3}{2} - 66 * B * a^2 * b^2 * c^4 * e^2 * f \right) * \left( (a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)} \right)^7 \right) / (b^5 * \left( (a + b * x)^{(1/2)} - a^{(1/2)} \right)^7 + \left( \left( \frac{671 * B * a^4 * c^3 * f^3}{2} - 66 * B * a^2 * b^2 * c^3 * e^2 * f \right) * \left( (a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)} \right)^9 \right) / (b^5 * \left( (a + b * x)^{(1/2)} - a^{(1/2)} \right)^9 + (a^{(1/2)} * (a * c)^{(1/2)} * (48 * B * b^2 * c^5 * e^3 + 192 * B * a^2 * c^5 * e * f^2) * \left( (a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)} \right)^4 \right) / (b^4 * \left( (a + b * x)^{(1/2)} - a^{(1/2)} \right)^4 + (a^{(1/2)} * (a * c)^{(1/2)} * (160 * B * b^2 * c^3 * e^3 + 128 * B * a^2 * c^3 * e * f^2) * \left( (a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)} \right)^8 \right) / (b^4 * \left( (a + b * x)^{(1/2)} - a^{(1/2)} \right)^8 + (a^{(1/2)} * (a * c)^{(1/2)} * (120 * B * b^2 * c^4 * e^3 + 256 * B * a^2 * c^4 * e * f^2) * \left( (a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)} \right)^6 \right) / (b^4 * \left( (a + b * x)^{(1/2)} - a^{(1/2)} \right)^6 + (a^{(1/2)} * (a * c)^{(1/2)} * (120 * B * b^2 * c^2 * e^3 + 256 * B * a^2 * c^2 * e * f^2) * \left( (a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)} \right)^{10} \right) / (b^4 * \left( (a + b * x)^{(1/2)} - a^{(1/2)} \right)^{10} + (a^{(1/2)} * (a * c)^{(1/2)} * \left( (a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)} \right)^{12} * (48 * B * b^2 * c * e^3 + 192 * B * a^2 * c * e * f^2) \right) / (b^4 * \left( (a + b * x)^{(1/2)} - a^{(1/2)} \right)^{12} + (8 * B * a^{(1/2)} * e^3 * (a * c)^{(1/2)} * \left( (a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)} \right)^{14} \right) / (b^2 * \left( (a + b * x)^{(1/2)} - a^{(1/2)} \right)^{14} + (8 * B * a^{(1/2)} * c^6 * e^3 * (a * c)^{(1/2)} * \left( (a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)} \right)^2 \right) / (b^2 * \left( (a + b * x)^{(1/2)} - a^{(1/2)} \right)^2) \right) / \left( \left( (a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)} \right) \right)$$

$$\begin{aligned}
& )^{16}/((a + b*x)^{(1/2)} - a^{(1/2)})^{16} + c^8 + (8*c*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^{14}/((a + b*x)^{(1/2)} - a^{(1/2)})^{14} + (8*c^7*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2)/((a + b*x)^{(1/2)} - a^{(1/2)})^2 + (28*c^6*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^4)/((a + b*x)^{(1/2)} - a^{(1/2)})^4 + (56*c^5*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^6)/((a + b*x)^{(1/2)} - a^{(1/2)})^6 + (70*c^4*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^8)/((a + b*x)^{(1/2)} - a^{(1/2)})^8 + (56*c^3*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^{10}/((a + b*x)^{(1/2)} - a^{(1/2)})^{10} + (28*c^2*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^{12}/((a + b*x)^{(1/2)} - a^{(1/2)})^{12} - ((a^{(1/2)}*(a*c)^{(1/2)}*(64*A*a^2*c^3*f^3 + 96*A*b^2*c^3*e^2*f))*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^4)/(b^4*((a + b*x)^{(1/2)} - a^{(1/2)})^4) - (a^{(1/2)}*(a*c)^{(1/2)}*((128*A*a^2*c^2*f^3)/3 - 144*A*b^2*c^2*e^2*f))*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^6)/(b^4*((a + b*x)^{(1/2)} - a^{(1/2)})^6) + (a^{(1/2)}*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^8*(64*A*a^2*c*f^3 + 96*A*b^2*c*e^2*f))/(b^4*((a + b*x)^{(1/2)} - a^{(1/2)})^8) + (6*A*a^2*e*f^2*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^{11}/(b^3*((a + b*x)^{(1/2)} - a^{(1/2)})^{11}) - (6*A*a^2*c^5*e*f^2*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}))/(b^3*((a + b*x)^{(1/2)} - a^{(1/2)})) - (30*A*a^2*c*e*f^2*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^9)/(b^3*((a + b*x)^{(1/2)} - a^{(1/2)})^9) + (24*A*a^{(1/2)}*e^2*f*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^{10}/(b^2*((a + b*x)^{(1/2)} - a^{(1/2)})^{10}) + (30*A*a^2*c^4*e*f^2*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^3)/(b^3*((a + b*x)^{(1/2)} - a^{(1/2)})^3) + (36*A*a^2*c^3*e*f^2*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^5)/(b^3*((a + b*x)^{(1/2)} - a^{(1/2)})^5) - (36*A*a^2*c^2*e*f^2*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^7)/(b^3*((a + b*x)^{(1/2)} - a^{(1/2)})^7) + (24*A*a^{(1/2)}*c^4*e^2*f*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2)/(b^2*((a + b*x)^{(1/2)} - a^{(1/2)})^2))/(((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^{12}/((a + b*x)^{(1/2)} - a^{(1/2)})^{12} + c^6 + (6*c*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^{10}/((a + b*x)^{(1/2)} - a^{(1/2)})^{10} + (6*c^5*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2)/((a + b*x)^{(1/2)} - a^{(1/2)})^2 + (15*c^4*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^4)/((a + b*x)^{(1/2)} - a^{(1/2)})^4 + (20*c^3*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^6)/((a + b*x)^{(1/2)} - a^{(1/2)})^6 + (15*c^2*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^8)/((a + b*x)^{(1/2)} - a^{(1/2)})^8 - (((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^{19}*((9*C*a^4*e*f^2)/2 + 2*C*a^2*b^2*e^3))/(b^5*((a + b*x)^{(1/2)} - a^{(1/2)})^{19}) - ((2*C*a^2*b^2*c*e^3 - (87*C*a^4*c*e*f^2)/2))*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^{17}/(b^5*((a + b*x)^{(1/2)} - a^{(1/2)})^{17}) - (((9*C*a^4*c^9*e*f^2)/2 + 2*C*a^2*b^2*c^9*e^3))*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}))/(b^5*((a + b*x)^{(1/2)} - a^{(1/2)})) - (((87*C*a^4*c^8*e*f^2)/2 - 2*C*a^2*b^2*c^8*e^3))*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^3)/(b^5*((a + b*x)^{(1/2)} - a^{(1/2)})^3) - ((42*C*a^4*c^6*e*f^2 - 88*C*a^2*b^2*c^6*e^3))*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^7)/(b^5*((a + b*x)^{(1/2)} - a^{(1/2)})^7) + ((42*C*a^4*c^3*e*f^2 - 88*C*a^2*b^2*c^3*e^3))*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^{13}/(b^5*((a + b*x)^{(1/2)} - a^{(1/2)})^{13}) + ((426*C*a^4*c^7*e*f^2 + 40*C*a^2*b^2*c^7*e^3))*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^5)/(b^5*((a + b*x)^{(1/2)} - a^{(1/2)})^5) - ((426*C*a^4*c^2*e*f^2 + 40*C*a^2*b^2*c^2*e^3))*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^{15}/(b^5*((a + b*x)^{(1/2)} - a^{(1/2)})^{15}) - ((507*C*a^4*c^5*e*f^2 - 52*C*a^2*b^2*c^5*e^3))*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^9)/(b^5*((a + b*x)^{(1/2)} - a^{(1/2)})^9) + ((507*C*a^4*c^4*e*f^2 - 52*C*a^2*b^2*c^4*e^3))*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^{11}/(b^5*((a + b*x)^{(1/2)} - a^{(1/2)})^{11}) + (a^{(1/2)}*(a*c)^{(1/2)}*((2048*C*a^4*c^6*f^3)/3 + 640*C*a^2*b^2*c^6*e^2*f))*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^6)/(b^6*((a + b*x)^{(1/2)} - a^{(1/2)})^6) + (a^{(1/2)}*(a*c)^{(1/2)}*((2048*C*a^4*c^2*f^3)/3 + 640*C*a^2*b^2*c^2*e^2*f))*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^{14}/(b^6*((a + b*x)^{(1/2)} - a^{(1/2)})^{14}) - (a^{(1/2)}*(a*c)^{(1/2)}*((4096*C*a^4*c^5*f^3)/3 - 832*C*a^2*b^2*c^5*e^2*f))*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^8)/(b^6*((a + b*x)^{(1/2)} - a^{(1/2)})^8) - (a^{(1/2)}*(a*c)^{(1/2)}*((4096*C*a^4*c^3*f^3)/3 - 832*C*a^2*b^2*c^3*e^2*f))*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^{12}/(b^6*((a + b*x)^{(1/2)} - a^{(1/2)})^{12}) + (a^{(1/2)}*(a*c)^{(1/2)}*((12288*C*a^4*c^4*f^3)/5 + 768*C*a^2*b^2*c^4*e^2*f))*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^{10}/(b^6*((a + b*x)^{(1/2)} - a^{(1/2)})^{10}) + (192*C*a^{(5/2)}*c*e^2*f*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^{16})/(b^4*((a + b*x)^{(1/2)} - a^{(1/2)})^{16}) + (192*C*a^{(5/2)}*c^7*e^2*f*(a*c)^{(1/2)}*((a*c -
\end{aligned}$$

$$\frac{b^3 c^3 x^{1/2} - (a^3 c^3)^{1/2}}{(b^4 ((a + b x)^{1/2} - a^{1/2})^4)} \left( \frac{(a^3 c^3)^{1/2} - (a^3 c^3)^{1/2}}{(a + b x)^{1/2} - a^{1/2}} \right)^{20} + c^{10} + (10 c^3 ((a^3 c^3)^{1/2} - (a^3 c^3)^{1/2})^{18} / ((a + b x)^{1/2} - a^{1/2})^{18} + (10 c^9 ((a^3 c^3)^{1/2} - (a^3 c^3)^{1/2})^2 / ((a + b x)^{1/2} - a^{1/2})^2 + (45 c^8 ((a^3 c^3)^{1/2} - (a^3 c^3)^{1/2})^4 / ((a + b x)^{1/2} - a^{1/2})^4 + (120 c^7 ((a^3 c^3)^{1/2} - (a^3 c^3)^{1/2})^6 / ((a + b x)^{1/2} - a^{1/2})^6 + (210 c^6 ((a^3 c^3)^{1/2} - (a^3 c^3)^{1/2})^8 / ((a + b x)^{1/2} - a^{1/2})^8 + (252 c^5 ((a^3 c^3)^{1/2} - (a^3 c^3)^{1/2})^{10} / ((a + b x)^{1/2} - a^{1/2})^{10} + (210 c^4 ((a^3 c^3)^{1/2} - (a^3 c^3)^{1/2})^{12} / ((a + b x)^{1/2} - a^{1/2})^{12} + (120 c^3 ((a^3 c^3)^{1/2} - (a^3 c^3)^{1/2})^{14} / ((a + b x)^{1/2} - a^{1/2})^{14} + (45 c^2 ((a^3 c^3)^{1/2} - (a^3 c^3)^{1/2})^{16} / ((a + b x)^{1/2} - a^{1/2})^{16} - (2 A e \operatorname{atan}((A e (3 a^2 f^2 + 2 b^2 e^2)) * ((a^3 c^3)^{1/2} - (a^3 c^3)^{1/2}))) / (c^{1/2} (2 A b^2 e^3 + 3 A a^2 e f^2)) * ((a + b x)^{1/2} - a^{1/2})) * (3 a^2 f^2 + 2 b^2 e^2)) / (b^3 c^{1/2}) - (3 B a^2 f \operatorname{atan}((B a^2 f (a^2 f^2 + 4 b^2 e^2)) * ((a^3 c^3)^{1/2} - (a^3 c^3)^{1/2}))) / (c^{1/2} (B a^4 f^3 + 4 B a^2 b^2 e^2 f)) * ((a + b x)^{1/2} - a^{1/2})) * (a^2 f^2 + 4 b^2 e^2) / (2 b^5 c^{1/2}) - (C a^2 e \operatorname{atan}((C a^2 e (9 a^2 f^2 + 4 b^2 e^2)) * ((a^3 c^3)^{1/2} - (a^3 c^3)^{1/2}))) / (c^{1/2} (9 C a^4 e f^2 + 4 C a^2 b^2 e^3)) * ((a + b x)^{1/2} - a^{1/2})) * (9 a^2 f^2 + 4 b^2 e^2) / (2 b^5 c^{1/2})$$

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x+e)\*\*3\*(C\*x\*\*2+B\*x+A)/(b\*x+a)\*\*(1/2)/(-b\*c\*x+a\*c)\*\*(1/2),x)

[Out] Timed out

$$3.28 \quad \int \frac{(e+fx)^2(A+Bx+Cx^2)}{\sqrt{a+bx}\sqrt{ac-bcx}} dx$$

**Optimal.** Leaf size=368

$$\frac{(a^2 - b^2x^2) \left( fx \left( 9a^2Cf^2 - b^2 \left( 2Ce^2 - 4f(3Af + 2Be) \right) \right) + 4 \left( 4a^2f^2(Bf + 2Ce) - b^2e \left( Ce^2 - 4f(3Af + Be) \right) \right) \right)}{24b^4f\sqrt{a+bx}\sqrt{ac-bcx}}$$

[Out] 1/12\*(-4\*B\*f+C\*e)\*(f\*x+e)^2\*(-b^2\*x^2+a^2)/b^2/f/(b\*x+a)^(1/2)/(-b\*c\*x+a\*c)^(1/2)-1/4\*C\*(f\*x+e)^3\*(-b^2\*x^2+a^2)/b^2/f/(b\*x+a)^(1/2)/(-b\*c\*x+a\*c)^(1/2)-1/24\*(16\*a^2\*f^2\*(B\*f+2\*C\*e)-4\*b^2\*e\*(C\*e^2-4\*f\*(3\*A\*f+B\*e))+f\*(9\*a^2\*C\*f^2-b^2\*(2\*C\*e^2-4\*f\*(3\*A\*f+2\*B\*e))))\*x\*(-b^2\*x^2+a^2)/b^4/f/(b\*x+a)^(1/2)/(-b\*c\*x+a\*c)^(1/2)+1/8\*(4\*A\*(a^2\*b^2\*f^2+2\*b^4\*e^2)+a^2\*(3\*a^2\*C\*f^2+4\*b^2\*e\*(2\*B\*f+C\*e)))\*arctan(b\*x\*c^(1/2)/(-b^2\*c\*x^2+a^2\*c)^(1/2))\*(-b^2\*c\*x^2+a^2\*c)^(1/2)/b^5/c^(1/2)/(b\*x+a)^(1/2)/(-b\*c\*x+a\*c)^(1/2)

**Rubi [A]** time = 0.88, antiderivative size = 369, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 40,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.150$ , Rules used = {1610, 1654, 833, 780, 217, 203}

$$\frac{(a^2 - b^2x^2) \left( fx \left( 9a^2Cf^2 - b^2 \left( 2Ce^2 - 4f(3Af + 2Be) \right) \right) + 4 \left( 4a^2f^2(Bf + 2Ce) - \frac{1}{4}b^2 \left( 4Ce^3 - 16ef(3Af + Be) \right) \right) \right)}{24b^4f\sqrt{a+bx}\sqrt{ac-bcx}}$$

Antiderivative was successfully verified.

[In] Int[((e + f\*x)^2\*(A + B\*x + C\*x^2))/(Sqrt[a + b\*x]\*Sqrt[a\*c - b\*c\*x]),x]

[Out] ((C\*e - 4\*B\*f)\*(e + f\*x)^2\*(a^2 - b^2\*x^2))/(12\*b^2\*f\*Sqrt[a + b\*x]\*Sqrt[a\*c - b\*c\*x]) - (C\*(e + f\*x)^3\*(a^2 - b^2\*x^2))/(4\*b^2\*f\*Sqrt[a + b\*x]\*Sqrt[a\*c - b\*c\*x]) - ((4\*(4\*a^2\*f^2\*(2\*C\*e + B\*f) - (b^2\*(4\*C\*e^3 - 16\*e\*f\*(B\*e + 3\*A\*f))))/4) + f\*(9\*a^2\*C\*f^2 - b^2\*(2\*C\*e^2 - 4\*f\*(2\*B\*e + 3\*A\*f)))\*x\*(a^2 - b^2\*x^2)/(24\*b^4\*f\*Sqrt[a + b\*x]\*Sqrt[a\*c - b\*c\*x]) + ((3\*a^4\*C\*f^2 + 4\*a^2\*b^2\*e\*(C\*e + 2\*B\*f) + 4\*A\*(2\*b^4\*e^2 + a^2\*b^2\*f^2))\*Sqrt[a^2\*c - b^2\*c\*x^2]\*ArcTan[(b\*Sqrt[c]\*x)/Sqrt[a^2\*c - b^2\*c\*x^2]]/(8\*b^5\*Sqrt[c]\*Sqrt[a + b\*x]\*Sqrt[a\*c - b\*c\*x])

#### Rule 203

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rule 217

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

#### Rule 780

Int[((d\_) + (e\_)\*(x\_))\*((f\_) + (g\_)\*(x\_))\*((a\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(((e\*f + d\*g)\*(2\*p + 3) + 2\*e\*g\*(p + 1)\*x)\*(a + c\*x^2)^(p + 1))/(2\*c\*(p + 1)\*(2\*p + 3)), x] - Dist[(a\*e\*g - c\*d\*f\*(2\*p + 3))/(c\*(2\*p + 3)), Int[(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !LeQ[p, -1]

#### Rule 833

Int[((d\_) + (e\_)\*(x\_)^(m\_))\*((f\_) + (g\_)\*(x\_))\*((a\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(g\*(d + e\*x)^m\*(a + c\*x^2)^(p + 1))/(c\*(m + 2\*p + 2)

), x] + Dist[1/(c\*(m + 2\*p + 2)), Int[(d + e\*x)^(m - 1)\*(a + c\*x^2)^p\*Simp[c\*d\*f\*(m + 2\*p + 2) - a\*e\*g\*m + c\*(e\*f\*(m + 2\*p + 2) + d\*g\*m)\*x, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c\*d^2 + a\*e^2, 0] && GtQ[m, 0] && NeQ[m + 2\*p + 2, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2\*m, 2\*p]) && !(IGtQ[m, 0] && EqQ[f, 0])

### Rule 1610

Int[(Px\_)\*((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_)\*((e\_.) + (f\_.)\*(x\_))^(p\_), x\_Symbol] := Dist[((a + b\*x)^FracPart[m]\*(c + d\*x)^FracPart[m])/(a\*c + b\*d\*x^2)^FracPart[m], Int[Px\*(a\*c + b\*d\*x^2)^m\*(e + f\*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b\*c + a\*d, 0] && EqQ[m, n] && !IntegerQ[m]

### Rule 1654

Int[(Pq\_)\*((d\_) + (e\_.)\*(x\_))^(m\_)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f\*(d + e\*x)^(m + q - 1)\*(a + c\*x^2)^(p + 1))/(c\*e^(q - 1)\*(m + q + 2\*p + 1)), x] + Dist[1/(c\*e^q\*(m + q + 2\*p + 1)), Int[(d + e\*x)^m\*(a + c\*x^2)^p\*ExpandToSum[c\*e^q\*(m + q + 2\*p + 1)\*Pq - c\*f\*(m + q + 2\*p + 1)\*(d + e\*x)^q - f\*(d + e\*x)^(q - 2)\*(a\*e^2\*(m + q - 1) - c\*d^2\*(m + q + 2\*p + 1) - 2\*c\*d\*e\*(m + q + p)\*x), x], x] /; GtQ[q, 1] && NeQ[m + q + 2\*p + 1, 0] /; FreeQ[{a, c, d, e, m, p}, x] && PolyQ[Pq, x] && NeQ[c\*d^2 + a\*e^2, 0] && !(EqQ[d, 0] && True) && !(IGtQ[m, 0] && RationalQ[a, c, d, e] && (IntegerQ[p] || ILtQ[p + 1/2, 0]))

### Rubi steps

$$\begin{aligned} \int \frac{(e + fx)^2 (A + Bx + Cx^2)}{\sqrt{a + bx} \sqrt{ac - bcx}} dx &= \frac{\sqrt{a^2c - b^2cx^2} \int \frac{(e+fx)^2 (A+Bx+Cx^2)}{\sqrt{a^2c - b^2cx^2}} dx}{\sqrt{a + bx} \sqrt{ac - bcx}} \\ &= -\frac{C(e + fx)^3 (a^2 - b^2x^2)}{4b^2f\sqrt{a + bx} \sqrt{ac - bcx}} - \frac{\sqrt{a^2c - b^2cx^2} \int \frac{(e+fx)^2 (-c(4Ab^2+3a^2C)f^2+b^2cf(Ce-4Bf))}{\sqrt{a^2c - b^2cx^2}} dx}{4b^2cf^2\sqrt{a + bx} \sqrt{ac - bcx}} \\ &= \frac{(Ce - 4Bf)(e + fx)^2 (a^2 - b^2x^2)}{12b^2f\sqrt{a + bx} \sqrt{ac - bcx}} - \frac{C(e + fx)^3 (a^2 - b^2x^2)}{4b^2f\sqrt{a + bx} \sqrt{ac - bcx}} + \frac{\sqrt{a^2c - b^2cx^2} \int \frac{(e+fx)^2 (-c(4Ab^2+3a^2C)f^2+b^2cf(Ce-4Bf))}{\sqrt{a^2c - b^2cx^2}} dx}{4b^2cf^2\sqrt{a + bx} \sqrt{ac - bcx}} \\ &= \frac{(Ce - 4Bf)(e + fx)^2 (a^2 - b^2x^2)}{12b^2f\sqrt{a + bx} \sqrt{ac - bcx}} - \frac{C(e + fx)^3 (a^2 - b^2x^2)}{4b^2f\sqrt{a + bx} \sqrt{ac - bcx}} - \frac{4(4a^2f^2(2a^2c - b^2cx^2) + (Ce - 4Bf)(e + fx)^2 (a^2 - b^2x^2))}{4b^2cf^2\sqrt{a + bx} \sqrt{ac - bcx}} \\ &= \frac{(Ce - 4Bf)(e + fx)^2 (a^2 - b^2x^2)}{12b^2f\sqrt{a + bx} \sqrt{ac - bcx}} - \frac{C(e + fx)^3 (a^2 - b^2x^2)}{4b^2f\sqrt{a + bx} \sqrt{ac - bcx}} - \frac{4(4a^2f^2(2a^2c - b^2cx^2) + (Ce - 4Bf)(e + fx)^2 (a^2 - b^2x^2))}{4b^2cf^2\sqrt{a + bx} \sqrt{ac - bcx}} \\ &= \frac{(Ce - 4Bf)(e + fx)^2 (a^2 - b^2x^2)}{12b^2f\sqrt{a + bx} \sqrt{ac - bcx}} - \frac{C(e + fx)^3 (a^2 - b^2x^2)}{4b^2f\sqrt{a + bx} \sqrt{ac - bcx}} - \frac{4(4a^2f^2(2a^2c - b^2cx^2) + (Ce - 4Bf)(e + fx)^2 (a^2 - b^2x^2))}{4b^2cf^2\sqrt{a + bx} \sqrt{ac - bcx}} \end{aligned}$$

**Mathematica [A]** time = 2.68, size = 555, normalized size = 1.51

$$-24\sqrt{a - bx} \sqrt{a + bx} (be - af) \left( \sqrt{a - bx} \sqrt{\frac{bx}{a}} + 1 + 2\sqrt{a} \sin^{-1} \left( \frac{\sqrt{a - bx}}{\sqrt{2}\sqrt{a}} \right) \right) (4a^2Cf - ab(3Bf + 2Ce) + b^2(2Af +$$

Antiderivative was successfully verified.

[In] Integrate[((e + f\*x)^2\*(A + B\*x + C\*x^2))/(Sqrt[a + b\*x]\*Sqrt[a\*c - b\*c\*x]),x]

[Out] (-24\*(b\*e - a\*f)\*(4\*a^2\*C\*f + b^2\*(B\*e + 2\*A\*f) - a\*b\*(2\*C\*e + 3\*B\*f))\*Sqrt[a - b\*x]\*Sqrt[a + b\*x]\*(Sqrt[a - b\*x]\*Sqrt[1 + (b\*x)/a] + 2\*Sqrt[a]\*ArcSin[Sqrt[a - b\*x]/(Sqrt[2]\*Sqrt[a])]) - 12\*(6\*a^2\*C\*f^2 - 3\*a\*b\*f\*(2\*C\*e + B\*f) + b^2\*(C\*e^2 + f\*(2\*B\*e + A\*f)))\*Sqrt[a - b\*x]\*Sqrt[a + b\*x]\*(Sqrt[a - b\*x]\*(4\*a + b\*x)\*Sqrt[1 + (b\*x)/a] + 6\*a^(3/2)\*ArcSin[Sqrt[a - b\*x]/(Sqrt[2]\*Sqrt[a])]) - 4\*f\*(2\*b\*C\*e + b\*B\*f - 4\*a\*C\*f)\*Sqrt[a - b\*x]\*Sqrt[a + b\*x]\*(Sqrt[a - b\*x]\*Sqrt[1 + (b\*x)/a]\*(22\*a^2 + 9\*a\*b\*x + 2\*b^2\*x^2) + 30\*a^(5/2)\*ArcSin[Sqrt[a - b\*x]/(Sqrt[2]\*Sqrt[a])]) - C\*f^2\*Sqrt[a + b\*x]\*((a - b\*x)\*Sqrt[1 + (b\*x)/a]\*(160\*a^3 + 81\*a^2\*b\*x + 32\*a\*b^2\*x^2 + 6\*b^3\*x^3) + 210\*a^(7/2)\*Sqrt[a - b\*x]\*ArcSin[Sqrt[a - b\*x]/(Sqrt[2]\*Sqrt[a])]) - 48\*(A\*b^2 + a\*(-(b\*B) + a\*C))\*(b\*e - a\*f)^2\*Sqrt[a - b\*x]\*Sqrt[1 + (b\*x)/a]\*ArcTan[Sqrt[a - b\*x]/Sqrt[a + b\*x]]/(24\*b^5\*Sqrt[c\*(a - b\*x)]\*Sqrt[1 + (b\*x)/a])

**fricas** [A] time = 1.04, size = 482, normalized size = 1.31

$$\left[ \frac{3(8Ba^2b^2ef + 4(Ca^2b^2 + 2Ab^4)e^2 + (3Ca^4 + 4Aa^2b^2)f^2)\sqrt{-c} \log(2b^2cx^2 - 2\sqrt{-bcx + ac}\sqrt{bx + a}b\sqrt{-cx}}{\dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x+e)^2\*(C\*x^2+B\*x+A)/(b\*x+a)^(1/2)/(-b\*c\*x+a\*c)^(1/2),x, algorithm="fricas")

[Out] [-1/48\*(3\*(8\*B\*a^2\*b^2\*e\*f + 4\*(C\*a^2\*b^2 + 2\*A\*b^4)\*e^2 + (3\*C\*a^4 + 4\*A\*a^2\*b^2)\*f^2)\*sqrt(-c)\*log(2\*b^2\*c\*x^2 - 2\*sqrt(-b\*c\*x + a\*c)\*sqrt(b\*x + a)\*b\*sqrt(-c)\*x - a^2\*c) + 2\*(6\*C\*b^3\*f^2\*x^3 + 24\*B\*b^3\*e^2 + 16\*B\*a^2\*b\*f^2 + 16\*(2\*C\*a^2\*b + 3\*A\*b^3)\*e\*f + 8\*(2\*C\*b^3\*e\*f + B\*b^3\*f^2)\*x^2 + 3\*(4\*C\*b^3\*e^2 + 8\*B\*b^3\*e\*f + (3\*C\*a^2\*b + 4\*A\*b^3)\*f^2)\*x)\*sqrt(-b\*c\*x + a\*c)\*sqrt(b\*x + a)/(b^5\*c), -1/24\*(3\*(8\*B\*a^2\*b^2\*e\*f + 4\*(C\*a^2\*b^2 + 2\*A\*b^4)\*e^2 + (3\*C\*a^4 + 4\*A\*a^2\*b^2)\*f^2)\*sqrt(c)\*arctan(sqrt(-b\*c\*x + a\*c)\*sqrt(b\*x + a)\*b\*sqrt(c)\*x/(b^2\*c\*x^2 - a^2\*c)) + (6\*C\*b^3\*f^2\*x^3 + 24\*B\*b^3\*e^2 + 16\*B\*a^2\*b\*f^2 + 16\*(2\*C\*a^2\*b + 3\*A\*b^3)\*e\*f + 8\*(2\*C\*b^3\*e\*f + B\*b^3\*f^2)\*x^2 + 3\*(4\*C\*b^3\*e^2 + 8\*B\*b^3\*e\*f + (3\*C\*a^2\*b + 4\*A\*b^3)\*f^2)\*x)\*sqrt(-b\*c\*x + a\*c)\*sqrt(b\*x + a)/(b^5\*c)]

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x+e)^2\*(C\*x^2+B\*x+A)/(b\*x+a)^(1/2)/(-b\*c\*x+a\*c)^(1/2),x, algorithm="giac")

[Out] Timed out

**maple** [A] time = 0.03, size = 635, normalized size = 1.73

$$\frac{\sqrt{bx + a} \sqrt{-(bx - a)c} \left( 12A a^2 b^2 c f^2 \arctan\left(\frac{\sqrt{b^2 c} x}{\sqrt{-(b^2 x^2 - a^2)c}}\right) + 24A b^4 c e^2 \arctan\left(\frac{\sqrt{b^2 c} x}{\sqrt{-(b^2 x^2 - a^2)c}}\right) + 24B a^2 b^2 c e f \arctan\left(\frac{\sqrt{b^2 c} x}{\sqrt{-(b^2 x^2 - a^2)c}}\right) \right)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f\*x+e)^2\*(C\*x^2+B\*x+A)/(b\*x+a)^(1/2)/(-b\*c\*x+a\*c)^(1/2),x)



```
[Out] 1/24*(b*x+a)^(1/2)*(-(b*x-a)*c)^(1/2)/c*(-6*C*x^3*b^2*f^2*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)+12*A*arctan((b^2*c)^(1/2)/(-(b^2*x^2-a^2)*c)^(1/2)*x)*a^2*b^2*c*f^2+24*A*arctan((b^2*c)^(1/2)/(-(b^2*x^2-a^2)*c)^(1/2)*x)*b^4*c*e^2+24*B*arctan((b^2*c)^(1/2)/(-(b^2*x^2-a^2)*c)^(1/2)*x)*a^2*b^2*c*e*f-8*B*x^2*b^2*f^2*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)+9*C*arctan((b^2*c)^(1/2)/(-(b^2*x^2-a^2)*c)^(1/2)*x)*a^4*c*f^2+12*C*arctan((b^2*c)^(1/2)/(-(b^2*x^2-a^2)*c)^(1/2)*x)*a^2*b^2*c*e^2-16*C*x^2*b^2*e*f*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)-12*A*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*x*b^2*f^2-24*B*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*x*b^2*e*f-9*C*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*x*a^2*f^2-12*C*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*x*b^2*e^2-48*A*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*b^2*e*f-16*B*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*a^2*f^2-24*B*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*b^2*e^2-32*C*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*a^2*e*f)/b^4/(-(b^2*x^2-a^2)*c)^(1/2)/(b^2*c)^(1/2)
```

**maxima** [A] time = 2.02, size = 317, normalized size = 0.86

$$-\frac{\sqrt{-b^2cx^2+a^2c}Cf^2x^3}{4b^2c} + \frac{Ae^2\arcsin\left(\frac{bx}{a}\right)}{b\sqrt{c}} + \frac{3Ca^4f^2\arcsin\left(\frac{bx}{a}\right)}{8b^5\sqrt{c}} - \frac{3\sqrt{-b^2cx^2+a^2c}Ca^2f^2x}{8b^4c} - \frac{\sqrt{-b^2cx^2+a^2c}Be^2}{b^2c}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^2*(C*x^2+B*x+A)/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x, algorith="maxima")
```

```
[Out] -1/4*sqrt(-b^2*c*x^2 + a^2*c)*C*f^2*x^3/(b^2*c) + A*e^2*arcsin(b*x/a)/(b*sqrt(c)) + 3/8*C*a^4*f^2*arcsin(b*x/a)/(b^5*sqrt(c)) - 3/8*sqrt(-b^2*c*x^2 + a^2*c)*C*a^2*f^2*x/(b^4*c) - sqrt(-b^2*c*x^2 + a^2*c)*B*e^2/(b^2*c) - 2*sqrt(-b^2*c*x^2 + a^2*c)*A*e*f/(b^2*c) - 1/3*sqrt(-b^2*c*x^2 + a^2*c)*(2*C*e*f + B*f^2)*x^2/(b^2*c) + 1/2*(C*e^2 + 2*B*e*f + A*f^2)*a^2*arcsin(b*x/a)/(b^3*sqrt(c)) - 1/2*sqrt(-b^2*c*x^2 + a^2*c)*(C*e^2 + 2*B*e*f + A*f^2)*x/(b^2*c) - 2/3*sqrt(-b^2*c*x^2 + a^2*c)*(2*C*e*f + B*f^2)*a^2/(b^4*c)
```

**mupad** [B] time = 81.65, size = 2799, normalized size = 7.61

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((e + f*x)^2*(A + B*x + C*x^2))/((a*c - b*c*x)^(1/2)*(a + b*x)^(1/2)),x)
```

```
[Out] - ((a^(1/2)*(a*c)^(1/2)*(64*B*a^2*c*f^2 + 32*B*b^2*c*e^2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^8)/(b^4*((a + b*x)^(1/2) - a^(1/2))^8) + (a^(1/2)*(a*c)^(1/2)*(64*B*a^2*c^3*f^2 + 32*B*b^2*c^3*e^2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^4)/(b^4*((a + b*x)^(1/2) - a^(1/2))^4) - (a^(1/2)*(a*c)^(1/2)*((128*B*a^2*c^2*f^2)/3 - 48*B*b^2*c^2*e^2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^6)/(b^4*((a + b*x)^(1/2) - a^(1/2))^6) + (4*B*a^2*e*f*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^11)/(b^3*((a + b*x)^(1/2) - a^(1/2))^11) + (8*B*a^(1/2)*e^2*(a*c)^(1/2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^10)/(b^2*((a + b*x)^(1/2) - a^(1/2))^10) + (20*B*a^2*c^4*e*f*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^3)/(b^3*((a + b*x)^(1/2) - a^(1/2))^3) + (24*B*a^2*c^3*e*f*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^5)/(b^3*((a + b*x)^(1/2) - a^(1/2))^5) - (24*B*a^2*c^2*e*f*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^7)/(b^3*((a + b*x)^(1/2) - a^(1/2))^7) + (8*B*a^(1/2)*c^4*e^2*(a*c)^(1/2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^2)/(b^2*((a + b*x)^(1/2) - a^(1/2))^2) - (4*B*a^2*c^5*e*f*((a*c - b*c*x)^(1/2) - (a*c)^(1/2)))/(b^3*((a + b*x)^(1/2) - a^(1/2))) - (20*B*a^2*c*e*f*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^9)/(b^3*((a + b*x)^(1/2) - a^(1/2))^9) + ((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^12/((a + b*x)^(1/2) - a^(1/2))^12 + c^6 + (6*c*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^10)/((a + b*x)^(1/2) - a^(1/2))^10 + (6*c^5*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^2)/((a + b*x)^(1/2) - a^(1/2))^2 + (
```

$$\begin{aligned}
& 15c^4((ac - bcx)^{1/2} - (ac)^{1/2})^4 / ((a + bx)^{1/2} - a^{1/2})^4 \\
& + (20c^3((ac - bcx)^{1/2} - (ac)^{1/2})^6) / ((a + bx)^{1/2} - a^{1/2})^6 \\
& + (15c^2((ac - bcx)^{1/2} - (ac)^{1/2})^8) / ((a + bx)^{1/2} - a^{1/2})^8 \\
& - ((2Aa^2f^2((ac - bcx)^{1/2} - (ac)^{1/2})^7) / (b^3((a + bx)^{1/2} - a^{1/2})^7) \\
& + (14Aa^2c^2f^2((ac - bcx)^{1/2} - (ac)^{1/2})^3) / (b^3((a + bx)^{1/2} - a^{1/2})^3) \\
& - (2Aa^2c^3f^2((ac - bcx)^{1/2} - (ac)^{1/2})) / (b^3((a + bx)^{1/2} - a^{1/2})) \\
& - (14Aa^2c^2f^2((ac - bcx)^{1/2} - (ac)^{1/2})^5) / (b^3((a + bx)^{1/2} - a^{1/2})^5) \\
& + (16Aa^{1/2}ef(ac)^{1/2}((ac - bcx)^{1/2} - (ac)^{1/2})^6) / (b^2((a + bx)^{1/2} - a^{1/2})^6) \\
& + (32Aa^{1/2}c^2ef(ac)^{1/2}((ac - bcx)^{1/2} - (ac)^{1/2})^4) / (b^2((a + bx)^{1/2} - a^{1/2})^4) \\
& + (16Aa^{1/2}c^2ef(ac)^{1/2}((ac - bcx)^{1/2} - (ac)^{1/2})^2) / (b^2((a + bx)^{1/2} - a^{1/2})^2) \\
& / (((ac - bcx)^{1/2} - (ac)^{1/2})^8) / ((a + bx)^{1/2} - a^{1/2})^8 \\
& + c^4 + (4c((ac - bcx)^{1/2} - (ac)^{1/2})^6) / ((a + bx)^{1/2} - a^{1/2})^6 \\
& + (4c^3((ac - bcx)^{1/2} - (ac)^{1/2})^2) / ((a + bx)^{1/2} - a^{1/2})^2 \\
& + (6c^2((ac - bcx)^{1/2} - (ac)^{1/2})^4) / ((a + bx)^{1/2} - a^{1/2})^4 \\
& - (((ac - bcx)^{1/2} - (ac)^{1/2})^5 * ((333Ca^4c^5f^2)/2 + 30Ca^2b^2c^5e^2)) / (b^5((a + bx)^{1/2} - a^{1/2})^5) \\
& - (((ac - bcx)^{1/2} - (ac)^{1/2})^3 * ((23Ca^4c^6f^2)/2 - 6Ca^2b^2c^6e^2)) / (b^5((a + bx)^{1/2} - a^{1/2})^3) \\
& - (((ac - bcx)^{1/2} - (ac)^{1/2}) * ((3Ca^4c^7f^2)/2 + 2Ca^2b^2c^7e^2)) / (b^5((a + bx)^{1/2} - a^{1/2})) \\
& - (((ac - bcx)^{1/2} - (ac)^{1/2})^11 * ((333Ca^4c^2f^2)/2 + 30Ca^2b^2c^2e^2)) / (b^5((a + bx)^{1/2} - a^{1/2})^11) \\
& - (((ac - bcx)^{1/2} - (ac)^{1/2})^7 * ((671Ca^4c^4f^2)/2 - 22Ca^2b^2c^4e^2)) / (b^5((a + bx)^{1/2} - a^{1/2})^7) \\
& + (((ac - bcx)^{1/2} - (ac)^{1/2})^9 * ((671Ca^4c^3f^2)/2 - 22Ca^2b^2c^3e^2)) / (b^5((a + bx)^{1/2} - a^{1/2})^9) \\
& + (((23Ca^4c^f^2)/2 - 6Ca^2b^2c^e^2) * ((ac - bcx)^{1/2} - (ac)^{1/2})^13) / (b^5((a + bx)^{1/2} - a^{1/2})^13) \\
& + (((3Ca^4f^2)/2 + 2Ca^2b^2e^2) * ((ac - bcx)^{1/2} - (ac)^{1/2})^15) / (b^5((a + bx)^{1/2} - a^{1/2})^15) \\
& + (128Ca^{5/2}c^5ef(ac)^{1/2}((ac - bcx)^{1/2} - (ac)^{1/2})^12) / (b^4((a + bx)^{1/2} - a^{1/2})^12) \\
& + (128Ca^{5/2}c^5ef(ac)^{1/2}((ac - bcx)^{1/2} - (ac)^{1/2})^4) / (b^4((a + bx)^{1/2} - a^{1/2})^4) \\
& + (512Ca^{5/2}c^4ef(ac)^{1/2}((ac - bcx)^{1/2} - (ac)^{1/2})^6) / (3b^4((a + bx)^{1/2} - a^{1/2})^6) \\
& + (256Ca^{5/2}c^3ef(ac)^{1/2}((ac - bcx)^{1/2} - (ac)^{1/2})^8) / (3b^4((a + bx)^{1/2} - a^{1/2})^8) \\
& + (512Ca^{5/2}c^2ef(ac)^{1/2}((ac - bcx)^{1/2} - (ac)^{1/2})^10) / (3b^4((a + bx)^{1/2} - a^{1/2})^10) \\
& / (((ac - bcx)^{1/2} - (ac)^{1/2})^16) / ((a + bx)^{1/2} - a^{1/2})^16 \\
& + c^8 + (8c((ac - bcx)^{1/2} - (ac)^{1/2})^14) / ((a + bx)^{1/2} - a^{1/2})^14 \\
& + (8c^7((ac - bcx)^{1/2} - (ac)^{1/2})^2) / ((a + bx)^{1/2} - a^{1/2})^2 \\
& + (28c^6((ac - bcx)^{1/2} - (ac)^{1/2})^4) / ((a + bx)^{1/2} - a^{1/2})^4 \\
& + (56c^5((ac - bcx)^{1/2} - (ac)^{1/2})^6) / ((a + bx)^{1/2} - a^{1/2})^6 \\
& + (70c^4((ac - bcx)^{1/2} - (ac)^{1/2})^8) / ((a + bx)^{1/2} - a^{1/2})^8 \\
& + (56c^3((ac - bcx)^{1/2} - (ac)^{1/2})^10) / ((a + bx)^{1/2} - a^{1/2})^10 \\
& + (28c^2((ac - bcx)^{1/2} - (ac)^{1/2})^12) / ((a + bx)^{1/2} - a^{1/2})^12 \\
& - (2Aatan(Aa^2f^2 + 2b^2e^2) * ((ac - bcx)^{1/2} - (ac)^{1/2})) / (c^{1/2} * (Aa^2f^2 + 2Ab^2e^2) * ((a + bx)^{1/2} - a^{1/2})) \\
& * (a^2f^2 + 2b^2e^2) / (b^3c^{1/2}) - (Ca^2atan(Ca^2(3a^2f^2 + 4b^2e^2) * ((ac - bcx)^{1/2} - (ac)^{1/2})) / (c^{1/2} * (3Ca^4f^2 + 4Ca^2b^2e^2) * ((a + bx)^{1/2} - a^{1/2}))) \\
& * (3a^2f^2 + 4b^2e^2) / (2b^5c^{1/2}) - (4Ba^2efatan((ac - bcx)^{1/2} - (ac)^{1/2})) / (c^{1/2} * ((a + bx)^{1/2} - a^{1/2}))) / (b^3c^{1/2})
\end{aligned}$$

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x+e)\*\*2\*(C\*x\*\*2+B\*x+A)/(b\*x+a)\*\*(1/2)/(-b\*c\*x+a\*c)\*\*(1/2),x)

[Out] Timed out

$$3.29 \quad \int \frac{(e+fx)(A+Bx+Cx^2)}{\sqrt{a+bx} \sqrt{ac-bcx}} dx$$

**Optimal.** Leaf size=246

$$-\frac{(a^2 - b^2x^2) \left( 2(2a^2Cf^2 - b^2(Ce^2 - 3f(Af + Be))) - b^2fx(Ce - 3Bf) \right) \sqrt{a^2c - b^2cx^2} \tan^{-1} \left( \frac{b\sqrt{c}x}{\sqrt{a^2c - b^2cx^2}} \right) (a^2(Bf + Ce) + b^2Cx)}{6b^4f\sqrt{a+bx}\sqrt{ac-bcx}} + \frac{\sqrt{a^2c - b^2cx^2} \tan^{-1} \left( \frac{b\sqrt{c}x}{\sqrt{a^2c - b^2cx^2}} \right) (a^2(Bf + Ce) + b^2Cx)}{2b^3\sqrt{c}\sqrt{a+bx}\sqrt{ac-bcx}}$$

[Out]  $-1/3*C*(f*x+e)^2*(-b^2*x^2+a^2)/b^2/f/(b*x+a)^{(1/2)}/(-b*c*x+a*c)^{(1/2)}-1/6*(4*a^2*C*f^2-2*b^2*(C*e^2-3*f*(A*f+B*e))-b^2*f*(-3*B*f+C*e)*x)*(-b^2*x^2+a^2)/b^4/f/(b*x+a)^{(1/2)}/(-b*c*x+a*c)^{(1/2)}+1/2*(2*A*b^2*e+a^2*(B*f+C*e))*\arctan(b*x*c^{(1/2)}/(-b^2*c*x^2+a^2*c)^{(1/2)})*(-b^2*c*x^2+a^2*c)^{(1/2)}/b^3/c^{(1/2)}/(b*x+a)^{(1/2)}/(-b*c*x+a*c)^{(1/2)}$

**Rubi [A]** time = 0.40, antiderivative size = 249, normalized size of antiderivative = 1.01, number of steps used = 5, number of rules used = 5, integrand size = 38,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.132$ , Rules used = {1610, 1654, 780, 217, 203}

$$-\frac{(a^2 - b^2x^2) \left( 2 \left( 2a^2Cf^2 - \frac{1}{2}b^2(2Ce^2 - 6f(Af + Be)) \right) - b^2fx(Ce - 3Bf) \right) \sqrt{a^2c - b^2cx^2} \tan^{-1} \left( \frac{b\sqrt{c}x}{\sqrt{a^2c - b^2cx^2}} \right) (a^2(Bf + Ce) + b^2Cx)}{6b^4f\sqrt{a+bx}\sqrt{ac-bcx}} + \frac{\sqrt{a^2c - b^2cx^2} \tan^{-1} \left( \frac{b\sqrt{c}x}{\sqrt{a^2c - b^2cx^2}} \right) (a^2(Bf + Ce) + b^2Cx)}{2b^3\sqrt{c}\sqrt{a+bx}\sqrt{ac-bcx}}$$

Antiderivative was successfully verified.

[In] Int[((e + f\*x)\*(A + B\*x + C\*x^2))/(Sqrt[a + b\*x]\*Sqrt[a\*c - b\*c\*x]),x]

[Out]  $-(C*(e + f*x)^2*(a^2 - b^2*x^2))/(3*b^2*f*Sqrt[a + b*x]*Sqrt[a*c - b*c*x]) - ((2*(2*a^2*C*f^2 - (b^2*(2*C*e^2 - 6*f*(B*e + A*f)))/2) - b^2*f*(C*e - 3*B*f)*x)*(a^2 - b^2*x^2)/(6*b^4*f*Sqrt[a + b*x]*Sqrt[a*c - b*c*x]) + ((2*A*b^2*e + a^2*(C*e + B*f))*Sqrt[a^2*c - b^2*c*x^2]*ArcTan[(b*Sqrt[c]*x)/Sqrt[a^2*c - b^2*c*x^2]])/(2*b^3*Sqrt[c]*Sqrt[a + b*x]*Sqrt[a*c - b*c*x])$

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 780

Int[((d\_.) + (e\_.)\*(x\_))\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(((e\*f + d\*g)\*(2\*p + 3) + 2\*e\*g\*(p + 1)\*x)\*(a + c\*x^2)^(p + 1))/(2\*c\*(p + 1)\*(2\*p + 3)), x] - Dist[(a\*e\*g - c\*d\*f\*(2\*p + 3))/(c\*(2\*p + 3)), Int[(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !LeQ[p, -1]

### Rule 1610

Int[(Px\_)\*((a\_.) + (b\_.)\*(x\_)^m)\*((c\_.) + (d\_.)\*(x\_)^n)\*((e\_.) + (f\_.)\*(x\_)^p), x\_Symbol] := Dist[((a + b\*x)^FracPart[m]\*(c + d\*x)^FracPart[m])/(a\*c + b\*d\*x^2)^FracPart[m], Int[Px\*(a\*c + b\*d\*x^2)^m\*(e + f\*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b\*c + a\*d, 0] && EqQ[m, n] && !IntegerQ[m]

## Rule 1654

```
Int[(Pq_)*((d_) + (e_.)*(x_))^(m_.)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] :
> With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x)
)^(m + q - 1)*(a + c*x^2)^(p + 1)/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Di
st[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + c*x^2)^p*ExpandToSum[c
*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - f*(d + e*x)
^(q - 2)*(a*e^2*(m + q - 1) - c*d^2*(m + q + 2*p + 1) - 2*c*d*e*(m + q + p)
*x), x], x], x] /; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0]] /; FreeQ[{a, c, d,
e, m, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && !(EqQ[d, 0] && T
rue) && !(IGtQ[m, 0] && RationalQ[a, c, d, e] && (IntegerQ[p] || ILtQ[p +
1/2, 0]))
```

## Rubi steps

$$\int \frac{(e + fx)(A + Bx + Cx^2)}{\sqrt{a + bx}\sqrt{ac - bcx}} dx = \frac{\sqrt{a^2c - b^2cx^2} \int \frac{(e+fx)(A+Bx+Cx^2)}{\sqrt{a^2c-b^2cx^2}} dx}{\sqrt{a + bx}\sqrt{ac - bcx}}$$

$$= \frac{C(e + fx)^2(a^2 - b^2x^2)}{3b^2f\sqrt{a + bx}\sqrt{ac - bcx}} - \frac{\sqrt{a^2c - b^2cx^2} \int \frac{(e+fx)(-c(3Ab^2+2a^2C)f^2+b^2cf(Ce-3B))}{\sqrt{a^2c-b^2cx^2}} dx}{3b^2cf^2\sqrt{a + bx}\sqrt{ac - bcx}}$$

$$= \frac{C(e + fx)^2(a^2 - b^2x^2)}{3b^2f\sqrt{a + bx}\sqrt{ac - bcx}} - \frac{\left(2\left(2a^2Cf^2 - \frac{1}{2}b^2(2Ce^2 - 6f(Be + Af))\right) - b^2\right)\sqrt{a^2c - b^2cx^2}}{6b^4f\sqrt{a + bx}\sqrt{ac - bcx}}$$

$$= \frac{C(e + fx)^2(a^2 - b^2x^2)}{3b^2f\sqrt{a + bx}\sqrt{ac - bcx}} - \frac{\left(2\left(2a^2Cf^2 - \frac{1}{2}b^2(2Ce^2 - 6f(Be + Af))\right) - b^2\right)\sqrt{a^2c - b^2cx^2}}{6b^4f\sqrt{a + bx}\sqrt{ac - bcx}}$$

$$= \frac{C(e + fx)^2(a^2 - b^2x^2)}{3b^2f\sqrt{a + bx}\sqrt{ac - bcx}} - \frac{\left(2\left(2a^2Cf^2 - \frac{1}{2}b^2(2Ce^2 - 6f(Be + Af))\right) - b^2\right)\sqrt{a^2c - b^2cx^2}}{6b^4f\sqrt{a + bx}\sqrt{ac - bcx}}$$

**Mathematica [A]** time = 1.43, size = 390, normalized size = 1.59

$$3\sqrt{a - bx}\sqrt{a + bx} \left(6a^{3/2} \sin^{-1}\left(\frac{\sqrt{a-bx}}{\sqrt{2}\sqrt{a}}\right) + \sqrt{a - bx}(4a + bx)\sqrt{\frac{bx}{a} + 1}\right) (-3aCf + bBf + bCe) + 6\sqrt{a - bx}\sqrt{a + bx}$$

Antiderivative was successfully verified.

```
[In] Integrate[((e + f*x)*(A + B*x + C*x^2))/(Sqrt[a + b*x]*Sqrt[a*c - b*c*x]), x]
```

```
[Out] -1/6*(6*(3*a^2*C*f + b^2*(B*e + A*f) - 2*a*b*(C*e + B*f))*Sqrt[a - b*x]*Sqrt[a + b*x]*(Sqrt[a - b*x]*Sqrt[1 + (b*x)/a] + 2*Sqrt[a]*ArcSin[Sqrt[a - b*x]/(Sqrt[2]*Sqrt[a])]) + 3*(b*C*e + b*B*f - 3*a*C*f)*Sqrt[a - b*x]*Sqrt[a + b*x]*(Sqrt[a - b*x]*(4*a + b*x)*Sqrt[1 + (b*x)/a] + 6*a^(3/2)*ArcSin[Sqrt[a - b*x]/(Sqrt[2]*Sqrt[a])]) + C*f*Sqrt[a + b*x]*((a - b*x)*Sqrt[1 + (b*x)/a]*(22*a^2 + 9*a*b*x + 2*b^2*x^2) + 30*a^(5/2)*Sqrt[a - b*x]*ArcSin[Sqrt[a - b*x]/(Sqrt[2]*Sqrt[a])]) + 12*(A*b^2 + a*(-(b*B) + a*C))*(b*e - a*f)*Sqrt[a - b*x]*Sqrt[1 + (b*x)/a]*ArcTan[Sqrt[a - b*x]/Sqrt[a + b*x]]/(b^4*Sqrt[c*(a - b*x)]*Sqrt[1 + (b*x)/a])
```

**fricas [A]** time = 0.75, size = 302, normalized size = 1.23

$$\frac{3(Ba^2bf + (Ca^2b + 2Ab^3)e)\sqrt{-c} \log(2b^2cx^2 - 2\sqrt{-bcx + ac}\sqrt{bx + a}b\sqrt{-c}x - a^2c) + 2(2Cb^2fx^2 + 6Bb^2fx + 6Ba^2b^2f + 6Bb^2e^2x + 6Bb^2e^2a)}{12b^4c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x+e)\*(C\*x^2+B\*x+A)/(b\*x+a)^(1/2)/(-b\*c\*x+a\*c)^(1/2),x, algorithm="fricas")

[Out] [-1/12\*(3\*(B\*a^2\*b\*f + (C\*a^2\*b + 2\*A\*b^3)\*e)\*sqrt(-c)\*log(2\*b^2\*c\*x^2 - 2\*sqrt(-b\*c\*x + a\*c)\*sqrt(b\*x + a)\*b\*sqrt(-c)\*x - a^2\*c) + 2\*(2\*C\*b^2\*f\*x^2 + 6\*B\*b^2\*e + 2\*(2\*C\*a^2 + 3\*A\*b^2)\*f + 3\*(C\*b^2\*e + B\*b^2\*f)\*x)\*sqrt(-b\*c\*x + a\*c)\*sqrt(b\*x + a))/(b^4\*c), -1/6\*(3\*(B\*a^2\*b\*f + (C\*a^2\*b + 2\*A\*b^3)\*e)\*sqrt(c)\*arctan(sqrt(-b\*c\*x + a\*c)\*sqrt(b\*x + a)\*b\*sqrt(c)\*x/(b^2\*c\*x^2 - a^2\*c)) + (2\*C\*b^2\*f\*x^2 + 6\*B\*b^2\*e + 2\*(2\*C\*a^2 + 3\*A\*b^2)\*f + 3\*(C\*b^2\*e + B\*b^2\*f)\*x)\*sqrt(-b\*c\*x + a\*c)\*sqrt(b\*x + a))/(b^4\*c)]

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x+e)\*(C\*x^2+B\*x+A)/(b\*x+a)^(1/2)/(-b\*c\*x+a\*c)^(1/2),x, algorithm="giac")

[Out] Timed out

**maple** [A] time = 0.03, size = 365, normalized size = 1.48

$$\frac{\sqrt{bx+a} \sqrt{-(bx-a)} c \left( 6A b^4 c e \arctan\left(\frac{\sqrt{b^2 c} x}{\sqrt{-(b^2 x^2 - a^2) c}}\right) + 3B a^2 b^2 c f \arctan\left(\frac{\sqrt{b^2 c} x}{\sqrt{-(b^2 x^2 - a^2) c}}\right) + 3C a^2 b^2 c e \arctan\left(\frac{\sqrt{b^2 c} x}{\sqrt{-(b^2 x^2 - a^2) c}}\right) \right)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f\*x+e)\*(C\*x^2+B\*x+A)/(b\*x+a)^(1/2)/(-b\*c\*x+a\*c)^(1/2),x)

[Out] 1/6\*(b\*x+a)^(1/2)\*(-b\*x-a)\*c^(1/2)/c\*(6\*A\*arctan((b^2\*c)^(1/2)/(-(b^2\*x^2-a^2)\*c)^(1/2)\*x)\*b^4\*c\*e+3\*B\*arctan((b^2\*c)^(1/2)/(-(b^2\*x^2-a^2)\*c)^(1/2)\*x)\*a^2\*b^2\*c\*f+3\*C\*arctan((b^2\*c)^(1/2)/(-(b^2\*x^2-a^2)\*c)^(1/2)\*x)\*a^2\*b^2\*c\*e-2\*C\*x^2\*b^2\*f\*(-(b^2\*x^2-a^2)\*c)^(1/2)\*(b^2\*c)^(1/2)-3\*B\*(-(b^2\*x^2-a^2)\*c)^(1/2)\*(b^2\*c)^(1/2)\*x\*b^2\*f-3\*C\*(-(b^2\*x^2-a^2)\*c)^(1/2)\*(b^2\*c)^(1/2)\*x\*b^2\*e-6\*A\*(b^2\*c)^(1/2)\*(-(b^2\*x^2-a^2)\*c)^(1/2)\*b^2\*f-6\*B\*(b^2\*c)^(1/2)\*(-(b^2\*x^2-a^2)\*c)^(1/2)\*b^2\*e-4\*C\*(b^2\*c)^(1/2)\*(-(b^2\*x^2-a^2)\*c)^(1/2)\*a^2\*f)/(-(b^2\*x^2-a^2)\*c)^(1/2)/b^4/(b^2\*c)^(1/2)

**maxima** [A] time = 2.05, size = 189, normalized size = 0.77

$$\frac{\sqrt{-b^2 c x^2 + a^2 c} C f x^2}{3 b^2 c} + \frac{A e \arcsin\left(\frac{b x}{a}\right)}{b \sqrt{c}} + \frac{(C e + B f) a^2 \arcsin\left(\frac{b x}{a}\right)}{2 b^3 \sqrt{c}} - \frac{\sqrt{-b^2 c x^2 + a^2 c} B e}{b^2 c} - \frac{2 \sqrt{-b^2 c x^2 + a^2 c} C a^2 f}{3 b^4 c} - \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x+e)\*(C\*x^2+B\*x+A)/(b\*x+a)^(1/2)/(-b\*c\*x+a\*c)^(1/2),x, algorithm="maxima")

[Out] -1/3\*sqrt(-b^2\*c\*x^2 + a^2\*c)\*C\*f\*x^2/(b^2\*c) + A\*e\*arcsin(b\*x/a)/(b\*sqrt(c)) + 1/2\*(C\*e + B\*f)\*a^2\*arcsin(b\*x/a)/(b^3\*sqrt(c)) - sqrt(-b^2\*c\*x^2 + a^2\*c)\*B\*e/(b^2\*c) - 2/3\*sqrt(-b^2\*c\*x^2 + a^2\*c)\*C\*a^2\*f/(b^4\*c) - sqrt(-b^2\*c\*x^2 + a^2\*c)\*A\*f/(b^2\*c) - 1/2\*sqrt(-b^2\*c\*x^2 + a^2\*c)\*(C\*e + B\*f)\*x/(b^2\*c)

**mupad [B]** time = 30.74, size = 1011, normalized size = 4.11

$$\frac{\frac{2Ba^2f(\sqrt{ac-bcx}-\sqrt{ac})^7}{(\sqrt{a+bx}-\sqrt{a})^7} - \frac{2Ba^2c^3f(\sqrt{ac-bcx}-\sqrt{ac})}{\sqrt{a+bx}-\sqrt{a}} - \frac{14Ba^2cf(\sqrt{ac-bcx}-\sqrt{ac})^5}{(\sqrt{a+bx}-\sqrt{a})^5} + \frac{14Ba^2c^2f(\sqrt{ac-bcx}-\sqrt{ac})^3}{(\sqrt{a+bx}-\sqrt{a})^3} - \frac{2Ca^2e}{(\sqrt{a+bx}-\sqrt{a})^3}}{b^3c^4 + \frac{b^3(\sqrt{ac-bcx}-\sqrt{ac})^8}{(\sqrt{a+bx}-\sqrt{a})^8} + \frac{4b^3c^3(\sqrt{ac-bcx}-\sqrt{ac})^2}{(\sqrt{a+bx}-\sqrt{a})^2} + \frac{6b^3c^2(\sqrt{ac-bcx}-\sqrt{ac})^4}{(\sqrt{a+bx}-\sqrt{a})^4} + \frac{4b^3c(\sqrt{ac-bcx}-\sqrt{ac})^6}{(\sqrt{a+bx}-\sqrt{a})^6} - b^3c^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((e + f\*x)\*(A + B\*x + C\*x^2))/((a\*c - b\*c\*x)^(1/2)\*(a + b\*x)^(1/2)),x)

[Out] - ((2\*B\*a^2\*f\*((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2))^7)/((a + b\*x)^(1/2) - a^(1/2))^7 - (2\*B\*a^2\*c^3\*f\*((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2)))/((a + b\*x)^(1/2) - a^(1/2)) - (14\*B\*a^2\*c\*f\*((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2))^5)/((a + b\*x)^(1/2) - a^(1/2))^5 + (14\*B\*a^2\*c^2\*f\*((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2))^3)/((a + b\*x)^(1/2) - a^(1/2))^3)/(b^3\*c^4 + (b^3\*((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2))^8)/((a + b\*x)^(1/2) - a^(1/2))^8 + (4\*b^3\*c^3\*((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2))^2)/((a + b\*x)^(1/2) - a^(1/2))^2 + (6\*b^3\*c^2\*((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2))^4)/((a + b\*x)^(1/2) - a^(1/2))^4 + (4\*b^3\*c\*((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2))^6)/((a + b\*x)^(1/2) - a^(1/2))^6 - ((2\*C\*a^2\*e\*((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2))^7)/((a + b\*x)^(1/2) - a^(1/2))^7 - (2\*C\*a^2\*c^3\*e\*((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2)))/((a + b\*x)^(1/2) - a^(1/2)) - (14\*C\*a^2\*c\*e\*((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2))^5)/((a + b\*x)^(1/2) - a^(1/2))^5 + (14\*C\*a^2\*c^2\*e\*((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2))^3)/((a + b\*x)^(1/2) - a^(1/2))^3)/(b^3\*c^4 + (b^3\*((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2))^8)/((a + b\*x)^(1/2) - a^(1/2))^8 + (4\*b^3\*c^3\*((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2))^2)/((a + b\*x)^(1/2) - a^(1/2))^2 + (6\*b^3\*c^2\*((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2))^4)/((a + b\*x)^(1/2) - a^(1/2))^4 + (4\*b^3\*c\*((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2))^6)/((a + b\*x)^(1/2) - a^(1/2))^6 - ((a\*c - b\*c\*x)^(1/2)\*((2\*C\*a^3\*f)/(3\*b^4\*c) + (C\*f\*x^3)/(3\*b\*c) + (C\*a\*f\*x^2)/(3\*b^2\*c) + (2\*C\*a^2\*f\*x)/(3\*b^3\*c)))/(a + b\*x)^(1/2) - (4\*A\*e\*atan((b\*((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2)))/(b^2\*c)^(1/2)\*(a + b\*x)^(1/2) - a^(1/2))))/(b^2\*c)^(1/2) - (A\*f\*(a\*c - b\*c\*x)^(1/2)\*(a + b\*x)^(1/2))/(b^2\*c) - (B\*e\*(a\*c - b\*c\*x)^(1/2)\*(a + b\*x)^(1/2))/(b^2\*c) - (2\*B\*a^2\*f\*atan(((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2))/(c^(1/2)\*(a + b\*x)^(1/2) - a^(1/2))))/(b^3\*c^(1/2)) - (2\*C\*a^2\*e\*atan(((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2))/(c^(1/2)\*(a + b\*x)^(1/2) - a^(1/2))))/(b^3\*c^(1/2))

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x+e)\*(C\*x\*\*2+B\*x+A)/(b\*x+a)\*\*(1/2)/(-b\*c\*x+a\*c)\*\*(1/2),x)

[Out] Timed out

$$3.30 \quad \int \frac{A+Bx+Cx^2}{\sqrt{a+bx} \sqrt{ac-bcx}} dx$$

Optimal. Leaf size=177

$$\frac{(a^2C + 2Ab^2) \sqrt{a^2c - b^2cx^2} \tan^{-1}\left(\frac{b\sqrt{cx}}{\sqrt{a^2c - b^2cx^2}}\right)}{2b^3\sqrt{c} \sqrt{a + bx} \sqrt{ac - bcx}} - \frac{B(a^2 - b^2x^2)}{b^2\sqrt{a + bx} \sqrt{ac - bcx}} - \frac{Cx(a^2 - b^2x^2)}{2b^2\sqrt{a + bx} \sqrt{ac - bcx}}$$

[Out]  $-B*(-b^2*x^2+a^2)/b^2/(b*x+a)^{(1/2)/(-b*c*x+a*c)^{(1/2)}-1/2*C*x*(-b^2*x^2+a^2)/b^2/(b*x+a)^{(1/2)/(-b*c*x+a*c)^{(1/2)}+1/2*(2*A*b^2+C*a^2)*\arctan(b*x*c^{(1/2)/(-b^2*c*x^2+a^2*c)^{(1/2)}}*(-b^2*c*x^2+a^2*c)^{(1/2)}/b^3/c^{(1/2)/(b*x+a)^{(1/2)/(-b*c*x+a*c)^{(1/2)}}$

**Rubi [A]** time = 0.12, antiderivative size = 177, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$ , Rules used = {901, 1815, 641, 217, 203}

$$\frac{(a^2C + 2Ab^2) \sqrt{a^2c - b^2cx^2} \tan^{-1}\left(\frac{b\sqrt{cx}}{\sqrt{a^2c - b^2cx^2}}\right)}{2b^3\sqrt{c} \sqrt{a + bx} \sqrt{ac - bcx}} - \frac{B(a^2 - b^2x^2)}{b^2\sqrt{a + bx} \sqrt{ac - bcx}} - \frac{Cx(a^2 - b^2x^2)}{2b^2\sqrt{a + bx} \sqrt{ac - bcx}}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*x + C\*x^2)/(Sqrt[a + b\*x]\*Sqrt[a\*c - b\*c\*x]),x]

[Out]  $-((B*(a^2 - b^2*x^2))/(b^2*\text{Sqrt}[a + b*x]*\text{Sqrt}[a*c - b*c*x])) - (C*x*(a^2 - b^2*x^2))/(2*b^2*\text{Sqrt}[a + b*x]*\text{Sqrt}[a*c - b*c*x]) + ((2*A*b^2 + a^2*C)*\text{Sqrt}[a^2*c - b^2*c*x^2]*\text{ArcTan}[(b*\text{Sqrt}[c]*x)/\text{Sqrt}[a^2*c - b^2*c*x^2]])/(2*b^3*\text{Sqrt}[c]*\text{Sqrt}[a + b*x]*\text{Sqrt}[a*c - b*c*x])$

#### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

#### Rule 641

Int[((d\_) + (e\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[(e\*(a + c\*x^2)^(p + 1))/(2\*c\*(p + 1)), x] + Dist[d, Int[(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]

#### Rule 901

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((f\_) + (g\_.)\*(x\_))^(n\_)\*((a\_) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Dist[(d + e\*x)^FracPart[m]\*(f + g\*x)^FracPart[m]]/(d\*f + e\*g\*x^2)^FracPart[m], Int[(d\*f + e\*g\*x^2)^m\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && EqQ[m - n, 0] && EqQ[e\*f + d\*g, 0]

#### Rule 1815

Int[(Pq\_)\*((a\_) + (b\_.)\*(x\_)^2)^(p\_), x\_Symbol] := With[{q = Expon[Pq, x], e = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(e\*x^(q - 1)\*(a + b\*x^2)^(p + 1))/(b\*(q + 2\*p + 1)), x] + Dist[1/(b\*(q + 2\*p + 1)), Int[(a + b\*x^2)^p\*ExpandToSu



m[b\*(q + 2\*p + 1)\*Pq - a\*e\*(q - 1)\*x^(q - 2) - b\*e\*(q + 2\*p + 1)\*x^q, x], x  
 ], x]] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && !LeQ[p, -1]

Rubi steps

$$\begin{aligned} \int \frac{A + Bx + Cx^2}{\sqrt{a + bx} \sqrt{ac - bcx}} dx &= \frac{\sqrt{a^2c - b^2cx^2} \int \frac{A+Bx+Cx^2}{\sqrt{a^2c - b^2cx^2}} dx}{\sqrt{a + bx} \sqrt{ac - bcx}} \\ &= -\frac{Cx(a^2 - b^2x^2)}{2b^2\sqrt{a + bx} \sqrt{ac - bcx}} - \frac{\sqrt{a^2c - b^2cx^2} \int \frac{-c(2Ab^2 + a^2C) - 2b^2Bcx}{\sqrt{a^2c - b^2cx^2}} dx}{2b^2c\sqrt{a + bx} \sqrt{ac - bcx}} \\ &= -\frac{B(a^2 - b^2x^2)}{b^2\sqrt{a + bx} \sqrt{ac - bcx}} - \frac{Cx(a^2 - b^2x^2)}{2b^2\sqrt{a + bx} \sqrt{ac - bcx}} + \frac{\left((2Ab^2 + a^2C) \sqrt{a^2c - b^2cx^2}\right)}{2b^2\sqrt{a + bx} \sqrt{ac - bcx}} \\ &= -\frac{B(a^2 - b^2x^2)}{b^2\sqrt{a + bx} \sqrt{ac - bcx}} - \frac{Cx(a^2 - b^2x^2)}{2b^2\sqrt{a + bx} \sqrt{ac - bcx}} + \frac{\left((2Ab^2 + a^2C) \sqrt{a^2c - b^2cx^2}\right)}{2b^2\sqrt{a + bx} \sqrt{ac - bcx}} \\ &= -\frac{B(a^2 - b^2x^2)}{b^2\sqrt{a + bx} \sqrt{ac - bcx}} - \frac{Cx(a^2 - b^2x^2)}{2b^2\sqrt{a + bx} \sqrt{ac - bcx}} + \frac{(2Ab^2 + a^2C) \sqrt{a^2c - b^2cx^2}}{2b^3\sqrt{c} \sqrt{a + bx} \sqrt{ac - bcx}} \end{aligned}$$

**Mathematica [A]** time = 0.44, size = 169, normalized size = 0.95

$$\frac{\sqrt{a - bx} \left( \sqrt{\frac{bx}{a}} + 1 \left( 4 \tan^{-1} \left( \frac{\sqrt{a - bx}}{\sqrt{a + bx}} \right) (a(aC - bB) + Ab^2) + b\sqrt{a - bx} \sqrt{a + bx} (2B + Cx) \right) - 2\sqrt{a} \sqrt{a + bx} (aC - bB) \right)}{2b^3 \sqrt{\frac{bx}{a}} + 1 \sqrt{c(a - bx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*x + C\*x^2)/(Sqrt[a + b\*x]\*Sqrt[a\*c - b\*c\*x]),x]

[Out] -1/2\*(Sqrt[a - b\*x]\*(-2\*Sqrt[a]\*(-2\*b\*B + a\*C)\*Sqrt[a + b\*x]\*ArcSin[Sqrt[a - b\*x]/(Sqrt[2]\*Sqrt[a])]) + Sqrt[1 + (b\*x)/a]\*(b\*Sqrt[a - b\*x]\*Sqrt[a + b\*x]\*(2\*B + C\*x) + 4\*(A\*b^2 + a\*(-(b\*B) + a\*C))\*ArcTan[Sqrt[a - b\*x]/Sqrt[a + b\*x]]))/ (b^3\*Sqrt[c\*(a - b\*x)]\*Sqrt[1 + (b\*x)/a])

**fricas [A]** time = 0.90, size = 196, normalized size = 1.11

$$\left[ \frac{(Ca^2 + 2Ab^2)\sqrt{-c} \log(2b^2cx^2 - 2\sqrt{-bcx + ac}\sqrt{bx + a}b\sqrt{-c}x - a^2c) + 2(Cbx + 2Bb)\sqrt{-bcx + ac}\sqrt{bx + a}}{4b^3c} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)/(b\*x+a)^(1/2)/(-b\*c\*x+a\*c)^(1/2),x, algorithm="fricas")

[Out] [-1/4\*((C\*a^2 + 2\*A\*b^2)\*sqrt(-c)\*log(2\*b^2\*c\*x^2 - 2\*sqrt(-b\*c\*x + a\*c)\*sqrt(b\*x + a)\*b\*sqrt(-c)\*x - a^2\*c) + 2\*(C\*b\*x + 2\*B\*b)\*sqrt(-b\*c\*x + a\*c)\*sqrt(b\*x + a))/(b^3\*c), -1/2\*((C\*a^2 + 2\*A\*b^2)\*sqrt(c)\*arctan(sqrt(-b\*c\*x + a\*c)\*sqrt(b\*x + a)\*b\*sqrt(c)\*x/(b^2\*c\*x^2 - a^2\*c)) + (C\*b\*x + 2\*B\*b)\*sqrt(-b\*c\*x + a\*c)\*sqrt(b\*x + a))/(b^3\*c)]

**giac [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)/(b\*x+a)^(1/2)/(-b\*c\*x+a\*c)^(1/2),x, algorithm="giac")

[Out] Timed out

**maple [A]** time = 0.02, size = 180, normalized size = 1.02

$$\frac{\sqrt{bx+a} \sqrt{-(bx-a)} c \left( 2A b^2 c \arctan\left(\frac{\sqrt{b^2 c} x}{\sqrt{-(b^2 x^2 - a^2)} c}\right) + C a^2 c \arctan\left(\frac{\sqrt{b^2 c} x}{\sqrt{-(b^2 x^2 - a^2)} c}\right) - \sqrt{b^2 c} \sqrt{-(b^2 x^2 - a^2)} c C x \right)}{2\sqrt{-(b^2 x^2 - a^2)} c \sqrt{b^2 c} b^2 c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C\*x^2+B\*x+A)/(b\*x+a)^(1/2)/(-b\*c\*x+a\*c)^(1/2),x)

[Out] 1/2\*(b\*x+a)^(1/2)\*(-b\*x-a)\*c^(1/2)/b^2\*(2\*A\*arctan((b^2\*c)^(1/2)/(-(b^2\*x^2-a^2)\*c)^(1/2)\*x)\*b^2\*c+C\*arctan((b^2\*c)^(1/2)/(-(b^2\*x^2-a^2)\*c)^(1/2)\*x)\*a^2\*c-C\*(b^2\*c)^(1/2)\*(-(b^2\*x^2-a^2)\*c)^(1/2)\*x-2\*B\*(b^2\*c)^(1/2)\*(-(b^2\*x^2-a^2)\*c)^(1/2)/(-(b^2\*x^2-a^2)\*c)^(1/2)/c/(b^2\*c)^(1/2)

**maxima [A]** time = 2.50, size = 88, normalized size = 0.50

$$\frac{Ca^2 \arcsin\left(\frac{bx}{a}\right)}{2b^3\sqrt{c}} + \frac{A \arcsin\left(\frac{bx}{a}\right)}{b\sqrt{c}} - \frac{\sqrt{-b^2cx^2 + a^2c} Cx}{2b^2c} - \frac{\sqrt{-b^2cx^2 + a^2c} B}{b^2c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)/(b\*x+a)^(1/2)/(-b\*c\*x+a\*c)^(1/2),x, algorithm="maxima")

[Out] 1/2\*C\*a^2\*arcsin(b\*x/a)/(b^3\*sqrt(c)) + A\*arcsin(b\*x/a)/(b\*sqrt(c)) - 1/2\*sqrt(-b^2\*c\*x^2 + a^2\*c)\*C\*x/(b^2\*c) - sqrt(-b^2\*c\*x^2 + a^2\*c)\*B/(b^2\*c)

**mupad [B]** time = 14.95, size = 489, normalized size = 2.76

$$\frac{\frac{2Ca^2(\sqrt{ac-bcx}-\sqrt{ac})^7}{(\sqrt{a+bx}-\sqrt{a})^7} - \frac{2Ca^2c^3(\sqrt{ac-bcx}-\sqrt{ac})}{\sqrt{a+bx}-\sqrt{a}} - \frac{14Ca^2c(\sqrt{ac-bcx}-\sqrt{ac})^5}{(\sqrt{a+bx}-\sqrt{a})^5} + \frac{14Ca^2c^2(\sqrt{ac-bcx}-\sqrt{ac})^3}{(\sqrt{a+bx}-\sqrt{a})^3}}{b^3c^4 + \frac{b^3(\sqrt{ac-bcx}-\sqrt{ac})^8}{(\sqrt{a+bx}-\sqrt{a})^8} + \frac{4b^3c^3(\sqrt{ac-bcx}-\sqrt{ac})^2}{(\sqrt{a+bx}-\sqrt{a})^2} + \frac{6b^3c^2(\sqrt{ac-bcx}-\sqrt{ac})^4}{(\sqrt{a+bx}-\sqrt{a})^4} + \frac{4b^3c(\sqrt{ac-bcx}-\sqrt{ac})^6}{(\sqrt{a+bx}-\sqrt{a})^6}} - 4A \operatorname{atan}\left(\frac{b(\sqrt{ac-bcx}-\sqrt{ac})}{\sqrt{b^2c}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B\*x + C\*x^2)/((a\*c - b\*c\*x)^(1/2)\*(a + b\*x)^(1/2)),x)

[Out] - ((2\*C\*a^2\*((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2))^7)/((a + b\*x)^(1/2) - a^(1/2))^7 - (2\*C\*a^2\*c^3\*((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2)))/((a + b\*x)^(1/2) - a^(1/2)) - (14\*C\*a^2\*c\*((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2))^5)/((a + b\*x)^(1/2) - a^(1/2))^5 + (14\*C\*a^2\*c^2\*((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2))^3)/((a + b\*x)^(1/2) - a^(1/2))^3)/(b^3\*c^4 + (b^3\*((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2))^8)/((a + b\*x)^(1/2) - a^(1/2))^8 + (4\*b^3\*c^3\*((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2))^2)/((a + b\*x)^(1/2) - a^(1/2))^2 + (6\*b^3\*c^2\*((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2))^4)/((a + b\*x)^(1/2) - a^(1/2))^4 + (4\*b^3\*c\*((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2))^6)/((a + b\*x)^(1/2) - a^(1/2))^6) - (4\*A\*atan((b\*((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2)))/((b^2\*c)^(1/2)\*((a + b\*x)^(1/2) - a^(1/2)))))/(b^2\*c)^(1/2) - (2\*C\*a^2\*atan((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2))/(c^(1/2)\*((a + b\*x)^(1/2) - a^(1/2))))/(b^3\*c^(1/2)) - (B\*(a\*c - b\*c\*x)^(1/2)\*(a + b\*x)^(1/2))/(b^2\*c)

sympy [C] time = 56.83, size = 338, normalized size = 1.91

$$\frac{iAG_{6,6}^{6,2} \left( \begin{matrix} \frac{1}{4}, \frac{3}{4} \\ \frac{1}{2}, \frac{1}{2}, 1, 1 \end{matrix} \middle| \frac{a^2}{b^2 x^2} \right)}{4\pi^{\frac{3}{2}} b \sqrt{c}} + \frac{AG_{6,6}^{2,6} \left( \begin{matrix} -\frac{1}{2}, -\frac{1}{4}, 0, \frac{1}{4}, \frac{1}{2}, 1 \\ -\frac{1}{4}, \frac{1}{4} \end{matrix} \middle| \frac{a^2 e^{-2i\pi}}{b^2 x^2} \right)}{4\pi^{\frac{3}{2}} b \sqrt{c}} - \frac{iBaG_{6,6}^{6,2} \left( \begin{matrix} -\frac{1}{4}, \frac{1}{4} \\ -\frac{1}{2}, -\frac{1}{4}, 0, \frac{1}{4}, \frac{1}{2} \end{matrix} \right)}{4\pi^{\frac{3}{2}} b^2 \sqrt{c}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x\*\*2+B\*x+A)/(b\*x+a)\*\*(1/2)/(-b\*c\*x+a\*c)\*\*(1/2),x)

[Out] -I\*A\*meijerg(((1/4, 3/4), (1/2, 1/2, 1, 1)), ((0, 1/4, 1/2, 3/4, 1, 0), ()), a\*\*2/(b\*\*2\*x\*\*2))/(4\*pi\*\*(3/2)\*b\*sqrt(c)) + A\*meijerg((-1/2, -1/4, 0, 1/4, 1/2, 1), ()), ((-1/4, 1/4), (-1/2, 0, 0, 0)), a\*\*2\*exp\_polar(-2\*I\*pi)/(b\*\*2\*x\*\*2))/(4\*pi\*\*(3/2)\*b\*sqrt(c)) - I\*B\*a\*meijerg((-1/4, 1/4), (0, 0, 1/2, 1)), ((-1/2, -1/4, 0, 1/4, 1/2, 0), ()), a\*\*2/(b\*\*2\*x\*\*2))/(4\*pi\*\*(3/2)\*b\*\*2\*sqrt(c)) - B\*a\*meijerg((-1, -3/4, -1/2, -1/4, 0, 1), ()), ((-3/4, -1/4), (-1, -1/2, -1/2, 0)), a\*\*2\*exp\_polar(-2\*I\*pi)/(b\*\*2\*x\*\*2))/(4\*pi\*\*(3/2)\*b\*\*2\*sqrt(c)) - I\*C\*a\*\*2\*meijerg((-3/4, -1/4), (-1/2, -1/2, 0, 1)), ((-1, -3/4, -1/2, -1/4, 0, 0), ()), a\*\*2/(b\*\*2\*x\*\*2))/(4\*pi\*\*(3/2)\*b\*\*3\*sqrt(c)) + C\*a\*\*2\*meijerg((-3/2, -5/4, -1, -3/4, -1/2, 1), ()), ((-5/4, -3/4), (-3/2, -1, -1, 0)), a\*\*2\*exp\_polar(-2\*I\*pi)/(b\*\*2\*x\*\*2))/(4\*pi\*\*(3/2)\*b\*\*3\*sqrt(c))

$$3.31 \quad \int \frac{A+Bx+Cx^2}{\sqrt{a+bx} \sqrt{ac-bcx} (e+fx)} dx$$

**Optimal.** Leaf size=278

$$\frac{\sqrt{a^2c - b^2cx^2} (Af^2 - Bef + Ce^2) \tan^{-1} \left( \frac{\sqrt{c}(a^2f + b^2ex)}{\sqrt{a^2c - b^2cx^2} \sqrt{b^2e^2 - a^2f^2}} \right) + \sqrt{a^2c - b^2cx^2} (Ce - Bf) \tan^{-1} \left( \frac{b\sqrt{c}x}{\sqrt{a^2c - b^2cx^2}} \right)}{\sqrt{c} f^2 \sqrt{a + bx} \sqrt{ac - bcx} \sqrt{b^2e^2 - a^2f^2} + b\sqrt{c} f^2 \sqrt{a + bx} \sqrt{ac - bcx}} + \frac{b^2 f \sqrt{c}}{\sqrt{a^2c - b^2cx^2}}$$

[Out]  $-C*(-b^2*x^2+a^2)/b^2/f/(b*x+a)^{(1/2)}/(-b*c*x+a*c)^{(1/2)}-(-B*f+C*e)*\arctan(b*x*c^{(1/2)}/(-b^2*c*x^2+a^2*c)^{(1/2)})*(-b^2*c*x^2+a^2*c)^{(1/2)}/b/f^2/c^{(1/2)}/(b*x+a)^{(1/2)}/(-b*c*x+a*c)^{(1/2)}+(A*f^2-B*e*f+C*e^2)*\arctan((b^2*e*x+a^2*f)*c^{(1/2)}/(-a^2*f^2+b^2*e^2)^{(1/2)}/(-b^2*c*x^2+a^2*c)^{(1/2)})*(-b^2*c*x^2+a^2*c)^{(1/2)}/f^2/c^{(1/2)}/(-a^2*f^2+b^2*e^2)^{(1/2)}/(b*x+a)^{(1/2)}/(-b*c*x+a*c)^{(1/2)}$

**Rubi [A]** time = 0.46, antiderivative size = 278, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 40,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.175$ , Rules used = {1610, 1654, 844, 217, 203, 725, 204}

$$\frac{\sqrt{a^2c - b^2cx^2} (Af^2 - Bef + Ce^2) \tan^{-1} \left( \frac{\sqrt{c}(a^2f + b^2ex)}{\sqrt{a^2c - b^2cx^2} \sqrt{b^2e^2 - a^2f^2}} \right) + \sqrt{a^2c - b^2cx^2} (Ce - Bf) \tan^{-1} \left( \frac{b\sqrt{c}x}{\sqrt{a^2c - b^2cx^2}} \right)}{\sqrt{c} f^2 \sqrt{a + bx} \sqrt{ac - bcx} \sqrt{b^2e^2 - a^2f^2} + b\sqrt{c} f^2 \sqrt{a + bx} \sqrt{ac - bcx}} + \frac{b^2 f \sqrt{c}}{\sqrt{a^2c - b^2cx^2}}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*x + C\*x^2)/(Sqrt[a + b\*x]\*Sqrt[a\*c - b\*c\*x]\*(e + f\*x)),x]

[Out]  $-((C*(a^2 - b^2*x^2))/(b^2*f*Sqrt[a + b*x]*Sqrt[a*c - b*c*x])) - ((C*e - B*f)*Sqrt[a^2*c - b^2*c*x^2]*ArcTan[(b*Sqrt[c]*x)/Sqrt[a^2*c - b^2*c*x^2]])/(b*Sqrt[c]*f^2*Sqrt[a + b*x]*Sqrt[a*c - b*c*x]) + ((C*e^2 - B*e*f + A*f^2)*Sqrt[a^2*c - b^2*c*x^2]*ArcTan[(Sqrt[c]*(a^2*f + b^2*e*x))/(Sqrt[b^2*e^2 - a^2*f^2]*Sqrt[a^2*c - b^2*c*x^2]])/(Sqrt[c]*f^2*Sqrt[b^2*e^2 - a^2*f^2]*Sqrt[a + b*x]*Sqrt[a*c - b*c*x])$

#### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rule 204

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

#### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

#### Rule 725

Int[1/(((d\_) + (e\_.)\*(x\_))\*Sqrt[(a\_) + (c\_.)\*(x\_)^2]), x\_Symbol] := -Subst[Int[1/(c\*d^2 + a\*e^2 - x^2), x], x, (a\*e - c\*d\*x)/Sqrt[a + c\*x^2]] /; FreeQ[{a, c, d, e}, x]

#### Rule 844

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

### Rule 1610

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := Dist[((a + b*x)^FracPart[m]*(c + d*x)^FracPart[m])/(a*c + b*d*x^2)^FracPart[m], Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*d, 0] && EqQ[m, n] && !IntegerQ[m]
```

### Rule 1654

```
Int[(Pq_)*((d_.) + (e_.)*(x_))^(m_.)*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x)^(m + q - 1)*(a + c*x^2)^(p + 1))/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Dist[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + c*x^2)^p*ExpandToSum[c*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - f*(d + e*x)^(q - 2)*(a*e^2*(m + q - 1) - c*d^2*(m + q + 2*p + 1) - 2*c*d*e*(m + q + p)*x), x], x], x] /; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0] /; FreeQ[{a, c, d, e, m, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && !(EqQ[d, 0] && True) && !(IGtQ[m, 0] && RationalQ[a, c, d, e] && (IntegerQ[p] || ILtQ[p + 1/2, 0]))
```

### Rubi steps

$$\begin{aligned} \int \frac{A + Bx + Cx^2}{\sqrt{a + bx} \sqrt{ac - bcx} (e + fx)} dx &= \frac{\sqrt{a^2c - b^2cx^2} \int \frac{A + Bx + Cx^2}{(e + fx) \sqrt{a^2c - b^2cx^2}} dx}{\sqrt{a + bx} \sqrt{ac - bcx}} \\ &= -\frac{C(a^2 - b^2x^2)}{b^2f\sqrt{a + bx} \sqrt{ac - bcx}} - \frac{\sqrt{a^2c - b^2cx^2} \int \frac{-Ab^2cf^2 + b^2cf(Ce - Bf)x}{(e + fx) \sqrt{a^2c - b^2cx^2}} dx}{b^2cf^2\sqrt{a + bx} \sqrt{ac - bcx}} \\ &= -\frac{C(a^2 - b^2x^2)}{b^2f\sqrt{a + bx} \sqrt{ac - bcx}} - \frac{\left((Ce - Bf)\sqrt{a^2c - b^2cx^2}\right) \int \frac{1}{\sqrt{a^2c - b^2cx^2}} dx}{f^2\sqrt{a + bx} \sqrt{ac - bcx}} + \left(\dots\right) \\ &= -\frac{C(a^2 - b^2x^2)}{b^2f\sqrt{a + bx} \sqrt{ac - bcx}} - \frac{\left((Ce - Bf)\sqrt{a^2c - b^2cx^2}\right) \text{Subst}\left(\int \frac{1}{1 + b^2cx^2} dx\right)}{f^2\sqrt{a + bx} \sqrt{ac - bcx}} \\ &= -\frac{C(a^2 - b^2x^2)}{b^2f\sqrt{a + bx} \sqrt{ac - bcx}} - \frac{(Ce - Bf)\sqrt{a^2c - b^2cx^2} \tan^{-1}\left(\frac{b\sqrt{c}x}{\sqrt{a^2c - b^2cx^2}}\right)}{b\sqrt{c}f^2\sqrt{a + bx} \sqrt{ac - bcx}} + \dots \end{aligned}$$

**Mathematica [A]** time = 0.71, size = 225, normalized size = 0.81

$$\frac{\sqrt{a - bx} \left( \frac{2(f(Af - Be) + Ce^2) \tanh^{-1}\left(\frac{\sqrt{a - bx} \sqrt{be - af}}{\sqrt{a + bx} \sqrt{-af - be}}\right)}{\sqrt{-af - be} \sqrt{be - af}} + \frac{2 \tan^{-1}\left(\frac{\sqrt{a - bx}}{\sqrt{a + bx}}\right) (aCf - bBf + bCe)}{b^2} + \frac{Cf\sqrt{a + bx} \left( -\sqrt{a - bx} - \frac{2\sqrt{a} \sin^{-1}\left(\frac{\sqrt{a - bx}}{\sqrt{2}\sqrt{a}}\right)}{\sqrt{\frac{bx}{a} + 1}} \right)}{b^2} \right)}{f^2\sqrt{c}(a - bx)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*x + C*x^2)/(Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)),x]
[Out] (Sqrt[a - b*x]*((C*f*Sqrt[a + b*x]*(-Sqrt[a - b*x] - (2*Sqrt[a]*ArcSin[Sqrt[a - b*x]/(Sqrt[2]*Sqrt[a]))]/Sqrt[1 + (b*x)/a]))/b^2 + (2*(b*C*e - b*B*f + a*C*f)*ArcTan[Sqrt[a - b*x]/Sqrt[a + b*x]])/b^2 + (2*(C*e^2 + f*(-(B*e) + A*f))*ArcTanh[(Sqrt[b*e - a*f]*Sqrt[a - b*x])/(Sqrt[-(b*e) - a*f]*Sqrt[a + b*x])])/(Sqrt[-(b*e) - a*f]*Sqrt[b*e - a*f]))/(f^2*Sqrt[c*(a - b*x)])
fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(f*x+e)/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x, algorithm="fricas")
[Out] Timed out
giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(f*x+e)/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x, algorithm="giac")
[Out] Timed out
maple [B] time = 0.00, size = 503, normalized size = 1.81
```

$$\left( -\sqrt{b^2c} A b^2c f^2 \ln \left( \frac{2b^2cex+2a^2cf+2\sqrt{\frac{(a^2f^2-b^2e^2)c}{f^2}} \sqrt{-(b^2x^2-a^2)c} f}{fx+e} \right) + \sqrt{b^2c} B b^2cef \ln \left( \frac{2b^2cex+2a^2cf+2\sqrt{\frac{(a^2f^2-b^2e^2)c}{f^2}} \sqrt{-(b^2x^2-a^2)c}}{fx+e} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((C*x^2+B*x+A)/(f*x+e)/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x)
[Out] (-(b^2*c)^(1/2)*A*b^2*c*f^2*ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*f)/(f*x+e))+ (b^2*c)^(1/2)*B*b^2*c*e*f*ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*f)/(f*x+e))+ ((a^2*f^2-b^2*e^2)*c/f^2)^(1/2)*B*b^2*c*f^2*arctan((b^2*c)^(1/2)/(-(b^2*x^2-a^2)*c)^(1/2)*x)-(b^2*c)^(1/2)*C*b^2*c*e^2*ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*f)/(f*x+e))-((a^2*f^2-b^2*e^2)*c/f^2)^(1/2)*C*b^2*c*e*f*arctan((b^2*c)^(1/2)/(-(b^2*x^2-a^2)*c)^(1/2)*x)-(b^2*c)^(1/2)*((a^2*f^2-b^2*e^2)*c/f^2)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*C*f^2*(b*x+a)^(1/2)*(-(b*x-a)*c)^(1/2)/((a^2*f^2-b^2*e^2)*c/f^2)^(1/2)/(b^2*c)^(1/2)/(-(b^2*x^2-a^2)*c)^(1/2)/b^2/c/f^3
maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00
```

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(f*x+e)/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x, algorithm="maxima")
```

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume((4\*b^2\*c>0)', see `assume?` for more details)Is  $(4*b^2*c^2*(a^2*c-(b^2*c*e^2)/f^2))/f^2 + (4*b^4*c^2*e^2)/f^4$  zero or nonzero?

**mupad [B]** time = 0.01, size = 9298, normalized size = 33.45

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((A + B*x + C*x^2)/((e + f*x)*(a*c - b*c*x)^{1/2}*(a + b*x)^{1/2}), x)$

[Out]  $(B*a*e*\text{atan}(((B*a*e*((4096*(32*B^3*a^{17/2})c^3*e*f^2*(a*c)^{5/2} + 24*B^3*a^{15/2})b^2*c^4*e^3*(a*c)^{3/2}))/a^6*b^8*e^6 - (4096*(32*B^3*a^{17/2})c^2*e*f^2*(a*c)^{5/2} - 96*B^3*a^{15/2})b^2*c^3*e^3*(a*c)^{3/2})*((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^2)/(a^6*b^8*e^6*((a + b*x)^{1/2} - a^{1/2})^2) - (B*a*e*((4096*(16*B^2*a^{12}c^6*f^4 + 9*B^2*a^8*b^4*c^6*e^4))/a^6*b^8*e^6) + (B*a*e*((4096*(24*B*a^{17/2})b^2*c^4*e*f^4*(a*c)^{5/2} - 30*B*a^{15/2})b^4*c^5*e^3*f^2*(a*c)^{3/2}))/a^6*b^8*e^6 + (16384*(20*B*a^{12}c^6*f^5 - 22*B*a^{10}b^2*c^6*e^2*f^3)*((a*c - b*c*x)^{1/2} - (a*c)^{1/2}))/a^6*b^7*e^6*((a + b*x)^{1/2} - a^{1/2})) + (B*a*e*((4096*(9*a^8*b^6*c^7*e^4*f^2 - 7*a^{10}b^4*c^7*e^2*f^4))/a^6*b^8*e^6) + (4096*(9*a^8*b^6*c^6*e^4*f^2 - 11*a^{10}b^4*c^6*e^2*f^4)*((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^2)/(a^6*b^8*e^6*((a + b*x)^{1/2} - a^{1/2})^2) - (16384*(5*a^{17/2})b^2*c^4*e*f^5*(a*c)^{5/2} - 6*a^{15/2})b^4*c^5*e^3*f^3*(a*c)^{3/2})*((a*c - b*c*x)^{1/2} - (a*c)^{1/2}))/a^6*b^7*e^6*((a + b*x)^{1/2} - a^{1/2}))))/(f*(a^4*c*f^2 - a^2*b^2*c*e^2)^{1/2}) + (4096*((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^2*(96*B*a^{17/2})b^2*c^3*e*f^4*(a*c)^{5/2} - 90*B*a^{15/2})b^4*c^4*e^3*f^2*(a*c)^{3/2}))/a^6*b^8*e^6*((a + b*x)^{1/2} - a^{1/2})^2))/f*(a^4*c*f^2 - a^2*b^2*c*e^2)^{1/2}) + (16384*(8*B^2*a^{17/2})c^3*e*f^3*(a*c)^{5/2} + 3*B^2*a^{15/2})b^2*c^4*e^3*f*(a*c)^{3/2})*((a*c - b*c*x)^{1/2} - (a*c)^{1/2}))/a^6*b^7*e^6*((a + b*x)^{1/2} - a^{1/2})) + (4096*((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^2*(9*B^2*a^8*b^4*c^5*e^4 - 144*B^2*a^{12}c^5*f^4 + 128*B^2*a^{10}b^2*c^5*e^2*f^2))/a^6*b^8*e^6*((a + b*x)^{1/2} - a^{1/2})^2))/f*(a^4*c*f^2 - a^2*b^2*c*e^2)^{1/2}) + (458752*B^3*a^4*c^5*f*((a*c - b*c*x)^{1/2} - (a*c)^{1/2}))/b^7*e^4*((a + b*x)^{1/2} - a^{1/2}))*1i)/f*(a^4*c*f^2 - a^2*b^2*c*e^2)^{1/2}) + (B*a*e*((4096*(32*B^3*a^{17/2})c^3*e*f^2*(a*c)^{5/2} + 24*B^3*a^{15/2})b^2*c^4*e^3*(a*c)^{3/2}))/a^6*b^8*e^6 - (4096*(32*B^3*a^{17/2})c^2*e*f^2*(a*c)^{5/2} - 96*B^3*a^{15/2})b^2*c^3*e^3*(a*c)^{3/2})*((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^2)/(a^6*b^8*e^6*((a + b*x)^{1/2} - a^{1/2})^2) + (B*a*e*((4096*(16*B^2*a^{12}c^6*f^4 + 9*B^2*a^8*b^4*c^6*e^4))/a^6*b^8*e^6) - (B*a*e*((4096*(24*B*a^{17/2})b^2*c^4*e*f^4*(a*c)^{5/2} - 30*B*a^{15/2})b^4*c^5*e^3*f^2*(a*c)^{3/2}))/a^6*b^8*e^6 + (16384*(20*B*a^{12}c^6*f^5 - 22*B*a^{10}b^2*c^6*e^2*f^3)*((a*c - b*c*x)^{1/2} - (a*c)^{1/2}))/a^6*b^7*e^6*((a + b*x)^{1/2} - a^{1/2})) - (B*a*e*((4096*(9*a^8*b^6*c^7*e^4*f^2 - 7*a^{10}b^4*c^7*e^2*f^4))/a^6*b^8*e^6) + (4096*(9*a^8*b^6*c^6*e^4*f^2 - 11*a^{10}b^4*c^6*e^2*f^4)*((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^2)/(a^6*b^8*e^6*((a + b*x)^{1/2} - a^{1/2})^2) - (16384*(5*a^{17/2})b^2*c^4*e*f^5*(a*c)^{5/2} - 6*a^{15/2})b^4*c^5*e^3*f^3*(a*c)^{3/2})*((a*c - b*c*x)^{1/2} - (a*c)^{1/2}))/a^6*b^7*e^6*((a + b*x)^{1/2} - a^{1/2}))))/(f*(a^4*c*f^2 - a^2*b^2*c*e^2)^{1/2}) + (4096*((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^2*(96*B*a^{17/2})b^2*c^3*e*f^4*(a*c)^{5/2} - 90*B*a^{15/2})b^4*c^4*e^3*f^2*(a*c)^{3/2}))/a^6*b^8*e^6*((a + b*x)^{1/2} - a^{1/2})^2))/f*(a^4*c*f^2 - a^2*b^2*c*e^2)^{1/2}) + (16384*(8*B^2*a^{17/2})c^3*e*f^3*(a*c)^{5/2} + 3*B^2*a^{15/2})b^2*c^4*e^3*f*(a*c)^{3/2})*((a*c - b*c*x)^{1/2} - (a*c)^{1/2}))/a^6*b^7*e^6*((a + b*x)^{1/2} - a^{1/2})) + (4096*((a*c - b*c*x)^{1/2} - (a*c)^{1/2})^2*(9*B^2*a^8*b^4*c^5*e^4 - 144*B^2*a^{12}c^5*f^4 + 128*B^2*a^{10}b^2*c^5*e^2*f^2))/a^6*b^8*e^6*((a + b*x)^{1/2} - a^{1/2})^2))/f*(a^4*c*f^2 - a^2*b^2*c*e^2)^{1/2}) + (458752*B^3*a^4*c^5*f*((a*c - b*c*x)^{1/2} - (a*c)^{1/2}))/b^7*e^4*((a + b*x)^{1/2} - a^{1/2}))$







$$\begin{aligned}
& *C^3*a^{(5/2)}*c^2*e^2*f^3*(a*c)^{(5/2)} - 96*C^3*a^{(3/2)}*b^2*c^3*e^4*f*(a*c)^{(3/2)})/(b^8*e^4*f^4*((a + b*x)^{(1/2)} - a^{(1/2)})^2) + (458752*C^3*a^4*c^5*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}))/(b^7*e*f^2*((a + b*x)^{(1/2)} - a^{(1/2)})) \\
& )/(f^2*(a^2*c*f^2 - b^2*c*e^2)^{(1/2)}) - (C*e^2*((4096*(32*C^3*a^{(5/2)}*c^3*e^2*f^3*(a*c)^{(5/2)} + 24*C^3*a^{(3/2)}*b^2*c^4*e^4*f*(a*c)^{(3/2)}))/(b^8*e^4*f^4) - (C*e^2*((4096*(16*C^2*a^6*c^6*f^6 + 9*C^2*a^2*b^4*c^6*e^4*f^2))/(b^8*e^4*f^4) + (C*e^2*((4096*(24*C*a^{(5/2)}*b^2*c^4*f^7*(a*c)^{(5/2)} - 30*C*a^{(3/2)}*b^4*c^5*e^2*f^5*(a*c)^{(3/2)}))/(b^8*e^4*f^4) - (C*e^2*((4096*(7*a^4*b^4*c^7*f^8 - 9*a^2*b^6*c^7*e^2*f^6))/(b^8*e^4*f^4) + (16384*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})*(5*a^{(5/2)}*b^2*c^4*f^7*(a*c)^{(5/2)} - 6*a^{(3/2)}*b^4*c^5*e^2*f^5*(a*c)^{(3/2)}))/(b^7*e^5*f^2*((a + b*x)^{(1/2)} - a^{(1/2)})) + (4096*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2*(11*a^4*b^4*c^6*f^8 - 9*a^2*b^6*c^6*e^2*f^6))/(b^8*e^4*f^4*((a + b*x)^{(1/2)} - a^{(1/2)})^2)))/(f^2*(a^2*c*f^2 - b^2*c*e^2)^{(1/2)}) + (16384*(20*C*a^6*c^6*f^6 - 22*C*a^4*b^2*c^6*e^2*f^4)*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}))/(b^7*e^5*f^2*((a + b*x)^{(1/2)} - a^{(1/2)})) + (4096*(96*C*a^{(5/2)}*b^2*c^3*f^7*(a*c)^{(5/2)} - 90*C*a^{(3/2)}*b^4*c^4*e^2*f^5*(a*c)^{(3/2)})*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2)/(b^8*e^4*f^4*((a + b*x)^{(1/2)} - a^{(1/2)})^2)))/(f^2*(a^2*c*f^2 - b^2*c*e^2)^{(1/2)}) + (4096*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2*(9*C^2*a^2*b^4*c^5*e^4*f^2 - 144*C^2*a^6*c^5*f^6 + 128*C^2*a^4*b^2*c^5*e^2*f^4))/(b^8*e^4*f^4*((a + b*x)^{(1/2)} - a^{(1/2)})^2) + (16384*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})*(8*C^2*a^{(5/2)}*c^3*e^2*f^3*(a*c)^{(5/2)} + 3*C^2*a^{(3/2)}*b^2*c^4*e^4*f*(a*c)^{(3/2)}))/(b^7*e^5*f^2*((a + b*x)^{(1/2)} - a^{(1/2)})))/(f^2*(a^2*c*f^2 - b^2*c*e^2)^{(1/2)}) - (4096*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2*(32*C^3*a^{(5/2)}*c^2*e^2*f^3*(a*c)^{(5/2)} - 96*C^3*a^{(3/2)}*b^2*c^3*e^4*f*(a*c)^{(3/2)}))/(b^8*e^4*f^4*((a + b*x)^{(1/2)} - a^{(1/2)})^2) + (458752*C^3*a^4*c^5*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}))/(b^7*e*f^2*((a + b*x)^{(1/2)} - a^{(1/2)})))/(f^2*(a^2*c*f^2 - b^2*c*e^2)^{(1/2)}) + (917504*C^4*a^4*c^4*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2)/(b^8*f^4*((a + b*x)^{(1/2)} - a^{(1/2)})^2))*2i)/(f^2*(a^2*c*f^2 - b^2*c*e^2)^{(1/2)}) - (4*B*atan((67108864*B^5*a^16*c^7*f^4*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}))/(((a + b*x)^{(1/2)} - a^{(1/2)})*(67108864*B^5*a^16*c^{(15/2)}*f^4 + 37748736*B^5*a^12*b^4*c^{(15/2)}*e^4 - 100663296*B^5*a^14*b^2*c^{(15/2)}*e^2*f^2)) + (37748736*B^5*a^12*b^4*c^7*e^4*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}))/(((a + b*x)^{(1/2)} - a^{(1/2)})*(67108864*B^5*a^16*c^{(15/2)}*f^4 + 37748736*B^5*a^12*b^4*c^{(15/2)}*e^4 - 100663296*B^5*a^14*b^2*c^{(15/2)}*e^2*f^2)) - (100663296*B^5*a^14*b^2*c^7*e^2*f^2*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}))/(((a + b*x)^{(1/2)} - a^{(1/2)})*(67108864*B^5*a^16*c^{(15/2)}*f^4 + 37748736*B^5*a^12*b^4*c^{(15/2)}*e^4 - 100663296*B^5*a^14*b^2*c^{(15/2)}*e^2*f^2)))/(b*c^{(1/2)}*f) - (A*atan((a*c*(a*c - b*c*x)^{(1/2)}*(a^4*c*f^2 - a^2*b^2*c*e^2)^{(1/2)}*2i - (a*c)^{(3/2)}*(a^4*c*f^2 - a^2*b^2*c*e^2)^{(1/2)}*1i + a*c*(a*c)^{(1/2)}*(a^4*c*f^2 - a^2*b^2*c*e^2)^{(1/2)}*1i + b*c*x*(a*c)^{(1/2)}*(a^4*c*f^2 - a^2*b^2*c*e^2)^{(1/2)}*2i - a^{(1/2)}*c*(a*c)^{(1/2)}*(a^4*c*f^2 - a^2*b^2*c*e^2)^{(1/2)}*(a + b*x)^{(1/2)}*2i)/(2*a^{(5/2)}*b*c^2*e - 2*a^3*c^2*f*(a + b*x)^{(1/2)} - 2*a^2*b*c^2*e*(a + b*x)^{(1/2)} + 2*a^{(5/2)}*b*c^2*f*x + 2*a^{(5/2)}*c*f*(a*c - b*c*x)^{(1/2)}*(a*c)^{(1/2)} - 2*a^{(3/2)}*b*c*e*(a*c - b*c*x)^{(1/2)}*(a*c)^{(1/2)} + 2*a*b*c*e*(a*c - b*c*x)^{(1/2)}*(a*c)^{(1/2)}*(a + b*x)^{(1/2)}))*2i)/(a^4*c*f^2 - a^2*b^2*c*e^2)^{(1/2)} + (4*C*atan((67108864*C^5*a^8*c^7*f^4*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}))/(((a + b*x)^{(1/2)} - a^{(1/2)})*(67108864*C^5*a^8*c^{(15/2)}*f^4 + 37748736*C^5*a^4*b^4*c^{(15/2)}*e^4 - 100663296*C^5*a^6*b^2*c^{(15/2)}*e^2*f^2)) + (37748736*C^5*a^4*b^4*c^7*e^4*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}))/(((a + b*x)^{(1/2)} - a^{(1/2)})*(67108864*C^5*a^8*c^{(15/2)}*f^4 + 37748736*C^5*a^4*b^4*c^{(15/2)}*e^4 - 100663296*C^5*a^6*b^2*c^{(15/2)}*e^2*f^2)) - (100663296*C^5*a^6*b^2*c^7*e^2*f^2*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}))/(((a + b*x)^{(1/2)} - a^{(1/2)})*(67108864*C^5*a^8*c^{(15/2)}*f^4 + 37748736*C^5*a^4*b^4*c^{(15/2)}*e^4 - 100663296*C^5*a^6*b^2*c^{(15/2)}*e^2*f^2)))/(b*c^{(1/2)}*f^2) - (8*C*a^{(1/2)}*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2)/(b^2*f*((a + b*x)^{(1/2)} - a^{(1/2)})^2*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^4/((a + b*x)^{(1/2)} - a^{(1/2)})^4 + c^2 + (2*c*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2)/((a + b*x)^{(1/2)} - a^{(1/2)})^2))
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x\*\*2+B\*x+A)/(f\*x+e)/(b\*x+a)\*\*(1/2)/(-b\*c\*x+a\*c)\*\*(1/2),x)

[Out] Timed out

$$3.32 \quad \int \frac{A+Bx+Cx^2}{\sqrt{a+bx} \sqrt{ac-bcx} (e+fx)^2} dx$$

**Optimal.** Leaf size=322

$$\frac{f(a^2 - b^2x^2) \left( A + \frac{e(Ce-Bf)}{f^2} \right) \sqrt{a^2c - b^2cx^2} (a^2f^2(2Ce - Bf) - b^2(Ce^3 - Aef^2)) \tan^{-1} \left( \frac{\sqrt{c}(a^2f + \sqrt{a^2c - b^2cx^2})}{\sqrt{a^2c - b^2cx^2}} \right)}{\sqrt{a+bx} (e+fx) \sqrt{ac-bcx} (b^2e^2 - a^2f^2)} + \frac{\sqrt{a^2c - b^2cx^2} (a^2f^2(2Ce - Bf) - b^2(Ce^3 - Aef^2)) \tan^{-1} \left( \frac{\sqrt{c}(a^2f + \sqrt{a^2c - b^2cx^2})}{\sqrt{a^2c - b^2cx^2}} \right)}{\sqrt{c} f^2 \sqrt{a+bx} \sqrt{ac-bcx} (b^2e^2 - a^2f^2)^{3/2}}$$

[Out] f\*(A+e\*(-B\*f+C\*e)/f^2)\*(-b^2\*x^2+a^2)/(-a^2\*f^2+b^2\*e^2)/(f\*x+e)/(b\*x+a)^(1/2)/(-b\*c\*x+a\*c)^(1/2)+C\*arctan(b\*x\*c^(1/2)/(-b^2\*c\*x^2+a^2\*c)^(1/2))\*(-b^2\*c\*x^2+a^2\*c)^(1/2)/b/f^2/c^(1/2)/(b\*x+a)^(1/2)/(-b\*c\*x+a\*c)^(1/2)+(a^2\*f^2\*(-B\*f+2\*C\*e)-b^2\*(-A\*e\*f^2+C\*e^3))\*arctan((b^2\*e\*x+a^2\*f)\*c^(1/2)/(-a^2\*f^2+b^2\*e^2)^(1/2)/(-b^2\*c\*x^2+a^2\*c)^(1/2))\*(-b^2\*c\*x^2+a^2\*c)^(1/2)/f^2/(-a^2\*f^2+b^2\*e^2)^(3/2)/c^(1/2)/(b\*x+a)^(1/2)/(-b\*c\*x+a\*c)^(1/2)

**Rubi [A]** time = 0.53, antiderivative size = 322, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 40,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.175$ , Rules used = {1610, 1651, 844, 217, 203, 725, 204}

$$\frac{f(a^2 - b^2x^2) \left( A + \frac{e(Ce-Bf)}{f^2} \right) \sqrt{a^2c - b^2cx^2} (a^2f^2(2Ce - Bf) - b^2(Ce^3 - Aef^2)) \tan^{-1} \left( \frac{\sqrt{c}(a^2f + \sqrt{a^2c - b^2cx^2})}{\sqrt{a^2c - b^2cx^2}} \right)}{\sqrt{a+bx} (e+fx) \sqrt{ac-bcx} (b^2e^2 - a^2f^2)} + \frac{\sqrt{a^2c - b^2cx^2} (a^2f^2(2Ce - Bf) - b^2(Ce^3 - Aef^2)) \tan^{-1} \left( \frac{\sqrt{c}(a^2f + \sqrt{a^2c - b^2cx^2})}{\sqrt{a^2c - b^2cx^2}} \right)}{\sqrt{c} f^2 \sqrt{a+bx} \sqrt{ac-bcx} (b^2e^2 - a^2f^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*x + C\*x^2)/(Sqrt[a + b\*x]\*Sqrt[a\*c - b\*c\*x]\*(e + f\*x)^2), x]

[Out] (f\*(A + (e\*(C\*e - B\*f))/f^2)\*(a^2 - b^2\*x^2))/((b^2\*e^2 - a^2\*f^2)\*Sqrt[a + b\*x]\*Sqrt[a\*c - b\*c\*x]\*(e + f\*x)) + (C\*Sqrt[a^2\*c - b^2\*c\*x^2]\*ArcTan[(b\*Sqrt[c]\*x)/Sqrt[a^2\*c - b^2\*c\*x^2]])/(b\*Sqrt[c]\*f^2\*Sqrt[a + b\*x]\*Sqrt[a\*c - b\*c\*x]) + ((a^2\*f^2\*(2\*C\*e - B\*f) - b^2\*(C\*e^3 - A\*e\*f^2))\*Sqrt[a^2\*c - b^2\*c\*x^2]\*ArcTan[(Sqrt[c]\*(a^2\*f + b^2\*e\*x))/(Sqrt[b^2\*e^2 - a^2\*f^2]\*Sqrt[a^2\*c - b^2\*c\*x^2]])/(Sqrt[c]\*f^2\*(b^2\*e^2 - a^2\*f^2)^(3/2)\*Sqrt[a + b\*x]\*Sqrt[a\*c - b\*c\*x])

**Rule 203**

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[Rt[b, 2]\*x]/Rt[a, 2])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

**Rule 204**

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

**Rule 217**

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

**Rule 725**

Int[1/(((d\_) + (e\_)\*(x\_))\*Sqrt[(a\_) + (c\_)\*(x\_)^2]), x\_Symbol] := -Subst[Int[1/(c\*d^2 + a\*e^2 - x^2), x], x, (a\*e - c\*d\*x)/Sqrt[a + c\*x^2]] /; FreeQ[{a, c, d, e}, x]

Rule 844

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Dist[g/e, Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^p, x], x] + Dist[(e\*f - d\*g)/e, Int[(d + e\*x)^m\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c\*d^2 + a\*e^2, 0] && !IGtQ[m, 0]

Rule 1610

Int[(Px\_)\*((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] := Dist[((a + b\*x)^FracPart[m]\*(c + d\*x)^FracPart[m])/(a\*c + b\*d\*x^2)^FracPart[m], Int[Px\*(a\*c + b\*d\*x^2)^m\*(e + f\*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b\*c + a\*d, 0] && EqQ[m, n] && !IntegerQ[m]

Rule 1651

Int[(Pq\_)\*((d\_.) + (e\_.)\*(x\_))^(m\_)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := With[{Q = PolynomialQuotient[Pq, d + e\*x, x], R = PolynomialRemainder[Pq, d + e\*x, x]}, Simp[(e\*R\*(d + e\*x)^(m + 1)\*(a + c\*x^2)^(p + 1))/((m + 1)\*(c\*d^2 + a\*e^2)), x] + Dist[1/((m + 1)\*(c\*d^2 + a\*e^2)), Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^p\*ExpandToSum[(m + 1)\*(c\*d^2 + a\*e^2)\*Q + c\*d\*R\*(m + 1) - c\*e\*R\*(m + 2\*p + 3)\*x, x], x]] /; FreeQ[{a, c, d, e, p}, x] && PolyQ[Pq, x] && NeQ[c\*d^2 + a\*e^2, 0] && LtQ[m, -1]

Rubi steps

$$\begin{aligned} \int \frac{A + Bx + Cx^2}{\sqrt{a + bx} \sqrt{ac - bcx} (e + fx)^2} dx &= \frac{\sqrt{a^2c - b^2cx^2} \int \frac{A + Bx + Cx^2}{(e + fx)^2 \sqrt{a^2c - b^2cx^2}} dx}{\sqrt{a + bx} \sqrt{ac - bcx}} \\ &= \frac{f \left( A + \frac{e(Ce - Bf)}{f^2} \right) (a^2 - b^2x^2)}{(b^2e^2 - a^2f^2) \sqrt{a + bx} \sqrt{ac - bcx} (e + fx)} + \frac{\sqrt{a^2c - b^2cx^2} \int \frac{c(Ab^2e + a^2(Ce - Bf))}{(e + fx)^2 \sqrt{a^2c - b^2cx^2}} dx}{c(b^2e^2 - a^2f^2) \sqrt{a + bx} \sqrt{ac - bcx}} \\ &= \frac{f \left( A + \frac{e(Ce - Bf)}{f^2} \right) (a^2 - b^2x^2)}{(b^2e^2 - a^2f^2) \sqrt{a + bx} \sqrt{ac - bcx} (e + fx)} + \frac{\left( C \left( \frac{b^2e^2}{f} - a^2f \right) \sqrt{a^2c - b^2cx^2} \right)}{f(b^2e^2 - a^2f^2) \sqrt{a + bx} \sqrt{ac - bcx}} \\ &= \frac{f \left( A + \frac{e(Ce - Bf)}{f^2} \right) (a^2 - b^2x^2)}{(b^2e^2 - a^2f^2) \sqrt{a + bx} \sqrt{ac - bcx} (e + fx)} + \frac{\left( C \left( \frac{b^2e^2}{f} - a^2f \right) \sqrt{a^2c - b^2cx^2} \right)}{f(b^2e^2 - a^2f^2) \sqrt{a + bx} \sqrt{ac - bcx}} \\ &= \frac{f \left( A + \frac{e(Ce - Bf)}{f^2} \right) (a^2 - b^2x^2)}{(b^2e^2 - a^2f^2) \sqrt{a + bx} \sqrt{ac - bcx} (e + fx)} + \frac{C \sqrt{a^2c - b^2cx^2} \tan^{-1} \left( \frac{bx}{\sqrt{a^2c - b^2cx^2}} \right)}{b \sqrt{c} f^2 \sqrt{a + bx} \sqrt{ac - bcx}} \end{aligned}$$

**Mathematica [A]** time = 0.79, size = 309, normalized size = 0.96

$$\frac{2b^2e\sqrt{a-bx}(f(Af-Be)+Ce^2)\tanh^{-1}\left(\frac{\sqrt{a-bx}\sqrt{be-af}}{\sqrt{a+bx}\sqrt{-af-be}}\right)}{(-af-be)^{3/2}(be-af)^{3/2}} + \frac{f(bx-a)\sqrt{a+bx}(f(Af-Be)+Ce^2)}{(e+fx)(af-be)(af+be)} - \frac{2\sqrt{a-bx}(2Ce-Bf)\tanh^{-1}\left(\frac{\sqrt{a-bx}\sqrt{be-af}}{\sqrt{a+bx}\sqrt{-af-be}}\right)}{\sqrt{-af-be}\sqrt{be-af}}}{f^2\sqrt{c(a-bx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*x + C\*x^2)/(Sqrt[a + b\*x]\*Sqrt[a\*c - b\*c\*x]\*(e + f\*x)^2), x]

```
[Out] ((f*(C*e^2 + f*(-(B*e) + A*f))*(-a + b*x)*Sqrt[a + b*x])/((-b*e) + a*f)*(b
*e + a*f)*(e + f*x)) - (2*C*Sqrt[a - b*x]*ArcTan[Sqrt[a - b*x]/Sqrt[a + b*x
]])/b - (2*(2*C*e - B*f)*Sqrt[a - b*x]*ArcTanh[(Sqrt[b*e - a*f]*Sqrt[a - b*
x])/(Sqrt[-(b*e) - a*f]*Sqrt[a + b*x])])/(Sqrt[-(b*e) - a*f]*Sqrt[b*e - a*f
]) - (2*b^2*e*(C*e^2 + f*(-(B*e) + A*f))*Sqrt[a - b*x]*ArcTanh[(Sqrt[b*e -
a*f]*Sqrt[a - b*x])/(Sqrt[-(b*e) - a*f]*Sqrt[a + b*x])])/((-(b*e) - a*f)^(3
/2)*(b*e - a*f)^(3/2)))/(f^2*Sqrt[c*(a - b*x)])
```

**fricas** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(f*x+e)^2/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x, algor
ithm="fricas")
```

[Out] Timed out

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(f*x+e)^2/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x, algor
ithm="giac")
```

[Out] Timed out

**maple** [B] time = 0.00, size = 1200, normalized size = 3.73

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((C*x^2+B*x+A)/(f*x+e)^2/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x)
```

```
[Out] ((b^2*c)^(1/2)*A*b^2*c*e*f^3*x*ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c
/f^2)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*f)/(f*x+e))- (b^2*c)^(1/2)*B*a^2*c*f^4*
x*ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^(1/2)*(-(b^2*x^2-a^2)*c
)^(1/2)*f)/(f*x+e))+2*(b^2*c)^(1/2)*C*a^2*c*e*f^3*x*ln(2*(b^2*c*e*x+a^2*c*f
+((a^2*f^2-b^2*e^2)*c/f^2)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*f)/(f*x+e))+((a^2
*f^2-b^2*e^2)*c/f^2)^(1/2)*C*a^2*c*f^4*x*arctan((b^2*c)^(1/2)/(-(b^2*x^2-a^
2)*c)^(1/2)*x)-(b^2*c)^(1/2)*C*b^2*c*e^3*f*x*ln(2*(b^2*c*e*x+a^2*c*f+((a^2*
f^2-b^2*e^2)*c/f^2)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*f)/(f*x+e))-((a^2*f^2-b^
2*e^2)*c/f^2)^(1/2)*C*b^2*c*e^2*f^2*x*arctan((b^2*c)^(1/2)/(-(b^2*x^2-a^2)*
c)^(1/2)*x)+(b^2*c)^(1/2)*A*b^2*c*e^2*f^2*ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2
-b^2*e^2)*c/f^2)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*f)/(f*x+e))- (b^2*c)^(1/2)*B
*a^2*c*e*f^3*ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^(1/2)*(-(b^2
*x^2-a^2)*c)^(1/2)*f)/(f*x+e))+2*(b^2*c)^(1/2)*C*a^2*c*e^2*f^2*ln(2*(b^2*c*
e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*f)/(f*
x+e))+((a^2*f^2-b^2*e^2)*c/f^2)^(1/2)*C*a^2*c*e*f^3*arctan((b^2*c)^(1/2)/(-
(b^2*x^2-a^2)*c)^(1/2)*x)-(b^2*c)^(1/2)*C*b^2*c*e^4*ln(2*(b^2*c*e*x+a^2*c*f
+((a^2*f^2-b^2*e^2)*c/f^2)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*f)/(f*x+e))-((a^2
*f^2-b^2*e^2)*c/f^2)^(1/2)*C*b^2*c*e^3*f*arctan((b^2*c)^(1/2)/(-(b^2*x^2-a^
2)*c)^(1/2)*x)-(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*((a^2*f^2-b^2*e^2)*c/
f^2)^(1/2)*A*f^4+(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*((a^2*f^2-b^2*e^2)*
c/f^2)^(1/2)*B*e*f^3-(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*((a^2*f^2-b^2*e
^2)*c/f^2)^(1/2)*C*e^2*f^2*(-(b*x-a)*c)^(1/2)*(b*x+a)^(1/2)/(-(b^2*x^2-a^2
)*c)^(1/2)/(a*f-b*e)/(b^2*c)^(1/2)/(a*f+b*e)/(f*x+e)/((a^2*f^2-b^2*e^2)*c/f
^2)^(1/2)/c/f^3
```

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)/(f\*x+e)^2/(b\*x+a)^(1/2)/(-b\*c\*x+a\*c)^(1/2),x, algorith="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume((4\*b^2\*c>0)', see `assume?` for more details)Is (4\*b^2\*c\*(a^2\*c-(b^2\*c\*e^2)/f^2))/f^2 + (4\*b^4\*c^2\*e^2)/f^4 zero or nonzero?

**mupad** [B] time = 19.40, size = 106511, normalized size = 330.78

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B\*x + C\*x^2)/((e + f\*x)^2\*(a\*c - b\*c\*x)^(1/2)\*(a + b\*x)^(1/2)),x)

[Out] ((4\*B\*a^2\*f\*((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2))^3)/(((a + b\*x)^(1/2) - a^(1/2))^3\*(b^3\*e^3 - a^2\*b\*e\*f^2)) + (8\*B\*a^(1/2)\*(a\*c)^(1/2)\*((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2))^2)/((a^2\*f^2 - b^2\*e^2)\*((a + b\*x)^(1/2) - a^(1/2))^2) - (4\*B\*a^2\*c\*f\*((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2)))/(((a + b\*x)^(1/2) - a^(1/2))\*((b^3\*e^3 - a^2\*b\*e\*f^2)))/(((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2))^4/((a + b\*x)^(1/2) - a^(1/2))^4 + c^2 + (2\*c\*((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2))^2)/((a + b\*x)^(1/2) - a^(1/2))^2 - (4\*a^(1/2)\*f\*(a\*c)^(1/2)\*((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2))^3)/(b\*e\*((a + b\*x)^(1/2) - a^(1/2))^3) + (4\*a^(1/2)\*c\*f\*(a\*c)^(1/2)\*((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2)))/((b\*e\*((a + b\*x)^(1/2) - a^(1/2)))) - ((4\*C\*a^2\*((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2))^3)/((b^3\*e^2 - a^2\*b\*f^2)\*((a + b\*x)^(1/2) - a^(1/2))^3) - (4\*C\*a^2\*c\*((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2)))/((b^3\*e^2 - a^2\*b\*f^2)\*((a + b\*x)^(1/2) - a^(1/2)))) + (8\*C\*a^(1/2)\*e\*(a\*c)^(1/2)\*((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2))^2)/((a^2\*f^3 - b^2\*e^2\*f)\*((a + b\*x)^(1/2) - a^(1/2))^2)/(((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2))^4/((a + b\*x)^(1/2) - a^(1/2))^4 + c^2 + (2\*c\*((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2))^2)/((a + b\*x)^(1/2) - a^(1/2))^2 - (4\*a^(1/2)\*f\*(a\*c)^(1/2)\*((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2))^3)/(b\*e\*((a + b\*x)^(1/2) - a^(1/2))^3) + (4\*a^(1/2)\*c\*f\*(a\*c)^(1/2)\*((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2)))/((b\*e\*((a + b\*x)^(1/2) - a^(1/2)))) + ((4\*A\*a^2\*c\*f^2\*((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2)))/((b^3\*e^4 - a^2\*b\*e^2\*f^2)\*((a + b\*x)^(1/2) - a^(1/2)))) - (4\*A\*a^2\*f^2\*((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2))^3)/((b^3\*e^4 - a^2\*b\*e^2\*f^2)\*((a + b\*x)^(1/2) - a^(1/2))^3) + (8\*A\*a^(1/2)\*f\*(a\*c)^(1/2)\*((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2))^2)/((b^2\*e^3 - a^2\*e\*f^2)\*((a + b\*x)^(1/2) - a^(1/2))^2)/(((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2))^4/((a + b\*x)^(1/2) - a^(1/2))^4 + c^2 + (2\*c\*((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2))^2)/((a + b\*x)^(1/2) - a^(1/2))^2 - (4\*a^(1/2)\*f\*(a\*c)^(1/2)\*((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2))^3)/(b\*e\*((a + b\*x)^(1/2) - a^(1/2))^3) + (4\*a^(1/2)\*c\*f\*(a\*c)^(1/2)\*((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2)))/((b\*e\*((a + b\*x)^(1/2) - a^(1/2)))) - (4\*C\*atan(((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2))/(c^(1/2)\*((a + b\*x)^(1/2) - a^(1/2)))))/((b\*c^(1/2)\*f^2) + (2\*A\*b^2\*e\*(atan((2\*b^3\*c^3\*e^3 + 2\*b\*c^2\*e\*(a^2\*c\*f^2 - b^2\*c\*e^2) + 2\*a^2\*b\*c^3\*e\*f^2 + (3\*a^(3/2)\*f^3\*(a\*c)^(3/2)\*((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2))^3)/((a + b\*x)^(1/2) - a^(1/2))^3 + (2\*b^3\*c^2\*e^3\*((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2))^2)/((a + b\*x)^(1/2) - a^(1/2))^2 - (3\*a^(1/2)\*f\*(a\*c)^(1/2)\*((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2))^3\*(a^2\*c\*f^2 - b^2\*c\*e^2))/((a + b\*x)^(1/2) - a^(1/2))^3 - (a^(3/2)\*c\*f^3\*(a\*c)^(3/2)\*((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2)))/((a + b\*x)^(1/2) - a^(1/2)) + (2\*b\*c\*e\*((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2))^2\*(a^2\*c\*f^2 - b^2\*c\*e^2))/((a + b\*x)^(1/2) - a^(1/2))^2 + (a^(1/2)\*c\*f\*(a\*c)^(1/2)\*((a\*c - b\*c\*x)^(1/2) - (a\*c)^(1/2))\*(a^2\*c\*f^2 - b^2\*c\*e^2

$$\begin{aligned}
& 2)) / ((a + b*x)^{(1/2)} - a^{(1/2)}) - (10*a^2*b*c^2*e*f^2*((a*c - b*c*x)^{(1/2)} \\
& - (a*c)^{(1/2)})^2) / ((a + b*x)^{(1/2)} - a^{(1/2)})^2 + (7*a^{(1/2)}*b^2*c^2*e^2*f* \\
& (a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})) / ((a + b*x)^{(1/2)} - a^{(1/2)} \\
& ) - (a^{(1/2)}*b^2*c*e^2*f*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^3) \\
& / ((a + b*x)^{(1/2)} - a^{(1/2)})^3 / (4*a^{(1/2)}*b*c^2*e*f*(a*c)^{(1/2)}*(b^2*c*e^2 \\
& - a^2*c*f^2)^{(1/2)}) - \operatorname{atan}((((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})*(a^2*c*f \\
& ^2 - b^2*c*e^2)) / ((a + b*x)^{(1/2)} - a^{(1/2)}) - (a^2*c*f^2*((a*c - b*c*x)^{(1/2)} \\
& - (a*c)^{(1/2)})) / ((a + b*x)^{(1/2)} - a^{(1/2)}) + 2*a^{(1/2)}*b*c*e*f*(a*c)^{(1/2)} \\
& / (2*b*c*e*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)})) / ((a*f + b*e)*(a*f - b*e)*( \\
& b^2*c*e^2 - a^2*c*f^2)^{(1/2)}) - (2*B*a^2*f*(\operatorname{atan}((2*b^3*c^3*e^3 + 2*b*c^2*e \\
& *(a^2*c*f^2 - b^2*c*e^2) + 2*a^2*b*c^3*e*f^2 + (3*a^{(3/2)}*f^3*(a*c)^{(3/2)}*( \\
& (a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^3) / ((a + b*x)^{(1/2)} - a^{(1/2)})^3 + (2*b^ \\
& 3*c^2*e^3*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2) / ((a + b*x)^{(1/2)} - a^{(1/2)} \\
& )^2 - (3*a^{(1/2)}*f*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^3*(a^2*c \\
& *f^2 - b^2*c*e^2)) / ((a + b*x)^{(1/2)} - a^{(1/2)})^3 - (a^{(3/2)}*c*f^3*(a*c)^{(3/2)} \\
& *((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})) / ((a + b*x)^{(1/2)} - a^{(1/2)}) + (2*b* \\
& c*e*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2*(a^2*c*f^2 - b^2*c*e^2)) / ((a + b* \\
& x)^{(1/2)} - a^{(1/2)})^2 + (a^{(1/2)}*c*f*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a* \\
& c)^{(1/2)})*(a^2*c*f^2 - b^2*c*e^2)) / ((a + b*x)^{(1/2)} - a^{(1/2)}) - (10*a^2*b* \\
& c^2*e*f^2*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2) / ((a + b*x)^{(1/2)} - a^{(1/2)} \\
& )^2 + (7*a^{(1/2)}*b^2*c^2*e^2*f*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)} \\
& )) / ((a + b*x)^{(1/2)} - a^{(1/2)}) - (a^{(1/2)}*b^2*c*e^2*f*(a*c)^{(1/2)}*((a*c - \\
& b*c*x)^{(1/2)} - (a*c)^{(1/2)})^3) / ((a + b*x)^{(1/2)} - a^{(1/2)})^3 / (4*a^{(1/2)}*b \\
& *c^2*e*f*(a*c)^{(1/2)}*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)}) - \operatorname{atan}((((a*c - b*c*x) \\
& )^{(1/2)} - (a*c)^{(1/2)})*(a^2*c*f^2 - b^2*c*e^2)) / ((a + b*x)^{(1/2)} - a^{(1/2)}) \\
& - (a^2*c*f^2*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})) / ((a + b*x)^{(1/2)} - a^{(1/2)}) \\
& + 2*a^{(1/2)}*b*c*e*f*(a*c)^{(1/2)} / (2*b*c*e*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)} \\
& )) / ((a*f + b*e)*(a*f - b*e)*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)}) - (C*e*(2*a^2* \\
& f^2 - b^2*e^2)*(2*\operatorname{atan}((((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2*((8*a^4*b^6*c \\
& ^4*e^6*f^4*((4096*C^3*e^3*(2*a^2*f^2 - b^2*e^2)^3*(136*C*a^{(21/2)}*b^2*c^3*e \\
& *f^15*(a*c)^{(5/2)} - 90*C*a^{(3/2)}*b^12*c^4*e^11*f^5*(a*c)^{(3/2)} + 96*C*a^{(5/2)} \\
& *b^10*c^3*e^9*f^7*(a*c)^{(5/2)} + 394*C*a^{(7/2)}*b^10*c^4*e^9*f^7*(a*c)^{(3/2)} \\
& ) - 424*C*a^{(9/2)}*b^8*c^3*e^7*f^9*(a*c)^{(5/2)} - 642*C*a^{(11/2)}*b^8*c^4*e^7* \\
& f^9*(a*c)^{(3/2)} + 696*C*a^{(13/2)}*b^6*c^3*e^5*f^11*(a*c)^{(5/2)} + 462*C*a^{(15/2)} \\
& *b^6*c^4*e^5*f^11*(a*c)^{(3/2)} - 504*C*a^{(17/2)}*b^4*c^3*e^3*f^13*(a*c)^{(5/2)} \\
& - 124*C*a^{(19/2)}*b^4*c^4*e^3*f^13*(a*c)^{(3/2)})) / (f^6*(a*f + b*e)^3*(a*f \\
& - b*e)^3*(b^2*c*e^2 - a^2*c*f^2)^{(3/2)}*(b^16*e^14*f^4 - 4*a^2*b^14*e^12*f^6 \\
& + 6*a^4*b^12*e^10*f^8 - 4*a^6*b^10*e^8*f^10 + a^8*b^8*e^6*f^12)) - (4096* \\
& C*e*(2*a^2*f^2 - b^2*e^2)*(64*C^3*a^{(21/2)}*c^2*e*f^11*(a*c)^{(5/2)} + 32*C^3* \\
& a^{(5/2)}*b^8*c^2*e^9*f^3*(a*c)^{(5/2)} + 600*C^3*a^{(7/2)}*b^8*c^3*e^9*f^3*(a*c) \\
& ^{(3/2)} - 160*C^3*a^{(9/2)}*b^6*c^2*e^7*f^5*(a*c)^{(5/2)} - 1376*C^3*a^{(11/2)}*b^ \\
& 6*c^3*e^7*f^5*(a*c)^{(3/2)} + 288*C^3*a^{(13/2)}*b^4*c^2*e^5*f^7*(a*c)^{(5/2)} + \\
& 1368*C^3*a^{(15/2)}*b^4*c^3*e^5*f^7*(a*c)^{(3/2)} - 224*C^3*a^{(17/2)}*b^2*c^2*e^ \\
& 3*f^9*(a*c)^{(5/2)} - 496*C^3*a^{(19/2)}*b^2*c^3*e^3*f^9*(a*c)^{(3/2)} - 96*C^3*a \\
& ^{(3/2)}*b^10*c^3*e^11*f*(a*c)^{(3/2)})) / (f^2*(a*f + b*e)*(a*f - b*e)*(b^2*c*e^ \\
& 2 - a^2*c*f^2)^{(1/2)}*(b^16*e^14*f^4 - 4*a^2*b^14*e^12*f^6 + 6*a^4*b^12*e^10 \\
& *f^8 - 4*a^6*b^10*e^8*f^10 + a^8*b^8*e^6*f^12))* (4*a^2*c*f^2 - 3*b^2*c*e^2 \\
& )*(4*a^6*c*f^6 - 3*b^6*c*e^6 + 8*a^2*b^4*c*e^4*f^2 - 8*a^4*b^2*c*e^2*f^4)^4 \\
& ) / (164025*b^46*c^13*e^46 + 885735*b^44*c^12*e^44*(a^2*c*f^2 - b^2*c*e^2) + \\
& 117440512*a^30*c^5*f^30*(a^2*c*f^2 - b^2*c*e^2)^8 - 385875968*a^32*c^6*f^32 \\
& *(a^2*c*f^2 - b^2*c*e^2)^7 + 419430400*a^34*c^7*f^34*(a^2*c*f^2 - b^2*c*e^2 \\
& )^6 - 150994944*a^36*c^8*f^36*(a^2*c*f^2 - b^2*c*e^2)^5 + 236196*b^36*c^8*e \\
& ^36*(a^2*c*f^2 - b^2*c*e^2)^5 + 1102248*b^38*c^9*e^38*(a^2*c*f^2 - b^2*c*e^ \\
& 2)^4 + 2053593*b^40*c^10*e^40*(a^2*c*f^2 - b^2*c*e^2)^3 + 1909251*b^42*c^11 \\
& *e^42*(a^2*c*f^2 - b^2*c*e^2)^2 - 3937329*a^2*b^44*c^13*e^44*f^2 + 43893819 \\
& *a^4*b^42*c^13*e^42*f^4 - 301507155*a^6*b^40*c^13*e^40*f^6 + 1427514656*a^8 \\
& *b^38*c^13*e^38*f^8 - 4936911112*a^10*b^36*c^13*e^36*f^10 + 12893273616*a^1 \\
& 2*b^34*c^13*e^34*f^12 - 25921630432*a^14*b^32*c^13*e^32*f^14 + 40519286096* \\
& a^16*b^30*c^13*e^30*f^16 - 49376608256*a^18*b^28*c^13*e^28*f^18 + 467214018
\end{aligned}$$



$$\begin{aligned}
& 56a^{20}b^{26}c^{13}e^{26}f^{20} - 33946324736a^{22}b^{24}c^{13}e^{24}f^{22} + 185565 \\
& 79328a^{24}b^{22}c^{13}e^{22}f^{24} - 7375276032a^{26}b^{20}c^{13}e^{20}f^{26} + 2009 \\
& 817088a^{28}b^{18}c^{13}e^{18}f^{28} - 335642624a^{30}b^{16}c^{13}e^{16}f^{30} + 2590 \\
& 7200a^{32}b^{14}c^{13}e^{14}f^{32} - 21130794a^2b^{42}c^{12}e^{42}f^2(a^2c^2f^2 - b^2c^2e^2) + 234399015a^4b^{40}c^{12}e^{40}f^4(a^2c^2f^2 - b^2c^2e^2) - 1 \\
& 604168280a^6b^{38}c^{12}e^{38}f^6(a^2c^2f^2 - b^2c^2e^2) + 7579098492a^8b^{36}c^{12}e^{36}f^8(a^2c^2f^2 - b^2c^2e^2) - 26212380172a^{10}b^{34}c^{12}e^{34} \\
& f^{10}(a^2c^2f^2 - b^2c^2e^2) + 68672994096a^{12}b^{32}c^{12}e^{32}f^{12}(a^2c^2f^2 - b^2c^2e^2) - 139160589504a^{14}b^{30}c^{12}e^{30}f^{14}(a^2c^2f^2 - b^2c^2e^2) \\
& + 220859191808a^{16}b^{28}c^{12}e^{28}f^{16}(a^2c^2f^2 - b^2c^2e^2) - 27 \\
& 6344315328a^{18}b^{26}c^{12}e^{26}f^{18}(a^2c^2f^2 - b^2c^2e^2) + 273130561984a^{20}b^{24}c^{12}e^{24}f^{20}(a^2c^2f^2 - b^2c^2e^2) - 212730002688a^{22}b^{22}c^{12}e^{22}f^{22} \\
& (a^2c^2f^2 - b^2c^2e^2) + 129574234368a^{24}b^{20}c^{12}e^{20}f^{24}(a^2c^2f^2 - b^2c^2e^2) - 60770569216a^{26}b^{18}c^{12}e^{18}f^{26}(a^2c^2f^2 - b^2c^2e^2) \\
& + 21304706048a^{28}b^{16}c^{12}e^{16}f^{28}(a^2c^2f^2 - b^2c^2e^2) - 5272965120a^{30}b^{14}c^{12}e^{14}f^{30}(a^2c^2f^2 - b^2c^2e^2) + 81944166 \\
& 4a^{32}b^{12}c^{12}e^{12}f^{32}(a^2c^2f^2 - b^2c^2e^2) - 59392000a^{34}b^{10}c^{12}e^{10}f^{34}(a^2c^2f^2 - b^2c^2e^2) + 9289728a^6b^{24}c^5e^{24}f^6(a^2c^2f^2 - b^2c^2e^2)^8 \\
& - 36884480a^8b^{22}c^5e^{22}f^8(a^2c^2f^2 - b^2c^2e^2)^8 - 278604800a^{10}b^{20}c^5e^{20}f^{10}(a^2c^2f^2 - b^2c^2e^2)^8 + 27744832 \\
& 00a^{12}b^{18}c^5e^{18}f^{12}(a^2c^2f^2 - b^2c^2e^2)^8 - 10869657600a^{14}b^{16}c^5e^{16}f^{14}(a^2c^2f^2 - b^2c^2e^2)^8 + 25237416960a^{16}b^{14}c^5e^{14}f^{16} \\
& (a^2c^2f^2 - b^2c^2e^2)^8 - 38348909568a^{18}b^{12}c^5e^{12}f^{18}(a^2c^2f^2 - b^2c^2e^2)^8 + 39084659712a^{20}b^{10}c^5e^{10}f^{20}(a^2c^2f^2 - b^2c^2e^2)^8 \\
& - 26118635520a^{22}b^8c^5e^8f^{22}(a^2c^2f^2 - b^2c^2e^2)^8 + 10 \\
& 414620672a^{24}b^6c^5e^6f^{24}(a^2c^2f^2 - b^2c^2e^2)^8 - 1708654592a^{26} \\
& b^4c^5e^4f^{26}(a^2c^2f^2 - b^2c^2e^2)^8 - 276561920a^{28}b^2c^5e^2f^{28}(a^2c^2f^2 - b^2c^2e^2)^8 - 9704448a^4b^{28}c^6e^{28}f^4(a^2c^2f^2 - b^2c^2e^2)^7 \\
& + 260614656a^6b^{26}c^6e^{26}f^6(a^2c^2f^2 - b^2c^2e^2)^7 - 2 \\
& 166022464a^8b^{24}c^6e^{24}f^8(a^2c^2f^2 - b^2c^2e^2)^7 + 8626147840a^{10} \\
& b^{22}c^6e^{22}f^{10}(a^2c^2f^2 - b^2c^2e^2)^7 - 16771503616a^{12}b^{20}c^6e^{20}f^{12}(a^2c^2f^2 - b^2c^2e^2)^7 + 3301800960a^{14}b^{18}c^6e^{18}f^{14}(a^2c^2f^2 - b^2c^2e^2)^7 \\
& - 189857873920a^{18}b^{14}c^6e^{14}f^{18}(a^2c^2f^2 - b^2c^2e^2)^7 + 286100259840a^{20}b^{12}c^6e^{12}f^{20}(a^2c^2f^2 - b^2c^2e^2)^7 - 275789 \\
& 894656a^{22}b^{10}c^6e^{10}f^{22}(a^2c^2f^2 - b^2c^2e^2)^7 + 173716537344a^{24} \\
& b^8c^6e^8f^{24}(a^2c^2f^2 - b^2c^2e^2)^7 - 67416424448a^{26}b^6c^6e^6f^{26}(a^2c^2f^2 - b^2c^2e^2)^7 + 12831686656a^{28}b^4c^6e^4f^{28}(a^2c^2f^2 - b^2c^2e^2)^7 \\
& + 222560256a^{30}b^2c^6e^2f^{30}(a^2c^2f^2 - b^2c^2e^2)^7 + 2099520a^2b^{32}c^7e^{32}f^2(a^2c^2f^2 - b^2c^2e^2)^6 - 107014608a^4b^{30}c^7e^{30}f^4(a^2c^2f^2 - b^2c^2e^2)^6 \\
& + 1848335616a^6b^{28}c^7e^{28}f^6(a^2c^2f^2 - b^2c^2e^2)^6 - 15200005312a^8b^{26}c^7e^{26}f^8(a^2c^2f^2 - b^2c^2e^2)^6 + 72612273792a^{10}b^{24}c^7e^{24}f^{10}(a^2c^2f^2 - b^2c^2e^2)^6 \\
& - 221855779968a^{12}b^{22}c^7e^{22}f^{12}(a^2c^2f^2 - b^2c^2e^2)^6 + \\
& 450717857536a^{14}b^{20}c^7e^{20}f^{14}(a^2c^2f^2 - b^2c^2e^2)^6 - 600578910 \\
& 208a^{16}b^{18}c^7e^{18}f^{16}(a^2c^2f^2 - b^2c^2e^2)^6 + 459464530688a^{18}b^{16}c^7e^{16}f^{18}(a^2c^2f^2 - b^2c^2e^2)^6 - 33638947840a^{20}b^{14}c^7e^{14}f^{20}(a^2c^2f^2 - b^2c^2e^2)^6 \\
& - 376299926528a^{22}b^{12}c^7e^{12}f^{22}(a^2c^2f^2 - b^2c^2e^2)^6 + 488874068992a^{24}b^{10}c^7e^{10}f^{24}(a^2c^2f^2 - b^2c^2e^2)^6 - 333407809536a^{26}b^8c^7e^8f^{26}(a^2c^2f^2 - b^2c^2e^2)^6 \\
& + 134140313600a^{28}b^6c^7e^6f^{28}(a^2c^2f^2 - b^2c^2e^2)^6 - 282209157 \\
& 12a^{30}b^4c^7e^4f^{30}(a^2c^2f^2 - b^2c^2e^2)^6 + 1230503936a^{32}b^2c^7e^2f^{32}(a^2c^2f^2 - b^2c^2e^2)^6 + 3335904a^2b^{34}c^8e^{34}f^2(a^2c^2f^2 - b^2c^2e^2)^5 \\
& - 290521728a^4b^{32}c^8e^{32}f^4(a^2c^2f^2 - b^2c^2e^2)^5 + 4865684544a^6b^{30}c^8e^{30}f^6(a^2c^2f^2 - b^2c^2e^2)^5 - 4043739 \\
& 4528a^8b^{28}c^8e^{28}f^8(a^2c^2f^2 - b^2c^2e^2)^5 + 205602254656a^{10}b^{26}c^8e^{26}f^{10}(a^2c^2f^2 - b^2c^2e^2)^5 - 703885344192a^{12}b^{24}c^8e^{22}f^{14}(a^2c^2f^2 - b^2c^2e^2)^5 \\
& - 3029282695168a^{16}b^{20}c^8e^{20}f^{16}(a^2c^2f^2 - b^2c^2e^2)^5
\end{aligned}$$

$$\begin{aligned}
& - b^2 * c * e^2)^5 + 3966230827520 * a^{18} * b^{18} * c^8 * e^{18} * f^{18} * (a^2 * c * f^2 - b^2 * c * e^2)^5 - 3822339813632 * a^{20} * b^{16} * c^8 * e^{16} * f^{20} * (a^2 * c * f^2 - b^2 * c * e^2)^5 + 2 \\
& 640438056960 * a^{22} * b^{14} * c^8 * e^{14} * f^{22} * (a^2 * c * f^2 - b^2 * c * e^2)^5 - 1208501415 \\
& 936 * a^{24} * b^{12} * c^8 * e^{12} * f^{24} * (a^2 * c * f^2 - b^2 * c * e^2)^5 + 269338092544 * a^{26} * b \\
& ^{10} * c^8 * e^{10} * f^{26} * (a^2 * c * f^2 - b^2 * c * e^2)^5 + 53783212032 * a^{28} * b^8 * c^8 * e^8 * \\
& f^{28} * (a^2 * c * f^2 - b^2 * c * e^2)^5 - 60985360384 * a^{30} * b^6 * c^8 * e^6 * f^{30} * (a^2 * c * f \\
& ^2 - b^2 * c * e^2)^5 + 17917083648 * a^{32} * b^4 * c^8 * e^4 * f^{32} * (a^2 * c * f^2 - b^2 * c * e^2 \\
& )^5 - 1558708224 * a^{34} * b^2 * c^8 * e^2 * f^{34} * (a^2 * c * f^2 - b^2 * c * e^2)^5 - 1191769 \\
& 2 * a^2 * b^{36} * c^9 * e^{36} * f^2 * (a^2 * c * f^2 - b^2 * c * e^2)^4 - 224907516 * a^4 * b^{34} * c^9 * \\
& e^{34} * f^4 * (a^2 * c * f^2 - b^2 * c * e^2)^4 + 5303932560 * a^6 * b^{32} * c^9 * e^{32} * f^6 * (a^2 * \\
& c * f^2 - b^2 * c * e^2)^4 - 48206418480 * a^8 * b^{30} * c^9 * e^{30} * f^8 * (a^2 * c * f^2 - b^2 * c \\
& * e^2)^4 + 261450609120 * a^{10} * b^{28} * c^9 * e^{28} * f^{10} * (a^2 * c * f^2 - b^2 * c * e^2)^4 - \\
& 962361040256 * a^{12} * b^{26} * c^9 * e^{26} * f^{12} * (a^2 * c * f^2 - b^2 * c * e^2)^4 + 2558559358 \\
& 080 * a^{14} * b^{24} * c^9 * e^{24} * f^{14} * (a^2 * c * f^2 - b^2 * c * e^2)^4 - 5091804150656 * a^{16} * \\
& b^{22} * c^9 * e^{22} * f^{16} * (a^2 * c * f^2 - b^2 * c * e^2)^4 + 7750806514944 * a^{18} * b^{20} * c^9 * \\
& e^{20} * f^{18} * (a^2 * c * f^2 - b^2 * c * e^2)^4 - 9137207485952 * a^{20} * b^{18} * c^9 * e^{18} * f^{20} \\
& * (a^2 * c * f^2 - b^2 * c * e^2)^4 + 8384563280128 * a^{22} * b^{16} * c^9 * e^{16} * f^{22} * (a^2 * c * f \\
& ^2 - b^2 * c * e^2)^4 - 5975281259520 * a^{24} * b^{14} * c^9 * e^{14} * f^{24} * (a^2 * c * f^2 - b^2 * \\
& c * e^2)^4 + 3269297268736 * a^{26} * b^{12} * c^9 * e^{12} * f^{26} * (a^2 * c * f^2 - b^2 * c * e^2)^4 \\
& - 1339171540992 * a^{28} * b^{10} * c^9 * e^{10} * f^{28} * (a^2 * c * f^2 - b^2 * c * e^2)^4 + 3912501 \\
& 94432 * a^{30} * b^8 * c^9 * e^8 * f^{30} * (a^2 * c * f^2 - b^2 * c * e^2)^4 - 74114154496 * a^{32} * b^ \\
& 6 * c^9 * e^6 * f^{32} * (a^2 * c * f^2 - b^2 * c * e^2)^4 + 7299203072 * a^{34} * b^4 * c^9 * e^4 * f^{34} \\
& * (a^2 * c * f^2 - b^2 * c * e^2)^4 - 148635648 * a^{36} * b^2 * c^9 * e^2 * f^{36} * (a^2 * c * f^2 - b \\
& ^2 * c * e^2)^4 - 38704068 * a^2 * b^{38} * c^{10} * e^{38} * f^2 * (a^2 * c * f^2 - b^2 * c * e^2)^3 + 1 \\
& 88845992 * a^4 * b^{36} * c^{10} * e^{36} * f^4 * (a^2 * c * f^2 - b^2 * c * e^2)^3 + 1157124204 * a^6 * \\
& b^{34} * c^{10} * e^{34} * f^6 * (a^2 * c * f^2 - b^2 * c * e^2)^3 - 20586361424 * a^8 * b^{32} * c^{10} * e^ \\
& 32 * f^8 * (a^2 * c * f^2 - b^2 * c * e^2)^3 + 135395499200 * a^{10} * b^{30} * c^{10} * e^{30} * f^{10} * (a \\
& ^2 * c * f^2 - b^2 * c * e^2)^3 - 555513858464 * a^{12} * b^{28} * c^{10} * e^{28} * f^{12} * (a^2 * c * f^2 \\
& - b^2 * c * e^2)^3 + 1608776388864 * a^{14} * b^{26} * c^{10} * e^{26} * f^{14} * (a^2 * c * f^2 - b^2 * c * \\
& e^2)^3 - 3473989271488 * a^{16} * b^{24} * c^{10} * e^{24} * f^{16} * (a^2 * c * f^2 - b^2 * c * e^2)^3 + \\
& 5766181411456 * a^{18} * b^{22} * c^{10} * e^{22} * f^{18} * (a^2 * c * f^2 - b^2 * c * e^2)^3 - 7493983 \\
& 209472 * a^{20} * b^{20} * c^{10} * e^{20} * f^{20} * (a^2 * c * f^2 - b^2 * c * e^2)^3 + 7713917084672 * a \\
& ^{22} * b^{18} * c^{10} * e^{18} * f^{22} * (a^2 * c * f^2 - b^2 * c * e^2)^3 - 6328467293184 * a^{24} * b^{16} \\
& * c^{10} * e^{16} * f^{24} * (a^2 * c * f^2 - b^2 * c * e^2)^3 + 4142950034432 * a^{26} * b^{14} * c^{10} * e^ \\
& 14 * f^{26} * (a^2 * c * f^2 - b^2 * c * e^2)^3 - 2152681536512 * a^{28} * b^{12} * c^{10} * e^{12} * f^{28} * \\
& (a^2 * c * f^2 - b^2 * c * e^2)^3 + 874199511040 * a^{30} * b^{10} * c^{10} * e^{10} * f^{30} * (a^2 * c * f^2 \\
& - b^2 * c * e^2)^3 - 268759150592 * a^{32} * b^8 * c^{10} * e^8 * f^{32} * (a^2 * c * f^2 - b^2 * c * e \\
& ^2)^3 + 58872545280 * a^{34} * b^6 * c^{10} * e^6 * f^{34} * (a^2 * c * f^2 - b^2 * c * e^2)^3 - 8151 \\
& 957504 * a^{36} * b^4 * c^{10} * e^4 * f^{36} * (a^2 * c * f^2 - b^2 * c * e^2)^3 + 530841600 * a^{38} * b^ \\
& 2 * c^{10} * e^2 * f^{38} * (a^2 * c * f^2 - b^2 * c * e^2)^3 - 42743457 * a^2 * b^{40} * c^{11} * e^{40} * f^{2} \\
& * (a^2 * c * f^2 - b^2 * c * e^2)^2 + 411055884 * a^4 * b^{38} * c^{11} * e^{38} * f^4 * (a^2 * c * f^2 - \\
& b^2 * c * e^2)^2 - 2180887236 * a^6 * b^{36} * c^{11} * e^{36} * f^6 * (a^2 * c * f^2 - b^2 * c * e^2)^2 \\
& + 6404946508 * a^8 * b^{34} * c^{11} * e^{34} * f^8 * (a^2 * c * f^2 - b^2 * c * e^2)^2 - 5434005264 * \\
& a^{10} * b^{32} * c^{11} * e^{32} * f^{10} * (a^2 * c * f^2 - b^2 * c * e^2)^2 - 38868373520 * a^{12} * b^{30} * \\
& c^{11} * e^{30} * f^{12} * (a^2 * c * f^2 - b^2 * c * e^2)^2 + 208447613600 * a^{14} * b^{28} * c^{11} * e^{28} \\
& * f^{14} * (a^2 * c * f^2 - b^2 * c * e^2)^2 - 579674999104 * a^{16} * b^{26} * c^{11} * e^{26} * f^{16} * (a^ \\
& 2 * c * f^2 - b^2 * c * e^2)^2 + 1104967566592 * a^{18} * b^{24} * c^{11} * e^{24} * f^{18} * (a^2 * c * f^2 \\
& - b^2 * c * e^2)^2 - 1554566531328 * a^{20} * b^{22} * c^{11} * e^{22} * f^{20} * (a^2 * c * f^2 - b^2 * c * \\
& e^2)^2 + 1659734381312 * a^{22} * b^{20} * c^{11} * e^{20} * f^{22} * (a^2 * c * f^2 - b^2 * c * e^2)^2 - \\
& 1356361512192 * a^{24} * b^{18} * c^{11} * e^{18} * f^{24} * (a^2 * c * f^2 - b^2 * c * e^2)^2 + 8453313 \\
& 59744 * a^{26} * b^{16} * c^{11} * e^{16} * f^{26} * (a^2 * c * f^2 - b^2 * c * e^2)^2 - 395676895232 * a^2 \\
& 8 * b^{14} * c^{11} * e^{14} * f^{28} * (a^2 * c * f^2 - b^2 * c * e^2)^2 + 134902689792 * a^{30} * b^{12} * c^ \\
& 11 * e^{12} * f^{30} * (a^2 * c * f^2 - b^2 * c * e^2)^2 - 31670587392 * a^{32} * b^{10} * c^{11} * e^{10} * f^ \\
& 32 * (a^2 * c * f^2 - b^2 * c * e^2)^2 + 4584669184 * a^{34} * b^8 * c^{11} * e^8 * f^{34} * (a^2 * c * f^2 \\
& - b^2 * c * e^2)^2 - 309657600 * a^{36} * b^6 * c^{11} * e^6 * f^{36} * (a^2 * c * f^2 - b^2 * c * e^2)^ \\
& 2) + (2 * a^4 * b^5 * c^3 * e^5 * f^4 * (4 * a^2 * c * f^2 - 3 * b^2 * c * e^2)^2 * ((16384 * (12 * C^4 * a \\
& ^{7/2}) * b^4 * c^3 * e^7 * (a * c)^{3/2}) + 48 * C^4 * a^{15/2} * c^3 * e^3 * f^4 * (a * c)^{3/2}) - \\
& 48 * C^4 * a^{11/2} * b^2 * c^3 * e^5 * f^2 * (a * c)^{3/2})) / (b^{13} * e^{12} * f^3 - 3 * a^2 * b^{11} * e \\
& ^{10} * f^5 + 3 * a^4 * b^9 * e^8 * f^7 - a^6 * b^7 * e^6 * f^9) + (16384 * C^4 * e^4 * (2 * a^2 * f^2
\end{aligned}$$

$$\begin{aligned}
& - b^2 e^2)^4 (5 a^{17/2} b^2 c^4 e^7 f^{14} (a c)^{5/2} + 6 a^{3/2} b^{10} c^5 e^9 f^6 (a c)^{3/2} - 5 a^{5/2} b^8 c^4 e^7 f^8 (a c)^{5/2} - 18 a^{7/2} b^8 c^5 e^7 f^8 (a c)^{3/2} + 15 a^{9/2} b^6 c^4 e^5 f^{10} (a c)^{5/2} + 18 a^{11/2} b^6 c^5 e^5 f^{10} (a c)^{3/2} - 15 a^{13/2} b^4 c^4 e^3 f^{12} (a c)^{5/2} - 6 a^{15/2} b^4 c^5 e^3 f^{12} (a c)^{3/2}) / (f^8 (a f + b e)^4 (a f - b e)^4 (a^2 c f^2 - b^2 c e^2)^2 (b^{13} e^{12} f^3 - 3 a^2 b^{11} e^{10} f^5 + 3 a^4 b^9 e^8 f^7 - a^6 b^7 e^6 f^9)) - (16384 C^2 e^2 (2 a^2 f^2 - b^2 e^2)^2 (20 C^2 a^{17/2} c^3 e^7 f^{10} (a c)^{5/2} - 3 C^2 a^{3/2} b^8 c^4 e^9 f^2 (a c)^{3/2} - 8 C^2 a^{5/2} b^6 c^3 e^7 f^4 (a c)^{5/2} + 11 C^2 a^{7/2} b^6 c^4 e^7 f^4 (a c)^{3/2} + 36 C^2 a^{9/2} b^4 c^3 e^5 f^6 (a c)^{5/2} - 20 C^2 a^{11/2} b^4 c^4 e^5 f^6 (a c)^{3/2} - 48 C^2 a^{13/2} b^2 c^3 e^3 f^8 (a c)^{5/2} + 12 C^2 a^{15/2} b^2 c^4 e^3 f^8 (a c)^{3/2}) / (f^4 (a f + b e)^2 (a f - b e)^2 (a^2 c f^2 - b^2 c e^2) (b^{13} e^{12} f^3 - 3 a^2 b^{11} e^{10} f^5 + 3 a^4 b^9 e^8 f^7 - a^6 b^7 e^6 f^9)) * (4 a^6 c f^6 - 3 b^6 c e^6 + 8 a^2 b^4 c e^4 f^2 - 8 a^4 b^2 c e^2 f^4)^4 / ((b^2 c e^2 - a^2 c f^2)^{1/2} * (164025 b^{46} c^{13} e^{46} + 885735 b^{44} c^{12} e^{44} (a^2 c f^2 - b^2 c e^2) + 117440512 a^{30} c^5 f^{30} (a^2 c f^2 - b^2 c e^2)^8 - 385875968 a^{32} c^6 f^{32} (a^2 c f^2 - b^2 c e^2)^7 + 419430400 a^{34} c^7 f^{34} (a^2 c f^2 - b^2 c e^2)^6 - 150994944 a^{36} c^8 f^{36} (a^2 c f^2 - b^2 c e^2)^5 + 236196 b^{36} c^8 e^{36} (a^2 c f^2 - b^2 c e^2)^5 + 1102248 b^{38} c^9 e^{38} (a^2 c f^2 - b^2 c e^2)^4 + 2053593 b^{40} c^{10} e^{40} (a^2 c f^2 - b^2 c e^2)^3 + 1909251 b^{42} c^{11} e^{42} (a^2 c f^2 - b^2 c e^2)^2 - 3937329 a^2 b^{44} c^{13} e^{44} f^2 + 43893819 a^4 b^{42} c^{13} e^{42} f^4 - 301507155 a^6 b^{40} c^{13} e^{40} f^6 + 1427514656 a^8 b^{38} c^{13} e^{38} f^8 - 4936911112 a^{10} b^{36} c^{13} e^{36} f^{10} + 12893273616 a^{12} b^{34} c^{13} e^{34} f^{12} - 25921630432 a^{14} b^{32} c^{13} e^{32} f^{14} + 40519286096 a^{16} b^{30} c^{13} e^{30} f^{16} - 49376608256 a^{18} b^{28} c^{13} e^{28} f^{18} + 46721401856 a^{20} b^{26} c^{13} e^{26} f^{20} - 33946324736 a^{22} b^{24} c^{13} e^{24} f^{22} + 18556579328 a^{24} b^{22} c^{13} e^{22} f^{24} - 7375276032 a^{26} b^{20} c^{13} e^{20} f^{26} + 2009817088 a^{28} b^{18} c^{13} e^{18} f^{28} - 335642624 a^{30} b^{16} c^{13} e^{16} f^{30} + 25907200 a^{32} b^{14} c^{13} e^{14} f^{32} - 21130794 a^2 b^{42} c^{12} e^{42} f^2 (a^2 c f^2 - b^2 c e^2) + 234399015 a^4 b^{40} c^{12} e^{40} f^4 (a^2 c f^2 - b^2 c e^2) - 1604168280 a^6 b^{38} c^{12} e^{38} f^6 (a^2 c f^2 - b^2 c e^2) + 7579098492 a^8 b^{36} c^{12} e^{36} f^8 (a^2 c f^2 - b^2 c e^2) - 26212380172 a^{10} b^{34} c^{12} e^{34} f^{10} (a^2 c f^2 - b^2 c e^2) + 68672994096 a^{12} b^{32} c^{12} e^{32} f^{12} (a^2 c f^2 - b^2 c e^2) - 139160589504 a^{14} b^{30} c^{12} e^{30} f^{14} (a^2 c f^2 - b^2 c e^2) + 220859191808 a^{16} b^{28} c^{12} e^{28} f^{16} (a^2 c f^2 - b^2 c e^2) - 276344315328 a^{18} b^{26} c^{12} e^{26} f^{18} (a^2 c f^2 - b^2 c e^2) + 273130561984 a^{20} b^{24} c^{12} e^{24} f^{20} (a^2 c f^2 - b^2 c e^2) - 212730002688 a^{22} b^{22} c^{12} e^{22} f^{22} (a^2 c f^2 - b^2 c e^2) + 129574234368 a^{24} b^{20} c^{12} e^{20} f^{24} (a^2 c f^2 - b^2 c e^2) - 60770569216 a^{26} b^{18} c^{12} e^{18} f^{26} (a^2 c f^2 - b^2 c e^2) + 21304706048 a^{28} b^{16} c^{12} e^{16} f^{28} (a^2 c f^2 - b^2 c e^2) - 5272965120 a^{30} b^{14} c^{12} e^{14} f^{30} (a^2 c f^2 - b^2 c e^2) + 819441664 a^{32} b^{12} c^{12} e^{12} f^{32} (a^2 c f^2 - b^2 c e^2) - 59392000 a^{34} b^{10} c^{12} e^{10} f^{34} (a^2 c f^2 - b^2 c e^2) + 9289728 a^6 b^{24} c^5 e^{24} f^6 (a^2 c f^2 - b^2 c e^2)^8 - 36884480 a^8 b^{22} c^5 e^{22} f^8 (a^2 c f^2 - b^2 c e^2)^8 - 278604800 a^{10} b^{20} c^5 e^{20} f^{10} (a^2 c f^2 - b^2 c e^2)^8 + 2774483200 a^{12} b^{18} c^5 e^{18} f^{12} (a^2 c f^2 - b^2 c e^2)^8 - 10869657600 a^{14} b^{16} c^5 e^{16} f^{14} (a^2 c f^2 - b^2 c e^2)^8 + 25237416960 a^{16} b^{14} c^5 e^{14} f^{16} (a^2 c f^2 - b^2 c e^2)^8 - 38348909568 a^{18} b^{12} c^5 e^{12} f^{18} (a^2 c f^2 - b^2 c e^2)^8 + 39084659712 a^{20} b^{10} c^5 e^{10} f^{20} (a^2 c f^2 - b^2 c e^2)^8 - 26118635520 a^{22} b^8 c^5 e^8 f^{22} (a^2 c f^2 - b^2 c e^2)^8 + 10414620672 a^{24} b^6 c^5 e^6 f^{24} (a^2 c f^2 - b^2 c e^2)^8 - 1708654592 a^{26} b^4 c^5 e^4 f^{26} (a^2 c f^2 - b^2 c e^2)^8 - 276561920 a^{28} b^2 c^5 e^2 f^{28} (a^2 c f^2 - b^2 c e^2)^8 - 9704448 a^4 b^{28} c^6 e^{28} f^4 (a^2 c f^2 - b^2 c e^2)^7 + 260614656 a^6 b^{26} c^6 e^{26} f^6 (a^2 c f^2 - b^2 c e^2)^7 - 216602464 a^8 b^{24} c^6 e^{24} f^8 (a^2 c f^2 - b^2 c e^2)^7 + 8626147840 a^{10} b^{22} c^6 e^{22} f^{10} (a^2 c f^2 - b^2 c e^2)^7 - 16771503616 a^{12} b^{20} c^6 e^{20} f^{12} (a^2 c f^2 - b^2 c e^2)^7 + 3301800960 a^{14} b^{18} c^6 e^{18} f^{14} (a^2 c f^2 - b^2 c e^2)^7 + 67337715968 a^{16} b^{16} c^6 e^{16} f^{16} (a^2 c f^2 - b^2 c e^2)^7
\end{aligned}$$

$$\begin{aligned}
& e^2)^7 - 189857873920*a^{18}*b^{14}*c^6*e^{14}*f^{18}*(a^2*c*f^2 - b^2*c*e^2)^7 + 86100259840*a^{20}*b^{12}*c^6*e^{12}*f^{20}*(a^2*c*f^2 - b^2*c*e^2)^7 - 27578989465 \\
& 6*a^{22}*b^{10}*c^6*e^{10}*f^{22}*(a^2*c*f^2 - b^2*c*e^2)^7 + 173716537344*a^{24}*b^8 \\
& *c^6*e^8*f^{24}*(a^2*c*f^2 - b^2*c*e^2)^7 - 67416424448*a^{26}*b^6*c^6*e^6*f^{26} \\
& *(a^2*c*f^2 - b^2*c*e^2)^7 + 12831686656*a^{28}*b^4*c^6*e^4*f^{28}*(a^2*c*f^2 - \\
& b^2*c*e^2)^7 + 222560256*a^{30}*b^2*c^6*e^2*f^{30}*(a^2*c*f^2 - b^2*c*e^2)^7 + \\
& 2099520*a^2*b^{32}*c^7*e^{32}*f^2*(a^2*c*f^2 - b^2*c*e^2)^6 - 107014608*a^4*b^ \\
& 30*c^7*e^{30}*f^4*(a^2*c*f^2 - b^2*c*e^2)^6 + 1848335616*a^6*b^{28}*c^7*e^{28}*f^ \\
& 6*(a^2*c*f^2 - b^2*c*e^2)^6 - 15200005312*a^8*b^{26}*c^7*e^{26}*f^8*(a^2*c*f^2 \\
& - b^2*c*e^2)^6 + 72612273792*a^{10}*b^{24}*c^7*e^{24}*f^{10}*(a^2*c*f^2 - b^2*c*e^2 \\
& )^6 - 221855779968*a^{12}*b^{22}*c^7*e^{22}*f^{12}*(a^2*c*f^2 - b^2*c*e^2)^6 + 4507 \\
& 17857536*a^{14}*b^{20}*c^7*e^{20}*f^{14}*(a^2*c*f^2 - b^2*c*e^2)^6 - 600578910208*a \\
& ^{16}*b^{18}*c^7*e^{18}*f^{16}*(a^2*c*f^2 - b^2*c*e^2)^6 + 459464530688*a^{18}*b^{16}*c \\
& ^7*e^{16}*f^{18}*(a^2*c*f^2 - b^2*c*e^2)^6 - 33638947840*a^{20}*b^{14}*c^7*e^{14}*f^{20} \\
& *(a^2*c*f^2 - b^2*c*e^2)^6 - 376299926528*a^{22}*b^{12}*c^7*e^{12}*f^{22}*(a^2*c*f \\
& ^2 - b^2*c*e^2)^6 + 488874068992*a^{24}*b^{10}*c^7*e^{10}*f^{24}*(a^2*c*f^2 - b^2*c \\
& *e^2)^6 - 333407809536*a^{26}*b^8*c^7*e^8*f^{26}*(a^2*c*f^2 - b^2*c*e^2)^6 + 13 \\
& 4140313600*a^{28}*b^6*c^7*e^6*f^{28}*(a^2*c*f^2 - b^2*c*e^2)^6 - 28220915712*a^ \\
& 30*b^4*c^7*e^4*f^{30}*(a^2*c*f^2 - b^2*c*e^2)^6 + 1230503936*a^{32}*b^2*c^7*e^2 \\
& *f^{32}*(a^2*c*f^2 - b^2*c*e^2)^6 + 3335904*a^2*b^{34}*c^8*e^{34}*f^2*(a^2*c*f^2 \\
& - b^2*c*e^2)^5 - 290521728*a^4*b^{32}*c^8*e^{32}*f^4*(a^2*c*f^2 - b^2*c*e^2)^5 \\
& + 4865684544*a^6*b^{30}*c^8*e^{30}*f^6*(a^2*c*f^2 - b^2*c*e^2)^5 - 40437394528* \\
& a^8*b^{28}*c^8*e^{28}*f^8*(a^2*c*f^2 - b^2*c*e^2)^5 + 205602254656*a^{10}*b^{26}*c^ \\
& 8*e^{26}*f^{10}*(a^2*c*f^2 - b^2*c*e^2)^5 - 703885344192*a^{12}*b^{24}*c^8*e^{24}*f^{12} \\
& *(a^2*c*f^2 - b^2*c*e^2)^5 + 1709253482624*a^{14}*b^{22}*c^8*e^{22}*f^{14}*(a^2*c* \\
& f^2 - b^2*c*e^2)^5 - 3029282695168*a^{16}*b^{20}*c^8*e^{20}*f^{16}*(a^2*c*f^2 - b^2 \\
& *c*e^2)^5 + 3966230827520*a^{18}*b^{18}*c^8*e^{18}*f^{18}*(a^2*c*f^2 - b^2*c*e^2)^5 \\
& - 3822339813632*a^{20}*b^{16}*c^8*e^{16}*f^{20}*(a^2*c*f^2 - b^2*c*e^2)^5 + 264043 \\
& 8056960*a^{22}*b^{14}*c^8*e^{14}*f^{22}*(a^2*c*f^2 - b^2*c*e^2)^5 - 1208501415936*a \\
& ^{24}*b^{12}*c^8*e^{12}*f^{24}*(a^2*c*f^2 - b^2*c*e^2)^5 + 269338092544*a^{26}*b^{10}*c \\
& ^8*e^{10}*f^{26}*(a^2*c*f^2 - b^2*c*e^2)^5 + 53783212032*a^{28}*b^8*c^8*e^8*f^{28} \\
& *(a^2*c*f^2 - b^2*c*e^2)^5 - 60985360384*a^{30}*b^6*c^8*e^6*f^{30}*(a^2*c*f^2 - \\
& b^2*c*e^2)^5 + 17917083648*a^{32}*b^4*c^8*e^4*f^{32}*(a^2*c*f^2 - b^2*c*e^2)^5 \\
& - 1558708224*a^{34}*b^2*c^8*e^2*f^{34}*(a^2*c*f^2 - b^2*c*e^2)^5 - 11917692*a^{2 \\
& }*b^{36}*c^9*e^{36}*f^2*(a^2*c*f^2 - b^2*c*e^2)^4 - 224907516*a^4*b^{34}*c^9*e^{34} \\
& *f^4*(a^2*c*f^2 - b^2*c*e^2)^4 + 5303932560*a^6*b^{32}*c^9*e^{32}*f^6*(a^2*c*f^2 \\
& - b^2*c*e^2)^4 - 48206418480*a^8*b^{30}*c^9*e^{30}*f^8*(a^2*c*f^2 - b^2*c*e^2) \\
& ^4 + 261450609120*a^{10}*b^{28}*c^9*e^{28}*f^{10}*(a^2*c*f^2 - b^2*c*e^2)^4 - 96236 \\
& 1040256*a^{12}*b^{26}*c^9*e^{26}*f^{12}*(a^2*c*f^2 - b^2*c*e^2)^4 + 2558559358080*a \\
& ^{14}*b^{24}*c^9*e^{24}*f^{14}*(a^2*c*f^2 - b^2*c*e^2)^4 - 5091804150656*a^{16}*b^{22} \\
& *c^9*e^{22}*f^{16}*(a^2*c*f^2 - b^2*c*e^2)^4 + 7750806514944*a^{18}*b^{20}*c^9*e^{20} \\
& *f^{18}*(a^2*c*f^2 - b^2*c*e^2)^4 - 9137207485952*a^{20}*b^{18}*c^9*e^{18}*f^{20}*(a^2 \\
& *c*f^2 - b^2*c*e^2)^4 + 8384563280128*a^{22}*b^{16}*c^9*e^{16}*f^{22}*(a^2*c*f^2 - \\
& b^2*c*e^2)^4 - 5975281259520*a^{24}*b^{14}*c^9*e^{14}*f^{24}*(a^2*c*f^2 - b^2*c*e^2 \\
& )^4 + 3269297268736*a^{26}*b^{12}*c^9*e^{12}*f^{26}*(a^2*c*f^2 - b^2*c*e^2)^4 - 133 \\
& 9171540992*a^{28}*b^{10}*c^9*e^{10}*f^{28}*(a^2*c*f^2 - b^2*c*e^2)^4 + 391250194432 \\
& *a^{30}*b^8*c^9*e^8*f^{30}*(a^2*c*f^2 - b^2*c*e^2)^4 - 74114154496*a^{32}*b^6*c^9 \\
& *e^6*f^{32}*(a^2*c*f^2 - b^2*c*e^2)^4 + 7299203072*a^{34}*b^4*c^9*e^4*f^{34}*(a^2 \\
& *c*f^2 - b^2*c*e^2)^4 - 148635648*a^{36}*b^2*c^9*e^2*f^{36}*(a^2*c*f^2 - b^2*c* \\
& e^2)^4 - 38704068*a^2*b^{38}*c^{10}*e^{38}*f^2*(a^2*c*f^2 - b^2*c*e^2)^3 + 188845 \\
& 992*a^4*b^{36}*c^{10}*e^{36}*f^4*(a^2*c*f^2 - b^2*c*e^2)^3 + 1157124204*a^6*b^{34} \\
& *c^{10}*e^{34}*f^6*(a^2*c*f^2 - b^2*c*e^2)^3 - 20586361424*a^8*b^{32}*c^{10}*e^{32}*f^ \\
& 8*(a^2*c*f^2 - b^2*c*e^2)^3 + 135395499200*a^{10}*b^{30}*c^{10}*e^{30}*f^{10}*(a^2*c* \\
& f^2 - b^2*c*e^2)^3 - 555513858464*a^{12}*b^{28}*c^{10}*e^{28}*f^{12}*(a^2*c*f^2 - b^2 \\
& *c*e^2)^3 + 1608776388864*a^{14}*b^{26}*c^{10}*e^{26}*f^{14}*(a^2*c*f^2 - b^2*c*e^2)^ \\
& 3 - 3473989271488*a^{16}*b^{24}*c^{10}*e^{24}*f^{16}*(a^2*c*f^2 - b^2*c*e^2)^3 + 5766 \\
& 181411456*a^{18}*b^{22}*c^{10}*e^{22}*f^{18}*(a^2*c*f^2 - b^2*c*e^2)^3 - 749398320947 \\
& 2*a^{20}*b^{20}*c^{10}*e^{20}*f^{20}*(a^2*c*f^2 - b^2*c*e^2)^3 + 7713917084672*a^{22}*b \\
& ^{18}*c^{10}*e^{18}*f^{22}*(a^2*c*f^2 - b^2*c*e^2)^3 - 6328467293184*a^{24}*b^{16}*c^{10}
\end{aligned}$$

$$\begin{aligned}
& e^{16}f^{24}(a^2c^2f^2 - b^2c^2e^2)^3 + 4142950034432a^{26}b^{14}c^{10}e^{14}f^{26}(a^2c^2f^2 - b^2c^2e^2)^3 - 2152681536512a^{28}b^{12}c^{10}e^{12}f^{28}(a^2c^2f^2 - b^2c^2e^2)^3 + 874199511040a^{30}b^{10}c^{10}e^{10}f^{30}(a^2c^2f^2 - b^2c^2e^2)^3 - 268759150592a^{32}b^8c^{10}e^8f^{32}(a^2c^2f^2 - b^2c^2e^2)^3 \\
& + 58872545280a^{34}b^6c^{10}e^6f^{34}(a^2c^2f^2 - b^2c^2e^2)^3 - 8151957504a^{36}b^4c^{10}e^4f^{36}(a^2c^2f^2 - b^2c^2e^2)^3 + 530841600a^{38}b^2c^{10}e^2f^{38}(a^2c^2f^2 - b^2c^2e^2)^3 - 42743457a^{40}b^0c^{11}e^{40}f^{40}(a^2c^2f^2 - b^2c^2e^2)^2 + 411055884a^{42}b^{-2}c^{11}e^{38}f^{42}(a^2c^2f^2 - b^2c^2e^2)^2 - 2180887236a^{44}b^{-4}c^{11}e^{36}f^{44}(a^2c^2f^2 - b^2c^2e^2)^2 + 6404946508a^{46}b^{-6}c^{11}e^{34}f^{46}(a^2c^2f^2 - b^2c^2e^2)^2 - 5434005264a^{48}b^{-8}c^{11}e^{32}f^{48}(a^2c^2f^2 - b^2c^2e^2)^2 - 38868373520a^{50}b^{-10}c^{11}e^{30}f^{50}(a^2c^2f^2 - b^2c^2e^2)^2 + 208447613600a^{52}b^{-12}c^{11}e^{28}f^{52}(a^2c^2f^2 - b^2c^2e^2)^2 - 579674999104a^{54}b^{-14}c^{11}e^{26}f^{54}(a^2c^2f^2 - b^2c^2e^2)^2 + 1104967566592a^{56}b^{-16}c^{11}e^{24}f^{56}(a^2c^2f^2 - b^2c^2e^2)^2 - 1554566531328a^{58}b^{-18}c^{11}e^{22}f^{58}(a^2c^2f^2 - b^2c^2e^2)^2 + 1659734381312a^{60}b^{-20}c^{11}e^{20}f^{60}(a^2c^2f^2 - b^2c^2e^2)^2 - 1356361512192a^{62}b^{-22}c^{11}e^{18}f^{62}(a^2c^2f^2 - b^2c^2e^2)^2 + 845331359744a^{64}b^{-24}c^{11}e^{16}f^{64}(a^2c^2f^2 - b^2c^2e^2)^2 - 395676895232a^{66}b^{-26}c^{11}e^{14}f^{66}(a^2c^2f^2 - b^2c^2e^2)^2 + 134902689792a^{68}b^{-28}c^{11}e^{12}f^{68}(a^2c^2f^2 - b^2c^2e^2)^2 - 31670587392a^{70}b^{-30}c^{11}e^{10}f^{70}(a^2c^2f^2 - b^2c^2e^2)^2 + 4584669184a^{72}b^{-32}c^{11}e^8f^{72}(a^2c^2f^2 - b^2c^2e^2)^2 - 309657600a^{74}b^{-34}c^{11}e^6f^{74}(a^2c^2f^2 - b^2c^2e^2)^2 + (2a^{3/2}b^5c^5e^5f^3((16384C^3e^3(2a^2f^2 - b^2e^2)^3(20Ca^12c^6f^13 + 22Ca^4b^8c^6e^8f^5 - 88Ca^6b^6c^6e^6f^7 + 130Ca^8b^4c^6e^4f^9 - 84Ca^10b^2c^6e^2f^11)))/(f^6(a^2f^2 - b^2e^2)^3(a^2f^2 - b^2e^2)^3(b^2c^2e^2 - a^2c^2f^2)^{3/2})(b^13e^12f^3 - 3a^2b^11e^10f^5 + 3a^4b^9e^8f^7 - a^6b^7e^6f^9)) + (16384C^3e^3(2a^2f^2 - b^2e^2)^3(96C^3a^10c^5e^2f^7 - 28C^3a^4b^6c^5e^8f + 132C^3a^6b^4c^5e^6f^3 - 200C^3a^8b^2c^5e^4f^5)))/(f^2(a^2f^2 - b^2e^2)(a^2f^2 - b^2e^2)(b^2c^2e^2 - a^2c^2f^2)^{1/2})(b^13e^12f^3 - 3a^2b^11e^10f^5 + 3a^4b^9e^8f^7 - a^6b^7e^6f^9)))(a^2c^2f^2 - b^2c^2e^2)^{3/2}(4a^2c^2f^2 - b^2c^2e^2)(4a^2c^2f^2 - 3b^2c^2e^2)(4a^6c^2f^6 - 3b^6c^2e^6 + 8a^2b^4c^2e^4f^2 - 8a^4b^2c^2e^2f^4)^4)/(164025b^46c^13e^46 + 885735b^44c^12e^44(a^2c^2f^2 - b^2c^2e^2) + 117440512a^30c^5f^30(a^2c^2f^2 - b^2c^2e^2)^8 - 385875968a^32c^6f^32(a^2c^2f^2 - b^2c^2e^2)^7 + 419430400a^34c^7f^34(a^2c^2f^2 - b^2c^2e^2)^6 - 150994944a^36c^8f^36(a^2c^2f^2 - b^2c^2e^2)^5 + 236196b^36c^8e^36(a^2c^2f^2 - b^2c^2e^2)^5 + 1102248b^38c^9e^38(a^2c^2f^2 - b^2c^2e^2)^4 + 2053593b^40c^10e^40(a^2c^2f^2 - b^2c^2e^2)^3 + 1909251b^42c^11e^42(a^2c^2f^2 - b^2c^2e^2)^2 - 3937329a^2b^44c^13e^44f^2 + 43893819a^4b^42c^13e^42f^4 - 301507155a^6b^40c^13e^40f^6 + 1427514656a^8b^38c^13e^38f^8 - 4936911112a^10b^36c^13e^36f^10 + 12893273616a^12b^34c^13e^34f^12 - 25921630432a^14b^32c^13e^32f^14 + 40519286096a^16b^30c^13e^30f^16 - 49376608256a^18b^28c^13e^28f^18 + 46721401856a^20b^26c^13e^26f^20 - 33946324736a^22b^24c^13e^24f^22 + 18556579328a^24b^22c^13e^22f^24 - 7375276032a^26b^20c^13e^20f^26 + 2009817088a^28b^18c^13e^18f^28 - 335642624a^30b^16c^13e^16f^30 + 25907200a^32b^14c^13e^14f^32 - 21130794a^2b^42c^12e^42f^2(a^2c^2f^2 - b^2c^2e^2) + 234399015a^4b^40c^12e^40f^4(a^2c^2f^2 - b^2c^2e^2) - 1604168280a^6b^38c^12e^38f^6(a^2c^2f^2 - b^2c^2e^2) + 7579098492a^8b^36c^12e^36f^8(a^2c^2f^2 - b^2c^2e^2) - 26212380172a^10b^34c^12e^34f^10(a^2c^2f^2 - b^2c^2e^2) + 68672994096a^12b^32c^12e^32f^12(a^2c^2f^2 - b^2c^2e^2) - 139160589504a^14b^30c^12e^30f^14(a^2c^2f^2 - b^2c^2e^2) + 220859191808a^16b^28c^12e^28f^16(a^2c^2f^2 - b^2c^2e^2) - 276344315328a^18b^26c^12e^26f^18(a^2c^2f^2 - b^2c^2e^2) + 273130561984a^20b^24c^12e^24f^20(a^2c^2f^2 - b^2c^2e^2) - 212730002688a^22b^22c^12e^22f^22(a^2c^2f^2 - b^2c^2e^2) + 129574234368a^24b^20c^12e^20f^24(a^2c^2f^2 - b^2c^2e^2) - 60770569216a^26b^18c^12e^18f^26(a^2c^2f^2 - b^2c^2e^2) + 21304706048a^28b^16c^12e^16f^28(a^2c^2f^2 - b^2c^2e^2) - 5272965120a^30b^14c^12e^14f^30(a^2c^2f^2 - b^2c^2e^2)
\end{aligned}$$

$$\begin{aligned}
& ^2) + 819441664*a^{32}*b^{12}*c^{12}*e^{12}*f^{32}*(a^2*c*f^2 - b^2*c*e^2) - 59392000 \\
& *a^{34}*b^{10}*c^{12}*e^{10}*f^{34}*(a^2*c*f^2 - b^2*c*e^2) + 9289728*a^6*b^{24}*c^5*e^ \\
& 24*f^6*(a^2*c*f^2 - b^2*c*e^2)^8 - 36884480*a^8*b^{22}*c^5*e^{22}*f^8*(a^2*c*f^ \\
& 2 - b^2*c*e^2)^8 - 278604800*a^{10}*b^{20}*c^5*e^{20}*f^{10}*(a^2*c*f^2 - b^2*c*e^2 \\
& )^8 + 2774483200*a^{12}*b^{18}*c^5*e^{18}*f^{12}*(a^2*c*f^2 - b^2*c*e^2)^8 - 108696 \\
& 57600*a^{14}*b^{16}*c^5*e^{16}*f^{14}*(a^2*c*f^2 - b^2*c*e^2)^8 + 25237416960*a^{16}* \\
& b^{14}*c^5*e^{14}*f^{16}*(a^2*c*f^2 - b^2*c*e^2)^8 - 38348909568*a^{18}*b^{12}*c^5*e^ \\
& 12*f^{18}*(a^2*c*f^2 - b^2*c*e^2)^8 + 39084659712*a^{20}*b^{10}*c^5*e^{10}*f^{20}*(a^ \\
& 2*c*f^2 - b^2*c*e^2)^8 - 26118635520*a^{22}*b^8*c^5*e^8*f^{22}*(a^2*c*f^2 - b^2 \\
& *c*e^2)^8 + 10414620672*a^{24}*b^6*c^5*e^6*f^{24}*(a^2*c*f^2 - b^2*c*e^2)^8 - 1 \\
& 708654592*a^{26}*b^4*c^5*e^4*f^{26}*(a^2*c*f^2 - b^2*c*e^2)^8 - 276561920*a^{28}* \\
& b^2*c^5*e^2*f^{28}*(a^2*c*f^2 - b^2*c*e^2)^8 - 9704448*a^4*b^{28}*c^6*e^{28}*f^4* \\
& (a^2*c*f^2 - b^2*c*e^2)^7 + 260614656*a^6*b^{26}*c^6*e^{26}*f^6*(a^2*c*f^2 - b^ \\
& 2*c*e^2)^7 - 2166022464*a^8*b^{24}*c^6*e^{24}*f^8*(a^2*c*f^2 - b^2*c*e^2)^7 + 8 \\
& 626147840*a^{10}*b^{22}*c^6*e^{22}*f^{10}*(a^2*c*f^2 - b^2*c*e^2)^7 - 16771503616*a \\
& ^{12}*b^{20}*c^6*e^{20}*f^{12}*(a^2*c*f^2 - b^2*c*e^2)^7 + 3301800960*a^{14}*b^{18}*c^6 \\
& *e^{18}*f^{14}*(a^2*c*f^2 - b^2*c*e^2)^7 + 67337715968*a^{16}*b^{16}*c^6*e^{16}*f^{16}* \\
& (a^2*c*f^2 - b^2*c*e^2)^7 - 189857873920*a^{18}*b^{14}*c^6*e^{14}*f^{18}*(a^2*c*f^2 \\
& - b^2*c*e^2)^7 + 286100259840*a^{20}*b^{12}*c^6*e^{12}*f^{20}*(a^2*c*f^2 - b^2*c*e \\
& ^2)^7 - 275789894656*a^{22}*b^{10}*c^6*e^{10}*f^{22}*(a^2*c*f^2 - b^2*c*e^2)^7 + 17 \\
& 3716537344*a^{24}*b^8*c^6*e^8*f^{24}*(a^2*c*f^2 - b^2*c*e^2)^7 - 67416424448*a^ \\
& 26*b^6*c^6*e^6*f^{26}*(a^2*c*f^2 - b^2*c*e^2)^7 + 12831686656*a^{28}*b^4*c^6*e^ \\
& 4*f^{28}*(a^2*c*f^2 - b^2*c*e^2)^7 + 222560256*a^{30}*b^2*c^6*e^2*f^{30}*(a^2*c*f \\
& ^2 - b^2*c*e^2)^7 + 2099520*a^2*b^{32}*c^7*e^{32}*f^2*(a^2*c*f^2 - b^2*c*e^2)^6 \\
& - 107014608*a^4*b^{30}*c^7*e^{30}*f^4*(a^2*c*f^2 - b^2*c*e^2)^6 + 1848335616*a \\
& ^6*b^{28}*c^7*e^{28}*f^6*(a^2*c*f^2 - b^2*c*e^2)^6 - 15200005312*a^8*b^{26}*c^7*e \\
& ^26*f^8*(a^2*c*f^2 - b^2*c*e^2)^6 + 72612273792*a^{10}*b^{24}*c^7*e^{24}*f^{10}*(a^ \\
& 2*c*f^2 - b^2*c*e^2)^6 - 221855779968*a^{12}*b^{22}*c^7*e^{22}*f^{12}*(a^2*c*f^2 - \\
& b^2*c*e^2)^6 + 450717857536*a^{14}*b^{20}*c^7*e^{20}*f^{14}*(a^2*c*f^2 - b^2*c*e^2) \\
& ^6 - 600578910208*a^{16}*b^{18}*c^7*e^{18}*f^{16}*(a^2*c*f^2 - b^2*c*e^2)^6 + 45946 \\
& 4530688*a^{18}*b^{16}*c^7*e^{16}*f^{18}*(a^2*c*f^2 - b^2*c*e^2)^6 - 33638947840*a^2 \\
& 0*b^{14}*c^7*e^{14}*f^{20}*(a^2*c*f^2 - b^2*c*e^2)^6 - 376299926528*a^{22}*b^{12}*c^7 \\
& *e^{12}*f^{22}*(a^2*c*f^2 - b^2*c*e^2)^6 + 488874068992*a^{24}*b^{10}*c^7*e^{10}*f^{24} \\
& *(a^2*c*f^2 - b^2*c*e^2)^6 - 333407809536*a^{26}*b^8*c^7*e^8*f^{26}*(a^2*c*f^2 \\
& - b^2*c*e^2)^6 + 134140313600*a^{28}*b^6*c^7*e^6*f^{28}*(a^2*c*f^2 - b^2*c*e^2) \\
& ^6 - 28220915712*a^{30}*b^4*c^7*e^4*f^{30}*(a^2*c*f^2 - b^2*c*e^2)^6 + 12305039 \\
& 36*a^{32}*b^2*c^7*e^2*f^{32}*(a^2*c*f^2 - b^2*c*e^2)^6 + 3335904*a^2*b^{34}*c^8*e \\
& ^34*f^2*(a^2*c*f^2 - b^2*c*e^2)^5 - 290521728*a^4*b^{32}*c^8*e^{32}*f^4*(a^2*c* \\
& f^2 - b^2*c*e^2)^5 + 4865684544*a^6*b^{30}*c^8*e^{30}*f^6*(a^2*c*f^2 - b^2*c*e^ \\
& 2)^5 - 40437394528*a^8*b^{28}*c^8*e^{28}*f^8*(a^2*c*f^2 - b^2*c*e^2)^5 + 205602 \\
& 254656*a^{10}*b^{26}*c^8*e^{26}*f^{10}*(a^2*c*f^2 - b^2*c*e^2)^5 - 703885344192*a^1 \\
& 2*b^{24}*c^8*e^{24}*f^{12}*(a^2*c*f^2 - b^2*c*e^2)^5 + 1709253482624*a^{14}*b^{22}*c^ \\
& 8*e^{22}*f^{14}*(a^2*c*f^2 - b^2*c*e^2)^5 - 3029282695168*a^{16}*b^{20}*c^8*e^{20}*f^ \\
& 16*(a^2*c*f^2 - b^2*c*e^2)^5 + 3966230827520*a^{18}*b^{18}*c^8*e^{18}*f^{18}*(a^2*c \\
& *f^2 - b^2*c*e^2)^5 - 3822339813632*a^{20}*b^{16}*c^8*e^{16}*f^{20}*(a^2*c*f^2 - b^ \\
& 2*c*e^2)^5 + 2640438056960*a^{22}*b^{14}*c^8*e^{14}*f^{22}*(a^2*c*f^2 - b^2*c*e^2)^ \\
& 5 - 1208501415936*a^{24}*b^{12}*c^8*e^{12}*f^{24}*(a^2*c*f^2 - b^2*c*e^2)^5 + 26933 \\
& 8092544*a^{26}*b^{10}*c^8*e^{10}*f^{26}*(a^2*c*f^2 - b^2*c*e^2)^5 + 53783212032*a^2 \\
& 8*b^8*c^8*e^8*f^{28}*(a^2*c*f^2 - b^2*c*e^2)^5 - 60985360384*a^{30}*b^6*c^8*e^6 \\
& *f^{30}*(a^2*c*f^2 - b^2*c*e^2)^5 + 17917083648*a^{32}*b^4*c^8*e^4*f^{32}*(a^2*c* \\
& f^2 - b^2*c*e^2)^5 - 1558708224*a^{34}*b^2*c^8*e^2*f^{34}*(a^2*c*f^2 - b^2*c*e^ \\
& 2)^5 - 11917692*a^2*b^{36}*c^9*e^{36}*f^2*(a^2*c*f^2 - b^2*c*e^2)^4 - 224907516 \\
& *a^4*b^{34}*c^9*e^{34}*f^4*(a^2*c*f^2 - b^2*c*e^2)^4 + 5303932560*a^6*b^{32}*c^9* \\
& e^{32}*f^6*(a^2*c*f^2 - b^2*c*e^2)^4 - 48206418480*a^8*b^{30}*c^9*e^{30}*f^8*(a^2 \\
& *c*f^2 - b^2*c*e^2)^4 + 261450609120*a^{10}*b^{28}*c^9*e^{28}*f^{10}*(a^2*c*f^2 - b \\
& ^2*c*e^2)^4 - 962361040256*a^{12}*b^{26}*c^9*e^{26}*f^{12}*(a^2*c*f^2 - b^2*c*e^2)^ \\
& 4 + 2558559358080*a^{14}*b^{24}*c^9*e^{24}*f^{14}*(a^2*c*f^2 - b^2*c*e^2)^4 - 50918 \\
& 04150656*a^{16}*b^{22}*c^9*e^{22}*f^{16}*(a^2*c*f^2 - b^2*c*e^2)^4 + 7750806514944* \\
& a^{18}*b^{20}*c^9*e^{20}*f^{18}*(a^2*c*f^2 - b^2*c*e^2)^4 - 9137207485952*a^{20}*b^{18}
\end{aligned}$$

$$\begin{aligned}
& *c^9e^{18}f^{20}(a^2c^2f^2 - b^2c^2e^2)^4 + 8384563280128a^{22}b^{16}c^9e^{16} \\
& *f^{22}(a^2c^2f^2 - b^2c^2e^2)^4 - 5975281259520a^{24}b^{14}c^9e^{14}f^{24}(a^2 \\
& *c^2f^2 - b^2c^2e^2)^4 + 3269297268736a^{26}b^{12}c^9e^{12}f^{26}(a^2c^2f^2 - \\
& b^2c^2e^2)^4 - 1339171540992a^{28}b^{10}c^9e^{10}f^{28}(a^2c^2f^2 - b^2c^2e^2 \\
& )^4 + 391250194432a^{30}b^8c^9e^8f^{30}(a^2c^2f^2 - b^2c^2e^2)^4 - 74114 \\
& 154496a^{32}b^6c^9e^6f^{32}(a^2c^2f^2 - b^2c^2e^2)^4 + 7299203072a^{34}b^4 \\
& c^9e^4f^{34}(a^2c^2f^2 - b^2c^2e^2)^4 - 148635648a^{36}b^2c^9e^2f^{36} \\
& (a^2c^2f^2 - b^2c^2e^2)^4 - 38704068a^2b^{38}c^{10}e^{38}f^{2}(a^2c^2f^2 - b^2 \\
& c^2e^2)^3 + 188845992a^4b^{36}c^{10}e^{36}f^4(a^2c^2f^2 - b^2c^2e^2)^3 + 1 \\
& 157124204a^6b^{34}c^{10}e^{34}f^6(a^2c^2f^2 - b^2c^2e^2)^3 - 20586361424a^8 \\
& b^{32}c^{10}e^{32}f^8(a^2c^2f^2 - b^2c^2e^2)^3 + 135395499200a^{10}b^{30}c^{10} \\
& e^{30}f^{10}(a^2c^2f^2 - b^2c^2e^2)^3 - 555513858464a^{12}b^{28}c^{10}e^{28}f^{12} \\
& (a^2c^2f^2 - b^2c^2e^2)^3 + 1608776388864a^{14}b^{26}c^{10}e^{26}f^{14}(a^2c^2 \\
& f^2 - b^2c^2e^2)^3 - 3473989271488a^{16}b^{24}c^{10}e^{24}f^{16}(a^2c^2f^2 - \\
& b^2c^2e^2)^3 + 5766181411456a^{18}b^{22}c^{10}e^{22}f^{18}(a^2c^2f^2 - b^2c^2e^2 \\
& )^3 - 7493983209472a^{20}b^{20}c^{10}e^{20}f^{20}(a^2c^2f^2 - b^2c^2e^2)^3 + 7 \\
& 713917084672a^{22}b^{18}c^{10}e^{18}f^{22}(a^2c^2f^2 - b^2c^2e^2)^3 - 632846729 \\
& 3184a^{24}b^{16}c^{10}e^{16}f^{24}(a^2c^2f^2 - b^2c^2e^2)^3 + 4142950034432a^{26} \\
& b^{14}c^{10}e^{14}f^{26}(a^2c^2f^2 - b^2c^2e^2)^3 - 2152681536512a^{28}b^{12}c^{10} \\
& e^{12}f^{28}(a^2c^2f^2 - b^2c^2e^2)^3 + 874199511040a^{30}b^{10}c^{10}e^{10}f^{30} \\
& (a^2c^2f^2 - b^2c^2e^2)^3 - 268759150592a^{32}b^8c^{10}e^8f^{32}(a^2c^2 \\
& f^2 - b^2c^2e^2)^3 + 58872545280a^{34}b^6c^{10}e^6f^{34}(a^2c^2f^2 - b^2c^2 \\
& e^2)^3 - 8151957504a^{36}b^4c^{10}e^4f^{36}(a^2c^2f^2 - b^2c^2e^2)^3 + 530 \\
& 841600a^{38}b^2c^{10}e^2f^{38}(a^2c^2f^2 - b^2c^2e^2)^3 - 42743457a^2b^{40} \\
& c^{11}e^{40}f^2(a^2c^2f^2 - b^2c^2e^2)^2 + 411055884a^4b^{38}c^{11}e^{38}f^4 \\
& (a^2c^2f^2 - b^2c^2e^2)^2 - 2180887236a^6b^{36}c^{11}e^{36}f^6(a^2c^2f^2 - \\
& b^2c^2e^2)^2 + 6404946508a^8b^{34}c^{11}e^{34}f^8(a^2c^2f^2 - b^2c^2e^2)^2 \\
& - 5434005264a^{10}b^{32}c^{11}e^{32}f^{10}(a^2c^2f^2 - b^2c^2e^2)^2 - 38868373 \\
& 520a^{12}b^{30}c^{11}e^{30}f^{12}(a^2c^2f^2 - b^2c^2e^2)^2 + 208447613600a^{14}b^{28} \\
& c^{11}e^{28}f^{14}(a^2c^2f^2 - b^2c^2e^2)^2 - 579674999104a^{16}b^{26}c^{11} \\
& e^{26}f^{16}(a^2c^2f^2 - b^2c^2e^2)^2 + 1104967566592a^{18}b^{24}c^{11}e^{24}f^{18} \\
& (a^2c^2f^2 - b^2c^2e^2)^2 - 1554566531328a^{20}b^{22}c^{11}e^{22}f^{20}(a^2c^2 \\
& f^2 - b^2c^2e^2)^2 + 1659734381312a^{22}b^{20}c^{11}e^{20}f^{22}(a^2c^2f^2 - \\
& b^2c^2e^2)^2 - 1356361512192a^{24}b^{18}c^{11}e^{18}f^{24}(a^2c^2f^2 - b^2c^2e^2 \\
& )^2 + 845331359744a^{26}b^{16}c^{11}e^{16}f^{26}(a^2c^2f^2 - b^2c^2e^2)^2 - 39 \\
& 5676895232a^{28}b^{14}c^{11}e^{14}f^{28}(a^2c^2f^2 - b^2c^2e^2)^2 + 13490268979 \\
& 2a^{30}b^{12}c^{11}e^{12}f^{30}(a^2c^2f^2 - b^2c^2e^2)^2 - 31670587392a^{32}b^{10} \\
& c^{11}e^{10}f^{32}(a^2c^2f^2 - b^2c^2e^2)^2 + 4584669184a^{34}b^8c^{11}e^8f^{34} \\
& (a^2c^2f^2 - b^2c^2e^2)^2 - 309657600a^{36}b^6c^{11}e^6f^{36}(a^2c^2f^2 - \\
& b^2c^2e^2)^2) - (4a^{(3/2)}b^6c^2e^6f^3(a^2c^2f^2 - b^2c^2e^2)^2) - (4a^{(3/2)}b^6 \\
& c^2e^6f^3(a^2c^2f^2 - 3b^2c^2e^2)^2) * ((4096*(112C^4a^4b^8c^4e^10 + 448 \\
& *C^4a^12c^4e^2f^8 - 668C^4a^6b^6c^4e^8f^2 + 1440C^4a^8b^4c^4e^6f^4 - 1328C^4 \\
& a^10b^2c^4e^4f^6)) / (b^16e^14f^4 - 4a^2b^14e^12f^6 + 6a^4b^12e^10f^8 - 4a^6b^10 \\
& e^8f^10 + a^8b^8e^6f^12) + (4096 * C^4e^4(2a^2f^2 - b^2e^2)^4 * (9a^2b^14c^6e^12f^6 - \\
& 47a^4b^12c^6e^10f^8 + 98a^6b^10c^6e^8f^10 - 102a^8b^8c^6e^6f^12 + 53a^10b^6 \\
& c^6e^4f^14 - 11a^12b^4c^6e^2f^16)) / (f^8(a^2c^2f^2 - b^2c^2e^2)^4 * (a^2c^2f^2 - \\
& b^2c^2e^2)^2 * (b^16e^14f^4 - 4a^2b^14e^12f^6 + 6a^4b^12e^10f^8 - 4a^6b^10e^8f^10 \\
& + a^8b^8e^6f^12)) + (4096C^2e^2(2a^2f^2 - b^2e^2)^2 * (9C^2a^2b^12c^5e^12f^2 - \\
& 144C^2a^14c^5f^14 + 74C^2a^4b^10c^5e^10f^4 - 519C^2a^6b^8c^5e^8f^6 + 1168C^2a^8b^6 \\
& c^5e^6f^8 - 1264C^2a^10b^4c^5e^4f^10 + 676C^2a^12b^2c^5e^2f^12)) / (f^4(a^2c^2f^2 - \\
& b^2c^2e^2)^2 * (a^2c^2f^2 - b^2c^2e^2)^2 * (b^16e^14f^4 - 4a^2b^14e^12f^6 + 6a^4b^12 \\
& e^10f^8 - 4a^6b^10e^8f^10 + a^8b^8e^6f^12)) * (4a^6c^2f^6 - 3b^6c^2e^6 + 8a^2b^4c^2e^4f^2 - \\
& 8a^4b^2c^2e^2f^4)^4 / ((b^2c^2e^2 - a^2c^2f^2)^{(1/2)} * (164025b^46c^13e^46 + 8 \\
& 85735b^44c^12e^44(a^2c^2f^2 - b^2c^2e^2) + 117440512a^30c^5f^30(a^2 \\
& c^2f^2 - b^2c^2e^2)^8 - 385875968a^32c^6f^32(a^2c^2f^2 - b^2c^2e^2)^7 + \\
& 419430400a^34c^7f^34(a^2c^2f^2 - b^2c^2e^2)^6 - 150994944a^36c^8f^36
\end{aligned}$$

$$\begin{aligned}
& 6*(a^2*c*f^2 - b^2*c*e^2)^5 + 236196*b^36*c^8*e^36*(a^2*c*f^2 - b^2*c*e^2)^5 \\
& + 1102248*b^38*c^9*e^38*(a^2*c*f^2 - b^2*c*e^2)^4 + 2053593*b^40*c^10*e^40 \\
& 0*(a^2*c*f^2 - b^2*c*e^2)^3 + 1909251*b^42*c^11*e^42*(a^2*c*f^2 - b^2*c*e^2)^2 \\
& - 3937329*a^2*b^44*c^13*e^44*f^2 + 43893819*a^4*b^42*c^13*e^42*f^4 - 30 \\
& 1507155*a^6*b^40*c^13*e^40*f^6 + 1427514656*a^8*b^38*c^13*e^38*f^8 - 493691 \\
& 1112*a^10*b^36*c^13*e^36*f^10 + 12893273616*a^12*b^34*c^13*e^34*f^12 - 2592 \\
& 1630432*a^14*b^32*c^13*e^32*f^14 + 40519286096*a^16*b^30*c^13*e^30*f^16 - 4 \\
& 9376608256*a^18*b^28*c^13*e^28*f^18 + 46721401856*a^20*b^26*c^13*e^26*f^20 \\
& - 33946324736*a^22*b^24*c^13*e^24*f^22 + 18556579328*a^24*b^22*c^13*e^22*f^24 \\
& - 7375276032*a^26*b^20*c^13*e^20*f^26 + 2009817088*a^28*b^18*c^13*e^18*f^28 \\
& - 335642624*a^30*b^16*c^13*e^16*f^30 + 25907200*a^32*b^14*c^13*e^14*f^32 \\
& - 21130794*a^2*b^42*c^12*e^42*f^2*(a^2*c*f^2 - b^2*c*e^2) + 234399015*a^4 \\
& *b^40*c^12*e^40*f^4*(a^2*c*f^2 - b^2*c*e^2) - 1604168280*a^6*b^38*c^12*e^38 \\
& *f^6*(a^2*c*f^2 - b^2*c*e^2) + 7579098492*a^8*b^36*c^12*e^36*f^8*(a^2*c*f^2 \\
& - b^2*c*e^2) - 26212380172*a^10*b^34*c^12*e^34*f^10*(a^2*c*f^2 - b^2*c*e^2) \\
& + 68672994096*a^12*b^32*c^12*e^32*f^12*(a^2*c*f^2 - b^2*c*e^2) - 13916058 \\
& 9504*a^14*b^30*c^12*e^30*f^14*(a^2*c*f^2 - b^2*c*e^2) + 220859191808*a^16*b^28 \\
& *c^12*e^28*f^16*(a^2*c*f^2 - b^2*c*e^2) - 276344315328*a^18*b^26*c^12*e^26 \\
& *f^18*(a^2*c*f^2 - b^2*c*e^2) + 273130561984*a^20*b^24*c^12*e^24*f^20*(a^2 \\
& *c*f^2 - b^2*c*e^2) - 212730002688*a^22*b^22*c^12*e^22*f^22*(a^2*c*f^2 - b \\
& ^2*c*e^2) + 129574234368*a^24*b^20*c^12*e^20*f^24*(a^2*c*f^2 - b^2*c*e^2) - \\
& 60770569216*a^26*b^18*c^12*e^18*f^26*(a^2*c*f^2 - b^2*c*e^2) + 21304706048 \\
& *a^28*b^16*c^12*e^16*f^28*(a^2*c*f^2 - b^2*c*e^2) - 5272965120*a^30*b^14*c^12 \\
& *e^14*f^30*(a^2*c*f^2 - b^2*c*e^2) + 819441664*a^32*b^12*c^12*e^12*f^32*( \\
& a^2*c*f^2 - b^2*c*e^2) - 59392000*a^34*b^10*c^12*e^10*f^34*(a^2*c*f^2 - b^2 \\
& *c*e^2) + 9289728*a^6*b^24*c^5*e^24*f^6*(a^2*c*f^2 - b^2*c*e^2)^8 - 3688448 \\
& 0*a^8*b^22*c^5*e^22*f^8*(a^2*c*f^2 - b^2*c*e^2)^8 - 278604800*a^10*b^20*c^5 \\
& *e^20*f^10*(a^2*c*f^2 - b^2*c*e^2)^8 + 2774483200*a^12*b^18*c^5*e^18*f^12*( \\
& a^2*c*f^2 - b^2*c*e^2)^8 - 10869657600*a^14*b^16*c^5*e^16*f^14*(a^2*c*f^2 - \\
& b^2*c*e^2)^8 + 25237416960*a^16*b^14*c^5*e^14*f^16*(a^2*c*f^2 - b^2*c*e^2)^8 \\
& - 38348909568*a^18*b^12*c^5*e^12*f^18*(a^2*c*f^2 - b^2*c*e^2)^8 + 390846 \\
& 59712*a^20*b^10*c^5*e^10*f^20*(a^2*c*f^2 - b^2*c*e^2)^8 - 26118635520*a^22* \\
& b^8*c^5*e^8*f^22*(a^2*c*f^2 - b^2*c*e^2)^8 + 10414620672*a^24*b^6*c^5*e^6*f^24 \\
& *(a^2*c*f^2 - b^2*c*e^2)^8 - 1708654592*a^26*b^4*c^5*e^4*f^26*(a^2*c*f^2 \\
& - b^2*c*e^2)^8 - 276561920*a^28*b^2*c^5*e^2*f^28*(a^2*c*f^2 - b^2*c*e^2)^8 \\
& - 9704448*a^4*b^28*c^6*e^28*f^4*(a^2*c*f^2 - b^2*c*e^2)^7 + 260614656*a^6* \\
& b^26*c^6*e^26*f^6*(a^2*c*f^2 - b^2*c*e^2)^7 - 2166022464*a^8*b^24*c^6*e^24* \\
& f^8*(a^2*c*f^2 - b^2*c*e^2)^7 + 8626147840*a^10*b^22*c^6*e^22*f^10*(a^2*c*f^2 \\
& - b^2*c*e^2)^7 - 16771503616*a^12*b^20*c^6*e^20*f^12*(a^2*c*f^2 - b^2*c* \\
& e^2)^7 + 3301800960*a^14*b^18*c^6*e^18*f^14*(a^2*c*f^2 - b^2*c*e^2)^7 + 673 \\
& 37715968*a^16*b^16*c^6*e^16*f^16*(a^2*c*f^2 - b^2*c*e^2)^7 - 189857873920*a^18 \\
& *b^14*c^6*e^14*f^18*(a^2*c*f^2 - b^2*c*e^2)^7 + 286100259840*a^20*b^12*c^6 \\
& *e^12*f^20*(a^2*c*f^2 - b^2*c*e^2)^7 - 275789894656*a^22*b^10*c^6*e^10*f^22 \\
& *(a^2*c*f^2 - b^2*c*e^2)^7 + 173716537344*a^24*b^8*c^6*e^8*f^24*(a^2*c*f^2 \\
& - b^2*c*e^2)^7 - 67416424448*a^26*b^6*c^6*e^6*f^26*(a^2*c*f^2 - b^2*c*e^2)^7 \\
& + 12831686656*a^28*b^4*c^6*e^4*f^28*(a^2*c*f^2 - b^2*c*e^2)^7 + 2225602 \\
& 56*a^30*b^2*c^6*e^2*f^30*(a^2*c*f^2 - b^2*c*e^2)^7 + 2099520*a^2*b^32*c^7*e^32 \\
& *f^2*(a^2*c*f^2 - b^2*c*e^2)^6 - 107014608*a^4*b^30*c^7*e^30*f^4*(a^2*c* \\
& f^2 - b^2*c*e^2)^6 + 1848335616*a^6*b^28*c^7*e^28*f^6*(a^2*c*f^2 - b^2*c*e^2)^6 \\
& - 15200005312*a^8*b^26*c^7*e^26*f^8*(a^2*c*f^2 - b^2*c*e^2)^6 + 726122 \\
& 73792*a^10*b^24*c^7*e^24*f^10*(a^2*c*f^2 - b^2*c*e^2)^6 - 221855779968*a^12 \\
& *b^22*c^7*e^22*f^12*(a^2*c*f^2 - b^2*c*e^2)^6 + 450717857536*a^14*b^20*c^7* \\
& e^20*f^14*(a^2*c*f^2 - b^2*c*e^2)^6 - 600578910208*a^16*b^18*c^7*e^18*f^16* \\
& (a^2*c*f^2 - b^2*c*e^2)^6 + 459464530688*a^18*b^16*c^7*e^16*f^18*(a^2*c*f^2 \\
& - b^2*c*e^2)^6 - 33638947840*a^20*b^14*c^7*e^14*f^20*(a^2*c*f^2 - b^2*c*e^2)^6 \\
& - 376299926528*a^22*b^12*c^7*e^12*f^22*(a^2*c*f^2 - b^2*c*e^2)^6 + 488 \\
& 874068992*a^24*b^10*c^7*e^10*f^24*(a^2*c*f^2 - b^2*c*e^2)^6 - 333407809536* \\
& a^26*b^8*c^7*e^8*f^26*(a^2*c*f^2 - b^2*c*e^2)^6 + 134140313600*a^28*b^6*c^7 \\
& *e^6*f^28*(a^2*c*f^2 - b^2*c*e^2)^6 - 28220915712*a^30*b^4*c^7*e^4*f^30*(a^
\end{aligned}$$



$$\begin{aligned}
& 2*c*f^2 - b^2*c*e^2)^6 + 1230503936*a^32*b^2*c^7*e^2*f^32*(a^2*c*f^2 - b^2*c*e^2)^6 + 3335904*a^2*b^34*c^8*e^34*f^2*(a^2*c*f^2 - b^2*c*e^2)^5 - 290521 \\
& 728*a^4*b^32*c^8*e^32*f^4*(a^2*c*f^2 - b^2*c*e^2)^5 + 4865684544*a^6*b^30*c^8*e^30*f^6*(a^2*c*f^2 - b^2*c*e^2)^5 - 40437394528*a^8*b^28*c^8*e^28*f^8*( \\
& a^2*c*f^2 - b^2*c*e^2)^5 + 205602254656*a^10*b^26*c^8*e^26*f^10*(a^2*c*f^2 - b^2*c*e^2)^5 - 703885344192*a^12*b^24*c^8*e^24*f^12*(a^2*c*f^2 - b^2*c*e^2)^5 + 1709253482624*a^14*b^22*c^8*e^22*f^14*(a^2*c*f^2 - b^2*c*e^2)^5 - 30 \\
& 29282695168*a^16*b^20*c^8*e^20*f^16*(a^2*c*f^2 - b^2*c*e^2)^5 + 39662308275 \\
& 20*a^18*b^18*c^8*e^18*f^18*(a^2*c*f^2 - b^2*c*e^2)^5 - 3822339813632*a^20*b^16*c^8*e^16*f^20*(a^2*c*f^2 - b^2*c*e^2)^5 + 2640438056960*a^22*b^14*c^8*e^14*f^22*(a^2*c*f^2 - b^2*c*e^2)^5 - 1208501415936*a^24*b^12*c^8*e^12*f^24* \\
& (a^2*c*f^2 - b^2*c*e^2)^5 + 269338092544*a^26*b^10*c^8*e^10*f^26*(a^2*c*f^2 - b^2*c*e^2)^5 + 53783212032*a^28*b^8*c^8*e^8*f^28*(a^2*c*f^2 - b^2*c*e^2)^5 - 60985360384*a^30*b^6*c^8*e^6*f^30*(a^2*c*f^2 - b^2*c*e^2)^5 + 17917083 \\
& 648*a^32*b^4*c^8*e^4*f^32*(a^2*c*f^2 - b^2*c*e^2)^5 - 1558708224*a^34*b^2*c^8*e^2*f^34*(a^2*c*f^2 - b^2*c*e^2)^5 - 11917692*a^2*b^36*c^9*e^36*f^2*(a^2 \\
& *c*f^2 - b^2*c*e^2)^4 - 224907516*a^4*b^34*c^9*e^34*f^4*(a^2*c*f^2 - b^2*c*e^2)^4 + 5303932560*a^6*b^32*c^9*e^32*f^6*(a^2*c*f^2 - b^2*c*e^2)^4 - 48206 \\
& 418480*a^8*b^30*c^9*e^30*f^8*(a^2*c*f^2 - b^2*c*e^2)^4 + 261450609120*a^10*b^28*c^9*e^28*f^10*(a^2*c*f^2 - b^2*c*e^2)^4 - 962361040256*a^12*b^26*c^9*e^26*f^12*(a^2*c*f^2 - b^2*c*e^2)^4 + 2558559358080*a^14*b^24*c^9*e^24*f^14* \\
& (a^2*c*f^2 - b^2*c*e^2)^4 - 5091804150656*a^16*b^22*c^9*e^22*f^16*(a^2*c*f^2 - b^2*c*e^2)^4 + 7750806514944*a^18*b^20*c^9*e^20*f^18*(a^2*c*f^2 - b^2*c \\
& *e^2)^4 - 9137207485952*a^20*b^18*c^9*e^18*f^20*(a^2*c*f^2 - b^2*c*e^2)^4 + 8384563280128*a^22*b^16*c^9*e^16*f^22*(a^2*c*f^2 - b^2*c*e^2)^4 - 59752812 \\
& 59520*a^24*b^14*c^9*e^14*f^24*(a^2*c*f^2 - b^2*c*e^2)^4 + 3269297268736*a^2 \\
& 6*b^12*c^9*e^12*f^26*(a^2*c*f^2 - b^2*c*e^2)^4 - 1339171540992*a^28*b^10*c^9 \\
& *e^10*f^28*(a^2*c*f^2 - b^2*c*e^2)^4 + 391250194432*a^30*b^8*c^9*e^8*f^30* \\
& (a^2*c*f^2 - b^2*c*e^2)^4 - 74114154496*a^32*b^6*c^9*e^6*f^32*(a^2*c*f^2 - b^2*c*e^2)^4 + 7299203072*a^34*b^4*c^9*e^4*f^34*(a^2*c*f^2 - b^2*c*e^2)^4 - \\
& 148635648*a^36*b^2*c^9*e^2*f^36*(a^2*c*f^2 - b^2*c*e^2)^4 - 38704068*a^2*b^38*c^10*e^38*f^2*(a^2*c*f^2 - b^2*c*e^2)^3 + 188845992*a^4*b^36*c^10*e^36* \\
& f^4*(a^2*c*f^2 - b^2*c*e^2)^3 + 1157124204*a^6*b^34*c^10*e^34*f^6*(a^2*c*f^2 - b^2*c*e^2)^3 - 20586361424*a^8*b^32*c^10*e^32*f^8*(a^2*c*f^2 - b^2*c*e^2)^3 + 135395499200*a^10*b^30*c^10*e^30*f^10*(a^2*c*f^2 - b^2*c*e^2)^3 - 55 \\
& 5513858464*a^12*b^28*c^10*e^28*f^12*(a^2*c*f^2 - b^2*c*e^2)^3 + 16087763888 \\
& 64*a^14*b^26*c^10*e^26*f^14*(a^2*c*f^2 - b^2*c*e^2)^3 - 3473989271488*a^16*b^24*c^10*e^24*f^16*(a^2*c*f^2 - b^2*c*e^2)^3 + 5766181411456*a^18*b^22*c^1 \\
& 0*e^22*f^18*(a^2*c*f^2 - b^2*c*e^2)^3 - 7493983209472*a^20*b^20*c^10*e^20*f^20*(a^2*c*f^2 - b^2*c*e^2)^3 + 7713917084672*a^22*b^18*c^10*e^18*f^22*(a^2 \\
& *c*f^2 - b^2*c*e^2)^3 - 6328467293184*a^24*b^16*c^10*e^16*f^24*(a^2*c*f^2 - b^2*c*e^2)^3 + 4142950034432*a^26*b^14*c^10*e^14*f^26*(a^2*c*f^2 - b^2*c*e^2)^3 - 2152681536512*a^28*b^12*c^10*e^12*f^28*(a^2*c*f^2 - b^2*c*e^2)^3 + \\
& 874199511040*a^30*b^10*c^10*e^10*f^30*(a^2*c*f^2 - b^2*c*e^2)^3 - 268759150 \\
& 592*a^32*b^8*c^10*e^8*f^32*(a^2*c*f^2 - b^2*c*e^2)^3 + 58872545280*a^34*b^6 \\
& *c^10*e^6*f^34*(a^2*c*f^2 - b^2*c*e^2)^3 - 8151957504*a^36*b^4*c^10*e^4*f^3 \\
& 6*(a^2*c*f^2 - b^2*c*e^2)^3 + 530841600*a^38*b^2*c^10*e^2*f^38*(a^2*c*f^2 - b^2*c*e^2)^3 - 42743457*a^2*b^40*c^11*e^40*f^2*(a^2*c*f^2 - b^2*c*e^2)^2 + \\
& 411055884*a^4*b^38*c^11*e^38*f^4*(a^2*c*f^2 - b^2*c*e^2)^2 - 2180887236*a^ \\
& 6*b^36*c^11*e^36*f^6*(a^2*c*f^2 - b^2*c*e^2)^2 + 6404946508*a^8*b^34*c^11*e^34*f^8*(a^2*c*f^2 - b^2*c*e^2)^2 - 5434005264*a^10*b^32*c^11*e^32*f^10*(a^ \\
& 2*c*f^2 - b^2*c*e^2)^2 - 38868373520*a^12*b^30*c^11*e^30*f^12*(a^2*c*f^2 - b^2*c*e^2)^2 + 208447613600*a^14*b^28*c^11*e^28*f^14*(a^2*c*f^2 - b^2*c*e^2)^2 - 579674999104*a^16*b^26*c^11*e^26*f^16*(a^2*c*f^2 - b^2*c*e^2)^2 + 110 \\
& 4967566592*a^18*b^24*c^11*e^24*f^18*(a^2*c*f^2 - b^2*c*e^2)^2 - 15545665313 \\
& 28*a^20*b^22*c^11*e^22*f^20*(a^2*c*f^2 - b^2*c*e^2)^2 + 1659734381312*a^22*b^20*c^11*e^20*f^22*(a^2*c*f^2 - b^2*c*e^2)^2 - 1356361512192*a^24*b^18*c^1 \\
& 1*e^18*f^24*(a^2*c*f^2 - b^2*c*e^2)^2 + 845331359744*a^26*b^16*c^11*e^16*f^26*(a^2*c*f^2 - b^2*c*e^2)^2 - 395676895232*a^28*b^14*c^11*e^14*f^28*(a^2*c
\end{aligned}$$

$$\begin{aligned}
& *f^2 - b^2*c*e^2)^2 + 134902689792*a^30*b^12*c^11*e^12*f^30*(a^2*c*f^2 - b^2*c*e^2)^2 - 31670587392*a^32*b^10*c^11*e^10*f^32*(a^2*c*f^2 - b^2*c*e^2)^2 \\
& + 4584669184*a^34*b^8*c^11*e^8*f^34*(a^2*c*f^2 - b^2*c*e^2)^2 - 309657600*a^36*b^6*c^11*e^6*f^36*(a^2*c*f^2 - b^2*c*e^2)^2)) * (b^16*e^12*f^6*(a^2*c*f^2 - b^2*c*e^2)^2 - 4*a^2*b^14*e^10*f^8*(a^2*c*f^2 - b^2*c*e^2)^2 + 6*a^4*b^12*e^8*f^10*(a^2*c*f^2 - b^2*c*e^2)^2 - 4*a^6*b^10*e^6*f^12*(a^2*c*f^2 - b^2*c*e^2)^2 + a^8*b^8*e^4*f^14*(a^2*c*f^2 - b^2*c*e^2)^2) / (((a + b*x)^(1/2) - a^(1/2))^2 * (16384*C^4*a^6*c^3*f^4 + 4096*C^4*a^2*b^4*c^3*e^4 - 16384*C^4*a^4*b^2*c^3*e^2*f^2)) + (((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^3 * ((2*a^4*b^5*c^3*e^5*f^4*(4*a^2*c*f^2 - 3*b^2*c*e^2)^2 * ((4096*(112*C^4*a^4*b^8*c^4*e^10 + 448*C^4*a^12*c^4*e^2*f^8 - 668*C^4*a^6*b^6*c^4*e^8*f^2 + 1440*C^4*a^8*b^4*c^4*e^6*f^4 - 1328*C^4*a^10*b^2*c^4*e^4*f^6)) / (b^16*e^14*f^4 - 4*a^2*b^14*e^12*f^6 + 6*a^4*b^12*e^10*f^8 - 4*a^6*b^10*e^8*f^10 + a^8*b^8*e^6*f^12) + (4096*C^4*e^4*(2*a^2*f^2 - b^2*e^2)^4 * (9*a^2*b^14*c^6*e^12*f^6 - 47*a^4*b^12*c^6*e^10*f^8 + 98*a^6*b^10*c^6*e^8*f^10 - 102*a^8*b^8*c^6*e^6*f^12 + 53*a^10*b^6*c^6*e^4*f^14 - 11*a^12*b^4*c^6*e^2*f^16)) / (f^8*(a*f + b*e)^4*(a*f - b*e)^4*(a^2*c*f^2 - b^2*c*e^2)^2 * (b^16*e^14*f^4 - 4*a^2*b^14*e^12*f^6 + 6*a^4*b^12*e^10*f^8 - 4*a^6*b^10*e^8*f^10 + a^8*b^8*e^6*f^12)) + (4096*C^2*e^2*(2*a^2*f^2 - b^2*e^2)^2 * (9*C^2*a^2*b^12*c^5*e^12*f^2 - 144*C^2*a^14*c^5*f^14 + 74*C^2*a^4*b^10*c^5*e^10*f^4 - 519*C^2*a^6*b^8*c^5*e^8*f^6 + 1168*C^2*a^8*b^6*c^5*e^6*f^8 - 1264*C^2*a^10*b^4*c^5*e^4*f^10 + 676*C^2*a^12*b^2*c^5*e^2*f^12)) / (f^4*(a*f + b*e)^2*(a*f - b*e)^2*(a^2*c*f^2 - b^2*c*e^2)*(b^16*e^14*f^4 - 4*a^2*b^14*e^12*f^6 + 6*a^4*b^12*e^10*f^8 - 4*a^6*b^10*e^8*f^10 + a^8*b^8*e^6*f^12))) * (4*a^6*c*f^6 - 3*b^6*c*e^6 + 8*a^2*b^4*c*e^4*f^2 - 8*a^4*b^2*c*e^2*f^4)^4 / ((b^2*c*e^2 - a^2*c*f^2)^(1/2) * (164025*b^46*c^13*e^46 + 885735*b^44*c^12*e^44*(a^2*c*f^2 - b^2*c*e^2) + 117440512*a^30*c^5*f^30*(a^2*c*f^2 - b^2*c*e^2)^8 - 385875968*a^32*c^6*f^32*(a^2*c*f^2 - b^2*c*e^2)^7 + 419430400*a^34*c^7*f^34*(a^2*c*f^2 - b^2*c*e^2)^6 - 150994944*a^36*c^8*f^36*(a^2*c*f^2 - b^2*c*e^2)^5 + 236196*b^36*c^8*e^36*(a^2*c*f^2 - b^2*c*e^2)^5 + 1102248*b^38*c^9*e^38*(a^2*c*f^2 - b^2*c*e^2)^4 + 2053593*b^40*c^10*e^40*(a^2*c*f^2 - b^2*c*e^2)^3 + 1909251*b^42*c^11*e^42*(a^2*c*f^2 - b^2*c*e^2)^2 - 3937329*a^2*b^44*c^13*e^44*f^2 + 43893819*a^4*b^42*c^13*e^42*f^4 - 301507155*a^6*b^40*c^13*e^40*f^6 + 1427514656*a^8*b^38*c^13*e^38*f^8 - 4936911112*a^10*b^36*c^13*e^36*f^10 + 12893273616*a^12*b^34*c^13*e^34*f^12 - 25921630432*a^14*b^32*c^13*e^32*f^14 + 40519286096*a^16*b^30*c^13*e^30*f^16 - 49376608256*a^18*b^28*c^13*e^28*f^18 + 46721401856*a^20*b^26*c^13*e^26*f^20 - 33946324736*a^22*b^24*c^13*e^24*f^22 + 18556579328*a^24*b^22*c^13*e^22*f^24 - 7375276032*a^26*b^20*c^13*e^20*f^26 + 2009817088*a^28*b^18*c^13*e^18*f^28 - 335642624*a^30*b^16*c^13*e^16*f^30 + 25907200*a^32*b^14*c^13*e^14*f^32 - 21130794*a^2*b^42*c^12*e^42*f^2*(a^2*c*f^2 - b^2*c*e^2) + 234399015*a^4*b^40*c^12*e^40*f^4*(a^2*c*f^2 - b^2*c*e^2) - 1604168280*a^6*b^38*c^12*e^38*f^6*(a^2*c*f^2 - b^2*c*e^2) + 7579098492*a^8*b^36*c^12*e^36*f^8*(a^2*c*f^2 - b^2*c*e^2) - 26212380172*a^10*b^34*c^12*e^34*f^10*(a^2*c*f^2 - b^2*c*e^2) + 68672994096*a^12*b^32*c^12*e^32*f^12*(a^2*c*f^2 - b^2*c*e^2) - 139160589504*a^14*b^30*c^12*e^30*f^14*(a^2*c*f^2 - b^2*c*e^2) + 220859191808*a^16*b^28*c^12*e^28*f^16*(a^2*c*f^2 - b^2*c*e^2) - 276344315328*a^18*b^26*c^12*e^26*f^18*(a^2*c*f^2 - b^2*c*e^2) + 273130561984*a^20*b^24*c^12*e^24*f^20*(a^2*c*f^2 - b^2*c*e^2) - 212730002688*a^22*b^22*c^12*e^22*f^22*(a^2*c*f^2 - b^2*c*e^2) + 129574234368*a^24*b^20*c^12*e^20*f^24*(a^2*c*f^2 - b^2*c*e^2) - 60770569216*a^26*b^18*c^12*e^18*f^26*(a^2*c*f^2 - b^2*c*e^2) + 21304706048*a^28*b^16*c^12*e^16*f^28*(a^2*c*f^2 - b^2*c*e^2) - 5272965120*a^30*b^14*c^12*e^14*f^30*(a^2*c*f^2 - b^2*c*e^2) + 819441664*a^32*b^12*c^12*e^12*f^32*(a^2*c*f^2 - b^2*c*e^2) - 59392000*a^34*b^10*c^12*e^10*f^34*(a^2*c*f^2 - b^2*c*e^2) + 9289728*a^6*b^24*c^5*e^24*f^6*(a^2*c*f^2 - b^2*c*e^2)^8 - 36884480*a^8*b^22*c^5*e^22*f^8*(a^2*c*f^2 - b^2*c*e^2)^8 - 278604800*a^10*b^20*c^5*e^20*f^10*(a^2*c*f^2 - b^2*c*e^2)^8 + 2774483200*a^12*b^18*c^5*e^18*f^12*(a^2*c*f^2 - b^2*c*e^2)^8 - 10869657600*a^14*b^16*c^5*e^16*f^14*(a^2*c*f^2 - b^2*c*e^2)^8 + 25237416960*a^16*b^14*c^5*e^14*f^16*(a^2*c*f^2 - b^2*c*e^2)^8 - 38348909568*a^18*b^12*c^5*e^12*f^18*(a^2*c*f^2 - b^2*c*e^2)^8 +
\end{aligned}$$

$$\begin{aligned}
& 39084659712a^{20}b^{10}c^5e^{10}f^{20}(a^2c^*f^2 - b^2c^*e^2)^8 - 2611863552 \\
& 0a^{22}b^8c^5e^8f^{22}(a^2c^*f^2 - b^2c^*e^2)^8 + 10414620672a^{24}b^6c^5 \\
& e^6f^{24}(a^2c^*f^2 - b^2c^*e^2)^8 - 1708654592a^{26}b^4c^5e^4f^{26}(a^2 \\
& c^*f^2 - b^2c^*e^2)^8 - 276561920a^{28}b^2c^5e^2f^{28}(a^2c^*f^2 - b^2c^* \\
& e^2)^8 - 9704448a^4b^{28}c^6e^{28}f^4(a^2c^*f^2 - b^2c^*e^2)^7 + 2606146 \\
& 56a^6b^{26}c^6e^{26}f^6(a^2c^*f^2 - b^2c^*e^2)^7 - 2166022464a^8b^{24}c^6 \\
& e^{24}f^8(a^2c^*f^2 - b^2c^*e^2)^7 + 8626147840a^{10}b^{22}c^6e^{22}f^{10}( \\
& a^2c^*f^2 - b^2c^*e^2)^7 - 16771503616a^{12}b^{20}c^6e^{20}f^{12}(a^2c^*f^2 - \\
& b^2c^*e^2)^7 + 3301800960a^{14}b^{18}c^6e^{18}f^{14}(a^2c^*f^2 - b^2c^*e^2)^7 \\
& + 67337715968a^{16}b^{16}c^6e^{16}f^{16}(a^2c^*f^2 - b^2c^*e^2)^7 - 1898578 \\
& 73920a^{18}b^{14}c^6e^{14}f^{18}(a^2c^*f^2 - b^2c^*e^2)^7 + 286100259840a^{20} \\
& b^{12}c^6e^{12}f^{20}(a^2c^*f^2 - b^2c^*e^2)^7 - 275789894656a^{22}b^{10}c^6e \\
& e^{10}f^{22}(a^2c^*f^2 - b^2c^*e^2)^7 + 173716537344a^{24}b^8c^6e^8f^{24}(a \\
& ^2c^*f^2 - b^2c^*e^2)^7 - 67416424448a^{26}b^6c^6e^6f^{26}(a^2c^*f^2 - b^2 \\
& c^*e^2)^7 + 12831686656a^{28}b^4c^6e^4f^{28}(a^2c^*f^2 - b^2c^*e^2)^7 + \\
& 222560256a^{30}b^2c^6e^2f^{30}(a^2c^*f^2 - b^2c^*e^2)^7 + 2099520a^2b^3 \\
& 2c^7e^{32}f^2(a^2c^*f^2 - b^2c^*e^2)^6 - 107014608a^4b^{30}c^7e^{30}f^4 \\
& (a^2c^*f^2 - b^2c^*e^2)^6 + 1848335616a^6b^{28}c^7e^{28}f^6(a^2c^*f^2 - b \\
& ^2c^*e^2)^6 - 15200005312a^8b^{26}c^7e^{26}f^8(a^2c^*f^2 - b^2c^*e^2)^6 + \\
& 72612273792a^{10}b^{24}c^7e^{24}f^{10}(a^2c^*f^2 - b^2c^*e^2)^6 - 2218557799 \\
& 68a^{12}b^{22}c^7e^{22}f^{12}(a^2c^*f^2 - b^2c^*e^2)^6 + 450717857536a^{14}b^{20} \\
& c^7e^{20}f^{14}(a^2c^*f^2 - b^2c^*e^2)^6 - 600578910208a^{16}b^{18}c^7e^{18} \\
& 8f^{16}(a^2c^*f^2 - b^2c^*e^2)^6 + 459464530688a^{18}b^{16}c^7e^{16}f^{18}(a^2 \\
& c^*f^2 - b^2c^*e^2)^6 - 33638947840a^{20}b^{14}c^7e^{14}f^{20}(a^2c^*f^2 - b \\
& ^2c^*e^2)^6 - 376299926528a^{22}b^{12}c^7e^{12}f^{22}(a^2c^*f^2 - b^2c^*e^2)^6 \\
& + 488874068992a^{24}b^{10}c^7e^{10}f^{24}(a^2c^*f^2 - b^2c^*e^2)^6 - 333407 \\
& 809536a^{26}b^8c^7e^8f^{26}(a^2c^*f^2 - b^2c^*e^2)^6 + 134140313600a^{28} \\
& b^6c^7e^6f^{28}(a^2c^*f^2 - b^2c^*e^2)^6 - 28220915712a^{30}b^4c^7e^4f \\
& ^30(a^2c^*f^2 - b^2c^*e^2)^6 + 1230503936a^{32}b^2c^7e^2f^{32}(a^2c^*f^2 \\
& - b^2c^*e^2)^6 + 3335904a^2b^{34}c^8e^{34}f^2(a^2c^*f^2 - b^2c^*e^2)^5 - \\
& 290521728a^4b^{32}c^8e^{32}f^4(a^2c^*f^2 - b^2c^*e^2)^5 + 4865684544a^6 \\
& b^{30}c^8e^{30}f^6(a^2c^*f^2 - b^2c^*e^2)^5 - 40437394528a^8b^{28}c^8e^2 \\
& 8f^8(a^2c^*f^2 - b^2c^*e^2)^5 + 205602254656a^{10}b^{26}c^8e^{26}f^{10}(a^2 \\
& c^*f^2 - b^2c^*e^2)^5 - 703885344192a^{12}b^{24}c^8e^{24}f^{12}(a^2c^*f^2 - b \\
& ^2c^*e^2)^5 + 1709253482624a^{14}b^{22}c^8e^{22}f^{14}(a^2c^*f^2 - b^2c^*e^2) \\
& ^5 - 3029282695168a^{16}b^{20}c^8e^{20}f^{16}(a^2c^*f^2 - b^2c^*e^2)^5 + 3966 \\
& 230827520a^{18}b^{18}c^8e^{18}f^{18}(a^2c^*f^2 - b^2c^*e^2)^5 - 3822339813632 \\
& a^{20}b^{16}c^8e^{16}f^{20}(a^2c^*f^2 - b^2c^*e^2)^5 + 2640438056960a^{22}b^{14} \\
& c^8e^{14}f^{22}(a^2c^*f^2 - b^2c^*e^2)^5 - 1208501415936a^{24}b^{12}c^8e^{12} \\
& 2f^{24}(a^2c^*f^2 - b^2c^*e^2)^5 + 269338092544a^{26}b^{10}c^8e^{10}f^{26}(a^2 \\
& c^*f^2 - b^2c^*e^2)^5 + 53783212032a^{28}b^8c^8e^8f^{28}(a^2c^*f^2 - b^2 \\
& c^*e^2)^5 - 60985360384a^{30}b^6c^8e^6f^{30}(a^2c^*f^2 - b^2c^*e^2)^5 + 1 \\
& 7917083648a^{32}b^4c^8e^4f^{32}(a^2c^*f^2 - b^2c^*e^2)^5 - 1558708224a^3 \\
& 4b^2c^8e^2f^{34}(a^2c^*f^2 - b^2c^*e^2)^5 - 11917692a^2b^{36}c^9e^{36}f \\
& ^2(a^2c^*f^2 - b^2c^*e^2)^4 - 224907516a^4b^{34}c^9e^{34}f^4(a^2c^*f^2 - \\
& b^2c^*e^2)^4 + 5303932560a^6b^{32}c^9e^{32}f^6(a^2c^*f^2 - b^2c^*e^2)^4 \\
& - 48206418480a^8b^{30}c^9e^{30}f^8(a^2c^*f^2 - b^2c^*e^2)^4 + 26145060912 \\
& 0a^{10}b^{28}c^9e^{28}f^{10}(a^2c^*f^2 - b^2c^*e^2)^4 - 962361040256a^{12}b^{26} \\
& c^9e^{26}f^{12}(a^2c^*f^2 - b^2c^*e^2)^4 + 2558559358080a^{14}b^{24}c^9e^{24} \\
& 4f^{14}(a^2c^*f^2 - b^2c^*e^2)^4 - 5091804150656a^{16}b^{22}c^9e^{22}f^{16}(a \\
& ^2c^*f^2 - b^2c^*e^2)^4 + 7750806514944a^{18}b^{20}c^9e^{20}f^{18}(a^2c^*f^2 \\
& - b^2c^*e^2)^4 - 9137207485952a^{20}b^{18}c^9e^{18}f^{20}(a^2c^*f^2 - b^2c^*e \\
& ^2)^4 + 8384563280128a^{22}b^{16}c^9e^{16}f^{22}(a^2c^*f^2 - b^2c^*e^2)^4 - 5 \\
& 975281259520a^{24}b^{14}c^9e^{14}f^{24}(a^2c^*f^2 - b^2c^*e^2)^4 + 3269297268 \\
& 736a^{26}b^{12}c^9e^{12}f^{26}(a^2c^*f^2 - b^2c^*e^2)^4 - 1339171540992a^{28} \\
& b^{10}c^9e^{10}f^{28}(a^2c^*f^2 - b^2c^*e^2)^4 + 391250194432a^{30}b^8c^9e^8 \\
& 8f^{30}(a^2c^*f^2 - b^2c^*e^2)^4 - 74114154496a^{32}b^6c^9e^6f^{32}(a^2c^* \\
& f^2 - b^2c^*e^2)^4 + 7299203072a^{34}b^4c^9e^4f^{34}(a^2c^*f^2 - b^2c^*e \\
& ^2)^4 - 148635648a^{36}b^2c^9e^2f^{36}(a^2c^*f^2 - b^2c^*e^2)^4 - 3870406
\end{aligned}$$

$$\begin{aligned}
& 8*a^2*b^38*c^10*e^38*f^2*(a^2*c*f^2 - b^2*c*e^2)^3 + 188845992*a^4*b^36*c^10 \\
& 0*e^36*f^4*(a^2*c*f^2 - b^2*c*e^2)^3 + 1157124204*a^6*b^34*c^10*e^34*f^6*(a \\
& ^2*c*f^2 - b^2*c*e^2)^3 - 20586361424*a^8*b^32*c^10*e^32*f^8*(a^2*c*f^2 - b \\
& ^2*c*e^2)^3 + 135395499200*a^10*b^30*c^10*e^30*f^10*(a^2*c*f^2 - b^2*c*e^2) \\
& ^3 - 555513858464*a^12*b^28*c^10*e^28*f^12*(a^2*c*f^2 - b^2*c*e^2)^3 + 1608 \\
& 776388864*a^14*b^26*c^10*e^26*f^14*(a^2*c*f^2 - b^2*c*e^2)^3 - 347398927148 \\
& 8*a^16*b^24*c^10*e^24*f^16*(a^2*c*f^2 - b^2*c*e^2)^3 + 5766181411456*a^18*b \\
& ^22*c^10*e^22*f^18*(a^2*c*f^2 - b^2*c*e^2)^3 - 7493983209472*a^20*b^20*c^10 \\
& *e^20*f^20*(a^2*c*f^2 - b^2*c*e^2)^3 + 7713917084672*a^22*b^18*c^10*e^18*f^ \\
& 22*(a^2*c*f^2 - b^2*c*e^2)^3 - 6328467293184*a^24*b^16*c^10*e^16*f^24*(a^2* \\
& c*f^2 - b^2*c*e^2)^3 + 4142950034432*a^26*b^14*c^10*e^14*f^26*(a^2*c*f^2 - \\
& b^2*c*e^2)^3 - 2152681536512*a^28*b^12*c^10*e^12*f^28*(a^2*c*f^2 - b^2*c*e^ \\
& 2)^3 + 874199511040*a^30*b^10*c^10*e^10*f^30*(a^2*c*f^2 - b^2*c*e^2)^3 - 26 \\
& 8759150592*a^32*b^8*c^10*e^8*f^32*(a^2*c*f^2 - b^2*c*e^2)^3 + 58872545280*a \\
& ^34*b^6*c^10*e^6*f^34*(a^2*c*f^2 - b^2*c*e^2)^3 - 8151957504*a^36*b^4*c^10* \\
& e^4*f^36*(a^2*c*f^2 - b^2*c*e^2)^3 + 530841600*a^38*b^2*c^10*e^2*f^38*(a^2* \\
& c*f^2 - b^2*c*e^2)^3 - 42743457*a^2*b^40*c^11*e^40*f^2*(a^2*c*f^2 - b^2*c*e \\
& ^2)^2 + 411055884*a^4*b^38*c^11*e^38*f^4*(a^2*c*f^2 - b^2*c*e^2)^2 - 218088 \\
& 7236*a^6*b^36*c^11*e^36*f^6*(a^2*c*f^2 - b^2*c*e^2)^2 + 6404946508*a^8*b^34 \\
& *c^11*e^34*f^8*(a^2*c*f^2 - b^2*c*e^2)^2 - 5434005264*a^10*b^32*c^11*e^32*f \\
& ^10*(a^2*c*f^2 - b^2*c*e^2)^2 - 38868373520*a^12*b^30*c^11*e^30*f^12*(a^2*c \\
& *f^2 - b^2*c*e^2)^2 + 208447613600*a^14*b^28*c^11*e^28*f^14*(a^2*c*f^2 - b^ \\
& 2*c*e^2)^2 - 579674999104*a^16*b^26*c^11*e^26*f^16*(a^2*c*f^2 - b^2*c*e^2)^ \\
& 2 + 1104967566592*a^18*b^24*c^11*e^24*f^18*(a^2*c*f^2 - b^2*c*e^2)^2 - 1554 \\
& 566531328*a^20*b^22*c^11*e^22*f^20*(a^2*c*f^2 - b^2*c*e^2)^2 + 165973438131 \\
& 2*a^22*b^20*c^11*e^20*f^22*(a^2*c*f^2 - b^2*c*e^2)^2 - 1356361512192*a^24*b \\
& ^18*c^11*e^18*f^24*(a^2*c*f^2 - b^2*c*e^2)^2 + 845331359744*a^26*b^16*c^11* \\
& e^16*f^26*(a^2*c*f^2 - b^2*c*e^2)^2 - 395676895232*a^28*b^14*c^11*e^14*f^28 \\
& *(a^2*c*f^2 - b^2*c*e^2)^2 + 134902689792*a^30*b^12*c^11*e^12*f^30*(a^2*c*f \\
& ^2 - b^2*c*e^2)^2 - 31670587392*a^32*b^10*c^11*e^10*f^32*(a^2*c*f^2 - b^2*c \\
& *e^2)^2 + 4584669184*a^34*b^8*c^11*e^8*f^34*(a^2*c*f^2 - b^2*c*e^2)^2 - 309 \\
& 657600*a^36*b^6*c^11*e^6*f^36*(a^2*c*f^2 - b^2*c*e^2)^2) - (2*a^(3/2)*b^5* \\
& c*e^5*f^3*((4096*C^3*e^3*(2*a^2*f^2 - b^2*e^2)^3*(136*C*a^(21/2)*b^2*c^3*e* \\
& f^15*(a*c)^(5/2) - 90*C*a^(3/2)*b^12*c^4*e^11*f^5*(a*c)^(3/2) + 96*C*a^(5/2 \\
& )*b^10*c^3*e^9*f^7*(a*c)^(5/2) + 394*C*a^(7/2)*b^10*c^4*e^9*f^7*(a*c)^(3/2) \\
& - 424*C*a^(9/2)*b^8*c^3*e^7*f^9*(a*c)^(5/2) - 642*C*a^(11/2)*b^8*c^4*e^7*f \\
& ^9*(a*c)^(3/2) + 696*C*a^(13/2)*b^6*c^3*e^5*f^11*(a*c)^(5/2) + 462*C*a^(15/ \\
& 2)*b^6*c^4*e^5*f^11*(a*c)^(3/2) - 504*C*a^(17/2)*b^4*c^3*e^3*f^13*(a*c)^(5/ \\
& 2) - 124*C*a^(19/2)*b^4*c^4*e^3*f^13*(a*c)^(3/2)))/(f^6*(a*f + b*e)^3*(a*f \\
& - b*e)^3*(b^2*c*e^2 - a^2*c*f^2)^(3/2)*(b^16*e^14*f^4 - 4*a^2*b^14*e^12*f^6 \\
& + 6*a^4*b^12*e^10*f^8 - 4*a^6*b^10*e^8*f^10 + a^8*b^8*e^6*f^12)) - (4096*C \\
& *e*(2*a^2*f^2 - b^2*e^2)*(64*C^3*a^(21/2)*c^2*e*f^11*(a*c)^(5/2) + 32*C^3*a \\
& ^5/2)*b^8*c^2*e^9*f^3*(a*c)^(5/2) + 600*C^3*a^(7/2)*b^8*c^3*e^9*f^3*(a*c)^( \\
& 3/2) - 160*C^3*a^(9/2)*b^6*c^2*e^7*f^5*(a*c)^(5/2) - 1376*C^3*a^(11/2)*b^6 \\
& *c^3*e^7*f^5*(a*c)^(3/2) + 288*C^3*a^(13/2)*b^4*c^2*e^5*f^7*(a*c)^(5/2) + 1 \\
& 368*C^3*a^(15/2)*b^4*c^3*e^5*f^7*(a*c)^(3/2) - 224*C^3*a^(17/2)*b^2*c^2*e^3 \\
& *f^9*(a*c)^(5/2) - 496*C^3*a^(19/2)*b^2*c^3*e^3*f^9*(a*c)^(3/2) - 96*C^3*a^ \\
& (3/2)*b^10*c^3*e^11*f*(a*c)^(3/2)))/(f^2*(a*f + b*e)*(a*f - b*e)*(b^2*c*e^2 \\
& - a^2*c*f^2)^(1/2)*(b^16*e^14*f^4 - 4*a^2*b^14*e^12*f^6 + 6*a^4*b^12*e^10* \\
& f^8 - 4*a^6*b^10*e^8*f^10 + a^8*b^8*e^6*f^12)))*(a*c)^(3/2)*(4*a^2*c*f^2 - \\
& b^2*c*e^2)*(4*a^2*c*f^2 - 3*b^2*c*e^2)*(4*a^6*c*f^6 - 3*b^6*c*e^6 + 8*a^2*b \\
& ^4*c*e^4*f^2 - 8*a^4*b^2*c*e^2*f^4)^4)/(164025*b^46*c^13*e^46 + 885735*b^44 \\
& *c^12*e^44*(a^2*c*f^2 - b^2*c*e^2) + 117440512*a^30*c^5*f^30*(a^2*c*f^2 - b \\
& ^2*c*e^2)^8 - 385875968*a^32*c^6*f^32*(a^2*c*f^2 - b^2*c*e^2)^7 + 419430400 \\
& *a^34*c^7*f^34*(a^2*c*f^2 - b^2*c*e^2)^6 - 150994944*a^36*c^8*f^36*(a^2*c*f \\
& ^2 - b^2*c*e^2)^5 + 236196*b^36*c^8*e^36*(a^2*c*f^2 - b^2*c*e^2)^5 + 110224 \\
& 8*b^38*c^9*e^38*(a^2*c*f^2 - b^2*c*e^2)^4 + 2053593*b^40*c^10*e^40*(a^2*c*f \\
& ^2 - b^2*c*e^2)^3 + 1909251*b^42*c^11*e^42*(a^2*c*f^2 - b^2*c*e^2)^2 - 3937 \\
& 329*a^2*b^44*c^13*e^44*f^2 + 43893819*a^4*b^42*c^13*e^42*f^4 - 301507155*a^
\end{aligned}$$

$$\begin{aligned}
& 6*b^{40}*c^{13}*e^{40}*f^6 + 1427514656*a^8*b^{38}*c^{13}*e^{38}*f^8 - 4936911112*a^{10}* \\
& b^{36}*c^{13}*e^{36}*f^{10} + 12893273616*a^{12}*b^{34}*c^{13}*e^{34}*f^{12} - 25921630432*a^{14}* \\
& b^{32}*c^{13}*e^{32}*f^{14} + 40519286096*a^{16}*b^{30}*c^{13}*e^{30}*f^{16} - 49376608256 \\
& *a^{18}*b^{28}*c^{13}*e^{28}*f^{18} + 46721401856*a^{20}*b^{26}*c^{13}*e^{26}*f^{20} - 33946324 \\
& 736*a^{22}*b^{24}*c^{13}*e^{24}*f^{22} + 18556579328*a^{24}*b^{22}*c^{13}*e^{22}*f^{24} - 73752 \\
& 76032*a^{26}*b^{20}*c^{13}*e^{20}*f^{26} + 2009817088*a^{28}*b^{18}*c^{13}*e^{18}*f^{28} - 3356 \\
& 42624*a^{30}*b^{16}*c^{13}*e^{16}*f^{30} + 25907200*a^{32}*b^{14}*c^{13}*e^{14}*f^{32} - 211307 \\
& 94*a^{2}*b^{42}*c^{12}*e^{42}*f^2*(a^2*c*f^2 - b^2*c*e^2) + 234399015*a^4*b^40*c^{12} \\
& *e^{40}*f^4*(a^2*c*f^2 - b^2*c*e^2) - 1604168280*a^6*b^38*c^{12}*e^{38}*f^6*(a^2*c \\
& *f^2 - b^2*c*e^2) + 7579098492*a^8*b^36*c^{12}*e^{36}*f^8*(a^2*c*f^2 - b^2*c*e^2) \\
& - 26212380172*a^{10}*b^34*c^{12}*e^{34}*f^{10}*(a^2*c*f^2 - b^2*c*e^2) + 686729 \\
& 94096*a^{12}*b^32*c^{12}*e^{32}*f^{12}*(a^2*c*f^2 - b^2*c*e^2) - 139160589504*a^{14}* \\
& b^30*c^{12}*e^{30}*f^{14}*(a^2*c*f^2 - b^2*c*e^2) + 220859191808*a^{16}*b^28*c^{12}*e \\
& ^{28}*f^{16}*(a^2*c*f^2 - b^2*c*e^2) - 276344315328*a^{18}*b^26*c^{12}*e^{26}*f^{18}*(a \\
& ^2*c*f^2 - b^2*c*e^2) + 273130561984*a^{20}*b^24*c^{12}*e^{24}*f^{20}*(a^2*c*f^2 - \\
& b^2*c*e^2) - 212730002688*a^{22}*b^22*c^{12}*e^{22}*f^{22}*(a^2*c*f^2 - b^2*c*e^2) \\
& + 129574234368*a^{24}*b^20*c^{12}*e^{20}*f^{24}*(a^2*c*f^2 - b^2*c*e^2) - 607705692 \\
& 16*a^{26}*b^18*c^{12}*e^{18}*f^{26}*(a^2*c*f^2 - b^2*c*e^2) + 21304706048*a^{28}*b^16 \\
& *c^{12}*e^{16}*f^{28}*(a^2*c*f^2 - b^2*c*e^2) - 5272965120*a^{30}*b^14*c^{12}*e^{14}*f^{30} \\
& *(a^2*c*f^2 - b^2*c*e^2) + 819441664*a^{32}*b^12*c^{12}*e^{12}*f^{32}*(a^2*c*f^2 \\
& - b^2*c*e^2) - 59392000*a^{34}*b^10*c^{12}*e^{10}*f^{34}*(a^2*c*f^2 - b^2*c*e^2) + \\
& 9289728*a^6*b^24*c^5*e^24*f^6*(a^2*c*f^2 - b^2*c*e^2)^8 - 36884480*a^8*b^22 \\
& *c^5*e^22*f^8*(a^2*c*f^2 - b^2*c*e^2)^8 - 278604800*a^{10}*b^20*c^5*e^20*f^{10} \\
& *(a^2*c*f^2 - b^2*c*e^2)^8 + 2774483200*a^{12}*b^18*c^5*e^18*f^{12}*(a^2*c*f^2 \\
& - b^2*c*e^2)^8 - 10869657600*a^{14}*b^16*c^5*e^16*f^{14}*(a^2*c*f^2 - b^2*c*e^2 \\
& )^8 + 25237416960*a^{16}*b^14*c^5*e^14*f^{16}*(a^2*c*f^2 - b^2*c*e^2)^8 - 38348 \\
& 909568*a^{18}*b^12*c^5*e^12*f^{18}*(a^2*c*f^2 - b^2*c*e^2)^8 + 39084659712*a^{20} \\
& *b^10*c^5*e^10*f^{20}*(a^2*c*f^2 - b^2*c*e^2)^8 - 26118635520*a^{22}*b^8*c^5*e^ \\
& 8*f^{22}*(a^2*c*f^2 - b^2*c*e^2)^8 + 10414620672*a^{24}*b^6*c^5*e^6*f^{24}*(a^2*c \\
& *f^2 - b^2*c*e^2)^8 - 1708654592*a^{26}*b^4*c^5*e^4*f^{26}*(a^2*c*f^2 - b^2*c*e \\
& ^2)^8 - 276561920*a^{28}*b^2*c^5*e^2*f^{28}*(a^2*c*f^2 - b^2*c*e^2)^8 - 9704448 \\
& *a^4*b^28*c^6*e^28*f^4*(a^2*c*f^2 - b^2*c*e^2)^7 + 260614656*a^6*b^26*c^6*e \\
& ^26*f^6*(a^2*c*f^2 - b^2*c*e^2)^7 - 2166022464*a^8*b^24*c^6*e^24*f^8*(a^2*c \\
& *f^2 - b^2*c*e^2)^7 + 8626147840*a^{10}*b^22*c^6*e^22*f^{10}*(a^2*c*f^2 - b^2*c \\
& *e^2)^7 - 16771503616*a^{12}*b^20*c^6*e^20*f^{12}*(a^2*c*f^2 - b^2*c*e^2)^7 + 3 \\
& 301800960*a^{14}*b^18*c^6*e^18*f^{14}*(a^2*c*f^2 - b^2*c*e^2)^7 + 67337715968*a \\
& ^16*b^16*c^6*e^16*f^{16}*(a^2*c*f^2 - b^2*c*e^2)^7 - 189857873920*a^{18}*b^14*c \\
& ^6*e^14*f^{18}*(a^2*c*f^2 - b^2*c*e^2)^7 + 286100259840*a^{20}*b^12*c^6*e^12*f^{20} \\
& *(a^2*c*f^2 - b^2*c*e^2)^7 - 275789894656*a^{22}*b^10*c^6*e^10*f^{22}*(a^2*c* \\
& f^2 - b^2*c*e^2)^7 + 173716537344*a^{24}*b^8*c^6*e^8*f^{24}*(a^2*c*f^2 - b^2*c* \\
& e^2)^7 - 67416424448*a^{26}*b^6*c^6*e^6*f^{26}*(a^2*c*f^2 - b^2*c*e^2)^7 + 1283 \\
& 1686656*a^{28}*b^4*c^6*e^4*f^{28}*(a^2*c*f^2 - b^2*c*e^2)^7 + 222560256*a^{30}*b^2 \\
& *c^6*e^2*f^30*(a^2*c*f^2 - b^2*c*e^2)^7 + 2099520*a^2*b^32*c^7*e^32*f^2*(a \\
& ^2*c*f^2 - b^2*c*e^2)^6 - 107014608*a^4*b^30*c^7*e^30*f^4*(a^2*c*f^2 - b^2*c \\
& *e^2)^6 + 1848335616*a^6*b^28*c^7*e^28*f^6*(a^2*c*f^2 - b^2*c*e^2)^6 - 152 \\
& 00005312*a^8*b^26*c^7*e^26*f^8*(a^2*c*f^2 - b^2*c*e^2)^6 + 72612273792*a^{10} \\
& *b^24*c^7*e^24*f^{10}*(a^2*c*f^2 - b^2*c*e^2)^6 - 221855779968*a^{12}*b^22*c^7* \\
& e^{22}*f^{12}*(a^2*c*f^2 - b^2*c*e^2)^6 + 450717857536*a^{14}*b^20*c^7*e^{20}*f^{14} \\
& *(a^2*c*f^2 - b^2*c*e^2)^6 - 600578910208*a^{16}*b^18*c^7*e^{18}*f^{16}*(a^2*c*f^2 \\
& - b^2*c*e^2)^6 + 459464530688*a^{18}*b^16*c^7*e^{16}*f^{18}*(a^2*c*f^2 - b^2*c*e \\
& ^2)^6 - 33638947840*a^{20}*b^14*c^7*e^{14}*f^{20}*(a^2*c*f^2 - b^2*c*e^2)^6 - 376 \\
& 299926528*a^{22}*b^12*c^7*e^{12}*f^{22}*(a^2*c*f^2 - b^2*c*e^2)^6 + 488874068992* \\
& a^{24}*b^10*c^7*e^{10}*f^{24}*(a^2*c*f^2 - b^2*c*e^2)^6 - 333407809536*a^{26}*b^8*c \\
& ^7*e^8*f^{26}*(a^2*c*f^2 - b^2*c*e^2)^6 + 134140313600*a^{28}*b^6*c^7*e^6*f^{28} \\
& *(a^2*c*f^2 - b^2*c*e^2)^6 - 28220915712*a^{30}*b^4*c^7*e^4*f^{30}*(a^2*c*f^2 - \\
& b^2*c*e^2)^6 + 1230503936*a^{32}*b^2*c^7*e^2*f^{32}*(a^2*c*f^2 - b^2*c*e^2)^6 + \\
& 3335904*a^2*b^34*c^8*e^34*f^2*(a^2*c*f^2 - b^2*c*e^2)^5 - 290521728*a^4*b^ \\
& 32*c^8*e^32*f^4*(a^2*c*f^2 - b^2*c*e^2)^5 + 4865684544*a^6*b^30*c^8*e^30*f^6 \\
& *(a^2*c*f^2 - b^2*c*e^2)^5 - 40437394528*a^8*b^28*c^8*e^28*f^8*(a^2*c*f^2
\end{aligned}$$

$$\begin{aligned}
& - b^2 c e^2)^5 + 205602254656 a^{10} b^{26} c^8 e^{26} f^{10} (a^2 c f^2 - b^2 c e^2)^5 - 703885344192 a^{12} b^{24} c^8 e^{24} f^{12} (a^2 c f^2 - b^2 c e^2)^5 + 170 \\
& 9253482624 a^{14} b^{22} c^8 e^{22} f^{14} (a^2 c f^2 - b^2 c e^2)^5 - 302928269516 \\
& 8 a^{16} b^{20} c^8 e^{20} f^{16} (a^2 c f^2 - b^2 c e^2)^5 + 3966230827520 a^{18} b^{18} c^8 e^{18} f^{18} (a^2 c f^2 - b^2 c e^2)^5 - 3822339813632 a^{20} b^{16} c^8 e^{16} f^{20} (a^2 c f^2 - b^2 c e^2)^5 + 2640438056960 a^{22} b^{14} c^8 e^{14} f^{22} (a^2 c f^2 - b^2 c e^2)^5 - 1208501415936 a^{24} b^{12} c^8 e^{12} f^{24} (a^2 c f^2 - b^2 c e^2)^5 + 269338092544 a^{26} b^{10} c^8 e^{10} f^{26} (a^2 c f^2 - b^2 c e^2)^5 + 53783212032 a^{28} b^8 c^8 e^8 f^{28} (a^2 c f^2 - b^2 c e^2)^5 - 60985 \\
& 360384 a^{30} b^6 c^8 e^6 f^{30} (a^2 c f^2 - b^2 c e^2)^5 + 17917083648 a^{32} b^4 c^8 e^4 f^{32} (a^2 c f^2 - b^2 c e^2)^5 - 1558708224 a^{34} b^2 c^8 e^2 f^{34} (a^2 c f^2 - b^2 c e^2)^5 - 11917692 a^{36} c^9 e^{36} f^2 (a^2 c f^2 - b^2 c e^2)^4 - 224907516 a^4 b^{34} c^9 e^{34} f^4 (a^2 c f^2 - b^2 c e^2)^4 + 5 \\
& 303932560 a^6 b^{32} c^9 e^{32} f^6 (a^2 c f^2 - b^2 c e^2)^4 - 48206418480 a^8 b^{30} c^9 e^{30} f^8 (a^2 c f^2 - b^2 c e^2)^4 + 261450609120 a^{10} b^{28} c^9 e^{28} f^{10} (a^2 c f^2 - b^2 c e^2)^4 - 962361040256 a^{12} b^{26} c^9 e^{26} f^{12} (a^2 c f^2 - b^2 c e^2)^4 + 2558559358080 a^{14} b^{24} c^9 e^{24} f^{14} (a^2 c f^2 - b^2 c e^2)^4 - 5091804150656 a^{16} b^{22} c^9 e^{22} f^{16} (a^2 c f^2 - b^2 c e^2)^4 + 7750806514944 a^{18} b^{20} c^9 e^{20} f^{18} (a^2 c f^2 - b^2 c e^2)^4 - 9137207485952 a^{20} b^{18} c^9 e^{18} f^{20} (a^2 c f^2 - b^2 c e^2)^4 + 838456328 \\
& 0128 a^{22} b^{16} c^9 e^{16} f^{22} (a^2 c f^2 - b^2 c e^2)^4 - 5975281259520 a^{24} b^{14} c^9 e^{14} f^{24} (a^2 c f^2 - b^2 c e^2)^4 + 3269297268736 a^{26} b^{12} c^9 e^{12} f^{26} (a^2 c f^2 - b^2 c e^2)^4 - 1339171540992 a^{28} b^{10} c^9 e^{10} f^{28} (a^2 c f^2 - b^2 c e^2)^4 + 391250194432 a^{30} b^8 c^9 e^8 f^{30} (a^2 c f^2 - b^2 c e^2)^4 - 74114154496 a^{32} b^6 c^9 e^6 f^{32} (a^2 c f^2 - b^2 c e^2)^4 + 7299203072 a^{34} b^4 c^9 e^4 f^{34} (a^2 c f^2 - b^2 c e^2)^4 - 148635648 \\
& a^{36} b^2 c^9 e^2 f^{36} (a^2 c f^2 - b^2 c e^2)^4 - 38704068 a^{38} c^{10} e^{38} f^2 (a^2 c f^2 - b^2 c e^2)^3 + 188845992 a^4 b^{36} c^{10} e^{36} f^4 (a^2 c f^2 - b^2 c e^2)^3 + 1157124204 a^6 b^{34} c^{10} e^{34} f^6 (a^2 c f^2 - b^2 c e^2)^3 - 20586361424 a^8 b^{32} c^{10} e^{32} f^8 (a^2 c f^2 - b^2 c e^2)^3 + 135 \\
& 395499200 a^{10} b^{30} c^{10} e^{30} f^{10} (a^2 c f^2 - b^2 c e^2)^3 - 555513858464 \\
& a^{12} b^{28} c^{10} e^{28} f^{12} (a^2 c f^2 - b^2 c e^2)^3 + 1608776388864 a^{14} b^{26} c^{10} e^{26} f^{14} (a^2 c f^2 - b^2 c e^2)^3 - 3473989271488 a^{16} b^{24} c^{10} e^{24} f^{16} (a^2 c f^2 - b^2 c e^2)^3 + 5766181411456 a^{18} b^{22} c^{10} e^{22} f^{18} (a^2 c f^2 - b^2 c e^2)^3 - 7493983209472 a^{20} b^{20} c^{10} e^{20} f^{20} (a^2 c f^2 - b^2 c e^2)^3 + 7713917084672 a^{22} b^{18} c^{10} e^{18} f^{22} (a^2 c f^2 - b^2 c e^2)^3 - 6328467293184 a^{24} b^{16} c^{10} e^{16} f^{24} (a^2 c f^2 - b^2 c e^2)^3 + 4142950034432 a^{26} b^{14} c^{10} e^{14} f^{26} (a^2 c f^2 - b^2 c e^2)^3 - 21 \\
& 52681536512 a^{28} b^{12} c^{10} e^{12} f^{28} (a^2 c f^2 - b^2 c e^2)^3 + 8741995110 \\
& 40 a^{30} b^{10} c^{10} e^{10} f^{30} (a^2 c f^2 - b^2 c e^2)^3 - 268759150592 a^{32} b^8 c^{10} e^8 f^{32} (a^2 c f^2 - b^2 c e^2)^3 + 58872545280 a^{34} b^6 c^{10} e^6 f^{34} (a^2 c f^2 - b^2 c e^2)^3 - 8151957504 a^{36} b^4 c^{10} e^4 f^{36} (a^2 c f^2 - b^2 c e^2)^3 + 530841600 a^{38} b^2 c^{10} e^2 f^{38} (a^2 c f^2 - b^2 c e^2)^3 - 42743457 a^{40} b c^{11} e^{40} f^2 (a^2 c f^2 - b^2 c e^2)^2 + 411055884 \\
& a^4 b^{38} c^{11} e^{38} f^4 (a^2 c f^2 - b^2 c e^2)^2 - 2180887236 a^6 b^{36} c^{11} e^{36} f^6 (a^2 c f^2 - b^2 c e^2)^2 + 6404946508 a^8 b^{34} c^{11} e^{34} f^8 (a^2 c f^2 - b^2 c e^2)^2 - 5434005264 a^{10} b^{32} c^{11} e^{32} f^{10} (a^2 c f^2 - b^2 c e^2)^2 - 38868373520 a^{12} b^{30} c^{11} e^{30} f^{12} (a^2 c f^2 - b^2 c e^2)^2 + 208447613600 a^{14} b^{28} c^{11} e^{28} f^{14} (a^2 c f^2 - b^2 c e^2)^2 - 5796 \\
& 74999104 a^{16} b^{26} c^{11} e^{26} f^{16} (a^2 c f^2 - b^2 c e^2)^2 + 1104967566592 \\
& a^{18} b^{24} c^{11} e^{24} f^{18} (a^2 c f^2 - b^2 c e^2)^2 - 1554566531328 a^{20} b^{22} c^{11} e^{22} f^{20} (a^2 c f^2 - b^2 c e^2)^2 + 1659734381312 a^{22} b^{20} c^{11} e^{20} f^{22} (a^2 c f^2 - b^2 c e^2)^2 - 1356361512192 a^{24} b^{18} c^{11} e^{18} f^{24} (a^2 c f^2 - b^2 c e^2)^2 + 845331359744 a^{26} b^{16} c^{11} e^{16} f^{26} (a^2 c f^2 - b^2 c e^2)^2 - 395676895232 a^{28} b^{14} c^{11} e^{14} f^{28} (a^2 c f^2 - b^2 c e^2)^2 + 134902689792 a^{30} b^{12} c^{11} e^{12} f^{30} (a^2 c f^2 - b^2 c e^2)^2 - 31670587392 a^{32} b^{10} c^{11} e^{10} f^{32} (a^2 c f^2 - b^2 c e^2)^2 + 4584669 \\
& 184 a^{34} b^8 c^{11} e^8 f^{34} (a^2 c f^2 - b^2 c e^2)^2 - 309657600 a^{36} b^6 c^{11} e^6 f^{36} (a^2 c f^2 - b^2 c e^2)^2) (b^{16} e^{12} f^6 (a^2 c f^2 - b^2 c e^2)^2)
\end{aligned}$$

$$\begin{aligned}
& e^2)^2 - 4a^2b^{14}e^{10}f^8(a^2c^2f^2 - b^2c^2e^2)^2 + 6a^4b^{12}e^8f^{10} \\
& (a^2c^2f^2 - b^2c^2e^2)^2 - 4a^6b^{10}e^6f^{12}(a^2c^2f^2 - b^2c^2e^2)^2 \\
& + a^8b^8e^4f^{14}(a^2c^2f^2 - b^2c^2e^2)^2) / (((a + b^2x)^{(1/2)} - a^{(1/2)}) \\
& )^3(16384C^4a^6c^3f^4 + 4096C^4a^2b^4c^3e^4 - 16384C^4a^4b^2c^3 \\
& e^2f^2) - (((a^2c^2f^2 - b^2c^2e^2)^{(1/2)} - (a^2c^2f^2)^{(1/2)}) * ((8a^4b^6c^4e^6f^4 \\
& * ((16384C^3e^3(2a^2f^2 - b^2e^2)^3(20C^3a^12c^6f^{13} + 22C^3a^4b^8 \\
& * c^6e^8f^5 - 88C^3a^6b^6c^6e^6f^7 + 130C^3a^8b^4c^6e^4f^9 - 84C^3 \\
& a^{10}b^2c^6e^2f^{11}))/f^6(a^2f + b^2e)^3(a^2f - b^2e)^3(b^2c^2e^2 - a^2c^2 \\
& f^2)^{(3/2)}(b^{13}e^{12}f^3 - 3a^2b^{11}e^{10}f^5 + 3a^4b^9e^8f^7 - a^6b^7 \\
& e^6f^9)) + (16384C^3e^3(2a^2f^2 - b^2e^2)(96C^3a^{10}c^5e^2f^7 - \\
& 28C^3a^4b^6c^5e^8f + 132C^3a^6b^4c^5e^6f^3 - 200C^3a^8b^2c^5 \\
& e^4f^5))/f^2(a^2f + b^2e)(a^2f - b^2e)(b^2c^2e^2 - a^2c^2f^2)^{(1/2)}(b^{13} \\
& e^{12}f^3 - 3a^2b^{11}e^{10}f^5 + 3a^4b^9e^8f^7 - a^6b^7e^6f^9))) * \\
& (4a^2c^2f^2 - 3b^2c^2e^2)(4a^6c^2f^6 - 3b^6c^2e^6 + 8a^2b^4c^2e^4f^2 \\
& - 8a^4b^2c^2e^2f^4)^4 / (164025b^{46}c^{13}e^{46} + 885735b^{44}c^{12}e^{44} \\
& (a^2c^2f^2 - b^2c^2e^2) + 117440512a^{30}c^5f^{30}(a^2c^2f^2 - b^2c^2e^2)^8 \\
& - 385875968a^{32}c^6f^{32}(a^2c^2f^2 - b^2c^2e^2)^7 + 419430400a^{34}c^7f^{34} \\
& (a^2c^2f^2 - b^2c^2e^2)^6 - 150994944a^{36}c^8f^{36}(a^2c^2f^2 - b^2c^2e^2)^5 \\
& + 236196b^{36}c^8e^{36}(a^2c^2f^2 - b^2c^2e^2)^5 + 1102248b^{38}c^9e^{38} \\
& (a^2c^2f^2 - b^2c^2e^2)^4 + 2053593b^{40}c^{10}e^{40}(a^2c^2f^2 - b^2c^2e^2)^3 \\
& + 1909251b^{42}c^{11}e^{42}(a^2c^2f^2 - b^2c^2e^2)^2 - 3937329a^{2}b^4 \\
& 4c^{13}e^{44}f^2 + 43893819a^4b^42c^{13}e^{42}f^4 - 301507155a^6b^40c^{13} \\
& e^{40}f^6 + 1427514656a^8b^38c^{13}e^{38}f^8 - 4936911112a^{10}b^36c^{13}e^{36} \\
& f^{10} + 12893273616a^{12}b^34c^{13}e^{34}f^{12} - 25921630432a^{14}b^32c^{13} \\
& e^{32}f^{14} + 40519286096a^{16}b^30c^{13}e^{30}f^{16} - 49376608256a^{18}b^28c^{13} \\
& e^{28}f^{18} + 46721401856a^{20}b^26c^{13}e^{26}f^{20} - 33946324736a^{22}b^24 \\
& c^{13}e^{24}f^{22} + 18556579328a^{24}b^22c^{13}e^{22}f^{24} - 7375276032a^{26} \\
& b^{20}c^{13}e^{20}f^{26} + 2009817088a^{28}b^{18}c^{13}e^{18}f^{28} - 335642624a^{30} \\
& b^{16}c^{13}e^{16}f^{30} + 25907200a^{32}b^{14}c^{13}e^{14}f^{32} - 21130794a^{2}b^42 \\
& c^{12}e^{42}f^2(a^2c^2f^2 - b^2c^2e^2) + 234399015a^4b^40c^{12}e^{40}f^4 * \\
& (a^2c^2f^2 - b^2c^2e^2) - 1604168280a^6b^38c^{12}e^{38}f^6(a^2c^2f^2 - b^2 \\
& c^2e^2) + 7579098492a^8b^36c^{12}e^{36}f^8(a^2c^2f^2 - b^2c^2e^2) - 26212 \\
& 380172a^{10}b^34c^{12}e^{34}f^{10}(a^2c^2f^2 - b^2c^2e^2) + 68672994096a^{12} \\
& b^{32}c^{12}e^{32}f^{12}(a^2c^2f^2 - b^2c^2e^2) - 139160589504a^{14}b^{30}c^{12}e^{30} \\
& f^{14}(a^2c^2f^2 - b^2c^2e^2) + 220859191808a^{16}b^{28}c^{12}e^{28}f^{16}(a^2 \\
& c^2f^2 - b^2c^2e^2) - 276344315328a^{18}b^{26}c^{12}e^{26}f^{18}(a^2c^2f^2 - \\
& b^2c^2e^2) + 273130561984a^{20}b^{24}c^{12}e^{24}f^{20}(a^2c^2f^2 - b^2c^2e^2) \\
& - 212730002688a^{22}b^{22}c^{12}e^{22}f^{22}(a^2c^2f^2 - b^2c^2e^2) + 129574234 \\
& 368a^{24}b^{20}c^{12}e^{20}f^{24}(a^2c^2f^2 - b^2c^2e^2) - 60770569216a^{26}b^{18} \\
& c^{12}e^{18}f^{26}(a^2c^2f^2 - b^2c^2e^2) + 21304706048a^{28}b^{16}c^{12}e^{16} \\
& f^{28}(a^2c^2f^2 - b^2c^2e^2) - 5272965120a^{30}b^{14}c^{12}e^{14}f^{30}(a^2c^2f^2 \\
& - b^2c^2e^2) + 819441664a^{32}b^{12}c^{12}e^{12}f^{32}(a^2c^2f^2 - b^2c^2e^2) \\
& ) - 59392000a^{34}b^{10}c^{12}e^{10}f^{34}(a^2c^2f^2 - b^2c^2e^2) + 9289728a^6 \\
& b^{24}c^5e^{24}f^6(a^2c^2f^2 - b^2c^2e^2)^8 - 36884480a^8b^{22}c^5e^{22}f^8 \\
& (a^2c^2f^2 - b^2c^2e^2)^8 - 278604800a^{10}b^{20}c^5e^{20}f^{10}(a^2c^2f^2 \\
& - b^2c^2e^2)^8 + 2774483200a^{12}b^{18}c^5e^{18}f^{12}(a^2c^2f^2 - b^2c^2e^2)^8 \\
& - 10869657600a^{14}b^{16}c^5e^{16}f^{14}(a^2c^2f^2 - b^2c^2e^2)^8 + 25237 \\
& 416960a^{16}b^{14}c^5e^{14}f^{16}(a^2c^2f^2 - b^2c^2e^2)^8 - 38348909568a^{18} \\
& b^{12}c^5e^{12}f^{18}(a^2c^2f^2 - b^2c^2e^2)^8 + 39084659712a^{20}b^{10}c^5e^{10} \\
& f^{20}(a^2c^2f^2 - b^2c^2e^2)^8 - 26118635520a^{22}b^8c^5e^8f^{22}(a^2 \\
& c^2f^2 - b^2c^2e^2)^8 + 10414620672a^{24}b^6c^5e^6f^{24}(a^2c^2f^2 - b^2c^2 \\
& e^2)^8 - 1708654592a^{26}b^4c^5e^4f^{26}(a^2c^2f^2 - b^2c^2e^2)^8 - 276 \\
& 561920a^{28}b^2c^5e^2f^{28}(a^2c^2f^2 - b^2c^2e^2)^8 - 9704448a^4b^{28}c^6 \\
& e^{28}f^4(a^2c^2f^2 - b^2c^2e^2)^7 + 260614656a^6b^{26}c^6e^{26}f^6(a^2 \\
& c^2f^2 - b^2c^2e^2)^7 - 2166022464a^8b^{24}c^6e^{24}f^8(a^2c^2f^2 - b^2c^2 \\
& e^2)^7 + 8626147840a^{10}b^{22}c^6e^{22}f^{10}(a^2c^2f^2 - b^2c^2e^2)^7 - 1 \\
& 6771503616a^{12}b^{20}c^6e^{20}f^{12}(a^2c^2f^2 - b^2c^2e^2)^7 + 3301800960a^{14} \\
& b^{18}c^6e^{18}f^{14}(a^2c^2f^2 - b^2c^2e^2)^7 + 67337715968a^{16}b^{16}c^6 \\
& e^{16}f^{16}(a^2c^2f^2 - b^2c^2e^2)^7 - 189857873920a^{18}b^{14}c^6e^{14}f^{18}
\end{aligned}$$

$$\begin{aligned}
& 8*(a^2*c*f^2 - b^2*c*e^2)^7 + 286100259840*a^20*b^12*c^6*e^12*f^20*(a^2*c*f^2 - b^2*c*e^2)^7 - 275789894656*a^22*b^10*c^6*e^10*f^22*(a^2*c*f^2 - b^2*c*e^2)^7 + 173716537344*a^24*b^8*c^6*e^8*f^24*(a^2*c*f^2 - b^2*c*e^2)^7 - 67416424448*a^26*b^6*c^6*e^6*f^26*(a^2*c*f^2 - b^2*c*e^2)^7 + 12831686656*a^28*b^4*c^6*e^4*f^28*(a^2*c*f^2 - b^2*c*e^2)^7 + 222560256*a^30*b^2*c^6*e^2*f^30*(a^2*c*f^2 - b^2*c*e^2)^7 + 2099520*a^2*b^32*c^7*e^32*f^2*(a^2*c*f^2 - b^2*c*e^2)^6 - 107014608*a^4*b^30*c^7*e^30*f^4*(a^2*c*f^2 - b^2*c*e^2)^6 + 1848335616*a^6*b^28*c^7*e^28*f^6*(a^2*c*f^2 - b^2*c*e^2)^6 - 15200005312*a^8*b^26*c^7*e^26*f^8*(a^2*c*f^2 - b^2*c*e^2)^6 + 72612273792*a^10*b^24*c^7*e^24*f^10*(a^2*c*f^2 - b^2*c*e^2)^6 - 221855779968*a^12*b^22*c^7*e^22*f^12*(a^2*c*f^2 - b^2*c*e^2)^6 + 450717857536*a^14*b^20*c^7*e^20*f^14*(a^2*c*f^2 - b^2*c*e^2)^6 - 600578910208*a^16*b^18*c^7*e^18*f^16*(a^2*c*f^2 - b^2*c*e^2)^6 + 459464530688*a^18*b^16*c^7*e^16*f^18*(a^2*c*f^2 - b^2*c*e^2)^6 - 33638947840*a^20*b^14*c^7*e^14*f^20*(a^2*c*f^2 - b^2*c*e^2)^6 - 376299926528*a^22*b^12*c^7*e^12*f^22*(a^2*c*f^2 - b^2*c*e^2)^6 + 488874068992*a^24*b^10*c^7*e^10*f^24*(a^2*c*f^2 - b^2*c*e^2)^6 - 333407809536*a^26*b^8*c^7*e^8*f^26*(a^2*c*f^2 - b^2*c*e^2)^6 + 134140313600*a^28*b^6*c^7*e^6*f^28*(a^2*c*f^2 - b^2*c*e^2)^6 - 28220915712*a^30*b^4*c^7*e^4*f^30*(a^2*c*f^2 - b^2*c*e^2)^6 + 1230503936*a^32*b^2*c^7*e^2*f^32*(a^2*c*f^2 - b^2*c*e^2)^6 + 3335904*a^2*b^34*c^8*e^34*f^2*(a^2*c*f^2 - b^2*c*e^2)^5 - 290521728*a^4*b^32*c^8*e^32*f^4*(a^2*c*f^2 - b^2*c*e^2)^5 + 4865684544*a^6*b^30*c^8*e^30*f^6*(a^2*c*f^2 - b^2*c*e^2)^5 - 40437394528*a^8*b^28*c^8*e^28*f^8*(a^2*c*f^2 - b^2*c*e^2)^5 + 205602254656*a^10*b^26*c^8*e^26*f^10*(a^2*c*f^2 - b^2*c*e^2)^5 - 703885344192*a^12*b^24*c^8*e^24*f^12*(a^2*c*f^2 - b^2*c*e^2)^5 + 1709253482624*a^14*b^22*c^8*e^22*f^14*(a^2*c*f^2 - b^2*c*e^2)^5 - 3029282695168*a^16*b^20*c^8*e^20*f^16*(a^2*c*f^2 - b^2*c*e^2)^5 + 3966230827520*a^18*b^18*c^8*e^18*f^18*(a^2*c*f^2 - b^2*c*e^2)^5 - 3822339813632*a^20*b^16*c^8*e^16*f^20*(a^2*c*f^2 - b^2*c*e^2)^5 + 2640438056960*a^22*b^14*c^8*e^14*f^22*(a^2*c*f^2 - b^2*c*e^2)^5 - 1208501415936*a^24*b^12*c^8*e^12*f^24*(a^2*c*f^2 - b^2*c*e^2)^5 + 269338092544*a^26*b^10*c^8*e^10*f^26*(a^2*c*f^2 - b^2*c*e^2)^5 + 53783212032*a^28*b^8*c^8*e^8*f^28*(a^2*c*f^2 - b^2*c*e^2)^5 - 60985360384*a^30*b^6*c^8*e^6*f^30*(a^2*c*f^2 - b^2*c*e^2)^5 + 17917083648*a^32*b^4*c^8*e^4*f^32*(a^2*c*f^2 - b^2*c*e^2)^5 - 1558708224*a^34*b^2*c^8*e^2*f^34*(a^2*c*f^2 - b^2*c*e^2)^5 - 11917692*a^2*b^36*c^9*e^36*f^2*(a^2*c*f^2 - b^2*c*e^2)^4 - 224907516*a^4*b^34*c^9*e^34*f^4*(a^2*c*f^2 - b^2*c*e^2)^4 + 5303932560*a^6*b^32*c^9*e^32*f^6*(a^2*c*f^2 - b^2*c*e^2)^4 - 48206418480*a^8*b^30*c^9*e^30*f^8*(a^2*c*f^2 - b^2*c*e^2)^4 + 261450609120*a^10*b^28*c^9*e^28*f^10*(a^2*c*f^2 - b^2*c*e^2)^4 - 962361040256*a^12*b^26*c^9*e^26*f^12*(a^2*c*f^2 - b^2*c*e^2)^4 + 2558559358080*a^14*b^24*c^9*e^24*f^14*(a^2*c*f^2 - b^2*c*e^2)^4 - 5091804150656*a^16*b^22*c^9*e^22*f^16*(a^2*c*f^2 - b^2*c*e^2)^4 + 7750806514944*a^18*b^20*c^9*e^20*f^18*(a^2*c*f^2 - b^2*c*e^2)^4 - 9137207485952*a^20*b^18*c^9*e^18*f^20*(a^2*c*f^2 - b^2*c*e^2)^4 + 8384563280128*a^22*b^16*c^9*e^16*f^22*(a^2*c*f^2 - b^2*c*e^2)^4 - 5975281259520*a^24*b^14*c^9*e^14*f^24*(a^2*c*f^2 - b^2*c*e^2)^4 + 3269297268736*a^26*b^12*c^9*e^12*f^26*(a^2*c*f^2 - b^2*c*e^2)^4 - 1339171540992*a^28*b^10*c^9*e^10*f^28*(a^2*c*f^2 - b^2*c*e^2)^4 + 391250194432*a^30*b^8*c^9*e^8*f^30*(a^2*c*f^2 - b^2*c*e^2)^4 - 74114154496*a^32*b^6*c^9*e^6*f^32*(a^2*c*f^2 - b^2*c*e^2)^4 + 7299203072*a^34*b^4*c^9*e^4*f^34*(a^2*c*f^2 - b^2*c*e^2)^4 - 148635648*a^36*b^2*c^9*e^2*f^36*(a^2*c*f^2 - b^2*c*e^2)^4 - 38704068*a^2*b^38*c^10*e^38*f^2*(a^2*c*f^2 - b^2*c*e^2)^3 + 188845992*a^4*b^36*c^10*e^36*f^4*(a^2*c*f^2 - b^2*c*e^2)^3 + 1157124204*a^6*b^34*c^10*e^34*f^6*(a^2*c*f^2 - b^2*c*e^2)^3 - 20586361424*a^8*b^32*c^10*e^32*f^8*(a^2*c*f^2 - b^2*c*e^2)^3 + 135395499200*a^10*b^30*c^10*e^30*f^10*(a^2*c*f^2 - b^2*c*e^2)^3 - 555513858464*a^12*b^28*c^10*e^28*f^12*(a^2*c*f^2 - b^2*c*e^2)^3 + 1608776388864*a^14*b^26*c^10*e^26*f^14*(a^2*c*f^2 - b^2*c*e^2)^3 - 3473989271488*a^16*b^24*c^10*e^24*f^16*(a^2*c*f^2 - b^2*c*e^2)^3 + 5766181411456*a^18*b^22*c^10*e^22*f^18*(a^2*c*f^2 - b^2*c*e^2)^3 - 7493983209472*a^20*b^20*c^10*e^20*f^20*(a^2*c*f^2 - b^2*c*e^2)^3 + 7713917084672*a^22*b^18*c^10*e^18*f^22*(a^2*c*f^2 - b^2*c*e^2)^3 - 6328467293184*a^24*b^16*c^10*e^16*f^24*(a^2*c*f^2 - b^2*c*e^2)^3 + 41429
\end{aligned}$$



$$\begin{aligned}
& 50034432a^{26}b^{14}c^{10}e^{14}f^{26}(a^2c^2f^2 - b^2c^2e^2)^3 - 2152681536512 \\
& *a^{28}b^{12}c^{10}e^{12}f^{28}(a^2c^2f^2 - b^2c^2e^2)^3 + 874199511040a^{30}b^{10} \\
& *c^{10}e^{10}f^{30}(a^2c^2f^2 - b^2c^2e^2)^3 - 268759150592a^{32}b^8c^{10}e^8 \\
& *f^{32}(a^2c^2f^2 - b^2c^2e^2)^3 + 58872545280a^{34}b^6c^{10}e^6f^{34}(a^2c^2 \\
& *f^2 - b^2c^2e^2)^3 - 8151957504a^{36}b^4c^{10}e^4f^{36}(a^2c^2f^2 - b^2c^2 \\
& e^2)^3 + 530841600a^{38}b^2c^{10}e^2f^{38}(a^2c^2f^2 - b^2c^2e^2)^3 - 42743 \\
& 457a^2b^{40}c^{11}e^{40}f^{20}(a^2c^2f^2 - b^2c^2e^2)^2 + 411055884a^4b^{38}c^{11} \\
& e^{38}f^{40}(a^2c^2f^2 - b^2c^2e^2)^2 - 2180887236a^6b^{36}c^{11}e^{36}f^{40} \\
& (a^2c^2f^2 - b^2c^2e^2)^2 + 6404946508a^8b^{34}c^{11}e^{34}f^{40}(a^2c^2f^2 - \\
& b^2c^2e^2)^2 - 5434005264a^{10}b^{32}c^{11}e^{32}f^{40}(a^2c^2f^2 - b^2c^2e^2)^2 \\
& - 38868373520a^{12}b^{30}c^{11}e^{30}f^{40}(a^2c^2f^2 - b^2c^2e^2)^2 + 208447 \\
& 613600a^{14}b^{28}c^{11}e^{28}f^{40}(a^2c^2f^2 - b^2c^2e^2)^2 - 579674999104a^{16} \\
& b^{26}c^{11}e^{26}f^{40}(a^2c^2f^2 - b^2c^2e^2)^2 + 1104967566592a^{18}b^{24}c^{11} \\
& e^{24}f^{40}(a^2c^2f^2 - b^2c^2e^2)^2 - 1554566531328a^{20}b^{22}c^{11}e^{22} \\
& f^{40}(a^2c^2f^2 - b^2c^2e^2)^2 + 1659734381312a^{22}b^{20}c^{11}e^{20}f^{40} \\
& (a^2c^2f^2 - b^2c^2e^2)^2 - 1356361512192a^{24}b^{18}c^{11}e^{18}f^{40}(a^2c^2f^2 \\
& - b^2c^2e^2)^2 + 845331359744a^{26}b^{16}c^{11}e^{16}f^{40}(a^2c^2f^2 - b^2c^2 \\
& e^2)^2 - 395676895232a^{28}b^{14}c^{11}e^{14}f^{40}(a^2c^2f^2 - b^2c^2e^2)^2 + \\
& 134902689792a^{30}b^{12}c^{11}e^{12}f^{40}(a^2c^2f^2 - b^2c^2e^2)^2 - 31670587 \\
& 392a^{32}b^{10}c^{11}e^{10}f^{40}(a^2c^2f^2 - b^2c^2e^2)^2 + 4584669184a^{34}b^8 \\
& c^{11}e^8f^{40}(a^2c^2f^2 - b^2c^2e^2)^2 - 309657600a^{36}b^6c^{11}e^6f^{40} \\
& 6(a^2c^2f^2 - b^2c^2e^2)^2) - (2a^4b^5c^3e^5f^4(4a^2c^2f^2 - 3b^2c^2 \\
& e^2)^2((4096(16C^4a^4b^8c^5e^{10} + 64C^4a^{12}c^5e^2f^8 - 92C^4 \\
& a^6b^6c^5e^8f^2 + 192C^4a^8b^4c^5e^6f^4 - 176C^4a^{10}b^2c^5e^4f^6)) / (b^{16} \\
& e^{14}f^4 - 4a^2b^{14}e^{12}f^6 + 6a^4b^{12}e^{10}f^8 - 4a^6b^{10}e^8f^{10} + a^8b^8e^6f^{12} \\
& + (4096C^4e^4(2a^2f^2 - b^2e^2)^4(9a^2b^{14}c^7e^{12}f^6 - 43a^4b^{12}c^7e^{10}f^8 + 82a^6b^{10} \\
& c^7e^8f^{10} - 78a^8b^8c^7e^6f^{12} + 37a^{10}b^6c^7e^4f^{14} - 7a^{12}b^4c^7e^2f^{16}))) / (f^8(a \\
& f + b^2e^2)^4(a^2c^2f^2 - b^2c^2e^2)^2(b^{16}e^{14}f^4 - 4a^2b^{14}e^{12}f^6 + 6a^4b^{12} \\
& e^{10}f^8 - 4a^6b^{10}e^8f^{10} + a^8b^8e^6f^{12})) + (4096C^2e^2(2a^2f^2 - b^2e^2)^2(16C^2a^{14}c^6 \\
& f^{14} + 9C^2a^2b^{12}c^6e^{12}f^2 - 54C^2a^4b^{10}c^6e^{10}f^4 + 121C^2a^6b^8c^6e^8f^6 - 128C^2a^8b^6 \\
& c^6e^6f^8 + 80C^2a^{10}b^4c^6e^4f^{10} - 44C^2a^{12}b^2c^6e^2f^{12})) / (f^4(a^2c^2f^2 - b^2c^2e^2)^2 \\
& (a^2c^2f^2 - b^2c^2e^2)(b^{16}e^{14}f^4 - 4a^2b^{14}e^{12}f^6 + 6a^4b^{12}e^{10}f^8 - 4a^6b^{10}e^8f^{10} \\
& + a^8b^8e^6f^{12})) * (4a^6c^2f^6 - 3b^6c^2e^6 + 8a^2b^4c^2e^4f^2 - 8a^4b^2c^2e^2f^4)^4 / ((b^2c^2e^2 - a^2c^2f^2)^{1/2} \\
& (164025b^{46}c^{13}e^{46} + 885735b^{44}c^{12}e^{44}(a^2c^2f^2 - b^2c^2e^2) + 117440512a^{30}c^5f^{30} \\
& (a^2c^2f^2 - b^2c^2e^2)^8 - 385875968a^{32}c^6f^{32}(a^2c^2f^2 - b^2c^2e^2)^7 + 419430400a^{34}c^7f^{34} \\
& (a^2c^2f^2 - b^2c^2e^2)^6 - 150994944a^{36}c^8f^{36}(a^2c^2f^2 - b^2c^2e^2)^5 + 236196b^{36} \\
& c^8e^{36}(a^2c^2f^2 - b^2c^2e^2)^5 + 1102248b^{38}c^9e^{38}(a^2c^2f^2 - b^2c^2e^2)^4 + 2053593b^{40} \\
& c^{10}e^{40}(a^2c^2f^2 - b^2c^2e^2)^3 + 1909251b^{42}c^{11}e^{42}(a^2c^2f^2 - b^2c^2e^2)^2 - 3937329a^{2b^{44}c^{13}e^{44}f^2 \\
& + 43893819a^4b^{42}c^{13}e^{42}f^4 - 301507155a^6b^{40}c^{13}e^{40}f^6 + 1427514656a^8b^{38}c^{13}e^{38}f^8 \\
& - 4936911112a^{10}b^{36}c^{13}e^{36}f^{10} + 12893273616a^{12}b^{34}c^{13}e^{34}f^{12} - 25921630432a^{14}b^{32}c^{13}e^{32}f^{14} \\
& + 40519286096a^{16}b^{30}c^{13}e^{30}f^{16} - 49376608256a^{18}b^{28}c^{13}e^{28}f^{18} + 46721401856a^{20}b^{26}c^{13}e^{26}f^{20} \\
& - 33946324736a^{22}b^{24}c^{13}e^{24}f^{22} + 18556579328a^{24}b^{22}c^{13}e^{22}f^{24} - 7375276032a^{26}b^{20}c^{13}e^{20}f^{26} \\
& + 2009817088a^{28}b^{18}c^{13}e^{18}f^{28} - 335642624a^{30}b^{16}c^{13}e^{16}f^{30} + 25907200a^{32}b^{14}c^{13}e^{14}f^{32} \\
& - 21130794a^{2b^{42}c^{12}e^{42}f^2(a^2c^2f^2 - b^2c^2e^2) + 234399015a^4b^{40}c^{12}e^{40}f^4(a^2c^2f^2 - b^2c^2e^2)^2 \\
& - 1604168280a^6b^{38}c^{12}e^{38}f^6(a^2c^2f^2 - b^2c^2e^2) + 7579098492a^8b^{36}c^{12}e^{36}f^8(a^2c^2f^2 - b^2c^2e^2) \\
& - 26212380172a^{10}b^{34}c^{12}e^{34}f^{10}(a^2c^2f^2 - b^2c^2e^2) + 68672994096a^{12}b^{32}c^{12}e^{32}f^{12} \\
& (a^2c^2f^2 - b^2c^2e^2) - 139160589504a^{14}b^{30}c^{12}e^{30}f^{14}(a^2c^2f^2 - b^2c^2e^2) \\
& - 220859191808a^{16}b^{28}c^{12}e^{28}f^{16}(a^2c^2f^2 - b^2c^2e^2) - 276344315328a^{18}b^{26}c^{12}e^{26}f^{18} \\
& (a^2c^2f^2 - b^2c^2e^2) + 273130
\end{aligned}$$

$$\begin{aligned}
& 561984a^{20}b^{24}c^{12}e^{24}f^{20}(a^2c^2f^2 - b^2c^2e^2) - 212730002688a^{22} \\
& *b^{22}c^{12}e^{22}f^{22}(a^2c^2f^2 - b^2c^2e^2) + 129574234368a^{24}b^{20}c^{12} \\
& e^{20}f^{24}(a^2c^2f^2 - b^2c^2e^2) - 60770569216a^{26}b^{18}c^{12}e^{18}f^{26}(a \\
& ^2c^2f^2 - b^2c^2e^2) + 21304706048a^{28}b^{16}c^{12}e^{16}f^{28}(a^2c^2f^2 - b \\
& ^2c^2e^2) - 5272965120a^{30}b^{14}c^{12}e^{14}f^{30}(a^2c^2f^2 - b^2c^2e^2) + 8 \\
& 19441664a^{32}b^{12}c^{12}e^{12}f^{32}(a^2c^2f^2 - b^2c^2e^2) - 59392000a^{34}b \\
& ^{10}c^{12}e^{10}f^{34}(a^2c^2f^2 - b^2c^2e^2) + 9289728a^6b^{24}c^5e^{24}f^6 \\
& (a^2c^2f^2 - b^2c^2e^2)^8 - 36884480a^8b^{22}c^5e^{22}f^8(a^2c^2f^2 - b^2 \\
& *c^2e^2)^8 - 278604800a^{10}b^{20}c^5e^{20}f^{10}(a^2c^2f^2 - b^2c^2e^2)^8 + 2 \\
& 774483200a^{12}b^{18}c^5e^{18}f^{12}(a^2c^2f^2 - b^2c^2e^2)^8 - 10869657600a \\
& ^{14}b^{16}c^5e^{16}f^{14}(a^2c^2f^2 - b^2c^2e^2)^8 + 25237416960a^{16}b^{14}c^ \\
& 5e^{14}f^{16}(a^2c^2f^2 - b^2c^2e^2)^8 - 38348909568a^{18}b^{12}c^5e^{12}f^{18} \\
& *(a^2c^2f^2 - b^2c^2e^2)^8 + 39084659712a^{20}b^{10}c^5e^{10}f^{20}(a^2c^2f^2 \\
& - b^2c^2e^2)^8 - 26118635520a^{22}b^8c^5e^8f^{22}(a^2c^2f^2 - b^2c^2e^2) \\
& ^8 + 10414620672a^{24}b^6c^5e^6f^{24}(a^2c^2f^2 - b^2c^2e^2)^8 - 17086545 \\
& 92a^{26}b^4c^5e^4f^{26}(a^2c^2f^2 - b^2c^2e^2)^8 - 276561920a^{28}b^2c^5 \\
& e^2f^{28}(a^2c^2f^2 - b^2c^2e^2)^8 - 9704448a^4b^{28}c^6e^{28}f^4(a^2c^2 \\
& f^2 - b^2c^2e^2)^7 + 260614656a^6b^{26}c^6e^{26}f^6(a^2c^2f^2 - b^2c^2e^2 \\
& )^7 - 2166022464a^8b^{24}c^6e^{24}f^8(a^2c^2f^2 - b^2c^2e^2)^7 + 86261478 \\
& 40a^{10}b^{22}c^6e^{22}f^{10}(a^2c^2f^2 - b^2c^2e^2)^7 - 16771503616a^{12}b^2 \\
& 0c^6e^{20}f^{12}(a^2c^2f^2 - b^2c^2e^2)^7 + 3301800960a^{14}b^{18}c^6e^{18}f \\
& ^{14}(a^2c^2f^2 - b^2c^2e^2)^7 + 67337715968a^{16}b^{16}c^6e^{16}f^{16}(a^2c^2 \\
& f^2 - b^2c^2e^2)^7 - 189857873920a^{18}b^{14}c^6e^{14}f^{18}(a^2c^2f^2 - b^2 \\
& c^2e^2)^7 + 286100259840a^{20}b^{12}c^6e^{12}f^{20}(a^2c^2f^2 - b^2c^2e^2)^7 - \\
& 275789894656a^{22}b^{10}c^6e^{10}f^{22}(a^2c^2f^2 - b^2c^2e^2)^7 + 173716537 \\
& 344a^{24}b^8c^6e^8f^{24}(a^2c^2f^2 - b^2c^2e^2)^7 - 67416424448a^{26}b^6 \\
& c^6e^6f^{26}(a^2c^2f^2 - b^2c^2e^2)^7 + 12831686656a^{28}b^4c^6e^4f^{28} \\
& (a^2c^2f^2 - b^2c^2e^2)^7 + 222560256a^{30}b^2c^6e^2f^{30}(a^2c^2f^2 - b^ \\
& 2c^2e^2)^7 + 2099520a^2b^{32}c^7e^{32}f^2(a^2c^2f^2 - b^2c^2e^2)^6 - 1070 \\
& 14608a^4b^{30}c^7e^{30}f^4(a^2c^2f^2 - b^2c^2e^2)^6 + 1848335616a^6b^{28} \\
& *c^7e^{28}f^6(a^2c^2f^2 - b^2c^2e^2)^6 - 15200005312a^8b^{26}c^7e^{26}f^8 \\
& *(a^2c^2f^2 - b^2c^2e^2)^6 + 72612273792a^{10}b^{24}c^7e^{24}f^{10}(a^2c^2f^2 \\
& - b^2c^2e^2)^6 - 221855779968a^{12}b^{22}c^7e^{22}f^{12}(a^2c^2f^2 - b^2c^2e \\
& ^2)^6 + 450717857536a^{14}b^{20}c^7e^{20}f^{14}(a^2c^2f^2 - b^2c^2e^2)^6 - 60 \\
& 0578910208a^{16}b^{18}c^7e^{18}f^{16}(a^2c^2f^2 - b^2c^2e^2)^6 + 459464530688 \\
& *a^{18}b^{16}c^7e^{16}f^{18}(a^2c^2f^2 - b^2c^2e^2)^6 - 33638947840a^{20}b^{14} \\
& c^7e^{14}f^{20}(a^2c^2f^2 - b^2c^2e^2)^6 - 376299926528a^{22}b^{12}c^7e^{12}f \\
& ^{22}(a^2c^2f^2 - b^2c^2e^2)^6 + 488874068992a^{24}b^{10}c^7e^{10}f^{24}(a^2c^ \\
& *f^2 - b^2c^2e^2)^6 - 333407809536a^{26}b^8c^7e^8f^{26}(a^2c^2f^2 - b^2c^ \\
& *e^2)^6 + 134140313600a^{28}b^6c^7e^6f^{28}(a^2c^2f^2 - b^2c^2e^2)^6 - 28 \\
& 220915712a^{30}b^4c^7e^4f^{30}(a^2c^2f^2 - b^2c^2e^2)^6 + 1230503936a^{32} \\
& *b^2c^7e^2f^{32}(a^2c^2f^2 - b^2c^2e^2)^6 + 3335904a^2b^{34}c^8e^34f^2 \\
& *(a^2c^2f^2 - b^2c^2e^2)^5 - 290521728a^4b^{32}c^8e^{32}f^4(a^2c^2f^2 - b \\
& ^2c^2e^2)^5 + 4865684544a^6b^{30}c^8e^{30}f^6(a^2c^2f^2 - b^2c^2e^2)^5 - \\
& 40437394528a^8b^{28}c^8e^{28}f^8(a^2c^2f^2 - b^2c^2e^2)^5 + 205602254656 \\
& *a^{10}b^{26}c^8e^{26}f^{10}(a^2c^2f^2 - b^2c^2e^2)^5 - 703885344192a^{12}b^{24} \\
& c^8e^{24}f^{12}(a^2c^2f^2 - b^2c^2e^2)^5 + 1709253482624a^{14}b^{22}c^8e^{22} \\
& f^{14}(a^2c^2f^2 - b^2c^2e^2)^5 - 3029282695168a^{16}b^{20}c^8e^{20}f^{16}(a^2 \\
& *c^2f^2 - b^2c^2e^2)^5 + 3966230827520a^{18}b^{18}c^8e^{18}f^{18}(a^2c^2f^2 - \\
& b^2c^2e^2)^5 - 3822339813632a^{20}b^{16}c^8e^{16}f^{20}(a^2c^2f^2 - b^2c^2e^2 \\
& )^5 + 2640438056960a^{22}b^{14}c^8e^{14}f^{22}(a^2c^2f^2 - b^2c^2e^2)^5 - 120 \\
& 8501415936a^{24}b^{12}c^8e^{12}f^{24}(a^2c^2f^2 - b^2c^2e^2)^5 + 269338092544 \\
& *a^{26}b^{10}c^8e^{10}f^{26}(a^2c^2f^2 - b^2c^2e^2)^5 + 53783212032a^{28}b^8c^ \\
& ^8e^8f^{28}(a^2c^2f^2 - b^2c^2e^2)^5 - 60985360384a^{30}b^6c^8e^6f^{30}( \\
& a^2c^2f^2 - b^2c^2e^2)^5 + 17917083648a^{32}b^4c^8e^4f^{32}(a^2c^2f^2 - b \\
& ^2c^2e^2)^5 - 1558708224a^{34}b^2c^8e^2f^{34}(a^2c^2f^2 - b^2c^2e^2)^5 - \\
& 11917692a^2b^{36}c^9e^{36}f^2(a^2c^2f^2 - b^2c^2e^2)^4 - 224907516a^4b^ \\
& 34c^9e^{34}f^4(a^2c^2f^2 - b^2c^2e^2)^4 + 5303932560a^6b^{32}c^9e^{32}f^ \\
& 6(a^2c^2f^2 - b^2c^2e^2)^4 - 48206418480a^8b^{30}c^9e^{30}f^8(a^2c^2f^2
\end{aligned}$$

$$\begin{aligned}
& - b^2 c e^2)^4 + 261450609120 a^{10} b^{28} c^9 e^{28} f^{10} (a^2 c f^2 - b^2 c e^2)^4 - 962361040256 a^{12} b^{26} c^9 e^{26} f^{12} (a^2 c f^2 - b^2 c e^2)^4 + 255 \\
& 8559358080 a^{14} b^{24} c^9 e^{24} f^{14} (a^2 c f^2 - b^2 c e^2)^4 - 509180415065 \\
& 6 a^{16} b^{22} c^9 e^{22} f^{16} (a^2 c f^2 - b^2 c e^2)^4 + 7750806514944 a^{18} b^{20} c^9 e^{20} f^{18} (a^2 c f^2 - b^2 c e^2)^4 - 9137207485952 a^{20} b^{18} c^9 e^{18} f^{20} (a^2 c f^2 - b^2 c e^2)^4 + 8384563280128 a^{22} b^{16} c^9 e^{16} f^{22} ( \\
& a^2 c f^2 - b^2 c e^2)^4 - 5975281259520 a^{24} b^{14} c^9 e^{14} f^{24} (a^2 c f^2 - b^2 c e^2)^4 + 3269297268736 a^{26} b^{12} c^9 e^{12} f^{26} (a^2 c f^2 - b^2 c e^2)^4 - 1339171540992 a^{28} b^{10} c^9 e^{10} f^{28} (a^2 c f^2 - b^2 c e^2)^4 + \\
& 391250194432 a^{30} b^8 c^9 e^8 f^{30} (a^2 c f^2 - b^2 c e^2)^4 - 74114154496 a^{32} b^6 c^9 e^6 f^{32} (a^2 c f^2 - b^2 c e^2)^4 + 7299203072 a^{34} b^4 c^9 e^4 f^{34} (a^2 c f^2 - b^2 c e^2)^4 - 148635648 a^{36} b^2 c^9 e^2 f^{36} (a^2 c f^2 - b^2 c e^2)^4 - 38704068 a^2 b^{38} c^{10} e^{38} f^2 (a^2 c f^2 - b^2 c e^2 \\
& )^3 + 188845992 a^4 b^{36} c^{10} e^{36} f^4 (a^2 c f^2 - b^2 c e^2)^3 + 11571242 \\
& 04 a^6 b^{34} c^{10} e^{34} f^6 (a^2 c f^2 - b^2 c e^2)^3 - 20586361424 a^8 b^{32} c^{10} e^{32} f^8 (a^2 c f^2 - b^2 c e^2)^3 + 135395499200 a^{10} b^{30} c^{10} e^{30} f^{10} (a^2 c f^2 - b^2 c e^2)^3 - 555513858464 a^{12} b^{28} c^{10} e^{28} f^{12} (a^2 \\
& c f^2 - b^2 c e^2)^3 + 1608776388864 a^{14} b^{26} c^{10} e^{26} f^{14} (a^2 c f^2 - b^2 c e^2)^3 - 3473989271488 a^{16} b^{24} c^{10} e^{24} f^{16} (a^2 c f^2 - b^2 c e^2)^3 + 5766181411456 a^{18} b^{22} c^{10} e^{22} f^{18} (a^2 c f^2 - b^2 c e^2)^3 - \\
& 7493983209472 a^{20} b^{20} c^{10} e^{20} f^{20} (a^2 c f^2 - b^2 c e^2)^3 + 77139170 \\
& 84672 a^{22} b^{18} c^{10} e^{18} f^{22} (a^2 c f^2 - b^2 c e^2)^3 - 6328467293184 a^{24} b^{16} c^{10} e^{16} f^{24} (a^2 c f^2 - b^2 c e^2)^3 + 4142950034432 a^{26} b^{14} c^{10} e^{14} f^{26} (a^2 c f^2 - b^2 c e^2)^3 - 2152681536512 a^{28} b^{12} c^{10} e^{12} f^{28} (a^2 c f^2 - b^2 c e^2)^3 + 874199511040 a^{30} b^{10} c^{10} e^{10} f^{30} (a^2 c f^2 - b^2 c e^2)^3 - 268759150592 a^{32} b^8 c^{10} e^8 f^{32} (a^2 c f^2 - b^2 c e^2)^3 + 58872545280 a^{34} b^6 c^{10} e^6 f^{34} (a^2 c f^2 - b^2 c e^2)^3 - 8151957504 a^{36} b^4 c^{10} e^4 f^{36} (a^2 c f^2 - b^2 c e^2)^3 + 530841600 a^{38} b^2 c^{10} e^2 f^{38} (a^2 c f^2 - b^2 c e^2)^3 - 42743457 a^{2} b^{40} c^{11} e^{40} f^2 (a^2 c f^2 - b^2 c e^2)^2 + 411055884 a^4 b^{38} c^{11} e^{38} f^4 (a^2 c f^2 - b^2 c e^2)^2 - 2180887236 a^6 b^{36} c^{11} e^{36} f^6 (a^2 c f^2 - b^2 c e^2)^2 + 6404946508 a^8 b^{34} c^{11} e^{34} f^8 (a^2 c f^2 - b^2 c e^2)^2 - 5434005264 a^{10} b^{32} c^{11} e^{32} f^{10} (a^2 c f^2 - b^2 c e^2)^2 - 38868373520 a^{12} b^{30} c^{11} e^{30} f^{12} (a^2 c f^2 - b^2 c e^2)^2 + 208447613600 a^{14} b^{28} c^{11} e^{28} f^{14} (a^2 c f^2 - b^2 c e^2)^2 - 579674999104 a^{16} b^{26} c^{11} e^{26} f^{16} (a^2 c f^2 - b^2 c e^2)^2 + 1104967566592 a^{18} b^{24} c^{11} e^{24} f^{18} (a^2 c f^2 - b^2 c e^2)^2 - 1554566531328 a^{20} b^{22} c^{11} e^{22} f^{20} (a^2 c f^2 - b^2 c e^2)^2 + 1659734381312 a^{22} b^{20} c^{11} e^{20} f^{22} (a^2 c f^2 - b^2 c e^2)^2 - 1356361512192 a^{24} b^{18} c^{11} e^{18} f^{24} (a^2 c f^2 - b^2 c e^2)^2 + 845331359744 a^{26} b^{16} c^{11} e^{16} f^{26} (a^2 c f^2 - b^2 c e^2)^2 - 395676895232 a^{28} b^{14} c^{11} e^{14} f^{28} (a^2 c f^2 - b^2 c e^2)^2 + 134902689792 a^{30} b^{12} c^{11} e^{12} f^{30} (a^2 c f^2 - b^2 c e^2)^2 - 31670587392 a^{32} b^{10} c^{11} e^{10} f^{32} (a^2 c f^2 - b^2 c e^2)^2 + 4584669184 a^{34} b^8 c^{11} e^8 f^{34} (a^2 c f^2 - b^2 c e^2)^2 - 309657600 a^{36} b^6 c^{11} e^6 f^{36} (a^2 c f^2 - b^2 c e^2)^2) + (2 a^{(3/2)} b^5 c e^5 f^3 ((4096 C^3 e^3 (2 a^2 f^2 - b^2 e^2)^3 (24 C a^{(21/2)} b^2 c^4 e f^{15} (a c)^{(5/2)} - 30 C a^{(3/2)} b^{12} c^5 e^{11} f^5 (a c)^{(3/2)} + 24 C a^{(5/2)} b^{10} c^4 e^9 f^7 (a c)^{(5/2)} + 126 C a^{(7/2)} b^{10} c^5 e^9 f^7 (a c)^{(3/2)} - 96 C a^{(9/2)} b^8 c^4 e^7 f^9 (a c)^{(5/2)} - 198 C a^{(11/2)} b^8 c^5 e^7 f^9 (a c)^{(3/2)} + 144 C a^{(13/2)} b^6 c^4 e^5 f^{11} (a c)^{(5/2)} + 138 C a^{(15/2)} b^6 c^5 e^5 f^{11} (a c)^{(3/2)} - 96 C a^{(17/2)} b^4 c^4 e^3 f^{13} (a c)^{(5/2)} - 36 C a^{(19/2)} b^4 c^5 e^3 f^{13} (a c)^{(3/2)})) / (f^6 (a f + b e)^3 (a f - b e)^3 (b^2 c e^2 - a^2 c f^2)^{(3/2)} (b^{16} e^{14} f^4 - 4 a^2 b^{14} e^{12} f^6 + 6 a^4 b^{12} e^{10} f^8 - 4 a^6 b^{10} e^8 f^{10} + a^8 b^8 e^6 f^{12})) + (4096 C e (2 a^2 f^2 - b^2 e^2) (64 C^3 a^{(21/2)} c^3 e f^{11} (a c)^{(5/2)} + 32 C^3 a^{(5/2)} b^8 c^3 e^9 f^3 (a c)^{(5/2)} - 160 C^3 a^{(7/2)} b^8 c^4 e^9 f^3 (a c)^{(3/2)} - 160 C^3 a^{(9/2)} b^6 c^3 e^7 f^5 (a c)^{(5/2)} + 384 C^3 a^{(11/2)} b^6 c^4 e^7 f^5 (a c)^{(3/2)} + 288 C^3 a^{(13/2)} b^4 c^3 e^5 f^7 (a c)^{(5/2)} - 392 C^3 a^{(15/2)} b^4 c^4 e^5 f^7 (a c)^{(3/2)} - 224 C^3 a^{(17/2)} b^2 c^3 e^3 f^9 (a c)^{(5/2)} + 144 C^3 a^{(19/2)} b^2 c^4 e^3 f^9 (
\end{aligned}$$

$$\begin{aligned}
& a^3c^{\frac{3}{2}} + 24C^3a^{\frac{3}{2}}b^{10}c^4e^{11}f^*(a^3c^{\frac{3}{2}})) / (f^2(a^2f + b^2e)^* \\
& (a^2f - b^2e)^*(b^2c^2e^2 - a^2c^2f^2)^{\frac{1}{2}}*(b^{16}e^{14}f^4 - 4a^2b^{14}e^{12}f^6 \\
& + 6a^4b^{12}e^{10}f^8 - 4a^6b^{10}e^8f^{10} + a^8b^8e^6f^{12}))*(a^3c^{\frac{3}{2}}) \\
& *(4a^2c^2f^2 - b^2c^2e^2)*(4a^2c^2f^2 - 3b^2c^2e^2)*(4a^6c^2f^6 - \\
& 3b^6c^2e^6 + 8a^2b^4c^2e^4f^2 - 8a^4b^2c^2e^2f^4)^4 / (164025b^{46}c^{\frac{13}{2}} \\
& e^{46} + 885735b^{44}c^{12}e^{44}(a^2c^2f^2 - b^2c^2e^2) + 117440512a^{30}c^{\frac{5}{2}} \\
& f^{30}(a^2c^2f^2 - b^2c^2e^2)^8 - 385875968a^{32}c^6f^{32}(a^2c^2f^2 - b^2c^2e^2)^7 \\
& + 419430400a^{34}c^7f^{34}(a^2c^2f^2 - b^2c^2e^2)^6 - 150994944a^{36}c^8f^{36} \\
& (a^2c^2f^2 - b^2c^2e^2)^5 + 236196b^{36}c^8e^{36}(a^2c^2f^2 - b^2c^2e^2)^5 \\
& + 1102248b^{38}c^9e^{38}(a^2c^2f^2 - b^2c^2e^2)^4 + 2053593b^{40}c^{10}e^{40} \\
& (a^2c^2f^2 - b^2c^2e^2)^3 + 1909251b^{42}c^{11}e^{42}(a^2c^2f^2 - b^2c^2e^2)^2 \\
& - 3937329a^2b^{44}c^{13}e^{44}f^2 + 43893819a^4b^{42}c^{13}e^{42}f^4 - 301507155a^6b^{40} \\
& c^{13}e^{40}f^6 + 1427514656a^8b^{38}c^{13}e^{38}f^8 - 4936911112a^{10}b^{36}c^{13}e^{36} \\
& f^{10} + 12893273616a^{12}b^{34}c^{13}e^{34}f^{12} - 25921630432a^{14}b^{32}c^{13}e^{32} \\
& f^{14} + 40519286096a^{16}b^{30}c^{13}e^{30}f^{16} - 49376608256a^{18}b^{28}c^{13}e^{28} \\
& f^{18} + 46721401856a^{20}b^{26}c^{13}e^{26}f^{20} - 33946324736a^{22}b^{24}c^{13}e^{24} \\
& f^{22} + 18556579328a^{24}b^{22}c^{13}e^{22}f^{24} - 7375276032a^{26}b^{20}c^{13}e^{20} \\
& f^{26} + 2009817088a^{28}b^{18}c^{13}e^{18}f^{28} - 335642624a^{30}b^{16}c^{13}e^{16} \\
& f^{30} + 25907200a^{32}b^{14}c^{13}e^{14}f^{32} - 21130794a^{2}b^{42}c^{12}e^{42}f^2(a^2c^2f^2 - b^2c^2e^2) \\
& + 234399015a^4b^{40}c^{12}e^{40}f^4(a^2c^2f^2 - b^2c^2e^2) - 1604168280a^6b^{38} \\
& c^{12}e^{38}f^6(a^2c^2f^2 - b^2c^2e^2) + 7579098492a^8b^{36}c^{12}e^{36}f^8(a^2c^2f^2 - b^2c^2e^2) \\
& - 26212380172a^{10}b^{34}c^{12}e^{34}f^{10}(a^2c^2f^2 - b^2c^2e^2) + 68672994096a^{12} \\
& b^{32}c^{12}e^{32}f^{12}(a^2c^2f^2 - b^2c^2e^2) - 139160589504a^{14}b^{30}c^{12}e^{30} \\
& f^{14}(a^2c^2f^2 - b^2c^2e^2) + 220859191808a^{16}b^{28}c^{12}e^{28}f^{16}(a^2c^2f^2 - b^2c^2e^2) \\
& - 276344315328a^{18}b^{26}c^{12}e^{26}f^{18}(a^2c^2f^2 - b^2c^2e^2) + 273130561984a^{20} \\
& b^{24}c^{12}e^{24}f^{20}(a^2c^2f^2 - b^2c^2e^2) - 212730002688a^{22}b^{22}c^{12}e^{22} \\
& f^{22}(a^2c^2f^2 - b^2c^2e^2) + 129574234368a^{24}b^{20}c^{12}e^{20}f^{24}(a^2c^2f^2 - b^2c^2e^2) \\
& - 60770569216a^{26}b^{18}c^{12}e^{18}f^{26}(a^2c^2f^2 - b^2c^2e^2) + 21304706048a^{28} \\
& b^{16}c^{12}e^{16}f^{28}(a^2c^2f^2 - b^2c^2e^2) - 5272965120a^{30}b^{14}c^{12}e^{14} \\
& f^{30}(a^2c^2f^2 - b^2c^2e^2) + 819441664a^{32}b^{12}c^{12}e^{12}f^{32}(a^2c^2f^2 - b^2c^2e^2) \\
& - 59392000a^{34}b^{10}c^{12}e^{10}f^{34}(a^2c^2f^2 - b^2c^2e^2) + 9289728a^6b^{24} \\
& c^5e^{24}f^6(a^2c^2f^2 - b^2c^2e^2)^8 - 36884480a^8b^{22}c^5e^{22}f^8(a^2c^2f^2 - b^2c^2e^2)^8 \\
& - 278604800a^{10}b^{20}c^5e^{20}f^{10}(a^2c^2f^2 - b^2c^2e^2)^8 + 2774483200a^{12} \\
& b^{18}c^5e^{18}f^{12}(a^2c^2f^2 - b^2c^2e^2)^8 - 10869657600a^{14}b^{16}c^5e^{16} \\
& f^{14}(a^2c^2f^2 - b^2c^2e^2)^8 + 25237416960a^{16}b^{14}c^5e^{14}f^{16}(a^2c^2f^2 - b^2c^2e^2)^8 \\
& - 38348909568a^{18}b^{12}c^5e^{12}f^{18}(a^2c^2f^2 - b^2c^2e^2)^8 + 39084659712a^{20} \\
& b^{10}c^5e^{10}f^{20}(a^2c^2f^2 - b^2c^2e^2)^8 - 26118635520a^{22}b^8c^5e^8f^{22} \\
& (a^2c^2f^2 - b^2c^2e^2)^8 + 10414620672a^{24}b^6c^5e^6f^{24}(a^2c^2f^2 - b^2c^2e^2)^8 \\
& - 1708654592a^{26}b^4c^5e^4f^26(a^2c^2f^2 - b^2c^2e^2)^8 - 276561920a^{28} \\
& b^2c^5e^2f^{28}(a^2c^2f^2 - b^2c^2e^2)^8 - 9704448a^4b^{28}c^6e^{28}f^4(a^2c^2f^2 - b^2c^2e^2)^7 \\
& + 260614656a^6b^{26}c^6e^{26}f^6(a^2c^2f^2 - b^2c^2e^2)^7 - 2166022464a^8b^{24} \\
& c^6e^{24}f^8(a^2c^2f^2 - b^2c^2e^2)^7 + 8626147840a^{10}b^{22}c^6e^{22}f^{10} \\
& (a^2c^2f^2 - b^2c^2e^2)^7 - 16771503616a^{12}b^{20}c^6e^{20}f^{12}(a^2c^2f^2 - b^2c^2e^2)^7 \\
& + 3301800960a^{14}b^{18}c^6e^{18}f^{14}(a^2c^2f^2 - b^2c^2e^2)^7 + 67337715968a^{16} \\
& b^{16}c^6e^{16}f^{16}(a^2c^2f^2 - b^2c^2e^2)^7 - 189857873920a^{18}b^{14}c^6e^{14} \\
& f^{18}(a^2c^2f^2 - b^2c^2e^2)^7 + 286100259840a^{20}b^{12}c^6e^{12}f^{20}(a^2c^2f^2 - b^2c^2e^2)^7 \\
& - 275789894656a^{22}b^{10}c^6e^{10}f^{22}(a^2c^2f^2 - b^2c^2e^2)^7 + 173716537344a^{24} \\
& b^8c^6e^8f^{24}(a^2c^2f^2 - b^2c^2e^2)^7 - 67416424448a^{26}b^6c^6e^6f^{26} \\
& (a^2c^2f^2 - b^2c^2e^2)^7 + 12831686656a^{28}b^4c^6e^4f^{28}(a^2c^2f^2 - b^2c^2e^2)^7 \\
& + 222560256a^{30}b^2c^6e^2f^{30}(a^2c^2f^2 - b^2c^2e^2)^7 + 2099520a^{32} \\
& b^2c^7e^{32}f^2(a^2c^2f^2 - b^2c^2e^2)^6 - 107014608a^4b^{30}c^7e^{30}f^4 \\
& (a^2c^2f^2 - b^2c^2e^2)^6 + 1848335616a^6b^{28}c^7e^{28}f^6(a^2c^2f^2 - b^2c^2e^2)^6 \\
& - 15200005312a^8b^{26}c^7e^{26}f^8(a^2c^2f^2 - b^2c^2e^2)^6 + 72612273792a^{10} \\
& b^{24}c^7e^{24}f^{10}(a^2c^2f^2 - b^2c^2e^2)^6 - 22185
\end{aligned}$$

$$\begin{aligned}
& 5779968a^{12}b^{22}c^7e^{22}f^{12}(a^2c^2f^2 - b^2c^2e^2)^6 + 450717857536a^{14}b^{20}c^7e^{20}f^{14}(a^2c^2f^2 - b^2c^2e^2)^6 - 600578910208a^{16}b^{18}c^7e^{18}f^{16}(a^2c^2f^2 - b^2c^2e^2)^6 + 459464530688a^{18}b^{16}c^7e^{16}f^{18}(a^2c^2f^2 - b^2c^2e^2)^6 - 33638947840a^{20}b^{14}c^7e^{14}f^{20}(a^2c^2f^2 - b^2c^2e^2)^6 - 376299926528a^{22}b^{12}c^7e^{12}f^{22}(a^2c^2f^2 - b^2c^2e^2)^6 + 488874068992a^{24}b^{10}c^7e^{10}f^{24}(a^2c^2f^2 - b^2c^2e^2)^6 - 333407809536a^{26}b^8c^7e^8f^{26}(a^2c^2f^2 - b^2c^2e^2)^6 + 134140313600a^{28}b^6c^7e^6f^{28}(a^2c^2f^2 - b^2c^2e^2)^6 - 28220915712a^{30}b^4c^7e^4f^{30}(a^2c^2f^2 - b^2c^2e^2)^6 + 1230503936a^{32}b^2c^7e^2f^{32}(a^2c^2f^2 - b^2c^2e^2)^6 + 3335904a^2b^{34}c^8e^{34}f^2(a^2c^2f^2 - b^2c^2e^2)^5 - 290521728a^4b^{32}c^8e^{32}f^4(a^2c^2f^2 - b^2c^2e^2)^5 + 4865684544a^6b^{30}c^8e^{30}f^6(a^2c^2f^2 - b^2c^2e^2)^5 - 40437394528a^8b^{28}c^8e^{28}f^8(a^2c^2f^2 - b^2c^2e^2)^5 + 205602254656a^{10}b^{26}c^8e^{26}f^{10}(a^2c^2f^2 - b^2c^2e^2)^5 - 703885344192a^{12}b^{24}c^8e^{24}f^{12}(a^2c^2f^2 - b^2c^2e^2)^5 + 1709253482624a^{14}b^{22}c^8e^{22}f^{14}(a^2c^2f^2 - b^2c^2e^2)^5 - 3029282695168a^{16}b^{20}c^8e^{20}f^{16}(a^2c^2f^2 - b^2c^2e^2)^5 + 3966230827520a^{18}b^{18}c^8e^{18}f^{18}(a^2c^2f^2 - b^2c^2e^2)^5 - 3822339813632a^{20}b^{16}c^8e^{16}f^{20}(a^2c^2f^2 - b^2c^2e^2)^5 + 2640438056960a^{22}b^{14}c^8e^{14}f^{22}(a^2c^2f^2 - b^2c^2e^2)^5 - 1208501415936a^{24}b^{12}c^8e^{12}f^{24}(a^2c^2f^2 - b^2c^2e^2)^5 + 269338092544a^{26}b^{10}c^8e^{10}f^{26}(a^2c^2f^2 - b^2c^2e^2)^5 + 53783212032a^{28}b^8c^8e^8f^{28}(a^2c^2f^2 - b^2c^2e^2)^5 - 60985360384a^{30}b^6c^8e^6f^{30}(a^2c^2f^2 - b^2c^2e^2)^5 + 17917083648a^{32}b^4c^8e^4f^{32}(a^2c^2f^2 - b^2c^2e^2)^5 - 1558708224a^{34}b^2c^8e^2f^{34}(a^2c^2f^2 - b^2c^2e^2)^5 - 11917692a^2b^{36}c^9e^{36}f^2(a^2c^2f^2 - b^2c^2e^2)^4 - 224907516a^4b^{34}c^9e^{34}f^4(a^2c^2f^2 - b^2c^2e^2)^4 + 5303932560a^6b^{32}c^9e^{32}f^6(a^2c^2f^2 - b^2c^2e^2)^4 - 48206418480a^8b^{30}c^9e^{30}f^8(a^2c^2f^2 - b^2c^2e^2)^4 + 261450609120a^{10}b^{28}c^9e^{28}f^{10}(a^2c^2f^2 - b^2c^2e^2)^4 - 962361040256a^{12}b^{26}c^9e^{26}f^{12}(a^2c^2f^2 - b^2c^2e^2)^4 + 2558559358080a^{14}b^{24}c^9e^{24}f^{14}(a^2c^2f^2 - b^2c^2e^2)^4 - 5091804150656a^{16}b^{22}c^9e^{22}f^{16}(a^2c^2f^2 - b^2c^2e^2)^4 + 7750806514944a^{18}b^{20}c^9e^{20}f^{18}(a^2c^2f^2 - b^2c^2e^2)^4 - 9137207485952a^{20}b^{18}c^9e^{18}f^{20}(a^2c^2f^2 - b^2c^2e^2)^4 + 8384563280128a^{22}b^{16}c^9e^{16}f^{22}(a^2c^2f^2 - b^2c^2e^2)^4 - 5975281259520a^{24}b^{14}c^9e^{14}f^{24}(a^2c^2f^2 - b^2c^2e^2)^4 + 3269297268736a^{26}b^{12}c^9e^{12}f^{26}(a^2c^2f^2 - b^2c^2e^2)^4 - 1339171540992a^{28}b^{10}c^9e^{10}f^{28}(a^2c^2f^2 - b^2c^2e^2)^4 + 391250194432a^{30}b^8c^9e^8f^{30}(a^2c^2f^2 - b^2c^2e^2)^4 - 74114154496a^{32}b^6c^9e^6f^{32}(a^2c^2f^2 - b^2c^2e^2)^4 + 7299203072a^{34}b^4c^9e^4f^{34}(a^2c^2f^2 - b^2c^2e^2)^4 - 148635648a^{36}b^2c^9e^2f^{36}(a^2c^2f^2 - b^2c^2e^2)^4 - 38704068a^2b^{38}c^{10}e^{38}f^2(a^2c^2f^2 - b^2c^2e^2)^3 + 188845992a^4b^36c^{10}e^{36}f^4(a^2c^2f^2 - b^2c^2e^2)^3 + 1157124204a^6b^{34}c^{10}e^{34}f^6(a^2c^2f^2 - b^2c^2e^2)^3 - 20586361424a^8b^{32}c^{10}e^{32}f^8(a^2c^2f^2 - b^2c^2e^2)^3 + 135395499200a^{10}b^{30}c^{10}e^{30}f^{10}(a^2c^2f^2 - b^2c^2e^2)^3 - 555513858464a^{12}b^{28}c^{10}e^{28}f^{12}(a^2c^2f^2 - b^2c^2e^2)^3 + 1608776388864a^{14}b^{26}c^{10}e^{26}f^{14}(a^2c^2f^2 - b^2c^2e^2)^3 - 3473989271488a^{16}b^{24}c^{10}e^{24}f^{16}(a^2c^2f^2 - b^2c^2e^2)^3 + 5766181411456a^{18}b^{22}c^{10}e^{22}f^{18}(a^2c^2f^2 - b^2c^2e^2)^3 - 7493983209472a^{20}b^{20}c^{10}e^{20}f^{20}(a^2c^2f^2 - b^2c^2e^2)^3 + 7713917084672a^{22}b^{18}c^{10}e^{18}f^{22}(a^2c^2f^2 - b^2c^2e^2)^3 - 6328467293184a^{24}b^{16}c^{10}e^{16}f^{24}(a^2c^2f^2 - b^2c^2e^2)^3 + 4142950034432a^{26}b^{14}c^{10}e^{14}f^{26}(a^2c^2f^2 - b^2c^2e^2)^3 - 2152681536512a^{28}b^{12}c^{10}e^{12}f^{28}(a^2c^2f^2 - b^2c^2e^2)^3 + 874199511040a^{30}b^{10}c^{10}e^{10}f^{30}(a^2c^2f^2 - b^2c^2e^2)^3 - 268759150592a^{32}b^8c^{10}e^8f^{32}(a^2c^2f^2 - b^2c^2e^2)^3 + 58872545280a^{34}b^6c^{10}e^6f^{34}(a^2c^2f^2 - b^2c^2e^2)^3 - 8151957504a^{36}b^4c^{10}e^4f^{36}(a^2c^2f^2 - b^2c^2e^2)^3 + 530841600a^{38}b^2c^{10}e^2f^{38}(a^2c^2f^2 - b^2c^2e^2)^3 - 42743457a^{2}b^{40}c^{11}e^{40}f^2(a^2c^2f^2 - b^2c^2e^2)^2 + 411055884a^4b^{38}c^{11}e^{38}f^4(a^2c^2f^2 - b^2c^2e^2)^2 - 2180887236a^6b^{36}c^{11}e^{36}f^6(a^2c^2f^2 - b^2c^2e^2)^2 + 6404946508a^8b^{34}c^{11}e^{34}f^8(a^2c^2f^2 - b^2c^2e^2)^2 - 5434005264a^{10}b^{32}c^{11}e
\end{aligned}$$

$$\begin{aligned}
& ^{32}f^{10}(a^2cf^2 - b^2ce^2)^2 - 38868373520a^{12}b^{30}c^{11}e^{30}f^{12}( \\
& a^2cf^2 - b^2ce^2)^2 + 208447613600a^{14}b^{28}c^{11}e^{28}f^{14}(a^2cf^2 \\
& - b^2ce^2)^2 - 579674999104a^{16}b^{26}c^{11}e^{26}f^{16}(a^2cf^2 - b^2ce^2 \\
& e^2)^2 + 1104967566592a^{18}b^{24}c^{11}e^{24}f^{18}(a^2cf^2 - b^2ce^2)^2 - \\
& 1554566531328a^{20}b^{22}c^{11}e^{22}f^{20}(a^2cf^2 - b^2ce^2)^2 + 1659734 \\
& 381312a^{22}b^{20}c^{11}e^{20}f^{22}(a^2cf^2 - b^2ce^2)^2 - 1356361512192a \\
& ^{24}b^{18}c^{11}e^{18}f^{24}(a^2cf^2 - b^2ce^2)^2 + 845331359744a^{26}b^{16}c \\
& ^{11}e^{16}f^{26}(a^2cf^2 - b^2ce^2)^2 - 395676895232a^{28}b^{14}c^{11}e^{14} \\
& *f^{28}(a^2cf^2 - b^2ce^2)^2 + 134902689792a^{30}b^{12}c^{11}e^{12}f^{30}(a^ \\
& 2cf^2 - b^2ce^2)^2 - 31670587392a^{32}b^{10}c^{11}e^{10}f^{32}(a^2cf^2 - \\
& b^2ce^2)^2 + 4584669184a^{34}b^8c^{11}e^8f^{34}(a^2cf^2 - b^2ce^2)^2 \\
& - 309657600a^{36}b^6c^{11}e^6f^{36}(a^2cf^2 - b^2ce^2)^2) + (4a^{(3/2)}* \\
& b^6c^2e^6f^3(a*c)^{(3/2)}*(2a^2cf^2 - b^2ce^2)*(4a^2cf^2 - 3b^2* \\
& ce^2)*((16384*(12C^4a^{(7/2)}*b^4c^3e^7(a*c)^{(3/2)} + 48C^4a^{(15/2)}*c^ \\
& 3e^3f^4(a*c)^{(3/2)} - 48C^4a^{(11/2)}*b^2c^3e^5f^2(a*c)^{(3/2)}))/ (b^13 \\
& *e^{12}f^3 - 3a^2b^{11}e^{10}f^5 + 3a^4b^9e^8f^7 - a^6b^7e^6f^9) + (1 \\
& 6384C^4e^4*(2a^2f^2 - b^2e^2)^4*(5a^{(17/2)}*b^2c^4e*f^{14}(a*c)^{(5/2)} \\
& + 6a^{(3/2)}*b^{10}c^5e^9f^6(a*c)^{(3/2)} - 5a^{(5/2)}*b^8c^4e^7f^8(a*c) \\
& ^{(5/2)} - 18a^{(7/2)}*b^8c^5e^7f^8(a*c)^{(3/2)} + 15a^{(9/2)}*b^6c^4e^5f^ \\
& 10(a*c)^{(5/2)} + 18a^{(11/2)}*b^6c^5e^5f^{10}(a*c)^{(3/2)} - 15a^{(13/2)}*b^4 \\
& *c^4e^3f^{12}(a*c)^{(5/2)} - 6a^{(15/2)}*b^4c^5e^3f^{12}(a*c)^{(3/2)}))/ (f^8* \\
& (a*f + b*e)^4(a*f - b*e)^4(a^2cf^2 - b^2ce^2)^2*(b^{13}e^{12}f^3 - 3a^ \\
& 2b^{11}e^{10}f^5 + 3a^4b^9e^8f^7 - a^6b^7e^6f^9)) - (16384C^2e^2*(2 \\
& *a^2f^2 - b^2e^2)^2*(20C^2a^{(17/2)}*c^3e*f^{10}(a*c)^{(5/2)} - 3C^2a^{(3/ \\
& 2)}*b^8c^4e^9f^2(a*c)^{(3/2)} - 8C^2a^{(5/2)}*b^6c^3e^7f^4(a*c)^{(5/2)} \\
& + 11C^2a^{(7/2)}*b^6c^4e^7f^4(a*c)^{(3/2)} + 36C^2a^{(9/2)}*b^4c^3e^5f^ \\
& ^6(a*c)^{(5/2)} - 20C^2a^{(11/2)}*b^4c^4e^5f^6(a*c)^{(3/2)} - 48C^2a^{(13 \\
& /2)}*b^2c^3e^3f^8(a*c)^{(5/2)} + 12C^2a^{(15/2)}*b^2c^4e^3f^8(a*c)^{(3/ \\
& 2)))/ (f^4(a*f + b*e)^2(a*f - b*e)^2(a^2cf^2 - b^2ce^2)*(b^{13}e^{12}f^ \\
& 3 - 3a^2b^{11}e^{10}f^5 + 3a^4b^9e^8f^7 - a^6b^7e^6f^9)))*(4a^6cf^ \\
& ^6 - 3b^6ce^6 + 8a^2b^4ce^4f^2 - 8a^4b^2ce^2f^4)^4)/ ((b^2ce^ \\
& 2 - a^2cf^2)^{(1/2)}*(164025*b^46c^13e^46 + 885735*b^44c^12e^44*(a^2c* \\
& f^2 - b^2ce^2) + 117440512a^{30}c^5f^{30}(a^2cf^2 - b^2ce^2)^8 - 3858 \\
& 75968a^{32}c^6f^{32}(a^2cf^2 - b^2ce^2)^7 + 419430400a^{34}c^7f^{34}(a^ \\
& 2cf^2 - b^2ce^2)^6 - 150994944a^{36}c^8f^{36}(a^2cf^2 - b^2ce^2)^5 \\
& + 236196*b^{36}c^8e^36(a^2cf^2 - b^2ce^2)^5 + 1102248*b^{38}c^9e^38*(a \\
& ^2cf^2 - b^2ce^2)^4 + 2053593*b^{40}c^{10}e^{40}(a^2cf^2 - b^2ce^2)^3 \\
& + 1909251*b^{42}c^{11}e^{42}(a^2cf^2 - b^2ce^2)^2 - 3937329a^2b^{44}c^{13} \\
& e^{44}f^2 + 43893819a^4b^{42}c^{13}e^{42}f^4 - 301507155a^6b^{40}c^{13}e^{40}f^ \\
& ^6 + 1427514656a^8b^{38}c^{13}e^{38}f^8 - 4936911112a^{10}b^{36}c^{13}e^{36}f^1 \\
& 0 + 12893273616a^{12}b^{34}c^{13}e^{34}f^{12} - 25921630432a^{14}b^{32}c^{13}e^{32} \\
& f^{14} + 40519286096a^{16}b^{30}c^{13}e^{30}f^{16} - 49376608256a^{18}b^{28}c^{13}e^ \\
& ^28f^{18} + 46721401856a^{20}b^{26}c^{13}e^{26}f^{20} - 33946324736a^{22}b^{24}c^{13} \\
& e^{24}f^{22} + 18556579328a^{24}b^{22}c^{13}e^{22}f^{24} - 7375276032a^{26}b^{20}c^ \\
& ^13e^{20}f^{26} + 2009817088a^{28}b^{18}c^{13}e^{18}f^{28} - 335642624a^{30}b^{16}c^ \\
& ^13e^{16}f^{30} + 25907200a^{32}b^{14}c^{13}e^{14}f^{32} - 21130794a^2b^{42}c^{12}e^ \\
& ^42f^2(a^2cf^2 - b^2ce^2) + 234399015a^4b^40c^{12}e^{40}f^4(a^2cf^ \\
& ^2 - b^2ce^2) - 1604168280a^6b^38c^{12}e^{38}f^6(a^2cf^2 - b^2ce^2) \\
& + 7579098492a^8b^36c^{12}e^{36}f^8(a^2cf^2 - b^2ce^2) - 26212380172* \\
& a^{10}b^{34}c^{12}e^{34}f^{10}(a^2cf^2 - b^2ce^2) + 68672994096a^{12}b^{32}c^ \\
& ^12e^{32}f^{12}(a^2cf^2 - b^2ce^2) - 139160589504a^{14}b^{30}c^{12}e^{30}f^1 \\
& 4(a^2cf^2 - b^2ce^2) + 220859191808a^{16}b^{28}c^{12}e^{28}f^{16}(a^2cf^ \\
& 2 - b^2ce^2) - 276344315328a^{18}b^{26}c^{12}e^{26}f^{18}(a^2cf^2 - b^2c* \\
& e^2) + 273130561984a^{20}b^{24}c^{12}e^{24}f^{20}(a^2cf^2 - b^2ce^2) - 21273 \\
& 0002688a^{22}b^{22}c^{12}e^{22}f^{22}(a^2cf^2 - b^2ce^2) + 129574234368a^2 \\
& 4b^{20}c^{12}e^{20}f^{24}(a^2cf^2 - b^2ce^2) - 60770569216a^{26}b^{18}c^{12} \\
& e^{18}f^{26}(a^2cf^2 - b^2ce^2) + 21304706048a^{28}b^{16}c^{12}e^{16}f^{28}(a \\
& ^2cf^2 - b^2ce^2) - 5272965120a^{30}b^{14}c^{12}e^{14}f^{30}(a^2cf^2 - b^ \\
& 2ce^2) + 819441664a^{32}b^{12}c^{12}e^{12}f^{32}(a^2cf^2 - b^2ce^2) - 593
\end{aligned}$$

$$\begin{aligned}
& 92000a^{34}b^{10}c^{12}e^{10}f^{34}(a^2c^2f^2 - b^2c^2e^2) + 9289728a^6b^{24}c^5e^{24}f^6(a^2c^2f^2 - b^2c^2e^2)^8 - 36884480a^8b^{22}c^5e^{22}f^8(a^2c^2f^2 - b^2c^2e^2)^8 - 278604800a^{10}b^{20}c^5e^{20}f^{10}(a^2c^2f^2 - b^2c^2e^2)^8 + 2774483200a^{12}b^{18}c^5e^{18}f^{12}(a^2c^2f^2 - b^2c^2e^2)^8 - 10869657600a^{14}b^{16}c^5e^{16}f^{14}(a^2c^2f^2 - b^2c^2e^2)^8 + 25237416960a^{16}b^{14}c^5e^{14}f^{16}(a^2c^2f^2 - b^2c^2e^2)^8 - 38348909568a^{18}b^{12}c^5e^{12}f^{18}(a^2c^2f^2 - b^2c^2e^2)^8 + 39084659712a^{20}b^{10}c^5e^{10}f^{20}(a^2c^2f^2 - b^2c^2e^2)^8 - 26118635520a^{22}b^8c^5e^8f^{22}(a^2c^2f^2 - b^2c^2e^2)^8 + 10414620672a^{24}b^6c^5e^6f^{24}(a^2c^2f^2 - b^2c^2e^2)^8 - 1708654592a^{26}b^4c^5e^4f^{26}(a^2c^2f^2 - b^2c^2e^2)^8 - 276561920a^{28}b^2c^5e^2f^{28}(a^2c^2f^2 - b^2c^2e^2)^8 - 9704448a^4b^{28}c^6e^{28}f^4(a^2c^2f^2 - b^2c^2e^2)^7 + 260614656a^6b^{26}c^6e^{26}f^6(a^2c^2f^2 - b^2c^2e^2)^7 - 2166022464a^8b^{24}c^6e^{24}f^8(a^2c^2f^2 - b^2c^2e^2)^7 + 8626147840a^{10}b^{22}c^6e^{22}f^{10}(a^2c^2f^2 - b^2c^2e^2)^7 - 16771503616a^{12}b^{20}c^6e^{20}f^{12}(a^2c^2f^2 - b^2c^2e^2)^7 + 3301800960a^{14}b^{18}c^6e^{18}f^{14}(a^2c^2f^2 - b^2c^2e^2)^7 + 67337715968a^{16}b^{16}c^6e^{16}f^{16}(a^2c^2f^2 - b^2c^2e^2)^7 - 189857873920a^{18}b^{14}c^6e^{14}f^{18}(a^2c^2f^2 - b^2c^2e^2)^7 + 286100259840a^{20}b^{12}c^6e^{12}f^{20}(a^2c^2f^2 - b^2c^2e^2)^7 - 275789894656a^{22}b^{10}c^6e^{10}f^{22}(a^2c^2f^2 - b^2c^2e^2)^7 + 173716537344a^{24}b^8c^6e^8f^{24}(a^2c^2f^2 - b^2c^2e^2)^7 - 6741642448a^{26}b^6c^6e^6f^{26}(a^2c^2f^2 - b^2c^2e^2)^7 + 12831686656a^{28}b^4c^6e^4f^{28}(a^2c^2f^2 - b^2c^2e^2)^7 + 222560256a^{30}b^2c^6e^2f^{30}(a^2c^2f^2 - b^2c^2e^2)^7 + 2099520a^2b^{32}c^7e^{32}f^2(a^2c^2f^2 - b^2c^2e^2)^6 - 107014608a^4b^{30}c^7e^{30}f^4(a^2c^2f^2 - b^2c^2e^2)^6 + 1848335616a^6b^{28}c^7e^{28}f^6(a^2c^2f^2 - b^2c^2e^2)^6 - 15200005312a^8b^{26}c^7e^{26}f^8(a^2c^2f^2 - b^2c^2e^2)^6 + 72612273792a^{10}b^{24}c^7e^{24}f^{10}(a^2c^2f^2 - b^2c^2e^2)^6 - 221855779968a^{12}b^{22}c^7e^{22}f^{12}(a^2c^2f^2 - b^2c^2e^2)^6 + 450717857536a^{14}b^{20}c^7e^{20}f^{14}(a^2c^2f^2 - b^2c^2e^2)^6 - 600578910208a^{16}b^{18}c^7e^{18}f^{16}(a^2c^2f^2 - b^2c^2e^2)^6 + 459464530688a^{18}b^{16}c^7e^{16}f^{18}(a^2c^2f^2 - b^2c^2e^2)^6 - 33638947840a^{20}b^{14}c^7e^{14}f^{20}(a^2c^2f^2 - b^2c^2e^2)^6 - 376299926528a^{22}b^{12}c^7e^{12}f^{22}(a^2c^2f^2 - b^2c^2e^2)^6 + 488874068992a^{24}b^{10}c^7e^{10}f^{24}(a^2c^2f^2 - b^2c^2e^2)^6 - 333407809536a^{26}b^8c^7e^8f^{26}(a^2c^2f^2 - b^2c^2e^2)^6 + 134140313600a^{28}b^6c^7e^6f^{28}(a^2c^2f^2 - b^2c^2e^2)^6 - 28220915712a^{30}b^4c^7e^4f^{30}(a^2c^2f^2 - b^2c^2e^2)^6 + 1230503936a^{32}b^2c^7e^2f^{32}(a^2c^2f^2 - b^2c^2e^2)^6 + 3335904a^2b^{34}c^8e^{34}f^2(a^2c^2f^2 - b^2c^2e^2)^5 - 290521728a^4b^{32}c^8e^{32}f^4(a^2c^2f^2 - b^2c^2e^2)^5 + 4865684544a^6b^{30}c^8e^{30}f^6(a^2c^2f^2 - b^2c^2e^2)^5 - 40437394528a^8b^{28}c^8e^{28}f^8(a^2c^2f^2 - b^2c^2e^2)^5 + 205602254656a^{10}b^{26}c^8e^{26}f^{10}(a^2c^2f^2 - b^2c^2e^2)^5 - 703885344192a^{12}b^{24}c^8e^{24}f^{12}(a^2c^2f^2 - b^2c^2e^2)^5 + 1709253482624a^{14}b^{22}c^8e^{22}f^{14}(a^2c^2f^2 - b^2c^2e^2)^5 - 3029282695168a^{16}b^{20}c^8e^{20}f^{16}(a^2c^2f^2 - b^2c^2e^2)^5 + 3966230827520a^{18}b^{18}c^8e^{18}f^{18}(a^2c^2f^2 - b^2c^2e^2)^5 - 3822339813632a^{20}b^{16}c^8e^{16}f^{20}(a^2c^2f^2 - b^2c^2e^2)^5 + 2640438056960a^{22}b^{14}c^8e^{14}f^{22}(a^2c^2f^2 - b^2c^2e^2)^5 - 1208501415936a^{24}b^{12}c^8e^{12}f^{24}(a^2c^2f^2 - b^2c^2e^2)^5 + 269338092544a^{26}b^{10}c^8e^{10}f^{26}(a^2c^2f^2 - b^2c^2e^2)^5 + 53783212032a^{28}b^8c^8e^8f^{28}(a^2c^2f^2 - b^2c^2e^2)^5 - 60985360384a^{30}b^6c^8e^6f^{30}(a^2c^2f^2 - b^2c^2e^2)^5 + 17917083648a^{32}b^4c^8e^4f^{32}(a^2c^2f^2 - b^2c^2e^2)^5 - 1558708224a^{34}b^2c^8e^2f^{34}(a^2c^2f^2 - b^2c^2e^2)^5 - 11917692a^2b^{36}c^9e^{36}f^2(a^2c^2f^2 - b^2c^2e^2)^4 - 224907516a^4b^{34}c^9e^{34}f^4(a^2c^2f^2 - b^2c^2e^2)^4 + 5303932560a^6b^{32}c^9e^{32}f^6(a^2c^2f^2 - b^2c^2e^2)^4 - 48206418480a^8b^{30}c^9e^{30}f^8(a^2c^2f^2 - b^2c^2e^2)^4 + 261450609120a^{10}b^{28}c^9e^{28}f^{10}(a^2c^2f^2 - b^2c^2e^2)^4 - 962361040256a^{12}b^{26}c^9e^{26}f^{12}(a^2c^2f^2 - b^2c^2e^2)^4 + 2558559358080a^{14}b^{24}c^9e^{24}f^{14}(a^2c^2f^2 - b^2c^2e^2)^4 - 5091804150656a^{16}b^{22}c^9e^{22}f^{16}(a^2c^2f^2 - b^2c^2e^2)^4 + 7750806514944a^{18}b^{20}c^9e^{20}f^{18}(a^2c^2f^2 - b^2c^2e^2)^4 - 9137207485952a^{20}b^{18}c^9e^{18}f^{20}(a^2c^2f^2 - b^2c^2e^2)^4 + 8384563280128a^{22}b^{16}c^9
\end{aligned}$$

$$\begin{aligned}
& e^{16} f^{22} (a^2 c f^2 - b^2 c e^2)^4 - 5975281259520 a^{24} b^{14} c^9 e^{14} f^{24} \\
& 4 (a^2 c f^2 - b^2 c e^2)^4 + 3269297268736 a^{26} b^{12} c^9 e^{12} f^{26} (a^2 c f^2 - b^2 c e^2)^4 \\
& - 1339171540992 a^{28} b^{10} c^9 e^{10} f^{28} (a^2 c f^2 - b^2 c e^2)^4 + 391250194432 a^{30} b^8 c^9 e^8 f^{30} (a^2 c f^2 - b^2 c e^2)^4 - \\
& 74114154496 a^{32} b^6 c^9 e^6 f^{32} (a^2 c f^2 - b^2 c e^2)^4 + 7299203072 a^{34} b^4 c^9 e^4 f^{34} (a^2 c f^2 - b^2 c e^2)^4 - \\
& 148635648 a^{36} b^2 c^9 e^2 f^{36} (a^2 c f^2 - b^2 c e^2)^4 - 38704068 a^2 b^{38} c^{10} e^{38} f^2 (a^2 c f^2 - b^2 c e^2)^3 \\
& + 188845992 a^4 b^{36} c^{10} e^{36} f^4 (a^2 c f^2 - b^2 c e^2)^3 + 1157124204 a^6 b^{34} c^{10} e^{34} f^6 (a^2 c f^2 - b^2 c e^2)^3 - \\
& 205863614 24 a^8 b^{32} c^{10} e^{32} f^8 (a^2 c f^2 - b^2 c e^2)^3 + 135395499200 a^{10} b^3 0 c^{10} e^{30} f^{10} (a^2 c f^2 - b^2 c e^2)^3 - \\
& 555513858464 a^{12} b^{28} c^{10} e^{28} f^{12} (a^2 c f^2 - b^2 c e^2)^3 + 1608776388864 a^{14} b^{26} c^{10} e^{26} f^{14} (a^2 c f^2 - b^2 c e^2)^3 - \\
& 3473989271488 a^{16} b^{24} c^{10} e^{24} f^{16} (a^2 c f^2 - b^2 c e^2)^3 + 5766181411456 a^{18} b^{22} c^{10} e^{22} f^{18} (a^2 c f^2 - b^2 c e^2)^3 - \\
& 7493983209472 a^{20} b^{20} c^{10} e^{20} f^{20} (a^2 c f^2 - b^2 c e^2)^3 + 7713917084672 a^{22} b^{18} c^{10} e^{18} f^{22} (a^2 c f^2 - b^2 c e^2)^3 - \\
& 6328 467293184 a^{24} b^{16} c^{10} e^{16} f^{24} (a^2 c f^2 - b^2 c e^2)^3 + 414295003443 2 a^{26} b^{14} c^{10} e^{14} f^{26} (a^2 c f^2 - b^2 c e^2)^3 - \\
& 2152681536512 a^{28} b^{12} c^{10} e^{12} f^{28} (a^2 c f^2 - b^2 c e^2)^3 + 874199511040 a^{30} b^{10} c^{10} e^{10} f^{30} (a^2 c f^2 - b^2 c e^2)^3 - \\
& 268759150592 a^{32} b^8 c^{10} e^8 f^{32} (a^2 c f^2 - b^2 c e^2)^3 + 58872545280 a^{34} b^6 c^{10} e^6 f^{34} (a^2 c f^2 - b^2 c e^2)^3 - \\
& 8151957504 a^{36} b^4 c^{10} e^4 f^{36} (a^2 c f^2 - b^2 c e^2)^3 + 530841600 a^{38} b^2 c^{10} e^2 f^{38} (a^2 c f^2 - b^2 c e^2)^3 - \\
& 42743457 a^{40} b^0 c^{11} e^{40} f^{40} (a^2 c f^2 - b^2 c e^2)^2 + 411055884 a^4 b^{38} c^{11} e^3 8 f^4 (a^2 c f^2 - b^2 c e^2)^2 - \\
& 2180887236 a^6 b^{36} c^{11} e^{36} f^6 (a^2 c f^2 - b^2 c e^2)^2 + 6404946508 a^8 b^{34} c^{11} e^{34} f^8 (a^2 c f^2 - b^2 c e^2)^2 - \\
& 5434005264 a^{10} b^{32} c^{11} e^{32} f^{10} (a^2 c f^2 - b^2 c e^2)^2 - 388 68373520 a^{12} b^{30} c^{11} e^{30} f^{12} (a^2 c f^2 - b^2 c e^2)^2 + \\
& 208447613600 a^{14} b^{28} c^{11} e^{28} f^{14} (a^2 c f^2 - b^2 c e^2)^2 - 579674999104 a^{16} b^{26} c^{11} e^{26} f^{16} (a^2 c f^2 - b^2 c e^2)^2 + \\
& 1104967566592 a^{18} b^{24} c^{11} e^{24} f^{18} (a^2 c f^2 - b^2 c e^2)^2 - 1554566531328 a^{20} b^{22} c^{11} e^{22} f^{20} (a^2 c f^2 - b^2 c e^2)^2 + \\
& 1659734381312 a^{22} b^{20} c^{11} e^{20} f^{22} (a^2 c f^2 - b^2 c e^2)^2 - 1356361512192 a^{24} b^{18} c^{11} e^{18} f^{24} (a^2 c f^2 - b^2 c e^2)^2 + \\
& 845331359744 a^{26} b^{16} c^{11} e^{16} f^{26} (a^2 c f^2 - b^2 c e^2)^2 - 395676895232 a^{28} b^{14} c^{11} e^{14} f^{28} (a^2 c f^2 - b^2 c e^2)^2 + \\
& 134902 689792 a^{30} b^{12} c^{11} e^{12} f^{30} (a^2 c f^2 - b^2 c e^2)^2 - 31670587392 a^3 2 b^{10} c^{11} e^{10} f^{32} (a^2 c f^2 - b^2 c e^2)^2 + \\
& 4584669184 a^{34} b^8 c^{11} e^8 f^{34} (a^2 c f^2 - b^2 c e^2)^2 - 309657600 a^{36} b^6 c^{11} e^6 f^{36} (a^2 c f^2 - b^2 c e^2)^2)) (b^{16} e^{12} f^6 (a^2 c f^2 - b^2 c e^2)^2 - \\
& 4 a^2 b^{14} e^{10} f^8 (a^2 c f^2 - b^2 c e^2)^2 + 6 a^4 b^{12} e^8 f^{10} (a^2 c f^2 - b^2 c e^2)^2 - 4 a^6 b^{10} e^6 f^{12} (a^2 c f^2 - b^2 c e^2)^2 + \\
& a^8 b^8 e^4 f^{14} (a^2 c f^2 - b^2 c e^2)^2) / (((a + b x)^{1/2} - a^{1/2}) (16384 C^4 a^6 c^3 f^4 + 4096 C^4 a^2 b^4 c^3 e^4 - 16384 C^4 a^4 b^2 c^3 e^2 f^2)) + \\
& (8 a^4 b^6 c^4 e^6 f^4 ((4096 C^3 e^3 (2 a^2 f^2 - b^2 e^2)^3 (24 C a^{21/2} b^2 c^4 e f^{15} (a c)^{5/2} - 30 C a^{3/2} b^{12} c^5 e^{11} f^5 (a c)^{3/2} + 24 C a^{5/2} b^{10} c^4 e^9 f^7 (a c)^{5/2} + 126 C a^{7/2} b^{10} c^5 e^9 f^7 (a c)^{3/2} - 96 C a^{9/2} b^8 c^4 e^7 f^9 (a c)^{5/2} - 198 C a^{11/2} b^8 c^5 e^7 f^9 (a c)^{3/2} + 144 C a^{13/2} b^6 c^4 e^5 f^{11} (a c)^{5/2} + 138 C a^{15/2} b^6 c^5 e^5 f^{11} (a c)^{3/2} - 96 C a^{17/2} b^4 c^4 e^3 f^{13} (a c)^{5/2} - 36 C a^{19/2} b^4 c^5 e^3 f^{13} (a c)^{3/2})) / (f^6 (a f + b e)^3 (a f - b e)^3 (b^2 c e^2 - a^2 c f^2)^{3/2} (b^{16} e^{14} f^4 - 4 a^2 b^{14} e^{12} f^6 + 6 a^4 b^{12} e^{10} f^8 - 4 a^6 b^{10} e^8 f^{10} + a^8 b^8 e^6 f^{12})) + \\
& (4 096 C^3 a^{5/2} b^8 c^3 e^9 f^3 (a c)^{5/2} - 160 C^3 a^{7/2} b^8 c^4 e^9 f^3 (a c)^{3/2} - 160 C^3 a^{9/2} b^6 c^3 e^7 f^5 (a c)^{5/2} + 384 C^3 a^{11/2} b^6 c^4 e^7 f^5 (a c)^{3/2} + 288 C^3 a^{13/2} b^4 c^3 e^5 f^7 (a c)^{5/2} - 392 C^3 a^{15/2} b^4 c^4 e^5 f^7 (a c)^{3/2} - 224 C^3 a^{17/2} b^2 c^3 e^3 f^9 (a c)^{5/2} + 144 C^3 a^{19/2} b^2 c^4 e^3 f^9 (a c)^{3/2} + 24 C^3 a^{3/2} b^{10} c^4 e^{11} f (a c)^{3/2})) / (f^2 (a f + b e) (a f - b e) (b^2 c e^2 - a^2 c f^2)^{3/2})
\end{aligned}$$



$$\begin{aligned}
& e^2 - a^2 * c * f^2)^{(1/2)} * (b^{16} * e^{14} * f^4 - 4 * a^2 * b^{14} * e^{12} * f^6 + 6 * a^4 * b^{12} * e^{10} * f^8 - 4 * a^6 * b^{10} * e^8 * f^{10} + a^8 * b^8 * e^6 * f^{12})) * (4 * a^2 * c * f^2 - 3 * b^2 * c * e^2) * (4 * a^6 * c * f^6 - 3 * b^6 * c * e^6 + 8 * a^2 * b^4 * c * e^4 * f^2 - 8 * a^4 * b^2 * c * e^2 * f^4) \\
& ^4 * (b^{16} * e^{12} * f^6 * (a^2 * c * f^2 - b^2 * c * e^2)^2 - 4 * a^2 * b^{14} * e^{10} * f^8 * (a^2 * c * f^2 - b^2 * c * e^2)^2 + 6 * a^4 * b^{12} * e^8 * f^{10} * (a^2 * c * f^2 - b^2 * c * e^2)^2 - 4 * a^6 * b^{10} * e^6 * f^{12} * (a^2 * c * f^2 - b^2 * c * e^2)^2 + a^8 * b^8 * e^4 * f^{14} * (a^2 * c * f^2 - b^2 * c * e^2)^2)) / ((16384 * C^4 * a^6 * c^3 * f^4 + 4096 * C^4 * a^2 * b^4 * c^3 * e^4 - 16384 * C^4 * a^4 * b^2 * c^3 * e^2 * f^2) * (164025 * b^4 * c^13 * e^46 + 885735 * b^4 * c^12 * e^44 * (a^2 * c * f^2 - b^2 * c * e^2) + 117440512 * a^30 * c^5 * f^30 * (a^2 * c * f^2 - b^2 * c * e^2)^8 - 385875968 * a^32 * c^6 * f^32 * (a^2 * c * f^2 - b^2 * c * e^2)^7 + 419430400 * a^34 * c^7 * f^34 * (a^2 * c * f^2 - b^2 * c * e^2)^6 - 150994944 * a^36 * c^8 * f^36 * (a^2 * c * f^2 - b^2 * c * e^2)^5 + 236196 * b^36 * c^8 * e^36 * (a^2 * c * f^2 - b^2 * c * e^2)^5 + 1102248 * b^38 * c^9 * e^38 * (a^2 * c * f^2 - b^2 * c * e^2)^4 + 2053593 * b^40 * c^10 * e^40 * (a^2 * c * f^2 - b^2 * c * e^2)^3 + 1909251 * b^42 * c^11 * e^42 * (a^2 * c * f^2 - b^2 * c * e^2)^2 - 3937329 * a^2 * b^44 * c^13 * e^44 * f^2 + 43893819 * a^4 * b^42 * c^13 * e^42 * f^4 - 301507155 * a^6 * b^40 * c^13 * e^40 * f^6 + 1427514656 * a^8 * b^38 * c^13 * e^38 * f^8 - 4936911112 * a^10 * b^36 * c^13 * e^36 * f^10 + 12893273616 * a^12 * b^34 * c^13 * e^34 * f^12 - 25921630432 * a^14 * b^32 * c^13 * e^32 * f^14 + 40519286096 * a^16 * b^30 * c^13 * e^30 * f^16 - 49376608256 * a^18 * b^28 * c^13 * e^28 * f^18 + 46721401856 * a^20 * b^26 * c^13 * e^26 * f^20 - 33946324736 * a^22 * b^24 * c^13 * e^24 * f^22 + 18556579328 * a^24 * b^22 * c^13 * e^22 * f^24 - 7375276032 * a^26 * b^20 * c^13 * e^20 * f^26 + 2009817088 * a^28 * b^18 * c^13 * e^18 * f^28 - 335642624 * a^30 * b^16 * c^13 * e^16 * f^30 + 25907200 * a^32 * b^14 * c^13 * e^14 * f^32 - 21130794 * a^2 * b^42 * c^12 * e^42 * f^2 * (a^2 * c * f^2 - b^2 * c * e^2) + 234399015 * a^4 * b^40 * c^12 * e^40 * f^4 * (a^2 * c * f^2 - b^2 * c * e^2) - 1604168280 * a^6 * b^38 * c^12 * e^38 * f^6 * (a^2 * c * f^2 - b^2 * c * e^2) + 7579098492 * a^8 * b^36 * c^12 * e^36 * f^8 * (a^2 * c * f^2 - b^2 * c * e^2) - 26212380172 * a^10 * b^34 * c^12 * e^34 * f^10 * (a^2 * c * f^2 - b^2 * c * e^2) + 68672994096 * a^12 * b^32 * c^12 * e^32 * f^12 * (a^2 * c * f^2 - b^2 * c * e^2) - 139160589504 * a^14 * b^30 * c^12 * e^30 * f^14 * (a^2 * c * f^2 - b^2 * c * e^2) + 220859191808 * a^16 * b^28 * c^12 * e^28 * f^16 * (a^2 * c * f^2 - b^2 * c * e^2) - 276344315328 * a^18 * b^26 * c^12 * e^26 * f^18 * (a^2 * c * f^2 - b^2 * c * e^2) + 273130561984 * a^20 * b^24 * c^12 * e^24 * f^20 * (a^2 * c * f^2 - b^2 * c * e^2) - 21273002688 * a^22 * b^22 * c^12 * e^22 * f^22 * (a^2 * c * f^2 - b^2 * c * e^2) + 129574234368 * a^24 * b^20 * c^12 * e^20 * f^24 * (a^2 * c * f^2 - b^2 * c * e^2) - 60770569216 * a^26 * b^18 * c^12 * e^18 * f^26 * (a^2 * c * f^2 - b^2 * c * e^2) + 21304706048 * a^28 * b^16 * c^12 * e^16 * f^28 * (a^2 * c * f^2 - b^2 * c * e^2) - 5272965120 * a^30 * b^14 * c^12 * e^14 * f^30 * (a^2 * c * f^2 - b^2 * c * e^2) + 819441664 * a^32 * b^12 * c^12 * e^12 * f^32 * (a^2 * c * f^2 - b^2 * c * e^2) - 59392000 * a^34 * b^10 * c^12 * e^10 * f^34 * (a^2 * c * f^2 - b^2 * c * e^2) + 9289728 * a^6 * b^24 * c^5 * e^24 * f^6 * (a^2 * c * f^2 - b^2 * c * e^2)^8 - 36884480 * a^8 * b^22 * c^5 * e^22 * f^8 * (a^2 * c * f^2 - b^2 * c * e^2)^8 - 278604800 * a^10 * b^20 * c^5 * e^20 * f^10 * (a^2 * c * f^2 - b^2 * c * e^2)^8 + 2774483200 * a^12 * b^18 * c^5 * e^18 * f^12 * (a^2 * c * f^2 - b^2 * c * e^2)^8 - 10869657600 * a^14 * b^16 * c^5 * e^16 * f^14 * (a^2 * c * f^2 - b^2 * c * e^2)^8 + 25237416960 * a^16 * b^14 * c^5 * e^14 * f^16 * (a^2 * c * f^2 - b^2 * c * e^2)^8 - 38348909568 * a^18 * b^12 * c^5 * e^12 * f^18 * (a^2 * c * f^2 - b^2 * c * e^2)^8 + 39084659712 * a^20 * b^10 * c^5 * e^10 * f^20 * (a^2 * c * f^2 - b^2 * c * e^2)^8 - 26118635520 * a^22 * b^8 * c^5 * e^8 * f^22 * (a^2 * c * f^2 - b^2 * c * e^2)^8 + 10414620672 * a^24 * b^6 * c^5 * e^6 * f^24 * (a^2 * c * f^2 - b^2 * c * e^2)^8 - 1708654592 * a^26 * b^4 * c^5 * e^4 * f^26 * (a^2 * c * f^2 - b^2 * c * e^2)^8 - 276561920 * a^28 * b^2 * c^5 * e^2 * f^28 * (a^2 * c * f^2 - b^2 * c * e^2)^8 - 9704448 * a^4 * b^28 * c^6 * e^28 * f^4 * (a^2 * c * f^2 - b^2 * c * e^2)^7 + 260614656 * a^6 * b^26 * c^6 * e^26 * f^6 * (a^2 * c * f^2 - b^2 * c * e^2)^7 - 2166022464 * a^8 * b^24 * c^6 * e^24 * f^8 * (a^2 * c * f^2 - b^2 * c * e^2)^7 + 8626147840 * a^10 * b^22 * c^6 * e^22 * f^10 * (a^2 * c * f^2 - b^2 * c * e^2)^7 - 16771503616 * a^12 * b^20 * c^6 * e^20 * f^12 * (a^2 * c * f^2 - b^2 * c * e^2)^7 + 3301800960 * a^14 * b^18 * c^6 * e^18 * f^14 * (a^2 * c * f^2 - b^2 * c * e^2)^7 + 67337715968 * a^16 * b^16 * c^6 * e^16 * f^16 * (a^2 * c * f^2 - b^2 * c * e^2)^7 - 189857873920 * a^18 * b^14 * c^6 * e^14 * f^18 * (a^2 * c * f^2 - b^2 * c * e^2)^7 + 286100259840 * a^20 * b^12 * c^6 * e^12 * f^20 * (a^2 * c * f^2 - b^2 * c * e^2)^7 - 275789894656 * a^22 * b^10 * c^6 * e^10 * f^22 * (a^2 * c * f^2 - b^2 * c * e^2)^7 + 173716537344 * a^24 * b^8 * c^6 * e^8 * f^24 * (a^2 * c * f^2 - b^2 * c * e^2)^7 - 67416424448 * a^26 * b^6 * c^6 * e^6 * f^26 * (a^2 * c * f^2 - b^2 * c * e^2)^7 + 12831686656 * a^28 * b^4 * c^6 * e^4 * f^28 * (a^2 * c * f^2 - b^2 * c * e^2)^7 + 222560256 * a^30 * b^2 * c^6 * e^2 * f^30 * (a^2 * c * f^2 - b^2 * c * e^2)^7 + 2099520 * a^2 * b^32 * c^7 * e^32 * f^2 * (a^2 * c * f^2 - b^2 * c * e^2)^6 - 107014608 * a^4 * b^30 * c^7 * e^30 * f^4 * (a^2 * c * f^2 - b^2 * c * e^2)^6 + 184833561
\end{aligned}$$

$$\begin{aligned}
& 6*a^6*b^{28}*c^7*e^{28}*f^6*(a^2*c*f^2 - b^2*c*e^2)^6 - 15200005312*a^8*b^{26}*c^7* \\
& e^{26}*f^8*(a^2*c*f^2 - b^2*c*e^2)^6 + 72612273792*a^{10}*b^{24}*c^7*e^{24}*f^{10}* \\
& (a^2*c*f^2 - b^2*c*e^2)^6 - 221855779968*a^{12}*b^{22}*c^7*e^{22}*f^{12}*(a^2*c*f^2 \\
& - b^2*c*e^2)^6 + 450717857536*a^{14}*b^{20}*c^7*e^{20}*f^{14}*(a^2*c*f^2 - b^2*c*e \\
& ^2)^6 - 600578910208*a^{16}*b^{18}*c^7*e^{18}*f^{16}*(a^2*c*f^2 - b^2*c*e^2)^6 + 45 \\
& 9464530688*a^{18}*b^{16}*c^7*e^{16}*f^{18}*(a^2*c*f^2 - b^2*c*e^2)^6 - 33638947840* \\
& a^{20}*b^{14}*c^7*e^{14}*f^{20}*(a^2*c*f^2 - b^2*c*e^2)^6 - 376299926528*a^{22}*b^{12}* \\
& c^7*e^{12}*f^{22}*(a^2*c*f^2 - b^2*c*e^2)^6 + 488874068992*a^{24}*b^{10}*c^7*e^{10}*f \\
& ^24*(a^2*c*f^2 - b^2*c*e^2)^6 - 333407809536*a^{26}*b^8*c^7*e^8*f^26*(a^2*c*f \\
& ^2 - b^2*c*e^2)^6 + 134140313600*a^{28}*b^6*c^7*e^6*f^28*(a^2*c*f^2 - b^2*c*e \\
& ^2)^6 - 28220915712*a^{30}*b^4*c^7*e^4*f^30*(a^2*c*f^2 - b^2*c*e^2)^6 + 12305 \\
& 03936*a^{32}*b^2*c^7*e^2*f^32*(a^2*c*f^2 - b^2*c*e^2)^6 + 3335904*a^2*b^34*c^8* \\
& e^34*f^2*(a^2*c*f^2 - b^2*c*e^2)^5 - 290521728*a^4*b^32*c^8*e^32*f^4*(a^2 \\
& *c*f^2 - b^2*c*e^2)^5 + 4865684544*a^6*b^30*c^8*e^30*f^6*(a^2*c*f^2 - b^2*c \\
& *e^2)^5 - 40437394528*a^8*b^28*c^8*e^28*f^8*(a^2*c*f^2 - b^2*c*e^2)^5 + 205 \\
& 602254656*a^{10}*b^26*c^8*e^26*f^10*(a^2*c*f^2 - b^2*c*e^2)^5 - 703885344192* \\
& a^{12}*b^24*c^8*e^24*f^12*(a^2*c*f^2 - b^2*c*e^2)^5 + 1709253482624*a^{14}*b^22 \\
& *c^8*e^22*f^14*(a^2*c*f^2 - b^2*c*e^2)^5 - 3029282695168*a^{16}*b^20*c^8*e^20 \\
& *f^16*(a^2*c*f^2 - b^2*c*e^2)^5 + 3966230827520*a^{18}*b^18*c^8*e^18*f^18*(a^ \\
& 2*c*f^2 - b^2*c*e^2)^5 - 3822339813632*a^{20}*b^16*c^8*e^16*f^20*(a^2*c*f^2 - \\
& b^2*c*e^2)^5 + 2640438056960*a^{22}*b^14*c^8*e^14*f^22*(a^2*c*f^2 - b^2*c*e^ \\
& 2)^5 - 1208501415936*a^{24}*b^12*c^8*e^12*f^24*(a^2*c*f^2 - b^2*c*e^2)^5 + 26 \\
& 9338092544*a^{26}*b^10*c^8*e^10*f^26*(a^2*c*f^2 - b^2*c*e^2)^5 + 53783212032* \\
& a^{28}*b^8*c^8*e^8*f^28*(a^2*c*f^2 - b^2*c*e^2)^5 - 60985360384*a^{30}*b^6*c^8* \\
& e^6*f^30*(a^2*c*f^2 - b^2*c*e^2)^5 + 17917083648*a^{32}*b^4*c^8*e^4*f^32*(a^2 \\
& *c*f^2 - b^2*c*e^2)^5 - 1558708224*a^{34}*b^2*c^8*e^2*f^34*(a^2*c*f^2 - b^2*c \\
& *e^2)^5 - 11917692*a^2*b^36*c^9*e^36*f^2*(a^2*c*f^2 - b^2*c*e^2)^4 - 224907 \\
& 516*a^4*b^34*c^9*e^34*f^4*(a^2*c*f^2 - b^2*c*e^2)^4 + 5303932560*a^6*b^32*c \\
& ^9*e^32*f^6*(a^2*c*f^2 - b^2*c*e^2)^4 - 48206418480*a^8*b^30*c^9*e^30*f^8*( \\
& a^2*c*f^2 - b^2*c*e^2)^4 + 261450609120*a^{10}*b^28*c^9*e^28*f^10*(a^2*c*f^2 \\
& - b^2*c*e^2)^4 - 962361040256*a^{12}*b^26*c^9*e^26*f^12*(a^2*c*f^2 - b^2*c*e^ \\
& 2)^4 + 2558559358080*a^{14}*b^24*c^9*e^24*f^14*(a^2*c*f^2 - b^2*c*e^2)^4 - 50 \\
& 91804150656*a^{16}*b^22*c^9*e^22*f^16*(a^2*c*f^2 - b^2*c*e^2)^4 + 77508065149 \\
& 44*a^{18}*b^20*c^9*e^20*f^18*(a^2*c*f^2 - b^2*c*e^2)^4 - 9137207485952*a^{20}*b \\
& ^18*c^9*e^18*f^20*(a^2*c*f^2 - b^2*c*e^2)^4 + 8384563280128*a^{22}*b^16*c^9*e \\
& ^16*f^22*(a^2*c*f^2 - b^2*c*e^2)^4 - 5975281259520*a^{24}*b^14*c^9*e^14*f^24* \\
& (a^2*c*f^2 - b^2*c*e^2)^4 + 3269297268736*a^{26}*b^12*c^9*e^12*f^26*(a^2*c*f^ \\
& 2 - b^2*c*e^2)^4 - 1339171540992*a^{28}*b^10*c^9*e^10*f^28*(a^2*c*f^2 - b^2*c \\
& *e^2)^4 + 391250194432*a^{30}*b^8*c^9*e^8*f^30*(a^2*c*f^2 - b^2*c*e^2)^4 - 74 \\
& 114154496*a^{32}*b^6*c^9*e^6*f^32*(a^2*c*f^2 - b^2*c*e^2)^4 + 7299203072*a^34 \\
& *b^4*c^9*e^4*f^34*(a^2*c*f^2 - b^2*c*e^2)^4 - 148635648*a^36*b^2*c^9*e^2*f^ \\
& 36*(a^2*c*f^2 - b^2*c*e^2)^4 - 38704068*a^2*b^38*c^10*e^38*f^2*(a^2*c*f^2 - \\
& b^2*c*e^2)^3 + 188845992*a^4*b^36*c^10*e^36*f^4*(a^2*c*f^2 - b^2*c*e^2)^3 \\
& + 1157124204*a^6*b^34*c^10*e^34*f^6*(a^2*c*f^2 - b^2*c*e^2)^3 - 20586361424 \\
& *a^8*b^32*c^10*e^32*f^8*(a^2*c*f^2 - b^2*c*e^2)^3 + 135395499200*a^{10}*b^30* \\
& c^10*e^30*f^10*(a^2*c*f^2 - b^2*c*e^2)^3 - 555513858464*a^{12}*b^28*c^10*e^28 \\
& *f^12*(a^2*c*f^2 - b^2*c*e^2)^3 + 1608776388864*a^{14}*b^26*c^10*e^26*f^14*(a \\
& ^2*c*f^2 - b^2*c*e^2)^3 - 3473989271488*a^{16}*b^24*c^10*e^24*f^16*(a^2*c*f^2 \\
& - b^2*c*e^2)^3 + 5766181411456*a^{18}*b^22*c^10*e^22*f^18*(a^2*c*f^2 - b^2*c \\
& *e^2)^3 - 7493983209472*a^{20}*b^20*c^10*e^20*f^20*(a^2*c*f^2 - b^2*c*e^2)^3 \\
& + 7713917084672*a^{22}*b^18*c^10*e^18*f^22*(a^2*c*f^2 - b^2*c*e^2)^3 - 632846 \\
& 7293184*a^{24}*b^16*c^10*e^16*f^24*(a^2*c*f^2 - b^2*c*e^2)^3 + 4142950034432* \\
& a^{26}*b^14*c^10*e^14*f^26*(a^2*c*f^2 - b^2*c*e^2)^3 - 2152681536512*a^{28}*b^1 \\
& 2*c^10*e^12*f^28*(a^2*c*f^2 - b^2*c*e^2)^3 + 874199511040*a^{30}*b^10*c^10*e^ \\
& 10*f^30*(a^2*c*f^2 - b^2*c*e^2)^3 - 268759150592*a^{32}*b^8*c^10*e^8*f^32*(a^ \\
& 2*c*f^2 - b^2*c*e^2)^3 + 58872545280*a^{34}*b^6*c^10*e^6*f^34*(a^2*c*f^2 - b^ \\
& 2*c*e^2)^3 - 8151957504*a^36*b^4*c^10*e^4*f^36*(a^2*c*f^2 - b^2*c*e^2)^3 + \\
& 530841600*a^38*b^2*c^10*e^2*f^38*(a^2*c*f^2 - b^2*c*e^2)^3 - 42743457*a^2*b \\
& ^40*c^11*e^40*f^2*(a^2*c*f^2 - b^2*c*e^2)^2 + 411055884*a^4*b^38*c^11*e^38*
\end{aligned}$$

$$\begin{aligned}
& f^4(a^2cf^2 - b^2ce^2)^2 - 2180887236a^6b^3c^{11}e^{36}f^6(a^2cf^2 - b^2ce^2)^2 + 6404946508a^8b^3c^{11}e^{34}f^8(a^2cf^2 - b^2ce^2)^2 - 5434005264a^{10}b^3c^{11}e^{32}f^{10}(a^2cf^2 - b^2ce^2)^2 - 38868373520a^{12}b^3c^{11}e^{30}f^{12}(a^2cf^2 - b^2ce^2)^2 + 208447613600a^{14}b^28c^{11}e^{28}f^{14}(a^2cf^2 - b^2ce^2)^2 - 579674999104a^{16}b^26c^{11}e^{26}f^{16}(a^2cf^2 - b^2ce^2)^2 + 1104967566592a^{18}b^24c^{11}e^{24}f^{18}(a^2cf^2 - b^2ce^2)^2 - 1554566531328a^{20}b^22c^{11}e^{22}f^{20}(a^2cf^2 - b^2ce^2)^2 + 1659734381312a^{22}b^20c^{11}e^{20}f^{22}(a^2cf^2 - b^2ce^2)^2 - 1356361512192a^{24}b^18c^{11}e^{18}f^{24}(a^2cf^2 - b^2ce^2)^2 + 845331359744a^{26}b^16c^{11}e^{16}f^{26}(a^2cf^2 - b^2ce^2)^2 - 395676895232a^{28}b^14c^{11}e^{14}f^{28}(a^2cf^2 - b^2ce^2)^2 + 134902689792a^{30}b^12c^{11}e^{12}f^{30}(a^2cf^2 - b^2ce^2)^2 - 31670587392a^{32}b^10c^{11}e^{10}f^{32}(a^2cf^2 - b^2ce^2)^2 + 4584669184a^{34}b^8c^{11}e^8f^{34}(a^2cf^2 - b^2ce^2)^2 - 309657600a^{36}b^6c^{11}e^6f^{36}(a^2cf^2 - b^2ce^2)^2) - (4a^{(3/2)}b^6c^2e^6f^3(a^2cf^2 - b^2ce^2)^2) - (4a^{(3/2)}b^6c^2e^6f^3(a^2cf^2 - b^2ce^2)^2) * ((4096*(16C^4a^4b^8c^5e^10 + 64C^4a^12c^5e^2f^8 - 92C^4a^6b^6c^5e^8f^2 + 192C^4a^8b^4c^5e^6f^4 - 176C^4a^10b^2c^5e^4f^6)) / (b^16e^14f^4 - 4a^2b^14e^12f^6 + 6a^4b^12e^10f^8 - 4a^6b^10e^8f^10 + a^8b^8e^6f^12) + (4096C^4e^4(2a^2f^2 - b^2e^2)^4(9a^2b^14c^7e^12f^6 - 43a^4b^12c^7e^10f^8 + 82a^6b^10c^7e^8f^10 - 78a^8b^8c^7e^6f^12 + 37a^10b^6c^7e^4f^14 - 7a^12b^4c^7e^2f^16)) / (f^8(a^2cf^2 - b^2ce^2)^2 * (b^16e^14f^4 - 4a^2b^14e^12f^6 + 6a^4b^12e^10f^8 - 4a^6b^10e^8f^10 + a^8b^8e^6f^12) + (4096C^2e^2(2a^2f^2 - b^2e^2)^2 * (16C^2a^14c^6f^14 + 9C^2a^2b^12c^6e^12f^2 - 54C^2a^4b^10c^6e^10f^4 + 121C^2a^6b^8c^6e^8f^6 - 128C^2a^8b^6c^6e^6f^8 + 80C^2a^10b^4c^6e^4f^10 - 44C^2a^12b^2c^6e^2f^12)) / (f^4(a^2cf^2 - b^2ce^2)^2 * (a^2cf^2 - b^2ce^2) * (b^16e^14f^4 - 4a^2b^14e^12f^6 + 6a^4b^12e^10f^8 - 4a^6b^10e^8f^10 + a^8b^8e^6f^12))) * (4a^6c^6f^6 - 3b^6c^6e^6 + 8a^2b^4c^4e^4f^2 - 8a^4b^2c^2e^2f^4)^4 * (b^16e^12f^6(a^2cf^2 - b^2ce^2)^2 - 4a^2b^14e^10f^8(a^2cf^2 - b^2ce^2)^2 + 6a^4b^12e^8f^10(a^2cf^2 - b^2ce^2)^2 - 4a^6b^10e^6f^12(a^2cf^2 - b^2ce^2)^2 + a^8b^8e^4f^14(a^2cf^2 - b^2ce^2)^2) / ((b^2ce^2 - a^2cf^2)^(1/2) * (16384C^4a^6c^3f^4 + 4096C^4a^2b^4c^3e^4 - 16384C^4a^4b^2c^3e^2f^2) * (164025b^46c^13e^46 + 885735b^44c^12e^44(a^2cf^2 - b^2ce^2) + 117440512a^30c^5f^30(a^2cf^2 - b^2ce^2)^8 - 385875968a^32c^6f^32(a^2cf^2 - b^2ce^2)^7 + 419430400a^34c^7f^34(a^2cf^2 - b^2ce^2)^6 - 150994944a^36c^8f^36(a^2cf^2 - b^2ce^2)^5 + 236196b^36c^8e^36(a^2cf^2 - b^2ce^2)^5 + 1102248b^38c^9e^38(a^2cf^2 - b^2ce^2)^4 + 2053593b^40c^10e^40(a^2cf^2 - b^2ce^2)^3 + 1909251b^42c^11e^42(a^2cf^2 - b^2ce^2)^2 - 3937329a^2b^44c^13e^44f^2 + 43893819a^4b^42c^13e^42f^4 - 301507155a^6b^40c^13e^40f^6 + 1427514656a^8b^38c^13e^38f^8 - 4936911112a^10b^36c^13e^36f^10 + 12893273616a^12b^34c^13e^34f^12 - 25921630432a^14b^32c^13e^32f^14 + 40519286096a^16b^30c^13e^30f^16 - 49376608256a^18b^28c^13e^28f^18 + 46721401856a^20b^26c^13e^26f^20 - 33946324736a^22b^24c^13e^24f^22 + 18556579328a^24b^22c^13e^22f^24 - 7375276032a^26b^20c^13e^20f^26 + 2009817088a^28b^18c^13e^18f^28 - 335642624a^30b^16c^13e^16f^30 + 25907200a^32b^14c^13e^14f^32 - 21130794a^2b^42c^12e^42f^2(a^2cf^2 - b^2ce^2) + 234399015a^4b^40c^12e^40f^4(a^2cf^2 - b^2ce^2) - 1604168280a^6b^38c^12e^38f^6(a^2cf^2 - b^2ce^2) + 7579098492a^8b^36c^12e^36f^8(a^2cf^2 - b^2ce^2) - 26212380172a^10b^34c^12e^34f^10(a^2cf^2 - b^2ce^2) + 68672994096a^12b^32c^12e^32f^12(a^2cf^2 - b^2ce^2) - 139160589504a^14b^30c^12e^30f^14(a^2cf^2 - b^2ce^2) + 220859191808a^16b^28c^12e^28f^16(a^2cf^2 - b^2ce^2) - 276344315328a^18b^26c^12e^26f^18(a^2cf^2 - b^2ce^2) + 273130561984a^20b^24c^12e^24f^20(a^2cf^2 - b^2ce^2) - 212730002688a^22b^22c^12e^22f^22(a^2cf^2 - b^2ce^2) + 129574234368a^24b^20c^12e^20f^24(a^2cf^2 - b^2ce^2)
\end{aligned}$$

$$\begin{aligned}
& e^2) - 60770569216*a^{26}*b^{18}*c^{12}*e^{18}*f^{26}*(a^2*c*f^2 - b^2*c*e^2) + 21304 \\
& 706048*a^{28}*b^{16}*c^{12}*e^{16}*f^{28}*(a^2*c*f^2 - b^2*c*e^2) - 5272965120*a^{30}*b \\
& ^{14}*c^{12}*e^{14}*f^{30}*(a^2*c*f^2 - b^2*c*e^2) + 819441664*a^{32}*b^{12}*c^{12}*e^{12} \\
& f^{32}*(a^2*c*f^2 - b^2*c*e^2) - 59392000*a^{34}*b^{10}*c^{12}*e^{10}*f^{34}*(a^2*c*f^2 \\
& - b^2*c*e^2) + 9289728*a^6*b^{24}*c^5*e^{24}*f^6*(a^2*c*f^2 - b^2*c*e^2)^8 - 3 \\
& 6884480*a^8*b^{22}*c^5*e^{22}*f^8*(a^2*c*f^2 - b^2*c*e^2)^8 - 278604800*a^{10}*b^ \\
& ^{20}*c^5*e^{20}*f^{10}*(a^2*c*f^2 - b^2*c*e^2)^8 + 2774483200*a^{12}*b^{18}*c^5*e^{18} \\
& f^{12}*(a^2*c*f^2 - b^2*c*e^2)^8 - 10869657600*a^{14}*b^{16}*c^5*e^{16}*f^{14}*(a^2*c \\
& *f^2 - b^2*c*e^2)^8 + 25237416960*a^{16}*b^{14}*c^5*e^{14}*f^{16}*(a^2*c*f^2 - b^2*c \\
& *e^2)^8 - 38348909568*a^{18}*b^{12}*c^5*e^{12}*f^{18}*(a^2*c*f^2 - b^2*c*e^2)^8 + \\
& 39084659712*a^{20}*b^{10}*c^5*e^{10}*f^{20}*(a^2*c*f^2 - b^2*c*e^2)^8 - 26118635520 \\
& *a^{22}*b^8*c^5*e^8*f^{22}*(a^2*c*f^2 - b^2*c*e^2)^8 + 10414620672*a^{24}*b^6*c^5 \\
& *e^6*f^{24}*(a^2*c*f^2 - b^2*c*e^2)^8 - 1708654592*a^{26}*b^4*c^5*e^4*f^{26}*(a^2 \\
& *c*f^2 - b^2*c*e^2)^8 - 276561920*a^{28}*b^2*c^5*e^2*f^{28}*(a^2*c*f^2 - b^2*c* \\
& e^2)^8 - 9704448*a^4*b^{28}*c^6*e^{28}*f^4*(a^2*c*f^2 - b^2*c*e^2)^7 + 26061465 \\
& 6*a^6*b^{26}*c^6*e^{26}*f^6*(a^2*c*f^2 - b^2*c*e^2)^7 - 2166022464*a^8*b^{24}*c^6 \\
& *e^{24}*f^8*(a^2*c*f^2 - b^2*c*e^2)^7 + 8626147840*a^{10}*b^{22}*c^6*e^{22}*f^{10}*(a \\
& ^2*c*f^2 - b^2*c*e^2)^7 - 16771503616*a^{12}*b^{20}*c^6*e^{20}*f^{12}*(a^2*c*f^2 - \\
& b^2*c*e^2)^7 + 3301800960*a^{14}*b^{18}*c^6*e^{18}*f^{14}*(a^2*c*f^2 - b^2*c*e^2)^7 \\
& + 67337715968*a^{16}*b^{16}*c^6*e^{16}*f^{16}*(a^2*c*f^2 - b^2*c*e^2)^7 - 18985787 \\
& 3920*a^{18}*b^{14}*c^6*e^{14}*f^{18}*(a^2*c*f^2 - b^2*c*e^2)^7 + 286100259840*a^{20}* \\
& b^{12}*c^6*e^{12}*f^{20}*(a^2*c*f^2 - b^2*c*e^2)^7 - 275789894656*a^{22}*b^{10}*c^6*e \\
& ^{10}*f^{22}*(a^2*c*f^2 - b^2*c*e^2)^7 + 173716537344*a^{24}*b^8*c^6*e^8*f^{24}*(a^ \\
& ^2*c*f^2 - b^2*c*e^2)^7 - 67416424448*a^{26}*b^6*c^6*e^6*f^{26}*(a^2*c*f^2 - b^2 \\
& *c*e^2)^7 + 12831686656*a^{28}*b^4*c^6*e^4*f^{28}*(a^2*c*f^2 - b^2*c*e^2)^7 + 2 \\
& 22560256*a^{30}*b^2*c^6*e^2*f^{30}*(a^2*c*f^2 - b^2*c*e^2)^7 + 2099520*a^2*b^32 \\
& *c^7*e^{32}*f^2*(a^2*c*f^2 - b^2*c*e^2)^6 - 107014608*a^4*b^30*c^7*e^{30}*f^4*( \\
& a^2*c*f^2 - b^2*c*e^2)^6 + 1848335616*a^6*b^28*c^7*e^{28}*f^6*(a^2*c*f^2 - b^ \\
& ^2*c*e^2)^6 - 15200005312*a^8*b^26*c^7*e^{26}*f^8*(a^2*c*f^2 - b^2*c*e^2)^6 + \\
& 72612273792*a^{10}*b^{24}*c^7*e^{24}*f^{10}*(a^2*c*f^2 - b^2*c*e^2)^6 - 22185577996 \\
& 8*a^{12}*b^{22}*c^7*e^{22}*f^{12}*(a^2*c*f^2 - b^2*c*e^2)^6 + 450717857536*a^{14}*b^2 \\
& 0*c^7*e^{20}*f^{14}*(a^2*c*f^2 - b^2*c*e^2)^6 - 600578910208*a^{16}*b^{18}*c^7*e^{18} \\
& *f^{16}*(a^2*c*f^2 - b^2*c*e^2)^6 + 459464530688*a^{18}*b^{16}*c^7*e^{16}*f^{18}*(a^2 \\
& *c*f^2 - b^2*c*e^2)^6 - 33638947840*a^{20}*b^{14}*c^7*e^{14}*f^{20}*(a^2*c*f^2 - b^ \\
& ^2*c*e^2)^6 - 376299926528*a^{22}*b^{12}*c^7*e^{12}*f^{22}*(a^2*c*f^2 - b^2*c*e^2)^6 \\
& + 488874068992*a^{24}*b^{10}*c^7*e^{10}*f^{24}*(a^2*c*f^2 - b^2*c*e^2)^6 - 3334078 \\
& 09536*a^{26}*b^8*c^7*e^8*f^{26}*(a^2*c*f^2 - b^2*c*e^2)^6 + 134140313600*a^{28}*b \\
& ^6*c^7*e^6*f^{28}*(a^2*c*f^2 - b^2*c*e^2)^6 - 28220915712*a^{30}*b^4*c^7*e^4*f^ \\
& ^{30}*(a^2*c*f^2 - b^2*c*e^2)^6 + 1230503936*a^{32}*b^2*c^7*e^2*f^{32}*(a^2*c*f^2 \\
& - b^2*c*e^2)^6 + 3335904*a^2*b^34*c^8*e^34*f^2*(a^2*c*f^2 - b^2*c*e^2)^5 - \\
& 290521728*a^4*b^32*c^8*e^32*f^4*(a^2*c*f^2 - b^2*c*e^2)^5 + 4865684544*a^6* \\
& b^30*c^8*e^30*f^6*(a^2*c*f^2 - b^2*c*e^2)^5 - 40437394528*a^8*b^28*c^8*e^28 \\
& *f^8*(a^2*c*f^2 - b^2*c*e^2)^5 + 205602254656*a^{10}*b^26*c^8*e^26*f^10*(a^2* \\
& c*f^2 - b^2*c*e^2)^5 - 703885344192*a^{12}*b^24*c^8*e^24*f^12*(a^2*c*f^2 - b^ \\
& ^2*c*e^2)^5 + 1709253482624*a^{14}*b^22*c^8*e^22*f^14*(a^2*c*f^2 - b^2*c*e^2)^ \\
& ^5 - 3029282695168*a^{16}*b^20*c^8*e^20*f^16*(a^2*c*f^2 - b^2*c*e^2)^5 + 39662 \\
& 30827520*a^{18}*b^18*c^8*e^18*f^18*(a^2*c*f^2 - b^2*c*e^2)^5 - 3822339813632* \\
& a^{20}*b^16*c^8*e^16*f^20*(a^2*c*f^2 - b^2*c*e^2)^5 + 2640438056960*a^{22}*b^14 \\
& *c^8*e^14*f^22*(a^2*c*f^2 - b^2*c*e^2)^5 - 1208501415936*a^{24}*b^12*c^8*e^12 \\
& *f^24*(a^2*c*f^2 - b^2*c*e^2)^5 + 269338092544*a^{26}*b^10*c^8*e^10*f^26*(a^2 \\
& *c*f^2 - b^2*c*e^2)^5 + 53783212032*a^{28}*b^8*c^8*e^8*f^28*(a^2*c*f^2 - b^2*c \\
& *e^2)^5 - 60985360384*a^{30}*b^6*c^8*e^6*f^30*(a^2*c*f^2 - b^2*c*e^2)^5 + 17 \\
& 917083648*a^{32}*b^4*c^8*e^4*f^32*(a^2*c*f^2 - b^2*c*e^2)^5 - 1558708224*a^{34} \\
& *b^2*c^8*e^2*f^34*(a^2*c*f^2 - b^2*c*e^2)^5 - 11917692*a^2*b^36*c^9*e^36*f^ \\
& ^2*(a^2*c*f^2 - b^2*c*e^2)^4 - 224907516*a^4*b^34*c^9*e^34*f^4*(a^2*c*f^2 - \\
& b^2*c*e^2)^4 + 5303932560*a^6*b^32*c^9*e^32*f^6*(a^2*c*f^2 - b^2*c*e^2)^4 - \\
& 48206418480*a^8*b^30*c^9*e^30*f^8*(a^2*c*f^2 - b^2*c*e^2)^4 + 261450609120 \\
& *a^{10}*b^28*c^9*e^28*f^10*(a^2*c*f^2 - b^2*c*e^2)^4 - 962361040256*a^{12}*b^26 \\
& *c^9*e^26*f^12*(a^2*c*f^2 - b^2*c*e^2)^4 + 2558559358080*a^{14}*b^24*c^9*e^24
\end{aligned}$$

$$\begin{aligned}
& f^{14}(a^2cf^2 - b^2ce^2)^4 - 5091804150656a^{16}b^{22}c^9e^{22}f^{16}(a^2cf^2 - b^2ce^2)^4 + 7750806514944a^{18}b^{20}c^9e^{20}f^{18}(a^2cf^2 - b^2ce^2)^4 - 9137207485952a^{20}b^{18}c^9e^{18}f^{20}(a^2cf^2 - b^2ce^2)^4 + 8384563280128a^{22}b^{16}c^9e^{16}f^{22}(a^2cf^2 - b^2ce^2)^4 - 5975281259520a^{24}b^{14}c^9e^{14}f^{24}(a^2cf^2 - b^2ce^2)^4 + 3269297268736a^{26}b^{12}c^9e^{12}f^{26}(a^2cf^2 - b^2ce^2)^4 - 1339171540992a^{28}b^{10}c^9e^{10}f^{28}(a^2cf^2 - b^2ce^2)^4 + 391250194432a^{30}b^8c^9e^8f^{30}(a^2cf^2 - b^2ce^2)^4 - 74114154496a^{32}b^6c^9e^6f^{32}(a^2cf^2 - b^2ce^2)^4 + 7299203072a^{34}b^4c^9e^4f^{34}(a^2cf^2 - b^2ce^2)^4 - 148635648a^{36}b^2c^9e^2f^{36}(a^2cf^2 - b^2ce^2)^4 - 38704068a^2b^{38}c^{10}e^{38}f^2(a^2cf^2 - b^2ce^2)^3 + 188845992a^4b^{36}c^{10}e^{36}f^4(a^2cf^2 - b^2ce^2)^3 + 1157124204a^6b^{34}c^{10}e^{34}f^6(a^2cf^2 - b^2ce^2)^3 - 20586361424a^8b^{32}c^{10}e^{32}f^8(a^2cf^2 - b^2ce^2)^3 + 135395499200a^{10}b^{30}c^{10}e^{30}f^{10}(a^2cf^2 - b^2ce^2)^3 - 555513858464a^{12}b^{28}c^{10}e^{28}f^{12}(a^2cf^2 - b^2ce^2)^3 + 1608776388864a^{14}b^{26}c^{10}e^{26}f^{14}(a^2cf^2 - b^2ce^2)^3 - 3473989271488a^{16}b^{24}c^{10}e^{24}f^{16}(a^2cf^2 - b^2ce^2)^3 + 5766181411456a^{18}b^{22}c^{10}e^{22}f^{18}(a^2cf^2 - b^2ce^2)^3 - 7493983209472a^{20}b^{20}c^{10}e^{20}f^{20}(a^2cf^2 - b^2ce^2)^3 + 7713917084672a^{22}b^{18}c^{10}e^{18}f^{22}(a^2cf^2 - b^2ce^2)^3 - 6328467293184a^{24}b^{16}c^{10}e^{16}f^{24}(a^2cf^2 - b^2ce^2)^3 + 4142950034432a^{26}b^{14}c^{10}e^{14}f^{26}(a^2cf^2 - b^2ce^2)^3 - 2152681536512a^{28}b^{12}c^{10}e^{12}f^{28}(a^2cf^2 - b^2ce^2)^3 + 874199511040a^{30}b^{10}c^{10}e^{10}f^{30}(a^2cf^2 - b^2ce^2)^3 - 268759150592a^{32}b^8c^{10}e^8f^{32}(a^2cf^2 - b^2ce^2)^3 + 58872545280a^{34}b^6c^{10}e^6f^{34}(a^2cf^2 - b^2ce^2)^3 - 8151957504a^{36}b^4c^{10}e^4f^{36}(a^2cf^2 - b^2ce^2)^3 + 530841600a^{38}b^2c^{10}e^2f^{38}(a^2cf^2 - b^2ce^2)^3 - 42743457a^2b^{40}c^{11}e^{40}f^2(a^2cf^2 - b^2ce^2)^2 + 411055884a^4b^{38}c^{11}e^{38}f^4(a^2cf^2 - b^2ce^2)^2 - 2180887236a^6b^{36}c^{11}e^{36}f^6(a^2cf^2 - b^2ce^2)^2 + 6404946508a^8b^{34}c^{11}e^{34}f^8(a^2cf^2 - b^2ce^2)^2 - 5434005264a^{10}b^{32}c^{11}e^{32}f^{10}(a^2cf^2 - b^2ce^2)^2 - 38868373520a^{12}b^{30}c^{11}e^{30}f^{12}(a^2cf^2 - b^2ce^2)^2 + 208447613600a^{14}b^{28}c^{11}e^{28}f^{14}(a^2cf^2 - b^2ce^2)^2 - 579674999104a^{16}b^{26}c^{11}e^{26}f^{16}(a^2cf^2 - b^2ce^2)^2 + 1104967566592a^{18}b^{24}c^{11}e^{24}f^{18}(a^2cf^2 - b^2ce^2)^2 - 1554566531328a^{20}b^{22}c^{11}e^{22}f^{20}(a^2cf^2 - b^2ce^2)^2 + 1659734381312a^{22}b^{20}c^{11}e^{20}f^{22}(a^2cf^2 - b^2ce^2)^2 - 1356361512192a^{24}b^{18}c^{11}e^{18}f^{24}(a^2cf^2 - b^2ce^2)^2 + 845331359744a^{26}b^{16}c^{11}e^{16}f^{26}(a^2cf^2 - b^2ce^2)^2 - 395676895232a^{28}b^{14}c^{11}e^{14}f^{28}(a^2cf^2 - b^2ce^2)^2 + 134902689792a^{30}b^{12}c^{11}e^{12}f^{30}(a^2cf^2 - b^2ce^2)^2 - 31670587392a^{32}b^{10}c^{11}e^{10}f^{32}(a^2cf^2 - b^2ce^2)^2 + 4584669184a^{34}b^8c^{11}e^8f^{34}(a^2cf^2 - b^2ce^2)^2 - 309657600a^{36}b^6c^{11}e^6f^{36}(a^2cf^2 - b^2ce^2)^2)) - 2\operatorname{atan}(\frac{(a^{3/2}f^3(ac)^{3/2}(4a^2cf^2 - b^2ce^2)^2(4a^2cf^2 - 3b^2ce^2)(4a^6cf^6 - 3b^6ce^6 + 8a^2b^4ce^4f^2 - 8a^4b^2ce^2f^4)^4)}{(c^2(164025b^46c^{13}e^{46} + 885735b^44c^{12}e^{44}(a^2cf^2 - b^2ce^2) + 117440512a^{30}c^5f^{30}(a^2cf^2 - b^2ce^2)^8 - 385875968a^{32}c^6f^{32}(a^2cf^2 - b^2ce^2)^7 + 419430400a^{34}c^7f^{34}(a^2cf^2 - b^2ce^2)^6 - 150994944a^{36}c^8f^{36}(a^2cf^2 - b^2ce^2)^5 + 236196b^{36}c^8e^{36}(a^2cf^2 - b^2ce^2)^5 + 1102248b^{38}c^9e^{38}(a^2cf^2 - b^2ce^2)^4 + 2053593b^{40}c^{10}e^{40}(a^2cf^2 - b^2ce^2)^3 + 1909251b^{42}c^{11}e^{42}(a^2cf^2 - b^2ce^2)^2 - 3937329a^2b^{44}c^{13}e^{44}f^2 + 43893819a^4b^{42}c^{13}e^{42}f^4 - 301507155a^6b^{40}c^{13}e^{40}f^6 + 1427514656a^8b^{38}c^{13}e^{38}f^8 - 4936911112a^{10}b^{36}c^{13}e^{36}f^{10} + 12893273616a^{12}b^{34}c^{13}e^{34}f^{12} - 25921630432a^{14}b^{32}c^{13}e^{32}f^{14} + 40519286096a^{16}b^{30}c^{13}e^{30}f^{16} - 49376608256a^{18}b^{28}c^{13}e^{28}f^{18} + 46721401856a^{20}b^{26}c^{13}e^{26}f^{20} - 33946324736a^{22}b^{24}c^{13}e^{24}f^{22} + 18556579328a^{24}b^{22}c^{13}e^{22}f^{24} - 7375276032a^{26}b^{20}c^{13}e^{20}f^{26} + 2009817088a^{28}b^{18}c^{13}e^{18}f^{28} - 335642624a^{30}b^{16}c^{13}e^{16}f^{30} + 25907200a^{32}b^{14}c^{13}e^{14}f^{32} - 21130794a^2b^{42}c^{12}e^{42}f^2(a^2c
\end{aligned}$$

$$\begin{aligned}
& *f^2 - b^2*c*e^2) + 234399015*a^4*b^40*c^12*e^40*f^4*(a^2*c*f^2 - b^2*c*e^2) \\
& ) - 1604168280*a^6*b^38*c^12*e^38*f^6*(a^2*c*f^2 - b^2*c*e^2) + 7579098492* \\
& a^8*b^36*c^12*e^36*f^8*(a^2*c*f^2 - b^2*c*e^2) - 26212380172*a^10*b^34*c^12 \\
& *e^34*f^10*(a^2*c*f^2 - b^2*c*e^2) + 68672994096*a^12*b^32*c^12*e^32*f^12*( \\
& a^2*c*f^2 - b^2*c*e^2) - 139160589504*a^14*b^30*c^12*e^30*f^14*(a^2*c*f^2 - \\
& b^2*c*e^2) + 220859191808*a^16*b^28*c^12*e^28*f^16*(a^2*c*f^2 - b^2*c*e^2) \\
& - 276344315328*a^18*b^26*c^12*e^26*f^18*(a^2*c*f^2 - b^2*c*e^2) + 27313056 \\
& 1984*a^20*b^24*c^12*e^24*f^20*(a^2*c*f^2 - b^2*c*e^2) - 212730002688*a^22*b \\
& ^22*c^12*e^22*f^22*(a^2*c*f^2 - b^2*c*e^2) + 129574234368*a^24*b^20*c^12*e^ \\
& 20*f^24*(a^2*c*f^2 - b^2*c*e^2) - 60770569216*a^26*b^18*c^12*e^18*f^26*(a^2 \\
& *c*f^2 - b^2*c*e^2) + 21304706048*a^28*b^16*c^12*e^16*f^28*(a^2*c*f^2 - b^2 \\
& *c*e^2) - 5272965120*a^30*b^14*c^12*e^14*f^30*(a^2*c*f^2 - b^2*c*e^2) + 819 \\
& 441664*a^32*b^12*c^12*e^12*f^32*(a^2*c*f^2 - b^2*c*e^2) - 59392000*a^34*b^1 \\
& 0*c^12*e^10*f^34*(a^2*c*f^2 - b^2*c*e^2) + 9289728*a^6*b^24*c^5*e^24*f^6*(a \\
& ^2*c*f^2 - b^2*c*e^2)^8 - 36884480*a^8*b^22*c^5*e^22*f^8*(a^2*c*f^2 - b^2*c \\
& *e^2)^8 - 278604800*a^10*b^20*c^5*e^20*f^10*(a^2*c*f^2 - b^2*c*e^2)^8 + 277 \\
& 4483200*a^12*b^18*c^5*e^18*f^12*(a^2*c*f^2 - b^2*c*e^2)^8 - 10869657600*a^1 \\
& 4*b^16*c^5*e^16*f^14*(a^2*c*f^2 - b^2*c*e^2)^8 + 25237416960*a^16*b^14*c^5* \\
& e^14*f^16*(a^2*c*f^2 - b^2*c*e^2)^8 - 38348909568*a^18*b^12*c^5*e^12*f^18*( \\
& a^2*c*f^2 - b^2*c*e^2)^8 + 39084659712*a^20*b^10*c^5*e^10*f^20*(a^2*c*f^2 - \\
& b^2*c*e^2)^8 - 26118635520*a^22*b^8*c^5*e^8*f^22*(a^2*c*f^2 - b^2*c*e^2)^8 \\
& + 10414620672*a^24*b^6*c^5*e^6*f^24*(a^2*c*f^2 - b^2*c*e^2)^8 - 1708654592 \\
& *a^26*b^4*c^5*e^4*f^26*(a^2*c*f^2 - b^2*c*e^2)^8 - 276561920*a^28*b^2*c^5*e \\
& ^2*f^28*(a^2*c*f^2 - b^2*c*e^2)^8 - 9704448*a^4*b^28*c^6*e^28*f^4*(a^2*c*f^ \\
& 2 - b^2*c*e^2)^7 + 260614656*a^6*b^26*c^6*e^26*f^6*(a^2*c*f^2 - b^2*c*e^2)^ \\
& 7 - 2166022464*a^8*b^24*c^6*e^24*f^8*(a^2*c*f^2 - b^2*c*e^2)^7 + 8626147840 \\
& *a^10*b^22*c^6*e^22*f^10*(a^2*c*f^2 - b^2*c*e^2)^7 - 16771503616*a^12*b^20* \\
& c^6*e^20*f^12*(a^2*c*f^2 - b^2*c*e^2)^7 + 3301800960*a^14*b^18*c^6*e^18*f^1 \\
& 4*(a^2*c*f^2 - b^2*c*e^2)^7 + 67337715968*a^16*b^16*c^6*e^16*f^16*(a^2*c*f^ \\
& 2 - b^2*c*e^2)^7 - 189857873920*a^18*b^14*c^6*e^14*f^18*(a^2*c*f^2 - b^2*c* \\
& e^2)^7 + 286100259840*a^20*b^12*c^6*e^12*f^20*(a^2*c*f^2 - b^2*c*e^2)^7 - 2 \\
& 75789894656*a^22*b^10*c^6*e^10*f^22*(a^2*c*f^2 - b^2*c*e^2)^7 + 17371653734 \\
& 4*a^24*b^8*c^6*e^8*f^24*(a^2*c*f^2 - b^2*c*e^2)^7 - 67416424448*a^26*b^6*c^ \\
& 6*e^6*f^26*(a^2*c*f^2 - b^2*c*e^2)^7 + 12831686656*a^28*b^4*c^6*e^4*f^28*(a \\
& ^2*c*f^2 - b^2*c*e^2)^7 + 222560256*a^30*b^2*c^6*e^2*f^30*(a^2*c*f^2 - b^2* \\
& c*e^2)^7 + 2099520*a^2*b^32*c^7*e^32*f^2*(a^2*c*f^2 - b^2*c*e^2)^6 - 107014 \\
& 608*a^4*b^30*c^7*e^30*f^4*(a^2*c*f^2 - b^2*c*e^2)^6 + 1848335616*a^6*b^28*c \\
& ^7*e^28*f^6*(a^2*c*f^2 - b^2*c*e^2)^6 - 15200005312*a^8*b^26*c^7*e^26*f^8*( \\
& a^2*c*f^2 - b^2*c*e^2)^6 + 72612273792*a^10*b^24*c^7*e^24*f^10*(a^2*c*f^2 - \\
& b^2*c*e^2)^6 - 221855779968*a^12*b^22*c^7*e^22*f^12*(a^2*c*f^2 - b^2*c*e^2 \\
& )^6 + 450717857536*a^14*b^20*c^7*e^20*f^14*(a^2*c*f^2 - b^2*c*e^2)^6 - 6005 \\
& 78910208*a^16*b^18*c^7*e^18*f^16*(a^2*c*f^2 - b^2*c*e^2)^6 + 459464530688*a \\
& ^18*b^16*c^7*e^16*f^18*(a^2*c*f^2 - b^2*c*e^2)^6 - 33638947840*a^20*b^14*c^ \\
& 7*e^14*f^20*(a^2*c*f^2 - b^2*c*e^2)^6 - 376299926528*a^22*b^12*c^7*e^12*f^2 \\
& 2*(a^2*c*f^2 - b^2*c*e^2)^6 + 488874068992*a^24*b^10*c^7*e^10*f^24*(a^2*c*f \\
& ^2 - b^2*c*e^2)^6 - 333407809536*a^26*b^8*c^7*e^8*f^26*(a^2*c*f^2 - b^2*c*e \\
& ^2)^6 + 134140313600*a^28*b^6*c^7*e^6*f^28*(a^2*c*f^2 - b^2*c*e^2)^6 - 2822 \\
& 0915712*a^30*b^4*c^7*e^4*f^30*(a^2*c*f^2 - b^2*c*e^2)^6 + 1230503936*a^32*b \\
& ^2*c^7*e^2*f^32*(a^2*c*f^2 - b^2*c*e^2)^6 + 3335904*a^2*b^34*c^8*e^34*f^2*( \\
& a^2*c*f^2 - b^2*c*e^2)^5 - 290521728*a^4*b^32*c^8*e^32*f^4*(a^2*c*f^2 - b^2 \\
& *c*e^2)^5 + 4865684544*a^6*b^30*c^8*e^30*f^6*(a^2*c*f^2 - b^2*c*e^2)^5 - 40 \\
& 437394528*a^8*b^28*c^8*e^28*f^8*(a^2*c*f^2 - b^2*c*e^2)^5 + 205602254656*a^ \\
& 10*b^26*c^8*e^26*f^10*(a^2*c*f^2 - b^2*c*e^2)^5 - 703885344192*a^12*b^24*c^ \\
& 8*e^24*f^12*(a^2*c*f^2 - b^2*c*e^2)^5 + 1709253482624*a^14*b^22*c^8*e^22*f^ \\
& 14*(a^2*c*f^2 - b^2*c*e^2)^5 - 3029282695168*a^16*b^20*c^8*e^20*f^16*(a^2*c \\
& *f^2 - b^2*c*e^2)^5 + 3966230827520*a^18*b^18*c^8*e^18*f^18*(a^2*c*f^2 - b^ \\
& 2*c*e^2)^5 - 3822339813632*a^20*b^16*c^8*e^16*f^20*(a^2*c*f^2 - b^2*c*e^2)^ \\
& 5 + 2640438056960*a^22*b^14*c^8*e^14*f^22*(a^2*c*f^2 - b^2*c*e^2)^5 - 12085 \\
& 01415936*a^24*b^12*c^8*e^12*f^24*(a^2*c*f^2 - b^2*c*e^2)^5 + 269338092544*a
\end{aligned}$$

$$\begin{aligned}
& ^{26}b^{10}c^8e^{10}f^{26}(a^2c^*f^2 - b^2c^*e^2)^5 + 53783212032a^{28}b^8c^8 \\
& *e^8f^{28}(a^2c^*f^2 - b^2c^*e^2)^5 - 60985360384a^{30}b^6c^8e^6f^{30}(a^2 \\
& c^*f^2 - b^2c^*e^2)^5 + 17917083648a^{32}b^4c^8e^4f^{32}(a^2c^*f^2 - b^2 \\
& c^*e^2)^5 - 1558708224a^{34}b^2c^8e^2f^{34}(a^2c^*f^2 - b^2c^*e^2)^5 - 11 \\
& 917692a^2b^{36}c^9e^36f^2(a^2c^*f^2 - b^2c^*e^2)^4 - 224907516a^4b^{34} \\
& c^9e^34f^4(a^2c^*f^2 - b^2c^*e^2)^4 + 5303932560a^6b^{32}c^9e^32f^6* \\
& (a^2c^*f^2 - b^2c^*e^2)^4 - 48206418480a^8b^{30}c^9e^30f^8(a^2c^*f^2 - \\
& b^2c^*e^2)^4 + 261450609120a^{10}b^{28}c^9e^28f^{10}(a^2c^*f^2 - b^2c^*e^2) \\
& ^4 - 962361040256a^{12}b^{26}c^9e^26f^{12}(a^2c^*f^2 - b^2c^*e^2)^4 + 25585 \\
& 59358080a^{14}b^{24}c^9e^24f^{14}(a^2c^*f^2 - b^2c^*e^2)^4 - 5091804150656* \\
& a^{16}b^{22}c^9e^22f^{16}(a^2c^*f^2 - b^2c^*e^2)^4 + 7750806514944a^{18}b^{20} \\
& c^9e^20f^{18}(a^2c^*f^2 - b^2c^*e^2)^4 - 9137207485952a^{20}b^{18}c^9e^18 \\
& f^{20}(a^2c^*f^2 - b^2c^*e^2)^4 + 8384563280128a^{22}b^{16}c^9e^16f^{22}(a^2 \\
& c^*f^2 - b^2c^*e^2)^4 - 5975281259520a^{24}b^{14}c^9e^14f^{24}(a^2c^*f^2 - \\
& b^2c^*e^2)^4 + 3269297268736a^{26}b^{12}c^9e^12f^{26}(a^2c^*f^2 - b^2c^*e^2) \\
& ^4 - 1339171540992a^{28}b^{10}c^9e^10f^{28}(a^2c^*f^2 - b^2c^*e^2)^4 + 39 \\
& 1250194432a^{30}b^8c^9e^8f^{30}(a^2c^*f^2 - b^2c^*e^2)^4 - 74114154496a^ \\
& 32b^6c^9e^6f^{32}(a^2c^*f^2 - b^2c^*e^2)^4 + 7299203072a^{34}b^4c^9e^4 \\
& f^{34}(a^2c^*f^2 - b^2c^*e^2)^4 - 148635648a^{36}b^2c^9e^2f^{36}(a^2c^*f^2 - \\
& b^2c^*e^2)^4 - 38704068a^2b^{38}c^{10}e^{38}f^2(a^2c^*f^2 - b^2c^*e^2)^3 \\
& + 188845992a^4b^{36}c^{10}e^{36}f^4(a^2c^*f^2 - b^2c^*e^2)^3 + 1157124204 \\
& a^6b^{34}c^{10}e^{34}f^6(a^2c^*f^2 - b^2c^*e^2)^3 - 20586361424a^8b^{32}c^{10} \\
& e^{32}f^8(a^2c^*f^2 - b^2c^*e^2)^3 + 135395499200a^{10}b^{30}c^{10}e^{30}f^{10} \\
& (a^2c^*f^2 - b^2c^*e^2)^3 - 555513858464a^{12}b^{28}c^{10}e^{28}f^{12}(a^2c^* \\
& f^2 - b^2c^*e^2)^3 + 1608776388864a^{14}b^{26}c^{10}e^{26}f^{14}(a^2c^*f^2 - b \\
& ^2c^*e^2)^3 - 3473989271488a^{16}b^{24}c^{10}e^{24}f^{16}(a^2c^*f^2 - b^2c^*e^2) \\
& ^3 + 5766181411456a^{18}b^{22}c^{10}e^{22}f^{18}(a^2c^*f^2 - b^2c^*e^2)^3 - 74 \\
& 93983209472a^{20}b^{20}c^{10}e^{20}f^{20}(a^2c^*f^2 - b^2c^*e^2)^3 + 7713917084 \\
& 672a^{22}b^{18}c^{10}e^{18}f^{22}(a^2c^*f^2 - b^2c^*e^2)^3 - 6328467293184a^{24} \\
& b^{16}c^{10}e^{16}f^{24}(a^2c^*f^2 - b^2c^*e^2)^3 + 4142950034432a^{26}b^{14}c^{10} \\
& e^{14}f^{26}(a^2c^*f^2 - b^2c^*e^2)^3 - 2152681536512a^{28}b^{12}c^{10}e^{12}f^{28} \\
& (a^2c^*f^2 - b^2c^*e^2)^3 + 874199511040a^{30}b^{10}c^{10}e^{10}f^{30}(a^2 \\
& c^*f^2 - b^2c^*e^2)^3 - 268759150592a^{32}b^8c^{10}e^8f^{32}(a^2c^*f^2 - b^ \\
& ^2c^*e^2)^3 + 58872545280a^{34}b^6c^{10}e^6f^{34}(a^2c^*f^2 - b^2c^*e^2)^3 - \\
& 8151957504a^{36}b^4c^{10}e^4f^{36}(a^2c^*f^2 - b^2c^*e^2)^3 + 530841600a^ \\
& 38b^2c^{10}e^2f^{38}(a^2c^*f^2 - b^2c^*e^2)^3 - 42743457a^2b^{40}c^{11}e^4 \\
& 0f^2(a^2c^*f^2 - b^2c^*e^2)^2 + 411055884a^4b^{38}c^{11}e^38f^4(a^2c^*f^ \\
& ^2 - b^2c^*e^2)^2 - 2180887236a^6b^{36}c^{11}e^36f^6(a^2c^*f^2 - b^2c^*e^ \\
& ^2)^2 + 6404946508a^8b^{34}c^{11}e^34f^8(a^2c^*f^2 - b^2c^*e^2)^2 - 543400 \\
& 5264a^{10}b^{32}c^{11}e^32f^{10}(a^2c^*f^2 - b^2c^*e^2)^2 - 38868373520a^{12} \\
& b^{30}c^{11}e^30f^{12}(a^2c^*f^2 - b^2c^*e^2)^2 + 208447613600a^{14}b^{28}c^{11} \\
& e^{28}f^{14}(a^2c^*f^2 - b^2c^*e^2)^2 - 579674999104a^{16}b^{26}c^{11}e^{26}f^{16} \\
& (a^2c^*f^2 - b^2c^*e^2)^2 + 1104967566592a^{18}b^{24}c^{11}e^{24}f^{18}(a^2c^* \\
& f^2 - b^2c^*e^2)^2 - 1554566531328a^{20}b^{22}c^{11}e^{22}f^{20}(a^2c^*f^2 - b \\
& ^2c^*e^2)^2 + 1659734381312a^{22}b^{20}c^{11}e^{20}f^{22}(a^2c^*f^2 - b^2c^*e^2) \\
& ^2 - 1356361512192a^{24}b^{18}c^{11}e^{18}f^{24}(a^2c^*f^2 - b^2c^*e^2)^2 + 84 \\
& 5331359744a^{26}b^{16}c^{11}e^{16}f^{26}(a^2c^*f^2 - b^2c^*e^2)^2 - 39567689523 \\
& 2a^{28}b^{14}c^{11}e^{14}f^{28}(a^2c^*f^2 - b^2c^*e^2)^2 + 134902689792a^{30}b^{12} \\
& c^{11}e^{12}f^{30}(a^2c^*f^2 - b^2c^*e^2)^2 - 31670587392a^{32}b^{10}c^{11}e^{10} \\
& f^{32}(a^2c^*f^2 - b^2c^*e^2)^2 + 4584669184a^{34}b^8c^{11}e^8f^{34}(a^2c^* \\
& c^*f^2 - b^2c^*e^2)^2 - 309657600a^{36}b^6c^{11}e^6f^{36}(a^2c^*f^2 - b^2c^* \\
& e^2)^2) - (a^{(5/2)}f^5(a^*c)^{(5/2)}(4a^2c^*f^2 - 3b^2c^*e^2)^3(4a^6c^* \\
& f^6 - 3b^6c^*e^6 + 8a^2b^4c^*e^4f^2 - 8a^4b^2c^*e^2f^4)^4)/(c^2(a^2 \\
& c^*f^2 - b^2c^*e^2)(164025b^46c^{13}e^46 + 885735b^44c^{12}e^44(a^2c^*f^ \\
& ^2 - b^2c^*e^2) + 117440512a^{30}c^5f^{30}(a^2c^*f^2 - b^2c^*e^2)^8 - 38587 \\
& 5968a^{32}c^6f^{32}(a^2c^*f^2 - b^2c^*e^2)^7 + 419430400a^{34}c^7f^{34}(a^2 \\
& c^*f^2 - b^2c^*e^2)^6 - 150994944a^{36}c^8f^{36}(a^2c^*f^2 - b^2c^*e^2)^5 + \\
& 236196b^{36}c^8e^36(a^2c^*f^2 - b^2c^*e^2)^5 + 1102248b^{38}c^9e^38(a^2 \\
& c^*f^2 - b^2c^*e^2)^4 + 2053593b^{40}c^{10}e^40(a^2c^*f^2 - b^2c^*e^2)^3 +
\end{aligned}$$

$$\begin{aligned}
& 1909251*b^{42}*c^{11}*e^{42}*(a^2*c*f^2 - b^2*c*e^2)^2 - 3937329*a^2*b^{44}*c^{13}*e^{44}*f^2 + 43893819*a^4*b^{42}*c^{13}*e^{42}*f^4 - 301507155*a^6*b^{40}*c^{13}*e^{40}*f^6 \\
& + 1427514656*a^8*b^{38}*c^{13}*e^{38}*f^8 - 4936911112*a^{10}*b^{36}*c^{13}*e^{36}*f^{10} + 12893273616*a^{12}*b^{34}*c^{13}*e^{34}*f^{12} - 25921630432*a^{14}*b^{32}*c^{13}*e^{32}*f^{14} \\
& + 40519286096*a^{16}*b^{30}*c^{13}*e^{30}*f^{16} - 49376608256*a^{18}*b^{28}*c^{13}*e^{28}*f^{18} + 46721401856*a^{20}*b^{26}*c^{13}*e^{26}*f^{20} - 33946324736*a^{22}*b^{24}*c^{13}*e^{24}*f^{22} \\
& + 18556579328*a^{24}*b^{22}*c^{13}*e^{22}*f^{24} - 7375276032*a^{26}*b^{20}*c^{13}*e^{20}*f^{26} + 2009817088*a^{28}*b^{18}*c^{13}*e^{18}*f^{28} - 335642624*a^{30}*b^{16}*c^{13}*e^{16}*f^{30} \\
& + 25907200*a^{32}*b^{14}*c^{13}*e^{14}*f^{32} - 21130794*a^{2}*b^{42}*c^{12}*e^{42}*f^2*(a^2*c*f^2 - b^2*c*e^2) + 234399015*a^4*b^{40}*c^{12}*e^{40}*f^4*(a^2*c*f^2 - b^2*c*e^2) \\
& - 1604168280*a^6*b^{38}*c^{12}*e^{38}*f^6*(a^2*c*f^2 - b^2*c*e^2) + 7579098492*a^8*b^{36}*c^{12}*e^{36}*f^8*(a^2*c*f^2 - b^2*c*e^2) - 26212380172*a^{10}*b^{34}*c^{12}*e^{34}*f^{10}*(a^2*c*f^2 - b^2*c*e^2) \\
& + 68672994096*a^{12}*b^{32}*c^{12}*e^{32}*f^{12}*(a^2*c*f^2 - b^2*c*e^2) - 139160589504*a^{14}*b^{30}*c^{12}*e^{30}*f^{14}*(a^2*c*f^2 - b^2*c*e^2) + 220859191808*a^{16}*b^{28}*c^{12}*e^{28}*f^{16}*(a^2*c*f^2 - b^2*c*e^2) \\
& - 276344315328*a^{18}*b^{26}*c^{12}*e^{26}*f^{18}*(a^2*c*f^2 - b^2*c*e^2) + 273130561984*a^{20}*b^{24}*c^{12}*e^{24}*f^{20}*(a^2*c*f^2 - b^2*c*e^2) - 212730002688*a^{22}*b^{22}*c^{12}*e^{22}*f^{22}*(a^2*c*f^2 - b^2*c*e^2) \\
& + 129574234368*a^{24}*b^{20}*c^{12}*e^{20}*f^{24}*(a^2*c*f^2 - b^2*c*e^2) - 60770569216*a^{26}*b^{18}*c^{12}*e^{18}*f^{26}*(a^2*c*f^2 - b^2*c*e^2) + 21304706048*a^{28}*b^{16}*c^{12}*e^{16}*f^{28}*(a^2*c*f^2 - b^2*c*e^2) \\
& - 5272965120*a^{30}*b^{14}*c^{12}*e^{14}*f^{30}*(a^2*c*f^2 - b^2*c*e^2) + 819441664*a^{32}*b^{12}*c^{12}*e^{12}*f^{32}*(a^2*c*f^2 - b^2*c*e^2) - 59392000*a^{34}*b^{10}*c^{12}*e^{10}*f^{34}*(a^2*c*f^2 - b^2*c*e^2) + 9289728*a^6*b^{24}*c^5*e^{24}*f^6*(a^2*c*f^2 - b^2*c*e^2)^8 \\
& - 36884480*a^8*b^{22}*c^5*e^{22}*f^8*(a^2*c*f^2 - b^2*c*e^2)^8 - 278604800*a^{10}*b^{20}*c^5*e^{20}*f^{10}*(a^2*c*f^2 - b^2*c*e^2)^8 + 2774483200*a^{12}*b^{18}*c^5*e^{18}*f^{12}*(a^2*c*f^2 - b^2*c*e^2)^8 - 10869657600*a^{14}*b^{16}*c^5*e^{16}*f^{14}*(a^2*c*f^2 - b^2*c*e^2)^8 \\
& + 25237416960*a^{16}*b^{14}*c^5*e^{14}*f^{16}*(a^2*c*f^2 - b^2*c*e^2)^8 - 38348909568*a^{18}*b^{12}*c^5*e^{12}*f^{18}*(a^2*c*f^2 - b^2*c*e^2)^8 + 39084659712*a^{20}*b^{10}*c^5*e^{10}*f^{20}*(a^2*c*f^2 - b^2*c*e^2)^8 \\
& - 26118635520*a^{22}*b^8*c^5*e^8*f^{22}*(a^2*c*f^2 - b^2*c*e^2)^8 + 10414620672*a^{24}*b^6*c^5*e^6*f^{24}*(a^2*c*f^2 - b^2*c*e^2)^8 - 1708654592*a^{26}*b^4*c^5*e^4*f^{26}*(a^2*c*f^2 - b^2*c*e^2)^8 \\
& - 276561920*a^{28}*b^2*c^5*e^2*f^{28}*(a^2*c*f^2 - b^2*c*e^2)^8 - 9704448*a^4*b^{28}*c^6*e^{28}*f^4*(a^2*c*f^2 - b^2*c*e^2)^7 + 260614656*a^6*b^{26}*c^6*e^{26}*f^6*(a^2*c*f^2 - b^2*c*e^2)^7 \\
& - 2166022464*a^8*b^{24}*c^6*e^{24}*f^8*(a^2*c*f^2 - b^2*c*e^2)^7 + 8626147840*a^{10}*b^{22}*c^6*e^{22}*f^{10}*(a^2*c*f^2 - b^2*c*e^2)^7 - 16771503616*a^{12}*b^{20}*c^6*e^{20}*f^{12}*(a^2*c*f^2 - b^2*c*e^2)^7 \\
& + 3301800960*a^{14}*b^{18}*c^6*e^{18}*f^{14}*(a^2*c*f^2 - b^2*c*e^2)^7 + 67337715968*a^{16}*b^{16}*c^6*e^{16}*f^{16}*(a^2*c*f^2 - b^2*c*e^2)^7 - 189857873920*a^{18}*b^{14}*c^6*e^{14}*f^{18}*(a^2*c*f^2 - b^2*c*e^2)^7 \\
& + 286100259840*a^{20}*b^{12}*c^6*e^{12}*f^{20}*(a^2*c*f^2 - b^2*c*e^2)^7 - 275789894656*a^{22}*b^{10}*c^6*e^{10}*f^{22}*(a^2*c*f^2 - b^2*c*e^2)^7 + 173716537344*a^{24}*b^8*c^6*e^8*f^{24}*(a^2*c*f^2 - b^2*c*e^2)^7 \\
& - 67416424448*a^{26}*b^6*c^6*e^6*f^{26}*(a^2*c*f^2 - b^2*c*e^2)^7 + 12831686656*a^{28}*b^4*c^6*e^4*f^{28}*(a^2*c*f^2 - b^2*c*e^2)^7 + 222560256*a^{30}*b^2*c^6*e^2*f^{30}*(a^2*c*f^2 - b^2*c*e^2)^7 \\
& + 2099520*a^2*b^{32}*c^7*e^{32}*f^2*(a^2*c*f^2 - b^2*c*e^2)^6 - 107014608*a^4*b^{30}*c^7*e^{30}*f^4*(a^2*c*f^2 - b^2*c*e^2)^6 + 1848335616*a^6*b^{28}*c^7*e^{28}*f^6*(a^2*c*f^2 - b^2*c*e^2)^6 \\
& - 15200005312*a^8*b^{26}*c^7*e^{26}*f^8*(a^2*c*f^2 - b^2*c*e^2)^6 + 72612273792*a^{10}*b^{24}*c^7*e^{24}*f^{10}*(a^2*c*f^2 - b^2*c*e^2)^6 - 221855779968*a^{12}*b^{22}*c^7*e^{22}*f^{12}*(a^2*c*f^2 - b^2*c*e^2)^6 \\
& + 450717857536*a^{14}*b^{20}*c^7*e^{20}*f^{14}*(a^2*c*f^2 - b^2*c*e^2)^6 - 600578910208*a^{16}*b^{18}*c^7*e^{18}*f^{16}*(a^2*c*f^2 - b^2*c*e^2)^6 + 459464530688*a^{18}*b^{16}*c^7*e^{16}*f^{18}*(a^2*c*f^2 - b^2*c*e^2)^6 \\
& - 33638947840*a^{20}*b^{14}*c^7*e^{14}*f^{20}*(a^2*c*f^2 - b^2*c*e^2)^6 - 376299926528*a^{22}*b^{12}*c^7*e^{12}*f^{22}*(a^2*c*f^2 - b^2*c*e^2)^6 + 488874068992*a^{24}*b^{10}*c^7*e^{10}*f^{24}*(a^2*c*f^2 - b^2*c*e^2)^6 \\
& - 333407809536*a^{26}*b^8*c^7*e^8*f^{26}*(a^2*c*f^2 - b^2*c*e^2)^6 + 134140313600*a^{28}*b^6*c^7*e^6*f^{28}*(a^2*c*f^2 - b^2*c*e^2)^6 - 28220915712*a^{30}*b^4*c^7*e^4*f^{30}*(a^2*c*f^2 - b^2*c*e^2)^6 \\
& + 1230503936*a^{32}*b^2*c^7*e^2*f^{32}*(a^2*c*f^2 - b^2*c*e^2)^6 + 3335904*a^2*b^{34}*c^8*e^{34}*f^2*(a^2*c*f^2 - b^2*c*e^2)^5 - 290521728*a^4*b^{32}*c^8*e^{32}*f^4*(a^
\end{aligned}$$



$$\begin{aligned}
& 2*c*f^2 - b^2*c*e^2)^5 + 4865684544*a^6*b^30*c^8*e^30*f^6*(a^2*c*f^2 - b^2*c*e^2)^5 - 40437394528*a^8*b^28*c^8*e^28*f^8*(a^2*c*f^2 - b^2*c*e^2)^5 + 20 \\
& 5602254656*a^10*b^26*c^8*e^26*f^10*(a^2*c*f^2 - b^2*c*e^2)^5 - 703885344192 \\
& *a^12*b^24*c^8*e^24*f^12*(a^2*c*f^2 - b^2*c*e^2)^5 + 1709253482624*a^14*b^22 \\
& *c^8*e^22*f^14*(a^2*c*f^2 - b^2*c*e^2)^5 - 3029282695168*a^16*b^20*c^8*e^20 \\
& *f^16*(a^2*c*f^2 - b^2*c*e^2)^5 + 3966230827520*a^18*b^18*c^8*e^18*f^18*(a \\
& ^2*c*f^2 - b^2*c*e^2)^5 - 3822339813632*a^20*b^16*c^8*e^16*f^20*(a^2*c*f^2 \\
& - b^2*c*e^2)^5 + 2640438056960*a^22*b^14*c^8*e^14*f^22*(a^2*c*f^2 - b^2*c*e \\
& ^2)^5 - 1208501415936*a^24*b^12*c^8*e^12*f^24*(a^2*c*f^2 - b^2*c*e^2)^5 + 2 \\
& 69338092544*a^26*b^10*c^8*e^10*f^26*(a^2*c*f^2 - b^2*c*e^2)^5 + 53783212032 \\
& *a^28*b^8*c^8*e^8*f^28*(a^2*c*f^2 - b^2*c*e^2)^5 - 60985360384*a^30*b^6*c^8 \\
& *e^6*f^30*(a^2*c*f^2 - b^2*c*e^2)^5 + 17917083648*a^32*b^4*c^8*e^4*f^32*(a^ \\
& 2*c*f^2 - b^2*c*e^2)^5 - 1558708224*a^34*b^2*c^8*e^2*f^34*(a^2*c*f^2 - b^2*c \\
& *e^2)^5 - 11917692*a^2*b^36*c^9*e^36*f^2*(a^2*c*f^2 - b^2*c*e^2)^4 - 22490 \\
& 7516*a^4*b^34*c^9*e^34*f^4*(a^2*c*f^2 - b^2*c*e^2)^4 + 5303932560*a^6*b^32*c \\
& ^9*e^32*f^6*(a^2*c*f^2 - b^2*c*e^2)^4 - 48206418480*a^8*b^30*c^9*e^30*f^8* \\
& (a^2*c*f^2 - b^2*c*e^2)^4 + 261450609120*a^10*b^28*c^9*e^28*f^10*(a^2*c*f^2 \\
& - b^2*c*e^2)^4 - 962361040256*a^12*b^26*c^9*e^26*f^12*(a^2*c*f^2 - b^2*c*e \\
& ^2)^4 + 2558559358080*a^14*b^24*c^9*e^24*f^14*(a^2*c*f^2 - b^2*c*e^2)^4 - 5 \\
& 091804150656*a^16*b^22*c^9*e^22*f^16*(a^2*c*f^2 - b^2*c*e^2)^4 + 7750806514 \\
& 944*a^18*b^20*c^9*e^20*f^18*(a^2*c*f^2 - b^2*c*e^2)^4 - 9137207485952*a^20* \\
& b^18*c^9*e^18*f^20*(a^2*c*f^2 - b^2*c*e^2)^4 + 8384563280128*a^22*b^16*c^9* \\
& e^16*f^22*(a^2*c*f^2 - b^2*c*e^2)^4 - 5975281259520*a^24*b^14*c^9*e^14*f^24 \\
& *(a^2*c*f^2 - b^2*c*e^2)^4 + 3269297268736*a^26*b^12*c^9*e^12*f^26*(a^2*c*f \\
& ^2 - b^2*c*e^2)^4 - 1339171540992*a^28*b^10*c^9*e^10*f^28*(a^2*c*f^2 - b^2*c \\
& *e^2)^4 + 391250194432*a^30*b^8*c^9*e^8*f^30*(a^2*c*f^2 - b^2*c*e^2)^4 - 7 \\
& 4114154496*a^32*b^6*c^9*e^6*f^32*(a^2*c*f^2 - b^2*c*e^2)^4 + 7299203072*a^3 \\
& 4*b^4*c^9*e^4*f^34*(a^2*c*f^2 - b^2*c*e^2)^4 - 148635648*a^36*b^2*c^9*e^2*f \\
& ^36*(a^2*c*f^2 - b^2*c*e^2)^4 - 38704068*a^2*b^38*c^10*e^38*f^2*(a^2*c*f^2 \\
& - b^2*c*e^2)^3 + 188845992*a^4*b^36*c^10*e^36*f^4*(a^2*c*f^2 - b^2*c*e^2)^3 \\
& + 1157124204*a^6*b^34*c^10*e^34*f^6*(a^2*c*f^2 - b^2*c*e^2)^3 - 2058636142 \\
& 4*a^8*b^32*c^10*e^32*f^8*(a^2*c*f^2 - b^2*c*e^2)^3 + 135395499200*a^10*b^30 \\
& *c^10*e^30*f^10*(a^2*c*f^2 - b^2*c*e^2)^3 - 555513858464*a^12*b^28*c^10*e^2 \\
& 8*f^12*(a^2*c*f^2 - b^2*c*e^2)^3 + 1608776388864*a^14*b^26*c^10*e^26*f^14*( \\
& a^2*c*f^2 - b^2*c*e^2)^3 - 3473989271488*a^16*b^24*c^10*e^24*f^16*(a^2*c*f^ \\
& 2 - b^2*c*e^2)^3 + 5766181411456*a^18*b^22*c^10*e^22*f^18*(a^2*c*f^2 - b^2*c \\
& *e^2)^3 - 7493983209472*a^20*b^20*c^10*e^20*f^20*(a^2*c*f^2 - b^2*c*e^2)^3 \\
& + 7713917084672*a^22*b^18*c^10*e^18*f^22*(a^2*c*f^2 - b^2*c*e^2)^3 - 63284 \\
& 67293184*a^24*b^16*c^10*e^16*f^24*(a^2*c*f^2 - b^2*c*e^2)^3 + 4142950034432 \\
& *a^26*b^14*c^10*e^14*f^26*(a^2*c*f^2 - b^2*c*e^2)^3 - 2152681536512*a^28*b^ \\
& 12*c^10*e^12*f^28*(a^2*c*f^2 - b^2*c*e^2)^3 + 874199511040*a^30*b^10*c^10*e \\
& ^10*f^30*(a^2*c*f^2 - b^2*c*e^2)^3 - 268759150592*a^32*b^8*c^10*e^8*f^32*(a \\
& ^2*c*f^2 - b^2*c*e^2)^3 + 58872545280*a^34*b^6*c^10*e^6*f^34*(a^2*c*f^2 - b \\
& ^2*c*e^2)^3 - 8151957504*a^36*b^4*c^10*e^4*f^36*(a^2*c*f^2 - b^2*c*e^2)^3 + \\
& 530841600*a^38*b^2*c^10*e^2*f^38*(a^2*c*f^2 - b^2*c*e^2)^3 - 42743457*a^2* \\
& b^40*c^11*e^40*f^2*(a^2*c*f^2 - b^2*c*e^2)^2 + 411055884*a^4*b^38*c^11*e^38 \\
& *f^4*(a^2*c*f^2 - b^2*c*e^2)^2 - 2180887236*a^6*b^36*c^11*e^36*f^6*(a^2*c*f \\
& ^2 - b^2*c*e^2)^2 + 6404946508*a^8*b^34*c^11*e^34*f^8*(a^2*c*f^2 - b^2*c*e^ \\
& 2)^2 - 5434005264*a^10*b^32*c^11*e^32*f^10*(a^2*c*f^2 - b^2*c*e^2)^2 - 3886 \\
& 8373520*a^12*b^30*c^11*e^30*f^12*(a^2*c*f^2 - b^2*c*e^2)^2 + 208447613600*a \\
& ^14*b^28*c^11*e^28*f^14*(a^2*c*f^2 - b^2*c*e^2)^2 - 579674999104*a^16*b^26* \\
& c^11*e^26*f^16*(a^2*c*f^2 - b^2*c*e^2)^2 + 1104967566592*a^18*b^24*c^11*e^2 \\
& 4*f^18*(a^2*c*f^2 - b^2*c*e^2)^2 - 1554566531328*a^20*b^22*c^11*e^22*f^20*( \\
& a^2*c*f^2 - b^2*c*e^2)^2 + 1659734381312*a^22*b^20*c^11*e^20*f^22*(a^2*c*f^ \\
& 2 - b^2*c*e^2)^2 - 1356361512192*a^24*b^18*c^11*e^18*f^24*(a^2*c*f^2 - b^2*c \\
& *e^2)^2 + 845331359744*a^26*b^16*c^11*e^16*f^26*(a^2*c*f^2 - b^2*c*e^2)^2 \\
& - 395676895232*a^28*b^14*c^11*e^14*f^28*(a^2*c*f^2 - b^2*c*e^2)^2 + 1349026 \\
& 89792*a^30*b^12*c^11*e^12*f^30*(a^2*c*f^2 - b^2*c*e^2)^2 - 31670587392*a^32 \\
& *b^10*c^11*e^10*f^32*(a^2*c*f^2 - b^2*c*e^2)^2 + 4584669184*a^34*b^8*c^11*e
\end{aligned}$$

$$\begin{aligned}
& \cdot f^{34} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^2 - 309657600 \cdot a^{36} \cdot b^6 \cdot c^{11} \cdot e^6 \cdot f^{36} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^2) \cdot ((a \cdot c - b \cdot c \cdot x)^{(1/2)} - (a \cdot c)^{(1/2)}) / ((a + b \cdot x)^{(1/2)} - a^{(1/2)}) - (4 \cdot a^4 \cdot b \cdot c \cdot e \cdot f^4 \cdot (4 \cdot a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2) \cdot (4 \cdot a^2 \cdot c \cdot f^2 - 3 \cdot b^2 \cdot c \cdot e^2) \cdot (4 \cdot a^6 \cdot c \cdot f^6 - 3 \cdot b^6 \cdot c \cdot e^6 + 8 \cdot a^2 \cdot b^4 \cdot c \cdot e^4 \cdot f^2 - 8 \cdot a^4 \cdot b^2 \cdot c \cdot e^2 \cdot f^4)^4) / (164025 \cdot b^{46} \cdot c^{13} \cdot e^{46} + 885735 \cdot b^{44} \cdot c^{12} \cdot e^{44} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2) + 117440512 \cdot a^{30} \cdot c^5 \cdot f^{30} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^8 - 385875968 \cdot a^{32} \cdot c^6 \cdot f^{32} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^7 + 419430400 \cdot a^{34} \cdot c^7 \cdot f^{34} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^6 - 150994944 \cdot a^{36} \cdot c^8 \cdot f^{36} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^5 + 236196 \cdot b^{36} \cdot c^8 \cdot e^{36} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^5 + 1102248 \cdot b^{38} \cdot c^9 \cdot e^{38} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^4 + 2053593 \cdot b^{40} \cdot c^{10} \cdot e^{40} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^3 + 1909251 \cdot b^{42} \cdot c^{11} \cdot e^{42} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^2 - 3937329 \cdot a^2 \cdot b^{44} \cdot c^{13} \cdot e^{44} \cdot f^2 + 43893819 \cdot a^4 \cdot b^{42} \cdot c^{13} \cdot e^{42} \cdot f^4 - 301507155 \cdot a^6 \cdot b^{40} \cdot c^{13} \cdot e^{40} \cdot f^6 + 1427514656 \cdot a^8 \cdot b^{38} \cdot c^{13} \cdot e^{38} \cdot f^8 - 4936911112 \cdot a^{10} \cdot b^{36} \cdot c^{13} \cdot e^{36} \cdot f^{10} + 12893273616 \cdot a^{12} \cdot b^{34} \cdot c^{13} \cdot e^{34} \cdot f^{12} - 25921630432 \cdot a^{14} \cdot b^{32} \cdot c^{13} \cdot e^{32} \cdot f^{14} + 40519286096 \cdot a^{16} \cdot b^{30} \cdot c^{13} \cdot e^{30} \cdot f^{16} - 49376608256 \cdot a^{18} \cdot b^{28} \cdot c^{13} \cdot e^{28} \cdot f^{18} + 46721401856 \cdot a^{20} \cdot b^{26} \cdot c^{13} \cdot e^{26} \cdot f^{20} - 33946324736 \cdot a^{22} \cdot b^{24} \cdot c^{13} \cdot e^{24} \cdot f^{22} + 18556579328 \cdot a^{24} \cdot b^{22} \cdot c^{13} \cdot e^{22} \cdot f^{24} - 7375276032 \cdot a^{26} \cdot b^{20} \cdot c^{13} \cdot e^{20} \cdot f^{26} + 2009817088 \cdot a^{28} \cdot b^{18} \cdot c^{13} \cdot e^{18} \cdot f^{28} - 335642624 \cdot a^{30} \cdot b^{16} \cdot c^{13} \cdot e^{16} \cdot f^{30} + 25907200 \cdot a^{32} \cdot b^{14} \cdot c^{13} \cdot e^{14} \cdot f^{32} - 21130794 \cdot a^2 \cdot b^{42} \cdot c^{12} \cdot e^{42} \cdot f^2 \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2) + 234399015 \cdot a^4 \cdot b^{40} \cdot c^{12} \cdot e^{40} \cdot f^4 \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2) - 1604168280 \cdot a^6 \cdot b^{38} \cdot c^{12} \cdot e^{38} \cdot f^6 \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2) + 7579098492 \cdot a^8 \cdot b^{36} \cdot c^{12} \cdot e^{36} \cdot f^8 \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2) - 26212380172 \cdot a^{10} \cdot b^{34} \cdot c^{12} \cdot e^{34} \cdot f^{10} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2) + 68672994096 \cdot a^{12} \cdot b^{32} \cdot c^{12} \cdot e^{32} \cdot f^{12} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2) - 139160589504 \cdot a^{14} \cdot b^{30} \cdot c^{12} \cdot e^{30} \cdot f^{14} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2) + 220859191808 \cdot a^{16} \cdot b^{28} \cdot c^{12} \cdot e^{28} \cdot f^{16} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2) - 276344315328 \cdot a^{18} \cdot b^{26} \cdot c^{12} \cdot e^{26} \cdot f^{18} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2) + 273130561984 \cdot a^{20} \cdot b^{24} \cdot c^{12} \cdot e^{24} \cdot f^{20} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2) - 212730002688 \cdot a^{22} \cdot b^{22} \cdot c^{12} \cdot e^{22} \cdot f^{22} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2) + 129574234368 \cdot a^{24} \cdot b^{20} \cdot c^{12} \cdot e^{20} \cdot f^{24} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2) - 60770569216 \cdot a^{26} \cdot b^{18} \cdot c^{12} \cdot e^{18} \cdot f^{26} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2) + 21304706048 \cdot a^{28} \cdot b^{16} \cdot c^{12} \cdot e^{16} \cdot f^{28} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2) - 5272965120 \cdot a^{30} \cdot b^{14} \cdot c^{12} \cdot e^{14} \cdot f^{30} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2) + 819441664 \cdot a^{32} \cdot b^{12} \cdot c^{12} \cdot e^{12} \cdot f^{32} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2) - 59392000 \cdot a^{34} \cdot b^{10} \cdot c^{12} \cdot e^{10} \cdot f^{34} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2) + 9289728 \cdot a^6 \cdot b^{24} \cdot c^5 \cdot e^{24} \cdot f^6 \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^8 - 36884480 \cdot a^8 \cdot b^{22} \cdot c^5 \cdot e^{22} \cdot f^8 \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^8 - 278604800 \cdot a^{10} \cdot b^{20} \cdot c^5 \cdot e^{20} \cdot f^{10} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^8 + 2774483200 \cdot a^{12} \cdot b^{18} \cdot c^5 \cdot e^{18} \cdot f^{12} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^8 - 10869657600 \cdot a^{14} \cdot b^{16} \cdot c^5 \cdot e^{16} \cdot f^{14} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^8 + 25237416960 \cdot a^{16} \cdot b^{14} \cdot c^5 \cdot e^{14} \cdot f^{16} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^8 - 38348909568 \cdot a^{18} \cdot b^{12} \cdot c^5 \cdot e^{12} \cdot f^{18} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^8 + 39084659712 \cdot a^{20} \cdot b^{10} \cdot c^5 \cdot e^{10} \cdot f^{20} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^8 - 26118635520 \cdot a^{22} \cdot b^8 \cdot c^5 \cdot e^8 \cdot f^{22} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^8 + 10414620672 \cdot a^{24} \cdot b^6 \cdot c^5 \cdot e^6 \cdot f^{24} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^8 - 1708654592 \cdot a^{26} \cdot b^4 \cdot c^5 \cdot e^4 \cdot f^{26} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^8 - 276561920 \cdot a^{28} \cdot b^2 \cdot c^5 \cdot e^2 \cdot f^{28} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^8 - 9704448 \cdot a^4 \cdot b^{28} \cdot c^6 \cdot e^{28} \cdot f^4 \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^7 + 260614656 \cdot a^6 \cdot b^{26} \cdot c^6 \cdot e^{26} \cdot f^6 \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^7 - 2166022464 \cdot a^8 \cdot b^{24} \cdot c^6 \cdot e^{24} \cdot f^8 \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^7 + 8626147840 \cdot a^{10} \cdot b^{22} \cdot c^6 \cdot e^{22} \cdot f^{10} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^7 - 16771503616 \cdot a^{12} \cdot b^{20} \cdot c^6 \cdot e^{20} \cdot f^{12} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^7 + 3301800960 \cdot a^{14} \cdot b^{18} \cdot c^6 \cdot e^{18} \cdot f^{14} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^7 + 67337715968 \cdot a^{16} \cdot b^{16} \cdot c^6 \cdot e^{16} \cdot f^{16} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^7 - 189857873920 \cdot a^{18} \cdot b^{14} \cdot c^6 \cdot e^{14} \cdot f^{18} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^7 + 286100259840 \cdot a^{20} \cdot b^{12} \cdot c^6 \cdot e^{12} \cdot f^{20} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^7 - 275789894656 \cdot a^{22} \cdot b^{10} \cdot c^6 \cdot e^{10} \cdot f^{22} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^7 + 173716537344 \cdot a^{24} \cdot b^8 \cdot c^6 \cdot e^8 \cdot f^{24} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^7 - 67416424448 \cdot a^{26} \cdot b^6 \cdot c^6 \cdot e^6 \cdot f^{26} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^7 + 12831686656 \cdot a^{28} \cdot b^4 \cdot c^6 \cdot e^4 \cdot f^{28} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^7 + 222560256 \cdot a^{30} \cdot b^2 \cdot c^6 \cdot e^2 \cdot f^{30} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^7 + 2099520 \cdot a^2 \cdot b^{32} \cdot c^7 \cdot e^{32} \cdot f^2 \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^6 - 107014608 \cdot a^4 \cdot b^{30} \cdot c^7 \cdot e^{30} \cdot f^4 \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^6 + 1848335616 \cdot a^6 \cdot b^{28} \cdot c^7 \cdot e^{28} \cdot f^6 \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^6 - 15200005312 \cdot a^8 \cdot b^{26} \cdot c^7 \cdot e^{26} \cdot f^8 \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^6 + 72612273792 \cdot a^{10} \cdot b^{24} \cdot c^7 \cdot e^{24} \cdot f^{10} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^6 - 221855779968 \cdot a^{12} \cdot b^{22} \cdot c^7 \cdot e^{22} \cdot f^{12} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^6
\end{aligned}$$

$$\begin{aligned}
& *e^2)^6 + 450717857536*a^{14}*b^{20}*c^7*e^{20}*f^{14}*(a^2*c*f^2 - b^2*c*e^2)^6 - \\
& 600578910208*a^{16}*b^{18}*c^7*e^{18}*f^{16}*(a^2*c*f^2 - b^2*c*e^2)^6 + 4594645306 \\
& 88*a^{18}*b^{16}*c^7*e^{16}*f^{18}*(a^2*c*f^2 - b^2*c*e^2)^6 - 33638947840*a^{20}*b^{14} \\
& 4*c^7*e^{14}*f^{20}*(a^2*c*f^2 - b^2*c*e^2)^6 - 376299926528*a^{22}*b^{12}*c^7*e^{12} \\
& *f^{22}*(a^2*c*f^2 - b^2*c*e^2)^6 + 488874068992*a^{24}*b^{10}*c^7*e^{10}*f^{24}*(a^2 \\
& *c*f^2 - b^2*c*e^2)^6 - 333407809536*a^{26}*b^8*c^7*e^8*f^{26}*(a^2*c*f^2 - b^2 \\
& *c*e^2)^6 + 134140313600*a^{28}*b^6*c^7*e^6*f^{28}*(a^2*c*f^2 - b^2*c*e^2)^6 - \\
& 28220915712*a^{30}*b^4*c^7*e^4*f^{30}*(a^2*c*f^2 - b^2*c*e^2)^6 + 1230503936*a^ \\
& 32*b^2*c^7*e^2*f^{32}*(a^2*c*f^2 - b^2*c*e^2)^6 + 3335904*a^2*b^{34}*c^8*e^34*f \\
& ^2*(a^2*c*f^2 - b^2*c*e^2)^5 - 290521728*a^4*b^32*c^8*e^32*f^4*(a^2*c*f^2 - \\
& b^2*c*e^2)^5 + 4865684544*a^6*b^30*c^8*e^30*f^6*(a^2*c*f^2 - b^2*c*e^2)^5 \\
& - 40437394528*a^8*b^28*c^8*e^28*f^8*(a^2*c*f^2 - b^2*c*e^2)^5 + 20560225465 \\
& 6*a^{10}*b^26*c^8*e^26*f^{10}*(a^2*c*f^2 - b^2*c*e^2)^5 - 703885344192*a^{12}*b^2 \\
& 4*c^8*e^24*f^{12}*(a^2*c*f^2 - b^2*c*e^2)^5 + 1709253482624*a^{14}*b^{22}*c^8*e^2 \\
& 2*f^{14}*(a^2*c*f^2 - b^2*c*e^2)^5 - 3029282695168*a^{16}*b^{20}*c^8*e^20*f^{16}*(a \\
& ^2*c*f^2 - b^2*c*e^2)^5 + 3966230827520*a^{18}*b^{18}*c^8*e^{18}*f^{18}*(a^2*c*f^2 \\
& - b^2*c*e^2)^5 - 3822339813632*a^{20}*b^{16}*c^8*e^{16}*f^{20}*(a^2*c*f^2 - b^2*c*e \\
& ^2)^5 + 2640438056960*a^{22}*b^{14}*c^8*e^{14}*f^{22}*(a^2*c*f^2 - b^2*c*e^2)^5 - 1 \\
& 208501415936*a^{24}*b^{12}*c^8*e^{12}*f^{24}*(a^2*c*f^2 - b^2*c*e^2)^5 + 2693380925 \\
& 44*a^{26}*b^{10}*c^8*e^{10}*f^{26}*(a^2*c*f^2 - b^2*c*e^2)^5 + 53783212032*a^{28}*b^8 \\
& *c^8*e^8*f^{28}*(a^2*c*f^2 - b^2*c*e^2)^5 - 60985360384*a^{30}*b^6*c^8*e^6*f^{30} \\
& *(a^2*c*f^2 - b^2*c*e^2)^5 + 17917083648*a^{32}*b^4*c^8*e^4*f^{32}*(a^2*c*f^2 - \\
& b^2*c*e^2)^5 - 1558708224*a^{34}*b^2*c^8*e^2*f^{34}*(a^2*c*f^2 - b^2*c*e^2)^5 \\
& - 11917692*a^2*b^{36}*c^9*e^36*f^2*(a^2*c*f^2 - b^2*c*e^2)^4 - 224907516*a^4* \\
& b^{34}*c^9*e^34*f^4*(a^2*c*f^2 - b^2*c*e^2)^4 + 5303932560*a^6*b^{32}*c^9*e^32* \\
& f^6*(a^2*c*f^2 - b^2*c*e^2)^4 - 48206418480*a^8*b^{30}*c^9*e^30*f^8*(a^2*c*f^ \\
& 2 - b^2*c*e^2)^4 + 261450609120*a^{10}*b^{28}*c^9*e^28*f^{10}*(a^2*c*f^2 - b^2*c* \\
& e^2)^4 - 962361040256*a^{12}*b^{26}*c^9*e^26*f^{12}*(a^2*c*f^2 - b^2*c*e^2)^4 + 2 \\
& 558559358080*a^{14}*b^{24}*c^9*e^24*f^{14}*(a^2*c*f^2 - b^2*c*e^2)^4 - 5091804150 \\
& 656*a^{16}*b^{22}*c^9*e^22*f^{16}*(a^2*c*f^2 - b^2*c*e^2)^4 + 7750806514944*a^{18}* \\
& b^{20}*c^9*e^20*f^{18}*(a^2*c*f^2 - b^2*c*e^2)^4 - 9137207485952*a^{20}*b^{18}*c^9* \\
& e^{18}*f^{20}*(a^2*c*f^2 - b^2*c*e^2)^4 + 8384563280128*a^{22}*b^{16}*c^9*e^{16}*f^{22} \\
& *(a^2*c*f^2 - b^2*c*e^2)^4 - 5975281259520*a^{24}*b^{14}*c^9*e^{14}*f^{24}*(a^2*c*f \\
& ^2 - b^2*c*e^2)^4 + 3269297268736*a^{26}*b^{12}*c^9*e^{12}*f^{26}*(a^2*c*f^2 - b^2* \\
& c*e^2)^4 - 1339171540992*a^{28}*b^{10}*c^9*e^{10}*f^{28}*(a^2*c*f^2 - b^2*c*e^2)^4 \\
& + 391250194432*a^{30}*b^8*c^9*e^8*f^{30}*(a^2*c*f^2 - b^2*c*e^2)^4 - 7411415449 \\
& 6*a^{32}*b^6*c^9*e^6*f^{32}*(a^2*c*f^2 - b^2*c*e^2)^4 + 7299203072*a^{34}*b^4*c^9 \\
& *e^4*f^{34}*(a^2*c*f^2 - b^2*c*e^2)^4 - 148635648*a^{36}*b^2*c^9*e^2*f^{36}*(a^2* \\
& c*f^2 - b^2*c*e^2)^4 - 38704068*a^2*b^{38}*c^{10}*e^{38}*f^2*(a^2*c*f^2 - b^2*c*e \\
& ^2)^3 + 188845992*a^4*b^{36}*c^{10}*e^{36}*f^4*(a^2*c*f^2 - b^2*c*e^2)^3 + 115712 \\
& 4204*a^6*b^{34}*c^{10}*e^{34}*f^6*(a^2*c*f^2 - b^2*c*e^2)^3 - 20586361424*a^8*b^3 \\
& 2*c^{10}*e^{32}*f^8*(a^2*c*f^2 - b^2*c*e^2)^3 + 135395499200*a^{10}*b^{30}*c^{10}*e^3 \\
& 0*f^{10}*(a^2*c*f^2 - b^2*c*e^2)^3 - 555513858464*a^{12}*b^{28}*c^{10}*e^{28}*f^{12}*(a \\
& ^2*c*f^2 - b^2*c*e^2)^3 + 1608776388864*a^{14}*b^{26}*c^{10}*e^{26}*f^{14}*(a^2*c*f^2 \\
& - b^2*c*e^2)^3 - 3473989271488*a^{16}*b^{24}*c^{10}*e^{24}*f^{16}*(a^2*c*f^2 - b^2*c \\
& *e^2)^3 + 5766181411456*a^{18}*b^{22}*c^{10}*e^{22}*f^{18}*(a^2*c*f^2 - b^2*c*e^2)^3 \\
& - 7493983209472*a^{20}*b^{20}*c^{10}*e^{20}*f^{20}*(a^2*c*f^2 - b^2*c*e^2)^3 + 771391 \\
& 7084672*a^{22}*b^{18}*c^{10}*e^{18}*f^{22}*(a^2*c*f^2 - b^2*c*e^2)^3 - 6328467293184* \\
& a^{24}*b^{16}*c^{10}*e^{16}*f^{24}*(a^2*c*f^2 - b^2*c*e^2)^3 + 4142950034432*a^{26}*b^{14} \\
& 4*c^{10}*e^{14}*f^{26}*(a^2*c*f^2 - b^2*c*e^2)^3 - 2152681536512*a^{28}*b^{12}*c^{10}*e \\
& ^{12}*f^{28}*(a^2*c*f^2 - b^2*c*e^2)^3 + 874199511040*a^{30}*b^{10}*c^{10}*e^{10}*f^{30} \\
& *(a^2*c*f^2 - b^2*c*e^2)^3 - 268759150592*a^{32}*b^8*c^{10}*e^8*f^{32}*(a^2*c*f^2 \\
& - b^2*c*e^2)^3 + 58872545280*a^{34}*b^6*c^{10}*e^6*f^{34}*(a^2*c*f^2 - b^2*c*e^2) \\
& ^3 - 8151957504*a^{36}*b^4*c^{10}*e^4*f^{36}*(a^2*c*f^2 - b^2*c*e^2)^3 + 53084160 \\
& 0*a^{38}*b^2*c^{10}*e^2*f^{38}*(a^2*c*f^2 - b^2*c*e^2)^3 - 42743457*a^2*b^{40}*c^{11} \\
& *e^{40}*f^2*(a^2*c*f^2 - b^2*c*e^2)^2 + 411055884*a^4*b^{38}*c^{11}*e^{38}*f^4*(a^2 \\
& *c*f^2 - b^2*c*e^2)^2 - 2180887236*a^6*b^{36}*c^{11}*e^{36}*f^6*(a^2*c*f^2 - b^2* \\
& c*e^2)^2 + 6404946508*a^8*b^{34}*c^{11}*e^{34}*f^8*(a^2*c*f^2 - b^2*c*e^2)^2 - 54 \\
& 34005264*a^{10}*b^{32}*c^{11}*e^{32}*f^{10}*(a^2*c*f^2 - b^2*c*e^2)^2 - 38868373520*a
\end{aligned}$$

$$\begin{aligned}
& \cdot 12 \cdot b^{30} \cdot c^{11} \cdot e^{30} \cdot f^{12} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^2 + 208447613600 \cdot a^{14} \cdot b^{28} \cdot c^{11} \cdot e^{28} \cdot f^{14} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^2 - 579674999104 \cdot a^{16} \cdot b^{26} \cdot c^{11} \cdot e^{26} \cdot f^{16} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^2 + 1104967566592 \cdot a^{18} \cdot b^{24} \cdot c^{11} \cdot e^{24} \cdot f^{18} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^2 - 1554566531328 \cdot a^{20} \cdot b^{22} \cdot c^{11} \cdot e^{22} \cdot f^{20} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^2 + 1659734381312 \cdot a^{22} \cdot b^{20} \cdot c^{11} \cdot e^{20} \cdot f^{22} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^2 - 1356361512192 \cdot a^{24} \cdot b^{18} \cdot c^{11} \cdot e^{18} \cdot f^{24} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^2 + 845331359744 \cdot a^{26} \cdot b^{16} \cdot c^{11} \cdot e^{16} \cdot f^{26} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^2 - 395676895232 \cdot a^{28} \cdot b^{14} \cdot c^{11} \cdot e^{14} \cdot f^{28} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^2 + 134902689792 \cdot a^3 \cdot b^{12} \cdot c^{11} \cdot e^{12} \cdot f^{30} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^2 - 31670587392 \cdot a^{32} \cdot b^{10} \cdot c^{11} \cdot e^{10} \cdot f^{32} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^2 + 4584669184 \cdot a^{34} \cdot b^8 \cdot c^{11} \cdot e^8 \cdot f^{34} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^2 - 309657600 \cdot a^{36} \cdot b^6 \cdot c^{11} \cdot e^6 \cdot f^{36} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^2 + (2 \cdot a^4 \cdot b \cdot c \cdot e \cdot f^4 \cdot (2 \cdot a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2) \cdot (4 \cdot a^2 \cdot c \cdot f^2 - 3 \cdot b^2 \cdot c \cdot e^2)^2 \cdot (4 \cdot a^6 \cdot c \cdot f^6 - 3 \cdot b^6 \cdot c \cdot e^6 + 8 \cdot a^2 \cdot b^4 \cdot c \cdot e^4 \cdot f^2 - 8 \cdot a^4 \cdot b^2 \cdot c \cdot e^2 \cdot f^4)^4) / ((a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2) \cdot (164025 \cdot b^{46} \cdot c^{13} \cdot e^{46} + 885735 \cdot b^{44} \cdot c^{12} \cdot e^{44} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2) + 117440512 \cdot a^{30} \cdot c^5 \cdot f^{30} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^8 - 385875968 \cdot a^{32} \cdot c^6 \cdot f^{32} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^7 + 419430400 \cdot a^{34} \cdot c^7 \cdot f^{34} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^6 - 150994944 \cdot a^{36} \cdot c^8 \cdot f^{36} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^5 + 236196 \cdot b^{36} \cdot c^8 \cdot e^{36} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^5 + 1102248 \cdot b^{38} \cdot c^9 \cdot e^{38} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^4 + 2053593 \cdot b^{40} \cdot c^{10} \cdot e^{40} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^3 + 1909251 \cdot b^{42} \cdot c^{11} \cdot e^{42} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^2 - 3937329 \cdot a^2 \cdot b^{44} \cdot c^{13} \cdot e^{44} \cdot f^2 + 43893819 \cdot a^4 \cdot b^{42} \cdot c^{13} \cdot e^{42} \cdot f^4 - 301507155 \cdot a^6 \cdot b^{40} \cdot c^{13} \cdot e^{40} \cdot f^6 + 1427514656 \cdot a^8 \cdot b^{38} \cdot c^{13} \cdot e^{38} \cdot f^8 - 4936911112 \cdot a^{10} \cdot b^{36} \cdot c^{13} \cdot e^{36} \cdot f^{10} + 12893273616 \cdot a^{12} \cdot b^{34} \cdot c^{13} \cdot e^{34} \cdot f^{12} - 25921630432 \cdot a^{14} \cdot b^{32} \cdot c^{13} \cdot e^{32} \cdot f^{14} + 40519286096 \cdot a^{16} \cdot b^{30} \cdot c^{13} \cdot e^{30} \cdot f^{16} - 49376608256 \cdot a^{18} \cdot b^{28} \cdot c^{13} \cdot e^{28} \cdot f^{18} + 46721401856 \cdot a^{20} \cdot b^{26} \cdot c^{13} \cdot e^{26} \cdot f^{20} - 33946324736 \cdot a^{22} \cdot b^{24} \cdot c^{13} \cdot e^{24} \cdot f^{22} + 18556579328 \cdot a^{24} \cdot b^{22} \cdot c^{13} \cdot e^{22} \cdot f^{24} - 7375276032 \cdot a^{26} \cdot b^{20} \cdot c^{13} \cdot e^{20} \cdot f^{26} + 2009817088 \cdot a^{28} \cdot b^{18} \cdot c^{13} \cdot e^{18} \cdot f^{28} - 335642624 \cdot a^{30} \cdot b^{16} \cdot c^{13} \cdot e^{16} \cdot f^{30} + 25907200 \cdot a^{32} \cdot b^{14} \cdot c^{13} \cdot e^{14} \cdot f^{32} - 21130794 \cdot a^2 \cdot b^{42} \cdot c^{12} \cdot e^{42} \cdot f^2 \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2) + 234399015 \cdot a^4 \cdot b^{40} \cdot c^{12} \cdot e^{40} \cdot f^4 \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2) - 1604168280 \cdot a^6 \cdot b^{38} \cdot c^{12} \cdot e^{38} \cdot f^6 \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2) + 7579098492 \cdot a^8 \cdot b^{36} \cdot c^{12} \cdot e^{36} \cdot f^8 \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2) - 26212380172 \cdot a^{10} \cdot b^{34} \cdot c^{12} \cdot e^{34} \cdot f^{10} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2) + 68672994096 \cdot a^{12} \cdot b^{32} \cdot c^{12} \cdot e^{32} \cdot f^{12} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2) - 139160589504 \cdot a^{14} \cdot b^{30} \cdot c^{12} \cdot e^{30} \cdot f^{14} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2) + 220859191808 \cdot a^{16} \cdot b^{28} \cdot c^{12} \cdot e^{28} \cdot f^{16} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2) - 276344315328 \cdot a^{18} \cdot b^{26} \cdot c^{12} \cdot e^{26} \cdot f^{18} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2) + 273130561984 \cdot a^{20} \cdot b^{24} \cdot c^{12} \cdot e^{24} \cdot f^{20} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2) - 212730002688 \cdot a^{22} \cdot b^{22} \cdot c^{12} \cdot e^{22} \cdot f^{22} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2) + 129574234368 \cdot a^{24} \cdot b^{20} \cdot c^{12} \cdot e^{20} \cdot f^{24} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2) - 60770569216 \cdot a^{26} \cdot b^{18} \cdot c^{12} \cdot e^{18} \cdot f^{26} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2) + 21304706048 \cdot a^{28} \cdot b^{16} \cdot c^{12} \cdot e^{16} \cdot f^{28} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2) - 5272965120 \cdot a^{30} \cdot b^{14} \cdot c^{12} \cdot e^{14} \cdot f^{30} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2) + 819441664 \cdot a^{32} \cdot b^{12} \cdot c^{12} \cdot e^{12} \cdot f^{32} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2) - 59392000 \cdot a^{34} \cdot b^{10} \cdot c^{12} \cdot e^{10} \cdot f^{34} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2) + 9289728 \cdot a^6 \cdot b^{24} \cdot c^5 \cdot e^{24} \cdot f^6 \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^8 - 36884480 \cdot a^8 \cdot b^{22} \cdot c^5 \cdot e^{22} \cdot f^8 \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^8 - 278604800 \cdot a^{10} \cdot b^{20} \cdot c^5 \cdot e^{20} \cdot f^{10} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^8 + 2774483200 \cdot a^{12} \cdot b^{18} \cdot c^5 \cdot e^{18} \cdot f^{12} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^8 - 10869657600 \cdot a^{14} \cdot b^{16} \cdot c^5 \cdot e^{16} \cdot f^{14} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^8 + 25237416960 \cdot a^{16} \cdot b^{14} \cdot c^5 \cdot e^{14} \cdot f^{16} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^8 - 38348909568 \cdot a^{18} \cdot b^{12} \cdot c^5 \cdot e^{12} \cdot f^{18} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^8 + 39084659712 \cdot a^{20} \cdot b^{10} \cdot c^5 \cdot e^{10} \cdot f^{20} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^8 - 26118635520 \cdot a^{22} \cdot b^8 \cdot c^5 \cdot e^8 \cdot f^{22} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^8 + 10414620672 \cdot a^{24} \cdot b^6 \cdot c^5 \cdot e^6 \cdot f^{24} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^8 - 1708654592 \cdot a^{26} \cdot b^4 \cdot c^5 \cdot e^4 \cdot f^{26} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^8 - 276561920 \cdot a^{28} \cdot b^2 \cdot c^5 \cdot e^2 \cdot f^{28} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^8 - 9704448 \cdot a^4 \cdot b^{28} \cdot c^6 \cdot e^{28} \cdot f^4 \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^7 + 260614656 \cdot a^6 \cdot b^{26} \cdot c^6 \cdot e^2 \cdot f^6 \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^7 - 2166022464 \cdot a^8 \cdot b^{24} \cdot c^6 \cdot e^{24} \cdot f^8 \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^7 + 8626147840 \cdot a^{10} \cdot b^{22} \cdot c^6 \cdot e^{22} \cdot f^{10} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^7 - 16771503616 \cdot a^{12} \cdot b^{20} \cdot c^6 \cdot e^{20} \cdot f^{12} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^7 + 3301800960 \cdot a^{14} \cdot b^{18} \cdot c^6 \cdot e^{18} \cdot f^{14} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^7 + 67337715968 \cdot a^{16} \cdot b^{16} \cdot c^6 \cdot e^{16} \cdot f^{16} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^7 - 189857873920 \cdot a^{18} \cdot b^{14} \cdot c^6 \cdot e^{14} \cdot f^{18} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^7 + 286100259840 \cdot a^{20} \cdot b^{12} \cdot c^6 \cdot e^{12} \cdot f^{20}
\end{aligned}$$

$$\begin{aligned}
&*(a^2*c*f^2 - b^2*c*e^2)^7 - 275789894656*a^{22}*b^{10}*c^6*e^{10}*f^{22}*(a^2*c*f^2 \\
&2 - b^2*c*e^2)^7 + 173716537344*a^{24}*b^8*c^6*e^8*f^{24}*(a^2*c*f^2 - b^2*c*e^2)^7 - 67416424448*a^{26}*b^6*c^6*e^6*f^{26}*(a^2*c*f^2 - b^2*c*e^2)^7 + 128316 \\
&86656*a^{28}*b^4*c^6*e^4*f^{28}*(a^2*c*f^2 - b^2*c*e^2)^7 + 222560256*a^{30}*b^2* \\
&c^6*e^2*f^{30}*(a^2*c*f^2 - b^2*c*e^2)^7 + 2099520*a^2*b^32*c^7*e^32*f^2*(a^2 \\
&*c*f^2 - b^2*c*e^2)^6 - 107014608*a^4*b^30*c^7*e^30*f^4*(a^2*c*f^2 - b^2*c* \\
&e^2)^6 + 1848335616*a^6*b^28*c^7*e^28*f^6*(a^2*c*f^2 - b^2*c*e^2)^6 - 15200 \\
&005312*a^8*b^26*c^7*e^26*f^8*(a^2*c*f^2 - b^2*c*e^2)^6 + 72612273792*a^10*b \\
&^24*c^7*e^24*f^10*(a^2*c*f^2 - b^2*c*e^2)^6 - 221855779968*a^12*b^22*c^7*e^ \\
&22*f^12*(a^2*c*f^2 - b^2*c*e^2)^6 + 450717857536*a^14*b^20*c^7*e^20*f^14*(a \\
&^2*c*f^2 - b^2*c*e^2)^6 - 600578910208*a^16*b^18*c^7*e^18*f^16*(a^2*c*f^2 - \\
&b^2*c*e^2)^6 + 459464530688*a^18*b^16*c^7*e^16*f^18*(a^2*c*f^2 - b^2*c*e^2 \\
&)^6 - 33638947840*a^20*b^14*c^7*e^14*f^20*(a^2*c*f^2 - b^2*c*e^2)^6 - 37629 \\
&9926528*a^22*b^12*c^7*e^12*f^22*(a^2*c*f^2 - b^2*c*e^2)^6 + 488874068992*a^ \\
&24*b^10*c^7*e^10*f^24*(a^2*c*f^2 - b^2*c*e^2)^6 - 333407809536*a^26*b^8*c^7 \\
&*e^8*f^26*(a^2*c*f^2 - b^2*c*e^2)^6 + 134140313600*a^28*b^6*c^7*e^6*f^28*(a \\
&^2*c*f^2 - b^2*c*e^2)^6 - 28220915712*a^30*b^4*c^7*e^4*f^30*(a^2*c*f^2 - b^ \\
&2*c*e^2)^6 + 1230503936*a^32*b^2*c^7*e^2*f^32*(a^2*c*f^2 - b^2*c*e^2)^6 + 3 \\
&335904*a^2*b^34*c^8*e^34*f^2*(a^2*c*f^2 - b^2*c*e^2)^5 - 290521728*a^4*b^32 \\
&*c^8*e^32*f^4*(a^2*c*f^2 - b^2*c*e^2)^5 + 4865684544*a^6*b^30*c^8*e^30*f^6* \\
&(a^2*c*f^2 - b^2*c*e^2)^5 - 40437394528*a^8*b^28*c^8*e^28*f^8*(a^2*c*f^2 - \\
&b^2*c*e^2)^5 + 205602254656*a^10*b^26*c^8*e^26*f^10*(a^2*c*f^2 - b^2*c*e^2) \\
&^5 - 703885344192*a^12*b^24*c^8*e^24*f^12*(a^2*c*f^2 - b^2*c*e^2)^5 + 17092 \\
&53482624*a^14*b^22*c^8*e^22*f^14*(a^2*c*f^2 - b^2*c*e^2)^5 - 3029282695168* \\
&a^16*b^20*c^8*e^20*f^16*(a^2*c*f^2 - b^2*c*e^2)^5 + 3966230827520*a^18*b^18 \\
&*c^8*e^18*f^18*(a^2*c*f^2 - b^2*c*e^2)^5 - 3822339813632*a^20*b^16*c^8*e^16 \\
&*f^20*(a^2*c*f^2 - b^2*c*e^2)^5 + 2640438056960*a^22*b^14*c^8*e^14*f^22*(a^ \\
&2*c*f^2 - b^2*c*e^2)^5 - 1208501415936*a^24*b^12*c^8*e^12*f^24*(a^2*c*f^2 - \\
&b^2*c*e^2)^5 + 269338092544*a^26*b^10*c^8*e^10*f^26*(a^2*c*f^2 - b^2*c*e^2 \\
&)^5 + 53783212032*a^28*b^8*c^8*e^8*f^28*(a^2*c*f^2 - b^2*c*e^2)^5 - 6098536 \\
&0384*a^30*b^6*c^8*e^6*f^30*(a^2*c*f^2 - b^2*c*e^2)^5 + 17917083648*a^32*b^4 \\
&*c^8*e^4*f^32*(a^2*c*f^2 - b^2*c*e^2)^5 - 1558708224*a^34*b^2*c^8*e^2*f^34* \\
&(a^2*c*f^2 - b^2*c*e^2)^5 - 11917692*a^2*b^36*c^9*e^36*f^2*(a^2*c*f^2 - b^2 \\
&*c*e^2)^4 - 224907516*a^4*b^34*c^9*e^34*f^4*(a^2*c*f^2 - b^2*c*e^2)^4 + 530 \\
&3932560*a^6*b^32*c^9*e^32*f^6*(a^2*c*f^2 - b^2*c*e^2)^4 - 48206418480*a^8*b \\
&^30*c^9*e^30*f^8*(a^2*c*f^2 - b^2*c*e^2)^4 + 261450609120*a^10*b^28*c^9*e^2 \\
&8*f^10*(a^2*c*f^2 - b^2*c*e^2)^4 - 962361040256*a^12*b^26*c^9*e^26*f^12*(a^ \\
&2*c*f^2 - b^2*c*e^2)^4 + 2558559358080*a^14*b^24*c^9*e^24*f^14*(a^2*c*f^2 - \\
&b^2*c*e^2)^4 - 5091804150656*a^16*b^22*c^9*e^22*f^16*(a^2*c*f^2 - b^2*c*e^ \\
&2)^4 + 7750806514944*a^18*b^20*c^9*e^20*f^18*(a^2*c*f^2 - b^2*c*e^2)^4 - 91 \\
&37207485952*a^20*b^18*c^9*e^18*f^20*(a^2*c*f^2 - b^2*c*e^2)^4 + 83845632801 \\
&28*a^22*b^16*c^9*e^16*f^22*(a^2*c*f^2 - b^2*c*e^2)^4 - 5975281259520*a^24*b \\
&^14*c^9*e^14*f^24*(a^2*c*f^2 - b^2*c*e^2)^4 + 3269297268736*a^26*b^12*c^9*e \\
&^12*f^26*(a^2*c*f^2 - b^2*c*e^2)^4 - 1339171540992*a^28*b^10*c^9*e^10*f^28* \\
&(a^2*c*f^2 - b^2*c*e^2)^4 + 391250194432*a^30*b^8*c^9*e^8*f^30*(a^2*c*f^2 - \\
&b^2*c*e^2)^4 - 74114154496*a^32*b^6*c^9*e^6*f^32*(a^2*c*f^2 - b^2*c*e^2)^4 \\
&+ 7299203072*a^34*b^4*c^9*e^4*f^34*(a^2*c*f^2 - b^2*c*e^2)^4 - 148635648*a \\
&^36*b^2*c^9*e^2*f^36*(a^2*c*f^2 - b^2*c*e^2)^4 - 38704068*a^2*b^38*c^10*e^3 \\
&8*f^2*(a^2*c*f^2 - b^2*c*e^2)^3 + 188845992*a^4*b^36*c^10*e^36*f^4*(a^2*c*f \\
&^2 - b^2*c*e^2)^3 + 1157124204*a^6*b^34*c^10*e^34*f^6*(a^2*c*f^2 - b^2*c*e^ \\
&2)^3 - 20586361424*a^8*b^32*c^10*e^32*f^8*(a^2*c*f^2 - b^2*c*e^2)^3 + 13539 \\
&5499200*a^10*b^30*c^10*e^30*f^10*(a^2*c*f^2 - b^2*c*e^2)^3 - 555513858464*a \\
&^12*b^28*c^10*e^28*f^12*(a^2*c*f^2 - b^2*c*e^2)^3 + 1608776388864*a^14*b^26 \\
&*c^10*e^26*f^14*(a^2*c*f^2 - b^2*c*e^2)^3 - 3473989271488*a^16*b^24*c^10*e^ \\
&24*f^16*(a^2*c*f^2 - b^2*c*e^2)^3 + 5766181411456*a^18*b^22*c^10*e^22*f^18* \\
&(a^2*c*f^2 - b^2*c*e^2)^3 - 7493983209472*a^20*b^20*c^10*e^20*f^20*(a^2*c*f \\
&^2 - b^2*c*e^2)^3 + 7713917084672*a^22*b^18*c^10*e^18*f^22*(a^2*c*f^2 - b^2 \\
&*c*e^2)^3 - 6328467293184*a^24*b^16*c^10*e^16*f^24*(a^2*c*f^2 - b^2*c*e^2)^ \\
&3 + 4142950034432*a^26*b^14*c^10*e^14*f^26*(a^2*c*f^2 - b^2*c*e^2)^3 - 2152
\end{aligned}$$

$$\begin{aligned}
& 681536512*a^{28}*b^{12}*c^{10}*e^{12}*f^{28}*(a^2*c*f^2 - b^2*c*e^2)^3 + 874199511040 \\
& *a^{30}*b^{10}*c^{10}*e^{10}*f^{30}*(a^2*c*f^2 - b^2*c*e^2)^3 - 268759150592*a^{32}*b^8 \\
& *c^{10}*e^8*f^{32}*(a^2*c*f^2 - b^2*c*e^2)^3 + 58872545280*a^{34}*b^6*c^{10}*e^6*f^ \\
& 34*(a^2*c*f^2 - b^2*c*e^2)^3 - 8151957504*a^{36}*b^4*c^{10}*e^4*f^{36}*(a^2*c*f^2 \\
& - b^2*c*e^2)^3 + 530841600*a^{38}*b^2*c^{10}*e^2*f^{38}*(a^2*c*f^2 - b^2*c*e^2)^ \\
& 3 - 42743457*a^2*b^{40}*c^{11}*e^{40}*f^{2}*(a^2*c*f^2 - b^2*c*e^2)^2 + 411055884*a \\
& ^4*b^{38}*c^{11}*e^{38}*f^4*(a^2*c*f^2 - b^2*c*e^2)^2 - 2180887236*a^6*b^{36}*c^{11} \\
& e^{36}*f^6*(a^2*c*f^2 - b^2*c*e^2)^2 + 6404946508*a^8*b^{34}*c^{11}*e^{34}*f^8*(a^2 \\
& *c*f^2 - b^2*c*e^2)^2 - 5434005264*a^{10}*b^{32}*c^{11}*e^{32}*f^{10}*(a^2*c*f^2 - b^ \\
& 2*c*e^2)^2 - 38868373520*a^{12}*b^{30}*c^{11}*e^{30}*f^{12}*(a^2*c*f^2 - b^2*c*e^2)^2 \\
& + 208447613600*a^{14}*b^{28}*c^{11}*e^{28}*f^{14}*(a^2*c*f^2 - b^2*c*e^2)^2 - 579674 \\
& 999104*a^{16}*b^{26}*c^{11}*e^{26}*f^{16}*(a^2*c*f^2 - b^2*c*e^2)^2 + 1104967566592*a \\
& ^{18}*b^{24}*c^{11}*e^{24}*f^{18}*(a^2*c*f^2 - b^2*c*e^2)^2 - 1554566531328*a^{20}*b^{22} \\
& *c^{11}*e^{22}*f^{20}*(a^2*c*f^2 - b^2*c*e^2)^2 + 1659734381312*a^{22}*b^{20}*c^{11}*e^ \\
& 20*f^{22}*(a^2*c*f^2 - b^2*c*e^2)^2 - 1356361512192*a^{24}*b^{18}*c^{11}*e^{18}*f^{24} \\
& (a^2*c*f^2 - b^2*c*e^2)^2 + 845331359744*a^{26}*b^{16}*c^{11}*e^{16}*f^{26}*(a^2*c*f^ \\
& 2 - b^2*c*e^2)^2 - 395676895232*a^{28}*b^{14}*c^{11}*e^{14}*f^{28}*(a^2*c*f^2 - b^2*c \\
& *e^2)^2 + 134902689792*a^{30}*b^{12}*c^{11}*e^{12}*f^{30}*(a^2*c*f^2 - b^2*c*e^2)^2 - \\
& 31670587392*a^{32}*b^{10}*c^{11}*e^{10}*f^{32}*(a^2*c*f^2 - b^2*c*e^2)^2 + 458466918 \\
& 4*a^{34}*b^8*c^{11}*e^8*f^{34}*(a^2*c*f^2 - b^2*c*e^2)^2 - 309657600*a^{36}*b^6*c^{1 \\
& 1}*e^6*f^{36}*(a^2*c*f^2 - b^2*c*e^2)^2))*(236196*b^{36}*c^8*e^36*(b^2*c*e^2 - \\
& a^2*c*f^2)^{(11/2)} - 385875968*a^{32}*c^6*f^{32}*(b^2*c*e^2 - a^2*c*f^2)^{(15/2)} \\
& - 419430400*a^{34}*c^7*f^{34}*(b^2*c*e^2 - a^2*c*f^2)^{(13/2)} - 150994944*a^{36}*c \\
& ^8*f^{36}*(b^2*c*e^2 - a^2*c*f^2)^{(11/2)} - 117440512*a^{30}*c^5*f^{30}*(b^2*c*e^2 \\
& - a^2*c*f^2)^{(17/2)} - 1102248*b^{38}*c^9*e^{38}*(b^2*c*e^2 - a^2*c*f^2)^{(9/2)} \\
& + 2053593*b^{40}*c^{10}*e^{40}*(b^2*c*e^2 - a^2*c*f^2)^{(7/2)} - 1909251*b^{42}*c^{11} \\
& e^{42}*(b^2*c*e^2 - a^2*c*f^2)^{(5/2)} + 885735*b^{44}*c^{12}*e^{44}*(b^2*c*e^2 - a^2 \\
& *c*f^2)^{(3/2)} - 164025*b^{46}*c^{13}*e^{46}*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)} - 92897 \\
& 28*a^6*b^{24}*c^5*e^{24}*f^6*(b^2*c*e^2 - a^2*c*f^2)^{(17/2)} + 36884480*a^8*b^{22} \\
& *c^5*e^{22}*f^8*(b^2*c*e^2 - a^2*c*f^2)^{(17/2)} + 278604800*a^{10}*b^{20}*c^5*e^{20} \\
& *f^{10}*(b^2*c*e^2 - a^2*c*f^2)^{(17/2)} - 2774483200*a^{12}*b^{18}*c^5*e^{18}*f^{12}*( \\
& b^2*c*e^2 - a^2*c*f^2)^{(17/2)} + 10869657600*a^{14}*b^{16}*c^5*e^{16}*f^{14}*(b^2*c* \\
& e^2 - a^2*c*f^2)^{(17/2)} - 25237416960*a^{16}*b^{14}*c^5*e^{14}*f^{16}*(b^2*c*e^2 - \\
& a^2*c*f^2)^{(17/2)} + 38348909568*a^{18}*b^{12}*c^5*e^{12}*f^{18}*(b^2*c*e^2 - a^2*c* \\
& f^2)^{(17/2)} - 39084659712*a^{20}*b^{10}*c^5*e^{10}*f^{20}*(b^2*c*e^2 - a^2*c*f^2)^{( \\
& 17/2)} + 26118635520*a^{22}*b^8*c^5*e^8*f^{22}*(b^2*c*e^2 - a^2*c*f^2)^{(17/2)} - \\
& 10414620672*a^{24}*b^6*c^5*e^6*f^{24}*(b^2*c*e^2 - a^2*c*f^2)^{(17/2)} + 17086545 \\
& 92*a^{26}*b^4*c^5*e^4*f^{26}*(b^2*c*e^2 - a^2*c*f^2)^{(17/2)} + 276561920*a^{28}*b^ \\
& 2*c^5*e^2*f^{28}*(b^2*c*e^2 - a^2*c*f^2)^{(17/2)} - 9704448*a^4*b^{28}*c^6*e^{28}*f \\
& ^4*(b^2*c*e^2 - a^2*c*f^2)^{(15/2)} + 260614656*a^6*b^{26}*c^6*e^{26}*f^6*(b^2*c* \\
& e^2 - a^2*c*f^2)^{(15/2)} - 2166022464*a^8*b^{24}*c^6*e^{24}*f^8*(b^2*c*e^2 - a^2 \\
& *c*f^2)^{(15/2)} + 8626147840*a^{10}*b^{22}*c^6*e^{22}*f^{10}*(b^2*c*e^2 - a^2*c*f^2) \\
& ^{(15/2)} - 16771503616*a^{12}*b^{20}*c^6*e^{20}*f^{12}*(b^2*c*e^2 - a^2*c*f^2)^{(15/2} \\
& ) + 3301800960*a^{14}*b^{18}*c^6*e^{18}*f^{14}*(b^2*c*e^2 - a^2*c*f^2)^{(15/2)} + 673 \\
& 37715968*a^{16}*b^{16}*c^6*e^{16}*f^{16}*(b^2*c*e^2 - a^2*c*f^2)^{(15/2)} - 189857873 \\
& 920*a^{18}*b^{14}*c^6*e^{14}*f^{18}*(b^2*c*e^2 - a^2*c*f^2)^{(15/2)} + 286100259840*a \\
& ^{20}*b^{12}*c^6*e^{12}*f^{20}*(b^2*c*e^2 - a^2*c*f^2)^{(15/2)} - 275789894656*a^{22}*b \\
& ^{10}*c^6*e^{10}*f^{22}*(b^2*c*e^2 - a^2*c*f^2)^{(15/2)} + 173716537344*a^{24}*b^8*c^ \\
& 6*e^8*f^{24}*(b^2*c*e^2 - a^2*c*f^2)^{(15/2)} - 67416424448*a^{26}*b^6*c^6*e^6*f^ \\
& 26*(b^2*c*e^2 - a^2*c*f^2)^{(15/2)} + 12831686656*a^{28}*b^4*c^6*e^4*f^{28}*(b^2* \\
& c*e^2 - a^2*c*f^2)^{(15/2)} + 222560256*a^{30}*b^2*c^6*e^2*f^{30}*(b^2*c*e^2 - a^ \\
& 2*c*f^2)^{(15/2)} - 2099520*a^2*b^{32}*c^7*e^{32}*f^2*(b^2*c*e^2 - a^2*c*f^2)^{(13 \\
& /2)} + 107014608*a^4*b^{30}*c^7*e^{30}*f^4*(b^2*c*e^2 - a^2*c*f^2)^{(13/2)} - 1848 \\
& 335616*a^6*b^{28}*c^7*e^{28}*f^6*(b^2*c*e^2 - a^2*c*f^2)^{(13/2)} + 15200005312*a \\
& ^8*b^{26}*c^7*e^{26}*f^8*(b^2*c*e^2 - a^2*c*f^2)^{(13/2)} - 72612273792*a^{10}*b^{24} \\
& *c^7*e^{24}*f^{10}*(b^2*c*e^2 - a^2*c*f^2)^{(13/2)} + 221855779968*a^{12}*b^{22}*c^7* \\
& e^{22}*f^{12}*(b^2*c*e^2 - a^2*c*f^2)^{(13/2)} - 450717857536*a^{14}*b^{20}*c^7*e^{20} \\
& f^{14}*(b^2*c*e^2 - a^2*c*f^2)^{(13/2)} + 600578910208*a^{16}*b^{18}*c^7*e^{18}*f^{16} \\
& (b^2*c*e^2 - a^2*c*f^2)^{(13/2)} - 459464530688*a^{18}*b^{16}*c^7*e^{16}*f^{18}*(b^2*
\end{aligned}$$

$$\begin{aligned}
& c^2 e^2 - a^2 c f^2)^{(13/2)} + 33638947840 a^{20} b^{14} c^7 e^{14} f^{20} (b^2 c^2 e^2 - a^2 c f^2)^{(13/2)} + 376299926528 a^{22} b^{12} c^7 e^{12} f^{22} (b^2 c^2 e^2 - a^2 c f^2)^{(13/2)} - 488874068992 a^{24} b^{10} c^7 e^{10} f^{24} (b^2 c^2 e^2 - a^2 c f^2)^{(13/2)} + 333407809536 a^{26} b^8 c^7 e^8 f^{26} (b^2 c^2 e^2 - a^2 c f^2)^{(13/2)} - 134140313600 a^{28} b^6 c^7 e^6 f^{28} (b^2 c^2 e^2 - a^2 c f^2)^{(13/2)} + 28220915712 a^{30} b^4 c^7 e^4 f^{30} (b^2 c^2 e^2 - a^2 c f^2)^{(13/2)} - 1230503936 a^{32} b^2 c^7 e^2 f^{32} (b^2 c^2 e^2 - a^2 c f^2)^{(13/2)} + 3335904 a^2 b^{34} c^8 e^{34} f^2 (b^2 c^2 e^2 - a^2 c f^2)^{(11/2)} - 290521728 a^4 b^{32} c^8 e^{32} f^4 (b^2 c^2 e^2 - a^2 c f^2)^{(11/2)} + 4865684544 a^6 b^{30} c^8 e^{30} f^6 (b^2 c^2 e^2 - a^2 c f^2)^{(11/2)} - 40437394528 a^8 b^{28} c^8 e^{28} f^8 (b^2 c^2 e^2 - a^2 c f^2)^{(11/2)} + 205602254656 a^{10} b^{26} c^8 e^{26} f^{10} (b^2 c^2 e^2 - a^2 c f^2)^{(11/2)} - 703885344192 a^{12} b^{24} c^8 e^{24} f^{12} (b^2 c^2 e^2 - a^2 c f^2)^{(11/2)} + 1709253482624 a^{14} b^{22} c^8 e^{22} f^{14} (b^2 c^2 e^2 - a^2 c f^2)^{(11/2)} - 3029282695168 a^{16} b^{20} c^8 e^{20} f^{16} (b^2 c^2 e^2 - a^2 c f^2)^{(11/2)} + 3966230827520 a^{18} b^{18} c^8 e^{18} f^{18} (b^2 c^2 e^2 - a^2 c f^2)^{(11/2)} - 3822339813632 a^{20} b^{16} c^8 e^{16} f^{20} (b^2 c^2 e^2 - a^2 c f^2)^{(11/2)} + 2640438056960 a^{22} b^{14} c^8 e^{14} f^{22} (b^2 c^2 e^2 - a^2 c f^2)^{(11/2)} - 1208501415936 a^{24} b^{12} c^8 e^{12} f^{24} (b^2 c^2 e^2 - a^2 c f^2)^{(11/2)} + 269338092544 a^{26} b^{10} c^8 e^{10} f^{26} (b^2 c^2 e^2 - a^2 c f^2)^{(11/2)} + 53783212032 a^{28} b^8 c^8 e^8 f^{28} (b^2 c^2 e^2 - a^2 c f^2)^{(11/2)} - 60985360384 a^{30} b^6 c^8 e^6 f^{30} (b^2 c^2 e^2 - a^2 c f^2)^{(11/2)} + 17917083648 a^{32} b^4 c^8 e^4 f^{32} (b^2 c^2 e^2 - a^2 c f^2)^{(11/2)} - 1558708224 a^{34} b^2 c^8 e^2 f^{34} (b^2 c^2 e^2 - a^2 c f^2)^{(11/2)} + 11917692 a^2 b^{36} c^9 e^{36} f^2 (b^2 c^2 e^2 - a^2 c f^2)^{(9/2)} + 224907516 a^4 b^{34} c^9 e^{34} f^4 (b^2 c^2 e^2 - a^2 c f^2)^{(9/2)} - 5303932560 a^6 b^{32} c^9 e^{32} f^6 (b^2 c^2 e^2 - a^2 c f^2)^{(9/2)} + 48206418480 a^8 b^{30} c^9 e^{30} f^8 (b^2 c^2 e^2 - a^2 c f^2)^{(9/2)} - 261450609120 a^{10} b^{28} c^9 e^{28} f^{10} (b^2 c^2 e^2 - a^2 c f^2)^{(9/2)} + 962361040256 a^{12} b^{26} c^9 e^{26} f^{12} (b^2 c^2 e^2 - a^2 c f^2)^{(9/2)} - 2558559358080 a^{14} b^{24} c^9 e^{24} f^{14} (b^2 c^2 e^2 - a^2 c f^2)^{(9/2)} + 5091804150656 a^{16} b^{22} c^9 e^{22} f^{16} (b^2 c^2 e^2 - a^2 c f^2)^{(9/2)} - 7750806514944 a^{18} b^{20} c^9 e^{20} f^{18} (b^2 c^2 e^2 - a^2 c f^2)^{(9/2)} + 9137207485952 a^{20} b^{18} c^9 e^{18} f^{20} (b^2 c^2 e^2 - a^2 c f^2)^{(9/2)} - 8384563280128 a^{22} b^{16} c^9 e^{16} f^{22} (b^2 c^2 e^2 - a^2 c f^2)^{(9/2)} + 5975281259520 a^{24} b^{14} c^9 e^{14} f^{24} (b^2 c^2 e^2 - a^2 c f^2)^{(9/2)} - 3269297268736 a^{26} b^{12} c^9 e^{12} f^{26} (b^2 c^2 e^2 - a^2 c f^2)^{(9/2)} + 1339171540992 a^{28} b^{10} c^9 e^{10} f^{28} (b^2 c^2 e^2 - a^2 c f^2)^{(9/2)} - 391250194432 a^{30} b^8 c^9 e^8 f^{30} (b^2 c^2 e^2 - a^2 c f^2)^{(9/2)} + 74114154496 a^{32} b^6 c^9 e^6 f^{32} (b^2 c^2 e^2 - a^2 c f^2)^{(9/2)} - 7299203072 a^{34} b^4 c^9 e^4 f^{34} (b^2 c^2 e^2 - a^2 c f^2)^{(9/2)} + 148635648 a^{36} b^2 c^9 e^2 f^{36} (b^2 c^2 e^2 - a^2 c f^2)^{(9/2)} - 38704068 a^2 b^{38} c^{10} e^{38} f^2 (b^2 c^2 e^2 - a^2 c f^2)^{(7/2)} + 188845992 a^4 b^{36} c^{10} e^{36} f^4 (b^2 c^2 e^2 - a^2 c f^2)^{(7/2)} + 1157124204 a^6 b^{34} c^{10} e^{34} f^6 (b^2 c^2 e^2 - a^2 c f^2)^{(7/2)} - 20586361424 a^8 b^{32} c^{10} e^{32} f^8 (b^2 c^2 e^2 - a^2 c f^2)^{(7/2)} + 135395499200 a^{10} b^{30} c^{10} e^{30} f^{10} (b^2 c^2 e^2 - a^2 c f^2)^{(7/2)} - 555513858464 a^{12} b^{28} c^{10} e^{28} f^{12} (b^2 c^2 e^2 - a^2 c f^2)^{(7/2)} + 1608776388864 a^{14} b^{26} c^{10} e^{26} f^{14} (b^2 c^2 e^2 - a^2 c f^2)^{(7/2)} - 3473989271488 a^{16} b^{24} c^{10} e^{24} f^{16} (b^2 c^2 e^2 - a^2 c f^2)^{(7/2)} + 5766181411456 a^{18} b^{22} c^{10} e^{22} f^{18} (b^2 c^2 e^2 - a^2 c f^2)^{(7/2)} - 7493983209472 a^{20} b^{20} c^{10} e^{20} f^{20} (b^2 c^2 e^2 - a^2 c f^2)^{(7/2)} + 7713917084672 a^{22} b^{18} c^{10} e^{18} f^{22} (b^2 c^2 e^2 - a^2 c f^2)^{(7/2)} - 6328467293184 a^{24} b^{16} c^{10} e^{16} f^{24} (b^2 c^2 e^2 - a^2 c f^2)^{(7/2)} + 4142950034432 a^{26} b^{14} c^{10} e^{14} f^{26} (b^2 c^2 e^2 - a^2 c f^2)^{(7/2)} - 2152681536512 a^{28} b^{12} c^{10} e^{12} f^{28} (b^2 c^2 e^2 - a^2 c f^2)^{(7/2)} + 874199511040 a^{30} b^{10} c^{10} e^{10} f^{30} (b^2 c^2 e^2 - a^2 c f^2)^{(7/2)} - 268759150592 a^{32} b^8 c^{10} e^8 f^{32} (b^2 c^2 e^2 - a^2 c f^2)^{(7/2)} + 58872545280 a^{34} b^6 c^{10} e^6 f^{34} (b^2 c^2 e^2 - a^2 c f^2)^{(7/2)} - 8151957504 a^{36} b^4 c^{10} e^4 f^{36} (b^2 c^2 e^2 - a^2 c f^2)^{(7/2)} + 530841600 a^{38} b^2 c^{10} e^2 f^{38} (b^2 c^2 e^2 - a^2 c f^2)^{(7/2)} + 42743457 a^2 b^{40} c^{11} e^{40} f^2 (b^2 c^2 e^2 - a^2 c f^2)^{(5/2)} - 411055884 a^4 b^38 c^{11} e^{38} f^4 (b^2 c^2 e^2 - a^2 c f^2)^{(5/2)} + 2180887236 a^6 b^{36} c^{11} e^{36} f^6 (b^2 c^2 e^2 - a^2 c f^2)^{(5/2)} - 6404946508 a^8 b^{34} c^{11} e^{34} f^8 (b^2 c^2 e^2 - a^2 c f^2)^{(5/2)}
\end{aligned}$$

$$\begin{aligned}
& ^2*c*e^2 - a^2*c*f^2)^{(5/2)} + 5434005264*a^{10}*b^{32}*c^{11}*e^{32}*f^{10}*(b^2*c*e^2 \\
& 2 - a^2*c*f^2)^{(5/2)} + 38868373520*a^{12}*b^{30}*c^{11}*e^{30}*f^{12}*(b^2*c*e^2 - a^2*c*f^2)^{(5/2)} - 208447613600*a^{14}*b^{28}*c^{11}*e^{28}*f^{14}*(b^2*c*e^2 - a^2*c*f^2)^{(5/2)} + 579674999104*a^{16}*b^{26}*c^{11}*e^{26}*f^{16}*(b^2*c*e^2 - a^2*c*f^2)^{(5/2)} - 1104967566592*a^{18}*b^{24}*c^{11}*e^{24}*f^{18}*(b^2*c*e^2 - a^2*c*f^2)^{(5/2)} \\
& + 1554566531328*a^{20}*b^{22}*c^{11}*e^{22}*f^{20}*(b^2*c*e^2 - a^2*c*f^2)^{(5/2)} - 1659734381312*a^{22}*b^{20}*c^{11}*e^{20}*f^{22}*(b^2*c*e^2 - a^2*c*f^2)^{(5/2)} + 1356361512192*a^{24}*b^{18}*c^{11}*e^{18}*f^{24}*(b^2*c*e^2 - a^2*c*f^2)^{(5/2)} - 845331359744*a^{26}*b^{16}*c^{11}*e^{16}*f^{26}*(b^2*c*e^2 - a^2*c*f^2)^{(5/2)} + 395676895232*a^{28}*b^{14}*c^{11}*e^{14}*f^{28}*(b^2*c*e^2 - a^2*c*f^2)^{(5/2)} - 134902689792*a^{30}*b^{12}*c^{11}*e^{12}*f^{30}*(b^2*c*e^2 - a^2*c*f^2)^{(5/2)} + 31670587392*a^{32}*b^{10}*c^{11}*e^{10}*f^{32}*(b^2*c*e^2 - a^2*c*f^2)^{(5/2)} - 4584669184*a^{34}*b^8*c^{11}*e^8*f^{34}*(b^2*c*e^2 - a^2*c*f^2)^{(5/2)} + 309657600*a^{36}*b^6*c^{11}*e^6*f^{36}*(b^2*c*e^2 - a^2*c*f^2)^{(5/2)} - 21130794*a^{2}*b^{42}*c^{12}*e^{42}*f^{2}*(b^2*c*e^2 - a^2*c*f^2)^{(3/2)} + 234399015*a^{4}*b^{40}*c^{12}*e^{40}*f^{4}*(b^2*c*e^2 - a^2*c*f^2)^{(3/2)} - 1604168280*a^{6}*b^{38}*c^{12}*e^{38}*f^{6}*(b^2*c*e^2 - a^2*c*f^2)^{(3/2)} + 7579098492*a^{8}*b^{36}*c^{12}*e^{36}*f^{8}*(b^2*c*e^2 - a^2*c*f^2)^{(3/2)} - 26212380172*a^{10}*b^{34}*c^{12}*e^{34}*f^{10}*(b^2*c*e^2 - a^2*c*f^2)^{(3/2)} + 68672994096*a^{12}*b^{32}*c^{12}*e^{32}*f^{12}*(b^2*c*e^2 - a^2*c*f^2)^{(3/2)} - 139160589504*a^{14}*b^{30}*c^{12}*e^{30}*f^{14}*(b^2*c*e^2 - a^2*c*f^2)^{(3/2)} + 220859191808*a^{16}*b^{28}*c^{12}*e^{28}*f^{16}*(b^2*c*e^2 - a^2*c*f^2)^{(3/2)} - 276344315328*a^{18}*b^{26}*c^{12}*e^{26}*f^{18}*(b^2*c*e^2 - a^2*c*f^2)^{(3/2)} + 273130561984*a^{20}*b^{24}*c^{12}*e^{24}*f^{20}*(b^2*c*e^2 - a^2*c*f^2)^{(3/2)} - 212730002688*a^{22}*b^{22}*c^{12}*e^{22}*f^{22}*(b^2*c*e^2 - a^2*c*f^2)^{(3/2)} + 129574234368*a^{24}*b^{20}*c^{12}*e^{20}*f^{24}*(b^2*c*e^2 - a^2*c*f^2)^{(3/2)} - 60770569216*a^{26}*b^{18}*c^{12}*e^{18}*f^{26}*(b^2*c*e^2 - a^2*c*f^2)^{(3/2)} + 21304706048*a^{28}*b^{16}*c^{12}*e^{16}*f^{28}*(b^2*c*e^2 - a^2*c*f^2)^{(3/2)} - 5272965120*a^{30}*b^{14}*c^{12}*e^{14}*f^{30}*(b^2*c*e^2 - a^2*c*f^2)^{(3/2)} + 819441664*a^{32}*b^{12}*c^{12}*e^{12}*f^{32}*(b^2*c*e^2 - a^2*c*f^2)^{(3/2)} - 5939200*a^{34}*b^{10}*c^{12}*e^{10}*f^{34}*(b^2*c*e^2 - a^2*c*f^2)^{(3/2)} + 3937329*a^{2}*b^{44}*c^{13}*e^{44}*f^{2}*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)} - 43893819*a^{4}*b^{42}*c^{13}*e^{42}*f^{4}*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)} + 301507155*a^{6}*b^{40}*c^{13}*e^{40}*f^{6}*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)} - 1427514656*a^{8}*b^{38}*c^{13}*e^{38}*f^{8}*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)} + 4936911112*a^{10}*b^{36}*c^{13}*e^{36}*f^{10}*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)} - 12893273616*a^{12}*b^{34}*c^{13}*e^{34}*f^{12}*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)} + 25921630432*a^{14}*b^{32}*c^{13}*e^{32}*f^{14}*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)} - 40519286096*a^{16}*b^{30}*c^{13}*e^{30}*f^{16}*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)} + 49376608256*a^{18}*b^{28}*c^{13}*e^{28}*f^{18}*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)} - 46721401856*a^{20}*b^{26}*c^{13}*e^{26}*f^{20}*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)} + 33946324736*a^{22}*b^{24}*c^{13}*e^{24}*f^{22}*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)} - 18556579328*a^{24}*b^{22}*c^{13}*e^{22}*f^{24}*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)} + 7375276032*a^{26}*b^{20}*c^{13}*e^{20}*f^{26}*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)} - 2009817088*a^{28}*b^{18}*c^{13}*e^{18}*f^{28}*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)} + 335642624*a^{30}*b^{16}*c^{13}*e^{16}*f^{30}*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)} - 25907200*a^{32}*b^{14}*c^{13}*e^{14}*f^{32}*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)))/(16384*a^{(17/2)}*b^{19}*c^{19}*e^{19}*f^{15}*(a*c)^{(13/2)} - 2048*a^{(13/2)}*b^{21}*c^{21}*e^{21}*f^{13}*(a*c)^{(13/2)} - 57344*a^{(21/2)}*b^{17}*c^{17}*e^{17}*f^{17}*(a*c)^{(13/2)} + 114688*a^{(25/2)}*b^{15}*c^{15}*e^{15}*f^{19}*(a*c)^{(13/2)} - 143360*a^{(29/2)}*b^{13}*c^{13}*e^{13}*f^{21}*(a*c)^{(13/2)} + 114688*a^{(33/2)}*b^{11}*c^{11}*e^{11}*f^{23}*(a*c)^{(13/2)} - 57344*a^{(37/2)}*b^9*c^9*e^9*f^25*(a*c)^{(13/2)} + 16384*a^{(41/2)}*b^7*c^7*e^7*f^27*(a*c)^{(13/2)} - 2048*a^{(45/2)}*b^5*c^5*e^5*f^29*(a*c)^{(13/2)} + 486*a^{(3/2)}*b^{31}*c^6*e^31*f^3*(a*c)^{(3/2)} - 3240*a^{(5/2)}*b^{29}*c^5*e^29*f^5*(a*c)^{(5/2)} + 8640*a^{(7/2)}*b^{27}*c^4*e^27*f^7*(a*c)^{(7/2)} - 2592*a^{(7/2)}*b^{29}*c^6*e^29*f^5*(a*c)^{(3/2)} - 11520*a^{(9/2)}*b^{25}*c^3*e^25*f^9*(a*c)^{(9/2)} + 19008*a^{(9/2)}*b^{27}*c^5*e^27*f^7*(a*c)^{(5/2)} + 7680*a^{(11/2)}*b^{23}*c^2*e^23*f^11*(a*c)^{(11/2)} - 55296*a^{(11/2)}*b^{25}*c^4*e^25*f^9*(a*c)^{(7/2)} + 5184*a^{(11/2)}*b^{27}*c^6*e^27*f^7*(a*c)^{(3/2)} + 79872*a^{(13/2)}*b^{23}*c^3*e^23*f^11*(a*c)^{(9/2)} - 44064*a^{(13/2)}*b^{25}*c^5*e^25*f^9*(a*c)^{(5/2)} - 57344*a^{(15/2)}*b^{21}*c^2*e^21*f^13*(a*c)^{(11/2)} + 145152*a^{(15/2)}*b^{23}*c^4*e^23*f^11*(a*c)^{(7/2)} - 4608*a^{(15/2)}*b^{25}*c^6*e^25*f^9*(a*c)^{(3/2)} - 233472*a^{(17/2)}*b^{21}*c^3*e^21*f^13*(a*c)^{(9/2)} + 50304*a^{(17/2)}*b^{23}*c^5*e^23*f^11*(a*c)^{(5/2)} + 184320*a^{(19/2)}*b^{19}*
\end{aligned}$$



$$\begin{aligned}
& c^2 e^{19} f^{15} (a*c)^{(11/2)} - 199424 a^{(19/2)} b^{21} c^4 e^{21} f^{13} (a*c)^{(7/2)} \\
& + 1536 a^{(19/2)} b^{23} c^6 e^{23} f^{11} (a*c)^{(3/2)} + 371712 a^{(21/2)} b^{19} c^3 e^{19} f^{15} (a*c)^{(9/2)} - 28160 a^{(21/2)} b^{21} c^5 e^{21} f^{13} (a*c)^{(5/2)} - 331 \\
& 776 a^{(23/2)} b^{17} c^2 e^{17} f^{17} (a*c)^{(11/2)} + 150592 a^{(23/2)} b^{19} c^4 e^{19} f^{15} (a*c)^{(7/2)} - 346368 a^{(25/2)} b^{17} c^3 e^{17} f^{17} (a*c)^{(9/2)} + 6144 a^{(25/2)} \\
& b^{19} c^5 e^{19} f^{15} (a*c)^{(5/2)} + 363520 a^{(27/2)} b^{15} c^2 e^{15} f^{19} (a*c)^{(11/2)} - 58880 a^{(27/2)} b^{17} c^4 e^{17} f^{17} (a*c)^{(7/2)} + 187392 a^{(29/2)} \\
& b^{15} c^3 e^{15} f^{19} (a*c)^{(9/2)} - 245760 a^{(31/2)} b^{13} c^2 e^{13} f^{21} (a*c)^{(11/2)} + 9216 a^{(31/2)} b^{15} c^4 e^{15} f^{19} (a*c)^{(7/2)} - 53760 a^{(33/2)} \\
& b^{13} c^3 e^{13} f^{21} (a*c)^{(9/2)} + 98304 a^{(35/2)} b^{11} c^2 e^{11} f^{23} (a*c)^{(11/2)} + 6144 a^{(37/2)} b^{11} c^3 e^{11} f^{23} (a*c)^{(9/2)} - 20480 a^{(39/2)} b^9 c^2 \\
& e^9 f^{25} (a*c)^{(11/2)} + 1536 a^{(43/2)} b^7 c^2 e^7 f^{27} (a*c)^{(11/2)})) / (f^2 (a*f + b*e) * (a*f - b*e) * (b^2 * c * e^2 - a^2 * c * f^2)^{(1/2)})
\end{aligned}$$

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x\*\*2+B\*x+A)/(f\*x+e)\*\*2/(b\*x+a)\*\*(1/2)/(-b\*c\*x+a\*c)\*\*(1/2),x)

[Out] Timed out

$$3.33 \quad \int \frac{A+Bx+Cx^2}{\sqrt{a+bx} \sqrt{ac-bcx} (e+fx)^3} dx$$

Optimal. Leaf size=363

$$\frac{(a^2 - b^2x^2) (2a^2f^2(2Ce - Bf) - b^2e (f(Be - 3Af) + Ce^2))}{2f\sqrt{a+bx} (e+fx)\sqrt{ac-bcx} (b^2e^2 - a^2f^2)^2} + \frac{f(a^2 - b^2x^2) \left( A + \frac{e(Ce-Bf)}{f^2} \right)}{2\sqrt{a+bx} (e+fx)^2\sqrt{ac-bcx} (b^2e^2 - a^2f^2)} + \frac{\sqrt{a^2c - b^2cx}}{\dots}$$

[Out] 1/2\*f\*(A+e\*(-B\*f+C\*e)/f^2)\*(-b^2\*x^2+a^2)/(-a^2\*f^2+b^2\*e^2)/(f\*x+e)^2/(b\*x+a)^(1/2)/(-b\*c\*x+a\*c)^(1/2)+1/2\*(2\*a^2\*f^2\*(-B\*f+2\*C\*e)-b^2\*e\*(C\*e^2+f\*(-3\*A\*f+B\*e)))\*(-b^2\*x^2+a^2)/f/(-a^2\*f^2+b^2\*e^2)^2/(f\*x+e)/(b\*x+a)^(1/2)/(-b\*c\*x+a\*c)^(1/2)+1/2\*(A\*(a^2\*b^2\*f^2+2\*b^4\*e^2)+a^2\*(2\*a^2\*C\*f^2+b^2\*e\*(-3\*B\*f+C\*e)))\*arctan((b^2\*e\*x+a^2\*f)\*c^(1/2)/(-a^2\*f^2+b^2\*e^2)^(1/2)/(-b^2\*c\*x^2+a^2\*c)^(1/2))\*(-b^2\*c\*x^2+a^2\*c)^(1/2)/(-a^2\*f^2+b^2\*e^2)^(5/2)/c^(1/2)/(b\*x+a)^(1/2)/(-b\*c\*x+a\*c)^(1/2)

**Rubi [A]** time = 0.59, antiderivative size = 361, normalized size of antiderivative = 0.99, number of steps used = 5, number of rules used = 5, integrand size = 40,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {1610, 1651, 807, 725, 204}

$$\frac{(a^2 - b^2x^2) (2a^2f^2(2Ce - Bf) - b^2 (ef(Be - 3Af) + Ce^3))}{2f\sqrt{a+bx} (e+fx)\sqrt{ac-bcx} (b^2e^2 - a^2f^2)^2} + \frac{f(a^2 - b^2x^2) \left( A + \frac{e(Ce-Bf)}{f^2} \right)}{2\sqrt{a+bx} (e+fx)^2\sqrt{ac-bcx} (b^2e^2 - a^2f^2)} + \frac{\sqrt{a^2c - b^2cx}}{\dots}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*x + C\*x^2)/(Sqrt[a + b\*x]\*Sqrt[a\*c - b\*c\*x]\*(e + f\*x)^3), x]

[Out] (f\*(A + (e\*(C\*e - B\*f))/f^2)\*(a^2 - b^2\*x^2))/(2\*(b^2\*e^2 - a^2\*f^2)\*Sqrt[a + b\*x]\*Sqrt[a\*c - b\*c\*x]\*(e + f\*x)^2) + ((2\*a^2\*f^2\*(2\*C\*e - B\*f) - b^2\*(C\*e^3 + e\*f\*(B\*e - 3\*A\*f)))\*(a^2 - b^2\*x^2))/(2\*f\*(b^2\*e^2 - a^2\*f^2)^2\*Sqrt[a + b\*x]\*Sqrt[a\*c - b\*c\*x]\*(e + f\*x)) + ((2\*a^4\*C\*f^2 + a^2\*b^2\*e\*(C\*e - 3\*B\*f) + A\*(2\*b^4\*e^2 + a^2\*b^2\*f^2))\*Sqrt[a^2\*c - b^2\*c\*x^2]\*ArcTan[(Sqrt[c]\*(a^2\*f + b^2\*e\*x))/(Sqrt[b^2\*e^2 - a^2\*f^2]\*Sqrt[a^2\*c - b^2\*c\*x^2])])/(2\*Sqrt[c]\*(b^2\*e^2 - a^2\*f^2)^(5/2)\*Sqrt[a + b\*x]\*Sqrt[a\*c - b\*c\*x])

#### Rule 204

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

#### Rule 725

Int[1/(((d\_) + (e\_)\*(x\_))\*Sqrt[(a\_) + (c\_)\*(x\_)^2]), x\_Symbol] := -Subst[Int[1/(c\*d^2 + a\*e^2 - x^2), x], x, (a\*e - c\*d\*x)/Sqrt[a + c\*x^2]] /; FreeQ[{a, c, d, e}, x]

#### Rule 807

Int[((d\_) + (e\_)\*(x\_)^m)\*((f\_) + (g\_)\*(x\_))\*((a\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[((e\*f - d\*g)\*(d + e\*x)^(m+1)\*(a + c\*x^2)^(p+1))/(2\*(p+1)\*(c\*d^2 + a\*e^2)), x] + Dist[(c\*d\*f + a\*e\*g)/(c\*d^2 + a\*e^2), Int[(d + e\*x)^(m+1)\*(a + c\*x^2)^p, x]] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c\*d^2 + a\*e^2, 0] && EqQ[Simplify[m + 2\*p + 3], 0]

#### Rule 1610

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)
)*(x_))^(p_.), x_Symbol] := Dist[((a + b*x)^FracPart[m]*(c + d*x)^FracPart[
m])/(a*c + b*d*x^2)^FracPart[m], Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x],
x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*
d, 0] && EqQ[m, n] && !IntegerQ[m]
```

### Rule 1651

```
Int[(Pq_)*((d_) + (e_.)*(x_))^(m_)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] :=
With[{Q = PolynomialQuotient[Pq, d + e*x, x], R = PolynomialRemainder[Pq,
d + e*x, x]}, Simp[(e*R*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/((m + 1)*(c*
d^2 + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 1)
*(a + c*x^2)^p*ExpandToSum[(m + 1)*(c*d^2 + a*e^2)*Q + c*d*R*(m + 1) - c*e*
R*(m + 2*p + 3)*x, x], x]] /; FreeQ[{a, c, d, e, p}, x] && PolyQ[Pq, x]
&& NeQ[c*d^2 + a*e^2, 0] && LtQ[m, -1]
```

### Rubi steps

$$\int \frac{A + Bx + Cx^2}{\sqrt{a + bx} \sqrt{ac - bcx} (e + fx)^3} dx = \frac{\sqrt{a^2c - b^2cx^2} \int \frac{A+Bx+Cx^2}{(e+fx)^3 \sqrt{a^2c - b^2cx^2}} dx}{\sqrt{a + bx} \sqrt{ac - bcx}}$$

$$= \frac{f \left( A + \frac{e(Ce - Bf)}{f^2} \right) (a^2 - b^2x^2)}{2 (b^2e^2 - a^2f^2) \sqrt{a + bx} \sqrt{ac - bcx} (e + fx)^2} + \frac{\sqrt{a^2c - b^2cx^2} \int \frac{2c(Ab^2e + a^2f^2)}{2c(b^2e^2 - a^2f^2)} dx}{2c(b^2e^2 - a^2f^2)}$$

$$= \frac{f \left( A + \frac{e(Ce - Bf)}{f^2} \right) (a^2 - b^2x^2)}{2 (b^2e^2 - a^2f^2) \sqrt{a + bx} \sqrt{ac - bcx} (e + fx)^2} + \frac{(2a^2f^2(2Ce - Bf) - b^2c)}{2f(b^2e^2 - a^2f^2)}$$

$$= \frac{f \left( A + \frac{e(Ce - Bf)}{f^2} \right) (a^2 - b^2x^2)}{2 (b^2e^2 - a^2f^2) \sqrt{a + bx} \sqrt{ac - bcx} (e + fx)^2} + \frac{(2a^2f^2(2Ce - Bf) - b^2c)}{2f(b^2e^2 - a^2f^2)}$$

$$= \frac{f \left( A + \frac{e(Ce - Bf)}{f^2} \right) (a^2 - b^2x^2)}{2 (b^2e^2 - a^2f^2) \sqrt{a + bx} \sqrt{ac - bcx} (e + fx)^2} + \frac{(2a^2f^2(2Ce - Bf) - b^2c)}{2f(b^2e^2 - a^2f^2)}$$

**Mathematica [A]** time = 1.31, size = 492, normalized size = 1.36

$$\frac{b^2\sqrt{a-bx} \left( f(Af - Be) + Ce^2 \right) \left( 2(e+fx)(a^2f^2 + 2b^2e^2) \tanh^{-1} \left( \frac{\sqrt{a-bx} \sqrt{be-af}}{\sqrt{a+bx} \sqrt{-af-be}} \right) + 3ef\sqrt{a-bx} \sqrt{a+bx} \sqrt{-af-be} \sqrt{be-af} \right)}{(e+fx)(-af-be)^{5/2}(be-af)^{5/2}} + \frac{2f(bx-a)\sqrt{a+bx}(Bf-2Ce)}{(e+fx)(a^2f^2-b^2e^2)}$$


---


$$2f^2\sqrt{c(a-bx)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*x + C*x^2)/(Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)^3), x]
```

```
[Out] ((f*(C*e^2 + f*(-(B*e) + A*f))*(-a + b*x)*Sqrt[a + b*x])/((-b*e) + a*f)*(b
*e + a*f)*(e + f*x)^2) + (2*f*(-2*C*e + B*f)*(-a + b*x)*Sqrt[a + b*x])/((-b
^2*e^2) + a^2*f^2)*(e + f*x)) + (4*C*Sqrt[a - b*x]*ArcTanh[(Sqrt[b*e - a*f
]*Sqrt[a - b*x])/(Sqrt[-(b*e) - a*f]*Sqrt[a + b*x])])/(Sqrt[-(b*e) - a*f]*S
qrt[b*e - a*f]) + (4*b^2*e*(2*C*e - B*f)*Sqrt[a - b*x]*ArcTanh[(Sqrt[b*e -
a*f]*Sqrt[a - b*x])/(Sqrt[-(b*e) - a*f]*Sqrt[a + b*x])])/((-(b*e) - a*f)^(3
/2)*(b*e - a*f)^(3/2)) + (b^2*(C*e^2 + f*(-(B*e) + A*f))*Sqrt[a - b*x]*(3*e
```

$$\frac{f\sqrt{-(b^2e - a^2f)}\sqrt{b^2e - a^2f}\sqrt{a - bx}\sqrt{a + bx} + 2(2b^2e^2 + a^2f^2)(e + fx)\operatorname{ArcTanh}\left(\frac{\sqrt{b^2e - a^2f}\sqrt{a - bx}}{\sqrt{-(b^2e - a^2f)\sqrt{a + bx}}}\right)}{((-b^2e - a^2f)^{5/2}(b^2e - a^2f)^{5/2}(e + fx))} / (2f^2\sqrt{c(a - bx)})$$

**fricas** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)/(f\*x+e)^3/(b\*x+a)^(1/2)/(-b\*c\*x+a\*c)^(1/2),x, algorithm="fricas")

[Out] Timed out

**giac** [B] time = 9.49, size = 1658, normalized size = 4.57

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)/(f\*x+e)^3/(b\*x+a)^(1/2)/(-b\*c\*x+a\*c)^(1/2),x, algorithm="giac")

[Out] 
$$\begin{aligned} & -(2C^2a^4\sqrt{-c}c^2f^2 + A^2b^2\sqrt{-c}c^2f^2 - 3B^2a^2b^2\sqrt{-c}c^2f^2e + C^2a^2b^2\sqrt{-c}c^2e^2 + 2A^2b^4\sqrt{-c}c^2e^2)\arctan \\ & \left(\frac{1/2(2b^2c^2e + (\sqrt{-b^2cx + ac})\sqrt{-c} - \sqrt{2ac^2 + (b^2cx - ac)c})^2f}{(\sqrt{a^2f^2 - b^2e^2})c^2}\right) / ((a^4f^4\operatorname{abs}(c) - 2a^2b^2f^2\operatorname{abs}(c)e^2 + b^4\operatorname{abs}(c)e^4)\sqrt{a^2f^2 - b^2e^2})c^2 + 2(16B^2a^6b\sqrt{-c}c^8f^5 - 32C^2a^6b\sqrt{-c}c^8f^4e - 24A^2a^4b^3\sqrt{-c}c^8f^4e + 4A^2a^4b^2(\sqrt{-b^2cx + ac})\sqrt{-c} - \sqrt{2ac^2 + (b^2cx - ac)c})^2\sqrt{-c}c^6f^5 + 8B^2a^4b^3\sqrt{-c}c^8f^3e^2 + 20B^2a^4b^2(\sqrt{-b^2cx + ac})\sqrt{-c} - \sqrt{2ac^2 + (b^2cx - ac)c})^2\sqrt{-c}c^6f^4e + 4B^2a^4b(\sqrt{-b^2cx + ac})\sqrt{-c} - \sqrt{2ac^2 + (b^2cx - ac)c})^4\sqrt{-c}c^4f^5 + 8C^2a^4b^3\sqrt{-c}c^8f^2e^3 - 44C^2a^4b^2(\sqrt{-b^2cx + ac})\sqrt{-c} - \sqrt{2ac^2 + (b^2cx - ac)c})^2\sqrt{-c}c^6f^3e^2 - 40A^2a^2b^4(\sqrt{-b^2cx + ac})\sqrt{-c} - \sqrt{2ac^2 + (b^2cx - ac)c})^2\sqrt{-c}c^6f^3e^2 - 8C^2a^4b(\sqrt{-b^2cx + ac})\sqrt{-c} - \sqrt{2ac^2 + (b^2cx - ac)c})^4\sqrt{-c}c^4f^4e - 6A^2a^2b^3(\sqrt{-b^2cx + ac})\sqrt{-c} - \sqrt{2ac^2 + (b^2cx - ac)c})^4\sqrt{-c}c^4f^4e - A^2a^2b^2(\sqrt{-b^2cx + ac})\sqrt{-c} - \sqrt{2ac^2 + (b^2cx - ac)c})^6\sqrt{-c}c^2f^5 + 16B^2a^2b^4(\sqrt{-b^2cx + ac})\sqrt{-c} - \sqrt{2ac^2 + (b^2cx - ac)c})^2\sqrt{-c}c^6f^2e^3 + 10B^2a^2b^3(\sqrt{-b^2cx + ac})\sqrt{-c} - \sqrt{2ac^2 + (b^2cx - ac)c})^4\sqrt{-c}c^4f^3e^2 + 3B^2a^2b^2(\sqrt{-b^2cx + ac})\sqrt{-c} - \sqrt{2ac^2 + (b^2cx - ac)c})^6\sqrt{-c}c^2f^4e + 8C^2a^2b^4(\sqrt{-b^2cx + ac})\sqrt{-c} - \sqrt{2ac^2 + (b^2cx - ac)c})^2\sqrt{-c}c^6f^4e - 14C^2a^2b^3(\sqrt{-b^2cx + ac})\sqrt{-c} - \sqrt{2ac^2 + (b^2cx - ac)c})^4\sqrt{-c}c^4f^2e^3 - 12A^2b^5(\sqrt{-b^2cx + ac})\sqrt{-c} - \sqrt{2ac^2 + (b^2cx - ac)c})^4\sqrt{-c}c^4f^2e^3 - 5C^2a^2b^2(\sqrt{-b^2cx + ac})\sqrt{-c} - \sqrt{2ac^2 + (b^2cx - ac)c})^6\sqrt{-c}c^2f^3e^2 - 2A^2b^4(\sqrt{-b^2cx + ac})\sqrt{-c} - \sqrt{2ac^2 + (b^2cx - ac)c})^6\sqrt{-c}c^2f^3e^2 + 4B^2b^5(\sqrt{-b^2cx + ac})\sqrt{-c} - \sqrt{2ac^2 + (b^2cx - ac)c})^4\sqrt{-c}c^4f^4e + 4C^2b^5(\sqrt{-b^2cx + ac})\sqrt{-c} - \sqrt{2ac^2 + (b^2cx - ac)c})^4\sqrt{-c}c^4e^5 + 2C^2b^4(\sqrt{-b^2cx + ac})\sqrt{-c} - \sqrt{2ac^2 + (b^2cx - ac)c})^6\sqrt{-c}c^2f^4e) / ((a^4f^6\operatorname{abs}(c) - 2a^2b^2f^4\operatorname{abs}(c)e^2 + b^4f^2\operatorname{abs}(c)e^4)(4a^2c^4f + 4b(\sqrt{-b^2cx + ac})\sqrt{-c} - \sqrt{2ac^2 + (b^2cx - ac)c})^2c^2e + (\sqrt{-b^2cx + ac})\sqrt{-c} - \sqrt{2ac^2 + (b^2cx - ac)c})^4f)^2) \end{aligned}$$

maple [B] time = 0.00, size = 1848, normalized size = 5.09

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((C*x^2+B*x+A)/(f*x+e)^3/(b*x+a)^{1/2}/(-b*c*x+a*c)^{1/2}, x)$

[Out] 
$$\begin{aligned} & -1/2*(A*a^2*b^2*c*f^4*x^2*\ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^{1/2}*(-(b^2*x^2-a^2)*c)^{1/2}*f)/(f*x+e))+2*A*b^4*c*e^2*f^2*x^2*\ln(2*(b^2 \\ & *c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^{1/2}*(-(b^2*x^2-a^2)*c)^{1/2}*f)/(f*x+e))-3*B*a^2*b^2*c*e*f^3*x^2*\ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2) \\ & *c/f^2)^{1/2}*(-(b^2*x^2-a^2)*c)^{1/2}*f)/(f*x+e))+2*C*a^4*c*f^4*x^2*\ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^{1/2}*(-(b^2*x^2-a^2)*c)^{1/2} \\ & *f)/(f*x+e))+C*a^2*b^2*c*e^2*f^2*x^2*\ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^{1/2}*(-(b^2*x^2-a^2)*c)^{1/2}*f)/(f*x+e))+2*A*a^2*b^2*c*e*f^3*x \\ & *\ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^{1/2}*(-(b^2*x^2-a^2)*c)^{1/2}*f)/(f*x+e))+4*A*b^4*c*e^3*f*x*\ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2* \\ & e^2)*c/f^2)^{1/2}*(-(b^2*x^2-a^2)*c)^{1/2}*f)/(f*x+e))-6*B*a^2*b^2*c*e^2*f^2*x*\ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^{1/2}*(-(b^2*x^2-a^2) \\ & *c)^{1/2}*f)/(f*x+e))+4*C*a^4*c*e*f^3*x*\ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^{1/2}*(-(b^2*x^2-a^2)*c)^{1/2}*f)/(f*x+e))+2*C*a^2*b^2*c*e^3 \\ & *f*x*\ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^{1/2}*(-(b^2*x^2-a^2)*c)^{1/2}*f)/(f*x+e))+A*a^2*b^2*c*e^2*f^2*\ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2* \\ & e^2)*c/f^2)^{1/2}*(-(b^2*x^2-a^2)*c)^{1/2}*f)/(f*x+e))+2*A*b^4*c*e^4*\ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^{1/2}*(-(b^2*x^2-a^2)*c)^{1/2} \\ & *f)/(f*x+e))-3*B*a^2*b^2*c*e^3*f*\ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^{1/2}*(-(b^2*x^2-a^2)*c)^{1/2}*f)/(f*x+e))+2*C*a^4*c*e^2*f^2*\ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2) \\ & *c/f^2)^{1/2}*(-(b^2*x^2-a^2)*c)^{1/2}*f)/(f*x+e))+C*a^2*b^2*c*e^4*\ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^{1/2}*(-(b^2*x^2-a^2)*c)^{1/2}*f)/(f*x+e))-3*((a^2*f^2-b^2*e^2)*c/f^2)^{1/2}*(-(b^2*x^2-a^2)*c)^{1/2} \\ & *A*b^2*e*f^3*x+2*((a^2*f^2-b^2*e^2)*c/f^2)^{1/2}*(-(b^2*x^2-a^2)*c)^{1/2}*B*a^2*f^4*x+((a^2*f^2-b^2*e^2)*c/f^2)^{1/2}*(-(b^2*x^2-a^2)*c)^{1/2}*B*b^2*e^2*f^2*x-4*((a^2*f^2-b^2*e^2)*c/f^2)^{1/2} \\ & *(- (b^2*x^2-a^2)*c)^{1/2}*C*a^2*e*f^3*x+((a^2*f^2-b^2*e^2)*c/f^2)^{1/2}*(-(b^2*x^2-a^2)*c)^{1/2}*C*b^2*e^3*f*x+((a^2*f^2-b^2*e^2)*c/f^2)^{1/2}*(-(b^2*x^2-a^2)*c)^{1/2} \\ & *A*a^2*f^4-4*((a^2*f^2-b^2*e^2)*c/f^2)^{1/2}*(-(b^2*x^2-a^2)*c)^{1/2}*A*b^2*e^2*f^2+((a^2*f^2-b^2*e^2)*c/f^2)^{1/2}*(-(b^2*x^2-a^2)*c)^{1/2}*B*a^2*e*f^3+2*((a^2*f^2-b^2*e^2)*c/f^2)^{1/2}*(-(b^2*x^2-a^2)*c)^{1/2} \\ & *B*b^2*e^3*f-3*((a^2*f^2-b^2*e^2)*c/f^2)^{1/2}*(-(b^2*x^2-a^2)*c)^{1/2}*C*a^2*e^2*f^2*(-(b*x-a)*c)^{1/2}*(b*x+a)^{1/2}/(-(b^2*x^2-a^2)*c)^{1/2}/(a*f-b*e)/(a*f+b*e)/(a^2*f^2-b^2*e^2)/(f*x+e)^2/((a^2*f^2-b^2*e^2)*c/f^2)^{1/2}/c/f \end{aligned}$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((C*x^2+B*x+A)/(f*x+e)^3/(b*x+a)^{1/2}/(-b*c*x+a*c)^{1/2}, x, \text{algor}$   
ithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(a\*f-b\*e>0)', see 'assume?' for more details) Is a\*f-b\*e positive, negative or zero?

mupad [B] time = 0.01, size = 9344, normalized size = 25.74

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A + B*x + C*x^2)/((e + f*x)^3*(a*c - b*c*x)^(1/2)*(a + b*x)^(1/2)),x)
[Out] (((a*c - b*c*x)^(1/2) - (a*c)^(1/2))*(4*C*a^4*c^3*f^2 + 2*C*a^2*b^2*c^3*e^2))/(((a + b*x)^(1/2) - a^(1/2))*(b^5*e^5 - 2*a^2*b^3*e^3*f^2 + a^4*b*e*f^4)) + (((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^3*(68*C*a^4*c^2*f^2 - 14*C*a^2*b^2*c^2*e^2))/(((a + b*x)^(1/2) - a^(1/2))^3*(b^5*e^5 - 2*a^2*b^3*e^3*f^2 + a^4*b*e*f^4)) - ((68*C*a^4*c*f^2 - 14*C*a^2*b^2*c*e^2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^5)/(((a + b*x)^(1/2) - a^(1/2))^5*(b^5*e^5 - 2*a^2*b^3*e^3*f^2 + a^4*b*e*f^4)) - ((4*C*a^4*f^2 + 2*C*a^2*b^2*e^2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^7)/(((a + b*x)^(1/2) - a^(1/2))^7*(b^5*e^5 - 2*a^2*b^3*e^3*f^2 + a^4*b*e*f^4)) - (a^(1/2)*(a*c)^(1/2)*(48*C*a^4*c*f^3 - 24*C*a^2*b^2*c*e^2*f)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^4)/(((a + b*x)^(1/2) - a^(1/2))^4*(b^6*e^6 - 2*a^2*b^4*e^4*f^2 + a^4*b^2*e^2*f^4)) + (a^(1/2)*(a*c)^(1/2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^6*(24*C*a^4*f^3 + 12*C*a^2*b^2*e^2*f))/(((a + b*x)^(1/2) - a^(1/2))^6*(b^6*e^6 - 2*a^2*b^4*e^4*f^2 + a^4*b^2*e^2*f^4)) + (a^(1/2)*(a*c)^(1/2)*(24*C*a^4*c^2*f^3 + 12*C*a^2*b^2*c^2*e^2*f)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^2)/(((a + b*x)^(1/2) - a^(1/2))^2*(b^6*e^6 - 2*a^2*b^4*e^4*f^2 + a^4*b^2*e^2*f^4)))/(((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^8)/(((a + b*x)^(1/2) - a^(1/2))^8 + c^4 + (((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^6*(16*a^2*c*f^2 + 4*b^2*c*e^2))/(b^2*e^2*((a + b*x)^(1/2) - a^(1/2))^6) + ((16*a^2*c^3*f^2 + 4*b^2*c^3*e^2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^2)/(b^2*e^2*((a + b*x)^(1/2) - a^(1/2))^2) - ((32*a^2*c^2*f^2 - 6*b^2*c^2*e^2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^4)/(b^2*e^2*((a + b*x)^(1/2) - a^(1/2))^4) - (8*a^(1/2)*f*(a*c)^(1/2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^7)/(b*e*((a + b*x)^(1/2) - a^(1/2))^7) + (8*a^(1/2)*c^3*f*(a*c)^(1/2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2)))/((a + b*x)^(1/2) - a^(1/2))^7) - (8*a^(1/2)*c*f*(a*c)^(1/2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^5)/(b*e*((a + b*x)^(1/2) - a^(1/2))^5) + (8*a^(1/2)*c^2*f*(a*c)^(1/2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^3)/(b*e*((a + b*x)^(1/2) - a^(1/2))^3) + (((4*A*a^4*f^4 - 10*A*a^2*b^2*e^2*f^2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^7)/(((a + b*x)^(1/2) - a^(1/2))^7*(b^5*e^7 + a^4*b*e^3*f^4 - 2*a^2*b^3*e^5*f^2)) - ((4*A*a^4*c^3*f^4 - 10*A*a^2*b^2*c^3*e^2*f^2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2)))/(((a + b*x)^(1/2) - a^(1/2))*(b^5*e^7 + a^4*b*e^3*f^4 - 2*a^2*b^3*e^5*f^2)) - ((4*A*a^4*c^2*f^4 - 58*A*a^2*b^2*c^2*e^2*f^2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^3)/(((a + b*x)^(1/2) - a^(1/2))^3*(b^5*e^7 + a^4*b*e^3*f^4 - 2*a^2*b^3*e^5*f^2)) + (((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^5*(4*A*a^4*c*f^4 - 58*A*a^2*b^2*c*e^2*f^2))/(((a + b*x)^(1/2) - a^(1/2))^5*(b^5*e^7 + a^4*b*e^3*f^4 - 2*a^2*b^3*e^5*f^2)) + (a^(1/2)*(a*c)^(1/2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^6*(16*A*b^4*e^4*f - 8*A*a^4*f^5 + 28*A*a^2*b^2*e^2*f^3))/(((a + b*x)^(1/2) - a^(1/2))^6*(b^6*e^8 - 2*a^2*b^4*e^6*f^2 + a^4*b^2*e^4*f^4)) + (a^(1/2)*(a*c)^(1/2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^4*(16*A*a^4*c*f^5 + 32*A*b^4*c*e^4*f - 72*A*a^2*b^2*c*e^2*f^3))/(((a + b*x)^(1/2) - a^(1/2))^4*(b^6*e^8 - 2*a^2*b^4*e^6*f^2 + a^4*b^2*e^4*f^4)) + (a^(1/2)*(a*c)^(1/2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^2*(16*A*b^4*c^2*e^4*f - 8*A*a^4*c^2*f^5 + 28*A*a^2*b^2*c^2*e^2*f^3))/(((a + b*x)^(1/2) - a^(1/2))^2*(b^6*e^8 - 2*a^2*b^4*e^6*f^2 + a^4*b^2*e^4*f^4)))/(((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^8)/(((a + b*x)^(1/2) - a^(1/2))^8 + c^4 + (((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^6*(16*a^2*c*f^2 + 4*b^2*c*e^2))/(b^2*e^2*((a + b*x)^(1/2) - a^(1/2))^6) + ((16*a^2*c^3*f^2 + 4*b^2*c^3*e^2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^2)/(b^2*e^2*((a + b*x)^(1/2) - a^(1/2))^2) - ((32*a^2*c^2*f^2 - 6*b^2*c^2*e^2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^4)/(b^2*e^2*((a + b*x)^(1/2) - a^(1/2))^4) - (8*a^(1/2)*f*(a*c)^(1/2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^7)/(b*e*((a + b*x)^(1/2) - a^(1/2))^7) + (8*a^(1/2)*c^3*f*(a*c)^(1/2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2)))/((a + b*x)^(1/2) - a^(1/2))^7) - (8*a^(1/2)*c*f*(a*c)^(1/2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^5)/(b*e*((a + b*x)^(1/2) - a^(1/2))^5) + (8*a^(1/2)*c^2*f*(a*c)^(1/2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^3)/(b*e*((a + b*x)^(1/2) - a^(1/2))^3) - (((32*B*a^4*c^2*f^3 + 22*B*a^2*b^2*c^2*e^2*f)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^3)/(((a + b*x)^(1/2) - a^(1/2))^3*(
```

$$\begin{aligned}
& b^5 e^6 + a^4 b e^2 f^4 - 2 a^2 b^3 e^4 f^2) - ((32 B a^4 c f^3 + 22 B a^2 \\
& * b^2 c e^2 f) * ((a c - b c x)^{(1/2)} - (a c)^{(1/2)})^5) / (((a + b x)^{(1/2)} - a^{(1/2)})^5 * (b^5 e^6 + a^4 b e^2 f^4 - 2 a^2 b^3 e^4 f^2)) + (a^{(1/2)} * (a c)^{(1/2)} * ((a c - b c x)^{(1/2)} - (a c)^{(1/2)})^2 * (8 B a^4 c^2 f^4 + 8 B b^4 c^2 e^4 \\
& + 20 B a^2 b^2 c^2 e^2 f^2)) / (((a + b x)^{(1/2)} - a^{(1/2)})^2 * (b^6 e^7 - 2 a^2 b^4 e^5 f^2 + a^4 b^2 e^3 f^4)) + (a^{(1/2)} * (a c)^{(1/2)} * ((a c - b c x)^{(1/2)} - (a c)^{(1/2)})^6 * (8 B a^4 f^4 + 8 B b^4 e^4 + 20 B a^2 b^2 e^2 f^2)) / \\
& (((a + b x)^{(1/2)} - a^{(1/2)})^6 * (b^6 e^7 - 2 a^2 b^4 e^5 f^2 + a^4 b^2 e^3 f^4)) - (a^{(1/2)} * (a c)^{(1/2)} * ((a c - b c x)^{(1/2)} - (a c)^{(1/2)})^4 * (16 B a^4 c f^4 - 16 B b^4 c e^4 + 24 B a^2 b^2 c e^2 f^2)) / (((a + b x)^{(1/2)} - a^{(1/2)})^4 * (b^6 e^7 - 2 a^2 b^4 e^5 f^2 + a^4 b^2 e^3 f^4)) - (6 B a^2 b f * ((a c - b c x)^{(1/2)} - (a c)^{(1/2)})^7) / (((a + b x)^{(1/2)} - a^{(1/2)})^7 * (a^4 f^4 + b^4 e^4 - 2 a^2 b^2 e^2 f^2)) + (6 B a^2 b c^3 f * ((a c - b c x)^{(1/2)} - (a c)^{(1/2)})) / (((a + b x)^{(1/2)} - a^{(1/2)}) * (a^4 f^4 + b^4 e^4 - 2 a^2 b^2 e^2 f^2)) / (((a c - b c x)^{(1/2)} - (a c)^{(1/2)})^8 / ((a + b x)^{(1/2)} - a^{(1/2)})^8 + c^4 + (((a c - b c x)^{(1/2)} - (a c)^{(1/2)})^6 * (16 a^2 c f^2 + 4 b^2 c e^2)) / (b^2 e^2 * ((a + b x)^{(1/2)} - a^{(1/2)})^6) + ((16 a^2 c^3 f^2 + 4 b^2 c^3 e^2) * ((a c - b c x)^{(1/2)} - (a c)^{(1/2)})^2) / (b^2 e^2 * ((a + b x)^{(1/2)} - a^{(1/2)})^2) - ((32 a^2 c^2 f^2 - 6 b^2 c^2 e^2) * ((a c - b c x)^{(1/2)} - (a c)^{(1/2)})^4) / (b^2 e^2 * ((a + b x)^{(1/2)} - a^{(1/2)})^4) - (8 a^{(1/2)} * f * (a c)^{(1/2)} * ((a c - b c x)^{(1/2)} - (a c)^{(1/2)})^7) / (b e * ((a + b x)^{(1/2)} - a^{(1/2)})^7) + (8 a^{(1/2)} * c^3 f * (a c)^{(1/2)} * ((a c - b c x)^{(1/2)} - (a c)^{(1/2)})) / (b e * ((a + b x)^{(1/2)} - a^{(1/2)})) - (8 a^{(1/2)} * c f * (a c)^{(1/2)} * ((a c - b c x)^{(1/2)} - (a c)^{(1/2)})^5) / (b e * ((a + b x)^{(1/2)} - a^{(1/2)})^5) + (8 a^{(1/2)} * c^2 f * (a c)^{(1/2)} * ((a c - b c x)^{(1/2)} - (a c)^{(1/2)})^3) / (b e * ((a + b x)^{(1/2)} - a^{(1/2)})^3) + (C a^2 * (2 a^2 f^2 + b^2 e^2) * (2 * atan((((a c - b c x)^{(1/2)} - (a c)^{(1/2)}) * (a^2 c f^2 - b^2 c e^2)) / ((a + b x)^{(1/2)} - a^{(1/2)}) - (a^2 c f^2 * ((a c - b c x)^{(1/2)} - (a c)^{(1/2))) / ((a + b x)^{(1/2)} - a^{(1/2)}) + 2 a^{(1/2)} * b c e f * (a c)^{(1/2)) / (2 b c e * (b^2 c e^2 - a^2 c f^2)^{(1/2)})) + 2 * atan((((((((4 * (4 C^2 a^8 f^4 + C^2 a^4 b^4 e^4 + 4 C^2 a^6 b^2 e^2 f^2)) / (b^10 e^10 - 4 a^2 b^8 e^8 f^2 + 6 a^4 b^6 e^6 f^4 - 4 a^6 b^4 e^4 f^6 + a^8 b^2 e^2 f^8) - (C^2 a^4 * (2 a^2 f^2 + b^2 e^2))^2 * (12 a^10 c f^10 - 4 b^10 c e^10 + 28 a^2 b^8 c e^8 f^2 - 72 a^4 b^6 c e^6 f^4 + 88 a^6 b^4 c e^4 f^6 - 52 a^8 b^2 c e^2 f^8)) / ((a f + b e)^4 * (a f - b e)^4 * (a^2 c f^2 - b^2 c e^2) * (b^10 e^10 - 4 a^2 b^8 e^8 f^2 + 6 a^4 b^6 e^6 f^4 - 4 a^6 b^4 e^4 f^6 + a^8 b^2 e^2 f^8))) / (4 b c^2 e * (b^2 c e^2 - a^2 c f^2)^{(1/2)} + (C a^{(3/2)} * (2 a^2 f^2 + b^2 e^2) * (8 C a^{(17/2)} * f^7 * (a c)^{(1/2)} - 12 C a^{(13/2)} * b^2 e^2 f^5 * (a c)^{(1/2)} + 4 C a^{(5/2)} * b^6 e^6 f * (a c)^{(1/2)))) / (2 b c^2 e f * (a c)^{(1/2)} * (a f + b e)^2 * (a f - b e)^2 * (b^2 c e^2 - a^2 c f^2)^{(1/2)} * (b^10 e^10 - 4 a^2 b^8 e^8 f^2 + 6 a^4 b^6 e^6 f^4 - 4 a^6 b^4 e^4 f^6 + a^8 b^2 e^2 f^8))) * ((a c - b c x)^{(1/2)} - (a c)^{(1/2)})^3) / ((a + b x)^{(1/2)} - a^{(1/2)})^3 + (((a c - b c x)^{(1/2)} - (a c)^{(1/2)}) * (((4 * (4 C^2 a^8 c f^4 + C^2 a^4 b^4 c e^4 + 4 C^2 a^6 b^2 c e^2 f^2)) / (b^10 e^10 - 4 a^2 b^8 e^8 f^2 + 6 a^4 b^6 e^6 f^4 - 4 a^6 b^4 e^4 f^6 + a^8 b^2 e^2 f^8) + (C^2 a^4 * (2 a^2 f^2 + b^2 e^2))^2 * (4 a^10 c^2 f^10 + 4 b^10 c^2 e^10 - 12 a^2 b^8 c^2 e^8 f^2 + 8 a^4 b^6 c^2 e^6 f^4 + 8 a^6 b^4 c^2 e^4 f^6 - 12 a^8 b^2 c^2 e^2 f^8)) / ((a f + b e)^4 * (a f - b e)^4 * (a^2 c f^2 - b^2 c e^2) * (b^10 e^10 - 4 a^2 b^8 e^8 f^2 + 6 a^4 b^6 e^6 f^4 - 4 a^6 b^4 e^4 f^6 + a^8 b^2 e^2 f^8))) / (4 b c^2 e * (b^2 c e^2 - a^2 c f^2)^{(1/2)} + (8 C^2 a^4 * (2 a^2 f^2 + b^2 e^2))^2) / (b e * (a f + b e)^4 * (a f - b e)^4 * (b^2 c e^2 - a^2 c f^2)^{(3/2)}) - (C a^{(3/2)} * (2 a^2 f^2 + b^2 e^2) * (8 C a^{(17/2)} * c f^7 * (a c)^{(1/2)} + 4 C a^{(5/2)} * b^6 c e^6 f * (a c)^{(1/2)} - 12 C a^{(13/2)} * b^2 c e^2 f^5 * (a c)^{(1/2)})) / (2 b c^2 e f * (a c)^{(1/2)} * (a f + b e)^2 * (a f - b e)^2 * (b^2 c e^2 - a^2 c f^2)^{(1/2)} * (b^10 e^10 - 4 a^2 b^8 e^8 f^2 + 6 a^4 b^6 e^6 f^4 - 4 a^6 b^4 e^4 f^6 + a^8 b^2 e^2 f^8))) / ((a + b x)^{(1/2)} - a^{(1/2)}) - (((((4 * (4 C^2 a^8 f^4 + C^2 a^4 b^4 e^4 + 4 C^2 a^6 b^2 e^2 f^2)) / (b^10 e^10 - 4 a^2 b^8 e^8 f^2 + 6 a^4 b^6 e^6 f^4 - 4 a^6 b^4 e^4 f^6 + a^8 b^2 e^2 f^8) - (C^2 a^4 * (2 a^2 f^2 + b^2 e^2))^2 * (12 a^10 c f^10 - 4 b^10 c e^10 + 28 a^2 b^8 c e^8 f^2 - 72 a^4 b^6 c e^6 f^4 + 88 a^6 b^4 c e^4 f^6 - 52 a^8 b^2 c e^2 f^8)) / ((a f + b e)^4 * (a f - b
\end{aligned}$$





$$\frac{4b^6c^2e^6f^4 + 8a^6b^4c^2e^4f^6 - 12a^8b^2c^2e^2f^8}{((af + be)^4(af - be)^4(a^2cf^2 - b^2ce^2)(b^{10}e^{10} - 4a^2b^8e^8f^2 + 6a^4b^6e^6f^4 - 4a^6b^4e^4f^6 + a^8b^2e^2f^8))} \frac{1}{(2a^{1/2}c^2f^2(a^2cf^2 - b^2ce^2)^{1/2})} \frac{1}{(b^8e^{10}(a^2cf^2 - b^2ce^2) + a^8e^2f^8(a^2cf^2 - b^2ce^2) - 4a^2b^6e^8f^2(a^2cf^2 - b^2ce^2) + 6a^4b^4e^6f^4(a^2cf^2 - b^2ce^2) - 4a^6b^2e^4f^6(a^2cf^2 - b^2ce^2))} \frac{1}{(16A^2b^6e^4 + 4A^2a^4b^2f^4 + 16A^2a^2b^4e^2f^2)} \frac{1}{(2(af + be)^2(af - be)^2(b^2ce^2 - a^2cf^2)^{1/2})} + \frac{3B a^2 b^2 e f (2 \operatorname{atan}((2b^3c^3e^3 + 2b^2c^2e^2(a^2cf^2 - b^2ce^2) + 2a^2b^3c^3e^3f^2 + (3a^{3/2}f^3(a^2cf^2 - b^2ce^2) - (a^2cf^2 - b^2ce^2)^3)/(a + b^2x)^{1/2} - a^{1/2})^3 + (2b^3c^2e^3((a^2cf^2 - b^2ce^2)^{1/2} - (a^2cf^2 - b^2ce^2)^2)/(a + b^2x)^{1/2} - a^{1/2})^2 - (3a^{1/2}f^3(a^2cf^2 - b^2ce^2)^{1/2} - (a^2cf^2 - b^2ce^2)^3)/(a + b^2x)^{1/2} - a^{1/2}))}{(a + b^2x)^{1/2} - a^{1/2}} + \frac{2b^2c^2e^2f^2(a^2cf^2 - b^2ce^2)^{1/2} - (a^2cf^2 - b^2ce^2)^2}{(a + b^2x)^{1/2} - a^{1/2}} + \frac{10a^2b^2c^2e^2f^2((a^2cf^2 - b^2ce^2)^{1/2} - (a^2cf^2 - b^2ce^2)^2)}{(a + b^2x)^{1/2} - a^{1/2}} + \frac{7a^{1/2}b^2c^2e^2f^2(a^2cf^2 - b^2ce^2)^{1/2} - (a^2cf^2 - b^2ce^2)^2}{(a + b^2x)^{1/2} - a^{1/2}} + \frac{4a^{1/2}b^2c^2e^2f^2(a^2cf^2 - b^2ce^2)^{1/2} - (a^2cf^2 - b^2ce^2)^2}{(a + b^2x)^{1/2} - a^{1/2}} - \frac{2 \operatorname{atan}(((a^2cf^2 - b^2ce^2)^{1/2} - (a^2cf^2 - b^2ce^2)^2)/(a + b^2x)^{1/2} - a^{1/2}) - (a^2cf^2 - b^2ce^2)^2}{(a + b^2x)^{1/2} - a^{1/2}} + \frac{2a^{1/2}b^2c^2e^2f^2(a^2cf^2 - b^2ce^2)^{1/2} - (a^2cf^2 - b^2ce^2)^2}{(2b^2c^2e^2f^2(a^2cf^2 - b^2ce^2)^{1/2})} \frac{1}{(2(af + be)^2(af - be)^2(b^2ce^2 - a^2cf^2)^{1/2})}$$

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x\*\*2+B\*x+A)/(f\*x+e)\*\*3/(b\*x+a)\*\*(1/2)/(-b\*c\*x+a\*c)\*\*(1/2),x)

[Out] Timed out

$$3.34 \quad \int \frac{x(a+bx+cx^2)}{\sqrt{-1+dx} \sqrt{1+dx}} dx$$

**Optimal.** Leaf size=87

$$\frac{\sqrt{dx-1} \sqrt{dx+1} (2(3ad^2+2c)+3bd^2x)}{6d^4} + \frac{b \cosh^{-1}(dx)}{2d^3} + \frac{cx^2 \sqrt{dx-1} \sqrt{dx+1}}{3d^2}$$

[Out] 1/2\*b\*arccosh(d\*x)/d^3+1/3\*c\*x^2\*(d\*x-1)^(1/2)\*(d\*x+1)^(1/2)/d^2+1/6\*(3\*b\*d^2\*x+6\*a\*d^2+4\*c)\*(d\*x-1)^(1/2)\*(d\*x+1)^(1/2)/d^4

**Rubi [A]** time = 0.15, antiderivative size = 151, normalized size of antiderivative = 1.74, number of steps used = 5, number of rules used = 5, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {1610, 1809, 780, 217, 206}

$$-\frac{(1-d^2x^2)(2(3ad^2+2c)+3bd^2x)}{6d^4\sqrt{dx-1}\sqrt{dx+1}} + \frac{b\sqrt{d^2x^2-1} \tanh^{-1}\left(\frac{dx}{\sqrt{d^2x^2-1}}\right)}{2d^3\sqrt{dx-1}\sqrt{dx+1}} - \frac{cx^2(1-d^2x^2)}{3d^2\sqrt{dx-1}\sqrt{dx+1}}$$

Antiderivative was successfully verified.

[In] Int[(x\*(a + b\*x + c\*x^2))/(Sqrt[-1 + d\*x]\*Sqrt[1 + d\*x]),x]

[Out] -(c\*x^2\*(1 - d^2\*x^2))/(3\*d^2\*Sqrt[-1 + d\*x]\*Sqrt[1 + d\*x]) - ((2\*(2\*c + 3\*a\*d^2) + 3\*b\*d^2\*x)\*(1 - d^2\*x^2))/(6\*d^4\*Sqrt[-1 + d\*x]\*Sqrt[1 + d\*x]) + (b\*Sqrt[-1 + d^2\*x^2]\*ArcTanh[(d\*x)/Sqrt[-1 + d^2\*x^2]])/(2\*d^3\*Sqrt[-1 + d\*x]\*Sqrt[1 + d\*x])

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

#### Rule 780

Int[((d\_.) + (e\_.)\*(x\_))\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(((e\*f + d\*g)\*(2\*p + 3) + 2\*e\*g\*(p + 1)\*x)\*(a + c\*x^2)^(p + 1))/(2\*c\*(p + 1)\*(2\*p + 3)), x] - Dist[(a\*e\*g - c\*d\*f\*(2\*p + 3))/(c\*(2\*p + 3)), Int[(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !LeQ[p, -1]

#### Rule 1610

Int[(Px\_)\*((a\_.) + (b\_.)\*(x\_)^(m\_))\*((c\_.) + (d\_.)\*(x\_)^(n\_))\*((e\_.) + (f\_.)\*(x\_)^(p\_.)), x\_Symbol] := Dist[((a + b\*x)^FracPart[m]\*(c + d\*x)^FracPart[m])/(a\*c + b\*d\*x^2)^FracPart[m], Int[Px\*(a\*c + b\*d\*x^2)^m\*(e + f\*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b\*c + a\*d, 0] && EqQ[m, n] && !IntegerQ[m]

#### Rule 1809

Int[(Pq\_)\*((c\_.)\*(x\_)^(m\_.))\*((a\_) + (b\_.)\*(x\_)^2)^(p\_), x\_Symbol] := With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f\*(c\*x)^(m + q - 1)\*(a + b\*x^2)^(p + 1))/(b\*c^(q - 1)\*(m + q + 2\*p + 1)), x] + Dist[1/(b\*(m + q + 2\*p + 1)), Int[(c\*x)^m\*(a + b\*x^2)^p\*ExpandToSum[b\*(m + q + 2\*p + 1)\*

Pq - b\*f\*(m + q + 2\*p + 1)\*x^q - a\*f\*(m + q - 1)\*x^(q - 2), x], x], x] /; G  
 tQ[q, 1] && NeQ[m + q + 2\*p + 1, 0]] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[  
 Pq, x] && (!IGtQ[m, 0] || IGtQ[p + 1/2, -1])

Rubi steps

$$\begin{aligned} \int \frac{x(a+bx+cx^2)}{\sqrt{-1+dx}\sqrt{1+dx}} dx &= \frac{\sqrt{-1+d^2x^2} \int \frac{x(a+bx+cx^2)}{\sqrt{-1+d^2x^2}} dx}{\sqrt{-1+dx}\sqrt{1+dx}} \\ &= -\frac{cx^2(1-d^2x^2)}{3d^2\sqrt{-1+dx}\sqrt{1+dx}} + \frac{\sqrt{-1+d^2x^2} \int \frac{x(2c+3ad^2+3bd^2x)}{\sqrt{-1+d^2x^2}} dx}{3d^2\sqrt{-1+dx}\sqrt{1+dx}} \\ &= -\frac{cx^2(1-d^2x^2)}{3d^2\sqrt{-1+dx}\sqrt{1+dx}} - \frac{(2(2c+3ad^2)+3bd^2x)(1-d^2x^2)}{6d^4\sqrt{-1+dx}\sqrt{1+dx}} + \frac{(b\sqrt{-1+d^2x^2})}{2d^2\sqrt{-1+dx}\sqrt{1+dx}} \\ &= -\frac{cx^2(1-d^2x^2)}{3d^2\sqrt{-1+dx}\sqrt{1+dx}} - \frac{(2(2c+3ad^2)+3bd^2x)(1-d^2x^2)}{6d^4\sqrt{-1+dx}\sqrt{1+dx}} + \frac{(b\sqrt{-1+d^2x^2})}{2d^2\sqrt{-1+dx}\sqrt{1+dx}} \\ &= -\frac{cx^2(1-d^2x^2)}{3d^2\sqrt{-1+dx}\sqrt{1+dx}} - \frac{(2(2c+3ad^2)+3bd^2x)(1-d^2x^2)}{6d^4\sqrt{-1+dx}\sqrt{1+dx}} + \frac{b\sqrt{-1+d^2x^2} \arctan\left(\frac{\sqrt{-1+d^2x^2}}{\sqrt{-1+dx}\sqrt{1+dx}}\right)}{2d^3\sqrt{-1+dx}\sqrt{1+dx}} \end{aligned}$$

**Mathematica [A]** time = 0.36, size = 149, normalized size = 1.71

$$\frac{\sqrt{-(dx-1)^2}\sqrt{dx+1}(3d^2(2a+bx)+2c(d^2x^2+2))+6\sqrt{dx-1}\sin^{-1}\left(\frac{\sqrt{1-dx}}{\sqrt{2}}\right)(d(2ad-b)+2c)-12\sqrt{1-dx}}{6d^4\sqrt{1-dx}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x\*(a + b\*x + c\*x^2))/(Sqrt[-1 + d\*x]\*Sqrt[1 + d\*x]),x]

[Out] (Sqrt[-(-1 + d\*x)^2]\*Sqrt[1 + d\*x]\*(3\*d^2\*(2\*a + b\*x) + 2\*c\*(2 + d^2\*x^2)) + 6\*(2\*c + d\*(-b + 2\*a\*d))\*Sqrt[-1 + d\*x]\*ArcSin[Sqrt[1 - d\*x]/Sqrt[2]] - 12\*(c + d\*(-b + a\*d))\*Sqrt[1 - d\*x]\*ArcTanh[Sqrt[(-1 + d\*x)/(1 + d\*x)]])/(6\*d^4\*Sqrt[1 - d\*x])

**fricas [A]** time = 1.45, size = 73, normalized size = 0.84

$$\frac{3bd \log(-dx + \sqrt{dx+1}\sqrt{dx-1}) - (2cd^2x^2 + 3bd^2x + 6ad^2 + 4c)\sqrt{dx+1}\sqrt{dx-1}}{6d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(c\*x^2+b\*x+a)/(d\*x-1)^(1/2)/(d\*x+1)^(1/2),x, algorithm="fricas")

[Out] -1/6\*(3\*b\*d\*log(-d\*x + sqrt(d\*x + 1)\*sqrt(d\*x - 1)) - (2\*c\*d^2\*x^2 + 3\*b\*d^2\*x + 6\*a\*d^2 + 4\*c)\*sqrt(d\*x + 1)\*sqrt(d\*x - 1))/d^4

**giac [A]** time = 1.46, size = 105, normalized size = 1.21

$$\frac{\sqrt{dx+1}\sqrt{dx-1}\left((dx+1)\left(\frac{2(dx+1)c}{d^3} + \frac{3bd^{10}-4cd^9}{d^{12}}\right) + \frac{3(2ad^{11}-bd^{10}+2cd^9)}{d^{12}}\right) - \frac{6b \log(\sqrt{dx+1}-\sqrt{dx-1})}{d^2}}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(c\*x^2+b\*x+a)/(d\*x-1)^(1/2)/(d\*x+1)^(1/2),x, algorithm="giac")

[Out] 1/6\*(sqrt(d\*x + 1)\*sqrt(d\*x - 1)\*((d\*x + 1)\*(2\*(d\*x + 1)\*c/d^3 + (3\*b\*d^10 - 4\*c\*d^9)/d^12) + 3\*(2\*a\*d^11 - b\*d^10 + 2\*c\*d^9)/d^12) - 6\*b\*log(sqrt(d\*x + 1) - sqrt(d\*x - 1))/d^2)/d

**maple** [C] time = 0.00, size = 137, normalized size = 1.57

$$\frac{\sqrt{dx-1} \sqrt{dx+1} \left( 2\sqrt{d^2x^2-1} c d^2x^2 \operatorname{csgn}(d) + 3\sqrt{d^2x^2-1} b d^2x \operatorname{csgn}(d) + 6\sqrt{d^2x^2-1} a d^2 \operatorname{csgn}(d) + 3bd \ln \left( \frac{\sqrt{dx-1} \sqrt{dx+1}}{6\sqrt{d^2x^2-1} d^4} \right) \right)}{6\sqrt{d^2x^2-1} d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(c\*x^2+b\*x+a)/(d\*x-1)^(1/2)/(d\*x+1)^(1/2),x)

[Out] 1/6\*(d\*x-1)^(1/2)\*(d\*x+1)^(1/2)\*(2\*(d^2\*x^2-1)^(1/2)\*c\*d^2\*x^2\*csgn(d)+3\*(d^2\*x^2-1)^(1/2)\*b\*d^2\*x\*csgn(d)+6\*(d^2\*x^2-1)^(1/2)\*a\*d^2\*csgn(d)+3\*b\*d\*ln((d\*x+(d^2\*x^2-1)^(1/2)\*csgn(d))\*csgn(d))+4\*(d^2\*x^2-1)^(1/2)\*c\*csgn(d))/(d^2\*x^2-1)^(1/2)/d^4\*csgn(d)

**maxima** [A] time = 1.02, size = 100, normalized size = 1.15

$$\frac{\sqrt{d^2x^2-1} cx^2}{3d^2} + \frac{\sqrt{d^2x^2-1} bx}{2d^2} + \frac{\sqrt{d^2x^2-1} a}{d^2} + \frac{b \log \left( 2d^2x + 2\sqrt{d^2x^2-1}d \right)}{2d^3} + \frac{2\sqrt{d^2x^2-1} c}{3d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(c\*x^2+b\*x+a)/(d\*x-1)^(1/2)/(d\*x+1)^(1/2),x, algorithm="maxima")

[Out] 1/3\*sqrt(d^2\*x^2 - 1)\*c\*x^2/d^2 + 1/2\*sqrt(d^2\*x^2 - 1)\*b\*x/d^2 + sqrt(d^2\*x^2 - 1)\*a/d^2 + 1/2\*b\*log(2\*d^2\*x + 2\*sqrt(d^2\*x^2 - 1)\*d)/d^3 + 2/3\*sqrt(d^2\*x^2 - 1)\*c/d^4

**mupad** [B] time = 14.76, size = 318, normalized size = 3.66

$$\frac{\sqrt{dx-1} \left( \frac{2c}{3d^4} + \frac{cx^3}{3d} + \frac{cx^2}{3d^2} + \frac{2cx}{3d^3} \right)}{\sqrt{dx+1}} + \frac{2b \operatorname{atanh} \left( \frac{\sqrt{dx-1}-i}{\sqrt{dx+1}-1} \right)}{d^3} - \frac{\frac{14b(\sqrt{dx-1}-i)^3}{(\sqrt{dx+1}-1)^3} + \frac{14b(\sqrt{dx-1}-i)^5}{(\sqrt{dx+1}-1)^5} + \frac{2b(\sqrt{dx-1}-i)^7}{(\sqrt{dx+1}-1)^7} + \frac{2b(\sqrt{dx-1}-i)^9}{(\sqrt{dx+1}-1)^9}}{d^3} - \frac{4d^3(\sqrt{dx-1}-i)^2}{(\sqrt{dx+1}-1)^2} + \frac{6d^3(\sqrt{dx-1}-i)^4}{(\sqrt{dx+1}-1)^4} - \frac{4d^3(\sqrt{dx-1}-i)^6}{(\sqrt{dx+1}-1)^6} + \frac{2d^3(\sqrt{dx-1}-i)^8}{(\sqrt{dx+1}-1)^8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x\*(a + b\*x + c\*x^2))/((d\*x - 1)^(1/2)\*(d\*x + 1)^(1/2)),x)

[Out] (2\*b\*atanh(((d\*x - 1)^(1/2) - 1i)/((d\*x + 1)^(1/2) - 1)))/d^3 - ((14\*b\*((d\*x - 1)^(1/2) - 1i)^3)/((d\*x + 1)^(1/2) - 1)^3 + (14\*b\*((d\*x - 1)^(1/2) - 1i)^5)/((d\*x + 1)^(1/2) - 1)^5 + (2\*b\*((d\*x - 1)^(1/2) - 1i)^7)/((d\*x + 1)^(1/2) - 1)^7 + (2\*b\*((d\*x - 1)^(1/2) - 1i))/((d\*x + 1)^(1/2) - 1))/d^3 - (4\*d^3\*((d\*x - 1)^(1/2) - 1i)^2)/((d\*x + 1)^(1/2) - 1)^2 + (6\*d^3\*((d\*x - 1)^(1/2) - 1i)^4)/((d\*x + 1)^(1/2) - 1)^4 - (4\*d^3\*((d\*x - 1)^(1/2) - 1i)^6)/((d\*x + 1)^(1/2) - 1)^6 + (d^3\*((d\*x - 1)^(1/2) - 1i)^8)/((d\*x + 1)^(1/2) - 1)^8 + ((d\*x - 1)^(1/2)\*((2\*c)/(3\*d^4) + (c\*x^3)/(3\*d) + (c\*x^2)/(3\*d^2) + (2\*c\*x)/(3\*d^3)))/((d\*x + 1)^(1/2) + (a\*(d\*x - 1)^(1/2)\*(d\*x + 1)^(1/2))/d^2)

**sympy** [C] time = 80.46, size = 308, normalized size = 3.54

$$\frac{aG_{6,6}^{6,2} \left( \begin{matrix} -\frac{1}{4}, \frac{1}{4} \\ -\frac{1}{2}, -\frac{1}{4}, 0, \frac{1}{4}, \frac{1}{2}, 0 \end{matrix} \middle| \begin{matrix} 0, 0, \frac{1}{2}, 1 \\ \frac{1}{d^2x^2} \end{matrix} \right)}{4\pi^{\frac{3}{2}}d^2} + \frac{iaG_{6,6}^{2,6} \left( \begin{matrix} -1, -\frac{3}{4}, -\frac{1}{2}, -\frac{1}{4}, 0, 1 \\ -\frac{3}{4}, -\frac{1}{4} \end{matrix} \middle| \begin{matrix} -1, -\frac{1}{2}, -\frac{1}{2}, 0 \\ \frac{e^{2i\pi}}{d^2x^2} \end{matrix} \right)}{4\pi^{\frac{3}{2}}d^2} + \frac{bG_{6,6}^{6,2} \left( \begin{matrix} -\frac{3}{4}, -\frac{1}{4} \\ -1, -\frac{3}{4}, -\frac{1}{2}, -\frac{1}{4} \end{matrix} \right)}{4\pi^{\frac{3}{2}}d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(c\*x\*\*2+b\*x+a)/(d\*x-1)\*\*(1/2)/(d\*x+1)\*\*(1/2),x)

[Out] a\*meijerg((( -1/4, 1/4), (0, 0, 1/2, 1)), (( -1/2, -1/4, 0, 1/4, 1/2, 0), ()), 1/(d\*\*2\*x\*\*2))/(4\*pi\*\*(3/2)\*d\*\*2) + I\*a\*meijerg((( -1, -3/4, -1/2, -1/4, 0, 1), ()), (( -3/4, -1/4), (-1, -1/2, -1/2, 0)), exp\_polar(2\*I\*pi)/(d\*\*2\*x\*\*2))/(4\*pi\*\*(3/2)\*d\*\*2) + b\*meijerg((( -3/4, -1/4), (-1/2, -1/2, 0, 1)), (( -1, -3/4, -1/2, -1/4, 0, 0), ()), 1/(d\*\*2\*x\*\*2))/(4\*pi\*\*(3/2)\*d\*\*3) - I\*b\*meijerg((( -3/2, -5/4, -1, -3/4, -1/2, 1), ()), (( -5/4, -3/4), (-3/2, -1, -1, 0)), exp\_polar(2\*I\*pi)/(d\*\*2\*x\*\*2))/(4\*pi\*\*(3/2)\*d\*\*3) + c\*meijerg((( -5/4, -3/4), (-1, -1, -1/2, 1)), (( -3/2, -5/4, -1, -3/4, -1/2, 0), ()), 1/(d\*\*2\*x\*\*2))/(4\*pi\*\*(3/2)\*d\*\*4) + I\*c\*meijerg((( -2, -7/4, -3/2, -5/4, -1, 1), ()), (( -7/4, -5/4), (-2, -3/2, -3/2, 0)), exp\_polar(2\*I\*pi)/(d\*\*2\*x\*\*2))/(4\*pi\*\*(3/2)\*d\*\*4)

$$3.35 \quad \int \frac{a+bx+cx^2}{\sqrt{-1+dx} \sqrt{1+dx}} dx$$

Optimal. Leaf size=52

$$\frac{(2ad^2 + c) \cosh^{-1}(dx)}{2d^3} + \frac{\sqrt{dx-1} \sqrt{dx+1} (2b + cx)}{2d^2}$$

[Out] 1/2\*(2\*a\*d^2+c)\*arccosh(d\*x)/d^3+1/2\*(c\*x+2\*b)\*(d\*x-1)^(1/2)\*(d\*x+1)^(1/2)/d^2

**Rubi [B]** time = 0.07, antiderivative size = 135, normalized size of antiderivative = 2.60, number of steps used = 5, number of rules used = 5, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$ , Rules used = {901, 1815, 641, 217, 206}

$$\frac{\sqrt{d^2x^2-1} (2ad^2 + c) \tanh^{-1}\left(\frac{dx}{\sqrt{d^2x^2-1}}\right)}{2d^3\sqrt{dx-1}\sqrt{dx+1}} - \frac{b(1-d^2x^2)}{d^2\sqrt{dx-1}\sqrt{dx+1}} - \frac{cx(1-d^2x^2)}{2d^2\sqrt{dx-1}\sqrt{dx+1}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*x + c\*x^2)/(Sqrt[-1 + d\*x]\*Sqrt[1 + d\*x]), x]

[Out] -((b\*(1 - d^2\*x^2))/(d^2\*Sqrt[-1 + d\*x]\*Sqrt[1 + d\*x])) - (c\*x\*(1 - d^2\*x^2))/(2\*d^2\*Sqrt[-1 + d\*x]\*Sqrt[1 + d\*x]) + ((c + 2\*a\*d^2)\*Sqrt[-1 + d^2\*x^2]\*ArcTanh[(d\*x)/Sqrt[-1 + d^2\*x^2]])/(2\*d^3\*Sqrt[-1 + d\*x]\*Sqrt[1 + d\*x])

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

#### Rule 641

Int[((d\_) + (e\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[(e\*(a + c\*x^2)^(p + 1))/(2\*c\*(p + 1)), x] + Dist[d, Int[(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]

#### Rule 901

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((f\_) + (g\_.)\*(x\_))^(n\_)\*((a\_) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Dist[((d + e\*x)^FracPart[m]\*(f + g\*x)^FracPart[m])/(d\*f + e\*g\*x^2)^FracPart[m], Int[(d\*f + e\*g\*x^2)^m\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && EqQ[m - n, 0] && EqQ[e\*f + d\*g, 0]

#### Rule 1815

Int[(Pq)\*((a\_) + (b\_.)\*(x\_)^2)^(p\_), x\_Symbol] := With[{q = Expon[Pq, x], e = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(e\*x^(q - 1)\*(a + b\*x^2)^(p + 1))/(b\*(q + 2\*p + 1)), x] + Dist[1/(b\*(q + 2\*p + 1)), Int[(a + b\*x^2)^p\*ExpandToSum[b\*(q + 2\*p + 1)\*Pq - a\*e\*(q - 1)\*x^(q - 2) - b\*e\*(q + 2\*p + 1)\*x^q, x], x], x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && !LeQ[p, -1]

Rubi steps

$$\begin{aligned}
\int \frac{a + bx + cx^2}{\sqrt{-1 + dx} \sqrt{1 + dx}} dx &= \frac{\sqrt{-1 + d^2x^2} \int \frac{a+bx+cx^2}{\sqrt{-1+d^2x^2}} dx}{\sqrt{-1 + dx} \sqrt{1 + dx}} \\
&= -\frac{cx(1 - d^2x^2)}{2d^2\sqrt{-1 + dx} \sqrt{1 + dx}} + \frac{\sqrt{-1 + d^2x^2} \int \frac{c+2ad^2+2bd^2x}{\sqrt{-1+d^2x^2}} dx}{2d^2\sqrt{-1 + dx} \sqrt{1 + dx}} \\
&= -\frac{b(1 - d^2x^2)}{d^2\sqrt{-1 + dx} \sqrt{1 + dx}} - \frac{cx(1 - d^2x^2)}{2d^2\sqrt{-1 + dx} \sqrt{1 + dx}} + \frac{\left((c + 2ad^2) \sqrt{-1 + d^2x^2}\right) \int \frac{1}{\sqrt{-1 + d^2x^2}} dx}{2d^2\sqrt{-1 + dx} \sqrt{1 + dx}} \\
&= -\frac{b(1 - d^2x^2)}{d^2\sqrt{-1 + dx} \sqrt{1 + dx}} - \frac{cx(1 - d^2x^2)}{2d^2\sqrt{-1 + dx} \sqrt{1 + dx}} + \frac{\left((c + 2ad^2) \sqrt{-1 + d^2x^2}\right) \operatorname{Subst}\left(\int \frac{1}{\sqrt{-1 + d^2x^2}} dx, x, \frac{\sqrt{-1 + dx}}{d}\right)}{2d^2\sqrt{-1 + dx} \sqrt{1 + dx}} \\
&= -\frac{b(1 - d^2x^2)}{d^2\sqrt{-1 + dx} \sqrt{1 + dx}} - \frac{cx(1 - d^2x^2)}{2d^2\sqrt{-1 + dx} \sqrt{1 + dx}} + \frac{(c + 2ad^2) \sqrt{-1 + d^2x^2} \tanh^{-1}\left(\frac{\sqrt{-1 + d^2x^2}}{\sqrt{-1 + dx}}\right)}{2d^3\sqrt{-1 + dx} \sqrt{1 + dx}}
\end{aligned}$$

**Mathematica [B]** time = 0.22, size = 126, normalized size = 2.42

$$\frac{4\sqrt{1 - dx} \tanh^{-1}\left(\sqrt{\frac{dx-1}{dx+1}}\right) (d(ad - b) + c) + d\sqrt{-(dx - 1)^2} \sqrt{dx + 1} (2b + cx) + 2\sqrt{dx - 1} (2bd - c) \sin^{-1}\left(\frac{\sqrt{1 - dx}}{\sqrt{2}}\right)}{2d^3\sqrt{1 - dx}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*x + c\*x^2)/(Sqrt[-1 + d\*x]\*Sqrt[1 + d\*x]),x]

[Out] (d\*(2\*b + c\*x)\*Sqrt[-(-1 + d\*x)^2]\*Sqrt[1 + d\*x] + 2\*(-c + 2\*b\*d)\*Sqrt[-1 + d\*x]\*ArcSin[Sqrt[1 - d\*x]/Sqrt[2]] + 4\*(c + d\*(-b + a\*d))\*Sqrt[1 - d\*x]\*ArcTanh[Sqrt[(-1 + d\*x)/(1 + d\*x)]])/(2\*d^3\*Sqrt[1 - d\*x])

**fricas [A]** time = 1.28, size = 61, normalized size = 1.17

$$\frac{(cdx + 2bd)\sqrt{dx + 1} \sqrt{dx - 1} - (2ad^2 + c) \log(-dx + \sqrt{dx + 1} \sqrt{dx - 1})}{2d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)/(d\*x-1)^(1/2)/(d\*x+1)^(1/2),x, algorithm="fricas")

[Out] 1/2\*((c\*d\*x + 2\*b\*d)\*sqrt(d\*x + 1)\*sqrt(d\*x - 1) - (2\*a\*d^2 + c)\*log(-d\*x + sqrt(d\*x + 1)\*sqrt(d\*x - 1)))/d^3

**giac [A]** time = 1.39, size = 80, normalized size = 1.54

$$\frac{\sqrt{dx + 1} \sqrt{dx - 1} \left(\frac{(dx+1)c}{d^2} + \frac{2bd^5 - cd^4}{d^6}\right) - \frac{2(2ad^2+c) \log(\sqrt{dx+1} - \sqrt{dx-1})}{d^2}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)/(d\*x-1)^(1/2)/(d\*x+1)^(1/2),x, algorithm="giac")

[Out] 1/2\*(sqrt(d\*x + 1)\*sqrt(d\*x - 1)\*((d\*x + 1)\*c/d^2 + (2\*b\*d^5 - c\*d^4)/d^6) - 2\*(2\*a\*d^2 + c)\*log(sqrt(d\*x + 1) - sqrt(d\*x - 1))/d^2)/d

**maple [C]** time = 0.00, size = 120, normalized size = 2.31

$$\frac{\sqrt{dx-1} \sqrt{dx+1} \left( 2a d^2 \ln \left( \left( dx + \sqrt{d^2 x^2 - 1} \operatorname{csgn}(d) \right) \operatorname{csgn}(d) \right) + \sqrt{d^2 x^2 - 1} c dx \operatorname{csgn}(d) + 2\sqrt{d^2 x^2 - 1} b d \operatorname{csgn}(d) \right)}{2\sqrt{d^2 x^2 - 1} d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*x^2+b\*x+a)/(d\*x-1)^(1/2)/(d\*x+1)^(1/2), x)

[Out] 1/2\*(d\*x-1)^(1/2)\*(d\*x+1)^(1/2)\*(2\*a\*d^2\*ln((d\*x+(d^2\*x^2-1)^(1/2)\*csgn(d))\*csgn(d))+(d^2\*x^2-1)^(1/2)\*c\*d\*x\*csgn(d)+2\*(d^2\*x^2-1)^(1/2)\*b\*d\*csgn(d)+c\*ln((d\*x+(d^2\*x^2-1)^(1/2)\*csgn(d))\*csgn(d)))/(d^2\*x^2-1)^(1/2)/d^3\*csgn(d)

**maxima [B]** time = 1.11, size = 90, normalized size = 1.73

$$\frac{a \log \left( 2 d^2 x + 2 \sqrt{d^2 x^2 - 1} d \right)}{d} + \frac{\sqrt{d^2 x^2 - 1} c x}{2 d^2} + \frac{\sqrt{d^2 x^2 - 1} b}{d^2} + \frac{c \log \left( 2 d^2 x + 2 \sqrt{d^2 x^2 - 1} d \right)}{2 d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)/(d\*x-1)^(1/2)/(d\*x+1)^(1/2), x, algorithm="maxima")

[Out] a\*log(2\*d^2\*x + 2\*sqrt(d^2\*x^2 - 1)\*d)/d + 1/2\*sqrt(d^2\*x^2 - 1)\*c\*x/d^2 + sqrt(d^2\*x^2 - 1)\*b/d^2 + 1/2\*c\*log(2\*d^2\*x + 2\*sqrt(d^2\*x^2 - 1)\*d)/d^3

**mupad [B]** time = 14.59, size = 312, normalized size = 6.00

$$\frac{b \sqrt{dx-1} \sqrt{dx+1}}{d^2} + \frac{2c \operatorname{atanh} \left( \frac{\sqrt{dx-1}-i}{\sqrt{dx+1}-1} \right)}{d^3} - \frac{4a \operatorname{atan} \left( \frac{d(\sqrt{dx-1}-i)}{(\sqrt{dx+1}-1)\sqrt{-d^2}} \right)}{\sqrt{-d^2}} - \frac{\frac{14c(\sqrt{dx-1}-i)^3}{(\sqrt{dx+1}-1)^3} + \frac{14c(\sqrt{dx-1}-i)^5}{(\sqrt{dx+1}-1)^5} + \frac{2c(\sqrt{dx-1}-i)^7}{(\sqrt{dx+1}-1)^7}}{d^3} - \frac{\frac{4d^3(\sqrt{dx-1}-i)^2}{(\sqrt{dx+1}-1)^2} + \frac{6d^3(\sqrt{dx-1}-i)^4}{(\sqrt{dx+1}-1)^4} + \frac{4d^3(\sqrt{dx-1}-i)^6}{(\sqrt{dx+1}-1)^6}}{d^3} - \frac{4d^3(\sqrt{dx-1}-i)^8}{(\sqrt{dx+1}-1)^8} - \frac{4a \operatorname{atan} \left( \frac{d(\sqrt{dx-1}-i)}{(\sqrt{dx+1}-1)\sqrt{-d^2}} \right)}{(-d^2)^{(1/2)} + (b*(d*x-1)^{(1/2)*(d*x+1)^{(1/2)})/d^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*x + c\*x^2)/((d\*x - 1)^(1/2)\*(d\*x + 1)^(1/2)), x)

[Out] (2\*c\*atanh(((d\*x - 1)^(1/2) - 1i)/((d\*x + 1)^(1/2) - 1)))/d^3 - ((14\*c\*((d\*x - 1)^(1/2) - 1i)^3)/((d\*x + 1)^(1/2) - 1)^3 + (14\*c\*((d\*x - 1)^(1/2) - 1i)^5)/((d\*x + 1)^(1/2) - 1)^5 + (2\*c\*((d\*x - 1)^(1/2) - 1i)^7)/((d\*x + 1)^(1/2) - 1)^7 + (2\*c\*((d\*x - 1)^(1/2) - 1i))/((d\*x + 1)^(1/2) - 1))/d^3 - (4\*d^3\*((d\*x - 1)^(1/2) - 1i)^2)/((d\*x + 1)^(1/2) - 1)^2 + (6\*d^3\*((d\*x - 1)^(1/2) - 1i)^4)/((d\*x + 1)^(1/2) - 1)^4 - (4\*d^3\*((d\*x - 1)^(1/2) - 1i)^6)/((d\*x + 1)^(1/2) - 1)^6 + (d^3\*((d\*x - 1)^(1/2) - 1i)^8)/((d\*x + 1)^(1/2) - 1)^8 - (4\*a\*atan(d\*((d\*x - 1)^(1/2) - 1i)/((d\*x + 1)^(1/2) - 1)\*(-d^2)^(1/2)))/((-d^2)^(1/2) + (b\*(d\*x - 1)^(1/2)\*(d\*x + 1)^(1/2))/d^2

**sympy [C]** time = 48.76, size = 277, normalized size = 5.33

$$\frac{a G_{6,6}^{6,2} \left( \begin{matrix} \frac{1}{4}, \frac{3}{4} \\ 0, \frac{1}{4}, \frac{1}{2}, \frac{3}{4}, 1, 0 \end{matrix} \middle| \frac{1}{d^2 x^2} \right) + ia G_{6,6}^{2,6} \left( \begin{matrix} -\frac{1}{2}, -\frac{1}{4}, 0, \frac{1}{4}, \frac{1}{2}, 1 \\ -\frac{1}{4}, \frac{1}{4} \end{matrix} \middle| \frac{e^{2i\pi}}{d^2 x^2} \right) + b G_{6,6}^{6,2} \left( \begin{matrix} -\frac{1}{4}, \frac{1}{4} \\ -\frac{1}{2}, -\frac{1}{4}, 0, \frac{1}{4}, \frac{1}{2}, 0 \end{matrix} \right)}{4\pi^{\frac{3}{2}} d} + \frac{4\pi^{\frac{3}{2}} d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x\*\*2+b\*x+a)/(d\*x-1)\*\*(1/2)/(d\*x+1)\*\*(1/2), x)

[Out] a\*meijerg(((1/4, 3/4), (1/2, 1/2, 1, 1)), ((0, 1/4, 1/2, 3/4, 1, 0), ()), 1/(d\*\*2\*x\*\*2))/(4\*pi\*\*(3/2)\*d) - I\*a\*meijerg(((1/2, -1/4, 0, 1/4, 1/2, 1),



```

()), ((-1/4, 1/4), (-1/2, 0, 0, 0)), exp_polar(2*I*pi)/(d**2*x**2))/(4*pi**
(3/2)*d) + b*meijerg((( -1/4, 1/4), (0, 0, 1/2, 1)), ((-1/2, -1/4, 0, 1/4, 1
/2, 0), ()), 1/(d**2*x**2))/(4*pi**(3/2)*d**2) + I*b*meijerg((( -1, -3/4, -1
/2, -1/4, 0, 1), ()), ((-3/4, -1/4), (-1, -1/2, -1/2, 0)), exp_polar(2*I*pi
)/(d**2*x**2))/(4*pi**(3/2)*d**2) + c*meijerg((( -3/4, -1/4), (-1/2, -1/2, 0
, 1)), ((-1, -3/4, -1/2, -1/4, 0, 0), ()), 1/(d**2*x**2))/(4*pi**(3/2)*d**3
) - I*c*meijerg((( -3/2, -5/4, -1, -3/4, -1/2, 1), ()), ((-5/4, -3/4), (-3/2
, -1, -1, 0)), exp_polar(2*I*pi)/(d**2*x**2))/(4*pi**(3/2)*d**3)

```

$$3.36 \quad \int \frac{a+bx+cx^2}{x\sqrt{-1+dx}\sqrt{1+dx}} dx$$

Optimal. Leaf size=55

$$a \tan^{-1}\left(\sqrt{dx-1}\sqrt{dx+1}\right) + \frac{b \cosh^{-1}(dx)}{d} + \frac{c\sqrt{dx-1}\sqrt{dx+1}}{d^2}$$

[Out] b\*arccosh(d\*x)/d+a\*arctan((d\*x-1)^(1/2)\*(d\*x+1)^(1/2))+c\*(d\*x-1)^(1/2)\*(d\*x+1)^(1/2)/d^2

**Rubi [B]** time = 0.18, antiderivative size = 135, normalized size of antiderivative = 2.45, number of steps used = 8, number of rules used = 8, integrand size = 32,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$ , Rules used = {1610, 1809, 844, 217, 206, 266, 63, 205}

$$\frac{a\sqrt{d^2x^2-1} \tan^{-1}\left(\sqrt{d^2x^2-1}\right)}{\sqrt{dx-1}\sqrt{dx+1}} + \frac{b\sqrt{d^2x^2-1} \tanh^{-1}\left(\frac{dx}{\sqrt{d^2x^2-1}}\right)}{d\sqrt{dx-1}\sqrt{dx+1}} - \frac{c(1-d^2x^2)}{d^2\sqrt{dx-1}\sqrt{dx+1}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*x + c\*x^2)/(x\*Sqrt[-1 + d\*x]\*Sqrt[1 + d\*x]),x]

[Out] -((c\*(1 - d^2\*x^2))/(d^2\*Sqrt[-1 + d\*x]\*Sqrt[1 + d\*x])) + (a\*Sqrt[-1 + d^2\*x^2]\*ArcTan[Sqrt[-1 + d^2\*x^2]]/(Sqrt[-1 + d\*x]\*Sqrt[1 + d\*x]) + (b\*Sqrt[-1 + d^2\*x^2]\*ArcTanh[(d\*x)/Sqrt[-1 + d^2\*x^2]]/(d\*Sqrt[-1 + d\*x]\*Sqrt[1 + d\*x]))

#### Rule 63

Int[((a\_.) + (b\_.)\*(x\_)^(m\_))\*((c\_.) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] :> Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

#### Rule 266

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

#### Rule 844

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

### Rule 1610

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.
)*(x_))^(p_.), x_Symbol] := Dist[((a + b*x)^FracPart[m]*(c + d*x)^FracPart[
m])/(a*c + b*d*x^2)^FracPart[m], Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x],
x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*
d, 0] && EqQ[m, n] && !IntegerQ[m]
```

### Rule 1809

```
Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[
{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(c*x)^(m + q -
1)*(a + b*x^2)^(p + 1))/(b*c^(q - 1)*(m + q + 2*p + 1)), x] + Dist[1/(b*(m
+ q + 2*p + 1)), Int[(c*x)^m*(a + b*x^2)^p*ExpandToSum[b*(m + q + 2*p + 1)*
Pq - b*f*(m + q + 2*p + 1)*x^q - a*f*(m + q - 1)*x^(q - 2), x], x] /; G
tQ[q, 1] && NeQ[m + q + 2*p + 1, 0] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[
Pq, x] && (!IGtQ[m, 0] || IGtQ[p + 1/2, -1])
```

### Rubi steps

$$\begin{aligned} \int \frac{a + bx + cx^2}{x\sqrt{-1 + dx}\sqrt{1 + dx}} dx &= \frac{\sqrt{-1 + d^2x^2} \int \frac{a+bx+cx^2}{x\sqrt{-1+d^2x^2}} dx}{\sqrt{-1 + dx}\sqrt{1 + dx}} \\ &= -\frac{c(1 - d^2x^2)}{d^2\sqrt{-1 + dx}\sqrt{1 + dx}} + \frac{\sqrt{-1 + d^2x^2} \int \frac{ad^2+bd^2x}{x\sqrt{-1+d^2x^2}} dx}{d^2\sqrt{-1 + dx}\sqrt{1 + dx}} \\ &= -\frac{c(1 - d^2x^2)}{d^2\sqrt{-1 + dx}\sqrt{1 + dx}} + \frac{(a\sqrt{-1 + d^2x^2}) \int \frac{1}{x\sqrt{-1+d^2x^2}} dx}{\sqrt{-1 + dx}\sqrt{1 + dx}} + \frac{(b\sqrt{-1 + d^2x^2}) \int \frac{1}{\sqrt{-1 + dx}\sqrt{1 + dx}} dx}{\sqrt{-1 + dx}\sqrt{1 + dx}} \\ &= -\frac{c(1 - d^2x^2)}{d^2\sqrt{-1 + dx}\sqrt{1 + dx}} + \frac{(a\sqrt{-1 + d^2x^2}) \text{Subst}\left(\int \frac{1}{x\sqrt{-1+d^2x^2}} dx, x, x^2\right)}{2\sqrt{-1 + dx}\sqrt{1 + dx}} + \frac{(b\sqrt{-1 + d^2x^2}) \text{Subst}\left(\int \frac{1}{\sqrt{-1+dx}\sqrt{1+dx}} dx, x, x^2\right)}{d\sqrt{-1 + dx}\sqrt{1 + dx}} \\ &= -\frac{c(1 - d^2x^2)}{d^2\sqrt{-1 + dx}\sqrt{1 + dx}} + \frac{b\sqrt{-1 + d^2x^2} \tanh^{-1}\left(\frac{dx}{\sqrt{-1+d^2x^2}}\right)}{d\sqrt{-1 + dx}\sqrt{1 + dx}} + \frac{(a\sqrt{-1 + d^2x^2}) \text{Subst}\left(\int \frac{1}{\sqrt{-1+dx}\sqrt{1+dx}} dx, x, x^2\right)}{d\sqrt{-1 + dx}\sqrt{1 + dx}} \\ &= -\frac{c(1 - d^2x^2)}{d^2\sqrt{-1 + dx}\sqrt{1 + dx}} + \frac{a\sqrt{-1 + d^2x^2} \tan^{-1}\left(\sqrt{-1 + d^2x^2}\right)}{\sqrt{-1 + dx}\sqrt{1 + dx}} + \frac{b\sqrt{-1 + d^2x^2} \tanh^{-1}\left(\frac{dx}{\sqrt{-1+d^2x^2}}\right)}{d\sqrt{-1 + dx}\sqrt{1 + dx}} \end{aligned}$$

**Mathematica [B]** time = 0.42, size = 128, normalized size = 2.33

$$\frac{ad^2\sqrt{d^2x^2-1} \tan^{-1}\left(\sqrt{d^2x^2-1}\right)+cd^2x^2-2c\sqrt{1-d^2x^2} \sin^{-1}\left(\frac{\sqrt{1-dx}}{\sqrt{2}}\right)-c}{\sqrt{dx-1}\sqrt{dx+1}} - 2(c-bd) \tanh^{-1}\left(\sqrt{\frac{dx-1}{dx+1}}\right)}{d^2}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(a + b*x + c*x^2)/(x*Sqrt[-1 + d*x]*Sqrt[1 + d*x]), x]
```

[Out]  $((-c + c*d^2*x^2 - 2*c*\text{Sqrt}[1 - d^2*x^2]*\text{ArcSin}[\text{Sqrt}[1 - d*x]/\text{Sqrt}[2]] + a*d^2*\text{Sqrt}[-1 + d^2*x^2]*\text{ArcTan}[\text{Sqrt}[-1 + d^2*x^2]])/(\text{Sqrt}[-1 + d*x]*\text{Sqrt}[1 + d*x]) - 2*(c - b*d)*\text{ArcTanh}[\text{Sqrt}[(-1 + d*x)/(1 + d*x)])]/d^2$

**fricas** [A] time = 1.67, size = 73, normalized size = 1.33

$$\frac{2ad^2 \arctan(-dx + \sqrt{dx+1}\sqrt{dx-1}) - bd \log(-dx + \sqrt{dx+1}\sqrt{dx-1}) + \sqrt{dx+1}\sqrt{dx-1}c}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)/x/(d\*x-1)^(1/2)/(d\*x+1)^(1/2),x, algorithm="fricas")

[Out]  $(2*a*d^2*\arctan(-d*x + \text{sqrt}(d*x + 1)*\text{sqrt}(d*x - 1)) - b*d*\log(-d*x + \text{sqrt}(d*x + 1)*\text{sqrt}(d*x - 1)) + \text{sqrt}(d*x + 1)*\text{sqrt}(d*x - 1)*c)/d^2$

**giac** [A] time = 1.37, size = 71, normalized size = 1.29

$$-2a \arctan\left(\frac{1}{2}\left(\sqrt{dx+1} - \sqrt{dx-1}\right)^2\right) - \frac{b \log\left(\left(\sqrt{dx+1} - \sqrt{dx-1}\right)^2\right)}{d} + \frac{\sqrt{dx+1}\sqrt{dx-1}c}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)/x/(d\*x-1)^(1/2)/(d\*x+1)^(1/2),x, algorithm="giac")

[Out]  $-2*a*\arctan(1/2*(\text{sqrt}(d*x + 1) - \text{sqrt}(d*x - 1))^2) - b*\log((\text{sqrt}(d*x + 1) - \text{sqrt}(d*x - 1))^2)/d + \text{sqrt}(d*x + 1)*\text{sqrt}(d*x - 1)*c/d^2$

**maple** [C] time = 0.00, size = 95, normalized size = 1.73

$$\frac{\left(-a d^2 \arctan\left(\frac{1}{\sqrt{d^2 x^2 - 1}}\right) \text{csgn}(d) + b d \ln\left(\left(dx + \sqrt{(dx+1)(dx-1)} \text{csgn}(d)\right) \text{csgn}(d)\right) + \sqrt{d^2 x^2 - 1} c \text{csgn}(d)\right) \sqrt{d^2 x^2 - 1}}{\sqrt{d^2 x^2 - 1} d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*x^2+b\*x+a)/x/(d\*x-1)^(1/2)/(d\*x+1)^(1/2),x)

[Out]  $(-a*d^2*\arctan(1/(d^2*x^2-1)^(1/2))*\text{csgn}(d)+b*d*\ln((d*x+((d*x+1)*(d*x-1))^(1/2))*\text{csgn}(d))*\text{csgn}(d)+(d^2*x^2-1)^(1/2)*c*\text{csgn}(d))/(d*x-1)^(1/2)*(d*x+1)^(1/2)/(d^2*x^2-1)^(1/2)/d^2*\text{csgn}(d)$

**maxima** [A] time = 2.34, size = 56, normalized size = 1.02

$$-a \arcsin\left(\frac{1}{d|x|}\right) + \frac{b \log\left(2d^2x + 2\sqrt{d^2x^2 - 1}d\right)}{d} + \frac{\sqrt{d^2x^2 - 1}c}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)/x/(d\*x-1)^(1/2)/(d\*x+1)^(1/2),x, algorithm="maxima")

[Out]  $-a*\arcsin(1/(d*\text{abs}(x))) + b*\log(2*d^2*x + 2*\text{sqrt}(d^2*x^2 - 1)*d)/d + \text{sqrt}(d^2*x^2 - 1)*c/d^2$

**mupad** [B] time = 5.39, size = 118, normalized size = 2.15

$$\frac{c\sqrt{dx-1}\sqrt{dx+1}}{d^2} - \frac{4b \operatorname{atan}\left(\frac{d(\sqrt{dx-1}-i)}{(\sqrt{dx+1}-1)\sqrt{-d^2}}\right)}{\sqrt{-d^2}} - a \left( \ln\left(\frac{(\sqrt{dx-1}-i)^2}{(\sqrt{dx+1}-1)^2} + 1\right) - \ln\left(\frac{\sqrt{dx-1}-i}{\sqrt{dx+1}-1}\right) \right) 1i$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x + c*x^2)/(x*(d*x - 1)^(1/2)*(d*x + 1)^(1/2)),x)`

[Out]  $(c*(d*x - 1)^{(1/2)}*(d*x + 1)^{(1/2)})/d^2 - (4*b*atan((d*((d*x - 1)^{(1/2)} - 1i))/(((d*x + 1)^{(1/2)} - 1)*(-d^2)^{(1/2)})))/(-d^2)^{(1/2)} - a*(log(((d*x - 1)^{(1/2)} - 1i)^2/((d*x + 1)^{(1/2)} - 1)^2 + 1) - log(((d*x - 1)^{(1/2)} - 1i)/((d*x + 1)^{(1/2)} - 1)))*1i$

**sympy [C]** time = 47.37, size = 240, normalized size = 4.36

$$\frac{aG_{6,6}^{5,3} \left( \begin{matrix} \frac{3}{4}, \frac{5}{4}, 1 & 1, 1, \frac{3}{2} \\ \frac{1}{2}, \frac{3}{4}, 1, \frac{5}{4}, \frac{3}{2} & 0 \end{matrix} \middle| \frac{1}{d^2 x^2} \right) + iaG_{6,6}^{2,6} \left( \begin{matrix} 0, \frac{1}{4}, \frac{1}{2}, \frac{3}{4}, 1, 1 \\ \frac{1}{4}, \frac{3}{4} & 0, \frac{1}{2}, \frac{1}{2}, 0 \end{matrix} \middle| \frac{e^{2i\pi}}{d^2 x^2} \right) + bG_{6,6}^{6,2} \left( \begin{matrix} \frac{1}{4}, \frac{3}{4} & \frac{1}{2}, \frac{1}{2}, 1, 1 \\ 0, \frac{1}{4}, \frac{1}{2}, \frac{3}{4}, 1, 0 \end{matrix} \middle| \frac{1}{d^2 x^2} \right)}{4\pi^{\frac{3}{2}} + 4\pi^{\frac{3}{2}} + 4\pi^{\frac{3}{2}} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x**2+b*x+a)/x/(d*x-1)**(1/2)/(d*x+1)**(1/2),x)`

[Out]  $-a*meijerg(((3/4, 5/4, 1), (1, 1, 3/2)), ((1/2, 3/4, 1, 5/4, 3/2), (0,)), 1/(d**2*x**2))/(4*pi**(3/2)) + I*a*meijerg(((0, 1/4, 1/2, 3/4, 1, 1), ()), ((1/4, 3/4), (0, 1/2, 1/2, 0)), exp_polar(2*I*pi)/(d**2*x**2))/(4*pi**(3/2)) + b*meijerg(((1/4, 3/4), (1/2, 1/2, 1, 1)), ((0, 1/4, 1/2, 3/4, 1, 0), ()), 1/(d**2*x**2))/(4*pi**(3/2)*d) - I*b*meijerg((-1/2, -1/4, 0, 1/4, 1/2, 1), ()), ((-1/4, 1/4), (-1/2, 0, 0, 0)), exp_polar(2*I*pi)/(d**2*x**2))/(4*pi**(3/2)*d) + c*meijerg((-1/4, 1/4), (0, 0, 1/2, 1)), ((-1/2, -1/4, 0, 1/4, 1/2, 0), ()), 1/(d**2*x**2))/(4*pi**(3/2)*d**2) + I*c*meijerg((-1, -3/4, -1/2, -1/4, 0, 1), ()), ((-3/4, -1/4), (-1, -1/2, -1/2, 0)), exp_polar(2*I*pi)/(d**2*x**2))/(4*pi**(3/2)*d**2)$

$$3.37 \quad \int \frac{a+bx+cx^2}{x^2 \sqrt{-1+dx} \sqrt{1+dx}} dx$$

Optimal. Leaf size=55

$$\frac{a\sqrt{dx-1}\sqrt{dx+1}}{x} + b \tan^{-1}\left(\sqrt{dx-1}\sqrt{dx+1}\right) + \frac{c \cosh^{-1}(dx)}{d}$$

[Out] c\*arccosh(d\*x)/d+b\*arctan((d\*x-1)^(1/2)\*(d\*x+1)^(1/2))+a\*(d\*x-1)^(1/2)\*(d\*x+1)^(1/2)/x

**Rubi [B]** time = 0.18, antiderivative size = 135, normalized size of antiderivative = 2.45, number of steps used = 8, number of rules used = 8, integrand size = 32,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$ , Rules used = {1610, 1807, 844, 217, 206, 266, 63, 205}

$$-\frac{a(1-d^2x^2)}{x\sqrt{dx-1}\sqrt{dx+1}} + \frac{b\sqrt{d^2x^2-1} \tan^{-1}\left(\sqrt{d^2x^2-1}\right)}{\sqrt{dx-1}\sqrt{dx+1}} + \frac{c\sqrt{d^2x^2-1} \tanh^{-1}\left(\frac{dx}{\sqrt{d^2x^2-1}}\right)}{d\sqrt{dx-1}\sqrt{dx+1}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*x + c\*x^2)/(x^2\*Sqrt[-1 + d\*x]\*Sqrt[1 + d\*x]),x]

[Out] -((a\*(1 - d^2\*x^2))/(x\*Sqrt[-1 + d\*x]\*Sqrt[1 + d\*x])) + (b\*Sqrt[-1 + d^2\*x^2]\*ArcTan[Sqrt[-1 + d^2\*x^2]]/(Sqrt[-1 + d\*x]\*Sqrt[1 + d\*x])) + (c\*Sqrt[-1 + d^2\*x^2]\*ArcTanh[(d\*x)/Sqrt[-1 + d^2\*x^2]]/(d\*Sqrt[-1 + d\*x]\*Sqrt[1 + d\*x]))

#### Rule 63

Int[((a\_) + (b\_)\*(x\_)^(m\_))\*((c\_) + (d\_)\*(x\_)^(n\_)), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

#### Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 217

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] :> Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

#### Rule 266

Int[(x\_)^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

#### Rule 844

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Dist[g/e, Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^p, x] + Dist[(e\*f - d\*g)/e, Int[(d + e\*x)^m\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c\*d^2 + a\*e^2, 0] && !IGtQ[m, 0]

### Rule 1610

Int[(Px\_)\*((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] := Dist[((a + b\*x)^FracPart[m]\*(c + d\*x)^FracPart[m])/(a\*c + b\*d\*x^2)^FracPart[m], Int[Px\*(a\*c + b\*d\*x^2)^m\*(e + f\*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b\*c + a\*d, 0] && EqQ[m, n] && !IntegerQ[m]

### Rule 1807

Int[(Pq\_)\*((c\_.)\*(x\_))^(m\_)\*((a\_.) + (b\_.)\*(x\_)^2)^(p\_), x\_Symbol] := With[{Q = PolynomialQuotient[Pq, c\*x, x], R = PolynomialRemainder[Pq, c\*x, x]}, Simp[(R\*(c\*x)^(m + 1)\*(a + b\*x^2)^(p + 1))/(a\*c\*(m + 1)), x] + Dist[1/(a\*c\*(m + 1)), Int[(c\*x)^(m + 1)\*(a + b\*x^2)^p\*ExpandToSum[a\*c\*(m + 1)\*Q - b\*R\*(m + 2\*p + 3)\*x, x], x], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && LtQ[m, -1] && (IntegerQ[2\*p] || NeQ[Expon[Pq, x], 1])

### Rubi steps

$$\begin{aligned} \int \frac{a + bx + cx^2}{x^2\sqrt{-1 + dx}\sqrt{1 + dx}} dx &= \frac{\sqrt{-1 + d^2x^2} \int \frac{a+bx+cx^2}{x^2\sqrt{-1+d^2x^2}} dx}{\sqrt{-1 + dx}\sqrt{1 + dx}} \\ &= -\frac{a(1 - d^2x^2)}{x\sqrt{-1 + dx}\sqrt{1 + dx}} + \frac{\sqrt{-1 + d^2x^2} \int \frac{b+cx}{x\sqrt{-1+d^2x^2}} dx}{\sqrt{-1 + dx}\sqrt{1 + dx}} \\ &= -\frac{a(1 - d^2x^2)}{x\sqrt{-1 + dx}\sqrt{1 + dx}} + \frac{(b\sqrt{-1 + d^2x^2}) \int \frac{1}{x\sqrt{-1+d^2x^2}} dx}{\sqrt{-1 + dx}\sqrt{1 + dx}} + \frac{(c\sqrt{-1 + d^2x^2}) \int \frac{1}{\sqrt{-1 + dx}\sqrt{1 + dx}} dx}{\sqrt{-1 + dx}\sqrt{1 + dx}} \\ &= -\frac{a(1 - d^2x^2)}{x\sqrt{-1 + dx}\sqrt{1 + dx}} + \frac{(b\sqrt{-1 + d^2x^2}) \text{Subst}\left(\int \frac{1}{x\sqrt{-1+d^2x}} dx, x, x^2\right)}{2\sqrt{-1 + dx}\sqrt{1 + dx}} + \frac{(c\sqrt{-1 + d^2x^2}) \text{Subst}\left(\int \frac{1}{\sqrt{-1+d^2x}} dx, x, x^2\right)}{2\sqrt{-1 + dx}\sqrt{1 + dx}} \\ &= -\frac{a(1 - d^2x^2)}{x\sqrt{-1 + dx}\sqrt{1 + dx}} + \frac{c\sqrt{-1 + d^2x^2} \tanh^{-1}\left(\frac{dx}{\sqrt{-1+d^2x^2}}\right)}{d\sqrt{-1 + dx}\sqrt{1 + dx}} + \frac{(b\sqrt{-1 + d^2x^2}) \text{Subst}\left(\int \frac{1}{\sqrt{-1+d^2x}} dx, x, x^2\right)}{d\sqrt{-1 + dx}\sqrt{1 + dx}} \\ &= -\frac{a(1 - d^2x^2)}{x\sqrt{-1 + dx}\sqrt{1 + dx}} + \frac{b\sqrt{-1 + d^2x^2} \tan^{-1}\left(\sqrt{-1 + d^2x^2}\right)}{\sqrt{-1 + dx}\sqrt{1 + dx}} + \frac{c\sqrt{-1 + d^2x^2} \tanh^{-1}\left(\sqrt{\frac{dx-1}{dx+1}}\right)}{d\sqrt{-1 + dx}\sqrt{1 + dx}} \end{aligned}$$

**Mathematica [A]** time = 0.18, size = 89, normalized size = 1.62

$$\frac{a(d^2x^2 - 1) + bx\sqrt{d^2x^2 - 1} \tan^{-1}\left(\sqrt{d^2x^2 - 1}\right)}{x\sqrt{dx - 1}\sqrt{dx + 1}} + \frac{2c \tanh^{-1}\left(\sqrt{\frac{dx-1}{dx+1}}\right)}{d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*x + c\*x^2)/(x^2\*Sqrt[-1 + d\*x]\*Sqrt[1 + d\*x]), x]

[Out] (a\*(-1 + d^2\*x^2) + b\*x\*Sqrt[-1 + d^2\*x^2]\*ArcTan[Sqrt[-1 + d^2\*x^2]])/(x\*Sqrt[-1 + d\*x]\*Sqrt[1 + d\*x]) + (2\*c\*ArcTanh[Sqrt[(-1 + d\*x)/(1 + d\*x)]])/d

**fricas** [A] time = 1.12, size = 82, normalized size = 1.49

$$\frac{ad^2x + 2bdx \arctan\left(-dx + \sqrt{dx+1}\sqrt{dx-1}\right) + \sqrt{dx+1}\sqrt{dx-1}ad - cx \log\left(-dx + \sqrt{dx+1}\sqrt{dx-1}\right)}{dx}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)/x^2/(d\*x-1)^(1/2)/(d\*x+1)^(1/2),x, algorithm="fricas")

[Out] (a\*d^2\*x + 2\*b\*d\*x\*arctan(-d\*x + sqrt(d\*x + 1)\*sqrt(d\*x - 1)) + sqrt(d\*x + 1)\*sqrt(d\*x - 1)\*a\*d - c\*x\*log(-d\*x + sqrt(d\*x + 1)\*sqrt(d\*x - 1)))/(d\*x)

**giac** [A] time = 1.52, size = 83, normalized size = 1.51

$$\frac{2bd \arctan\left(\frac{1}{2}\left(\sqrt{dx+1} - \sqrt{dx-1}\right)^2\right) - \frac{8ad^2}{\left(\sqrt{dx+1} - \sqrt{dx-1}\right)^4 + 4} + c \log\left(\left(\sqrt{dx+1} - \sqrt{dx-1}\right)^2\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)/x^2/(d\*x-1)^(1/2)/(d\*x+1)^(1/2),x, algorithm="giac")

[Out] -(2\*b\*d\*arctan(1/2\*(sqrt(d\*x + 1) - sqrt(d\*x - 1))^2) - 8\*a\*d^2/((sqrt(d\*x + 1) - sqrt(d\*x - 1))^4 + 4) + c\*log((sqrt(d\*x + 1) - sqrt(d\*x - 1))^2))/d

**maple** [C] time = 0.00, size = 96, normalized size = 1.75

$$\frac{\left(-bdx \arctan\left(\frac{1}{\sqrt{d^2x^2-1}}\right) \operatorname{csgn}(d) + \sqrt{d^2x^2-1} ad \operatorname{csgn}(d) + cx \ln\left(\left(dx + \sqrt{d^2x^2-1} \operatorname{csgn}(d)\right) \operatorname{csgn}(d)\right)\right) \sqrt{dx-1}}{\sqrt{d^2x^2-1} dx}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*x^2+b\*x+a)/x^2/(d\*x-1)^(1/2)/(d\*x+1)^(1/2),x)

[Out] (-b\*d\*x\*arctan(1/(d^2\*x^2-1)^(1/2))\*csgn(d)+(d^2\*x^2-1)^(1/2)\*a\*d\*csgn(d)+c\*x\*ln((d\*x+(d^2\*x^2-1)^(1/2)\*csgn(d))\*csgn(d)))\*(d\*x-1)^(1/2)\*(d\*x+1)^(1/2)/(d^2\*x^2-1)^(1/2)/d/x\*csgn(d)

**maxima** [A] time = 2.35, size = 56, normalized size = 1.02

$$-b \arcsin\left(\frac{1}{d|x|}\right) + \frac{c \log\left(2d^2x + 2\sqrt{d^2x^2-1}d\right)}{d} + \frac{\sqrt{d^2x^2-1}a}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)/x^2/(d\*x-1)^(1/2)/(d\*x+1)^(1/2),x, algorithm="maxima")

[Out] -b\*arcsin(1/(d\*abs(x))) + c\*log(2\*d^2\*x + 2\*sqrt(d^2\*x^2 - 1)\*d)/d + sqrt(d^2\*x^2 - 1)\*a/x

**mupad** [B] time = 5.15, size = 118, normalized size = 2.15

$$\frac{a \sqrt{dx-1} \sqrt{dx+1}}{x} - \frac{4c \operatorname{atan}\left(\frac{d(\sqrt{dx-1}-i)}{(\sqrt{dx+1}-1)\sqrt{-d^2}}\right)}{\sqrt{-d^2}} - b \left( \ln\left(\frac{(\sqrt{dx-1}-i)^2}{(\sqrt{dx+1}-1)^2} + 1\right) - \ln\left(\frac{\sqrt{dx-1}-i}{\sqrt{dx+1}-1}\right) \right) 1i$$

Verification of antiderivative is not currently implemented for this CAS.



[In] `int((a + b*x + c*x^2)/(x^2*(d*x - 1)^(1/2)*(d*x + 1)^(1/2)),x)`

[Out] `(a*(d*x - 1)^(1/2)*(d*x + 1)^(1/2))/x - (4*c*atan((d*((d*x - 1)^(1/2) - 1i)))/(((d*x + 1)^(1/2) - 1)*(-d^2)^(1/2)))/(-d^2)^(1/2) - b*(log(((d*x - 1)^(1/2) - 1i)^2/((d*x + 1)^(1/2) - 1)^2 + 1) - log(((d*x - 1)^(1/2) - 1i)/((d*x + 1)^(1/2) - 1)))*1i`

**sympy [C]** time = 45.81, size = 216, normalized size = 3.93

$$\frac{{}_6G_{6,6}^{5,3} \left( \begin{matrix} \frac{5}{4}, \frac{7}{4}, 1 & \frac{3}{2}, \frac{3}{2}, 2 \\ 1, \frac{5}{4}, \frac{3}{2}, \frac{7}{4}, 2 & 0 \end{matrix} \middle| \frac{1}{d^2 x^2} \right)}{4\pi^{\frac{3}{2}}} - \frac{{}_6G_{6,6}^{2,6} \left( \begin{matrix} \frac{1}{2}, \frac{3}{4}, 1, \frac{5}{4}, \frac{3}{2}, 1 \\ \frac{3}{4}, \frac{5}{4} & \frac{1}{2}, 1, 1, 0 \end{matrix} \middle| \frac{e^{2i\pi}}{d^2 x^2} \right)}{4\pi^{\frac{3}{2}}} - \frac{{}_6G_{6,6}^{5,3} \left( \begin{matrix} \frac{3}{4}, \frac{5}{4}, 1 & 1, 1, \frac{3}{2} \\ \frac{1}{2}, \frac{3}{4}, 1, \frac{5}{4}, \frac{3}{2} & 0 \end{matrix} \middle| \frac{1}{d^2 x^2} \right)}{4\pi^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x**2+b*x+a)/x**2/(d*x-1)**(1/2)/(d*x+1)**(1/2),x)`

[Out] `-a*d*meijerg(((5/4, 7/4, 1), (3/2, 3/2, 2)), ((1, 5/4, 3/2, 7/4, 2), (0,)), 1/(d**2*x**2))/(4*pi**(3/2)) - I*a*d*meijerg(((1/2, 3/4, 1, 5/4, 3/2, 1), ()), ((3/4, 5/4), (1/2, 1, 1, 0)), exp_polar(2*I*pi)/(d**2*x**2))/(4*pi**(3/2)) - b*meijerg(((3/4, 5/4, 1), (1, 1, 3/2)), ((1/2, 3/4, 1, 5/4, 3/2), (0,)), 1/(d**2*x**2))/(4*pi**(3/2)) + I*b*meijerg(((0, 1/4, 1/2, 3/4, 1, 1), ()), ((1/4, 3/4), (0, 1/2, 1/2, 0)), exp_polar(2*I*pi)/(d**2*x**2))/(4*pi**(3/2)) + c*meijerg(((1/4, 3/4), (1/2, 1/2, 1, 1)), ((0, 1/4, 1/2, 3/4, 1, 0), ()), 1/(d**2*x**2))/(4*pi**(3/2)*d) - I*c*meijerg((-1/2, -1/4, 0, 1/4, 1/2, 1), ()), ((-1/4, 1/4), (-1/2, 0, 0, 0)), exp_polar(2*I*pi)/(d**2*x**2))/(4*pi**(3/2)*d)`

$$3.38 \quad \int \frac{a+bx+cx^2}{x^3 \sqrt{-1+dx} \sqrt{1+dx}} dx$$

Optimal. Leaf size=83

$$\frac{1}{2} (ad^2 + 2c) \tan^{-1} \left( \sqrt{dx-1} \sqrt{dx+1} \right) + \frac{a\sqrt{dx-1} \sqrt{dx+1}}{2x^2} + \frac{b\sqrt{dx-1} \sqrt{dx+1}}{x}$$

[Out] 1/2\*(a\*d^2+2\*c)\*arctan((d\*x-1)^(1/2)\*(d\*x+1)^(1/2))+1/2\*a\*(d\*x-1)^(1/2)\*(d\*x+1)^(1/2)/x^2+b\*(d\*x-1)^(1/2)\*(d\*x+1)^(1/2)/x

**Rubi [A]** time = 0.19, antiderivative size = 129, normalized size of antiderivative = 1.55, number of steps used = 6, number of rules used = 6, integrand size = 32,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.188$ , Rules used = {1610, 1807, 807, 266, 63, 205}

$$\frac{\sqrt{d^2x^2-1} (ad^2 + 2c) \tan^{-1} \left( \sqrt{d^2x^2-1} \right)}{2\sqrt{dx-1} \sqrt{dx+1}} - \frac{a(1-d^2x^2)}{2x^2\sqrt{dx-1} \sqrt{dx+1}} - \frac{b(1-d^2x^2)}{x\sqrt{dx-1} \sqrt{dx+1}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*x + c\*x^2)/(x^3\*Sqrt[-1 + d\*x]\*Sqrt[1 + d\*x]),x]

[Out] -(a\*(1 - d^2\*x^2))/(2\*x^2\*Sqrt[-1 + d\*x]\*Sqrt[1 + d\*x]) - (b\*(1 - d^2\*x^2))/(x\*Sqrt[-1 + d\*x]\*Sqrt[1 + d\*x]) + ((2\*c + a\*d^2)\*Sqrt[-1 + d^2\*x^2]\*ArcTan[Sqrt[-1 + d^2\*x^2]])/(2\*Sqrt[-1 + d\*x]\*Sqrt[1 + d\*x])

#### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 266

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

#### Rule 807

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> -Simp[((e\*f - d\*g)\*(d + e\*x)^(m + 1)\*(a + c\*x^2)^(p + 1))/(2\*(p + 1)\*(c\*d^2 + a\*e^2)), x] + Dist[(c\*d\*f + a\*e\*g)/(c\*d^2 + a\*e^2), Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c\*d^2 + a\*e^2, 0] && EqQ[Simplify[m + 2\*p + 3], 0]

#### Rule 1610

Int[(Px\_)\*((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] :> Dist[((a + b\*x)^FracPart[m]\*(c + d\*x)^FracPart[m])/(a\*c + b\*d\*x^2)^FracPart[m], Int[Px\*(a\*c + b\*d\*x^2)^m\*(e + f\*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b\*c + a\*

d, 0] && EqQ[m, n] && !IntegerQ[m]

### Rule 1807

Int[(Pq\_)\*((c\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^2)^(p\_), x\_Symbol] := With[{Q = PolynomialQuotient[Pq, c\*x, x], R = PolynomialRemainder[Pq, c\*x, x]}, Simp[(R\*(c\*x)^(m + 1)\*(a + b\*x^2)^(p + 1))/(a\*c\*(m + 1)), x] + Dist[1/(a\*c\*(m + 1)), Int[(c\*x)^(m + 1)\*(a + b\*x^2)^p\*ExpandToSum[a\*c\*(m + 1)\*Q - b\*R\*(m + 2\*p + 3)\*x, x], x], x]] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && LtQ[m, -1] && (IntegerQ[2\*p] || NeQ[Expon[Pq, x], 1])

### Rubi steps

$$\begin{aligned} \int \frac{a + bx + cx^2}{x^3 \sqrt{-1 + dx} \sqrt{1 + dx}} dx &= \frac{\sqrt{-1 + d^2 x^2} \int \frac{a + bx + cx^2}{x^3 \sqrt{-1 + d^2 x^2}} dx}{\sqrt{-1 + dx} \sqrt{1 + dx}} \\ &= -\frac{a(1 - d^2 x^2)}{2x^2 \sqrt{-1 + dx} \sqrt{1 + dx}} + \frac{\sqrt{-1 + d^2 x^2} \int \frac{2b + (2c + ad^2)x}{x^2 \sqrt{-1 + d^2 x^2}} dx}{2\sqrt{-1 + dx} \sqrt{1 + dx}} \\ &= -\frac{a(1 - d^2 x^2)}{2x^2 \sqrt{-1 + dx} \sqrt{1 + dx}} - \frac{b(1 - d^2 x^2)}{x\sqrt{-1 + dx} \sqrt{1 + dx}} + \frac{\left((2c + ad^2) \sqrt{-1 + d^2 x^2}\right) \int \frac{1}{x} dx}{2\sqrt{-1 + dx} \sqrt{1 + dx}} \\ &= -\frac{a(1 - d^2 x^2)}{2x^2 \sqrt{-1 + dx} \sqrt{1 + dx}} - \frac{b(1 - d^2 x^2)}{x\sqrt{-1 + dx} \sqrt{1 + dx}} + \frac{\left((2c + ad^2) \sqrt{-1 + d^2 x^2}\right) \operatorname{Su}}{4\sqrt{-1 + dx}} \\ &= -\frac{a(1 - d^2 x^2)}{2x^2 \sqrt{-1 + dx} \sqrt{1 + dx}} - \frac{b(1 - d^2 x^2)}{x\sqrt{-1 + dx} \sqrt{1 + dx}} + \frac{\left((2c + ad^2) \sqrt{-1 + d^2 x^2}\right) \operatorname{Su}}{2d^2 \sqrt{-1 + dx}} \\ &= -\frac{a(1 - d^2 x^2)}{2x^2 \sqrt{-1 + dx} \sqrt{1 + dx}} - \frac{b(1 - d^2 x^2)}{x\sqrt{-1 + dx} \sqrt{1 + dx}} + \frac{(2c + ad^2) \sqrt{-1 + d^2 x^2} \tan^{-1}}{2\sqrt{-1 + dx} \sqrt{1 + dx}} \end{aligned}$$

**Mathematica [A]** time = 0.12, size = 82, normalized size = 0.99

$$\frac{(d^2 x^2 - 1)(a + 2bx) + x^2 \sqrt{d^2 x^2 - 1} (ad^2 + 2c) \tan^{-1}(\sqrt{d^2 x^2 - 1})}{2x^2 \sqrt{dx - 1} \sqrt{dx + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*x + c\*x^2)/(x^3\*Sqrt[-1 + d\*x]\*Sqrt[1 + d\*x]),x]

[Out] ((a + 2\*b\*x)\*(-1 + d^2\*x^2) + (2\*c + a\*d^2)\*x^2\*Sqrt[-1 + d^2\*x^2]\*ArcTan[Sqrt[-1 + d^2\*x^2]])/(2\*x^2\*Sqrt[-1 + d\*x]\*Sqrt[1 + d\*x])

**fricas [A]** time = 1.12, size = 69, normalized size = 0.83

$$\frac{2bdx^2 + 2(ad^2 + 2c)x^2 \arctan(-dx + \sqrt{dx + 1} \sqrt{dx - 1}) + (2bx + a)\sqrt{dx + 1} \sqrt{dx - 1}}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)/x^3/(d\*x-1)^(1/2)/(d\*x+1)^(1/2),x, algorithm="fricas")

[Out]  $\frac{1}{2}*(2*b*d*x^2 + 2*(a*d^2 + 2*c)*x^2*\arctan(-d*x + \sqrt{d*x + 1}*\sqrt{d*x - 1})) + (2*b*x + a)*\sqrt{d*x + 1}*\sqrt{d*x - 1})/x^2$

**giac** [B] time = 1.44, size = 145, normalized size = 1.75

$$\frac{(ad^3 + 2cd) \arctan\left(\frac{1}{2}(\sqrt{dx+1} - \sqrt{dx-1})^2\right) + \frac{2(ad^3(\sqrt{dx+1}-\sqrt{dx-1})^6 - 4bd^2(\sqrt{dx+1}-\sqrt{dx-1})^4 - 4ad^3(\sqrt{dx+1}-\sqrt{dx-1})^2 - 16bd^2)}{((\sqrt{dx+1}-\sqrt{dx-1})^4 + 4)^2}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)/x^3/(d\*x-1)^(1/2)/(d\*x+1)^(1/2),x, algorithm="giac")

[Out]  $-(a*d^3 + 2*c*d)*\arctan(1/2*(\sqrt{d*x + 1} - \sqrt{d*x - 1})^2) + 2*(a*d^3*(\sqrt{d*x + 1} - \sqrt{d*x - 1})^6 - 4*b*d^2*(\sqrt{d*x + 1} - \sqrt{d*x - 1})^4 - 4*a*d^3*(\sqrt{d*x + 1} - \sqrt{d*x - 1})^2 - 16*b*d^2)/((\sqrt{d*x + 1} - \sqrt{d*x - 1})^4 + 4)^2/d$

**maple** [C] time = 0.00, size = 103, normalized size = 1.24

$$\frac{\sqrt{dx-1} \sqrt{dx+1} \left( a d^2 x^2 \arctan\left(\frac{1}{\sqrt{d^2 x^2 - 1}}\right) + 2c x^2 \arctan\left(\frac{1}{\sqrt{d^2 x^2 - 1}}\right) - 2\sqrt{d^2 x^2 - 1} b x - \sqrt{d^2 x^2 - 1} a \right) \operatorname{csgn}(d)^2}{2\sqrt{d^2 x^2 - 1} x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*x^2+b\*x+a)/x^3/(d\*x-1)^(1/2)/(d\*x+1)^(1/2),x)

[Out]  $-1/2*(d*x-1)^(1/2)*(d*x+1)^(1/2)*(a*d^2*x^2*\arctan(1/(d^2*x^2-1)^(1/2))+2*c*x^2*\arctan(1/(d^2*x^2-1)^(1/2))-2*(d^2*x^2-1)^(1/2)*b*x-(d^2*x^2-1)^(1/2)*a)/(d^2*x^2-1)^(1/2)/x^2*\operatorname{csgn}(d)^2$

**maxima** [A] time = 2.47, size = 61, normalized size = 0.73

$$-\frac{1}{2} a d^2 \arcsin\left(\frac{1}{d|x|}\right) - c \arcsin\left(\frac{1}{d|x|}\right) + \frac{\sqrt{d^2 x^2 - 1} b}{x} + \frac{\sqrt{d^2 x^2 - 1} a}{2 x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)/x^3/(d\*x-1)^(1/2)/(d\*x+1)^(1/2),x, algorithm="maxima")

[Out]  $-1/2*a*d^2*\arcsin(1/(d*\operatorname{abs}(x))) - c*\arcsin(1/(d*\operatorname{abs}(x))) + \sqrt{d^2*x^2 - 1}*b/x + 1/2*\sqrt{d^2*x^2 - 1}*a/x^2$

**mupad** [B] time = 12.77, size = 316, normalized size = 3.81

$$\frac{\frac{a d^2 \operatorname{li}}{32} + \frac{a d^2 (\sqrt{dx-1}-i)^2 \operatorname{li}}{16(\sqrt{dx+1}-1)^2} - \frac{a d^2 (\sqrt{dx-1}-i)^4 \operatorname{li}}{32(\sqrt{dx+1}-1)^4}}{\frac{(\sqrt{dx-1}-i)^2}{(\sqrt{dx+1}-1)^2} + \frac{2(\sqrt{dx-1}-i)^4}{(\sqrt{dx+1}-1)^4} + \frac{(\sqrt{dx-1}-i)^6}{(\sqrt{dx+1}-1)^6}} - c \left( \ln\left(\frac{(\sqrt{dx-1}-i)^2}{(\sqrt{dx+1}-1)^2} + 1\right) - \ln\left(\frac{\sqrt{dx-1}-i}{\sqrt{dx+1}-1}\right) \right) \operatorname{li} - \frac{a d^2 \ln\left(\frac{(\sqrt{dx-1}-i)}{(\sqrt{dx+1}-1)}\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*x + c\*x^2)/(x^3\*(d\*x - 1)^(1/2)\*(d\*x + 1)^(1/2)),x)

[Out]  $((a*d^2*1i)/32 + (a*d^2*((d*x - 1)^(1/2) - 1i)^2*1i)/(16*((d*x + 1)^(1/2) - 1)^2) - (a*d^2*((d*x - 1)^(1/2) - 1i)^4*15i)/(32*((d*x + 1)^(1/2) - 1)^4))/(((d*x - 1)^(1/2) - 1i)^2/((d*x + 1)^(1/2) - 1)^2 + (2*((d*x - 1)^(1/2) - 1i)^2)/((d*x + 1)^(1/2) - 1)^2) -$

$1i)^4)/((d*x + 1)^{(1/2)} - 1)^4 + ((d*x - 1)^{(1/2)} - 1i)^6)/((d*x + 1)^{(1/2)} - 1)^6) - c*(\log(((d*x - 1)^{(1/2)} - 1i)^2)/((d*x + 1)^{(1/2)} - 1)^2 + 1) - \log(((d*x - 1)^{(1/2)} - 1i)/((d*x + 1)^{(1/2)} - 1)))*1i - (a*d^2*\log(((d*x - 1)^{(1/2)} - 1i)^2)/((d*x + 1)^{(1/2)} - 1)^2 + 1)*1i)/2 + (a*d^2*\log(((d*x - 1)^{(1/2)} - 1i)/((d*x + 1)^{(1/2)} - 1))*1i)/2 + (b*(d*x - 1)^{(1/2)}*(d*x + 1)^{(1/2)})/x + (a*d^2*((d*x - 1)^{(1/2)} - 1i)^2*1i)/(32*((d*x + 1)^{(1/2)} - 1)^2)$

**sympy [C]** time = 75.51, size = 212, normalized size = 2.55

$$\frac{ad^2 G_{6,6}^{5,3} \left( \begin{matrix} \frac{7}{4}, \frac{9}{4}, 1 \\ \frac{3}{2}, \frac{7}{4}, 2, \frac{9}{4}, \frac{5}{2} \end{matrix} \middle| \frac{1}{d^2 x^2} \right)}{4\pi^{\frac{3}{2}}} + \frac{iad^2 G_{6,6}^{2,6} \left( \begin{matrix} 1, \frac{5}{4}, \frac{3}{2}, \frac{7}{4}, 2, 1 \\ \frac{5}{4}, \frac{7}{4} \end{matrix} \middle| \frac{e^{2i\pi}}{d^2 x^2} \right)}{4\pi^{\frac{3}{2}}} + \frac{bd G_{6,6}^{5,3} \left( \begin{matrix} \frac{5}{4}, \frac{7}{4}, 1 \\ 1, \frac{5}{4}, \frac{3}{2}, \frac{7}{4}, 2 \end{matrix} \middle| \frac{1}{d^2 x^2} \right)}{4\pi^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x\*\*2+b\*x+a)/x\*\*3/(d\*x-1)\*\*(1/2)/(d\*x+1)\*\*(1/2),x)

[Out]  $-a*d**2*meijerg(((7/4, 9/4, 1), (2, 2, 5/2)), ((3/2, 7/4, 2, 9/4, 5/2), (0,)), 1/(d**2*x**2))/(4*pi**(3/2)) + I*a*d**2*meijerg(((1, 5/4, 3/2, 7/4, 2, 1), ()), ((5/4, 7/4), (1, 3/2, 3/2, 0)), \exp\_polar(2*I*pi)/(d**2*x**2))/(4*pi**(3/2)) - b*d*meijerg(((5/4, 7/4, 1), (3/2, 3/2, 2)), ((1, 5/4, 3/2, 7/4, 2), (0,)), 1/(d**2*x**2))/(4*pi**(3/2)) - I*b*d*meijerg(((1/2, 3/4, 1, 5/4, 3/2, 1), ()), ((3/4, 5/4), (1/2, 1, 1, 0)), \exp\_polar(2*I*pi)/(d**2*x**2))/(4*pi**(3/2)) - c*meijerg(((3/4, 5/4, 1), (1, 1, 3/2)), ((1/2, 3/4, 1, 5/4, 3/2), (0,)), 1/(d**2*x**2))/(4*pi**(3/2)) + I*c*meijerg(((0, 1/4, 1/2, 3/4, 1, 1), ()), ((1/4, 3/4), (0, 1/2, 1/2, 0)), \exp\_polar(2*I*pi)/(d**2*x**2))/(4*pi**(3/2))$

$$3.39 \quad \int \frac{a+bx+cx^2}{x^4 \sqrt{-1+dx} \sqrt{1+dx}} dx$$

**Optimal.** Leaf size=116

$$\frac{\sqrt{dx-1} \sqrt{dx+1} (2ad^2 + 3c)}{3x} + \frac{a\sqrt{dx-1} \sqrt{dx+1}}{3x^3} + \frac{1}{2}bd^2 \tan^{-1}\left(\sqrt{dx-1} \sqrt{dx+1}\right) + \frac{b\sqrt{dx-1} \sqrt{dx+1}}{2x^2}$$

[Out]  $1/2*b*d^2*\arctan((d*x-1)^{(1/2)}*(d*x+1)^{(1/2)})+1/3*a*(d*x-1)^{(1/2)}*(d*x+1)^{(1/2)}/x^3+1/2*b*(d*x-1)^{(1/2)}*(d*x+1)^{(1/2)}/x^2+1/3*(2*a*d^2+3*c)*(d*x-1)^{(1/2)}*(d*x+1)^{(1/2)}/x$

**Rubi [A]** time = 0.22, antiderivative size = 171, normalized size of antiderivative = 1.47, number of steps used = 7, number of rules used = 7, integrand size = 32,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.219$ , Rules used = {1610, 1807, 835, 807, 266, 63, 205}

$$\frac{(1-d^2x^2)(2ad^2+3c)}{3x\sqrt{dx-1}\sqrt{dx+1}} - \frac{a(1-d^2x^2)}{3x^3\sqrt{dx-1}\sqrt{dx+1}} - \frac{b(1-d^2x^2)}{2x^2\sqrt{dx-1}\sqrt{dx+1}} + \frac{bd^2\sqrt{d^2x^2-1}\tan^{-1}\left(\sqrt{d^2x^2-1}\right)}{2\sqrt{dx-1}\sqrt{dx+1}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*x + c\*x^2)/(x^4\*Sqrt[-1 + d\*x]\*Sqrt[1 + d\*x]),x]

[Out]  $-(a*(1-d^2*x^2))/(3*x^3*\text{Sqrt}[-1+d*x]*\text{Sqrt}[1+d*x]) - (b*(1-d^2*x^2))/(2*x^2*\text{Sqrt}[-1+d*x]*\text{Sqrt}[1+d*x]) - ((3*c+2*a*d^2)*(1-d^2*x^2))/(3*x*\text{Sqrt}[-1+d*x]*\text{Sqrt}[1+d*x]) + (b*d^2*\text{Sqrt}[-1+d^2*x^2]*\text{ArcTan}[\text{Sqrt}[-1+d^2*x^2]])/(2*\text{Sqrt}[-1+d*x]*\text{Sqrt}[1+d*x])$

#### Rule 63

Int[((a\_.) + (b\_.)\*(x\_)^(m\_))\*((c\_.) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m+1)-1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 266

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m+1)/n]-1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m+1)/n]]

#### Rule 807

Int[((d\_.) + (e\_.)\*(x\_)^(m\_))\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := -Simp[((e\*f - d\*g)\*(d + e\*x)^(m+1)\*(a + c\*x^2)^(p+1))/(2\*(p+1)\*(c\*d^2 + a\*e^2)), x] + Dist[(c\*d\*f + a\*e\*g)/(c\*d^2 + a\*e^2), Int[(d + e\*x)^(m+1)\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c\*d^2 + a\*e^2, 0] && EqQ[Simplify[m + 2\*p + 3], 0]

#### Rule 835

Int[((d\_.) + (e\_.)\*(x\_)^(m\_))\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[((e\*f - d\*g)\*(d + e\*x)^(m+1)\*(a + c\*x^2)^(p+1))/((m+1)\*(c\*d^2 + a\*e^2)), x] + Dist[1/((m+1)\*(c\*d^2 + a\*e^2)), Int[(d +

$e*x)^{(m+1)}*(a+c*x^2)^p*\text{Simp}[(c*d*f+a*e*g)*(m+1)-c*(e*f-d*g)*(m+2*p+3)*x, x], x] /;$  FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c\*d^2+a\*e^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2\*m, 2\*p])

### Rule 1610

$\text{Int}[(P_x)*((a_.)+(b_.)*(x_.))^{(m_.)}*((c_.)+(d_.)*(x_.))^{(n_.)}*((e_.)+(f_.)*(x_.))^{(p_.)}, x\_Symbol] := \text{Dist}[(a+b*x)^{\text{FracPart}[m]}*(c+d*x)^{\text{FracPart}[m]}/(a*c+b*d*x^2)^{\text{FracPart}[m]}, \text{Int}[P_x*(a*c+b*d*x^2)^m*(e+f*x)^p, x], x] /;$  FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[P\_x, x] && EqQ[b\*c+a\*d, 0] && EqQ[m, n] && !IntegerQ[m]

### Rule 1807

$\text{Int}[(P_q)*((c_.)*(x_.))^{(m_.)}*((a_.)+(b_.)*(x_.)^2)^{(p_.)}, x\_Symbol] := \text{With}[\{Q = \text{PolynomialQuotient}[P_q, c*x, x], R = \text{PolynomialRemainder}[P_q, c*x, x]\}, \text{Simp}[(R*(c*x)^{(m+1)}*(a+b*x^2)^{(p+1)})/(a*c*(m+1)), x] + \text{Dist}[1/(a*c*(m+1)), \text{Int}[(c*x)^{(m+1)}*(a+b*x^2)^p*\text{ExpandToSum}[a*c*(m+1)*Q-b*R*(m+2*p+3)*x, x], x]] /;$  FreeQ[{a, b, c, p}, x] && PolyQ[P\_q, x] && LtQ[m, -1] && (IntegerQ[2\*p] || NeQ[Expon[P\_q, x], 1])

### Rubi steps

$$\begin{aligned} \int \frac{a+bx+cx^2}{x^4\sqrt{-1+dx}\sqrt{1+dx}} dx &= \frac{\sqrt{-1+d^2x^2} \int \frac{a+bx+cx^2}{x^4\sqrt{-1+d^2x^2}} dx}{\sqrt{-1+dx}\sqrt{1+dx}} \\ &= -\frac{a(1-d^2x^2)}{3x^3\sqrt{-1+dx}\sqrt{1+dx}} + \frac{\sqrt{-1+d^2x^2} \int \frac{3b+(3c+2ad^2)x}{x^3\sqrt{-1+d^2x^2}} dx}{3\sqrt{-1+dx}\sqrt{1+dx}} \\ &= -\frac{a(1-d^2x^2)}{3x^3\sqrt{-1+dx}\sqrt{1+dx}} - \frac{b(1-d^2x^2)}{2x^2\sqrt{-1+dx}\sqrt{1+dx}} + \frac{\sqrt{-1+d^2x^2} \int \frac{2(3c+2ad^2)+3b}{x^2\sqrt{-1+d^2x^2}} dx}{6\sqrt{-1+dx}\sqrt{1+dx}} \\ &= -\frac{a(1-d^2x^2)}{3x^3\sqrt{-1+dx}\sqrt{1+dx}} - \frac{b(1-d^2x^2)}{2x^2\sqrt{-1+dx}\sqrt{1+dx}} - \frac{(3c+2ad^2)(1-d^2x^2)}{3x\sqrt{-1+dx}\sqrt{1+dx}} + \frac{\sqrt{-1+d^2x^2} \int \frac{2(3c+2ad^2)+3b}{x\sqrt{-1+d^2x^2}} dx}{6\sqrt{-1+dx}\sqrt{1+dx}} \\ &= -\frac{a(1-d^2x^2)}{3x^3\sqrt{-1+dx}\sqrt{1+dx}} - \frac{b(1-d^2x^2)}{2x^2\sqrt{-1+dx}\sqrt{1+dx}} - \frac{(3c+2ad^2)(1-d^2x^2)}{3x\sqrt{-1+dx}\sqrt{1+dx}} + \frac{\sqrt{-1+d^2x^2} \int \frac{2(3c+2ad^2)+3b}{\sqrt{-1+d^2x^2}} dx}{6\sqrt{-1+dx}\sqrt{1+dx}} \\ &= -\frac{a(1-d^2x^2)}{3x^3\sqrt{-1+dx}\sqrt{1+dx}} - \frac{b(1-d^2x^2)}{2x^2\sqrt{-1+dx}\sqrt{1+dx}} - \frac{(3c+2ad^2)(1-d^2x^2)}{3x\sqrt{-1+dx}\sqrt{1+dx}} + \frac{\sqrt{-1+d^2x^2} \int \frac{2(3c+2ad^2)+3b}{\sqrt{-1+d^2x^2}} dx}{6\sqrt{-1+dx}\sqrt{1+dx}} \end{aligned}$$

**Mathematica [A]** time = 0.12, size = 94, normalized size = 0.81

$$\frac{(d^2x^2-1)(a(4d^2x^2+2)+3x(b+2cx))+3bd^2x^3\sqrt{d^2x^2-1}\tan^{-1}\left(\sqrt{d^2x^2-1}\right)}{6x^3\sqrt{dx-1}\sqrt{dx+1}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*x + c\*x^2)/(x^4\*sqrt[-1 + d\*x]\*sqrt[1 + d\*x]),x]

[Out]  $((-1 + d^2x^2)(3x(b + 2cx) + a(2 + 4d^2x^2)) + 3bd^2x^3\sqrt{-1 + d^2x^2}) \operatorname{ArcTan}[\sqrt{-1 + d^2x^2}]/(6x^3\sqrt{-1 + dx}\sqrt{1 + dx})$

**fricas** [A] time = 0.64, size = 90, normalized size = 0.78

$$\frac{6bd^2x^3 \arctan(-dx + \sqrt{dx+1}\sqrt{dx-1}) + 2(2ad^3 + 3cd)x^3 + (2(2ad^2 + 3c)x^2 + 3bx + 2a)\sqrt{dx+1}\sqrt{dx-1}}{6x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^2+b*x+a)/x^4/(d*x-1)^(1/2)/(d*x+1)^(1/2),x, algorithm="fricas")`

[Out]  $\frac{1}{6}(6bd^2x^3\arctan(-dx + \sqrt{dx+1}\sqrt{dx-1}) + 2(2ad^3 + 3cd)x^3 + (2(2ad^2 + 3c)x^2 + 3bx + 2a)\sqrt{dx+1}\sqrt{dx-1})/x^3$

**giac** [B] time = 1.40, size = 197, normalized size = 1.70

$$\frac{3bd^3 \arctan\left(\frac{1}{2}(\sqrt{dx+1} - \sqrt{dx-1})^2\right) + \frac{2(3bd^3(\sqrt{dx+1}-\sqrt{dx-1})^{10} - 12cd^2(\sqrt{dx+1}-\sqrt{dx-1})^8 - 96ad^4(\sqrt{dx+1}-\sqrt{dx-1})^4 - 96cd^2)}{((\sqrt{dx+1}-\sqrt{dx-1})^4 + 4)^3}}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^2+b*x+a)/x^4/(d*x-1)^(1/2)/(d*x+1)^(1/2),x, algorithm="giac")`

[Out]  $-\frac{1}{3}(3bd^3\arctan(\frac{1}{2}(\sqrt{dx+1} - \sqrt{dx-1})^2) + 2(3bd^3(\sqrt{dx+1} - \sqrt{dx-1})^{10} - 12cd^2(\sqrt{dx+1} - \sqrt{dx-1})^8 - 96ad^4(\sqrt{dx+1} - \sqrt{dx-1})^4 - 96cd^2(\sqrt{dx+1} - \sqrt{dx-1})^2 - 48bd^3(\sqrt{dx+1} - \sqrt{dx-1})^2 - 128ad^4 - 192cd^2)/((\sqrt{dx+1} - \sqrt{dx-1})^4 + 4)^3)/d$

**maple** [C] time = 0.00, size = 123, normalized size = 1.06

$$\frac{\sqrt{dx-1}\sqrt{dx+1}\left(3bd^2x^3 \arctan\left(\frac{1}{\sqrt{d^2x^2-1}}\right) - 4\sqrt{d^2x^2-1}ad^2x^2 - 6\sqrt{d^2x^2-1}cx^2 - 3\sqrt{d^2x^2-1}bx - 2\sqrt{d^2x^2-1}a\right)}{6\sqrt{d^2x^2-1}x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c*x^2+b*x+a)/x^4/(d*x-1)^(1/2)/(d*x+1)^(1/2),x)`

[Out]  $-\frac{1}{6}(d^2x^2-1)^{1/2}(d^2x^2+1)^{1/2}(3bd^2x^3\arctan(1/(d^2x^2-1)^{1/2}) - 4(d^2x^2-1)^{1/2}ad^2x^2 - 6(d^2x^2-1)^{1/2}cx^2 - 3(d^2x^2-1)^{1/2}bx - 2(d^2x^2-1)^{1/2}a)/(d^2x^2-1)^{1/2}/x^3\operatorname{csgn}(d)^2$

**maxima** [A] time = 3.05, size = 86, normalized size = 0.74

$$-\frac{1}{2}bd^2 \arcsin\left(\frac{1}{d|x|}\right) + \frac{2\sqrt{d^2x^2-1}ad^2}{3x} + \frac{\sqrt{d^2x^2-1}c}{x} + \frac{\sqrt{d^2x^2-1}b}{2x^2} + \frac{\sqrt{d^2x^2-1}a}{3x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^2+b*x+a)/x^4/(d*x-1)^(1/2)/(d*x+1)^(1/2),x, algorithm="maxima")`

[Out]  $-\frac{1}{2}bd^2\arcsin(1/(d\operatorname{abs}(x))) + \frac{2}{3}\sqrt{d^2x^2-1}ad^2/x + \sqrt{d^2x^2-1}cx^2 - 1)c/x + \frac{1}{2}\sqrt{d^2x^2-1}b/x^2 + \frac{1}{3}\sqrt{d^2x^2-1}a/x^3$



**mupad [B]** time = 11.82, size = 304, normalized size = 2.62

$$\frac{\frac{bd^2 1i}{32} + \frac{bd^2 (\sqrt{dx-1-i})^2 1i}{16(\sqrt{dx+1-1})^2} - \frac{bd^2 (\sqrt{dx-1-i})^4 15i}{32(\sqrt{dx+1-1})^4}}{\frac{(\sqrt{dx-1-i})^2}{(\sqrt{dx+1-1})^2} + \frac{2(\sqrt{dx-1-i})^4}{(\sqrt{dx+1-1})^4} + \frac{(\sqrt{dx-1-i})^6}{(\sqrt{dx+1-1})^6}} - \frac{bd^2 \ln\left(\frac{(\sqrt{dx-1-i})^2}{(\sqrt{dx+1-1})^2} + 1\right) 1i}{2} + \frac{bd^2 \ln\left(\frac{\sqrt{dx-1-i}}{\sqrt{dx+1-1}}\right) 1i}{2} + \frac{c\sqrt{dx-1}\sqrt{dx+1}}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*x + c\*x^2)/(x^4\*(d\*x - 1)^(1/2)\*(d\*x + 1)^(1/2)),x)

[Out] ((b\*d^2\*1i)/32 + (b\*d^2\*((d\*x - 1)^(1/2) - 1i)^2\*1i)/(16\*((d\*x + 1)^(1/2) - 1)^2) - (b\*d^2\*((d\*x - 1)^(1/2) - 1i)^4\*15i)/(32\*((d\*x + 1)^(1/2) - 1)^4)) / (((d\*x - 1)^(1/2) - 1i)^2/((d\*x + 1)^(1/2) - 1)^2 + (2\*((d\*x - 1)^(1/2) - 1i)^4)/((d\*x + 1)^(1/2) - 1)^4 + ((d\*x - 1)^(1/2) - 1i)^6/((d\*x + 1)^(1/2) - 1)^6) - (b\*d^2\*log(((d\*x - 1)^(1/2) - 1i)^2/((d\*x + 1)^(1/2) - 1)^2 + 1)\*1i)/2 + (b\*d^2\*log(((d\*x - 1)^(1/2) - 1i)/((d\*x + 1)^(1/2) - 1))\*1i)/2 + (c\*(d\*x - 1)^(1/2)\*(d\*x + 1)^(1/2))/x + ((d\*x - 1)^(1/2)\*(a/3 + (2\*a\*d^2\*x^2)/3 + (2\*a\*d^3\*x^3)/3 + (a\*d\*x)/3))/(x^3\*(d\*x + 1)^(1/2)) + (b\*d^2\*((d\*x - 1)^(1/2) - 1i)^2\*1i)/(32\*((d\*x + 1)^(1/2) - 1)^2)

**sympy [C]** time = 128.74, size = 219, normalized size = 1.89

$$\frac{ad^3 G_{6,6}^{5,3} \left( \begin{matrix} \frac{9}{4}, \frac{11}{4}, 1 \\ 2, \frac{9}{4}, \frac{5}{2}, \frac{11}{4}, 3 \end{matrix} \middle| \frac{1}{d^2 x^2} \right)}{4\pi^{\frac{3}{2}}} - \frac{iad^3 G_{6,6}^{2,6} \left( \begin{matrix} \frac{3}{2}, \frac{7}{4}, 2, \frac{9}{4}, \frac{5}{2}, 1 \\ \frac{7}{4}, \frac{9}{4} \end{matrix} \middle| \frac{e^{2i\pi}}{d^2 x^2} \right)}{4\pi^{\frac{3}{2}}} + \frac{bd^2 G_{6,6}^{5,3} \left( \begin{matrix} \frac{7}{4}, \frac{9}{4}, 1 \\ \frac{3}{2}, \frac{7}{4}, 2, \frac{9}{4}, \frac{5}{2} \end{matrix} \middle| \frac{2, 2, \frac{5}{2}}{d} \right)}{4\pi^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x\*\*2+b\*x+a)/x\*\*4/(d\*x-1)\*\*(1/2)/(d\*x+1)\*\*(1/2),x)

[Out] -a\*d\*\*3\*meijerg(((9/4, 11/4, 1), (5/2, 5/2, 3)), ((2, 9/4, 5/2, 11/4, 3), (0,)), 1/(d\*\*2\*x\*\*2))/(4\*pi\*\*(3/2)) - I\*a\*d\*\*3\*meijerg(((3/2, 7/4, 2, 9/4, 5/2, 1), ()), ((7/4, 9/4), (3/2, 2, 2, 0)), exp\_polar(2\*I\*pi)/(d\*\*2\*x\*\*2))/(4\*pi\*\*(3/2)) - b\*d\*\*2\*meijerg(((7/4, 9/4, 1), (2, 2, 5/2)), ((3/2, 7/4, 2, 9/4, 5/2), (0,)), 1/(d\*\*2\*x\*\*2))/(4\*pi\*\*(3/2)) + I\*b\*d\*\*2\*meijerg(((1, 5/4, 3/2, 7/4, 2, 1), ()), ((5/4, 7/4), (1, 3/2, 3/2, 0)), exp\_polar(2\*I\*pi)/(d\*\*2\*x\*\*2))/(4\*pi\*\*(3/2)) - c\*d\*meijerg(((5/4, 7/4, 1), (3/2, 3/2, 2)), ((1, 5/4, 3/2, 7/4, 2), (0,)), 1/(d\*\*2\*x\*\*2))/(4\*pi\*\*(3/2)) - I\*c\*d\*meijerg(((1/2, 3/4, 1, 5/4, 3/2, 1), ()), ((3/4, 5/4), (1/2, 1, 1, 0)), exp\_polar(2\*I\*pi)/(d\*\*2\*x\*\*2))/(4\*pi\*\*(3/2))

$$3.40 \quad \int \frac{a+bx+cx^2}{\sqrt{-1+x} \sqrt{1+x} (d+ex)^3} dx$$

**Optimal.** Leaf size=199

$$\frac{\sqrt{x-1} \sqrt{x+1} (ae^2 - bde + cd^2)}{2e(d^2 - e^2)(d + ex)^2} + \frac{\tanh^{-1}\left(\frac{\sqrt{x+1}\sqrt{d+e}}{\sqrt{x-1}\sqrt{d-e}}\right) (d^2(2a+c) + e^2(a+2c) - 3bde)}{(d-e)^{5/2}(d+e)^{5/2}} + \frac{\sqrt{x-1} \sqrt{x+1} (-de^2)}{2e(d^2 - e^2)(d + ex)^2}$$

[Out]  $((2*a+c)*d^2-3*b*d*e+(a+2*c)*e^2)*\operatorname{arctanh}((d+e)^{(1/2)}*(1+x)^{(1/2)}/(d-e)^{(1/2)}*(-1+x)^{(1/2)})/(d-e)^{(5/2)}/(d+e)^{(5/2)}-1/2*(a*e^2-b*d*e+c*d^2)*(-1+x)^{(1/2)}*(1+x)^{(1/2)}/e/(d^2-e^2)/(e*x+d)^2+1/2*(c*d^3+b*d^2*e-(3*a+4*c)*d*e^2+2*b*e^3)*(-1+x)^{(1/2)}*(1+x)^{(1/2)}/e/(d^2-e^2)^2/(e*x+d)$

**Rubi [A]** time = 0.33, antiderivative size = 242, normalized size of antiderivative = 1.22, number of steps used = 5, number of rules used = 5, integrand size = 32,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.156$ , Rules used = {1610, 1651, 807, 725, 206}

$$\frac{(1-x^2)(c(d^3-4de^2)-e(3ade-b(d^2+2e^2)))}{2e\sqrt{x-1}\sqrt{x+1}(d^2-e^2)^2(d+ex)} + \frac{(1-x^2)(ae^2-bde+cd^2)}{2e\sqrt{x-1}\sqrt{x+1}(d^2-e^2)(d+ex)^2} - \frac{\sqrt{x^2-1} \tanh^{-1}\left(\frac{dx}{\sqrt{x^2-1}}\right)}{2\sqrt{x^2-1}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*x + c\*x^2)/(Sqrt[-1 + x]\*Sqrt[1 + x]\*(d + e\*x)^3), x]

[Out]  $((c*d^2 - b*d*e + a*e^2)*(1 - x^2))/(2*e*(d^2 - e^2)*\operatorname{Sqrt}[-1 + x]*\operatorname{Sqrt}[1 + x]*(d + e*x)^2) - ((c*(d^3 - 4*d*e^2) - e*(3*a*d*e - b*(d^2 + 2*e^2)))*(1 - x^2))/(2*e*(d^2 - e^2)^2*\operatorname{Sqrt}[-1 + x]*\operatorname{Sqrt}[1 + x]*(d + e*x) - ((3*b*d*e - a*(2*d^2 + e^2) - c*(d^2 + 2*e^2))*\operatorname{Sqrt}[-1 + x^2]*\operatorname{ArcTanh}[(e + d*x)/(\operatorname{Sqrt}[d^2 - e^2]*\operatorname{Sqrt}[-1 + x^2])])/(2*(d^2 - e^2)^{(5/2)}*\operatorname{Sqrt}[-1 + x]*\operatorname{Sqrt}[1 + x])$

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 725

Int[1/(((d\_) + (e\_.)\*(x\_))\*Sqrt[(a\_) + (c\_.)\*(x\_)^2]), x\_Symbol] := -Subst[Int[1/(c\*d^2 + a\*e^2 - x^2), x], x, (a\*e - c\*d\*x)/Sqrt[a + c\*x^2]] /; FreeQ[{a, c, d, e}, x]

#### Rule 807

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := -Simp[((e\*f - d\*g)\*(d + e\*x)^(m + 1)\*(a + c\*x^2)^(p + 1))/(2\*(p + 1)\*(c\*d^2 + a\*e^2)), x] + Dist[(c\*d\*f + a\*e\*g)/(c\*d^2 + a\*e^2), Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c\*d^2 + a\*e^2, 0] && EqQ[Simplify[m + 2\*p + 3], 0]

#### Rule 1610

Int[(Px)\*((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] := Dist[((a + b\*x)^FracPart[m]\*(c + d\*x)^FracPart[m])/(a\*c + b\*d\*x^2)^FracPart[m], Int[Px\*(a\*c + b\*d\*x^2)^m\*(e + f\*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b\*c + a\*d, 0] && EqQ[m, n] && !IntegerQ[m]

## Rule 1651

```
Int[(Pq_)*((d_) + (e_.)*(x_))^(m_)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] :=
  With[{Q = PolynomialQuotient[Pq, d + e*x, x], R = PolynomialRemainder[Pq,
    d + e*x, x]}, Simp[(e*R*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/((m + 1)*(c*
    d^2 + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 1)
    *(a + c*x^2)^p*ExpandToSum[(m + 1)*(c*d^2 + a*e^2)*Q + c*d*R*(m + 1) - c*e*
    R*(m + 2*p + 3)*x, x], x]] /; FreeQ[{a, c, d, e, p}, x] && PolyQ[Pq, x]
    && NeQ[c*d^2 + a*e^2, 0] && LtQ[m, -1]
```

## Rubi steps

$$\int \frac{a + bx + cx^2}{\sqrt{-1+x} \sqrt{1+x} (d+ex)^3} dx = \frac{\sqrt{-1+x^2} \int \frac{a+bx+cx^2}{(d+ex)^3 \sqrt{-1+x^2}} dx}{\sqrt{-1+x} \sqrt{1+x}}$$

$$= \frac{(cd^2 - bde + ae^2)(1-x^2)}{2e(d^2 - e^2) \sqrt{-1+x} \sqrt{1+x} (d+ex)^2} - \frac{\sqrt{-1+x^2} \int \frac{-2(ad+cd-be) - \left(bd + \frac{cd^2}{e} - ae\right)}{(d+ex)^2 \sqrt{-1+x^2}} dx}{2(d^2 - e^2) \sqrt{-1+x} \sqrt{1+x}}$$

$$= \frac{(cd^2 - bde + ae^2)(1-x^2)}{2e(d^2 - e^2) \sqrt{-1+x} \sqrt{1+x} (d+ex)^2} - \frac{(c(d^3 - 4de^2) - e(3ade - b(d^2 + 2d^2 + 2d^2 + 2d^2)))}{2e(d^2 - e^2)^2 \sqrt{-1+x} \sqrt{1+x}}$$

$$= \frac{(cd^2 - bde + ae^2)(1-x^2)}{2e(d^2 - e^2) \sqrt{-1+x} \sqrt{1+x} (d+ex)^2} - \frac{(c(d^3 - 4de^2) - e(3ade - b(d^2 + 2d^2 + 2d^2 + 2d^2)))}{2e(d^2 - e^2)^2 \sqrt{-1+x} \sqrt{1+x}}$$

$$= \frac{(cd^2 - bde + ae^2)(1-x^2)}{2e(d^2 - e^2) \sqrt{-1+x} \sqrt{1+x} (d+ex)^2} - \frac{(c(d^3 - 4de^2) - e(3ade - b(d^2 + 2d^2 + 2d^2 + 2d^2)))}{2e(d^2 - e^2)^2 \sqrt{-1+x} \sqrt{1+x}}$$

**Mathematica [A]** time = 0.76, size = 343, normalized size = 1.72

$$-(d+ex) \left( 3de\sqrt{x-1} \sqrt{x+1} \sqrt{d-e} \sqrt{d+e} - 2(2d^2 + e^2)(d+ex) \tanh^{-1} \left( \frac{\sqrt{\frac{x-1}{x+1}} \sqrt{d-e}}{\sqrt{d+e}} \right) \right) (e(ae - bd) + cd^2) - e$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*x + c\*x^2)/(Sqrt[-1 + x]\*Sqrt[1 + x]\*(d + e\*x)^3), x]

[Out] (-(d - e)^(3/2)\*e\*(d + e)^(3/2)\*(c\*d^2 + e\*(-(b\*d) + a\*e))\*Sqrt[-1 + x]\*Sqrt[1 + x]) + 2\*(d - e)^(3/2)\*e\*(d + e)^(3/2)\*(2\*c\*d - b\*e)\*Sqrt[-1 + x]\*Sqrt[1 + x]\*(d + e\*x) + 4\*c\*(d - e)^2\*(d + e)^2\*(d + e\*x)^2\*ArcTanh[(Sqrt[d - e]\*Sqrt[(-1 + x)/(1 + x)])/Sqrt[d + e]] - 4\*d\*(d - e)\*(d + e)\*(2\*c\*d - b\*e)\*(d + e\*x)^2\*ArcTanh[(Sqrt[d - e]\*Sqrt[(-1 + x)/(1 + x)])/Sqrt[d + e]] - (c\*d^2 + e\*(-(b\*d) + a\*e))\*(d + e\*x)\*(3\*d\*Sqrt[d - e]\*e\*Sqrt[d + e]\*Sqrt[-1 + x]\*Sqrt[1 + x] - 2\*(2\*d^2 + e^2)\*(d + e\*x)\*ArcTanh[(Sqrt[d - e]\*Sqrt[(-1 + x)/(1 + x)])/Sqrt[d + e]])/(2\*(d - e)^(5/2)\*e^2\*(d + e)^(5/2)\*(d + e\*x)^2)

**fricas [B]** time = 1.06, size = 1186, normalized size = 5.96

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)/(e\*x+d)^3/(-1+x)^(1/2)/(1+x)^(1/2),x, algorithm="fricas")

[Out] [1/2\*(c\*d^7 + b\*d^6\*e - (3\*a + 5\*c)\*d^5\*e^2 + b\*d^4\*e^3 + (3\*a + 4\*c)\*d^3\*e^4 - 2\*b\*d^2\*e^5 + (c\*d^5\*e^2 + b\*d^4\*e^3 - (3\*a + 5\*c)\*d^3\*e^4 + b\*d^2\*e^5 + (3\*a + 4\*c)\*d\*e^6 - 2\*b\*e^7)\*x^2 + ((2\*a + c)\*d^4\*e^2 - 3\*b\*d^3\*e^3 + (a + 2\*c)\*d^2\*e^4 + ((2\*a + c)\*d^2\*e^4 - 3\*b\*d\*e^5 + (a + 2\*c)\*e^6)\*x^2 + 2\*((2\*a + c)\*d^3\*e^3 - 3\*b\*d^2\*e^4 + (a + 2\*c)\*d\*e^5)\*x)\*sqrt(d^2 - e^2)\*log((d^2\*x + d\*e + (d^2 - e^2 + sqrt(d^2 - e^2)\*d)\*sqrt(x + 1)\*sqrt(x - 1) + sqrt(d^2 - e^2)\*(d\*x + e))/(e\*x + d)) + (2\*b\*d^5\*e^2 - (4\*a + 3\*c)\*d^4\*e^3 - b\*d^3\*e^4 + (5\*a + 3\*c)\*d^2\*e^5 - b\*d\*e^6 - a\*e^7 + (c\*d^5\*e^2 + b\*d^4\*e^3 - (3\*a + 5\*c)\*d^3\*e^4 + b\*d^2\*e^5 + (3\*a + 4\*c)\*d\*e^6 - 2\*b\*e^7)\*x)\*sqrt(x + 1)\*sqrt(x - 1) + 2\*(c\*d^6\*e + b\*d^5\*e^2 - (3\*a + 5\*c)\*d^4\*e^3 + b\*d^3\*e^4 + (3\*a + 4\*c)\*d^2\*e^5 - 2\*b\*d\*e^6)\*x)/(d^8\*e^2 - 3\*d^6\*e^4 + 3\*d^4\*e^6 - d^2\*e^8 + (d^6\*e^4 - 3\*d^4\*e^6 + 3\*d^2\*e^8 - e^10)\*x^2 + 2\*(d^7\*e^3 - 3\*d^5\*e^5 + 3\*d^3\*e^7 - d\*e^9)\*x), 1/2\*(c\*d^7 + b\*d^6\*e - (3\*a + 5\*c)\*d^5\*e^2 + b\*d^4\*e^3 + (3\*a + 4\*c)\*d^3\*e^4 - 2\*b\*d^2\*e^5 + (c\*d^5\*e^2 + b\*d^4\*e^3 - (3\*a + 5\*c)\*d^3\*e^4 + b\*d^2\*e^5 + (3\*a + 4\*c)\*d\*e^6 - 2\*b\*e^7)\*x^2 - 2\*((2\*a + c)\*d^4\*e^2 - 3\*b\*d^3\*e^3 + (a + 2\*c)\*d^2\*e^4 + ((2\*a + c)\*d^2\*e^4 - 3\*b\*d\*e^5 + (a + 2\*c)\*e^6)\*x^2 + 2\*((2\*a + c)\*d^3\*e^3 - 3\*b\*d^2\*e^4 + (a + 2\*c)\*d\*e^5)\*x)\*sqrt(-d^2 + e^2)\*arctan(-(sqrt(-d^2 + e^2)\*e\*sqrt(x + 1)\*sqrt(x - 1) - sqrt(-d^2 + e^2)\*(e\*x + d))/(d^2 - e^2)) + (2\*b\*d^5\*e^2 - (4\*a + 3\*c)\*d^4\*e^3 - b\*d^3\*e^4 + (5\*a + 3\*c)\*d^2\*e^5 - b\*d\*e^6 - a\*e^7 + (c\*d^5\*e^2 + b\*d^4\*e^3 - (3\*a + 5\*c)\*d^3\*e^4 + b\*d^2\*e^5 + (3\*a + 4\*c)\*d\*e^6 - 2\*b\*e^7)\*x)\*sqrt(x + 1)\*sqrt(x - 1) + 2\*(c\*d^6\*e + b\*d^5\*e^2 - (3\*a + 5\*c)\*d^4\*e^3 + b\*d^3\*e^4 + (3\*a + 4\*c)\*d^2\*e^5 - 2\*b\*d\*e^6)\*x)/(d^8\*e^2 - 3\*d^6\*e^4 + 3\*d^4\*e^6 - d^2\*e^8 + (d^6\*e^4 - 3\*d^4\*e^6 + 3\*d^2\*e^8 - e^10)\*x^2 + 2\*(d^7\*e^3 - 3\*d^5\*e^5 + 3\*d^3\*e^7 - d\*e^9)\*x)]

**giac [B]** time = 3.24, size = 605, normalized size = 3.04

$$\frac{(2ad^2 + cd^2 - 3bde + ae^2 + 2ce^2) \arctan\left(\frac{(\sqrt{x+1} - \sqrt{x-1})^2 e + 2d}{2\sqrt{-d^2 + e^2}}\right)}{(d^4 - 2d^2e^2 + e^4)\sqrt{-d^2 + e^2}} + \frac{2\left(2cd^4(\sqrt{x+1} - \sqrt{x-1})^6 e + 4cd^5(\sqrt{x+1} - \sqrt{x-1})^5 e + 4cd^6(\sqrt{x+1} - \sqrt{x-1})^4 e + 4cd^7(\sqrt{x+1} - \sqrt{x-1})^3 e + 4cd^8(\sqrt{x+1} - \sqrt{x-1})^2 e + 4cd^9(\sqrt{x+1} - \sqrt{x-1}) e + 4cd^{10}\right)}{(d^4 - 2d^2e^2 + e^4)\sqrt{-d^2 + e^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)/(e\*x+d)^3/(-1+x)^(1/2)/(1+x)^(1/2),x, algorithm="giac")

[Out] -(2\*a\*d^2 + c\*d^2 - 3\*b\*d\*e + a\*e^2 + 2\*c\*e^2)\*arctan(1/2\*((sqrt(x + 1) - sqrt(x - 1))^2\*e + 2\*d)/sqrt(-d^2 + e^2))/((d^4 - 2\*d^2\*e^2 + e^4)\*sqrt(-d^2 + e^2)) + 2\*(2\*c\*d^4\*(sqrt(x + 1) - sqrt(x - 1))^6\*e + 4\*c\*d^5\*(sqrt(x + 1) - sqrt(x - 1))^4 - 2\*a\*d^2\*(sqrt(x + 1) - sqrt(x - 1))^6\*e^3 - 5\*c\*d^2\*(sqrt(x + 1) - sqrt(x - 1))^6\*e^3 + 4\*b\*d^4\*(sqrt(x + 1) - sqrt(x - 1))^4\*e + 3\*b\*d\*(sqrt(x + 1) - sqrt(x - 1))^6\*e^4 - 12\*a\*d^3\*(sqrt(x + 1) - sqrt(x - 1))^4\*e^2 - 14\*c\*d^3\*(sqrt(x + 1) - sqrt(x - 1))^4\*e^2 - a\*(sqrt(x + 1) - sqrt(x - 1))^6\*e^5 + 10\*b\*d^2\*(sqrt(x + 1) - sqrt(x - 1))^4\*e^3 + 8\*c\*d^4\*(sqrt(x + 1) - sqrt(x - 1))^2\*e - 6\*a\*d\*(sqrt(x + 1) - sqrt(x - 1))^4\*e^4 - 8\*c\*d\*(sqrt(x + 1) - sqrt(x - 1))^4\*e^4 + 16\*b\*d^3\*(sqrt(x + 1) - sqrt(x - 1))^2\*e^2 + 4\*b\*(sqrt(x + 1) - sqrt(x - 1))^4\*e^5 - 40\*a\*d^2\*(sqrt(x + 1) - sqrt(x - 1))^2\*e^3 - 44\*c\*d^2\*(sqrt(x + 1) - sqrt(x - 1))^2\*e^3 + 20\*b\*d\*(sqrt(x + 1) - sqrt(x - 1))^2\*e^4 + 8\*c\*d^3\*e^2 + 4\*a\*(sqrt(x + 1) - sqrt(x - 1))^2\*e^5 + 8\*b\*d^2\*e^3 - 24\*a\*d\*e^4 - 32\*c\*d\*e^4 + 16\*b\*e^5)/((d^4\*e^2 - 2\*d^2\*e^4 + e^6)\*((sqrt(x + 1) - sqrt(x - 1))^4\*e + 4\*d\*(sqrt(x + 1) - sqrt(x - 1))^2 + 4\*e)^2)

**maple [B]** time = 0.05, size = 1095, normalized size = 5.50

$$\left( 2a d^2 e^2 x^2 \ln \left( -\frac{2 \left( dx - \sqrt{\frac{d^2 - e^2}{e^2}} \sqrt{x^2 - 1} e + e \right)}{ex + d} \right) + a e^4 x^2 \ln \left( -\frac{2 \left( dx - \sqrt{\frac{d^2 - e^2}{e^2}} \sqrt{x^2 - 1} e + e \right)}{ex + d} \right) - 3bd e^3 x^2 \ln \left( -\frac{2 \left( dx - \sqrt{\frac{d^2 - e^2}{e^2}} \sqrt{x^2 - 1} e + e \right)}{ex + d} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*x^2+b\*x+a)/(e\*x+d)^3/(x-1)^(1/2)/(x+1)^(1/2),x)

[Out] 
$$\begin{aligned} & -1/2*(3*x*a*d*e^3*((d^2-e^2)/e^2)^{(1/2)}*(x^2-1)^{(1/2)}-2*x*b*e^4*((d^2-e^2)/e^2)^{(1/2)}*(x^2-1)^{(1/2)}+2*\ln(-2*(-((d^2-e^2)/e^2)^{(1/2)}*(x^2-1)^{(1/2)}*e+d*x+e)/(e*x+d))*c*d^2*e^2-a*e^4*((d^2-e^2)/e^2)^{(1/2)}*(x^2-1)^{(1/2)}+\ln(-2*(-((d^2-e^2)/e^2)^{(1/2)}*(x^2-1)^{(1/2)}*e+d*x+e)/(e*x+d))*x^2*a*e^4+2*\ln(-2*(-((d^2-e^2)/e^2)^{(1/2)}*(x^2-1)^{(1/2)}*e+d*x+e)/(e*x+d))*x^2*c*e^4+\ln(-2*(-((d^2-e^2)/e^2)^{(1/2)}*(x^2-1)^{(1/2)}*e+d*x+e)/(e*x+d))*a*d^2*e^2-3*\ln(-2*(-((d^2-e^2)/e^2)^{(1/2)}*(x^2-1)^{(1/2)}*e+d*x+e)/(e*x+d))*b*d^3*e+2*\ln(-2*(-((d^2-e^2)/e^2)^{(1/2)}*(x^2-1)^{(1/2)}*e+d*x+e)/(e*x+d))*a*d^4+\ln(-2*(-((d^2-e^2)/e^2)^{(1/2)}*(x^2-1)^{(1/2)}*e+d*x+e)/(e*x+d))*c*d^4-x*b*d^2*e^2*((d^2-e^2)/e^2)^{(1/2)}*(x^2-1)^{(1/2)}-x*c*d^3*e*((d^2-e^2)/e^2)^{(1/2)}*(x^2-1)^{(1/2)}+4*x*c*d*e^3*((d^2-e^2)/e^2)^{(1/2)}*(x^2-1)^{(1/2)}+4*a*d^2*e^2*((d^2-e^2)/e^2)^{(1/2)}*(x^2-1)^{(1/2)}-2*b*d^3*e*((d^2-e^2)/e^2)^{(1/2)}*(x^2-1)^{(1/2)}-b*d*e^3*((d^2-e^2)/e^2)^{(1/2)}*(x^2-1)^{(1/2)}+3*c*d^2*e^2*((d^2-e^2)/e^2)^{(1/2)}*(x^2-1)^{(1/2)}+2*\ln(-2*(-((d^2-e^2)/e^2)^{(1/2)}*(x^2-1)^{(1/2)}*e+d*x+e)/(e*x+d))*x^2*a*d^2*e^2-3*\ln(-2*(-((d^2-e^2)/e^2)^{(1/2)}*(x^2-1)^{(1/2)}*e+d*x+e)/(e*x+d))*x^2*b*d*e^3+\ln(-2*(-((d^2-e^2)/e^2)^{(1/2)}*(x^2-1)^{(1/2)}*e+d*x+e)/(e*x+d))*x^2*c*d^2*e^2+4*\ln(-2*(-((d^2-e^2)/e^2)^{(1/2)}*(x^2-1)^{(1/2)}*e+d*x+e)/(e*x+d))*x*a*d^3*e+2*\ln(-2*(-((d^2-e^2)/e^2)^{(1/2)}*(x^2-1)^{(1/2)}*e+d*x+e)/(e*x+d))*x*a*d*e^3-6*\ln(-2*(-((d^2-e^2)/e^2)^{(1/2)}*(x^2-1)^{(1/2)}*e+d*x+e)/(e*x+d))*x*b*d^2*e^2+2*\ln(-2*(-((d^2-e^2)/e^2)^{(1/2)}*(x^2-1)^{(1/2)}*e+d*x+e)/(e*x+d))*x*c*d^3*e+4*\ln(-2*(-((d^2-e^2)/e^2)^{(1/2)}*(x^2-1)^{(1/2)}*e+d*x+e)/(e*x+d))*x*c*d*e^3*(x+1)^(1/2)*(x-1)^(1/2)/(x^2-1)^(1/2)/(d-e)/(d+e)/((d^2-e^2)/e^2)^{(1/2)}/(d^2-e^2)/(e*x+d)^2/e \end{aligned}$$

**maxima [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)/(e\*x+d)^3/(-1+x)^(1/2)/(1+x)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(e-d>0)', see `assume?` for more details)Is e-d positive, negative or zero?

**mupad [B]** time = 66.85, size = 7235, normalized size = 36.36

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*x + c\*x^2)/((x - 1)^(1/2)\*(x + 1)^(1/2)\*(d + e\*x)^3),x)

[Out] 
$$\begin{aligned} & (((x - 1)^{(1/2)} - 1i)^2*(2*c*e^3 + c*d^2*e)*12i)/(d^2*((x + 1)^{(1/2)} - 1)^2*(d^4 + e^4 - 2*d^2*e^2)) - (2*(7*c*d^4 + 14*c*d^2*e^2)*((x - 1)^{(1/2)} - 1i))/(7*d^3*((x + 1)^{(1/2)} - 1)*(d^4 + e^4 - 2*d^2*e^2)) + (((x - 1)^{(1/2)} - \end{aligned}$$

$$\begin{aligned}
& 1i)^4*(2*c*e^3 - c*d^2*e)*24i)/(d^2*((x + 1)^{(1/2)} - 1)^4*(d^4 + e^4 - 2*d^2*e^2)) - (2*(21*c*d^4 - 102*c*d^2*e^2)*((x - 1)^{(1/2)} - 1i)^5)/(3*d^3*((x + 1)^{(1/2)} - 1)^5*(d^4 + e^4 - 2*d^2*e^2)) - (2*(35*c*d^4 - 170*c*d^2*e^2)*((x - 1)^{(1/2)} - 1i)^3)/(5*d^3*((x + 1)^{(1/2)} - 1)^3*(d^4 + e^4 - 2*d^2*e^2)) + (c*((x - 1)^{(1/2)} - 1i)^7*(d^2*1i + e^2*2i)*2i)/(d*((x + 1)^{(1/2)} - 1)^7*(d^4 + e^4 - 2*d^2*e^2)) + (12*c*e*((x - 1)^{(1/2)} - 1i)^6*(d^2*1i + e^2*2i))/(d^2*((x + 1)^{(1/2)} - 1)^6*(d^4 + e^4 - 2*d^2*e^2)))/(((x - 1)^{(1/2)} - 1i)^8/((x + 1)^{(1/2)} - 1)^8 - (e*((x - 1)^{(1/2)} - 1i)*8i)/(d*((x + 1)^{(1/2)} - 1)) + (e*((x - 1)^{(1/2)} - 1i)^3*8i)/(d*((x + 1)^{(1/2)} - 1)^3) + (e*((x - 1)^{(1/2)} - 1i)^5*8i)/(d*((x + 1)^{(1/2)} - 1)^5) - (e*((x - 1)^{(1/2)} - 1i)^7*8i)/(d*((x + 1)^{(1/2)} - 1)^7) - (((x - 1)^{(1/2)} - 1i)^2*(4*d^2 + 16*e^2))/(d^2*((x + 1)^{(1/2)} - 1)^2) - (((x - 1)^{(1/2)} - 1i)^6*(4*d^2 + 16*e^2))/(d^2*((x + 1)^{(1/2)} - 1)^6) + (((x - 1)^{(1/2)} - 1i)^4*(6*d^2 - 32*e^2))/(d^2*((x + 1)^{(1/2)} - 1)^4) + 1) - ((2*((x - 1)^{(1/2)} - 1i)^3*(16*b*e^3 + 11*b*d^2*e))/((d^2*((x + 1)^{(1/2)} - 1)^3*(d^4 + e^4 - 2*d^2*e^2)) - (6*b*e*((x - 1)^{(1/2)} - 1i)^7)/(((x + 1)^{(1/2)} - 1)^7*(d^4 + e^4 - 2*d^2*e^2)) - (6*b*e*((x - 1)^{(1/2)} - 1i))/(((x + 1)^{(1/2)} - 1)*(d^4 + e^4 - 2*d^2*e^2)) + (((x - 1)^{(1/2)} - 1i)^4*(2*b*e^4 - 2*b*d^4 + 3*b*d^2*e^2)*8i)/(d^3*((x + 1)^{(1/2)} - 1)^4*(d^4 + e^4 - 2*d^2*e^2)) + (b*((x - 1)^{(1/2)} - 1i)^2*(2*d^4 + 2*e^4 + 5*d^2*e^2)*4i)/(d^3*((x + 1)^{(1/2)} - 1)^2*(d^4 + e^4 - 2*d^2*e^2)) + (b*((x - 1)^{(1/2)} - 1i)^6*(2*d^4 + 2*e^4 + 5*d^2*e^2)*4i)/(d^3*((x + 1)^{(1/2)} - 1)^6*(d^4 + e^4 - 2*d^2*e^2)) + (2*b*e*((x - 1)^{(1/2)} - 1i)^5*(11*d^2 + 16*e^2))/((d^2*((x + 1)^{(1/2)} - 1)^5*(d^4 + e^4 - 2*d^2*e^2)))/(((x - 1)^{(1/2)} - 1i)^8/((x + 1)^{(1/2)} - 1)^8 - (e*((x - 1)^{(1/2)} - 1i)*8i)/(d*((x + 1)^{(1/2)} - 1)) + (e*((x - 1)^{(1/2)} - 1i)^3*8i)/(d*((x + 1)^{(1/2)} - 1)^3) + (e*((x - 1)^{(1/2)} - 1i)^5*8i)/(d*((x + 1)^{(1/2)} - 1)^5) - (e*((x - 1)^{(1/2)} - 1i)^7*8i)/(d*((x + 1)^{(1/2)} - 1)^7) - (((x - 1)^{(1/2)} - 1i)^2*(4*d^2 + 16*e^2))/(d^2*((x + 1)^{(1/2)} - 1)^2) - (((x - 1)^{(1/2)} - 1i)^6*(4*d^2 + 16*e^2))/(d^2*((x + 1)^{(1/2)} - 1)^6) + (((x - 1)^{(1/2)} - 1i)^4*(6*d^2 - 32*e^2))/(d^2*((x + 1)^{(1/2)} - 1)^4) + 1) + ((2*(2*a*e^4 - 5*a*d^2*e^2)*((x - 1)^{(1/2)} - 1i))/((d^3*((x + 1)^{(1/2)} - 1)*(d^4 + e^4 - 2*d^2*e^2)) - (((x - 1)^{(1/2)} - 1i)^4*(2*a*e^5 - 9*a*d^2*e^3 + 4*a*d^4*e)*8i)/(d^4*((x + 1)^{(1/2)} - 1)^4*(d^4 + e^4 - 2*d^2*e^2)) + (2*(2*a*e^4 - 5*a*d^2*e^2)*((x - 1)^{(1/2)} - 1i)^7)/((d^3*((x + 1)^{(1/2)} - 1)^7*(d^4 + e^4 - 2*d^2*e^2)) - (2*(2*a*e^4 - 29*a*d^2*e^2)*((x - 1)^{(1/2)} - 1i)^3)/((d^3*((x + 1)^{(1/2)} - 1)^3*(d^4 + e^4 - 2*d^2*e^2)) - (2*(2*a*e^4 - 29*a*d^2*e^2)*((x - 1)^{(1/2)} - 1i)^5)/((d^3*((x + 1)^{(1/2)} - 1)^5*(d^4 + e^4 - 2*d^2*e^2)) + (e*((x - 1)^{(1/2)} - 1i)^2*(4*a*d^4 - 2*a*e^4 + 7*a*d^2*e^2)*4i)/(d^4*((x + 1)^{(1/2)} - 1)^2*(d^4 + e^4 - 2*d^2*e^2)) + (e*((x - 1)^{(1/2)} - 1i)^6*(4*a*d^4 - 2*a*e^4 + 7*a*d^2*e^2)*4i)/(d^4*((x + 1)^{(1/2)} - 1)^6*(d^4 + e^4 - 2*d^2*e^2)))/(((x - 1)^{(1/2)} - 1i)^8/((x + 1)^{(1/2)} - 1)^8 - (e*((x - 1)^{(1/2)} - 1i)*8i)/(d*((x + 1)^{(1/2)} - 1)) + (e*((x - 1)^{(1/2)} - 1i)^3*8i)/(d*((x + 1)^{(1/2)} - 1)^3) + (e*((x - 1)^{(1/2)} - 1i)^5*8i)/(d*((x + 1)^{(1/2)} - 1)^5) - (e*((x - 1)^{(1/2)} - 1i)^7*8i)/(d*((x + 1)^{(1/2)} - 1)^7) - (((x - 1)^{(1/2)} - 1i)^2*(4*d^2 + 16*e^2))/(d^2*((x + 1)^{(1/2)} - 1)^2) - (((x - 1)^{(1/2)} - 1i)^6*(4*d^2 + 16*e^2))/(d^2*((x + 1)^{(1/2)} - 1)^6) + (((x - 1)^{(1/2)} - 1i)^4*(6*d^2 - 32*e^2))/(d^2*((x + 1)^{(1/2)} - 1)^4) + 1) - (c*atan(((c*(d^2 + 2*e^2))*((4*(c*e^7*8i - c*d^2*e^5*12i + c*d^6*e*4i)))/(d^10 + d^2*e^8 - 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8*e^2) + (4*((x - 1)^{(1/2)} - 1i)^2*(c*e^7*8i - c*d^2*e^5*12i + c*d^6*e*4i)))/(((x + 1)^{(1/2)} - 1)^2*(d^10 + d^2*e^8 - 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8*e^2)) - (c*(d^2 + 2*e^2))*((e*((x - 1)^{(1/2)} - 1i)*64i)/(d*((x + 1)^{(1/2)} - 1)) - (4*(4*d^10 + 4*e^10 - 12*d^2*e^8 + 8*d^4*e^6 + 8*d^6*e^4 - 12*d^8*e^2))/(d^10 + d^2*e^8 - 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8*e^2) + (4*((x - 1)^{(1/2)} - 1i)^2*(4*d^10 - 12*e^10 + 52*d^2*e^8 - 88*d^4*e^6 + 72*d^6*e^4 - 28*d^8*e^2))/(((x + 1)^{(1/2)} - 1)^2*(d^10 + d^2*e^8 - 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8*e^2)))/((2*(d + e)^(5/2)*(d - e)^(5/2))*1i)/(2*(d + e)^(5/2)*(d - e)^(5/2)) + (c*(d^2 + 2*e^2))*((4*(c*e^7*8i - c*d^2*e^5*12i + c*d^6*e*4i))/(d^10 + d^2*e^8 - 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8*e^2) + (4*((x - 1)^{(1/2)} - 1i)^2*(c*e^7*8i - c*d^2*e^5*12i + c*d^6*e*4i)))/(((x + 1)^{(1/2)} - 1)^2*(d^10 + d^2*e^8 - 4*
\end{aligned}$$

$$\begin{aligned}
& d^4 e^6 + 6 d^6 e^4 - 4 d^8 e^2) + (c(d^2 + 2e^2) * ((e((x-1)^{1/2}) - 1) \\
& i) * 64i) / (d * ((x+1)^{1/2}) - 1)) - (4 * (4d^{10} + 4e^{10} - 12d^2 e^8 + 8d^4 e^6 \\
& + 8d^6 e^4 - 12d^8 e^2)) / (d^{10} + d^2 e^8 - 4d^4 e^6 + 6d^6 e^4 - 4d^8 e^2) + (4 * ((x-1)^{1/2}) - 1i)^2 * (4d^{10} - 12e^{10} + 52d^2 e^8 - 88d^4 e^6 \\
& + 72d^6 e^4 - 28d^8 e^2)) / (((x+1)^{1/2}) - 1)^2 * (d^{10} + d^2 e^8 - 4d^4 e^6 + 6d^6 e^4 - 4d^8 e^2)) / (2 * (d+e)^{5/2} * (d-e)^{5/2})) * 1i) / \\
& (2 * (d+e)^{5/2} * (d-e)^{5/2})) / ((8 * (c^2 d^4 + 4c^2 e^4 + 4c^2 d^2 e^2)) / (d^{10} + d^2 e^8 - 4d^4 e^6 + 6d^6 e^4 - 4d^8 e^2) - (8 * ((x-1)^{1/2}) - 1i)^2 * (c^2 d^4 + 4c^2 e^4 + 4c^2 d^2 e^2)) / (((x+1)^{1/2}) - 1)^2 * (d^{10} \\
& + d^2 e^8 - 4d^4 e^6 + 6d^6 e^4 - 4d^8 e^2)) - (c(d^2 + 2e^2) * ((4 * (c e^7 * 8i - c d^2 e^5 * 12i + c d^6 e * 4i)) / (d^{10} + d^2 e^8 - 4d^4 e^6 + 6d^6 e^4 - 4d^8 e^2) + (4 * ((x-1)^{1/2}) - 1i)^2 * (c e^7 * 8i - c d^2 e^5 * 12i + c d^6 e * 4i)) / (((x+1)^{1/2}) - 1)^2 * (d^{10} + d^2 e^8 - 4d^4 e^6 + 6d^6 e^4 - 4d^8 e^2)) - (c(d^2 + 2e^2) * ((e((x-1)^{1/2}) - 1i) * 64i) / (d * ((x+1)^{1/2}) - 1)) - (4 * (4d^{10} + 4e^{10} - 12d^2 e^8 + 8d^4 e^6 + 8d^6 e^4 - 12d^8 e^2)) / (d^{10} + d^2 e^8 - 4d^4 e^6 + 6d^6 e^4 - 4d^8 e^2) + (4 * ((x-1)^{1/2}) - 1i)^2 * (4d^{10} - 12e^{10} + 52d^2 e^8 - 88d^4 e^6 + 72d^6 e^4 - 28d^8 e^2)) / (((x+1)^{1/2}) - 1)^2 * (d^{10} + d^2 e^8 - 4d^4 e^6 + 6d^6 e^4 - 4d^8 e^2)) / (2 * (d+e)^{5/2} * (d-e)^{5/2})) / (2 * (d+e)^{5/2} * (d-e)^{5/2})) + (c(d^2 + 2e^2) * ((4 * (c e^7 * 8i - c d^2 e^5 * 12i + c d^6 e * 4i)) / (d^{10} + d^2 e^8 - 4d^4 e^6 + 6d^6 e^4 - 4d^8 e^2) + (4 * ((x-1)^{1/2}) - 1i)^2 * (c e^7 * 8i - c d^2 e^5 * 12i + c d^6 e * 4i)) / (((x+1)^{1/2}) - 1)^2 * (d^{10} + d^2 e^8 - 4d^4 e^6 + 6d^6 e^4 - 4d^8 e^2)) + (c(d^2 + 2e^2) * ((e((x-1)^{1/2}) - 1i) * 64i) / (d * ((x+1)^{1/2}) - 1)) - (4 * (4d^{10} + 4e^{10} - 12d^2 e^8 + 8d^4 e^6 + 8d^6 e^4 - 12d^8 e^2)) / (d^{10} + d^2 e^8 - 4d^4 e^6 + 6d^6 e^4 - 4d^8 e^2) + (4 * ((x-1)^{1/2}) - 1i)^2 * (4d^{10} - 12e^{10} + 52d^2 e^8 - 88d^4 e^6 + 72d^6 e^4 - 28d^8 e^2)) / (((x+1)^{1/2}) - 1)^2 * (d^{10} + d^2 e^8 - 4d^4 e^6 + 6d^6 e^4 - 4d^8 e^2)) / (2 * (d+e)^{5/2} * (d-e)^{5/2})) / (2 * (d+e)^{5/2} * (d-e)^{5/2})) * (d^2 + 2e^2) * 1i) / ((d+e)^{5/2} * (d-e)^{5/2}) - (a * atan(((a * (2d^2 + e^2) * ((4 * (a e^7 * 4i - a d^4 e^3 * 12i + a d^6 e * 8i)) / (d^{10} + d^2 e^8 - 4d^4 e^6 + 6d^6 e^4 - 4d^8 e^2) + (4 * ((x-1)^{1/2}) - 1i)^2 * (a e^7 * 4i - a d^4 e^3 * 12i + a d^6 e * 8i)) / (((x+1)^{1/2}) - 1)^2 * (d^{10} + d^2 e^8 - 4d^4 e^6 + 6d^6 e^4 - 4d^8 e^2)) - (a * (2d^2 + e^2) * ((e((x-1)^{1/2}) - 1i) * 64i) / (d * ((x+1)^{1/2}) - 1)) - (4 * (4d^{10} + 4e^{10} - 12d^2 e^8 + 8d^4 e^6 + 8d^6 e^4 - 12d^8 e^2)) / (d^{10} + d^2 e^8 - 4d^4 e^6 + 6d^6 e^4 - 4d^8 e^2) + (4 * ((x-1)^{1/2}) - 1i)^2 * (4d^{10} - 12e^{10} + 52d^2 e^8 - 88d^4 e^6 + 72d^6 e^4 - 28d^8 e^2)) / (((x+1)^{1/2}) - 1)^2 * (d^{10} + d^2 e^8 - 4d^4 e^6 + 6d^6 e^4 - 4d^8 e^2)) / (2 * (d+e)^{5/2} * (d-e)^{5/2})) * 1i) / (2 * (d+e)^{5/2} * (d-e)^{5/2}) + (a * (2d^2 + e^2) * ((4 * (a e^7 * 4i - a d^4 e^3 * 12i + a d^6 e * 8i)) / (d^{10} + d^2 e^8 - 4d^4 e^6 + 6d^6 e^4 - 4d^8 e^2) + (4 * ((x-1)^{1/2}) - 1i)^2 * (a e^7 * 4i - a d^4 e^3 * 12i + a d^6 e * 8i)) / (((x+1)^{1/2}) - 1)^2 * (d^{10} + d^2 e^8 - 4d^4 e^6 + 6d^6 e^4 - 4d^8 e^2)) + (a * (2d^2 + e^2) * ((e((x-1)^{1/2}) - 1i) * 64i) / (d * ((x+1)^{1/2}) - 1)) - (4 * (4d^{10} + 4e^{10} - 12d^2 e^8 + 8d^4 e^6 + 8d^6 e^4 - 12d^8 e^2)) / (d^{10} + d^2 e^8 - 4d^4 e^6 + 6d^6 e^4 - 4d^8 e^2) + (4 * ((x-1)^{1/2}) - 1i)^2 * (4d^{10} - 12e^{10} + 52d^2 e^8 - 88d^4 e^6 + 72d^6 e^4 - 28d^8 e^2)) / (((x+1)^{1/2}) - 1)^2 * (d^{10} + d^2 e^8 - 4d^4 e^6 + 6d^6 e^4 - 4d^8 e^2)) / (2 * (d+e)^{5/2} * (d-e)^{5/2})) * 1i) / (2 * (d+e)^{5/2} * (d-e)^{5/2})) / ((8 * (4 * a^2 d^4 + a^2 e^4 + 4 * a^2 d^2 e^2)) / (d^{10} + d^2 e^8 - 4d^4 e^6 + 6d^6 e^4 - 4d^8 e^2) - (8 * ((x-1)^{1/2}) - 1i)^2 * (4 * a^2 d^4 + a^2 e^4 + 4 * a^2 d^2 e^2)) / (((x+1)^{1/2}) - 1)^2 * (d^{10} + d^2 e^8 - 4d^4 e^6 + 6d^6 e^4 - 4d^8 e^2)) - (a * (2d^2 + e^2) * ((4 * (a e^7 * 4i - a d^4 e^3 * 12i + a d^6 e * 8i)) / (d^{10} + d^2 e^8 - 4d^4 e^6 + 6d^6 e^4 - 4d^8 e^2) + (4 * ((x-1)^{1/2}) - 1i)^2 * (a e^7 * 4i - a d^4 e^3 * 12i + a d^6 e * 8i)) / (((x+1)^{1/2}) - 1)^2 * (d^{10} + d^2 e^8 - 4d^4 e^6 + 6d^6 e^4 - 4d^8 e^2)) - (a * (2d^2 + e^2) * ((e((x-1)^{1/2}) - 1i) * 64i) / (d * ((x+1)^{1/2}) - 1)) - (4 * (4d^{10} + 4e^{10} - 12d^2 e^8 + 8d^4 e^6 + 8d^6 e^4 - 12d^8 e^2)) / (d^{10} + d^2 e^8 - 4d^4 e^6 + 6d^6 e^4 - 4d^8 e^2) + (4 * ((x-1)^{1/2}) - 1i)^2 * (4d^{10} - 12e^{10} + 52d^2 e^8 - 88d^4 e^6 + 72d^6 e^4 - 28d^8 e^2)) / (
\end{aligned}$$

$$\frac{((x + 1)^{1/2} - 1)^2(d^{10} + d^2e^8 - 4d^4e^6 + 6d^6e^4 - 4d^8e^2)}{(2(d + e)^{5/2}(d - e)^{5/2})} \frac{((2d^2 + e^2)((4(ae^{7*4i} - a^d4e^312i + a^d6e*8i))/(d^{10} + d^2e^8 - 4d^4e^6 + 6d^6e^4 - 4d^8e^2) + (4((x - 1)^{1/2} - 1i)^2(ae^{7*4i} - a^d4e^312i + a^d6e*8i)))/((x + 1)^{1/2} - 1)^2(d^{10} + d^2e^8 - 4d^4e^6 + 6d^6e^4 - 4d^8e^2)) + (a(2d^2 + e^2)((e((x - 1)^{1/2} - 1i)*64i)/(d((x + 1)^{1/2} - 1)) - (4(4d^{10} + 4e^{10} - 12d^2e^8 + 8d^4e^6 + 8d^6e^4 - 12d^8e^2)))/(d^{10} + d^2e^8 - 4d^4e^6 + 6d^6e^4 - 4d^8e^2) + (4((x - 1)^{1/2} - 1i)^2(4d^{10} - 12e^{10} + 52d^2e^8 - 88d^4e^6 + 72d^6e^4 - 28d^8e^2)))/((x + 1)^{1/2} - 1)^2(d^{10} + d^2e^8 - 4d^4e^6 + 6d^6e^4 - 4d^8e^2)))/((2(d + e)^{5/2}(d - e)^{5/2})))/(2(d + e)^{5/2}(d - e)^{5/2})) * (2d^2 + e^2) * 1i) / ((d + e)^{5/2}(d - e)^{5/2}) + (b*d*e*atan(((b*d*e*((4*(b*d^5*e^2*12i - b*d^3*e^4*24i + b*d*e^6*12i)))/(d^{10} + d^2e^8 - 4d^4e^6 + 6d^6e^4 - 4d^8e^2) + (4((x - 1)^{1/2} - 1i)^2(b*d^5e^2*12i - b*d^3e^4*24i + b*d*e^6*12i)))/((x + 1)^{1/2} - 1)^2(d^{10} + d^2e^8 - 4d^4e^6 + 6d^6e^4 - 4d^8e^2)) - (3*b*d*e*((e((x - 1)^{1/2} - 1i)*64i)/(d((x + 1)^{1/2} - 1)) - (4(4d^{10} + 4e^{10} - 12d^2e^8 + 8d^4e^6 + 8d^6e^4 - 12d^8e^2)))/(d^{10} + d^2e^8 - 4d^4e^6 + 6d^6e^4 - 4d^8e^2) + (4((x - 1)^{1/2} - 1i)^2(4d^{10} - 12e^{10} + 52d^2e^8 - 88d^4e^6 + 72d^6e^4 - 28d^8e^2)))/((x + 1)^{1/2} - 1)^2(d^{10} + d^2e^8 - 4d^4e^6 + 6d^6e^4 - 4d^8e^2)))/((2(d + e)^{5/2}(d - e)^{5/2})) * 3i) / ((d + e)^{5/2}(d - e)^{5/2}) + (b*d*e*((4*(b*d^5e^2*12i - b*d^3e^4*24i + b*d*e^6*12i)))/(d^{10} + d^2e^8 - 4d^4e^6 + 6d^6e^4 - 4d^8e^2) + (4((x - 1)^{1/2} - 1i)^2(b*d^5e^2*12i - b*d^3e^4*24i + b*d*e^6*12i)))/((x + 1)^{1/2} - 1)^2(d^{10} + d^2e^8 - 4d^4e^6 + 6d^6e^4 - 4d^8e^2)) + (3*b*d*e*((e((x - 1)^{1/2} - 1i)*64i)/(d((x + 1)^{1/2} - 1)) - (4(4d^{10} + 4e^{10} - 12d^2e^8 + 8d^4e^6 + 8d^6e^4 - 12d^8e^2)))/(d^{10} + d^2e^8 - 4d^4e^6 + 6d^6e^4 - 4d^8e^2) + (4((x - 1)^{1/2} - 1i)^2(4d^{10} - 12e^{10} + 52d^2e^8 - 88d^4e^6 + 72d^6e^4 - 28d^8e^2)))/((x + 1)^{1/2} - 1)^2(d^{10} + d^2e^8 - 4d^4e^6 + 6d^6e^4 - 4d^8e^2)))/((2(d + e)^{5/2}(d - e)^{5/2})) * 3i) / ((d + e)^{5/2}(d - e)^{5/2}) + (3*b*d*e*((4*(b*d^5e^2*12i - b*d^3e^4*24i + b*d*e^6*12i)))/(d^{10} + d^2e^8 - 4d^4e^6 + 6d^6e^4 - 4d^8e^2) + (4((x - 1)^{1/2} - 1i)^2(b*d^5e^2*12i - b*d^3e^4*24i + b*d*e^6*12i)))/((x + 1)^{1/2} - 1)^2(d^{10} + d^2e^8 - 4d^4e^6 + 6d^6e^4 - 4d^8e^2)) - (3*b*d*e*((e((x - 1)^{1/2} - 1i)*64i)/(d((x + 1)^{1/2} - 1)) - (4(4d^{10} + 4e^{10} - 12d^2e^8 + 8d^4e^6 + 8d^6e^4 - 12d^8e^2)))/(d^{10} + d^2e^8 - 4d^4e^6 + 6d^6e^4 - 4d^8e^2) + (4((x - 1)^{1/2} - 1i)^2(4d^{10} - 12e^{10} + 52d^2e^8 - 88d^4e^6 + 72d^6e^4 - 28d^8e^2)))/((x + 1)^{1/2} - 1)^2(d^{10} + d^2e^8 - 4d^4e^6 + 6d^6e^4 - 4d^8e^2)))/((2(d + e)^{5/2}(d - e)^{5/2})) * 3i) / ((d + e)^{5/2}(d - e)^{5/2}) + (3*b*d*e*((4*(b*d^5e^2*12i - b*d^3e^4*24i + b*d*e^6*12i)))/(d^{10} + d^2e^8 - 4d^4e^6 + 6d^6e^4 - 4d^8e^2) + (4((x - 1)^{1/2} - 1i)^2(b*d^5e^2*12i - b*d^3e^4*24i + b*d*e^6*12i)))/((x + 1)^{1/2} - 1)^2(d^{10} + d^2e^8 - 4d^4e^6 + 6d^6e^4 - 4d^8e^2)) + (3*b*d*e*((e((x - 1)^{1/2} - 1i)*64i)/(d((x + 1)^{1/2} - 1)) - (4(4d^{10} + 4e^{10} - 12d^2e^8 + 8d^4e^6 + 8d^6e^4 - 12d^8e^2)))/(d^{10} + d^2e^8 - 4d^4e^6 + 6d^6e^4 - 4d^8e^2) + (4((x - 1)^{1/2} - 1i)^2(4d^{10} - 12e^{10} + 52d^2e^8 - 88d^4e^6 + 72d^6e^4 - 28d^8e^2)))/((x + 1)^{1/2} - 1)^2(d^{10} + d^2e^8 - 4d^4e^6 + 6d^6e^4 - 4d^8e^2)))/((2(d + e)^{5/2}(d - e)^{5/2})) * 3i) / ((d + e)^{5/2}(d - e)^{5/2})$$

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x\*\*2+b\*x+a)/(e\*x+d)\*\*3/(-1+x)\*\*(1/2)/(1+x)\*\*(1/2),x)



[Out] Timed out

### 3.41 $\int (a+bx)^2 \sqrt{c+dx} \sqrt{e+fx} (A+Bx+Cx^2) dx$

Optimal. Leaf size=1348

$$\frac{C(c+dx)^{3/2}(e+fx)^{3/2}(a+bx)^3}{6bdf} - \frac{(2aCdf - b(4Bdf - 3C(de+cf)))(c+dx)^{3/2}(e+fx)^{3/2}(a+bx)^2}{20bd^2f^2} - \frac{(c+dx)^{3/2}(e+fx)^{3/2}(a+bx)^3}{6bdf}$$

```
[Out] -1/20*(2*a*C*d*f-b*(4*B*d*f-3*C*(c*f+d*e)))*(b*x+a)^2*(d*x+c)^(3/2)*(f*x+e)^(3/2)/b/d^2/f^2+1/6*C*(b*x+a)^3*(d*x+c)^(3/2)*(f*x+e)^(3/2)/b/d/f-1/960*(d*x+c)^(3/2)*(f*x+e)^(3/2)*(64*a^3*C*d^3*f^3-8*a^2*b*d^2*f^2*(16*B*d*f-7*C*(c*f+d*e))-8*a*b^2*d*f*(C*(35*c^2*f^2+38*c*d*e*f+35*d^2*e^2)+10*d*f*(8*A*d*f-5*B*(c*f+d*e)))+b^3*(7*C*(15*c^3*f^3+17*c^2*d*e*f^2+17*c*d^2*e^2*f+15*d^3*e^3)+4*d*f*(50*A*d*f*(c*f+d*e)-B*(35*c^2*f^2+38*c*d*e*f+35*d^2*e^2)))+6*b*d*f*(10*b*d*f*(-4*A*b*d*f+C*a*c*f+C*a*d*e+2*C*b*c*e)+(4*a*d*f-7*b*(c*f+d*e))*(2*a*C*d*f-b*(4*B*d*f-3*C*(c*f+d*e))))*x)/b/d^4/f^4-1/512*(-c*f+d*e)^2*(8*a^2*d^2*f^2*(C*(5*c^2*f^2+6*c*d*e*f+5*d^2*e^2)+8*d*f*(2*A*d*f-B*(c*f+d*e)))-8*a*b*d*f*(C*(7*c^3*f^3+9*c^2*d*e*f^2+9*c*d^2*e^2*f+7*d^3*e^3)+2*d*f*(8*A*d*f*(c*f+d*e)-B*(5*c^2*f^2+6*c*d*e*f+5*d^2*e^2)))+b^2*(C*(21*c^4*f^4+28*c^3*d*e*f^3+30*c^2*d^2*e^2*f^2+28*c*d^3*e^3*f+21*d^4*e^4)+4*d*f*(2*A*d*f*(5*c^2*f^2+6*c*d*e*f+5*d^2*e^2)-B*(7*c^3*f^3+9*c^2*d*e*f^2+9*c*d^2*e^2*f+7*d^3*e^3)))*)*arctanh(f^(1/2)*(d*x+c)^(1/2)/d^(1/2)/(f*x+e)^(1/2))/d^(11/2)/f^(11/2)+1/256*(8*a^2*d^2*f^2*(C*(5*c^2*f^2+6*c*d*e*f+5*d^2*e^2)+8*d*f*(2*A*d*f-B*(c*f+d*e)))-8*a*b*d*f*(C*(7*c^3*f^3+9*c^2*d*e*f^2+9*c*d^2*e^2*f+7*d^3*e^3)+2*d*f*(8*A*d*f*(c*f+d*e)-B*(5*c^2*f^2+6*c*d*e*f+5*d^2*e^2)))+b^2*(C*(21*c^4*f^4+28*c^3*d*e*f^3+30*c^2*d^2*e^2*f^2+28*c*d^3*e^3*f+21*d^4*e^4)+4*d*f*(2*A*d*f*(5*c^2*f^2+6*c*d*e*f+5*d^2*e^2)-B*(7*c^3*f^3+9*c^2*d*e*f^2+9*c*d^2*e^2*f+7*d^3*e^3)))*)*(d*x+c)^(3/2)*(f*x+e)^(1/2)/d^5/f^4+1/512*(-c*f+d*e)*(8*a^2*d^2*f^2*(C*(5*c^2*f^2+6*c*d*e*f+5*d^2*e^2)+8*d*f*(2*A*d*f-B*(c*f+d*e)))-8*a*b*d*f*(C*(7*c^3*f^3+9*c^2*d*e*f^2+9*c*d^2*e^2*f+7*d^3*e^3)+2*d*f*(8*A*d*f*(c*f+d*e)-B*(5*c^2*f^2+6*c*d*e*f+5*d^2*e^2)))+b^2*(C*(21*c^4*f^4+28*c^3*d*e*f^3+30*c^2*d^2*e^2*f^2+28*c*d^3*e^3*f+21*d^4*e^4)+4*d*f*(2*A*d*f*(5*c^2*f^2+6*c*d*e*f+5*d^2*e^2)-B*(7*c^3*f^3+9*c^2*d*e*f^2+9*c*d^2*e^2*f+7*d^3*e^3)))*)*(d*x+c)^(1/2)*(f*x+e)^(1/2)/d^5/f^5
```

**Rubi [A]** time = 2.37, antiderivative size = 1345, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 36,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$ , Rules used = {1615, 153, 147, 50, 63, 217, 206}

$$\frac{C(c+dx)^{3/2}(e+fx)^{3/2}(a+bx)^3}{6bdf} + \frac{(4bBdf - 2aCdf - 3bC(de+cf))(c+dx)^{3/2}(e+fx)^{3/2}(a+bx)^2}{20bd^2f^2} - \frac{(c+dx)^{3/2}(e+fx)^{3/2}(a+bx)^3}{6bdf}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*x)^2\*sqrt[c + d\*x]\*sqrt[e + f\*x]\*(A + B\*x + C\*x^2), x]

```
[Out] ((d*e - c*f)*(8*a^2*d^2*f^2*(C*(5*d^2*e^2 + 6*c*d*e*f + 5*c^2*f^2) + 8*d*f*(2*A*d*f - B*(d*e + c*f))) - 8*a*b*d*f*(C*(7*d^3*e^3 + 9*c*d^2*e^2*f + 9*c^2*d*e*f^2 + 7*c^3*f^3) + 2*d*f*(8*A*d*f*(d*e + c*f) - B*(5*d^2*e^2 + 6*c*d*e*f + 5*c^2*f^2))) + b^2*(C*(21*d^4*e^4 + 28*c*d^3*e^3*f + 30*c^2*d^2*e^2*f^2 + 28*c^3*d*e*f^3 + 21*c^4*f^4) + 4*d*f*(2*A*d*f*(5*d^2*e^2 + 6*c*d*e*f + 5*c^2*f^2) - B*(7*d^3*e^3 + 9*c*d^2*e^2*f + 9*c^2*d*e*f^2 + 7*c^3*f^3))))*sqrt[c + d*x]*sqrt[e + f*x]/(512*d^5*f^5) + ((8*a^2*d^2*f^2*(C*(5*d^2*e^2 + 6*c*d*e*f + 5*c^2*f^2) + 8*d*f*(2*A*d*f - B*(d*e + c*f))) - 8*a*b*d*f*(C*(7*d^3*e^3 + 9*c*d^2*e^2*f + 9*c^2*d*e*f^2 + 7*c^3*f^3) + 2*d*f*(8*A*d*f*(d*e + c*f) - B*(5*d^2*e^2 + 6*c*d*e*f + 5*c^2*f^2))) + b^2*(C*(21*d^4*e^4 + 28*c*d^3*e^3*f + 30*c^2*d^2*e^2*f^2 + 28*c^3*d*e*f^3 + 21*c^4*f^4) + 4*d*f*(2*A*d*f*(5*d^2*e^2 + 6*c*d*e*f + 5*c^2*f^2) - B*(7*d^3*e^3 + 9*c*d^2*e^2*f + 9*c^2*d*e*f^2 + 7*c^3*f^3))))*sqrt[c + d*x]*sqrt[e + f*x]/(512*d^5*f^5)
```

$$\begin{aligned}
& + 9c^2d^2ef^2 + 7c^3f^3)))(c + dx)^{3/2}\sqrt{e + fx})/(256d^5f^4) + ((4bBdf - 2aCdf - 3bC(d e + cf))(a + bx)^2(c + dx)^{3/2}(e + fx)^{3/2})/(20b^2d^2f^2) + (C(a + bx)^3(c + dx)^{3/2}(e + fx)^{3/2})/(6bdf) - ((c + dx)^{3/2}(e + fx)^{3/2}(64a^3C^2d^3f^3 - 8a^2b^2d^2f^2(16Bdf - 7C(d e + cf)) - 8ab^2d^2f(C(35d^2e^2 + 38c^2d^2ef + 35c^2f^2) + 10dff(8Adf - 5B(d e + cf))) + b^3(7C(15d^3e^3 + 17c^2d^2e^2f + 17c^2d^2ef^2 + 15c^3f^3) + 4dff(50Adff(d e + cf) - B(35d^2e^2 + 38c^2d^2ef + 35c^2f^2))) + 6bdf(10bdf(2b^2c^2e + aCde + ac^2cf - 4Abdf) - (4ad^2f - 7b^2(d e + cf))(4bBdf - 2aCdf - 3bC(d e + cf)))x))/(960b^4d^4f^4) - ((de - cf)^2(8a^2d^2f^2(C(5d^2e^2 + 6c^2d^2ef + 5c^2f^2) + 8dff(2Adf - B(d e + cf))) - 8abdf(C(7d^3e^3 + 9c^2d^2e^2f + 9c^2d^2ef^2 + 7c^3f^3) + 2dff(8Adff(d e + cf) - B(5d^2e^2 + 6c^2d^2ef + 5c^2f^2))) + b^2(C(21d^4e^4 + 28c^3d^3e^3f + 30c^2d^2e^2f^2 + 28c^3d^2ef^3 + 21c^4f^4) + 4dff(2Adff(5d^2e^2 + 6c^2d^2ef + 5c^2f^2) - B(7d^3e^3 + 9c^2d^2e^2f + 9c^2d^2ef^2 + 7c^3f^3)))))*ArcTanh[Sqrt[f]*Sqrt[c + dx])/(Sqrt[d]*Sqrt[e + fx])]/(512d^{11/2}f^{11/2})
\end{aligned}$$

### Rule 50

```

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/
(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b,
c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ
[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n
+ 2, 0] && IntLinearQ[a, b, c, d, m, n, x]

```

### Rule 63

```

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

```

### Rule 147

```

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_
)))*((g_.) + (h_.)*(x_)), x_Symbol] := -Simp[((a*d*f*h*(n + 2) + b*c*f*h*(m
+ 2) - b*d*(f*g + e*h)*(m + n + 3) - b*d*f*h*(m + n + 2)*x)*(a + b*x)^(m +
1)*(c + d*x)^(n + 1))/(b^2*d^2*(m + n + 2)*(m + n + 3)), x] + Dist[(a^2*d^2
*f*h*(n + 1)*(n + 2) + a*b*d*(n + 1)*(2*c*f*h*(m + 1) - d*(f*g + e*h)*(m +
n + 3)) + b^2*(c^2*f*h*(m + 1)*(m + 2) - c*d*(f*g + e*h)*(m + 1)*(m + n + 3
) + d^2*e*g*(m + n + 2)*(m + n + 3)))/(b^2*d^2*(m + n + 2)*(m + n + 3)), In
t[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, m, n},
x] && NeQ[m + n + 2, 0] && NeQ[m + n + 3, 0]

```

### Rule 153

```

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_
))^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[(h*(a + b*x)^m*(c + d*x)^(n
+ 1)*(e + f*x)^(p + 1))/(d*f*(m + n + p + 2)), x] + Dist[1/(d*f*(m + n + p
+ 2)), Int[(a + b*x)^(m - 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*g*(m + n +
p + 2) - h*(b*c*e*m + a*(d*e*(n + 1) + c*f*(p + 1))) + (b*d*f*g*(m + n + p
+ 2) + h*(a*d*f*m - b*(d*e*(m + n + 1) + c*f*(m + p + 1)))]*x, x], x] /;
FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p +
2, 0] && IntegerQ[m]

```

### Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

### Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

### Rule 1615

```
Int[(Px_)*((a_.) + (b_.)*(x_)^(m_.))*((c_.) + (d_.)*(x_)^(n_.))*((e_.) + (f
_.)*(x_)^(p_.), x_Symbol] := With[{q = Expon[Px, x], k = Coeff[Px, x, Expo
n[Px, x]]}, Simp[(k*(a + b*x)^(m + q - 1)*(c + d*x)^(n + 1)*(e + f*x)^(p +
1))/(d*f*b^(q - 1)*(m + n + p + q + 1)), x] + Dist[1/(d*f*b^q*(m + n + p +
q + 1)), Int[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p*ExpandToSum[d*f*b^q*(m + n
+ p + q + 1)*Px - d*f*k*(m + n + p + q + 1)*(a + b*x)^q + k*(a + b*x)^(q -
2)*(a^2*d*f*(m + n + p + q + 1) - b*(b*c*e*(m + q - 1) + a*(d*e*(n + 1) +
c*f*(p + 1))) + b*(a*d*f*(2*(m + q) + n + p) - b*(d*e*(m + q + n) + c*f*(m
+ q + p)))*x), x], x] /; NeQ[m + n + p + q + 1, 0] /; FreeQ[{a, b, c,
d, e, f, m, n, p}, x] && PolyQ[Px, x] && IntegersQ[2*m, 2*n, 2*p]
```

### Rubi steps

$$\int (a + bx)^2 \sqrt{c + dx} \sqrt{e + fx} (A + Bx + Cx^2) dx = \frac{C(a + bx)^3 (c + dx)^{3/2} (e + fx)^{3/2}}{6bdf} + \frac{\int (a + bx)^2 \sqrt{c + dx} \sqrt{e + fx} dx}{20bd^2 f^2}$$

$$= \frac{(4bBdf - 2aCdf - 3bC(de + cf))(a + bx)^2 (c + dx)^{3/2} (e + fx)^{3/2}}{20bd^2 f^2}$$

$$= \frac{(4bBdf - 2aCdf - 3bC(de + cf))(a + bx)^2 (c + dx)^{3/2} (e + fx)^{3/2}}{20bd^2 f^2}$$

$$= \frac{(8a^2 d^2 f^2 (C(5d^2 e^2 + 6cdef + 5c^2 f^2)) + 8df(2Adf - B(de + cf))) (c + dx)^{3/2} (e + fx)^{3/2}}{20bd^2 f^2}$$

$$= \frac{(de - cf) (8a^2 d^2 f^2 (C(5d^2 e^2 + 6cdef + 5c^2 f^2)) + 8df(2Adf - B(de + cf))) (c + dx)^{3/2} (e + fx)^{3/2}}{20bd^2 f^2}$$

$$= \frac{(de - cf) (8a^2 d^2 f^2 (C(5d^2 e^2 + 6cdef + 5c^2 f^2)) + 8df(2Adf - B(de + cf))) (c + dx)^{3/2} (e + fx)^{3/2}}{20bd^2 f^2}$$

$$= \frac{(de - cf) (8a^2 d^2 f^2 (C(5d^2 e^2 + 6cdef + 5c^2 f^2)) + 8df(2Adf - B(de + cf))) (c + dx)^{3/2} (e + fx)^{3/2}}{20bd^2 f^2}$$

**Mathematica** [B] time = 7.13, size = 3599, normalized size = 2.67

Result too large to show

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*x)^2*Sqrt[c + d*x]*Sqrt[e + f*x]*(A + B*x + C*x^2),x]
[Out] (2*b^2*C*(d*e - c*f)^4*(c + d*x)^(3/2)*Sqrt[e + f*x]*(1 + (d*f*(c + d*x))/
(d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^(11/2)*((63/(128*
(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f
))))^5) + 21/(32*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (
c*d*f)/(d*e - c*f))))^4) + 63/(80*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e
)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^3) + 9/(10*(1 + (d*f*(c + d*x))/((d*
e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^2) + (1 + (d*f*(c +
d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^(-1))/4 +
(63*(d*e - c*f)^2*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))^2*((2*d*f*(c
+ d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))) - (2*Sqrt
[d]*Sqrt[f]*Sqrt[c + d*x]*ArcSinh[(Sqrt[d]*Sqrt[f]*Sqrt[c + d*x])/(Sqrt[d*e
- c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)])])/(Sqrt[d*e - c*f]
*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)]*Sqrt[1 + (d*f*(c + d*x))/
(d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))])))/(2048*d^2*f^2*
(c + d*x)^2*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f
)/(d*e - c*f))))^5))/(3*d^5*f^4*(d/((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c
*f)))^(9/2)*Sqrt[(d*(e + f*x))/(d*e - c*f)] + (2*b*(d*e - c*f)^3*(-4*b*C*e
+ b*B*f + 2*a*C*f)*(c + d*x)^(3/2)*Sqrt[e + f*x]*(1 + (d*f*(c + d*x))/((d*
e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^(9/2)*((3*(35/(64*(1
+ (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))
))^4) + 35/(48*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*
d*f)/(d*e - c*f))))^3) + 7/(8*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d
*e - c*f) - (c*d*f)/(d*e - c*f))))^2) + (1 + (d*f*(c + d*x))/((d*e - c*f)*
(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^(-1))/10 + (21*(d*e - c*f)^2*
((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))^2*((2*d*f*(c + d*x))/((d*e - c*
f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))) - (2*Sqrt[d]*Sqrt[f]*Sqrt[c
+ d*x]*ArcSinh[(Sqrt[d]*Sqrt[f]*Sqrt[c + d*x])/(Sqrt[d*e - c*f]*Sqrt[(d^2*
e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)])])/(Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e
- c*f) - (c*d*f)/(d*e - c*f)]*Sqrt[1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*
e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))])))/(512*d^2*f^2*(c + d*x)^2*(1 + (d
*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^4)
)/(3*d^4*f^4*(d/((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))^(7/2)*Sqrt[(d
*(e + f*x))/(d*e - c*f)] + (2*(d*e - c*f)^2*(6*b^2*C*e^2 - 3*b^2*B*e*f - 6
*a*b*C*e*f + A*b^2*f^2 + 2*a*b*B*f^2 + a^2*C*f^2)*(c + d*x)^(3/2)*Sqrt[e +
f*x]*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e
- c*f))))^(7/2)*((3*(5/(8*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e -
c*f) - (c*d*f)/(d*e - c*f))))^3) + 5/(6*(1 + (d*f*(c + d*x))/((d*e - c*f)*
((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^2) + (1 + (d*f*(c + d*x))/((d
*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^(-1))/8 + (15*(d*e
- c*f)^2*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))^2*((2*d*f*(c + d*x))/
((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))) - (2*Sqrt[d]*Sqrt
[f]*Sqrt[c + d*x]*ArcSinh[(Sqrt[d]*Sqrt[f]*Sqrt[c + d*x])/(Sqrt[d*e - c*f]*
Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)])])/(Sqrt[d*e - c*f]*Sqrt[(d
^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)]*Sqrt[1 + (d*f*(c + d*x))/((d*e - c
*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))])))/(256*d^2*f^2*(c + d*x)
^2*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e -
c*f))))^3))/(3*d^3*f^4*(d/((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))^(5/
2)*Sqrt[(d*(e + f*x))/(d*e - c*f)] + (2*(-(b*e) + a*f)*(d*e - c*f)*(4*b*C*
e^2 - 3*b*B*e*f - 2*a*C*e*f + 2*A*b*f^2 + a*B*f^2)*(c + d*x)^(3/2)*Sqrt[e +
f*x]*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e
- c*f))))^(5/2)*((3/(4*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c
*f) - (c*d*f)/(d*e - c*f))))^2) + (1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e
)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^(-1))/2 + (3*(d*e - c*f)^2*((d^2*e)/
(d*e - c*f) - (c*d*f)/(d*e - c*f))^2*((2*d*f*(c + d*x))/((d*e - c*f)*((d^2*
e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))) - (2*Sqrt[d]*Sqrt[f]*Sqrt[c + d*x]*A
rcSinh[(Sqrt[d]*Sqrt[f]*Sqrt[c + d*x])/(Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e -
c*f) - (c*d*f)/(d*e - c*f)])])/(Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) -
(c*d*f)/(d*e - c*f)]*Sqrt[1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e -
```



$$\begin{aligned}
& b + B*b^2)*c*d^5 - 8*(C*a^2 + 2*B*a*b + A*b^2)*d^6)*e^4*f^2 - 4*(C*b^2*c^3*d^3 - 2*(2*C*a*b + B*b^2)*c^2*d^4 + 8*(C*a^2 + 2*B*a*b + A*b^2)*c*d^5 + 16*(B*a^2 + 2*A*a*b)*d^6)*e^3*f^3 - (5*C*b^2*c^4*d^2 - 128*A*a^2*d^6 - 8*(2*C*a*b + B*b^2)*c^3*d^3 + 16*(C*a^2 + 2*B*a*b + A*b^2)*c^2*d^4 - 64*(B*a^2 + 2*A*a*b)*c*d^5)*e^2*f^4 - 2*(7*C*b^2*c^5*d + 128*A*a^2*c*d^5 - 10*(2*C*a*b + B*b^2)*c^4*d^2 + 16*(C*a^2 + 2*B*a*b + A*b^2)*c^3*d^3 - 32*(B*a^2 + 2*A*a*b)*c^2*d^4)*e*f^5 + (21*C*b^2*c^6 + 128*A*a^2*c^2*d^4 - 28*(2*C*a*b + B*b^2)*c^5*d + 40*(C*a^2 + 2*B*a*b + A*b^2)*c^4*d^2 - 64*(B*a^2 + 2*A*a*b)*c^3*d^3)*f^6)*sqrt(-d*f)*arctan(1/2*(2*d*f*x + d*e + c*f)*sqrt(-d*f)*sqrt(d*x + c)*sqrt(f*x + e)/(d^2*f^2*x^2 + c*d*e*f + (d^2*e*f + c*d*f^2)*x)) + 2*(1280*C*b^2*d^6*f^6*x^5 + 315*C*b^2*d^6*e^5*f - 105*(C*b^2*c*d^5 + 4*(2*C*a*b + B*b^2)*d^6)*e^4*f^2 - 2*(41*C*b^2*c^2*d^4 - 80*(2*C*a*b + B*b^2)*c*d^5 - 300*(C*a^2 + 2*B*a*b + A*b^2)*d^6)*e^3*f^3 - 2*(41*C*b^2*c^3*d^3 - 68*(2*C*a*b + B*b^2)*c^2*d^4 + 140*(C*a^2 + 2*B*a*b + A*b^2)*c*d^5 + 480*(B*a^2 + 2*A*a*b)*d^6)*e^2*f^4 - 5*(21*C*b^2*c^4*d^2 - 384*A*a^2*d^6 - 32*(2*C*a*b + B*b^2)*c^3*d^3 + 56*(C*a^2 + 2*B*a*b + A*b^2)*c^2*d^4 - 128*(B*a^2 + 2*A*a*b)*c*d^5)*e*f^5 + 15*(21*C*b^2*c^5*d + 128*A*a^2*c*d^5 - 28*(2*C*a*b + B*b^2)*c^4*d^2 + 40*(C*a^2 + 2*B*a*b + A*b^2)*c^3*d^3 - 64*(B*a^2 + 2*A*a*b)*c^2*d^4)*f^6 + 128*(C*b^2*d^6*e*f^5 + (C*b^2*c*d^5 + 12*(2*C*a*b + B*b^2)*d^6)*f^6)*x^4 - 16*(9*C*b^2*d^6*e^2*f^4 - 2*(C*b^2*c*d^5 + 6*(2*C*a*b + B*b^2)*d^6)*e*f^5 + 3*(3*C*b^2*c^2*d^4 - 4*(2*C*a*b + B*b^2)*c*d^5 - 40*(C*a^2 + 2*B*a*b + A*b^2)*d^6)*f^6)*x^3 + 8*(21*C*b^2*d^6*e^3*f^3 - (5*C*b^2*c*d^5 + 28*(2*C*a*b + B*b^2)*d^6)*e^2*f^4 - (5*C*b^2*c^2*d^4 - 8*(2*C*a*b + B*b^2)*c*d^5 - 40*(C*a^2 + 2*B*a*b + A*b^2)*d^6)*e*f^5 + (21*C*b^2*c^3*d^3 - 28*(2*C*a*b + B*b^2)*c^2*d^4 + 40*(C*a^2 + 2*B*a*b + A*b^2)*c*d^5 + 320*(B*a^2 + 2*A*a*b)*d^6)*f^6)*x^2 - 2*(105*C*b^2*d^6*e^4*f^2 - 28*(C*b^2*c*d^5 + 5*(2*C*a*b + B*b^2)*d^6)*e^3*f^3 - 2*(13*C*b^2*c^2*d^4 - 22*(2*C*a*b + B*b^2)*c*d^5 - 100*(C*a^2 + 2*B*a*b + A*b^2)*d^6)*e^2*f^4 - 4*(7*C*b^2*c^3*d^3 - 11*(2*C*a*b + B*b^2)*c^2*d^4 + 20*(C*a^2 + 2*B*a*b + A*b^2)*c*d^5 + 80*(B*a^2 + 2*A*a*b)*d^6)*e*f^5 + 5*(21*C*b^2*c^4*d^2 - 384*A*a^2*d^6 - 28*(2*C*a*b + B*b^2)*c^3*d^3 + 40*(C*a^2 + 2*B*a*b + A*b^2)*c^2*d^4 - 64*(B*a^2 + 2*A*a*b)*c*d^5)*f^6)*x)*sqrt(d*x + c)*sqrt(f*x + e))/(d^6*f^6)]
\end{aligned}$$

**giac [B]** time = 6.33, size = 4708, normalized size = 3.49

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*x+a)^2\*(C\*x^2+B\*x+A)\*(d\*x+c)^(1/2)\*(f\*x+e)^(1/2),x, algorithm="giac")

[Out] 1/7680\*(7680\*((c\*d\*f - d^2\*e)\*log(abs(-sqrt(d\*f)\*sqrt(d\*x + c) + sqrt((d\*x + c)\*d\*f - c\*d\*f + d^2\*e)))/sqrt(d\*f) + sqrt((d\*x + c)\*d\*f - c\*d\*f + d^2\*e)\*sqrt(d\*x + c))\*A\*a^2\*c\*abs(d)/d^2 + 320\*(sqrt((d\*x + c)\*d\*f - c\*d\*f + d^2\*e)\*sqrt(d\*x + c)\*(2\*(d\*x + c)\*(4\*(d\*x + c)/d^2 - (13\*c\*d^5\*f^4 - d^6\*f^3\*e)/(d^7\*f^4)) + 3\*(11\*c^2\*d^5\*f^4 - 2\*c\*d^6\*f^3\*e - d^7\*f^2\*e^2)/(d^7\*f^4)) + 3\*(5\*c^3\*f^3 - 3\*c^2\*d\*f^2\*e - c\*d^2\*f\*e^2 - d^3\*e^3)\*log(abs(-sqrt(d\*f)\*sqrt(d\*x + c) + sqrt((d\*x + c)\*d\*f - c\*d\*f + d^2\*e)))/(sqrt(d\*f)\*d\*f^2))\*C\*a^2\*c\*abs(d)/d^2 + 640\*(sqrt((d\*x + c)\*d\*f - c\*d\*f + d^2\*e)\*sqrt(d\*x + c)\*(2\*(d\*x + c)\*(4\*(d\*x + c)/d^2 - (13\*c\*d^5\*f^4 - d^6\*f^3\*e)/(d^7\*f^4)) + 3\*(11\*c^2\*d^5\*f^4 - 2\*c\*d^6\*f^3\*e - d^7\*f^2\*e^2)/(d^7\*f^4)) + 3\*(5\*c^3\*f^3 - 3\*c^2\*d\*f^2\*e - c\*d^2\*f\*e^2 - d^3\*e^3)\*log(abs(-sqrt(d\*f)\*sqrt(d\*x + c) + sqrt((d\*x + c)\*d\*f - c\*d\*f + d^2\*e)))/(sqrt(d\*f)\*d\*f^2))\*B\*a\*b\*c\*abs(d)/d^2 + 80\*(sqrt((d\*x + c)\*d\*f - c\*d\*f + d^2\*e)\*(2\*(d\*x + c)\*(4\*(d\*x + c)\*(6\*(d\*x + c)/d^3 - (25\*c\*d^11\*f^6 - d^12\*f^5\*e)/(d^14\*f^6)) + (163\*c^2\*d^11\*f^6 - 14\*c\*d^12\*f^5\*e - 5\*d^13\*f^4\*e^2)/(d^14\*f^6)) - 3\*(93\*c^3\*d^11\*f^6 - 15\*c^2\*d^12\*f^5\*e - 9\*c\*d^13\*f^4\*e^2 - 5\*d^14\*f^3\*e^3)/(d^14\*f^6))\*sqrt(d\*x + c) - 3\*(35\*c^4\*f^4 - 20\*c^3\*d\*f^3\*e - 6\*c^2\*d^2\*f^2\*e^2 - 4\*c\*d^3\*f\*e^3 - 5\*d^4\*e^4)\*log(abs(-sqrt(d\*f)\*sqrt(d\*x + c) + sqrt((d\*x + c)\*d\*f - c\*d\*f + d^2\*e)))/(sqrt(d\*f)\*d^2\*f^3))\*C\*a\*b\*c\*abs(d)/d^2 + 320\*(sqrt((d\*x + c)\*d\*f - c\*d\*f





$$\begin{aligned} & \frac{-19f^8 - 26cd^{20}f^7e - 7d^{21}f^6e^2}{(d^{23}f^8)} - 5(447c^3d^{19}f^8 - 37c^2d^{20}f^7e - 19cd^{21}f^6e^2 - 7d^{22}f^5e^3)/(d^{23}f^8) * (dx + c) \\ & + 15(193c^4d^{19}f^8 - 28c^3d^{20}f^7e - 18c^2d^{21}f^6e^2 - 12cd^{22}f^5e^3 - 7d^{23}f^4e^4)/(d^{23}f^8) * \sqrt{dx + c} + 15(63c^5f^5 - 35c^4d^4f^4e - 10c^3d^2f^3e^2 - 6c^2d^3f^2e^3 - 5cd^4f^4e^4 - 7d^5e^5) * \log(\text{abs}(-\sqrt{df}) * \sqrt{dx + c} + \sqrt{(dx + c) * df - c * d * f + d^2 * e})) / (\sqrt{df} * d^3 * f^4) * B * b^2 * \text{abs}(d) / d + (\sqrt{(dx + c) * df - c * d * f + d^2 * e}) * (2 * (4 * (2 * (dx + c)) * (8 * (dx + c)) * (10 * (dx + c)) / d^5 - (61 * c * d^2 * 9 * f^{10} - d^{30} * f^9 * e)) / (d^{34} * f^{10})) + 3 * (417 * c^2 * d^{29} * f^{10} - 14 * c * d^{30} * f^9 * e - 3 * d^{31} * f^8 * e^2) / (d^{34} * f^{10}) - (3481 * c^3 * d^{29} * f^{10} - 183 * c^2 * d^{30} * f^9 * e - 77 * c * d^{31} * f^8 * e^2 - 21 * d^{32} * f^7 * e^3) / (d^{34} * f^{10}) * (dx + c) + 5 * (2279 * c^4 * d^{29} * f^{10} - 176 * c^3 * d^{30} * f^9 * e - 106 * c^2 * d^{31} * f^8 * e^2 - 56 * c * d^{32} * f^7 * e^3 - 21 * d^{33} * f^6 * e^4) / (d^{34} * f^{10}) * (dx + c) - 15 * (793 * c^5 * d^{29} * f^{10} - 105 * c^4 * d^{30} * f^9 * e - 70 * c^3 * d^{31} * f^8 * e^2 - 50 * c^2 * d^{32} * f^7 * e^3 - 35 * c * d^{33} * f^6 * e^4 - 21 * d^{34} * f^5 * e^5) / (d^{34} * f^{10}) * \sqrt{dx + c} - 15 * (231 * c^6 * f^6 - 126 * c^5 * d * f^5 * e - 35 * c^4 * d^2 * f^4 * e^2 - 20 * c^3 * d^3 * f^3 * e^3 - 15 * c^2 * d^4 * f^2 * e^4 - 14 * c * d^5 * f * e^5 - 21 * d^6 * e^6) * \log(\text{abs}(-\sqrt{df}) * \sqrt{dx + c} + \sqrt{(dx + c) * df - c * d * f + d^2 * e})) / (\sqrt{df} * d^4 * f^5) * C * b^2 * \text{abs}(d) / d + 1920 * (\sqrt{(dx + c) * df - c * d * f + d^2 * e}) * (2 * dx + 2 * c - (5 * c * f^2 - d * f * e) / f^2) * \sqrt{dx + c} - (3 * c^2 * d * f^2 - 2 * c * d^2 * f * e - d^3 * e^2) * \log(\text{abs}(-\sqrt{df}) * \sqrt{dx + c} + \sqrt{(dx + c) * df - c * d * f + d^2 * e})) / (\sqrt{df} * f) * B * a^2 * c * \text{abs}(d) / d^3 + 3840 * (\sqrt{(dx + c) * df - c * d * f + d^2 * e}) * (2 * dx + 2 * c - (5 * c * f^2 - d * f * e) / f^2) * \sqrt{dx + c} - (3 * c^2 * d * f^2 - 2 * c * d^2 * f * e - d^3 * e^2) * \log(\text{abs}(-\sqrt{df}) * \sqrt{dx + c} + \sqrt{(dx + c) * df - c * d * f + d^2 * e})) / (\sqrt{df} * f) * A * a * b * c * \text{abs}(d) / d^3 + 1920 * (\sqrt{(dx + c) * df - c * d * f + d^2 * e}) * (2 * dx + 2 * c - (5 * c * f^2 - d * f * e) / f^2) * \sqrt{dx + c} - (3 * c^2 * d * f^2 - 2 * c * d^2 * f * e - d^3 * e^2) * \log(\text{abs}(-\sqrt{df}) * \sqrt{dx + c} + \sqrt{(dx + c) * df - c * d * f + d^2 * e})) / (\sqrt{df} * f) * A * a^2 * \text{abs}(d) / d^2 / d \end{aligned}$$

**maple [B]** time = 0.05, size = 6728, normalized size = 4.99

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((b*x+a)^2*(C*x^2+B*x+A)*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)},x)$

[Out] result too large to display

**maxima [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((b*x+a)^2*(C*x^2+B*x+A)*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)},x, \text{algorithm}=\text{"maxima"})$

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(c\*f-d\*e>0)', see 'assume?' for more details) Is c\*f-d\*e zero or nonzero?

**mupad [F(-1)]** time = 0.00, size = -1, normalized size = -0.00

Hanged

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((e + f*x)^{(1/2)}*(a + b*x)^2*(c + d*x)^{(1/2)}*(A + B*x + C*x^2),x)$

[Out] \text{Hanged}

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*x+a)\*\*2\*(C\*x\*\*2+B\*x+A)\*(d\*x+c)\*\*(1/2)\*(f\*x+e)\*\*(1/2),x)

[Out] Timed out

### 3.42 $\int (a+bx)\sqrt{c+dx}\sqrt{e+fx}(A+Bx+Cx^2)dx$

**Optimal.** Leaf size=721

$$\frac{(c+dx)^{3/2}(e+fx)^{3/2}(48a^2Cd^2f^2+6bdfx(6aCdf-b(10Bdf-7C(cf+de)))-10abdf(8Bdf-5C(cf+de)))}{240bd^3f^3}$$

```
[Out] 1/5*C*(b*x+a)^2*(d*x+c)^(3/2)*(f*x+e)^(3/2)/b/d/f-1/240*(d*x+c)^(3/2)*(f*x+e)^(3/2)*(48*a^2*C*d^2*f^2-10*a*b*d*f*(8*B*d*f-5*C*(c*f+d*e))-b^2*(C*(35*c^2*f^2+38*c*d*e*f+35*d^2*e^2)+10*d*f*(8*A*d*f-5*B*(c*f+d*e)))+6*b*d*f*(6*a*C*d*f-b*(10*B*d*f-7*C*(c*f+d*e)))*x)/b/d^3/f^3-1/128*(-c*f+d*e)^2*(2*a*d*f*(C*(5*c^2*f^2+6*c*d*e*f+5*d^2*e^2)+8*d*f*(2*A*d*f-B*(c*f+d*e)))-b*(C*(7*c^3*f^3+9*c^2*d*e*f^2+9*c*d^2*e^2*f+7*d^3*e^3)+2*d*f*(8*A*d*f*(c*f+d*e)-B*(5*c^2*f^2+6*c*d*e*f+5*d^2*e^2))))*arctanh(f^(1/2)*(d*x+c)^(1/2)/d^(1/2)/(f*x+e)^(1/2))/d^(9/2)/f^(9/2)+1/64*(2*a*d*f*(C*(5*c^2*f^2+6*c*d*e*f+5*d^2*e^2)+8*d*f*(2*A*d*f-B*(c*f+d*e)))-b*(C*(7*c^3*f^3+9*c^2*d*e*f^2+9*c*d^2*e^2*f+7*d^3*e^3)+2*d*f*(8*A*d*f*(c*f+d*e)-B*(5*c^2*f^2+6*c*d*e*f+5*d^2*e^2))))*(d*x+c)^(3/2)*(f*x+e)^(1/2)/d^4/f^3+1/128*(-c*f+d*e)*(2*a*d*f*(C*(5*c^2*f^2+6*c*d*e*f+5*d^2*e^2)+8*d*f*(2*A*d*f-B*(c*f+d*e)))-b*(C*(7*c^3*f^3+9*c^2*d*e*f^2+9*c*d^2*e^2*f+7*d^3*e^3)+2*d*f*(8*A*d*f*(c*f+d*e)-B*(5*c^2*f^2+6*c*d*e*f+5*d^2*e^2))))*(d*x+c)^(1/2)*(f*x+e)^(1/2)/d^4/f^4
```

**Rubi [A]** time = 0.96, antiderivative size = 719, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 34,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.176$ , Rules used = {1615, 147, 50, 63, 217, 206}

$$\frac{(c+dx)^{3/2}(e+fx)^{3/2}(48a^2Cd^2f^2-6bdfx(-6aCdf+10bBdf-7bC(cf+de))-10abdf(8Bdf-5C(cf+de)))}{240bd^3f^3}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*x)*Sqrt[c + d*x]*Sqrt[e + f*x]*(A + B*x + C*x^2), x]
```

```
[Out] ((d*e - c*f)*(2*a*d*f*(C*(5*d^2*e^2 + 6*c*d*e*f + 5*c^2*f^2) + 8*d*f*(2*A*d*f - B*(d*e + c*f))) - b*(C*(7*d^3*e^3 + 9*c*d^2*e^2*f + 9*c^2*d*e*f^2 + 7*c^3*f^3) + 2*d*f*(8*A*d*f*(d*e + c*f) - B*(5*d^2*e^2 + 6*c*d*e*f + 5*c^2*f^2))))*Sqrt[c + d*x]*Sqrt[e + f*x])/(128*d^4*f^4) + ((2*a*d*f*(C*(5*d^2*e^2 + 6*c*d*e*f + 5*c^2*f^2) + 8*d*f*(2*A*d*f - B*(d*e + c*f))) - b*(C*(7*d^3*e^3 + 9*c*d^2*e^2*f + 9*c^2*d*e*f^2 + 7*c^3*f^3) + 2*d*f*(8*A*d*f*(d*e + c*f) - B*(5*d^2*e^2 + 6*c*d*e*f + 5*c^2*f^2))))*(c + d*x)^(3/2)*Sqrt[e + f*x])/(64*d^4*f^3) + (C*(a + b*x)^2*(c + d*x)^(3/2)*(e + f*x)^(3/2))/(5*b*d*f) - ((c + d*x)^(3/2)*(e + f*x)^(3/2)*(48*a^2*C*d^2*f^2 - 10*a*b*d*f*(8*B*d*f - 5*C*(d*e + c*f)) - b^2*(C*(35*d^2*e^2 + 38*c*d*e*f + 35*c^2*f^2) + 10*d*f*(8*A*d*f - 5*B*(d*e + c*f))) - 6*b*d*f*(10*b*B*d*f - 6*a*C*d*f - 7*b*C*(d*e + c*f))*x)/(240*b*d^3*f^3) - ((d*e - c*f)^2*(2*a*d*f*(C*(5*d^2*e^2 + 6*c*d*e*f + 5*c^2*f^2) + 8*d*f*(2*A*d*f - B*(d*e + c*f))) - b*(C*(7*d^3*e^3 + 9*c*d^2*e^2*f + 9*c^2*d*e*f^2 + 7*c^3*f^3) + 2*d*f*(8*A*d*f*(d*e + c*f) - B*(5*d^2*e^2 + 6*c*d*e*f + 5*c^2*f^2))))*ArcTanh[(Sqrt[f]*Sqrt[c + d*x])/(Sqrt[d]*Sqrt[e + f*x])]/(128*d^(9/2)*f^(9/2))
```

**Rule 50**

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/
(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b,
c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !IGtQ
[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0])) && !ILtQ[m + n
+ 2, 0] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[
b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 147

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_
))*(g_.) + (h_.)*(x_)), x_Symbol] := -Simp[((a*d*f*h*(n + 2) + b*c*f*h*(m
+ 2) - b*d*(f*g + e*h)*(m + n + 3) - b*d*f*h*(m + n + 2)*x)*(a + b*x)^(m +
1)*(c + d*x)^(n + 1))/(b^2*d^2*(m + n + 2)*(m + n + 3)), x] + Dist[(a^2*d^2
*f*h*(n + 1)*(n + 2) + a*b*d*(n + 1)*(2*c*f*h*(m + 1) - d*(f*g + e*h)*(m +
n + 3)) + b^2*(c^2*f*h*(m + 1)*(m + 2) - c*d*(f*g + e*h)*(m + 1)*(m + n + 3
) + d^2*e*g*(m + n + 2)*(m + n + 3)))/(b^2*d^2*(m + n + 2)*(m + n + 3)), In
t[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, m, n},
x] && NeQ[m + n + 2, 0] && NeQ[m + n + 3, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 1615

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f
_.)*(x_))^(p_.), x_Symbol] := With[{q = Expon[Px, x], k = Coeff[Px, x, Expo
n[Px, x]]}, Simp[(k*(a + b*x)^(m + q - 1)*(c + d*x)^(n + 1)*(e + f*x)^(p +
1))/(d*f*b^(q - 1)*(m + n + p + q + 1)), x] + Dist[1/(d*f*b^q*(m + n + p +
q + 1)), Int[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p*ExpandToSum[d*f*b^q*(m + n
+ p + q + 1)*Px - d*f*k*(m + n + p + q + 1)*(a + b*x)^q + k*(a + b*x)^(q -
2)*(a^2*d*f*(m + n + p + q + 1) - b*(b*c*e*(m + q - 1) + a*(d*e*(n + 1) +
c*f*(p + 1))) + b*(a*d*f*(2*(m + q) + n + p) - b*(d*e*(m + q + n) + c*f*(m
+ q + p)))*x), x], x] /; NeQ[m + n + p + q + 1, 0] /; FreeQ[{a, b, c,
d, e, f, m, n, p}, x] && PolyQ[Px, x] && IntegersQ[2*m, 2*n, 2*p]
```

Rubi steps

$$\begin{aligned}
\int (a + bx)\sqrt{c + dx}\sqrt{e + fx} (A + Bx + Cx^2) dx &= \frac{C(a + bx)^2(c + dx)^{3/2}(e + fx)^{3/2}}{5bdf} + \frac{\int (a + bx)\sqrt{c + dx}\sqrt{e + fx} dx}{5bdf} \\
&= \frac{C(a + bx)^2(c + dx)^{3/2}(e + fx)^{3/2}}{5bdf} - \frac{(c + dx)^{3/2}(e + fx)^{3/2} (4a + 3bx)}{5bdf} \\
&= \frac{(2adf (C (5d^2e^2 + 6cdef + 5c^2f^2) + 8df(2Adf - B(de + c) + 2Ae + Bc) + 2Ae + Bc))}{5bdf} \\
&= \frac{(de - cf) (2adf (C (5d^2e^2 + 6cdef + 5c^2f^2) + 8df(2Adf - B(de + c) + 2Ae + Bc) + 2Ae + Bc))}{5bdf} \\
&= \frac{(de - cf) (2adf (C (5d^2e^2 + 6cdef + 5c^2f^2) + 8df(2Adf - B(de + c) + 2Ae + Bc) + 2Ae + Bc))}{5bdf} \\
&= \frac{(de - cf) (2adf (C (5d^2e^2 + 6cdef + 5c^2f^2) + 8df(2Adf - B(de + c) + 2Ae + Bc) + 2Ae + Bc))}{5bdf} \\
&= \frac{(de - cf) (2adf (C (5d^2e^2 + 6cdef + 5c^2f^2) + 8df(2Adf - B(de + c) + 2Ae + Bc) + 2Ae + Bc))}{5bdf}
\end{aligned}$$

**Mathematica [B]** time = 6.61, size = 2722, normalized size = 3.78

Result too large to show

Antiderivative was successfully verified.

[In] Integrate[(a + b\*x)\*Sqrt[c + d\*x]\*Sqrt[e + f\*x]\*(A + B\*x + C\*x^2), x]

[Out] (2\*b\*C\*(d\*e - c\*f)^3\*(c + d\*x)^(3/2)\*Sqrt[e + f\*x]\*(1 + (d\*f\*(c + d\*x))/((d\*e - c\*f)\*((d^2\*e)/(d\*e - c\*f) - (c\*d\*f)/(d\*e - c\*f))))^(9/2)\*((3\*(35/(64\*(1 + (d\*f\*(c + d\*x))/((d\*e - c\*f)\*((d^2\*e)/(d\*e - c\*f) - (c\*d\*f)/(d\*e - c\*f))))^4) + 35/(48\*(1 + (d\*f\*(c + d\*x))/((d\*e - c\*f)\*((d^2\*e)/(d\*e - c\*f) - (c\*d\*f)/(d\*e - c\*f))))^3) + 7/(8\*(1 + (d\*f\*(c + d\*x))/((d\*e - c\*f)\*((d^2\*e)/(d\*e - c\*f) - (c\*d\*f)/(d\*e - c\*f))))^2) + (1 + (d\*f\*(c + d\*x))/((d\*e - c\*f)\*((d^2\*e)/(d\*e - c\*f) - (c\*d\*f)/(d\*e - c\*f))))^(-1)))/10 + (21\*(d\*e - c\*f)^2\*((d^2\*e)/(d\*e - c\*f) - (c\*d\*f)/(d\*e - c\*f))^2\*((2\*d\*f\*(c + d\*x))/((d\*e - c\*f)\*((d^2\*e)/(d\*e - c\*f) - (c\*d\*f)/(d\*e - c\*f))) - (2\*Sqrt[d]\*Sqrt[f]\*Sqrt[c + d\*x]\*ArcSinh[(Sqrt[d]\*Sqrt[f]\*Sqrt[c + d\*x])/(Sqrt[d\*e - c\*f]\*Sqrt[(d^2\*e)/(d\*e - c\*f) - (c\*d\*f)/(d\*e - c\*f)])])/(Sqrt[d\*e - c\*f]\*Sqrt[(d^2\*e)/(d\*e - c\*f) - (c\*d\*f)/(d\*e - c\*f)]\*Sqrt[1 + (d\*f\*(c + d\*x))/((d\*e - c\*f)\*((d^2\*e)/(d\*e - c\*f) - (c\*d\*f)/(d\*e - c\*f))])))/(512\*d^2\*f^2\*(c + d\*x)^2\*(1 + (d\*f\*(c + d\*x))/((d\*e - c\*f)\*((d^2\*e)/(d\*e - c\*f) - (c\*d\*f)/(d\*e - c\*f))))^4)/((3\*d^4\*f^3\*(d/((d^2\*e)/(d\*e - c\*f) - (c\*d\*f)/(d\*e - c\*f)))^(7/2)\*Sqrt[(d\*(e + f\*x))/(d\*e - c\*f]) + (2\*(d\*e - c\*f)^2\*(-3\*b\*C\*e + b\*B\*f + a\*C\*f)\*(c + d\*x)^(3/2)\*Sqrt[e + f\*x]\*(1 + (d\*f\*(c + d\*x))/((d\*e - c\*f)\*((d^2\*e)/(d\*e - c\*f) - (c\*d\*f)/(d\*e - c\*f))))^(7/2)\*((3\*(5/(8\*(1 + (d\*f\*(c + d\*x))/((d\*e - c\*f)\*((d^2\*e)/(d\*e - c\*f) - (c\*d\*f)/(d\*e - c\*f))))^3) + 5/(6\*(1 + (d\*f\*(c + d\*x))/((d\*e - c\*f)\*((d^2\*e)/(d\*e - c\*f) - (c\*d\*f)/(d\*e - c\*f))))^2) + (1 + (d\*f\*(c + d\*x))/((d\*e - c\*f)\*((d^2\*e)/(d\*e - c\*f) - (c\*d\*f)/(d\*e - c\*f))))^(-1)))/8 + (15\*(d\*e - c\*f)^2\*((d^2\*e)/(d\*e - c\*f) - (c\*d\*f)/(d\*e - c\*f))^2\*((2\*d\*f\*(c + d\*x))/((d\*e - c\*f)\*((d^2\*e)/(d\*e - c\*f) - (c\*d\*f)/(d\*e - c\*f))) - (2\*Sqrt[d]\*Sqrt[f]\*Sqrt[c + d\*x]\*ArcSinh[(Sqrt[d]\*Sqrt[f]\*Sqrt[c +

$$\frac{d*x)}{(\text{Sqrt}[d*e - c*f]*\text{Sqrt}[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)])}/(\text{Sqrt}[d*e - c*f]*\text{Sqrt}[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)]*\text{Sqrt}[1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))])))/((256*d^2*f^2*(c + d*x)^2*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^3))/((3*d^3*f^3*(d/((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))^(5/2)*\text{Sqrt}[(d*(e + f*x))/(d*e - c*f)] + (2*(d*e - c*f)*(3*b*C*e^2 - 2*b*B*e*f - 2*a*C*e*f + A*b*f^2 + a*B*f^2)*(c + d*x)^(3/2)*\text{Sqrt}[e + f*x]*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^(5/2)*((3/(4*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^2 + (1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^(-1))/2 + (3*(d*e - c*f)^2*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))^2*((2*d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))) - (2*\text{Sqrt}[d]*\text{Sqrt}[f]*\text{Sqrt}[c + d*x]*\text{ArcSinh}[(\text{Sqrt}[d]*\text{Sqrt}[f]*\text{Sqrt}[c + d*x])/(\text{Sqrt}[d*e - c*f]*\text{Sqrt}[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)])])]/(\text{Sqrt}[d*e - c*f]*\text{Sqrt}[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)]*\text{Sqrt}[1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))])))/((32*d^2*f^2*(c + d*x)^2*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^2))/((3*d^2*f^3*(d/((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))^(3/2)*\text{Sqrt}[(d*(e + f*x))/(d*e - c*f)] + (2*(-(b*e) + a*f)*(C*e^2 - B*e*f + A*f^2)*(c + d*x)^(3/2)*\text{Sqrt}[e + f*x]*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^(3/2)*(3/(4*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))))) + (3*(d*e - c*f)^2*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))^2*((2*d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))) - (2*\text{Sqrt}[d]*\text{Sqrt}[f]*\text{Sqrt}[c + d*x]*\text{ArcSinh}[(\text{Sqrt}[d]*\text{Sqrt}[f]*\text{Sqrt}[c + d*x])/(\text{Sqrt}[d*e - c*f]*\text{Sqrt}[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)])])]/(\text{Sqrt}[d*e - c*f]*\text{Sqrt}[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)]*\text{Sqrt}[1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))])))/((16*d^2*f^2*(c + d*x)^2*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))))))/((3*d*f^3*\text{Sqrt}[d/((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))]*\text{Sqrt}[(d*(e + f*x))/(d*e - c*f)]))$$

**fricas** [A] time = 2.72, size = 1620, normalized size = 2.25

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*x+a)\*(C\*x^2+B\*x+A)\*(d\*x+c)^(1/2)\*(f\*x+e)^(1/2),x, algorithm="fricas")

[Out] [-1/7680\*(15\*(7\*C\*b\*d^5\*e^5 - 5\*(C\*b\*c\*d^4 + 2\*(C\*a + B\*b)\*d^5)\*e^4\*f - 2\*(C\*b\*c^2\*d^3 - 4\*(C\*a + B\*b)\*c\*d^4 - 8\*(B\*a + A\*b)\*d^5)\*e^3\*f^2 - 2\*(C\*b\*c^3\*d^2 + 16\*A\*a\*d^5 - 2\*(C\*a + B\*b)\*c^2\*d^3 + 8\*(B\*a + A\*b)\*c\*d^4)\*e^2\*f^3 - (5\*C\*b\*c^4\*d - 64\*A\*a\*c\*d^4 - 8\*(C\*a + B\*b)\*c^3\*d^2 + 16\*(B\*a + A\*b)\*c^2\*d^3)\*e\*f^4 + (7\*C\*b\*c^5 - 32\*A\*a\*c^2\*d^3 - 10\*(C\*a + B\*b)\*c^4\*d + 16\*(B\*a + A\*b)\*c^3\*d^2)\*f^5)\*sqrt(d\*f)\*log(8\*d^2\*f^2\*x^2 + d^2\*e^2 + 6\*c\*d\*e\*f + c^2\*f^2 - 4\*(2\*d\*f\*x + d\*e + c\*f)\*sqrt(d\*f)\*sqrt(d\*x + c)\*sqrt(f\*x + e) + 8\*(d^2\*e\*f + c\*d\*f^2)\*x) - 4\*(384\*C\*b\*d^5\*f^5\*x^4 - 105\*C\*b\*d^5\*e^4\*f + 10\*(4\*C\*b\*c\*d^4 + 15\*(C\*a + B\*b)\*d^5)\*e^3\*f^2 + 2\*(17\*C\*b\*c^2\*d^3 - 35\*(C\*a + B\*b)\*c\*d^4 - 120\*(B\*a + A\*b)\*d^5)\*e^2\*f^3 + 10\*(4\*C\*b\*c^3\*d^2 + 48\*A\*a\*d^5 - 7\*(C\*a + B\*b)\*c^2\*d^3 + 16\*(B\*a + A\*b)\*c\*d^4)\*e\*f^4 - 15\*(7\*C\*b\*c^4\*d - 32\*A\*a\*c\*d^4 - 10\*(C\*a + B\*b)\*c^3\*d^2 + 16\*(B\*a + A\*b)\*c^2\*d^3)\*f^5 + 48\*(C\*b\*d^5\*e\*f^4 + (C\*b\*c\*d^4 + 10\*(C\*a + B\*b)\*d^5)\*f^5)\*x^3 - 8\*(7\*C\*b\*d^5\*e^2\*f^3 - 2\*(C\*b\*c\*d^4 + 5\*(C\*a + B\*b)\*d^5)\*e\*f^4 + (7\*C\*b\*c^2\*d^3 - 10\*(C\*a + B\*b)\*c\*d^4 - 80\*(B\*a + A\*b)\*d^5)\*f^5)\*x^2 + 2\*(35\*C\*b\*d^5\*e^3\*f^2 - (11\*C\*b\*c\*d^4 + 50\*(C\*a + B\*b)\*d^5)\*e^2\*f^3 - (11\*C\*b\*c^2\*d^3 - 20\*(C\*a + B\*b)\*c\*d^4 - 80\*(B\*a + A\*b)\*d^5)\*e\*f^4 + 5\*(7\*C\*b\*c^3\*d^2 + 96\*A\*a\*d^5 - 10\*(C\*a + B\*b)\*c^2\*d^3 + 16\*(B\*a + A\*b)\*c\*d^4)\*f^5)\*x)\*sqrt(d\*x + c)\*sqrt(f\*x + e)/(d^5\*f^5), -1/3840\*(15\*(7\*C\*b\*d^5\*e^5 - 5\*(C\*b\*c\*d^4 + 2\*(C\*a + B\*b)\*d^5)\*e^4\*f -

$$\begin{aligned}
& 2*(C*b*c^2*d^3 - 4*(C*a + B*b)*c*d^4 - 8*(B*a + A*b)*d^5)*e^3*f^2 - 2*(C*b*c^3*d^2 + 16*A*a*d^5 - 2*(C*a + B*b)*c^2*d^3 + 8*(B*a + A*b)*c*d^4)*e^2*f^3 \\
& - (5*C*b*c^4*d - 64*A*a*c*d^4 - 8*(C*a + B*b)*c^3*d^2 + 16*(B*a + A*b)*c^2*d^3)*e*f^4 + (7*C*b*c^5 - 32*A*a*c^2*d^3 - 10*(C*a + B*b)*c^4*d + 16*(B*a + A*b)*c^3*d^2)*f^5)*\sqrt{-d*f}*\arctan(1/2*(2*d*f*x + d*e + c*f)*\sqrt{-d*f})*\sqrt{d*x + c}*\sqrt{f*x + e}/(d^2*f^2*x^2 + c*d*e*f + (d^2*e*f + c*d*f^2)*x) \\
& ) - 2*(384*C*b*d^5*f^5*x^4 - 105*C*b*d^5*e^4*f + 10*(4*C*b*c*d^4 + 15*(C*a + B*b)*d^5)*e^3*f^2 + 2*(17*C*b*c^2*d^3 - 35*(C*a + B*b)*c*d^4 - 120*(B*a + A*b)*d^5)*e^2*f^3 + 10*(4*C*b*c^3*d^2 + 48*A*a*d^5 - 7*(C*a + B*b)*c^2*d^3 + 16*(B*a + A*b)*c*d^4)*e*f^4 - 15*(7*C*b*c^4*d - 32*A*a*c*d^4 - 10*(C*a + B*b)*c^3*d^2 + 16*(B*a + A*b)*c^2*d^3)*f^5 + 48*(C*b*d^5*e*f^4 + (C*b*c*d^4 + 10*(C*a + B*b)*d^5)*f^5)*x^3 - 8*(7*C*b*d^5*e^2*f^3 - 2*(C*b*c*d^4 + 5*(C*a + B*b)*d^5)*e*f^4 + (7*C*b*c^2*d^3 - 10*(C*a + B*b)*c*d^4 - 80*(B*a + A*b)*d^5)*f^5)*x^2 + 2*(35*C*b*d^5*e^3*f^2 - (11*C*b*c*d^4 + 50*(C*a + B*b)*d^5)*e^2*f^3 - (11*C*b*c^2*d^3 - 20*(C*a + B*b)*c*d^4 - 80*(B*a + A*b)*d^5)*e*f^4 + 5*(7*C*b*c^3*d^2 + 96*A*a*d^5 - 10*(C*a + B*b)*c^2*d^3 + 16*(B*a + A*b)*c*d^4)*f^5)*x)*\sqrt{d*x + c}*\sqrt{f*x + e})/(d^5*f^5)]
\end{aligned}$$

**giac [B]** time = 3.39, size = 2643, normalized size = 3.67

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*x+a)\*(C\*x^2+B\*x+A)\*(d\*x+c)^(1/2)\*(f\*x+e)^(1/2),x, algorithm="giac")

[Out]  $1/1920*(1920*((c*d*f - d^2*e)*\log(\text{abs}(-\sqrt{d*f})*\sqrt{d*x + c}) + \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})/\sqrt{d*f} + \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})*\sqrt{d*x + c})*A*a*c*\text{abs}(d)/d^2 + 80*(\sqrt{((d*x + c)*d*f - c*d*f + d^2*e)}*\sqrt{d*x + c}*(2*(d*x + c)*(4*(d*x + c)/d^2 - (13*c*d^5*f^4 - d^6*f^3*e)/(d^7*f^4)) + 3*(11*c^2*d^5*f^4 - 2*c*d^6*f^3*e - d^7*f^2*e^2)/(d^7*f^4)) + 3*(5*c^3*f^3 - 3*c^2*d*f^2*e - c*d^2*f*e^2 - d^3*e^3)*\log(\text{abs}(-\sqrt{d*f})*\sqrt{d*x + c}) + \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})/(\sqrt{d*f}*d*f^2))*C*a*c*\text{abs}(d)/d^2 + 80*(\sqrt{((d*x + c)*d*f - c*d*f + d^2*e)}*\sqrt{d*x + c}*(2*(d*x + c)*(4*(d*x + c)/d^2 - (13*c*d^5*f^4 - d^6*f^3*e)/(d^7*f^4)) + 3*(11*c^2*d^5*f^4 - 2*c*d^6*f^3*e - d^7*f^2*e^2)/(d^7*f^4)) + 3*(5*c^3*f^3 - 3*c^2*d*f^2*e - c*d^2*f*e^2 - d^3*e^3)*\log(\text{abs}(-\sqrt{d*f})*\sqrt{d*x + c}) + \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})/(\sqrt{d*f}*d*f^2))*B*b*c*\text{abs}(d)/d^2 + 10*(\sqrt{((d*x + c)*d*f - c*d*f + d^2*e)}*(2*(d*x + c)*(4*(d*x + c)*(6*(d*x + c)/d^3 - (25*c*d^11*f^6 - d^12*f^5*e)/(d^14*f^6)) + (163*c^2*d^11*f^6 - 14*c*d^12*f^5*e - 5*d^13*f^4*e^2)/(d^14*f^6)) - 3*(93*c^3*d^11*f^6 - 15*c^2*d^12*f^5*e - 9*c*d^13*f^4*e^2 - 5*d^14*f^3*e^3)/(d^14*f^6))*\sqrt{d*x + c} - 3*(35*c^4*f^4 - 20*c^3*d*f^3*e - 6*c^2*d^2*f^2*e^2 - 4*c*d^3*f*e^3 - 5*d^4*e^4)*\log(\text{abs}(-\sqrt{d*f})*\sqrt{d*x + c}) + \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})/(\sqrt{d*f}*d^2*f^3))*C*b*c*\text{abs}(d)/d^2 + 80*(\sqrt{((d*x + c)*d*f - c*d*f + d^2*e)}*\sqrt{d*x + c}*(2*(d*x + c)*(4*(d*x + c)/d^2 - (13*c*d^5*f^4 - d^6*f^3*e)/(d^7*f^4)) + 3*(11*c^2*d^5*f^4 - 2*c*d^6*f^3*e - d^7*f^2*e^2)/(d^7*f^4)) + 3*(5*c^3*f^3 - 3*c^2*d*f^2*e - c*d^2*f*e^2 - d^3*e^3)*\log(\text{abs}(-\sqrt{d*f})*\sqrt{d*x + c}) + \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})/(\sqrt{d*f}*d*f^2))*B*a*\text{abs}(d)/d + 10*(\sqrt{((d*x + c)*d*f - c*d*f + d^2*e)}*(2*(d*x + c)*(4*(d*x + c)*(6*(d*x + c)/d^3 - (25*c*d^11*f^6 - d^12*f^5*e)/(d^14*f^6)) + (163*c^2*d^11*f^6 - 14*c*d^12*f^5*e - 5*d^13*f^4*e^2)/(d^14*f^6)) - 3*(93*c^3*d^11*f^6 - 15*c^2*d^12*f^5*e - 9*c*d^13*f^4*e^2 - 5*d^14*f^3*e^3)/(d^14*f^6))*\sqrt{d*x + c} - 3*(35*c^4*f^4 - 20*c^3*d*f^3*e - 6*c^2*d^2*f^2*e^2 - 4*c*d^3*f*e^3 - 5*d^4*e^4)*\log(\text{abs}(-\sqrt{d*f})*\sqrt{d*x + c}) + \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})/(\sqrt{d*f}*d^2*f^3))*C*a*\text{abs}(d)/d + 80*(\sqrt{((d*x + c)*d*f - c*d*f + d^2*e)}*\sqrt{d*x + c}*(2*(d*x + c)*(4*(d*x + c)/d^2 - (13*c*d^5*f^4 - d^6*f^3*e)/(d^7*f^4)) + 3*(11*c^2*d^5*f^4 - 2*c*d^6*f^3*e - d^7*f^2*e^2)/(d^7*f^4)) + 3*(5*c^3*f^3 - 3*c^2*d*f^2*e - c*d^2*f*e^2 - d^3*e^3)*\log(\text{abs}(-\sqrt{d*f})*\sqrt{d*x + c}) + \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})/(\sqrt{d*f}*d$

$$\begin{aligned}
& f^2)) * A * b * \text{abs}(d) / d + 10 * (\text{sqrt}((d * x + c) * d * f - c * d * f + d^2 * e) * (2 * (d * x + c) * (4 * (d * x + c) * (6 * (d * x + c) / d^3 - (25 * c * d^{11} * f^6 - d^{12} * f^5 * e) / (d^{14} * f^6)) + (163 * c^2 * d^{11} * f^6 - 14 * c * d^{12} * f^5 * e - 5 * d^{13} * f^4 * e^2) / (d^{14} * f^6)) - 3 * (93 * c^3 * d^{11} * f^6 - 15 * c^2 * d^{12} * f^5 * e - 9 * c * d^{13} * f^4 * e^2 - 5 * d^{14} * f^3 * e^3) / (d^{14} * f^6))) * \text{sqrt}(d * x + c) - 3 * (35 * c^4 * f^4 - 20 * c^3 * d * f^3 * e - 6 * c^2 * d^2 * f^2 * e^2 - 4 * c * d^3 * f * e^3 - 5 * d^4 * e^4) * \log(\text{abs}(-\text{sqrt}(d * f) * \text{sqrt}(d * x + c) + \text{sqrt}((d * x + c) * d * f - c * d * f + d^2 * e))) / (\text{sqrt}(d * f) * d^2 * f^3)) * B * b * \text{abs}(d) / d + (\text{sqrt}((d * x + c) * d * f - c * d * f + d^2 * e) * (2 * (4 * (d * x + c) * (6 * (d * x + c) * (8 * (d * x + c) / d^4 - (41 * c * d^{19} * f^8 - d^{20} * f^7 * e) / (d^{23} * f^8)) + (513 * c^2 * d^{19} * f^8 - 26 * c * d^{20} * f^7 * e - 7 * d^{21} * f^6 * e^2) / (d^{23} * f^8)) - 5 * (447 * c^3 * d^{19} * f^8 - 37 * c^2 * d^{20} * f^7 * e - 19 * c * d^{21} * f^6 * e^2 - 7 * d^{22} * f^5 * e^3) / (d^{23} * f^8)) * (d * x + c) + 15 * (193 * c^4 * d^{19} * f^8 - 28 * c^3 * d^{20} * f^7 * e - 18 * c^2 * d^{21} * f^6 * e^2 - 12 * c * d^{22} * f^5 * e^3 - 7 * d^{23} * f^4 * e^4) / (d^{23} * f^8))) * \text{sqrt}(d * x + c) + 15 * (63 * c^5 * f^5 - 35 * c^4 * d * f^4 * e - 10 * c^3 * d^2 * f^3 * e^2 - 6 * c^2 * d^3 * f^2 * e^3 - 5 * c * d^4 * f * e^4 - 7 * d^5 * e^5) * \log(\text{abs}(-\text{sqrt}(d * f) * \text{sqrt}(d * x + c) + \text{sqrt}((d * x + c) * d * f - c * d * f + d^2 * e))) / (\text{sqrt}(d * f) * d^3 * f^4)) * C * b * \text{abs}(d) / d + 480 * (\text{sqrt}((d * x + c) * d * f - c * d * f + d^2 * e) * (2 * d * x + 2 * c - (5 * c * f^2 - d * f * e) / f^2) * \text{sqrt}(d * x + c) - (3 * c^2 * d * f^2 - 2 * c * d^2 * f * e - d^3 * e^2) * \log(\text{abs}(-\text{sqrt}(d * f) * \text{sqrt}(d * x + c) + \text{sqrt}((d * x + c) * d * f - c * d * f + d^2 * e)))) / (\text{sqrt}(d * f) * f)) * B * a * c * \text{abs}(d) / d^3 + 480 * (\text{sqrt}((d * x + c) * d * f - c * d * f + d^2 * e) * (2 * d * x + 2 * c - (5 * c * f^2 - d * f * e) / f^2) * \text{sqrt}(d * x + c) - (3 * c^2 * d * f^2 - 2 * c * d^2 * f * e - d^3 * e^2) * \log(\text{abs}(-\text{sqrt}(d * f) * \text{sqrt}(d * x + c) + \text{sqrt}((d * x + c) * d * f - c * d * f + d^2 * e)))) / (\text{sqrt}(d * f) * f)) * A * b * c * \text{abs}(d) / d^3 + 480 * (\text{sqrt}((d * x + c) * d * f - c * d * f + d^2 * e) * (2 * d * x + 2 * c - (5 * c * f^2 - d * f * e) / f^2) * \text{sqrt}(d * x + c) - (3 * c^2 * d * f^2 - 2 * c * d^2 * f * e - d^3 * e^2) * \log(\text{abs}(-\text{sqrt}(d * f) * \text{sqrt}(d * x + c) + \text{sqrt}((d * x + c) * d * f - c * d * f + d^2 * e)))) / (\text{sqrt}(d * f) * f)) * A * a * \text{abs}(d) / d^2) / d
\end{aligned}$$

**maple [B]** time = 0.02, size = 3571, normalized size = 4.95

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((b*x+a)*(C*x^2+B*x+A)*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}, x)$

[Out]  $-1/3840*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}*(150*B*\ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)}+c*f+d*e)/(d*f)^{(1/2)})*b*d^5*e^4*f+480*A*\ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)}+c*f+d*e)/(d*f)^{(1/2)})*a*c^2*d^3*f^5+150*C*\ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)}+c*f+d*e)/(d*f)^{(1/2)})*a*c^4*d*f^5+150*C*\ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)}+c*f+d*e)/(d*f)^{(1/2)})*a*d^5*e^4*f+210*C*(d*f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*b*c^4*f^4+210*C*(d*f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*b*d^4*e^4-240*A*\ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)}+c*f+d*e)/(d*f)^{(1/2)})*b*d^5*e^3*f^2-240*B*\ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)}+c*f+d*e)/(d*f)^{(1/2)})*a*c^3*d^2*f^5-240*B*\ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)}+c*f+d*e)/(d*f)^{(1/2)})*a*d^5*e^3*f^2+150*B*\ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)}+c*f+d*e)/(d*f)^{(1/2)})*b*c^4*d*f^5+480*A*\ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)}+c*f+d*e)/(d*f)^{(1/2)})*a*d^5*e^2*f^3-240*A*\ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)}+c*f+d*e)/(d*f)^{(1/2)})*b*c^3*d^2*f^5-105*C*\ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)}+c*f+d*e)/(d*f)^{(1/2)})*b*c^5*f^5-105*C*\ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)}+c*f+d*e)/(d*f)^{(1/2)})*b*d^5*e^5-96*C*x^3*b*c*d^3*f^4*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)}-96*C*x^3*b*d^4*e*f^3*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)}-160*B*x^2*b*c*d^3*f^4*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)}-1920*A*(d*f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*x*a*d^4*f^4+240*B*\ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)}+c*f+d*e)/(d*f)^{(1/2)})*a*c^2*d^3*e*f^4+240*B*\ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)}+c*f+d*e)/(d*f)^{(1/2)})*a*c*d^4*e^2*f^3-120*B*\ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)}+c*f+d*e)/(d*f)^{(1/2)})*b*c^3*d^2*e*f^4-60*B*\ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)}+c*f+d*e)/(d*f)^{(1/2)})$



$$\begin{aligned}
& )^{1/2} + c*f + d*e) / (d*f)^{1/2} ) * b*c^2*d^3*e^2*f^3 - 960*A*\ln(1/2*(2*d*f*x + 2*(d*f*x^2 + c*f*x + d*e*x + c*e)^{1/2} * (d*f)^{1/2} + c*f + d*e) / (d*f)^{1/2} ) * b*c^2*d^3*e^2*f^3 - 120*C*\ln(1/2*(2*d*f*x + 2*(d*f*x^2 + c*f*x + d*e*x + c*e)^{1/2} * (d*f)^{1/2} + c*f + d*e) / (d*f)^{1/2} ) * b*c^2*d^3*e^2*f^3 - 120*C*\ln(1/2*(2*d*f*x + 2*(d*f*x^2 + c*f*x + d*e*x + c*e)^{1/2} * (d*f)^{1/2} + c*f + d*e) / (d*f)^{1/2} ) * a*c^3*d^2*e*f^4 - 60*C*\ln(1/2*(2*d*f*x + 2*(d*f*x^2 + c*f*x + d*e*x + c*e)^{1/2} * (d*f)^{1/2} + c*f + d*e) / (d*f)^{1/2} ) * a*c^2*d^3*e^2*f^3 - 120*C*\ln(1/2*(2*d*f*x + 2*(d*f*x^2 + c*f*x + d*e*x + c*e)^{1/2} * (d*f)^{1/2} + c*f + d*e) / (d*f)^{1/2} ) * a*c*d^4*e^3*f^2 + 75*C*\ln(1/2*(2*d*f*x + 2*(d*f*x^2 + c*f*x + d*e*x + c*e)^{1/2} * (d*f)^{1/2} + c*f + d*e) / (d*f)^{1/2} ) * b*c^4*d*e*f^4 + 30*C*\ln(1/2*(2*d*f*x + 2*(d*f*x^2 + c*f*x + d*e*x + c*e)^{1/2} * (d*f)^{1/2} + c*f + d*e) / (d*f)^{1/2} ) * b*c^3*d^2*e^2*f^3 + 44*C*(d*f)^{1/2} * (d*f*x^2 + c*f*x + d*e*x + c*e)^{1/2} * x*b*c*d^3*e^2*f^2 - 80*B*(d*f)^{1/2} * (d*f*x^2 + c*f*x + d*e*x + c*e)^{1/2} * x*b*c*d^3*e^2*f^2 - 80*C*(d*f)^{1/2} * (d*f*x^2 + c*f*x + d*e*x + c*e)^{1/2} * x*a*c*d^3*e^2*f^2 + 44*C*(d*f)^{1/2} * (d*f*x^2 + c*f*x + d*e*x + c*e)^{1/2} * x*b*c^2*d^2*e*f^3 - 32*C*x^2*b*c*d^3*e^2*f^2 * (d*f*x^2 + c*f*x + d*e*x + c*e)^{1/2} * (d*f)^{1/2} + 200*C*(d*f)^{1/2} * (d*f*x^2 + c*f*x + d*e*x + c*e)^{1/2} * x*a*c^2*d^2*f^4 + 200*C*(d*f)^{1/2} * (d*f*x^2 + c*f*x + d*e*x + c*e)^{1/2} * x*a*d^4*e^2*f^2 - 140*C*(d*f)^{1/2} * (d*f*x^2 + c*f*x + d*e*x + c*e)^{1/2} * x*b*c^3*d*f^4 - 140*C*(d*f)^{1/2} * (d*f*x^2 + c*f*x + d*e*x + c*e)^{1/2} * x*b*d^4*e^3*f - 320*A*(d*f)^{1/2} * (d*f*x^2 + c*f*x + d*e*x + c*e)^{1/2} * b*c*d^3*e^2*f^2 - 320*B*(d*f)^{1/2} * (d*f*x^2 + c*f*x + d*e*x + c*e)^{1/2} * a*c*d^3*e^2*f^2 + 140*C*(d*f)^{1/2} * (d*f*x^2 + c*f*x + d*e*x + c*e)^{1/2} * a*c^2*d^2*e^2*f^3 - 320*A*(d*f)^{1/2} * (d*f*x^2 + c*f*x + d*e*x + c*e)^{1/2} * x*b*c*d^3*f^4 - 320*A*(d*f)^{1/2} * (d*f*x^2 + c*f*x + d*e*x + c*e)^{1/2} * x*b*d^4*e^2*f^3 - 320*B*(d*f)^{1/2} * (d*f*x^2 + c*f*x + d*e*x + c*e)^{1/2} * x*a*c*d^3*f^4 - 320*B*(d*f)^{1/2} * (d*f*x^2 + c*f*x + d*e*x + c*e)^{1/2} * x*a*d^4*e^2*f^3 - 80*C*(d*f)^{1/2} * (d*f*x^2 + c*f*x + d*e*x + c*e)^{1/2} * b*c*d^3*e^3*f + 200*B*(d*f)^{1/2} * (d*f*x^2 + c*f*x + d*e*x + c*e)^{1/2} * x*b*c^2*d^2*f^4 + 200*B*(d*f)^{1/2} * (d*f*x^2 + c*f*x + d*e*x + c*e)^{1/2} * x*b*d^4*e^2*f^2 + 140*B*(d*f)^{1/2} * (d*f*x^2 + c*f*x + d*e*x + c*e)^{1/2} * b*c^2*d^2*e^2*f^3 + 140*C*(d*f)^{1/2} * (d*f*x^2 + c*f*x + d*e*x + c*e)^{1/2} * a*c*d^3*e^2*f^2 - 80*C*(d*f)^{1/2} * (d*f*x^2 + c*f*x + d*e*x + c*e)^{1/2} * b*c^3*d*e^2*f^3 - 68*C*(d*f)^{1/2} * (d*f*x^2 + c*f*x + d*e*x + c*e)^{1/2} * b*c^2*d^2*e^2*f^2 + 140*B*(d*f)^{1/2} * (d*f*x^2 + c*f*x + d*e*x + c*e)^{1/2} * b*c*d^3*e^2*f^2 - 160*B*x^2*b*d^4*e^2*f^3 * (d*f*x^2 + c*f*x + d*e*x + c*e)^{1/2} * (d*f)^{1/2} - 160*C*x^2*a*c*d^3*f^4 * (d*f*x^2 + c*f*x + d*e*x + c*e)^{1/2} * (d*f)^{1/2} - 160*C*x^2*a*d^4*e^2*f^3 * (d*f*x^2 + c*f*x + d*e*x + c*e)^{1/2} * (d*f)^{1/2} + 112*C*x^2*b*c^2*d^2*f^4 * (d*f*x^2 + c*f*x + d*e*x + c*e)^{1/2} * (d*f)^{1/2} + 112*C*x^2*b*d^4*e^2*f^2 * (d*f*x^2 + c*f*x + d*e*x + c*e)^{1/2} * (d*f)^{1/2} - 768*C*x^4*b*d^4*f^4 * (d*f*x^2 + c*f*x + d*e*x + c*e)^{1/2} * (d*f)^{1/2} - 960*B*x^3*b*d^4*f^4 * (d*f*x^2 + c*f*x + d*e*x + c*e)^{1/2} * (d*f)^{1/2} - 960*C*x^3*a*d^4*f^4 * (d*f*x^2 + c*f*x + d*e*x + c*e)^{1/2} * (d*f)^{1/2} - 1280*A*x^2*b*d^4*f^4 * (d*f*x^2 + c*f*x + d*e*x + c*e)^{1/2} * (d*f)^{1/2} - 1280*B*x^2*a*d^4*f^4 * (d*f*x^2 + c*f*x + d*e*x + c*e)^{1/2} * (d*f)^{1/2} - 120*B*\ln(1/2*(2*d*f*x + 2*(d*f*x^2 + c*f*x + d*e*x + c*e)^{1/2} * (d*f)^{1/2} + c*f + d*e) / (d*f)^{1/2} ) * b*c*d^4*e^3*f^2 + 30*C*\ln(1/2*(2*d*f*x + 2*(d*f*x^2 + c*f*x + d*e*x + c*e)^{1/2} * (d*f)^{1/2} + c*f + d*e) / (d*f)^{1/2} ) * b*c^2*d^3*e^3*f^2 + 75*C*\ln(1/2*(2*d*f*x + 2*(d*f*x^2 + c*f*x + d*e*x + c*e)^{1/2} * (d*f)^{1/2} + c*f + d*e) / (d*f)^{1/2} ) * b*c*d^4*e^4*f - 960*A*(d*f)^{1/2} * (d*f*x^2 + c*f*x + d*e*x + c*e)^{1/2} * a*c*d^3*f^4 - 960*A*(d*f)^{1/2} * (d*f*x^2 + c*f*x + d*e*x + c*e)^{1/2} * a*d^4*e^2*f^3 + 480*A*(d*f)^{1/2} * (d*f*x^2 + c*f*x + d*e*x + c*e)^{1/2} * b*c^2*d^2*f^4 + 480*A*(d*f)^{1/2} * (d*f*x^2 + c*f*x + d*e*x + c*e)^{1/2} * b*d^4*e^2*f^2 + 480*B*(d*f)^{1/2} * (d*f*x^2 + c*f*x + d*e*x + c*e)^{1/2} * a*c^2*d^2*f^4 + 480*B*(d*f)^{1/2} * (d*f*x^2 + c*f*x + d*e*x + c*e)^{1/2} * a*d^4*e^2*f^2 - 300*B*(d*f)^{1/2} * (d*f*x^2 + c*f*x + d*e*x + c*e)^{1/2} * b*c^3*d*f^4 - 300*B*(d*f)^{1/2} * (d*f*x^2 + c*f*x + d*e*x + c*e)^{1/2} * b*d^4*e^3*f - 300*C*(d*f)^{1/2} * (d*f*x^2 + c*f*x + d*e*x + c*e)^{1/2} * a*c^3*d*f^4 - 300*C*(d*f)^{1/2} * (d*f*x^2 + c*f*x + d*e*x + c*e)^{1/2} * a*d^4*e^3*f) / (d*f*x^2 + c*f*x + d*e*x + c*e)^{1/2} / d^4/f^4 / (d*f)^{1/2}
\end{aligned}$$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*x+a)\*(C\*x^2+B\*x+A)\*(d\*x+c)^(1/2)\*(f\*x+e)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(c\*f-d\*e>0)', see 'assume?' for more details)Is c\*f-d\*e zero or nonzero?

**mupad** [F(-1)] time = 0.00, size = -1, normalized size = -0.00

Hanged

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e + f\*x)^(1/2)\*(a + b\*x)\*(c + d\*x)^(1/2)\*(A + B\*x + C\*x^2),x)

[Out] \text{Hanged}

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + bx) \sqrt{c + dx} \sqrt{e + fx} (A + Bx + Cx^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*x+a)\*(C\*x\*\*2+B\*x+A)\*(d\*x+c)\*\*(1/2)\*(f\*x+e)\*\*(1/2),x)

[Out] Integral((a + b\*x)\*sqrt(c + d\*x)\*sqrt(e + f\*x)\*(A + B\*x + C\*x\*\*2), x)

### 3.43 $\int \sqrt{c + dx} \sqrt{e + fx} (A + Bx + Cx^2) dx$

**Optimal.** Leaf size=330

$$\frac{(de - cf)^2 \tanh^{-1}\left(\frac{\sqrt{f}\sqrt{c+dx}}{\sqrt{d}\sqrt{e+fx}}\right) (8df(2Adf - B(cf + de)) + C(5c^2f^2 + 6cdef + 5d^2e^2))}{64d^{7/2}f^{7/2}} + \frac{(c + dx)^{3/2}\sqrt{e + fx} (8df(2Adf - B(cf + de)) + C(5c^2f^2 + 6cdef + 5d^2e^2))}{32d^3f^2}$$

[Out]  $-1/24*(-8*B*d*f+11*C*c*f+5*C*d*e)*(d*x+c)^{(3/2)}*(f*x+e)^{(3/2)}/d^2/f^2+1/4*C*(d*x+c)^{(5/2)}*(f*x+e)^{(3/2)}/d^2/f-1/64*(-c*f+d*e)^2*(C*(5*c^2*f^2+6*c*d*e*f+5*d^2*e^2)+8*d*f*(2*A*d*f-B*(c*f+d*e)))*\operatorname{arctanh}(f^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)}/(f*x+e)^{(1/2)})/d^{(7/2)}/f^{(7/2)}+1/32*(C*(5*c^2*f^2+6*c*d*e*f+5*d^2*e^2)+8*d*f*(2*A*d*f-B*(c*f+d*e)))*(d*x+c)^{(3/2)}*(f*x+e)^{(1/2)}/d^3/f^2+1/64*(-c*f+d*e)*(C*(5*c^2*f^2+6*c*d*e*f+5*d^2*e^2)+8*d*f*(2*A*d*f-B*(c*f+d*e)))*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/d^3/f^3$

**Rubi [A]** time = 0.30, antiderivative size = 330, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$ , Rules used = {951, 80, 50, 63, 217, 206}

$$\frac{(c + dx)^{3/2}\sqrt{e + fx} (8df(2Adf - B(cf + de)) + C(5c^2f^2 + 6cdef + 5d^2e^2))}{32d^3f^2} + \frac{\sqrt{c + dx}\sqrt{e + fx} (de - cf) (8df(2Adf - B(cf + de)) + C(5c^2f^2 + 6cdef + 5d^2e^2))}{32d^3f^2}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[c + d\*x]\*Sqrt[e + f\*x]\*(A + B\*x + C\*x^2), x]

[Out]  $((d*e - c*f)*(C*(5*d^2*e^2 + 6*c*d*e*f + 5*c^2*f^2) + 8*d*f*(2*A*d*f - B*(d*e + c*f)))*\operatorname{Sqrt}[c + d*x]*\operatorname{Sqrt}[e + f*x])/(64*d^3*f^3) + ((C*(5*d^2*e^2 + 6*c*d*e*f + 5*c^2*f^2) + 8*d*f*(2*A*d*f - B*(d*e + c*f)))*(c + d*x)^{(3/2)}*\operatorname{Sqrt}[e + f*x])/(32*d^3*f^2) - ((5*C*d*e + 11*c*C*f - 8*B*d*f)*(c + d*x)^{(3/2)}*(e + f*x)^{(3/2)})/(24*d^2*f^2) + (C*(c + d*x)^{(5/2)}*(e + f*x)^{(3/2)})/(4*d^2*f) - ((d*e - c*f)^2*(C*(5*d^2*e^2 + 6*c*d*e*f + 5*c^2*f^2) + 8*d*f*(2*A*d*f - B*(d*e + c*f)))*\operatorname{ArcTanh}[(\operatorname{Sqrt}[f]*\operatorname{Sqrt}[c + d*x])]/(\operatorname{Sqrt}[d]*\operatorname{Sqrt}[e + f*x])]/(64*d^{(7/2)}*f^{(7/2)})$

#### Rule 50

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := Simp[ ((a + b\*x)^(m + 1)\*(c + d\*x)^n)/(b\*(m + n + 1)), x] + Dist[(n\*(b\*c - a\*d))/(b\*(m + n + 1)), Int[(a + b\*x)^m\*(c + d\*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n + 2, 0] && IntLinearQ[a, b, c, d, m, n, x]

#### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

#### Rule 80

Int[((a\_.) + (b\_.)\*(x\_))\*((c\_.) + (d\_.)\*(x\_))^(n\_)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] := Simp[(b\*(c + d\*x)^(n + 1)\*(e + f\*x)^(p + 1))/(d\*f\*(n + p + 2)), x] + Dist[(a\*d\*f\*(n + p + 2) - b\*(d\*e\*(n + 1) + c\*f\*(p + 1)))/(d\*f\*(n + p + 2)), Int[(c + d\*x)^n\*(e + f\*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f}

, n, p}, x] && NeQ[n + p + 2, 0]

### Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 217

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 951

Int[((d\_) + (e\_)\*(x\_)^(m\_))\*((f\_) + (g\_)\*(x\_)^(n\_))\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(c^p\*(d + e\*x)^(m + 2\*p)\*(f + g\*x)^(n + 1))/(g\*e^(2\*p)\*(m + n + 2\*p + 1)), x] + Dist[1/(g\*e^(2\*p)\*(m + n + 2\*p + 1)), Int[(d + e\*x)^m\*(f + g\*x)^n\*ExpandToSum[g\*(m + n + 2\*p + 1)\*(e^(2\*p)\*(a + b\*x + c\*x^2)^p - c^p\*(d + e\*x)^(2\*p)) - c^p\*(e\*f - d\*g)\*(m + 2\*p)\*(d + e\*x)^(2\*p - 1), x], x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && IGtQ[p, 0] && NeQ[m + n + 2\*p + 1, 0] && (IntegerQ[n] || !IntegerQ[m])

### Rubi steps

$$\begin{aligned}
 \int \sqrt{c + dx} \sqrt{e + fx} (A + Bx + Cx^2) dx &= \frac{C(c + dx)^{5/2}(e + fx)^{3/2}}{4d^2 f} + \frac{\int \sqrt{c + dx} \sqrt{e + fx} \left( \frac{1}{2}(-5cCde - 3c^2Cf + \dots) \right)}{4d^2} \\
 &= -\frac{(5Cde + 11cCf - 8Bdf)(c + dx)^{3/2}(e + fx)^{3/2}}{24d^2 f^2} + \frac{C(c + dx)^{5/2}(e + fx)^{3/2}}{4d^2 f} \\
 &= \frac{(C(5d^2e^2 + 6cdef + 5c^2f^2) + 8df(2Adf - B(de + cf)))(c + dx)^{3/2}\sqrt{e + fx}}{32d^3 f^2} \\
 &= \frac{(de - cf)(C(5d^2e^2 + 6cdef + 5c^2f^2) + 8df(2Adf - B(de + cf)))\sqrt{c}}{64d^3 f^3} \\
 &= \frac{(de - cf)(C(5d^2e^2 + 6cdef + 5c^2f^2) + 8df(2Adf - B(de + cf)))\sqrt{c}}{64d^3 f^3} \\
 &= \frac{(de - cf)(C(5d^2e^2 + 6cdef + 5c^2f^2) + 8df(2Adf - B(de + cf)))\sqrt{c}}{64d^3 f^3} \\
 &= \frac{(de - cf)(C(5d^2e^2 + 6cdef + 5c^2f^2) + 8df(2Adf - B(de + cf)))\sqrt{c}}{64d^3 f^3}
 \end{aligned}$$

**Mathematica** [A] time = 1.72, size = 306, normalized size = 0.93

$$d\sqrt{f} \sqrt{c + dx} (e + fx) (8df (6Adf(cf + d(e + 2fx)) + B(-3c^2f^2 + 2cdf(e + fx) + d^2(-3e^2 + 2efx + 8f^2x^2))) + \dots)$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[c + d*x]*Sqrt[e + f*x]*(A + B*x + C*x^2),x]
```

```
[Out] (d*Sqrt[f]*Sqrt[c + d*x]*(e + f*x)*(C*(15*c^3*f^3 - c^2*d*f^2*(7*e + 10*f*x)
) + c*d^2*f*(-7*e^2 + 4*e*f*x + 8*f^2*x^2) + d^3*(15*e^3 - 10*e^2*f*x + 8*
*f^2*x^2 + 48*f^3*x^3)) + 8*d*f*(6*A*d*f*(c*f + d*(e + 2*f*x)) + B*(-3*c^2*
f^2 + 2*c*d*f*(e + f*x) + d^2*(-3*e^2 + 2*e*f*x + 8*f^2*x^2)))) - 3*(d*e -
c*f)^(5/2)*(C*(5*d^2*e^2 + 6*c*d*e*f + 5*c^2*f^2) + 8*d*f*(2*A*d*f - B*(d*e
+ c*f)))*Sqrt[(d*(e + f*x))/(d*e - c*f)]*ArcSinh[(Sqrt[f]*Sqrt[c + d*x])/S
qrt[d*e - c*f]]/(192*d^4*f^(7/2)*Sqrt[e + f*x])
```

**fricas** [A] time = 1.41, size = 840, normalized size = 2.55

$$\frac{3(5Cd^4e^4 - 4(Ccd^3 + 2Bd^4)e^3f - 2(Cc^2d^2 - 4Bcd^3 - 8Ad^4)e^2f^2 - 4(Cc^3d - 2Bc^2d^2 + 8Acd^3)ef^3 + (5C$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2),x, algorithm="fricas")
```

```
[Out] [1/768*(3*(5*C*d^4*e^4 - 4*(C*c*d^3 + 2*B*d^4)*e^3*f - 2*(C*c^2*d^2 - 4*B*c
*d^3 - 8*A*d^4)*e^2*f^2 - 4*(C*c^3*d - 2*B*c^2*d^2 + 8*A*c*d^3)*e*f^3 + (5*
C*c^4 - 8*B*c^3*d + 16*A*c^2*d^2)*f^4)*sqrt(d*f)*log(8*d^2*f^2*x^2 + d^2*e^
2 + 6*c*d*e*f + c^2*f^2 - 4*(2*d*f*x + d*e + c*f)*sqrt(d*f)*sqrt(d*x + c)*s
qrt(f*x + e) + 8*(d^2*e*f + c*d*f^2)*x) + 4*(48*C*d^4*f^4*x^3 + 15*C*d^4*e^
3*f - (7*C*c*d^3 + 24*B*d^4)*e^2*f^2 - (7*C*c^2*d^2 - 16*B*c*d^3 - 48*A*d^4)
)*e*f^3 + 3*(5*C*c^3*d - 8*B*c^2*d^2 + 16*A*c*d^3)*f^4 + 8*(C*d^4*e*f^3 + (
C*c*d^3 + 8*B*d^4)*f^4)*x^2 - 2*(5*C*d^4*e^2*f^2 - 2*(C*c*d^3 + 4*B*d^4)*e*
f^3 + (5*C*c^2*d^2 - 8*B*c*d^3 - 48*A*d^4)*f^4)*x)*sqrt(d*x + c)*sqrt(f*x +
e))/(d^4*f^4), 1/384*(3*(5*C*d^4*e^4 - 4*(C*c*d^3 + 2*B*d^4)*e^3*f - 2*(C*
c^2*d^2 - 4*B*c*d^3 - 8*A*d^4)*e^2*f^2 - 4*(C*c^3*d - 2*B*c^2*d^2 + 8*A*c*d
^3)*e*f^3 + (5*C*c^4 - 8*B*c^3*d + 16*A*c^2*d^2)*f^4)*sqrt(-d*f)*arctan(1/2
*(2*d*f*x + d*e + c*f)*sqrt(-d*f)*sqrt(d*x + c)*sqrt(f*x + e)/(d^2*f^2*x^2
+ c*d*e*f + (d^2*e*f + c*d*f^2)*x)) + 2*(48*C*d^4*f^4*x^3 + 15*C*d^4*e^3*f
- (7*C*c*d^3 + 24*B*d^4)*e^2*f^2 - (7*C*c^2*d^2 - 16*B*c*d^3 - 48*A*d^4)*e*
f^3 + 3*(5*C*c^3*d - 8*B*c^2*d^2 + 16*A*c*d^3)*f^4 + 8*(C*d^4*e*f^3 + (C*c
d^3 + 8*B*d^4)*f^4)*x^2 - 2*(5*C*d^4*e^2*f^2 - 2*(C*c*d^3 + 4*B*d^4)*e*f^3
+ (5*C*c^2*d^2 - 8*B*c*d^3 - 48*A*d^4)*f^4)*x)*sqrt(d*x + c)*sqrt(f*x + e)
/(d^4*f^4)]
```

**giac** [B] time = 2.33, size = 1103, normalized size = 3.34

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2),x, algorithm="giac")
```

```
[Out] 1/192*(192*((c*d*f - d^2*e)*log(abs(-sqrt(d*f)*sqrt(d*x + c) + sqrt((d*x +
c)*d*f - c*d*f + d^2*e)))/sqrt(d*f) + sqrt((d*x + c)*d*f - c*d*f + d^2*e)*s
qrt(d*x + c))*A*c*abs(d)/d^2 + 8*(sqrt((d*x + c)*d*f - c*d*f + d^2*e)*sqrt(
d*x + c)*(2*(d*x + c)*(4*(d*x + c)/d^2 - (13*c*d^5*f^4 - d^6*f^3*e)/(d^7*f^
4)) + 3*(11*c^2*d^5*f^4 - 2*c*d^6*f^3*e - d^7*f^2*e^2)/(d^7*f^4)) + 3*(5*c^
3*f^3 - 3*c^2*d*f^2*e - c*d^2*f*e^2 - d^3*e^3)*log(abs(-sqrt(d*f)*sqrt(d*x
+ c) + sqrt((d*x + c)*d*f - c*d*f + d^2*e)))/(sqrt(d*f)*d*f^2))*C*c*abs(d)/
d^2 + 8*(sqrt((d*x + c)*d*f - c*d*f + d^2*e)*sqrt(d*x + c)*(2*(d*x + c)*(4*
(d*x + c)/d^2 - (13*c*d^5*f^4 - d^6*f^3*e)/(d^7*f^4)) + 3*(11*c^2*d^5*f^4 -
2*c*d^6*f^3*e - d^7*f^2*e^2)/(d^7*f^4)) + 3*(5*c^3*f^3 - 3*c^2*d*f^2*e - c
*d^2*f*e^2 - d^3*e^3)*log(abs(-sqrt(d*f)*sqrt(d*x + c) + sqrt((d*x + c)*d*f
```

$$\begin{aligned} & - c*d*f + d^2*e)))/(\text{sqrt}(d*f)*d*f^2))*B*\text{abs}(d)/d + (\text{sqrt}((d*x + c)*d*f - c \\ & *d*f + d^2*e)*(2*(d*x + c)*(4*(d*x + c)*(6*(d*x + c)/d^3 - (25*c*d^{11}*f^6 - \\ & d^{12}*f^5*e))/(d^{14}*f^6)) + (163*c^2*d^{11}*f^6 - 14*c*d^{12}*f^5*e - 5*d^{13}*f^4* \\ & *e^2))/(d^{14}*f^6)) - 3*(93*c^3*d^{11}*f^6 - 15*c^2*d^{12}*f^5*e - 9*c*d^{13}*f^4*e \\ & ^2 - 5*d^{14}*f^3*e^3))/(d^{14}*f^6))*\text{sqrt}(d*x + c) - 3*(35*c^4*f^4 - 20*c^3*d*f \\ & ^3*e - 6*c^2*d^2*f^2*e^2 - 4*c*d^3*f*e^3 - 5*d^4*e^4)*\log(\text{abs}(-\text{sqrt}(d*f)*\text{sq} \\ & \text{rt}(d*x + c) + \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e)))/(\text{sqrt}(d*f)*d^2*f^3))*C* \\ & \text{abs}(d)/d + 48*(\text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e)*(2*d*x + 2*c - (5*c*f^2 \\ & - d*f*e)/f^2))*\text{sqrt}(d*x + c) - (3*c^2*d*f^2 - 2*c*d^2*f*e - d^3*e^2)*\log(\text{abs} \\ & (-\text{sqrt}(d*f)*\text{sqrt}(d*x + c) + \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e)))/(\text{sqrt}(d*f \\ & )*f))*B*c*\text{abs}(d)/d^3 + 48*(\text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e)*(2*d*x + 2*c \\ & - (5*c*f^2 - d*f*e)/f^2))*\text{sqrt}(d*x + c) - (3*c^2*d*f^2 - 2*c*d^2*f*e - d^3* \\ & e^2)*\log(\text{abs}(-\text{sqrt}(d*f)*\text{sqrt}(d*x + c) + \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e) \\ & )))/(\text{sqrt}(d*f)*f))*A*\text{abs}(d)/d^2)/d \end{aligned}$$

**maple [B]** time = 0.02, size = 1431, normalized size = 4.34

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((C*x^2+B*x+A)*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}, x)$

[Out] 
$$\begin{aligned} & -1/384*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}*(48*B*(d*f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x+c \\ & *e)^{(1/2)}*d^3*e^2*f+48*A*\ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}* \\ & (d*f)^{(1/2)}+c*f+d*e)/(d*f)^{(1/2)})*d^4*e^2*f^2+15*C*\ln(1/2*(2*d*f*x+2*(d*f*x \\ & ^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)}+c*f+d*e)/(d*f)^{(1/2)})*c^4*f^4+15*C*\ln \\ & (1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)}+c*f+d*e)/(d*f)^{(1/2)} \\ & ))*d^4*e^4+48*B*(d*f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*c^2*d*f^3-1 \\ & 2*C*\ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)}+c*f+d*e)/ \\ & (d*f)^{(1/2)})*c^3*d*e*f^3-6*C*\ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1 \\ & /2)}*(d*f)^{(1/2)}+c*f+d*e)/(d*f)^{(1/2)})*c^2*d^2*e^2*f^2-12*C*\ln(1/2*(2*d*f*x+ \\ & 2*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)}+c*f+d*e)/(d*f)^{(1/2)})*c*d^3*e \\ & ^3*f-96*A*(d*f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*c*d^2*f^3-96*A*(d*f)^{(1/2)} \\ & *(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*d^3*e*f^2-96*A*\ln(1/2*(2*d*f*x+2*(d*f \\ & *x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)}+c*f+d*e)/(d*f)^{(1/2)})*c*d^3*e*f^3-1 \\ & 92*A*(d*f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*x*d^3*f^3+24*B*\ln(1/2*(2*d \\ & *f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)}+c*f+d*e)/(d*f)^{(1/2)})*c^ \\ & 2*d^2*e*f^3+24*B*\ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1 \\ & /2)}+c*f+d*e)/(d*f)^{(1/2)})*c*d^3*e^2*f^2-96*C*x^3*d^3*f^3*(d*f*x^2+c*f*x+d*e \\ & *x+c*e)^{(1/2)}*(d*f)^{(1/2)}-24*B*\ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1 \\ & /2)}*(d*f)^{(1/2)}+c*f+d*e)/(d*f)^{(1/2)})*c^3*d*f^4-24*B*\ln(1/2*(2*d*f*x+2*(d \\ & *f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)}+c*f+d*e)/(d*f)^{(1/2)})*d^4*e^3*f-3 \\ & 0*C*(d*f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*c^3*f^3-30*C*(d*f)^{(1/2)}*(d \\ & *f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*d^3*e^3+48*A*\ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x \\ & +d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)}+c*f+d*e)/(d*f)^{(1/2)})*c^2*d^2*f^4-128*B*x^2*d \\ & ^3*f^3*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)}-8*C*(d*f)^{(1/2)}*(d*f*x^2 \\ & +c*f*x+d*e*x+c*e)^{(1/2)}*x*c*d^2*e*f^2-32*B*(d*f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x \\ & +c*e)^{(1/2)}*x*c*d^2*f^3-32*B*(d*f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*x* \\ & d^3*e*f^2+20*C*(d*f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*x*c^2*d*f^3+20*C \\ & *(d*f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*x*d^3*e^2*f-32*B*(d*f)^{(1/2)}*( \\ & d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*c*d^2*e*f^2+14*C*(d*f)^{(1/2)}*(d*f*x^2+c*f*x+ \\ & d*e*x+c*e)^{(1/2)}*c^2*d*e*f^2+14*C*(d*f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/ \\ & 2)}*c*d^2*e^2*f-16*C*x^2*c*d^2*f^3*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/ \\ & 2)}-16*C*x^2*d^3*e*f^2*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*(d*f)^{(1/2)})/(d*f*x^2 \\ & +c*f*x+d*e*x+c*e)^{(1/2)}/d^3/f^3/(d*f)^{(1/2)} \end{aligned}$$

**maxima [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(c*f-d*e>0)', see `assume?` for more details)Is c*f-d*e zero or nonzero?
```

**mupad** [F(-1)] time = 0.00, size = -1, normalized size = -0.00

Hanged

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((e + f*x)^(1/2)*(c + d*x)^(1/2)*(A + B*x + C*x^2),x)
```

```
[Out] \text{Hanged}
```

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{c + dx} \sqrt{e + fx} (A + Bx + Cx^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x**2+B*x+A)*(d*x+c)**(1/2)*(f*x+e)**(1/2),x)
```

```
[Out] Integral(sqrt(c + d*x)*sqrt(e + f*x)*(A + B*x + C*x**2), x)
```

$$3.44 \quad \int \frac{\sqrt{c+dx} \sqrt{e+fx} (A+Bx+Cx^2)}{a+bx} dx$$

**Optimal.** Leaf size=450

$$\frac{\tanh^{-1}\left(\frac{\sqrt{f}\sqrt{c+dx}}{\sqrt{d}\sqrt{e+fx}}\right) \left(16a^3Cd^3f^3 - 8a^2bd^2f^2(2Bdf + cCf + Cde) - 2ab^2df(C(de - cf)^2 - 4df(2Adf + Bcf + Bde))\right)}{8b^4d^{5/2}f^{5/2}}$$

[Out]  $1/3*C*(d*x+c)^{(3/2)}*(f*x+e)^{(3/2)}/b/d/f-1/8*(16*a^3*C*d^3*f^3-8*a^2*b*d^2*f^2*(2*B*d*f+C*c*f+C*d*e)-2*a*b^2*d*f*(C*(-c*f+d*e)^2-4*d*f*(2*A*d*f+B*c*f+B*d*e))-b^3*(C*(-c*f+d*e)^2*(c*f+d*e)-2*d*f*(B*(-c*f+d*e)^2-4*A*d*f*(c*f+d*e))))*\operatorname{arctanh}(f^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)}/(f*x+e)^{(1/2)})/b^4/d^{(5/2)}/f^{(5/2)}-2*(A*b^2-a*(B*b-C*a))*\operatorname{arctanh}((-a*f+b*e)^{(1/2)}*(d*x+c)^{(1/2)}/(-a*d+b*c)^{(1/2)}/(f*x+e)^{(1/2)})*(-a*d+b*c)^{(1/2)}*(-a*f+b*e)^{(1/2)}/b^4-1/4*(2*a*C*d*f+b*(-2*B*d*f+C*c*f+C*d*e))*(f*x+e)^{(3/2)}*(d*x+c)^{(1/2)}/b^2/d/f^2+1/8*(4*b*d*f*(2*A*b*d*f-a*C*(c*f+d*e))+4*a*d*f-b*c*f+b*d*e)*(2*a*C*d*f+b*(-2*B*d*f+C*c*f+C*d*e))*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/b^3/d^2/f^2$

**Rubi [A]** time = 1.37, antiderivative size = 453, normalized size of antiderivative = 1.01, number of steps used = 9, number of rules used = 8, integrand size = 36,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {1615, 154, 157, 63, 217, 206, 93, 208}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{f}\sqrt{c+dx}}{\sqrt{d}\sqrt{e+fx}}\right) \left(-8a^2bd^2f^2(2Bdf + cCf + Cde) + 16a^3Cd^3f^3 - 2ab^2df(C(de - cf)^2 - 4df(2Adf + Bcf + Bde))\right)}{8b^4d^{5/2}f^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[c + d\*x]\*Sqrt[e + f\*x]\*(A + B\*x + C\*x^2))/(a + b\*x), x]

[Out]  $((8*A*b*d*f - 4*a*C*(d*e + c*f) + ((b*d*e - b*c*f + 4*a*d*f)*(2*a*C*d*f + b*(C*d*e + c*C*f - 2*B*d*f)))/(b*d*f))*\operatorname{Sqrt}[c + d*x]*\operatorname{Sqrt}[e + f*x]/(8*b^2*d*f) - ((2*a*C*d*f + b*(C*d*e + c*C*f - 2*B*d*f))*\operatorname{Sqrt}[c + d*x]*(e + f*x)^{(3/2)})/(4*b^2*d*f^2) + (C*(c + d*x)^{(3/2)}*(e + f*x)^{(3/2)})/(3*b*d*f) - ((16*a^3*C*d^3*f^3 - 8*a^2*b*d^2*f^2*(C*d*e + c*C*f + 2*B*d*f) - 2*a*b^2*d*f*(C*(d*e - c*f)^2 - 4*d*f*(B*d*e + B*c*f + 2*A*d*f)) - b^3*(C*(d*e - c*f)^2*(d*e + c*f) - 2*d*f*(B*(d*e - c*f)^2 - 4*A*d*f*(d*e + c*f))))*\operatorname{ArcTanh}[\operatorname{Sqrt}[f]*\operatorname{Sqrt}[c + d*x]]/(\operatorname{Sqrt}[d]*\operatorname{Sqrt}[e + f*x]))/(8*b^4*d^{(5/2)}*f^{(5/2)}) - (2*(A*b^2 - a*(b*B - a*C))*\operatorname{Sqrt}[b*c - a*d]*\operatorname{Sqrt}[b*e - a*f]*\operatorname{ArcTanh}[\operatorname{Sqrt}[b*e - a*f]*\operatorname{Sqrt}[c + d*x]]/(\operatorname{Sqrt}[b*c - a*d]*\operatorname{Sqrt}[e + f*x]))/b^4$

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 93

Int[(((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_))/((e\_.) + (f\_.)\*(x\_)), x\_Symbol] :> With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q\*(m + 1) - 1)/(b\*e - a\*f - (d\*e - c\*f)\*x^q), x], x, (a + b\*x)^(1/q)/(c + d\*x)^(1/q)], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b\*x, c + d\*x]

### Rule 154



```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[(h*(a + b*x)^m*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(m + n + p + 2)), x] + Dist[1/(d*f*(m + n + p + 2)), Int[(a + b*x)^(m - 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*g*(m + n + p + 2) - h*(b*c*e*m + a*(d*e*(n + 1) + c*f*(p + 1))) + (b*d*f*g*(m + n + p + 2) + h*(a*d*f*m - b*(d*e*(m + n + 1) + c*f*(m + p + 1)))]*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p + 2, 0] && IntegersQ[2*m, 2*n, 2*p]
```

#### Rule 157

```
Int[(((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)))/((a_.) + (b_.)*(x_)), x_Symbol] := Dist[h/b, Int[(c + d*x)^n*(e + f*x)^p, x], x] + Dist[(b*g - a*h)/b, Int[((c + d*x)^n*(e + f*x)^p)/(a + b*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x]
```

#### Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

#### Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

#### Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

#### Rule 1615

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] := With[{q = Expon[Px, x], k = Coeff[Px, x, Expon[Px, x]]}, Simp[(k*(a + b*x)^(m + q - 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*b^(q - 1)*(m + n + p + q + 1)), x] + Dist[1/(d*f*b^q*(m + n + p + q + 1)), Int[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p*ExpandToSum[d*f*b^q*(m + n + p + q + 1)*Px - d*f*k*(m + n + p + q + 1)*(a + b*x)^q + k*(a + b*x)^(q - 2)*(a^2*d*f*(m + n + p + q + 1) - b*(b*c*e*(m + q - 1) + a*(d*e*(n + 1) + c*f*(p + 1))) + b*(a*d*f*(2*(m + q) + n + p) - b*(d*e*(m + q + n) + c*f*(m + q + p)))]*x, x], x] /; NeQ[m + n + p + q + 1, 0] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && IntegersQ[2*m, 2*n, 2*p]
```

#### Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{c+dx} \sqrt{e+fx} (A+Bx+Cx^2)}{a+bx} dx &= \frac{C(c+dx)^{3/2}(e+fx)^{3/2}}{3bdf} + \frac{\int \frac{\sqrt{c+dx} \sqrt{e+fx} \left(\frac{3}{2}b(2Abdf-aC(de+cf))-\frac{3}{2}b(2aCdf+b\right)}{a+bx}}{3b^2df}}{3b^2df} \\
&= -\frac{(2aCdf+b(Cde+cCf-2Bdf))\sqrt{c+dx}(e+fx)^{3/2}}{4b^2df^2} + \frac{C(c+dx)^{3/2}}{3bd} \\
&= \frac{(4bdf(2Abdf-aC(de+cf))+(bde-bcf+4adf)(2aCdf+b(Cde+cCf-2Bdf)))\sqrt{c+dx}(e+fx)^{3/2}}{8b^3d^2f^2} + \frac{C(c+dx)^{3/2}}{3bd} \\
&= \frac{(4bdf(2Abdf-aC(de+cf))+(bde-bcf+4adf)(2aCdf+b(Cde+cCf-2Bdf)))\sqrt{c+dx}(e+fx)^{3/2}}{8b^3d^2f^2} + \frac{C(c+dx)^{3/2}}{3bd} \\
&= \frac{(4bdf(2Abdf-aC(de+cf))+(bde-bcf+4adf)(2aCdf+b(Cde+cCf-2Bdf)))\sqrt{c+dx}(e+fx)^{3/2}}{8b^3d^2f^2} + \frac{C(c+dx)^{3/2}}{3bd} \\
&= \frac{(4bdf(2Abdf-aC(de+cf))+(bde-bcf+4adf)(2aCdf+b(Cde+cCf-2Bdf)))\sqrt{c+dx}(e+fx)^{3/2}}{8b^3d^2f^2} + \frac{C(c+dx)^{3/2}}{3bd} \\
&= \frac{(4bdf(2Abdf-aC(de+cf))+(bde-bcf+4adf)(2aCdf+b(Cde+cCf-2Bdf)))\sqrt{c+dx}(e+fx)^{3/2}}{8b^3d^2f^2} + \frac{C(c+dx)^{3/2}}{3bd}
\end{aligned}$$

**Mathematica [B]** time = 6.21, size = 1936, normalized size = 4.30

result too large to display

Antiderivative was successfully verified.

```

[In] Integrate[(Sqrt[c + d*x]*Sqrt[e + f*x]*(A + B*x + C*x^2))/(a + b*x),x]
[Out] (2*(A*b^2 - a*b*B + a^2*C)*Sqrt[c + d*x]*Sqrt[e + f*x]*(1 + (d*f*(c + d*x))
/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^(3/2)*(1/(2*(1
+ (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))
)) + (Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)]*ArcSi
nh[(Sqrt[d]*Sqrt[f]*Sqrt[c + d*x])/(Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f
) - (c*d*f)/(d*e - c*f)])])/(2*Sqrt[d]*Sqrt[f]*Sqrt[c + d*x]*(1 + (d*f*(c +
d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^(3/2))))/
(b^3*Sqrt[d/((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)]*Sqrt[(d*(e + f*x))
/(d*e - c*f)]) + (2*C*(d*e - c*f)*(c + d*x)^(3/2)*Sqrt[e + f*x]*(1 + (d*f*(
c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^(5/2)*
((3/(4*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*
e - c*f))))^2) + (1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (
c*d*f)/(d*e - c*f))))^(-1))/2 + (3*(d*e - c*f)^2*((d^2*e)/(d*e - c*f) - (c*
d*f)/(d*e - c*f))^2*((2*d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) -
(c*d*f)/(d*e - c*f))) - (2*Sqrt[d]*Sqrt[f]*Sqrt[c + d*x]*ArcSinh[(Sqrt[d]*S
qrt[f]*Sqrt[c + d*x])/(Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(
d*e - c*f)])])/(Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c
*f)]*Sqrt[1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(
d*e - c*f)))])))/(32*d^2*f^2*(c + d*x)^2*(1 + (d*f*(c + d*x))/((d*e - c*f)*
((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^2))/(3*b*d^2*f*(d/((d^2*e)/(
d*e - c*f) - (c*d*f)/(d*e - c*f)))^(3/2)*Sqrt[(d*(e + f*x))/(d*e - c*f)] +
(2*(-(b*C*e) + b*B*f - a*C*f)*(c + d*x)^(3/2)*Sqrt[e + f*x]*(1 + (d*f*(c +

```







$$3.45 \quad \int \frac{\sqrt{c+dx} \sqrt{e+fx} (A+Bx+Cx^2)}{(a+bx)^2} dx$$

**Optimal.** Leaf size=521

$$\frac{\sqrt{c+dx}(e+fx)^{3/2} (3a^2Cdf - ab(2Bdf + cCf + Cde) + b^2(2Adf + cCe)) \tanh^{-1} \left( \frac{\sqrt{f} \sqrt{c+dx}}{\sqrt{d} \sqrt{e+fx}} \right) (24a^2Cd^2f^2 - 8a^2Cdf^2 - 8ab^2Cdf + 8ab^2Cde + 8ab^2Cde)}{2b^2f(bc - ad)(be - af)}$$

[Out]  $-(A*b^2 - a*(B*b - C*a))*(d*x+c)^{(3/2)}*(f*x+e)^{(3/2)}/b/(-a*d+b*c)/(-a*f+b*e)/(b*x+a)+1/4*(24*a^2*C*d^2*f^2-8*a*b*d*f*(2*B*d*f+C*c*f+C*d*e)-b^2*(C*(-c*f+d*e)^2-4*d*f*(2*A*d*f+B*c*f+B*d*e)))*\operatorname{arctanh}(f^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)}/(f*x+e)^{(1/2)})/b^4/d^{(3/2)}/f^{(3/2)}+(6*a^3*C*d*f-b^3*(A*c*f+A*d*e+2*B*c*e)+a*b^2*(2*A*d*f+3*B*c*f+3*B*d*e+4*C*c*e)-a^2*b*(4*B*d*f+5*C*(c*f+d*e)))*\operatorname{arctanh}((-a*f+b*e)^{(1/2)}*(d*x+c)^{(1/2)}/(-a*d+b*c)^{(1/2)}/(f*x+e)^{(1/2)})/b^4/(-a*d+b*c)^{(1/2)}/(-a*f+b*e)^{(1/2)}+1/2*(3*a^2*C*d*f+b^2*(2*A*d*f+C*c*e)-a*b*(2*B*d*f+C*c*f+C*d*e))*(f*x+e)^{(3/2)}*(d*x+c)^{(1/2)}/b^2/(-a*d+b*c)/f/(-a*f+b*e)+1/4*(12*a^2*C*d*f^2-a*b*f*(8*B*d*f+C*c*f+7*C*d*e)+b^2*(4*d*f*(A*f+B*e)-C*e*(-c*f+d*e)))*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/b^3/d/f/(-a*f+b*e)$

**Rubi [A]** time = 1.70, antiderivative size = 521, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 36,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {1613, 154, 157, 63, 217, 206, 93, 208}

$$\frac{\tanh^{-1} \left( \frac{\sqrt{f} \sqrt{c+dx}}{\sqrt{d} \sqrt{e+fx}} \right) (24a^2Cd^2f^2 - 8abdf(2Bdf + cCf + Cde) + b^2(- (C(de - cf)^2 - 4df(2Adf + Bcf + Bde))))}{4b^4d^{3/2}f^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[c + d\*x]\*Sqrt[e + f\*x]\*(A + B\*x + C\*x^2))/(a + b\*x)^2, x]

[Out]  $((12*a^2*C*d*f^2 - a*b*f*(7*C*d*e + c*C*f + 8*B*d*f) + b^2*(4*d*f*(B*e + A*f) - C*e*(d*e - c*f)))*\operatorname{Sqrt}[c + d*x]*\operatorname{Sqrt}[e + f*x])/ (4*b^3*d*f*(b*e - a*f)) + ((3*a^2*C*d*f + b^2*(c*C*e + 2*A*d*f) - a*b*(C*d*e + c*C*f + 2*B*d*f))*\operatorname{Sqrt}[c + d*x]*(e + f*x)^{(3/2)})/ (2*b^2*(b*c - a*d)*f*(b*e - a*f)) - ((A*b^2 - a*(b*B - a*C))*(c + d*x)^{(3/2)}*(e + f*x)^{(3/2)})/ (b*(b*c - a*d)*(b*e - a*f)*(a + b*x)) + ((24*a^2*C*d^2*f^2 - 8*a*b*d*f*(C*d*e + c*C*f + 2*B*d*f) - b^2*(C*(d*e - c*f)^2 - 4*d*f*(B*d*e + B*c*f + 2*A*d*f)))*\operatorname{ArcTanh}[\operatorname{Sqrt}[f]*\operatorname{Sqrt}[c + d*x])/(\operatorname{Sqrt}[d]*\operatorname{Sqrt}[e + f*x])]/ (4*b^4*d^{(3/2)}*f^{(3/2)}) + ((6*a^3*C*d*f - b^3*(2*B*c*e + A*d*e + A*c*f) + a*b^2*(4*c*C*e + 3*B*d*e + 3*B*c*f + 2*A*d*f) - a^2*b*(4*B*d*f + 5*C*(d*e + c*f)))*\operatorname{ArcTanh}[\operatorname{Sqrt}[b*e - a*f]*\operatorname{Sqrt}[c + d*x])/(\operatorname{Sqrt}[b*c - a*d]*\operatorname{Sqrt}[e + f*x])]/ (b^4*\operatorname{Sqrt}[b*c - a*d]*\operatorname{Sqrt}[b*e - a*f])$

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 93

Int[(((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_))/((e\_.) + (f\_.)\*(x\_)), x\_Symbol] :> With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q\*(m + 1) - 1)/(b\*e - a\*f - (d\*e - c\*f)\*x^q), x], x, (a + b\*x)^(1/q)/(c + d\*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]

&& LtQ[-1, m, 0] && SimplerQ[a + b\*x, c + d\*x]

#### Rule 154

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_)\*((e\_.) + (f\_.)\*(x\_))^(p\_)\*((g\_.) + (h\_.)\*(x\_)), x\_Symbol] := Simp[(h\*(a + b\*x)^m\*(c + d\*x)^(n + 1)\*(e + f\*x)^(p + 1))/(d\*f\*(m + n + p + 2)), x] + Dist[1/(d\*f\*(m + n + p + 2)), Int[(a + b\*x)^(m - 1)\*(c + d\*x)^n\*(e + f\*x)^p\*Simp[a\*d\*f\*g\*(m + n + p + 2) - h\*(b\*c\*e\*m + a\*(d\*e\*(n + 1) + c\*f\*(p + 1))) + (b\*d\*f\*g\*(m + n + p + 2) + h\*(a\*d\*f\*m - b\*(d\*e\*(m + n + 1) + c\*f\*(m + p + 1)))]\*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p + 2, 0] && IntegersQ[2\*m, 2\*n, 2\*p]

#### Rule 157

Int[(((c\_.) + (d\_.)\*(x\_))^(n\_)\*((e\_.) + (f\_.)\*(x\_))^(p\_)\*((g\_.) + (h\_.)\*(x\_)))/((a\_.) + (b\_.)\*(x\_)), x\_Symbol] := Dist[h/b, Int[(c + d\*x)^n\*(e + f\*x)^p, x], x] + Dist[(b\*g - a\*h)/b, Int[(((c + d\*x)^n\*(e + f\*x)^p)/(a + b\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x]

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

#### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

#### Rule 1613

Int[(Px\_)\*((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_)\*((e\_.) + (f\_.)\*(x\_))^(p\_), x\_Symbol] := With[{Qx = PolynomialQuotient[Px, a + b\*x, x], R = PolynomialRemainder[Px, a + b\*x, x]}, Simp[(b\*R\*(a + b\*x)^(m + 1)\*(c + d\*x)^(n + 1)\*(e + f\*x)^(p + 1))/((m + 1)\*(b\*c - a\*d)\*(b\*e - a\*f)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(b\*e - a\*f)), Int[(a + b\*x)^(m + 1)\*(c + d\*x)^n\*(e + f\*x)^p\*ExpandToSum[(m + 1)\*(b\*c - a\*d)\*(b\*e - a\*f)\*Qx + a\*d\*f\*R\*(m + 1) - b\*R\*(d\*e\*(m + n + 2) + c\*f\*(m + p + 2)) - b\*d\*f\*R\*(m + n + p + 3)\*x, x], x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && PolyQ[Px, x] && ILtQ[m, -1] && IntegersQ[2\*m, 2\*n, 2\*p]

#### Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{c+dx} \sqrt{e+fx} (A+Bx+Cx^2)}{(a+bx)^2} dx &= -\frac{(Ab^2 - a(bB - aC))(c+dx)^{3/2}(e+fx)^{3/2}}{b(bc-ad)(be-af)(a+bx)} - \int \frac{\sqrt{c+dx} \sqrt{e+fx} \left(-\frac{3a^2C(de+cf)}{b(bc-ad)(be-af)(a+bx)}\right)}{b(bc-ad)(be-af)(a+bx)} dx \\
&= \frac{(3a^2Cdf + b^2(cCe + 2Adf) - ab(Cde + cCf + 2Bdf)) \sqrt{c+dx} (e+fx)}{2b^2(bc-ad)f(be-af)} \\
&= \frac{(12a^2Cdf^2 - abf(7Cde + cCf + 8Bdf) + b^2(4df(Be + Af) - Ce(de - af))) \sqrt{c+dx} (e+fx)}{4b^3df(be-af)} \\
&= \frac{(12a^2Cdf^2 - abf(7Cde + cCf + 8Bdf) + b^2(4df(Be + Af) - Ce(de - af))) \sqrt{c+dx} (e+fx)}{4b^3df(be-af)} \\
&= \frac{(12a^2Cdf^2 - abf(7Cde + cCf + 8Bdf) + b^2(4df(Be + Af) - Ce(de - af))) \sqrt{c+dx} (e+fx)}{4b^3df(be-af)} \\
&= \frac{(12a^2Cdf^2 - abf(7Cde + cCf + 8Bdf) + b^2(4df(Be + Af) - Ce(de - af))) \sqrt{c+dx} (e+fx)}{4b^3df(be-af)} \\
&= \frac{(12a^2Cdf^2 - abf(7Cde + cCf + 8Bdf) + b^2(4df(Be + Af) - Ce(de - af))) \sqrt{c+dx} (e+fx)}{4b^3df(be-af)} \\
&= \frac{(12a^2Cdf^2 - abf(7Cde + cCf + 8Bdf) + b^2(4df(Be + Af) - Ce(de - af))) \sqrt{c+dx} (e+fx)}{4b^3df(be-af)}
\end{aligned}$$

**Mathematica [B]** time = 6.37, size = 2532, normalized size = 4.86

Result too large to show

Warning: Unable to verify antiderivative.

```

[In] Integrate[(Sqrt[c + d*x]*Sqrt[e + f*x]*(A + B*x + C*x^2))/(a + b*x)^2,x]
[Out] -(((A*b^2 - a*(b*B - a*C))*(c + d*x)^(3/2)*(e + f*x)^(3/2))/(b*(b*c - a*d)*
(b*e - a*f)*(a + b*x))) + (2*(b*B - 2*a*C)*Sqrt[c + d*x]*Sqrt[e + f*x]*(1 +
(d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))
^(3/2)*(1/(2*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*
f)/(d*e - c*f)))))) + (Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d
*e - c*f)]*ArcSinh[(Sqrt[d]*Sqrt[f]*Sqrt[c + d*x])/(Sqrt[d*e - c*f]*Sqrt[(d
^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)])])/(2*Sqrt[d]*Sqrt[f]*Sqrt[c + d*x
]*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c
*f))))^(3/2)))/(b^3*Sqrt[d/((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))] *Sq
rt[(d*(e + f*x))/(d*e - c*f)] + (2*C*(c + d*x)^(3/2)*Sqrt[e + f*x]*(1 + (d
*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^(3
/2)*(3/(4*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/
(d*e - c*f)))))) + (3*(d*e - c*f)^2*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c
f))^2*((2*d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e -
c*f)))) - (2*Sqrt[d]*Sqrt[f]*Sqrt[c + d*x]*ArcSinh[(Sqrt[d]*Sqrt[f]*Sqrt[c
+ d*x])/(Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)])])
/(Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)]*Sqrt[1 +
(d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))])
)/(16*d^2*f^2*(c + d*x)^2*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e
- c*f) - (c*d*f)/(d*e - c*f)))))))/(3*b^2*d*Sqrt[d/((d^2*e)/(d*e - c*f) - (
c*d*f)/(d*e - c*f))] *Sqrt[(d*(e + f*x))/(d*e - c*f)] + (2*(b*B - 2*a*C)*(b

```



$$\begin{aligned}
& *c - a*d)*((\text{Sqrt}[f]*\text{Sqrt}[d*e - c*f]*\text{Sqrt}[(d*(e + f*x))/(d*e - c*f)]*\text{ArcSinh} \\
& [(\text{Sqrt}[f]*\text{Sqrt}[c + d*x])/\text{Sqrt}[d*e - c*f]])/(b*d*\text{Sqrt}[e + f*x]) - (\text{Sqrt}[-(b* \\
& e) + a*f]*\text{ArcTanh}[(\text{Sqrt}[-(b*e) + a*f]*\text{Sqrt}[c + d*x])]/(\text{Sqrt}[-(b*c) + a*d]*\text{Sqrt} \\
& [e + f*x]))/(b*\text{Sqrt}[-(b*c) + a*d]))/b^3 - ((A*b^2 - a*b*B + a^2*C)*((-4 \\
& *f*(c + d*x)^(3/2)*\text{Sqrt}[e + f*x]*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e) \\
& / (d*e - c*f) - (c*d*f)/(d*e - c*f))))^(3/2)*(3/(4*(1 + (d*f*(c + d*x))/((d* \\
& e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))) + (3*(d*e - c*f)^2* \\
& ((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))^2*((2*d*f*(c + d*x))/((d*e - c* \\
& f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))) - (2*\text{Sqrt}[d]*\text{Sqrt}[f]*\text{Sqrt}[c \\
& + d*x]*\text{ArcSinh}[(\text{Sqrt}[d]*\text{Sqrt}[f]*\text{Sqrt}[c + d*x])/(\text{Sqrt}[d*e - c*f]*\text{Sqrt}[(d^2* \\
& e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)])])]/(\text{Sqrt}[d*e - c*f]*\text{Sqrt}[(d^2*e)/(d*e \\
& - c*f) - (c*d*f)/(d*e - c*f)]*\text{Sqrt}[1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2* \\
& e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))])))/(16*d^2*f^2*(c + d*x)^2*(1 + (d* \\
& f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))) / \\
& (3*\text{Sqrt}[d/((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))]*\text{Sqrt}[(d*(e + f*x))/( \\
& d*e - c*f]) + ((2*a*b*d*f + (b*(-2*a*d*f - b*(d*e + c*f)))/2)*((2*\text{Sqrt}[c + \\
& d*x]*\text{Sqrt}[e + f*x]*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) \\
& - (c*d*f)/(d*e - c*f))))^(3/2)*(1/(2*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^ \\
& 2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))) + (\text{Sqrt}[d*e - c*f]*\text{Sqrt}[(d^2*e)/ \\
& (d*e - c*f) - (c*d*f)/(d*e - c*f)]*\text{ArcSinh}[(\text{Sqrt}[d]*\text{Sqrt}[f]*\text{Sqrt}[c + d*x])/ \\
& (\text{Sqrt}[d*e - c*f]*\text{Sqrt}[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)])])]/(2*\text{Sqrt} \\
& [d]*\text{Sqrt}[f]*\text{Sqrt}[c + d*x]*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - \\
& c*f) - (c*d*f)/(d*e - c*f))))^(3/2)))/(b*\text{Sqrt}[d/((d^2*e)/(d*e - c*f) - (c \\
& *d*f)/(d*e - c*f)]*\text{Sqrt}[(d*(e + f*x))/(d*e - c*f]) - ((-(b*c) + a*d)*((2* \\
& \text{Sqrt}[f]*\text{Sqrt}[d*e - c*f]*\text{Sqrt}[d/((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))] \\
& *\text{Sqrt}[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)]*\text{Sqrt}[(d*(e + f*x))/(d*e - \\
& c*f)]*\text{ArcSinh}[(\text{Sqrt}[d]*\text{Sqrt}[f]*\text{Sqrt}[c + d*x])/(\text{Sqrt}[d*e - c*f]*\text{Sqrt}[(d^2*e) \\
& / (d*e - c*f) - (c*d*f)/(d*e - c*f)])])]/(b*d^(3/2)*\text{Sqrt}[e + f*x]) - (2*\text{Sqrt} \\
& [-(b*e) + a*f]*\text{ArcTanh}[(\text{Sqrt}[-(b*e) + a*f]*\text{Sqrt}[c + d*x])/(\text{Sqrt}[-(b*c) + a*d] \\
& )*\text{Sqrt}[e + f*x]))/(b*\text{Sqrt}[-(b*c) + a*d]))/b)/b)/(b^2*(b*c - a*d)*(b*e - \\
& a*f))
\end{aligned}$$

**fricas** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(d\*x+c)^(1/2)\*(f\*x+e)^(1/2)/(b\*x+a)^2,x, algorithm="fricas")

[Out] Timed out

**giac** [B] time = 13.12, size = 1585, normalized size = 3.04

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(d\*x+c)^(1/2)\*(f\*x+e)^(1/2)/(b\*x+a)^2,x, algorithm="giac")

[Out] 
$$\begin{aligned}
& 1/4*\text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e)*\text{sqrt}(d*x + c)*(2*(d*x + c)*C*\text{abs}(d) \\
& / (b^2*d^3) - (C*b^7*c*d^3*f^2*\text{abs}(d) + 8*C*a*b^6*d^4*f^2*\text{abs}(d) - 4*B*b^7*d \\
& ^4*f^2*\text{abs}(d) - C*b^7*d^4*f*\text{abs}(d)*e)/(b^9*d^6*f^2)) - (5*\text{sqrt}(d*f)*C*a^2*b \\
& *c*f*\text{abs}(d) - 3*\text{sqrt}(d*f)*B*a*b^2*c*f*\text{abs}(d) + \text{sqrt}(d*f)*A*b^3*c*f*\text{abs}(d) - \\
& 6*\text{sqrt}(d*f)*C*a^3*d*f*\text{abs}(d) + 4*\text{sqrt}(d*f)*B*a^2*b*d*f*\text{abs}(d) - 2*\text{sqrt}(d*f) \\
& )*A*a*b^2*d*f*\text{abs}(d) - 4*\text{sqrt}(d*f)*C*a*b^2*c*\text{abs}(d)*e + 2*\text{sqrt}(d*f)*B*b^3*c \\
& *\text{abs}(d)*e + 5*\text{sqrt}(d*f)*C*a^2*b*d*\text{abs}(d)*e - 3*\text{sqrt}(d*f)*B*a*b^2*d*\text{abs}(d)*e \\
& + \text{sqrt}(d*f)*A*b^3*d*\text{abs}(d)*e)*\text{arctan}(-1/2*(b*c*d*f - 2*a*d^2*f + b*d^2*e - \\
& (\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e))^2*b)/(\text{sqrt} \\
& (a*b*c*d*f^2 - a^2*d^2*f^2 - b^2*c*d*f*e + a*b*d^2*f*e)*d)/(\text{sqrt}(a*b*c*d*f
\end{aligned}$$

$$\begin{aligned} &^2 - a^2 d^2 f^2 - b^2 c d f e + a b d^2 f e) b^4 d) - 2(\sqrt{d f}) C a^2 b \\ & c^2 d f^2 \text{abs}(d) - \sqrt{d f}) B a b^2 c^2 d f^2 \text{abs}(d) + \sqrt{d f}) A b^3 c^2 \\ & 2 d f^2 \text{abs}(d) - 2 \sqrt{d f}) C a^2 b c d^2 f \text{abs}(d) e + 2 \sqrt{d f}) B a b^2 \\ & c d^2 f \text{abs}(d) e - 2 \sqrt{d f}) A b^3 c d^2 f \text{abs}(d) e - \sqrt{d f}) (\sqrt{d f}) \\ & \sqrt{d x + c} - \sqrt{(d x + c) d f - c d f + d^2 e})^2 C a^2 b c f \text{abs}(d) \\ & ) + \sqrt{d f}) (\sqrt{d f}) \sqrt{d x + c} - \sqrt{(d x + c) d f - c d f + d^2 e}) \\ & )^2 B a b^2 c f \text{abs}(d) - \sqrt{d f}) (\sqrt{d f}) \sqrt{d x + c} - \sqrt{(d x + \\ & c) d f - c d f + d^2 e})^2 A b^3 c f \text{abs}(d) + 2 \sqrt{d f}) (\sqrt{d f}) \sqrt{d} \\ & x + c) - \sqrt{(d x + c) d f - c d f + d^2 e})^2 C a^3 d f \text{abs}(d) - 2 \sqrt{d f}) \\ & (\sqrt{d f}) \sqrt{d x + c} - \sqrt{(d x + c) d f - c d f + d^2 e})^2 B a^2 \\ & 2 b d f \text{abs}(d) + 2 \sqrt{d f}) (\sqrt{d f}) \sqrt{d x + c} - \sqrt{(d x + c) d f \\ & - c d f + d^2 e})^2 A a b^2 d f \text{abs}(d) + \sqrt{d f}) C a^2 b d^3 \text{abs}(d) e^2 - \\ & \sqrt{d f}) B a b^2 d^3 \text{abs}(d) e^2 + \sqrt{d f}) A b^3 d^3 \text{abs}(d) e^2 - \sqrt{d} \\ & f) (\sqrt{d f}) \sqrt{d x + c} - \sqrt{(d x + c) d f - c d f + d^2 e})^2 C a^2 \\ & b d \text{abs}(d) e + \sqrt{d f}) (\sqrt{d f}) \sqrt{d x + c} - \sqrt{(d x + c) d f - c \\ & d f + d^2 e})^2 B a b^2 d \text{abs}(d) e - \sqrt{d f}) (\sqrt{d f}) \sqrt{d x + c} - \\ & \sqrt{(d x + c) d f - c d f + d^2 e})^2 A b^3 d \text{abs}(d) e) / ((b^2 c^2 d^2 f^2 - \\ & 2 b c d^3 f e - 2 (\sqrt{d f}) \sqrt{d x + c} - \sqrt{(d x + c) d f - c d f + \\ & d^2 e})^2 b c d f + 4 (\sqrt{d f}) \sqrt{d x + c} - \sqrt{(d x + c) d f - c d f \\ & + d^2 e})^2 a d^2 f + b d^4 e^2 - 2 (\sqrt{d f}) \sqrt{d x + c} - \sqrt{(d x + \\ & c) d f - c d f + d^2 e})^2 b d^2 e + (\sqrt{d f}) \sqrt{d x + c} - \sqrt{(d x + \\ & c) d f - c d f + d^2 e})^4 b) b^4) + 1/8 (\sqrt{d f}) C b^2 c^2 f^2 \text{abs}(d) + \\ & 8 \sqrt{d f}) C a b c d f^2 \text{abs}(d) - 4 \sqrt{d f}) B b^2 c d f^2 \text{abs}(d) - 24 \sqrt{d} \\ & f) C a^2 d^2 f^2 \text{abs}(d) + 16 \sqrt{d f}) B a b d^2 f^2 \text{abs}(d) - 8 \sqrt{d f}) \\ & A b^2 d^2 f^2 \text{abs}(d) - 2 \sqrt{d f}) C b^2 c d f \text{abs}(d) e + 8 \sqrt{d f}) \\ & C a b d^2 f \text{abs}(d) e - 4 \sqrt{d f}) B b^2 d^2 f \text{abs}(d) e + \sqrt{d f}) C b^2 d \\ & ^2 \text{abs}(d) e^2) \log((\sqrt{d f}) \sqrt{d x + c} - \sqrt{(d x + c) d f - c d f + \\ & d^2 e})^2) / (b^4 d^3 f^2) \end{aligned}$$

**maple [B]** time = 0.05, size = 5051, normalized size = 9.69

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2)/(b*x+a)^2,x)`

[Out] result too large to display

**maxima [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2)/(b*x+a)^2,x, algorithm="maxima")`

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(2\*a\*d\*f-b\*c\*f>0)', see `assume?` for more details) Is 2\*a\*d\*f-b\*c\*f -b\*d \*e zero or nonzero?

**mupad [F(-1)]** time = 0.00, size = -1, normalized size = -0.00

Hanged

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((e + f*x)^(1/2)*(c + d*x)^(1/2)*(A + B*x + C*x^2))/(a + b*x)^2,x)`

[Out] `\text{Hanged}`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x\*\*2+B\*x+A)\*(d\*x+c)\*\*(1/2)\*(f\*x+e)\*\*(1/2)/(b\*x+a)\*\*2,x)

[Out] Timed out

**3.46** 
$$\int \frac{\sqrt{c+dx} \sqrt{e+fx} (A+Bx+Cx^2)}{(a+bx)^3} dx$$

**Optimal.** Leaf size=658

$$\frac{\sqrt{c+dx} \sqrt{e+fx} (12a^3Cdf^2 - a^2bf(4Bdf + 11cCf + 17Cde) + ab^2(Bf(3cf + 5de) + 4Ce(4cf + de)) - b^3(c - ad)(bc - ad)(be - af)^2)}{4b^3(bc - ad)(be - af)^2}$$

```
[Out] -1/2*(A*b^2-a*(B*b-C*a))*(d*x+c)^(3/2)*(f*x+e)^(3/2)/b/(-a*d+b*c)/(-a*f+b*e)/(b*x+a)^2-1/4*(24*a^4*C*d^2*f^2-3*a*b^3*(B*d^2*e^2+c^2*f*(B*f+8*C*e)+2*c*d*e*(3*B*f+4*C*e))-8*a^3*b*d*f*(B*d*f+5*C*(c*f+d*e))-b^4*(A*d^2*e^2-2*c*d*e*(A*f+2*B*e)-c^2*(-A*f^2+4*B*e*f+8*C*e^2))+3*a^2*b^2*(4*B*d*f*(c*f+d*e)+C*(5*c^2*f^2+22*c*d*e*f+5*d^2*e^2))*arctanh((-a*f+b*e)^(1/2)*(d*x+c)^(1/2)/(-a*d+b*c)^(1/2)/(f*x+e)^(1/2))/b^4/(-a*d+b*c)^(3/2)/(-a*f+b*e)^(3/2)-(6*a*C*d*f-b*(2*B*d*f+C*c*f+C*d*e))*arctanh(f^(1/2)*(d*x+c)^(1/2)/d^(1/2)/(f*x+e)^(1/2))/b^4/d^(1/2)/f^(1/2)+1/4*(6*a^3*C*d*f-b^3*(-A*c*f-A*d*e+4*B*c*e)+a*b^2*(-2*A*d*f+3*B*c*f+3*B*d*e+8*C*c*e)-a^2*b*(2*B*d*f+7*C*(c*f+d*e)))*(f*x+e)^(3/2)*(d*x+c)^(1/2)/b^2/(-a*d+b*c)/(-a*f+b*e)^2/(b*x+a)-1/4*(12*a^3*C*d*f^2-a^2*b*f*(4*B*d*f+11*C*c*f+17*C*d*e)+a*b^2*(B*f*(3*c*f+5*d*e)+4*C*e*(4*c*f+d*e))-b^3*(A*d*e*f+c*(-A*f^2+4*B*e*f+4*C*e^2)))*(d*x+c)^(1/2)*(f*x+e)^(1/2)/b^3/(-a*d+b*c)/(-a*f+b*e)^2
```

**Rubi [A]** time = 2.68, antiderivative size = 657, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 36,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$ , Rules used = {1613, 149, 154, 157, 63, 217, 206, 93, 208}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{c+dx} \sqrt{be-af}}{\sqrt{e+fx} \sqrt{bc-ad}}\right) (3a^2b^2 (4Bdf(cf + de) + C (5c^2f^2 + 22cdef + 5d^2e^2)) - 8a^3bdf(Bdf + 5C(cf + de)) + 2b^3(c - ad)(bc - ad)(be - af)^2)}{4b^4(c - ad)(bc - ad)(be - af)^2}$$

Antiderivative was successfully verified.

```
[In] Int[(Sqrt[c + d*x]*Sqrt[e + f*x]*(A + B*x + C*x^2))/(a + b*x)^3,x]
[Out] -((12*a^3*C*d*f^2 - a^2*b*f*(17*C*d*e + 11*c*C*f + 4*B*d*f) - b^3*(4*c*C*e^2 + A*d*e*f + c*f*(4*B*e - A*f)) + a*b^2*(B*f*(5*d*e + 3*c*f) + 4*C*e*(d*e + 4*c*f)))*Sqrt[c + d*x]*Sqrt[e + f*x])/(4*b^3*(b*c - a*d)*(b*e - a*f)^2) + ((6*a^3*C*d*f - b^3*(4*B*c*e - A*d*e - A*c*f) + a*b^2*(8*c*C*e + 3*B*d*e + 3*B*c*f - 2*A*d*f) - a^2*b*(2*B*d*f + 7*C*(d*e + c*f)))*Sqrt[c + d*x]*(e + f*x)^(3/2))/(4*b^2*(b*c - a*d)*(b*e - a*f)^2*(a + b*x)) - ((A*b^2 - a*(b*B - a*C))*(c + d*x)^(3/2)*(e + f*x)^(3/2))/(2*b*(b*c - a*d)*(b*e - a*f)*(a + b*x)^2) - ((6*a*C*d*f - b*(C*d*e + c*C*f + 2*B*d*f))*ArcTanh[(Sqrt[f]*Sqrt[c + d*x])/(Sqrt[d]*Sqrt[e + f*x])])/(b^4*Sqrt[d]*Sqrt[f]) - ((24*a^4*C*d^2*f^2 - 3*a*b^3*(B*d^2*e^2 + c^2*f*(8*C*e + B*f)) + 2*c*d*e*(4*C*e + 3*B*f)) - 8*a^3*b*d*f*(B*d*f + 5*C*(d*e + c*f)) - b^4*(A*d^2*e^2 - 2*c*d*e*(2*B*e + A*f) - c^2*(8*C*e^2 + 4*B*e*f - A*f^2)) + 3*a^2*b^2*(4*B*d*f*(d*e + c*f) + C*(5*d^2*e^2 + 22*c*d*e*f + 5*c^2*f^2))*ArcTanh[(Sqrt[b*e - a*f]*Sqrt[c + d*x])/(Sqrt[b*c - a*d]*Sqrt[e + f*x])])/(4*b^4*(b*c - a*d)^(3/2)*(b*e - a*f)^(3/2))
```

**Rule 63**

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 93

```
Int[(((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 149

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[((b*g - a*h)*(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^(p + 1))/(b*(b*e - a*f)*(m + 1)), x] - Dist[1/(b*(b*e - a*f)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^(n - 1)*(e + f*x)^p*Simp[b*c*(f*g - e*h)*(m + 1) + (b*g - a*h)*(d*e*n + c*f*(p + 1)) + d*(b*(f*g - e*h)*(m + 1) + f*(b*g - a*h)*(n + p + 1))*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, p}, x] && LtQ[m, -1] && GtQ[n, 0] && IntegerQ[m]
```

Rule 154

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[(h*(a + b*x)^m*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(m + n + p + 2)), x] + Dist[1/(d*f*(m + n + p + 2)), Int[(a + b*x)^(m - 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*g*(m + n + p + 2) - h*(b*c*e*m + a*(d*e*(n + 1) + c*f*(p + 1))) + (b*d*f*g*(m + n + p + 2) + h*(a*d*f*m - b*(d*e*(m + n + 1) + c*f*(m + p + 1)))]*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p + 2, 0] && IntegersQ[2*m, 2*n, 2*p]
```

Rule 157

```
Int[(((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)))/((a_.) + (b_.)*(x_)), x_Symbol] := Dist[h/b, Int[(c + d*x)^n*(e + f*x)^p, x], x] + Dist[(b*g - a*h)/b, Int[((c + d*x)^n*(e + f*x)^p)/(a + b*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[Rt[-b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 1613

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] := With[{Qx = PolynomialQuotient[Px, a + b*x, x], R = PolynomialRemainder[Px, a + b*x, x]}, Simp[(b*R*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*ExpandToSum[(m + 1)*(b*c - a*d)*(b*e - a*f)*Qx + a*d*f*R*(m + 1)
```

- b\*R\*(d\*e\*(m + n + 2) + c\*f\*(m + p + 2)) - b\*d\*f\*R\*(m + n + p + 3)\*x, x], x]] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && PolyQ[Px, x] && ILtQ[m, -1] && IntegersQ[2\*m, 2\*n, 2\*p]

### Rubi steps

$$\int \frac{\sqrt{c+dx}\sqrt{e+fx}(A+Bx+Cx^2)}{(a+bx)^3} dx = -\frac{(Ab^2 - a(bB - aC))(c+dx)^{3/2}(e+fx)^{3/2}}{2b(bc-ad)(be-af)(a+bx)^2} - \int \frac{\sqrt{c+dx}\sqrt{e+fx}\left(-\frac{3a^2C(de+cf)}{2b(bc-ad)(be-af)(a+bx)^2}\right)}{(a+bx)^3} dx$$

$$= \frac{(6a^3Cdf - b^3(4Bce - Ade - Acf) + ab^2(8cCe + 3Bde + 3Bcf - 2Adf))}{4b^2(bc-ad)(be-af)^2(a+bx)}$$

$$= -\frac{(12a^3Cdf^2 - a^2bf(17Cde + 11cCf + 4Bdf) - b^3(4cCe^2 + Adef + c^2e))}{4b^3(bc-ad)(be-af)^2(a+bx)}$$

$$= -\frac{(12a^3Cdf^2 - a^2bf(17Cde + 11cCf + 4Bdf) - b^3(4cCe^2 + Adef + c^2e))}{4b^3(bc-ad)(be-af)^2(a+bx)}$$

$$= -\frac{(12a^3Cdf^2 - a^2bf(17Cde + 11cCf + 4Bdf) - b^3(4cCe^2 + Adef + c^2e))}{4b^3(bc-ad)(be-af)^2(a+bx)}$$

$$= -\frac{(12a^3Cdf^2 - a^2bf(17Cde + 11cCf + 4Bdf) - b^3(4cCe^2 + Adef + c^2e))}{4b^3(bc-ad)(be-af)^2(a+bx)}$$

$$= -\frac{(12a^3Cdf^2 - a^2bf(17Cde + 11cCf + 4Bdf) - b^3(4cCe^2 + Adef + c^2e))}{4b^3(bc-ad)(be-af)^2(a+bx)}$$

**Mathematica [B]** time = 6.44, size = 2150, normalized size = 3.27

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(Sqrt[c + d\*x]\*Sqrt[e + f\*x]\*(A + B\*x + C\*x^2))/(a + b\*x)^3, x]

[Out] -1/2\*((A\*b^2 - a\*(b\*B - a\*C))\*Sqrt[c + d\*x]\*(e + f\*x)^(3/2))/(b^2\*(b\*e - a\*f)\*(a + b\*x)^2) - ((b\*B - 2\*a\*C)\*(c + d\*x)^(3/2)\*(e + f\*x)^(3/2))/(b\*(b\*c - a\*d)\*(b\*e - a\*f)\*(a + b\*x)) + (2\*C\*Sqrt[c + d\*x]\*Sqrt[e + f\*x]\*(1 + (d\*f\*(c + d\*x))/((d\*e - c\*f)\*((d^2\*e)/(d\*e - c\*f) - (c\*d\*f)/(d\*e - c\*f))))^(3/2)\*(1/(2\*(1 + (d\*f\*(c + d\*x))/((d\*e - c\*f)\*((d^2\*e)/(d\*e - c\*f) - (c\*d\*f)/(d\*e - c\*f)))))) + (Sqrt[d\*e - c\*f]\*Sqrt[(d^2\*e)/(d\*e - c\*f) - (c\*d\*f)/(d\*e - c\*f)])\*ArcSinh[(Sqrt[d]\*Sqrt[f]\*Sqrt[c + d\*x])/(Sqrt[d\*e - c\*f]\*Sqrt[(d^2\*e)/(d\*e - c\*f) - (c\*d\*f)/(d\*e - c\*f)])]/(2\*Sqrt[d]\*Sqrt[f]\*Sqrt[c + d\*x]\*(1 + (d\*f\*(c + d\*x))/((d\*e - c\*f)\*((d^2\*e)/(d\*e - c\*f) - (c\*d\*f)/(d\*e - c\*f))))^(3/2)))/(b^3\*Sqrt[d/((d^2\*e)/(d\*e - c\*f) - (c\*d\*f)/(d\*e - c\*f))]\*Sqrt[(d\*(e + f\*x))/(d\*e - c\*f)]) + (2\*C\*(b\*c - a\*d)\*((Sqrt[f]\*Sqrt[d\*e - c\*f]\*Sqrt[(d\*(e + f\*x))/(d\*e - c\*f)]\*ArcSinh[(Sqrt[f]\*Sqrt[c + d\*x])/Sqrt[d\*e - c\*f]])/(b\*d\*Sqrt[e + f\*x]) - (Sqrt[-(b\*e) + a\*f]\*ArcTanh[(Sqrt[-(b\*e) + a\*f]\*Sqrt[c + d\*x])/(Sqrt[-(b\*c) + a\*d]\*Sqrt[e + f\*x])])/(b\*Sqrt[-(b\*c) + a\*d])))/b^3 - ((A\*b^2 - a\*(b\*B - a\*C))\*(d\*e - c\*f)\*((Sqrt[c + d\*x]\*Sqrt[e + f\*x])/((b

```

*c - a*d)*(a + b*x)) - ((d*e - c*f)*ArcTanh[(Sqrt[-(b*e) + a*f]*Sqrt[c + d*
x])/((Sqrt[-(b*c) + a*d]*Sqrt[e + f*x]))]/((-b*c) + a*d)^(3/2)*Sqrt[-(b*e)
+ a*f])))/(4*b^2*(b*e - a*f)) - ((b*B - 2*a*C)*((-4*f*(c + d*x)^(3/2)*Sqrt[
e + f*x]*(1 + (d*f*(c + d*x)))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(
d*e - c*f))))^(3/2)*(3/(4*(1 + (d*f*(c + d*x)))/((d*e - c*f)*((d^2*e)/(d*e -
c*f) - (c*d*f)/(d*e - c*f)))))) + (3*(d*e - c*f)^2*((d^2*e)/(d*e - c*f) - (
c*d*f)/(d*e - c*f))^2*((2*d*f*(c + d*x)))/((d*e - c*f)*((d^2*e)/(d*e - c*f)
- (c*d*f)/(d*e - c*f))) - (2*Sqrt[d]*Sqrt[f]*Sqrt[c + d*x]*ArcSinh[(Sqrt[d]
*Sqrt[f]*Sqrt[c + d*x])/((Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)
/(d*e - c*f)])])]/(Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e -
c*f)]*Sqrt[1 + (d*f*(c + d*x)))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)
/(d*e - c*f))])))/(16*d^2*f^2*(c + d*x)^2*(1 + (d*f*(c + d*x)))/((d*e - c*f)
*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))))/(3*Sqrt[d/((d^2*e)/(d*e -
c*f) - (c*d*f)/(d*e - c*f))]*Sqrt[(d*(e + f*x))/(d*e - c*f)] + ((2*a*b*d
*f + (b*(-2*a*d*f - b*(d*e + c*f)))/2)*((2*Sqrt[c + d*x]*Sqrt[e + f*x]*(1 +
(d*f*(c + d*x)))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))
^(3/2)*(1/(2*(1 + (d*f*(c + d*x)))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*
f)/(d*e - c*f))))) + (Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d
e - c*f)]*ArcSinh[(Sqrt[d]*Sqrt[f]*Sqrt[c + d*x])/((Sqrt[d*e - c*f]*Sqrt[(d
^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)])])]/(2*Sqrt[d]*Sqrt[f]*Sqrt[c + d*x
]*(1 + (d*f*(c + d*x)))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c
*f))))^(3/2)))/(b*Sqrt[d/((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))]*Sqrt
[(d*(e + f*x))/(d*e - c*f)] - ((-b*c) + a*d)*((2*Sqrt[f]*Sqrt[d*e - c*f]*
Sqrt[d/((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))]*Sqrt[(d^2*e)/(d*e - c*f)
- (c*d*f)/(d*e - c*f)]*Sqrt[(d*(e + f*x))/(d*e - c*f)]*ArcSinh[(Sqrt[d]*S
qrt[f]*Sqrt[c + d*x])/((Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(
d*e - c*f)])])]/(b*d^(3/2)*Sqrt[e + f*x]) - (2*Sqrt[-(b*e) + a*f]*ArcTanh[(S
qrt[-(b*e) + a*f]*Sqrt[c + d*x])/((Sqrt[-(b*c) + a*d]*Sqrt[e + f*x]))]/(b*Sq
rt[-(b*c) + a*d]))/b)/b)/b)/(b^2*(b*c - a*d)*(b*e - a*f))

```

**fricas** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2)/(b*x+a)^3,x, algorithm=
"fricas")

```

[Out] Timed out

**giac** [B] time = 39.57, size = 8347, normalized size = 12.69

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2)/(b*x+a)^3,x, algorithm=
"giac")

```

```

[Out] 1/4*(15*sqrt(d*f)*C*a^2*b^2*c^2*f^2*abs(d) - 3*sqrt(d*f)*B*a*b^3*c^2*f^2*ab
s(d) - sqrt(d*f)*A*b^4*c^2*f^2*abs(d) - 40*sqrt(d*f)*C*a^3*b*c*d*f^2*abs(d)
+ 12*sqrt(d*f)*B*a^2*b^2*c*d*f^2*abs(d) + 24*sqrt(d*f)*C*a^4*d^2*f^2*abs(d)
) - 8*sqrt(d*f)*B*a^3*b*d^2*f^2*abs(d) - 24*sqrt(d*f)*C*a*b^3*c^2*f*abs(d)*
e + 4*sqrt(d*f)*B*b^4*c^2*f*abs(d)*e + 66*sqrt(d*f)*C*a^2*b^2*c*d*f*abs(d)*
e - 18*sqrt(d*f)*B*a*b^3*c*d*f*abs(d)*e + 2*sqrt(d*f)*A*b^4*c*d*f*abs(d)*e
- 40*sqrt(d*f)*C*a^3*b*d^2*f*abs(d)*e + 12*sqrt(d*f)*B*a^2*b^2*d^2*f*abs(d)
*e + 8*sqrt(d*f)*C*b^4*c^2*abs(d)*e^2 - 24*sqrt(d*f)*C*a*b^3*c*d*abs(d)*e^2
+ 4*sqrt(d*f)*B*b^4*c*d*abs(d)*e^2 + 15*sqrt(d*f)*C*a^2*b^2*d^2*abs(d)*e^2
- 3*sqrt(d*f)*B*a*b^3*d^2*abs(d)*e^2 - sqrt(d*f)*A*b^4*d^2*abs(d)*e^2)*arc
tan(-1/2*(b*c*d*f - 2*a*d^2*f + b*d^2*e - (sqrt(d*f)*sqrt(d*x + c) - sqrt((
d*x + c)*d*f - c*d*f + d^2*e))^2*b)/(sqrt(a*b*c*d*f^2 - a^2*d^2*f^2 - b^2*c

```

$$\begin{aligned}
& *d*f*e + a*b*d^2*f*e)*d))/((a*b^5*c*f - a^2*b^4*d*f - b^6*c*e + a*b^5*d*e)* \\
& \text{sqrt}(a*b*c*d*f^2 - a^2*d^2*f^2 - b^2*c*d*f*e + a*b*d^2*f*e)*d) + 1/2*(9*\text{sqrt} \\
& \text{t}(d*f)*C*a^2*b^3*c^5*d^3*f^5*\text{abs}(d) - 5*\text{sqrt}(d*f)*B*a*b^4*c^5*d^3*f^5*\text{abs}(d) \\
& ) + \text{sqrt}(d*f)*A*b^5*c^5*d^3*f^5*\text{abs}(d) - 10*\text{sqrt}(d*f)*C*a^3*b^2*c^4*d^4*f^5 \\
& *\text{abs}(d) + 6*\text{sqrt}(d*f)*B*a^2*b^3*c^4*d^4*f^5*\text{abs}(d) - 2*\text{sqrt}(d*f)*A*a*b^4*c^ \\
& 4*d^4*f^5*\text{abs}(d) - 8*\text{sqrt}(d*f)*C*a*b^4*c^5*d^3*f^4*\text{abs}(d)*e + 4*\text{sqrt}(d*f)*B \\
& *b^5*c^5*d^3*f^4*\text{abs}(d)*e - 27*\text{sqrt}(d*f)*C*a^2*b^3*c^4*d^4*f^4*\text{abs}(d)*e + 1 \\
& 5*\text{sqrt}(d*f)*B*a*b^4*c^4*d^4*f^4*\text{abs}(d)*e - 3*\text{sqrt}(d*f)*A*b^5*c^4*d^4*f^4*\text{ab} \\
& \text{s}(d)*e + 40*\text{sqrt}(d*f)*C*a^3*b^2*c^3*d^5*f^4*\text{abs}(d)*e - 24*\text{sqrt}(d*f)*B*a^2*b \\
& ^3*c^3*d^5*f^4*\text{abs}(d)*e + 8*\text{sqrt}(d*f)*A*a*b^4*c^3*d^5*f^4*\text{abs}(d)*e - 27*\text{sqrt} \\
& \text{t}(d*f)*( \text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e) )^2*C* \\
& a^2*b^3*c^4*d^2*f^4*\text{abs}(d) + 15*\text{sqrt}(d*f)*( \text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}(( \\
& d*x + c)*d*f - c*d*f + d^2*e) )^2*B*a*b^4*c^4*d^2*f^4*\text{abs}(d) - 3*\text{sqrt}(d*f)*( \\
& \text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e) )^2*A*b^5*c^4* \\
& d^2*f^4*\text{abs}(d) + 80*\text{sqrt}(d*f)*( \text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f \\
& - c*d*f + d^2*e) )^2*C*a^3*b^2*c^3*d^3*f^4*\text{abs}(d) - 44*\text{sqrt}(d*f)*( \text{sqrt}(d*f) \\
& *\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e) )^2*B*a^2*b^3*c^3*d^3*f \\
& ^4*\text{abs}(d) + 8*\text{sqrt}(d*f)*( \text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d \\
& *f + d^2*e) )^2*A*a*b^4*c^3*d^3*f^4*\text{abs}(d) - 56*\text{sqrt}(d*f)*( \text{sqrt}(d*f)*\text{sqrt}(d* \\
& x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e) )^2*C*a^4*b*c^2*d^4*f^4*\text{abs}(d) \\
& + 32*\text{sqrt}(d*f)*( \text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2* \\
& e) )^2*B*a^3*b^2*c^2*d^4*f^4*\text{abs}(d) - 8*\text{sqrt}(d*f)*( \text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \\
& \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e) )^2*A*a^2*b^3*c^2*d^4*f^4*\text{abs}(d) + 32*s \\
& \text{qrt}(d*f)*C*a*b^4*c^4*d^4*f^3*\text{abs}(d)*e^2 - 16*\text{sqrt}(d*f)*B*b^5*c^4*d^4*f^3*\text{ab} \\
& \text{s}(d)*e^2 + 18*\text{sqrt}(d*f)*C*a^2*b^3*c^3*d^5*f^3*\text{abs}(d)*e^2 - 10*\text{sqrt}(d*f)*B*a \\
& *b^4*c^3*d^5*f^3*\text{abs}(d)*e^2 + 2*\text{sqrt}(d*f)*A*b^5*c^3*d^5*f^3*\text{abs}(d)*e^2 - 60 \\
& *\text{sqrt}(d*f)*C*a^3*b^2*c^2*d^6*f^3*\text{abs}(d)*e^2 + 36*\text{sqrt}(d*f)*B*a^2*b^3*c^2*d^ \\
& 6*f^3*\text{abs}(d)*e^2 - 12*\text{sqrt}(d*f)*A*a*b^4*c^2*d^6*f^3*\text{abs}(d)*e^2 + 24*\text{sqrt}(d* \\
& f)*( \text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e) )^2*C*a*b^ \\
& 4*c^4*d^2*f^3*\text{abs}(d)*e - 12*\text{sqrt}(d*f)*( \text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x \\
& + c)*d*f - c*d*f + d^2*e) )^2*B*b^5*c^4*d^2*f^3*\text{abs}(d)*e - 44*\text{sqrt}(d*f)*( \text{sqrt} \\
& \text{t}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e) )^2*C*a^2*b^3*c^3 \\
& *d^3*f^3*\text{abs}(d)*e + 20*\text{sqrt}(d*f)*( \text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)* \\
& d*f - c*d*f + d^2*e) )^2*B*a*b^4*c^3*d^3*f^3*\text{abs}(d)*e + 4*\text{sqrt}(d*f)*( \text{sqrt}(d* \\
& f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e) )^2*A*b^5*c^3*d^3*f^3 \\
& *\text{abs}(d)*e - 80*\text{sqrt}(d*f)*( \text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c* \\
& d*f + d^2*e) )^2*C*a^3*b^2*c^2*d^4*f^3*\text{abs}(d)*e + 44*\text{sqrt}(d*f)*( \text{sqrt}(d*f)*\text{sqrt} \\
& \text{rt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e) )^2*B*a^2*b^3*c^2*d^4*f^3* \\
& \text{abs}(d)*e - 8*\text{sqrt}(d*f)*( \text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d* \\
& f + d^2*e) )^2*A*a*b^4*c^2*d^4*f^3*\text{abs}(d)*e + 112*\text{sqrt}(d*f)*( \text{sqrt}(d*f)*\text{sqrt} \\
& (d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e) )^2*C*a^4*b*c*d^5*f^3*\text{abs}(d)* \\
& e - 64*\text{sqrt}(d*f)*( \text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^ \\
& 2*e) )^2*B*a^3*b^2*c*d^5*f^3*\text{abs}(d)*e + 16*\text{sqrt}(d*f)*( \text{sqrt}(d*f)*\text{sqrt}(d*x + c \\
& ) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e) )^2*A*a^2*b^3*c*d^5*f^3*\text{abs}(d)*e + 2 \\
& 7*\text{sqrt}(d*f)*( \text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e) ) \\
& ^4*C*a^2*b^3*c^3*d*f^3*\text{abs}(d) - 15*\text{sqrt}(d*f)*( \text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt} \\
& \text{t}((d*x + c)*d*f - c*d*f + d^2*e) )^4*B*a*b^4*c^3*d*f^3*\text{abs}(d) + 3*\text{sqrt}(d*f)* \\
& ( \text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e) )^4*A*b^5*c^3 \\
& *d*f^3*\text{abs}(d) - 102*\text{sqrt}(d*f)*( \text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f \\
& - c*d*f + d^2*e) )^4*C*a^3*b^2*c^2*d^2*f^3*\text{abs}(d) + 58*\text{sqrt}(d*f)*( \text{sqrt}(d*f) \\
& *\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e) )^4*B*a^2*b^3*c^2*d^2*f \\
& ^3*\text{abs}(d) - 14*\text{sqrt}(d*f)*( \text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c* \\
& d*f + d^2*e) )^4*A*a*b^4*c^2*d^2*f^3*\text{abs}(d) + 152*\text{sqrt}(d*f)*( \text{sqrt}(d*f)*\text{sqrt} \\
& (d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e) )^4*C*a^4*b*c*d^3*f^3*\text{abs}(d) \\
& - 88*\text{sqrt}(d*f)*( \text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2* \\
& e) )^4*B*a^3*b^2*c*d^3*f^3*\text{abs}(d) + 24*\text{sqrt}(d*f)*( \text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \\
& \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e) )^4*A*a^2*b^3*c*d^3*f^3*\text{abs}(d) - 80*\text{sqrt} \\
& (d*f)*( \text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e) )^4*C*a \\
& ^5*d^4*f^3*\text{abs}(d) + 48*\text{sqrt}(d*f)*( \text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*
\end{aligned}$$





$$\begin{aligned}
& \text{rt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e))^2*C \\
& *a^2*b^3*c*d^5*f*\text{abs}(d)*e^3 + 20*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt} \\
& (d*x + c)*d*f - c*d*f + d^2*e))^2*B*a*b^4*c*d^5*f*\text{abs}(d)*e^3 + 4*\text{sqrt}(d*f)* \\
& (\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e))^2*A*b^5*c*d \\
& ^5*f*\text{abs}(d)*e^3 + 80*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d* \\
& f - c*d*f + d^2*e))^2*C*a^3*b^2*d^6*f*\text{abs}(d)*e^3 - 44*\text{sqrt}(d*f)*(\text{sqrt}(d*f)* \\
& \text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e))^2*B*a^2*b^3*d^6*f*\text{abs} \\
& (d)*e^3 + 8*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f \\
& + d^2*e))^2*A*a*b^4*d^6*f*\text{abs}(d)*e^3 - 16*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c \\
& ) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e))^4*C*a*b^4*c^2*d^2*f*\text{abs}(d)*e^2 + 8 \\
& *\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e))^ \\
& 4*B*b^5*c^2*d^2*f*\text{abs}(d)*e^2 + 109*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqr} \\
& \text{t}((d*x + c)*d*f - c*d*f + d^2*e))^4*C*a^2*b^3*c*d^3*f*\text{abs}(d)*e^2 - 57*\text{sqrt} \\
& (d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e))^4*B*a* \\
& b^4*c*d^3*f*\text{abs}(d)*e^2 + 5*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + \\
& c)*d*f - c*d*f + d^2*e))^4*A*b^5*c*d^3*f*\text{abs}(d)*e^2 - 102*\text{sqrt}(d*f)*(\text{sqrt} \\
& (d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e))^4*C*a^3*b^2*d^4*f \\
& *\text{abs}(d)*e^2 + 58*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - \\
& c*d*f + d^2*e))^4*B*a^2*b^3*d^4*f*\text{abs}(d)*e^2 - 14*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt} \\
& (d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e))^4*A*a*b^4*d^4*f*\text{abs}(d)*e^2 \\
& + 8*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2* \\
& e))^6*C*a*b^4*c^2*f*\text{abs}(d)*e - 4*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt} \\
& (d*x + c)*d*f - c*d*f + d^2*e))^6*B*b^5*c^2*f*\text{abs}(d)*e - 38*\text{sqrt}(d*f)*(\text{sqrt} \\
& (d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e))^6*C*a^2*b^3*c*d* \\
& f*\text{abs}(d)*e + 22*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c \\
& *d*f + d^2*e))^6*B*a*b^4*c*d*f*\text{abs}(d)*e - 6*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + \\
& c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e))^6*A*b^5*c*d*f*\text{abs}(d)*e + 32*\text{sqrt} \\
& (d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e))^6*C*a \\
& ^3*b^2*d^2*f*\text{abs}(d)*e - 20*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + \\
& c)*d*f - c*d*f + d^2*e))^6*B*a^2*b^3*d^2*f*\text{abs}(d)*e + 8*\text{sqrt}(d*f)*(\text{sqrt}(d* \\
& f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e))^6*A*a*b^4*d^2*f*\text{abs} \\
& (d)*e - 8*\text{sqrt}(d*f)*C*a*b^4*c*d^7*\text{abs}(d)*e^5 + 4*\text{sqrt}(d*f)*B*b^5*c*d^7*\text{abs} \\
& (d)*e^5 + 9*\text{sqrt}(d*f)*C*a^2*b^3*d^8*\text{abs}(d)*e^5 - 5*\text{sqrt}(d*f)*B*a*b^4*d^8*\text{abs} \\
& (d)*e^5 + \text{sqrt}(d*f)*A*b^5*d^8*\text{abs}(d)*e^5 + 24*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x \\
& + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e))^2*C*a*b^4*c*d^5*\text{abs}(d)*e^4 - 1 \\
& 2*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e)) \\
& ^2*B*b^5*c*d^5*\text{abs}(d)*e^4 - 27*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d \\
& *x + c)*d*f - c*d*f + d^2*e))^2*C*a^2*b^3*d^6*\text{abs}(d)*e^4 + 15*\text{sqrt}(d*f)*(\text{sq} \\
& \text{rt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e))^2*B*a*b^4*d^6* \\
& \text{abs}(d)*e^4 - 3*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c* \\
& d*f + d^2*e))^2*A*b^5*d^6*\text{abs}(d)*e^4 - 24*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c \\
& ) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e))^4*C*a*b^4*c*d^3*\text{abs}(d)*e^3 + 12*\text{sq} \\
& \text{rt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e))^4*B \\
& *b^5*c*d^3*\text{abs}(d)*e^3 + 27*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + \\
& c)*d*f - c*d*f + d^2*e))^4*C*a^2*b^3*d^4*\text{abs}(d)*e^3 - 15*\text{sqrt}(d*f)*(\text{sqrt}(d \\
& *f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e))^4*B*a*b^4*d^4*\text{abs} \\
& (d)*e^3 + 3*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f \\
& + d^2*e))^4*A*b^5*d^4*\text{abs}(d)*e^3 + 8*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - s \\
& \text{qrt}((d*x + c)*d*f - c*d*f + d^2*e))^6*C*a*b^4*c*d*\text{abs}(d)*e^2 - 4*\text{sqrt}(d*f)* \\
& (\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e))^6*B*b^5*c*d \\
& *\text{abs}(d)*e^2 - 9*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c \\
& *d*f + d^2*e))^6*C*a^2*b^3*d^2*\text{abs}(d)*e^2 + 5*\text{sqrt}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x \\
& + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e))^6*B*a*b^4*d^2*\text{abs}(d)*e^2 - \text{sqr} \\
& \text{t}(d*f)*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f - c*d*f + d^2*e))^6*A* \\
& b^5*d^2*\text{abs}(d)*e^2)/((a*b^5*c*f - a^2*b^4*d*f - b^6*c*e + a*b^5*d*e)*(b*c^2 \\
& *d^2*f^2 - 2*b*c*d^3*f*e - 2*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d*f \\
& - c*d*f + d^2*e))^2*b*c*d*f + 4*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - \text{sqrt}((d*x + c)*d \\
& *f - c*d*f + d^2*e))^2*a*d^2*f + b*d^4*e^2 - 2*(\text{sqrt}(d*f)*\text{sqrt}(d*x + c) - s \\
& \text{qrt}((d*x + c)*d*f - c*d*f + d^2*e))^2*b*d^2*e + (\text{sqrt}(d*f)*\text{sqrt}(d*x + c) -
\end{aligned}$$

$$\sqrt{((d*x + c)*d*f - c*d*f + d^2*e))^{4*b}^2} + \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)*\sqrt{d*x + c}*C*\text{abs}(d)/(b^3*d^2) - 1/2*(\sqrt{d*f}*C*b*c*f*\text{abs}(d) - 6*\sqrt{d*f}*C*a*d*f*\text{abs}(d) + 2*\sqrt{d*f}*B*b*d*f*\text{abs}(d) + \sqrt{d*f}*C*b*d*a\text{bs}(d)*e)*\log((\sqrt{d*f}*\sqrt{d*x + c}) - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e))^2)/(b^4*d^2*f)}$$

**maple [B]** time = 0.07, size = 12065, normalized size = 18.34

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2)/(b*x+a)^3,x)`

[Out] result too large to display

**maxima [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2)/(b*x+a)^3,x, algorithm="maxima")`

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume((a\*d-b\*c)>0)', see `assume?` for more details)Is (a\*d-b\*c) \*(a\*f-b\*e) zero or nonzero?

**mupad [F(-1)]** time = 0.00, size = -1, normalized size = -0.00

Hanged

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((e + f*x)^(1/2)*(c + d*x)^(1/2)*(A + B*x + C*x^2))/(a + b*x)^3,x)`

[Out] `\text{Hanged}`

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x**2+B*x+A)*(d*x+c)**(1/2)*(f*x+e)**(1/2)/(b*x+a)**3,x)`

[Out] Timed out

$$3.47 \quad \int \frac{(a+bx)^2 \sqrt{c+dx} (A+Bx+Cx^2)}{\sqrt{e+fx}} dx$$

**Optimal.** Leaf size=1032

$$\frac{C(c+dx)^{3/2} \sqrt{e+fx} (a+bx)^3}{5bdf} - \frac{(4aCdf + b(9Cde + 7cCf - 10Bdf))(c+dx)^{3/2} \sqrt{e+fx} (a+bx)^2}{40bd^2 f^2} - \frac{(c+dx)^{3/2} \sqrt{e+fx}}{40bd^2 f^2}$$

[Out]  $\frac{1}{128}(-c*f+d*e)*(16*a^2*d^2*f^2*(2*d*f*(-4*A*d*f+B*c*f+3*B*d*e)-C*(c^2*f^2+2*c*d*e*f+5*d^2*e^2))+4*a*b*d*f*(C*(5*c^3*f^3+9*c^2*d*e*f^2+15*c*d^2*e^2*f+35*d^3*e^3)+8*d*f*(2*A*d*f*(c*f+3*d*e)-B*(c^2*f^2+2*c*d*e*f+5*d^2*e^2)))-b^2*(C*(7*c^4*f^4+12*c^3*d*e*f^3+18*c^2*d^2*e^2*f^2+28*c*d^3*e^3*f+63*d^4*e^4)+2*d*f*(8*A*d*f*(c^2*f^2+2*c*d*e*f+5*d^2*e^2)-B*(5*c^3*f^3+9*c^2*d*e*f^2+15*c*d^2*e^2*f+35*d^3*e^3)))*\operatorname{arctanh}(f^{1/2}*(d*x+c)^{1/2}/d^{1/2}/(f*x+e)^{1/2})/d^{9/2}/f^{11/2}-1/40*(4*a*C*d*f+b*(-10*B*d*f+7*C*c*f+9*C*d*e))*(b*x+a)^2*(d*x+c)^{3/2}*(f*x+e)^{1/2}/b/d^2/f^2+1/5*C*(b*x+a)^3*(d*x+c)^{3/2}*(f*x+e)^{1/2}/b/d/f-1/960*(d*x+c)^{3/2}*(96*a^3*C*d^3*f^3+8*a^2*b*d^2*f^2*(-30*B*d*f+9*C*c*f+23*C*d*e)+20*a*b^2*d*f*(8*d*f*(-6*A*d*f+3*B*c*f+5*B*d*e)-C*(15*c^2*f^2+22*c*d*e*f+35*d^2*e^2))+b^3*(C*(105*c^3*f^3+145*c^2*d*e*f^2+203*c*d^2*e^2*f+315*d^3*e^3)+10*d*f*(8*A*d*f*(3*c*f+5*d*e)-B*(15*c^2*f^2+22*c*d*e*f+35*d^2*e^2))+4*b*d*f*(8*b*d*f*(-10*A*b*d*f+C*a*c*f+3*C*a*d*e+6*C*b*c*e)-(-4*a*d*f+5*b*c*f+7*b*d*e)*(4*a*C*d*f+b*(-10*B*d*f+7*C*c*f+9*C*d*e)))*x)*(f*x+e)^{1/2}/b/d^4/f^4-1/128*(16*a^2*d^2*f^2*(2*d*f*(-4*A*d*f+B*c*f+3*B*d*e)-C*(c^2*f^2+2*c*d*e*f+5*d^2*e^2))+4*a*b*d*f*(C*(5*c^3*f^3+9*c^2*d*e*f^2+15*c*d^2*e^2*f+35*d^3*e^3)+8*d*f*(2*A*d*f*(c*f+3*d*e)-B*(c^2*f^2+2*c*d*e*f+5*d^2*e^2)))-b^2*(C*(7*c^4*f^4+12*c^3*d*e*f^3+18*c^2*d^2*e^2*f^2+28*c*d^3*e^3*f+63*d^4*e^4)+2*d*f*(8*A*d*f*(c^2*f^2+2*c*d*e*f+5*d^2*e^2)-B*(5*c^3*f^3+9*c^2*d*e*f^2+15*c*d^2*e^2*f+35*d^3*e^3)))*\operatorname{arctanh}(f^{1/2}*(d*x+c)^{1/2}/d^{1/2}/(f*x+e)^{1/2})/d^4/f^5$

**Rubi [A]** time = 1.79, antiderivative size = 1032, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 36,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$ , Rules used = {1615, 153, 147, 50, 63, 217, 206}

$$\frac{C(c+dx)^{3/2} \sqrt{e+fx} (a+bx)^3}{5bdf} - \frac{(4aCdf + b(9Cde + 7cCf - 10Bdf))(c+dx)^{3/2} \sqrt{e+fx} (a+bx)^2}{40bd^2 f^2} - \frac{(c+dx)^{3/2} \sqrt{e+fx}}{40bd^2 f^2}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(a+b*x)^2*\operatorname{Sqrt}[c+d*x]*(A+B*x+C*x^2)/\operatorname{Sqrt}[e+f*x],x]$

[Out]  $-(16*a^2*d^2*f^2*(2*d*f*(3*B*d*e+B*c*f-4*A*d*f)-C*(5*d^2*e^2+2*c*d*e*f+c^2*f^2))+4*a*b*d*f*(C*(35*d^3*e^3+15*c*d^2*e^2*f+9*c^2*d*e*f^2+5*c^3*f^3)+8*d*f*(2*A*d*f*(3*d*e+c*f)-B*(5*d^2*e^2+2*c*d*e*f+c^2*f^2)))-b^2*(C*(63*d^4*e^4+28*c*d^3*e^3*f+18*c^2*d^2*e^2*f^2+12*c^3*d*e*f^3+7*c^4*f^4)+2*d*f*(8*A*d*f*(5*d^2*e^2+2*c*d*e*f+c^2*f^2)-B*(35*d^3*e^3+15*c*d^2*e^2*f+9*c^2*d*e*f^2+5*c^3*f^3)))*\operatorname{Sqrt}[c+d*x]*\operatorname{Sqrt}[e+f*x])/(128*d^4*f^5)-((4*a*C*d*f+b*(9*C*d*e+7*c*C*f-10*B*d*f))*(a+b*x)^2*(c+d*x)^{3/2}*\operatorname{Sqrt}[e+f*x])/(40*b*d^2*f^2)+(C*(a+b*x)^3*(c+d*x)^{3/2}*\operatorname{Sqrt}[e+f*x])/(5*b*d*f)-((c+d*x)^{3/2}*\operatorname{Sqrt}[e+f*x]*(96*a^3*C*d^3*f^3+8*a^2*b*d^2*f^2*(23*C*d*e+9*c*C*f-30*B*d*f)+20*a*b^2*d*f*(8*d*f*(5*B*d*e+3*B*c*f-6*A*d*f)-C*(35*d^2*e^2+22*c*d*e*f+15*c^2*f^2))+b^3*(C*(315*d^3*e^3+203*c*d^2*e^2*f+145*c^2*d*e*f^2+105*c^3*f^3)+10*d*f*(8*A*d*f*(5*d*e+3*c*f)-B*(35*d^2*e^2+22*c*d*e*f+15*c^2*f^2)))+4*b*d*f*(8*b*d*f*(6*b*c*C*e+3*a*C*d*e+a*c*C*f-10*A*b*d*f)-(7*b*d*e+5*b*c*f-4*a*d*f)*(4*a*C*d*f+b*(9*C*d*e+7*c*C*f-10*B*d*f)))*x)/(960*b*d^4*f^4)+((d*e-c*f)*(16*a^2*d^2*f^2*(2*d*f*(3*B*d*e+B*c*f-4*A*d*f)-C*(5*d^2*e^2+2*c*d*e*f+c^2*f^2))+4*a*b*d*f*(C*(35*d^3*e^3+15*c*d^2*e^2*f+9*c^2*d*e*f^2+5*c^3*f^3)+8*d*f*(2*A*d*f*(3*d*e+c*f)-B*(5*d^2*e^2+2*c*d*e*f+c^2*f^2)))-b^2*(C*(63*d^4*e^4+28*c*d^3*e^3*f+18*c^2*d^2*e^2*f^2+12*c^3*d*e*f^3+7*c^4*f^4)+2*d*f*(8*A*d*f*(5*d^2*e^2+2*c*d*e*f+c^2*f^2)-B*(35*d^3*e^3+15*c*d^2*e^2*f+9*c^2*d*e*f^2+5*c^3*f^3)))*\operatorname{arctanh}(f^{1/2}*(d*x+c)^{1/2}/d^{1/2}/(f*x+e)^{1/2})/d^4/f^5$

```
*f*(3*B*d*e + B*c*f - 4*A*d*f) - C*(5*d^2*e^2 + 2*c*d*e*f + c^2*f^2)) + 4*a
*b*d*f*(C*(35*d^3*e^3 + 15*c*d^2*e^2*f + 9*c^2*d*e*f^2 + 5*c^3*f^3) + 8*d*f
*(2*A*d*f*(3*d*e + c*f) - B*(5*d^2*e^2 + 2*c*d*e*f + c^2*f^2))) - b^2*(C*(6
3*d^4*e^4 + 28*c*d^3*e^3*f + 18*c^2*d^2*e^2*f^2 + 12*c^3*d*e*f^3 + 7*c^4*f^
4) + 2*d*f*(8*A*d*f*(5*d^2*e^2 + 2*c*d*e*f + c^2*f^2) - B*(35*d^3*e^3 + 15*
c*d^2*e^2*f + 9*c^2*d*e*f^2 + 5*c^3*f^3))))*ArcTanh[(Sqrt[f]*Sqrt[c + d*x])
/(Sqrt[d]*Sqrt[e + f*x])]/(128*d^(9/2)*f^(11/2))
```

### Rule 50

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/
(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b,
c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ
[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n
+ 2, 0] && IntLinearQ[a, b, c, d, m, n, x]
```

### Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

### Rule 147

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_
)))*((g_.) + (h_.)*(x_)), x_Symbol] := -Simp[((a*d*f*h*(n + 2) + b*c*f*h*(m
+ 2) - b*d*(f*g + e*h)*(m + n + 3) - b*d*f*h*(m + n + 2)*x)*(a + b*x)^(m +
1)*(c + d*x)^(n + 1))/(b^2*d^2*(m + n + 2)*(m + n + 3)), x] + Dist[(a^2*d^2
*f*h*(n + 1)*(n + 2) + a*b*d*(n + 1)*(2*c*f*h*(m + 1) - d*(f*g + e*h)*(m +
n + 3)) + b^2*(c^2*f*h*(m + 1)*(m + 2) - c*d*(f*g + e*h)*(m + 1)*(m + n + 3
) + d^2*e*g*(m + n + 2)*(m + n + 3)))/(b^2*d^2*(m + n + 2)*(m + n + 3)), In
t[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, m, n},
x] && NeQ[m + n + 2, 0] && NeQ[m + n + 3, 0]
```

### Rule 153

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_)
)^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[(h*(a + b*x)^m*(c + d*x)^(n
+ 1)*(e + f*x)^(p + 1))/(d*f*(m + n + p + 2)), x] + Dist[1/(d*f*(m + n + p
+ 2)), Int[(a + b*x)^(m - 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*g*(m + n +
p + 2) - h*(b*c*e*m + a*(d*e*(n + 1) + c*f*(p + 1))) + (b*d*f*g*(m + n + p
+ 2) + h*(a*d*f*m - b*(d*e*(m + n + 1) + c*f*(m + p + 1)))]*x, x], x] /;
FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p +
2, 0] && IntegerQ[m]
```

### Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

### Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

### Rule 1615

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := With[{q = Expon[Px, x], k = Coeff[Px, x, Expon[Px, x]]}, Simp[(k*(a + b*x)^(m + q - 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*b^(q - 1)*(m + n + p + q + 1)), x] + Dist[1/(d*f*b^q*(m + n + p + q + 1)), Int[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p*ExpandToSum[d*f*b^q*(m + n + p + q + 1)*Px - d*f*k*(m + n + p + q + 1)*(a + b*x)^q + k*(a + b*x)^(q - 2)*(a^2*d*f*(m + n + p + q + 1) - b*(b*c*e*(m + q - 1) + a*(d*e*(n + 1) + c*f*(p + 1))) + b*(a*d*f*(2*(m + q) + n + p) - b*(d*e*(m + q + n) + c*f*(m + q + p)))*x), x], x] /; NeQ[m + n + p + q + 1, 0] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && IntegersQ[2*m, 2*n, 2*p]
```

### Rubi steps

$$\int \frac{(a + bx)^2 \sqrt{c + dx} (A + Bx + Cx^2)}{\sqrt{e + fx}} dx = \frac{C(a + bx)^3 (c + dx)^{3/2} \sqrt{e + fx}}{5bdf} + \frac{\int \frac{(a+bx)^2 \sqrt{c+dx} \left(-\frac{1}{2}b(6bcCe+3aCde+acCf-1)\right)}{\sqrt{e+fx}} dx}{5bdf}$$

$$= -\frac{(4aCdf + b(9Cde + 7cCf - 10Bdf))(a + bx)^2 (c + dx)^{3/2} \sqrt{e + fx}}{40bd^2 f^2} + \dots$$

$$= -\frac{(4aCdf + b(9Cde + 7cCf - 10Bdf))(a + bx)^2 (c + dx)^{3/2} \sqrt{e + fx}}{40bd^2 f^2} + \dots$$

$$= -\frac{(16a^2 d^2 f^2 (2df(3Bde + Bcf - 4Adf) - C(5d^2 e^2 + 2cdef + c^2 f^2))}{40bd^2 f^2}$$

$$= -\frac{(16a^2 d^2 f^2 (2df(3Bde + Bcf - 4Adf) - C(5d^2 e^2 + 2cdef + c^2 f^2))}{40bd^2 f^2}$$

$$= -\frac{(16a^2 d^2 f^2 (2df(3Bde + Bcf - 4Adf) - C(5d^2 e^2 + 2cdef + c^2 f^2))}{40bd^2 f^2}$$

$$= -\frac{(16a^2 d^2 f^2 (2df(3Bde + Bcf - 4Adf) - C(5d^2 e^2 + 2cdef + c^2 f^2))}{40bd^2 f^2}$$

**Mathematica [B]** time = 6.70, size = 3220, normalized size = 3.12

Result too large to show

Antiderivative was successfully verified.

```
[In] Integrate[((a + b*x)^2*Sqrt[c + d*x]*(A + B*x + C*x^2))/Sqrt[e + f*x], x]
```

```
[Out] ((-(b*e) + a*f)^2*(d*e - c*f)^2*(C*e^2 - B*e*f + A*f^2)*Sqrt[d/((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))]*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))^2*Sqrt[(d*(e + f*x))/(d*e - c*f)]*Sqrt[1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))]*((2*d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))) - (2*Sqrt[d]*Sqrt[f]*Sqrt[c + d*x]*ArcSinh[(Sqrt[d]*Sqrt[f]*Sqrt[c + d*x])/(Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)])])/(Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)]*Sqrt[1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))])))/(2*d^3*f^6*Sqrt[c + d*x]*Sqrt[e + f*x])
```

$$\begin{aligned}
& f*x]) + (2*b^2*C*(d*e - c*f)^3*(c + d*x)^{(3/2)}*Sqrt[e + f*x]*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^{(9/2)}*((3*(35/(64*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^4) + 35/(48*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^3) + 7/(8*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^2) + (1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^{(-1)})/10 + (21*(d*e - c*f)^2*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))^{2*((2*d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))) - (2*Sqrt[d]*Sqrt[f]*Sqrt[c + d*x]*ArcSinh[(Sqrt[d]*Sqrt[f]*Sqrt[c + d*x])/(Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)])])/(Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)]*Sqrt[1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))])))))/(512*d^2*f^2*(c + d*x)^2*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^4)))/(3*d^4*f^4*(d/((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))^{(7/2)}*Sqrt[(d*(e + f*x))/(d*e - c*f]) + (2*b*(d*e - c*f)^2*(-4*b*C*e + b*B*f + 2*a*C*f)*(c + d*x)^{(3/2)}*Sqrt[e + f*x]*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^{(7/2)}*((3*(5/(8*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^3) + 5/(6*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^2) + (1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^{(-1)})/8 + (15*(d*e - c*f)^2*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))^{2*((2*d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))) - (2*Sqrt[d]*Sqrt[f]*Sqrt[c + d*x]*ArcSinh[(Sqrt[d]*Sqrt[f]*Sqrt[c + d*x])/(Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)])])/(Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)]*Sqrt[1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))])))))/(256*d^2*f^2*(c + d*x)^2*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^3)))/(3*d^3*f^4*(d/((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))^{(5/2)}*Sqrt[(d*(e + f*x))/(d*e - c*f]) + (2*(d*e - c*f)*(6*b^2*C*e^2 - 3*b^2*B*e*f - 6*a*b*C*e*f + A*b^2*f^2 + 2*a*b*B*f^2 + a^2*C*f^2)*(c + d*x)^{(3/2)}*Sqrt[e + f*x]*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^{(5/2)}*((3/(4*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^2) + (1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^{(-1)})/2 + (3*(d*e - c*f)^2*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))^{2*((2*d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))) - (2*Sqrt[d]*Sqrt[f]*Sqrt[c + d*x]*ArcSinh[(Sqrt[d]*Sqrt[f]*Sqrt[c + d*x])/(Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)])])/(Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)]*Sqrt[1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))])))))/(32*d^2*f^2*(c + d*x)^2*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^2)))/(3*d^2*f^4*(d/((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))^{(3/2)}*Sqrt[(d*(e + f*x))/(d*e - c*f]) + (2*(-(b*e) + a*f)*(4*b*C*e^2 - 3*b*B*e*f - 2*a*C*e*f + 2*A*b*f^2 + a*B*f^2)*(c + d*x)^{(3/2)}*Sqrt[e + f*x]*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^{(3/2)}*(3/(4*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))))) + (3*(d*e - c*f)^2*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))^{2*((2*d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))) - (2*Sqrt[d]*Sqrt[f]*Sqrt[c + d*x]*ArcSinh[(Sqrt[d]*Sqrt[f]*Sqrt[c + d*x])/(Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)])])/(Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)]*Sqrt[1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))])))))/(16*d^2*f^2*(c + d*x)^2*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))))))/(3*d*f^4*Sqrt[d/((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)]*Sqrt[(d*(e + f*x))/(d*e - c*f])])
\end{aligned}$$

**fricas** [A] time = 15.24, size = 2176, normalized size = 2.11

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x+a)^2*(C*x^2+B*x+A)*(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="fricas")
```

```
[Out] [-1/7680*(15*(63*C*b^2*d^5*e^5 - 35*(C*b^2*c*d^4 + 2*(2*C*a*b + B*b^2)*d^5)*e^4*f - 10*(C*b^2*c^2*d^3 - 4*(2*C*a*b + B*b^2)*c*d^4 - 8*(C*a^2 + 2*B*a*b + A*b^2)*d^5)*e^3*f^2 - 6*(C*b^2*c^3*d^2 - 2*(2*C*a*b + B*b^2)*c^2*d^3 + 8*(C*a^2 + 2*B*a*b + A*b^2)*c*d^4 + 16*(B*a^2 + 2*A*a*b)*d^5)*e^2*f^3 - (5*C*b^2*c^4*d - 128*A*a^2*d^5 - 8*(2*C*a*b + B*b^2)*c^3*d^2 + 16*(C*a^2 + 2*B*a*b + A*b^2)*c^2*d^3 - 64*(B*a^2 + 2*A*a*b)*c*d^4)*e*f^4 - (7*C*b^2*c^5 + 128*A*a^2*c*d^4 - 10*(2*C*a*b + B*b^2)*c^4*d + 16*(C*a^2 + 2*B*a*b + A*b^2)*c^3*d^2 - 32*(B*a^2 + 2*A*a*b)*c^2*d^3)*f^5)*sqrt(d*f)*log(8*d^2*f^2*x^2 + d^2*e^2 + 6*c*d*e*f + c^2*f^2 + 4*(2*d*f*x + d*e + c*f)*sqrt(d*f)*sqrt(d*x + c)*sqrt(f*x + e) + 8*(d^2*e*f + c*d*f^2)*x) - 4*(384*C*b^2*d^5*f^5*x^4 + 945*C*b^2*d^5*e^4*f - 210*(C*b^2*c*d^4 + 5*(2*C*a*b + B*b^2)*d^5)*e^3*f^2 - 2*(68*C*b^2*c^2*d^3 - 125*(2*C*a*b + B*b^2)*c*d^4 - 600*(C*a^2 + 2*B*a*b + A*b^2)*d^5)*e^2*f^3 - 10*(11*C*b^2*c^3*d^2 - 17*(2*C*a*b + B*b^2)*c^2*d^3 + 32*(C*a^2 + 2*B*a*b + A*b^2)*c*d^4 + 144*(B*a^2 + 2*A*a*b)*d^5)*e*f^4 - 15*(7*C*b^2*c^4*d - 128*A*a^2*d^5 - 10*(2*C*a*b + B*b^2)*c^3*d^2 + 16*(C*a^2 + 2*B*a*b + A*b^2)*c^2*d^3 - 32*(B*a^2 + 2*A*a*b)*c*d^4)*f^5 - 48*(9*C*b^2*d^5*e*f^4 - (C*b^2*c*d^4 + 10*(2*C*a*b + B*b^2)*d^5)*f^5)*x^3 + 8*(63*C*b^2*d^5*e^2*f^3 - 2*(4*C*b^2*c*d^4 + 35*(2*C*a*b + B*b^2)*d^5)*e*f^4 - (7*C*b^2*c^2*d^3 - 10*(2*C*a*b + B*b^2)*c*d^4 - 80*(C*a^2 + 2*B*a*b + A*b^2)*d^5)*f^5)*x^2 - 2*(315*C*b^2*d^5*e^3*f^2 - 7*(7*C*b^2*c*d^4 + 50*(2*C*a*b + B*b^2)*d^5)*e^2*f^3 - (39*C*b^2*c^2*d^3 - 60*(2*C*a*b + B*b^2)*c*d^4 - 400*(C*a^2 + 2*B*a*b + A*b^2)*d^5)*e*f^4 - 5*(7*C*b^2*c^3*d^2 - 10*(2*C*a*b + B*b^2)*c^2*d^3 + 16*(C*a^2 + 2*B*a*b + A*b^2)*c*d^4 + 96*(B*a^2 + 2*A*a*b)*d^5)*f^5)*x)*sqrt(d*x + c)*sqrt(f*x + e))/(d^5*f^6), 1/3840*(15*(63*C*b^2*d^5*e^5 - 35*(C*b^2*c*d^4 + 2*(2*C*a*b + B*b^2)*d^5)*e^4*f - 10*(C*b^2*c^2*d^3 - 4*(2*C*a*b + B*b^2)*c*d^4 - 8*(C*a^2 + 2*B*a*b + A*b^2)*d^5)*e^3*f^2 - 6*(C*b^2*c^3*d^2 - 2*(2*C*a*b + B*b^2)*c^2*d^3 + 8*(C*a^2 + 2*B*a*b + A*b^2)*c*d^4 + 16*(B*a^2 + 2*A*a*b)*d^5)*e^2*f^3 - (5*C*b^2*c^4*d - 128*A*a^2*d^5 - 8*(2*C*a*b + B*b^2)*c^3*d^2 + 16*(C*a^2 + 2*B*a*b + A*b^2)*c^2*d^3 - 64*(B*a^2 + 2*A*a*b)*c*d^4)*e*f^4 - (7*C*b^2*c^5 + 128*A*a^2*c*d^4 - 10*(2*C*a*b + B*b^2)*c^4*d + 16*(C*a^2 + 2*B*a*b + A*b^2)*c^3*d^2 - 32*(B*a^2 + 2*A*a*b)*c^2*d^3)*f^5)*sqrt(-d*f)*arctan(1/2*(2*d*f*x + d*e + c*f)*sqrt(-d*f)*sqrt(d*x + c)*sqrt(f*x + e)/(d^2*f^2*x^2 + c*d*e*f + (d^2*e*f + c*d*f^2)*x)) + 2*(384*C*b^2*d^5*f^5*x^4 + 945*C*b^2*d^5*e^4*f - 210*(C*b^2*c*d^4 + 5*(2*C*a*b + B*b^2)*d^5)*e^3*f^2 - 2*(68*C*b^2*c^2*d^3 - 125*(2*C*a*b + B*b^2)*c*d^4 - 600*(C*a^2 + 2*B*a*b + A*b^2)*d^5)*e^2*f^3 - 10*(11*C*b^2*c^3*d^2 - 17*(2*C*a*b + B*b^2)*c^2*d^3 + 32*(C*a^2 + 2*B*a*b + A*b^2)*c*d^4 + 144*(B*a^2 + 2*A*a*b)*d^5)*e*f^4 - 15*(7*C*b^2*c^4*d - 128*A*a^2*d^5 - 10*(2*C*a*b + B*b^2)*c^3*d^2 + 16*(C*a^2 + 2*B*a*b + A*b^2)*c^2*d^3 - 32*(B*a^2 + 2*A*a*b)*c*d^4)*f^5 - 48*(9*C*b^2*d^5*e*f^4 - (C*b^2*c*d^4 + 10*(2*C*a*b + B*b^2)*d^5)*f^5)*x^3 + 8*(63*C*b^2*d^5*e^2*f^3 - 2*(4*C*b^2*c*d^4 + 35*(2*C*a*b + B*b^2)*d^5)*e*f^4 - (7*C*b^2*c^2*d^3 - 10*(2*C*a*b + B*b^2)*c*d^4 - 80*(C*a^2 + 2*B*a*b + A*b^2)*d^5)*f^5)*x^2 - 2*(315*C*b^2*d^5*e^3*f^2 - 7*(7*C*b^2*c*d^4 + 50*(2*C*a*b + B*b^2)*d^5)*e^2*f^3 - (39*C*b^2*c^2*d^3 - 60*(2*C*a*b + B*b^2)*c*d^4 - 400*(C*a^2 + 2*B*a*b + A*b^2)*d^5)*e*f^4 - 5*(7*C*b^2*c^3*d^2 - 10*(2*C*a*b + B*b^2)*c^2*d^3 + 16*(C*a^2 + 2*B*a*b + A*b^2)*c*d^4 + 96*(B*a^2 + 2*A*a*b)*d^5)*f^5)*x)*sqrt(d*x + c)*sqrt(f*x + e))/(d^5*f^6)]
```

**giac** [A] time = 2.76, size = 1505, normalized size = 1.46

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x+a)^2*(C*x^2+B*x+A)*(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm=
```



"giac")

```
[Out] 1/1920*(sqrt((d*x + c)*d*f - c*d*f + d^2*e)*(2*(4*(d*x + c))*(6*(d*x + c)*(8
*(d*x + c)*C*b^2/(d^5*f) - (31*C*b^2*c*d^20*f^8 - 20*C*a*b*d^21*f^8 - 10*B*
b^2*d^21*f^8 + 9*C*b^2*d^21*f^7*e)/(d^25*f^9)) + (263*C*b^2*c^2*d^20*f^8 -
340*C*a*b*c*d^21*f^8 - 170*B*b^2*c*d^21*f^8 + 80*C*a^2*d^22*f^8 + 160*B*a*b
*d^22*f^8 + 80*A*b^2*d^22*f^8 + 154*C*b^2*c*d^21*f^7*e - 140*C*a*b*d^22*f^7
*e - 70*B*b^2*d^22*f^7*e + 63*C*b^2*d^22*f^6*e^2)/(d^25*f^9)) - 5*(121*C*b^
2*c^3*d^20*f^8 - 236*C*a*b*c^2*d^21*f^8 - 118*B*b^2*c^2*d^21*f^8 + 112*C*a^
2*c*d^22*f^8 + 224*B*a*b*c*d^22*f^8 + 112*A*b^2*c*d^22*f^8 - 96*B*a^2*d^23*
f^8 - 192*A*a*b*d^23*f^8 + 109*C*b^2*c^2*d^21*f^7*e - 200*C*a*b*c*d^22*f^7*
e - 100*B*b^2*c*d^22*f^7*e + 80*C*a^2*d^23*f^7*e + 160*B*a*b*d^23*f^7*e + 8
0*A*b^2*d^23*f^7*e + 91*C*b^2*c*d^22*f^6*e^2 - 140*C*a*b*d^23*f^6*e^2 - 70*
B*b^2*d^23*f^6*e^2 + 63*C*b^2*d^23*f^5*e^3)/(d^25*f^9))*(d*x + c) + 15*(7*C
*b^2*c^4*d^20*f^8 - 20*C*a*b*c^3*d^21*f^8 - 10*B*b^2*c^3*d^21*f^8 + 16*C*a^
2*c^2*d^22*f^8 + 32*B*a*b*c^2*d^22*f^8 + 16*A*b^2*c^2*d^22*f^8 - 32*B*a^2*c
*d^23*f^8 - 64*A*a*b*c*d^23*f^8 + 128*A*a^2*d^24*f^8 + 12*C*b^2*c^3*d^21*f^
7*e - 36*C*a*b*c^2*d^22*f^7*e - 18*B*b^2*c^2*d^22*f^7*e + 32*C*a^2*c*d^23*f
^7*e + 64*B*a*b*c*d^23*f^7*e + 32*A*b^2*c*d^23*f^7*e - 96*B*a^2*d^24*f^7*e
- 192*A*a*b*d^24*f^7*e + 18*C*b^2*c^2*d^22*f^6*e^2 - 60*C*a*b*c*d^23*f^6*e^
2 - 30*B*b^2*c*d^23*f^6*e^2 + 80*C*a^2*d^24*f^6*e^2 + 160*B*a*b*d^24*f^6*e^
2 + 80*A*b^2*d^24*f^6*e^2 + 28*C*b^2*c*d^23*f^5*e^3 - 140*C*a*b*d^24*f^5*e^
3 - 70*B*b^2*d^24*f^5*e^3 + 63*C*b^2*d^24*f^4*e^4)/(d^25*f^9))*sqrt(d*x + c
) - 15*(7*C*b^2*c^5*f^5 - 20*C*a*b*c^4*d*f^5 - 10*B*b^2*c^4*d*f^5 + 16*C*a^
2*c^3*d^2*f^5 + 32*B*a*b*c^3*d^2*f^5 + 16*A*b^2*c^3*d^2*f^5 - 32*B*a^2*c^2*
d^3*f^5 - 64*A*a*b*c^2*d^3*f^5 + 128*A*a^2*c*d^4*f^5 + 5*C*b^2*c^4*d*f^4*e
- 16*C*a*b*c^3*d^2*f^4*e - 8*B*b^2*c^3*d^2*f^4*e + 16*C*a^2*c^2*d^3*f^4*e +
32*B*a*b*c^2*d^3*f^4*e + 16*A*b^2*c^2*d^3*f^4*e - 64*B*a^2*c*d^4*f^4*e - 1
28*A*a*b*c*d^4*f^4*e - 128*A*a^2*d^5*f^4*e + 6*C*b^2*c^3*d^2*f^3*e^2 - 24*C
*a*b*c^2*d^3*f^3*e^2 - 12*B*b^2*c^2*d^3*f^3*e^2 + 48*C*a^2*c*d^4*f^3*e^2 +
96*B*a*b*c*d^4*f^3*e^2 + 48*A*b^2*c*d^4*f^3*e^2 + 96*B*a^2*d^5*f^3*e^2 + 19
2*A*a*b*d^5*f^3*e^2 + 10*C*b^2*c^2*d^3*f^2*e^3 - 80*C*a*b*c*d^4*f^2*e^3 - 4
0*B*b^2*c*d^4*f^2*e^3 - 80*C*a^2*d^5*f^2*e^3 - 160*B*a*b*d^5*f^2*e^3 - 80*A
*b^2*d^5*f^2*e^3 + 35*C*b^2*c*d^4*f*e^4 + 140*C*a*b*d^5*f*e^4 + 70*B*b^2*d^
5*f*e^4 - 63*C*b^2*d^5*e^5)*log(abs(-sqrt(d*f)*sqrt(d*x + c) + sqrt((d*x +
c)*d*f - c*d*f + d^2*e)))/(sqrt(d*f)*d^4*f^5))*d/abs(d)
```

**maple [B]** time = 0.05, size = 3958, normalized size = 3.84

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((b*x+a)^2*(C*x^2+B*x+A)*(d*x+c)^(1/2)/(f*x+e)^(1/2), x)
```

```
[Out] 1/3840*(d*x+c)^(1/2)*(f*x+e)^(1/2)*(1440*B*ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+
e))^(1/2)*(d*f)^(1/2)+c*f+d*e)/(d*f)^(1/2))*a^2*d^5*e^2*f^3+1280*C*x^2*a^2*
d^4*f^4*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)-2880*B*(d*f)^(1/2)*((d*x+c)*(f*
x+e))^(1/2)*a^2*d^4*e*f^3-2100*B*(d*f)^(1/2)*((d*x+c)*(f*x+e))^(1/2)*b^2*d^
4*e^3*f+2400*C*(d*f)^(1/2)*((d*x+c)*(f*x+e))^(1/2)*a^2*d^4*e^2*f^2+2880*A*ln
(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)+c*f+d*e)/(d*f)^(1/2))*
a*b*d^5*e^2*f^3+720*A*ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)
+c*f+d*e)/(d*f)^(1/2))*b^2*c*d^4*e^2*f^3-960*B*ln(1/2*(2*d*f*x+2*((d*x+c)*(
f*x+e))^(1/2)*(d*f)^(1/2)+c*f+d*e)/(d*f)^(1/2))*a^2*c*d^4*e*f^4-2400*B*ln(1
/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)+c*f+d*e)/(d*f)^(1/2))*a*b
*d^5*e^3*f^2-600*B*ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)+c*
f+d*e)/(d*f)^(1/2))*b^2*c*d^4*e^3*f^2+720*C*ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x
+e))^(1/2)*(d*f)^(1/2)+c*f+d*e)/(d*f)^(1/2))*a^2*c*d^4*e^2*f^3+2100*C*ln(1/
2*(2*d*f*x+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)+c*f+d*e)/(d*f)^(1/2))*a*b*
d^5*e^4*f+525*C*ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)+c*f+d
*e)/(d*f)^(1/2))*b^2*c*d^4*e^4*f+2400*A*(d*f)^(1/2)*((d*x+c)*(f*x+e))^(1/2)
```

$$\begin{aligned}
& b^2 d^4 e^2 f^2 - 960 A \ln\left(\frac{1}{2} (2 d f x + 2 ((d x + c) (f x + e))^{1/2} (d f)^{1/2} + c f + d e) / (d f)^{1/2}\right) a b c^2 d^3 f^5 + 105 C \ln\left(\frac{1}{2} (2 d f x + 2 ((d x + c) (f x + e))^{1/2} (d f)^{1/2} + c f + d e) / (d f)^{1/2}\right) b^2 c^5 f^5 - 420 C (d f)^{1/2} \\
& * ((d x + c) (f x + e))^{1/2} b^2 c d^3 e^3 f - 5760 A (d f)^{1/2} * ((d x + c) (f x + e))^{1/2} a b d^4 e^2 f^2 - 4200 C (d f)^{1/2} * ((d x + c) (f x + e))^{1/2} a b d^4 e^3 f - 1200 C \ln\left(\frac{1}{2} (2 d f x + 2 ((d x + c) (f x + e))^{1/2} (d f)^{1/2} + c f + d e) / (d f)^{1/2}\right) a b c^2 d^4 e^3 f^2 - 360 C \ln\left(\frac{1}{2} (2 d f x + 2 ((d x + c) (f x + e))^{1/2} (d f)^{1/2} + c f + d e) / (d f)^{1/2}\right) a b c^2 d^3 e^2 f^3 + 1440 B \ln\left(\frac{1}{2} (2 d f x + 2 ((d x + c) (f x + e))^{1/2} (d f)^{1/2} + c f + d e) / (d f)^{1/2}\right) a b c^2 d^4 e^2 f^3 - 1920 A \\
& * \ln\left(\frac{1}{2} (2 d f x + 2 ((d x + c) (f x + e))^{1/2} (d f)^{1/2} + c f + d e) / (d f)^{1/2}\right) a b c^2 d^4 e^3 f^4 - 1200 C \ln\left(\frac{1}{2} (2 d f x + 2 ((d x + c) (f x + e))^{1/2} (d f)^{1/2} + c f + d e) / (d f)^{1/2}\right) a^2 d^5 e^3 f^2 - 150 B \ln\left(\frac{1}{2} (2 d f x + 2 ((d x + c) (f x + e))^{1/2} (d f)^{1/2} + c f + d e) / (d f)^{1/2}\right) b^2 c^4 d f^5 + 240 C \ln\left(\frac{1}{2} (2 d f x + 2 ((d x + c) (f x + e))^{1/2} (d f)^{1/2} + c f + d e) / (d f)^{1/2}\right) a^2 c^3 d^2 f^5 + 240 A \ln\left(\frac{1}{2} (2 d f x + 2 ((d x + c) (f x + e))^{1/2} (d f)^{1/2} + c f + d e) / (d f)^{1/2}\right) b^2 c^3 d^2 f^5 - 480 B \ln\left(\frac{1}{2} (2 d f x + 2 ((d x + c) (f x + e))^{1/2} (d f)^{1/2} + c f + d e) / (d f)^{1/2}\right) a^2 c^2 d^3 f^5 + 3840 A (d f)^{1/2} \\
& * ((d x + c) (f x + e))^{1/2} a^2 d^4 f^4 + 1920 A \ln\left(\frac{1}{2} (2 d f x + 2 ((d x + c) (f x + e))^{1/2} (d f)^{1/2} + c f + d e) / (d f)^{1/2}\right) a^2 c^2 d^4 f^5 - 1920 A \ln\left(\frac{1}{2} (2 d f x + 2 ((d x + c) (f x + e))^{1/2} (d f)^{1/2} + c f + d e) / (d f)^{1/2}\right) a^2 d^5 e f^4 - 1200 A \ln\left(\frac{1}{2} (2 d f x + 2 ((d x + c) (f x + e))^{1/2} (d f)^{1/2} + c f + d e) / (d f)^{1/2}\right) b^2 d^5 e^3 f^2 - 210 C (d f)^{1/2} * ((d x + c) (f x + e))^{1/2} b^2 c^4 f^4 + 1890 C (d f)^{1/2} * ((d x + c) (f x + e))^{1/2} b^2 d^4 e^4 - 945 C \ln\left(\frac{1}{2} (2 d f x + 2 ((d x + c) (f x + e))^{1/2} (d f)^{1/2} + c f + d e) / (d f)^{1/2}\right) b^2 d^5 e^5 + 1050 B \ln\left(\frac{1}{2} (2 d f x + 2 ((d x + c) (f x + e))^{1/2} (d f)^{1/2} + c f + d e) / (d f)^{1/2}\right) b^2 d^5 e^4 f + 768 C x^4 b^2 d^4 f^4 * ((d x + c) (f x + e))^{1/2} (d f)^{1/2} + 960 B x^3 b^2 d^4 f^4 * ((d x + c) (f x + e))^{1/2} (d f)^{1/2} + 1280 A x^2 b^2 d^4 f^4 * ((d x + c) (f x + e))^{1/2} (d f)^{1/2} + 960 B (d f)^{1/2} * ((d x + c) (f x + e))^{1/2} a^2 c^2 d^3 f^4 + 300 B (d f)^{1/2} * ((d x + c) (f x + e))^{1/2} b^2 c^3 d f^4 - 480 C (d f)^{1/2} * ((d x + c) (f x + e))^{1/2} a^2 c^2 d^2 f^4 + 1920 B (d f)^{1/2} * ((d x + c) (f x + e))^{1/2} x a^2 d^4 f^4 + 480 B \ln\left(\frac{1}{2} (2 d f x + 2 ((d x + c) (f x + e))^{1/2} (d f)^{1/2} + c f + d e) / (d f)^{1/2}\right) a b c^3 d^2 f^5 - 120 B \ln\left(\frac{1}{2} (2 d f x + 2 ((d x + c) (f x + e))^{1/2} (d f)^{1/2} + c f + d e) / (d f)^{1/2}\right) b^2 c^3 d^2 e f^4 - 180 B \ln\left(\frac{1}{2} (2 d f x + 2 ((d x + c) (f x + e))^{1/2} (d f)^{1/2} + c f + d e) / (d f)^{1/2}\right) b^2 c^2 d^3 e^2 f^3 + 240 C \ln\left(\frac{1}{2} (2 d f x + 2 ((d x + c) (f x + e))^{1/2} (d f)^{1/2} + c f + d e) / (d f)^{1/2}\right) a^2 c^2 d^3 e f^4 - 300 C \ln\left(\frac{1}{2} (2 d f x + 2 ((d x + c) (f x + e))^{1/2} (d f)^{1/2} + c f + d e) / (d f)^{1/2}\right) a b c^4 d f^5 + 75 C \ln\left(\frac{1}{2} (2 d f x + 2 ((d x + c) (f x + e))^{1/2} (d f)^{1/2} + c f + d e) / (d f)^{1/2}\right) b^2 c^4 d e f^4 + 90 C \ln\left(\frac{1}{2} (2 d f x + 2 ((d x + c) (f x + e))^{1/2} (d f)^{1/2} + c f + d e) / (d f)^{1/2}\right) b^2 c^3 d^2 e^2 f^3 + 150 C \ln\left(\frac{1}{2} (2 d f x + 2 ((d x + c) (f x + e))^{1/2} (d f)^{1/2} + c f + d e) / (d f)^{1/2}\right) b^2 c^2 d^3 e^3 f^2 - 480 A (d f)^{1/2} * ((d x + c) (f x + e))^{1/2} b^2 c^2 d^2 f^4 + 240 A \ln\left(\frac{1}{2} (2 d f x + 2 ((d x + c) (f x + e))^{1/2} (d f)^{1/2} + c f + d e) / (d f)^{1/2}\right) b^2 c^2 d^3 e f^4 + 680 C (d f)^{1/2} * ((d x + c) (f x + e))^{1/2} a b c^2 d^2 e f^3 + 640 B (d f)^{1/2} * ((d x + c) (f x + e))^{1/2} x a b c^2 d^2 f^4 + 2800 C (d f)^{1/2} * ((d x + c) (f x + e))^{1/2} x a b d^4 e^2 f^2 + 156 C (d f)^{1/2} * ((d x + c) (f x + e))^{1/2} x b^2 c^2 d^2 e f^3 + 196 C (d f)^{1/2} * ((d x + c) (f x + e))^{1/2} x b^2 c^2 d^3 e^2 f^2 - 1280 B (d f)^{1/2} * ((d x + c) (f x + e))^{1/2} a b c^2 d^3 e f^3 - 200 B (d f)^{1/2} * ((d x + c) (f x + e))^{1/2} x b^2 c^2 d^2 f^4 + 1400 B (d f)^{1/2} * ((d x + c) (f x + e))^{1/2} x b^2 d^4 e^2 f^2 + 3840 A (d f)^{1/2} * ((d x + c) (f x + e))^{1/2} x a b d^4 f^4 + 320 A (d f)^{1/2} * ((d x + c) (f x + e))^{1/2} x b^2 c^2 d^3 f^4 - 1600 A (d f)^{1/2} * ((d x + c) (f x + e))^{1/2} x b^2 d^4 e f^3 + 1920 C x^2
\end{aligned}$$

$$3*a*b*d^4*f^4*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)}+96*C*x^3*b^2*c*d^3*f^4*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)}-240*C*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)}+c*f+d*e)/(d*f)^{(1/2)})*a*b*c^3*d^2*e*f^4+480*B*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)}+c*f+d*e)/(d*f)^{(1/2)})*a*b*c^2*d^3*e*f^4-864*C*x^3*b^2*d^4*e*f^3*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)}+2560*B*x^2*a*b*d^4*f^4*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)}+160*B*x^2*b^2*c*d^3*f^4*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)}-1120*B*x^2*b^2*d^4*e*f^3*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)}-112*C*x^2*b^2*c^2*d^2*f^4*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)}+1008*C*x^2*b^2*d^4*e^2*f^2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)}+320*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*x*a^2*c*d^3*f^4-1600*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*x*a^2*d^4*e*f^3+140*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*x*b^2*c^3*d*f^4-1260*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*x*b^2*d^4*e^3*f+1920*A*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*a*b*c*d^3*f^4-640*A*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b^2*c*d^3*e*f^3-960*B*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*a*b*c^2*d^2*f^4+340*B*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b^2*c^2*d^2*e*f^3+500*B*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b^2*c*d^3*e^2*f^2-640*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*a^2*c*d^3*e*f^3+600*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*a*b*c^3*d*f^4-220*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b^2*c^3*d*e*f^3-272*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b^2*c^2*d^2*e^2*f^2-480*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*x*a*b*c*d^3*e*f^3)/((d*x+c)*(f*x+e))^{(1/2)}/f^5/d^4/(d*f)^{(1/2)}$$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*x+a)^2\*(C\*x^2+B\*x+A)\*(d\*x+c)^(1/2)/(f\*x+e)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(c\*f-d\*e>0)', see `assume?` for more details)Is c\*f-d\*e zero or nonzero?

**mupad** [F(-1)] time = 0.00, size = -1, normalized size = -0.00

Hanged

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b\*x)^2\*(c + d\*x)^(1/2)\*(A + B\*x + C\*x^2))/(e + f\*x)^(1/2),x)

[Out] \text{Hanged}

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*x+a)\*\*2\*(C\*x\*\*2+B\*x+A)\*(d\*x+c)\*\*(1/2)/(f\*x+e)\*\*(1/2),x)

[Out] Timed out

$$3.48 \quad \int \frac{(a+bx)\sqrt{c+dx}(A+Bx+Cx^2)}{\sqrt{e+fx}} dx$$

**Optimal.** Leaf size=540

$$\frac{(c+dx)^{3/2}\sqrt{e+fx}(24a^2Cd^2f^2+4bdfx(4aCdf+b(-8Bdf+5cCf+7Cde))+8abdf(-6Bdf+3cCf+5Cde))}{96bd^3f^3}$$

```
[Out] 1/64*(-c*f+d*e)*(8*a*d*f*(2*d*f*(-4*A*d*f+B*c*f+3*B*d*e)-C*(c^2*f^2+2*c*d*e*f+5*d^2*e^2))+b*(C*(5*c^3*f^3+9*c^2*d*e*f^2+15*c*d^2*e^2*f+35*d^3*e^3)+8*d*f*(2*A*d*f*(c*f+3*d*e)-B*(c^2*f^2+2*c*d*e*f+5*d^2*e^2))))*arctanh(f^(1/2)*(d*x+c)^(1/2)/d^(1/2)/(f*x+e)^(1/2))/d^(7/2)/f^(9/2)+1/4*C*(b*x+a)^2*(d*x+c)^(3/2)*(f*x+e)^(1/2)/b/d/f-1/96*(d*x+c)^(3/2)*(24*a^2*C*d^2*f^2+8*a*b*d*f*(-6*B*d*f+3*C*c*f+5*C*d*e)+b^2*(8*d*f*(-6*A*d*f+3*B*c*f+5*B*d*e)-C*(15*c^2*f^2+22*c*d*e*f+35*d^2*e^2))+4*b*d*f*(4*a*C*d*f+b*(-8*B*d*f+5*C*c*f+7*C*d*e))*x*(f*x+e)^(1/2)/b/d^3/f^3-1/64*(8*a*d*f*(2*d*f*(-4*A*d*f+B*c*f+3*B*d*e)-C*(c^2*f^2+2*c*d*e*f+5*d^2*e^2))+b*(C*(5*c^3*f^3+9*c^2*d*e*f^2+15*c*d^2*e^2*f+35*d^3*e^3)+8*d*f*(2*A*d*f*(c*f+3*d*e)-B*(c^2*f^2+2*c*d*e*f+5*d^2*e^2))))*(d*x+c)^(1/2)*(f*x+e)^(1/2)/d^3/f^4
```

**Rubi [A]** time = 0.71, antiderivative size = 540, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 34,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.176$ , Rules used = {1615, 147, 50, 63, 217, 206}

$$\frac{(c+dx)^{3/2}\sqrt{e+fx}(24a^2Cd^2f^2+4bdfx(4aCdf+b(-8Bdf+5cCf+7Cde))+8abdf(-6Bdf+3cCf+5Cde))}{96bd^3f^3}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*x)*Sqrt[c + d*x]*(A + B*x + C*x^2))/Sqrt[e + f*x], x]
```

```
[Out] -((8*a*d*f*(2*d*f*(3*B*d*e + B*c*f - 4*A*d*f) - C*(5*d^2*e^2 + 2*c*d*e*f + c^2*f^2)) + b*(C*(35*d^3*e^3 + 15*c*d^2*e^2*f + 9*c^2*d*e*f^2 + 5*c^3*f^3) + 8*d*f*(2*A*d*f*(3*d*e + c*f) - B*(5*d^2*e^2 + 2*c*d*e*f + c^2*f^2))))*Sqrt[c + d*x]*Sqrt[e + f*x])/(64*d^3*f^4) + (C*(a + b*x)^2*(c + d*x)^(3/2)*Sqrt[e + f*x])/(4*b*d*f) - ((c + d*x)^(3/2)*Sqrt[e + f*x]*(24*a^2*C*d^2*f^2 + 8*a*b*d*f*(5*C*d*e + 3*c*C*f - 6*B*d*f) + b^2*(8*d*f*(5*B*d*e + 3*B*c*f - 6*A*d*f) - C*(35*d^2*e^2 + 22*c*d*e*f + 15*c^2*f^2)) + 4*b*d*f*(4*a*C*d*f + b*(7*C*d*e + 5*c*C*f - 8*B*d*f))*x)/(96*b*d^3*f^3) + ((d*e - c*f)*(8*a*d*f*(2*d*f*(3*B*d*e + B*c*f - 4*A*d*f) - C*(5*d^2*e^2 + 2*c*d*e*f + c^2*f^2)) + b*(C*(35*d^3*e^3 + 15*c*d^2*e^2*f + 9*c^2*d*e*f^2 + 5*c^3*f^3) + 8*d*f*(2*A*d*f*(3*d*e + c*f) - B*(5*d^2*e^2 + 2*c*d*e*f + c^2*f^2))))*ArcTanh[(Sqrt[f]*Sqrt[c + d*x])/(Sqrt[d]*Sqrt[e + f*x])]/(64*d^(7/2)*f^(9/2))
```

**Rule 50**

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/
(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b,
c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ
[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n
+ 2, 0] && IntLinearQ[a, b, c, d, m, n, x]
```

**Rule 63**

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
```

$[b*c - a*d, 0] \ \&\& \text{LtQ}[-1, m, 0] \ \&\& \text{LeQ}[-1, n, 0] \ \&\& \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \ \&\& \text{IntLinearQ}[a, b, c, d, m, n, x]$

### Rule 147

$\text{Int}[(a_.) + (b_.)(x_.)^{(m_.)}((c_.) + (d_.)(x_.)^{(n_.)}((e_.) + (f_.)(x_.))((g_.) + (h_.)(x_.)), x\_Symbol] \ :> \ -\text{Simp}[(a*d*f*h*(n + 2) + b*c*f*h*(m + 2) - b*d*(f*g + e*h)*(m + n + 3) - b*d*f*h*(m + n + 2)*x*(a + b*x)^{(m + 1)}*(c + d*x)^{(n + 1)})/(b^2*d^2*(m + n + 2)*(m + n + 3)), x] + \text{Dist}[(a^2*d^2*f*h*(n + 1)*(n + 2) + a*b*d*(n + 1)*(2*c*f*h*(m + 1) - d*(f*g + e*h)*(m + n + 3)) + b^2*(c^2*f*h*(m + 1)*(m + 2) - c*d*(f*g + e*h)*(m + 1)*(m + n + 3) + d^2*e*g*(m + n + 2)*(m + n + 3)))/(b^2*d^2*(m + n + 2)*(m + n + 3)), \text{Int}[(a + b*x)^m*(c + d*x)^n, x], x] \ ; \ \text{FreeQ}\{a, b, c, d, e, f, g, h, m, n, x\} \ \&\& \ \text{NeQ}[m + n + 2, 0] \ \&\& \ \text{NeQ}[m + n + 3, 0]$

### Rule 206

$\text{Int}[(a_.) + (b_.)(x_.)^2)^{-1}, x\_Symbol] \ :> \ \text{Simp}[(1*\text{ArcTanh}[(\text{Rt}[-b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] \ ; \ \text{FreeQ}\{a, b\}, x\} \ \&\& \ \text{NegQ}[a/b] \ \&\& \ (\text{GtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$

### Rule 217

$\text{Int}[1/\text{Sqrt}[(a_.) + (b_.)(x_.)^2], x\_Symbol] \ :> \ \text{Subst}[\text{Int}[1/(1 - b*x^2), x], x, x/\text{Sqrt}[a + b*x^2]] \ ; \ \text{FreeQ}\{a, b\}, x\} \ \&\& \ !\text{GtQ}[a, 0]$

### Rule 1615

$\text{Int}[(P_x)_*((a_.) + (b_.)(x_.)^{(m_.)}((c_.) + (d_.)(x_.)^{(n_.)}((e_.) + (f_.)(x_.))^{(p_.)}), x\_Symbol] \ :> \ \text{With}\{q = \text{Expon}[P_x, x], k = \text{Coeff}[P_x, x, \text{Expon}[P_x, x]]\}, \text{Simp}[(k*(a + b*x)^{(m + q - 1)}*(c + d*x)^{(n + 1)}*(e + f*x)^{(p + 1)})/(d*f*b^{(q - 1)}*(m + n + p + q + 1)), x] + \text{Dist}[1/(d*f*b^q*(m + n + p + q + 1)), \text{Int}[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p*\text{ExpandToSum}[d*f*b^q*(m + n + p + q + 1)*P_x - d*f*k*(m + n + p + q + 1)*(a + b*x)^q + k*(a + b*x)^{(q - 2)}*(a^2*d*f*(m + n + p + q + 1) - b*(b*c*e*(m + q - 1) + a*(d*e*(n + 1) + c*f*(p + 1))) + b*(a*d*f*(2*(m + q) + n + p) - b*(d*e*(m + q + n) + c*f*(m + q + p)))*x], x], x] \ ; \ \text{NeQ}[m + n + p + q + 1, 0] \ ; \ \text{FreeQ}\{a, b, c, d, e, f, m, n, p\}, x\} \ \&\& \ \text{PolyQ}[P_x, x] \ \&\& \ \text{IntegersQ}[2*m, 2*n, 2*p]$

### Rubi steps



$$\begin{aligned}
& b*c^4 - 64*A*a*c*d^3 - 8*(C*a + B*b)*c^3*d + 16*(B*a + A*b)*c^2*d^2)*f^4)*\text{sqrt}(d*f)*\log(8*d^2*f^2*x^2 + d^2*e^2 + 6*c*d*e*f + c^2*f^2 + 4*(2*d*f*x + d \\
& *e + c*f)*\text{sqrt}(d*f)*\text{sqrt}(d*x + c)*\text{sqrt}(f*x + e) + 8*(d^2*e*f + c*d*f^2)*x) \\
& + 4*(48*C*b*d^4*f^4*x^3 - 105*C*b*d^4*e^3*f + 5*(5*C*b*c*d^3 + 24*(C*a + B* \\
& b)*d^4)*e^2*f^2 + (17*C*b*c^2*d^2 - 32*(C*a + B*b)*c*d^3 - 144*(B*a + A*b)* \\
& d^4)*e*f^3 + 3*(5*C*b*c^3*d + 64*A*a*d^4 - 8*(C*a + B*b)*c^2*d^2 + 16*(B*a \\
& + A*b)*c*d^3)*f^4 - 8*(7*C*b*d^4*e*f^3 - (C*b*c*d^3 + 8*(C*a + B*b)*d^4)*f^4 \\
& )*x^2 + 2*(35*C*b*d^4*e^2*f^2 - 2*(3*C*b*c*d^3 + 20*(C*a + B*b)*d^4)*e*f^3 \\
& - (5*C*b*c^2*d^2 - 8*(C*a + B*b)*c*d^3 - 48*(B*a + A*b)*d^4)*f^4)*x)*\text{sqrt}( \\
& d*x + c)*\text{sqrt}(f*x + e))/(d^4*f^5), -1/384*(3*(35*C*b*d^4*e^4 - 20*(C*b*c*d^3 \\
& + 2*(C*a + B*b)*d^4)*e^3*f - 6*(C*b*c^2*d^2 - 4*(C*a + B*b)*c*d^3 - 8*(B* \\
& a + A*b)*d^4)*e^2*f^2 - 4*(C*b*c^3*d + 16*A*a*d^4 - 2*(C*a + B*b)*c^2*d^2 + \\
& 8*(B*a + A*b)*c*d^3)*e*f^3 - (5*C*b*c^4 - 64*A*a*c*d^3 - 8*(C*a + B*b)*c^3 \\
& *d + 16*(B*a + A*b)*c^2*d^2)*f^4)*\text{sqrt}(-d*f)*\arctan(1/2*(2*d*f*x + d*e + c* \\
& f)*\text{sqrt}(-d*f)*\text{sqrt}(d*x + c)*\text{sqrt}(f*x + e)/(d^2*f^2*x^2 + c*d*e*f + (d^2*e*f \\
& + c*d*f^2)*x)) - 2*(48*C*b*d^4*f^4*x^3 - 105*C*b*d^4*e^3*f + 5*(5*C*b*c*d^3 \\
& + 24*(C*a + B*b)*d^4)*e^2*f^2 + (17*C*b*c^2*d^2 - 32*(C*a + B*b)*c*d^3 - \\
& 144*(B*a + A*b)*d^4)*e*f^3 + 3*(5*C*b*c^3*d + 64*A*a*d^4 - 8*(C*a + B*b)*c^2 \\
& *d^2 + 16*(B*a + A*b)*c*d^3)*f^4 - 8*(7*C*b*d^4*e*f^3 - (C*b*c*d^3 + 8*(C* \\
& a + B*b)*d^4)*f^4)*x^2 + 2*(35*C*b*d^4*e^2*f^2 - 2*(3*C*b*c*d^3 + 20*(C*a + \\
& B*b)*d^4)*e*f^3 - (5*C*b*c^2*d^2 - 8*(C*a + B*b)*c*d^3 - 48*(B*a + A*b)*d^4 \\
& )*f^4)*x)*\text{sqrt}(d*x + c)*\text{sqrt}(f*x + e))/(d^4*f^5)]
\end{aligned}$$

**giac** [A] time = 1.82, size = 736, normalized size = 1.36

$$\left( \sqrt{(dx+c)df - cdf + d^2e} \left( 2(dx+c) \left( 4(dx+c) \left( \frac{6(dx+c)Cb}{d^4f} - \frac{17Cbcd^{12}f^6 - 8Cad^{13}f^6 - 8Bbd^{13}f^6 + 7Cbd^{13}f^5e}{d^{16}f^7} \right) \right) + \frac{59Cbc^2d^{12}}{d^{16}f^7} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*x+a)\*(C\*x^2+B\*x+A)\*(d\*x+c)^(1/2)/(f\*x+e)^(1/2),x, algorithm="giac")

[Out] 1/192\*(sqrt((d\*x + c)\*d\*f - c\*d\*f + d^2\*e)\*(2\*(d\*x + c)\*(4\*(d\*x + c)\*(6\*(d\*x + c)\*C\*b/(d^4\*f) - (17\*C\*b\*c\*d^12\*f^6 - 8\*C\*a\*d^13\*f^6 - 8\*B\*b\*d^13\*f^6 + 7\*C\*b\*d^13\*f^5\*e)/(d^16\*f^7)) + (59\*C\*b\*c^2\*d^12\*f^6 - 56\*C\*a\*c\*d^13\*f^6 - 56\*B\*b\*c\*d^13\*f^6 + 48\*B\*a\*d^14\*f^6 + 48\*A\*b\*d^14\*f^6 + 50\*C\*b\*c\*d^13\*f^5\*e - 40\*C\*a\*d^14\*f^5\*e - 40\*B\*b\*d^14\*f^5\*e + 35\*C\*b\*d^14\*f^4\*e^2)/(d^16\*f^7)) - 3\*(5\*C\*b\*c^3\*d^12\*f^6 - 8\*C\*a\*c^2\*d^13\*f^6 - 8\*B\*b\*c^2\*d^13\*f^6 + 16\*B\*a\*c\*d^14\*f^6 + 16\*A\*b\*c\*d^14\*f^6 - 64\*A\*a\*d^15\*f^6 + 9\*C\*b\*c^2\*d^13\*f^5\*e - 16\*C\*a\*c\*d^14\*f^5\*e - 16\*B\*b\*c\*d^14\*f^5\*e + 48\*B\*a\*d^15\*f^5\*e + 48\*A\*b\*d^15\*f^5\*e + 15\*C\*b\*c\*d^14\*f^4\*e^2 - 40\*C\*a\*d^15\*f^4\*e^2 - 40\*B\*b\*d^15\*f^4\*e^2 + 35\*C\*b\*d^15\*f^3\*e^3)/(d^16\*f^7))\*sqrt(d\*x + c) + 3\*(5\*C\*b\*c^4\*f^4 - 8\*C\*a\*c^3\*d\*f^4 - 8\*B\*b\*c^3\*d\*f^4 + 16\*B\*a\*c^2\*d^2\*f^4 + 16\*A\*b\*c^2\*d^2\*f^4 - 64\*A\*a\*c\*d^3\*f^4 + 4\*C\*b\*c^3\*d\*f^3\*e - 8\*C\*a\*c^2\*d^2\*f^3\*e - 8\*B\*b\*c^2\*d^2\*f^3\*e + 32\*B\*a\*c\*d^3\*f^3\*e + 32\*A\*b\*c\*d^3\*f^3\*e + 64\*A\*a\*d^4\*f^3\*e + 6\*C\*b\*c^2\*d^2\*f^2\*e^2 - 24\*C\*a\*c\*d^3\*f^2\*e^2 - 24\*B\*b\*c\*d^3\*f^2\*e^2 - 48\*B\*a\*d^4\*f^2\*e^2 - 48\*A\*b\*d^4\*f^2\*e^2 + 20\*C\*b\*c\*d^3\*f\*e^3 + 40\*C\*a\*d^4\*f\*e^3 + 40\*B\*b\*d^4\*f\*e^3 - 35\*C\*b\*d^4\*e^4)\*log(abs(-sqrt(d\*f)\*sqrt(d\*x + c) + sqrt((d\*x + c)\*d\*f - c\*d\*f + d^2\*e)))/(sqrt(d\*f)\*d^3\*f^4)\*d/abs(d)

**maple** [B] time = 0.03, size = 2002, normalized size = 3.71

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*x+a)\*(C\*x^2+B\*x+A)\*(d\*x+c)^(1/2)/(f\*x+e)^(1/2),x)

[Out] 1/384\*(d\*x+c)^(1/2)\*(f\*x+e)^(1/2)\*(192\*A\*ln(1/2\*(2\*d\*f\*x+2\*((d\*x+c)\*(f\*x+e))^(1/2)\*(d\*f)^(1/2)+c\*f+d\*e)/(d\*f)^(1/2))\*a\*c\*d^3\*f^4+105\*C\*ln(1/2\*(2\*d\*f\*x

$$\begin{aligned}
& +2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)+c*f+d*e}/(d*f)^{(1/2)}*b*d^4*e^4-24*C \\
& *(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*x*b*c*d^2*e*f^2-15*C*\ln(1/2*(2*d*f*x+2 \\
& *((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)+c*f+d*e}/(d*f)^{(1/2)}*b*c^4*f^4-96*B*\ln \\
& (1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)+c*f+d*e}/(d*f)^{(1/2)})* \\
& a*c*d^3*e*f^3+72*B*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)+c* \\
& f+d*e}/(d*f)^{(1/2)}*b*c*d^3*e^2*f^2+72*C*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e) \\
& )^{(1/2)}*(d*f)^{(1/2)+c*f+d*e}/(d*f)^{(1/2)})*a*c*d^3*e^2*f^2-60*C*\ln(1/2*(2*d* \\
& f*x+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)+c*f+d*e}/(d*f)^{(1/2)}*b*c*d^3*e^3 \\
& *f-288*A*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b*d^3*e*f^2-96*A*\ln(1/2*(2*d*f \\
& *x+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)+c*f+d*e}/(d*f)^{(1/2)}*b*c*d^3*e*f^ \\
& 3+24*B*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)+c*f+d*e}/(d*f) \\
& ^{(1/2)})*b*c^2*d^2*e*f^3+24*C*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f) \\
& )^{(1/2)+c*f+d*e}/(d*f)^{(1/2)})*a*c^2*d^2*e*f^3-12*C*\ln(1/2*(2*d*f*x+2*((d*x+ \\
& c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)+c*f+d*e}/(d*f)^{(1/2)})*b*c^3*d*e*f^3-192*A*\ln( \\
& 1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)+c*f+d*e}/(d*f)^{(1/2)})*a* \\
& d^4*e*f^3+144*B*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)+c*f+d \\
& e}/(d*f)^{(1/2)})*a*d^4*e^2*f^2-120*B*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^{(1 \\
& /2)}*(d*f)^{(1/2)+c*f+d*e}/(d*f)^{(1/2)})*b*d^4*e^3*f-120*C*\ln(1/2*(2*d*f*x+2*( \\
& (d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)+c*f+d*e}/(d*f)^{(1/2)})*a*d^4*e^3*f+384*A* \\
& (d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*a*d^3*f^3-210*C*(d*f)^{(1/2)}*((d*x+c)*(f \\
& *x+e))^{(1/2)}*b*d^3*e^3-48*A*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f) \\
& ^{(1/2)+c*f+d*e}/(d*f)^{(1/2)})*b*c^2*d^2*f^4+24*C*\ln(1/2*(2*d*f*x+2*((d*x+c)* \\
& (f*x+e))^{(1/2)}*(d*f)^{(1/2)+c*f+d*e}/(d*f)^{(1/2)})*a*c^3*d*f^4+24*B*\ln(1/2*(2 \\
& *d*f*x+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)+c*f+d*e}/(d*f)^{(1/2)})*b*c^3*d* \\
& f^4-48*B*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)+c*f+d*e}/(d* \\
& f)^{(1/2)})*a*c^2*d^2*f^4+144*A*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^{(1/2)}*(d* \\
& f)^{(1/2)+c*f+d*e}/(d*f)^{(1/2)})*b*d^4*e^2*f^2+30*C*(d*f)^{(1/2)}*((d*x+c)*(f*x \\
& +e))^{(1/2)}*b*c^3*f^3+192*B*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*x*a*d^3*f^3+ \\
& 96*A*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b*c*d^2*f^3+192*A*(d*f)^{(1/2)}*((d* \\
& x+c)*(f*x+e))^{(1/2)}*x*b*d^3*f^3+240*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*a \\
& *d^3*e^2*f+96*C*x^3*b*d^3*f^3*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}+128*B*x^2 \\
& *b*d^3*f^3*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}+128*C*x^2*a*d^3*f^3*(d*f)^{(1 \\
& /2)}*((d*x+c)*(f*x+e))^{(1/2)}-18*C*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^{(1/2)}*( \\
& (d*f)^{(1/2)+c*f+d*e}/(d*f)^{(1/2)})*b*c^2*d^2*e^2*f^2-288*B*(d*f)^{(1/2)}*((d*x \\
& +c)*(f*x+e))^{(1/2)}*a*d^3*e*f^2+240*B*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b* \\
& d^3*e^2*f-48*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*a*c^2*d*f^3+96*B*(d*f)^{( \\
& 1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*a*c*d^2*f^3-48*B*(d*f)^{(1/2)}*((d*x+c)*(f*x+e)) \\
& ^{(1/2)}*b*c^2*d*f^3-64*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*a*c*d^2*e*f^2+3 \\
& 4*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b*c^2*d*e*f^2+50*C*(d*f)^{(1/2)}*((d* \\
& x+c)*(f*x+e))^{(1/2)}*b*c*d^2*e^2*f+32*B*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}* \\
& x*b*c*d^2*f^3-160*B*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*x*b*d^3*e*f^2+32*C* \\
& (d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*x*a*c*d^2*f^3-160*C*(d*f)^{(1/2)}*((d*x+c) \\
& )*(f*x+e))^{(1/2)}*x*a*d^3*e*f^2-20*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*x*b \\
& *c^2*d*f^3+140*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*x*b*d^3*e^2*f-64*B*(d* \\
& f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b*c*d^2*e*f^2+16*C*x^2*b*c*d^2*f^3*(d*f)^{( \\
& 1/2)}*((d*x+c)*(f*x+e))^{(1/2)}-112*C*x^2*b*d^3*e*f^2*(d*f)^{(1/2)}*((d*x+c)*(f \\
& x+e))^{(1/2)}/f^4/((d*x+c)*(f*x+e))^{(1/2)}/d^3/(d*f)^{(1/2)}
\end{aligned}$$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*x+a)\*(C\*x^2+B\*x+A)\*(d\*x+c)^(1/2)/(f\*x+e)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(c\*f-d\*e>0)', see `assume?` for more details)Is c\*f-d\*e zero or nonzero?



mupad [F(-1)] time = 0.00, size = -1, normalized size = -0.00

Hanged

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((a + b*x)*(c + d*x)^(1/2)*(A + B*x + C*x^2))/(e + f*x)^(1/2), x)`

[Out] `\text{Hanged}`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x+a)*(C*x**2+B*x+A)*(d*x+c)**(1/2)/(f*x+e)**(1/2), x)`

[Out] Timed out

$$3.49 \quad \int \frac{\sqrt{c+dx}(A+Bx+Cx^2)}{\sqrt{e+fx}} dx$$

**Optimal.** Leaf size=246

$$\frac{\sqrt{c+dx}\sqrt{e+fx}\left(2df(4Adf-B(cf+3de))+C(c^2f^2+2cdef+5d^2e^2)\right)(de-cf)\tanh^{-1}\left(\frac{\sqrt{f}\sqrt{c+dx}}{\sqrt{d}\sqrt{e+fx}}\right)}{8d^2f^3}\left(2df(4A$$

[Out]  $-1/8*(-c*f+d*e)*(C*(c^2*f^2+2*c*d*e*f+5*d^2*e^2)+2*d*f*(4*A*d*f-B*(c*f+3*d*e)))*\operatorname{arctanh}(f^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)}/(f*x+e)^{(1/2)})/d^{(5/2)}/f^{(7/2)}-1/12*(-6*B*d*f+7*C*c*f+5*C*d*e)*(d*x+c)^{(3/2)}*(f*x+e)^{(1/2)}/d^2/f^2+1/3*C*(d*x+c)^{(5/2)}*(f*x+e)^{(1/2)}/d^2/f+1/8*(C*(c^2*f^2+2*c*d*e*f+5*d^2*e^2)+2*d*f*(4*A*d*f-B*(c*f+3*d*e)))*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/d^2/f^3$

**Rubi [A]** time = 0.23, antiderivative size = 246, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$ , Rules used = {951, 80, 50, 63, 217, 206}

$$\frac{\sqrt{c+dx}\sqrt{e+fx}\left(2df(4Adf-B(cf+3de))+C(c^2f^2+2cdef+5d^2e^2)\right)(de-cf)\tanh^{-1}\left(\frac{\sqrt{f}\sqrt{c+dx}}{\sqrt{d}\sqrt{e+fx}}\right)}{8d^2f^3}\left(2df(4A$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[c + d\*x]\*(A + B\*x + C\*x^2))/Sqrt[e + f\*x], x]

[Out]  $((C*(5*d^2*e^2 + 2*c*d*e*f + c^2*f^2) + 2*d*f*(4*A*d*f - B*(3*d*e + c*f)))*\operatorname{Sqrt}[c + d*x]*\operatorname{Sqrt}[e + f*x])/(8*d^2*f^3) - ((5*C*d*e + 7*c*C*f - 6*B*d*f)*(c + d*x)^{(3/2)}*\operatorname{Sqrt}[e + f*x])/(12*d^2*f^2) + (C*(c + d*x)^{(5/2)}*\operatorname{Sqrt}[e + f*x])/(3*d^2*f) - ((d*e - c*f)*(C*(5*d^2*e^2 + 2*c*d*e*f + c^2*f^2) + 2*d*f*(4*A*d*f - B*(3*d*e + c*f)))*\operatorname{ArcTanh}[(\operatorname{Sqrt}[f]*\operatorname{Sqrt}[c + d*x])]/(\operatorname{Sqrt}[d]*\operatorname{Sqrt}[e + f*x]))/(8*d^{(5/2)}*f^{(7/2)})$

### Rule 50

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> Simp[((a + b\*x)^(m + 1)\*(c + d\*x)^n)/(b\*(m + n + 1)), x] + Dist[(n\*(b\*c - a\*d))/(b\*(m + n + 1)), Int[(a + b\*x)^m\*(c + d\*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n + 2, 0] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 80

Int[((a\_.) + (b\_.)\*(x\_))\*((c\_.) + (d\_.)\*(x\_))^(n\_)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] :> Simp[(b\*(c + d\*x)^(n + 1)\*(e + f\*x)^(p + 1))/(d\*f\*(n + p + 2)), x] + Dist[(a\*d\*f\*(n + p + 2) - b\*(d\*e\*(n + 1) + c\*f\*(p + 1)))/(d\*f\*(n + p + 2)), Int[(c + d\*x)^n\*(e + f\*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 2, 0]

### Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 217

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 951

Int[((d\_) + (e\_)\*(x\_)^(m\_))\*((f\_) + (g\_)\*(x\_)^(n\_))\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(c^p\*(d + e\*x)^(m + 2\*p)\*(f + g\*x)^(n + 1))/(g\*e^(2\*p)\*(m + n + 2\*p + 1)), x] + Dist[1/(g\*e^(2\*p)\*(m + n + 2\*p + 1)), Int[(d + e\*x)^m\*(f + g\*x)^n\*ExpandToSum[g\*(m + n + 2\*p + 1)\*(e^(2\*p)\*(a + b\*x + c\*x^2)^p - c^p\*(d + e\*x)^(2\*p)) - c^p\*(e\*f - d\*g)\*(m + 2\*p)\*(d + e\*x)^(2\*p - 1), x], x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && IGtQ[p, 0] && NeQ[m + n + 2\*p + 1, 0] && (IntegerQ[n] || !IntegerQ[m])

### Rubi steps

$$\begin{aligned} \int \frac{\sqrt{c+dx} (A+Bx+Cx^2)}{\sqrt{e+fx}} dx &= \frac{C(c+dx)^{5/2} \sqrt{e+fx}}{3d^2 f} + \int \frac{\sqrt{c+dx} \left( \frac{1}{2}(-5cCde - c^2Cf + 6Ad^2f) - \frac{1}{2}d(5Cde + 7cCf - 6Bdf)x \right)}{\sqrt{e+fx} 3d^2 f} dx \\ &= -\frac{(5Cde + 7cCf - 6Bdf)(c+dx)^{3/2} \sqrt{e+fx}}{12d^2 f^2} + \frac{C(c+dx)^{5/2} \sqrt{e+fx}}{3d^2 f} + \frac{C}{3d^2 f} \\ &= \frac{(C(5d^2e^2 + 2cdef + c^2f^2) + 2df(4Adf - B(3de + cf))) \sqrt{c+dx} \sqrt{e+fx}}{8d^2 f^3} \\ &= \frac{(C(5d^2e^2 + 2cdef + c^2f^2) + 2df(4Adf - B(3de + cf))) \sqrt{c+dx} \sqrt{e+fx}}{8d^2 f^3} \\ &= \frac{(C(5d^2e^2 + 2cdef + c^2f^2) + 2df(4Adf - B(3de + cf))) \sqrt{c+dx} \sqrt{e+fx}}{8d^2 f^3} \\ &= \frac{(C(5d^2e^2 + 2cdef + c^2f^2) + 2df(4Adf - B(3de + cf))) \sqrt{c+dx} \sqrt{e+fx}}{8d^2 f^3} \end{aligned}$$

**Mathematica [A]** time = 1.07, size = 225, normalized size = 0.91

$$\frac{-d\sqrt{f}\sqrt{c+dx}(e+fx)\left(C(3c^2f^2-2cdf(fx-2e))+d^2(-15e^2+10efx-8f^2x^2)\right)-6df(4Adf+B(cf-3de))}{24d^3f^{7/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[c + d\*x]\*(A + B\*x + C\*x^2))/Sqrt[e + f\*x], x]

[Out] (-d\*Sqrt[f]\*Sqrt[c + d\*x]\*(e + f\*x)\*(-6\*d\*f\*(4\*A\*d\*f + B\*(-3\*d\*e + c\*f + 2\*d\*f\*x)) + C\*(3\*c^2\*f^2 - 2\*c\*d\*f\*(-2\*e + f\*x) + d^2\*(-15\*e^2 + 10\*e\*f\*x -

$$8*f^2*x^2)))) - 3*(d*e - c*f)^(3/2)*(C*(5*d^2*e^2 + 2*c*d*e*f + c^2*f^2) + 2*d*f*(4*A*d*f - B*(3*d*e + c*f))*Sqrt[(d*(e + f*x))/(d*e - c*f)]*ArcSinh[(Sqrt[f]*Sqrt[c + d*x])/Sqrt[d*e - c*f]])/(24*d^3*f^(7/2)*Sqrt[e + f*x])$$

**fricas** [A] time = 1.47, size = 576, normalized size = 2.34

$$\frac{3(5Cd^3e^3 - 3(Ccd^2 + 2Bd^3)e^2f - (Cc^2d - 4Bcd^2 - 8Ad^3)ef^2 - (Cc^3 - 2Bc^2d + 8Acd^2)f^3)\sqrt{df} \log(8d^2f)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="fricas")
```

```
[Out] [-1/96*(3*(5*C*d^3*e^3 - 3*(C*c*d^2 + 2*B*d^3)*e^2*f - (C*c^2*d - 4*B*c*d^2 - 8*A*d^3)*e*f^2 - (C*c^3 - 2*B*c^2*d + 8*A*c*d^2)*f^3)*sqrt(d*f)*log(8*d^2*f^2*x^2 + d^2*e^2 + 6*c*d*e*f + c^2*f^2 + 4*(2*d*f*x + d*e + c*f)*sqrt(d*f)*sqrt(d*x + c)*sqrt(f*x + e) + 8*(d^2*e*f + c*d*f^2)*x) - 4*(8*C*d^3*f^3*x^2 + 15*C*d^3*e^2*f - 2*(2*C*c*d^2 + 9*B*d^3)*e*f^2 - 3*(C*c^2*d - 2*B*c*d^2 - 8*A*d^3)*f^3 - 2*(5*C*d^3*e*f^2 - (C*c*d^2 + 6*B*d^3)*f^3)*x)*sqrt(d*x + c)*sqrt(f*x + e))/(d^3*f^4), 1/48*(3*(5*C*d^3*e^3 - 3*(C*c*d^2 + 2*B*d^3)*e^2*f - (C*c^2*d - 4*B*c*d^2 - 8*A*d^3)*e*f^2 - (C*c^3 - 2*B*c^2*d + 8*A*c*d^2)*f^3)*sqrt(-d*f)*arctan(1/2*(2*d*f*x + d*e + c*f)*sqrt(-d*f)*sqrt(d*x + c)*sqrt(f*x + e)/(d^2*f^2*x^2 + c*d*e*f + (d^2*e*f + c*d*f^2)*x)) + 2*(8*C*d^3*f^3*x^2 + 15*C*d^3*e^2*f - 2*(2*C*c*d^2 + 9*B*d^3)*e*f^2 - 3*(C*c^2*d - 2*B*c*d^2 - 8*A*d^3)*f^3 - 2*(5*C*d^3*e*f^2 - (C*c*d^2 + 6*B*d^3)*f^3)*x)*sqrt(d*x + c)*sqrt(f*x + e))/(d^3*f^4)]
```

**giac** [A] time = 1.35, size = 315, normalized size = 1.28

$$\frac{\left(\sqrt{(dx+c)df - cdf + d^2e} \sqrt{dx+c} \left(2(dx+c) \left(\frac{4(dx+c)C}{d^3f} - \frac{7Ccd^6f^4 - 6Bd^7f^4 + 5Cd^7f^3e}{d^9f^5}\right) + \frac{3(Cc^2d^6f^4 - 2Bcd^7f^4 + 8Ad^8f^4 + 2Ccd^7f^3e)}{d^9f^5}\right)\right)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="giac")
```

```
[Out] 1/24*(sqrt((d*x + c)*d*f - c*d*f + d^2*e)*sqrt(d*x + c)*(2*(d*x + c)*(4*(d*x + c)*C/(d^3*f) - (7*C*c*d^6*f^4 - 6*B*d^7*f^4 + 5*C*d^7*f^3*e)/(d^9*f^5)) + 3*(C*c^2*d^6*f^4 - 2*B*c*d^7*f^4 + 8*A*d^8*f^4 + 2*C*c*d^7*f^3*e - 6*B*d^8*f^3*e + 5*C*d^8*f^2*e^2)/(d^9*f^5)) - 3*(C*c^3*f^3 - 2*B*c^2*d*f^3 + 8*A*c*d^2*f^3 + C*c^2*d*f^2*e - 4*B*c*d^2*f^2*e - 8*A*d^3*f^2*e + 3*C*c*d^2*f*e^2 + 6*B*d^3*f*e^2 - 5*C*d^3*e^3)*log(abs(-sqrt(d*f)*sqrt(d*x + c) + sqrt((d*x + c)*d*f - c*d*f + d^2*e)))/(sqrt(d*f)*d^2*f^3))*d/abs(d)
```

**maple** [B] time = 0.02, size = 763, normalized size = 3.10

$$\frac{\sqrt{dx+c} \sqrt{fx+e} \left(24Ac d^2 f^3 \ln\left(\frac{2dfx+cf+de+2\sqrt{(dx+c)(fx+e)} \sqrt{df}}{2\sqrt{df}}\right) - 24A d^3 e f^2 \ln\left(\frac{2dfx+cf+de+2\sqrt{(dx+c)(fx+e)} \sqrt{df}}{2\sqrt{df}}\right)\right)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((C*x^2+B*x+A)*(d*x+c)^(1/2)/(f*x+e)^(1/2),x)
```

```
[Out] 1/48*(d*x+c)^(1/2)*(f*x+e)^(1/2)*(16*C*x^2*d^2*f^2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)+24*A*ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)))/(d*f)^(1/2))*c*d^2*f^3-24*A*ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)))/(d*f)^(1/2))*d/abs(d)
```

$$\begin{aligned} &)^{(1/2)} * (d*f)^{(1/2)}) / (d*f)^{(1/2)}) * d^3 * e * f^2 - 6 * B * \ln(1/2 * (2 * d * f * x + c * f + d * e + 2 * \\ &(d * x + c) * (f * x + e))^{(1/2)} * (d*f)^{(1/2)}) / (d*f)^{(1/2)}) * c^2 * d * f^3 - 12 * B * \ln(1/2 * (2 * d \\ &* f * x + c * f + d * e + 2 * ((d * x + c) * (f * x + e))^{(1/2)} * (d*f)^{(1/2)}) / (d*f)^{(1/2)}) * c * d^2 * e * f^2 \\ &+ 18 * B * \ln(1/2 * (2 * d * f * x + c * f + d * e + 2 * ((d * x + c) * (f * x + e))^{(1/2)} * (d*f)^{(1/2)}) / (d*f)^{(1/2)}) \\ &)^{(1/2)} * d^3 * e^2 * f + 24 * B * (d*f)^{(1/2)} * ((d * x + c) * (f * x + e))^{(1/2)} * x * d^2 * f^2 + 3 * C * \ln \\ &(1/2 * (2 * d * f * x + c * f + d * e + 2 * ((d * x + c) * (f * x + e))^{(1/2)} * (d*f)^{(1/2)}) / (d*f)^{(1/2)}) * c \\ &^3 * f^3 + 3 * C * \ln(1/2 * (2 * d * f * x + c * f + d * e + 2 * ((d * x + c) * (f * x + e))^{(1/2)} * (d*f)^{(1/2)}) / ( \\ &d*f)^{(1/2)}) * c^2 * d * e * f^2 + 9 * C * \ln(1/2 * (2 * d * f * x + c * f + d * e + 2 * ((d * x + c) * (f * x + e))^{(1/2)} \\ &)^{(1/2)} * (d*f)^{(1/2)}) / (d*f)^{(1/2)}) * c * d^2 * e^2 * f - 15 * C * \ln(1/2 * (2 * d * f * x + c * f + d * e + 2 * ((d \\ &* x + c) * (f * x + e))^{(1/2)} * (d*f)^{(1/2)}) / (d*f)^{(1/2)}) * d^3 * e^3 + 4 * C * (d*f)^{(1/2)} * ((d * x \\ &+ c) * (f * x + e))^{(1/2)} * x * c * d * f^2 - 20 * C * (d*f)^{(1/2)} * ((d * x + c) * (f * x + e))^{(1/2)} * x * d^2 * e * f \\ &+ 48 * A * (d*f)^{(1/2)} * ((d * x + c) * (f * x + e))^{(1/2)} * d^2 * f^2 + 12 * B * (d*f)^{(1/2)} * ((d * x + c) * (f * x + e))^{(1/2)} \\ &)^{(1/2)} * c * d * f^2 - 36 * B * (d*f)^{(1/2)} * ((d * x + c) * (f * x + e))^{(1/2)} * d^2 * e * f - 6 * C * (d*f)^{(1/2)} * ((d * x + c) * (f * x + e))^{(1/2)} \\ &)^{(1/2)} * c^2 * f^2 - 8 * C * (d*f)^{(1/2)} * ((d * x + c) * (f * x + e))^{(1/2)} * c * d * e * f + 30 * C * (d*f)^{(1/2)} * ((d * x + c) * (f * x + e))^{(1/2)} * d^2 * e^2 / \\ &^3 / ((d * x + c) * (f * x + e))^{(1/2)} / d^2 / (d*f)^{(1/2)} \end{aligned}$$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(d\*x+c)^(1/2)/(f\*x+e)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(c\*f-d\*e>0)', see 'assume?' for more details)Is c\*f-d\*e zero or nonzero?

**mupad** [B] time = 90.55, size = 1832, normalized size = 7.45

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((c + d\*x)^(1/2)\*(A + B\*x + C\*x^2))/(e + f\*x)^(1/2),x)

[Out] (((((c + d\*x)^(1/2) - c^(1/2))\*(2\*A\*d^2\*e + 2\*A\*c\*d\*f))/(f^3\*((e + f\*x)^(1/2) - e^(1/2))) + ((2\*A\*c\*f + 2\*A\*d\*e)\*((c + d\*x)^(1/2) - c^(1/2))^3)/(f^2\*((e + f\*x)^(1/2) - e^(1/2))^3) - (8\*A\*c^(1/2)\*d\*e^(1/2)\*((c + d\*x)^(1/2) - c^(1/2))^2)/(f^2\*((e + f\*x)^(1/2) - e^(1/2))^2))/(f^4\*((c + d\*x)^(1/2) - c^(1/2))^4 + d^2/f^2 - (2\*d\*((c + d\*x)^(1/2) - c^(1/2))^2)/(f\*((e + f\*x)^(1/2) - e^(1/2))^2) - (((c + d\*x)^(1/2) - c^(1/2))\*((C\*c^3\*d^3\*f^3)/4 - (5\*C\*d^6\*e^3)/4 + (C\*c^2\*d^4\*e\*f^2)/4 + (3\*C\*c\*d^5\*e^2\*f)/4))/(f^9\*((e + f\*x)^(1/2) - e^(1/2))) - (((c + d\*x)^(1/2) - c^(1/2))^5\*((33\*C\*d^4\*e^3)/2 + (19\*C\*c^3\*d\*f^3)/2 + (275\*C\*c^2\*d^2\*e\*f^2)/2 + (313\*C\*c\*d^3\*e^2\*f)/2))/(f^7\*((e + f\*x)^(1/2) - e^(1/2))^5) - (((c + d\*x)^(1/2) - c^(1/2))^7\*((19\*C\*c^3\*f^3)/2 + (33\*C\*d^3\*e^3)/2 + (313\*C\*c\*d^2\*e^2\*f)/2 + (275\*C\*c^2\*d\*e\*f^2)/2))/(f^6\*((e + f\*x)^(1/2) - e^(1/2))^7) - (((c + d\*x)^(1/2) - c^(1/2))^3\*((17\*C\*c^3\*d^2\*f^3)/12 - (85\*C\*d^5\*e^3)/12 + (91\*C\*c^2\*d^3\*e\*f^2)/4 + (17\*C\*c\*d^4\*e^2\*f)/4))/(f^8\*((e + f\*x)^(1/2) - e^(1/2))^3) + (((c + d\*x)^(1/2) - c^(1/2))^11\*((C\*c^3\*f^3)/4 - (5\*C\*d^3\*e^3)/4 + (3\*C\*c\*d^2\*e^2\*f)/4 + (C\*c^2\*d\*e\*f^2)/4))/(d^2\*f^4\*((e + f\*x)^(1/2) - e^(1/2))^11) - (((c + d\*x)^(1/2) - c^(1/2))^9\*((17\*C\*c^3\*f^3)/12 - (85\*C\*d^3\*e^3)/12 + (17\*C\*c\*d^2\*e^2\*f)/4 + (91\*C\*c^2\*d\*e\*f^2)/4))/(d\*f^5\*((e + f\*x)^(1/2) - e^(1/2))^9) + (c^(1/2)\*e^(1/2)\*((c + d\*x)^(1/2) - c^(1/2))^8\*(32\*C\*c^2\*f + 96\*C\*c\*d\*e))/(f^4\*((e + f\*x)^(1/2) - e^(1/2))^8) + (c^(1/2)\*e^(1/2)\*(96\*C\*c\*d^3\*e + 32\*C\*c^2\*d^2\*f)\*((c + d\*x)^(1/2) - c^(1/2))^4)/(f^6\*((e + f\*x)^(1/2) - e^(1/2))^4) + (c^(1/2)\*e^(1/2)\*((c + d\*x)^(1/2) - c^(1/2))^6\*(128\*C\*d^3\*e^2 + 64\*C\*c^2\*d\*f^2 + (704\*C\*c\*d^2\*e\*f)/3))/(f^6\*((e + f\*x)^(1/2) - e^(1/2))^6))/(f^12\*((c + d\*x)^(1/2) - c^(1/2))^12)/((e + f\*x)^(1/2) - e^(1/2))^12 + d^6/f^6 -

$$\begin{aligned}
& (6*d*((c + d*x)^{(1/2)} - c^{(1/2)})^{10}/(f*((e + f*x)^{(1/2)} - e^{(1/2)})^{10}) - ( \\
& 6*d^5*((c + d*x)^{(1/2)} - c^{(1/2)})^2)/(f^5*((e + f*x)^{(1/2)} - e^{(1/2)})^2) + \\
& (15*d^4*((c + d*x)^{(1/2)} - c^{(1/2)})^4)/(f^4*((e + f*x)^{(1/2)} - e^{(1/2)})^4) \\
& - (20*d^3*((c + d*x)^{(1/2)} - c^{(1/2)})^6)/(f^3*((e + f*x)^{(1/2)} - e^{(1/2)})^6) \\
& ) + (15*d^2*((c + d*x)^{(1/2)} - c^{(1/2)})^8)/(f^2*((e + f*x)^{(1/2)} - e^{(1/2)})^8) \\
& ^8)) + (((c + d*x)^{(1/2)} - c^{(1/2)})*((B*c^2*d^2*f^2)/2 - (3*B*d^4*e^2)/2 + \\
& B*c*d^3*e*f))/(f^6*((e + f*x)^{(1/2)} - e^{(1/2)})) + (((c + d*x)^{(1/2)} - c^{(1/2)})^3*((11*B*d^3*e^2)/2 + \\
& (7*B*c^2*d*f^2)/2 + 23*B*c*d^2*e*f))/(f^5*((e + f*x)^{(1/2)} - e^{(1/2)})^3) + (((c + d*x)^{(1/2)} - c^{(1/2)})^5*((7*B*c^2*f^2)/2 \\
& + (11*B*d^2*e^2)/2 + 23*B*c*d*e*f))/(f^4*((e + f*x)^{(1/2)} - e^{(1/2)})^5) + ( \\
& ((c + d*x)^{(1/2)} - c^{(1/2)})^7*((B*c^2*f^2)/2 - (3*B*d^2*e^2)/2 + B*c*d*e*f) \\
& )/(d*f^3*((e + f*x)^{(1/2)} - e^{(1/2)})^7) - (c^{(1/2)}*e^{(1/2)}*((c + d*x)^{(1/2)} \\
& - c^{(1/2)})^4*(32*B*d^2*e + 16*B*c*d*f))/(f^4*((e + f*x)^{(1/2)} - e^{(1/2)})^4) \\
& ) - (8*B*c^{(3/2)}*e^{(1/2)}*((c + d*x)^{(1/2)} - c^{(1/2)})^6)/(f^2*((e + f*x)^{(1/2)} \\
& - e^{(1/2)})^6) - (8*B*c^{(3/2)}*d^2*e^{(1/2)}*((c + d*x)^{(1/2)} - c^{(1/2)})^2)/ \\
& (f^4*((e + f*x)^{(1/2)} - e^{(1/2)})^2))/(((c + d*x)^{(1/2)} - c^{(1/2)})^8/((e + f \\
& *x)^{(1/2)} - e^{(1/2)})^8 + d^4/f^4 - (4*d*((c + d*x)^{(1/2)} - c^{(1/2)})^6)/(f*( \\
& (e + f*x)^{(1/2)} - e^{(1/2)})^6) - (4*d^3*((c + d*x)^{(1/2)} - c^{(1/2)})^2)/(f^3* \\
& ((e + f*x)^{(1/2)} - e^{(1/2)})^2) + (6*d^2*((c + d*x)^{(1/2)} - c^{(1/2)})^4)/(f^2 \\
& *((e + f*x)^{(1/2)} - e^{(1/2)})^4) + (2*A*atanh((f^{(1/2)}*((c + d*x)^{(1/2)} - c \\
& ^{(1/2)})))/(d^{(1/2)}*((e + f*x)^{(1/2)} - e^{(1/2)})))*(c*f - d*e))/(d^{(1/2)}*f^{(3/2)} \\
& ) + (C*atanh((f^{(1/2)}*((c + d*x)^{(1/2)} - c^{(1/2)})))/(d^{(1/2)}*((e + f*x)^{(1/2)} \\
& - e^{(1/2)})))*(c*f - d*e)*(c^2*f^2 + 5*d^2*e^2 + 2*c*d*e*f))/(4*d^{(5/2)}* \\
& f^{(7/2)}) - (B*atanh((f^{(1/2)}*((c + d*x)^{(1/2)} - c^{(1/2)})))/(d^{(1/2)}*((e + f* \\
& x)^{(1/2)} - e^{(1/2)})))*(c*f - d*e)*(c*f + 3*d*e))/(2*d^{(3/2)}*f^{(5/2)})
\end{aligned}$$

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x\*\*2+B\*x+A)\*(d\*x+c)\*\*(1/2)/(f\*x+e)\*\*(1/2),x)

[Out] Timed out

$$3.50 \quad \int \frac{\sqrt{c+dx} (A+Bx+Cx^2)}{(a+bx)\sqrt{e+fx}} dx$$

**Optimal.** Leaf size=290

$$\frac{\tanh^{-1}\left(\frac{\sqrt{f}\sqrt{c+dx}}{\sqrt{d}\sqrt{e+fx}}\right)(2bdf(4Abdf - aC(cf + 3de)) + (2adf - bcf + bde)(4aCdf + b(-4Bdf + cCf + 3Cde)))}{4b^3d^{3/2}f^{5/2}}$$

[Out]  $1/4*(2*b*d*f*(4*A*b*d*f-a*C*(c*f+3*d*e))+(2*a*d*f-b*c*f+b*d*e)*(4*a*C*d*f+b*(-4*B*d*f+C*c*f+3*C*d*e)))*\operatorname{arctanh}(f^{1/2}*(d*x+c)^{1/2}/d^{1/2}/(f*x+e)^{1/2})/b^3/d^{3/2}/f^{5/2}-2*(A*b^2-a*(B*b-C*a))*\operatorname{arctanh}((-a*f+b*e)^{1/2}*(d*x+c)^{1/2}/(-a*d+b*c)^{1/2}/(f*x+e)^{1/2})*(-a*d+b*c)^{1/2}/b^3/(-a*f+b*e)^{1/2}+1/2*C*(d*x+c)^{3/2}*(f*x+e)^{1/2}/b/d/f-1/4*(4*a*C*d*f+b*(-4*B*d*f+C*c*f+3*C*d*e))*(d*x+c)^{1/2}*(f*x+e)^{1/2}/b^2/d/f^2$

**Rubi [A]** time = 0.67, antiderivative size = 290, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 36,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {1615, 154, 157, 63, 217, 206, 93, 208}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{f}\sqrt{c+dx}}{\sqrt{d}\sqrt{e+fx}}\right)(2bdf(4Abdf - aC(cf + 3de)) + (2adf - bcf + bde)(4aCdf + b(-4Bdf + cCf + 3Cde)))}{4b^3d^{3/2}f^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[c + d\*x]\*(A + B\*x + C\*x^2))/((a + b\*x)\*Sqrt[e + f\*x]),x]

[Out]  $-((4*a*C*d*f + b*(3*C*d*e + c*C*f - 4*B*d*f))*\operatorname{Sqrt}[c + d*x]*\operatorname{Sqrt}[e + f*x])/(4*b^2*d*f^2) + (C*(c + d*x)^{3/2}*\operatorname{Sqrt}[e + f*x])/(2*b*d*f) + ((2*b*d*f*(4*A*b*d*f - a*C*(3*d*e + c*f)) + (b*d*e - b*c*f + 2*a*d*f)*(4*a*C*d*f + b*(3*C*d*e + c*C*f - 4*B*d*f)))*\operatorname{ArcTanh}[(\operatorname{Sqrt}[f]*\operatorname{Sqrt}[c + d*x])]/(\operatorname{Sqrt}[d]*\operatorname{Sqrt}[e + f*x]))/(4*b^3*d^{3/2}*f^{5/2}) - (2*(A*b^2 - a*(b*B - a*C))*\operatorname{Sqrt}[b*c - a*d]*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b*e - a*f]*\operatorname{Sqrt}[c + d*x])]/(\operatorname{Sqrt}[b*c - a*d]*\operatorname{Sqrt}[e + f*x]))/(b^3*\operatorname{Sqrt}[b*e - a*f])$

**Rule 63**

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

**Rule 93**

Int((((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_))/((e\_.) + (f\_.)\*(x\_)), x\_Symbol] :> With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q\*(m + 1) - 1)/(b\*e - a\*f - (d\*e - c\*f)\*x^q), x], x, (a + b\*x)^(1/q)/(c + d\*x)^(1/q)], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b\*x, c + d\*x]

**Rule 154**

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_)\*((e\_.) + (f\_.)\*(x\_))^(p\_)\*((g\_.) + (h\_.)\*(x\_)), x\_Symbol] :> Simp[(h\*(a + b\*x)^m\*(c + d\*x)^(n + 1)\*(e + f\*x)^(p + 1))/(d\*f\*(m + n + p + 2)), x] + Dist[1/(d\*f\*(m + n + p + 2)), Int[(a + b\*x)^(m - 1)\*(c + d\*x)^n\*(e + f\*x)^p\*Simp[a\*d\*f\*g\*(m + n + p + 2) - h\*(b\*c\*e\*m + a\*(d\*e\*(n + 1) + c\*f\*(p + 1))) + (b\*d\*f\*g\*(m + n + p + 2) + h\*(a\*d\*f\*m - b\*(d\*e\*(m + n + 1) + c\*f\*(m + p + 1)))]\*x, x], x]

```
; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p + 2, 0] && IntegersQ[2*m, 2*n, 2*p]
```

### Rule 157

```
Int[(((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_))) / ((a_.) + (b_.)*(x_)), x_Symbol] := Dist[h/b, Int[(c + d*x)^n*(e + f*x)^p, x], x] + Dist[(b*g - a*h)/b, Int[((c + d*x)^n*(e + f*x)^p)/(a + b*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x]
```

### Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

### Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

### Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

### Rule 1615

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := With[{q = Expon[Px, x], k = Coeff[Px, x, Expon[Px, x]]}, Simp[(k*(a + b*x)^(m + q - 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*b^(q - 1)*(m + n + p + q + 1)), x] + Dist[1/(d*f*b^q*(m + n + p + q + 1)), Int[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p*ExpandToSum[d*f*b^q*(m + n + p + q + 1)*Px - d*f*k*(m + n + p + q + 1)*(a + b*x)^q + k*(a + b*x)^(q - 2)*(a^2*d*f*(m + n + p + q + 1) - b*(b*c*e*(m + q - 1) + a*(d*e*(n + 1) + c*f*(p + 1))) + b*(a*d*f*(2*(m + q) + n + p) - b*(d*e*(m + q + n) + c*f*(m + q + p)))*x), x], x] /; NeQ[m + n + p + q + 1, 0]] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && IntegersQ[2*m, 2*n, 2*p]
```

### Rubi steps



$$\begin{aligned}
\int \frac{\sqrt{c+dx}(A+Bx+Cx^2)}{(a+bx)\sqrt{e+fx}} dx &= \frac{C(c+dx)^{3/2}\sqrt{e+fx}}{2bdf} + \frac{\int \frac{\sqrt{c+dx}\left(\frac{1}{2}b(4Abdf-aC(3de+cf))-\frac{1}{2}b(4aCdf+b(3Cde+cCf-4Bdf))\right)}{(a+bx)\sqrt{e+fx}}}{2b^2df} \\
&= -\frac{(4aCdf+b(3Cde+cCf-4Bdf))\sqrt{c+dx}\sqrt{e+fx}}{4b^2df^2} + \frac{C(c+dx)^{3/2}\sqrt{e+fx}}{2bdf} \\
&= -\frac{(4aCdf+b(3Cde+cCf-4Bdf))\sqrt{c+dx}\sqrt{e+fx}}{4b^2df^2} + \frac{C(c+dx)^{3/2}\sqrt{e+fx}}{2bdf} \\
&= -\frac{(4aCdf+b(3Cde+cCf-4Bdf))\sqrt{c+dx}\sqrt{e+fx}}{4b^2df^2} + \frac{C(c+dx)^{3/2}\sqrt{e+fx}}{2bdf} \\
&= -\frac{(4aCdf+b(3Cde+cCf-4Bdf))\sqrt{c+dx}\sqrt{e+fx}}{4b^2df^2} + \frac{C(c+dx)^{3/2}\sqrt{e+fx}}{2bdf} \\
&= -\frac{(4aCdf+b(3Cde+cCf-4Bdf))\sqrt{c+dx}\sqrt{e+fx}}{4b^2df^2} + \frac{C(c+dx)^{3/2}\sqrt{e+fx}}{2bdf}
\end{aligned}$$

**Mathematica [A]** time = 3.45, size = 465, normalized size = 1.60

$$\frac{8\sqrt{de-cf}(a(aC-bB)+Ab^2)\sqrt{\frac{d(e+fx)}{de-cf}}\sinh^{-1}\left(\frac{\sqrt{f}\sqrt{c+dx}}{\sqrt{de-cf}}\right) - 8\sqrt{ad-bc}(a(aC-bB)+Ab^2)\tanh^{-1}\left(\frac{\sqrt{c+dx}\sqrt{af-be}}{\sqrt{e+fx}\sqrt{ad-bc}}\right) + 4b\sqrt{e+fx}(aCf-bBf+bCe)}{\sqrt{f}\sqrt{e+fx}}$$

$4b^3$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[c + d\*x]\*(A + B\*x + C\*x^2))/((a + b\*x)\*Sqrt[e + f\*x]),x]

[Out] ((8\*(A\*b^2 + a\*(-(b\*B) + a\*C))\*Sqrt[d\*e - c\*f]\*Sqrt[(d\*(e + f\*x))/(d\*e - c\*f)]\*ArcSinh[(Sqrt[f]\*Sqrt[c + d\*x])/Sqrt[d\*e - c\*f]])/(Sqrt[f]\*Sqrt[e + f\*x]) + (4\*b\*(b\*C\*e - b\*B\*f + a\*C\*f)\*Sqrt[e + f\*x]\*(-(Sqrt[f]\*Sqrt[d\*e - c\*f]\*(c + d\*x)\*Sqrt[(d\*(e + f\*x))/(d\*e - c\*f]]) + (d\*e - c\*f)\*Sqrt[c + d\*x]\*ArcSinh[(Sqrt[f]\*Sqrt[c + d\*x])/Sqrt[d\*e - c\*f]]))/(f^(5/2)\*Sqrt[d\*e - c\*f]\*Sqrt[c + d\*x]\*Sqrt[(d\*(e + f\*x))/(d\*e - c\*f]]) + (b^2\*C\*Sqrt[e + f\*x]\*(Sqrt[f]\*Sqrt[c + d\*x]\*(c\*f + d\*(e + 2\*f\*x)) - ((d\*e - c\*f)^(3/2)\*ArcSinh[(Sqrt[f]\*Sqrt[c + d\*x])/Sqrt[d\*e - c\*f]])/Sqrt[(d\*(e + f\*x))/(d\*e - c\*f]]))/(d\*f^(5/2)) - (8\*(A\*b^2 + a\*(-(b\*B) + a\*C))\*Sqrt[-(b\*c) + a\*d]\*ArcTanh[(Sqrt[-(b\*e) + a\*f]\*Sqrt[c + d\*x])/(Sqrt[-(b\*c) + a\*d]\*Sqrt[e + f\*x])])/Sqrt[-(b\*e) + a\*f])/(4\*b^3)

**fricas [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(d\*x+c)^(1/2)/(b\*x+a)/(f\*x+e)^(1/2),x, algorithm="fricas")

[Out] Timed out

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(d\*x+c)^(1/2)/(b\*x+a)/(f\*x+e)^(1/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);OUTPUT:Evaluation time: 0.47

**maple** [B] time = 0.04, size = 1822, normalized size = 6.28

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C\*x^2+B\*x+A)\*(d\*x+c)^(1/2)/(b\*x+a)/(f\*x+e)^(1/2),x)

[Out] 
$$\frac{1}{8} \cdot (8A \ln(1/2 \cdot (2d^2fx + cf + de + 2((dx+c)(fx+e))^{1/2}) \cdot (df)^{1/2}) / (df)^{1/2} + b^3 d^2 f^2 ((a^2 d^2 f - a b c f - a b d e + b^2 c e) / b^2)^{1/2} + 8A \ln((-2 a d^2 f x + b c f x + b d e x + 2((a^2 d^2 f - a b c f - a b d e + b^2 c e) / b^2)^{1/2}) \cdot ((dx+c)(fx+e))^{1/2} \cdot b - a c f - a d e + 2 b c e) / (b x + a) \cdot a b^2 d^2 f^2 (df)^{1/2} - 8A \ln((-2 a d^2 f x + b c f x + b d e x + 2((a^2 d^2 f - a b c f - a b d e + b^2 c e) / b^2)^{1/2}) \cdot ((dx+c)(fx+e))^{1/2} \cdot b - a c f - a d e + 2 b c e) / (b x + a) \cdot b^3 c d f^2 (df)^{1/2} - 8B \ln(1/2 \cdot (2d^2fx + cf + de + 2((dx+c)(fx+e))^{1/2}) \cdot (df)^{1/2}) / (df)^{1/2} \cdot a b^2 d^2 f^2 ((a^2 d^2 f - a b c f - a b d e + b^2 c e) / b^2)^{1/2} + 4B \ln(1/2 \cdot (2d^2fx + cf + de + 2((dx+c)(fx+e))^{1/2}) \cdot (df)^{1/2}) / (df)^{1/2} \cdot b^3 c d f^2 ((a^2 d^2 f - a b c f - a b d e + b^2 c e) / b^2)^{1/2} - 4B \ln(1/2 \cdot (2d^2fx + cf + de + 2((dx+c)(fx+e))^{1/2}) \cdot (df)^{1/2}) / (df)^{1/2} \cdot b^3 d^2 e f ((a^2 d^2 f - a b c f - a b d e + b^2 c e) / b^2)^{1/2} - 8B \ln((-2 a d^2 f x + b c f x + b d e x + 2((a^2 d^2 f - a b c f - a b d e + b^2 c e) / b^2)^{1/2}) \cdot ((dx+c)(fx+e))^{1/2} \cdot b - a c f - a d e + 2 b c e) / (b x + a) \cdot a^2 b d^2 f^2 (df)^{1/2} + 8B \ln((-2 a d^2 f x + b c f x + b d e x + 2((a^2 d^2 f - a b c f - a b d e + b^2 c e) / b^2)^{1/2}) \cdot ((dx+c)(fx+e))^{1/2} \cdot b - a c f - a d e + 2 b c e) / (b x + a) \cdot a b^2 c d f^2 (df)^{1/2} + 8C \ln(1/2 \cdot (2d^2fx + cf + de + 2((dx+c)(fx+e))^{1/2}) \cdot (df)^{1/2}) / (df)^{1/2} \cdot a^2 b d^2 f^2 ((a^2 d^2 f - a b c f - a b d e + b^2 c e) / b^2)^{1/2} - 4C \ln(1/2 \cdot (2d^2fx + cf + de + 2((dx+c)(fx+e))^{1/2}) \cdot (df)^{1/2}) / (df)^{1/2} \cdot a b^2 c d f^2 ((a^2 d^2 f - a b c f - a b d e + b^2 c e) / b^2)^{1/2} + 4C \ln(1/2 \cdot (2d^2fx + cf + de + 2((dx+c)(fx+e))^{1/2}) \cdot (df)^{1/2}) / (df)^{1/2} \cdot a b^2 d^2 e f ((a^2 d^2 f - a b c f - a b d e + b^2 c e) / b^2)^{1/2} - C \ln(1/2 \cdot (2d^2fx + cf + de + 2((dx+c)(fx+e))^{1/2}) \cdot (df)^{1/2}) / (df)^{1/2} \cdot b^3 c^2 f^2 ((a^2 d^2 f - a b c f - a b d e + b^2 c e) / b^2)^{1/2} - 2C \ln(1/2 \cdot (2d^2fx + cf + de + 2((dx+c)(fx+e))^{1/2}) \cdot (df)^{1/2}) / (df)^{1/2} \cdot b^3 c d e f ((a^2 d^2 f - a b c f - a b d e + b^2 c e) / b^2)^{1/2} + 3C \ln(1/2 \cdot (2d^2fx + cf + de + 2((dx+c)(fx+e))^{1/2}) \cdot (df)^{1/2}) / (df)^{1/2} \cdot b^3 d^2 e^2 ((a^2 d^2 f - a b c f - a b d e + b^2 c e) / b^2)^{1/2} + 8C \ln((-2 a d^2 f x + b c f x + b d e x + 2((a^2 d^2 f - a b c f - a b d e + b^2 c e) / b^2)^{1/2}) \cdot ((dx+c)(fx+e))^{1/2} \cdot b - a c f - a d e + 2 b c e) / (b x + a) \cdot a^3 d^2 f^2 (df)^{1/2} - 8C \ln((-2 a d^2 f x + b c f x + b d e x + 2((a^2 d^2 f - a b c f - a b d e + b^2 c e) / b^2)^{1/2}) \cdot ((dx+c)(fx+e))^{1/2} \cdot b - a c f - a d e + 2 b c e) / (b x + a) \cdot a^2 b c d f^2 (df)^{1/2} + 4C x b^3 d f ((dx+c)(fx+e))^{1/2} \cdot (df)^{1/2} \cdot ((a^2 d^2 f - a b c f - a b d e + b^2 c e) / b^2)^{1/2} + 8B b^3 d f ((dx+c)(fx+e))^{1/2} \cdot (df)^{1/2} \cdot ((a^2 d^2 f - a b c f - a b d e + b^2 c e) / b^2)^{1/2} - 8C a b^2 d f ((dx+c)(fx+e))^{1/2} \cdot (df)^{1/2} \cdot ((a^2 d^2 f - a b c f - a b d e + b^2 c e) / b^2)^{1/2} + 2C b^3 c f ((dx+c)(fx+e))^{1/2} \cdot (df)^{1/2} \cdot ((a^2 d^2 f - a b c f - a b d e + b^2 c e) / b^2)^{1/2} - 6C b^3 d e ((dx+c)(fx+e))^{1/2} \cdot (df)^{1/2} \cdot ((a^2 d^2 f - a b c f - a b d e + b^2 c e) / b^2)^{1/2} \cdot (fx+e)^{1/2} \cdot (dx+c)^{1/2} / ((a^2 d^2 f - a b c f - a b d e + b^2 c e) / b^2)^{1/2} / (df)^{1/2} / d f^2 / b^4 / ((dx+c)(fx+e))^{1/2}$$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(d\*x+c)^(1/2)/(b\*x+a)/(f\*x+e)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(((-(2\*a\*d\*f)/b^2)>0)', see `assume?` for more details)Is ((-(2\*a\*d\*f)/b^2) + (c\*f)/b + (d\*e)/b)^2 - (4\*d\*f\*(a^2\*d\*f)/b^2 - (a\*c\*f)/b - (a\*d\*e)/b + c\*e)/b^2 zero or nonzero?

**mupad** [F(-1)] time = 0.00, size = -1, normalized size = -0.00

Hanged

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((c + d\*x)^(1/2)\*(A + B\*x + C\*x^2))/((e + f\*x)^(1/2)\*(a + b\*x)),x)

[Out] \text{Hanged}

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{c + dx} (A + Bx + Cx^2)}{(a + bx) \sqrt{e + fx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x\*\*2+B\*x+A)\*(d\*x+c)\*\*(1/2)/(b\*x+a)/(f\*x+e)\*\*(1/2),x)

[Out] Integral(sqrt(c + d\*x)\*(A + B\*x + C\*x\*\*2)/((a + b\*x)\*sqrt(e + f\*x)), x)

**3.51** 
$$\int \frac{\sqrt{c+dx} (A+Bx+Cx^2)}{(a+bx)^2 \sqrt{e+fx}} dx$$

**Optimal.** Leaf size=364

$$\frac{\sqrt{c+dx} \sqrt{e+fx} (2a^2 Cdf - ab(Bdf + cCf + Cde) + b^2(Adf + cCe))}{b^2 f(bc - ad)(be - af)} + \frac{\tanh^{-1} \left( \frac{\sqrt{c+dx} \sqrt{be-af}}{\sqrt{e+fx} \sqrt{bc-ad}} \right) (4a^3 Cdf - a^2 b(2Bdf + 3cCf + Cde))}{b^2 f(bc - ad)(be - af)}$$

[Out]  $-(4*a*C*d*f+b*(-2*B*d*f-C*c*f+C*d*e))*\operatorname{arctanh}(f^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)})/(f*x+e)^{(1/2)}/b^3/f^{(3/2)}/d^{(1/2)}+(4*a^3*C*d*f-b^3*(-A*c*f+A*d*e+2*B*c*e)+a*b^2*(B*c*f+3*B*d*e+4*C*c*e)-a^2*b*(2*B*d*f+3*C*c*f+5*C*d*e))*\operatorname{arctanh}((-a*f+b*e)^{(1/2)}*(d*x+c)^{(1/2)}/(-a*d+b*c)^{(1/2)}/(f*x+e)^{(1/2)}/b^3/(-a*f+b*e)^{(3/2)}/(-a*d+b*c)^{(1/2)}-(A*b^2-a*(B*b-C*a))*(d*x+c)^{(3/2)}*(f*x+e)^{(1/2)}/b/(-a*d+b*c)/(-a*f+b*e)/(b*x+a)+(2*a^2*C*d*f+b^2*(A*d*f+C*c*e)-a*b*(B*d*f+C*c*f+C*d*e))*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/b^2/(-a*d+b*c)/f/(-a*f+b*e)$

**Rubi [A]** time = 1.10, antiderivative size = 364, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 36,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {1613, 154, 157, 63, 217, 206, 93, 208}

$$\frac{\sqrt{c+dx} \sqrt{e+fx} (2a^2 Cdf - ab(Bdf + cCf + Cde) + b^2(Adf + cCe))}{b^2 f(bc - ad)(be - af)} + \frac{\tanh^{-1} \left( \frac{\sqrt{c+dx} \sqrt{be-af}}{\sqrt{e+fx} \sqrt{bc-ad}} \right) (-a^2 b(2Bdf + 3cCf + Cde))}{b^2 f(bc - ad)(be - af)}$$

Antiderivative was successfully verified.

[In] `Int[(Sqrt[c + d*x]*(A + B*x + C*x^2))/((a + b*x)^2*Sqrt[e + f*x]),x]`

[Out]  $((2*a^2*C*d*f + b^2*(c*C*e + A*d*f) - a*b*(C*d*e + c*C*f + B*d*f))*\operatorname{Sqrt}[c + d*x]*\operatorname{Sqrt}[e + f*x])/(b^2*(b*c - a*d)*f*(b*e - a*f)) - ((A*b^2 - a*(b*B - a*C))*(c + d*x)^{(3/2)}*\operatorname{Sqrt}[e + f*x])/(b*(b*c - a*d)*(b*e - a*f)*(a + b*x)) - ((4*a*C*d*f + b*(C*d*e - c*C*f - 2*B*d*f))*\operatorname{ArcTan}h[\operatorname{Sqrt}[f]*\operatorname{Sqrt}[c + d*x])]/(\operatorname{Sqrt}[d]*\operatorname{Sqrt}[e + f*x]))/(b^3*\operatorname{Sqrt}[d]*f^{(3/2)}) + ((4*a^3*C*d*f - b^3*(2*B*c*e + A*d*e - A*c*f) + a*b^2*(4*c*C*e + 3*B*d*e + B*c*f) - a^2*b*(5*C*d*e + 3*c*C*f + 2*B*d*f))*\operatorname{ArcTan}h[\operatorname{Sqrt}[b*e - a*f]*\operatorname{Sqrt}[c + d*x])]/(\operatorname{Sqrt}[b*c - a*d]*\operatorname{Sqrt}[e + f*x]))/(b^3*\operatorname{Sqrt}[b*c - a*d]*(b*e - a*f)^{(3/2)})$

**Rule 63**

`Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]`

**Rule 93**

`Int[(((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]`

**Rule 154**

`Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[(h*(a + b*x)^m*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(m + n + p + 2)), x] + Dist[1/(d*f*(m + n + p + 2)), Int[(a + b*x)^(m - 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*g*(m + n +`

$p + 2) - h*(b*c*e*m + a*(d*e*(n + 1) + c*f*(p + 1))) + (b*d*f*g*(m + n + p + 2) + h*(a*d*f*m - b*(d*e*(m + n + 1) + c*f*(m + p + 1))))*x, x], x], x] /$   
 ; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p + 2, 0] && IntegersQ[2\*m, 2\*n, 2\*p]

### Rule 157

Int[(((c\_.) + (d\_.)\*(x\_))^(n\_)\*((e\_.) + (f\_.)\*(x\_))^(p\_)\*((g\_.) + (h\_.)\*(x\_))) / ((a\_.) + (b\_.)\*(x\_)), x\_Symbol] := Dist[h/b, Int[(c + d\*x)^n\*(e + f\*x)^p, x], x] + Dist[(b\*g - a\*h)/b, Int[((c + d\*x)^n\*(e + f\*x)^p)/(a + b\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x]

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 1613

Int[(Px\_)\*((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_)\*((e\_.) + (f\_.)\*(x\_))^(p\_), x\_Symbol] := With[{Qx = PolynomialQuotient[Px, a + b\*x, x], R = PolynomialRemainder[Px, a + b\*x, x]}, Simp[(b\*R\*(a + b\*x)^(m + 1)\*(c + d\*x)^(n + 1)\*(e + f\*x)^(p + 1))/((m + 1)\*(b\*c - a\*d)\*(b\*e - a\*f)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(b\*e - a\*f)), Int[(a + b\*x)^(m + 1)\*(c + d\*x)^n\*(e + f\*x)^p\*ExpandToSum[(m + 1)\*(b\*c - a\*d)\*(b\*e - a\*f)\*Qx + a\*d\*f\*R\*(m + 1) - b\*R\*(d\*e\*(m + n + 2) + c\*f\*(m + p + 2)) - b\*d\*f\*R\*(m + n + p + 3)\*x, x], x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && PolyQ[Px, x] && ILtQ[m, -1] && IntegersQ[2\*m, 2\*n, 2\*p]

### Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{c+dx} (A+Bx+Cx^2)}{(a+bx)^2 \sqrt{e+fx}} dx &= -\frac{(Ab^2 - a(bB - aC))(c+dx)^{3/2} \sqrt{e+fx}}{b(bc-ad)(be-af)(a+bx)} - \int \frac{\sqrt{c+dx} \left( -\frac{a^2C(3de+cf)+b^2(2Bce+Ade-Acf)-ab}{2b} \right)}{b(bc-ad)(be-af)(a+bx)} dx \\
&= \frac{(2a^2Cdf + b^2(cCe + Adf) - ab(Cde + cCf + Bdf)) \sqrt{c+dx} \sqrt{e+fx}}{b^2(bc-ad)f(be-af)} - \frac{(Ab^2)}{b^2(bc-ad)f(be-af)} \\
&= \frac{(2a^2Cdf + b^2(cCe + Adf) - ab(Cde + cCf + Bdf)) \sqrt{c+dx} \sqrt{e+fx}}{b^2(bc-ad)f(be-af)} - \frac{(Ab^2)}{b^2(bc-ad)f(be-af)} \\
&= \frac{(2a^2Cdf + b^2(cCe + Adf) - ab(Cde + cCf + Bdf)) \sqrt{c+dx} \sqrt{e+fx}}{b^2(bc-ad)f(be-af)} - \frac{(Ab^2)}{b^2(bc-ad)f(be-af)} \\
&= \frac{(2a^2Cdf + b^2(cCe + Adf) - ab(Cde + cCf + Bdf)) \sqrt{c+dx} \sqrt{e+fx}}{b^2(bc-ad)f(be-af)} - \frac{(Ab^2)}{b^2(bc-ad)f(be-af)} \\
&= \frac{(2a^2Cdf + b^2(cCe + Adf) - ab(Cde + cCf + Bdf)) \sqrt{c+dx} \sqrt{e+fx}}{b^2(bc-ad)f(be-af)} - \frac{(Ab^2)}{b^2(bc-ad)f(be-af)}
\end{aligned}$$

**Mathematica [A]** time = 2.40, size = 417, normalized size = 1.15

$$\frac{-\frac{2b\sqrt{c+dx} \sqrt{e+fx} (a(aC-bB)+Ab^2)}{(a+bx)(be-af)} + \frac{2b(cf-de)(a(aC-bB)+Ab^2) \tanh^{-1}\left(\frac{\sqrt{c+dx} \sqrt{af-be}}{\sqrt{e+fx} \sqrt{ad-bc}}\right)}{\sqrt{ad-bc} (af-be)^{3/2}} + \frac{4(bB-2aC)\sqrt{de-cf} \sqrt{\frac{d(e+fx)}{de-cf}} \sinh^{-1}\left(\frac{\sqrt{f} \sqrt{c+dx}}{\sqrt{de-cf}}\right)}{\sqrt{f} \sqrt{e+fx}}}{2b^3}$$

Antiderivative was successfully verified.

```

[In] Integrate[(Sqrt[c + d*x]*(A + B*x + C*x^2))/((a + b*x)^2*Sqrt[e + f*x]),x]
[Out] ((-2*b*(A*b^2 + a*(-(b*B) + a*C))*Sqrt[c + d*x]*Sqrt[e + f*x])/((b*e - a*f)
*(a + b*x)) + (4*(b*B - 2*a*C)*Sqrt[d*e - c*f]*Sqrt[(d*(e + f*x))/(d*e - c*
f)]*ArcSinh[(Sqrt[f]*Sqrt[c + d*x])/Sqrt[d*e - c*f]])/(Sqrt[f]*Sqrt[e + f*x
]) + (2*b*C*Sqrt[e + f*x]*(Sqrt[f]*Sqrt[c + d*x] - (Sqrt[d*e - c*f]*ArcSinh
[(Sqrt[f]*Sqrt[c + d*x])/Sqrt[d*e - c*f]])/Sqrt[(d*(e + f*x))/(d*e - c*f]
))/f^(3/2) - (4*(b*B - 2*a*C)*Sqrt[-(b*c) + a*d]*ArcTanh[(Sqrt[-(b*e) + a*f]
*Sqrt[c + d*x])/((Sqrt[-(b*c) + a*d]*Sqrt[e + f*x])]/Sqrt[-(b*e) + a*f] + (
2*b*(A*b^2 + a*(-(b*B) + a*C))*(-(d*e) + c*f)*ArcTanh[(Sqrt[-(b*e) + a*f]*S
qrt[c + d*x])/((Sqrt[-(b*c) + a*d]*Sqrt[e + f*x])]/Sqrt[-(b*c) + a*d]*(-(b
*e) + a*f)^(3/2)))/(2*b^3)

```

**fricas [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)/(b*x+a)^2/(f*x+e)^(1/2),x, algorithm=
"fricas")

```

[Out] Timed out

**giac [B]** time = 10.82, size = 1388, normalized size = 3.81

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(d\*x+c)^(1/2)/(b\*x+a)^2/(f\*x+e)^(1/2),x, algorithm="giac")

[Out] (3\*sqrt(d\*f)\*C\*a^2\*b\*c\*d^2\*f - sqrt(d\*f)\*B\*a\*b^2\*c\*d^2\*f - sqrt(d\*f)\*A\*b^3\*c\*d^2\*f - 4\*sqrt(d\*f)\*C\*a^3\*d^3\*f + 2\*sqrt(d\*f)\*B\*a^2\*b\*d^3\*f - 4\*sqrt(d\*f)\*C\*a\*b^2\*c\*d^2\*e + 2\*sqrt(d\*f)\*B\*b^3\*c\*d^2\*e + 5\*sqrt(d\*f)\*C\*a^2\*b\*d^3\*e - 3\*sqrt(d\*f)\*B\*a\*b^2\*d^3\*e + sqrt(d\*f)\*A\*b^3\*d^3\*e)\*arctan(-1/2\*(b\*c\*d\*f - 2\*a\*d^2\*f + b\*d^2\*e - (sqrt(d\*f)\*sqrt(d\*x + c) - sqrt((d\*x + c)\*d\*f - c\*d\*f + d^2\*e))^2\*b)/(sqrt(a\*b\*c\*d\*f^2 - a^2\*d^2\*f^2 - b^2\*c\*d\*f\*e + a\*b\*d^2\*f\*e)\*d)/(sqrt(a\*b\*c\*d\*f^2 - a^2\*d^2\*f^2 - b^2\*c\*d\*f\*e + a\*b\*d^2\*f\*e)\*(a\*b^3\*f\*abs(d) - b^4\*abs(d)\*e)\*d) + 2\*(sqrt(d\*f)\*C\*a^2\*b\*c^2\*d^3\*f^2 - sqrt(d\*f)\*B\*a\*b^2\*c^2\*d^3\*f^2 + sqrt(d\*f)\*A\*b^3\*c^2\*d^3\*f^2 - 2\*sqrt(d\*f)\*C\*a^2\*b\*c\*d^4\*f\*e + 2\*sqrt(d\*f)\*B\*a\*b^2\*c\*d^4\*f\*e - 2\*sqrt(d\*f)\*A\*b^3\*c\*d^4\*f\*e - sqrt(d\*f)\*(sqrt(d\*f)\*sqrt(d\*x + c) - sqrt((d\*x + c)\*d\*f - c\*d\*f + d^2\*e))^2\*C\*a^2\*b\*c\*d^2\*f + sqrt(d\*f)\*(sqrt(d\*f)\*sqrt(d\*x + c) - sqrt((d\*x + c)\*d\*f - c\*d\*f + d^2\*e))^2\*B\*a\*b^2\*c\*d^2\*f - sqrt(d\*f)\*(sqrt(d\*f)\*sqrt(d\*x + c) - sqrt((d\*x + c)\*d\*f - c\*d\*f + d^2\*e))^2\*A\*b^3\*c\*d^2\*f + 2\*sqrt(d\*f)\*(sqrt(d\*f)\*sqrt(d\*x + c) - sqrt((d\*x + c)\*d\*f - c\*d\*f + d^2\*e))^2\*C\*a^3\*d^3\*f - 2\*sqrt(d\*f)\*(sqrt(d\*f)\*sqrt(d\*x + c) - sqrt((d\*x + c)\*d\*f - c\*d\*f + d^2\*e))^2\*B\*a^2\*b\*d^3\*f + 2\*sqrt(d\*f)\*(sqrt(d\*f)\*sqrt(d\*x + c) - sqrt((d\*x + c)\*d\*f - c\*d\*f + d^2\*e))^2\*A\*a\*b^2\*d^3\*f + sqrt(d\*f)\*C\*a^2\*b\*d^5\*e^2 - sqrt(d\*f)\*B\*a\*b^2\*d^5\*e^2 + sqrt(d\*f)\*A\*b^3\*d^5\*e^2 - sqrt(d\*f)\*(sqrt(d\*f)\*sqrt(d\*x + c) - sqrt((d\*x + c)\*d\*f - c\*d\*f + d^2\*e))^2\*C\*a^2\*b\*d^3\*e + sqrt(d\*f)\*(sqrt(d\*f)\*sqrt(d\*x + c) - sqrt((d\*x + c)\*d\*f - c\*d\*f + d^2\*e))^2\*B\*a\*b^2\*d^3\*e - sqrt(d\*f)\*(sqrt(d\*f)\*sqrt(d\*x + c) - sqrt((d\*x + c)\*d\*f - c\*d\*f + d^2\*e))^2\*A\*b^3\*d^3\*e)/(b\*c^2\*d^2\*f^2 - 2\*b\*c\*d^3\*f\*e - 2\*(sqrt(d\*f)\*sqrt(d\*x + c) - sqrt((d\*x + c)\*d\*f - c\*d\*f + d^2\*e))^2\*b\*c\*d\*f + 4\*(sqrt(d\*f)\*sqrt(d\*x + c) - sqrt((d\*x + c)\*d\*f - c\*d\*f + d^2\*e))^2\*a\*d^2\*f + b\*d^4\*e^2 - 2\*(sqrt(d\*f)\*sqrt(d\*x + c) - sqrt((d\*x + c)\*d\*f - c\*d\*f + d^2\*e))^2\*b\*d^2\*e + (sqrt(d\*f)\*sqrt(d\*x + c) - sqrt((d\*x + c)\*d\*f - c\*d\*f + d^2\*e))^4\*b)\*(a\*b^3\*f\*abs(d) - b^4\*abs(d)\*e) + sqrt((d\*x + c)\*d\*f - c\*d\*f + d^2\*e)\*sqrt(d\*x + c)\*C\*abs(d)/(b^2\*d^2\*f) - 1/2\*(sqrt(d\*f)\*C\*b\*c\*f - 4\*sqrt(d\*f)\*C\*a\*d\*f + 2\*sqrt(d\*f)\*B\*b\*d\*f - sqrt(d\*f)\*C\*b\*d\*e)\*log((sqrt(d\*f)\*sqrt(d\*x + c) - sqrt((d\*x + c)\*d\*f - c\*d\*f + d^2\*e))^2)/(b^3\*f^2\*abs(d))

**maple [B]** time = 0.05, size = 3670, normalized size = 10.08

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C\*x^2+B\*x+A)\*(d\*x+c)^(1/2)/(b\*x+a)^2/(f\*x+e)^(1/2),x)

[Out] -1/2\*(d\*x+c)^(1/2)\*(f\*x+e)^(1/2)\*(-2\*A\*b^4\*f\*((a^2\*d\*f-a\*b\*c\*f-a\*b\*d\*e+b^2\*c\*e)/b^2)^(1/2)\*((d\*x+c)\*(f\*x+e))^(1/2)\*(d\*f)^(1/2)+4\*C\*ln((-2\*a\*d\*f\*x+b\*c\*f\*x+b\*d\*e\*x-a\*c\*f-a\*d\*e+2\*b\*c\*e+2\*((a^2\*d\*f-a\*b\*c\*f-a\*b\*d\*e+b^2\*c\*e)/b^2)^(1/2)\*((d\*x+c)\*(f\*x+e))^(1/2)\*b)/(b\*x+a))\*a^4\*d\*f^2\*(d\*f)^(1/2)+B\*ln((-2\*a\*d\*f\*x+b\*c\*f\*x+b\*d\*e\*x-a\*c\*f-a\*d\*e+2\*b\*c\*e+2\*((a^2\*d\*f-a\*b\*c\*f-a\*b\*d\*e+b^2\*c\*e)/b^2)^(1/2)\*((d\*x+c)\*(f\*x+e))^(1/2)\*b)/(b\*x+a))\*a^2\*b^2\*c\*f^2\*(d\*f)^(1/2)-2\*B\*ln(1/2\*(2\*d\*f\*x+c\*f+d\*e+2\*((d\*x+c)\*(f\*x+e))^(1/2)\*(d\*f)^(1/2))/(d\*f)^(1/2))\*a^2\*b^2\*d\*f^2\*((a^2\*d\*f-a\*b\*c\*f-a\*b\*d\*e+b^2\*c\*e)/b^2)^(1/2)-3\*C\*ln((-2\*a\*d\*f\*x+b\*c\*f\*x+b\*d\*e\*x-a\*c\*f-a\*d\*e+2\*b\*c\*e+2\*((a^2\*d\*f-a\*b\*c\*f-a\*b\*d\*e+b^2\*c\*e)/b^2)^(1/2)\*((d\*x+c)\*(f\*x+e))^(1/2)\*b)/(b\*x+a))\*a^3\*b\*c\*f^2\*(d\*f)^(1/2)+4\*C\*ln(1/2\*(2\*d\*f\*x+c\*f+d\*e+2\*((d\*x+c)\*(f\*x+e))^(1/2)\*(d\*f)^(1/2))/(d\*f)^(1/2))\*a^3\*b\*d\*f^2\*((a^2\*d\*f-a\*b\*c\*f-a\*b\*d\*e+b^2\*c\*e)/b^2)^(1/2)-C\*ln(1/2

$$\begin{aligned}
& * (2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)})/(d*f)^{(1/2)} * a^2*b \\
& ^2*c*f^2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)} - C*\ln(1/2*(2*d*f*x+c* \\
& f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)})/(d*f)^{(1/2)}) * a*b^3*d*e^2*((a^2 \\
& *d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)} + 2*B*a*b^3*f*((a^2*d*f-a*b*c*f-a*b* \\
& d*e+b^2*c*e)/b^2)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)} + 2*C*x*b^4*e*((a \\
& ^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1 \\
& /2)} - 4*C*a^2*b^2*f*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)}*((d*x+c)*(f \\
& *x+e))^{(1/2)}*(d*f)^{(1/2)} + 2*C*a*b^3*e*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2 \\
& )^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)} + A*\ln((-2*a*d*f*x+b*c*f*x+b*d*e* \\
& x-a*c*f-a*d*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)}*((d*x \\
& +c)*(f*x+e))^{(1/2)}*b)/(b*x+a)) * x*b^4*c*f^2*(d*f)^{(1/2)} - C*\ln(1/2*(2*d*f*x+c* \\
& f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)})/(d*f)^{(1/2)}) * x*b^4*d*e^2*((a^2 \\
& *d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)} + A*\ln((-2*a*d*f*x+b*c*f*x+b*d*e*x-a \\
& *c*f-a*d*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)}*((d*x+c) \\
& *(f*x+e))^{(1/2)}*b)/(b*x+a)) * a*b^3*c*f^2*(d*f)^{(1/2)} - 2*B*\ln((-2*a*d*f*x+b*c* \\
& f*x+b*d*e*x-a*c*f-a*d*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1 \\
& /2)}*((d*x+c)*(f*x+e))^{(1/2)}*b)/(b*x+a)) * a^3*b*d*f^2*(d*f)^{(1/2)} - 2*B*\ln((-2 \\
& *a*d*f*x+b*c*f*x+b*d*e*x-a*c*f-a*d*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^ \\
& 2*c*e)/b^2)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b)/(b*x+a)) * x*b^4*c*e*f*(d*f)^{(1/ \\
& 2)} + 4*C*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)})/(d*f) \\
& ^{(1/2)}) * x*a^2*b^2*d*f^2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)} - C*\ln( \\
& 1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)})/(d*f)^{(1/2)}) * x* \\
& a*b^3*c*f^2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)} + C*\ln(1/2*(2*d*f*x \\
& +c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)})/(d*f)^{(1/2)}) * x*b^4*c*e*f*(( \\
& a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)} - A*\ln((-2*a*d*f*x+b*c*f*x+b*d*e* \\
& x-a*c*f-a*d*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)}*((d*x \\
& +c)*(f*x+e))^{(1/2)}*b)/(b*x+a)) * a*b^3*d*e*f*(d*f)^{(1/2)} + 3*B*\ln((-2*a*d*f*x+b \\
& *c*f*x+b*d*e*x-a*c*f-a*d*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2 \\
& )^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b)/(b*x+a)) * a^2*b^2*d*e*f*(d*f)^{(1/2)} - 2*B* \\
& \ln((-2*a*d*f*x+b*c*f*x+b*d*e*x-a*c*f-a*d*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b*d \\
& *e+b^2*c*e)/b^2)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b)/(b*x+a)) * a*b^3*c*e*f*(d*f \\
& )^{(1/2)} + 2*B*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)})/ \\
& (d*f)^{(1/2)}) * a*b^3*d*e*f*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)} - 5*C* \\
& \ln((-2*a*d*f*x+b*c*f*x+b*d*e*x-a*c*f-a*d*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b* \\
& d*e+b^2*c*e)/b^2)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b)/(b*x+a)) * a^3*b*d*e*f*(d* \\
& f)^{(1/2)} + 4*C*\ln((-2*a*d*f*x+b*c*f*x+b*d*e*x-a*c*f-a*d*e+2*b*c*e+2*((a^2*d*f \\
& -a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b)/(b*x+a)) * a^ \\
& 2*b^2*c*e*f*(d*f)^{(1/2)} - 3*C*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/ \\
& 2)}*(d*f)^{(1/2)})/(d*f)^{(1/2)}) * a^2*b^2*d*e*f*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c* \\
& e)/b^2)^{(1/2)} + C*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/ \\
& 2)})/(d*f)^{(1/2)}) * a*b^3*c*e*f*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)} - \\
& 2*C*x*a*b^3*f*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)}*((d*x+c)*(f*x+e \\
& ))^{(1/2)}*(d*f)^{(1/2)} - A*\ln((-2*a*d*f*x+b*c*f*x+b*d*e*x-a*c*f-a*d*e+2*b*c*e+2 \\
& *((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b)/( \\
& b*x+a)) * x*b^4*d*e*f*(d*f)^{(1/2)} - 2*B*\ln((-2*a*d*f*x+b*c*f*x+b*d*e*x-a*c*f-a* \\
& d*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)}*((d*x+c)*(f*x+e \\
& ))^{(1/2)}*b)/(b*x+a)) * x*a^2*b^2*d*f^2*(d*f)^{(1/2)} + B*\ln((-2*a*d*f*x+b*c*f*x+b \\
& *d*e*x-a*c*f-a*d*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)}* \\
& ((d*x+c)*(f*x+e))^{(1/2)}*b)/(b*x+a)) * x*a*b^3*c*f^2*(d*f)^{(1/2)} - 2*B*\ln(1/2*(2 \\
& *d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)})/(d*f)^{(1/2)}) * x*a*b^3* \\
& d*f^2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)} + 2*B*\ln(1/2*(2*d*f*x+c*f \\
& +d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)})/(d*f)^{(1/2)}) * x*b^4*d*e*f*((a^2* \\
& d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)} + 4*C*\ln((-2*a*d*f*x+b*c*f*x+b*d*e*x- \\
& a*c*f-a*d*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)}*((d*x+c \\
& )*(f*x+e))^{(1/2)}*b)/(b*x+a)) * x*a^3*b*d*f^2*(d*f)^{(1/2)} - 3*C*\ln((-2*a*d*f*x+b \\
& *c*f*x+b*d*e*x-a*c*f-a*d*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2 \\
& )^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b)/(b*x+a)) * x*a^2*b^2*c*f^2*(d*f)^{(1/2)} + 3*B \\
& *\ln((-2*a*d*f*x+b*c*f*x+b*d*e*x-a*c*f-a*d*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b \\
& *d*e+b^2*c*e)/b^2)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b)/(b*x+a)) * x*a*b^3*d*e*f*
\end{aligned}$$



$$(d*f)^{(1/2)} - 5*C*\ln\left(\frac{-2*a*d*f*x + b*c*f*x + b*d*e*x - a*c*f - a*d*e + 2*b*c*e + 2*((a^2*d*f - a*b*c*f - a*b*d*e + b^2*c*e)/b^2)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b}{(b*x+a)}\right) * x*a^2*b^2*d*e*f*(d*f)^{(1/2)} + 4*C*\ln\left(\frac{-2*a*d*f*x + b*c*f*x + b*d*e*x - a*c*f - a*d*e + 2*b*c*e + 2*((a^2*d*f - a*b*c*f - a*b*d*e + b^2*c*e)/b^2)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b}{(b*x+a)}\right) * x*a*b^3*c*e*f*(d*f)^{(1/2)} - 3*C*\ln\left(\frac{1/2*(2*d*f*x + c*f + d*e + 2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)})}{(d*f)^{(1/2)}}\right) * x*a*b^3*d*e*f*((a^2*d*f - a*b*c*f - a*b*d*e + b^2*c*e)/b^2)^{(1/2)} / ((d*x+c)*(f*x+e))^{(1/2)} / (a*f - b*e) / (b*x+a) / (d*f)^{(1/2)} / ((a^2*d*f - a*b*c*f - a*b*d*e + b^2*c*e)/b^2)^{(1/2)} / f/b^4$$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(d\*x+c)^(1/2)/(b\*x+a)^2/(f\*x+e)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(((-(2\*a\*d\*f)/b^2)>0)', see `assume?` for more details)Is ((-(2\*a\*d\*f)/b^2) + (c\*f)/b + (d\*e)/b)^2 - (4\*d\*f\*((a^2\*d\*f)/b^2 - (a\*c\*f)/b - (a\*d\*e)/b + c\*e)) / b^2 zero or nonzero?

**mupad** [F(-1)] time = 0.00, size = -1, normalized size = -0.00

Hanged

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((c + d\*x)^(1/2)\*(A + B\*x + C\*x^2))/((e + f\*x)^(1/2)\*(a + b\*x)^2),x)

[Out] \text{Hanged}

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x\*\*2+B\*x+A)\*(d\*x+c)\*\*(1/2)/(b\*x+a)\*\*2/(f\*x+e)\*\*(1/2),x)

[Out] Timed out

**3.52** 
$$\int \frac{\sqrt{c+dx}(A+Bx+Cx^2)}{(a+bx)^3\sqrt{e+fx}} dx$$

**Optimal.** Leaf size=484

$$\frac{\sqrt{c+dx}\sqrt{e+fx}\left(4a^3Cdf - a^2bC(5cf + 7de) + ab^2(-4Adf + Bcf + 3Bde + 8cCe) - b^3(-3Acf - Ade + 4Bce)\right)}{4b^2(a+bx)(bc-ad)(be-af)^2}$$

[Out]  $-1/4*(8*a^4*C*d^2*f^2-4*a^3*b*C*d*f*(3*c*f+5*d*e)+3*a^2*b^2*C*(c^2*f^2+10*c*d*e*f+5*d^2*e^2)-a*b^3*(d^2*e*(-4*A*f+3*B*e)+c^2*f*(-B*f+8*C*e)+2*c*d*(2*A*f^2-B*e*f+12*C*e^2))-b^4*(A*d^2*e^2-2*c*d*e*(-A*f+2*B*e)-c^2*(3*A*f^2-4*B*e*f+8*C*e^2))$   
 $*\operatorname{arctanh}((-a*f+b*e)^{(1/2)}*(d*x+c)^{(1/2)}/(-a*d+b*c)^{(1/2)}/(f*x+e)^{(1/2)})/b^3/(-a*d+b*c)^{(3/2)}/(-a*f+b*e)^{(5/2)+2*C*\operatorname{arctanh}(f^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)}/(f*x+e)^{(1/2)})*d^{(1/2)}/b^3/f^{(1/2)}-1/2*(A*b^2-a*(B*b-C*a))*$   
 $(d*x+c)^{(3/2)}*(f*x+e)^{(1/2)}/b/(-a*d+b*c)/(-a*f+b*e)/(b*x+a)^2+1/4*(4*a^3*C*d*f-a^2*b*C*(5*c*f+7*d*e)-b^3*(-3*A*c*f-A*d*e+4*B*c*e)+a*b^2*(-4*A*d*f+B*c*f+3*B*d*e+8*C*c*e))*$   
 $(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/b^2/(-a*d+b*c)/(-a*f+b*e)^2/(b*x+a)$

**Rubi [A]** time = 1.56, antiderivative size = 484, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 36,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {1613, 149, 157, 63, 217, 206, 93, 208}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{c+dx}\sqrt{be-af}}{\sqrt{e+fx}\sqrt{bc-ad}}\right)\left(3a^2b^2C(c^2f^2 + 10cdef + 5d^2e^2) - 4a^3bCdf(3cf + 5de) + 8a^4Cd^2f^2 - ab^3(2cd(2Af^2 - 4b^3(bc - a$$

Antiderivative was successfully verified.

[In] `Int[(Sqrt[c + d*x]*(A + B*x + C*x^2))/((a + b*x)^3*Sqrt[e + f*x]),x]`

[Out]  $((4*a^3*C*d*f - a^2*b*C*(7*d*e + 5*c*f) - b^3*(4*B*c*e - A*d*e - 3*A*c*f) + a*b^2*(8*c*C*e + 3*B*d*e + B*c*f - 4*A*d*f))*\operatorname{Sqrt}[c + d*x]*\operatorname{Sqrt}[e + f*x])/$   
 $(4*b^2*(b*c - a*d)*(b*e - a*f)^2*(a + b*x)) - ((A*b^2 - a*(b*B - a*C))*(c + d*x)^{(3/2)}*\operatorname{Sqrt}[e + f*x])/$   
 $(2*b*(b*c - a*d)*(b*e - a*f)*(a + b*x)^2) + (2*C*\operatorname{Sqrt}[d]*\operatorname{ArcTanh}[(\operatorname{Sqrt}[f]*\operatorname{Sqrt}[c + d*x])/(\operatorname{Sqrt}[d]*\operatorname{Sqrt}[e + f*x])])/$   
 $(b^3*\operatorname{Sqrt}[f]) - ((8*a^4*C*d^2*f^2 - 4*a^3*b*C*d*f*(5*d*e + 3*c*f) + 3*a^2*b^2*C*(5*d^2*e^2 + 10*c*d*e*f + c^2*f^2) - a*b^3*(d^2*e*(3*B*e - 4*A*f) + c^2*f*(8*C*e - B*f) + 2*c*d*(12*C*e^2 - B*e*f + 2*A*f^2)) - b^4*(A*d^2*e^2 - 2*c*d*e*(2*B*e - A*f) - c^2*(8*C*e^2 - 4*B*e*f + 3*A*f^2)))*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b*e - a*f]*\operatorname{Sqrt}[c + d*x])/(\operatorname{Sqrt}[b*c - a*d]*\operatorname{Sqrt}[e + f*x])])/$   
 $(4*b^3*(b*c - a*d)^{(3/2)}*(b*e - a*f)^{(5/2)})$

**Rule 63**

`Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]`

**Rule 93**

`Int[(((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x_)), x_Symbol] :> With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]`

Rule 149

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_)\*((e\_.) + (f\_.)\*(x\_))^(p\_)\*((g\_.) + (h\_.)\*(x\_)), x\_Symbol] := Simp[((b\*g - a\*h)\*(a + b\*x)^(m + 1)\*(c + d\*x)^n\*(e + f\*x)^(p + 1))/(b\*(b\*e - a\*f)\*(m + 1)), x] - Dist[1/(b\*(b\*e - a\*f)\*(m + 1)), Int[(a + b\*x)^(m + 1)\*(c + d\*x)^(n - 1)\*(e + f\*x)^p\*Simp[b\*c\*(f\*g - e\*h)\*(m + 1) + (b\*g - a\*h)\*(d\*e\*n + c\*f\*(p + 1)) + d\*(b\*(f\*g - e\*h)\*(m + 1) + f\*(b\*g - a\*h)\*(n + p + 1))\*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, p}, x] && LtQ[m, -1] && GtQ[n, 0] && IntegerQ[m]

Rule 157

Int((((c\_.) + (d\_.)\*(x\_))^(n\_)\*((e\_.) + (f\_.)\*(x\_))^(p\_)\*((g\_.) + (h\_.)\*(x\_)))/((a\_.) + (b\_.)\*(x\_)), x\_Symbol] := Dist[h/b, Int[(c + d\*x)^n\*(e + f\*x)^p, x], x] + Dist[(b\*g - a\*h)/b, Int[((c + d\*x)^n\*(e + f\*x)^p)/(a + b\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x]

Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 1613

Int[(Px\_)\*((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_)\*((e\_.) + (f\_.)\*(x\_))^(p\_), x\_Symbol] := With[{Qx = PolynomialQuotient[Px, a + b\*x, x], R = PolynomialRemainder[Px, a + b\*x, x]}, Simp[(b\*R\*(a + b\*x)^(m + 1)\*(c + d\*x)^(n + 1)\*(e + f\*x)^(p + 1))/((m + 1)\*(b\*c - a\*d)\*(b\*e - a\*f)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(b\*e - a\*f)), Int[(a + b\*x)^(m + 1)\*(c + d\*x)^n\*(e + f\*x)^p\*ExpandToSum[(m + 1)\*(b\*c - a\*d)\*(b\*e - a\*f)\*Qx + a\*d\*f\*R\*(m + 1) - b\*R\*(d\*e\*(m + n + 2) + c\*f\*(m + p + 2)) - b\*d\*f\*R\*(m + n + p + 3)\*x, x], x]] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && PolyQ[Px, x] && ILtQ[m, -1] && IntegersQ[2\*m, 2\*n, 2\*p]

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{c+dx} (A+Bx+Cx^2)}{(a+bx)^3 \sqrt{e+fx}} dx &= -\frac{(Ab^2 - a(bB - aC))(c+dx)^{3/2} \sqrt{e+fx}}{2b(bc-ad)(be-af)(a+bx)^2} - \int \frac{\sqrt{c+dx} \left( -\frac{a^2C(3de+cf)+b^2(4Bce-Ade-3Acf)-ab^2}{2b} \right)}{(a+bx)^2} dx \\
&= \frac{(4a^3Cdf - a^2bC(7de+5cf) - b^3(4Bce - Ade - 3Acf) + ab^2(8cCe + 3Bde + Bde))}{4b^2(bc-ad)(be-af)^2(a+bx)} \\
&= \frac{(4a^3Cdf - a^2bC(7de+5cf) - b^3(4Bce - Ade - 3Acf) + ab^2(8cCe + 3Bde + Bde))}{4b^2(bc-ad)(be-af)^2(a+bx)} \\
&= \frac{(4a^3Cdf - a^2bC(7de+5cf) - b^3(4Bce - Ade - 3Acf) + ab^2(8cCe + 3Bde + Bde))}{4b^2(bc-ad)(be-af)^2(a+bx)} \\
&= \frac{(4a^3Cdf - a^2bC(7de+5cf) - b^3(4Bce - Ade - 3Acf) + ab^2(8cCe + 3Bde + Bde))}{4b^2(bc-ad)(be-af)^2(a+bx)} \\
&= \frac{(4a^3Cdf - a^2bC(7de+5cf) - b^3(4Bce - Ade - 3Acf) + ab^2(8cCe + 3Bde + Bde))}{4b^2(bc-ad)(be-af)^2(a+bx)}
\end{aligned}$$

**Mathematica [A]** time = 5.67, size = 523, normalized size = 1.08

$$\frac{2b^2(c+dx)^{3/2} \sqrt{e+fx} (a(aC-bB)+Ab^2)}{(a+bx)^2(bc-ad)(be-af)} + \frac{b(a(aC-bB)+Ab^2)(-4adf+3bcf+bde) \left( \sqrt{c+dx} \sqrt{e+fx} \sqrt{ad-bc} \sqrt{af-be} - (a+bx)(de-cf) \tanh^{-1} \left( \frac{\sqrt{c+dx} \sqrt{af}}{\sqrt{e+fx} \sqrt{ad}} \right) \right)}{(a+bx)(ad-bc)^{3/2}(af-be)^{5/2}}$$

Antiderivative was successfully verified.

```

[In] Integrate[(Sqrt[c + d*x]*(A + B*x + C*x^2))/((a + b*x)^3*Sqrt[e + f*x]),x]
[Out] -1/4*((4*b*(b*B - 2*a*C)*Sqrt[c + d*x]*Sqrt[e + f*x])/((b*e - a*f)*(a + b*x)) + (2*b^2*(A*b^2 + a*(-(b*B) + a*C))*(c + d*x)^(3/2)*Sqrt[e + f*x])/((b*c - a*d)*(b*e - a*f)*(a + b*x)^2) - (8*C*Sqrt[d*e - c*f]*Sqrt[(d*(e + f*x))/(d*e - c*f)]*ArcSinh[(Sqrt[f]*Sqrt[c + d*x])/Sqrt[d*e - c*f]])/(Sqrt[f]*Sqrt[e + f*x]) + (8*C*Sqrt[-(b*c) + a*d]*ArcTanh[(Sqrt[-(b*e) + a*f]*Sqrt[c + d*x])/((Sqrt[-(b*c) + a*d]*Sqrt[e + f*x])]/Sqrt[-(b*e) + a*f] - (4*b*(b*B - 2*a*C)*(-(d*e) + c*f)*ArcTanh[(Sqrt[-(b*e) + a*f]*Sqrt[c + d*x])/((Sqrt[-(b*c) + a*d]*Sqrt[e + f*x])]/Sqrt[-(b*e) + a*f])])/(Sqrt[-(b*c) + a*d]*(-(b*e) + a*f)^(3/2)) + (b*(A*b^2 + a*(-(b*B) + a*C))*(b*d*e + 3*b*c*f - 4*a*d*f)*(Sqrt[-(b*c) + a*d]*Sqrt[-(b*e) + a*f]*Sqrt[c + d*x]*Sqrt[e + f*x] - (d*e - c*f)*(a + b*x)*ArcTanh[(Sqrt[-(b*e) + a*f]*Sqrt[c + d*x])/((Sqrt[-(b*c) + a*d]*Sqrt[e + f*x])]/Sqrt[-(b*e) + a*f])])/((-(b*c) + a*d)^(3/2)*(-(b*e) + a*f)^(5/2)*(a + b*x)))/b^3

```

**fricas [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)/(b*x+a)^3/(f*x+e)^(1/2),x, algorithm="fricas")

```

[Out] Timed out

giac [B] time = 134.87, size = 8004, normalized size = 16.54

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(d\*x+c)^(1/2)/(b\*x+a)^3/(f\*x+e)^(1/2),x, algorithm="giac")

[Out] 
$$-1/4*(3*\sqrt{d*f}*C*a^2*b^2*c^2*d^2*f^2 + \sqrt{d*f}*B*a*b^3*c^2*d^2*f^2 + 3*\sqrt{d*f}*A*b^4*c^2*d^2*f^2 - 12*\sqrt{d*f}*C*a^3*b*c*d^3*f^2 - 4*\sqrt{d*f}*A*a*b^3*c*d^3*f^2 + 8*\sqrt{d*f}*C*a^4*d^4*f^2 - 8*\sqrt{d*f}*C*a*b^3*c^2*d^2*f*e - 4*\sqrt{d*f}*B*b^4*c^2*d^2*f*e + 30*\sqrt{d*f}*C*a^2*b^2*c*d^3*f*e + 2*\sqrt{d*f}*B*a*b^3*c*d^3*f*e - 2*\sqrt{d*f}*A*b^4*c*d^3*f*e - 20*\sqrt{d*f}*C*a^3*b*d^4*f*e + 4*\sqrt{d*f}*A*a*b^3*d^4*f*e + 8*\sqrt{d*f}*C*b^4*c^2*d^2*e^2 - 24*\sqrt{d*f}*C*a*b^3*c*d^3*e^2 + 4*\sqrt{d*f}*B*b^4*c*d^3*e^2 + 15*\sqrt{d*f}*C*a^2*b^2*d^4*e^2 - 3*\sqrt{d*f}*B*a*b^3*d^4*e^2 - \sqrt{d*f}*A*b^4*d^4*e^2)*\arctan(-1/2*(b*c*d*f - 2*a*d^2*f + b*d^2*e - (\sqrt{d*f})*\sqrt{d*x + c}) - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})^2*b)/(\sqrt{a*b*c*d*f^2 - a^2*d^2*f^2 - b^2*c*d*f*e + a*b*d^2*f*e}*d)/((a^2*b^4*c*f^2*abs(d) - a^3*b^3*d*f^2*abs(d) - 2*a*b^5*c*f*abs(d)*e + 2*a^2*b^4*d*f*abs(d)*e + b^6*c*abs(d)*e^2 - a*b^5*d*abs(d)*e^2)*\sqrt{a*b*c*d*f^2 - a^2*d^2*f^2 - b^2*c*d*f*e + a*b*d^2*f*e}*d) - \sqrt{d*f}*C*d*\log((\sqrt{d*f})*\sqrt{d*x + c}) - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})^2/(b^3*f*abs(d)) - 1/2*(5*\sqrt{d*f}*C*a^2*b^3*c^5*d^5*f^5 - \sqrt{d*f}*B*a*b^4*c^5*d^5*f^5 - 3*\sqrt{d*f}*A*b^5*c^5*d^5*f^5 - 6*\sqrt{d*f}*C*a^3*b^2*c^4*d^6*f^5 + 2*\sqrt{d*f}*B*a^2*b^3*c^4*d^6*f^5 + 2*\sqrt{d*f}*A*a*b^4*c^4*d^6*f^5 - 8*\sqrt{d*f}*C*a*b^4*c^5*d^5*f^4*e + 4*\sqrt{d*f}*B*b^5*c^5*d^5*f^4*e - 11*\sqrt{d*f}*C*a^2*b^3*c^4*d^6*f^4*e - \sqrt{d*f}*B*a*b^4*c^4*d^6*f^4*e + 13*\sqrt{d*f}*A*b^5*c^4*d^6*f^4*e + 24*\sqrt{d*f}*C*a^3*b^2*c^3*d^7*f^4*e - 8*\sqrt{d*f}*B*a^2*b^3*c^3*d^7*f^4*e - 8*\sqrt{d*f}*A*a*b^4*c^3*d^7*f^4*e - 15*\sqrt{d*f}*(\sqrt{d*f})*\sqrt{d*x + c}) - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})^2*C*a^2*b^3*c^4*d^4*f^4 + 3*\sqrt{d*f}*(\sqrt{d*f})*\sqrt{d*x + c}) - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})^2*B*a*b^4*c^4*d^4*f^4 + 9*\sqrt{d*f}*(\sqrt{d*f})*\sqrt{d*x + c}) - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})^2*A*b^5*c^4*d^4*f^4 + 44*\sqrt{d*f}*(\sqrt{d*f})*\sqrt{d*x + c}) - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})^2*C*a^3*b^2*c^3*d^5*f^4 - 8*\sqrt{d*f}*(\sqrt{d*f})*\sqrt{d*x + c}) - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})^2*B*a^2*b^3*c^3*d^5*f^4 - 28*\sqrt{d*f}*(\sqrt{d*f})*\sqrt{d*x + c}) - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})^2*A*a*b^4*c^3*d^5*f^4 - 32*\sqrt{d*f}*(\sqrt{d*f})*\sqrt{d*x + c}) - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})^2*C*a^4*b*c^2*d^6*f^4 + 8*\sqrt{d*f}*(\sqrt{d*f})*\sqrt{d*x + c}) - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})^2*B*a^3*b^2*c^2*d^6*f^4 + 16*\sqrt{d*f}*(\sqrt{d*f})*\sqrt{d*x + c}) - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})^2*A*a^2*b^3*c^2*d^6*f^4 + 32*\sqrt{d*f}*C*a*b^4*c^4*d^6*f^3*e^2 - 16*\sqrt{d*f}*B*b^5*c^4*d^6*f^3*e^2 - 6*\sqrt{d*f}*C*a^2*b^3*c^3*d^7*f^3*e^2 + 14*\sqrt{d*f}*B*a*b^4*c^3*d^7*f^3*e^2 - 22*\sqrt{d*f}*A*b^5*c^3*d^7*f^3*e^2 - 36*\sqrt{d*f}*C*a^3*b^2*c^2*d^8*f^3*e^2 + 12*\sqrt{d*f}*B*a^2*b^3*c^2*d^8*f^3*e^2 + 12*\sqrt{d*f}*A*a*b^4*c^2*d^8*f^3*e^2 + 24*\sqrt{d*f}*(\sqrt{d*f})*\sqrt{d*x + c}) - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})^2*C*a*b^4*c^4*d^4*f^3*e - 12*\sqrt{d*f}*(\sqrt{d*f})*\sqrt{d*x + c}) - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})^2*B*b^5*c^4*d^4*f^3*e - 56*\sqrt{d*f}*(\sqrt{d*f})*\sqrt{d*x + c}) - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})^2*C*a^2*b^3*c^3*d^5*f^3*e + 32*\sqrt{d*f}*(\sqrt{d*f})*\sqrt{d*x + c}) - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})^2*B*a*b^4*c^3*d^5*f^3*e - 8*\sqrt{d*f}*(\sqrt{d*f})*\sqrt{d*x + c}) - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})^2*A*b^5*c^3*d^5*f^3*e - 20*\sqrt{d*f}*(\sqrt{d*f})*\sqrt{d*x + c}) - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})^2*C*a^3*b^2*c^2*d^6*f^3*e - 16*\sqrt{d*f}*(\sqrt{d*f})*\sqrt{d*x + c}) - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})^2*B*a^2*b^3*c^2*d^6*f^3*e + 52*\sqrt{d*f}*(\sqrt{d*f})*\sqrt{d*x + c}) - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})^2*A*a*b^4*c^2*d^6*f^3*e + 64*\sqrt{d*f}*(\sqrt{d*f})*\sqrt{d*x + c}) - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})^2*C*a^4*b*c*d^7*f^3*e - 16*\sqrt{d*f}*(\sqrt{d*f})*\sqrt{d*x + c}) - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})^2*B*a^3$$

$$\begin{aligned}
& *b^2*c*d^7*f^3*e - 32*\sqrt{d*f}*(\sqrt{d*f}*\sqrt{d*x + c}) - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)}^2*A*a^2*b^3*c*d^7*f^3*e + 15*\sqrt{d*f}*(\sqrt{d*f}*\sqrt{d*x + c} - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})^4*C*a^2*b^3*c^3*d^3*f^3 - \\
& 3*\sqrt{d*f}*(\sqrt{d*f}*\sqrt{d*x + c}) - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})^4*B*a*b^4*c^3*d^3*f^3 - 9*\sqrt{d*f}*(\sqrt{d*f}*\sqrt{d*x + c}) - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})^4*A*b^5*c^3*d^3*f^3 - 58*\sqrt{d*f}*(\sqrt{d*f}*\sqrt{d*x + c}) - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})^4*C*a^3*b^2*c^2*d^4*f^3 + \\
& 14*\sqrt{d*f}*(\sqrt{d*f}*\sqrt{d*x + c}) - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})^4*B*a^2*b^3*c^2*d^4*f^3 + 30*\sqrt{d*f}*(\sqrt{d*f}*\sqrt{d*x + c}) - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})^4*A*a*b^4*c^2*d^4*f^3 + 88*\sqrt{d*f}*(\sqrt{d*f}*\sqrt{d*x + c}) - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})^4*C*a^4*b*c*d^5*f^3 - \\
& 24*\sqrt{d*f}*(\sqrt{d*f}*\sqrt{d*x + c}) - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})^4*B*a^3*b^2*c*d^5*f^3 - 40*\sqrt{d*f}*(\sqrt{d*f}*\sqrt{d*x + c}) - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})^4*A*a^2*b^3*c*d^5*f^3 - 48*\sqrt{d*f}*(\sqrt{d*f}*\sqrt{d*x + c}) - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})^4*C*a^5*d^6*f^3 + \\
& 16*\sqrt{d*f}*(\sqrt{d*f}*\sqrt{d*x + c}) - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})^4*B*a^4*b*d^6*f^3 + 16*\sqrt{d*f}*(\sqrt{d*f}*\sqrt{d*x + c}) - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})^4*A*a^3*b^2*d^6*f^3 - 48*\sqrt{d*f}*C*a*b^4*c^3*d^7*f^2*e^3 + \\
& 24*\sqrt{d*f}*B*b^5*c^3*d^7*f^2*e^3 + 34*\sqrt{d*f}*C*a^2*b^3*c^2*d^8*f^2*e^3 - 26*\sqrt{d*f}*B*a*b^4*c^2*d^8*f^2*e^3 + 18*\sqrt{d*f}*A*b^5*c^2*d^8*f^2*e^3 + 24*\sqrt{d*f}*C*a^3*b^2*c*d^9*f^2*e^3 - 8*\sqrt{d*f}*B*a^2*b^3*c*d^9*f^2*e^3 - \\
& 8*\sqrt{d*f}*A*a*b^4*c*d^9*f^2*e^3 - 24*\sqrt{d*f}*(\sqrt{d*f}*\sqrt{d*x + c}) - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})^2*C*a*b^4*c^3*d^5*f^2*e^2 + 12*\sqrt{d*f}*(\sqrt{d*f}*\sqrt{d*x + c}) - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})^2*B*b^5*c^3*d^5*f^2*e^2 + 130*\sqrt{d*f}*(\sqrt{d*f}*\sqrt{d*x + c}) - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})^2*C*a^2*b^3*c^2*d^6*f^2*e^2 - 58*\sqrt{d*f}*(\sqrt{d*f}*\sqrt{d*x + c}) - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})^2*B*a*b^4*c^2*d^6*f^2*e^2 - 14*\sqrt{d*f}*(\sqrt{d*f}*\sqrt{d*x + c}) - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})^2*A*b^5*c^2*d^6*f^2*e^2 - 92*\sqrt{d*f}*(\sqrt{d*f}*\sqrt{d*x + c}) - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})^2*C*a^3*b^2*c*d^7*f^2*e^2 + 56*\sqrt{d*f}*(\sqrt{d*f}*\sqrt{d*x + c}) - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})^2*B*a^2*b^3*c*d^7*f^2*e^2 - 20*\sqrt{d*f}*(\sqrt{d*f}*\sqrt{d*x + c}) - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})^2*A*a*b^4*c*d^7*f^2*e^2 - 32*\sqrt{d*f}*(\sqrt{d*f}*\sqrt{d*x + c}) - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})^2*C*a^4*b*d^8*f^2*e^2 + 8*\sqrt{d*f}*(\sqrt{d*f}*\sqrt{d*x + c}) - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})^2*B*a^3*b^2*d^8*f^2*e^2 + 16*\sqrt{d*f}*(\sqrt{d*f}*\sqrt{d*x + c}) - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})^2*A*a^2*b^3*d^8*f^2*e^2 - 24*\sqrt{d*f}*(\sqrt{d*f}*\sqrt{d*x + c}) - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})^4*C*a*b^4*c^3*d^3*f^2*e + 12*\sqrt{d*f}*(\sqrt{d*f}*\sqrt{d*x + c}) - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})^4*B*b^5*c^3*d^3*f^2*e + 101*\sqrt{d*f}*(\sqrt{d*f}*\sqrt{d*x + c}) - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})^4*C*a^2*b^3*c^2*d^4*f^2*e - 49*\sqrt{d*f}*(\sqrt{d*f}*\sqrt{d*x + c}) - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})^4*B*a*b^4*c^2*d^4*f^2*e - 3*\sqrt{d*f}*(\sqrt{d*f}*\sqrt{d*x + c}) - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})^4*A*b^5*c^2*d^4*f^2*e - 188*\sqrt{d*f}*(\sqrt{d*f}*\sqrt{d*x + c}) - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})^4*C*a^3*b^2*c*d^5*f^2*e + 84*\sqrt{d*f}*(\sqrt{d*f}*\sqrt{d*x + c}) - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})^4*B*a^2*b^3*c*d^5*f^2*e + 20*\sqrt{d*f}*(\sqrt{d*f}*\sqrt{d*x + c}) - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})^4*A*a*b^4*c*d^5*f^2*e + 120*\sqrt{d*f}*(\sqrt{d*f}*\sqrt{d*x + c}) - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})^4*B*a^3*b^2*d^6*f^2*e - 8*\sqrt{d*f}*(\sqrt{d*f}*\sqrt{d*x + c}) - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})^4*A*a^2*b^3*d^6*f^2*e - 5*\sqrt{d*f}*(\sqrt{d*f}*\sqrt{d*x + c}) - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})^6*C*a^2*b^3*c^2*d^2*f^2 + \sqrt{d*f}*(\sqrt{d*f}*\sqrt{d*x + c}) - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})^6*B*a*b^4*c^2*d^2*f^2 + 3*\sqrt{d*f}*(\sqrt{d*f}*\sqrt{d*x + c}) - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})^6*A*b^5*c^2*d^2*f^2 + 20*\sqrt{d*f}*(\sqrt{d*f}*\sqrt{d*x + c}) - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})^6*C*a^3*b^2*c*d^3*f^2 - 8*\sqrt{d*f}*(\sqrt{d*f}*\sqrt{d*x + c}) - \sqrt{((d*x + c)*d*f - c*d*f + d^2*e)})^6*B*a^2*b^3*c*d^3*f^2 - 4*\sqrt{d*f}*(\sqrt{d*f}*\sqrt{d*x + c})
\end{aligned}$$



$$2*e))^{6*B*a*b^4*d^4*e^2} - \sqrt{d*f}*(\sqrt{d*f}*\sqrt{d*x+c} - \sqrt{((d*x+c)*d*f - c*d*f + d^2*e)})^{6*A*b^5*d^4*e^2} / ((a^2*b^4*c*f^2*abs(d) - a^3*b^3*d*f^2*abs(d) - 2*a*b^5*c*f*abs(d)*e + 2*a^2*b^4*d*f*abs(d)*e + b^6*c*abs(d)*e^2 - a*b^5*d*abs(d)*e^2)*(b*c^2*d^2*f^2 - 2*b*c*d^3*f*e - 2*(\sqrt{d*f}*\sqrt{d*x+c} - \sqrt{((d*x+c)*d*f - c*d*f + d^2*e)})^2*b*c*d*f + 4*(\sqrt{d*f}*\sqrt{d*x+c} - \sqrt{((d*x+c)*d*f - c*d*f + d^2*e)})^2*a*d^2*f + b*d^4*e^2 - 2*(\sqrt{d*f}*\sqrt{d*x+c} - \sqrt{((d*x+c)*d*f - c*d*f + d^2*e)})^2*b*d^2*e + (\sqrt{d*f}*\sqrt{d*x+c} - \sqrt{((d*x+c)*d*f - c*d*f + d^2*e)})^4*b^2)$$

**maple** [B] time = 0.10, size = 9100, normalized size = 18.80

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((C*x^2+B*x+A)*(d*x+c)^(1/2)/(b*x+a)^3/(f*x+e)^(1/2),x)`

[Out] result too large to display

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)/(b*x+a)^3/(f*x+e)^(1/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(((-(2\*a\*d\*f)/b^2)>0)', see `assume?` for more details)Is  $((-(2*a*d*f)/b^2) + (c*f)/b + (d*e)/b)^2 - (4*d*f * ((a^2*d*f)/b^2 - (a*c*f)/b - (a*d*e)/b) + c*e) / b^2$  zero or nonzero?

**mupad** [F(-1)] time = 0.00, size = -1, normalized size = -0.00

Hanged

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((c + d*x)^(1/2)*(A + B*x + C*x^2))/((e + f*x)^(1/2)*(a + b*x)^3),x)`

[Out] `\text{Hanged}`

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x**2+B*x+A)*(d*x+c)**(1/2)/(b*x+a)**3/(f*x+e)**(1/2),x)`

[Out] Timed out



$$3.53 \quad \int \frac{\sqrt{c+dx} (A+Bx+Cx^2)}{(a+bx)^4 \sqrt{e+fx}} dx$$

**Optimal.** Leaf size=685

$$(de - cf) \tanh^{-1} \left( \frac{\sqrt{c+dx} \sqrt{be-af}}{\sqrt{e+fx} \sqrt{bc-ad}} \right) \left( - \left( a^2 (2df(-4Adf + Bcf + 3Bde) - C(c^2f^2 + 2cdef + 5d^2e^2)) \right) \right) + ab(-2ca$$

8(bc

[Out]  $-1/8*(-c*f+d*e)*(b^2*(A*d^2*e^2-2*c*d*e*(-A*f+B*e)+c^2*(5*A*f^2-6*B*e*f+8*C*e^2))+a*b*(d^2*e*(-4*A*f+B*e)-c^2*f*(-B*f+4*C*e)-2*c*d*(6*A*f^2-7*B*e*f+6*C*e^2))-a^2*(2*d*f*(-4*A*d*f+B*c*f+3*B*d*e)-C*(c^2*f^2+2*c*d*e*f+5*d^2*e^2))$   
 $*\operatorname{arctanh}((-a*f+b*e)^{(1/2)}*(d*x+c)^{(1/2)}/(-a*d+b*c)^{(1/2)}/(f*x+e)^{(1/2)})/(-a*d+b*c)^{(5/2)}/(-a*f+b*e)^{(7/2)}-1/3*(A*b^2-a*(B*b-C*a))*(d*x+c)^{(3/2)}*(f*x+e)^{(1/2)}/b/(-a*d+b*c)/(-a*f+b*e)/(b*x+a)^3+1/12*(4*a^3*C*d*f-b^3*(-5*A*c*f-3*A*d*e+6*B*c*e)+a*b^2*(-8*A*d*f+B*c*f+3*B*d*e+12*C*c*e)-a^2*b*(-2*B*d*f+7*C*c*f+9*C*d*e))*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/b^2/(-a*d+b*c)/(-a*f+b*e)^2/(b*x+a)^2-1/24*(8*a^4*C*d^2*f^2-2*a^3*b*d*f*(-2*B*d*f+7*C*c*f+13*C*d*e)-b^4*(3*A*d^2*e^2-2*c*d*e*(-2*A*f+3*B*e)-3*c^2*(5*A*f^2-6*B*e*f+8*C*e^2))-a*b^3*(d^2*e*(-10*A*f+3*B*e)+3*c^2*f*(-B*f+4*C*e)+2*c*d*(13*A*f^2-14*B*e*f+30*C*e^2))-a^2*b^2*(4*d*f*(-2*A*d*f+B*c*f+4*B*d*e)-C*(3*c^2*f^2+44*c*d*e*f+33*d^2*e^2))$   
 $*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/b^2/(-a*d+b*c)^2/(-a*f+b*e)^3/(b*x+a)$

**Rubi [A]** time = 1.78, antiderivative size = 685, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 36,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {1613, 149, 151, 12, 93, 208}

$$\sqrt{c+dx} \sqrt{e+fx} \left( -a^2b^2 (4df(-2Adf + Bcf + 4Bde) - C(3c^2f^2 + 44cdef + 33d^2e^2)) - 2a^3bdf(-2Bdf + 7$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(\text{Sqrt}[c + d*x]*(A + B*x + C*x^2))/((a + b*x)^4*\text{Sqrt}[e + f*x]),x]$

[Out]  $((4*a^3*C*d*f - b^3*(6*B*c*e - 3*A*d*e - 5*A*c*f) + a*b^2*(12*c*C*e + 3*B*d*e + B*c*f - 8*A*d*f) - a^2*b*(9*C*d*e + 7*c*C*f - 2*B*d*f))*\text{Sqrt}[c + d*x]*\text{Sqrt}[e + f*x]/(12*b^2*(b*c - a*d)*(b*e - a*f)^2*(a + b*x)^2) - ((8*a^4*C*d^2*f^2 - 2*a^3*b*d*f*(13*C*d*e + 7*c*C*f - 2*B*d*f) - b^4*(3*A*d^2*e^2 - 2*c*d*e*(3*B*e - 2*A*f) - 3*c^2*(8*C*e^2 - 6*B*e*f + 5*A*f^2)) - a*b^3*(d^2*e*(3*B*e - 10*A*f) + 3*c^2*f*(4*C*e - B*f) + 2*c*d*(30*C*e^2 - 14*B*e*f + 13*A*f^2)) - a^2*b^2*(4*d*f*(4*B*d*e + B*c*f - 2*A*d*f) - C*(33*d^2*e^2 + 44*c*d*e*f + 3*c^2*f^2)))*\text{Sqrt}[c + d*x]*\text{Sqrt}[e + f*x]/(24*b^2*(b*c - a*d)^2*(b*e - a*f)^3*(a + b*x)) - ((A*b^2 - a*(b*B - a*C))*(c + d*x)^(3/2)*\text{Sqrt}[e + f*x]/(3*b*(b*c - a*d)*(b*e - a*f)*(a + b*x)^3) - ((d*e - c*f)*(b^2*(A*d^2*e^2 - 2*c*d*e*(B*e - A*f) + c^2*(8*C*e^2 - 6*B*e*f + 5*A*f^2)) + a*b*(d^2*e*(B*e - 4*A*f) - c^2*f*(4*C*e - B*f) - 2*c*d*(6*C*e^2 - 7*B*e*f + 6*A*f^2)) - a^2*(2*d*f*(3*B*d*e + B*c*f - 4*A*d*f) - C*(5*d^2*e^2 + 2*c*d*e*f + c^2*f^2)))*\text{ArcTanh}[(\text{Sqrt}[b*e - a*f]*\text{Sqrt}[c + d*x])/(\text{Sqrt}[b*c - a*d]*\text{Sqrt}[e + f*x])]/(8*(b*c - a*d)^(5/2)*(b*e - a*f)^(7/2))$

**Rule 12**

$\text{Int}[(a_*)(u_), x\_Symbol] := \text{Dist}[a, \text{Int}[u, x], x] /;$  FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

**Rule 93**

$\text{Int}[(a_. + (b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_.)/((e_.) + (f_.)*(x_.)), x\_Symbol] := \text{With}[\{q = \text{Denominator}[m]\}, \text{Dist}[q, \text{Subst}[\text{Int}[x^(q*(m + 1)$

```
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

### Rule 149

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))
)^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[((b*g - a*h)*(a + b*x)^(m +
1)*(c + d*x)^n*(e + f*x)^(p + 1))/(b*(b*e - a*f)*(m + 1)), x] - Dist[1/(b*(
b*e - a*f)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^(n - 1)*(e + f*x)^p*Si
mp[b*c*(f*g - e*h)*(m + 1) + (b*g - a*h)*(d*e*n + c*f*(p + 1)) + d*(b*(f*g
- e*h)*(m + 1) + f*(b*g - a*h)*(n + p + 1))*x, x], x] /; FreeQ[{a, b, c
, d, e, f, g, h, p}, x] && LtQ[m, -1] && GtQ[n, 0] && IntegerQ[m]
```

### Rule 151

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))
)^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[((b*g - a*h)*(a + b*x)^(m +
1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)),
x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d
*x)^n*(e + f*x)^p*Simp[(a*d*f*g - b*(d*e + c*f)*g + b*c*e*h)*(m + 1) - (b*g
- a*h)*(d*e*(n + 1) + c*f*(p + 1)) - d*f*(b*g - a*h)*(m + n + p + 3)*x, x]
, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && LtQ[m, -1] && IntegerQ[m]
```

### Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

### Rule 1613

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_
.)*(x_))^(p_), x_Symbol] := With[{Qx = PolynomialQuotient[Px, a + b*x, x],
R = PolynomialRemainder[Px, a + b*x, x]}, Simp[(b*R*(a + b*x)^(m + 1)*(c +
d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Di
st[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(
e + f*x)^p*ExpandToSum[(m + 1)*(b*c - a*d)*(b*e - a*f)*Qx + a*d*f*R*(m + 1)
- b*R*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*R*(m + n + p + 3)*x, x],
x], x]] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && PolyQ[Px, x] && ILtQ[m, -
1] && IntegersQ[2*m, 2*n, 2*p]
```

### Rubi steps

$$\int \frac{\sqrt{c+dx} (A+Bx+Cx^2)}{(a+bx)^4 \sqrt{e+fx}} dx = -\frac{(Ab^2 - a(bB - aC))(c+dx)^{3/2} \sqrt{e+fx}}{3b(bc-ad)(be-af)(a+bx)^3} - \int \frac{\sqrt{c+dx} \left( -\frac{a^2C(3de+cf)+b^2(6Bce-3Ade-5A}{2b} \right)}{\dots}$$

$$= \frac{(4a^3Cdf - b^3(6Bce - 3Ade - 5Acf) + ab^2(12cCe + 3Bde + Bcf - 8Adf) - \dots}{12b^2(bc-ad)(be-af)^2(a+bx)^3}$$

$$= \frac{(4a^3Cdf - b^3(6Bce - 3Ade - 5Acf) + ab^2(12cCe + 3Bde + Bcf - 8Adf) - \dots}{12b^2(bc-ad)(be-af)^2(a+bx)^3}$$

$$= \frac{(4a^3Cdf - b^3(6Bce - 3Ade - 5Acf) + ab^2(12cCe + 3Bde + Bcf - 8Adf) - \dots}{12b^2(bc-ad)(be-af)^2(a+bx)^3}$$

$$= \frac{(4a^3Cdf - b^3(6Bce - 3Ade - 5Acf) + ab^2(12cCe + 3Bde + Bcf - 8Adf) - \dots}{12b^2(bc-ad)(be-af)^2(a+bx)^3}$$

$$= \frac{(4a^3Cdf - b^3(6Bce - 3Ade - 5Acf) + ab^2(12cCe + 3Bde + Bcf - 8Adf) - \dots}{12b^2(bc-ad)(be-af)^2(a+bx)^3}$$

**Mathematica [A]** time = 6.34, size = 729, normalized size = 1.06

$$(a^2C - abB + Ab^2) \left[ \frac{3(8a^2d^2f^2 - 4abd(3cf+de) + b^2(5c^2f^2 + 2cdef + d^2e^2)) \left( \frac{\sqrt{c+dx} \sqrt{e+fx}}{(a+bx)(af-be)} - \frac{(de-cf) \tanh^{-1} \left( \frac{\sqrt{c+dx} \sqrt{af-be}}{\sqrt{e+fx} \sqrt{ad-bc}} \right)}{\sqrt{ad-bc} (af-be)^{3/2}} \right)}{8(bc-ad)(be-af)} - \frac{(c+dx)^{3/2} \sqrt{e+fx}}{3b^2(bc-ad)(be-af)} \right]$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sqrt[c + d*x]*(A + B*x + C*x^2))/((a + b*x)^4*Sqrt[e + f*x]), x]
[Out] -((C*Sqrt[c + d*x]*Sqrt[e + f*x])/(b^2*(b*e - a*f)*(a + b*x))) - ((A*b^2 - a*(b*B - a*C))*(c + d*x)^(3/2)*Sqrt[e + f*x])/(3*b*(b*c - a*d)*(b*e - a*f)*(a + b*x)^3) - ((b*B - 2*a*C)*(c + d*x)^(3/2)*Sqrt[e + f*x])/(2*b*(b*c - a*d)*(b*e - a*f)*(a + b*x)^2) - (C*(d*e - c*f)*ArcTanh[(Sqrt[-(b*e) + a*f]*Sqrt[c + d*x])/(Sqrt[-(b*c) + a*d]*Sqrt[e + f*x])])/(b^2*Sqrt[-(b*c) + a*d]*(-(b*e) + a*f)^(3/2)) + ((b*B - 2*a*C)*(b*d*e + 3*b*c*f - 4*a*d*f)*((Sqrt[c + d*x]*Sqrt[e + f*x])/(b*e - a*f)*(a + b*x)) + ((d*e - c*f)*ArcTanh[(Sqrt[-(b*e) + a*f]*Sqrt[c + d*x])/(Sqrt[-(b*c) + a*d]*Sqrt[e + f*x])])/(Sqrt[-(b*c) + a*d]*(-(b*e) + a*f)^(3/2))))/(4*b^2*(b*c - a*d)*(b*e - a*f)) - ((A*b^2 - a*b*B + a^2*C)*(-1/2*((-a*b*d*f) + (b*(3*b*d*e + 5*b*c*f - 6*a*d*f)))/2)*(c + d*x)^(3/2)*Sqrt[e + f*x])/(b*c - a*d)*(b*e - a*f)*(a + b*x)^2) - (3*(8*a^2*d^2*f^2 - 4*a*b*d*f*(d*e + 3*c*f) + b^2*(d^2*e^2 + 2*c*d*e*f + 5*c^2*f^2))*((Sqrt[c + d*x]*Sqrt[e + f*x])/((-(b*e) + a*f)*(a + b*x)) - ((d*e - c*f)*ArcTanh[(Sqrt[-(b*e) + a*f]*Sqrt[c + d*x])/(Sqrt[-(b*c) + a*d]*Sqrt[e + f*x])])/(Sqrt[-(b*c) + a*d]*(-(b*e) + a*f)^(3/2))))/(8*(b*c - a*d)*(b*e - a*f)))/(3*b^2*(b*c - a*d)*(b*e - a*f))
```

**fricas [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(d\*x+c)^(1/2)/(b\*x+a)^4/(f\*x+e)^(1/2),x, algorithm="fricas")

[Out] Timed out

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(d\*x+c)^(1/2)/(b\*x+a)^4/(f\*x+e)^(1/2),x, algorithm="giac")

[Out] Timed out

**maple** [B] time = 0.16, size = 15990, normalized size = 23.34

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C\*x^2+B\*x+A)\*(d\*x+c)^(1/2)/(b\*x+a)^4/(f\*x+e)^(1/2),x)

[Out] result too large to display

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(d\*x+c)^(1/2)/(b\*x+a)^4/(f\*x+e)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume((a\*d-b\*c)>0)', see `assume?` for more details)Is (a\*d-b\*c) \*(a\*f-b\*e) positive, negative or zero?

**mupad** [F(-1)] time = 0.00, size = -1, normalized size = -0.00

Hanged

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((c + d\*x)^(1/2)\*(A + B\*x + C\*x^2))/((e + f\*x)^(1/2)\*(a + b\*x)^4),x)

[Out] \text{Hanged}

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x\*\*2+B\*x+A)\*(d\*x+c)\*\*(1/2)/(b\*x+a)\*\*4/(f\*x+e)\*\*(1/2),x)

[Out] Timed out

$$3.54 \quad \int \frac{(a+bx)^2(A+Bx+Cx^2)}{\sqrt{c+dx}\sqrt{e+fx}} dx$$

**Optimal.** Leaf size=718

$$\tanh^{-1}\left(\frac{\sqrt{f}\sqrt{c+dx}}{\sqrt{d}\sqrt{e+fx}}\right)\left(16a^2d^2f^2(4df(2Adf - B(cf + de)) + C(3c^2f^2 + 2cdef + 3d^2e^2)) - 16abdf(2df(4Adf($$

[Out] 1/64\*(16\*a^2\*d^2\*f^2\*(C\*(3\*c^2\*f^2+2\*c\*d\*e\*f+3\*d^2\*e^2)+4\*d\*f\*(2\*A\*d\*f-B\*(c\*f+d\*e)))-16\*a\*b\*d\*f\*(C\*(5\*c^3\*f^3+3\*c^2\*d\*e\*f^2+3\*c\*d^2\*e^2\*f+5\*d^3\*e^3)+2\*d\*f\*(4\*A\*d\*f\*(c\*f+d\*e)-B\*(3\*c^2\*f^2+2\*c\*d\*e\*f+3\*d^2\*e^2)))+b^2\*(C\*(35\*c^4\*f^4+20\*c^3\*d\*e\*f^3+18\*c^2\*d^2\*e^2\*f^2+20\*c\*d^3\*e^3\*f+35\*d^4\*e^4)+8\*d\*f\*(2\*A\*d\*f\*(3\*c^2\*f^2+2\*c\*d\*e\*f+3\*d^2\*e^2)-B\*(5\*c^3\*f^3+3\*c^2\*d\*e\*f^2+3\*c\*d^2\*e^2\*f+5\*d^3\*e^3)))\*arctanh(f^(1/2)\*(d\*x+c)^(1/2)/d^(1/2)/(f\*x+e)^(1/2))/d^(9/2)/f^(9/2)-1/24\*(2\*a\*C\*d\*f-b\*(8\*B\*d\*f-7\*C\*(c\*f+d\*e)))\*(b\*x+a)^2\*(d\*x+c)^(1/2)\*(f\*x+e)^(1/2)/b/d^2/f^2+1/4\*C\*(b\*x+a)^3\*(d\*x+c)^(1/2)\*(f\*x+e)^(1/2)/b/d/f-1/192\*(32\*a^3\*C\*d^3\*f^3-8\*a^2\*b\*d^2\*f^2\*(16\*B\*d\*f-11\*C\*(c\*f+d\*e))-16\*a\*b^2\*d\*f\*(C\*(15\*c^2\*f^2+14\*c\*d\*e\*f+15\*d^2\*e^2)+6\*d\*f\*(4\*A\*d\*f-3\*B\*(c\*f+d\*e)))+b^3\*(5\*C\*(21\*c^3\*f^3+19\*c^2\*d\*e\*f^2+19\*c\*d^2\*e^2\*f+21\*d^3\*e^3)+8\*d\*f\*(18\*A\*d\*f\*(c\*f+d\*e)-B\*(15\*c^2\*f^2+14\*c\*d\*e\*f+15\*d^2\*e^2)))+2\*b\*d\*f\*(6\*b\*d\*f\*(-8\*A\*b\*d\*f+C\*a\*c\*f+C\*a\*d\*e+6\*C\*b\*c\*e)+(4\*a\*d\*f-5\*b\*(c\*f+d\*e))\*(2\*a\*C\*d\*f-b\*(8\*B\*d\*f-7\*C\*(c\*f+d\*e))))\*x\*(d\*x+c)^(1/2)\*(f\*x+e)^(1/2)/b/d^4/f^4

**Rubi [A]** time = 1.34, antiderivative size = 715, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 36,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {1615, 153, 147, 63, 217, 206}

$$\frac{\sqrt{c+dx}\sqrt{e+fx}(-8a^2bd^2f^2(16Bdf - 11C(cf + de)) + 32a^3Cd^3f^3 - 16ab^2df(6df(4Adf - 3B(cf + de)) +$$

Antiderivative was successfully verified.

[In] Int[((a + b\*x)^2\*(A + B\*x + C\*x^2))/(Sqrt[c + d\*x]\*Sqrt[e + f\*x]),x]

[Out] ((8\*b\*B\*d\*f - 2\*a\*C\*d\*f - 7\*b\*C\*(d\*e + c\*f))\*(a + b\*x)^2\*Sqrt[c + d\*x]\*Sqrt[e + f\*x])/(24\*b\*d^2\*f^2) + (C\*(a + b\*x)^3\*Sqrt[c + d\*x]\*Sqrt[e + f\*x])/(4\*b\*d\*f) - (Sqrt[c + d\*x]\*Sqrt[e + f\*x]\*(32\*a^3\*C\*d^3\*f^3 - 8\*a^2\*b\*d^2\*f^2\*(16\*B\*d\*f - 11\*C\*(d\*e + c\*f)) - 16\*a\*b^2\*d\*f\*(C\*(15\*d^2\*e^2 + 14\*c\*d\*e\*f + 15\*c^2\*f^2) + 6\*d\*f\*(4\*A\*d\*f - 3\*B\*(d\*e + c\*f))) + b^3\*(5\*C\*(21\*d^3\*e^3 + 19\*c\*d^2\*e^2\*f + 19\*c^2\*d\*e\*f^2 + 21\*c^3\*f^3) + 8\*d\*f\*(18\*A\*d\*f\*(d\*e + c\*f) - B\*(15\*d^2\*e^2 + 14\*c\*d\*e\*f + 15\*c^2\*f^2))) + 2\*b\*d\*f\*(6\*b\*d\*f\*(6\*b\*c\*C\*e + a\*C\*d\*e + a\*c\*C\*f - 8\*A\*b\*d\*f) - (4\*a\*d\*f - 5\*b\*(d\*e + c\*f))\*(8\*b\*B\*d\*f - 2\*a\*C\*d\*f - 7\*b\*C\*(d\*e + c\*f))))\*x)/(192\*b\*d^4\*f^4) + ((16\*a^2\*d^2\*f^2\*(C\*(3\*d^2\*e^2 + 2\*c\*d\*e\*f + 3\*c^2\*f^2) + 4\*d\*f\*(2\*A\*d\*f - B\*(d\*e + c\*f))) - 16\*a\*b\*d\*f\*(C\*(5\*d^3\*e^3 + 3\*c\*d^2\*e^2\*f + 3\*c^2\*d\*e\*f^2 + 5\*c^3\*f^3) + 2\*d\*f\*(4\*A\*d\*f\*(d\*e + c\*f) - B\*(3\*d^2\*e^2 + 2\*c\*d\*e\*f + 3\*c^2\*f^2))) + b^2\*(C\*(35\*d^4\*e^4 + 20\*c\*d^3\*e^3\*f + 18\*c^2\*d^2\*e^2\*f^2 + 20\*c^3\*d\*e\*f^3 + 35\*c^4\*f^4) + 8\*d\*f\*(2\*A\*d\*f\*(3\*d^2\*e^2 + 2\*c\*d\*e\*f + 3\*c^2\*f^2) - B\*(5\*d^3\*e^3 + 3\*c\*d^2\*e^2\*f + 3\*c^2\*d\*e\*f^2 + 5\*c^3\*f^3))))\*ArcTanh[(Sqrt[f]\*Sqrt[c + d\*x])/(Sqrt[d]\*Sqrt[e + f\*x])]/(64\*d^(9/2)\*f^(9/2))

**Rule 63**

Int[((a\_.) + (b\_.)\*(x\_.))^(m\_.)\*((c\_.) + (d\_.)\*(x\_.))^(n\_.), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den

ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 147

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))\*((g\_.) + (h\_.)\*(x\_)), x\_Symbol] := -Simp[((a\*d\*f\*h\*(n + 2) + b\*c\*f\*h\*(m + 2) - b\*d\*(f\*g + e\*h)\*(m + n + 3) - b\*d\*f\*h\*(m + n + 2)\*x)\*(a + b\*x)^(m + 1)\*(c + d\*x)^(n + 1))/(b^2\*d^2\*(m + n + 2)\*(m + n + 3)), x] + Dist[(a^2\*d^2\*f\*h\*(n + 1)\*(n + 2) + a\*b\*d\*(n + 1)\*(2\*c\*f\*h\*(m + 1) - d\*(f\*g + e\*h)\*(m + n + 3)) + b^2\*(c^2\*f\*h\*(m + 1)\*(m + 2) - c\*d\*(f\*g + e\*h)\*(m + 1)\*(m + n + 3) + d^2\*e\*g\*(m + n + 2)\*(m + n + 3)))/(b^2\*d^2\*(m + n + 2)\*(m + n + 3)), Int[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, m, n}, x] && NeQ[m + n + 2, 0] && NeQ[m + n + 3, 0]

### Rule 153

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.)\*((g\_.) + (h\_.)\*(x\_)), x\_Symbol] := Simp[(h\*(a + b\*x)^m\*(c + d\*x)^(n + 1)\*(e + f\*x)^(p + 1))/(d\*f\*(m + n + p + 2)), x] + Dist[1/(d\*f\*(m + n + p + 2)), Int[(a + b\*x)^(m - 1)\*(c + d\*x)^n\*(e + f\*x)^p\*Simp[a\*d\*f\*g\*(m + n + p + 2) - h\*(b\*c\*e\*m + a\*(d\*e\*(n + 1) + c\*f\*(p + 1))) + (b\*d\*f\*g\*(m + n + p + 2) + h\*(a\*d\*f\*m - b\*(d\*e\*(m + n + 1) + c\*f\*(m + p + 1)))]\*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p + 2, 0] && IntegerQ[m]

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 1615

Int[(Px\_)\*((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] := With[{q = Expon[Px, x], k = Coeff[Px, x, Expon[Px, x]]}, Simp[(k\*(a + b\*x)^(m + q - 1)\*(c + d\*x)^(n + 1)\*(e + f\*x)^(p + 1))/(d\*f\*b^(q - 1)\*(m + n + p + q + 1)), x] + Dist[1/(d\*f\*b^q\*(m + n + p + q + 1)), Int[(a + b\*x)^m\*(c + d\*x)^n\*(e + f\*x)^p\*ExpandToSum[d\*f\*b^q\*(m + n + p + q + 1)\*Px - d\*f\*k\*(m + n + p + q + 1)\*(a + b\*x)^q + k\*(a + b\*x)^(q - 2)\*(a^2\*d\*f\*(m + n + p + q + 1) - b\*(b\*c\*e\*(m + q - 1) + a\*(d\*e\*(n + 1) + c\*f\*(p + 1))) + b\*(a\*d\*f\*(2\*(m + q) + n + p) - b\*(d\*e\*(m + q + n) + c\*f\*(m + q + p)))]\*x, x], x] /; NeQ[m + n + p + q + 1, 0] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && IntegersQ[2\*m, 2\*n, 2\*p]

### Rubi steps

$$\begin{aligned}
\int \frac{(a+bx)^2 (A+Bx+Cx^2)}{\sqrt{c+dx}\sqrt{e+fx}} dx &= \frac{C(a+bx)^3\sqrt{c+dx}\sqrt{e+fx}}{4bdf} + \int \frac{(a+bx)^2 \left(-\frac{1}{2}b(6bcCe+aCde+acCf-8Abdf)+\frac{1}{2}b(8bBdf)\right)}{\sqrt{c+dx}\sqrt{e+fx}} dx \\
&= \frac{(8bBdf-2aCdf-7bC(de+cf))(a+bx)^2\sqrt{c+dx}\sqrt{e+fx}}{24bd^2f^2} + \frac{C(a+bx)^3}{4b^2df} \\
&= \frac{(8bBdf-2aCdf-7bC(de+cf))(a+bx)^2\sqrt{c+dx}\sqrt{e+fx}}{24bd^2f^2} + \frac{C(a+bx)^3}{4b^2df} \\
&= \frac{(8bBdf-2aCdf-7bC(de+cf))(a+bx)^2\sqrt{c+dx}\sqrt{e+fx}}{24bd^2f^2} + \frac{C(a+bx)^3}{4b^2df} \\
&= \frac{(8bBdf-2aCdf-7bC(de+cf))(a+bx)^2\sqrt{c+dx}\sqrt{e+fx}}{24bd^2f^2} + \frac{C(a+bx)^3}{4b^2df} \\
&= \frac{(8bBdf-2aCdf-7bC(de+cf))(a+bx)^2\sqrt{c+dx}\sqrt{e+fx}}{24bd^2f^2} + \frac{C(a+bx)^3}{4b^2df}
\end{aligned}$$

**Mathematica [B]** time = 6.49, size = 2195, normalized size = 3.06

Result too large to show

Antiderivative was successfully verified.

```
[In] Integrate[((a + b*x)^2*(A + B*x + C*x^2))/(Sqrt[c + d*x]*Sqrt[e + f*x]),x]
[Out] (2*(b*e - a*f)^2*Sqrt[d*e - c*f]*(C*e^2 - f*(B*e - A*f))*Sqrt[(d*(e + f*x))
/(d*e - c*f)]*ArcSinh[(Sqrt[f]*Sqrt[c + d*x])/Sqrt[d*e - c*f]])/(d*f^(9/2)*
Sqrt[e + f*x]) + (2*b^2*C*(d*e - c*f)^3*Sqrt[c + d*x]*Sqrt[e + f*x]*(1 + (d
*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^(9
/2)*((35/(16*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*
f)/(d*e - c*f))))^4) + 35/(24*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d
*e - c*f) - (c*d*f)/(d*e - c*f))))^3) + 7/(6*(1 + (d*f*(c + d*x))/((d*e - c
*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^2) + (1 + (d*f*(c + d*x))
/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^(-1))/8 + (35*S
qrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)]*ArcSinh[(Sqr
t[d]*Sqrt[f]*Sqrt[c + d*x])/(Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*
d*f)/(d*e - c*f)])])/(128*Sqrt[d]*Sqrt[f]*Sqrt[c + d*x]*(1 + (d*f*(c + d*x)
)/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^(9/2)))/(d^4*
f^4*(d/((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^(7/2)*Sqrt[(d*(e + f*x)
)/(d*e - c*f)]) + (2*b*(d*e - c*f)^2*(-4*b*C*e + b*B*f + 2*a*C*f)*Sqrt[c +
d*x]*Sqrt[e + f*x]*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) -
(c*d*f)/(d*e - c*f))))^(7/2)*((15/(8*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d
^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^3) + 5/(4*(1 + (d*f*(c + d*x))/
(d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^2) + (1 + (d*f*(c
+ d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^(-1))/6
+ (5*Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)]*ArcSi
nh[(Sqrt[d]*Sqrt[f]*Sqrt[c + d*x])/(Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f)
- (c*d*f)/(d*e - c*f)])])/(16*Sqrt[d]*Sqrt[f]*Sqrt[c + d*x]*(1 + (d*f*(c
+ d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^(7/2)))/
(d^3*f^4*(d/((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^(5/2)*Sqrt[(d*(e
```





$b^2) * c * d^3 + 48 * (C * a^2 + 2 * B * a * b + A * b^2) * d^4) * f^4) * x) * \text{sqrt}(d * x + c) * \text{sqrt}(f * x + e) / (d^5 * f^5)]$

**giac** [A] time = 2.51, size = 951, normalized size = 1.32

$$\left( \sqrt{(dx+c)df - cdf + d^2e} \left( 2(dx+c) \left( 4(dx+c) \left( \frac{6(dx+c)Cb^2}{d^5f} - \frac{25Cb^2cd^{19}f^6 - 16Cabd^{20}f^6 - 8Bb^2d^{20}f^6 + 7Cb^2d^{20}f^5e}{d^{24}f^7} \right) \right) + \frac{163}{d^{24}f^7} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*x+a)^2\*(C\*x^2+B\*x+A)/(d\*x+c)^(1/2)/(f\*x+e)^(1/2),x, algorithm="giac")

[Out]  $\frac{1}{192} * (\text{sqrt}((d*x + c) * d * f - c * d * f + d^2 * e) * (2 * (d*x + c) * (4 * (d*x + c) * (6 * (d*x + c) * C * b^2 / (d^5 * f) - (25 * C * b^2 * c * d^{19} * f^6 - 16 * C * a * b * d^{20} * f^6 - 8 * B * b^2 * d^{20} * f^6 + 7 * C * b^2 * d^{20} * f^5 * e) / (d^{24} * f^7)) + (163 * C * b^2 * c^2 * d^{19} * f^6 - 208 * C * a * b * c * d^{20} * f^6 - 104 * B * b^2 * c * d^{20} * f^6 + 48 * C * a^2 * d^{21} * f^6 + 96 * B * a * b * d^{21} * f^6 + 48 * A * b^2 * d^{21} * f^6 + 90 * C * b^2 * c * d^{20} * f^5 * e - 80 * C * a * b * d^{21} * f^5 * e - 40 * B * b^2 * d^{21} * f^5 * e + 35 * C * b^2 * d^{21} * f^4 * e^2) / (d^{24} * f^7)) - 3 * (93 * C * b^2 * c^3 * d^{19} * f^6 - 176 * C * a * b * c^2 * d^{20} * f^6 - 88 * B * b^2 * c^2 * d^{20} * f^6 + 80 * C * a^2 * c * d^{21} * f^6 + 160 * B * a * b * c * d^{21} * f^6 + 80 * A * b^2 * c * d^{21} * f^6 - 64 * B * a^2 * d^{22} * f^6 - 128 * A * a * b * d^{22} * f^6 + 73 * C * b^2 * c^2 * d^{20} * f^5 * e - 128 * C * a * b * c * d^{21} * f^5 * e - 64 * B * b^2 * c * d^{21} * f^5 * e + 48 * C * a^2 * d^{22} * f^5 * e + 96 * B * a * b * d^{22} * f^5 * e + 48 * A * b^2 * d^{22} * f^5 * e + 55 * C * b^2 * c * d^{21} * f^4 * e^2 - 80 * C * a * b * d^{22} * f^4 * e^2 - 40 * B * b^2 * d^{22} * f^4 * e^2 + 35 * C * b^2 * d^{22} * f^3 * e^3) / (d^{24} * f^7)) * \text{sqrt}(d * x + c) - 3 * (35 * C * b^2 * c^4 * f^4 - 80 * C * a * b * c^3 * d * f^4 - 40 * B * b^2 * c^3 * d * f^4 + 48 * C * a^2 * c^2 * d^2 * f^4 + 96 * B * a * b * c^2 * d^2 * f^4 + 48 * A * b^2 * c^2 * d^2 * f^4 - 64 * B * a^2 * c * d^3 * f^4 - 128 * A * a * b * c * d^3 * f^4 + 128 * A * a^2 * d^4 * f^4 + 20 * C * b^2 * c^3 * d * f^3 * e - 48 * C * a * b * c^2 * d^2 * f^3 * e - 24 * B * b^2 * c^2 * d^2 * f^3 * e + 32 * C * a^2 * c * d^3 * f^3 * e + 64 * B * a * b * c * d^3 * f^3 * e + 32 * A * b^2 * c * d^3 * f^3 * e - 64 * B * a^2 * d^4 * f^3 * e - 128 * A * a * b * d^4 * f^3 * e + 18 * C * b^2 * c^2 * d^2 * f^2 * e^2 - 48 * C * a * b * c * d^3 * f^2 * e^2 - 24 * B * b^2 * c * d^3 * f^2 * e^2 + 48 * C * a^2 * d^4 * f^2 * e^2 + 96 * B * a * b * d^4 * f^2 * e^2 + 48 * A * b^2 * d^4 * f^2 * e^2 + 20 * C * b^2 * c * d^3 * f * e^3 - 80 * C * a * b * d^4 * f * e^3 - 40 * B * b^2 * d^4 * f * e^3 + 35 * C * b^2 * d^4 * e^4) * \text{log}(\text{abs}(-\text{sqrt}(d * f) * \text{sqrt}(d * x + c) + \text{sqrt}((d * x + c) * d * f - c * d * f + d^2 * e))) / (\text{sqrt}(d * f) * d^4 * f^4)) * d / \text{abs}(d)$

**maple** [B] time = 0.05, size = 2528, normalized size = 3.52

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*x+a)^2\*(C\*x^2+B\*x+A)/(d\*x+c)^(1/2)/(f\*x+e)^(1/2),x)

[Out]  $\frac{1}{384} * (144 * A * \ln(1/2 * (2 * d * f * x + c * f + d * e + 2 * ((d * x + c) * (f * x + e))^{1/2} * (d * f)^{1/2})) / (d * f)^{1/2}) * b^2 * d^4 * e^2 * f^2 + 192 * A * (d * f)^{1/2} * ((d * x + c) * (f * x + e))^{1/2} * x * b^2 * d^3 * f^3 - 384 * A * \ln(1/2 * (2 * d * f * x + c * f + d * e + 2 * ((d * x + c) * (f * x + e))^{1/2} * (d * f)^{1/2})) / (d * f)^{1/2}) * a * b * c * d^3 * f^4 - 384 * A * \ln(1/2 * (2 * d * f * x + c * f + d * e + 2 * ((d * x + c) * (f * x + e))^{1/2} * (d * f)^{1/2})) / (d * f)^{1/2}) * a * b * d^4 * e * f^3 + 96 * C * x^3 * b^2 * d^3 * f^3 * (d * f)^{1/2} * ((d * x + c) * (f * x + e))^{1/2} + 128 * B * x^2 * b^2 * d^3 * f^3 * (d * f)^{1/2} * ((d * x + c) * (f * x + e))^{1/2} + 96 * A * \ln(1/2 * (2 * d * f * x + c * f + d * e + 2 * ((d * x + c) * (f * x + e))^{1/2} * (d * f)^{1/2})) / (d * f)^{1/2}) * b^2 * c * d^3 * e * f^3 + 60 * C * \ln(1/2 * (2 * d * f * x + c * f + d * e + 2 * ((d * x + c) * (f * x + e))^{1/2} * (d * f)^{1/2})) / (d * f)^{1/2}) * b^2 * c * d^3 * e^3 * f - 72 * B * \ln(1/2 * (2 * d * f * x + c * f + d * e + 2 * ((d * x + c) * (f * x + e))^{1/2} * (d * f)^{1/2})) / (d * f)^{1/2}) * b^2 * c * d^2 * e * f^3 - 72 * B * \ln(1/2 * (2 * d * f * x + c * f + d * e + 2 * ((d * x + c) * (f * x + e))^{1/2} * (d * f)^{1/2})) / (d * f)^{1/2}) * b^2 * c * d^3 * e^2 * f^2 + 96 * C * \ln(1/2 * (2 * d * f * x + c * f + d * e + 2 * ((d * x + c) * (f * x + e))^{1/2} * (d * f)^{1/2})) / (d * f)^{1/2}) * a^2 * c * d^3 * e * f^3 + 60 * C * \ln(1/2 * (2 * d * f * x + c * f + d * e + 2 * ((d * x + c) * (f * x + e))^{1/2} * (d * f)^{1/2})) / (d * f)^{1/2}) * b^2 * c^3 * d * e * f^3 + 54 * C * \ln(1/2 * (2 * d * f * x + c * f + d * e + 2 * ((d * x + c) * (f * x + e))^{1/2} * (d * f)^{1/2})) / (d * f)^{1/2}) * b^2 * c^2 * d^2 * e^2 * f^2 + 192 * C * (d * f)^{1/2} * ((d * x + c) * (f * x + e))^{1/2} * x * a$

$$\begin{aligned}
& \cdot 2*d^3*f^3-240*C*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)))/(d*f)^{(1/2)})*a*b*c^3*d*f^4-240*C*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)))/(d*f)^{(1/2)})*a*b*d^4*e^3*f+768*A*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*a*b*d^3*f^3-288*A*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b^2*c*d^2*f^3-288*A*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b^2*d^3*e*f^2+288*B*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)))/(d*f)^{(1/2)})*a*b*c^2*d^2*f^4+288*B*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)))/(d*f)^{(1/2)})*a*b*d^4*e^2*f^2+240*B*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b^2*c^2*d*f^3+240*B*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b^2*d^3*e^2*f+105*C*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)))/(d*f)^{(1/2)})*b^2*c^4*f^4+105*C*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)))/(d*f)^{(1/2)})*b^2*d^4*e^4-192*B*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)))/(d*f)^{(1/2)})*a^2*c*d^3*f^4-192*B*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)))/(d*f)^{(1/2)})*a^2*d^4*e*f^3+144*A*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)))/(d*f)^{(1/2)})*b^2*c^2*d^2*f^4-120*B*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)))/(d*f)^{(1/2)})*b^2*c^3*d*f^4-120*B*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)))/(d*f)^{(1/2)})*b^2*d^4*e^3*f+144*C*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)))/(d*f)^{(1/2)})*a^2*c^2*d^2*f^4+144*C*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)))/(d*f)^{(1/2)})*a^2*d^4*e^2*f^2+384*B*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*a^2*d^3*f^3-210*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b^2*c^3*f^3-210*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b^2*d^3*e^3+384*A*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)))/(d*f)^{(1/2)})*a^2*d^4*f^4-288*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*a^2*c*d^2*f^3-288*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*a^2*d^3*e*f^2-190*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b^2*c^2*d*e*f^2-190*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b^2*c*d^2*e^2*f-160*B*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*x*b^2*d^3*e*f^2+140*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*x*b^2*c^2*d*f^3-144*C*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)))/(d*f)^{(1/2)})*a*b*c*d^3*e^2*f^2+192*B*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)))/(d*f)^{(1/2)})*a*b*c*d^3*e*f^3-144*C*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)))/(d*f)^{(1/2)})*a*b*c^2*d^2*e*f^3-576*B*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*a*b*c*d^2*f^3-576*B*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*a*b*d^3*e*f^2+224*B*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b^2*c*d^2*e*f^2+480*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*a*b*c^2*d*f^3+140*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*x*b^2*d^3*e^2*f+256*C*x^2*a*b*d^3*f^3*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}-112*C*x^2*b^2*c*d^2*f^3*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}-112*C*x^2*b^2*d^3*e*f^2*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}+384*B*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*x*a*b*d^3*f^3-160*B*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*x*b^2*c*d^2*f^3+480*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*a*b*d^3*e^2*f+448*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*a*b*c*d^2*e*f^2-320*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*x*a*b*c*d^2*f^3-320*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*x*a*b*d^3*e*f^2+136*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*x*b^2*c*d^2*e*f^2*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/(d*f)^{(1/2)}/f^4/d^4/((d*x+c)*(f*x+e))^{(1/2)}
\end{aligned}$$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*x+a)^2\*(C\*x^2+B\*x+A)/(d\*x+c)^(1/2)/(f\*x+e)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(c\*f-d\*e>0)', see `assume?` for more details)Is c\*f-d\*e zero or nonzero?

**mupad** [F(-1)] time = 0.00, size = -1, normalized size = -0.00

Hanged

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((a + b*x)^2*(A + B*x + C*x^2))/((e + f*x)^(1/2)*(c + d*x)^(1/2)),x)`

[Out] `\text{Hanged}`

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x+a)**2*(C*x**2+B*x+A)/(d*x+c)**(1/2)/(f*x+e)**(1/2),x)`

[Out] Timed out

$$3.55 \quad \int \frac{(a+bx)(A+Bx+Cx^2)}{\sqrt{c+dx} \sqrt{e+fx}} dx$$

**Optimal.** Leaf size=371

$$\frac{\sqrt{c+dx} \sqrt{e+fx} (8a^2Cd^2f^2 + 2bdfx(2aCdf - b(6Bdf - 5C(cf + de))) - 6abdf(4Bdf - 3C(cf + de)) - b^2(6))}{24bd^3f^3}$$

[Out] 1/8\*(2\*a\*d\*f\*(C\*(3\*c^2\*f^2+2\*c\*d\*e\*f+3\*d^2\*e^2)+4\*d\*f\*(2\*A\*d\*f-B\*(c\*f+d\*e)))-b\*(C\*(5\*c^3\*f^3+3\*c^2\*d\*e\*f^2+3\*c\*d^2\*e^2\*f+5\*d^3\*e^3)+2\*d\*f\*(4\*A\*d\*f\*(c\*f+d\*e)-B\*(3\*c^2\*f^2+2\*c\*d\*e\*f+3\*d^2\*e^2))))\*arctanh(f^(1/2)\*(d\*x+c)^(1/2)/d^(1/2)/(f\*x+e)^(1/2))/d^(7/2)/f^(7/2)+1/3\*C\*(b\*x+a)^2\*(d\*x+c)^(1/2)\*(f\*x+e)^(1/2)/b/d/f-1/24\*(8\*a^2\*C\*d^2\*f^2-6\*a\*b\*d\*f\*(4\*B\*d\*f-3\*C\*(c\*f+d\*e))-b^2\*(C\*(15\*c^2\*f^2+14\*c\*d\*e\*f+15\*d^2\*e^2)+6\*d\*f\*(4\*A\*d\*f-3\*B\*(c\*f+d\*e)))+2\*b\*d\*f\*(2\*a\*C\*d\*f-b\*(6\*B\*d\*f-5\*C\*(c\*f+d\*e)))\*x\*(d\*x+c)^(1/2)\*(f\*x+e)^(1/2)/b/d^3/f^3

**Rubi [A]** time = 0.51, antiderivative size = 369, normalized size of antiderivative = 0.99, number of steps used = 5, number of rules used = 5, integrand size = 34,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.147$ , Rules used = {1615, 147, 63, 217, 206}

$$\frac{\sqrt{c+dx} \sqrt{e+fx} (8a^2Cd^2f^2 - 2bdfx(-2aCdf + 6bBdf - 5bC(cf + de)) - 6abdf(4Bdf - 3C(cf + de)) + b^2(-))}{24bd^3f^3}$$

Antiderivative was successfully verified.

[In] Int[((a + b\*x)\*(A + B\*x + C\*x^2))/(Sqrt[c + d\*x]\*Sqrt[e + f\*x]),x]

[Out] (C\*(a + b\*x)^2\*Sqrt[c + d\*x]\*Sqrt[e + f\*x])/(3\*b\*d\*f) - (Sqrt[c + d\*x]\*Sqrt[e + f\*x]\*(8\*a^2\*C\*d^2\*f^2 - 6\*a\*b\*d\*f\*(4\*B\*d\*f - 3\*C\*(d\*e + c\*f)) - b^2\*(C\*(15\*d^2\*e^2 + 14\*c\*d\*e\*f + 15\*c^2\*f^2) + 6\*d\*f\*(4\*A\*d\*f - 3\*B\*(d\*e + c\*f))) - 2\*b\*d\*f\*(6\*b\*B\*d\*f - 2\*a\*C\*d\*f - 5\*b\*C\*(d\*e + c\*f))\*x)/(24\*b\*d^3\*f^3) + ((2\*a\*d\*f\*(C\*(3\*d^2\*e^2 + 2\*c\*d\*e\*f + 3\*c^2\*f^2) + 4\*d\*f\*(2\*A\*d\*f - B\*(d\*e + c\*f))) - b\*(C\*(5\*d^3\*e^3 + 3\*c\*d^2\*e^2\*f + 3\*c^2\*d\*e\*f^2 + 5\*c^3\*f^3) + 2\*d\*f\*(4\*A\*d\*f\*(d\*e + c\*f) - B\*(3\*d^2\*e^2 + 2\*c\*d\*e\*f + 3\*c^2\*f^2))))\*ArcTanh[(Sqrt[f]\*Sqrt[c + d\*x])/(Sqrt[d]\*Sqrt[e + f\*x])]/(8\*d^(7/2)\*f^(7/2))

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 147

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))\*((g\_.) + (h\_.)\*(x\_)), x\_Symbol] := -Simp[((a\*d\*f\*h\*(n + 2) + b\*c\*f\*h\*(m + 2) - b\*d\*(f\*g + e\*h)\*(m + n + 3) - b\*d\*f\*h\*(m + n + 2)\*x)\*(a + b\*x)^(m + 1)\*(c + d\*x)^(n + 1))/(b^2\*d^2\*(m + n + 2)\*(m + n + 3)), x] + Dist[(a^2\*d^2\*f\*h\*(n + 1)\*(n + 2) + a\*b\*d\*(n + 1)\*(2\*c\*f\*h\*(m + 1) - d\*(f\*g + e\*h)\*(m + n + 3)) + b^2\*(c^2\*f\*h\*(m + 1)\*(m + 2) - c\*d\*(f\*g + e\*h)\*(m + 1)\*(m + n + 3) + d^2\*e\*g\*(m + n + 2)\*(m + n + 3)))/(b^2\*d^2\*(m + n + 2)\*(m + n + 3)), Int[(a + b\*x)^m\*(c + d\*x)^n, x] /; FreeQ[{a, b, c, d, e, f, g, h, m, n}, x] && NeQ[m + n + 2, 0] && NeQ[m + n + 3, 0]

### Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]]/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 217

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 1615

Int[(Px\_)\*((a\_) + (b\_)\*(x\_)^(m\_))\*((c\_) + (d\_)\*(x\_)^(n\_))\*((e\_) + (f\_)\*(x\_)^(p\_)), x\_Symbol] := With[{q = Expon[Px, x], k = Coeff[Px, x, Expon[Px, x]]}, Simp[(k\*(a + b\*x)^(m + q - 1)\*(c + d\*x)^(n + 1)\*(e + f\*x)^(p + 1))/(d\*f\*b^(q - 1)\*(m + n + p + q + 1)), x] + Dist[1/(d\*f\*b^q\*(m + n + p + q + 1)), Int[(a + b\*x)^m\*(c + d\*x)^n\*(e + f\*x)^p\*ExpandToSum[d\*f\*b^q\*(m + n + p + q + 1)\*Px - d\*f\*k\*(m + n + p + q + 1)\*(a + b\*x)^q + k\*(a + b\*x)^(q - 2)\*(a^2\*d\*f\*(m + n + p + q + 1) - b\*(b\*c\*e\*(m + q - 1) + a\*(d\*e\*(n + 1) + c\*f\*(p + 1))) + b\*(a\*d\*f\*(2\*(m + q) + n + p) - b\*(d\*e\*(m + q + n) + c\*f\*(m + q + p)))\*x), x], x] /; NeQ[m + n + p + q + 1, 0] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && IntegersQ[2\*m, 2\*n, 2\*p]

### Rubi steps

$$\begin{aligned} \int \frac{(a + bx)(A + Bx + Cx^2)}{\sqrt{c + dx}\sqrt{e + fx}} dx &= \frac{C(a + bx)^2\sqrt{c + dx}\sqrt{e + fx}}{3bdf} + \frac{\int \frac{(a+bx)\left(-\frac{1}{2}b(4bcCe+aCde+acCf-6Abdf)+\frac{1}{2}b(6bBdf-2\right)}{\sqrt{c+dx}\sqrt{e+fx}} dx}{3b^2df} \\ &= \frac{C(a + bx)^2\sqrt{c + dx}\sqrt{e + fx}}{3bdf} - \frac{\sqrt{c + dx}\sqrt{e + fx}(8a^2Cd^2f^2 - 6abdf(4Bdf - 2C))}{3b^2df} \\ &= \frac{C(a + bx)^2\sqrt{c + dx}\sqrt{e + fx}}{3bdf} - \frac{\sqrt{c + dx}\sqrt{e + fx}(8a^2Cd^2f^2 - 6abdf(4Bdf - 2C))}{3b^2df} \\ &= \frac{C(a + bx)^2\sqrt{c + dx}\sqrt{e + fx}}{3bdf} - \frac{\sqrt{c + dx}\sqrt{e + fx}(8a^2Cd^2f^2 - 6abdf(4Bdf - 2C))}{3b^2df} \\ &= \frac{C(a + bx)^2\sqrt{c + dx}\sqrt{e + fx}}{3bdf} - \frac{\sqrt{c + dx}\sqrt{e + fx}(8a^2Cd^2f^2 - 6abdf(4Bdf - 2C))}{3b^2df} \end{aligned}$$

**Mathematica [A]** time = 1.96, size = 379, normalized size = 1.02

$$\sqrt{e + fx} \left( 3\sqrt{de - cf} \sinh^{-1} \left( \frac{\sqrt{f}\sqrt{c+dx}}{\sqrt{de-cf}} \right) \left( b(2df(4Adf(cf + de) - B(3c^2f^2 + 2cdef + 3d^2e^2)) + C(5c^3f^3 + 3c^2df^2 + 3cde^2)) \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((a + b\*x)\*(A + B\*x + C\*x^2))/(Sqrt[c + d\*x]\*Sqrt[e + f\*x]),x]

```
[Out] (Sqrt[e + f*x]*(-(d*Sqrt[f]*Sqrt[c + d*x]*(e + f*x)*(6*a*d*f*(4*B*d*f + C*(-3*d*e - 3*c*f + 2*d*f*x)) + b*(6*d*f*(4*A*d*f + B*(-3*d*e - 3*c*f + 2*d*f*x)) + C*(15*c^2*f^2 + 2*c*d*f*(7*e - 5*f*x) + d^2*(15*e^2 - 10*e*f*x + 8*f^2*x^2)))))/Sqrt[(d*(e + f*x))/(d*e - c*f)]) + 3*Sqrt[d*e - c*f]*(-2*a*d*f*(C*(3*d^2*e^2 + 2*c*d*e*f + 3*c^2*f^2) + 4*d*f*(2*A*d*f - B*(d*e + c*f))) + b*(C*(5*d^3*e^3 + 3*c*d^2*e^2*f + 3*c^2*d*e*f^2 + 5*c^3*f^3) + 2*d*f*(4*A*d*f*(d*e + c*f) - B*(3*d^2*e^2 + 2*c*d*e*f + 3*c^2*f^2))))*ArcSinh[(Sqrt[f]*Sqrt[c + d*x])/Sqrt[d*e - c*f]])/(24*d^3*f^(7/2)*(-(d*e) + c*f)*Sqrt[(d*(e + f*x))/(d*e - c*f)])
```

**fricas** [A] time = 1.59, size = 720, normalized size = 1.94

$$\frac{3(5Cbd^3e^3 + 3(Cbcd^2 - 2(Ca + Bb)d^3)e^2f + (3Cbc^2d - 4(Ca + Bb)cd^2 + 8(Ba + Ab)d^3)ef^2 + (5Cbc^3 - 16A^2cd^3 - 6(Ca + Bb)c^2d + 8(Ba + Ab)d^3)e^2f + (5C^2bd^3 - 6(Ca + Bb)c^2d + 8(Ba + Ab)d^3)ef^2 + (5C^2bc^3 - 16A^2cd^3 - 6(Ca + Bb)c^2d + 8(Ba + Ab)d^3)e^2f + (5C^2bc^3 - 16A^2cd^3 - 6(Ca + Bb)c^2d + 8(Ba + Ab)d^3)ef^2)}{24d^3f^{7/2}(-(d*e) + c*f)\sqrt{\frac{d(e + f*x)}{d*e - c*f}}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x+a)*(C*x^2+B*x+A)/(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="fricas")
```

```
[Out] [-1/96*(3*(5*C*b*d^3*e^3 + 3*(C*b*c*d^2 - 2*(C*a + B*b)*d^3)*e^2*f + (3*C*b*c^2*d - 4*(C*a + B*b)*c*d^2 + 8*(B*a + A*b)*d^3)*e*f^2 + (5*C*b*c^3 - 16*A*a*d^3 - 6*(C*a + B*b)*c^2*d + 8*(B*a + A*b)*c*d^2)*f^3)*sqrt(d*f)*log(8*d^2*f^2*x^2 + d^2*e^2 + 6*c*d*e*f + c^2*f^2 + 4*(2*d*f*x + d*e + c*f)*sqrt(d*f)*sqrt(d*x + c)*sqrt(f*x + e) + 8*(d^2*e*f + c*d*f^2)*x) - 4*(8*C*b*d^3*f^3*x^2 + 15*C*b*d^3*e^2*f + 2*(7*C*b*c*d^2 - 9*(C*a + B*b)*d^3)*e*f^2 + 3*(5*C*b*c^2*d - 6*(C*a + B*b)*c*d^2 + 8*(B*a + A*b)*d^3)*f^3 - 2*(5*C*b*d^3*e*f^2 + (5*C*b*c*d^2 - 6*(C*a + B*b)*d^3)*f^3)*x)*sqrt(d*x + c)*sqrt(f*x + e)/(d^4*f^4), 1/48*(3*(5*C*b*d^3*e^3 + 3*(C*b*c*d^2 - 2*(C*a + B*b)*d^3)*e^2*f + (3*C*b*c^2*d - 4*(C*a + B*b)*c*d^2 + 8*(B*a + A*b)*d^3)*e*f^2 + (5*C*b*c^3 - 16*A*a*d^3 - 6*(C*a + B*b)*c^2*d + 8*(B*a + A*b)*c*d^2)*f^3)*sqrt(-d*f)*arctan(1/2*(2*d*f*x + d*e + c*f)*sqrt(-d*f)*sqrt(d*x + c)*sqrt(f*x + e)/(d^2*f^2*x^2 + c*d*e*f + (d^2*e*f + c*d*f^2)*x)) + 2*(8*C*b*d^3*f^3*x^2 + 15*C*b*d^3*e^2*f + 2*(7*C*b*c*d^2 - 9*(C*a + B*b)*d^3)*e*f^2 + 3*(5*C*b*c^2*d - 6*(C*a + B*b)*c*d^2 + 8*(B*a + A*b)*d^3)*f^3 - 2*(5*C*b*d^3*e*f^2 + (5*C*b*c*d^2 - 6*(C*a + B*b)*d^3)*f^3)*x)*sqrt(d*x + c)*sqrt(f*x + e)/(d^4*f^4)]
```

**giac** [A] time = 1.97, size = 447, normalized size = 1.20

$$\frac{\left(\sqrt{(dx + c)df - cdf + d^2e} \sqrt{dx + c} \left(2(dx + c) \left(\frac{4(dx+c)Cb}{d^4f} - \frac{13Cbcd^{11}f^4 - 6Cad^{12}f^4 - 6Bbd^{12}f^4 + 5Cbd^{12}f^3e}{d^{15}f^5}\right)\right) + \frac{3(11Cbc^2d^{11}f^4 - 10C^2bcd^{12}f^4 - 6C^2acd^{12}f^4 - 6C^2abd^{12}f^4 - 6C^2abd^{12}f^4 + 8B^2ad^{13}f^4 + 8A^2bd^{13}f^4 + 8C^2b^2cd^{12}f^3e - 6C^2acd^{13}f^3e - 6B^2bd^{13}f^3e + 5C^2bd^{13}f^2e^2)}{d^{15}f^5}\right)}{24d^3f^{7/2}(-(d*e) + c*f)\sqrt{\frac{d(e + f*x)}{d*e - c*f}}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x+a)*(C*x^2+B*x+A)/(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="giac")
```

```
[Out] 1/24*(sqrt((d*x + c)*d*f - c*d*f + d^2*e)*sqrt(d*x + c)*(2*(d*x + c)*(4*(d*x + c)*C*b/(d^4*f) - (13*C*b*c*d^11*f^4 - 6*C*a*d^12*f^4 - 6*B*b*d^12*f^4 + 5*C*b*d^12*f^3*e)/(d^15*f^5)) + 3*(11*C*b*c^2*d^11*f^4 - 10*C*a*c*d^12*f^4 - 10*B*b*c*d^12*f^4 + 8*B*a*d^13*f^4 + 8*A*b*d^13*f^4 + 8*C*b*c*d^12*f^3*e - 6*C*a*d^13*f^3*e - 6*B*b*d^13*f^3*e + 5*C*b*d^13*f^2*e^2)/(d^15*f^5)) + 3*(5*C*b*c^3*f^3 - 6*C*a*c^2*d*f^3 - 6*B*b*c^2*d*f^3 + 8*B*a*c*d^2*f^3 + 8*A*b*c*d^2*f^3 - 16*A*a*d^3*f^3 + 3*C*b*c^2*d*f^2*e - 4*C*a*c*d^2*f^2*e - 4*B*b*c*d^2*f^2*e + 8*B*a*d^3*f^2*e + 8*A*b*d^3*f^2*e + 3*C*b*c*d^2*f*e^2 - 6*C*a*d^3*f*e^2 - 6*B*b*d^3*f*e^2 + 5*C*b*d^3*e^3)*log(abs(-sqrt(d*f)*sqrt(d
```

$*x + c) + \sqrt{(d*x + c)*d*f - c*d*f + d^2*e)})/(\sqrt{d*f}*d^3*f^3))*d/abs(d)$

**maple [B]** time = 0.03, size = 1199, normalized size = 3.23

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((b*x+a)*(C*x^2+B*x+A)/(d*x+c)^{(1/2)}/(f*x+e)^{(1/2)}, x)$

[Out]  $\frac{1}{48} * (18 * C * \ln(1/2 * (2 * d * f * x + c * f + d * e + 2 * ((d * x + c) * (f * x + e))^{(1/2)} * (d * f)^{(1/2)})) / (d * f)^{(1/2)} * a * d^3 * e^2 * f + 48 * A * (d * f)^{(1/2)} * ((d * x + c) * (f * x + e))^{(1/2)} * b * d^2 * f^2 + 48 * B * (d * f)^{(1/2)} * ((d * x + c) * (f * x + e))^{(1/2)} * a * d^2 * f^2 + 30 * C * (d * f)^{(1/2)} * ((d * x + c) * (f * x + e))^{(1/2)} * b * c^2 * f^2 + 30 * C * (d * f)^{(1/2)} * ((d * x + c) * (f * x + e))^{(1/2)} * b * d^2 * e^2 - 24 * A * \ln(1/2 * (2 * d * f * x + c * f + d * e + 2 * ((d * x + c) * (f * x + e))^{(1/2)} * (d * f)^{(1/2)})) / (d * f)^{(1/2)} * b * c * d^2 * f^3 - 24 * A * \ln(1/2 * (2 * d * f * x + c * f + d * e + 2 * ((d * x + c) * (f * x + e))^{(1/2)} * (d * f)^{(1/2)})) / (d * f)^{(1/2)} * b * d^3 * e * f^2 - 24 * B * \ln(1/2 * (2 * d * f * x + c * f + d * e + 2 * ((d * x + c) * (f * x + e))^{(1/2)} * (d * f)^{(1/2)})) / (d * f)^{(1/2)} * a * c * d^2 * f^3 - 24 * B * \ln(1/2 * (2 * d * f * x + c * f + d * e + 2 * ((d * x + c) * (f * x + e))^{(1/2)} * (d * f)^{(1/2)})) / (d * f)^{(1/2)} * a * d^3 * e * f^2 + 18 * B * \ln(1/2 * (2 * d * f * x + c * f + d * e + 2 * ((d * x + c) * (f * x + e))^{(1/2)} * (d * f)^{(1/2)})) / (d * f)^{(1/2)} * b * c^2 * d * f^3 + 18 * B * \ln(1/2 * (2 * d * f * x + c * f + d * e + 2 * ((d * x + c) * (f * x + e))^{(1/2)} * (d * f)^{(1/2)})) / (d * f)^{(1/2)} * b * d^3 * e^2 * f + 18 * C * \ln(1/2 * (2 * d * f * x + c * f + d * e + 2 * ((d * x + c) * (f * x + e))^{(1/2)} * (d * f)^{(1/2)})) / (d * f)^{(1/2)} * a * c^2 * d * f^3 + 48 * A * \ln(1/2 * (2 * d * f * x + c * f + d * e + 2 * ((d * x + c) * (f * x + e))^{(1/2)} * (d * f)^{(1/2)})) / (d * f)^{(1/2)} * a * d^3 * f^3 + 16 * C * x^2 * b * d^2 * f^2 * ((d * x + c) * (f * x + e))^{(1/2)} * (d * f)^{(1/2)} + 12 * B * \ln(1/2 * (2 * d * f * x + c * f + d * e + 2 * ((d * x + c) * (f * x + e))^{(1/2)} * (d * f)^{(1/2)})) / (d * f)^{(1/2)} * b * c * d^2 * e * f^2 + 12 * C * \ln(1/2 * (2 * d * f * x + c * f + d * e + 2 * ((d * x + c) * (f * x + e))^{(1/2)} * (d * f)^{(1/2)})) / (d * f)^{(1/2)} * a * c * d^2 * e * f^2 - 9 * C * \ln(1/2 * (2 * d * f * x + c * f + d * e + 2 * ((d * x + c) * (f * x + e))^{(1/2)} * (d * f)^{(1/2)})) / (d * f)^{(1/2)} * b * c^2 * d * e * f^2 - 9 * C * \ln(1/2 * (2 * d * f * x + c * f + d * e + 2 * ((d * x + c) * (f * x + e))^{(1/2)} * (d * f)^{(1/2)})) / (d * f)^{(1/2)} * b * c * d^2 * e^2 * f + 24 * B * (d * f)^{(1/2)} * ((d * x + c) * (f * x + e))^{(1/2)} * x * b * d^2 * f^2 + 24 * C * (d * f)^{(1/2)} * ((d * x + c) * (f * x + e))^{(1/2)} * x * a * d^2 * f^2 - 36 * B * (d * f)^{(1/2)} * ((d * x + c) * (f * x + e))^{(1/2)} * b * c * d * f^2 - 36 * B * (d * f)^{(1/2)} * ((d * x + c) * (f * x + e))^{(1/2)} * b * d^2 * e * f - 36 * C * (d * f)^{(1/2)} * ((d * x + c) * (f * x + e))^{(1/2)} * a * c * d * f^2 - 36 * C * (d * f)^{(1/2)} * ((d * x + c) * (f * x + e))^{(1/2)} * a * d^2 * e * f - 15 * C * \ln(1/2 * (2 * d * f * x + c * f + d * e + 2 * ((d * x + c) * (f * x + e))^{(1/2)} * (d * f)^{(1/2)})) / (d * f)^{(1/2)} * b * c^3 * f^3 - 15 * C * \ln(1/2 * (2 * d * f * x + c * f + d * e + 2 * ((d * x + c) * (f * x + e))^{(1/2)} * (d * f)^{(1/2)})) / (d * f)^{(1/2)} * b * d^3 * e^3 + 28 * C * (d * f)^{(1/2)} * ((d * x + c) * (f * x + e))^{(1/2)} * b * c * d * e * f - 20 * C * (d * f)^{(1/2)} * ((d * x + c) * (f * x + e))^{(1/2)} * x * b * d^2 * e * f - 20 * C * (d * f)^{(1/2)} * ((d * x + c) * (f * x + e))^{(1/2)} * x * b * c * d * f^2 * (d * x + c)^{(1/2)} * (f * x + e)^{(1/2)} / f^3 / d^3 / (d * f)^{(1/2)} / ((d * x + c) * (f * x + e))^{(1/2)}$

**maxima [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((b*x+a)*(C*x^2+B*x+A)/(d*x+c)^{(1/2)}/(f*x+e)^{(1/2)}, x, \text{algorithm}="maxima")$

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(c\*f-d\*e>0)', see `assume?` for more details) Is c\*f-d\*e zero or nonzero?

**mupad [B]** time = 105.19, size = 2621, normalized size = 7.06

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b\*x)\*(A + B\*x + C\*x^2))/((e + f\*x)^(1/2)\*(c + d\*x)^(1/2)),x)

[Out] (((c + d\*x)^(1/2) - c^(1/2))\*(2\*A\*b\*c\*f + 2\*A\*b\*d\*e))/(f^3\*((e + f\*x)^(1/2) - e^(1/2))) + (((c + d\*x)^(1/2) - c^(1/2))^3\*(2\*A\*b\*c\*f + 2\*A\*b\*d\*e))/(d\*f^2\*((e + f\*x)^(1/2) - e^(1/2))^3) - (8\*A\*b\*c^(1/2)\*e^(1/2)\*((c + d\*x)^(1/2) - c^(1/2))^2)/(f^2\*((e + f\*x)^(1/2) - e^(1/2))^2))/(((c + d\*x)^(1/2) - c^(1/2))^4/((e + f\*x)^(1/2) - e^(1/2))^4 + d^2/f^2 - (2\*d\*((c + d\*x)^(1/2) - c^(1/2))^2)/(f\*((e + f\*x)^(1/2) - e^(1/2))^2)) - (((c + d\*x)^(1/2) - c^(1/2))\*((3\*C\*a\*d^3\*e^2)/2 + (3\*C\*a\*c^2\*d\*f^2)/2 + C\*a\*c\*d^2\*e\*f))/(f^6\*((e + f\*x)^(1/2) - e^(1/2))) - (((c + d\*x)^(1/2) - c^(1/2))^3\*((11\*C\*a\*c^2\*f^2)/2 + (11\*C\*a\*d^2\*e^2)/2 + 25\*C\*a\*c\*d\*e\*f))/(f^5\*((e + f\*x)^(1/2) - e^(1/2))^3) + (((c + d\*x)^(1/2) - c^(1/2))^7\*((3\*C\*a\*c^2\*f^2)/2 + (3\*C\*a\*d^2\*e^2)/2 + C\*a\*c\*d\*e\*f))/(d^2\*f^3\*((e + f\*x)^(1/2) - e^(1/2))^7) - (((c + d\*x)^(1/2) - c^(1/2))^5\*((11\*C\*a\*c^2\*f^2)/2 + (11\*C\*a\*d^2\*e^2)/2 + 25\*C\*a\*c\*d\*e\*f))/(d\*f^4\*((e + f\*x)^(1/2) - e^(1/2))^5) + (c^(1/2)\*e^(1/2)\*((c + d\*x)^(1/2) - c^(1/2))^4\*(32\*C\*a\*c\*f + 32\*C\*a\*d\*e))/(f^4\*((e + f\*x)^(1/2) - e^(1/2))^4))/(((c + d\*x)^(1/2) - c^(1/2))^8/((e + f\*x)^(1/2) - e^(1/2))^8 + d^4/f^4 - (4\*d\*((c + d\*x)^(1/2) - c^(1/2))^6)/(f\*((e + f\*x)^(1/2) - e^(1/2))^6) - (4\*d^3\*((c + d\*x)^(1/2) - c^(1/2))^2)/(f^3\*((e + f\*x)^(1/2) - e^(1/2))^2) + (6\*d^2\*((c + d\*x)^(1/2) - c^(1/2))^4)/(f^2\*((e + f\*x)^(1/2) - e^(1/2))^4)) - (((c + d\*x)^(1/2) - c^(1/2))^3\*((85\*C\*b\*d^4\*e^3)/12 + (85\*C\*b\*c^3\*d\*f^3)/12 + (17\*C\*b\*c\*d^3\*e^2\*f)/4 + (17\*C\*b\*c^2\*d^2\*e\*f^2)/4))/(f^8\*((e + f\*x)^(1/2) - e^(1/2))^3) - (((c + d\*x)^(1/2) - c^(1/2))\*((5\*C\*b\*d^5\*e^3)/4 + (5\*C\*b\*c^3\*d^2\*f^3)/4 + (3\*C\*b\*c\*d^4\*e^2\*f)/4 + (3\*C\*b\*c^2\*d^3\*e\*f^2)/4))/(f^9\*((e + f\*x)^(1/2) - e^(1/2))) - (((c + d\*x)^(1/2) - c^(1/2))^5\*((33\*C\*b\*c^3\*f^3)/2 + (33\*C\*b\*d^3\*e^3)/2 + (327\*C\*b\*c\*d^2\*e^2\*f)/2 + (327\*C\*b\*c^2\*d\*e\*f^2)/2))/(f^7\*((e + f\*x)^(1/2) - e^(1/2))^5) - (((c + d\*x)^(1/2) - c^(1/2))^11\*((5\*C\*b\*c^3\*f^3)/4 + (5\*C\*b\*d^3\*e^3)/4 + (3\*C\*b\*c\*d^2\*e^2\*f)/4 + (3\*C\*b\*c^2\*d\*e\*f^2)/4))/(d^3\*f^4\*((e + f\*x)^(1/2) - e^(1/2))^11) + (((c + d\*x)^(1/2) - c^(1/2))^9\*((85\*C\*b\*c^3\*f^3)/12 + (85\*C\*b\*d^3\*e^3)/12 + (17\*C\*b\*c\*d^2\*e^2\*f)/4 + (17\*C\*b\*c^2\*d\*e\*f^2)/4))/(d^2\*f^5\*((e + f\*x)^(1/2) - e^(1/2))^9) - (((c + d\*x)^(1/2) - c^(1/2))^7\*((33\*C\*b\*c^3\*f^3)/2 + (33\*C\*b\*d^3\*e^3)/2 + (327\*C\*b\*c\*d^2\*e^2\*f)/2 + (327\*C\*b\*c^2\*d\*e\*f^2)/2))/(d\*f^6\*((e + f\*x)^(1/2) - e^(1/2))^7) + (c^(1/2)\*e^(1/2)\*((c + d\*x)^(1/2) - c^(1/2))^6\*(128\*C\*b\*c^2\*f^2 + 128\*C\*b\*d^2\*e^2 + (896\*C\*b\*c\*d\*e\*f)/3))/(f^6\*((e + f\*x)^(1/2) - e^(1/2))^6) + (64\*C\*b\*c^(3/2)\*e^(3/2)\*((c + d\*x)^(1/2) - c^(1/2))^8)/(f^4\*((e + f\*x)^(1/2) - e^(1/2))^8) + (64\*C\*b\*c^(3/2)\*d^2\*e^(3/2)\*((c + d\*x)^(1/2) - c^(1/2))^4)/(f^6\*((e + f\*x)^(1/2) - e^(1/2))^4))/(((c + d\*x)^(1/2) - c^(1/2))^12/((e + f\*x)^(1/2) - e^(1/2))^12 + d^6/f^6 - (6\*d\*((c + d\*x)^(1/2) - c^(1/2))^10)/(f\*((e + f\*x)^(1/2) - e^(1/2))^10) - (6\*d^5\*((c + d\*x)^(1/2) - c^(1/2))^2)/(f^5\*((e + f\*x)^(1/2) - e^(1/2))^2) + (15\*d^4\*((c + d\*x)^(1/2) - c^(1/2))^4)/(f^4\*((e + f\*x)^(1/2) - e^(1/2))^4) - (20\*d^3\*((c + d\*x)^(1/2) - c^(1/2))^6)/(f^3\*((e + f\*x)^(1/2) - e^(1/2))^6) + (15\*d^2\*((c + d\*x)^(1/2) - c^(1/2))^8)/(f^2\*((e + f\*x)^(1/2) - e^(1/2))^8)) - (((c + d\*x)^(1/2) - c^(1/2))\*((3\*B\*b\*d^3\*e^2)/2 + (3\*B\*b\*c^2\*d\*f^2)/2 + B\*b\*c\*d^2\*e\*f))/(f^6\*((e + f\*x)^(1/2) - e^(1/2))) - (((c + d\*x)^(1/2) - c^(1/2))^3\*((11\*B\*b\*c^2\*f^2)/2 + (11\*B\*b\*d^2\*e^2)/2 + 25\*B\*b\*c\*d\*e\*f))/(f^5\*((e + f\*x)^(1/2) - e^(1/2))^3) + (((c + d\*x)^(1/2) - c^(1/2))^7\*((3\*B\*b\*c^2\*f^2)/2 + (3\*B\*b\*d^2\*e^2)/2 + B\*b\*c\*d\*e\*f))/(d^2\*f^3\*((e + f\*x)^(1/2) - e^(1/2))^7) - (((c + d\*x)^(1/2) - c^(1/2))^5\*((11\*B\*b\*c^2\*f^2)/2 + (11\*B\*b\*d^2\*e^2)/2 + 25\*B\*b\*c\*d\*e\*f))/(d\*f^4\*((e + f\*x)^(1/2) - e^(1/2))^5) + (c^(1/2)\*e^(1/2)\*((c + d\*x)^(1/2) - c^(1/2))^4\*(32\*B\*b\*c\*f + 32\*B\*b\*d\*e))/(f^4\*((e + f\*x)^(1/2) - e^(1/2))^4))/(((c + d\*x)^(1/2) - c^(1/2))^8/((e + f\*x)^(1/2) - e^(1/2))^8 + d^4/f^4 - (4\*d\*((c + d\*x)^(1/2) - c^(1/2))^6)/(f\*((e + f\*x)^(1/2) - e^(1/2))^6) - (4\*d^3\*((c + d\*x)^(1/2) - c^(1/2))^2)/(f^3\*((e + f\*x)^(1/2) - e^(1/2))^2) + (6\*d^2\*((c + d\*x)^(1/2) - c^(1/2))^4)/(f^2\*((e + f\*x)^(1/2) - e^(1/2))^4)) + (((c + d\*x)^(1/2) - c^(1/2))\*((2\*B\*a\*c\*f + 2\*B\*a\*d\*e))/(f^3\*((e + f\*x)^(1/2) - e^(1/2)))) + (((c + d\*x)^(1/2) - c^(1/2))^3\*((2\*B\*a\*c\*f + 2\*B\*a\*d\*e))/(d\*f^2\*((e + f\*x)^(1/2) - e^(1/2))^3) - (8\*B\*a\*c^(1/2)\*e^(1/2)\*((c + d\*x)^(1/2) - c^(1/2))^2)/(f^2\*((e + f\*x)^(1/2) - e^(1/2))^2))/(((c + d\*x)^(1/2) - c^(1/2))^2)/((c + d\*x)^(1/2) - c^(1/2))



$$\begin{aligned} & 1/2))^{4/((e + f*x)^{1/2} - e^{1/2})^4 + d^2/f^2 - (2*d*((c + d*x)^{1/2} - c \\ & ^{1/2}))^2)/(f*((e + f*x)^{1/2} - e^{1/2})^2) - (4*A*a*atan((d*((e + f*x)^{1/2} \\ & - e^{1/2}))/((-d*f)^{1/2}*((c + d*x)^{1/2} - c^{1/2}))))/((-d*f)^{1/2} \\ & + (B*b*atanh((f^{1/2}*((c + d*x)^{1/2} - c^{1/2}))/((d^{1/2}*((e + f*x)^{1/2} \\ & - e^{1/2}))))*(3*c^2*f^2 + 3*d^2*e^2 + 2*c*d*e*f))/(2*d^{5/2}*f^{5/2}) + ( \\ & C*a*atanh((f^{1/2}*((c + d*x)^{1/2} - c^{1/2}))/((d^{1/2}*((e + f*x)^{1/2} - \\ & e^{1/2}))))*(3*c^2*f^2 + 3*d^2*e^2 + 2*c*d*e*f))/(2*d^{5/2}*f^{5/2}) - (2*A \\ & *b*atanh((f^{1/2}*((c + d*x)^{1/2} - c^{1/2}))/((d^{1/2}*((e + f*x)^{1/2} - \\ & e^{1/2}))))*(c*f + d*e))/((d^{3/2}*f^{3/2}) - (2*B*a*atanh((f^{1/2}*((c + d*x) \\ & ^{1/2} - c^{1/2}))/((d^{1/2}*((e + f*x)^{1/2} - e^{1/2}))))*(c*f + d*e))/((d^{ \\ & 3/2}*f^{3/2}) - (C*b*atanh((f^{1/2}*((c + d*x)^{1/2} - c^{1/2}))/((d^{1/2}* \\ & ((e + f*x)^{1/2} - e^{1/2}))))*(c*f + d*e)*(5*c^2*f^2 + 5*d^2*e^2 - 2*c*d*e* \\ & f))/(4*d^{7/2}*f^{7/2})) \end{aligned}$$

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx)(A + Bx + Cx^2)}{\sqrt{c + dx}\sqrt{e + fx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*x+a)\*(C\*x\*\*2+B\*x+A)/(d\*x+c)\*\*(1/2)/(f\*x+e)\*\*(1/2),x)

[Out] Integral((a + b\*x)\*(A + B\*x + C\*x\*\*2)/(sqrt(c + d\*x)\*sqrt(e + f\*x)), x)

$$3.56 \quad \int \frac{A+Bx+Cx^2}{\sqrt{c+dx} \sqrt{e+fx}} dx$$

**Optimal.** Leaf size=164

$$\frac{\tanh^{-1}\left(\frac{\sqrt{f}\sqrt{c+dx}}{\sqrt{d}\sqrt{e+fx}}\right)\left(4df(2Adf - B(cf + de)) + C(3c^2f^2 + 2cdef + 3d^2e^2)\right)}{4d^{5/2}f^{5/2}} - \frac{\sqrt{c+dx}\sqrt{e+fx}(-4Bdf + 5cCf + 4d^2f^2)}{4d^2f^2}$$

[Out] 1/4\*(C\*(3\*c^2\*f^2+2\*c\*d\*e\*f+3\*d^2\*e^2)+4\*d\*f\*(2\*A\*d\*f-B\*(c\*f+d\*e)))\*arctanh(f^(1/2)\*(d\*x+c)^(1/2)/d^(1/2)/(f\*x+e)^(1/2))/d^(5/2)/f^(5/2)+1/2\*C\*(d\*x+c)^(3/2)\*(f\*x+e)^(1/2)/d^2/f-1/4\*(-4\*B\*d\*f+5\*C\*c\*f+3\*C\*d\*e)\*(d\*x+c)^(1/2)\*(f\*x+e)^(1/2)/d^2/f^2

**Rubi [A]** time = 0.15, antiderivative size = 164, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$ , Rules used = {951, 80, 63, 217, 206}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{f}\sqrt{c+dx}}{\sqrt{d}\sqrt{e+fx}}\right)\left(4df(2Adf - B(cf + de)) + C(3c^2f^2 + 2cdef + 3d^2e^2)\right)}{4d^{5/2}f^{5/2}} - \frac{\sqrt{c+dx}\sqrt{e+fx}(-4Bdf + 5cCf + 4d^2f^2)}{4d^2f^2}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*x + C\*x^2)/(Sqrt[c + d\*x]\*Sqrt[e + f\*x]),x]

[Out] -((3\*C\*d\*e + 5\*c\*C\*f - 4\*B\*d\*f)\*Sqrt[c + d\*x]\*Sqrt[e + f\*x])/(4\*d^2\*f^2) + (C\*(c + d\*x)^(3/2)\*Sqrt[e + f\*x])/(2\*d^2\*f) + ((C\*(3\*d^2\*e^2 + 2\*c\*d\*e\*f + 3\*c^2\*f^2) + 4\*d\*f\*(2\*A\*d\*f - B\*(d\*e + c\*f)))\*ArcTanh[(Sqrt[f]\*Sqrt[c + d\*x])/(Sqrt[d]\*Sqrt[e + f\*x])])/(4\*d^(5/2)\*f^(5/2))

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 80

Int[((a\_.) + (b\_.)\*(x\_))\*((c\_.) + (d\_.)\*(x\_))^(n\_)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] :> Simp[(b\*(c + d\*x)^(n + 1)\*(e + f\*x)^(p + 1))/(d\*f\*(n + p + 2)), x] + Dist[(a\*d\*f\*(n + p + 2) - b\*(d\*e\*(n + 1) + c\*f\*(p + 1)))/(d\*f\*(n + p + 2)), Int[(c + d\*x)^n\*(e + f\*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 2, 0]

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[Rt[-b, 2]\*x]/Rt[a, 2])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] :> Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 951

```
Int[((d_.) + (e_.)*(x_.))^(m_.)*((f_.) + (g_.)*(x_.))^(n_.)*((a_.) + (b_.)*(x_.)
+ (c_.)*(x_.^2)^(p_.), x_Symbol] := Simp[(c^p*(d + e*x)^(m + 2*p)*(f + g*x)
)^(n + 1))/(g*e^(2*p)*(m + n + 2*p + 1)), x] + Dist[1/(g*e^(2*p)*(m + n + 2
*p + 1)), Int[(d + e*x)^m*(f + g*x)^n*ExpandToSum[g*(m + n + 2*p + 1)*(e^(2
*p)*(a + b*x + c*x^2)^p - c^p*(d + e*x)^(2*p)) - c^p*(e*f - d*g)*(m + 2*p)*
(d + e*x)^(2*p - 1), x], x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e
*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGt
Q[p, 0] && NeQ[m + n + 2*p + 1, 0] && (IntegerQ[n] || !IntegerQ[m])
```

### Rubi steps

$$\int \frac{A + Bx + Cx^2}{\sqrt{c + dx} \sqrt{e + fx}} dx = \frac{C(c + dx)^{3/2} \sqrt{e + fx}}{2d^2 f} + \frac{\int \frac{\frac{1}{2}(-3cCde - c^2 Cf + 4Ad^2 f) - \frac{1}{2}d(3Cde + 5cCf - 4Bdf)x}{\sqrt{c + dx} \sqrt{e + fx}} dx}{2d^2 f}$$

$$= -\frac{(3Cde + 5cCf - 4Bdf)\sqrt{c + dx} \sqrt{e + fx}}{4d^2 f^2} + \frac{C(c + dx)^{3/2} \sqrt{e + fx}}{2d^2 f} + \frac{(C(3d^2 e^2 + 2Ccd - 2Bd^2)ef + (3Cc^2 - 4Bcd + 8Ad^2)f^2)\sqrt{d} \log(8d^2 f^2 x^2 + d^2 e^2 + 6cdef + c^2 f^2 + 4(2Ccd - 2Bd^2)ef + 3Cc^2 - 4Bcd + 8Ad^2)f^2)}{4d^3 f^{5/2} \sqrt{e + fx}}$$

$$= -\frac{(3Cde + 5cCf - 4Bdf)\sqrt{c + dx} \sqrt{e + fx}}{4d^2 f^2} + \frac{C(c + dx)^{3/2} \sqrt{e + fx}}{2d^2 f} + \frac{(C(3d^2 e^2 + 2Ccd - 2Bd^2)ef + (3Cc^2 - 4Bcd + 8Ad^2)f^2)\sqrt{d} \log(8d^2 f^2 x^2 + d^2 e^2 + 6cdef + c^2 f^2 + 4(2Ccd - 2Bd^2)ef + 3Cc^2 - 4Bcd + 8Ad^2)f^2)}{4d^3 f^{5/2} \sqrt{e + fx}}$$

$$= -\frac{(3Cde + 5cCf - 4Bdf)\sqrt{c + dx} \sqrt{e + fx}}{4d^2 f^2} + \frac{C(c + dx)^{3/2} \sqrt{e + fx}}{2d^2 f} + \frac{(C(3d^2 e^2 + 2Ccd - 2Bd^2)ef + (3Cc^2 - 4Bcd + 8Ad^2)f^2)\sqrt{d} \log(8d^2 f^2 x^2 + d^2 e^2 + 6cdef + c^2 f^2 + 4(2Ccd - 2Bd^2)ef + 3Cc^2 - 4Bcd + 8Ad^2)f^2)}{4d^3 f^{5/2} \sqrt{e + fx}}$$

$$= -\frac{(3Cde + 5cCf - 4Bdf)\sqrt{c + dx} \sqrt{e + fx}}{4d^2 f^2} + \frac{C(c + dx)^{3/2} \sqrt{e + fx}}{2d^2 f} + \frac{(C(3d^2 e^2 + 2Ccd - 2Bd^2)ef + (3Cc^2 - 4Bcd + 8Ad^2)f^2)\sqrt{d} \log(8d^2 f^2 x^2 + d^2 e^2 + 6cdef + c^2 f^2 + 4(2Ccd - 2Bd^2)ef + 3Cc^2 - 4Bcd + 8Ad^2)f^2)}{4d^3 f^{5/2} \sqrt{e + fx}}$$

**Mathematica [A]** time = 0.79, size = 173, normalized size = 1.05

$$\frac{\sqrt{de - cf} \sqrt{\frac{d(e+fx)}{de - cf}} \sinh^{-1}\left(\frac{\sqrt{f} \sqrt{c+dx}}{\sqrt{de - cf}}\right) (4df(2Adf - B(cf + de)) + C(3c^2 f^2 + 2cdef + 3d^2 e^2)) + d\sqrt{f} \sqrt{c + dx}}{4d^3 f^{5/2} \sqrt{e + fx}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*x + C\*x^2)/(Sqrt[c + d\*x]\*Sqrt[e + f\*x]),x]

[Out] (d\*Sqrt[f]\*Sqrt[c + d\*x]\*(e + f\*x)\*(4\*B\*d\*f + C\*(-3\*d\*e - 3\*c\*f + 2\*d\*f\*x)) + Sqrt[d\*e - c\*f]\*(C\*(3\*d^2\*e^2 + 2\*c\*d\*e\*f + 3\*c^2\*f^2) + 4\*d\*f\*(2\*A\*d\*f - B\*(d\*e + c\*f)))\*Sqrt[(d\*(e + f\*x))/(d\*e - c\*f)]\*ArcSinh[(Sqrt[f]\*Sqrt[c + d\*x])/Sqrt[d\*e - c\*f]])/(4\*d^3\*f^(5/2)\*Sqrt[e + f\*x])

**fricas [A]** time = 0.81, size = 380, normalized size = 2.32

$$\left[ \frac{(3Cd^2e^2 + 2(Ccd - 2Bd^2)ef + (3Cc^2 - 4Bcd + 8Ad^2)f^2)\sqrt{d} \log(8d^2 f^2 x^2 + d^2 e^2 + 6cdef + c^2 f^2 + 4(2Ccd - 2Bd^2)ef + 3Cc^2 - 4Bcd + 8Ad^2)f^2}{4d^3 f^{5/2} \sqrt{e + fx}} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)/(d\*x+c)^(1/2)/(f\*x+e)^(1/2),x, algorithm="fricas")

```
[Out] [1/16*((3*C*d^2*e^2 + 2*(C*c*d - 2*B*d^2))*e*f + (3*C*c^2 - 4*B*c*d + 8*A*d^2)*f^2)*sqrt(d*f)*log(8*d^2*f^2*x^2 + d^2*e^2 + 6*c*d*e*f + c^2*f^2 + 4*(2*d*f*x + d*e + c*f)*sqrt(d*f)*sqrt(d*x + c)*sqrt(f*x + e) + 8*(d^2*e*f + c*d*f^2)*x) + 4*(2*C*d^2*f^2*x - 3*C*d^2*e*f - (3*C*c*d - 4*B*d^2)*f^2)*sqrt(d*x + c)*sqrt(f*x + e))/(d^3*f^3), -1/8*((3*C*d^2*e^2 + 2*(C*c*d - 2*B*d^2))*e*f + (3*C*c^2 - 4*B*c*d + 8*A*d^2)*f^2)*sqrt(-d*f)*arctan(1/2*(2*d*f*x + d*e + c*f)*sqrt(-d*f)*sqrt(d*x + c)*sqrt(f*x + e)/(d^2*f^2*x^2 + c*d*e*f + (d^2*e*f + c*d*f^2)*x)) - 2*(2*C*d^2*f^2*x - 3*C*d^2*e*f - (3*C*c*d - 4*B*d^2)*f^2)*sqrt(d*x + c)*sqrt(f*x + e)/(d^3*f^3)]
```

**giac** [A] time = 1.22, size = 194, normalized size = 1.18

$$\frac{\left(\sqrt{(dx+c)df - cdf + d^2e} \sqrt{dx+c} \left(\frac{2(dx+c)C}{d^3f} - \frac{5Ccd^5f^2 - 4Bd^6f^2 + 3Cd^6fe}{d^8f^3}\right) - \frac{(3C^2f^2 - 4Bcdf^2 + 8Ad^2f^2 + 2Ccdf e - 4Bd^2fe + 3Cd^2f^2)}{\sqrt{df} d^2f}\right)}{4|d|}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="giac")
```

```
[Out] 1/4*(sqrt((d*x + c)*d*f - c*d*f + d^2*e)*sqrt(d*x + c)*(2*(d*x + c)*C/(d^3*f) - (5*C*c*d^5*f^2 - 4*B*d^6*f^2 + 3*C*d^6*f*e)/(d^8*f^3)) - (3*C*c^2*f^2 - 4*B*c*d*f^2 + 8*A*d^2*f^2 + 2*C*c*d*f*e - 4*B*d^2*f*e + 3*C*d^2*e^2)*log(abs(-sqrt(d*f)*sqrt(d*x + c) + sqrt((d*x + c)*d*f - c*d*f + d^2*e)))/(sqrt(d*f)*d^2*f^2))*d/abs(d)
```

**maple** [B] time = 0.02, size = 425, normalized size = 2.59

$$\frac{\left(8A d^2 f^2 \ln\left(\frac{2dfx+cf+de+2\sqrt{(dx+c)(fx+e)} \sqrt{df}}{2\sqrt{df}}\right) - 4Bcd f^2 \ln\left(\frac{2dfx+cf+de+2\sqrt{(dx+c)(fx+e)} \sqrt{df}}{2\sqrt{df}}\right) - 4B d^2 e f \ln\left(\frac{2dfx+cf+de+2\sqrt{(dx+c)(fx+e)} \sqrt{df}}{2\sqrt{df}}\right)\right)}{4|d|}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((C*x^2+B*x+A)/(d*x+c)^(1/2)/(f*x+e)^(1/2),x)
```

```
[Out] 1/8*(8*A*ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)))/(d*f)^(1/2))*d^2*f^2-4*B*ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)))/(d*f)^(1/2))*c*d*f^2-4*B*ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)))/(d*f)^(1/2))*d^2*e*f+3*C*ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)))/(d*f)^(1/2))*c^2*f^2+2*C*ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)))/(d*f)^(1/2))*c*d*e*f+3*C*ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)))/(d*f)^(1/2))*d^2*e^2+4*C*(d*f)^(1/2)*((d*x+c)*(f*x+e))^(1/2)*x*d*f+8*B*(d*f)^(1/2)*((d*x+c)*(f*x+e))^(1/2)*d*f-6*C*(d*f)^(1/2)*((d*x+c)*(f*x+e))^(1/2)*c*f-6*C*(d*f)^(1/2)*((d*x+c)*(f*x+e))^(1/2)*d*e*(d*x+c)^(1/2)*(f*x+e)^(1/2)/(d*f)^(1/2))/f^2/d^2/((d*x+c)*(f*x+e))^(1/2)
```

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(c*f-d*e>0)', see `assume?` for more details)Is c*f-d*e zero or nonzero?
```

**mupad [B]** time = 25.89, size = 833, normalized size = 5.08

$$\frac{(2Bcf+2Bde)(\sqrt{c+dx}-\sqrt{c})}{f^3(\sqrt{e+fx}-\sqrt{e})} + \frac{(2Bcf+2Bde)(\sqrt{c+dx}-\sqrt{c})^3}{df^2(\sqrt{e+fx}-\sqrt{e})^3} - \frac{8B\sqrt{c}\sqrt{e}(\sqrt{c+dx}-\sqrt{c})^2}{f^2(\sqrt{e+fx}-\sqrt{e})^2} - \frac{(\sqrt{c+dx}-\sqrt{c})\left(\frac{3C^2df^2}{2}+Ccd^2ef+\frac{3Cd^3}{2}\right)}{f^6(\sqrt{e+fx}-\sqrt{e})}$$


---


$$\frac{(\sqrt{c+dx}-\sqrt{c})^4}{(\sqrt{e+fx}-\sqrt{e})^4} + \frac{d^2}{f^2} - \frac{2d(\sqrt{c+dx}-\sqrt{c})^2}{f(\sqrt{e+fx}-\sqrt{e})^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B\*x + C\*x^2)/((e + f\*x)^(1/2)\*(c + d\*x)^(1/2)),x)

[Out] (((2\*B\*c\*f + 2\*B\*d\*e)\*((c + d\*x)^(1/2) - c^(1/2)))/(f^3\*((e + f\*x)^(1/2) - e^(1/2))) + ((2\*B\*c\*f + 2\*B\*d\*e)\*((c + d\*x)^(1/2) - c^(1/2))^3)/(d\*f^2\*((e + f\*x)^(1/2) - e^(1/2))^3) - (8\*B\*c^(1/2)\*e^(1/2)\*((c + d\*x)^(1/2) - c^(1/2))^2)/(f^2\*((e + f\*x)^(1/2) - e^(1/2))^2))/(((c + d\*x)^(1/2) - c^(1/2))^4/((e + f\*x)^(1/2) - e^(1/2))^4 + d^2/f^2 - (2\*d\*((c + d\*x)^(1/2) - c^(1/2))^2)/(f\*((e + f\*x)^(1/2) - e^(1/2))^2)) - (((c + d\*x)^(1/2) - c^(1/2))\*((3\*C\*d^3\*e^2)/2 + (3\*C\*c^2\*d\*f^2)/2 + C\*c\*d^2\*e\*f))/(f^6\*((e + f\*x)^(1/2) - e^(1/2))) - (((c + d\*x)^(1/2) - c^(1/2))^3\*((11\*C\*c^2\*f^2)/2 + (11\*C\*d^2\*e^2)/2 + 25\*C\*c\*d\*e\*f))/(f^5\*((e + f\*x)^(1/2) - e^(1/2))^3) + (((c + d\*x)^(1/2) - c^(1/2))^7\*((3\*C\*c^2\*f^2)/2 + (3\*C\*d^2\*e^2)/2 + C\*c\*d\*e\*f))/(d^2\*f^3\*((e + f\*x)^(1/2) - e^(1/2))^7) - (((c + d\*x)^(1/2) - c^(1/2))^5\*((11\*C\*c^2\*f^2)/2 + (11\*C\*d^2\*e^2)/2 + 25\*C\*c\*d\*e\*f))/(d\*f^4\*((e + f\*x)^(1/2) - e^(1/2))^5) + (c^(1/2)\*e^(1/2)\*(32\*C\*c\*f + 32\*C\*d\*e)\*((c + d\*x)^(1/2) - c^(1/2))^4)/(f^4\*((e + f\*x)^(1/2) - e^(1/2))^4))/(((c + d\*x)^(1/2) - c^(1/2))^8/((e + f\*x)^(1/2) - e^(1/2))^8 + d^4/f^4 - (4\*d\*((c + d\*x)^(1/2) - c^(1/2))^6)/(f\*((e + f\*x)^(1/2) - e^(1/2))^6) - (4\*d^3\*((c + d\*x)^(1/2) - c^(1/2))^2)/(f^3\*((e + f\*x)^(1/2) - e^(1/2))^2) + (6\*d^2\*((c + d\*x)^(1/2) - c^(1/2))^4)/(f^2\*((e + f\*x)^(1/2) - e^(1/2))^4)) - (4\*A\*atan((d\*((e + f\*x)^(1/2) - e^(1/2))))/((-d\*f)^(1/2)\*((c + d\*x)^(1/2) - c^(1/2))))/((-d\*f)^(1/2) - (2\*B\*atanh((f^(1/2)\*((c + d\*x)^(1/2) - c^(1/2)))/(d^(1/2)\*((e + f\*x)^(1/2) - e^(1/2))))\*(c\*f + d\*e))/(d^(3/2)\*f^(3/2)) + (C\*atanh((f^(1/2)\*((c + d\*x)^(1/2) - c^(1/2)))/(d^(1/2)\*((e + f\*x)^(1/2) - e^(1/2))))\*(3\*c^2\*f^2 + 3\*d^2\*e^2 + 2\*c\*d\*e\*f))/(2\*d^(5/2)\*f^(5/2))

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{A + Bx + Cx^2}{\sqrt{c + dx}\sqrt{e + fx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x\*\*2+B\*x+A)/(d\*x+c)\*\*(1/2)/(f\*x+e)\*\*(1/2),x)

[Out] Integral((A + B\*x + C\*x\*\*2)/(sqrt(c + d\*x)\*sqrt(e + f\*x)), x)

**3.57**  $\int \frac{A+Bx+Cx^2}{(a+bx)\sqrt{c+dx}\sqrt{e+fx}} dx$

**Optimal.** Leaf size=188

$$\frac{2(Ab^2 - a(bB - aC)) \tanh^{-1}\left(\frac{\sqrt{c+dx}\sqrt{be-af}}{\sqrt{e+fx}\sqrt{bc-ad}}\right) - \tanh^{-1}\left(\frac{\sqrt{f}\sqrt{c+dx}}{\sqrt{d}\sqrt{e+fx}}\right) (2aCdf + b(-2Bdf + cCf + Cde))}{b^2\sqrt{bc-ad}\sqrt{be-af}} + \frac{C\sqrt{c+dx}}{b}$$

[Out]  $-(2*a*C*d*f+b*(-2*B*d*f+C*c*f+C*d*e))*\text{arctanh}(f^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)}/(f*x+e)^{(1/2)})/b^2/d^{(3/2)}/f^{(3/2)}-2*(A*b^2-a*(B*b-C*a))*\text{arctanh}((-a*f+b*e)^{(1/2)}*(d*x+c)^{(1/2)}/(-a*d+b*c)^{(1/2)}/(f*x+e)^{(1/2)})/b^2/(-a*d+b*c)^{(1/2)}/(-a*f+b*e)^{(1/2)}+C*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/b/d/f$

**Rubi [A]** time = 0.34, antiderivative size = 188, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 36,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$ , Rules used = {1615, 157, 63, 217, 206, 93, 208}

$$\frac{2(Ab^2 - a(bB - aC)) \tanh^{-1}\left(\frac{\sqrt{c+dx}\sqrt{be-af}}{\sqrt{e+fx}\sqrt{bc-ad}}\right) - \tanh^{-1}\left(\frac{\sqrt{f}\sqrt{c+dx}}{\sqrt{d}\sqrt{e+fx}}\right) (2aCdf + b(-2Bdf + cCf + Cde))}{b^2\sqrt{bc-ad}\sqrt{be-af}} + \frac{C\sqrt{c+dx}}{b}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*x + C\*x^2)/((a + b\*x)\*Sqrt[c + d\*x]\*Sqrt[e + f\*x]), x]

[Out]  $(C*\text{Sqrt}[c + d*x]*\text{Sqrt}[e + f*x])/(b*d*f) - ((2*a*C*d*f + b*(C*d*e + c*C*f - 2*B*d*f))*\text{ArcTanh}[(\text{Sqrt}[f]*\text{Sqrt}[c + d*x])]/(\text{Sqrt}[d]*\text{Sqrt}[e + f*x]))/(b^2*d^{(3/2)}*f^{(3/2)}) - (2*(A*b^2 - a*(b*B - a*C))*\text{ArcTanh}[(\text{Sqrt}[b*e - a*f]*\text{Sqrt}[c + d*x])]/(\text{Sqrt}[b*c - a*d]*\text{Sqrt}[e + f*x]))/(b^2*\text{Sqrt}[b*c - a*d]*\text{Sqrt}[b*e - a*f])$

**Rule 63**

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

**Rule 93**

Int[(((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_))/((e\_.) + (f\_.)\*(x\_)), x\_Symbol] :> With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q\*(m + 1) - 1)/(b\*e - a\*f - (d\*e - c\*f)\*x^q), x], x, (a + b\*x)^(1/q)/(c + d\*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b\*x, c + d\*x]

**Rule 157**

Int[(((c\_.) + (d\_.)\*(x\_))^(n\_)\*((e\_.) + (f\_.)\*(x\_))^(p\_)\*((g\_.) + (h\_.)\*(x\_)))/((a\_.) + (b\_.)\*(x\_)), x\_Symbol] :> Dist[h/b, Int[(c + d\*x)^n\*(e + f\*x)^p, x], x] + Dist[(b\*g - a\*h)/b, Int[((c + d\*x)^n\*(e + f\*x)^p)/(a + b\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x]

**Rule 206**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt

Q[a, 0] || LtQ[b, 0])

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 1615

Int[(Px\_)\*((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] := With[{q = Expon[Px, x], k = Coeff[Px, x, Expon[Px, x]]}, Simp[(k\*(a + b\*x)^(m + q - 1)\*(c + d\*x)^(n + 1)\*(e + f\*x)^(p + 1))/(d\*f\*b^(q - 1)\*(m + n + p + q + 1)), x] + Dist[1/(d\*f\*b^q\*(m + n + p + q + 1)), Int[(a + b\*x)^m\*(c + d\*x)^n\*(e + f\*x)^p\*ExpandToSum[d\*f\*b^q\*(m + n + p + q + 1)\*Px - d\*f\*k\*(m + n + p + q + 1)\*(a + b\*x)^q + k\*(a + b\*x)^(q - 2)\*(a^2\*d\*f\*(m + n + p + q + 1) - b\*(b\*c\*e\*(m + q - 1) + a\*(d\*e\*(n + 1) + c\*f\*(p + 1))) + b\*(a\*d\*f\*(2\*(m + q) + n + p) - b\*(d\*e\*(m + q + n) + c\*f\*(m + q + p)))\*x], x], x] /; NeQ[m + n + p + q + 1, 0] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && IntegersQ[2\*m, 2\*n, 2\*p]

### Rubi steps

$$\begin{aligned} \int \frac{A + Bx + Cx^2}{(a + bx)\sqrt{c + dx}\sqrt{e + fx}} dx &= \frac{C\sqrt{c + dx}\sqrt{e + fx}}{bdf} + \frac{\int \frac{\frac{1}{2}b(2Abdf - aC(de + cf)) - \frac{1}{2}b(2aCdf + b(Cde + cCf - 2Bdf))x}{(a + bx)\sqrt{c + dx}\sqrt{e + fx}} dx}{b^2df} \\ &= \frac{C\sqrt{c + dx}\sqrt{e + fx}}{bdf} + \left( A - \frac{a(bB - aC)}{b^2} \right) \int \frac{1}{(a + bx)\sqrt{c + dx}\sqrt{e + fx}} dx + \\ &= \frac{C\sqrt{c + dx}\sqrt{e + fx}}{bdf} + \left( 2 \left( A - \frac{a(bB - aC)}{b^2} \right) \right) \text{Subst} \left( \int \frac{1}{-bc + ad - (-be + a} \right. \\ &= \frac{C\sqrt{c + dx}\sqrt{e + fx}}{bdf} - \frac{2 \left( A - \frac{a(bB - aC)}{b^2} \right) \tanh^{-1} \left( \frac{\sqrt{be - af}\sqrt{c + dx}}{\sqrt{bc - ad}\sqrt{e + fx}} \right)}{\sqrt{bc - ad}\sqrt{be - af}} + \frac{(-2aCdf -}{ \\ &= \frac{C\sqrt{c + dx}\sqrt{e + fx}}{bdf} - \frac{(2aCdf + b(Cde + cCf - 2Bdf)) \tanh^{-1} \left( \frac{\sqrt{f}\sqrt{c + dx}}{\sqrt{d}\sqrt{e + fx}} \right)}{b^2d^{3/2}f^{3/2}} \end{aligned}$$

**Mathematica [A]** time = 0.94, size = 304, normalized size = 1.62

$$2 \frac{\left( a(aC - bB) + Ab^2 \right) \tanh^{-1} \left( \frac{\sqrt{c + dx}\sqrt{af - be}}{\sqrt{e + fx}\sqrt{ad - bc}} \right) - \frac{\sqrt{e + fx}(aCf - bBf + bCe) \sinh^{-1} \left( \frac{\sqrt{f}\sqrt{c + dx}}{\sqrt{de - cf}} \right)}{f^{3/2}\sqrt{de - cf}\sqrt{\frac{d(e + fx)}{de - cf}}} + \frac{bC\sqrt{e + fx} \left( \sqrt{f}\sqrt{c + dx}\sqrt{\frac{d(e + fx)}{de - cf}} + \sqrt{de - cf}\sinh^{-1} \left( \frac{\sqrt{f}\sqrt{c + dx}}{\sqrt{d}\sqrt{e + fx}} \right) \right)}{2df^{3/2}\sqrt{\frac{d(e + fx)}{de - cf}}}}{b^2}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*x + C\*x^2)/((a + b\*x)\*Sqrt[c + d\*x]\*Sqrt[e + f\*x]),x]

[Out] (2\*(-(((b\*C\*e - b\*B\*f + a\*C\*f)\*Sqrt[e + f\*x]\*ArcSinh[(Sqrt[f]\*Sqrt[c + d\*x])/Sqrt[d\*e - c\*f]])/(f^(3/2)\*Sqrt[d\*e - c\*f]\*Sqrt[(d\*(e + f\*x))/(d\*e - c\*f])) + (b\*C\*Sqrt[e + f\*x]\*(Sqrt[f]\*Sqrt[c + d\*x]\*Sqrt[(d\*(e + f\*x))/(d\*e - c\*f)] + Sqrt[d\*e - c\*f]\*ArcSinh[(Sqrt[f]\*Sqrt[c + d\*x])/Sqrt[d\*e - c\*f]]))/(2\*d\*f^(3/2)\*Sqrt[(d\*(e + f\*x))/(d\*e - c\*f])) + ((A\*b^2 + a\*(-(b\*B) + a\*C))\*ArcTanh[(Sqrt[-(b\*e) + a\*f]\*Sqrt[c + d\*x])/(Sqrt[-(b\*c) + a\*d]\*Sqrt[e + f\*x])])/(Sqrt[-(b\*c) + a\*d]\*Sqrt[-(b\*e) + a\*f]))/b^2

**fricas** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)/(b\*x+a)/(d\*x+c)^(1/2)/(f\*x+e)^(1/2),x, algorithm="fricas")

[Out] Timed out

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)/(b\*x+a)/(d\*x+c)^(1/2)/(f\*x+e)^(1/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x):;OUTPUT:

**maple** [B] time = 0.03, size = 746, normalized size = 3.97

$$\left( 2\sqrt{df} A b^2 d f \ln \left( \frac{-2adfx+bcfx+bdex-acf-ade+2bce+2\sqrt{\frac{a^2df-abc f-abde+b^2ce}{b^2}} \sqrt{(dx+c)(fx+e)} b}{bx+a} \right) - 2\sqrt{df} B a b d f \ln \left( \frac{-2adfx+bcfx+bdex-acf-ade+2bce+2\sqrt{\frac{a^2df-abc f-abde+b^2ce}{b^2}} \sqrt{(dx+c)(fx+e)} b}{bx+a} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C\*x^2+B\*x+A)/(b\*x+a)/(d\*x+c)^(1/2)/(f\*x+e)^(1/2),x)

[Out] -1/2\*(2\*A\*ln((-2\*a\*d\*f\*x+b\*c\*f\*x+b\*d\*e\*x-a\*c\*f-a\*d\*e+2\*b\*c\*e+2\*((a^2\*d\*f-a\*b\*c\*f-a\*b\*d\*e+b^2\*c\*e)/b^2)^(1/2)\*((d\*x+c)\*(f\*x+e))^(1/2)\*b)/(b\*x+a))\*b^2\*d\*f\*(d\*f)^(1/2)-2\*B\*ln(1/2\*(2\*d\*f\*x+c\*f+d\*e+2\*((d\*x+c)\*(f\*x+e))^(1/2)\*(d\*f)^(1/2))/(d\*f)^(1/2))\*b^2\*d\*f\*((a^2\*d\*f-a\*b\*c\*f-a\*b\*d\*e+b^2\*c\*e)/b^2)^(1/2)-2\*B\*ln((-2\*a\*d\*f\*x+b\*c\*f\*x+b\*d\*e\*x-a\*c\*f-a\*d\*e+2\*b\*c\*e+2\*((a^2\*d\*f-a\*b\*c\*f-a\*b\*d\*e+b^2\*c\*e)/b^2)^(1/2)\*((d\*x+c)\*(f\*x+e))^(1/2)\*b)/(b\*x+a))\*a\*b\*d\*f\*(d\*f)^(1/2)+2\*C\*ln(1/2\*(2\*d\*f\*x+c\*f+d\*e+2\*((d\*x+c)\*(f\*x+e))^(1/2)\*(d\*f)^(1/2))/(d\*f)^(1/2))\*a\*b\*d\*f\*((a^2\*d\*f-a\*b\*c\*f-a\*b\*d\*e+b^2\*c\*e)/b^2)^(1/2)+C\*ln(1/2\*(2\*d\*f\*x+c\*f+d\*e+2\*((d\*x+c)\*(f\*x+e))^(1/2)\*(d\*f)^(1/2))/(d\*f)^(1/2))\*b^2\*c\*f\*((a^2\*d\*f-a\*b\*c\*f-a\*b\*d\*e+b^2\*c\*e)/b^2)^(1/2)+C\*ln(1/2\*(2\*d\*f\*x+c\*f+d\*e+2\*((d\*x+c)\*(f\*x+e))^(1/2)\*(d\*f)^(1/2))/(d\*f)^(1/2))\*b^2\*d\*e\*((a^2\*d\*f-a\*b\*c\*f-a\*b\*d\*e+b^2\*c\*e)/b^2)^(1/2)+2\*C\*ln((-2\*a\*d\*f\*x+b\*c\*f\*x+b\*d\*e\*x-a\*c\*f-a\*d\*e+2\*b\*c\*e+2\*((a^2\*d\*f-a\*b\*c\*f-a\*b\*d\*e+b^2\*c\*e)/b^2)^(1/2)\*((d\*x+c)\*(f\*x+e))^(1/2)\*b)/(b\*x+a))\*a^2\*d\*f\*(d\*f)^(1/2)-2\*C\*b^2\*((d\*x+c)\*(f\*x+e))^(1/2)\*(d\*f)^(1/2)\*((a^2\*d\*f-a\*b\*c\*f-a\*b\*d\*e+b^2\*c\*e)/b^2)^(1/2)\*(f\*x+e)^(1/2)\*(d\*x+c)^(1/2)/((d\*x+c)\*(f\*x+e))^(1/2)/d/(d\*f)^(1/2)/b^3/((a^2\*d\*f-a\*b\*c\*f-a\*b\*d\*e+b^2\*c\*e)/b^2)^(1/2)/f



**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)/(b\*x+a)/(d\*x+c)^(1/2)/(f\*x+e)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(((-(2\*a\*d\*f)/b^2)>0)', see `assume?` for more details)Is ((-(2\*a\*d\*f)/b^2) + (c\*f)/b + (d\*e)/b)^2 - (4\*d\*f\*(a^2\*d\*f)/b^2 - (a\*c\*f)/b - (a\*d\*e)/b + c\*e)/b^2 zero or nonzero?

**mupad** [F(-1)] time = 0.00, size = -1, normalized size = -0.01

Hanged

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B\*x + C\*x^2)/((e + f\*x)^(1/2)\*(a + b\*x)\*(c + d\*x)^(1/2)),x)

[Out] \text{Hanged}

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{A + Bx + Cx^2}{(a + bx) \sqrt{c + dx} \sqrt{e + fx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x\*\*2+B\*x+A)/(b\*x+a)/(d\*x+c)\*\*(1/2)/(f\*x+e)\*\*(1/2),x)

[Out] Integral((A + B\*x + C\*x\*\*2)/((a + b\*x)\*sqrt(c + d\*x)\*sqrt(e + f\*x)), x)

$$3.58 \quad \int \frac{A+Bx+Cx^2}{(a+bx)^2 \sqrt{c+dx} \sqrt{e+fx}} dx$$

**Optimal.** Leaf size=254

$$\frac{\tanh^{-1}\left(\frac{\sqrt{c+dx}\sqrt{be-af}}{\sqrt{e+fx}\sqrt{bc-ad}}\right)\left(2a^3Cdf - 3a^2bC(cf+de) + ab^2(-2Adf + Bcf + Bde + 4cCe) - b^3(-Acf - Ade + 2Bce)\right)}{b^2(bc-ad)^{3/2}(be-af)^{3/2}}$$

[Out] (2\*a^3\*C\*d\*f-3\*a^2\*b\*C\*(c\*f+d\*e)-b^3\*(-A\*c\*f-A\*d\*e+2\*B\*c\*e)+a\*b^2\*(-2\*A\*d\*f+B\*c\*f+B\*d\*e+4\*C\*c\*e))\*arctanh((-a\*f+b\*e)^(1/2)\*(d\*x+c)^(1/2)/(-a\*d+b\*c)^(1/2)/(f\*x+e)^(1/2))/b^2/(-a\*d+b\*c)^(3/2)/(-a\*f+b\*e)^(3/2)+2\*C\*arctanh(f^(1/2)\*(d\*x+c)^(1/2)/d^(1/2)/(f\*x+e)^(1/2))/b^2/d^(1/2)/f^(1/2)-(A\*b^2-a\*(B\*b-C\*a))\*(d\*x+c)^(1/2)\*(f\*x+e)^(1/2)/b/(-a\*d+b\*c)/(-a\*f+b\*e)/(b\*x+a)

**Rubi [A]** time = 0.64, antiderivative size = 254, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 36,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$ , Rules used = {1613, 157, 63, 217, 206, 93, 208}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{c+dx}\sqrt{be-af}}{\sqrt{e+fx}\sqrt{bc-ad}}\right)\left(-3a^2bC(cf+de) + 2a^3Cdf + ab^2(-2Adf + Bcf + Bde + 4cCe) - b^3(-Acf - Ade + 2Bce)\right)}{b^2(bc-ad)^{3/2}(be-af)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*x + C\*x^2)/((a + b\*x)^2\*Sqrt[c + d\*x]\*Sqrt[e + f\*x]),x]

[Out] -(((A\*b^2 - a\*(b\*B - a\*C))\*Sqrt[c + d\*x]\*Sqrt[e + f\*x])/(b\*(b\*c - a\*d)\*(b\*e - a\*f)\*(a + b\*x))) + (2\*C\*ArcTanh[(Sqrt[f]\*Sqrt[c + d\*x])/(Sqrt[d]\*Sqrt[e + f\*x])])/(b^2\*Sqrt[d]\*Sqrt[f]) + ((2\*a^3\*C\*d\*f - 3\*a^2\*b\*C\*(d\*e + c\*f) - b^3\*(2\*B\*c\*e - A\*d\*e - A\*c\*f) + a\*b^2\*(4\*c\*C\*e + B\*d\*e + B\*c\*f - 2\*A\*d\*f))\*ArcTanh[(Sqrt[b\*e - a\*f]\*Sqrt[c + d\*x])/(Sqrt[b\*c - a\*d]\*Sqrt[e + f\*x])])/(b^2\*(b\*c - a\*d)^(3/2)\*(b\*e - a\*f)^(3/2))

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 93

Int[(((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_))/((e\_.) + (f\_.)\*(x\_)), x\_Symbol] :> With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q\*(m + 1) - 1)/(b\*e - a\*f - (d\*e - c\*f)\*x^q), x], x, (a + b\*x)^(1/q)/(c + d\*x)^(1/q)], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b\*x, c + d\*x]

### Rule 157

Int[(((c\_.) + (d\_.)\*(x\_))^(n\_)\*((e\_.) + (f\_.)\*(x\_))^(p\_)\*((g\_.) + (h\_.)\*(x\_)))/((a\_.) + (b\_.)\*(x\_)), x\_Symbol] :> Dist[h/b, Int[(c + d\*x)^n\*(e + f\*x)^p, x], x] + Dist[(b\*g - a\*h)/b, Int[((c + d\*x)^n\*(e + f\*x)^p)/(a + b\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x]

### Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 208

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 217

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 1613

Int[(Px\_)\*((a\_) + (b\_)\*(x\_)^(m\_))\*((c\_) + (d\_)\*(x\_)^(n\_))\*((e\_) + (f\_)\*(x\_)^(p\_)), x\_Symbol] := With[{Qx = PolynomialQuotient[Px, a + b\*x, x], R = PolynomialRemainder[Px, a + b\*x, x]}, Simp[(b\*R\*(a + b\*x)^(m + 1)\*(c + d\*x)^(n + 1)\*(e + f\*x)^(p + 1))/((m + 1)\*(b\*c - a\*d)\*(b\*e - a\*f)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(b\*e - a\*f)), Int[(a + b\*x)^(m + 1)\*(c + d\*x)^n\*(e + f\*x)^p\*ExpandToSum[(m + 1)\*(b\*c - a\*d)\*(b\*e - a\*f)\*Qx + a\*d\*f\*R\*(m + 1) - b\*R\*(d\*e\*(m + n + 2) + c\*f\*(m + p + 2)) - b\*d\*f\*R\*(m + n + p + 3)\*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && PolyQ[Px, x] && ILtQ[m, -1] && IntegersQ[2\*m, 2\*n, 2\*p]

### Rubi steps

$$\begin{aligned} \int \frac{A + Bx + Cx^2}{(a + bx)^2 \sqrt{c + dx} \sqrt{e + fx}} dx &= -\frac{(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{b(bc - ad)(be - af)(a + bx)} - \frac{\int \frac{-\frac{a^2C(de+cf)+b^2(2Bce-Ade-Acf)-ab(2cCe+B)}{2b}}{(a+bx)\sqrt{c+dx}} dx}{(bc - ad)(be - af)} \\ &= -\frac{(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{b(bc - ad)(be - af)(a + bx)} + \frac{C \int \frac{1}{\sqrt{c+dx} \sqrt{e+fx}} dx}{b^2} - \frac{(2a^3Cdf)}{b^2} \\ &= -\frac{(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{b(bc - ad)(be - af)(a + bx)} + \frac{(2C) \text{Subst} \left( \int \frac{1}{\sqrt{e - \frac{cf}{d} + \frac{fx^2}{d}}} dx, x \right)}{b^2 d} \\ &= -\frac{(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{b(bc - ad)(be - af)(a + bx)} + \frac{(2a^3Cdf - 3a^2bC(de + cf) - b^3)}{b^2} \\ &= -\frac{(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{b(bc - ad)(be - af)(a + bx)} + \frac{2C \tanh^{-1} \left( \frac{\sqrt{f} \sqrt{c+dx}}{\sqrt{d} \sqrt{e+fx}} \right)}{b^2 \sqrt{d} \sqrt{f}} + \frac{(2a^3C)}{b^2} \end{aligned}$$

**Mathematica [A]** time = 1.86, size = 325, normalized size = 1.28

$$\frac{b\sqrt{c+dx}\sqrt{e+fx}(a(aC-bB)+Ab^2)}{(a+bx)(bc-ad)(be-af)} - \frac{(a(aC-bB)+Ab^2)(-2adf+bcf+bde) \tanh^{-1}\left(\frac{\sqrt{c+dx}\sqrt{af-be}}{\sqrt{e+fx}\sqrt{ad-bc}}\right)}{(ad-bc)^{3/2}(af-be)^{3/2}} + \frac{2(bB-2aC) \tanh^{-1}\left(\frac{\sqrt{c+dx}\sqrt{af-be}}{\sqrt{e+fx}\sqrt{ad-bc}}\right)}{\sqrt{ad-bc}\sqrt{af-be}} + \frac{2C}{b^2}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*x + C\*x^2)/((a + b\*x)^2\*Sqrt[c + d\*x]\*Sqrt[e + f\*x]),x]

[Out] 
$$\frac{-((b*(A*b^2 + a*(-(b*B) + a*C))*Sqrt[c + d*x]*Sqrt[e + f*x])/((b*c - a*d)*(b*e - a*f)*(a + b*x))) + (2*C*Sqrt[e + f*x]*ArcSinh[(Sqrt[f]*Sqrt[c + d*x])/Sqrt[d*e - c*f]])/(Sqrt[f]*Sqrt[d*e - c*f]*Sqrt[(d*(e + f*x))/(d*e - c*f)]) + (2*(b*B - 2*a*C)*ArcTanh[(Sqrt[-(b*e) + a*f]*Sqrt[c + d*x])/Sqrt[-(b*c) + a*d]*Sqrt[e + f*x]])/(Sqrt[-(b*c) + a*d]*Sqrt[-(b*e) + a*f]) - ((A*b^2 + a*(-(b*B) + a*C))*(b*d*e + b*c*f - 2*a*d*f)*ArcTanh[(Sqrt[-(b*e) + a*f]*Sqrt[c + d*x])/Sqrt[-(b*c) + a*d]*Sqrt[e + f*x]])/((-b*c) + a*d)^{(3/2)}*(-(b*e) + a*f)^{(3/2)))/b^2$$

**fricas** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)/(b\*x+a)^2/(d\*x+c)^(1/2)/(f\*x+e)^(1/2),x, algorithm="fricas")

[Out] Timed out

**giac** [B] time = 9.37, size = 1356, normalized size = 5.34

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)/(b\*x+a)^2/(d\*x+c)^(1/2)/(f\*x+e)^(1/2),x, algorithm="giac")

[Out] 
$$\begin{aligned} & (3*\sqrt{d*f}*C*a^2*b*c*d^2*f - \sqrt{d*f}*B*a*b^2*c*d^2*f - \sqrt{d*f}*A*b^3*c*d^2*f - 2*\sqrt{d*f}*C*a^3*d^3*f + 2*\sqrt{d*f}*A*a*b^2*d^3*f - 4*\sqrt{d*f} \\ & *C*a*b^2*c*d^2*e + 2*\sqrt{d*f}*B*b^3*c*d^2*e + 3*\sqrt{d*f}*C*a^2*b*d^3*e - \sqrt{d*f}*B*a*b^2*d^3*e - \sqrt{d*f}*A*b^3*d^3*e)*\arctan(-1/2*(b*c*d*f - 2*a \\ & *d^2*f + b*d^2*e - (\sqrt{d*f}*\sqrt{d*x + c}) - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e})^2*b)/(\sqrt{a*b*c*d*f^2 - a^2*d^2*f^2 - b^2*c*d*f*e + a*b*d^2*f*e}*d \\ & ))/((a*b^3*c*f*\text{abs}(d) - a^2*b^2*d*f*\text{abs}(d) - b^4*c*\text{abs}(d)*e + a*b^3*d*\text{abs}(d) \\ & *e)*\sqrt{a*b*c*d*f^2 - a^2*d^2*f^2 - b^2*c*d*f*e + a*b*d^2*f*e}*d) + 2*(\sqrt{d*f}*C*a^2*b*c^2*d^3*f^2 - \sqrt{d*f}*B*a*b^2*c^2*d^3*f^2 + \sqrt{d*f}*A*b \\ & ^3*c^2*d^3*f^2 - 2*\sqrt{d*f}*C*a^2*b*c*d^4*f*e + 2*\sqrt{d*f}*B*a*b^2*c*d^4*f \\ & *e - 2*\sqrt{d*f}*A*b^3*c*d^4*f*e - \sqrt{d*f}*(\sqrt{d*f}*\sqrt{d*x + c}) - \sqrt{d*f} \\ & *(\sqrt{d*x + c}) - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e})^2*C*a^2*b*c*d^2*f + \sqrt{d*f}*(\sqrt{d*f} \\ & *(\sqrt{d*x + c}) - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e})^2*B*a*b^2*c*d^2*f - \sqrt{d*f}*(\sqrt{d*f}*\sqrt{d*x + c}) - \sqrt{d*f}*(\sqrt{d*f} \\ & *(\sqrt{d*x + c}) - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e})^2*A*b^3*c*d^2*f + 2*\sqrt{d*f}*(\sqrt{d*f}*\sqrt{d*x + c}) - \sqrt{d*f}*(\sqrt{d*f} \\ & *(\sqrt{d*x + c}) - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e})^2*C*a^3*d^3*f - 2*\sqrt{d*f}*(\sqrt{d*f}*\sqrt{d*x + c}) - \sqrt{d*f} \\ & *(\sqrt{d*x + c}) - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e})^2*B*a^2*b*d^3*f + 2*\sqrt{d*f}*(\sqrt{d*f}*\sqrt{d*x + c}) - \sqrt{d*f} \\ & *(\sqrt{d*x + c}) - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e})^2*A*a*b^2*d^3*f + \sqrt{d*f} \\ & *C*a^2*b*d^5*e^2 - \sqrt{d*f}*B*a*b^2*d^5*e^2 + \sqrt{d*f}*A*b^3*d^5*e^2 - \sqrt{d*f}*(\sqrt{d*f}*\sqrt{d*x + c}) - \sqrt{d*f} \\ & *(\sqrt{d*x + c}) - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e})^2*C*a^2*b*d^3*e + \sqrt{d*f}*(\sqrt{d*f}*\sqrt{d*x + c}) - \sqrt{d*f} \\ & *(\sqrt{d*x + c}) - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e})^2*B*a*b^2*d^3*e - \sqrt{d*f}*(\sqrt{d*f}*\sqrt{d*x + c}) - \sqrt{d*f} \\ & *(\sqrt{d*x + c}) - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e})^2*A*b^3*d^3*e)/((b*c^2*d^2*f^2 - 2*b*c*d^3*f*e - 2*(\sqrt{d*f}*\sqrt{d*x + c}) - \sqrt{d*f} \\ & *(\sqrt{d*x + c}) - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e})^2*b*c*d*f + 4*(\sqrt{d*f}*\sqrt{d*x + c}) - \sqrt{d*f} \\ & *(\sqrt{d*x + c}) - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e})^2*a*d^2*f + b*d^4*e^2 - 2*(\sqrt{d*f}*\sqrt{d*x + c}) - \sqrt{d*f} \\ & *(\sqrt{d*x + c}) - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e})^2*b*d^2*e + (\sqrt{d*f}*\sqrt{d*x + c}) - \sqrt{d*f} \\ & *(\sqrt{d*x + c}) - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e})^4*b)*(a*b^3*c*f*\text{abs}(d) - a^2*b^2*d*f*\text{abs}(d) - b^4*c*\text{abs} \\ & (d)*e + a*b^3*d*\text{abs}(d)*e) - \sqrt{d*f}*C*\log((\sqrt{d*f}*\sqrt{d*x + c}) - \sqrt{d*f} \\ & *(\sqrt{d*x + c}) - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e})^2)/(b^2*f*\text{abs}(d)) \end{aligned}$$

maple [B] time = 0.06, size = 2973, normalized size = 11.70

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((C*x^2+B*x+A)/(b*x+a)^2/(d*x+c)^{(1/2)}/(f*x+e)^{(1/2)}, x)$

[Out] 
$$-1/2*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}*(-2*B*a*b^3*(d*f)^{(1/2)}*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}+2*A*b^4*(d*f)^{(1/2)}*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}-B*\ln((-2*a*d*f*x+b*c*f*x+b*d*e*x-a*c*f-a*d*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b)/(b*x+a))*x*a*b^3*d*e*(d*f)^{(1/2)}-2*C*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)))/(d*f)^{(1/2)})*x*a^2*b^2*d*f*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)}+2*C*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)))/(d*f)^{(1/2)})*x*a*b^3*c*f*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)}+2*C*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)))/(d*f)^{(1/2)})*x*a*b^3*d*e*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)}-2*C*\ln((-2*a*d*f*x+b*c*f*x+b*d*e*x-a*c*f-a*d*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b)/(b*x+a))*x*a^3*b*d*f*(d*f)^{(1/2)}+3*C*\ln((-2*a*d*f*x+b*c*f*x+b*d*e*x-a*c*f-a*d*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b)/(b*x+a))*x*a^2*b^2*c*f*(d*f)^{(1/2)}+3*C*\ln((-2*a*d*f*x+b*c*f*x+b*d*e*x-a*c*f-a*d*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b)/(b*x+a))*x*a^2*b^2*d*e*(d*f)^{(1/2)}-4*C*\ln((-2*a*d*f*x+b*c*f*x+b*d*e*x-a*c*f-a*d*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b)/(b*x+a))*x*a*b^3*c*e*(d*f)^{(1/2)}+2*A*\ln((-2*a*d*f*x+b*c*f*x+b*d*e*x-a*c*f-a*d*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b)/(b*x+a))*x*a*b^3*d*f*(d*f)^{(1/2)}-B*\ln((-2*a*d*f*x+b*c*f*x+b*d*e*x-a*c*f-a*d*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b)/(b*x+a))*x*a*b^3*c*f*(d*f)^{(1/2)}+2*C*a^2*b^2*(d*f)^{(1/2)}*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}-2*C*\ln((-2*a*d*f*x+b*c*f*x+b*d*e*x-a*c*f-a*d*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b)/(b*x+a))*a^4*d*f*(d*f)^{(1/2)}-A*\ln((-2*a*d*f*x+b*c*f*x+b*d*e*x-a*c*f-a*d*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b)/(b*x+a))*x*b^4*c*f*(d*f)^{(1/2)}-A*\ln((-2*a*d*f*x+b*c*f*x+b*d*e*x-a*c*f-a*d*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b)/(b*x+a))*x*b^4*d*e*(d*f)^{(1/2)}+2*B*\ln((-2*a*d*f*x+b*c*f*x+b*d*e*x-a*c*f-a*d*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b)/(b*x+a))*x*b^4*c*e*(d*f)^{(1/2)}-2*C*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)))/(d*f)^{(1/2)})*x*b^4*c*e*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)}+2*A*\ln((-2*a*d*f*x+b*c*f*x+b*d*e*x-a*c*f-a*d*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b)/(b*x+a))*a^2*b^2*d*f*(d*f)^{(1/2)}-A*\ln((-2*a*d*f*x+b*c*f*x+b*d*e*x-a*c*f-a*d*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b)/(b*x+a))*a*b^3*c*f*(d*f)^{(1/2)}-A*\ln((-2*a*d*f*x+b*c*f*x+b*d*e*x-a*c*f-a*d*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b)/(b*x+a))*a*b^3*d*e*(d*f)^{(1/2)}-B*\ln((-2*a*d*f*x+b*c*f*x+b*d*e*x-a*c*f-a*d*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b)/(b*x+a))*a^2*b^2*c*f*(d*f)^{(1/2)}-B*\ln((-2*a*d*f*x+b*c*f*x+b*d*e*x-a*c*f-a*d*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b)/(b*x+a))*a^2*b^2*d*e*(d*f)^{(1/2)}+2*B*\ln((-2*a*d*f*x+b*c*f*x+b*d*e*x-a*c*f-a*d*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b)/(b*x+a))*a*b^3*c*e*(d*f)^{(1/2)}-2*C*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)))/(d*f)^{(1/2)})*a^3*b*d*f*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)}+2*C*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)))/(d*f)^{(1/2)})*a^2*b^2*c*f*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)}+2*C*\ln(1/2*(2*d*f*x+$$

$$c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)}/(d*f)^{(1/2)}*a^2*b^2*d*e*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)}-2*C*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)}/(d*f)^{(1/2)})*a*b^3*c*e*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)}+3*C*\ln((-2*a*d*f*x+b*c*f*x+b*d*e*x-a*c*f-a*d*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b)/(b*x+a))*a^3*b*c*f*(d*f)^{(1/2)}+3*C*\ln((-2*a*d*f*x+b*c*f*x+b*d*e*x-a*c*f-a*d*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b)/(b*x+a))*a^3*b*d*e*(d*f)^{(1/2)}-4*C*\ln((-2*a*d*f*x+b*c*f*x+b*d*e*x-a*c*f-a*d*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b)/(b*x+a))*a^2*b^2*c*e*(d*f)^{(1/2)}/((d*x+c)*(f*x+e))^{(1/2)}/(a*d-b*c)/(a*f-b*e)/(b*x+a)/(d*f)^{(1/2)}/((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)}/b^3$$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)/(b\*x+a)^2/(d\*x+c)^(1/2)/(f\*x+e)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(((-(2\*a\*d\*f)/b^2)>0)', see `assume?` for more details)Is (((-(2\*a\*d\*f)/b^2) + (c\*f)/b + (d\*e)/b)^2 - (4\*d\*f \* ((a^2\*d\*f)/b^2 - (a\*c\*f)/b - (a\*d\*e)/b + c\*e)) / b^2 zero or nonzero?

**mupad** [F(-1)] time = 0.00, size = -1, normalized size = -0.00

Hanged

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B\*x + C\*x^2)/((e + f\*x)^(1/2)\*(a + b\*x)^2\*(c + d\*x)^(1/2)),x)

[Out] \text{Hanged}

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x\*\*2+B\*x+A)/(b\*x+a)\*\*2/(d\*x+c)\*\*(1/2)/(f\*x+e)\*\*(1/2),x)

[Out] Timed out

$$3.59 \quad \int \frac{A+Bx+Cx^2}{(a+bx)^3 \sqrt{c+dx} \sqrt{e+fx}} dx$$

**Optimal.** Leaf size=424

$$\frac{\tanh^{-1}\left(\frac{\sqrt{c+dx}\sqrt{be-af}}{\sqrt{e+fx}\sqrt{bc-ad}}\right)\left(a^2\left(4df(2Adf-B(cf+de))+C\left(3c^2f^2+2cdef+3d^2e^2\right)\right)+ab\left(-2cd\left(4Af^2-7Bef\right)\right)\right)}{4(bc-ad)^5}$$

[Out]  $-1/4*(b^2*(3*A*d^2*e^2-2*c*d*e*(-A*f+2*B*e)+c^2*(3*A*f^2-4*B*e*f+8*C*e^2))+a*b*(d^2*e*(-8*A*f+B*e)-c^2*f*(-B*f+8*C*e)-2*c*d*(4*A*f^2-7*B*e*f+4*C*e^2))+a^2*(C*(3*c^2*f^2+2*c*d*e*f+3*d^2*e^2)+4*d*f*(2*A*d*f-B*(c*f+d*e)))*\operatorname{arctanh}\left(\frac{(-a*f+b*e)^{(1/2)}*(d*x+c)^{(1/2)}}{(-a*d+b*c)^{(1/2)}*(f*x+e)^{(1/2)}}\right)/(-a*d+b*c)^{(5/2)}/(-a*f+b*e)^{(5/2)}-1/2*(A*b^2-a*(B*b-C*a))*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/b/(-a*d+b*c)/(-a*f+b*e)/(b*x+a)^2+1/4*(2*a^3*C*d*f+a*b^2*(-6*A*d*f+B*c*f+B*d*e+8*C*c*e)-b^3*(4*B*c*e-3*A*(c*f+d*e))+a^2*b*(2*B*d*f-5*C*(c*f+d*e)))*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/b/(-a*d+b*c)^2/(-a*f+b*e)^2/(b*x+a)$

**Rubi [A]** time = 0.97, antiderivative size = 424, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 36,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.139$ , Rules used = {1613, 151, 12, 93, 208}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{c+dx}\sqrt{be-af}}{\sqrt{e+fx}\sqrt{bc-ad}}\right)\left(a^2\left(4df(2Adf-B(cf+de))+C\left(3c^2f^2+2cdef+3d^2e^2\right)\right)+ab\left(-2cd\left(4Af^2-7Bef\right)\right)\right)}{4(bc-ad)^5}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*x + C\*x^2)/((a + b\*x)^3\*sqrt[c + d\*x]\*sqrt[e + f\*x]),x]

[Out]  $-((A*b^2 - a*(b*B - a*C))*\operatorname{sqrt}[c + d*x]*\operatorname{sqrt}[e + f*x])/(2*b*(b*c - a*d)*(b*e - a*f)*(a + b*x)^2) + ((2*a^3*C*d*f + a*b^2*(8*c*C*e + B*d*e + B*c*f - 6*A*d*f) - b^3*(4*B*c*e - 3*A*(d*e + c*f)) + a^2*b*(2*B*d*f - 5*C*(d*e + c*f)))*\operatorname{sqrt}[c + d*x]*\operatorname{sqrt}[e + f*x])/(4*b*(b*c - a*d)^2*(b*e - a*f)^2*(a + b*x)) - ((b^2*(3*A*d^2*e^2 - 2*c*d*e*(2*B*e - A*f)) + c^2*(8*C*e^2 - 4*B*e*f + 3*A*f^2)) + a*b*(d^2*e*(B*e - 8*A*f) - c^2*f*(8*C*e - B*f) - 2*c*d*(4*C*e^2 - 7*B*e*f + 4*A*f^2)) + a^2*(C*(3*d^2*e^2 + 2*c*d*e*f + 3*c^2*f^2) + 4*d*f*(2*A*d*f - B*(d*e + c*f)))*\operatorname{ArcTanh}[\frac{\operatorname{sqrt}[b*e - a*f]*\operatorname{sqrt}[c + d*x]}{\operatorname{sqrt}[b*c - a*d]*\operatorname{sqrt}[e + f*x]}] / (4*(b*c - a*d)^{(5/2)}*(b*e - a*f)^{(5/2)})$

**Rule 12**

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

**Rule 93**

Int[(((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_))/((e\_.) + (f\_.)\*(x\_)), x\_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q\*(m + 1) - 1)/(b\*e - a\*f - (d\*e - c\*f)\*x^q), x], x, (a + b\*x)^(1/q)/(c + d\*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b\*x, c + d\*x]

**Rule 151**

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_)\*((e\_.) + (f\_.)\*(x\_))^(p\_)\*((g\_.) + (h\_.)\*(x\_)), x\_Symbol] := Simp[((b\*g - a\*h)\*(a + b\*x)^(m + 1)\*(c + d\*x)^(n + 1)\*(e + f\*x)^(p + 1))/((m + 1)\*(b\*c - a\*d)\*(b\*e - a\*f)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(b\*e - a\*f)), Int[(a + b\*x)^(m + 1)\*(c + d\*x)^n\*(e + f\*x)^p\*Simp[(a\*d\*f\*g - b\*(d\*e + c\*f)\*g + b\*c\*e\*h]\*(m + 1) - (b\*g

- a\*h)\*(d\*e\*(n + 1) + c\*f\*(p + 1)) - d\*f\*(b\*g - a\*h)\*(m + n + p + 3)\*x, x] , x] , x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && LtQ[m, -1] && IntegerQ[m]

Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 1613

Int[(Px\_)\*((a\_.) + (b\_.)\*(x\_)^(m\_))\*((c\_.) + (d\_.)\*(x\_)^(n\_))\*((e\_.) + (f\_.)\*(x\_)^(p\_.), x\_Symbol] := With[{Qx = PolynomialQuotient[Px, a + b\*x, x], R = PolynomialRemainder[Px, a + b\*x, x]}, Simp[(b\*R\*(a + b\*x)^(m + 1)\*(c + d\*x)^(n + 1)\*(e + f\*x)^(p + 1))/((m + 1)\*(b\*c - a\*d)\*(b\*e - a\*f)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(b\*e - a\*f)), Int[(a + b\*x)^(m + 1)\*(c + d\*x)^n\*(e + f\*x)^p\*ExpandToSum[(m + 1)\*(b\*c - a\*d)\*(b\*e - a\*f)\*Qx + a\*d\*f\*R\*(m + 1) - b\*R\*(d\*e\*(m + n + 2) + c\*f\*(m + p + 2)) - b\*d\*f\*R\*(m + n + p + 3)\*x, x], x]] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && PolyQ[Px, x] && ILtQ[m, -1] && IntegersQ[2\*m, 2\*n, 2\*p]

Rubi steps

$$\int \frac{A + Bx + Cx^2}{(a + bx)^3 \sqrt{c + dx} \sqrt{e + fx}} dx = -\frac{(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{2b(bc - ad)(be - af)(a + bx)^2} - \int \frac{\frac{a^2C(de+cf) - ab(4cCe + Bde + Bcf - 4Adf) + b^2(4Bce - (a+...))}{2b}}{(a+...)} dx$$

$$= -\frac{(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{2b(bc - ad)(be - af)(a + bx)^2} + \frac{(2a^3Cdf + ab^2(8cCe + Bde + Bcf - 4Adf) + b^2(4Bce - (a+...)))}{2b(bc - ad)(be - af)(a + bx)^2}$$

$$= -\frac{(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{2b(bc - ad)(be - af)(a + bx)^2} + \frac{(2a^3Cdf + ab^2(8cCe + Bde + Bcf - 4Adf) + b^2(4Bce - (a+...)))}{2b(bc - ad)(be - af)(a + bx)^2}$$

$$= -\frac{(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{2b(bc - ad)(be - af)(a + bx)^2} + \frac{(2a^3Cdf + ab^2(8cCe + Bde + Bcf - 4Adf) + b^2(4Bce - (a+...)))}{2b(bc - ad)(be - af)(a + bx)^2}$$

$$= -\frac{(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{2b(bc - ad)(be - af)(a + bx)^2} + \frac{(2a^3Cdf + ab^2(8cCe + Bde + Bcf - 4Adf) + b^2(4Bce - (a+...)))}{2b(bc - ad)(be - af)(a + bx)^2}$$

Mathematica [A] time = 2.09, size = 512, normalized size = 1.21

$$\frac{(a(aC - bB) + Ab^2) \left( \frac{(8a^2d^2f^2 - 8abdf(cf + de) + b^2(3c^2f^2 + 2cdef + 3d^2e^2)) \tanh^{-1}\left(\frac{\sqrt{c+dx} \sqrt{af-be}}{\sqrt{e+fx} \sqrt{ad-bc}}\right) + \frac{3b\sqrt{c+dx} \sqrt{e+fx}(-2adf + bcf + bde)}{(a+bx)(bc-ad)(be-af)}}{(ad-bc)^{3/2}(af-be)^{3/2}} \right)}{(bc-ad)(be-af)} - \frac{2b\sqrt{c+dx} \sqrt{e+fx} (a(aC - bB) + Ab^2)}{(a+bx)^2(bc-ad)(be-af)}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*x + C\*x^2)/((a + b\*x)^3\*Sqrt[c + d\*x]\*Sqrt[e + f\*x]), x]

[Out] ((-2\*b\*(A\*b^2 + a\*(-(b\*B) + a\*C))\*Sqrt[c + d\*x]\*Sqrt[e + f\*x])/((b\*c - a\*d)\*(b\*e - a\*f)\*(a + b\*x)^2) - (4\*b\*(b\*B - 2\*a\*C)\*Sqrt[c + d\*x]\*Sqrt[e + f\*x])/((b\*c - a\*d)\*(b\*e - a\*f)\*(a + b\*x)) + (8\*C\*ArcTanh[(Sqrt[-(b\*e) + a\*f]\*Sqrt[c + d\*x])/(Sqrt[-(b\*c) + a\*d]\*Sqrt[e + f\*x])])/(Sqrt[-(b\*c) + a\*d]\*Sqrt[e + f\*x]))/(Sqrt[-(b\*c) + a\*d]\*Sqrt[e + f\*x])



$$(b*e) + a*f]) - (4*(b*B - 2*a*C)*(b*d*e + b*c*f - 2*a*d*f)*ArcTanh[(Sqrt[-(b*c) + a*d] * Sqrt[c + d*x]) / (Sqrt[-(b*c) + a*d] * Sqrt[e + f*x])]) / ((-(b*c) + a*d)^{(3/2)} * (-(b*e) + a*f)^{(3/2)}) + ((A*b^2 + a*(-(b*B) + a*C)) * ((3*b*(b*d*e + b*c*f - 2*a*d*f) * Sqrt[c + d*x] * Sqrt[e + f*x]) / ((b*c - a*d) * (b*e - a*f) * (a + b*x)) + ((8*a^2*d^2*f^2 - 8*a*b*d*f*(d*e + c*f) + b^2*(3*d^2*e^2 + 2*c*d*e*f + 3*c^2*f^2)) * ArcTanh[(Sqrt[-(b*c) + a*d] * Sqrt[c + d*x]) / (Sqrt[-(b*c) + a*d] * Sqrt[e + f*x])]) / ((-(b*c) + a*d)^{(3/2)} * (-(b*e) + a*f)^{(3/2)})) / ((b*c - a*d) * (b*e - a*f))) / (4*b^2)$$

**fricas** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)/(b\*x+a)^3/(d\*x+c)^(1/2)/(f\*x+e)^(1/2),x, algorithm="fricas")

[Out] Timed out

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)/(b\*x+a)^3/(d\*x+c)^(1/2)/(f\*x+e)^(1/2),x, algorithm="giac")

[Out] Timed out

**maple** [B] time = 0.13, size = 7119, normalized size = 16.79

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C\*x^2+B\*x+A)/(b\*x+a)^3/(d\*x+c)^(1/2)/(f\*x+e)^(1/2),x)

[Out] result too large to display

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)/(b\*x+a)^3/(d\*x+c)^(1/2)/(f\*x+e)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume((a\*d-b\*c)>0)', see `assume?` for more details)Is (a\*d-b\*c) \*(a\*f-b\*e) positive, negative or zero?

**mupad** [F(-1)] time = 0.00, size = -1, normalized size = -0.00

Hanged

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B\*x + C\*x^2)/((e + f\*x)^(1/2)\*(a + b\*x)^3\*(c + d\*x)^(1/2)),x)

[Out] \text{Hanged}

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x\*\*2+B\*x+A)/(b\*x+a)\*\*3/(d\*x+c)\*\*(1/2)/(f\*x+e)\*\*(1/2),x)

[Out] Timed out

$$3.60 \quad \int \frac{A+Bx+Cx^2}{(a+bx)^4 \sqrt{c+dx} \sqrt{e+fx}} dx$$

**Optimal.** Leaf size=826

$$\frac{\sqrt{c+dx} \sqrt{e+fx} (Ab^2 - a(bB - aC))}{3b(bc - ad)(be - af)(a + bx)^3} + \frac{(-2df(C(3d^2e^2 + 2cdfe + 3c^2f^2) + 4df(2Adf - B(de + cf)))a^3 +$$

[Out]  $1/8*(b^3*(5*A*d^3*e^3-3*c*d^2*e^2*(-A*f+2*B*e)+c^2*d*e*(3*A*f^2-4*B*e*f+8*C*e^2)+c^3*f*(5*A*f^2-6*B*e*f+8*C*e^2))+a*b^2*(d^3*e^2*(-18*A*f+B*e)-c^3*f^2*(-B*f+4*C*e)-c*d^2*e*(12*A*f^2-23*B*e*f+4*C*e^2)-c^2*d*f*(18*A*f^2-23*B*e*f+40*C*e^2))-2*a^3*d*f*(C*(3*c^2*f^2+2*c*d*e*f+3*d^2*e^2)+4*d*f*(2*A*d*f-B*(c*f+d*e)))+a^2*b*(C*(c^3*f^3+23*c^2*d*e*f^2+23*c*d^2*e^2*f+d^3*e^3)+4*d*f*(6*A*d*f*(c*f+d*e)-B*(c^2*f^2+10*c*d*e*f+d^2*e^2)))*\operatorname{arctanh}((-a*f+b*e)^{(1/2)}*(d*x+c)^{(1/2)}/(-a*d+b*c)^{(1/2)}/(f*x+e)^{(1/2)})/(-a*d+b*c)^{(7/2)}/(-a*f+b*e)^{(7/2)}-1/3*(A*b^2-a*(B*b-C*a))*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/b/(-a*d+b*c)/(-a*f+b*e)/(b*x+a)^3+1/12*(2*a^3*C*d*f+a*b^2*(-10*A*d*f+B*c*f+B*d*e+12*C*c*e)-b^3*(6*B*c*e-5*A*(c*f+d*e))+a^2*b*(4*B*d*f-7*C*(c*f+d*e)))*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/b/(-a*d+b*c)^2/(-a*f+b*e)^2/(b*x+a)^2+1/24*(4*a^4*C*d^2*f^2+8*a^3*b*d*f*(B*d*f-2*C*(c*f+d*e))-b^4*(15*A*d^2*e^2-2*c*d*e*(-7*A*f+9*B*e))+3*c^2*(5*A*f^2-6*B*e*f+8*C*e^2)-a*b^3*(d^2*e*(-44*A*f+3*B*e)-3*c^2*f*(-B*f+4*C*e)-2*c*d*(22*A*f^2-29*B*e*f+6*C*e^2))-a^2*b^2*(C*(3*c^2*f^2-34*c*d*e*f+3*d^2*e^2)+2*d*f*(22*A*d*f-5*B*(c*f+d*e)))*\operatorname{arctanh}((d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/b/(-a*d+b*c)^3/(-a*f+b*e)^3/(b*x+a))$

**Rubi [A]** time = 2.43, antiderivative size = 826, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 36,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.139$ , Rules used = {1613, 151, 12, 93, 208}

$$\frac{\sqrt{c+dx} \sqrt{e+fx} (Ab^2 - a(bB - aC))}{3b(bc - ad)(be - af)(a + bx)^3} + \frac{(-2df(C(3d^2e^2 + 2cdfe + 3c^2f^2) + 4df(2Adf - B(de + cf)))a^3 +$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(A + B*x + C*x^2)/((a + b*x)^4*\operatorname{Sqrt}[c + d*x]*\operatorname{Sqrt}[e + f*x]),x]$

[Out]  $-((A*b^2 - a*(b*B - a*C))*\operatorname{Sqrt}[c + d*x]*\operatorname{Sqrt}[e + f*x])/(3*b*(b*c - a*d)*(b*e - a*f)*(a + b*x)^3) + ((2*a^3*C*d*f + a*b^2*(12*c*C*e + B*d*e + B*c*f - 10*A*d*f) - b^3*(6*B*c*e - 5*A*(d*e + c*f)) + a^2*b*(4*B*d*f - 7*C*(d*e + c*f)))*\operatorname{Sqrt}[c + d*x]*\operatorname{Sqrt}[e + f*x])/(12*b*(b*c - a*d)^2*(b*e - a*f)^2*(a + b*x)^2) + ((4*a^4*C*d^2*f^2 + 8*a^3*b*d*f*(B*d*f - 2*C*(d*e + c*f)) - b^4*(15*A*d^2*e^2 - 2*c*d*e*(9*B*e - 7*A*f) + 3*c^2*(8*C*e^2 - 6*B*e*f + 5*A*f^2)) - a*b^3*(d^2*e*(3*B*e - 44*A*f) - 3*c^2*f*(4*C*e - B*f) - 2*c*d*(6*C*e^2 - 29*B*e*f + 22*A*f^2)) - a^2*b^2*(C*(3*d^2*e^2 - 34*c*d*e*f + 3*c^2*f^2) + 2*d*f*(22*A*d*f - 5*B*(d*e + c*f)))*\operatorname{Sqrt}[c + d*x]*\operatorname{Sqrt}[e + f*x])/(24*b*(b*c - a*d)^3*(b*e - a*f)^3*(a + b*x)) + ((b^3*(5*A*d^3*e^3 - 3*c*d^2*e^2*(2*B*e - A*f) + c^2*d*e*(8*C*e^2 - 4*B*e*f + 3*A*f^2) + c^3*f*(8*C*e^2 - 6*B*e*f + 5*A*f^2)) + a*b^2*(d^3*e^2*(B*e - 18*A*f) - c^3*f^2*(4*C*e - B*f) - c*d^2*e*(4*C*e^2 - 23*B*e*f + 12*A*f^2) - c^2*d*f*(40*C*e^2 - 23*B*e*f + 18*A*f^2)) - 2*a^3*d*f*(C*(3*d^2*e^2 + 2*c*d*e*f + 3*c^2*f^2) + 4*d*f*(2*A*d*f - B*(d*e + c*f))) + a^2*b*(C*(d^3*e^3 + 23*c*d^2*e^2*f + 23*c^2*d*e*f^2 + c^3*f^3) + 4*d*f*(6*A*d*f*(d*e + c*f) - B*(d^2*e^2 + 10*c*d*e*f + c^2*f^2))))*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b*e - a*f]*\operatorname{Sqrt}[c + d*x])/(\operatorname{Sqrt}[b*c - a*d]*\operatorname{Sqrt}[e + f*x])]/(8*(b*c - a*d)^{(7/2)}*(b*e - a*f)^{(7/2)})$

**Rule 12**

$\operatorname{Int}[(a_*)*(u_), x\_Symbol] := \operatorname{Dist}[a, \operatorname{Int}[u, x], x] /; \operatorname{FreeQ}[a, x] \&\& !\operatorname{Match}Q[u, (b_)*(v_)] /; \operatorname{FreeQ}[b, x]$

Rule 93

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)/((e_.) + (f_.)*(x_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 151

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[((b*g - a*h)*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*Simp[(a*d*f*g - b*(d*e + c*f)*g + b*c*e*h]*(m + 1) - (b*g - a*h)*(d*e*(n + 1) + c*f*(p + 1)) - d*f*(b*g - a*h)*(m + n + p + 3)*x, x], x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && LtQ[m, -1] && IntegerQ[m]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 1613

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] := With[{Qx = PolynomialQuotient[Px, a + b*x, x], R = PolynomialRemainder[Px, a + b*x, x]}, Simp[(b*R*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*ExpandToSum[(m + 1)*(b*c - a*d)*(b*e - a*f)*Qx + a*d*f*R*(m + 1) - b*R*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*R*(m + n + p + 3)*x, x], x], x]] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && PolyQ[Px, x] && ILtQ[m, -1] && IntegersQ[2*m, 2*n, 2*p]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + Bx + Cx^2}{(a + bx)^4 \sqrt{c + dx} \sqrt{e + fx}} dx &= -\frac{(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{3b(bc - ad)(be - af)(a + bx)^3} - \int \frac{\frac{-a^2C(de+cf) - ab(6cCe + Bde + Bcf - 6Adf) + b^2(e^2 + c^2)}{2b}}{(a + bx)^4 \sqrt{c + dx} \sqrt{e + fx}} dx \\
&= -\frac{(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{3b(bc - ad)(be - af)(a + bx)^3} + \frac{(2a^3Cdf + ab^2(12cCe + Bde + Bcf - 6Adf) + b^2(e^2 + c^2))}{2b(a + bx)^4 \sqrt{c + dx} \sqrt{e + fx}} \\
&= -\frac{(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{3b(bc - ad)(be - af)(a + bx)^3} + \frac{(2a^3Cdf + ab^2(12cCe + Bde + Bcf - 6Adf) + b^2(e^2 + c^2))}{2b(a + bx)^4 \sqrt{c + dx} \sqrt{e + fx}} \\
&= -\frac{(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{3b(bc - ad)(be - af)(a + bx)^3} + \frac{(2a^3Cdf + ab^2(12cCe + Bde + Bcf - 6Adf) + b^2(e^2 + c^2))}{2b(a + bx)^4 \sqrt{c + dx} \sqrt{e + fx}} \\
&= -\frac{(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{3b(bc - ad)(be - af)(a + bx)^3} + \frac{(2a^3Cdf + ab^2(12cCe + Bde + Bcf - 6Adf) + b^2(e^2 + c^2))}{2b(a + bx)^4 \sqrt{c + dx} \sqrt{e + fx}} \\
&= -\frac{(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{3b(bc - ad)(be - af)(a + bx)^3} + \frac{(2a^3Cdf + ab^2(12cCe + Bde + Bcf - 6Adf) + b^2(e^2 + c^2))}{2b(a + bx)^4 \sqrt{c + dx} \sqrt{e + fx}}
\end{aligned}$$

**Mathematica [A]** time = 6.11, size = 794, normalized size = 0.96

$$\frac{(a(aC - bB) + Ab^2) \left( \frac{b \sqrt{c+dx} \sqrt{e+fx} (44a^2d^2f^2 - 44abdf(cf+de) + b^2(15c^2f^2 + 14cdef + 15d^2e^2))}{(a+bx)(bc-ad)(be-af)} + \frac{3(8a^2d^2f^2 - 8abdf(cf+de) + b^2(5c^2f^2 - 2cdef + 5d^2e^2))(-2adf + bcf + bde)}{(ad-bc)^{3/2}(af-be)^{3/2}} \right)}{2(bc-ad)^2(be-af)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*x + C\*x^2)/((a + b\*x)^4\*sqrt[c + d\*x]\*sqrt[e + f\*x]),x]

[Out] 
$$\begin{aligned}
& -1/12*((4*b*(A*b^2 + a*(-(b*B) + a*C))*sqrt[c + d*x]*sqrt[e + f*x])/((b*c - a*d)*(b*e - a*f)*(a + b*x)^3) + (6*b*(b*B - 2*a*C)*sqrt[c + d*x]*sqrt[e + f*x])/((b*c - a*d)*(b*e - a*f)*(a + b*x)^2) + (12*b*C*sqrt[c + d*x]*sqrt[e + f*x])/((b*c - a*d)*(b*e - a*f)*(a + b*x)) + (12*C*(b*d*e + b*c*f - 2*a*d*f)*ArcTanh[(sqrt[-(b*e) + a*f]*sqrt[c + d*x])/(sqrt[-(b*c) + a*d]*sqrt[e + f*x])])/((- (b*c) + a*d)^(3/2)*(-(b*e) + a*f)^(3/2)) - (3*(b*B - 2*a*C))*((3*b*(b*d*e + b*c*f - 2*a*d*f)*sqrt[c + d*x]*sqrt[e + f*x])/((b*c - a*d)*(b*e - a*f)*(a + b*x)) + ((8*a^2*d^2*f^2 - 8*a*b*d*f*(d*e + c*f) + b^2*(3*d^2*e^2 + 2*c*d*e*f + 3*c^2*f^2))*ArcTanh[(sqrt[-(b*e) + a*f]*sqrt[c + d*x])/(sqrt[-(b*c) + a*d]*sqrt[e + f*x])])/((- (b*c) + a*d)^(3/2)*(-(b*e) + a*f)^(3/2)))/((b*c - a*d)*(b*e - a*f)) + ((A*b^2 + a*(-(b*B) + a*C))*((-10*b*(b*d*e + b*c*f - 2*a*d*f)*sqrt[c + d*x]*sqrt[e + f*x])/(a + b*x)^2 + (b*(44*a^2*d^2*f^2 - 44*a*b*d*f*(d*e + c*f) + b^2*(15*d^2*e^2 + 14*c*d*e*f + 15*c^2*f^2))*sqrt[c + d*x]*sqrt[e + f*x])/((b*c - a*d)*(b*e - a*f)*(a + b*x)) + (3*(b*d*e + b*c*f - 2*a*d*f)*(8*a^2*d^2*f^2 - 8*a*b*d*f*(d*e + c*f) + b^2*(5*d^2*e^2 - 2*c*d*e*f + 5*c^2*f^2))*ArcTanh[(sqrt[-(b*e) + a*f]*sqrt[c + d*x])/(sqrt[-(b*c) + a*d]*sqrt[e + f*x])])/((- (b*c) + a*d)^(3/2)*(-(b*e) + a*f)^(3/2))))/(2*(b*c - a*d)^2*(b*e - a*f)^2)/b^2
\end{aligned}$$

**fricas [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)/(b\*x+a)^4/(d\*x+c)^(1/2)/(f\*x+e)^(1/2),x, algorithm="fricas")

[Out] Timed out

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)/(b\*x+a)^4/(d\*x+c)^(1/2)/(f\*x+e)^(1/2),x, algorithm="giac")

[Out] Timed out

**maple** [B] time = 0.31, size = 18802, normalized size = 22.76

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C\*x^2+B\*x+A)/(b\*x+a)^4/(d\*x+c)^(1/2)/(f\*x+e)^(1/2),x)

[Out] result too large to display

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)/(b\*x+a)^4/(d\*x+c)^(1/2)/(f\*x+e)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume((a\*d-b\*c)>0)', see `assume?` for more details)Is (a\*d-b\*c) \*(a\*f-b\*e) positive, negative or zero?

**mupad** [F(-1)] time = 0.00, size = -1, normalized size = -0.00

Hanged

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B\*x + C\*x^2)/((e + f\*x)^(1/2)\*(a + b\*x)^4\*(c + d\*x)^(1/2)),x)

[Out] \text{Hanged}

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x\*\*2+B\*x+A)/(b\*x+a)\*\*4/(d\*x+c)\*\*(1/2)/(f\*x+e)\*\*(1/2),x)

[Out] Timed out

### 3.61 $\int \sqrt{a + bx} \sqrt{c + dx} \sqrt{e + fx} (A + Bx + Cx^2) dx$

**Optimal.** Leaf size=1182

$$\frac{2C(a + bx)^{3/2}(c + dx)^{3/2}(e + fx)^{3/2}}{9bdf} - \frac{2(2aCdf - b(3Bdf - 2C(de + cf)))\sqrt{a + bx}(c + dx)^{3/2}(e + fx)^{3/2}}{21bd^2f^2} - \frac{2(7bd^2f^2)}{21bd^2f^2}$$

[Out]  $\frac{2}{9}C(bx+a)^{3/2}(dx+c)^{3/2}(fx+e)^{3/2}/b/d/f-2/21*(2*a*C*d*f-b*(3*B*d*f-2*C*(c*f+d*e)))*(dx+c)^{3/2}(fx+e)^{3/2}(bx+a)^{1/2}/b/d^2/f^2-2/105*(7*b*d*f*(-3*A*b*d*f+C*a*c*f+C*a*d*e+C*b*c*e)+(a*d*f-4*b*(c*f+d*e))*(2*a*C*d*f-b*(3*B*d*f-2*C*(c*f+d*e)))*(fx+e)^{3/2}(bx+a)^{1/2}(dx+c)^{1/2}/b^2/d^2/f^3+2/315*(8*a^3*C*d^3*f^3+3*a^2*b*d^2*f^2*(-4*B*d*f-C*c*f+C*d*e)-3*a*b^2*d*f^2*((-7*A*d^2+C*c^2)*f+B*d*(-2*c*f+d*e))-b^3*(C*(-8*c^3*f^3-3*c^2*d*e*f^2+16*d^3*e^3)+3*d*f*(7*A*d*f*(-c*f+2*d*e)-B*(-4*c^2*f^2-c*d*e*f+8*d^2*e^2)))*(bx+a)^{1/2}(dx+c)^{1/2}(fx+e)^{1/2}/b^3/d^3/f^3-2/315*(16*a^4*C*d^4*f^4-8*a^3*b*d^3*f^3*(3*B*d*f+C*c*f+C*d*e)+3*a^2*b^2*d^2*f^2*(d*f*(14*A*d*f+5*B*c*f+5*B*d*e)-2*C*(c^2*f^2-c*d*e*f+d^2*e^2))-a*b^3*d*f*(C*(8*c^3*f^3-6*c^2*d*e*f^2-6*c*d^2*e^2*f+8*d^3*e^3)+3*d*f*(14*A*d*f*(c*f+d*e)-B*(5*c^2*f^2-6*c*d*e*f+5*d^2*e^2)))+b^4*(2*C*(8*c^4*f^4-4*c^3*d*e*f^3-3*c^2*d^2*e^2*f^2-4*c*d^3*e^3*f+8*d^4*e^4)+3*d*f*(14*A*d*f*(c^2*f^2-c*d*e*f+d^2*e^2)-B*(8*c^3*f^3-5*c^2*d*e*f^2-5*c*d^2*e^2*f+8*d^3*e^3)))*EllipticE(d^(1/2)*(bx+a)^(1/2)/(a*d-b*c)^(1/2),((-a*d+b*c)*f/d/(-a*f+b*e))^(1/2))*(a*d-b*c)^(1/2)*(b*(dx+c)/(-a*d+b*c))^(1/2)*(fx+e)^(1/2)/b^4/d^(7/2)/f^4/(dx+c)^(1/2)/(b*(fx+e)/(-a*f+b*e))^(1/2)-2/315*(-a*f+b*e)*(-c*f+d*e)*(8*a^3*C*d^3*f^3+3*a^2*b*d^2*f^2*(-4*B*d*f-C*c*f+C*d*e)-3*a*b^2*d*f^2*((-7*A*d^2+C*c^2)*f+B*d*(-2*c*f+d*e))-b^3*(C*(-8*c^3*f^3-3*c^2*d*e*f^2+16*d^3*e^3)+3*d*f*(7*A*d*f*(-c*f+2*d*e)-B*(-4*c^2*f^2-c*d*e*f+8*d^2*e^2)))*EllipticF(d^(1/2)*(bx+a)^(1/2)/(a*d-b*c)^(1/2),((-a*d+b*c)*f/d/(-a*f+b*e))^(1/2))*(a*d-b*c)^(1/2)*(b*(dx+c)/(-a*d+b*c))^(1/2)*(b*(fx+e)/(-a*f+b*e))^(1/2)/b^4/d^(7/2)/f^4/(dx+c)^(1/2)/(fx+e)^(1/2)$

**Rubi [A]** time = 4.17, antiderivative size = 1154, normalized size of antiderivative = 0.98, number of steps used = 10, number of rules used = 7, integrand size = 38,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.184$ , Rules used = {1615, 154, 158, 114, 113, 121, 120}

$$\frac{2C(a + bx)^{3/2}(c + dx)^{3/2}(e + fx)^{3/2}}{9bdf} + \frac{2(3bBdf - 2aCdf - 2bC(de + cf))\sqrt{a + bx}(c + dx)^{3/2}(e + fx)^{3/2}}{21bd^2f^2} - \frac{2(7bd^2f^2)}{21bd^2f^2}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + b\*x]\*Sqrt[c + d\*x]\*Sqrt[e + f\*x]\*(A + B\*x + C\*x^2), x]

[Out]  $(2*((8*a^3*C*d*f)/b - 3*a*b*(B*d*e - 2*B*c*f + (c^2*C*f)/d - 7*A*d*f) + 3*a^2*(C*d*e - c*C*f - 4*B*d*f) + b^2*((3*c^2*C*e)/d - 42*A*d*e - (16*C*d*e^3)/f^2 + 21*A*c*f + (8*c^3*C*f)/d^2 - B*(3*c*e - (24*d*e^2)/f + (12*c^2*f)/d)))*Sqrt[a + b*x]*Sqrt[c + d*x]*Sqrt[e + f*x]/(315*b^2*d*f) - (2*(7*b*d*f*(b*c*C*e + a*C*d*e + a*c*C*f - 3*A*b*d*f) - (a*d*f - 4*b*(d*e + c*f))*(3*b*B*d*f - 2*a*C*d*f - 2*b*C*(d*e + c*f)))*Sqrt[a + b*x]*Sqrt[c + d*x]*(e + f*x)^{3/2}/(105*b^2*d^2*f^3) + (2*(3*b*B*d*f - 2*a*C*d*f - 2*b*C*(d*e + c*f))*Sqrt[a + b*x]*(c + d*x)^{3/2}(e + f*x)^{3/2})/(21*b*d^2*f^2) + (2*C*(a + b*x)^{3/2}(c + d*x)^{3/2}(e + f*x)^{3/2})/(9*b*d*f) - (2*Sqrt[-(b*c) + a*d]*(16*a^4*C*d^4*f^4 - 8*a^3*b*d^3*f^3*(C*d*e + c*C*f + 3*B*d*f) + 3*a^2*b^2*d^2*f^2*(d*f*(5*B*d*e + 5*B*c*f + 14*A*d*f) - 2*C*(d^2*e^2 - c*d*e*f + c^2*f^2)) - a*b^3*d*f*(C*(8*d^3*e^3 - 6*c*d^2*e^2*f - 6*c^2*d*e*f^2 + 8*c^3*f^3) + 3*d*f*(14*A*d*f*(d*e + c*f) - B*(5*d^2*e^2 - 6*c*d*e*f + 5*c^2*f^2))$

```

+ b^4*(2*C*(8*d^4*e^4 - 4*c*d^3*e^3*f - 3*c^2*d^2*e^2*f^2 - 4*c^3*d*e*f^3
+ 8*c^4*f^4) + 3*d*f*(14*A*d*f*(d^2*e^2 - c*d*e*f + c^2*f^2) - B*(8*d^3*e^3
- 5*c*d^2*e^2*f - 5*c^2*d*e*f^2 + 8*c^3*f^3)))*Sqrt[(b*(c + d*x))/(b*c -
a*d)]*Sqrt[e + f*x]*EllipticE[ArcSin[(Sqrt[d]*Sqrt[a + b*x])/Sqrt[-(b*c) +
a*d]], ((b*c - a*d)*f)/(d*(b*e - a*f)))]/(315*b^4*d^(7/2)*f^4*Sqrt[c + d*x]
*Sqrt[(b*(e + f*x))/(b*e - a*f))] - (2*Sqrt[-(b*c) + a*d]*(b*e - a*f)*(d*e
- c*f)*(8*a^3*C*d^3*f^3 + 3*a^2*b*d^2*f^2*(C*d*e - c*C*f - 4*B*d*f) - 3*a*b
^2*d*f^2*((c^2*C - 7*A*d^2)*f + B*d*(d*e - 2*c*f)) - b^3*(C*(16*d^3*e^3 - 3
*c^2*d*e*f^2 - 8*c^3*f^3) + 3*d*f*(7*A*d*f*(2*d*e - c*f) - B*(8*d^2*e^2 - c
*d*e*f - 4*c^2*f^2))))*Sqrt[(b*(c + d*x))/(b*c - a*d)]*Sqrt[(b*(e + f*x))/(
b*e - a*f)]*EllipticF[ArcSin[(Sqrt[d]*Sqrt[a + b*x])/Sqrt[-(b*c) + a*d]], (
(b*c - a*d)*f)/(d*(b*e - a*f)))]/(315*b^4*d^(7/2)*f^4*Sqrt[c + d*x]*Sqrt[e
+ f*x])

```

### Rule 113

```

Int[Sqrt[(e_.) + (f_.)*(x_)]/(Sqrt[(a_) + (b_.)*(x_)]*Sqrt[(c_) + (d_.)*(x_
)]), x_Symbol] := Simp[(2*Rt[-((b*e - a*f)/d), 2]*EllipticE[ArcSin[Sqrt[a +
b*x]/Rt[-((b*c - a*d)/d), 2]], (f*(b*c - a*d))/(d*(b*e - a*f)))]/b, x] /;
FreeQ[{a, b, c, d, e, f}, x] && GtQ[b/(b*c - a*d), 0] && GtQ[b/(b*e - a*f),
0] && !LtQ[-((b*c - a*d)/d), 0] && !(SimplerQ[c + d*x, a + b*x] && GtQ[-
(d/(b*c - a*d)), 0] && GtQ[d/(d*e - c*f), 0] && !LtQ[(b*c - a*d)/b, 0])

```

### Rule 114

```

Int[Sqrt[(e_.) + (f_.)*(x_)]/(Sqrt[(a_) + (b_.)*(x_)]*Sqrt[(c_) + (d_.)*(x_
)]), x_Symbol] := Dist[(Sqrt[e + f*x]*Sqrt[(b*(c + d*x))/(b*c - a*d)])/(Sqr
t[c + d*x]*Sqrt[(b*(e + f*x))/(b*e - a*f)]), Int[Sqrt[(b*e)/(b*e - a*f) + (
b*f*x)/(b*e - a*f)]/(Sqrt[a + b*x]*Sqrt[(b*c)/(b*c - a*d) + (b*d*x)/(b*c -
a*d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !(GtQ[b/(b*c - a*d), 0]
&& GtQ[b/(b*e - a*f), 0]) && !LtQ[-((b*c - a*d)/d), 0]

```

### Rule 120

```

Int[1/(Sqrt[(a_) + (b_.)*(x_)]*Sqrt[(c_) + (d_.)*(x_)]*Sqrt[(e_) + (f_.)*(x
_)]), x_Symbol] := Simp[(2*Rt[-(b/d), 2]*EllipticF[ArcSin[Sqrt[a + b*x]/(Rt
[-(b/d), 2]*Sqrt[(b*c - a*d)/b])], (f*(b*c - a*d))/(d*(b*e - a*f)))]/(b*Sqr
t[(b*e - a*f)/b]), x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[b/(b*c - a*d),
0] && GtQ[b/(b*e - a*f), 0] && SimplerQ[a + b*x, c + d*x] && SimplerQ[a +
b*x, e + f*x] && (PosQ[-((b*c - a*d)/d)] || NegQ[-((b*e - a*f)/f)])

```

### Rule 121

```

Int[1/(Sqrt[(a_) + (b_.)*(x_)]*Sqrt[(c_) + (d_.)*(x_)]*Sqrt[(e_) + (f_.)*(x
_)]), x_Symbol] := Dist[Sqrt[(b*(c + d*x))/(b*c - a*d)]/Sqrt[c + d*x], Int[
1/(Sqrt[a + b*x]*Sqrt[(b*c)/(b*c - a*d) + (b*d*x)/(b*c - a*d)]*Sqrt[e + f*x
]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[(b*c - a*d)/b, 0] && Si
mplerQ[a + b*x, c + d*x] && SimplerQ[a + b*x, e + f*x]

```

### Rule 154

```

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_
))^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[(h*(a + b*x)^m*(c + d*x)^(n
+ 1)*(e + f*x)^(p + 1))/(d*f*(m + n + p + 2)), x] + Dist[1/(d*f*(m + n + p
+ 2)), Int[(a + b*x)^(m - 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*g*(m + n +
p + 2) - h*(b*c*e*m + a*(d*e*(n + 1) + c*f*(p + 1))) + (b*d*f*g*(m + n + p
+ 2) + h*(a*d*f*m - b*(d*e*(m + n + 1) + c*f*(m + p + 1)))]*x, x], x] /;
FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p +
2, 0] && IntegersQ[2*m, 2*n, 2*p]

```



Rule 158

```
Int[((g_.) + (h_.)*(x_))/(Sqrt[(a_.) + (b_.)*(x_)]*Sqrt[(c_.) + (d_.)*(x_)]*
Sqrt[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[h/f, Int[Sqrt[e + f*x]/(Sqrt[a
+ b*x]*Sqrt[c + d*x]), x], x] + Dist[(f*g - e*h)/f, Int[1/(Sqrt[a + b*x]*Sq
rt[c + d*x]*Sqrt[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] &&
SimplerQ[a + b*x, e + f*x] && SimplerQ[c + d*x, e + f*x]
```

Rule 1615

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f
_.)*(x_))^(p_.), x_Symbol] := With[{q = Expon[Px, x], k = Coeff[Px, x, Expo
n[Px, x]]}, Simp[(k*(a + b*x)^(m + q - 1)*(c + d*x)^(n + 1)*(e + f*x)^(p +
1))/(d*f*b^(q - 1)*(m + n + p + q + 1)), x] + Dist[1/(d*f*b^q*(m + n + p +
q + 1)), Int[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p*ExpandToSum[d*f*b^q*(m + n
+ p + q + 1)*Px - d*f*k*(m + n + p + q + 1)*(a + b*x)^q + k*(a + b*x)^(q -
2)*(a^2*d*f*(m + n + p + q + 1) - b*(b*c*e*(m + q - 1) + a*(d*e*(n + 1) +
c*f*(p + 1))) + b*(a*d*f*(2*(m + q) + n + p) - b*(d*e*(m + q + n) + c*f*(m
+ q + p)))*x), x], x], x] /; NeQ[m + n + p + q + 1, 0] /; FreeQ[{a, b, c,
d, e, f, m, n, p}, x] && PolyQ[Px, x] && IntegersQ[2*m, 2*n, 2*p]
```

Rubi steps

$$\int \sqrt{a+bx} \sqrt{c+dx} \sqrt{e+fx} (A+Bx+Cx^2) dx = \frac{2C(a+bx)^{3/2}(c+dx)^{3/2}(e+fx)^{3/2}}{9bdf} + \frac{2 \int \sqrt{a+bx} \sqrt{c+dx} (A+Bx+Cx^2) dx}{9bdf}$$

$$= \frac{2(3bBdf - 2aCdf - 2bC(de+cf))\sqrt{a+bx}(c+dx)^{3/2}(e+fx)^{3/2}}{21bd^2f^2}$$

$$= -\frac{2(7bdf(bcCe + aCde + acCf - 3Abdf) - (adf - 4b(de+cf)))\sqrt{a+bx}(c+dx)^{3/2}(e+fx)^{3/2}}{21bd^2f^2}$$

$$= \frac{2(8a^3Cd^3f^3 + 3a^2bd^2f^2(Cde - cCf - 4Bdf) - 3ab^2df^2(Cde - cCf - 4Bdf) - 3ab^2df^2(Cde - cCf - 4Bdf))\sqrt{a+bx}(c+dx)^{3/2}(e+fx)^{3/2}}{21bd^2f^2}$$

$$= \frac{2(8a^3Cd^3f^3 + 3a^2bd^2f^2(Cde - cCf - 4Bdf) - 3ab^2df^2(Cde - cCf - 4Bdf))\sqrt{a+bx}(c+dx)^{3/2}(e+fx)^{3/2}}{21bd^2f^2}$$

$$= \frac{2(8a^3Cd^3f^3 + 3a^2bd^2f^2(Cde - cCf - 4Bdf) - 3ab^2df^2(Cde - cCf - 4Bdf))\sqrt{a+bx}(c+dx)^{3/2}(e+fx)^{3/2}}{21bd^2f^2}$$

$$= \frac{2(8a^3Cd^3f^3 + 3a^2bd^2f^2(Cde - cCf - 4Bdf) - 3ab^2df^2(Cde - cCf - 4Bdf))\sqrt{a+bx}(c+dx)^{3/2}(e+fx)^{3/2}}{21bd^2f^2}$$

**Mathematica** [C] time = 17.30, size = 11933, normalized size = 10.10

Result too large to show

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + b\*x]\*Sqrt[c + d\*x]\*Sqrt[e + f\*x]\*(A + B\*x + C\*x^2), x]

[Out] Result too large to show

**fricas** [F] time = 0.95, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(Cx^2 + Bx + A\right)\sqrt{bx + a}\sqrt{dx + c}\sqrt{fx + e}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*x+a)^(1/2)\*(C\*x^2+B\*x+A)\*(d\*x+c)^(1/2)\*(f\*x+e)^(1/2), x, algorithm="fricas")

[Out] integral((C\*x^2 + B\*x + A)\*sqrt(b\*x + a)\*sqrt(d\*x + c)\*sqrt(f\*x + e), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (Cx^2 + Bx + A)\sqrt{bx + a}\sqrt{dx + c}\sqrt{fx + e} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*x+a)^(1/2)\*(C\*x^2+B\*x+A)\*(d\*x+c)^(1/2)\*(f\*x+e)^(1/2), x, algorithm="giac")

[Out] integrate((C\*x^2 + B\*x + A)\*sqrt(b\*x + a)\*sqrt(d\*x + c)\*sqrt(f\*x + e), x)

**maple** [B] time = 0.09, size = 14778, normalized size = 12.50

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*x+a)^(1/2)\*(C\*x^2+B\*x+A)\*(d\*x+c)^(1/2)\*(f\*x+e)^(1/2), x)

[Out] result too large to display

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (Cx^2 + Bx + A)\sqrt{bx + a}\sqrt{dx + c}\sqrt{fx + e} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*x+a)^(1/2)\*(C\*x^2+B\*x+A)\*(d\*x+c)^(1/2)\*(f\*x+e)^(1/2), x, algorithm="maxima")

[Out] integrate((C\*x^2 + B\*x + A)\*sqrt(b\*x + a)\*sqrt(d\*x + c)\*sqrt(f\*x + e), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \sqrt{e + fx} \sqrt{a + bx} \sqrt{c + dx} (Cx^2 + Bx + A) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e + f\*x)^(1/2)\*(a + b\*x)^(1/2)\*(c + d\*x)^(1/2)\*(A + B\*x + C\*x^2), x)

[Out] int((e + f\*x)^(1/2)\*(a + b\*x)^(1/2)\*(c + d\*x)^(1/2)\*(A + B\*x + C\*x^2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{a + bx} \sqrt{c + dx} \sqrt{e + fx} (A + Bx + Cx^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x+a)**(1/2)*(C*x**2+B*x+A)*(d*x+c)**(1/2)*(f*x+e)**(1/2),x)
```

```
[Out] Integral(sqrt(a + b*x)*sqrt(c + d*x)*sqrt(e + f*x)*(A + B*x + C*x**2), x)
```

**3.62** 
$$\int \frac{\sqrt{c+dx} \sqrt{e+fx} (A+Bx+Cx^2)}{\sqrt{a+bx}} dx$$

**Optimal.** Leaf size=774

$$\frac{2\sqrt{ad-bc}(be-af)(de-cf)\sqrt{\frac{b(c+dx)}{bc-ad}}\sqrt{\frac{b(e+fx)}{be-af}}(24a^2Cd^2f^2+abdf(-28Bdf-5cCf+13Cde)-b^2(7df(-5A$$


---


$$105b^4d^{5/2}f^3\sqrt{c+dx}\sqrt{e+fx}}$$

[Out]  $2/7*C*(d*x+c)^{(3/2)}*(f*x+e)^{(3/2)}*(b*x+a)^{(1/2)}/b/d/f-2/35*(6*a*C*d*f-b*(7*B*d*f-4*C*(c*f+d*e)))*(f*x+e)^{(3/2)}*(b*x+a)^{(1/2)}*(d*x+c)^{(1/2)}/b^2/d/f^2-2/105*(5*b*d*f*(3*a*C*(c*f+d*e)+b*(-7*A*d*f+C*c*e))-4*a*d*f-b*c*f+2*b*d*e*(6*a*C*d*f-b*(7*B*d*f-4*C*(c*f+d*e)))*(b*x+a)^{(1/2)}*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/b^3/d^2/f^2-2/105*(3*b*d*f*(5*b*c*f*(3*a*C*(c*f+d*e)+b*(-7*A*d*f+C*c*e))-3*a*c*f+a*d*e+b*c*e)*(6*a*C*d*f-b*(7*B*d*f-4*C*(c*f+d*e))))+2*(1/2*b*d*e-(a*d+b*c)*f)*(5*b*d*f*(3*a*C*(c*f+d*e)+b*(-7*A*d*f+C*c*e))-4*a*d*f-b*c*f+2*b*d*e*(6*a*C*d*f-b*(7*B*d*f-4*C*(c*f+d*e))))*EllipticE(d^(1/2)*(b*x+a)^(1/2)/(a*d-b*c)^(1/2),((-a*d+b*c)*f/d/(-a*f+b*e))^(1/2))*(a*d-b*c)^(1/2)*(b*(d*x+c)/(-a*d+b*c))^(1/2)*(f*x+e)^(1/2)/b^4/d^(5/2)/f^3/(d*x+c)^(1/2)/(b*(f*x+e)/(-a*f+b*e))^(1/2)-2/105*(-a*f+b*e)*(-c*f+d*e)*(24*a^2*C*d^2*f^2+a*b*d*f*(-28*B*d*f-5*C*c*f+13*C*d*e)-b^2*(7*d*f*(-5*A*d*f-B*c*f+2*B*d*e)-C*(-4*c^2*f^2-c*d*e*f+8*d^2*e^2)))*EllipticF(d^(1/2)*(b*x+a)^(1/2)/(a*d-b*c)^(1/2),((-a*d+b*c)*f/d/(-a*f+b*e))^(1/2))*(a*d-b*c)^(1/2)*(b*(d*x+c)/(-a*d+b*c))^(1/2)*(b*(f*x+e)/(-a*f+b*e))^(1/2)/b^4/d^(5/2)/f^3/(d*x+c)^(1/2)/(f*x+e)^(1/2)$

**Rubi [A]** time = 2.23, antiderivative size = 769, normalized size of antiderivative = 0.99, number of steps used = 9, number of rules used = 7, integrand size = 38,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.184$ , Rules used = {1615, 154, 158, 114, 113, 121, 120}

$$\frac{2\sqrt{ad-bc}(be-af)(de-cf)\sqrt{\frac{b(c+dx)}{bc-ad}}\sqrt{\frac{b(e+fx)}{be-af}}(24a^2Cd^2f^2+abdf(-28Bdf-5cCf+13Cde)+b^2(-7df(-5A$$


---


$$105b^4d^{5/2}f^3\sqrt{c+dx}\sqrt{e+fx}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[c + d\*x]\*Sqrt[e + f\*x]\*(A + B\*x + C\*x^2))/Sqrt[a + b\*x], x]

[Out]  $(-2*((2*b*d*e - b*c*f + 4*a*d*f)*(7*b*B*d*f - 6*a*C*d*f - 4*b*C*(d*e + c*f)))/(b*d*f) + 5*(3*a*C*(d*e + c*f) + b*(c*C*e - 7*A*d*f))*Sqrt[a + b*x]*Sqrt[c + d*x]*Sqrt[e + f*x])/(105*b^2*d*f) + (2*(7*b*B*d*f - 6*a*C*d*f - 4*b*C*(d*e + c*f))*Sqrt[a + b*x]*Sqrt[c + d*x]*(e + f*x)^(3/2))/(35*b^2*d*f^2) + (2*C*Sqrt[a + b*x]*(c + d*x)^(3/2)*(e + f*x)^(3/2))/(7*b*d*f) - (2*Sqrt[-(b*c) + a*d]*(3*b*d*f*((b*c*e + a*d*e + 3*a*c*f)*(7*b*B*d*f - 6*a*C*d*f - 4*b*C*(d*e + c*f)) + 5*b*c*f*(3*a*C*(d*e + c*f) + b*(c*C*e - 7*A*d*f))) + 2*((b*d*e)/2 - (b*c + a*d)*f)*((2*b*d*e - b*c*f + 4*a*d*f)*(7*b*B*d*f - 6*a*C*d*f - 4*b*C*(d*e + c*f)) + 5*b*d*f*(3*a*C*(d*e + c*f) + b*(c*C*e - 7*A*d*f))))*Sqrt[(b*(c + d*x))/(b*c - a*d)]*Sqrt[e + f*x]*EllipticE[ArcSin[(Sqrt[d]*Sqrt[a + b*x])/Sqrt[-(b*c) + a*d]], ((b*c - a*d)*f)/(d*(b*e - a*f))]/(105*b^4*d^(5/2)*f^3*Sqrt[c + d*x]*Sqrt[(b*(e + f*x))/(b*e - a*f)]) - (2*Sqrt[-(b*c) + a*d]*(b*e - a*f)*(d*e - c*f)*(24*a^2*C*d^2*f^2 + a*b*d*f*(13*C*d*e - 5*c*C*f - 28*B*d*f) - b^2*(7*d*f*(2*B*d*e - B*c*f - 5*A*d*f) - C*(8*d^2*e^2 - c*d*e*f - 4*c^2*f^2)))*Sqrt[(b*(c + d*x))/(b*c - a*d)]*Sqrt[(b*(e + f*x))/(b*e - a*f)]*EllipticF[ArcSin[(Sqrt[d]*Sqrt[a + b*x])/Sqrt[-(b*c) + a*d]], ((b*c - a*d)*f)/(d*(b*e - a*f))]/(105*b^4*d^(5/2)*f^3*Sqrt[c + d*x]*Sqrt[e + f*x])$

Rule 113

```
Int[Sqrt[(e_) + (f_)*(x_)]/(Sqrt[(a_) + (b_)*(x_)]*Sqrt[(c_) + (d_)*(x_)]), x_Symbol] := Simp[(2*Rt[-((b*e - a*f)/d), 2]*EllipticE[ArcSin[Sqrt[a + b*x]/Rt[-((b*c - a*d)/d), 2]], (f*(b*c - a*d))/(d*(b*e - a*f))]/b, x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[b/(b*c - a*d), 0] && GtQ[b/(b*e - a*f), 0] && !LtQ[-((b*c - a*d)/d), 0] && !(SimplerQ[c + d*x, a + b*x] && GtQ[-(d/(b*c - a*d)), 0] && GtQ[d/(d*e - c*f), 0] && !LtQ[(b*c - a*d)/b, 0])
```

Rule 114

```
Int[Sqrt[(e_) + (f_)*(x_)]/(Sqrt[(a_) + (b_)*(x_)]*Sqrt[(c_) + (d_)*(x_)]), x_Symbol] := Dist[(Sqrt[e + f*x]*Sqrt[(b*(c + d*x))/(b*c - a*d)])/(Sqrt[c + d*x]*Sqrt[(b*(e + f*x))/(b*e - a*f)]), Int[Sqrt[(b*e)/(b*e - a*f) + (b*f*x)/(b*e - a*f)]/(Sqrt[a + b*x]*Sqrt[(b*c)/(b*c - a*d) + (b*d*x)/(b*c - a*d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !(GtQ[b/(b*c - a*d), 0] && GtQ[b/(b*e - a*f), 0]) && !LtQ[-((b*c - a*d)/d), 0]
```

Rule 120

```
Int[1/(Sqrt[(a_) + (b_)*(x_)]*Sqrt[(c_) + (d_)*(x_)]*Sqrt[(e_) + (f_)*(x_)]), x_Symbol] := Simp[(2*Rt[-(b/d), 2]*EllipticF[ArcSin[Sqrt[a + b*x]/(Rt[-(b/d), 2]*Sqrt[(b*c - a*d)/b])], (f*(b*c - a*d))/(d*(b*e - a*f))]/(b*Sqrt[(b*e - a*f)/b]), x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[b/(b*c - a*d), 0] && GtQ[b/(b*e - a*f), 0] && SimplerQ[a + b*x, c + d*x] && SimplerQ[a + b*x, e + f*x] && (PosQ[-((b*c - a*d)/d)] || NegQ[-((b*e - a*f)/f)])
```

Rule 121

```
Int[1/(Sqrt[(a_) + (b_)*(x_)]*Sqrt[(c_) + (d_)*(x_)]*Sqrt[(e_) + (f_)*(x_)]), x_Symbol] := Dist[Sqrt[(b*(c + d*x))/(b*c - a*d)]/Sqrt[c + d*x], Int[1/(Sqrt[a + b*x]*Sqrt[(b*c)/(b*c - a*d) + (b*d*x)/(b*c - a*d)]*Sqrt[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[(b*c - a*d)/b, 0] && SimplerQ[a + b*x, c + d*x] && SimplerQ[a + b*x, e + f*x]
```

Rule 154

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_)*((g_) + (h_)*(x_)), x_Symbol] := Simp[(h*(a + b*x)^m*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(m + n + p + 2)), x] + Dist[1/(d*f*(m + n + p + 2)), Int[(a + b*x)^(m - 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*g*(m + n + p + 2) - h*(b*c*e*m + a*(d*e*(n + 1) + c*f*(p + 1))) + (b*d*f*g*(m + n + p + 2) + h*(a*d*f*m - b*(d*e*(m + n + 1) + c*f*(m + p + 1)))]*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p + 2, 0] && IntegersQ[2*m, 2*n, 2*p]
```

Rule 158

```
Int[((g_) + (h_)*(x_))/(Sqrt[(a_) + (b_)*(x_)]*Sqrt[(c_) + (d_)*(x_)]*Sqrt[(e_) + (f_)*(x_)]), x_Symbol] := Dist[h/f, Int[Sqrt[e + f*x]/(Sqrt[a + b*x]*Sqrt[c + d*x]), x], x] + Dist[(f*g - e*h)/f, Int[1/(Sqrt[a + b*x]*Sqrt[c + d*x]*Sqrt[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && SimplerQ[a + b*x, e + f*x] && SimplerQ[c + d*x, e + f*x]
```

Rule 1615

```
Int[(Px_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := With[{q = Expon[Px, x], k = Coeff[Px, x, Expon[Px, x]]}, Simp[(k*(a + b*x)^(m + q - 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*b^(q - 1)*(m + n + p + q + 1)), x] + Dist[1/(d*f*b^q*(m + n + p +
```

```
q + 1)), Int[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p*ExpandToSum[d*f*b^q*(m + n
+ p + q + 1)*Px - d*f*k*(m + n + p + q + 1)*(a + b*x)^q + k*(a + b*x)^(q -
2)*(a^2*d*f*(m + n + p + q + 1) - b*(b*c*e*(m + q - 1) + a*(d*e*(n + 1) +
c*f*(p + 1))) + b*(a*d*f*(2*(m + q) + n + p) - b*(d*e*(m + q + n) + c*f*(m
+ q + p)))*x), x], x] /; NeQ[m + n + p + q + 1, 0]] /; FreeQ[{a, b, c,
d, e, f, m, n, p}, x] && PolyQ[Px, x] && IntegersQ[2*m, 2*n, 2*p]
```

Rubi steps

$$\int \frac{\sqrt{c+dx} \sqrt{e+fx} (A+Bx+Cx^2)}{\sqrt{a+bx}} dx = \frac{2C\sqrt{a+bx}(c+dx)^{3/2}(e+fx)^{3/2}}{7bdf} + \frac{2 \int \frac{\sqrt{c+dx} \sqrt{e+fx} \left(-\frac{1}{2}b(3aC(de+cf)+b(cC\right)}{7bdf} dx}{7bdf} + \frac{2(7bBdf - 6aCdf - 4bC(de+cf))\sqrt{a+bx} \sqrt{c+dx} (e+fx)^{3/2}}{35b^2df^2} + \frac{2C}{7bdf} dx}{105b^3d^2f^2} + \frac{2((2bde - bcf + 4adf)(7bBdf - 6aCdf - 4bC(de+cf)) + 5bdf(3aCdf - 2b^2C))}{105b^3d^2f^2} + \frac{2((2bde - bcf + 4adf)(7bBdf - 6aCdf - 4bC(de+cf)) + 5bdf(3aCdf - 2b^2C))}{105b^3d^2f^2} + \frac{2((2bde - bcf + 4adf)(7bBdf - 6aCdf - 4bC(de+cf)) + 5bdf(3aCdf - 2b^2C))}{105b^3d^2f^2} + \frac{2((2bde - bcf + 4adf)(7bBdf - 6aCdf - 4bC(de+cf)) + 5bdf(3aCdf - 2b^2C))}{105b^3d^2f^2} + \frac{2((2bde - bcf + 4adf)(7bBdf - 6aCdf - 4bC(de+cf)) + 5bdf(3aCdf - 2b^2C))}{105b^3d^2f^2}$$

**Mathematica [C]** time = 13.39, size = 917, normalized size = 1.18

$$2 \left( \sqrt{\frac{bc}{d}} - a \left( (C(-8d^3e^3 + 5cd^2fe^2 + 5c^2df^2e - 8c^3f^3) - 7df(5Adf(de+cf) - 2B(d^2e^2 - cdf e + c^2f^2))) b^3 + \dots \right) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sqrt[c + d*x]*Sqrt[e + f*x]*(A + B*x + C*x^2))/Sqrt[a + b*x], x]
[Out] (-2*(b^2*Sqrt[-a + (b*c)/d]*(48*a^3*C*d^3*f^3 - 8*a^2*b*d^2*f^2*(7*B*d*f +
2*C*(d*e + c*f)) + a*b^2*d*f*(7*d*f*(3*B*d*e + 3*B*c*f + 10*A*d*f) + C*(-9*
d^2*e^2 + 8*c*d*e*f - 9*c^2*f^2)) + b^3*(C*(-8*d^3*e^3 + 5*c*d^2*e^2*f + 5*
c^2*d*e*f^2 - 8*c^3*f^3) - 7*d*f*(5*A*d*f*(d*e + c*f) - 2*B*(d^2*e^2 - c*d*
e*f + c^2*f^2))))*(c + d*x)*(e + f*x) + b^2*Sqrt[-a + (b*c)/d]*d*f*(a + b*x
)*(c + d*x)*(e + f*x)*(-24*a^2*C*d^2*f^2 + a*b*d*f*(28*B*d*f + C*(5*d*e + 5
```

```
*c*f + 18*d*f*x)) + b^2*(-7*d*f*(B*c*f + 5*A*d*f + B*d*(e + 3*f*x)) + C*(4*c^2*f^2 - c*d*f*(2*e + 3*f*x) + d^2*(4*e^2 - 3*e*f*x - 15*f^2*x^2))) + I*(b*c - a*d)*f*(48*a^3*C*d^3*f^3 - 8*a^2*b*d^2*f^2*(7*B*d*f + 2*C*(d*e + c*f)) + a*b^2*d*f*(7*d*f*(3*B*d*e + 3*B*c*f + 10*A*d*f) + C*(-9*d^2*e^2 + 8*c*d*e*f - 9*c^2*f^2)) + b^3*(C*(-8*d^3*e^3 + 5*c*d^2*e^2*f + 5*c^2*d*e*f^2 - 8*c^3*f^3) - 7*d*f*(5*A*d*f*(d*e + c*f) - 2*B*(d^2*e^2 - c*d*e*f + c^2*f^2)))*(a + b*x)^(3/2)*Sqrt[(b*(c + d*x))/(d*(a + b*x))]*Sqrt[(b*(e + f*x))/(f*(a + b*x))]*EllipticE[I*ArcSinh[Sqrt[-a + (b*c)/d]/Sqrt[a + b*x]], (b*d*e - a*d*f)/(b*c*f - a*d*f)] - I*b*(b*c - a*d)*f*(d*e - c*f)*(24*a^2*C*d^2*f^2 + a*b*d*f*(-5*C*d*e + 13*c*C*f - 28*B*d*f) + b^2*(7*d*f*(B*d*e - 2*B*c*f + 5*A*d*f) - C*(4*d^2*e^2 + c*d*e*f - 8*c^2*f^2)))*(a + b*x)^(3/2)*Sqrt[(b*(c + d*x))/(d*(a + b*x))]*Sqrt[(b*(e + f*x))/(f*(a + b*x))]*EllipticF[I*ArcSinh[Sqrt[-a + (b*c)/d]/Sqrt[a + b*x]], (b*d*e - a*d*f)/(b*c*f - a*d*f)))/(105*b^5*Sqrt[-a + (b*c)/d]*d^3*f^3*Sqrt[a + b*x]*Sqrt[c + d*x]*Sqrt[e + f*x])
```

**fricas** [F] time = 0.82, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(Cx^2 + Bx + A)\sqrt{dx + c}\sqrt{fx + e}}{\sqrt{bx + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2)/(b*x+a)^(1/2),x, algorithm="fricas")
```

```
[Out] integral((C*x^2 + B*x + A)*sqrt(d*x + c)*sqrt(f*x + e)/sqrt(b*x + a), x)
```

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Cx^2 + Bx + A)\sqrt{dx + c}\sqrt{fx + e}}{\sqrt{bx + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2)/(b*x+a)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((C*x^2 + B*x + A)*sqrt(d*x + c)*sqrt(f*x + e)/sqrt(b*x + a), x)
```

**maple** [B] time = 0.05, size = 10268, normalized size = 13.27

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2)/(b*x+a)^(1/2),x)
```

```
[Out] result too large to display
```

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Cx^2 + Bx + A)\sqrt{dx + c}\sqrt{fx + e}}{\sqrt{bx + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2)/(b*x+a)^(1/2),x, algorithm="maxima")
```

```
[Out] integrate((C*x^2 + B*x + A)*sqrt(d*x + c)*sqrt(f*x + e)/sqrt(b*x + a), x)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{e+fx} \sqrt{c+dx} (Cx^2+Bx+A)}{\sqrt{a+bx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((e + f\*x)^(1/2)\*(c + d\*x)^(1/2)\*(A + B\*x + C\*x^2))/(a + b\*x)^(1/2), x)

[Out] int(((e + f\*x)^(1/2)\*(c + d\*x)^(1/2)\*(A + B\*x + C\*x^2))/(a + b\*x)^(1/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x\*\*2+B\*x+A)\*(d\*x+c)\*\*(1/2)\*(f\*x+e)\*\*(1/2)/(b\*x+a)\*\*(1/2), x)

[Out] Timed out



$$3.63 \quad \int \frac{\sqrt{c+dx} \sqrt{e+fx} (A+Bx+Cx^2)}{(a+bx)^{3/2}} dx$$

**Optimal.** Leaf size=706

$$\frac{2\sqrt{ad-bc}(de-cf)\sqrt{\frac{b(c+dx)}{bc-ad}}\sqrt{\frac{b(e+fx)}{be-af}}(24a^2Cdf^2-abf(20Bdf+cCf+7Cde)+b^2(5df(3Af+Be)-Ce(2a^2Cdf^2-a*b*f*(7*C*d*e+c*C*f+20*B*d*f)+b^2*(5*d*f*(B*e+3*A*f)-C*e*(2*d*e-c*f))))\sqrt{a+bx}\sqrt{c+dx}\sqrt{e+fx}}{15b^4d^{3/2}f^2\sqrt{c+dx}\sqrt{e+fx}}$$

[Out]  $-2*(A*b^2-a*(B*b-C*a))*(d*x+c)^{(3/2)}*(f*x+e)^{(3/2)}/b/(-a*d+b*c)/(-a*f+b*e)/(b*x+a)^{(1/2)}+2/5*(6*a^2*C*d*f+b^2*(5*A*d*f+C*c*e)-a*b*(5*B*d*f+C*c*f+C*d*e))*(f*x+e)^{(3/2)}*(b*x+a)^{(1/2)}*(d*x+c)^{(1/2)}/b^2/(-a*d+b*c)/f/(-a*f+b*e)+2/15*(24*a^2*C*d*f^2-a*b*f*(20*B*d*f+C*c*f+7*C*d*e)+b^2*(5*d*f*(3*A*f+B*e)-C*e*(-c*f+2*d*e)))*(b*x+a)^{(1/2)}*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/b^3/d/f/(-a*f+b*e)+2/15*(48*a^2*C*d^2*f^2-8*a*b*d*f*(5*B*d*f+C*c*f+C*d*e)+b^2*(5*d*f*(6*A*d*f+B*c*f+B*d*e)-2*C*(c^2*f^2-c*d*e*f+d^2*e^2)))*EllipticE(d^(1/2)*(b*x+a)^(1/2)/(a*d-b*c)^(1/2),((-a*d+b*c)*f/d/(-a*f+b*e))^(1/2))*(a*d-b*c)^(1/2)*(b*(d*x+c)/(-a*d+b*c))^(1/2)*(f*x+e)^(1/2)/b^4/d^(3/2)/f^2/(d*x+c)^(1/2)/(b*(f*x+e)/(-a*f+b*e))^(1/2)-2/15*(-c*f+d*e)*(24*a^2*C*d*f^2-a*b*f*(20*B*d*f+C*c*f+7*C*d*e)+b^2*(5*d*f*(3*A*f+B*e)-C*e*(-c*f+2*d*e)))*EllipticF(d^(1/2)*(b*x+a)^(1/2)/(a*d-b*c)^(1/2),((-a*d+b*c)*f/d/(-a*f+b*e))^(1/2))*(a*d-b*c)^(1/2)*(b*(d*x+c)/(-a*d+b*c))^(1/2)*(b*(f*x+e)/(-a*f+b*e))^(1/2)/b^4/d^(3/2)/f^2/(d*x+c)^(1/2)/(f*x+e)^(1/2)$

**Rubi [A]** time = 1.84, antiderivative size = 706, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 38,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.184$ , Rules used = {1614, 154, 158, 114, 113, 121, 120}

$$\frac{2\sqrt{e+fx}\sqrt{ad-bc}\sqrt{\frac{b(c+dx)}{bc-ad}}(48a^2Cd^2f^2-8abdf(5Bdf+cCf+Cde)+b^2(5df(6Adf+Bcf+Bde)-2C(2a^2Cdf^2-a*b*f*(7*C*d*e+c*C*f+20*B*d*f)+b^2*(5*d*f*(B*e+3*A*f)-C*e*(2*d*e-c*f))))\sqrt{a+bx}\sqrt{c+dx}\sqrt{e+fx}}{15b^4d^{3/2}f^2\sqrt{c+dx}\sqrt{\frac{b(e+fx)}{be-af}}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[c + d\*x]\*Sqrt[e + f\*x]\*(A + B\*x + C\*x^2))/(a + b\*x)^(3/2), x]

[Out]  $(2*(24*a^2*C*d*f^2-a*b*f*(7*C*d*e+c*C*f+20*B*d*f)+b^2*(5*d*f*(B*e+3*A*f)-C*e*(2*d*e-c*f)))*\sqrt{a+bx}\sqrt{c+dx}\sqrt{e+fx}]/(15*b^3*d*f*(b*e-a*f))+2*(6*a^2*C*d*f+b^2*(c*C*e+5*A*d*f)-a*b*(C*d*e+c*C*f+5*B*d*f))*\sqrt{a+bx}\sqrt{c+dx}*(e+f*x)^(3/2)}/(5*b^2*(b*c-a*d)*f*(b*e-a*f))-2*(A*b^2-a*(b*B-a*C))*(c+d*x)^(3/2)*(e+f*x)^(3/2))/(b*(b*c-a*d)*(b*e-a*f)*\sqrt{a+bx}))+2*\sqrt{-(b*c)+a*d}*(48*a^2*C*d^2*f^2-8*a*b*d*f*(C*d*e+c*C*f+5*B*d*f)+b^2*(5*d*f*(B*d*e+B*c*f+6*A*d*f)-2*C*(d^2*e^2-c*d*e*f+c^2*f^2)))*\sqrt{[(b*(c+d*x))/(b*c-a*d)]*\sqrt{e+f*x}*EllipticE[ArcSin[(\sqrt{d}*\sqrt{a+bx})/\sqrt{-(b*c)+a*d}],((b*c-a*d)*f)/(d*(b*e-a*f))]}]/(15*b^4*d^(3/2)*f^2*\sqrt{c+dx}*\sqrt{[(b*(e+f*x))/(b*e-a*f)]}-2*\sqrt{-(b*c)+a*d}*(d*e-c*f)*(24*a^2*C*d*f^2-a*b*f*(7*C*d*e+c*C*f+20*B*d*f)+b^2*(5*d*f*(B*e+3*A*f)-C*e*(2*d*e-c*f)))*\sqrt{[(b*(c+d*x))/(b*c-a*d)]*\sqrt{e+f*x}*EllipticF[ArcSin[(\sqrt{d}*\sqrt{a+bx})/\sqrt{-(b*c)+a*d}],((b*c-a*d)*f)/(d*(b*e-a*f))]}]/(15*b^4*d^(3/2)*f^2*\sqrt{c+dx}*\sqrt{e+f*x})$

**Rule 113**

Int[Sqrt[(e\_.) + (f\_.)\*(x\_)]/(Sqrt[(a\_.) + (b\_.)\*(x\_)]\*Sqrt[(c\_.) + (d\_.)\*(x\_)]), x\_Symbol] := Simp[(2\*Rt[-((b\*e - a\*f)/d), 2]\*EllipticE[ArcSin[Sqrt[a + b\*x]/Rt[-((b\*c - a\*d)/d), 2]], (f\*(b\*c - a\*d))/(d\*(b\*e - a\*f))]/b, x] /;

FreeQ[{a, b, c, d, e, f}, x] && GtQ[b/(b\*c - a\*d), 0] && GtQ[b/(b\*e - a\*f), 0] && !LtQ[-((b\*c - a\*d)/d), 0] && !(SimplerQ[c + d\*x, a + b\*x] && GtQ[-(d/(b\*c - a\*d)), 0] && GtQ[d/(d\*e - c\*f), 0] && !LtQ[(b\*c - a\*d)/b, 0])

#### Rule 114

Int[Sqrt[(e\_.) + (f\_.)\*(x\_.)]/(Sqrt[(a\_.) + (b\_.)\*(x\_.)]\*Sqrt[(c\_.) + (d\_.)\*(x\_.)]), x\_Symbol] := Dist[(Sqrt[e + f\*x]\*Sqrt[(b\*(c + d\*x))/(b\*c - a\*d)])/(Sqrt[c + d\*x]\*Sqrt[(b\*(e + f\*x))/(b\*e - a\*f)]), Int[Sqrt[(b\*e)/(b\*e - a\*f) + (b\*f\*x)/(b\*e - a\*f)]/(Sqrt[a + b\*x]\*Sqrt[(b\*c)/(b\*c - a\*d) + (b\*d\*x)/(b\*c - a\*d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !(GtQ[b/(b\*c - a\*d), 0] && GtQ[b/(b\*e - a\*f), 0]) && !LtQ[-((b\*c - a\*d)/d), 0]

#### Rule 120

Int[1/(Sqrt[(a\_.) + (b\_.)\*(x\_.)]\*Sqrt[(c\_.) + (d\_.)\*(x\_.)]\*Sqrt[(e\_.) + (f\_.)\*(x\_.)]), x\_Symbol] := Simp[(2\*Rt[-(b/d), 2]\*EllipticF[ArcSin[Sqrt[a + b\*x]/(Rt[-(b/d), 2]\*Sqrt[(b\*c - a\*d)/b])], (f\*(b\*c - a\*d))/(d\*(b\*e - a\*f)))]/(b\*Sqrt[(b\*e - a\*f)/b]), x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[b/(b\*c - a\*d), 0] && GtQ[b/(b\*e - a\*f), 0] && SimplerQ[a + b\*x, c + d\*x] && SimplerQ[a + b\*x, e + f\*x] && (PosQ[-((b\*c - a\*d)/d)] || NegQ[-((b\*e - a\*f)/f)])

#### Rule 121

Int[1/(Sqrt[(a\_.) + (b\_.)\*(x\_.)]\*Sqrt[(c\_.) + (d\_.)\*(x\_.)]\*Sqrt[(e\_.) + (f\_.)\*(x\_.)]), x\_Symbol] := Dist[Sqrt[(b\*(c + d\*x))/(b\*c - a\*d)]/Sqrt[c + d\*x], Int[1/(Sqrt[a + b\*x]\*Sqrt[(b\*c)/(b\*c - a\*d) + (b\*d\*x)/(b\*c - a\*d)]\*Sqrt[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[(b\*c - a\*d)/b, 0] && SimplerQ[a + b\*x, c + d\*x] && SimplerQ[a + b\*x, e + f\*x]

#### Rule 154

Int[((a\_.) + (b\_.)\*(x\_.))^(m\_.)\*((c\_.) + (d\_.)\*(x\_.))^(n\_.)\*((e\_.) + (f\_.)\*(x\_.))^(p\_.)\*((g\_.) + (h\_.)\*(x\_.)), x\_Symbol] := Simp[(h\*(a + b\*x)^(m\*(c + d\*x)^(n + 1)\*(e + f\*x)^(p + 1))/(d\*f\*(m + n + p + 2)), x] + Dist[1/(d\*f\*(m + n + p + 2)), Int[(a + b\*x)^(m - 1)\*(c + d\*x)^n\*(e + f\*x)^p\*Simp[a\*d\*f\*g\*(m + n + p + 2) - h\*(b\*c\*e\*m + a\*(d\*e\*(n + 1) + c\*f\*(p + 1))) + (b\*d\*f\*g\*(m + n + p + 2) + h\*(a\*d\*f\*m - b\*(d\*e\*(m + n + 1) + c\*f\*(m + p + 1)))]\*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p + 2, 0] && IntegersQ[2\*m, 2\*n, 2\*p]

#### Rule 158

Int[((g\_.) + (h\_.)\*(x\_.))/(Sqrt[(a\_.) + (b\_.)\*(x\_.)]\*Sqrt[(c\_.) + (d\_.)\*(x\_.)]\*Sqrt[(e\_.) + (f\_.)\*(x\_.)]), x\_Symbol] := Dist[h/f, Int[Sqrt[e + f\*x]/(Sqrt[a + b\*x]\*Sqrt[c + d\*x]), x], x] + Dist[(f\*g - e\*h)/f, Int[1/(Sqrt[a + b\*x]\*Sqrt[c + d\*x]\*Sqrt[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && SimplerQ[a + b\*x, e + f\*x] && SimplerQ[c + d\*x, e + f\*x]

#### Rule 1614

Int[(Px\_)\*((a\_.) + (b\_.)\*(x\_.))^(m\_.)\*((c\_.) + (d\_.)\*(x\_.))^(n\_.)\*((e\_.) + (f\_.)\*(x\_.))^(p\_.), x\_Symbol] := With[{Qx = PolynomialQuotient[Px, a + b\*x, x], R = PolynomialRemainder[Px, a + b\*x, x]}, Simp[(b\*R\*(a + b\*x)^(m + 1)\*(c + d\*x)^(n + 1)\*(e + f\*x)^(p + 1))/((m + 1)\*(b\*c - a\*d)\*(b\*e - a\*f)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(b\*e - a\*f)), Int[(a + b\*x)^(m + 1)\*(c + d\*x)^n\*(e + f\*x)^p\*ExpandToSum[(m + 1)\*(b\*c - a\*d)\*(b\*e - a\*f)\*Qx + a\*d\*f\*R\*(m + 1) - b\*R\*(d\*e\*(m + n + 2) + c\*f\*(m + p + 2)) - b\*d\*f\*R\*(m + n + p + 3)]\*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && PolyQ[Px, x] && LtQ[m, -1]

] &amp;&amp; IntegersQ[2\*m, 2\*n, 2\*p]

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{c+dx} \sqrt{e+fx} (A+Bx+Cx^2)}{(a+bx)^{3/2}} dx &= -\frac{2(Ab^2 - a(bB - aC))(c+dx)^{3/2}(e+fx)^{3/2}}{b(bc-ad)(be-af)\sqrt{a+bx}} - \frac{2 \int \frac{\sqrt{c+dx} \sqrt{e+fx} \left(-\frac{3a}{2}\right)}{(a+bx)^{3/2}} dx}{b(bc-ad)(be-af)\sqrt{a+bx}} \\
&= \frac{2(6a^2Cdf + b^2(cCe + 5Adf) - ab(Cde + cCf + 5Bdf))\sqrt{a+bx}}{5b^2(bc-ad)f(be-af)} \\
&= \frac{2(24a^2Cdf^2 - abf(7Cde + cCf + 20Bdf) + b^2(5df(Be + 3Af) - 5Cde))\sqrt{a+bx}}{15b^3df(be-af)} \\
&= \frac{2(24a^2Cdf^2 - abf(7Cde + cCf + 20Bdf) + b^2(5df(Be + 3Af) - 5Cde))\sqrt{a+bx}}{15b^3df(be-af)} \\
&= \frac{2(24a^2Cdf^2 - abf(7Cde + cCf + 20Bdf) + b^2(5df(Be + 3Af) - 5Cde))\sqrt{a+bx}}{15b^3df(be-af)} \\
&= \frac{2(24a^2Cdf^2 - abf(7Cde + cCf + 20Bdf) + b^2(5df(Be + 3Af) - 5Cde))\sqrt{a+bx}}{15b^3df(be-af)} \\
&= \frac{2(24a^2Cdf^2 - abf(7Cde + cCf + 20Bdf) + b^2(5df(Be + 3Af) - 5Cde))\sqrt{a+bx}}{15b^3df(be-af)} \\
&= \frac{2(24a^2Cdf^2 - abf(7Cde + cCf + 20Bdf) + b^2(5df(Be + 3Af) - 5Cde))\sqrt{a+bx}}{15b^3df(be-af)} \\
&= \frac{2(24a^2Cdf^2 - abf(7Cde + cCf + 20Bdf) + b^2(5df(Be + 3Af) - 5Cde))\sqrt{a+bx}}{15b^3df(be-af)}
\end{aligned}$$

Mathematica [C] time = 8.13, size = 633, normalized size = 0.90

$$\frac{2 \left( -ibf(a+bx)^{3/2}(de-cf) \sqrt{\frac{b(c+dx)}{d(a+bx)}} \sqrt{\frac{b(e+fx)}{f(a+bx)}} (24a^2Cd^2f - abd(20Bdf + 7cCf + Cde) + b^2(15Ad^2f + cd(5
\right)}{15b^3df(be-af)}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[c + d\*x]\*Sqrt[e + f\*x]\*(A + B\*x + C\*x^2))/(a + b\*x)^(3/2), x]

```

[Out] (-2*(-(b^2*Sqrt[-a + (b*c)/d]*(48*a^2*C*d^2*f^2 - 8*a*b*d*f*(C*d*e + c*C*f
+ 5*B*d*f) + b^2*(5*d*f*(B*d*e + B*c*f + 6*A*d*f) - 2*C*(d^2*e^2 - c*d*e*f
+ c^2*f^2)))*(c + d*x)*(e + f*x)) + b^2*Sqrt[-a + (b*c)/d]*d*f*(c + d*x)*(e
+ f*x)*(15*(A*b^2 + a*(-(b*B) + a*C))*d*f - (-9*a*C*d*f + b*(C*d*e + c*C*f
+ 5*B*d*f))*(a + b*x) - 3*b*C*d*f*x*(a + b*x)) - I*(b*c - a*d)*f*(48*a^2*C
*d^2*f^2 - 8*a*b*d*f*(C*d*e + c*C*f + 5*B*d*f) + b^2*(5*d*f*(B*d*e + B*c*f
+ 6*A*d*f) - 2*C*(d^2*e^2 - c*d*e*f + c^2*f^2)))*(a + b*x)^(3/2)*Sqrt[(b*(c
+ d*x))/(d*(a + b*x))]*Sqrt[(b*(e + f*x))/(f*(a + b*x))]*EllipticE[I*ArcSi

```

nh[Sqrt[-a + (b\*c)/d]/Sqrt[a + b\*x]], (b\*d\*e - a\*d\*f)/(b\*c\*f - a\*d\*f)] - I\*b\*f\*(d\*e - c\*f)\*(24\*a^2\*C\*d^2\*f - a\*b\*d\*(C\*d\*e + 7\*c\*C\*f + 20\*B\*d\*f) + b^2\*(-2\*c^2\*C\*f + 15\*A\*d^2\*f + c\*d\*(C\*e + 5\*B\*f)))\*(a + b\*x)^(3/2)\*Sqrt[(b\*(c + d\*x))/(d\*(a + b\*x))]\*Sqrt[(b\*(e + f\*x))/(f\*(a + b\*x))]\*EllipticF[I\*ArcSinh[Sqrt[-a + (b\*c)/d]/Sqrt[a + b\*x]], (b\*d\*e - a\*d\*f)/(b\*c\*f - a\*d\*f)])))/(15\*b^5\*Sqrt[-a + (b\*c)/d]\*d^2\*f^2\*Sqrt[a + b\*x]\*Sqrt[c + d\*x]\*Sqrt[e + f\*x])

**fricas** [F] time = 0.87, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(Cx^2 + Bx + A)\sqrt{bx + a}\sqrt{dx + c}\sqrt{fx + e}}{b^2x^2 + 2abx + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(d\*x+c)^(1/2)\*(f\*x+e)^(1/2)/(b\*x+a)^(3/2),x, algorithm="fricas")

[Out] integral((C\*x^2 + B\*x + A)\*sqrt(b\*x + a)\*sqrt(d\*x + c)\*sqrt(f\*x + e)/(b^2\*x^2 + 2\*a\*b\*x + a^2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Cx^2 + Bx + A)\sqrt{dx + c}\sqrt{fx + e}}{(bx + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(d\*x+c)^(1/2)\*(f\*x+e)^(1/2)/(b\*x+a)^(3/2),x, algorithm="giac")

[Out] integrate((C\*x^2 + B\*x + A)\*sqrt(d\*x + c)\*sqrt(f\*x + e)/(b\*x + a)^(3/2), x)

**maple** [B] time = 0.06, size = 6265, normalized size = 8.87

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C\*x^2+B\*x+A)\*(d\*x+c)^(1/2)\*(f\*x+e)^(1/2)/(b\*x+a)^(3/2),x)

[Out] result too large to display

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Cx^2 + Bx + A)\sqrt{dx + c}\sqrt{fx + e}}{(bx + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(d\*x+c)^(1/2)\*(f\*x+e)^(1/2)/(b\*x+a)^(3/2),x, algorithm="maxima")

[Out] integrate((C\*x^2 + B\*x + A)\*sqrt(d\*x + c)\*sqrt(f\*x + e)/(b\*x + a)^(3/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{e + fx} \sqrt{c + dx} (Cx^2 + Bx + A)}{(a + bx)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((e + f*x)^(1/2)*(c + d*x)^(1/2)*(A + B*x + C*x^2))/(a + b*x)^(3/2), x)
[Out] int(((e + f*x)^(1/2)*(c + d*x)^(1/2)*(A + B*x + C*x^2))/(a + b*x)^(3/2), x)
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x**2+B*x+A)*(d*x+c)**(1/2)*(f*x+e)**(1/2)/(b*x+a)**(3/2), x)
[Out] Timed out
```

$$3.64 \int \frac{\sqrt{c+dx} \sqrt{e+fx} (A+Bx+Cx^2)}{(a+bx)^{5/2}} dx$$

**Optimal.** Leaf size=687

$$\frac{2(de - cf) \sqrt{\frac{b(c+dx)}{bc-ad}} \sqrt{\frac{b(e+fx)}{be-af}} (8a^2 Cdf - ab(4Bdf + 7cCf + Cde) + b^2(Adf + 3Bcf + cCe)) \operatorname{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{d}}{\sqrt{a}}\right)\right)}{3b^4 \sqrt{d} f \sqrt{c+dx} \sqrt{e+fx} \sqrt{ad-bc}}$$

[Out]  $-2/3*(A*b^2-a*(B*b-C*a))*(d*x+c)^{(3/2)}*(f*x+e)^{(3/2)}/b/(-a*d+b*c)/(-a*f+b*e)/(b*x+a)^{(3/2)}-2*(B*b-2*C*a)*(f*x+e)^{(3/2)}*(d*x+c)^{(1/2)}/b^2/(-a*f+b*e)/(b*x+a)^{(1/2)}+2/3*(8*a^2*C*d*f+b^2*(A*d*f+3*B*c*f+C*c*e)-a*b*(4*B*d*f+7*C*c*f+C*d*e))*(b*x+a)^{(1/2)}*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/b^3/(-a*d+b*c)/(-a*f+b*e)+2/3*(16*a^3*C*d^2*f^2-8*a^2*b*d*f*(B*d*f+2*C*(c*f+d*e))-b^3*(c^2*C*e*f+A*d^2*e*f+c*d*(A*f^2+6*B*e*f+C*e^2))+a*b^2*(d*f*(2*A*d*f+7*B*c*f+7*B*d*e)+C*(c^2*f^2+16*c*d*e*f+d^2*e^2))*\operatorname{EllipticE}(d^{(1/2)}*(b*x+a)^{(1/2)}/(a*d-b*c)^{(1/2)},((-a*d+b*c)*f/d/(-a*f+b*e))^{(1/2)}*(b*(d*x+c)/(-a*d+b*c))^{(1/2)}*(f*x+e)^{(1/2)}/b^4/f/(-a*f+b*e)/d^{(1/2)}/(a*d-b*c)^{(1/2)}/(d*x+c)^{(1/2)}/(b*(f*x+e)/(-a*f+b*e))^{(1/2)}+2/3*(-c*f+d*e)*(8*a^2*C*d*f+b^2*(A*d*f+3*B*c*f+C*c*e)-a*b*(4*B*d*f+7*C*c*f+C*d*e))*\operatorname{EllipticF}(d^{(1/2)}*(b*x+a)^{(1/2)}/(a*d-b*c)^{(1/2)},((-a*d+b*c)*f/d/(-a*f+b*e))^{(1/2)}*(b*(d*x+c)/(-a*d+b*c))^{(1/2)}*(b*(f*x+e)/(-a*f+b*e))^{(1/2)}/b^4/f/d^{(1/2)}/(a*d-b*c)^{(1/2)}/(d*x+c)^{(1/2)}/(f*x+e)^{(1/2)}$

**Rubi [A]** time = 1.90, antiderivative size = 687, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 38,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.210$ , Rules used = {1614, 150, 154, 158, 114, 113, 121, 120}

$$2\sqrt{e+fx} \sqrt{\frac{b(c+dx)}{bc-ad}} (-8a^2 bdf(Bdf + 2C(cf + de)) + 16a^3 Cd^2 f^2 + ab^2(df(2Adf + 7Bcf + 7Bde) + C(c^2 f^2 + 16cde))) \operatorname{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{d}}{\sqrt{a}}\right)\right) + C$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[c + d\*x]\*Sqrt[e + f\*x]\*(A + B\*x + C\*x^2))/(a + b\*x)^(5/2), x]

[Out]  $(2*(8*a^2*C*d*f + b^2*(c*C*e + 3*B*c*f + A*d*f) - a*b*(C*d*e + 7*c*C*f + 4*B*d*f))*\operatorname{Sqrt}[a + b*x]*\operatorname{Sqrt}[c + d*x]*\operatorname{Sqrt}[e + f*x])/((3*b^3*(b*c - a*d)*(b*e - a*f)) - (2*(b*B - 2*a*C)*\operatorname{Sqrt}[c + d*x]*(e + f*x)^{(3/2)})/(b^2*(b*e - a*f)*\operatorname{Sqrt}[a + b*x]) - (2*(A*b^2 - a*(b*B - a*C))*(c + d*x)^{(3/2)}*(e + f*x)^{(3/2)})/(3*b*(b*c - a*d)*(b*e - a*f)*(a + b*x)^{(3/2)}) + (2*(16*a^3*C*d^2*f^2 - 8*a^2*b*d*f*(B*d*f + 2*C*(d*e + c*f)) - b^3*(c^2*C*e*f + A*d^2*e*f + c*d*(C*e^2 + 6*B*e*f + A*f^2)) + a*b^2*(d*f*(7*B*d*e + 7*B*c*f + 2*A*d*f) + C*(d^2*e^2 + 16*c*d*e*f + c^2*f^2)))*\operatorname{Sqrt}[(b*(c + d*x))/(b*c - a*d)]*\operatorname{Sqrt}[e + f*x]*\operatorname{EllipticE}[\operatorname{ArcSin}[(\operatorname{Sqrt}[d]*\operatorname{Sqrt}[a + b*x])/(\operatorname{Sqrt}[-(b*c) + a*d])], ((b*c - a*d)*f)/(d*(b*e - a*f)))]/(3*b^4*\operatorname{Sqrt}[d]*\operatorname{Sqrt}[-(b*c) + a*d]*f*(b*e - a*f)*\operatorname{Sqrt}[c + d*x]*\operatorname{Sqrt}[(b*(e + f*x))/(b*e - a*f)]) + (2*(d*e - c*f)*(8*a^2*C*d*f + b^2*(c*C*e + 3*B*c*f + A*d*f) - a*b*(C*d*e + 7*c*C*f + 4*B*d*f))*\operatorname{Sqrt}[(b*(c + d*x))/(b*c - a*d)]*\operatorname{Sqrt}[(b*(e + f*x))/(b*e - a*f)]*\operatorname{EllipticF}[\operatorname{ArcSin}[(\operatorname{Sqrt}[d]*\operatorname{Sqrt}[a + b*x])/(\operatorname{Sqrt}[-(b*c) + a*d])], ((b*c - a*d)*f)/(d*(b*e - a*f)))]/(3*b^4*\operatorname{Sqrt}[d]*\operatorname{Sqrt}[-(b*c) + a*d]*f*\operatorname{Sqrt}[c + d*x]*\operatorname{Sqrt}[e + f*x])$

**Rule 113**

Int[Sqrt[(e\_.) + (f\_.)\*(x\_.)]/(Sqrt[(a\_.) + (b\_.)\*(x\_.)]\*Sqrt[(c\_.) + (d\_.)\*(x\_.)]), x\_Symbol] :> Simp[(2\*Rt[-((b\*e - a\*f)/d), 2]\*EllipticE[ArcSin[Sqrt[a + b\*x]/Rt[-((b\*c - a\*d)/d), 2]], (f\*(b\*c - a\*d))/(d\*(b\*e - a\*f))]/b, x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[b/(b\*c - a\*d), 0] && GtQ[b/(b\*e - a\*f), 0] && !LtQ[-((b\*c - a\*d)/d), 0] && !(SimplerQ[c + d\*x, a + b\*x] && GtQ[-

$(d/(b*c - a*d)), 0] \&\& \text{GtQ}[d/(d*e - c*f), 0] \&\& \text{!LtQ}[(b*c - a*d)/b, 0])$

#### Rule 114

$\text{Int}[\text{Sqrt}[(e_.) + (f_.)*(x_.)]/(\text{Sqrt}[(a_.) + (b_.)*(x_.)]*\text{Sqrt}[(c_.) + (d_.)*(x_.)]), x\_Symbol] \rightarrow \text{Dist}[(\text{Sqrt}[e + f*x]*\text{Sqrt}[(b*(c + d*x))/(b*c - a*d)])/(\text{Sqrt}[c + d*x]*\text{Sqrt}[(b*(e + f*x))/(b*e - a*f)]), \text{Int}[\text{Sqrt}[(b*e)/(b*e - a*f) + (b*f*x)/(b*e - a*f)]/(\text{Sqrt}[a + b*x]*\text{Sqrt}[(b*c)/(b*c - a*d) + (b*d*x)/(b*c - a*d)]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{!(GtQ}[b/(b*c - a*d), 0] \&\& \text{GtQ}[b/(b*e - a*f), 0]) \&\& \text{!LtQ}[-((b*c - a*d)/d), 0]$

#### Rule 120

$\text{Int}[1/(\text{Sqrt}[(a_.) + (b_.)*(x_.)]*\text{Sqrt}[(c_.) + (d_.)*(x_.)]*\text{Sqrt}[(e_.) + (f_.)*(x_.)]), x\_Symbol] \rightarrow \text{Simp}[(2*\text{Rt}[-(b/d), 2]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*x]/(\text{Rt}[-(b/d), 2]*\text{Sqrt}[(b*c - a*d)/b])], (f*(b*c - a*d))/(d*(b*e - a*f)))]/(b*\text{Sqrt}[(b*e - a*f)/b]), x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{GtQ}[b/(b*c - a*d), 0] \&\& \text{GtQ}[b/(b*e - a*f), 0] \&\& \text{SimplerQ}[a + b*x, c + d*x] \&\& \text{SimplerQ}[a + b*x, e + f*x] \&\& (\text{PosQ}[-((b*c - a*d)/d)] || \text{NegQ}[-((b*e - a*f)/f)])$

#### Rule 121

$\text{Int}[1/(\text{Sqrt}[(a_.) + (b_.)*(x_.)]*\text{Sqrt}[(c_.) + (d_.)*(x_.)]*\text{Sqrt}[(e_.) + (f_.)*(x_.)]), x\_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[(b*(c + d*x))/(b*c - a*d)]/\text{Sqrt}[c + d*x], \text{Int}[1/(\text{Sqrt}[a + b*x]*\text{Sqrt}[(b*c)/(b*c - a*d) + (b*d*x)/(b*c - a*d)]*\text{Sqrt}[e + f*x]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{!GtQ}[(b*c - a*d)/b, 0] \&\& \text{SimplerQ}[a + b*x, c + d*x] \&\& \text{SimplerQ}[a + b*x, e + f*x]$

#### Rule 150

$\text{Int}[(a_. + (b_.)*(x_.))^{(m_.)}*((c_.) + (d_.)*(x_.))^{(n_.)}*((e_.) + (f_.)*(x_.))^{(p_.)}*((g_.) + (h_.)*(x_.)), x\_Symbol] \rightarrow \text{Simp}[(b*g - a*h)*(a + b*x)^{(m + 1)}*(c + d*x)^n*(e + f*x)^{(p + 1)})/(b*(b*e - a*f)*(m + 1)), x] - \text{Dist}[1/(b*(b*e - a*f)*(m + 1)), \text{Int}[(a + b*x)^{(m + 1)}*(c + d*x)^{(n - 1)}*(e + f*x)^p*\text{Simp}[b*c*(f*g - e*h)*(m + 1) + (b*g - a*h)*(d*e*n + c*f*(p + 1)) + d*(b*(f*g - e*h)*(m + 1) + f*(b*g - a*h)*(n + p + 1))*x, x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, h, p\}, x] \&\& \text{LtQ}[m, -1] \&\& \text{GtQ}[n, 0] \&\& \text{IntegersQ}[2*m, 2*n, 2*p]$

#### Rule 154

$\text{Int}[(a_. + (b_.)*(x_.))^{(m_.)}*((c_.) + (d_.)*(x_.))^{(n_.)}*((e_.) + (f_.)*(x_.))^{(p_.)}*((g_.) + (h_.)*(x_.)), x\_Symbol] \rightarrow \text{Simp}[(h*(a + b*x)^m*(c + d*x)^{(n + 1)}*(e + f*x)^{(p + 1)})/(d*f*(m + n + p + 2)), x] + \text{Dist}[1/(d*f*(m + n + p + 2)), \text{Int}[(a + b*x)^{(m - 1)}*(c + d*x)^n*(e + f*x)^p*\text{Simp}[a*d*f*g*(m + n + p + 2) - h*(b*c*e*m + a*(d*e*(n + 1) + c*f*(p + 1))) + (b*d*f*g*(m + n + p + 2) + h*(a*d*f*m - b*(d*e*(m + n + 1) + c*f*(m + p + 1)))]*x, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, h, n, p\}, x] \&\& \text{GtQ}[m, 0] \&\& \text{NeQ}[m + n + p + 2, 0] \&\& \text{IntegersQ}[2*m, 2*n, 2*p]$

#### Rule 158

$\text{Int}[(g_. + (h_.)*(x_.))/(\text{Sqrt}[(a_.) + (b_.)*(x_.)]*\text{Sqrt}[(c_.) + (d_.)*(x_.)]*\text{Sqrt}[(e_.) + (f_.)*(x_.)]), x\_Symbol] \rightarrow \text{Dist}[h/f, \text{Int}[\text{Sqrt}[e + f*x]/(\text{Sqrt}[a + b*x]*\text{Sqrt}[c + d*x]), x], x] + \text{Dist}[(f*g - e*h)/f, \text{Int}[1/(\text{Sqrt}[a + b*x]*\text{Sqrt}[c + d*x]*\text{Sqrt}[e + f*x]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, h\}, x] \&\& \text{SimplerQ}[a + b*x, e + f*x] \&\& \text{SimplerQ}[c + d*x, e + f*x]$

#### Rule 1614

```

Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_
.)*(x_))^(p_), x_Symbol] :> With[{Qx = PolynomialQuotient[Px, a + b*x, x],
R = PolynomialRemainder[Px, a + b*x, x]}, Simp[(b*R*(a + b*x)^(m + 1)*(c +
d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Di
st[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(
e + f*x)^p*ExpandToSum[(m + 1)*(b*c - a*d)*(b*e - a*f)*Qx + a*d*f*R*(m + 1)
- b*R*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*R*(m + n + p + 3)*x, x],
x]] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && PolyQ[Px, x] && LtQ[m, -1
] && IntegersQ[2*m, 2*n, 2*p]

```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{c+dx} \sqrt{e+fx} (A+Bx+Cx^2)}{(a+bx)^{5/2}} dx &= -\frac{2(Ab^2 - a(bB - aC))(c+dx)^{3/2}(e+fx)^{3/2}}{3b(bc-ad)(be-af)(a+bx)^{3/2}} - \frac{2 \int \frac{\sqrt{c+dx} \sqrt{e+fx} \left(-\frac{3(b^2Bc}{(a+bx)^2} + \dots\right)}{(a+bx)^{3/2}} dx}{3b(bc-ad)(be-af)(a+bx)^{3/2}} \\
&= -\frac{2(bB - 2aC)\sqrt{c+dx} (e+fx)^{3/2}}{b^2(be-af)\sqrt{a+bx}} - \frac{2(Ab^2 - a(bB - aC))(c+dx)^{3/2}(e+fx)^{3/2}}{3b(bc-ad)(be-af)(a+bx)^{3/2}} \\
&= \frac{2(8a^2Cdf + b^2(cCe + 3Bcf + Adf) - ab(Cde + 7cCf + 4Bdf))\sqrt{a+bx}}{3b^3(bc-ad)(be-af)} \\
&= \frac{2(8a^2Cdf + b^2(cCe + 3Bcf + Adf) - ab(Cde + 7cCf + 4Bdf))\sqrt{a+bx}}{3b^3(bc-ad)(be-af)} \\
&= \frac{2(8a^2Cdf + b^2(cCe + 3Bcf + Adf) - ab(Cde + 7cCf + 4Bdf))\sqrt{a+bx}}{3b^3(bc-ad)(be-af)} \\
&= \frac{2(8a^2Cdf + b^2(cCe + 3Bcf + Adf) - ab(Cde + 7cCf + 4Bdf))\sqrt{a+bx}}{3b^3(bc-ad)(be-af)} \\
&= \frac{2(8a^2Cdf + b^2(cCe + 3Bcf + Adf) - ab(Cde + 7cCf + 4Bdf))\sqrt{a+bx}}{3b^3(bc-ad)(be-af)} \\
&= \frac{2(8a^2Cdf + b^2(cCe + 3Bcf + Adf) - ab(Cde + 7cCf + 4Bdf))\sqrt{a+bx}}{3b^3(bc-ad)(be-af)}
\end{aligned}$$

Mathematica [C] time = 13.30, size = 938, normalized size = 1.37

$$\sqrt{a+bx} \sqrt{c+dx} \sqrt{e+fx} \left( \frac{2C}{3b^3} - \frac{2(-8Cdfa^3 + 7bCdea^2 + 7bcCfa^2 + 5bBdfa^2 - 6b^2cCea - 4b^2Bdea - 4b^2Bcf)}{3b^3(bc-ad)(be-af)(a+bx)} \right)$$

Antiderivative was successfully verified.



[In] Integrate[(Sqrt[c + d\*x]\*Sqrt[e + f\*x]\*(A + B\*x + C\*x^2))/(a + b\*x)^(5/2), x]

[Out] Sqrt[a + b\*x]\*Sqrt[c + d\*x]\*Sqrt[e + f\*x]\*((2\*C)/(3\*b^3) - (2\*(A\*b^2 - a\*b\*B + a^2\*C))/(3\*b^3\*(a + b\*x)^2) - (2\*(3\*b^3\*B\*c\*e - 6\*a\*b^2\*c\*C\*e + A\*b^3\*d\*e - 4\*a\*b^2\*B\*d\*e + 7\*a^2\*b\*C\*d\*e + A\*b^3\*c\*f - 4\*a\*b^2\*B\*c\*f + 7\*a^2\*b\*c\*C\*f - 2\*a\*A\*b^2\*d\*f + 5\*a^2\*b\*B\*d\*f - 8\*a^3\*C\*d\*f))/(3\*b^3\*(b\*c - a\*d)\*(b\*e - a\*f)\*(a + b\*x)) - (2\*(a + b\*x)^(3/2)\*(-Sqrt[-a + (b\*c)/d]\*(-16\*a^3\*C\*d^2\*f^2 + 8\*a^2\*b\*d\*f\*(B\*d\*f + 2\*C\*(d\*e + c\*f)) + b^3\*(c^2\*C\*e\*f + A\*d^2\*e\*f + c\*d\*(C\*e^2 + 6\*B\*e\*f + A\*f^2)) - a\*b^2\*(d\*f\*(7\*B\*d\*e + 7\*B\*c\*f + 2\*A\*d\*f) + C\*(d^2\*e^2 + 16\*c\*d\*e\*f + c^2\*f^2)))\*(d + (b\*c)/(a + b\*x) - (a\*d)/(a + b\*x))\*(f + (b\*e)/(a + b\*x) - (a\*f)/(a + b\*x)) + (I\*(-(b\*c) + a\*d)\*f\*(-16\*a^3\*C\*d^2\*f^2 + 8\*a^2\*b\*d\*f\*(B\*d\*f + 2\*C\*(d\*e + c\*f)) + b^3\*(c^2\*C\*e\*f + A\*d^2\*e\*f + c\*d\*(C\*e^2 + 6\*B\*e\*f + A\*f^2)) - a\*b^2\*(d\*f\*(7\*B\*d\*e + 7\*B\*c\*f + 2\*A\*d\*f) + C\*(d^2\*e^2 + 16\*c\*d\*e\*f + c^2\*f^2)))\*Sqrt[1 - a/(a + b\*x) + (b\*c)/(d\*(a + b\*x))]\*Sqrt[1 - a/(a + b\*x) + (b\*e)/(f\*(a + b\*x))]\*EllipticE[I\*ArcSinh[Sqrt[-a + (b\*c)/d]/Sqrt[a + b\*x]], (b\*d\*e - a\*d\*f)/(b\*c\*f - a\*d\*f)]/Sqrt[a + b\*x] + (I\*b\*(-(b\*c) + a\*d)\*f\*(d\*e - c\*f)\*(8\*a^2\*C\*d\*f + b^2\*(c\*C\*e + 3\*B\*d\*e + A\*d\*f) - a\*b\*(7\*C\*d\*e + c\*C\*f + 4\*B\*d\*f))\*Sqrt[1 - a/(a + b\*x) + (b\*c)/(d\*(a + b\*x))]\*Sqrt[1 - a/(a + b\*x) + (b\*e)/(f\*(a + b\*x))]\*EllipticF[I\*ArcSinh[Sqrt[-a + (b\*c)/d]/Sqrt[a + b\*x]], (b\*d\*e - a\*d\*f)/(b\*c\*f - a\*d\*f)]/Sqrt[a + b\*x))/(3\*b^5\*Sqrt[-a + (b\*c)/d]\*d\*(b\*c - a\*d)\*f\*(b\*e - a\*f)\*Sqrt[c + ((a + b\*x)\*(d - (a\*d)/(a + b\*x)))/b]\*Sqrt[e + ((a + b\*x)\*(f - (a\*f)/(a + b\*x)))/b])

**fricas** [F] time = 0.91, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{(Cx^2 + Bx + A)\sqrt{bx + a}\sqrt{dx + c}\sqrt{fx + e}}{b^3x^3 + 3ab^2x^2 + 3a^2bx + a^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(d\*x+c)^(1/2)\*(f\*x+e)^(1/2)/(b\*x+a)^(5/2), x, algorithm="fricas")

[Out] integral((C\*x^2 + B\*x + A)\*sqrt(b\*x + a)\*sqrt(d\*x + c)\*sqrt(f\*x + e)/(b^3\*x^3 + 3\*a\*b^2\*x^2 + 3\*a^2\*b\*x + a^3), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Cx^2 + Bx + A)\sqrt{dx + c}\sqrt{fx + e}}{(bx + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(d\*x+c)^(1/2)\*(f\*x+e)^(1/2)/(b\*x+a)^(5/2), x, algorithm="giac")

[Out] integrate((C\*x^2 + B\*x + A)\*sqrt(d\*x + c)\*sqrt(f\*x + e)/(b\*x + a)^(5/2), x)

**maple** [B] time = 0.11, size = 16172, normalized size = 23.54

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C\*x^2+B\*x+A)\*(d\*x+c)^(1/2)\*(f\*x+e)^(1/2)/(b\*x+a)^(5/2), x)

[Out] result too large to display

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Cx^2 + Bx + A)\sqrt{dx + c}\sqrt{fx + e}}{(bx + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(d\*x+c)^(1/2)\*(f\*x+e)^(1/2)/(b\*x+a)^(5/2),x, algorithm="maxima")

[Out] integrate((C\*x^2 + B\*x + A)\*sqrt(d\*x + c)\*sqrt(f\*x + e)/(b\*x + a)^(5/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{e + fx} \sqrt{c + dx} (Cx^2 + Bx + A)}{(a + bx)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((e + f\*x)^(1/2)\*(c + d\*x)^(1/2)\*(A + B\*x + C\*x^2))/(a + b\*x)^(5/2),x)

[Out] int(((e + f\*x)^(1/2)\*(c + d\*x)^(1/2)\*(A + B\*x + C\*x^2))/(a + b\*x)^(5/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x\*\*2+B\*x+A)\*(d\*x+c)\*\*(1/2)\*(f\*x+e)\*\*(1/2)/(b\*x+a)\*\*(5/2),x)

[Out] Timed out

$$3.65 \quad \int \frac{\sqrt{c+dx} \sqrt{e+fx} (A+Bx+Cx^2)}{(a+bx)^{7/2}} dx$$

**Optimal.** Leaf size=964

$$\frac{2(Ab^2 - a(bB - aC))(c + dx)^{3/2}(e + fx)^{3/2}}{5b(bc - ad)(be - af)(a + bx)^{5/2}} + \frac{2(6Cdfa^3 - b(Bdf + 8C(de + cf))a^2 + b^2(10cCe + 3Bde + 3Bc^2))}{15b^2(bc - ad)(be - af)(a + bx)^{5/2}}$$

[Out]  $-2/5*(A*b^2 - a*(B*b - C*a))*(d*x + c)^{(3/2)}*(f*x + e)^{(3/2)}/b/(-a*d + b*c)/(-a*f + b*e)/(b*x + a)^{(5/2)} + 2/15*(6*a^3*C*d*f + a*b^2*(-4*A*d*f + 3*B*c*f + 3*B*d*e + 10*C*c*e) - b^3*(5*B*c*e - 2*A*(c*f + d*e)) - a^2*b*(B*d*f + 8*C*(c*f + d*e)))*(f*x + e)^{(3/2)}*(d*x + c)^{(1/2)}/b^2/(-a*d + b*c)/(-a*f + b*e)^2/(b*x + a)^{(3/2)} + 2/15*(24*a^3*C*d^2*f - a^2*b*d*(4*B*d*f + 41*C*c*f + 23*C*d*e) - b^3*(15*c^2*C*e - 2*A*d^2*e + c*d*(A*f + 5*B*e)) + a*b^2*(15*c^2*C*f + d^2*(-A*f + 3*B*e) + c*(6*B*d*f + 40*C*d*e)))*(d*x + c)^{(1/2)}*(f*x + e)^{(1/2)}/b^3/(-a*d + b*c)^2/(-a*f + b*e)/(b*x + a)^{(1/2)} + 2/15*(48*a^4*C*d^2*f^2 - 8*a^3*b*d*f*(B*d*f + 11*C*(c*f + d*e)) - b^4*(2*A*d^2*e^2 - c*d*e*(2*A*f + 5*B*e) - c^2*(-2*A*f^2 + 5*B*e*f + 30*C*e^2)) - a*b^3*(d^2*e*(-2*A*f + 3*B*e) + c^2*f*(3*B*f + 70*C*e) + 2*c*d*(-A*f^2 + 11*B*e*f + 35*C*e^2)) + a^2*b^2*(2*C*(19*c^2*f^2 + 81*c*d*e*f + 19*d^2*e^2) - d*f*(2*A*d*f - 13*B*(c*f + d*e))) * EllipticE(d^(1/2)*(b*x + a)^(1/2)/(a*d - b*c)^(1/2), ((-a*d + b*c)*f/d/(-a*f + b*e))^(1/2))*d^(1/2)*(b*(d*x + c)/(-a*d + b*c))^(1/2)*(f*x + e)^(1/2)/b^4/(a*d - b*c)^(3/2)/(-a*f + b*e)^2/(d*x + c)^(1/2)/(b*(f*x + e)/(-a*f + b*e))^(1/2) + 2/15*(-c*f + d*e)*(24*a^3*C*d^2*f - a^2*b*d*(4*B*d*f + 41*C*c*f + 23*C*d*e) - b^3*(15*c^2*C*e - 2*A*d^2*e + c*d*(A*f + 5*B*e)) + a*b^2*(15*c^2*C*f + d^2*(-A*f + 3*B*e) + c*(6*B*d*f + 40*C*d*e)) * EllipticF(d^(1/2)*(b*x + a)^(1/2)/(a*d - b*c)^(1/2), ((-a*d + b*c)*f/d/(-a*f + b*e))^(1/2))*b*(d*x + c)/(-a*d + b*c)^(1/2)*(b*(f*x + e)/(-a*f + b*e))^(1/2)/b^4/(a*d - b*c)^(3/2)/(-a*f + b*e)/d^(1/2)/(d*x + c)^(1/2)/(f*x + e)^(1/2)$

**Rubi [A]** time = 3.12, antiderivative size = 964, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 38,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.184$ , Rules used = {1614, 150, 158, 114, 113, 121, 120}

$$\frac{2(Ab^2 - a(bB - aC))(c + dx)^{3/2}(e + fx)^{3/2}}{5b(bc - ad)(be - af)(a + bx)^{5/2}} + \frac{2(6Cdfa^3 - b(Bdf + 8C(de + cf))a^2 + b^2(10cCe + 3Bde + 3Bc^2))}{15b^2(bc - ad)(be - af)(a + bx)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[c + d\*x]\*Sqrt[e + f\*x]\*(A + B\*x + C\*x^2))/(a + b\*x)^(7/2), x]

[Out]  $(2*(24*a^3*C*d^2*f - a^2*b*d*(23*C*d*e + 41*c*C*f + 4*B*d*f) - b^3*(15*c^2*C*e - 2*A*d^2*e + c*d*(5*B*e + A*f)) + a*b^2*(15*c^2*C*f + d^2*(3*B*e - A*f) + c*(40*C*d*e + 6*B*d*f)))*Sqrt[c + d*x]*Sqrt[e + f*x]/(15*b^3*(b*c - a*d)^2*(b*e - a*f)*Sqrt[a + b*x]) + (2*(6*a^3*C*d*f + a*b^2*(10*c*C*e + 3*B*d*e + 3*B*c*f - 4*A*d*f) - b^3*(5*B*c*e - 2*A*(d*e + c*f)) - a^2*b*(B*d*f + 8*C*(d*e + c*f)))*Sqrt[c + d*x]*(e + f*x)^(3/2))/(15*b^2*(b*c - a*d)*(b*e - a*f)^2*(a + b*x)^(3/2)) - (2*(A*b^2 - a*(b*B - a*C))*(c + d*x)^(3/2)*(e + f*x)^(3/2))/(5*b*(b*c - a*d)*(b*e - a*f)*(a + b*x)^(5/2)) + (2*Sqrt[d]*(48*a^4*C*d^2*f^2 - 8*a^3*b*d*f*(B*d*f + 11*C*(d*e + c*f)) - b^4*(2*A*d^2*e^2 - c*d*e*(5*B*e + 2*A*f) - c^2*(30*C*e^2 + 5*B*e*f - 2*A*f^2)) - a*b^3*(d^2*e*(3*B*e - 2*A*f) + c^2*f*(70*C*e + 3*B*f) + 2*c*d*(35*C*e^2 + 11*B*e*f - A*f^2)) + a^2*b^2*(2*C*(19*d^2*e^2 + 81*c*d*e*f + 19*c^2*f^2) - d*f*(2*A*d*f - 13*B*(d*e + c*f))))*Sqrt[(b*(c + d*x))/(b*c - a*d)]*Sqrt[e + f*x]*EllipticE[ArcSin[(Sqrt[d]*Sqrt[a + b*x])/Sqrt[-(b*c) + a*d]], ((b*c - a*d)*f)/(d*(b*e - a*f))]/(15*b^4*(-(b*c) + a*d)^(3/2)*(b*e - a*f)^2*Sqrt[c + d*x]*Sqrt[(b*(e + f*x))/(b*e - a*f)]) + (2*(d*e - c*f)*(24*a^3*C*d^2*f - a^2*b*d*(23$

$*C*d*e + 41*c*C*f + 4*B*d*f) - b^3*(15*c^2*C*e - 2*A*d^2*e + c*d*(5*B*e + A*f)) + a*b^2*(15*c^2*C*f + d^2*(3*B*e - A*f) + c*(40*C*d*e + 6*B*d*f))*\text{Sqrt}[(b*(c + d*x))/(b*c - a*d)]*\text{Sqrt}[(b*(e + f*x))/(b*e - a*f)]*\text{EllipticF}[\text{ArcSin}[(\text{Sqrt}[d]*\text{Sqrt}[a + b*x])/\text{Sqrt}[-(b*c) + a*d]], ((b*c - a*d)*f)/(d*(b*e - a*f)))]/(15*b^4*\text{Sqrt}[d]*(-(b*c) + a*d)^(3/2)*(b*e - a*f)*\text{Sqrt}[c + d*x]*\text{Sqrt}[e + f*x])$

### Rule 113

$\text{Int}[\text{Sqrt}[(e_.) + (f_.)*(x_.)]/(\text{Sqrt}[(a_.) + (b_.)*(x_.)]*\text{Sqrt}[(c_.) + (d_.)*(x_.)]), x\_Symbol] \rightarrow \text{Simp}[(2*\text{Rt}[-((b*e - a*f)/d), 2]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*x]/\text{Rt}[-((b*c - a*d)/d), 2]], (f*(b*c - a*d))/(d*(b*e - a*f)))]/b, x] /;$   
 $\text{FreeQ}\{a, b, c, d, e, f\}, x\} \&\& \text{GtQ}[b/(b*c - a*d), 0] \&\& \text{GtQ}[b/(b*e - a*f), 0] \&\& \text{!LtQ}[-((b*c - a*d)/d), 0] \&\& \text{!(SimplerQ}[c + d*x, a + b*x] \&\& \text{GtQ}[-(d/(b*c - a*d)), 0] \&\& \text{GtQ}[d/(d*e - c*f), 0] \&\& \text{!LtQ}[(b*c - a*d)/b, 0])$

### Rule 114

$\text{Int}[\text{Sqrt}[(e_.) + (f_.)*(x_.)]/(\text{Sqrt}[(a_.) + (b_.)*(x_.)]*\text{Sqrt}[(c_.) + (d_.)*(x_.)]), x\_Symbol] \rightarrow \text{Dist}[(\text{Sqrt}[e + f*x]*\text{Sqrt}[(b*(c + d*x))/(b*c - a*d)])/(\text{Sqrt}[c + d*x]*\text{Sqrt}[(b*(e + f*x))/(b*e - a*f)]), \text{Int}[\text{Sqrt}[(b*e)/(b*e - a*f) + (b*f*x)/(b*e - a*f)]/(\text{Sqrt}[a + b*x]*\text{Sqrt}[(b*c)/(b*c - a*d) + (b*d*x)/(b*c - a*d)]), x], x] /;$   
 $\text{FreeQ}\{a, b, c, d, e, f\}, x\} \&\& \text{!(GtQ}[b/(b*c - a*d), 0] \&\& \text{GtQ}[b/(b*e - a*f), 0]) \&\& \text{!LtQ}[-((b*c - a*d)/d), 0]$

### Rule 120

$\text{Int}[1/(\text{Sqrt}[(a_.) + (b_.)*(x_.)]*\text{Sqrt}[(c_.) + (d_.)*(x_.)]*\text{Sqrt}[(e_.) + (f_.)*(x_.)]), x\_Symbol] \rightarrow \text{Simp}[(2*\text{Rt}[-(b/d), 2]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*x]/\text{Rt}[-(b/d), 2]*\text{Sqrt}[(b*c - a*d)/b]], (f*(b*c - a*d))/(d*(b*e - a*f)))]/(b*\text{Sqrt}[(b*e - a*f)/b]), x] /;$   
 $\text{FreeQ}\{a, b, c, d, e, f\}, x\} \&\& \text{GtQ}[b/(b*c - a*d), 0] \&\& \text{GtQ}[b/(b*e - a*f), 0] \&\& \text{SimplerQ}[a + b*x, c + d*x] \&\& \text{SimplerQ}[a + b*x, e + f*x] \&\& (\text{PosQ}[-((b*c - a*d)/d)] \|\| \text{NegQ}[-((b*e - a*f)/f)])$

### Rule 121

$\text{Int}[1/(\text{Sqrt}[(a_.) + (b_.)*(x_.)]*\text{Sqrt}[(c_.) + (d_.)*(x_.)]*\text{Sqrt}[(e_.) + (f_.)*(x_.)]), x\_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[(b*(c + d*x))/(b*c - a*d)]/\text{Sqrt}[c + d*x], \text{Int}[1/(\text{Sqrt}[a + b*x]*\text{Sqrt}[(b*c)/(b*c - a*d) + (b*d*x)/(b*c - a*d)]*\text{Sqrt}[e + f*x]), x], x] /;$   
 $\text{FreeQ}\{a, b, c, d, e, f\}, x\} \&\& \text{!GtQ}[(b*c - a*d)/b, 0] \&\& \text{SimplerQ}[a + b*x, c + d*x] \&\& \text{SimplerQ}[a + b*x, e + f*x]$

### Rule 150

$\text{Int}[(a_. + (b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_.)*((e_.) + (f_.)*(x_.))^(p_.)*((g_.) + (h_.)*(x_.)), x\_Symbol] \rightarrow \text{Simp}[(b*g - a*h)*(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^(p + 1))/(b*(b*e - a*f)*(m + 1)), x] - \text{Dist}[1/(b*(b*e - a*f)*(m + 1)), \text{Int}[(a + b*x)^(m + 1)*(c + d*x)^(n - 1)*(e + f*x)^p*\text{Simp}[b*c*(f*g - e*h)*(m + 1) + (b*g - a*h)*(d*e*n + c*f*(p + 1)) + d*(b*(f*g - e*h)*(m + 1) + f*(b*g - a*h)*(n + p + 1))*x, x], x] /;$   
 $\text{FreeQ}\{a, b, c, d, e, f, g, h, p\}, x\} \&\& \text{LtQ}[m, -1] \&\& \text{GtQ}[n, 0] \&\& \text{IntegersQ}[2*m, 2*n, 2*p]$

### Rule 158

$\text{Int}[(g_. + (h_.)*(x_.)]/(\text{Sqrt}[(a_.) + (b_.)*(x_.)]*\text{Sqrt}[(c_.) + (d_.)*(x_.)]*\text{Sqrt}[(e_.) + (f_.)*(x_.)]), x\_Symbol] \rightarrow \text{Dist}[h/f, \text{Int}[\text{Sqrt}[e + f*x]/(\text{Sqrt}[a + b*x]*\text{Sqrt}[c + d*x]), x], x] + \text{Dist}[(f*g - e*h)/f, \text{Int}[1/(\text{Sqrt}[a + b*x]*\text{Sqrt}[c + d*x]*\text{Sqrt}[e + f*x]), x], x] /;$   
 $\text{FreeQ}\{a, b, c, d, e, f, g, h\}, x\} \&\& \text{SimplerQ}[a + b*x, e + f*x] \&\& \text{SimplerQ}[c + d*x, e + f*x]$

Rule 1614

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_
.)*(x_))^(p_), x_Symbol] :=> With[{Qx = PolynomialQuotient[Px, a + b*x, x],
R = PolynomialRemainder[Px, a + b*x, x]}, Simp[(b*R*(a + b*x)^(m + 1)*(c +
d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Di
st[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^(n*(
e + f*x)^p*ExpandToSum[(m + 1)*(b*c - a*d)*(b*e - a*f)*Qx + a*d*f*R*(m + 1)
- b*R*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*R*(m + n + p + 3)*x, x],
x], x]] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && PolyQ[Px, x] && LtQ[m, -1
] && IntegersQ[2*m, 2*n, 2*p]
```

Rubi steps

$$\int \frac{\sqrt{c+dx} \sqrt{e+fx} (A+Bx+Cx^2)}{(a+bx)^{7/2}} dx = -\frac{2(Ab^2 - a(bB - aC))(c+dx)^{3/2}(e+fx)^{3/2}}{5b(bc-ad)(be-af)(a+bx)^{5/2}} - 2 \int \frac{\sqrt{c+dx} \sqrt{e+fx} \left(-\frac{3a}{2}\right)}{(a+bx)^{5/2}} dx$$

$$= \frac{2(6a^3Cdf + ab^2(10cCe + 3Bde + 3Bcf - 4Adf) - b^3(5Bce - 2A(aC + bB)))}{15b^2(bc-ad)(be-af)(a+bx)^{5/2}}$$

$$= \frac{2(24a^3Cd^2f - a^2bd(23Cde + 41cCf + 4Bdf) - b^3(15c^2Ce - 2Ad^2))}{15b^3}$$

$$= \frac{2(24a^3Cd^2f - a^2bd(23Cde + 41cCf + 4Bdf) - b^3(15c^2Ce - 2Ad^2))}{15b^3}$$

$$= \frac{2(24a^3Cd^2f - a^2bd(23Cde + 41cCf + 4Bdf) - b^3(15c^2Ce - 2Ad^2))}{15b^3}$$

$$= \frac{2(24a^3Cd^2f - a^2bd(23Cde + 41cCf + 4Bdf) - b^3(15c^2Ce - 2Ad^2))}{15b^3}$$

$$= \frac{2(24a^3Cd^2f - a^2bd(23Cde + 41cCf + 4Bdf) - b^3(15c^2Ce - 2Ad^2))}{15b^3}$$

Mathematica [C] time = 16.42, size = 9529, normalized size = 9.88

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Sqrt[c + d*x]*Sqrt[e + f*x]*(A + B*x + C*x^2))/(a + b*x)^(7/2), x]
```

```
[Out] Result too large to show
```

**fricas** [F] time = 1.04, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(Cx^2 + Bx + A)\sqrt{bx + a}\sqrt{dx + c}\sqrt{fx + e}}{b^4x^4 + 4ab^3x^3 + 6a^2b^2x^2 + 4a^3bx + a^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(d\*x+c)^(1/2)\*(f\*x+e)^(1/2)/(b\*x+a)^(7/2),x, algorithm="fricas")

[Out] integral((C\*x^2 + B\*x + A)\*sqrt(b\*x + a)\*sqrt(d\*x + c)\*sqrt(f\*x + e)/(b^4\*x^4 + 4\*a\*b^3\*x^3 + 6\*a^2\*b^2\*x^2 + 4\*a^3\*b\*x + a^4), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Cx^2 + Bx + A)\sqrt{dx + c}\sqrt{fx + e}}{(bx + a)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(d\*x+c)^(1/2)\*(f\*x+e)^(1/2)/(b\*x+a)^(7/2),x, algorithm="giac")

[Out] integrate((C\*x^2 + B\*x + A)\*sqrt(d\*x + c)\*sqrt(f\*x + e)/(b\*x + a)^(7/2), x)

**maple** [B] time = 0.24, size = 34389, normalized size = 35.67

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C\*x^2+B\*x+A)\*(d\*x+c)^(1/2)\*(f\*x+e)^(1/2)/(b\*x+a)^(7/2),x)

[Out] result too large to display

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Cx^2 + Bx + A)\sqrt{dx + c}\sqrt{fx + e}}{(bx + a)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(d\*x+c)^(1/2)\*(f\*x+e)^(1/2)/(b\*x+a)^(7/2),x, algorithm="maxima")

[Out] integrate((C\*x^2 + B\*x + A)\*sqrt(d\*x + c)\*sqrt(f\*x + e)/(b\*x + a)^(7/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{e + fx} \sqrt{c + dx} (Cx^2 + Bx + A)}{(a + bx)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((e + f\*x)^(1/2)\*(c + d\*x)^(1/2)\*(A + B\*x + C\*x^2))/(a + b\*x)^(7/2),x)

[Out] int(((e + f\*x)^(1/2)\*(c + d\*x)^(1/2)\*(A + B\*x + C\*x^2))/(a + b\*x)^(7/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x**2+B*x+A)*(d*x+c)**(1/2)*(f*x+e)**(1/2)/(b*x+a)**(7/2),x)
```

```
[Out] Timed out
```

**3.66** 
$$\int \frac{\sqrt{c+dx} \sqrt{e+fx} (A+Bx+Cx^2)}{(a+bx)^{9/2}} dx$$

**Optimal.** Leaf size=1716

$$\frac{2(Ab^2 - a(bB - aC))(c + dx)^{3/2}(e + fx)^{3/2}}{7b(bc - ad)(be - af)(a + bx)^{7/2}} + \frac{2(6Cdfa^3 + b(Bdf - 10C(de + cf))a^2 + b^2(14cCe + 3Bde + 3Bcf - b^2))}{35b^2(bc - ad)(be - af)}$$

[Out] 
$$\begin{aligned} & -2/7*(A*b^2-a*(B*b-C*a))*(d*x+c)^(3/2)*(f*x+e)^(3/2)/b/(-a*d+b*c)/(-a*f+b*e) \\ & )/(b*x+a)^(7/2)+2/35*(6*a^3*C*d*f+a*b^2*(-8*A*d*f+3*B*c*f+3*B*d*e+14*C*c*e) \\ & -b^3*(7*B*c*e-4*A*(c*f+d*e))+a^2*b*(B*d*f-10*C*(c*f+d*e)))*(f*x+e)^(3/2)*(d \\ & *x+c)^(1/2)/b^2/(-a*d+b*c)/(-a*f+b*e)^2/(b*x+a)^(5/2)-2/105*(24*a^4*C*d^2*f \\ & ^2-a^3*b*d*f*(-4*B*d*f+43*C*c*f+61*C*d*e)-3*a*b^3*(d^2*e*(-3*A*f+B*e)+2*c^2 \\ & *f*(-B*f+7*C*e)+c*d*(5*A*f^2-5*B*e*f+28*C*e^2))-b^4*(4*A*d^2*e^2-c*d*e*(-A* \\ & f+7*B*e)-c^2*(8*A*f^2-14*B*e*f+35*C*e^2))-3*a^2*b^2*(d*f*(-A*d*f+2*B*c*f+3* \\ & B*d*e)-C*(5*c^2*f^2+37*c*d*e*f+15*d^2*e^2)))*(d*x+c)^(1/2)*(f*x+e)^(1/2)/b^ \\ & 3/(-a*d+b*c)^2/(-a*f+b*e)^2/(b*x+a)^(3/2)+2/105*(48*a^5*C*d^3*f^3+8*a^4*b*d \\ & ^2*f^2*(B*d*f-16*C*(c*f+d*e))-b^5*(8*A*d^3*e^3-c*d^2*e^2*(5*A*f+14*B*e)+c^2 \\ & *d*e*(-5*A*f^2+14*B*e*f+35*C*e^2)+c^3*f*(8*A*f^2-14*B*e*f+35*C*e^2))-a*b^4* \\ & (d^3*e^2*(-19*A*f+6*B*e)-6*c^3*f^2*(-B*f+7*C*e)-c^2*d*f*(238*C*e^2-19*f*(-A \\ & *f+B*e))-c*d^2*e*(42*C*e^2-f*(20*A*f+19*B*e)))+a^3*b^2*d*f*(C*(103*c^2*f^2+ \\ & 344*c*d*e*f+103*d^2*e^2)+d*f*(6*A*d*f-19*B*(c*f+d*e)))-3*a^2*b^3*(C*(5*c^3* \\ & f^3+94*c^2*d*e*f^2+94*c*d^2*e^2*f+5*d^3*e^3)+d*f*(3*A*d*f*(c*f+d*e)-B*(3*c^ \\ & 2*f^2+16*c*d*e*f+3*d^2*e^2))))*(d*x+c)^(1/2)*(f*x+e)^(1/2)/b^3/(-a*d+b*c)^3 \\ & /(-a*f+b*e)^3/(b*x+a)^(1/2)+2/105*(48*a^5*C*d^3*f^3+8*a^4*b*d^2*f^2*(B*d*f- \\ & 16*C*(c*f+d*e))-b^5*(8*A*d^3*e^3-c*d^2*e^2*(5*A*f+14*B*e)+c^2*d*e*(-5*A*f^2 \\ & +14*B*e*f+35*C*e^2)+c^3*f*(8*A*f^2-14*B*e*f+35*C*e^2))-a*b^4*(d^3*e^2*(-19* \\ & A*f+6*B*e)-6*c^3*f^2*(-B*f+7*C*e)-c^2*d*f*(238*C*e^2-19*f*(-A*f+B*e))-c*d^2 \\ & *e*(42*C*e^2-f*(20*A*f+19*B*e)))+a^3*b^2*d*f*(C*(103*c^2*f^2+344*c*d*e*f+10 \\ & 3*d^2*e^2)+d*f*(6*A*d*f-19*B*(c*f+d*e)))-3*a^2*b^3*(C*(5*c^3*f^3+94*c^2*d*e \\ & *f^2+94*c*d^2*e^2*f+5*d^3*e^3)+d*f*(3*A*d*f*(c*f+d*e)-B*(3*c^2*f^2+16*c*d*e \\ & *f+3*d^2*e^2))))*EllipticE(d^(1/2)*(b*x+a)^(1/2)/(a*d-b*c)^(1/2),((-a*d+b*c) \\ & )*f/d/(-a*f+b*e)^(1/2))*d^(1/2)*(b*(d*x+c)/(-a*d+b*c))^(1/2)*(f*x+e)^(1/2) \\ & /b^4/(a*d-b*c)^(5/2)/(-a*f+b*e)^3/(d*x+c)^(1/2)/(b*(f*x+e)/(-a*f+b*e))^(1/2) \\ & )+2/105*(-c*f+d*e)*(24*a^4*C*d^2*f^2-a^3*b*d*f*(-4*B*d*f+61*C*c*f+43*C*d*e) \\ & +b^4*(8*A*d^2*e^2-c*d*e*(A*f+14*B*e)+c^2*(-4*A*f^2+7*B*e*f+35*C*e^2))+3*a*b \\ & ^3*(d^2*e*(-5*A*f+2*B*e)-c^2*f*(B*f+28*C*e)-c*d*(-3*A*f^2-5*B*e*f+14*C*e^2) \\ & )-3*a^2*b^2*(d*f*(-A*d*f+3*B*c*f+2*B*d*e)-C*(15*c^2*f^2+37*c*d*e*f+5*d^2*e^ \\ & 2)))*EllipticF(d^(1/2)*(b*x+a)^(1/2)/(a*d-b*c)^(1/2),((-a*d+b*c)*f/d/(-a*f+ \\ & b*e))^(1/2))*d^(1/2)*(b*(d*x+c)/(-a*d+b*c))^(1/2)*(b*(f*x+e)/(-a*f+b*e))^(1 \\ & /2)/b^4/(a*d-b*c)^(5/2)/(-a*f+b*e)^2/(d*x+c)^(1/2)/(f*x+e)^(1/2) \end{aligned}$$

**Rubi [A]** time = 7.05, antiderivative size = 1716, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 38,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.210$ , Rules used = {1614, 150, 152, 158, 114, 113, 121, 120}

result too large to display

Antiderivative was successfully verified.

[In] Int[(Sqrt[c + d\*x]\*Sqrt[e + f\*x]\*(A + B\*x + C\*x^2))/(a + b\*x)^(9/2),x]

[Out] 
$$\begin{aligned} & (-2*(24*a^4*C*d^2*f^2 - a^3*b*d*f*(61*C*d*e + 43*c*C*f - 4*B*d*f) - 3*a*b^3 \\ & *(d^2*e*(B*e - 3*A*f) + 2*c^2*f*(7*C*e - B*f) + c*d*(28*C*e^2 - 5*B*e*f + 5 \\ & *A*f^2)) - b^4*(4*A*d^2*e^2 - c*d*e*(7*B*e - A*f) - c^2*(35*C*e^2 - 14*B*e* \\ & f + 8*A*f^2)) - 3*a^2*b^2*(d*f*(3*B*d*e + 2*B*c*f - A*d*f) - C*(15*d^2*e^2 \\ & + 37*c*d*e*f + 5*c^2*f^2)))*Sqrt[c + d*x]*Sqrt[e + f*x])/(105*b^3*(b*c - a* \end{aligned}$$



$$\begin{aligned}
& d^2(b^2e - a^2f)^2(a + b^2x)^{3/2} + (2(48a^5Cd^3f^3 + 8a^4b^2d^2f^2 \\
& (B^2d^2f - 16C(d^2e + cf)) - b^5(8A^2d^3e^3 - cd^2e^2(14B^2e + 5A^2f \\
& ) + c^2d^2e(35C^2e^2 + 14B^2ef - 5A^2f^2) + c^3f(35C^2e^2 - 14B^2ef + \\
& 8A^2f^2)) - ab^4(d^3e^2(6B^2e - 19A^2f) - 6c^3f^2(7C^2e - B^2f) - c^2 \\
& *d^2f(238C^2e^2 - 19f(B^2e - A^2f)) - cd^2e(42C^2e^2 - f(19B^2e + 20A^2f \\
& f))) + a^3b^2d^2f(C(103d^2e^2 + 344cd^2ef + 103c^2f^2) + d^2f(6A^2d^2f \\
& - 19B^2(d^2e + cf))) - 3a^2b^3(C(5d^3e^3 + 94cd^2e^2f + 94c^2d^2ef^2 + 5c^3f^3) \\
& + d^2f(3A^2d^2f(d^2e + cf) - B^2(3d^2e^2 + 16cd^2ef + 3c^2f^2))) * \text{Sqrt}[c + dx] * \text{Sqrt}[e + fx] / (105b^3(b^2c - a^2d)^3(b^2e \\
& - a^2f)^3 \text{Sqrt}[a + b^2x]) + (2(6a^3Cd^2f + ab^2(14c^2C^2e + 3B^2d^2e + 3B^2c^2f \\
& - 8A^2d^2f) - b^3(7B^2c^2e - 4A^2(d^2e + cf)) + a^2b(B^2d^2f - 10C^2(d^2e \\
& + cf))) * \text{Sqrt}[c + dx] * (e + fx)^{3/2} / (35b^2(b^2c - a^2d)(b^2e - a^2f)^2(a + b^2x)^{5/2}) \\
& - (2(A^2b^2 - a^2(b^2B - a^2C)) * (c + dx)^{3/2} * (e + fx)^{3/2} / (7b^2(b^2c - a^2d)(b^2e - a^2f)(a + b^2x)^{7/2}) \\
& + (2 \text{Sqrt}[d] * (48a^5Cd^3f^3 + 8a^4b^2d^2f^2(B^2d^2f - 16C(d^2e + cf)) - b^5(8A^2d^3e^3 - c \\
& *d^2e^2(14B^2e + 5A^2f) + c^2d^2e(35C^2e^2 + 14B^2ef - 5A^2f^2) + c^3f \\
& * (35C^2e^2 - 14B^2ef + 8A^2f^2)) - ab^4(d^3e^2(6B^2e - 19A^2f) - 6c^3f^2(7C^2e - B^2f) \\
& - c^2d^2f(238C^2e^2 - 19f(B^2e - A^2f)) - cd^2e(42C^2e^2 - f(19B^2e + 20A^2f))) \\
& + a^3b^2d^2f(C(103d^2e^2 + 344cd^2ef + 103c^2f^2) + d^2f(6A^2d^2f - 19B^2(d^2e + cf))) \\
& - 3a^2b^3(C(5d^3e^3 + 94cd^2e^2f + 94c^2d^2ef^2 + 5c^3f^3) + d^2f(3A^2d^2f(d^2e + cf) - \\
& B^2(3d^2e^2 + 16cd^2ef + 3c^2f^2))) * \text{Sqrt}[(b(c + dx))/(b^2c - a^2d)] * \text{Sqrt}[e + fx] \\
& * \text{EllipticE}[\text{ArcSin}[(\text{Sqrt}[d] * \text{Sqrt}[a + b^2x]) / \text{Sqrt}[-(b^2c) + a^2d]], \\
& ((b^2c - a^2d)f) / (d(b^2e - a^2f))] / (105b^4(-(b^2c) + a^2d)^{5/2}(b^2e - a^2f)^3 \\
& * \text{Sqrt}[c + dx] * \text{Sqrt}[(b(e + fx))/(b^2e - a^2f))] + (2 \text{Sqrt}[d] * (d^2e - c^2f) \\
& * (24a^4Cd^2f^2 - a^3b^2d^2f(43C^2d^2e + 61c^2C^2f - 4B^2d^2f) + b^4(8A^2d^2e^2 - c^2d^2e \\
& * (14B^2e + A^2f) + c^2(35C^2e^2 + 7B^2ef - 4A^2f^2)) + 3a^2b^3(d^2e(2B^2e - 5A^2f) \\
& - c^2f(28C^2e + B^2f) - cd(14C^2e^2 - 5B^2ef - 3A^2f^2)) - 3a^2b^2(d^2f(2B^2d^2e + 3B^2c^2f \\
& - A^2d^2f) - C(5d^2e^2 + 37cd^2ef + 15c^2f^2))) * \text{Sqrt}[(b(c + dx))/(b^2c - a^2d)] * \text{Sqrt}[(b(e + fx)) \\
& / (b^2e - a^2f)] * \text{EllipticF}[\text{ArcSin}[(\text{Sqrt}[d] * \text{Sqrt}[a + b^2x]) / \text{Sqrt}[-(b^2c) + a^2d]], \\
& ((b^2c - a^2d)f) / (d(b^2e - a^2f))] / (105b^4(-(b^2c) + a^2d)^{5/2}(b^2e - a^2f)^2 \\
& * \text{Sqrt}[c + dx] * \text{Sqrt}[e + fx])
\end{aligned}$$

### Rule 113

```

Int[Sqrt[(e_.) + (f_.)*(x_.)]/(Sqrt[(a_.) + (b_.)*(x_.)]*Sqrt[(c_.) + (d_.)*(x_.)]), x_Symbol]
:> Simp[(2*Rt[-((b^2e - a^2f)/d), 2]*EllipticE[ArcSin[Sqrt[a + b^2x]/Rt[-((b^2c - a^2d)/d), 2]], (f*(b^2c - a^2d))/(d*(b^2e - a^2f))]/b, x] /;
FreeQ[{a, b, c, d, e, f}, x] && GtQ[b/(b^2c - a^2d), 0] && GtQ[b/(b^2e - a^2f), 0] && !LtQ[-((b^2c - a^2d)/d), 0] && !(SimplerQ[c + dx, a + b^2x] && GtQ[-(d/(b^2c - a^2d)), 0] && GtQ[d/(d^2e - c^2f), 0] && !LtQ[(b^2c - a^2d)/b, 0])

```

### Rule 114

```

Int[Sqrt[(e_.) + (f_.)*(x_.)]/(Sqrt[(a_.) + (b_.)*(x_.)]*Sqrt[(c_.) + (d_.)*(x_.)]), x_Symbol]
:> Dist[(Sqrt[e + fx]*Sqrt[(b(c + dx))/(b^2c - a^2d)])/Sqrt[c + dx]*Sqrt[(b(e + fx))/(b^2e - a^2f))], Int[Sqrt[(b^2e)/(b^2e - a^2f) + (b^2f*x)/(b^2e - a^2f)]/(Sqrt[a + b^2x]*Sqrt[(b^2c)/(b^2c - a^2d) + (b^2d*x)/(b^2c - a^2d)]), x], x] /;
FreeQ[{a, b, c, d, e, f}, x] && !(GtQ[b/(b^2c - a^2d), 0] && GtQ[b/(b^2e - a^2f), 0]) && !LtQ[-((b^2c - a^2d)/d), 0]

```

### Rule 120

```

Int[1/(Sqrt[(a_.) + (b_.)*(x_.)]*Sqrt[(c_.) + (d_.)*(x_.)]*Sqrt[(e_.) + (f_.)*(x_.)]), x_Symbol]
:> Simp[(2*Rt[-(b/d), 2]*EllipticF[ArcSin[Sqrt[a + b^2x]/Rt[-(b/d), 2]*Sqrt[(b^2c - a^2d)/b]]], (f*(b^2c - a^2d))/(d*(b^2e - a^2f))]/(b^2Sqrt[(b^2e - a^2f)/b]), x] /;
FreeQ[{a, b, c, d, e, f}, x] && GtQ[b/(b^2c - a^2d), 0] && GtQ[b/(b^2e - a^2f), 0] && SimplerQ[a + b^2x, c + dx] && SimplerQ[a + b^2x, e + fx] && (PosQ[-((b^2c - a^2d)/d)] || NegQ[-((b^2e - a^2f)/f)])

```

Rule 121

```
Int[1/(Sqrt[(a_) + (b_)*(x_)]*Sqrt[(c_) + (d_)*(x_)]*Sqrt[(e_) + (f_)*(x_)]), x_Symbol] := Dist[Sqrt[(b*(c + d*x))/(b*c - a*d)]/Sqrt[c + d*x], Int[1/(Sqrt[a + b*x]*Sqrt[(b*c)/(b*c - a*d) + (b*d*x)/(b*c - a*d)]*Sqrt[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[(b*c - a*d)/b, 0] && SimplerQ[a + b*x, c + d*x] && SimplerQ[a + b*x, e + f*x]
```

Rule 150

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[((b*g - a*h)*(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^(p + 1))/(b*(b*e - a*f)*(m + 1)), x] - Dist[1/(b*(b*e - a*f)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^(n - 1)*(e + f*x)^p*Simp[b*c*(f*g - e*h)*(m + 1) + (b*g - a*h)*(d*e*n + c*f*(p + 1)) + d*(b*(f*g - e*h)*(m + 1) + f*(b*g - a*h)*(n + p + 1))*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, p}, x] && LtQ[m, -1] && GtQ[n, 0] && IntegersQ[2*m, 2*n, 2*p]
```

Rule 152

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[((b*g - a*h)*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*Simp[(a*d*f*g - b*(d*e + c*f)*g + b*c*e*h)*(m + 1) - (b*g - a*h)*(d*e*(n + 1) + c*f*(p + 1)) - d*f*(b*g - a*h)*(m + n + p + 3)*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && LtQ[m, -1] && IntegersQ[2*m, 2*n, 2*p]
```

Rule 158

```
Int[((g_.) + (h_.)*(x_))/(Sqrt[(a_.) + (b_.)*(x_)]*Sqrt[(c_) + (d_.)*(x_)]*Sqrt[(e_) + (f_.)*(x_)]), x_Symbol] := Dist[h/f, Int[Sqrt[e + f*x]/(Sqrt[a + b*x]*Sqrt[c + d*x]), x], x] + Dist[(f*g - e*h)/f, Int[1/(Sqrt[a + b*x]*Sqrt[c + d*x]*Sqrt[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && SimplerQ[a + b*x, e + f*x] && SimplerQ[c + d*x, e + f*x]
```

Rule 1614

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] := With[{Qx = PolynomialQuotient[Px, a + b*x, x], R = PolynomialRemainder[Px, a + b*x, x]}, Simp[(b*R*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*ExpandToSum[(m + 1)*(b*c - a*d)*(b*e - a*f)*Qx + a*d*f*R*(m + 1) - b*R*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*R*(m + n + p + 3)*x, x], x]] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && PolyQ[Px, x] && LtQ[m, -1] && IntegersQ[2*m, 2*n, 2*p]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{c+dx} \sqrt{e+fx} (A+Bx+Cx^2)}{(a+bx)^{9/2}} dx &= -\frac{2(Ab^2 - a(bB - aC))(c+dx)^{3/2}(e+fx)^{3/2}}{7b(bc-ad)(be-af)(a+bx)^{7/2}} - 2 \int \frac{\sqrt{c+dx} \sqrt{e+fx} \left(-\frac{3a}{a+bx}\right)}{(a+bx)^{9/2}} dx \\
&= \frac{2(6a^3Cdf + ab^2(14cCe + 3Bde + 3Bcf - 8Adf) - b^3(7Bce - 4A(aC + bB)))}{35b^2(bc-ad)(be-af)(a+bx)^{7/2}} \\
&= -\frac{2(24a^4Cd^2f^2 - a^3bdf(61Cde + 43cCf - 4Bdf) - 3ab^3(d^2e(Be - af) - aCf))}{(a+bx)^{7/2}} \\
&= -\frac{2(24a^4Cd^2f^2 - a^3bdf(61Cde + 43cCf - 4Bdf) - 3ab^3(d^2e(Be - af) - aCf))}{(a+bx)^{7/2}} \\
&= -\frac{2(24a^4Cd^2f^2 - a^3bdf(61Cde + 43cCf - 4Bdf) - 3ab^3(d^2e(Be - af) - aCf))}{(a+bx)^{7/2}} \\
&= -\frac{2(24a^4Cd^2f^2 - a^3bdf(61Cde + 43cCf - 4Bdf) - 3ab^3(d^2e(Be - af) - aCf))}{(a+bx)^{7/2}} \\
&= -\frac{2(24a^4Cd^2f^2 - a^3bdf(61Cde + 43cCf - 4Bdf) - 3ab^3(d^2e(Be - af) - aCf))}{(a+bx)^{7/2}} \\
&= -\frac{2(24a^4Cd^2f^2 - a^3bdf(61Cde + 43cCf - 4Bdf) - 3ab^3(d^2e(Be - af) - aCf))}{(a+bx)^{7/2}}
\end{aligned}$$

**Mathematica [C]** time = 18.56, size = 15719, normalized size = 9.16

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Sqrt[c + d*x]*Sqrt[e + f*x]*(A + B*x + C*x^2))/(a + b*x)^(9/2), x]
```

```
[Out] Result too large to show
```

**fricas [F]** time = 0.94, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{(Cx^2 + Bx + A)\sqrt{bx+a}\sqrt{dx+c}\sqrt{fx+e}}{b^5x^5 + 5ab^4x^4 + 10a^2b^3x^3 + 10a^3b^2x^2 + 5a^4bx + a^5}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2)/(b*x+a)^(9/2), x, algorithm="fricas")
```

[Out] integral((C\*x^2 + B\*x + A)\*sqrt(b\*x + a)\*sqrt(d\*x + c)\*sqrt(f\*x + e)/(b^5\*x^5 + 5\*a\*b^4\*x^4 + 10\*a^2\*b^3\*x^3 + 10\*a^3\*b^2\*x^2 + 5\*a^4\*b\*x + a^5), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Cx^2 + Bx + A)\sqrt{dx + c}\sqrt{fx + e}}{(bx + a)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(d\*x+c)^(1/2)\*(f\*x+e)^(1/2)/(b\*x+a)^(9/2),x, algorithm="giac")

[Out] integrate((C\*x^2 + B\*x + A)\*sqrt(d\*x + c)\*sqrt(f\*x + e)/(b\*x + a)^(9/2), x)

**maple** [B] time = 0.40, size = 68345, normalized size = 39.83

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C\*x^2+B\*x+A)\*(d\*x+c)^(1/2)\*(f\*x+e)^(1/2)/(b\*x+a)^(9/2),x)

[Out] result too large to display

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Cx^2 + Bx + A)\sqrt{dx + c}\sqrt{fx + e}}{(bx + a)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(d\*x+c)^(1/2)\*(f\*x+e)^(1/2)/(b\*x+a)^(9/2),x, algorithm="maxima")

[Out] integrate((C\*x^2 + B\*x + A)\*sqrt(d\*x + c)\*sqrt(f\*x + e)/(b\*x + a)^(9/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{e + fx} \sqrt{c + dx} (Cx^2 + Bx + A)}{(a + bx)^{9/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((e + f\*x)^(1/2)\*(c + d\*x)^(1/2)\*(A + B\*x + C\*x^2))/(a + b\*x)^(9/2),x)

[Out] int(((e + f\*x)^(1/2)\*(c + d\*x)^(1/2)\*(A + B\*x + C\*x^2))/(a + b\*x)^(9/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x\*\*2+B\*x+A)\*(d\*x+c)\*\*(1/2)\*(f\*x+e)\*\*(1/2)/(b\*x+a)\*\*(9/2),x)

[Out] Timed out

$$3.67 \quad \int \frac{(a+bx)^{3/2} \sqrt{c+dx} (A+Bx+Cx^2)}{\sqrt{e+fx}} dx$$

**Optimal.** Leaf size=1235

$$\frac{2C(c+dx)^{3/2} \sqrt{e+fx} (a+bx)^{5/2}}{9bdf} - \frac{2(4aCdf + b(8Cde + 6cCf - 9Bdf))(c+dx)^{3/2} \sqrt{e+fx} (a+bx)^{3/2}}{63bd^2f^2} - \frac{2(7bd^2f^2)}{63bd^2f^2}$$

[Out]  $-2/63*(4*a*C*d*f+b*(-9*B*d*f+6*C*c*f+8*C*d*e))*(b*x+a)^{(3/2)}*(d*x+c)^{(3/2)}*(f*x+e)^{(1/2)}/b/d^2/f^2+2/9*C*(b*x+a)^{(5/2)}*(d*x+c)^{(3/2)}*(f*x+e)^{(1/2)}/b/d/f-2/315*(7*b*d*f*(-9*A*b*d*f+C*a*c*f+3*C*a*d*e+5*C*b*c*e)-(-3*a*d*f+4*b*c*f+6*b*d*e)*(4*a*C*d*f+b*(-9*B*d*f+6*C*c*f+8*C*d*e)))*(d*x+c)^{(3/2)}*(b*x+a)^{(1/2)}*(f*x+e)^{(1/2)}/b/d^3/f^3-2/945*(5*b*d*f*(7*a*d*f*(-9*A*b*d*f+C*a*c*f+3*C*a*d*e+5*C*b*c*e)-(a*c*f+3*a*d*e+3*b*c*e)*(4*a*C*d*f+b*(-9*B*d*f+6*C*c*f+8*C*d*e)))+2*(1/2*a*d*f-b*(c*f+2*d*e))*(7*b*d*f*(-9*A*b*d*f+C*a*c*f+3*C*a*d*e+5*C*b*c*e)-(-3*a*d*f+4*b*c*f+6*b*d*e)*(4*a*C*d*f+b*(-9*B*d*f+6*C*c*f+8*C*d*e))))*(b*x+a)^{(1/2)}*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/b^2/d^3/f^4+2/315*(8*a^4*C*d^4*f^4+a^3*b*d^3*f^3*(-18*B*d*f-7*C*c*f+11*C*d*e)-3*a^2*b^2*d^2*f^2*(3*d*f*(-7*A*d*f-3*B*c*f+4*B*d*e)-C*(-3*c^2*f^2-5*c*d*e*f+9*d^2*e^2))-a*b^3*d*f*(2*C*(-16*c^3*f^3-18*c^2*d*e*f^2-33*c*d^2*e^2*f+92*d^3*e^3)+3*d*f*(7*A*d*f*(-7*c*f+13*d*e)-B*(-19*c^2*f^2-29*c*d*e*f+72*d^2*e^2)))+b^4*(C*(-16*c^4*f^4-16*c^3*d*e*f^3-21*c^2*d^2*e^2*f^2-40*c*d^3*e^3*f+128*d^4*e^4)+3*d*f*(7*A*d*f*(-2*c^2*f^2-3*c*d*e*f+8*d^2*e^2)-B*(-8*c^3*f^3-9*c^2*d*e*f^2-16*c*d^2*e^2*f+48*d^3*e^3))))*EllipticE(d^(1/2)*(b*x+a)^(1/2)/(a*d-b*c)^(1/2),((-a*d+b*c)*f/d/(-a*f+b*e))^(1/2))*((a*d-b*c)^(1/2)*(b*(d*x+c)/(-a*d+b*c))^(1/2)*(f*x+e)^(1/2)/b^3/d^(7/2)/f^5/(d*x+c)^(1/2)/(b*(f*x+e)/(-a*f+b*e))^(1/2)+2/315*(-a*f+b*e)*(-c*f+d*e)*(4*a^3*C*d^3*f^3+3*a^2*b*d^2*f^2*(-3*B*d*f-C*c*f+3*C*d*e)-3*a*b^2*d*f*(3*d*f*(-21*A*d*f+3*B*c*f+16*B*d*e)-5*C*(c^2*f^2+2*c*d*e*f+8*d^2*e^2))-b^3*(C*(8*c^3*f^3+15*c^2*d*e*f^2+24*c*d^2*e^2*f+128*d^3*e^3)+3*d*f*(7*A*d*f*(c*f+8*d*e)-4*B*(c^2*f^2+2*c*d*e*f+12*d^2*e^2))))*EllipticF(d^(1/2)*(b*x+a)^(1/2)/(a*d-b*c)^(1/2),((-a*d+b*c)*f/d/(-a*f+b*e))^(1/2))*((a*d-b*c)^(1/2)*(b*(d*x+c)/(-a*d+b*c))^(1/2)*(b*(f*x+e)/(-a*f+b*e))^(1/2)/b^3/d^(7/2)/f^5/(d*x+c)^(1/2)/(f*x+e)^(1/2)$

**Rubi [A]** time = 4.40, antiderivative size = 1235, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 7, integrand size = 38,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.184$ , Rules used = {1615, 154, 158, 114, 113, 121, 120}

$$\frac{2C(c+dx)^{3/2} \sqrt{e+fx} (a+bx)^{5/2}}{9bdf} - \frac{2(4aCdf + b(8Cde + 6cCf - 9Bdf))(c+dx)^{3/2} \sqrt{e+fx} (a+bx)^{3/2}}{63bd^2f^2} - \frac{2(7bd^2f^2)}{63bd^2f^2}$$

Antiderivative was successfully verified.

[In] Int[((a + b\*x)^(3/2)\*Sqrt[c + d\*x]\*(A + B\*x + C\*x^2))/Sqrt[e + f\*x],x]

[Out]  $(-2*(5*b*d*f*(7*a*d*f*(5*b*c*C*e + 3*a*C*d*e + a*c*C*f - 9*A*b*d*f) - (3*b*c*e + 3*a*d*e + a*c*f)*(4*a*C*d*f + b*(8*C*d*e + 6*c*C*f - 9*B*d*f))) + 2*((a*d*f)/2 - b*(2*d*e + c*f))*(7*b*d*f*(5*b*c*C*e + 3*a*C*d*e + a*c*C*f - 9*A*b*d*f) - (6*b*d*e + 4*b*c*f - 3*a*d*f)*(4*a*C*d*f + b*(8*C*d*e + 6*c*C*f - 9*B*d*f))))*Sqrt[a + b*x]*Sqrt[c + d*x]*Sqrt[e + f*x])/(945*b^2*d^3*f^4) - (2*(7*b*d*f*(5*b*c*C*e + 3*a*C*d*e + a*c*C*f - 9*A*b*d*f) - (6*b*d*e + 4*b*c*f - 3*a*d*f)*(4*a*C*d*f + b*(8*C*d*e + 6*c*C*f - 9*B*d*f)))*Sqrt[a + b*x]*(c + d*x)^(3/2)*Sqrt[e + f*x])/(315*b*d^3*f^3) - (2*(4*a*C*d*f + b*(8*C*d*e + 6*c*C*f - 9*B*d*f))*(a + b*x)^(3/2)*(c + d*x)^(3/2)*Sqrt[e + f*x])/(6$

$$3*b*d^2*f^2) + (2*C*(a + b*x)^{(5/2)}*(c + d*x)^{(3/2)}*Sqrt[e + f*x])/(9*b*d*f) + (2*Sqrt[-(b*c) + a*d]*(8*a^4*C*d^4*f^4 + a^3*b*d^3*f^3*(11*C*d*e - 7*c*C*f - 18*B*d*f) - 3*a^2*b^2*d^2*f^2*(3*d*f*(4*B*d*e - 3*B*c*f - 7*A*d*f) - C*(9*d^2*e^2 - 5*c*d*e*f - 3*c^2*f^2)) - a*b^3*d*f*(2*C*(92*d^3*e^3 - 33*c*d^2*e^2*f - 18*c^2*d*e*f^2 - 16*c^3*f^3) + 3*d*f*(7*A*d*f*(13*d*e - 7*c*f) - B*(72*d^2*e^2 - 29*c*d*e*f - 19*c^2*f^2))) + b^4*(C*(128*d^4*e^4 - 40*c*d^3*e^3*f - 21*c^2*d^2*e^2*f^2 - 16*c^3*d*e*f^3 - 16*c^4*f^4) + 3*d*f*(7*A*d*f*(8*d^2*e^2 - 3*c*d*e*f - 2*c^2*f^2) - B*(48*d^3*e^3 - 16*c*d^2*e^2*f - 9*c^2*d*e*f^2 - 8*c^3*f^3))))*Sqrt[(b*(c + d*x))/(b*c - a*d)]*Sqrt[e + f*x]*EllipticE[ArcSin[(Sqrt[d]*Sqrt[a + b*x])/Sqrt[-(b*c) + a*d]], ((b*c - a*d)*f)/(d*(b*e - a*f)))]/(315*b^3*d^(7/2)*f^5*Sqrt[c + d*x]*Sqrt[(b*(e + f*x))/(b*e - a*f)]) + (2*Sqrt[-(b*c) + a*d]*(b*e - a*f)*(d*e - c*f)*(4*a^3*C*d^3*f^3 + 3*a^2*b*d^2*f^2*(3*C*d*e - c*C*f - 3*B*d*f) - 3*a*b^2*d*f*(3*d*f*(16*B*d*e + 3*B*c*f - 21*A*d*f) - 5*C*(8*d^2*e^2 + 2*c*d*e*f + c^2*f^2)) - b^3*(C*(128*d^3*e^3 + 24*c*d^2*e^2*f + 15*c^2*d*e*f^2 + 8*c^3*f^3) + 3*d*f*(7*A*d*f*(8*d*e + c*f) - 4*B*(12*d^2*e^2 + 2*c*d*e*f + c^2*f^2))))*Sqrt[(b*(c + d*x))/(b*c - a*d)]*Sqrt[(b*(e + f*x))/(b*e - a*f)]*EllipticF[ArcSin[(Sqrt[d]*Sqrt[a + b*x])/Sqrt[-(b*c) + a*d]], ((b*c - a*d)*f)/(d*(b*e - a*f)))]/(315*b^3*d^(7/2)*f^5*Sqrt[c + d*x]*Sqrt[e + f*x])$$

### Rule 113

```
Int[Sqrt[(e_.) + (f_.)*(x_.)]/(Sqrt[(a_.) + (b_.)*(x_.)]*Sqrt[(c_.) + (d_.)*(x_.)]), x_Symbol] := Simp[(2*Rt[-((b*e - a*f)/d), 2]*EllipticE[ArcSin[Sqrt[a + b*x]/Rt[-((b*c - a*d)/d), 2]], (f*(b*c - a*d))/(d*(b*e - a*f))]/b, x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[b/(b*c - a*d), 0] && GtQ[b/(b*e - a*f), 0] && !LtQ[-((b*c - a*d)/d), 0] && !(SimplerQ[c + d*x, a + b*x] && GtQ[-(d/(b*c - a*d)), 0] && GtQ[d/(d*e - c*f), 0] && !LtQ[(b*c - a*d)/b, 0])
```

### Rule 114

```
Int[Sqrt[(e_.) + (f_.)*(x_.)]/(Sqrt[(a_.) + (b_.)*(x_.)]*Sqrt[(c_.) + (d_.)*(x_.)]), x_Symbol] := Dist[(Sqrt[e + f*x]*Sqrt[(b*(c + d*x))/(b*c - a*d)])/(Sqrt[c + d*x]*Sqrt[(b*(e + f*x))/(b*e - a*f)]), Int[Sqrt[(b*e)/(b*e - a*f) + (b*f*x)/(b*e - a*f)]/(Sqrt[a + b*x]*Sqrt[(b*c)/(b*c - a*d) + (b*d*x)/(b*c - a*d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !(GtQ[b/(b*c - a*d), 0] && GtQ[b/(b*e - a*f), 0]) && !LtQ[-((b*c - a*d)/d), 0]
```

### Rule 120

```
Int[1/(Sqrt[(a_.) + (b_.)*(x_.)]*Sqrt[(c_.) + (d_.)*(x_.)]*Sqrt[(e_.) + (f_.)*(x_.)]), x_Symbol] := Simp[(2*Rt[-(b/d), 2]*EllipticF[ArcSin[Sqrt[a + b*x]/Rt[-(b/d), 2]*Sqrt[(b*c - a*d)/b]], (f*(b*c - a*d))/(d*(b*e - a*f)))]/(b*Sqrt[(b*e - a*f)/b]), x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[b/(b*c - a*d), 0] && GtQ[b/(b*e - a*f), 0] && SimplerQ[a + b*x, c + d*x] && SimplerQ[a + b*x, e + f*x] && (PosQ[-((b*c - a*d)/d)] || NegQ[-((b*e - a*f)/f)])
```

### Rule 121

```
Int[1/(Sqrt[(a_.) + (b_.)*(x_.)]*Sqrt[(c_.) + (d_.)*(x_.)]*Sqrt[(e_.) + (f_.)*(x_.)]), x_Symbol] := Dist[Sqrt[(b*(c + d*x))/(b*c - a*d)]/Sqrt[c + d*x], Int[1/(Sqrt[a + b*x]*Sqrt[(b*c)/(b*c - a*d) + (b*d*x)/(b*c - a*d)]*Sqrt[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[(b*c - a*d)/b, 0] && SimplerQ[a + b*x, c + d*x] && SimplerQ[a + b*x, e + f*x]
```

### Rule 154

```
Int[((a_.) + (b_.)*(x_.))^(m_)*((c_.) + (d_.)*(x_.))^(n_)*((e_.) + (f_.)*(x_.))^(p_)*((g_.) + (h_.)*(x_.)), x_Symbol] := Simp[(h*(a + b*x)^m*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(m + n + p + 2)), x] + Dist[1/(d*f*(m + n + p
```

```
+ 2)), Int[(a + b*x)^(m - 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*g*(m + n +
p + 2) - h*(b*c*e*m + a*(d*e*(n + 1) + c*f*(p + 1))) + (b*d*f*g*(m + n + p
+ 2) + h*(a*d*f*m - b*(d*e*(m + n + 1) + c*f*(m + p + 1)))]*x, x], x] /
; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p +
2, 0] && IntegersQ[2*m, 2*n, 2*p]
```

### Rule 158

```
Int[((g_.) + (h_.)*(x_))/(Sqrt[(a_.) + (b_.)*(x_)]*Sqrt[(c_.) + (d_.)*(x_)]*
Sqrt[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[h/f, Int[Sqrt[e + f*x]/(Sqrt[a
+ b*x]*Sqrt[c + d*x]), x], x] + Dist[(f*g - e*h)/f, Int[1/(Sqrt[a + b*x]*Sq
rt[c + d*x]*Sqrt[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] &&
SimplerQ[a + b*x, e + f*x] && SimplerQ[c + d*x, e + f*x]
```

### Rule 1615

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f
_.)*(x_))^(p_.), x_Symbol] :> With[{q = Expon[Px, x], k = Coeff[Px, x, Expo
n[Px, x]]}, Simp[(k*(a + b*x)^(m + q - 1)*(c + d*x)^(n + 1)*(e + f*x)^(p +
1))/(d*f*b^(q - 1)*(m + n + p + q + 1)), x] + Dist[1/(d*f*b^q*(m + n + p +
q + 1)), Int[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p*ExpandToSum[d*f*b^q*(m + n
+ p + q + 1)*Px - d*f*k*(m + n + p + q + 1)*(a + b*x)^q + k*(a + b*x)^(q -
2)*(a^2*d*f*(m + n + p + q + 1) - b*(b*c*e*(m + q - 1) + a*(d*e*(n + 1) +
c*f*(p + 1))) + b*(a*d*f*(2*(m + q) + n + p) - b*(d*e*(m + q + n) + c*f*(m
+ q + p)))]*x, x], x], x] /; NeQ[m + n + p + q + 1, 0] /; FreeQ[{a, b, c,
d, e, f, m, n, p}, x] && PolyQ[Px, x] && IntegersQ[2*m, 2*n, 2*p]
```

### Rubi steps





**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Cx^2 + Bx + A)(bx + a)^{\frac{3}{2}} \sqrt{dx + c}}{\sqrt{fx + e}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*x+a)^(3/2)\*(C\*x^2+B\*x+A)\*(d\*x+c)^(1/2)/(f\*x+e)^(1/2),x, algorithm="giac")

[Out] integrate((C\*x^2 + B\*x + A)\*(b\*x + a)^(3/2)\*sqrt(d\*x + c)/sqrt(f\*x + e), x)

**maple** [B] time = 0.07, size = 15855, normalized size = 12.84

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*x+a)^(3/2)\*(C\*x^2+B\*x+A)\*(d\*x+c)^(1/2)/(f\*x+e)^(1/2),x)

[Out] result too large to display

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Cx^2 + Bx + A)(bx + a)^{\frac{3}{2}} \sqrt{dx + c}}{\sqrt{fx + e}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*x+a)^(3/2)\*(C\*x^2+B\*x+A)\*(d\*x+c)^(1/2)/(f\*x+e)^(1/2),x, algorithm="maxima")

[Out] integrate((C\*x^2 + B\*x + A)\*(b\*x + a)^(3/2)\*sqrt(d\*x + c)/sqrt(f\*x + e), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(a + bx)^{3/2} \sqrt{c + dx} (Cx^2 + Bx + A)}{\sqrt{e + fx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b\*x)^(3/2)\*(c + d\*x)^(1/2)\*(A + B\*x + C\*x^2))/(e + f\*x)^(1/2),x)

[Out] int(((a + b\*x)^(3/2)\*(c + d\*x)^(1/2)\*(A + B\*x + C\*x^2))/(e + f\*x)^(1/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx)^{\frac{3}{2}} \sqrt{c + dx} (A + Bx + Cx^2)}{\sqrt{e + fx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*x+a)\*\*(3/2)\*(C\*x\*\*2+B\*x+A)\*(d\*x+c)\*\*(1/2)/(f\*x+e)\*\*(1/2),x)

[Out] Integral((a + b\*x)\*\*(3/2)\*sqrt(c + d\*x)\*(A + B\*x + C\*x\*\*2)/sqrt(e + f\*x), x)

$$3.68 \int \frac{\sqrt{a+bx} \sqrt{c+dx} (A+Bx+Cx^2)}{\sqrt{e+fx}} dx$$

**Optimal.** Leaf size=766

$$\frac{2\sqrt{ad-bc}(be-af)(de-cf)\sqrt{\frac{b(c+dx)}{bc-ad}}\sqrt{\frac{b(e+fx)}{be-af}}(4a^2Cd^2f^2+abdf(-7Bdf-2cCf+8Cde)-b^2(7df(-10Adf+105b^3d^{5/2}f^4\sqrt{c+dx}\sqrt{e+fx}$$

[Out] 2/7\*C\*(b\*x+a)^(3/2)\*(d\*x+c)^(3/2)\*(f\*x+e)^(1/2)/b/d/f-2/35\*(4\*a\*C\*d\*f+b\*(-7\*B\*d\*f+4\*C\*c\*f+6\*C\*d\*e))\*  
 (d\*x+c)^(3/2)\*(b\*x+a)^(1/2)\*(f\*x+e)^(1/2)/b/d^2/f^2-2/105\*(5\*b\*d\*f\*(-7\*A\*b\*d\*f+C\*a\*c\*f+3\*C\*a\*d\*e+3\*C\*b\*c\*e)+(a\*d\*f-2\*b\*(c\*f+2\*d\*e))\*  
 (4\*a\*C\*d\*f+b\*(-7\*B\*d\*f+4\*C\*c\*f+6\*C\*d\*e)))\*(b\*x+a)^(1/2)\*(d\*x+c)^(1/2)\*(f\*x+e)^(1/2)/b^2/d^2/f^3-2/105\*(3\*b\*d\*f\*(5\*a\*d\*f\*(-7\*A\*b\*d\*f+C\*a\*c\*f+3\*C\*a\*d\*e+3\*C\*b\*c\*e)-  
 (a\*c\*f+3\*a\*d\*e+b\*c\*e))\*(4\*a\*C\*d\*f+b\*(-7\*B\*d\*f+4\*C\*c\*f+6\*C\*d\*e)))+2\*(1/2\*b\*c\*f-d\*(a\*f+b\*e))\*  
 (5\*b\*d\*f\*(-7\*A\*b\*d\*f+C\*a\*c\*f+3\*C\*a\*d\*e+3\*C\*b\*c\*e)+(a\*d\*f-2\*b\*(c\*f+2\*d\*e))\*(4\*a\*C\*d\*f+b\*(-7\*B\*d\*f+4\*C\*c\*f+6\*C\*d\*e)))\*  
 EllipticE(d^(1/2)\*(b\*x+a)^(1/2)/(a\*d-b\*c)^(1/2),((-a\*d+b\*c)\*f/d/(-a\*f+b\*e))^(1/2))\*  
 (a\*d-b\*c)^(1/2)\*(b\*(d\*x+c)/(-a\*d+b\*c))^(1/2)\*(f\*x+e)^(1/2)/b^3/d^(5/2)/f^4/(d\*x+c)^(1/2)/  
 (b\*(f\*x+e)/(-a\*f+b\*e))^(1/2)+2/105\*(-a\*f+b\*e)\*(-c\*f+d\*e)\*(4\*a^2\*C\*d^2\*f^2+a\*b\*d\*f\*(-7\*B\*d\*f-2\*C\*c\*f+8\*C\*d\*e)-b^2\*(7\*d\*f\*(-10\*A\*d\*f+B\*c\*f+8\*B\*d\*e)-4\*C\*(c^2\*f^2+2\*c\*d\*e\*f+12\*d^2\*e^2)))\*  
 EllipticF(d^(1/2)\*(b\*x+a)^(1/2)/(a\*d-b\*c)^(1/2),((-a\*d+b\*c)\*f/d/(-a\*f+b\*e))^(1/2))\*  
 (a\*d-b\*c)^(1/2)\*(b\*(d\*x+c)/(-a\*d+b\*c))^(1/2)\*(b\*(f\*x+e)/(-a\*f+b\*e))^(1/2)/b^3/d^(5/2)/f^4/(d\*x+c)^(1/2)/  
 (f\*x+e)^(1/2)

**Rubi [A]** time = 2.06, antiderivative size = 766, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 38, number of rules / integrand size = 0.184, Rules used = {1615, 154, 158, 114, 113, 121, 120}

$$\frac{2\sqrt{ad-bc}(be-af)(de-cf)\sqrt{\frac{b(c+dx)}{bc-ad}}\sqrt{\frac{b(e+fx)}{be-af}}(4a^2Cd^2f^2+abdf(-7Bdf-2cCf+8Cde)+b^2(-7df(-10Adf+105b^3d^{5/2}f^4\sqrt{c+dx}\sqrt{e+fx}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a + b\*x]\*Sqrt[c + d\*x]\*(A + B\*x + C\*x^2))/Sqrt[e + f\*x], x]

[Out] (-2\*(5\*b\*d\*f\*(3\*b\*c\*C\*e + 3\*a\*C\*d\*e + a\*c\*C\*f - 7\*A\*b\*d\*f) + (a\*d\*f - 2\*b\*(2\*d\*e + c\*f))\*  
 (4\*a\*C\*d\*f + b\*(6\*C\*d\*e + 4\*c\*C\*f - 7\*B\*d\*f)))\*Sqrt[a + b\*x]\*Sqrt[c + d\*x]\*Sqrt[e + f\*x])/105\*b^2\*d^2\*f^3 - (2\*(4\*a\*C\*d\*f + b\*(6\*C\*d\*e + 4\*c\*C\*f - 7\*B\*d\*f))\*  
 Sqrt[a + b\*x]\*(c + d\*x)^(3/2)\*Sqrt[e + f\*x])/(35\*b\*d^2\*f^2) + (2\*C\*(a + b\*x)^(3/2)\*(c + d\*x)^(3/2)\*Sqrt[e + f\*x])/(7\*b\*d\*f) - (2\*Sqrt[-(b\*c) + a\*d]\*  
 (3\*b\*d\*f\*(5\*a\*d\*f\*(3\*b\*c\*C\*e + 3\*a\*C\*d\*e + a\*c\*C\*f - 7\*A\*b\*d\*f) - (b\*c\*e + 3\*a\*d\*e + a\*c\*f)\*  
 (4\*a\*C\*d\*f + b\*(6\*C\*d\*e + 4\*c\*C\*f - 7\*B\*d\*f))) + 2\*((b\*c\*f)/2 - d\*(b\*e + a\*f))\*  
 (5\*b\*d\*f\*(3\*b\*c\*C\*e + 3\*a\*C\*d\*e + a\*c\*C\*f - 7\*A\*b\*d\*f) + (a\*d\*f - 2\*b\*(2\*d\*e + c\*f))\*  
 (4\*a\*C\*d\*f + b\*(6\*C\*d\*e + 4\*c\*C\*f - 7\*B\*d\*f)))\*Sqrt[(b\*(c + d\*x))/(b\*c - a\*d)]\*Sqrt[e + f\*x]\*  
 EllipticE[ArcSin[(Sqrt[d]\*Sqrt[a + b\*x])/Sqrt[-(b\*c) + a\*d]], ((b\*c - a\*d)\*f)/(d\*(b\*e - a\*f))]/  
 (105\*b^3\*d^(5/2)\*f^4\*Sqrt[c + d\*x]\*Sqrt[(b\*(e + f\*x))/(b\*e - a\*f)]) + (2\*Sqrt[-(b\*c) + a\*d]\*  
 (b\*e - a\*f)\*(d\*e - c\*f)\*(4\*a^2\*C\*d^2\*f^2 + a\*b\*d\*f\*(8\*C\*d\*e - 2\*c\*C\*f - 7\*B\*d\*f) - b^2\*(7\*d\*f\*(8\*B\*d\*e + B\*c\*f - 10\*A\*d\*f) - 4\*C\*(12\*d^2\*e^2 + 2\*c\*d\*e\*f + c^2\*f^2)))\*  
 Sqrt[(b\*(c + d\*x))/(b\*c - a\*d)]\*Sqrt[(b\*(e + f\*x))/(b\*e - a\*f)]\*  
 EllipticF[ArcSin[(Sqrt[d]\*Sqrt[a + b\*x])/Sqrt[-(b\*c) + a\*d]], ((b\*c - a\*d)\*f)/(d\*(b\*e - a\*f))]/  
 (105\*b^3\*d^(5/2)\*f^4\*Sqrt[c + d\*x]\*Sqrt[e + f\*x])

Rule 113

```
Int[Sqrt[(e_.) + (f_.)*(x_.)]/(Sqrt[(a_.) + (b_.)*(x_.)]*Sqrt[(c_.) + (d_.)*(x_.)]), x_Symbol] := Simp[(2*Rt[-((b*e - a*f)/d), 2]*EllipticE[ArcSin[Sqrt[a + b*x]/Rt[-((b*c - a*d)/d), 2]], (f*(b*c - a*d))/(d*(b*e - a*f))]/b, x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[b/(b*c - a*d), 0] && GtQ[b/(b*e - a*f), 0] && !LtQ[-((b*c - a*d)/d), 0] && !(SimplerQ[c + d*x, a + b*x] && GtQ[-(d/(b*c - a*d)), 0] && GtQ[d/(d*e - c*f), 0] && !LtQ[(b*c - a*d)/b, 0])
```

Rule 114

```
Int[Sqrt[(e_.) + (f_.)*(x_.)]/(Sqrt[(a_.) + (b_.)*(x_.)]*Sqrt[(c_.) + (d_.)*(x_.)]), x_Symbol] := Dist[(Sqrt[e + f*x]*Sqrt[(b*(c + d*x))/(b*c - a*d)])/(Sqrt[c + d*x]*Sqrt[(b*(e + f*x))/(b*e - a*f)]), Int[Sqrt[(b*e)/(b*e - a*f) + (b*f*x)/(b*e - a*f)]/(Sqrt[a + b*x]*Sqrt[(b*c)/(b*c - a*d) + (b*d*x)/(b*c - a*d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !(GtQ[b/(b*c - a*d), 0] && GtQ[b/(b*e - a*f), 0]) && !LtQ[-((b*c - a*d)/d), 0]
```

Rule 120

```
Int[1/(Sqrt[(a_.) + (b_.)*(x_.)]*Sqrt[(c_.) + (d_.)*(x_.)]*Sqrt[(e_.) + (f_.)*(x_.)]), x_Symbol] := Simp[(2*Rt[-(b/d), 2]*EllipticF[ArcSin[Sqrt[a + b*x]/(Rt[-(b/d), 2]*Sqrt[(b*c - a*d)/b])], (f*(b*c - a*d))/(d*(b*e - a*f))]/(b*Sqrt[(b*e - a*f)/b]), x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[b/(b*c - a*d), 0] && GtQ[b/(b*e - a*f), 0] && SimplerQ[a + b*x, c + d*x] && SimplerQ[a + b*x, e + f*x] && (PosQ[-((b*c - a*d)/d)] || NegQ[-((b*e - a*f)/f)])
```

Rule 121

```
Int[1/(Sqrt[(a_.) + (b_.)*(x_.)]*Sqrt[(c_.) + (d_.)*(x_.)]*Sqrt[(e_.) + (f_.)*(x_.)]), x_Symbol] := Dist[Sqrt[(b*(c + d*x))/(b*c - a*d)]/Sqrt[c + d*x], Int[1/(Sqrt[a + b*x]*Sqrt[(b*c)/(b*c - a*d) + (b*d*x)/(b*c - a*d)]*Sqrt[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[(b*c - a*d)/b, 0] && SimplerQ[a + b*x, c + d*x] && SimplerQ[a + b*x, e + f*x]
```

Rule 154

```
Int[((a_.) + (b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_.)*((e_.) + (f_.)*(x_.))^(p_.)*((g_.) + (h_.)*(x_.)), x_Symbol] := Simp[(h*(a + b*x)^m*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(m + n + p + 2)), x] + Dist[1/(d*f*(m + n + p + 2)), Int[(a + b*x)^(m - 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*g*(m + n + p + 2) - h*(b*c*e*m + a*(d*e*(n + 1) + c*f*(p + 1))) + (b*d*f*g*(m + n + p + 2) + h*(a*d*f*m - b*(d*e*(m + n + 1) + c*f*(m + p + 1)))]*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p + 2, 0] && IntegersQ[2*m, 2*n, 2*p]
```

Rule 158

```
Int[((g_.) + (h_.)*(x_.))/(Sqrt[(a_.) + (b_.)*(x_.)]*Sqrt[(c_.) + (d_.)*(x_.)]*Sqrt[(e_.) + (f_.)*(x_.)]), x_Symbol] := Dist[h/f, Int[Sqrt[e + f*x]/(Sqrt[a + b*x]*Sqrt[c + d*x]), x], x] + Dist[(f*g - e*h)/f, Int[1/(Sqrt[a + b*x]*Sqrt[c + d*x]*Sqrt[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && SimplerQ[a + b*x, e + f*x] && SimplerQ[c + d*x, e + f*x]
```

Rule 1615

```
Int[(Px_)*((a_.) + (b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_.)*((e_.) + (f_.)*(x_.))^(p_.), x_Symbol] := With[{q = Expon[Px, x], k = Coeff[Px, x, Expon[Px, x]]}, Simp[(k*(a + b*x)^(m + q - 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*b^(q - 1)*(m + n + p + q + 1)), x] + Dist[1/(d*f*b^q*(m + n + p +
```

$q + 1)$ ), Int[(a + b\*x)^m\*(c + d\*x)^n\*(e + f\*x)^p\*ExpandToSum[d\*f\*b^q\*(m + n + p + q + 1)\*Px - d\*f\*k\*(m + n + p + q + 1)\*(a + b\*x)^q + k\*(a + b\*x)^(q - 2)\*(a^2\*d\*f\*(m + n + p + q + 1) - b\*(b\*c\*e\*(m + q - 1) + a\*(d\*e\*(n + 1) + c\*f\*(p + 1))) + b\*(a\*d\*f\*(2\*(m + q) + n + p) - b\*(d\*e\*(m + q + n) + c\*f\*(m + q + p)))\*x), x], x] /; NeQ[m + n + p + q + 1, 0] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && IntegersQ[2\*m, 2\*n, 2\*p]

### Rubi steps

$$\int \frac{\sqrt{a+bx} \sqrt{c+dx} (A+Bx+Cx^2)}{\sqrt{e+fx}} dx = \frac{2C(a+bx)^{3/2}(c+dx)^{3/2} \sqrt{e+fx}}{7bdf} + \frac{2 \int \frac{\sqrt{a+bx} \sqrt{c+dx} \left(-\frac{1}{2}b(3bcCe+3aCde+acCf) + \dots\right)}{\sqrt{e+fx}} dx}{105b^2d^2f}$$

$$= -\frac{2(4aCdf + b(6Cde + 4cCf - 7Bdf))\sqrt{a+bx} (c+dx)^{3/2} \sqrt{e+fx}}{35bd^2f^2} + \dots$$

$$= -\frac{2(5bdf(3bcCe + 3aCde + acCf - 7A bdf) + (adf - 2b(2de + cf))(4a^2d^2e^2 - 8c^2d^2e^2f + 5c^2d^2f^2))}{105b^2d^2f}$$

$$= -\frac{2(5bdf(3bcCe + 3aCde + acCf - 7A bdf) + (adf - 2b(2de + cf))(4a^2d^2e^2 - 8c^2d^2e^2f + 5c^2d^2f^2))}{105b^2d^2f}$$

$$= -\frac{2(5bdf(3bcCe + 3aCde + acCf - 7A bdf) + (adf - 2b(2de + cf))(4a^2d^2e^2 - 8c^2d^2e^2f + 5c^2d^2f^2))}{105b^2d^2f}$$

$$= -\frac{2(5bdf(3bcCe + 3aCde + acCf - 7A bdf) + (adf - 2b(2de + cf))(4a^2d^2e^2 - 8c^2d^2e^2f + 5c^2d^2f^2))}{105b^2d^2f}$$

$$= -\frac{2(5bdf(3bcCe + 3aCde + acCf - 7A bdf) + (adf - 2b(2de + cf))(4a^2d^2e^2 - 8c^2d^2e^2f + 5c^2d^2f^2))}{105b^2d^2f}$$

**Mathematica** [C] time = 12.91, size = 922, normalized size = 1.20

$$2 \left( \sqrt{\frac{bc}{d}} - a \left( (C(-48d^3e^3 + 16cd^2fe^2 + 9c^2df^2e + 8c^3f^3) + 7df(5Adf(cf - 2de) + B(8d^2e^2 - 3cdf e - 2c^2f^2))) \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a + b\*x]\*Sqrt[c + d\*x]\*(A + B\*x + C\*x^2))/Sqrt[e + f\*x],x]  
 [Out] (2\*(b^2\*Sqrt[-a + (b\*c)/d]\*(8\*a^3\*C\*d^3\*f^3 + a^2\*b\*d^2\*f^2\*(9\*C\*d\*e - 5\*c\*C\*f - 14\*B\*d\*f) + a\*b^2\*d\*f\*(7\*d\*f\*(-3\*B\*d\*e + 2\*B\*c\*f + 5\*A\*d\*f) + C\*(16\*d^2\*e^2 - 8\*c\*d\*e\*f - 5\*c^2\*f^2)) + b^3\*(C\*(-48\*d^3\*e^3 + 16\*c\*d^2\*e^2\*f + 9\*c^2\*d\*e\*f^2 + 8\*c^3\*f^3) + 7\*d\*f\*(5\*A\*d\*f\*(-2\*d\*e + c\*f) + B\*(8\*d^2\*e^2 - 3\*c\*d\*e\*f - 2\*c^2\*f^2))))\*(c + d\*x)\*(e + f\*x) + b^2\*Sqrt[-a + (b\*c)/d]\*d\*f\*

$(a + b*x)*(c + d*x)*(e + f*x)*(-4*a^2*C*d^2*f^2 + a*b*d*f*(7*B*d*f + C*(-5*d*e + 2*c*f + 3*d*f*x)) + b^2*(7*d*f*(5*A*d*f + B*(-4*d*e + c*f + 3*d*f*x)) + C*(-4*c^2*f^2 + c*d*f*(-5*e + 3*f*x) + 3*d^2*(8*e^2 - 6*e*f*x + 5*f^2*x^2)))) + I*(b*c - a*d)*f*(8*a^3*C*d^3*f^3 + a^2*b*d^2*f^2*(9*C*d*e - 5*c*C*f - 14*B*d*f) + a*b^2*d*f*(7*d*f*(-3*B*d*e + 2*B*c*f + 5*A*d*f) + C*(16*d^2*e^2 - 8*c*d*e*f - 5*c^2*f^2)) + b^3*(C*(-48*d^3*e^3 + 16*c*d^2*e^2*f + 9*c^2*d*e*f^2 + 8*c^3*f^3) + 7*d*f*(5*A*d*f*(-2*d*e + c*f) + B*(8*d^2*e^2 - 3*c*d*e*f - 2*c^2*f^2))))*(a + b*x)^(3/2)*sqrt[(b*(c + d*x))/(d*(a + b*x))]*sqrt[(b*(e + f*x))/(f*(a + b*x))]*EllipticE[I*ArcSinh[Sqrt[-a + (b*c)/d]/Sqrt[a + b*x]], (b*d*e - a*d*f)/(b*c*f - a*d*f)] - I*b*(b*c - a*d)*f*(d*e - c*f)*(4*a^2*C*d^2*f^2 + a*b*d*f*(5*C*d*e + c*C*f - 7*B*d*f) - b^2*(7*d*f*(-4*B*d*e - 2*B*c*f + 5*A*d*f) + C*(24*d^2*e^2 + 13*c*d*e*f + 8*c^2*f^2)))*(a + b*x)^(3/2)*sqrt[(b*(c + d*x))/(d*(a + b*x))]*sqrt[(b*(e + f*x))/(f*(a + b*x))]*EllipticF[I*ArcSinh[Sqrt[-a + (b*c)/d]/Sqrt[a + b*x]], (b*d*e - a*d*f)/(b*c*f - a*d*f)))/(105*b^4*Sqrt[-a + (b*c)/d]*d^3*f^4*Sqrt[a + b*x]*sqrt[c + d*x]*sqrt[e + f*x])$

**fricas** [F] time = 0.85, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(Cx^2 + Bx + A)\sqrt{bx + a}\sqrt{dx + c}}{\sqrt{fx + e}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*x+a)^(1/2)\*(C\*x^2+B\*x+A)\*(d\*x+c)^(1/2)/(f\*x+e)^(1/2),x, algorithm="fricas")

[Out] integral((C\*x^2 + B\*x + A)\*sqrt(b\*x + a)\*sqrt(d\*x + c)/sqrt(f\*x + e), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Cx^2 + Bx + A)\sqrt{bx + a}\sqrt{dx + c}}{\sqrt{fx + e}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*x+a)^(1/2)\*(C\*x^2+B\*x+A)\*(d\*x+c)^(1/2)/(f\*x+e)^(1/2),x, algorithm="giac")

[Out] integrate((C\*x^2 + B\*x + A)\*sqrt(b\*x + a)\*sqrt(d\*x + c)/sqrt(f\*x + e), x)

**maple** [B] time = 0.04, size = 9543, normalized size = 12.46

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*x+a)^(1/2)\*(C\*x^2+B\*x+A)\*(d\*x+c)^(1/2)/(f\*x+e)^(1/2),x)

[Out] result too large to display

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Cx^2 + Bx + A)\sqrt{bx + a}\sqrt{dx + c}}{\sqrt{fx + e}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*x+a)^(1/2)\*(C\*x^2+B\*x+A)\*(d\*x+c)^(1/2)/(f\*x+e)^(1/2),x, algorithm="maxima")

[Out] integrate((C\*x^2 + B\*x + A)\*sqrt(b\*x + a)\*sqrt(d\*x + c)/sqrt(f\*x + e), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{a+bx} \sqrt{c+dx} (Cx^2 + Bx + A)}{\sqrt{e+fx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b\*x)^(1/2)\*(c + d\*x)^(1/2)\*(A + B\*x + C\*x^2))/(e + f\*x)^(1/2), x)

[Out] int(((a + b\*x)^(1/2)\*(c + d\*x)^(1/2)\*(A + B\*x + C\*x^2))/(e + f\*x)^(1/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*x+a)\*\*(1/2)\*(C\*x\*\*2+B\*x+A)\*(d\*x+c)\*\*(1/2)/(f\*x+e)\*\*(1/2), x)

[Out] Timed out

$$3.69 \quad \int \frac{\sqrt{c+dx} (A+Bx+Cx^2)}{\sqrt{a+bx} \sqrt{e+fx}} dx$$

**Optimal.** Leaf size=527

$$\frac{2\sqrt{ad-bc}(de-cf)\sqrt{\frac{b(c+dx)}{bc-ad}}\sqrt{\frac{b(e+fx)}{be-af}}(4a^2Cdf^2+abf(-5Bdf-cf+3Cde)-(b^2(5df(2Be-3Af)-Ce(d+bx)+e^2)))}{15b^3d^{3/2}f^3\sqrt{c+dx}\sqrt{e+fx}}$$

[Out]  $2/5*C*(d*x+c)^{(3/2)}*(b*x+a)^{(1/2)}*(f*x+e)^{(1/2)}/b/d/f-2/15*(4*a*C*d*f+b*(-5*B*d*f+2*C*c*f+4*C*d*e))*(b*x+a)^{(1/2)}*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/b^2/d/f^2-2/15*(3*b*d*f*(-5*A*b*d*f+C*a*c*f+3*C*a*d*e+C*b*c*e)-(2*a*d*f-b*c*f+2*b*d*e)*(4*a*C*d*f+b*(-5*B*d*f+2*C*c*f+4*C*d*e)))*\text{EllipticE}(d^{(1/2)}*(b*x+a)^{(1/2)}/(a*d-b*c)^{(1/2)},((-a*d+b*c)*f/d/(-a*f+b*e))^{(1/2)}*(a*d-b*c)^{(1/2)}*(b*(d*x+c)/(-a*d+b*c))^{(1/2)}*(f*x+e)^{(1/2)}/b^3/d^{(3/2)}/f^3/(d*x+c)^{(1/2)}/(b*(f*x+e)/(-a*f+b*e))^{(1/2)}-2/15*(-c*f+d*e)*(4*a^2*C*d*f^2+a*b*f*(-5*B*d*f-C*c*f+3*C*d*e)-b^2*(5*d*f*(-3*A*f+2*B*e)-C*e*(c*f+8*d*e)))*\text{EllipticF}(d^{(1/2)}*(b*x+a)^{(1/2)}/(a*d-b*c)^{(1/2)},((-a*d+b*c)*f/d/(-a*f+b*e))^{(1/2)}*(a*d-b*c)^{(1/2)}*(b*(d*x+c)/(-a*d+b*c))^{(1/2)}*(b*(f*x+e)/(-a*f+b*e))^{(1/2)}/b^3/d^{(3/2)}/f^3/(d*x+c)^{(1/2)}/(f*x+e)^{(1/2)}$

**Rubi [A]** time = 0.98, antiderivative size = 527, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 38,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.184$ , Rules used = {1615, 154, 158, 114, 113, 121, 120}

$$\frac{2\sqrt{ad-bc}(de-cf)\sqrt{\frac{b(c+dx)}{bc-ad}}\sqrt{\frac{b(e+fx)}{be-af}}(4a^2Cdf^2+abf(-5Bdf-cf+3Cde)+b^2(-5df(2Be-3Af)-Ce(d+bx)+e^2)))}{15b^3d^{3/2}f^3\sqrt{c+dx}\sqrt{e+fx}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[c + d\*x]\*(A + B\*x + C\*x^2))/(Sqrt[a + b\*x]\*Sqrt[e + f\*x]),x]

[Out]  $(-2*(4*a*C*d*f+b*(4*C*d*e+2*c*C*f-5*B*d*f))*\text{Sqrt}[a+b*x]*\text{Sqrt}[c+d*x]*\text{Sqrt}[e+f*x])/(15*b^2*d*f^2)+(2*C*\text{Sqrt}[a+b*x]*(c+d*x)^{(3/2)}*\text{Sqrt}[e+f*x])/(5*b*d*f)-(2*\text{Sqrt}[-(b*c)+a*d]*(3*b*d*f*(b*c*C*e+3*a*C*d*e+a*c*C*f-5*A*b*d*f)-(2*b*d*e-b*c*f+2*a*d*f)*(4*a*C*d*f+b*(4*C*d*e+2*c*C*f-5*B*d*f)))*\text{Sqrt}[(b*(c+d*x))/(b*c-a*d)]*\text{Sqrt}[e+f*x]*\text{EllipticE}[\text{ArcSin}[(\text{Sqrt}[d]*\text{Sqrt}[a+b*x])/\text{Sqrt}[-(b*c)+a*d]],((b*c-a*d)*f)/(d*(b*e-a*f)))]/(15*b^3*d^{(3/2)}*f^3*\text{Sqrt}[c+d*x]*\text{Sqrt}[(b*(e+f*x))/(b*e-a*f)])-(2*\text{Sqrt}[-(b*c)+a*d]*(d*e-c*f)*(4*a^2*C*d*f^2+a*b*f*(3*C*d*e-c*C*f-5*B*d*f)-b^2*(5*d*f*(2*B*e-3*A*f)-C*e*(8*d*e+c*f)))*\text{Sqrt}[(b*(c+d*x))/(b*c-a*d)]*\text{Sqrt}[(b*(e+f*x))/(b*e-a*f)]*\text{EllipticF}[\text{ArcSin}[(\text{Sqrt}[d]*\text{Sqrt}[a+b*x])/\text{Sqrt}[-(b*c)+a*d]],((b*c-a*d)*f)/(d*(b*e-a*f)))]/(15*b^3*d^{(3/2)}*f^3*\text{Sqrt}[c+d*x]*\text{Sqrt}[e+f*x])$

**Rule 113**

Int[Sqrt[(e\_.) + (f\_.)\*(x\_.)]/(Sqrt[(a\_.) + (b\_.)\*(x\_.)]\*Sqrt[(c\_.) + (d\_.)\*(x\_.)]), x\_Symbol] := Simp[(2\*Rt[-((b\*e - a\*f)/d), 2]\*EllipticE[ArcSin[Sqrt[a + b\*x]/Rt[-((b\*c - a\*d)/d), 2]], (f\*(b\*c - a\*d))/(d\*(b\*e - a\*f))]/b, x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[b/(b\*c - a\*d), 0] && GtQ[b/(b\*e - a\*f), 0] && !LtQ[-((b\*c - a\*d)/d), 0] && !(SimplerQ[c + d\*x, a + b\*x] && GtQ[-(d/(b\*c - a\*d)), 0] && GtQ[d/(d\*e - c\*f), 0] && !LtQ[(b\*c - a\*d)/b, 0])

**Rule 114**

```
Int[Sqrt[(e_.) + (f_.)*(x_.)]/(Sqrt[(a_.) + (b_.)*(x_.)]*Sqrt[(c_.) + (d_.)*(x_.)]), x_Symbol] := Dist[(Sqrt[e + f*x]*Sqrt[(b*(c + d*x))/(b*c - a*d)]/(Sqrt[c + d*x]*Sqrt[(b*(e + f*x))/(b*e - a*f)]), Int[Sqrt[(b*e)/(b*e - a*f) + (b*f*x)/(b*e - a*f)]/(Sqrt[a + b*x]*Sqrt[(b*c)/(b*c - a*d) + (b*d*x)/(b*c - a*d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !(GtQ[b/(b*c - a*d), 0] && GtQ[b/(b*e - a*f), 0]) && !LtQ[-((b*c - a*d)/d), 0]
```

### Rule 120

```
Int[1/(Sqrt[(a_.) + (b_.)*(x_.)]*Sqrt[(c_.) + (d_.)*(x_.)]*Sqrt[(e_.) + (f_.)*(x_.)]), x_Symbol] := Simp[(2*Rt[-(b/d), 2]*EllipticF[ArcSin[Sqrt[a + b*x]/(Rt[-(b/d), 2]*Sqrt[(b*c - a*d)/b])], (f*(b*c - a*d))/(d*(b*e - a*f)))]/(b*Sqrt[(b*e - a*f)/b]), x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[b/(b*c - a*d), 0] && GtQ[b/(b*e - a*f), 0] && SimplrQ[a + b*x, c + d*x] && SimplrQ[a + b*x, e + f*x] && (PosQ[-((b*c - a*d)/d)] || NegQ[-((b*e - a*f)/f)])
```

### Rule 121

```
Int[1/(Sqrt[(a_.) + (b_.)*(x_.)]*Sqrt[(c_.) + (d_.)*(x_.)]*Sqrt[(e_.) + (f_.)*(x_.)]), x_Symbol] := Dist[Sqrt[(b*(c + d*x))/(b*c - a*d)]/Sqrt[c + d*x], Int[1/(Sqrt[a + b*x]*Sqrt[(b*c)/(b*c - a*d) + (b*d*x)/(b*c - a*d)]*Sqrt[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[(b*c - a*d)/b, 0] && SimplrQ[a + b*x, c + d*x] && SimplrQ[a + b*x, e + f*x]
```

### Rule 154

```
Int[((a_.) + (b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_.)*((e_.) + (f_.)*(x_.))^(p_.)*((g_.) + (h_.)*(x_.)), x_Symbol] := Simp[(h*(a + b*x)^(m*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(m + n + p + 2)), x] + Dist[1/(d*f*(m + n + p + 2)), Int[(a + b*x)^(m - 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*g*(m + n + p + 2) - h*(b*c*e*m + a*(d*e*(n + 1) + c*f*(p + 1))) + (b*d*f*g*(m + n + p + 2) + h*(a*d*f*m - b*(d*e*(m + n + 1) + c*f*(m + p + 1)))]*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p + 2, 0] && IntegersQ[2*m, 2*n, 2*p]
```

### Rule 158

```
Int[((g_.) + (h_.)*(x_.))/(Sqrt[(a_.) + (b_.)*(x_.)]*Sqrt[(c_.) + (d_.)*(x_.)]*Sqrt[(e_.) + (f_.)*(x_.)]), x_Symbol] := Dist[h/f, Int[Sqrt[e + f*x]/(Sqrt[a + b*x]*Sqrt[c + d*x]), x], x] + Dist[(f*g - e*h)/f, Int[1/(Sqrt[a + b*x]*Sqrt[c + d*x]*Sqrt[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && SimplrQ[a + b*x, e + f*x] && SimplrQ[c + d*x, e + f*x]
```

### Rule 1615

```
Int[(Px_)*((a_.) + (b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_.)*((e_.) + (f_.)*(x_.))^(p_.), x_Symbol] := With[{q = Expon[Px, x], k = Coeff[Px, x, Expon[Px, x]]}, Simp[(k*(a + b*x)^(m + q - 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*b^(q - 1)*(m + n + p + q + 1)), x] + Dist[1/(d*f*b^q*(m + n + p + q + 1)), Int[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p*ExpandToSum[d*f*b^q*(m + n + p + q + 1)*Px - d*f*k*(m + n + p + q + 1)*(a + b*x)^q + k*(a + b*x)^(q - 2)*(a^2*d*f*(m + n + p + q + 1) - b*(b*c*e*(m + q - 1) + a*(d*e*(n + 1) + c*f*(p + 1))) + b*(a*d*f*(2*(m + q) + n + p) - b*(d*e*(m + q + n) + c*f*(m + q + p)))]*x, x], x] /; NeQ[m + n + p + q + 1, 0] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && IntegersQ[2*m, 2*n, 2*p]
```

### Rubi steps



$$\begin{aligned}
\int \frac{\sqrt{c+dx}(A+Bx+Cx^2)}{\sqrt{a+bx}\sqrt{e+fx}} dx &= \frac{2C\sqrt{a+bx}(c+dx)^{3/2}\sqrt{e+fx}}{5bdf} + \frac{2\int \frac{\sqrt{c+dx}\left(-\frac{1}{2}b(bcCe+3aCde+acCf-5Abdf)-\frac{1}{2}b(4a^2Cde+3a^2Cf-5Abdf)\right)}{\sqrt{a+bx}\sqrt{e+fx}} dx}{5b^2df} \\
&= -\frac{2(4aCdf+b(4Cde+2cCf-5Bdf))\sqrt{a+bx}\sqrt{c+dx}\sqrt{e+fx}}{15b^2df^2} + \frac{2C\sqrt{a+bx}}{5b^2df} \\
&= -\frac{2(4aCdf+b(4Cde+2cCf-5Bdf))\sqrt{a+bx}\sqrt{c+dx}\sqrt{e+fx}}{15b^2df^2} + \frac{2C\sqrt{a+bx}}{5b^2df} \\
&= -\frac{2(4aCdf+b(4Cde+2cCf-5Bdf))\sqrt{a+bx}\sqrt{c+dx}\sqrt{e+fx}}{15b^2df^2} + \frac{2C\sqrt{a+bx}}{5b^2df} \\
&= -\frac{2(4aCdf+b(4Cde+2cCf-5Bdf))\sqrt{a+bx}\sqrt{c+dx}\sqrt{e+fx}}{15b^2df^2} + \frac{2C\sqrt{a+bx}}{5b^2df} \\
&= -\frac{2(4aCdf+b(4Cde+2cCf-5Bdf))\sqrt{a+bx}\sqrt{c+dx}\sqrt{e+fx}}{15b^2df^2} + \frac{2C\sqrt{a+bx}}{5b^2df}
\end{aligned}$$

**Mathematica [C]** time = 9.63, size = 562, normalized size = 1.07

$$2\sqrt{a+bx} \left( ibdf\sqrt{a+bx}\sqrt{\frac{bc}{d}-a}(de-cf)\sqrt{\frac{b(c+dx)}{d(a+bx)}}\sqrt{\frac{b(e+fx)}{f(a+bx)}}(-4aCdf+5bBdf-2bC(cf+2de))\text{EllipticF}\left(i\sqrt{\frac{b(c+dx)}{d(a+bx)}}, \sqrt{\frac{b(e+fx)}{f(a+bx)}}\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[c + d\*x]\*(A + B\*x + C\*x^2))/(Sqrt[a + b\*x]\*Sqrt[e + f\*x]), x]

[Out] (2\*Sqrt[a + b\*x]\*((b^2\*(8\*a^2\*C\*d^2\*f^2 + a\*b\*d\*f\*(7\*C\*d\*e - 3\*c\*C\*f - 10\*B\*d\*f) + b^2\*(5\*d\*f\*(-2\*B\*d\*e + B\*c\*f + 3\*A\*d\*f) + C\*(8\*d^2\*e^2 - 3\*c\*d\*e\*f - 2\*c^2\*f^2))))\*(c + d\*x)\*(e + f\*x))/(a + b\*x) + b^2\*d\*f\*(c + d\*x)\*(e + f\*x)\*(5\*b\*B\*d\*f - 4\*a\*C\*d\*f + b\*C\*(-4\*d\*e + c\*f + 3\*d\*f\*x)) + (I\*(b\*c - a\*d)\*f\*(8\*a^2\*C\*d^2\*f^2 + a\*b\*d\*f\*(7\*C\*d\*e - 3\*c\*C\*f - 10\*B\*d\*f) + b^2\*(5\*d\*f\*(-2\*B\*d\*e + B\*c\*f + 3\*A\*d\*f) + C\*(8\*d^2\*e^2 - 3\*c\*d\*e\*f - 2\*c^2\*f^2)))\*Sqrt[a + b\*x]\*Sqrt[(b\*(c + d\*x))/(d\*(a + b\*x))]\*Sqrt[(b\*(e + f\*x))/(f\*(a + b\*x))]\*EllipticE[I\*ArcSinh[Sqrt[-a + (b\*c)/d]/Sqrt[a + b\*x]], (b\*d\*e - a\*d\*f)/(b\*c\*f - a\*d\*f)]/Sqrt[-a + (b\*c)/d] + I\*b\*Sqrt[-a + (b\*c)/d]\*d\*f\*(d\*e - c\*f)\*(5\*b\*B\*d\*f - 4\*a\*C\*d\*f - 2\*b\*C\*(2\*d\*e + c\*f))\*Sqrt[a + b\*x]\*Sqrt[(b\*(c + d\*x))/(d\*(a + b\*x))]\*Sqrt[(b\*(e + f\*x))/(f\*(a + b\*x))]\*EllipticF[I\*ArcSinh[Sqrt[-a + (b\*c)/d]/Sqrt[a + b\*x]], (b\*d\*e - a\*d\*f)/(b\*c\*f - a\*d\*f)])/(15\*b^4\*d^2\*f^3\*Sqrt[c + d\*x]\*Sqrt[e + f\*x])

**fricas** [F] time = 0.94, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(Cx^2 + Bx + A)\sqrt{bx + a}\sqrt{dx + c}\sqrt{fx + e}}{bfx^2 + ae + (be + af)x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(d\*x+c)^(1/2)/(b\*x+a)^(1/2)/(f\*x+e)^(1/2),x, algorithm="fricas")

[Out] integral((C\*x^2 + B\*x + A)\*sqrt(b\*x + a)\*sqrt(d\*x + c)\*sqrt(f\*x + e)/(b\*f\*x^2 + a\*e + (b\*e + a\*f)\*x), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Cx^2 + Bx + A)\sqrt{dx + c}}{\sqrt{bx + a}\sqrt{fx + e}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(d\*x+c)^(1/2)/(b\*x+a)^(1/2)/(f\*x+e)^(1/2),x, algorithm="giac")

[Out] integrate((C\*x^2 + B\*x + A)\*sqrt(d\*x + c)/(sqrt(b\*x + a)\*sqrt(f\*x + e)), x)

**maple** [B] time = 0.04, size = 6049, normalized size = 11.48

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C\*x^2+B\*x+A)\*(d\*x+c)^(1/2)/(b\*x+a)^(1/2)/(f\*x+e)^(1/2),x)

[Out] result too large to display

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Cx^2 + Bx + A)\sqrt{dx + c}}{\sqrt{bx + a}\sqrt{fx + e}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(d\*x+c)^(1/2)/(b\*x+a)^(1/2)/(f\*x+e)^(1/2),x, algorithm="maxima")

[Out] integrate((C\*x^2 + B\*x + A)\*sqrt(d\*x + c)/(sqrt(b\*x + a)\*sqrt(f\*x + e)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{c + dx} (Cx^2 + Bx + A)}{\sqrt{e + fx} \sqrt{a + bx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((c + d\*x)^(1/2)\*(A + B\*x + C\*x^2))/((e + f\*x)^(1/2)\*(a + b\*x)^(1/2)),x)

[Out] int(((c + d\*x)^(1/2)\*(A + B\*x + C\*x^2))/((e + f\*x)^(1/2)\*(a + b\*x)^(1/2)),x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{c + dx} (A + Bx + Cx^2)}{\sqrt{a + bx} \sqrt{e + fx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x\*\*2+B\*x+A)\*(d\*x+c)\*\*(1/2)/(b\*x+a)\*\*(1/2)/(f\*x+e)\*\*(1/2),x)

[Out] Integral(sqrt(c + d\*x)\*(A + B\*x + C\*x\*\*2)/(sqrt(a + b\*x)\*sqrt(e + f\*x)), x)

$$3.70 \quad \int \frac{\sqrt{c+dx} (A+Bx+Cx^2)}{(a+bx)^{3/2} \sqrt{e+fx}} dx$$

**Optimal.** Leaf size=540

$$\frac{2\sqrt{ad-bc} (de-cf) \sqrt{\frac{b(c+dx)}{bc-ad}} \sqrt{\frac{b(e+fx)}{be-af}} (4aCf - 3bBf + 2bCe) \operatorname{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{d}\sqrt{a+bx}}{\sqrt{ad-bc}}\right), \frac{f(bc-ad)}{d(be-af)}\right) + 2\sqrt{a+bx} \sqrt{e+fx}}{3b^3\sqrt{d} f^2 \sqrt{c+dx} \sqrt{e+fx}}$$

[Out]  $-2*(A*b^2-a*(B*b-C*a))*(d*x+c)^{(3/2)}*(f*x+e)^{(1/2)}/b/(-a*d+b*c)/(-a*f+b*e)/(b*x+a)^{(1/2)}+2/3*(4*a^2*C*d*f+b^2*(3*A*d*f+C*c*e)-a*b*(3*B*d*f+C*c*f+C*d*e))*(b*x+a)^{(1/2)}*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/b^2/(-a*d+b*c)/f/(-a*f+b*e)+2/3*(8*a^2*C*d*f^2-a*b*f*(6*B*d*f+C*c*f+3*C*d*e)+b^2*(3*d*f*(A*f+B*e)-C*e*(-c*f+2*d*e)))*\operatorname{EllipticE}(d^{(1/2)}*(b*x+a)^{(1/2)}/(a*d-b*c)^{(1/2)}, ((-a*d+b*c)*f/d/(-a*f+b*e))^{(1/2)})*(a*d-b*c)^{(1/2)}*(b*(d*x+c)/(-a*d+b*c))^{(1/2)}*(f*x+e)^{(1/2)}/b^3/f^2/(-a*f+b*e)/d^{(1/2)}/(d*x+c)^{(1/2)}/(b*(f*x+e)/(-a*f+b*e))^{(1/2)}+2/3*(-c*f+d*e)*(-3*B*b*f+4*C*a*f+2*C*b*e)*\operatorname{EllipticF}(d^{(1/2)}*(b*x+a)^{(1/2)}/(a*d-b*c)^{(1/2)}, ((-a*d+b*c)*f/d/(-a*f+b*e))^{(1/2)})*(a*d-b*c)^{(1/2)}*(b*(d*x+c)/(-a*d+b*c))^{(1/2)}*(b*(f*x+e)/(-a*f+b*e))^{(1/2)}/b^3/f^2/d^{(1/2)}/(d*x+c)^{(1/2)}/(f*x+e)^{(1/2)}$

**Rubi [A]** time = 1.11, antiderivative size = 540, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 38,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.184$ , Rules used = {1614, 154, 158, 114, 113, 121, 120}

$$\frac{2\sqrt{e+fx} \sqrt{ad-bc} \sqrt{\frac{b(c+dx)}{bc-ad}} (8a^2Cdf^2 - abf(6Bdf + cCf + 3Cde) + b^2(3df(Af + Be) - Ce(2de - cf))) E\left(\sin^{-1}\left(\frac{\sqrt{d}\sqrt{a+bx}}{\sqrt{ad-bc}}\right), \frac{f(bc-ad)}{d(be-af)}\right) + 2\sqrt{a+bx} \sqrt{e+fx}}{3b^3\sqrt{d} f^2 \sqrt{c+dx} (be-af) \sqrt{\frac{b(e+fx)}{be-af}}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[c + d\*x]\*(A + B\*x + C\*x^2))/((a + b\*x)^(3/2)\*Sqrt[e + f\*x]),x]

[Out]  $(2*(4*a^2*C*d*f + b^2*(c*C*e + 3*A*d*f) - a*b*(C*d*e + c*C*f + 3*B*d*f))*\operatorname{Sqrt}[a + b*x]*\operatorname{Sqrt}[c + d*x]*\operatorname{Sqrt}[e + f*x]/(3*b^2*(b*c - a*d)*f*(b*e - a*f)) - (2*(A*b^2 - a*(b*B - a*C))*(c + d*x)^{(3/2)}*\operatorname{Sqrt}[e + f*x]/(b*(b*c - a*d)*(b*e - a*f)*\operatorname{Sqrt}[a + b*x]) + (2*\operatorname{Sqrt}[-(b*c) + a*d]*(8*a^2*C*d*f^2 - a*b*f*(3*C*d*e + c*C*f + 6*B*d*f) + b^2*(3*d*f*(B*e + A*f) - C*e*(2*d*e - c*f)))*\operatorname{Sqrt}[(b*(c + d*x))/(b*c - a*d)]*\operatorname{Sqrt}[e + f*x]*\operatorname{EllipticE}[\operatorname{ArcSin}[(\operatorname{Sqrt}[d]*\operatorname{Sqrt}[a + b*x])/(\operatorname{Sqrt}[-(b*c) + a*d])], ((b*c - a*d)*f)/(d*(b*e - a*f))])/(3*b^3*\operatorname{Sqrt}[d]*f^2*(b*e - a*f)*\operatorname{Sqrt}[c + d*x]*\operatorname{Sqrt}[(b*(e + f*x))/(b*e - a*f)]) + (2*\operatorname{Sqrt}[-(b*c) + a*d]*(d*e - c*f)*(2*b*C*e - 3*b*B*f + 4*a*C*f)*\operatorname{Sqrt}[(b*(c + d*x))/(b*c - a*d)]*\operatorname{Sqrt}[(b*(e + f*x))/(b*e - a*f)]*\operatorname{EllipticF}[\operatorname{ArcSin}[(\operatorname{Sqrt}[d]*\operatorname{Sqrt}[a + b*x])/(\operatorname{Sqrt}[-(b*c) + a*d])], ((b*c - a*d)*f)/(d*(b*e - a*f))])/(3*b^3*\operatorname{Sqrt}[d]*f^2*\operatorname{Sqrt}[c + d*x]*\operatorname{Sqrt}[e + f*x])$

**Rule 113**

Int[Sqrt[(e\_.) + (f\_.)\*(x\_)]/(Sqrt[(a\_.) + (b\_.)\*(x\_)]\*Sqrt[(c\_.) + (d\_.)\*(x\_)]), x\_Symbol] :> Simp[(2\*Rt[-((b\*e - a\*f)/d), 2]\*EllipticE[ArcSin[Sqrt[a + b\*x]/Rt[-((b\*c - a\*d)/d), 2]]], (f\*(b\*c - a\*d))/(d\*(b\*e - a\*f))]/b, x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[b/(b\*c - a\*d), 0] && GtQ[b/(b\*e - a\*f), 0] && !LtQ[-((b\*c - a\*d)/d), 0] && !SimplerQ[c + d\*x, a + b\*x] && GtQ[-(d/(b\*c - a\*d)), 0] && GtQ[d/(d\*e - c\*f), 0] && !LtQ[(b\*c - a\*d)/b, 0]

**Rule 114**

```
Int[Sqrt[(e_.) + (f_.)*(x_.)]/(Sqrt[(a_.) + (b_.)*(x_.)]*Sqrt[(c_.) + (d_.)*(x_.)]), x_Symbol] := Dist[(Sqrt[e + f*x]*Sqrt[(b*(c + d*x))/(b*c - a*d)])/(Sqrt[c + d*x]*Sqrt[(b*(e + f*x))/(b*e - a*f)]), Int[Sqrt[(b*e)/(b*e - a*f) + (b*f*x)/(b*e - a*f)]/(Sqrt[a + b*x]*Sqrt[(b*c)/(b*c - a*d) + (b*d*x)/(b*c - a*d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !(GtQ[b/(b*c - a*d), 0] && GtQ[b/(b*e - a*f), 0]) && !LtQ[-((b*c - a*d)/d), 0]
```

### Rule 120

```
Int[1/(Sqrt[(a_.) + (b_.)*(x_.)]*Sqrt[(c_.) + (d_.)*(x_.)]*Sqrt[(e_.) + (f_.)*(x_.)]), x_Symbol] := Simp[(2*Rt[-(b/d), 2]*EllipticF[ArcSin[Sqrt[a + b*x]/(Rt[-(b/d), 2]*Sqrt[(b*c - a*d)/b])], (f*(b*c - a*d))/(d*(b*e - a*f)))]/(b*Sqrt[(b*e - a*f)/b]), x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[b/(b*c - a*d), 0] && GtQ[b/(b*e - a*f), 0] && SimplerQ[a + b*x, c + d*x] && SimplerQ[a + b*x, e + f*x] && (PosQ[-((b*c - a*d)/d)] || NegQ[-((b*e - a*f)/f)])
```

### Rule 121

```
Int[1/(Sqrt[(a_.) + (b_.)*(x_.)]*Sqrt[(c_.) + (d_.)*(x_.)]*Sqrt[(e_.) + (f_.)*(x_.)]), x_Symbol] := Dist[Sqrt[(b*(c + d*x))/(b*c - a*d)]/Sqrt[c + d*x], Int[1/(Sqrt[a + b*x]*Sqrt[(b*c)/(b*c - a*d) + (b*d*x)/(b*c - a*d)]*Sqrt[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[(b*c - a*d)/b, 0] && SimplerQ[a + b*x, c + d*x] && SimplerQ[a + b*x, e + f*x]
```

### Rule 154

```
Int[((a_.) + (b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_.)*((e_.) + (f_.)*(x_.))^(p_.)*((g_.) + (h_.)*(x_.)), x_Symbol] := Simp[(h*(a + b*x)^(m*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(m + n + p + 2)), x] + Dist[1/(d*f*(m + n + p + 2)), Int[(a + b*x)^(m - 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*g*(m + n + p + 2) - h*(b*c*e*m + a*(d*e*(n + 1) + c*f*(p + 1))) + (b*d*f*g*(m + n + p + 2) + h*(a*d*f*m - b*(d*e*(m + n + 1) + c*f*(m + p + 1)))]*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p + 2, 0] && IntegersQ[2*m, 2*n, 2*p]
```

### Rule 158

```
Int[((g_.) + (h_.)*(x_.)]/(Sqrt[(a_.) + (b_.)*(x_.)]*Sqrt[(c_.) + (d_.)*(x_.)]*Sqrt[(e_.) + (f_.)*(x_.)]), x_Symbol] := Dist[h/f, Int[Sqrt[e + f*x]/(Sqrt[a + b*x]*Sqrt[c + d*x]), x], x] + Dist[(f*g - e*h)/f, Int[1/(Sqrt[a + b*x]*Sqrt[c + d*x]*Sqrt[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && SimplerQ[a + b*x, e + f*x] && SimplerQ[c + d*x, e + f*x]
```

### Rule 1614

```
Int[(Px_)*((a_.) + (b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_.)*((e_.) + (f_.)*(x_.))^(p_.), x_Symbol] := With[{Qx = PolynomialQuotient[Px, a + b*x, x], R = PolynomialRemainder[Px, a + b*x, x]}, Simp[(b*R*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*ExpandToSum[(m + 1)*(b*c - a*d)*(b*e - a*f)*Qx + a*d*f*R*(m + 1) - b*R*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*R*(m + n + p + 3)]*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && PolyQ[Px, x] && LtQ[m, -1] && IntegersQ[2*m, 2*n, 2*p]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{c+dx} (A+Bx+Cx^2)}{(a+bx)^{3/2} \sqrt{e+fx}} dx &= -\frac{2(Ab^2 - a(bB - aC))(c+dx)^{3/2} \sqrt{e+fx}}{b(bc-ad)(be-af)\sqrt{a+bx}} - \frac{2 \int \frac{\sqrt{c+dx} \left( -\frac{b^2(Bc+2Ad)e+a^2C(3de+cf)-ab(Cde+cCf+3Bdf)}{2b} \right)}{\sqrt{a+bx} \sqrt{e+fx}} dx}{3b^2(bc-ad)f(be-af)} \\
&= \frac{2(4a^2Cdf + b^2(cCe + 3Adf) - ab(Cde + cCf + 3Bdf)) \sqrt{a+bx} \sqrt{c+dx} \sqrt{e+fx}}{3b^2(bc-ad)f(be-af)} \\
&= \frac{2(4a^2Cdf + b^2(cCe + 3Adf) - ab(Cde + cCf + 3Bdf)) \sqrt{a+bx} \sqrt{c+dx} \sqrt{e+fx}}{3b^2(bc-ad)f(be-af)} \\
&= \frac{2(4a^2Cdf + b^2(cCe + 3Adf) - ab(Cde + cCf + 3Bdf)) \sqrt{a+bx} \sqrt{c+dx} \sqrt{e+fx}}{3b^2(bc-ad)f(be-af)} \\
&= \frac{2(4a^2Cdf + b^2(cCe + 3Adf) - ab(Cde + cCf + 3Bdf)) \sqrt{a+bx} \sqrt{c+dx} \sqrt{e+fx}}{3b^2(bc-ad)f(be-af)} \\
&= \frac{2(4a^2Cdf + b^2(cCe + 3Adf) - ab(Cde + cCf + 3Bdf)) \sqrt{a+bx} \sqrt{c+dx} \sqrt{e+fx}}{3b^2(bc-ad)f(be-af)} \\
&= \frac{2(4a^2Cdf + b^2(cCe + 3Adf) - ab(Cde + cCf + 3Bdf)) \sqrt{a+bx} \sqrt{c+dx} \sqrt{e+fx}}{3b^2(bc-ad)f(be-af)}
\end{aligned}$$

**Mathematica [C]** time = 6.74, size = 551, normalized size = 1.02

$$2 \left( -ibf(a+bx)^{3/2}(de-cf) \sqrt{\frac{b(c+dx)}{d(a+bx)}} \sqrt{\frac{b(e+fx)}{f(a+bx)}} (4a^2Cdf - ab(3Bdf + cCf + Cde) + b^2(3Adf + cCe)) \text{EllipticF} \left( \frac{\sqrt{c+dx}}{\sqrt{a+bx}}, \frac{\sqrt{b(c+dx)}}{\sqrt{d(a+bx)}} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[c + d\*x]\*(A + B\*x + C\*x^2))/((a + b\*x)^(3/2)\*Sqrt[e + f\*x]), x]

[Out] (-2\*(b^2\*Sqrt[-a + (b\*c)/d]\*(-8\*a^2\*C\*d\*f^2 + a\*b\*f\*(3\*C\*d\*e + c\*C\*f + 6\*B\*d\*f) + b^2\*(-3\*d\*f\*(B\*e + A\*f) + C\*e\*(2\*d\*e - c\*f)))\*(c + d\*x)\*(e + f\*x) + b^2\*Sqrt[-a + (b\*c)/d]\*d\*f\*(c + d\*x)\*(e + f\*x)\*(3\*(A\*b^2 + a\*(-(b\*B) + a\*C))\*f - C\*(b\*e - a\*f)\*(a + b\*x)) - I\*(b\*c - a\*d)\*f\*(8\*a^2\*C\*d\*f^2 - a\*b\*f\*(3\*C\*d\*e + c\*C\*f + 6\*B\*d\*f) + b^2\*(3\*d\*f\*(B\*e + A\*f) + C\*e\*(-2\*d\*e + c\*f)))\*(a + b\*x)^(3/2)\*Sqrt[(b\*(c + d\*x))/(d\*(a + b\*x))]\*Sqrt[(b\*(e + f\*x))/(f\*(a + b\*x))]\*EllipticE[I\*ArcSinh[Sqrt[-a + (b\*c)/d]/Sqrt[a + b\*x]], (b\*d\*e - a\*d\*f)/(b\*c\*f - a\*d\*f)] - I\*b\*f\*(d\*e - c\*f)\*(4\*a^2\*C\*d\*f + b^2\*(c\*C\*e + 3\*A\*d\*f) - a\*b\*(C\*d\*e + c\*C\*f + 3\*B\*d\*f))\*(a + b\*x)^(3/2)\*Sqrt[(b\*(c + d\*x))/(d\*(a + b\*x))]\*Sqrt[(b\*(e + f\*x))/(f\*(a + b\*x))]\*EllipticF[I\*ArcSinh[Sqrt[-a + (b\*c)/d]/Sqrt[a + b\*x]], (b\*d\*e - a\*d\*f)/(b\*c\*f - a\*d\*f)))/(3\*b^4\*Sqrt[-a + (b\*c)/d]\*d\*f^2\*(b\*e - a\*f)\*Sqrt[a + b\*x]\*Sqrt[c + d\*x]\*Sqrt[e + f\*x])

**fricas [F]** time = 0.67, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{(Cx^2 + Bx + A)\sqrt{bx+a} \sqrt{dx+c} \sqrt{fx+e}}{b^2fx^3 + a^2e + (b^2e + 2abf)x^2 + (2abe + a^2f)x}, x \right)$$



$$\begin{aligned}
& *d)^{(1/2)}, ((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2)} * a^2 * b^2 * d^2 * e^2 * f * ((b*x+a)/(a*d- \\
& b*c) * d)^{(1/2)} * (-f*x+e)/(a*f-b*e) * b)^{(1/2)} * (-d*x+c)/(a*d-b*c) * b)^{(1/2)} + 9 * B \\
& * \text{EllipticE}(((b*x+a)/(a*d-b*c) * d)^{(1/2)}, ((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2)} * a^2 \\
& * b^2 * d^2 * e * f^2 * ((b*x+a)/(a*d-b*c) * d)^{(1/2)} * (-f*x+e)/(a*f-b*e) * b)^{(1/2)} * (- \\
& d*x+c)/(a*d-b*c) * b)^{(1/2)} + C * x^2 * a * b^3 * c * d * f^3 - C * x^2 * b^4 * c * d * e * f^2 - 3 * B * x * a * b \\
& ^3 * c * d * f^3 - 3 * B * x * a * b^3 * d^2 * e * f^2 + 4 * C * x * a^2 * b^2 * c * d * f^3 + 4 * C * x * a^2 * b^2 * d^2 * e * \\
& f^2 - C * x * a * b^3 * d^2 * e^2 * f - C * x * b^4 * c * d * e^2 * f - 3 * B * \text{EllipticE}(((b*x+a)/(a*d-b*c) * \\
& d)^{(1/2)}, ((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2)} * a * b^3 * d^2 * e^2 * f * ((b*x+a)/(a*d-b*c) \\
& ) * d)^{(1/2)} * (-f*x+e)/(a*f-b*e) * b)^{(1/2)} * (-d*x+c)/(a*d-b*c) * b)^{(1/2)} + 3 * B * \text{El} \\
& \text{lipticE}(((b*x+a)/(a*d-b*c) * d)^{(1/2)}, ((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2)} * b^4 * c * \\
& d * e^2 * f * ((b*x+a)/(a*d-b*c) * d)^{(1/2)} * (-f*x+e)/(a*f-b*e) * b)^{(1/2)} * (-d*x+c)/ \\
& (a*d-b*c) * b)^{(1/2)} + 3 * B * \text{EllipticF}(((b*x+a)/(a*d-b*c) * d)^{(1/2)}, ((a*d-b*c)/(a* \\
& f-b*e)/d*f)^{(1/2)} * a^2 * b^2 * c * d * f^3 * ((b*x+a)/(a*d-b*c) * d)^{(1/2)} * (-f*x+e)/(a \\
& * f-b*e) * b)^{(1/2)} * (-d*x+c)/(a*d-b*c) * b)^{(1/2)} - 2 * C * \text{EllipticE}(((b*x+a)/(a*d-b \\
& * c) * d)^{(1/2)}, ((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2)} * a * b^3 * c^2 * e * f^2 * ((b*x+a)/(a*d \\
& -b*c) * d)^{(1/2)} * (-f*x+e)/(a*f-b*e) * b)^{(1/2)} * (-d*x+c)/(a*d-b*c) * b)^{(1/2)} - 4 * \\
& C * \text{EllipticF}(((b*x+a)/(a*d-b*c) * d)^{(1/2)}, ((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2)} * a^ \\
& 3 * b * c * d * f^3 * ((b*x+a)/(a*d-b*c) * d)^{(1/2)} * (-f*x+e)/(a*f-b*e) * b)^{(1/2)} * (-d*x \\
& +c)/(a*d-b*c) * b)^{(1/2)} + 4 * C * \text{EllipticF}(((b*x+a)/(a*d-b*c) * d)^{(1/2)}, ((a*d-b*c) \\
& / (a*f-b*e)/d*f)^{(1/2)} * a^3 * b * d^2 * e * f^2 * ((b*x+a)/(a*d-b*c) * d)^{(1/2)} * (-f*x+e) \\
& ) / (a*f-b*e) * b)^{(1/2)} * (-d*x+c)/(a*d-b*c) * b)^{(1/2)} + 3 * A * b^4 * c * d * e * f^2 + 3 * B * \text{Ell} \\
& \text{ipticF}(((b*x+a)/(a*d-b*c) * d)^{(1/2)}, ((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2)} * b^4 * c^2 \\
& * e * f^2 * ((b*x+a)/(a*d-b*c) * d)^{(1/2)} * (-f*x+e)/(a*f-b*e) * b)^{(1/2)} * (-d*x+c)/( \\
& a*d-b*c) * b)^{(1/2)} + C * \text{EllipticE}(((b*x+a)/(a*d-b*c) * d)^{(1/2)}, ((a*d-b*c)/(a*f-b \\
& * e)/d*f)^{(1/2)} * a^2 * b^2 * c^2 * f^3 * ((b*x+a)/(a*d-b*c) * d)^{(1/2)} * (-f*x+e)/(a*f- \\
& b*e) * b)^{(1/2)} * (-d*x+c)/(a*d-b*c) * b)^{(1/2)} + 2 * C * \text{EllipticE}(((b*x+a)/(a*d-b*c) \\
& ) * d)^{(1/2)}, ((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2)} * a * b^3 * d^2 * e^3 * ((b*x+a)/(a*d-b*c) \\
& ) * d)^{(1/2)} * (-f*x+e)/(a*f-b*e) * b)^{(1/2)} * (-d*x+c)/(a*d-b*c) * b)^{(1/2)} + C * \text{Ellip} \\
& \text{ticE}(((b*x+a)/(a*d-b*c) * d)^{(1/2)}, ((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2)} * b^4 * c^2 * e \\
& ^2 * f * ((b*x+a)/(a*d-b*c) * d)^{(1/2)} * (-f*x+e)/(a*f-b*e) * b)^{(1/2)} * (-d*x+c)/(a* \\
& d-b*c) * b)^{(1/2)} - 2 * C * \text{EllipticE}(((b*x+a)/(a*d-b*c) * d)^{(1/2)}, ((a*d-b*c)/(a*f-b \\
& * e)/d*f)^{(1/2)} * b^4 * c * d * e^3 * ((b*x+a)/(a*d-b*c) * d)^{(1/2)} * (-f*x+e)/(a*f-b*e) \\
& ) * b)^{(1/2)} * (-d*x+c)/(a*d-b*c) * b)^{(1/2)} + 4 * C * \text{EllipticF}(((b*x+a)/(a*d-b*c) * d)^{(1/2)}, \\
& ((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2)} * a^2 * b^2 * c^2 * f^3 * ((b*x+a)/(a*d-b*c) * d) \\
& )^{(1/2)} * (-f*x+e)/(a*f-b*e) * b)^{(1/2)} * (-d*x+c)/(a*d-b*c) * b)^{(1/2)} - 2 * C * \text{Ellip} \\
& \text{ticF}(((b*x+a)/(a*d-b*c) * d)^{(1/2)}, ((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2)} * a * b^3 * d^2 \\
& * e^3 * ((b*x+a)/(a*d-b*c) * d)^{(1/2)} * (-f*x+e)/(a*f-b*e) * b)^{(1/2)} * (-d*x+c)/(a* \\
& d-b*c) * b)^{(1/2)} - 2 * C * \text{EllipticF}(((b*x+a)/(a*d-b*c) * d)^{(1/2)}, ((a*d-b*c)/(a*f-b \\
& * e)/d*f)^{(1/2)} * b^4 * c^2 * e^2 * f * ((b*x+a)/(a*d-b*c) * d)^{(1/2)} * (-f*x+e)/(a*f-b* \\
& e) * b)^{(1/2)} * (-d*x+c)/(a*d-b*c) * b)^{(1/2)} + 2 * C * \text{EllipticF}(((b*x+a)/(a*d-b*c) * d) \\
& )^{(1/2)}, ((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2)} * b^4 * c * d * e^3 * ((b*x+a)/(a*d-b*c) * d)^{(1/2)} \\
& )^{(1/2)} * (-f*x+e)/(a*f-b*e) * b)^{(1/2)} * (-d*x+c)/(a*d-b*c) * b)^{(1/2)} - 2 * C * \text{Ellipti} \\
& \text{cF}(((b*x+a)/(a*d-b*c) * d)^{(1/2)}, ((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2)} * a^2 * b^2 * c * d \\
& * e * f^2 * ((b*x+a)/(a*d-b*c) * d)^{(1/2)} * (-f*x+e)/(a*f-b*e) * b)^{(1/2)} * (-d*x+c)/( \\
& a*d-b*c) * b)^{(1/2)} + 4 * C * \text{EllipticF}(((b*x+a)/(a*d-b*c) * d)^{(1/2)}, ((a*d-b*c)/(a*f \\
& -b*e)/d*f)^{(1/2)} * a * b^3 * c * d * e^2 * f * ((b*x+a)/(a*d-b*c) * d)^{(1/2)} * (-f*x+e)/(a* \\
& f-b*e) * b)^{(1/2)} * (-d*x+c)/(a*d-b*c) * b)^{(1/2)} - C * x^2 * b^4 * d^2 * e^2 * f + 3 * A * x * b^4 * \\
& c * d * f^3 + 3 * A * x * b^4 * d^2 * e * f^2 - C * x^3 * b^4 * d^2 * e * f^2 - 3 * B * x^2 * a * b^3 * d^2 * f^3 + 3 * A * E \\
& \text{llipticE}(((b*x+a)/(a*d-b*c) * d)^{(1/2)}, ((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2)} * a^2 * b \\
& ^2 * d^2 * f^3 * ((b*x+a)/(a*d-b*c) * d)^{(1/2)} * (-f*x+e)/(a*f-b*e) * b)^{(1/2)} * (-d*x+ \\
& c)/(a*d-b*c) * b)^{(1/2)} - 6 * B * \text{EllipticE}(((b*x+a)/(a*d-b*c) * d)^{(1/2)}, ((a*d-b*c)/ \\
& (a*f-b*e)/d*f)^{(1/2)} * a^3 * b * d^2 * f^3 * ((b*x+a)/(a*d-b*c) * d)^{(1/2)} * (-f*x+e)/( \\
& a*f-b*e) * b)^{(1/2)} * (-d*x+c)/(a*d-b*c) * b)^{(1/2)} - 3 * B * \text{EllipticF}(((b*x+a)/(a*d- \\
& b*c) * d)^{(1/2)}, ((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2)} * a * b^3 * c^2 * f^3 * ((b*x+a)/(a*d- \\
& b*c) * d)^{(1/2)} * (-f*x+e)/(a*f-b*e) * b)^{(1/2)} * (-d*x+c)/(a*d-b*c) * b)^{(1/2)} + 8 * C \\
& * \text{EllipticE}(((b*x+a)/(a*d-b*c) * d)^{(1/2)}, ((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2)} * a^4 \\
& * d^2 * f^3 * ((b*x+a)/(a*d-b*c) * d)^{(1/2)} * (-f*x+e)/(a*f-b*e) * b)^{(1/2)} * (-d*x+c) \\
& / (a*d-b*c) * b)^{(1/2)} - 3 * B * a * b^3 * c * d * e * f^2 + 4 * C * a^2 * b^2 * c * d * e * f^2 - C * a * b^3 * c * d * e \\
& ^2 * f - 9 * B * \text{EllipticE}(((b*x+a)/(a*d-b*c) * d)^{(1/2)}, ((a*d-b*c)/(a*f-b*e)/d*f)^{(1
\end{aligned}$$



$/2)) * a * b^3 * c * d * e * f^2 * ((b * x + a) / (a * d - b * c) * d)^{(1/2)} * (- (f * x + e) / (a * f - b * e) * b)^{(1/2)} * (- (d * x + c) / (a * d - b * c) * b)^{(1/2)} * (f * x + e)^{(1/2)} * (b * x + a)^{(1/2)} * (d * x + c)^{(1/2)} / f^2 / d / (a * f - b * e) / b^4 / (b * d * f * x^3 + a * d * f * x^2 + b * c * f * x^2 + b * d * e * x^2 + a * c * f * x + a * d * e * x + b * c * e * x + a * c * e)$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Cx^2 + Bx + A)\sqrt{dx + c}}{(bx + a)^{\frac{3}{2}}\sqrt{fx + e}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(d\*x+c)^(1/2)/(b\*x+a)^(3/2)/(f\*x+e)^(1/2),x, algorithm="maxima")

[Out] integrate((C\*x^2 + B\*x + A)\*sqrt(d\*x + c)/((b\*x + a)^(3/2)\*sqrt(f\*x + e)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{c + dx} (Cx^2 + Bx + A)}{\sqrt{e + fx} (a + bx)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((c + d\*x)^(1/2)\*(A + B\*x + C\*x^2))/((e + f\*x)^(1/2)\*(a + b\*x)^(3/2)), x)

[Out] int(((c + d\*x)^(1/2)\*(A + B\*x + C\*x^2))/((e + f\*x)^(1/2)\*(a + b\*x)^(3/2)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{c + dx} (A + Bx + Cx^2)}{(a + bx)^{\frac{3}{2}}\sqrt{e + fx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x\*\*2+B\*x+A)\*(d\*x+c)\*\*(1/2)/(b\*x+a)\*\*(3/2)/(f\*x+e)\*\*(1/2),x)

[Out] Integral(sqrt(c + d\*x)\*(A + B\*x + C\*x\*\*2)/((a + b\*x)\*\*(3/2)\*sqrt(e + f\*x)), x)

**3.71** 
$$\int \frac{\sqrt{c+dx} (A+Bx+Cx^2)}{(a+bx)^{5/2} \sqrt{e+fx}} dx$$

**Optimal.** Leaf size=597

$$\frac{2(de - cf)\sqrt{\frac{b(c+dx)}{bc-ad}} \sqrt{\frac{b(e+fx)}{be-af}} (4a^2Cdf - ab(Bdf + 3C(cf + de)) + b^2(Adf + 3Ce)) \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{d}\sqrt{a+bx}}{\sqrt{ad-bc}}\right)\right)}{3b^3\sqrt{d}f\sqrt{c+dx}\sqrt{e+fx}\sqrt{ad-bc}(be-af)}$$

[Out]  $-2/3*(A*b^2-a*(B*b-C*a))*(d*x+c)^{(3/2)}*(f*x+e)^{(1/2)}/b/(-a*d+b*c)/(-a*f+b*e)/(b*x+a)^{(3/2)}-2/3*(4*a^2*C*f+b^2*(-2*A*f+3*B*e)-a*b*(B*f+6*C*e))*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/b^2/(-a*f+b*e)^2/(b*x+a)^{(1/2)}+2/3*(8*a^3*C*d*f^2-a^2*b*f*(2*B*d*f+7*C*c*f+13*C*d*e)+a*b^2*(3*C*e*(4*c*f+d*e)+f*(-A*d*f+B*c*f+4*B*d*e))-b^3*(A*d*e*f+c*(-2*A*f^2+3*B*e*f+3*C*e^2)))*\text{EllipticE}(d^{(1/2)}*(b*x+a)^{(1/2)}/(a*d-b*c)^{(1/2)}, ((-a*d+b*c)*f/d/(-a*f+b*e))^{(1/2)})*d^{(1/2)}*(b*(d*x+c)/(-a*d+b*c))^{(1/2)}*(f*x+e)^{(1/2)}/b^3/f/(-a*f+b*e)^2/(a*d-b*c)^{(1/2)}/(d*x+c)^{(1/2)}/(b*(f*x+e)/(-a*f+b*e))^{(1/2)}+2/3*(-c*f+d*e)*(4*a^2*C*d*f+b^2*(A*d*f+3*C*c*e)-a*b*(B*d*f+3*C*(c*f+d*e)))*\text{EllipticF}(d^{(1/2)}*(b*x+a)^{(1/2)}/(a*d-b*c)^{(1/2)}, ((-a*d+b*c)*f/d/(-a*f+b*e))^{(1/2)})*(b*(d*x+c)/(-a*d+b*c))^{(1/2)}*(b*(f*x+e)/(-a*f+b*e))^{(1/2)}/b^3/f/(-a*f+b*e)/d^{(1/2)}/(a*d-b*c)^{(1/2)}/(d*x+c)^{(1/2)}/(f*x+e)^{(1/2)}$

**Rubi [A]** time = 1.36, antiderivative size = 596, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 38,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.184$ , Rules used = {1614, 150, 158, 114, 113, 121, 120}

$$\frac{2\sqrt{d}\sqrt{e+fx}\sqrt{\frac{b(c+dx)}{bc-ad}} (-a^2bf(2Bdf + 7cCf + 13Cde) + 8a^3Cdf^2 + ab^2(f(-Adf + Bcf + 4Bde) + 3Ce(4cf + de)))}{3b^3f\sqrt{c+dx}\sqrt{ad-bc}(be-af)^2\sqrt{\frac{b(e+fx)}{be-af}}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[c + d\*x]\*(A + B\*x + C\*x^2))/((a + b\*x)^(5/2)\*Sqrt[e + f\*x]),x]

[Out]  $(-2*(4*a^2*C*f + b^2*(3*B*e - 2*A*f) - a*b*(6*C*e + B*f))*\text{Sqrt}[c + d*x]*\text{Sqrt}[e + f*x])/(3*b^2*(b*e - a*f)^2*\text{Sqrt}[a + b*x]) - (2*(A*b^2 - a*(b*B - a*C))*(c + d*x)^{(3/2)}*\text{Sqrt}[e + f*x])/(3*b*(b*c - a*d)*(b*e - a*f)*(a + b*x)^{(3/2)}) + (2*\text{Sqrt}[d]*(8*a^3*C*d*f^2 - a^2*b*f*(13*C*d*e + 7*c*C*f + 2*B*d*f) - b^3*(3*c*C*e^2 + A*d*e*f + c*f*(3*B*e - 2*A*f)) + a*b^2*(3*C*e*(d*e + 4*c*f) + f*(4*B*d*e + B*c*f - A*d*f)))*\text{Sqrt}[(b*(c + d*x))/(b*c - a*d)]*\text{Sqrt}[e + f*x]*\text{EllipticE}[\text{ArcSin}[(\text{Sqrt}[d]*\text{Sqrt}[a + b*x])/\text{Sqrt}[-(b*c) + a*d]], ((b*c - a*d)*f)/(d*(b*e - a*f)))]/(3*b^3*\text{Sqrt}[-(b*c) + a*d]*f*(b*e - a*f)^2*\text{Sqrt}[c + d*x]*\text{Sqrt}[(b*(e + f*x))/(b*e - a*f)]) + (2*(d*e - c*f)*(4*a^2*C*d*f + b^2*(3*c*C*e + A*d*f) - a*b*(B*d*f + 3*C*(d*e + c*f)))*\text{Sqrt}[(b*(c + d*x))/(b*c - a*d)]*\text{Sqrt}[(b*(e + f*x))/(b*e - a*f)]*\text{EllipticF}[\text{ArcSin}[(\text{Sqrt}[d]*\text{Sqrt}[a + b*x])/\text{Sqrt}[-(b*c) + a*d]], ((b*c - a*d)*f)/(d*(b*e - a*f)))]/(3*b^3*\text{Sqrt}[d]*\text{Sqrt}[-(b*c) + a*d]*f*(b*e - a*f)*\text{Sqrt}[c + d*x]*\text{Sqrt}[e + f*x])$

**Rule 113**

Int[Sqrt[(e\_.) + (f\_.)\*(x\_.)]/(Sqrt[(a\_.) + (b\_.)\*(x\_.)]\*Sqrt[(c\_.) + (d\_.)\*(x\_.)]), x\_Symbol] :> Simp[(2\*Rt[-((b\*e - a\*f)/d), 2]\*EllipticE[ArcSin[Sqrt[a + b\*x]/Rt[-((b\*c - a\*d)/d), 2]], (f\*(b\*c - a\*d))/(d\*(b\*e - a\*f))]/b, x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[b/(b\*c - a\*d), 0] && GtQ[b/(b\*e - a\*f), 0] && !LtQ[-((b\*c - a\*d)/d), 0] && !(SimplerQ[c + d\*x, a + b\*x] && GtQ[-(d/(b\*c - a\*d)), 0] && GtQ[d/(d\*e - c\*f), 0] && !LtQ[(b\*c - a\*d)/b, 0])

Rule 114

```
Int[Sqrt[(e_.) + (f_.)*(x_.)]/(Sqrt[(a_.) + (b_.)*(x_.)]*Sqrt[(c_.) + (d_.)*(x_.)]), x_Symbol] := Dist[(Sqrt[e + f*x]*Sqrt[(b*(c + d*x))/(b*c - a*d)])/(Sqrt[c + d*x]*Sqrt[(b*(e + f*x))/(b*e - a*f)]), Int[Sqrt[(b*e)/(b*e - a*f) + (b*f*x)/(b*e - a*f)]/(Sqrt[a + b*x]*Sqrt[(b*c)/(b*c - a*d) + (b*d*x)/(b*c - a*d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !(GtQ[b/(b*c - a*d), 0] && GtQ[b/(b*e - a*f), 0]) && !LtQ[-((b*c - a*d)/d), 0]
```

Rule 120

```
Int[1/(Sqrt[(a_.) + (b_.)*(x_.)]*Sqrt[(c_.) + (d_.)*(x_.)]*Sqrt[(e_.) + (f_.)*(x_.)]), x_Symbol] := Simp[(2*Rt[-(b/d), 2]*EllipticF[ArcSin[Sqrt[a + b*x]/(Rt[-(b/d), 2]*Sqrt[(b*c - a*d)/b])], (f*(b*c - a*d))/(d*(b*e - a*f)))]/(b*Sqrt[(b*e - a*f)/b]), x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[b/(b*c - a*d), 0] && GtQ[b/(b*e - a*f), 0] && SimplifierQ[a + b*x, c + d*x] && SimplifierQ[a + b*x, e + f*x] && (PosQ[-((b*c - a*d)/d)] || NegQ[-((b*e - a*f)/f)])
```

Rule 121

```
Int[1/(Sqrt[(a_.) + (b_.)*(x_.)]*Sqrt[(c_.) + (d_.)*(x_.)]*Sqrt[(e_.) + (f_.)*(x_.)]), x_Symbol] := Dist[Sqrt[(b*(c + d*x))/(b*c - a*d)]/Sqrt[c + d*x], Int[1/(Sqrt[a + b*x]*Sqrt[(b*c)/(b*c - a*d) + (b*d*x)/(b*c - a*d)]*Sqrt[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[(b*c - a*d)/b, 0] && SimplifierQ[a + b*x, c + d*x] && SimplifierQ[a + b*x, e + f*x]
```

Rule 150

```
Int[((a_.) + (b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_.)*((e_.) + (f_.)*(x_.))^(p_.)*((g_.) + (h_.)*(x_.)), x_Symbol] := Simp[((b*g - a*h)*(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^(p + 1))/(b*(b*e - a*f)*(m + 1)), x] - Dist[1/(b*(b*e - a*f)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^(n - 1)*(e + f*x)^p*Simp[b*c*(f*g - e*h)*(m + 1) + (b*g - a*h)*(d*e*n + c*f*(p + 1)) + d*(b*(f*g - e*h)*(m + 1) + f*(b*g - a*h)*(n + p + 1))*x, x], x], x] /; FreeQ[{a, b, c, d, e, f, g, h, p}, x] && LtQ[m, -1] && GtQ[n, 0] && IntegersQ[2*m, 2*n, 2*p]
```

Rule 158

```
Int[((g_.) + (h_.)*(x_.))/(Sqrt[(a_.) + (b_.)*(x_.)]*Sqrt[(c_.) + (d_.)*(x_.)]*Sqrt[(e_.) + (f_.)*(x_.)]), x_Symbol] := Dist[h/f, Int[Sqrt[e + f*x]/(Sqrt[a + b*x]*Sqrt[c + d*x]), x], x] + Dist[(f*g - e*h)/f, Int[1/(Sqrt[a + b*x]*Sqrt[c + d*x]*Sqrt[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && SimplifierQ[a + b*x, e + f*x] && SimplifierQ[c + d*x, e + f*x]
```

Rule 1614

```
Int[(Px_)*((a_.) + (b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_.)*((e_.) + (f_.)*(x_.))^(p_.), x_Symbol] := With[{Qx = PolynomialQuotient[Px, a + b*x, x], R = PolynomialRemainder[Px, a + b*x, x]}, Simp[(b*R*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*ExpandToSum[(m + 1)*(b*c - a*d)*(b*e - a*f)*Qx + a*d*f*R*(m + 1) - b*R*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*R*(m + n + p + 3)*x, x], x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && PolyQ[Px, x] && LtQ[m, -1] && IntegersQ[2*m, 2*n, 2*p]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{c+dx} (A+Bx+Cx^2)}{(a+bx)^{5/2} \sqrt{e+fx}} dx &= -\frac{2(Ab^2 - a(bB - aC))(c+dx)^{3/2} \sqrt{e+fx}}{3b(bc-ad)(be-af)(a+bx)^{3/2}} - 2 \int \frac{\sqrt{c+dx} \left( \frac{a^2C(3de+cf)+b^2(3Bce-2Acf)-ab}{2b} \right)}{(a+bx)^{5/2} \sqrt{e+fx}} dx \\
&= -\frac{2(4a^2Cf + b^2(3Be - 2Af) - ab(6Ce + Bf)) \sqrt{c+dx} \sqrt{e+fx}}{3b^2(be-af)^2 \sqrt{a+bx}} - \frac{2(Ab^2 - a(bB - aC)) \sqrt{c+dx} \sqrt{e+fx}}{3b(bc-ad)(a+bx)^{3/2}} \\
&= -\frac{2(4a^2Cf + b^2(3Be - 2Af) - ab(6Ce + Bf)) \sqrt{c+dx} \sqrt{e+fx}}{3b^2(be-af)^2 \sqrt{a+bx}} - \frac{2(Ab^2 - a(bB - aC)) \sqrt{c+dx} \sqrt{e+fx}}{3b(bc-ad)(a+bx)^{3/2}} \\
&= -\frac{2(4a^2Cf + b^2(3Be - 2Af) - ab(6Ce + Bf)) \sqrt{c+dx} \sqrt{e+fx}}{3b^2(be-af)^2 \sqrt{a+bx}} - \frac{2(Ab^2 - a(bB - aC)) \sqrt{c+dx} \sqrt{e+fx}}{3b(bc-ad)(a+bx)^{3/2}} \\
&= -\frac{2(4a^2Cf + b^2(3Be - 2Af) - ab(6Ce + Bf)) \sqrt{c+dx} \sqrt{e+fx}}{3b^2(be-af)^2 \sqrt{a+bx}} - \frac{2(Ab^2 - a(bB - aC)) \sqrt{c+dx} \sqrt{e+fx}}{3b(bc-ad)(a+bx)^{3/2}} \\
&= -\frac{2(4a^2Cf + b^2(3Be - 2Af) - ab(6Ce + Bf)) \sqrt{c+dx} \sqrt{e+fx}}{3b^2(be-af)^2 \sqrt{a+bx}} - \frac{2(Ab^2 - a(bB - aC)) \sqrt{c+dx} \sqrt{e+fx}}{3b(bc-ad)(a+bx)^{3/2}}
\end{aligned}$$

**Mathematica** [C] time = 11.76, size = 724, normalized size = 1.21

$$2 \left( b^2 f(c+dx)(e+fx) \sqrt{\frac{bc}{d}} - a \left( (a+bx) \left( -5a^3 Cdf + a^2 b(2Bdf + 4cCf + 7Cde) - ab^2(-Adf + Bcf + 4Bde + 6Cde) \right) \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[c + d\*x]\*(A + B\*x + C\*x^2))/((a + b\*x)^(5/2)\*Sqrt[e + f\*x]), x]

[Out] (-2\*(b^2\*Sqrt[-a + (b\*c)/d]\*f\*(c + d\*x)\*(e + f\*x)\*((A\*b^2 + a\*(-(b\*B) + a\*C))\*(b\*c - a\*d)\*(b\*e - a\*f) + (-5\*a^3\*C\*d\*f + b^3\*(3\*B\*c\*e + A\*d\*e - 2\*A\*c\*f) - a\*b^2\*(6\*c\*C\*e + 4\*B\*d\*e + B\*c\*f - A\*d\*f) + a^2\*b\*(7\*C\*d\*e + 4\*c\*C\*f + 2\*B\*d\*f))\*(a + b\*x) + (a + b\*x)\*(b^2\*Sqrt[-a + (b\*c)/d]\*(8\*a^3\*C\*d\*f^2 - a^2\*b\*f\*(13\*C\*d\*e + 7\*c\*C\*f + 2\*B\*d\*f) - b^3\*(3\*c\*C\*e^2 + A\*d\*e\*f + c\*f\*(3\*B\*e - 2\*A\*f)) + a\*b^2\*(3\*C\*e\*(d\*e + 4\*c\*f) + f\*(4\*B\*d\*e + B\*c\*f - A\*d\*f)))\*(c + d\*x)\*(e + f\*x) + I\*(b\*c - a\*d)\*f\*(8\*a^3\*C\*d\*f^2 - a^2\*b\*f\*(13\*C\*d\*e + 7\*c\*C\*f + 2\*B\*d\*f) - b^3\*(3\*c\*C\*e^2 + A\*d\*e\*f + c\*f\*(3\*B\*e - 2\*A\*f)) + a\*b^2\*(3\*C\*e\*(d\*e + 4\*c\*f) + f\*(4\*B\*d\*e + B\*c\*f - A\*d\*f))\*(a + b\*x)^(3/2)\*Sqrt[(b\*(c + d\*x))/(d\*(a + b\*x))]\*Sqrt[(b\*(e + f\*x))/(f\*(a + b\*x))]\*EllipticE[I\*ArcSinh[Sqrt[-a + (b\*c)/d]/Sqrt[a + b\*x]], (b\*d\*e - a\*d\*f)/(b\*c\*f - a\*d\*f)] + I\*b\*(b\*c - a\*d)\*f\*(d\*e - c\*f)\*(-4\*a^2\*C\*f + b^2\*(-3\*B\*e + 2\*A\*f) + a\*b\*(6\*C\*e + B\*f))\*(a + b\*x)^(3/2)\*Sqrt[(b\*(c + d\*x))/(d\*(a + b\*x))]\*Sqrt[(b\*(e + f\*x))/(f\*(a + b\*x))]\*EllipticF[I\*ArcSinh[Sqrt[-a + (b\*c)/d]/Sqrt[a + b\*x]], (b\*d\*e - a\*d\*f)/(b\*c\*f - a\*d\*f)))/(3\*b^4\*Sqrt[-a + (b\*c)/d]\*(b\*c - a\*d)\*f\*(b\*e - a\*f)^2\*(a + b\*x)^(3/2)\*Sqrt[c + d\*x]\*Sqrt[e + f\*x])

**fricas** [F] time = 0.61, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{(Cx^2 + Bx + A)\sqrt{bx + a}\sqrt{dx + c}\sqrt{fx + e}}{b^3fx^4 + a^3e + (b^3e + 3ab^2f)x^3 + 3(ab^2e + a^2bf)x^2 + (3a^2be + a^3f)x}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(d\*x+c)^(1/2)/(b\*x+a)^(5/2)/(f\*x+e)^(1/2),x, algorithm="fricas")

[Out] integral((C\*x^2 + B\*x + A)\*sqrt(b\*x + a)\*sqrt(d\*x + c)\*sqrt(f\*x + e)/(b^3\*f\*x^4 + a^3\*e + (b^3\*e + 3\*a\*b^2\*f)\*x^3 + 3\*(a\*b^2\*e + a^2\*b\*f)\*x^2 + (3\*a^2\*b\*e + a^3\*f)\*x), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Cx^2 + Bx + A)\sqrt{dx + c}}{(bx + a)^{\frac{5}{2}}\sqrt{fx + e}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(d\*x+c)^(1/2)/(b\*x+a)^(5/2)/(f\*x+e)^(1/2),x, algorithm="giac")

[Out] integrate((C\*x^2 + B\*x + A)\*sqrt(d\*x + c)/((b\*x + a)^(5/2)\*sqrt(f\*x + e)), x)

**maple** [B] time = 0.11, size = 13614, normalized size = 22.80

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C\*x^2+B\*x+A)\*(d\*x+c)^(1/2)/(b\*x+a)^(5/2)/(f\*x+e)^(1/2),x)

[Out] result too large to display

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Cx^2 + Bx + A)\sqrt{dx + c}}{(bx + a)^{\frac{5}{2}}\sqrt{fx + e}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(d\*x+c)^(1/2)/(b\*x+a)^(5/2)/(f\*x+e)^(1/2),x, algorithm="maxima")

[Out] integrate((C\*x^2 + B\*x + A)\*sqrt(d\*x + c)/((b\*x + a)^(5/2)\*sqrt(f\*x + e)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{c + dx} (Cx^2 + Bx + A)}{\sqrt{e + fx} (a + bx)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((c + d\*x)^(1/2)\*(A + B\*x + C\*x^2))/((e + f\*x)^(1/2)\*(a + b\*x)^(5/2)),x)

```
[Out] int(((c + d*x)^(1/2)*(A + B*x + C*x^2))/((e + f*x)^(1/2)*(a + b*x)^(5/2)),  
x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x**2+B*x+A)*(d*x+c)**(1/2)/(b*x+a)**(5/2)/(f*x+e)**(1/2),x)
```

```
[Out] Timed out
```

$$3.72 \quad \int \frac{\sqrt{c+dx} (A+Bx+Cx^2)}{(a+bx)^{7/2} \sqrt{e+fx}} dx$$

**Optimal.** Leaf size=1034

$$\frac{2(Ab^2 - a(bB - aC))\sqrt{e+fx}(c+dx)^{3/2}}{5b(bc-ad)(be-af)(a+bx)^{5/2}} - \frac{2(8Cd^2f^2a^4 - bdf(23Cde + 13cCf - 2Bdf)a^3 - b^2(df(7Bde + 2$$

[Out]  $-2/5*(A*b^2-a*(B*b-C*a))*(d*x+c)^{(3/2)}*(f*x+e)^{(1/2)}/b/(-a*d+b*c)/(-a*f+b*e)/(b*x+a)^{(5/2)}+2/15*(4*a^3*C*d*f-b^3*(-4*A*c*f-2*A*d*e+5*B*c*e)+a*b^2*(-6*A*d*f+B*c*f+3*B*d*e+10*C*c*e)-a^2*b*(-B*d*f+6*C*c*f+8*C*d*e))*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/b^2/(-a*d+b*c)/(-a*f+b*e)^2/(b*x+a)^{(3/2)}-2/15*(8*a^4*C*d^2*f^2-a^3*b*d*f*(-2*B*d*f+13*C*c*f+23*C*d*e)-b^4*(2*A*d^2*e^2-c*d*e*(-3*A*f+5*B*e)-c^2*(8*A*f^2-10*B*e*f+15*C*e^2))-a^2*b^2*(d*f*(-3*A*d*f+2*B*c*f+7*B*d*e)-C*(3*c^2*f^2+37*c*d*e*f+23*d^2*e^2))-a*b^3*(d^2*e*(-7*A*f+3*B*e)+2*c^2*f*(-B*f+5*C*e)+c*d*(40*C*e^2-13*f*(-A*f+B*e)))*EllipticE(d^(1/2)*(b*x+a)^(1/2)/(a*d-b*c)^(1/2),((-a*d+b*c)*f/d/(-a*f+b*e))^(1/2))*d^(1/2)*(b*(d*x+c)/(-a*d+b*c))^(1/2)*(f*x+e)^(1/2)/b^3/(a*d-b*c)^(3/2)/(-a*f+b*e)^3/(d*x+c)^(1/2)/(b*(f*x+e)/(-a*f+b*e))^(1/2)+2/15*(-c*f+d*e)*(4*a^3*C*d*f-b^3*(-4*A*c*f-2*A*d*e+5*B*c*e)+a*b^2*(-6*A*d*f+B*c*f+3*B*d*e+10*C*c*e)-a^2*b*(-B*d*f+6*C*c*f+8*C*d*e))*EllipticF(d^(1/2)*(b*x+a)^(1/2)/(a*d-b*c)^(1/2),((-a*d+b*c)*f/d/(-a*f+b*e))^(1/2))*d^(1/2)*(b*(d*x+c)/(-a*d+b*c))^(1/2)*(b*(f*x+e)/(-a*f+b*e))^(1/2)/b^3/(a*d-b*c)^(3/2)/(-a*f+b*e)^2/(d*x+c)^(1/2)/(f*x+e)^(1/2)$

**Rubi [A]** time = 3.16, antiderivative size = 1034, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 38,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.210$ , Rules used = {1614, 150, 152, 158, 114, 113, 121, 120}

$$\frac{2(Ab^2 - a(bB - aC))\sqrt{e+fx}(c+dx)^{3/2}}{5b(bc-ad)(be-af)(a+bx)^{5/2}} - \frac{2(8Cd^2f^2a^4 - bdf(23Cde + 13cCf - 2Bdf)a^3 - b^2(df(7Bde + 2$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[c + d\*x]\*(A + B\*x + C\*x^2))/((a + b\*x)^(7/2)\*Sqrt[e + f\*x]), x]

[Out]  $(2*(4*a^3*C*d*f - b^3*(5*B*c*e - 2*A*d*e - 4*A*c*f) + a*b^2*(10*c*C*e + 3*B*d*e + B*c*f - 6*A*d*f) - a^2*b*(8*C*d*e + 6*c*C*f - B*d*f))*Sqrt[c + d*x]*Sqrt[e + f*x]/(15*b^2*(b*c - a*d)*(b*e - a*f)^2*(a + b*x)^(3/2)) - (2*(8*a^4*C*d^2*f^2 - a^3*b*d*f*(23*C*d*e + 13*c*C*f - 2*B*d*f) - b^4*(2*A*d^2*e^2 - c*d*e*(5*B*e - 3*A*f) - c^2*(15*C*e^2 - 10*B*e*f + 8*A*f^2)) - a^2*b^2*(d*f*(7*B*d*e + 2*B*c*f - 3*A*d*f) - C*(23*d^2*e^2 + 37*c*d*e*f + 3*c^2*f^2)) - a*b^3*(d^2*e*(3*B*e - 7*A*f) + 2*c^2*f*(5*C*e - B*f) + c*d*(40*C*e^2 - 13*f*(B*e - A*f)))*Sqrt[c + d*x]*Sqrt[e + f*x]/(15*b^2*(b*c - a*d)^2*(b*e - a*f)^3*Sqrt[a + b*x]) - (2*(A*b^2 - a*(b*B - a*C))*(c + d*x)^(3/2)*Sqrt[e + f*x]/(5*b*(b*c - a*d)*(b*e - a*f)*(a + b*x)^(5/2)) + (2*Sqrt[d]*(8*a^4*C*d^2*f^2 - a^3*b*d*f*(23*C*d*e + 13*c*C*f - 2*B*d*f) - b^4*(2*A*d^2*e^2 - c*d*e*(5*B*e - 3*A*f) - c^2*(15*C*e^2 - 10*B*e*f + 8*A*f^2)) - a^2*b^2*(d*f*(7*B*d*e + 2*B*c*f - 3*A*d*f) - C*(23*d^2*e^2 + 37*c*d*e*f + 3*c^2*f^2)) - a*b^3*(d^2*e*(3*B*e - 7*A*f) + 2*c^2*f*(5*C*e - B*f) + c*d*(40*C*e^2 - 13$

```

*f*(B*e - A*f)))*Sqrt[(b*(c + d*x))/(b*c - a*d)]*Sqrt[e + f*x]*EllipticE[ArcSin[(Sqrt[d]*Sqrt[a + b*x])/Sqrt[-(b*c) + a*d]], ((b*c - a*d)*f)/(d*(b*e - a*f)))]/(15*b^3*(-(b*c) + a*d)^(3/2)*(b*e - a*f)^3*Sqrt[c + d*x]*Sqrt[(b*(e + f*x))/(b*e - a*f)]) + (2*Sqrt[d]*(d*e - c*f)*(4*a^3*C*d*f - b^3*(5*B*c*e - 2*A*d*e - 4*A*c*f) + a*b^2*(10*c*C*e + 3*B*d*e + B*c*f - 6*A*d*f) - a^2*b*(8*C*d*e + 6*c*C*f - B*d*f))*Sqrt[(b*(c + d*x))/(b*c - a*d)]*Sqrt[(b*(e + f*x))/(b*e - a*f)]*EllipticF[ArcSin[(Sqrt[d]*Sqrt[a + b*x])/Sqrt[-(b*c) + a*d]], ((b*c - a*d)*f)/(d*(b*e - a*f)))]/(15*b^3*(-(b*c) + a*d)^(3/2)*(b*e - a*f)^2*Sqrt[c + d*x]*Sqrt[e + f*x])

```

### Rule 113

```

Int[Sqrt[(e_.) + (f_.)*(x_.)]/(Sqrt[(a_.) + (b_.)*(x_.)]*Sqrt[(c_.) + (d_.)*(x_.)]), x_Symbol] := Simp[(2*Rt[-((b*e - a*f)/d), 2]*EllipticE[ArcSin[Sqrt[a + b*x]/Rt[-((b*c - a*d)/d), 2]], (f*(b*c - a*d))/(d*(b*e - a*f))]/b, x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[b/(b*c - a*d), 0] && GtQ[b/(b*e - a*f), 0] && !LtQ[-((b*c - a*d)/d), 0] && !(SimplerQ[c + d*x, a + b*x] && GtQ[-(d/(b*c - a*d)), 0] && GtQ[d/(d*e - c*f), 0] && !LtQ[(b*c - a*d)/b, 0])

```

### Rule 114

```

Int[Sqrt[(e_.) + (f_.)*(x_.)]/(Sqrt[(a_.) + (b_.)*(x_.)]*Sqrt[(c_.) + (d_.)*(x_.)]), x_Symbol] := Dist[(Sqrt[e + f*x]*Sqrt[(b*(c + d*x))/(b*c - a*d)]/(Sqrt[c + d*x]*Sqrt[(b*(e + f*x))/(b*e - a*f)]), Int[Sqrt[(b*e)/(b*e - a*f) + (b*f*x)/(b*e - a*f)]/(Sqrt[a + b*x]*Sqrt[(b*c)/(b*c - a*d) + (b*d*x)/(b*c - a*d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !(GtQ[b/(b*c - a*d), 0] && GtQ[b/(b*e - a*f), 0]) && !LtQ[-((b*c - a*d)/d), 0]

```

### Rule 120

```

Int[1/(Sqrt[(a_.) + (b_.)*(x_.)]*Sqrt[(c_.) + (d_.)*(x_.)]*Sqrt[(e_.) + (f_.)*(x_.)]), x_Symbol] := Simp[(2*Rt[-(b/d), 2]*EllipticF[ArcSin[Sqrt[a + b*x]/Rt[-(b/d), 2]*Sqrt[(b*c - a*d)/b]], (f*(b*c - a*d))/(d*(b*e - a*f)))]/(b*Sqrt[(b*e - a*f)/b]), x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[b/(b*c - a*d), 0] && GtQ[b/(b*e - a*f), 0] && SimplerQ[a + b*x, c + d*x] && SimplerQ[a + b*x, e + f*x] && (PosQ[-((b*c - a*d)/d)] || NegQ[-((b*e - a*f)/f)])

```

### Rule 121

```

Int[1/(Sqrt[(a_.) + (b_.)*(x_.)]*Sqrt[(c_.) + (d_.)*(x_.)]*Sqrt[(e_.) + (f_.)*(x_.)]), x_Symbol] := Dist[Sqrt[(b*(c + d*x))/(b*c - a*d)]/Sqrt[c + d*x], Int[1/(Sqrt[a + b*x]*Sqrt[(b*c)/(b*c - a*d) + (b*d*x)/(b*c - a*d)]*Sqrt[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[(b*c - a*d)/b, 0] && SimplerQ[a + b*x, c + d*x] && SimplerQ[a + b*x, e + f*x]

```

### Rule 150

```

Int[((a_.) + (b_.)*(x_.))^(m_)*((c_.) + (d_.)*(x_.))^(n_)*((e_.) + (f_.)*(x_.))^(p_)*((g_.) + (h_.)*(x_.)), x_Symbol] := Simp[((b*g - a*h)*(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^(p + 1))/(b*(b*e - a*f)*(m + 1)), x] - Dist[1/(b*(b*e - a*f)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^(n - 1)*(e + f*x)^p*Simp[b*c*(f*g - e*h)*(m + 1) + (b*g - a*h)*(d*e*n + c*f*(p + 1)) + d*(b*(f*g - e*h)*(m + 1) + f*(b*g - a*h)*(n + p + 1))*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, p}, x] && LtQ[m, -1] && GtQ[n, 0] && IntegersQ[2*m, 2*n, 2*p]

```

### Rule 152

```

Int[((a_.) + (b_.)*(x_.))^(m_)*((c_.) + (d_.)*(x_.))^(n_)*((e_.) + (f_.)*(x_.))^(p_)*((g_.) + (h_.)*(x_.)), x_Symbol] := Simp[((b*g - a*h)*(a + b*x)^(m +

```



```

1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)),
x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d
*x)^(n)*(e + f*x)^p*Simp[(a*d*f*g - b*(d*e + c*f)*g + b*c*e*h)*(m + 1) - (b*g
- a*h)*(d*e*(n + 1) + c*f*(p + 1)) - d*f*(b*g - a*h)*(m + n + p + 3)*x, x]
, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && LtQ[m, -1] && Integ
ersQ[2*m, 2*n, 2*p]

```

### Rule 158

```

Int[((g_.) + (h_.)*(x_))/(Sqrt[(a_.) + (b_.)*(x_)]*Sqrt[(c_.) + (d_.)*(x_)]*
Sqrt[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[h/f, Int[Sqrt[e + f*x]/(Sqrt[a
+ b*x]*Sqrt[c + d*x]), x], x] + Dist[(f*g - e*h)/f, Int[1/(Sqrt[a + b*x]*Sq
rt[c + d*x]*Sqrt[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] &&
SimplerQ[a + b*x, e + f*x] && SimplerQ[c + d*x, e + f*x]

```

### Rule 1614

```

Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_
.)*(x_))^(p_), x_Symbol] :> With[{Qx = PolynomialQuotient[Px, a + b*x, x],
R = PolynomialRemainder[Px, a + b*x, x]}, Simp[(b*R*(a + b*x)^(m + 1)*(c +
d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Di
st[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^(n*(
e + f*x)^p*ExpandToSum[(m + 1)*(b*c - a*d)*(b*e - a*f)*Qx + a*d*f*R*(m + 1)
- b*R*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*R*(m + n + p + 3)*x, x],
x], x]] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && PolyQ[Px, x] && LtQ[m, -1
] && IntegersQ[2*m, 2*n, 2*p]

```

### Rubi steps

$$\int \frac{\sqrt{c+dx} (A+Bx+Cx^2)}{(a+bx)^{7/2} \sqrt{e+fx}} dx = -\frac{2(Ab^2 - a(bB - aC))(c+dx)^{3/2} \sqrt{e+fx}}{5b(bc-ad)(be-af)(a+bx)^{5/2}} - 2 \int \frac{\sqrt{c+dx} \left( \frac{a^2C(3de+cf)+b^2(5Bce-2Ade-4A}{2} \right)}{15b^2(bc-ad)(be-af)^2(a+bx)^{3/2}} dx$$

$$= \frac{2(4a^3Cdf - b^3(5Bce - 2Ade - 4Acf) + ab^2(10cCe + 3Bde + Bcf - 6Adf) - a^2C(3de+cf)+b^2(5Bce-2Ade-4A)}{15b^2(bc-ad)(be-af)^2(a+bx)^{3/2}}$$

$$= \frac{2(4a^3Cdf - b^3(5Bce - 2Ade - 4Acf) + ab^2(10cCe + 3Bde + Bcf - 6Adf) - a^2C(3de+cf)+b^2(5Bce-2Ade-4A)}{15b^2(bc-ad)(be-af)^2(a+bx)^{3/2}}$$

$$= \frac{2(4a^3Cdf - b^3(5Bce - 2Ade - 4Acf) + ab^2(10cCe + 3Bde + Bcf - 6Adf) - a^2C(3de+cf)+b^2(5Bce-2Ade-4A)}{15b^2(bc-ad)(be-af)^2(a+bx)^{3/2}}$$

$$= \frac{2(4a^3Cdf - b^3(5Bce - 2Ade - 4Acf) + ab^2(10cCe + 3Bde + Bcf - 6Adf) - a^2C(3de+cf)+b^2(5Bce-2Ade-4A)}{15b^2(bc-ad)(be-af)^2(a+bx)^{3/2}}$$

$$= \frac{2(4a^3Cdf - b^3(5Bce - 2Ade - 4Acf) + ab^2(10cCe + 3Bde + Bcf - 6Adf) - a^2C(3de+cf)+b^2(5Bce-2Ade-4A)}{15b^2(bc-ad)(be-af)^2(a+bx)^{3/2}}$$

$$= \frac{2(4a^3Cdf - b^3(5Bce - 2Ade - 4Acf) + ab^2(10cCe + 3Bde + Bcf - 6Adf) - a^2C(3de+cf)+b^2(5Bce-2Ade-4A)}{15b^2(bc-ad)(be-af)^2(a+bx)^{3/2}}$$

**Mathematica [C]** time = 16.09, size = 9186, normalized size = 8.88

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(Sqrt[c + d\*x]\*(A + B\*x + C\*x^2))/((a + b\*x)^(7/2)\*Sqrt[e + f\*x]), x]

[Out] Result too large to show

**fricas [F]** time = 0.61, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{(Cx^2 + Bx + A)\sqrt{bx+a}\sqrt{dx+c}\sqrt{fx+e}}{b^4fx^5 + a^4e + (b^4e + 4ab^3f)x^4 + 2(2ab^3e + 3a^2b^2f)x^3 + 2(3a^2b^2e + 2a^3bf)x^2 + (4a^3be + a^4f)x}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(d\*x+c)^(1/2)/(b\*x+a)^(7/2)/(f\*x+e)^(1/2), x, algorithm="fricas")

[Out] integral((C\*x^2 + B\*x + A)\*sqrt(b\*x + a)\*sqrt(d\*x + c)\*sqrt(f\*x + e)/(b^4\*f\*x^5 + a^4\*e + (b^4\*e + 4\*a\*b^3\*f)\*x^4 + 2\*(2\*a\*b^3\*e + 3\*a^2\*b^2\*f)\*x^3 + 2\*(3\*a^2\*b^2\*e + 2\*a^3\*b\*f)\*x^2 + (4\*a^3\*b\*e + a^4\*f)\*x), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Cx^2 + Bx + A)\sqrt{dx + c}}{(bx + a)^{\frac{7}{2}}\sqrt{fx + e}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(d\*x+c)^(1/2)/(b\*x+a)^(7/2)/(f\*x+e)^(1/2),x, algorithm="giac")

[Out] integrate((C\*x^2 + B\*x + A)\*sqrt(d\*x + c)/((b\*x + a)^(7/2)\*sqrt(f\*x + e)), x)

**maple** [B] time = 0.32, size = 33007, normalized size = 31.92

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C\*x^2+B\*x+A)\*(d\*x+c)^(1/2)/(b\*x+a)^(7/2)/(f\*x+e)^(1/2),x)

[Out] result too large to display

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Cx^2 + Bx + A)\sqrt{dx + c}}{(bx + a)^{\frac{7}{2}}\sqrt{fx + e}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(d\*x+c)^(1/2)/(b\*x+a)^(7/2)/(f\*x+e)^(1/2),x, algorithm="maxima")

[Out] integrate((C\*x^2 + B\*x + A)\*sqrt(d\*x + c)/((b\*x + a)^(7/2)\*sqrt(f\*x + e)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{c + dx} (Cx^2 + Bx + A)}{\sqrt{e + fx} (a + bx)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((c + d\*x)^(1/2)\*(A + B\*x + C\*x^2))/((e + f\*x)^(1/2)\*(a + b\*x)^(7/2)),x)

[Out] int(((c + d\*x)^(1/2)\*(A + B\*x + C\*x^2))/((e + f\*x)^(1/2)\*(a + b\*x)^(7/2)), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x\*\*2+B\*x+A)\*(d\*x+c)\*\*(1/2)/(b\*x+a)\*\*(7/2)/(f\*x+e)\*\*(1/2),x)

[Out] Timed out

$$3.73 \quad \int \frac{(a+bx)^{3/2}(A+Bx+Cx^2)}{\sqrt{c+dx}\sqrt{e+fx}} dx$$

**Optimal.** Leaf size=838

$$\frac{2C\sqrt{c+dx}\sqrt{e+fx}(a+bx)^{5/2}}{7bdf} - \frac{2(2aCdf - b(7Bdf - 6C(de+cf)))\sqrt{c+dx}\sqrt{e+fx}(a+bx)^{3/2}}{35bd^2f^2} - \frac{2(5bdf(5bcCe$$

[Out]  $-2/35*(2*a*C*d*f-b*(7*B*d*f-6*C*(c*f+d*e)))*(b*x+a)^{(3/2)}*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/b/d^2/f^2+2/7*C*(b*x+a)^{(5/2)}*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/b/d/f-2/105*(5*b*d*f*(-7*A*b*d*f+C*a*c*f+C*a*d*e+5*C*b*c*e)+(3*a*d*f-4*b*(c*f+d*e)))*(2*a*C*d*f-b*(7*B*d*f-6*C*(c*f+d*e)))*(b*x+a)^{(1/2)}*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/b/d^3/f^3-2/105*(3*b*d*f*(5*a*d*f*(-7*A*b*d*f+C*a*c*f+C*a*d*e+5*C*b*c*e)-(a*c*f+a*d*e+3*b*c*e)*(2*a*C*d*f-b*(7*B*d*f-6*C*(c*f+d*e))))+2*(1/2*a*d*f-b*(c*f+d*e))*(5*b*d*f*(-7*A*b*d*f+C*a*c*f+C*a*d*e+5*C*b*c*e)+(3*a*d*f-4*b*(c*f+d*e))*(2*a*C*d*f-b*(7*B*d*f-6*C*(c*f+d*e))))*EllipticE(d^(1/2)*(b*x+a)^(1/2)/(a*d-b*c)^(1/2),((-a*d+b*c)*f/d/(-a*f+b*e))^(1/2))*(a*d-b*c)^(1/2)*(b*(d*x+c)/(-a*d+b*c))^(1/2)*(f*x+e)^(1/2)/b^2/d^(7/2)/f^4/(d*x+c)^(1/2)/(b*(f*x+e)/(-a*f+b*e))^(1/2)-2/105*(-a*f+b*e)*(3*a^2*C*d^2*f^2*(-c*f+d*e)-3*a*b*d*f*(7*d*f*(-5*A*d*f+2*B*c*f+3*B*d*e)-C*(11*c^2*f^2+8*c*d*e*f+16*d^2*e^2))-b^2*(C*(24*c^3*f^3+17*c^2*d*e*f^2+16*c*d^2*e^2*f+48*d^3*e^3)+7*d*f*(5*A*d*f*(c*f+2*d*e)-B*(4*c^2*f^2+3*c*d*e*f+8*d^2*e^2)))*EllipticF(d^(1/2)*(b*x+a)^(1/2)/(a*d-b*c)^(1/2),((-a*d+b*c)*f/d/(-a*f+b*e))^(1/2))*(a*d-b*c)^(1/2)*(b*(d*x+c)/(-a*d+b*c))^(1/2)*(b*(f*x+e)/(-a*f+b*e))^(1/2)/b^2/d^(7/2)/f^4/(d*x+c)^(1/2)/(f*x+e)^(1/2)$

**Rubi [A]** time = 2.17, antiderivative size = 831, normalized size of antiderivative = 0.99, number of steps used = 9, number of rules used = 7, integrand size = 38,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.184$ , Rules used = {1615, 154, 158, 114, 113, 121, 120}

$$\frac{2C\sqrt{c+dx}\sqrt{e+fx}(a+bx)^{5/2}}{7bdf} + \frac{2(7bBdf - 2aCdf - 6bC(de+cf))\sqrt{c+dx}\sqrt{e+fx}(a+bx)^{3/2}}{35bd^2f^2} - \frac{2(5bdf(5bcCe$$

Antiderivative was successfully verified.

[In] Int[((a + b\*x)^(3/2)\*(A + B\*x + C\*x^2))/(Sqrt[c + d\*x]\*Sqrt[e + f\*x]),x]

[Out]  $(-2*(5*b*d*f*(5*b*c*C*e + a*C*d*e + a*c*C*f - 7*A*b*d*f) - (3*a*d*f - 4*b*(d*e + c*f)))*(7*b*B*d*f - 2*a*C*d*f - 6*b*C*(d*e + c*f))*Sqrt[a + b*x]*Sqrt[c + d*x]*Sqrt[e + f*x]/(105*b*d^3*f^3) + (2*(7*b*B*d*f - 2*a*C*d*f - 6*b*C*(d*e + c*f))*(a + b*x)^(3/2)*Sqrt[c + d*x]*Sqrt[e + f*x])/(35*b*d^2*f^2) + (2*C*(a + b*x)^(5/2)*Sqrt[c + d*x]*Sqrt[e + f*x])/(7*b*d*f) - (2*Sqrt[-(b*c) + a*d]*(3*b*d*f*(5*a*d*f*(5*b*c*C*e + a*C*d*e + a*c*C*f - 7*A*b*d*f) + (3*b*c*e + a*d*e + a*c*f)*(7*b*B*d*f - 2*a*C*d*f - 6*b*C*(d*e + c*f)))) + 2*((a*d*f)/2 - b*(d*e + c*f))*(5*b*d*f*(5*b*c*C*e + a*C*d*e + a*c*C*f - 7*A*b*d*f) - (3*a*d*f - 4*b*(d*e + c*f))*(7*b*B*d*f - 2*a*C*d*f - 6*b*C*(d*e + c*f)))*Sqrt[(b*(c + d*x))/(b*c - a*d)]*Sqrt[e + f*x]*EllipticE[ArcSin[(Sqrt[d]*Sqrt[a + b*x])/Sqrt[-(b*c) + a*d]], ((b*c - a*d)*f)/(d*(b*e - a*f)))]/(105*b^2*d^(7/2)*f^4*Sqrt[c + d*x]*Sqrt[(b*(e + f*x))/(b*e - a*f)]) - (2*Sqrt[-(b*c) + a*d]*(b*e - a*f)*(3*a^2*C*d^2*f^2*(d*e - c*f) - 3*a*b*d*f*(7*d*f*(3*B*d*e + 2*B*c*f - 5*A*d*f) - C*(16*d^2*e^2 + 8*c*d*e*f + 11*c^2*f^2)) - b^2*(C*(48*d^3*e^3 + 16*c*d^2*e^2*f + 17*c^2*d*e*f^2 + 24*c^3*f^3) + 7*d*f*(5*A*d*f*(2*d*e + c*f) - B*(8*d^2*e^2 + 3*c*d*e*f + 4*c^2*f^2))))*Sqrt[(b*(c + d*x))/(b*c - a*d)]*Sqrt[(b*(e + f*x))/(b*e - a*f)]*EllipticF[ArcSin[(S$

$\text{qrt}[d] \cdot \text{Sqrt}[a + b \cdot x] / \text{Sqrt}[-(b \cdot c) + a \cdot d], ((b \cdot c - a \cdot d) \cdot f) / (d \cdot (b \cdot e - a \cdot f)) / (105 \cdot b^2 \cdot d^{(7/2)} \cdot f^4 \cdot \text{Sqrt}[c + d \cdot x] \cdot \text{Sqrt}[e + f \cdot x])$

### Rule 113

$\text{Int}[\text{Sqrt}[(e_{\_}) + (f_{\_}) \cdot (x_{\_})] / (\text{Sqrt}[(a_{\_}) + (b_{\_}) \cdot (x_{\_})] \cdot \text{Sqrt}[(c_{\_}) + (d_{\_}) \cdot (x_{\_})]), x\_Symbol] \rightarrow \text{Simp}[(2 \cdot \text{Rt}[-((b \cdot e - a \cdot f)/d), 2] \cdot \text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b \cdot x] / \text{Rt}[-((b \cdot c - a \cdot d)/d), 2]], (f \cdot (b \cdot c - a \cdot d)) / (d \cdot (b \cdot e - a \cdot f))]) / b, x] /;$   
 $\text{FreeQ}[\{a, b, c, d, e, f\}, x] \ \&\& \ \text{GtQ}[b / (b \cdot c - a \cdot d), 0] \ \&\& \ \text{GtQ}[b / (b \cdot e - a \cdot f), 0] \ \&\& \ \text{!LtQ}[-((b \cdot c - a \cdot d)/d), 0] \ \&\& \ \text{!}(\text{SimplerQ}[c + d \cdot x, a + b \cdot x] \ \&\& \ \text{GtQ}[-(d / (b \cdot c - a \cdot d)), 0] \ \&\& \ \text{GtQ}[d / (d \cdot e - c \cdot f), 0] \ \&\& \ \text{!LtQ}[(b \cdot c - a \cdot d) / b, 0])$

### Rule 114

$\text{Int}[\text{Sqrt}[(e_{\_}) + (f_{\_}) \cdot (x_{\_})] / (\text{Sqrt}[(a_{\_}) + (b_{\_}) \cdot (x_{\_})] \cdot \text{Sqrt}[(c_{\_}) + (d_{\_}) \cdot (x_{\_})]), x\_Symbol] \rightarrow \text{Dist}[(\text{Sqrt}[e + f \cdot x] \cdot \text{Sqrt}[(b \cdot (c + d \cdot x)) / (b \cdot c - a \cdot d)]) / (\text{Sqrt}[c + d \cdot x] \cdot \text{Sqrt}[(b \cdot (e + f \cdot x)) / (b \cdot e - a \cdot f)]), \text{Int}[\text{Sqrt}[(b \cdot e) / (b \cdot e - a \cdot f) + (b \cdot f \cdot x) / (b \cdot e - a \cdot f)] / (\text{Sqrt}[a + b \cdot x] \cdot \text{Sqrt}[(b \cdot c) / (b \cdot c - a \cdot d) + (b \cdot d \cdot x) / (b \cdot c - a \cdot d)]), x], x] /;$   
 $\text{FreeQ}[\{a, b, c, d, e, f\}, x] \ \&\& \ \text{!}(\text{GtQ}[b / (b \cdot c - a \cdot d), 0] \ \&\& \ \text{GtQ}[b / (b \cdot e - a \cdot f), 0]) \ \&\& \ \text{!LtQ}[-((b \cdot c - a \cdot d)/d), 0]$

### Rule 120

$\text{Int}[1 / (\text{Sqrt}[(a_{\_}) + (b_{\_}) \cdot (x_{\_})] \cdot \text{Sqrt}[(c_{\_}) + (d_{\_}) \cdot (x_{\_})] \cdot \text{Sqrt}[(e_{\_}) + (f_{\_}) \cdot (x_{\_})]), x\_Symbol] \rightarrow \text{Simp}[(2 \cdot \text{Rt}[-(b/d), 2] \cdot \text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b \cdot x] / \text{Rt}[-(b/d), 2] \cdot \text{Sqrt}[(b \cdot c - a \cdot d)/b]], (f \cdot (b \cdot c - a \cdot d)) / (d \cdot (b \cdot e - a \cdot f))]) / (b \cdot \text{Sqrt}[(b \cdot e - a \cdot f)/b]), x] /;$   
 $\text{FreeQ}[\{a, b, c, d, e, f\}, x] \ \&\& \ \text{GtQ}[b / (b \cdot c - a \cdot d), 0] \ \&\& \ \text{GtQ}[b / (b \cdot e - a \cdot f), 0] \ \&\& \ \text{SimplerQ}[a + b \cdot x, c + d \cdot x] \ \&\& \ \text{SimplerQ}[a + b \cdot x, e + f \cdot x] \ \&\& \ (\text{PosQ}[-((b \cdot c - a \cdot d)/d)] \ \|\ \text{NegQ}[-((b \cdot e - a \cdot f)/f)])$

### Rule 121

$\text{Int}[1 / (\text{Sqrt}[(a_{\_}) + (b_{\_}) \cdot (x_{\_})] \cdot \text{Sqrt}[(c_{\_}) + (d_{\_}) \cdot (x_{\_})] \cdot \text{Sqrt}[(e_{\_}) + (f_{\_}) \cdot (x_{\_})]), x\_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[(b \cdot (c + d \cdot x)) / (b \cdot c - a \cdot d)] / \text{Sqrt}[c + d \cdot x], \text{Int}[1 / (\text{Sqrt}[a + b \cdot x] \cdot \text{Sqrt}[(b \cdot c) / (b \cdot c - a \cdot d) + (b \cdot d \cdot x) / (b \cdot c - a \cdot d)] \cdot \text{Sqrt}[e + f \cdot x]), x], x] /;$   
 $\text{FreeQ}[\{a, b, c, d, e, f\}, x] \ \&\& \ \text{!GtQ}[(b \cdot c - a \cdot d) / b, 0] \ \&\& \ \text{SimplerQ}[a + b \cdot x, c + d \cdot x] \ \&\& \ \text{SimplerQ}[a + b \cdot x, e + f \cdot x]$

### Rule 154

$\text{Int}[(a_{\_}) + (b_{\_}) \cdot (x_{\_})]^{(m_{\_})} \cdot ((c_{\_}) + (d_{\_}) \cdot (x_{\_}))^{(n_{\_})} \cdot ((e_{\_}) + (f_{\_}) \cdot (x_{\_}))^{(p_{\_})} \cdot ((g_{\_}) + (h_{\_}) \cdot (x_{\_})), x\_Symbol] \rightarrow \text{Simp}[(h \cdot (a + b \cdot x)^m \cdot (c + d \cdot x)^{(n+1)} \cdot (e + f \cdot x)^{(p+1)}) / (d \cdot f \cdot (m + n + p + 2)), x] + \text{Dist}[1 / (d \cdot f \cdot (m + n + p + 2)), \text{Int}[(a + b \cdot x)^{(m-1)} \cdot (c + d \cdot x)^n \cdot (e + f \cdot x)^p \cdot \text{Simp}[a \cdot d \cdot f \cdot g \cdot (m + n + p + 2) - h \cdot (b \cdot c \cdot e \cdot m + a \cdot (d \cdot e \cdot (n + 1) + c \cdot f \cdot (p + 1))) + (b \cdot d \cdot f \cdot g \cdot (m + n + p + 2) + h \cdot (a \cdot d \cdot f \cdot m - b \cdot (d \cdot e \cdot (m + n + 1) + c \cdot f \cdot (m + p + 1)))] \cdot x, x], x] /;$   
 $\text{FreeQ}[\{a, b, c, d, e, f, g, h, n, p\}, x] \ \&\& \ \text{GtQ}[m, 0] \ \&\& \ \text{NeQ}[m + n + p + 2, 0] \ \&\& \ \text{IntegersQ}[2 \cdot m, 2 \cdot n, 2 \cdot p]$

### Rule 158

$\text{Int}[(g_{\_}) + (h_{\_}) \cdot (x_{\_})] / (\text{Sqrt}[(a_{\_}) + (b_{\_}) \cdot (x_{\_})] \cdot \text{Sqrt}[(c_{\_}) + (d_{\_}) \cdot (x_{\_})] \cdot \text{Sqrt}[(e_{\_}) + (f_{\_}) \cdot (x_{\_})]), x\_Symbol] \rightarrow \text{Dist}[h/f, \text{Int}[\text{Sqrt}[e + f \cdot x] / (\text{Sqrt}[a + b \cdot x] \cdot \text{Sqrt}[c + d \cdot x]), x], x] + \text{Dist}[(f \cdot g - e \cdot h) / f, \text{Int}[1 / (\text{Sqrt}[a + b \cdot x] \cdot \text{Sqrt}[c + d \cdot x] \cdot \text{Sqrt}[e + f \cdot x]), x], x] /;$   
 $\text{FreeQ}[\{a, b, c, d, e, f, g, h\}, x] \ \&\& \ \text{SimplerQ}[a + b \cdot x, e + f \cdot x] \ \&\& \ \text{SimplerQ}[c + d \cdot x, e + f \cdot x]$

### Rule 1615

$\text{Int}[(P_{x_{\_}}) \cdot ((a_{\_}) + (b_{\_}) \cdot (x_{\_}))^{(m_{\_})} \cdot ((c_{\_}) + (d_{\_}) \cdot (x_{\_}))^{(n_{\_})} \cdot ((e_{\_}) + (f_{\_}) \cdot (x_{\_}))^{(p_{\_})}], x\_Symbol]$

```

_.)*(x_))^(p_), x_Symbol] := With[{q = Expon[Px, x], k = Coeff[Px, x, Expo
n[Px, x]]}, Simp[(k*(a + b*x)^(m + q - 1)*(c + d*x)^(n + 1)*(e + f*x)^(p +
1))/(d*f*b^(q - 1)*(m + n + p + q + 1)), x] + Dist[1/(d*f*b^q*(m + n + p +
q + 1)), Int[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p*ExpandToSum[d*f*b^q*(m + n
+ p + q + 1)*Px - d*f*k*(m + n + p + q + 1)*(a + b*x)^q + k*(a + b*x)^(q -
2)*(a^2*d*f*(m + n + p + q + 1) - b*(b*c*e*(m + q - 1) + a*(d*e*(n + 1) +
c*f*(p + 1))) + b*(a*d*f*(2*(m + q) + n + p) - b*(d*e*(m + q + n) + c*f*(m
+ q + p)))*x), x], x] /; NeQ[m + n + p + q + 1, 0]] /; FreeQ[{a, b, c,
d, e, f, m, n, p}, x] && PolyQ[Px, x] && IntegersQ[2*m, 2*n, 2*p]

```

### Rubi steps

$$\begin{aligned}
\int \frac{(a + bx)^{3/2} (A + Bx + Cx^2)}{\sqrt{c + dx} \sqrt{e + fx}} dx &= \frac{2C(a + bx)^{5/2} \sqrt{c + dx} \sqrt{e + fx}}{7bdf} + \frac{2 \int \frac{(a+bx)^{3/2} \left( -\frac{1}{2}b(5bcCe+aCde+acCf-7Abdf) + \frac{1}{2}b(7b^2d^2f^2 - 2b^2d^2f^2) \right)}{\sqrt{c+dx} \sqrt{e+fx}} dx}{7b^2df} \\
&= \frac{2(7bBdf - 2aCdf - 6bC(de + cf))(a + bx)^{3/2} \sqrt{c + dx} \sqrt{e + fx}}{35bd^2f^2} + \frac{2C(a + bx)^{5/2} \sqrt{c + dx} \sqrt{e + fx}}{7b^2df} \\
&= -\frac{2(5bdf(5bcCe + aCde + acCf - 7Abdf) - (3adf - 4b(de + cf))(7bBdf - 2aCdf - 6bC(de + cf))}{105bd^3f^3} \\
&= -\frac{2(5bdf(5bcCe + aCde + acCf - 7Abdf) - (3adf - 4b(de + cf))(7bBdf - 2aCdf - 6bC(de + cf))}{105bd^3f^3} \\
&= -\frac{2(5bdf(5bcCe + aCde + acCf - 7Abdf) - (3adf - 4b(de + cf))(7bBdf - 2aCdf - 6bC(de + cf))}{105bd^3f^3} \\
&= -\frac{2(5bdf(5bcCe + aCde + acCf - 7Abdf) - (3adf - 4b(de + cf))(7bBdf - 2aCdf - 6bC(de + cf))}{105bd^3f^3} \\
&= -\frac{2(5bdf(5bcCe + aCde + acCf - 7Abdf) - (3adf - 4b(de + cf))(7bBdf - 2aCdf - 6bC(de + cf))}{105bd^3f^3} \\
&= -\frac{2(5bdf(5bcCe + aCde + acCf - 7Abdf) - (3adf - 4b(de + cf))(7bBdf - 2aCdf - 6bC(de + cf))}{105bd^3f^3}
\end{aligned}$$

**Mathematica [C]** time = 13.87, size = 1000, normalized size = 1.19

$$\frac{2 \left( -\sqrt{\frac{bc}{d}} - a \left( (8C(6d^3e^3 + 5cd^2fe^2 + 5c^2df^2e + 6c^3f^3)) + 7df(10Adf(de + cf) - B(8d^2e^2 + 7cdf e + 8c^2f^2)) \right) \right)}{105bd^3f^3}$$

Antiderivative was successfully verified.

```

[In] Integrate[((a + b*x)^(3/2)*(A + B*x + C*x^2))/(Sqrt[c + d*x]*Sqrt[e + f*x]), x]

```

```

[Out] (2*(-(b^2*Sqrt[-a + (b*c)/d]*(6*a^3*C*d^3*f^3 + 3*a^2*b*d^2*f^2*(-7*B*d*f + 4*C*(d*e + c*f)) - a*b^2*d*f*(C*(72*d^2*e^2 + 62*c*d*e*f + 72*c^2*f^2) + 7

```

```

*d*f*(20*A*d*f - 13*B*(d*e + c*f))) + b^3*(8*C*(6*d^3*e^3 + 5*c*d^2*e^2*f +
5*c^2*d*e*f^2 + 6*c^3*f^3) + 7*d*f*(10*A*d*f*(d*e + c*f) - B*(8*d^2*e^2 +
7*c*d*e*f + 8*c^2*f^2))))*(c + d*x)*(e + f*x)) + b^2*Sqrt[-a + (b*c)/d]*d*f
*(a + b*x)*(c + d*x)*(e + f*x)*(3*a^2*C*d^2*f^2 + 3*a*b*d*f*(14*B*d*f + C*(
-11*d*e - 11*c*f + 8*d*f*x)) + b^2*(7*d*f*(5*A*d*f + B*(-4*d*e - 4*c*f + 3*
d*f*x)) + C*(24*c^2*f^2 + c*d*f*(23*e - 18*f*x) + 3*d^2*(8*e^2 - 6*e*f*x +
5*f^2*x^2)))) - I*(b*c - a*d)*f*(6*a^3*C*d^3*f^3 + 3*a^2*b*d^2*f^2*(-7*B*d*
f + 4*C*(d*e + c*f)) - a*b^2*d*f*(C*(72*d^2*e^2 + 62*c*d*e*f + 72*c^2*f^2)
+ 7*d*f*(20*A*d*f - 13*B*(d*e + c*f))) + b^3*(8*C*(6*d^3*e^3 + 5*c*d^2*e^2*
f + 5*c^2*d*e*f^2 + 6*c^3*f^3) + 7*d*f*(10*A*d*f*(d*e + c*f) - B*(8*d^2*e^2
+ 7*c*d*e*f + 8*c^2*f^2))))*(a + b*x)^(3/2)*Sqrt[(b*(c + d*x))/(d*(a + b*x
))]*Sqrt[(b*(e + f*x))/(f*(a + b*x))]*EllipticE[I*ArcSinh[Sqrt[-a + (b*c)/d
]/Sqrt[a + b*x]], (b*d*e - a*d*f)/(b*c*f - a*d*f)] + I*b*(b*c - a*d)*f*(3*a
^2*C*d^2*f^2*(d*e - c*f) - 3*a*b*d*f*(7*d*f*(-2*B*d*e - 3*B*c*f + 5*A*d*f)
+ C*(11*d^2*e^2 + 8*c*d*e*f + 16*c^2*f^2)) + b^2*(C*(24*d^3*e^3 + 17*c*d^2*
e^2*f + 16*c^2*d*e*f^2 + 48*c^3*f^3) + 7*d*f*(5*A*d*f*(d*e + 2*c*f) - B*(4*
d^2*e^2 + 3*c*d*e*f + 8*c^2*f^2))))*(a + b*x)^(3/2)*Sqrt[(b*(c + d*x))/(d*(
a + b*x))]*Sqrt[(b*(e + f*x))/(f*(a + b*x))]*EllipticF[I*ArcSinh[Sqrt[-a +
(b*c)/d]/Sqrt[a + b*x]], (b*d*e - a*d*f)/(b*c*f - a*d*f)))/(105*b^3*Sqrt[-
a + (b*c)/d]*d^4*f^4*Sqrt[a + b*x]*Sqrt[c + d*x]*Sqrt[e + f*x])

```

**fricas** [F] time = 0.58, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(Cbx^3 + (Ca + Bb)x^2 + Aa + (Ba + Ab)x)\sqrt{bx + a}\sqrt{dx + c}\sqrt{fx + e}}{dfx^2 + ce + (de + cf)x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x+a)^(3/2)*(C*x^2+B*x+A)/(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algori
thm="fricas")
```

```
[Out] integral((C*b*x^3 + (C*a + B*b)*x^2 + A*a + (B*a + A*b)*x)*sqrt(b*x + a)*sq
rt(d*x + c)*sqrt(f*x + e)/(d*f*x^2 + c*e + (d*e + c*f)*x), x)
```

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Cx^2 + Bx + A)(bx + a)^{\frac{3}{2}}}{\sqrt{dx + c}\sqrt{fx + e}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x+a)^(3/2)*(C*x^2+B*x+A)/(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algori
thm="giac")
```

```
[Out] integrate((C*x^2 + B*x + A)*(b*x + a)^(3/2)/(sqrt(d*x + c)*sqrt(f*x + e)),
x)
```

**maple** [B] time = 0.07, size = 10546, normalized size = 12.58

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((b*x+a)^(3/2)*(C*x^2+B*x+A)/(d*x+c)^(1/2)/(f*x+e)^(1/2),x)
```

```
[Out] result too large to display
```

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Cx^2 + Bx + A)(bx + a)^{\frac{3}{2}}}{\sqrt{dx + c}\sqrt{fx + e}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*x+a)^(3/2)\*(C\*x^2+B\*x+A)/(d\*x+c)^(1/2)/(f\*x+e)^(1/2),x, algorithm="maxima")

[Out] integrate((C\*x^2 + B\*x + A)\*(b\*x + a)^(3/2)/(sqrt(d\*x + c)\*sqrt(f\*x + e)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(a + bx)^{3/2} (Cx^2 + Bx + A)}{\sqrt{e + fx} \sqrt{c + dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b\*x)^(3/2)\*(A + B\*x + C\*x^2))/((e + f\*x)^(1/2)\*(c + d\*x)^(1/2)),x)

[Out] int(((a + b\*x)^(3/2)\*(A + B\*x + C\*x^2))/((e + f\*x)^(1/2)\*(c + d\*x)^(1/2)), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*x+a)\*\*(3/2)\*(C\*x\*\*2+B\*x+A)/(d\*x+c)\*\*(1/2)/(f\*x+e)\*\*(1/2),x)

[Out] Timed out



$$3.74 \quad \int \frac{\sqrt{a+bx}(A+Bx+Cx^2)}{\sqrt{c+dx}\sqrt{e+fx}} dx$$

**Optimal.** Leaf size=528

$$\frac{2\sqrt{ad-bc}(be-af)\sqrt{\frac{b(c+dx)}{bc-ad}}\sqrt{\frac{b(e+fx)}{be-af}}(aCdf(de-cf)-b(5df(-3Adf+Bcf+2Bde)-C(4c^2f^2+3cdef-15b^2d^{5/2}f^3\sqrt{c+dx}\sqrt{e+fx})))}{15b^2d^{5/2}f^3\sqrt{c+dx}\sqrt{e+fx}}$$

[Out]  $2/5*C*(b*x+a)^{(3/2)}*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/b/d/f-2/15*(2*a*C*d*f-b*(5*B*d*f-4*C*(c*f+d*e)))*(b*x+a)^{(1/2)}*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/b/d^2/f^2-2/15*(3*b*d*f*(-5*A*b*d*f+C*a*c*f+C*a*d*e+3*C*b*c*e)+(a*d*f-2*b*(c*f+d*e))*(2*a*C*d*f-b*(5*B*d*f-4*C*(c*f+d*e)))*EllipticE(d^{(1/2)}*(b*x+a)^{(1/2)}/(a*d-b*c)^{(1/2)},((-a*d+b*c)*f/d/(-a*f+b*e))^{(1/2)}*(a*d-b*c)^{(1/2)}*(b*(d*x+c)/(-a*d+b*c))^{(1/2)}*(f*x+e)^{(1/2)}/b^2/d^{(5/2)}/f^3/(d*x+c)^{(1/2)}/(b*(f*x+e)/(-a*f+b*e))^{(1/2)}-2/15*(-a*f+b*e)*(a*C*d*f*(-c*f+d*e)-b*(5*d*f*(-3*A*d*f+B*c*f+2*B*d*e)-C*(4*c^2*f^2+3*c*d*e*f+8*d^2*e^2)))*EllipticF(d^{(1/2)}*(b*x+a)^{(1/2)}/(a*d-b*c)^{(1/2)},((-a*d+b*c)*f/d/(-a*f+b*e))^{(1/2)}*(a*d-b*c)^{(1/2)}*(b*(d*x+c)/(-a*d+b*c))^{(1/2)}*(b*(f*x+e)/(-a*f+b*e))^{(1/2)}/b^2/d^{(5/2)}/f^3/(d*x+c)^{(1/2)}/(f*x+e)^{(1/2)}$

**Rubi [A]** time = 1.03, antiderivative size = 524, normalized size of antiderivative = 0.99, number of steps used = 8, number of rules used = 7, integrand size = 38,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.184$ , Rules used = {1615, 154, 158, 114, 113, 121, 120}

$$\frac{2\sqrt{ad-bc}(be-af)\sqrt{\frac{b(c+dx)}{bc-ad}}\sqrt{\frac{b(e+fx)}{be-af}}(aCdf(de-cf)+5bdf(3Adf-B(cf+2de))+bC(4c^2f^2+3cdef-15b^2d^{5/2}f^3\sqrt{c+dx}\sqrt{e+fx})))}{15b^2d^{5/2}f^3\sqrt{c+dx}\sqrt{e+fx}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a + b\*x]\*(A + B\*x + C\*x^2))/(Sqrt[c + d\*x]\*Sqrt[e + f\*x]),x]

[Out]  $(2*(5*b*B*d*f-2*a*C*d*f-4*b*C*(d*e+c*f))*Sqrt[a+b*x]*Sqrt[c+d*x]*Sqrt[e+f*x])/(15*b*d^2*f^2)+(2*C*(a+b*x)^{(3/2)}*Sqrt[c+d*x]*Sqrt[e+f*x])/(5*b*d*f)-(2*Sqrt[-(b*c)+a*d]*(3*b*d*f*(3*b*c*C*e+a*C*d*e+a*c*C*f-5*A*b*d*f)-(a*d*f-2*b*(d*e+c*f))*(5*b*B*d*f-2*a*C*d*f-4*b*C*(d*e+c*f)))*Sqrt[(b*(c+d*x))/(b*c-a*d)]*Sqrt[e+f*x]*EllipticE[ArcSin[(Sqrt[d]*Sqrt[a+b*x])/Sqrt[-(b*c)+a*d]],((b*c-a*d)*f)/(d*(b*e-a*f)))]/(15*b^2*d^{(5/2)}*f^3*Sqrt[c+d*x]*Sqrt[(b*(e+f*x))/(b*e-a*f)])-(2*Sqrt[-(b*c)+a*d]*(b*e-a*f)*(a*C*d*f*(d*e-c*f)+b*C*(8*d^2*e^2+3*c*d*e*f+4*c^2*f^2)+5*b*d*f*(3*A*d*f-B*(2*d*e+c*f)))*Sqrt[(b*(c+d*x))/(b*c-a*d)]*Sqrt[(b*(e+f*x))/(b*e-a*f)]*EllipticF[ArcSin[(Sqrt[d]*Sqrt[a+b*x])/Sqrt[-(b*c)+a*d]],((b*c-a*d)*f)/(d*(b*e-a*f)))]/(15*b^2*d^{(5/2)}*f^3*Sqrt[c+d*x]*Sqrt[e+f*x])$

**Rule 113**

Int[Sqrt[(e\_.) + (f\_.)\*(x\_.)]/(Sqrt[(a\_.) + (b\_.)\*(x\_.)]\*Sqrt[(c\_.) + (d\_.)\*(x\_.)]), x\_Symbol] := Simp[(2\*Rt[-((b\*e - a\*f)/d), 2]\*EllipticE[ArcSin[Sqrt[a + b\*x]/Rt[-((b\*c - a\*d)/d), 2]], (f\*(b\*c - a\*d))/(d\*(b\*e - a\*f))]/b, x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[b/(b\*c - a\*d), 0] && GtQ[b/(b\*e - a\*f), 0] && !LtQ[-((b\*c - a\*d)/d), 0] && !(SimplerQ[c + d\*x, a + b\*x] && GtQ[-(d/(b\*c - a\*d)), 0] && GtQ[d/(d\*e - c\*f), 0] && !LtQ[(b\*c - a\*d)/b, 0])

**Rule 114**

```
Int[Sqrt[(e_.) + (f_.)*(x_.)]/(Sqrt[(a_.) + (b_.)*(x_.)]*Sqrt[(c_.) + (d_.)*(x_.)]), x_Symbol] := Dist[(Sqrt[e + f*x]*Sqrt[(b*(c + d*x))/(b*c - a*d)]/(Sqrt[c + d*x]*Sqrt[(b*(e + f*x))/(b*e - a*f)]), Int[Sqrt[(b*e)/(b*e - a*f) + (b*f*x)/(b*e - a*f)]/(Sqrt[a + b*x]*Sqrt[(b*c)/(b*c - a*d) + (b*d*x)/(b*c - a*d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !(GtQ[b/(b*c - a*d), 0] && GtQ[b/(b*e - a*f), 0]) && !LtQ[-((b*c - a*d)/d), 0]
```

### Rule 120

```
Int[1/(Sqrt[(a_.) + (b_.)*(x_.)]*Sqrt[(c_.) + (d_.)*(x_.)]*Sqrt[(e_.) + (f_.)*(x_.)]), x_Symbol] := Simp[(2*Rt[-(b/d), 2]*EllipticF[ArcSin[Sqrt[a + b*x]/(Rt[-(b/d), 2]*Sqrt[(b*c - a*d)/b])], (f*(b*c - a*d))/(d*(b*e - a*f)))]/(b*Sqrt[(b*e - a*f)/b]), x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[b/(b*c - a*d), 0] && GtQ[b/(b*e - a*f), 0] && SimplerQ[a + b*x, c + d*x] && SimplerQ[a + b*x, e + f*x] && (PosQ[-((b*c - a*d)/d)] || NegQ[-((b*e - a*f)/f)])
```

### Rule 121

```
Int[1/(Sqrt[(a_.) + (b_.)*(x_.)]*Sqrt[(c_.) + (d_.)*(x_.)]*Sqrt[(e_.) + (f_.)*(x_.)]), x_Symbol] := Dist[Sqrt[(b*(c + d*x))/(b*c - a*d)]/Sqrt[c + d*x], Int[1/(Sqrt[a + b*x]*Sqrt[(b*c)/(b*c - a*d) + (b*d*x)/(b*c - a*d)]*Sqrt[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[(b*c - a*d)/b, 0] && SimplerQ[a + b*x, c + d*x] && SimplerQ[a + b*x, e + f*x]
```

### Rule 154

```
Int[((a_.) + (b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_.)*((e_.) + (f_.)*(x_.))^(p_.)*((g_.) + (h_.)*(x_.)), x_Symbol] := Simp[(h*(a + b*x)^m*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(m + n + p + 2)), x] + Dist[1/(d*f*(m + n + p + 2)), Int[(a + b*x)^(m - 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*g*(m + n + p + 2) - h*(b*c*e*m + a*(d*e*(n + 1) + c*f*(p + 1))) + (b*d*f*g*(m + n + p + 2) + h*(a*d*f*m - b*(d*e*(m + n + 1) + c*f*(m + p + 1)))]*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p + 2, 0] && IntegersQ[2*m, 2*n, 2*p]
```

### Rule 158

```
Int[((g_.) + (h_.)*(x_.))/(Sqrt[(a_.) + (b_.)*(x_.)]*Sqrt[(c_.) + (d_.)*(x_.)]*Sqrt[(e_.) + (f_.)*(x_.)]), x_Symbol] := Dist[h/f, Int[Sqrt[e + f*x]/(Sqrt[a + b*x]*Sqrt[c + d*x]), x], x] + Dist[(f*g - e*h)/f, Int[1/(Sqrt[a + b*x]*Sqrt[c + d*x]*Sqrt[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && SimplerQ[a + b*x, e + f*x] && SimplerQ[c + d*x, e + f*x]
```

### Rule 1615

```
Int[(Px_)*((a_.) + (b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_.)*((e_.) + (f_.)*(x_.))^(p_.), x_Symbol] := With[{q = Expon[Px, x], k = Coeff[Px, x, Expon[Px, x]]}, Simp[(k*(a + b*x)^(m + q - 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*b^(q - 1)*(m + n + p + q + 1)), x] + Dist[1/(d*f*b^q*(m + n + p + q + 1)), Int[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p*ExpandToSum[d*f*b^q*(m + n + p + q + 1)*Px - d*f*k*(m + n + p + q + 1)*(a + b*x)^q + k*(a + b*x)^(q - 2)*(a^2*d*f*(m + n + p + q + 1) - b*(b*c*e*(m + q - 1) + a*(d*e*(n + 1) + c*f*(p + 1))) + b*(a*d*f*(2*(m + q) + n + p) - b*(d*e*(m + q + n) + c*f*(m + q + p)))]*x, x], x] /; NeQ[m + n + p + q + 1, 0] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && IntegersQ[2*m, 2*n, 2*p]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{a+bx} (A+Bx+Cx^2)}{\sqrt{c+dx} \sqrt{e+fx}} dx &= \frac{2C(a+bx)^{3/2} \sqrt{c+dx} \sqrt{e+fx}}{5bdf} + \frac{2 \int \frac{\sqrt{a+bx} \left(-\frac{1}{2}b(3bcCe+aCde+acCf-5Abdf)+\frac{1}{2}b(5b^2Cde+3b^2Cdf-3b^2Cef-3b^2Cfd)+\frac{1}{2}b(5b^2Cde+3b^2Cdf-3b^2Cef-3b^2Cfd)\right)}{\sqrt{c+dx} \sqrt{e+fx}}}{5b^2df} \\
&= \frac{2(5bBdf - 2aCdf - 4bC(de + cf))\sqrt{a+bx} \sqrt{c+dx} \sqrt{e+fx}}{15bd^2f^2} + \frac{2C(a+bx)}{5b^2df} \\
&= \frac{2(5bBdf - 2aCdf - 4bC(de + cf))\sqrt{a+bx} \sqrt{c+dx} \sqrt{e+fx}}{15bd^2f^2} + \frac{2C(a+bx)}{5b^2df} \\
&= \frac{2(5bBdf - 2aCdf - 4bC(de + cf))\sqrt{a+bx} \sqrt{c+dx} \sqrt{e+fx}}{15bd^2f^2} + \frac{2C(a+bx)}{5b^2df} \\
&= \frac{2(5bBdf - 2aCdf - 4bC(de + cf))\sqrt{a+bx} \sqrt{c+dx} \sqrt{e+fx}}{15bd^2f^2} + \frac{2C(a+bx)}{5b^2df} \\
&= \frac{2(5bBdf - 2aCdf - 4bC(de + cf))\sqrt{a+bx} \sqrt{c+dx} \sqrt{e+fx}}{15bd^2f^2} + \frac{2C(a+bx)}{5b^2df} \\
&= \frac{2(5bBdf - 2aCdf - 4bC(de + cf))\sqrt{a+bx} \sqrt{c+dx} \sqrt{e+fx}}{15bd^2f^2} + \frac{2C(a+bx)}{5b^2df}
\end{aligned}$$

**Mathematica [C]** time = 8.03, size = 615, normalized size = 1.16

$$2 \left( ibf(a+bx)^{3/2}(bc-ad) \sqrt{\frac{b(c+dx)}{d(a+bx)}} \sqrt{\frac{b(e+fx)}{f(a+bx)}} (aCdf(cf-de) + 5bdf(3Adf - B(2cf+de)) + bC(8c^2f^2 + 3c^2f^2 + 3c^2f^2) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a + b\*x]\*(A + B\*x + C\*x^2))/(Sqrt[c + d\*x]\*Sqrt[e + f\*x]), x]

[Out] (-2\*(b^2\*Sqrt[-a + (b\*c)/d]\*(2\*a^2\*C\*d^2\*f^2 + a\*b\*d\*f\*(-5\*B\*d\*f + 3\*C\*(d\*e + c\*f)) - b^2\*(C\*(8\*d^2\*e^2 + 7\*c\*d\*e\*f + 8\*c^2\*f^2) + 5\*d\*f\*(3\*A\*d\*f - 2\*B\*(d\*e + c\*f))))\*(c + d\*x)\*(e + f\*x) - b^2\*Sqrt[-a + (b\*c)/d]\*d\*f\*(a + b\*x)\*(c + d\*x)\*(e + f\*x)\*(5\*b\*B\*d\*f + a\*C\*d\*f + b\*C\*(-4\*d\*e - 4\*c\*f + 3\*d\*f\*x)) + I\*(b\*c - a\*d)\*f\*(2\*a^2\*C\*d^2\*f^2 + a\*b\*d\*f\*(-5\*B\*d\*f + 3\*C\*(d\*e + c\*f)) - b^2\*(C\*(8\*d^2\*e^2 + 7\*c\*d\*e\*f + 8\*c^2\*f^2) + 5\*d\*f\*(3\*A\*d\*f - 2\*B\*(d\*e + c\*f))))\*(a + b\*x)^(3/2)\*Sqrt[(b\*(c + d\*x))/(d\*(a + b\*x))]\*Sqrt[(b\*(e + f\*x))/(f\*(a + b\*x))]\*EllipticE[I\*ArcSinh[Sqrt[-a + (b\*c)/d]/Sqrt[a + b\*x]], (b\*d\*e - a\*d\*f)/(b\*c\*f - a\*d\*f)] + I\*b\*(b\*c - a\*d)\*f\*(a\*C\*d\*f\*(-(d\*e) + c\*f) + b\*C\*(4\*d^2\*e^2 + 3\*c\*d\*e\*f + 8\*c^2\*f^2) + 5\*b\*d\*f\*(3\*A\*d\*f - B\*(d\*e + 2\*c\*f)))\*(a + b\*x)^(3/2)\*Sqrt[(b\*(c + d\*x))/(d\*(a + b\*x))]\*Sqrt[(b\*(e + f\*x))/(f\*(a + b\*x))]\*EllipticF[I\*ArcSinh[Sqrt[-a + (b\*c)/d]/Sqrt[a + b\*x]], (b\*d\*e - a\*d\*f)/(b\*c\*f - a\*d\*f)))/(15\*b^3\*Sqrt[-a + (b\*c)/d]\*d^3\*f^3\*Sqrt[a + b\*x]\*Sqrt[c + d\*x]\*Sqrt[e + f\*x])

**fricas [F]** time = 0.56, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{(Cx^2 + Bx + A)\sqrt{bx+a}\sqrt{dx+c}\sqrt{fx+e}}{dfx^2 + ce + (de + cf)x}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*x+a)^(1/2)\*(C\*x^2+B\*x+A)/(d\*x+c)^(1/2)/(f\*x+e)^(1/2),x, algorithm="fricas")

[Out] integral((C\*x^2 + B\*x + A)\*sqrt(b\*x + a)\*sqrt(d\*x + c)\*sqrt(f\*x + e)/(d\*f\*x^2 + c\*e + (d\*e + c\*f)\*x), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Cx^2 + Bx + A)\sqrt{bx + a}}{\sqrt{dx + c}\sqrt{fx + e}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*x+a)^(1/2)\*(C\*x^2+B\*x+A)/(d\*x+c)^(1/2)/(f\*x+e)^(1/2),x, algorithm="giac")

[Out] integrate((C\*x^2 + B\*x + A)\*sqrt(b\*x + a)/(sqrt(d\*x + c)\*sqrt(f\*x + e)), x)

**maple** [B] time = 0.04, size = 6174, normalized size = 11.69

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*x+a)^(1/2)\*(C\*x^2+B\*x+A)/(d\*x+c)^(1/2)/(f\*x+e)^(1/2),x)

[Out] result too large to display

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Cx^2 + Bx + A)\sqrt{bx + a}}{\sqrt{dx + c}\sqrt{fx + e}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*x+a)^(1/2)\*(C\*x^2+B\*x+A)/(d\*x+c)^(1/2)/(f\*x+e)^(1/2),x, algorithm="maxima")

[Out] integrate((C\*x^2 + B\*x + A)\*sqrt(b\*x + a)/(sqrt(d\*x + c)\*sqrt(f\*x + e)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{a + bx} (Cx^2 + Bx + A)}{\sqrt{e + fx} \sqrt{c + dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b\*x)^(1/2)\*(A + B\*x + C\*x^2))/((e + f\*x)^(1/2)\*(c + d\*x)^(1/2)),x)

[Out] int(((a + b\*x)^(1/2)\*(A + B\*x + C\*x^2))/((e + f\*x)^(1/2)\*(c + d\*x)^(1/2)),x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a + bx} (A + Bx + Cx^2)}{\sqrt{c + dx} \sqrt{e + fx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*x+a)\*\*(1/2)\*(C\*x\*\*2+B\*x+A)/(d\*x+c)\*\*(1/2)/(f\*x+e)\*\*(1/2),x)

[Out] Integral(sqrt(a + b\*x)\*(A + B\*x + C\*x\*\*2)/(sqrt(c + d\*x)\*sqrt(e + f\*x)), x)

$$3.75 \quad \int \frac{A+Bx+Cx^2}{\sqrt{a+bx} \sqrt{c+dx} \sqrt{e+fx}} dx$$

**Optimal.** Leaf size=387

$$\frac{2\sqrt{ad-bc} \sqrt{\frac{b(c+dx)}{bc-ad}} \sqrt{\frac{b(e+fx)}{be-af}} (aCf(de-cf) - b(3df(Be-Af) - Ce(cf+2de))) \operatorname{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{d}\sqrt{a+bx}}{\sqrt{ad-bc}}\right), \frac{f}{d}\right)}{3b^2d^{3/2}f^2\sqrt{c+dx}\sqrt{e+fx}}$$

[Out]  $2/3*C*(b*x+a)^{(1/2)}*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/b/d/f-2/3*(2*a*C*d*f-b*(3*B*d*f-2*C*(c*f+d*e)))*\operatorname{EllipticE}(d^{(1/2)}*(b*x+a)^{(1/2)}/(a*d-b*c)^{(1/2)}, ((-a*d+b*c)*f/d/(-a*f+b*e))^{(1/2)}*(a*d-b*c)^{(1/2)}*(b*(d*x+c)/(-a*d+b*c))^{(1/2)}*(f*x+e)^{(1/2)}/b^2/d^{(3/2)}/f^2/(d*x+c)^{(1/2)}/(b*(f*x+e)/(-a*f+b*e))^{(1/2)}+2/3*(a*C*f*(-c*f+d*e)-b*(3*d*f*(-A*f+B*e)-C*e*(c*f+2*d*e)))*\operatorname{EllipticF}(d^{(1/2)}*(b*x+a)^{(1/2)}/(a*d-b*c)^{(1/2)}, ((-a*d+b*c)*f/d/(-a*f+b*e))^{(1/2)}*(a*d-b*c)^{(1/2)}*(b*(d*x+c)/(-a*d+b*c))^{(1/2)}*(b*(f*x+e)/(-a*f+b*e))^{(1/2)}/b^2/d^{(3/2)}/f^2/(d*x+c)^{(1/2)}/(f*x+e)^{(1/2)}$

**Rubi [A]** time = 0.51, antiderivative size = 384, normalized size of antiderivative = 0.99, number of steps used = 7, number of rules used = 6, integrand size = 38,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$ , Rules used = {1615, 158, 114, 113, 121, 120}

$$\frac{2\sqrt{ad-bc} \sqrt{\frac{b(c+dx)}{bc-ad}} \sqrt{\frac{b(e+fx)}{be-af}} (-aCf(de-cf) + 3bdf(Be-Af) - bCe(cf+2de)) F\left(\sin^{-1}\left(\frac{\sqrt{d}\sqrt{a+bx}}{\sqrt{ad-bc}}\right), \frac{(bc-ad)f}{d(be-af)}\right)}{3b^2d^{3/2}f^2\sqrt{c+dx}\sqrt{e+fx}}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*x + C\*x^2)/(Sqrt[a + b\*x]\*Sqrt[c + d\*x]\*Sqrt[e + f\*x]), x]

[Out]  $(2*C*\operatorname{Sqrt}[a + b*x]*\operatorname{Sqrt}[c + d*x]*\operatorname{Sqrt}[e + f*x])/(3*b*d*f) + (2*\operatorname{Sqrt}[-(b*c) + a*d]*(3*b*B*d*f - 2*a*C*d*f - 2*b*C*(d*e + c*f))*\operatorname{Sqrt}[(b*(c + d*x))/(b*c - a*d)]*\operatorname{Sqrt}[e + f*x]*\operatorname{EllipticE}[\operatorname{ArcSin}[(\operatorname{Sqrt}[d]*\operatorname{Sqrt}[a + b*x])/\operatorname{Sqrt}[-(b*c) + a*d]], ((b*c - a*d)*f)/(d*(b*e - a*f))]/(3*b^2*d^{(3/2)}*f^2*\operatorname{Sqrt}[c + d*x]*\operatorname{Sqrt}[(b*(e + f*x))/(b*e - a*f)]) - (2*\operatorname{Sqrt}[-(b*c) + a*d]*(3*b*d*f*(B*e - A*f) - a*C*f*(d*e - c*f) - b*C*e*(2*d*e + c*f))*\operatorname{Sqrt}[(b*(c + d*x))/(b*c - a*d)]*\operatorname{Sqrt}[(b*(e + f*x))/(b*e - a*f)]*\operatorname{EllipticF}[\operatorname{ArcSin}[(\operatorname{Sqrt}[d]*\operatorname{Sqrt}[a + b*x])/\operatorname{Sqrt}[-(b*c) + a*d]], ((b*c - a*d)*f)/(d*(b*e - a*f))]/(3*b^2*d^{(3/2)}*f^2*\operatorname{Sqrt}[c + d*x]*\operatorname{Sqrt}[e + f*x])$

#### Rule 113

Int[Sqrt[(e\_.) + (f\_.)\*(x\_)]/(Sqrt[(a\_.) + (b\_.)\*(x\_)]\*Sqrt[(c\_.) + (d\_.)\*(x\_)]), x\_Symbol] := Simp[(2\*Rt[-((b\*e - a\*f)/d), 2]\*EllipticE[ArcSin[Sqrt[a + b\*x]/Rt[-((b\*c - a\*d)/d), 2]], (f\*(b\*c - a\*d))/(d\*(b\*e - a\*f))]/b, x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[b/(b\*c - a\*d), 0] && GtQ[b/(b\*e - a\*f), 0] && !LtQ[-((b\*c - a\*d)/d), 0] && !(SimplerQ[c + d\*x, a + b\*x] && GtQ[-(d/(b\*c - a\*d)), 0] && GtQ[d/(d\*e - c\*f), 0] && !LtQ[(b\*c - a\*d)/b, 0])

#### Rule 114

Int[Sqrt[(e\_.) + (f\_.)\*(x\_)]/(Sqrt[(a\_.) + (b\_.)\*(x\_)]\*Sqrt[(c\_.) + (d\_.)\*(x\_)]), x\_Symbol] := Dist[(Sqrt[e + f\*x]\*Sqrt[(b\*(c + d\*x))/(b\*c - a\*d)])/(Sqrt[c + d\*x]\*Sqrt[(b\*(e + f\*x))/(b\*e - a\*f)]), Int[Sqrt[(b\*e)/(b\*e - a\*f) + (b\*f\*x)/(b\*e - a\*f)]/(Sqrt[a + b\*x]\*Sqrt[(b\*c)/(b\*c - a\*d) + (b\*d\*x)/(b\*c - a\*d)]), x] /; FreeQ[{a, b, c, d, e, f}, x] && !(GtQ[b/(b\*c - a\*d), 0] && GtQ[b/(b\*e - a\*f), 0]) && !LtQ[-((b\*c - a\*d)/d), 0]

Rule 120

```
Int[1/(Sqrt[(a_) + (b_)*(x_)]*Sqrt[(c_) + (d_)*(x_)]*Sqrt[(e_) + (f_)*(x_)]), x_Symbol] := Simp[(2*Rt[-(b/d), 2]*EllipticF[ArcSin[Sqrt[a + b*x]/(Rt[-(b/d), 2]*Sqrt[(b*c - a*d)/b])], (f*(b*c - a*d))/(d*(b*e - a*f)))]/(b*Sqrt[(b*e - a*f)/b]), x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[b/(b*c - a*d), 0] && GtQ[b/(b*e - a*f), 0] && SimplifierQ[a + b*x, c + d*x] && SimplifierQ[a + b*x, e + f*x] && (PosQ[-((b*c - a*d)/d)] || NegQ[-((b*e - a*f)/f)])
```

Rule 121

```
Int[1/(Sqrt[(a_) + (b_)*(x_)]*Sqrt[(c_) + (d_)*(x_)]*Sqrt[(e_) + (f_)*(x_)]), x_Symbol] := Dist[Sqrt[(b*(c + d*x))/(b*c - a*d)]/Sqrt[c + d*x], Int[1/(Sqrt[a + b*x]*Sqrt[(b*c)/(b*c - a*d) + (b*d*x)/(b*c - a*d)]*Sqrt[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[(b*c - a*d)/b, 0] && SimplifierQ[a + b*x, c + d*x] && SimplifierQ[a + b*x, e + f*x]
```

Rule 158

```
Int[((g_) + (h_)*(x_))/(Sqrt[(a_) + (b_)*(x_)]*Sqrt[(c_) + (d_)*(x_)]*Sqrt[(e_) + (f_)*(x_)]), x_Symbol] := Dist[h/f, Int[Sqrt[e + f*x]/(Sqrt[a + b*x]*Sqrt[c + d*x]), x], x] + Dist[(f*g - e*h)/f, Int[1/(Sqrt[a + b*x]*Sqrt[c + d*x]*Sqrt[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && SimplifierQ[a + b*x, e + f*x] && SimplifierQ[c + d*x, e + f*x]
```

Rule 1615

```
Int[(Px)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := With[{q = Expon[Px, x], k = Coeff[Px, x, Expon[Px, x]]}, Simp[(k*(a + b*x)^(m + q - 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*b^(q - 1)*(m + n + p + q + 1)), x] + Dist[1/(d*f*b^q*(m + n + p + q + 1)), Int[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p*ExpandToSum[d*f*b^q*(m + n + p + q + 1)*Px - d*f*k*(m + n + p + q + 1)*(a + b*x)^q + k*(a + b*x)^(q - 2)*(a^2*d*f*(m + n + p + q + 1) - b*(b*c*e*(m + q - 1) + a*(d*e*(n + 1) + c*f*(p + 1))) + b*(a*d*f*(2*(m + q) + n + p) - b*(d*e*(m + q + n) + c*f*(m + q + p)))*x), x], x] /; NeQ[m + n + p + q + 1, 0] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && IntegersQ[2*m, 2*n, 2*p]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + Bx + Cx^2}{\sqrt{a + bx} \sqrt{c + dx} \sqrt{e + fx}} dx &= \frac{2C\sqrt{a + bx} \sqrt{c + dx} \sqrt{e + fx}}{3bdf} + \frac{2 \int \frac{-\frac{1}{2}b(bcCe + aCde + acCf - 3Abdf) + \frac{1}{2}b(3bBdf - 2aCa)}{\sqrt{a + bx} \sqrt{c + dx} \sqrt{e + fx}}}{3b^2df} \\
&= \frac{2C\sqrt{a + bx} \sqrt{c + dx} \sqrt{e + fx}}{3bdf} + \frac{(3bBdf - 2aCdf - 2bC(de + cf)) \int \frac{\sqrt{e}}{\sqrt{a + bx}}}{3bdf^2} \\
&= \frac{2C\sqrt{a + bx} \sqrt{c + dx} \sqrt{e + fx}}{3bdf} - \frac{\left( (3bdf(Be - Af) - aCf(de - cf) - bCe(2a + b)) \int \frac{\sqrt{e}}{\sqrt{a + bx}} \right)}{3bdf} \\
&= \frac{2C\sqrt{a + bx} \sqrt{c + dx} \sqrt{e + fx}}{3bdf} + \frac{2\sqrt{-bc + ad} (3bBdf - 2aCdf - 2bC(de + cf))}{3b^2d^{3/2}f^2} \\
&= \frac{2C\sqrt{a + bx} \sqrt{c + dx} \sqrt{e + fx}}{3bdf} + \frac{2\sqrt{-bc + ad} (3bBdf - 2aCdf - 2bC(de + cf))}{3b^2d^{3/2}f^2}
\end{aligned}$$

**Mathematica [C]** time = 6.07, size = 418, normalized size = 1.08

$$\sqrt{a + bx} \left( \frac{2ibf \sqrt{a + bx} \sqrt{\frac{b(c + dx)}{d(a + bx)}} \sqrt{\frac{b(e + fx)}{f(a + bx)}} (aCd(cf - de) + b(3Ad^2f + cd(Ce - 3Bf) + 2c^2Cf)) \text{EllipticF} \left( i \sinh^{-1} \left( \frac{\sqrt{\frac{bc}{d} - a}}{\sqrt{a + bx}} \right) \frac{bde - adf}{bcf - adf} \right)}{\sqrt{\frac{bc}{d} - a}} \right) - \frac{2b^2(c + dx)(e + fx)}{3b^2d^{3/2}f^2}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*x + C\*x^2)/(Sqrt[a + b\*x]\*Sqrt[c + d\*x]\*Sqrt[e + f\*x]),x]

[Out] (Sqrt[a + b\*x]\*(2\*b^2\*C\*d\*f\*(c + d\*x)\*(e + f\*x) - (2\*b^2\*(-3\*b\*B\*d\*f + 2\*a\*C\*d\*f + 2\*b\*C\*(d\*e + c\*f))\*(c + d\*x)\*(e + f\*x))/(a + b\*x) + (2\*I)\*Sqrt[-a + (b\*c)/d]\*d\*f\*(3\*b\*B\*d\*f - 2\*a\*C\*d\*f - 2\*b\*C\*(d\*e + c\*f))\*Sqrt[a + b\*x]\*Sqrt[(b\*(c + d\*x))/(d\*(a + b\*x))]\*Sqrt[(b\*(e + f\*x))/(f\*(a + b\*x))]\*EllipticE[I\*ArcSinh[Sqrt[-a + (b\*c)/d]/Sqrt[a + b\*x]], (b\*d\*e - a\*d\*f)/(b\*c\*f - a\*d\*f)) + ((2\*I)\*b\*f\*(a\*C\*d\*(-(d\*e) + c\*f) + b\*(2\*c^2\*C\*f + 3\*A\*d^2\*f + c\*d\*(C\*e - 3\*B\*f)))\*Sqrt[a + b\*x]\*Sqrt[(b\*(c + d\*x))/(d\*(a + b\*x))]\*Sqrt[(b\*(e + f\*x))/(f\*(a + b\*x))]\*EllipticF[I\*ArcSinh[Sqrt[-a + (b\*c)/d]/Sqrt[a + b\*x]], (b\*d\*e - a\*d\*f)/(b\*c\*f - a\*d\*f)]/Sqrt[-a + (b\*c)/d]))/(3\*b^3\*d^2\*f^2\*Sqrt[c + d\*x]\*Sqrt[e + f\*x])

**fricas [F]** time = 0.53, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{(Cx^2 + Bx + A)\sqrt{bx + a} \sqrt{dx + c} \sqrt{fx + e}}{bdfx^3 + ace + (bde + (bc + ad)f)x^2 + (acf + (bc + ad)e)x}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)/(b\*x+a)^(1/2)/(d\*x+c)^(1/2)/(f\*x+e)^(1/2),x, algorithm="fricas")





$$\frac{1}{2} * (-f*x+e)/(a*f-b*e)*b^{(1/2)} * (-d*x+c)/(a*d-b*c)*b^{(1/2)} * \text{EllipticF}(((b*x+a)/(a*d-b*c)*d)^{(1/2)}, ((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2)}) * a^2*b*c*d*f^2 + C * ((b*x+a)/(a*d-b*c)*d)^{(1/2)} * (-f*x+e)/(a*f-b*e)*b^{(1/2)} * (-d*x+c)/(a*d-b*c)*b^{(1/2)} * \text{EllipticF}(((b*x+a)/(a*d-b*c)*d)^{(1/2)}, ((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2)}) * a^2*b*d^2*e*f + C*x^3*b^3*d^2*f^2 + C*x^2*b^3*c*d*f^2 + C*x^2*b^3*d^2*e*f - 2 * C * ((b*x+a)/(a*d-b*c)*d)^{(1/2)} * (-f*x+e)/(a*f-b*e)*b^{(1/2)} * (-d*x+c)/(a*d-b*c)*b^{(1/2)} * \text{EllipticE}(((b*x+a)/(a*d-b*c)*d)^{(1/2)}, ((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2)}) * a*b^2*c*d*e*f + 2 * C * ((b*x+a)/(a*d-b*c)*d)^{(1/2)} * (-f*x+e)/(a*f-b*e)*b^{(1/2)} * (-d*x+c)/(a*d-b*c)*b^{(1/2)} * \text{EllipticE}(((b*x+a)/(a*d-b*c)*d)^{(1/2)}, ((a*d-b*c)/(a*f-b*e)/d*f)^{(1/2)}) * a^3*d^2*f^2 + C*x*a*b^2*d^2*e*f + C*x*b^3*c*d*e*f + C*x*a*b^2*c*d*f^2 * (b*x+a)^{(1/2)} * (d*x+c)^{(1/2)} * (f*x+e)^{(1/2)} / f^2 / b^3 / d^2 / (b*d*f*x^3 + a*d*f*x^2 + b*c*f*x^2 + b*d*e*x^2 + a*c*f*x + a*d*e*x + b*c*e*x + a*c*e)$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{Cx^2 + Bx + A}{\sqrt{bx + a} \sqrt{dx + c} \sqrt{fx + e}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)/(b\*x+a)^(1/2)/(d\*x+c)^(1/2)/(f\*x+e)^(1/2),x, algorithm="maxima")

[Out] integrate((C\*x^2 + B\*x + A)/(sqrt(b\*x + a)\*sqrt(d\*x + c)\*sqrt(f\*x + e)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{Cx^2 + Bx + A}{\sqrt{e + fx} \sqrt{a + bx} \sqrt{c + dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B\*x + C\*x^2)/((e + f\*x)^(1/2)\*(a + b\*x)^(1/2)\*(c + d\*x)^(1/2)),x)

[Out] int((A + B\*x + C\*x^2)/((e + f\*x)^(1/2)\*(a + b\*x)^(1/2)\*(c + d\*x)^(1/2)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{A + Bx + Cx^2}{\sqrt{a + bx} \sqrt{c + dx} \sqrt{e + fx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x\*\*2+B\*x+A)/(b\*x+a)\*\*(1/2)/(d\*x+c)\*\*(1/2)/(f\*x+e)\*\*(1/2),x)

[Out] Integral((A + B\*x + C\*x\*\*2)/(sqrt(a + b\*x)\*sqrt(c + d\*x)\*sqrt(e + f\*x)), x)

$$3.76 \quad \int \frac{A+Bx+Cx^2}{(a+bx)^{3/2} \sqrt{c+dx} \sqrt{e+fx}} dx$$

**Optimal.** Leaf size=422

$$\frac{2\sqrt{\frac{b(c+dx)}{bc-ad}} \sqrt{\frac{b(e+fx)}{be-af}} (aC(de-cf) - b(Adf - Bcf + cCe)) \operatorname{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{d}\sqrt{a+bx}}{\sqrt{ad-bc}}\right), \frac{f(bc-ad)}{d(be-af)}\right) 2\sqrt{e+fx} \sqrt{\frac{b(c+dx)}{bc-ad}}}{b^2\sqrt{d}f\sqrt{c+dx}\sqrt{e+fx}\sqrt{ad-bc}}$$

[Out]  $-2*(A*b^2 - a*(B*b - C*a))*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/b/(-a*d+b*c)/(-a*f+b*e)/(b*x+a)^{(1/2)} - 2*(2*a^2*C*d*f + b^2*(A*d*f + C*c*e) - a*b*(B*d*f + C*c*f + C*d*e))*\operatorname{EllipticE}(d^{(1/2)}*(b*x+a)^{(1/2)}/(a*d-b*c)^{(1/2)}, ((-a*d+b*c)*f/d/(-a*f+b*e))^{(1/2)})*(b*(d*x+c)/(-a*d+b*c))^{(1/2)}*(f*x+e)^{(1/2)}/b^2/f/(-a*f+b*e)/d^{(1/2)}/(a*d-b*c)^{(1/2)}/(d*x+c)^{(1/2)}/(b*(f*x+e)/(-a*f+b*e))^{(1/2)} - 2*(a*C*(-c*f+d*e) - b*(A*d*f - B*c*f + C*c*e))*\operatorname{EllipticF}(d^{(1/2)}*(b*x+a)^{(1/2)}/(a*d-b*c)^{(1/2)}, ((-a*d+b*c)*f/d/(-a*f+b*e))^{(1/2)})*(b*(d*x+c)/(-a*d+b*c))^{(1/2)}*(b*(f*x+e)/(-a*f+b*e))^{(1/2)}/b^2/f/d^{(1/2)}/(a*d-b*c)^{(1/2)}/(d*x+c)^{(1/2)}/(f*x+e)^{(1/2)}$

**Rubi [A]** time = 0.69, antiderivative size = 422, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 38,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$ , Rules used = {1614, 158, 114, 113, 121, 120}

$$\frac{2\sqrt{e+fx} \sqrt{\frac{b(c+dx)}{bc-ad}} (2a^2Cdf - ab(Bdf + cCf + Cde) + b^2(Adf + cCe)) E\left(\sin^{-1}\left(\frac{\sqrt{d}\sqrt{a+bx}}{\sqrt{ad-bc}}\right) \middle| \frac{(bc-ad)f}{d(be-af)}\right) 2\sqrt{c+dx}}{b^2\sqrt{d}f\sqrt{c+dx}\sqrt{ad-bc}(be-af)\sqrt{\frac{b(e+fx)}{be-af}}}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*x + C\*x^2)/((a + b\*x)^(3/2)\*Sqrt[c + d\*x]\*Sqrt[e + f\*x]),x]

[Out]  $(-2*(A*b^2 - a*(b*B - a*C))*\operatorname{Sqrt}[c + d*x]*\operatorname{Sqrt}[e + f*x])/(b*(b*c - a*d)*(b*e - a*f)*\operatorname{Sqrt}[a + b*x]) - (2*(2*a^2*C*d*f + b^2*(c*C*e + A*d*f) - a*b*(C*d*e + c*C*f + B*d*f))*\operatorname{Sqrt}[(b*(c + d*x))/(b*c - a*d)]*\operatorname{Sqrt}[e + f*x]*\operatorname{EllipticE}[\operatorname{ArcSin}[(\operatorname{Sqrt}[d]*\operatorname{Sqrt}[a + b*x])/\operatorname{Sqrt}[-(b*c) + a*d]], ((b*c - a*d)*f)/(d*(b*e - a*f)))]/(b^2*\operatorname{Sqrt}[d]*\operatorname{Sqrt}[-(b*c) + a*d]*f*(b*e - a*f)*\operatorname{Sqrt}[c + d*x]*\operatorname{Sqrt}[(b*(e + f*x))/(b*e - a*f)]) - (2*(a*C*(d*e - c*f) - b*(c*C*e - B*c*f + A*d*f))*\operatorname{Sqrt}[(b*(c + d*x))/(b*c - a*d)]*\operatorname{Sqrt}[(b*(e + f*x))/(b*e - a*f)]*\operatorname{EllipticF}[\operatorname{ArcSin}[(\operatorname{Sqrt}[d]*\operatorname{Sqrt}[a + b*x])/\operatorname{Sqrt}[-(b*c) + a*d]], ((b*c - a*d)*f)/(d*(b*e - a*f)))]/(b^2*\operatorname{Sqrt}[d]*\operatorname{Sqrt}[-(b*c) + a*d]*f*\operatorname{Sqrt}[c + d*x]*\operatorname{Sqrt}[e + f*x])$

### Rule 113

Int[Sqrt[(e\_.) + (f\_.)\*(x\_.)]/(Sqrt[(a\_.) + (b\_.)\*(x\_.)]\*Sqrt[(c\_.) + (d\_.)\*(x\_.)]), x\_Symbol] :> Simp[(2\*Rt[-((b\*e - a\*f)/d), 2]\*EllipticE[ArcSin[Sqrt[a + b\*x]/Rt[-((b\*c - a\*d)/d), 2]], (f\*(b\*c - a\*d))/(d\*(b\*e - a\*f))]/b, x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[b/(b\*c - a\*d), 0] && GtQ[b/(b\*e - a\*f), 0] && !LtQ[-((b\*c - a\*d)/d), 0] && !(SimplerQ[c + d\*x, a + b\*x] && GtQ[-(d/(b\*c - a\*d)), 0] && GtQ[d/(d\*e - c\*f), 0] && !LtQ[(b\*c - a\*d)/b, 0])

### Rule 114

Int[Sqrt[(e\_.) + (f\_.)\*(x\_.)]/(Sqrt[(a\_.) + (b\_.)\*(x\_.)]\*Sqrt[(c\_.) + (d\_.)\*(x\_.)]), x\_Symbol] :> Dist[(Sqrt[e + f\*x]\*Sqrt[(b\*(c + d\*x))/(b\*c - a\*d)])/(Sqrt[c + d\*x]\*Sqrt[(b\*(e + f\*x))/(b\*e - a\*f)]), Int[Sqrt[(b\*e)/(b\*e - a\*f) + (b\*f\*x)/(b\*e - a\*f)]/(Sqrt[a + b\*x]\*Sqrt[(b\*c)/(b\*c - a\*d) + (b\*d\*x)/(b\*c - a\*d)]), x] /; FreeQ[{a, b, c, d, e, f}, x] && !(GtQ[b/(b\*c - a\*d), 0])

&& GtQ[b/(b\*e - a\*f), 0]) && !LtQ[-((b\*c - a\*d)/d), 0]

### Rule 120

Int[1/(Sqrt[(a\_) + (b\_)\*(x\_)]\*Sqrt[(c\_) + (d\_)\*(x\_)]\*Sqrt[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Simp[(2\*Rt[-(b/d), 2]\*EllipticF[ArcSin[Sqrt[a + b\*x]/(Rt[-(b/d), 2]\*Sqrt[(b\*c - a\*d)/b])], (f\*(b\*c - a\*d))/(d\*(b\*e - a\*f)))]/(b\*Sqrt[(b\*e - a\*f)/b]), x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[b/(b\*c - a\*d), 0] && GtQ[b/(b\*e - a\*f), 0] && SimplerQ[a + b\*x, c + d\*x] && SimplerQ[a + b\*x, e + f\*x] && (PosQ[-((b\*c - a\*d)/d)] || NegQ[-((b\*e - a\*f)/f)])

### Rule 121

Int[1/(Sqrt[(a\_) + (b\_)\*(x\_)]\*Sqrt[(c\_) + (d\_)\*(x\_)]\*Sqrt[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Dist[Sqrt[(b\*(c + d\*x))/(b\*c - a\*d)]/Sqrt[c + d\*x], Int[1/(Sqrt[a + b\*x]\*Sqrt[(b\*c)/(b\*c - a\*d) + (b\*d\*x)/(b\*c - a\*d)]\*Sqrt[e + f\*x]), x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[(b\*c - a\*d)/b, 0] && SimplerQ[a + b\*x, c + d\*x] && SimplerQ[a + b\*x, e + f\*x]

### Rule 158

Int[((g\_) + (h\_)\*(x\_))/(Sqrt[(a\_) + (b\_)\*(x\_)]\*Sqrt[(c\_) + (d\_)\*(x\_)]\*Sqrt[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Dist[h/f, Int[Sqrt[e + f\*x]/(Sqrt[a + b\*x]\*Sqrt[c + d\*x]), x], x] + Dist[(f\*g - e\*h)/f, Int[1/(Sqrt[a + b\*x]\*Sqrt[c + d\*x]\*Sqrt[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && SimplerQ[a + b\*x, e + f\*x] && SimplerQ[c + d\*x, e + f\*x]

### Rule 1614

Int[(Px\_)\*((a\_) + (b\_)\*(x\_))^(m\_)\*((c\_) + (d\_)\*(x\_))^(n\_)\*((e\_) + (f\_)\*(x\_))^(p\_), x\_Symbol] :> With[{Qx = PolynomialQuotient[Px, a + b\*x, x], R = PolynomialRemainder[Px, a + b\*x, x]}, Simp[(b\*R\*(a + b\*x)^(m + 1)\*(c + d\*x)^(n + 1)\*(e + f\*x)^(p + 1))/((m + 1)\*(b\*c - a\*d)\*(b\*e - a\*f)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(b\*e - a\*f)), Int[(a + b\*x)^(m + 1)\*(c + d\*x)^n\*(e + f\*x)^p\*ExpandToSum[(m + 1)\*(b\*c - a\*d)\*(b\*e - a\*f)\*Qx + a\*d\*f\*R\*(m + 1) - b\*R\*(d\*e\*(m + n + 2) + c\*f\*(m + p + 2)) - b\*d\*f\*R\*(m + n + p + 3)\*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && PolyQ[Px, x] && LtQ[m, -1] && IntegersQ[2\*m, 2\*n, 2\*p]

### Rubi steps

$$\begin{aligned}
\int \frac{A + Bx + Cx^2}{(a + bx)^{3/2} \sqrt{c + dx} \sqrt{e + fx}} dx &= -\frac{2(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{b(bc - ad)(be - af)\sqrt{a + bx}} - \frac{2 \int \frac{-\frac{b^2 Bce + a^2 C(de + cf) - ab(cCe + Bde + Bcf - Adf)}{2b}}{\sqrt{a + bx}} dx}{(bc - ad)(be - af)\sqrt{a + bx}} \\
&= -\frac{2(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{b(bc - ad)(be - af)\sqrt{a + bx}} + \frac{(aC(de - cf) - b(cCe - Bcf + Adf))}{b(bc - ad)(be - af)\sqrt{a + bx}} \\
&= -\frac{2(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{b(bc - ad)(be - af)\sqrt{a + bx}} + \frac{((aC(de - cf) - b(cCe - Bcf + Adf))}{b(bc - ad)(be - af)\sqrt{a + bx}} \\
&= -\frac{2(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{b(bc - ad)(be - af)\sqrt{a + bx}} - \frac{2(2a^2 Cdf + b^2(cCe + Adf) - ab(Bdf - Adf))}{b^2 \sqrt{a + bx}} \\
&= -\frac{2(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{b(bc - ad)(be - af)\sqrt{a + bx}} - \frac{2(2a^2 Cdf + b^2(cCe + Adf) - ab(Bdf - Adf))}{b^2 \sqrt{a + bx}}
\end{aligned}$$

**Mathematica** [C] time = 5.44, size = 477, normalized size = 1.13

$$2 \left[ \frac{ib(a+bx)^{3/2}(ad-bc) \sqrt{\frac{b(c+dx)}{d(a+bx)}} \sqrt{\frac{b(e+fx)}{f(a+bx)}} (aC(de-cf)+b(Adf-Bde+cCe)) \text{EllipticF}\left(i \sinh^{-1}\left(\frac{\sqrt{\frac{bc}{d}-a}}{\sqrt{a+bx}}\right), \frac{bde-adf}{bcf-adf}\right)}{d \sqrt{\frac{bc}{d}-a}} + \frac{b^2(c+dx)(e+fx)(2a^2 Cdf-ab(Bdf-Adf))}{df} \right]$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*x + C\*x^2)/((a + b\*x)^(3/2)\*Sqrt[c + d\*x]\*Sqrt[e + f\*x]), x]

[Out] (2\*(-(b^2\*(A\*b^2 + a\*(-(b\*B) + a\*C)))\*(c + d\*x)\*(e + f\*x)) + (b^2\*(2\*a^2\*C\*d\*f + b^2\*(c\*C\*e + A\*d\*f) - a\*b\*(C\*d\*e + c\*C\*f + B\*d\*f))\*(c + d\*x)\*(e + f\*x))/(d\*f) + (I\*(b\*c - a\*d)\*(2\*a^2\*C\*d\*f + b^2\*(c\*C\*e + A\*d\*f) - a\*b\*(C\*d\*e + c\*C\*f + B\*d\*f))\*(a + b\*x)^(3/2)\*Sqrt[(b\*(c + d\*x))/(d\*(a + b\*x))]\*Sqrt[(b\*(e + f\*x))/(f\*(a + b\*x))]\*EllipticE[I\*ArcSinh[Sqrt[-a + (b\*c)/d]/Sqrt[a + b\*x]], (b\*d\*e - a\*d\*f)/(b\*c\*f - a\*d\*f)]/(Sqrt[-a + (b\*c)/d]\*d) + (I\*b\*(-(b\*c) + a\*d)\*(a\*C\*(d\*e - c\*f) + b\*(c\*C\*e - B\*d\*e + A\*d\*f))\*(a + b\*x)^(3/2)\*Sqrt[(b\*(c + d\*x))/(d\*(a + b\*x))]\*Sqrt[(b\*(e + f\*x))/(f\*(a + b\*x))]\*EllipticF[I\*ArcSinh[Sqrt[-a + (b\*c)/d]/Sqrt[a + b\*x]], (b\*d\*e - a\*d\*f)/(b\*c\*f - a\*d\*f)]/(Sqrt[-a + (b\*c)/d]\*d))/(b^3\*(b\*c - a\*d)\*(b\*e - a\*f)\*Sqrt[a + b\*x]\*Sqrt[c + d\*x]\*Sqrt[e + f\*x])

**fricas** [F] time = 0.55, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{(Cx^2 + Bx + A)\sqrt{bx + a} \sqrt{dx + c} \sqrt{fx + e}}{b^2 d f x^4 + a^2 c e + (b^2 d e + (b^2 c + 2 a b d) f) x^3 + ((b^2 c + 2 a b d) e + (2 a b c + a^2 d) f) x^2 + (a^2 c f + (2 a b c + a^2 d) e)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(b*x+a)^(3/2)/(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="fricas")
```

```
[Out] integral((C*x^2 + B*x + A)*sqrt(b*x + a)*sqrt(d*x + c)*sqrt(f*x + e)/(b^2*d*f*x^4 + a^2*c*e + (b^2*d*e + (b^2*c + 2*a*b*d)*f)*x^3 + ((b^2*c + 2*a*b*d)*e + (2*a*b*c + a^2*d)*f)*x^2 + (a^2*c*f + (2*a*b*c + a^2*d)*e)*x), x)
```

```
giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00
```

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(b*x+a)^(3/2)/(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="giac")
```

```
[Out] Exception raised: AttributeError >> type
```

```
maple [B] time = 0.05, size = 3984, normalized size = 9.44
```

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((C*x^2+B*x+A)/(b*x+a)^(3/2)/(d*x+c)^(1/2)/(f*x+e)^(1/2),x)
```

```
[Out] 2*(B*x^2*a*b^3*d^2*f^2+B*x*a*b^3*c*d*f^2+B*x*a*b^3*d^2*e*f-C*x*a^2*b^2*c*d*f^2-C*x*a^2*b^2*d^2*e*f-2*C*EllipticE(((b*x+a)/(a*d-b*c)*d)^(1/2),((a*d-b*c)/(a*f-b*e)/d*f)^(1/2))*a^4*d^2*f^2*((b*x+a)/(a*d-b*c)*d)^(1/2)*(-(f*x+e)/(a*f-b*e)*b)^(1/2)*(-(d*x+c)/(a*d-b*c)*b)^(1/2)-C*EllipticE(((b*x+a)/(a*d-b*c)*d)^(1/2),((a*d-b*c)/(a*f-b*e)/d*f)^(1/2))*b^4*c^2*e^2*((b*x+a)/(a*d-b*c)*d)^(1/2)*(-(f*x+e)/(a*f-b*e)*b)^(1/2)*(-(d*x+c)/(a*d-b*c)*b)^(1/2)+B*EllipticF(((b*x+a)/(a*d-b*c)*d)^(1/2),((a*d-b*c)/(a*f-b*e)/d*f)^(1/2))*a*b^3*c*d*e*f*((b*x+a)/(a*d-b*c)*d)^(1/2)*(-(f*x+e)/(a*f-b*e)*b)^(1/2)*(-(d*x+c)/(a*d-b*c)*b)^(1/2)+B*EllipticE(((b*x+a)/(a*d-b*c)*d)^(1/2),((a*d-b*c)/(a*f-b*e)/d*f)^(1/2))*a*b^3*c*d*e*f*((b*x+a)/(a*d-b*c)*d)^(1/2)*(-(f*x+e)/(a*f-b*e)*b)^(1/2)*(-(d*x+c)/(a*d-b*c)*b)^(1/2)+C*EllipticF(((b*x+a)/(a*d-b*c)*d)^(1/2),((a*d-b*c)/(a*f-b*e)/d*f)^(1/2))*a^2*b^2*c*d*e*f*((b*x+a)/(a*d-b*c)*d)^(1/2)*(-(f*x+e)/(a*f-b*e)*b)^(1/2)*(-(d*x+c)/(a*d-b*c)*b)^(1/2)-5*C*EllipticE(((b*x+a)/(a*d-b*c)*d)^(1/2),((a*d-b*c)/(a*f-b*e)/d*f)^(1/2))*a^2*b^2*c*d*e*f*((b*x+a)/(a*d-b*c)*d)^(1/2)*(-(f*x+e)/(a*f-b*e)*b)^(1/2)*(-(d*x+c)/(a*d-b*c)*b)^(1/2)+A*EllipticF(((b*x+a)/(a*d-b*c)*d)^(1/2),((a*d-b*c)/(a*f-b*e)/d*f)^(1/2))*a^2*b^2*d^2*f^2*((b*x+a)/(a*d-b*c)*d)^(1/2)*(-(f*x+e)/(a*f-b*e)*b)^(1/2)*(-(d*x+c)/(a*d-b*c)*b)^(1/2)-A*EllipticE(((b*x+a)/(a*d-b*c)*d)^(1/2),((a*d-b*c)/(a*f-b*e)/d*f)^(1/2))*a^2*b^2*d^2*f^2*((b*x+a)/(a*d-b*c)*d)^(1/2)*(-(f*x+e)/(a*f-b*e)*b)^(1/2)*(-(d*x+c)/(a*d-b*c)*b)^(1/2)+B*EllipticF(((b*x+a)/(a*d-b*c)*d)^(1/2),((a*d-b*c)/(a*f-b*e)/d*f)^(1/2))*a*b^3*c^2*f^2*((b*x+a)/(a*d-b*c)*d)^(1/2)*(-(f*x+e)/(a*f-b*e)*b)^(1/2)*(-(d*x+c)/(a*d-b*c)*b)^(1/2)-B*EllipticF(((b*x+a)/(a*d-b*c)*d)^(1/2),((a*d-b*c)/(a*f-b*e)/d*f)^(1/2))*b^4*c^2*e*f*((b*x+a)/(a*d-b*c)*d)^(1/2)*(-(f*x+e)/(a*f-b*e)*b)^(1/2)*(-(d*x+c)/(a*d-b*c)*b)^(1/2)+B*EllipticE(((b*x+a)/(a*d-b*c)*d)^(1/2),((a*d-b*c)/(a*f-b*e)/d*f)^(1/2))*a^3*b*d^2*f^2*((b*x+a)/(a*d-b*c)*d)^(1/2)*(-(f*x+e)/(a*f-b*e)*b)^(1/2)*(-(d*x+c)/(a*d-b*c)*b)^(1/2)-C*EllipticF(((b*x+a)/(a*d-b*c)*d)^(1/2),((a*d-b*c)/(a*f-b*e)/d*f)^(1/2))*a^2*b^2*c^2*f^2*((b*x+a)/(a*d-b*c)*d)^(1/2)*(-(f*x+e)/(a*f-b*e)*b)^(1/2)*(-(d*x+c)/(a*d-b*c)*b)^(1/2)-C*EllipticE(((b*x+a)/(a*d-b*c)*d)^(1/2),((a*d-b*c)/(a*f-b*e)/d*f)^(1/2))*a^2*b^2*d^2*e^2*((b*x+a)/(a*d-b*c)*d)^(1/2)*(-(f*x+e)/(a*f-b*e)*b)^(1/2)*(-(d*x+c)/(a*d-b*c)*b)^(1/2)
```

)^(1/2)-A\*x^2\*b^4\*d^2\*f^2-C\*a^2\*b^2\*c\*d\*e\*f+B\*a\*b^3\*c\*d\*e\*f+3\*C\*EllipticE((b\*x+a)/(a\*d-b\*c)\*d)^(1/2),((a\*d-b\*c)/(a\*f-b\*e)/d\*f)^(1/2))\*a^3\*b\*d^2\*e\*f\*((b\*x+a)/(a\*d-b\*c)\*d)^(1/2)\*(-(f\*x+e)/(a\*f-b\*e)\*b)^(1/2)\*(-(d\*x+c)/(a\*d-b\*c)\*b)^(1/2)+2\*C\*EllipticE(((b\*x+a)/(a\*d-b\*c)\*d)^(1/2),((a\*d-b\*c)/(a\*f-b\*e)/d\*f)^(1/2))\*a\*b^3\*c^2\*e\*f\*((b\*x+a)/(a\*d-b\*c)\*d)^(1/2)\*(-(f\*x+e)/(a\*f-b\*e)\*b)^(1/2)\*(-(d\*x+c)/(a\*d-b\*c)\*b)^(1/2)+2\*C\*EllipticE(((b\*x+a)/(a\*d-b\*c)\*d)^(1/2),((a\*d-b\*c)/(a\*f-b\*e)/d\*f)^(1/2))\*a\*b^3\*c\*d\*e^2\*((b\*x+a)/(a\*d-b\*c)\*d)^(1/2)\*(-(f\*x+e)/(a\*f-b\*e)\*b)^(1/2)\*(-(d\*x+c)/(a\*d-b\*c)\*b)^(1/2)+A\*EllipticE(((b\*x+a)/(a\*d-b\*c)\*d)^(1/2),((a\*d-b\*c)/(a\*f-b\*e)/d\*f)^(1/2))\*a\*b^3\*c\*d\*f^2\*((b\*x+a)/(a\*d-b\*c)\*d)^(1/2)\*(-(f\*x+e)/(a\*f-b\*e)\*b)^(1/2)\*(-(d\*x+c)/(a\*d-b\*c)\*b)^(1/2)+A\*EllipticE(((b\*x+a)/(a\*d-b\*c)\*d)^(1/2),((a\*d-b\*c)/(a\*f-b\*e)/d\*f)^(1/2))\*a\*b^3\*d^2\*e\*f\*((b\*x+a)/(a\*d-b\*c)\*d)^(1/2)\*(-(f\*x+e)/(a\*f-b\*e)\*b)^(1/2)\*(-(d\*x+c)/(a\*d-b\*c)\*b)^(1/2)-A\*EllipticE(((b\*x+a)/(a\*d-b\*c)\*d)^(1/2),((a\*d-b\*c)/(a\*f-b\*e)/d\*f)^(1/2))\*b^4\*c\*d\*e\*f\*((b\*x+a)/(a\*d-b\*c)\*d)^(1/2)\*(-(f\*x+e)/(a\*f-b\*e)\*b)^(1/2)\*(-(d\*x+c)/(a\*d-b\*c)\*b)^(1/2)-B\*EllipticF(((b\*x+a)/(a\*d-b\*c)\*d)^(1/2),((a\*d-b\*c)/(a\*f-b\*e)/d\*f)^(1/2))\*a^2\*b^2\*c\*d\*f^2\*((b\*x+a)/(a\*d-b\*c)\*d)^(1/2)\*(-(f\*x+e)/(a\*f-b\*e)\*b)^(1/2)\*(-(d\*x+c)/(a\*d-b\*c)\*b)^(1/2)-B\*EllipticE(((b\*x+a)/(a\*d-b\*c)\*d)^(1/2),((a\*d-b\*c)/(a\*f-b\*e)/d\*f)^(1/2))\*a^2\*b^2\*c\*d\*f^2\*((b\*x+a)/(a\*d-b\*c)\*d)^(1/2)\*(-(f\*x+e)/(a\*f-b\*e)\*b)^(1/2)\*(-(d\*x+c)/(a\*d-b\*c)\*b)^(1/2)+C\*EllipticF(((b\*x+a)/(a\*d-b\*c)\*d)^(1/2),((a\*d-b\*c)/(a\*f-b\*e)/d\*f)^(1/2))\*a^3\*b\*c\*d\*f^2\*((b\*x+a)/(a\*d-b\*c)\*d)^(1/2)\*(-(f\*x+e)/(a\*f-b\*e)\*b)^(1/2)\*(-(d\*x+c)/(a\*d-b\*c)\*b)^(1/2)-A\*b^4\*c\*d\*e\*f-C\*x^2\*a^2\*b^2\*d^2\*f^2-A\*x\*b^4\*c\*d\*f^2-A\*x\*b^4\*d^2\*e\*f-C\*EllipticF(((b\*x+a)/(a\*d-b\*c)\*d)^(1/2),((a\*d-b\*c)/(a\*f-b\*e)/d\*f)^(1/2))\*a^3\*b\*d^2\*e\*f\*((b\*x+a)/(a\*d-b\*c)\*d)^(1/2)\*(-(f\*x+e)/(a\*f-b\*e)\*b)^(1/2)\*(-(d\*x+c)/(a\*d-b\*c)\*b)^(1/2)-2\*C\*EllipticF(((b\*x+a)/(a\*d-b\*c)\*d)^(1/2),((a\*d-b\*c)/(a\*f-b\*e)/d\*f)^(1/2))\*a\*b^3\*c\*d\*e^2\*((b\*x+a)/(a\*d-b\*c)\*d)^(1/2)\*(-(f\*x+e)/(a\*f-b\*e)\*b)^(1/2)\*(-(d\*x+c)/(a\*d-b\*c)\*b)^(1/2)+3\*C\*EllipticE(((b\*x+a)/(a\*d-b\*c)\*d)^(1/2),((a\*d-b\*c)/(a\*f-b\*e)/d\*f)^(1/2))\*a^3\*b\*c\*d\*f^2\*((b\*x+a)/(a\*d-b\*c)\*d)^(1/2)\*(-(f\*x+e)/(a\*f-b\*e)\*b)^(1/2)\*(-(d\*x+c)/(a\*d-b\*c)\*b)^(1/2)-A\*EllipticF(((b\*x+a)/(a\*d-b\*c)\*d)^(1/2),((a\*d-b\*c)/(a\*f-b\*e)/d\*f)^(1/2))\*a\*b^3\*c\*d\*f^2\*((b\*x+a)/(a\*d-b\*c)\*d)^(1/2)\*(-(f\*x+e)/(a\*f-b\*e)\*b)^(1/2)\*(-(d\*x+c)/(a\*d-b\*c)\*b)^(1/2)+A\*EllipticF(((b\*x+a)/(a\*d-b\*c)\*d)^(1/2),((a\*d-b\*c)/(a\*f-b\*e)/d\*f)^(1/2))\*b^4\*c\*d\*e\*f\*((b\*x+a)/(a\*d-b\*c)\*d)^(1/2)\*(-(f\*x+e)/(a\*f-b\*e)\*b)^(1/2)\*(-(d\*x+c)/(a\*d-b\*c)\*b)^(1/2)+C\*EllipticF(((b\*x+a)/(a\*d-b\*c)\*d)^(1/2),((a\*d-b\*c)/(a\*f-b\*e)/d\*f)^(1/2))\*b^4\*c^2\*e^2\*((b\*x+a)/(a\*d-b\*c)\*d)^(1/2)\*(-(f\*x+e)/(a\*f-b\*e)\*b)^(1/2)\*(-(d\*x+c)/(a\*d-b\*c)\*b)^(1/2))\*((f\*x+e)^(1/2)\*(d\*x+c)^(1/2)\*(b\*x+a)^(1/2)/f/d/b^3/(a\*f-b\*e)/(a\*d-b\*c)/(b\*d\*f\*x^3+a\*d\*f\*x^2+b\*c\*f\*x^2+b\*d\*e\*x^2+a\*c\*f\*x+a\*d\*e\*x+b\*c\*e\*x+a\*c\*e)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{Cx^2 + Bx + A}{(bx + a)^{\frac{3}{2}} \sqrt{dx + c} \sqrt{fx + e}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)/(b\*x+a)^(3/2)/(d\*x+c)^(1/2)/(f\*x+e)^(1/2),x, algorithm="maxima")

[Out] integrate((C\*x^2 + B\*x + A)/((b\*x + a)^(3/2)\*sqrt(d\*x + c)\*sqrt(f\*x + e)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{Cx^2 + Bx + A}{\sqrt{e + fx} (a + bx)^{\frac{3}{2}} \sqrt{c + dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A + B*x + C*x^2)/((e + f*x)^(1/2)*(a + b*x)^(3/2)*(c + d*x)^(1/2)), x)
```

```
[Out] int((A + B*x + C*x^2)/((e + f*x)^(1/2)*(a + b*x)^(3/2)*(c + d*x)^(1/2)), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x**2+B*x+A)/(b*x+a)**(3/2)/(d*x+c)**(1/2)/(f*x+e)**(1/2), x)
```

```
[Out] Timed out
```

$$3.77 \int \frac{A+Bx+Cx^2}{(a+bx)^{5/2} \sqrt{c+dx} \sqrt{e+fx}} dx$$

**Optimal.** Leaf size=642

$$\frac{2\sqrt{\frac{b(c+dx)}{bc-ad}} \sqrt{\frac{b(e+fx)}{be-af}} (a^2Cd(de - cf) + ab(3f(Ad^2 + c^2C) - Bd(2cf + de)) - b^2(Acdf + 2Ad^2e - 3Bcde + 3c^2C))}{3b^2\sqrt{d} \sqrt{c + dx} \sqrt{e + fx} (ad - bc)^{3/2}(be - af)}$$

[Out]  $-2/3*(A*b^2-a*(B*b-C*a))*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/b/(-a*d+b*c)/(-a*f+b*e)/(b*x+a)^{(3/2)}+2/3*(2*a^3*C*d*f+a*b^2*(-4*A*d*f+B*c*f+B*d*e+6*C*c*e)-b^3*(3*B*c*e-2*A*(c*f+d*e))+a^2*b*(B*d*f-4*C*(c*f+d*e)))*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/b/(-a*d+b*c)^2/(-a*f+b*e)^2/(b*x+a)^{(1/2)}-2/3*(2*a^3*C*d*f+a*b^2*(-4*A*d*f+B*c*f+B*d*e+6*C*c*e)-b^3*(3*B*c*e-2*A*(c*f+d*e))+a^2*b*(B*d*f-4*C*(c*f+d*e)))*EllipticE(d^{(1/2)}*(b*x+a)^{(1/2)}/(a*d-b*c)^{(1/2)},((-a*d+b*c)*f/d/(-a*f+b*e))^{(1/2)})*d^{(1/2)}*(b*(d*x+c)/(-a*d+b*c))^{(1/2)}*(f*x+e)^{(1/2)}/b^2/(a*d-b*c)^{(3/2)}/(-a*f+b*e)^2/(d*x+c)^{(1/2)}/(b*(f*x+e)/(-a*f+b*e))^{(1/2)}-2/3*(a^2*C*d*(-c*f+d*e)-b^2*(A*c*d*f+2*A*d^2*e-3*B*c*d*e+3*C*c^2*e)+a*b*(3*(A*d^2+C*c^2)*f-B*d*(2*c*f+d*e)))*EllipticF(d^{(1/2)}*(b*x+a)^{(1/2)}/(a*d-b*c)^{(1/2)},((-a*d+b*c)*f/d/(-a*f+b*e))^{(1/2)})*(b*(d*x+c)/(-a*d+b*c))^{(1/2)}*(b*(f*x+e)/(-a*f+b*e))^{(1/2)}/b^2/(a*d-b*c)^{(3/2)}/(-a*f+b*e)/d^{(1/2)}/(d*x+c)^{(1/2)}/(f*x+e)^{(1/2)}$

**Rubi [A]** time = 1.52, antiderivative size = 642, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 38,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.184$ , Rules used = {1614, 152, 158, 114, 113, 121, 120}

$$\frac{2\sqrt{\frac{b(c+dx)}{bc-ad}} \sqrt{\frac{b(e+fx)}{be-af}} (a^2Cd(de - cf) + ab(3f(Ad^2 + c^2C) - Bd(2cf + de)) - b^2(Acdf + 2Ad^2e - 3Bcde + 3c^2C))}{3b^2\sqrt{d} \sqrt{c + dx} \sqrt{e + fx} (ad - bc)^{3/2}(be - af)}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*x + C\*x^2)/((a + b\*x)^(5/2)\*Sqrt[c + d\*x]\*Sqrt[e + f\*x]),x]  
 [Out]  $(-2*(A*b^2 - a*(b*B - a*C))*Sqrt[c + d*x]*Sqrt[e + f*x])/(3*b*(b*c - a*d)*(b*e - a*f)*(a + b*x)^{(3/2)}) + (2*(2*a^3*C*d*f + a*b^2*(6*c*C*e + B*d*e + B*c*f - 4*A*d*f) - b^3*(3*B*c*e - 2*A*(d*e + c*f)) + a^2*b*(B*d*f - 4*C*(d*e + c*f)))*Sqrt[c + d*x]*Sqrt[e + f*x])/(3*b*(b*c - a*d)^2*(b*e - a*f)^2*Sqrt[a + b*x]) - (2*Sqrt[d]*(2*a^3*C*d*f + a*b^2*(6*c*C*e + B*d*e + B*c*f - 4*A*d*f) - b^3*(3*B*c*e - 2*A*(d*e + c*f)) + a^2*b*(B*d*f - 4*C*(d*e + c*f)))*Sqrt[(b*(c + d*x))/(b*c - a*d)]*Sqrt[e + f*x]*EllipticE[ArcSin[(Sqrt[d]*Sqrt[a + b*x])/Sqrt[-(b*c) + a*d]], ((b*c - a*d)*f)/(d*(b*e - a*f)))]/(3*b^2*(-(b*c) + a*d)^{(3/2)}*(b*e - a*f)^2*Sqrt[c + d*x]*Sqrt[(b*(e + f*x))/(b*e - a*f)]) - (2*(a^2*C*d*(d*e - c*f) - b^2*(3*c^2*C*e - 3*B*c*d*e + 2*A*d^2*e + A*c*d*f) + a*b*(3*(c^2*C + A*d^2)*f - B*d*(d*e + 2*c*f)))*Sqrt[(b*(c + d*x))/(b*c - a*d)]*Sqrt[(b*(e + f*x))/(b*e - a*f)]*EllipticF[ArcSin[(Sqrt[d]*Sqrt[a + b*x])/Sqrt[-(b*c) + a*d]], ((b*c - a*d)*f)/(d*(b*e - a*f)))]/(3*b^2*Sqrt[d]*(-(b*c) + a*d)^{(3/2)}*(b*e - a*f)*Sqrt[c + d*x]*Sqrt[e + f*x])$

**Rule 113**

Int[Sqrt[(e\_.) + (f\_.)\*(x\_)]/(Sqrt[(a\_) + (b\_.)\*(x\_)]\*Sqrt[(c\_) + (d\_.)\*(x\_)]), x\_Symbol] :> Simp[(2\*Rt[-((b\*e - a\*f)/d), 2]\*EllipticE[ArcSin[Sqrt[a + b\*x]/Rt[-((b\*c - a\*d)/d), 2]], (f\*(b\*c - a\*d))/(d\*(b\*e - a\*f))]/b, x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[b/(b\*c - a\*d), 0] && GtQ[b/(b\*e - a\*f), 0] && !LtQ[-((b\*c - a\*d)/d), 0] && !(SimplerQ[c + d\*x, a + b\*x] && GtQ[-



$(d/(b*c - a*d)), 0] \&\& \text{GtQ}[d/(d*e - c*f), 0] \&\& \text{!LtQ}[(b*c - a*d)/b, 0])$

#### Rule 114

$\text{Int}[\text{Sqrt}[(e_.) + (f_.)*(x_.)]/(\text{Sqrt}[(a_.) + (b_.)*(x_.)]*\text{Sqrt}[(c_.) + (d_.)*(x_.)]), x\_Symbol] \text{:>} \text{Dist}[(\text{Sqrt}[e + f*x]*\text{Sqrt}[(b*(c + d*x))/(b*c - a*d)])/(\text{Sqrt}[c + d*x]*\text{Sqrt}[(b*(e + f*x))/(b*e - a*f)]), \text{Int}[\text{Sqrt}[(b*e)/(b*e - a*f) + (b*f*x)/(b*e - a*f)]/(\text{Sqrt}[a + b*x]*\text{Sqrt}[(b*c)/(b*c - a*d) + (b*d*x)/(b*c - a*d)]), x], x] \text{/; FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{!(GtQ}[b/(b*c - a*d), 0] \&\& \text{GtQ}[b/(b*e - a*f), 0]) \&\& \text{!LtQ}[-((b*c - a*d)/d), 0]$

#### Rule 120

$\text{Int}[1/(\text{Sqrt}[(a_.) + (b_.)*(x_.)]*\text{Sqrt}[(c_.) + (d_.)*(x_.)]*\text{Sqrt}[(e_.) + (f_.)*(x_.)]), x\_Symbol] \text{:>} \text{Simp}[(2*\text{Rt}[-(b/d), 2]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*x]/(\text{Rt}[-(b/d), 2]*\text{Sqrt}[(b*c - a*d)/b])], (f*(b*c - a*d))/(d*(b*e - a*f)))]/(b*\text{Sqrt}[(b*e - a*f)/b]), x] \text{/; FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{GtQ}[b/(b*c - a*d), 0] \&\& \text{GtQ}[b/(b*e - a*f), 0] \&\& \text{SimplerQ}[a + b*x, c + d*x] \&\& \text{SimplerQ}[a + b*x, e + f*x] \&\& (\text{PosQ}[-((b*c - a*d)/d)] \|\| \text{NegQ}[-((b*e - a*f)/f)])$

#### Rule 121

$\text{Int}[1/(\text{Sqrt}[(a_.) + (b_.)*(x_.)]*\text{Sqrt}[(c_.) + (d_.)*(x_.)]*\text{Sqrt}[(e_.) + (f_.)*(x_.)]), x\_Symbol] \text{:>} \text{Dist}[\text{Sqrt}[(b*(c + d*x))/(b*c - a*d)]/\text{Sqrt}[c + d*x], \text{Int}[1/(\text{Sqrt}[a + b*x]*\text{Sqrt}[(b*c)/(b*c - a*d) + (b*d*x)/(b*c - a*d)]*\text{Sqrt}[e + f*x]), x], x] \text{/; FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{!GtQ}[(b*c - a*d)/b, 0] \&\& \text{SimplerQ}[a + b*x, c + d*x] \&\& \text{SimplerQ}[a + b*x, e + f*x]$

#### Rule 152

$\text{Int}[(a_.) + (b_.)*(x_.)]^{(m_.)}*((c_.) + (d_.)*(x_.))^{(n_.)}*((e_.) + (f_.)*(x_.))^{(p_.)}*((g_.) + (h_.)*(x_.)), x\_Symbol] \text{:>} \text{Simp}[(b*g - a*h)*(a + b*x)^{(m + 1)}*(c + d*x)^{(n + 1)}*(e + f*x)^{(p + 1)}]/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + \text{Dist}[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), \text{Int}[(a + b*x)^{(m + 1)}*(c + d*x)^n*(e + f*x)^p*\text{Simp}[(a*d*f*g - b*(d*e + c*f)*g + b*c*e*h)*(m + 1) - (b*g - a*h)*(d*e*(n + 1) + c*f*(p + 1)) - d*f*(b*g - a*h)*(m + n + p + 3)*x], x], x] \text{/; FreeQ}\{a, b, c, d, e, f, g, h, n, p\}, x] \&\& \text{LtQ}[m, -1] \&\& \text{IntegersQ}[2*m, 2*n, 2*p]$

#### Rule 158

$\text{Int}[(g_.) + (h_.)*(x_.)]/(\text{Sqrt}[(a_.) + (b_.)*(x_.)]*\text{Sqrt}[(c_.) + (d_.)*(x_.)]*\text{Sqrt}[(e_.) + (f_.)*(x_.)]), x\_Symbol] \text{:>} \text{Dist}[h/f, \text{Int}[\text{Sqrt}[e + f*x]/(\text{Sqrt}[a + b*x]*\text{Sqrt}[c + d*x]), x], x] + \text{Dist}[(f*g - e*h)/f, \text{Int}[1/(\text{Sqrt}[a + b*x]*\text{Sqrt}[c + d*x]*\text{Sqrt}[e + f*x]), x], x] \text{/; FreeQ}\{a, b, c, d, e, f, g, h\}, x] \&\& \text{SimplerQ}[a + b*x, e + f*x] \&\& \text{SimplerQ}[c + d*x, e + f*x]$

#### Rule 1614

$\text{Int}[(P_x_.)*((a_.) + (b_.)*(x_.))^{(m_.)}*((c_.) + (d_.)*(x_.))^{(n_.)}*((e_.) + (f_.)*(x_.))^{(p_.)}, x\_Symbol] \text{:>} \text{With}\{Q_x = \text{PolynomialQuotient}[P_x, a + b*x, x], R = \text{PolynomialRemainder}[P_x, a + b*x, x]\}, \text{Simp}[(b*R*(a + b*x)^{(m + 1)}*(c + d*x)^{(n + 1)}*(e + f*x)^{(p + 1)}]/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + \text{Dist}[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), \text{Int}[(a + b*x)^{(m + 1)}*(c + d*x)^n*(e + f*x)^p*\text{ExpandToSum}[(m + 1)*(b*c - a*d)*(b*e - a*f)*Q_x + a*d*f*R*(m + 1) - b*R*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*R*(m + n + p + 3)*x], x], x] \text{/; FreeQ}\{a, b, c, d, e, f, n, p\}, x] \&\& \text{PolyQ}[P_x, x] \&\& \text{LtQ}[m, -1] \&\& \text{IntegersQ}[2*m, 2*n, 2*p]$

Rubi steps

$$\begin{aligned}
\int \frac{A + Bx + Cx^2}{(a + bx)^{5/2} \sqrt{c + dx} \sqrt{e + fx}} dx &= -\frac{2(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{3b(bc - ad)(be - af)(a + bx)^{3/2}} - \frac{2 \int \frac{-a^2C(de+cf) - ab(3cCe + Bde + Bcf - 3Adf) + b^2C^2}{2b} dx}{(a + bx)^{5/2} \sqrt{c + dx} \sqrt{e + fx}} \\
&= -\frac{2(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{3b(bc - ad)(be - af)(a + bx)^{3/2}} + \frac{2(2a^3Cdf + ab^2(6cCe + Bde + Bcf - 3Adf))}{3b(bc - ad)(be - af)(a + bx)^{3/2}} \\
&= -\frac{2(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{3b(bc - ad)(be - af)(a + bx)^{3/2}} + \frac{2(2a^3Cdf + ab^2(6cCe + Bde + Bcf - 3Adf))}{3b(bc - ad)(be - af)(a + bx)^{3/2}} \\
&= -\frac{2(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{3b(bc - ad)(be - af)(a + bx)^{3/2}} + \frac{2(2a^3Cdf + ab^2(6cCe + Bde + Bcf - 3Adf))}{3b(bc - ad)(be - af)(a + bx)^{3/2}} \\
&= -\frac{2(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{3b(bc - ad)(be - af)(a + bx)^{3/2}} + \frac{2(2a^3Cdf + ab^2(6cCe + Bde + Bcf - 3Adf))}{3b(bc - ad)(be - af)(a + bx)^{3/2}} \\
&= -\frac{2(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{3b(bc - ad)(be - af)(a + bx)^{3/2}} + \frac{2(2a^3Cdf + ab^2(6cCe + Bde + Bcf - 3Adf))}{3b(bc - ad)(be - af)(a + bx)^{3/2}}
\end{aligned}$$

**Mathematica** [C] time = 10.91, size = 699, normalized size = 1.09

$$\frac{2 \left( b^2(c + dx)(e + fx) \sqrt{\frac{bc}{d} - a} \left( (a + bx) \left( -2a^3Cdf + a^2b(4C(cf + de) - Bdf) - ab^2(-4Adf + Bcf + Bde + 6cCe) \right) \right) \right)}{(a + bx)^{5/2} \sqrt{c + dx} \sqrt{e + fx}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*x + C\*x^2)/((a + b\*x)^(5/2)\*Sqrt[c + d\*x]\*Sqrt[e + f\*x]),x]

[Out] (-2\*(b^2\*Sqrt[-a + (b\*c)/d]\*(c + d\*x)\*(e + f\*x)\*((A\*b^2 + a\*(-(b\*B) + a\*C))\*(b\*c - a\*d)\*(b\*e - a\*f) + (-2\*a^3\*C\*d\*f - a\*b^2\*(6\*c\*C\*e + B\*d\*e + B\*c\*f - 4\*A\*d\*f) + b^3\*(3\*B\*c\*e - 2\*A\*(d\*e + c\*f)) + a^2\*b\*(-(B\*d\*f) + 4\*C\*(d\*e + c\*f)))\*(a + b\*x)) + (a + b\*x)\*(b^2\*Sqrt[-a + (b\*c)/d]\*(2\*a^3\*C\*d\*f + a\*b^2\*(6\*c\*C\*e + B\*d\*e + B\*c\*f - 4\*A\*d\*f) + b^3\*(-3\*B\*c\*e + 2\*A\*(d\*e + c\*f)) + a^2\*b\*(B\*d\*f - 4\*C\*(d\*e + c\*f)))\*(c + d\*x)\*(e + f\*x) + I\*(b\*c - a\*d)\*f\*(2\*a^3\*C\*d\*f + a\*b^2\*(6\*c\*C\*e + B\*d\*e + B\*c\*f - 4\*A\*d\*f) + b^3\*(-3\*B\*c\*e + 2\*A\*(d\*e + c\*f)) + a^2\*b\*(B\*d\*f - 4\*C\*(d\*e + c\*f)))\*(a + b\*x)^(3/2)\*Sqrt[(b\*(c + d\*x))/(d\*(a + b\*x))]\*Sqrt[(b\*(e + f\*x))/(f\*(a + b\*x))]\*EllipticE[I\*ArcSinh[Sqrt[-a + (b\*c)/d]/Sqrt[a + b\*x]], (b\*d\*e - a\*d\*f)/(b\*c\*f - a\*d\*f)] - I\*b\*(b\*c - a\*d)\*(a^2\*C\*f\*(d\*e - c\*f) + b^2\*(3\*c\*C\*e^2 + A\*d\*e\*f + c\*f\*(-3\*B\*e + 2\*A\*f)) + a\*b\*(-3\*C\*d\*e^2 + f\*(2\*B\*d\*e + B\*c\*f - 3\*A\*d\*f)))\*(a + b\*x)^(3/2)\*Sqrt[(b\*(c + d\*x))/(d\*(a + b\*x))]\*Sqrt[(b\*(e + f\*x))/(f\*(a + b\*x))]\*EllipticF[I\*ArcSinh[Sqrt[-a + (b\*c)/d]/Sqrt[a + b\*x]], (b\*d\*e - a\*d\*f)/(b\*c\*f - a

$(d*f))))/(3*b^3*sqrt[-a + (b*c)/d]*(b*c - a*d)^2*(b*e - a*f)^2*(a + b*x)^(3/2)*sqrt[c + d*x]*sqrt[e + f*x])$

**fricas** [F] time = 0.59, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{(Cx^2 + Bx + A)\sqrt{bx + a}\sqrt{dx + c}\sqrt{fx + e}}{b^3dfx^5 + a^3ce + (b^3de + (b^3c + 3ab^2d)f)x^4 + ((b^3c + 3ab^2d)e + 3(ab^2c + a^2bd)f)x^3 + (3(ab^2c + a^2bd)e + 3(a^2b^2c + a^2bd^2)f)x^2 + (a^3c^2f + (3a^2b^2c + a^3d^2)e)x}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)/(b\*x+a)^(5/2)/(d\*x+c)^(1/2)/(f\*x+e)^(1/2),x, algorithm="fricas")

[Out] integral((C\*x^2 + B\*x + A)\*sqrt(b\*x + a)\*sqrt(d\*x + c)\*sqrt(f\*x + e)/(b^3\*d\*f\*x^5 + a^3\*c\*e + (b^3\*d\*e + (b^3\*c + 3\*a\*b^2\*d)\*f)\*x^4 + ((b^3\*c + 3\*a\*b^2\*d)\*e + 3\*(a\*b^2\*c + a^2\*b\*d)\*f)\*x^3 + (3\*(a\*b^2\*c + a^2\*b\*d)\*e + (3\*a^2\*b\*c + a^3\*d)\*f)\*x^2 + (a^3\*c\*f + (3\*a^2\*b\*c + a^3\*d)\*e)\*x), x)

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)/(b\*x+a)^(5/2)/(d\*x+c)^(1/2)/(f\*x+e)^(1/2),x, algorithm="giac")

[Out] Timed out

**maple** [B] time = 0.14, size = 12988, normalized size = 20.23

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C\*x^2+B\*x+A)/(b\*x+a)^(5/2)/(d\*x+c)^(1/2)/(f\*x+e)^(1/2),x)

[Out] result too large to display

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{Cx^2 + Bx + A}{(bx + a)^{\frac{5}{2}}\sqrt{dx + c}\sqrt{fx + e}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)/(b\*x+a)^(5/2)/(d\*x+c)^(1/2)/(f\*x+e)^(1/2),x, algorithm="maxima")

[Out] integrate((C\*x^2 + B\*x + A)/((b\*x + a)^(5/2)\*sqrt(d\*x + c)\*sqrt(f\*x + e)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{Cx^2 + Bx + A}{\sqrt{e + fx}(a + bx)^{5/2}\sqrt{c + dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B\*x + C\*x^2)/((e + f\*x)^(1/2)\*(a + b\*x)^(5/2)\*(c + d\*x)^(1/2)),x)

[Out] int((A + B\*x + C\*x^2)/((e + f\*x)^(1/2)\*(a + b\*x)^(5/2)\*(c + d\*x)^(1/2)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x\*\*2+B\*x+A)/(b\*x+a)\*\*(5/2)/(d\*x+c)\*\*(1/2)/(f\*x+e)\*\*(1/2),x)

[Out] Timed out

$$3.78 \quad \int \frac{A+Bx+Cx^2}{(a+bx)^{7/2} \sqrt{c+dx} \sqrt{e+fx}} dx$$

**Optimal.** Leaf size=1116

$$\frac{2\sqrt{c+dx} \sqrt{e+fx} (Ab^2 - a(bB - aC))}{5b(bc - ad)(be - af)(a + bx)^{5/2}} + \frac{2\sqrt{d} (2Cd^2f^2a^4 + bdf(3Bdf - 7C(de + cf))a^3 - b^2(C(3d^2e^2 - 13Cde^2 - 13Cde^2 - 13Cde^2))a^2 - b^2(C(3d^2e^2 - 13Cde^2 - 13Cde^2))a - b^2(C(3d^2e^2 - 13Cde^2 - 13Cde^2)))}{5b(bc - ad)(be - af)(a + bx)^{5/2}}$$

[Out]  $-2/5*(A*b^2 - a*(B*b - C*a))*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/b/(-a*d+b*c)/(-a*f+b*e)/(b*x+a)^{(5/2)} + 2/15*(2*a^3*C*d*f + a*b^2*(-8*A*d*f + B*c*f + B*d*e + 10*C*c*e) - b^3*(5*B*c*e - 4*A*(c*f+d*e)) + 3*a^2*b*(B*d*f - 2*C*(c*f+d*e)))*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/b/(-a*d+b*c)^2/(-a*f+b*e)^2/(b*x+a)^{(3/2)} + 2/15*(2*a^4*C*d^2*f^2 + a^3*b*d*f*(3*B*d*f - 7*C*(c*f+d*e)) - b^4*(8*A*d^2*e^2 - c*d*e*(-7*A*f + 10*B*e) + c^2*(8*A*f^2 - 10*B*e*f + 15*C*e^2)) - a*b^3*(d^2*e*(-23*A*f + 2*B*e) - 2*c^2*f*(-B*f + 5*C*e) - c*d*(23*A*f^2 - 33*B*e*f + 10*C*e^2)) - a^2*b^2*(C*(3*c^2*f^2 - 13*c*d*e*f + 3*d^2*e^2) + d*f*(23*A*d*f - 7*B*(c*f+d*e)))*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/b/(-a*d+b*c)^3/(-a*f+b*e)^3/(b*x+a)^{(1/2)} + 2/15*(2*a^4*C*d^2*f^2 + a^3*b*d*f*(3*B*d*f - 7*C*(c*f+d*e)) - b^4*(8*A*d^2*e^2 - c*d*e*(-7*A*f + 10*B*e) + c^2*(8*A*f^2 - 10*B*e*f + 15*C*e^2)) - a*b^3*(d^2*e*(-23*A*f + 2*B*e) - 2*c^2*f*(-B*f + 5*C*e) - c*d*(23*A*f^2 - 33*B*e*f + 10*C*e^2)) - a^2*b^2*(C*(3*c^2*f^2 - 13*c*d*e*f + 3*d^2*e^2) + d*f*(23*A*d*f - 7*B*(c*f+d*e)))*EllipticE(d^(1/2)*(b*x+a)^(1/2)/(a*d-b*c)^(1/2), ((-a*d+b*c)*f/d/(-a*f+b*e))^(1/2))*d^(1/2)*(b*(d*x+c)/(-a*d+b*c))^(1/2)*(f*x+e)^(1/2)/b^2/(a*d-b*c)^(5/2)/(-a*f+b*e)^3/(d*x+c)^(1/2)/(b*(f*x+e)/(-a*f+b*e))^(1/2) + 2/15*(a^3*C*d*f*(-c*f+d*e) + b^3*(8*A*d^2*e^2 - c*d*e*(-3*A*f + 10*B*e) + c^2*(4*A*f^2 - 5*B*e*f + 15*C*e^2)) + a*b^2*(d^2*e*(-19*A*f + 2*B*e) - c^2*f*(-B*f + 20*C*e) - c*d*(11*A*f^2 - 27*B*e*f + 10*C*e^2)) - 3*a^2*b*(d*f*(-5*A*d*f + 3*B*c*f + 2*B*d*e) - C*(3*c^2*f^2 + c*d*e*f + d^2*e^2))*EllipticF(d^(1/2)*(b*x+a)^(1/2)/(a*d-b*c)^(1/2), ((-a*d+b*c)*f/d/(-a*f+b*e))^(1/2))*d^(1/2)*(b*(d*x+c)/(-a*d+b*c))^(1/2)*(b*(f*x+e)/(-a*f+b*e))^(1/2)/b^2/(a*d-b*c)^(5/2)/(-a*f+b*e)^2/(d*x+c)^(1/2)/(f*x+e)^(1/2)$

**Rubi [A]** time = 3.34, antiderivative size = 1116, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 38,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.184$ , Rules used = {1614, 152, 158, 114, 113, 121, 120}

$$\frac{2\sqrt{c+dx} \sqrt{e+fx} (Ab^2 - a(bB - aC))}{5b(bc - ad)(be - af)(a + bx)^{5/2}} + \frac{2\sqrt{d} (2Cd^2f^2a^4 + bdf(3Bdf - 7C(de + cf))a^3 - b^2(C(3d^2e^2 - 13Cde^2 - 13Cde^2 - 13Cde^2))a^2 - b^2(C(3d^2e^2 - 13Cde^2 - 13Cde^2))a - b^2(C(3d^2e^2 - 13Cde^2 - 13Cde^2)))}{5b(bc - ad)(be - af)(a + bx)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*x + C\*x^2)/((a + b\*x)^(7/2)\*Sqrt[c + d\*x]\*Sqrt[e + f\*x]),x]

[Out]  $(-2*(A*b^2 - a*(b*B - a*C))*Sqrt[c + d*x]*Sqrt[e + f*x])/(5*b*(b*c - a*d)*(b*e - a*f)*(a + b*x)^{(5/2)}) + (2*(2*a^3*C*d*f + a*b^2*(10*c*C*e + B*d*e + B*c*f - 8*A*d*f) - b^3*(5*B*c*e - 4*A*(d*e + c*f)) + 3*a^2*b*(B*d*f - 2*C*(d*e + c*f)))*Sqrt[c + d*x]*Sqrt[e + f*x])/(15*b*(b*c - a*d)^2*(b*e - a*f)^2*(a + b*x)^{(3/2)}) + (2*(2*a^4*C*d^2*f^2 + a^3*b*d*f*(3*B*d*f - 7*C*(d*e + c*f)) - b^4*(8*A*d^2*e^2 - c*d*e*(10*B*e - 7*A*f) + c^2*(15*C*e^2 - 10*B*e*f + 8*A*f^2)) - a*b^3*(d^2*e*(2*B*e - 23*A*f) - 2*c^2*f*(5*C*e - B*f) - c*d*(10*C*e^2 - 33*B*e*f + 23*A*f^2)) - a^2*b^2*(C*(3*d^2*e^2 - 13*c*d*e*f + 3*c^2*f^2) + d*f*(23*A*d*f - 7*B*(d*e + c*f)))*Sqrt[c + d*x]*Sqrt[e + f*x])/(15*b*(b*c - a*d)^3*(b*e - a*f)^3*Sqrt[a + b*x]) + (2*Sqrt[d]*(2*a^4*C*d^2*f^2 + a^3*b*d*f*(3*B*d*f - 7*C*(d*e + c*f)) - b^4*(8*A*d^2*e^2 - c*d*e*(10*B*e - 7*A*f) + c^2*(15*C*e^2 - 10*B*e*f + 8*A*f^2)) - a*b^3*(d^2*e*(2*B*e - 23*A*f) - 2*c^2*f*(5*C*e - B*f) - c*d*(10*C*e^2 - 33*B*e*f + 23*A*f^2)) - a$

```

^2*b^2*(C*(3*d^2*e^2 - 13*c*d*e*f + 3*c^2*f^2) + d*f*(23*A*d*f - 7*B*(d*e +
c*f))))*Sqrt[(b*(c + d*x))/(b*c - a*d)]*Sqrt[e + f*x]*EllipticE[ArcSin[(Sqrt[d]*Sqrt[a + b*x])/Sqrt[-(b*c) + a*d]], ((b*c - a*d)*f)/(d*(b*e - a*f)))]
/(15*b^2*(-(b*c) + a*d)^(5/2)*(b*e - a*f)^3*Sqrt[c + d*x]*Sqrt[(b*(e + f*x))/(b*e - a*f)]) + (2*Sqrt[d]*(a^3*C*d*f*(d*e - c*f) + b^3*(8*A*d^2*e^2 - c*
d*e*(10*B*e - 3*A*f) + c^2*(15*C*e^2 - 5*B*e*f + 4*A*f^2)) + a*b^2*(d^2*e*(
2*B*e - 19*A*f) - c^2*f*(20*C*e - B*f) - c*d*(10*C*e^2 - 27*B*e*f + 11*A*f^
2)) - 3*a^2*b*(d*f*(2*B*d*e + 3*B*c*f - 5*A*d*f) - C*(d^2*e^2 + c*d*e*f + 3
*c^2*f^2)))*Sqrt[(b*(c + d*x))/(b*c - a*d)]*Sqrt[(b*(e + f*x))/(b*e - a*f)]
*EllipticF[ArcSin[(Sqrt[d]*Sqrt[a + b*x])/Sqrt[-(b*c) + a*d]], ((b*c - a*d)
*f)/(d*(b*e - a*f)))]/(15*b^2*(-(b*c) + a*d)^(5/2)*(b*e - a*f)^2*Sqrt[c + d
*x]*Sqrt[e + f*x])

```

### Rule 113

```

Int[Sqrt[(e_) + (f_)*(x_)]/(Sqrt[(a_) + (b_)*(x_)]*Sqrt[(c_) + (d_)*(x_
)]), x_Symbol] := Simp[(2*Rt[-((b*e - a*f)/d), 2]*EllipticE[ArcSin[Sqrt[a +
b*x]/Rt[-((b*c - a*d)/d), 2]], (f*(b*c - a*d))/(d*(b*e - a*f)))]/b, x] /;
FreeQ[{a, b, c, d, e, f}, x] && GtQ[b/(b*c - a*d), 0] && GtQ[b/(b*e - a*f),
0] && !LtQ[-((b*c - a*d)/d), 0] && !SimplerQ[c + d*x, a + b*x] && GtQ[-
(d/(b*c - a*d)), 0] && GtQ[d/(d*e - c*f), 0] && !LtQ[(b*c - a*d)/b, 0]

```

### Rule 114

```

Int[Sqrt[(e_) + (f_)*(x_)]/(Sqrt[(a_) + (b_)*(x_)]*Sqrt[(c_) + (d_)*(x_
)]), x_Symbol] := Dist[(Sqrt[e + f*x]*Sqrt[(b*(c + d*x))/(b*c - a*d)])/(Sqr
t[c + d*x]*Sqrt[(b*(e + f*x))/(b*e - a*f)]), Int[Sqrt[(b*e)/(b*e - a*f) + (
b*f*x)/(b*e - a*f)]/(Sqrt[a + b*x]*Sqrt[(b*c)/(b*c - a*d) + (b*d*x)/(b*c -
a*d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !(GtQ[b/(b*c - a*d), 0]
&& GtQ[b/(b*e - a*f), 0]) && !LtQ[-((b*c - a*d)/d), 0]

```

### Rule 120

```

Int[1/(Sqrt[(a_) + (b_)*(x_)]*Sqrt[(c_) + (d_)*(x_)]*Sqrt[(e_) + (f_)*(x
_)]), x_Symbol] := Simp[(2*Rt[-(b/d), 2]*EllipticF[ArcSin[Sqrt[a + b*x]/(Rt
[-(b/d), 2]*Sqrt[(b*c - a*d)/b])], (f*(b*c - a*d))/(d*(b*e - a*f)))]/(b*Sqr
t[(b*e - a*f)/b]), x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[b/(b*c - a*d),
0] && GtQ[b/(b*e - a*f), 0] && SimplerQ[a + b*x, c + d*x] && SimplerQ[a +
b*x, e + f*x] && (PosQ[-((b*c - a*d)/d)] || NegQ[-((b*e - a*f)/f)])

```

### Rule 121

```

Int[1/(Sqrt[(a_) + (b_)*(x_)]*Sqrt[(c_) + (d_)*(x_)]*Sqrt[(e_) + (f_)*(x
_)]), x_Symbol] := Dist[Sqrt[(b*(c + d*x))/(b*c - a*d)]/Sqrt[c + d*x], Int[
1/(Sqrt[a + b*x]*Sqrt[(b*c)/(b*c - a*d) + (b*d*x)/(b*c - a*d)]*Sqrt[e + f*x
]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[(b*c - a*d)/b, 0] && Si
mplerQ[a + b*x, c + d*x] && SimplerQ[a + b*x, e + f*x]

```

### Rule 152

```

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_
))^(p_)*((g_) + (h_)*(x_)), x_Symbol] := Simp[((b*g - a*h)*(a + b*x)^(m +
1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)),
x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d
*x)^n*(e + f*x)^p*Simp[(a*d*f*g - b*(d*e + c*f)*g + b*c*e*h)*(m + 1) - (b*g
- a*h)*(d*e*(n + 1) + c*f*(p + 1)) - d*f*(b*g - a*h)*(m + n + p + 3)*x, x]
, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && LtQ[m, -1] && Integ
ersQ[2*m, 2*n, 2*p]

```

### Rule 158

```
Int[((g_.) + (h_.)*(x_))/(Sqrt[(a_.) + (b_.)*(x_)]*Sqrt[(c_.) + (d_.)*(x_)]*
Sqrt[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[h/f, Int[Sqrt[e + f*x]/(Sqrt[a
+ b*x]*Sqrt[c + d*x]), x], x] + Dist[(f*g - e*h)/f, Int[1/(Sqrt[a + b*x]*Sq
rt[c + d*x]*Sqrt[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] &&
SimplerQ[a + b*x, e + f*x] && SimplerQ[c + d*x, e + f*x]
```

### Rule 1614

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_
.)*(x_))^(p_), x_Symbol] := With[{Qx = PolynomialQuotient[Px, a + b*x, x],
R = PolynomialRemainder[Px, a + b*x, x]}, Simp[(b*R*(a + b*x)^(m + 1)*(c +
d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Di
st[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^(n*(
e + f*x)^p*ExpandToSum[(m + 1)*(b*c - a*d)*(b*e - a*f)*Qx + a*d*f*R*(m + 1)
- b*R*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*R*(m + n + p + 3)*x, x],
x], x]] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && PolyQ[Px, x] && LtQ[m, -1
] && IntegersQ[2*m, 2*n, 2*p]
```

### Rubi steps

$$\int \frac{A + Bx + Cx^2}{(a + bx)^{7/2} \sqrt{c + dx} \sqrt{e + fx}} dx = -\frac{2(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{5b(bc - ad)(be - af)(a + bx)^{5/2}} - 2 \int \frac{-\frac{a^2C(de+cf) - ab(5cCe + Bde + Bcf - 5Ad)}{2b}}{(a + bx)^{5/2} \sqrt{c + dx} \sqrt{e + fx}} dx$$

$$= -\frac{2(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{5b(bc - ad)(be - af)(a + bx)^{5/2}} + \frac{2(2a^3Cdf + ab^2(10cCe + Ba))}{5b(bc - ad)(be - af)(a + bx)^{5/2}}$$

$$= -\frac{2(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{5b(bc - ad)(be - af)(a + bx)^{5/2}} + \frac{2(2a^3Cdf + ab^2(10cCe + Ba))}{5b(bc - ad)(be - af)(a + bx)^{5/2}}$$

$$= -\frac{2(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{5b(bc - ad)(be - af)(a + bx)^{5/2}} + \frac{2(2a^3Cdf + ab^2(10cCe + Ba))}{5b(bc - ad)(be - af)(a + bx)^{5/2}}$$

$$= -\frac{2(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{5b(bc - ad)(be - af)(a + bx)^{5/2}} + \frac{2(2a^3Cdf + ab^2(10cCe + Ba))}{5b(bc - ad)(be - af)(a + bx)^{5/2}}$$

$$= -\frac{2(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{5b(bc - ad)(be - af)(a + bx)^{5/2}} + \frac{2(2a^3Cdf + ab^2(10cCe + Ba))}{5b(bc - ad)(be - af)(a + bx)^{5/2}}$$

$$= -\frac{2(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{5b(bc - ad)(be - af)(a + bx)^{5/2}} + \frac{2(2a^3Cdf + ab^2(10cCe + Ba))}{5b(bc - ad)(be - af)(a + bx)^{5/2}}$$

**Mathematica [C]** time = 16.22, size = 8844, normalized size = 7.92

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B\*x + C\*x^2)/((a + b\*x)^(7/2)\*Sqrt[c + d\*x]\*Sqrt[e + f\*x]),x  
]

[Out] Result too large to show

**fricas** [F] time = 0.60, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{(Cx^2 + Bx + A)}{b^4 d f x^6 + a^4 c e + (b^4 d e + (b^4 c + 4 a b^3 d) f) x^5 + ((b^4 c + 4 a b^3 d) e + 2 (2 a b^3 c + 3 a^2 b^2 d) f) x^4 + 2 ((2 a b^3 c + 3 a^2 b^2 d) e + (3 a^2 b^2 c + 2 a^3 b d) f) x^3 + (2 (3 a^2 b^2 c + 2 a^3 b d) e + (4 a^3 b c + a^4 d) f) x^2 + (a^4 c f + (4 a^3 b c + a^4 d) e) x}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)/(b\*x+a)^(7/2)/(d\*x+c)^(1/2)/(f\*x+e)^(1/2),x, algorithm="fricas")

[Out] integral((C\*x^2 + B\*x + A)\*sqrt(b\*x + a)\*sqrt(d\*x + c)\*sqrt(f\*x + e)/(b^4\*d\*f\*x^6 + a^4\*c\*e + (b^4\*d\*e + (b^4\*c + 4\*a\*b^3\*d)\*f)\*x^5 + ((b^4\*c + 4\*a\*b^3\*d)\*e + 2\*(2\*a\*b^3\*c + 3\*a^2\*b^2\*d)\*f)\*x^4 + 2\*((2\*a\*b^3\*c + 3\*a^2\*b^2\*d)\*e + (3\*a^2\*b^2\*c + 2\*a^3\*b\*d)\*f)\*x^3 + (2\*(3\*a^2\*b^2\*c + 2\*a^3\*b\*d)\*e + (4\*a^3\*b\*c + a^4\*d)\*f)\*x^2 + (a^4\*c\*f + (4\*a^3\*b\*c + a^4\*d)\*e)\*x), x)

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)/(b\*x+a)^(7/2)/(d\*x+c)^(1/2)/(f\*x+e)^(1/2),x, algorithm="giac")

[Out] Timed out

**maple** [B] time = 0.35, size = 34102, normalized size = 30.56

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C\*x^2+B\*x+A)/(b\*x+a)^(7/2)/(d\*x+c)^(1/2)/(f\*x+e)^(1/2),x)

[Out] result too large to display

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{Cx^2 + Bx + A}{(bx + a)^{\frac{7}{2}} \sqrt{dx + c} \sqrt{fx + e}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)/(b\*x+a)^(7/2)/(d\*x+c)^(1/2)/(f\*x+e)^(1/2),x, algorithm="maxima")

[Out] integrate((C\*x^2 + B\*x + A)/((b\*x + a)^(7/2)\*sqrt(d\*x + c)\*sqrt(f\*x + e)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{Cx^2 + Bx + A}{\sqrt{e + fx} (a + bx)^{7/2} \sqrt{c + dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B\*x + C\*x^2)/((e + f\*x)^(1/2)\*(a + b\*x)^(7/2)\*(c + d\*x)^(1/2)),x)



```
[Out] int((A + B*x + C*x^2)/((e + f*x)^(1/2)*(a + b*x)^(7/2)*(c + d*x)^(1/2)), x)
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x**2+B*x+A)/(b*x+a)**(7/2)/(d*x+c)**(1/2)/(f*x+e)**(1/2),x)
```

```
[Out] Timed out
```



# Chapter 4

## Listing of Grading functions

The following are the current version of the grading functions used for grading the quality of the antiderivative with reference to the optimal antiderivative included in the test suite.

There is a version for Maple and for Mathematica/Rubi. There is a version for grading Sympy and version for use with Sagemath.

The following are links to the current source code.

The following are the listings of source code of the grading functions.

### 4.0.1 Mathematica and Rubi grading function

```
(* Original version thanks to Albert Rich emailed on 03/21/2017 *)
(* ::Package:: *)

(* ::Subsection:: *)
(*GradeAntiderivative[result,optimal]*)

(* ::Text:: *)
(*If result and optimal are mathematical expressions, *)
(*      GradeAntiderivative[result,optimal] returns*)
(* "F" if the result fails to integrate an expression that*)
(*   is integrable*)
(* "C" if result involves higher level functions than necessary*)
(* "B" if result is more than twice the size of the optimal*)
(*   antiderivative*)
(* "A" if result can be considered optimal*)

GradeAntiderivative[result_,optimal_] :=
  If[ExpnType[result]<=ExpnType[optimal],
    If[FreeQ[result,Complex] || Not[FreeQ[optimal,Complex]],
      If[LeafCount[result]<=2*LeafCount[optimal],
        "A",
        "B"],
      "C"],
    If[FreeQ[result,Integrate] && FreeQ[result,Int],
      "C",
      "F"]]

(* ::Text:: *)
(*The following summarizes the type number assigned an *)
(*expression based on the functions it involves*)
(*1 = rational function*)
(*2 = algebraic function*)
```

```

(*3 = elementary function*)
(*4 = special function*)
(*5 = hyperpergeometric function*)
(*6 = appell function*)
(*7 = rootsum function*)
(*8 = integrate function*)
(*9 = unknown function*)

```

```

ExpnType[expn_] :=
  If[AtomQ[expn],
    1,
    If[ListQ[expn],
      Max[Map[ExpnType, expn]],
      If[Head[expn]===Power,
        If[IntegerQ[expn[[2]]],
          ExpnType[expn[[1]]],
          If[Head[expn[[2]]]===Rational,
            If[IntegerQ[expn[[1]]] || Head[expn[[1]]]===Rational,
              1,
              Max[ExpnType[expn[[1]], 2]],
            Max[ExpnType[expn[[1]], ExpnType[expn[[2]], 3]],
          If[Head[expn]===Plus || Head[expn]===Times,
            Max[ExpnType[First[expn]], ExpnType[Rest[expn]]],
          If[ElementaryFunctionQ[Head[expn]],
            Max[3, ExpnType[expn[[1]]],
          If[SpecialFunctionQ[Head[expn]],
            Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 4]],
          If[HypergeometricFunctionQ[Head[expn]],
            Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 5]],
          If[AppellFunctionQ[Head[expn]],
            Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 6]],
          If[Head[expn]===RootSum,
            Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 7]],
          If[Head[expn]===Integrate || Head[expn]===Int,
            Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 8]],
          9]]]]]]]]]]

```

```

ElementaryFunctionQ[func_] :=
  MemberQ[{
    Exp, Log,
    Sin, Cos, Tan, Cot, Sec, Csc,
    ArcSin, ArcCos, ArcTan, ArcCot, ArcSec, ArcCsc,
    Sinh, Cosh, Tanh, Coth, Sech, Csch,
    ArcSinh, ArcCosh, ArcTanh, ArcCoth, ArcSech, ArcCsch
  }, func]

```

```

SpecialFunctionQ[func_] :=
  MemberQ[{
    Erf, Erfc, Erfi,
    FresnelS, FresnelC,
    ExpIntegralE, ExpIntegralEi, LogIntegral,
    SinIntegral, CosIntegral, SinhIntegral, CoshIntegral,
    Gamma, LogGamma, PolyGamma,
    Zeta, PolyLog, ProductLog,
    EllipticF, EllipticE, EllipticPi
  }, func]

```

```

HypergeometricFunctionQ[func_] :=
  MemberQ[{Hypergeometric1F1, Hypergeometric2F1, HypergeometricPFQ}, func]

```

```
AppellFunctionQ[func_] :=
  MemberQ[{AppellF1},func]
```

## 4.0.2 Maple grading function

```
# File: GradeAntiderivative.mpl
# Original version thanks to Albert Rich emailed on 03/21/2017

#Nasser 03/22/2017 Use Maple leaf count instead since buildin
#Nasser 03/23/2017 missing 'ln' for ElementaryFunctionQ added
#Nasser 03/24/2017 corrected the check for complex result
#Nasser 10/27/2017 check for leafsize and do not call ExpnType()
#
# if leaf size is "too large". Set at 500,000
#Nasser 12/22/2019 Added debug flag, added 'dilog' to special functions
#
# see problem 156, file Apostol_Problems

GradeAntiderivative := proc(result,optimal)
local leaf_count_result, leaf_count_optimal,ExpnType_result,ExpnType_optimal,
  debug:=false;

  leaf_count_result:=leafcount(result);
  #do NOT call ExpnType() if leaf size is too large. Recursion problem
  if leaf_count_result > 500000 then
    return "B";
  fi;

  leaf_count_optimal:=leafcount(optimal);

  ExpnType_result:=ExpnType(result);
  ExpnType_optimal:=ExpnType(optimal);

  if debug then
    print("ExpnType_result",ExpnType_result," ExpnType_optimal=",
  ExpnType_optimal);
  fi;

# If result and optimal are mathematical expressions,
# GradeAntiderivative[result,optimal] returns
# "F" if the result fails to integrate an expression that
# is integrable
# "C" if result involves higher level functions than necessary
# "B" if result is more than twice the size of the optimal
# antiderivative
# "A" if result can be considered optimal

#This check below actually is not needed, since I only
#call this grading only for passed integrals. i.e. I check
#for "F" before calling this. But no harm of keeping it here.
#just in case.

if not type(result,freeof('int')) then
  return "F";
end if;

if ExpnType_result<=ExpnType_optimal then
  if debug then
    print("ExpnType_result<=ExpnType_optimal");
  fi;

```

```

if is_contains_complex(result) then
  if is_contains_complex(optimal) then
    if debug then
      print("both result and optimal complex");
    fi;
    #both result and optimal complex
    if leaf_count_result<=2*leaf_count_optimal then
      return "A";
    else
      return "B";
    end if
  else #result contains complex but optimal is not
    if debug then
      print("result contains complex but optimal is not");
    fi;
    return "C";
  end if
else # result do not contain complex
  # this assumes optimal do not as well
  if debug then
    print("result do not contain complex, this assumes optimal do
not as well");
  fi;
  if leaf_count_result<=2*leaf_count_optimal then
    if debug then
      print("leaf_count_result<=2*leaf_count_optimal");
    fi;
    return "A";
  else
    if debug then
      print("leaf_count_result>2*leaf_count_optimal");
    fi;
    return "B";
  end if
end if
else #ExpnType(result) > ExpnType(optimal)
  if debug then
    print("ExpnType(result) > ExpnType(optimal)");
  fi;
  return "C";
end if

end proc:

#
# is_contains_complex(result)
# takes expressions and returns true if it contains "I" else false
#
#Nasser 032417
is_contains_complex:= proc(expression)
  return (has(expression,I));
end proc:

# The following summarizes the type number assigned an expression
# based on the functions it involves
# 1 = rational function
# 2 = algebraic function
# 3 = elementary function
# 4 = special function
# 5 = hyperpergeometric function
# 6 = appell function
# 7 = rootsum function
# 8 = integrate function

```

```

# 9 = unknown function

ExpnType := proc(expn)
  if type(expn,'atomic') then
    1
  elif type(expn,'list') then
    apply(max,map(ExpnType,expn))
  elif type(expn,'sqrt') then
    if type(op(1,expn),'rational') then
      1
    else
      max(2,ExpnType(op(1,expn)))
    end if
  elif type(expn,'^^') then
    if type(op(2,expn),'integer') then
      ExpnType(op(1,expn))
    elif type(op(2,expn),'rational') then
      if type(op(1,expn),'rational') then
        1
      else
        max(2,ExpnType(op(1,expn)))
      end if
    else
      max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    end if
  elif type(expn,'+' or type(expn,'*') then
    max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
  elif ElementaryFunctionQ(op(0,expn)) then
    max(3,ExpnType(op(1,expn)))
  elif SpecialFunctionQ(op(0,expn)) then
    max(4,apply(max,map(ExpnType,[op(expn)])))
  elif HypergeometricFunctionQ(op(0,expn)) then
    max(5,apply(max,map(ExpnType,[op(expn)])))
  elif AppellFunctionQ(op(0,expn)) then
    max(6,apply(max,map(ExpnType,[op(expn)])))
  elif op(0,expn)='int' then
    max(8,apply(max,map(ExpnType,[op(expn)]))) else
    9
  end if
end proc:

ElementaryFunctionQ := proc(func)
  member(func,[
    exp,log,ln,
    sin,cos,tan,cot,sec,csc,
    arcsin,arccos,arctan,arccot,arcsec,arccsc,
    sinh,cosh,tanh,coth,sech,csch,
    arcsinh,arccosh,arctanh,arccoth,arcsech,arccsch])
end proc:

SpecialFunctionQ := proc(func)
  member(func,[
    erf,erfc,erfi,
    FresnelS,FresnelC,
    Ei,Ei,Li,Si,Ci,Shi,Chi,
    GAMMA,lnGAMMA,Psi,Zeta,polylog,dilog,LambertW,
    EllipticF,EllipticE,EllipticPi])
end proc:

HypergeometricFunctionQ := proc(func)
  member(func,[Hypergeometric1F1,hypergeom,HypergeometricPFQ])
end proc:

```

```

AppellFunctionQ := proc(func)
  member(func,[AppellF1])
end proc:

# u is a sum or product. rest(u) returns all but the
# first term or factor of u.
rest := proc(u) local v;
  if nops(u)=2 then
    op(2,u)
  else
    apply(op(0,u),op(2..nops(u),u))
  end if
end proc:

#leafcount(u) returns the number of nodes in u.
#Nasser 3/23/17 Replaced by build-in leafCount from package in Maple
leafcount := proc(u)
  MmaTranslator[Mma][LeafCount](u);
end proc:

```

### 4.0.3 Sympy grading function

```

#Dec 24, 2019. Nasser M. Abbasi:
#           Port of original Maple grading function by
#           Albert Rich to use with Sympy/Python
#Dec 27, 2019 Nasser. Added `RootSum`. See problem 177, Timofeev file
#           added 'exp_polar'
from sympy import *

def leaf_count(expr):
  #sympy do not have leaf count function. This is approximation
  return round(1.7*count_ops(expr))

def is_sqrt(expr):
  if isinstance(expr,Pow):
    if expr.args[1] == Rational(1,2):
      return True
    else:
      return False
  else:
    return False

def is_elementary_function(func):
  return func in [exp,log,ln,sin,cos,tan,cot,sec,csc,
    asin,acos,atan,acot,asec,acsc,sinh,cosh,tanh,coth,sech,csch,
    asinh,acosh,atanh,acoth,asech,acsch
  ]

def is_special_function(func):
  return func in [ erf,erfc,erfi,
    fresnels,fresnelc,Ei,Ei,Li,Si,Ci,Shi,Chi,
    gamma,loggamma,digamma,zeta,polylog,LambertW,
    elliptic_f,elliptic_e,elliptic_pi,exp_polar
  ]

def is_hypergeometric_function(func):
  return func in [hyper]

def is_appell_function(func):
  return func in [appellf1]

```



```

def is_atom(expn):
    try:
        if expn.isAtom or isinstance(expn,int) or isinstance(expn,float):
            return True
        else:
            return False

    except AttributeError as error:
        return False

def expnType(expn):
    debug=False
    if debug:
        print("expn=",expn,"type(expn)=",type(expn))

    if is_atom(expn):
        return 1
    elif isinstance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
            return 1
        else:
            return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
    elif isinstance(expn,Pow): #type(expn,'^^')
        if isinstance(expn.args[1],Integer): #type(op(2,expn),'integer')
            return expnType(expn.args[0]) #ExpnType(op(1,expn))
        elif isinstance(expn.args[1],Rational): #type(op(2,expn),'rational')
            if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
                return 1
            else:
                return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
    elif isinstance(expn,Add) or isinstance(expn,Mul): #type(expn,'+`' or
    type(expn,'*`)
        m1 = expnType(expn.args[0])
        m2 = expnType(list(expn.args[1:]))
        return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
    elif is_elementary_function(expn.func): #ElementaryFunctionQ(op(0,expn))
        return max(3,expnType(expn.args[0])) #max(3,ExpnType(op(1,expn)))
    elif is_special_function(expn.func): #SpecialFunctionQ(op(0,expn))
        m1 = max(map(expnType, list(expn.args)))
        return max(4,m1) #max(4,apply(max,map(ExpnType,[op(expn)])))
    elif is_hypergeometric_function(expn.func): #HypergeometricFunctionQ(op(0,
    expn))
        m1 = max(map(expnType, list(expn.args)))
        return max(5,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
    elif is_appell_function(expn.func):
        m1 = max(map(expnType, list(expn.args)))
        return max(6,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
    elif isinstance(expn,RootSum):
        m1 = max(map(expnType, list(expn.args))) #Apply[Max,Append[Map[ExpnType
    ,Apply[List,expn]],7]],
        return max(7,m1)
    elif str(expn).find("Integral") != -1:
        m1 = max(map(expnType, list(expn.args)))
        return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
    else:
        return 9

```

```

#main function
def grade_antiderivative(result,optimal):

    leaf_count_result = leaf_count(result)
    leaf_count_optimal = leaf_count(optimal)

    expnType_result = expnType(result)
    expnType_optimal = expnType(optimal)

    if str(result).find("Integral") != -1:
        return "F"

    if expnType_result <= expnType_optimal:
        if result.has(I):
            if optimal.has(I): #both result and optimal complex
                if leaf_count_result <= 2*leaf_count_optimal:
                    return "A"
                else:
                    return "B"
            else: #result contains complex but optimal is not
                return "C"
        else: # result do not contain complex, this assumes optimal do not as
well
            if leaf_count_result <= 2*leaf_count_optimal:
                return "A"
            else:
                return "B"
    else:
        return "C"

```

## 4.0.4 SageMath grading function

```

#Dec 24, 2019. Nasser: Ported original Maple grading function by
#           Albert Rich to use with Sagemath. This is used to
#           grade Fricas, Giac and Maxima results.
#Dec 24, 2019. Nasser: Added 'exp_integral_e' and 'sng', 'sin_integral'
#           'arctan2','floor','abs','log_integral'

from sage.all import *
from sage.symbolic.operators import add_vararg, mul_vararg

debug=False;

def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)

def is_sqrt(expr):
    if expr.operator() == operator.pow: #isinstance(expr,Pow):
        if expr.operands()[1]==1/2: #expr.args[1] == Rational(1,2):
            if debug: print ("expr is sqrt")
            return True

```

```

        else:
            return False
    else:
        return False

def is_elementary_function(func):
    debug=False
    m = func.name() in ['exp','log','ln',
        'sin','cos','tan','cot','sec','csc',
        'arcsin','arccos','arctan','arccot','arcsec','arccsc',
        'sinh','cosh','tanh','coth','sech','csch',
        'arcsinh','arccosh','arctanh','arccoth','arcsech','arccsch','sgn',
        'arctan2','floor','abs'
    ]
    if debug:
        if m:
            print ("func ", func , " is elementary_function")
        else:
            print ("func ", func , " is NOT elementary_function")

    return m

def is_special_function(func):
    debug=False
    if debug: print ("type(func)=", type(func))

    m= func.name() in ['erf','erfc','erfi','fresnel_sin','fresnel_cos','Ei',
        'Ei','Li','Si','sin_integral','Ci','cos_integral','Shi','
sinh_integral'
        'Chi','cosh_integral','gamma','log_gamma','psi,zeta',
        'polylog','lambert_w','elliptic_f','elliptic_e',
        'elliptic_pi','exp_integral_e','log_integral']

    if debug:
        print ("m=",m)
        if m:
            print ("func ", func ," is special_function")
        else:
            print ("func ", func ," is NOT special_function")

    return m

def is_hypergeometric_function(func):
    return func.name() in ['hypergeometric','hypergeometric_M',
hypergeometric_U']

def is_appell_function(func):
    return func.name() in ['hypergeometric']    #[appellf1] can't find this in
sagemath

def is_atom(expn):

    debug=False
    if debug: print ("Enter is_atom")

    #thanks to answer at https://ask.sagemath.org/question/49179/what-is-sagemath-equivalent-to-atomic-type-in-maple/
    try:
        if expn.parent() is SR:

```

```

        return expn.operator() is None
    if expn.parent() in (ZZ, QQ, AA, QQbar):
        return expn in expn.parent() # Should always return True
    if hasattr(expn.parent(),"base_ring") and hasattr(expn.parent(),"gens")
:
        return expn in expn.parent().base_ring() or expn in expn.parent().
gens()
    return False

except AttributeError as error:
    return False

def expnType(expn):

    if debug:
        print(">>>>Enter expnType, expn=", expn)
        print(">>>>is_atom(expn)=", is_atom(expn))

    if is_atom(expn):
        return 1
    elif type(expn)==list: #isinstance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if type(expn.operands()[0])==Rational: #type(isinstance(expn.args[0],
Rational):
            return 1
        else:
            return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.
args[0]))
    elif expn.operator() == operator.pow: #isinstance(expn,Pow)
        if type(expn.operands()[1])==Integer: #isinstance(expn.args[1],Integer
)
            return expnType(expn.operands()[0]) #expnType(expn.args[0])
        elif type(expn.operands()[1])==Rational: #isinstance(expn.args[1],
Rational)
            if type(expn.operands()[0])==Rational: #isinstance(expn.args[0],
Rational)
                return 1
            else:
                return max(2,expnType(expn.operands()[0])) #max(2,expnType(
expn.args[0]))
        else:
            return max(3,expnType(expn.operands()[0]),expnType(expn.operands(
[1])) #max(3,expnType(expn.operands()[0]),expnType(expn.operands()[1]))
    elif expn.operator() == add_vararg or expn.operator() == mul_vararg: #
isinstance(expn,Add) or isinstance(expn,Mul)
        m1 = expnType(expn.operands()[0]) #expnType(expn.args[0])
        m2 = expnType(expn.operands()[1:]) #expnType(list(expn.args[1:]))
        return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn)))
    elif is_elementary_function(expn.operator()): #is_elementary_function(expn
.func)
        return max(3,expnType(expn.operands()[0]))
    elif is_special_function(expn.operator()): #is_special_function(expn.func)
        m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
        return max(4,m1) #max(4,m1)
    elif is_hypergeometric_function(expn.operator()): #
is_hypergeometric_function(expn.func)
        m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
        return max(5,m1) #max(5,m1)
    elif is_appell_function(expn.operator()):

```

```

        m1 = max(map(expnType, expn.operands()))      #max(map(expnType, list(
expn.args)))
        return max(6,m1)      #max(6,m1)
    elif str(expn).find("Integral") != -1: #this will never happen, since it
        #is checked before calling the grading function that is passed.
        #but kept it here.
        m1 = max(map(expnType, expn.operands()))      #max(map(expnType, list(
expn.args)))
        return max(8,m1)      #max(5,apply(max,map(ExpnType,[op(expn)])))
    else:
        return 9

#main function
def grade_antiderivative(result,optimal):

    if debug: print ("Enter grade_antiderivative for sagemath")

    leaf_count_result = tree_size(result) #leaf_count(result)
    leaf_count_optimal = tree_size(optimal) #leaf_count(optimal)

    if debug: print ("leaf_count_result=", leaf_count_result, "
leaf_count_optimal=",leaf_count_optimal)

    expnType_result = expnType(result)
    expnType_optimal = expnType(optimal)

    if debug: print ("expnType_result=", expnType_result, "expnType_optimal=",
expnType_optimal)

    if expnType_result <= expnType_optimal:
        if result.has(I):
            if optimal.has(I): #both result and optimal complex
                if leaf_count_result <= 2*leaf_count_optimal:
                    return "A"
                else:
                    return "B"
            else: #result contains complex but optimal is not
                return "C"
        else: # result do not contain complex, this assumes optimal do not as
well
            if leaf_count_result <= 2*leaf_count_optimal:
                return "A"
            else:
                return "B"
    else:
        return "C"

```